

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nhsed@cdc.gov, or call 301-458-4688

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ALL CAUSES												
ALL RACES, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	971.0	3,518.3	150.2	66.1	132.5	183.6	370.7	870.7	1,927.8	4,078.5	9,302.1	20,324.2
1948	988.6	3,571.1	160.1	68.3	143.5	195.8	390.9	900.1	1,973.5	4,135.3	9,507.0	21,316.1
1947	1,007.6	3,452.3	160.8	70.7	154.2	211.1	405.1	923.4	2,014.0	4,208.3	9,695.3	21,687.8
1946	996.5	4,625.7	181.5	82.2	168.7	226.4	416.2	920.8	1,981.9	4,115.6	9,510.9	21,063.0
1945	1,058.1	4,248.5	203.0	90.2	192.7	267.3	458.1	955.8	2,049.0	4,258.8	9,835.2	20,958.2
1944	1,062.1	4,416.8	233.0	94.2	202.8	265.9	462.7	967.8	2,075.2	4,392.5	10,167.1	21,533.0
1943	1,087.2	4,399.7	256.4	96.6	206.4	274.9	480.5	1,019.3	2,150.7	4,615.6	10,754.4	23,033.3
1942	1,034.3	4,881.4	243.4	90.8	191.5	278.1	484.0	1,010.2	2,096.5	4,488.5	10,164.4	21,112.7
1941	1,049.9	5,258.4	279.9	99.0	201.2	292.3	499.8	1,030.5	2,132.2	4,616.5	10,576.3	21,869.9
1940	1,076.4	5,493.8	289.6	103.7	204.8	305.9	520.1	1,059.9	2,215.5	4,838.3	11,203.9	23,565.1
ALL CAUSES												
ALL RACES, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1,112.6	3,963.0	163.6	78.9	171.8	218.7	443.7	1,082.7	2,420.6	4,841.5	10,381.2	21,498.7
1948	1,130.9	4,016.7	174.2	80.4	182.6	233.1	465.1	1,121.2	2,464.2	4,883.4	10,510.6	22,640.9
1947	1,148.1	3,883.5	175.3	83.9	192.7	244.4	479.6	1,134.5	2,499.2	4,921.8	10,659.3	22,930.1
1946	1,133.7	5,211.7	196.4	97.4	212.9	261.9	485.7	1,124.2	2,426.2	4,750.5	10,407.1	22,108.1
1945	1,258.1	4,758.0	219.3	105.8	272.6	348.3	547.8	1,160.1	2,501.0	4,910.3	10,771.5	22,074.0
1944	1,236.1	4,911.8	250.2	112.2	278.1	322.0	538.7	1,166.5	2,503.4	5,023.0	11,074.5	22,551.9
1943	1,237.5	4,927.0	277.0	112.0	264.4	319.3	554.9	1,219.3	2,571.8	5,255.9	11,722.4	24,264.0
1942	1,170.8	5,443.2	260.8	107.2	228.0	321.7	561.6	1,214.7	2,509.2	5,125.2	11,100.3	22,207.6
1941	1,178.0	5,860.0	299.4	113.5	232.0	329.8	574.7	1,222.8	2,533.3	5,264.5	11,523.7	23,192.1
1940	1,197.4	6,189.8	311.5	117.8	228.9	338.4	588.1	1,248.8	2,612.0	5,462.3	12,126.4	24,639.0

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ALL CAUSES												
ALL RACES, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	831.4	3,056.1	136.4	52.9	94.5	150.2	299.7	658.8	1,432.0	3,362.4	8,378.0	19,435.9
1948	848.2	3,103.9	145.5	55.7	105.6	160.1	318.6	678.2	1,478.8	3,427.5	8,641.6	20,305.6
1947	868.9	3,000.1	145.7	57.1	117.4	179.1	332.5	710.4	1,522.6	3,530.1	8,853.3	20,720.6
1946	862.1	4,013.2	166.1	66.4	128.6	192.4	348.3	714.9	1,530.3	3,508.6	8,731.1	20,302.2
1945	878.6	3,717.6	186.1	74.0	136.6	209.7	375.9	748.2	1,587.7	3,631.7	9,017.3	20,134.2
1944	900.9	3,897.6	215.2	75.6	144.5	221.3	391.2	764.7	1,636.1	3,782.5	9,369.9	20,778.1
1943	941.7	3,849.3	235.1	80.7	154.6	235.0	408.6	813.4	1,716.8	3,993.4	9,900.3	22,116.7
1942	899.1	4,291.3	225.7	73.7	156.4	237.3	407.7	798.1	1,668.8	3,865.7	9,340.9	20,293.9
1941	921.5	4,627.8	259.8	84.0	171.0	256.1	425.5	829.5	1,714.3	3,980.8	9,727.2	20,878.2
1940	954.6	4,774.3	267.0	89.1	181.1	274.3	452.2	860.7	1,800.4	4,222.2	10,368.6	22,759.1
ALL CAUSES												
WHITE, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	953.2	3,217.9	137.0	62.5	114.4	152.6	317.7	778.5	1,834.1	4,009.9	9,400.4	20,870.2
1948	971.3	3,296.3	147.2	64.4	123.5	162.5	334.6	805.0	1,878.8	4,076.0	9,623.0	21,930.5
1947	992.7	3,192.3	147.7	66.0	130.8	175.9	350.4	829.1	1,928.1	4,168.3	9,838.2	22,323.4
1946	983.3	4,363.7	167.1	77.7	145.7	189.4	358.5	830.8	1,902.6	4,088.2	9,677.9	21,795.8
1945	1,041.9	3,932.5	185.8	85.6	165.7	223.6	393.6	863.6	1,967.0	4,228.9	9,991.3	21,572.0
1944	1,041.7	4,070.4	210.4	88.5	175.6	221.6	394.2	872.1	1,988.5	4,352.9	10,324.0	22,060.0
1943	1,065.0	4,051.2	232.7	91.0	177.2	230.1	408.8	919.8	2,057.9	4,570.9	10,902.5	23,678.3
1942	1,007.5	4,523.1	218.8	83.9	160.0	228.5	409.4	909.3	2,007.1	4,436.0	10,307.3	21,628.5
1941	1,015.9	4,762.8	248.3	91.6	166.3	238.5	419.9	922.7	2,035.0	4,556.3	10,681.3	22,351.6
1940	1,041.5	5,027.8	261.6	96.6	168.4	249.0	437.4	947.9	2,111.7	4,770.5	11,298.8	24,199.1

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

ALL CAUSES												
WHITE, MALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
	Total	1 year	years	years	years	years	years	years	years	years	years	and over
1949	1,097.0	3,636.6	149.5	75.3	154.8	187.2	393.8	995.7	2,341.3	4,792.2	10,506.6	22,009.6
1948	1,115.2	3,719.3	161.7	77.4	164.5	199.9	410.0	1,029.0	2,380.5	4,841.3	10,640.6	23,197.5
1947	1,136.7	3,609.8	162.3	79.6	171.5	211.0	427.5	1,045.9	2,432.7	4,900.3	10,828.2	23,461.6
1946	1,123.7	4,940.6	180.8	93.2	193.1	225.3	430.7	1,036.6	2,363.5	4,741.1	10,593.4	22,752.7
1945	1,246.8	4,412.6	201.7	102.5	249.2	301.1	485.5	1,070.2	2,437.9	4,894.3	10,935.9	22,545.8
1944	1,219.8	4,557.1	227.8	107.1	256.5	278.4	473.1	1,072.4	2,434.8	4,997.0	11,247.4	22,903.6
1943	1,218.4	4,554.0	252.3	106.9	239.9	275.6	485.8	1,122.7	2,498.8	5,225.6	11,879.1	24,740.9
1942	1,144.7	5,062.0	235.0	101.0	200.5	270.0	488.1	1,114.1	2,436.5	5,083.0	11,237.5	22,563.9
1941	1,144.3	5,327.1	268.2	106.9	201.4	274.3	497.0	1,117.1	2,450.7	5,211.2	11,617.6	23,514.6
1940	1,162.2	5,670.0	281.2	111.5	197.3	281.0	507.2	1,138.6	2,521.9	5,399.9	12,202.3	25,135.1
ALL CAUSES												
WHITE, FEMALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
	Total	1 year	years	years	years	years	years	years	years	years	years	and over
1949	811.0	2,778.1	124.0	49.2	74.8	119.3	243.3	561.4	1,325.0	3,279.3	8,467.0	20,068.4
1948	828.9	2,848.3	132.0	50.9	83.4	126.5	260.9	580.2	1,374.3	3,357.5	8,753.0	21,028.1
1947	850.2	2,752.3	132.5	51.7	91.8	142.1	274.9	610.5	1,418.9	3,475.4	8,986.9	21,501.1
1946	845.6	3,756.6	152.8	61.5	102.7	155.0	287.7	622.5	1,436.3	3,467.5	8,886.9	21,096.4
1945	858.4	3,425.5	169.3	68.1	107.7	168.8	309.2	654.2	1,489.1	3,593.1	9,170.8	20,847.9
1944	876.6	3,558.5	192.4	69.2	113.2	176.4	319.8	667.8	1,533.6	3,734.5	9,518.4	21,429.2
1943	916.2	3,524.7	212.3	74.4	121.1	189.2	334.1	711.2	1,605.7	3,939.6	10,037.0	22,878.9
1942	871.0	3,950.5	202.0	66.3	120.8	189.3	331.5	697.0	1,564.6	3,810.1	9,484.1	20,924.8
1941	886.6	4,168.1	227.8	75.7	131.4	203.8	343.0	719.7	1,604.1	3,919.7	9,845.6	21,473.5
1940	919.4	4,359.4	241.2	81.3	139.7	217.6	367.2	746.8	1,684.4	4,153.6	10,482.6	23,495.3

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ALL CAUSES												
ALL OTHER, BOTH SEXES		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
	Total	1 year	years	years	years	years	years	years	years	years	years	and over
1949	1,123.9	5,589.1	247.3	91.1	269.7	449.2	832.9	1,765.4	3,058.1	5,009.7	7,822.2	13,900.0
1948	1,136.9	5,606.1	256.1	94.9	295.6	478.7	879.7	1,838.0	3,106.3	4,929.4	7,764.2	14,182.9
1947	1,135.2	5,635.5	255.7	102.6	331.9	509.5	878.9	1,867.2	3,033.9	4,739.1	7,559.6	13,947.5
1946	1,108.7	6,602.5	285.7	112.3	342.3	537.9	915.2	1,834.9	2,923.0	4,480.2	7,013.1	13,305.3
1945	1,194.0	6,572.5	326.9	121.0	389.4	621.9	1,011.7	1,902.6	3,027.1	4,659.5	7,424.0	14,073.0
1944	1,235.9	7,075.9	393.3	132.4	407.8	635.8	1,053.4	1,962.7	3,116.8	4,927.8	7,760.1	15,585.7
1943	1,278.3	7,254.3	420.1	135.4	433.4	653.4	1,102.3	2,065.5	3,283.6	5,224.6	8,424.0	15,994.3
1942	1,267.3	7,541.3	413.0	137.9	443.9	701.8	1,135.4	2,086.1	3,201.8	5,201.5	7,928.2	15,529.4
1941	1,347.4	8,909.3	498.1	151.2	484.7	754.0	1,197.9	2,191.3	3,342.9	5,451.0	8,847.4	16,897.1
1940	1,382.8	8,918.7	484.6	154.0	501.2	793.5	1,244.2	2,285.8	3,525.4	5,778.4	9,608.0	17,668.7
ALL CAUSES												
ALL OTHER, MALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
	Total	1 year	years	years	years	years	years	years	years	years	years	and over
1949	1,248.8	6,222.2	269.4	104.6	305.2	497.1	890.9	1,925.3	3,367.6	5,495.1	8,631.6	15,566.7
1948	1,267.0	6,238.9	268.3	101.5	325.2	521.6	954.6	2,028.6	3,447.9	5,403.5	8,600.0	16,158.8
1947	1,246.7	6,252.5	271.5	113.0	359.0	533.5	940.2	2,020.5	3,269.5	5,174.9	8,313.2	16,618.8
1946	1,219.3	7,317.1	310.9	126.2	364.4	573.5	969.5	2,008.3	3,144.4	4,869.9	7,689.7	15,760.0
1945	1,352.6	7,375.5	348.8	128.7	434.7	719.2	1,086.6	2,082.5	3,230.7	5,114.8	8,293.9	16,506.7
1944	1,375.7	7,717.1	412.2	146.9	438.2	688.6	1,112.7	2,144.3	3,301.5	5,354.5	8,571.8	18,307.1
1943	1,403.3	8,029.1	450.9	147.5	457.7	697.4	1,168.1	2,232.4	3,438.7	5,668.3	9,356.2	18,678.6
1942	1,400.6	8,328.8	442.9	151.7	456.2	778.6	1,218.4	2,282.3	3,374.7	5,652.5	8,959.4	18,185.7
1941	1,478.8	9,873.1	520.8	161.1	491.4	826.8	1,272.7	2,358.2	3,529.7	5,961.7	10,033.3	19,714.3
1940	1,513.7	10,121.5	526.8	164.0	499.2	852.9	1,317.6	2,453.1	3,710.7	6,283.2	10,876.9	19,972.0

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ALL CAUSES												
ALL OTHER, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1,004.0	4,921.9	225.6	77.6	237.7	406.3	778.3	1,605.1	2,738.7	4,517.4	7,029.0	12,700.0
1948	1,011.3	4,963.1	243.8	88.4	268.6	438.6	808.8	1,646.2	2,755.5	4,421.6	6,785.6	12,783.3
1947	1,027.1	5,046.2	239.9	92.1	307.3	487.2	822.0	1,711.6	2,783.9	4,282.0	6,740.9	12,166.7
1946	1,001.5	5,892.9	260.9	98.4	322.3	504.6	863.8	1,657.9	2,678.9	4,085.2	6,344.3	11,704.3
1945	1,050.4	5,814.3	304.9	113.3	355.1	548.8	944.0	1,720.8	2,806.1	4,176.6	6,663.1	12,413.6
1944	1,107.1	6,470.6	374.4	117.9	383.6	594.3	999.0	1,778.2	2,914.9	4,450.0	6,882.7	13,771.4
1943	1,159.2	6,463.4	389.5	123.3	412.1	615.3	1,042.1	1,892.8	3,113.5	4,748.0	7,540.3	14,204.8
1942	1,139.0	6,791.9	385.0	124.1	432.8	634.4	1,056.2	1,875.4	3,002.8	4,690.0	7,050.0	13,670.0
1941	1,220.2	7,938.0	475.8	141.2	478.6	688.6	1,128.3	2,012.5	3,143.9	4,894.3	7,713.0	14,925.0
1940	1,256.2	7,736.9	442.8	144.1	503.1	740.0	1,174.6	2,108.9	3,318.3	5,227.5	8,413.7	15,971.0
TUBERCULOSIS, ALL FORMS												
	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	001-019									
	Fifth	1940-1948	13-22									
ALL RACES, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	26.3	8.8	6.7	2.0	15.0	24.2	32.0	41.6	53.8	61.6	66.5	47.4
1948	30.0	10.3	6.9	2.2	17.4	28.3	36.5	47.8	60.3	69.5	75.1	65.2
1947	33.5	10.7	6.7	2.7	23.5	33.4	40.8	52.3	63.9	71.8	76.7	62.6
1946	36.4	16.9	8.2	3.4	27.1	38.6	44.5	55.4	66.4	70.3	72.8	60.0
1945	39.9	16.7	8.7	3.6	33.6	48.6	49.8	57.4	66.6	70.3	74.8	57.5
1944	41.2	18.6	10.8	3.9	34.7	48.5	51.1	59.3	69.8	74.5	72.8	65.3
1943	42.5	18.6	10.5	4.6	35.0	49.5	52.3	63.2	72.4	77.2	75.0	59.7
1942	43.1	22.3	11.9	5.1	35.3	51.3	54.4	63.7	70.3	76.2	75.8	60.4
1941	44.5	22.8	12.8	5.5	36.8	54.3	56.5	65.0	73.3	77.2	75.1	60.3
1940	45.9	24.6	12.3	5.5	38.2	56.3	59.4	66.3	75.8	81.5	80.1	63.9

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

TUBERCULOSIS, ALL FORMS

ALL RACES, MALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	34.6	9.1	6.4	1.8	12.3	23.1	41.7	63.8	85.8	94.4	91.5	63.9
1948	39.3	10.6	7.1	1.8	13.8	28.1	47.2	74.3	95.8	102.5	104.6	89.3
1947	42.9	10.9	6.9	2.3	18.8	31.8	53.1	80.3	101.2	104.7	100.3	79.1
1946	46.0	17.0	8.3	3.2	22.2	37.9	57.6	84.2	103.2	100.4	94.4	76.8
1945	52.6	16.5	9.0	3.1	32.4	56.7	66.6	87.4	102.8	100.6	94.1	73.4
1944	52.8	20.0	11.0	3.3	31.5	52.8	67.3	90.0	106.4	102.3	94.2	77.6
1943	52.7	20.0	10.6	4.1	30.1	51.0	67.7	94.4	108.0	104.8	92.4	75.3
1942	52.2	23.4	12.1	4.5	28.4	52.8	70.1	93.9	103.0	101.7	90.7	72.7
1941	52.5	22.3	13.0	4.8	28.9	53.2	70.8	94.5	105.2	102.8	87.1	78.8
1940	54.2	24.8	12.6	4.8	30.1	56.3	74.8	95.6	109.5	107.1	93.2	70.3

TUBERCULOSIS, ALL FORMS

ALL RACES, FEMALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	18.1	8.5	7.0	2.2	17.7	25.3	22.6	19.3	21.5	30.8	45.0	35.6
1948	20.8	9.9	6.8	2.5	21.0	28.4	26.1	21.2	24.6	38.3	49.7	47.9
1947	24.2	10.6	6.4	3.1	28.1	34.8	28.8	23.9	26.1	40.5	56.1	50.5
1946	26.9	16.8	8.2	3.7	31.6	39.3	31.8	26.3	29.1	41.4	54.0	47.8
1945	28.6	17.0	8.5	4.2	34.5	42.9	34.3	26.9	29.7	41.1	57.9	45.8
1944	30.5	17.2	10.6	4.4	37.1	45.1	35.9	27.8	32.3	47.6	54.1	56.3
1943	32.6	17.1	10.4	5.2	39.4	48.2	37.4	31.1	35.8	50.4	59.6	48.1
1942	34.0	21.1	11.8	5.7	41.8	49.8	38.9	32.4	36.3	51.2	62.7	51.3
1941	36.5	23.4	12.6	6.2	44.6	55.3	42.2	34.0	40.0	52.0	64.3	46.4
1940	37.5	24.3	12.0	6.3	46.1	56.3	44.0	35.3	40.4	56.2	68.2	59.0

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

TUBERCULOSIS, ALL FORMS

WHITE, BOTH SEXES		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	Total 20.8	6.4	5.0	1.3	7.5	15.3	23.5	32.8	47.9	58.4	63.8	45.3
1948	24.3	6.8	5.2	1.3	9.1	18.4	27.6	39.9	54.7	65.9	73.8	63.9
1947	27.1	8.5	4.8	1.4	12.8	22.4	31.6	43.6	59.1	68.4	74.8	61.1
1946	29.8	12.8	6.0	2.1	16.0	27.3	35.0	47.1	62.0	68.2	71.3	57.3
1945	32.6	12.3	6.4	2.1	19.9	34.5	39.4	49.5	62.0	67.8	73.4	55.4
1944	33.6	13.3	8.0	2.2	20.5	34.5	40.5	51.3	65.3	72.0	71.9	62.8
1943	34.3	13.8	7.7	2.7	20.0	35.3	41.4	54.5	67.0	73.9	74.4	58.1
1942	34.4	17.8	8.8	2.9	20.4	35.8	42.6	54.8	65.0	73.4	74.5	58.7
1941	35.4	16.0	9.2	3.0	21.4	38.3	43.8	55.8	68.3	74.7	74.0	58.1
1940	36.6	17.8	8.8	3.2	22.4	40.0	46.3	56.8	70.4	78.5	79.5	61.9

TUBERCULOSIS, ALL FORMS

WHITE, MALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	Total 28.5	6.8	4.7	1.2	6.2	14.9	30.8	51.4	77.6	89.4	87.7	60.8
1948	33.2	6.6	5.3	1.1	7.3	18.8	36.2	63.4	87.7	97.4	102.1	86.4
1947	36.3	8.6	4.9	1.2	10.3	21.6	41.5	68.6	94.6	100.5	96.7	75.3
1946	39.1	13.1	5.9	2.0	12.7	26.8	45.7	72.8	97.7	97.5	91.8	69.8
1945	44.8	12.0	6.5	1.9	19.6	40.6	53.7	76.5	97.1	96.7	92.0	68.9
1944	44.7	14.3	7.9	2.0	18.4	37.6	54.0	79.0	100.7	99.4	92.5	70.4
1943	44.2	14.9	7.7	2.5	17.0	36.1	54.4	83.1	101.2	100.6	89.9	71.3
1942	43.3	18.9	8.4	2.7	16.3	36.4	55.9	82.4	96.4	97.6	87.7	69.6
1941	43.3	16.1	9.2	2.6	16.6	37.3	55.8	82.6	99.5	98.9	84.3	72.8
1940	44.7	18.0	8.9	2.9	17.0	40.2	59.2	83.6	103.0	102.3	90.8	67.9

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

TUBERCULOSIS, ALL FORMS												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	13.2	6.1	5.3	1.3	8.8	15.8	16.3	14.3	18.1	29.5	43.5	34.3
1948	15.4	7.1	5.1	1.5	10.8	18.0	19.1	16.4	21.4	36.4	49.6	47.8
1947	18.0	8.4	4.7	1.6	15.1	23.1	22.0	18.4	23.2	38.1	55.9	51.0
1946	20.6	12.5	6.1	2.2	18.9	27.7	24.6	21.0	25.9	40.3	53.6	48.2
1945	21.7	12.5	6.3	2.4	20.1	30.2	26.3	22.2	26.4	40.3	57.3	45.4
1944	23.3	12.4	8.0	2.4	22.0	32.1	27.7	23.0	29.3	45.8	54.0	57.1
1943	24.7	12.6	7.7	2.9	22.7	34.6	28.7	25.1	32.0	48.1	60.7	48.2
1942	25.6	16.6	9.2	3.0	24.3	35.1	29.4	26.2	32.7	49.9	62.9	50.5
1941	27.4	15.8	9.3	3.4	26.1	39.3	31.8	27.8	36.0	51.0	64.8	47.0
1940	28.3	17.6	8.8	3.4	27.7	39.8	33.3	28.7	36.4	55.1	69.2	57.4
TUBERCULOSIS, ALL FORMS												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	73.2	25.1	18.9	6.9	71.9	100.2	106.4	126.1	124.2	104.8	107.1	72.1
1948	79.1	35.8	19.6	8.0	80.8	112.2	114.2	125.1	128.2	117.7	94.7	80.5
1947	88.4	29.2	20.2	11.4	105.4	126.6	120.2	138.8	120.9	117.2	104.9	77.5
1946	92.2	48.0	24.5	12.6	111.4	134.2	126.9	140.3	119.2	97.9	94.9	92.1
1945	101.7	49.5	25.8	13.9	133.9	163.7	138.6	137.7	121.7	103.7	94.6	81.1
1944	105.8	59.0	31.1	15.3	141.7	165.2	142.8	142.0	123.4	107.9	86.7	94.3
1943	113.0	58.0	29.9	18.0	151.5	169.9	146.9	154.6	138.5	122.3	84.7	77.1
1942	118.5	55.4	33.5	20.5	154.5	183.8	157.3	158.5	135.4	115.1	97.2	79.4
1941	124.2	73.4	37.4	22.7	162.5	191.7	167.1	163.4	135.0	112.0	92.6	82.4
1940	128.0	74.4	36.3	22.7	166.6	196.3	173.9	169.4	143.8	123.2	89.9	81.9

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

TUBERCULOSIS, ALL FORMS												
ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	87.4	25.6	18.8	5.9	60.0	95.8	139.1	184.3	183.8	160.0	144.9	100.0
1948	92.4	41.1	20.1	6.3	64.3	109.1	145.3	181.5	190.7	167.7	137.9	123.5
1947	100.4	30.6	22.0	9.4	85.0	120.3	155.2	197.3	176.8	157.7	150.5	125.0
1946	104.9	47.9	25.6	11.7	94.5	132.3	162.6	199.1	166.7	137.1	128.7	166.7
1945	117.9	50.3	27.4	11.8	121.5	183.4	177.8	199.2	168.7	151.3	123.2	126.7
1944	121.3	64.4	33.1	12.3	128.6	180.7	183.0	204.3	172.3	140.4	119.2	164.3
1943	126.5	62.2	31.0	15.3	133.1	180.5	185.1	212.9	188.4	158.5	130.1	121.4
1942	131.3	57.6	38.1	17.1	128.6	197.3	197.7	216.0	182.6	155.0	137.7	107.1
1941	134.1	68.5	40.5	20.0	134.0	196.1	205.7	222.3	174.1	153.9	131.8	142.9
1940	139.1	76.7	38.6	18.6	141.8	201.2	215.2	227.7	189.1	169.8	132.3	93.2

TUBERCULOSIS, ALL FORMS												
ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	59.6	24.4	19.1	7.9	82.6	104.2	76.0	67.8	62.7	48.8	70.0	52.0
1948	66.2	30.5	19.2	9.6	95.8	114.8	85.0	68.4	63.1	65.6	50.5	50.0
1947	76.9	28.0	18.4	13.4	123.9	132.5	87.5	79.5	61.4	74.8	59.1	45.8
1946	79.8	48.2	23.4	13.5	126.3	136.1	93.2	80.3	68.0	56.8	61.4	43.5
1945	87.0	49.0	24.1	16.0	143.3	148.9	103.1	74.9	70.7	53.2	67.9	50.0
1944	91.6	53.8	29.2	18.2	152.1	153.0	106.0	78.1	69.9	72.7	54.3	47.6
1943	100.2	53.8	28.7	20.7	167.6	160.7	111.4	94.3	83.9	83.4	41.6	47.6
1942	106.2	53.7	29.0	23.8	177.8	172.0	119.3	98.1	83.0	71.4	59.7	60.0
1941	114.6	78.3	34.3	25.4	188.5	187.7	130.8	101.2	91.9	66.4	55.1	40.0
1940	117.2	72.1	33.9	26.6	189.1	191.9	134.7	107.7	93.1	72.2	50.1	73.6

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

TUBERCULOSIS OF RESPIRATORY SYSTEM

	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	001-008									
ALL RACES, BOTH SEXES	Fifth	1940-1948	13									
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	24.2	3.9	2.1	1.0	13.6	22.8	30.1	39.5	51.0	58.5	63.3	44.6
1948	27.7	4.3	2.3	1.3	15.9	26.4	34.3	45.4	57.4	65.6	71.1	60.7
1947	31.0	4.2	2.4	1.6	21.5	31.4	38.6	49.6	60.7	67.9	72.3	59.8
1946	33.5	7.6	3.3	2.2	24.8	36.3	42.0	52.5	62.8	66.4	68.2	56.8
1945	36.9	7.1	3.4	2.3	30.9	45.7	47.0	54.4	63.3	66.7	70.3	53.8
1944	38.2	9.9	5.1	2.5	32.0	45.8	48.4	56.4	66.3	70.4	69.2	61.9
1943	39.0	8.5	4.5	2.9	31.9	46.7	49.3	59.6	68.3	72.5	70.5	55.4
1942	39.6	10.3	5.0	3.4	32.3	48.2	51.2	60.2	66.4	71.2	70.5	56.0
1941	40.8	10.8	5.0	3.5	33.7	51.1	53.2	61.3	69.1	72.6	69.8	54.0
1940	42.2	10.8	5.3	3.6	35.2	52.9	56.1	62.4	71.6	76.6	74.9	60.9

TUBERCULOSIS OF RESPIRATORY SYSTEM

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
	1949	32.2	4.3	2.2	0.8	10.8	21.6	39.4	61.2	81.9	90.0	87.8
1948	36.6	5.1	2.3	0.9	12.2	26.1	44.6	71.1	91.8	97.3	99.6	84.2
1947	40.1	4.5	2.5	1.2	16.8	29.7	50.4	76.8	97.0	99.7	95.9	76.2
1946	42.8	7.3	3.4	1.7	20.0	35.6	54.5	80.4	98.4	95.7	88.8	72.2
1945	49.0	6.8	3.4	1.7	29.4	53.1	63.0	84.0	98.5	96.0	88.6	70.3
1944	49.2	11.3	4.9	1.9	28.4	49.7	63.7	86.5	101.8	97.5	90.3	72.1
1943	48.8	9.0	4.6	2.2	26.9	47.9	64.2	89.9	102.8	98.7	87.6	71.9
1942	48.2	10.4	5.2	2.6	25.6	49.2	66.1	89.7	98.1	96.0	84.5	66.9
1941	48.4	10.4	5.2	2.5	25.9	49.7	67.1	89.9	100.0	97.5	81.5	72.7
1940	50.2	10.4	5.2	2.7	27.2	52.7	71.0	91.1	104.5	101.6	87.1	67.8

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

TUBERCULOSIS OF RESPIRATORY SYSTEM

ALL RACES, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	16.3	3.4	2.1	1.2	16.3	23.9	21.0	17.8	19.9	28.8	42.3	32.8
1948	18.8	3.4	2.4	1.6	19.5	26.6	24.3	19.6	22.6	35.7	46.6	43.9
1947	22.0	3.9	2.2	2.0	26.0	33.0	27.0	22.1	24.0	37.7	51.8	47.7
1946	24.4	7.9	3.2	2.6	29.1	37.0	29.7	24.2	26.6	38.3	50.2	45.6
1945	26.0	7.3	3.3	2.8	31.9	40.5	32.3	24.5	27.4	38.6	54.2	41.5
1944	27.9	8.5	5.3	3.1	34.7	42.7	34.0	25.7	29.8	44.1	50.7	54.3
1943	29.6	8.1	4.4	3.5	36.3	45.7	34.8	28.5	32.9	47.0	55.4	43.1
1942	31.0	10.2	4.8	4.3	38.8	47.3	36.5	29.6	33.5	46.9	58.1	47.8
1941	33.2	11.2	4.7	4.4	41.5	52.5	39.4	31.3	36.9	48.2	59.4	40.0
1940	34.2	11.2	5.4	4.5	43.0	53.0	41.2	32.0	37.2	51.9	63.8	55.7

TUBERCULOSIS OF RESPIRATORY SYSTEM

WHITE, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	19.3	2.6	1.4	0.5	6.9	14.5	22.4	31.5	45.6	55.7	60.6	42.7
1948	22.6	2.9	1.6	0.6	8.2	17.3	26.2	38.2	52.2	62.3	70.1	59.7
1947	25.3	3.6	1.5	0.7	11.8	21.2	30.2	41.8	56.4	64.9	70.5	58.3
1946	27.7	5.6	2.3	1.2	14.7	26.0	33.3	44.8	58.8	64.5	66.8	54.1
1945	30.4	4.7	2.1	1.2	18.4	32.7	37.5	47.2	59.1	64.5	69.0	51.3
1944	31.3	6.4	3.5	1.3	19.0	32.8	38.5	49.0	62.1	68.3	68.5	59.7
1943	31.7	6.1	3.0	1.5	18.4	33.4	39.1	51.6	63.6	69.4	69.8	53.9
1942	31.7	7.8	3.3	1.7	18.8	33.8	40.2	51.9	61.5	68.5	69.5	53.8
1941	32.7	6.9	3.1	1.6	19.6	36.3	41.5	52.8	64.6	70.2	68.8	52.4
1940	33.7	7.4	3.4	1.8	20.6	37.8	43.8	53.6	66.5	73.8	74.3	58.9

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

TUBERCULOSIS OF RESPIRATORY SYSTEM

WHITE, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	26.8	2.9	1.4	0.4	5.6	14.1	29.4	49.8	74.4	85.7	83.9	58.9
1948	31.3	3.3	1.7	0.5	6.5	17.7	34.5	61.1	84.6	92.6	97.4	82.3
1947	34.2	3.7	1.5	0.6	9.4	20.3	39.8	66.1	91.3	95.8	92.5	72.1
1946	36.8	5.6	2.4	0.9	11.5	25.6	43.6	69.9	93.4	93.1	86.6	65.4
1945	42.1	4.6	2.1	0.9	17.9	38.4	51.2	73.8	93.2	92.3	86.6	65.5
1944	42.1	7.4	3.3	1.1	16.9	35.6	51.4	76.2	96.5	95.0	88.8	66.3
1943	41.2	6.3	2.9	1.1	15.4	33.9	51.9	79.4	96.8	94.8	85.2	68.9
1942	40.2	8.1	3.2	1.4	14.8	34.2	52.8	78.9	91.8	92.1	82.2	63.3
1941	40.3	6.9	3.2	1.2	14.7	35.0	53.2	78.9	94.9	93.7	79.0	67.5
1940	41.7	7.4	3.4	1.4	15.4	37.9	56.2	79.7	98.2	97.3	84.7	65.1

TUBERCULOSIS OF RESPIRATORY SYSTEM

WHITE, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	11.9	2.2	1.4	0.6	8.2	15.0	15.5	13.1	16.8	27.7	40.8	31.3
1948	14.0	2.4	1.6	0.8	10.0	16.9	18.1	15.3	19.7	33.9	46.7	43.5
1947	16.5	3.4	1.5	0.9	14.1	22.0	20.7	17.2	21.2	35.7	51.6	48.3
1946	18.9	5.5	2.1	1.5	17.5	26.4	23.2	19.4	23.8	37.3	49.7	45.8
1945	19.9	4.9	2.1	1.5	18.8	28.6	25.0	20.3	24.4	37.8	53.7	40.8
1944	21.3	5.3	3.7	1.5	20.6	30.6	26.3	21.2	27.0	42.6	50.8	54.9
1943	22.5	5.9	3.1	1.8	21.0	33.0	26.8	23.0	29.6	45.0	56.2	42.7
1942	23.3	7.5	3.4	2.0	22.7	33.5	27.8	23.9	30.2	45.7	58.3	46.7
1941	25.0	6.9	3.1	2.1	24.5	37.5	29.8	25.5	33.1	47.3	59.7	41.0
1940	25.7	7.3	3.4	2.1	25.8	37.7	31.4	25.9	33.4	50.8	64.8	54.3

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

TUBERCULOSIS OF RESPIRATORY SYSTEM

ALL OTHER, BOTH SEXES		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	65.8	12.9	7.3	4.4	64.3	93.6	97.3	117.1	115.8	95.8	103.5	67.4
1948	71.2	14.6	7.6	5.5	74.0	103.3	104.9	116.6	118.6	110.1	86.8	73.2
1947	79.6	9.8	8.6	7.4	95.3	117.8	111.4	128.0	112.0	107.5	98.9	75.0
1946	82.7	22.8	10.9	8.7	101.5	122.9	116.8	130.0	110.0	91.9	88.6	89.5
1945	91.9	24.1	12.5	9.6	121.8	151.7	128.0	128.8	113.7	97.1	89.2	81.1
1944	96.4	36.9	16.2	10.9	129.8	154.2	133.8	133.5	116.6	99.2	80.4	85.7
1943	102.1	28.7	15.0	12.5	137.1	159.2	136.9	144.4	126.3	114.3	81.3	71.4
1942	107.5	29.0	16.9	15.4	140.9	171.0	146.4	148.5	127.1	107.2	86.6	79.4
1941	112.3	39.4	17.6	16.3	148.4	178.5	155.7	152.7	125.9	106.8	86.7	70.6
1940	116.6	36.0	18.7	16.6	154.0	182.6	163.0	158.6	136.4	115.4	85.2	79.1

TUBERCULOSIS OF RESPIRATORY SYSTEM

ALL OTHER, MALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	79.0	14.3	7.7	3.6	52.3	88.6	128.9	171.4	171.7	146.0	141.8	88.9
1948	83.1	18.4	7.3	3.6	57.1	98.6	134.6	170.3	177.0	156.7	129.5	105.9
1947	90.5	11.5	10.1	5.4	75.2	110.7	144.0	183.8	163.3	147.3	142.9	125.0
1946	94.2	20.0	10.6	7.2	84.7	120.4	150.0	185.9	155.8	128.7	118.4	160.0
1945	106.9	23.8	13.2	7.5	109.2	168.2	164.6	188.4	159.1	142.6	117.1	126.7
1944	110.0	41.8	16.4	7.7	114.1	167.7	170.9	192.9	163.5	129.8	112.8	142.9
1943	114.5	31.8	16.7	9.9	117.7	168.8	173.2	200.3	173.8	149.2	123.3	107.1
1942	118.9	28.1	19.7	11.2	115.8	181.6	184.6	203.4	172.6	146.2	120.3	107.1
1941	120.9	36.2	19.7	12.4	120.6	181.1	192.2	208.3	162.4	147.0	121.2	128.6
1940	126.7	33.4	18.6	12.0	128.7	186.1	203.9	215.2	181.5	159.0	125.8	93.2

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

TUBERCULOSIS OF RESPIRATORY SYSTEM

ALL OTHER, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	53.2	11.4	6.9	5.2	75.2	98.2	67.9	62.6	58.1	44.8	66.0	52.0
1948	59.7	10.7	8.0	7.4	89.4	107.5	77.0	62.5	57.8	61.5	43.3	50.0
1947	69.1	8.2	7.1	9.4	113.6	124.5	80.8	71.5	57.6	65.8	54.8	41.7
1946	71.5	25.5	11.3	10.2	116.4	125.2	85.3	72.9	60.6	53.3	59.1	43.5
1945	78.3	24.5	11.7	11.8	131.4	139.3	94.9	67.8	64.4	48.8	63.1	50.0
1944	83.8	32.2	16.0	14.1	142.2	143.6	99.7	72.6	65.3	66.0	48.1	47.6
1943	90.3	25.5	13.3	15.2	154.0	150.9	103.1	86.5	74.2	76.9	41.6	47.6
1942	96.6	30.1	14.2	19.5	163.6	161.8	110.3	90.8	76.5	64.5	55.6	60.0
1941	104.0	42.6	15.5	20.2	173.7	176.1	121.4	94.0	85.7	63.0	53.6	30.0
1940	106.9	38.5	18.8	21.2	176.8	179.3	124.3	98.7	86.1	67.8	47.1	68.7

TUBERCULOSIS, OTHER FORMS

ALL RACES, BOTH SEXES	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	010-019									
	Fifth	1940-1948	14-22									
	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	
	Total	1 year	years	years	years	years	years	years	years	years	years	and over
1949	2.1	4.9	4.6	1.0	1.4	1.4	1.9	2.1	2.8	3.1	3.2	2.7
1948	2.3	6.0	4.6	0.9	1.5	1.9	2.2	2.3	3.0	3.9	4.0	4.4
1947	2.5	6.5	4.3	1.1	2.0	2.0	2.2	2.7	3.1	3.9	4.4	2.8
1946	2.8	9.3	4.9	1.2	2.3	2.3	2.6	3.0	3.7	3.9	4.6	3.2
1945	3.0	9.7	5.4	1.4	2.7	2.9	2.8	2.9	3.3	3.6	4.5	3.8
1944	3.0	8.7	5.7	1.4	2.7	2.7	2.7	2.9	3.5	4.1	3.6	3.5
1943	3.4	10.1	5.9	1.8	3.1	2.8	3.0	3.6	4.1	4.7	4.5	4.3
1942	3.5	12.0	7.0	1.7	2.9	3.1	3.2	3.5	3.9	5.0	5.3	4.5
1941	3.7	12.0	7.8	2.0	3.1	3.2	3.2	3.7	4.1	4.6	5.2	6.2
1940	3.7	13.8	7.0	1.9	3.0	3.4	3.3	3.9	4.1	4.9	5.2	3.0

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

TUBERCULOSIS, OTHER FORMS

ALL RACES, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	2.4	4.8	4.2	1.0	1.4	1.5	2.3	2.6	3.9	4.4	3.8	2.6
1948	2.7	5.5	4.7	0.9	1.6	2.0	2.6	3.1	4.0	5.3	5.0	5.1
1947	2.8	6.3	4.4	1.1	1.9	2.2	2.6	3.5	4.1	5.1	4.4	2.9
1946	3.2	9.8	4.9	1.5	2.2	2.3	3.1	3.8	4.8	4.6	5.5	4.5
1945	3.6	9.7	5.6	1.4	3.0	3.6	3.6	3.4	4.3	4.6	5.4	3.1
1944	3.5	8.6	6.1	1.4	3.1	3.1	3.6	3.6	4.6	4.8	3.9	5.5
1943	3.9	11.0	5.9	1.9	3.2	3.2	3.5	4.5	5.2	6.1	4.8	3.4
1942	4.0	13.0	6.9	1.9	2.8	3.6	4.0	4.3	5.0	5.7	6.2	5.8
1941	4.1	11.9	7.8	2.2	3.1	3.5	3.7	4.6	5.1	5.4	5.6	6.1
1940	4.0	14.4	7.3	2.1	2.9	3.6	3.8	4.5	5.0	5.4	6.1	2.6

TUBERCULOSIS, OTHER FORMS

ALL RACES, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	1.8	5.0	4.9	0.9	1.5	1.4	1.6	1.6	1.6	2.0	2.7	2.8
1948	2.0	6.5	4.4	0.9	1.5	1.8	1.8	1.5	2.0	2.6	3.1	4.0
1947	2.2	6.6	4.2	1.2	2.1	1.8	1.8	1.8	2.1	2.8	4.3	2.8
1946	2.5	8.9	5.0	1.0	2.4	2.3	2.1	2.1	2.5	3.1	3.8	2.2
1945	2.6	9.7	5.2	1.3	2.5	2.4	2.0	2.4	2.3	2.6	3.7	4.2
1944	2.5	8.7	5.4	1.3	2.4	2.4	2.0	2.1	2.4	3.4	3.4	2.0
1943	3.0	9.1	5.9	1.7	3.1	2.5	2.5	2.6	2.9	3.4	4.3	5.0
1942	3.1	10.8	7.0	1.4	3.1	2.6	2.4	2.8	2.8	4.3	4.6	3.5
1941	3.3	12.2	7.9	1.8	3.1	2.8	2.8	2.7	3.1	3.8	4.9	6.4
1940	3.4	13.1	6.6	1.8	3.1	3.3	2.8	3.3	3.3	4.3	4.3	3.4

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

TUBERCULOSIS, OTHER FORMS

WHITE, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	1.5	3.9	3.6	0.7	0.6	0.8	1.1	1.4	2.3	2.7	3.2	2.6
1948	1.7	3.9	3.6	0.7	0.8	1.1	1.4	1.7	2.4	3.6	3.7	4.2
1947	1.8	5.0	3.3	0.7	1.0	1.2	1.5	1.9	2.6	3.5	4.2	2.9
1946	2.1	7.2	3.7	0.9	1.3	1.2	1.7	2.2	3.2	3.7	4.5	3.2
1945	2.2	7.5	4.3	0.9	1.5	1.8	1.9	2.3	2.9	3.3	4.4	4.1
1944	2.3	6.9	4.4	0.9	1.5	1.7	2.0	2.3	3.3	3.8	3.5	3.0
1943	2.6	7.7	4.6	1.2	1.7	1.9	2.2	2.9	3.4	4.5	4.6	4.2
1942	2.7	10.0	5.5	1.2	1.6	1.9	2.3	2.9	3.5	4.8	5.0	4.9
1941	2.7	9.1	6.1	1.4	1.7	2.0	2.3	3.1	3.7	4.5	5.2	5.7
1940	2.8	10.4	5.4	1.4	1.8	2.2	2.5	3.3	3.9	4.6	5.2	3.0

TUBERCULOSIS, OTHER FORMS

WHITE, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	1.7	3.9	3.3	0.8	0.6	0.8	1.5	1.5	3.2	3.6	3.8	1.9
1948	1.9	3.3	3.7	0.7	0.8	1.0	1.7	2.3	3.2	4.8	4.7	4.0
1947	2.0	4.9	3.4	0.6	0.9	1.3	1.7	2.5	3.3	4.6	4.2	3.2
1946	2.3	7.5	3.5	1.0	1.2	1.2	2.0	2.9	4.3	4.3	5.2	4.4
1945	2.7	7.5	4.4	1.0	1.7	2.2	2.5	2.7	3.9	4.3	5.4	3.4
1944	2.6	6.8	4.6	1.0	1.6	1.9	2.6	2.8	4.2	4.4	3.7	4.1
1943	3.0	8.7	4.7	1.3	1.6	2.2	2.6	3.7	4.4	5.8	4.7	2.4
1942	3.0	10.8	5.3	1.3	1.6	2.2	3.0	3.5	4.6	5.5	5.5	6.3
1941	3.1	9.2	6.0	1.5	1.9	2.2	2.6	3.7	4.6	5.2	5.2	5.3
1940	3.1	10.6	5.6	1.5	1.7	2.3	3.0	3.8	4.8	5.0	6.1	2.8

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

TUBERCULOSIS, OTHER FORMS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.3	3.9	3.9	0.7	0.6	0.8	0.8	1.2	1.4	1.8	2.6	3.0
1948	1.4	4.6	3.5	0.7	0.8	1.1	1.1	1.1	1.7	2.5	2.9	4.3
1947	1.5	5.1	3.2	0.7	1.0	1.1	1.3	1.2	1.9	2.4	4.3	2.7
1946	1.8	7.0	4.0	0.7	1.4	1.2	1.4	1.6	2.1	3.1	3.8	2.4
1945	1.9	7.6	4.2	0.9	1.3	1.5	1.3	1.9	2.0	2.4	3.6	4.6
1944	1.9	7.0	4.3	0.9	1.4	1.6	1.4	1.8	2.3	3.2	3.2	2.2
1943	2.2	6.7	4.5	1.1	1.7	1.6	1.9	2.1	2.4	3.2	4.5	5.5
1942	2.3	9.1	5.8	1.0	1.6	1.6	1.6	2.4	2.5	4.2	4.6	3.8
1941	2.4	8.9	6.2	1.3	1.6	1.8	2.0	2.3	2.9	3.8	5.1	6.0
1940	2.5	10.2	5.3	1.3	1.9	2.2	1.9	2.7	3.0	4.3	4.4	3.2

TUBERCULOSIS, OTHER FORMS

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	7.4	12.2	11.7	2.5	7.5	6.6	9.1	9.1	8.4	9.0	3.5	4.7
1948	7.9	21.2	12.0	2.4	6.7	8.9	9.3	8.6	9.6	7.6	7.9	7.3
1947	8.8	19.4	11.6	4.0	10.1	8.8	8.8	10.8	8.8	9.7	6.0	2.5
1946	9.5	25.3	13.6	3.9	9.9	11.4	10.2	10.3	9.3	6.0	6.3	2.6
1945	9.8	25.4	13.3	4.3	12.1	12.0	10.6	9.0	8.0	6.7	5.4	*
1944	9.5	22.1	14.9	4.4	11.9	11.0	9.0	8.5	6.8	8.7	6.3	8.6
1943	10.9	29.4	14.8	5.5	14.5	10.7	10.0	10.3	12.2	8.0	3.3	5.7
1942	11.0	26.4	16.6	5.1	13.5	12.7	11.0	10.0	8.3	7.9	10.6	*
1941	11.8	34.0	19.8	6.4	14.1	13.2	11.4	10.7	9.1	5.2	5.9	11.8
1940	11.4	38.4	17.6	6.0	12.6	13.7	10.8	10.8	7.3	7.8	4.7	2.8

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics- Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

TUBERCULOSIS, OTHER FORMS

ALL OTHER, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	8.4	11.3	11.1	2.3	7.7	7.2	10.2	12.9	12.1	14.0	3.1	11.1
1948	9.3	22.6	12.8	2.7	7.2	10.5	10.7	11.3	13.7	11.0	8.4	17.6
1947	9.9	19.1	11.9	4.0	9.7	9.6	11.2	13.5	13.6	10.4	7.7	*
1946	10.7	27.9	15.0	4.5	9.7	11.8	12.6	13.1	11.0	8.5	10.3	6.7
1945	11.0	26.5	14.2	4.4	12.3	15.1	13.2	10.8	9.5	8.7	6.1	*
1944	11.3	22.6	16.7	4.6	14.5	12.9	12.1	11.4	8.7	10.6	6.4	21.4
1943	11.9	30.4	14.3	5.4	15.4	11.7	11.9	12.6	14.5	9.3	6.8	14.3
1942	12.4	29.5	18.4	5.9	12.8	15.6	13.1	12.6	10.0	8.8	17.4	*
1941	13.1	32.3	20.8	7.6	13.3	14.9	13.5	14.0	11.7	7.0	10.6	14.3
1940	12.4	43.4	20.1	6.7	13.1	15.1	11.4	12.4	7.5	10.8	6.5	*

TUBERCULOSIS, OTHER FORMS

ALL OTHER, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	6.4	12.9	12.2	2.7	7.4	6.0	8.1	5.2	4.6	3.9	4.0	*
1948	6.5	19.8	11.2	2.2	6.3	7.3	8.0	5.9	5.4	4.0	7.2	*
1947	7.8	19.8	11.3	4.0	10.4	8.0	6.6	8.0	3.8	9.0	4.3	4.2
1946	8.3	22.7	12.2	3.3	10.0	10.9	7.9	7.4	7.4	3.5	2.3	*
1945	8.7	24.5	12.4	4.3	11.9	9.6	8.2	7.2	6.3	4.4	4.8	*
1944	7.8	21.7	13.1	4.1	9.9	9.4	6.3	5.5	4.7	6.7	6.2	*
1943	9.9	28.3	15.4	5.6	13.6	9.8	8.3	7.8	9.6	6.6	*	*
1942	9.6	23.5	14.9	4.3	14.2	10.2	9.0	7.3	6.5	6.8	4.2	*
1941	10.6	35.7	18.8	5.1	14.8	11.6	9.3	7.2	6.2	3.3	1.4	10.0
1940	10.4	33.6	15.1	5.4	12.2	12.5	10.4	9.0	7.1	4.4	3.0	4.9

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

SYPHILIS AND ITS SEQUELAE

	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	020-029									
ALL RACES, BOTH SEXES	Fifth	1940-1948	30									
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	5.8	9.5	0.1	0.0	0.3	0.9	4.1	11.1	18.6	22.9	23.1	20.8
1948	8.0	13.8	0.1	0.1	0.5	1.8	6.8	15.5	25.4	29.1	27.3	23.8
1947	8.8	15.0	0.3	0.2	0.8	2.2	8.5	18.0	27.7	29.6	25.3	22.8
1946	9.3	22.4	0.3	0.2	1.1	2.6	9.6	18.9	26.7	29.8	26.2	24.5
1945	10.6	27.8	0.4	0.2	1.3	4.2	11.8	20.3	29.3	30.3	26.5	25.4
1944	11.2	29.7	0.5	0.3	1.6	4.8	13.3	21.4	30.9	31.8	27.4	24.0
1943	12.1	27.4	0.8	0.4	1.6	4.9	14.5	24.7	34.9	34.7	26.7	25.7
1942	12.2	36.3	0.8	0.3	1.7	5.4	15.0	24.5	34.5	34.9	29.2	22.4
1941	13.3	48.1	1.1	0.5	2.0	6.0	15.9	26.8	37.8	39.1	29.3	25.2
1940	14.4	61.9	1.3	0.5	2.3	7.1	17.8	29.6	38.9	41.3	32.4	30.7

SYPHILIS

ALL RACES, MALE	Total	Under 1 year	ICD Nos.									
			1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	8.5	10.4	0.1	0.0	0.3	0.9	5.5	16.9	29.4	36.1	33.9	29.5
1948	11.7	16.3	0.1	0.1	0.5	2.1	9.2	23.1	39.8	45.3	41.0	33.0
1947	13.0	15.9	0.3	0.1	0.7	2.3	11.7	27.3	43.3	47.3	38.2	30.1
1946	13.8	25.2	0.3	0.2	0.9	2.8	13.5	29.3	42.5	46.6	40.4	37.4
1945	16.6	31.6	0.5	0.2	1.4	5.4	17.4	31.3	46.6	49.2	40.8	32.8
1944	17.1	30.3	0.5	0.3	1.8	6.3	19.4	33.1	48.7	49.6	40.6	31.7
1943	18.2	31.0	0.9	0.4	1.4	5.8	21.8	37.3	55.0	55.0	42.3	38.8
1942	17.8	37.2	0.9	0.3	1.5	6.1	21.8	36.9	53.3	55.9	43.5	30.8
1941	19.3	52.3	1.3	0.5	1.5	7.0	22.6	40.3	59.3	62.0	46.2	39.4
1940	20.8	73.4	1.5	0.5	2.0	8.5	25.0	43.9	61.2	65.3	46.8	43.5

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

SYPHILIS												
ALL RACES, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	3.0	8.5	0.1	0.0	0.3	0.9	2.8	5.4	7.8	10.6	13.8	14.6
1948	4.3	11.2	0.1	0.1	0.6	1.5	4.4	7.9	10.9	13.7	15.5	17.2
1947	4.7	14.0	0.2	0.2	0.9	2.0	5.4	8.6	11.9	12.7	14.1	17.4
1946	4.8	19.5	0.3	0.1	1.3	2.5	5.9	8.3	10.7	13.7	13.8	15.1
1945	5.2	23.7	0.3	0.2	1.3	3.3	6.6	9.1	11.8	12.1	14.0	20.0
1944	5.8	29.0	0.5	0.3	1.5	3.6	7.5	9.4	12.6	14.5	15.9	18.2
1943	6.2	23.7	0.6	0.4	1.7	4.1	7.5	11.6	14.1	15.1	12.9	15.9
1942	6.7	35.4	0.7	0.3	1.9	4.8	8.3	11.6	15.0	14.3	16.4	16.1
1941	7.3	43.7	0.9	0.5	2.4	5.0	9.2	12.8	15.4	16.6	14.2	14.5
1940	8.0	50.0	1.2	0.4	2.7	5.8	10.5	14.4	15.5	17.6	19.3	21.1
SYPHILIS												
WHITE, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	4.2	3.3	0.0	0.0	0.1	0.3	1.9	6.6	14.7	19.5	20.7	19.0
1948	5.7	5.4	0.0	0.0	0.3	0.7	3.1	9.4	20.4	24.8	25.1	22.5
1947	6.4	5.4	0.2	0.1	0.4	0.8	4.7	11.2	22.1	25.7	23.0	20.1
1946	6.6	9.1	0.1	0.1	0.5	1.0	5.0	12.4	21.0	25.9	23.8	22.5
1945	7.5	11.8	0.2	0.1	0.6	1.7	6.1	13.5	23.6	26.5	23.7	19.8
1944	7.9	12.9	0.2	0.2	0.7	2.2	7.3	14.2	25.0	26.9	24.5	20.8
1943	8.6	12.7	0.3	0.2	0.7	2.1	8.3	16.7	28.4	29.5	23.3	23.0
1942	8.6	17.7	0.4	0.2	0.7	2.3	8.2	16.8	28.7	29.8	26.2	19.3
1941	9.3	20.7	0.4	0.3	0.9	2.4	8.8	18.6	31.2	33.4	24.8	19.9
1940	9.9	28.8	0.6	0.3	0.9	3.0	9.8	19.8	31.6	34.6	29.5	27.9

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

SYPHILIS												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	6.4	4.0	0.0	0.0	0.2	0.3	2.6	10.2	23.9	31.6	29.8	25.8
1948	8.6	6.4	0.0	0.0	0.3	0.8	4.2	14.2	32.5	39.1	37.6	31.8
1947	9.7	5.3	0.1	0.1	0.3	0.9	6.5	17.4	35.3	41.7	35.3	26.8
1946	10.1	9.4	0.1	0.1	0.5	1.0	7.2	19.5	34.4	41.2	37.2	33.0
1945	12.1	13.6	0.3	0.1	0.6	2.0	9.0	21.1	38.2	43.4	36.8	23.7
1944	12.4	13.4	0.2	0.1	1.0	2.8	10.5	22.5	40.2	42.1	36.3	27.2
1943	13.3	14.8	0.3	0.3	0.7	2.6	12.5	25.6	45.7	46.7	37.0	34.8
1942	13.0	17.5	0.4	0.2	0.6	2.3	12.3	25.6	45.1	48.3	39.3	27.2
1941	14.1	22.5	0.5	0.3	0.7	2.8	12.8	28.5	50.0	54.0	38.7	31.1
1940	14.7	33.3	0.6	0.4	0.8	3.5	14.1	30.2	50.3	54.9	42.5	38.2
SYPHILIS												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	2.0	2.4	0.0	0.0	0.1	0.3	1.3	2.9	5.5	8.3	12.9	14.1
1948	2.9	4.3	0.0	0.0	0.3	0.6	2.1	4.6	8.2	11.3	14.4	15.8
1947	3.1	5.6	0.2	0.1	0.4	0.8	2.9	4.9	8.8	10.7	12.4	15.2
1946	3.1	8.8	0.1	0.1	0.5	1.0	2.8	5.2	7.6	11.3	12.3	14.9
1945	3.4	9.9	0.2	0.1	0.5	1.4	3.5	5.8	8.9	10.3	12.3	16.8
1944	3.8	12.4	0.2	0.2	0.6	1.7	4.2	5.8	9.4	12.3	14.2	15.9
1943	4.1	10.5	0.4	0.1	0.7	1.8	4.1	7.6	10.7	13.0	11.2	14.2
1942	4.3	17.9	0.4	0.2	0.8	2.2	4.2	7.6	11.8	11.8	14.7	13.3
1941	4.5	18.8	0.3	0.3	1.0	2.1	4.9	8.1	11.8	13.4	12.4	11.5
1940	5.0	24.2	0.6	0.2	1.0	2.5	5.6	8.9	12.1	14.7	17.7	20.2

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

SYPHILIS												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	19.4	52.1	0.7	0.2	1.5	6.2	23.5	55.3	65.8	68.9	59.6	41.9
1948	27.1	76.1	0.6	0.4	2.7	11.4	38.2	75.7	85.2	86.3	61.6	39.0
1947	30.0	95.4	1.0	0.6	4.0	13.3	42.0	86.1	93.4	80.4	59.6	52.5
1946	32.0	122.8	1.4	0.5	5.9	16.3	50.0	85.3	94.4	82.1	61.1	47.4
1945	36.8	145.1	1.6	0.9	6.9	24.5	60.1	89.9	97.5	81.4	68.9	89.2
1944	39.4	158.3	2.7	0.9	8.1	26.1	65.0	96.2	101.9	97.2	72.2	60.0
1943	42.2	148.1	3.9	1.7	8.4	28.4	68.8	108.0	114.1	105.9	80.0	54.3
1942	43.2	174.6	4.0	1.2	9.9	32.5	74.1	107.0	105.8	104.6	76.8	55.9
1941	48.3	249.8	5.9	1.7	11.2	36.6	77.6	116.0	119.7	118.1	103.0	79.4
1940	54.3	305.0	6.2	2.0	13.9	42.6	87.1	136.3	130.5	134.4	81.3	56.5
SYPHILIS												
ALL OTHER, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	27.3	54.7	0.9	0.3	1.6	6.7	31.6	81.7	95.3	95.1	90.8	72.2
1948	38.3	91.1	0.3	0.4	2.3	13.7	53.1	110.4	125.1	123.0	88.4	47.1
1947	41.7	107.7	1.2	0.5	3.2	14.4	57.8	125.6	134.9	118.3	79.1	68.8
1946	44.8	147.9	1.7	0.5	4.7	17.9	69.2	128.9	135.9	114.7	85.1	93.3
1945	54.4	168.0	2.0	0.7	6.7	32.6	90.5	135.9	143.8	123.6	98.8	140.0
1944	57.1	162.3	2.8	1.1	7.4	35.2	96.9	143.6	147.8	145.1	102.6	85.7
1943	60.6	166.2	5.5	0.9	7.1	34.2	104.1	160.8	165.5	162.2	121.9	85.7
1942	60.0	186.3	4.8	1.2	9.0	39.4	106.4	157.0	150.7	154.6	110.1	71.4
1941	66.3	276.9	7.0	1.5	8.7	45.4	111.1	166.7	172.2	167.8	165.2	128.6
1940	75.5	377.0	7.3	1.8	12.0	53.3	123.2	194.0	193.7	201.8	117.7	93.2

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

SYPHILIS												
ALL OTHER, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	11.8	49.3	0.5	0.1	1.5	5.7	15.9	28.8	35.3	42.3	29.0	20.0
1948	16.2	61.0	1.0	0.4	3.1	9.4	24.3	40.9	43.7	48.0	34.0	33.3
1947	18.6	83.5	0.8	0.7	4.7	12.3	27.2	46.0	49.4	40.6	39.8	41.7
1946	19.6	97.9	1.1	0.5	6.9	14.8	31.7	40.7	49.7	47.9	37.5	17.4
1945	20.8	123.1	1.3	1.0	7.1	18.4	32.6	43.0	47.3	36.7	40.5	54.5
1944	23.1	155.2	2.6	0.6	8.8	18.9	35.7	47.5	51.7	45.4	42.0	42.9
1943	24.7	129.7	2.4	2.4	9.5	23.4	36.0	53.5	57.8	45.4	40.3	33.3
1942	27.1	164.0	3.1	1.2	10.6	26.4	43.8	54.6	56.0	50.0	45.8	45.0
1941	30.9	222.5	4.9	2.0	13.4	28.7	46.1	62.7	61.6	64.0	43.5	45.0
1940	33.8	234.4	5.0	2.1	15.6	33.0	52.8	75.2	60.0	60.9	47.1	29.4
TYPHOID FEVER												
	ICD Revision Sixth Fifth	Years in use 1949 1940-1948	ICD Nos.									
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.2
1948	0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.2
1947	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.0
1946	0.2	0.2	0.1	0.1	0.3	0.2	0.3	0.3	0.4	0.3	0.3	0.4
1945	0.4	0.2	0.2	0.3	0.4	0.4	0.4	0.3	0.4	0.3	0.5	0.2
1944	0.4	0.2	0.2	0.4	0.5	0.3	0.4	0.4	0.5	0.3	0.4	0.0
1943	0.5	0.5	0.4	0.4	0.6	0.5	0.5	0.5	0.4	0.6	0.4	0.0
1942	0.5	0.3	0.3	0.5	0.6	0.6	0.5	0.4	0.6	0.5	0.4	0.7
1941	0.8	0.4	0.6	0.8	1.0	1.0	0.7	0.5	0.8	0.5	0.5	0.3
1940	1.0	0.7	0.8	1.0	1.5	1.3	0.9	0.7	1.0	0.9	0.4	0.0

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

TYPHOID												
ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.5	*
1948	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.3	0.5
1947	0.2	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.2	0.3	0.3	*
1946	0.3	0.1	0.2	0.1	0.3	0.2	0.4	0.4	0.5	0.4	0.5	0.5
1945	0.5	0.2	0.2	0.3	0.6	0.6	0.6	0.4	0.4	0.4	0.6	0.5
1944	0.5	0.2	0.3	0.4	0.5	0.4	0.6	0.5	0.6	0.3	0.3	*
1943	0.5	0.4	0.4	0.4	0.6	0.5	0.7	0.6	0.4	0.8	0.6	*
1942	0.6	0.2	0.3	0.4	0.7	0.8	0.7	0.6	0.9	1.0	0.5	1.2
1941	0.9	0.3	0.6	0.7	1.2	1.2	0.9	0.7	1.0	0.8	0.4	*
1940	1.2	0.9	0.7	0.9	1.5	1.7	1.1	0.9	1.2	1.1	0.6	*

TYPHOID												
ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3
1948	0.1	*	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.2	0.2	*
1947	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.1	0.2	0.3	0.2	*
1946	0.2	0.3	0.1	0.1	0.3	0.2	0.3	0.1	0.2	0.2	0.2	0.4
1945	0.3	0.2	0.1	0.2	0.4	0.3	0.3	0.2	0.4	0.2	0.5	*
1944	0.3	0.2	0.2	0.4	0.5	0.2	0.3	0.2	0.3	0.3	0.4	*
1943	0.4	0.5	0.3	0.4	0.6	0.5	0.4	0.4	0.3	0.4	0.3	0.0
1942	0.4	0.5	0.3	0.6	0.5	0.4	0.4	0.3	0.3	0.1	0.3	0.4
1941	0.6	0.5	0.6	0.8	0.8	0.8	0.5	0.3	0.6	0.2	0.6	0.5
1940	0.9	0.6	0.9	1.1	1.4	0.9	0.7	0.5	0.7	0.7	0.3	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

TYPHOID												
WHITE, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.1	0.3	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.2
1948	0.1	*	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2
1947	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.2	*
1946	0.2	0.1	0.1	0.1	0.2	0.1	0.3	0.2	0.3	0.3	0.3	0.5
1945	0.3	0.3	0.1	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.2
1944	0.3	0.2	0.1	0.2	0.3	0.2	0.3	0.3	0.4	0.3	0.4	*
1943	0.3	0.4	0.3	0.2	0.4	0.3	0.4	0.4	0.3	0.5	0.4	*
1942	0.4	0.1	0.2	0.4	0.4	0.4	0.4	0.3	0.5	0.5	0.4	0.5
1941	0.6	0.3	0.4	0.6	0.7	0.7	0.5	0.4	0.7	0.5	0.3	*
1940	0.8	0.4	0.7	0.7	1.1	1.0	0.7	0.6	0.9	0.8	0.4	*

TYPHOID												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.1	0.3	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.6	*
1948	0.1	*	0.0	0.1	0.1	0.1	0.2	0.1	0.3	0.2	0.2	0.5
1947	0.2	*	0.1	0.1	0.2	0.2	0.3	0.2	0.2	0.3	0.2	*
1946	0.2	0.1	0.1	0.1	0.2	0.1	0.4	0.3	0.4	0.4	0.5	0.5
1945	0.4	0.3	0.1	0.3	0.5	0.4	0.4	0.3	0.3	0.4	0.5	0.6
1944	0.4	0.3	0.2	0.2	0.4	0.3	0.5	0.4	0.6	0.3	0.4	*
1943	0.4	0.5	0.3	0.2	0.4	0.4	0.5	0.4	0.3	0.7	0.6	*
1942	0.5	0.1	0.2	0.3	0.4	0.6	0.5	0.5	0.7	0.9	0.6	0.6
1941	0.7	0.3	0.6	0.6	0.8	0.8	0.7	0.6	0.8	0.8	0.3	*
1940	0.9	0.4	0.6	0.7	1.1	1.3	0.8	0.8	1.2	1.0	0.6	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

TYPHOID												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.1	0.3	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.2	0.2	0.3
1948	0.1	*	0.0	0.1	0.1	0.1	0.1	0.0	0.1	0.2	0.1	*
1947	0.1	0.1	0.0	0.1	0.1	0.1	0.2	0.0	0.2	0.2	0.2	*
1946	0.2	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.2	0.2	0.2	0.4
1945	0.2	0.3	0.1	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.5	*
1944	0.2	0.2	0.1	0.2	0.3	0.2	0.2	0.1	0.2	0.3	0.5	*
1943	0.3	0.3	0.3	0.2	0.4	0.3	0.3	0.3	0.2	0.3	0.2	*
1942	0.3	0.2	0.3	0.5	0.3	0.3	0.3	0.2	0.3	0.1	0.3	0.5
1941	0.4	0.3	0.3	0.7	0.5	0.5	0.3	0.2	0.5	0.1	0.3	*
1940	0.7	0.3	0.8	0.7	1.0	0.7	0.5	0.5	0.6	0.7	0.2	*
TYPHOID												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.3	0.2	0.1	0.3	0.5	0.4	0.1	0.4	0.2	0.2	*	*
1948	0.4	0.3	0.2	0.5	0.3	0.5	0.5	0.4	0.5	0.5	1.1	*
1947	0.6	0.5	0.2	0.7	0.7	0.5	0.6	1.0	0.3	0.4	0.5	*
1946	0.7	0.7	0.6	0.2	0.9	0.7	0.9	0.5	1.1	0.6	*	*
1945	1.0	*	0.6	0.8	1.3	1.3	1.3	0.9	1.2	0.4	0.6	*
1944	1.2	0.3	0.7	1.4	1.7	0.9	1.4	1.2	1.1	0.4	*	*
1943	1.6	1.0	0.8	1.5	2.1	1.8	1.6	1.5	1.5	1.3	0.7	*
1942	1.7	1.8	0.9	1.6	2.3	1.9	1.6	1.7	1.8	1.3	*	2.9
1941	2.5	0.8	1.8	1.9	3.5	3.8	2.3	1.6	2.6	0.5	3.0	2.9
1940	3.1	3.3	2.0	2.9	4.6	4.1	2.8	2.0	1.9	1.6	0.8	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

TYPHOID												
ALL OTHER, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.3	0.5	*	0.4	0.6	0.5	0.1	0.2	0.2	0.4	*	*
1948	0.5	0.5	0.3	0.8	0.2	0.3	0.8	0.6	0.6	1.1	1.1	*
1947	0.6	0.5	0.3	0.5	0.7	0.5	0.8	1.2	0.4	0.4	1.1	*
1946	0.8	*	0.9	0.2	1.0	0.8	1.1	0.8	1.6	0.7	*	*
1945	1.2	*	0.8	0.9	1.1	1.6	1.9	1.2	1.2	0.8	1.2	*
1944	1.3	*	0.8	1.4	1.7	0.9	1.5	1.5	1.1	0.8	*	*
1943	1.7	*	1.0	1.2	1.9	1.8	2.0	2.1	2.2	1.6	*	*
1942	2.0	0.7	0.9	1.4	2.7	2.3	2.0	2.1	2.7	1.7	*	7.1
1941	2.9	*	0.7	1.8	4.5	4.7	3.1	2.0	3.7	0.4	1.5	*
1940	3.6	4.2	2.1	2.3	4.7	5.5	4.0	3.0	1.9	2.7	*	*

TYPHOID												
ALL OTHER, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.3	*	0.3	0.3	0.3	0.2	0.2	0.5	0.2	*	*	*
1948	0.3	*	0.1	0.3	0.4	0.6	0.2	0.1	0.4	*	1.0	*
1947	0.6	0.5	0.2	0.8	0.7	0.4	0.4	0.9	0.2	0.4	*	*
1946	0.5	1.4	0.3	0.3	0.9	0.6	0.8	0.1	0.4	0.4	*	*
1945	0.9	*	0.5	0.6	1.4	1.1	0.8	0.6	1.1	*	*	*
1944	1.1	0.7	0.6	1.3	1.7	0.9	1.3	0.8	1.2	*	*	*
1943	1.5	2.1	0.5	1.7	2.2	1.8	1.2	0.9	0.7	0.9	1.3	*
1942	1.5	2.9	0.9	1.8	2.0	1.6	1.2	1.2	0.8	0.9	*	*
1941	2.2	1.6	2.9	2.0	2.5	3.0	1.6	1.2	1.3	0.5	4.3	5.0
1940	2.7	2.5	1.9	3.5	4.5	2.9	1.7	1.0	1.9	0.5	1.5	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

DYSENTERY, ALL FORMS												
	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	045-048									
ALL RACES, BOTH SEXES	Fifth	1940-1948	27									
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.0	27.8	1.5	0.1	0.1	0.1	0.1	0.3	0.5	0.9	2.0	5.1
1948	0.7	19.6	1.4	0.1	0.1	0.1	0.1	0.1	0.3	0.8	1.9	5.8
1947	0.6	12.3	0.8	0.1	0.1	0.1	0.2	0.3	0.5	0.6	2.1	7.1
1946	0.7	20.0	0.8	0.1	0.1	0.2	0.2	0.3	0.4	1.0	2.0	3.6
1945	1.2	35.7	1.8	0.1	0.1	0.2	0.3	0.4	0.7	1.1	3.2	10.6
1944	1.4	39.4	2.4	0.2	0.1	0.2	0.2	0.5	0.7	1.3	4.8	13.3
1943	1.4	37.1	2.7	0.1	0.1	0.2	0.2	0.3	0.8	2.2	5.6	14.4
1942	1.4	37.4	3.4	0.2	0.1	0.2	0.3	0.5	0.8	2.2	6.3	16.4
1941	1.8	51.0	5.6	0.2	0.2	0.2	0.4	0.6	1.0	2.6	8.3	20.3
1940	1.9	51.4	6.8	0.2	0.3	0.3	0.4	0.5	1.2	2.7	5.6	20.3
DYSENTERY, ALL FORMS												
ALL RACES, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.1	28.7	1.5	0.2	0.1	0.1	0.2	0.4	0.5	1.1	2.3	4.8
1948	0.8	21.5	1.2	0.1	0.1	0.1	0.1	0.2	0.3	0.9	2.2	7.0
1947	0.7	13.9	0.9	0.1	0.1	0.1	0.2	0.4	0.5	0.8	2.6	8.7
1946	0.8	23.5	0.7	0.1	0.2	0.2	0.3	0.3	0.4	1.1	2.4	4.5
1945	1.4	39.9	1.8	0.2	0.2	0.2	0.3	0.4	0.8	1.0	3.6	10.4
1944	1.5	43.2	2.4	0.2	0.1	0.1	0.2	0.5	0.7	1.2	4.5	11.5
1943	1.6	42.1	2.9	0.1	0.1	0.2	0.2	0.3	0.7	2.5	6.6	14.6
1942	1.6	42.4	3.9	0.2	0.1	0.2	0.2	0.7	0.7	2.3	6.5	22.7
1941	1.9	55.5	5.5	0.2	0.2	0.2	0.4	0.7	0.9	2.6	7.5	20.6
1940	2.1	58.7	7.3	0.3	0.3	0.3	0.5	0.6	1.2	2.8	6.7	20.5

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

DYSENTERY, ALL FORMS

ALL RACES, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	0.9	26.9	1.5	0.1	0.1	0.0	0.1	0.2	0.5	0.6	1.6	5.3
1948	0.7	17.6	1.5	0.1	0.1	0.1	0.0	0.1	0.3	0.6	1.7	5.0
1947	0.5	10.6	0.7	0.1	0.1	0.1	0.1	0.2	0.4	0.5	1.7	5.9
1946	0.6	16.4	0.9	0.1	0.1	0.1	0.1	0.2	0.4	0.9	1.7	2.9
1945	1.1	31.4	1.9	0.1	0.1	0.2	0.3	0.4	0.7	1.2	2.9	10.8
1944	1.2	35.3	2.3	0.2	0.1	0.2	0.2	0.4	0.7	1.4	5.2	14.6
1943	1.3	32.0	2.6	0.2	0.1	0.2	0.3	0.3	0.9	2.0	4.7	14.2
1942	1.2	32.2	2.9	0.1	0.1	0.3	0.3	0.3	0.9	2.1	6.1	11.7
1941	1.8	46.4	5.7	0.2	0.1	0.2	0.4	0.5	1.1	2.6	9.0	20.0
1940	1.7	43.9	6.4	0.2	0.2	0.3	0.3	0.5	1.2	2.6	4.7	20.2

DYSENTERY, ALL FORMS

WHITE, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	0.9	25.3	1.4	0.1	0.1	0.1	0.1	0.2	0.4	0.7	1.8	4.5
1948	0.7	18.9	1.3	0.1	0.1	0.1	0.1	0.1	0.2	0.7	1.8	5.7
1947	0.5	11.4	0.8	0.1	0.1	0.1	0.1	0.2	0.4	0.5	1.9	6.4
1946	0.6	18.5	0.8	0.1	0.1	0.1	0.2	0.2	0.4	0.8	1.9	3.5
1945	1.1	32.9	1.6	0.1	0.1	0.1	0.3	0.3	0.6	1.0	3.0	10.1
1944	1.2	35.6	1.9	0.2	0.1	0.1	0.2	0.3	0.5	1.1	4.4	12.4
1943	1.2	32.8	2.2	0.1	0.1	0.1	0.2	0.2	0.7	1.9	5.4	12.6
1942	1.2	32.2	2.7	0.2	0.1	0.2	0.2	0.4	0.7	1.7	5.8	16.8
1941	1.5	44.5	4.7	0.2	0.1	0.1	0.2	0.4	0.8	2.1	7.8	18.8
1940	1.6	46.1	6.0	0.2	0.2	0.2	0.3	0.3	1.0	2.4	5.0	17.9

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

DYSENTERY, ALL FORMS

WHITE, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	0.9	26.1	1.4	0.2	0.1	0.1	0.1	0.3	0.4	0.9	2.1	3.3
1948	0.7	20.7	1.1	0.1	0.1	0.1	0.1	0.1	0.3	0.7	2.1	7.1
1947	0.6	12.7	0.8	0.1	0.1	0.1	0.2	0.3	0.4	0.6	2.4	7.9
1946	0.7	21.1	0.7	0.1	0.1	0.2	0.2	0.3	0.4	0.9	2.4	4.4
1945	1.2	35.9	1.6	0.1	0.2	0.2	0.2	0.3	0.7	1.0	3.2	10.2
1944	1.3	39.7	1.8	0.2	0.1	0.1	0.2	0.3	0.6	0.9	3.8	10.7
1943	1.3	36.6	2.3	0.1	0.1	0.2	0.1	0.2	0.6	2.1	6.3	13.4
1942	1.3	35.8	3.0	0.2	0.1	0.2	0.2	0.5	0.7	1.7	6.1	22.8
1941	1.6	48.4	4.5	0.2	0.2	0.2	0.2	0.5	0.7	2.0	7.1	18.5
1940	1.7	51.9	6.3	0.3	0.2	0.2	0.3	0.3	1.1	2.3	5.6	18.4

DYSENTERY, ALL FORMS

WHITE, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	0.8	24.5	1.4	0.1	0.1	0.0	0.1	0.2	0.5	0.6	1.6	5.4
1948	0.6	17.1	1.4	0.1	0.0	0.1	0.1	0.1	0.2	0.7	1.5	4.7
1947	0.5	10.0	0.7	0.1	0.0	0.1	0.1	0.2	0.3	0.3	1.6	5.3
1946	0.5	15.8	0.9	0.1	0.1	0.1	0.1	0.1	0.4	0.7	1.6	2.8
1945	1.0	29.8	1.6	0.1	0.1	0.1	0.3	0.3	0.5	1.0	2.7	10.1
1944	1.1	31.2	2.0	0.1	0.1	0.1	0.1	0.3	0.4	1.3	4.9	13.7
1943	1.1	28.9	2.1	0.2	0.1	0.1	0.2	0.2	0.7	1.7	4.6	11.9
1942	1.1	28.4	2.5	0.1	0.1	0.2	0.2	0.3	0.7	1.7	5.5	12.4
1941	1.5	40.4	5.0	0.1	0.1	0.1	0.3	0.3	0.9	2.2	8.5	19.0
1940	1.5	39.9	5.7	0.2	0.2	0.3	0.2	0.3	0.9	2.4	4.4	17.6

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

DYSENTERY, ALL FORMS												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.9	45.2	2.2	0.1	*	0.2	0.5	0.9	2.0	2.8	3.5	11.6
1948	1.2	24.4	1.9	0.1	0.2	0.2	0.2	0.6	1.3	1.8	4.2	7.3
1947	1.2	19.7	1.2	0.1	0.1	0.3	0.6	1.2	1.3	2.8	4.4	15.0
1946	1.3	31.3	1.3	0.2	0.2	0.3	0.7	0.9	1.2	4.2	2.9	5.3
1945	2.3	56.3	3.4	0.3	0.3	0.7	0.7	1.3	2.5	2.7	7.2	16.2
1944	2.9	68.6	5.3	0.3	0.3	0.6	0.8	1.9	2.8	4.1	11.4	22.9
1943	3.1	72.7	6.5	0.3	0.4	0.8	0.9	1.2	2.4	6.7	8.7	34.3
1942	3.3	76.1	7.9	0.2	0.3	0.8	1.1	1.7	1.9	8.5	14.8	11.8
1941	4.3	99.2	11.7	0.5	0.3	0.9	1.4	2.4	3.4	9.1	16.3	35.3
1940	4.3	90.9	12.9	0.3	0.7	1.0	1.4	3.0	4.1	7.5	16.4	42.4
DYSENTERY, ALL FORMS												
ALL OTHER, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	2.2	46.8	2.3	0.1	*	0.3	0.6	1.4	2.5	3.9	5.1	22.2
1948	1.4	27.4	2.1	0.1	0.1	0.3	0.5	0.6	1.0	3.2	4.2	5.9
1947	1.4	24.0	1.4	0.1	0.2	0.5	0.6	1.4	1.4	3.2	5.5	18.8
1946	1.6	42.1	1.2	0.3	0.2	0.4	0.8	0.9	1.4	4.4	2.3	6.7
1945	2.7	70.1	3.1	0.4	0.3	0.5	1.1	1.5	2.1	1.1	8.5	13.3
1944	3.2	71.2	6.3	0.1	0.3	0.5	0.7	2.1	1.7	5.1	14.1	21.4
1943	3.5	87.8	7.3	0.3	0.2	0.9	0.4	1.1	2.0	6.9	11.0	28.6
1942	3.8	92.1	10.3	0.3	0.2	0.6	0.9	2.6	0.9	8.8	13.0	21.4
1941	4.6	108.5	12.9	0.2	0.4	0.8	1.4	2.3	3.0	10.4	15.2	42.9
1940	5.0	110.1	14.4	0.4	1.0	1.2	1.6	3.0	3.2	9.0	24.2	39.9

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

DYSENTERY, ALL FORMS

ALL OTHER, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	1.6	43.3	2.2	0.1	*	0.2	0.4	0.4	1.4	1.8	2.0	4.0
1948	1.0	21.4	1.7	0.1	0.2	0.1	*	0.5	1.7	0.4	4.1	8.3
1947	1.0	15.4	1.1	0.1	0.1	0.2	0.6	1.0	1.3	2.3	3.2	12.5
1946	1.0	20.6	1.4	0.1	0.1	0.2	0.6	0.9	0.9	3.9	3.4	4.3
1945	2.0	42.9	3.8	0.1	0.4	0.7	0.4	1.1	2.9	4.4	6.0	18.2
1944	2.7	66.4	4.4	0.4	0.4	0.7	0.8	1.8	4.0	2.9	8.6	23.8
1943	2.8	57.2	5.7	0.3	0.6	0.7	1.3	1.3	2.9	6.6	6.5	38.1
1942	2.8	60.3	5.6	0.1	0.4	1.1	1.3	0.7	3.0	8.2	16.7	5.0
1941	4.0	89.9	10.5	0.7	0.2	0.9	1.3	2.4	3.9	7.6	17.4	30.0
1940	3.6	72.1	11.4	0.3	0.4	0.9	1.1	3.0	5.2	5.9	9.1	44.1

DIPHThERIA

ALL RACES, BOTH SEXES	ICD Revision	Years in use	ICD Nos.										
	Sixth	1949	055										
	Fifth	1940-1948	10										
	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years		
	Total	1 year	years	years	years	years	years	years	years	years	and over		
1949	0.4	1.3	2.3	0.6	0.0	0.0	0.1	0.2	0.1	0.1	0.3	0.2	
1948	0.4	1.5	2.7	0.7	0.1	0.0	0.2	0.2	0.2	0.1	0.1	*	
1947	0.6	1.7	3.6	1.1	0.1	0.0	0.1	0.1	0.1	0.2	0.1	*	
1946	0.9	3.5	5.8	1.6	0.2	0.2	0.1	0.2	0.2	0.2	0.1	*	
1945	1.2	3.2	8.1	2.2	0.2	0.1	0.2	0.2	0.2	0.1	0.3	*	
1944	0.9	3.5	6.4	1.5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	
1943	0.9	3.3	6.8	1.5	0.2	0.1	0.1	0.1	0.2	0.1	0.2	0.2	
1942	1.0	4.1	8.1	1.4	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	
1941	1.0	4.6	8.5	1.5	0.1	0.1	0.1	0.1	0.2	0.2	0.3	*	
1940	1.1	7.1	9.0	1.7	0.2	0.1	0.2	0.2	0.2	0.2	0.4	*	

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

DIPHTHERIA

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.4	1.5	2.3	0.6	0.0	0.0	0.2	0.2	0.2	0.1	0.1	0.4
1948	0.5	1.7	2.7	0.7	0.1	0.1	0.2	0.3	0.2	0.2	0.1	*
1947	0.6	2.1	3.5	1.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	*
1946	1.0	3.4	6.5	1.7	0.2	0.2	0.2	0.3	0.3	0.2	0.2	*
1945	1.4	3.5	8.9	2.2	0.3	0.1	0.2	0.2	0.3	0.2	0.3	*
1944	1.0	3.8	6.9	1.5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.5
1943	1.0	3.3	7.2	1.5	0.2	0.1	0.1	0.2	0.2	0.0	0.2	*
1942	1.1	5.2	8.6	1.5	0.1	0.1	0.3	0.2	0.1	0.2	0.3	0.6
1941	1.0	4.7	9.2	1.5	0.1	0.1	0.2	0.1	0.1	0.1	0.3	*
1940	1.2	8.3	9.5	1.7	0.1	0.1	0.1	0.1	0.3	0.2	0.4	*

DIPHTHERIA

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.4	1.1	2.3	0.7	0.1	0.0	0.1	0.1	0.0	0.0	0.4	*
1948	0.4	1.2	2.6	0.7	0.1	0.0	0.1	0.0	0.1	0.0	0.1	*
1947	0.5	1.2	3.6	1.1	0.1	0.1	0.0	0.1	0.1	0.2	0.1	*
1946	0.8	3.6	5.1	1.5	0.2	0.2	0.1	0.1	0.2	0.2	*	*
1945	1.1	2.8	7.3	2.2	0.2	0.1	0.2	0.2	0.2	0.1	0.3	*
1944	0.8	3.3	5.8	1.4	0.1	0.1	0.1	0.1	0.2	0.1	0.1	*
1943	0.8	3.4	6.3	1.5	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.4
1942	0.8	3.0	7.5	1.3	0.1	0.1	0.1	0.1	0.2	0.1	*	*
1941	0.9	4.4	7.7	1.5	0.1	0.1	0.1	0.1	0.2	0.2	0.4	*
1940	1.0	5.8	8.5	1.6	0.2	0.1	0.2	0.3	0.1	0.1	0.3	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

DIPHTHERIA												
WHITE, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.3	1.1	2.1	0.6	0.1	0.0	0.1	0.2	0.1	0.1	0.3	0.2
1948	0.4	1.3	2.3	0.7	0.1	0.0	0.2	0.2	0.2	0.1	0.1	*
1947	0.5	1.3	3.4	1.1	0.1	0.0	0.1	0.1	0.1	0.2	0.1	*
1946	0.9	3.1	5.7	1.7	0.2	0.2	0.2	0.2	0.2	0.2	0.1	*
1945	1.2	3.1	8.1	2.2	0.2	0.1	0.2	0.2	0.2	0.2	0.3	*
1944	0.8	3.1	6.3	1.5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3
1943	0.9	3.0	6.9	1.5	0.2	0.1	0.1	0.2	0.2	0.1	0.2	0.3
1942	0.9	3.6	7.9	1.5	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.3
1941	0.9	4.1	7.9	1.4	0.1	0.1	0.1	0.1	0.1	0.2	0.3	*
1940	1.0	6.4	8.5	1.6	0.2	0.1	0.1	0.2	0.2	0.2	0.4	*

DIPHTHERIA												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.4	1.2	2.0	0.5	0.1	0.0	0.2	0.2	0.2	0.1	0.1	0.5
1948	0.4	1.5	2.3	0.6	0.1	0.0	0.3	0.3	0.2	0.2	0.2	*
1947	0.6	1.8	3.4	1.1	0.1	0.0	0.1	0.1	0.1	0.1	0.2	*
1946	1.0	3.1	6.3	1.8	0.2	0.2	0.2	0.3	0.3	0.2	0.2	*
1945	1.4	3.6	8.8	2.2	0.3	0.1	0.2	0.2	0.3	0.2	0.3	*
1944	0.9	3.3	6.7	1.6	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.6
1943	1.0	3.0	7.3	1.6	0.3	0.1	0.2	0.2	0.2	0.0	0.2	*
1942	1.0	4.8	8.4	1.6	0.1	0.1	0.3	0.3	0.2	0.2	0.3	0.6
1941	1.0	4.1	8.4	1.5	0.1	0.1	0.2	0.1	0.1	0.1	0.2	*
1940	1.1	7.3	9.0	1.7	0.1	0.1	0.1	0.2	0.3	0.2	0.4	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

DIPHTHERIA												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.3	1.0	2.1	0.6	0.1	0.0	0.1	0.1	0.0	0.1	0.4	*
1948	0.3	1.1	2.3	0.7	0.1	0.0	0.1	0.0	0.1	0.1	0.1	*
1947	0.5	0.7	3.4	1.1	0.1	0.1	0.0	0.1	0.1	0.2	0.1	*
1946	0.8	3.0	5.0	1.6	0.2	0.2	0.1	0.1	0.2	0.2	*	*
1945	1.0	2.6	7.4	2.2	0.2	0.1	0.2	0.2	0.2	0.1	0.3	*
1944	0.8	2.8	5.8	1.5	0.1	0.1	0.1	0.1	0.1	0.1	0.2	*
1943	0.8	3.1	6.4	1.5	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.5
1942	0.8	2.3	7.3	1.3	0.1	0.1	0.1	0.2	0.2	0.1	*	*
1941	0.8	4.2	7.3	1.4	0.1	0.1	0.1	0.1	0.2	0.2	0.3	*
1940	1.0	5.5	7.9	1.5	0.2	0.1	0.2	0.2	0.1	0.1	0.4	*

DIPHTHERIA												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.7	2.5	4.0	1.2	0.0	*	0.0	0.1	0.1	*	*	*
1948	0.8	2.7	5.1	0.9	0.1	0.0	0.1	0.1	0.1	*	*	*
1947	0.8	5.2	4.9	1.0	0.2	0.1	0.1	0.3	0.1	*	*	*
1946	1.0	6.8	6.8	1.2	0.2	0.0	0.1	*	0.2	*	*	*
1945	1.4	3.7	8.4	2.1	0.1	0.2	0.2	0.1	0.2	*	*	*
1944	1.0	7.2	7.1	1.0	0.1	0.2	*	*	0.1	*	*	*
1943	1.0	5.8	6.2	1.3	0.2	0.0	0.1	*	*	*	*	*
1942	1.2	8.0	9.3	1.3	0.2	0.0	0.1	*	*	*	*	*
1941	1.7	7.7	12.6	1.7	0.3	0.2	0.2	0.2	0.5	*	1.5	*
1940	1.8	12.0	12.8	1.9	0.3	0.2	0.2	0.2	0.3	*	*	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

DIPHTHERIA

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.7	3.4	4.2	1.0	*	*	0.1	0.1	0.2	*	*	*
1948	0.8	3.2	5.6	1.0	0.1	0.1	0.2	*	*	*	*	*
1947	0.8	4.4	4.8	0.8	0.2	*	0.1	0.1	0.2	*	*	*
1946	1.2	5.7	7.9	1.3	0.4	*	0.1	*	*	*	*	*
1945	1.5	2.7	9.8	1.9	*	0.3	0.1	0.3	*	*	*	*
1944	1.1	7.5	8.1	1.0	0.1	0.1	*	*	*	*	*	*
1943	0.9	6.1	6.8	0.9	0.1	*	*	*	*	*	*	*
1942	1.2	7.9	9.9	1.0	0.2	*	*	*	*	*	*	*
1941	1.7	9.2	14.4	1.4	*	0.1	0.1	0.1	0.5	*	1.5	*
1940	1.8	15.8	13.3	1.5	0.3	0.2	0.2	*	0.5	*	*	*

DIPHTHERIA

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.7	1.5	3.8	1.4	0.1	*	*	*	*	*	*	*
1948	0.7	2.1	4.7	0.9	0.1	*	0.1	0.1	0.2	*	*	*
1947	0.9	6.0	5.0	1.2	0.1	0.2	0.1	0.4	*	*	*	*
1946	0.9	7.8	5.8	1.1	0.1	0.1	0.1	*	0.4	*	*	*
1945	1.3	4.8	7.0	2.4	0.1	0.2	0.2	*	0.5	*	*	*
1944	0.9	7.0	6.0	1.0	0.1	0.2	*	*	0.2	*	*	*
1943	1.0	5.5	5.6	1.7	0.4	0.1	0.1	*	*	*	*	*
1942	1.2	8.1	8.7	1.5	0.2	0.1	0.1	*	*	*	*	*
1941	1.6	6.2	10.8	2.0	0.5	0.3	0.2	0.3	0.5	*	1.4	*
1940	1.7	8.2	12.3	2.2	0.3	0.3	0.2	0.3	*	*	*	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

WHOOPING COUGH												
	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	056									
ALL RACES, BOTH SEXES	Fifth	1940-1948	9									
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.5	16.5	1.5	0.1	0.0	*	*	*	0.0	0.0	*	*
1948	0.8	26.6	2.3	0.1	0.0	*	*	*	*	*	0.1	0.2
1947	1.4	42.9	3.9	0.2	*	*	*	*	*	*	*	*
1946	0.9	36.2	3.1	0.1	0.0	0.0	0.0	*	0.0	0.0	*	*
1945	1.3	50.7	4.3	0.2	0.0	0.0	*	*	0.0	0.0	0.0	*
1944	1.4	52.6	5.1	0.2	0.0	0.0	0.0	0.0	0.0	*	*	*
1943	2.5	89.8	9.2	0.4	0.0	*	*	*	0.0	0.1	0.1	*
1942	1.9	77.8	7.3	0.3	0.0	0.0	0.0	0.0	0.0	0.1	*	*
1941	2.8	118.7	12.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
1940	2.2	99.7	9.7	0.3	0.0	0.0	0.0	*	0.0	0.0	0.1	*

WHOOPING COUGH												
ALL RACES, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
		1949	0.5	16.4	1.1	0.0	*	*	*	*	0.0	0.0
1948	0.7	25.5	1.9	0.1	0.0	*	*	*	*	*	*	*
1947	1.3	41.4	3.2	0.2	*	*	*	*	*	*	*	*
1946	0.8	33.0	2.5	0.1	*	*	*	*	0.0	0.0	*	*
1945	1.3	48.9	3.4	0.2	0.0	0.0	*	*	*	0.0	*	*
1944	1.4	47.5	4.6	0.2	0.0	*	0.0	0.0	0.0	*	*	*
1943	2.4	83.9	8.0	0.3	0.0	*	*	*	0.0	0.0	0.1	*
1942	1.8	73.6	6.3	0.3	0.0	0.0	*	0.0	*	0.0	*	*
1941	2.7	116.7	10.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	*	0.6
1940	2.1	97.2	7.9	0.4	0.0	0.0	0.0	*	0.0	*	0.1	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

WHOOPING COUGH												
ALL RACES, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.5	16.6	1.9	0.1	0.0	*	*	*	0.0	*	*	*
1948	0.8	27.7	2.7	0.1	0.0	*	*	*	*	*	0.1	0.3
1947	1.4	44.5	4.6	*	*	*	*	*	*	*	*	*
1946	1.0	39.5	3.8	0.1	0.0	0.0	0.0	*	*	0.0	*	*
1945	1.3	52.7	5.2	0.2	0.0	0.0	*	*	0.0	*	0.1	*
1944	1.5	57.9	5.6	0.2	0.0	0.0	*	*	*	*	*	*
1943	2.6	96.1	10.5	0.4	0.0	*	*	*	*	0.1	0.1	*
1942	2.0	82.2	8.3	0.3	0.0	*	0.0	*	0.0	0.1	*	*
1941	3.0	120.8	14.8	0.4	*	0.0	*	0.0	*	*	0.1	*
1940	2.3	102.4	11.6	0.2	0.0	0.0	*	*	*	0.0	0.1	*

WHOOPING COUGH												
WHITE, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.4	13.3	1.1	0.0	*	*	*	*	0.0	0.0	*	*
1948	0.6	19.5	1.8	0.1	0.0	*	*	*	*	*	0.1	0.2
1947	1.0	33.0	2.9	0.1	*	*	*	*	*	*	*	*
1946	0.7	31.5	2.6	0.1	0.0	0.0	0.0	*	0.0	0.0	*	*
1945	1.1	44.2	3.3	0.2	0.0	0.0	*	*	0.0	0.0	0.0	*
1944	1.1	41.3	3.4	0.1	0.0	0.0	0.0	*	0.0	*	*	*
1943	2.1	76.8	7.2	0.3	0.0	*	*	*	0.0	0.0	0.0	*
1942	1.5	64.7	5.5	0.2	0.0	0.0	*	0.0	0.0	0.1	*	*
1941	2.3	102.3	9.9	0.4	0.0	0.0	*	0.0	*	0.0	0.0	0.3
1940	1.8	84.6	7.6	0.2	0.0	0.0	0.0	*	0.0	0.0	0.1	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

WHOOPING COUGH												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.3	12.8	0.8	0.0	*	*	*	*	0.0	0.0	*	*
1948	0.5	19.0	1.4	0.0	0.0	*	*	*	*	*	*	*
1947	1.0	32.1	2.3	*	*	*	*	*	*	*	*	*
1946	0.7	29.1	1.9	0.1	*	*	*	*	0.0	0.0	*	*
1945	1.1	43.2	2.6	0.1	0.0	0.0	*	*	*	0.0	*	*
1944	1.0	38.2	3.2	0.2	0.0	*	0.0	*	0.0	*	*	*
1943	1.9	70.3	6.0	0.2	0.0	*	*	*	0.0	0.0	*	*
1942	1.4	60.7	4.4	0.2	0.0	0.0	*	0.0	*	0.0	*	*
1941	2.2	98.6	8.2	0.3	0.0	0.0	*	0.0	*	0.0	*	0.7
1940	1.7	81.4	5.8	0.3	0.0	0.0	0.0	*	0.0	*	0.1	*

WHOOPING COUGH												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.4	13.8	1.4	0.1	*	*	*	*	0.0	*	*	*
1948	0.6	20.1	2.1	0.1	0.0	*	*	*	*	*	0.1	0.4
1947	1.1	34.0	3.4	*	*	*	*	*	*	*	*	*
1946	0.8	34.0	3.3	0.1	0.0	0.0	0.0	*	*	*	*	*
1945	1.1	45.3	4.0	0.2	0.0	0.0	*	*	0.0	*	0.1	*
1944	1.1	44.5	3.6	0.1	0.0	0.0	*	*	*	*	*	*
1943	2.2	83.8	8.5	0.3	0.0	*	*	*	*	0.1	0.1	*
1942	1.6	68.7	6.5	0.2	0.0	*	*	*	0.0	0.1	*	*
1941	2.5	106.1	11.7	0.4	*	0.0	*	0.0	*	*	0.1	*
1940	1.9	87.9	9.5	0.2	0.0	0.0	*	*	*	0.0	0.1	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

WHOOPIING COUGH												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.5	39.0	4.5	0.1	0.0	*	*	*	*	*	*	*
1948	2.6	78.8	6.2	0.3	0.1	*	*	*	*	*	*	*
1947	4.2	126.0	11.7	*	*	*	*	*	*	*	*	*
1946	2.1	71.9	6.9	0.3	*	*	*	*	*	0.2	*	*
1945	3.2	98.3	11.6	0.4	*	*	*	*	*	*	*	*
1944	4.5	139.3	16.9	0.4	0.0	*	*	0.1	*	*	*	*
1943	6.3	196.2	23.1	0.9	*	*	*	*	*	0.2	0.7	*
1942	5.3	175.0	19.6	1.1	*	*	0.1	*	*	*	*	*
1941	7.3	239.8	31.2	0.9	*	0.0	0.1	*	0.1	*	*	*
1940	5.9	211.2	24.3	0.8	*	*	*	*	*	*	*	*

WHOOPIING COUGH												
ALL OTHER, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.4	41.9	3.2	*	*	*	*	*	*	*	*	*
1948	2.4	74.2	5.6	0.2	*	*	*	*	*	*	*	*
1947	4.0	121.3	9.9	*	*	*	*	*	*	*	*	*
1946	1.8	63.6	6.5	0.1	*	*	*	*	*	*	*	*
1945	3.0	91.8	9.3	0.5	*	*	*	*	*	*	*	*
1944	4.0	120.5	14.6	0.2	*	*	*	0.1	*	*	*	*
1943	6.4	197.3	22.0	0.9	*	*	*	*	*	*	1.4	*
1942	5.3	170.5	19.3	1.0	*	*	*	*	*	*	*	*
1941	7.3	253.1	26.5	1.2	*	*	0.1	*	0.2	*	*	*
1940	5.9	216.8	22.5	1.0	*	*	*	*	*	*	*	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

WHOOPING COUGH												
ALL OTHER, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.5	35.8	5.8	0.2	0.1	*	*	*	*	*	*	*
1948	2.7	83.4	6.9	0.3	0.2	*	*	*	*	*	*	*
1947	4.4	131.3	13.4	*	*	*	*	*	*	*	*	*
1946	2.3	80.1	7.3	0.4	*	*	*	*	*	0.4	*	*
1945	3.3	105.4	13.8	0.3	*	*	*	*	*	*	*	*
1944	4.9	159.4	19.3	0.6	0.1	*	*	*	*	*	*	*
1943	6.1	195.2	24.2	0.9	*	*	*	*	*	0.4	*	*
1942	5.3	180.9	19.9	1.1	*	*	0.1	*	*	*	*	*
1941	7.2	226.4	35.7	0.7	*	0.1	*	*	*	*	*	*
1940	5.9	205.7	26.1	0.7	*	*	*	*	*	*	*	*

MENINGOCOCCAL INFECTIONS												
	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	057									
	Fifth	1940-1948	6									
ALL RACES, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.6	7.5	2.3	0.5	0.3	0.1	0.2	0.3	0.3	0.3	0.3	0.4
1948	0.6	7.7	2.3	0.5	0.3	0.1	0.2	0.3	0.3	0.2	0.4	0.2
1947	0.6	8.1	2.1	0.4	0.3	0.2	0.2	0.3	0.4	0.5	0.3	0.6
1946	0.9	11.2	2.8	0.8	0.5	0.3	0.4	0.6	0.6	0.9	0.3	0.2
1945	1.3	10.9	3.3	1.0	1.1	0.8	0.7	0.9	1.2	0.9	0.6	0.4
1944	2.1	12.7	4.9	1.8	1.7	1.3	1.6	1.8	2.0	1.6	1.4	0.7
1943	2.2	12.4	4.6	1.6	2.5	1.5	1.6	1.7	1.8	1.6	0.8	0.5
1942	0.7	7.0	1.8	0.5	0.6	0.5	0.5	0.6	0.5	0.3	0.2	*
1941	0.5	7.2	1.5	0.5	0.5	0.3	0.3	0.3	0.3	0.2	0.1	0.3
1940	0.5	7.2	1.7	0.5	0.4	0.2	0.3	0.3	0.3	0.2	0.1	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

MENINGOCOCCAL INFECTIONS

ALL RACES, MALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
	Total											
1949	0.7	9.4	2.7	0.5	0.4	0.1	0.3	0.3	0.3	0.3	0.4	0.9
1948	0.7	8.8	2.7	0.5	0.3	0.1	0.2	0.3	0.3	0.2	0.4	0.5
1947	0.7	9.2	2.3	0.5	0.4	0.3	0.3	0.3	0.5	0.4	0.1	1.0
1946	1.1	12.2	3.4	0.8	0.8	0.3	0.6	0.6	0.6	1.0	0.2	0.5
1945	1.7	11.3	4.2	1.2	1.9	1.2	1.1	1.2	1.6	0.9	0.7	1.0
1944	2.7	14.8	5.5	2.0	2.6	2.1	2.3	2.3	2.2	1.7	1.5	0.5
1943	2.9	15.2	5.4	1.9	3.9	2.3	2.4	2.1	2.1	1.5	1.2	*
1942	1.0	8.8	2.1	0.6	0.9	0.9	0.8	0.7	0.7	0.5	0.3	*
1941	0.6	8.0	1.8	0.6	0.6	0.3	0.4	0.3	0.3	0.2	0.1	*
1940	0.7	8.8	1.9	0.5	0.5	0.4	0.5	0.5	0.4	0.2	0.1	*

MENINGOCOCCAL INFECTIONS

ALL RACES, FEMALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
	Total											
1949	0.5	5.5	2.0	0.5	0.2	0.1	0.1	0.3	0.3	0.2	0.3	*
1948	0.5	6.7	2.0	0.4	0.2	0.1	0.2	0.3	0.4	0.2	0.3	*
1947	0.5	7.0	1.9	0.4	0.3	0.1	0.1	0.2	0.3	0.6	0.4	0.3
1946	0.7	10.2	2.2	0.7	0.4	0.2	0.2	0.5	0.6	0.8	0.4	*
1945	0.9	10.6	2.5	0.9	0.5	0.5	0.4	0.6	0.8	0.9	0.4	*
1944	1.6	10.5	4.4	1.5	1.0	0.7	0.9	1.3	1.8	1.5	1.2	0.8
1943	1.5	9.4	3.8	1.4	1.3	0.8	0.9	1.2	1.5	1.6	0.4	0.8
1942	0.5	5.1	1.6	0.5	0.3	0.2	0.3	0.4	0.3	0.2	0.2	*
1941	0.4	6.4	1.3	0.4	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.5
1940	0.4	5.5	1.6	0.4	0.2	0.1	0.2	0.2	0.3	0.2	0.2	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MENINGOCOCCAL INFECTIONS

WHITE, BOTH SEXES		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.6	7.3	2.5	0.5	0.2	0.1	0.2	0.3	0.3	0.3	0.4	0.4
1948	0.6	7.2	2.4	0.5	0.2	0.1	0.2	0.3	0.3	0.2	0.4	0.2
1947	0.6	8.0	2.1	0.4	0.3	0.2	0.2	0.2	0.4	0.5	0.3	0.7
1946	0.9	11.2	2.9	0.7	0.5	0.2	0.3	0.5	0.6	0.9	0.3	0.2
1945	1.2	10.8	3.3	1.0	0.9	0.6	0.6	0.8	1.1	0.9	0.6	0.2
1944	2.0	12.0	5.0	1.7	1.6	1.2	1.3	1.6	2.0	1.6	1.3	0.8
1943	2.1	11.8	4.5	1.6	2.4	1.3	1.6	1.7	1.9	1.6	0.8	0.5
1942	0.7	6.6	1.7	0.5	0.6	0.5	0.5	0.5	0.5	0.3	0.2	*
1941	0.5	6.5	1.5	0.5	0.4	0.2	0.3	0.3	0.3	0.1	0.1	0.3
1940	0.5	7.1	1.6	0.5	0.4	0.2	0.3	0.3	0.3	0.2	0.1	*

MENINGOCOCCAL INFECTIONS

WHITE, MALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.7	9.1	2.8	0.5	0.3	0.1	0.3	0.3	0.3	0.3	0.4	1.0
1948	0.6	8.1	2.8	0.5	0.3	0.1	0.3	0.3	0.3	0.2	0.4	0.5
1947	0.7	8.8	2.3	0.4	0.3	0.2	0.3	0.3	0.5	0.4	0.2	1.1
1946	1.0	12.2	3.5	0.8	0.7	0.3	0.5	0.6	0.6	1.0	0.2	0.5
1945	1.6	11.3	4.1	1.1	1.6	0.9	1.0	1.1	1.4	1.0	0.8	0.6
1944	2.5	13.8	5.5	1.9	2.4	1.9	2.0	2.1	2.2	1.8	1.4	0.6
1943	2.8	14.1	5.2	1.8	3.7	2.0	2.4	2.2	2.2	1.5	1.2	*
1942	1.0	8.4	2.0	0.6	0.9	0.9	0.8	0.6	0.7	0.4	0.3	*
1941	0.6	7.0	1.7	0.6	0.6	0.3	0.4	0.3	0.3	0.1	0.1	*
1940	0.6	8.3	1.8	0.6	0.5	0.4	0.4	0.4	0.4	0.2	0.1	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MENINGOCOCCAL INFECTIONS

WHITE, FEMALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.5	5.4	2.1	0.6	0.2	0.1	0.1	0.3	0.2	0.2	0.3	*
1948	0.5	6.2	2.0	0.4	0.2	0.1	0.1	0.3	0.4	0.2	0.3	*
1947	0.5	7.2	1.9	0.4	0.3	0.1	0.1	0.2	0.3	0.5	0.4	0.4
1946	0.7	10.2	2.3	0.7	0.3	0.2	0.1	0.4	0.6	0.8	0.4	*
1945	0.9	10.2	2.5	0.9	0.5	0.4	0.3	0.5	0.8	0.9	0.4	*
1944	1.5	10.1	4.4	1.4	0.9	0.7	0.7	1.1	1.8	1.4	1.2	0.9
1943	1.4	9.2	3.8	1.4	1.3	0.7	0.8	1.1	1.5	1.7	0.4	0.9
1942	0.4	4.8	1.5	0.4	0.3	0.2	0.3	0.3	0.3	0.2	0.2	*
1941	0.4	5.9	1.3	0.4	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.5
1940	0.4	5.9	1.4	0.4	0.2	0.1	0.1	0.2	0.3	0.2	0.2	*

MENINGOCOCCAL INFECTIONS

ALL OTHER, BOTH SEXES		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.8	8.7	1.5	0.5	0.5	0.3	0.7	0.7	0.7	0.4	*	*
1948	0.8	11.9	2.0	0.5	0.3	0.2	0.2	0.4	0.5	0.5	0.5	*
1947	0.9	9.0	2.2	0.7	0.6	0.3	0.4	0.5	0.7	0.7	*	*
1946	1.1	11.4	2.2	0.8	0.8	0.6	1.0	1.1	0.6	0.8	*	*
1945	2.2	11.9	3.6	1.5	2.3	1.9	1.9	1.8	2.4	0.8	*	2.7
1944	3.3	17.9	4.7	2.4	2.6	2.2	3.9	3.8	2.8	1.6	2.5	*
1943	2.9	17.7	5.1	2.0	3.1	2.9	2.4	1.6	1.6	0.6	0.7	*
1942	1.0	9.8	2.8	0.7	1.0	0.4	0.5	1.1	0.6	0.4	*	*
1941	0.8	12.7	1.7	0.7	0.5	0.4	0.4	0.4	0.4	0.5	*	*
1940	0.6	7.9	2.4	0.3	0.4	0.2	0.5	0.7	*	*	*	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

MENINGOCOCCAL INFECTIONS

ALL OTHER, MALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.0	11.3	1.7	0.8	0.8	0.1	1.0	0.7	0.4	0.7	*	*
1948	1.0	13.7	2.0	0.6	0.5	0.5	0.1	0.5	0.4	1.1	1.1	*
1947	1.1	12.6	2.4	0.8	0.8	0.5	0.5	0.4	1.2	0.7	*	*
1946	1.3	12.1	2.9	0.9	1.1	0.7	1.2	1.2	0.4	0.7	*	*
1945	3.1	10.9	4.8	2.0	4.2	3.3	2.3	2.0	3.1	0.8	*	6.7
1944	4.3	22.6	5.3	2.9	4.2	3.9	5.1	4.5	2.8	0.8	2.6	*
1943	4.0	24.3	6.6	2.8	5.1	4.6	2.8	1.4	1.5	1.2	1.4	*
1942	1.3	12.2	3.4	0.5	1.2	0.7	0.7	1.3	0.5	0.8	*	*
1941	1.0	15.4	2.4	0.8	0.8	0.5	0.5	0.3	0.7	0.4	*	*
1940	0.8	12.5	2.2	0.2	0.5	0.4	0.5	0.9	*	*	*	*

MENINGOCOCCAL INFECTIONS

ALL OTHER, FEMALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.6	6.0	1.2	0.1	0.2	0.5	0.4	0.6	1.0	*	*	*
1948	0.7	10.2	2.0	0.5	0.1	*	0.3	0.4	0.6	*	*	*
1947	0.7	5.5	2.0	0.6	0.4	0.1	0.4	0.7	0.2	0.8	*	*
1946	1.0	10.6	1.5	0.7	0.7	0.5	0.8	0.9	0.9	0.8	*	*
1945	1.5	12.9	2.3	1.0	0.9	0.9	1.4	1.5	1.6	0.8	*	*
1944	2.4	13.3	4.1	1.9	1.3	0.9	2.9	3.1	2.8	2.5	2.5	*
1943	1.9	11.0	3.5	1.3	1.4	1.5	2.1	1.9	1.7	*	*	*
1942	0.8	7.4	2.3	0.9	0.7	0.2	0.2	0.9	0.8	*	*	*
1941	0.6	10.1	1.1	0.5	0.2	0.3	0.2	0.6	*	0.5	*	*
1940	0.5	3.3	2.6	0.3	0.3	*	0.4	0.5	*	*	*	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

ACUTE POLIOMYELITIS

	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	080									
ALL RACES, BOTH SEXES	Fifth	1940-1948	36									
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.8	3.7	2.7	4.0	2.6	2.1	0.8	0.3	0.1	0.1	0.0	*
1948	1.3	2.7	2.9	2.8	1.8	1.3	0.4	0.1	0.1	*	*	*
1947	0.4	0.8	0.6	0.8	0.6	0.4	0.2	0.1	0.0	0.0	0.1	0.2
1946	1.3	1.8	2.4	3.2	1.8	1.3	0.4	0.2	0.2	0.1	0.0	*
1945	0.9	1.5	1.5	2.1	1.3	0.9	0.3	0.1	0.1	0.1	0.0	*
1944	1.0	2.0	1.7	2.5	1.5	0.8	0.4	0.2	0.1	0.1	*	*
1943	0.9	1.9	1.5	2.0	1.3	0.6	0.3	0.1	0.2	0.2	0.1	*
1942	0.4	1.5	1.1	0.9	0.5	0.2	0.1	0.1	0.1	0.1	0.0	*
1941	0.6	2.7	1.8	1.3	0.7	0.3	0.2	0.1	0.1	0.1	*	*
1940	0.8	2.4	1.8	1.6	1.0	0.6	0.2	0.1	0.1	0.1	0.1	0.3

ACUTE POLIOMYELITIS

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
		1949	2.3	4.3	3.2	4.9	3.2	2.6	1.1	0.3	0.1	0.2
1948	1.6	3.1	3.4	3.3	2.2	1.6	0.5	0.1	0.1	*	*	*
1947	0.5	1.0	0.6	1.0	0.7	0.4	0.3	0.2	0.1	*	*	*
1946	1.6	1.9	2.6	4.1	2.4	1.5	0.6	0.2	0.2	0.2	*	*
1945	1.1	1.5	1.6	2.4	1.8	1.2	0.3	0.1	0.1	0.1	0.1	*
1944	1.3	1.7	1.8	3.2	2.1	1.0	0.5	0.3	0.2	0.1	*	*
1943	1.1	2.1	1.9	2.6	1.6	0.6	0.4	0.1	0.2	0.3	0.2	*
1942	0.5	1.8	1.2	1.1	0.6	0.3	0.1	0.1	0.2	0.2	0.1	*
1941	0.7	2.7	1.8	1.6	1.0	0.4	0.3	0.1	0.1	0.0	*	*
1940	1.0	2.0	1.9	2.0	1.3	0.8	0.3	0.1	0.2	0.2	0.2	0.6

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ACUTE POLIOMYELITIS

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.4	3.1	2.2	3.0	2.1	1.6	0.5	0.2	0.1	0.0	*	*
1948	1.0	2.1	2.5	2.4	1.3	0.9	0.3	0.1	0.0	*	*	*
1947	0.3	0.7	0.7	0.6	0.5	0.4	0.1	0.0	0.0	0.1	0.1	0.3
1946	1.0	1.8	2.1	2.2	1.4	1.1	0.3	0.2	0.1	0.0	0.1	*
1945	0.7	1.4	1.4	1.9	0.9	0.8	0.2	0.1	0.0	0.0	*	*
1944	0.8	2.3	1.5	1.7	1.0	0.6	0.3	0.1	0.1	0.1	*	*
1943	0.6	1.6	1.2	1.3	0.9	0.6	0.1	0.1	0.2	0.1	0.1	*
1942	0.3	1.1	0.9	0.7	0.4	0.2	0.1	0.1	0.1	0.1	*	*
1941	0.5	2.7	1.7	1.1	0.3	0.3	0.1	0.0	0.1	0.1	*	*
1940	0.6	2.7	1.7	1.3	0.7	0.4	0.2	0.1	0.1	0.1	0.1	*

ACUTE POLIOMYELITIS

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	2.0	3.8	2.9	4.4	2.9	2.3	0.9	0.3	0.1	0.1	0.0	*
1948	1.4	2.8	3.1	3.1	1.9	1.4	0.4	0.1	0.1	*	*	*
1947	0.4	0.7	0.6	0.9	0.7	0.5	0.2	0.1	0.0	0.0	0.1	0.2
1946	1.4	1.6	2.4	3.5	2.0	1.4	0.5	0.2	0.2	0.1	0.0	*
1945	0.9	1.4	1.5	2.3	1.4	1.0	0.3	0.1	0.1	0.1	0.0	*
1944	1.1	1.9	1.7	2.8	1.6	0.8	0.4	0.2	0.1	0.1	*	*
1943	0.9	1.7	1.6	2.2	1.4	0.7	0.3	0.1	0.1	0.1	0.1	*
1942	0.4	1.3	1.0	0.9	0.5	0.3	0.1	0.1	0.1	0.1	0.0	*
1941	0.6	2.5	1.7	1.3	0.7	0.4	0.2	0.1	0.1	0.1	*	*
1940	0.8	2.4	1.9	1.7	1.1	0.6	0.3	0.1	0.1	0.1	0.1	0.3

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

ACUTE POLIOMYELITIS

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	2.5	4.7	3.4	5.5	3.5	2.8	1.2	0.4	0.1	0.2	0.1	*
1948	1.7	3.4	3.6	3.5	2.4	1.8	0.6	0.1	0.1	*	*	*
1947	0.5	1.0	0.6	1.1	0.8	0.5	0.3	0.2	0.1	*	*	*
1946	1.7	1.5	2.7	4.6	2.6	1.6	0.7	0.2	0.2	0.1	*	*
1945	1.1	1.5	1.6	2.7	2.0	1.2	0.4	0.2	0.1	0.1	0.1	*
1944	1.4	1.5	1.9	3.5	2.3	1.1	0.5	0.3	0.2	0.1	*	*
1943	1.1	1.8	2.0	2.9	1.7	0.7	0.4	0.1	0.1	0.2	0.2	*
1942	0.5	1.5	1.3	1.1	0.7	0.3	0.1	0.1	0.2	0.2	0.1	*
1941	0.7	2.6	1.8	1.6	1.0	0.4	0.4	0.1	0.1	0.0	*	*
1940	1.0	2.1	2.0	2.1	1.4	0.8	0.3	0.1	0.2	0.2	0.2	0.7

ACUTE POLIOMYELITIS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.5	3.0	2.4	3.3	2.3	1.8	0.6	0.2	0.1	0.1	*	*
1948	1.1	2.2	2.6	2.6	1.4	1.0	0.3	0.1	0.0	*	*	*
1947	0.3	0.4	0.6	0.7	0.5	0.4	0.1	0.1	0.0	0.1	0.1	0.4
1946	1.1	1.7	2.2	2.5	1.5	1.2	0.3	0.2	0.2	0.0	0.1	*
1945	0.7	1.2	1.3	2.0	1.0	0.8	0.2	0.1	0.0	0.0	*	*
1944	0.8	2.3	1.4	2.0	1.1	0.6	0.3	0.1	0.1	0.1	*	*
1943	0.7	1.5	1.2	1.5	1.0	0.7	0.1	0.1	0.1	0.0	0.1	*
1942	0.3	1.1	0.8	0.7	0.4	0.2	0.1	0.1	0.1	0.1	*	*
1941	0.4	2.4	1.7	1.1	0.3	0.3	0.1	0.0	0.1	0.1	*	*
1940	0.6	2.8	1.8	1.3	0.7	0.4	0.2	0.1	0.1	0.1	0.1	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ACUTE POLIOMYELITIS

ALL OTHER, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	0.6	3.0	1.5	0.7	0.7	0.2	0.2	0.1	0.3	*	*	*
1948	0.6	1.3	1.6	1.2	0.8	0.3	0.1	*	*	*	*	*
1947	0.3	1.9	1.0	0.5	0.2	0.0	0.1	*	0.1	*	*	*
1946	0.6	3.6	2.0	0.8	0.4	0.2	0.1	0.1	*	0.2	*	*
1945	0.6	2.0	1.7	0.9	0.8	0.6	0.1	0.1	*	0.2	*	*
1944	0.5	2.8	1.6	0.8	0.4	0.2	0.2	0.1	*	0.2	*	*
1943	0.5	3.4	1.4	0.5	0.5	0.2	0.2	0.1	0.7	0.8	*	*
1942	0.4	2.5	1.4	0.8	0.4	0.1	0.2	*	0.1	*	*	*
1941	0.7	4.6	1.9	1.2	0.6	0.3	0.2	*	0.2	*	*	*
1940	0.5	2.1	1.5	0.9	0.5	0.4	0.1	*	0.1	*	*	*

ACUTE POLIOMYELITIS

ALL OTHER, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	0.6	2.0	1.9	0.9	0.6	0.3	0.1	*	0.2	*	*	*
1948	0.7	1.1	1.6	1.3	1.1	0.5	0.3	*	*	*	*	*
1947	0.3	1.1	1.1	0.5	0.2	*	0.3	*	0.2	*	*	*
1946	0.6	5.0	2.1	0.8	0.4	0.3	0.1	0.1	*	0.4	*	*
1945	0.6	1.4	1.7	0.6	0.9	0.7	*	*	*	0.4	*	*
1944	0.6	3.4	1.1	1.2	0.5	0.3	0.2	0.1	*	0.4	*	*
1943	0.6	4.7	1.4	0.7	0.6	0.2	0.2	0.1	0.4	1.2	*	*
1942	0.4	3.6	0.9	1.1	0.3	*	0.1	*	*	*	*	*
1941	0.7	3.8	1.8	1.2	1.0	0.3	0.1	*	0.2	*	*	*
1940	0.6	1.7	1.5	1.2	0.6	0.7	*	*	0.2	*	*	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ACUTE POLIOMYELITIS

ALL OTHER, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	0.5	4.0	1.2	0.5	0.8	0.2	0.3	0.1	0.4	*	*	*
1948	0.5	1.6	1.7	1.1	0.6	0.2	*	*	*	*	*	*
1947	0.3	2.7	0.9	0.5	0.2	0.1	*	*	*	*	*	*
1946	0.5	2.1	2.0	0.8	0.4	0.2	0.2	*	*	*	*	*
1945	0.7	2.7	1.7	1.3	0.7	0.5	0.2	0.3	*	*	*	*
1944	0.4	2.1	2.1	0.4	0.3	0.2	0.1	*	*	*	*	*
1943	0.4	2.1	1.4	0.4	0.4	0.2	0.2	*	1.0	0.4	*	*
1942	0.4	1.5	1.9	0.5	0.4	0.2	0.2	*	0.3	*	*	*
1941	0.6	5.4	2.0	1.1	0.2	0.3	0.2	*	0.3	*	*	*
1940	0.5	2.5	1.5	0.7	0.5	0.2	0.2	*	*	*	*	*

MEASLES

ALL RACES, BOTH SEXES	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	085									
	Fifth	1940-1948	35									
	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	0.6	8.1	2.9	0.9	0.2	0.1	0.1	0.0	0.0	0.2	0.3	0.5
1948	0.6	5.8	3.4	0.9	0.1	0.1	0.0	0.0	0.0	0.2	0.1	0.6
1947	0.3	3.4	1.8	0.5	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.4
1946	0.9	12.4	5.0	1.3	0.2	0.1	0.1	0.1	0.1	0.3	0.8	1.1
1945	0.2	3.7	1.2	0.2	0.1	0.0	0.0	0.0	*	0.0	0.1	0.2
1944	1.4	21.3	8.2	1.5	0.4	0.2	0.1	0.1	0.2	0.3	0.9	*
1943	1.0	11.8	5.7	1.2	0.3	0.1	0.1	0.1	0.1	0.3	0.6	0.2
1942	1.0	14.7	5.4	1.3	0.3	0.2	0.1	0.1	0.1	0.2	0.5	1.7
1941	1.7	27.9	10.1	2.0	0.6	0.3	0.2	0.1	0.3	0.5	1.0	0.8
1940	0.5	9.0	3.8	0.5	0.1	0.1	0.1	0.0	0.1	0.1	0.1	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MEASLES												
ALL RACES, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.6	8.3	2.8	0.9	0.1	0.1	0.1	0.0	*	0.2	0.2	*
1948	0.6	6.2	3.4	0.9	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.5
1947	0.3	3.5	1.6	0.4	0.1	0.0	0.0	0.0	0.0	0.1	0.1	*
1946	0.9	14.8	4.6	1.1	0.2	0.1	0.1	0.1	0.1	0.2	0.7	0.5
1945	0.3	4.6	1.1	0.2	0.2	0.0	0.0	0.0	*	*	0.2	*
1944	1.4	21.0	7.9	1.4	0.5	0.2	0.1	0.1	0.1	0.3	0.7	*
1943	1.0	12.1	5.7	1.1	0.4	0.1	0.1	0.0	0.1	0.2	0.4	*
1942	1.0	16.3	5.0	1.2	0.3	0.1	0.1	0.1	0.1	0.1	0.6	2.9
1941	1.7	29.5	10.4	1.9	0.6	0.3	0.1	0.1	0.2	0.5	0.7	0.6
1940	0.6	10.2	4.0	0.5	0.1	0.1	0.1	0.0	0.1	0.0	0.1	*
MEASLES												
ALL RACES, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.6	7.8	2.9	0.9	0.2	0.1	0.2	0.0	0.1	0.2	0.4	0.9
1948	0.6	5.4	3.5	0.9	0.2	0.2	0.0	0.0	0.0	0.2	0.1	0.7
1947	0.3	3.2	1.9	0.5	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.7
1946	0.9	9.9	5.3	1.6	0.2	0.1	0.2	0.1	0.1	0.4	0.9	1.5
1945	0.2	2.7	1.3	0.3	0.1	0.1	0.1	0.0	*	0.0	*	0.4
1944	1.4	21.7	8.6	1.7	0.4	0.2	0.1	0.1	0.2	0.3	1.0	*
1943	1.0	11.5	5.8	1.3	0.3	0.2	0.1	0.2	0.1	0.4	0.7	0.4
1942	1.0	13.0	5.8	1.3	0.3	0.2	0.2	0.2	0.2	0.3	0.5	0.9
1941	1.7	26.2	9.7	2.1	0.6	0.3	0.4	0.2	0.4	0.5	1.2	0.9
1940	0.5	7.8	3.7	0.5	0.2	0.1	0.1	0.1	0.1	0.1	0.1	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MEASLES												
WHITE, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.6	7.0	2.6	0.8	0.1	0.1	0.1	0.0	0.0	0.2	0.3	0.6
1948	0.6	5.2	3.3	1.0	0.1	0.1	0.0	0.0	0.0	0.2	0.1	0.4
1947	0.3	2.8	1.5	0.5	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.4
1946	0.8	10.7	4.4	1.3	0.2	0.1	0.1	0.1	0.1	0.3	0.8	1.2
1945	0.2	2.8	1.1	0.2	0.1	0.0	0.0	0.0	*	0.0	0.1	0.2
1944	1.4	19.3	7.8	1.5	0.4	0.2	0.1	0.1	0.2	0.3	0.9	*
1943	1.0	11.0	5.9	1.3	0.3	0.1	0.1	0.1	0.1	0.3	0.6	0.3
1942	0.9	12.7	4.6	1.2	0.3	0.1	0.1	0.1	0.1	0.2	0.5	1.9
1941	1.5	24.6	9.0	1.9	0.5	0.3	0.2	0.1	0.3	0.6	1.0	0.9
1940	0.5	8.3	3.8	0.5	0.1	0.1	0.0	0.0	0.1	0.1	0.1	*

MEASLES												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.6	7.5	2.4	0.8	0.1	0.1	0.0	0.0	*	0.2	0.2	*
1948	0.6	5.4	3.3	1.0	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.5
1947	0.3	3.2	1.3	0.4	0.1	0.0	0.0	0.0	0.0	0.1	0.2	*
1946	0.8	12.5	4.0	1.1	0.2	0.1	0.1	0.1	0.2	0.2	0.6	0.5
1945	0.2	3.5	1.0	0.1	0.1	0.0	0.0	0.1	*	*	0.2	*
1944	1.4	18.5	7.6	1.4	0.5	0.2	0.1	0.1	0.1	0.3	0.7	*
1943	0.9	11.6	5.8	1.1	0.4	0.1	0.1	0.0	0.1	0.2	0.5	*
1942	0.9	14.0	4.3	1.2	0.3	0.1	0.1	0.1	0.1	0.1	0.6	3.2
1941	1.5	25.4	9.2	1.8	0.6	0.3	0.1	0.1	0.2	0.5	0.8	0.7
1940	0.5	9.4	3.9	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.1	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MEASLES												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.6	6.6	2.9	0.9	0.1	0.1	0.2	0.0	0.1	0.2	0.4	1.0
1948	0.6	4.9	3.3	1.0	0.1	0.2	0.1	0.0	0.0	0.2	0.1	0.4
1947	0.3	2.5	1.7	0.5	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.8
1946	0.9	8.8	4.9	1.5	0.2	0.1	0.2	0.1	0.1	0.4	0.9	1.6
1945	0.2	2.1	1.1	0.2	0.0	0.0	0.0	0.0	*	0.0	*	0.4
1944	1.4	20.2	8.1	1.6	0.4	0.2	0.1	0.1	0.2	0.3	1.1	*
1943	1.0	10.3	5.9	1.4	0.3	0.2	0.1	0.2	0.1	0.4	0.7	0.5
1942	0.9	11.3	4.9	1.3	0.3	0.1	0.2	0.2	0.2	0.3	0.5	1.0
1941	1.5	23.7	8.8	1.9	0.5	0.3	0.3	0.2	0.4	0.6	1.3	1.0
1940	0.5	7.1	3.6	0.5	0.2	0.1	0.0	0.1	0.1	0.1	0.1	*
MEASLES												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.2	15.1	4.7	1.3	0.3	0.1	0.2	*	*	*	*	*
1948	0.9	10.3	4.6	0.6	0.3	*	*	*	0.1	*	*	2.4
1947	0.6	7.9	3.6	0.4	0.2	0.1	0.0	*	*	*	*	*
1946	1.7	24.9	8.9	1.4	0.3	0.2	0.1	*	0.2	*	1.1	*
1945	0.6	10.2	2.0	0.5	0.3	0.1	0.1	*	*	*	*	*
1944	2.2	36.6	11.0	1.6	0.4	0.3	0.1	0.1	*	*	*	*
1943	1.1	18.8	4.8	0.8	0.4	0.0	0.1	0.1	0.1	*	*	*
1942	2.0	29.3	10.6	1.5	0.5	0.5	0.2	0.1	0.1	*	0.7	*
1941	3.3	52.1	17.4	2.8	1.2	0.6	0.3	0.1	*	*	*	*
1940	0.8	14.5	4.3	0.8	0.1	0.0	0.2	*	0.1	*	*	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MEASLES												
ALL OTHER, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.3	14.3	6.2	1.3	0.1	0.1	0.2	*	*	*	*	*
1948	0.8	11.6	4.0	0.5	0.1	*	*	*	*	*	*	*
1947	0.6	6.6	4.2	0.3	*	*	*	*	*	*	*	*
1946	1.8	32.1	9.2	1.1	0.3	0.1	0.2	*	*	*	2.3	*
1945	0.6	12.9	1.9	0.4	0.6	*	*	*	*	*	*	*
1944	2.2	40.4	10.2	1.0	0.3	0.3	0.2	0.1	*	*	*	*
1943	1.1	16.2	4.8	0.9	0.3	0.1	*	0.1	0.2	*	*	*
1942	1.9	33.8	9.4	1.3	0.3	0.2	0.1	*	*	*	1.4	*
1941	3.5	60.0	18.6	2.4	1.2	0.7	*	*	*	*	*	*
1940	0.9	16.7	4.5	0.8	0.2	*	0.2	*	0.2	*	*	*

MEASLES												
ALL OTHER, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.1	15.9	3.2	1.3	0.6	0.2	0.2	*	*	*	*	*
1948	0.9	9.1	5.3	0.6	0.4	*	*	*	0.2	*	*	4.2
1947	0.7	9.3	3.0	0.6	0.3	0.2	0.1	*	*	*	*	*
1946	1.6	17.7	8.7	1.7	0.4	0.3	*	*	0.4	*	*	*
1945	0.5	7.5	2.2	0.5	0.1	0.2	0.2	*	*	*	*	*
1944	2.2	32.9	11.8	2.2	0.5	0.2	*	0.1	*	*	*	*
1943	1.1	21.4	4.9	0.6	0.5	*	0.2	0.1	*	*	*	*
1942	2.1	25.0	11.9	1.7	0.6	0.8	0.2	0.1	0.3	*	*	*
1941	3.2	44.2	16.2	3.1	1.2	0.5	0.5	0.2	*	*	*	*
1940	0.8	12.3	4.1	0.9	0.1	0.1	0.1	*	*	*	*	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALARIA												
	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	110-117									
ALL RACES, BOTH SEXES	Fifth	1940-1948	28									
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.1	0.5	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.3	0.3	0.7
1948	0.1	0.3	0.1	0.0	0.0	0.1	0.1	0.1	0.2	0.4	0.7	1.4
1947	0.1	0.3	0.1	0.0	0.1	0.1	0.2	0.2	0.3	0.4	0.6	0.2
1946	0.2	0.5	0.2	0.1	0.2	0.2	0.2	0.2	0.4	0.4	1.2	1.7
1945	0.3	1.1	0.2	0.2	0.2	0.2	0.3	0.4	0.4	0.9	1.2	2.9
1944	0.4	2.1	0.6	0.2	0.2	0.3	0.3	0.4	0.7	1.1	1.5	2.8
1943	0.5	2.0	0.7	0.2	0.2	0.2	0.3	0.5	0.7	1.3	1.9	3.1
1942	0.6	3.1	1.0	0.3	0.3	0.5	0.4	0.7	1.0	1.3	2.6	3.0
1941	0.9	5.3	1.5	0.5	0.4	0.5	0.6	0.8	1.2	2.0	3.8	6.2
1940	1.1	6.1	2.0	0.6	0.5	0.5	0.8	1.1	1.5	2.3	4.3	11.0

MALARIA												
ALL RACES, MALE												
	Total	Under 1 year	ICD Nos.									
		1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
1949	0.1	0.6	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.4	0.2	1.3
1948	0.1	0.2	0.1	0.0	0.0	0.1	0.1	0.2	0.2	0.4	0.9	2.3
1947	0.2	0.3	0.2	0.0	0.1	0.1	0.2	0.2	0.4	0.5	0.7	*
1946	0.3	0.6	0.3	0.1	0.3	0.4	0.3	0.2	0.4	0.5	1.2	2.0
1945	0.4	1.0	0.2	0.1	0.3	0.4	0.4	0.4	0.4	0.9	1.7	3.6
1944	0.5	2.2	0.5	0.2	0.2	0.3	0.3	0.4	0.9	1.2	1.7	3.3
1943	0.5	2.1	0.6	0.2	0.3	0.2	0.4	0.5	0.8	1.4	2.5	2.2
1942	0.7	2.9	1.1	0.4	0.3	0.4	0.4	0.8	1.0	1.6	3.2	3.5
1941	0.9	4.8	1.5	0.5	0.4	0.5	0.6	0.8	1.5	2.0	4.6	7.3
1940	1.2	6.2	2.2	0.5	0.5	0.5	0.9	1.3	1.8	2.6	4.6	13.4

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.
 Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALARIA												
ALL RACES, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.3	0.3
1948	0.1	0.4	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.5	0.7
1947	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.5	0.3
1946	0.2	0.4	0.2	0.1	0.1	0.1	0.1	0.3	0.3	0.4	1.1	1.5
1945	0.3	1.3	0.3	0.2	0.1	0.1	0.2	0.3	0.4	0.9	0.8	2.3
1944	0.4	2.1	0.6	0.2	0.2	0.3	0.3	0.4	0.6	0.9	1.3	2.4
1943	0.4	1.8	0.8	0.2	0.2	0.2	0.3	0.4	0.5	1.2	1.4	3.8
1942	0.6	3.4	0.9	0.2	0.3	0.5	0.5	0.5	0.9	1.1	2.1	2.6
1941	0.9	5.9	1.4	0.6	0.5	0.5	0.6	0.7	0.9	1.9	3.1	5.5
1940	1.0	6.0	1.8	0.7	0.5	0.6	0.8	1.0	1.2	1.9	3.9	9.1

MALARIA												
WHITE, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.6
1948	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.6	0.6
1947	0.1	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.2	0.3	0.5	*
1946	0.2	0.3	0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.3	0.8	1.9
1945	0.2	0.8	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.7	0.7	1.9
1944	0.2	1.1	0.3	0.1	0.1	0.1	0.1	0.2	0.4	0.7	0.9	2.5
1943	0.2	1.1	0.4	0.1	0.1	0.1	0.1	0.2	0.3	0.9	1.5	2.6
1942	0.3	1.7	0.5	0.2	0.1	0.2	0.2	0.3	0.5	0.8	2.1	3.0
1941	0.4	2.8	0.7	0.3	0.1	0.2	0.3	0.3	0.6	1.3	2.8	3.7
1940	0.6	3.3	0.9	0.3	0.2	0.3	0.4	0.6	0.8	1.5	3.1	7.3

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALARIA												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.1	0.4	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.2	0.1	1.0
1948	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.3	0.7	1.0
1947	0.1	0.3	0.1	0.0	0.0	0.1	0.2	0.1	0.2	0.4	0.7	*
1946	0.2	0.3	0.1	0.0	0.2	0.3	0.2	0.1	0.3	0.3	0.9	2.2
1945	0.3	0.7	0.1	0.1	0.2	0.3	0.2	0.2	0.3	0.6	1.1	2.3
1944	0.3	0.9	0.3	0.1	0.1	0.1	0.1	0.2	0.5	1.0	1.2	3.6
1943	0.3	1.0	0.3	0.1	0.1	0.1	0.2	0.3	0.4	1.1	2.1	1.8
1942	0.4	1.6	0.5	0.2	0.1	0.1	0.2	0.4	0.6	1.0	2.5	3.8
1941	0.5	2.3	0.7	0.2	0.1	0.2	0.3	0.4	0.7	1.2	3.4	5.3
1940	0.7	3.5	1.1	0.3	0.3	0.3	0.4	0.8	1.0	1.6	3.2	11.3

MALARIA												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.0	0.3	0.0	0.0	0.0	*	0.0	0.0	0.1	0.1	0.2	0.3
1948	0.1	0.3	0.0	*	0.0	0.0	0.0	*	0.0	0.3	0.5	0.4
1947	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.3	*
1946	0.1	0.4	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.3	0.6	1.6
1945	0.1	0.9	0.2	0.0	0.0	0.0	0.1	0.1	0.2	0.7	0.3	1.7
1944	0.2	1.3	0.3	0.1	0.1	0.1	0.1	0.2	0.3	0.5	0.8	1.8
1943	0.2	1.3	0.4	0.1	0.0	0.1	0.1	0.2	0.1	0.7	1.0	3.2
1942	0.3	1.8	0.4	0.1	0.1	0.2	0.1	0.2	0.3	0.7	1.7	2.4
1941	0.4	3.3	0.7	0.3	0.2	0.2	0.2	0.2	0.4	1.4	2.3	2.5
1940	0.5	3.0	0.7	0.3	0.2	0.2	0.4	0.5	0.6	1.4	3.0	4.3

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALARIA												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.4	1.2	0.1	0.0	0.2	0.2	0.3	0.4	0.9	2.3	1.5	2.3
1948	0.5	0.8	0.6	0.2	0.1	0.1	0.4	0.8	1.1	2.3	2.6	9.8
1947	0.6	0.8	0.5	0.2	0.4	0.2	0.6	1.2	1.8	1.8	2.2	2.5
1946	1.0	1.8	0.9	0.2	0.6	0.9	0.8	1.6	2.4	2.1	7.4	*
1945	1.5	3.7	1.1	0.9	0.7	1.0	1.2	2.0	2.9	3.7	9.6	13.5
1944	2.1	10.3	2.4	1.0	0.8	1.7	1.5	2.5	4.9	5.5	9.5	5.7
1943	2.5	8.9	3.1	1.1	1.6	1.3	2.0	3.4	5.5	6.5	7.3	8.6
1942	3.4	13.8	4.7	1.4	1.8	2.7	2.6	4.6	7.3	7.9	11.3	2.9
1941	4.7	23.6	6.7	2.4	2.8	2.9	3.3	5.7	9.5	11.6	20.0	32.4
1940	5.6	27.3	9.7	2.8	2.9	2.9	4.6	6.9	10.5	12.9	23.5	45.2

MALARIA												
ALL OTHER, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.4	1.5	0.3	0.1	0.2	0.1	0.2	0.2	1.6	2.8	1.0	5.6
1948	0.5	0.5	0.9	0.1	*	0.2	0.6	0.5	0.8	2.5	4.2	17.6
1947	0.6	1.1	0.8	0.1	0.2	0.2	0.5	1.2	2.0	1.8	1.1	*
1946	1.1	2.9	1.2	0.2	0.6	1.2	0.9	1.3	2.4	2.2	5.7	*
1945	1.5	2.7	1.2	0.4	0.8	1.2	1.3	1.9	2.5	4.6	9.8	20.0
1944	2.1	12.3	2.4	0.9	0.7	1.5	1.5	2.1	5.8	4.7	9.0	*
1943	2.5	11.5	2.6	1.0	1.7	1.1	2.1	3.5	5.7	4.5	8.2	7.1
1942	3.4	12.2	5.1	1.9	1.7	2.6	1.9	4.9	5.4	8.8	14.5	*
1941	4.9	23.1	7.2	2.5	2.6	3.1	3.0	5.2	11.4	12.6	22.7	28.6
1940	5.8	26.7	10.1	2.3	2.9	2.6	5.2	7.0	12.4	15.8	27.4	33.3

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALARIA														
ALL OTHER, FEMALE														
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over		
1949	0.3	1.0	*	*	0.1	0.3	0.4	0.5	0.2	1.8	2.0	*		
1948	0.5	1.1	0.4	0.3	0.1	0.1	0.3	1.0	1.4	2.2	1.0	4.2		
1947	0.7	0.5	0.3	0.3	0.5	0.3	0.6	1.2	1.7	1.9	3.2	4.2		
1946	0.9	0.7	0.6	0.3	0.6	0.6	0.7	1.9	2.4	1.9	9.1	*		
1945	1.5	4.8	0.9	1.3	0.7	0.9	1.0	2.2	3.4	2.8	9.5	9.1		
1944	2.2	8.4	2.4	1.1	0.9	2.0	1.6	3.0	4.0	6.3	9.9	9.5		
1943	2.5	6.2	3.7	1.2	1.5	1.5	2.0	3.3	5.3	8.7	6.5	9.5		
1942	3.4	15.4	4.2	0.9	1.9	2.7	3.2	4.3	9.3	6.8	8.3	5.0		
1941	4.5	24.0	6.3	2.2	3.0	2.7	3.7	6.1	7.3	10.4	17.4	35.0		
1940	5.3	27.9	9.3	3.4	2.9	3.2	4.0	6.7	8.4	9.8	19.7	54.0		
MALIGNANT NEOPLASMS														
	ICD Revision Sixth Fifth	Years in use 1949 1940-1948	ICD Nos. 140-205 45-55		1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALL RACES, BOTH SEXES														
1949	138.8	8.9	11.0	6.3	8.8	19.7	63.2	177.1	388.5	691.2	1,154.3	1,479.6		
1948	134.9	3.5	5.5	3.2	5.7	16.6	58.8	170.9	386.2	690.0	1,187.8	1,574.9		
1947	132.3	3.1	5.2	3.3	5.5	16.5	59.8	170.8	378.8	683.1	1,165.9	1,531.1		
1946	130.0	4.7	4.9	3.3	5.7	16.5	58.7	169.3	372.4	673.0	1,143.0	1,463.2		
1945	134.0	3.6	5.2	3.1	6.3	19.0	62.0	168.4	375.4	670.3	1,144.4	1,389.8		
1944	128.8	3.1	4.6	2.8	5.8	18.8	62.6	167.5	371.0	667.4	1,113.1	1,327.7		
1943	124.3	3.0	4.6	2.9	5.5	16.8	60.6	168.6	363.4	665.6	1,132.9	1,362.6		
1942	122.0	3.3	4.4	2.7	5.3	17.0	59.7	167.4	364.0	676.1	1,125.2	1,350.5		
1941	120.1	4.2	5.1	2.8	5.2	17.2	60.4	167.0	360.6	684.0	1,136.2	1,315.6		
1940	120.3	4.4	4.8	3.0	5.4	17.3	61.1	168.8	367.8	700.8	1,155.5	1,357.9		

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALIGNANT NEOPLASMS

ALL RACES, MALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	140.9	9.8	12.1	7.2	10.4	16.9	46.5	154.8	405.5	774.7	1,336.1	1,682.8
1948	134.9	3.9	6.2	3.5	6.4	13.1	40.0	148.0	397.7	762.6	1,350.2	1,801.4
1947	131.3	3.3	5.8	3.8	6.6	12.4	40.9	144.0	388.0	750.0	1,316.4	1,701.0
1946	128.1	5.7	5.1	3.5	7.0	12.4	38.2	141.8	374.8	730.2	1,290.0	1,627.3
1945	137.0	3.5	5.2	3.6	8.8	17.2	41.9	138.5	372.1	719.9	1,282.2	1,555.7
1944	128.6	3.5	5.1	3.3	7.5	15.0	39.7	139.1	364.4	709.3	1,248.5	1,453.0
1943	120.1	3.2	5.2	3.4	6.2	13.0	39.5	135.2	350.2	707.4	1,243.5	1,497.2
1942	116.9	2.9	4.7	2.9	6.1	13.0	38.2	135.5	349.4	717.7	1,252.2	1,420.9
1941	114.6	4.2	6.2	3.2	5.7	12.2	38.1	133.1	348.1	720.8	1,272.4	1,455.2
1940	114.1	4.6	5.0	3.1	6.1	11.9	39.2	135.3	352.2	737.2	1,275.2	1,467.0

MALIGNANT NEOPLASMS

ALL RACES, FEMALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	136.7	7.9	9.8	5.3	7.3	22.3	79.5	199.5	371.4	612.8	998.6	1,332.2
1948	134.8	3.1	4.7	2.9	5.0	20.0	77.1	193.9	374.7	621.2	1,047.7	1,408.9
1947	133.3	3.0	4.6	2.8	4.5	20.4	78.2	197.8	369.5	619.5	1,034.6	1,403.8
1946	131.7	3.7	4.7	3.0	4.6	20.5	78.8	197.2	370.1	618.4	1,015.1	1,343.8
1945	131.2	3.7	5.1	2.5	4.6	20.3	80.4	198.8	378.7	622.5	1,024.0	1,267.3
1944	129.0	2.8	4.1	2.4	4.4	21.8	84.1	196.5	377.9	627.0	994.3	1,234.8
1943	128.4	2.7	4.0	2.4	4.9	20.3	80.9	202.9	377.2	624.9	1,035.3	1,262.3
1942	127.1	3.7	4.1	2.5	4.6	20.8	80.9	200.5	379.2	635.3	1,013.3	1,297.8
1941	125.7	4.1	4.0	2.4	4.7	22.0	82.5	202.4	373.5	647.9	1,014.2	1,210.9
1940	126.4	4.2	4.5	2.9	4.7	22.6	83.0	204.1	384.1	664.9	1,047.1	1,276.0

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALIGNANT NEOPLASMS

WHITE, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	142.9	9.1	11.7	6.5	8.9	18.9	60.0	170.8	386.1	700.0	1,187.5	1,546.6
1948	139.0	3.6	5.6	3.3	5.6	15.7	55.6	164.7	384.1	699.9	1,222.0	1,649.4
1947	136.9	3.1	5.4	3.5	5.5	15.7	56.9	165.0	378.7	696.1	1,204.0	1,603.3
1946	134.8	5.2	5.2	3.4	5.6	15.6	55.6	164.2	374.0	688.0	1,183.3	1,539.4
1945	139.4	3.8	5.4	3.3	6.3	18.4	58.8	164.2	377.1	686.4	1,183.8	1,460.0
1944	134.1	3.3	4.7	3.1	5.7	17.7	59.5	164.0	373.8	684.2	1,153.2	1,400.0
1943	129.4	3.0	4.8	3.1	5.5	15.9	57.7	165.5	366.4	682.8	1,173.5	1,438.5
1942	126.9	3.5	4.6	2.9	5.2	16.0	56.7	164.0	366.9	691.9	1,165.3	1,425.8
1941	124.9	4.5	5.4	2.9	5.1	16.1	57.1	163.9	363.6	701.3	1,175.5	1,394.9
1940	125.0	4.7	5.0	3.1	5.4	16.3	58.3	165.0	371.0	717.9	1,194.3	1,443.5

MALIGNANT NEOPLASMS

WHITE, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	145.7	10.1	12.8	7.5	10.6	16.9	45.2	150.4	403.5	786.5	1,376.6	1,756.5
1948	139.7	4.0	6.4	3.7	6.5	13.2	38.8	142.7	397.1	775.1	1,393.5	1,884.3
1947	136.7	3.3	6.1	4.1	6.6	12.5	40.0	139.5	390.2	766.6	1,365.3	1,775.3
1946	133.7	6.3	5.4	3.8	7.0	12.3	37.3	138.3	378.2	746.9	1,337.6	1,706.0
1945	143.7	3.9	5.4	3.9	8.9	17.8	41.0	135.2	375.7	740.3	1,330.3	1,623.7
1944	134.9	3.7	5.2	3.5	7.7	15.2	38.9	136.6	369.1	730.2	1,297.1	1,530.8
1943	126.1	3.2	5.4	3.6	6.4	12.9	38.7	133.7	355.7	728.7	1,292.6	1,572.0
1942	122.4	3.0	5.0	3.0	6.1	13.0	37.4	133.6	354.0	737.2	1,299.4	1,498.7
1941	120.1	4.6	6.6	3.4	5.8	12.1	37.1	131.4	353.4	742.8	1,319.3	1,531.8
1940	119.6	5.0	5.3	3.2	6.3	11.9	38.3	133.3	357.1	759.5	1,320.3	1,569.9

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALIGNANT NEOPLASMS

WHITE, FEMALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	140.2	8.2	10.5	5.5	7.3	20.8	74.5	191.2	368.6	619.2	1,027.7	1,399.0
1948	138.3	3.2	4.8	2.9	4.8	18.1	72.1	186.7	371.1	629.2	1,075.4	1,482.0
1947	137.0	2.9	4.6	2.9	4.3	18.7	73.5	190.7	367.0	629.3	1,065.3	1,479.1
1946	135.8	4.1	4.9	3.0	4.3	18.7	73.5	190.3	369.7	632.0	1,049.9	1,417.7
1945	135.4	3.8	5.3	2.7	4.5	18.9	75.1	193.6	378.4	635.0	1,056.5	1,338.2
1944	133.3	2.9	4.2	2.6	4.3	19.8	79.0	192.0	378.7	640.1	1,027.7	1,302.2
1943	132.7	2.7	4.1	2.6	4.8	18.5	76.2	198.1	377.4	638.5	1,068.2	1,338.1
1942	131.3	4.0	4.2	2.7	4.4	18.9	75.8	195.6	380.2	648.1	1,046.6	1,371.0
1941	129.8	4.3	4.2	2.4	4.4	19.9	77.1	198.0	374.2	661.1	1,047.1	1,291.5
1940	130.5	4.5	4.7	3.1	4.5	20.5	78.3	198.3	385.4	677.1	1,080.5	1,348.5

MALIGNANT NEOPLASMS

ALL OTHER, BOTH SEXES		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	103.2	7.2	6.2	4.6	8.2	26.2	91.5	238.2	418.1	573.7	654.0	690.7
1948	99.3	3.2	4.4	2.3	6.3	24.7	86.3	232.6	411.6	557.6	673.2	709.8
1947	93.5	3.3	4.2	2.0	6.0	23.3	85.3	229.1	380.2	509.9	595.6	675.0
1946	88.9	1.1	3.2	2.5	6.9	24.7	85.8	221.5	354.3	473.8	541.1	636.8
1945	88.4	1.7	3.7	1.4	6.7	23.7	89.5	211.8	355.2	453.8	543.7	602.7
1944	84.0	2.1	3.9	1.4	6.1	27.6	89.2	203.9	337.2	440.9	498.7	511.4
1943	79.9	3.1	3.7	1.6	5.2	25.2	85.1	201.3	328.3	431.8	494.0	534.3
1942	79.9	1.8	3.1	1.7	6.0	25.4	86.0	203.4	329.3	457.8	486.6	535.3
1941	78.1	1.9	3.3	1.8	5.6	26.8	88.9	200.1	322.6	443.5	490.4	497.1
1940	78.4	2.1	2.7	1.7	5.3	26.2	85.7	210.2	327.6	464.7	502.1	561.9

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALIGNANT NEOPLASMS

ALL OTHER, MALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	99.4	7.9	7.4	5.4	8.9	16.7	58.6	197.3	430.5	625.3	770.4	827.8
1948	93.3	3.7	4.9	2.0	5.7	12.7	51.4	200.6	405.3	600.0	735.8	835.3
1947	84.9	3.3	3.9	1.7	6.1	10.8	49.6	189.8	361.7	538.4	636.3	818.8
1946	80.3	1.4	3.0	1.9	7.3	13.0	45.6	176.3	334.9	520.2	611.5	780.0
1945	80.7	0.7	3.3	1.3	8.1	12.8	49.6	172.2	330.1	460.8	580.5	753.3
1944	74.7	2.1	4.5	1.9	6.6	13.9	47.4	165.6	309.8	442.4	544.9	514.3
1943	67.6	3.4	3.9	2.0	4.4	13.8	46.2	151.4	286.2	435.4	502.7	621.4
1942	68.1	2.2	2.7	2.0	6.1	13.3	44.8	155.6	294.1	460.9	515.9	542.9
1941	65.2	1.5	3.5	1.8	4.8	13.1	47.2	152.0	284.3	431.7	528.8	628.6
1940	65.0	1.7	2.2	1.9	4.3	11.6	47.0	156.4	291.9	445.0	532.2	499.1

MALIGNANT NEOPLASMS

ALL OTHER, FEMALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	106.7	6.5	5.0	3.7	7.5	34.7	122.0	279.3	405.2	521.4	540.0	592.0
1948	105.2	2.7	3.9	2.6	6.8	35.7	119.0	264.7	419.0	511.7	597.9	620.8
1947	101.8	3.3	4.5	2.2	5.9	34.9	118.9	268.9	399.8	480.1	549.5	579.2
1946	97.4	0.7	3.3	3.1	6.6	35.7	123.9	267.7	374.3	426.5	471.6	543.5
1945	95.4	2.7	4.1	1.4	5.6	31.8	125.6	252.6	382.4	446.4	514.3	500.0
1944	92.6	2.1	3.2	0.9	5.7	38.3	127.5	243.7	367.1	437.4	448.1	509.5
1943	91.5	2.8	3.5	1.2	6.0	35.0	121.4	252.9	374.5	427.9	485.7	476.2
1942	91.2	1.5	3.5	1.3	5.9	36.2	124.6	252.5	367.3	452.3	465.3	530.0
1941	90.5	2.3	3.1	1.7	6.4	39.1	128.4	250.5	366.0	456.4	453.6	405.0
1940	91.4	2.5	3.2	1.6	6.3	39.4	122.4	267.2	367.6	486.1	473.7	608.2

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

	ICD Revision	Years in use	ICD Nos.											
	Sixth Fifth	1949 1940-1948	150-156A, 157-159 46	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALL RACES, BOTH SEXES	Total													
1949	55.3	0.9		0.3	0.2	0.8	3.4	15.1	55.9	154.3	318.2	570.7	690.0	
1948	58.2	0.3		0.5	0.4	1.0	4.0	16.2	59.6	165.4	337.7	600.5	721.7	
1947	57.9	0.6		0.5	0.3	1.0	3.9	16.5	59.9	165.4	343.1	599.0	696.5	
1946	57.7	1.0		0.5	0.4	0.9	4.2	16.8	61.6	167.0	342.3	586.6	654.9	
1945	60.5	0.7		0.4	0.3	1.1	4.7	18.3	63.1	172.0	345.6	597.3	631.2	
1944	58.7	0.7		0.6	0.3	0.9	4.7	18.3	63.3	171.8	348.7	587.1	620.2	
1943	57.0	0.5		0.5	0.4	0.9	4.5	18.4	64.2	170.6	348.3	600.6	610.1	
1942	55.8	0.5		0.5	0.3	0.9	4.1	17.7	63.6	170.7	353.3	596.6	630.1	
1941	54.9	0.9		0.5	0.3	0.9	4.4	18.1	63.5	169.0	356.8	600.0	600.3	
1940	55.2	1.3		0.5	0.3	0.9	4.5	18.8	64.8	172.7	370.3	607.8	621.8	

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

ALL RACES, MALE	ICD Revision	Years in use	ICD Nos.											
	Sixth Fifth	1949 1940-1948	150-156A, 157-159 46	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
	Total													
1949	45,280	0.0		1.6	0.4	0.9	3.7	14.3	50.8	136.7	225.5	238.0	111.2	
1948	46,703	0.0		2.3	0.9	1.1	4.3	14.6	55.7	144.4	236.6	241.5	116.9	
1947	45,529	0.0		2.0	1.0	1.4	3.9	14.8	55.9	141.3	239.6	235.6	106.6	
1946	44,155	0.0		2.3	0.9	1.1	4.3	15.3	57.1	140.8	235.3	225.8	102.5	
1945	43,680	0.0		2.4	0.8	1.2	5.6	21.3	62.6	141.9	235.0	227.2	99.1	
1944	42,351	0.0		3.0	0.8	1.1	5.0	18.4	61.8	140.3	233.2	220.4	93.2	
1943	41,501	0.0		1.7	1.0	1.0	4.5	17.3	60.2	136.9	233.3	219.6	93.3	
1942	40,646	0.0		2.3	0.8	1.0	3.7	15.6	59.4	135.6	233.2	223.0	91.5	
1941	39,726	0.0		3.1	1.0	1.1	4.1	16.1	59.2	132.4	231.0	222.7	90.0	
1940	39,671	0.0		2.7	0.7	0.9	3.8	16.5	61.4	133.3	238.7	224.8	91.2	

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

ALL RACES, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	49.4	0.8	0.3	0.2	0.6	3.4	14.5	50.2	129.7	265.1	507.8	668.1
1948	52.2	0.3	0.3	0.2	0.9	3.8	16.2	52.7	138.4	285.2	545.3	687.8
1947	52.1	0.4	0.4	0.1	0.6	4.0	16.4	53.7	139.5	290.7	546.4	690.6
1946	51.9	0.8	0.6	0.2	0.7	4.2	16.5	56.3	140.5	294.5	537.2	642.3
1945	52.3	0.8	0.3	0.2	0.7	4.1	17.7	57.6	147.4	299.0	546.6	620.4
1944	51.7	0.8	0.4	0.2	0.6	4.4	18.5	57.5	147.0	304.9	539.9	624.3
1943	51.4	0.4	0.4	0.3	0.8	4.1	18.1	59.6	147.6	300.8	566.8	605.4
1942	50.8	0.6	0.4	0.2	0.7	4.0	17.9	58.6	147.6	308.0	551.1	645.2
1941	50.1	1.0	0.3	0.2	0.8	4.2	17.8	58.4	146.4	316.0	557.0	594.5
1940	50.4	1.0	0.4	0.2	0.8	4.6	18.7	58.6	149.1	328.2	567.5	614.7

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

WHITE, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	57.2	0.9	0.3	0.2	0.8	3.2	14.3	52.6	152.6	321.7	588.4	719.6
1948	60.3	0.2	0.5	0.3	1.0	3.7	15.3	56.8	163.9	343.1	618.8	755.3
1947	60.3	0.6	0.5	0.3	0.9	3.7	15.7	56.8	164.8	350.9	620.1	726.9
1946	60.3	1.1	0.5	0.4	0.9	3.9	16.0	59.4	167.5	350.9	609.3	689.6
1945	63.5	0.7	0.5	0.3	1.0	4.7	17.3	61.1	173.1	355.6	619.9	667.5
1944	61.6	0.8	0.6	0.3	0.9	4.4	17.4	61.3	173.3	359.0	610.4	654.4
1943	59.9	0.5	0.5	0.4	0.9	4.3	17.6	62.9	172.5	358.3	624.7	644.0
1942	58.6	0.5	0.5	0.3	0.8	3.9	16.8	62.1	172.2	362.8	620.0	667.1
1941	57.6	1.0	0.6	0.3	0.9	4.1	17.2	62.4	170.7	367.0	622.7	638.5
1940	58.0	1.5	0.6	0.3	0.9	4.3	17.9	63.2	174.7	381.0	630.2	661.3

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

WHITE, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	62.9	1.1	0.4	0.2	0.9	3.2	14.8	57.5	175.7	378.1	664.0	743.5
1948	66.3	0.2	0.6	0.5	1.0	4.0	15.4	62.8	190.2	398.5	686.2	799.0
1947	66.1	0.6	0.7	0.5	1.4	3.8	15.9	62.1	190.2	407.2	683.6	725.3
1946	66.2	1.4	0.5	0.5	1.1	3.8	16.4	64.0	193.6	401.5	667.2	702.2
1945	72.9	0.6	0.6	0.4	1.5	5.7	18.2	65.6	197.1	405.4	679.3	675.7
1944	69.2	0.7	0.8	0.4	1.2	4.9	17.1	66.2	197.4	405.2	666.3	645.6
1943	65.8	0.6	0.5	0.5	1.0	4.7	17.9	66.8	195.4	408.7	666.5	647.0
1942	63.6	0.4	0.7	0.3	1.0	4.0	16.7	66.5	194.2	410.6	673.7	642.4
1941	62.2	0.8	0.8	0.4	1.0	4.4	17.4	66.5	192.6	410.3	672.3	639.1
1940	62.7	1.9	0.7	0.3	0.9	4.2	18.0	68.6	197.2	425.6	676.0	670.7

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

WHITE, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	51.6	0.8	0.3	0.1	0.6	3.2	13.8	47.8	129.4	269.1	524.6	702.7
1948	54.4	0.2	0.4	0.2	0.9	3.5	15.2	50.9	137.5	291.0	561.2	724.1
1947	54.5	0.5	0.3	0.1	0.5	3.7	15.5	51.5	139.3	297.6	565.4	728.1
1946	54.5	0.9	0.5	0.2	0.7	4.0	15.6	54.7	141.1	302.8	559.3	680.3
1945	55.1	0.8	0.4	0.2	0.6	3.9	16.5	56.6	148.7	308.0	568.3	661.3
1944	54.5	0.9	0.5	0.2	0.6	4.0	17.6	56.3	148.8	314.6	561.7	661.1
1943	54.2	0.3	0.4	0.3	0.8	3.9	17.3	59.0	149.1	309.7	587.5	641.7
1942	53.5	0.7	0.4	0.2	0.7	3.8	17.0	57.5	149.5	316.6	572.5	685.7
1941	53.0	1.2	0.3	0.2	0.8	3.9	16.9	58.2	148.1	325.0	578.4	638.0
1940	53.2	1.1	0.4	0.3	0.8	4.4	17.8	57.6	151.3	337.4	588.9	654.3

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

ALL OTHER, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	39.4	1.0	0.3	0.3	1.1	5.3	22.1	87.2	175.7	271.0	304.0	341.9
1948	40.2	0.8	0.4	0.4	1.5	6.1	24.4	87.2	182.5	265.2	324.7	331.7
1947	38.0	0.5	0.3	0.2	1.4	5.3	23.6	90.9	171.5	239.1	284.2	335.0
1946	35.7	0.4	0.5	0.4	1.3	6.3	24.3	83.5	161.4	228.3	246.3	278.9
1945	35.6	0.7	0.2	0.3	1.8	5.4	26.9	82.7	159.3	211.4	252.7	224.3
1944	34.2	*	0.2	0.1	1.0	7.3	26.2	83.9	153.1	210.4	228.5	234.3
1943	32.0	0.7	0.4	0.2	0.7	5.9	25.3	77.4	147.4	212.2	221.3	240.0
1942	32.1	0.4	0.2	0.3	1.0	5.5	24.8	79.9	152.3	221.7	222.5	229.4
1941	31.0	0.4	0.3	0.2	1.1	6.8	26.2	75.0	147.3	214.5	226.7	205.9
1940	31.3	*	0.1	0.2	0.8	5.8	26.9	82.2	147.6	220.9	231.5	254.1

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

ALL OTHER, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	48.1	1.0	0.5	0.3	1.5	5.7	24.3	100.5	216.6	332.6	367.3	422.2
1948	47.6	0.5	0.6	0.3	2.1	6.0	24.3	103.3	214.9	322.7	354.7	382.4
1947	44.5	1.1	0.2	0.2	1.7	4.2	23.5	105.7	200.0	282.8	320.9	418.8
1946	42.2	0.7	0.3	0.4	1.5	6.6	23.9	94.2	186.6	276.8	302.3	353.3
1945	43.2	*	0.3	0.3	2.2	5.4	25.3	97.2	184.6	249.4	304.9	293.3
1944	41.3	*	0.3	0.1	1.6	6.7	25.8	96.8	178.9	252.2	270.5	242.9
1943	36.9	0.7	0.3	0.3	0.7	6.0	25.5	88.0	164.4	249.2	221.9	257.1
1942	37.4	0.7	*	0.3	1.3	5.2	23.7	88.7	179.0	255.0	252.2	242.9
1941	36.4	0.8	0.4	0.4	1.4	6.6	27.6	88.2	167.5	242.2	262.1	271.4
1940	36.4	*	0.2	0.3	0.6	4.9	27.8	93.6	171.8	245.9	262.9	259.6

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALIGNANT NEOPLASMS OF THE DIGESTIVE ORGANS AND PERITONEUM

ALL OTHER, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	31.1	1.0	0.1	0.3	0.8	4.9	20.0	73.8	133.5	208.5	242.0	284.0
1948	33.0	1.1	0.3	0.4	1.0	6.2	24.5	71.1	149.1	204.8	288.7	295.8
1947	31.7	*	0.5	0.1	1.2	6.4	23.7	75.9	141.3	193.2	245.2	279.2
1946	29.5	*	0.8	0.4	1.1	6.0	24.7	72.5	134.0	177.8	190.9	230.4
1945	28.6	1.4	0.2	0.4	1.5	5.4	28.3	68.0	131.8	171.0	204.8	177.3
1944	27.6	*	*	0.1	0.4	7.8	26.6	70.7	124.9	164.7	185.2	228.6
1943	27.3	0.7	0.5	0.1	0.7	5.9	25.2	66.4	128.7	172.5	220.8	228.6
1942	27.1	*	0.3	0.3	0.8	5.8	25.9	70.4	122.5	184.5	197.2	220.0
1941	25.7	*	0.2	0.1	0.9	7.1	24.9	61.0	125.2	184.4	192.8	160.0
1940	26.5	*	*	0.1	0.9	6.6	26.0	70.2	120.6	193.6	201.9	250.2

MALIGNANT NEOPLASMS OF BREAST

ALL RACES, BOTH SEXES	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	170									
	Fifth	1940-1948	50									
	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	12.5	*	*	*	0.1	2.1	10.3	23.7	36.0	49.2	75.2	113.8
1948	13.1	*	0.0	0.0	0.1	2.0	10.2	24.0	36.5	54.4	88.3	143.9
1947	12.6	*	0.0	*	0.1	1.9	10.0	23.3	35.5	50.9	84.5	141.3
1946	12.5	0.1	*	0.0	0.1	1.9	9.9	22.5	36.2	52.3	82.8	126.4
1945	12.9	*	0.0	0.0	0.1	2.1	10.1	23.0	35.9	53.0	83.1	114.4
1944	12.3	*	*	*	0.1	2.0	10.3	22.4	36.0	50.8	78.1	105.3
1943	12.0	*	0.0	0.0	0.1	1.7	9.4	22.5	36.5	52.1	80.2	118.9
1942	11.9	*	0.0	0.0	0.1	2.0	9.7	23.0	36.9	51.3	78.2	116.7
1941	11.7	0.0	0.0	0.0	0.1	1.8	9.5	22.8	36.2	53.6	78.2	108.6
1940	11.8	0.1	*	0.0	0.1	1.9	9.8	23.3	37.0	53.5	83.5	119.5

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALIGNANT NEOPLASMS OF BREAST

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.3	*	*	*	0.0	0.0	0.2	0.5	0.8	1.5	3.0	4.4
1948	0.3	*	*	*	*	0.0	0.2	0.4	0.8	1.7	3.1	5.6
1947	0.3	*	*	*	*	0.0	0.1	0.3	0.9	1.7	3.1	5.3
1946	0.3	0.1	*	*	*	0.0	0.1	0.5	0.9	1.8	3.7	5.6
1945	0.4	*	*	*	0.0	0.1	0.2	0.4	1.0	1.8	3.4	3.6
1944	0.3	*	*	*	*	*	0.2	0.5	1.0	1.6	2.8	5.5
1943	0.3	*	0.0	0.0	*	0.0	0.2	0.5	0.9	1.6	2.6	5.1
1942	0.3	*	*	*	0.0	0.0	0.1	0.4	0.9	2.0	3.1	6.4
1941	0.3	*	*	*	*	0.0	0.1	0.5	0.8	2.0	3.5	6.1
1940	0.3	*	*	*	*	0.0	0.2	0.3	0.8	1.6	3.0	4.5

MALIGNANT NEOPLASMS OF BREAST

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	24.5	*	*	*	0.2	4.0	20.1	46.9	71.4	94.0	137.0	190.4
1948	25.8	*	0.0	0.0	0.2	3.8	20.0	47.7	72.4	104.1	161.7	241.6
1947	24.7	*	0.0	*	0.2	3.7	19.7	46.6	70.5	97.8	155.0	238.3
1946	24.4	0.1	*	0.0	0.2	3.7	19.4	44.8	72.1	100.7	151.6	214.3
1945	24.2	*	0.0	0.0	0.2	3.5	19.2	46.0	71.4	102.3	152.7	196.2
1944	23.4	*	*	*	0.1	3.6	19.9	44.7	72.0	98.4	144.3	179.4
1943	23.4	*	*	0.0	0.1	3.2	18.3	45.2	73.1	101.1	148.7	203.8
1942	23.4	*	0.0	0.0	0.2	3.8	19.2	46.4	74.2	99.4	145.0	199.1
1941	23.0	0.1	0.0	0.0	0.1	3.6	18.9	46.1	73.0	104.2	145.1	185.5
1940	23.3	0.3	*	0.0	0.1	3.6	19.4	47.5	74.9	104.7	156.4	205.9

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALIGNANT NEOPLASMS OF BREAST

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	13.0	*	*	*	0.1	2.0	10.4	23.9	36.6	50.6	77.5	119.0
1948	13.7	*	0.0	0.0	0.1	1.8	10.1	24.2	37.2	55.6	91.4	150.6
1947	13.1	*	0.0	*	0.1	1.8	9.9	23.5	36.1	52.4	88.0	147.5
1946	13.1	0.1	*	0.0	0.1	1.8	9.8	22.7	36.9	53.8	85.4	132.3
1945	13.5	*	0.0	0.0	0.1	2.0	9.8	23.1	36.7	54.5	85.9	119.0
1944	12.9	*	*	*	0.1	1.9	10.3	22.7	36.9	52.2	80.6	110.9
1943	12.6	*	0.0	0.0	0.1	1.6	9.3	22.5	37.1	53.8	83.3	124.9
1942	12.5	*	0.0	0.0	0.1	1.8	9.6	23.2	37.9	52.9	80.8	121.7
1941	12.2	0.1	0.0	0.0	0.1	1.7	9.5	23.0	36.7	55.3	80.3	114.5
1940	12.3	0.2	*	0.0	0.1	1.9	9.6	23.3	37.9	54.9	86.3	125.7

MALIGNANT NEOPLASMS OF BREAST

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.3	*	*	*	0.0	0.0	0.2	0.5	0.8	1.6	3.1	4.3
1948	0.3	*	*	*	*	0.0	0.2	0.4	0.8	1.7	3.2	5.6
1947	0.3	*	*	*	*	0.0	0.1	0.2	0.9	1.8	3.2	4.7
1946	0.4	0.1	*	*	*	0.0	0.1	0.5	0.9	1.9	3.6	5.5
1945	0.4	*	*	*	0.0	0.1	0.2	0.4	0.9	1.8	3.4	2.8
1944	0.3	*	*	*	*	*	0.2	0.5	0.9	1.7	3.0	5.3
1943	0.3	*	0.0	0.0	*	0.0	0.3	0.4	0.9	1.6	2.7	5.5
1942	0.3	*	*	*	0.0	0.0	0.1	0.4	0.9	1.9	3.2	7.0
1941	0.3	*	*	*	*	0.0	0.1	0.5	0.8	2.1	3.5	5.3
1940	0.3	*	*	*	*	0.0	0.1	0.3	0.8	1.6	3.1	5.0

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALIGNANT NEOPLASMS OF BREAST

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	25.6	*	*	*	0.2	3.8	20.3	47.3	72.5	96.3	140.7	199.7
1948	26.9	*	0.0	0.0	0.2	3.5	19.9	48.0	73.8	106.3	166.8	254.0
1947	25.8	*	0.0	*	0.2	3.5	19.5	47.0	71.7	100.2	160.9	250.6
1946	25.5	0.1	*	0.0	0.1	3.6	19.2	45.0	73.4	103.2	156.1	224.9
1945	25.3	*	0.0	0.0	0.1	3.3	18.7	46.2	72.9	104.9	157.5	205.5
1944	24.6	*	*	*	0.1	3.4	19.8	45.3	73.5	100.8	148.3	189.8
1943	24.4	*	*	0.0	0.1	3.0	18.2	45.3	74.2	104.2	153.9	214.7
1942	24.5	*	0.0	0.0	0.2	3.5	18.9	46.9	76.0	102.4	149.5	208.1
1941	24.1	0.1	0.0	0.0	0.1	3.3	18.8	46.6	74.0	107.1	148.9	197.0
1940	24.4	0.3	*	0.0	0.2	3.6	19.2	47.5	76.5	107.2	161.4	216.5

MALIGNANT NEOPLASMS OF BREAST

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	7.7	*	*	*	0.2	3.0	9.5	21.6	28.6	31.1	39.9	53.5
1948	8.3	*	*	*	0.0	3.2	11.4	22.9	27.4	37.4	41.1	65.9
1947	7.7	*	*	*	0.2	2.6	11.0	21.4	27.9	31.4	32.2	67.5
1946	7.7	*	*	*	0.1	2.4	11.0	20.9	27.2	32.1	43.4	63.2
1945	8.1	*	0.1	*	0.2	2.8	12.1	22.1	26.3	32.5	40.7	62.2
1944	7.3	*	*	*	0.2	2.5	11.0	19.4	26.1	31.7	39.9	42.9
1943	7.4	*	*	*	0.1	2.6	10.2	22.4	29.2	28.2	32.7	54.3
1942	7.2	*	*	*	0.2	3.1	11.1	20.7	25.2	29.3	37.3	61.8
1941	7.2	*	0.1	*	0.0	2.9	10.1	20.1	29.2	30.6	43.0	47.1
1940	7.3	*	*	*	0.0	1.9	11.3	23.4	25.9	33.4	37.5	62.1

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MALIGNANT NEOPLASMS OF BREAST

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	0.2	*	*	*	*	0.2	0.3	0.4	0.6	1.1	1.0	5.6
1948	0.3	*	*	*	*	0.1	0.5	0.9	1.0	1.4	2.1	5.9
1947	0.3	*	*	*	*	*	0.1	0.9	1.4	0.7	2.2	12.5
1946	0.2	*	*	*	*	*	0.2	0.3	1.0	1.1	4.6	6.7
1945	0.4	*	*	*	*	0.3	0.2	0.5	1.9	2.3	3.7	13.3
1944	0.3	*	*	*	*	*	0.4	1.0	1.3	1.2	*	7.1
1943	0.3	*	*	*	*	0.1	*	1.4	1.1	1.6	1.4	*
1942	0.3	*	*	*	*	*	0.2	0.4	0.9	4.2	2.9	*
1941	0.2	*	*	*	*	0.1	*	0.4	0.5	0.9	3.0	14.3
1940	0.2	*	*	*	*	0.1	0.2	0.6	1.0	1.4	1.6	*

MALIGNANT NEOPLASMS OF BREAST

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	14.9	*	*	*	0.3	5.5	18.0	42.9	57.5	61.6	78.0	88.0
1948	16.0	*	*	*	0.1	6.0	21.6	45.0	55.1	74.4	78.4	108.3
1947	14.9	*	*	*	0.3	5.1	21.2	42.2	55.9	63.5	61.3	104.2
1946	14.9	*	*	*	0.2	4.6	21.3	42.0	55.3	65.0	81.8	100.0
1945	15.1	*	0.2	*	0.4	4.6	22.8	44.2	52.9	64.5	77.4	95.5
1944	13.8	*	*	*	0.3	4.4	20.7	38.5	53.1	64.3	77.8	66.7
1943	14.2	*	*	*	0.2	4.8	19.8	44.2	60.0	56.8	62.3	90.5
1942	13.9	*	*	*	0.4	5.8	21.4	41.7	52.0	56.4	70.8	105.0
1941	14.0	*	0.2	*	0.1	5.5	19.6	40.8	61.3	63.0	81.2	70.0
1940	14.0	*	*	*	0.1	3.6	21.8	47.5	53.8	68.3	71.4	107.9

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

DIABETES MELLITUS												
	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	260									
ALL RACES, BOTH SEXES	Fifth	1940-1948	61									
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	16.9	0.3	0.3	0.5	1.4	2.1	3.9	13.4	46.4	106.6	167.8	148.1
1948	26.4	0.6	0.4	0.7	1.4	2.4	5.3	20.0	77.8	170.7	269.4	228.6
1947	26.2	0.8	0.6	0.8	1.7	2.6	5.4	20.9	77.3	168.8	261.8	233.9
1946	24.8	0.6	0.6	0.8	1.8	2.7	5.1	20.0	71.9	163.3	245.6	225.1
1945	26.5	0.5	0.6	1.3	2.8	3.5	6.1	21.7	75.1	163.7	252.9	209.7
1944	26.3	0.8	0.7	1.3	2.8	3.2	6.3	22.8	76.5	170.3	250.3	193.0
1943	27.1	0.9	0.7	1.3	2.9	3.1	6.9	24.0	80.9	180.5	265.2	225.9
1942	25.4	0.9	0.8	1.1	2.3	2.7	5.7	23.0	76.9	178.1	257.4	207.0
1941	25.4	0.9	0.7	1.2	2.1	2.6	6.0	23.1	80.4	181.1	265.1	199.5
1940	26.6	1.5	0.8	1.4	2.4	2.8	6.7	25.0	86.8	190.8	273.3	220.7
DIABETES MELLITUS												
ALL RACES, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	12.8	0.3	0.3	0.4	1.2	2.2	3.7	11.2	32.6	77.2	142.2	139.6
1948	19.8	0.5	0.4	0.4	1.2	2.6	4.9	16.7	56.3	123.5	218.5	209.8
1947	19.5	0.7	0.6	0.6	1.4	2.6	5.2	16.0	55.1	122.1	213.3	225.2
1946	18.3	0.6	0.6	0.7	1.5	2.8	4.9	15.9	49.3	115.5	196.8	192.4
1945	20.6	0.6	0.6	1.0	2.8	4.1	5.9	16.2	50.3	117.9	204.6	202.1
1944	20.1	0.8	0.6	1.1	2.6	3.4	5.7	17.3	52.8	121.6	204.0	184.2
1943	20.4	1.1	0.5	1.1	2.7	3.1	6.2	18.5	55.2	130.2	216.6	210.1
1942	19.2	1.2	0.7	0.9	1.9	2.8	5.3	17.0	53.2	131.0	216.8	197.1
1941	18.8	0.9	0.7	1.0	2.0	2.6	4.9	16.7	53.8	132.9	216.1	194.5
1940	20.0	1.8	0.9	1.2	2.3	2.7	5.3	18.1	60.2	140.4	231.3	217.4

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

DIABETES MELLITUS												
ALL RACES, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	20.9	0.3	0.3	0.6	1.5	1.9	4.0	15.6	60.2	134.3	189.8	153.6
1948	33.0	0.7	0.5	0.9	1.7	2.3	5.8	23.4	99.4	215.3	313.3	241.3
1947	32.7	0.9	0.6	1.0	2.1	2.6	5.7	25.8	99.9	213.3	303.6	239.4
1946	31.2	0.6	0.5	0.9	2.1	2.5	5.2	24.0	95.0	209.2	287.9	248.9
1945	31.9	0.4	0.7	1.5	2.8	3.0	6.3	27.3	100.3	207.9	295.2	215.4
1944	32.0	0.9	0.7	1.4	2.8	3.0	6.9	28.4	100.9	217.5	291.0	199.6
1943	33.5	0.8	0.8	1.4	3.2	3.1	7.5	29.6	107.5	229.4	308.2	237.7
1942	31.5	0.5	0.9	1.3	2.7	2.7	6.1	29.2	101.5	224.0	293.6	214.3
1941	32.1	0.9	0.8	1.4	2.2	2.7	7.0	29.7	108.1	228.3	309.0	203.2
1940	33.2	1.2	0.8	1.6	2.4	2.9	8.0	32.4	114.6	240.5	311.4	223.2
DIABETES MELLITUS												
WHITE, BOTH SEXES												
	Total	Under 1 year	39,817.0 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	17.2	0.4	0.3	0.5	1.2	1.8	3.2	11.6	45.4	107.9	173.2	153.8
1948	27.4	0.6	0.4	0.6	1.3	2.3	4.6	17.8	77.4	174.8	279.2	237.2
1947	27.1	0.8	0.6	0.7	1.7	2.4	4.6	18.9	77.0	173.6	272.0	244.8
1946	25.8	0.5	0.6	0.8	1.8	2.5	4.4	18.5	72.2	168.2	255.6	236.2
1945	27.6	0.5	0.6	1.3	2.8	3.3	5.4	20.1	75.1	168.8	262.3	219.0
1944	27.1	0.9	0.7	1.2	2.7	2.9	5.3	20.6	76.2	175.2	258.9	201.8
1943	28.1	1.0	0.7	1.3	2.9	2.9	5.9	22.2	81.4	186.2	275.0	236.1
1942	26.3	1.0	0.8	1.1	2.2	2.5	4.8	21.4	77.1	183.7	266.3	212.2
1941	26.5	0.7	0.8	1.2	2.1	2.5	5.0	21.2	80.8	187.3	275.2	210.0
1940	27.6	1.4	0.9	1.4	2.3	2.6	5.6	23.4	87.2	196.4	282.8	233.2

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

DIABETES MELLITUS												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	13.2	0.4	0.3	0.4	1.0	2.0	3.5	10.6	32.5	78.3	147.9	145.0
1948	20.7	0.5	0.4	0.4	1.0	2.5	4.7	16.0	56.8	127.1	226.3	218.7
1947	20.4	0.8	0.5	0.5	1.4	2.6	4.9	15.6	55.4	126.1	221.7	235.8
1946	19.3	0.6	0.7	0.8	1.4	2.7	4.8	15.6	50.5	119.5	205.5	202.2
1945	21.6	0.6	0.6	1.0	2.7	4.1	5.8	15.8	51.0	121.8	211.6	210.2
1944	21.0	0.9	0.6	1.1	2.5	3.3	5.4	16.7	53.3	125.2	210.0	190.5
1943	21.3	1.1	0.6	1.1	2.6	3.0	5.9	18.1	56.3	134.8	224.3	220.7
1942	20.0	1.3	0.7	0.9	1.8	2.6	4.9	16.4	54.1	135.4	224.6	200.0
1941	19.7	0.7	0.8	1.0	1.9	2.5	4.6	16.0	55.1	137.4	225.1	205.3
1940	20.9	1.7	0.9	1.2	2.1	2.6	5.0	17.6	61.2	145.6	238.8	229.2
DIABETES MELLITUS												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	21.2	0.4	0.3	0.6	1.4	1.6	2.9	12.6	58.3	135.5	194.7	159.9
1948	34.0	0.8	0.5	0.9	1.5	2.1	4.6	19.6	98.1	219.5	324.5	250.4
1947	33.8	0.9	0.6	1.0	2.0	2.2	4.4	22.3	98.7	218.6	315.3	251.3
1946	32.3	0.5	0.6	0.9	2.1	2.2	3.9	21.4	94.3	214.5	298.9	261.0
1945	33.1	0.3	0.7	1.6	2.8	2.7	5.0	24.5	99.5	213.7	306.3	225.6
1944	32.9	1.0	0.8	1.3	2.8	2.5	5.2	24.6	99.5	223.2	301.5	210.2
1943	34.7	0.9	0.9	1.4	3.2	2.8	5.9	26.4	107.1	235.8	319.3	247.7
1942	32.6	0.6	1.0	1.3	2.6	2.4	4.6	26.6	100.9	230.7	303.1	221.4
1941	33.3	0.8	0.8	1.4	2.3	2.5	5.3	26.7	107.5	236.1	319.9	213.5
1940	34.3	1.1	0.8	1.5	2.4	2.6	6.1	29.5	114.2	246.3	322.6	236.2

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

DIABETES MELLITUS												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	14.2	*	0.3	0.6	2.6	4.2	9.9	30.8	58.4	89.0	87.9	81.4
1948	18.6	0.3	0.4	1.0	2.4	3.5	11.5	42.5	81.9	116.4	121.6	129.3
1947	17.9	0.8	0.7	1.0	2.0	4.3	12.4	40.2	81.4	104.4	108.7	105.0
1946	15.8	1.1	0.2	0.8	2.3	4.4	11.2	35.1	68.3	98.3	94.9	105.3
1945	17.4	1.0	0.5	1.2	2.9	5.0	12.1	38.3	75.3	95.3	110.2	105.4
1944	19.1	*	0.5	1.5	3.3	5.4	15.1	45.7	80.8	105.1	119.0	94.3
1943	18.0	0.3	0.3	1.3	3.3	5.5	15.2	43.2	75.6	102.7	111.3	114.3
1942	17.0	*	0.4	1.3	3.2	4.8	13.8	39.6	74.4	100.0	115.5	150.0
1941	16.5	1.9	0.3	1.2	2.6	4.0	14.9	43.1	75.1	94.8	98.5	91.2
1940	17.9	2.1	0.6	1.5	3.2	4.6	16.2	43.2	81.9	113.1	113.4	104.5

DIABETES MELLITUS												
ALL OTHER, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	9.4	*	0.1	0.5	2.4	4.2	5.6	16.9	34.2	62.1	63.3	77.8
1948	12.4	0.5	0.1	0.7	2.3	3.0	6.9	23.5	50.9	76.2	108.4	105.9
1947	11.8	*	0.8	0.9	1.8	2.6	7.9	20.0	51.5	71.7	96.7	100.0
1946	9.9	0.7	0.2	0.5	2.1	3.7	5.9	19.7	35.1	64.7	73.6	86.7
1945	12.0	0.7	0.6	1.2	3.5	4.8	6.5	20.6	42.7	67.3	101.2	106.7
1944	13.0	*	0.5	0.9	3.8	4.0	8.4	23.7	47.1	76.5	116.7	107.1
1943	12.0	0.7	*	1.4	3.6	4.6	8.5	23.7	42.4	71.1	100.0	85.7
1942	11.9	*	0.5	1.2	3.1	4.8	8.5	23.7	42.5	73.1	94.2	164.3
1941	10.9	2.3	0.2	0.9	3.1	3.4	7.9	25.0	38.6	75.2	72.7	78.6
1940	11.8	2.5	0.7	1.2	3.5	3.7	8.0	24.0	47.6	73.0	108.1	106.5

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

DIABETES MELLITUS												
ALL OTHER, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	18.9	*	0.4	0.6	2.7	4.2	13.9	44.7	83.5	116.4	112.0	84.0
1948	24.6	*	0.6	1.3	2.5	4.0	15.8	61.5	114.5	157.5	132.0	145.8
1947	23.8	1.6	0.6	1.2	2.2	5.9	16.6	60.8	113.1	138.7	119.4	108.3
1946	21.6	1.4	0.2	1.2	2.4	5.1	16.1	50.7	103.9	134.2	115.9	117.4
1945	22.2	1.4	0.5	1.2	2.4	5.2	17.1	56.5	110.6	125.0	120.2	104.5
1944	24.8	*	0.5	2.1	2.8	6.6	21.3	68.5	117.7	135.3	119.8	85.7
1943	23.7	*	0.5	1.3	3.0	6.2	21.4	63.3	112.0	136.7	122.1	133.3
1942	21.9	*	0.3	1.4	3.4	4.8	18.7	56.1	109.5	128.6	137.5	140.0
1941	22.0	1.6	0.4	1.6	2.2	4.6	21.5	61.9	115.8	116.1	123.2	100.0
1940	23.8	1.6	0.4	1.8	2.9	5.5	24.0	63.5	120.3	156.8	118.4	103.0

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	330-334									
	Fifth	1940-1948	83									
ALL RACES, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	100.9	5.0	0.8	0.5	1.4	4.2	19.4	70.0	194.2	542.7	1,447.0	2,899.6
1948	89.7	5.8	1.5	0.9	1.6	4.5	18.3	67.3	182.3	483.9	1,265.1	2,554.2
1947	91.4	5.3	1.4	0.8	1.5	4.3	18.2	71.4	189.3	503.1	1,296.4	2,566.7
1946	89.7	5.8	1.3	0.7	1.8	4.6	19.2	70.1	189.9	495.6	1,272.5	2,497.4
1945	97.5	6.7	1.5	0.8	1.8	5.5	21.3	75.4	199.8	532.8	1,342.6	2,510.2
1944	93.5	6.8	1.6	0.8	2.0	5.3	20.7	73.9	200.0	531.3	1,330.7	2,424.2
1943	94.8	7.7	1.7	0.9	2.0	5.3	21.0	76.9	207.0	557.6	1,407.6	2,593.0
1942	90.1	8.3	1.7	0.8	1.9	5.4	22.0	76.7	201.9	547.1	1,339.6	2,433.6
1941	89.1	9.4	1.5	0.7	1.8	5.3	21.5	76.1	203.3	552.4	1,375.6	2,477.9
1940	90.9	11.9	1.5	0.9	1.7	5.5	21.5	79.1	211.8	573.8	1,444.8	2,615.7

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ALL RACES, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	99.2	6.4	1.0	0.5	1.6	4.0	18.6	67.0	204.1	571.0	1,493.7	2,866.5
1948	88.3	6.8	1.8	0.9	1.8	4.6	17.1	64.5	192.5	510.1	1,289.6	2,526.0
1947	89.6	6.1	1.4	0.7	1.7	4.6	17.0	68.0	197.3	525.4	1,303.0	2,578.2
1946	88.1	7.3	1.3	0.8	2.2	4.5	17.7	65.5	197.6	510.9	1,284.4	2,484.3
1945	100.5	7.5	1.7	0.9	2.3	6.4	20.7	71.2	207.1	553.7	1,347.7	2,427.1
1944	94.6	7.9	1.4	1.0	2.4	5.9	19.7	69.3	202.7	550.8	1,333.8	2,383.6
1943	94.1	8.4	2.0	0.9	2.0	5.3	19.3	71.3	209.5	576.4	1,435.4	2,579.2
1942	88.9	9.9	2.0	0.8	2.1	5.6	20.6	72.7	206.7	568.9	1,340.9	2,385.5
1941	88.4	11.0	1.4	0.7	2.1	5.5	19.7	70.9	209.3	580.9	1,399.1	2,475.2
1940	90.2	13.9	1.4	1.0	1.8	5.8	20.1	74.6	218.3	593.6	1,475.7	2,617.4

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ALL RACES, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	102.6	3.5	0.7	0.4	1.2	4.5	20.2	73.1	184.2	516.0	1,407.0	2,913.9
1948	91.0	4.8	1.3	0.9	1.4	4.3	19.4	70.2	171.9	459.0	1,244.1	2,565.7
1947	93.1	4.4	1.4	0.8	1.3	4.1	19.4	74.8	181.1	482.0	1,289.9	2,549.5
1946	91.3	4.3	1.4	0.7	1.4	4.8	20.7	74.7	182.0	481.1	1,262.2	2,507.0
1945	94.8	5.8	1.3	0.6	1.5	4.8	21.8	79.6	192.4	512.7	1,338.1	2,571.5
1944	92.5	5.7	1.9	0.6	1.6	4.8	21.5	78.6	197.3	512.4	1,328.0	2,454.3
1943	95.5	7.0	1.4	0.9	2.1	5.4	22.8	82.6	204.6	539.3	1,383.1	2,603.3
1942	91.2	6.5	1.3	0.7	1.7	5.2	23.5	80.9	197.0	525.5	1,339.4	2,469.6
1941	89.7	7.7	1.5	0.7	1.6	5.1	23.3	81.5	197.0	524.5	1,354.5	2,480.0
1940	91.7	9.9	1.6	0.8	1.7	5.1	23.0	83.9	205.0	554.2	1,416.9	2,614.5

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

WHITE, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	98.7	4.5	0.8	0.5	1.2	3.1	13.8	54.3	170.1	520.5	1,460.8	2,982.6
1948	87.3	5.6	1.5	0.8	1.4	3.4	13.0	51.7	160.3	464.6	1,272.6	2,623.7
1947	89.3	5.0	1.4	0.7	1.4	3.4	13.3	56.3	167.2	486.8	1,304.8	2,639.5
1946	88.2	5.8	1.4	0.7	1.6	3.5	14.0	55.6	170.5	482.3	1,287.6	2,582.6
1945	95.7	6.4	1.5	0.7	1.6	4.1	15.2	60.6	179.7	517.5	1,355.5	2,578.3
1944	91.6	6.2	1.7	0.8	1.8	4.0	14.5	58.8	179.8	515.3	1,345.1	2,485.6
1943	92.8	7.2	1.8	0.9	1.8	4.0	14.6	61.5	185.5	541.0	1,423.1	2,663.4
1942	87.9	7.9	1.7	0.7	1.6	4.0	15.7	60.4	181.6	529.3	1,356.0	2,501.6
1941	86.7	9.4	1.4	0.7	1.6	3.8	15.3	59.9	182.8	533.9	1,384.5	2,540.2
1940	88.6	12.1	1.5	0.9	1.5	4.0	15.3	62.7	190.6	555.0	1,453.1	2,696.6

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

WHITE, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	97.4	6.0	1.0	0.6	1.4	3.0	14.4	53.1	182.4	551.8	1,515.1	2,949.3
1948	86.5	6.6	1.8	0.9	1.7	3.7	13.0	50.8	173.0	495.2	1,301.5	2,579.3
1947	88.0	5.9	1.4	0.7	1.6	3.7	13.2	54.4	178.5	513.7	1,314.2	2,645.3
1946	87.1	7.3	1.3	0.8	2.1	3.6	13.9	53.2	181.2	501.2	1,301.6	2,563.7
1945	99.4	7.1	1.7	0.8	1.9	5.3	15.6	58.5	191.1	542.1	1,362.2	2,479.1
1944	93.3	7.2	1.5	1.0	2.1	4.7	14.7	56.2	186.8	538.3	1,352.7	2,422.5
1943	92.7	8.1	2.1	0.9	1.8	4.3	14.3	57.9	191.7	563.6	1,454.4	2,628.7
1942	87.1	9.6	2.1	0.8	1.8	4.3	15.1	57.9	189.2	556.3	1,358.5	2,448.1
1941	86.4	10.6	1.3	0.7	1.8	4.1	14.6	57.1	192.9	563.9	1,408.8	2,527.2
1940	88.3	14.1	1.4	1.0	1.5	4.6	14.9	60.0	200.8	579.1	1,485.6	2,684.9

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

WHITE, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	100.0	2.9	0.6	0.4	1.1	3.1	13.3	55.6	157.8	491.3	1,415.6	3,006.1
1948	88.2	4.6	1.2	0.8	1.2	3.1	13.0	52.7	147.6	435.9	1,247.8	2,655.4
1947	90.6	4.0	1.4	0.7	1.1	3.0	13.4	58.2	155.8	461.4	1,296.7	2,635.4
1946	89.2	4.4	1.6	0.6	1.1	3.4	14.2	58.1	159.7	464.4	1,275.5	2,596.4
1945	92.4	5.7	1.4	0.6	1.3	3.3	14.8	62.7	168.1	494.1	1,349.7	2,652.1
1944	90.0	5.2	1.8	0.6	1.5	3.5	14.4	61.4	172.8	493.2	1,338.4	2,532.7
1943	92.9	6.3	1.5	0.8	1.8	3.6	15.0	65.1	179.1	519.2	1,394.4	2,689.4
1942	88.6	6.0	1.3	0.6	1.3	3.7	16.3	62.9	173.8	503.2	1,353.8	2,541.9
1941	86.9	8.1	1.6	0.6	1.3	3.4	16.0	62.9	172.3	504.9	1,362.8	2,550.0
1940	88.9	10.1	1.6	0.7	1.5	3.5	15.6	65.5	180.1	531.4	1,423.9	2,705.4

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ALL OTHER, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	119.4	8.4	1.1	0.6	2.6	14.2	68.1	222.7	483.8	841.9	1,239.4	1,923.3
1948	110.0	7.2	1.9	1.0	2.8	13.3	64.7	221.1	444.6	742.6	1,153.7	1,746.3
1947	108.8	7.9	1.4	1.3	2.5	12.7	60.7	222.6	450.9	718.5	1,171.0	1,677.5
1946	102.7	5.7	0.8	0.8	3.4	14.4	63.9	217.0	419.3	672.1	1,047.4	1,597.4
1945	112.3	8.5	1.6	0.9	3.9	16.3	73.8	227.7	440.2	737.4	1,139.5	1,745.9
1944	109.9	11.7	1.5	1.0	3.6	15.9	73.4	231.0	443.2	747.4	1,110.8	1,731.4
1943	112.1	11.9	1.0	0.8	4.0	16.9	76.6	239.1	469.7	783.8	1,164.7	1,825.7
1942	109.5	11.2	1.2	1.1	4.4	17.6	76.9	251.5	453.3	790.8	1,083.1	1,697.1
1941	110.0	9.3	1.7	0.9	4.1	18.8	75.8	250.1	458.5	808.2	1,228.9	1,835.3
1940	111.7	10.3	1.4	1.2	3.7	17.9	76.5	259.0	478.8	833.9	1,305.2	1,863.7

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ALL OTHER, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	114.2	8.9	0.8	0.5	3.4	12.4	56.4	202.0	461.9	822.1	1,195.9	1,905.6
1948	104.6	8.4	2.0	0.9	3.2	12.2	54.1	199.2	422.0	698.9	1,110.5	1,905.9
1947	103.0	8.2	1.2	1.2	2.1	11.7	50.9	204.3	415.0	671.0	1,147.3	1,781.3
1946	96.3	7.1	1.2	0.8	3.4	12.2	51.1	190.1	385.2	633.5	1,029.9	1,686.7
1945	109.3	10.2	2.0	1.1	4.8	15.1	65.2	201.6	391.9	701.9	1,124.4	1,813.3
1944	105.8	13.7	0.6	1.3	4.6	16.1	63.5	204.8	387.8	710.2	1,060.3	1,914.3
1943	105.9	10.8	1.2	0.4	4.0	13.7	63.3	212.2	419.6	744.3	1,147.9	2,000.0
1942	105.1	12.2	1.2	0.9	4.3	17.3	69.3	230.6	415.8	730.7	1,066.7	1,678.6
1941	106.1	13.8	2.6	0.6	4.6	18.7	65.9	219.4	407.2	803.0	1,245.5	1,914.3
1940	107.4	12.5	0.9	1.2	4.4	17.1	66.9	234.4	432.1	784.2	1,312.8	1,983.2

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ALL OTHER, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	124.3	8.0	1.3	0.7	2.0	15.9	78.8	243.5	506.5	861.9	1,282.0	1,936.0
1948	115.1	5.9	1.9	1.2	2.4	14.3	74.5	243.2	469.2	785.0	1,172.2	1,633.3
1947	114.3	7.7	1.5	1.5	2.9	13.7	70.1	241.3	489.0	768.4	1,181.7	1,608.3
1946	108.8	4.3	0.3	0.8	3.4	16.4	76.0	244.4	455.1	715.6	1,064.8	1,539.1
1945	115.0	6.8	1.1	0.6	3.3	17.2	81.6	254.8	492.6	775.0	1,167.9	1,700.0
1944	113.8	9.8	2.3	0.8	2.8	15.8	82.4	258.3	503.7	784.0	1,145.7	1,609.5
1943	118.0	13.1	0.8	1.1	4.1	19.6	89.0	267.0	524.6	826.2	1,180.5	1,709.5
1942	113.7	10.3	1.2	1.2	4.4	17.9	84.0	272.5	493.5	852.3	1,113.9	1,710.0
1941	113.7	4.7	0.9	1.2	3.6	19.0	85.3	282.0	516.6	813.7	1,213.0	1,780.0
1940	115.9	8.2	1.9	1.2	3.1	18.6	85.6	285.1	531.1	888.1	1,298.0	1,775.6

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

RHEUMATIC FEVER												
	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	400-402									
ALL RACES, BOTH SEXES	Fifth	1940-1948	58									
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.5	0.5	0.6	2.4	1.8	1.7	2.4	0.7	0.8	0.6	1.2	1.8
1948	0.6	0.3	0.5	1.3	0.7	0.4	0.5	0.4	0.4	0.4	1.3	3.3
1947	0.7	0.3	0.5	1.5	0.7	0.6	0.7	0.4	0.4	0.6	1.1	1.8
1946	0.8	0.5	0.7	1.6	0.9	0.6	0.7	0.4	0.4	0.6	1.4	2.1
1945	1.0	0.4	0.6	2.0	1.3	0.8	0.7	0.4	0.7	0.9	1.8	4.2
1944	1.1	0.7	0.8	2.1	1.4	0.9	0.7	0.5	0.6	1.1	2.5	3.3
1943	1.1	0.3	0.8	1.9	1.3	1.0	1.0	0.5	0.7	1.0	2.1	3.8
1942	1.1	0.2	0.9	2.1	1.2	0.8	1.0	0.6	0.7	1.1	2.3	5.2
1941	1.2	0.3	0.7	2.2	1.4	1.0	0.9	0.6	0.9	1.3	2.6	4.4
1940	1.3	0.3	0.9	2.6	1.4	1.0	0.8	0.5	0.9	1.4	2.9	5.8
RHEUMATIC FEVER												
ALL RACES, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.6	0.4	0.5	2.3	1.8	1.8	2.5	0.7	1.0	0.7	1.6	3.1
1948	0.6	0.1	0.5	1.2	0.7	0.4	0.5	0.4	0.4	0.6	1.1	3.3
1947	0.7	0.2	0.4	1.4	0.8	0.5	0.7	0.4	0.4	0.6	1.3	3.4
1946	0.8	0.7	0.7	1.4	0.8	0.5	0.6	0.4	0.4	0.6	1.5	3.0
1945	1.0	0.2	0.5	1.9	1.6	0.8	0.7	0.4	0.8	1.0	1.8	5.2
1944	1.2	0.6	0.7	2.1	1.7	0.9	0.8	0.6	0.7	1.0	3.2	3.8
1943	1.1	0.5	0.8	1.9	1.2	1.1	1.0	0.5	0.8	0.9	2.2	2.2
1942	1.1	0.2	0.9	2.0	1.3	0.8	0.8	0.7	0.8	1.1	2.8	5.8
1941	1.2	0.5	0.8	2.1	1.5	1.0	0.8	0.5	0.9	1.4	2.7	4.8
1940	1.3	0.4	0.9	2.3	1.3	1.1	0.9	0.6	0.8	1.4	2.9	5.1

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

RHEUMATIC FEVER												
ALL RACES, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.5	0.6	0.6	2.6	1.8	1.6	2.4	0.6	0.6	0.6	0.8	0.9
1948	0.7	0.5	0.5	1.5	0.6	0.4	0.6	0.3	0.4	0.2	1.5	3.3
1947	0.7	0.3	0.5	1.5	0.7	0.6	0.6	0.4	0.4	0.7	0.8	0.7
1946	0.8	0.4	0.8	1.8	1.0	0.7	0.7	0.4	0.4	0.6	1.3	1.5
1945	1.0	0.7	0.8	2.2	1.1	0.7	0.7	0.4	0.6	0.8	1.7	3.5
1944	1.0	0.8	0.9	2.1	1.2	0.9	0.6	0.5	0.5	1.1	1.9	2.8
1943	1.1	0.2	0.7	1.8	1.4	1.0	1.1	0.5	0.6	1.1	2.0	5.0
1942	1.2	0.3	0.9	2.2	1.2	0.8	1.1	0.6	0.7	1.1	1.9	4.8
1941	1.3	0.2	0.7	2.5	1.3	1.0	0.9	0.7	0.9	1.2	2.6	4.1
1940	1.4	0.3	1.0	3.0	1.4	0.9	0.8	0.5	0.9	1.4	3.0	6.2
RHEUMATIC FEVER												
WHITE, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.4	0.5	0.4	2.1	1.6	1.6	2.4	0.6	0.8	0.6	1.1	1.4
1948	0.5	0.2	0.4	1.1	0.6	0.4	0.5	0.3	0.3	0.4	1.2	2.9
1947	0.6	0.2	0.4	1.1	0.6	0.5	0.6	0.3	0.3	0.5	1.0	1.8
1946	0.7	0.4	0.6	1.4	0.8	0.5	0.6	0.3	0.4	0.5	1.3	1.9
1945	0.9	0.4	0.6	1.9	1.1	0.7	0.6	0.3	0.5	0.7	1.8	3.4
1944	1.0	0.5	0.6	1.9	1.3	0.8	0.6	0.5	0.5	0.8	2.2	2.8
1943	1.0	0.3	0.7	1.7	1.2	0.9	0.9	0.4	0.6	0.9	1.8	3.7
1942	1.0	0.2	0.8	1.9	1.1	0.8	0.9	0.5	0.6	0.9	2.1	3.8
1941	1.1	0.2	0.7	2.0	1.3	1.0	0.8	0.5	0.7	1.2	2.0	3.7
1940	1.2	0.4	0.8	2.5	1.3	0.9	0.7	0.5	0.6	1.2	2.4	5.5

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

RHEUMATIC FEVER												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.5	0.4	0.3	2.0	1.5	1.8	2.5	0.7	1.0	0.7	1.5	2.9
1948	0.5	*	0.4	1.0	0.6	0.4	0.4	0.3	0.4	0.5	1.1	2.5
1947	0.6	0.1	0.4	1.2	0.7	0.5	0.7	0.3	0.3	0.5	1.3	3.2
1946	0.7	0.6	0.6	1.3	0.8	0.5	0.6	0.3	0.4	0.6	1.5	2.7
1945	0.9	0.2	0.4	1.8	1.4	0.8	0.6	0.4	0.6	0.8	1.9	4.0
1944	1.1	0.4	0.6	1.9	1.6	0.9	0.7	0.5	0.6	0.7	2.9	3.6
1943	1.0	0.5	0.7	1.7	1.2	1.0	0.9	0.5	0.7	0.9	2.1	2.4
1942	1.0	0.2	0.9	1.8	1.1	0.7	0.7	0.6	0.7	0.8	2.4	4.4
1941	1.1	0.3	0.8	1.8	1.4	0.9	0.8	0.3	0.7	1.3	2.1	2.6
1940	1.1	0.4	0.8	2.2	1.2	1.0	0.8	0.5	0.6	1.2	2.4	5.0

RHEUMATIC FEVER												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.4	0.7	0.5	2.2	1.6	1.5	2.3	0.5	0.6	0.6	0.8	0.3
1948	0.5	0.4	0.4	1.2	0.5	0.4	0.5	0.2	0.3	0.2	1.3	3.2
1947	0.6	0.3	0.4	1.1	0.6	0.5	0.6	0.3	0.2	0.5	0.7	0.8
1946	0.7	0.3	0.7	1.5	0.8	0.5	0.5	0.3	0.4	0.5	1.2	1.2
1945	0.9	0.7	0.8	2.0	0.9	0.6	0.6	0.3	0.5	0.7	1.7	2.9
1944	0.9	0.7	0.6	1.8	1.1	0.8	0.5	0.4	0.4	0.9	1.6	2.2
1943	1.0	0.1	0.7	1.7	1.2	0.9	1.0	0.3	0.5	0.9	1.6	4.6
1942	1.0	0.3	0.8	2.0	1.1	0.8	1.0	0.4	0.5	0.9	1.8	3.3
1941	1.1	*	0.6	2.2	1.3	1.0	0.9	0.6	0.6	1.1	2.0	4.5
1940	1.2	0.3	0.8	2.8	1.3	0.8	0.6	0.4	0.7	1.1	2.5	5.9

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

RHEUMATIC FEVER												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	2.8	0.5	1.8	5.0	3.5	2.6	2.8	1.2	1.0	0.9	2.0	7.0
1948	1.5	0.8	1.5	2.6	1.4	0.5	1.0	1.5	1.1	1.3	3.7	7.3
1947	1.8	1.1	0.8	3.6	1.7	1.1	1.2	1.2	1.7	2.8	2.7	2.5
1946	1.7	1.4	1.4	3.0	1.6	1.4	1.4	1.0	0.9	1.3	2.3	5.3
1945	2.1	0.7	1.0	3.3	2.7	1.2	1.5	1.2	2.7	2.7	1.8	13.5
1944	2.2	2.1	1.8	3.5	2.1	1.4	1.6	1.3	1.6	4.3	7.0	8.6
1943	2.1	0.7	1.4	3.0	2.3	1.9	1.9	1.6	1.8	2.3	6.0	5.7
1942	2.2	*	1.3	3.5	2.1	1.1	2.0	2.0	2.1	4.2	6.3	20.6
1941	2.4	1.5	1.0	4.2	2.0	1.4	1.4	2.0	3.7	2.9	12.6	11.8
1940	2.6	*	1.8	3.8	2.2	1.9	2.1	1.4	3.6	4.2	11.7	8.5

RHEUMATIC FEVER												
ALL OTHER, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	2.6	0.5	2.0	4.5	3.6	2.2	2.4	0.6	1.2	0.7	3.1	5.6
1948	1.3	0.5	1.6	2.1	1.3	0.3	1.1	1.4	1.0	2.1	2.1	11.8
1947	1.5	1.6	0.8	3.1	1.5	0.8	1.1	1.0	0.8	2.2	2.2	6.3
1946	1.3	1.4	1.5	2.7	1.0	0.8	0.7	0.9	0.4	1.1	1.1	6.7
1945	2.0	0.7	1.1	2.7	3.0	1.2	1.7	0.8	2.9	2.7	1.2	20.0
1944	2.0	2.7	1.1	3.2	2.3	0.7	1.5	1.2	1.3	4.7	7.7	7.1
1943	1.8	0.7	1.7	3.1	1.5	1.5	1.7	0.8	1.5	1.2	4.1	*
1942	2.2	*	1.1	3.2	2.3	1.2	1.8	2.0	1.4	3.8	8.7	21.4
1941	2.5	1.5	0.7	4.1	2.3	1.5	1.5	1.9	3.0	3.0	12.1	28.6
1940	2.2	*	1.5	2.9	2.3	1.8	1.5	1.5	2.7	3.6	11.3	6.7

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

RHEUMATIC FEVER												
ALL OTHER, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	3.0	0.5	1.6	5.5	3.4	2.9	3.3	1.7	0.8	1.1	1.0	8.0
1948	1.6	1.1	1.4	3.0	1.5	0.8	1.0	1.7	1.2	0.4	5.2	4.2
1947	2.1	0.5	0.9	4.0	1.9	1.4	1.3	1.4	2.8	3.4	3.2	*
1946	2.1	1.4	1.4	3.4	2.1	1.9	2.1	1.1	1.5	1.6	3.4	4.3
1945	2.1	0.7	0.9	4.0	2.5	1.1	1.2	1.7	2.5	2.8	2.4	9.1
1944	2.4	1.4	2.4	3.9	1.9	2.0	1.7	1.3	1.9	3.8	6.2	9.5
1943	2.5	0.7	1.0	2.8	3.0	2.2	2.1	2.5	2.2	3.5	7.8	9.5
1942	2.3	*	1.6	3.7	1.9	1.0	2.1	2.1	3.0	4.5	4.2	20.0
1941	2.4	1.6	1.3	4.2	1.7	1.3	1.3	2.1	4.4	2.8	13.0	*
1940	2.9	*	2.0	4.7	2.2	2.0	2.6	1.3	4.6	4.9	12.1	9.8

DISEASES OF HEART													
	ICD Revision Sixth	Years in use 1949	ICD Nos. 410-443										
	Fifth	1940-1948	90-95	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALL RACES, BOTH SEXES													
1949	348.8	3.2	1.5	2.3	7.1	20.1	85.9	308.9	802.5	1,824.1	4,241.2	9,060.7	
1948	322.7	4.1	2.2	3.8	8.6	20.6	84.0	290.3	740.1	1,681.7	3,988.3	8,835.0	
1947	321.1	4.7	2.2	4.0	8.9	21.3	83.6	290.1	745.4	1,688.0	4,031.4	8,871.3	
1946	306.5	6.5	2.5	4.7	10.3	22.2	82.8	280.1	714.1	1,613.0	3,868.8	8,304.3	
1945	320.3	6.2	2.9	5.9	12.6	27.4	90.1	286.8	726.7	1,641.0	3,914.5	8,128.1	
1944	314.6	7.2	3.4	6.2	13.4	27.0	91.2	285.6	724.9	1,673.3	4,030.0	8,162.1	
1943	317.6	6.5	3.2	6.3	13.9	29.3	93.8	293.9	744.6	1,752.5	4,225.9	8,727.3	
1942	294.9	9.2	3.8	6.2	13.4	28.9	90.9	287.4	712.8	1,674.4	3,918.8	7,910.2	
1941	290.1	18.2	3.3	7.0	13.6	27.9	90.4	282.0	703.7	1,680.6	4,025.3	8,069.6	
1940	292.5	17.5	3.6	8.0	14.0	29.7	91.7	279.5	710.0	1,737.4	4,213.7	8,558.1	

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

DISEASES OF HEART												
ALL RACES, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	415.7	3.9	1.6	2.4	7.7	22.9	117.6	438.4	1,097.6	2,246.5	4,735.4	9,543.2
1948	387.5	4.5	2.2	3.7	9.4	23.8	115.5	415.2	1,023.1	2,091.0	4,429.2	9,289.8
1947	383.1	5.5	2.2	3.8	9.3	23.8	113.5	411.5	1,021.8	2,065.0	4,460.2	9,169.4
1946	364.6	7.7	2.7	4.4	11.3	25.4	110.5	394.1	963.3	1,946.5	4,226.3	8,644.4
1945	400.1	6.9	3.0	5.7	16.1	34.6	122.4	400.3	977.7	1,975.6	4,309.0	8,515.1
1944	383.6	8.5	3.7	6.2	15.6	32.7	118.8	392.3	963.9	2,000.0	4,405.2	8,530.6
1943	375.9	7.9	3.0	5.9	14.5	32.1	118.1	397.3	975.2	2,084.8	4,624.2	9,163.5
1942	348.6	10.2	4.1	6.2	13.4	32.1	116.6	389.9	938.4	1,996.4	4,305.0	8,247.1
1941	339.2	19.5	3.5	6.7	14.0	30.1	114.7	378.2	914.8	1,992.1	4,401.2	8,483.6
1940	338.1	18.2	3.7	7.7	14.0	32.2	114.2	369.1	915.6	2,044.6	4,549.4	8,819.2
DISEASES OF HEART												
ALL RACES, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	282.8	2.6	1.4	2.3	6.5	17.4	55.1	179.4	505.7	1,427.6	3,817.9	8,693.5
1948	258.8	3.7	2.3	3.8	7.8	17.5	53.3	165.0	454.7	1,294.7	3,608.2	8,483.2
1947	259.8	3.8	2.1	4.2	8.5	18.9	54.4	167.5	465.4	1,329.5	3,657.1	8,626.5
1946	249.5	5.3	2.3	5.1	9.4	19.2	55.7	164.6	460.8	1,293.9	3,557.8	8,056.6
1945	248.7	5.5	2.7	6.1	10.1	22.2	60.5	171.4	470.6	1,318.9	3,569.8	7,842.3
1944	250.7	5.9	3.1	6.3	11.6	22.6	65.4	176.6	479.8	1,357.3	3,700.4	7,889.1
1943	261.2	5.0	3.4	6.7	13.4	26.8	70.3	187.4	506.8	1,429.6	3,874.4	8,402.5
1942	241.7	8.0	3.5	6.2	13.3	25.9	65.7	181.1	478.9	1,359.6	3,578.8	7,658.3
1941	240.9	16.9	3.2	7.4	13.2	25.9	66.3	181.3	483.7	1,375.0	3,688.5	7,759.1
1940	246.6	16.8	3.6	8.3	13.9	27.3	69.2	185.1	494.8	1,434.2	3,909.7	8,362.2

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

DISEASES OF HEART												
WHITE, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	354.1	3.1	1.2	2.0	6.1	16.7	74.7	281.5	773.3	1,808.5	4,306.2	9,376.5
1948	329.5	3.5	1.9	3.2	7.6	17.7	74.7	266.8	716.7	1,679.8	4,068.9	9,181.7
1947	329.2	4.3	2.0	3.5	7.9	18.3	74.9	268.1	727.5	1,693.3	4,128.0	9,232.9
1946	315.0	6.4	2.2	4.2	9.3	19.6	74.1	260.1	698.1	1,624.0	3,971.4	8,694.4
1945	329.7	6.2	2.7	5.4	11.7	24.0	80.1	267.1	713.0	1,654.3	4,015.1	8,489.9
1944	322.7	7.2	3.1	5.7	12.2	23.4	80.3	264.4	711.0	1,682.8	4,133.4	8,493.7
1943	325.3	6.0	2.9	5.9	12.6	25.5	82.3	271.4	727.1	1,763.2	4,327.8	9,113.6
1942	301.0	8.6	3.3	5.7	12.5	24.9	79.0	264.7	695.8	1,680.8	4,011.9	8,249.2
1941	295.1	17.9	3.0	6.5	12.4	23.9	77.8	257.6	683.8	1,684.8	4,111.7	8,399.7
1940	297.6	16.4	3.5	7.5	12.9	25.3	79.1	254.9	689.0	1,741.4	4,297.6	9,015.9
DISEASES OF HEART												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	425.6	3.7	1.1	2.0	6.8	20.0	110.0	420.1	1,084.3	2,250.4	4,819.5	9,856.0
1948	398.4	3.8	1.8	3.3	8.8	21.7	109.3	399.6	1,012.6	2,108.8	4,527.2	9,613.6
1947	395.8	5.1	2.0	3.4	8.5	21.7	108.5	398.1	1,020.7	2,089.6	4,578.1	9,497.9
1946	377.6	7.4	2.4	4.0	10.7	23.9	105.2	380.9	963.2	1,975.5	4,347.2	9,012.1
1945	415.4	6.6	2.8	5.4	15.6	32.0	116.1	388.0	979.1	2,006.5	4,423.7	8,846.9
1944	396.7	8.6	3.3	5.8	15.0	29.8	112.0	377.0	965.3	2,025.6	4,530.0	8,817.2
1943	387.6	7.6	2.8	5.5	13.6	28.9	110.1	380.7	972.8	2,111.2	4,741.8	9,492.1
1942	357.9	9.8	3.5	5.7	12.8	28.3	107.1	372.4	935.8	2,017.5	4,403.1	8,546.2
1941	347.4	19.4	3.2	6.3	13.4	26.4	105.1	360.1	908.6	2,010.6	4,496.5	8,780.8
1940	345.6	17.1	3.5	7.2	13.4	28.0	104.2	349.8	906.2	2,061.4	4,639.0	9,221.9

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

DISEASES OF HEART												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	283.5	2.6	1.3	2.0	5.3	13.5	40.2	143.0	461.1	1,396.0	3,873.0	9,039.1
1948	261.2	3.2	1.9	3.1	6.4	13.9	40.9	133.5	419.1	1,277.0	3,677.0	8,874.1
1947	263.2	3.5	1.9	3.5	7.2	15.1	42.0	137.1	431.6	1,318.3	3,741.0	9,041.4
1946	253.5	5.3	2.0	4.5	8.1	15.5	43.6	137.7	429.8	1,289.9	3,646.8	8,462.2
1945	252.8	5.8	2.6	5.5	9.0	18.4	47.0	144.5	442.8	1,317.8	3,660.2	8,224.4
1944	254.2	5.7	2.9	5.7	10.1	18.2	50.4	149.5	451.7	1,353.8	3,787.4	8,251.8
1943	264.8	4.4	3.1	6.2	11.6	22.5	55.5	158.8	475.0	1,427.6	3,961.1	8,828.9
1942	244.5	7.4	3.1	5.7	12.2	21.7	51.2	153.0	448.3	1,354.9	3,665.7	8,025.7
1941	242.5	16.4	2.8	6.8	11.5	21.5	50.5	150.6	450.7	1,368.0	3,768.3	8,112.0
1940	248.9	15.7	3.4	7.8	12.5	22.6	53.8	154.7	462.7	1,427.8	3,989.2	8,861.1
DISEASES OF HEART												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	303.2	4.0	3.6	4.7	14.9	48.9	183.7	574.6	1,155.9	2,036.6	3,262.1	5,344.2
1948	264.8	8.8	5.0	7.6	16.0	45.1	164.5	522.2	1,019.4	1,707.8	2,778.9	4,809.8
1947	252.0	7.4	3.5	7.8	16.8	46.3	158.8	509.8	958.4	1,617.2	2,589.1	4,555.0
1946	234.2	7.5	4.6	8.1	17.3	44.1	158.3	483.3	904.2	1,466.8	2,334.3	4,097.4
1945	241.4	6.4	4.1	9.1	19.0	54.3	176.1	488.7	891.1	1,462.0	2,374.3	4,070.3
1944	245.2	7.2	5.5	9.5	22.1	57.8	185.6	506.5	892.2	1,545.3	2,444.3	4,420.0
1943	251.8	10.2	5.2	9.3	24.3	61.5	193.0	530.8	958.2	1,606.9	2,622.7	4,511.4
1942	241.7	13.0	7.3	9.8	20.2	63.0	195.1	529.6	923.7	1,582.7	2,443.0	4,241.2
1941	246.0	20.5	5.4	10.6	22.8	62.4	200.4	543.8	951.6	1,622.4	2,603.0	4,661.8
1940	248.5	25.6	4.7	11.5	22.4	67.5	202.0	549.3	975.5	1,682.6	2,802.0	4,300.7

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

DISEASES OF HEART												
ALL OTHER, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	330.1	5.4	5.1	4.9	14.4	48.2	186.0	616.1	1,258.0	2,204.2	3,561.2	5,911.1
1948	292.6	10.0	5.3	6.5	13.8	42.1	170.8	568.9	1,146.3	1,857.1	3,025.3	5,517.6
1947	273.1	8.7	3.5	6.8	15.3	41.6	157.6	546.3	1,035.5	1,748.0	2,823.1	5,268.8
1946	253.5	10.0	5.1	7.3	16.0	38.2	158.0	527.2	962.3	1,581.6	2,492.0	4,760.0
1945	271.5	9.5	4.4	7.5	19.5	55.0	177.6	526.6	962.2	1,582.9	2,620.7	4,600.0
1944	271.0	7.5	6.0	8.9	20.1	56.7	178.3	551.6	948.2	1,672.9	2,598.7	5,071.4
1943	273.9	10.8	4.4	8.2	21.3	60.2	189.9	571.6	1,005.5	1,752.0	2,847.9	5,314.3
1942	266.7	13.7	8.3	9.8	18.7	65.7	201.5	575.4	969.2	1,713.4	2,773.9	4,871.4
1941	265.6	20.0	5.3	9.8	19.2	62.7	200.4	572.9	990.0	1,750.0	2,887.9	5,278.6
1940	270.9	26.7	4.5	10.7	19.2	70.0	203.8	579.2	1,029.6	1,823.4	3,074.0	5,031.3
DISEASES OF HEART												
ALL OTHER, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	277.4	2.5	2.0	4.6	15.4	49.5	181.4	533.0	1,050.4	1,866.5	2,969.0	4,936.0
1948	238.0	7.5	4.7	8.7	18.0	47.7	158.6	475.3	888.8	1,547.3	2,480.4	4,308.3
1947	231.6	6.0	3.5	8.8	18.2	50.7	160.0	472.8	876.5	1,480.1	2,332.3	4,079.2
1946	215.5	5.0	4.1	8.9	18.5	49.7	158.6	438.5	839.9	1,351.0	2,178.4	3,665.2
1945	214.2	3.4	3.9	10.6	18.7	53.8	174.7	450.6	814.0	1,333.9	2,161.9	3,709.1
1944	221.5	7.0	5.0	10.1	23.6	58.7	192.2	460.7	831.0	1,402.1	2,265.4	3,985.7
1943	230.6	9.7	5.9	10.3	26.9	62.7	196.1	488.7	906.3	1,451.1	2,409.1	3,976.2
1942	217.7	12.5	6.3	9.9	21.5	60.6	188.8	480.2	871.0	1,434.1	2,159.7	3,800.0
1941	227.0	20.9	5.4	11.3	26.1	62.2	200.5	512.4	911.4	1,483.4	2,330.4	4,230.0
1940	226.7	24.6	4.8	12.3	25.3	65.3	200.4	517.6	915.0	1,529.0	2,546.0	3,762.2

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

CHRONIC RHEUMATIC HEART DISEASE

	ICD Revision	Years in use	ICD Nos.									
			1949 410-416									
			1940-1948 90a,92b,c,93c,95b									
ALL RACES, BOTH SEXES		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
	Total	1 year	years	years	years	years	years	years	years	years	years	and over
1949	13.7	...	0.3	1.4	3.3	6.6	12.9	23.3	32.1	43.2	77.3	145.2
1948	15.9	0.0	0.5	2.3	4.4	7.5	14.4	22.7	32.5	51.9	114.5	244.7
1947	16.6	0.0	0.4	2.6	4.5	7.7	14.4	23.6	33.8	55.7	125.6	256.9
1946	16.8	*	0.5	3.1	5.1	7.5	14.0	22.4	33.3	58.7	131.0	258.3
1945	18.7	*	0.6	3.4	6.0	9.1	14.6	22.1	35.0	66.4	153.4	294.0
1944	19.2	0.1	0.7	3.7	6.4	8.7	14.9	22.5	35.5	70.6	170.1	327.4
1943	20.3	*	0.8	3.5	6.3	9.2	16.3	24.4	40.4	76.8	178.8	341.7
1942	18.9	0.1	0.9	3.7	6.2	9.5	15.3	24.0	36.6	72.0	160.7	313.7
1941	19.8	1.3	0.8	4.1	6.3	9.2	15.6	24.5	38.7	79.2	181.4	345.7
1940	20.8	1.4	1.0	4.8	6.5	9.9	16.2	25.3	40.3	86.4	202.8	357.8

CHRONIC RHEUMATIC HEART DISEASE

ALL RACES, MALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
	Total	1 year	years	years	years	years	years	years	years	years	years	and over
1949	14.0	...	0.3	1.4	3.4	6.2	13.3	23.4	34.8	46.5	83.6	135.7
1948	16.3	*	0.4	2.2	4.7	7.6	14.7	23.5	35.3	56.1	120.9	225.1
1947	16.9	0.1	0.4	2.4	4.7	7.6	14.7	24.0	36.6	59.5	126.7	258.3
1946	17.3	*	0.5	2.8	5.5	7.8	14.3	22.6	37.1	64.6	130.1	254.5
1945	20.0	*	0.6	3.2	7.5	10.2	14.9	23.2	38.3	71.1	153.2	303.6
1944	20.5	*	0.7	3.5	7.7	9.8	15.4	23.5	39.2	78.1	173.3	304.9
1943	20.7	*	0.7	3.1	6.6	8.9	15.5	24.9	43.6	83.8	187.2	347.2
1942	19.4	0.1	0.8	3.5	6.0	9.6	15.5	24.8	40.0	78.6	165.7	309.3
1941	20.1	1.5	0.8	3.8	6.5	8.7	15.2	24.9	41.5	85.2	188.6	353.3
1940	21.2	1.6	1.0	4.4	6.6	9.6	15.8	26.0	43.8	93.1	204.8	356.8

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949

(For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

CHRONIC RHEUMATIC HEART DISEASE

ALL RACES, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	13.4	...	0.2	1.4	3.2	6.9	12.5	23.2	29.4	40.2	72.0	151.4
1948	15.6	0.1	0.5	2.5	4.2	7.5	14.1	22.0	29.8	47.9	109.0	257.8
1947	16.4	*	0.5	2.8	4.3	7.9	14.1	23.1	30.9	52.2	124.6	255.1
1946	16.4	*	0.4	3.5	4.7	7.3	13.8	22.2	29.4	53.2	131.7	261.0
1945	17.5	*	0.7	3.6	4.9	8.3	14.2	21.1	31.6	61.9	153.6	286.9
1944	18.0	0.2	0.7	3.9	5.4	7.9	14.4	21.6	31.6	63.5	167.3	344.1
1943	19.8	*	0.9	4.0	6.2	9.5	17.1	24.0	37.1	70.0	171.3	337.7
1942	18.4	0.1	0.9	4.0	6.4	9.5	15.1	23.1	33.0	65.5	156.4	317.0
1941	19.5	1.0	0.8	4.4	6.1	9.7	16.1	24.1	35.8	73.4	174.9	340.0
1940	20.5	1.3	0.9	5.1	6.4	10.1	16.6	24.5	36.7	79.8	201.1	358.5

CHRONIC RHEUMATIC HEART DISEASE

WHITE, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	13.8	...	0.2	1.2	3.1	6.3	12.8	23.2	32.0	42.5	76.7	143.5
1948	15.9	0.0	0.3	2.0	4.2	7.4	14.3	22.0	31.7	50.2	113.6	249.2
1947	16.6	0.0	0.3	2.2	4.3	7.6	14.2	22.8	32.5	54.2	125.6	258.5
1946	16.7	*	0.4	2.7	4.9	7.5	13.8	21.3	31.6	56.9	131.9	260.6
1945	18.5	*	0.5	3.1	5.8	9.0	14.1	20.7	33.0	64.4	152.5	301.0
1944	18.9	0.1	0.6	3.5	6.2	8.5	14.3	21.1	33.0	68.0	169.4	331.4
1943	20.0	*	0.7	3.2	6.1	9.1	15.9	23.0	38.0	74.3	177.6	340.6
1942	18.7	0.1	0.6	3.4	6.2	9.4	14.8	22.7	34.4	69.8	160.2	314.9
1941	19.5	1.3	0.7	3.8	6.2	9.0	14.8	22.7	36.4	76.6	181.7	348.1
1940	20.4	1.5	0.9	4.6	6.4	9.5	15.6	23.3	37.5	82.7	200.3	361.3

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942. States, 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

CHRONIC RHEUMATIC HEART DISEASE												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	14.1	...	0.2	1.2	3.2	6.0	13.2	23.2	34.6	45.3	83.3	134.0
1948	16.3	*	0.3	2.0	4.7	7.5	14.7	22.9	34.3	54.3	119.5	227.8
1947	16.9	0.1	0.3	2.1	4.7	7.5	14.6	23.6	35.3	58.1	127.4	257.4
1946	17.2	*	0.4	2.4	5.5	7.8	14.2	21.7	35.6	62.9	130.4	250.5
1945	19.9	*	0.5	3.0	7.6	10.4	14.7	21.8	36.3	69.1	151.0	302.8
1944	20.3	*	0.6	3.3	7.9	9.7	15.0	22.2	37.2	74.5	171.9	305.3
1943	20.6	*	0.7	2.9	6.6	8.8	15.1	23.5	41.7	81.3	187.0	341.5
1942	19.2	0.1	0.7	3.2	6.1	9.6	15.0	23.5	38.1	75.9	165.1	305.7
1941	19.8	1.5	0.7	3.5	6.6	8.4	14.7	23.1	39.6	82.5	188.2	349.7
1940	20.8	1.5	0.9	4.3	6.7	9.2	15.5	24.2	41.4	89.4	201.6	353.7
CHRONIC RHEUMATIC HEART DISEASE												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	13.6	...	0.2	1.2	2.9	6.7	12.4	23.2	29.4	40.0	71.2	150.2
1948	15.5	0.1	0.3	2.0	3.8	7.3	13.8	21.2	29.0	46.4	108.6	264.4
1947	16.2	*	0.4	2.3	4.0	7.6	13.8	22.0	29.5	50.5	124.0	259.3
1946	16.2	*	0.3	3.1	4.4	7.2	13.5	21.0	27.6	51.1	133.2	267.9
1945	17.3	*	0.5	3.2	4.6	7.9	13.5	19.6	29.6	59.8	153.7	299.6
1944	17.7	0.2	0.5	3.7	5.0	7.5	13.7	20.0	28.7	61.8	167.2	350.9
1943	19.4	*	0.9	3.7	5.7	9.3	16.6	22.4	34.2	67.7	169.2	339.9
1942	18.2	0.1	0.6	3.6	6.3	9.3	14.6	21.9	30.5	63.8	155.8	321.9
1941	19.2	1.0	0.7	4.1	5.8	9.6	15.0	22.3	33.1	70.9	176.0	347.0
1940	20.0	1.4	0.8	4.9	6.1	9.8	15.7	22.4	33.5	76.1	199.1	367.0

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942. States, 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

CHRONIC RHEUMATIC HEART DISEASE												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	12.9	...	0.9	2.9	5.0	8.3	13.5	24.2	33.4	52.7	86.9	165.1
1948	16.3	*	1.3	4.9	6.1	8.9	15.2	29.6	42.9	74.0	127.9	192.7
1947	17.3	*	1.2	5.3	6.3	9.2	16.0	31.3	49.1	76.5	126.2	232.5
1946	17.8	*	1.2	5.7	6.4	8.3	15.9	33.1	53.0	83.4	117.1	239.5
1945	20.4	*	1.2	5.5	6.8	10.1	18.9	37.0	59.6	93.5	167.1	216.2
1944	21.6	*	1.6	5.4	7.6	10.3	19.9	37.6	64.8	105.9	181.6	282.9
1943	22.4	*	1.3	5.4	8.2	10.1	20.2	40.1	70.2	110.3	196.7	354.3
1942	20.6	*	2.5	5.9	6.2	10.6	20.0	37.4	63.6	102.4	171.1	300.0
1941	22.3	1.5	1.5	5.9	7.1	11.1	22.3	44.3	67.9	115.6	175.6	320.6
1940	24.4	1.2	1.7	6.0	7.1	12.9	21.2	46.7	76.3	138.4	245.6	324.7
CHRONIC RHEUMATIC HEART DISEASE												
ALL OTHER, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	13.7	...	1.3	3.1	5.2	7.9	13.6	25.0	37.3	62.1	88.8	155.6
1948	16.4	*	1.0	3.9	4.6	8.6	14.2	29.2	47.1	78.7	138.9	194.1
1947	16.7	*	1.1	4.6	5.4	7.8	15.3	28.7	50.7	76.7	117.6	268.8
1946	17.9	*	1.4	5.2	5.4	7.9	15.3	31.3	55.0	84.9	124.1	320.0
1945	21.2	*	0.8	4.5	7.1	8.9	17.1	37.4	62.0	96.2	182.9	313.3
1944	22.4	*	1.5	5.3	6.6	10.0	19.1	36.9	62.0	123.5	193.6	300.0
1943	22.0	*	1.2	4.8	6.3	9.2	19.5	38.7	66.6	116.7	189.0	414.3
1942	21.2	*	2.1	5.5	5.5	9.7	20.3	38.6	63.1	113.0	175.4	350.0
1941	22.5	1.5	1.7	5.5	6.0	11.5	19.1	44.3	65.0	120.4	195.5	392.9
1940	24.3	1.7	1.5	5.2	5.8	13.1	18.0	46.6	73.9	142.3	256.4	386.0

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942. States, 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

CHRONIC RHEUMATIC HEART DISEASE

ALL OTHER, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	12.1	...	0.4	2.7	4.8	8.8	13.3	23.4	29.4	43.1	85.0	172.0
1948	16.2	*	1.6	5.8	7.5	9.2	16.2	29.9	38.5	68.9	114.4	191.7
1947	18.0	*	1.4	6.1	7.1	10.5	16.7	34.0	47.5	76.3	133.3	208.3
1946	17.7	*	1.1	6.2	7.3	8.7	16.4	34.9	50.8	82.1	110.2	187.0
1945	19.7	*	1.7	6.5	6.7	11.0	20.6	36.6	57.0	90.7	153.6	150.0
1944	20.8	*	1.8	5.5	8.5	10.5	20.6	38.3	67.8	86.6	167.9	271.4
1943	22.7	*	1.4	6.0	9.9	10.8	20.8	41.6	74.2	103.5	203.9	314.3
1942	20.0	*	2.8	6.2	6.8	11.4	19.8	36.0	64.0	90.5	169.4	265.0
1941	22.2	1.6	1.4	6.2	8.2	10.6	25.3	44.3	71.4	110.4	156.5	270.0
1940	24.6	0.8	1.9	6.9	8.4	12.7	24.2	46.9	79.0	134.2	235.3	279.6

NEPHRITIS

ALL RACES, BOTH SEXES	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	590-594									
	Fifth	1940-1948	130-132									
	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	19.9	2.9	2.6	2.0	3.7	5.3	9.9	19.3	38.0	82.6	213.1	474.7
1948	53.0	3.2	2.3	1.9	4.4	7.3	18.4	44.7	99.1	248.3	699.1	1,654.9
1947	56.0	2.9	2.4	1.8	4.3	7.8	19.1	48.7	107.8	268.0	738.2	1,760.0
1946	58.3	4.4	2.6	2.2	4.4	8.6	20.8	50.3	114.8	280.9	764.0	1,827.9
1945	66.5	4.5	3.1	2.4	5.8	10.6	23.7	56.2	128.0	317.3	849.6	1,873.5
1944	69.0	5.3	2.6	2.5	5.5	10.4	24.6	59.4	135.4	345.0	924.3	2,011.6
1943	73.9	4.9	2.9	2.5	5.3	10.6	27.1	65.0	150.9	383.7	1,034.7	2,212.7
1942	72.4	6.4	3.2	2.4	5.3	10.5	27.8	66.2	153.3	387.2	1,016.0	2,110.9
1941	75.1	7.3	3.1	2.5	5.4	10.8	28.7	69.1	160.5	414.3	1,095.2	2,209.9
1940	81.5	7.2	3.5	2.8	5.6	11.8	30.4	73.4	176.2	462.7	1,227.6	2,558.7

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942. States, 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

NEPHRITIS												
ALL RACES, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	21.2	3.3	2.9	2.1	4.1	5.7	10.2	20.3	42.5	91.2	241.3	537.9
1948	57.0	4.2	2.6	2.0	5.0	7.5	18.6	49.0	114.1	279.9	784.2	1,927.0
1947	60.3	3.3	2.8	1.9	4.5	8.3	18.7	52.6	123.6	302.5	830.0	2,043.7
1946	62.8	5.6	2.8	2.0	4.8	8.2	20.4	53.8	131.0	315.3	859.7	2,098.5
1945	75.4	5.6	3.7	2.3	7.5	12.6	23.9	60.5	146.9	354.2	952.7	2,164.6
1944	76.4	5.1	3.2	2.6	6.4	10.6	24.6	63.3	153.9	385.3	1,034.2	2,248.6
1943	80.4	6.2	3.3	2.5	5.8	11.1	26.1	69.2	170.3	427.3	1,158.3	2,539.9
1942	77.8	7.5	3.4	2.3	5.2	10.3	27.1	70.2	172.9	429.2	1,136.6	2,440.7
1941	80.6	8.7	3.6	2.4	5.4	10.8	27.7	73.6	180.7	463.8	1,217.1	2,522.4
1940	86.7	8.7	3.8	2.8	5.7	11.6	27.8	77.9	195.4	509.9	1,362.8	2,910.3
NEPHRITIS												
ALL RACES, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	18.6	2.6	2.2	1.8	3.3	4.8	9.5	18.3	33.5	74.5	188.9	428.8
1948	49.0	2.2	1.9	1.9	3.9	7.0	18.3	40.3	84.0	218.4	625.8	1,456.4
1947	51.7	2.4	1.9	1.8	4.0	7.4	19.4	44.8	91.8	235.3	658.0	1,550.2
1946	53.9	3.2	2.4	2.3	4.1	8.9	21.2	46.7	98.3	248.1	680.8	1,630.9
1945	58.5	3.5	2.5	2.5	4.6	9.2	23.4	51.8	108.7	281.7	759.5	1,658.5
1944	62.1	5.5	2.0	2.4	4.8	10.3	24.7	55.3	116.4	305.9	827.8	1,836.0
1943	67.7	3.5	2.5	2.4	4.8	10.1	28.0	60.6	130.9	341.3	925.6	1,969.0
1942	67.0	5.3	3.1	2.5	5.4	10.6	28.5	62.0	133.0	346.1	909.6	1,864.3
1941	69.6	6.0	2.5	2.5	5.4	10.8	29.7	64.5	139.5	365.7	985.8	1,975.5
1940	76.3	5.7	3.1	2.8	5.6	12.0	32.9	68.6	156.1	416.0	1,105.1	2,294.9

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

NEPHRITIS												
WHITE, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	17.9	2.5	2.4	1.9	3.5	4.5	7.6	14.9	31.6	73.1	200.5	456.9
1948	49.2	2.9	2.1	1.8	4.1	5.7	13.3	33.6	82.5	226.1	683.8	1,662.0
1947	52.4	2.5	2.1	1.8	3.9	6.1	13.9	37.3	92.0	247.2	723.0	1,758.1
1946	54.8	4.1	2.5	2.1	4.0	6.6	15.7	38.8	97.9	260.2	754.3	1,842.5
1945	62.4	4.2	2.8	2.2	5.3	8.5	17.7	43.4	109.6	294.0	836.2	1,878.3
1944	64.7	4.4	2.3	2.3	5.0	8.2	18.3	46.5	115.2	320.5	909.9	1,993.7
1943	69.3	4.5	2.6	2.4	4.6	8.2	19.7	50.7	129.2	356.4	1,015.6	2,219.4
1942	67.8	5.9	2.7	2.2	4.7	8.1	20.3	52.3	132.4	359.0	1,001.3	2,114.4
1941	70.1	6.3	2.7	2.3	4.7	8.1	20.8	53.7	138.3	384.0	1,078.8	2,202.0
1940	76.6	6.4	3.1	2.6	5.0	9.0	22.1	58.1	152.5	433.1	1,205.4	2,567.6
NEPHRITIS												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	19.3	2.8	2.6	2.0	4.0	5.2	8.5	16.6	36.1	80.8	224.7	513.9
1948	53.1	3.8	2.3	1.9	4.8	6.4	14.3	38.1	96.6	254.9	762.7	1,926.8
1947	56.8	3.0	2.6	1.8	4.3	7.0	14.7	42.3	108.5	279.1	811.2	2,018.4
1946	59.4	5.2	2.8	1.9	4.5	6.9	16.5	42.8	114.2	292.4	843.1	2,099.5
1945	71.2	5.0	3.2	2.0	7.2	11.0	19.1	48.6	129.0	326.7	933.1	2,148.6
1944	72.0	4.3	2.8	2.4	6.0	9.0	19.4	50.9	133.9	357.2	1,015.1	2,204.7
1943	75.8	5.8	3.0	2.5	5.3	9.2	20.4	55.7	148.4	396.9	1,130.9	2,534.8
1942	73.1	6.6	3.0	2.1	4.8	8.4	20.7	57.5	152.2	395.4	1,113.1	2,409.5
1941	75.2	7.6	3.2	2.3	4.9	8.5	20.8	58.5	157.6	427.6	1,192.5	2,483.4
1940	81.5	7.5	3.3	2.6	5.3	9.3	20.8	63.0	171.9	474.0	1,332.1	2,890.7

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

NEPHRITIS												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	16.6	2.2	2.1	1.8	2.9	3.9	6.7	13.3	27.2	65.8	180.1	416.8
1948	45.4	1.9	1.9	1.7	3.5	5.1	12.4	29.0	68.3	199.2	616.3	1,473.4
1947	47.9	1.9	1.6	1.8	3.5	5.3	13.2	32.2	75.4	217.0	647.2	1,570.0
1946	50.3	2.9	2.1	2.3	3.6	6.3	15.0	34.8	81.3	229.6	677.6	1,654.6
1945	54.6	3.3	2.3	2.4	4.1	6.8	16.4	38.1	90.0	262.7	752.1	1,677.3
1944	57.9	4.6	1.7	2.3	4.2	7.5	17.2	42.1	96.1	285.2	818.2	1,835.8
1943	63.0	3.2	2.2	2.2	3.9	7.4	19.0	45.5	109.5	317.3	913.7	1,982.1
1942	62.6	5.2	2.4	2.3	4.6	7.9	19.9	46.9	112.1	323.7	902.3	1,892.4
1941	65.0	5.1	2.1	2.2	4.6	7.8	20.8	48.7	118.3	341.7	977.3	1,989.5
1940	71.7	5.3	2.8	2.7	4.6	8.7	23.3	52.9	132.3	393.0	1,090.9	2,324.6
NEPHRITIS												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	36.5	6.0	4.0	2.5	5.3	11.5	29.9	61.2	114.3	210.6	402.0	683.7
1948	85.0	5.6	3.4	2.9	6.6	20.3	62.7	154.0	297.7	545.3	928.9	1,573.2
1947	86.9	6.6	4.1	2.1	7.1	22.1	63.4	163.2	295.4	544.2	963.9	1,737.5
1946	88.4	7.1	3.6	2.5	7.3	25.4	64.7	166.3	315.6	555.8	909.7	1,710.5
1945	100.7	7.1	5.5	3.4	9.1	27.5	75.0	187.4	346.9	629.7	1,045.5	1,818.9
1944	105.8	12.1	5.3	3.3	9.6	29.2	79.3	192.8	378.8	675.8	1,144.9	2,214.3
1943	114.0	7.8	5.3	3.3	10.5	30.4	90.9	215.4	414.5	755.2	1,334.0	2,140.0
1942	111.6	10.1	6.9	3.6	10.1	30.2	93.1	214.2	410.9	774.6	1,260.6	2,073.5
1941	118.3	14.7	5.9	3.9	10.4	33.6	98.0	235.4	436.6	833.6	1,365.2	2,291.2
1940	124.7	13.2	6.4	3.9	11.2	35.9	103.1	240.9	475.3	872.9	1,600.8	2,476.5

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

NEPHRITIS												
ALL OTHER, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	37.6	6.9	5.2	2.9	4.4	10.3	25.6	55.6	118.4	225.3	473.5	816.7
1948	91.2	6.8	4.4	2.6	6.2	17.2	56.3	156.5	319.4	598.2	1,072.6	1,929.4
1947	90.5	6.0	4.1	2.6	6.6	19.1	54.0	155.7	298.6	595.7	1,091.2	2,343.8
1946	92.7	9.3	3.0	2.5	6.6	19.7	54.7	164.4	324.1	603.3	1,081.6	2,226.7
1945	110.2	9.5	7.2	3.7	9.6	25.5	65.7	182.0	353.7	704.9	1,220.7	2,353.3
1944	114.1	11.6	6.2	3.7	9.0	23.7	69.8	191.8	387.4	744.3	1,311.5	2,778.6
1943	120.5	9.5	5.8	3.1	9.3	27.4	76.3	210.6	427.9	821.1	1,572.6	2,600.0
1942	119.4	14.4	6.2	3.8	8.7	27.0	84.3	205.1	419.5	866.0	1,502.9	2,792.9
1941	128.3	16.9	6.6	3.6	9.2	30.9	89.6	235.4	458.9	937.8	1,609.1	2,942.9
1940	133.7	17.5	7.1	4.2	9.3	32.3	90.9	240.5	482.9	982.0	1,867.7	3,094.6
NEPHRITIS												
ALL OTHER, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	35.4	5.0	2.8	2.1	6.1	12.6	33.8	66.8	110.1	195.7	332.0	588.0
1948	79.1	4.3	2.3	3.3	7.0	23.0	68.6	151.6	275.6	488.6	769.1	1,320.8
1947	83.5	7.1	4.1	1.5	7.6	24.9	72.3	170.8	291.9	490.2	829.0	1,333.3
1946	84.2	5.0	4.3	2.5	8.0	30.7	74.2	168.3	305.7	507.8	739.8	1,373.9
1945	92.0	4.8	3.8	3.1	8.8	29.0	83.4	193.1	339.4	550.0	886.9	1,454.5
1944	98.1	12.6	4.4	2.9	10.0	33.6	88.1	194.1	369.5	599.6	970.4	1,838.1
1943	107.8	6.2	4.9	3.4	11.5	33.1	104.6	220.3	399.8	684.3	1,107.8	1,833.3
1942	104.1	5.9	7.7	3.5	11.4	33.1	101.3	222.9	400.5	672.3	1,045.8	1,570.0
1941	108.6	12.4	5.2	4.1	11.6	36.0	106.0	235.0	413.0	719.9	1,131.9	1,835.0
1940	116.0	9.0	5.6	3.5	13.0	39.1	114.6	241.2	466.8	753.9	1,349.6	2,020.9

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

	ICD Revision	Years in use	ICD Nos.									
			1949 480-493									
			Sixth Fifth	1940-1948 33,107-109								
ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	30.0	288.4	19.8	3.2	3.2	4.3	9.2	18.9	37.2	87.8	262.9	878.9
1948	38.7	407.8	24.4	4.0	4.2	5.5	12.2	23.4	46.7	109.6	345.0	1,111.2
1947	43.1	382.3	25.0	4.5	4.9	7.0	13.6	27.5	55.9	125.9	394.5	1,301.0
1946	44.5	527.2	30.1	5.2	6.1	7.9	15.5	29.5	57.3	127.3	401.3	1,311.9
1945	51.6	590.1	38.4	6.9	8.8	11.4	20.0	35.0	64.4	136.4	417.9	1,257.5
1944	61.6	623.0	45.4	7.0	8.6	12.6	23.3	42.9	82.4	182.3	550.9	1,688.4
1943	67.1	676.1	54.7	8.1	10.3	15.1	28.5	51.4	92.0	197.0	571.1	1,709.1
1942	55.7	694.4	47.7	6.6	8.6	13.0	24.3	42.0	75.4	167.1	473.0	1,295.8
1941	63.8	772.0	57.1	8.0	10.1	15.1	26.6	47.1	85.6	196.6	600.9	1,813.2
1940	70.3	870.1	62.5	9.0	11.5	17.1	28.6	51.8	98.3	228.2	687.9	1,986.8

INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ALL RACES, MALE	Total	Under 1 year	ICD Nos.									
			1949 480-493									
			Sixth Fifth	1940-1948 33,107-109								
ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	34.3	311.1	20.1	3.6	3.6	4.6	12.0	26.1	50.3	107.1	296.7	960.8
1948	44.2	443.0	26.0	4.1	4.4	5.5	15.5	32.1	64.0	135.0	390.1	1,185.1
1947	49.0	417.4	25.9	4.6	5.0	7.6	16.8	37.2	74.9	152.6	435.1	1,393.7
1946	49.8	571.2	31.1	5.3	6.7	8.8	18.8	38.5	74.1	147.9	443.0	1,306.1
1945	61.8	642.1	39.7	6.7	10.4	13.9	25.6	46.7	85.3	162.8	463.9	1,366.7
1944	72.4	679.0	46.8	7.3	10.7	15.2	30.5	57.8	108.4	213.4	596.7	1,762.8
1943	77.9	749.4	57.3	8.3	11.6	17.2	37.2	69.6	120.9	230.8	616.4	1,759.0
1942	63.3	754.5	49.3	6.8	9.6	15.2	30.3	55.5	96.9	190.7	510.4	1,368.0
1941	71.4	853.8	59.4	8.1	11.0	16.9	32.0	60.6	107.0	227.0	635.6	1,913.3
1940	77.1	962.8	66.7	9.3	12.1	18.2	34.1	64.6	119.3	253.5	719.4	2,041.9

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ALL RACES, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	25.8	264.8	19.4	2.8	2.9	4.0	6.6	11.7	24.0	69.6	233.9	818.6
1948	33.2	370.8	22.8	3.8	4.0	5.5	8.9	14.7	29.3	85.6	306.1	1,055.1
1947	37.3	345.6	24.1	4.4	4.8	6.4	10.4	17.8	36.6	100.5	359.2	1,230.0
1946	39.3	481.1	29.0	5.1	5.5	7.0	12.2	20.4	40.2	107.6	365.1	1,316.2
1945	42.5	536.0	37.1	7.0	7.7	9.7	14.8	23.0	43.0	110.9	377.6	1,176.9
1944	51.5	564.3	44.0	6.7	6.9	10.6	16.6	27.7	55.6	152.2	510.6	1,633.2
1943	56.7	599.6	52.0	7.8	9.1	13.2	20.1	32.8	62.3	164.2	531.2	1,672.0
1942	48.1	631.2	46.1	6.4	7.7	10.9	18.3	28.0	53.1	144.1	440.1	1,241.7
1941	56.3	686.2	54.7	7.9	9.2	13.5	21.4	32.9	63.3	166.8	569.8	1,738.2
1940	63.4	774.2	58.3	8.7	10.9	16.1	23.1	38.3	76.2	203.2	659.4	1,945.5

INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

WHITE, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	26.9	226.2	16.1	2.8	2.5	3.0	6.8	14.4	32.2	82.1	261.7	889.5
1948	35.4	338.6	20.6	3.5	3.4	4.1	9.1	18.6	41.0	103.7	345.9	1,140.3
1947	39.9	319.4	21.1	3.9	3.8	5.3	10.4	21.9	49.7	120.5	396.4	1,341.5
1946	41.1	448.0	25.7	4.6	5.0	6.0	12.2	23.5	50.6	121.6	403.1	1,362.2
1945	47.2	495.5	32.7	6.2	7.0	8.8	15.7	27.8	57.3	131.1	419.7	1,286.5
1944	56.6	525.4	38.7	6.2	6.9	9.6	17.9	34.4	73.7	173.8	553.0	1,733.2
1943	62.0	575.4	47.2	7.0	8.5	11.9	22.1	43.1	83.7	190.1	573.5	1,767.8
1942	50.8	595.7	40.9	5.7	6.7	9.8	18.9	34.3	68.0	161.2	476.1	1,322.8
1941	57.5	650.3	48.0	6.9	7.7	11.1	19.8	37.6	75.6	185.1	598.6	1,859.5
1940	64.0	758.6	53.9	7.7	8.5	12.4	21.4	41.4	86.9	217.1	690.4	2,048.0

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

WHITE, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	30.8	245.5	16.4	3.1	2.9	3.3	9.0	20.8	45.1	101.1	296.0	971.8
1948	40.7	369.2	22.6	3.7	3.7	4.2	12.2	26.8	57.9	128.3	390.8	1,215.7
1947	45.6	353.1	22.0	4.1	4.2	6.1	13.5	31.1	68.5	146.9	436.6	1,424.7
1946	46.1	490.7	26.3	4.6	5.8	7.0	15.3	31.5	66.8	142.2	445.5	1,342.9
1945	56.8	539.9	34.1	6.0	8.8	10.9	21.0	38.3	78.1	157.5	466.8	1,384.2
1944	66.8	573.5	39.6	6.5	9.1	12.0	24.5	48.2	99.2	204.6	597.1	1,791.1
1943	72.1	639.6	49.8	7.3	10.1	13.6	29.3	60.0	112.6	223.3	617.2	1,806.1
1942	58.0	647.4	42.5	6.0	7.9	11.6	24.6	46.8	89.1	184.9	513.2	1,384.2
1941	64.3	720.9	50.0	7.0	8.7	12.6	24.7	50.0	96.4	214.2	630.5	1,945.7
1940	70.0	839.3	57.0	7.9	9.5	13.2	25.6	53.4	107.3	240.4	720.2	2,091.3

INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

WHITE, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	23.0	206.0	15.7	2.5	2.1	2.7	4.6	8.0	19.3	64.3	232.8	831.6
1948	30.1	306.2	18.5	3.3	3.0	4.0	6.1	10.5	24.0	80.6	307.5	1,086.7
1947	34.2	284.0	20.2	3.7	3.4	4.5	7.4	12.7	30.8	95.5	361.8	1,281.4
1946	36.2	403.0	25.0	4.5	4.2	5.0	9.1	15.5	34.2	102.1	366.5	1,376.3
1945	38.5	448.5	31.2	6.3	5.8	7.4	10.9	17.2	36.3	105.8	378.7	1,213.9
1944	47.1	474.8	37.8	5.8	5.1	7.7	11.6	20.4	47.6	144.3	514.6	1,689.8
1943	52.2	508.3	44.5	6.7	7.0	10.3	15.1	25.7	54.0	158.1	534.6	1,739.0
1942	43.8	540.6	39.2	5.4	5.5	8.1	13.3	21.4	46.3	138.3	443.3	1,276.7
1941	50.7	575.9	45.9	6.8	6.7	9.6	15.0	24.6	54.1	156.8	570.2	1,794.5
1940	58.0	674.6	50.8	7.6	7.5	11.6	17.0	28.8	65.6	194.3	663.4	2,015.5

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	56.9	715.4	46.9	6.1	8.7	15.1	30.6	62.8	96.8	165.0	280.3	753.5
1948	66.9	919.6	52.6	7.3	10.8	17.3	38.7	70.8	114.8	188.6	331.6	773.2
1947	70.9	911.7	53.4	8.2	13.3	21.4	41.1	83.6	128.6	197.1	367.2	810.0
1946	73.3	1,124.6	62.2	9.3	14.5	23.7	44.1	90.0	136.4	203.0	374.9	776.3
1945	89.2	1,285.8	79.7	11.6	21.7	32.6	56.6	108.6	148.4	207.6	388.0	932.4
1944	104.0	1,371.7	93.3	12.8	21.5	38.0	69.9	130.9	187.1	296.1	517.7	1,182.9
1943	111.2	1,500.7	106.5	15.4	24.6	42.4	83.7	139.1	194.0	291.4	534.7	1,068.6
1942	97.5	1,426.8	94.8	12.6	23.9	40.3	70.7	123.8	166.5	248.6	425.4	1,002.9
1941	118.8	1,668.3	120.1	15.5	29.4	50.0	86.1	149.1	210.0	356.0	637.8	1,335.3
1940	125.4	1,689.3	122.3	18.1	35.7	57.6	92.1	165.6	241.6	381.7	646.7	1,417.6
INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN												
ALL OTHER, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	64.5	767.0	48.3	7.4	8.8	15.5	38.6	77.8	112.1	186.0	306.1	833.3
1948	75.2	997.4	51.2	7.4	10.5	16.9	45.5	85.1	134.9	220.2	376.8	829.4
1947	78.6	973.8	55.4	7.8	11.6	20.4	46.1	98.7	148.9	224.0	414.3	1,025.0
1946	81.6	1,196.4	66.6	9.9	13.0	24.0	50.2	109.2	158.2	220.2	402.3	946.7
1945	103.1	1,416.3	80.5	11.3	21.6	37.3	65.9	133.1	169.1	230.8	417.1	1,160.0
1944	120.7	1,507.5	98.9	13.0	22.4	42.2	82.1	157.1	216.0	325.1	591.0	1,421.4
1943	128.7	1,662.8	110.4	15.4	23.9	48.5	106.5	170.0	218.9	329.3	604.1	1,207.1
1942	110.0	1,564.7	97.5	12.0	23.4	47.6	81.1	147.9	189.6	265.5	466.7	1,185.7
1941	134.0	1,854.6	126.5	15.9	30.1	55.2	97.3	173.9	235.0	394.8	716.7	1,564.3
1940	141.3	1,896.5	135.5	19.5	34.0	62.6	110.4	187.5	265.8	426.6	706.4	1,577.3

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ALL OTHER, FEMALE	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	
	Total	1 year	years	years	years	years	years	years	years	years	and over	
1949	49.7	659.7	45.6	4.9	8.6	14.8	23.1	47.8	81.0	143.8	255.0	696.0
1948	58.8	840.6	53.9	7.2	11.2	17.6	32.3	56.4	94.0	155.3	280.4	733.3
1947	63.5	854.4	51.4	8.5	14.9	22.4	36.5	68.4	107.0	168.8	317.2	666.7
1946	65.4	1,053.2	58.0	8.7	15.8	23.5	38.3	70.5	112.6	185.6	347.7	665.2
1945	76.6	1,163.9	78.9	11.9	21.7	29.0	48.3	83.7	125.9	183.1	364.3	777.3
1944	88.7	1,242.7	87.7	12.6	20.9	34.7	58.7	104.1	155.5	263.9	440.7	1,023.8
1943	94.6	1,335.2	102.7	15.4	25.2	37.1	62.5	107.1	166.7	250.7	468.8	976.2
1942	85.4	1,296.3	92.5	13.2	24.3	33.9	60.8	98.4	140.5	229.1	391.7	875.0
1941	104.1	1,480.6	113.7	15.1	28.7	45.4	75.6	122.8	182.6	313.7	562.3	1,175.0
1940	110.0	1,485.6	109.2	16.7	37.3	53.1	74.7	142.4	214.5	332.7	590.6	1,299.8

INFLUENZA

ALL RACES, BOTH SEXES	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	480-483									
	Fifth	1940-1948	33									
	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	
	Total	1 year	years	years	years	years	years	years	years	years	and over	
1949	3.1	24.9	1.8	0.4	0.4	0.5	0.8	1.7	3.4	9.6	30.4	109.8
1948	3.5	29.6	2.6	0.5	0.5	0.6	1.0	2.0	3.9	9.4	32.6	130.6
1947	5.3	30.9	3.1	0.7	0.8	0.9	1.5	3.2	6.4	16.0	57.0	231.1
1946	6.3	51.8	5.3	1.0	1.1	1.3	2.1	4.0	7.5	16.8	62.9	244.9
1945	7.7	71.2	7.3	1.5	1.7	1.9	2.8	4.7	8.6	18.7	66.0	250.7
1944	13.0	86.4	10.1	2.0	1.9	2.6	4.6	7.9	16.5	39.8	140.3	509.1
1943	12.8	88.7	11.2	1.9	2.3	3.1	5.5	9.3	16.6	38.7	126.3	442.4
1942	8.1	77.9	8.0	1.5	1.8	2.1	3.6	5.6	10.6	24.7	74.7	226.1
1941	15.8	140.4	14.6	2.5	3.1	4.1	7.0	11.5	19.6	47.9	164.5	586.8
1940	15.3	133.5	14.4	2.4	3.0	4.1	6.7	10.8	20.3	48.6	166.4	586.4

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

INFLUENZA												
ALL RACES, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	3.2	26.7	1.9	0.4	0.6	0.4	0.9	1.9	4.0	10.2	30.2	114.5
1948	3.5	32.6	2.7	0.6	0.5	0.4	1.1	2.2	4.4	10.3	30.7	133.5
1947	5.4	32.6	3.1	0.7	0.9	0.8	1.5	3.6	7.6	16.7	58.6	228.2
1946	6.2	55.3	5.3	1.0	1.1	1.3	2.1	4.6	8.5	16.9	62.4	216.7
1945	8.4	77.6	7.6	1.3	1.9	1.7	2.9	5.1	10.2	20.4	67.5	265.6
1944	13.8	91.8	10.5	2.0	2.1	2.6	5.2	9.3	18.9	41.4	141.0	500.5
1943	13.7	100.8	11.7	2.0	2.3	3.3	6.0	11.1	20.2	41.2	124.3	433.7
1942	8.4	82.5	7.9	1.5	1.8	2.3	4.0	6.3	11.9	25.5	72.4	234.9
1941	16.4	154.6	15.2	2.5	3.1	4.0	7.6	12.6	21.8	51.9	163.0	606.1
1940	15.3	148.1	15.9	2.5	3.0	3.7	6.5	11.8	22.1	48.9	157.7	571.7
INFLUENZA												
ALL RACES, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	3.0	22.9	1.6	0.4	0.3	0.6	0.8	1.4	2.9	8.9	30.5	106.2
1948	3.4	26.6	2.5	0.5	0.6	0.7	0.9	1.8	3.3	8.4	34.1	128.1
1947	5.3	29.0	3.1	0.7	0.7	1.0	1.5	2.9	5.2	15.4	55.7	232.4
1946	6.3	48.0	5.3	1.0	1.2	1.3	2.2	3.3	6.5	16.7	63.4	265.4
1945	7.1	64.5	7.0	1.6	1.5	2.0	2.6	4.3	7.0	17.1	64.8	239.6
1944	12.3	80.8	9.6	2.0	1.7	2.6	4.1	6.3	14.1	38.2	139.7	515.4
1943	12.0	76.0	10.7	1.9	2.4	3.0	5.0	7.5	12.9	36.2	128.0	449.0
1942	7.9	73.0	8.2	1.5	1.7	1.9	3.3	4.8	9.3	24.0	76.8	219.6
1941	15.2	125.4	14.0	2.5	3.0	4.1	6.4	10.4	17.3	44.0	165.8	572.3
1940	15.3	118.3	12.9	2.4	2.9	4.5	6.8	9.8	18.4	48.4	174.4	597.5

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

INFLUENZA												
WHITE, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	2.5	16.7	1.4	0.3	0.3	0.3	0.5	1.0	2.5	7.8	29.1	105.7
1948	2.9	22.5	2.2	0.4	0.4	0.3	0.6	1.1	2.8	8.0	30.6	126.1
1947	4.7	24.1	2.6	0.6	0.6	0.6	1.0	2.0	4.9	14.5	55.2	230.2
1946	5.4	39.0	4.4	0.9	0.8	0.8	1.5	2.6	5.7	14.7	61.0	250.1
1945	6.7	57.3	6.2	1.3	1.3	1.4	2.0	3.1	6.9	16.8	64.5	251.8
1944	11.7	68.8	8.8	1.7	1.4	1.8	3.3	5.6	13.5	36.3	138.3	513.9
1943	11.7	72.7	9.6	1.7	1.8	2.4	4.1	7.2	14.5	36.3	125.6	458.4
1942	7.1	64.6	7.0	1.3	1.3	1.5	2.6	3.9	8.7	22.4	73.7	226.9
1941	13.6	112.6	12.3	2.1	2.2	2.8	4.8	8.3	15.5	42.3	159.7	587.7
1940	13.3	109.7	12.4	2.1	2.1	2.8	4.7	7.5	16.4	44.0	162.4	583.3
INFLUENZA												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	2.6	17.2	1.6	0.3	0.5	0.3	0.5	1.2	3.0	8.4	29.3	108.1
1948	2.9	25.3	2.5	0.4	0.3	0.3	0.7	1.4	3.3	8.7	28.7	131.3
1947	4.8	26.3	2.5	0.7	0.7	0.6	1.1	2.5	6.1	15.1	55.9	223.7
1946	5.4	43.0	4.4	0.9	0.9	0.9	1.6	3.1	6.6	14.7	60.5	217.6
1945	7.3	62.7	6.4	1.2	1.7	1.2	2.3	3.5	8.3	18.6	66.2	265.0
1944	12.4	73.3	9.2	1.7	1.7	1.8	4.1	7.1	16.1	38.2	138.1	503.6
1943	12.4	83.1	10.0	1.8	1.9	2.4	4.6	9.0	18.4	38.6	124.1	444.5
1942	7.4	69.3	7.0	1.4	1.4	1.7	3.0	4.5	9.9	23.1	71.7	234.2
1941	14.1	124.1	13.0	2.1	2.3	2.8	5.5	9.4	18.0	46.2	156.8	598.7
1940	13.3	121.8	13.2	2.1	2.3	2.6	4.7	8.7	18.3	43.8	152.8	566.0

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

INFLUENZA												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	2.5	16.1	1.3	0.3	0.2	0.3	0.4	0.7	2.1	7.2	28.9	104.0
1948	2.8	19.6	2.0	0.4	0.4	0.4	0.5	0.8	2.3	7.3	32.2	122.3
1947	4.6	21.9	2.6	0.6	0.5	0.6	0.9	1.5	3.7	13.9	54.6	235.0
1946	5.4	34.8	4.3	0.8	0.8	0.8	1.4	2.0	4.8	14.6	61.5	273.9
1945	6.1	51.6	6.1	1.5	1.1	1.5	1.7	2.7	5.4	15.0	63.0	242.0
1944	11.0	64.1	8.3	1.6	1.1	1.8	2.6	4.0	11.0	34.5	138.6	521.7
1943	10.9	61.7	9.3	1.6	1.7	2.4	3.6	5.4	10.5	34.0	126.7	468.8
1942	6.8	59.6	6.9	1.2	1.2	1.3	2.2	3.2	7.4	21.6	75.4	221.4
1941	13.1	100.5	11.5	2.1	2.1	2.7	4.2	7.1	13.0	38.5	162.4	579.5
1940	13.4	97.1	11.5	2.0	1.8	3.1	4.7	6.3	14.4	44.3	171.1	596.3
INFLUENZA												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	8.0	81.1	4.1	1.1	1.3	2.3	3.8	8.7	14.5	33.6	50.0	158.1
1948	8.5	82.5	5.5	1.3	1.7	2.4	4.4	10.9	16.1	27.8	62.1	182.9
1947	10.9	87.4	6.9	1.2	2.4	3.4	5.7	15.4	24.4	36.7	84.2	235.0
1946	13.8	148.0	11.6	1.8	3.4	5.1	7.8	18.3	29.1	45.3	91.4	192.1
1945	16.1	173.2	15.1	2.6	4.2	6.0	9.6	21.5	29.5	45.0	88.6	237.8
1944	24.7	221.7	19.4	4.4	5.7	9.2	15.5	31.6	52.6	87.0	170.3	454.3
1943	22.8	219.8	22.1	3.8	6.6	9.6	17.2	31.3	42.9	70.9	137.3	268.6
1942	17.2	176.4	15.3	2.7	5.6	7.1	12.4	23.9	35.2	57.1	92.3	217.6
1941	34.9	344.8	30.7	5.6	10.1	15.2	25.5	46.4	70.4	126.1	243.0	576.5
1940	32.7	307.9	29.0	5.2	10.4	15.1	23.8	46.4	69.4	112.3	233.8	615.6

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

INFLUENZA												
ALL OTHER, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	8.5	93.1	4.2	1.3	1.4	1.6	3.7	9.4	16.2	33.7	42.9	188.9
1948	8.6	87.4	4.7	1.4	1.5	1.3	4.7	10.4	17.2	30.5	58.9	158.8
1947	11.0	87.4	7.2	1.2	2.0	2.6	5.3	14.3	25.5	37.6	95.6	281.3
1946	13.8	151.4	11.5	2.0	2.8	4.4	6.4	19.8	30.6	44.1	87.4	220.0
1945	17.0	190.5	16.2	2.3	3.8	5.5	8.4	21.9	32.2	43.3	84.1	273.3
1944	25.6	237.0	20.3	4.0	5.4	9.0	14.6	32.9	51.8	82.7	183.3	464.3
1943	24.2	248.0	24.0	3.4	5.2	10.9	17.9	33.1	42.4	74.0	127.4	307.1
1942	17.5	182.7	13.7	2.4	5.0	7.1	12.5	25.6	35.5	56.3	84.1	242.9
1941	36.5	384.6	30.8	5.9	10.0	14.9	26.2	46.4	67.8	126.5	262.1	685.7
1940	33.7	346.9	35.2	5.0	8.9	13.7	23.1	45.7	68.0	115.8	237.1	625.6
INFLUENZA												
ALL OTHER, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	7.5	68.7	4.0	0.9	1.2	2.9	3.9	8.0	12.7	33.5	57.0	136.0
1948	8.5	77.5	6.3	1.2	1.8	3.5	4.2	11.3	14.9	24.9	63.9	200.0
1947	10.8	87.9	6.5	1.3	2.8	4.1	6.2	16.6	23.1	35.7	72.0	204.2
1946	13.7	144.7	11.7	1.6	4.0	5.7	9.1	16.6	27.5	46.7	95.5	173.9
1945	15.3	157.1	13.9	2.9	4.4	6.3	10.7	21.2	26.6	46.8	94.0	213.6
1944	23.9	207.7	18.6	4.9	6.0	9.4	16.3	30.3	53.4	91.2	155.6	447.6
1943	21.5	191.0	20.1	4.3	7.8	8.4	16.6	29.4	43.4	67.7	146.8	242.9
1942	17.0	171.3	17.0	3.0	6.1	7.2	12.3	22.0	34.8	57.7	101.4	200.0
1941	33.4	304.7	30.7	5.4	10.3	15.4	24.9	46.3	73.5	125.6	224.6	500.0
1940	31.8	269.6	22.7	5.3	11.6	16.4	24.6	47.2	70.9	108.6	230.8	608.2

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN												
	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	490-493									
ALL RACES, BOTH SEXES	Fifth	1940-1948	107-109									
	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years and over
	1 year	years	years	years	years	years	years	years	years	years	years	years
1949	26.9	263.5	18.0	2.8	2.8	3.8	8.4	17.2	33.7	78.2	232.5	769.0
1948	35.2	378.1	21.8	3.4	3.7	5.0	11.2	21.5	42.9	100.3	312.5	980.7
1947	37.8	351.5	21.9	3.8	4.1	6.1	12.1	24.3	49.4	109.8	337.5	1,069.9
1946	38.2	475.4	24.8	4.2	4.9	6.6	13.3	25.5	49.7	110.5	338.4	1,067.0
1945	43.9	518.9	31.1	5.4	7.1	9.6	17.2	30.3	55.7	117.7	351.8	1,006.9
1944	48.5	536.6	35.3	5.0	6.7	10.0	18.7	35.0	65.8	142.5	410.6	1,179.3
1943	54.3	587.4	43.5	6.1	8.0	11.9	23.0	42.1	75.4	158.4	444.9	1,266.7
1942	47.5	616.5	39.7	5.1	6.9	10.9	20.6	36.4	64.8	142.4	398.2	1,069.7
1941	48.0	631.6	42.5	5.4	7.0	11.1	19.7	35.5	66.0	148.7	436.4	1,226.5
1940	55.0	736.6	48.1	6.6	8.5	13.0	21.9	41.0	78.0	179.6	521.5	1,400.4
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN												
ALL RACES, MALE												
	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years and over
	1 year	years	years	years	years	years	years	years	years	years	years	years
1949	31.1	284.3	18.2	3.2	3.0	4.1	11.2	24.2	46.3	96.9	266.4	846.3
1948	40.7	410.5	23.3	3.6	4.0	5.2	14.5	29.9	59.5	124.7	359.4	1,051.6
1947	43.6	384.8	22.9	3.9	4.2	6.8	15.3	33.7	67.3	135.9	376.5	1,165.5
1946	43.6	515.9	25.9	4.2	5.6	7.6	16.7	33.9	65.5	131.1	380.6	1,089.4
1945	53.4	564.5	32.1	5.4	8.4	12.1	22.7	41.6	75.1	142.4	396.5	1,101.0
1944	58.6	587.2	36.3	5.3	8.5	12.6	25.3	48.4	89.5	172.0	455.7	1,262.3
1943	64.3	648.6	45.6	6.4	9.4	14.0	31.2	58.5	100.6	189.7	492.1	1,325.3
1942	54.8	672.0	41.4	5.3	7.8	13.0	26.3	49.1	85.0	165.2	438.0	1,133.1
1941	55.0	699.2	44.2	5.6	7.8	12.8	24.4	48.0	85.2	175.1	472.6	1,307.3
1940	61.8	814.7	50.8	6.8	9.0	14.5	27.6	52.8	97.3	204.7	561.7	1,470.2

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ALL RACES, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	22.8	241.9	17.8	2.4	2.6	3.4	5.8	10.3	21.1	60.7	203.4	712.4
1948	29.8	344.2	20.3	3.3	3.5	4.7	8.0	12.9	26.0	77.2	272.0	927.1
1947	32.0	316.6	21.0	3.7	4.0	5.4	9.0	14.9	31.4	85.1	303.5	997.6
1946	33.0	433.0	23.8	4.1	4.3	5.7	10.0	17.0	33.6	90.9	301.7	1,050.7
1945	35.4	471.5	30.0	5.4	6.2	7.7	12.2	18.7	36.0	93.8	312.8	937.3
1944	39.2	483.5	34.4	4.7	5.2	8.0	12.5	21.3	41.5	114.0	371.0	1,117.8
1943	44.6	523.6	41.4	5.9	6.7	10.1	15.2	25.3	49.4	128.0	403.2	1,223.0
1942	40.2	558.2	37.9	5.0	5.9	9.0	15.0	23.1	43.8	120.1	363.3	1,022.2
1941	41.1	560.8	40.7	5.3	6.2	9.4	15.0	22.5	46.0	122.8	403.9	1,165.9
1940	48.1	655.9	45.3	6.3	8.0	11.6	16.3	28.6	57.8	154.8	485.0	1,348.0

PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

WHITE, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	24.4	209.6	14.6	2.5	2.2	2.7	6.3	13.4	29.7	74.3	232.7	783.8
1948	32.5	316.2	18.4	3.1	3.0	3.8	8.5	17.5	38.2	95.7	315.3	1,014.3
1947	35.2	295.3	18.5	3.3	3.2	4.7	9.4	19.9	44.8	106.0	341.1	1,111.3
1946	35.7	409.0	21.3	3.7	4.1	5.2	10.7	21.0	44.9	107.0	342.1	1,112.1
1945	40.5	438.2	26.4	4.8	5.7	7.5	13.7	24.7	50.5	114.3	355.1	1,034.7
1944	44.9	456.6	29.9	4.5	5.5	7.8	14.6	28.8	60.1	137.5	414.7	1,219.2
1943	50.3	502.8	37.6	5.3	6.7	9.5	18.0	35.9	69.2	153.8	447.9	1,309.4
1942	43.7	531.1	33.9	4.4	5.4	8.3	16.3	30.4	59.4	138.8	402.4	1,095.9
1941	43.9	537.7	35.7	4.8	5.5	8.3	15.0	29.3	60.1	142.8	438.9	1,271.8
1940	50.7	648.9	41.6	5.7	6.4	9.6	16.6	33.9	70.5	173.1	527.9	1,464.8

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	28.2	228.3	14.8	2.8	2.5	3.0	8.5	19.6	42.1	92.7	266.7	863.6
1948	37.7	344.0	20.2	3.2	3.4	4.0	11.5	25.4	54.6	119.5	362.1	1,084.3
1947	40.8	326.8	19.4	3.5	3.5	5.5	12.4	28.6	62.4	131.8	380.6	1,201.1
1946	40.8	447.7	21.9	3.7	5.0	6.1	13.7	28.4	60.1	127.5	385.0	1,125.3
1945	49.5	477.2	27.7	4.8	7.1	9.6	18.7	34.8	69.8	138.9	400.6	1,119.2
1944	54.3	500.3	30.4	4.8	7.4	10.2	20.4	41.1	83.1	166.4	459.0	1,287.6
1943	59.6	556.5	39.8	5.5	8.2	11.2	24.7	51.0	94.2	184.6	493.1	1,361.6
1942	50.6	578.1	35.4	4.7	6.5	9.9	21.6	42.3	79.2	161.8	441.5	1,150.0
1941	50.2	596.8	36.9	4.9	6.4	9.8	19.2	40.6	78.4	168.0	473.8	1,347.0
1940	56.7	717.5	43.8	5.8	7.2	10.6	20.9	44.7	89.0	196.6	567.4	1,525.3
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	20.5	189.9	14.5	2.2	1.9	2.4	4.2	7.3	17.2	57.1	203.9	727.6
1948	27.3	286.6	16.5	2.9	2.6	3.6	5.6	9.7	21.7	73.4	275.3	964.4
1947	29.6	262.1	17.6	3.1	2.9	3.8	6.5	11.2	27.1	81.6	307.2	1,046.4
1946	30.8	368.2	20.6	3.7	3.3	4.3	7.7	13.4	29.4	87.4	305.0	1,102.4
1945	32.4	397.0	25.1	4.8	4.7	5.9	9.2	14.5	30.8	90.8	315.7	971.8
1944	36.2	410.8	29.4	4.2	4.0	5.9	9.0	16.3	36.7	109.8	376.0	1,168.1
1943	41.3	446.6	35.3	5.1	5.3	7.9	11.5	20.3	43.5	124.1	407.9	1,270.2
1942	36.9	481.0	32.3	4.2	4.4	6.9	11.1	18.2	38.9	116.6	367.9	1,055.2
1941	37.6	475.3	34.4	4.7	4.6	6.9	10.8	17.5	41.1	118.3	407.8	1,215.0
1940	44.6	577.5	39.3	5.6	5.7	8.5	12.3	22.5	51.2	150.1	492.3	1,419.2

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ALL OTHER, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	49.0	634.2	42.8	5.0	7.4	12.8	26.8	54.2	82.3	131.4	230.3	595.3
1948	58.3	837.1	47.1	6.0	9.2	14.8	34.3	59.9	98.7	160.8	269.5	590.2
1947	60.0	824.3	46.5	6.9	10.9	18.1	35.4	68.2	104.2	160.4	283.1	575.0
1946	59.6	976.5	50.6	7.5	11.0	18.7	36.3	71.8	107.3	157.7	283.4	584.2
1945	73.1	1,112.5	64.6	9.0	17.5	26.6	47.0	87.1	118.9	162.6	299.4	694.6
1944	79.4	1,150.0	73.8	8.4	15.8	28.8	54.4	99.3	134.5	209.1	347.5	728.6
1943	88.4	1,280.9	84.5	11.6	18.0	32.8	66.5	107.8	151.1	220.4	397.3	800.0
1942	80.3	1,250.4	79.5	9.9	18.3	33.2	58.3	99.9	131.3	191.5	333.1	785.3
1941	83.9	1,323.6	89.3	9.9	19.2	34.9	60.6	102.7	139.6	229.9	394.8	758.8
1940	92.6	1,381.3	93.4	12.9	25.4	42.5	68.2	119.2	172.2	269.4	412.9	802.0

PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ALL OTHER, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	56.0	673.9	44.2	6.1	7.4	13.8	34.9	68.4	95.9	152.3	263.3	644.4
1948	66.6	910.0	46.5	5.9	8.9	15.6	40.7	74.7	117.6	189.7	317.9	670.6
1947	67.6	886.3	48.2	6.6	9.6	17.8	40.8	84.4	123.4	186.4	318.7	743.8
1946	67.7	1,045.0	55.1	7.9	10.1	19.7	43.8	89.4	127.6	176.1	314.9	726.7
1945	86.2	1,225.9	64.3	9.0	17.8	31.8	57.4	111.2	136.9	187.5	332.9	886.7
1944	95.1	1,270.5	78.6	9.0	17.0	33.2	67.5	124.1	164.2	242.4	407.7	957.1
1943	104.4	1,414.9	86.4	12.0	18.6	37.6	88.6	137.0	176.5	255.3	476.7	900.0
1942	92.6	1,382.0	83.9	9.6	18.4	40.5	68.5	122.3	154.1	209.2	382.6	942.9
1941	97.6	1,470.0	95.8	10.0	20.1	40.3	71.1	127.5	167.3	268.3	454.5	878.6
1940	107.6	1,549.6	100.3	14.4	25.1	48.9	87.3	141.8	197.8	310.8	469.3	951.7

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN

ALL OTHER, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	42.2	591.0	41.6	4.0	7.4	11.9	19.2	39.9	68.3	110.3	198.0	560.0
1948	50.3	763.1	47.6	6.0	9.4	14.1	28.2	45.1	79.1	130.4	216.5	533.3
1947	52.6	766.5	44.9	7.2	12.2	18.3	30.3	51.8	83.9	133.1	245.2	462.5
1946	51.7	908.5	46.3	7.1	11.8	17.8	29.2	53.8	85.2	138.9	252.3	491.3
1945	61.3	1,006.8	64.9	9.1	17.3	22.7	37.6	62.5	99.3	136.3	270.2	563.6
1944	64.8	1,035.0	69.0	7.8	14.9	25.3	42.4	73.8	102.1	172.7	285.2	576.2
1943	73.2	1,144.1	82.6	11.2	17.4	28.6	45.9	77.7	123.4	183.0	322.1	733.3
1942	68.4	1,125.0	75.5	10.1	18.2	26.7	48.6	76.3	105.8	171.4	290.3	675.0
1941	70.7	1,176.0	83.0	9.7	18.4	30.0	50.8	76.5	109.1	188.2	337.7	675.0
1940	78.2	1,216.0	86.5	11.4	25.6	36.8	50.1	95.2	143.6	224.1	359.8	691.6

ULCER OF STOMACH AND DUODENUM

ALL RACES, BOTH SEXES	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	540,541									
	Fifth	1940-1948	117									
	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	5.3	1.1	0.0	0.0	0.3	0.9	3.4	8.4	16.6	23.7	31.1	38.8
1948	6.0	1.3	0.1	0.0	0.2	1.1	3.8	10.0	18.5	27.1	34.7	46.0
1947	6.0	1.0	0.1	0.1	0.3	1.3	4.3	10.3	19.4	25.6	32.0	42.5
1946	5.8	1.1	0.1	0.1	0.3	1.5	4.2	10.2	18.0	24.4	32.5	40.4
1945	6.8	1.3	0.0	0.0	0.5	2.0	5.7	11.8	20.2	26.0	32.1	35.8
1944	6.6	0.7	0.1	0.1	0.4	2.2	5.8	12.2	20.4	24.3	31.5	36.3
1943	7.0	0.9	0.1	0.1	0.5	2.2	6.2	13.6	21.5	26.8	32.4	38.6
1942	6.9	0.8	0.1	0.0	0.6	2.5	6.2	13.6	21.7	25.9	35.4	37.6
1941	6.7	0.7	0.1	0.0	0.6	2.6	6.2	13.8	20.5	25.0	32.4	36.4
1940	6.8	1.2	0.1	0.1	0.7	2.7	6.9	13.7	20.6	26.4	34.7	33.4

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ULCER OF STOMACH AND DUODENUM												
ALL RACES, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	8.6	1.3	0.0	0.0	0.3	1.5	5.8	14.3	28.5	39.6	49.2	58.1
1948	9.8	1.6	0.1	0.0	0.4	1.9	6.2	17.3	31.9	44.9	55.8	60.9
1947	9.9	1.1	0.1	0.0	0.5	2.1	7.1	17.9	33.2	42.5	48.3	62.6
1946	9.6	1.1	0.1	0.1	0.5	2.4	7.1	17.6	30.3	39.9	49.7	57.6
1945	11.8	1.9	0.1	0.1	0.8	4.0	10.2	20.3	34.8	42.6	49.2	49.0
1944	11.3	0.8	0.1	0.1	0.7	3.8	10.2	21.2	34.2	39.9	47.0	49.7
1943	11.6	1.4	0.2	0.1	0.8	3.8	10.8	23.3	36.3	42.8	48.2	59.6
1942	11.5	0.8	0.0	0.0	1.0	4.2	10.9	23.3	37.0	41.9	52.6	57.0
1941	11.0	1.0	0.1	0.1	1.0	4.5	10.5	23.6	34.4	39.8	48.7	48.5
1940	11.2	1.2	0.1	0.1	1.0	4.4	11.9	23.1	34.9	41.9	50.8	42.8
ULCER OF STOMACH AND DUODENUM												
ALL RACES, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.9	0.8	0.0	0.0	0.2	0.4	1.1	2.4	4.5	8.8	15.5	25.1
1948	2.2	1.0	0.0	0.1	0.1	0.3	1.5	2.7	5.0	10.4	16.5	35.3
1947	2.2	0.9	0.1	0.1	0.2	0.5	1.6	2.6	5.5	9.5	17.9	27.9
1946	2.1	1.0	0.1	0.0	0.2	0.6	1.4	2.8	5.5	9.6	17.5	27.9
1945	2.2	0.6	0.0	0.0	0.2	0.6	1.6	3.2	5.4	10.1	17.2	26.2
1944	2.2	0.7	0.1	0.1	0.2	0.9	1.7	3.0	6.2	9.2	17.8	26.3
1943	2.4	0.4	0.0	0.1	0.2	0.8	1.8	3.7	6.3	11.2	18.5	23.0
1942	2.3	0.8	0.1	0.0	0.2	0.8	1.6	3.6	5.9	10.4	20.1	23.0
1941	2.3	0.5	0.1	0.0	0.3	0.8	1.8	3.5	6.1	10.5	17.7	27.3
1940	2.4	1.3	0.0	0.1	0.3	1.0	1.8	3.8	5.8	11.0	20.1	26.4

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ULCER OF STOMACH AND DUODENUM												
WHITE, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	5.4	0.8	0.0	0.0	0.2	0.8	3.2	8.1	16.7	24.2	31.9	39.7
1948	6.1	1.3	0.1	0.0	0.2	1.0	3.6	9.8	18.8	27.8	36.1	48.1
1947	6.1	0.8	0.1	0.1	0.3	1.1	4.0	10.0	19.8	26.1	33.0	44.8
1946	6.0	0.9	0.1	0.1	0.3	1.2	4.0	10.0	18.2	25.0	33.7	43.2
1945	6.9	1.2	0.0	0.0	0.3	1.8	5.6	11.6	20.4	26.4	32.9	38.1
1944	6.7	0.8	0.1	0.1	0.3	2.0	5.6	12.0	20.5	24.9	32.5	38.0
1943	7.0	0.8	0.1	0.1	0.4	2.0	5.9	13.2	21.7	27.2	33.1	39.8
1942	7.0	0.9	0.1	0.0	0.5	2.2	5.8	13.3	21.9	26.4	36.7	39.4
1941	6.7	0.5	0.1	0.0	0.5	2.4	5.8	13.5	20.8	25.4	33.2	38.2
1940	6.8	1.2	0.1	0.1	0.5	2.4	6.5	13.3	20.8	26.7	35.7	36.4
ULCER OF STOMACH AND DUODENUM												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	8.8	1.1	0.0	0.0	0.2	1.2	5.4	14.0	28.9	40.7	50.7	59.3
1948	10.2	1.6	0.1	0.0	0.3	1.8	5.9	17.2	32.7	46.3	58.1	63.6
1947	10.2	1.0	0.0	0.0	0.4	1.9	6.7	17.6	34.2	43.9	50.1	66.3
1946	9.9	1.0	0.1	0.1	0.5	1.9	6.9	17.6	31.0	41.2	51.9	61.5
1945	12.2	1.8	0.0	0.1	0.6	3.6	10.1	20.2	35.5	43.3	50.8	51.4
1944	11.6	0.9	0.1	0.1	0.6	3.6	10.1	21.1	34.6	41.4	48.6	51.5
1943	11.9	1.1	0.1	0.1	0.7	3.6	10.4	23.0	37.2	44.0	49.8	61.0
1942	11.8	1.0	0.1	*	0.8	3.8	10.4	23.3	37.7	42.9	55.0	58.9
1941	11.2	0.6	0.1	0.1	0.9	4.2	10.1	23.4	35.2	40.8	49.8	51.0
1940	11.3	1.1	0.1	0.1	0.8	4.1	11.5	22.8	35.4	42.8	52.5	47.4

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

ULCER OF STOMACH AND DUODENUM

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.9	0.5	0.1	0.0	0.1	0.3	0.9	2.2	4.5	8.8	15.9	25.9
1948	2.1	1.0	0.0	0.0	0.1	0.3	1.3	2.4	4.7	10.4	17.4	37.1
1947	2.1	0.7	0.1	0.1	0.1	0.4	1.4	2.3	5.3	9.2	18.3	29.3
1946	2.1	0.8	0.1	0.0	0.1	0.4	1.2	2.4	5.2	9.7	17.9	29.7
1945	2.2	0.6	0.0	*	0.1	0.5	1.3	2.8	5.0	10.3	17.4	28.2
1944	2.2	0.6	0.0	0.1	0.1	0.8	1.3	2.7	6.0	9.1	18.4	27.9
1943	2.3	0.4	0.1	0.1	0.1	0.6	1.5	3.2	5.8	11.0	18.5	23.9
1942	2.2	0.8	0.1	0.0	0.2	0.6	1.2	3.0	5.6	10.4	20.5	24.8
1941	2.2	0.4	0.1	0.0	0.2	0.7	1.5	3.1	5.8	10.4	18.4	28.5
1940	2.3	1.4	0.1	0.1	0.2	0.8	1.3	3.3	5.6	10.9	20.5	28.2

ULCER OF STOMACH AND DUODENUM

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	4.4	2.7	0.1	0.0	0.9	2.2	5.7	10.6	14.8	17.3	19.2	27.9
1948	4.5	1.6	*	0.1	0.5	1.9	5.9	12.2	15.5	18.8	13.2	22.0
1947	4.9	2.7	0.2	0.0	0.9	2.6	6.6	13.2	14.8	19.3	17.5	15.0
1946	4.7	2.5	*	0.0	0.7	3.8	5.8	12.2	15.4	16.2	14.9	10.5
1945	5.7	1.7	0.2	0.1	1.4	3.7	7.1	14.4	18.8	20.7	20.4	10.8
1944	5.4	0.3	0.1	*	1.1	3.4	7.6	14.5	19.8	15.9	15.8	17.1
1943	6.2	1.7	0.3	0.2	1.1	4.1	8.7	17.8	19.4	21.3	20.7	25.7
1942	6.2	0.4	0.1	0.1	1.4	5.1	10.1	17.0	19.6	19.3	14.1	17.6
1941	6.0	2.3	0.2	0.1	1.6	4.7	9.3	16.6	17.1	19.3	18.5	17.6
1940	6.4	1.2	*	0.0	1.9	5.0	10.5	18.2	18.6	21.6	17.2	5.6

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ULCER OF STOMACH AND DUODENUM

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	7.0	2.5	0.3	*	1.3	3.9	9.0	17.0	23.8	25.3	28.6	44.4
1948	6.8	1.6	*	0.1	1.0	3.3	8.8	18.1	23.2	26.2	23.2	29.4
1947	7.4	2.2	0.3	*	1.5	4.0	10.6	20.5	21.6	25.1	24.2	18.8
1946	6.8	2.1	*	*	0.8	6.1	8.5	17.2	21.7	23.9	17.2	13.3
1945	8.9	2.7	0.3	0.1	2.3	6.6	10.8	21.4	27.0	33.5	26.8	20.0
1944	8.3	*	*	*	1.7	5.5	11.1	22.4	29.6	20.8	23.1	28.6
1943	9.1	3.4	0.5	*	1.5	6.0	13.8	26.5	25.3	27.6	24.7	42.9
1942	9.4	*	*	0.1	2.3	8.0	15.5	23.7	29.0	27.7	15.9	35.7
1941	9.2	3.8	0.2	0.1	2.4	7.5	14.5	25.0	24.3	27.0	31.8	21.4
1940	9.6	1.7	*	*	2.9	7.6	15.4	26.7	28.7	29.3	22.6	*

ULCER OF STOMACH AND DUODENUM

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	2.0	3.0	*	0.1	0.5	0.6	2.7	4.2	5.4	9.3	10.0	16.0
1948	2.2	1.6	*	0.2	0.1	0.5	3.2	6.2	7.5	11.0	3.1	16.7
1947	2.5	3.3	*	0.1	0.4	1.3	2.9	5.8	7.6	13.2	10.8	12.5
1946	2.6	2.8	*	0.1	0.5	1.7	3.3	7.0	8.5	8.2	12.5	8.7
1945	2.7	0.7	*	0.1	0.7	1.5	3.8	7.3	9.9	7.3	14.3	4.5
1944	2.7	0.7	0.2	*	0.7	1.7	4.5	6.5	9.1	10.5	8.6	9.5
1943	3.5	*	*	0.4	0.7	2.5	3.9	8.8	13.0	14.4	16.9	14.3
1942	3.2	0.7	0.2	*	0.6	2.5	5.0	10.0	9.3	10.0	12.5	5.0
1941	2.9	0.8	0.2	*	0.9	2.1	4.5	7.6	9.1	10.9	5.8	15.0
1940	3.3	0.8	*	0.1	0.9	2.6	5.8	9.3	7.3	13.3	12.1	9.8

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

APPENDICITIS

	ICD Revision	Years in use	ICD Nos.									
	Sixth Fifth	1949 1940-1948	550-553									
ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	2.5	0.6	1.6	1.5	1.3	1.1	1.8	3.1	5.2	7.6	10.2	13.1
1948	2.9	0.8	1.8	1.6	1.6	1.4	2.1	3.5	6.1	8.1	11.3	10.1
1947	3.3	0.8	2.6	1.9	1.9	1.9	2.6	4.1	6.8	9.0	12.0	14.8
1946	3.8	1.0	2.3	2.1	2.5	2.1	3.4	4.9	7.4	9.3	12.2	14.0
1945	5.1	1.2	3.3	3.6	3.4	3.3	4.3	6.1	9.5	11.2	12.9	11.1
1944	5.9	1.3	4.4	4.4	4.2	3.7	5.1	7.3	10.4	12.8	14.3	12.8
1943	6.0	1.6	4.7	4.8	4.4	4.2	5.6	7.6	9.9	12.0	14.2	14.9
1942	6.2	1.2	5.1	4.9	4.6	4.0	5.5	7.9	11.0	13.1	15.2	18.2
1941	8.1	1.3	6.2	6.2	6.5	5.5	7.2	10.5	13.6	17.0	18.5	15.8
1940	9.9	1.7	6.8	8.0	8.2	7.0	9.3	12.4	16.5	19.4	20.8	18.9

APPENDICITIS

ALL RACES, MALE	Total	Under	ICD Nos.									
		1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	3.1	0.3	1.9	1.8	1.6	1.4	2.3	4.2	6.8	9.8	12.3	15.0
1948	3.5	0.9	2.0	1.9	2.0	1.8	2.7	4.5	7.7	9.8	14.0	11.6
1947	4.0	1.1	3.0	2.1	2.2	2.2	3.4	5.1	8.5	11.2	13.4	17.5
1946	4.6	1.1	2.9	2.4	2.9	2.3	4.2	6.3	10.1	11.5	13.7	16.2
1945	6.3	1.6	3.9	4.1	4.0	4.4	5.4	7.9	11.7	13.4	16.5	12.5
1944	7.1	1.3	5.2	4.8	4.9	4.4	6.4	9.3	12.7	15.3	15.9	13.1
1943	7.3	2.2	5.4	5.4	5.3	5.0	7.4	9.8	12.2	13.8	15.5	20.2
1942	7.6	2.0	6.3	5.6	5.8	4.9	6.8	10.4	12.6	15.3	17.6	19.8
1941	9.9	1.4	6.8	6.8	7.9	7.1	9.5	13.6	16.4	20.1	20.6	21.2
1940	12.1	2.6	7.9	9.0	10.5	9.1	12.1	15.4	20.2	22.5	22.0	18.5

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

APPENDICITIS

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.9	0.9	1.3	1.2	1.0	0.9	1.3	1.9	3.5	5.6	8.5	11.8
1948	2.2	0.7	1.5	1.3	1.3	1.0	1.6	2.5	4.5	6.4	9.1	8.9
1947	2.6	0.6	2.1	1.7	1.6	1.5	1.8	3.0	5.2	6.9	10.7	12.9
1946	2.9	0.8	1.8	1.9	2.1	1.9	2.5	3.5	4.6	7.2	10.9	12.5
1945	3.9	0.8	2.8	3.1	2.9	2.6	3.3	4.2	7.3	9.1	9.8	10.0
1944	4.7	1.3	3.5	3.9	3.6	3.2	3.8	5.3	8.0	10.4	13.0	12.6
1943	4.8	0.9	4.0	4.2	3.6	3.4	3.8	5.4	7.6	10.2	13.1	10.9
1942	4.9	0.4	3.9	4.1	3.5	3.1	4.3	5.4	9.3	11.0	13.1	17.0
1941	6.3	1.3	5.5	5.6	5.2	3.9	4.8	7.4	10.7	14.0	16.6	11.8
1940	7.6	0.8	5.7	6.9	5.8	4.9	6.5	9.3	12.7	16.2	19.7	19.2

APPENDICITIS

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	2.4	0.7	1.6	1.4	1.2	1.0	1.6	2.8	4.8	7.6	10.2	14.2
1948	2.8	0.8	1.8	1.5	1.6	1.3	1.9	3.3	5.8	8.1	11.7	10.5
1947	3.2	0.8	2.6	1.8	1.7	1.7	2.2	3.8	6.7	9.0	12.4	15.2
1946	3.7	1.0	2.5	2.0	2.4	1.9	2.9	4.5	7.4	9.5	12.5	15.1
1945	4.9	1.2	3.5	3.5	3.1	2.9	3.6	5.7	9.4	11.4	13.4	11.6
1944	5.7	1.1	4.7	4.3	3.8	3.2	4.7	6.9	10.2	13.2	14.7	13.7
1943	5.9	1.5	5.1	4.8	4.2	3.6	5.1	7.3	9.9	12.2	14.5	15.7
1942	6.1	1.1	5.4	4.6	4.4	3.5	5.0	7.7	10.8	13.4	15.6	17.9
1941	7.9	1.4	6.7	6.1	6.2	5.0	6.6	10.0	13.7	17.3	19.1	17.1
1940	9.8	1.7	7.2	8.1	7.9	6.5	8.6	12.1	16.9	19.8	21.4	20.3

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

APPENDICITIS

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	3.0	0.4	1.9	1.7	1.4	1.2	2.1	3.9	6.3	9.9	12.1	16.3
1948	3.4	0.9	2.1	1.8	1.9	1.7	2.5	4.4	7.4	9.9	14.4	12.1
1947	3.9	1.1	3.2	2.0	2.0	2.1	3.0	4.9	8.3	11.0	14.2	17.9
1946	4.5	1.2	3.0	2.2	2.8	2.1	3.8	5.9	10.2	11.6	14.3	17.0
1945	6.2	1.6	3.9	4.1	3.8	3.9	4.8	7.6	11.5	13.5	17.1	13.0
1944	7.0	1.1	5.6	4.7	4.5	4.0	6.0	8.8	12.6	15.7	16.2	14.2
1943	7.2	2.0	5.7	5.4	5.1	4.5	7.0	9.3	12.4	14.0	16.0	22.0
1942	7.4	1.8	6.7	5.3	5.6	4.4	6.5	10.0	12.4	15.4	18.2	18.4
1941	9.7	1.3	7.4	6.7	7.7	6.6	9.0	13.1	16.4	20.4	21.5	23.2
1940	12.1	2.5	8.5	9.2	10.3	8.6	11.5	15.2	20.7	23.0	22.6	19.8

APPENDICITIS

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.8	1.0	1.3	1.1	0.9	0.7	1.1	1.6	3.3	5.4	8.6	12.8
1948	2.1	0.7	1.6	1.2	1.3	0.9	1.3	2.3	4.3	6.4	9.5	9.4
1947	2.5	0.5	2.1	1.6	1.4	1.2	1.5	2.6	5.2	7.2	10.9	13.3
1946	2.8	0.9	1.9	1.8	2.0	1.6	2.1	3.0	4.5	7.4	11.0	13.7
1945	3.7	0.7	3.1	3.0	2.6	2.2	2.5	3.8	7.2	9.3	10.2	10.5
1944	4.5	1.1	3.7	3.9	3.2	2.6	3.4	5.0	7.8	10.8	13.4	13.3
1943	4.6	0.9	4.4	4.2	3.4	2.8	3.3	5.2	7.5	10.4	13.3	11.0
1942	4.8	0.4	4.1	3.9	3.3	2.7	3.6	5.2	9.2	11.5	13.3	17.6
1941	6.1	1.4	6.0	5.5	4.7	3.4	4.2	6.8	10.9	14.3	17.0	12.5
1940	7.5	0.8	5.9	7.0	5.5	4.4	5.7	8.9	13.0	16.6	20.4	20.7

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

APPENDICITIS

ALL OTHER, BOTH SEXES	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
1949	3.5	0.2	1.6	2.4	2.2	2.6	3.5	6.1	9.2	7.8	10.1	*
1948	3.5	1.1	1.5	2.3	2.2	2.8	4.3	4.8	8.9	7.8	5.3	4.9
1947	4.3	1.1	1.9	2.3	3.2	3.8	5.6	7.1	8.3	8.4	5.5	10.0
1946	4.7	0.4	1.4	3.0	3.1	4.2	7.0	9.3	7.7	7.4	7.4	2.6
1945	6.7	1.7	2.1	4.0	5.5	6.9	10.4	10.2	11.0	9.4	5.4	5.4
1944	7.3	2.8	2.6	4.6	7.2	8.0	8.3	11.8	12.4	8.1	8.9	2.9
1943	7.4	2.7	2.3	5.0	6.1	9.1	9.5	11.0	9.8	9.7	9.3	5.7
1942	7.7	1.8	2.7	6.3	6.4	7.6	9.9	11.1	12.8	9.2	9.2	20.6
1941	9.6	1.2	2.6	6.9	9.1	9.8	12.1	16.0	13.0	13.6	8.1	2.9
1940	10.4	2.1	3.7	7.1	10.2	11.1	14.9	15.8	11.4	12.9	9.4	5.6

APPENDICITIS

ALL OTHER, MALE	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
1949	4.2	*	1.9	2.6	2.7	2.8	4.0	7.2	12.7	8.1	14.3	*
1948	4.1	1.1	1.7	2.6	3.0	3.1	4.6	5.7	10.9	8.9	8.4	5.9
1947	4.9	1.1	2.0	2.5	3.6	3.6	6.5	7.6	11.4	13.3	3.3	12.5
1946	5.4	0.7	1.8	3.4	3.3	4.1	8.0	10.5	9.1	9.9	5.7	6.7
1945	7.7	1.4	3.4	4.3	5.4	8.3	11.0	12.0	13.5	12.5	7.3	6.7
1944	8.3	2.7	2.8	5.4	7.8	7.3	9.5	14.8	14.3	11.0	11.5	*
1943	8.5	4.1	3.4	5.4	7.1	9.7	10.2	15.0	10.8	11.8	8.2	*
1942	9.0	3.6	3.2	7.4	7.9	8.8	9.0	14.6	14.9	13.4	8.7	35.7
1941	11.0	1.5	2.8	7.6	9.7	11.7	13.9	18.6	16.8	17.0	7.6	*
1940	12.1	3.3	3.7	8.0	12.0	13.0	17.3	18.3	14.1	15.3	11.3	6.7

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

APPENDICITIS

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	2.9	0.5	1.3	2.2	1.7	2.3	3.1	5.0	5.6	7.5	6.0	*
1948	2.9	1.1	1.3	2.0	1.5	2.4	4.1	3.9	6.8	6.6	2.1	4.2
1947	3.7	1.1	1.8	2.2	2.9	4.0	4.8	6.7	5.1	3.4	7.5	8.3
1946	4.1	*	0.9	2.5	2.9	4.2	6.1	8.1	6.1	4.7	9.1	*
1945	5.9	2.0	0.8	3.8	5.6	5.9	9.9	8.4	8.3	6.0	3.6	4.5
1944	6.4	2.8	2.4	3.7	6.7	8.6	7.3	8.6	10.3	5.0	6.2	4.8
1943	6.3	1.4	1.2	4.5	5.2	8.6	8.8	7.0	8.7	7.4	10.4	9.5
1942	6.4	*	2.3	5.3	5.0	6.5	10.7	7.4	10.5	4.5	9.7	10.0
1941	8.1	0.8	2.3	6.2	8.6	8.0	10.5	13.1	8.8	10.0	8.7	5.0
1940	8.7	0.8	3.7	6.2	8.5	9.4	12.7	13.1	8.4	10.3	7.6	4.9

HERNIA AND INTESTINAL OBSTRUCTION

ALL RACES, BOTH SEXES	ICD Revision Sixth	Years in use 1949	ICD Nos. 560,561,570										
	Fifth	1940-1948	122	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years
1949	6.6	31.6	1.3	0.4	0.5	1.2	2.5	5.7	12.9	28.5	62.2	120.4	
1948	6.9	14.4	1.7	0.5	0.8	1.4	3.3	6.8	14.1	30.5	67.5	129.4	
1947	7.5	16.2	1.6	0.6	0.9	1.7	3.7	7.7	15.4	33.1	70.4	134.3	
1946	8.0	18.4	1.9	0.7	1.1	2.2	4.1	8.4	17.4	34.9	73.6	127.0	
1945	8.8	19.4	2.2	0.7	1.3	2.8	5.3	9.2	19.0	35.5	70.3	137.8	
1944	9.0	23.3	2.3	0.8	1.4	2.7	5.3	9.9	19.4	37.3	77.1	131.6	
1943	9.3	22.5	2.8	0.8	1.4	2.9	5.4	10.8	19.7	39.9	82.9	147.2	
1942	8.6	25.3	2.9	0.9	1.3	2.7	5.2	10.1	18.6	35.7	76.2	145.3	
1941	8.7	35.5	3.0	0.8	1.3	3.0	5.2	9.9	19.4	36.9	76.5	127.5	
1940	9.0	41.3	3.0	1.0	1.5	2.8	5.5	10.2	19.7	38.8	83.7	148.3	

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

HERNIA AND INTESTINAL OBSTRUCTION

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	6.9	38.9	1.8	0.4	0.5	1.0	1.9	5.8	13.5	32.0	66.9	130.8
1948	7.2	17.3	2.2	0.6	0.8	1.1	2.8	6.7	15.2	33.6	76.4	156.7
1947	7.7	20.3	2.2	0.7	1.0	1.3	2.9	6.7	16.7	36.1	76.5	168.4
1946	8.2	21.6	2.6	0.9	1.1	1.8	3.0	7.9	18.4	38.8	80.8	141.9
1945	9.5	23.6	2.9	0.9	1.4	2.4	4.3	8.7	20.8	38.4	79.2	162.0
1944	9.6	29.5	2.9	1.1	1.4	2.1	4.2	9.3	20.8	42.6	83.3	151.4
1943	9.8	28.1	3.5	1.1	1.6	2.1	4.5	10.7	20.9	42.6	93.8	183.1
1942	9.0	29.6	4.0	1.2	1.4	2.4	4.2	9.9	19.3	39.3	88.2	165.1
1941	9.2	45.9	3.7	1.1	1.3	2.6	4.5	9.7	20.6	40.6	84.0	169.7
1940	9.6	55.2	4.0	1.2	1.6	2.4	4.4	9.9	21.4	41.7	96.8	193.1

HERNIA AND INTESTINAL OBSTRUCTION

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	6.3	23.9	0.8	0.4	0.5	1.5	3.1	5.7	12.2	25.1	58.2	112.7
1948	6.6	11.4	1.1	0.4	0.8	1.7	3.8	6.9	13.1	27.6	59.8	109.6
1947	7.3	11.9	1.1	0.4	0.9	2.2	4.6	8.6	14.1	30.2	65.0	109.4
1946	7.8	15.1	1.2	0.4	1.1	2.6	5.2	9.0	16.4	31.2	67.2	116.2
1945	8.1	14.9	1.5	0.5	1.2	3.1	6.1	9.8	17.1	32.8	62.4	120.0
1944	8.5	16.9	1.6	0.6	1.4	3.2	6.4	10.5	18.0	32.2	71.6	117.0
1943	8.8	16.8	2.1	0.6	1.2	3.5	6.2	10.9	18.4	37.3	73.3	120.5
1942	8.2	20.9	1.9	0.6	1.2	2.9	6.3	10.3	17.8	32.1	65.6	130.4
1941	8.2	24.7	2.2	0.5	1.3	3.3	6.0	10.0	18.1	33.3	69.8	95.9
1940	8.4	27.0	2.0	0.8	1.3	3.3	6.6	10.6	18.0	35.9	71.8	114.7

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

HERNIA AND INTESTINAL OBSTRUCTION

WHITE, BOTH SEXES	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	
	1 year	years	years	years	years	years	years	years	years	years	and over	
1949	6.5	30.5	1.1	0.3	0.4	1.0	2.0	5.1	12.3	28.4	64.0	125.1
1948	6.7	13.1	1.5	0.5	0.7	1.1	2.6	5.9	13.4	30.3	68.0	134.5
1947	7.3	15.4	1.4	0.5	0.7	1.4	3.0	6.5	14.7	33.0	71.9	140.2
1946	7.8	17.6	1.9	0.7	0.9	1.7	3.4	7.4	16.5	34.7	75.2	133.9
1945	8.5	18.6	2.1	0.6	1.1	2.3	4.3	7.9	18.2	35.3	71.4	145.5
1944	8.8	22.4	2.2	0.8	1.2	2.2	4.4	8.6	18.8	37.4	79.5	138.7
1943	9.1	21.5	2.7	0.8	1.2	2.2	4.3	9.7	19.0	40.3	84.4	153.7
1942	8.3	25.0	2.8	0.9	1.1	2.0	4.2	8.7	18.0	35.6	78.6	151.1
1941	8.4	34.6	2.7	0.8	1.1	2.3	4.3	8.6	18.6	37.0	77.0	131.9
1940	8.8	40.8	2.7	1.0	1.2	2.3	4.6	9.2	19.1	38.8	85.0	156.4

HERNIA AND INTESTINAL OBSTRUCTION

WHITE, MALE	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	
	1 year	years	years	years	years	years	years	years	years	years	and over	
1949	6.8	37.0	1.5	0.4	0.4	0.8	1.6	5.2	13.0	31.7	68.4	134.0
1948	7.0	15.4	1.9	0.6	0.7	0.8	2.3	5.8	14.1	32.8	76.2	160.1
1947	7.5	19.3	1.8	0.7	0.8	1.1	2.3	5.9	15.8	35.5	78.5	173.7
1946	8.0	21.0	2.5	0.9	0.9	1.5	2.5	6.8	17.3	38.2	82.2	146.2
1945	9.2	22.2	2.8	0.8	1.3	1.8	3.5	7.5	19.9	37.5	79.8	168.9
1944	9.4	28.4	3.0	1.1	1.2	1.7	3.5	7.9	20.1	42.2	85.3	158.0
1943	9.6	26.5	3.4	1.0	1.5	1.7	3.7	9.7	20.1	42.5	94.5	189.6
1942	8.7	29.9	3.8	1.1	1.3	1.9	3.5	8.5	18.4	39.0	89.8	167.1
1941	8.8	45.0	3.4	1.1	1.1	1.9	3.7	8.4	19.7	40.4	83.7	174.8
1940	9.4	53.5	3.6	1.2	1.4	1.9	3.7	9.0	20.8	41.2	97.2	200.9

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

HERNIA AND INTESTINAL OBSTRUCTION

WHITE, FEMALE	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
1949	6.3	23.7	0.7	0.3	0.4	1.2	2.5	4.9	11.6	25.3	60.2	118.9
1948	6.5	10.8	1.0	0.3	0.6	1.4	3.0	5.9	12.6	27.9	60.9	116.2
1947	7.1	11.2	0.9	0.3	0.7	1.7	3.7	7.2	13.5	30.6	66.3	116.0
1946	7.6	14.0	1.3	0.4	0.9	2.0	4.2	7.9	15.7	31.4	69.2	124.9
1945	7.9	14.9	1.4	0.4	1.0	2.6	5.1	8.4	16.5	33.2	64.1	128.2
1944	8.3	16.1	1.4	0.5	1.2	2.6	5.3	9.3	17.5	32.8	74.5	124.3
1943	8.6	16.3	2.0	0.6	1.0	2.8	4.9	9.7	17.9	38.1	75.6	126.6
1942	7.9	19.7	1.8	0.6	1.0	2.2	4.9	8.9	17.5	32.4	68.7	139.0
1941	7.9	23.7	2.0	0.5	1.1	2.6	4.8	8.8	17.6	33.8	71.1	99.5
1940	8.2	27.5	1.8	0.7	1.0	2.6	5.6	9.5	17.4	36.4	74.1	122.9

HERNIA AND INTESTINAL OBSTRUCTION

ALL OTHER, BOTH SEXES	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
1949	7.4	39.0	2.9	0.6	1.6	3.1	6.6	12.4	19.3	30.2	35.9	65.1
1948	8.5	23.6	2.9	0.9	1.7	3.5	9.2	16.3	23.5	33.8	60.5	70.7
1947	9.1	23.2	3.5	0.8	2.6	4.5	10.0	19.1	24.2	34.3	47.0	65.0
1946	9.7	24.6	2.4	0.7	2.6	6.3	10.6	19.3	27.7	37.7	49.1	52.6
1945	10.8	24.7	2.7	1.0	2.7	7.4	13.4	22.5	27.5	38.7	52.1	51.4
1944	10.5	30.3	2.8	1.1	2.9	6.8	12.9	23.4	27.3	36.2	39.9	51.4
1943	11.0	31.1	3.8	1.0	2.6	8.2	14.5	22.2	27.7	34.7	58.7	77.1
1942	10.8	27.9	3.7	1.2	2.9	8.1	14.4	24.5	26.6	36.3	38.0	82.4
1941	11.4	42.1	4.6	0.7	3.2	9.1	13.8	23.4	28.1	35.4	68.1	82.4
1940	10.9	45.5	5.0	1.3	3.3	7.7	13.2	21.2	27.7	38.8	61.0	73.4

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

HERNIA AND INTESTINAL OBSTRUCTION

ALL OTHER, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	8.1	52.2	4.0	0.7	1.9	2.9	4.7	11.8	19.5	36.8	45.9	94.4
1948	9.6	31.6	4.1	0.8	1.4	2.9	7.8	16.1	27.5	43.6	78.9	117.6
1947	9.2	29.5	4.7	1.0	2.8	2.9	7.5	15.5	26.3	42.7	49.5	106.3
1946	9.9	26.4	3.6	0.9	2.1	4.7	7.8	18.7	30.8	45.6	60.9	100.0
1945	11.9	34.7	3.6	1.1	2.4	7.2	11.6	20.8	30.9	49.8	69.5	80.0
1944	11.2	38.4	2.9	1.2	2.9	5.1	10.0	22.9	29.9	47.8	55.1	71.4
1943	11.5	41.2	4.6	1.4	2.3	6.1	12.0	21.1	29.9	43.9	83.6	107.1
1942	11.3	26.6	4.8	1.5	2.8	7.4	10.5	24.0	30.3	42.9	63.8	142.9
1941	12.2	52.3	5.7	0.8	3.0	8.5	11.2	23.6	31.5	43.9	89.4	114.3
1940	11.8	68.4	6.2	1.4	3.3	6.6	10.5	20.1	29.4	48.2	90.3	119.8

HERNIA AND INTESTINAL OBSTRUCTION

ALL OTHER, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	6.7	25.4	1.7	0.6	1.3	3.3	8.4	13.0	19.2	23.5	26.0	44.0
1948	7.5	15.5	1.7	1.0	2.0	4.0	10.5	16.4	19.3	23.4	41.2	37.5
1947	9.1	17.0	2.4	0.6	2.4	5.9	12.2	22.7	21.8	25.6	44.1	37.5
1946	9.4	22.7	1.1	0.6	3.1	7.8	13.2	20.0	24.2	29.6	37.5	21.7
1945	9.9	15.0	1.9	1.0	3.0	7.5	15.0	24.2	23.9	27.0	35.7	31.8
1944	9.9	22.4	2.6	1.0	2.8	8.1	15.5	23.9	24.5	23.5	24.7	38.1
1943	10.5	20.7	3.0	0.6	2.8	9.9	16.8	23.3	25.3	24.9	35.1	57.1
1942	10.4	29.4	2.6	0.8	2.9	8.7	18.0	25.0	22.5	29.1	13.9	40.0
1941	10.6	31.8	3.6	0.7	3.4	9.6	16.2	23.2	24.4	26.1	47.8	60.0
1940	10.1	22.9	3.7	1.3	3.3	8.7	15.7	22.3	25.8	28.5	33.4	39.2

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS

	ICD Revision		Years in use		ICD Nos.												
	Sixth	Fifth	1949	1940-1948	543,571,572	119,120	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
ALL RACES, BOTH SEXES	Total	1 year	years	years	years	years	years	years	years	years	years	years	years	years	years	years	and over
1949	6.7	178.8	6.5	0.5	0.6	0.8	1.3	2.1	4.3	9.2	24.4	56.1					
1948	6.0	199.5	7.2	0.5	0.5	0.7	0.9	1.2	1.8	3.2	8.7	28.8					
1947	5.6	161.9	5.8	0.4	0.5	0.9	1.1	1.3	2.1	4.0	9.9	31.3					
1946	5.8	229.0	6.7	0.5	0.4	0.7	0.9	1.4	2.3	4.1	10.6	38.7					
1945	8.7	335.9	10.4	0.6	0.7	0.9	1.2	1.5	2.3	4.9	13.0	42.0					
1944	9.9	367.2	15.0	0.8	0.7	1.0	1.3	1.6	2.7	5.8	13.8	54.9					
1943	9.6	325.1	16.9	0.8	0.8	0.9	1.3	1.8	3.0	5.9	16.9	53.5					
1942	8.8	336.5	18.0	0.8	0.6	0.8	1.3	1.6	2.8	6.1	17.0	56.2					
1941	10.5	425.5	26.0	0.8	0.7	1.0	1.4	1.7	2.9	6.3	18.6	60.8					
1940	10.3	407.0	30.2	0.9	0.7	1.0	1.6	1.9	3.4	7.1	22.9	73.2					

GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS

ALL RACES, MALE	ICD Revision		Years in use		ICD Nos.												
	Sixth	Fifth	1949	1940-1948	543,571,572	119,120	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
	Total	1 year	years	years	years	years	years	years	years	years	years	years	years	years	years	years	and over
1949	7.0	193.6	6.6	0.6	0.6	0.7	1.2	2.3	4.6	8.8	22.0	50.2					
1948	6.6	220.5	7.3	0.5	0.5	0.6	0.8	1.4	1.7	3.0	8.9	24.7					
1947	6.2	183.4	6.1	0.4	0.5	0.8	0.9	1.2	2.3	3.8	8.7	27.7					
1946	6.5	257.9	7.3	0.6	0.4	0.7	1.1	1.6	2.6	4.0	9.2	37.9					
1945	10.1	375.7	11.1	0.6	0.7	1.1	1.1	1.7	2.4	4.8	11.9	40.6					
1944	11.1	404.9	15.6	0.9	0.7	0.9	1.2	1.7	2.8	5.7	12.8	53.6					
1943	10.3	352.8	17.1	0.8	0.8	0.9	1.3	1.8	2.9	5.5	15.0	51.7					
1942	9.5	364.2	18.7	0.8	0.6	0.6	1.2	1.7	2.9	6.3	17.6	50.0					
1941	11.4	471.9	27.5	0.8	0.8	0.8	1.3	1.7	2.9	6.3	16.7	60.0					
1940	11.1	452.2	32.9	0.9	0.7	0.9	1.5	1.9	3.2	6.3	20.0	68.4					

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS

ALL RACES, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	6.4	163.4	6.5	0.4	0.6	0.9	1.4	1.9	4.0	9.6	26.4	60.1
1948	5.5	177.5	7.0	0.5	0.5	0.7	0.9	0.9	2.0	3.3	8.6	31.7
1947	5.0	139.4	5.5	0.4	0.6	1.0	1.2	1.3	1.9	4.1	10.9	33.8
1946	5.1	198.8	6.0	0.4	0.5	0.7	0.7	1.2	2.0	4.2	11.8	39.3
1945	7.4	294.5	9.8	0.5	0.7	0.7	1.4	1.4	2.1	5.0	14.0	43.1
1944	8.7	327.7	14.4	0.7	0.7	1.1	1.3	1.6	2.5	5.9	14.6	55.9
1943	8.8	296.3	16.8	0.9	0.8	1.0	1.2	1.8	3.1	6.3	18.6	54.8
1942	8.1	307.4	17.3	0.7	0.6	0.9	1.3	1.4	2.7	5.9	16.5	60.9
1941	9.6	376.8	24.5	0.8	0.6	1.1	1.5	1.8	2.9	6.4	20.4	61.4
1940	9.5	360.3	27.3	0.8	0.7	1.2	1.6	1.9	3.6	7.9	25.4	76.8

GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS

WHITE, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	6.0	151.2	5.8	0.6	0.6	0.7	1.2	1.9	4.0	9.1	24.2	58.3
1948	5.5	184.0	6.4	0.5	0.5	0.6	0.8	1.0	1.7	2.9	8.9	28.4
1947	5.1	146.2	5.2	0.4	0.5	0.8	0.9	1.1	1.9	3.6	9.7	31.1
1946	5.3	211.0	5.8	0.5	0.5	0.7	0.8	1.2	1.9	3.8	9.9	39.4
1945	7.7	303.7	8.8	0.5	0.7	0.8	1.1	1.2	2.1	4.4	12.8	40.5
1944	8.7	330.3	12.3	0.7	0.7	0.9	1.0	1.3	2.2	5.3	13.3	53.9
1943	8.5	291.5	13.5	0.8	0.7	0.8	1.0	1.4	2.6	5.4	16.2	53.9
1942	7.6	293.9	14.8	0.7	0.6	0.7	1.0	1.3	2.4	5.4	16.7	56.8
1941	8.9	369.0	21.2	0.7	0.6	0.8	1.1	1.4	2.5	5.8	18.0	60.4
1940	9.1	366.5	25.7	0.8	0.6	0.9	1.3	1.5	3.0	6.6	22.5	74.7

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	6.2	161.0	5.9	0.7	0.6	0.6	1.1	2.2	4.4	8.9	21.4	51.2
1948	6.0	200.1	6.5	0.4	0.5	0.6	0.8	1.2	1.6	2.8	8.9	24.7
1947	5.7	166.1	5.5	0.4	0.5	0.7	0.9	1.1	2.2	3.5	8.5	26.8
1946	5.9	237.6	6.3	0.6	0.4	0.7	0.9	1.4	2.2	3.8	8.6	39.0
1945	9.1	340.3	9.4	0.5	0.7	1.0	1.0	1.4	2.4	4.5	11.8	40.7
1944	9.9	367.0	13.0	0.8	0.7	0.8	1.0	1.4	2.4	5.4	12.0	53.3
1943	9.2	318.9	13.1	0.7	0.7	0.8	1.1	1.5	2.6	5.1	14.3	51.2
1942	8.3	320.7	15.5	0.8	0.6	0.6	1.0	1.5	2.7	5.5	17.2	50.0
1941	9.8	413.5	22.6	0.7	0.7	0.7	1.0	1.4	2.5	6.0	15.6	58.3
1940	9.8	409.6	27.5	0.9	0.6	0.7	1.3	1.6	2.9	5.9	20.0	69.3
GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	5.7	140.9	5.7	0.5	0.6	0.8	1.2	1.6	3.6	9.3	26.6	63.3
1948	5.1	166.8	6.4	0.5	0.5	0.6	0.8	0.7	1.8	3.0	8.8	30.9
1947	4.5	125.1	4.9	0.4	0.5	0.8	1.0	1.1	1.5	3.6	10.7	34.2
1946	4.6	183.0	5.2	0.4	0.5	0.7	0.6	1.0	1.6	3.8	11.1	39.8
1945	6.5	265.0	8.3	0.4	0.7	0.6	1.3	1.0	1.8	4.4	13.7	40.3
1944	7.5	291.7	11.5	0.6	0.7	0.9	1.1	1.2	2.1	5.1	14.5	54.4
1943	7.7	262.9	14.0	0.9	0.7	0.8	1.0	1.3	2.5	5.8	17.9	56.0
1942	6.9	265.4	14.1	0.6	0.6	0.8	1.0	1.0	2.1	5.4	16.4	61.9
1941	8.1	322.1	19.9	0.7	0.6	1.0	1.1	1.4	2.4	5.5	20.0	62.0
1940	8.4	321.7	23.8	0.7	0.6	1.0	1.3	1.5	3.1	7.3	24.7	78.7

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS

ALL OTHER, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	13.2	368.5	11.8	0.4	0.7	1.5	2.7	3.7	7.7	10.2	26.3	30.2
1948	10.4	314.6	12.9	0.5	0.5	1.0	1.4	3.2	3.2	7.0	6.8	34.1
1947	10.0	294.5	10.1	0.5	0.6	1.4	2.3	3.0	4.5	9.4	12.6	32.5
1946	10.2	364.8	12.8	0.7	0.3	1.3	2.0	3.4	6.8	8.3	20.6	31.6
1945	16.4	572.9	21.9	1.0	0.6	1.5	2.4	4.8	4.1	11.2	16.2	59.5
1944	19.8	650.7	34.7	1.4	0.6	2.3	3.2	5.4	8.0	13.2	20.3	65.7
1943	19.0	600.3	40.3	1.1	1.2	1.7	3.2	5.1	8.5	12.0	27.3	48.6
1942	19.3	652.5	40.2	1.3	0.8	1.5	3.7	4.9	7.5	15.1	21.8	50.0
1941	24.1	841.7	59.0	1.6	1.1	2.2	4.1	5.3	8.2	14.1	29.6	64.7
1940	21.1	704.3	61.3	1.3	1.5	2.7	3.8	6.2	8.5	14.1	29.7	59.3

GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS

ALL OTHER, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	14.6	420.2	11.5	0.6	0.6	1.4	2.1	3.6	7.0	6.7	29.6	38.9
1948	12.2	373.2	14.0	0.8	0.5	0.8	0.9	3.7	2.8	6.0	9.5	23.5
1947	10.8	333.3	10.7	0.6	0.4	0.9	1.7	2.2	3.2	7.9	12.1	37.5
1946	11.4	415.0	14.2	0.8	0.3	1.1	2.3	3.4	6.9	6.3	18.4	26.7
1945	18.6	643.5	23.7	0.8	0.7	1.5	2.0	4.8	3.1	9.1	13.4	40.0
1944	21.4	704.1	34.2	1.4	0.4	1.7	2.7	4.8	8.3	9.0	24.4	57.1
1943	20.4	634.5	45.0	1.0	1.3	1.4	3.0	4.1	6.4	11.4	24.7	57.1
1942	20.5	693.5	41.5	1.5	0.8	1.0	3.1	4.0	5.7	16.8	24.6	50.0
1941	25.9	911.5	62.4	1.3	1.5	2.0	3.6	4.5	7.9	10.0	33.3	78.6
1940	22.9	774.0	71.6	1.4	1.2	2.5	3.5	5.8	6.8	11.3	21.0	59.9

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS

ALL OTHER, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	11.8	314.4	12.1	0.3	0.7	1.5	3.3	3.9	8.5	13.9	23.0	24.0
1948	8.8	255.1	11.9	0.3	0.4	1.2	1.8	2.7	3.7	8.1	4.1	41.7
1947	9.3	257.1	9.5	0.3	0.8	1.8	2.9	3.8	5.9	10.9	12.9	29.2
1946	9.1	314.9	11.4	0.6	0.4	1.4	1.7	3.4	6.8	10.5	22.7	34.8
1945	14.5	506.1	20.2	1.2	0.6	1.5	2.7	4.8	5.2	13.3	19.0	72.7
1944	18.3	600.7	35.2	1.5	0.8	2.9	3.6	6.1	7.7	17.6	16.0	71.4
1943	17.8	565.5	35.6	1.2	1.2	2.0	3.4	6.1	10.8	12.7	29.9	42.9
1942	18.2	615.4	39.2	1.0	0.7	2.0	4.2	5.8	9.5	13.2	19.4	50.0
1941	22.4	771.3	55.6	1.8	0.8	2.4	4.5	6.1	8.6	18.5	26.1	55.0
1940	19.3	635.9	51.1	1.3	1.7	2.9	4.0	6.5	10.3	17.2	38.0	58.9

CIRRHOSIS OF LIVER

ALL RACES, BOTH SEXES	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
	Fifth	1940-1948	124									
	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
	1 year	years	years	years	years	years	years	years	years	years	years	and over
1949	9.2	1.6	0.2	0.2	0.3	2.1	9.4	18.9	28.3	31.9	38.3	37.5
1948	11.3	0.9	0.3	0.1	0.4	2.4	11.0	23.3	33.5	40.8	52.9	60.7
1947	10.4	1.0	0.3	0.2	0.4	2.1	9.6	20.6	31.1	39.5	52.9	57.3
1946	9.6	0.6	0.3	0.2	0.4	2.1	9.0	18.7	28.5	36.3	49.2	52.8
1945	9.5	0.6	0.3	0.2	0.4	2.2	8.5	18.1	27.0	35.7	44.9	54.6
1944	8.6	0.0	0.2	0.2	0.4	2.0	7.1	15.3	26.3	35.6	47.8	49.1
1943	9.3	0.2	0.3	0.2	0.5	1.9	7.8	18.0	28.5	39.8	52.0	50.4
1942	9.4	0.5	0.3	0.2	0.3	2.1	8.5	18.5	29.1	39.2	52.0	51.2
1941	8.9	1.1	0.2	0.2	0.3	2.1	7.8	17.6	27.7	39.9	48.8	60.3
1940	8.6	1.7	0.2	0.2	0.3	1.8	7.2	16.5	27.8	39.2	51.8	60.0

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

CIRRHOSIS OF LIVER												
ALL RACES, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	12.3	1.7	0.3	0.1	0.2	2.2	11.8	25.7	40.3	44.0	51.0	46.3
1948	15.0	0.6	0.3	0.1	0.4	2.6	14.0	31.6	48.0	56.4	68.2	67.4
1947	13.7	1.1	0.3	0.2	0.4	2.2	11.7	28.1	44.0	54.2	63.5	65.5
1946	12.8	0.4	0.2	0.2	0.4	2.1	11.2	26.1	41.1	48.9	62.0	56.6
1945	13.1	0.6	0.3	0.2	0.5	2.7	11.0	23.9	38.7	47.9	56.0	58.3
1944	11.6	0.1	0.3	0.1	0.3	2.3	9.3	20.9	36.3	45.8	56.5	54.1
1943	12.4	0.2	0.3	0.2	0.4	2.2	9.6	24.3	40.2	53.3	61.3	53.9
1942	12.5	0.4	0.3	0.1	0.3	2.3	11.1	24.9	40.6	52.8	64.9	61.6
1941	11.8	1.4	0.2	0.2	0.3	2.3	10.1	23.4	39.3	53.3	60.3	72.7
1940	11.5	1.4	0.2	0.2	0.3	2.1	9.5	22.4	39.2	53.8	67.1	56.3
CIRRHOSIS OF LIVER												
ALL RACES, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	6.2	1.5	0.2	0.2	0.3	2.1	7.1	12.1	16.2	20.5	27.5	31.3
1948	7.6	1.1	0.3	0.1	0.5	2.3	8.0	15.0	18.9	26.1	39.8	55.8
1947	7.2	0.8	0.4	0.2	0.3	2.1	7.6	13.0	18.0	25.6	43.7	51.2
1946	6.4	0.9	0.3	0.2	0.4	2.0	6.9	11.2	15.6	24.2	38.0	50.0
1945	6.2	0.7	0.4	0.2	0.4	1.8	6.2	12.1	15.1	23.9	35.3	51.9
1944	5.9	*	0.1	0.2	0.5	1.8	5.0	9.6	16.0	25.8	40.2	45.3
1943	6.4	0.2	0.2	0.2	0.5	1.7	6.0	11.6	16.5	26.6	43.8	47.7
1942	6.3	0.6	0.3	0.2	0.4	1.9	6.0	11.8	17.2	25.9	40.6	43.5
1941	6.0	0.8	0.3	0.2	0.4	1.9	5.5	11.5	15.6	26.8	38.5	50.9
1940	5.6	2.1	0.2	0.3	0.3	1.4	5.0	10.2	15.9	24.9	38.0	62.9

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

CIRRHOSIS OF LIVER												
WHITE, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	9.6	1.5	0.2	0.2	0.3	2.0	9.3	19.2	28.9	32.7	39.9	39.1
1948	11.8	0.7	0.3	0.1	0.4	2.4	11.1	23.6	34.1	42.1	54.9	63.9
1947	10.9	0.8	0.3	0.2	0.3	2.1	9.9	20.8	31.9	40.7	54.6	60.0
1946	10.1	0.4	0.3	0.2	0.3	2.1	9.2	19.1	29.4	37.4	50.6	54.8
1945	9.9	0.6	0.3	0.2	0.4	2.2	8.6	18.3	27.5	36.3	46.2	57.1
1944	9.0	*	0.3	0.2	0.4	1.9	7.1	15.5	26.4	36.6	49.6	50.6
1943	9.8	0.2	0.3	0.2	0.4	1.9	7.9	18.3	28.9	40.8	53.7	52.4
1942	9.8	0.5	0.3	0.2	0.3	2.0	8.6	18.6	30.1	40.4	53.7	54.1
1941	9.4	1.0	0.3	0.2	0.3	2.0	8.0	17.9	28.4	41.1	49.9	63.8
1940	8.9	1.5	0.2	0.2	0.3	1.7	7.0	16.6	28.3	40.2	53.3	64.7

CIRRHOSIS OF LIVER												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	12.8	1.7	0.3	0.2	0.2	2.1	11.8	26.3	41.3	45.3	53.2	47.8
1948	15.8	0.5	0.2	0.1	0.4	2.6	14.5	32.3	49.1	58.1	71.0	70.7
1947	14.4	0.9	0.2	0.2	0.3	2.1	12.1	28.7	45.5	55.9	65.8	67.9
1946	13.5	0.2	0.2	0.2	0.3	2.1	11.4	26.7	42.5	50.6	64.0	58.2
1945	13.7	0.6	0.3	0.2	0.5	2.7	11.3	24.4	39.5	49.2	57.7	61.6
1944	12.1	*	0.4	0.1	0.3	2.3	9.5	21.2	36.7	47.0	58.5	55.0
1943	12.9	0.2	0.4	0.2	0.4	2.2	9.8	24.7	40.7	54.7	63.6	54.3
1942	13.1	0.5	0.3	0.2	0.3	2.2	11.4	25.0	42.2	54.6	66.5	63.9
1941	12.4	1.2	0.2	0.2	0.2	2.2	10.5	23.8	40.4	54.9	61.5	76.2
1940	11.9	1.2	0.2	0.2	0.3	2.0	9.3	22.6	40.1	55.4	69.1	59.4

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

CIRRHOSIS OF LIVER												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	6.4	1.3	0.2	0.2	0.3	1.9	7.0	12.2	16.5	21.0	28.6	33.0
1948	7.8	1.0	0.3	0.1	0.4	2.2	7.8	14.8	19.1	27.0	41.2	59.0
1947	7.4	0.7	0.3	0.1	0.3	2.0	7.7	12.8	18.1	26.3	45.0	54.4
1946	6.7	0.7	0.3	0.2	0.3	2.0	6.9	11.4	16.1	24.9	39.0	52.2
1945	6.4	0.7	0.4	0.2	0.3	1.8	6.2	12.1	15.4	24.0	36.2	53.8
1944	6.1	*	0.1	0.3	0.5	1.6	4.8	9.6	16.0	26.6	41.9	47.3
1943	6.7	0.2	0.2	0.2	0.5	1.7	6.0	11.6	16.7	27.3	45.0	50.9
1942	6.6	0.5	0.3	0.2	0.4	1.8	5.9	12.0	17.5	26.7	42.3	46.7
1941	6.3	0.8	0.3	0.2	0.4	1.8	5.5	11.7	16.0	27.7	39.5	54.5
1940	5.8	1.8	0.2	0.2	0.3	1.3	4.7	10.3	16.1	25.3	39.0	68.6
CIRRHOSIS OF LIVER												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	6.0	2.0	0.3	0.2	0.4	3.2	9.9	15.4	20.6	21.0	14.6	18.6
1948	7.2	1.9	0.4	0.1	0.8	3.1	10.0	20.4	26.8	24.2	23.2	24.4
1947	6.3	2.2	0.7	0.2	0.4	2.6	7.6	18.5	22.3	24.0	26.8	25.0
1946	5.5	2.1	0.4	0.2	0.7	2.2	7.9	14.8	17.6	20.9	28.6	31.6
1945	6.0	0.3	0.5	0.1	0.6	2.4	7.5	15.6	21.0	26.4	26.3	27.0
1944	5.7	0.3	0.1	0.2	0.4	2.6	7.5	13.4	24.7	22.2	20.9	31.4
1943	5.7	0.3	0.2	0.1	0.9	2.0	6.6	15.2	24.3	26.1	25.3	28.6
1942	5.5	0.7	0.4	0.1	0.3	2.7	7.9	17.3	17.0	22.1	26.1	20.6
1941	5.2	1.5	0.2	0.2	0.4	2.6	6.4	14.3	19.0	23.1	31.1	23.5
1940	5.8	3.3	0.3	0.3	0.5	2.6	9.1	15.2	21.2	25.4	27.4	16.9

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

CIRRHOSIS OF LIVER												
ALL OTHER, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	7.6	1.5	0.4	0.1	0.2	3.2	11.7	19.5	28.5	28.4	19.4	27.8
1948	8.8	1.6	0.4	0.2	0.6	3.1	10.0	24.6	35.8	34.0	28.4	29.4
1947	7.6	2.7	0.5	0.1	0.5	2.6	8.2	21.4	27.3	33.0	30.8	37.5
1946	7.1	2.1	0.5	0.2	0.6	2.4	9.1	20.2	24.5	26.5	33.3	40.0
1945	7.6	*	0.5	0.1	0.6	2.8	8.3	19.5	29.3	30.4	30.5	20.0
1944	7.3	0.7	*	0.3	0.3	2.0	7.8	17.8	32.4	30.2	28.2	42.9
1943	7.5	*	0.2	0.1	0.7	2.2	7.3	19.0	34.3	35.4	27.4	50.0
1942	7.2	*	0.5	*	0.3	3.1	8.7	24.6	20.8	29.0	40.6	35.7
1941	6.8	2.3	0.2	0.2	0.6	3.0	7.0	18.5	25.9	31.3	40.9	35.7
1940	7.6	2.5	0.2	0.1	0.5	3.2	11.4	20.2	28.4	32.4	35.5	26.6
CIRRHOSIS OF LIVER												
ALL OTHER, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	4.5	2.5	0.1	0.2	0.5	3.2	8.2	11.4	12.5	13.5	10.0	12.0
1948	5.7	2.1	0.3	0.1	0.9	3.1	10.0	16.3	17.4	13.9	17.5	20.8
1947	5.1	1.6	0.9	0.3	0.4	2.5	7.1	15.6	16.9	14.7	22.6	16.7
1946	4.0	2.1	0.3	0.3	0.7	1.9	6.8	9.3	10.0	15.2	23.9	26.1
1945	4.5	0.7	0.5	0.2	0.7	2.0	6.8	11.6	11.9	22.2	22.6	31.8
1944	4.1	*	0.2	0.1	0.6	3.0	7.2	8.8	16.3	13.4	13.6	23.8
1943	4.0	0.7	0.2	0.1	0.9	1.7	6.0	11.2	13.3	16.2	23.4	14.3
1942	3.9	1.5	0.3	0.3	0.3	2.4	7.1	9.7	12.8	14.5	12.5	10.0
1941	3.6	0.8	0.2	0.2	0.3	2.3	5.8	9.8	11.4	14.2	21.7	15.0
1940	4.0	4.1	0.4	0.5	0.4	2.0	7.0	10.0	13.0	17.7	19.7	9.8

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

HYPERPLASIA OF PROSTATE

	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	610									
ALL RACES, BOTH SEXES	Fifth	1940-1948	137									
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	4.6	*	*	*	*	0.0	0.0	0.6	5.5	25.2	90.2	200.9
1948	4.6	*	*	*	0.0	0.0	0.0	0.8	5.9	27.6	88.9	186.5
1947	4.9	*	*	*	0.0	0.0	0.0	0.8	6.3	30.0	96.8	202.0
1946	5.3	*	*	*	0.0	0.0	0.1	0.9	7.0	34.4	99.8	196.6
1945	5.6	*	*	*	*	0.0	0.0	0.9	7.7	35.0	105.5	206.9
1944	5.8	*	0.0	*	*	0.0	0.2	1.1	7.9	38.4	114.7	203.7
1943	6.2	*	*	*	0.0	0.1	0.2	1.3	8.7	42.2	126.0	226.4
1942	6.0	*	*	0.0	0.0	0.0	0.2	1.2	8.8	42.5	124.6	214.2
1941	6.2	*	*	*	0.0	0.1	0.2	1.4	9.9	46.0	128.5	216.6
1940	6.7	*	*	0.0	0.0	0.1	0.3	1.5	10.6	49.5	143.9	254.1

HYPERPLASIA OF PROSTATE

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
		1949	9.3	*	*	*	*	0.0	0.1	1.1	10.9	52.1
1948	9.4	*	*	*	0.0	0.1	0.1	1.6	11.8	56.7	192.1	448.4
1947	10.0	*	*	*	0.0	0.0	0.1	1.6	12.6	61.5	208.3	482.5
1946	10.6	*	*	*	0.0	0.0	0.2	1.9	14.0	70.4	214.5	466.7
1945	11.9	*	*	*	*	0.0	0.1	1.9	15.3	71.4	226.2	487.0
1944	12.1	*	0.0	*	*	0.0	0.3	2.3	15.6	78.2	245.3	478.7
1943	12.6	*	*	*	0.0	0.2	0.3	2.5	17.1	85.7	268.9	530.3
1942	12.0	*	*	0.0	0.0	0.1	0.4	2.4	17.3	86.1	264.9	500.6
1941	12.4	*	*	*	0.0	0.2	0.4	2.7	19.4	92.9	271.9	505.5
1940	13.3	*	*	0.0	0.0	0.1	0.5	3.0	20.8	99.5	302.9	592.8

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

HYPERPLASIA OF PROSTATE

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	4.6	*	*	*	*	0.0	0.0	0.2	4.6	23.4	89.6	204.5
1948	4.7	*	*	*	0.0	0.0	0.0	0.5	5.1	26.2	89.1	192.4
1947	5.0	*	*	*	0.0	*	0.0	0.4	5.4	28.9	96.9	207.3
1946	5.3	*	*	*	*	0.0	0.1	0.6	5.8	32.8	101.1	204.6
1945	5.7	*	*	*	*	0.0	0.0	0.6	6.8	33.7	106.2	214.7
1944	5.9	*	0.0	*	*	0.0	0.1	0.7	6.9	37.7	115.1	208.6
1943	6.2	*	*	*	0.0	0.0	0.1	1.0	7.7	40.8	127.6	231.2
1942	6.0	*	*	0.0	0.0	0.0	0.1	0.8	7.8	41.0	126.5	221.2
1941	6.2	*	*	*	0.0	0.0	0.1	0.9	8.8	44.5	129.7	224.2
1940	6.7	*	*	*	0.0	0.0	0.1	1.1	9.5	47.7	146.0	281.5

HYPERPLASIA OF PROSTATE

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	9.2	*	*	*	*	0.0	0.0	0.5	9.2	48.5	195.2	495.2
1948	9.4	*	*	*	0.0	0.1	0.0	0.9	10.2	54.1	193.2	462.6
1947	10.0	*	*	*	0.0	*	0.1	0.8	10.8	59.5	209.7	494.2
1946	10.6	*	*	*	*	0.0	0.1	1.2	11.6	67.4	218.1	484.6
1945	12.0	*	*	*	*	0.0	0.0	1.1	13.4	69.0	228.5	503.4
1944	12.2	*	0.0	*	*	0.0	0.2	1.4	13.7	76.9	247.0	487.6
1943	12.7	*	*	*	0.0	0.1	0.1	1.9	15.2	83.0	272.9	538.4
1942	12.1	*	*	0.0	0.0	0.0	0.2	1.6	15.3	83.3	269.5	515.2
1941	12.4	*	*	*	0.0	0.1	0.3	1.7	17.4	90.1	275.0	521.2
1940	13.4	*	*	*	0.0	0.1	0.3	2.1	18.7	96.3	307.6	613.4

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

HYPERPLASIA OF PROSTATE

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	4.9	*	*	*	*	0.1	0.1	3.5	15.6	49.3	98.5	158.1
1948	4.6	*	*	*	*	*	0.3	4.4	15.6	46.0	86.8	117.1
1947	4.7	*	*	*	*	0.0	0.2	4.5	17.0	44.4	94.5	137.5
1946	5.2	*	*	*	0.0	0.2	0.5	4.4	21.3	55.7	80.0	110.5
1945	5.2	*	*	*	*	0.1	0.3	4.8	19.0	52.4	94.0	118.9
1944	5.3	*	*	*	*	*	0.9	5.6	20.0	49.0	108.9	148.6
1943	5.6	*	*	*	*	0.4	0.9	4.6	21.1	62.3	101.3	174.3
1942	5.5	*	*	*	0.0	0.1	1.1	5.5	21.3	63.9	93.7	138.2
1941	5.8	*	*	*	0.1	0.5	0.7	6.6	23.3	67.6	108.9	138.2
1940	6.1	*	*	0.0	*	0.3	1.2	6.4	24.5	74.0	108.7	169.4

HYPERPLASIA OF PROSTATE

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	10.0	*	*	*	*	0.2	0.3	6.9	30.7	97.9	199.0	377.8
1948	9.3	*	*	*	*	*	0.7	8.9	30.5	90.4	173.7	282.4
1947	9.6	*	*	*	*	0.1	0.4	8.9	32.9	86.7	190.1	343.8
1946	10.5	*	*	*	0.1	0.3	1.0	8.7	41.2	108.5	160.9	280.0
1945	10.9	*	*	*	*	0.2	0.5	9.5	36.5	101.9	191.5	293.3
1944	11.1	*	*	*	*	*	1.9	11.1	38.4	94.5	220.5	371.4
1943	11.5	*	*	*	*	0.8	1.8	9.1	40.4	120.3	208.2	435.7
1942	11.1	*	*	*	0.1	0.2	2.3	10.9	40.5	122.7	192.8	335.7
1941	11.9	*	*	*	0.2	1.0	1.4	12.8	44.4	129.6	222.7	335.7
1940	12.4	*	*	0.1	*	0.7	2.4	12.4	46.4	141.9	224.2	399.3

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH

	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	640-689									
	Fifth	1940-1948	140-150									
ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	2.2	0.1	4.2	5.9	3.9	0.2	0.0
1948	2.8	*	*	0.1	5.6	7.3	5.2	0.2	*	*	*	*
1947	3.5	*	*	0.1	6.6	9.4	6.1	0.3	0.0	*	*	*
1946	3.7	*	*	0.1	6.7	9.9	6.6	0.4	*	*	*	*
1945	4.3	*	*	0.1	7.8	12.4	8.3	0.4	0.0	*	*	*
1944	4.8	*	*	0.1	8.9	13.5	8.8	0.3	*	*	*	*
1943	5.4	*	*	0.2	9.8	14.6	9.3	0.3	*	*	*	*
1942	5.4	*	*	0.1	9.9	14.4	9.2	0.4	0.0	*	*	*
1941	6.0	*	*	0.2	10.9	15.3	10.4	0.4	0.0	*	*	*
1940	6.7	*	*	0.2	12.2	17.6	11.4	0.5	*	*	*	*

DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
	1949	4.3	0.1	8.3	11.6	7.7	0.4	0.0
1948	5.6	*	*	0.2	11.1	14.4	10.3	0.4	*	*	*	*
1947	6.9	*	*	0.2	12.9	18.3	12.1	0.6	0.0	*	*	*
1946	7.3	*	*	0.1	12.7	19.4	13.1	0.7	*	*	*	*
1945	8.1	*	*	0.2	13.2	21.2	16.0	0.7	0.0	*	*	*
1944	9.2	*	*	0.1	15.7	24.3	17.1	0.6	*	*	*	*
1943	10.6	*	*	0.3	18.5	27.7	18.2	0.7	*	*	*	*
1942	10.8	*	*	0.2	19.3	27.9	18.3	0.8	0.0	*	*	*
1941	12.0	*	*	0.3	21.6	30.0	20.7	0.9	0.0	*	*	*
1940	13.5	*	*	0.4	24.2	34.7	22.7	1.0	*	*	*	*

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.6	0.0	2.8	4.5	3.0	0.1	*
1948	2.1	*	*	0.0	3.8	5.6	4.3	0.2	*	*	*	*
1947	2.8	*	*	0.0	5.0	7.7	5.0	0.2	0.0	*	*	*
1946	3.0	*	*	0.0	5.3	8.4	5.6	0.3	*	*	*	*
1945	3.5	*	*	0.0	5.9	10.4	7.2	0.3	0.0	*	*	*
1944	3.9	*	*	0.0	6.6	11.4	7.5	0.2	*	*	*	*
1943	4.5	*	*	0.0	7.9	12.8	8.1	0.3	*	*	*	*
1942	4.6	*	*	0.0	7.7	12.6	8.2	0.3	0.0	*	*	*
1941	4.9	*	*	0.1	8.1	13.2	9.0	0.4	*	*	*	*
1940	5.6	*	*	0.1	9.3	15.3	9.9	0.4	*	*	*	*

DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	3.1	0.0	5.5	8.9	5.9	0.2	*
1948	4.2	*	*	0.0	7.5	11.1	8.4	0.3	*	*	*	*
1947	5.5	*	*	0.1	9.9	15.1	9.9	0.4	0.0	*	*	*
1946	6.0	*	*	0.0	10.1	16.4	11.1	0.6	*	*	*	*
1945	6.6	*	*	0.0	9.9	17.7	13.8	0.6	0.0	*	*	*
1944	7.5	*	*	0.0	11.8	20.6	14.7	0.5	*	*	*	*
1943	9.0	*	*	0.1	14.9	24.3	16.0	0.6	*	*	*	*
1942	9.2	*	*	0.1	15.2	24.6	16.3	0.7	0.0	*	*	*
1941	9.8	*	*	0.1	16.2	26.0	18.1	0.7	*	*	*	*
1940	11.3	*	*	0.1	18.6	30.3	19.9	0.8	*	*	*	*

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH

ALL OTHER, BOTH SEXES	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	7.2	0.4	14.9	17.9	11.9	0.8	0.1
1948	9.0	*	*	0.5	19.5	21.9	13.9	0.6	*	*	*
1947	9.5	*	*	0.5	18.6	23.4	15.8	1.0	*	*	*
1946	9.1	*	*	0.4	17.3	22.7	15.4	1.0	*	*	*
1945	11.0	*	*	0.7	21.6	28.8	18.1	1.2	*	*	*
1944	12.3	*	*	0.4	25.5	31.0	19.6	0.6	*	*	*
1943	12.4	*	*	1.0	24.7	30.2	19.0	0.9	*	*	*
1942	12.7	*	*	0.5	26.8	29.3	18.3	0.9	*	*	*
1941	15.3	*	*	0.9	33.2	33.4	22.1	1.2	0.1	*	*
1940	16.8	*	*	1.3	35.5	37.1	23.8	1.4	*	*	*

DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH

ALL OTHER, FEMALE	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	14.1	0.7	28.4	34.1	22.9	1.6	0.2
1948	17.6	*	*	1.0	37.2	41.9	26.8	1.1	*	*	*
1947	18.7	*	*	1.0	35.5	45.1	30.7	2.1	*	*	*
1946	18.0	*	*	0.8	32.7	44.0	29.9	2.0	*	*	*
1945	21.0	*	*	1.4	37.9	50.3	34.5	2.3	*	*	*
1944	23.7	*	*	0.9	45.9	55.3	37.6	1.3	*	*	*
1943	24.2	*	*	2.0	46.3	56.2	36.8	1.7	*	*	*
1942	24.9	*	*	1.1	51.1	55.3	35.5	1.8	*	*	*
1941	30.1	*	*	1.7	63.4	63.4	42.9	2.4	0.3	*	*
1940	33.1	*	*	2.5	67.7	70.5	46.4	2.9	*	*	*

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

CONGENITAL MALFORMATIONS

	ICD Revision	Years in use	ICD Nos.									
			Sixth 1949	750-759								
ALL RACES, BOTH SEXES	Fifth	1940-1948	157									
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	12.7	457.5	12.2	2.4	2.0	1.7	2.3	2.4	2.4	1.9	1.9	0.9
1948	13.2	497.9	12.7	2.6	1.8	1.2	1.2	1.2	1.1	0.8	0.8	0.2
1947	14.2	494.7	12.7	2.4	1.7	1.3	1.2	1.1	0.9	0.7	0.8	0.4
1946	12.7	621.1	11.5	2.3	1.6	1.2	0.9	0.9	0.6	0.4	0.5	*
1945	12.2	549.7	11.6	2.3	1.6	1.0	0.9	0.6	0.6	0.5	0.5	*
1944	12.6	564.6	11.7	2.1	1.5	1.0	0.7	0.6	0.4	0.4	0.4	0.7
1943	12.5	536.0	11.5	2.1	1.4	0.8	0.6	0.6	0.5	0.4	0.3	0.2
1942	11.8	588.0	10.8	2.0	1.4	0.8	0.7	0.5	0.4	0.3	0.5	*
1941	10.5	544.3	10.3	2.1	1.3	0.8	0.6	0.5	0.5	0.4	0.3	*
1940	10.0	546.4	10.3	2.1	1.3	0.7	0.6	0.6	0.4	0.4	0.1	*

CONGENITAL MALFORMATIONS

ALL RACES, MALE	Total	Under 1 year	ICD Nos.									
			1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	14.1	493.5	12.7	2.7	2.3	1.9	2.6	2.4	3.0	2.0	2.0	0.9
1948	14.7	539.8	13.1	2.8	2.3	1.5	1.3	1.2	1.2	0.9	0.9	*
1947	15.7	532.8	12.4	2.7	2.2	1.5	1.3	1.2	1.0	0.6	0.5	1.0
1946	14.0	665.6	11.4	2.7	2.1	1.4	1.1	0.9	0.8	0.5	0.2	*
1945	14.1	588.6	11.6	2.5	2.2	1.5	1.1	0.6	0.8	0.4	0.4	*
1944	14.3	607.8	11.6	2.2	1.9	1.3	0.9	0.8	0.5	0.4	0.4	1.1
1943	13.8	573.7	11.6	2.1	1.8	0.9	0.7	0.7	0.6	0.4	0.2	*
1942	13.1	637.2	10.8	2.2	1.7	0.8	0.7	0.4	0.3	0.3	0.3	*
1941	11.3	576.7	11.0	2.2	1.4	1.0	0.7	0.6	0.4	0.5	0.3	*
1940	10.9	594.5	10.3	2.2	1.5	0.8	0.6	0.6	0.3	0.5	0.2	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

CONGENITAL MALFORMATIONS

ALL RACES, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	11.3	420.3	11.6	2.1	1.6	1.6	2.0	2.3	1.8	1.8	1.8	0.9
1948	11.7	454.0	12.3	2.4	1.2	1.0	1.2	1.2	1.0	0.7	0.7	0.3
1947	12.7	454.7	12.9	2.1	1.3	1.1	1.0	1.1	0.8	0.7	1.0	*
1946	11.4	574.5	11.7	1.9	1.3	1.0	0.7	0.9	0.5	0.4	0.7	*
1945	10.5	509.3	11.6	2.1	1.2	0.7	0.8	0.6	0.4	0.5	0.6	*
1944	10.9	519.2	11.8	2.0	1.1	0.8	0.6	0.5	0.4	0.4	0.4	0.4
1943	11.2	496.9	11.4	2.0	1.1	0.7	0.5	0.6	0.4	0.4	0.5	0.4
1942	10.6	536.4	10.8	1.9	1.2	0.7	0.6	0.6	0.5	0.2	0.6	*
1941	9.6	510.4	9.5	2.1	1.1	0.6	0.6	0.4	0.5	0.4	0.3	*
1940	9.1	496.7	10.4	2.1	1.1	0.7	0.6	0.5	0.5	0.3	0.1	*

CONGENITAL MALFORMATIONS

WHITE, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	12.9	478.7	12.4	2.4	2.0	1.7	2.3	2.4	2.5	2.0	1.9	0.8
1948	13.4	516.4	13.1	2.6	1.8	1.3	1.2	1.2	1.1	0.8	0.8	0.2
1947	14.6	512.8	13.0	2.4	1.8	1.3	1.1	1.2	1.0	0.6	0.8	0.4
1946	13.2	654.4	12.3	2.4	1.7	1.2	0.9	0.9	0.7	0.5	0.5	*
1945	12.7	581.5	11.8	2.4	1.7	1.0	0.9	0.6	0.6	0.4	0.5	*
1944	13.0	595.2	12.0	2.1	1.5	1.1	0.8	0.6	0.5	0.4	0.5	0.8
1943	13.0	563.7	12.1	2.2	1.5	0.8	0.6	0.6	0.6	0.5	0.3	0.3
1942	12.3	625.5	11.3	2.1	1.5	0.8	0.7	0.5	0.4	0.3	0.5	*
1941	10.9	578.3	10.9	2.2	1.3	0.9	0.6	0.6	0.5	0.5	0.3	*
1940	10.4	584.6	10.7	2.2	1.3	0.8	0.7	0.5	0.4	0.4	0.1	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

CONGENITAL MALFORMATIONS

WHITE, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	14.3	513.0	12.9	2.7	2.3	1.9	2.6	2.5	3.1	2.1	2.0	1.0
1948	14.9	557.8	13.4	2.8	2.3	1.6	1.3	1.2	1.2	0.9	0.9	*
1947	16.1	548.7	12.5	2.8	2.3	1.5	1.3	1.2	1.1	0.6	0.6	1.1
1946	14.5	699.3	12.0	2.7	2.1	1.4	1.1	0.9	0.8	0.5	0.2	*
1945	14.6	619.8	11.9	2.6	2.3	1.6	1.1	0.6	0.8	0.3	0.4	*
1944	14.8	638.3	11.7	2.2	1.9	1.3	0.9	0.8	0.5	0.4	0.4	1.2
1943	14.4	599.8	12.1	2.2	1.9	0.9	0.6	0.7	0.7	0.5	0.2	*
1942	13.6	676.4	10.9	2.3	1.8	0.8	0.7	0.4	0.3	0.3	0.3	*
1941	11.8	610.3	11.6	2.2	1.5	1.0	0.7	0.7	0.4	0.5	0.3	*
1940	11.3	631.7	10.5	2.1	1.5	0.9	0.7	0.6	0.3	0.5	0.2	*

CONGENITAL MALFORMATIONS

WHITE, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	11.6	442.7	11.9	2.1	1.7	1.5	2.0	2.3	1.8	1.9	1.8	0.7
1948	12.0	472.4	12.8	2.4	1.3	1.0	1.2	1.2	1.0	0.7	0.7	0.4
1947	13.2	475.0	13.4	2.1	1.3	1.2	1.0	1.1	0.9	0.7	1.0	*
1946	11.8	607.3	12.5	2.0	1.3	1.0	0.7	0.9	0.5	0.4	0.8	*
1945	10.9	541.0	11.7	2.1	1.3	0.7	0.8	0.5	0.4	0.5	0.6	*
1944	11.4	549.9	12.3	2.1	1.2	0.8	0.6	0.4	0.4	0.4	0.5	0.4
1943	11.7	526.2	12.1	2.1	1.2	0.8	0.5	0.5	0.5	0.5	0.5	0.5
1942	11.1	571.2	11.6	1.8	1.2	0.7	0.6	0.6	0.6	0.2	0.7	*
1941	10.0	544.6	10.2	2.1	1.1	0.7	0.5	0.5	0.6	0.4	0.3	*
1940	9.5	535.5	10.8	2.2	1.2	0.7	0.6	0.5	0.6	0.3	0.1	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

CONGENITAL MALFORMATIONS

ALL OTHER, BOTH SEXES		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
Total		1 year	years	years	years	years	years	years	years	years	years	and over
1949	10.8	313.4	10.5	2.2	1.5	1.9	2.3	2.3	1.6	0.7	2.5	2.3
1948	11.0	361.0	9.7	2.5	1.4	0.9	1.4	1.0	0.7	0.7	*	*
1947	10.4	340.2	10.6	2.0	1.5	1.1	1.4	0.8	0.5	0.7	*	*
1946	8.5	369.4	6.4	1.9	1.1	0.7	0.7	0.8	0.3	*	0.6	*
1945	8.5	315.6	10.1	1.9	1.4	0.7	0.8	0.5	0.8	1.0	0.6	*
1944	8.5	329.7	9.2	1.7	1.0	1.0	0.7	0.6	0.3	*	*	*
1943	7.8	309.2	7.3	1.6	1.0	0.7	0.4	0.6	0.1	*	*	*
1942	7.5	309.8	7.4	1.7	0.8	0.6	0.6	0.4	0.4	0.4	*	*
1941	6.8	294.2	6.1	1.6	0.8	0.4	0.8	0.1	0.1	*	*	*
1940	6.1	265.8	7.8	1.6	0.8	0.4	0.4	1.0	0.1	0.2	*	*

CONGENITAL MALFORMATIONS

ALL OTHER, MALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
Total		1 year	years	years	years	years	years	years	years	years	years	and over
1949	12.3	354.7	11.3	2.1	1.7	2.0	2.4	2.2	2.1	0.7	3.1	*
1948	12.6	401.1	10.8	2.7	2.2	0.9	1.0	0.9	1.0	1.1	*	*
1947	12.2	395.1	11.7	2.1	1.5	1.4	1.9	1.0	0.8	0.7	*	*
1946	9.5	404.3	6.8	2.1	1.5	0.8	1.0	0.8	0.2	*	1.1	*
1945	9.7	351.7	9.2	1.8	1.9	1.0	1.0	0.3	1.2	1.1	*	*
1944	10.2	374.0	10.2	1.9	1.7	1.5	0.8	0.5	0.4	*	*	*
1943	9.3	356.8	8.0	1.7	1.2	0.9	0.7	0.6	*	*	*	*
1942	8.5	340.3	9.6	1.3	0.7	0.7	0.6	0.6	0.7	*	*	*
1941	7.6	323.8	7.2	1.5	1.0	0.8	0.9	0.1	0.2	*	*	*
1940	7.3	312.8	8.4	2.3	1.1	0.5	0.5	1.2	0.2	0.5	*	*

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

CONGENITAL MALFORMATIONS

ALL OTHER, FEMALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
Total		1 year	years	years	years	years	years	years	years	years	years	and over
1949	9.4	270.1	9.7	2.4	1.3	1.7	2.3	2.4	1.0	0.7	2.0	4.0
1948	9.5	320.3	8.6	2.2	0.7	0.8	1.7	1.1	0.4	0.4	*	*
1947	8.7	286.8	9.4	1.9	1.5	0.9	1.0	0.7	0.2	0.8	*	*
1946	7.6	334.8	5.9	1.6	0.8	0.7	0.5	0.8	0.4	*	*	*
1945	7.4	281.6	11.0	2.1	0.9	0.5	0.6	0.8	0.2	0.8	1.2	*
1944	7.0	286.7	8.3	1.6	0.4	0.7	0.5	0.6	0.2	*	*	*
1943	6.5	260.7	6.6	1.4	0.9	0.5	0.1	0.6	0.2	*	*	*
1942	6.7	280.9	5.2	2.2	0.9	0.6	0.5	0.3	*	0.9	*	*
1941	5.9	264.3	5.1	1.7	0.7	0.1	0.8	0.2	*	*	*	*
1940	5.0	219.6	7.3	1.0	0.6	0.4	0.3	0.8	*	*	*	*

CERTAIN DISEASES OF EARLY INFANCY

ALL RACES, BOTH SEXES	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	760-776									
Total	Fifth	1940-1948	158-161									
Under		1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	
Total		1 year	years	years	years	years	years	years	years	years	and over	
1949	43.2	2,023.9	0.1	0.0	*	*	*	*	*	*	*	
1948	42.1	1,942.0	
1947	45.5	1,891.9	
1946	44.1	2,571.3	
1945	38.3	2,060.8	
1944	39.7	2,097.1	
1943	41.3	2,061.1	
1942	41.4	2,382.8	
1941	40.1	2,465.5	
1940	39.2	2,553.9	

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

CERTAIN DISEASES OF EARLY INFANCY

ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	51.0	2,325.3	0.2	0.0	*	*	*	*	*	*	*	*
1948	49.9	2,233.6
1947	53.9	2,172.4
1946	52.5	2,964.5
1945	47.5	2,360.4
1944	47.9	2,378.0
1943	49.2	2,357.4
1942	48.6	2,721.2
1941	46.7	2,804.5
1940	45.5	2,927.2

CERTAIN DISEASES OF EARLY INFANCY

ALL RACES, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	35.4	1,710.5	0.1	0.0	*	*	*	*	*	*	*	*
1948	34.4	1,636.3
1947	37.3	1,597.7
1946	35.8	2,160.5
1945	30.1	1,748.3
1944	32.1	1,802.4
1943	33.7	1,751.6
1942	34.2	2,027.4
1941	33.6	2,110.1
1940	32.8	2,168.0

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

CERTAIN DISEASES OF EARLY INFANCY

WHITE, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	39.5	1,900.2	0.1	0.0	*	*	*	*	*	*	*	*
1948	39.3	1,843.4
1947	43.3	1,799.7
1946	42.4	2,504.5
1945	36.3	1,980.6
1944	37.6	2,008.2
1943	39.5	1,981.0
1942	39.5	2,313.9
1941	37.5	2,350.2
1940	36.8	2,443.8

CERTAIN DISEASES OF EARLY INFANCY

WHITE, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	47.0	2,195.0	0.2	0.0	*	*	*	*	*	*	*	*
1948	47.0	2,132.8
1947	51.5	2,078.0
1946	50.8	2,901.0
1945	45.4	2,278.9
1944	45.8	2,295.4
1943	47.3	2,276.6
1942	46.6	2,654.5
1941	43.9	2,684.1
1940	42.9	2,814.1

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

CERTAIN DISEASES OF EARLY INFANCY

WHITE, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	32.1	1,590.5	0.0	0.0	*	*	*	*	*	*	*	*
1948	31.8	1,537.1
1947	35.1	1,506.3
1946	34.1	2,087.3
1945	28.1	1,665.7
1944	30.0	1,706.1
1943	32.0	1,671.2
1942	32.4	1,952.5
1941	31.2	1,998.4
1940	30.5	2,058.3

CERTAIN DISEASES OF EARLY INFANCY

ALL OTHER, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	74.6	2,878.2	0.3	0.0	*	*	*	*	*	*	*	*
1948	65.9	2,672.7
1947	64.9	2,664.5
1946	58.7	3,075.4
1945	55.6	2,650.5
1944	57.7	2,779.3
1943	57.0	2,717.1
1942	57.8	2,894.9
1941	62.8	3,314.7
1940	60.5	3,363.2

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

CERTAIN DISEASES OF EARLY INFANCY

ALL OTHER, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	85.9	3,223.2	0.3	*	*	*	*	*	*	*	*	*
1948	75.5	2,982.1
1947	74.0	2,989.6
1946	66.8	3,457.1
1945	65.5	2,978.2
1944	66.3	3,039.0
1943	65.7	3,029.1
1942	66.1	3,226.6
1941	71.8	3,711.5
1940	68.6	3,783.1

CERTAIN DISEASES OF EARLY INFANCY

ALL OTHER, FEMALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	63.8	2,515.4	0.3	0.1	*	*	*	*	*	*	*	*
1948	56.7	2,358.3
1947	56.1	2,352.2
1946	50.8	2,696.5
1945	46.7	2,340.8
1944	49.9	2,533.6
1943	48.6	2,398.6
1942	49.7	2,577.2
1941	54.1	2,914.7
1940	52.6	2,950.7

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

	ICD Revision	Years in use	ICD Nos.									
	Sixth	1949	780-795									
	Fifth	1940-1948	162,199,200									
ALL RACES, BOTH SEXES		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
	Total	1 year	years	years	years	years	years	years	years	years	years	and over
1949	15.8	120.2	4.0	0.9	1.6	2.4	5.3	10.7	19.2	42.7	143.3	807.5
1948	18.7	121.5	4.3	0.9	1.7	2.7	5.7	12.3	21.6	53.2	187.4	1,094.6
1947	19.2	118.6	4.0	0.9	1.6	2.5	5.7	11.7	22.5	54.3	199.7	1,176.4
1946	19.7	172.0	5.2	1.0	1.9	2.8	5.8	11.1	22.1	53.1	212.2	1,242.1
1945	21.9	176.5	5.8	1.4	2.1	3.5	6.3	11.9	23.4	57.6	231.8	1,338.1
1944	22.2	175.7	7.1	1.4	2.1	3.2	6.1	11.5	24.2	63.5	241.3	1,454.2
1943	23.2	184.8	7.6	1.3	2.2	3.2	6.2	12.2	25.2	66.5	267.2	1,568.8
1942	22.3	226.1	8.2	1.3	2.1	3.6	6.4	11.9	24.9	63.0	249.5	1,483.3
1941	22.3	254.3	9.2	1.5	2.3	3.6	6.8	12.4	25.9	63.6	248.6	1,431.9
1940	23.7	281.3	9.3	1.5	2.5	4.0	7.2	13.8	27.4	69.2	273.6	1,589.3

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

ALL RACES, MALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
	Total	1 year	years	years	years	years	years	years	years	years	years	and over
1949	18.1	135.1	4.5	1.0	1.7	2.6	6.5	14.4	26.1	55.5	166.2	859.9
1948	21.1	131.1	4.5	0.9	1.7	3.0	7.1	16.6	29.5	68.9	214.5	1,136.3
1947	21.7	129.7	4.3	1.0	1.6	2.6	7.1	15.4	30.5	70.0	227.2	1,270.9
1946	21.9	189.6	5.3	1.1	1.9	3.0	6.9	14.6	28.9	66.2	240.4	1,283.8
1945	25.4	196.1	6.0	1.5	2.3	4.2	7.5	15.8	31.2	72.8	256.8	1,375.5
1944	25.1	189.8	7.5	1.5	2.3	3.1	7.0	14.4	31.8	78.7	271.3	1,508.2
1943	25.6	206.6	8.3	1.5	2.3	3.5	7.2	15.4	32.0	78.7	294.6	1,598.3
1942	24.6	247.7	9.0	1.4	1.9	3.7	7.4	15.2	32.1	78.7	275.1	1,523.3
1941	24.3	274.9	9.4	1.5	2.1	3.6	7.8	15.0	33.9	77.2	274.3	1,484.2
1940	25.8	312.9	9.8	1.7	2.4	4.0	7.9	16.9	34.5	84.0	301.5	1,615.4

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

ALL RACES, FEMALE	SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	13.6	104.8	3.6	0.8	1.4	2.1	4.2	7.0	12.2	30.8	123.8	768.1
1948	16.3	111.5	4.0	0.9	1.6	2.4	4.3	7.9	13.5	38.4	164.0	1,061.4
1947	16.7	107.1	3.8	0.8	1.5	2.5	4.2	8.0	14.4	39.4	175.8	1,104.5
1946	17.6	153.6	5.1	1.0	1.9	2.6	4.8	7.6	15.3	40.6	187.6	1,211.8
1945	18.7	156.2	5.5	1.4	2.0	3.1	5.2	8.0	15.3	43.1	210.0	1,310.4
1944	19.5	161.0	6.7	1.3	2.0	3.2	5.3	8.5	16.3	48.7	214.9	1,414.2
1943	21.0	162.1	7.0	1.2	2.1	2.9	5.1	9.0	18.2	54.7	243.1	1,546.9
1942	20.1	203.4	7.4	1.2	2.3	3.4	5.5	8.6	17.4	47.7	227.0	1,453.5
1941	20.3	232.6	8.9	1.5	2.5	3.6	5.8	9.7	17.4	50.2	225.6	1,392.7
1940	21.6	248.6	8.7	1.4	2.6	3.9	6.5	10.6	19.9	54.5	248.3	1,569.7

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

WHITE, BOTH SEXES	SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	11.4	64.4	2.4	0.5	0.8	1.3	3.3	6.3	12.8	29.7	116.7	720.8
1948	14.1	66.3	2.5	0.6	1.0	1.7	3.4	7.6	14.4	39.0	157.9	984.0
1947	14.7	65.2	2.6	0.5	0.9	1.5	3.5	7.3	15.8	40.0	170.3	1,075.9
1946	15.3	95.5	3.3	0.6	1.1	1.7	3.7	6.9	15.6	39.4	185.6	1,146.4
1945	16.8	97.7	3.4	0.9	1.2	1.9	3.9	7.4	16.1	44.0	202.7	1,214.7
1944	16.7	94.6	4.1	0.8	1.1	1.6	3.3	6.9	16.0	47.6	210.4	1,288.6
1943	17.2	97.3	4.0	0.8	1.1	1.5	3.3	7.1	16.9	48.3	230.4	1,390.6
1942	16.1	122.2	4.6	0.7	1.0	1.8	3.3	6.8	16.1	44.8	212.9	1,294.3
1941	15.4	129.8	4.7	0.9	1.1	1.7	3.4	6.8	16.5	44.8	204.3	1,207.7
1940	16.1	148.6	5.2	0.8	1.1	1.8	3.4	7.6	17.5	46.2	221.5	1,296.5

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

WHITE, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	13.4	73.5	2.8	0.6	1.1	1.6	4.6	9.5	19.2	40.5	136.7	763.2
1948	16.1	71.9	2.6	0.6	1.1	2.0	4.8	11.6	22.0	52.2	178.5	1,024.2
1947	16.9	71.4	2.8	0.6	1.1	1.7	5.0	10.8	23.2	53.4	194.5	1,160.5
1946	17.2	106.3	3.4	0.7	1.2	2.0	5.1	10.3	21.9	51.2	207.5	1,180.8
1945	19.7	106.7	3.6	0.8	1.5	2.5	5.3	11.1	23.7	57.0	220.3	1,237.9
1944	19.2	103.8	4.5	0.9	1.4	1.8	4.3	10.0	23.3	60.1	232.9	1,318.9
1943	19.1	110.1	4.2	0.9	1.2	1.8	4.4	10.2	23.6	59.3	252.2	1,406.7
1942	17.8	131.2	4.8	0.8	1.1	2.1	4.4	9.7	22.8	57.8	233.1	1,296.2
1941	17.1	138.5	5.1	0.9	1.1	2.0	4.6	9.8	23.6	57.7	221.4	1,225.8
1940	17.8	164.0	5.5	0.9	1.4	2.1	4.4	10.7	24.7	59.1	236.0	1,296.8

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

WHITE, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	9.5	54.7	2.1	0.5	0.6	1.0	2.0	3.1	6.4	19.6	99.8	690.9
1948	12.1	60.4	2.4	0.6	0.8	1.3	2.1	3.4	6.7	26.7	140.3	955.4
1947	12.6	58.7	2.4	0.4	0.6	1.3	2.0	3.8	8.4	27.2	149.6	1,014.8
1946	13.4	84.2	3.3	0.6	0.9	1.4	2.4	3.3	9.1	28.1	166.7	1,121.3
1945	14.2	88.2	3.2	0.9	1.0	1.6	2.6	3.6	8.4	31.6	187.4	1,197.5
1944	14.4	84.9	3.6	0.6	0.9	1.4	2.4	3.7	8.6	35.6	190.8	1,265.9
1943	15.3	83.8	3.8	0.7	0.9	1.2	2.2	4.0	10.0	37.7	211.1	1,378.4
1942	14.3	112.5	4.4	0.6	0.8	1.4	2.1	3.7	9.2	32.1	195.1	1,292.9
1941	13.7	120.6	4.3	0.8	1.0	1.4	2.2	3.8	9.1	32.2	189.1	1,194.0
1940	14.4	132.7	4.8	0.7	0.9	1.5	2.4	4.2	10.0	33.5	208.4	1,296.3

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

ALL OTHER, BOTH SEXES	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	53.6	504.0	15.7	3.7	7.1	11.5	23.2	53.7	95.7	218.7	543.9	1,827.9
1948	58.1	530.2	17.5	2.8	6.9	11.2	25.2	59.0	107.2	243.3	630.0	2,378.0
1947	57.5	568.6	14.4	3.2	6.9	11.1	24.3	55.9	101.8	244.6	638.3	2,285.0
1946	57.6	748.8	19.0	3.7	8.4	12.2	23.9	54.6	100.4	235.3	609.7	2,360.5
1945	64.4	755.9	22.6	5.3	8.9	16.5	27.0	58.5	110.3	240.1	668.9	2,721.6
1944	69.3	798.6	28.4	5.7	10.2	16.5	30.0	59.2	122.4	277.6	714.6	3,322.9
1943	75.3	902.4	32.6	4.9	11.0	17.6	31.2	65.7	126.7	314.7	845.3	3,514.3
1942	76.6	997.8	32.5	5.3	11.1	19.1	33.8	67.1	132.9	314.2	842.3	3,529.4
1941	82.8	1,171.4	39.7	5.8	12.5	20.1	36.7	72.4	142.5	323.4	977.8	3,747.1
1940	90.8	1,256.5	37.8	6.6	13.5	22.4	40.6	82.5	151.7	387.6	1,149.6	4,312.0

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

ALL OTHER, MALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	59.3	564.0	17.2	4.0	7.0	11.9	23.2	62.0	107.8	250.2	577.6	1,983.3
1948	63.8	576.8	19.3	2.7	6.5	11.5	27.5	65.9	117.4	281.9	711.6	2,441.2
1947	62.9	633.9	15.5	3.3	5.8	10.1	25.7	61.6	115.8	278.5	681.3	2,581.3
1946	62.2	836.4	19.7	4.0	7.5	11.7	23.3	58.3	109.1	254.4	696.6	2,620.0
1945	73.1	873.5	23.7	5.8	8.1	17.4	27.0	63.7	118.3	273.8	773.2	3,000.0
1944	76.1	863.0	29.0	5.8	9.0	14.8	30.0	59.9	131.1	316.1	826.9	3,792.9
1943	81.6	1,009.5	37.0	5.8	10.4	17.8	32.3	69.7	131.4	329.7	934.2	3,842.9
1942	84.3	1,129.5	38.1	5.2	8.7	18.1	34.0	73.6	143.0	350.0	930.4	4,085.7
1941	88.5	1,302.3	39.8	5.7	10.6	18.2	37.2	70.7	158.2	331.7	1,115.2	4,271.4
1940	97.8	1,439.5	40.7	7.2	11.7	21.5	39.8	84.3	153.6	410.4	1,379.0	4,612.0

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

ALL OTHER, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	48.1	440.8	14.3	3.4	7.2	11.2	23.2	45.3	83.3	186.8	511.0	1,716.0
1948	52.5	482.9	15.7	2.9	7.2	10.9	23.1	52.1	96.7	202.6	537.1	2,333.3
1947	52.1	506.0	13.3	3.2	8.0	12.1	22.9	50.2	87.1	209.0	589.2	2,087.5
1946	53.2	661.7	18.4	3.4	9.3	12.8	24.5	50.9	90.8	216.0	523.9	2,191.3
1945	56.4	643.5	21.6	4.8	9.4	15.8	27.0	53.2	101.6	204.4	575.0	2,531.8
1944	63.0	738.5	27.9	5.6	11.1	17.9	29.9	58.4	112.8	235.3	597.5	3,009.5
1943	69.3	793.1	28.2	4.0	11.5	17.4	30.2	61.6	121.4	298.7	761.0	3,295.2
1942	69.2	870.6	27.1	5.4	13.2	20.0	33.7	60.1	121.5	274.1	769.4	3,140.0
1941	77.3	1,039.5	39.7	5.9	14.3	21.8	36.1	74.0	125.5	314.2	846.4	3,380.0
1940	84.1	1,076.7	35.0	6.0	15.1	23.3	41.3	80.6	149.6	362.7	933.7	4,090.8

ACCIDENTS

ALL RACES, BOTH SEXES	ICD Revision	Years in use	ICD Nos.		15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
	Sixth	1949	E800-E962									
Total	Fifth	1940-1948	169-176	178-195	years	years	years	years	years	years	years	and over
1949	60.6	117.7	38.1	23.3	51.8	43.1	43.9	52.2	70.7	121.1	338.6	1,086.7
1948	67.1	110.6	41.6	25.4	55.9	44.8	47.4	56.3	79.4	141.5	413.4	1,359.0
1947	69.4	103.0	42.6	27.3	58.1	47.5	50.0	58.7	84.3	147.5	419.3	1,330.1
1946	70.0	121.4	46.4	30.0	59.8	48.2	48.7	59.2	84.2	147.6	419.9	1,297.4
1945	72.4	111.7	47.4	31.6	61.9	49.7	50.5	58.2	87.1	152.7	444.0	1,314.6
1944	71.7	113.4	50.5	31.1	69.8	49.1	47.8	56.8	83.6	146.7	434.2	1,291.4
1943	73.8	113.9	53.3	30.6	67.4	51.8	48.3	61.0	89.3	155.9	467.0	1,381.8
1942	71.6	120.3	49.3	29.1	58.2	52.3	52.3	66.1	91.0	155.9	441.5	1,265.9
1941	76.3	125.5	49.9	30.3	60.0	56.2	58.1	73.3	100.0	175.8	472.4	1,314.5
1940	73.6	129.8	49.6	28.8	53.4	52.2	54.6	71.2	101.7	180.6	492.3	1,356.0

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ACCIDENTS												
ALL RACES, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	84.6	133.3	44.3	32.5	87.9	73.9	73.1	83.8	108.1	159.0	337.2	910.1
1948	92.4	122.1	48.2	35.3	93.7	76.9	78.7	91.4	120.9	181.1	399.1	1,133.5
1947	96.7	113.0	50.3	38.6	98.0	81.4	83.4	95.0	129.6	190.2	402.4	1,073.8
1946	98.3	134.2	54.6	42.0	102.5	82.8	80.9	95.0	129.6	191.5	404.8	1,074.7
1945	105.9	124.1	54.8	45.3	122.8	98.8	86.9	94.5	134.9	195.6	424.3	1,026.0
1944	105.0	128.0	58.1	44.6	137.6	93.5	82.1	92.6	129.1	184.5	396.4	1,043.7
1943	106.9	129.3	62.2	43.1	126.0	94.9	82.3	99.4	138.2	194.2	433.7	1,141.6
1942	102.7	132.7	55.4	42.1	100.4	91.7	89.2	108.6	141.0	195.7	410.0	1,035.5
1941	108.1	141.7	57.2	43.0	99.3	96.2	98.3	117.6	150.1	222.4	451.4	1,054.5
1940	102.3	140.9	56.9	40.6	87.1	87.9	91.2	113.9	151.6	222.0	456.5	1,095.5
ACCIDENTS												
ALL RACES, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	36.9	101.4	31.7	13.8	16.8	13.7	15.4	20.6	33.1	85.5	339.8	1,207.4
1948	42.1	98.6	34.7	15.1	19.2	13.9	16.9	21.1	37.6	104.0	425.8	1,514.5
1947	42.5	92.6	34.5	15.5	20.1	14.9	17.4	22.0	38.5	106.8	433.6	1,509.4
1946	42.3	108.0	37.9	17.5	21.0	15.3	17.3	22.8	38.0	105.6	433.1	1,459.6
1945	42.4	98.8	39.8	17.5	19.1	14.7	17.2	21.4	38.4	111.4	461.2	1,527.7
1944	40.8	98.0	42.8	17.1	17.2	13.8	15.6	20.2	37.0	110.1	467.5	1,474.9
1943	41.7	97.9	44.2	17.7	15.0	13.1	15.3	21.5	39.0	118.6	496.3	1,560.7
1942	40.8	107.2	43.0	15.6	17.7	15.3	16.0	22.0	39.2	116.9	469.8	1,438.3
1941	44.3	108.5	42.4	17.3	21.4	17.6	18.2	27.0	47.7	130.0	491.2	1,509.5
1940	44.7	118.4	42.1	16.7	20.1	17.6	18.2	26.1	49.4	139.8	524.7	1,551.5

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ACCIDENTS												
WHITE, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	59.9	103.3	35.6	22.4	51.4	41.1	41.6	49.3	69.4	120.3	346.4	1,145.1
1948	66.6	95.9	39.0	24.6	55.6	42.8	44.8	53.2	77.7	141.8	425.6	1,437.6
1947	69.2	90.4	40.1	26.5	57.8	45.9	47.8	56.0	82.7	148.2	433.6	1,404.2
1946	69.9	110.1	43.4	28.9	59.9	46.6	46.3	56.6	82.9	148.8	434.4	1,380.5
1945	72.7	98.9	45.1	31.3	62.8	48.4	48.1	55.8	86.2	154.0	458.3	1,393.3
1944	71.8	101.8	47.5	30.2	71.3	47.9	45.6	54.2	83.0	147.9	448.4	1,365.8
1943	74.1	103.0	50.6	29.9	68.0	50.8	46.3	59.0	88.7	156.5	481.6	1,464.1
1942	71.4	108.2	47.2	28.2	57.5	50.5	49.5	63.9	90.4	156.9	455.4	1,338.6
1941	75.9	110.9	48.2	29.7	58.9	53.7	55.0	71.0	98.9	177.2	486.5	1,400.0
1940	73.2	113.2	48.1	28.0	51.8	49.8	52.3	69.0	100.8	181.9	505.2	1,436.8
ACCIDENTS												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	82.9	118.7	41.7	31.4	87.1	70.5	69.2	79.5	106.3	157.7	342.7	953.1
1948	90.9	105.7	46.3	34.7	92.9	73.9	74.2	86.2	118.7	181.1	407.6	1,184.3
1947	95.7	101.2	48.2	37.6	97.2	79.2	79.6	91.0	127.7	190.7	413.4	1,124.7
1946	97.5	124.2	51.5	40.8	103.3	80.1	77.1	91.1	127.9	192.8	417.2	1,129.7
1945	105.8	110.9	52.6	45.3	125.8	96.9	82.8	90.9	134.1	197.7	436.0	1,072.9
1944	104.7	117.7	55.4	43.6	141.8	92.0	78.5	88.5	129.0	185.6	407.8	1,088.8
1943	107.0	118.3	59.9	42.3	127.8	93.9	79.0	96.6	138.2	195.1	446.0	1,192.7
1942	101.7	121.8	53.5	41.1	99.1	88.6	84.7	105.4	141.0	197.0	420.8	1,081.0
1941	106.5	127.9	56.3	42.3	96.8	91.7	93.0	114.0	148.6	224.0	460.7	1,112.6
1940	100.9	121.7	55.6	39.5	84.5	83.9	87.3	110.8	151.2	223.2	465.4	1,144.7

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ACCIDENTS												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	37.1	87.1	29.3	13.2	16.5	12.8	14.6	19.1	32.4	85.4	349.8	1,280.1
1948	42.6	85.5	31.5	14.1	19.1	13.0	16.0	20.0	36.5	104.9	440.9	1,618.0
1947	43.0	79.1	31.7	14.9	19.9	13.8	16.6	20.6	37.3	108.0	451.0	1,606.1
1946	42.8	95.3	35.0	16.5	20.5	14.6	16.2	21.6	37.4	107.1	449.1	1,563.9
1945	43.0	86.4	37.4	16.8	19.0	14.0	16.2	20.2	37.7	112.2	477.7	1,631.5
1944	41.3	85.2	39.2	16.4	17.0	12.8	14.6	19.1	36.0	111.7	483.8	1,573.0
1943	42.2	87.0	41.0	17.1	14.5	12.0	14.5	20.3	37.9	119.3	512.5	1,668.3
1942	41.2	93.9	40.7	14.8	17.3	14.4	14.8	21.0	38.3	118.2	486.0	1,532.4
1941	45.0	93.0	39.9	16.7	21.3	16.8	17.1	26.0	47.3	131.7	509.5	1,617.0
1940	45.1	104.3	40.4	16.2	19.3	16.3	17.2	24.9	48.3	141.4	541.2	1,656.5
ACCIDENTS												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	67.1	216.6	56.3	29.3	54.5	59.9	63.5	80.5	86.2	132.3	220.7	400.0
1948	71.1	219.4	60.1	30.9	58.1	61.0	70.3	87.1	99.4	137.0	231.6	446.3
1947	71.4	209.0	60.4	32.6	60.8	61.3	69.2	85.7	103.5	138.0	204.9	457.5
1946	71.1	206.8	68.2	37.1	58.4	62.1	69.3	85.1	99.7	131.3	204.0	389.5
1945	70.1	205.8	63.9	34.1	55.3	60.3	71.4	83.1	97.5	135.8	225.7	432.4
1944	70.5	202.1	72.4	36.8	57.9	59.2	67.0	83.9	91.8	129.5	216.5	451.4
1943	71.1	203.4	72.0	35.1	62.2	59.8	65.7	82.2	97.0	147.6	236.7	482.9
1942	73.6	209.8	63.6	34.9	64.1	67.7	76.1	89.1	98.6	140.5	219.7	479.4
1941	79.7	232.8	61.3	34.9	69.1	77.3	85.1	98.6	113.6	156.2	240.7	432.4
1940	77.2	252.1	60.1	34.4	65.7	73.3	75.1	95.2	112.3	163.3	275.3	604.3

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ACCIDENTS												
ALL OTHER, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	99.8	234.5	63.6	40.3	94.0	103.7	107.6	125.9	128.9	176.8	260.2	411.1
1948	105.8	244.7	62.2	39.9	99.9	103.6	118.6	142.4	146.7	180.5	276.8	541.2
1947	105.7	215.3	65.8	45.6	103.7	101.0	117.2	134.4	151.5	183.5	250.5	468.8
1946	105.5	212.1	77.5	49.7	96.7	106.2	114.8	134.4	149.7	175.0	226.4	480.0
1945	106.7	224.5	71.3	45.8	102.0	114.0	122.1	131.5	143.8	169.6	252.4	473.3
1944	107.0	209.6	77.0	52.1	107.1	106.2	113.1	135.7	129.6	169.8	230.8	500.0
1943	106.2	220.9	78.4	48.4	111.9	103.6	112.2	128.7	137.6	183.7	247.9	542.9
1942	111.6	215.8	69.1	48.8	111.5	119.1	129.1	143.0	141.4	178.6	242.0	521.4
1941	122.3	245.4	63.7	48.4	120.5	135.9	145.9	156.8	168.2	201.7	304.5	428.6
1940	114.8	286.1	66.0	48.1	109.6	124.0	126.1	148.4	156.3	206.8	311.3	632.2
ACCIDENTS												
ALL OTHER, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	35.7	197.5	49.1	18.3	18.7	20.5	22.4	34.9	42.1	87.2	182.0	392.0
1948	37.7	193.6	57.9	21.9	20.0	21.8	25.0	31.5	50.1	91.6	182.5	379.2
1947	38.1	203.8	55.0	19.6	21.9	24.3	24.1	36.2	52.5	90.2	158.1	450.0
1946	37.8	201.4	58.9	24.5	24.2	20.8	26.3	34.6	45.8	85.6	181.8	330.4
1945	36.8	188.4	56.5	22.5	20.0	20.1	25.7	33.7	47.3	100.0	202.4	404.5
1944	36.9	195.8	67.7	21.5	18.8	22.2	24.7	30.7	50.3	85.7	200.0	419.0
1943	37.5	185.5	65.7	21.9	18.6	21.8	22.4	34.1	52.5	108.7	226.0	442.9
1942	37.0	205.1	58.4	21.1	21.3	22.1	26.3	32.7	51.0	98.6	201.4	450.0
1941	38.4	220.2	59.0	21.5	22.2	24.8	27.6	37.3	53.2	106.6	179.7	435.0
1940	40.8	218.8	54.2	20.8	26.1	27.7	26.7	39.0	63.3	116.0	241.4	583.7

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MOTOR-VEHICLE ACCIDENTS

	ICD Revision		Years in use		ICD Nos.											
	Sixth	Fifth	1949	1940-1948	E810-E835	170	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years and over
ALL RACES, BOTH SEXES	Total	1 year	years	years	years	years	years	years	years	years	years	years	years	years	years	years
1949	21.3	6.7	11.7	9.1	30.4	21.6	18.0	20.2	27.3	38.0	52.5	53.4				
1948	22.1	5.9	12.3	10.1	32.0	20.8	18.6	20.8	28.3	39.8	56.0	51.3				
1947	22.8	5.0	12.1	10.2	32.0	21.2	19.0	21.7	30.2	42.8	60.9	58.5				
1946	23.9	6.3	13.1	11.5	33.3	22.9	18.8	22.3	30.9	43.7	62.8	66.0				
1945	21.2	4.4	11.2	11.0	26.6	20.5	18.6	20.2	28.7	39.9	54.8	46.9				
1944	18.3	3.8	11.1	9.7	21.6	17.2	15.8	18.0	25.9	35.5	46.5	35.3				
1943	17.7	4.0	11.0	9.0	19.9	16.7	15.2	18.9	25.6	34.0	45.9	46.8				
1942	21.1	4.2	10.8	9.1	25.2	19.9	18.3	23.1	31.8	41.7	51.3	48.3				
1941	30.0	8.1	13.8	12.8	35.2	28.7	26.0	32.4	43.1	63.0	83.0	74.0				
1940	26.2	5.9	12.4	11.5	28.6	24.8	22.2	29.1	41.1	56.9	76.1	69.1				

MOTOR-VEHICLE ACCIDENTS

ALL RACES, MALE			Under													
	Total	1 year	years	years	years	years	years	years	years	years	years	years	years	years	years	years
1949	32.9	6.9	13.5	12.3	50.7	36.3	28.8	30.9	40.2	57.6	82.8	100.4				
1948	34.3	5.9	14.5	13.8	52.5	35.1	29.5	32.1	42.6	62.7	91.1	96.3				
1947	35.6	5.8	14.1	13.8	52.8	36.0	30.5	33.4	46.1	67.9	98.3	109.2				
1946	37.5	6.9	15.8	15.6	56.0	38.4	30.6	34.7	47.6	68.9	102.7	126.8				
1945	34.9	4.6	13.6	15.5	49.4	39.7	31.1	32.4	46.1	65.0	90.9	87.0				
1944	29.8	4.3	12.9	13.6	38.5	31.3	27.0	29.0	42.1	57.5	76.5	67.8				
1943	28.8	4.4	13.4	12.7	34.1	29.7	25.5	30.7	41.3	55.4	78.2	84.3				
1942	33.7	4.8	12.7	13.0	41.1	34.0	30.2	36.6	51.3	66.2	84.4	87.2				
1941	46.4	8.9	16.2	17.9	55.9	47.5	42.1	49.8	65.7	95.3	130.5	128.5				
1940	40.3	5.6	14.8	15.7	45.3	40.8	35.4	45.1	62.4	85.4	119.1	125.3				

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

MOTOR-VEHICLE ACCIDENTS

ALL RACES, FEMALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	9.9	6.5	9.8	5.7	10.8	7.6	7.4	9.6	14.2	19.7	26.6	20.1
1948	10.0	5.9	10.1	6.4	12.1	7.0	7.9	9.4	14.0	18.1	25.7	19.1
1947	10.2	4.2	10.1	6.5	12.2	7.0	7.8	10.0	14.0	19.0	28.5	22.0
1946	10.5	5.6	10.2	7.3	12.7	8.1	7.3	9.8	13.8	19.5	28.1	21.7
1945	8.9	4.2	8.8	6.5	10.6	6.9	7.1	7.9	10.9	15.6	23.2	17.3
1944	7.6	3.2	9.1	5.7	8.5	6.0	5.3	6.7	9.3	14.2	20.2	11.3
1943	7.0	3.6	8.5	5.3	7.3	5.0	5.3	6.8	9.5	13.3	17.3	18.8
1942	8.6	3.5	8.9	5.1	9.8	6.7	6.5	9.0	11.6	17.7	21.9	19.1
1941	13.6	7.3	11.5	7.6	14.8	10.7	10.1	14.2	19.6	31.3	40.5	33.2
1940	12.0	6.2	9.9	7.2	12.2	9.2	9.0	12.4	18.7	28.6	37.2	26.9

MOTOR-VEHICLE ACCIDENTS

WHITE, BOTH SEXES		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	21.3	6.9	11.8	9.1	31.3	20.9	17.2	19.3	27.2	38.0	53.1	54.7
1948	22.2	6.0	12.6	10.4	33.3	20.5	17.9	19.9	28.1	40.1	56.6	53.6
1947	23.1	5.1	12.5	10.5	33.3	21.2	18.6	21.1	30.1	43.1	62.3	60.5
1946	24.2	6.5	13.3	11.6	34.7	22.9	18.2	21.7	30.8	44.4	64.3	68.9
1945	21.5	4.4	11.6	11.5	27.8	20.6	18.1	19.7	28.6	40.2	55.7	49.4
1944	18.3	3.7	11.3	9.8	22.1	16.7	15.3	17.4	26.1	35.6	47.3	36.2
1943	17.8	4.3	11.3	9.2	20.4	16.4	14.8	18.4	25.5	34.1	46.8	49.0
1942	21.2	4.4	11.2	9.3	25.7	19.3	17.7	22.5	31.9	42.3	52.4	48.6
1941	30.1	7.9	14.5	13.0	35.7	28.1	25.0	31.6	42.9	63.3	84.4	77.2
1940	26.5	6.0	12.9	11.8	29.2	24.4	21.7	28.5	41.3	57.6	77.7	70.1

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

MOTOR-VEHICLE ACCIDENTS

WHITE, MALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	Total 32.7	6.9	13.7	12.3	52.1	35.1	27.3	29.4	40.0	57.5	83.6	101.9
1948	34.3	5.6	14.7	14.1	54.5	34.6	28.2	30.4	41.8	63.1	92.0	101.0
1947	35.9	5.9	14.5	14.2	54.8	36.0	29.5	32.3	45.9	68.0	100.6	112.6
1946	37.9	7.4	16.1	15.8	58.4	38.2	29.5	33.5	47.4	70.1	105.5	130.8
1945	35.3	4.8	14.0	16.1	51.7	39.8	30.0	31.5	45.9	66.1	92.3	90.4
1944	29.8	4.4	13.0	13.7	39.3	30.4	26.1	27.9	42.5	57.6	77.7	68.6
1943	28.9	4.7	13.5	12.9	34.7	29.3	24.5	29.6	41.1	55.5	79.7	86.6
1942	33.8	4.9	12.9	13.3	41.7	32.9	29.1	35.4	51.5	67.2	86.6	87.3
1941	46.2	8.8	16.7	18.0	56.3	46.2	40.0	48.2	65.1	95.5	133.0	133.8
1940	40.5	5.7	15.4	16.0	45.7	40.0	34.3	43.8	62.8	86.5	121.1	127.3

MOTOR-VEHICLE ACCIDENTS

WHITE, FEMALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	Total 10.0	6.9	9.9	5.8	11.1	7.4	7.3	9.2	14.4	19.9	27.2	21.5
1948	10.2	6.5	10.3	6.5	12.6	6.9	7.8	9.4	14.3	18.5	26.3	19.8
1947	10.5	4.2	10.5	6.7	12.6	6.9	8.0	9.9	14.2	19.6	29.3	22.8
1946	10.7	5.6	10.3	7.3	13.1	8.2	7.1	9.7	14.0	20.0	28.7	23.7
1945	9.1	4.1	9.1	6.7	11.1	6.9	7.1	7.8	11.1	15.5	23.9	18.9
1944	7.7	2.9	9.5	5.9	8.8	5.8	5.2	6.6	9.4	14.4	20.7	11.9
1943	7.2	3.8	9.0	5.5	7.6	4.8	5.3	6.9	9.5	13.6	17.9	20.6
1942	8.8	3.8	9.5	5.1	10.1	6.5	6.3	9.1	11.8	18.1	22.0	19.5
1941	13.9	7.0	12.1	7.8	15.2	10.6	10.0	14.2	19.8	32.0	41.1	34.5
1940	12.3	6.3	10.3	7.4	12.7	9.0	9.0	12.3	18.9	29.4	38.6	27.1

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MOTOR-VEHICLE ACCIDENTS

ALL OTHER, BOTH SEXES		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	21.6	5.0	10.8	9.1	23.7	27.2	24.5	29.3	28.0	38.3	44.4	37.2
1948	20.8	5.0	10.6	8.4	22.6	23.3	24.6	29.2	31.5	35.7	46.8	24.4
1947	19.9	4.1	9.3	8.0	22.4	21.3	22.7	27.8	30.8	38.9	40.4	35.0
1946	21.2	4.6	11.8	10.4	22.8	23.1	23.9	28.9	32.1	34.2	40.6	34.2
1945	18.6	4.4	8.8	8.0	18.4	20.5	22.9	25.9	29.4	34.8	40.1	18.9
1944	17.7	4.5	9.4	8.8	17.6	21.1	20.2	24.4	23.1	34.3	35.4	25.7
1943	16.9	2.0	9.1	7.5	16.6	19.1	19.3	24.1	27.0	32.8	31.3	22.9
1942	20.2	2.5	8.2	8.1	21.0	25.0	23.5	29.9	30.1	33.5	33.8	44.1
1941	29.4	9.7	9.6	11.8	31.0	34.1	35.1	41.0	46.6	58.7	60.0	41.2
1940	23.8	5.4	8.6	9.8	23.9	28.4	26.7	36.5	38.0	46.1	48.5	59.3

MOTOR-VEHICLE ACCIDENTS

ALL OTHER, MALE		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	34.8	6.4	12.6	13.0	40.3	46.9	42.3	45.8	43.6	59.6	72.4	83.3
1948	33.8	8.4	12.6	11.5	37.6	39.9	41.5	48.7	51.7	57.4	76.8	41.2
1947	32.4	4.4	11.3	11.2	37.5	35.9	40.0	44.8	48.7	65.9	65.9	68.8
1946	33.9	3.6	14.1	14.0	37.4	40.1	40.1	46.8	50.5	54.0	62.1	86.7
1945	31.2	3.4	11.1	11.4	33.5	39.1	40.5	42.2	48.8	51.7	69.5	46.7
1944	29.7	4.1	12.3	13.1	32.0	38.6	35.2	40.5	36.7	56.1	59.0	57.1
1943	28.7	2.0	12.9	11.3	29.7	33.0	34.2	42.3	43.5	55.3	56.2	57.1
1942	33.6	3.6	11.2	11.6	36.3	43.9	40.1	50.0	48.9	52.9	49.3	85.7
1941	48.3	10.0	12.0	17.2	52.7	59.4	60.6	66.8	73.4	93.5	90.9	71.4
1940	38.6	5.0	9.9	13.7	41.8	48.0	45.0	58.4	57.8	72.1	85.5	106.5

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

MOTOR-VEHICLE ACCIDENTS

ALL OTHER, FEMALE	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
1949	8.9	3.5	9.0	5.2	8.8	9.4	7.9	12.7	11.9	16.7	17.0	4.0
1948	8.3	1.6	8.7	5.3	9.0	8.0	8.8	9.6	10.6	13.2	16.5	12.5
1947	7.7	3.8	7.3	4.9	8.6	7.7	6.4	10.5	11.9	10.5	15.1	12.5
1946	9.0	5.7	9.4	6.7	9.8	7.2	8.6	10.6	12.2	13.2	19.3	*
1945	7.1	5.4	6.6	4.6	7.0	6.7	7.0	9.2	8.3	16.9	11.9	*
1944	6.6	4.9	6.5	4.6	6.1	7.4	6.4	7.8	8.2	10.9	12.3	4.8
1943	5.6	2.1	5.2	3.8	5.2	7.0	5.4	5.4	8.9	8.7	7.8	*
1942	7.3	1.5	5.2	4.7	7.2	8.3	7.9	8.8	9.3	12.3	19.4	15.0
1941	11.0	9.3	7.2	6.4	11.2	11.4	11.1	13.9	16.9	20.9	30.4	20.0
1940	9.4	5.7	7.3	6.0	7.7	10.7	9.4	13.3	15.7	17.7	13.7	24.5

ALL OTHER ACCIDENTS

ALL RACES, BOTH SEXES	ICD Revision	Years in use	ICD Nos.										
	Sixth	1949	E800-E802,E840-E962										
	Fifth	1940-1948	169,171-176,178-195	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84
Total	1 year	years	years	years	years	years	years	years	years	years	years	years	and over
1949	39.3	111.0	26.4	14.2	21.4	21.5	25.9	32.0	43.4	83.1	286.1	1,033.3	
1948	45.0	104.7	29.2	15.3	23.8	24.0	28.8	35.5	51.1	101.7	357.5	1,307.7	
1947	46.6	98.1	30.4	17.0	26.1	26.3	31.0	36.9	54.2	104.6	358.3	1,271.5	
1946	46.1	115.1	33.4	18.5	26.5	25.4	29.9	36.8	53.3	104.0	357.1	1,231.5	
1945	51.2	107.3	36.2	20.6	35.2	29.1	32.0	38.0	58.4	112.9	389.3	1,267.7	
1944	53.4	109.6	39.5	21.4	48.2	32.0	32.0	38.8	57.7	111.2	387.7	1,256.0	
1943	56.0	109.9	42.3	21.6	47.4	35.1	33.0	42.1	63.7	121.8	421.1	1,335.0	
1942	50.5	116.1	38.4	19.9	33.1	32.3	34.0	43.0	59.2	114.2	390.2	1,217.7	
1941	46.2	117.4	36.1	17.5	24.8	27.4	32.1	40.9	56.8	112.8	389.4	1,240.5	
1940	47.4	123.9	37.2	17.3	24.7	27.4	32.4	42.0	60.6	123.8	416.2	1,286.9	

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ALL OTHER ACCIDENTS												
ALL RACES, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	51.7	126.4	30.7	20.1	37.2	37.6	44.2	52.9	67.9	101.4	254.4	809.7
1948	58.1	116.2	33.7	21.6	41.1	41.8	49.2	59.3	78.3	118.4	308.0	1,037.2
1947	61.1	107.2	36.2	24.8	45.1	45.4	52.9	61.6	83.5	122.3	304.1	964.6
1946	60.8	127.3	38.8	26.4	46.5	44.4	50.3	60.3	82.0	122.6	302.1	948.0
1945	71.0	119.5	41.2	29.9	73.4	59.1	55.7	62.1	88.7	130.6	333.4	939.1
1944	75.1	123.7	45.1	31.1	99.2	62.3	55.1	63.6	87.0	127.0	319.9	976.0
1943	78.1	124.9	48.8	30.4	91.9	65.3	56.8	68.7	96.9	138.8	355.4	1,057.3
1942	69.0	128.0	42.7	29.0	59.3	57.6	59.0	72.0	89.7	129.5	325.7	948.3
1941	61.8	132.7	41.0	25.1	43.3	48.7	56.2	67.9	84.4	127.1	320.9	926.1
1940	62.0	135.3	42.1	24.9	41.8	47.0	55.8	68.9	89.1	136.6	337.5	970.1
ALL OTHER ACCIDENTS												
ALL RACES, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	27.0	95.0	21.9	8.1	6.0	6.1	8.0	11.0	18.9	65.9	313.3	1,187.3
1948	32.0	92.7	24.6	8.7	7.1	6.9	9.0	11.7	23.6	85.9	400.1	1,495.4
1947	32.3	88.4	24.5	9.0	8.0	7.9	9.6	12.0	24.5	87.8	405.1	1,487.5
1946	31.7	102.4	27.7	10.3	8.3	7.2	10.0	13.0	24.2	86.1	405.0	1,437.9
1945	33.5	94.6	31.0	11.1	8.4	7.8	10.2	13.5	27.5	95.8	438.1	1,510.4
1944	33.3	94.9	33.6	11.4	8.7	7.9	10.3	13.4	27.7	95.9	447.2	1,463.6
1943	34.7	94.3	35.7	12.4	7.7	8.0	10.1	14.7	29.5	105.3	479.0	1,541.8
1942	32.1	103.7	34.0	10.6	7.9	8.5	9.5	13.0	27.6	99.2	447.9	1,419.1
1941	30.7	101.2	30.9	9.7	6.6	7.0	8.1	12.8	28.1	98.7	450.7	1,476.4
1940	32.7	112.1	32.2	9.5	8.0	8.4	9.1	13.7	30.7	111.2	487.5	1,524.6

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ALL OTHER ACCIDENTS

WHITE, BOTH SEXES		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
Total		1 year	years	years	years	years	years	years	years	years	years	and over
1949	38.6	96.4	23.8	13.4	20.1	20.2	24.4	30.0	42.2	82.3	293.4	1,090.3
1948	44.4	89.9	26.5	14.2	22.3	22.4	26.9	33.2	49.7	101.8	369.0	1,384.0
1947	46.1	85.4	27.6	15.9	24.5	24.7	29.2	34.8	52.6	105.1	371.3	1,343.7
1946	45.7	103.6	30.2	17.3	25.3	23.7	28.1	34.9	52.1	104.5	370.0	1,311.6
1945	51.2	94.5	33.6	19.8	35.0	27.8	30.0	36.1	57.6	113.7	402.6	1,343.9
1944	53.5	98.2	36.2	20.4	49.2	31.2	30.3	36.8	56.8	112.4	401.2	1,329.6
1943	56.2	98.8	39.3	20.7	47.7	34.4	31.5	40.6	63.2	122.3	434.8	1,415.2
1942	50.1	103.9	36.0	18.9	31.8	31.1	31.9	41.5	58.5	114.7	403.1	1,289.9
1941	45.8	103.0	33.8	16.7	23.2	25.6	30.0	39.4	56.0	113.9	402.0	1,322.8
1940	46.7	107.2	35.2	16.3	22.6	25.4	30.6	40.5	59.5	124.2	427.5	1,366.7

ALL OTHER ACCIDENTS

WHITE, MALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
Total		1 year	years	years	years	years	years	years	years	years	years	and over
1949	50.2	111.8	28.0	19.1	35.1	35.5	41.9	50.1	66.4	100.2	259.1	851.2
1948	56.5	100.1	31.6	20.6	38.4	39.3	46.0	55.8	76.9	118.1	315.6	1,083.3
1947	59.7	95.3	33.7	23.4	42.5	43.2	50.1	58.8	81.8	122.7	312.7	1,012.1
1946	59.6	116.8	35.5	25.1	44.9	41.9	47.6	57.6	80.5	122.7	311.7	998.9
1945	70.5	106.1	38.6	29.2	74.1	57.1	52.7	59.4	88.2	131.6	343.7	982.5
1944	74.9	113.3	42.4	29.9	102.4	61.6	52.5	60.5	86.5	128.0	330.1	1,020.1
1943	78.1	113.6	46.4	29.4	93.1	64.6	54.4	67.0	97.1	139.6	366.3	1,106.1
1942	67.9	116.8	40.6	27.9	57.4	55.7	55.6	70.0	89.5	129.8	334.2	993.7
1941	60.4	119.1	39.5	24.2	40.4	45.6	53.0	65.8	83.6	128.5	327.7	978.8
1940	60.4	116.0	40.1	23.6	38.7	43.8	53.0	66.9	88.4	136.7	344.3	1,017.3

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ALL OTHER ACCIDENTS												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	27.1	80.2	19.4	7.4	5.5	5.4	7.3	9.9	18.0	65.5	322.7	1,258.6
1948	32.3	79.0	21.2	7.6	6.5	6.1	8.2	10.6	22.3	86.4	414.6	1,598.2
1947	32.5	74.9	21.2	8.1	7.3	6.9	8.6	10.7	23.1	88.4	421.7	1,583.3
1946	32.1	89.6	24.7	9.1	7.5	6.4	9.1	11.9	23.4	87.1	420.4	1,540.2
1945	33.9	82.3	28.4	10.0	7.8	7.1	9.2	12.4	26.6	96.7	453.8	1,612.6
1944	33.6	82.2	29.7	10.6	8.2	7.0	9.4	12.5	26.5	97.3	463.1	1,561.1
1943	35.0	83.2	32.0	11.6	7.0	7.2	9.2	13.4	28.4	105.7	494.6	1,647.7
1942	32.4	90.1	31.2	9.7	7.1	7.9	8.4	12.0	26.5	100.1	464.0	1,512.9
1941	31.0	86.0	27.8	8.9	6.0	6.2	7.1	11.8	27.5	99.6	468.4	1,582.5
1940	32.8	98.0	30.0	8.8	6.6	7.3	8.2	12.6	29.5	112.0	502.6	1,629.3
ALL OTHER ACCIDENTS												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	45.5	211.7	45.5	20.2	30.8	32.8	39.0	51.2	58.2	94.0	176.3	362.8
1948	50.3	214.3	49.4	22.5	35.5	37.7	45.7	57.9	67.8	101.3	184.7	422.0
1947	51.5	204.9	51.1	24.6	38.4	40.0	46.6	57.9	72.7	99.1	164.5	422.5
1946	49.8	202.1	56.4	26.7	35.5	39.0	45.4	56.2	67.6	97.2	163.4	355.3
1945	51.5	201.4	55.1	26.1	36.9	39.8	48.5	57.2	68.1	101.0	185.6	413.5
1944	52.8	197.6	63.0	27.9	40.3	38.0	46.8	59.6	68.7	95.1	181.0	425.7
1943	54.2	201.4	62.9	27.6	45.5	40.7	46.4	58.0	70.0	114.7	205.3	460.0
1942	53.4	207.2	55.4	26.8	43.1	42.6	52.7	59.3	68.5	107.0	185.9	435.3
1941	50.3	223.2	51.8	23.1	38.1	43.2	49.9	57.5	67.1	97.5	180.7	391.2
1940	53.4	246.8	51.5	24.6	41.8	45.0	48.3	58.7	74.4	117.3	226.8	545.0

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

ALL OTHER ACCIDENTS

ALL OTHER, MALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
Total		1 year	years	years	years	years	years	years	years	years	years	and over
1949	65.0	228.1	51.0	27.3	53.8	56.8	65.3	80.0	85.4	117.2	187.8	327.8
1948	71.9	236.3	49.6	28.4	62.3	63.6	77.1	93.7	95.0	123.0	200.0	500.0
1947	73.3	210.9	54.5	34.4	66.1	65.1	77.2	89.6	102.8	117.6	184.6	400.0
1946	71.6	208.6	63.4	35.7	59.3	66.1	74.7	87.6	99.2	121.0	164.4	393.3
1945	75.5	221.1	60.3	34.4	68.5	75.0	81.5	89.2	95.0	117.9	182.9	426.7
1944	77.3	205.5	64.7	39.0	75.1	67.5	77.9	95.2	93.0	113.7	171.8	442.9
1943	77.5	218.9	65.4	37.1	82.2	70.6	78.1	86.4	94.1	128.5	191.8	485.7
1942	78.0	212.2	58.0	37.2	75.2	75.2	89.1	93.0	92.5	125.6	192.8	435.7
1941	74.0	235.4	51.7	31.2	67.8	76.4	85.3	90.0	94.9	108.3	213.6	357.1
1940	76.2	281.1	56.1	34.4	67.7	76.0	81.1	90.0	98.4	134.7	225.8	525.8

ALL OTHER ACCIDENTS

ALL OTHER, FEMALE		Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
Total		1 year	years	years	years	years	years	years	years	years	years	and over
1949	26.7	194.0	40.1	13.1	9.9	11.1	14.5	22.2	30.2	70.5	165.0	388.0
1948	29.4	192.0	49.2	16.5	11.1	13.8	16.2	21.9	39.5	78.4	166.0	366.7
1947	30.4	200.0	47.7	14.7	13.3	16.6	17.8	25.8	40.7	79.7	143.0	437.5
1946	28.8	195.7	49.5	17.8	14.3	13.6	17.6	24.0	33.6	72.4	162.5	330.4
1945	29.7	183.0	49.9	17.8	13.0	13.5	18.7	24.5	39.0	83.1	190.5	404.5
1944	30.3	190.9	61.3	16.9	12.7	14.8	18.3	22.9	42.2	74.8	187.7	414.3
1943	32.0	183.4	60.5	18.1	13.4	14.8	17.0	28.7	43.6	100.0	218.2	442.9
1942	29.7	203.7	53.1	16.4	14.0	13.8	18.4	24.0	41.8	86.4	181.9	435.0
1941	27.4	210.9	51.8	15.1	11.0	13.4	16.5	23.4	36.4	85.8	149.3	415.0
1940	31.4	213.0	47.0	14.8	18.3	17.1	17.3	25.7	47.5	98.3	227.7	559.2

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

SUICIDE												
	ICD Revision	Years in use	ICD Nos.									
	Sixth Fifth	1949 1940-1948	1949 E963, 163,164	E970-E979								
ALL RACES, BOTH SEXES	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	11.4	0.2	4.6	8.8	15.1	20.6	27.6	28.4	30.1	32.8
1948	11.2	0.2	4.8	9.0	14.5	20.7	26.0	27.1	30.4	30.4
1947	11.5	0.3	4.6	9.4	15.1	20.7	26.7	27.9	34.2	31.5
1946	11.5	0.3	5.2	9.9	15.3	20.7	25.9	26.1	29.3	33.0
1945	11.2	0.2	4.7	10.3	15.0	19.2	23.5	26.0	31.0	25.9
1944	10.0	0.2	4.3	9.1	13.4	17.1	21.5	23.1	30.6	25.1
1943	10.2	0.3	4.5	9.0	13.1	17.4	23.5	25.7	31.4	28.8
1942	12.0	0.3	5.1	11.5	16.1	21.1	28.0	27.9	33.4	26.1
1941	12.8	0.2	5.7	12.4	17.1	23.1	29.4	30.9	33.8	29.6
1940	14.4	0.2	6.1	13.5	19.4	27.7	34.3	33.5	34.2	27.4
SUICIDE												
ALL RACES, MALE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	17.9	0.3	6.7	13.0	22.7	31.6	44.3	48.6	56.6	69.2
1948	17.2	0.3	6.6	12.9	20.8	31.5	42.0	46.3	55.1	63.3
1947	17.6	0.5	6.6	13.2	22.1	30.5	43.0	45.8	64.1	64.1
1946	17.4	0.5	7.4	14.2	21.9	30.3	40.4	43.1	53.5	66.7
1945	17.2	0.4	7.4	15.9	21.8	27.2	36.2	42.3	55.6	54.2
1944	14.9	0.3	6.0	13.3	18.7	24.2	32.0	37.6	54.2	52.5
1943	15.2	0.4	6.3	12.9	18.5	24.5	35.0	41.3	57.0	61.2
1942	18.3	0.4	7.0	16.6	23.8	30.9	44.3	47.0	58.0	54.7
1941	19.4	0.2	7.5	17.5	24.8	33.8	46.4	52.1	62.6	61.8
1940	21.9	0.4	8.4	19.1	28.2	41.6	55.3	55.1	62.5	55.6

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

SUICIDE												
ALL RACES, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	5.1	0.1	2.5	4.8	7.6	9.6	10.8	9.5	7.3	7.1
1948	5.2	0.1	2.9	5.2	8.3	9.9	9.9	8.9	9.1	6.9
1947	5.5	0.1	2.7	5.7	8.3	10.9	10.2	10.8	8.3	8.0
1946	5.8	0.1	3.2	5.9	8.7	11.0	11.2	9.8	8.2	8.5
1945	5.8	0.1	2.9	6.4	8.7	11.0	10.6	10.2	9.5	5.0
1944	5.4	0.1	3.1	5.7	8.3	9.8	10.8	9.2	10.0	4.9
1943	5.4	0.1	3.0	5.6	7.8	10.0	11.6	10.5	8.8	4.6
1942	5.8	0.1	3.2	6.8	8.6	11.0	11.2	9.2	11.5	4.8
1941	6.3	0.2	3.9	7.5	9.4	11.9	11.8	10.1	8.0	5.5
1940	6.8	0.1	3.8	8.1	10.6	13.1	12.3	12.2	8.6	6.2

SUICIDE												
WHITE, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	12.3	0.3	4.8	9.1	16.0	22.0	29.1	29.9	31.5	35.0
1948	12.0	0.2	4.9	9.3	15.3	22.0	27.7	28.5	32.0	32.8
1947	12.4	0.3	4.7	9.8	16.1	22.2	28.3	29.4	36.0	33.8
1946	12.4	0.3	5.4	10.4	16.4	22.1	27.4	27.6	30.8	35.7
1945	12.1	0.3	4.9	10.9	16.1	20.5	25.1	27.4	32.5	27.7
1944	10.8	0.2	4.5	9.6	14.4	18.2	22.8	24.5	32.3	26.8
1943	11.1	0.3	4.7	9.6	14.1	18.6	24.9	27.3	33.0	31.2
1942	13.0	0.3	5.2	12.1	17.3	22.6	29.7	29.5	35.1	28.5
1941	13.8	0.2	6.0	13.2	18.3	24.5	31.2	32.7	35.4	31.9
1940	15.5	0.2	6.4	14.2	20.8	29.4	36.4	35.3	36.0	29.5

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

SUICIDE												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	19.1	0.4	6.9	13.3	24.0	33.6	46.6	51.2	59.6	73.7
1948	18.4	0.4	6.8	13.3	21.8	33.3	44.7	48.8	58.1	68.2
1947	18.9	0.5	6.8	13.8	23.3	32.6	45.5	48.3	67.6	68.4
1946	18.7	0.5	7.7	14.7	23.4	32.4	42.8	45.7	56.4	72.0
1945	18.5	0.4	7.7	16.7	23.3	29.0	38.6	44.7	58.4	57.6
1944	16.0	0.4	6.2	14.0	20.1	25.8	33.8	40.0	57.4	56.2
1943	16.4	0.4	6.5	13.5	19.9	26.2	37.1	44.0	60.2	65.9
1942	19.7	0.4	7.2	17.4	25.3	33.0	46.8	49.9	61.1	59.5
1941	20.8	0.3	7.8	18.3	26.4	35.8	49.2	55.2	65.7	66.9
1940	23.5	0.4	8.8	19.9	30.1	44.1	58.8	58.2	65.9	60.1

SUICIDE												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	5.5	0.1	2.6	5.1	8.2	10.4	11.5	10.0	7.6	7.7
1948	5.7	0.1	3.1	5.5	9.0	10.7	10.6	9.4	9.7	7.6
1947	6.0	0.1	2.7	6.0	8.9	11.8	10.9	11.5	8.8	8.7
1946	6.2	0.1	3.4	6.3	9.4	11.7	11.9	10.3	8.7	9.2
1945	6.3	0.1	3.0	6.8	9.5	12.0	11.4	10.9	9.9	5.5
1944	5.9	0.1	3.3	6.1	9.0	10.5	11.5	9.6	10.4	4.9
1943	5.9	0.2	3.2	6.1	8.4	10.8	12.4	11.2	9.1	5.0
1942	6.3	0.1	3.2	7.1	9.3	11.8	12.0	9.7	12.2	5.2
1941	6.8	0.2	4.1	8.1	10.3	12.8	12.5	10.7	8.3	5.5
1940	7.3	0.1	3.9	8.6	11.5	14.0	13.1	12.9	9.0	6.4

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

SUICIDE												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	4.3	0.1	3.1	6.0	6.8	7.1	9.4	8.8	8.6	7.0
1948	4.1	0.0	3.3	6.0	7.1	8.1	6.0	8.1	6.3	2.4
1947	4.1	0.2	3.8	5.9	6.6	5.5	7.8	7.7	8.2	5.0
1946	3.9	0.1	3.6	6.0	5.7	6.6	7.7	6.2	6.3	2.6
1945	3.5	*	3.4	5.5	5.4	5.4	5.3	6.5	8.4	5.4
1944	3.0	0.1	2.8	4.5	4.5	4.9	6.3	4.7	5.1	5.7
1943	3.0	0.2	3.1	4.5	4.4	4.2	6.3	3.8	6.0	2.9
1942	3.9	0.2	3.9	6.5	6.2	5.1	8.2	5.3	4.9	*
1941	4.1	0.1	3.8	6.3	6.0	7.8	7.2	6.8	7.4	5.9
1940	4.6	0.2	4.2	7.3	6.7	9.2	7.3	8.2	3.9	8.5

SUICIDE												
ALL OTHER, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	7.1	0.1	4.6	9.9	11.3	12.0	16.4	15.8	15.3	16.7
1948	6.9	*	5.0	9.1	12.2	14.1	10.9	14.5	12.6	5.9
1947	6.5	0.3	5.0	8.9	11.1	9.1	13.8	14.3	16.5	12.5
1946	6.1	0.2	5.0	9.4	8.8	9.9	12.8	10.7	12.6	6.7
1945	5.7	*	5.1	9.1	8.8	9.1	9.1	12.2	14.6	13.3
1944	4.8	0.1	3.9	7.6	7.2	8.0	11.1	6.7	7.7	7.1
1943	4.8	0.4	4.9	7.8	6.2	6.9	10.3	6.5	8.2	7.1
1942	6.0	0.2	5.0	9.3	9.7	8.0	14.5	9.2	10.1	*
1941	6.6	0.1	5.1	10.3	10.5	12.5	11.7	11.3	12.1	7.1
1940	7.2	0.4	5.1	11.5	10.6	14.8	12.6	13.5	6.5	13.3

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

SUICIDE												
ALL OTHER, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.5	0.2	1.7	2.5	2.6	2.1	2.2	1.8	2.0	*
1948	1.5	0.1	1.8	3.1	2.4	2.2	0.8	1.5	*	*
1947	1.6	0.1	2.6	3.1	2.5	1.7	1.5	0.8	*	*
1946	1.8	*	2.3	2.8	2.8	3.4	2.2	1.6	*	*
1945	1.5	*	2.2	2.8	2.3	1.5	1.1	0.4	2.4	*
1944	1.4	0.1	2.0	2.1	2.0	1.8	1.2	2.5	2.5	4.8
1943	1.3	0.1	1.6	1.7	2.7	1.4	1.9	0.9	3.9	*
1942	2.0	0.1	2.8	4.0	2.9	2.1	1.3	0.9	*	*
1941	1.7	0.1	2.5	2.6	1.8	2.9	2.3	1.9	2.9	5.0
1940	2.1	*	3.3	3.5	3.0	3.2	1.4	2.5	1.5	4.9

HOMICIDE														
	ICD Revision Sixth Fifth	Years in use 1949 1940-1948	ICD Nos. E964,E990-E999 165-168	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALL RACES, BOTH SEXES	Total													
1949	5.4	4.0		0.6	0.5	6.7	9.6	8.9	6.6	4.2	2.9	3.5	2.2	
1948	5.8	4.8		0.5	0.6	7.1	10.6	9.7	6.8	4.1	3.6	3.1	3.1	
1947	6.0	5.0		0.6	0.5	7.2	11.0	9.6	6.7	4.5	3.4	2.6	2.4	
1946	6.3	5.6		0.8	0.5	7.5	11.4	10.2	7.2	4.7	3.3	2.8	1.9	
1945	5.6	6.0		0.7	0.6	6.9	10.2	9.3	6.6	3.9	3.2	2.2	2.2	
1944	4.9	4.4		0.5	0.6	5.7	9.1	8.4	5.4	3.9	2.5	2.4	2.3	
1943	5.0	4.7		0.6	0.7	5.9	8.7	8.0	5.6	3.9	2.7	2.4	2.2	
1942	5.8	4.3		0.6	0.5	6.9	10.9	9.1	6.2	4.2	3.0	2.7	3.2	
1941	6.0	5.1		0.6	0.6	7.2	11.3	9.3	6.4	4.0	3.3	2.2	2.6	
1940	6.2	4.8		0.6	0.6	7.1	12.0	9.8	6.7	4.7	3.5	3.4	2.2	

... Category not applicable

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

HOMICIDE												
ALL RACES, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	8.4	4.3	0.8	0.7	10.1	15.4	14.2	10.4	6.8	5.1	5.3	2.2
1948	9.2	4.4	0.6	0.6	11.0	17.1	15.5	11.3	6.8	5.8	4.8	2.8
1947	9.4	5.4	0.7	0.7	11.3	17.7	15.7	10.6	7.4	5.6	4.5	2.4
1946	9.9	5.9	0.7	0.7	11.8	18.3	16.6	11.9	7.8	5.6	3.7	3.0
1945	9.3	5.8	0.7	0.7	12.2	19.1	15.8	11.4	6.7	5.5	3.8	4.7
1944	8.0	4.4	0.5	0.6	9.6	16.0	14.1	9.2	6.4	4.3	3.8	3.3
1943	7.9	4.9	0.5	0.9	9.4	14.1	13.3	9.5	6.5	4.7	3.4	2.8
1942	9.2	4.9	0.6	0.6	10.4	17.8	15.1	10.3	7.1	4.9	4.2	4.1
1941	9.4	5.4	0.7	0.7	10.5	18.4	15.4	10.7	6.8	5.6	3.1	4.8
1940	9.9	5.0	0.6	0.7	10.6	19.6	16.0	11.1	7.8	5.8	5.5	2.6
HOMICIDE												
ALL RACES, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	2.4	3.8	0.4	0.4	3.3	4.1	3.7	2.8	1.6	0.9	1.9	2.2
1948	2.6	5.1	0.5	0.6	3.3	4.3	4.1	2.3	1.4	1.5	1.6	3.3
1947	2.6	4.7	0.5	0.4	3.2	4.6	3.7	2.7	1.6	1.3	1.0	2.4
1946	2.7	5.3	0.8	0.4	3.6	4.8	4.0	2.4	1.5	1.1	2.0	1.1
1945	2.3	6.3	0.7	0.5	3.2	3.9	3.3	1.7	1.1	0.9	0.8	0.4
1944	2.1	4.4	0.6	0.5	2.7	3.7	3.0	1.6	1.3	0.8	1.2	1.6
1943	2.1	4.4	0.8	0.6	2.8	3.8	2.9	1.6	1.3	0.7	1.4	1.7
1942	2.4	3.8	0.6	0.4	3.6	4.4	3.2	1.9	1.2	1.1	1.5	2.6
1941	2.5	4.7	0.4	0.5	3.8	4.4	3.3	1.9	1.1	1.0	1.5	0.9
1940	2.6	4.6	0.5	0.5	3.6	4.6	3.5	2.2	1.4	1.3	1.4	1.9

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

HOMICIDE												
WHITE, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	2.7	3.7	0.5	0.4	2.7	3.9	4.3	3.7	3.0	2.4	3.0	1.2
1948	3.0	4.4	0.5	0.5	2.8	4.2	4.8	3.9	3.2	2.8	2.5	2.9
1947	3.1	5.0	0.6	0.4	2.8	4.6	4.8	4.0	3.3	2.8	2.4	2.4
1946	3.2	5.0	0.7	0.3	3.3	4.8	4.7	4.3	3.5	2.5	2.2	1.9
1945	3.0	5.8	0.7	0.5	2.9	4.2	4.6	4.0	3.1	2.5	1.8	1.7
1944	2.5	4.0	0.5	0.4	2.2	3.6	3.9	3.4	2.9	2.1	2.1	2.0
1943	2.6	5.0	0.6	0.5	2.4	3.7	3.8	3.5	3.3	2.3	2.3	1.6
1942	2.8	4.2	0.5	0.4	2.5	4.0	4.3	3.7	3.2	2.5	2.4	3.0
1941	2.9	4.7	0.5	0.5	2.6	4.3	4.4	4.0	3.1	2.5	1.7	1.1
1940	3.1	4.8	0.6	0.5	2.6	4.8	4.8	4.3	3.7	3.0	2.9	2.1
HOMICIDE												
WHITE, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	4.1	3.9	0.7	0.5	4.0	6.1	6.6	5.5	4.8	4.1	4.5	1.0
1948	4.5	4.0	0.6	0.5	4.1	6.7	7.3	6.1	5.2	4.6	3.9	2.0
1947	4.7	5.1	0.7	0.4	4.2	7.3	7.7	6.0	5.5	4.6	4.1	2.1
1946	4.9	5.3	0.6	0.4	5.1	7.4	7.2	6.8	5.6	4.4	2.9	2.7
1945	4.8	5.6	0.7	0.6	5.0	7.7	7.7	6.8	5.2	4.3	3.1	3.4
1944	3.9	4.1	0.4	0.5	3.7	6.2	6.2	5.5	4.7	3.5	3.0	3.6
1943	4.1	5.1	0.4	0.5	3.6	5.8	6.2	5.8	5.4	4.0	3.2	2.4
1942	4.3	4.6	0.5	0.4	3.9	6.4	6.7	6.0	5.4	4.1	3.6	3.2
1941	4.4	5.4	0.6	0.5	3.6	6.9	7.1	6.3	5.0	4.2	2.4	2.0
1940	4.9	5.1	0.7	0.5	3.9	7.8	7.6	7.0	6.1	4.9	4.4	2.8

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces
 overseas. Rates per 100,000 population for specified group.)

HOMICIDE												
WHITE, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	1.4	3.6	0.3	0.3	1.4	1.8	2.1	1.9	1.2	0.7	1.7	1.3
1948	1.5	4.9	0.4	0.4	1.6	1.9	2.3	1.6	1.2	1.2	1.2	3.6
1947	1.5	4.9	0.5	0.3	1.3	2.0	2.0	1.9	1.1	1.2	0.9	2.7
1946	1.5	4.7	0.7	0.3	1.6	2.2	2.2	1.7	1.4	0.8	1.6	1.2
1945	1.3	6.0	0.7	0.5	1.4	1.7	1.8	1.2	0.9	0.8	0.7	0.4
1944	1.2	4.0	0.6	0.3	1.1	1.6	1.8	1.2	1.1	0.7	1.2	0.9
1943	1.2	4.8	0.7	0.5	1.3	1.7	1.5	1.2	1.2	0.7	1.5	0.9
1942	1.3	3.9	0.5	0.4	1.2	1.7	1.9	1.4	1.0	1.0	1.2	2.9
1941	1.3	4.0	0.3	0.4	1.5	1.8	1.6	1.5	1.0	0.8	1.1	0.5
1940	1.4	4.6	0.5	0.4	1.3	1.8	1.9	1.5	1.2	1.2	1.5	1.6
HOMICIDE												
ALL OTHER, BOTH SEXES												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	28.2	6.2	1.3	1.4	36.6	58.3	49.0	34.2	19.1	10.8	10.6	14.0
1948	30.5	7.2	1.1	1.5	39.4	64.5	52.9	35.7	15.2	13.2	12.1	4.9
1947	30.6	5.2	0.5	1.7	40.7	65.8	51.3	33.7	18.2	11.0	6.0	2.5
1946	32.5	9.6	1.6	1.9	39.3	67.0	57.7	36.7	19.0	13.2	11.4	2.6
1945	27.9	8.1	0.7	1.3	36.1	59.1	49.7	33.3	14.0	11.9	8.4	8.1
1944	25.6	7.2	0.5	1.6	31.7	55.2	47.2	26.8	15.1	8.1	8.2	5.7
1943	25.2	2.4	1.1	2.3	33.8	51.1	44.7	27.3	11.5	7.8	3.3	8.6
1942	31.8	5.1	1.1	1.5	42.3	70.0	51.0	32.1	16.1	9.6	9.2	5.9
1941	33.0	7.7	1.2	1.3	44.5	71.0	52.7	32.4	15.8	13.6	11.1	17.6
1940	33.3	4.5	0.7	1.4	43.6	73.7	53.3	33.3	16.7	10.8	11.7	2.8

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.

TABLE 2. DEATH RATES FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: UNITED STATES, 1940-1949
 (For qualifications of data, see text of original report. By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population for specified group.)

HOMICIDE												
ALL OTHER, MALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	45.8	6.9	1.3	2.1	58.0	98.0	82.3	57.6	31.6	18.2	15.3	16.7
1948	49.9	7.9	1.1	1.7	64.6	108.0	88.3	62.0	25.5	20.6	16.8	11.8
1947	50.0	7.7	0.8	2.5	66.5	107.9	86.5	57.0	28.9	19.0	9.9	6.3
1946	53.3	10.0	1.5	2.7	62.7	110.7	98.8	63.3	33.7	21.0	14.9	6.7
1945	46.9	7.5	0.8	1.7	61.8	108.5	86.3	58.6	23.9	20.9	14.6	20.0
1944	43.0	6.8	0.6	1.8	53.0	98.0	83.4	47.9	26.2	14.5	15.4	*
1943	41.4	3.4	1.0	3.5	55.3	85.6	76.5	47.5	19.3	13.4	6.8	7.1
1942	52.3	7.2	1.2	2.4	64.8	118.8	90.4	55.9	27.4	16.0	13.0	14.3
1941	54.1	5.4	1.3	1.5	69.1	121.7	90.1	57.6	28.0	23.0	13.6	35.7
1940	54.4	4.2	0.4	1.8	68.2	125.5	91.5	56.0	27.7	18.0	24.2	*
HOMICIDE												
ALL OTHER, FEMALE												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949	11.4	5.5	1.2	0.8	17.3	22.7	18.1	10.7	6.3	3.2	6.0	12.0
1948	11.7	6.4	1.0	1.3	16.4	24.4	19.8	9.2	4.3	5.5	7.2	*
1947	11.9	2.7	0.3	0.8	17.2	26.6	18.1	10.1	6.8	2.6	2.2	*
1946	12.4	9.2	1.7	1.1	18.4	26.1	18.8	9.4	3.3	5.1	8.0	*
1945	10.7	8.8	0.6	0.8	16.6	22.2	16.6	7.4	3.4	2.4	2.4	*
1944	9.6	7.7	0.3	1.4	14.8	21.5	14.1	5.1	3.0	1.3	1.2	9.5
1943	9.8	1.4	1.2	1.1	14.9	21.3	15.1	6.4	2.9	1.7	*	9.5
1942	12.1	2.9	1.0	0.6	21.9	26.8	13.8	7.3	3.5	2.7	5.6	*
1941	12.6	10.1	1.1	1.1	22.0	25.6	17.4	5.8	2.3	3.3	8.7	5.0
1940	13.0	4.9	0.9	1.1	21.4	27.1	17.2	9.3	4.3	2.9	*	4.9

* Figure does not meet standard of reliability or precision, estimation is based on fewer than 20 events in the numerator or denominator.

Source: CDC/NCHS, National Vital Statistics System, Mortality; National Office of Vital Statistics, Death Rates by Age, Race, and Sex, United States, 1900-1953: Selected Causes. Vol 43 (1). Washington: 1956.

National Office of Vital Statistics, Vital statistics of the United States, 1949, part II, pp. 252-261. Washington: Federal Security Agency, Public Health Service. 1951. National Office of Vital Statistics, Vital statistics of the United States, 1948, part II, pp. 236-243. Washington: Federal Security Agency, Public Health Service. 1950. National Office of Vital Statistics, Vital statistics of the United States, 1947, part II, pp. 240-247. Washington: Federal Security Agency, Public Health Service. 1949. National Office of Vital Statistics, Vital statistics of the United States, 1946, part II, pp. 250-257. Washington: Federal Security Agency, Public Health Service, 1948. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1945. Vital Statistics- Special Reports. Vol 27(11). Washington: Federal Security Agency, Public Health Service. 1947. National Office of Vital Statistics, Deaths and death rates for selected causes by age, race, and sex: United States, 1944. Vital Statistics- Special Reports. Vol 25(15). Washington: Federal Security Agency, Public Health Service. 1946. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1943. Vital Statistics- Special Reports. Vol 21(13). Washington: 1945. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1942. Vital Statistics- Special Reports. Vol 19(19). Washington: 1944. Bureau of the Census. Deaths and death rates for selected causes by age, race, and sex: United States, 1941. Vital Statistics-Special Reports. Vol 17(24). Washington: 1943. Bureau of the Census, Deaths and death rates for selected causes by age, race, and sex: United States, 1940. Vital Statistics-Special Reports. Vol 15 (21). Washington: 1942.