

Table 1. Percentage (and standard error) of adults aged 18–64 who were uninsured at the time of interview, by state and year: United States, 2010–2014

State ¹	Uninsured ² in 2010	Uninsured ² in 2011	Uninsured ² in 2012	Uninsured ² in 2013	Uninsured ² in 2014
All states ³	22.3 (0.33)	21.2 (0.29)	20.9 (0.29)	20.5 (0.29)	16.3 (0.26)
Alabama	23.6 (2.47)	23.0 (2.21)	18.2 (2.09)	17.0 (2.07)	15.1 (2.14)
Alaska	†	†	†	†	22.6 (2.40)
Arizona	31.3 (2.29)	22.7 (2.10)	27.3 (2.33)	24.5 (2.26)	21.1 (2.12)
Arkansas	31.2 (3.69)	25.9 (2.77)	28.0 (2.50)	27.5 (2.49)	15.3 (2.13)
California	25.9 (0.87)	25.1 (0.76)	24.2 (0.68)	23.9 (0.73)	16.7 (0.67)
Colorado	19.0 (2.04)	20.7 (1.93)	16.7 (2.00)	18.3 (2.06)	13.3 (1.76)
Connecticut	15.6 (2.41)	11.8 (1.87)	13.6 (1.77)	13.4 (1.83)	9.9 (1.71)
Delaware	†	†	†	13.4 (2.08)	5.8 (1.34)
District of Columbia	†	†	†	4.5 (1.16)	4.2 (1.16)
Florida	29.0 (1.16)	28.0 (1.33)	29.0 (1.43)	29.2 (1.21)	23.0 (1.32)
Georgia	27.7 (1.84)	25.9 (2.31)	25.5 (1.81)	27.0 (2.18)	20.1 (2.21)
Hawaii	†	†	9.3 (1.94)	9.0 (2.03)	*3.3 (1.08)
Idaho	†	†	26.8 (2.58)	24.2 (2.73)	21.8 (2.26)
Illinois	19.4 (1.24)	19.7 (1.65)	18.2 (1.28)	17.8 (1.16)	14.9 (1.22)
Indiana	21.8 (2.24)	19.7 (2.08)	17.8 (2.05)	18.7 (2.09)	18.1 (1.99)
Iowa	†	10.4 (1.70)	12.9 (1.88)	11.1 (1.75)	8.5 (1.38)
Kansas	†	20.8 (2.45)	19.2 (2.25)	19.7 (2.30)	13.7 (1.71)
Kentucky	†	22.0 (2.41)	22.2 (2.31)	23.9 (2.33)	15.3 (1.81)
Louisiana	29.8 (2.85)	25.1 (2.25)	21.4 (2.28)	19.9 (2.20)	19.0 (2.05)
Maine	†	†	11.2 (1.99)	15.9 (2.26)	17.0 (1.99)
Maryland	16.3 (2.14)	13.4 (1.73)	12.3 (1.68)	16.6 (2.03)	12.6 (1.86)
Massachusetts	5.4 (1.19)	5.6 (1.14)	6.3 (1.28)	5.9 (1.18)	3.8 (1.02)
Michigan	17.4 (1.63)	17.1 (1.05)	16.0 (1.55)	16.6 (1.50)	11.6 (1.30)
Minnesota	10.7 (1.67)	10.9 (1.44)	9.7 (1.61)	9.9 (1.62)	8.0 (1.45)
Mississippi	†	27.6 (2.89)	27.4 (2.37)	24.0 (2.33)	22.6 (2.33)
Missouri	24.2 (2.35)	20.3 (1.93)	21.9 (2.24)	20.1 (2.18)	17.0 (2.05)
Montana	†	†	†	†	17.7 (2.37)
Nebraska	†	†	17.0 (2.27)	19.0 (2.49)	17.8 (2.06)
Nevada	†	27.3 (2.59)	24.8 (2.30)	29.4 (2.59)	20.4 (2.14)
New Hampshire	†	†	20.3 (2.45)	16.9 (2.31)	11.4 (1.73)
New Jersey	20.2 (1.98)	17.4 (1.45)	16.4 (1.84)	17.4 (1.93)	12.7 (1.44)
New Mexico	†	27.7 (2.88)	27.7 (2.95)	†	18.9 (2.27)
New York	15.5 (0.97)	16.1 (0.87)	14.8 (0.90)	13.5 (0.86)	13.1 (0.92)
North Carolina	26.4 (1.59)	28.8 (2.43)	26.8 (2.37)	25.6 (1.81)	22.6 (1.83)
North Dakota	†	†	†	†	10.9 (1.73)
Ohio	18.9 (1.44)	14.8 (1.13)	16.7 (1.29)	16.5 (1.10)	10.8 (0.89)
Oklahoma	†	28.8 (2.60)	31.0 (2.62)	28.4 (2.51)	26.8 (2.28)
Oregon	†	22.9 (2.21)	22.6 (2.24)	19.9 (2.18)	13.2 (1.84)
Pennsylvania	16.3 (1.36)	17.1 (1.42)	15.8 (1.05)	16.4 (1.43)	11.5 (1.18)
Rhode Island	†	†	16.0 (2.38)	13.1 (2.03)	8.9 (1.54)
South Carolina	31.2 (2.93)	24.7 (2.19)	28.6 (2.49)	23.4 (2.38)	20.5 (2.28)
South Dakota	†	†	†	†	13.3 (1.85)
Tennessee	24.8 (2.35)	19.4 (2.16)	22.7 (2.32)	16.7 (2.14)	14.7 (1.91)
Texas	30.8 (1.11)	29.5 (0.92)	28.8 (1.14)	28.4 (1.32)	25.9 (1.11)
Utah	†	†	22.2 (2.10)	20.7 (2.07)	16.1 (1.77)
Vermont	†	†	†	†	11.1 (1.99)
Virginia	18.0 (1.68)	19.1 (1.73)	16.7 (1.73)	16.1 (1.65)	15.1 (1.74)
Washington	21.2 (1.98)	21.4 (1.97)	22.7 (2.08)	23.6 (2.03)	13.2 (1.65)
West Virginia	†	†	23.7 (2.28)	28.7 (2.51)	12.4 (1.77)
Wisconsin	13.5 (1.91)	12.7 (1.76)	16.7 (2.04)	11.3 (1.74)	8.7 (1.61)
Wyoming	†	†	†	†	15.0 (1.98)

[†]Estimate has a relative standard error (RSE) greater than 50% or does not have an adequate sample size and is not shown.

^{*}Estimate has an RSE greater than 30% but less than or equal to 50% and should be used with caution as it does not meet standards of reliability or precision.

¹Includes the District of Columbia.

²A person is defined as uninsured if he or she did not have any private health insurance, Medicare, Medicaid, CHIP, state sponsored or other government health plan, or military plan at the time of interview. A person was also defined as uninsured if he or she had only Indian Health Service coverage or had only a private plan that paid for one type of service, such as accidents or dental care.

³Estimates are presented for fewer states and the District of Columbia for years 2010–2013 due to considerations of sample size and precision.

SOURCE: CDC/NCHS, National Health Interview Survey, 2010–2014 Family Core Component.

ACKNOWLEDGEMENT: This table was produced by Colleen N. Nugent, Maria A. Villarreal, and Robin A. Cohen of the Centers for Disease Control and Prevention's (CDC) National Center for Health Statistics (NCHS), Division of Health Interview Statistics.

Table 2. Percentage (and standard error) of adults aged 18–64 who were uninsured at the time of interview by race and ethnicity, poverty status, and year: United States, 2010–2014

Selected characteristic	Uninsured ¹ in 2010	Uninsured ¹ in 2011	Uninsured ¹ in 2012	Uninsured ¹ in 2013	Uninsured ¹ in 2014
Race and ethnicity²					
Hispanic	43.3 (0.77)	42.1 (0.69)	41.3 (0.74)	41.1 (0.76)	34.1 (0.70)
Non-Hispanic white only	16.3 (0.35)	15.6 (0.33)	15.1 (0.31)	14.5 (0.30)	11.5 (0.27)
Non-Hispanic black only	27.1 (0.66)	24.6 (0.64)	23.6 (0.66)	24.7 (0.60)	17.6 (0.58)
Non-Hispanic Asian only	19.4 (0.93)	18.8 (0.87)	19.1 (1.03)	16.1 (0.82)	12.1 (0.73)
Poverty status³					
Under 100% FPL	42.7 (0.91)	40.4 (0.87)	40.5 (0.85)	40.0 (0.86)	32.9 (0.84)
100% to less than 200% FPL	42.1 (0.76)	39.3 (0.68)	38.6 (0.67)	37.8 (0.73)	31.0 (0.69)
200% or more FPL	12.8 (0.29)	12.2 (0.26)	11.8 (0.25)	11.7 (0.25)	8.8 (0.22)
Under 139% FPL	43.7 (0.76)	41.0 (0.72)	41.0 (0.67)	40.1 (0.69)	33.3 (0.72)
139% to less than or equal to 400% FPL	26.5 (0.48)	24.9 (0.40)	24.2 (0.42)	24.2 (0.42)	19.0 (0.39)
Greater than 400% FPL	6.5 (0.24)	6.1 (0.23)	5.6 (0.23)	5.6 (0.23)	3.9 (0.19)
Under 100% FPL	42.7 (0.91)	40.4 (0.87)	40.5 (0.85)	40.0 (0.86)	32.9 (0.84)
100% to less than or equal to 250% FPL	38.5 (0.63)	35.9 (0.55)	35.2 (0.57)	34.8 (0.57)	28.1 (0.54)
More than 250% to less than or equal to 400% FPL	17.9 (0.51)	17.2 (0.52)	17.1 (0.47)	16.5 (0.48)	12.6 (0.43)
Greater than 400% FPL	6.5 (0.24)	6.1 (0.23)	5.6 (0.23)	5.6 (0.23)	3.9 (0.19)
Race and ethnicity² and poverty status³					
Hispanic					
Under 100% FPL	60.2 (1.38)	57.2 (1.35)	56.2 (1.27)	57.8 (1.36)	50.1 (1.40)
100% to less than 200% FPL	57.9 (1.22)	54.7 (1.13)	51.6 (1.19)	52.4 (1.22)	44.2 (1.20)
200% or more FPL	25.3 (0.90)	25.3 (0.83)	25.9 (0.92)	25.1 (0.90)	19.9 (0.77)
Under 139% FPL	60.4 (1.12)	57.2 (1.12)	56.2 (1.12)	57.2 (1.14)	49.5 (1.16)
139% to less than or equal to 400% FPL	41.4 (1.00)	41.0 (0.92)	39.6 (0.97)	39.7 (1.01)	30.9 (0.90)
Greater than 400% FPL	13.0 (1.08)	12.0 (0.97)	12.3 (1.02)	11.1 (1.07)	10.4 (0.99)
Under 100% FPL	60.2 (1.38)	57.2 (1.35)	56.2 (1.27)	57.8 (1.36)	50.1 (1.40)
100% to less than or equal to 250% FPL	54.1 (1.05)	52.0 (0.95)	49.0 (1.04)	49.6 (1.04)	40.4 (1.02)
More than 250% to less than or equal to 400% FPL	28.0 (1.36)	28.8 (1.46)	31.2 (1.51)	29.7 (1.41)	22.5 (1.27)
Greater than 400% FPL	13.0 (1.08)	12.0 (0.97)	12.3 (1.02)	11.1 (1.07)	10.4 (0.99)
Non-Hispanic white only					
Under 100% FPL	34.7 (1.33)	32.8 (1.33)	33.7 (1.28)	31.9 (1.27)	26.3 (1.18)
100% to less than 200% FPL	35.7 (0.99)	33.7 (0.97)	33.7 (0.95)	31.4 (1.02)	26.1 (1.02)
200% or more FPL	10.4 (0.31)	9.8 (0.27)	9.2 (0.28)	9.2 (0.27)	6.8 (0.25)
Under 139% FPL	36.4 (1.07)	34.0 (1.05)	34.7 (1.00)	32.2 (1.00)	26.9 (1.01)
139% to less than or equal to 400% FPL	21.9 (0.59)	20.6 (0.49)	19.9 (0.50)	19.4 (0.50)	15.5 (0.49)
Greater than 400% FPL	5.6 (0.28)	5.2 (0.25)	4.5 (0.26)	4.8 (0.25)	3.2 (0.21)
Under 100% FPL	34.7 (1.33)	32.8 (1.33)	33.7 (1.28)	31.9 (1.27)	26.3 (1.18)
100% to less than or equal to 250% FPL	32.4 (0.80)	30.3 (0.74)	30.1 (0.79)	28.7 (0.75)	23.7 (0.77)
More than 250% to less than or equal to 400% FPL	15.6 (0.65)	14.7 (0.61)	14.2 (0.59)	13.6 (0.56)	10.4 (0.51)
Greater than 400% FPL	5.6 (0.28)	5.2 (0.25)	4.5 (0.26)	4.8 (0.25)	3.2 (0.21)
Non-Hispanic black only					
Under 100% FPL	39.0 (1.41)	37.1 (1.29)	34.9 (1.30)	36.3 (1.36)	26.5 (1.32)
100% to less than 200% FPL	38.2 (1.37)	33.8 (1.39)	32.1 (1.32)	34.7 (1.37)	24.0 (1.38)
200% or more FPL	16.6 (0.67)	14.9 (0.68)	14.4 (0.70)	14.8 (0.70)	10.1 (0.59)
Under 139% FPL	38.9 (1.23)	36.7 (1.06)	34.9 (1.15)	36.2 (1.10)	26.5 (1.13)
139% to less than or equal to 400% FPL	26.9 (0.91)	23.8 (0.93)	22.8 (0.97)	25.0 (0.92)	17.1 (0.89)
Greater than 400% FPL	9.7 (0.89)	8.0 (0.78)	8.1 (0.84)	7.3 (0.83)	5.4 (0.67)
Under 100% FPL	39.0 (1.41)	37.1 (1.29)	34.9 (1.30)	36.3 (1.36)	26.5 (1.32)
100% to less than or equal to 250% FPL	35.5 (1.13)	31.7 (1.14)	30.1 (1.15)	32.8 (1.12)	22.8 (1.14)
More than 250% to less than or equal to 400% FPL	18.5 (1.13)	17.6 (1.24)	17.4 (1.29)	17.4 (1.24)	12.0 (1.12)
Greater than 400% FPL	9.7 (0.89)	8.0 (0.78)	8.1 (0.84)	7.3 (0.83)	5.4 (0.67)

Table 2. Percentage (and standard error) of adults aged 18–64 who were uninsured at the time of interview by race and ethnicity, poverty status, and year: United States, 2010–2014—Continued

Selected characteristic	Uninsured ¹ in 2010	Uninsured ¹ in 2011	Uninsured ¹ in 2012	Uninsured ¹ in 2013	Uninsured ¹ in 2014
Non-Hispanic Asian only					
Under 100% FPL	34.6 (3.46)	32.2 (2.90)	35.6 (3.21)	30.0 (3.02)	25.7 (2.70)
100% to less than 200% FPL	39.1 (2.89)	34.4 (2.79)	38.3 (3.01)	32.1 (2.53)	25.3 (2.42)
200% or more FPL	12.6 (0.90)	12.7 (0.91)	11.4 (0.98)	10.0 (0.76)	7.2 (0.77)
Under 139% FPL	37.0 (2.66)	31.8 (2.34)	36.4 (2.50)	32.3 (2.58)	25.4 (2.23)
139% to less than or equal to 400%	26.2 (1.65)	24.6 (1.56)	25.2 (1.79)	20.2 (1.51)	16.1 (1.50)
Greater than 400% FPL	6.5 (1.01)	7.8 (0.82)	6.3 (1.14)	5.6 (0.70)	3.3 (0.55)
Under 100% FPL	34.6 (3.46)	32.2 (2.90)	35.6 (3.21)	30.0 (3.02)	25.7 (2.70)
100% to less than or equal to 250%	37.5 (2.27)	32.9 (2.16)	36.4 (2.54)	29.5 (2.15)	22.7 (1.98)
More than 250% to less than or equal to 400% FPL	18.3 (2.00)	16.1 (1.96)	16.0 (1.69)	14.3 (1.71)	11.3 (1.98)
Greater than 400% FPL	6.5 (1.01)	7.8 (0.82)	6.3 (1.14)	5.6 (0.70)	3.3 (0.55)

¹A person is defined as uninsured if he or she did not have any private health insurance, Medicare, Medicaid, CHIP, state sponsored or other government health plan, or military plan at the time of interview. A person was also defined as uninsured if he or she had only Indian Health Service coverage or had only a private plan that paid for one type of service, such as accidents or dental care.

²Hispanic or Latino origin and race are two separate categories. Persons of Hispanic or Latino origin may be of any race or combination of races. Hispanic or Latino origin includes persons of Mexican, Puerto Rican, Cuban, Central and South American, or Spanish origin. Race is based on the family respondent's description of his or her own race background, as well as the race background of other family members. More than one race may be reported for a person. Estimates for non-Hispanic adults of races other than white only, black only, and Asian only are not shown separately due to small sample sizes for other combinations.

³Poverty status is based on family income and family size using the U.S. Census Bureau federal poverty level (FPL).

SOURCE: CDC/NCHS, National Health Interview Survey, 2010–2014 Family Core Component.

ACKNOWLEDGEMENT: This table was produced by Colleen N. Nugent, Maria A. Villarroel, and Robin A. Cohen of the Centers for Disease Control and Prevention's (CDC) National Center for Health Statistics (NCHS), Division of Health Interview Statistics.

Table 3. Percentage (and standard error) of adults aged 18–64 who were uninsured at the time of interview, by race and ethnicity, expanded regions, and year: United States, 2010–2014

Race and ethnicity ¹ and expanded regions ²	Uninsured ³ in 2010	Uninsured ³ in 2011	Uninsured ³ in 2012	Uninsured ³ in 2013	Uninsured ³ in 2014
All adults aged 18–64 ⁴					
New England	10.4 (1.41)	9.7 (0.72)	10.5 (0.80)	10.0 (0.80)	7.7 (0.64)
Middle Atlantic	16.6 (0.70)	16.1 (0.63)	14.9 (0.62)	15.3 (0.69)	12.3 (0.59)
East North Central	18.5 (0.72)	17.2 (0.68)	17.2 (0.66)	16.6 (0.67)	13.0 (0.60)
West North Central	16.3 (1.28)	15.7 (1.14)	15.8 (1.06)	15.2 (0.81)	12.7 (0.64)
South Atlantic	26.4 (0.76)	25.7 (0.82)	25.8 (0.87)	25.3 (0.81)	20.5 (0.78)
East South Central	23.9 (1.38)	22.2 (1.19)	22.1 (1.29)	19.7 (1.17)	16.1 (1.39)
West South Central	30.6 (0.98)	28.5 (0.82)	28.1 (1.00)	27.4 (1.02)	24.5 (0.85)
Mountain	25.6 (1.97)	23.8 (1.23)	23.5 (0.95)	22.7 (1.04)	18.0 (0.85)
Pacific	24.8 (0.81)	24.2 (0.71)	23.7 (0.71)	23.3 (0.68)	15.8 (0.60)
Hispanic or Latino origin					
New England	23.0 (3.42)	21.8 (2.83)	24.4 (2.69)	18.9 (2.51)	17.1 (2.52)
Middle Atlantic	34.7 (2.24)	37.6 (1.87)	34.1 (1.94)	35.8 (2.80)	30.0 (2.12)
East North Central	38.6 (3.03)	38.8 (2.57)	36.6 (2.32)	33.8 (2.51)	35.0 (2.75)
West North Central	45.4 (4.96)	40.8 (4.35)	41.5 (3.63)	44.0 (5.00)	36.9 (5.24)
South Atlantic	50.3 (2.26)	48.5 (2.27)	49.0 (2.18)	49.4 (2.09)	40.0 (2.25)
East South Central	61.2 (5.86)	69.7 (7.08)	58.4 (5.79)	43.9 (8.98)	40.7 (7.02)
West South Central	48.2 (1.68)	47.1 (1.39)	47.2 (1.73)	46.0 (1.60)	42.5 (1.57)
Mountain	42.2 (2.42)	40.5 (2.18)	41.6 (2.50)	41.2 (2.37)	32.7 (1.84)
Pacific	42.4 (1.27)	39.8 (1.09)	38.7 (1.25)	39.4 (1.17)	28.5 (1.08)
Non-Hispanic white only					
New England	8.1 (1.69)	7.7 (0.62)	8.0 (0.76)	8.7 (0.87)	5.7 (0.62)
Middle Atlantic	12.6 (0.81)	11.6 (0.69)	10.1 (0.66)	10.3 (0.65)	8.3 (0.61)
East North Central	15.6 (0.77)	14.5 (0.70)	14.4 (0.67)	13.7 (0.70)	10.6 (0.63)
West North Central	14.0 (1.42)	13.6 (1.23)	13.7 (1.18)	13.2 (0.88)	10.3 (0.80)
South Atlantic	20.5 (0.84)	19.8 (0.90)	19.9 (0.90)	18.5 (0.90)	15.9 (0.82)
East South Central	20.6 (1.45)	18.8 (1.76)	18.8 (1.43)	16.6 (1.11)	13.4 (1.42)
West South Central	20.9 (1.16)	18.3 (0.95)	17.7 (1.09)	16.9 (1.16)	16.0 (0.98)
Mountain	17.2 (1.12)	18.0 (1.41)	17.3 (0.92)	16.0 (0.92)	11.9 (0.77)
Pacific	16.1 (1.03)	16.5 (0.89)	15.7 (0.85)	15.6 (0.82)	9.9 (0.73)
Non-Hispanic black only					
New England	17.7 (2.94)	12.2 (3.01)	18.0 (3.40)	10.9 (2.34)	9.4 (2.04)
Middle Atlantic	19.6 (1.39)	15.9 (1.27)	16.9 (1.17)	18.6 (1.29)	12.3 (1.11)
East North Central	26.8 (1.79)	23.5 (1.58)	23.6 (1.72)	25.2 (1.66)	15.4 (1.51)
West North Central	24.0 (2.38)	23.1 (2.51)	21.4 (2.75)	21.7 (2.80)	17.5 (2.77)
South Atlantic	29.0 (1.24)	29.5 (1.27)	26.9 (1.41)	29.3 (1.22)	21.7 (1.22)
East South Central	30.0 (2.37)	26.4 (2.07)	26.5 (2.19)	25.6 (1.93)	20.5 (1.98)
West South Central	34.0 (1.94)	32.4 (1.88)	28.4 (2.04)	28.9 (1.46)	20.7 (1.61)
Mountain	29.1 (3.35)	18.0 (3.28)	21.3 (3.26)	21.1 (3.51)	18.8 (4.60)
Pacific	23.4 (2.08)	22.0 (2.03)	18.8 (1.82)	20.8 (2.05)	11.8 (1.81)
Non-Hispanic Asian only					
New England	*17.5 (6.49)	15.5 (3.76)	15.7 (3.54)	*7.8 (3.65)	*13.5 (5.71)
Middle Atlantic	18.4 (2.08)	18.8 (2.15)	16.7 (2.70)	13.3 (1.77)	13.4 (1.80)
East North Central	15.8 (3.13)	15.1 (2.82)	18.5 (4.17)	13.5 (2.48)	9.9 (2.34)
West North Central	*10.9 (3.28)	13.1 (3.90)	*12.1 (3.90)	*6.1 (2.26)	14.1 (3.46)
South Atlantic	28.9 (3.08)	22.8 (2.79)	26.5 (3.64)	22.8 (3.01)	13.6 (2.66)
East South Central	†	*15.7 (6.17)	*21.2 (7.95)	*18.3 (6.79)	*16.6 (5.81)
West South Central	20.1 (3.06)	23.8 (3.84)	22.7 (3.52)	23.5 (3.41)	18.3 (2.81)
Mountain	24.6 (6.09)	16.9 (3.80)	17.9 (2.87)	14.8 (3.61)	14.6 (3.30)
Pacific	18.8 (1.33)	18.8 (1.27)	18.7 (1.43)	16.0 (1.20)	9.3 (0.89)

Table 3. Percentage (and standard error) of adults aged 18–64 who were uninsured at the time of interview, by race and ethnicity, expanded regions, and year: United States, 2010–2014—Continued

*Estimate has a relative standard error (RSE) greater than 30% but less than or equal to 50% and should be used with caution as it does not meet standards of reliability or precision.

† Estimate has an RSE greater than 50% and is not shown.

¹Hispanic or Latino origin and race are two separate categories. Persons of Hispanic or Latino origin may be of any race or combination of races. Hispanic or Latino origin includes persons of Mexican, Puerto Rican, Cuban, Central and South American, or Spanish origin. Race is based on the family respondent's description of his or her own race background, as well as the race background of other family members. More than one race may be reported for a persons. Estimates for non-Hispanic adults of races other than white only, black only, and Asian only are not shown separately due to small sample sizes for other combinations.

²Based on a subdivision of the four Census Regions (Northeast, Midwest, South and West) into nine divisions. For this table, the nine divisions were modified by moving Delaware, the District of Columbia and Maryland into the Middle Atlantic division.

³A person is defined as uninsured if he or she did not have any private health insurance, Medicare, Medicaid, CHIP, state sponsored or other government health plan, or military plan at the time of interview. A person was also defined as uninsured if he or she had only Indian Health Service coverage or had only a private plan that paid for one type of service, such as accidents or dental care.

⁴Includes persons of all races.

SOURCE: CDC/NCHS, National Health Interview Survey, 2010–2014 Family Core Component.

ACKNOWLEDGEMENT: This table was produced by Colleen N. Nugent, Maria A. Villarroel, and Robin A. Cohen of the Centers for Disease Control and Prevention's (CDC) National Center for Health Statistics (NCHS), Division of Health Interview Statistics.

Table 4. Percentage (and standard error) of adults aged 18–64 who were uninsured at the time of interview, by poverty status, expanded regions, and year: United States, 2010–2014

Poverty status ¹ and expanded regions ²	Uninsured ³ in 2010	Uninsured ³ in 2011	Uninsured ³ in 2012	Uninsured ³ in 2013	Uninsured ³ in 2014
Poor (Under 100% FPL)					
New England	25.1 (4.05)	17.4 (3.45)	19.1 (3.10)	17.7 (2.89)	10.6 (2.12)
Middle Atlantic	30.2 (2.15)	29.4 (2.13)	24.8 (1.88)	27.2 (2.08)	25.1 (2.00)
East North Central	32.4 (1.81)	34.2 (2.12)	36.0 (1.84)	28.3 (2.11)	25.1 (1.90)
West North Central	29.5 (3.69)	28.9 (3.61)	28.6 (4.66)	34.0 (2.64)	28.5 (2.85)
South Atlantic	52.0 (2.25)	48.9 (1.98)	47.6 (1.67)	48.4 (1.97)	40.0 (2.04)
East South Central	43.5 (2.58)	41.8 (2.76)	44.6 (2.80)	43.9 (2.47)	30.3 (2.33)
West South Central	57.4 (2.31)	55.4 (1.87)	55.1 (2.11)	53.6 (2.43)	50.3 (2.43)
Mountain	52.1 (4.24)	42.4 (3.17)	47.6 (3.03)	46.9 (3.14)	33.3 (2.74)
Pacific	45.1 (2.26)	41.1 (2.16)	40.9 (1.88)	42.8 (1.90)	30.8 (1.89)
Near Poor (100% to less than 200% FPL)					
New England	26.4 (4.76)	23.3 (2.99)	26.2 (2.50)	19.9 (2.72)	18.0 (2.12)
Middle Atlantic	37.3 (2.00)	34.8 (1.80)	32.8 (2.01)	31.9 (2.24)	24.3 (1.84)
East North Central	35.4 (1.83)	33.2 (1.69)	33.9 (1.78)	32.8 (1.79)	27.0 (1.79)
West North Central	37.3 (2.95)	34.3 (3.12)	34.0 (2.04)	31.8 (2.30)	25.3 (1.99)
South Atlantic	47.2 (1.44)	44.6 (1.89)	43.2 (1.65)	43.8 (1.68)	36.7 (1.87)
East South Central	37.4 (2.56)	34.1 (1.98)	37.1 (1.98)	31.5 (1.89)	29.8 (2.83)
West South Central	53.3 (1.63)	45.7 (1.65)	45.1 (1.86)	47.6 (1.71)	42.0 (1.63)
Mountain	43.0 (4.48)	43.6 (2.26)	40.7 (2.25)	38.8 (3.07)	34.7 (2.50)
Pacific	44.0 (1.61)	42.7 (1.65)	40.8 (1.50)	40.2 (1.66)	28.3 (1.52)
Not poor (200% or more FPL)					
New England	5.7 (1.15)	6.4 (0.68)	6.6 (0.68)	7.0 (0.71)	5.5 (0.79)
Middle Atlantic	10.4 (0.60)	10.1 (0.56)	9.5 (0.56)	9.9 (0.64)	6.8 (0.52)
East North Central	11.4 (0.70)	9.5 (0.54)	9.1 (0.56)	9.9 (0.66)	6.4 (0.52)
West North Central	9.0 (0.90)	9.6 (0.72)	9.1 (1.04)	8.5 (0.85)	7.7 (0.84)
South Atlantic	14.8 (0.64)	14.4 (0.70)	14.2 (0.76)	13.8 (0.66)	10.2 (0.52)
East South Central	13.0 (1.09)	10.9 (1.14)	10.6 (1.02)	9.5 (0.87)	8.3 (1.17)
West South Central	16.3 (0.82)	16.1 (0.87)	15.7 (0.82)	14.8 (0.78)	12.6 (0.71)
Mountain	15.8 (1.53)	14.3 (1.08)	13.0 (1.07)	12.8 (0.93)	10.6 (0.90)
Pacific	15.1 (0.70)	14.8 (0.76)	14.6 (0.62)	14.2 (0.64)	9.5 (0.53)

¹Poverty status is based on family income and family size using the U.S. Census Bureau federal poverty level (FPL).

²Based on a subdivision of the four Census Regions (Northeast, Midwest, South and West) into nine divisions. For this table, the nine divisions were modified by moving Delaware, the District of Columbia, and Maryland into the Middle Atlantic division.

³A person is defined as uninsured if he or she did not have any private health insurance, Medicare, Medicaid, CHIP, state sponsored or other government health plan, or military plan at the time of interview. A person was also defined as uninsured if he or she had only Indian Health Service coverage or had only a private plan that paid for one type of service, such as accidents or dental care.

SOURCE: CDC/NCHS, National Health Interview Survey, 2010–2014 Family Core Component.

ACKNOWLEDGEMENT: This table was produced by Colleen N. Nugent, Maria A. Villarroel, and Robin A. Cohen of the Centers for Disease Control and Prevention's (CDC) National Center for Health Statistics (NCHS), Division of Health Interview Statistics.