Table 76 (page 1 of 3). Reduced access to medical care, dental care, and prescription drugs during the past 12 months due to cost, by selected characteristics: United States, selected years 1997–2009

[Data are based on household interviews of a sample of the civilian noninstitutionalized population]

Characteristic	Did not ge	t or delayed m due to cost¹	nedical care	Did not get prescription drugs due to cost <sup>2</sup>			Did not get dental care due to cost <sup>3</sup>		
	1997	2008	2009	1997	2008	2009	1997	2008	2009
				Perc	ent				
Total <sup>4</sup>	8.3	10.4	11.4	4.8	8.0	8.4	8.6	12.6	13.3
Age									
Under 19 years	4.5	5.4	5.4	2.1	3.1	3.2	6.0	6.9	7.0
Jnder 18 years	4.4	5.4	5.2	2.2	3.1	3.2	6.0	7.0	7.1
Under 6 years	3.3 4.9	4.2 6.0	4.4 5.7	1.6 2.4	2.7 3.3	2.1 3.7	3.9 6.8	4.0 8.1	4.9 7.9
6–17 years 18–64 years	10.7	13.6	15.1	6.3	10.7	11.2	10.6	15.9	16.8
8–44 years	11.0	13.6	15.1	6.9	10.9	11.7	11.7	16.6	18.2
18–24 years	10.2 11.4	12.5 15.0	13.8 16.1	6.7 6.9	9.4 11.9	9.8 12.8	11.6 12.3	13.4 20.1	16.3 19.9
25–34 years	11.0	13.0	15.2	7.1	10.9	11.9	11.2	15.5	17.7
5-64 years	10.1	13.5	15.1	5.1	10.5	10.6	8.4	14.9	14.9
45–54 years	10.6 9.3	13.9 13.1	16.0 14.0	5.6 4.2	11.3 9.5	11.4 9.6	9.4 7.0	16.6 12.8	16.4 13.0
55-64 years	4.6	4.5	5.1	2.8	3.9	4.2	3.5	5.6	6.2
65–74 years	5.0	5.1	6.0	3.4	4.8	5.0	4.2	7.4	8.0
75 years and over	4.1	3.8	4.0	2.0	2.8	3.1	2.6	3.6	4.1
18-64 years									
Sex									
Male	9.3	12.2	14.1	5.1	8.8	9.4	8.8	13.9	14.6
emale	12.0	14.9	16.1	7.4	12.6	13.0	12.4	17.9	18.9
Race <sup>5</sup>									
Vhite only	10.8	13.8	15.2	5.9	10.3	10.9	10.6	15.8	16.7
Black or Áfrican American only	10.8	14.6	16.7	9.5	15.0	14.5	10.8	18.6	19.0
merican Indian or Alaska Native only	14.5	17.1	17.3	*10.1	*16.5	*14.3	18.8	25.5	22.5
isian only	6.3	6.2	7.5	*2.8	4.9	4.7	7.8	8.0	9.3
Islander only	*	*	*	*	*	*	*	*	*
or more races		18.1	25.0		*12.0	19.2		23.5	28.5
Hispanic origin and race <sup>5</sup>									
Hispanic or Latino	10.5	13.9	16.4	6.7	13.4	14.3	11.5	20.8	22.2
Mexican	9.7	14.2	15.9	6.5	13.0	14.0	11.3	21.4	22.2
Not Hispanic or Latino	10.7	13.5	14.9	6.3	10.3	10.7	10.5	15.1	15.8
White only	10.9 10.8	13.8 14.7	14.9 16.7	5.9 9.5	9.8 14.8	10.2 14.7	10.5 10.8	14.9 18.2	15.5 19.0
				0.0					
Education <sup>6</sup>									
No high school diploma or GED	16.2	19.9	21.2	11.5	18.2	19.3	14.5	23.7	26.6
High school diploma or GED Some college or more	11.1 9.2	14.7 12.3	17.0 13.7	7.0 4.3	13.2 8.5	14.0 8.8	11.4 8.8	19.3 13.7	19.7 13.7
	0.2				0.0	0.0	0.0		
Percent of poverty level <sup>7</sup>									
3elow 100%	19.6 17.9	21.9 22.5	24.8 24.0	14.8 11.6	19.6 20.4	20.5	19.4	27.2 27.9	30.0 27.8
00%-199%	10.5	15.0	16.8	5.5	10.7	18.8 12.2	18.3 10.2	16.9	17.9
00% or more	4.6	6.7	7.2	1.7	4.3	4.1	4.5	7.1	6.8
Hispanic origin and race and									
percent of poverty level <sup>5,7</sup>									
Hispanic or Latino:									
Below 100%	14.6	17.0	23.2	10.6	19.1	21.0	16.1	25.5	28.8
100%–199% 200%–399%	12.2 8.0	17.0 13.1	18.1 14.7	8.1 4.4	17.0 11.0	15.1 14.6	13.5 9.2	27.8 18.3	26.3 22.1
400% or more	5.1	7.4	8.3	*	*6.9	*4.0	4.5	11.2	7.4
lot Hispania or Latino:									
lot Hispanic or Latino: White only:									
Below 100%	24.3	26.3	27.2	17.3	20.9	20.9	23.4	28.9	32.0
100%–199%	20.9	26.8	27.8	12.4	22.4	21.0	20.6	29.7	30.2
200%–399%	11.4 4.6	16.3 6.9	18.1 7.1	5.4 1.7	10.3 4.0	11.9 3.8	10.6 4.5	17.2 6.9	17.8 6.6
Black or African American only:									
Below 100%	16.1	21.0	23.2	14.9	20.5	20.9	14.8	29.2	28.5
100%–199%	14.3 8.8	20.8 12.7	22.5 14.1	13.9 7.0	21.4 13.9	19.4 12.7	16.4 8.6	25.8 14.7	25.2 15.5
400% or more	4.6	7.1	9.0	*2.9	*6.0	6.9	4.3	7.5	8.6

See footnotes at end of table.

Health, United States, 2010 Trend Tables 275

Table 76 (page 2 of 3). Reduced access to medical care, dental care, and prescription drugs during the past 12 months due to cost, by selected characteristics: United States, selected years 1997–2009

[Data are based on household interviews of a sample of the civilian noninstitutionalized population]

Characteristic	Did not get or delayed medical care due to cost <sup>1</sup>			Did not get prescription drugs due to cost <sup>2</sup>			Did not get dental care due to cost <sup>3</sup>		
	1997	2008	2009	1997	2008	2009	1997	2008	2009
Health insurance status at the time of interview <sup>8</sup>				Perc	ent				
Insured Private Medicaid Uninsured	6.8	8.8	9.5	3.7	6.8	7.0	7.2	11.0	10.8
	6.0	7.8	8.6	2.9	5.5	5.7	6.2	8.9	8.6
	11.9	14.1	13.6	11.1	14.3	13.5	14.8	22.6	22.1
	27.6	33.1	36.5	18.0	27.0	26.7	26.1	36.3	39.0
Health insurance status prior to interview <sup>8</sup>									
Insured continuously all 12 months	5.5	7.3	7.9	2.8	5.6	6.0	6.0	9.5	9.5
Uninsured for any period up to 12 months	28.7	34.9	37.1	17.7	27.1	24.9	25.2	33.4	34.0
Uninsured more than 12 months	30.6	34.6	37.7	18.9	27.4	27.9	28.0	37.9	41.2
Percent of poverty level and health insurance status prior to interview <sup>7,8</sup>									
Below 100%: Insured continuously all 12 months Uninsured for any period up to 12 months Uninsured more than 12 months	9.4	10.7	11.4	8.1	9.9	11.9	10.7	17.5	20.2
	31.9	37.7	37.9	25.5	36.6	30.1	31.6	43.9	38.4
	32.4	36.3	41.1	21.6	31.8	31.7	29.4	39.5	43.7
100%–199%: Insured continuously all 12 months Uninsured for any period up to 12 months	9.5	12.3	12.6	6.0	11.3	9.6	11.0	18.4	15.8
	33.6	39.9	38.5	20.5	33.6	27.4	28.2	36.9	40.0
	30.0	34.2	38.7	19.5	30.5	32.5	29.3	40.5	44.8
200%–399%: Insured continuously all 12 months Uninsured for any period up to 12 months Uninsured more than 12 months	6.1	9.1	10.0	2.9	6.8	8.1	6.8	11.0	11.3
	27.1	34.5	39.6	14.0	21.1	22.9	21.6	31.1	30.9
	31.3	33.7	34.1	17.3	23.4	23.5	26.5	36.6	39.2
400% or more: Insured continuously all 12 months Uninsured for any period up to 12 months	3.1	4.5	4.9	0.8	2.7	2.6	3.1	5.1	4.6
	20.8	27.4	30.2	10.7	20.2	19.9	19.3	23.8	26.7
	25.5	34.6	35.0	13.5	19.3	15.8	23.6	30.8	29.4
Disability measure 9									
Any basic actions difficulty or complex activity limitation	23.3	28.8	30.2	14.8	21.4	21.8	19.8	27.3	27.8
	24.2	29.7	31.1	15.3	21.7	22.0	20.1	27.6	27.9
	25.7	31.0	31.8	19.4	25.8	26.5	23.2	30.8	31.9
	9.0	11.7	13.8	3.4	6.9	7.5	7.5	11.8	12.9
Geographic region									
Northeast. Midwest South West	8.8	9.7	10.7	4.9	7.9	8.7	8.9	11.9	12.4
	10.5	13.8	16.4	5.9	10.5	11.4	9.7	14.9	15.5
	11.8	15.4	16.2	7.3	13.0	13.0	10.9	17.9	18.6
	10.8	13.4	15.6	6.3	9.6	10.2	13.1	17.0	18.8
Location of residence									
Within MSA <sup>10</sup>	10.2	13.1	14.8	5.9	10.3	10.8	10.0	15.6	16.4
	12.5	16.4	17.1	7.9	13.1	13.6	12.9	17.8	19.2

See footnotes at end of table.

276 **Trend Tables** Health, United States, 2010

## Table 76 (page 3 of 3). Reduced access to medical care, dental care, and prescription drugs during the past 12 months due to cost, by selected characteristics: United States, selected years 1997–2009

[Data are based on household interviews of a sample of the civilian noninstitutionalized population]

- - Data not available

<sup>1</sup>Based on persons responding yes to the question, "During the past 12 months was there any time when person needed medical care but did not get it because person couldn't afford it?" or "During the past 12 months has medical care been delayed because of worry about the cost?"

<sup>2</sup>Based on persons responding yes to the question, "During the past 12 months was there any time when you needed prescription medicine but didn't get it because you couldn't afford it?"

<sup>5</sup>Based on person responding yes to the question, "During the past 12 months was there any time when you needed dental care (including checkups) but didn't get it because you couldn't afford it?"

<sup>4</sup>Includes all other races not shown separately, unknown health insurance status, unknown education level, and unknown disability status.

<sup>5</sup>The race groups, white, black, American Indian or Alaska Native, Asian, Native Hawaiian or Other Pacific Islander, and 2 or more races, include persons of Hispanic and non-Hispanic origin. Persons of Hispanic origin may be of any race. Starting with 1999 data, race-specific estimates are tabulated according to the 1997 Revisions to the Standards for the Classification of Federal Data on Race and Ethnicity and are not strictly comparable with estimates for earlier years. The five single-race categories plus multiple-race categories shown in the table conform to the 1997 Standards. Starting with 1999 data, race-specific estimates are for persons who reported only one racial group; the category 2 or more races includes persons who reported more than one racial group. Prior to 1999, data were tabulated according to the 1977 Standards with four racial groups and the Asian only category included Native Hawaiian or Other Pacific Islander. Estimates for single-race categories prior to 1999 included persons who reported one race or, if they reported more than one race, identified one race as best representing their race. Starting with 2003 data, race-responses of other race and unspecified multiple race were treated as missing, and then race was imputed if these were the only race responses. Almost all persons with a race response of other race were of Hispanic origin. See Appendix II, Hispanic origin; Race.

<sup>6</sup>Estimates are for persons 25–64 years of age. GED is General Educational Development high school equivalency diploma. See Appendix II, Education.

<sup>7</sup>Percent of poverty level is based on family income and family size and composition using U.S. Census Bureau poverty thresholds. Missing family income data were imputed for 1997 and beyond. See Appendix II, Family income; Poverty; Table VII.

<sup>8</sup>For information on the health insurance categories see Appendix II, Health Insurance Coverage.

<sup>9</sup>Any basic actions difficulty or complex activity limitation is defined as having one or more of the following limitations or difficulties: movement difficulty, emotional difficulty, sensory (seeing or hearing) difficulty, cognitive difficulty, self-care (ADL or IADL) limitation, social limitation, or work limitation. For more information, see Appendix II, Basic actions difficulty; Complex activity limitation. Starting with 2007 data, the hearing question, a component of the basic actions difficulty measure, was revised. Consequently, data prior to 2007 are not comparable with data for 2007 and beyond. For more information on the impact of the revised hearing question, see Appendix II, Hearing trouble.

<sup>10</sup>MSA is metropolitan statistical area. Starting with 2006 data, MSA status is determined using 2000 census data and the 2000 standards for defining MSAs. For data prior to 2006, see Appendix II, Metropolitan statistical area (MSA) for the applicable standards.

NOTES: Standard errors and additional data years are available in the spreadsheet version of this table. Available from: http://www.cdc.gov/nchs/hus.htm. Data for additional years are available. See Appendix III.

SOURCE: CDC/NCHS, National Health Interview Survey, family core, sample child, and sample adult questionnaires.

Health, United States, 2010 Trend Tables 277

<sup>\*</sup> Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) of 20%-30%. Data not shown have an RSE of greater than 30%.