

**Data table for Figure 3. Respondent-reported lifetime heart disease prevalence among adults 18 years of age and over, by sex and age: United States, 1999–2009**

<i>Sex and age</i>	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Percent											
Total											
18 years and over, age-adjusted . . . .	11.0	11.1	11.7	11.2	11.1	11.5	11.6	10.8	11.1	11.5	11.4
18 years and over, crude. . . . .	10.8	11.0	11.6	11.1	11.1	11.5	11.8	11.0	11.2	11.8	11.8
Men											
18 years and over, age-adjusted . . . .	11.9	11.9	12.6	12.2	12.1	12.4	12.5	12.0	12.4	12.5	13.1
18 years and over, crude. . . . .	11.0	11.0	11.7	11.4	11.4	11.7	12.0	11.4	11.9	12.1	12.9
18–44 years . . . . .	3.6	3.5	3.6	3.6	3.2	3.9	3.5	3.0	3.5	4.2	4.5
45–64 years . . . . .	14.1	13.5	14.1	13.7	13.7	13.1	14.9	13.5	13.0	13.0	14.5
65–74 years . . . . .	30.4	30.4	32.2	31.4	32.9	33.3	32.2	30.9	34.3	29.6	31.2
75 years and over . . . . .	37.8	40.5	44.5	42.3	42.0	43.0	41.1	44.9	45.4	47.3	45.8
Women											
18 years and over, age-adjusted . . . .	10.4	10.6	11.2	10.4	10.4	10.8	11.1	10.0	10.1	10.9	10.1
18 years and over, crude. . . . .	10.6	10.9	11.5	10.8	10.8	11.3	11.6	10.5	10.7	11.6	10.8
18–44 years . . . . .	5.2	4.7	5.5	4.3	4.4	5.0	5.1	4.3	4.8	5.0	4.3
45–64 years . . . . .	11.2	11.7	12.2	11.8	11.6	11.6	12.4	11.1	11.3	11.5	11.7
65–74 years . . . . .	20.8	23.1	22.2	22.1	22.6	22.1	22.1	22.1	20.9	24.0	21.1
75 years and over . . . . .	30.7	31.4	32.1	32.8	32.2	34.0	33.7	30.7	29.6	33.7	30.7
Standard error											
Total											
18 years and over, age-adjusted . . . .	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
18 years and over, crude. . . . .	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
Men											
18 years and over, age-adjusted . . . .	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4
18 years and over, crude. . . . .	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.4
18–44 years . . . . .	0.2	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.4	0.4
45–64 years . . . . .	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.7	0.7	0.7
65–74 years . . . . .	1.5	1.4	1.4	1.5	1.6	1.5	1.5	1.7	1.8	1.6	1.6
75 years and over . . . . .	1.7	1.7	1.7	1.8	1.8	1.8	1.7	2.1	2.2	2.2	2.1
Women											
18 years and over, age-adjusted . . . .	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
18 years and over, crude. . . . .	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
18–44 years . . . . .	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
45–64 years . . . . .	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.6	0.7	0.6	0.6
65–74 years . . . . .	1.0	1.2	1.1	1.1	1.1	1.2	1.1	1.6	1.4	1.4	1.2
75 years and over . . . . .	1.3	1.2	1.2	1.3	1.2	1.2	1.2	1.4	1.3	1.3	1.4

NOTES: Data are for the civilian noninstitutionalized population. Heart disease prevalence is ascertained by a “yes” answer to at least one of the following four questions: “Have you EVER been told by a doctor or other health professional that you had coronary heart disease?” “Have you EVER been told by a doctor or other health professional that you had angina, also called angina pectoris?” “Have you EVER been told by a doctor or other health professional that you had a heart attack (also called myocardial infarction)?” “Have you EVER been told by a doctor or other health professional that you had any kind of heart condition or heart disease (other than the ones I asked about)?” Estimates are age-adjusted to the year 2000 standard population using five age groups: 18–44 years, 45–54 years, 55–64 years, 65–74 years, and 75 years and over. See Appendix II, Age adjustment; Table 49.

SOURCE: CDC/NCHS, National Health Interview Survey, sample adult questionnaire.