

Data table for Figure 9. Respondent-reported colorectal tests and procedures among adults 50–75 years of age, by race and Hispanic origin: United States, selected years 2000–2008

<i>Race and Hispanic origin</i>	<i>2000</i>		<i>2003</i>		<i>2005</i>		<i>2008</i>	
	<i>Percent</i>	<i>SE</i>	<i>Percent</i>	<i>SE</i>	<i>Percent</i>	<i>SE</i>	<i>Percent</i>	<i>SE</i>
Total, 50–75 years	33.2	0.6	38.6	0.6	44.0	0.6	51.4	0.7
White only, not Hispanic	35.0	0.7	40.5	0.7	47.1	0.7	54.5	0.8
Black only, not Hispanic.	28.8	1.7	34.8	1.6	37.7	1.6	47.2	2.0
Asian only	20.2	3.4	26.5	3.6	30.1	3.4	46.2	3.3
Hispanic.	21.1	1.6	26.8	1.7	28.2	1.8	33.8	2.0

SE is standard error.

NOTES: Asian only race includes persons of Hispanic and non-Hispanic origin. Persons of Hispanic origin may be of any race. In this analysis, colorectal tests and procedures include reports of home fecal occult blood test (FOBT) in the past year, sigmoidoscopy procedure in the past 5 years with FOBT in the past 3 years, or colonoscopy in the past 10 years. Colorectal procedures are performed for diagnostic and screening purposes.

SOURCE: CDC/NCHS, National Health Interview Survey.

References (continued from page 18)

4. Screening for colorectal cancer: Topic page [online]. U.S. Preventive Services Task Force, Agency for Healthcare Research and Quality. 2008. Available from: <http://www.uspreventiveservicestaskforce.org/uspstf/uspcolo.htm>.
5. CDC/NCHS. National Health Interview Survey [unpublished analysis].