Table 30. Death rates for diseases of heart, by sex, race, Hispanic origin, and age: United States, selected years 1950-2010

(Data are based on death certificates)

Sex, race, Hispanic origin,								
and age	1950 ^{1,2}	1960 ^{1,2}	1970 ²	1980 ²	1990 ²	2000 ³	2009 ³	2010 ³
All persons			Deaths per	100,000 r	esident pop	pulation		
All ages, age-adjusted ⁴	588.8	559.0	492.7	412.1	321.8	257.6	182.8	179.1
All ages, crude	356.8	369.0	362.0	336.0	289.5	252.6	195.4	193.6
Under 1 year	4.1	6.6	13.1	22.8	20.1	13.0	9.6	8.3
1-4 years	1.6	1.3	1.7	2.6	1.9	1.2	0.9	1.0
5-14 years	3.9	1.3	0.8	0.9	0.9	0.7	0.5	0.5
15-24 years	8.2	4.0	3.0	2.9	2.5	2.6	2.4	2.4
25-34 years	20.9	15.6	11.4	8.3	7.6	7.4	7.8	7.8
35-44 years	88.3	74.6	66.7	44.6	31.4	29.2	26.7	25.8
45-54 years	309.2	271.8	238.4	180.2	120.5	94.2	82.3	81.6
55-64 years	804.3	737.9	652.3	494.1	367.3	261.2	190.0	186.6
65-74 years	1,857.2	1,740.5	1,558.2	1,218.6	894.3	665.6	422.8	409.2
75-84 years	4,311.0	4,089.4	3,683.8	2,993.1	2,295.7	1,780.3	1,210.8	1,172.0
85 years and over	9,152.5	9,317.8	7,891.3	7,777.1	6,739.9	5,926.1	4,316.9	4,285.2
Male								
All ages, age-adjusted4	699.0	687.6	634.0	538.9	412.4	320.0	229.4	225.1
All ages, crude	424.7	439.5	422.5	368.6	297.6	249.8	203.7	202.5
Under 1 year	4.7	7.8	15.1	25.5	21.9	13.3	10.5	9.8
1-4 years	1.7	1.4	1.9	2.8	1.9	1.4	0.9	1.1
5-14 years	3.5	1.4	0.9	1.0	0.9	0.8	0.5	0.5
15-24 years	8.3	4.2	3.7	3.7	3.1	3.2	3.1	3.2
25-34 years	24.4	20.1	15.2	11.4	10.3	9.6	10.6	10.7
35-44 years	120.4	112.7	103.2	68.7	48.1	41.4	37.5	36.0
45-54 years	441.2	420.4	376.4	282.6	183.0	140.2	119.8	117.8
55-64 years	1,100.5	1,066.9	987.2	746.8	537.3	371.7	274.1	269.5
65-74 years	2,310.2	2,291.3	2,170.3	1,728.0	1,250.0	898.3	571.1	553.0
75-84 years	4,825.8	4,742.4	4,534.8	3,834.3	2,968.2	2,248.1	1,514.8	1,475.7
85 years and over	9,661.4	9,788.9	8,426.2	8,752.7	7,418.4	6,430.0	4,862.8	4,833.6
Female								
All ages, age-adjusted ⁴	106 6	447 0	201 6	220 0	257 0	210 0	146 6	143.3
All ages, crude	486.6 289.7	447.0 300.6	381.6 304.5	320.8 305.1	257.0 281.8	210.9 255.3	146.6 187.3	143.3
Under 1 year	3.4	5.4	10.9	20.0	18.3	12.5	8.8	6.8
1-4 years	1.6	1.1	1.6	2.5	1.9	1.0	1.0	0.9
5-14 years	4.3	1.2	0.8	0.9	0.8	0.5	0.5	0.4
15-24 years	8.2	3.7	2.3	2.1	1.8	2.1	1.6	1.5
25-34 years	17.6	11.3	7.7	5.3	5.0	5.2	5.0	4.9

35-44 years. 45-54 years. 55-64 years. 65-74 years. 75-84 years. 85 years and over.	57.0 177.8 507.0 1,434.9 3,873.0 8,798.1	38.2 127.5 429.4 1,261.3 3,582.7 9,016.8	32.2 109.9 351.6 1,082.7 3,120.8 7,591.8	21.4 84.5 272.1 828.6 2,497.0 7,350.5	15.1 61.0 215.7 616.8 1,893.8 6,478.1	17.2 49.8 159.3 474.0 1,475.1 5,720.9	16.0 46.0 111.6 294.2 993.3 4,056.0	15.6 46.5 109.3 284.2 952.7 4,020.3
White $male^5$								
All ages, age-adjusted ⁴	701.4 434.2	694.5 454.6	640.2 438.3	539.6 384.0	409.2 312.7	316.7 265.8	226.6 218.4	222.9 217.8
45-54 years	424.1 1,082.6 2,309.4 4,908.0 9,952.3	413.2 1,056.0 2,297.9 4,839.9 10,135.8	365.7 979.3 2,177.2 4,617.6 8,818.0	269.8 730.6 1,729.7 3,883.2 8,958.0	170.6 516.7 1,230.5 2,983.4 7,558.7	130.7 351.8 877.8 2,247.0 6,560.8	113.1 258.9 551.1 1,516.2 4,972.4	111.2 257.0 536.3 1,475.1 4,943.1
Black or African American male ⁵								
All ages, age-adjusted ⁴	641.5 348.4	615.2 330.6	607.3 330.3	561.4 301.0	485.4 256.8	392.5 211.1	289.0 178.1	280.6 174.6
45-54 years	624.1 1,434.0 2,140.1 4,107.9	514.0 1,236.8 2,281.4 3,533.6 6,037.9	512.8 1,135.4 2,237.8 3,783.4 5,367.6	433.4 987.2 1,847.2 3,578.8 6,819.5	328.9 824.0 1,632.9 3,107.1 6,479.6	247.2 631.2 1,268.8 2,597.6 5,633.5	194.1 463.2 893.3 1,821.7 4,260.8	190.9 437.8 847.8 1,807.1 4,202.7
American Indian or Alaska Native male ⁵								
All ages, age-adjusted ⁴				320.5 130.6	264.1 108.0	222.2 90.1	162.2 76.5	158.7 75.0
45-54 years. 55-64 years. 65-74 years. 75-84 years. 85 years and over.	 	 	 	238.1 496.3 1,009.4 2,062.2 4,413.7	173.8 411.0 839.1 1,788.8 3,860.3	108.5 285.0 748.2 1,655.7 3,318.3	86.4 230.2 518.1 1,097.2 2,560.7	98.0 217.2 425.1 1,042.6 2,833.1
Asian or Pacific Islander male⁵								
All ages, age-adjusted ⁴				286.9 119.8	220.7 88.7	185.5 90.6	130.2 78.4	127.2 77.0
45-54 years55-64 years				112.0 306.7	70.4 226.1	61.1 182.6	54.1 129.2	49.2 119.3

65-74 years				852.4 2,010.9 5,923.0	623.5 1,642.2 4,617.8	482.5 1,354.7 4,154.2	307.6 874.4 3,080.5	294.4 855.5 3,132.9
Hispanic or Latino male ^{5,7}								
All ages, age-adjusted ⁴					270.0 91.0	238.2 74.7	169.4 65.0	165.1 64.1
45-54 years					116.4	84.3	71.0	66.1
55-64 years					363.0	264.8	195.5	185.9
65-74 years					829.9	684.8	452.0	424.5
75-84 years					1,971.3 4,711.9	1,733.2 4,897.5	1,211.9 3,486.6	1,160.9 3,577.9
os years and over					4,/11.9	4,097.5	3,400.0	3,377.9
White, not Hispanic or Latino male ⁷								
All ages, age-adjusted ⁴					413.6	319.9	230.4	226.9
All ages, crude					336.5	297.5	251.8	251.8
5 .								
45-54 years					172.8	134.3	118.4	117.2
55-64 years					521.3	356.3	263.1	261.9
65-74 years					1,243.4	885.1	555.4	542.2
75-84 years					3,007.7	2,261.9	1,531.7	1,491.4
85 years and over					7,663.4	6,606.6	5,042.8	5,006.6
White female ⁵								
All ages, age-adjusted ⁴	479.2	441.7	376.7	315.9	250.9	205.6	143.4	140.4
All ages, crude	290.5	306.5	313.8	319.2	298.4	274.5	203.7	201.5
45-54 years	142.4	103.4	91.4	71.2	50.2	40.9	39.5	40.7
55-64 years	460.7	383.0	317.7	248.1	192.4	141.3	99.7	98.2
65-74 years	1,401.6	1,229.8	1,044.0	796.7	583.6	445.2	276.8	268.4
75-84 years	3,926.2 9,086.9	3,629.7 9,280.8	3,143.5 7,839.9	2,493.6 7,501.6	1,874.3 6,563.4	1,452.4 5,801.4	982.3 4,119.8	941.6 4,086.7
85 years and over	9,086.9	9,280.8	7,839.9	7,501.6	0,503.4	5,801.4	4,119.8	4,080.7
Black or African American female ⁵								
All ages, age-adjusted ⁴	538.9	488.9	435.6	378.6	327.5	277.6	191.0	185.3
All ages, crude	289.9	268.5	261.0	249.7	237.0	212.6	157.6	154.8
45-54 years	526.8	360.7	290.9	202.4	155.3	125.0	99.5	96.6
55-64 years	1,210.7	952.3	710.5	530.1	442.0	332.8	228.5	218.6
65-74 years	1,659.4	1,680.5	1,553.2	1,210.3	1,017.5	815.2	498.5	475.9
75-84 years ⁶	3,499.3	2,926.9	2,964.1	2,707.2	2,250.9	1,913.1	1,272.0	1,227.2
85 years and over		5,650.0	5,003.8	5,796.5	5,766.1	5,298.7	3,833.3	3,783.8

American Indian or Alaska Native female⁵

4						
All ages, age-adjusted ⁴	 	 175.4	153.1	143.6	104.6	103.5
All ages, crude	 	 80.3	77.5	71.9	56.9	55.9
45-54 years	 	 65.2	62.0	40.2	42.0	37.7
55-64 years	 	 193.5	197.0	149.4	102.1	89.0
65-74 years	 	 577.2	492.8	391.8	262.7	248.1
75-84 years	 	 1,364.3	1,050.3	1,044.1	734.4	684.7
85 years and over	 	 2,893.3	2,868.7	3,146.3	2,352.1	2,614.1
Asian or						
Pacific Islander female ⁵						
All ages, age-adjusted ⁴	 	 132.3	149.2	115.7	83.6	81.2
All ages, crude	 	 57.0	62.0	65.0	59.4	59.0
45-54 years	 	 28.6	17.5	15.9	11.4	10.6
55-64 years	 	 92.9	99.0	68.8	38.6	40.6
65-74 years	 	 313.3	323.9	229.6	150.2	141.6
75-84 years	 	 1,053.2	1,130.9	866.2	594.4	574.3
85 years and over	 	 3,211.0	4,161.2	3,367.2	2,644.6	2,581.8
Hispanic or Latina female ^{5,7}						
All ages, age-adjusted ⁴		 	177.2	163.7	109.6	107.8
All ages, crude	 	 	79.4	71.5	54.9	54.6
All ages, crude	 	 	79.4	/1.5	54.9	54.0
45-54 years	 	 	43.5	28.2	23.8	24.5
55-64 years	 	 	153.2	111.2	74.0	72.3
65-74 years	 	 	460.4	366.3	224.5	212.2
75-84 years	 	 	1,259.7	1,169.4	793.7	756.0
85 years and over	 	 	4,440.3	4,605.8	3,080.0	3,140.3
White, not Hispanic						
or Latina female ⁷						
All ages, age-adjusted ⁴		 	252.6	206.2	145 4	140 5
	 		252.6	206.8	145.4	142.5
All ages, crude	 	 	320.0	304.9	234.3	232.2
45-54 years	 	 	50.2	41.9	41.5	42.9
55-64 years	 	 	193.6	142.9	101.7	100.3
65-74 years	 	 	584.7	448.5	279.9	271.9
75-84 years	 	 	1,890.2	1,458.9	992.3	951.5
85 years and over	 	 	6,615.2	5,822.7	4,161.5	4,122.8
os pears and over			0,013.2	5,022.7	1,101.5	1,122.0

⁻⁻⁻Data not available.

 $^{^{1} \}mbox{Includes deaths of persons who were not residents of the 50 states}$

and the District of Columbia (D.C.).

 2 Underlying cause of death was coded according to the 6th Revision of the International Classification of Diseases (ICD) in 1950, 7th Revision in 1960, 8th Revision in 1970,

and 9th Revision in 1980-1998. See Appendix II, Cause of death; Table III; Table IV.

 3 Starting with 1999 data, cause of death is coded according to ICD-10.

See Appendix II, Cause of death; Comparability ratio; Table IV; Table V.

⁴Age-adjusted rates are calculated using the year 2000 standard population.

Prior to 2001, age-adjusted rates were calculated using standard million proportions based on rounded population numbers. Starting with 2001 data, unrounded population numbers are used to calculate age-adjusted rates.

See Appendix II, Age adjustment.

⁵The race groups, white, black, Asian or Pacific Islander, and American Indian or Alaska Native, include persons of Hispanic and non-Hispanic origin.

Persons of Hispanic origin may be of any race. Death rates for the American

Indian or Alaska Native, Asian or Pacific Islander, and Hispanic populations are known to be

underestimated. See Appendix II, Race, for a discussion of sources of bias

in death rates by race and Hispanic origin.

⁶In 1950, rate is for the age group 75 years and over.

⁷Prior to 1997, data from states that did not report Hispanic origin on the death certificate were excluded. See Appendix II, Hispanic origin.

NOTES: Starting with Health, United States, 2003, rates for 1991-1999 were

revised using intercensal population estimates based on the 1990 and 2000 censuses. For 2000, population estimates are bridged-race April 1 census counts.

Starting with Health, United States, 2012, rates for 2001-2009 were

revised using intercensal population estimates based on the 2000 and 2010 censuses. For 2010, population estimates are bridged-race April 1 census counts.

See Appendix I, Population Census and Population Estimates.

Age groups were selected to minimize the presentation of unstable age-specific

death rates based on small numbers of deaths and for consistency among comparison groups.

Starting with 2003 data, some states allowed the reporting of more than one race on the death certificate.

The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards, for comparability with other states. See Appendix II, Race.

Data for additional years are available. See Appendix III.

SOURCE: CDC/NCHS,

National Vital Statistics System;

numerator data from National Vital Statistics System, annual public-use Mortality Files;

denominator data from national population estimates for race groups from Table 1

and unpublished Hispanic population estimates for 1985-1996 prepared by the Housing and Household Economic

Statistics Division, U.S. Census Bureau;

Murphy SL, Xu JQ, Kochanek KD. Deaths: Final data for 2010. National vital statistics reports;

vol 61 no 4. Hyattsville, MD: NCHS; 2012. Available from: http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61_04.pdf.

See Appendix I, National Vital Statistics System (NVSS).

Health, United States 2011 web updates