Table 32. Death rates for malignant neoplasms, by sex, race, Hispanic origin, and age: United States, selected years 1950-2010

(Data are based on death certificates)

Sex, race, Hispanic origin,								
and age	1950 ^{1,2}	1960 ^{1,2}	1970 ²	1980 ²	1990 ²	2000 ³	2009 ³	2010 ³
All persons	Deaths per 100,000 resident population							
All ages, age-adjusted ⁴	193.9	193.9	198.6	207.9	216.0	199.6	173.5	172.8
All ages, crude	139.8	149.2	162.8	183.9	203.2	196.5	185.0	186.2
Under 1 year	8.7	7.2	4.7	3.2	2.3	2.4	1.8	1.6
1-4 years	11.7	10.9	7.5	4.5	3.5	2.7	2.2	2.1
5-14 years	6.7	6.8	6.0	4.3	3.1	2.5	2.2	2.2
15-24 years	8.6	8.3	8.3	6.3	4.9	4.4	3.8	3.7
25-34 years	20.0	19.5	16.5	13.7	12.6	9.8	9.0	8.8
35-44 years	62.7	59.7	59.5	48.6	43.3	36.6	30.2	28.8
45-54 years	175.1	177.0	182.5	180.0	158.9	127.5	112.8	111.6
55-64 years	390.7	396.8	423.0	436.1	449.6	366.7	301.7	300.1
65-74 years	698.8	713.9	754.2	817.9	872.3	816.3	668.2	666.1
75-84 years	1,153.3	1,127.4	1,169.2	1,232.3	1,348.5	1,335.6	1,213.0	1,202.2
85 years and over	1,451.0	1,450.0	1,320.7	1,594.6	1,752.9	1,819.4	1,699.3	1,729.5
Male								
All ages, age-adjusted4	208.1	225.1	247.6	271.2	280.4	248.9	210.9	209.9
All ages, crude	142.9	162.5	182.1	205.3	221.3	207.2	196.8	198.3
Indox 1 year	9.7	7.7	4.4	3.7	2.4	2.6	2.2	1.5
Under 1 year	12.5	12.4	8.3	5.2	3.7	3.0	2.2	2.4
1-4 years 5-14 years	7.4	7.6	6.7	4.9	3.5	2.7	2.2	2.4
15-24 years	9.7	10.2	10.4	7.8	5.7	5.1	4.5	4.5
25-34 years	17.7	18.8	16.3	13.4	12.6	9.2	8.8	8.6
=	45.6	48.9	53.0	44.0	38.5	32.7	26.1	25.2
35-44 years	156.2	170.8	183.5	188.7	162.5	130.9	115.3	113.8
45-54 years	413.1	459.9	511.8	520.8	532.9	415.8	345.9	344.9
55-64 years	791.5	890.5	1,006.8	1,093.2	1,122.2	1,001.9	790.4	789.2
75-84 years	1,332.6	1,389.4	1,588.3	1,790.5	1,122.2	1,760.6	1,538.3	1,514.2
85 years and over	1,668.3	1,741.2	1,720.8	2,369.5	2,739.9	2,710.7	2,412.2	2,452.6
	1,000.3	1,/41.2	1,720.0	2,309.3	2,139.9	2,710.7	2,412.2	2,432.0
Female								
All ages, age-adjusted ⁴	182.3	168.7	163.2	166.7	175.7	167.6	147.4	146.7
All ages, crude	136.8	136.4	144.4	163.6	186.0	186.2	173.7	174.4
Under 1 year	7.6	6.8	5.0	2.7	2.2	2.3	1.5	1.6
1-4 years	10.8	9.3	6.7	3.7	3.2	2.5	2.1	1.9
5-14 years	6.0	6.0	5.2	3.6	2.8	2.2	2.0	2.2
15-24 years	7.6	6.5	6.2	4.8	4.1	3.6	3.0	2.8
25-34 years	22.2	20.1	16.7	14.0	12.6	10.4	9.1	9.0
35-44 years	79.3	70.0	65.6	53.1	48.1	40.4	34.2	32.3
45-54 years	194.0	183.0	181.5	171.8	155.5	124.2	110.4	109.4
55-64 years	368.2	337.7	343.2	361.7	375.2	321.3	260.6	258.5
65-74 years	612.3	560.2	557.9	607.1	677.4	663.6	562.2	559.1
75-84 years	1,000.7	924.1	891.9	903.1	1,010.3	1,058.5	980.1	977.0

85 years and over	1,299.7	1,263.9	1,096.7	1,255.7	1,372.1	1,456.4	1,358.6	1,380.1
White male ⁵								
All ages, age-adjusted ⁴ All ages, crude	210.0 147.2	224.7 166.1	244.8 185.1	265.1 208.7	272.2 227.7	243.9 218.1	209.2 211.0	208.2 212.7
25-34 years	17.7 44.5 150.8 409.4 798.7 1,367.6 1,732.7	18.8 46.3 164.1 450.9 887.3 1,413.7 1,791.4	16.2 50.1 172.0 498.1 997.0 1,592.7 1,772.2	13.6 41.1 175.4 497.4 1,070.7 1,779.7 2,375.6	12.3 35.8 149.9 508.2 1,090.7 1,883.2 2,715.1	9.2 30.9 123.5 401.9 984.3 1,736.0 2,693.7	8.9 25.9 112.5 335.8 784.2 1,538.3 2,412.5	8.8 25.2 111.6 334.9 782.8 1,511.6 2,453.5
Black or African American male ⁵								
All ages, age-adjusted ⁴	178.9 106.6	227.6 136.7	291.9 171.6	353.4 205.5	397.9 221.9	340.3 188.5	266.7 168.2	264.8 169.0
25-34 years	18.0 55.7 211.7 490.8 636.5 853.5	18.4 72.9 244.7 579.7 938.5 1,053.3	18.8 81.3 311.2 689.2 1,168.9 1,624.8 1,387.0	14.1 73.8 333.0 812.5 1,417.2 2,029.6 2,393.9	15.7 64.3 302.6 859.2 1,613.9 2,478.3 3,238.3	10.1 48.4 214.2 626.4 1,363.8 2,351.8 3,264.8	10.4 31.3 157.4 502.0 1,038.6 1,835.3 2,791.3	9.2 30.1 150.9 496.7 1,027.8 1,826.8 2,854.6
American Indian or Alaska Native male ⁵								
All ages, age-adjusted ⁴				140.5 58.1	145.8 61.4	155.8 67.0	132.8 66.4	151.0 74.1
25-34 years	 	 	 	* 86.9 213.4 613.0 936.4 1,471.2	* 22.8 86.9 246.2 530.6 1,038.4 1,654.4	* 21.4 70.3 255.6 648.0 1,152.5 1,584.2	6.5 12.3 73.2 229.6 541.3 936.9 1,390.1	7.4 13.4 70.0 249.5 597.7 1,104.4 1,741.3
Asian or Pacific Islander male ⁵								
All ages, age-adjusted ⁴				165.2 81.9	172.5 82.7	150.8 85.2	131.0 86.7	131.0 88.6
25-34 years	 	 	 	6.3 29.4 108.2 298.5 581.2	9.2 27.7 92.6 274.6 687.2	7.4 26.1 78.5 229.2 559.4	5.7 21.2 67.5 193.4 425.8	6.5 18.2 67.4 195.2 446.2
75-84 years				1,147.6	1,229.9	1,086.1	988.2	980.4

85 years and over				1,798.7	1,837.0	1,823.2	1,762.0	1,707.2
Hispanic or Latino male ^{5,7}								
All ages, age-adjusted ⁴					174.7	171.7	148.6	149.4
All ages, crude					65.5	61.3	62.9	64.2
mir ages, erademment.					03.5	01.5	02.7	01.2
25-34 years					8.0	6.9	7.7	7.2
35-44 years					22.5	20.1	18.0	16.5
45-54 years					96.6	79.4	70.7	69.7
55-64 years					294.0	253.1	222.9	225.4
65-74 years					655.5	651.2	545.9	552.0
75-84 years					1,233.4	1,306.4	1,128.7	1,118.7
85 years and over					2,019.4	2,049.7	1,794.7	1,861.2
White, not Hispanic or Latino male ⁷								
All ages ago adjusted ⁴					276 7	247 7	212 6	212 6
All ages, age-adjusted ⁴ All ages, crude					276.7 246.2	247.7 244.4	213.6 243.5	212.6 245.8
All ages, crude					246.2	244.4	243.5	245.8
25-34 years					12.8	9.7	9.1	9.1
35-44 years					36.8	32.3	27.6	27.0
45-54 years					153.9	127.2	117.9	117.2
55-64 years					520.6	412.0	345.4	344.2
65-74 years					1,109.0	1,002.1	800.4	798.5
75-84 years					1,906.6	1,750.2	1,561.8	1,534.4
85 years and over					2,744.4	2,714.1	2,440.5	2,480.8
White female ⁵								
All ages, age-adjusted ⁴	182.0	167.7	162.5	165.2	174.0	166.9	147.9	146.9
All ages, crude	139.9	139.8	149.4	170.3	196.1	199.4	187.8	188.2
25-34 years	20.9	18.8	16.3	13.5	11.9	10.1	9.1	8.8
35-44 years	74.5	66.6	62.4	50.9	46.2	38.2	33.6	31.3
45-54 years	185.8	175.7	177.3	166.4	150.9	120.1	108.4	106.5
55-64 years	362.5	329.0	338.6	355.5	368.5	319.7	258.9	255.3
65-74 years	616.5	562.1	554.7	605.2	675.1	665.6	567.1	563.7
75-84 years	1,026.6	939.3	903.5	905.4	1,011.8	1,063.4	991.2	988.6
85 years and over	1,348.3	1,304.9	1,126.6	1,266.8	1,372.3	1,459.1	1,370.0	1,389.8
Black or African American female ⁵								
All ages, age-adjusted ⁴	174.1	174.3	173.4	189.5	205.9	193.8	167.0	167.1
All ages, crude	111.8	113.8	117.3	136.5	156.1	151.8	143.5	145.5
25-34 years	34.3	31.0	20.9	18.3	18.7	13.5	11.4	10.8
35-44 years	119.8	102.4	94.6	73.5	67.4	58.9	44.6	44.5
45-54 years	277.0	254.8	228.6	230.2	209.9	173.9	145.7	146.4
55-64 years	484.6	442.7	404.8	450.4	482.4	391.0	327.2	331.1
65-74 years	477.3	541.6	615.8	662.4	773.2	753.1	638.2	631.0
75-84 years ⁶	605.3	696.3	763.3	923.9	1,059.9	1,124.0	1,026.7	1,008.2

85 years and over	 728.9	791.5	1,159.9	1,431.3	1,527.7	1,345.7	1,418.6
American Indian or							
Alaska Native female ⁵							
All ages, age-adjusted ⁴	 		94.0	106.9	108.3	102.2	102.0
All ages, crude	 		50.4	62.1	61.3	64.4	64.8
25-24 years	 		*	*	*	6.6	6.3
25-34 years	 		36.9	31.0	23.7	20.4	14.2
45-54 years	 		96.9	104.5	59.7	70.5	68.7
55-64 years	 		198.4	213.3	200.9	183.1	185.9
65-74 years	 		350.8	438.9	458.3	414.4	432.2
75-84 years	 		446.4	554.3	714.0	696.4	682.3
85 years and over	 		786.5	843.7	983.2	863.4	885.7
Asian or							
Pacific Islander female ⁵							
All ages, age-adjusted ⁴	 		93.0	103.0	100.7	89.6	93.5
All ages, crude	 		54.1	60.5	72.1	73.7	78.5
25-34 years	 		9.5	7.3	8.1	5.8	7.1
35-44 years	 		38.7	29.8	28.9	21.3	21.7
45-54 years	 		99.8 174.7	93.9 196.2	78.2 176.5	60.2 144.9	69.5 152.6
55-64 years65-74 years	 		301.9	346.2	357.4	300.8	314.4
75-84 years	 		522.1	641.4	650.1	618.7	654.5
85 years and over	 		800.0	971.7	988.5	1,053.5	994.4
Hispanic or Latina female ^{5,7}							
All ages and addingted 4	 			111 0	110 0	00.8	00.4
All ages, age-adjusted ⁴ All ages, crude	 			111.9 60.7	110.8 58.5	99.8 58.4	99.4 59.0
All ages, clude				00.7	30.3	30.4	39.0
25-34 years	 			9.7	7.8	7.4	8.4
35-44 years	 			34.8	30.7	24.4	23.5
45-54 years	 			100.5	84.7	70.8	74.0
55-64 years	 			205.4	192.5	170.0	165.9
65-74 years	 			404.8 663.0	410.0 716.5	351.7 665.4	355.2 657.6
75-84 years	 			1,022.7	1,056.5	1,061.0	1,043.4
				_,,,	_,	_,	_,
White, not Hispanic or Latina female ⁷							
All ages, age-adjusted ⁴	 			177.5	170.0	151.8	150.6
All ages, crude	 			210.6	220.6	214.2	215.0
25-34 years	 			11.9	10.5	9.3	8.8
35-44 years	 			47.0	38.9	35.4	32.8
45-54 years55-64 years	 			154.9 379.5	123.0 328.9	113.1 266.9	110.5 263.4
65-74 years	 			688.5	681.0	584.6	580.4
os il jears				500.5	001.0	331.0	500.1

75-84 years..... ---1,027.2 1,075.3 1,012.4 1,010.4 85 years and over..... ---------1,385.7 1,468.7 1,382.3 1,403.8 ---Data not available. *Rates based on fewer than 20 deaths are considered unreliable and are not shown. ¹Includes deaths of persons who were not residents of the 50 states and the District of Columbia (D.C.). ²Underlying cause of death was coded according to the 6th Revision of the International Classification of Diseases (ICD) in 1950, 7th Revision in 1960, 8th Revision in 1970, and 9th Revision in 1980-1998. See Appendix II, Cause of death; Tables III; and IV. ³Starting with 1999 data, cause of death is coded according to ICD-10. See Appendix II, Cause of death; Comparability ratio; Table IV; Table V. 4 Age-adjusted rates are calculated using the year 2000 standard population. Prior to 2001, age-adjusted rates were calculated using standard million proportions based on rounded population numbers. Starting with 2001 data, unrounded population numbers are used to calculate age-adjusted rates. See Appendix II, Age adjustment. ⁵The race groups, white, black, Asian or Pacific Islander, and American Indian or Alaska Native, include persons of Hispanic and non-Hispanic origin. Persons of Hispanic origin may be of any race. Death rates for the American Indian or Alaska Native, Asian or Pacific Islander, and Hispanic populations are known to be underestimated. See Appendix II, Race, for a discussion of sources of bias in death rates by race and Hispanic origin. ⁶In 1950, rate is for the age group 75 years and over. ⁷Prior to 1997, data from states that did not report Hispanic origin on the death certificate were excluded. See Appendix II, Hispanic origin. NOTES: Starting with Health, United States, 2003, rates for 1991-1999 were revised using intercensal population estimates based on the 1990 and 2000 censuses. For 2000, population estimates are bridged-race April 1 census counts. Starting with Health, United States, 2012, rates for 2001-2009 were revised using intercensal population estimates based on the 2000 and 2010 censuses. For 2010, population estimates are bridged-race April 1 census counts. See Appendix I, Population Census and Population Estimates. Age groups were selected to minimize the presentation of unstable age-specific death rates based on small numbers of deaths and for consistency among comparison groups. Starting with 2003 data, some states allowed the reporting of more than one race on the death certificate. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards, for comparability with other states. See Appendix II, Race. Data for additional years are available. See Appendix III. SOURCE: CDC/NCHS,

National Vital Statistics System; Grove RD, Hetzel AM. Vital statistics rates in the United States, 1940-1960. Washington, DC: U.S. Government Printing Office. 1968; numerator data from National Vital Statistics System, annual public-use Mortality Files; denominator data from national population estimates for race groups from Table 1 and unpublished Hispanic population estimates for 1985-1996 prepared by the Housing and Household Economic Statistics Division, U.S. Census Bureau; Murphy SL, Xu JQ, Kochanek KD. Deaths: Final data for 2010. National vital statistics reports; vol 61 no 4. Hyattsville, MD: NCHS; 2012. Available from: http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61_04.pdf. See Appendix I, National Vital Statistics System (NVSS).

Health, United States 2011 web updates