## Table 76 (page 1 of 2). Untreated dental caries, by selected characteristics: United States, selected years 1971–1974 through 2005–2008

Updated data when available, Excel, PDF, more data years, and standard errors: http://www.cdc.gov/nchs/hus/contents2011.htm#076.

[Data are based on dental examinations of a sample of the civilian noninstitutionalized population]

Sex, race and Hispanic origin <sup>1</sup> , and percent of poverty level	Age 2–5 years				Age 6–19 years			
	1971–1974	1988–1994	1999–2002	2005–2008	1971–1974	1988–1994	1999–2002	2005–2008
			Percent of	persons with	untreated de	ental caries		
Total <sup>2</sup>	25.0	19.1	19.3		54.7	23.6	21.8	16.2
Male Female	26.4 23.6	19.3 18.9	20.3 18.4		54.9 54.5	22.8 24.5	22.9 20.6	17.0 15.3
Race and Hispanic origin								
Not Hispanic or Latino:								
White only	23.7 29.0	13.8 24.7 34.9	16.9 24.1 31.4		51.6 71.0	18.8 33.7 36.5	17.6 28.3 32.7	12.9 22.1 22.2
Percent of poverty level:3								
Below 100%	32.0 29.9	30.2 24.3	31.7 20.1		68.0 60.3	38.3 28.2	31.0 29.1	25.4 18.4
100%–199%	29.9 17.8	24.3 9.4	11.0		46.2	26.2 15.1	13.3	11.9
200%–399%		10.7	15.2			16.3 *10.2	16.7 8.9	14.2 9.3
Race and Hispanic origin,				• • •		10.2	0.9	9.3
and percent of poverty level <sup>3</sup>								
Not Hispanic or Latino: White only:								
Below 100% of poverty level	32.1	25.7	34.2		65.9	33.5	27.3	25.4
100% or more of poverty level Black or African American only:	22.0	11.7	12.8		49.9	16.7	15.5	11.0
Below 100% of poverty level	29.1	27.2	28.7		73.9	37.0	35.7	27.1
100% or more of poverty level	27.9	22.5	20.1		67.3	31.0	24.2	19.1
Mexican:  Below 100% of poverty level		38.8 30.3	39.1 25.7			46.4 26.4	39.0 26.0	25.3 20.4
Sex race and Hispanic origin <sup>1</sup>	Age 20–64 years				Age 65–74 years			
Sex race and Hispanic origin <sup>1</sup>		Age 20–	64 years			Age 65-	74 years	
Sex, race and Hispanic origin <sup>1</sup> , and percent of poverty level	1971–1974			2005–2008	1971–1974			2005–2008
	1971–1974		1999–2002	2005–2008		1988–1994		2005–2008
and percent of poverty level  Total 2	1971–1974 48.0		1999–2002			1988–1994		2005–2008 19.6
and percent of poverty level  Total 2		1988–1994 28.3 31.5	1999–2002 Percent of 23.7 25.9	persons with 23.7	untreated de	1988–1994 ental caries 25.4 29.8	1999–2002 17.0 20.1	
and percent of poverty level  Total 2	48.0	1988–1994	1999–2002 Percent of 23.7	persons with 23.7	untreated de 29.7	1988–1994 ental caries 25.4	1999–2002	19.6
and percent of poverty level  Total 2 Sex  Male Semale Race and Hispanic origin	48.0 50.5	1988–1994 28.3 31.5	1999–2002 Percent of 23.7 25.9	persons with 23.7	untreated de 29.7	1988–1994 ental caries 25.4 29.8	1999–2002 17.0 20.1	19.6 24.8
and percent of poverty level  Total 2	48.0 50.5 45.6	28.3 31.5 25.3	1999–2002  Percent of 23.7  25.9 21.7	persons with 23.7 27.2 20.2	untreated de 29.7 32.6 27.4	1988–1994 ental caries 25.4 29.8 21.5	1999–2002 17.0 20.1 14.4	19.6 24.8 15.3
and percent of poverty level  Total 2	48.0 50.5 45.6 45.3 67.3	28.3 31.5 25.3 23.9 48.5	1999–2002  Percent of 23.7  25.9 21.7	persons with 23.7 27.2 20.2 19.3 39.7	untreated de 29.7 32.6 27.4 28.3 41.5	1988–1994 ental caries 25.4 29.8 21.5	17.0 20.1 14.4 14.3 35.0	19.6 24.8 15.3 17.8 32.4
and percent of poverty level  Total 2 Sex  Male Semale Race and Hispanic origin  Not Hispanic or Latino: White only Semantic Sema	48.0 50.5 45.6 45.3	28.3 31.5 25.3	1999–2002  Percent of 23.7  25.9 21.7	persons with 23.7 27.2 20.2	untreated de 29.7 32.6 27.4	1988–1994 ental caries 25.4 29.8 21.5	1999–2002 17.0 20.1 14.4	19.6 24.8 15.3
and percent of poverty level  Total 2 Sex  Male Semale Race and Hispanic origin  Not Hispanic or Latino: White only Semantic Sema	48.0 50.5 45.6 45.3 67.3	28.3 31.5 25.3 23.9 48.5	1999–2002  Percent of 23.7  25.9 21.7	persons with 23.7 27.2 20.2 19.3 39.7	untreated de 29.7 32.6 27.4 28.3 41.5	1988–1994 ental caries 25.4 29.8 21.5	17.0 20.1 14.4 14.3 35.0	19.6 24.8 15.3 17.8 32.4
and percent of poverty level  Total 2	48.0 50.5 45.6 45.3 67.3 	28.3 31.5 25.3 23.9 48.5 40.2 48.1 43.5	1999–2002  Percent of 23.7  25.9 21.7  18.7 42.0 35.2  41.5 36.4	persons with 23.7 27.2 20.2 19.3 39.7 35.2 41.9 37.7	untreated de 29.7 32.6 27.4 28.3 41.5 34.3 35.6	1988–1994 ental caries 25.4 29.8 21.5 22.7 46.7 43.8 46.6 40.1	17.0 20.1 14.4 14.3 35.0 33.9 27.9 28.1	19.6 24.8 15.3 17.8 32.4 33.2 42.5 22.9
and percent of poverty level  Total 2	48.0 50.5 45.6 45.3 67.3  63.5 56.2 42.7	28.3 31.5 25.3 23.9 48.5 40.2 48.1 43.5 19.6	1999–2002  Percent of 23.7  25.9 21.7  18.7 42.0 35.2  41.5 36.4 16.0	persons with 23.7 27.2 20.2 19.3 39.7 35.2 41.9 37.7 16.6	untreated de 29.7 32.6 27.4 28.3 41.5 34.3 35.6 26.2	1988–1994 ental caries 25.4 29.8 21.5 22.7 46.7 43.8 46.6 40.1 19.2	17.0 20.1 14.4 14.3 35.0 33.9 27.9 28.1 12.2	19.6 24.8 15.3 17.8 32.4 33.2 42.5 22.9 15.7
and percent of poverty level  Total 2	48.0 50.5 45.6 45.3 67.3 	28.3 31.5 25.3 23.9 48.5 40.2 48.1 43.5	1999–2002  Percent of 23.7  25.9 21.7  18.7 42.0 35.2  41.5 36.4	persons with 23.7 27.2 20.2 19.3 39.7 35.2 41.9 37.7	untreated de 29.7 32.6 27.4 28.3 41.5 34.3 35.6	1988–1994 ental caries 25.4 29.8 21.5 22.7 46.7 43.8 46.6 40.1	17.0 20.1 14.4 14.3 35.0 33.9 27.9 28.1	19.6 24.8 15.3 17.8 32.4 33.2 42.5 22.9
and percent of poverty level  Total 2	48.0 50.5 45.6 45.3 67.3 63.5 56.2 42.7	28.3 31.5 25.3 23.9 48.5 40.2 48.1 43.5 19.6 24.6	1999–2002  Percent of 23.7  25.9 21.7  18.7 42.0 35.2  41.5 36.4 16.0 24.8	persons with 23.7 27.2 20.2 19.3 39.7 35.2 41.9 37.7 16.6 24.3	untreated de 29.7 32.6 27.4 28.3 41.5 34.3 35.6 26.2	1988–1994 ental caries 25.4 29.8 21.5  22.7 46.7 43.8  46.6 40.1 19.2 24.1	17.0 20.1 14.4 14.3 35.0 33.9 27.9 28.1 12.2 16.5	19.6 24.8 15.3 17.8 32.4 33.2 42.5 22.9 15.7 *17.9
and percent of poverty level  Total 2  Sex  Male Female  Race and Hispanic origin  Not Hispanic or Latino: White only Black or African American only  Mexican  Percent of poverty level: 3 Below 100% 100%—199% 200% or more 200%—399% 400% or more Race and Hispanic origin, and percent of poverty level 3  Not Hispanic or Latino:	48.0 50.5 45.6 45.3 67.3 63.5 56.2 42.7	28.3 31.5 25.3 23.9 48.5 40.2 48.1 43.5 19.6 24.6	1999–2002  Percent of 23.7  25.9 21.7  18.7 42.0 35.2  41.5 36.4 16.0 24.8	persons with 23.7 27.2 20.2 19.3 39.7 35.2 41.9 37.7 16.6 24.3	untreated de 29.7 32.6 27.4 28.3 41.5 34.3 35.6 26.2	1988–1994 ental caries 25.4 29.8 21.5  22.7 46.7 43.8  46.6 40.1 19.2 24.1	17.0 20.1 14.4 14.3 35.0 33.9 27.9 28.1 12.2 16.5	19.6 24.8 15.3 17.8 32.4 33.2 42.5 22.9 15.7 *17.9
and percent of poverty level  Total 2  Sex  Male . Female .  Race and Hispanic origin  Not Hispanic or Latino: White only . Black or African American only .  Mexican .  Percent of poverty level: 3 Below 100% . 100%—199% . 200% or more . 200%—399% . 400% or more .  Race and Hispanic origin, and percent of poverty level 3	48.0 50.5 45.6 45.3 67.3 63.5 56.2 42.7	28.3 31.5 25.3 23.9 48.5 40.2 48.1 43.5 19.6 24.6	1999–2002  Percent of 23.7  25.9 21.7  18.7 42.0 35.2  41.5 36.4 16.0 24.8	persons with 23.7 27.2 20.2 19.3 39.7 35.2 41.9 37.7 16.6 24.3	untreated de 29.7 32.6 27.4 28.3 41.5 34.3 35.6 26.2	1988–1994 ental caries 25.4 29.8 21.5  22.7 46.7 43.8  46.6 40.1 19.2 24.1	17.0 20.1 14.4 14.3 35.0 33.9 27.9 28.1 12.2 16.5	19.6 24.8 15.3 17.8 32.4 33.2 42.5 22.9 15.7 *17.9
and percent of poverty level  Total 2	48.0 50.5 45.6 45.3 67.3  63.5 56.2 42.7  42.7 	28.3 31.5 25.3 23.9 48.5 40.2 48.1 43.5 19.6 24.6 12.7	1999–2002  Percent of 23.7  25.9 21.7  18.7 42.0 35.2  41.5 36.4 16.0 24.8 9.7	persons with 23.7 27.2 20.2 19.3 39.7 35.2 41.9 37.7 16.6 24.3 11.1	untreated de 29.7 32.6 27.4 28.3 41.5 34.3 35.6 26.2 33.3 28.3	1988–1994 ental caries 25.4 29.8 21.5  22.7 46.7 43.8  46.6 40.1 19.2 24.1 13.5	17.0 20.1 14.3 35.0 33.9 27.9 28.1 12.2 16.5 *7.5	19.6 24.8 15.3 17.8 32.4 33.2 42.5 22.9 15.7 *17.9 12.8
and percent of poverty level  Total 2	48.0 50.5 45.6 45.3 67.3  63.5 56.2 42.7 	28.3 31.5 25.3 23.9 48.5 40.2 48.1 43.5 19.6 24.6 12.7	1999–2002  Percent of 23.7  25.9 21.7  18.7 42.0 35.2  41.5 36.4 16.0 24.8 9.7	persons with 23.7 27.2 20.2 19.3 39.7 35.2 41.9 37.7 16.6 24.3 11.1	untreated de 29.7 32.6 27.4 28.3 41.5 34.3 35.6 26.2	1988–1994  ental caries 25.4  29.8 21.5  22.7 46.7 43.8  46.6 40.1 19.2 24.1 13.5	17.0 20.1 14.4 14.3 35.0 33.9 27.9 28.1 12.2 16.5 *7.5	19.6 24.8 15.3 17.8 32.4 33.2 42.5 22.9 15.7 *17.9 12.8
and percent of poverty level  Total 2	48.0 50.5 45.6 45.3 67.3 63.5 56.2 42.7   60.2 44.2 71.9 65.3	28.3 31.5 25.3 23.9 48.5 40.2 48.1 43.5 19.6 24.6 12.7 43.7 21.8 60.4 43.9	1999–2002  Percent of 23.7  25.9 21.7  18.7 42.0 35.2  41.5 36.4 16.0 24.8 9.7  35.3 16.8  54.1 37.5  43.1	persons with 23.7 27.2 20.2 19.3 39.7 35.2 41.9 37.7 16.6 24.3 11.1 39.8 17.1 52.7 36.8 43.8	untreated de 29.7 32.6 27.4 28.3 41.5 34.3 35.6 26.2 37.4 33.3 28.3 39.8 41.1	1988–1994  ental caries 25.4  29.8 21.5  22.7 46.7 43.8  46.6 40.1 19.2 24.1 13.5  *39.0 22.7 49.7 43.8  55.5	17.0 20.1 14.4 14.3 35.0 33.9 27.9 28.1 12.2 16.5 *7.5  * 14.0 *31.0 39.0 *45.0	19.6 24.8 15.3 17.8 32.4 33.2 42.5 22.9 15.7 *17.9 12.8 *39.4 16.4 56.2 28.1
and percent of poverty level  Total 2	48.0 50.5 45.6 45.3 67.3  63.5 56.2 42.7  44.2 71.9 65.3	28.3 31.5 25.3 23.9 48.5 40.2 48.1 43.5 19.6 24.6 12.7 43.7 21.8 60.4 43.9	1999–2002  Percent of 23.7  25.9 21.7  18.7 42.0 35.2  41.5 36.4 16.0 24.8 9.7  35.3 16.8  54.1 37.5	persons with 23.7 27.2 20.2 19.3 39.7 35.2 41.9 37.7 16.6 24.3 11.1 39.8 17.1 52.7 36.8	untreated de 29.7 32.6 27.4 28.3 41.5 34.3 35.6 26.2 33.3 28.3 39.8 41.1	1988–1994 ental caries 25.4 29.8 21.5 22.7 46.7 43.8 46.6 40.1 19.2 24.1 13.5 *39.0 22.7 49.7 43.8	17.0 20.1 14.4 14.3 35.0 33.9 27.9 28.1 12.2 16.5 *7.5	19.6 24.8 15.3 17.8 32.4 33.2 42.5 22.9 15.7 *17.9 12.8  *39.4 16.4 56.2 28.1

Health, United States, 2011 Trend Tables

## Table 76 (page 2 of 2). Untreated dental caries, by selected characteristics: United States, selected years 1971–1974 through 2005-2008

Updated data when available, Excel, PDF, more data years, and standard errors: http://www.cdc.gov/nchs/hus/contents2011.htm#076.

[Data are based on dental examinations of a sample of the civilian noninstitutionalized population]

	Age 75 years and over						
Sex, race and Hispanic origin <sup>1</sup> , — and percent of poverty level	1971–1974	1988–1994	1999–2002	2005–2008			
	Percent of persons with untreated dental caries						
Total <sup>2</sup>		30.3	20.3	20.2			
Sex							
Male		34.4	24.4	25.7			
Female		28.1	17.4	16.1			
Race and Hispanic origin							
Not Hispanic or Latino:							
White only		27.8	18.3	17.7			
Black or African American only		62.6	46.8	42.6			
Mexican		55.6	48.2	43.4			
Percent of poverty level:3							
Below 100%		47.1	33.0	39.3			
100%–199%		34.5	23.0	22.1			
200% or more		23.2	15.8	14.5			
200%–399%		24.3	*14.0	14.8			
400% or more		21.6	*18.1	*13.8			
Race and Hispanic origin, and percent of poverty level <sup>3</sup>							
Not Hispanic or Latino: White only:							
Below 100% of poverty level		38.0	*32.2	*29.6			
100% or more of poverty level		26.1	17.2	15.6			
Black or African American only:		20		10.0			
Below 100% of poverty level		68.6	*	*			
100% or more of poverty level		60.2	43.8	36.4			
Mexican:							
Below 100% of poverty level		79.4	*	*			
100% or more of poverty level		*	49.7	*28.0			

<sup>...</sup> Category not applicable.

NOTES: Root caries are not included. Persons without at least one primary or one permanent tooth or one root tip were classified as edentulous and were excluded from this analysis. The majority of edentulous persons are 65 years of age and over. Estimates of edentulism among persons 65 years of age and over are 46% in 1971–1974, 33% in 1988–1994, and 23% in 2005–2008. For estimates prior to 2005–2008, only dental caries in primary teeth was evaluated for children 2–5 years of age. Caries in both permanent and primary teeth was evaluated for children 6-11 years of age. For children 12-19 years of age and adults, only dental caries in permanent teeth was evaluated. Starting with 2005-2006 data, dental caries data were collected using a simplified examination process that used health technologists to screen for caries instead of using dentists to conduct a comprehensive caries exam. In addition, dental caries data were not collected on children younger than 5 years of age. Because of this change in the examination process and because 2005-2008 dental caries data are based on both primary and permanent teeth, regardless of age, data for 2005-2008 need to be interpreted with caution, especially when comparing with earlier data. For more information on the methodology changes, see Appendix II, Dental caries; http://www.cdc.gov/nchs/data/nhanes/nhanes\_05\_06/ohx\_d.pdf and Dye BA, Barker LK, Li X, Lewis BG, Beltran-Aguillar ED. Overview and quality assurance for the Oral Health Component of the National Health and Nutrition Examination Survey (NHANES), 2005–08. J Public Health Dent 2011;71(1):54-61. Standard errors are available in the spreadsheet version of this table. Available from: http://www.cdc.gov/nchs/hus.htm. Data for additional years are available. See Appendix III. Data for 2005-2008 have been revised and differ from previous editions of Health, United States.

SOURCE: CDC/NCHS, National Health and Nutrition Examination Survey. See Appendix I, National Health and Nutrition Examination Survey (NHANES).

**Trend Tables** Health, United States, 2011

 <sup>- - -</sup> Data not available.

<sup>\*</sup> Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) of 20%-30%. Data not shown have an RSE of greater than 30%

<sup>&</sup>lt;sup>1</sup>Persons of Mexican origin may be of any race. Starting with 1999 data, race-specific estimates are tabulated according to the 1997 Revisions to the Standards for the Classification of Federal Data on Race and Ethnicity and are not strictly comparable with estimates for earlier years. The two non-Hispanic race categories shown in the table conform to the 1997 Standards. Starting with 1999 data, race-specific estimates are for persons who reported only one racial group. Prior to data year 1999, estimates were tabulated according to the 1977 Standards. Estimates for single-race categories prior to 1999 included persons who reported one race or, if they reported more than one race, identified one race as best representing their race. See Appendix II, Hispanic origin; Race

<sup>&</sup>lt;sup>2</sup>Includes persons of all races and Hispanic origins, not just those shown separately, and those with unknown percent of poverty level.

<sup>3</sup>Percent of poverty level is based on family income and family size. Persons with unknown percent of poverty level are excluded (5% in 2005–2008). See Appendix II, Family income; Poverty.