Table 80. Selected measures of access to medical care among adults aged 18-64, by urbanization level and selected characteristics: United States, average annual, 2002-2004 through 2009-2011

(Data are based on household interviews of a sample of the civilian noninstitutionalized population)

(Data are based on nousehold in	are based on nousehold interviews of a sample of the civilian noninstitutionalized population)											
		not get or delayed Lical care due to cost ²			insurance c	overage ³	No health care visits within the past 12 months ⁴					
Urbanization level ¹ and selected characteristic	2002-2004	2005-2007	2009-2011	2002-2004	2005-2007	2009-2011	2002-2004	2005-2007	2009-2011			
Geographic region ⁵				Percent of	population							
All regions: Metropolitan counties:												
Large central		10.9	14.5	22.6	22.3	23.7		23.9	22.9			
Large fringe Medium and small		9.2 12.7	12.6 15.3	15.2 18.3	15.1 19.4	17.2 21.4	17.4 18.2	17.6 19.7	17.4 19.0			
Nonmetropolitan counties:												
Micropolitan Nonmicropolitan		13.7 14.4	16.4 17.1	20.7 23.2	21.9 22.6	23.8 25.8	18.2 19.9	19.8 20.0	19.7 19.8			
Northeast:												
Metropolitan counties:												
Large centralLarge fringe		8.3 6.6	10.4	18.7 12.5	18.1 11.4	18.3 12.7	16.3 13.4	19.1 13.1	19.4 15.9			
Medium and small		8.8	11.6	11.0	11.4	12.5		14.1	13.3			
Nonmetropolitan counties: Micropolitan	. 12.4	12.1	12.6	15.7	14.5	16.8	13.2	17.1	16.8			
Nonmicropolitan	. 12.8	14.9	14.2	15.5	13.8	19.7	15.7	16.7	18.8			
Midwest:												
Metropolitan counties: Large central	. 10.3	12.2	15.5	17.3	18.7	21.2	20.2	21.5	19.5			
Large fringe	. 8.9	10.8	14.0	12.3	12.8	14.7	18.0	16.9	16.1			
Medium and small Nonmetropolitan counties:	. 10.4	12.2	15.2	13.7	14.5	16.2	16.4	18.4	18.0			
Micropolitan		11.3 12.0	15.6 14.9	15.6 18.0	15.6 15.8	18.8 18.5	16.0 19.9	16.8 18.9	18.8 18.4			
-		12.0	11.5	10.0	13.0	10.5	10.0	10.5	10.1			
South: Metropolitan counties:												
Large central		14.0 9.7	16.4 14.0	26.2 18.6	26.4 18.8	27.0 21.2	24.4 18.9	23.7 19.9	22.7 18.1			
Medium and small		14.2	16.3	23.2	25.2	26.6		21.1	20.3			
Nonmetropolitan counties: Micropolitan	. 12.8	14.0	16.7	24.5	26.5	28.1	20.6	22.1	19.6			
Nonmicropolitan		14.9	18.6	27.7	26.4	29.0	20.6	21.2	19.2			
West:												
Metropolitan counties: Large central	. 9.4	9.1	14.3	24.2	22.8	24.6	29.9	27.7	26.1			
Large fringe	. 9.2	10.6	14.3	16.9	16.2	19.7	21.3	21.1	20.7			
Medium and small Nonmetropolitan counties:	. 12.4	13.5	16.1	20.3	21.0	23.7	21.1	23.2	21.8			
Micropolitan		20.1	21.5	24.8	27.9	26.8	20.5	21.4	24.8 25.1			
Nonmicropolitan	. 16.5	18.4	19.6	*28.6	31.7	36.6	20.6	20.8	25.1			
Age												
18-44 years: Metropolitan counties:												
Large central		11.0 9.5	14.3 12.7	26.8 18.6	26.3 18.9	27.8 21.6	27.5 20.6	27.0 20.7	26.7 20.3			
Large fringe Medium and small		13.1	15.2	22.2	23.9	26.0	20.9	23.7	22.8			
Nonmetropolitan counties: Micropolitan	. 12.7	14.0	16.3	24.9	27.3	29.3	20.6	24.4	23.1			
Nonmicropolitan		13.8	15.7	28.7	28.3	31.9		22.8	23.4			
45-64 years:												
Metropolitan counties: Large central	. 9.8	10.8	14.7	14.7	15.3	17.2	17.6	18.3	16.9			
Large fringe Medium and small		8.9 12.1	12.5 15.4	9.9 12.3	9.7 12.9	11.5 15.0		13.2 13.7	13.6 13.7			
Nonmetropolitan counties:												
Micropolitan		13.4 15.2	16.6 18.6	14.7 16.0	14.8 16.4	17.3 19.2		14.2 17.0	15.5 15.9			
Sex												
Men:												
Metropolitan counties: Large central	. 9.0	10.1	13.4	25.4	25.6	27.1	31.7	32.5	31.1			
Large fringe	. 8.1	8.2	12.0	17.3	17.0	19.7	24.9	25.0	23.4			
Medium and small Nonmetropolitan counties:	. 10.3	11.5	14.0	20.2	21.9	23.9	26.1	27.5	26.0			
Micropolitan		12.2	15.1	22.3	23.4	26.7		27.1	26.6			
Nonmicropolitan	. 12.4	12.2	15.5	25.1	23.4	27.4	27.9	26.1	28.3			
Sex				Percent of	population							
Women:					= .							
Metropolitan counties:	10.5		15 -	10.0	10 -	22.			14.0			
Large centralLarge fringe		11.7 10.2	15.5 13.2	19.9 13.2	19.1 13.2	20.4 14.8		15.5 10.7	14.8 11.3			
Medium and small Nonmetropolitan counties:	. 12.5	13.9	16.5	16.5	17.1	19.0	10.6	12.1	12.3			
Micropolitan		15.2	17.8	19.2	20.4	21.1		12.9	13.1			
Nonmicropolitan	. 14.7	16.6	18.6	21.2	21.9	24.3	11.9	14.1	11.7			

Hispanic or Latino:									
Metropolitan counties:									
Large central	9.9	10.7	15.2	42.9	41.7	42.5	36.6	34.0	32.8
Large fringe	11.7	11.5	16.0	41.0	40.9	41.4	31.1	33.9	29.9
Medium and small	11.0	13.9	17.2	40.5	42.9	43.1	31.4	32.5	31.8
Nonmetropolitan counties: Micropolitan	10.8	13.9	15.9	44.0	48.7	49.6	34.6	40.5	35.3
Nonmicropolitan	8.9	13.9	14.9	55.7	44.5	48.3	32.5	33.0	31.8
Not Hispanic or Latino:									
White only: Metropolitan counties:									
Large central	9.8	11.4	14.2	13.1	13.3	14.2	19.2	19.3	17.6
Large fringe	8.5	9.0	12.0	10.9	10.6	12.5	15.2	14.7	15.0
Medium and small	11.5	12.6	14.9	14.6	15.3	16.6	16.2	17.5	16.3
Nonmetropolitan counties:									
Micropolitan	13.0	13.7	16.2	17.7	18.5	20.2	16.7	17.4	17.9
Nonmicropolitan	13.9	14.6	17.2	20.6	19.3	22.5	19.0	18.9	18.7
Black or African American only: Metropolitan counties:									
Large central	11.4	12.2	16.5	21.9	22.2	25.1	18.3	19.9	19.6
Large fringe	9.6	9.5	14.6	20.7	18.5	21.5	18.1	17.9	17.2
Medium and small Nonmetropolitan counties:	11.9	13.5	17.4	24.6	24.7	26.7	18.7	19.3	19.7
Micropolitan counties:	12.2	14.0	18.1	28.1	26.4	31.9	17.4	25.9	20.9
Nonmicropolitan	13.1	14.8	19.7	28.3	29.3	32.4	24.3	24.2	19.4
Percent of poverty level ⁷									
Below 100%:									
Metropolitan counties:									
Large central	15.9	17.7	21.4	43.5	40.1	42.0	33.2	29.1	29.0
Large fringe	18.8	21.2	25.5	34.0	37.0	42.9	23.1	24.6	26.8
Medium and small	19.8	21.8	25.4	38.5	39.9	41.1	24.0	26.4	24.7
Nonmetropolitan counties:									
Micropolitan	19.5 22.8	22.6 24.3	24.9 27.1	39.1 44.7	42.2 43.4	40.7 43.6	21.1 23.7	25.2 23.4	25.0 20.1
Nonmicropolitan	22.0	24.3	27.1	44.7	43.4	43.0	23.7	23.4	20.1
100%-199%:									
Metropolitan counties:									
Large central	15.1	16.3	22.1	40.9	40.2	42.7	31.8	30.4	32.4
Large fringe	19.4 19.6	18.7 21.5	24.0 25.4	36.0 34.1	35.3 34.9	38.6 38.8	25.4 22.7	27.0 25.6	25.2 26.1
Nonmetropolitan counties:	15.0	21.5	23.4	34.1	34.5	30.0	22.7	23.0	20.1
Micropolitan	20.3	21.7	23.7	33.2	36.9	38.7	21.4	23.3	22.8
Nonmicropolitan	21.1	20.4	24.4	35.1	35.0	40.5	23.9	24.2	22.4
200%-399%:									
Metropolitan counties:									
Large central	10.5	12.0	15.4	23.3	23.5	23.5	24.8	26.1	24.0
Large fringe	10.9	11.3	15.5	18.6	18.5	19.7	19.5	20.6	20.0
Medium and small Nonmetropolitan counties:	11.7	12.8	15.4	17.0	17.5	20.5	18.5	20.5	19.8
Micropolitan	11 6	13.4	15.6	17.6	18.2	20.2	17.8	20.6	20.4
Nonmicropolitan	10.8	12.1	14.3	17.3	16.9	21.0	19.4	19.6	21.5
Percent of poverty level ⁷									
400% or more:									
Metropolitan counties:									
Large central	5.2	5.5	7.3	7.6	7.7	7.2	17.2	17.4	15.0
Large fringe	4.2	4.5	5.7	6.6	6.1	5.6	13.9	13.1	12.0
Medium and small Nonmetropolitan counties:	5.1	5.5	6.3	6.3	7.0	6.2	14.1	13.8	12.7
Micropolitan	5.8	5.3	6.9	7.0	7.5	6.8	15.0	14.3	13.2
Nonmicropolitan	6.0	7.1	8.1	9.0	8.2	8.2	15.3	15.1	15.2

^{*}Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error of 20%-30%.

information from the Office of Management and Budget, Department of Agriculture, and Census Bureau. More

information on this urban-rural classification scheme is available from:

http://www.cdc.gov/nchs/data_access/urban_rural.htm. The classification codes were applied to county-level data and then aggregated into the five

categories presented here. See Appendix II, Urbanization.

 2 Based on persons responding to the question, "During the past 12 months was there any time when

person needed medical care but did not get it because person couldn't afford it?" and

"During the past 12 months has medical care been delayed

because of worry about the cost?" See related Tacheck table number!

³Persons not covered by private insurance, Medicaid, Children's Health Insurance

Program (CHIP), public assistance (through 1996), state-sponsored or other government-sponsored health plans (starting in 1997), Medicare, or military plans are considered to have no health insurance coverage.

Persons with only Indian Health Service coverage are considered to have no health insurance coverage.

Health insurance coverage is at the time of interview. See Appendix II, Health insurance coverage. See check table number!

⁴This is a summary measure of health care visits to doctor offices, emergency departments, and home

visits during a 12-month period. See Appendix II, Emergency department or emergency room visit; Health care contact; Home visit. See related Table 83 check table number!

Starting with 1999 data, race-specific estimates are tabulated according to the 1997 Revisions to the Standards for the Classification of Federal Data on Race and Ethnicity. The single-race

categories shown in the table conform to the 1997 Standards. Race-specific estimates are for persons who reported only one racial

Starting with 2003 data, race responses of other race and unspecified multiple race were treated as missing, and then race was imputed if these were the only race responses. Almost all persons with a race response of other race were of Hispanic origin. See Appendix II, Hispanic origin; Race.

¹Urbanization levels were developed by NCHS using

⁵See Appendix II, Geographic region.

⁶Persons of Hispanic origin may be of any race.

In this table, data are presented for non-Hispanic white only and non-Hispanic black only race groups.

⁷Percent of poverty level is based on family income and family size and composition using U.S. Census Bureau poverty thresholds.
Missing family income data were imputed.
See Appendix II, Family income; Poverty; Table VI.

NOTES: Standard errors are available in the spreadsheet version of this table. Available from: http://www.cdc.gov/nchs/hus.htm.

SOURCE: CDC/NCHS, the 2006 NCHS urban-rural classification scheme for counties.

See Appendix I, National Health Interview Survey (NHIS) and http://www.cdc.gov/nchs/data access/urban rural.htm.

Health, United States 2011 web updates