## Table 93. Emergency department visits within the past 12 months among children under age 18 years, by selected characteristics: United States, selected years 1997-2011

(Data are based on household interviews of a sample of the civilian noninstitutionalized population)

	Under 18 years			Un	der 6 yea:	rs	6-17 years			
	1997	2010	2011	1997	2010	2011	1997	2010	2011	
Characteristic	2007	2010	2011	1001	2010	2011	2007	2010	2011	
		P	ercent of	childrer	n with one	or more	emergency	departme	ent visits <sup>1</sup>	
All children <sup>2</sup>	19.9	22.1	18.5	24.3	27.8	24.2	17.7	19.1	15.6	
Sex										
Male	21.5	23.3	18.9	25.2	29.3	25.1	19.6	20.1	15.7	
Female	18.3	20.9	18.1	23.3	26.3	23.3	15.7	18.2	15.4	
Race <sup>3</sup>										
White only	19.4	21.2	17.9	22.6	26.6	22.7	17.8	18.4	15.5	
Black or African American only	24.0	27.6	22.6	33.1	34.0	30.7	19.4	24.2	18.2	
American Indian or Alaska Native only Asian only	*24.1 12.6	20.9 15.0	21.9 9.3	*24.3 20.8	*35.4 18.4	*33.7 17.7	*24.0 8.6	* 13.3	*16.8 4.7	
Native Hawaiian or Other Pacific	1210	1010		2010			0.0			
Islander only		* 27.2	* 24.1		* 34.9	* 31.7		* 21.6	* 19.0	
Hispanic origin and race <sup>3</sup>										
Hispanic or Latino	21.1	23.6	19.2	25.7	30.2	25.3	18.1 17.6	19.4	15.5 15.6	
Not Hispanic or Latino	19.7 19.2	21.7 20.4	18.3 17.6	24.0 22.2	27.0 25.1	23.8 21.7	17.6	19.0 18.2	15.0	
Black or African American only	23.6	27.2	22.8	32.7	34.4	31.2	19.2	23.3	18.3	
Percent of poverty level <sup>4</sup>										
Below 100%	25.1	30.6	24.9	29.5	35.4	30.0	22.2	27.6	21.4	
100%-199% 200%-399%	22.0 18.0	25.7 18.4	19.8 15.9	28.0 21.4	31.6 22.7	27.4 20.5	19.0 16.4	22.3 16.4	15.9 13.6	
400% or more	16.3	15.9	14.6	19.1	22.7	18.5	15.1	13.3	12.9	
Hispanic origin and race and percent of poverty level <sup>3,4</sup>										
Hispanic or Latino:										
Percent of poverty level:										
Below 100% 100%-199%	21.9 20.8	27.0 23.3	21.5 18.8	25.0 28.8	32.0 31.6	26.5 27.3	19.6 15.6	23.4 18.0	18.0 13.9	
200%-399%	20.8	19.5	10.0	20.0	25.2	27.5	19.6	16.1	14.9	
400% or more	17.7	21.4	15.4	*20.2	28.6	*18.9	16.4	18.0	14.0	
Not Hispanic or Latino: White only:										
Percent of poverty level:										
Below 100%	25.5	33.7	27.8	27.2	37.4	30.9	24.4	31.6	25.8	
100%-199%	22.3	26.3	20.4	25.8 20.9	29.2	25.3	20.7	24.7	18.0	
200%-399% 400% or more	17.8 16.5	17.6 15.5	15.1 14.6	20.9 19.0	21.2 21.0	18.0 18.6	16.3 15.4	15.9 13.2	13.7 13.0	
Black or African American only:										
Percent of poverty level: Below 100%	29.3	32.4	27.1	39.5	41.6	31.3	23.0	26.6	23.9	
100%-199%	29.5	27.5	27.1	39.5	34.5	34.2	18.5	20.0	17.4	
200%-399%	18.5	22.3	19.9	23.9	24.6	32.9	16.3	21.4	14.4	
400% or more	16.1	18.9	15.2	*18.8	*24.1	*19.6	15.2	16.1	13.5	
Health insurance status at the time of interview $^{5}$										
Insured	19.8	22.3	18.8	24.4	28.1	24.4	17.5	19.2	15.9	
Private	19.8	17.1	14.9	24.4	20.1	18.8	15.9	19.2	13.2	
Medicaid	28.2	30.0	24.4	33.0	35.5	30.2	24.1	26.4	20.2	
Uninsured	20.2	19.4	13.8	23.0	24.0	20.1	18.9	17.6	12.0	
Health insurance status prior to interview <sup>5</sup>										
Insured continuously all 12 months	19.6	22.2	18.6	24.1	28.1	23.9	17.3	19.1	15.7	
Uninsured for any period up to 12 months Uninsured more than 12 months	24.0 18.4	23.7 17.6	22.9 9.2	27.1 19.3	28.0 *21.3	32.1	21.9 18.1	21.3 16.7	18.3 9.0	

Percent of poverty level and health insurance status prior to interview<sup>4,5</sup>

Insured continuously all 12 months	26.3	31.7	25.3	30.9	36.3	30.1	22.8	28.7	21.7
Uninsured for any period up to 12 months Uninsured more than 12 months	26.5 17.5	30.3 *19.6	28.7	29.7 *16.0	34.7	33.9	24.4 18.0	27.5 *16.0	25.7 *
100%-199%: Insured continuously all 12 months	21.8	26.2	20.3	28.0	32.4	26.9	18.6	22.4	16.8
Uninsured for any period up to 12 months Uninsured more than 12 months	21.8 24.5 19.5	28.2 28.4 17.6	20.3 23.3 *8.4	29.0 29.7 *22.5	30.9 *	35.3	18.6 21.0 18.6	27.0 *17.2	17.1
200%-399%:									
Insured continuously all 12 months Uninsured for any period up to 12 months Uninsured more than 12 months	17.7 21.1 19.2	18.4 16.2 *17.4	15.9 18.6 *11.0	21.2 *19.5 *22.7	22.8 *22.7 *	20.1 *27.6 *	16.1 22.1 17.6	16.3 *12.6 *18.7	13.7 *14.7 *11.1
400% or more:	16.0	16.1	14 C	10.0	22.0	10 5	15 1	10 F	10.0
Insured continuously all 12 months Uninsured for any period up to 12 months Uninsured more than 12 months	16.2 *19.2 *	16.1 * *	14.6 *17.3 *	18.9 * *	22.0 * *	18.5 * *	15.1 * *	13.5 * *	12.9 * *
Geographic region									
Northeast Midwest	18.5 19.5	22.3 23.3	19.1 19.0	20.7 26.0	27.8 28.8	23.8 24.5	17.4 16.4	19.6 20.7	16.8 16.1
South	21.8	23.4	19.8	25.6	30.4	25.5	19.9	19.5	16.8
West	18.5	19.1	15.7	23.5	23.3	22.2	15.9	16.8	12.3
Location of residence Within MSA <sup>6</sup>									
Within MSA <sup>-</sup> Outside MSA <sup>6</sup>	19.7 20.8	21.8 24.2	17.9 21.9	23.9 26.2	27.7 28.6	23.9 25.8	17.4 18.6	18.6 22.1	14.8 19.8
		P	ercent of	- childrer	n with two	or more	emergency	departme	ent visits <sup>1</sup>
All children <sup>2</sup>	7.1	8.4	5.9	9.6	10.8	8.6	5.8	7.2	4.5
Sex	7.1	0.4	5.9	9.0	10.0	0.0	5.0	1.2	4.5
 Male	7.3	8.5	5.4	9.9	11.3	8.8	6.0	7.0	3.6
Female	6.9	8.3	6.4	9.4	10.3	8.3	5.7	7.3	5.4
Race <sup>3</sup>									
White only	6.6	7.6 12.6	5.3	8.4 14.9	10.1	7.6 12.9	5.7 6.9	6.3 11.0	4.2 6.0
Black or African American only American Indian and Alaska Native only	9.6	*	8.4 *8.6	*	15.7 *	*	*	*	*8.3
Asian only Native Hawaiian and Other Pacific	*5.7	7.3	*2.9	*12.9		*5.8	*	*7.1	
Islander only 2 or more races		* 10.3	* 9.1		* *11.7	* 12.2		*9.2	* *7.0
Hispanic origin and race <sup>3</sup>									
Hispanic or Latino	8.9	8.6	6.5	11.8	11.7	9.5	7.0	6.6	4.7
Not Hispanic or Latino White only	6.8 6.2	8.4 7.4	5.7 5.1	9.2 7.8	10.5 9.3	8.2 6.9	5.7 5.5	7.3 6.4	4.4 4.2
Black or African American only	9.3	12.3	8.4	14.6	15.8	13.2	6.8	10.4	5.9
Percent of poverty level <sup>4</sup>									
Below 100% 100%-199%	11.1 8.3	13.4 10.3	10.3 6.3	14.5 12.2	15.3 13.4	13.7 9.5	8.9 6.3	12.1 8.4	7.9 4.7
200%-399% 400% or more	6.2 4.0	6.3 5.0	4.5 3.1	7.4 5.0	7.3 7.3	6.9 3.4	5.6 3.6	5.9 3.9	3.3 2.9
Hispanic origin and race and									
percent of poverty level <sup>3,4</sup>									
Hispanic or Latino: Percent of poverty level:									
Below 100% 100%-199%	10.4 8.2	9.9 9.4	7.8 6.0	13.9 12.0	10.9 15.4	9.8 10.2	8.0 5.7	9.2 5.5	6.4 *3.6
200%-399% 400% or more	8.5 *5.0	5.9 *6.5	5.9 *4.6	10.0	*8.0	*9.1	*7.6	*4.6 *5.2	*3.9
Not Hispanic or Latino: White only:									
Percent of poverty level: Below 100%	10.7	14.0	11.8	12.2	15.5	15.5	9.8	13.1	9.5
100%-199%	8.0	10.4	6.2	11.2	12.3	*8.1	6.4	9.4	5.3 3.4
200%-399% 400% or more	6.0 3.7	5.7	4.1 2.9	6.7 4.6	*6.5 7.6	5.4 *3.4	5.6 3.3	5.4 3.9	3.4 2.7
Black or African American only:									
Percent of poverty level: Below 100%	12.7	16.1	13.1	19.1	22.1	17.1	8.8	12.4	9.9
100%-199% 200%-399%	9.2 5.8	12.4 9.9	7.7 *4.6	*13.5 *8.9	*14.6 *10.2	*12.6	*7.2 *4.5	11.1 *9.8	*5.7 *3.0
400% or more	*	*3.7	*	*	*	*	*	*	*

at the time of $interview^5$									
Insured	7.0	8.5	6.0	9.6	11.0	8.7	5.7	7.1	4.5
Private	5.2	5.5	3.5	6.8	7.4	5.0	4.5	4.6	2.9
Medicaid	13.1	12.8	9.6	16.2	15.3	12.7	10.4	11.2	7.4
Uninsured	7.7	8.0	4.2	9.8	*8.5	*	6.8	7.8	*3.7
Health insurance status									
prior to $interview^5$									
Insured continuously all 12 months	6.9	8.4	5.8	9.4	10.8	8.3	5.7	7.1	4.4
Uninsured for any period up to 12 months	8.5	10.1	9.0	11.5	13.3	13.1	6.6	8.4	7.0
Uninsured more than 12 months	6.8	7.8	*	*8.6	*	*	6.2	*7.9	*
Geographic region									
Northeast	6.2	7.8	6.7	7.6	10.3	8.1	5.4	6.6	6.0
Midwest	6.6	9.1	5.9	10.4	11.4	8.9	4.8	8.0	4.4
South	8.0	9.1	6.1	10.1	12.9	9.1	6.9	7.1	4.5
West	7.1	7.2	4.9	10.0	7.6	7.7	5.6	7.0	3.4
Location of residence									
Within MSA <sup>6</sup>	7.2	8.3	5.6	9.6	10.6	8.4	5.9	7.0	4.1
Outside MSA <sup>6</sup>	6.8	9.3	7.3	9.7	12.2	9.2	5.6	7.9	6.3

\*Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) of 20%-30%. Data not shown have an RSE of greater than 30%.

<sup>1</sup>See Appendix II, Emergency department or emergency room visit.

<sup>2</sup>Includes all other races not shown separately and unknown health insurance status.

<sup>3</sup>The race groups, white, black, American Indian or Alaska Native, Asian, Native Hawaiian or Other Pacific Islander, and 2 or more races, include persons of Hispanic and non-Hispanic origin. Persons of Hispanic origin may be of

any race. Starting with 1999 data, race-specific estimates are tabulated according to the 1997 Revisions

to the Standards for the Classification of Federal Data on Race and Ethnicity and are not strictly comparable

with estimates for earlier years. The five single-race categories

plus multiple-race categories shown in the table conform to the 1997 Standards. Starting with 1999 data, race-specific estimates are for persons who reported only one racial group; the category 2 or more races includes persons who reported more than one racial group. Prior to 1999, data were tabulated according to the 1977 Standards with four racial groups, and the Asian only category included Native Hawaiian or Other Pacific Islander. Estimates for single-race categories prior to 1999 included persons who reported one race or, if they reported more than one race, identified one race as best representing their race.

Starting with 2003 data, race responses of other race and unspecified multiple race were

treated as missing, and then race was imputed if these were the only race responses.

Almost all persons with a race response of other race were of Hispanic origin.

See Appendix II, Hispanic origin; Race.

<sup>4</sup>Percent of poverty level is based on family income and family size and composition

using U.S. Census Bureau poverty thresholds.

Health insurance status

Missing family income data were imputed for 1997 and beyond.

See Appendix II, Family income; Poverty; Table VI.

<sup>5</sup>Health insurance categories are mutually exclusive. Persons who reported

both Medicaid and private coverage are classified as having private coverage.

Starting with 1997 data, state-sponsored health plan coverage is included as Medicaid coverage. Starting with 1999

data, coverage by the Children's Health Insurance Program (CHIP) is included with Medicaid coverage.

In addition to private and Medicaid, the insured category also includes military, other government, and Medicare coverage. Persons not covered by private insurance, Medicaid, CHIP, state-sponsored or other

government-sponsored health plans (starting in 1997), Medicare, or military plans are considered to have no health insurance coverage. Persons with only Indian Health Service coverage are considered to have no health insurance coverage.

See Appendix II, Health insurance coverage.

<sup>6</sup>MSA is metropolitan statistical area. Starting with 2006 data, MSA status is determined using 2000

census data and the 2000 standards for defining MSAs. For data prior to 2006, see Appendix II, Metropolitan statistical area (MSA) for the applicable standards.

NOTES: Standard errors are available in the spreadsheet version of this table. Available from: http://www.cdc.gov/nchs/hus.htm. Data for additional years are available. See Appendix III.

SOURCE: CDC/NCHS, National Health Interview Survey, family core and sample child questionnaires. See Appendix I, National Health Interview Survey (NHIS).

Health, United States 2011 web updates