

**Table 40 (page 1 of 3). Human immunodeficiency virus (HIV) diagnoses, by year of diagnosis and selected characteristics: United States, 2008–2011**

Updated data when available, Excel, and PDF: <http://www.cdc.gov/nchs/hus/contents2012.htm#040>.

[Data are based on reporting by 50 states and the District of Columbia]

Sex, race and Hispanic origin, age at diagnosis, and region of residence	Year of diagnosis				
	All years (2008–2011) <sup>1</sup>	2008	2009	2010	2011
		Estimated number of HIV diagnoses <sup>2</sup>			
All persons <sup>3</sup> . . . . .	193,451	50,501	47,408	46,268	49,273
Male, 13 years and over. . . . .	149,238	38,104	36,392	35,918	38,825
Female, 13 years and over. . . . .	43,332	12,146	10,804	10,125	10,257
Children, under 13 years . . . . .	881	252	213	226	192
Region of residence					
Northeast . . . . .	40,520	10,711	10,061	9,725	10,024
Midwest . . . . .	23,846	5,902	5,933	5,774	6,237
South . . . . .	94,758	25,091	22,992	22,379	24,296
West . . . . .	34,327	8,797	8,423	8,390	8,717
Male, 13 years and over					
Hispanic origin and race:					
Not Hispanic or Latino:					
White . . . . .	47,185	12,206	11,583	11,355	12,041
Black or African American . . . . .	63,508	16,277	15,491	15,293	16,447
Asian <sup>4</sup> . . . . .	2,764	685	612	646	821
Native Hawaiian or Other Pacific Islander . . . . .	253	68	62	53	70
American Indian or Alaska Native . . . . .	652	179	151	161	161
Hispanic or Latino <sup>5</sup> . . . . .	32,133	7,979	7,825	7,725	8,605
Multiple race . . . . .	2,742	710	667	686	679
Age at diagnosis:					
13–14 years. . . . .	72	13	11	20	27
15–24 years. . . . .	31,366	7,113	7,480	8,093	8,680
25–34 years. . . . .	41,156	10,127	9,990	9,933	11,107
35–44 years. . . . .	36,363	10,319	9,146	8,371	8,527
45–54 years. . . . .	27,905	7,352	6,787	6,547	7,220
55–64 years. . . . .	9,773	2,503	2,363	2,357	2,551
65 years and over . . . . .	2,603	677	616	597	713
Female, 13 years and over					
Hispanic origin and race:					
Not Hispanic or Latina:					
White . . . . .	7,274	2,046	1,772	1,680	1,776
Black or African American . . . . .	28,132	7,967	6,977	6,592	6,595
Asian <sup>4</sup> . . . . .	542	123	134	132	153
Native Hawaiian or Other Pacific Islander . . . . .	46	10	18	9	8
American Indian or Alaska Native . . . . .	210	44	53	61	51
Hispanic or Latina <sup>5</sup> . . . . .	6,309	1,681	1,635	1,463	1,530
Multiple race . . . . .	820	274	214	188	144
Age at diagnosis:					
13–14 years. . . . .	100	30	20	25	26
15–24 years. . . . .	6,716	1,835	1,704	1,563	1,615
25–34 years. . . . .	11,060	3,206	2,687	2,581	2,586
35–44 years. . . . .	11,213	3,242	2,898	2,562	2,511
45–54 years. . . . .	9,530	2,618	2,388	2,229	2,295
55–64 years. . . . .	3,774	966	874	944	990
65 years and over . . . . .	939	249	234	221	235
Children, under 13 years					
Hispanic origin and race:					
Not Hispanic or Latino:					
White . . . . .	106	26	16	35	29
Black or African American . . . . .	596	176	149	146	125
Asian <sup>4</sup> . . . . .	24	7	7	2	8
Native Hawaiian or Other Pacific Islander . . . . .	0	0	0	0	0
American Indian or Alaska Native . . . . .	2	2	0	0	0
Hispanic or Latino <sup>5</sup> . . . . .	129	31	35	38	25
Multiple race . . . . .	25	10	5	5	4

See footnotes at end of table.

**Table 40 (page 2 of 3). Human immunodeficiency virus (HIV) diagnoses, by year of diagnosis and selected characteristics: United States, 2008–2011**

Updated data when available, Excel, and PDF: <http://www.cdc.gov/nchs/hus/contents2012.htm#040>.

[Data are based on reporting by 50 states and the District of Columbia]

Sex, race and Hispanic origin, age at diagnosis, and region of residence	Year of diagnosis				
	All years (2008–2011) <sup>1</sup>	2008	2009	2010	2011
	Percent distribution <sup>6</sup>				
All persons <sup>3</sup> . . . . .	100.0	100.0	100.0	100.0	100.0
Male, 13 years and over . . . . .	77.1	75.5	76.8	77.6	78.8
Female, 13 years and over . . . . .	22.4	24.1	22.8	21.9	20.8
Children, under 13 years . . . . .	0.5	0.5	0.4	0.5	0.4
Region of residence					
Northeast . . . . .	20.9	21.2	21.2	21.0	20.3
Midwest . . . . .	12.3	11.7	12.5	12.5	12.7
South . . . . .	49.0	49.7	48.5	48.4	49.3
West . . . . .	17.7	17.4	17.8	18.1	17.7
Male, 13 years and over					
Hispanic origin and race:					
Not Hispanic or Latino:					
White . . . . .	31.6	32.0	31.8	31.6	31.0
Black or African American . . . . .	42.6	42.7	42.6	42.6	42.4
Asian <sup>4</sup> . . . . .	1.9	1.8	1.7	1.8	2.1
Native Hawaiian or Other Pacific Islander . . . . .	0.2	0.2	0.2	0.1	0.2
American Indian or Alaska Native . . . . .	0.4	0.5	0.4	0.4	0.4
Hispanic or Latino <sup>5</sup> . . . . .	21.5	20.9	21.5	21.5	22.2
Multiple race . . . . .	1.8	1.9	1.8	1.9	1.7
Age at diagnosis:					
13–14 years . . . . .	0.0	0.0	0.0	0.1	0.1
15–24 years . . . . .	21.0	18.7	20.6	22.5	22.4
25–34 years . . . . .	27.6	26.6	27.5	27.7	28.6
35–44 years . . . . .	24.4	27.1	25.1	23.3	22.0
45–54 years . . . . .	18.7	19.3	18.6	18.2	18.6
55–64 years . . . . .	6.5	6.6	6.5	6.6	6.6
65 years and over . . . . .	1.7	1.8	1.7	1.7	1.8
Female, 13 years and over					
Hispanic origin and race:					
Not Hispanic or Latina:					
White . . . . .	16.8	16.8	16.4	16.6	17.3
Black or African American . . . . .	64.9	65.6	64.6	65.1	64.3
Asian <sup>4</sup> . . . . .	1.3	1.0	1.2	1.3	1.5
Native Hawaiian or Other Pacific Islander . . . . .	0.1	0.1	0.2	0.1	0.1
American Indian or Alaska Native . . . . .	0.5	0.4	0.5	0.6	0.5
Hispanic or Latina <sup>5</sup> . . . . .	14.6	13.8	15.1	14.4	14.9
Multiple race . . . . .	1.9	2.3	2.0	1.9	1.4
Age at diagnosis:					
13–14 years . . . . .	0.2	0.2	0.2	0.2	0.3
15–24 years . . . . .	15.5	15.1	15.8	15.4	15.7
25–34 years . . . . .	25.5	26.4	24.9	25.5	25.2
35–44 years . . . . .	25.9	26.7	26.8	25.3	24.5
45–54 years . . . . .	22.0	21.6	22.1	22.0	22.4
55–64 years . . . . .	8.7	8.0	8.1	9.3	9.7
65 years and over . . . . .	2.2	2.1	2.2	2.2	2.3
Children, under 13 years					
Hispanic origin and race:					
Not Hispanic or Latino:					
White . . . . .	12.0	10.2	7.7	15.3	15.1
Black or African American . . . . .	67.6	69.8	70.0	64.6	65.5
Asian <sup>4</sup> . . . . .	2.8	2.9	3.5	0.9	4.0
Native Hawaiian or Other Pacific Islander . . . . .	–	–	–	–	–
American Indian or Alaska Native . . . . .	0.2	0.9	–	–	–
Hispanic or Latino <sup>5</sup> . . . . .	14.6	12.3	16.4	16.8	13.1
Multiple race . . . . .	2.8	4.1	2.4	2.3	2.3

See footnotes at end of table.

**Table 40 (page 3 of 3). Human immunodeficiency virus (HIV) diagnoses, by year of diagnosis and selected characteristics: United States, 2008–2011**

Updated data when available, Excel, and PDF: <http://www.cdc.gov/nchs/hus/contents2012.htm#040>.

[Data are based on reporting by 50 states and the District of Columbia]

---

0.0 Quantity more than zero but less than 0.05.

– Quantity zero.

<sup>1</sup>Based on diagnoses that occurred during 2008–2011 that were reported to CDC through June 2012.

<sup>2</sup>Numbers are point estimates that result from statistical adjustments for reporting delays and missing risk factor information. The estimates do not include adjustments for incomplete reporting. See [Appendix I, National HIV Surveillance System](#).

<sup>3</sup>All persons totals were calculated independent of values for subpopulations. Consequently, sums of subpopulations may not equal totals for all persons.

<sup>4</sup>Includes Asian and Pacific Islander legacy cases.

<sup>5</sup>Persons of Hispanic origin may be of any race. See [Appendix II, Hispanic origin](#).

<sup>6</sup>Percents may not sum to 100% due to rounding.

NOTES: See [Appendix II, Human immunodeficiency virus \(HIV\); Acquired immunodeficiency syndrome \(AIDS\)](#), for discussion of HIV/AIDS diagnoses reporting definitions and other issues affecting interpretation of trends. Data shown are for the 50 states and the District of Columbia. Starting with *Health, United States, 2013*, this table shows HIV diagnoses data. In previous editions of *Health, United States* AIDS diagnoses data were shown.

SOURCE: CDC, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention. Division of HIV/AIDS Prevention. HIV Surveillance Report. Diagnoses of HIV infection in the United States and Dependent Areas, 2011 (vol. 23). Atlanta, GA: U.S. Department of Health and Human Services, CDC. 2011 and unpublished data. Available from: [http://www.cdc.gov/hiv/library/reports/surveillance/2011/surveillance\\_Report\\_vol\\_23.html](http://www.cdc.gov/hiv/library/reports/surveillance/2011/surveillance_Report_vol_23.html). See [Appendix I, National HIV Surveillance System](#).