

Table 55 (page 1 of 4). Cholesterol among adults aged 20 and over, by selected characteristics: United States, selected years 1988–1994 through 2011–2014

Updated data when available, Excel, PDF, more data years, and standard errors: <http://www.cdc.gov/nchs/hus/contents2015.htm#055>.

[Data are based on interviews and laboratory data of a sample of the civilian noninstitutionalized population]

<i>Sex, age, race and Hispanic origin¹, and percent of poverty level</i>	1988–1994	1999–2002	2003–2006	2007–2010	2011–2014
Percent of population with hypercholesterolemia (serum total cholesterol greater than or equal to 240 mg/dL or taking cholesterol-lowering medications) ³					
20 years and over, age-adjusted ²					
Both sexes ⁴	22.8	25.0	27.7	27.4	27.8
Male	21.1	25.3	27.7	28.0	28.4
Female	24.0	24.3	27.4	26.7	27.3
Not Hispanic or Latino:					
White only	22.9	25.8	28.5	27.8	28.7
White only, male	21.1	26.0	28.7	28.1	29.4
White only, female	24.2	25.1	28.2	27.4	28.0
Black or African American only	21.3	21.3	23.2	25.6	25.2
Black or African American only, male	18.6	20.1	22.8	25.4	24.5
Black or African American only, female	23.1	22.0	23.3	25.6	25.7
Asian only	---	---	---	---	26.0
Asian only, male	---	---	---	---	27.4
Asian only, female	---	---	---	---	24.6
Hispanic or Latino					
Hispanic or Latino, male	---	---	---	27.3	26.3
Hispanic or Latina, female	---	---	---	29.1	26.6
Hispanic or Latina, female	---	---	---	25.2	25.8
Mexican origin	20.0	20.6	24.2	27.4	24.8
Mexican origin, male	19.9	21.6	24.2	28.6	26.6
Mexican origin, female	19.8	19.3	24.1	25.5	22.7
Percent of poverty level: ⁵					
Below 100%	23.0	25.0	27.9	26.5	29.2
100%–199%	22.1	25.9	27.6	27.6	25.4
200%–399%	23.1	26.5	27.5	28.9	29.0
400% or more	21.7	23.1	27.9	26.6	28.1
20 years and over, crude					
Both sexes ⁴	21.5	25.0	28.0	28.7	29.8
Male	19.6	25.1	27.5	28.7	29.5
Female	23.2	24.8	28.5	28.7	30.1
Not Hispanic or Latino:					
White only	22.3	26.9	30.3	30.9	33.1
White only, male	20.0	26.8	29.7	30.4	32.6
White only, female	24.5	27.0	30.8	31.4	33.5
Black or African American only	18.1	19.3	21.7	24.4	24.8
Black or African American only, male	16.0	18.5	21.3	24.1	24.0
Black or African American only, female	19.7	19.9	21.9	24.7	25.4
Asian only	---	---	---	---	24.7
Asian only, male	---	---	---	---	25.9
Asian only, female	---	---	---	---	23.7
Hispanic or Latino					
Hispanic or Latino, male	---	---	---	22.3	21.2
Hispanic or Latina, female	---	---	---	23.7	21.3
Hispanic or Latina, female	---	---	---	20.7	21.1
Mexican origin	15.6	15.5	19.0	22.4	19.1
Mexican origin, male	16.2	17.0	19.3	23.7	21.2
Mexican origin, female	14.9	13.8	18.7	21.0	16.8
Percent of poverty level: ⁵					
Below 100%	19.4	21.6	24.1	22.3	25.3
100%–199%	21.3	25.4	28.3	28.7	27.4
200%–399%	21.3	26.2	28.1	30.6	31.6
400% or more	21.9	24.2	28.7	29.6	32.2
Male					
20–44 years	13.1	16.1	16.5	14.3	12.3
20–34 years	8.2	10.4	10.2	8.5	6.7
35–44 years	21.0	23.1	25.2	22.5	21.1
45–64 years	30.1	36.0	35.7	39.0	39.3
45–54 years	29.6	34.1	32.4	34.0	32.9
55–64 years	30.8	39.1	41.6	46.2	46.0
65–74 years	27.4	36.3	49.4	48.9	55.8
75 years and over	24.4	29.0	37.1	45.2	54.4

See footnotes at end of table.

Table 55 (page 2 of 4). Cholesterol among adults aged 20 and over, by selected characteristics: United States, selected years 1988–1994 through 2011–2014

Updated data when available, Excel, PDF, more data years, and standard errors: <http://www.cdc.gov/nchs/hus/contents2015.htm#055>.

[Data are based on interviews and laboratory data of a sample of the civilian noninstitutionalized population]

<i>Sex, age, race and Hispanic origin¹, and percent of poverty level</i>	1988–1994	1999–2002	2003–2006	2007–2010	2011–2014
Percent of population with hypercholesterolemia (serum total cholesterol greater than or equal to 240 mg/dL or taking cholesterol-lowering medications) ³					
Female					
20–44 years	9.9	11.4	12.9	10.6	9.0
20–34 years	7.3	9.1	10.8	6.8	6.1
35–44 years	13.5	14.4	15.8	15.7	13.2
45–64 years	36.4	31.7	37.3	39.1	40.6
45–54 years	28.2	27.2	29.6	29.1	31.2
55–64 years	45.8	39.2	49.2	51.4	51.2
65–74 years	46.9	51.9	55.3	53.3	58.1
75 years and over	41.2	44.0	47.3	52.5	59.1
Percent of population with high cholesterol (serum total cholesterol greater than or equal to 240 mg/dL) ⁶					
20 years and over, age-adjusted ²					
Both sexes ⁴	20.8	17.3	16.3	13.7	11.9
Male	19.0	16.4	15.1	12.6	10.8
Female	22.0	17.8	17.1	14.4	12.7
Not Hispanic or Latino:					
White only	20.8	17.5	16.9	13.9	12.4
White only, male	18.8	16.5	15.5	12.2	11.2
White only, female	22.2	18.1	18.0	15.3	13.3
Black or African American only	19.5	15.5	12.2	11.3	8.6
Black or African American only, male	16.9	12.4	10.9	10.8	7.7
Black or African American only, female	21.4	17.7	13.3	11.5	9.4
Asian only	---	---	---	---	10.9
Asian only, male	---	---	---	---	10.6
Asian only, female	---	---	---	---	11.0
Hispanic or Latino	---	---	---	14.7	13.0
Hispanic or Latino, male	---	---	---	15.5	13.1
Hispanic or Latina, female	---	---	---	13.7	12.7
Mexican origin	18.7	15.8	16.1	14.6	11.2
Mexican origin, male	18.5	17.4	17.6	15.1	12.8
Mexican origin, female	18.7	13.8	14.4	13.6	9.3
Percent of poverty level: ⁵					
Below 100%	20.6	18.3	18.1	14.4	12.3
100%–199%	20.6	19.1	16.7	15.0	11.3
200%–399%	20.8	18.9	15.8	14.4	13.0
400% or more	19.5	14.4	15.9	12.3	11.5
20 years and over, crude					
Both sexes ⁴	19.6	17.3	16.4	14.1	12.1
Male	17.7	16.5	15.2	12.9	10.7
Female	21.3	18.0	17.5	15.2	13.5
Not Hispanic or Latino:					
White only	20.3	18.0	17.4	14.7	12.9
White only, male	18.0	16.9	15.7	12.6	10.8
White only, female	22.5	19.1	18.9	16.7	14.9
Black or African American only	16.7	14.4	11.7	11.1	8.6
Black or African American only, male	14.7	12.2	10.8	10.9	7.4
Black or African American only, female	18.2	16.1	12.5	11.3	9.5
Asian only	---	---	---	---	10.9
Asian only, male	---	---	---	---	10.9
Asian only, female	---	---	---	---	10.9
Hispanic or Latino	---	---	---	13.5	12.1
Hispanic or Latino, male	---	---	---	14.7	12.7
Hispanic or Latina, female	---	---	---	12.2	11.6
Mexican origin	14.9	12.9	14.2	13.6	10.6
Mexican origin, male	15.4	15.0	15.7	14.7	12.3
Mexican origin, female	14.3	10.7	12.6	12.3	8.8
Percent of poverty level: ⁵					
Below 100%	17.6	16.4	16.8	12.8	11.3
100%–199%	19.8	18.2	16.0	14.6	11.1
200%–399%	19.3	18.7	15.8	14.6	13.4
400% or more	19.9	15.5	17.1	13.7	12.5

See footnotes at end of table.

Table 55 (page 3 of 4). Cholesterol among adults aged 20 and over, by selected characteristics: United States, selected years 1988–1994 through 2011–2014

Updated data when available, Excel, PDF, more data years, and standard errors: <http://www.cdc.gov/nchs/hus/contents2015.htm#055>.

[Data are based on interviews and laboratory data of a sample of the civilian noninstitutionalized population]

<i>Sex, age, race and Hispanic origin¹, and percent of poverty level</i>	1988–1994	1999–2002	2003–2006	2007–2010	2011–2014
	Percent of population with high cholesterol (serum total cholesterol greater than or equal to 240 mg/dL) ⁶				
Male					
20–44 years	12.5	14.2	14.1	11.1	10.0
20–34 years	8.2	9.8	9.5	7.6	6.0
35–44 years	19.4	19.7	20.5	16.2	16.2
45–64 years	27.2	22.2	19.1	17.7	13.6
45–54 years	26.6	23.6	20.8	18.7	15.7
55–64 years	28.0	19.9	16.0	16.3	11.5
65–74 years	21.9	13.7	10.9	7.5	7.6
75 years and over	20.4	10.2	9.6	6.8	*3.6
Female					
20–44 years	9.4	10.4	11.3	8.4	7.2
20–34 years	7.3	8.9	10.3	5.8	5.4
35–44 years	12.3	12.4	12.7	11.9	9.8
45–64 years	33.4	23.0	23.9	21.3	19.9
45–54 years	26.7	21.4	19.7	17.7	18.0
55–64 years	40.9	25.6	30.5	25.6	22.1
65–74 years	41.3	32.3	24.2	20.6	15.8
75 years and over	38.2	26.5	18.6	20.2	16.1
20 years and over, age-adjusted ²					
Both sexes ⁴	206	203	200	196	192
Male	204	202	198	194	189
Female	207	204	202	198	195
Not Hispanic or Latino:					
White only	206	204	201	196	193
White only, male	205	202	198	193	189
White only, female	208	205	203	199	196
Black or African American only	205	199	194	192	186
Black or African American only, male	202	195	193	191	183
Black or African American only, female	207	202	195	192	189
Asian only	---	---	---	---	191
Asian only, male	---	---	---	---	189
Asian only, female	---	---	---	---	192
Hispanic or Latino	---	---	---	198	194
Hispanic or Latino, male	---	---	---	199	193
Hispanic or Latina, female	---	---	---	197	195
Mexican origin	206	202	202	198	192
Mexican origin, male	206	204	203	200	194
Mexican origin, female	206	199	200	196	191
Percent of poverty level: ⁵					
Below 100%	205	201	203	196	191
100%–199%	205	204	201	198	191
200%–399%	207	205	199	196	193
400% or more	205	202	201	195	194

See footnotes at end of table.

Table 55 (page 4 of 4). Cholesterol among adults aged 20 and over, by selected characteristics: United States, selected years 1988–1994 through 2011–2014

Updated data when available, Excel, PDF, more data years, and standard errors: <http://www.cdc.gov/nchs/hus/contents2015.htm#055>.

[Data are based on interviews and laboratory data of a sample of the civilian noninstitutionalized population]

<i>Sex, age, race and Hispanic origin¹, and percent of poverty level</i>	1988–1994	1999–2002	2003–2006	2007–2010	2011–2014
20 years and over, crude					
Both sexes ⁴	204	203	200	197	192
Male	202	202	198	194	188
Female	206	204	202	199	196
Not Hispanic or Latino:					
White only	206	205	202	198	194
White only, male	203	203	198	193	188
White only, female	208	206	205	201	199
Black or African American only	200	197	193	191	186
Black or African American only, male	198	194	192	191	183
Black or African American only, female	201	199	194	191	189
Asian only	---	---	---	---	191
Asian only, male	---	---	---	---	190
Asian only, female	---	---	---	---	192
Hispanic or Latino	---	---	---	197	193
Hispanic or Latino, male	---	---	---	199	193
Hispanic or Latina, female	---	---	---	194	193
Mexican origin	199	197	198	198	192
Mexican origin, male	199	200	200	200	194
Mexican origin, female	198	194	196	195	189
Percent of poverty level: ⁵					
Below 100%	200	198	200	194	189
100%–199%	202	202	199	197	190
200%–399%	205	204	199	197	193
400% or more	206	204	203	198	196
Male					
20–44 years	194	196	196	194	188
20–34 years	186	188	186	186	179
35–44 years	206	207	209	205	202
45–64 years	216	213	206	202	196
45–54 years	216	215	208	204	200
55–64 years	216	212	202	199	192
65–74 years	212	202	191	182	180
75 years and over	205	195	187	176	168
Female					
20–44 years	189	191	192	187	184
20–34 years	184	185	188	181	179
35–44 years	195	198	197	195	193
45–64 years	225	215	213	211	209
45–54 years	217	211	208	208	207
55–64 years	235	221	219	214	210
65–74 years	233	224	214	207	200
75 years and over	229	217	206	203	199

--- Data not available.

¹Persons of Hispanic and Mexican origin may be of any race. Starting with 1999 data, race-specific estimates are tabulated according to the 1997 *Revisions to the Standards for the Classification of Federal Data on Race and Ethnicity* and are not strictly comparable with estimates for earlier years. The non-Hispanic race categories shown in the table conform to the 1997 Standards. Starting with 1999 data, race-specific estimates are for persons who reported only one racial group. Prior to data year 1999, estimates were tabulated according to the 1977 Standards. Estimates for single-race categories prior to 1999 included persons who reported one race or, if they reported more than one race, identified one race as best representing their race. See Appendix II, Hispanic origin; Race.

²Estimates are age-adjusted to the year 2000 standard population using five age groups: 20–34 years, 35–44 years, 45–54 years, 55–64 years, and 65 years and over. Age-adjusted estimates may differ from other age-adjusted estimates based on the same data and presented elsewhere if different age groups are used in the adjustment procedure. See Appendix II, Age adjustment.

³Hypercholesterolemia is defined as measured serum total cholesterol greater than or equal to 240 mg/dL or reporting taking cholesterol-lowering medications. Respondents were asked, “Are you now following this advice [from a doctor or health professional] to take prescribed medicine [to lower your cholesterol]?”

⁴Includes persons of all races and Hispanic origins, not just those shown separately.

⁵Percent of poverty level was calculated by dividing family income by the U.S. Department of Health and Human Services’ poverty guideline specific to family size, as well as the appropriate year, and state. Persons with unknown percent of poverty level are excluded (6% in 2011–2014). See Appendix II, Family income; Poverty.

⁶High cholesterol is defined as serum total cholesterol greater than or equal to 240 mg/dL (6.20 mmol/L), regardless of whether the respondent reported taking cholesterol-lowering medications.

NOTES: See Appendix II, Cholesterol. Standard errors for selected years are available in the spreadsheet version of this table. Available from: <http://www.cdc.gov/nchs/hus.htm>. Data for additional years are available. See the Excel spreadsheet on the *Health, United States* website at: <http://www.cdc.gov/nchs/hus.htm>.

SOURCE: CDC/NCHS, National Health and Nutrition Examination Survey. See Appendix I, National Health and Nutrition Examination Survey (NHANES).