

Table 74 (page 1 of 3). Emergency department visits within the past 12 months among adults aged 18 and over, by selected characteristics: United States, selected years 1997–2014

Updated data when available, Excel, PDF, more data years, and standard errors: <http://www.cdc.gov/nchs/hus/contents2015.htm#074>.

[Data are based on household interviews of a sample of the civilian noninstitutionalized population]

Characteristic	One or more emergency department visits				Two or more emergency department visits			
	1997	2000	2010	2014	1997	2000	2010	2014
Percent of adults with emergency department visits ¹								
18 years and over, age-adjusted ^{2,3}	19.6	20.2	21.4	18.6	6.7	6.9	7.8	6.7
18 years and over, crude ²	19.6	20.1	21.3	18.6	6.7	6.8	7.7	6.7
Age								
18–44 years	20.7	20.5	22.0	18.4	6.8	7.0	8.4	6.7
18–24 years	26.3	25.7	25.4	20.9	9.1	8.8	9.6	8.2
25–44 years	19.0	18.8	20.7	17.5	6.2	6.4	8.0	6.1
45–64 years	16.2	17.6	19.2	17.5	5.6	5.6	6.7	6.4
45–54 years	15.7	17.9	18.6	16.2	5.5	5.8	6.6	5.8
55–64 years	16.9	17.0	19.8	18.9	5.7	5.3	6.8	7.0
65 years and over	22.0	23.7	23.7	21.2	8.1	8.6	7.7	7.1
65–74 years	20.3	21.6	20.7	18.9	7.1	7.4	6.4	6.1
75 years and over	24.3	26.2	27.4	24.4	9.3	10.0	9.4	8.6
Sex ³								
Male	19.1	18.7	18.5	16.9	5.9	5.7	6.0	5.3
Female	20.2	21.6	24.3	20.3	7.5	7.9	9.6	8.1
Race ^{3,4}								
White only	19.0	19.4	20.7	17.7	6.2	6.4	7.2	6.1
Black or African American only	25.9	26.5	28.6	26.3	11.1	10.8	12.6	11.1
American Indian or Alaska Native only	24.8	30.3	22.6	31.1	13.1	*12.6	*11.8	18.6
Asian only	11.6	13.6	13.3	11.0	*2.9	*3.8	3.3	2.8
Native Hawaiian or Other Pacific Islander only	---	*	*	*	---	*	*	*
2 or more races	---	32.5	29.7	23.8	---	11.3	11.1	8.1
American Indian or Alaska Native; White	---	33.9	31.1	25.5	---	*9.4	*15.2	*9.1
Hispanic origin and race ^{3,4}								
Hispanic or Latino	19.2	18.3	19.8	17.0	7.4	7.0	6.9	6.0
Mexican	17.8	17.4	18.1	17.4	6.4	7.1	6.1	6.1
Not Hispanic or Latino	19.7	20.6	21.9	19.0	6.7	6.9	8.1	6.9
White only	19.1	19.8	21.1	18.1	6.2	6.4	7.4	6.3
Black or African American only	25.9	26.5	29.0	26.6	11.0	10.8	12.7	11.2
Percent of poverty level ^{3,5}								
Below 100%	28.1	29.0	30.6	28.6	12.8	13.3	14.9	12.9
100%–199%	23.8	23.9	25.6	23.4	9.3	9.6	10.5	9.5
200%–399%	18.3	19.8	20.4	17.2	5.9	6.3	6.8	6.2
400% or more	15.9	16.8	17.0	13.5	3.9	4.5	4.7	3.4
Hispanic origin and race and percent of poverty level ^{3,4,5}								
Hispanic or Latino:								
Below 100%	22.1	22.4	23.6	22.6	9.8	9.7	11.5	10.2
100%–199%	19.2	18.1	19.9	17.0	8.1	6.7	6.3	5.7
200%–399%	18.5	17.3	18.1	14.7	6.0	7.4	5.2	4.9
400% or more	14.6	16.4	18.8	13.6	*3.8	*4.3	*5.5	*3.4
Not Hispanic or Latino:								
White only:								
Below 100%	29.5	30.1	33.3	30.7	13.0	13.9	15.5	13.4
100%–199%	24.3	25.5	26.8	25.4	9.1	10.4	11.2	10.8
200%–399%	18.1	20.1	20.3	17.1	5.8	6.3	6.5	6.1
400% or more	15.8	16.3	16.9	13.5	3.8	4.1	4.9	3.3
Black or African American only:								
Below 100%	34.6	35.4	36.9	35.3	17.5	17.4	20.2	17.7
100%–199%	29.2	28.5	33.5	30.4	12.8	12.2	15.9	12.9
200%–399%	20.8	23.2	25.7	22.0	8.1	8.0	10.2	8.8
400% or more	18.2	22.6	18.8	18.2	5.9	8.8	*4.0	5.6

See footnotes at end of table.

Table 74 (page 2 of 3). Emergency department visits within the past 12 months among adults aged 18 and over, by selected characteristics: United States, selected years 1997–2014

Updated data when available, Excel, PDF, more data years, and standard errors: <http://www.cdc.gov/nchs/hus/contents2015.htm#074>.

[Data are based on household interviews of a sample of the civilian noninstitutionalized population]

Characteristic	One or more emergency department visits				Two or more emergency department visits			
	1997	2000	2010	2014	1997	2000	2010	2014
Health insurance status at the time of interview ^{6,7}								
Percent of adults with emergency department visits ¹								
18–64 years:								
Insured	18.8	19.5	20.8	18.2	6.1	6.4	7.5	6.7
Private	16.9	17.6	17.4	14.5	4.7	5.1	5.2	4.2
Medicaid	37.6	42.2	40.2	34.9	19.7	21.0	21.1	18.4
Uninsured	20.0	19.3	21.3	16.5	7.5	6.9	8.9	5.9
Health insurance status prior to interview ^{6,7}								
18–64 years:								
Insured continuously all 12 months	18.3	19.0	20.2	17.6	5.8	6.1	7.1	6.4
Uninsured for any period up to 12 months	25.5	28.2	26.0	22.9	9.4	10.3	12.5	9.3
Uninsured more than 12 months	18.9	17.3	20.6	15.4	7.1	6.4	8.1	5.4
Percent of poverty level and health insurance status prior to interview ^{5,6,7}								
18–64 years:								
Below 100%:								
Insured continuously all 12 months	30.2	31.6	35.2	32.7	14.7	15.4	18.3	16.0
Uninsured for any period up to 12 months	34.1	43.7	34.2	29.6	16.1	18.1	16.5	14.5
Uninsured more than 12 months	20.8	20.5	23.4	20.2	8.1	9.1	11.7	6.9
100%–199%:								
Insured continuously all 12 months	24.5	25.5	26.1	25.0	8.9	10.2	10.8	11.0
Uninsured for any period up to 12 months	28.7	27.7	29.7	29.0	12.3	11.7	15.6	11.6
Uninsured more than 12 months	19.0	17.4	21.2	14.2	8.3	6.4	7.8	5.8
200%–399%:								
Insured continuously all 12 months	17.5	19.5	19.6	16.3	5.3	6.3	6.0	6.0
Uninsured for any period up to 12 months	21.6	24.6	25.4	19.9	6.6	7.3	12.2	7.2
Uninsured more than 12 months	16.8	15.6	17.6	12.6	5.9	4.5	5.7	*4.2
400% or more:								
Insured continuously all 12 months	14.9	15.5	15.9	12.5	3.7	3.7	4.5	2.8
Uninsured for any period up to 12 months	18.0	20.1	12.5	9.2	*3.1	6.4	*	*
Uninsured more than 12 months	19.1	15.8	19.4	*10.7	*	*5.2	*	*
Disability measure ^{3,8}								
Any basic actions difficulty or complex activity limitation	30.8	32.0	34.9	32.2	13.5	14.6	16.8	14.8
Any basic actions difficulty	30.5	32.4	35.0	32.6	13.5	14.9	17.2	15.0
Any complex activity limitation	39.7	41.5	43.8	41.5	19.9	21.2	24.5	21.7
No disability	14.5	15.3	16.1	13.2	3.7	3.9	4.4	3.6
Geographic region ³								
Northeast	19.5	20.0	22.6	18.3	6.9	6.2	8.4	6.4
Midwest	19.3	20.1	22.3	20.6	6.2	6.9	8.2	7.7
South	20.9	21.2	22.1	19.1	7.3	7.6	8.0	6.9
West	17.7	18.6	18.9	16.0	6.0	6.3	6.7	5.4
Location of residence ^{3,9}								
Within MSA	19.1	19.6	20.8	18.1	6.4	6.6	7.5	6.4
Outside MSA	21.5	22.5	25.5	22.0	7.8	7.8	9.8	8.9

See footnotes at end of table.

Table 74 (page 3 of 3). Emergency department visits within the past 12 months among adults aged 18 and over, by selected characteristics: United States, selected years 1997–2014

Updated data when available, Excel, PDF, more data years, and standard errors: <http://www.cdc.gov/nchs/hus/contents2015.htm#074>.

[Data are based on household interviews of a sample of the civilian noninstitutionalized population]

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) of 20%–30%. Data not shown have an RSE greater than 30%.

- - - Data not available.

¹See Appendix II, Emergency department or emergency room visit.

²Includes all other races not shown separately, unknown health insurance status, and unknown disability status.

³Estimates are for persons aged 18 and over and are age-adjusted to the year 2000 standard population using five age groups: 18–44 years, 45–54 years, 55–64 years, 65–74 years, and 75 years and over. See Appendix II, Age adjustment.

⁴The race groups, white, black, American Indian or Alaska Native, Asian, Native Hawaiian or Other Pacific Islander, and 2 or more races, include persons of Hispanic and non-Hispanic origin. Persons of Hispanic origin may be of any race. Starting with 1999 data, race-specific estimates are tabulated according to the 1997 *Revisions to the Standards for the Classification of Federal Data on Race and Ethnicity* and are not strictly comparable with estimates for earlier years. The five single-race categories plus multiple-race categories shown in the table conform to the 1997 Standards. Starting with 1999 data, race-specific estimates are for persons who reported only one racial group; the category 2 or more races includes persons who reported more than one racial group. Prior to 1999, data were tabulated according to the 1977 Standards with four racial groups, and the Asian only category included Native Hawaiian or Other Pacific Islander. Estimates for single-race categories prior to 1999 included persons who reported one race or, if they reported more than one race, identified one race as best representing their race. Starting with 2003 data, race responses of other race and unspecified multiple race were treated as missing, and then race was imputed if these were the only race responses. Almost all persons with a race response of other race were of Hispanic origin. See Appendix II, Hispanic origin; Race.

⁵Percent of poverty level is based on family income and family size and composition using U.S. Census Bureau poverty thresholds. Missing family income data were imputed for 1997 and beyond. See Appendix II, Family income; Poverty; Table VI.

⁶Estimates for persons aged 18–64 are age-adjusted to the year 2000 standard population using three age groups: 18–44 years, 45–54 years, and 55–64 years. See Appendix II, Age adjustment.

⁷Health insurance categories are mutually exclusive. Persons who reported both Medicaid and private coverage are classified as having private coverage. Starting with 1997 data, state-sponsored health plan coverage is included as Medicaid coverage. Starting with 1999 data, coverage by the Children's Health Insurance Program (CHIP) is included with Medicaid coverage. In addition to private and Medicaid, the insured category also includes military plans, other government-sponsored health plans, and Medicare, not shown separately. Persons not covered by private insurance, Medicaid, CHIP, state-sponsored or other government-sponsored health plans (starting in 1997), Medicare, or military plans are considered to have no health insurance coverage. Persons with only Indian Health Service coverage are considered to have no health insurance coverage. See Appendix II, Health insurance coverage.

⁸Any basic actions difficulty or complex activity limitation is defined as having one or more of the following limitations or difficulties: movement difficulty, emotional difficulty, sensory (seeing or hearing) difficulty, cognitive difficulty, self-care (activities of daily living or instrumental activities of daily living) limitation, social limitation, or work limitation. For more information, see Appendix II, Basic actions difficulty; Complex activity limitation. Starting with 2007 data, the hearing question, a component of the basic actions difficulty measure, was revised. Consequently, data prior to 2007 are not comparable with data for 2007 and beyond. For more information on the impact of the revised hearing question, see Appendix II, Hearing trouble.

⁹MSA is metropolitan statistical area. Starting with 2006 data, MSA status is determined using 2000 census data and the 2000 standards for defining MSAs. For data prior to 2006, see Appendix II, Metropolitan statistical area (MSA) for the applicable standards.

NOTES: Standard errors are available in the spreadsheet version of this table. Available from: <http://www.cdc.gov/nchs/hus.htm>. Data for additional years are available. See the Excel spreadsheet on the *Health, United States* website at: <http://www.cdc.gov/nchs/hus.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, family core and sample adult questionnaires. See Appendix I, National Health Interview Survey (NHIS).