

Data table for Figure 25 (page 1 of 3). Influenza vaccination among adults aged 18 and over, by age and race and Hispanic origin: United States, 1999–2014

Excel and PowerPoint: <http://www.cdc.gov/nchs/hus/contents2015.htm#fig25>

Age and year	Total ²	Race and Hispanic origin ¹			
		Hispanic or Latino	Not Hispanic or Latino		
			White only	Black only	Asian only
18–64 years		Percent with influenza vaccination in the past year ³			
1999	20.6	15.0	21.9	17.7	19.5
2000	21.4	14.6	23.2	16.2	23.8
2001	19.3	13.3	20.8	16.8	18.3
2002	20.8	14.3	22.2	18.4	21.7
2003	22.1	14.1	24.1	19.3	20.1
2004	22.7	14.3	25.3	17.0	23.3
2005	14.1	9.5	15.5	12.4	11.3
2006	20.5	13.5	22.4	18.1	21.1
2007	23.0	16.2	25.3	17.9	24.0
2008	25.8	17.6	28.2	22.3	25.8
2009	28.3	20.7	30.7	24.4	31.4
2010	30.1	23.8	32.2	24.6	35.0
2011	31.9	26.1	34.0	27.7	34.7
2012	31.5	25.2	33.4	27.5	37.5
2013	35.0	26.1	37.8	29.6	40.9
2014	35.8	27.9	38.5	30.8	41.3
65 years and over					
1999	65.7	55.1	67.9	49.7	71.7
2000	64.4	55.7	66.6	48.0	58.6
2001	63.1	51.8	65.4	47.9	58.6
2002	65.7	48.5	68.7	49.4	58.4
2003	65.5	45.4	68.6	47.8	63.3
2004	64.6	54.6	67.3	45.6	59.0
2005	59.7	41.7	63.2	39.6	58.9
2006	64.3	44.9	67.4	47.1	67.9
2007	66.7	52.3	69.4	55.4	63.4
2008	67.2	54.9	70.0	50.9	68.5
2009	66.8	57.0	69.0	52.9	68.9
2010	63.9	54.6	65.9	52.8	67.3
2011	66.9	57.3	69.0	53.4	69.5
2012	66.5	57.8	68.9	53.2	65.2
2013	67.9	57.2	70.2	55.9	70.0
2014	70.1	60.8	72.4	57.4	72.7

See footnotes at end of table.

Data table for Figure 25 (page 2 of 3). Influenza vaccination among adults aged 18 and over, by age and race and Hispanic origin: United States, 1999–2014

Excel and PowerPoint: <http://www.cdc.gov/nchs/hus/contents2015.htm#fig25>

Age and year	Total ²	Race and Hispanic origin ¹			
		Hispanic or Latino	Not Hispanic or Latino		
			White only	Black only	Asian only
Standard error					
18–64 years					
1999	0.3	0.7	0.4	0.8	1.7
2000	0.3	0.7	0.4	0.7	1.9
2001	0.3	0.6	0.4	0.8	1.5
2002	0.3	0.7	0.4	0.8	1.7
2003	0.3	0.6	0.4	0.8	1.6
2004	0.3	0.6	0.4	0.8	1.7
2005	0.3	0.5	0.3	0.7	1.3
2006	0.4	0.7	0.5	0.9	1.5
2007	0.4	0.8	0.6	0.9	1.8
2008	0.4	0.8	0.5	1.0	1.7
2009	0.4	0.8	0.5	1.1	1.8
2010	0.4	0.8	0.6	0.9	1.6
2011	0.4	0.8	0.5	0.9	1.4
2012	0.4	0.8	0.5	0.9	1.6
2013	0.4	0.8	0.5	1.0	1.6
2014	0.4	0.9	0.6	1.0	1.6
65 years and over					
1999	0.8	2.7	0.8	2.3	5.9
2000	0.7	2.6	0.8	2.3	5.9
2001	0.7	2.6	0.8	2.4	6.2
2002	0.7	2.7	0.8	2.3	5.5
2003	0.7	2.7	0.8	2.3	6.0
2004	0.7	2.7	0.8	2.4	6.0
2005	0.8	2.8	0.8	2.1	4.7
2006	0.9	2.9	1.1	2.3	3.9
2007	0.8	3.1	1.0	2.3	4.5
2008	0.9	3.1	1.0	2.5	3.7
2009	0.8	2.9	0.9	2.3	3.3
2010	0.8	2.6	0.9	2.1	3.5
2011	0.7	2.2	0.8	1.8	3.4
2012	0.8	2.3	0.9	2.1	3.2
2013	0.7	2.2	0.9	2.0	3.4
2014	0.7	2.2	0.8	2.0	2.8

See footnotes at end of table.

Data table for Figure 25 (page 3 of 3). Influenza vaccination among adults aged 18 and over, by age and race and Hispanic origin: United States, 1999–2014

Excel and PowerPoint: <http://www.cdc.gov/nchs/hus/contents2015.htm#fig25>

Age and year ⁴	Race and Hispanic origin ¹					
	Not Hispanic or Latino					
	Hispanic or Latino	White only	Black only	Asian only	American Indian or Alaska Native	2 or more races
Percent with influenza vaccination in the past year ³						
18–64 years						
1999–2001	14.3	22.0	16.9	20.5	24.1	20.2
2003–2005	12.6	21.6	16.2	18.1	20.9	20.8
2006–2008	15.8	25.3	19.4	23.6	26.8	24.5
2009–2011	23.6	32.3	25.5	33.7	33.4	24.8
2012–2014	26.4	36.5	29.3	39.9	43.0	30.8
65 years and over						
1999–2001	54.2	66.6	48.5	62.8	54.9	67.5
2003–2005	47.2	66.4	44.3	60.2	60.4	63.6
2006–2008	50.9	68.9	51.1	66.8	69.9	59.2
2009–2011	56.3	68.0	53.0	68.6	63.0	71.9
2012–2014	58.7	70.6	55.6	69.5	65.1	56.5
Standard error						
18–64 years						
1999–2001	0.4	0.2	0.4	1.0	2.2	1.7
2003–2005	0.4	0.2	0.4	0.9	2.4	1.7
2006–2008	0.5	0.4	0.5	1.0	4.5	2.1
2009–2011	0.5	0.3	0.5	0.9	3.1	1.7
2012–2014	0.5	0.3	0.5	0.9	3.1	1.7
65 years and over						
1999–2001	1.6	0.5	1.4	3.6	8.1	5.2
2003–2005	1.6	0.5	1.4	3.2	7.7	5.3
2006–2008	1.7	0.6	1.4	2.4	6.5	5.2
2009–2011	1.5	0.5	1.2	2.1	7.9	4.4
2012–2014	1.3	0.5	1.2	1.9	6.1	4.1

¹Persons of Hispanic origin may be of any race. Race-specific estimates are tabulated according to the 1997 *Revisions to the Standards for the Classification of Federal Data on Race and Ethnicity*. The single-race categories plus multiple-race category shown in the table conform to the 1997 Standards. Starting with 2003 data, race responses of other race and unspecified multiple race were treated as missing, and then race was imputed if these were the only race responses. Almost all persons with a race response of other race were of Hispanic origin. See Appendix II, Hispanic origin; Race.

²Includes all persons not shown separately.

³Influenza vaccination is based on respondent report of receipt of a seasonal flu shot or influenza nasal spray (starting in 2005). Questions concerning use of influenza vaccination differed slightly on the National Health Interview Survey across the years for which data are shown. See Appendix II, Vaccination.

⁴Three-year average annual estimates are shown in order to present estimates for the American Indian or Alaska Native and the multiple-race populations. Annual estimates are not stable for smaller population groups.

NOTES: Also see Table 68. Ties in highest and lowest rates were resolved by looking at additional decimal places. See Technical Notes. Prevalence of influenza vaccination during the past 12 months is different from season-specific coverage, see: CDC. Surveillance of influenza vaccination coverage—United States, 2007–08 through 2011–12 influenza seasons. MMWR 2013;62(ss04):1–29. Available from: http://www.cdc.gov/mmwr/preview/mmwrhtml/ss6204a1.htm?s_cid=ss6204a1_w; and CDC. FluVaxView. Available from: <http://www.cdc.gov/flu/fluview/>. The recommendations of the Advisory Committee on Immunization Practices regarding who should receive an influenza vaccination have changed over the years, and changes in coverage estimates may reflect changes in recommendations. An influenza vaccine shortage occurred during the 2004–2005 influenza season. Delays in the availability of influenza shots also occurred in fall 2000 and, to a lesser extent, in fall 2001.

SOURCE: CDC/NCHS, National Health Interview Survey. Family core and sample adult questionnaires. See Appendix I, National Health Interview Survey (NHIS).