

Data table for Figure 11. Obesity among children and adolescents aged 2–19 and adults aged 20 and over: United States, 1988–1994 through 2013–2014

Excel and PowerPoint: <http://www.cdc.gov/nchs/hus/contents2016.htm#fig11>

Age and obesity	1988–1994		1999–2000		2001–2002		2003–2004		2005–2006		2007–2008		2009–2010		2011–2012		2013–2014	
	Percent	SE	Percent	SE	Percent	SE	Percent	SE	Percent	SE	Percent	SE	Percent	SE	Percent	SE	Percent	SE
2–19 years with obesity ¹	10.0	0.5	13.9	0.9	15.4	0.9	17.1	1.3	15.5	1.3	16.8	1.3	16.9	0.7	16.9	1.0	17.2	1.1
20 years and over, age-adjusted ^{2,3} :																		
Obesity (all grades)	22.9	0.7	30.5	1.5	30.5	1.2	32.3	1.2	34.4	1.4	33.7	1.1	35.7	0.9	34.9	1.3	37.8	0.9
Grade 1 obesity	14.8	0.4	17.3	0.8	18.4	0.8	20.0	0.7	19.6	0.7	19.5	0.6	20.3	0.7	20.5	0.9	20.7	0.7
Grade 2 obesity	5.2	0.4	8.5	0.6	6.9	0.6	7.4	0.5	8.9	0.7	8.6	0.5	9.1	0.5	8.1	0.5	9.5	0.4
Grade 3 obesity	2.9	0.2	4.7	0.6	5.1	0.5	4.8	0.6	5.9	0.5	5.6	0.4	6.3	0.3	6.3	0.5	7.6	0.7
20 years and over, crude ² :																		
Obesity (all grades)	22.3	0.7	30.3	1.5	30.6	1.1	32.3	1.2	34.7	1.4	33.9	1.1	35.9	0.9	35.1	1.4	37.9	0.8
Grade 1 obesity	14.4	0.4	17.2	0.8	18.5	0.8	20.0	0.8	19.7	0.7	19.6	0.6	20.5	0.7	20.6	0.9	20.8	0.7
Grade 2 obesity	5.1	0.4	8.4	0.5	7.0	0.6	7.4	0.5	9.0	0.7	8.6	0.5	9.1	0.5	8.2	0.5	9.5	0.4
Grade 3 obesity	2.8	0.2	4.7	0.6	5.2	0.5	4.9	0.6	6.0	0.5	5.7	0.4	6.3	0.2	6.4	0.6	7.7	0.7

SE is standard error.

¹Obesity among children aged 2–19 is defined as body mass index (BMI) at or above the sex- and age-specific 95th percentile from the 2000 CDC Growth Charts: United States. Kuczmarski RJ, Ogden CL, Guo SS, Grummer–Strawn LM, Flegal KM, Mei Z, Wei R, Curtin LR, Roche AF, Johnson CL. 2000 CDC Growth Charts for the United States: methods and development. *Vital Health Stat 11*. 2002 May;(246):1–190. Available at: http://www.cdc.gov/nchs/data/series/sr_11/sr11_246.pdf. In *Health, United States*, the NHANES variable, Body Mass Index, is used to assign persons to BMI categories.

²Obesity among adults is defined as body mass index (BMI) greater than or equal to 30.0. Grade 1 obesity is defined as BMI from 30.0 to 34.9; Grade 2 obesity is defined as BMI from 35.0 to 39.9; and Grade 3 obesity is defined as BMI greater than or equal to 40.0. In *Health, United States*, the NHANES variable, Body Mass Index, is used to assign persons to BMI categories. See Appendix II, Body mass index (BMI).

³Estimates are age-adjusted to the year 2000 standard population using five age groups: 20–34 years, 35–44 years, 45–54 years, 55–64 years, and 65 years and over.

NOTE: Also see Tables 58 and 59.

SOURCE: NCHS, National Health and Nutrition Examination Survey. See Appendix I, National Health and Nutrition Examination Survey (NHANES).