

**Data table for Figure 27. Age-adjusted drug overdose death rates among all persons, by state:
United States, 2006 and 2016**

Excel and PowerPoint: https://www.cdc.gov/nchs/hus/contents2017.htm#Figure_027

State	2006		2016		2006–2016
	Deaths per 100,000 population	SE	Deaths per 100,000 population	SE	Percent change
United States	11.5	0.06	19.8	0.08	†72.2
Alabama	8.7	0.44	16.2	0.60	†86.2
Alaska	11.1	1.30	16.8	1.52	†51.4
Arizona	14.9	0.51	20.3	0.56	†36.2
Arkansas	10.5	0.62	14.0	0.71	†33.3
California	9.6	0.16	11.2	0.17	†16.7
Colorado	12.8	0.51	16.6	0.55	†29.7
Connecticut	11.5	0.58	27.4	0.91	†138.3
Delaware	9.4	1.06	30.8	1.88	†227.7
District of Columbia	17.8	1.79	38.8	2.41	†118.0
Florida	14.4	0.29	23.7	0.35	†64.6
Georgia	8.9	0.31	13.3	0.36	†49.4
Hawaii	6.4	0.70	12.8	0.95	†100.0
Idaho	9.3	0.83	15.2	1.00	†63.4
Illinois	10.9	0.29	18.9	0.39	†73.4
Indiana	11.8	0.44	24.0	0.62	†103.4
Iowa	6.6	0.48	10.6	0.61	†60.6
Kansas	9.5	0.60	11.1	0.64	†16.8
Kentucky	17.4	0.65	33.5	0.91	†92.5
Louisiana	16.5	0.63	21.8	0.71	†32.1
Maine	12.0	0.97	28.7	1.58	†139.2
Maryland	13.2	0.48	33.2	0.75	†151.5
Massachusetts	14.7	0.47	33.0	0.72	†124.5
Michigan	11.7	0.34	24.4	0.52	†108.5
Minnesota	5.9	0.34	12.5	0.49	†111.9
Mississippi	12.1	0.66	12.1	0.66	0.0
Missouri	13.0	0.48	23.6	0.65	†81.5
Montana	10.2	1.06	11.7	1.11	†14.7
Nebraska	5.4	0.57	6.4	0.60	†18.5
Nevada	18.0	0.84	21.7	0.86	†20.6
New Hampshire	11.2	0.93	39.0	1.83	†248.2
New Jersey	9.7	0.33	23.2	0.52	†139.2
New Mexico	21.8	1.08	25.2	1.16	†15.6
New York	8.6	0.21	18.0	0.31	†109.3
North Carolina	11.8	0.37	19.7	0.45	†66.9
North Dakota	*	*	10.6	1.24	---
Ohio	13.2	0.34	39.1	0.61	†196.2
Oklahoma	16.2	0.69	21.5	0.77	†32.7
Oregon	12.9	0.59	11.9	0.54	−7.8
Pennsylvania	13.5	0.34	37.9	0.57	†180.7
Rhode Island	16.4	1.25	30.8	1.75	†87.8
South Carolina	12.7	0.54	18.1	0.63	†42.5
South Dakota	5.1	0.84	8.4	1.04	†64.7
Tennessee	16.0	0.51	24.5	0.62	†53.1
Texas	9.5	0.20	10.1	0.19	†6.3
Utah	19.1	0.92	22.4	0.90	†17.3
Vermont	12.2	1.44	22.2	2.05	†82.0
Virginia	8.0	0.32	16.7	0.45	†108.8
Washington	13.6	0.46	14.5	0.45	†6.6
West Virginia	20.4	1.08	52.0	1.79	†154.9
Wisconsin	10.6	0.44	19.3	0.60	†82.1
Wyoming	10.6	1.45	17.6	1.82	†66.0

SE is standard error.

† Percent change statistically significant at the 0.05 level.

* Rates based on fewer than 20 deaths are considered unreliable and are not shown.

--- Data not available.

NOTES: Estimates are age-adjusted to the year 2000 standard population with unrounded population numbers. Drug overdose deaths are identified using *International Classification of Diseases, 10th Revision* (ICD-10) underlying cause of death codes X40–X44 (unintentional drug poisoning), X60–X64 (suicide by drug poisoning), X85 (homicide by drug poisoning), and Y10–Y14 (drug poisoning of undetermined intent). See [Appendix II](#), Age adjustment; Cause of death; Table IV.

SOURCE: NCHS, National Vital Statistics System, Mortality. See [Appendix I](#), National Vital Statistics System (NVSS).