

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, BOTH SEXES										
1998.....	65,410	81,069	100,645	133,079	189,780	269,202	329,463	352,200	612,575	411
1997.....	65,090	79,792	98,130	133,863	194,776	269,498	325,799	344,731	594,068	401
1996.....	67,032	77,297	96,726	136,999	200,045	273,849	321,223	342,067	576,541	523
1995.....	65,623	77,377	96,641	138,871	204,347	276,543	315,516	336,661	561,259	463
1994.....	62,517	75,380	95,897	141,222	208,394	275,275	310,348	329,866	538,690	414
1993.....	59,270	72,545	96,333	145,248	213,366	274,453	312,774	325,264	528,437	507
1992.....	56,533	68,497	94,582	146,409	211,071	266,845	301,736	308,116	487,446	474
1991.....	53,627	67,049	96,553	151,525	214,468	264,168	301,822	305,668	477,401	576
1990.....	51,856	66,752	97,865	154,831	217,333	260,616	301,114	300,325	463,105	562
1989.....	50,857	67,409	101,474	158,584	219,097	262,127	301,225	297,981	457,358	562
1988.....	49,684	67,788	105,363	164,386	221,504	267,041	302,580	299,334	459,710	587
1987.....	47,613	68,307	107,583	165,741	220,110	265,993	296,714	287,621	439,248	582
1986.....	46,415	68,746	110,323	168,706	218,649	266,890	293,520	281,629	427,473	999
1985.....	46,254	70,380	115,192	171,288	216,749	265,897	290,149	278,699	419,051	877
1984.....	45,723	71,490	116,975	170,380	214,732	261,838	281,892	269,020	399,466	524
1983.....	45,536	74,357	119,779	169,161	214,916	259,464	277,591	263,627	389,363	623
1982.....	46,412	76,677	119,833	167,181	213,426	252,394	268,121	253,838	366,727	666
1981.....	48,546	80,687	123,693	166,316	213,890	250,758	261,631	253,018	362,499	614
1980.....	49,787	83,370	126,016	166,165	216,277	250,344	263,611	253,646	357,970	568
1979.....	50,779	84,486	123,622	163,344	209,007	240,248	251,822	241,854	328,725	652
TOTAL, MALE										
1998.....	41,707	50,020	60,895	79,239	110,193	149,150	171,426	162,786	199,057	324
1997.....	41,447	49,140	59,184	79,692	113,790	150,085	169,810	159,581	194,161	317
1996.....	43,056	47,815	58,974	82,196	116,660	152,513	167,377	157,882	187,719	373
1995.....	42,609	48,313	58,848	83,442	119,415	154,586	164,372	155,036	182,823	331
1994.....	40,224	47,235	58,691	85,497	122,008	154,231	161,437	151,492	176,102	311
1993.....	38,084	45,364	59,129	87,777	125,445	154,161	163,677	149,882	172,778	354
1992.....	36,622	42,649	58,083	88,797	124,228	149,937	158,257	141,640	161,236	356
1991.....	34,363	41,665	59,342	92,094	126,381	149,475	158,268	140,682	156,823	437
1990.....	33,097	41,557	60,527	94,119	128,356	147,711	157,873	137,533	151,897	403
1989.....	32,718	42,105	62,981	96,628	129,847	148,559	157,090	135,580	149,735	405
1988.....	31,597	42,318	65,194	100,174	131,931	151,970	158,662	136,059	151,559	417
1987.....	30,122	42,735	67,093	101,309	131,122	151,935	155,809	131,142	145,331	409
1986.....	29,361	42,978	69,198	103,133	130,613	152,433	154,284	128,547	142,953	533
1985.....	29,181	44,139	72,223	105,488	130,265	152,752	152,649	127,223	141,653	491
1984.....	28,805	45,026	73,197	105,419	129,211	150,167	148,140	122,297	136,799	353
1983.....	28,707	46,691	75,130	104,678	130,217	149,457	146,886	119,875	134,651	412
1982.....	29,342	48,665	75,332	103,990	129,819	145,539	141,221	114,716	128,564	415
1981.....	30,732	51,138	78,042	103,843	130,290	145,260	138,021	114,500	127,874	425
1980.....	31,469	53,003	80,075	104,187	132,459	144,912	138,208	114,557	128,134	394
1979.....	32,366	53,837	78,814	103,474	129,066	140,105	132,212	110,104	119,006	458

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, FEMALE										
1998.....	23,703	31,049	39,750	53,840	79,587	120,052	158,037	189,414	413,518	87
1997.....	23,643	30,652	38,946	54,171	80,986	119,413	155,989	185,150	399,907	84
1996.....	23,976	29,482	37,752	54,803	83,385	121,336	153,846	184,185	388,822	150
1995.....	23,014	29,064	37,793	55,429	84,932	121,957	151,144	181,625	378,436	132
1994.....	22,293	28,145	37,206	55,725	86,386	121,044	148,911	178,374	362,588	103
1993.....	21,186	27,181	37,204	57,471	87,921	120,292	149,097	175,382	355,659	153
1992.....	19,911	25,848	36,499	57,612	86,843	116,908	143,479	166,476	326,210	118
1991.....	19,264	25,384	37,211	59,431	88,087	114,693	143,554	164,986	320,578	139
1990.....	18,759	25,195	37,338	60,712	88,977	112,905	143,241	162,792	311,208	159
1989.....	18,139	25,304	38,493	61,956	89,250	113,568	144,135	162,401	307,623	157
1988.....	18,087	25,470	40,169	64,212	89,573	115,071	143,918	163,275	308,151	170
1987.....	17,491	25,572	40,490	64,432	88,988	114,058	140,905	156,479	293,917	173
1986.....	17,054	25,768	41,125	65,573	88,036	114,457	139,236	153,082	284,520	466
1985.....	17,073	26,241	42,969	65,800	86,484	113,145	137,500	151,476	277,398	386
1984.....	16,918	26,464	43,778	64,961	85,521	111,671	133,752	146,723	262,667	171
1983.....	16,829	27,666	44,649	64,483	84,699	110,007	130,705	143,752	254,712	211
1982.....	17,070	28,012	44,501	63,191	83,607	106,855	126,900	139,122	238,163	251
1981.....	17,814	29,549	45,651	62,473	83,600	105,498	123,610	138,518	234,625	189
1980.....	18,318	30,367	45,941	61,978	83,818	105,432	125,403	139,089	229,836	174
1979.....	18,413	30,649	44,808	59,870	79,941	100,143	119,610	131,750	209,719	194
WHITE, BOTH SEXES										
1998.....	48,731	63,425	80,555	108,757	160,753	233,911	292,762	319,419	561,836	310
1997.....	48,511	62,893	78,397	109,450	165,581	234,217	290,591	313,012	545,264	301
1996.....	50,239	60,640	77,494	112,647	170,389	238,485	286,315	310,103	529,736	384
1995.....	49,275	60,509	77,317	114,299	174,015	241,309	281,834	304,570	515,856	352
1994.....	47,185	59,042	76,885	117,431	178,047	240,705	277,518	298,482	496,083	296
1993.....	45,103	56,767	77,318	120,918	182,643	240,176	279,742	294,280	486,211	339
1992.....	43,451	53,689	75,750	122,213	180,788	234,117	270,238	279,507	448,984	351
1991.....	41,199	52,454	78,133	127,160	183,809	232,010	269,816	276,797	439,797	433
1990.....	39,788	52,364	79,196	129,901	186,667	229,536	269,085	272,644	426,982	384
1989.....	38,963	52,670	82,414	133,021	187,834	230,704	268,221	270,882	421,669	384
1988.....	38,143	53,296	86,289	138,357	190,770	235,866	269,922	272,232	425,306	426
1987.....	36,709	53,975	88,913	140,201	190,472	234,828	265,687	261,500	406,652	409
1986.....	35,906	54,471	91,491	142,976	189,952	235,871	262,791	256,545	395,825	812
1985.....	35,864	56,340	95,543	145,694	188,473	234,483	260,372	253,582	389,513	702
1984.....	35,526	57,651	97,365	145,262	187,563	230,931	253,910	244,706	372,354	372
1983.....	35,482	60,214	99,854	144,273	187,966	228,799	250,004	240,532	363,410	419
1982.....	36,257	62,428	100,325	143,338	186,977	223,610	242,120	232,390	342,651	474
1981.....	37,980	65,786	103,698	142,992	187,095	222,350	236,476	231,851	338,658	407
1980.....	38,886	67,748	105,852	142,793	188,394	221,932	236,997	233,370	334,240	393
1979.....	40,024	68,970	104,028	141,277	182,308	213,718	226,584	224,321	307,964	477

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

WHITE MALE

1998.....	31,547	39,365	49,142	65,269	94,345	130,959	153,165	148,428	181,696	251
1997.....	31,226	38,974	47,548	65,755	97,752	131,749	152,257	145,618	177,227	249
1996.....	32,574	37,785	47,550	68,138	100,389	133,921	149,924	143,738	171,449	277
1995.....	32,221	37,939	47,443	69,377	102,592	135,885	147,548	140,862	166,772	256
1994.....	30,564	37,138	47,535	71,793	105,210	135,694	145,252	137,367	161,104	225
1993.....	29,159	35,704	47,806	73,750	108,341	135,772	147,381	135,805	157,645	254
1992.....	28,343	33,681	47,042	74,994	107,427	132,273	142,422	128,484	147,419	272
1991.....	26,506	32,815	48,337	78,173	109,220	132,362	142,329	127,340	143,266	325
1990.....	25,485	32,805	49,456	79,857	111,237	130,930	141,699	124,811	138,807	277
1989.....	25,166	32,966	51,499	81,919	112,194	131,599	140,663	123,249	136,813	281
1988.....	24,324	33,489	53,910	85,141	114,474	135,187	142,069	123,668	139,042	312
1987.....	23,333	34,078	56,006	86,542	114,258	135,122	139,916	119,096	133,284	289
1986.....	22,869	34,352	57,922	88,223	114,255	135,671	138,505	116,918	131,147	420
1985.....	22,707	35,640	60,582	90,456	114,175	135,744	137,460	115,596	130,583	377
1984.....	22,517	36,608	61,493	90,573	113,733	133,421	133,916	111,144	126,344	254
1983.....	22,534	38,248	63,255	89,997	114,930	132,775	132,738	109,081	124,677	282
1982.....	23,059	40,051	63,681	89,933	114,655	129,707	127,905	104,832	119,069	292
1981.....	24,153	42,071	66,011	90,093	114,982	129,666	125,170	104,633	118,475	285
1980.....	24,816	43,490	67,809	90,363	116,502	129,502	124,611	105,008	118,549	285
1979.....	25,752	44,334	66,724	90,438	113,753	125,620	119,296	101,651	110,591	333

WHITE FEMALE

1998.....	17,184	24,060	31,413	43,488	66,408	102,952	139,597	170,991	380,140	59
1997.....	17,285	23,919	30,849	43,695	67,829	102,468	138,334	167,394	368,037	52
1996.....	17,665	22,855	29,944	44,509	70,000	104,564	136,391	166,365	358,287	107
1995.....	17,054	22,570	29,874	44,922	71,423	105,424	134,286	163,708	349,084	96
1994.....	16,621	21,904	29,350	45,638	72,837	105,011	132,266	161,115	334,979	71
1993.....	15,944	21,063	29,512	47,168	74,302	104,404	132,361	158,475	328,566	85
1992.....	15,108	20,008	28,708	47,219	73,361	101,844	127,816	151,023	301,565	79
1991.....	14,693	19,639	29,796	48,987	74,589	99,648	127,487	149,457	296,531	108
1990.....	14,303	19,559	29,740	50,044	75,430	98,606	127,386	147,833	288,175	107
1989.....	13,797	19,704	30,915	51,102	75,640	99,105	127,558	147,633	284,856	103
1988.....	13,819	19,807	32,379	53,216	76,296	100,679	127,853	148,564	286,264	114
1987.....	13,376	19,897	32,907	53,659	76,214	99,706	125,771	142,404	273,368	120
1986.....	13,037	20,119	33,569	54,753	75,697	100,200	124,286	139,627	264,678	392
1985.....	13,157	20,700	34,961	55,238	74,298	98,739	122,912	137,986	258,930	325
1984.....	13,009	21,043	35,872	54,689	73,830	97,510	119,994	133,562	246,010	118
1983.....	12,948	21,966	36,599	54,276	73,036	96,024	117,266	131,451	238,733	137
1982.....	13,198	22,377	36,644	53,405	72,322	93,903	114,215	127,558	223,582	182
1981.....	13,827	23,715	37,687	52,899	72,113	92,684	111,306	127,218	220,183	122
1980.....	14,070	24,258	38,043	52,430	71,892	92,430	112,386	128,362	215,691	108
1979.....	14,272	24,636	37,304	50,839	68,555	88,098	107,288	122,670	197,373	144

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER, BOTH SEXES										
1998.....	16,679	17,644	20,090	24,322	29,027	35,291	36,701	32,781	50,739	101
1997.....	16,579	16,899	19,733	24,413	29,195	35,281	35,208	31,719	48,804	100
1996.....	16,793	16,657	19,232	24,352	29,656	35,364	34,908	31,964	46,805	139
1995.....	16,348	16,868	19,324	24,572	30,332	35,234	33,682	32,091	45,403	111
1994.....	15,332	16,338	19,012	23,791	30,347	34,570	32,830	31,384	42,607	118
1993.....	14,167	15,778	19,015	24,330	30,723	34,277	33,032	30,984	42,226	168
1992.....	13,082	14,808	18,832	24,196	30,283	32,728	31,498	28,609	38,462	123
1991.....	12,428	14,595	18,420	24,365	30,659	32,158	32,006	28,871	37,604	143
1990.....	12,068	14,388	18,669	24,930	30,666	31,080	32,029	27,681	36,123	178
1989.....	11,894	14,739	19,060	25,563	31,263	31,423	33,004	27,099	35,689	178
1988.....	11,541	14,492	19,074	26,029	30,734	31,175	32,658	27,102	34,404	161
1987.....	10,904	14,332	18,670	25,540	29,638	31,165	31,027	26,121	32,596	173
1986.....	10,509	14,275	18,832	25,730	28,697	31,019	30,729	25,084	31,648	187
1985.....	10,390	14,040	19,649	25,594	28,276	31,414	29,777	25,117	29,538	175
1984.....	10,197	13,839	19,610	25,118	27,169	30,907	27,982	24,314	27,112	152
1983.....	10,054	14,143	19,925	24,888	26,950	30,665	27,587	23,095	25,953	204
1982.....	10,155	14,249	19,508	23,843	26,449	28,784	26,001	21,448	24,076	192
1981.....	10,566	14,901	19,995	23,324	26,795	28,408	25,155	21,167	23,841	207
1980.....	10,901	15,622	20,164	23,372	27,883	28,412	26,614	20,276	23,730	175
1979.....	10,755	15,516	19,594	22,067	26,699	26,530	25,238	17,533	20,761	175
ALL OTHER MALE										
1998.....	10,160	10,655	11,753	13,970	15,848	18,191	18,261	14,358	17,361	73
1997.....	10,221	10,166	11,636	13,937	16,038	18,336	17,553	13,963	16,934	68
1996.....	10,482	10,030	11,424	14,058	16,271	18,592	17,453	14,144	16,270	96
1995.....	10,388	10,374	11,405	14,065	16,823	18,701	16,824	14,174	16,051	75
1994.....	9,660	10,097	11,156	13,704	16,798	18,537	16,185	14,125	14,998	86
1993.....	8,925	9,660	11,323	14,027	17,104	18,389	16,296	14,077	15,133	100
1992.....	8,279	8,968	11,041	13,803	16,801	17,664	15,835	13,156	13,817	84
1991.....	7,857	8,850	11,005	13,921	17,161	17,113	15,939	13,342	13,557	112
1990.....	7,612	8,752	11,071	14,262	17,119	16,781	16,174	12,722	13,090	126
1989.....	7,552	9,139	11,482	14,709	17,653	16,960	16,427	12,331	12,922	124
1988.....	7,273	8,829	11,284	15,033	17,457	16,783	16,593	12,391	12,517	105
1987.....	6,789	8,657	11,087	14,767	16,864	16,813	15,893	12,046	12,047	120
1986.....	6,492	8,626	11,276	14,910	16,358	16,762	15,779	11,629	11,806	113
1985.....	6,474	8,499	11,641	15,032	16,090	17,008	15,189	11,627	11,070	114
1984.....	6,288	8,418	11,704	14,846	15,478	16,746	14,224	11,153	10,455	99
1983.....	6,173	8,443	11,875	14,681	15,287	16,682	14,148	10,794	9,974	130
1982.....	6,283	8,614	11,651	14,057	15,164	15,832	13,316	9,884	9,495	123
1981.....	6,579	9,067	12,031	13,750	15,308	15,594	12,851	9,867	9,399	140
1980.....	6,653	9,513	12,266	13,824	15,957	15,410	13,597	9,549	9,585	109
1979.....	6,614	9,503	12,090	13,036	15,313	14,485	12,916	8,453	8,415	125

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER FEMALE										
1998.....	6,519	6,989	8,337	10,352	13,179	17,100	18,440	18,423	33,378	28
1997.....	6,358	6,733	8,097	10,476	13,157	16,945	17,655	17,756	31,870	32
1996.....	6,311	6,627	7,808	10,294	13,385	16,772	17,455	17,820	30,535	43
1995.....	5,960	6,494	7,919	10,507	13,509	16,533	16,858	17,917	29,352	36
1994.....	5,672	6,241	7,856	10,087	13,549	16,033	16,645	17,259	27,609	32
1993.....	5,242	6,118	7,692	10,303	13,619	15,888	16,736	16,907	27,093	68
1992.....	4,803	5,840	7,791	10,393	13,482	15,064	15,663	15,453	24,645	39
1991.....	4,571	5,745	7,415	10,444	13,498	15,045	16,067	15,529	24,047	31
1990.....	4,456	5,636	7,598	10,668	13,547	14,299	15,855	14,959	23,033	52
1989.....	4,342	5,600	7,578	10,854	13,610	14,463	16,577	14,768	22,767	54
1988.....	4,268	5,663	7,790	10,996	13,277	14,392	16,065	14,711	21,887	56
1987.....	4,115	5,675	7,583	10,773	12,774	14,352	15,134	14,075	20,549	53
1986.....	4,017	5,649	7,556	10,820	12,339	14,257	14,950	13,455	19,842	74
1985.....	3,916	5,541	8,008	10,562	12,186	14,406	14,588	13,490	18,468	61
1984.....	3,909	5,421	7,906	10,272	11,691	14,161	13,758	13,161	16,657	53
1983.....	3,881	5,700	8,050	10,207	11,663	13,983	13,439	12,301	15,979	74
1982.....	3,872	5,635	7,857	9,786	11,285	12,952	12,685	11,564	14,581	69
1981.....	3,987	5,834	7,964	9,574	11,487	12,814	12,304	11,300	14,442	67
1980.....	4,248	6,109	7,898	9,548	11,926	13,002	13,017	10,727	14,145	66
1979.....	4,141	6,013	7,504	9,031	11,386	12,045	12,322	9,080	12,346	50
BLACK, BOTH SEXES										
1998.....	14,846	15,419	17,596	21,217	25,173	30,434	31,448	27,967	43,341	93
1997.....	14,737	14,877	17,253	21,391	25,288	30,613	30,212	27,115	42,115	90
1996.....	15,009	14,762	16,962	21,497	25,960	30,789	30,236	27,462	40,534	121
1995.....	14,705	14,914	17,077	21,691	26,788	30,917	29,435	27,798	39,502	101
1994.....	13,752	14,519	16,849	21,101	26,818	30,437	28,746	27,360	37,202	95
1993.....	12,726	14,192	16,932	21,663	27,401	30,471	29,122	27,132	37,011	141
1992.....	11,753	13,252	16,727	21,669	27,011	29,124	27,875	25,260	33,856	114
1991.....	11,229	13,135	16,536	21,912	27,578	28,860	28,475	25,707	33,110	135
1990.....	10,920	12,951	16,852	22,621	27,665	28,022	28,681	24,756	32,047	166
1989.....	10,781	13,329	17,258	23,262	28,452	28,507	29,815	24,205	31,725	167
1988.....	10,481	13,151	17,384	23,769	28,084	28,377	29,622	24,399	30,875	147
1987.....	9,933	13,068	16,966	23,540	27,268	28,421	28,242	23,687	29,222	150
1986.....	9,615	13,033	17,395	23,789	26,604	28,532	28,086	22,696	28,517	165
1985.....	9,530	12,956	18,142	23,694	26,166	28,866	27,178	22,822	26,675	158
1984.....	9,352	12,746	18,144	23,346	25,207	28,649	25,681	22,198	24,439	137
1983.....	9,230	13,098	18,538	23,273	25,095	28,452	25,448	21,166	23,533	156
1982.....	9,320	13,211	18,256	22,308	24,681	26,844	23,978	19,710	21,875	167
1981.....	9,766	13,909	18,803	21,974	25,141	26,608	23,300	19,579	21,833	177
1980.....	10,171	14,645	18,970	22,100	26,232	26,591	24,698	18,719	21,649	165
1979.....	10,082	14,564	18,483	20,819	25,168	24,889	23,457	16,117	18,944	160

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
BLACK MALE										
1998.....	9,045	9,315	10,260	12,130	13,714	15,560	15,365	11,951	13,964	67
1997.....	9,114	8,953	10,086	12,179	13,893	15,767	14,874	11,597	13,767	62
1996.....	9,434	8,963	10,056	12,382	14,226	16,015	14,927	11,866	13,340	81
1995.....	9,410	9,254	10,082	12,463	14,850	16,217	14,533	11,958	13,250	69
1994.....	8,683	9,004	9,899	12,169	14,806	16,129	14,017	11,994	12,424	69
1993.....	8,050	8,746	10,152	12,531	15,233	16,188	14,101	11,891	12,671	82
1992.....	7,493	8,021	9,824	12,380	14,946	15,580	13,782	11,253	11,646	76
1991.....	7,149	7,996	9,915	12,535	15,362	15,246	13,964	11,453	11,498	106
1990.....	6,931	7,888	10,055	12,938	15,350	15,000	14,235	11,058	11,236	118
1989.....	6,857	8,317	10,446	13,340	16,031	15,209	14,555	10,644	11,056	115
1988.....	6,641	8,040	10,280	13,727	15,850	15,139	14,811	10,811	10,818	96
1987.....	6,189	7,925	10,096	13,590	15,475	15,177	14,165	10,600	10,506	101
1986.....	5,948	7,882	10,460	13,748	15,074	15,246	14,147	10,195	10,377	104
1985.....	5,931	7,890	10,759	13,898	14,842	15,468	13,533	10,271	9,780	106
1984.....	5,781	7,756	10,857	13,785	14,315	15,322	12,739	9,909	9,225	90
1983.....	5,710	7,819	11,066	13,650	14,138	15,261	12,804	9,673	8,918	102
1982.....	5,784	8,007	10,941	13,082	14,088	14,590	11,973	8,881	8,466	106
1981.....	6,109	8,474	11,287	12,912	14,290	14,373	11,713	8,925	8,468	116
1980.....	6,219	8,937	11,498	13,036	14,904	14,191	12,377	8,669	8,534	103
1979.....	6,220	8,928	11,361	12,253	14,327	13,404	11,776	7,658	7,522	115
BLACK FEMALE										
1998.....	5,801	6,104	7,336	9,087	11,459	14,874	16,083	16,016	29,377	26
1997.....	5,623	5,924	7,167	9,212	11,395	14,846	15,338	15,518	28,348	28
1996.....	5,575	5,799	6,906	9,115	11,734	14,774	15,309	15,596	27,194	40
1995.....	5,295	5,660	6,995	9,228	11,938	14,700	14,902	15,840	26,252	32
1994.....	5,069	5,515	6,950	8,932	12,012	14,308	14,729	15,366	24,778	26
1993.....	4,676	5,446	6,780	9,132	12,168	14,283	15,021	15,241	24,340	59
1992.....	4,260	5,231	6,903	9,289	12,065	13,544	14,093	14,007	22,210	38
1991.....	4,080	5,139	6,621	9,377	12,216	13,614	14,511	14,254	21,612	29
1990.....	3,989	5,063	6,797	9,683	12,315	13,022	14,446	13,698	20,811	48
1989.....	3,924	5,012	6,812	9,922	12,421	13,298	15,260	13,561	20,669	52
1988.....	3,840	5,111	7,104	10,042	12,234	13,238	14,811	13,588	20,057	51
1987.....	3,744	5,143	6,870	9,950	11,793	13,244	14,077	13,087	18,716	49
1986.....	3,667	5,151	6,935	10,041	11,530	13,286	13,939	12,501	18,140	61
1985.....	3,599	5,066	7,383	9,796	11,324	13,398	13,645	12,551	16,895	52
1984.....	3,571	4,990	7,287	9,561	10,892	13,327	12,942	12,289	15,214	47
1983.....	3,520	5,279	7,472	9,623	10,957	13,191	12,644	11,493	14,615	54
1982.....	3,536	5,204	7,315	9,226	10,593	12,254	12,005	10,829	13,409	61
1981.....	3,657	5,435	7,516	9,062	10,851	12,235	11,587	10,654	13,365	61
1980.....	3,952	5,708	7,472	9,064	11,328	12,400	12,321	10,050	13,115	62
1979.....	3,862	5,636	7,122	8,566	10,841	11,485	11,681	8,459	11,422	45

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS		
SHIGELLOSIS AND AMEBIASIS (004,006)											
TOTAL, BOTH SEXES											
1998.....	-	-	-	-	-	-	-	1	4	-	
1997.....	-	-	-	-	1	-	1	-	2	-	
1996.....	2	-	2	-	1	-	-	2	1	-	
1995.....	1	-	-	2	1	1	1	2	3	-	
1994.....	-	1	2	-	1	1	1	-	4	-	
1993.....	-	-	-	-	1	3	2	-	-	-	
1992.....	1	3	-	-	1	1	1	-	4	-	
1991.....	-	-	-	1	-	1	2	2	1	-	
1990.....	-	1	1	1	-	1	2	2	1	-	
1989.....	-	-	-	-	1	-	5	1	3	-	
1988.....	1	2	-	-	-	-	2	1	3	-	
1987.....	-	1	3	2	1	2	-	-	3	-	
1986.....	1	-	-	-	1	-	1	2	-	-	
1985.....	2	-	1	1	4	4	1	1	3	-	
1984.....	-	-	2	1	2	3	-	1	4	-	
1983.....	2	2	2	3	3	3	2	3	3	-	
1982.....	-	-	3	1	-	1	4	-	1	-	
1981.....	2	3	-	1	2	3	1	4	1	-	
1980.....	2	-	1	4	1	3	3	3	1	-	
1979.....	3	3	1	3	3	3	2	-	4	-	
TOTAL, MALE											
1998.....	-	-	-	-	-	-	-	1	-	-	
1997.....	-	-	-	-	-	-	-	-	1	-	
1996.....	2	-	1	-	-	-	-	-	-	-	
1995.....	1	-	-	1	-	1	1	1	1	-	
1994.....	-	1	2	-	1	1	1	-	-	-	
1993.....	-	-	-	-	-	2	-	-	-	-	
1992.....	1	3	-	-	1	-	1	-	3	-	
1991.....	-	-	-	1	-	1	2	2	-	-	
1990.....	-	1	-	1	-	-	1	-	-	-	
1989.....	-	-	-	-	-	-	4	-	-	-	
1988.....	-	1	-	-	-	-	-	-	-	-	
1987.....	-	1	1	1	1	-	-	-	-	-	
1986.....	1	-	-	-	1	-	1	1	-	-	
1985.....	1	-	1	-	2	4	-	1	-	-	
1984.....	-	-	2	1	2	2	-	1	1	-	
1983.....	1	2	2	-	2	2	2	1	2	-	
1982.....	-	-	1	1	-	1	1	-	1	-	
1981.....	2	2	-	1	1	3	1	1	1	-	
1980.....	1	-	-	2	1	1	1	1	1	-	
1979.....	3	3	-	2	1	2	-	-	2	-	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
SHIGELLOSIS AND AMEBIASIS (004,006)										
TOTAL, FEMALE										
1998.....	-	-	-	-	-	-	-	-	4	-
1997.....	-	-	-	-	1	-	1	-	1	-
1996.....	-	-	1	-	1	-	-	2	1	-
1995.....	-	-	-	1	1	-	-	1	2	-
1994.....	-	-	-	-	-	-	-	-	4	-
1993.....	-	-	-	-	1	1	2	-	-	-
1992.....	-	-	-	-	-	1	-	-	1	-
1991.....	-	-	-	-	-	-	-	-	1	-
1990.....	-	-	1	-	-	1	1	2	1	-
1989.....	-	-	-	-	1	-	1	1	3	-
1988.....	1	1	-	-	-	-	2	1	3	-
1987.....	-	-	2	1	-	2	-	-	3	-
1986.....	-	-	-	-	-	-	-	1	-	-
1985.....	1	-	-	1	2	-	1	-	3	-
1984.....	-	-	-	-	-	1	-	-	3	-
1983.....	1	-	-	3	1	1	-	2	1	-
1982.....	-	-	2	-	-	-	3	-	-	-
1981.....	-	1	-	-	1	-	-	3	-	-
1980.....	1	-	1	2	-	2	2	2	-	-
1979.....	-	-	1	1	2	1	2	-	2	-
WHITE, BOTH SEXES										
1998.....	-	-	-	-	-	-	-	1	4	-
1997.....	-	-	-	-	1	-	1	-	2	-
1996.....	2	-	2	-	1	-	-	2	1	-
1995.....	1	-	-	2	1	1	1	2	2	-
1994.....	-	1	1	-	1	1	1	-	4	-
1993.....	-	-	-	-	1	2	2	-	-	-
1992.....	1	2	-	-	1	1	1	-	3	-
1991.....	-	-	-	1	-	1	2	2	1	-
1990.....	-	1	-	1	-	1	2	2	-	-
1989.....	-	-	-	-	-	-	4	1	3	-
1988.....	-	-	-	-	-	-	1	1	3	-
1987.....	-	1	3	1	1	1	-	-	3	-
1986.....	1	-	-	-	1	-	1	2	-	-
1985.....	-	-	1	1	4	3	1	1	3	-
1984.....	-	-	2	1	2	2	-	1	3	-
1983.....	-	2	2	2	2	3	2	2	3	-
1982.....	-	-	2	-	-	-	4	-	1	-
1981.....	2	2	-	1	1	2	1	4	1	-
1980.....	1	-	1	4	1	2	3	3	-	-
1979.....	3	2	-	2	2	3	2	-	4	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
SHIGELLOSIS AND AMEBIASIS (004,006)										
WHITE MALE										
1998.....	-	-	-	-	-	-	-	1	-	-
1997.....	-	-	-	-	-	-	-	-	1	-
1996.....	2	-	1	-	-	-	-	-	-	-
1995.....	1	-	-	1	-	1	1	1	-	-
1994.....	-	1	1	-	1	1	1	-	-	-
1993.....	-	-	-	-	-	1	-	-	-	-
1992.....	1	2	-	-	1	-	1	-	2	-
1991.....	-	-	-	1	-	1	2	2	-	-
1990.....	-	1	-	1	-	-	1	-	-	-
1989.....	-	-	-	-	-	-	3	-	-	-
1988.....	-	-	-	-	-	-	-	-	-	-
1987.....	-	1	1	1	1	-	-	-	-	-
1986.....	1	-	-	-	1	-	1	1	-	-
1985.....	-	-	1	-	2	3	-	1	-	-
1984.....	-	-	2	1	2	2	-	1	1	-
1983.....	-	2	2	-	2	2	2	1	2	-
1982.....	-	-	1	-	-	-	1	-	1	-
1981.....	2	2	-	1	1	2	1	1	1	-
1980.....	-	-	-	2	1	1	1	1	-	-
1979.....	3	2	-	2	1	2	-	-	2	-
WHITE FEMALE										
1998.....	-	-	-	-	-	-	-	-	4	-
1997.....	-	-	-	-	1	-	1	-	1	-
1996.....	-	-	1	-	1	-	-	2	1	-
1995.....	-	-	-	1	1	-	-	1	2	-
1994.....	-	-	-	-	-	-	-	-	4	-
1993.....	-	-	-	-	1	1	2	-	-	-
1992.....	-	-	-	-	-	1	-	-	1	-
1991.....	-	-	-	-	-	-	-	-	1	-
1990.....	-	-	-	-	-	1	1	2	-	-
1989.....	-	-	-	-	-	-	1	1	3	-
1988.....	-	-	-	-	-	-	1	1	3	-
1987.....	-	-	2	-	-	1	-	-	3	-
1986.....	-	-	-	-	-	-	-	1	-	-
1985.....	-	-	-	1	2	-	1	-	3	-
1984.....	-	-	-	-	-	-	-	-	2	-
1983.....	-	-	-	2	-	1	-	1	1	-
1982.....	-	-	1	-	-	-	3	-	-	-
1981.....	-	-	-	-	-	-	-	3	-	-
1980.....	1	-	1	2	-	1	2	2	-	-
1979.....	-	-	-	-	1	1	2	-	2	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 SHIGELLOSIS AND AMEBIASIS (004,006)

ALL OTHER FEMALE

1998.....	-	-	-	-	-	-	-	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-
1995.....	-	-	-	-	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-
1992.....	-	-	-	-	-	-	-	-	-	-
1991.....	-	-	-	-	-	-	-	-	-	-
1990.....	-	-	1	-	-	-	-	-	1	-
1989.....	-	-	-	-	1	-	-	-	-	-
1988.....	1	1	-	-	-	-	1	-	-	-
1987.....	-	-	-	1	-	1	-	-	-	-
1986.....	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	-	-	-
1984.....	-	-	-	-	-	1	-	-	1	-
1983.....	1	-	-	1	1	-	-	1	-	-
1982.....	-	-	1	-	-	-	-	-	-	-
1981.....	-	1	-	-	1	-	-	-	-	-
1980.....	-	-	-	-	-	1	-	-	-	-
1979.....	-	-	1	1	1	-	-	-	-	-

BLACK, BOTH SEXES

1998.....	-	-	-	-	-	-	-	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-
1995.....	-	-	-	-	-	-	-	-	1	-
1994.....	-	-	1	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-
1992.....	-	-	-	-	-	-	-	-	-	-
1991.....	-	-	-	-	-	-	-	-	-	-
1990.....	-	-	1	-	-	-	-	-	-	-
1989.....	-	-	-	-	1	-	-	-	-	-
1988.....	-	-	-	-	-	-	1	-	-	-
1987.....	-	-	-	1	-	-	-	-	-	-
1986.....	-	-	-	-	-	-	-	-	-	-
1985.....	2	-	-	-	-	1	-	-	-	-
1984.....	-	-	-	-	-	-	-	-	1	-
1983.....	1	-	-	1	1	-	-	1	-	-
1982.....	-	-	-	1	-	1	-	-	-	-
1981.....	-	-	-	-	1	-	-	-	-	-
1980.....	1	-	-	-	-	1	-	-	-	-
1979.....	-	1	-	-	1	-	-	-	-	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 SHIGELLOSIS AND AMEBIASIS (004,006)

BLACK MALE

1998.....	-	-	-	-	-	-	-	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-
1995.....	-	-	-	-	-	-	-	-	1	-
1994.....	-	-	1	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-
1992.....	-	-	-	-	-	-	-	-	-	-
1991.....	-	-	-	-	-	-	-	-	-	-
1990.....	-	-	-	-	-	-	-	-	-	-
1989.....	-	-	-	-	-	-	-	-	-	-
1988.....	-	-	-	-	-	-	-	-	-	-
1987.....	-	-	-	-	-	-	-	-	-	-
1986.....	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	1	-	-	-	-
1984.....	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	-	-	-	-	-	-	-	-
1982.....	-	-	-	1	-	1	-	-	-	-
1981.....	-	-	-	-	-	-	-	-	-	-
1980.....	1	-	-	-	-	-	-	-	-	-
1979.....	-	1	-	-	-	-	-	-	-	-

BLACK FEMALE

1998.....	-	-	-	-	-	-	-	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-
1995.....	-	-	-	-	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-
1992.....	-	-	-	-	-	-	-	-	-	-
1991.....	-	-	-	-	-	-	-	-	-	-
1990.....	-	-	1	-	-	-	-	-	-	-
1989.....	-	-	-	-	1	-	-	-	-	-
1988.....	-	-	-	-	-	-	1	-	-	-
1987.....	-	-	-	1	-	-	-	-	-	-
1986.....	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	-	-	-
1984.....	-	-	-	-	-	-	-	-	1	-
1983.....	-	-	-	1	1	-	-	1	-	-
1982.....	-	-	-	-	-	-	-	-	-	-
1981.....	-	-	-	-	1	-	-	-	-	-
1980.....	-	-	-	-	-	1	-	-	-	-
1979.....	-	-	-	-	1	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR CERTAIN OTHER INTESTINAL INFECTIONS (007-009)	RACE, AND SEX: UNITED STATES, 1979-98										NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS		
TOTAL, BOTH SEXES											
1998.....	11	11	21	25	52	75	129	164	302	-	
1997.....	9	17	16	24	54	84	133	168	259	-	
1996.....	6	10	9	43	43	55	82	109	224	-	
1995.....	8	9	9	14	33	60	83	103	225	-	
1994.....	8	12	8	27	39	53	83	76	179	-	
1993.....	8	9	10	22	33	58	76	89	156	-	
1992.....	4	6	5	17	28	36	56	65	138	-	
1991.....	8	7	11	12	28	33	29	55	122	-	
1990.....	3	7	5	15	17	34	45	49	101	-	
1989.....	4	4	7	15	25	23	36	31	70	-	
1988.....	4	3	10	6	17	23	31	34	69	-	
1987.....	4	2	4	13	18	25	30	23	53	-	
1986.....	10	6	9	10	14	19	26	17	70	1	
1985.....	5	4	6	3	18	16	23	30	54	-	
1984.....	3	5	6	15	9	19	23	26	51	1	
1983.....	2	8	9	9	11	21	33	32	62	-	
1982.....	4	1	5	14	12	15	27	23	44	-	
1981.....	8	6	8	14	14	19	28	41	59	-	
1980.....	5	8	10	17	15	25	26	33	68	-	
1979.....	6	5	9	9	10	17	24	32	46	-	
TOTAL, MALE											
1998.....	7	7	11	9	27	32	54	67	94	-	
1997.....	5	8	7	13	22	41	60	62	62	-	
1996.....	3	6	5	17	21	26	41	33	52	-	
1995.....	6	7	7	8	18	27	38	34	55	-	
1994.....	6	5	5	19	18	27	35	32	45	-	
1993.....	3	6	7	13	12	33	28	31	57	-	
1992.....	2	2	2	9	16	20	25	25	44	-	
1991.....	3	5	6	8	12	18	16	17	36	-	
1990.....	3	3	2	7	6	14	16	16	34	-	
1989.....	2	4	6	7	12	11	18	9	25	-	
1988.....	3	1	4	3	8	8	14	13	17	-	
1987.....	3	1	2	5	7	14	8	13	16	-	
1986.....	5	3	4	6	6	10	11	4	24	-	
1985.....	3	3	4	-	7	10	9	8	16	-	
1984.....	2	2	1	5	5	4	7	12	15	-	
1983.....	1	4	3	3	8	11	12	14	12	-	
1982.....	2	1	2	6	6	5	12	5	14	-	
1981.....	4	3	5	5	5	12	18	12	9	-	
1980.....	3	6	4	7	8	6	12	11	19	-	
1979.....	1	3	4	6	7	7	8	15	14	-	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR CERTAIN OTHER INTESTINAL INFECTIONS (007-009)	RACE, AND SEX: UNITED STATES, 1979-98										NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS		
TOTAL, FEMALE											
1998.....	4	4	10	16	25	43	75	97	208	-	
1997.....	4	9	9	11	32	43	73	106	197	-	
1996.....	3	4	4	26	22	29	41	76	172	-	
1995.....	2	2	2	6	15	33	45	69	170	-	
1994.....	2	7	3	8	21	26	48	44	134	-	
1993.....	5	3	3	9	21	25	48	58	99	-	
1992.....	2	4	3	8	12	16	31	40	94	-	
1991.....	5	2	5	4	16	15	13	38	86	-	
1990.....	-	4	3	8	11	20	29	33	67	-	
1989.....	2	-	1	8	13	12	18	22	45	-	
1988.....	1	2	6	3	9	15	17	21	52	-	
1987.....	1	1	2	8	11	11	22	10	37	-	
1986.....	5	3	5	4	8	9	15	13	46	1	
1985.....	2	1	2	3	11	6	14	22	38	-	
1984.....	1	3	5	10	4	15	16	14	36	1	
1983.....	1	4	6	6	3	10	21	18	50	-	
1982.....	2	-	3	8	6	10	15	18	30	-	
1981.....	4	3	3	9	9	7	10	29	50	-	
1980.....	2	2	6	10	7	19	14	22	49	-	
1979.....	5	2	5	3	3	10	16	17	32	-	
WHITE, BOTH SEXES											
1998.....	8	10	19	22	44	66	122	152	283	-	
1997.....	6	11	12	20	47	72	125	159	247	-	
1996.....	5	9	8	41	40	50	76	106	210	-	
1995.....	6	7	9	11	26	52	79	93	218	-	
1994.....	6	11	6	17	31	47	78	75	175	-	
1993.....	7	6	9	16	31	50	67	84	151	-	
1992.....	4	4	4	15	24	35	53	62	132	-	
1991.....	6	5	10	11	23	29	27	54	113	-	
1990.....	3	7	5	11	14	33	43	46	96	-	
1989.....	3	3	6	11	23	23	31	30	64	-	
1988.....	4	3	9	6	13	20	25	32	63	-	
1987.....	3	1	4	13	15	22	27	23	53	-	
1986.....	5	2	7	7	11	18	26	16	66	1	
1985.....	3	3	5	2	17	15	22	29	50	-	
1984.....	3	3	5	13	9	17	21	22	51	-	
1983.....	2	5	8	9	10	17	32	29	59	-	
1982.....	2	-	3	13	9	12	26	21	42	-	
1981.....	8	6	7	14	11	18	25	38	57	-	
1980.....	2	7	9	15	12	21	22	32	68	-	
1979.....	5	5	7	8	9	15	19	31	44	-	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR CERTAIN OTHER INTESTINAL INFECTIONS (007-009)	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
WHITE MALE										
1998.....	6	6	10	9	22	29	50	65	89	-
1997.....	3	7	5	11	21	37	57	57	57	-
1996.....	2	5	4	16	19	22	39	32	50	-
1995.....	4	6	7	7	14	24	36	32	53	-
1994.....	5	5	3	12	13	21	33	31	43	-
1993.....	2	5	6	11	10	27	24	30	56	-
1992.....	2	2	1	8	14	19	23	24	43	-
1991.....	2	4	6	7	11	16	14	17	32	-
1990.....	3	3	2	5	5	13	15	13	32	-
1989.....	1	3	5	5	11	11	15	9	23	-
1988.....	3	1	4	3	8	7	12	12	14	-
1987.....	2	-	2	5	6	12	7	13	16	-
1986.....	3	1	2	4	4	10	11	4	21	-
1985.....	2	2	3	-	7	9	9	7	15	-
1984.....	2	1	1	3	5	4	5	11	15	-
1983.....	1	3	2	3	7	9	12	13	11	-
1982.....	2	-	2	6	3	4	12	5	14	-
1981.....	4	3	5	5	4	11	16	11	8	-
1980.....	1	6	3	6	7	5	10	11	19	-
1979.....	1	3	2	5	6	6	7	14	13	-
WHITE FEMALE										
1998.....	2	4	9	13	22	37	72	87	194	-
1997.....	3	4	7	9	26	35	68	102	190	-
1996.....	3	4	4	25	21	28	37	74	160	-
1995.....	2	1	2	4	12	28	43	61	165	-
1994.....	1	6	3	5	18	26	45	44	132	-
1993.....	5	1	3	5	21	23	43	54	95	-
1992.....	2	2	3	7	10	16	30	38	89	-
1991.....	4	1	4	4	12	13	13	37	81	-
1990.....	-	4	3	6	9	20	28	33	64	-
1989.....	2	-	1	6	12	12	16	21	41	-
1988.....	1	2	5	3	5	13	13	20	49	-
1987.....	1	1	2	8	9	10	20	10	37	-
1986.....	2	1	5	3	7	8	15	12	45	1
1985.....	1	1	2	2	10	6	13	22	35	-
1984.....	1	2	4	10	4	13	16	11	36	-
1983.....	1	2	6	6	3	8	20	16	48	-
1982.....	-	-	1	7	6	8	14	16	28	-
1981.....	4	3	2	9	7	7	9	27	49	-
1980.....	1	1	6	9	5	16	12	21	49	-
1979.....	4	2	5	3	3	9	12	17	31	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CERTAIN OTHER INTESTINAL INFECTIONS (007-009)										
ALL OTHER, BOTH SEXES										
1998.....	3	1	2	3	8	9	7	12	19	-
1997.....	3	6	4	4	7	12	8	9	12	-
1996.....	1	1	1	2	3	5	6	3	14	-
1995.....	2	2	-	3	7	8	4	10	7	-
1994.....	2	1	2	10	8	6	5	1	4	-
1993.....	1	3	1	6	2	8	9	5	5	-
1992.....	-	2	1	2	4	1	3	3	6	-
1991.....	2	2	1	1	5	4	2	1	9	-
1990.....	-	-	-	4	3	1	2	3	5	-
1989.....	1	1	1	4	2	-	5	1	6	-
1988.....	-	-	1	-	4	3	6	2	6	-
1987.....	1	1	-	-	3	3	3	-	-	-
1986.....	5	4	2	3	3	1	-	1	4	-
1985.....	2	1	1	1	1	1	1	1	4	-
1984.....	-	2	1	2	-	2	2	4	-	1
1983.....	-	3	1	-	1	4	1	3	3	-
1982.....	2	1	2	1	3	3	1	2	2	-
1981.....	-	-	1	-	3	1	3	3	2	-
1980.....	3	1	1	2	3	4	4	1	-	-
1979.....	1	-	2	1	1	2	5	1	2	-
ALL OTHER MALE										
1998.....	1	1	1	-	5	3	4	2	5	-
1997.....	2	1	2	2	1	4	3	5	5	-
1996.....	1	1	1	1	2	4	2	1	2	-
1995.....	2	1	-	1	4	3	2	2	2	-
1994.....	1	-	2	7	5	6	2	1	2	-
1993.....	1	1	1	2	2	6	4	1	1	-
1992.....	-	-	1	1	2	1	2	1	1	-
1991.....	1	1	-	1	1	2	2	-	4	-
1990.....	-	-	-	2	1	1	1	3	2	-
1989.....	1	1	1	2	1	-	3	-	2	-
1988.....	-	-	-	-	-	1	2	1	3	-
1987.....	1	1	-	-	1	2	1	-	-	-
1986.....	2	2	2	2	2	-	-	-	3	-
1985.....	1	1	1	-	-	1	-	1	1	-
1984.....	-	1	-	2	-	-	2	1	-	-
1983.....	-	1	1	-	1	2	-	1	1	-
1982.....	-	1	-	-	3	1	-	-	-	-
1981.....	-	-	-	-	1	-	2	1	1	-
1980.....	2	-	1	1	1	1	2	-	-	-
1979.....	-	-	2	1	1	1	1	1	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CERTAIN OTHER INTESTINAL INFECTIONS (007-009)										
ALL OTHER FEMALE										
1998.....	2	-	1	3	3	6	3	10	14	-
1997.....	1	5	2	2	6	8	5	4	7	-
1996.....	-	-	-	1	1	1	4	2	12	-
1995.....	-	1	-	2	3	5	2	8	5	-
1994.....	1	1	-	3	3	-	3	-	2	-
1993.....	-	2	-	4	-	2	5	4	4	-
1992.....	-	2	-	1	2	-	1	2	5	-
1991.....	1	1	1	-	4	2	-	1	5	-
1990.....	-	-	-	2	2	-	1	-	3	-
1989.....	-	-	-	2	1	-	2	1	4	-
1988.....	-	-	1	-	4	2	4	1	3	-
1987.....	-	-	-	-	2	1	2	-	-	-
1986.....	3	2	-	1	1	1	-	1	1	-
1985.....	1	-	-	1	1	-	1	-	3	-
1984.....	-	1	1	-	-	2	-	3	-	1
1983.....	-	2	-	-	-	2	1	2	2	-
1982.....	2	-	2	1	-	2	1	2	2	-
1981.....	-	-	1	-	2	-	1	2	1	-
1980.....	1	1	-	1	2	3	2	1	-	-
1979.....	1	-	-	-	-	1	4	-	1	-
BLACK, BOTH SEXES										
1998.....	3	1	2	2	5	7	6	9	16	-
1997.....	3	4	4	2	5	10	6	9	12	-
1996.....	1	1	1	2	2	4	5	2	11	-
1995.....	2	2	-	3	5	6	4	8	6	-
1994.....	1	-	1	10	8	5	5	1	2	-
1993.....	1	2	1	4	2	7	8	5	4	-
1992.....	-	1	1	2	4	-	3	3	5	-
1991.....	2	2	1	1	3	4	2	1	7	-
1990.....	-	-	-	2	3	1	1	3	5	-
1989.....	1	1	1	3	2	-	5	1	6	-
1988.....	-	-	1	-	3	2	5	-	4	-
1987.....	-	1	-	-	3	3	3	-	-	-
1986.....	5	3	2	3	3	1	-	1	3	-
1985.....	2	1	1	1	1	1	1	-	4	-
1984.....	-	2	-	2	-	1	2	4	-	1
1983.....	-	2	1	-	1	4	1	2	1	-
1982.....	2	1	2	1	3	3	1	2	1	-
1981.....	-	-	1	-	3	1	2	3	2	-
1980.....	3	-	1	2	3	3	3	1	-	-
1979.....	1	-	2	1	1	2	3	1	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CERTAIN OTHER INTESTINAL INFECTIONS (007-009)										
BLACK MALE										
1998.....	1	1	1	-	3	2	4	1	3	-
1997.....	2	-	2	-	1	4	2	5	5	-
1996.....	1	1	1	1	1	3	2	1	2	-
1995.....	2	1	-	1	4	1	2	1	2	-
1994.....	1	-	1	7	5	5	2	1	1	-
1993.....	1	1	1	-	2	5	3	1	1	-
1992.....	-	-	1	1	2	-	2	1	-	-
1991.....	1	1	-	1	1	2	2	-	3	-
1990.....	-	-	-	1	1	1	-	3	2	-
1989.....	1	1	1	1	1	-	3	-	2	-
1988.....	-	-	-	-	-	1	1	-	2	-
1987.....	-	1	-	-	1	2	1	-	-	-
1986.....	2	2	2	2	2	-	-	-	2	-
1985.....	1	1	1	-	-	1	-	-	1	-
1984.....	-	1	-	2	-	-	2	1	-	-
1983.....	-	-	1	-	1	2	-	-	-	-
1982.....	-	1	-	-	3	1	-	-	-	-
1981.....	-	-	-	-	1	1	1	1	1	-
1980.....	2	-	1	1	1	-	2	-	-	-
1979.....	-	-	2	1	1	1	1	1	1	-
BLACK FEMALE										
1998.....	2	-	1	2	2	5	2	8	13	-
1997.....	1	4	2	2	4	6	4	4	7	-
1996.....	-	-	-	1	1	1	3	1	9	-
1995.....	-	1	-	2	1	5	2	7	4	-
1994.....	-	-	-	3	3	-	3	-	1	-
1993.....	-	1	-	4	-	2	5	4	3	-
1992.....	-	1	-	1	2	-	1	2	5	-
1991.....	1	1	1	-	2	2	-	1	4	-
1990.....	-	-	-	1	2	-	1	-	3	-
1989.....	-	-	-	2	1	-	2	1	4	-
1988.....	-	-	1	-	3	1	4	-	2	-
1987.....	-	-	-	-	2	1	2	-	-	-
1986.....	3	1	-	1	1	1	-	1	1	-
1985.....	1	-	-	1	1	-	1	-	3	-
1984.....	-	1	-	-	-	1	-	3	-	1
1983.....	-	2	-	-	-	2	1	2	1	-
1982.....	2	-	2	1	-	2	1	2	1	-
1981.....	-	-	1	-	2	-	1	2	1	-
1980.....	1	-	-	1	2	3	1	1	-	-
1979.....	1	-	-	-	-	1	2	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TUBERCULOSIS (010-018)										
TOTAL, BOTH SEXES										
1998.....	58	56	60	91	95	134	134	146	177	-
1997.....	64	61	73	84	90	144	163	190	161	-
1996.....	68	61	71	96	99	146	149	160	192	-
1995.....	76	67	70	87	142	158	172	187	187	1
1994.....	85	67	94	110	147	166	188	169	221	2
1993.....	85	107	100	109	168	182	210	208	197	1
1992.....	86	74	103	139	152	226	198	184	215	-
1991.....	80	94	110	144	159	170	199	212	198	-
1990.....	96	92	117	152	183	199	210	196	209	-
1989.....	109	92	125	145	208	218	237	229	242	2
1988.....	101	94	124	154	182	222	234	219	256	2
1987.....	87	89	114	170	179	210	211	202	195	3
1986.....	75	108	114	165	185	188	230	186	211	3
1985.....	81	102	134	165	186	203	223	207	199	1
1984.....	78	99	147	155	192	214	205	200	176	1
1983.....	88	110	152	154	198	238	221	196	212	3
1982.....	62	115	158	167	207	226	265	175	231	1
1981.....	92	130	171	200	233	243	214	232	203	-
1980.....	89	154	172	192	249	293	236	200	214	2
1979.....	115	148	200	177	251	243	249	189	217	-
TOTAL, MALE										
1998.....	40	38	40	60	58	76	83	85	84	-
1997.....	39	41	50	56	52	74	77	98	86	-
1996.....	48	44	55	64	67	90	87	95	87	-
1995.....	57	47	48	67	93	91	96	105	93	1
1994.....	54	46	63	76	100	96	107	88	110	2
1993.....	68	79	68	79	111	113	120	114	90	1
1992.....	72	59	79	101	91	147	120	99	94	-
1991.....	62	66	87	100	94	94	113	117	100	-
1990.....	73	66	81	100	115	122	131	117	106	-
1989.....	85	64	96	95	143	138	141	120	131	2
1988.....	80	75	90	111	124	145	143	110	123	2
1987.....	64	68	87	123	112	138	138	122	109	3
1986.....	57	90	83	100	119	119	136	110	107	3
1985.....	67	79	102	120	116	109	126	126	116	1
1984.....	59	79	110	108	128	142	124	113	101	1
1983.....	69	84	116	107	139	159	129	117	119	2
1982.....	51	90	124	120	136	152	169	105	113	-
1981.....	72	89	123	145	164	172	140	142	109	-
1980.....	59	113	130	144	180	194	141	132	131	2
1979.....	81	105	133	129	186	180	179	114	122	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
TUBERCULOSIS (010-018)										
TOTAL, FEMALE										
1998.....	18	18	20	31	37	58	51	61	93	-
1997.....	25	20	23	28	38	70	86	92	75	-
1996.....	20	17	16	32	32	56	62	65	105	-
1995.....	19	20	22	20	49	67	76	82	94	-
1994.....	31	21	31	34	47	70	81	81	111	-
1993.....	17	28	32	30	57	69	90	94	107	-
1992.....	14	15	24	38	61	79	78	85	121	-
1991.....	18	28	23	44	65	76	86	95	98	-
1990.....	23	26	36	52	68	77	79	79	103	-
1989.....	24	28	29	50	65	80	96	109	111	-
1988.....	21	19	34	43	58	77	91	109	133	-
1987.....	23	21	27	47	67	72	73	80	86	-
1986.....	18	18	31	65	66	69	94	76	104	-
1985.....	14	23	32	45	70	94	97	81	83	-
1984.....	19	20	37	47	64	72	81	87	75	-
1983.....	19	26	36	47	59	79	92	79	93	1
1982.....	11	25	34	47	71	74	96	70	118	1
1981.....	20	41	48	55	69	71	74	90	94	-
1980.....	30	41	42	48	69	99	95	68	83	-
1979.....	34	43	67	48	65	63	70	75	95	-
WHITE, BOTH SEXES										
1998.....	21	29	40	55	55	82	95	108	124	-
1997.....	21	26	39	47	48	94	112	138	111	-
1996.....	31	26	43	42	62	100	98	112	145	-
1995.....	29	32	38	54	83	100	123	140	128	-
1994.....	36	24	39	59	91	107	131	119	168	2
1993.....	34	56	50	58	103	126	145	163	136	1
1992.....	34	31	57	81	79	154	138	136	161	-
1991.....	29	44	53	74	101	115	142	155	141	-
1990.....	33	50	54	90	116	138	138	141	151	-
1989.....	37	35	58	96	129	144	156	177	185	1
1988.....	40	44	73	99	113	162	171	164	187	1
1987.....	32	54	68	115	121	143	142	140	147	2
1986.....	36	45	72	100	113	132	167	132	160	1
1985.....	32	53	75	110	129	143	167	156	144	1
1984.....	33	45	84	93	124	145	154	150	135	-
1983.....	37	56	90	97	145	159	164	147	156	-
1982.....	22	69	82	99	140	155	194	130	176	1
1981.....	36	66	98	130	147	175	153	177	158	-
1980.....	34	77	98	129	177	195	178	142	173	1
1979.....	57	64	114	110	181	178	186	150	174	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
TUBERCULOSIS (010-018)										
WHITE MALE										
1998.....	15	21	29	39	33	43	55	62	48	-
1997.....	15	18	25	34	28	44	52	67	58	-
1996.....	21	21	36	28	43	62	59	56	63	-
1995.....	20	21	23	44	53	56	68	78	62	-
1994.....	22	15	23	40	63	66	70	56	87	2
1993.....	26	40	36	46	73	84	79	85	56	1
1992.....	28	26	47	59	45	101	75	70	73	-
1991.....	26	27	43	59	61	62	77	82	71	-
1990.....	26	37	39	57	70	85	80	81	72	-
1989.....	28	27	43	62	89	92	91	88	99	1
1988.....	34	35	56	76	77	100	101	82	86	1
1987.....	24	40	52	82	76	100	92	88	86	2
1986.....	26	36	54	63	74	90	96	75	84	1
1985.....	27	43	56	85	78	73	93	98	81	1
1984.....	27	34	62	69	83	98	91	86	78	-
1983.....	29	42	68	67	101	105	94	82	88	-
1982.....	18	54	65	72	99	100	125	78	87	-
1981.....	30	52	72	96	100	122	97	107	80	-
1980.....	24	56	80	96	129	132	106	94	108	1
1979.....	44	51	79	78	138	134	138	95	99	-
WHITE FEMALE										
1998.....	6	8	11	16	22	39	40	46	76	-
1997.....	6	8	14	13	20	50	60	71	53	-
1996.....	10	5	7	14	19	38	39	56	82	-
1995.....	9	11	15	10	30	44	55	62	66	-
1994.....	14	9	16	19	28	41	61	63	81	-
1993.....	8	16	14	12	30	42	66	78	80	-
1992.....	6	5	10	22	34	53	63	66	88	-
1991.....	3	17	10	15	40	53	65	73	70	-
1990.....	7	13	15	33	46	53	58	60	79	-
1989.....	9	8	15	34	40	52	65	89	86	-
1988.....	6	9	17	23	36	62	70	82	101	-
1987.....	8	14	16	33	45	43	50	52	61	-
1986.....	10	9	18	37	39	42	71	57	76	-
1985.....	5	10	19	25	51	70	74	58	63	-
1984.....	6	11	22	24	41	47	63	64	57	-
1983.....	8	14	22	30	44	54	70	65	68	-
1982.....	4	15	17	27	41	55	69	52	89	1
1981.....	6	14	26	34	47	53	56	70	78	-
1980.....	10	21	18	33	48	63	72	48	65	-
1979.....	13	13	35	32	43	44	48	55	75	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TUBERCULOSIS (010-018)										
ALL OTHER, BOTH SEXES										
1998.....	37	27	20	36	40	52	39	38	53	-
1997.....	43	35	34	37	42	50	51	52	50	-
1996.....	37	35	28	54	37	46	51	48	47	-
1995.....	47	35	32	33	59	58	49	47	59	1
1994.....	49	43	55	51	56	59	57	50	53	-
1993.....	51	51	50	51	65	56	65	45	61	-
1992.....	52	43	46	58	73	72	60	48	54	-
1991.....	51	50	57	70	58	55	57	57	57	-
1990.....	63	42	63	62	67	61	72	55	58	-
1989.....	72	57	67	49	79	74	81	52	57	1
1988.....	61	50	51	55	69	60	63	55	69	1
1987.....	55	35	46	55	58	67	69	62	48	1
1986.....	39	63	42	65	72	56	63	54	51	2
1985.....	49	49	59	55	57	60	56	51	55	-
1984.....	45	54	63	62	68	69	51	50	41	1
1983.....	51	54	62	57	53	79	57	49	56	3
1982.....	40	46	76	68	67	71	71	45	55	-
1981.....	56	64	73	70	86	68	61	55	45	-
1980.....	55	77	74	63	72	98	58	58	41	1
1979.....	58	84	86	67	70	65	63	39	43	-
ALL OTHER MALE										
1998.....	25	17	11	21	25	33	28	23	36	-
1997.....	24	23	25	22	24	30	25	31	28	-
1996.....	27	23	19	36	24	28	28	39	24	-
1995.....	37	26	25	23	40	35	28	27	31	1
1994.....	32	31	40	36	37	30	37	32	23	-
1993.....	42	39	32	33	38	29	41	29	34	-
1992.....	44	33	32	42	46	46	45	29	21	-
1991.....	36	39	44	41	33	32	36	35	29	-
1990.....	47	29	42	43	45	37	51	36	34	-
1989.....	57	37	53	33	54	46	50	32	32	1
1988.....	46	40	34	35	47	45	42	28	37	1
1987.....	40	28	35	41	36	38	46	34	23	1
1986.....	31	54	29	37	45	29	40	35	23	2
1985.....	40	36	46	35	38	36	33	28	35	-
1984.....	32	45	48	39	45	44	33	27	23	1
1983.....	40	42	48	40	38	54	35	35	31	2
1982.....	33	36	59	48	37	52	44	27	26	-
1981.....	42	37	51	49	64	50	43	35	29	-
1980.....	35	57	50	48	51	62	35	38	23	1
1979.....	37	54	54	51	48	46	41	19	23	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
TUBERCULOSIS (010-018)										
ALL OTHER FEMALE										
1998.....	12	10	9	15	15	19	11	15	17	-
1997.....	19	12	9	15	18	20	26	21	22	-
1996.....	10	12	9	18	13	18	23	9	23	-
1995.....	10	9	7	10	19	23	21	20	28	-
1994.....	17	12	15	15	19	29	20	18	30	-
1993.....	9	12	18	18	27	27	24	16	27	-
1992.....	8	10	14	16	27	26	15	19	33	-
1991.....	15	11	13	29	25	23	21	22	28	-
1990.....	16	13	21	19	22	24	21	19	24	-
1989.....	15	20	14	16	25	28	31	20	25	-
1988.....	15	10	17	20	22	15	21	27	32	-
1987.....	15	7	11	14	22	29	23	28	25	-
1986.....	8	9	13	28	27	27	23	19	28	-
1985.....	9	13	13	20	19	24	23	23	20	-
1984.....	13	9	15	23	23	25	18	23	18	-
1983.....	11	12	14	17	15	25	22	14	25	1
1982.....	7	10	17	20	30	19	27	18	29	-
1981.....	14	27	22	21	22	18	18	20	16	-
1980.....	20	20	24	15	21	36	23	20	18	-
1979.....	21	30	32	16	22	19	22	20	20	-
BLACK, BOTH SEXES										
1998.....	33	20	18	32	30	40	26	28	40	-
1997.....	32	32	25	27	29	36	31	33	32	-
1996.....	32	30	22	41	26	33	36	31	34	-
1995.....	44	32	22	29	46	40	33	34	42	1
1994.....	38	36	44	41	44	46	42	36	39	-
1993.....	46	44	39	41	55	42	51	30	49	-
1992.....	45	39	40	50	54	58	46	41	45	-
1991.....	50	46	45	58	47	45	40	36	38	-
1990.....	59	32	55	50	54	47	56	46	48	-
1989.....	62	54	54	38	68	62	63	40	49	1
1988.....	56	42	42	45	61	51	45	43	54	1
1987.....	51	29	43	49	47	50	58	43	39	1
1986.....	38	58	34	54	68	49	49	41	42	2
1985.....	45	49	57	51	51	51	45	39	46	-
1984.....	42	52	59	55	62	62	43	42	32	1
1983.....	50	51	53	52	45	65	46	38	49	2
1982.....	35	39	71	65	58	63	57	31	46	-
1981.....	54	61	68	64	72	61	53	46	40	-
1980.....	50	72	67	60	66	87	48	52	33	1
1979.....	55	76	81	62	61	54	54	32	37	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
TUBERCULOSIS (010-018)										
BLACK MALE										
1998.....	23	13	11	19	18	26	18	14	26	-
1997.....	19	21	19	17	18	23	15	18	14	-
1996.....	25	20	15	26	19	21	23	24	15	-
1995.....	35	25	18	20	33	24	19	22	18	1
1994.....	27	28	31	30	30	24	28	24	18	-
1993.....	38	37	28	28	31	23	31	19	27	-
1992.....	39	31	28	38	36	39	35	26	17	-
1991.....	35	37	36	38	28	24	27	21	18	-
1990.....	44	22	38	37	34	27	40	29	28	-
1989.....	49	35	45	23	47	39	36	24	29	1
1988.....	43	34	29	31	43	40	29	20	26	1
1987.....	38	24	32	39	31	32	37	22	19	1
1986.....	30	52	26	30	44	24	30	25	20	2
1985.....	39	36	45	32	35	29	27	21	31	-
1984.....	30	44	45	36	42	40	27	23	17	1
1983.....	40	39	41	37	34	44	31	27	26	2
1982.....	29	33	56	46	31	48	36	20	22	-
1981.....	41	35	47	45	57	45	37	29	25	-
1980.....	35	57	48	46	47	57	27	36	19	1
1979.....	37	51	52	49	44	37	35	14	17	-
BLACK FEMALE										
1998.....	10	7	7	13	12	14	8	14	14	-
1997.....	13	11	6	10	11	13	16	15	18	-
1996.....	7	10	7	15	7	12	13	7	19	-
1995.....	9	7	4	9	13	16	14	12	24	-
1994.....	11	8	13	11	14	22	14	12	21	-
1993.....	8	7	11	13	24	19	20	11	22	-
1992.....	6	8	12	12	18	19	11	15	28	-
1991.....	15	9	9	20	19	21	13	15	20	-
1990.....	15	10	17	13	20	20	16	17	20	-
1989.....	13	19	9	15	21	23	27	16	20	-
1988.....	13	8	13	14	18	11	16	23	28	-
1987.....	13	5	11	10	16	18	21	21	20	-
1986.....	8	6	8	24	24	25	19	16	22	-
1985.....	6	13	12	19	16	22	18	18	15	-
1984.....	12	8	14	19	20	22	16	19	15	-
1983.....	10	12	12	15	11	21	15	11	23	-
1982.....	6	6	15	19	27	15	21	11	24	-
1981.....	13	26	21	19	15	16	16	17	15	-
1980.....	15	15	19	14	19	30	21	16	14	-
1979.....	18	25	29	13	17	17	19	18	20	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)										
TOTAL, BOTH SEXES										
1998.....	48	36	35	68	69	100	104	114	145	-
1997.....	44	44	49	63	63	113	124	151	136	-
1996.....	46	47	58	66	75	105	121	125	161	-
1995.....	56	47	54	73	116	123	138	150	162	1
1994.....	62	44	57	85	109	124	159	137	194	2
1993.....	70	84	78	84	140	153	157	165	172	1
1992.....	65	56	80	118	109	187	162	158	171	-
1991.....	62	76	83	119	118	137	149	171	161	-
1990.....	68	61	79	112	146	161	176	159	174	-
1989.....	80	67	100	110	167	174	184	192	210	1
1988.....	83	71	97	119	144	179	177	190	215	1
1987.....	64	73	89	145	147	173	172	168	167	2
1986.....	57	85	91	135	151	152	191	152	181	3
1985.....	60	82	110	134	149	158	176	173	169	1
1984.....	65	77	119	124	157	164	168	158	148	-
1983.....	66	102	113	131	168	186	178	161	176	1
1982.....	51	93	129	139	178	184	219	140	198	-
1981.....	69	106	146	168	205	197	179	192	169	-
1980.....	70	129	148	165	209	243	201	167	185	2
1979.....	92	123	172	149	208	207	215	152	177	-
TOTAL, MALE										
1998.....	35	30	27	50	44	59	67	75	73	-
1997.....	28	31	38	46	39	65	62	85	78	-
1996.....	31	37	48	51	54	69	76	79	79	-
1995.....	44	37	41	60	81	78	81	92	85	1
1994.....	44	32	44	65	77	81	94	73	100	2
1993.....	57	67	56	68	94	98	99	95	78	1
1992.....	61	51	65	86	71	127	99	86	77	-
1991.....	50	57	64	86	78	80	88	99	85	-
1990.....	55	43	57	79	94	102	114	98	92	-
1989.....	67	51	81	77	120	112	117	103	117	1
1988.....	68	59	80	94	106	117	114	99	102	1
1987.....	49	56	74	108	95	121	118	108	98	2
1986.....	44	75	70	89	101	102	121	92	89	3
1985.....	51	65	87	105	95	90	104	110	99	1
1984.....	52	65	90	89	110	120	107	98	83	-
1983.....	57	80	92	96	119	130	112	98	103	1
1982.....	43	76	110	105	120	128	142	83	102	-
1981.....	54	78	108	125	152	151	119	126	94	-
1980.....	54	96	112	127	158	162	126	122	114	2
1979.....	70	91	122	118	161	161	161	100	106	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, FEMALE										
1998.....	13	6	8	18	25	41	37	39	72	-
1997.....	16	13	11	17	24	48	62	66	58	-
1996.....	15	10	10	15	21	36	45	46	82	-
1995.....	12	10	13	13	35	45	57	58	77	-
1994.....	18	12	13	20	32	43	65	64	94	-
1993.....	13	17	22	16	46	55	58	70	94	-
1992.....	4	5	15	32	38	60	63	72	94	-
1991.....	12	19	19	33	40	57	61	72	76	-
1990.....	13	18	22	33	52	59	62	61	82	-
1989.....	13	16	19	33	47	62	67	89	93	-
1988.....	15	12	17	25	38	62	63	91	113	-
1987.....	15	17	15	37	52	52	54	60	69	-
1986.....	13	10	21	46	50	50	70	60	92	-
1985.....	9	17	23	29	54	68	72	63	70	-
1984.....	13	12	29	35	47	44	61	60	65	-
1983.....	9	22	21	35	49	56	66	63	73	-
1982.....	8	17	19	34	58	56	77	57	96	-
1981.....	15	28	38	43	53	46	60	66	75	-
1980.....	16	33	36	38	51	81	75	45	71	-
1979.....	22	32	50	31	47	46	54	52	71	-
WHITE, BOTH SEXES										
1998.....	16	20	21	42	44	58	75	83	103	-
1997.....	13	19	26	34	33	75	86	112	99	-
1996.....	21	18	35	27	47	72	82	85	120	-
1995.....	19	20	28	48	64	82	104	119	109	-
1994.....	25	12	27	43	74	81	108	97	148	2
1993.....	28	45	41	42	84	104	112	130	120	1
1992.....	26	24	43	69	56	128	114	118	128	-
1991.....	20	30	41	62	78	90	110	126	116	-
1990.....	24	37	38	68	93	112	116	118	129	-
1989.....	27	27	46	75	108	120	126	149	162	1
1988.....	35	33	62	82	92	132	137	147	159	1
1987.....	25	47	57	105	100	119	118	126	125	2
1986.....	27	36	55	83	96	111	137	108	135	1
1985.....	27	44	63	90	106	113	134	125	126	1
1984.....	28	31	66	76	99	114	129	115	117	-
1983.....	27	53	72	84	126	130	135	122	133	-
1982.....	20	57	69	87	124	134	162	105	153	-
1981.....	29	56	83	116	134	142	131	147	134	-
1980.....	27	65	86	113	151	167	154	123	149	1
1979.....	48	57	102	95	159	157	164	121	144	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)

WHITE MALE

1998.....	13	17	17	33	27	32	44	53	43	-
1997.....	10	13	20	26	20	39	41	60	54	-
1996.....	14	16	31	21	35	50	52	45	58	-
1995.....	15	15	20	40	45	49	59	69	55	-
1994.....	18	7	19	33	53	56	62	46	79	2
1993.....	22	34	30	38	60	71	67	73	47	1
1992.....	23	22	38	51	36	86	61	62	60	-
1991.....	18	20	33	50	51	51	64	70	60	-
1990.....	19	27	29	46	61	72	70	70	65	-
1989.....	23	22	35	52	77	78	77	77	87	1
1988.....	30	28	52	64	66	80	84	76	72	1
1987.....	18	35	46	75	66	88	80	84	76	2
1986.....	21	30	46	56	64	77	85	64	68	1
1985.....	24	35	48	73	64	62	81	83	70	1
1984.....	24	26	47	58	71	84	81	74	66	-
1983.....	25	40	56	61	88	91	80	68	76	-
1982.....	16	46	56	65	89	89	105	62	80	-
1981.....	23	48	65	85	95	106	85	96	72	-
1980.....	22	46	70	85	113	115	97	90	93	1
1979.....	40	46	73	71	121	124	125	82	86	-

WHITE FEMALE

1998.....	3	3	4	9	17	26	31	30	60	-
1997.....	3	6	6	8	13	36	45	52	45	-
1996.....	7	2	4	6	12	22	30	40	62	-
1995.....	4	5	8	8	19	33	45	50	54	-
1994.....	7	5	8	10	21	25	46	51	69	-
1993.....	6	11	11	4	24	33	45	57	73	-
1992.....	3	2	5	18	20	42	53	56	68	-
1991.....	2	10	8	12	27	39	46	56	56	-
1990.....	5	10	9	22	32	40	46	48	64	-
1989.....	4	5	11	23	31	42	49	72	75	-
1988.....	5	5	10	18	26	52	53	71	87	-
1987.....	7	12	11	30	34	31	38	42	49	-
1986.....	6	6	9	27	32	34	52	44	67	-
1985.....	3	9	15	17	42	51	53	42	56	-
1984.....	4	5	19	18	28	30	48	41	51	-
1983.....	2	13	16	23	38	39	55	54	57	-
1982.....	4	11	13	22	35	45	57	43	73	-
1981.....	6	8	18	31	39	36	46	51	62	-
1980.....	5	19	16	28	38	52	57	33	56	-
1979.....	8	11	29	24	38	33	39	39	58	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)

ALL OTHER, BOTH SEXES

1998.....	32	16	14	26	25	42	29	31	42	-
1997.....	31	25	23	29	30	38	38	39	37	-
1996.....	25	29	23	39	28	33	39	40	41	-
1995.....	37	27	26	25	52	41	34	31	53	1
1994.....	37	32	30	42	35	43	51	40	46	-
1993.....	42	39	37	42	56	49	45	35	52	-
1992.....	39	32	37	49	53	59	48	40	43	-
1991.....	42	46	42	57	40	47	39	45	45	-
1990.....	44	24	41	44	53	49	60	41	45	-
1989.....	53	40	54	35	59	54	58	43	48	-
1988.....	48	38	35	37	52	47	40	43	56	-
1987.....	39	26	32	40	47	54	54	42	42	-
1986.....	30	49	36	52	55	41	54	44	46	2
1985.....	33	38	47	44	43	45	42	48	43	-
1984.....	37	46	53	48	58	50	39	43	31	-
1983.....	39	49	41	47	42	56	43	39	43	1
1982.....	31	36	60	52	54	50	57	35	45	-
1981.....	40	50	63	52	71	55	48	45	35	-
1980.....	43	64	62	52	58	76	47	44	36	1
1979.....	44	66	70	54	49	50	51	31	33	-

ALL OTHER MALE

1998.....	22	13	10	17	17	27	23	22	30	-
1997.....	18	18	18	20	19	26	21	25	24	-
1996.....	17	21	17	30	19	19	24	34	21	-
1995.....	29	22	21	20	36	29	22	23	30	1
1994.....	26	25	25	32	24	25	32	27	21	-
1993.....	35	33	26	30	34	27	32	22	31	-
1992.....	38	29	27	35	35	41	38	24	17	-
1991.....	32	37	31	36	27	29	24	29	25	-
1990.....	36	16	28	33	33	30	44	28	27	-
1989.....	44	29	46	25	43	34	40	26	30	-
1988.....	38	31	28	30	40	37	30	23	30	-
1987.....	31	21	28	33	29	33	38	24	22	-
1986.....	23	45	24	33	37	25	36	28	21	2
1985.....	27	30	39	32	31	28	23	27	29	-
1984.....	28	39	43	31	39	36	26	24	17	-
1983.....	32	40	36	35	31	39	32	30	27	1
1982.....	27	30	54	40	31	39	37	21	22	-
1981.....	31	30	43	40	57	45	34	30	22	-
1980.....	32	50	42	42	45	47	29	32	21	1
1979.....	30	45	49	47	40	37	36	18	20	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)

ALL OTHER FEMALE	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
1998.....	10	3	4	9	8	15	6	9	12	-
1997.....	13	7	5	9	11	12	17	14	13	-
1996.....	8	8	6	9	9	14	15	6	20	-
1995.....	8	5	5	5	16	12	12	8	23	-
1994.....	11	7	5	10	11	18	19	13	25	-
1993.....	7	6	11	12	22	22	13	13	21	-
1992.....	1	3	10	14	18	18	10	16	26	-
1991.....	10	9	11	21	13	18	15	16	20	-
1990.....	8	8	13	11	20	19	16	13	18	-
1989.....	9	11	8	10	16	20	18	17	18	-
1988.....	10	7	7	7	12	10	10	20	26	-
1987.....	8	5	4	7	18	21	16	18	20	-
1986.....	7	4	12	19	18	16	18	16	25	-
1985.....	6	8	8	12	12	17	19	21	14	-
1984.....	9	7	10	17	19	14	13	19	14	-
1983.....	7	9	5	12	11	17	11	9	16	-
1982.....	4	6	6	12	23	11	20	14	23	-
1981.....	9	20	20	12	14	10	14	15	13	-
1980.....	11	14	20	10	13	29	18	12	15	-
1979.....	14	21	21	7	9	13	15	13	13	-
BLACK, BOTH SEXES	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
1998.....	28	12	12	23	20	30	21	22	32	-
1997.....	23	23	17	21	22	26	25	25	22	-
1996.....	23	25	19	30	20	23	30	24	31	-
1995.....	36	25	17	21	40	27	21	23	36	1
1994.....	29	28	24	35	29	32	38	28	33	-
1993.....	38	36	32	33	47	35	32	20	40	-
1992.....	37	29	31	42	43	47	37	33	35	-
1991.....	41	43	33	50	32	39	26	27	28	-
1990.....	41	20	37	36	43	39	48	33	38	-
1989.....	48	40	44	27	53	45	42	33	44	-
1988.....	45	33	27	31	46	41	31	32	42	-
1987.....	37	22	29	37	40	40	46	27	34	-
1986.....	29	47	28	44	52	36	41	35	38	2
1985.....	31	38	45	40	41	36	36	37	35	-
1984.....	34	45	49	41	52	45	33	35	24	-
1983.....	39	46	34	43	34	46	36	32	36	1
1982.....	26	33	55	50	48	45	44	23	40	-
1981.....	40	47	59	47	60	50	41	39	31	-
1980.....	40	61	56	50	54	67	39	39	29	1
1979.....	41	63	67	50	44	43	44	25	28	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)

BLACK MALE

1998.....	20	10	10	16	13	20	17	14	22	-
1997.....	14	16	13	16	15	20	13	15	11	-
1996.....	17	19	14	22	14	14	19	20	13	-
1995.....	28	21	15	17	30	20	14	18	17	1
1994.....	22	24	20	26	20	20	25	20	16	-
1993.....	32	32	23	26	28	21	23	12	24	-
1992.....	36	27	23	32	30	34	30	21	13	-
1991.....	31	36	26	35	23	22	18	17	16	-
1990.....	33	12	27	29	25	23	36	22	23	-
1989.....	40	29	41	18	38	27	27	20	27	-
1988.....	35	27	23	26	36	33	22	15	20	-
1987.....	30	18	25	32	26	28	31	15	18	-
1986.....	22	44	21	28	36	21	26	21	18	2
1985.....	27	30	38	29	29	21	20	21	25	-
1984.....	26	38	40	28	36	32	22	20	12	-
1983.....	32	37	30	32	27	31	29	25	22	1
1982.....	23	28	51	39	27	35	29	15	19	-
1981.....	31	28	39	36	51	41	29	25	18	-
1980.....	32	50	41	41	42	43	22	30	18	1
1979.....	30	44	48	45	36	31	31	13	15	-

BLACK FEMALE

1998.....	8	2	2	7	7	10	4	8	10	-
1997.....	9	7	4	5	7	6	12	10	11	-
1996.....	6	6	5	8	6	9	11	4	18	-
1995.....	8	4	2	4	10	7	7	5	19	-
1994.....	7	4	4	9	9	12	13	8	17	-
1993.....	6	4	9	7	19	14	9	8	16	-
1992.....	1	2	8	10	13	13	7	12	22	-
1991.....	10	7	7	15	9	17	8	10	12	-
1990.....	8	8	10	7	18	16	12	11	15	-
1989.....	8	11	3	9	15	18	15	13	17	-
1988.....	10	6	4	5	10	8	9	17	22	-
1987.....	7	4	4	5	14	12	15	12	16	-
1986.....	7	3	7	16	16	15	15	14	20	-
1985.....	4	8	7	11	12	15	16	16	10	-
1984.....	8	7	9	13	16	13	11	15	12	-
1983.....	7	9	4	11	7	15	7	7	14	-
1982.....	3	5	4	11	21	10	15	8	21	-
1981.....	9	19	20	11	9	9	12	14	13	-
1980.....	8	11	15	9	12	24	17	9	11	-
1979.....	11	19	19	5	8	12	13	12	13	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER TUBERCULOSIS (013-018)	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, BOTH SEXES										
1998.....	10	20	25	23	26	34	30	32	32	-
1997.....	20	17	24	21	27	31	39	39	25	-
1996.....	22	14	13	30	24	41	28	35	31	-
1995.....	20	20	16	14	26	35	34	37	25	-
1994.....	23	23	37	25	38	42	29	32	27	-
1993.....	15	23	22	25	28	29	53	43	25	-
1992.....	21	18	23	21	43	39	36	26	44	-
1991.....	18	18	27	25	41	33	50	41	37	-
1990.....	28	31	38	40	37	38	34	37	35	-
1989.....	29	25	25	35	41	44	53	37	32	1
1988.....	18	23	27	35	38	43	57	29	41	1
1987.....	23	16	25	25	32	37	39	34	28	1
1986.....	18	23	23	30	34	36	39	34	30	-
1985.....	21	20	24	31	37	45	47	34	30	-
1984.....	13	22	28	31	35	50	37	42	28	1
1983.....	22	8	39	23	30	52	43	35	36	2
1982.....	11	22	29	28	29	42	46	35	33	1
1981.....	23	24	25	32	28	46	35	40	34	-
1980.....	19	25	24	27	40	50	35	33	29	-
1979.....	23	25	28	28	43	36	34	37	40	-
TOTAL, MALE										
1998.....	5	8	13	10	14	17	16	10	11	-
1997.....	11	10	12	10	13	9	15	13	8	-
1996.....	17	7	7	13	13	21	11	16	8	-
1995.....	13	10	7	7	12	13	15	13	8	-
1994.....	10	14	19	11	23	15	13	15	10	-
1993.....	11	12	12	11	17	15	21	19	12	-
1992.....	11	8	14	15	20	20	21	13	17	-
1991.....	12	9	23	14	16	14	25	18	15	-
1990.....	18	23	24	21	21	20	17	19	14	-
1989.....	18	13	15	18	23	26	24	17	14	1
1988.....	12	16	10	17	18	28	29	11	21	1
1987.....	15	12	13	15	17	17	20	14	11	1
1986.....	13	15	13	11	18	17	15	18	18	-
1985.....	16	14	15	15	21	19	22	16	17	-
1984.....	7	14	20	19	18	22	17	15	18	1
1983.....	12	4	24	11	20	29	17	19	16	1
1982.....	8	14	14	15	16	24	27	22	11	-
1981.....	18	11	15	20	12	21	21	16	15	-
1980.....	5	17	18	17	22	32	15	10	17	-
1979.....	11	14	11	11	25	19	18	14	16	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER TUBERCULOSIS (013-018)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, FEMALE										
1998.....	5	12	12	13	12	17	14	22	21	-
1997.....	9	7	12	11	14	22	24	26	17	-
1996.....	5	7	6	17	11	20	17	19	23	-
1995.....	7	10	9	7	14	22	19	24	17	-
1994.....	13	9	18	14	15	27	16	17	17	-
1993.....	4	11	10	14	11	14	32	24	13	-
1992.....	10	10	9	6	23	19	15	13	27	-
1991.....	6	9	4	11	25	19	25	23	22	-
1990.....	10	8	14	19	16	18	17	18	21	-
1989.....	11	12	10	17	18	18	29	20	18	-
1988.....	6	7	17	18	20	15	28	18	20	-
1987.....	8	4	12	10	15	20	19	20	17	-
1986.....	5	8	10	19	16	19	24	16	12	-
1985.....	5	6	9	16	16	26	25	18	13	-
1984.....	6	8	8	12	17	28	20	27	10	-
1983.....	10	4	15	12	10	23	26	16	20	1
1982.....	3	8	15	13	13	18	19	13	22	1
1981.....	5	13	10	12	16	25	14	24	19	-
1980.....	14	8	6	10	18	18	20	23	12	-
1979.....	12	11	17	17	18	17	16	23	24	-
WHITE, BOTH SEXES										
1998.....	5	9	19	13	11	24	20	25	21	-
1997.....	8	7	13	13	15	19	26	26	12	-
1996.....	10	8	8	15	15	28	16	27	25	-
1995.....	10	12	10	6	19	18	19	21	19	-
1994.....	11	12	12	16	17	26	23	22	20	-
1993.....	6	11	9	16	19	22	33	33	16	-
1992.....	8	7	14	12	23	26	24	18	33	-
1991.....	9	14	12	12	23	25	32	29	25	-
1990.....	9	13	16	22	23	26	22	23	22	-
1989.....	10	8	12	21	21	24	30	28	23	-
1988.....	5	11	11	17	21	30	34	17	28	-
1987.....	7	7	11	10	21	24	24	14	22	-
1986.....	9	9	17	17	17	21	30	24	25	-
1985.....	5	9	12	20	23	30	33	31	18	-
1984.....	5	14	18	17	25	31	25	35	18	-
1983.....	10	3	18	13	19	29	29	25	23	-
1982.....	2	12	13	12	16	21	32	25	23	1
1981.....	7	10	15	14	13	33	22	30	24	-
1980.....	7	12	12	16	26	28	24	19	24	-
1979.....	9	7	12	15	22	21	22	29	30	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER TUBERCULOSIS (013-018)	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
WHITE MALE										
1998.....	2	4	12	6	6	11	11	9	5	-
1997.....	5	5	5	8	8	5	11	7	4	-
1996.....	7	5	5	7	8	12	7	11	5	-
1995.....	5	6	3	4	8	7	9	9	7	-
1994.....	4	8	4	7	10	10	8	10	8	-
1993.....	4	6	6	8	13	13	12	12	9	-
1992.....	5	4	9	8	9	15	14	8	13	-
1991.....	8	7	10	9	10	11	13	12	11	-
1990.....	7	10	10	11	9	13	10	11	7	-
1989.....	5	5	8	10	12	14	14	11	12	-
1988.....	4	7	4	12	11	20	17	6	14	-
1987.....	6	5	6	7	10	12	12	4	10	-
1986.....	5	6	8	7	10	13	11	11	16	-
1985.....	3	8	8	12	14	11	12	15	11	-
1984.....	3	8	15	11	12	14	10	12	12	-
1983.....	4	2	12	6	13	14	14	14	12	-
1982.....	2	8	9	7	10	11	20	16	7	-
1981.....	7	4	7	11	5	16	12	11	8	-
1980.....	2	10	10	11	16	17	9	4	15	-
1979.....	4	5	6	7	17	10	13	13	13	-
WHITE FEMALE										
1998.....	3	5	7	7	5	13	9	16	16	-
1997.....	3	2	8	5	7	14	15	19	8	-
1996.....	3	3	3	8	7	16	9	16	20	-
1995.....	5	6	7	2	11	11	10	12	12	-
1994.....	7	4	8	9	7	16	15	12	12	-
1993.....	2	5	3	8	6	9	21	21	7	-
1992.....	3	3	5	4	14	11	10	10	20	-
1991.....	1	7	2	3	13	14	19	17	14	-
1990.....	2	3	6	11	14	13	12	12	15	-
1989.....	5	3	4	11	9	10	16	17	11	-
1988.....	1	4	7	5	10	10	17	11	14	-
1987.....	1	2	5	3	11	12	12	10	12	-
1986.....	4	3	9	10	7	8	19	13	9	-
1985.....	2	1	4	8	9	19	21	16	7	-
1984.....	2	6	3	6	13	17	15	23	6	-
1983.....	6	1	6	7	6	15	15	11	11	-
1982.....	-	4	4	5	6	10	12	9	16	1
1981.....	-	6	8	3	8	17	10	19	16	-
1980.....	5	2	2	5	10	11	15	15	9	-
1979.....	5	2	6	8	5	11	9	16	17	-

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER TUBERCULOSIS (013-018)	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

ALL OTHER, BOTH SEXES

1998.....	5	11	6	10	15	10	10	7	11	-
1997.....	12	10	11	8	12	12	13	13	13	-
1996.....	12	6	5	15	9	13	12	8	6	-
1995.....	10	8	6	8	7	17	15	16	6	-
1994.....	12	11	25	9	21	16	6	10	7	-
1993.....	9	12	13	9	9	7	20	10	9	-
1992.....	13	11	9	9	20	13	12	8	11	-
1991.....	9	4	15	13	18	8	18	12	12	-
1990.....	19	18	22	18	14	12	12	14	13	-
1989.....	19	17	13	14	20	20	23	9	9	1
1988.....	13	12	16	18	17	13	23	12	13	1
1987.....	16	9	14	15	11	13	15	20	6	1
1986.....	9	14	6	13	17	15	9	10	5	-
1985.....	16	11	12	11	14	15	14	3	12	-
1984.....	8	8	10	14	10	19	12	7	10	1
1983.....	12	5	21	10	11	23	14	10	13	2
1982.....	9	10	16	16	13	21	14	10	10	-
1981.....	16	14	10	18	15	13	13	10	10	-
1980.....	12	13	12	11	14	22	11	14	5	-
1979.....	14	18	16	13	21	15	12	8	10	-

ALL OTHER MALE

1998.....	3	4	1	4	8	6	5	1	6	-
1997.....	6	5	7	2	5	4	4	6	4	-
1996.....	10	2	2	6	5	9	4	5	3	-
1995.....	8	4	4	3	4	6	6	4	1	-
1994.....	6	6	15	4	13	5	5	5	2	-
1993.....	7	6	6	3	4	2	9	7	3	-
1992.....	6	4	5	7	11	5	7	5	4	-
1991.....	4	2	13	5	6	3	12	6	4	-
1990.....	11	13	14	10	12	7	7	8	7	-
1989.....	13	8	7	8	11	12	10	6	2	1
1988.....	8	9	6	5	7	8	12	5	7	1
1987.....	9	7	7	8	7	5	8	10	1	1
1986.....	8	9	5	4	8	4	4	7	2	-
1985.....	13	6	7	3	7	8	10	1	6	-
1984.....	4	6	5	8	6	8	7	3	6	1
1983.....	8	2	12	5	7	15	3	5	4	1
1982.....	6	6	5	8	6	13	7	6	4	-
1981.....	11	7	8	9	7	5	9	5	7	-
1980.....	3	7	8	6	6	15	6	6	2	-
1979.....	7	9	5	4	8	9	5	1	3	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER TUBERCULOSIS (013-018)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER FEMALE										
1998.....	2	7	5	6	7	4	5	6	5	-
1997.....	6	5	4	6	7	8	9	7	9	-
1996.....	2	4	3	9	4	4	8	3	3	-
1995.....	2	4	2	5	3	11	9	12	5	-
1994.....	6	5	10	5	8	11	1	5	5	-
1993.....	2	6	7	6	5	5	11	3	6	-
1992.....	7	7	4	2	9	8	5	3	7	-
1991.....	5	2	2	8	12	5	6	6	8	-
1990.....	8	5	8	8	2	5	5	6	6	-
1989.....	6	9	6	6	9	8	13	3	7	-
1988.....	5	3	10	13	10	5	11	7	6	-
1987.....	7	2	7	7	4	8	7	10	5	-
1986.....	1	5	1	9	9	11	5	3	3	-
1985.....	3	5	5	8	7	7	4	2	6	-
1984.....	4	2	5	6	4	11	5	4	4	-
1983.....	4	3	9	5	4	8	11	5	9	1
1982.....	3	4	11	8	7	8	7	4	6	-
1981.....	5	7	2	9	8	8	4	5	3	-
1980.....	9	6	4	5	8	7	5	8	3	-
1979.....	7	9	11	9	13	6	7	7	7	-
BLACK, BOTH SEXES										
1998.....	5	8	6	9	10	10	5	6	8	-
1997.....	9	9	8	6	7	10	6	8	10	-
1996.....	9	5	3	11	6	10	6	7	3	-
1995.....	8	7	5	8	6	13	12	11	6	-
1994.....	9	8	20	6	15	14	4	8	6	-
1993.....	8	8	7	8	8	7	19	10	9	-
1992.....	8	10	9	8	11	11	9	8	10	-
1991.....	9	3	12	8	15	6	14	9	10	-
1990.....	18	12	18	14	11	8	8	13	10	-
1989.....	14	14	10	11	15	17	21	7	5	1
1988.....	11	9	15	14	15	10	14	11	12	1
1987.....	14	7	14	12	7	10	12	16	5	1
1986.....	9	11	6	10	16	13	8	6	4	-
1985.....	14	11	12	11	10	15	9	2	11	-
1984.....	8	7	10	14	10	17	10	7	8	1
1983.....	11	5	19	9	11	19	10	6	13	1
1982.....	9	6	16	15	10	18	13	8	6	-
1981.....	14	14	9	17	12	11	12	7	9	-
1980.....	10	11	11	10	12	20	9	13	4	-
1979.....	14	13	14	12	17	11	10	7	9	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER TUBERCULOSIS (013-018)	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

BLACK MALE

1998.....	3	3	1	3	5	6	1	-	4	-
1997.....	5	5	6	1	3	3	2	3	3	-
1996.....	8	1	1	4	5	7	4	4	2	-
1995.....	7	4	3	3	3	4	5	4	1	-
1994.....	5	4	11	4	10	4	3	4	2	-
1993.....	6	5	5	2	3	2	8	7	3	-
1992.....	3	4	5	6	6	5	5	5	4	-
1991.....	4	1	10	3	5	2	9	4	2	-
1990.....	11	10	11	8	9	4	4	7	5	-
1989.....	9	6	4	5	9	12	9	4	2	1
1988.....	8	7	6	5	7	7	7	5	6	1
1987.....	8	6	7	7	5	4	6	7	1	1
1986.....	8	8	5	2	8	3	4	4	2	-
1985.....	12	6	7	3	6	8	7	-	6	-
1984.....	4	6	5	8	6	8	5	3	5	1
1983.....	8	2	11	5	7	13	2	2	4	1
1982.....	6	5	5	7	4	13	7	5	3	-
1981.....	10	7	8	9	6	4	8	4	7	-
1980.....	3	7	7	5	5	14	5	6	1	-
1979.....	7	7	4	4	8	6	4	1	2	-

BLACK FEMALE

1998.....	2	5	5	6	5	4	4	6	4	-
1997.....	4	4	2	5	4	7	4	5	7	-
1996.....	1	4	2	7	1	3	2	3	1	-
1995.....	1	3	2	5	3	9	7	7	5	-
1994.....	4	4	9	2	5	10	1	4	4	-
1993.....	2	3	2	6	5	5	11	3	6	-
1992.....	5	6	4	2	5	6	4	3	6	-
1991.....	5	2	2	5	10	4	5	5	8	-
1990.....	7	2	7	6	2	4	4	6	5	-
1989.....	5	8	6	6	6	5	12	3	3	-
1988.....	3	2	9	9	8	3	7	6	6	-
1987.....	6	1	7	5	2	6	6	9	4	-
1986.....	1	3	1	8	8	10	4	2	2	-
1985.....	2	5	5	8	4	7	2	2	5	-
1984.....	4	1	5	6	4	9	5	4	3	-
1983.....	3	3	8	4	4	6	8	4	9	-
1982.....	3	1	11	8	6	5	6	3	3	-
1981.....	4	7	1	8	6	7	4	3	2	-
1980.....	7	4	4	5	7	6	4	7	3	-
1979.....	7	6	10	8	9	5	6	6	7	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

TOTAL, BOTH SEXES										
1998	-	-	-	1	2	-	1	-	-	-
1997	-	1	-	-	-	-	-	1	4	-
1996	1	1	1	3	-	1	-	1	2	-
1995	-	-	-	2	-	1	-	1	2	-
1994	1	-	-	-	2	-	2	-	-	-
1993	-	-	2	-	1	-	1	-	6	-
1992	-	-	-	-	1	2	-	-	1	-
1991	-	-	-	1	-	1	1	-	1	-
1990	-	2	1	-	-	2	1	1	3	-
1989	1	2	1	2	1	-	2	-	4	-
1988	-	1	1	1	1	2	1	1	2	-
1987	-	-	-	2	1	-	-	-	4	-
1986	1	2	-	2	-	-	-	1	3	-
1985	1	-	-	1	-	1	1	-	3	-
1984	1	2	1	-	1	1	1	1	-	-
1983	-	-	-	1	1	-	1	1	2	-
1982	1	1	-	1	1	-	1	1	6	-
1981	-	-	-	1	-	1	3	3	1	-
1980	-	1	1	2	1	-	1	3	3	-
1979	1	-	-	-	1	2	1	3	3	-
TOTAL, MALE										
1998	-	-	-	1	2	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	1	-
1996	1	1	1	2	-	-	-	-	2	-
1995	-	-	-	1	-	-	-	-	-	-
1994	-	-	-	-	-	-	2	-	-	-
1993	-	-	2	-	-	-	-	-	1	-
1992	-	-	-	-	-	1	-	-	-	-
1991	-	-	-	1	-	-	1	-	1	-
1990	-	1	1	-	-	1	-	-	-	-
1989	-	1	1	-	-	-	-	-	1	-
1988	-	1	-	-	-	1	1	-	-	-
1987	-	-	-	-	-	-	-	-	2	-
1986	-	2	-	1	-	-	-	-	1	-
1985	-	-	-	-	-	1	-	-	1	-
1984	-	-	1	-	1	-	-	1	-	-
1983	-	-	-	-	-	-	-	1	2	-
1982	1	1	-	-	-	-	1	-	3	-
1981	-	-	-	1	-	-	2	-	1	-
1980	-	-	1	-	1	-	-	1	1	-
1979	1	-	-	-	-	1	1	1	1	-

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

TOTAL, FEMALE

1998.....	-	-	-	-	-	-	1	-	-	-
1997.....	-	1	-	-	-	-	-	1	3	-
1996.....	-	-	-	1	-	1	-	1	-	-
1995.....	-	-	-	1	-	1	-	1	2	-
1994.....	1	-	-	-	2	-	-	-	-	-
1993.....	-	-	-	-	1	-	1	-	5	-
1992.....	-	-	-	-	1	1	-	-	1	-
1991.....	-	-	-	-	-	1	-	-	-	-
1990.....	-	1	-	-	-	1	1	1	3	-
1989.....	1	1	-	2	1	-	2	-	3	-
1988.....	-	-	1	1	1	1	-	1	2	-
1987.....	-	-	-	2	1	-	-	-	2	-
1986.....	1	-	-	1	-	-	-	1	2	-
1985.....	1	-	-	1	-	-	1	-	2	-
1984.....	1	2	-	-	-	1	1	-	-	-
1983.....	-	-	-	1	1	-	1	-	-	-
1982.....	-	-	-	1	1	-	-	1	3	-
1981.....	-	-	-	-	-	1	1	3	-	-
1980.....	-	1	-	2	-	-	1	2	2	-
1979.....	-	-	-	-	1	1	-	2	2	-

WHITE, BOTH SEXES

1998.....	-	-	-	1	2	-	1	-	-	-
1997.....	-	1	-	-	-	-	-	1	4	-
1996.....	-	1	-	3	-	1	-	1	2	-
1995.....	-	-	-	2	-	1	-	1	2	-
1994.....	1	-	-	-	2	-	2	-	-	-
1993.....	-	-	2	-	1	-	1	-	6	-
1992.....	-	-	-	-	1	1	-	-	1	-
1991.....	-	-	-	1	-	1	1	-	1	-
1990.....	-	2	1	-	-	2	1	1	3	-
1989.....	1	1	1	2	1	-	2	-	4	-
1988.....	-	1	-	1	1	2	1	1	2	-
1987.....	-	-	-	2	1	-	-	-	4	-
1986.....	-	2	-	2	-	-	-	1	3	-
1985.....	1	-	-	1	-	1	1	-	3	-
1984.....	1	2	1	-	1	1	-	1	-	-
1983.....	-	-	-	1	1	-	1	1	2	-
1982.....	-	-	-	1	1	-	1	1	6	-
1981.....	-	-	-	1	-	1	3	3	1	-
1980.....	-	1	-	2	1	-	1	3	3	-
1979.....	1	-	-	-	1	2	1	3	3	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

WHITE MALE

1998.....	-	-	-	1	2	-	-	-	-	-
1997.....	-	-	-	-	-	-	-	-	1	-
1996.....	-	1	-	2	-	-	-	-	2	-
1995.....	-	-	-	1	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	2	-	-	-
1993.....	-	-	2	-	-	-	-	-	1	-
1992.....	-	-	-	-	-	1	-	-	-	-
1991.....	-	-	-	1	-	-	1	-	1	-
1990.....	-	1	1	-	-	1	-	-	-	-
1989.....	-	-	1	-	-	-	-	-	1	-
1988.....	-	1	-	-	-	1	1	-	-	-
1987.....	-	-	-	-	-	-	-	-	2	-
1986.....	-	2	-	1	-	-	-	-	1	-
1985.....	-	-	-	-	-	1	-	-	1	-
1984.....	-	-	1	-	1	-	-	1	-	-
1983.....	-	-	-	-	-	-	-	1	2	-
1982.....	-	-	-	-	-	-	1	-	3	-
1981.....	-	-	-	1	-	-	2	-	1	-
1980.....	-	-	-	-	1	-	-	1	1	-
1979.....	1	-	-	-	-	1	1	1	1	-

WHITE FEMALE

1998.....	-	-	-	-	-	-	1	-	-	-
1997.....	-	1	-	-	-	-	-	1	3	-
1996.....	-	-	-	1	-	1	-	1	-	-
1995.....	-	-	-	1	-	1	-	1	2	-
1994.....	1	-	-	-	2	-	-	-	-	-
1993.....	-	-	-	-	1	-	1	-	5	-
1992.....	-	-	-	-	1	-	-	-	1	-
1991.....	-	-	-	-	-	1	-	-	-	-
1990.....	-	1	-	-	-	1	1	1	3	-
1989.....	1	1	-	2	1	-	2	-	3	-
1988.....	-	-	-	1	1	1	-	1	2	-
1987.....	-	-	-	2	1	-	-	-	2	-
1986.....	-	-	-	1	-	-	-	1	2	-
1985.....	1	-	-	1	-	-	1	-	2	-
1984.....	1	2	-	-	-	1	-	-	-	-
1983.....	-	-	-	1	1	-	1	-	-	-
1982.....	-	-	-	1	1	-	-	1	3	-
1981.....	-	-	-	-	-	1	1	3	-	-
1980.....	-	1	-	2	-	-	1	2	2	-
1979.....	-	-	-	-	1	1	-	2	2	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MENINGOCOCCAL INFECTION (036)										
TOTAL, BOTH SEXES										
1998.....	12	11	5	-	8	2	5	4	10	-
1997.....	8	12	6	9	7	7	6	6	14	-
1996.....	12	11	10	6	7	8	10	3	7	-
1995.....	16	8	5	5	2	6	6	8	14	-
1994.....	11	12	5	7	5	7	5	8	9	-
1993.....	9	6	9	7	4	9	9	5	7	-
1992.....	6	7	6	4	3	6	6	5	8	-
1991.....	2	4	3	5	7	4	4	1	8	-
1990.....	3	5	5	8	5	6	7	3	6	-
1989.....	10	5	8	10	11	8	7	7	7	-
1988.....	12	6	1	11	4	6	7	6	5	-
1987.....	5	7	8	8	4	7	5	2	3	-
1986.....	9	3	5	12	8	8	6	6	5	-
1985.....	7	6	6	8	7	10	4	6	7	-
1984.....	8	8	12	12	7	9	4	6	6	-
1983.....	6	9	10	10	10	7	11	5	6	-
1982.....	5	6	7	15	13	9	9	5	4	-
1981.....	17	14	17	11	13	12	10	12	7	-
1980.....	12	9	13	10	16	7	8	7	6	-
1979.....	11	9	22	16	10	14	5	5	6	-
TOTAL, MALE										
1998.....	4	6	4	-	3	1	1	2	2	-
1997.....	4	7	3	6	2	1	1	1	1	-
1996.....	5	4	2	2	3	2	3	1	-	-
1995.....	6	4	-	3	1	3	-	1	1	-
1994.....	5	6	3	1	2	5	2	1	1	-
1993.....	2	2	4	1	1	3	2	-	2	-
1992.....	3	1	2	1	1	4	1	1	-	-
1991.....	1	2	-	2	3	1	2	1	1	-
1990.....	1	2	4	3	2	2	2	2	3	-
1989.....	5	4	2	3	5	5	1	1	2	-
1988.....	4	2	-	7	2	-	3	1	2	-
1987.....	2	5	4	1	-	2	2	-	1	-
1986.....	5	2	2	5	6	2	-	2	2	-
1985.....	2	3	2	4	1	2	3	-	-	-
1984.....	3	1	2	4	5	2	1	1	1	-
1983.....	3	1	4	6	5	2	3	2	-	-
1982.....	-	1	3	2	3	5	2	1	1	-
1981.....	10	5	6	4	6	2	5	2	2	-
1980.....	7	3	5	3	6	2	4	2	-	-
1979.....	7	5	8	7	4	4	4	2	5	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MENINGOCOCCAL INFECTION (036)										
TOTAL, FEMALE										
1998.....	8	5	1	-	5	1	4	2	8	-
1997.....	4	5	3	3	5	6	5	5	13	-
1996.....	7	7	8	4	4	6	7	2	7	-
1995.....	10	4	5	2	1	3	6	7	13	-
1994.....	6	6	2	6	3	2	3	7	8	-
1993.....	7	4	5	6	3	6	7	5	5	-
1992.....	3	6	4	3	2	2	5	4	8	-
1991.....	1	2	3	3	4	3	2	-	7	-
1990.....	2	3	1	5	3	4	5	1	3	-
1989.....	5	1	6	7	6	3	6	6	5	-
1988.....	8	4	1	4	2	6	4	5	3	-
1987.....	3	2	4	7	4	5	3	2	2	-
1986.....	4	1	3	7	2	6	6	4	3	-
1985.....	5	3	4	4	6	8	1	6	7	-
1984.....	5	7	10	8	2	7	3	5	5	-
1983.....	3	8	6	4	5	5	8	3	6	-
1982.....	5	5	4	13	10	4	7	4	3	-
1981.....	7	9	11	7	7	10	5	10	5	-
1980.....	5	6	8	7	10	5	4	5	6	-
1979.....	4	4	14	9	6	10	1	3	1	-
WHITE, BOTH SEXES										
1998.....	10	10	4	-	8	1	4	4	9	-
1997.....	6	10	4	9	7	5	5	6	13	-
1996.....	9	10	8	3	7	8	10	3	7	-
1995.....	15	4	4	5	2	5	6	8	14	-
1994.....	10	11	4	6	5	6	4	8	9	-
1993.....	7	5	6	5	4	8	8	5	6	-
1992.....	6	7	5	4	3	4	6	5	6	-
1991.....	2	3	3	4	6	3	3	1	8	-
1990.....	3	4	5	5	4	6	6	3	6	-
1989.....	9	4	6	10	11	8	7	4	7	-
1988.....	6	4	-	10	4	5	6	6	5	-
1987.....	4	5	8	7	3	6	4	2	3	-
1986.....	7	3	4	11	7	7	4	6	5	-
1985.....	4	5	6	7	4	10	4	6	6	-
1984.....	6	5	11	11	7	7	4	5	4	-
1983.....	4	7	9	8	9	6	11	5	5	-
1982.....	4	5	7	12	12	7	8	4	4	-
1981.....	12	13	14	10	13	12	9	10	6	-
1980.....	8	8	10	10	11	7	8	7	5	-
1979.....	8	7	18	13	8	11	4	5	5	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MENINGOCOCCAL INFECTION (036)										
WHITE MALE										
1998.....	3	6	4	-	3	-	-	2	1	-
1997.....	3	6	2	6	2	1	1	1	1	-
1996.....	4	3	1	1	3	2	3	1	-	-
1995.....	6	1	-	3	1	2	-	1	1	-
1994.....	5	5	2	1	2	5	1	1	1	-
1993.....	2	2	3	1	1	2	1	-	2	-
1992.....	3	1	2	1	1	2	1	1	-	-
1991.....	1	2	-	2	3	1	2	1	1	-
1990.....	1	1	4	1	1	2	1	2	3	-
1989.....	4	4	1	3	5	5	1	1	2	-
1988.....	2	2	-	7	2	-	2	1	2	-
1987.....	1	3	4	-	-	2	1	-	1	-
1986.....	4	2	2	5	5	2	-	2	2	-
1985.....	2	3	2	4	1	2	3	-	-	-
1984.....	2	-	2	3	5	1	1	1	-	-
1983.....	2	1	4	4	4	1	3	2	-	-
1982.....	-	1	3	1	2	3	2	1	1	-
1981.....	8	4	5	3	6	2	4	1	2	-
1980.....	4	3	4	3	3	2	4	2	-	-
1979.....	7	5	6	6	3	3	3	2	4	-
WHITE FEMALE										
1998.....	7	4	-	-	5	1	4	2	8	-
1997.....	3	4	2	3	5	4	4	5	12	-
1996.....	5	7	7	2	4	6	7	2	7	-
1995.....	9	3	4	2	1	3	6	7	13	-
1994.....	5	6	2	5	3	1	3	7	8	-
1993.....	5	3	3	4	3	6	7	5	4	-
1992.....	3	6	3	3	2	2	5	4	6	-
1991.....	1	1	3	2	3	2	1	-	7	-
1990.....	2	3	1	4	3	4	5	1	3	-
1989.....	5	-	5	7	6	3	6	3	5	-
1988.....	4	2	-	3	2	5	4	5	3	-
1987.....	3	2	4	7	3	4	3	2	2	-
1986.....	3	1	2	6	2	5	4	4	3	-
1985.....	2	2	4	3	3	8	1	6	6	-
1984.....	4	5	9	8	2	6	3	4	4	-
1983.....	2	6	5	4	5	5	8	3	5	-
1982.....	4	4	4	11	10	4	6	3	3	-
1981.....	4	9	9	7	7	10	5	9	4	-
1980.....	4	5	6	7	8	5	4	5	5	-
1979.....	1	2	12	7	5	8	1	3	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MENINGOCOCCAL INFECTION (036)										
ALL OTHER, BOTH SEXES										
1998.....	2	1	1	-	-	1	1	-	1	-
1997.....	2	2	2	-	-	2	1	-	1	-
1996.....	3	1	2	3	-	-	-	-	-	-
1995.....	1	4	1	-	-	1	-	-	-	-
1994.....	1	1	1	1	-	1	1	-	-	-
1993.....	2	1	3	2	-	1	1	-	1	-
1992.....	-	-	1	-	-	2	-	-	2	-
1991.....	-	1	-	1	1	1	1	-	-	-
1990.....	-	1	-	3	1	-	1	-	-	-
1989.....	1	1	2	-	-	-	-	3	-	-
1988.....	6	2	1	1	-	1	1	-	-	-
1987.....	1	2	-	1	1	1	1	-	-	-
1986.....	2	-	1	1	1	1	2	-	-	-
1985.....	3	1	-	1	3	-	-	-	1	-
1984.....	2	3	1	1	-	2	-	1	2	-
1983.....	2	2	1	2	1	1	-	-	1	-
1982.....	1	1	-	3	1	2	1	1	-	-
1981.....	5	1	3	1	-	-	1	2	1	-
1980.....	4	1	3	-	5	-	-	-	1	-
1979.....	3	2	4	3	2	3	1	-	1	-
ALL OTHER MALE										
1998.....	1	-	-	-	-	1	1	-	1	-
1997.....	1	1	1	-	-	-	-	-	-	-
1996.....	1	1	1	1	-	-	-	-	-	-
1995.....	-	3	-	-	-	1	-	-	-	-
1994.....	-	1	1	-	-	-	1	-	-	-
1993.....	-	-	1	-	-	1	1	-	-	-
1992.....	-	-	-	-	-	2	-	-	-	-
1991.....	-	-	-	-	-	-	-	-	-	-
1990.....	-	1	-	2	1	-	1	-	-	-
1989.....	1	-	1	-	-	-	-	-	-	-
1988.....	2	-	-	-	-	-	1	-	-	-
1987.....	1	2	-	1	-	-	1	-	-	-
1986.....	1	-	-	-	1	-	-	-	-	-
1985.....	-	-	-	-	-	-	-	-	-	-
1984.....	1	1	-	1	-	1	-	-	1	-
1983.....	1	-	-	2	1	1	-	-	-	-
1982.....	-	-	-	1	1	2	-	-	-	-
1981.....	2	1	1	1	-	-	1	1	-	-
1980.....	3	-	1	-	3	-	-	-	-	-
1979.....	-	-	2	1	1	1	1	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MENINGOCOCCAL INFECTION (036)										
ALL OTHER FEMALE										
1998.....	1	1	1	-	-	-	-	-	-	-
1997.....	1	1	1	-	-	2	1	-	1	-
1996.....	2	-	1	2	-	-	-	-	-	-
1995.....	1	1	1	-	-	-	-	-	-	-
1994.....	1	-	-	1	-	1	-	-	-	-
1993.....	2	1	2	2	-	-	-	-	1	-
1992.....	-	-	1	-	-	-	-	-	2	-
1991.....	-	1	-	1	1	1	1	-	-	-
1990.....	-	-	-	1	-	-	-	-	-	-
1989.....	-	1	1	-	-	-	-	3	-	-
1988.....	4	2	1	1	-	1	-	-	-	-
1987.....	-	-	-	-	1	1	-	-	-	-
1986.....	1	-	1	1	-	1	2	-	-	-
1985.....	3	1	-	1	3	-	-	-	1	-
1984.....	1	2	1	-	-	1	-	1	1	-
1983.....	1	2	1	-	-	-	-	-	1	-
1982.....	1	1	-	2	-	-	1	1	-	-
1981.....	3	-	2	-	-	-	-	1	1	-
1980.....	1	1	2	-	2	-	-	-	1	-
1979.....	3	2	2	2	1	2	-	-	-	-
BLACK, BOTH SEXES										
1998.....	2	1	1	-	-	1	1	-	1	-
1997.....	2	2	2	-	-	2	-	-	1	-
1996.....	2	1	2	1	-	-	-	-	-	-
1995.....	1	4	1	-	-	1	-	-	-	-
1994.....	1	1	1	1	-	-	1	-	-	-
1993.....	2	1	1	2	-	-	1	-	1	-
1992.....	-	-	1	-	-	2	-	-	2	-
1991.....	-	1	-	1	-	1	1	-	-	-
1990.....	-	-	-	3	-	-	1	-	-	-
1989.....	1	-	1	-	-	-	-	3	-	-
1988.....	6	2	1	1	-	1	1	-	-	-
1987.....	1	2	-	1	1	1	1	-	-	-
1986.....	2	-	1	1	1	1	2	-	-	-
1985.....	3	-	-	1	3	-	-	-	1	-
1984.....	2	3	1	1	-	2	-	1	2	-
1983.....	2	2	1	2	1	1	-	-	1	-
1982.....	1	1	-	2	1	2	1	1	-	-
1981.....	5	1	3	1	-	-	1	1	1	-
1980.....	4	1	2	-	5	-	-	-	1	-
1979.....	2	-	4	3	1	3	-	-	1	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MENINGOCOCCAL INFECTION (036)										
BLACK MALE										
1998.....	1	-	-	-	-	1	1	-	1	-
1997.....	1	1	1	-	-	-	-	-	-	-
1996.....	1	1	1	1	-	-	-	-	-	-
1995.....	-	3	-	-	-	1	-	-	-	-
1994.....	-	1	1	-	-	-	1	-	-	-
1993.....	-	-	-	-	-	-	1	-	-	-
1992.....	-	-	-	-	-	2	-	-	-	-
1991.....	-	-	-	-	-	-	-	-	-	-
1990.....	-	-	-	2	-	-	1	-	-	-
1989.....	1	-	-	-	-	-	-	-	-	-
1988.....	2	-	-	-	-	-	1	-	-	-
1987.....	1	2	-	1	-	-	1	-	-	-
1986.....	1	-	-	-	1	-	-	-	-	-
1985.....	-	-	-	-	-	-	-	-	-	-
1984.....	1	1	-	1	-	1	-	-	1	-
1983.....	1	-	-	2	1	1	-	-	-	-
1982.....	-	-	-	1	1	2	-	-	-	-
1981.....	2	1	1	1	-	-	1	1	-	-
1980.....	3	-	1	-	3	-	-	-	-	-
1979.....	-	-	2	1	1	1	-	-	1	-
BLACK FEMALE										
1998.....	1	1	1	-	-	-	-	-	-	-
1997.....	1	1	1	-	-	2	-	-	1	-
1996.....	1	-	1	-	-	-	-	-	-	-
1995.....	1	1	1	-	-	-	-	-	-	-
1994.....	1	-	-	1	-	-	-	-	-	-
1993.....	2	1	1	2	-	-	-	-	1	-
1992.....	-	-	1	-	-	-	-	-	2	-
1991.....	-	1	-	1	-	1	1	-	-	-
1990.....	-	-	-	1	-	-	-	-	-	-
1989.....	-	-	1	-	-	-	-	3	-	-
1988.....	4	2	1	1	-	1	-	-	-	-
1987.....	-	-	-	-	1	1	-	-	-	-
1986.....	1	-	1	1	-	1	2	-	-	-
1985.....	3	-	-	1	3	-	-	-	1	-
1984.....	1	2	1	-	-	1	-	1	1	-
1983.....	1	2	1	-	-	-	-	-	1	-
1982.....	1	1	-	1	-	-	1	1	-	-
1981.....	3	-	2	-	-	-	-	-	1	-
1980.....	1	1	1	-	2	-	-	-	1	-
1979.....	2	-	2	2	-	2	-	-	-	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SEPTICEMIA (038)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, BOTH SEXES										
1998.....	525	706	898	1,195	1,820	2,654	3,461	3,970	7,107	2
1997.....	540	648	787	1,065	1,685	2,494	3,294	3,732	6,874	1
1996.....	471	571	687	1,072	1,640	2,418	3,190	3,591	6,498	1
1995.....	476	497	671	1,068	1,556	2,429	3,079	3,554	6,281	1
1994.....	421	496	672	1,016	1,562	2,285	2,954	3,453	6,185	1
1993.....	387	454	642	967	1,650	2,347	2,990	3,499	6,360	2
1992.....	403	448	604	1,027	1,600	2,295	2,858	3,321	5,810	4
1991.....	323	440	635	1,033	1,589	2,198	2,953	3,355	5,793	3
1990.....	329	438	632	1,058	1,582	2,194	2,843	3,181	5,551	4
1989.....	351	430	622	1,073	1,547	2,117	2,875	3,239	5,650	2
1988.....	327	454	706	1,248	1,822	2,460	3,131	3,601	5,862	3
1987.....	268	486	741	1,261	1,846	2,424	2,974	3,210	5,414	3
1986.....	301	443	764	1,220	1,721	2,194	2,837	3,020	5,049	6
1985.....	255	412	755	1,214	1,584	2,068	2,633	2,796	4,321	3
1984.....	268	398	673	1,117	1,377	1,930	2,120	2,327	3,730	1
1983.....	216	388	657	1,018	1,279	1,651	2,013	2,032	3,196	4
1982.....	195	363	622	882	1,085	1,468	1,654	1,736	2,606	4
1981.....	233	333	574	803	1,041	1,243	1,441	1,576	2,241	4
1980.....	173	357	571	690	961	1,174	1,286	1,455	1,967	3
1979.....	179	323	449	600	861	1,036	1,137	1,118	1,545	-
TOTAL, MALE										
1998.....	301	383	485	621	914	1,324	1,649	1,651	2,149	-
1997.....	306	353	376	576	891	1,299	1,621	1,514	2,047	1
1996.....	289	321	389	589	864	1,198	1,492	1,492	1,868	1
1995.....	271	273	383	574	807	1,210	1,435	1,464	1,848	1
1994.....	252	294	367	553	840	1,179	1,402	1,368	1,812	-
1993.....	232	251	356	498	883	1,188	1,437	1,503	1,820	-
1992.....	238	268	315	549	853	1,181	1,366	1,313	1,712	2
1991.....	184	266	342	580	863	1,110	1,423	1,314	1,742	2
1990.....	188	253	342	588	878	1,159	1,348	1,313	1,641	2
1989.....	202	250	337	597	840	1,116	1,338	1,309	1,678	1
1988.....	189	248	379	690	961	1,303	1,486	1,433	1,715	2
1987.....	153	259	417	696	1,004	1,301	1,396	1,295	1,715	3
1986.....	175	261	441	714	958	1,177	1,402	1,299	1,661	2
1985.....	155	232	428	710	863	1,179	1,256	1,163	1,396	1
1984.....	146	223	384	636	774	1,007	1,033	953	1,302	1
1983.....	120	225	384	594	740	854	994	887	1,083	2
1982.....	102	209	347	523	578	780	771	745	964	2
1981.....	137	196	338	451	575	642	684	684	836	4
1980.....	99	203	333	415	537	665	618	637	728	3
1979.....	109	183	237	343	472	536	565	517	606	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
SEPTICEMIA (038)										
TOTAL, FEMALE										
1998.....	224	323	413	574	906	1,330	1,812	2,319	4,958	2
1997.....	234	295	411	489	794	1,195	1,673	2,218	4,827	-
1996.....	182	250	298	483	776	1,220	1,698	2,099	4,630	-
1995.....	205	224	288	494	749	1,219	1,644	2,090	4,433	-
1994.....	169	202	305	463	722	1,106	1,552	2,085	4,373	1
1993.....	155	203	286	469	767	1,159	1,553	1,996	4,540	2
1992.....	165	180	289	478	747	1,114	1,492	2,008	4,098	2
1991.....	139	174	293	453	726	1,088	1,530	2,041	4,051	1
1990.....	141	185	290	470	704	1,035	1,495	1,868	3,910	2
1989.....	149	180	285	476	707	1,001	1,537	1,930	3,972	1
1988.....	138	206	327	558	861	1,157	1,645	2,168	4,147	1
1987.....	115	227	324	565	842	1,123	1,578	1,915	3,699	-
1986.....	126	182	323	506	763	1,017	1,435	1,721	3,388	4
1985.....	100	180	327	504	721	889	1,377	1,633	2,925	2
1984.....	122	175	289	481	603	923	1,087	1,374	2,428	-
1983.....	96	163	273	424	539	797	1,019	1,145	2,113	2
1982.....	93	154	275	359	507	688	883	991	1,642	2
1981.....	96	137	236	352	466	601	757	892	1,405	-
1980.....	74	154	238	275	424	509	668	818	1,239	-
1979.....	70	140	212	257	389	500	572	601	939	-
WHITE, BOTH SEXES										
1998.....	318	482	610	842	1,380	2,118	2,820	3,334	6,067	-
1997.....	343	439	526	748	1,277	1,944	2,702	3,188	5,876	1
1996.....	285	375	446	777	1,282	1,912	2,645	3,068	5,575	-
1995.....	294	348	452	779	1,203	1,916	2,537	3,029	5,410	1
1994.....	268	337	503	724	1,224	1,815	2,479	2,899	5,384	1
1993.....	243	312	459	714	1,269	1,926	2,489	2,927	5,524	-
1992.....	263	295	406	762	1,203	1,841	2,376	2,819	5,049	1
1991.....	205	290	441	780	1,222	1,764	2,455	2,863	5,066	3
1990.....	204	288	442	794	1,235	1,758	2,365	2,695	4,848	3
1989.....	223	271	441	795	1,185	1,713	2,378	2,773	4,912	1
1988.....	202	295	496	924	1,397	2,004	2,585	3,091	5,122	2
1987.....	159	310	537	943	1,420	1,967	2,475	2,703	4,650	1
1986.....	196	280	545	887	1,375	1,784	2,350	2,570	4,383	5
1985.....	152	283	541	902	1,223	1,672	2,150	2,326	3,761	3
1984.....	162	266	480	852	1,074	1,520	1,752	1,950	3,238	1
1983.....	125	266	480	752	993	1,288	1,676	1,714	2,798	2
1982.....	122	254	428	677	876	1,169	1,364	1,483	2,267	3
1981.....	152	240	426	612	823	983	1,216	1,352	1,916	2
1980.....	116	235	402	533	717	933	1,048	1,245	1,704	1
1979.....	129	211	327	456	668	828	922	973	1,352	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SEPTICEMIA (038)	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
WHITE MALE										
1998.....	188	258	325	444	717	1,088	1,356	1,405	1,837	-
1997.....	197	232	257	418	670	1,031	1,350	1,300	1,749	1
1996.....	170	208	249	420	674	957	1,268	1,259	1,604	-
1995.....	164	189	250	423	631	952	1,185	1,258	1,558	1
1994.....	159	198	285	391	659	945	1,169	1,165	1,589	-
1993.....	141	168	247	377	697	982	1,200	1,274	1,531	-
1992.....	155	167	215	415	658	955	1,152	1,097	1,471	-
1991.....	109	178	233	442	673	880	1,197	1,117	1,522	2
1990.....	113	162	238	453	700	941	1,133	1,107	1,431	1
1989.....	134	160	231	452	645	910	1,135	1,118	1,432	1
1988.....	115	155	265	511	733	1,068	1,246	1,219	1,485	2
1987.....	89	163	303	533	783	1,061	1,174	1,100	1,459	1
1986.....	113	165	308	530	771	947	1,155	1,118	1,424	2
1985.....	91	158	295	529	680	976	1,014	961	1,210	1
1984.....	87	153	281	510	620	800	855	803	1,111	1
1983.....	70	157	299	452	586	691	819	745	940	-
1982.....	61	152	249	404	475	624	641	641	827	2
1981.....	89	146	255	347	469	508	576	599	699	2
1980.....	65	139	236	326	401	541	500	552	620	1
1979.....	79	125	169	254	372	420	462	446	531	-
WHITE FEMALE										
1998.....	130	224	285	398	663	1,030	1,464	1,929	4,230	-
1997.....	146	207	269	330	607	913	1,352	1,888	4,127	-
1996.....	115	167	197	357	608	955	1,377	1,809	3,971	-
1995.....	130	159	202	356	572	964	1,352	1,771	3,852	-
1994.....	109	139	218	333	565	870	1,310	1,734	3,795	1
1993.....	102	144	212	337	572	944	1,289	1,653	3,993	-
1992.....	108	128	191	347	545	886	1,224	1,722	3,578	1
1991.....	96	112	208	338	549	884	1,258	1,746	3,544	1
1990.....	91	126	204	341	535	817	1,232	1,588	3,417	2
1989.....	89	111	210	343	540	803	1,243	1,655	3,480	-
1988.....	87	140	231	413	664	936	1,339	1,872	3,637	-
1987.....	70	147	234	410	637	906	1,301	1,603	3,191	-
1986.....	83	115	237	357	604	837	1,195	1,452	2,959	3
1985.....	61	125	246	373	543	696	1,136	1,365	2,551	2
1984.....	75	113	199	342	454	720	897	1,147	2,127	-
1983.....	55	109	181	300	407	597	857	969	1,858	2
1982.....	61	102	179	273	401	545	723	842	1,440	1
1981.....	63	94	171	265	354	475	640	753	1,217	-
1980.....	51	96	166	207	316	392	548	693	1,084	-
1979.....	50	86	158	202	296	408	460	527	821	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SEPTICEMIA (038)	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER, BOTH SEXES										
1998.....	207	224	288	353	440	536	641	636	1,040	2
1997.....	197	209	261	317	408	550	592	544	998	-
1996.....	186	196	241	295	358	506	545	523	923	1
1995.....	182	149	219	289	353	513	542	525	871	-
1994.....	153	159	169	292	338	470	475	554	801	-
1993.....	144	142	183	253	381	421	501	572	836	2
1992.....	140	153	198	265	397	454	482	502	761	3
1991.....	118	150	194	253	367	434	498	492	727	-
1990.....	125	150	190	264	347	436	478	486	703	1
1989.....	128	159	181	278	362	404	497	466	738	1
1988.....	125	159	210	324	425	456	546	510	740	1
1987.....	109	176	204	318	426	457	499	507	764	2
1986.....	105	163	219	333	346	410	487	450	666	1
1985.....	103	129	214	312	361	396	483	470	560	-
1984.....	106	132	193	265	303	410	368	377	492	-
1983.....	91	122	177	266	286	363	337	318	398	2
1982.....	73	109	194	205	209	299	290	253	339	1
1981.....	81	93	148	191	218	260	225	224	325	2
1980.....	57	122	169	157	244	241	238	210	263	2
1979.....	50	112	122	144	193	208	215	145	193	-
ALL OTHER MALE										
1998.....	113	125	160	177	197	236	293	246	312	-
1997.....	109	121	119	158	221	268	271	214	298	-
1996.....	119	113	140	169	190	241	224	233	264	1
1995.....	107	84	133	151	176	258	250	206	290	-
1994.....	93	96	82	162	181	234	233	203	223	-
1993.....	91	83	109	121	186	206	237	229	289	-
1992.....	83	101	100	134	195	226	214	216	241	2
1991.....	75	88	109	138	190	230	226	197	220	-
1990.....	75	91	104	135	178	218	215	206	210	1
1989.....	68	90	106	145	195	206	203	191	246	-
1988.....	74	93	114	179	228	235	240	214	230	-
1987.....	64	96	114	163	221	240	222	195	256	2
1986.....	62	96	133	184	187	230	247	181	237	-
1985.....	64	74	133	181	183	203	242	202	186	-
1984.....	59	70	103	126	154	207	178	150	191	-
1983.....	50	68	85	142	154	163	175	142	143	2
1982.....	41	57	98	119	103	156	130	104	137	-
1981.....	48	50	83	104	106	134	108	85	137	2
1980.....	34	64	97	89	136	124	118	85	108	2
1979.....	30	58	68	89	100	116	103	71	75	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
SEPTICEMIA (038)										
ALL OTHER FEMALE										
1998.....	94	99	128	176	243	300	348	390	728	2
1997.....	88	88	142	159	187	282	321	330	700	-
1996.....	67	83	101	126	168	265	321	290	659	-
1995.....	75	65	86	138	177	255	292	319	581	-
1994.....	60	63	87	130	157	236	242	351	578	-
1993.....	53	59	74	132	195	215	264	343	547	2
1992.....	57	52	98	131	202	228	268	286	520	1
1991.....	43	62	85	115	177	204	272	295	507	-
1990.....	50	59	86	129	169	218	263	280	493	-
1989.....	60	69	75	133	167	198	294	275	492	1
1988.....	51	66	96	145	197	221	306	296	510	1
1987.....	45	80	90	155	205	217	277	312	508	-
1986.....	43	67	86	149	159	180	240	269	429	1
1985.....	39	55	81	131	178	193	241	268	374	-
1984.....	47	62	90	139	149	203	190	227	301	-
1983.....	41	54	92	124	132	200	162	176	255	-
1982.....	32	52	96	86	106	143	160	149	202	1
1981.....	33	43	65	87	112	126	117	139	188	-
1980.....	23	58	72	68	108	117	120	125	155	-
1979.....	20	54	54	55	93	92	112	74	118	-
BLACK, BOTH SEXES										
1998.....	194	206	261	325	412	483	594	582	963	2
1997.....	182	200	238	289	383	508	543	512	926	-
1996.....	174	184	220	272	333	472	507	489	864	1
1995.....	166	136	206	263	322	472	507	472	809	-
1994.....	142	143	153	277	309	430	443	513	759	-
1993.....	132	128	165	232	352	392	457	530	779	2
1992.....	127	144	180	241	372	410	453	470	714	3
1991.....	109	140	182	239	342	411	450	454	671	-
1990.....	116	137	172	247	328	413	452	453	650	1
1989.....	120	151	167	264	343	386	462	442	688	1
1988.....	121	145	199	312	395	434	510	475	690	1
1987.....	103	159	194	300	411	429	468	475	720	2
1986.....	94	157	202	325	325	384	461	419	614	1
1985.....	91	124	204	293	340	374	465	435	533	-
1984.....	102	124	186	257	285	391	357	353	473	-
1983.....	84	112	170	253	268	347	318	301	376	2
1982.....	68	105	178	194	198	276	276	240	319	1
1981.....	74	89	139	185	209	244	215	215	311	2
1980.....	53	118	163	149	237	230	231	195	253	2
1979.....	42	107	116	137	186	198	204	141	183	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 SEPTICEMIA (038)

BLACK MALE

1998.....	105	116	145	163	185	208	268	222	280	-
1997.....	102	115	108	148	208	248	250	195	268	-
1996.....	111	110	127	154	174	221	208	213	240	1
1995.....	101	79	129	136	159	240	233	177	255	-
1994.....	89	87	74	153	169	214	217	184	206	-
1993.....	83	74	102	111	172	191	217	203	262	-
1992.....	78	96	92	122	185	202	203	197	224	2
1991.....	69	83	103	128	177	216	199	174	200	-
1990.....	69	84	92	127	167	204	198	191	191	1
1989.....	66	87	100	139	183	192	183	178	223	-
1988.....	73	86	107	172	208	224	216	199	203	-
1987.....	59	89	110	154	214	222	204	183	237	2
1986.....	57	91	125	180	172	214	230	164	212	-
1985.....	55	70	130	170	170	191	233	180	175	-
1984.....	57	64	98	124	144	198	171	135	179	-
1983.....	45	64	83	133	144	152	163	132	135	2
1982.....	40	55	93	112	97	145	124	97	128	-
1981.....	44	48	78	101	103	123	101	81	129	2
1980.....	31	63	94	85	131	115	115	78	105	2
1979.....	24	55	67	83	96	109	94	68	72	-

BLACK FEMALE

1998.....	89	90	116	162	227	275	326	360	683	2
1997.....	80	85	130	141	175	260	293	317	658	-
1996.....	63	74	93	118	159	251	299	276	624	-
1995.....	65	57	77	127	163	232	274	295	554	-
1994.....	53	56	79	124	140	216	226	329	553	-
1993.....	49	54	63	121	180	201	240	327	517	2
1992.....	49	48	88	119	187	208	250	273	490	1
1991.....	40	57	79	111	165	195	251	280	471	-
1990.....	47	53	80	120	161	209	254	262	459	-
1989.....	54	64	67	125	160	194	279	264	465	1
1988.....	48	59	92	140	187	210	294	276	487	1
1987.....	44	70	84	146	197	207	264	292	483	-
1986.....	37	66	77	145	153	170	231	255	402	1
1985.....	36	54	74	123	170	183	232	255	358	-
1984.....	45	60	88	133	141	193	186	218	294	-
1983.....	39	48	87	120	124	195	155	169	241	-
1982.....	28	50	85	82	101	131	152	143	191	1
1981.....	30	41	61	84	106	121	114	134	182	-
1980.....	22	55	69	64	106	115	116	117	148	-
1979.....	18	52	49	54	90	89	110	73	111	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ACUTE POLIOMYELITIS (045)										
TOTAL, BOTH SEXES										
1998.....	-	-	-	-	-	-	-	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-
1995.....	-	-	1	-	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-
1992.....	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-
1990.....	-	-	-	-	-	-	-	-	-	-
1989.....	-	-	-	-	-	-	-	-	-	-
1988.....	-	-	-	-	-	-	-	-	-	-
1987.....	-	-	-	-	-	-	-	-	-	-
1986.....	-	-	-	-	-	-	-	-	-	-
1985.....	-	-	-	-	2	-	-	-	-	-
1984.....	-	-	-	-	-	-	-	-	-	-
1983.....	-	-	-	-	-	-	-	-	-	-
1982.....	-	-	-	-	-	-	-	-	-	-
1981.....	-	-	-	-	-	-	-	-	-	-
1980.....	1	-	-	1	2	-	1	-	-	-
1979.....	-	1	-	2	-	-	-	-	-	-
TOTAL, MALE										
1998.....	-	-	-	-	-	-	-	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-
1995.....	-	-	-	-	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-
1992.....	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-
1990.....	-	-	-	-	-	-	-	-	-	-
1989.....	-	-	-	-	-	-	-	-	-	-
1988.....	-	-	-	-	-	-	-	-	-	-
1987.....	-	-	-	-	-	-	-	-	-	-
1986.....	-	-	-	-	-	-	-	-	-	-
1985.....	-	-	-	-	1	-	-	-	-	-
1984.....	-	-	-	-	-	-	-	-	-	-
1983.....	-	-	-	-	-	-	-	-	-	-
1982.....	-	-	-	-	-	-	-	-	-	-
1981.....	-	-	-	-	-	-	-	-	-	-
1980.....	1	-	-	1	1	-	1	-	-	-
1979.....	-	1	-	2	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ACUTE POLIOMYELITIS (045)										
TOTAL, FEMALE										
1998.....	-	-	-	-	-	-	-	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-
1995.....	-	-	1	-	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-
1992.....	-	-	-	-	-	-	-	-	-	-
1991.....	-	-	-	-	-	-	-	-	-	-
1990.....	-	-	-	-	-	-	-	-	-	-
1989.....	-	-	-	-	-	-	-	-	-	-
1988.....	-	-	-	-	-	-	-	-	-	-
1987.....	-	-	-	-	-	-	-	-	-	-
1986.....	-	-	-	-	-	-	-	-	-	-
1985.....	-	-	-	-	1	-	-	-	-	-
1984.....	-	-	-	-	-	-	-	-	-	-
1983.....	-	-	-	-	-	-	-	-	-	-
1982.....	-	-	-	-	-	-	-	-	-	-
1981.....	-	-	-	-	-	-	-	-	-	-
1980.....	-	-	-	-	1	-	-	-	-	-
1979.....	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES										
1998.....	-	-	-	-	-	-	-	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-
1995.....	-	-	1	-	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-
1992.....	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-
1990.....	-	-	-	-	-	-	-	-	-	-
1989.....	-	-	-	-	-	-	-	-	-	-
1988.....	-	-	-	-	-	-	-	-	-	-
1987.....	-	-	-	-	-	-	-	-	-	-
1986.....	-	-	-	-	-	-	-	-	-	-
1985.....	-	-	-	-	2	-	-	-	-	-
1984.....	-	-	-	-	-	-	-	-	-	-
1983.....	-	-	-	-	-	-	-	-	-	-
1982.....	-	-	-	-	-	-	-	-	-	-
1981.....	-	-	-	-	-	-	-	-	-	-
1980.....	1	-	-	1	1	-	1	-	-	-
1979.....	-	1	-	2	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MEASLES (055)										
ALL OTHER FEMALE										
1998.....	-	-	-	-	-	-	-	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-
1995.....	-	-	-	-	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-
1992.....	-	-	-	-	-	-	-	-	-	-
1991.....	-	-	-	-	-	-	-	-	-	-
1990.....	-	-	-	-	-	-	-	-	-	-
1989.....	-	-	-	-	-	-	-	-	-	-
1988.....	-	-	-	-	-	-	-	-	-	-
1987.....	-	-	-	-	-	-	-	-	-	-
1986.....	-	-	-	1	-	-	-	-	-	-
1985.....	-	-	-	-	-	-	-	-	-	-
1984.....	-	-	-	-	-	-	-	-	-	-
1983.....	-	-	-	-	-	-	-	-	-	-
1982.....	-	-	-	-	-	-	-	-	-	-
1981.....	-	-	-	-	-	-	-	-	-	-
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	-	-	1	-	-	-	-	-	-	-
BLACK, BOTH SEXES										
1998.....	-	-	-	-	-	-	-	-	-	-
1997.....	-	-	-	-	-	-	-	-	-	-
1996.....	-	-	-	-	-	-	-	-	-	-
1995.....	-	-	-	-	-	-	-	-	-	-
1994.....	-	-	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-
1992.....	-	-	-	-	-	-	-	-	-	-
1991.....	-	-	-	-	-	-	-	-	-	-
1990.....	-	-	-	-	-	-	-	-	-	-
1989.....	-	-	-	-	-	-	-	-	-	-
1988.....	-	-	-	-	-	-	-	-	-	-
1987.....	-	-	-	-	-	-	-	-	-	-
1986.....	-	-	-	1	-	-	-	-	-	-
1985.....	-	-	-	-	-	-	-	-	-	-
1984.....	-	-	-	-	-	-	-	-	-	-
1983.....	-	-	-	-	-	-	-	-	-	-
1982.....	-	-	-	-	-	-	-	-	-	-
1981.....	-	-	-	-	-	-	-	-	-	-
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	-	-	1	-	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
VIRAL HEPATITIS (070)										
TOTAL, BOTH SEXES										
1998.....	794	539	374	366	433	421	412	248	153	-
1997.....	580	372	341	298	388	422	355	262	160	-
1996.....	460	322	294	298	401	406	379	216	139	1
1995.....	374	274	277	294	355	396	321	225	121	-
1994.....	280	205	223	251	342	344	322	204	105	-
1993.....	208	192	195	237	270	284	263	151	79	-
1992.....	151	136	137	184	229	224	216	140	80	-
1991.....	141	114	160	180	210	229	177	116	66	-
1990.....	96	93	101	147	206	191	178	115	65	-
1989.....	90	93	108	136	191	171	138	115	72	-
1988.....	65	91	102	151	147	156	125	87	57	-
1987.....	66	64	112	97	121	146	115	70	39	-
1986.....	50	60	82	92	117	115	96	55	40	-
1985.....	64	46	72	95	117	104	76	42	33	-
1984.....	42	55	75	90	92	82	53	40	42	-
1983.....	42	61	78	83	91	95	62	39	32	-
1982.....	44	63	82	78	91	74	75	30	36	1
1981.....	58	68	68	95	85	67	54	41	32	1
1980.....	54	54	71	74	67	82	74	40	35	-
1979.....	45	41	70	79	74	64	49	39	31	1
TOTAL, MALE										
1998.....	603	380	229	208	223	192	187	119	73	-
1997.....	435	256	216	162	189	189	165	117	62	-
1996.....	354	220	188	159	197	196	184	90	57	1
1995.....	286	193	176	170	181	194	141	108	50	-
1994.....	208	136	140	129	183	180	160	97	46	-
1993.....	159	140	128	128	145	149	132	73	30	-
1992.....	111	102	88	112	131	125	112	64	31	-
1991.....	110	75	100	96	109	131	74	64	25	-
1990.....	76	66	62	82	110	93	92	47	20	-
1989.....	64	63	71	89	104	99	71	51	24	-
1988.....	49	59	59	86	86	91	61	45	22	-
1987.....	46	46	71	64	72	87	54	32	18	-
1986.....	37	38	60	65	66	71	50	24	21	-
1985.....	43	29	37	59	69	56	39	17	13	-
1984.....	28	38	48	52	49	44	25	17	14	-
1983.....	24	37	40	58	57	50	30	17	13	-
1982.....	23	38	41	41	48	39	44	12	17	1
1981.....	34	41	42	50	40	32	30	19	9	-
1980.....	34	24	42	38	28	40	40	20	14	-
1979.....	27	23	37	45	46	25	21	24	11	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
VIRAL HEPATITIS (070)										
TOTAL, FEMALE										
1998.....	191	159	145	158	210	229	225	129	80	-
1997.....	145	116	125	136	199	233	190	145	98	-
1996.....	106	102	106	139	204	210	195	126	82	-
1995.....	88	81	101	124	174	202	180	117	71	-
1994.....	72	69	83	122	159	164	162	107	59	-
1993.....	49	52	67	109	125	135	131	78	49	-
1992.....	40	34	49	72	98	99	104	76	49	-
1991.....	31	39	60	84	101	98	103	52	41	-
1990.....	20	27	39	65	96	98	86	68	45	-
1989.....	26	30	37	47	87	72	67	64	48	-
1988.....	16	32	43	65	61	65	64	42	35	-
1987.....	20	18	41	33	49	59	61	38	21	-
1986.....	13	22	22	27	51	44	46	31	19	-
1985.....	21	17	35	36	48	48	37	25	20	-
1984.....	14	17	27	38	43	38	28	23	28	-
1983.....	18	24	38	25	34	45	32	22	19	-
1982.....	21	25	41	37	43	35	31	18	19	-
1981.....	24	27	26	45	45	35	24	22	23	1
1980.....	20	30	29	36	39	42	34	20	21	-
1979.....	18	18	33	34	28	39	28	15	20	-
WHITE, BOTH SEXES										
1998.....	613	421	270	283	351	360	357	217	139	-
1997.....	439	289	252	224	306	362	304	239	138	-
1996.....	364	243	226	240	317	343	343	188	128	-
1995.....	284	218	209	226	295	361	287	209	107	-
1994.....	217	159	155	186	274	295	288	183	99	-
1993.....	152	150	145	191	227	254	234	140	70	-
1992.....	112	107	97	148	192	193	198	128	73	-
1991.....	106	76	126	150	181	206	155	106	62	-
1990.....	69	66	76	124	173	165	162	103	58	-
1989.....	71	71	84	107	162	151	124	108	66	-
1988.....	49	68	83	130	128	136	111	81	51	-
1987.....	47	47	97	77	102	127	96	63	38	-
1986.....	37	49	69	76	101	96	87	51	36	-
1985.....	47	31	63	82	101	92	73	38	30	-
1984.....	29	45	61	77	86	71	46	37	40	-
1983.....	34	42	70	72	76	75	57	36	30	-
1982.....	33	52	68	66	74	64	70	26	32	1
1981.....	44	50	55	85	75	63	51	37	27	1
1980.....	37	39	64	65	62	78	69	37	32	-
1979.....	33	28	59	72	64	59	43	35	29	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
VIRAL HEPATITIS (070)										
WHITE MALE										
1998.....	470	299	163	163	180	168	162	107	66	-
1997.....	335	199	169	128	152	165	149	113	52	-
1996.....	282	166	145	135	162	170	175	83	53	-
1995.....	226	155	132	137	159	180	127	104	46	-
1994.....	167	110	103	100	158	158	154	89	42	-
1993.....	122	114	98	100	127	135	115	70	27	-
1992.....	83	80	63	91	111	113	103	58	26	-
1991.....	87	56	81	84	93	122	70	60	23	-
1990.....	55	48	50	70	96	80	82	45	19	-
1989.....	50	46	55	68	94	91	65	47	23	-
1988.....	38	48	48	77	77	85	54	41	20	-
1987.....	34	34	63	53	63	74	47	28	17	-
1986.....	27	31	50	56	58	59	47	21	18	-
1985.....	35	23	33	50	62	50	39	15	12	-
1984.....	20	31	40	43	48	39	21	17	13	-
1983.....	20	25	38	51	46	40	29	17	12	-
1982.....	16	31	38	35	41	36	41	11	13	1
1981.....	30	31	35	47	36	31	30	17	7	-
1980.....	25	17	41	36	26	38	37	17	14	-
1979.....	18	19	31	42	41	22	18	20	10	1
WHITE FEMALE										
1998.....	143	122	107	120	171	192	195	110	73	-
1997.....	104	90	83	96	154	197	155	126	86	-
1996.....	82	77	81	105	155	173	168	105	75	-
1995.....	58	63	77	89	136	181	160	105	61	-
1994.....	50	49	52	86	116	137	134	94	57	-
1993.....	30	36	47	91	100	119	119	70	43	-
1992.....	29	27	34	57	81	80	95	70	47	-
1991.....	19	20	45	66	88	84	85	46	39	-
1990.....	14	18	26	54	77	85	80	58	39	-
1989.....	21	25	29	39	68	60	59	61	43	-
1988.....	11	20	35	53	51	51	57	40	31	-
1987.....	13	13	34	24	39	53	49	35	21	-
1986.....	10	18	19	20	43	37	40	30	18	-
1985.....	12	8	30	32	39	42	34	23	18	-
1984.....	9	14	21	34	38	32	25	20	27	-
1983.....	14	17	32	21	30	35	28	19	18	-
1982.....	17	21	30	31	33	28	29	15	19	-
1981.....	14	19	20	38	39	32	21	20	20	1
1980.....	12	22	23	29	36	40	32	20	18	-
1979.....	15	9	28	30	23	37	25	15	19	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
VIRAL HEPATITIS (070)										
ALL OTHER, BOTH SEXES										
1998.....	181	118	104	83	82	61	55	31	14	-
1997.....	141	83	89	74	82	60	51	23	22	-
1996.....	96	79	68	58	84	63	36	28	11	1
1995.....	90	56	68	68	60	35	34	16	14	-
1994.....	63	46	68	65	68	49	34	21	6	-
1993.....	56	42	50	46	43	30	29	11	9	-
1992.....	39	29	40	36	37	31	18	12	7	-
1991.....	35	38	34	30	29	23	22	10	4	-
1990.....	27	27	25	23	33	26	16	12	7	-
1989.....	19	22	24	29	29	20	14	7	6	-
1988.....	16	23	19	21	19	20	14	6	6	-
1987.....	19	17	15	20	19	19	19	7	1	-
1986.....	13	11	13	16	16	19	9	4	4	-
1985.....	17	15	9	13	16	12	3	4	3	-
1984.....	13	10	14	13	6	11	7	3	2	-
1983.....	8	19	8	11	15	20	5	3	2	-
1982.....	11	11	14	12	17	10	5	4	4	-
1981.....	14	18	13	10	10	4	3	4	5	-
1980.....	17	15	7	9	5	4	5	3	3	-
1979.....	12	13	11	7	10	5	6	4	2	-
ALL OTHER MALE										
1998.....	133	81	66	45	43	24	25	12	7	-
1997.....	100	57	47	34	37	24	16	4	10	-
1996.....	72	54	43	24	35	26	9	7	4	1
1995.....	60	38	44	33	22	14	14	4	4	-
1994.....	41	26	37	29	25	22	6	8	4	-
1993.....	37	26	30	28	18	14	17	3	3	-
1992.....	28	22	25	21	20	12	9	6	5	-
1991.....	23	19	19	12	16	9	4	4	2	-
1990.....	21	18	12	12	14	13	10	2	1	-
1989.....	14	17	16	21	10	8	6	4	1	-
1988.....	11	11	11	9	9	6	7	4	2	-
1987.....	12	12	8	11	9	13	7	4	1	-
1986.....	10	7	10	9	8	12	3	3	3	-
1985.....	8	6	4	9	7	6	-	2	1	-
1984.....	8	7	8	9	1	5	4	-	1	-
1983.....	4	12	2	7	11	10	1	-	1	-
1982.....	7	7	3	6	7	3	3	1	4	-
1981.....	4	10	7	3	4	1	-	2	2	-
1980.....	9	7	1	2	2	2	3	3	-	-
1979.....	9	4	6	3	5	3	3	4	1	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
VIRAL HEPATITIS (070)										
ALL OTHER FEMALE										
1998.....	48	37	38	38	39	37	30	19	7	-
1997.....	41	26	42	40	45	36	35	19	12	-
1996.....	24	25	25	34	49	37	27	21	7	-
1995.....	30	18	24	35	38	21	20	12	10	-
1994.....	22	20	31	36	43	27	28	13	2	-
1993.....	19	16	20	18	25	16	12	8	6	-
1992.....	11	7	15	15	17	19	9	6	2	-
1991.....	12	19	15	18	13	14	18	6	2	-
1990.....	6	9	13	11	19	13	6	10	6	-
1989.....	5	5	8	8	19	12	8	3	5	-
1988.....	5	12	8	12	10	14	7	2	4	-
1987.....	7	5	7	9	10	6	12	3	-	-
1986.....	3	4	3	7	8	7	6	1	1	-
1985.....	9	9	5	4	9	6	3	2	2	-
1984.....	5	3	6	4	5	6	3	3	1	-
1983.....	4	7	6	4	4	10	4	3	1	-
1982.....	4	4	11	6	10	7	2	3	-	-
1981.....	10	8	6	7	6	3	3	2	3	-
1980.....	8	8	6	7	3	2	2	-	3	-
1979.....	3	9	5	4	5	2	3	-	1	-
BLACK, BOTH SEXES										
1998.....	159	88	66	43	52	34	36	15	11	-
1997.....	105	63	54	40	37	31	32	16	18	-
1996.....	81	59	37	26	41	39	15	21	8	1
1995.....	64	37	39	32	39	21	17	12	10	-
1994.....	48	26	37	31	37	28	24	13	5	-
1993.....	40	22	25	21	22	19	18	8	6	-
1992.....	28	15	20	20	22	17	8	9	4	-
1991.....	26	19	16	14	13	14	12	6	3	-
1990.....	18	13	10	11	21	18	9	9	6	-
1989.....	13	10	14	15	22	15	9	6	6	-
1988.....	10	17	10	12	10	11	10	4	4	-
1987.....	12	5	8	8	15	11	15	5	-	-
1986.....	9	6	9	5	13	13	3	3	2	-
1985.....	9	9	5	7	13	5	1	4	2	-
1984.....	8	3	10	5	4	7	4	2	2	-
1983.....	7	14	7	8	10	12	4	2	2	-
1982.....	6	5	8	9	14	8	4	4	3	-
1981.....	8	12	13	8	9	4	3	3	3	-
1980.....	12	11	7	7	4	2	3	2	2	-
1979.....	9	9	6	4	8	4	6	3	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
VIRAL HEPATITIS (070)										
BLACK MALE										
1998.....	118	59	38	28	27	12	14	3	5	-
1997.....	76	44	29	22	15	14	10	1	7	-
1996.....	62	42	21	12	14	16	3	3	2	1
1995.....	41	25	23	15	12	8	8	3	1	-
1994.....	30	16	19	11	12	11	5	7	3	-
1993.....	27	16	16	14	9	9	10	3	2	-
1992.....	21	12	13	13	11	5	4	5	2	-
1991.....	16	8	9	4	8	3	4	2	1	-
1990.....	12	7	4	5	10	8	5	1	-	-
1989.....	9	7	8	10	8	5	2	3	1	-
1988.....	6	7	5	6	3	2	5	3	2	-
1987.....	6	5	4	4	7	5	6	3	-	-
1986.....	7	4	6	1	6	8	1	2	1	-
1985.....	5	2	2	4	5	3	-	2	1	-
1984.....	3	2	6	3	-	3	2	-	1	-
1983.....	3	8	2	6	8	5	1	-	1	-
1982.....	3	3	1	4	6	2	2	1	3	-
1981.....	2	4	7	2	3	1	-	1	1	-
1980.....	6	4	1	2	2	-	1	2	-	-
1979.....	6	1	1	-	3	2	3	3	1	-
BLACK FEMALE										
1998.....	41	29	28	15	25	22	22	12	6	-
1997.....	29	19	25	18	22	17	22	15	11	-
1996.....	19	17	16	14	27	23	12	18	6	-
1995.....	23	12	16	17	27	13	9	9	9	-
1994.....	18	10	18	20	25	17	19	6	2	-
1993.....	13	6	9	7	13	10	8	5	4	-
1992.....	7	3	7	7	11	12	4	4	2	-
1991.....	10	11	7	10	5	11	8	4	2	-
1990.....	6	6	6	6	11	10	4	8	6	-
1989.....	4	3	6	5	14	10	7	3	5	-
1988.....	4	10	5	6	7	9	5	1	2	-
1987.....	6	-	4	4	8	6	9	2	-	-
1986.....	2	2	3	4	7	5	2	1	1	-
1985.....	4	7	3	3	8	2	1	2	1	-
1984.....	5	1	4	2	4	4	2	2	1	-
1983.....	4	6	5	2	2	7	3	2	1	-
1982.....	3	2	7	5	8	6	2	3	-	-
1981.....	6	8	6	6	6	3	3	2	2	-
1980.....	6	7	6	5	2	2	2	-	2	-
1979.....	3	8	5	4	5	2	3	-	1	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYPHILIS (090-097)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, BOTH SEXES										
1998.....	2	1	3	1	4	3	6	4	11	-
1997.....	3	2	3	2	6	8	8	11	7	-
1996.....	1	3	2	4	5	9	11	5	15	-
1995.....	4	5	2	2	4	7	5	9	9	-
1994.....	4	3	2	3	4	14	9	13	8	-
1993.....	2	1	4	3	8	5	10	9	7	-
1992.....	5	1	6	6	4	11	9	8	15	-
1991.....	5	-	3	4	5	8	6	10	16	-
1990.....	5	4	3	4	3	6	13	12	13	-
1989.....	4	3	6	4	7	8	12	11	15	-
1988.....	2	3	1	6	4	6	17	7	12	-
1987.....	1	2	2	10	7	13	13	16	8	-
1986.....	-	3	3	2	5	12	16	15	13	-
1985.....	1	3	6	6	6	9	12	10	14	-
1984.....	1	1	5	7	14	17	19	15	15	-
1983.....	1	5	6	5	16	20	25	14	14	-
1982.....	2	3	10	9	10	19	19	19	16	-
1981.....	3	6	7	8	13	27	28	14	14	-
1980.....	2	3	4	8	22	29	34	18	22	-
1979.....	2	5	7	22	24	33	29	18	25	-
TOTAL, MALE										
1998.....	1	-	2	1	2	1	5	3	4	-
1997.....	3	2	3	2	5	4	4	6	2	-
1996.....	1	3	2	4	4	4	9	3	9	-
1995.....	3	3	1	2	4	5	3	3	2	-
1994.....	4	1	2	1	2	9	4	8	2	-
1993.....	2	1	4	3	6	2	5	7	3	-
1992.....	4	1	3	6	3	7	5	5	5	-
1991.....	4	-	2	4	4	4	2	8	5	-
1990.....	5	4	2	2	-	2	6	7	6	-
1989.....	2	2	6	1	5	2	9	5	8	-
1988.....	2	3	-	3	3	3	10	6	6	-
1987.....	1	2	1	6	3	5	9	9	3	-
1986.....	-	1	1	1	3	7	10	7	5	-
1985.....	-	2	6	5	4	5	7	5	8	-
1984.....	1	-	3	6	12	6	15	9	9	-
1983.....	1	4	3	4	9	10	11	6	10	-
1982.....	2	1	8	7	6	8	14	9	8	-
1981.....	1	4	3	4	8	15	15	9	6	-
1980.....	-	2	3	4	11	14	23	13	14	-
1979.....	2	1	4	16	14	25	14	13	9	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYPHILIS (090-097)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, FEMALE										
1998.....	1	1	1	-	2	2	1	1	7	-
1997.....	-	-	-	-	1	4	4	5	5	-
1996.....	-	-	-	-	1	5	2	2	6	-
1995.....	1	2	1	-	-	2	2	6	7	-
1994.....	-	2	-	2	2	5	5	5	6	-
1993.....	-	-	-	-	2	3	5	2	4	-
1992.....	1	-	3	-	1	4	4	3	10	-
1991.....	1	-	1	-	1	4	4	2	11	-
1990.....	-	-	1	2	3	4	7	5	7	-
1989.....	2	1	-	3	2	6	3	6	7	-
1988.....	-	-	1	3	1	3	7	1	6	-
1987.....	-	-	1	4	4	8	4	7	5	-
1986.....	-	2	2	1	2	5	6	8	8	-
1985.....	1	1	-	1	2	4	5	5	6	-
1984.....	-	1	2	1	2	11	4	6	6	-
1983.....	-	1	3	1	7	10	14	8	4	-
1982.....	-	2	2	2	4	11	5	10	8	-
1981.....	2	2	4	4	5	12	13	5	8	-
1980.....	2	1	1	4	11	15	11	5	8	-
1979.....	-	4	3	6	10	8	15	5	16	-
WHITE, BOTH SEXES										
1998.....	1	1	1	-	2	1	1	3	8	-
1997.....	2	2	2	-	3	3	3	7	6	-
1996.....	1	2	2	2	3	4	4	3	8	-
1995.....	2	2	-	1	3	3	2	7	7	-
1994.....	3	2	1	1	-	9	6	8	5	-
1993.....	-	-	1	2	4	3	2	7	2	-
1992.....	1	-	2	1	2	8	6	4	10	-
1991.....	3	-	2	1	3	2	5	6	10	-
1990.....	-	3	-	3	-	2	8	8	7	-
1989.....	3	-	3	3	2	4	7	5	10	-
1988.....	1	-	1	2	4	3	8	5	8	-
1987.....	-	-	1	6	5	6	8	9	4	-
1986.....	-	3	2	1	3	4	8	9	6	-
1985.....	-	1	4	2	2	7	9	8	9	-
1984.....	1	1	4	2	8	7	5	12	7	-
1983.....	1	1	5	3	8	14	15	8	9	-
1982.....	-	3	5	5	7	14	13	13	12	-
1981.....	2	4	5	6	10	18	18	6	9	-
1980.....	2	1	2	5	11	21	16	11	15	-
1979.....	1	2	3	8	16	18	19	9	15	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYPHILIS (090-097)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
WHITE MALE										
1998.....	1	-	1	-	1	-	1	2	4	-
1997.....	2	2	2	-	2	1	1	4	1	-
1996.....	1	2	2	2	2	1	4	1	5	-
1995.....	1	2	-	1	3	1	1	3	2	-
1994.....	3	1	1	1	-	5	3	6	1	-
1993.....	-	-	1	2	3	1	1	5	1	-
1992.....	1	-	2	1	1	5	4	1	2	-
1991.....	2	-	1	1	3	1	2	6	2	-
1990.....	-	3	-	1	-	-	3	3	3	-
1989.....	1	-	3	-	2	1	6	1	4	-
1988.....	1	-	-	2	3	1	5	4	4	-
1987.....	-	-	1	5	2	3	6	5	2	-
1986.....	-	1	1	-	2	1	5	4	3	-
1985.....	-	1	4	2	-	3	4	5	6	-
1984.....	1	-	2	2	6	3	4	7	3	-
1983.....	1	1	2	3	3	5	9	2	6	-
1982.....	-	1	5	4	4	4	10	5	5	-
1981.....	1	3	2	3	5	9	9	4	4	-
1980.....	-	-	2	2	5	8	9	11	7	-
1979.....	1	1	2	7	8	14	10	7	4	-
WHITE FEMALE										
1998.....	-	1	-	-	1	1	-	1	4	-
1997.....	-	-	-	-	1	2	2	3	5	-
1996.....	-	-	-	-	1	3	-	2	3	-
1995.....	1	-	-	-	-	2	1	4	5	-
1994.....	-	1	-	-	-	4	3	2	4	-
1993.....	-	-	-	-	1	2	1	2	1	-
1992.....	-	-	-	-	1	3	2	3	8	-
1991.....	1	-	1	-	-	1	3	-	8	-
1990.....	-	-	-	2	-	2	5	5	4	-
1989.....	2	-	-	3	-	3	1	4	6	-
1988.....	-	-	1	-	1	2	3	1	4	-
1987.....	-	-	-	1	3	3	2	4	2	-
1986.....	-	2	1	1	1	3	3	5	3	-
1985.....	-	-	-	-	2	4	5	3	3	-
1984.....	-	1	2	-	2	4	1	5	4	-
1983.....	-	-	3	-	5	9	6	6	3	-
1982.....	-	2	-	1	3	10	3	8	7	-
1981.....	1	1	3	3	5	9	9	2	5	-
1980.....	2	1	-	3	6	13	7	-	8	-
1979.....	-	1	1	1	8	4	9	2	11	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYPHILIS (090-097)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER, BOTH SEXES										
1998.....	1	-	2	1	2	2	5	1	3	-
1997.....	1	-	1	2	3	5	5	4	1	-
1996.....	-	1	-	2	2	5	7	2	7	-
1995.....	2	3	2	1	1	4	3	2	2	-
1994.....	1	1	1	2	4	5	3	5	3	-
1993.....	2	1	3	1	4	2	8	2	5	-
1992.....	4	1	4	5	2	3	3	4	5	-
1991.....	2	-	1	3	2	6	1	4	6	-
1990.....	5	1	3	1	3	4	5	4	6	-
1989.....	1	3	3	1	5	4	5	6	5	-
1988.....	1	3	-	4	-	3	9	2	4	-
1987.....	1	2	1	4	2	7	5	7	4	-
1986.....	-	-	1	1	2	8	8	6	7	-
1985.....	1	2	2	4	4	2	3	2	5	-
1984.....	-	-	1	5	6	10	14	3	8	-
1983.....	-	4	1	2	8	6	10	6	5	-
1982.....	2	-	5	4	3	5	6	6	4	-
1981.....	1	2	2	2	3	9	10	8	5	-
1980.....	-	2	2	3	11	8	18	7	7	-
1979.....	1	3	4	14	8	15	10	9	10	-
ALL OTHER MALE										
1998.....	-	-	1	1	1	1	4	1	-	-
1997.....	1	-	1	2	3	3	3	2	1	-
1996.....	-	1	-	2	2	3	5	2	4	-
1995.....	2	1	1	1	1	4	2	-	-	-
1994.....	1	-	1	-	2	4	1	2	1	-
1993.....	2	1	3	1	3	1	4	2	2	-
1992.....	3	1	1	5	2	2	1	4	3	-
1991.....	2	-	1	3	1	3	-	2	3	-
1990.....	5	1	2	1	-	2	3	4	3	-
1989.....	1	2	3	1	3	1	3	4	4	-
1988.....	1	3	-	1	-	2	5	2	2	-
1987.....	1	2	-	1	1	2	3	4	1	-
1986.....	-	-	-	1	1	6	5	3	2	-
1985.....	-	1	2	3	4	2	3	-	2	-
1984.....	-	-	1	4	6	3	11	2	6	-
1983.....	-	3	1	1	6	5	2	4	4	-
1982.....	2	-	3	3	2	4	4	4	3	-
1981.....	-	1	1	1	3	6	6	5	2	-
1980.....	-	2	1	2	6	6	14	2	7	-
1979.....	1	-	2	9	6	11	4	6	5	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYPHILIS (090-097)	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER FEMALE										
1998.....	1	-	1	-	1	1	1	-	3	-
1997.....	-	-	-	-	-	2	2	2	-	-
1996.....	-	-	-	-	-	2	2	-	3	-
1995.....	-	2	1	-	-	-	1	2	2	-
1994.....	-	1	-	2	2	1	2	3	2	-
1993.....	-	-	-	-	1	1	4	-	3	-
1992.....	1	-	3	-	-	1	2	-	2	-
1991.....	-	-	-	-	1	3	1	2	3	-
1990.....	-	-	1	-	3	2	2	-	3	-
1989.....	-	1	-	-	2	3	2	2	1	-
1988.....	-	-	-	3	-	1	4	-	2	-
1987.....	-	-	1	3	1	5	2	3	3	-
1986.....	-	-	1	-	1	2	3	3	5	-
1985.....	1	1	-	1	-	-	-	2	3	-
1984.....	-	-	-	1	-	7	3	1	2	-
1983.....	-	1	-	1	2	1	8	2	1	-
1982.....	-	-	2	1	1	1	2	2	1	-
1981.....	1	1	1	1	-	3	4	3	3	-
1980.....	-	-	1	1	5	2	4	5	-	-
1979.....	-	3	2	5	2	4	6	3	5	-
BLACK, BOTH SEXES										
1998.....	1	-	2	-	2	1	4	1	3	-
1997.....	1	-	-	2	3	5	5	4	1	-
1996.....	-	1	-	2	2	5	6	2	7	-
1995.....	2	2	2	1	1	4	3	1	2	-
1994.....	1	1	1	1	4	4	3	5	3	-
1993.....	2	1	3	1	4	2	8	2	5	-
1992.....	3	1	3	5	2	3	3	4	5	-
1991.....	1	-	1	3	2	6	1	4	6	-
1990.....	5	1	3	1	3	4	5	4	5	-
1989.....	1	3	2	1	5	4	5	5	5	-
1988.....	1	3	-	4	-	3	9	2	4	-
1987.....	1	2	1	4	2	7	4	6	4	-
1986.....	-	-	1	1	2	8	8	6	7	-
1985.....	1	2	2	4	3	2	3	2	5	-
1984.....	-	-	1	5	4	10	13	2	8	-
1983.....	-	4	1	2	8	6	10	6	5	-
1982.....	2	-	5	4	3	5	6	5	4	-
1981.....	1	2	1	2	3	9	10	8	5	-
1980.....	-	2	2	3	11	8	18	5	7	-
1979.....	1	2	4	14	8	15	10	9	9	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYPHILIS (090-097)	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
BLACK MALE										
1998.....	-	-	1	-	1	1	3	1	-	-
1997.....	1	-	-	2	3	3	3	2	1	-
1996.....	-	1	-	2	2	3	5	2	4	-
1995.....	2	1	1	1	1	4	2	-	-	-
1994.....	1	-	1	-	2	3	1	2	1	-
1993.....	2	1	3	1	3	1	4	2	2	-
1992.....	2	1	1	5	2	2	1	4	3	-
1991.....	1	-	1	3	1	3	-	2	3	-
1990.....	5	1	2	1	-	2	3	4	2	-
1989.....	1	2	2	1	3	1	3	3	4	-
1988.....	1	3	-	1	-	2	5	2	2	-
1987.....	1	2	-	1	1	2	2	3	1	-
1986.....	-	-	-	1	1	6	5	3	2	-
1985.....	-	1	2	3	3	2	3	-	2	-
1984.....	-	-	1	4	4	3	11	1	6	-
1983.....	-	3	1	1	6	5	2	4	4	-
1982.....	2	-	3	3	2	4	4	3	3	-
1981.....	-	1	-	1	3	6	6	5	2	-
1980.....	-	2	1	2	6	6	14	1	7	-
1979.....	1	-	2	9	6	11	4	6	4	-
BLACK FEMALE										
1998.....	1	-	1	-	1	-	1	-	3	-
1997.....	-	-	-	-	-	2	2	2	-	-
1996.....	-	-	-	-	-	2	1	-	3	-
1995.....	-	1	1	-	-	-	1	1	2	-
1994.....	-	1	-	1	2	1	2	3	2	-
1993.....	-	-	-	-	1	1	4	-	3	-
1992.....	1	-	2	-	-	1	2	-	2	-
1991.....	-	-	-	-	1	3	1	2	3	-
1990.....	-	-	1	-	3	2	2	-	3	-
1989.....	-	1	-	-	2	3	2	2	1	-
1988.....	-	-	-	3	-	1	4	-	2	-
1987.....	-	-	1	3	1	5	2	3	3	-
1986.....	-	-	1	-	1	2	3	3	5	-
1985.....	1	1	-	1	-	-	-	2	3	-
1984.....	-	-	-	1	-	7	2	1	2	-
1983.....	-	1	-	1	2	1	8	2	1	-
1982.....	-	-	2	1	1	1	2	2	1	-
1981.....	1	1	1	1	-	3	4	3	3	-
1980.....	-	-	1	1	5	2	4	4	-	-
1979.....	-	2	2	5	2	4	6	3	5	-

RACE, AND SEX: UNITED STATES, 1979-98

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED

ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

TOTAL, BOTH SEXES										
1998.....	2,407	1,522	1,103	838	797	876	785	669	829	3
1997.....	2,735	1,599	1,065	940	798	833	842	671	726	6
1996.....	4,638	2,457	1,564	1,124	980	950	804	630	720	7
1995.....	5,827	3,185	1,884	1,309	1,082	943	809	580	709	8
1994.....	5,388	3,060	1,830	1,284	1,032	923	746	587	696	6
1993.....	4,604	2,643	1,533	1,188	1,017	877	765	586	766	11
1992.....	4,060	2,247	1,478	1,201	966	826	739	555	684	13
1991.....	3,380	2,029	1,337	1,151	946	829	685	541	662	11
1990.....	2,847	1,649	1,225	1,013	957	792	736	598	657	14
1989.....	2,412	1,519	1,113	986	946	815	797	578	691	13
1988.....	1,710	1,248	922	864	823	802	730	563	699	4
1987.....	1,461	897	870	802	763	740	630	490	609	3
1986.....	543	441	552	584	694	652	612	474	612	1
1985.....	386	375	444	538	609	628	572	410	574	2
1984.....	333	288	404	471	537	547	518	413	502	1
1983.....	212	270	349	447	488	517	488	364	414	-
1982.....	174	246	303	419	499	497	423	305	422	-
1981.....	166	263	317	415	446	430	390	332	425	-
1980.....	154	243	329	348	444	419	366	316	420	1
1979.....	165	196	307	336	358	341	312	266	277	1
TOTAL, MALE										
1998.....	1,863	1,153	741	530	468	487	400	312	252	3
1997.....	2,112	1,189	747	618	501	442	442	304	253	5
1996.....	3,787	1,992	1,179	807	608	533	394	293	269	7
1995.....	4,930	2,669	1,486	953	714	533	434	274	272	8
1994.....	4,656	2,592	1,476	948	672	514	367	239	254	6
1993.....	4,025	2,259	1,242	894	655	497	368	290	268	11
1992.....	3,565	1,975	1,178	878	647	460	373	259	251	13
1991.....	3,007	1,735	1,068	859	611	475	375	283	236	11
1990.....	2,557	1,424	986	714	602	439	376	286	231	11
1989.....	2,180	1,305	888	706	590	441	425	273	234	13
1988.....	1,516	1,067	726	567	515	452	369	253	231	2
1987.....	1,319	743	678	551	443	396	325	222	208	2
1986.....	426	315	372	354	393	348	324	220	198	1
1985.....	282	253	277	296	357	329	287	192	195	-
1984.....	229	187	255	285	282	299	251	180	177	-
1983.....	125	146	193	234	256	271	261	177	160	-
1982.....	95	140	162	242	261	255	217	144	158	-
1981.....	87	151	174	231	259	214	195	153	169	-
1980.....	82	135	186	188	265	234	163	144	153	1
1979.....	87	108	163	187	201	192	162	132	103	1

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)										

TOTAL, FEMALE										
1998.....	544	369	362	308	329	389	385	357	577	-
1997.....	623	410	318	322	297	391	400	367	473	1
1996.....	851	465	385	317	372	417	410	337	451	-
1995.....	897	516	398	356	368	410	375	306	437	-
1994.....	732	468	354	336	360	409	379	348	442	-
1993.....	579	384	291	294	362	380	397	296	498	-
1992.....	495	272	300	323	319	366	366	296	433	-
1991.....	373	294	269	292	335	354	310	258	426	-
1990.....	290	225	239	299	355	353	360	312	426	3
1989.....	232	214	225	280	356	374	372	305	457	-
1988.....	194	181	196	297	308	350	361	310	468	2
1987.....	142	154	192	251	320	344	305	268	401	1
1986.....	117	126	180	230	301	304	288	254	414	-
1985.....	104	122	167	242	252	299	285	218	379	2
1984.....	104	101	149	186	255	248	267	233	325	1
1983.....	87	124	156	213	232	246	227	187	254	-
1982.....	79	106	141	177	238	242	206	161	264	-
1981.....	79	112	143	184	187	216	195	179	256	-
1980.....	72	108	143	160	179	185	203	172	267	-
1979.....	78	88	144	149	157	149	150	134	174	-
WHITE, BOTH SEXES										
1998.....	1,121	785	611	535	598	702	681	594	753	1
1997.....	1,311	853	612	576	585	648	710	593	645	4
1996.....	2,551	1,407	905	705	722	747	667	559	628	2
1995.....	3,500	1,989	1,194	832	793	756	700	503	649	5
1994.....	3,390	1,943	1,171	862	766	716	641	508	635	4
1993.....	3,029	1,764	1,046	854	772	716	647	521	687	7
1992.....	2,802	1,580	985	859	741	685	655	487	612	7
1991.....	2,366	1,407	963	860	737	704	604	479	596	6
1990.....	2,085	1,202	904	765	784	670	638	535	589	8
1989.....	1,770	1,118	847	796	775	695	693	521	632	5
1988.....	1,242	918	679	698	698	690	638	507	643	3
1987.....	1,057	647	658	652	633	653	562	439	552	1
1986.....	404	332	442	475	602	574	539	431	559	-
1985.....	272	283	345	454	505	545	513	375	532	2
1984.....	237	199	321	390	458	474	464	365	469	1
1983.....	143	198	274	383	420	459	430	323	379	-
1982.....	117	190	247	354	424	443	365	271	393	-
1981.....	117	204	263	346	380	383	350	300	387	-
1980.....	91	182	273	288	377	368	317	283	387	1
1979.....	126	148	254	281	313	295	281	242	259	1

RACE, AND SEX: UNITED STATES, 1979-98

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED

ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
WHITE MALE										
1998.....	930	606	407	342	345	392	343	279	228	1
1997.....	1,096	645	430	360	355	342	367	276	224	4
1996.....	2,208	1,191	688	507	435	409	324	258	226	2
1995.....	3,133	1,725	983	616	527	436	361	241	241	5
1994.....	3,066	1,726	983	643	484	397	315	193	225	4
1993.....	2,763	1,562	856	654	497	397	303	256	243	7
1992.....	2,556	1,423	804	649	495	372	340	226	222	7
1991.....	2,184	1,250	794	647	471	398	328	245	207	6
1990.....	1,945	1,074	741	549	496	363	327	261	202	8
1989.....	1,654	986	692	570	482	384	368	239	211	5
1988.....	1,137	804	541	462	436	390	327	232	200	2
1987.....	985	559	521	453	384	353	297	196	185	1
1986.....	333	245	300	290	348	302	288	195	175	-
1985.....	207	197	227	259	299	289	255	171	178	-
1984.....	169	135	213	243	243	260	224	151	160	-
1983.....	93	110	149	207	220	238	229	157	141	-
1982.....	69	113	137	206	221	225	186	125	141	-
1981.....	66	120	147	197	221	192	178	139	148	-
1980.....	53	106	153	156	221	208	142	130	138	1
1979.....	68	85	141	160	181	168	142	118	96	1
WHITE FEMALE										
1998.....	191	179	204	193	253	310	338	315	525	-
1997.....	215	208	182	216	230	306	343	317	421	-
1996.....	343	216	217	198	287	338	343	301	402	-
1995.....	367	264	211	216	266	320	339	262	408	-
1994.....	324	217	188	219	282	319	326	315	410	-
1993.....	266	202	190	200	275	319	344	265	444	-
1992.....	246	157	181	210	246	313	315	261	390	-
1991.....	182	157	169	213	266	306	276	234	389	-
1990.....	140	128	163	216	288	307	311	274	387	-
1989.....	116	132	155	226	293	311	325	282	421	-
1988.....	105	114	138	236	262	300	311	275	443	1
1987.....	72	88	137	199	249	300	265	243	367	-
1986.....	71	87	142	185	254	272	251	236	384	-
1985.....	65	86	118	195	206	256	258	204	354	2
1984.....	68	64	108	147	215	214	240	214	309	1
1983.....	50	88	125	176	200	221	201	166	238	-
1982.....	48	77	110	148	203	218	179	146	252	-
1981.....	51	84	116	149	159	191	172	161	239	-
1980.....	38	76	120	132	156	160	175	153	249	-
1979.....	58	63	113	121	132	127	139	124	163	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

ALL OTHER, BOTH SEXES

1998.....	1,286	737	492	303	199	174	104	75	76	2
1997.....	1,424	746	453	364	213	185	132	78	81	2
1996.....	2,087	1,050	659	419	258	203	137	71	92	5
1995.....	2,327	1,196	690	477	289	187	109	77	60	3
1994.....	1,998	1,117	659	422	266	207	105	79	61	2
1993.....	1,575	879	487	334	245	161	118	65	79	4
1992.....	1,258	667	493	342	225	141	84	68	72	6
1991.....	1,014	622	374	291	209	125	81	62	66	5
1990.....	762	447	321	248	173	122	98	63	68	6
1989.....	642	401	266	190	171	120	104	57	59	8
1988.....	468	330	243	166	125	112	92	56	56	1
1987.....	404	250	212	150	130	87	68	51	57	2
1986.....	139	109	110	109	92	78	73	43	53	1
1985.....	114	92	99	84	104	83	59	35	42	-
1984.....	96	89	83	81	79	73	54	48	33	-
1983.....	69	72	75	64	68	58	58	41	35	-
1982.....	57	56	56	65	75	54	58	34	29	-
1981.....	49	59	54	69	66	47	40	32	38	-
1980.....	63	61	56	60	67	51	49	33	33	-
1979.....	39	48	53	55	45	46	31	24	18	-

ALL OTHER MALE

1998.....	933	547	334	188	123	95	57	33	24	2
1997.....	1,016	544	317	258	146	100	75	28	29	1
1996.....	1,579	801	491	300	173	124	70	35	43	5
1995.....	1,797	944	503	337	187	97	73	33	31	3
1994.....	1,590	866	493	305	188	117	52	46	29	2
1993.....	1,262	697	386	240	158	100	65	34	25	4
1992.....	1,009	552	374	229	152	88	33	33	29	6
1991.....	823	485	274	212	140	77	47	38	29	5
1990.....	612	350	245	165	106	76	49	25	29	3
1989.....	526	319	196	136	108	57	57	34	23	8
1988.....	379	263	185	105	79	62	42	21	31	-
1987.....	334	184	157	98	59	43	28	26	23	1
1986.....	93	70	72	64	45	46	36	25	23	1
1985.....	75	56	50	37	58	40	32	21	17	-
1984.....	60	52	42	42	39	39	27	29	17	-
1983.....	32	36	44	27	36	33	32	20	19	-
1982.....	26	27	25	36	40	30	31	19	17	-
1981.....	21	31	27	34	38	22	17	14	21	-
1980.....	29	29	33	32	44	26	21	14	15	-
1979.....	19	23	22	27	20	24	20	14	7	-

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)										

ALL OTHER FEMALE

1998.....	353	190	158	115	76	79	47	42	52	-
1997.....	408	202	136	106	67	85	57	50	52	1
1996.....	508	249	168	119	85	79	67	36	49	-
1995.....	530	252	187	140	102	90	36	44	29	-
1994.....	408	251	166	117	78	90	53	33	32	-
1993.....	313	182	101	94	87	61	53	31	54	-
1992.....	249	115	119	113	73	53	51	35	43	-
1991.....	191	137	100	79	69	48	34	24	37	-
1990.....	150	97	76	83	67	46	49	38	39	3
1989.....	116	82	70	54	63	63	47	23	36	-
1988.....	89	67	58	61	46	50	50	35	25	1
1987.....	70	66	55	52	71	44	40	25	34	1
1986.....	46	39	38	45	47	32	37	18	30	-
1985.....	39	36	49	47	46	43	27	14	25	-
1984.....	36	37	41	39	40	34	27	19	16	-
1983.....	37	36	31	37	32	25	26	21	16	-
1982.....	31	29	31	29	35	24	27	15	12	-
1981.....	28	28	27	35	28	25	23	18	17	-
1980.....	34	32	23	28	23	25	28	19	18	-
1979.....	20	25	31	28	25	22	11	10	11	-

BLACK, BOTH SEXES

1998.....	1,262	714	461	281	184	160	81	63	60	2
1997.....	1,397	722	432	340	196	166	114	65	70	2
1996.....	2,028	1,015	638	394	239	183	123	58	75	5
1995.....	2,263	1,160	658	455	273	170	96	65	48	3
1994.....	1,941	1,077	639	391	247	183	88	63	53	2
1993.....	1,515	847	458	321	223	141	102	58	71	4
1992.....	1,221	642	474	317	204	128	74	56	60	6
1991.....	982	602	358	276	182	109	71	54	54	5
1990.....	732	427	302	233	154	105	87	55	54	6
1989.....	614	382	248	177	156	108	92	44	53	7
1988.....	449	317	226	148	113	95	88	49	49	1
1987.....	384	237	197	138	113	77	60	45	51	2
1986.....	131	100	99	90	77	65	58	38	42	1
1985.....	104	86	88	76	84	68	50	28	36	-
1984.....	90	78	71	72	72	62	43	40	27	-
1983.....	65	67	64	58	62	53	50	37	27	-
1982.....	56	48	47	60	70	48	43	30	23	-
1981.....	47	53	51	60	56	40	33	25	29	-
1980.....	60	54	45	56	61	48	42	28	30	-
1979.....	36	44	46	51	39	40	23	21	14	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

BLACK MALE

1998.....	914	530	318	180	118	92	44	28	18	2
1997.....	1,001	528	304	243	136	90	62	22	22	1
1996.....	1,527	775	476	284	160	113	63	27	32	5
1995.....	1,746	918	482	326	177	90	65	27	26	3
1994.....	1,538	837	478	287	175	106	44	34	24	2
1993.....	1,214	671	366	231	147	86	54	30	21	4
1992.....	975	533	363	217	143	78	32	23	21	6
1991.....	796	471	261	203	124	68	39	34	21	5
1990.....	583	332	230	157	90	62	43	23	19	3
1989.....	501	305	186	128	99	52	52	24	19	7
1988.....	367	255	173	96	69	51	41	20	27	-
1987.....	317	175	148	93	50	37	25	22	19	1
1986.....	86	64	67	51	35	36	25	20	18	1
1985.....	68	52	47	32	46	32	26	16	15	-
1984.....	57	46	34	36	34	30	21	22	13	-
1983.....	30	34	35	25	33	30	26	16	13	-
1982.....	25	22	20	36	36	26	20	16	12	-
1981.....	20	29	25	28	32	16	15	10	15	-
1980.....	28	25	26	31	38	25	16	13	12	-
1979.....	18	20	18	26	16	19	16	11	5	-

BLACK FEMALE

1998.....	348	184	143	101	66	68	37	35	42	-
1997.....	396	194	128	97	60	76	52	43	48	1
1996.....	501	240	162	110	79	70	60	31	43	-
1995.....	517	242	176	129	96	80	31	38	22	-
1994.....	403	240	161	104	72	77	44	29	29	-
1993.....	301	176	92	90	76	55	48	28	50	-
1992.....	246	109	111	100	61	50	42	33	39	-
1991.....	186	131	97	73	58	41	32	20	33	-
1990.....	149	95	72	76	64	43	44	32	35	3
1989.....	113	77	62	49	57	56	40	20	34	-
1988.....	82	62	53	52	44	44	47	29	22	1
1987.....	67	62	49	45	63	40	35	23	32	1
1986.....	45	36	32	39	42	29	33	18	24	-
1985.....	36	34	41	44	38	36	24	12	21	-
1984.....	33	32	37	36	38	32	22	18	14	-
1983.....	35	33	29	33	29	23	24	21	14	-
1982.....	31	26	27	24	34	22	23	14	11	-
1981.....	27	24	26	32	24	24	18	15	14	-
1980.....	32	29	19	25	23	23	26	15	18	-
1979.....	18	24	28	25	23	21	7	10	9	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)										
TOTAL, BOTH SEXES										
1998.....	18,167	27,580	37,365	49,659	67,917	86,836	87,486	71,031	70,916	13
1997.....	18,099	27,330	36,447	49,867	70,044	86,702	86,242	70,049	69,876	11
1996.....	18,405	26,222	35,858	50,970	72,347	88,517	84,798	69,682	67,644	25
1995.....	18,003	26,183	36,057	51,841	73,634	89,230	83,677	68,431	66,170	18
1994.....	17,533	26,055	35,894	53,357	75,492	88,303	82,187	67,201	63,003	16
1993.....	17,097	25,275	35,998	54,687	76,201	87,108	81,765	64,772	61,703	27
1992.....	16,752	24,454	35,807	55,802	76,434	84,791	79,813	62,835	58,187	30
1991.....	16,013	23,909	36,901	57,294	76,507	82,806	78,439	60,962	56,054	21
1990.....	15,798	24,025	36,960	57,959	76,599	80,814	76,775	58,236	52,963	27
1989.....	15,401	23,737	37,633	58,478	75,222	79,806	74,387	56,225	50,566	22
1988.....	15,031	23,735	38,577	59,079	73,260	77,564	71,201	53,848	48,314	26
1987.....	14,555	23,685	39,386	59,038	72,614	76,432	69,502	51,263	46,388	33
1986.....	14,241	23,559	39,755	59,050	71,134	75,669	67,004	49,628	44,749	46
1985.....	14,215	23,988	40,984	59,642	68,941	73,601	65,179	47,880	43,082	43
1984.....	13,859	24,499	41,870	58,185	68,105	71,636	63,064	46,468	42,089	42
1983.....	13,767	24,768	41,811	56,684	66,644	70,219	61,094	44,324	40,645	63
1982.....	13,831	25,584	41,357	55,880	66,057	67,126	59,241	42,900	38,958	64
1981.....	13,896	26,244	41,618	53,752	64,300	65,246	56,364	41,425	37,129	52
1980.....	14,230	26,800	41,600	53,045	63,469	63,961	54,773	40,466	35,720	28
1979.....	14,474	27,127	40,394	51,694	61,555	61,147	52,447	39,315	33,458	39
TOTAL, MALE										
1998.....	8,920	14,151	20,157	27,508	38,290	47,957	47,126	35,991	30,430	8
1997.....	8,748	13,961	19,461	27,649	39,607	47,908	46,417	35,524	30,161	7
1996.....	8,889	13,389	19,342	28,345	40,749	49,230	45,489	35,390	29,238	15
1995.....	8,518	13,294	19,302	28,963	41,444	49,474	44,913	34,853	28,852	7
1994.....	8,288	13,428	19,359	30,090	42,369	49,025	44,129	34,204	27,493	11
1993.....	8,162	12,936	19,632	30,732	42,998	48,695	44,155	33,093	26,789	12
1992.....	8,105	12,498	19,467	31,431	43,234	47,039	43,427	32,031	25,473	17
1991.....	7,655	12,326	19,963	32,249	43,309	46,568	42,419	31,391	24,257	14
1990.....	7,511	12,369	20,290	32,763	43,267	45,467	41,855	29,835	23,049	15
1989.....	7,504	12,211	20,636	32,947	42,388	44,962	40,426	28,866	21,788	11
1988.....	7,219	12,326	21,047	33,154	41,587	43,629	39,183	27,517	20,855	16
1987.....	6,940	12,187	21,650	33,125	41,481	43,334	38,136	26,416	19,947	19
1986.....	6,827	12,110	21,799	33,009	40,486	42,633	36,936	25,557	19,332	22
1985.....	6,802	12,325	22,411	33,345	39,380	41,733	36,021	24,541	18,658	21
1984.....	6,647	12,671	22,967	32,621	38,779	40,942	34,798	23,691	18,325	27
1983.....	6,736	12,779	22,771	31,853	38,246	40,106	34,185	22,775	17,870	35
1982.....	6,694	13,311	22,416	31,546	38,044	38,568	32,854	21,974	17,422	37
1981.....	6,810	13,586	22,624	30,473	37,154	37,785	31,062	21,105	16,574	34
1980.....	6,904	13,869	22,739	30,128	36,980	36,881	30,601	20,730	16,149	16
1979.....	7,056	14,060	22,000	29,632	35,953	35,858	29,265	20,253	15,334	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)										
TOTAL, FEMALE										
1998.....	9,247	13,429	17,208	22,151	29,627	38,879	40,360	35,040	40,486	5
1997.....	9,351	13,369	16,986	22,218	30,437	38,794	39,825	34,525	39,715	4
1996.....	9,516	12,833	16,516	22,625	31,598	39,287	39,309	34,292	38,406	10
1995.....	9,485	12,889	16,755	22,878	32,190	39,756	38,764	33,578	37,318	11
1994.....	9,245	12,627	16,535	23,267	33,123	39,278	38,058	32,997	35,510	5
1993.....	8,935	12,339	16,366	23,955	33,203	38,413	37,610	31,679	34,914	15
1992.....	8,647	11,956	16,340	24,371	33,200	37,752	36,386	30,804	32,714	13
1991.....	8,358	11,583	16,938	25,045	33,198	36,238	36,020	29,571	31,797	7
1990.....	8,287	11,656	16,670	25,196	33,332	35,347	34,920	28,401	29,914	12
1989.....	7,897	11,526	16,997	25,531	32,834	34,844	33,961	27,359	28,778	11
1988.....	7,812	11,409	17,530	25,925	31,673	33,935	32,018	26,331	27,459	10
1987.....	7,615	11,498	17,736	25,913	31,133	33,098	31,366	24,847	26,441	14
1986.....	7,414	11,449	17,956	26,041	30,648	33,036	30,068	24,071	25,417	24
1985.....	7,413	11,663	18,573	26,297	29,561	31,868	29,158	23,339	24,424	22
1984.....	7,212	11,828	18,903	25,564	29,326	30,694	28,266	22,777	23,764	15
1983.....	7,031	11,989	19,040	24,831	28,398	30,113	26,909	21,549	22,775	28
1982.....	7,137	12,273	18,941	24,334	28,013	28,558	26,387	20,926	21,536	27
1981.....	7,086	12,658	18,994	23,279	27,146	27,461	25,302	20,320	20,555	18
1980.....	7,326	12,931	18,861	22,917	26,489	27,080	24,172	19,736	19,571	12
1979.....	7,418	13,067	18,394	22,062	25,602	25,289	23,182	19,062	18,124	20
WHITE, BOTH SEXES										
1998.....	14,219	22,386	31,026	41,744	58,742	76,372	78,155	64,289	64,016	9
1997.....	14,320	22,505	30,197	41,950	60,652	76,137	77,089	63,365	62,880	4
1996.....	14,671	21,589	29,789	43,176	62,672	78,019	75,770	62,891	61,126	16
1995.....	14,508	21,438	30,089	43,742	63,962	78,774	75,063	61,674	59,828	10
1994.....	14,093	21,420	29,793	45,462	65,671	78,015	73,817	60,534	57,045	7
1993.....	13,766	20,611	29,995	46,722	66,357	76,956	73,323	58,358	55,784	9
1992.....	13,648	19,934	29,631	47,779	66,652	75,124	71,772	56,834	52,779	22
1991.....	13,023	19,501	30,825	49,348	66,777	73,429	70,361	54,866	50,814	12
1990.....	12,793	19,654	30,786	49,745	66,951	71,867	68,841	52,681	48,092	15
1989.....	12,495	19,450	31,610	50,517	65,649	70,976	66,587	51,016	45,969	14
1988.....	12,288	19,459	32,563	51,151	64,075	69,277	63,790	48,868	43,940	18
1987.....	11,853	19,452	33,469	51,094	63,884	68,166	62,421	46,372	42,259	16
1986.....	11,533	19,407	33,998	51,086	62,690	67,444	60,279	45,071	40,810	33
1985.....	11,637	19,825	34,831	51,787	60,960	65,440	58,725	43,345	39,422	30
1984.....	11,233	20,394	35,586	50,361	60,267	63,787	56,843	42,078	38,672	24
1983.....	11,166	20,671	35,733	49,272	59,037	62,390	55,030	40,287	37,496	31
1982.....	11,301	21,424	35,362	48,667	58,573	59,839	53,586	39,023	35,970	43
1981.....	11,426	22,097	35,750	46,980	56,887	58,275	51,006	37,764	34,316	27
1980.....	11,713	22,544	35,780	46,442	56,150	57,237	49,567	37,068	32,987	17
1979.....	11,917	22,944	34,820	45,391	54,436	54,920	47,411	36,261	31,089	29

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

WHITE MALE

1998.....	6,957	11,368	16,714	23,041	33,143	42,149	41,896	32,434	27,223	4
1997.....	6,885	11,382	15,937	23,179	34,341	41,996	41,321	32,079	26,888	2
1996.....	7,039	10,948	15,905	23,885	35,204	43,233	40,409	31,768	26,133	9
1995.....	6,858	10,766	16,027	24,353	35,890	43,477	40,061	31,281	25,772	2
1994.....	6,568	10,870	15,943	25,573	36,668	43,051	39,459	30,613	24,616	5
1993.....	6,465	10,427	16,224	26,128	37,289	42,757	39,426	29,545	23,885	3
1992.....	6,552	10,056	15,991	26,839	37,574	41,382	38,820	28,692	22,853	12
1991.....	6,108	9,868	16,480	27,774	37,558	41,162	37,836	28,029	21,727	8
1990.....	5,958	9,967	16,819	27,973	37,557	40,179	37,223	26,754	20,630	9
1989.....	5,990	9,794	17,073	28,328	36,779	39,656	35,896	25,920	19,528	5
1988.....	5,785	9,929	17,677	28,544	36,112	38,721	34,804	24,803	18,719	12
1987.....	5,587	9,889	18,288	28,516	36,167	38,410	33,944	23,666	17,898	10
1986.....	5,448	9,867	18,530	28,317	35,388	37,724	32,933	23,010	17,384	18
1985.....	5,465	9,986	18,853	28,716	34,528	36,824	32,213	21,972	16,850	14
1984.....	5,275	10,416	19,278	27,922	34,048	36,170	31,092	21,254	16,607	17
1983.....	5,358	10,563	19,249	27,348	33,642	35,400	30,570	20,447	16,334	12
1982.....	5,372	10,972	18,950	27,216	33,487	34,115	29,530	19,802	15,856	22
1981.....	5,466	11,302	19,259	26,352	32,562	33,493	27,896	19,043	15,143	16
1980.....	5,632	11,512	19,318	26,201	32,414	32,855	27,505	18,775	14,747	9
1979.....	5,747	11,736	18,705	25,858	31,596	32,042	26,306	18,460	14,099	13

WHITE FEMALE

1998.....	7,262	11,018	14,312	18,703	25,599	34,223	36,259	31,855	36,793	5
1997.....	7,435	11,123	14,260	18,771	26,311	34,141	35,768	31,286	35,992	2
1996.....	7,632	10,641	13,884	19,291	27,468	34,786	35,361	31,123	34,993	7
1995.....	7,650	10,672	14,062	19,389	28,072	35,297	35,002	30,393	34,056	8
1994.....	7,525	10,550	13,850	19,889	29,003	34,964	34,358	29,921	32,429	2
1993.....	7,301	10,184	13,771	20,594	29,068	34,199	33,897	28,813	31,899	6
1992.....	7,096	9,878	13,640	20,940	29,078	33,742	32,952	28,142	29,926	10
1991.....	6,915	9,633	14,345	21,574	29,219	32,267	32,525	26,837	29,087	4
1990.....	6,835	9,687	13,967	21,772	29,394	31,688	31,618	25,927	27,462	6
1989.....	6,505	9,656	14,537	22,189	28,870	31,320	30,691	25,096	26,441	9
1988.....	6,503	9,530	14,886	22,607	27,963	30,556	28,986	24,065	25,221	6
1987.....	6,266	9,563	15,181	22,578	27,717	29,756	28,477	22,706	24,361	6
1986.....	6,085	9,540	15,468	22,769	27,302	29,720	27,346	22,061	23,426	15
1985.....	6,172	9,839	15,978	23,071	26,432	28,616	26,512	21,373	22,572	16
1984.....	5,958	9,978	16,308	22,439	26,219	27,617	25,751	20,824	22,065	7
1983.....	5,808	10,108	16,484	21,924	25,395	26,990	24,460	19,840	21,162	19
1982.....	5,929	10,452	16,412	21,451	25,086	25,724	24,056	19,221	20,114	21
1981.....	5,960	10,795	16,491	20,628	24,325	24,782	23,110	18,721	19,173	11
1980.....	6,081	11,032	16,462	20,241	23,736	24,382	22,062	18,293	18,240	8
1979.....	6,170	11,208	16,115	19,533	22,840	22,878	21,105	17,801	16,990	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)										
ALL OTHER, BOTH SEXES										
1998.....	3,948	5,194	6,339	7,915	9,175	10,464	9,331	6,742	6,900	4
1997.....	3,779	4,825	6,250	7,917	9,392	10,565	9,153	6,684	6,996	7
1996.....	3,734	4,633	6,069	7,794	9,675	10,498	9,028	6,791	6,518	9
1995.....	3,495	4,745	5,968	8,099	9,672	10,456	8,614	6,757	6,342	8
1994.....	3,440	4,635	6,101	7,895	9,821	10,288	8,370	6,667	5,958	9
1993.....	3,331	4,664	6,003	7,965	9,844	10,152	8,442	6,414	5,919	18
1992.....	3,104	4,520	6,176	8,023	9,782	9,667	8,041	6,001	5,408	8
1991.....	2,990	4,408	6,076	7,946	9,730	9,377	8,078	6,096	5,240	9
1990.....	3,005	4,371	6,174	8,214	9,648	8,947	7,934	5,555	4,871	12
1989.....	2,906	4,287	6,023	7,961	9,573	8,830	7,800	5,209	4,597	8
1988.....	2,743	4,276	6,014	7,928	9,185	8,287	7,411	4,980	4,374	8
1987.....	2,702	4,233	5,917	7,944	8,730	8,266	7,081	4,891	4,129	17
1986.....	2,708	4,152	5,757	7,964	8,444	8,225	6,725	4,557	3,939	13
1985.....	2,578	4,163	6,153	7,855	7,981	8,161	6,454	4,535	3,660	13
1984.....	2,626	4,105	6,284	7,824	7,838	7,849	6,221	4,390	3,417	18
1983.....	2,601	4,097	6,078	7,412	7,607	7,829	6,064	4,037	3,149	32
1982.....	2,530	4,160	5,995	7,213	7,484	7,287	5,655	3,877	2,988	21
1981.....	2,470	4,147	5,868	6,772	7,413	6,971	5,358	3,661	2,813	25
1980.....	2,517	4,256	5,820	6,603	7,319	6,724	5,206	3,398	2,733	11
1979.....	2,557	4,183	5,574	6,303	7,119	6,227	5,036	3,054	2,369	10
ALL OTHER MALE										
1998.....	1,963	2,783	3,443	4,467	5,147	5,808	5,230	3,557	3,207	4
1997.....	1,863	2,579	3,524	4,470	5,266	5,912	5,096	3,445	3,273	5
1996.....	1,850	2,441	3,437	4,460	5,545	5,997	5,080	3,622	3,105	6
1995.....	1,660	2,528	3,275	4,610	5,554	5,997	4,852	3,572	3,080	5
1994.....	1,720	2,558	3,416	4,517	5,701	5,974	4,670	3,591	2,877	6
1993.....	1,697	2,509	3,408	4,604	5,709	5,938	4,729	3,548	2,904	9
1992.....	1,553	2,442	3,476	4,592	5,660	5,657	4,607	3,339	2,620	5
1991.....	1,547	2,458	3,483	4,475	5,751	5,406	4,583	3,362	2,530	6
1990.....	1,553	2,402	3,471	4,790	5,710	5,288	4,632	3,081	2,419	6
1989.....	1,514	2,417	3,563	4,619	5,609	5,306	4,530	2,946	2,260	6
1988.....	1,434	2,397	3,370	4,610	5,475	4,908	4,379	2,714	2,136	4
1987.....	1,353	2,298	3,362	4,609	5,314	4,924	4,192	2,750	2,049	9
1986.....	1,379	2,243	3,269	4,692	5,098	4,909	4,003	2,547	1,948	4
1985.....	1,337	2,339	3,558	4,629	4,852	4,909	3,808	2,569	1,808	7
1984.....	1,372	2,255	3,689	4,699	4,731	4,772	3,706	2,437	1,718	10
1983.....	1,378	2,216	3,522	4,505	4,604	4,706	3,615	2,328	1,536	23
1982.....	1,322	2,339	3,466	4,330	4,557	4,453	3,324	2,172	1,566	15
1981.....	1,344	2,284	3,365	4,121	4,592	4,292	3,166	2,062	1,431	18
1980.....	1,272	2,357	3,421	3,927	4,566	4,026	3,096	1,955	1,402	7
1979.....	1,309	2,324	3,295	3,774	4,357	3,816	2,959	1,793	1,235	6

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

ALL OTHER FEMALE

1998.....	1,985	2,411	2,896	3,448	4,028	4,656	4,101	3,185	3,693	-
1997.....	1,916	2,246	2,726	3,447	4,126	4,653	4,057	3,239	3,723	2
1996.....	1,884	2,192	2,632	3,334	4,130	4,501	3,948	3,169	3,413	3
1995.....	1,835	2,217	2,693	3,489	4,118	4,459	3,762	3,185	3,262	3
1994.....	1,720	2,077	2,685	3,378	4,120	4,314	3,700	3,076	3,081	3
1993.....	1,634	2,155	2,595	3,361	4,135	4,214	3,713	2,866	3,015	9
1992.....	1,551	2,078	2,700	3,431	4,122	4,010	3,434	2,662	2,788	3
1991.....	1,443	1,950	2,593	3,471	3,979	3,971	3,495	2,734	2,710	3
1990.....	1,452	1,969	2,703	3,424	3,938	3,659	3,302	2,474	2,452	6
1989.....	1,392	1,870	2,460	3,342	3,964	3,524	3,270	2,263	2,337	2
1988.....	1,309	1,879	2,644	3,318	3,710	3,379	3,032	2,266	2,238	4
1987.....	1,349	1,935	2,555	3,335	3,416	3,342	2,889	2,141	2,080	8
1986.....	1,329	1,909	2,488	3,272	3,346	3,316	2,722	2,010	1,991	9
1985.....	1,241	1,824	2,595	3,226	3,129	3,252	2,646	1,966	1,852	6
1984.....	1,254	1,850	2,595	3,125	3,107	3,077	2,515	1,953	1,699	8
1983.....	1,223	1,881	2,556	2,907	3,003	3,123	2,449	1,709	1,613	9
1982.....	1,208	1,821	2,529	2,883	2,927	2,834	2,331	1,705	1,422	6
1981.....	1,126	1,863	2,503	2,651	2,821	2,679	2,192	1,599	1,382	7
1980.....	1,245	1,899	2,399	2,676	2,753	2,698	2,110	1,443	1,331	4
1979.....	1,248	1,859	2,279	2,529	2,762	2,411	2,077	1,261	1,134	4

BLACK, BOTH SEXES

1998.....	3,353	4,434	5,460	6,842	7,851	8,997	7,983	5,810	6,015	4
1997.....	3,194	4,155	5,415	6,869	8,121	9,189	7,935	5,747	6,145	7
1996.....	3,157	4,003	5,290	6,811	8,471	9,102	7,849	5,841	5,734	9
1995.....	2,991	4,095	5,227	7,089	8,520	9,195	7,525	5,873	5,548	7
1994.....	2,962	4,032	5,374	6,941	8,621	9,095	7,294	5,875	5,266	7
1993.....	2,888	4,137	5,249	7,054	8,744	9,010	7,452	5,666	5,240	13
1992.....	2,699	3,970	5,469	7,106	8,709	8,622	7,127	5,342	4,809	5
1991.....	2,605	3,886	5,395	7,112	8,743	8,388	7,193	5,496	4,676	9
1990.....	2,649	3,878	5,569	7,449	8,688	8,051	7,108	5,002	4,384	11
1989.....	2,581	3,847	5,429	7,173	8,680	7,934	7,034	4,672	4,123	8
1988.....	2,410	3,821	5,381	7,198	8,398	7,523	6,738	4,463	3,939	8
1987.....	2,404	3,860	5,357	7,340	7,987	7,545	6,443	4,421	3,745	15
1986.....	2,446	3,769	5,278	7,318	7,809	7,558	6,153	4,117	3,575	13
1985.....	2,330	3,804	5,659	7,216	7,375	7,473	5,874	4,107	3,338	13
1984.....	2,407	3,743	5,801	7,230	7,260	7,238	5,720	4,004	3,093	17
1983.....	2,356	3,755	5,638	6,919	7,095	7,282	5,608	3,688	2,859	26
1982.....	2,304	3,826	5,607	6,722	6,964	6,828	5,249	3,567	2,736	19
1981.....	2,269	3,844	5,532	6,343	6,952	6,524	4,943	3,362	2,581	15
1980.....	2,332	3,973	5,480	6,229	6,860	6,317	4,828	3,126	2,499	11
1979.....	2,390	3,907	5,252	5,938	6,726	5,840	4,663	2,807	2,183	9

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

BLACK MALE

1998.....	1,682	2,405	3,004	3,877	4,410	4,994	4,460	3,048	2,741	4
1997.....	1,578	2,238	3,043	3,899	4,591	5,155	4,403	2,930	2,830	5
1996.....	1,593	2,158	3,024	3,920	4,872	5,181	4,423	3,109	2,675	6
1995.....	1,448	2,227	2,898	4,088	4,917	5,255	4,230	3,093	2,644	5
1994.....	1,502	2,258	3,036	4,002	5,026	5,263	4,092	3,144	2,501	5
1993.....	1,483	2,250	3,023	4,130	5,111	5,266	4,164	3,093	2,530	5
1992.....	1,381	2,160	3,102	4,100	5,055	5,042	4,053	2,939	2,294	2
1991.....	1,379	2,201	3,146	4,047	5,170	4,845	4,063	2,989	2,231	6
1990.....	1,404	2,152	3,182	4,363	5,135	4,768	4,113	2,753	2,146	6
1989.....	1,362	2,202	3,253	4,152	5,113	4,761	4,078	2,623	2,007	6
1988.....	1,287	2,173	3,051	4,215	5,008	4,460	3,960	2,417	1,904	4
1987.....	1,203	2,111	3,087	4,287	4,895	4,510	3,790	2,453	1,835	9
1986.....	1,268	2,047	3,042	4,338	4,712	4,499	3,639	2,254	1,756	4
1985.....	1,208	2,169	3,279	4,272	4,497	4,485	3,425	2,305	1,630	7
1984.....	1,266	2,073	3,431	4,372	4,408	4,377	3,373	2,215	1,557	9
1983.....	1,269	2,047	3,291	4,194	4,308	4,349	3,310	2,116	1,398	19
1982.....	1,225	2,173	3,267	4,034	4,249	4,157	3,059	1,980	1,437	13
1981.....	1,246	2,136	3,171	3,861	4,307	3,998	2,923	1,882	1,311	10
1980.....	1,189	2,221	3,223	3,715	4,280	3,756	2,849	1,778	1,269	7
1979.....	1,242	2,188	3,116	3,566	4,113	3,559	2,728	1,635	1,137	6

BLACK FEMALE

1998.....	1,671	2,029	2,456	2,965	3,441	4,003	3,523	2,762	3,274	-
1997.....	1,616	1,917	2,372	2,970	3,530	4,034	3,532	2,817	3,315	2
1996.....	1,564	1,845	2,266	2,891	3,599	3,921	3,426	2,732	3,059	3
1995.....	1,543	1,868	2,329	3,001	3,603	3,940	3,295	2,780	2,904	2
1994.....	1,460	1,774	2,338	2,939	3,595	3,832	3,202	2,731	2,765	2
1993.....	1,405	1,887	2,226	2,924	3,633	3,744	3,288	2,573	2,710	8
1992.....	1,318	1,810	2,367	3,006	3,654	3,580	3,074	2,403	2,515	3
1991.....	1,226	1,685	2,249	3,065	3,573	3,543	3,130	2,507	2,445	3
1990.....	1,245	1,726	2,387	3,086	3,553	3,283	2,995	2,249	2,238	5
1989.....	1,219	1,645	2,176	3,021	3,567	3,173	2,956	2,049	2,116	2
1988.....	1,123	1,648	2,330	2,983	3,390	3,063	2,778	2,046	2,035	4
1987.....	1,201	1,749	2,270	3,053	3,092	3,035	2,653	1,968	1,910	6
1986.....	1,178	1,722	2,236	2,980	3,097	3,059	2,514	1,863	1,819	9
1985.....	1,122	1,635	2,380	2,944	2,878	2,988	2,449	1,802	1,708	6
1984.....	1,141	1,670	2,370	2,858	2,852	2,861	2,347	1,789	1,536	8
1983.....	1,087	1,708	2,347	2,725	2,787	2,933	2,298	1,572	1,461	7
1982.....	1,079	1,653	2,340	2,688	2,715	2,671	2,190	1,587	1,299	6
1981.....	1,023	1,708	2,361	2,482	2,645	2,526	2,020	1,480	1,270	5
1980.....	1,143	1,752	2,257	2,514	2,580	2,561	1,979	1,348	1,230	4
1979.....	1,148	1,719	2,136	2,372	2,613	2,281	1,935	1,172	1,046	3

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

TOTAL, BOTH SEXES										
1998.....	447	591	865	884	1,034	1,111	964	802	878	-
1997.....	443	619	714	921	1,144	1,158	931	758	784	1
1996.....	420	546	795	965	1,141	1,126	950	728	757	1
1995.....	379	638	788	957	1,208	1,179	952	750	810	-
1994.....	418	604	781	1,005	1,231	1,089	993	707	701	1
1993.....	438	649	788	1,100	1,283	1,155	966	732	709	-
1992.....	388	572	819	1,130	1,235	1,218	978	673	695	-
1991.....	387	592	847	1,200	1,260	1,186	1,035	690	670	1
1990.....	363	565	878	1,260	1,308	1,229	996	707	697	-
1989.....	378	566	968	1,233	1,270	1,168	909	621	598	3
1988.....	365	646	922	1,232	1,289	1,198	943	642	577	1
1987.....	367	571	957	1,218	1,296	1,153	866	591	587	-
1986.....	387	582	956	1,326	1,333	1,195	883	601	634	-
1985.....	386	588	1,008	1,290	1,371	1,220	895	565	554	-
1984.....	357	688	1,076	1,397	1,347	1,188	848	602	560	1
1983.....	386	642	1,124	1,369	1,369	1,162	897	533	578	4
1982.....	366	727	1,113	1,371	1,401	1,106	873	620	563	4
1981.....	364	764	1,169	1,373	1,392	1,229	803	514	556	-
1980.....	390	817	1,198	1,320	1,383	1,112	810	619	523	1
1979.....	404	869	1,155	1,386	1,363	1,132	823	550	520	3
TOTAL, MALE										
1998.....	363	449	659	652	736	753	605	431	355	-
1997.....	339	487	545	672	798	790	560	391	324	1
1996.....	343	428	596	707	825	761	570	378	317	1
1995.....	296	509	582	690	839	769	589	414	347	-
1994.....	328	490	595	751	819	677	598	391	294	1
1993.....	342	499	605	806	886	768	591	416	294	-
1992.....	291	441	639	828	842	806	578	356	298	-
1991.....	310	456	635	826	880	771	635	363	281	1
1990.....	295	429	660	951	915	782	582	395	315	-
1989.....	296	419	697	894	873	759	544	343	244	3
1988.....	286	491	699	884	896	764	566	367	272	1
1987.....	279	415	706	884	918	751	531	322	251	-
1986.....	304	421	693	924	913	781	530	363	291	-
1985.....	294	447	752	911	930	844	582	327	249	-
1984.....	265	522	803	978	914	830	531	370	271	1
1983.....	295	475	819	949	977	799	586	307	283	3
1982.....	261	537	824	969	1,000	765	554	376	290	2
1981.....	286	559	854	943	986	864	527	303	265	-
1980.....	293	608	895	927	952	764	549	352	274	-
1979.....	304	634	826	969	960	809	521	320	262	3

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

TOTAL, FEMALE										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	84	142	206	232	298	358	359	371	523	-
1997	104	132	169	249	346	368	371	367	460	-
1996	77	118	199	258	316	365	380	350	440	-
1995	83	129	206	267	369	410	363	336	463	-
1994	90	114	186	254	412	412	395	316	407	-
1993	96	150	183	294	397	387	375	316	415	-
1992	97	131	180	302	393	412	400	317	397	-
1991	77	136	212	374	380	415	400	327	389	-
1990	68	136	218	309	393	447	414	312	382	-
1989	82	147	271	339	397	409	365	278	354	-
1988	79	155	223	348	393	434	377	275	305	-
1987	88	156	251	334	378	402	335	269	336	-
1986	83	161	263	402	420	414	353	238	343	-
1985	92	141	256	379	441	376	313	238	305	-
1984	92	166	273	419	433	358	317	232	289	-
1983	91	167	305	420	392	363	311	226	295	1
1982	105	190	289	402	401	341	319	244	273	2
1981	78	205	315	430	406	365	276	211	291	-
1980	97	209	303	393	431	348	261	267	249	1
1979	100	235	329	417	403	323	302	230	258	-
WHITE, BOTH SEXES										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	295	438	674	716	863	960	866	733	814	-
1997	296	435	538	724	962	1,002	832	706	723	-
1996	276	385	578	779	959	964	846	673	707	1
1995	249	439	582	723	1,022	1,028	842	681	761	-
1994	262	427	576	804	1,018	951	898	652	649	-
1993	309	425	584	885	1,077	1,024	872	662	655	-
1992	259	396	609	887	1,040	1,077	889	620	663	-
1991	240	417	628	978	1,074	1,044	930	640	633	1
1990	220	398	653	1,014	1,090	1,089	918	640	649	-
1989	235	388	739	1,014	1,065	1,048	822	578	561	-
1988	219	450	723	1,026	1,104	1,069	864	586	542	1
1987	235	405	736	1,014	1,146	1,031	787	550	554	-
1986	246	385	765	1,090	1,161	1,062	794	553	578	-
1985	251	417	793	1,070	1,197	1,107	806	516	528	-
1984	220	502	846	1,161	1,197	1,044	776	555	531	-
1983	235	440	881	1,157	1,216	1,034	814	495	545	1
1982	228	521	874	1,161	1,250	994	795	572	534	4
1981	231	565	928	1,170	1,248	1,114	731	468	521	-
1980	247	585	966	1,121	1,217	1,000	749	574	490	-
1979	268	635	917	1,220	1,225	1,039	760	513	494	2

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

WHITE MALE

1998.....	236	333	504	516	625	639	544	388	321	-
1997.....	219	337	410	525	675	676	494	362	293	-
1996.....	227	298	431	567	678	643	503	347	291	1
1995.....	196	343	431	523	706	671	515	371	320	-
1994.....	199	339	434	595	670	586	537	359	275	-
1993.....	242	322	446	640	728	672	529	367	271	-
1992.....	191	300	465	639	698	702	518	320	283	-
1991.....	187	310	466	677	746	677	563	335	267	1
1990.....	183	296	486	761	750	689	524	348	291	-
1989.....	182	285	515	731	723	665	487	314	226	-
1988.....	173	331	550	724	756	676	510	327	254	1
1987.....	171	289	537	734	801	662	472	293	238	-
1986.....	194	269	549	743	785	695	477	330	259	-
1985.....	186	309	587	730	803	763	516	297	234	-
1984.....	157	375	621	792	794	715	479	332	257	-
1983.....	180	325	627	785	856	705	526	281	263	1
1982.....	159	370	643	816	884	674	509	348	273	2
1981.....	177	409	662	797	871	777	475	275	244	-
1980.....	179	437	692	772	823	679	503	321	253	-
1979.....	199	457	649	845	860	734	476	297	241	2

WHITE FEMALE

1998.....	59	105	170	200	238	321	322	345	493	-
1997.....	77	98	128	199	287	326	338	344	430	-
1996.....	49	87	147	212	281	321	343	326	416	-
1995.....	53	96	151	200	316	357	327	310	441	-
1994.....	63	88	142	209	348	365	361	293	374	-
1993.....	67	103	138	245	349	352	343	295	384	-
1992.....	68	96	144	248	342	375	371	300	380	-
1991.....	53	107	162	301	328	367	367	305	366	-
1990.....	37	102	167	253	340	400	394	292	358	-
1989.....	53	103	224	283	342	383	335	264	335	-
1988.....	46	119	173	302	348	393	354	259	288	-
1987.....	64	116	199	280	345	369	315	257	316	-
1986.....	52	116	216	347	376	367	317	223	319	-
1985.....	65	108	206	340	394	344	290	219	294	-
1984.....	63	127	225	369	403	329	297	223	274	-
1983.....	55	115	254	372	360	329	288	214	282	-
1982.....	69	151	231	345	366	320	286	224	261	2
1981.....	54	156	266	373	377	337	256	193	277	-
1980.....	68	148	274	349	394	321	246	253	237	-
1979.....	69	178	268	375	365	305	284	216	253	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)										
ALL OTHER, BOTH SEXES										
1998.....	152	153	191	168	171	151	98	69	64	-
1997.....	147	184	176	197	182	156	99	52	61	1
1996.....	144	161	217	186	182	162	104	55	50	-
1995.....	130	199	206	234	186	151	110	69	49	-
1994.....	156	177	205	201	213	138	95	55	52	1
1993.....	129	224	204	215	206	131	94	70	54	-
1992.....	129	176	210	243	195	141	89	53	32	-
1991.....	147	175	219	222	186	142	105	50	37	-
1990.....	143	167	225	246	218	140	78	67	48	-
1989.....	143	178	229	219	205	120	87	43	37	3
1988.....	146	196	199	206	185	129	79	56	35	-
1987.....	132	166	221	204	150	122	79	41	33	-
1986.....	141	197	191	236	172	133	89	48	56	-
1985.....	135	171	215	220	174	113	89	49	26	-
1984.....	137	186	230	236	150	144	72	47	29	1
1983.....	151	202	243	212	153	128	83	38	33	3
1982.....	138	206	239	210	151	112	78	48	29	-
1981.....	133	199	241	203	144	115	72	46	35	-
1980.....	143	232	232	199	166	112	61	45	33	1
1979.....	136	234	238	166	138	93	63	37	26	1
ALL OTHER MALE										
1998.....	127	116	155	136	111	114	61	43	34	-
1997.....	120	150	135	147	123	114	66	29	31	1
1996.....	116	130	165	140	147	118	67	31	26	-
1995.....	100	166	151	167	133	98	74	43	27	-
1994.....	129	151	161	156	149	91	61	32	19	1
1993.....	100	177	159	166	158	96	62	49	23	-
1992.....	100	141	174	189	144	104	60	36	15	-
1991.....	123	146	169	149	134	94	72	28	14	-
1990.....	112	133	174	190	165	93	58	47	24	-
1989.....	114	134	182	163	150	94	57	29	18	3
1988.....	113	160	149	160	140	88	56	40	18	-
1987.....	108	126	169	150	117	89	59	29	13	-
1986.....	110	152	144	181	128	86	53	33	32	-
1985.....	108	138	165	181	127	81	66	30	15	-
1984.....	108	147	182	186	120	115	52	38	14	1
1983.....	115	150	192	164	121	94	60	26	20	2
1982.....	102	167	181	153	116	91	45	28	17	-
1981.....	109	150	192	146	115	87	52	28	21	-
1980.....	114	171	203	155	129	85	46	31	21	-
1979.....	105	177	177	124	100	75	45	23	21	1

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

ALL OTHER FEMALE

1998.....	25	37	36	32	60	37	37	26	30	-
1997.....	27	34	41	50	59	42	33	23	30	-
1996.....	28	31	52	46	35	44	37	24	24	-
1995.....	30	33	55	67	53	53	36	26	22	-
1994.....	27	26	44	45	64	47	34	23	33	-
1993.....	29	47	45	49	48	35	32	21	31	-
1992.....	29	35	36	54	51	37	29	17	17	-
1991.....	24	29	50	73	52	48	33	22	23	-
1990.....	31	34	51	56	53	47	20	20	24	-
1989.....	29	44	47	56	55	26	30	14	19	-
1988.....	33	36	50	46	45	41	23	16	17	-
1987.....	24	40	52	54	33	33	20	12	20	-
1986.....	31	45	47	55	44	47	36	15	24	-
1985.....	27	33	50	39	47	32	23	19	11	-
1984.....	29	39	48	50	30	29	20	9	15	-
1983.....	36	52	51	48	32	34	23	12	13	1
1982.....	36	39	58	57	35	21	33	20	12	-
1981.....	24	49	49	57	29	28	20	18	14	-
1980.....	29	61	29	44	37	27	15	14	12	1
1979.....	31	57	61	42	38	18	18	14	5	-

BLACK, BOTH SEXES

1998.....	132	132	164	149	152	131	88	52	53	-
1997.....	115	158	159	168	154	136	84	40	52	1
1996.....	117	147	192	157	165	136	85	40	41	-
1995.....	107	172	184	207	168	128	92	60	40	-
1994.....	137	159	187	178	186	119	78	43	44	1
1993.....	108	203	181	188	177	113	84	60	40	-
1992.....	116	154	193	218	169	131	79	35	28	-
1991.....	130	152	198	200	165	128	92	42	31	-
1990.....	126	152	206	223	193	121	66	55	40	-
1989.....	133	164	206	199	183	106	76	33	32	3
1988.....	132	177	184	197	166	112	72	45	30	-
1987.....	113	158	202	193	131	111	69	36	29	-
1986.....	134	184	181	216	155	116	79	40	52	-
1985.....	129	165	204	204	163	100	78	37	21	-
1984.....	127	169	215	211	140	127	64	42	25	1
1983.....	140	185	224	202	140	117	73	35	30	3
1982.....	123	197	226	201	139	101	67	42	23	-
1981.....	123	188	227	186	132	100	64	40	30	-
1980.....	136	219	218	190	155	109	56	40	28	1
1979.....	125	221	228	158	135	85	57	30	25	1

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

BLACK MALE

1998.....	112	104	133	125	97	100	55	29	27	-
1997.....	95	128	123	125	104	100	56	21	27	1
1996.....	94	122	148	119	135	96	61	24	20	-
1995.....	83	144	134	150	119	87	64	38	20	-
1994.....	115	136	151	137	131	80	50	27	16	1
1993.....	87	161	144	145	138	80	55	41	18	-
1992.....	93	126	159	168	123	95	54	23	14	-
1991.....	108	126	153	139	118	88	60	23	13	-
1990.....	102	121	164	171	145	80	51	40	20	-
1989.....	105	121	163	149	139	84	50	24	16	3
1988.....	101	145	138	152	128	77	54	34	15	-
1987.....	91	120	152	141	99	81	53	26	11	-
1986.....	107	143	140	164	112	75	47	29	30	-
1985.....	103	133	158	171	120	71	57	21	13	-
1984.....	103	133	170	169	112	102	47	34	12	1
1983.....	109	141	179	157	114	85	54	25	18	2
1982.....	91	159	172	147	110	82	36	26	15	-
1981.....	100	140	182	135	104	78	48	24	16	-
1980.....	109	163	192	151	119	82	41	27	16	-
1979.....	96	166	169	118	99	68	39	17	20	1

BLACK FEMALE

1998.....	20	28	31	24	55	31	33	23	26	-
1997.....	20	30	36	43	50	36	28	19	25	-
1996.....	23	25	44	38	30	40	24	16	21	-
1995.....	24	28	50	57	49	41	28	22	20	-
1994.....	22	23	36	41	55	39	28	16	28	-
1993.....	21	42	37	43	39	33	29	19	22	-
1992.....	23	28	34	50	46	36	25	12	14	-
1991.....	22	26	45	61	47	40	32	19	18	-
1990.....	24	31	42	52	48	41	15	15	20	-
1989.....	28	43	43	50	44	22	26	9	16	-
1988.....	31	32	46	45	38	35	18	11	15	-
1987.....	22	38	50	52	32	30	16	10	18	-
1986.....	27	41	41	52	43	41	32	11	22	-
1985.....	26	32	46	33	43	29	21	16	8	-
1984.....	24	36	45	42	28	25	17	8	13	-
1983.....	31	44	45	45	26	32	19	10	12	1
1982.....	32	38	54	54	29	19	31	16	8	-
1981.....	23	48	45	51	28	22	16	16	14	-
1980.....	27	56	26	39	36	27	15	13	12	1
1979.....	29	55	59	40	36	17	18	13	5	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)										
TOTAL, BOTH SEXES										
1998.....	4,068	6,273	8,308	11,119	15,559	19,699	20,968	18,176	20,579	4
1997.....	3,888	5,882	8,084	11,061	15,624	19,755	20,612	18,035	20,171	5
1996.....	3,830	5,301	7,714	11,306	16,118	20,332	20,395	17,868	19,764	6
1995.....	3,607	5,397	7,818	11,637	16,391	20,662	20,161	17,798	19,289	4
1994.....	3,502	5,406	7,708	11,600	16,716	20,507	19,921	17,544	18,611	3
1993.....	3,208	5,216	7,631	11,947	16,838	20,336	20,234	16,916	18,340	13
1992.....	3,154	4,908	7,625	12,116	17,068	19,683	19,738	16,972	17,836	7
1991.....	2,938	4,791	7,898	12,311	17,116	19,307	19,819	16,472	17,358	6
1990.....	3,037	4,893	7,635	12,434	17,416	19,235	19,633	16,274	16,732	6
1989.....	2,792	4,728	7,876	12,596	17,262	19,512	19,263	15,958	16,337	6
1988.....	2,720	4,704	8,099	12,909	17,041	18,883	18,877	15,135	15,694	3
1987.....	2,666	4,780	8,444	13,104	17,030	19,109	18,805	14,955	15,160	10
1986.....	2,665	4,759	8,538	13,258	16,936	19,345	18,279	14,675	14,820	13
1985.....	2,733	4,823	8,961	13,457	16,651	19,227	18,256	14,700	14,562	14
1984.....	2,587	5,050	9,090	13,599	16,978	18,969	18,154	14,504	14,487	5
1983.....	2,607	5,077	9,143	13,109	16,423	18,819	17,678	13,948	13,950	18
1982.....	2,594	5,187	9,136	13,176	16,611	18,360	17,285	13,732	13,411	19
1981.....	2,696	5,298	9,373	12,819	16,347	18,293	16,957	13,542	13,026	11
1980.....	2,694	5,461	9,489	12,776	16,544	17,966	16,758	13,344	12,670	13
1979.....	2,677	5,641	9,408	12,876	16,406	17,631	16,449	13,085	12,036	10
TOTAL, MALE										
1998.....	2,601	4,054	5,249	6,906	9,442	11,255	11,195	8,429	7,110	3
1997.....	2,507	3,812	5,094	6,894	9,541	11,329	10,839	8,403	6,985	2
1996.....	2,455	3,344	4,839	7,061	9,709	11,519	10,522	8,265	6,889	4
1995.....	2,287	3,374	4,880	7,262	9,776	11,659	10,443	8,202	6,785	1
1994.....	2,218	3,428	4,844	7,138	10,076	11,546	10,358	8,027	6,481	1
1993.....	2,034	3,234	4,734	7,373	9,856	11,529	10,478	7,617	6,326	6
1992.....	2,003	3,037	4,731	7,545	10,257	11,156	10,231	7,564	6,215	5
1991.....	1,775	3,019	4,839	7,618	10,301	10,764	10,235	7,421	6,063	4
1990.....	1,867	3,074	4,774	7,568	10,326	10,813	10,176	7,349	5,884	5
1989.....	1,777	2,935	4,940	7,762	10,184	11,008	9,745	7,194	5,696	2
1988.....	1,687	2,952	5,001	7,954	9,978	10,462	9,625	6,747	5,429	1
1987.....	1,620	2,919	5,148	7,898	10,028	10,527	9,567	6,738	5,315	3
1986.....	1,590	2,847	5,228	8,006	9,894	10,647	9,245	6,511	5,227	7
1985.....	1,660	2,911	5,484	8,095	9,737	10,637	9,177	6,496	5,077	6
1984.....	1,547	3,032	5,530	8,037	9,787	10,364	9,102	6,400	5,127	4
1983.....	1,596	3,059	5,557	7,885	9,470	10,187	8,927	6,232	5,037	10
1982.....	1,568	3,085	5,482	7,758	9,481	10,028	8,608	6,074	5,091	10
1981.....	1,626	3,126	5,585	7,670	9,461	10,076	8,432	5,886	4,820	7
1980.....	1,606	3,272	5,610	7,521	9,549	9,645	8,403	5,834	4,810	7
1979.....	1,542	3,420	5,521	7,608	9,363	9,666	8,117	5,835	4,578	5

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)

TOTAL, FEMALE										
1998	1,467	2,219	3,059	4,213	6,117	8,444	9,773	9,747	13,469	1
1997	1,381	2,070	2,990	4,167	6,083	8,426	9,773	9,632	13,186	3
1996	1,375	1,957	2,875	4,245	6,409	8,813	9,873	9,603	12,875	2
1995	1,320	2,023	2,938	4,375	6,615	9,003	9,718	9,596	12,504	3
1994	1,284	1,978	2,864	4,462	6,640	8,961	9,563	9,517	12,130	2
1993	1,174	1,982	2,897	4,574	6,982	8,807	9,756	9,299	12,014	7
1992	1,151	1,871	2,894	4,571	6,811	8,527	9,507	9,408	11,621	2
1991	1,163	1,772	3,059	4,693	6,815	8,543	9,584	9,051	11,295	2
1990	1,170	1,819	2,861	4,866	7,090	8,422	9,457	8,925	10,848	1
1989	1,015	1,793	2,936	4,834	7,078	8,504	9,518	8,764	10,641	4
1988	1,033	1,752	3,098	4,955	7,063	8,421	9,252	8,388	10,265	2
1987	1,046	1,861	3,296	5,206	7,002	8,582	9,238	8,217	9,845	7
1986	1,075	1,912	3,310	5,252	7,042	8,698	9,034	8,164	9,593	6
1985	1,073	1,912	3,477	5,362	6,914	8,590	9,079	8,204	9,485	8
1984	1,040	2,018	3,560	5,562	7,191	8,605	9,052	8,104	9,360	1
1983	1,011	2,018	3,586	5,224	6,953	8,632	8,751	7,716	8,913	8
1982	1,026	2,102	3,654	5,418	7,130	8,332	8,677	7,658	8,320	9
1981	1,070	2,172	3,788	5,149	6,886	8,217	8,525	7,656	8,206	4
1980	1,088	2,189	3,879	5,255	6,995	8,321	8,355	7,510	7,860	6
1979	1,135	2,221	3,887	5,268	7,043	7,965	8,332	7,250	7,458	5
WHITE, BOTH SEXES										
1998	3,064	4,824	6,667	8,942	13,035	16,873	18,344	16,212	18,352	2
1997	2,916	4,658	6,400	8,948	13,079	16,906	18,044	16,022	17,931	2
1996	2,881	4,122	6,067	9,206	13,542	17,541	17,872	15,838	17,703	4
1995	2,775	4,197	6,275	9,504	13,771	17,807	17,701	15,815	17,291	2
1994	2,633	4,198	6,094	9,535	14,066	17,714	17,538	15,550	16,759	1
1993	2,445	4,051	6,043	9,823	14,215	17,615	17,812	15,065	16,478	2
1992	2,423	3,820	6,037	10,012	14,438	17,015	17,401	15,164	16,070	4
1991	2,267	3,712	6,311	10,255	14,580	16,762	17,516	14,633	15,612	3
1990	2,312	3,754	6,080	10,344	14,843	16,694	17,269	14,556	15,117	3
1989	2,147	3,672	6,306	10,505	14,631	16,985	16,961	14,329	14,770	4
1988	2,128	3,656	6,528	10,794	14,481	16,554	16,691	13,671	14,227	1
1987	2,066	3,751	6,899	10,936	14,625	16,807	16,684	13,422	13,817	5
1986	2,034	3,761	7,090	11,158	14,578	16,943	16,219	13,177	13,499	10
1985	2,093	3,809	7,341	11,311	14,441	16,801	16,290	13,274	13,300	9
1984	1,948	4,024	7,406	11,500	14,734	16,589	16,270	13,048	13,317	3
1983	2,018	4,062	7,552	11,066	14,212	16,450	15,816	12,650	12,848	7
1982	1,996	4,151	7,502	11,150	14,483	16,121	15,501	12,500	12,365	10
1981	2,106	4,235	7,773	10,974	14,243	16,095	15,183	12,388	12,085	5
1980	2,131	4,388	7,903	10,925	14,398	15,835	15,062	12,201	11,743	8
1979	2,129	4,520	7,863	11,062	14,266	15,630	14,731	12,091	11,235	6

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)										
WHITE MALE										
1998.....	1,952	3,130	4,249	5,586	8,006	9,765	9,867	7,565	6,350	1
1997.....	1,882	3,033	3,999	5,611	8,096	9,799	9,558	7,529	6,226	-
1996.....	1,860	2,632	3,812	5,837	8,241	9,985	9,257	7,384	6,146	3
1995.....	1,774	2,621	3,964	5,976	8,287	10,097	9,197	7,334	6,067	-
1994.....	1,666	2,686	3,832	5,903	8,535	10,008	9,158	7,138	5,813	-
1993.....	1,537	2,526	3,745	6,107	8,416	10,063	9,274	6,764	5,654	-
1992.....	1,549	2,353	3,786	6,303	8,736	9,710	9,023	6,741	5,578	2
1991.....	1,354	2,307	3,873	6,406	8,809	9,425	9,120	6,594	5,388	1
1990.....	1,412	2,341	3,843	6,330	8,862	9,443	8,935	6,559	5,247	3
1989.....	1,348	2,237	3,957	6,516	8,699	9,583	8,581	6,450	5,092	1
1988.....	1,316	2,256	4,035	6,644	8,522	9,142	8,512	6,083	4,882	-
1987.....	1,264	2,273	4,216	6,644	8,637	9,273	8,464	6,018	4,793	2
1986.....	1,209	2,252	4,343	6,725	8,517	9,327	8,163	5,844	4,689	6
1985.....	1,255	2,293	4,513	6,812	8,440	9,291	8,187	5,840	4,616	2
1984.....	1,144	2,393	4,514	6,788	8,486	9,064	8,132	5,706	4,660	3
1983.....	1,218	2,437	4,570	6,628	8,208	8,907	7,958	5,589	4,611	3
1982.....	1,183	2,454	4,508	6,521	8,233	8,781	7,664	5,466	4,628	6
1981.....	1,242	2,487	4,635	6,561	8,203	8,830	7,515	5,337	4,445	4
1980.....	1,262	2,619	4,632	6,419	8,300	8,503	7,482	5,282	4,403	5
1979.....	1,217	2,742	4,582	6,530	8,129	8,544	7,252	5,330	4,232	3
WHITE FEMALE										
1998.....	1,112	1,694	2,418	3,356	5,029	7,108	8,477	8,647	12,002	1
1997.....	1,034	1,625	2,401	3,337	4,983	7,107	8,486	8,493	11,705	2
1996.....	1,021	1,490	2,255	3,369	5,301	7,556	8,615	8,454	11,557	1
1995.....	1,001	1,576	2,311	3,528	5,484	7,710	8,504	8,481	11,224	2
1994.....	967	1,512	2,262	3,632	5,531	7,706	8,380	8,412	10,946	1
1993.....	908	1,525	2,298	3,716	5,799	7,552	8,538	8,301	10,824	2
1992.....	874	1,467	2,251	3,709	5,702	7,305	8,378	8,423	10,492	2
1991.....	913	1,405	2,438	3,849	5,771	7,337	8,396	8,039	10,224	2
1990.....	900	1,413	2,237	4,014	5,981	7,251	8,334	7,997	9,870	-
1989.....	799	1,435	2,349	3,989	5,932	7,402	8,380	7,879	9,678	3
1988.....	812	1,400	2,493	4,150	5,959	7,412	8,179	7,588	9,345	1
1987.....	802	1,478	2,683	4,292	5,988	7,534	8,220	7,404	9,024	3
1986.....	825	1,509	2,747	4,433	6,061	7,616	8,056	7,333	8,810	4
1985.....	838	1,516	2,828	4,499	6,001	7,510	8,103	7,434	8,684	7
1984.....	804	1,631	2,892	4,712	6,248	7,525	8,138	7,342	8,657	-
1983.....	800	1,625	2,982	4,438	6,004	7,543	7,858	7,061	8,237	4
1982.....	813	1,697	2,994	4,629	6,250	7,340	7,837	7,034	7,737	4
1981.....	864	1,748	3,138	4,413	6,040	7,265	7,668	7,051	7,640	1
1980.....	869	1,769	3,271	4,506	6,098	7,332	7,580	6,919	7,340	3
1979.....	912	1,778	3,281	4,532	6,137	7,086	7,479	6,761	7,003	3

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)										
ALL OTHER, BOTH SEXES										
1998.....	1,004	1,449	1,641	2,177	2,524	2,826	2,624	1,964	2,227	2
1997.....	972	1,224	1,684	2,113	2,545	2,849	2,568	2,013	2,240	3
1996.....	949	1,179	1,647	2,100	2,576	2,791	2,523	2,030	2,061	2
1995.....	832	1,200	1,543	2,133	2,620	2,855	2,460	1,983	1,998	2
1994.....	869	1,208	1,614	2,065	2,650	2,793	2,383	1,994	1,852	2
1993.....	763	1,165	1,588	2,124	2,623	2,721	2,422	1,851	1,862	11
1992.....	731	1,088	1,588	2,104	2,630	2,668	2,337	1,808	1,766	3
1991.....	671	1,079	1,587	2,056	2,536	2,545	2,303	1,839	1,746	3
1990.....	725	1,139	1,555	2,090	2,573	2,541	2,364	1,718	1,615	3
1989.....	645	1,056	1,570	2,091	2,631	2,527	2,302	1,629	1,567	2
1988.....	592	1,048	1,571	2,115	2,560	2,329	2,186	1,464	1,467	2
1987.....	600	1,029	1,545	2,168	2,405	2,302	2,121	1,533	1,343	5
1986.....	631	998	1,448	2,100	2,358	2,402	2,060	1,498	1,321	3
1985.....	640	1,014	1,620	2,146	2,210	2,426	1,966	1,426	1,262	5
1984.....	639	1,026	1,684	2,099	2,244	2,380	1,884	1,456	1,170	2
1983.....	589	1,015	1,591	2,043	2,211	2,369	1,862	1,298	1,102	11
1982.....	598	1,036	1,634	2,026	2,128	2,239	1,784	1,232	1,046	9
1981.....	590	1,063	1,600	1,845	2,104	2,198	1,774	1,154	941	6
1980.....	563	1,073	1,586	1,851	2,146	2,131	1,696	1,143	927	5
1979.....	548	1,121	1,545	1,814	2,140	2,001	1,718	994	801	4
ALL OTHER MALE										
1998.....	649	924	1,000	1,320	1,436	1,490	1,328	864	760	2
1997.....	625	779	1,095	1,283	1,445	1,530	1,281	874	759	2
1996.....	595	712	1,027	1,224	1,468	1,534	1,265	881	743	1
1995.....	513	753	916	1,286	1,489	1,562	1,246	868	718	1
1994.....	552	742	1,012	1,235	1,541	1,538	1,200	889	668	1
1993.....	497	708	989	1,266	1,440	1,466	1,204	853	672	6
1992.....	454	684	945	1,242	1,521	1,446	1,208	823	637	3
1991.....	421	712	966	1,212	1,492	1,339	1,115	827	675	3
1990.....	455	733	931	1,238	1,464	1,370	1,241	790	637	2
1989.....	429	698	983	1,246	1,485	1,425	1,164	744	604	1
1988.....	371	696	966	1,310	1,456	1,320	1,113	664	547	1
1987.....	356	646	932	1,254	1,391	1,254	1,103	720	522	1
1986.....	381	595	885	1,281	1,377	1,320	1,082	667	538	1
1985.....	405	618	971	1,283	1,297	1,346	990	656	461	4
1984.....	403	639	1,016	1,249	1,301	1,300	970	694	467	1
1983.....	378	622	987	1,257	1,262	1,280	969	643	426	7
1982.....	385	631	974	1,237	1,248	1,247	944	608	463	4
1981.....	384	639	950	1,109	1,258	1,246	917	549	375	3
1980.....	344	653	978	1,102	1,249	1,142	921	552	407	2
1979.....	325	678	939	1,078	1,234	1,122	865	505	346	2

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)

ALL OTHER FEMALE	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
1998.....	355	525	641	857	1,088	1,336	1,296	1,100	1,467	-
1997.....	347	445	589	830	1,100	1,319	1,287	1,139	1,481	1
1996.....	354	467	620	876	1,108	1,257	1,258	1,149	1,318	1
1995.....	319	447	627	847	1,131	1,293	1,214	1,115	1,280	1
1994.....	317	466	602	830	1,109	1,255	1,183	1,105	1,184	1
1993.....	266	457	599	858	1,183	1,255	1,218	998	1,190	5
1992.....	277	404	643	862	1,109	1,222	1,129	985	1,129	-
1991.....	250	367	621	844	1,044	1,206	1,188	1,012	1,071	-
1990.....	270	406	624	852	1,109	1,171	1,123	928	978	1
1989.....	216	358	587	845	1,146	1,102	1,138	885	963	1
1988.....	221	352	605	805	1,104	1,009	1,073	800	920	1
1987.....	244	383	613	914	1,014	1,048	1,018	813	821	4
1986.....	250	403	563	819	981	1,082	978	831	783	2
1985.....	235	396	649	863	913	1,080	976	770	801	1
1984.....	236	387	668	850	943	1,080	914	762	703	1
1983.....	211	393	604	786	949	1,089	893	655	676	4
1982.....	213	405	660	789	880	992	840	624	583	5
1981.....	206	424	650	736	846	952	857	605	566	3
1980.....	219	420	608	749	897	989	775	591	520	3
1979.....	223	443	606	736	906	879	853	489	455	2
BLACK, BOTH SEXES										
1998.....	798	1,183	1,346	1,782	2,055	2,330	2,181	1,637	1,886	2
1997.....	774	991	1,396	1,754	2,106	2,329	2,118	1,668	1,924	3
1996.....	760	968	1,362	1,731	2,146	2,360	2,103	1,662	1,780	2
1995.....	686	987	1,301	1,781	2,198	2,388	2,042	1,675	1,717	2
1994.....	713	1,000	1,359	1,739	2,205	2,354	2,003	1,698	1,592	-
1993.....	636	1,002	1,334	1,787	2,242	2,333	2,076	1,596	1,615	6
1992.....	600	894	1,330	1,749	2,267	2,289	2,014	1,587	1,530	1
1991.....	567	913	1,372	1,779	2,192	2,190	1,986	1,628	1,540	3
1990.....	621	953	1,340	1,815	2,241	2,208	2,065	1,513	1,438	3
1989.....	538	921	1,382	1,827	2,323	2,186	2,028	1,439	1,358	2
1988.....	505	891	1,350	1,850	2,266	2,049	1,953	1,279	1,285	2
1987.....	487	907	1,349	1,939	2,154	2,046	1,879	1,361	1,197	3
1986.....	535	863	1,287	1,889	2,105	2,158	1,870	1,320	1,180	3
1985.....	549	904	1,435	1,908	1,967	2,164	1,761	1,275	1,132	5
1984.....	557	922	1,514	1,890	2,042	2,148	1,724	1,288	1,014	2
1983.....	505	892	1,450	1,864	2,031	2,150	1,691	1,163	972	8
1982.....	524	926	1,482	1,839	1,913	2,080	1,626	1,108	950	7
1981.....	528	962	1,478	1,677	1,938	2,022	1,605	1,035	850	3
1980.....	507	989	1,469	1,722	1,957	1,977	1,544	1,023	818	5
1979.....	502	1,017	1,435	1,687	1,975	1,848	1,549	904	721	4

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)										
BLACK MALE										
1998.....	519	749	809	1,066	1,165	1,213	1,073	703	605	2
1997.....	491	634	890	1,051	1,209	1,248	1,017	694	617	2
1996.....	491	590	849	1,003	1,215	1,276	1,029	696	607	1
1995.....	427	623	772	1,075	1,246	1,277	1,003	702	592	1
1994.....	461	611	834	1,038	1,271	1,271	995	729	546	-
1993.....	413	610	835	1,078	1,228	1,236	1,016	711	551	2
1992.....	377	563	775	1,047	1,296	1,220	1,006	703	530	1
1991.....	361	603	846	1,049	1,283	1,145	920	709	576	3
1990.....	390	614	807	1,060	1,258	1,169	1,052	676	539	2
1989.....	364	615	874	1,070	1,297	1,197	1,009	633	508	1
1988.....	322	600	837	1,151	1,265	1,145	967	565	458	1
1987.....	283	575	812	1,122	1,242	1,097	938	616	447	1
1986.....	333	514	793	1,157	1,217	1,170	953	558	471	1
1985.....	338	550	851	1,145	1,147	1,183	854	569	402	4
1984.....	349	581	913	1,110	1,184	1,159	867	604	402	1
1983.....	327	552	888	1,138	1,146	1,135	862	555	367	5
1982.....	342	568	886	1,112	1,116	1,140	843	532	415	2
1981.....	350	572	872	995	1,151	1,132	822	482	333	1
1980.....	313	604	908	1,019	1,125	1,045	819	474	350	2
1979.....	303	624	871	1,002	1,126	1,016	764	448	308	2
BLACK FEMALE										
1998.....	279	434	537	716	890	1,117	1,108	934	1,281	-
1997.....	283	357	506	703	897	1,081	1,101	974	1,307	1
1996.....	269	378	513	728	931	1,084	1,074	966	1,173	1
1995.....	259	364	529	706	952	1,111	1,039	973	1,125	1
1994.....	252	389	525	701	934	1,083	1,008	969	1,046	-
1993.....	223	392	499	709	1,014	1,097	1,060	885	1,064	4
1992.....	223	331	555	702	971	1,069	1,008	884	1,000	-
1991.....	206	310	526	730	909	1,045	1,066	919	964	-
1990.....	231	339	533	755	983	1,039	1,013	837	899	1
1989.....	174	306	508	757	1,026	989	1,019	806	850	1
1988.....	183	291	513	699	1,001	904	986	714	827	1
1987.....	204	332	537	817	912	949	941	745	750	2
1986.....	202	349	494	732	888	988	917	762	709	2
1985.....	211	354	584	763	820	981	907	706	730	1
1984.....	208	341	601	780	858	989	857	684	612	1
1983.....	178	340	562	726	885	1,015	829	608	605	3
1982.....	182	358	596	727	797	940	783	576	535	5
1981.....	178	390	606	682	787	890	783	553	517	2
1980.....	194	385	561	703	832	932	725	549	468	3
1979.....	199	393	564	685	849	832	785	456	413	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)										

TOTAL, BOTH SEXES

1998.....	4,181	7,905	12,652	18,240	25,181	31,012	27,044	18,188	12,128	2
1997.....	4,126	8,034	12,319	18,162	25,968	30,343	26,671	17,707	11,932	2
1996.....	4,368	8,110	12,288	18,542	26,702	30,270	25,484	17,385	10,942	8
1995.....	4,344	8,012	12,400	18,918	26,965	30,465	24,963	16,569	10,668	5
1994.....	4,219	8,005	12,565	19,695	27,679	29,552	24,137	16,003	9,815	6
1993.....	4,406	7,879	12,903	20,333	27,891	29,166	23,727	15,220	9,586	7
1992.....	4,391	7,890	12,784	20,664	27,770	28,151	23,173	14,526	8,732	6
1991.....	4,346	7,728	13,152	21,136	27,644	27,190	22,441	13,956	8,382	8
1990.....	4,344	7,892	13,432	21,730	27,245	26,544	21,686	12,765	7,640	5
1989.....	4,261	7,871	13,563	21,480	26,411	25,773	20,681	12,166	7,065	6
1988.....	4,233	7,836	13,816	21,587	25,473	24,647	19,373	11,497	6,735	10
1987.....	4,117	7,901	14,068	21,240	25,052	24,079	18,624	10,519	6,358	7
1986.....	3,949	7,853	14,204	20,876	23,992	23,093	17,622	9,908	5,966	12
1985.....	4,008	7,916	14,461	20,907	23,294	22,278	16,682	9,311	5,467	12
1984.....	4,074	8,044	14,705	20,131	22,607	21,355	15,794	8,859	5,230	13
1983.....	3,995	8,228	14,476	19,276	21,995	20,700	14,908	8,478	4,918	15
1982.....	4,072	8,464	14,156	19,191	21,500	19,600	14,054	7,675	4,777	16
1981.....	4,126	8,642	14,062	17,950	20,624	18,380	13,042	7,173	4,425	18
1980.....	4,205	8,687	13,760	17,563	20,002	17,875	12,592	6,835	4,134	7
1979.....	4,251	8,596	13,174	17,053	18,969	16,461	11,493	6,602	3,741	10

TOTAL, MALE

1998.....	2,538	4,831	7,848	11,209	15,525	18,827	16,051	10,287	6,323	2
1997.....	2,525	4,917	7,595	11,385	16,156	18,470	15,899	10,157	6,325	2
1996.....	2,695	4,992	7,730	11,653	16,723	18,625	15,315	10,118	5,811	5
1995.....	2,610	4,965	7,755	11,945	17,102	18,970	15,082	9,746	5,772	2
1994.....	2,555	5,020	7,890	12,756	17,533	18,482	14,674	9,581	5,449	6
1993.....	2,676	4,971	8,288	13,153	17,954	18,381	14,674	9,286	5,297	4
1992.....	2,728	4,996	8,170	13,341	17,995	17,740	14,538	9,008	4,958	4
1991.....	2,718	4,900	8,506	13,938	18,098	17,678	14,189	8,901	4,864	5
1990.....	2,705	5,002	8,817	14,338	17,990	17,374	14,048	8,211	4,526	3
1989.....	2,704	5,056	8,945	14,216	17,464	16,977	13,514	7,941	4,256	3
1988.....	2,612	5,107	9,180	14,436	17,197	16,594	13,139	7,642	4,066	7
1987.....	2,626	5,148	9,504	14,434	17,069	16,573	12,705	7,234	3,943	7
1986.....	2,515	5,167	9,590	14,378	16,510	15,851	12,365	6,865	3,717	8
1985.....	2,565	5,186	9,875	14,383	16,200	15,544	11,907	6,491	3,480	7
1984.....	2,594	5,375	10,129	14,089	15,892	15,362	11,449	6,282	3,343	8
1983.....	2,588	5,498	9,894	13,508	15,679	14,978	10,987	6,031	3,160	9
1982.....	2,675	5,781	9,839	13,638	15,606	14,508	10,536	5,537	3,128	11
1981.....	2,747	6,011	9,883	12,961	15,196	13,784	9,859	5,253	2,915	16
1980.....	2,803	5,986	9,851	12,871	14,921	13,594	9,565	5,099	2,633	6
1979.....	2,848	6,044	9,524	12,721	14,459	12,779	8,908	4,905	2,531	7

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

WHITE MALE

1998.....	1,906	3,840	6,476	9,465	13,528	16,663	14,368	9,357	5,728	1
1997.....	1,925	3,976	6,216	9,638	14,142	16,300	14,273	9,231	5,722	1
1996.....	2,071	4,066	6,359	9,805	14,578	16,517	13,729	9,205	5,253	2
1995.....	2,041	3,993	6,421	10,100	14,921	16,840	13,554	8,870	5,193	1
1994.....	1,980	4,010	6,520	10,915	15,308	16,366	13,218	8,663	4,890	3
1993.....	2,035	3,979	6,909	11,260	15,717	16,205	13,219	8,388	4,785	2
1992.....	2,157	3,993	6,706	11,442	15,728	15,750	13,146	8,154	4,509	4
1991.....	2,100	3,902	7,040	12,060	15,764	15,756	12,826	8,043	4,425	5
1990.....	2,109	4,038	7,297	12,316	15,727	15,506	12,668	7,499	4,106	2
1989.....	2,118	4,048	7,426	12,252	15,230	15,116	12,124	7,238	3,883	2
1988.....	2,078	4,129	7,757	12,502	14,977	14,857	11,788	6,973	3,650	7
1987.....	2,099	4,157	8,076	12,461	14,937	14,782	11,474	6,595	3,582	4
1986.....	1,987	4,170	8,186	12,373	14,473	14,198	11,192	6,284	3,371	7
1985.....	2,063	4,188	8,301	12,439	14,318	13,861	10,821	5,928	3,191	7
1984.....	2,070	4,419	8,526	12,058	14,008	13,791	10,383	5,740	3,043	6
1983.....	2,022	4,540	8,399	11,675	13,900	13,405	10,020	5,525	2,947	-
1982.....	2,151	4,775	8,326	11,798	13,860	12,992	9,638	5,082	2,885	7
1981.....	2,192	5,007	8,405	11,228	13,452	12,407	9,030	4,808	2,700	8
1980.....	2,263	4,996	8,421	11,257	13,207	12,298	8,715	4,707	2,430	3
1979.....	2,285	5,074	8,092	11,156	12,827	11,641	8,178	4,528	2,352	5

WHITE FEMALE

1998.....	1,310	2,597	4,123	6,156	8,580	10,941	10,092	7,323	5,330	-
1997.....	1,295	2,660	4,099	5,912	8,750	10,679	9,884	6,994	5,144	-
1996.....	1,369	2,686	3,978	6,058	8,896	10,554	9,329	6,748	4,726	2
1995.....	1,438	2,614	4,025	6,108	8,770	10,410	9,141	6,329	4,493	3
1994.....	1,386	2,573	4,024	6,108	9,102	10,055	8,725	5,951	4,024	-
1993.....	1,426	2,503	3,984	6,364	8,948	9,836	8,396	5,510	3,924	1
1992.....	1,403	2,448	3,961	6,454	8,760	9,499	7,977	5,165	3,461	2
1991.....	1,370	2,386	4,067	6,343	8,611	8,693	7,610	4,684	3,220	1
1990.....	1,392	2,457	3,967	6,508	8,363	8,406	7,078	4,240	2,866	1
1989.....	1,307	2,406	4,059	6,455	8,083	8,082	6,607	3,937	2,579	2
1988.....	1,378	2,327	4,036	6,348	7,503	7,400	5,790	3,557	2,465	2
1987.....	1,269	2,311	3,954	6,051	7,233	6,924	5,502	3,042	2,220	-
1986.....	1,197	2,306	4,019	5,800	6,827	6,678	4,878	2,818	2,076	3
1985.....	1,236	2,356	4,015	5,815	6,538	6,178	4,446	2,634	1,813	3
1984.....	1,261	2,282	4,029	5,384	6,170	5,566	4,017	2,389	1,761	3
1983.....	1,179	2,335	4,013	5,184	5,795	5,248	3,648	2,242	1,616	3
1982.....	1,197	2,337	3,805	4,981	5,409	4,745	3,270	1,952	1,522	5
1981.....	1,156	2,243	3,666	4,487	4,989	4,264	2,955	1,779	1,403	2
1980.....	1,153	2,334	3,438	4,227	4,655	3,938	2,818	1,606	1,394	1
1979.....	1,171	2,214	3,244	3,931	4,159	3,409	2,393	1,563	1,134	2

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)										
ALL OTHER, BOTH SEXES										
1998.....	965	1,468	2,053	2,619	3,073	3,408	2,584	1,508	1,070	1
1997.....	906	1,398	2,004	2,612	3,076	3,364	2,514	1,482	1,066	1
1996.....	928	1,358	1,951	2,679	3,228	3,199	2,426	1,432	963	4
1995.....	865	1,405	1,954	2,710	3,274	3,215	2,268	1,370	982	1
1994.....	853	1,422	2,021	2,672	3,269	3,131	2,194	1,389	901	3
1993.....	945	1,397	2,010	2,709	3,226	3,125	2,112	1,322	877	4
1992.....	831	1,449	2,117	2,768	3,282	2,902	2,050	1,207	762	-
1991.....	876	1,440	2,045	2,733	3,269	2,741	2,005	1,229	737	2
1990.....	843	1,397	2,168	2,906	3,155	2,632	1,940	1,026	668	2
1989.....	836	1,417	2,078	2,773	3,098	2,575	1,950	991	603	2
1988.....	777	1,380	2,023	2,737	2,993	2,390	1,795	967	620	1
1987.....	749	1,433	2,038	2,728	2,882	2,373	1,648	882	556	3
1986.....	765	1,377	1,999	2,703	2,692	2,217	1,552	806	519	2
1985.....	709	1,372	2,145	2,653	2,438	2,239	1,415	749	463	2
1984.....	743	1,343	2,150	2,689	2,429	1,998	1,394	730	426	4
1983.....	794	1,353	2,064	2,417	2,300	2,047	1,240	711	355	12
1982.....	724	1,352	2,025	2,412	2,231	1,863	1,146	641	370	4
1981.....	778	1,392	1,991	2,235	2,183	1,709	1,057	586	322	8
1980.....	789	1,357	1,901	2,079	2,140	1,639	1,059	522	310	3
1979.....	795	1,308	1,838	1,966	1,983	1,411	922	511	255	3
ALL OTHER MALE										
1998.....	632	991	1,372	1,744	1,997	2,164	1,683	930	595	1
1997.....	600	941	1,379	1,747	2,014	2,170	1,626	926	603	1
1996.....	624	926	1,371	1,848	2,145	2,108	1,586	913	558	3
1995.....	569	972	1,334	1,845	2,181	2,130	1,528	876	579	1
1994.....	575	1,010	1,370	1,841	2,225	2,116	1,456	918	559	3
1993.....	641	992	1,379	1,893	2,237	2,176	1,455	898	512	2
1992.....	571	1,003	1,464	1,899	2,267	1,990	1,392	854	449	-
1991.....	618	998	1,466	1,878	2,334	1,922	1,363	858	439	-
1990.....	596	964	1,520	2,022	2,263	1,868	1,380	712	420	1
1989.....	586	1,008	1,519	1,964	2,234	1,861	1,390	703	373	1
1988.....	534	978	1,423	1,934	2,220	1,737	1,351	669	416	-
1987.....	527	991	1,428	1,973	2,132	1,791	1,231	639	361	3
1986.....	528	997	1,404	2,005	2,037	1,653	1,173	581	346	1
1985.....	502	998	1,574	1,944	1,882	1,683	1,086	563	289	-
1984.....	524	956	1,603	2,031	1,884	1,571	1,066	542	300	2
1983.....	566	958	1,495	1,833	1,779	1,573	967	506	213	9
1982.....	524	1,006	1,513	1,840	1,746	1,516	898	455	243	4
1981.....	555	1,004	1,478	1,733	1,744	1,377	829	445	215	8
1980.....	540	990	1,430	1,614	1,714	1,296	850	392	203	3
1979.....	563	970	1,432	1,565	1,632	1,138	730	377	179	2

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

ALL OTHER FEMALE

1998.....	333	477	681	875	1,076	1,244	901	578	475	-
1997.....	306	457	625	865	1,062	1,194	888	556	463	-
1996.....	304	432	580	831	1,083	1,091	840	519	405	1
1995.....	296	433	620	865	1,093	1,085	740	494	403	-
1994.....	278	412	651	831	1,044	1,015	738	471	342	-
1993.....	304	405	631	816	989	949	657	424	365	2
1992.....	260	446	653	869	1,015	912	658	353	313	-
1991.....	258	442	579	855	935	819	642	371	298	2
1990.....	247	433	648	884	892	764	560	314	248	1
1989.....	250	409	559	809	864	714	560	288	230	1
1988.....	243	402	600	803	773	653	444	298	204	1
1987.....	222	442	610	755	750	582	417	243	195	-
1986.....	237	380	595	698	655	564	379	225	173	1
1985.....	207	374	571	709	556	556	329	186	174	2
1984.....	219	387	547	658	545	427	328	188	126	2
1983.....	228	395	569	584	521	474	273	205	142	3
1982.....	200	346	512	572	485	347	248	186	127	-
1981.....	223	388	513	502	439	332	228	141	107	-
1980.....	249	367	471	465	426	343	209	130	107	-
1979.....	232	338	406	401	351	273	192	134	76	1

BLACK, BOTH SEXES

1998.....	864	1,317	1,846	2,326	2,665	2,943	2,209	1,260	888	1
1997.....	812	1,270	1,804	2,319	2,713	2,954	2,191	1,246	899	1
1996.....	835	1,244	1,768	2,405	2,884	2,800	2,091	1,205	811	4
1995.....	782	1,278	1,783	2,453	2,942	2,831	1,957	1,169	815	1
1994.....	769	1,292	1,839	2,417	2,914	2,785	1,896	1,222	772	3
1993.....	857	1,290	1,816	2,450	2,903	2,791	1,851	1,146	753	4
1992.....	759	1,345	1,939	2,519	2,961	2,613	1,801	1,043	650	-
1991.....	809	1,330	1,877	2,505	2,957	2,458	1,767	1,075	636	2
1990.....	784	1,300	2,008	2,700	2,880	2,386	1,710	907	571	2
1989.....	766	1,311	1,921	2,553	2,868	2,338	1,742	876	537	2
1988.....	709	1,276	1,874	2,539	2,783	2,182	1,619	851	537	1
1987.....	695	1,325	1,902	2,547	2,658	2,172	1,487	775	485	3
1986.....	724	1,287	1,881	2,510	2,529	2,027	1,403	717	454	2
1985.....	659	1,303	2,031	2,487	2,272	2,049	1,277	666	410	2
1984.....	704	1,251	2,035	2,536	2,265	1,837	1,259	646	382	4
1983.....	746	1,283	1,953	2,290	2,159	1,902	1,134	624	320	10
1982.....	692	1,282	1,946	2,280	2,110	1,748	1,059	579	318	4
1981.....	731	1,338	1,908	2,131	2,061	1,591	964	517	286	5
1980.....	753	1,293	1,822	1,972	2,027	1,517	976	455	275	3
1979.....	764	1,245	1,754	1,859	1,879	1,313	845	444	229	2

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

BLACK MALE

1998.....	570	897	1,247	1,557	1,725	1,870	1,440	771	494	1
1997.....	543	856	1,238	1,566	1,786	1,902	1,423	789	504	1
1996.....	571	858	1,244	1,668	1,912	1,841	1,378	775	472	3
1995.....	514	899	1,230	1,684	1,977	1,890	1,333	765	481	1
1994.....	528	926	1,260	1,675	1,990	1,873	1,272	814	476	3
1993.....	588	918	1,260	1,722	2,035	1,954	1,278	773	444	2
1992.....	525	932	1,354	1,730	2,060	1,798	1,221	736	385	-
1991.....	579	929	1,349	1,735	2,108	1,728	1,202	755	377	-
1990.....	560	909	1,419	1,896	2,059	1,705	1,222	634	355	1
1989.....	541	940	1,413	1,802	2,078	1,715	1,259	624	335	1
1988.....	493	913	1,322	1,801	2,077	1,596	1,214	593	370	-
1987.....	493	923	1,349	1,854	1,986	1,655	1,124	564	317	3
1986.....	501	933	1,334	1,874	1,921	1,512	1,074	515	306	1
1985.....	473	950	1,492	1,818	1,766	1,550	987	501	254	-
1984.....	501	900	1,526	1,932	1,772	1,446	960	487	267	2
1983.....	535	912	1,424	1,730	1,688	1,462	879	447	195	8
1982.....	504	960	1,458	1,744	1,649	1,427	829	415	216	4
1981.....	524	962	1,416	1,656	1,653	1,293	766	396	189	5
1980.....	516	946	1,370	1,536	1,630	1,202	790	349	179	3
1979.....	543	922	1,369	1,488	1,565	1,063	669	335	158	2

BLACK FEMALE

1998.....	294	420	599	769	940	1,073	769	489	394	-
1997.....	269	414	566	753	927	1,052	768	457	395	-
1996.....	264	386	524	737	972	959	713	430	339	1
1995.....	268	379	553	769	965	941	624	404	334	-
1994.....	241	366	579	742	924	912	624	408	296	-
1993.....	269	372	556	728	868	837	573	373	309	2
1992.....	234	413	585	789	901	815	580	307	265	-
1991.....	230	401	528	770	849	730	565	320	259	2
1990.....	224	391	589	804	821	681	488	273	216	1
1989.....	225	371	508	751	790	623	483	252	202	1
1988.....	216	363	552	738	706	586	405	258	167	1
1987.....	202	402	553	693	672	517	363	211	168	-
1986.....	223	354	547	636	608	515	329	202	148	1
1985.....	186	353	539	669	506	499	290	165	156	2
1984.....	203	351	509	604	493	391	299	159	115	2
1983.....	211	371	529	560	471	440	255	177	125	2
1982.....	188	322	488	536	461	321	230	164	102	-
1981.....	207	376	492	475	408	298	198	121	97	-
1980.....	237	347	452	436	397	315	186	106	96	-
1979.....	221	323	385	371	314	250	176	109	71	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 MALIGNANT NEOPLASM OF BREAST (174-175)										
TOTAL, BOTH SEXES										
1998.....	2,779	3,596	3,661	3,773	4,300	5,239	5,146	4,425	5,628	1
1997.....	2,931	3,600	3,641	3,797	4,534	5,197	5,057	4,396	5,515	-
1996.....	3,070	3,377	3,651	3,953	4,814	5,540	5,281	4,530	5,561	1
1995.....	3,063	3,558	3,651	4,161	5,114	5,745	5,267	4,512	5,362	1
1994.....	2,932	3,455	3,538	4,233	5,335	5,787	5,337	4,553	5,059	-
1993.....	2,831	3,358	3,617	4,390	5,445	5,650	5,444	4,346	5,129	1
1992.....	2,804	3,221	3,562	4,588	5,623	5,763	5,117	4,186	4,628	5
1991.....	2,697	3,154	3,841	4,959	5,722	5,514	5,188	4,201	4,546	1
1990.....	2,630	3,225	3,877	4,957	5,886	5,524	5,212	4,016	4,310	2
1989.....	2,573	3,161	3,973	5,047	5,760	5,536	5,152	3,883	4,107	1
1988.....	2,486	3,166	4,185	5,299	5,552	5,426	4,715	3,863	3,939	3
1987.....	2,374	3,079	4,118	5,366	5,463	5,290	4,581	3,516	3,666	3
1986.....	2,285	3,065	4,213	5,364	5,485	5,237	4,412	3,375	3,606	5
1985.....	2,322	3,140	4,497	5,461	5,269	5,074	4,394	3,305	3,432	3
1984.....	2,136	3,186	4,521	5,243	5,277	4,960	4,266	3,159	3,388	2
1983.....	2,082	3,223	4,545	5,190	5,053	4,807	3,980	2,984	3,205	2
1982.....	2,096	3,378	4,626	4,879	5,006	4,561	3,979	2,905	3,074	3
1981.....	2,130	3,493	4,555	4,749	4,992	4,485	3,684	2,758	2,867	4
1980.....	2,169	3,527	4,652	4,716	4,773	4,219	3,519	2,686	2,656	1
1979.....	2,214	3,580	4,392	4,469	4,623	4,062	3,266	2,615	2,509	5
TOTAL, MALE										
1998.....	14	22	26	27	37	38	64	57	47	-
1997.....	8	26	36	41	52	48	59	39	37	-
1996.....	12	19	28	34	40	61	63	40	45	-
1995.....	12	29	27	44	49	46	65	38	43	-
1994.....	16	19	24	44	54	66	44	40	38	-
1993.....	19	17	29	37	48	51	51	42	48	-
1992.....	10	16	21	28	47	45	48	32	40	-
1991.....	5	12	17	28	52	39	29	36	36	-
1990.....	16	17	23	39	43	43	36	24	20	-
1989.....	7	17	23	37	37	55	51	29	35	-
1988.....	13	20	13	29	40	47	47	34	33	-
1987.....	3	13	22	55	44	45	45	42	28	-
1986.....	6	16	21	30	47	35	37	24	24	-
1985.....	13	16	27	36	39	39	41	34	30	-
1984.....	12	12	25	26	40	38	35	25	23	-
1983.....	5	15	26	39	40	58	34	22	22	-
1982.....	5	10	26	30	40	45	42	41	22	-
1981.....	3	17	21	40	33	42	35	27	28	-
1980.....	9	17	25	49	39	33	41	18	18	-
1979.....	4	9	22	32	33	38	24	37	17	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED

0 MALIGNANT NEOPLASM OF BREAST (174-175)

TOTAL, FEMALE										
1998.....	2,765	3,574	3,635	3,746	4,263	5,201	5,082	4,368	5,581	1
1997.....	2,923	3,574	3,605	3,756	4,482	5,149	4,998	4,357	5,478	-
1996.....	3,058	3,358	3,623	3,919	4,774	5,479	5,218	4,490	5,516	1
1995.....	3,051	3,529	3,624	4,117	5,065	5,699	5,202	4,474	5,319	1
1994.....	2,916	3,436	3,514	4,189	5,281	5,721	5,293	4,513	5,021	-
1993.....	2,812	3,341	3,588	4,353	5,397	5,599	5,393	4,304	5,081	1
1992.....	2,794	3,205	3,541	4,560	5,576	5,718	5,069	4,154	4,588	5
1991.....	2,692	3,142	3,824	4,931	5,670	5,475	5,159	4,165	4,510	1
1990.....	2,614	3,208	3,854	4,918	5,843	5,481	5,176	3,992	4,290	2
1989.....	2,566	3,144	3,950	5,010	5,723	5,481	5,101	3,854	4,072	1
1988.....	2,473	3,146	4,172	5,270	5,512	5,379	4,668	3,829	3,906	3
1987.....	2,371	3,066	4,096	5,311	5,419	5,245	4,536	3,474	3,638	3
1986.....	2,279	3,049	4,192	5,334	5,438	5,202	4,375	3,351	3,582	5
1985.....	2,309	3,124	4,470	5,425	5,230	5,035	4,353	3,271	3,402	3
1984.....	2,124	3,174	4,496	5,217	5,237	4,922	4,231	3,134	3,365	2
1983.....	2,077	3,208	4,519	5,151	5,013	4,749	3,946	2,962	3,183	2
1982.....	2,091	3,368	4,600	4,849	4,966	4,516	3,937	2,864	3,052	3
1981.....	2,127	3,476	4,534	4,709	4,959	4,443	3,649	2,731	2,839	4
1980.....	2,160	3,510	4,627	4,667	4,734	4,186	3,478	2,668	2,638	1
1979.....	2,210	3,571	4,370	4,437	4,590	4,024	3,242	2,578	2,492	5
WHITE, BOTH SEXES										
1998.....	2,134	2,910	3,000	3,179	3,738	4,658	4,656	4,022	5,146	1
1997.....	2,280	2,966	3,006	3,166	3,903	4,570	4,546	3,993	5,046	-
1996.....	2,433	2,740	3,061	3,406	4,216	4,943	4,767	4,138	5,106	1
1995.....	2,413	2,894	3,051	3,526	4,511	5,115	4,793	4,113	4,946	1
1994.....	2,367	2,874	2,976	3,623	4,718	5,189	4,850	4,172	4,630	-
1993.....	2,326	2,768	3,065	3,804	4,836	5,086	4,939	3,985	4,729	-
1992.....	2,312	2,641	3,006	4,006	5,010	5,243	4,691	3,871	4,290	3
1991.....	2,212	2,628	3,285	4,317	5,141	4,955	4,741	3,869	4,202	-
1990.....	2,172	2,698	3,287	4,371	5,283	5,037	4,779	3,706	3,980	2
1989.....	2,101	2,673	3,429	4,501	5,170	5,059	4,736	3,618	3,810	1
1988.....	2,073	2,654	3,602	4,706	5,006	4,981	4,321	3,568	3,641	3
1987.....	1,943	2,598	3,582	4,771	4,986	4,812	4,240	3,261	3,409	2
1986.....	1,893	2,587	3,716	4,801	4,993	4,803	4,096	3,172	3,356	3
1985.....	1,948	2,719	3,939	4,903	4,808	4,642	4,067	3,083	3,202	3
1984.....	1,782	2,752	3,992	4,660	4,790	4,556	3,964	2,911	3,178	1
1983.....	1,746	2,778	4,044	4,683	4,600	4,412	3,681	2,783	3,005	2
1982.....	1,738	2,935	4,118	4,395	4,560	4,175	3,681	2,694	2,896	3
1981.....	1,794	3,102	4,074	4,304	4,569	4,132	3,439	2,550	2,681	2
1980.....	1,876	3,093	4,168	4,290	4,402	3,908	3,254	2,521	2,488	1
1979.....	1,870	3,160	3,989	4,062	4,245	3,775	3,028	2,472	2,361	5

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 MALIGNANT NEOPLASM OF BREAST (174-175)

WHITE MALE

1998	11	19	20	23	33	31	57	52	40	-
1997	4	21	31	30	41	41	52	33	34	-
1996	10	14	24	25	31	53	53	34	38	-
1995	9	21	21	39	40	39	55	28	37	-
1994	13	18	23	36	43	55	36	38	33	-
1993	16	15	24	29	42	37	46	38	39	-
1992	8	11	17	25	42	37	43	27	38	-
1991	5	7	14	25	43	33	27	31	33	-
1990	11	14	17	32	36	36	35	20	18	-
1989	4	17	18	36	30	46	50	25	32	-
1988	9	12	11	27	33	44	37	27	21	-
1987	3	9	16	46	39	42	40	38	27	-
1986	6	13	20	25	39	30	30	22	21	-
1985	13	15	23	32	36	34	37	31	25	-
1984	8	12	23	20	32	31	30	23	22	-
1983	4	11	22	32	34	49	29	22	18	-
1982	5	10	21	25	35	42	38	34	17	-
1981	2	14	16	34	27	34	33	23	28	-
1980	7	16	20	45	37	28	37	16	16	-
1979	2	7	20	30	27	32	17	34	14	-

WHITE FEMALE

1998	2,123	2,891	2,980	3,156	3,705	4,627	4,599	3,970	5,106	1
1997	2,276	2,945	2,975	3,136	3,862	4,529	4,494	3,960	5,012	-
1996	2,423	2,726	3,037	3,381	4,185	4,890	4,714	4,104	5,068	1
1995	2,404	2,873	3,030	3,487	4,471	5,076	4,738	4,085	4,909	1
1994	2,354	2,856	2,953	3,587	4,675	5,134	4,814	4,134	4,597	-
1993	2,310	2,753	3,041	3,775	4,794	5,049	4,893	3,947	4,690	-
1992	2,304	2,630	2,989	3,981	4,968	5,206	4,648	3,844	4,252	3
1991	2,207	2,621	3,271	4,292	5,098	4,922	4,714	3,838	4,169	-
1990	2,161	2,684	3,270	4,339	5,247	5,001	4,744	3,686	3,962	2
1989	2,097	2,656	3,411	4,465	5,140	5,013	4,686	3,593	3,778	1
1988	2,064	2,642	3,591	4,679	4,973	4,937	4,284	3,541	3,620	3
1987	1,940	2,589	3,566	4,725	4,947	4,770	4,200	3,223	3,382	2
1986	1,887	2,574	3,696	4,776	4,954	4,773	4,066	3,150	3,335	3
1985	1,935	2,704	3,916	4,871	4,772	4,608	4,030	3,052	3,177	3
1984	1,774	2,740	3,969	4,640	4,758	4,525	3,934	2,888	3,156	1
1983	1,742	2,767	4,022	4,651	4,566	4,363	3,652	2,761	2,987	2
1982	1,733	2,925	4,097	4,370	4,525	4,133	3,643	2,660	2,879	3
1981	1,792	3,088	4,058	4,270	4,542	4,098	3,406	2,527	2,653	2
1980	1,869	3,077	4,148	4,245	4,365	3,880	3,217	2,505	2,472	1
1979	1,868	3,153	3,969	4,032	4,218	3,743	3,011	2,438	2,347	5

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS		
0 MALIGNANT NEOPLASM OF BREAST (174-175)											
ALL OTHER, BOTH SEXES											
1998.....	645	686	661	594	562	581	490	403	482	-	
1997.....	651	634	635	631	631	627	511	403	469	-	
1996.....	637	637	590	547	598	597	514	392	455	-	
1995.....	650	664	600	635	603	630	474	399	416	-	
1994.....	565	581	562	610	617	598	487	381	429	-	
1993.....	505	590	552	586	609	564	505	361	400	1	
1992.....	492	580	556	582	613	520	426	315	338	2	
1991.....	485	526	556	642	581	559	447	332	344	1	
1990.....	458	527	590	586	603	487	433	310	330	-	
1989.....	472	488	544	546	590	477	416	265	297	-	
1988.....	413	512	583	593	546	445	394	295	298	-	
1987.....	431	481	536	595	477	478	341	255	257	1	
1986.....	392	478	497	563	492	434	316	203	250	2	
1985.....	374	421	558	558	461	432	327	222	230	-	
1984.....	354	434	529	583	487	404	302	248	210	1	
1983.....	336	445	501	507	453	395	299	201	200	-	
1982.....	358	443	508	484	446	386	298	211	178	-	
1981.....	336	391	481	445	423	353	245	208	186	2	
1980.....	293	434	484	426	371	311	265	165	168	-	
1979.....	344	420	403	407	378	287	238	143	148	-	
ALL OTHER MALE											
1998.....	3	3	6	4	4	7	7	5	7	-	
1997.....	4	5	5	11	11	7	7	6	3	-	
1996.....	2	5	4	9	9	8	10	6	7	-	
1995.....	3	8	6	5	9	7	10	10	6	-	
1994.....	3	1	1	8	11	11	8	2	5	-	
1993.....	3	2	5	8	6	14	5	4	9	-	
1992.....	2	5	4	3	5	8	5	5	2	-	
1991.....	-	5	3	3	9	6	2	5	3	-	
1990.....	5	3	6	7	7	7	1	4	2	-	
1989.....	3	-	5	1	7	9	1	4	3	-	
1988.....	4	8	2	2	7	3	10	7	12	-	
1987.....	-	4	6	9	5	3	5	4	1	-	
1986.....	-	3	1	5	8	5	7	2	3	-	
1985.....	-	1	4	4	3	5	4	3	5	-	
1984.....	4	-	2	6	8	7	5	2	1	-	
1983.....	1	4	4	7	6	9	5	-	4	-	
1982.....	-	-	5	5	5	3	4	7	5	-	
1981.....	1	3	5	6	6	8	2	4	-	-	
1980.....	2	1	5	4	2	5	4	2	2	-	
1979.....	2	2	2	2	6	6	7	3	3	-	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 MALIGNANT NEOPLASM OF BREAST (174-175)										
ALL OTHER FEMALE										
1998.....	642	683	655	590	558	574	483	398	475	-
1997.....	647	629	630	620	620	620	504	397	466	-
1996.....	635	632	586	538	589	589	504	386	448	-
1995.....	647	656	594	630	594	623	464	389	410	-
1994.....	562	580	561	602	606	587	479	379	424	-
1993.....	502	588	547	578	603	550	500	357	391	1
1992.....	490	575	552	579	608	512	421	310	336	2
1991.....	485	521	553	639	572	553	445	327	341	1
1990.....	453	524	584	579	596	480	432	306	328	-
1989.....	469	488	539	545	583	468	415	261	294	-
1988.....	409	504	581	591	539	442	384	288	286	-
1987.....	431	477	530	586	472	475	336	251	256	1
1986.....	392	475	496	558	484	429	309	201	247	2
1985.....	374	420	554	554	458	427	323	219	225	-
1984.....	350	434	527	577	479	397	297	246	209	1
1983.....	335	441	497	500	447	386	294	201	196	-
1982.....	358	443	503	479	441	383	294	204	173	-
1981.....	335	388	476	439	417	345	243	204	186	2
1980.....	291	433	479	422	369	306	261	163	166	-
1979.....	342	418	401	405	372	281	231	140	145	-
BLACK, BOTH SEXES										
1998.....	550	596	546	524	494	531	445	376	454	-
1997.....	560	552	555	563	561	584	475	376	440	-
1996.....	561	546	529	495	526	536	470	363	427	-
1995.....	553	566	522	556	538	584	443	374	393	-
1994.....	495	490	497	547	549	557	443	352	400	-
1993.....	452	520	487	529	555	524	468	335	386	1
1992.....	427	514	491	523	561	479	393	299	317	2
1991.....	410	462	494	575	534	519	408	321	318	1
1990.....	396	468	528	540	551	455	404	296	317	-
1989.....	424	436	471	500	535	444	381	252	285	-
1988.....	370	467	522	540	508	410	366	281	291	-
1987.....	382	449	486	556	441	446	316	247	248	1
1986.....	361	437	454	518	464	410	298	192	238	2
1985.....	347	375	513	508	440	406	306	208	217	-
1984.....	328	401	489	542	461	388	287	243	200	1
1983.....	308	407	460	478	430	367	291	194	188	-
1982.....	322	406	474	452	417	366	293	206	172	-
1981.....	315	356	455	417	399	339	236	200	177	2
1980.....	269	397	453	402	358	303	256	161	161	-
1979.....	323	391	384	383	365	278	229	142	146	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 MALIGNANT NEOPLASM OF BREAST (174-175)

BLACK MALE

1998.....	3	3	6	4	4	7	7	5	7	-
1997.....	4	5	5	9	11	7	7	6	3	-
1996.....	2	4	4	8	9	8	9	6	7	-
1995.....	3	8	6	5	8	7	10	9	6	-
1994.....	3	1	1	7	11	11	8	2	5	-
1993.....	3	2	5	8	6	14	4	3	7	-
1992.....	1	4	4	3	5	7	5	5	1	-
1991.....	-	5	3	1	7	6	2	5	3	-
1990.....	5	3	6	6	7	7	1	4	2	-
1989.....	3	-	4	1	7	9	1	4	3	-
1988.....	3	8	2	2	7	3	9	7	12	-
1987.....	-	4	6	9	5	2	5	4	1	-
1986.....	-	2	1	5	7	5	6	2	3	-
1985.....	-	1	4	4	2	5	4	3	5	-
1984.....	4	-	2	5	8	7	5	2	1	-
1983.....	1	4	4	5	5	9	5	-	3	-
1982.....	-	-	5	5	5	3	4	7	5	-
1981.....	1	3	5	6	5	8	2	4	-	-
1980.....	2	1	5	4	2	5	4	2	2	-
1979.....	2	2	2	2	5	6	7	3	3	-

BLACK FEMALE

1998.....	547	593	540	520	490	524	438	371	447	-
1997.....	556	547	550	554	550	577	468	370	437	-
1996.....	559	542	525	487	517	528	461	357	420	-
1995.....	550	558	516	551	530	577	433	365	387	-
1994.....	492	489	496	540	538	546	435	350	395	-
1993.....	449	518	482	521	549	510	464	332	379	1
1992.....	426	510	487	520	556	472	388	294	316	2
1991.....	410	457	491	574	527	513	406	316	315	1
1990.....	391	465	522	534	544	448	403	292	315	-
1989.....	421	436	467	499	528	435	380	248	282	-
1988.....	367	459	520	538	501	407	357	274	279	-
1987.....	382	445	480	547	436	444	311	243	247	1
1986.....	361	435	453	513	457	405	292	190	235	2
1985.....	347	374	509	504	438	401	302	205	212	-
1984.....	324	401	487	537	453	381	282	241	199	1
1983.....	307	403	456	473	425	358	286	194	185	-
1982.....	322	406	469	447	412	363	289	199	167	-
1981.....	314	353	450	411	394	331	234	196	177	2
1980.....	267	396	448	398	356	298	252	159	159	-
1979.....	321	389	382	381	360	272	222	139	143	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)										
TOTAL, BOTH SEXES										
1998.....	1,386	1,995	2,629	3,711	5,755	8,435	10,482	10,136	11,657	1
1997.....	1,479	1,903	2,550	3,707	5,951	8,924	10,544	10,018	11,769	3
1996.....	1,357	1,813	2,472	3,940	6,387	9,405	10,686	10,338	11,457	4
1995.....	1,360	1,826	2,523	3,962	6,556	9,570	10,666	10,353	11,500	1
1994.....	1,350	1,842	2,538	4,163	6,879	9,875	10,837	10,408	10,989	1
1993.....	1,307	1,702	2,479	4,186	6,956	9,725	10,830	10,235	10,792	2
1992.....	1,194	1,730	2,513	4,440	7,369	9,829	10,804	9,818	10,063	3
1991.....	1,150	1,661	2,544	4,573	7,371	9,628	10,537	9,689	9,566	1
1990.....	1,172	1,670	2,632	4,613	7,514	9,452	10,349	9,050	8,830	3
1989.....	1,102	1,607	2,554	4,700	7,403	8,864	9,760	8,493	8,337	1
1988.....	1,081	1,581	2,648	4,710	7,089	8,895	9,396	8,180	7,744	4
1987.....	1,113	1,567	2,651	4,569	7,063	8,532	9,106	7,736	7,424	3
1986.....	1,098	1,588	2,765	4,865	6,936	8,629	8,678	7,466	7,168	5
1985.....	1,031	1,690	2,836	4,783	6,584	8,290	8,609	7,158	6,700	4
1984.....	1,065	1,649	2,966	4,723	6,479	8,021	8,265	6,905	6,852	8
1983.....	1,034	1,756	3,014	4,829	6,585	8,038	8,209	6,666	6,580	8
1982.....	1,096	1,809	3,118	4,702	6,514	7,573	7,976	6,531	6,281	13
1981.....	1,094	1,968	3,152	4,731	6,359	7,484	7,602	6,340	6,087	3
1980.....	1,153	2,057	3,151	4,642	6,379	7,385	7,505	6,187	5,980	2
1979.....	1,183	2,145	3,207	4,432	6,277	7,267	7,249	6,129	5,537	5
TOTAL, MALE										
1998.....	122	320	713	1,457	2,803	4,833	6,794	7,088	8,372	-
1997.....	134	304	723	1,405	3,026	5,137	6,888	7,058	8,533	2
1996.....	134	322	710	1,545	3,256	5,718	7,171	7,260	8,293	1
1995.....	108	287	701	1,665	3,407	5,770	7,097	7,358	8,354	-
1994.....	125	300	701	1,696	3,540	6,005	7,285	7,462	8,059	1
1993.....	112	268	713	1,762	3,730	5,981	7,327	7,285	7,970	-
1992.....	109	259	715	1,922	3,920	5,993	7,292	6,964	7,346	2
1991.....	96	286	700	1,957	3,813	5,985	7,165	6,969	6,881	1
1990.....	77	275	795	1,979	3,959	5,808	6,940	6,486	6,309	2
1989.....	88	260	783	1,968	3,773	5,428	6,520	6,049	5,933	1
1988.....	97	265	733	1,855	3,581	5,302	6,245	5,722	5,475	2
1987.....	99	238	717	1,814	3,584	5,110	5,944	5,382	5,265	1
1986.....	80	244	753	1,883	3,500	5,104	5,794	5,189	5,011	1
1985.....	74	270	761	1,790	3,262	4,831	5,614	4,962	4,677	3
1984.....	83	243	774	1,792	3,172	4,682	5,425	4,686	4,853	8
1983.....	94	258	761	1,774	3,170	4,683	5,374	4,580	4,563	5
1982.....	84	272	770	1,713	3,144	4,364	5,123	4,465	4,402	8
1981.....	98	283	712	1,677	3,055	4,352	4,868	4,315	4,295	-
1980.....	93	276	746	1,638	3,085	4,186	4,811	4,230	4,173	1
1979.....	96	269	748	1,554	2,921	4,206	4,719	4,157	3,943	2

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

TOTAL, FEMALE

1998.....	1,264	1,675	1,916	2,254	2,952	3,602	3,688	3,048	3,285	1
1997.....	1,345	1,599	1,827	2,302	2,925	3,787	3,656	2,960	3,236	1
1996.....	1,223	1,491	1,762	2,395	3,131	3,687	3,515	3,078	3,164	3
1995.....	1,252	1,539	1,822	2,297	3,149	3,800	3,569	2,995	3,146	1
1994.....	1,225	1,542	1,837	2,467	3,339	3,870	3,552	2,946	2,930	-
1993.....	1,195	1,434	1,766	2,424	3,226	3,744	3,503	2,950	2,822	2
1992.....	1,085	1,471	1,798	2,518	3,449	3,836	3,512	2,854	2,717	1
1991.....	1,054	1,375	1,844	2,616	3,558	3,643	3,372	2,720	2,685	-
1990.....	1,095	1,395	1,837	2,634	3,555	3,644	3,409	2,564	2,521	1
1989.....	1,014	1,347	1,771	2,732	3,630	3,436	3,240	2,444	2,404	-
1988.....	984	1,316	1,915	2,855	3,508	3,593	3,151	2,458	2,269	2
1987.....	1,014	1,329	1,934	2,755	3,479	3,422	3,162	2,354	2,159	2
1986.....	1,018	1,344	2,012	2,982	3,436	3,525	2,884	2,277	2,157	4
1985.....	957	1,420	2,075	2,993	3,322	3,459	2,995	2,196	2,023	1
1984.....	982	1,406	2,192	2,931	3,307	3,339	2,840	2,219	1,999	-
1983.....	940	1,498	2,253	3,055	3,415	3,355	2,835	2,086	2,017	3
1982.....	1,012	1,537	2,348	2,989	3,370	3,209	2,853	2,066	1,879	5
1981.....	996	1,685	2,440	3,054	3,304	3,132	2,734	2,025	1,792	3
1980.....	1,060	1,781	2,405	3,004	3,294	3,199	2,694	1,957	1,807	1
1979.....	1,087	1,876	2,459	2,878	3,356	3,061	2,530	1,972	1,594	3

WHITE, BOTH SEXES

1998.....	1,106	1,638	2,152	2,921	4,672	6,988	8,856	8,772	10,094	1
1997.....	1,199	1,562	2,056	2,989	4,808	7,376	8,951	8,722	10,135	1
1996.....	1,103	1,479	1,998	3,168	5,164	7,803	9,042	8,897	9,937	2
1995.....	1,111	1,526	2,087	3,154	5,387	7,993	9,151	8,889	10,006	1
1994.....	1,112	1,550	2,058	3,375	5,624	8,212	9,267	8,986	9,626	-
1993.....	1,063	1,381	2,019	3,383	5,692	8,126	9,285	8,775	9,331	1
1992.....	960	1,398	2,020	3,592	6,069	8,264	9,278	8,493	8,735	2
1991.....	940	1,344	2,073	3,764	6,075	8,111	9,028	8,348	8,366	-
1990.....	966	1,385	2,132	3,788	6,270	8,025	8,842	7,780	7,662	3
1989.....	915	1,296	2,094	3,927	6,168	7,501	8,281	7,373	7,314	-
1988.....	885	1,281	2,181	3,895	5,907	7,590	7,974	7,093	6,781	1
1987.....	898	1,284	2,208	3,817	5,898	7,256	7,747	6,691	6,494	-
1986.....	870	1,279	2,306	4,052	5,813	7,234	7,428	6,497	6,296	3
1985.....	852	1,345	2,366	3,997	5,536	6,994	7,342	6,174	5,856	3
1984.....	851	1,341	2,487	3,972	5,458	6,730	7,060	5,940	6,021	4
1983.....	811	1,467	2,487	4,057	5,590	6,766	6,970	5,773	5,873	6
1982.....	908	1,476	2,615	3,973	5,480	6,371	6,855	5,682	5,562	8
1981.....	923	1,631	2,649	3,976	5,329	6,299	6,546	5,526	5,396	3
1980.....	918	1,722	2,652	3,895	5,307	6,209	6,477	5,416	5,285	2
1979.....	939	1,828	2,696	3,694	5,211	6,154	6,248	5,428	4,988	4

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)										
WHITE MALE										
1998.....	91	226	543	1,049	2,194	3,857	5,584	6,012	7,124	-
1997.....	97	225	530	1,039	2,350	4,091	5,700	6,066	7,239	1
1996.....	107	237	532	1,155	2,527	4,618	5,895	6,128	7,083	-
1995.....	83	230	537	1,235	2,674	4,629	5,977	6,216	7,166	-
1994.....	97	230	522	1,308	2,759	4,835	6,109	6,349	6,955	-
1993.....	78	202	536	1,341	2,936	4,890	6,190	6,132	6,788	-
1992.....	80	187	524	1,493	3,134	4,893	6,153	5,943	6,277	2
1991.....	81	208	524	1,550	3,043	4,930	6,023	5,915	5,946	-
1990.....	65	218	593	1,559	3,194	4,814	5,802	5,499	5,389	2
1989.....	67	193	591	1,592	3,040	4,484	5,437	5,175	5,142	-
1988.....	74	198	570	1,462	2,883	4,429	5,205	4,895	4,720	1
1987.....	79	183	544	1,447	2,870	4,229	4,949	4,574	4,548	-
1986.....	56	182	598	1,510	2,834	4,154	4,848	4,436	4,344	1
1985.....	53	189	578	1,427	2,638	3,951	4,681	4,200	4,016	2
1984.....	62	190	609	1,418	2,586	3,786	4,530	3,963	4,225	4
1983.....	68	199	585	1,408	2,563	3,830	4,483	3,877	4,029	3
1982.....	65	209	601	1,366	2,545	3,570	4,320	3,816	3,854	3
1981.....	74	215	555	1,313	2,417	3,541	4,087	3,705	3,752	-
1980.....	77	209	584	1,312	2,438	3,426	4,076	3,628	3,650	1
1979.....	71	213	587	1,226	2,313	3,464	3,972	3,607	3,512	1
WHITE FEMALE										
1998.....	1,015	1,412	1,609	1,872	2,478	3,131	3,272	2,760	2,970	1
1997.....	1,102	1,337	1,526	1,950	2,458	3,285	3,251	2,656	2,896	-
1996.....	996	1,242	1,466	2,013	2,637	3,185	3,147	2,769	2,854	2
1995.....	1,028	1,296	1,550	1,919	2,713	3,364	3,174	2,673	2,840	1
1994.....	1,015	1,320	1,536	2,067	2,865	3,377	3,158	2,637	2,671	-
1993.....	985	1,179	1,483	2,042	2,756	3,236	3,095	2,643	2,543	1
1992.....	880	1,211	1,496	2,099	2,935	3,371	3,125	2,550	2,458	-
1991.....	859	1,136	1,549	2,214	3,032	3,181	3,005	2,433	2,420	-
1990.....	901	1,167	1,539	2,229	3,076	3,211	3,040	2,281	2,273	1
1989.....	848	1,103	1,503	2,335	3,128	3,017	2,844	2,198	2,172	-
1988.....	811	1,083	1,611	2,433	3,024	3,161	2,769	2,198	2,061	-
1987.....	819	1,101	1,664	2,370	3,028	3,027	2,798	2,117	1,946	-
1986.....	814	1,097	1,708	2,542	2,979	3,080	2,580	2,061	1,952	2
1985.....	799	1,156	1,788	2,570	2,898	3,043	2,661	1,974	1,840	1
1984.....	789	1,151	1,878	2,554	2,872	2,944	2,530	1,977	1,796	-
1983.....	743	1,268	1,902	2,649	3,027	2,936	2,487	1,896	1,844	3
1982.....	843	1,267	2,014	2,607	2,935	2,801	2,535	1,866	1,708	5
1981.....	849	1,416	2,094	2,663	2,912	2,758	2,459	1,821	1,644	3
1980.....	841	1,513	2,068	2,583	2,869	2,783	2,401	1,788	1,635	1
1979.....	868	1,615	2,109	2,468	2,898	2,690	2,276	1,821	1,476	3

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)										
ALL OTHER, BOTH SEXES										
1998.....	280	357	477	790	1,083	1,447	1,626	1,364	1,563	-
1997.....	280	341	494	718	1,143	1,548	1,593	1,296	1,634	2
1996.....	254	334	474	772	1,223	1,602	1,644	1,441	1,520	2
1995.....	249	300	436	808	1,169	1,577	1,515	1,464	1,494	-
1994.....	238	292	480	788	1,255	1,663	1,570	1,422	1,363	1
1993.....	244	321	460	803	1,264	1,599	1,545	1,460	1,461	1
1992.....	234	332	493	848	1,300	1,565	1,526	1,325	1,328	1
1991.....	210	317	471	809	1,296	1,517	1,509	1,341	1,200	1
1990.....	206	285	500	825	1,244	1,427	1,507	1,270	1,168	-
1989.....	187	311	460	773	1,235	1,363	1,479	1,120	1,023	1
1988.....	196	300	467	815	1,182	1,305	1,422	1,087	963	3
1987.....	215	283	443	752	1,165	1,276	1,359	1,045	930	3
1986.....	228	309	459	813	1,123	1,395	1,250	969	872	2
1985.....	179	345	470	786	1,048	1,296	1,267	984	844	1
1984.....	214	308	479	751	1,021	1,291	1,205	965	831	4
1983.....	223	289	527	772	995	1,272	1,239	893	707	2
1982.....	188	333	503	729	1,034	1,202	1,121	849	719	5
1981.....	171	337	503	755	1,030	1,185	1,056	814	691	-
1980.....	235	335	499	747	1,072	1,176	1,028	771	695	-
1979.....	244	317	511	738	1,066	1,113	1,001	701	549	1
ALL OTHER MALE										
1998.....	31	94	170	408	609	976	1,210	1,076	1,248	-
1997.....	37	79	193	366	676	1,046	1,188	992	1,294	1
1996.....	27	85	178	390	729	1,100	1,276	1,132	1,210	1
1995.....	25	57	164	430	733	1,141	1,120	1,142	1,188	-
1994.....	28	70	179	388	781	1,170	1,176	1,113	1,104	1
1993.....	34	66	177	421	794	1,091	1,137	1,153	1,182	-
1992.....	29	72	191	429	786	1,100	1,139	1,021	1,069	-
1991.....	15	78	176	407	770	1,055	1,142	1,054	935	1
1990.....	12	57	202	420	765	994	1,138	987	920	-
1989.....	21	67	192	376	733	944	1,083	874	791	1
1988.....	23	67	163	393	698	873	1,040	827	755	1
1987.....	20	55	173	367	714	881	995	808	717	1
1986.....	24	62	155	373	666	950	946	753	667	-
1985.....	21	81	183	363	624	880	933	762	661	1
1984.....	21	53	165	374	586	896	895	723	628	4
1983.....	26	59	176	366	607	853	891	703	534	2
1982.....	19	63	169	347	599	794	803	649	548	5
1981.....	24	68	157	364	638	811	781	610	543	-
1980.....	16	67	162	326	647	760	735	602	523	-
1979.....	25	56	161	328	608	742	747	550	431	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)										
ALL OTHER FEMALE										
1998.....	249	263	307	382	474	471	416	288	315	-
1997.....	243	262	301	352	467	502	405	304	340	1
1996.....	227	249	296	382	494	502	368	309	310	1
1995.....	224	243	272	378	436	436	395	322	306	-
1994.....	210	222	301	400	474	493	394	309	259	-
1993.....	210	255	283	382	470	508	408	307	279	1
1992.....	205	260	302	419	514	465	387	304	259	1
1991.....	195	239	295	402	526	462	367	287	265	-
1990.....	194	228	298	405	479	433	369	283	248	-
1989.....	166	244	268	397	502	419	396	246	232	-
1988.....	173	233	304	422	484	432	382	260	208	2
1987.....	195	228	270	385	451	395	364	237	213	2
1986.....	204	247	304	440	457	445	304	216	205	2
1985.....	158	264	287	423	424	416	334	222	183	-
1984.....	193	255	314	377	435	395	310	242	203	-
1983.....	197	230	351	406	388	419	348	190	173	-
1982.....	169	270	334	382	435	408	318	200	171	-
1981.....	147	269	346	391	392	374	275	204	148	-
1980.....	219	268	337	421	425	416	293	169	172	-
1979.....	219	261	350	410	458	371	254	151	118	-
BLACK, BOTH SEXES										
1998.....	230	293	406	718	999	1,343	1,495	1,267	1,441	-
1997.....	227	294	437	651	1,049	1,449	1,491	1,169	1,498	2
1996.....	194	270	390	695	1,133	1,475	1,547	1,338	1,385	2
1995.....	195	247	381	731	1,080	1,490	1,420	1,336	1,365	-
1994.....	193	254	418	710	1,165	1,564	1,455	1,322	1,267	1
1993.....	202	266	397	736	1,189	1,508	1,446	1,348	1,354	1
1992.....	192	289	442	783	1,206	1,452	1,428	1,248	1,235	1
1991.....	179	265	408	741	1,233	1,423	1,437	1,266	1,101	1
1990.....	171	246	460	756	1,156	1,339	1,416	1,198	1,099	-
1989.....	167	274	415	708	1,156	1,291	1,395	1,046	955	1
1988.....	154	263	414	755	1,115	1,244	1,348	1,028	899	3
1987.....	196	253	397	716	1,099	1,216	1,300	977	880	3
1986.....	199	274	410	760	1,087	1,335	1,192	913	812	2
1985.....	160	308	438	740	1,002	1,242	1,203	928	794	1
1984.....	199	277	442	704	977	1,231	1,138	917	796	4
1983.....	194	264	487	735	957	1,230	1,189	857	672	1
1982.....	164	296	473	688	1,000	1,157	1,076	809	685	5
1981.....	148	303	477	725	1,002	1,145	1,018	776	653	-
1980.....	210	302	477	722	1,039	1,138	992	740	661	-
1979.....	219	287	478	715	1,032	1,081	967	670	524	1

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

BLACK MALE

1998.....	30	89	160	383	584	928	1,127	1,010	1,155	-
1997.....	37	76	183	351	632	998	1,130	902	1,185	1
1996.....	25	78	166	369	697	1,026	1,213	1,061	1,103	1
1995.....	23	55	154	413	688	1,086	1,057	1,045	1,087	-
1994.....	28	69	172	368	740	1,116	1,108	1,043	1,020	1
1993.....	32	59	169	402	768	1,041	1,066	1,060	1,092	-
1992.....	29	67	184	418	755	1,038	1,070	960	990	-
1991.....	14	74	169	387	750	1,000	1,098	989	853	1
1990.....	11	51	197	403	727	951	1,071	929	867	-
1989.....	20	65	181	364	710	900	1,023	816	733	1
1988.....	22	65	154	379	674	838	993	783	702	1
1987.....	17	53	168	362	685	845	953	758	681	1
1986.....	23	60	148	359	651	920	903	712	622	-
1985.....	20	77	178	354	605	849	885	721	619	1
1984.....	21	52	157	367	572	861	847	685	601	4
1983.....	26	56	174	358	593	828	858	681	508	1
1982.....	19	61	164	335	585	766	776	616	522	5
1981.....	24	67	155	356	628	781	755	585	519	-
1980.....	14	63	157	322	634	736	714	577	502	-
1979.....	25	56	159	324	587	725	723	523	413	1

BLACK FEMALE

1998.....	200	204	246	335	415	415	368	257	286	-
1997.....	190	218	254	300	417	451	361	267	313	1
1996.....	169	192	224	326	436	449	334	277	282	1
1995.....	172	192	227	318	392	404	363	291	278	-
1994.....	165	185	246	342	425	448	347	279	247	-
1993.....	170	207	228	334	421	467	380	288	262	1
1992.....	163	222	258	365	451	414	358	288	245	1
1991.....	165	191	239	354	483	423	339	277	248	-
1990.....	160	195	263	353	429	388	345	269	232	-
1989.....	147	209	234	344	446	391	372	230	222	-
1988.....	132	198	260	376	441	406	355	245	197	2
1987.....	179	200	229	354	414	371	347	219	199	2
1986.....	176	214	262	401	436	415	289	201	190	2
1985.....	140	231	260	386	397	393	318	207	175	-
1984.....	178	225	285	337	405	370	291	232	195	-
1983.....	168	208	313	377	364	402	331	176	164	-
1982.....	145	235	309	353	415	391	300	193	163	-
1981.....	124	236	322	369	374	364	263	191	134	-
1980.....	196	239	320	400	405	402	278	163	159	-
1979.....	194	231	319	391	445	356	244	147	111	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED

0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

TOTAL, BOTH SEXES

1998.....	619	1,048	1,449	1,909	2,646	3,657	4,036	3,610	4,158	-
1997.....	632	1,035	1,350	1,891	2,793	3,517	3,943	3,616	4,023	-
1996.....	607	950	1,307	1,907	2,792	3,662	3,781	3,522	3,875	1
1995.....	602	920	1,318	1,892	2,760	3,548	3,830	3,413	3,739	1
1994.....	576	890	1,323	1,894	2,932	3,569	3,718	3,392	3,568	1
1993.....	560	914	1,173	1,965	2,884	3,534	3,535	3,216	3,391	-
1992.....	581	810	1,264	2,025	2,769	3,430	3,618	3,192	3,386	4
1991.....	465	823	1,266	2,103	2,843	3,412	3,439	3,060	3,184	-
1990.....	458	795	1,253	2,064	2,823	3,193	3,508	2,927	3,060	1
1989.....	507	730	1,275	2,059	2,751	3,259	3,358	2,886	2,868	-
1988.....	456	728	1,181	2,007	2,699	3,238	3,138	2,727	2,737	-
1987.....	436	763	1,320	2,040	2,628	3,137	3,190	2,679	2,699	-
1986.....	429	754	1,336	2,029	2,538	3,101	3,106	2,694	2,607	2
1985.....	409	763	1,291	2,051	2,571	3,123	3,009	2,525	2,617	2
1984.....	399	786	1,320	1,958	2,500	3,074	3,039	2,472	2,566	2
1983.....	399	731	1,375	2,036	2,574	3,082	2,947	2,398	2,518	2
1982.....	438	815	1,388	1,952	2,670	2,993	2,891	2,354	2,454	-
1981.....	373	795	1,363	1,929	2,525	2,918	2,915	2,304	2,360	2
1980.....	415	788	1,344	2,009	2,598	2,983	2,730	2,307	2,200	2
1979.....	449	850	1,363	1,876	2,508	2,804	2,731	2,257	2,132	-

TOTAL, MALE

1998.....	461	753	1,025	1,323	1,858	2,448	2,623	2,201	2,214	-
1997.....	431	718	944	1,304	1,900	2,363	2,577	2,166	2,068	-
1996.....	415	681	935	1,310	1,940	2,447	2,438	2,095	2,062	1
1995.....	421	650	894	1,306	1,883	2,363	2,519	2,044	1,954	-
1994.....	398	634	935	1,312	1,976	2,344	2,408	2,021	1,858	1
1993.....	385	650	830	1,387	1,982	2,408	2,270	1,966	1,801	-
1992.....	422	570	900	1,391	1,889	2,267	2,276	1,912	1,753	3
1991.....	320	571	831	1,471	1,920	2,313	2,171	1,852	1,640	-
1990.....	317	566	884	1,452	1,877	2,135	2,270	1,754	1,567	-
1989.....	353	493	898	1,422	1,839	2,219	2,206	1,728	1,480	-
1988.....	306	516	813	1,393	1,820	2,154	2,044	1,630	1,361	-
1987.....	285	524	936	1,427	1,805	2,062	2,076	1,647	1,360	-
1986.....	279	535	924	1,354	1,765	2,034	1,922	1,659	1,374	1
1985.....	293	526	914	1,418	1,778	2,038	1,972	1,522	1,412	2
1984.....	291	543	921	1,363	1,722	2,097	1,932	1,503	1,378	1
1983.....	266	507	948	1,430	1,786	2,053	1,895	1,480	1,362	2
1982.....	304	585	983	1,343	1,867	2,006	1,939	1,428	1,316	-
1981.....	254	570	948	1,388	1,699	1,982	1,881	1,379	1,281	2
1980.....	273	544	957	1,372	1,776	2,067	1,801	1,420	1,206	1
1979.....	321	602	950	1,298	1,771	1,945	1,798	1,373	1,176	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED

0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

TOTAL, FEMALE	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
1998.....	158	295	424	586	788	1,209	1,413	1,409	1,944	-
1997.....	201	317	406	587	893	1,154	1,366	1,450	1,955	-
1996.....	192	269	372	597	852	1,215	1,343	1,427	1,813	-
1995.....	181	270	424	586	877	1,185	1,311	1,369	1,785	1
1994.....	178	256	388	582	956	1,225	1,310	1,371	1,710	-
1993.....	175	264	343	578	902	1,126	1,265	1,250	1,590	-
1992.....	159	240	364	634	880	1,163	1,342	1,280	1,633	1
1991.....	145	252	435	632	923	1,099	1,268	1,208	1,544	-
1990.....	141	229	369	612	946	1,058	1,238	1,173	1,493	1
1989.....	154	237	377	637	912	1,040	1,152	1,158	1,388	-
1988.....	150	212	368	614	879	1,084	1,094	1,097	1,376	-
1987.....	151	239	384	613	823	1,075	1,114	1,032	1,339	-
1986.....	150	219	412	675	773	1,067	1,184	1,035	1,233	1
1985.....	116	237	377	633	793	1,085	1,037	1,003	1,205	-
1984.....	108	243	399	595	778	977	1,107	969	1,188	1
1983.....	133	224	427	606	788	1,029	1,052	918	1,156	-
1982.....	134	230	405	609	803	987	952	926	1,138	-
1981.....	119	225	415	541	826	936	1,034	925	1,079	-
1980.....	142	244	387	637	822	916	929	887	994	1
1979.....	128	248	413	578	737	859	933	884	956	-
WHITE, BOTH SEXES	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
1998.....	527	886	1,273	1,699	2,394	3,327	3,694	3,376	3,856	-
1997.....	550	908	1,169	1,669	2,503	3,196	3,611	3,356	3,723	-
1996.....	521	825	1,154	1,699	2,520	3,320	3,478	3,268	3,576	-
1995.....	521	802	1,164	1,647	2,494	3,243	3,546	3,155	3,440	-
1994.....	490	770	1,153	1,701	2,644	3,246	3,406	3,144	3,290	1
1993.....	483	778	1,036	1,767	2,602	3,216	3,242	2,958	3,181	-
1992.....	507	709	1,114	1,832	2,511	3,127	3,354	2,933	3,137	3
1991.....	407	710	1,103	1,904	2,579	3,060	3,149	2,824	2,966	-
1990.....	384	687	1,100	1,828	2,540	2,906	3,205	2,740	2,862	1
1989.....	442	626	1,126	1,854	2,465	2,964	3,084	2,677	2,638	-
1988.....	402	622	1,030	1,828	2,448	2,978	2,880	2,525	2,553	-
1987.....	379	659	1,171	1,841	2,397	2,867	2,931	2,474	2,533	-
1986.....	368	664	1,182	1,840	2,323	2,836	2,862	2,528	2,443	2
1985.....	350	672	1,158	1,847	2,317	2,859	2,763	2,331	2,461	-
1984.....	339	695	1,186	1,726	2,271	2,813	2,792	2,307	2,408	2
1983.....	350	647	1,223	1,826	2,350	2,813	2,742	2,239	2,373	1
1982.....	373	724	1,232	1,757	2,393	2,720	2,687	2,206	2,323	-
1981.....	327	693	1,214	1,726	2,280	2,656	2,718	2,153	2,243	1
1980.....	360	697	1,199	1,827	2,373	2,738	2,544	2,171	2,084	1
1979.....	381	752	1,217	1,699	2,283	2,598	2,506	2,137	2,022	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)										
WHITE MALE										
1998.....	399	637	907	1,196	1,705	2,249	2,429	2,076	2,086	-
1997.....	378	635	821	1,168	1,719	2,174	2,393	2,045	1,924	-
1996.....	359	591	829	1,189	1,768	2,250	2,277	1,967	1,938	-
1995.....	369	573	786	1,155	1,727	2,197	2,371	1,928	1,817	-
1994.....	334	555	839	1,186	1,801	2,150	2,234	1,892	1,736	1
1993.....	342	565	740	1,259	1,832	2,213	2,093	1,834	1,697	-
1992.....	368	497	800	1,271	1,734	2,075	2,132	1,767	1,638	2
1991.....	287	499	739	1,340	1,766	2,107	1,997	1,735	1,547	-
1990.....	270	500	785	1,308	1,706	1,957	2,091	1,658	1,481	-
1989.....	319	426	803	1,312	1,665	2,032	2,033	1,613	1,372	-
1988.....	274	455	725	1,289	1,671	1,995	1,888	1,520	1,282	-
1987.....	252	466	846	1,290	1,652	1,909	1,932	1,528	1,274	-
1986.....	238	485	838	1,241	1,645	1,883	1,775	1,574	1,303	1
1985.....	256	460	833	1,286	1,617	1,875	1,823	1,406	1,330	-
1984.....	257	489	835	1,218	1,572	1,941	1,778	1,417	1,308	1
1983.....	241	453	859	1,290	1,648	1,888	1,778	1,386	1,285	1
1982.....	263	530	892	1,235	1,683	1,838	1,814	1,360	1,250	-
1981.....	227	507	857	1,244	1,549	1,829	1,762	1,299	1,219	1
1980.....	244	477	851	1,262	1,639	1,924	1,705	1,351	1,158	-
1979.....	273	542	860	1,190	1,621	1,806	1,673	1,312	1,117	-
WHITE FEMALE										
1998.....	128	249	366	503	689	1,078	1,265	1,300	1,770	-
1997.....	172	273	348	501	784	1,022	1,218	1,311	1,799	-
1996.....	162	234	325	510	752	1,070	1,201	1,301	1,638	-
1995.....	152	229	378	492	767	1,046	1,175	1,227	1,623	-
1994.....	156	215	314	515	843	1,096	1,172	1,252	1,554	-
1993.....	141	213	296	508	770	1,003	1,149	1,124	1,484	-
1992.....	139	212	314	561	777	1,052	1,222	1,166	1,499	1
1991.....	120	211	364	564	813	953	1,152	1,089	1,419	-
1990.....	114	187	315	520	834	949	1,114	1,082	1,381	1
1989.....	123	200	323	542	800	932	1,051	1,064	1,266	-
1988.....	128	167	305	539	777	983	992	1,005	1,271	-
1987.....	127	193	325	551	745	958	999	946	1,259	-
1986.....	130	179	344	599	678	953	1,087	954	1,140	1
1985.....	94	212	325	561	700	984	940	925	1,131	-
1984.....	82	206	351	508	699	872	1,014	890	1,100	1
1983.....	109	194	364	536	702	925	964	853	1,088	-
1982.....	110	194	340	522	710	882	873	846	1,073	-
1981.....	100	186	357	482	731	827	956	854	1,024	-
1980.....	116	220	348	565	734	814	839	820	926	1
1979.....	108	210	357	509	662	792	833	825	905	-

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

ALL OTHER, BOTH SEXES

1998.....	92	162	176	210	252	330	342	234	302	-
1997.....	82	127	181	222	290	321	332	260	300	-
1996.....	86	125	153	208	272	342	303	254	299	1
1995.....	81	118	154	245	266	305	284	258	299	1
1994.....	86	120	170	193	288	323	312	248	278	-
1993.....	77	136	137	198	282	318	293	258	210	-
1992.....	74	101	150	193	258	303	264	259	249	1
1991.....	58	113	163	199	264	352	290	236	218	-
1990.....	74	108	153	236	283	287	303	187	198	-
1989.....	65	104	149	205	286	295	274	209	230	-
1988.....	54	106	151	179	251	260	258	202	184	-
1987.....	57	104	149	199	231	270	259	205	166	-
1986.....	61	90	154	189	215	265	244	166	164	-
1985.....	59	91	133	204	254	264	246	194	156	2
1984.....	60	91	134	232	229	261	247	165	158	-
1983.....	49	84	152	210	224	269	205	159	145	1
1982.....	65	91	156	195	277	273	204	148	131	-
1981.....	46	102	149	203	245	262	197	151	117	1
1980.....	55	91	145	182	225	245	186	136	116	1
1979.....	68	98	146	177	225	206	225	120	110	-

ALL OTHER MALE

1998.....	62	116	118	127	153	199	194	125	128	-
1997.....	53	83	123	136	181	189	184	121	144	-
1996.....	56	90	106	121	172	197	161	128	124	1
1995.....	52	77	108	151	156	166	148	116	137	-
1994.....	64	79	96	126	175	194	174	129	122	-
1993.....	43	85	90	128	150	195	177	132	104	-
1992.....	54	73	100	120	155	192	144	145	115	1
1991.....	33	72	92	131	154	206	174	117	93	-
1990.....	47	66	99	144	171	178	179	96	86	-
1989.....	34	67	95	110	174	187	173	115	108	-
1988.....	32	61	88	104	149	159	156	110	79	-
1987.....	33	58	90	137	153	153	144	119	86	-
1986.....	41	50	86	113	120	151	147	85	71	-
1985.....	37	66	81	132	161	163	149	116	82	2
1984.....	34	54	86	145	150	156	154	86	70	-
1983.....	25	54	89	140	138	165	117	94	77	1
1982.....	41	55	91	108	184	168	125	68	66	-
1981.....	27	63	91	144	150	153	119	80	62	1
1980.....	29	67	106	110	137	143	96	69	48	1
1979.....	48	60	90	108	150	139	125	61	59	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED

0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

ALL OTHER FEMALE

1998.....	30	46	58	83	99	131	148	109	174	-
1997.....	29	44	58	86	109	132	148	139	156	-
1996.....	30	35	47	87	100	145	142	126	175	-
1995.....	29	41	46	94	110	139	136	142	162	1
1994.....	22	41	74	67	113	129	138	119	156	-
1993.....	34	51	47	70	132	123	116	126	106	-
1992.....	20	28	50	73	103	111	120	114	134	-
1991.....	25	41	71	68	110	146	116	119	125	-
1990.....	27	42	54	92	112	109	124	91	112	-
1989.....	31	37	54	95	112	108	101	94	122	-
1988.....	22	45	63	75	102	101	102	92	105	-
1987.....	24	46	59	62	78	117	115	86	80	-
1986.....	20	40	68	76	95	114	97	81	93	-
1985.....	22	25	52	72	93	101	97	78	74	-
1984.....	26	37	48	87	79	105	93	79	88	-
1983.....	24	30	63	70	86	104	88	65	68	-
1982.....	24	36	65	87	93	105	79	80	65	-
1981.....	19	39	58	59	95	109	78	71	55	-
1980.....	26	24	39	72	88	102	90	67	68	-
1979.....	20	38	56	69	75	67	100	59	51	-

BLACK, BOTH SEXES

1998.....	83	135	152	177	208	274	285	200	263	-
1997.....	67	110	155	189	248	277	283	224	266	-
1996.....	75	107	133	181	238	296	266	211	263	1
1995.....	68	102	131	208	235	271	254	230	270	1
1994.....	77	108	143	157	248	283	278	220	251	-
1993.....	68	121	123	175	250	279	255	222	186	-
1992.....	69	88	128	177	218	273	234	226	227	1
1991.....	52	108	143	170	229	318	261	209	204	-
1990.....	69	93	143	220	259	260	283	172	171	-
1989.....	62	91	138	181	258	265	261	184	204	-
1988.....	48	96	128	163	233	233	236	178	166	-
1987.....	55	95	133	186	208	245	235	184	149	-
1986.....	56	75	145	167	197	252	225	149	148	-
1985.....	53	80	119	192	238	245	226	181	139	2
1984.....	53	78	125	215	208	244	223	155	146	-
1983.....	44	76	140	194	213	257	191	140	137	1
1982.....	57	85	146	177	260	254	189	135	121	-
1981.....	41	92	138	192	232	248	182	142	108	-
1980.....	50	81	131	178	216	229	169	125	104	1
1979.....	66	95	133	161	213	191	210	109	96	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED

0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

BLACK MALE

1998.....	56	94	100	105	124	158	162	108	102	-
1997.....	41	72	103	116	153	160	149	104	128	-
1996.....	47	78	93	106	145	166	135	102	99	1
1995.....	44	65	90	127	135	143	135	103	119	-
1994.....	55	71	84	105	149	167	153	113	105	-
1993.....	36	75	81	115	129	165	156	117	90	-
1992.....	50	61	84	109	125	168	125	126	102	1
1991.....	30	69	81	112	133	187	159	104	84	-
1990.....	46	57	93	134	156	157	163	88	73	-
1989.....	33	60	87	95	154	168	164	102	92	-
1988.....	29	55	75	94	135	142	140	93	69	-
1987.....	31	52	79	127	137	137	128	105	74	-
1986.....	39	44	80	99	107	144	136	75	63	-
1985.....	34	56	74	122	154	150	133	108	71	2
1984.....	31	43	80	132	137	143	137	80	61	-
1983.....	23	47	83	127	129	159	106	84	74	1
1982.....	35	50	85	98	174	156	116	60	58	-
1981.....	23	57	84	135	139	143	109	72	58	-
1980.....	26	60	94	108	132	131	83	63	39	1
1979.....	46	60	82	97	141	129	119	56	54	-

BLACK FEMALE

1998.....	27	41	52	72	84	116	123	92	161	-
1997.....	26	38	52	73	95	117	134	120	138	-
1996.....	28	29	40	75	93	130	131	109	164	-
1995.....	24	37	41	81	100	128	119	127	151	1
1994.....	22	37	59	52	99	116	125	107	146	-
1993.....	32	46	42	60	121	114	99	105	96	-
1992.....	19	27	44	68	93	105	109	100	125	-
1991.....	22	39	62	58	96	131	102	105	120	-
1990.....	23	36	50	86	103	103	120	84	98	-
1989.....	29	31	51	86	104	97	97	82	112	-
1988.....	19	41	53	69	98	91	96	85	97	-
1987.....	24	43	54	59	71	108	107	79	75	-
1986.....	17	31	65	68	90	108	89	74	85	-
1985.....	19	24	45	70	84	95	93	73	68	-
1984.....	22	35	45	83	71	101	86	75	85	-
1983.....	21	29	57	67	84	98	85	56	63	-
1982.....	22	35	61	79	86	98	73	75	63	-
1981.....	18	35	54	57	93	105	73	70	50	-
1980.....	24	21	37	70	84	98	86	62	65	-
1979.....	20	35	51	64	72	62	91	53	42	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)

TOTAL, BOTH SEXES										
1998.....	2,947	3,840	4,753	5,839	7,493	9,234	9,353	7,649	8,153	3
1997.....	2,824	3,837	4,634	6,034	7,753	9,327	9,374	7,637	8,074	-
1996.....	2,975	3,870	4,630	6,078	8,153	9,681	9,272	7,571	7,975	3
1995.....	2,926	3,616	4,602	6,010	8,308	9,618	9,075	7,616	7,652	4
1994.....	2,801	3,613	4,564	6,353	8,466	9,697	8,948	7,395	7,435	3
1993.....	2,765	3,513	4,675	6,462	8,497	9,658	8,849	7,247	7,244	2
1992.....	2,661	3,332	4,477	6,609	8,326	9,094	8,453	6,858	6,765	4
1991.....	2,467	3,281	4,570	6,676	8,385	8,999	8,209	6,501	6,414	2
1990.....	2,385	3,076	4,514	6,620	8,299	8,494	8,066	6,319	6,156	7
1989.....	2,359	3,319	4,658	6,942	8,399	8,616	8,132	6,305	6,102	3
1988.....	2,347	3,291	4,993	7,121	8,371	8,697	7,963	6,202	5,937	4
1987.....	2,188	3,284	5,058	7,297	8,443	8,571	7,830	6,003	5,744	4
1986.....	2,193	3,201	4,975	7,124	8,110	8,551	7,564	5,815	5,463	8
1985.....	2,114	3,321	5,066	7,251	7,694	8,136	7,140	5,469	5,380	5
1984.....	2,039	3,259	5,216	6,834	7,613	8,023	6,930	5,251	4,945	10
1983.....	2,072	3,266	5,243	6,698	7,403	7,666	6,741	4,947	4,911	8
1982.....	2,016	3,264	5,010	6,580	7,259	7,275	6,568	4,770	4,595	7
1981.....	1,981	3,460	5,097	6,179	7,186	7,056	6,035	4,672	4,421	6
1980.....	2,014	3,536	4,969	6,069	7,018	6,874	5,866	4,459	4,189	1
1979.....	2,076	3,438	4,853	5,820	6,669	6,585	5,625	4,272	3,862	5
TOTAL, MALE										
1998.....	1,759	2,287	2,862	3,464	4,431	5,123	4,863	3,645	2,978	2
1997.....	1,684	2,221	2,689	3,480	4,478	5,083	4,840	3,469	2,948	-
1996.....	1,727	2,277	2,733	3,552	4,732	5,405	4,793	3,560	2,886	2
1995.....	1,736	2,131	2,755	3,524	4,759	5,305	4,638	3,544	2,778	4
1994.....	1,605	2,184	2,702	3,761	4,840	5,377	4,496	3,356	2,633	1
1993.....	1,637	2,074	2,807	3,788	4,891	5,347	4,588	3,316	2,581	1
1992.....	1,591	1,985	2,656	3,908	4,728	4,891	4,373	3,119	2,539	2
1991.....	1,463	1,975	2,799	3,944	4,795	4,927	4,126	2,960	2,268	2
1990.....	1,393	1,824	2,702	3,896	4,729	4,606	4,055	2,755	2,270	4
1989.....	1,407	1,995	2,719	4,115	4,858	4,714	4,156	2,889	2,199	1
1988.....	1,401	1,915	2,980	4,161	4,895	4,759	4,042	2,811	2,265	4
1987.....	1,268	1,903	3,003	4,213	4,821	4,757	3,980	2,698	2,033	3
1986.....	1,307	1,882	2,988	4,060	4,596	4,605	3,792	2,594	1,958	4
1985.....	1,199	1,955	2,979	4,177	4,350	4,439	3,612	2,465	1,985	2
1984.....	1,147	1,902	3,080	3,902	4,349	4,317	3,486	2,292	1,732	4
1983.....	1,205	1,904	3,070	3,860	4,228	4,134	3,458	2,160	1,780	3
1982.....	1,123	1,913	2,909	3,747	4,039	3,828	3,235	2,066	1,640	5
1981.....	1,135	1,968	2,983	3,505	4,037	3,767	2,846	2,027	1,594	6
1980.....	1,160	2,019	2,913	3,514	4,006	3,614	2,929	1,935	1,602	-
1979.....	1,206	1,948	2,769	3,280	3,736	3,598	2,737	1,862	1,425	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)										
TOTAL, FEMALE										
1998.....	1,188	1,553	1,891	2,375	3,062	4,111	4,490	4,004	5,175	1
1997.....	1,140	1,616	1,945	2,554	3,275	4,244	4,534	4,168	5,126	-
1996.....	1,248	1,593	1,897	2,526	3,421	4,276	4,479	4,011	5,089	1
1995.....	1,190	1,485	1,847	2,486	3,549	4,313	4,437	4,072	4,874	-
1994.....	1,196	1,429	1,862	2,592	3,626	4,320	4,452	4,039	4,802	2
1993.....	1,128	1,439	1,868	2,674	3,606	4,311	4,261	3,931	4,663	1
1992.....	1,070	1,347	1,821	2,701	3,598	4,203	4,080	3,739	4,226	2
1991.....	1,004	1,306	1,771	2,732	3,590	4,072	4,083	3,541	4,146	-
1990.....	992	1,252	1,812	2,724	3,570	3,888	4,011	3,564	3,886	3
1989.....	952	1,324	1,939	2,827	3,541	3,902	3,976	3,416	3,903	2
1988.....	946	1,376	2,013	2,960	3,476	3,938	3,921	3,391	3,672	-
1987.....	920	1,381	2,055	3,084	3,622	3,814	3,850	3,305	3,711	1
1986.....	886	1,319	1,987	3,064	3,514	3,946	3,772	3,221	3,505	4
1985.....	915	1,366	2,087	3,074	3,344	3,697	3,528	3,004	3,395	3
1984.....	892	1,357	2,136	2,932	3,264	3,706	3,444	2,959	3,213	6
1983.....	867	1,362	2,173	2,838	3,175	3,532	3,283	2,787	3,131	5
1982.....	893	1,351	2,101	2,833	3,220	3,447	3,333	2,704	2,955	2
1981.....	846	1,492	2,114	2,674	3,149	3,289	3,189	2,645	2,827	-
1980.....	854	1,517	2,056	2,555	3,012	3,260	2,937	2,524	2,587	1
1979.....	870	1,490	2,084	2,540	2,933	2,987	2,888	2,410	2,437	4
WHITE, BOTH SEXES										
1998.....	2,472	3,312	4,116	5,066	6,662	8,320	8,556	7,051	7,549	3
1997.....	2,395	3,295	4,012	5,197	6,909	8,440	8,574	7,018	7,385	-
1996.....	2,533	3,367	4,028	5,360	7,266	8,719	8,489	6,969	7,345	3
1995.....	2,504	3,126	3,941	5,274	7,414	8,641	8,295	6,933	7,053	1
1994.....	2,420	3,099	3,931	5,569	7,574	8,771	8,243	6,765	6,847	2
1993.....	2,358	3,001	4,014	5,672	7,550	8,692	8,053	6,660	6,681	2
1992.....	2,269	2,853	3,832	5,835	7,448	8,198	7,742	6,304	6,251	3
1991.....	2,144	2,816	3,946	5,892	7,467	8,187	7,454	5,928	5,851	-
1990.....	2,047	2,613	3,924	5,804	7,368	7,704	7,346	5,783	5,677	1
1989.....	2,018	2,857	4,016	6,099	7,493	7,768	7,408	5,794	5,622	3
1988.....	1,992	2,817	4,347	6,259	7,511	7,844	7,239	5,711	5,466	2
1987.....	1,863	2,802	4,398	6,459	7,587	7,738	7,103	5,444	5,237	3
1986.....	1,867	2,755	4,322	6,249	7,280	7,781	6,866	5,338	5,006	4
1985.....	1,814	2,781	4,408	6,450	6,830	7,334	6,459	4,960	4,969	3
1984.....	1,740	2,791	4,504	6,057	6,807	7,195	6,274	4,791	4,576	4
1983.....	1,777	2,808	4,563	5,915	6,644	6,839	6,079	4,526	4,548	5
1982.....	1,703	2,829	4,404	5,849	6,526	6,568	5,987	4,343	4,291	5
1981.....	1,716	3,014	4,518	5,485	6,407	6,397	5,504	4,236	4,113	2
1980.....	1,736	3,037	4,362	5,344	6,283	6,205	5,341	4,096	3,891	1
1979.....	1,804	3,000	4,282	5,168	5,950	5,874	5,090	3,940	3,573	4

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)										
WHITE MALE										
1998.....	1,497	1,976	2,502	3,053	3,960	4,659	4,485	3,403	2,781	2
1997.....	1,449	1,895	2,341	3,027	4,026	4,648	4,471	3,234	2,719	-
1996.....	1,477	1,978	2,390	3,145	4,235	4,919	4,429	3,305	2,668	2
1995.....	1,488	1,855	2,372	3,122	4,259	4,803	4,263	3,264	2,564	1
1994.....	1,386	1,868	2,342	3,331	4,367	4,899	4,191	3,088	2,435	1
1993.....	1,401	1,772	2,418	3,337	4,351	4,829	4,246	3,064	2,380	1
1992.....	1,368	1,707	2,289	3,485	4,276	4,426	4,035	2,883	2,370	1
1991.....	1,262	1,693	2,417	3,511	4,294	4,502	3,753	2,705	2,056	-
1990.....	1,197	1,538	2,371	3,415	4,213	4,173	3,711	2,520	2,102	1
1989.....	1,208	1,711	2,337	3,627	4,367	4,255	3,787	2,631	1,997	1
1988.....	1,173	1,635	2,606	3,683	4,401	4,335	3,674	2,598	2,099	2
1987.....	1,068	1,621	2,620	3,736	4,340	4,314	3,618	2,450	1,828	2
1986.....	1,105	1,627	2,595	3,587	4,153	4,193	3,456	2,376	1,786	2
1985.....	1,038	1,640	2,587	3,727	3,874	3,994	3,258	2,224	1,806	2
1984.....	979	1,627	2,644	3,450	3,914	3,871	3,167	2,092	1,586	2
1983.....	1,040	1,669	2,673	3,406	3,810	3,670	3,099	1,957	1,635	1
1982.....	951	1,648	2,553	3,336	3,640	3,462	2,958	1,878	1,516	4
1981.....	977	1,725	2,664	3,099	3,614	3,410	2,592	1,822	1,470	2
1980.....	1,006	1,742	2,589	3,108	3,603	3,262	2,677	1,757	1,488	-
1979.....	1,052	1,691	2,452	2,937	3,359	3,218	2,471	1,699	1,315	1
WHITE FEMALE										
1998.....	975	1,336	1,614	2,013	2,702	3,661	4,071	3,648	4,768	1
1997.....	946	1,400	1,671	2,170	2,883	3,792	4,103	3,784	4,666	-
1996.....	1,056	1,389	1,638	2,215	3,031	3,800	4,060	3,664	4,677	1
1995.....	1,016	1,271	1,569	2,152	3,155	3,838	4,032	3,669	4,489	-
1994.....	1,034	1,231	1,589	2,238	3,207	3,872	4,052	3,677	4,412	1
1993.....	957	1,229	1,596	2,335	3,199	3,863	3,807	3,596	4,301	1
1992.....	901	1,146	1,543	2,350	3,172	3,772	3,707	3,421	3,881	2
1991.....	882	1,123	1,529	2,381	3,173	3,685	3,701	3,223	3,795	-
1990.....	850	1,075	1,553	2,389	3,155	3,531	3,635	3,263	3,575	-
1989.....	810	1,146	1,679	2,472	3,126	3,513	3,621	3,163	3,625	2
1988.....	819	1,182	1,741	2,576	3,110	3,509	3,565	3,113	3,367	-
1987.....	795	1,181	1,778	2,723	3,247	3,424	3,485	2,994	3,409	1
1986.....	762	1,128	1,727	2,662	3,127	3,588	3,410	2,962	3,220	2
1985.....	776	1,141	1,821	2,723	2,956	3,340	3,201	2,736	3,163	1
1984.....	761	1,164	1,860	2,607	2,893	3,324	3,107	2,699	2,990	2
1983.....	737	1,139	1,890	2,509	2,834	3,169	2,980	2,569	2,913	4
1982.....	752	1,181	1,851	2,513	2,886	3,106	3,029	2,465	2,775	1
1981.....	739	1,289	1,854	2,386	2,793	2,987	2,912	2,414	2,643	-
1980.....	730	1,295	1,773	2,236	2,680	2,943	2,664	2,339	2,403	1
1979.....	752	1,309	1,830	2,231	2,591	2,656	2,619	2,241	2,258	3

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)

ALL OTHER, BOTH SEXES

1998.....	475	528	637	773	831	914	797	598	604	-
1997.....	429	542	622	837	844	887	800	619	689	-
1996.....	442	503	602	718	887	962	783	602	630	-
1995.....	422	490	661	736	894	977	780	683	599	3
1994.....	381	514	633	784	892	926	705	630	588	1
1993.....	407	512	661	790	947	966	796	587	563	-
1992.....	392	479	645	774	878	896	711	554	514	1
1991.....	323	465	624	784	918	812	755	573	563	2
1990.....	338	463	590	816	931	790	720	536	479	6
1989.....	341	462	642	843	906	848	724	511	480	-
1988.....	355	474	646	862	860	853	724	491	471	2
1987.....	325	482	660	838	856	833	727	559	507	1
1986.....	326	446	653	875	830	770	698	477	457	4
1985.....	300	540	658	801	864	802	681	509	411	2
1984.....	299	468	712	777	806	828	656	460	369	6
1983.....	295	458	680	783	759	827	662	421	363	3
1982.....	313	435	606	731	733	707	581	427	304	2
1981.....	265	446	579	694	779	659	531	436	308	4
1980.....	278	499	607	725	735	669	525	363	298	-
1979.....	272	438	571	652	719	711	535	332	289	1

ALL OTHER MALE

1998.....	262	311	360	411	471	464	378	242	197	-
1997.....	235	326	348	453	452	435	369	235	229	-
1996.....	250	299	343	407	497	486	364	255	218	-
1995.....	248	276	383	402	500	502	375	280	214	3
1994.....	219	316	360	430	473	478	305	268	198	-
1993.....	236	302	389	451	540	518	342	252	201	-
1992.....	223	278	367	423	452	465	338	236	169	1
1991.....	201	282	382	433	501	425	373	255	212	2
1990.....	196	286	331	481	516	433	344	235	168	3
1989.....	199	284	382	488	491	459	369	258	202	-
1988.....	228	280	374	478	494	424	368	213	166	2
1987.....	200	282	383	477	481	443	362	248	205	1
1986.....	202	255	393	473	443	412	336	218	172	2
1985.....	161	315	392	450	476	445	354	241	179	-
1984.....	168	275	436	452	435	446	319	200	146	2
1983.....	165	235	397	454	418	464	359	203	145	2
1982.....	172	265	356	411	399	366	277	188	124	1
1981.....	158	243	319	406	423	357	254	205	124	4
1980.....	154	277	324	406	403	352	252	178	114	-
1979.....	154	257	317	343	377	380	266	163	110	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	

0 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)

ALL OTHER FEMALE										
1998.....	213	217	277	362	360	450	419	356	407	-
1997.....	194	216	274	384	392	452	431	384	460	-
1996.....	192	204	259	311	390	476	419	347	412	-
1995.....	174	214	278	334	394	475	405	403	385	-
1994.....	162	198	273	354	419	448	400	362	390	1
1993.....	171	210	272	339	407	448	454	335	362	-
1992.....	169	201	278	351	426	431	373	318	345	-
1991.....	122	183	242	351	417	387	382	318	351	-
1990.....	142	177	259	335	415	357	376	301	311	3
1989.....	142	178	260	355	415	389	355	253	278	-
1988.....	127	194	272	384	366	429	356	278	305	-
1987.....	125	200	277	361	375	390	365	311	302	-
1986.....	124	191	260	402	387	358	362	259	285	2
1985.....	139	225	266	351	388	357	327	268	232	2
1984.....	131	193	276	325	371	382	337	260	223	4
1983.....	130	223	283	329	341	363	303	218	218	1
1982.....	141	170	250	320	334	341	304	239	180	1
1981.....	107	203	260	288	356	302	277	231	184	-
1980.....	124	222	283	319	332	317	273	185	184	-
1979.....	118	181	254	309	342	331	269	169	179	1
BLACK, BOTH SEXES										
1998.....	401	446	559	657	709	771	653	494	535	-
1997.....	368	469	536	720	714	765	685	537	599	-
1996.....	368	428	533	629	767	808	657	507	560	-
1995.....	362	427	568	629	786	862	697	582	516	3
1994.....	324	455	565	699	789	812	598	552	508	1
1993.....	341	451	573	710	824	834	683	518	487	-
1992.....	348	411	582	688	773	807	624	476	447	-
1991.....	273	406	540	708	833	719	663	510	486	2
1990.....	292	410	533	741	845	706	644	466	421	5
1989.....	298	415	589	765	800	759	650	444	423	-
1988.....	313	427	572	780	784	774	651	431	424	2
1987.....	299	444	602	780	787	755	664	511	452	1
1986.....	295	419	602	812	758	707	627	433	415	4
1985.....	279	490	601	742	804	728	604	449	383	2
1984.....	280	433	648	717	736	774	607	415	330	5
1983.....	272	422	633	722	692	776	610	382	322	3
1982.....	292	397	564	687	681	650	535	395	277	2
1981.....	247	414	550	649	724	617	482	401	282	2
1980.....	262	478	575	674	689	634	483	339	278	-
1979.....	257	416	535	613	686	669	496	306	270	1

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)

BLACK MALE

1998.....	219	270	322	362	402	394	304	188	163	-
1997.....	204	287	306	403	388	379	320	197	189	-
1996.....	208	261	312	361	428	420	298	209	181	-
1995.....	217	240	326	348	436	435	332	232	171	3
1994.....	181	283	323	393	414	425	257	228	166	-
1993.....	203	263	340	411	470	450	288	218	173	-
1992.....	206	250	341	374	398	419	300	199	134	-
1991.....	175	254	339	398	457	381	330	216	183	2
1990.....	176	251	305	435	469	393	302	195	148	3
1989.....	176	263	353	443	431	405	325	223	177	-
1988.....	205	260	338	436	448	389	330	186	144	2
1987.....	187	262	359	449	448	407	328	224	177	1
1986.....	184	239	364	442	405	377	295	186	155	2
1985.....	150	297	356	421	440	399	305	212	162	-
1984.....	159	252	403	423	398	415	289	177	133	1
1983.....	157	216	375	417	382	430	325	183	128	2
1982.....	161	240	334	385	375	333	254	176	115	1
1981.....	148	233	301	379	397	329	231	187	113	2
1980.....	145	265	302	378	380	334	232	163	105	-
1979.....	149	243	298	320	358	356	251	148	103	-

BLACK FEMALE

1998.....	182	176	237	295	307	377	349	306	372	-
1997.....	164	182	230	317	326	386	365	340	410	-
1996.....	160	167	221	268	339	388	359	298	379	-
1995.....	145	187	242	281	350	427	365	350	345	-
1994.....	143	172	242	306	375	387	341	324	342	1
1993.....	138	188	233	299	354	384	395	300	314	-
1992.....	142	161	241	314	375	388	324	277	313	-
1991.....	98	152	201	310	376	338	333	294	303	-
1990.....	116	159	228	306	376	313	342	271	273	2
1989.....	122	152	236	322	369	354	325	221	246	-
1988.....	108	167	234	344	336	385	321	245	280	-
1987.....	112	182	243	331	339	348	336	287	275	-
1986.....	111	180	238	370	353	330	332	247	260	2
1985.....	129	193	245	321	364	329	299	237	221	2
1984.....	121	181	245	294	338	359	318	238	197	4
1983.....	115	206	258	305	310	346	285	199	194	1
1982.....	131	157	230	302	306	317	281	219	162	1
1981.....	99	181	249	270	327	288	251	214	169	-
1980.....	117	213	273	296	309	300	251	176	173	-
1979.....	108	173	237	293	328	313	245	158	167	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 LEUKEMIA (204-208)										
TOTAL, BOTH SEXES										
1998.....	611	744	956	1,370	2,001	2,952	3,343	2,912	3,100	1
1997.....	610	794	995	1,429	2,130	2,929	3,189	2,810	3,087	-
1996.....	635	752	977	1,400	2,166	2,998	3,192	2,842	3,031	-
1995.....	594	686	944	1,474	2,102	2,973	3,168	2,805	2,961	2
1994.....	586	748	941	1,481	2,106	2,840	2,936	2,642	2,893	-
1993.....	580	720	919	1,502	2,232	2,774	2,916	2,514	2,777	1
1992.....	575	688	976	1,491	2,218	2,671	2,878	2,509	2,650	-
1991.....	553	664	957	1,501	2,142	2,730	2,874	2,395	2,579	-
1990.....	525	682	960	1,483	2,145	2,609	2,756	2,367	2,393	3
1989.....	514	620	947	1,580	2,116	2,650	2,622	2,291	2,242	-
1988.....	507	627	952	1,457	1,970	2,396	2,580	2,234	2,233	-
1987.....	485	639	969	1,489	1,993	2,333	2,467	2,078	2,162	2
1986.....	474	627	1,021	1,511	2,003	2,370	2,439	2,120	2,079	1
1985.....	484	638	1,037	1,576	2,035	2,337	2,431	2,004	2,092	2
1984.....	481	707	1,084	1,537	1,988	2,287	2,298	1,973	1,988	-
1983.....	483	691	996	1,511	1,948	2,255	2,314	1,822	1,998	4
1982.....	455	677	983	1,457	1,924	2,178	2,332	1,889	1,918	-
1981.....	475	671	1,057	1,452	1,841	2,189	2,196	1,864	1,717	4
1980.....	494	716	1,098	1,471	1,802	2,231	2,097	1,824	1,751	-
1979.....	498	756	1,050	1,383	1,789	2,103	2,030	1,794	1,671	1
TOTAL, MALE										
1998.....	340	434	567	819	1,250	1,783	1,918	1,507	1,213	1
1997.....	349	450	577	856	1,343	1,748	1,811	1,505	1,286	-
1996.....	384	426	573	855	1,311	1,781	1,785	1,418	1,291	-
1995.....	328	402	555	898	1,307	1,797	1,811	1,442	1,251	-
1994.....	328	431	551	928	1,269	1,684	1,666	1,340	1,161	-
1993.....	310	423	564	900	1,388	1,631	1,647	1,278	1,094	1
1992.....	316	381	589	890	1,383	1,546	1,637	1,260	1,062	-
1991.....	319	372	542	909	1,250	1,644	1,543	1,167	984	-
1990.....	281	405	567	898	1,311	1,535	1,514	1,180	976	1
1989.....	295	346	544	949	1,311	1,528	1,516	1,138	850	-
1988.....	288	357	567	865	1,187	1,407	1,476	1,099	908	-
1987.....	255	348	552	895	1,188	1,348	1,360	1,047	836	1
1986.....	264	342	590	883	1,193	1,408	1,363	1,060	859	1
1985.....	256	371	591	938	1,196	1,347	1,306	1,000	874	1
1984.....	257	392	623	904	1,167	1,304	1,225	979	824	-
1983.....	269	392	581	911	1,179	1,302	1,273	896	883	2
1982.....	256	381	579	879	1,170	1,256	1,276	971	826	-
1981.....	265	360	638	877	1,130	1,291	1,186	956	736	2
1980.....	270	416	629	867	1,075	1,307	1,157	894	798	-
1979.....	265	405	623	812	1,087	1,234	1,098	886	784	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 LEUKEMIA (204-208)										
TOTAL, FEMALE										
1998.....	271	310	389	551	751	1,169	1,425	1,405	1,887	-
1997.....	261	344	418	573	787	1,181	1,378	1,305	1,801	-
1996.....	251	326	404	545	855	1,217	1,407	1,424	1,740	-
1995.....	266	284	389	576	795	1,176	1,357	1,363	1,710	2
1994.....	258	317	390	553	837	1,156	1,270	1,302	1,732	-
1993.....	270	297	355	602	844	1,143	1,269	1,236	1,683	-
1992.....	259	307	387	601	835	1,125	1,241	1,249	1,588	-
1991.....	234	292	415	592	892	1,086	1,331	1,228	1,595	-
1990.....	244	277	393	585	834	1,074	1,242	1,187	1,417	2
1989.....	219	274	403	631	805	1,122	1,106	1,153	1,392	-
1988.....	219	270	385	592	783	989	1,104	1,135	1,325	-
1987.....	230	291	417	594	805	985	1,107	1,031	1,326	1
1986.....	210	285	431	628	810	962	1,076	1,060	1,220	-
1985.....	228	267	446	638	839	990	1,125	1,004	1,218	1
1984.....	224	315	461	633	821	983	1,073	994	1,164	-
1983.....	214	299	415	600	769	953	1,041	926	1,115	2
1982.....	199	296	404	578	754	922	1,056	918	1,092	-
1981.....	210	311	419	575	711	898	1,010	908	981	2
1980.....	224	300	469	604	727	924	940	930	953	-
1979.....	233	351	427	571	702	869	932	908	887	-
WHITE, BOTH SEXES										
1998.....	493	627	801	1,193	1,800	2,711	3,105	2,710	2,887	-
1997.....	523	681	871	1,245	1,930	2,656	2,965	2,635	2,905	-
1996.....	537	647	843	1,233	1,928	2,733	2,959	2,639	2,815	-
1995.....	500	579	819	1,300	1,899	2,721	2,933	2,615	2,782	1
1994.....	498	652	825	1,290	1,914	2,599	2,718	2,471	2,702	-
1993.....	485	623	798	1,317	2,023	2,545	2,704	2,329	2,594	-
1992.....	500	585	842	1,340	2,017	2,454	2,671	2,348	2,494	-
1991.....	472	559	819	1,350	1,932	2,522	2,672	2,227	2,408	-
1990.....	451	590	834	1,310	1,936	2,410	2,551	2,212	2,250	2
1989.....	448	534	828	1,410	1,916	2,420	2,446	2,128	2,097	-
1988.....	438	553	841	1,326	1,772	2,201	2,377	2,076	2,090	-
1987.....	418	547	848	1,338	1,813	2,135	2,278	1,942	2,030	1
1986.....	420	548	903	1,332	1,824	2,193	2,276	1,969	1,951	1
1985.....	418	563	912	1,414	1,857	2,130	2,290	1,856	1,985	1
1984.....	422	604	966	1,394	1,820	2,086	2,142	1,854	1,891	-
1983.....	421	599	899	1,356	1,765	2,061	2,145	1,716	1,890	4
1982.....	402	585	869	1,295	1,772	2,007	2,156	1,775	1,838	-
1981.....	415	594	937	1,344	1,669	2,030	2,038	1,751	1,632	-
1980.....	423	634	980	1,344	1,652	2,075	1,957	1,726	1,669	-
1979.....	435	673	943	1,260	1,632	1,956	1,910	1,699	1,585	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 LEUKEMIA (204-208)										
WHITE MALE										
1998.....	273	372	485	721	1,135	1,651	1,794	1,413	1,124	-
1997.....	301	389	514	743	1,232	1,593	1,685	1,424	1,215	-
1996.....	329	371	500	754	1,175	1,632	1,666	1,320	1,196	-
1995.....	284	340	482	794	1,183	1,653	1,688	1,356	1,176	-
1994.....	285	380	485	812	1,157	1,545	1,548	1,261	1,082	-
1993.....	267	368	487	800	1,265	1,515	1,527	1,189	1,028	-
1992.....	274	319	513	811	1,272	1,427	1,511	1,186	1,002	-
1991.....	267	315	465	835	1,137	1,530	1,423	1,084	911	-
1990.....	241	352	500	805	1,182	1,414	1,405	1,105	917	1
1989.....	261	299	473	852	1,188	1,398	1,417	1,039	787	-
1988.....	247	319	503	786	1,075	1,297	1,364	1,034	841	-
1987.....	219	307	485	810	1,082	1,250	1,261	974	778	1
1986.....	233	305	529	787	1,088	1,307	1,277	988	809	1
1985.....	223	321	522	850	1,102	1,232	1,222	920	823	1
1984.....	221	341	565	821	1,072	1,197	1,130	924	782	-
1983.....	238	340	534	815	1,072	1,205	1,187	844	833	2
1982.....	226	335	518	789	1,080	1,165	1,176	909	785	-
1981.....	230	322	573	814	1,037	1,209	1,107	896	697	-
1980.....	238	374	560	800	978	1,212	1,092	840	755	-
1979.....	232	368	560	742	1,001	1,147	1,034	833	747	1
WHITE FEMALE										
1998.....	220	255	316	472	665	1,060	1,311	1,297	1,763	-
1997.....	222	292	357	502	698	1,063	1,280	1,211	1,690	-
1996.....	208	276	343	479	753	1,101	1,293	1,319	1,619	-
1995.....	216	239	337	506	716	1,068	1,245	1,259	1,606	1
1994.....	213	272	340	478	757	1,054	1,170	1,210	1,620	-
1993.....	218	255	311	517	758	1,030	1,177	1,140	1,566	-
1992.....	226	266	329	529	745	1,027	1,160	1,162	1,492	-
1991.....	205	244	354	515	795	992	1,249	1,143	1,497	-
1990.....	210	238	334	505	754	996	1,146	1,107	1,333	1
1989.....	187	235	355	558	728	1,022	1,029	1,089	1,310	-
1988.....	191	234	338	540	697	904	1,013	1,042	1,249	-
1987.....	199	240	363	528	731	885	1,017	968	1,252	-
1986.....	187	243	374	545	736	886	999	981	1,142	-
1985.....	195	242	390	564	755	898	1,068	936	1,162	-
1984.....	201	263	401	573	748	889	1,012	930	1,109	-
1983.....	183	259	365	541	693	856	958	872	1,057	2
1982.....	176	250	351	506	692	842	980	866	1,053	-
1981.....	185	272	364	530	632	821	931	855	935	-
1980.....	185	260	420	544	674	863	865	886	914	-
1979.....	203	305	383	518	631	809	876	866	838	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 LEUKEMIA (204-208)										
ALL OTHER, BOTH SEXES										
1998.....	118	117	155	177	201	241	238	202	213	1
1997.....	87	113	124	184	200	273	224	175	182	-
1996.....	98	105	134	167	238	265	233	203	216	-
1995.....	94	107	125	174	203	252	235	190	179	1
1994.....	88	96	116	191	192	241	218	171	191	-
1993.....	95	97	121	185	209	229	212	185	183	1
1992.....	75	103	134	151	201	217	207	161	156	-
1991.....	81	105	138	151	210	208	202	168	171	-
1990.....	74	92	126	173	209	199	205	155	143	1
1989.....	66	86	119	170	200	230	176	163	145	-
1988.....	69	74	111	131	198	195	203	158	143	-
1987.....	67	92	121	151	180	198	189	136	132	1
1986.....	54	79	118	179	179	177	163	151	128	-
1985.....	66	75	125	162	178	207	141	148	107	1
1984.....	59	103	118	143	168	201	156	119	97	-
1983.....	62	92	97	155	183	194	169	106	108	-
1982.....	53	92	114	162	152	171	176	114	80	-
1981.....	60	77	120	108	172	159	158	113	85	4
1980.....	71	82	118	127	150	156	140	98	82	-
1979.....	63	83	107	123	157	147	120	95	86	-
ALL OTHER MALE										
1998.....	67	62	82	98	115	132	124	94	89	1
1997.....	48	61	63	113	111	155	126	81	71	-
1996.....	55	55	73	101	136	149	119	98	95	-
1995.....	44	62	73	104	124	144	123	86	75	-
1994.....	43	51	66	116	112	139	118	79	79	-
1993.....	43	55	77	100	123	116	120	89	66	1
1992.....	42	62	76	79	111	119	126	74	60	-
1991.....	52	57	77	74	113	114	120	83	73	-
1990.....	40	53	67	93	129	121	109	75	59	-
1989.....	34	47	71	97	123	130	99	99	63	-
1988.....	41	38	64	79	112	110	112	65	67	-
1987.....	36	41	67	85	106	98	99	73	58	-
1986.....	31	37	61	96	105	101	86	72	50	-
1985.....	33	50	69	88	94	115	84	80	51	-
1984.....	36	51	58	83	95	107	95	55	42	-
1983.....	31	52	47	96	107	97	86	52	50	-
1982.....	30	46	61	90	90	91	100	62	41	-
1981.....	35	38	65	63	93	82	79	60	39	2
1980.....	32	42	69	67	97	95	65	54	43	-
1979.....	33	37	63	70	86	87	64	53	37	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 LEUKEMIA (204-208)										
ALL OTHER FEMALE										
1998.....	51	55	73	79	86	109	114	108	124	-
1997.....	39	52	61	71	89	118	98	94	111	-
1996.....	43	50	61	66	102	116	114	105	121	-
1995.....	50	45	52	70	79	108	112	104	104	1
1994.....	45	45	50	75	80	102	100	92	112	-
1993.....	52	42	44	85	86	113	92	96	117	-
1992.....	33	41	58	72	90	98	81	87	96	-
1991.....	29	48	61	77	97	94	82	85	98	-
1990.....	34	39	59	80	80	78	96	80	84	1
1989.....	32	39	48	73	77	100	77	64	82	-
1988.....	28	36	47	52	86	85	91	93	76	-
1987.....	31	51	54	66	74	100	90	63	74	1
1986.....	23	42	57	83	74	76	77	79	78	-
1985.....	33	25	56	74	84	92	57	68	56	1
1984.....	23	52	60	60	73	94	61	64	55	-
1983.....	31	40	50	59	76	97	83	54	58	-
1982.....	23	46	53	72	62	80	76	52	39	-
1981.....	25	39	55	45	79	77	79	53	46	2
1980.....	39	40	49	60	53	61	75	44	39	-
1979.....	30	46	44	53	71	60	56	42	49	-
BLACK, BOTH SEXES										
1998.....	99	89	130	150	165	201	198	183	178	1
1997.....	73	86	98	157	164	231	191	154	160	-
1996.....	75	90	114	143	198	217	206	188	190	-
1995.....	82	85	108	151	179	213	198	158	155	-
1994.....	74	74	99	161	169	204	191	141	172	-
1993.....	70	85	96	162	183	194	181	162	154	1
1992.....	58	84	119	132	174	182	183	149	146	-
1991.....	67	84	117	135	185	187	173	154	157	-
1990.....	67	81	111	151	184	183	183	143	133	1
1989.....	57	74	99	144	173	196	161	153	132	-
1988.....	53	59	95	113	175	175	186	140	134	-
1987.....	59	81	103	139	151	183	171	124	123	1
1986.....	40	69	105	161	163	157	147	144	119	-
1985.....	53	63	111	139	165	189	123	138	100	1
1984.....	49	81	103	126	151	184	141	110	88	-
1983.....	53	81	83	143	164	180	147	98	99	-
1982.....	42	79	102	151	139	160	160	102	71	-
1981.....	53	66	107	101	153	153	147	107	78	3
1980.....	64	70	105	120	133	147	130	95	78	-
1979.....	58	78	98	119	149	137	114	89	82	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 LEUKEMIA (204-208)

BLACK MALE

1998.....	55	50	71	84	96	104	101	82	71	1
1997.....	41	47	51	96	90	136	105	68	62	-
1996.....	43	46	60	85	112	115	109	88	83	-
1995.....	39	52	68	89	113	120	103	71	62	-
1994.....	36	39	59	95	104	119	104	60	66	-
1993.....	31	49	62	91	112	101	104	75	51	1
1992.....	33	50	68	71	95	99	106	65	51	-
1991.....	41	45	68	66	99	100	102	73	66	-
1990.....	35	46	64	82	112	109	93	68	55	-
1989.....	33	40	57	77	105	112	87	92	57	-
1988.....	32	33	54	64	97	98	102	54	66	-
1987.....	32	34	58	77	93	93	90	65	52	-
1986.....	24	31	54	85	98	88	76	67	46	-
1985.....	29	41	61	72	87	104	72	74	48	-
1984.....	32	38	50	74	84	93	87	53	37	-
1983.....	25	45	41	90	92	87	75	49	47	-
1982.....	26	38	55	84	82	83	89	54	37	-
1981.....	29	31	58	59	78	76	70	56	36	2
1980.....	26	34	61	65	87	87	57	52	40	-
1979.....	28	33	56	68	80	83	58	50	36	-

BLACK FEMALE

1998.....	44	39	59	66	69	97	97	101	107	-
1997.....	32	39	47	61	74	95	86	86	98	-
1996.....	32	44	54	58	86	102	97	100	107	-
1995.....	43	33	40	62	66	93	95	87	93	-
1994.....	38	35	40	66	65	85	87	81	106	-
1993.....	39	36	34	71	71	93	77	87	103	-
1992.....	25	34	51	61	79	83	77	84	95	-
1991.....	26	39	49	69	86	87	71	81	91	-
1990.....	32	35	47	69	72	74	90	75	78	1
1989.....	24	34	42	67	68	84	74	61	75	-
1988.....	21	26	41	49	78	77	84	86	68	-
1987.....	27	47	45	62	58	90	81	59	71	1
1986.....	16	38	51	76	65	69	71	77	73	-
1985.....	24	22	50	67	78	85	51	64	52	1
1984.....	17	43	53	52	67	91	54	57	51	-
1983.....	28	36	42	53	72	93	72	49	52	-
1982.....	16	41	47	67	57	77	71	48	34	-
1981.....	24	35	49	42	75	77	77	51	42	1
1980.....	38	36	44	55	46	60	73	43	38	-
1979.....	30	45	42	51	69	54	56	39	46	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
TOTAL, BOTH SEXES										
1998.....	1,129	1,588	2,092	2,814	3,948	5,497	6,150	5,133	4,635	1
1997.....	1,166	1,626	2,160	2,865	4,147	5,552	5,921	5,072	4,521	-
1996.....	1,143	1,503	2,024	2,879	4,074	5,503	5,757	4,898	4,282	1
1995.....	1,128	1,530	2,013	2,830	4,230	5,470	5,595	4,615	4,189	-
1994.....	1,149	1,492	1,936	2,933	4,148	5,387	5,360	4,557	3,932	1
1993.....	1,002	1,324	1,813	2,802	4,175	5,110	5,264	4,346	3,735	1
1992.....	1,004	1,303	1,787	2,739	4,056	4,952	5,054	4,101	3,432	1
1991.....	1,010	1,215	1,826	2,835	4,024	4,840	4,897	3,998	3,355	2
1990.....	884	1,227	1,779	2,798	3,963	4,534	4,569	3,811	3,145	-
1989.....	915	1,135	1,819	2,841	3,850	4,428	4,510	3,622	2,910	2
1988.....	836	1,156	1,781	2,757	3,776	4,184	4,216	3,368	2,718	1
1987.....	809	1,101	1,801	2,715	3,646	4,228	4,033	3,186	2,588	4
1986.....	761	1,130	1,747	2,697	3,801	4,148	4,021	2,974	2,406	-
1985.....	728	1,109	1,827	2,866	3,472	3,916	3,763	2,843	2,278	1
1984.....	721	1,130	1,892	2,763	3,316	3,759	3,470	2,743	2,073	1
1983.....	709	1,154	1,895	2,666	3,294	3,690	3,420	2,548	1,987	2
1982.....	698	1,263	1,827	2,572	3,172	3,480	3,283	2,424	1,885	2
1981.....	657	1,153	1,790	2,570	3,034	3,212	3,130	2,258	1,670	4
1980.....	696	1,211	1,939	2,479	2,970	3,316	2,896	2,205	1,617	1
1979.....	722	1,252	1,792	2,399	2,951	3,102	2,781	2,011	1,450	-
TOTAL, MALE										
1998.....	722	1,001	1,208	1,651	2,208	2,897	3,013	2,346	1,818	-
1997.....	771	1,026	1,258	1,612	2,313	2,940	2,944	2,336	1,655	-
1996.....	724	900	1,198	1,628	2,213	2,913	2,832	2,256	1,644	1
1995.....	720	947	1,153	1,629	2,322	2,795	2,669	2,065	1,568	-
1994.....	715	922	1,117	1,704	2,262	2,844	2,600	1,986	1,520	-
1993.....	647	800	1,062	1,526	2,263	2,599	2,529	1,887	1,378	-
1992.....	635	813	1,046	1,578	2,173	2,595	2,454	1,816	1,262	1
1991.....	649	735	1,094	1,558	2,200	2,447	2,326	1,722	1,240	1
1990.....	560	777	1,068	1,642	2,117	2,371	2,234	1,681	1,182	-
1989.....	577	690	1,087	1,584	2,049	2,274	2,174	1,555	1,095	1
1988.....	529	703	1,061	1,577	1,993	2,140	1,999	1,465	1,046	1
1987.....	505	679	1,062	1,505	2,024	2,161	1,928	1,306	916	4
1986.....	482	656	1,012	1,491	2,068	2,168	1,888	1,292	871	-
1985.....	448	643	1,028	1,597	1,888	2,014	1,810	1,244	874	-
1984.....	451	650	1,082	1,530	1,736	1,948	1,613	1,154	774	1
1983.....	418	671	1,115	1,497	1,717	1,912	1,651	1,067	780	1
1982.....	418	747	1,004	1,469	1,697	1,768	1,541	1,016	707	1
1981.....	396	692	1,000	1,412	1,557	1,627	1,428	959	640	1
1980.....	397	731	1,113	1,369	1,577	1,671	1,345	948	635	1
1979.....	470	729	1,017	1,358	1,623	1,583	1,343	878	618	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
TOTAL, FEMALE										
1998.....	407	587	884	1,163	1,740	2,600	3,137	2,787	2,817	1
1997.....	395	600	902	1,253	1,834	2,612	2,977	2,736	2,866	-
1996.....	419	603	826	1,251	1,861	2,590	2,925	2,642	2,638	-
1995.....	408	583	860	1,201	1,908	2,675	2,926	2,550	2,621	-
1994.....	434	570	819	1,229	1,886	2,543	2,760	2,571	2,412	1
1993.....	355	524	751	1,276	1,912	2,511	2,735	2,459	2,357	1
1992.....	369	490	741	1,161	1,883	2,357	2,600	2,285	2,170	-
1991.....	361	480	732	1,277	1,824	2,393	2,571	2,276	2,115	1
1990.....	324	450	711	1,156	1,846	2,163	2,335	2,130	1,963	-
1989.....	338	445	732	1,257	1,801	2,154	2,336	2,067	1,815	1
1988.....	307	453	720	1,180	1,783	2,044	2,217	1,903	1,672	-
1987.....	304	422	739	1,210	1,622	2,067	2,105	1,880	1,672	-
1986.....	279	474	735	1,206	1,733	1,980	2,133	1,682	1,535	-
1985.....	280	466	799	1,269	1,584	1,902	1,953	1,599	1,404	1
1984.....	270	480	810	1,233	1,580	1,811	1,857	1,589	1,299	-
1983.....	291	483	780	1,169	1,577	1,778	1,769	1,481	1,207	1
1982.....	280	516	823	1,103	1,475	1,712	1,742	1,408	1,178	1
1981.....	261	461	790	1,158	1,477	1,585	1,702	1,299	1,030	3
1980.....	299	480	826	1,110	1,393	1,645	1,551	1,257	982	-
1979.....	252	523	775	1,041	1,328	1,519	1,438	1,133	832	-
WHITE, BOTH SEXES										
1998.....	912	1,314	1,744	2,407	3,470	4,931	5,618	4,733	4,260	1
1997.....	941	1,364	1,830	2,462	3,666	5,012	5,409	4,688	4,166	-
1996.....	947	1,272	1,723	2,462	3,603	4,925	5,259	4,516	3,958	1
1995.....	956	1,268	1,724	2,406	3,773	4,976	5,107	4,274	3,863	-
1994.....	945	1,267	1,636	2,542	3,703	4,912	4,954	4,180	3,628	-
1993.....	836	1,102	1,543	2,447	3,697	4,611	4,801	4,026	3,426	1
1992.....	858	1,091	1,504	2,379	3,631	4,497	4,623	3,782	3,169	1
1991.....	871	1,027	1,553	2,485	3,554	4,339	4,435	3,670	3,131	2
1990.....	740	1,034	1,512	2,462	3,531	4,090	4,185	3,525	2,923	-
1989.....	764	950	1,587	2,500	3,428	4,033	4,118	3,344	2,695	2
1988.....	695	970	1,518	2,467	3,366	3,803	3,866	3,108	2,525	1
1987.....	683	938	1,597	2,406	3,262	3,814	3,675	2,951	2,383	1
1986.....	651	952	1,509	2,391	3,418	3,716	3,668	2,735	2,234	-
1985.....	612	975	1,598	2,541	3,118	3,534	3,441	2,589	2,117	1
1984.....	600	984	1,644	2,449	3,012	3,417	3,165	2,543	1,946	1
1983.....	607	995	1,672	2,353	2,965	3,362	3,115	2,338	1,851	2
1982.....	605	1,091	1,617	2,308	2,840	3,146	3,016	2,217	1,754	1
1981.....	566	1,013	1,586	2,286	2,701	2,881	2,862	2,105	1,542	4
1980.....	606	1,058	1,691	2,212	2,656	3,031	2,650	2,050	1,513	-
1979.....	635	1,088	1,577	2,139	2,638	2,844	2,567	1,890	1,345	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
WHITE MALE										
1998.....	592	835	1,028	1,432	1,957	2,635	2,768	2,168	1,669	-
1997.....	630	871	1,075	1,398	2,060	2,674	2,695	2,155	1,516	-
1996.....	599	761	1,028	1,408	1,971	2,616	2,600	2,078	1,520	1
1995.....	614	790	1,013	1,409	2,093	2,548	2,441	1,914	1,432	-
1994.....	608	784	946	1,487	2,028	2,607	2,428	1,825	1,397	-
1993.....	547	678	919	1,355	2,002	2,333	2,302	1,769	1,243	-
1992.....	557	689	891	1,370	1,954	2,362	2,259	1,671	1,158	1
1991.....	565	627	942	1,370	1,956	2,202	2,104	1,587	1,154	1
1990.....	470	670	927	1,447	1,887	2,147	2,052	1,546	1,079	-
1989.....	483	578	953	1,410	1,837	2,077	1,980	1,435	997	1
1988.....	441	594	920	1,427	1,794	1,946	1,826	1,346	970	1
1987.....	432	584	948	1,348	1,809	1,949	1,734	1,196	830	1
1986.....	420	564	872	1,326	1,854	1,937	1,715	1,156	802	-
1985.....	378	571	909	1,413	1,700	1,823	1,668	1,126	809	-
1984.....	377	570	941	1,357	1,584	1,774	1,463	1,057	724	1
1983.....	347	589	980	1,309	1,551	1,741	1,490	966	713	1
1982.....	369	641	888	1,330	1,527	1,591	1,413	909	648	-
1981.....	345	616	892	1,262	1,392	1,456	1,295	878	588	1
1980.....	356	642	969	1,226	1,389	1,523	1,218	873	594	-
1979.....	416	642	903	1,202	1,459	1,456	1,233	820	569	-
WHITE FEMALE										
1998.....	320	479	716	975	1,513	2,296	2,850	2,565	2,591	1
1997.....	311	493	755	1,064	1,606	2,338	2,714	2,533	2,650	-
1996.....	348	511	695	1,054	1,632	2,309	2,659	2,438	2,438	-
1995.....	342	478	711	997	1,680	2,428	2,666	2,360	2,431	-
1994.....	337	483	690	1,055	1,675	2,305	2,526	2,355	2,231	-
1993.....	289	424	624	1,092	1,695	2,278	2,499	2,257	2,183	1
1992.....	301	402	613	1,009	1,677	2,135	2,364	2,111	2,011	-
1991.....	306	400	611	1,115	1,598	2,137	2,331	2,083	1,977	1
1990.....	270	364	585	1,015	1,644	1,943	2,133	1,979	1,844	-
1989.....	281	372	634	1,090	1,591	1,956	2,138	1,909	1,698	1
1988.....	254	376	598	1,040	1,572	1,857	2,040	1,762	1,555	-
1987.....	251	354	649	1,058	1,453	1,865	1,941	1,755	1,553	-
1986.....	231	388	637	1,065	1,564	1,779	1,953	1,579	1,432	-
1985.....	234	404	689	1,128	1,418	1,711	1,773	1,463	1,308	1
1984.....	223	414	703	1,092	1,428	1,643	1,702	1,486	1,222	-
1983.....	260	406	692	1,044	1,414	1,621	1,625	1,372	1,138	1
1982.....	236	450	729	978	1,313	1,555	1,603	1,308	1,106	1
1981.....	221	397	694	1,024	1,309	1,425	1,567	1,227	954	3
1980.....	250	416	722	986	1,267	1,508	1,432	1,177	919	-
1979.....	219	446	674	937	1,179	1,388	1,334	1,070	776	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)										
ALL OTHER, BOTH SEXES										
1998.....	217	274	348	407	478	566	532	400	375	-
1997.....	225	262	330	403	481	540	512	384	355	-
1996.....	196	231	301	417	471	578	498	382	324	-
1995.....	172	262	289	424	457	494	488	341	326	-
1994.....	204	225	300	391	445	475	406	377	304	1
1993.....	166	222	270	355	478	499	463	320	309	-
1992.....	146	212	283	360	425	455	431	319	263	-
1991.....	139	188	273	350	470	501	462	328	224	-
1990.....	144	193	267	336	432	444	384	286	222	-
1989.....	151	185	232	341	422	395	392	278	215	-
1988.....	141	186	263	290	410	381	350	260	193	-
1987.....	126	163	204	309	384	414	358	235	205	3
1986.....	110	178	238	306	383	432	353	239	172	-
1985.....	116	134	229	325	354	382	322	254	161	-
1984.....	121	146	248	314	304	342	305	200	127	-
1983.....	102	159	223	313	329	328	305	210	136	-
1982.....	93	172	210	264	332	334	267	207	131	1
1981.....	91	140	204	284	333	331	268	153	128	-
1980.....	90	153	248	267	314	285	246	155	104	1
1979.....	87	164	215	260	313	258	214	121	105	-
ALL OTHER MALE										
1998.....	130	166	180	219	251	262	245	178	149	-
1997.....	141	155	183	214	253	266	249	181	139	-
1996.....	125	139	170	220	242	297	232	178	124	-
1995.....	106	157	140	220	229	247	228	151	136	-
1994.....	107	138	171	217	234	237	172	161	123	-
1993.....	100	122	143	171	261	266	227	118	135	-
1992.....	78	124	155	208	219	233	195	145	104	-
1991.....	84	108	152	188	244	245	222	135	86	-
1990.....	90	107	141	195	230	224	182	135	103	-
1989.....	94	112	134	174	212	197	194	120	98	-
1988.....	88	109	141	150	199	194	173	119	76	-
1987.....	73	95	114	157	215	212	194	110	86	3
1986.....	62	92	140	165	214	231	173	136	69	-
1985.....	70	72	119	184	188	191	142	118	65	-
1984.....	74	80	141	173	152	174	150	97	50	-
1983.....	71	82	135	188	166	171	161	101	67	-
1982.....	49	106	116	139	170	177	128	107	59	1
1981.....	51	76	108	150	165	171	133	81	52	-
1980.....	41	89	144	143	188	148	127	75	41	1
1979.....	54	87	114	156	164	127	110	58	49	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)										
ALL OTHER FEMALE										
1998.....	87	108	168	188	227	304	287	222	226	-
1997.....	84	107	147	189	228	274	263	203	216	-
1996.....	71	92	131	197	229	281	266	204	200	-
1995.....	66	105	149	204	228	247	260	190	190	-
1994.....	97	87	129	174	211	238	234	216	181	1
1993.....	66	100	127	184	217	233	236	202	174	-
1992.....	68	88	128	152	206	222	236	174	159	-
1991.....	55	80	121	162	226	256	240	193	138	-
1990.....	54	86	126	141	202	220	202	151	119	-
1989.....	57	73	98	167	210	198	198	158	117	-
1988.....	53	77	122	140	211	187	177	141	117	-
1987.....	53	68	90	152	169	202	164	125	119	-
1986.....	48	86	98	141	169	201	180	103	103	-
1985.....	46	62	110	141	166	191	180	136	96	-
1984.....	47	66	107	141	152	168	155	103	77	-
1983.....	31	77	88	125	163	157	144	109	69	-
1982.....	44	66	94	125	162	157	139	100	72	-
1981.....	40	64	96	134	168	160	135	72	76	-
1980.....	49	64	104	124	126	137	119	80	63	-
1979.....	33	77	101	104	149	131	104	63	56	-
BLACK, BOTH SEXES										
1998.....	196	243	311	359	404	473	429	341	317	-
1997.....	198	225	275	348	412	464	417	333	307	-
1996.....	172	203	269	375	414	474	424	327	277	-
1995.....	156	231	249	373	394	428	422	289	277	-
1994.....	180	200	267	333	396	417	352	325	260	1
1993.....	154	199	242	317	421	434	408	279	265	-
1992.....	130	191	245	317	380	396	371	279	229	-
1991.....	118	166	246	299	415	446	406	291	203	-
1990.....	123	175	240	303	379	393	337	252	194	-
1989.....	136	161	208	296	384	349	340	245	197	-
1988.....	126	165	242	261	368	344	307	230	173	-
1987.....	118	148	183	284	358	371	322	206	182	3
1986.....	102	161	213	285	351	396	312	209	157	-
1985.....	101	116	207	296	324	350	296	225	142	-
1984.....	110	131	230	289	280	305	277	188	112	-
1983.....	94	145	208	291	309	303	282	195	119	-
1982.....	88	158	194	247	305	312	244	191	119	1
1981.....	83	125	192	265	311	309	245	144	117	-
1980.....	81	144	230	249	286	263	222	148	96	1
1979.....	76	157	207	243	292	238	196	113	90	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)										
BLACK MALE										
1998.....	118	149	156	191	213	220	191	152	117	-
1997.....	122	133	144	182	218	225	196	149	115	-
1996.....	112	121	148	201	219	233	191	148	103	-
1995.....	98	141	118	197	195	210	193	128	106	-
1994.....	95	122	152	184	216	201	145	128	101	-
1993.....	90	113	127	158	225	225	197	95	104	-
1992.....	67	107	133	180	198	198	166	122	87	-
1991.....	71	96	138	160	215	210	190	115	76	-
1990.....	79	100	127	176	202	197	158	119	87	-
1989.....	87	98	121	151	192	171	160	105	86	-
1988.....	80	94	131	136	177	172	151	102	68	-
1987.....	69	88	104	146	200	193	171	91	75	3
1986.....	57	81	128	153	194	208	149	110	60	-
1985.....	61	64	105	165	176	174	128	96	56	-
1984.....	66	74	130	160	141	151	134	93	43	-
1983.....	66	74	123	172	159	154	146	92	58	-
1982.....	47	97	108	124	153	167	112	94	54	1
1981.....	47	71	98	140	152	158	120	76	47	-
1980.....	38	85	134	132	171	134	109	71	36	1
1979.....	50	82	110	147	152	113	98	55	42	-
BLACK FEMALE										
1998.....	78	94	155	168	191	253	238	189	200	-
1997.....	76	92	131	166	194	239	221	184	192	-
1996.....	60	82	121	174	195	241	233	179	174	-
1995.....	58	90	131	176	199	218	229	161	171	-
1994.....	85	78	115	149	180	216	207	197	159	1
1993.....	64	86	115	159	196	209	211	184	161	-
1992.....	63	84	112	137	182	198	205	157	142	-
1991.....	47	70	108	139	200	236	216	176	127	-
1990.....	44	75	113	127	177	196	179	133	107	-
1989.....	49	63	87	145	192	178	180	140	111	-
1988.....	46	71	111	125	191	172	156	128	105	-
1987.....	49	60	79	138	158	178	151	115	107	-
1986.....	45	80	85	132	157	188	163	99	97	-
1985.....	40	52	102	131	148	176	168	129	86	-
1984.....	44	57	100	129	139	154	143	95	69	-
1983.....	28	71	85	119	150	149	136	103	61	-
1982.....	41	61	86	123	152	145	132	97	65	-
1981.....	36	54	94	125	159	151	125	68	70	-
1980.....	43	59	96	117	115	129	113	77	60	-
1979.....	26	75	97	96	140	125	98	58	48	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)										
TOTAL, BOTH SEXES										
1998.....	220	297	342	431	587	933	1,097	1,261	1,941	-
1997.....	232	271	332	394	647	870	1,152	1,201	1,738	-
1996.....	251	248	334	456	607	907	1,144	1,193	1,672	1
1995.....	221	281	316	488	694	918	1,100	1,197	1,668	-
1994.....	238	270	318	435	642	852	1,091	1,136	1,605	-
1993.....	213	264	308	463	708	872	1,069	1,142	1,534	2
1992.....	204	234	289	468	673	898	1,040	1,035	1,390	-
1991.....	179	207	307	480	694	895	1,003	1,094	1,337	-
1990.....	169	230	286	469	681	848	1,034	972	1,214	1
1989.....	178	232	309	504	682	865	980	1,019	1,187	1
1988.....	186	227	321	521	688	878	990	984	1,140	1
1987.....	164	204	321	520	771	875	983	946	1,056	-
1986.....	187	252	365	553	656	885	1,020	943	1,046	2
1985.....	173	248	386	567	710	955	938	898	1,038	2
1984.....	167	198	387	546	723	898	972	844	951	-
1983.....	174	274	380	580	737	831	966	834	941	2
1982.....	199	279	434	629	769	892	921	756	818	1
1981.....	180	306	378	609	739	881	911	742	746	2
1980.....	240	301	459	598	748	821	796	734	698	-
1979.....	219	289	492	560	743	807	779	609	644	1
TOTAL, MALE										
1998.....	116	171	188	209	305	463	533	498	579	-
1997.....	122	141	183	211	324	418	548	495	506	-
1996.....	139	126	191	254	312	419	527	472	512	1
1995.....	116	162	171	248	369	431	499	462	507	-
1994.....	117	151	186	235	349	422	474	458	481	-
1993.....	119	127	168	274	367	452	492	443	489	1
1992.....	113	131	149	268	359	439	490	404	442	-
1991.....	103	117	167	262	358	438	452	445	395	-
1990.....	82	112	138	240	361	442	429	389	378	-
1989.....	91	134	159	252	342	421	429	433	392	-
1988.....	96	123	160	258	363	398	440	379	367	1
1987.....	89	110	168	282	404	464	450	397	328	-
1986.....	106	138	187	298	296	428	466	381	358	2
1985.....	84	144	203	280	349	436	420	341	336	1
1984.....	84	108	197	285	345	429	435	329	315	-
1983.....	88	133	208	306	372	391	424	344	307	2
1982.....	93	149	232	315	376	417	402	316	293	1
1981.....	88	160	198	312	388	435	418	301	249	-
1980.....	107	142	236	310	370	385	367	317	232	-
1979.....	108	135	249	278	365	381	343	254	220	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)										
TOTAL, FEMALE										
1998.....	104	126	154	222	282	470	564	763	1,362	-
1997.....	110	130	149	183	323	452	604	706	1,232	-
1996.....	112	122	143	202	295	488	617	721	1,160	-
1995.....	105	119	145	240	325	487	601	735	1,161	-
1994.....	121	119	132	200	293	430	617	678	1,124	-
1993.....	94	137	140	189	341	420	577	699	1,045	1
1992.....	91	103	140	200	314	459	550	631	948	-
1991.....	76	90	140	218	336	457	551	649	942	-
1990.....	87	118	148	229	320	406	605	583	836	1
1989.....	87	98	150	252	340	444	551	586	795	1
1988.....	90	104	161	263	325	480	550	605	773	-
1987.....	75	94	153	238	367	411	533	549	728	-
1986.....	81	114	178	255	360	457	554	562	688	-
1985.....	89	104	183	287	361	519	518	557	702	1
1984.....	83	90	190	261	378	469	537	515	636	-
1983.....	86	141	172	274	365	440	542	490	634	-
1982.....	106	130	202	314	393	475	519	440	525	-
1981.....	92	146	180	297	351	446	493	441	497	2
1980.....	133	159	223	288	378	436	429	417	466	-
1979.....	111	154	243	282	378	426	436	355	424	1
WHITE, BOTH SEXES										
1998.....	170	240	287	365	509	805	989	1,163	1,790	-
1997.....	187	221	282	326	541	764	1,035	1,087	1,606	-
1996.....	193	212	287	383	536	795	1,015	1,065	1,548	-
1995.....	180	234	269	414	585	803	1,007	1,089	1,498	-
1994.....	186	225	265	360	561	763	983	1,031	1,486	-
1993.....	165	221	257	390	613	776	964	1,038	1,427	1
1992.....	173	190	235	404	570	788	929	934	1,286	-
1991.....	143	172	251	405	591	794	906	997	1,243	-
1990.....	132	177	235	408	580	756	926	873	1,132	-
1989.....	149	191	251	444	585	760	880	943	1,077	1
1988.....	150	188	269	437	584	777	869	898	1,051	-
1987.....	142	173	267	446	676	785	881	868	970	-
1986.....	148	200	311	461	571	782	907	867	970	2
1985.....	134	203	320	484	609	826	849	822	968	1
1984.....	131	158	337	469	638	785	882	766	873	-
1983.....	144	230	322	514	646	720	878	770	883	1
1982.....	165	229	357	535	674	791	830	699	772	1
1981.....	145	257	327	522	664	770	840	687	688	1
1980.....	188	241	403	499	615	731	726	670	651	-
1979.....	173	234	424	484	652	730	717	570	610	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)										
WHITE MALE										
1998.....	89	136	158	184	264	415	486	460	535	-
1997.....	102	120	155	171	273	370	489	450	467	-
1996.....	111	104	162	214	279	377	477	413	474	-
1995.....	95	141	151	214	320	379	467	418	445	-
1994.....	97	125	155	199	309	381	439	415	447	-
1993.....	92	104	140	235	321	408	444	405	457	1
1992.....	93	106	124	238	305	388	442	359	411	-
1991.....	80	97	142	223	310	395	415	404	357	-
1990.....	69	86	116	213	310	399	392	358	360	-
1989.....	77	112	126	223	299	375	387	409	356	-
1988.....	80	102	137	220	315	361	382	354	333	-
1987.....	79	92	142	242	356	416	399	360	295	-
1986.....	86	108	169	255	258	378	424	352	331	2
1985.....	64	121	179	245	302	383	373	315	316	1
1984.....	70	83	178	239	304	381	394	306	287	-
1983.....	78	110	180	273	330	338	393	313	286	1
1982.....	78	125	190	272	331	381	366	288	283	1
1981.....	77	132	175	274	354	387	381	282	233	-
1980.....	85	118	205	261	310	344	334	285	218	-
1979.....	92	117	217	237	329	351	321	240	210	-
WHITE FEMALE										
1998.....	81	104	129	181	245	390	503	703	1,255	-
1997.....	85	101	127	155	268	394	546	637	1,139	-
1996.....	82	108	125	169	257	418	538	652	1,074	-
1995.....	85	93	118	200	265	424	540	671	1,053	-
1994.....	89	100	110	161	252	382	544	616	1,039	-
1993.....	73	117	117	155	292	368	520	633	970	-
1992.....	80	84	111	166	265	400	487	575	875	-
1991.....	63	75	109	182	281	399	491	593	886	-
1990.....	63	91	119	195	270	357	534	515	772	-
1989.....	72	79	125	221	286	385	493	534	721	1
1988.....	70	86	132	217	269	416	487	544	718	-
1987.....	63	81	125	204	320	369	482	508	675	-
1986.....	62	92	142	206	313	404	483	515	639	-
1985.....	70	82	141	239	307	443	476	507	652	-
1984.....	61	75	159	230	334	404	488	460	586	-
1983.....	66	120	142	241	316	382	485	457	597	-
1982.....	87	104	167	263	343	410	464	411	489	-
1981.....	68	125	152	248	310	383	459	405	455	1
1980.....	103	123	198	238	305	387	392	385	433	-
1979.....	81	117	207	247	323	379	396	330	400	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)										
ALL OTHER, BOTH SEXES										
1998.....	50	57	55	66	78	128	108	98	151	-
1997.....	45	50	50	68	106	106	117	114	132	-
1996.....	58	36	47	73	71	112	129	128	124	1
1995.....	41	47	47	74	109	115	93	108	170	-
1994.....	52	45	53	75	81	89	108	105	119	-
1993.....	48	43	51	73	95	96	105	104	107	1
1992.....	31	44	54	64	103	110	111	101	104	-
1991.....	36	35	56	75	103	101	97	97	94	-
1990.....	37	53	51	61	101	92	108	99	82	1
1989.....	29	41	58	60	97	105	100	76	110	-
1988.....	36	39	52	84	104	101	121	86	89	1
1987.....	22	31	54	74	95	90	102	78	86	-
1986.....	39	52	54	92	85	103	113	76	76	-
1985.....	39	45	66	83	101	129	89	76	70	1
1984.....	36	40	50	77	85	113	90	78	78	-
1983.....	30	44	58	66	91	111	88	64	58	1
1982.....	34	50	77	94	95	101	91	57	46	-
1981.....	35	49	51	87	75	111	71	55	58	1
1980.....	52	60	56	99	133	90	70	64	47	-
1979.....	46	55	68	76	91	77	62	39	34	-
ALL OTHER MALE										
1998.....	27	35	30	25	41	48	47	38	44	-
1997.....	20	21	28	40	51	48	59	45	39	-
1996.....	28	22	29	40	33	42	50	59	38	1
1995.....	21	21	20	34	49	52	32	44	62	-
1994.....	20	26	31	36	40	41	35	43	34	-
1993.....	27	23	28	39	46	44	48	38	32	-
1992.....	20	25	25	30	54	51	48	45	31	-
1991.....	23	20	25	39	48	43	37	41	38	-
1990.....	13	26	22	27	51	43	37	31	18	-
1989.....	14	22	33	29	43	46	42	24	36	-
1988.....	16	21	23	38	48	37	58	25	34	1
1987.....	10	18	26	40	48	48	51	37	33	-
1986.....	20	30	18	43	38	50	42	29	27	-
1985.....	20	23	24	35	47	53	47	26	20	-
1984.....	14	25	19	46	41	48	41	23	28	-
1983.....	10	23	28	33	42	53	31	31	21	1
1982.....	15	24	42	43	45	36	36	28	10	-
1981.....	11	28	23	38	34	48	37	19	16	-
1980.....	22	24	31	49	60	41	33	32	14	-
1979.....	16	18	32	41	36	30	22	14	10	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)										
ALL OTHER FEMALE										
1998.....	23	22	25	41	37	80	61	60	107	-
1997.....	25	29	22	28	55	58	58	69	93	-
1996.....	30	14	18	33	38	70	79	69	86	-
1995.....	20	26	27	40	60	63	61	64	108	-
1994.....	32	19	22	39	41	48	73	62	85	-
1993.....	21	20	23	34	49	52	57	66	75	1
1992.....	11	19	29	34	49	59	63	56	73	-
1991.....	13	15	31	36	55	58	60	56	56	-
1990.....	24	27	29	34	50	49	71	68	64	1
1989.....	15	19	25	31	54	59	58	52	74	-
1988.....	20	18	29	46	56	64	63	61	55	-
1987.....	12	13	28	34	47	42	51	41	53	-
1986.....	19	22	36	49	47	53	71	47	49	-
1985.....	19	22	42	48	54	76	42	50	50	1
1984.....	22	15	31	31	44	65	49	55	50	-
1983.....	20	21	30	33	49	58	57	33	37	-
1982.....	19	26	35	51	50	65	55	29	36	-
1981.....	24	21	28	49	41	63	34	36	42	1
1980.....	30	36	25	50	73	49	37	32	33	-
1979.....	30	37	36	35	55	47	40	25	24	-
BLACK, BOTH SEXES										
1998.....	45	44	47	58	67	112	93	84	128	-
1997.....	41	41	46	64	92	93	106	98	117	-
1996.....	51	35	38	68	62	96	105	106	108	1
1995.....	35	39	42	65	99	100	85	95	144	-
1994.....	43	43	46	69	72	80	96	90	100	-
1993.....	42	35	40	67	87	88	91	94	93	1
1992.....	28	38	50	53	90	99	103	87	93	-
1991.....	32	32	50	71	98	93	85	86	84	-
1990.....	31	44	43	54	93	84	91	91	76	1
1989.....	27	36	55	53	86	92	90	68	97	-
1988.....	33	36	48	78	99	96	107	77	82	1
1987.....	20	29	49	68	84	81	93	73	73	-
1986.....	37	45	51	83	82	91	107	68	72	-
1985.....	37	43	63	77	95	114	81	66	59	1
1984.....	34	39	47	67	79	98	78	70	69	-
1983.....	28	40	52	60	86	100	82	58	51	1
1982.....	29	45	73	87	89	98	86	55	41	-
1981.....	32	46	47	79	68	100	69	48	51	1
1980.....	51	57	51	94	126	80	68	59	39	-
1979.....	42	51	65	70	84	72	57	34	33	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

BLACK MALE

1998.....	24	28	26	21	33	41	39	32	32	-
1997.....	17	16	24	37	46	41	55	39	27	-
1996.....	25	22	24	38	28	33	40	46	30	1
1995.....	19	18	20	29	45	48	31	37	52	-
1994.....	14	25	26	34	36	36	30	37	26	-
1993.....	22	17	23	37	43	41	42	32	24	-
1992.....	17	22	23	24	44	48	43	36	28	-
1991.....	22	19	23	38	44	40	30	37	32	-
1990.....	11	24	18	26	46	41	30	29	16	-
1989.....	12	19	32	27	40	38	37	21	31	-
1988.....	14	20	21	35	46	35	48	20	30	1
1987.....	10	17	23	37	40	43	47	33	28	-
1986.....	18	26	17	37	37	46	40	23	26	-
1985.....	19	22	23	31	44	46	43	21	14	-
1984.....	12	25	18	40	38	40	32	20	24	-
1983.....	9	22	24	30	39	47	28	28	17	1
1982.....	12	22	41	38	42	35	33	27	9	-
1981.....	10	27	20	33	30	41	36	15	12	-
1980.....	21	23	28	48	59	35	32	29	11	-
1979.....	14	18	30	37	33	29	21	12	10	-

BLACK FEMALE

1998.....	21	16	21	37	34	71	54	52	96	-
1997.....	24	25	22	27	46	52	51	59	90	-
1996.....	26	13	14	30	34	63	65	60	78	-
1995.....	16	21	22	36	54	52	54	58	92	-
1994.....	29	18	20	35	36	44	66	53	74	-
1993.....	20	18	17	30	44	47	49	62	69	1
1992.....	11	16	27	29	46	51	60	51	65	-
1991.....	10	13	27	33	54	53	55	49	52	-
1990.....	20	20	25	28	47	43	61	62	60	1
1989.....	15	17	23	26	46	54	53	47	66	-
1988.....	19	16	27	43	53	61	59	57	52	-
1987.....	10	12	26	31	44	38	46	40	45	-
1986.....	19	19	34	46	45	45	67	45	46	-
1985.....	18	21	40	46	51	68	38	45	45	1
1984.....	22	14	29	27	41	58	46	50	45	-
1983.....	19	18	28	30	47	53	54	30	34	-
1982.....	17	23	32	49	47	63	53	28	32	-
1981.....	22	19	27	46	38	59	33	33	39	1
1980.....	30	34	23	46	67	45	36	30	28	-
1979.....	28	33	35	33	51	43	36	22	23	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, BOTH SEXES										
1998.....	1,784	2,602	3,687	5,018	7,042	9,448	10,644	9,885	11,955	-
1997.....	1,767	2,568	3,512	4,858	6,955	9,356	10,223	9,369	11,386	2
1996.....	1,777	2,481	3,418	5,011	7,274	9,279	9,962	9,027	10,834	1
1995.....	1,633	2,363	3,355	4,833	7,097	9,134	9,426	8,709	10,086	1
1994.....	1,495	2,194	3,060	4,724	6,881	8,863	8,845	8,334	9,677	2
1993.....	1,407	2,042	3,030	4,448	6,631	8,353	8,509	7,813	9,196	9
1992.....	1,374	1,829	2,802	4,307	6,253	7,723	8,029	7,062	8,261	2
1991.....	1,187	1,847	2,761	4,250	6,440	7,394	7,736	6,939	8,019	2
1990.....	1,187	1,647	2,553	4,416	6,306	6,974	7,679	6,858	7,706	4
1989.....	1,178	1,606	2,624	4,318	6,045	7,123	7,535	6,625	7,470	1
1988.....	993	1,509	2,305	3,804	5,170	5,922	6,370	5,537	6,548	-
1987.....	901	1,357	2,263	3,651	4,952	5,837	6,102	5,368	6,118	2
1986.....	842	1,316	2,234	3,546	4,662	5,607	5,858	5,190	5,939	6
1985.....	773	1,218	2,182	3,637	4,597	5,562	6,058	5,250	5,817	8
1984.....	746	1,259	2,045	3,450	4,423	5,511	5,801	5,056	5,690	1
1983.....	784	1,294	2,378	3,522	4,574	5,611	5,838	5,085	5,328	4
1982.....	748	1,312	2,264	3,379	4,419	5,292	5,428	4,911	5,170	8
1981.....	763	1,404	2,273	3,347	4,532	5,309	5,508	4,713	5,120	8
1980.....	773	1,415	2,364	3,425	4,655	5,456	5,484	4,650	4,971	5
1979.....	754	1,303	2,297	3,240	4,349	5,049	5,236	4,666	4,648	6
TOTAL, MALE										
1998.....	1,062	1,426	2,007	2,644	3,588	4,572	4,842	4,095	3,765	-
1997.....	990	1,452	1,795	2,418	3,486	4,544	4,634	3,786	3,516	2
1996.....	1,059	1,376	1,803	2,564	3,519	4,373	4,447	3,652	3,253	-
1995.....	954	1,338	1,776	2,394	3,437	4,127	4,222	3,416	2,942	-
1994.....	848	1,208	1,576	2,366	3,288	4,040	3,825	3,169	2,876	1
1993.....	792	1,125	1,597	2,187	3,159	3,854	3,627	2,990	2,671	3
1992.....	813	993	1,431	2,126	2,908	3,468	3,396	2,651	2,442	1
1991.....	687	976	1,400	2,066	3,011	3,373	3,306	2,646	2,257	2
1990.....	646	901	1,316	2,120	2,927	3,116	3,295	2,456	2,132	2
1989.....	681	875	1,349	2,033	2,746	3,175	3,077	2,360	2,041	-
1988.....	591	764	1,130	1,810	2,377	2,535	2,571	1,991	1,891	-
1987.....	525	706	1,187	1,735	2,344	2,568	2,429	1,898	1,668	1
1986.....	491	641	1,136	1,646	2,127	2,437	2,311	1,815	1,640	3
1985.....	436	640	1,079	1,688	2,069	2,430	2,393	1,846	1,590	2
1984.....	441	687	1,017	1,594	2,028	2,308	2,335	1,808	1,613	-
1983.....	430	652	1,172	1,613	2,041	2,337	2,261	1,681	1,474	2
1982.....	411	675	1,115	1,567	2,012	2,250	2,161	1,669	1,387	-
1981.....	436	734	1,120	1,588	1,952	2,249	2,133	1,584	1,487	3
1980.....	386	708	1,162	1,589	2,037	2,279	2,133	1,631	1,481	1
1979.....	400	667	1,147	1,552	1,997	2,136	2,013	1,614	1,359	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
DIABETES MELLITUS (250)										
TOTAL, FEMALE										
1998.....	722	1,176	1,680	2,374	3,454	4,876	5,802	5,790	8,190	-
1997.....	777	1,116	1,717	2,440	3,469	4,812	5,589	5,583	7,870	-
1996.....	718	1,105	1,615	2,447	3,755	4,906	5,515	5,375	7,581	1
1995.....	679	1,025	1,579	2,439	3,660	5,007	5,204	5,293	7,144	1
1994.....	647	986	1,484	2,358	3,593	4,823	5,020	5,165	6,801	1
1993.....	615	917	1,433	2,261	3,472	4,499	4,882	4,823	6,525	6
1992.....	561	836	1,371	2,181	3,345	4,255	4,633	4,411	5,819	1
1991.....	500	871	1,361	2,184	3,429	4,021	4,430	4,293	5,762	-
1990.....	541	746	1,237	2,296	3,379	3,858	4,384	4,402	5,574	2
1989.....	497	731	1,275	2,285	3,299	3,948	4,458	4,265	5,429	1
1988.....	402	745	1,175	1,994	2,793	3,387	3,799	3,546	4,657	-
1987.....	376	651	1,076	1,916	2,608	3,269	3,673	3,470	4,450	1
1986.....	351	675	1,098	1,900	2,535	3,170	3,547	3,375	4,299	3
1985.....	337	578	1,103	1,949	2,528	3,132	3,665	3,404	4,227	6
1984.....	305	572	1,028	1,856	2,395	3,203	3,466	3,248	4,077	1
1983.....	354	642	1,206	1,909	2,533	3,274	3,577	3,404	3,854	2
1982.....	337	637	1,149	1,812	2,407	3,042	3,267	3,242	3,783	8
1981.....	327	670	1,153	1,759	2,580	3,060	3,375	3,129	3,633	5
1980.....	387	707	1,202	1,836	2,618	3,177	3,351	3,019	3,490	4
1979.....	354	636	1,150	1,688	2,352	2,913	3,223	3,052	3,289	4
WHITE, BOTH SEXES										
1998.....	1,251	1,853	2,599	3,735	5,421	7,464	8,816	8,396	10,293	-
1997.....	1,247	1,820	2,512	3,512	5,331	7,457	8,443	7,960	9,719	2
1996.....	1,253	1,766	2,488	3,703	5,669	7,368	8,288	7,658	9,378	-
1995.....	1,161	1,685	2,406	3,536	5,528	7,315	7,869	7,374	8,722	-
1994.....	1,085	1,560	2,199	3,554	5,393	7,135	7,378	7,048	8,401	1
1993.....	1,004	1,467	2,164	3,343	5,161	6,747	7,188	6,608	8,008	3
1992.....	1,005	1,287	2,037	3,177	4,870	6,331	6,746	6,007	7,192	1
1991.....	865	1,272	2,022	3,184	5,030	6,076	6,460	5,954	6,992	1
1990.....	840	1,144	1,865	3,332	4,979	5,674	6,474	5,882	6,770	1
1989.....	845	1,149	1,904	3,245	4,737	5,871	6,268	5,708	6,582	-
1988.....	718	1,061	1,698	2,874	4,057	4,816	5,275	4,783	5,774	-
1987.....	626	976	1,684	2,753	3,899	4,792	5,128	4,566	5,439	-
1986.....	598	916	1,632	2,693	3,729	4,577	4,954	4,448	5,218	3
1985.....	521	868	1,623	2,806	3,633	4,584	5,063	4,551	5,223	4
1984.....	545	896	1,528	2,632	3,496	4,503	4,948	4,418	5,145	-
1983.....	558	939	1,746	2,723	3,727	4,659	4,990	4,422	4,827	1
1982.....	542	963	1,724	2,630	3,595	4,466	4,700	4,312	4,692	5
1981.....	553	1,032	1,723	2,624	3,615	4,411	4,721	4,175	4,635	4
1980.....	552	1,042	1,772	2,676	3,699	4,566	4,697	4,124	4,498	1
1979.....	527	917	1,738	2,571	3,484	4,202	4,505	4,246	4,199	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
DIABETES MELLITUS (250)										
WHITE MALE										
1998.....	765	1,042	1,480	2,059	2,892	3,778	4,175	3,627	3,309	-
1997.....	703	1,061	1,346	1,832	2,784	3,772	3,980	3,306	3,079	2
1996.....	774	1,029	1,393	2,001	2,909	3,632	3,827	3,218	2,877	-
1995.....	703	972	1,336	1,839	2,782	3,458	3,645	3,000	2,569	-
1994.....	649	886	1,181	1,856	2,690	3,365	3,298	2,747	2,562	1
1993.....	583	848	1,183	1,729	2,573	3,232	3,197	2,593	2,337	3
1992.....	604	732	1,100	1,644	2,392	2,942	2,947	2,320	2,172	1
1991.....	512	715	1,079	1,614	2,452	2,896	2,868	2,305	2,015	1
1990.....	463	662	1,000	1,674	2,418	2,640	2,872	2,158	1,903	1
1989.....	500	650	1,010	1,590	2,231	2,687	2,662	2,081	1,816	-
1988.....	445	557	871	1,422	1,956	2,135	2,195	1,746	1,692	-
1987.....	363	527	928	1,379	1,925	2,205	2,121	1,668	1,503	-
1986.....	372	471	889	1,312	1,774	2,061	2,000	1,580	1,466	1
1985.....	308	485	857	1,359	1,715	2,087	2,045	1,628	1,432	-
1984.....	332	505	808	1,259	1,655	1,983	2,032	1,618	1,470	-
1983.....	307	505	904	1,298	1,745	2,004	1,964	1,485	1,353	-
1982.....	307	534	900	1,303	1,717	1,969	1,897	1,483	1,261	-
1981.....	330	568	904	1,334	1,635	1,937	1,858	1,431	1,362	2
1980.....	290	563	902	1,315	1,709	1,973	1,848	1,466	1,361	-
1979.....	289	507	909	1,303	1,676	1,845	1,750	1,483	1,231	1
WHITE FEMALE										
1998.....	486	811	1,119	1,676	2,529	3,686	4,641	4,769	6,984	-
1997.....	544	759	1,166	1,680	2,547	3,685	4,463	4,654	6,640	-
1996.....	479	737	1,095	1,702	2,760	3,736	4,461	4,440	6,501	-
1995.....	458	713	1,070	1,697	2,746	3,857	4,224	4,374	6,153	-
1994.....	436	674	1,018	1,698	2,703	3,770	4,080	4,301	5,839	-
1993.....	421	619	981	1,614	2,588	3,515	3,991	4,015	5,671	-
1992.....	401	555	937	1,533	2,478	3,389	3,799	3,687	5,020	-
1991.....	353	557	943	1,570	2,578	3,180	3,592	3,649	4,977	-
1990.....	377	482	865	1,658	2,561	3,034	3,602	3,724	4,867	-
1989.....	345	499	894	1,655	2,506	3,184	3,606	3,627	4,766	-
1988.....	273	504	827	1,452	2,101	2,681	3,080	3,037	4,082	-
1987.....	263	449	756	1,374	1,974	2,587	3,007	2,898	3,936	-
1986.....	226	445	743	1,381	1,955	2,516	2,954	2,868	3,752	2
1985.....	213	383	766	1,447	1,918	2,497	3,018	2,923	3,791	4
1984.....	213	391	720	1,373	1,841	2,520	2,916	2,800	3,675	-
1983.....	251	434	842	1,425	1,982	2,655	3,026	2,937	3,474	1
1982.....	235	429	824	1,327	1,878	2,497	2,803	2,829	3,431	5
1981.....	223	464	819	1,290	1,980	2,474	2,863	2,744	3,273	2
1980.....	262	479	870	1,361	1,990	2,593	2,849	2,658	3,137	1
1979.....	238	410	829	1,268	1,808	2,357	2,755	2,763	2,968	4

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
DIABETES MELLITUS (250)										
ALL OTHER, BOTH SEXES										
1998.....	533	749	1,088	1,283	1,621	1,984	1,828	1,489	1,662	-
1997.....	520	748	1,000	1,346	1,624	1,899	1,780	1,409	1,667	-
1996.....	524	715	930	1,308	1,605	1,911	1,674	1,369	1,456	1
1995.....	472	678	949	1,297	1,569	1,819	1,557	1,335	1,364	1
1994.....	410	634	861	1,170	1,488	1,728	1,467	1,286	1,276	1
1993.....	403	575	866	1,105	1,470	1,606	1,321	1,205	1,188	6
1992.....	369	542	765	1,130	1,383	1,392	1,283	1,055	1,069	1
1991.....	322	575	739	1,066	1,410	1,318	1,276	985	1,027	1
1990.....	347	503	688	1,084	1,327	1,300	1,205	976	936	3
1989.....	333	457	720	1,073	1,308	1,252	1,267	917	888	1
1988.....	275	448	607	930	1,113	1,106	1,095	754	774	-
1987.....	275	381	579	898	1,053	1,045	974	802	679	2
1986.....	244	400	602	853	933	1,030	904	742	721	3
1985.....	252	350	559	831	964	978	995	699	594	4
1984.....	201	363	517	818	927	1,008	853	638	545	1
1983.....	226	355	632	799	847	952	848	663	501	3
1982.....	206	349	540	749	824	826	728	599	478	3
1981.....	210	372	550	723	917	898	787	538	485	4
1980.....	221	373	592	749	956	890	787	526	473	4
1979.....	227	386	559	669	865	847	731	420	449	1
ALL OTHER MALE										
1998.....	297	384	527	585	696	794	667	468	456	-
1997.....	287	391	449	586	702	772	654	480	437	-
1996.....	285	347	410	563	610	741	620	434	376	-
1995.....	251	366	440	555	655	669	577	416	373	-
1994.....	199	322	395	510	598	675	527	422	314	-
1993.....	209	277	414	458	586	622	430	397	334	-
1992.....	209	261	331	482	516	526	449	331	270	-
1991.....	175	261	321	452	559	477	438	341	242	1
1990.....	183	239	316	446	509	476	423	298	229	1
1989.....	181	225	339	443	515	488	415	279	225	-
1988.....	146	207	259	388	421	400	376	245	199	-
1987.....	162	179	259	356	419	363	308	230	165	1
1986.....	119	170	247	334	353	376	311	235	174	2
1985.....	128	155	222	329	354	343	348	218	158	2
1984.....	109	182	209	335	373	325	303	190	143	-
1983.....	123	147	268	315	296	333	297	196	121	2
1982.....	104	141	215	264	295	281	264	186	126	-
1981.....	106	166	216	254	317	312	275	153	125	1
1980.....	96	145	260	274	328	306	285	165	120	1
1979.....	111	160	238	249	321	291	263	131	128	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
DIABETES MELLITUS (250)										
ALL OTHER FEMALE										
1998.....	236	365	561	698	925	1,190	1,161	1,021	1,206	-
1997.....	233	357	551	760	922	1,127	1,126	929	1,230	-
1996.....	239	368	520	745	995	1,170	1,054	935	1,080	1
1995.....	221	312	509	742	914	1,150	980	919	991	1
1994.....	211	312	466	660	890	1,053	940	864	962	1
1993.....	194	298	452	647	884	984	891	808	854	6
1992.....	160	281	434	648	867	866	834	724	799	1
1991.....	147	314	418	614	851	841	838	644	785	-
1990.....	164	264	372	638	818	824	782	678	707	2
1989.....	152	232	381	630	793	764	852	638	663	1
1988.....	129	241	348	542	692	706	719	509	575	-
1987.....	113	202	320	542	634	682	666	572	514	1
1986.....	125	230	355	519	580	654	593	507	547	1
1985.....	124	195	337	502	610	635	647	481	436	2
1984.....	92	181	308	483	554	683	550	448	402	1
1983.....	103	208	364	484	551	619	551	467	380	1
1982.....	102	208	325	485	529	545	464	413	352	3
1981.....	104	206	334	469	600	586	512	385	360	3
1980.....	125	228	332	475	628	584	502	361	353	3
1979.....	116	226	321	420	544	556	468	289	321	-
BLACK, BOTH SEXES										
1998.....	474	631	953	1,109	1,409	1,728	1,573	1,282	1,466	-
1997.....	471	661	875	1,171	1,398	1,627	1,513	1,224	1,454	-
1996.....	471	633	806	1,163	1,400	1,665	1,466	1,219	1,299	-
1995.....	435	599	829	1,137	1,381	1,601	1,348	1,167	1,224	1
1994.....	367	562	768	1,037	1,320	1,532	1,310	1,118	1,153	1
1993.....	366	523	772	976	1,319	1,458	1,175	1,077	1,054	5
1992.....	345	492	664	1,008	1,237	1,248	1,153	935	967	1
1991.....	294	525	681	960	1,269	1,206	1,150	874	959	1
1990.....	314	457	632	964	1,196	1,177	1,091	882	839	3
1989.....	307	406	651	979	1,196	1,127	1,146	797	807	1
1988.....	240	411	559	839	1,005	1,007	994	679	693	-
1987.....	258	350	511	826	960	943	883	737	608	2
1986.....	228	366	548	778	844	952	818	663	659	3
1985.....	233	320	499	754	878	900	922	647	533	4
1984.....	190	330	471	749	850	930	782	595	481	1
1983.....	216	334	582	743	786	871	765	624	458	2
1982.....	184	324	496	700	770	760	663	542	435	3
1981.....	193	343	506	671	856	829	735	490	448	4
1980.....	201	343	546	682	889	831	733	488	441	4
1979.....	212	358	523	633	808	794	671	379	405	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
DIABETES MELLITUS (250)										
BLACK MALE										
1998.....	256	318	446	487	587	679	550	395	372	-
1997.....	263	337	379	501	599	646	539	401	347	-
1996.....	260	302	345	479	522	624	533	378	312	-
1995.....	229	316	379	487	576	579	493	353	314	-
1994.....	173	288	349	457	523	590	456	350	267	-
1993.....	188	249	367	402	515	560	376	332	284	-
1992.....	196	230	284	424	449	461	393	280	226	-
1991.....	164	239	291	404	503	435	389	286	221	1
1990.....	161	212	285	395	457	414	368	255	198	1
1989.....	165	200	301	406	472	433	360	225	190	-
1988.....	124	191	235	350	377	350	334	206	163	-
1987.....	150	160	228	322	375	318	266	203	141	1
1986.....	111	153	225	301	304	334	268	199	150	2
1985.....	118	141	193	292	314	301	310	194	132	2
1984.....	102	162	187	298	332	289	269	174	117	-
1983.....	118	139	247	293	271	298	252	180	107	2
1982.....	93	130	197	238	273	252	231	159	113	-
1981.....	96	148	193	231	296	264	251	129	110	1
1980.....	85	131	239	250	301	276	262	153	111	1
1979.....	104	143	220	232	295	268	231	116	107	1
BLACK FEMALE										
1998.....	218	313	507	622	822	1,049	1,023	887	1,094	-
1997.....	208	324	496	670	799	981	974	823	1,107	-
1996.....	211	331	461	684	878	1,041	933	841	987	-
1995.....	206	283	450	650	805	1,022	855	814	910	1
1994.....	194	274	419	580	797	942	854	768	886	1
1993.....	178	274	405	574	804	898	799	745	770	5
1992.....	149	262	380	584	788	787	760	655	741	1
1991.....	130	286	390	556	766	771	761	588	738	-
1990.....	153	245	347	569	739	763	723	627	641	2
1989.....	142	206	350	573	724	694	786	572	617	1
1988.....	116	220	324	489	628	657	660	473	530	-
1987.....	108	190	283	504	585	625	617	534	467	1
1986.....	117	213	323	477	540	618	550	464	509	1
1985.....	115	179	306	462	564	599	612	453	401	2
1984.....	88	168	284	451	518	641	513	421	364	1
1983.....	98	195	335	450	515	573	513	444	351	-
1982.....	91	194	299	462	497	508	432	383	322	3
1981.....	97	195	313	440	560	565	484	361	338	3
1980.....	116	212	307	432	588	555	471	335	330	3
1979.....	108	215	303	401	513	526	440	263	298	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
NUTRITIONAL DEFICIENCIES (260-269)										
TOTAL, BOTH SEXES										
1998.....	23	33	49	70	136	208	452	714	2,311	-
1997.....	32	38	52	75	140	227	407	684	2,192	-
1996.....	28	39	51	60	118	242	424	600	2,078	1
1995.....	32	32	52	71	124	239	373	629	1,961	-
1994.....	26	27	44	71	125	223	382	592	1,878	1
1993.....	27	30	41	59	145	226	385	627	1,818	1
1992.....	28	32	39	64	119	214	347	553	1,644	-
1991.....	26	19	43	61	107	210	371	552	1,524	1
1990.....	22	23	49	76	137	194	377	531	1,532	1
1989.....	24	18	54	65	135	205	368	566	1,526	2
1988.....	17	19	38	82	135	220	355	552	1,468	-
1987.....	10	29	41	67	121	225	359	535	1,408	-
1986.....	18	23	50	86	137	260	345	481	1,377	1
1985.....	20	32	59	77	146	223	336	543	1,352	2
1984.....	12	27	47	78	132	234	323	455	1,222	-
1983.....	18	27	42	93	130	240	328	492	1,198	2
1982.....	18	26	56	77	131	231	347	442	1,015	3
1981.....	18	30	56	91	150	216	286	395	991	2
1980.....	28	29	58	95	148	224	311	417	960	-
1979.....	26	45	63	105	124	214	314	384	826	2
TOTAL, MALE										
1998.....	10	17	24	41	70	95	192	240	544	-
1997.....	19	16	27	38	65	109	172	219	519	-
1996.....	16	23	27	34	66	108	177	205	538	1
1995.....	18	14	30	39	54	104	140	236	510	-
1994.....	15	14	26	42	64	110	160	220	485	1
1993.....	10	17	23	28	98	116	168	248	501	-
1992.....	11	21	22	33	69	98	146	211	426	-
1991.....	16	12	22	31	50	104	160	222	426	1
1990.....	14	14	21	34	70	93	166	210	445	1
1989.....	14	9	31	34	67	94	151	214	440	2
1988.....	9	15	22	41	74	109	139	226	405	-
1987.....	4	15	28	38	73	98	171	215	413	-
1986.....	9	11	28	44	76	133	159	194	394	-
1985.....	13	12	33	46	72	114	146	212	395	-
1984.....	5	16	27	41	78	120	136	163	352	-
1983.....	11	11	21	56	72	136	154	181	374	1
1982.....	7	16	30	43	70	123	162	183	318	2
1981.....	12	20	27	46	83	99	135	161	308	2
1980.....	13	16	27	44	89	108	145	156	312	-
1979.....	11	28	23	54	73	87	145	163	275	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS		
NUTRITIONAL DEFICIENCIES (260-269)											
TOTAL, FEMALE											
1998.....	13	16	25	29	66	113	260	474	1,767	-	
1997.....	13	22	25	37	75	118	235	465	1,673	-	
1996.....	12	16	24	26	52	134	247	395	1,540	-	
1995.....	14	18	22	32	70	135	233	393	1,451	-	
1994.....	11	13	18	29	61	113	222	372	1,393	-	
1993.....	17	13	18	31	47	110	217	379	1,317	1	
1992.....	17	11	17	31	50	116	201	342	1,218	-	
1991.....	10	7	21	30	57	106	211	330	1,098	-	
1990.....	8	9	28	42	67	101	211	321	1,087	-	
1989.....	10	9	23	31	68	111	217	352	1,086	-	
1988.....	8	4	16	41	61	111	216	326	1,063	-	
1987.....	6	14	13	29	48	127	188	320	995	-	
1986.....	9	12	22	42	61	127	186	287	983	1	
1985.....	7	20	26	31	74	109	190	331	957	2	
1984.....	7	11	20	37	54	114	187	292	870	-	
1983.....	7	16	21	37	58	104	174	311	824	1	
1982.....	11	10	26	34	61	108	185	259	697	1	
1981.....	6	10	29	45	67	117	151	234	683	-	
1980.....	15	13	31	51	59	116	166	261	648	-	
1979.....	15	17	40	51	51	127	169	221	551	1	
WHITE, BOTH SEXES											
1998.....	18	30	41	57	106	171	396	611	2,049	-	
1997.....	21	27	41	56	107	185	358	608	1,990	-	
1996.....	21	28	35	50	86	204	373	528	1,886	1	
1995.....	25	21	39	54	96	203	305	545	1,778	-	
1994.....	19	18	33	57	102	196	328	516	1,695	1	
1993.....	20	22	31	40	109	183	326	545	1,660	-	
1992.....	18	22	25	47	91	168	278	467	1,466	-	
1991.....	23	15	33	48	79	161	321	486	1,330	1	
1990.....	9	15	30	55	106	146	318	444	1,369	1	
1989.....	20	15	37	47	104	163	300	484	1,345	1	
1988.....	12	12	21	59	105	172	306	481	1,299	-	
1987.....	9	16	30	49	96	184	307	466	1,271	-	
1986.....	10	17	34	73	106	216	274	411	1,242	1	
1985.....	11	26	45	60	113	178	288	470	1,243	2	
1984.....	11	22	35	52	107	184	254	398	1,117	-	
1983.....	12	22	31	69	105	183	274	425	1,081	1	
1982.....	12	19	42	60	103	182	287	382	905	1	
1981.....	13	17	46	74	124	172	246	348	881	1	
1980.....	20	21	41	74	118	190	258	366	869	-	
1979.....	17	33	46	90	87	172	269	333	748	2	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS		
NUTRITIONAL DEFICIENCIES (260-269)											
WHITE MALE											
1998.....	6	14	19	34	53	76	162	196	473	-	
1997.....	12	13	19	25	46	87	146	188	451	-	
1996.....	12	18	15	28	43	90	154	178	472	1	
1995.....	15	7	19	28	40	91	117	196	452	-	
1994.....	10	9	21	32	50	101	133	189	426	1	
1993.....	5	11	16	17	77	92	135	218	450	-	
1992.....	7	13	10	24	52	74	118	172	369	-	
1991.....	14	10	16	21	33	80	137	185	341	1	
1990.....	4	9	14	23	58	72	139	173	382	1	
1989.....	10	9	20	23	46	77	121	181	378	1	
1988.....	5	9	11	28	55	84	117	198	344	-	
1987.....	4	6	18	28	56	76	140	187	359	-	
1986.....	3	6	20	34	62	107	122	161	342	-	
1985.....	7	8	24	35	59	86	123	181	363	-	
1984.....	4	13	19	26	68	96	101	138	307	-	
1983.....	7	7	14	40	57	101	119	152	331	-	
1982.....	5	11	25	35	58	98	125	156	279	-	
1981.....	9	11	22	36	68	78	110	145	274	1	
1980.....	6	10	17	29	68	88	123	132	276	-	
1979.....	7	18	17	46	50	69	123	135	246	1	
WHITE FEMALE											
1998.....	12	16	22	23	53	95	234	415	1,576	-	
1997.....	9	14	22	31	61	98	212	420	1,539	-	
1996.....	9	10	20	22	43	114	219	350	1,414	-	
1995.....	10	14	20	26	56	112	188	349	1,326	-	
1994.....	9	9	12	25	52	95	195	327	1,269	-	
1993.....	15	11	15	23	32	91	191	327	1,210	-	
1992.....	11	9	15	23	39	94	160	295	1,097	-	
1991.....	9	5	17	27	46	81	184	301	989	-	
1990.....	5	6	16	32	48	74	179	271	987	-	
1989.....	10	6	17	24	58	86	179	303	967	-	
1988.....	7	3	10	31	50	88	189	283	955	-	
1987.....	5	10	12	21	40	108	167	279	912	-	
1986.....	7	11	14	39	44	109	152	250	900	1	
1985.....	4	18	21	25	54	92	165	289	880	2	
1984.....	7	9	16	26	39	88	153	260	810	-	
1983.....	5	15	17	29	48	82	155	273	750	1	
1982.....	7	8	17	25	45	84	162	226	626	1	
1981.....	4	6	24	38	56	94	136	203	607	-	
1980.....	14	11	24	45	50	102	135	234	593	-	
1979.....	10	15	29	44	37	103	146	198	502	1	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS		
NUTRITIONAL DEFICIENCIES (260-269)											
ALL OTHER, BOTH SEXES											
1998.....	5	3	8	13	30	37	56	103	262	-	
1997.....	11	11	11	19	33	42	49	76	202	-	
1996.....	7	11	16	10	32	38	51	72	192	-	
1995.....	7	11	13	17	28	36	68	84	183	-	
1994.....	7	9	11	14	23	27	54	76	183	-	
1993.....	7	8	10	19	36	43	59	82	158	1	
1992.....	10	10	14	17	28	46	69	86	178	-	
1991.....	3	4	10	13	28	49	50	66	194	-	
1990.....	13	8	19	21	31	48	59	87	163	-	
1989.....	4	3	17	18	31	42	68	82	181	1	
1988.....	5	7	17	23	30	48	49	71	169	-	
1987.....	1	13	11	18	25	41	52	69	137	-	
1986.....	8	6	16	13	31	44	71	70	135	-	
1985.....	9	6	14	17	33	45	48	73	109	-	
1984.....	1	5	12	26	25	50	69	57	105	-	
1983.....	6	5	11	24	25	57	54	67	117	1	
1982.....	6	7	14	17	28	49	60	60	110	2	
1981.....	5	13	10	17	26	44	40	47	110	1	
1980.....	8	8	17	21	30	34	53	51	91	-	
1979.....	9	12	17	15	37	42	45	51	78	-	
ALL OTHER MALE											
1998.....	4	3	5	7	17	19	30	44	71	-	
1997.....	7	3	8	13	19	22	26	31	68	-	
1996.....	4	5	12	6	23	18	23	27	66	-	
1995.....	3	7	11	11	14	13	23	40	58	-	
1994.....	5	5	5	10	14	9	27	31	59	-	
1993.....	5	6	7	11	21	24	33	30	51	-	
1992.....	4	8	12	9	17	24	28	39	57	-	
1991.....	2	2	6	10	17	24	23	37	85	-	
1990.....	10	5	7	11	12	21	27	37	63	-	
1989.....	4	-	11	11	21	17	30	33	62	1	
1988.....	4	6	11	13	19	25	22	28	61	-	
1987.....	-	9	10	10	17	22	31	28	54	-	
1986.....	6	5	8	10	14	26	37	33	52	-	
1985.....	6	4	9	11	13	28	23	31	32	-	
1984.....	1	3	8	15	10	24	35	25	45	-	
1983.....	4	4	7	16	15	35	35	29	43	1	
1982.....	2	5	5	8	12	25	37	27	39	2	
1981.....	3	9	5	10	15	21	25	16	34	1	
1980.....	7	6	10	15	21	20	22	24	36	-	
1979.....	4	10	6	8	23	18	22	28	29	-	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS		
NUTRITIONAL DEFICIENCIES (260-269)											
ALL OTHER FEMALE											
1998.....	1	-	3	6	13	18	26	59	191	-	
1997.....	4	8	3	6	14	20	23	45	134	-	
1996.....	3	6	4	4	9	20	28	45	126	-	
1995.....	4	4	2	6	14	23	45	44	125	-	
1994.....	2	4	6	4	9	18	27	45	124	-	
1993.....	2	2	3	8	15	19	26	52	107	1	
1992.....	6	2	2	8	11	22	41	47	121	-	
1991.....	1	2	4	3	11	25	27	29	109	-	
1990.....	3	3	12	10	19	27	32	50	100	-	
1989.....	-	3	6	7	10	25	38	49	119	-	
1988.....	1	1	6	10	11	23	27	43	108	-	
1987.....	1	4	1	8	8	19	21	41	83	-	
1986.....	2	1	8	3	17	18	34	37	83	-	
1985.....	3	2	5	6	20	17	25	42	77	-	
1984.....	-	2	4	11	15	26	34	32	60	-	
1983.....	2	1	4	8	10	22	19	38	74	-	
1982.....	4	2	9	9	16	24	23	33	71	-	
1981.....	2	4	5	7	11	23	15	31	76	-	
1980.....	1	2	7	6	9	14	31	27	55	-	
1979.....	5	2	11	7	14	24	23	23	49	-	
BLACK, BOTH SEXES											
1998.....	5	3	8	12	29	34	51	94	223	-	
1997.....	10	7	10	19	31	37	47	65	178	-	
1996.....	6	8	14	8	30	33	51	63	162	-	
1995.....	7	11	13	16	27	34	61	75	155	-	
1994.....	7	8	9	14	21	27	52	72	163	-	
1993.....	6	7	9	18	34	42	53	76	138	1	
1992.....	10	9	14	17	26	40	64	73	157	-	
1991.....	3	4	10	12	27	42	46	61	172	-	
1990.....	13	8	18	20	29	45	56	78	147	-	
1989.....	4	3	15	17	29	41	64	75	167	1	
1988.....	5	6	17	23	28	44	44	63	155	-	
1987.....	1	12	9	15	23	38	47	68	126	-	
1986.....	8	6	16	13	30	40	66	65	118	-	
1985.....	8	4	13	17	32	40	43	63	99	-	
1984.....	1	5	12	25	24	46	62	55	90	-	
1983.....	6	5	11	24	25	51	51	65	98	1	
1982.....	5	7	13	17	27	48	58	51	93	2	
1981.....	5	13	10	17	23	42	36	43	92	1	
1980.....	7	8	17	20	29	32	49	43	86	-	
1979.....	9	12	15	14	34	41	42	46	74	-	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS		
NUTRITIONAL DEFICIENCIES (260-269)											
BLACK MALE											
1998.....	4	3	5	7	17	18	27	38	58	-	
1997.....	6	3	7	13	18	19	25	28	55	-	
1996.....	3	4	12	4	22	16	23	24	53	-	
1995.....	3	7	11	10	14	12	20	35	50	-	
1994.....	5	5	5	10	12	9	25	30	51	-	
1993.....	4	6	7	10	20	23	28	29	44	-	
1992.....	4	7	12	9	15	20	27	32	50	-	
1991.....	2	2	6	9	16	19	20	33	75	-	
1990.....	10	5	7	11	12	21	25	33	54	-	
1989.....	4	-	10	11	19	16	29	30	55	1	
1988.....	4	5	11	13	17	24	21	25	56	-	
1987.....	-	9	9	8	15	20	31	27	50	-	
1986.....	6	5	8	10	13	23	35	32	44	-	
1985.....	5	3	8	11	13	25	21	25	25	-	
1984.....	1	3	8	14	10	22	30	23	38	-	
1983.....	4	4	7	16	15	32	32	28	38	1	
1982.....	2	5	5	8	12	24	36	20	32	2	
1981.....	3	9	5	10	13	19	22	14	26	1	
1980.....	6	6	10	15	20	19	21	20	33	-	
1979.....	4	10	6	8	21	17	21	25	28	-	
BLACK FEMALE											
1998.....	1	-	3	5	12	16	24	56	165	-	
1997.....	4	4	3	6	13	18	22	37	123	-	
1996.....	3	4	2	4	8	17	28	39	109	-	
1995.....	4	4	2	6	13	22	41	40	105	-	
1994.....	2	3	4	4	9	18	27	42	112	-	
1993.....	2	1	2	8	14	19	25	47	94	1	
1992.....	6	2	2	8	11	20	37	41	107	-	
1991.....	1	2	4	3	11	23	26	28	97	-	
1990.....	3	3	11	9	17	24	31	45	93	-	
1989.....	-	3	5	6	10	25	35	45	112	-	
1988.....	1	1	6	10	11	20	23	38	99	-	
1987.....	1	3	-	7	8	18	16	41	76	-	
1986.....	2	1	8	3	17	17	31	33	74	-	
1985.....	3	1	5	6	19	15	22	38	74	-	
1984.....	-	2	4	11	14	24	32	32	52	-	
1983.....	2	1	4	8	10	19	19	37	60	-	
1982.....	3	2	8	9	15	24	22	31	61	-	
1981.....	2	4	5	7	10	23	14	29	66	-	
1980.....	1	2	7	5	9	13	28	23	53	-	
1979.....	5	2	9	6	13	24	21	21	46	-	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
ANEMIAS (280-285)										
TOTAL, BOTH SEXES										
1998.....	101	101	91	144	214	358	555	706	1,693	-
1997.....	98	92	83	138	207	357	532	726	1,687	-
1996.....	108	92	119	140	210	378	501	665	1,532	1
1995.....	84	87	103	146	230	373	531	709	1,627	-
1994.....	99	99	83	148	212	377	537	661	1,455	-
1993.....	78	87	103	133	223	341	514	682	1,496	1
1992.....	85	85	90	134	235	381	520	614	1,379	-
1991.....	87	79	92	161	233	346	553	642	1,331	-
1990.....	61	95	98	174	250	354	496	628	1,299	-
1989.....	86	80	96	168	276	364	468	641	1,207	1
1988.....	75	60	120	145	225	354	533	595	1,186	-
1987.....	59	73	115	151	233	364	504	573	1,161	-
1986.....	56	60	98	146	222	353	495	628	1,100	-
1985.....	59	74	122	170	235	360	506	586	1,047	-
1984.....	55	70	96	164	266	342	475	535	989	1
1983.....	55	65	132	183	259	340	479	517	898	2
1982.....	44	62	90	172	256	329	438	526	832	-
1981.....	69	75	115	160	285	357	438	473	815	-
1980.....	54	83	105	177	249	340	446	476	754	-
1979.....	57	85	117	155	218	351	388	484	728	1
TOTAL, MALE										
1998.....	52	51	55	75	106	193	241	306	498	-
1997.....	47	44	43	71	92	164	266	294	493	-
1996.....	54	46	74	72	105	202	240	302	428	1
1995.....	47	42	50	61	127	182	224	297	476	-
1994.....	48	56	39	77	103	196	254	266	487	-
1993.....	32	42	51	72	109	161	248	256	463	-
1992.....	48	39	38	66	114	192	225	248	456	-
1991.....	42	35	48	76	113	166	236	263	452	-
1990.....	34	52	50	74	113	187	236	250	412	-
1989.....	51	36	44	86	123	167	206	271	376	1
1988.....	42	31	58	74	115	190	244	224	347	-
1987.....	31	39	62	90	100	203	236	238	348	-
1986.....	37	31	45	67	109	169	236	259	384	-
1985.....	31	36	54	98	107	178	231	258	345	-
1984.....	22	42	44	88	140	164	222	230	323	1
1983.....	27	36	64	95	128	170	218	206	323	-
1982.....	22	29	44	94	125	153	212	214	271	-
1981.....	34	34	53	95	132	178	217	214	283	-
1980.....	25	38	55	84	128	156	185	201	257	-
1979.....	27	42	59	79	125	176	177	213	258	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ANEMIAS (280-285)										
TOTAL, FEMALE										
1998.....	49	50	36	69	108	165	314	400	1,195	-
1997.....	51	48	40	67	115	193	266	432	1,194	-
1996.....	54	46	45	68	105	176	261	363	1,104	-
1995.....	37	45	53	85	103	191	307	412	1,151	-
1994.....	51	43	44	71	109	181	283	395	968	-
1993.....	46	45	52	61	114	180	266	426	1,033	1
1992.....	37	46	52	68	121	189	295	366	923	-
1991.....	45	44	44	85	120	180	317	379	879	-
1990.....	27	43	48	100	137	167	260	378	887	-
1989.....	35	44	52	82	153	197	262	370	831	-
1988.....	33	29	62	71	110	164	289	371	839	-
1987.....	28	34	53	61	133	161	268	335	813	-
1986.....	19	29	53	79	113	184	259	369	716	-
1985.....	28	38	68	72	128	182	275	328	702	-
1984.....	33	28	52	76	126	178	253	305	666	-
1983.....	28	29	68	88	131	170	261	311	575	2
1982.....	22	33	46	78	131	176	226	312	561	-
1981.....	35	41	62	65	153	179	221	259	532	-
1980.....	29	45	50	93	121	184	261	275	497	-
1979.....	30	43	58	76	93	175	211	271	470	1
WHITE, BOTH SEXES										
1998.....	50	49	55	101	163	296	479	635	1,519	-
1997.....	30	58	45	106	155	295	476	652	1,519	-
1996.....	43	49	76	100	173	330	435	591	1,377	-
1995.....	35	46	71	100	194	301	443	621	1,465	-
1994.....	37	55	61	108	163	316	473	586	1,315	-
1993.....	30	46	63	100	180	286	439	618	1,346	-
1992.....	44	50	61	111	192	314	435	552	1,261	-
1991.....	30	49	61	126	176	291	482	575	1,197	-
1990.....	26	53	68	137	196	299	418	571	1,182	-
1989.....	43	41	69	115	228	310	409	581	1,094	-
1988.....	36	38	83	119	182	316	465	533	1,083	-
1987.....	29	51	86	123	189	313	451	527	1,074	-
1986.....	30	40	75	118	187	319	428	568	1,006	-
1985.....	25	49	95	128	196	306	446	529	964	-
1984.....	24	52	75	132	221	292	424	494	913	1
1983.....	30	37	92	150	217	299	438	472	836	1
1982.....	21	43	69	145	210	290	389	470	766	-
1981.....	43	48	90	131	240	319	394	430	764	-
1980.....	30	57	76	140	208	286	403	431	702	-
1979.....	36	59	87	125	182	304	342	440	672	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ANEMIAS (280-285)										
WHITE MALE										
1998.....	30	25	32	49	84	157	209	279	446	-
1997.....	19	24	26	55	73	143	238	267	439	-
1996.....	22	25	50	53	91	179	208	274	389	-
1995.....	20	25	35	48	111	143	188	267	433	-
1994.....	21	34	29	59	80	162	227	238	444	-
1993.....	12	19	34	59	87	135	217	237	424	-
1992.....	29	24	27	60	91	161	190	226	422	-
1991.....	15	20	32	60	92	142	201	228	412	-
1990.....	15	30	33	55	93	155	191	224	372	-
1989.....	29	20	30	61	105	144	185	243	340	-
1988.....	22	18	44	64	92	177	212	200	316	-
1987.....	15	30	48	78	80	178	213	213	321	-
1986.....	20	23	36	56	93	157	208	236	348	-
1985.....	11	25	39	77	89	157	207	234	318	-
1984.....	10	31	37	70	114	140	200	211	297	1
1983.....	11	20	47	77	108	150	196	186	304	-
1982.....	10	21	34	81	106	138	188	197	249	-
1981.....	21	23	43	78	113	161	193	189	262	-
1980.....	15	32	39	69	105	131	171	181	241	-
1979.....	18	29	48	66	109	155	162	199	239	-
WHITE FEMALE										
1998.....	20	24	23	52	79	139	270	356	1,073	-
1997.....	11	34	19	51	82	152	238	385	1,080	-
1996.....	21	24	26	47	82	151	227	317	988	-
1995.....	15	21	36	52	83	158	255	354	1,032	-
1994.....	16	21	32	49	83	154	246	348	871	-
1993.....	18	27	29	41	93	151	222	381	922	-
1992.....	15	26	34	51	101	153	245	326	839	-
1991.....	15	29	29	66	84	149	281	347	785	-
1990.....	11	23	35	82	103	144	227	347	810	-
1989.....	14	21	39	54	123	166	224	338	754	-
1988.....	14	20	39	55	90	139	253	333	767	-
1987.....	14	21	38	45	109	135	238	314	753	-
1986.....	10	17	39	62	94	162	220	332	658	-
1985.....	14	24	56	51	107	149	239	295	646	-
1984.....	14	21	38	62	107	152	224	283	616	-
1983.....	19	17	45	73	109	149	242	286	532	1
1982.....	11	22	35	64	104	152	201	273	517	-
1981.....	22	25	47	53	127	158	201	241	502	-
1980.....	15	25	37	71	103	155	232	250	461	-
1979.....	18	30	39	59	73	149	180	241	433	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ANEMIAS (280-285)										
ALL OTHER, BOTH SEXES										
1998.....	51	52	36	43	51	62	76	71	174	-
1997.....	68	34	38	32	52	62	56	74	168	-
1996.....	65	43	43	40	37	48	66	74	155	1
1995.....	49	41	32	46	36	72	88	88	162	-
1994.....	62	44	22	40	49	61	64	75	140	-
1993.....	48	41	40	33	43	55	75	64	150	1
1992.....	41	35	29	23	43	67	85	62	118	-
1991.....	57	30	31	35	57	55	71	67	134	-
1990.....	35	42	30	37	54	55	78	57	117	-
1989.....	43	39	27	53	48	54	59	60	113	1
1988.....	39	22	37	26	43	38	68	62	103	-
1987.....	30	22	29	28	44	51	53	46	87	-
1986.....	26	20	23	28	35	34	67	60	94	-
1985.....	34	25	27	42	39	54	60	57	83	-
1984.....	31	18	21	32	45	50	51	41	76	-
1983.....	25	28	40	33	42	41	41	45	62	1
1982.....	23	19	21	27	46	39	49	56	66	-
1981.....	26	27	25	29	45	38	44	43	51	-
1980.....	24	26	29	37	41	54	43	45	52	-
1979.....	21	26	30	30	36	47	46	44	56	1
ALL OTHER MALE										
1998.....	22	26	23	26	22	36	32	27	52	-
1997.....	28	20	17	16	19	21	28	27	54	-
1996.....	32	21	24	19	14	23	32	28	39	1
1995.....	27	17	15	13	16	39	36	30	43	-
1994.....	27	22	10	18	23	34	27	28	43	-
1993.....	20	23	17	13	22	26	31	19	39	-
1992.....	19	15	11	6	23	31	35	22	34	-
1991.....	27	15	16	16	21	24	35	35	40	-
1990.....	19	22	17	19	20	32	45	26	40	-
1989.....	22	16	14	25	18	23	21	28	36	1
1988.....	20	13	14	10	23	13	32	24	31	-
1987.....	16	9	14	12	20	25	23	25	27	-
1986.....	17	8	9	11	16	12	28	23	36	-
1985.....	20	11	15	21	18	21	24	24	27	-
1984.....	12	11	7	18	26	24	22	19	26	-
1983.....	16	16	17	18	20	20	22	20	19	-
1982.....	12	8	10	13	19	15	24	17	22	-
1981.....	13	11	10	17	19	17	24	25	21	-
1980.....	10	6	16	15	23	25	14	20	16	-
1979.....	9	13	11	13	16	21	15	14	19	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ANEMIAS (280-285)										
ALL OTHER FEMALE										
1998.....	29	26	13	17	29	26	44	44	122	-
1997.....	40	14	21	16	33	41	28	47	114	-
1996.....	33	22	19	21	23	25	34	46	116	-
1995.....	22	24	17	33	20	33	52	58	119	-
1994.....	35	22	12	22	26	27	37	47	97	-
1993.....	28	18	23	20	21	29	44	45	111	1
1992.....	22	20	18	17	20	36	50	40	84	-
1991.....	30	15	15	19	36	31	36	32	94	-
1990.....	16	20	13	18	34	23	33	31	77	-
1989.....	21	23	13	28	30	31	38	32	77	-
1988.....	19	9	23	16	20	25	36	38	72	-
1987.....	14	13	15	16	24	26	30	21	60	-
1986.....	9	12	14	17	19	22	39	37	58	-
1985.....	14	14	12	21	21	33	36	33	56	-
1984.....	19	7	14	14	19	26	29	22	50	-
1983.....	9	12	23	15	22	21	19	25	43	1
1982.....	11	11	11	14	27	24	25	39	44	-
1981.....	13	16	15	12	26	21	20	18	30	-
1980.....	14	20	13	22	18	29	29	25	36	-
1979.....	12	13	19	17	20	26	31	30	37	1
BLACK, BOTH SEXES										
1998.....	49	49	34	41	42	46	68	61	156	-
1997.....	66	34	35	30	48	54	49	65	152	-
1996.....	62	41	40	38	31	43	58	68	141	1
1995.....	47	41	31	41	33	61	76	73	148	-
1994.....	58	44	22	37	48	53	61	68	124	-
1993.....	45	41	37	30	39	48	70	58	137	-
1992.....	41	32	26	22	37	63	79	59	106	-
1991.....	57	28	26	28	55	50	66	63	126	-
1990.....	32	40	24	34	49	49	71	54	106	-
1989.....	41	38	25	49	45	46	54	56	106	1
1988.....	39	22	36	26	38	34	61	57	93	-
1987.....	29	21	26	24	43	47	49	40	77	-
1986.....	25	20	23	26	33	31	57	54	83	-
1985.....	34	24	24	40	36	50	56	51	73	-
1984.....	30	17	20	28	39	45	46	40	72	-
1983.....	23	27	39	32	39	38	38	43	56	1
1982.....	23	19	19	27	42	33	46	51	59	-
1981.....	26	27	21	27	43	37	43	40	48	-
1980.....	23	26	28	36	35	53	38	42	50	-
1979.....	17	26	30	29	35	45	45	43	51	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ANEMIAS (280-285)										
BLACK MALE										
1998.....	20	25	21	24	15	26	28	22	44	-
1997.....	28	20	17	14	18	19	26	24	48	-
1996.....	30	20	21	18	13	20	28	27	32	1
1995.....	25	17	14	12	15	32	32	24	33	-
1994.....	24	22	10	17	22	31	25	25	36	-
1993.....	19	23	16	12	18	23	31	16	32	-
1992.....	19	13	10	6	21	29	30	20	28	-
1991.....	27	14	15	14	19	21	32	32	36	-
1990.....	19	21	13	17	18	29	41	23	35	-
1989.....	21	15	13	24	16	18	19	26	35	1
1988.....	20	13	13	10	18	12	26	22	26	-
1987.....	16	9	12	9	20	22	21	22	22	-
1986.....	16	8	9	10	16	10	23	20	31	-
1985.....	20	10	13	20	18	19	22	20	21	-
1984.....	11	11	7	15	22	22	18	18	23	-
1983.....	14	15	17	17	18	19	20	20	16	-
1982.....	12	8	9	13	16	12	22	16	17	-
1981.....	13	11	7	16	18	16	23	23	20	-
1980.....	10	6	15	15	19	25	11	19	14	-
1979.....	8	13	11	12	16	20	15	13	17	-
BLACK FEMALE										
1998.....	29	24	13	17	27	20	40	39	112	-
1997.....	38	14	18	16	30	35	23	41	104	-
1996.....	32	21	19	20	18	23	30	41	109	-
1995.....	22	24	17	29	18	29	44	49	115	-
1994.....	34	22	12	20	26	22	36	43	88	-
1993.....	26	18	21	18	21	25	39	42	105	-
1992.....	22	19	16	16	16	34	49	39	78	-
1991.....	30	14	11	14	36	29	34	31	90	-
1990.....	13	19	11	17	31	20	30	31	71	-
1989.....	20	23	12	25	29	28	35	30	71	-
1988.....	19	9	23	16	20	22	35	35	67	-
1987.....	13	12	14	15	23	25	28	18	55	-
1986.....	9	12	14	16	17	21	34	34	52	-
1985.....	14	14	11	20	18	31	34	31	52	-
1984.....	19	6	13	13	17	23	28	22	49	-
1983.....	9	12	22	15	21	19	18	23	40	1
1982.....	11	11	10	14	26	21	24	35	42	-
1981.....	13	16	14	11	25	21	20	17	28	-
1980.....	13	20	13	21	16	28	27	23	36	-
1979.....	9	13	19	17	19	25	30	30	34	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MENINGITIS (320-322)										
TOTAL, BOTH SEXES										
1998.....	49	43	39	39	49	47	56	50	41	-
1997.....	44	43	45	40	51	48	74	45	53	-
1996.....	53	36	34	42	47	60	63	53	49	3
1995.....	51	37	38	56	50	48	43	44	54	-
1994.....	41	39	42	50	40	71	55	51	49	-
1993.....	42	32	36	39	71	58	66	60	50	-
1992.....	27	39	47	44	56	63	66	52	58	-
1991.....	33	29	38	58	76	71	69	71	75	-
1990.....	37	44	49	67	70	76	67	61	61	-
1989.....	38	45	38	68	87	74	59	63	65	2
1988.....	39	36	51	71	86	103	92	70	80	-
1987.....	38	53	50	77	72	88	61	71	83	-
1986.....	33	36	61	93	81	94	85	67	70	-
1985.....	23	45	67	62	75	98	102	73	64	-
1984.....	27	43	72	73	62	73	82	74	63	1
1983.....	44	36	54	82	88	84	81	61	60	3
1982.....	33	49	61	77	75	74	75	53	82	-
1981.....	51	51	82	80	77	70	73	57	68	1
1980.....	28	50	62	84	79	94	57	61	45	-
1979.....	38	48	68	81	88	81	64	57	46	-
TOTAL, MALE										
1998.....	34	27	22	18	29	29	29	22	8	-
1997.....	33	28	27	23	30	26	34	18	15	-
1996.....	35	28	19	27	27	30	31	21	14	3
1995.....	26	28	24	28	29	22	21	16	14	-
1994.....	26	24	23	23	20	30	27	16	21	-
1993.....	26	16	18	22	42	27	31	26	15	-
1992.....	15	24	35	21	24	32	26	22	17	-
1991.....	20	17	20	37	33	26	25	26	26	-
1990.....	23	27	23	35	32	35	26	22	22	-
1989.....	28	24	21	37	51	29	19	25	23	1
1988.....	27	24	36	41	40	41	34	20	28	-
1987.....	23	33	28	53	34	54	29	24	22	-
1986.....	16	16	31	53	44	36	42	28	20	-
1985.....	15	21	35	31	36	53	42	25	20	-
1984.....	13	27	41	39	36	35	48	27	15	-
1983.....	26	21	29	48	41	37	30	19	20	2
1982.....	16	30	36	47	40	36	22	17	31	-
1981.....	30	36	46	42	41	31	31	15	24	1
1980.....	18	32	36	58	38	46	30	28	13	-
1979.....	20	28	46	47	47	36	29	24	15	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
MENINGITIS (320-322)										
TOTAL, FEMALE										
1998.....	15	16	17	21	20	18	27	28	33	-
1997.....	11	15	18	17	21	22	40	27	38	-
1996.....	18	8	15	15	20	30	32	32	35	-
1995.....	25	9	14	28	21	26	22	28	40	-
1994.....	15	15	19	27	20	41	28	35	28	-
1993.....	16	16	18	17	29	31	35	34	35	-
1992.....	12	15	12	23	32	31	40	30	41	-
1991.....	13	12	18	21	43	45	44	45	49	-
1990.....	14	17	26	32	38	41	41	39	39	-
1989.....	10	21	17	31	36	45	40	38	42	1
1988.....	12	12	15	30	46	62	58	50	52	-
1987.....	15	20	22	24	38	34	32	47	61	-
1986.....	17	20	30	40	37	58	43	39	50	-
1985.....	8	24	32	31	39	45	60	48	44	-
1984.....	14	16	31	34	26	38	34	47	48	1
1983.....	18	15	25	34	47	47	51	42	40	1
1982.....	17	19	25	30	35	38	53	36	51	-
1981.....	21	15	36	38	36	39	42	42	44	-
1980.....	10	18	26	26	41	48	27	33	32	-
1979.....	18	20	22	34	41	45	35	33	31	-
WHITE, BOTH SEXES										
1998.....	31	32	26	27	37	36	50	43	35	-
1997.....	25	31	35	32	35	38	62	38	46	-
1996.....	32	27	23	31	38	49	55	46	38	2
1995.....	32	28	21	45	44	37	32	36	46	-
1994.....	25	21	31	43	33	62	39	46	39	-
1993.....	29	22	24	25	52	45	60	48	40	-
1992.....	18	24	30	37	41	52	59	40	53	-
1991.....	25	22	32	39	60	55	58	55	55	-
1990.....	21	25	36	54	60	60	50	47	48	-
1989.....	18	25	21	45	66	53	48	55	52	1
1988.....	18	19	36	52	62	85	69	53	63	-
1987.....	24	31	31	57	56	72	47	60	64	-
1986.....	19	26	45	65	64	74	67	56	56	-
1985.....	12	30	55	42	60	78	83	63	57	-
1984.....	18	24	48	51	43	63	65	61	54	-
1983.....	26	28	42	63	61	61	70	49	53	3
1982.....	19	31	45	54	61	60	56	42	71	-
1981.....	28	35	56	60	56	49	55	47	61	-
1980.....	16	33	48	66	50	74	45	51	36	-
1979.....	19	33	44	58	61	67	51	49	33	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MENINGITIS (320-322)										
WHITE MALE										
1998.....	23	18	16	11	20	22	27	19	5	-
1997.....	20	19	23	17	19	24	28	15	14	-
1996.....	21	22	13	18	23	25	29	17	10	2
1995.....	13	22	14	21	27	20	15	14	12	-
1994.....	16	10	15	23	18	26	16	16	15	-
1993.....	17	10	9	16	32	21	29	18	13	-
1992.....	11	12	21	16	21	28	24	16	13	-
1991.....	16	13	17	24	28	21	21	19	20	-
1990.....	12	17	15	29	27	27	20	15	16	-
1989.....	13	12	13	24	39	23	15	23	21	1
1988.....	10	12	26	31	30	34	25	14	21	-
1987.....	15	20	18	40	27	47	23	17	21	-
1986.....	10	10	24	35	36	28	32	25	18	-
1985.....	10	15	30	22	28	43	29	22	19	-
1984.....	10	14	26	29	24	29	39	21	15	-
1983.....	15	17	22	37	32	29	24	12	20	2
1982.....	7	18	26	33	34	29	16	13	25	-
1981.....	23	27	33	31	26	24	23	11	21	-
1980.....	9	24	26	48	23	36	24	25	10	-
1979.....	13	18	30	31	35	31	22	20	8	-
WHITE FEMALE										
1998.....	8	14	10	16	17	14	23	24	30	-
1997.....	5	12	12	15	16	14	34	23	32	-
1996.....	11	5	10	13	15	24	26	29	28	-
1995.....	19	6	7	24	17	17	17	22	34	-
1994.....	9	11	16	20	15	36	23	30	24	-
1993.....	12	12	15	9	20	24	31	30	27	-
1992.....	7	12	9	21	20	24	35	24	40	-
1991.....	9	9	15	15	32	34	37	36	35	-
1990.....	9	8	21	25	33	33	30	32	32	-
1989.....	5	13	8	21	27	30	33	32	31	-
1988.....	8	7	10	21	32	51	44	39	42	-
1987.....	9	11	13	17	29	25	24	43	43	-
1986.....	9	16	21	30	28	46	35	31	38	-
1985.....	2	15	25	20	32	35	54	41	38	-
1984.....	8	10	22	22	19	34	26	40	39	-
1983.....	11	11	20	26	29	32	46	37	33	1
1982.....	12	13	19	21	27	31	40	29	46	-
1981.....	5	8	23	29	30	25	32	36	40	-
1980.....	7	9	22	18	27	38	21	26	26	-
1979.....	6	15	14	27	26	36	29	29	25	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MENINGITIS (320-322)										
ALL OTHER, BOTH SEXES										
1998.....	18	11	13	12	12	11	6	7	6	-
1997.....	19	12	10	8	16	10	12	7	7	-
1996.....	21	9	11	11	9	11	8	7	11	1
1995.....	19	9	17	11	6	11	11	8	8	-
1994.....	16	18	11	7	7	9	16	5	10	-
1993.....	13	10	12	14	19	13	6	12	10	-
1992.....	9	15	17	7	15	11	7	12	5	-
1991.....	8	7	6	19	16	16	11	16	20	-
1990.....	16	19	13	13	10	16	17	14	13	-
1989.....	20	20	17	23	21	21	11	8	13	1
1988.....	21	17	15	19	24	18	23	17	17	-
1987.....	14	22	19	20	16	16	14	11	19	-
1986.....	14	10	16	28	17	20	18	11	14	-
1985.....	11	15	12	20	15	20	19	10	7	-
1984.....	9	19	24	22	19	10	17	13	9	1
1983.....	18	8	12	19	27	23	11	12	7	-
1982.....	14	18	16	23	14	14	19	11	11	-
1981.....	23	16	26	20	21	21	18	10	7	1
1980.....	12	17	14	18	29	20	12	10	9	-
1979.....	19	15	24	23	27	14	13	8	13	-
ALL OTHER MALE										
1998.....	11	9	6	7	9	7	2	3	3	-
1997.....	13	9	4	6	11	2	6	3	1	-
1996.....	14	6	6	9	4	5	2	4	4	1
1995.....	13	6	10	7	2	2	6	2	2	-
1994.....	10	14	8	-	2	4	11	-	6	-
1993.....	9	6	9	6	10	6	2	8	2	-
1992.....	4	12	14	5	3	4	2	6	4	-
1991.....	4	4	3	13	5	5	4	7	6	-
1990.....	11	10	8	6	5	8	6	7	6	-
1989.....	15	12	8	13	12	6	4	2	2	-
1988.....	17	12	10	10	10	7	9	6	7	-
1987.....	8	13	10	13	7	7	6	7	1	-
1986.....	6	6	7	18	8	8	10	3	2	-
1985.....	5	6	5	9	8	10	13	3	1	-
1984.....	3	13	15	10	12	6	9	6	-	-
1983.....	11	4	7	11	9	8	6	7	-	-
1982.....	9	12	10	14	6	7	6	4	6	-
1981.....	7	9	13	11	15	7	8	4	3	1
1980.....	9	8	10	10	15	10	6	3	3	-
1979.....	7	10	16	16	12	5	7	4	7	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MENINGITIS (320-322)										
ALL OTHER FEMALE										
1998.....	7	2	7	5	3	4	4	4	3	-
1997.....	6	3	6	2	5	8	6	4	6	-
1996.....	7	3	5	2	5	6	6	3	7	-
1995.....	6	3	7	4	4	9	5	6	6	-
1994.....	6	4	3	7	5	5	5	5	4	-
1993.....	4	4	3	8	9	7	4	4	8	-
1992.....	5	3	3	2	12	7	5	6	1	-
1991.....	4	3	3	6	11	11	7	9	14	-
1990.....	5	9	5	7	5	8	11	7	7	-
1989.....	5	8	9	10	9	15	7	6	11	1
1988.....	4	5	5	9	14	11	14	11	10	-
1987.....	6	9	9	7	9	9	8	4	18	-
1986.....	8	4	9	10	9	12	8	8	12	-
1985.....	6	9	7	11	7	10	6	7	6	-
1984.....	6	6	9	12	7	4	8	7	9	1
1983.....	7	4	5	8	18	15	5	5	7	-
1982.....	5	6	6	9	8	7	13	7	5	-
1981.....	16	7	13	9	6	14	10	6	4	-
1980.....	3	9	4	8	14	10	6	7	6	-
1979.....	12	5	8	7	15	9	6	4	6	-
BLACK, BOTH SEXES										
1998.....	16	11	9	12	12	11	5	4	6	-
1997.....	18	11	7	8	13	8	11	5	6	-
1996.....	19	8	9	11	7	10	7	5	11	1
1995.....	17	9	15	11	6	7	10	7	7	-
1994.....	15	18	10	6	7	8	13	3	9	-
1993.....	12	9	11	12	15	10	6	11	9	-
1992.....	9	13	16	7	12	10	6	12	5	-
1991.....	8	6	6	16	15	14	11	15	19	-
1990.....	16	17	13	13	9	13	16	13	10	-
1989.....	20	19	16	19	19	17	11	8	12	1
1988.....	20	17	14	18	21	17	22	16	16	-
1987.....	11	22	15	20	15	15	14	10	19	-
1986.....	12	10	12	24	17	19	18	10	13	-
1985.....	11	15	10	20	14	20	15	8	7	-
1984.....	9	19	22	21	18	10	16	13	9	-
1983.....	17	7	11	17	27	23	11	11	6	-
1982.....	14	17	14	23	12	14	19	10	10	-
1981.....	21	14	22	18	18	20	15	10	7	1
1980.....	11	16	14	17	27	20	12	9	7	-
1979.....	16	13	21	23	22	14	12	8	13	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MENINGITIS (320-322)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
BLACK MALE										
1998.....	10	9	6	7	9	7	1	2	3	-
1997.....	13	8	2	6	8	1	5	3	1	-
1996.....	12	5	6	9	3	5	2	2	4	1
1995.....	11	6	9	7	2	1	5	2	1	-
1994.....	9	14	8	-	2	4	8	-	5	-
1993.....	9	6	9	6	6	5	2	7	1	-
1992.....	4	10	14	5	1	3	1	6	4	-
1991.....	4	3	3	10	4	3	4	6	6	-
1990.....	11	8	8	6	4	6	6	7	5	-
1989.....	15	11	8	11	10	5	4	2	2	-
1988.....	16	12	9	9	8	6	9	5	6	-
1987.....	6	13	9	13	7	6	6	6	1	-
1986.....	6	6	6	16	8	7	10	2	2	-
1985.....	5	6	4	9	8	10	10	2	1	-
1984.....	3	13	13	10	11	6	8	6	-	-
1983.....	10	4	7	10	9	8	6	7	-	-
1982.....	9	11	9	14	6	7	6	4	6	-
1981.....	6	8	11	9	13	6	6	4	3	1
1980.....	8	7	10	9	13	10	6	3	3	-
1979.....	6	9	15	16	10	5	6	4	7	-
BLACK FEMALE										
1998.....	6	2	3	5	3	4	4	2	3	-
1997.....	5	3	5	2	5	7	6	2	5	-
1996.....	7	3	3	2	4	5	5	3	7	-
1995.....	6	3	6	4	4	6	5	5	6	-
1994.....	6	4	2	6	5	4	5	3	4	-
1993.....	3	3	2	6	9	5	4	4	8	-
1992.....	5	3	2	2	11	7	5	6	1	-
1991.....	4	3	3	6	11	11	7	9	13	-
1990.....	5	9	5	7	5	7	10	6	5	-
1989.....	5	8	8	8	9	12	7	6	10	1
1988.....	4	5	5	9	13	11	13	11	10	-
1987.....	5	9	6	7	8	9	8	4	18	-
1986.....	6	4	6	8	9	12	8	8	11	-
1985.....	6	9	6	11	6	10	5	6	6	-
1984.....	6	6	9	11	7	4	8	7	9	-
1983.....	7	3	4	7	18	15	5	4	6	-
1982.....	5	6	5	9	6	7	13	6	4	-
1981.....	15	6	11	9	5	14	9	6	4	-
1980.....	3	9	4	8	14	10	6	6	4	-
1979.....	10	4	6	7	12	9	6	4	6	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MAJOR CARDIOVASCULAR DISEASES (390-448)										
TOTAL, BOTH SEXES										
1998.....	17,526	25,063	32,880	45,924	67,781	102,229	137,748	162,316	324,850	65
1997.....	17,673	25,099	32,710	46,910	70,748	104,785	138,949	161,782	321,375	75
1996.....	18,191	24,406	32,222	48,776	73,435	107,937	139,310	163,848	318,087	94
1995.....	17,374	24,282	32,464	49,572	76,411	110,873	138,351	163,619	313,751	104
1994.....	16,768	23,724	32,563	50,360	77,981	111,789	137,329	161,782	304,075	82
1993.....	16,149	23,127	33,141	52,620	81,692	113,208	141,002	162,098	301,002	97
1992.....	15,714	21,923	32,767	53,474	80,845	111,999	137,554	155,746	280,424	106
1991.....	15,108	21,366	33,423	55,410	84,047	112,291	139,677	155,560	276,291	124
1990.....	14,788	21,454	34,390	57,430	86,365	112,379	141,425	155,293	270,197	123
1989.....	14,632	22,201	36,039	60,133	89,064	114,403	144,657	157,285	270,981	116
1988.....	14,814	22,822	38,797	64,293	93,599	121,727	150,118	161,936	278,026	122
1987.....	14,660	23,948	39,936	65,999	94,279	123,233	148,926	158,512	270,663	130
1986.....	14,476	24,377	41,858	68,761	95,192	125,413	150,230	157,664	266,339	419
1985.....	14,896	25,656	44,438	70,394	96,452	127,835	151,403	158,409	265,235	359
1984.....	15,145	26,367	45,579	72,088	97,015	128,482	150,494	157,217	258,358	147
1983.....	15,355	27,883	47,583	72,914	99,136	130,212	151,486	157,600	256,737	163
1982.....	15,871	28,655	48,285	73,017	100,183	129,297	149,422	154,613	246,653	221
1981.....	16,665	30,298	50,437	73,673	101,483	129,742	147,132	155,900	245,581	174
1980.....	16,873	31,455	52,143	74,114	104,226	131,574	151,727	158,977	245,331	174
1979.....	17,572	32,258	52,041	74,369	101,816	128,492	147,143	153,377	229,510	173
TOTAL, MALE										
1998.....	12,445	17,598	22,283	30,079	41,947	58,624	72,039	72,930	97,384	41
1997.....	12,615	17,675	22,278	30,791	44,088	60,410	72,499	72,547	96,860	54
1996.....	12,880	17,080	21,959	32,130	45,848	62,240	72,926	72,636	95,304	60
1995.....	12,515	17,190	22,143	32,565	47,540	64,351	72,077	72,435	93,108	58
1994.....	12,002	16,823	22,281	33,268	48,894	64,817	71,383	71,164	90,503	49
1993.....	11,560	16,345	22,690	34,763	51,387	65,353	73,354	71,278	89,596	54
1992.....	11,364	15,408	22,420	35,367	50,608	64,815	71,320	68,064	84,090	65
1991.....	10,878	15,076	22,990	36,721	52,718	65,264	72,351	67,607	82,468	84
1990.....	10,598	15,168	23,721	37,922	53,965	65,092	72,808	67,601	80,743	71
1989.....	10,650	15,695	24,936	39,856	55,954	66,060	74,026	67,736	80,837	66
1988.....	10,629	16,090	26,726	42,455	58,456	70,638	76,813	69,564	83,617	68
1987.....	10,514	17,039	27,645	43,575	58,782	71,120	76,059	67,842	81,498	78
1986.....	10,340	17,359	29,288	45,607	59,660	72,360	76,500	67,578	80,658	145
1985.....	10,850	18,442	31,087	47,129	60,690	74,168	77,172	68,165	81,710	130
1984.....	11,057	18,939	31,790	48,280	61,079	73,833	76,379	67,223	81,030	81
1983.....	11,145	20,030	33,345	48,688	62,720	75,461	77,337	67,114	81,395	81
1982.....	11,551	20,751	33,955	49,022	63,601	74,662	75,962	65,422	79,417	121
1981.....	12,095	21,887	35,571	49,345	64,120	75,029	75,102	66,445	79,772	97
1980.....	12,184	22,889	36,883	49,918	65,822	75,958	76,441	67,455	81,298	102
1979.....	12,866	23,496	37,042	50,475	64,844	74,361	74,216	65,344	76,940	110

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MAJOR CARDIOVASCULAR DISEASES (390-448)										
TOTAL, FEMALE										
1998.....	5,081	7,465	10,597	15,845	25,834	43,605	65,709	89,386	227,466	24
1997.....	5,058	7,424	10,432	16,119	26,660	44,375	66,450	89,235	224,515	21
1996.....	5,311	7,326	10,263	16,646	27,587	45,697	66,384	91,212	222,783	34
1995.....	4,859	7,092	10,321	17,007	28,871	46,522	66,274	91,184	220,643	46
1994.....	4,766	6,901	10,282	17,092	29,087	46,972	65,946	90,618	213,572	33
1993.....	4,589	6,782	10,451	17,857	30,305	47,855	67,648	90,820	211,406	43
1992.....	4,350	6,515	10,347	18,107	30,237	47,184	66,234	87,682	196,334	41
1991.....	4,230	6,290	10,433	18,689	31,329	47,027	67,326	87,953	193,823	40
1990.....	4,190	6,286	10,669	19,508	32,400	47,287	68,617	87,692	189,454	52
1989.....	3,982	6,506	11,103	20,277	33,110	48,343	70,631	89,549	190,144	50
1988.....	4,185	6,732	12,071	21,838	35,143	51,089	73,305	92,372	194,409	54
1987.....	4,146	6,909	12,291	22,424	35,497	52,113	72,867	90,670	189,165	52
1986.....	4,136	7,018	12,570	23,154	35,532	53,053	73,730	90,086	185,681	274
1985.....	4,046	7,214	13,351	23,265	35,762	53,667	74,231	90,244	183,525	229
1984.....	4,088	7,428	13,789	23,808	35,936	54,649	74,115	89,994	177,328	66
1983.....	4,210	7,853	14,238	24,226	36,416	54,751	74,149	90,486	175,342	82
1982.....	4,320	7,904	14,330	23,995	36,582	54,635	73,460	89,191	167,236	100
1981.....	4,570	8,411	14,866	24,328	37,363	54,713	72,030	89,455	165,809	77
1980.....	4,689	8,566	15,260	24,196	38,404	55,616	75,286	91,522	164,033	72
1979.....	4,706	8,762	14,999	23,894	36,972	54,131	72,927	88,033	152,570	63
WHITE, BOTH SEXES										
1998.....	12,574	19,097	25,629	36,578	56,268	87,804	121,611	146,913	298,658	35
1997.....	12,825	19,159	25,420	37,602	59,252	90,108	123,513	146,821	296,044	51
1996.....	13,381	18,662	25,220	39,204	61,664	93,134	123,696	148,573	293,262	68
1995.....	12,766	18,662	25,377	40,178	64,049	95,738	122,997	148,111	289,396	74
1994.....	12,395	18,164	25,568	41,271	65,651	96,965	122,335	146,457	281,056	53
1993.....	12,078	17,701	25,887	43,018	68,956	98,337	125,738	146,805	277,986	51
1992.....	11,776	16,849	25,735	43,943	68,466	97,585	122,728	141,457	259,329	68
1991.....	11,320	16,396	26,523	45,701	71,185	97,895	124,481	141,073	255,720	90
1990.....	11,128	16,513	27,443	47,621	73,316	98,498	126,190	141,349	250,257	68
1989.....	10,901	16,955	28,804	49,578	75,690	100,257	128,658	143,231	251,140	76
1988.....	11,163	17,660	31,372	53,252	80,040	107,114	133,752	147,336	258,382	78
1987.....	11,147	18,723	32,647	55,229	81,048	108,356	133,194	144,651	251,848	83
1986.....	11,095	19,079	34,392	57,838	82,233	110,540	134,453	144,072	248,075	351
1985.....	11,423	20,397	36,592	59,478	83,490	112,441	135,946	144,815	247,943	304
1984.....	11,684	21,106	37,709	61,250	84,393	113,123	135,872	143,696	242,190	93
1983.....	11,928	22,426	39,443	61,955	86,491	114,662	136,788	144,410	240,872	100
1982.....	12,330	23,268	40,322	62,452	87,571	114,648	135,280	142,237	231,673	144
1981.....	13,020	24,631	42,149	63,167	88,744	115,050	133,384	143,541	230,556	105
1980.....	13,206	25,613	43,824	63,587	90,695	116,770	136,782	146,941	230,250	105
1979.....	13,899	26,376	43,784	64,289	88,653	114,267	132,735	142,875	216,124	113

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MAJOR CARDIOVASCULAR DISEASES (390-448)										
WHITE MALE										
1998.....	9,346	13,841	17,861	24,585	35,643	51,409	64,396	66,703	89,264	21
1997.....	9,509	13,931	17,809	25,295	37,794	53,022	65,264	66,495	89,015	37
1996.....	9,839	13,512	17,715	26,511	39,421	54,728	65,580	66,539	87,522	43
1995.....	9,561	13,603	17,796	27,135	40,757	56,605	64,843	66,135	85,472	42
1994.....	9,215	13,324	18,097	27,970	42,216	57,200	64,481	64,860	83,262	31
1993.....	9,008	12,936	18,283	29,198	44,391	57,781	66,389	65,007	82,318	28
1992.....	8,869	12,312	18,248	29,917	43,821	57,374	64,371	62,153	77,338	41
1991.....	8,460	11,995	18,810	31,116	45,694	57,929	65,326	61,495	75,774	59
1990.....	8,285	12,104	19,476	32,434	46,911	57,989	65,744	61,786	74,214	36
1989.....	8,241	12,386	20,606	33,795	48,597	58,951	66,714	61,958	74,393	42
1988.....	8,316	12,945	22,263	36,128	51,063	63,171	69,216	63,399	77,174	46
1987.....	8,313	13,779	23,289	37,388	51,489	63,571	68,571	61,986	75,290	50
1986.....	8,245	14,086	24,741	39,311	52,566	64,884	69,086	61,814	74,523	113
1985.....	8,640	15,183	26,489	40,787	53,575	66,315	69,910	62,414	75,858	100
1984.....	8,854	15,697	27,116	41,989	54,187	66,014	69,577	61,517	75,422	51
1983.....	8,988	16,675	28,497	42,403	55,860	67,495	70,404	61,566	75,825	51
1982.....	9,323	17,499	29,156	42,939	56,607	67,033	69,182	60,211	74,064	74
1981.....	9,824	18,418	30,543	43,288	57,228	67,483	68,598	61,120	74,403	58
1980.....	9,923	19,293	31,850	43,810	58,506	68,357	69,368	62,212	75,689	61
1979.....	10,595	19,852	31,913	44,653	57,601	67,060	67,373	60,692	71,976	73
WHITE FEMALE										
1998.....	3,228	5,256	7,768	11,993	20,625	36,395	57,215	80,210	209,394	14
1997.....	3,316	5,228	7,611	12,307	21,458	37,086	58,249	80,326	207,029	14
1996.....	3,542	5,150	7,505	12,693	22,243	38,406	58,116	82,034	205,740	25
1995.....	3,205	5,059	7,581	13,043	23,292	39,133	58,154	81,976	203,924	32
1994.....	3,180	4,840	7,471	13,301	23,435	39,765	57,854	81,597	197,794	22
1993.....	3,070	4,765	7,604	13,820	24,565	40,556	59,349	81,798	195,668	23
1992.....	2,907	4,537	7,487	14,026	24,645	40,211	58,357	79,304	181,991	27
1991.....	2,860	4,401	7,713	14,585	25,491	39,966	59,155	79,578	179,946	31
1990.....	2,843	4,409	7,967	15,187	26,405	40,509	60,446	79,563	176,043	32
1989.....	2,660	4,569	8,198	15,783	27,093	41,306	61,944	81,273	176,747	34
1988.....	2,847	4,715	9,109	17,124	28,977	43,943	64,536	83,937	181,208	32
1987.....	2,834	4,944	9,358	17,841	29,559	44,785	64,623	82,665	176,558	33
1986.....	2,850	4,993	9,651	18,527	29,667	45,656	65,367	82,258	173,552	238
1985.....	2,783	5,214	10,103	18,691	29,915	46,126	66,036	82,401	172,085	204
1984.....	2,830	5,409	10,593	19,261	30,206	47,109	66,295	82,179	166,768	42
1983.....	2,940	5,751	10,946	19,552	30,631	47,167	66,384	82,844	165,047	49
1982.....	3,007	5,769	11,166	19,513	30,964	47,615	66,098	82,026	157,609	70
1981.....	3,196	6,213	11,606	19,879	31,516	47,567	64,786	82,421	156,153	47
1980.....	3,283	6,320	11,974	19,777	32,189	48,413	67,414	84,729	154,561	44
1979.....	3,304	6,524	11,871	19,636	31,052	47,207	65,362	82,183	144,148	40

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MAJOR CARDIOVASCULAR DISEASES (390-448)										
ALL OTHER, BOTH SEXES										
1998.....	4,952	5,966	7,251	9,346	11,513	14,425	16,137	15,403	26,192	30
1997.....	4,848	5,940	7,290	9,308	11,496	14,677	15,436	14,961	25,331	24
1996.....	4,810	5,744	7,002	9,572	11,771	14,803	15,614	15,275	24,825	26
1995.....	4,608	5,620	7,087	9,394	12,362	15,135	15,354	15,508	24,355	30
1994.....	4,373	5,560	6,995	9,089	12,330	14,824	14,994	15,325	23,019	29
1993.....	4,071	5,426	7,254	9,602	12,736	14,871	15,264	15,293	23,016	46
1992.....	3,938	5,074	7,032	9,531	12,379	14,414	14,826	14,289	21,095	38
1991.....	3,788	4,970	6,900	9,709	12,862	14,396	15,196	14,487	20,571	34
1990.....	3,660	4,941	6,947	9,809	13,049	13,881	15,235	13,944	19,940	55
1989.....	3,731	5,246	7,235	10,555	13,374	14,146	15,999	14,054	19,841	40
1988.....	3,651	5,162	7,425	11,041	13,559	14,613	16,366	14,600	19,644	44
1987.....	3,513	5,225	7,289	10,770	13,231	14,877	15,732	13,861	18,815	47
1986.....	3,381	5,298	7,466	10,923	12,959	14,873	15,777	13,592	18,264	68
1985.....	3,473	5,259	7,846	10,916	12,962	15,394	15,457	13,594	17,292	55
1984.....	3,461	5,261	7,870	10,838	12,622	15,359	14,622	13,521	16,168	54
1983.....	3,427	5,457	8,140	10,959	12,645	15,550	14,698	13,190	15,865	63
1982.....	3,541	5,387	7,963	10,565	12,612	14,649	14,142	12,376	14,980	77
1981.....	3,645	5,667	8,288	10,506	12,739	14,692	13,748	12,359	15,025	69
1980.....	3,667	5,842	8,319	10,527	13,531	14,804	14,945	12,036	15,081	69
1979.....	3,673	5,882	8,257	10,080	13,163	14,225	14,408	10,502	13,386	60
ALL OTHER MALE										
1998.....	3,099	3,757	4,422	5,494	6,304	7,215	7,643	6,227	8,120	20
1997.....	3,106	3,744	4,469	5,496	6,294	7,388	7,235	6,052	7,845	17
1996.....	3,041	3,568	4,244	5,619	6,427	7,512	7,346	6,097	7,782	17
1995.....	2,954	3,587	4,347	5,430	6,783	7,746	7,234	6,300	7,636	16
1994.....	2,787	3,499	4,184	5,298	6,678	7,617	6,902	6,304	7,241	18
1993.....	2,552	3,409	4,407	5,565	6,996	7,572	6,965	6,271	7,278	26
1992.....	2,495	3,096	4,172	5,450	6,787	7,441	6,949	5,911	6,752	24
1991.....	2,418	3,081	4,180	5,605	7,024	7,335	7,025	6,112	6,694	25
1990.....	2,313	3,064	4,245	5,488	7,054	7,103	7,064	5,815	6,529	35
1989.....	2,409	3,309	4,330	6,061	7,357	7,109	7,312	5,778	6,444	24
1988.....	2,313	3,145	4,463	6,327	7,393	7,467	7,597	6,165	6,443	22
1987.....	2,201	3,260	4,356	6,187	7,293	7,549	7,488	5,856	6,208	28
1986.....	2,095	3,273	4,547	6,296	7,094	7,476	7,414	5,764	6,135	32
1985.....	2,210	3,259	4,598	6,342	7,115	7,853	7,262	5,751	5,852	30
1984.....	2,203	3,242	4,674	6,291	6,892	7,819	6,802	5,706	5,608	30
1983.....	2,157	3,355	4,848	6,285	6,860	7,966	6,933	5,548	5,570	30
1982.....	2,228	3,252	4,799	6,083	6,994	7,629	6,780	5,211	5,353	47
1981.....	2,271	3,469	5,028	6,057	6,892	7,546	6,504	5,325	5,369	39
1980.....	2,261	3,596	5,033	6,108	7,316	7,601	7,073	5,243	5,609	41
1979.....	2,271	3,644	5,129	5,822	7,243	7,301	6,843	4,652	4,964	37

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MAJOR CARDIOVASCULAR DISEASES (390-448)										
ALL OTHER FEMALE										
1998.....	1,853	2,209	2,829	3,852	5,209	7,210	8,494	9,176	18,072	10
1997.....	1,742	2,196	2,821	3,812	5,202	7,289	8,201	8,909	17,486	7
1996.....	1,769	2,176	2,758	3,953	5,344	7,291	8,268	9,178	17,043	9
1995.....	1,654	2,033	2,740	3,964	5,579	7,389	8,120	9,208	16,719	14
1994.....	1,586	2,061	2,811	3,791	5,652	7,207	8,092	9,021	15,778	11
1993.....	1,519	2,017	2,847	4,037	5,740	7,299	8,299	9,022	15,738	20
1992.....	1,443	1,978	2,860	4,081	5,592	6,973	7,877	8,378	14,343	14
1991.....	1,370	1,889	2,720	4,104	5,838	7,061	8,171	8,375	13,877	9
1990.....	1,347	1,877	2,702	4,321	5,995	6,778	8,171	8,129	13,411	20
1989.....	1,322	1,937	2,905	4,494	6,017	7,037	8,687	8,276	13,397	16
1988.....	1,338	2,017	2,962	4,714	6,166	7,146	8,769	8,435	13,201	22
1987.....	1,312	1,965	2,933	4,583	5,938	7,328	8,244	8,005	12,607	19
1986.....	1,286	2,025	2,919	4,627	5,865	7,397	8,363	7,828	12,129	36
1985.....	1,263	2,000	3,248	4,574	5,847	7,541	8,195	7,843	11,440	25
1984.....	1,258	2,019	3,196	4,547	5,730	7,540	7,820	7,815	10,560	24
1983.....	1,270	2,102	3,292	4,674	5,785	7,584	7,765	7,642	10,295	33
1982.....	1,313	2,135	3,164	4,482	5,618	7,020	7,362	7,165	9,627	30
1981.....	1,374	2,198	3,260	4,449	5,847	7,146	7,244	7,034	9,656	30
1980.....	1,406	2,246	3,286	4,419	6,215	7,203	7,872	6,793	9,472	28
1979.....	1,402	2,238	3,128	4,258	5,920	6,924	7,565	5,850	8,422	23
BLACK, BOTH SEXES										
1998.....	4,513	5,318	6,474	8,256	10,143	12,501	13,860	13,138	22,403	28
1997.....	4,388	5,332	6,446	8,259	10,064	12,849	13,319	12,808	21,847	22
1996.....	4,360	5,154	6,269	8,530	10,381	12,991	13,560	13,211	21,465	26
1995.....	4,210	5,048	6,351	8,388	11,019	13,318	13,501	13,486	21,248	28
1994.....	3,957	5,015	6,256	8,146	10,979	13,102	13,203	13,408	20,104	27
1993.....	3,723	4,936	6,607	8,654	11,426	13,335	13,520	13,449	20,231	40
1992.....	3,593	4,621	6,318	8,636	11,125	12,893	13,142	12,615	18,616	37
1991.....	3,490	4,550	6,286	8,795	11,646	13,006	13,566	12,922	18,172	31
1990.....	3,372	4,531	6,327	9,004	11,876	12,560	13,748	12,498	17,808	51
1989.....	3,447	4,790	6,620	9,714	12,237	12,928	14,521	12,615	17,688	38
1988.....	3,390	4,758	6,889	10,167	12,458	13,384	14,939	13,233	17,715	41
1987.....	3,266	4,805	6,697	9,994	12,270	13,622	14,370	12,634	16,976	44
1986.....	3,142	4,892	6,989	10,181	12,077	13,725	14,486	12,381	16,617	59
1985.....	3,243	4,934	7,320	10,175	12,061	14,229	14,154	12,429	15,683	45
1984.....	3,217	4,914	7,319	10,172	11,774	14,339	13,479	12,411	14,689	49
1983.....	3,218	5,124	7,634	10,299	11,839	14,517	13,627	12,148	14,499	42
1982.....	3,318	5,079	7,513	9,953	11,826	13,685	13,094	11,439	13,713	66
1981.....	3,426	5,368	7,828	9,997	12,046	13,847	12,810	11,507	13,837	60
1980.....	3,472	5,533	7,875	10,033	12,835	13,890	13,959	11,179	13,873	65
1979.....	3,498	5,602	7,846	9,573	12,455	13,410	13,475	9,725	12,294	55

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
MAJOR CARDIOVASCULAR DISEASES (390-448)										
BLACK MALE										
1998.....	2,775	3,305	3,882	4,777	5,528	6,162	6,367	5,131	6,464	18
1997.....	2,771	3,327	3,890	4,829	5,446	6,359	6,103	5,004	6,271	15
1996.....	2,709	3,172	3,751	4,950	5,623	6,495	6,244	5,116	6,280	17
1995.....	2,676	3,208	3,863	4,819	5,985	6,685	6,234	5,268	6,250	14
1994.....	2,482	3,118	3,702	4,713	5,885	6,587	5,967	5,334	5,909	17
1993.....	2,309	3,082	3,996	4,989	6,212	6,677	5,986	5,265	6,054	23
1992.....	2,259	3,777	3,700	4,894	6,034	6,570	6,007	5,001	5,672	23
1991.....	2,212	2,801	3,774	5,034	6,282	6,537	6,131	5,210	5,634	23
1990.....	2,115	2,785	3,854	5,004	6,363	6,341	6,240	5,031	5,624	32
1989.....	2,209	3,004	3,952	5,532	6,673	6,394	6,460	4,943	5,487	23
1988.....	2,134	2,880	4,109	5,776	6,702	6,743	6,800	5,365	5,578	22
1987.....	2,034	2,973	3,959	5,676	6,684	6,785	6,628	5,138	5,419	25
1986.....	1,925	3,002	4,225	5,818	6,539	6,792	6,625	5,063	5,442	29
1985.....	2,038	3,038	4,270	5,871	6,553	7,137	6,446	5,086	5,200	26
1984.....	2,038	3,011	4,335	5,870	6,376	7,181	6,079	5,047	4,985	28
1983.....	2,025	3,127	4,521	5,848	6,345	7,303	6,272	4,983	5,003	23
1982.....	2,081	3,040	4,501	5,683	6,496	6,995	6,060	4,695	4,800	39
1981.....	2,124	3,262	4,720	5,735	6,453	6,965	5,918	4,843	4,858	34
1980.....	2,126	3,380	4,713	5,778	6,863	6,976	6,453	4,770	5,024	39
1979.....	2,155	3,440	4,832	5,475	6,759	6,758	6,244	4,248	4,468	34
BLACK FEMALE										
1998.....	1,738	2,013	2,592	3,479	4,615	6,339	7,493	8,007	15,939	10
1997.....	1,617	2,005	2,556	3,430	4,618	6,490	7,216	7,804	15,576	7
1996.....	1,651	1,982	2,518	3,580	4,758	6,496	7,316	8,095	15,185	9
1995.....	1,534	1,840	2,488	3,569	5,034	6,633	7,267	8,218	14,998	14
1994.....	1,475	1,897	2,554	3,433	5,094	6,515	7,236	8,074	14,195	10
1993.....	1,414	1,854	2,611	3,665	5,214	6,658	7,534	8,184	14,177	17
1992.....	1,334	1,844	2,618	3,742	5,091	6,323	7,135	7,614	12,944	14
1991.....	1,278	1,749	2,512	3,761	5,364	6,469	7,435	7,712	12,538	8
1990.....	1,257	1,746	2,473	4,000	5,513	6,219	7,508	7,467	12,184	19
1989.....	1,238	1,786	2,668	4,182	5,564	6,534	8,061	7,672	12,201	15
1988.....	1,256	1,878	2,780	4,391	5,756	6,641	8,139	7,868	12,137	19
1987.....	1,232	1,832	2,738	4,318	5,586	6,837	7,742	7,496	11,557	19
1986.....	1,217	1,890	2,764	4,363	5,538	6,933	7,861	7,318	11,175	30
1985.....	1,205	1,896	3,050	4,304	5,508	7,092	7,708	7,343	10,483	19
1984.....	1,179	1,903	2,984	4,302	5,398	7,158	7,400	7,364	9,704	21
1983.....	1,193	1,997	3,113	4,451	5,494	7,214	7,355	7,165	9,496	19
1982.....	1,237	2,039	3,012	4,270	5,330	6,690	7,034	6,744	8,913	27
1981.....	1,302	2,106	3,108	4,262	5,593	6,882	6,892	6,664	8,979	26
1980.....	1,346	2,153	3,162	4,255	5,972	6,914	7,506	6,409	8,849	26
1979.....	1,343	2,162	3,014	4,098	5,696	6,652	7,231	5,477	7,826	21

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 DISEASES OF HEART (390-398,402,404-429)										
TOTAL, BOTH SEXES										
1998.....	14,298	20,758	27,272	37,796	54,827	80,468	105,180	121,589	243,609	56
1997.....	14,461	20,816	27,256	38,702	57,176	82,240	106,290	121,226	239,981	68
1996.....	14,768	20,266	26,872	40,463	59,580	85,335	106,781	122,981	237,522	81
1995.....	14,218	20,280	27,041	41,199	62,231	87,827	106,766	123,348	235,254	93
1994.....	13,824	19,797	27,393	41,942	63,789	89,159	106,184	122,474	228,724	71
1993.....	13,292	19,387	27,903	44,140	67,386	90,717	110,027	123,993	227,632	80
1992.....	13,009	18,404	27,678	44,838	66,644	89,885	107,365	119,373	212,047	88
1991.....	12,468	17,906	28,310	46,675	69,101	90,300	109,493	119,389	208,984	107
1990.....	12,175	18,029	29,097	48,449	71,119	90,254	110,825	119,019	203,641	104
1989.....	12,222	18,700	30,634	50,717	73,686	92,101	113,653	120,665	203,863	92
1988.....	12,378	19,380	33,171	54,343	77,645	98,481	118,069	124,047	209,252	108
1987.....	12,344	20,364	34,199	55,818	78,513	99,559	117,003	121,098	202,816	107
1986.....	12,186	20,796	35,945	58,367	79,264	101,508	118,292	120,664	199,281	327
1985.....	12,576	21,969	38,146	59,919	80,350	103,383	118,683	120,733	196,933	278
1984.....	12,754	22,482	39,200	61,291	80,756	103,766	117,610	119,018	190,266	112
1983.....	12,868	23,991	40,981	61,964	82,607	105,412	117,875	118,748	188,303	127
1982.....	13,400	24,534	41,511	62,122	82,996	103,708	115,577	115,423	178,920	176
1981.....	14,130	25,909	43,279	62,336	83,786	103,165	112,893	115,248	175,804	146
1980.....	14,182	26,896	44,742	62,502	85,701	104,166	115,172	116,154	174,213	147
1979.....	14,792	27,556	44,413	62,623	83,097	100,922	111,107	111,177	160,621	143
TOTAL, MALE										
1998.....	10,555	15,160	19,050	25,373	34,860	47,415	56,642	56,547	75,173	37
1997.....	10,752	15,202	19,105	26,053	36,558	48,699	57,116	55,992	74,036	49
1996.....	10,918	14,708	18,825	27,313	38,189	50,471	57,409	56,072	73,108	54
1995.....	10,676	14,920	19,034	27,707	39,689	52,263	57,071	56,149	71,584	51
1994.....	10,295	14,597	19,297	28,434	40,903	53,025	56,457	55,203	69,795	47
1993.....	9,965	14,227	19,702	29,856	43,255	53,546	58,409	55,847	69,386	46
1992.....	9,833	13,440	19,548	30,408	42,607	53,174	56,950	53,430	65,053	53
1991.....	9,410	13,121	20,035	31,692	44,230	53,564	57,850	52,993	63,982	74
1990.....	9,169	13,218	20,665	32,819	45,447	53,392	58,130	53,022	62,406	59
1989.....	9,304	13,747	21,872	34,363	47,288	54,331	59,224	53,110	62,375	57
1988.....	9,300	14,183	23,496	36,674	49,584	58,304	61,575	54,513	64,605	65
1987.....	9,263	15,032	24,344	37,706	49,991	58,656	60,965	53,033	62,828	66
1986.....	9,120	15,404	25,925	39,640	50,797	59,833	61,522	52,783	62,184	119
1985.....	9,590	16,371	27,410	41,028	51,618	61,091	61,742	53,377	62,796	107
1984.....	9,726	16,814	28,163	42,089	51,822	60,809	61,139	52,058	61,569	68
1983.....	9,805	17,884	29,556	42,409	53,458	62,255	61,302	51,725	61,628	71
1982.....	10,218	18,507	30,083	42,803	53,824	61,049	59,991	50,186	59,440	101
1981.....	10,769	19,475	31,540	42,827	54,114	61,004	58,822	50,527	59,076	79
1980.....	10,819	20,293	32,680	43,133	55,378	61,375	59,380	50,545	59,652	87
1979.....	11,419	20,876	32,708	43,621	54,258	59,741	57,398	48,531	55,706	91

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 DISEASES OF HEART (390-398,402,404-429)

TOTAL, FEMALE										
1998	3,743	5,598	8,222	12,423	19,967	33,053	48,538	65,042	168,436	19
1997	3,709	5,614	8,151	12,649	20,618	33,541	49,174	65,234	165,945	19
1996	3,850	5,558	8,047	13,150	21,391	34,864	49,372	66,909	164,414	27
1995	3,542	5,360	8,007	13,492	22,542	35,564	49,695	67,199	163,670	42
1994	3,529	5,200	8,096	13,508	22,886	36,134	49,727	67,271	158,929	24
1993	3,327	5,160	8,201	14,284	24,131	37,171	51,618	68,146	158,246	34
1992	3,176	4,964	8,130	14,430	24,037	36,711	50,415	65,943	146,994	35
1991	3,058	4,785	8,275	14,983	24,871	36,736	51,643	66,396	145,002	33
1990	3,006	4,811	8,432	15,630	25,672	36,862	52,695	65,997	141,235	45
1989	2,918	4,953	8,762	16,354	26,398	37,770	54,429	67,555	141,488	35
1988	3,078	5,197	9,675	17,669	28,061	40,177	56,494	69,534	144,647	43
1987	3,081	5,332	9,855	18,112	28,522	40,903	56,038	68,065	139,988	41
1986	3,066	5,392	10,020	18,727	28,467	41,675	56,770	67,881	137,097	208
1985	2,986	5,598	10,736	18,891	28,732	42,292	56,941	67,356	134,137	171
1984	3,028	5,668	11,037	19,202	28,934	42,957	56,471	66,960	128,697	44
1983	3,063	6,107	11,425	19,555	29,149	43,157	56,573	67,023	126,675	56
1982	3,182	6,027	11,428	19,319	29,172	42,659	55,586	65,237	119,480	75
1981	3,361	6,434	11,739	19,509	29,672	42,161	54,071	64,721	116,728	67
1980	3,363	6,603	12,062	19,369	30,323	42,791	55,792	65,609	114,561	60
1979	3,373	6,680	11,705	19,002	28,839	41,181	53,709	62,646	104,915	52
WHITE, BOTH SEXES										
1998	10,568	16,165	21,608	30,487	45,974	69,475	93,224	110,409	224,310	31
1997	10,839	16,242	21,565	31,441	48,297	71,174	94,829	110,259	221,244	46
1996	11,188	15,798	21,388	32,914	50,587	74,106	95,198	111,839	219,280	60
1995	10,699	15,903	21,541	33,767	52,653	76,258	95,321	111,975	217,313	69
1994	10,495	15,525	21,856	34,784	54,177	77,859	95,049	111,307	211,682	46
1993	10,232	15,111	22,138	36,489	57,357	79,283	98,580	112,521	210,410	43
1992	10,013	14,412	22,089	37,262	56,941	78,837	96,154	108,671	196,198	54
1991	9,594	14,061	22,836	38,963	59,032	79,188	98,005	108,605	193,667	79
1990	9,446	14,172	23,571	40,630	60,874	79,629	99,299	108,657	188,775	60
1989	9,336	14,607	24,819	42,314	63,155	81,251	101,628	110,186	189,063	60
1988	9,535	15,324	27,239	45,579	67,020	87,264	105,644	113,155	194,628	71
1987	9,634	16,236	28,413	47,232	68,024	88,150	105,182	110,676	188,729	70
1986	9,544	16,632	29,986	49,625	69,052	90,097	106,386	110,509	185,596	281
1985	9,904	17,794	31,829	51,210	70,147	91,667	107,100	110,747	184,260	238
1984	10,083	18,328	32,901	52,675	70,958	92,186	106,734	109,088	178,344	73
1983	10,276	19,633	34,451	53,300	72,772	93,574	106,903	109,023	176,759	82
1982	10,650	20,297	35,160	53,807	73,324	92,683	105,291	106,504	168,152	111
1981	11,299	21,526	36,733	54,044	74,090	92,321	102,919	106,438	165,216	88
1980	11,376	22,321	38,156	54,319	75,490	93,293	104,480	107,642	163,624	90
1979	11,990	22,979	37,963	54,787	73,213	90,582	100,787	103,806	151,435	93

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 DISEASES OF HEART (390-398,402,404-429)										
WHITE MALE										
1998.....	8,137	12,164	15,531	21,000	29,909	41,819	50,851	51,925	69,049	19
1997.....	8,345	12,243	15,548	21,652	31,595	43,010	51,683	51,463	68,126	34
1996.....	8,577	11,874	15,459	22,816	33,162	44,697	51,858	51,497	67,297	40
1995.....	8,371	12,060	15,579	23,306	34,305	46,243	51,571	51,495	65,830	38
1994.....	8,121	11,803	15,943	24,166	35,584	47,108	51,278	50,575	64,297	30
1993.....	7,968	11,456	16,107	25,337	37,646	47,598	53,133	51,065	63,824	24
1992.....	7,844	10,933	16,163	26,003	37,227	47,357	51,620	48,903	59,851	32
1991.....	7,520	10,657	16,638	27,123	38,633	47,810	52,464	48,401	58,919	52
1990.....	7,368	10,758	17,187	28,354	39,841	47,864	52,731	48,624	57,433	32
1989.....	7,374	11,069	18,284	29,432	41,406	48,771	53,603	48,682	57,455	35
1988.....	7,446	11,636	19,816	31,538	43,640	52,459	55,707	49,840	59,656	44
1987.....	7,504	12,358	20,830	32,662	44,092	52,756	55,249	48,550	58,061	42
1986.....	7,426	12,749	22,214	34,482	45,110	53,966	55,857	48,410	57,457	94
1985.....	7,815	13,692	23,617	35,851	45,931	54,996	56,211	48,964	58,354	84
1984.....	7,965	14,158	24,359	36,961	46,361	54,800	55,926	47,765	57,316	44
1983.....	8,095	15,105	25,559	37,318	48,002	56,085	56,050	47,503	57,483	47
1982.....	8,418	15,857	26,144	37,905	48,356	55,231	54,961	46,313	55,465	62
1981.....	8,940	16,681	27,428	37,953	48,752	55,285	54,024	46,630	55,186	47
1980.....	8,998	17,371	28,561	38,296	49,725	55,713	54,219	46,764	55,608	51
1979.....	9,591	17,951	28,593	39,013	48,710	54,317	52,395	45,188	52,189	62
WHITE FEMALE										
1998.....	2,431	4,001	6,077	9,487	16,065	27,656	42,373	58,484	155,261	12
1997.....	2,494	3,999	6,017	9,789	16,702	28,164	43,146	58,796	153,118	12
1996.....	2,611	3,924	5,929	10,098	17,425	29,409	43,340	60,342	151,983	20
1995.....	2,328	3,843	5,962	10,461	18,348	30,015	43,750	60,480	151,483	31
1994.....	2,374	3,722	5,913	10,618	18,593	30,751	43,771	60,732	147,385	16
1993.....	2,264	3,655	6,031	11,152	19,711	31,685	45,447	61,456	146,586	19
1992.....	2,169	3,479	5,926	11,259	19,714	31,480	44,534	59,768	136,347	22
1991.....	2,074	3,404	6,198	11,840	20,399	31,378	45,541	60,204	134,748	27
1990.....	2,078	3,414	6,384	12,276	21,033	31,765	46,568	60,033	131,342	28
1989.....	1,962	3,538	6,535	12,882	21,749	32,480	48,025	61,504	131,608	25
1988.....	2,089	3,688	7,423	14,041	23,380	34,805	49,937	63,315	134,972	27
1987.....	2,130	3,878	7,583	14,570	23,932	35,394	49,933	62,126	130,668	28
1986.....	2,118	3,883	7,772	15,143	23,942	36,131	50,529	62,099	128,139	187
1985.....	2,089	4,102	8,212	15,359	24,216	36,671	50,889	61,783	125,906	154
1984.....	2,118	4,170	8,542	15,714	24,597	37,386	50,808	61,323	121,028	29
1983.....	2,181	4,528	8,892	15,982	24,770	37,489	50,853	61,520	119,276	35
1982.....	2,232	4,440	9,016	15,902	24,968	37,452	50,330	60,191	112,687	49
1981.....	2,359	4,845	9,305	16,091	25,338	37,036	48,895	59,808	110,030	41
1980.....	2,378	4,950	9,595	16,023	25,765	37,580	50,261	60,878	108,016	39
1979.....	2,399	5,028	9,370	15,774	24,503	36,265	48,392	58,618	99,246	31

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 DISEASES OF HEART (390-398,402,404-429)										
ALL OTHER, BOTH SEXES										
1998.....	3,730	4,593	5,664	7,309	8,853	10,993	11,956	11,180	19,299	25
1997.....	3,622	4,574	5,691	7,261	8,879	11,066	11,461	10,967	18,737	22
1996.....	3,580	4,468	5,484	7,549	8,993	11,229	11,583	11,142	18,242	21
1995.....	3,519	4,377	5,500	7,432	9,578	11,569	11,445	11,373	17,941	24
1994.....	3,329	4,272	5,537	7,158	9,612	11,300	11,135	11,167	17,042	25
1993.....	3,060	4,276	5,765	7,651	10,029	11,434	11,447	11,472	17,222	37
1992.....	2,996	3,992	5,589	7,576	9,703	11,048	11,211	10,702	15,849	34
1991.....	2,874	3,845	5,474	7,712	10,069	11,112	11,488	10,784	15,317	28
1990.....	2,729	3,857	5,526	7,819	10,245	10,625	11,526	10,362	14,866	44
1989.....	2,886	4,093	5,815	8,403	10,531	10,850	12,025	10,479	14,800	32
1988.....	2,843	4,056	5,932	8,764	10,625	11,217	12,425	10,892	14,624	37
1987.....	2,710	4,128	5,786	8,586	10,489	11,409	11,821	10,422	14,087	37
1986.....	2,642	4,164	5,959	8,742	10,212	11,411	11,906	10,155	13,685	46
1985.....	2,672	4,175	6,317	8,709	10,203	11,716	11,583	9,986	12,673	40
1984.....	2,671	4,154	6,299	8,616	9,798	11,580	10,876	9,930	11,922	39
1983.....	2,592	4,358	6,530	8,664	9,835	11,838	10,972	9,725	11,544	45
1982.....	2,750	4,237	6,351	8,315	9,672	11,025	10,286	8,919	10,768	65
1981.....	2,831	4,383	6,546	8,292	9,696	10,844	9,974	8,810	10,588	58
1980.....	2,806	4,575	6,586	8,183	10,211	10,873	10,692	8,512	10,589	57
1979.....	2,802	4,577	6,450	7,836	9,884	10,340	10,320	7,371	9,186	50
ALL OTHER MALE										
1998.....	2,418	2,996	3,519	4,373	4,951	5,596	5,791	4,622	6,124	18
1997.....	2,407	2,959	3,557	4,401	4,963	5,689	5,433	4,529	5,910	15
1996.....	2,341	2,834	3,366	4,497	5,027	5,774	5,551	4,575	5,811	14
1995.....	2,305	2,860	3,455	4,401	5,384	6,020	5,500	4,654	5,754	13
1994.....	2,174	2,794	3,354	4,268	5,319	5,917	5,179	4,628	5,498	17
1993.....	1,997	2,771	3,595	4,519	5,609	5,948	5,276	4,782	5,562	22
1992.....	1,989	2,507	3,385	4,405	5,380	5,817	5,330	4,527	5,202	21
1991.....	1,890	2,464	3,397	4,569	5,597	5,754	5,386	4,592	5,063	22
1990.....	1,801	2,460	3,478	4,465	5,606	5,528	5,399	4,398	4,973	27
1989.....	1,930	2,678	3,588	4,931	5,882	5,560	5,621	4,428	4,920	22
1988.....	1,854	2,547	3,680	5,136	5,944	5,845	5,868	4,673	4,949	21
1987.....	1,759	2,674	3,514	5,044	5,899	5,900	5,716	4,483	4,767	24
1986.....	1,694	2,655	3,711	5,158	5,687	5,867	5,665	4,373	4,727	25
1985.....	1,775	2,679	3,793	5,177	5,687	6,095	5,531	4,413	4,442	23
1984.....	1,761	2,656	3,804	5,128	5,461	6,009	5,213	4,293	4,253	24
1983.....	1,710	2,779	3,997	5,091	5,456	6,170	5,252	4,222	4,145	24
1982.....	1,800	2,650	3,939	4,898	5,468	5,818	5,030	3,873	3,975	39
1981.....	1,829	2,794	4,112	4,874	5,362	5,719	4,798	3,897	3,890	32
1980.....	1,821	2,922	4,119	4,837	5,653	5,662	5,161	3,781	4,044	36
1979.....	1,828	2,925	4,115	4,608	5,548	5,424	5,003	3,343	3,517	29

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED

0 DISEASES OF HEART (390-398,402,404-429)

ALL OTHER FEMALE

1998.....	1,312	1,597	2,145	2,936	3,902	5,397	6,165	6,558	13,175	7
1997.....	1,215	1,615	2,134	2,860	3,916	5,377	6,028	6,438	12,827	7
1996.....	1,239	1,634	2,118	3,052	3,966	5,455	6,032	6,567	12,431	7
1995.....	1,214	1,517	2,045	3,031	4,194	5,549	5,945	6,719	12,187	11
1994.....	1,155	1,478	2,183	2,890	4,293	5,383	5,956	6,539	11,544	8
1993.....	1,063	1,505	2,170	3,132	4,420	5,486	6,171	6,690	11,660	15
1992.....	1,007	1,485	2,204	3,171	4,323	5,231	5,881	6,175	10,647	13
1991.....	984	1,381	2,077	3,143	4,472	5,358	6,102	6,192	10,254	6
1990.....	928	1,397	2,048	3,354	4,639	5,097	6,127	5,964	9,893	17
1989.....	956	1,415	2,227	3,472	4,649	5,290	6,404	6,051	9,880	10
1988.....	989	1,509	2,252	3,628	4,681	5,372	6,557	6,219	9,675	16
1987.....	951	1,454	2,272	3,542	4,590	5,509	6,105	5,939	9,320	13
1986.....	948	1,509	2,248	3,584	4,525	5,544	6,241	5,782	8,958	21
1985.....	897	1,496	2,524	3,532	4,516	5,621	6,052	5,573	8,231	17
1984.....	910	1,498	2,495	3,488	4,337	5,571	5,663	5,637	7,669	15
1983.....	882	1,579	2,533	3,573	4,379	5,668	5,720	5,503	7,399	21
1982.....	950	1,587	2,412	3,417	4,204	5,207	5,256	5,046	6,793	26
1981.....	1,002	1,589	2,434	3,418	4,334	5,125	5,176	4,913	6,698	26
1980.....	985	1,653	2,467	3,346	4,558	5,211	5,531	4,731	6,545	21
1979.....	974	1,652	2,335	3,228	4,336	4,916	5,317	4,028	5,669	21

BLACK, BOTH SEXES

1998.....	3,416	4,097	5,081	6,492	7,886	9,594	10,355	9,642	16,517	23
1997.....	3,267	4,132	5,065	6,491	7,809	9,754	9,991	9,488	16,208	20
1996.....	3,263	4,034	4,918	6,767	7,967	9,924	10,137	9,677	15,880	21
1995.....	3,232	3,950	4,945	6,688	8,578	10,222	10,144	9,937	15,682	22
1994.....	3,009	3,872	4,972	6,431	8,598	10,039	9,866	9,841	14,932	24
1993.....	2,806	3,910	5,268	6,941	9,077	10,295	10,186	10,107	15,190	31
1992.....	2,743	3,652	5,060	6,903	8,771	9,917	9,948	9,475	14,038	33
1991.....	2,671	3,526	4,998	7,019	9,175	10,092	10,307	9,651	13,597	26
1990.....	2,517	3,547	5,044	7,207	9,356	9,660	10,427	9,318	13,310	41
1989.....	2,674	3,757	5,346	7,737	9,667	9,920	10,917	9,427	13,228	31
1988.....	2,655	3,755	5,500	8,087	9,773	10,289	11,359	9,906	13,240	37
1987.....	2,517	3,813	5,324	7,975	9,745	10,489	10,846	9,533	12,729	35
1986.....	2,447	3,864	5,594	8,164	9,544	10,556	10,953	9,255	12,463	41
1985.....	2,486	3,919	5,891	8,130	9,494	10,863	10,592	9,159	11,527	33
1984.....	2,473	3,891	5,866	8,090	9,133	10,803	10,046	9,112	10,859	35
1983.....	2,436	4,094	6,119	8,133	9,226	11,050	10,166	8,961	10,557	32
1982.....	2,577	3,992	5,995	7,824	9,057	10,285	9,522	8,243	9,887	55
1981.....	2,664	4,158	6,203	7,879	9,178	10,198	9,281	8,198	9,771	50
1980.....	2,656	4,327	6,243	7,802	9,684	10,183	9,984	7,924	9,762	54
1979.....	2,682	4,360	6,124	7,428	9,337	9,724	9,637	6,825	8,432	47

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED

0 DISEASES OF HEART (390-398,402,404-429)

BLACK MALE

1998.....	2,158	2,636	3,097	3,809	4,380	4,800	4,860	3,847	4,894	16
1997.....	2,129	2,634	3,101	3,884	4,309	4,906	4,627	3,801	4,741	13
1996.....	2,086	2,514	2,974	3,967	4,400	5,026	4,752	3,838	4,730	14
1995.....	2,092	2,557	3,080	3,929	4,761	5,231	4,780	3,915	4,741	11
1994.....	1,922	2,494	2,967	3,794	4,702	5,132	4,504	3,964	4,521	16
1993.....	1,801	2,500	3,248	4,079	5,002	5,264	4,568	4,013	4,642	19
1992.....	1,792	2,250	3,013	3,967	4,805	5,150	4,624	3,853	4,388	20
1991.....	1,738	2,234	3,067	4,112	5,030	5,156	4,708	3,930	4,306	21
1990.....	1,638	2,227	3,149	4,087	5,064	4,956	4,785	3,823	4,294	25
1989.....	1,771	2,434	3,273	4,486	5,352	5,001	4,966	3,811	4,203	22
1988.....	1,706	2,335	3,384	4,688	5,388	5,282	5,256	4,089	4,316	21
1987.....	1,616	2,436	3,187	4,642	5,423	5,315	5,079	3,957	4,175	22
1986.....	1,543	2,444	3,455	4,770	5,255	5,336	5,078	3,849	4,200	23
1985.....	1,628	2,490	3,514	4,782	5,241	5,537	4,894	3,938	3,964	19
1984.....	1,620	2,468	3,528	4,777	5,036	5,511	4,680	3,793	3,790	22
1983.....	1,598	2,587	3,717	4,737	5,064	5,655	4,744	3,796	3,722	19
1982.....	1,676	2,469	3,699	4,579	5,061	5,309	4,492	3,493	3,572	32
1981.....	1,708	2,630	3,866	4,604	5,027	5,269	4,354	3,539	3,517	28
1980.....	1,702	2,736	3,858	4,572	5,297	5,177	4,718	3,441	3,615	35
1979.....	1,739	2,750	3,870	4,321	5,169	5,015	4,545	3,056	3,169	27

BLACK FEMALE

1998.....	1,258	1,461	1,984	2,683	3,506	4,794	5,495	5,795	11,623	7
1997.....	1,138	1,498	1,964	2,607	3,500	4,848	5,364	5,687	11,467	7
1996.....	1,177	1,520	1,944	2,800	3,567	4,898	5,385	5,839	11,150	7
1995.....	1,140	1,393	1,865	2,759	3,817	4,991	5,364	6,022	10,941	11
1994.....	1,087	1,378	2,005	2,637	3,896	4,907	5,362	5,877	10,411	8
1993.....	1,005	1,410	2,020	2,862	4,075	5,031	5,618	6,094	10,548	12
1992.....	951	1,402	2,047	2,936	3,966	4,767	5,324	5,622	9,650	13
1991.....	933	1,292	1,931	2,907	4,145	4,936	5,599	5,721	9,291	5
1990.....	879	1,320	1,895	3,120	4,292	4,704	5,642	5,495	9,016	16
1989.....	903	1,323	2,073	3,251	4,315	4,919	5,951	5,616	9,025	9
1988.....	949	1,420	2,116	3,399	4,385	5,007	6,103	5,817	8,924	16
1987.....	901	1,377	2,137	3,333	4,322	5,174	5,767	5,576	8,554	13
1986.....	904	1,420	2,139	3,394	4,289	5,220	5,875	5,406	8,263	18
1985.....	858	1,429	2,377	3,348	4,253	5,326	5,698	5,221	7,563	14
1984.....	853	1,423	2,338	3,313	4,097	5,292	5,366	5,319	7,069	13
1983.....	838	1,507	2,402	3,396	4,162	5,395	5,422	5,165	6,835	13
1982.....	901	1,523	2,296	3,245	3,996	4,976	5,030	4,750	6,315	23
1981.....	956	1,528	2,337	3,275	4,151	4,929	4,927	4,659	6,254	22
1980.....	954	1,591	2,385	3,230	4,387	5,006	5,266	4,483	6,147	19
1979.....	943	1,610	2,254	3,107	4,168	4,709	5,092	3,769	5,263	20

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)										
TOTAL, BOTH SEXES										
1998.....	141	187	232	317	445	623	759	759	1,012	-
1997.....	161	192	234	304	466	658	818	784	1,039	-
1996.....	155	181	235	317	493	702	793	837	951	-
1995.....	140	178	252	338	493	745	857	825	972	1
1994.....	168	184	259	386	597	835	850	859	903	1
1993.....	167	203	296	396	649	855	922	881	1,005	-
1992.....	156	229	296	435	671	811	975	870	884	1
1991.....	170	204	296	507	688	876	1,024	899	925	-
1990.....	148	226	340	518	765	859	960	911	884	-
1989.....	181	216	335	523	755	911	1,026	895	827	-
1988.....	192	244	423	571	840	983	1,053	899	809	1
1987.....	191	246	399	625	898	976	1,051	812	751	-
1986.....	198	279	437	683	826	1,022	1,040	789	714	2
1985.....	193	333	508	675	849	1,057	1,022	796	663	-
1984.....	221	311	527	796	941	1,133	1,061	754	652	-
1983.....	264	392	582	794	948	1,057	969	730	649	1
1982.....	228	361	597	885	1,052	1,192	1,021	636	587	2
1981.....	281	423	691	840	1,122	1,223	1,011	665	570	-
1980.....	328	510	768	928	1,234	1,207	1,018	694	535	1
1979.....	344	541	766	956	1,207	1,251	975	593	554	-
TOTAL, MALE										
1998.....	59	76	76	113	155	177	231	198	210	-
1997.....	59	76	103	101	139	218	248	227	234	-
1996.....	48	76	75	109	167	215	246	219	186	-
1995.....	45	64	99	118	148	229	233	231	219	-
1994.....	67	77	90	149	212	274	242	223	188	-
1993.....	57	71	115	149	234	258	282	226	233	-
1992.....	71	92	103	156	224	239	272	214	181	-
1991.....	64	67	115	182	225	277	273	224	200	-
1990.....	67	64	131	203	281	280	245	215	157	-
1989.....	71	78	135	199	253	285	292	216	168	-
1988.....	85	93	154	194	281	296	282	207	174	1
1987.....	68	80	162	231	296	291	292	185	134	-
1986.....	72	103	180	258	287	314	288	189	147	-
1985.....	74	134	192	251	304	336	294	191	137	-
1984.....	79	140	197	319	303	379	306	190	135	-
1983.....	91	143	214	304	336	297	252	188	133	1
1982.....	103	151	235	348	379	371	267	140	114	1
1981.....	113	171	267	302	393	383	301	175	129	-
1980.....	123	213	292	338	437	362	288	190	133	1
1979.....	133	222	323	346	393	389	286	165	106	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, FEMALE										
1998.....	82	111	156	204	290	446	528	561	802	-
1997.....	102	116	131	203	327	440	570	557	805	-
1996.....	107	105	160	208	326	487	547	618	765	-
1995.....	95	114	153	220	345	516	624	594	753	1
1994.....	101	107	169	237	385	561	608	636	715	1
1993.....	110	132	181	247	415	597	640	655	772	-
1992.....	85	137	193	279	447	572	703	656	703	1
1991.....	106	137	181	325	463	599	751	675	725	-
1990.....	81	162	209	315	484	579	715	696	727	-
1989.....	110	138	200	324	502	626	734	679	659	-
1988.....	107	151	269	377	559	687	771	692	635	-
1987.....	123	166	237	394	602	685	759	627	617	-
1986.....	126	176	257	425	539	708	752	600	567	2
1985.....	119	199	316	424	545	721	728	605	526	-
1984.....	142	171	330	477	638	754	755	564	517	-
1983.....	173	249	368	490	612	760	717	542	516	-
1982.....	125	210	362	537	673	821	754	496	473	1
1981.....	168	252	424	538	729	840	710	490	441	-
1980.....	205	297	476	590	797	845	730	504	402	-
1979.....	211	319	443	610	814	862	689	428	448	-
WHITE, BOTH SEXES										
1998.....	100	150	190	269	402	576	718	732	964	-
1997.....	118	151	190	266	434	611	778	753	1,005	-
1996.....	124	144	196	270	435	650	759	805	909	-
1995.....	102	132	207	289	446	694	814	795	943	1
1994.....	118	148	211	345	536	785	824	832	868	1
1993.....	128	170	248	358	592	809	877	831	968	-
1992.....	112	180	250	387	606	759	924	830	848	-
1991.....	122	162	263	456	633	815	963	862	887	-
1990.....	117	185	294	456	704	814	916	879	842	-
1989.....	142	176	285	463	688	851	973	860	796	-
1988.....	150	197	380	518	777	931	1,012	866	772	-
1987.....	159	211	350	574	837	935	1,004	783	727	-
1986.....	168	236	382	618	774	960	1,003	758	691	2
1985.....	158	278	448	619	792	1,010	981	769	629	-
1984.....	179	281	469	743	871	1,064	1,032	734	627	-
1983.....	220	348	518	744	902	1,001	925	710	622	1
1982.....	191	321	532	811	995	1,138	982	613	564	2
1981.....	237	375	624	772	1,063	1,170	967	640	549	-
1980.....	275	453	698	862	1,168	1,160	984	670	514	1
1979.....	289	481	703	896	1,151	1,200	927	574	535	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

WHITE MALE

1998.....	44	63	65	97	142	169	219	190	201	-
1997.....	44	58	81	91	128	203	236	219	228	-
1996.....	39	63	65	96	145	193	236	211	176	-
1995.....	34	49	81	105	138	213	221	228	210	-
1994.....	47	67	80	136	186	259	234	215	182	-
1993.....	42	65	101	137	213	243	271	213	225	-
1992.....	51	76	92	140	203	223	255	201	174	-
1991.....	45	55	102	163	203	258	253	215	188	-
1990.....	53	57	119	175	264	269	231	207	146	-
1989.....	61	63	118	173	235	262	276	208	163	-
1988.....	69	75	142	179	259	278	268	198	162	-
1987.....	64	68	148	214	283	280	271	177	125	-
1986.....	60	90	162	232	272	294	274	181	140	-
1985.....	61	116	174	230	280	319	283	181	126	-
1984.....	64	127	183	300	283	359	297	182	129	-
1983.....	79	129	198	283	318	276	239	182	127	1
1982.....	90	136	214	320	355	350	253	136	110	1
1981.....	97	155	241	277	371	362	288	167	123	-
1980.....	109	189	264	314	413	346	280	182	128	1
1979.....	110	199	308	321	370	372	272	160	100	-

WHITE FEMALE

1998.....	56	87	125	172	260	407	499	542	763	-
1997.....	74	93	109	175	306	408	542	534	777	-
1996.....	85	81	131	174	290	457	523	594	733	-
1995.....	68	83	126	184	308	481	593	567	733	1
1994.....	71	81	131	209	350	526	590	617	686	1
1993.....	86	105	147	221	379	566	606	618	743	-
1992.....	61	104	158	247	403	536	669	629	674	-
1991.....	77	107	161	293	430	557	710	647	699	-
1990.....	64	128	175	281	440	545	685	672	696	-
1989.....	81	113	167	290	453	589	697	652	633	-
1988.....	81	122	238	339	518	653	744	668	610	-
1987.....	95	143	202	360	554	655	733	606	602	-
1986.....	108	146	220	386	502	666	729	577	551	2
1985.....	97	162	274	389	512	691	698	588	503	-
1984.....	115	154	286	443	588	705	735	552	498	-
1983.....	141	219	320	461	584	725	686	528	495	-
1982.....	101	185	318	491	640	788	729	477	454	1
1981.....	140	220	383	495	692	808	679	473	426	-
1980.....	166	264	434	548	755	814	704	488	386	-
1979.....	179	282	395	575	781	828	655	414	435	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)										
ALL OTHER, BOTH SEXES										
1998.....	41	37	42	48	43	47	41	27	48	-
1997.....	43	41	44	38	32	47	40	31	34	-
1996.....	31	37	39	47	58	52	34	32	42	-
1995.....	38	46	45	49	47	51	43	30	29	-
1994.....	50	36	48	41	61	50	26	27	35	-
1993.....	39	33	48	38	57	46	45	50	37	-
1992.....	44	49	46	48	65	52	51	40	36	1
1991.....	48	42	33	51	55	61	61	37	38	-
1990.....	31	41	46	62	61	45	44	32	42	-
1989.....	39	40	50	60	67	60	53	35	31	-
1988.....	42	47	43	53	63	52	41	33	37	1
1987.....	32	35	49	51	61	41	47	29	24	-
1986.....	30	43	55	65	52	62	37	31	23	-
1985.....	35	55	60	56	57	47	41	27	34	-
1984.....	42	30	58	53	70	69	29	20	25	-
1983.....	44	44	64	50	46	56	44	20	27	-
1982.....	37	40	65	74	57	54	39	23	23	-
1981.....	44	48	67	68	59	53	44	25	21	-
1980.....	53	57	70	66	66	47	34	24	21	-
1979.....	55	60	63	60	56	51	48	19	19	-
ALL OTHER MALE										
1998.....	15	13	11	16	13	8	12	8	9	-
1997.....	15	18	22	10	11	15	12	8	6	-
1996.....	9	13	10	13	22	22	10	8	10	-
1995.....	11	15	18	13	10	16	12	3	9	-
1994.....	20	10	10	13	26	15	8	8	6	-
1993.....	15	6	14	12	21	15	11	13	8	-
1992.....	20	16	11	16	21	16	17	13	7	-
1991.....	19	12	13	19	22	19	20	9	12	-
1990.....	14	7	12	28	17	11	14	8	11	-
1989.....	10	15	17	26	18	23	16	8	5	-
1988.....	16	18	12	15	22	18	14	9	12	1
1987.....	4	12	14	17	13	11	21	8	9	-
1986.....	12	13	18	26	15	20	14	8	7	-
1985.....	13	18	18	21	24	17	11	10	11	-
1984.....	15	13	14	19	20	20	9	8	6	-
1983.....	12	14	16	21	18	21	13	6	6	-
1982.....	13	15	21	28	24	21	14	4	4	-
1981.....	16	16	26	25	22	21	13	8	6	-
1980.....	14	24	28	24	24	16	8	8	5	-
1979.....	23	23	15	25	23	17	14	5	6	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)										
ALL OTHER FEMALE										
1998.....	26	24	31	32	30	39	29	19	39	-
1997.....	28	23	22	28	21	32	28	23	28	-
1996.....	22	24	29	34	36	30	24	24	32	-
1995.....	27	31	27	36	37	35	31	27	20	-
1994.....	30	26	38	28	35	35	18	19	29	-
1993.....	24	27	34	26	36	31	34	37	29	-
1992.....	24	33	35	32	44	36	34	27	29	1
1991.....	29	30	20	32	33	42	41	28	26	-
1990.....	17	34	34	34	44	34	30	24	31	-
1989.....	29	25	33	34	49	37	37	27	26	-
1988.....	26	29	31	38	41	34	27	24	25	-
1987.....	28	23	35	34	48	30	26	21	15	-
1986.....	18	30	37	39	37	42	23	23	16	-
1985.....	22	37	42	35	33	30	30	17	23	-
1984.....	27	17	44	34	50	49	20	12	19	-
1983.....	32	30	48	29	28	35	31	14	21	-
1982.....	24	25	44	46	33	33	25	19	19	-
1981.....	28	32	41	43	37	32	31	17	15	-
1980.....	39	33	42	42	42	31	26	16	16	-
1979.....	32	37	48	35	33	34	34	14	13	-
BLACK, BOTH SEXES										
1998.....	33	30	32	39	34	32	30	20	33	-
1997.....	38	36	36	30	23	30	30	17	24	-
1996.....	26	28	29	35	38	35	24	23	30	-
1995.....	31	37	31	36	35	35	33	23	15	-
1994.....	37	27	36	35	49	38	19	14	26	-
1993.....	36	30	43	26	41	33	33	32	31	-
1992.....	35	44	32	39	48	43	35	29	32	1
1991.....	39	37	26	44	41	37	46	24	34	-
1990.....	26	35	36	48	50	39	29	27	35	-
1989.....	31	30	43	46	50	44	44	30	25	-
1988.....	38	39	33	41	47	37	33	22	28	1
1987.....	26	30	39	42	51	29	32	24	14	-
1986.....	26	37	46	58	36	52	28	26	18	-
1985.....	28	49	52	49	46	37	34	22	23	-
1984.....	32	28	49	41	61	60	21	12	21	-
1983.....	40	36	53	43	39	46	37	16	21	-
1982.....	30	35	51	62	46	50	36	22	21	-
1981.....	38	39	58	58	46	44	37	19	18	-
1980.....	51	51	63	58	57	42	31	21	19	-
1979.....	50	58	56	51	51	39	42	19	18	-

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

BLACK MALE

1998.....	10	9	8	13	10	4	11	6	4	-
1997.....	12	17	19	7	7	9	6	7	2	-
1996.....	7	9	5	10	15	16	7	4	5	-
1995.....	9	13	14	11	9	11	5	3	4	-
1994.....	17	8	7	12	22	12	7	1	5	-
1993.....	13	6	14	9	12	9	8	8	7	-
1992.....	17	13	6	12	14	12	8	8	7	-
1991.....	14	12	10	17	15	13	13	6	11	-
1990.....	14	5	10	23	14	10	11	7	9	-
1989.....	9	11	15	22	15	18	14	6	4	-
1988.....	15	16	9	12	18	12	12	7	6	1
1987.....	1	10	10	13	12	8	12	6	7	-
1986.....	11	12	15	24	11	15	11	5	5	-
1985.....	9	16	17	18	21	12	8	8	8	-
1984.....	11	13	13	13	17	17	5	4	5	-
1983.....	10	10	15	19	13	16	11	3	5	-
1982.....	10	14	15	22	19	17	12	3	3	-
1981.....	15	11	24	23	15	17	9	6	4	-
1980.....	14	21	23	19	21	15	8	7	5	-
1979.....	22	21	14	21	22	13	13	5	6	-

BLACK FEMALE

1998.....	23	21	24	26	24	28	19	14	29	-
1997.....	26	19	17	23	16	21	24	10	22	-
1996.....	19	19	24	25	23	19	17	19	25	-
1995.....	22	24	17	25	26	24	28	20	11	-
1994.....	20	19	29	23	27	26	12	13	21	-
1993.....	23	24	29	17	29	24	25	24	24	-
1992.....	18	31	26	27	34	31	27	21	25	1
1991.....	25	25	16	27	26	24	33	18	23	-
1990.....	12	30	26	25	36	29	18	20	26	-
1989.....	22	19	28	24	35	26	30	24	21	-
1988.....	23	23	24	29	29	25	21	15	22	-
1987.....	25	20	29	29	39	21	20	18	7	-
1986.....	15	25	31	34	25	37	17	21	13	-
1985.....	19	33	35	31	25	25	26	14	15	-
1984.....	21	15	36	28	44	43	16	8	16	-
1983.....	30	26	38	24	26	30	26	13	16	-
1982.....	20	21	36	40	27	33	24	19	18	-
1981.....	23	28	34	35	31	27	28	13	14	-
1980.....	37	30	40	39	36	27	23	14	14	-
1979.....	28	37	42	30	29	26	29	14	12	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 HYPERTENSIVE HEART DISEASE (402)										
TOTAL, BOTH SEXES										
1998.....	1,059	1,303	1,498	1,836	2,145	2,752	3,404	3,869	8,610	5
1997.....	994	1,276	1,352	1,633	2,081	2,751	3,358	3,696	8,298	6
1996.....	909	1,193	1,337	1,699	2,020	2,759	3,297	3,857	8,006	5
1995.....	894	1,062	1,219	1,648	2,209	2,677	3,142	3,693	7,404	4
1994.....	877	1,012	1,216	1,564	1,993	2,673	2,999	3,637	6,900	4
1993.....	703	981	1,179	1,573	2,097	2,647	3,054	3,491	6,369	2
1992.....	629	877	1,247	1,655	2,084	2,612	2,879	3,261	5,704	5
1991.....	641	800	1,145	1,648	2,065	2,493	2,993	3,243	5,495	7
1990.....	602	797	1,151	1,659	2,256	2,489	2,988	3,111	5,239	5
1989.....	626	793	1,229	1,717	2,231	2,466	3,077	3,097	4,974	6
1988.....	555	819	1,225	1,806	2,329	2,594	3,004	3,028	4,716	5
1987.....	536	838	1,257	1,876	2,340	2,681	2,922	3,030	4,526	2
1986.....	513	836	1,255	1,822	2,256	2,706	3,060	2,938	4,445	9
1985.....	525	851	1,337	1,919	2,334	2,748	3,043	3,024	4,426	7
1984.....	513	852	1,332	1,898	2,376	2,842	2,979	3,017	4,261	5
1983.....	536	848	1,433	1,995	2,379	2,991	3,041	3,005	4,124	2
1982.....	570	874	1,416	1,890	2,408	2,850	3,120	3,022	4,009	14
1981.....	576	961	1,501	1,935	2,395	2,884	3,012	2,942	3,963	4
1980.....	506	936	1,499	1,922	2,554	2,863	3,150	3,088	3,949	5
1979.....	593	1,013	1,525	1,942	2,596	2,872	3,068	2,982	3,742	14
TOTAL, MALE										
1998.....	728	885	990	1,155	1,220	1,427	1,473	1,339	1,854	1
1997.....	680	870	878	1,014	1,239	1,377	1,412	1,296	1,795	4
1996.....	608	800	893	1,036	1,187	1,396	1,412	1,292	1,742	3
1995.....	631	699	810	1,023	1,254	1,326	1,327	1,257	1,575	2
1994.....	596	669	757	970	1,110	1,325	1,262	1,230	1,401	3
1993.....	475	647	753	945	1,191	1,269	1,306	1,140	1,401	1
1992.....	408	558	774	990	1,153	1,278	1,178	1,079	1,160	2
1991.....	436	513	740	988	1,109	1,200	1,246	1,071	1,131	7
1990.....	369	506	732	968	1,215	1,179	1,186	1,044	1,086	3
1989.....	404	508	795	1,042	1,239	1,204	1,249	968	1,005	3
1988.....	349	533	766	1,043	1,285	1,268	1,187	954	992	4
1987.....	343	534	778	1,116	1,292	1,265	1,161	992	907	1
1986.....	330	508	801	1,039	1,235	1,292	1,196	910	855	6
1985.....	335	536	810	1,122	1,266	1,316	1,254	935	917	2
1984.....	332	541	836	1,120	1,239	1,354	1,190	917	917	2
1983.....	344	545	895	1,201	1,292	1,341	1,218	934	888	1
1982.....	358	542	852	1,098	1,276	1,322	1,236	924	889	6
1981.....	338	617	925	1,086	1,312	1,342	1,190	903	874	3
1980.....	303	555	913	1,130	1,319	1,312	1,200	906	839	2
1979.....	373	609	919	1,086	1,344	1,286	1,163	874	830	7

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 HYPERTENSIVE HEART DISEASE (402)										
TOTAL, FEMALE										
1998.....	331	418	508	681	925	1,325	1,931	2,530	6,756	4
1997.....	314	406	474	619	842	1,374	1,946	2,400	6,503	2
1996.....	301	393	444	663	833	1,363	1,885	2,565	6,264	2
1995.....	263	363	409	625	955	1,351	1,815	2,436	5,829	2
1994.....	281	343	459	594	883	1,348	1,737	2,407	5,499	1
1993.....	228	334	426	628	906	1,378	1,748	2,351	4,968	1
1992.....	221	319	473	665	931	1,334	1,701	2,182	4,544	3
1991.....	205	287	405	660	956	1,293	1,747	2,172	4,364	-
1990.....	233	291	419	691	1,041	1,310	1,802	2,067	4,153	2
1989.....	222	285	434	675	992	1,262	1,828	2,129	3,969	3
1988.....	206	286	459	763	1,044	1,326	1,817	2,074	3,724	1
1987.....	193	304	479	760	1,048	1,416	1,761	2,038	3,619	1
1986.....	183	328	454	783	1,021	1,414	1,864	2,028	3,590	3
1985.....	190	315	527	797	1,068	1,432	1,789	2,089	3,509	5
1984.....	181	311	496	778	1,137	1,488	1,789	2,100	3,344	3
1983.....	192	303	538	794	1,087	1,650	1,823	2,071	3,236	1
1982.....	212	332	564	792	1,132	1,528	1,884	2,098	3,120	8
1981.....	238	344	576	849	1,083	1,542	1,822	2,039	3,089	1
1980.....	203	381	586	792	1,235	1,551	1,950	2,182	3,110	3
1979.....	220	404	606	856	1,252	1,586	1,905	2,108	2,912	7
WHITE, BOTH SEXES										
1998.....	554	733	853	1,075	1,377	1,898	2,540	3,111	7,346	2
1997.....	520	718	760	953	1,300	1,900	2,546	2,985	7,123	5
1996.....	465	661	790	1,049	1,349	1,915	2,482	3,116	6,849	3
1995.....	461	553	701	950	1,457	1,914	2,382	2,944	6,314	2
1994.....	408	553	676	930	1,296	1,918	2,260	2,931	5,933	1
1993.....	341	494	651	967	1,349	1,842	2,324	2,770	5,448	1
1992.....	300	452	670	999	1,355	1,877	2,180	2,610	4,851	1
1991.....	297	423	630	1,025	1,346	1,763	2,245	2,622	4,695	5
1990.....	273	401	655	982	1,494	1,687	2,284	2,550	4,498	1
1989.....	278	397	675	1,030	1,481	1,737	2,314	2,523	4,250	2
1988.....	256	417	698	1,102	1,571	1,847	2,256	2,426	4,034	3
1987.....	283	408	753	1,174	1,603	1,936	2,263	2,493	3,909	2
1986.....	222	420	740	1,148	1,573	1,950	2,348	2,408	3,875	4
1985.....	248	443	797	1,205	1,630	2,008	2,333	2,460	3,878	5
1984.....	233	443	753	1,222	1,659	2,085	2,350	2,491	3,734	2
1983.....	254	441	874	1,304	1,699	2,128	2,409	2,462	3,629	1
1982.....	270	482	836	1,255	1,740	2,048	2,493	2,491	3,521	6
1981.....	271	525	921	1,300	1,704	2,160	2,404	2,456	3,477	-
1980.....	233	504	922	1,278	1,783	2,144	2,488	2,627	3,466	3
1979.....	297	550	915	1,299	1,831	2,116	2,425	2,526	3,300	7

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 HYPERTENSIVE HEART DISEASE (402)										
WHITE MALE										
1998.....	427	527	607	726	795	1,023	1,098	1,049	1,524	-
1997.....	391	518	528	630	817	965	1,076	1,069	1,475	3
1996.....	342	476	550	676	822	985	1,041	1,039	1,407	1
1995.....	356	389	494	626	856	967	998	1,005	1,290	1
1994.....	316	413	445	608	750	966	947	989	1,172	-
1993.....	249	356	464	611	792	901	991	907	1,131	1
1992.....	220	312	461	635	785	940	903	838	913	-
1991.....	228	287	435	634	762	875	950	852	915	5
1990.....	181	278	447	616	828	831	925	815	886	-
1989.....	194	272	463	651	863	858	948	778	805	1
1988.....	183	306	460	663	898	922	897	750	794	2
1987.....	202	281	477	741	926	948	906	791	746	1
1986.....	163	264	526	689	871	978	903	727	697	1
1985.....	174	307	524	736	902	978	966	740	759	1
1984.....	171	307	508	749	904	997	944	740	776	-
1983.....	185	310	568	829	964	955	962	740	738	-
1982.....	182	325	541	749	940	968	984	732	751	3
1981.....	173	367	599	757	957	1,005	949	742	727	-
1980.....	159	325	587	773	932	1,016	947	750	732	1
1979.....	204	356	575	775	979	945	903	697	705	4
WHITE FEMALE										
1998.....	127	206	246	349	582	875	1,442	2,062	5,822	2
1997.....	129	200	232	323	483	935	1,470	1,916	5,648	2
1996.....	123	185	240	373	527	930	1,441	2,077	5,442	2
1995.....	105	164	207	324	601	947	1,384	1,939	5,024	1
1994.....	92	140	231	322	546	952	1,313	1,942	4,761	1
1993.....	92	138	187	356	557	941	1,333	1,863	4,317	-
1992.....	80	140	209	364	570	937	1,277	1,772	3,938	1
1991.....	69	136	195	391	584	888	1,295	1,770	3,780	-
1990.....	92	123	208	366	666	856	1,359	1,735	3,612	1
1989.....	84	125	212	379	618	879	1,366	1,745	3,445	1
1988.....	73	111	238	439	673	925	1,359	1,676	3,240	1
1987.....	81	127	276	433	677	988	1,357	1,702	3,163	1
1986.....	59	156	214	459	702	972	1,445	1,681	3,178	3
1985.....	74	136	273	469	728	1,030	1,367	1,720	3,119	4
1984.....	62	136	245	473	755	1,088	1,406	1,751	2,958	2
1983.....	69	131	306	475	735	1,173	1,447	1,722	2,891	1
1982.....	88	157	295	506	800	1,080	1,509	1,759	2,770	3
1981.....	98	158	322	543	747	1,155	1,455	1,714	2,750	-
1980.....	74	179	335	505	851	1,128	1,541	1,877	2,734	2
1979.....	93	194	340	524	852	1,171	1,522	1,829	2,595	3

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 HYPERTENSIVE HEART DISEASE (402)										
ALL OTHER, BOTH SEXES										
1998.....	505	570	645	761	768	854	864	758	1,264	3
1997.....	474	558	592	680	781	851	812	711	1,175	1
1996.....	444	532	547	650	671	844	815	741	1,157	2
1995.....	433	509	518	698	752	763	760	749	1,090	2
1994.....	469	459	540	634	697	755	739	706	967	3
1993.....	362	487	528	606	748	805	730	721	921	1
1992.....	329	425	577	656	729	735	699	651	853	4
1991.....	344	377	515	623	719	730	748	621	800	2
1990.....	329	396	496	677	762	802	704	561	741	4
1989.....	348	396	554	687	750	729	763	574	724	4
1988.....	299	402	527	704	758	747	748	602	682	2
1987.....	253	430	504	702	737	745	659	537	617	-
1986.....	291	416	515	674	683	756	712	530	570	5
1985.....	277	408	540	714	704	740	710	564	548	2
1984.....	280	409	579	676	717	757	629	526	527	3
1983.....	282	407	559	691	680	863	632	543	495	1
1982.....	300	392	580	635	668	802	627	531	488	8
1981.....	305	436	580	635	691	724	608	486	486	4
1980.....	273	432	577	644	771	719	662	461	483	2
1979.....	296	463	610	643	765	756	643	456	442	7
ALL OTHER MALE										
1998.....	301	358	383	429	425	404	375	290	330	1
1997.....	289	352	350	384	422	412	336	227	320	1
1996.....	266	324	343	360	365	411	371	253	335	2
1995.....	275	310	316	397	398	359	329	252	285	1
1994.....	280	256	312	362	360	359	315	241	229	3
1993.....	226	291	289	334	399	368	315	233	270	-
1992.....	188	246	313	355	368	338	275	241	247	2
1991.....	208	226	305	354	347	325	296	219	216	2
1990.....	188	228	285	352	387	348	261	229	200	3
1989.....	210	236	332	391	376	346	301	190	200	2
1988.....	166	227	306	380	387	346	290	204	198	2
1987.....	141	253	301	375	366	317	255	201	161	-
1986.....	167	244	275	350	364	314	293	183	158	5
1985.....	161	229	286	386	364	338	288	195	158	1
1984.....	161	234	328	371	335	357	246	177	141	2
1983.....	159	235	327	372	328	386	256	194	150	1
1982.....	176	217	311	349	336	354	252	192	138	3
1981.....	165	250	326	329	355	337	241	161	147	3
1980.....	144	230	326	357	387	296	253	156	107	1
1979.....	169	253	344	311	365	341	260	177	125	3

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 HYPERTENSIVE HEART DISEASE (402)										
ALL OTHER FEMALE										
1998.....	204	212	262	332	343	450	489	468	934	2
1997.....	185	206	242	296	359	439	476	484	855	-
1996.....	178	208	204	290	306	433	444	488	822	-
1995.....	158	199	202	301	354	404	431	497	805	1
1994.....	189	203	228	272	337	396	424	465	738	-
1993.....	136	196	239	272	349	437	415	488	651	1
1992.....	141	179	264	301	361	397	424	410	606	2
1991.....	136	151	210	269	372	405	452	402	584	-
1990.....	141	168	211	325	375	454	443	332	541	1
1989.....	138	160	222	296	374	383	462	384	524	2
1988.....	133	175	221	324	371	401	458	398	484	-
1987.....	112	177	203	327	371	428	404	336	456	-
1986.....	124	172	240	324	319	442	419	347	412	-
1985.....	116	179	254	328	340	402	422	369	390	1
1984.....	119	175	251	305	382	400	383	349	386	1
1983.....	123	172	232	319	352	477	376	349	345	-
1982.....	124	175	269	286	332	448	375	339	350	5
1981.....	140	186	254	306	336	387	367	325	339	1
1980.....	129	202	251	287	384	423	409	305	376	1
1979.....	127	210	266	332	400	415	383	279	317	4
BLACK, BOTH SEXES										
1998.....	490	540	618	721	727	776	817	697	1,128	3
1997.....	450	535	561	633	743	775	744	645	1,048	1
1996.....	427	509	520	617	635	795	758	687	1,050	2
1995.....	415	491	492	658	713	713	711	683	973	2
1994.....	455	437	515	601	668	704	686	648	887	2
1993.....	356	468	502	576	710	757	683	672	839	1
1992.....	319	412	551	636	694	696	656	607	781	4
1991.....	336	367	501	585	688	700	707	569	715	2
1990.....	322	384	482	652	719	774	663	523	688	4
1989.....	340	383	537	665	721	700	716	538	662	4
1988.....	294	392	516	673	724	716	697	563	642	2
1987.....	242	411	485	676	704	706	623	505	558	-
1986.....	281	404	505	658	662	723	678	499	531	3
1985.....	266	401	523	696	684	702	670	525	507	1
1984.....	272	396	561	660	692	726	599	502	504	3
1983.....	272	394	544	675	665	835	609	517	470	1
1982.....	294	385	569	610	648	771	602	502	460	7
1981.....	296	429	569	621	674	700	582	461	467	4
1980.....	266	420	564	633	750	693	629	432	463	2
1979.....	288	457	597	624	744	729	627	439	415	7

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 HYPERTENSIVE HEART DISEASE (402)										
BLACK MALE										
1998.....	289	335	368	407	403	367	354	262	287	1
1997.....	271	334	329	353	400	371	302	198	271	1
1996.....	254	309	320	343	340	383	344	232	286	2
1995.....	264	295	297	372	376	332	307	226	235	1
1994.....	269	244	296	339	339	330	291	219	199	2
1993.....	222	274	276	318	373	345	288	209	243	-
1992.....	184	237	297	342	347	315	254	214	216	2
1991.....	204	219	292	335	333	312	279	197	188	2
1990.....	183	219	278	337	364	335	242	206	184	3
1989.....	203	224	320	375	361	328	271	176	175	2
1988.....	161	220	297	359	366	326	270	187	181	2
1987.....	134	240	289	363	347	293	236	184	145	-
1986.....	160	239	271	343	353	299	270	174	142	3
1985.....	154	225	277	378	350	313	268	172	140	1
1984.....	155	226	317	358	322	335	226	163	138	2
1983.....	152	226	319	360	321	370	244	182	140	1
1982.....	174	212	304	336	320	336	235	175	132	3
1981.....	160	246	322	321	341	322	225	149	141	3
1980.....	141	223	317	351	371	281	239	142	104	1
1979.....	163	248	332	300	352	321	251	173	117	3
BLACK FEMALE										
1998.....	201	205	250	314	324	409	463	435	841	2
1997.....	179	201	232	280	343	404	442	447	777	-
1996.....	173	200	200	274	295	412	414	455	764	-
1995.....	151	196	195	286	337	381	404	457	738	1
1994.....	186	193	219	262	329	374	395	429	688	-
1993.....	134	194	226	258	337	412	395	463	596	1
1992.....	135	175	254	294	347	381	402	393	565	2
1991.....	132	148	209	250	355	388	428	372	527	-
1990.....	139	165	204	315	355	439	421	317	504	1
1989.....	137	159	217	290	360	372	445	362	487	2
1988.....	133	172	219	314	358	390	427	376	461	-
1987.....	108	171	196	313	357	413	387	321	413	-
1986.....	121	165	234	315	309	424	408	325	389	-
1985.....	112	176	246	318	334	389	402	353	367	-
1984.....	117	170	244	302	370	391	373	339	366	1
1983.....	120	168	225	315	344	465	365	335	330	-
1982.....	120	173	265	274	328	435	367	327	328	4
1981.....	136	183	247	300	333	378	357	312	326	1
1980.....	125	197	247	282	379	412	390	290	359	1
1979.....	125	209	265	324	392	408	376	266	298	4

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
TOTAL, BOTH SEXES										
1998.....	48	59	66	99	164	248	362	471	814	-
1997.....	43	40	78	93	148	254	382	450	860	-
1996.....	56	46	84	124	155	246	392	428	895	-
1995.....	46	54	65	118	155	269	402	466	839	-
1994.....	43	60	73	113	201	269	376	474	810	-
1993.....	35	50	74	118	175	292	352	498	791	-
1992.....	36	42	92	137	192	283	365	479	808	-
1991.....	44	50	67	121	201	291	397	438	766	-
1990.....	31	54	83	128	228	273	347	467	682	-
1989.....	29	42	64	134	187	288	426	428	735	-
1988.....	30	35	75	150	208	260	411	466	748	-
1987.....	29	46	80	140	190	308	422	448	784	-
1986.....	19	45	66	146	219	311	385	432	804	-
1985.....	36	52	90	160	209	334	464	534	876	4
1984.....	25	45	83	123	266	347	463	554	907	-
1983.....	26	43	88	165	257	357	499	578	1,014	-
1982.....	26	42	97	144	232	362	520	556	993	1
1981.....	29	60	125	141	278	416	555	627	1,051	1
1980.....	42	68	128	193	315	450	608	669	1,190	-
1979.....	38	65	124	172	330	457	619	657	1,118	1
TOTAL, MALE										
1998.....	35	39	42	56	93	110	163	168	244	-
1997.....	31	28	46	49	78	126	192	179	267	-
1996.....	39	30	40	67	69	96	168	180	261	-
1995.....	24	34	26	56	74	121	182	171	269	-
1994.....	36	38	40	54	97	129	190	190	243	-
1993.....	19	33	41	54	82	137	164	196	243	-
1992.....	27	22	50	64	82	127	160	182	274	-
1991.....	30	24	40	56	94	126	183	159	236	-
1990.....	22	32	45	58	115	116	140	170	212	-
1989.....	19	27	37	67	82	132	180	164	210	-
1988.....	19	17	39	67	99	120	178	176	236	-
1987.....	21	33	50	65	95	130	182	165	209	-
1986.....	7	28	33	70	117	158	173	179	204	-
1985.....	23	29	46	82	112	161	217	209	248	-
1984.....	12	30	51	57	143	160	200	222	249	-
1983.....	18	20	48	81	133	172	218	204	298	-
1982.....	17	24	56	77	95	171	249	189	306	1
1981.....	16	32	62	79	140	199	234	236	314	-
1980.....	19	34	72	95	145	218	253	241	390	-
1979.....	19	33	60	86	164	212	288	244	360	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
TOTAL, FEMALE										
1998.....	13	20	24	43	71	138	199	303	570	-
1997.....	12	12	32	44	70	128	190	271	593	-
1996.....	17	16	44	57	86	150	224	248	634	-
1995.....	22	20	39	62	81	148	220	295	570	-
1994.....	7	22	33	59	104	140	186	284	567	-
1993.....	16	17	33	64	93	155	188	302	548	-
1992.....	9	20	42	73	110	156	205	297	534	-
1991.....	14	26	27	65	107	165	214	279	530	-
1990.....	9	22	38	70	113	157	207	297	470	-
1989.....	10	15	27	67	105	156	246	264	525	-
1988.....	11	18	36	83	109	140	233	290	512	-
1987.....	8	13	30	75	95	178	240	283	575	-
1986.....	12	17	33	76	102	153	212	253	600	-
1985.....	13	23	44	78	97	173	247	325	628	4
1984.....	13	15	32	66	123	187	263	332	658	-
1983.....	8	23	40	84	124	185	281	374	716	-
1982.....	9	18	41	67	137	191	271	367	687	-
1981.....	13	28	63	62	138	217	321	391	737	1
1980.....	23	34	56	98	170	232	355	428	800	-
1979.....	19	32	64	86	166	245	331	413	758	1
WHITE, BOTH SEXES										
1998.....	15	25	19	40	94	162	246	365	661	-
1997.....	15	19	34	48	85	173	283	349	694	-
1996.....	23	19	35	64	91	159	255	342	742	-
1995.....	18	16	30	60	95	173	304	368	676	-
1994.....	15	16	23	58	125	175	281	366	669	-
1993.....	13	17	34	68	113	196	250	381	656	-
1992.....	13	16	32	65	109	190	264	387	660	-
1991.....	10	14	28	64	114	181	286	335	656	-
1990.....	12	14	33	70	142	184	250	363	561	-
1989.....	5	14	26	76	110	191	322	316	616	-
1988.....	11	15	39	82	134	169	298	358	649	-
1987.....	9	16	36	67	113	214	321	353	673	-
1986.....	4	19	35	84	122	212	294	343	695	-
1985.....	9	16	46	87	129	235	365	442	745	1
1984.....	12	18	45	65	174	223	346	456	807	-
1983.....	11	15	44	91	158	258	391	482	899	-
1982.....	7	15	51	88	154	252	406	472	892	1
1981.....	12	31	61	81	188	298	450	542	954	-
1980.....	15	28	75	116	206	314	464	579	1,094	-
1979.....	8	26	63	103	213	346	504	576	1,016	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS		
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)											
WHITE MALE											
1998.....	13	15	16	24	59	74	112	136	207	-	
1997.....	11	16	21	26	48	88	152	144	218	-	
1996.....	18	12	17	32	41	65	117	148	215	-	
1995.....	11	11	12	28	48	80	142	139	218	-	
1994.....	13	11	13	30	64	88	152	154	199	-	
1993.....	8	11	19	34	61	95	125	160	204	-	
1992.....	10	10	16	34	48	92	116	150	221	-	
1991.....	5	7	20	34	57	76	136	131	200	-	
1990.....	9	10	17	31	75	85	95	136	179	-	
1989.....	2	6	15	45	55	93	130	115	183	-	
1988.....	7	8	17	42	67	76	140	139	196	-	
1987.....	5	14	25	31	61	95	135	126	175	-	
1986.....	-	12	17	46	70	112	139	139	171	-	
1985.....	8	8	26	48	75	130	176	168	217	-	
1984.....	6	12	29	34	103	108	152	181	215	-	
1983.....	10	5	23	48	84	134	177	174	259	-	
1982.....	4	9	35	50	65	136	195	165	277	1	
1981.....	7	20	32	47	111	142	194	210	279	-	
1980.....	6	15	50	69	108	162	199	211	347	-	
1979.....	1	16	35	51	112	169	239	216	323	-	
WHITE FEMALE											
1998.....	2	10	3	16	35	88	134	229	454	-	
1997.....	4	3	13	22	37	85	131	205	476	-	
1996.....	5	7	18	32	50	94	138	194	527	-	
1995.....	7	5	18	32	47	93	162	229	458	-	
1994.....	2	5	10	28	61	87	129	212	470	-	
1993.....	5	6	15	34	52	101	125	221	452	-	
1992.....	3	6	16	31	61	98	148	237	439	-	
1991.....	5	7	8	30	57	105	150	204	456	-	
1990.....	3	4	16	39	67	99	155	227	382	-	
1989.....	3	8	11	31	55	98	192	201	433	-	
1988.....	4	7	22	40	67	93	158	219	453	-	
1987.....	4	2	11	36	52	119	186	227	498	-	
1986.....	4	7	18	38	52	100	155	204	524	-	
1985.....	1	8	20	39	54	105	189	274	528	1	
1984.....	6	6	16	31	71	115	194	275	592	-	
1983.....	1	10	21	43	74	124	214	308	640	-	
1982.....	3	6	16	38	89	116	211	307	615	-	
1981.....	5	11	29	34	77	156	256	332	675	-	
1980.....	9	13	25	47	98	152	265	368	747	-	
1979.....	7	10	28	52	101	177	265	360	693	-	

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 HYPERTENSIVE HEART AND RENAL DISEASE (404)

ALL OTHER, BOTH SEXES

1998	33	34	47	59	70	86	116	106	153	-
1997	28	21	44	45	63	81	99	101	166	-
1996	33	27	49	60	64	87	137	86	153	-
1995	28	38	35	58	60	96	98	98	163	-
1994	28	44	50	55	76	94	95	108	141	-
1993	22	33	40	50	62	96	102	117	135	-
1992	23	26	60	72	83	93	101	92	148	-
1991	34	36	39	57	87	110	111	103	110	-
1990	19	40	50	58	86	89	97	104	121	-
1989	24	28	38	58	77	97	104	112	119	-
1988	19	20	36	68	74	91	113	108	99	-
1987	20	30	44	73	77	94	101	95	111	-
1986	15	26	31	62	97	99	91	89	109	-
1985	27	36	44	73	80	99	99	92	131	3
1984	13	27	38	58	92	124	117	98	100	-
1983	15	28	44	74	99	99	108	96	115	-
1982	19	27	46	56	78	110	114	84	101	-
1981	17	29	64	60	90	118	105	85	97	1
1980	27	40	53	77	109	136	144	90	96	-
1979	30	39	61	69	117	111	115	81	102	1

ALL OTHER MALE

1998	22	24	26	32	34	36	51	32	37	-
1997	20	12	25	23	30	38	40	35	49	-
1996	21	18	23	35	28	31	51	32	46	-
1995	13	23	14	28	26	41	40	32	51	-
1994	23	27	27	24	33	41	38	36	44	-
1993	11	22	22	20	21	42	39	36	39	-
1992	17	12	34	30	34	35	44	32	53	-
1991	25	17	20	22	37	50	47	28	36	-
1990	13	22	28	27	40	31	45	34	33	-
1989	17	21	22	22	27	39	50	49	27	-
1988	12	9	22	25	32	44	38	37	40	-
1987	16	19	25	34	34	35	47	39	34	-
1986	7	16	16	24	47	46	34	40	33	-
1985	15	21	20	34	37	31	41	41	31	-
1984	6	18	22	23	40	52	48	41	34	-
1983	8	15	25	33	49	38	41	30	39	-
1982	13	15	21	27	30	35	54	24	29	-
1981	9	12	30	32	29	57	40	26	35	-
1980	13	19	22	26	37	56	54	30	43	-
1979	18	17	25	35	52	43	49	28	37	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
ALL OTHER FEMALE										
1998.....	11	10	21	27	36	50	65	74	116	-
1997.....	8	9	19	22	33	43	59	66	117	-
1996.....	12	9	26	25	36	56	86	54	107	-
1995.....	15	15	21	30	34	55	58	66	112	-
1994.....	5	17	23	31	43	53	57	72	97	-
1993.....	11	11	18	30	41	54	63	81	96	-
1992.....	6	14	26	42	49	58	57	60	95	-
1991.....	9	19	19	35	50	60	64	75	74	-
1990.....	6	18	22	31	46	58	52	70	88	-
1989.....	7	7	16	36	50	58	54	63	92	-
1988.....	7	11	14	43	42	47	75	71	59	-
1987.....	4	11	19	39	43	59	54	56	77	-
1986.....	8	10	15	38	50	53	57	49	76	-
1985.....	12	15	24	39	43	68	58	51	100	3
1984.....	7	9	16	35	52	72	69	57	66	-
1983.....	7	13	19	41	50	61	67	66	76	-
1982.....	6	12	25	29	48	75	60	60	72	-
1981.....	8	17	34	28	61	61	65	59	62	1
1980.....	14	21	31	51	72	80	90	60	53	-
1979.....	12	22	36	34	65	68	66	53	65	1
BLACK, BOTH SEXES										
1998.....	32	32	44	55	66	76	104	94	139	-
1997.....	25	21	42	41	57	75	90	94	154	-
1996.....	33	27	48	56	59	79	125	75	133	-
1995.....	26	38	33	53	58	89	89	90	152	-
1994.....	26	42	46	47	75	88	88	96	126	-
1993.....	21	33	37	49	60	92	98	106	128	-
1992.....	23	25	54	68	79	88	91	88	140	-
1991.....	34	35	38	56	84	102	105	97	102	-
1990.....	19	40	50	56	82	87	92	97	119	-
1989.....	24	28	36	53	73	95	99	103	112	-
1988.....	18	19	35	67	71	90	111	104	92	-
1987.....	19	29	44	72	74	89	96	86	106	-
1986.....	15	26	31	61	94	93	84	84	103	-
1985.....	26	35	44	70	76	95	94	84	123	2
1984.....	11	26	38	58	87	120	116	94	92	-
1983.....	15	28	43	71	97	96	103	93	110	-
1982.....	19	25	45	54	74	110	108	80	99	-
1981.....	16	28	62	60	90	114	102	83	90	1
1980.....	27	40	51	76	106	129	142	86	90	-
1979.....	29	39	61	67	111	109	111	79	99	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
BLACK MALE										
1998.....	21	22	24	31	33	30	45	26	30	-
1997.....	19	12	25	21	27	35	37	32	41	-
1996.....	21	18	23	33	28	29	46	25	41	-
1995.....	11	23	14	25	25	38	37	29	46	-
1994.....	22	26	25	21	32	37	34	30	38	-
1993.....	11	22	19	20	19	41	37	31	35	-
1992.....	17	11	29	28	30	32	36	29	50	-
1991.....	25	16	19	22	35	47	44	27	32	-
1990.....	13	22	28	25	37	31	43	32	31	-
1989.....	17	21	21	20	25	38	48	43	25	-
1988.....	11	9	21	24	30	44	36	34	35	-
1987.....	15	19	25	34	32	34	44	35	32	-
1986.....	7	16	16	23	46	43	29	36	32	-
1985.....	14	21	20	33	35	28	40	37	28	-
1984.....	5	17	22	23	38	50	48	39	31	-
1983.....	8	15	25	30	48	37	40	29	37	-
1982.....	13	14	20	26	29	35	51	23	29	-
1981.....	9	12	29	32	29	54	38	25	30	-
1980.....	13	19	20	25	36	54	53	27	41	-
1979.....	17	17	25	34	50	42	47	26	37	-
BLACK FEMALE										
1998.....	11	10	20	24	33	46	59	68	109	-
1997.....	6	9	17	20	30	40	53	62	113	-
1996.....	12	9	25	23	31	50	79	50	92	-
1995.....	15	15	19	28	33	51	52	61	106	-
1994.....	4	16	21	26	43	51	54	66	88	-
1993.....	10	11	18	29	41	51	61	75	93	-
1992.....	6	14	25	40	49	56	55	59	90	-
1991.....	9	19	19	34	49	55	61	70	70	-
1990.....	6	18	22	31	45	56	49	65	88	-
1989.....	7	7	15	33	48	57	51	60	87	-
1988.....	7	10	14	43	41	46	75	70	57	-
1987.....	4	10	19	38	42	55	52	51	74	-
1986.....	8	10	15	38	48	50	55	48	71	-
1985.....	12	14	24	37	41	67	54	47	95	2
1984.....	6	9	16	35	49	70	68	55	61	-
1983.....	7	13	18	41	49	59	63	64	73	-
1982.....	6	11	25	28	45	75	57	57	70	-
1981.....	7	16	33	28	61	60	64	58	60	1
1980.....	14	21	31	51	70	75	89	59	49	-
1979.....	12	22	36	33	61	67	64	53	62	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ISCHEMIC HEART DISEASE (410-414)										
TOTAL, BOTH SEXES										
1998.....	7,885	12,280	16,902	24,066	35,932	53,693	69,929	79,739	151,765	19
1997.....	8,214	12,687	17,131	24,949	38,111	55,191	71,281	79,904	151,002	32
1996.....	8,608	12,537	17,028	26,573	40,053	58,155	72,654	81,885	150,652	31
1995.....	8,328	12,670	17,382	26,963	42,185	59,884	72,657	82,393	150,648	45
1994.....	8,237	12,381	17,718	27,849	43,304	60,880	72,818	82,365	147,940	35
1993.....	8,054	12,143	17,891	29,343	45,680	62,064	75,228	83,892	147,652	42
1992.....	8,042	11,778	18,284	29,885	45,776	62,367	74,526	81,783	139,526	46
1991.....	7,773	11,650	18,960	31,561	47,695	63,035	76,251	82,248	138,223	55
1990.....	7,702	11,755	19,564	32,917	49,378	63,761	78,056	82,386	135,906	41
1989.....	7,789	12,212	20,454	34,669	51,354	64,761	79,549	83,484	135,850	44
1988.....	7,876	12,504	21,846	36,421	53,016	68,096	81,198	84,339	136,106	52
1987.....	7,956	13,450	23,125	38,224	54,168	69,443	81,355	82,708	133,134	57
1986.....	7,941	13,945	24,580	40,456	55,578	71,533	82,769	83,030	131,821	220
1985.....	8,472	15,180	26,814	42,349	57,644	74,351	84,893	84,528	133,534	168
1984.....	8,813	15,812	27,994	44,122	58,627	75,769	85,749	84,813	130,801	68
1983.....	8,955	17,079	29,623	45,189	61,016	78,029	86,658	85,568	131,540	74
1982.....	9,445	18,052	30,718	46,286	62,470	78,300	86,231	84,770	127,419	116
1981.....	10,104	18,844	32,023	46,927	63,589	78,256	84,741	85,318	126,330	105
1980.....	10,270	19,804	33,471	47,356	65,342	79,656	87,227	87,041	126,611	95
1979.....	10,749	20,462	33,674	48,048	64,021	78,098	85,172	83,890	118,112	91
TOTAL, MALE										
1998.....	6,155	9,387	12,329	16,587	23,564	32,762	39,098	38,599	49,074	13
1997.....	6,466	9,663	12,445	17,277	25,093	33,790	39,676	38,457	48,598	23
1996.....	6,696	9,450	12,360	18,483	26,324	35,408	40,347	38,768	48,100	20
1995.....	6,588	9,733	12,673	18,723	27,591	36,681	40,075	38,898	47,533	23
1994.....	6,489	9,450	12,859	19,424	28,517	37,301	39,960	38,427	46,758	26
1993.....	6,394	9,285	13,068	20,472	30,124	37,717	41,321	39,094	46,567	22
1992.....	6,403	8,988	13,303	20,911	30,125	37,923	40,895	37,706	44,337	30
1991.....	6,135	8,888	13,854	21,933	31,433	38,374	41,436	37,580	43,737	37
1990.....	6,112	9,031	14,423	22,952	32,367	38,677	42,042	37,706	43,077	22
1989.....	6,247	9,384	15,123	24,153	33,698	39,233	42,626	37,880	42,861	29
1988.....	6,246	9,561	15,986	25,310	34,813	41,203	43,514	38,112	43,199	30
1987.....	6,324	10,344	17,048	26,664	35,349	42,001	43,460	37,272	42,403	32
1986.....	6,298	10,864	18,335	28,295	36,374	43,185	44,089	37,249	42,261	69
1985.....	6,812	11,810	19,981	29,849	37,880	45,119	45,296	38,458	43,743	62
1984.....	7,048	12,372	20,787	31,155	38,510	45,409	45,654	38,173	43,257	43
1983.....	7,203	13,295	22,100	31,810	40,458	47,227	46,182	38,150	43,945	45
1982.....	7,605	14,164	23,093	32,797	41,620	47,233	45,860	37,832	43,291	67
1981.....	8,125	14,753	24,159	33,218	42,133	47,529	45,190	38,199	43,300	58
1980.....	8,292	15,626	25,306	33,686	43,480	48,104	45,950	38,728	44,310	57
1979.....	8,743	16,192	25,616	34,559	42,934	47,509	45,047	37,452	41,835	68

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ISCHEMIC HEART DISEASE (410-414)										
TOTAL, FEMALE										
1998.....	1,730	2,893	4,573	7,479	12,368	20,931	30,831	41,140	102,691	6
1997.....	1,748	3,024	4,686	7,672	13,018	21,401	31,605	41,447	102,404	9
1996.....	1,912	3,087	4,668	8,090	13,729	22,747	32,307	43,117	102,552	11
1995.....	1,740	2,937	4,709	8,240	14,594	23,203	32,582	43,495	103,115	22
1994.....	1,748	2,931	4,859	8,425	14,787	23,579	32,858	43,938	101,182	9
1993.....	1,660	2,858	4,823	8,871	15,556	24,347	33,907	44,798	101,085	20
1992.....	1,639	2,790	4,981	8,974	15,651	24,444	33,631	44,077	95,189	16
1991.....	1,638	2,762	5,106	9,628	16,262	24,661	34,815	44,668	94,486	18
1990.....	1,590	2,724	5,141	9,965	17,011	25,084	36,014	44,680	92,829	19
1989.....	1,542	2,828	5,331	10,516	17,656	25,528	36,923	45,604	92,989	15
1988.....	1,630	2,943	5,860	11,111	18,203	26,893	37,684	46,227	92,907	22
1987.....	1,632	3,106	6,077	11,560	18,819	27,442	37,895	45,436	90,731	25
1986.....	1,643	3,081	6,245	12,161	19,204	28,348	38,680	45,781	89,560	151
1985.....	1,660	3,370	6,833	12,500	19,764	29,232	39,597	46,070	89,791	106
1984.....	1,765	3,440	7,207	12,967	20,117	30,360	40,095	46,640	87,544	25
1983.....	1,752	3,784	7,523	13,379	20,558	30,802	40,476	47,418	87,595	29
1982.....	1,840	3,888	7,625	13,489	20,850	31,067	40,371	46,938	84,128	49
1981.....	1,979	4,091	7,864	13,709	21,456	30,727	39,551	47,119	83,030	47
1980.....	1,978	4,178	8,165	13,670	21,862	31,552	41,277	48,313	82,301	38
1979.....	2,006	4,270	8,058	13,489	21,087	30,589	40,125	46,438	76,277	23
WHITE, BOTH SEXES										
1998.....	6,287	10,126	14,083	20,300	31,105	47,510	63,011	73,235	140,700	12
1997.....	6,587	10,500	14,177	21,117	33,154	48,797	64,550	73,520	140,162	23
1996.....	7,044	10,375	14,186	22,577	35,021	51,752	65,819	75,332	140,062	23
1995.....	6,730	10,523	14,551	23,059	36,775	53,212	65,994	75,745	140,271	31
1994.....	6,746	10,292	14,826	24,025	37,880	54,323	66,312	75,879	137,920	25
1993.....	6,681	10,098	14,978	25,267	40,138	55,586	68,589	77,222	137,470	23
1992.....	6,649	9,751	15,359	25,887	40,305	56,061	67,968	75,509	130,201	28
1991.....	6,450	9,690	16,021	27,300	42,021	56,652	69,578	75,821	129,286	43
1990.....	6,427	9,802	16,655	28,714	43,585	57,583	71,284	76,336	127,274	25
1989.....	6,415	10,172	17,377	30,114	45,441	58,615	72,624	77,473	127,284	30
1988.....	6,523	10,519	18,793	31,767	47,205	61,883	74,213	78,188	128,005	39
1987.....	6,611	11,381	20,057	33,592	48,358	63,007	74,698	76,857	125,197	42
1986.....	6,653	11,825	21,475	35,636	49,830	65,137	76,036	77,323	124,112	203
1985.....	7,072	13,003	23,276	37,475	51,739	67,579	78,122	78,708	126,211	150
1984.....	7,403	13,498	24,442	39,150	52,915	68,919	79,202	78,953	123,822	44
1983.....	7,564	14,633	25,915	40,169	55,169	70,921	80,012	79,714	124,599	48
1982.....	7,959	15,539	26,939	41,305	56,562	71,523	79,882	79,320	120,731	79
1981.....	8,555	16,356	28,142	41,883	57,489	71,429	78,552	79,824	119,771	67
1980.....	8,690	17,145	29,534	42,407	59,032	72,863	80,475	81,650	119,992	58
1979.....	9,210	17,735	29,772	43,224	57,840	71,613	78,552	79,248	112,283	62

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ISCHEMIC HEART DISEASE (410-414)										

WHITE MALE

1998.....	5,072	7,943	10,495	14,298	20,879	29,603	35,700	35,884	45,489	8
1997.....	5,323	8,192	10,566	14,950	22,321	30,497	36,437	35,784	45,126	18
1996.....	5,631	8,049	10,591	16,093	23,537	32,139	37,081	36,036	44,709	16
1995.....	5,485	8,304	10,857	16,392	24,568	33,203	36,834	36,158	44,124	17
1994.....	5,455	8,019	11,074	17,128	25,544	33,826	36,927	35,716	43,492	18
1993.....	5,460	7,936	11,239	18,002	27,062	34,323	38,259	36,234	43,235	12
1992.....	5,442	7,678	11,506	18,562	27,070	34,624	37,717	35,080	41,287	18
1991.....	5,228	7,583	12,029	19,426	28,294	35,075	38,325	34,805	40,764	28
1990.....	5,237	7,730	12,551	20,568	29,212	35,400	38,801	35,202	40,126	14
1989.....	5,273	8,009	13,193	21,464	30,421	36,124	39,388	35,318	39,985	21
1988.....	5,316	8,298	14,076	22,584	31,520	37,951	40,233	35,436	40,471	23
1987.....	5,404	8,976	15,155	23,929	32,092	38,576	40,206	34,720	39,719	21
1986.....	5,448	9,463	16,375	25,435	33,195	39,883	40,910	34,805	39,606	62
1985.....	5,846	10,378	17,815	26,937	34,604	41,551	41,997	35,866	41,157	52
1984.....	6,080	10,839	18,605	28,162	35,299	41,841	42,464	35,626	40,753	27
1983.....	6,244	11,667	19,808	28,809	37,177	43,523	42,986	35,584	41,407	29
1982.....	6,600	12,549	20,674	29,879	38,256	43,632	42,692	35,431	40,758	42
1981.....	7,043	13,106	21,654	30,223	38,738	43,864	42,187	35,746	40,941	36
1980.....	7,208	13,858	22,812	30,764	39,898	44,502	42,621	36,310	41,727	32
1979.....	7,690	14,385	23,062	31,662	39,419	44,013	41,809	35,329	39,578	48

WHITE FEMALE

1998.....	1,215	2,183	3,588	6,002	10,226	17,907	27,311	37,351	95,211	4
1997.....	1,264	2,308	3,611	6,167	10,833	18,300	28,113	37,736	95,036	5
1996.....	1,413	2,326	3,595	6,484	11,484	19,613	28,738	39,296	95,353	7
1995.....	1,245	2,219	3,694	6,667	12,207	20,009	29,160	39,587	96,147	14
1994.....	1,291	2,273	3,752	6,897	12,336	20,497	29,385	40,163	94,428	7
1993.....	1,221	2,162	3,739	7,265	13,076	21,263	30,330	40,988	94,235	11
1992.....	1,207	2,073	3,853	7,325	13,235	21,437	30,251	40,429	88,914	10
1991.....	1,222	2,107	3,992	7,874	13,727	21,577	31,253	41,016	88,522	15
1990.....	1,190	2,072	4,104	8,146	14,373	22,183	32,483	41,134	87,148	11
1989.....	1,142	2,163	4,184	8,650	15,020	22,491	33,236	42,155	87,299	9
1988.....	1,207	2,221	4,717	9,183	15,685	23,932	33,980	42,752	87,534	16
1987.....	1,207	2,405	4,902	9,663	16,266	24,431	34,492	42,137	85,478	21
1986.....	1,205	2,362	5,100	10,201	16,635	25,254	35,126	42,518	84,506	141
1985.....	1,226	2,625	5,461	10,538	17,135	26,028	36,125	42,842	85,054	98
1984.....	1,323	2,659	5,837	10,988	17,616	27,078	36,738	43,327	83,069	17
1983.....	1,320	2,966	6,107	11,360	17,992	27,398	37,026	44,130	83,192	19
1982.....	1,359	2,990	6,265	11,426	18,306	27,891	37,190	43,889	79,973	37
1981.....	1,512	3,250	6,488	11,660	18,751	27,565	36,365	44,078	78,830	31
1980.....	1,482	3,287	6,722	11,643	19,134	28,361	37,854	45,340	78,265	26
1979.....	1,520	3,350	6,710	11,562	18,421	27,600	36,743	43,919	72,705	14

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ISCHEMIC HEART DISEASE (410-414)										
ALL OTHER, BOTH SEXES										
1998.....	1,598	2,154	2,819	3,766	4,827	6,183	6,918	6,504	11,065	7
1997.....	1,627	2,187	2,954	3,832	4,957	6,394	6,731	6,384	10,840	9
1996.....	1,564	2,162	2,842	3,996	5,032	6,403	6,835	6,553	10,590	8
1995.....	1,598	2,147	2,831	3,904	5,410	6,672	6,663	6,648	10,377	14
1994.....	1,491	2,089	2,892	3,824	5,424	6,557	6,506	6,486	10,020	10
1993.....	1,373	2,045	2,913	4,076	5,542	6,478	6,639	6,670	10,182	19
1992.....	1,393	2,027	2,925	3,998	5,471	6,306	6,558	6,274	9,325	18
1991.....	1,323	1,960	2,939	4,261	5,674	6,383	6,673	6,427	8,937	12
1990.....	1,275	1,953	2,909	4,203	5,793	6,178	6,772	6,050	8,632	16
1989.....	1,374	2,040	3,077	4,555	5,913	6,146	6,925	6,011	8,566	14
1988.....	1,353	1,985	3,053	4,654	5,811	6,213	6,985	6,151	8,101	13
1987.....	1,345	2,069	3,068	4,632	5,810	6,436	6,657	5,851	7,937	15
1986.....	1,288	2,120	3,105	4,820	5,748	6,396	6,733	5,707	7,709	17
1985.....	1,400	2,177	3,538	4,874	5,905	6,772	6,771	5,820	7,323	18
1984.....	1,410	2,314	3,552	4,972	5,712	6,850	6,547	5,860	6,979	24
1983.....	1,391	2,446	3,708	5,020	5,847	7,108	6,646	5,854	6,941	26
1982.....	1,486	2,513	3,779	4,981	5,908	6,777	6,349	5,450	6,688	37
1981.....	1,549	2,488	3,881	5,044	6,100	6,827	6,189	5,494	6,559	38
1980.....	1,580	2,659	3,937	4,949	6,310	6,793	6,752	5,391	6,619	37
1979.....	1,539	2,727	3,902	4,824	6,181	6,485	6,620	4,642	5,829	29
ALL OTHER MALE										
1998.....	1,083	1,444	1,834	2,289	2,685	3,159	3,398	2,715	3,585	5
1997.....	1,143	1,471	1,879	2,327	2,772	3,293	3,239	2,673	3,472	5
1996.....	1,065	1,401	1,769	2,390	2,787	3,269	3,266	2,732	3,391	4
1995.....	1,103	1,429	1,816	2,331	3,023	3,478	3,241	2,740	3,409	6
1994.....	1,034	1,431	1,785	2,296	2,973	3,475	3,033	2,711	3,266	8
1993.....	934	1,349	1,829	2,470	3,062	3,394	3,062	2,860	3,332	10
1992.....	961	1,310	1,797	2,349	3,055	3,299	3,178	2,626	3,050	12
1991.....	907	1,305	1,825	2,507	3,139	3,299	3,111	2,775	2,973	9
1990.....	875	1,301	1,872	2,384	3,155	3,277	3,241	2,504	2,951	8
1989.....	974	1,375	1,930	2,689	3,277	3,109	3,238	2,562	2,876	8
1988.....	930	1,263	1,910	2,726	3,293	3,252	3,281	2,676	2,728	7
1987.....	920	1,368	1,893	2,735	3,257	3,425	3,254	2,552	2,684	11
1986.....	850	1,401	1,960	2,860	3,179	3,302	3,179	2,444	2,655	7
1985.....	966	1,432	2,166	2,912	3,276	3,568	3,299	2,592	2,586	10
1984.....	968	1,533	2,182	2,993	3,211	3,568	3,190	2,547	2,504	16
1983.....	959	1,628	2,292	3,001	3,281	3,704	3,196	2,566	2,538	16
1982.....	1,005	1,615	2,419	2,918	3,364	3,601	3,168	2,401	2,533	25
1981.....	1,082	1,647	2,505	2,995	3,395	3,665	3,003	2,453	2,359	22
1980.....	1,084	1,768	2,494	2,922	3,582	3,602	3,329	2,418	2,583	25
1979.....	1,053	1,807	2,554	2,897	3,515	3,496	3,238	2,123	2,257	20

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ISCHEMIC HEART DISEASE (410-414)										
ALL OTHER FEMALE										
1998.....	515	710	985	1,477	2,142	3,024	3,520	3,789	7,480	2
1997.....	484	716	1,075	1,505	2,185	3,101	3,492	3,711	7,368	4
1996.....	499	761	1,073	1,606	2,245	3,134	3,569	3,821	7,199	4
1995.....	495	718	1,015	1,573	2,387	3,194	3,422	3,908	6,968	8
1994.....	457	658	1,107	1,528	2,451	3,082	3,473	3,775	6,754	2
1993.....	439	696	1,084	1,606	2,480	3,084	3,577	3,810	6,850	9
1992.....	432	717	1,128	1,649	2,416	3,007	3,380	3,648	6,275	6
1991.....	416	655	1,114	1,754	2,535	3,084	3,562	3,652	5,964	3
1990.....	400	652	1,037	1,819	2,638	2,901	3,531	3,546	5,681	8
1989.....	400	665	1,147	1,866	2,636	3,037	3,687	3,449	5,690	6
1988.....	423	722	1,143	1,928	2,518	2,961	3,704	3,475	5,373	6
1987.....	425	701	1,175	1,897	2,553	3,011	3,403	3,299	5,253	4
1986.....	438	719	1,145	1,960	2,569	3,094	3,554	3,263	5,054	10
1985.....	434	745	1,372	1,962	2,629	3,204	3,472	3,228	4,737	8
1984.....	442	781	1,370	1,979	2,501	3,282	3,357	3,313	4,475	8
1983.....	432	818	1,416	2,019	2,566	3,404	3,450	3,288	4,403	10
1982.....	481	898	1,360	2,063	2,544	3,176	3,181	3,049	4,155	12
1981.....	467	841	1,376	2,049	2,705	3,162	3,186	3,041	4,200	16
1980.....	496	891	1,443	2,027	2,728	3,191	3,423	2,973	4,036	12
1979.....	486	920	1,348	1,927	2,666	2,989	3,382	2,519	3,572	9
BLACK, BOTH SEXES										
1998.....	1,416	1,871	2,447	3,275	4,185	5,272	5,822	5,491	9,328	6
1997.....	1,424	1,921	2,555	3,368	4,220	5,530	5,804	5,422	9,274	8
1996.....	1,397	1,906	2,492	3,504	4,359	5,549	5,868	5,589	9,130	8
1995.....	1,436	1,889	2,503	3,437	4,746	5,800	5,792	5,724	8,990	12
1994.....	1,299	1,858	2,543	3,366	4,754	5,680	5,659	5,626	8,725	10
1993.....	1,199	1,820	2,608	3,625	4,941	5,736	5,821	5,806	8,888	15
1992.....	1,236	1,796	2,583	3,544	4,832	5,555	5,717	5,456	8,153	17
1991.....	1,198	1,744	2,620	3,803	5,057	5,716	5,882	5,703	7,905	10
1990.....	1,143	1,775	2,592	3,833	5,219	5,520	6,043	5,388	7,657	15
1989.....	1,238	1,826	2,767	4,129	5,333	5,524	6,172	5,340	7,569	13
1988.....	1,224	1,809	2,774	4,206	5,256	5,609	6,294	5,507	7,248	13
1987.....	1,220	1,875	2,785	4,232	5,320	5,820	5,997	5,264	7,073	13
1986.....	1,162	1,925	2,868	4,392	5,297	5,822	6,100	5,109	6,963	16
1985.....	1,278	2,002	3,243	4,490	5,417	6,183	6,111	5,262	6,606	15
1984.....	1,284	2,147	3,263	4,607	5,243	6,300	5,958	5,290	6,262	21
1983.....	1,283	2,270	3,437	4,654	5,403	6,558	6,089	5,328	6,279	18
1982.....	1,371	2,334	3,536	4,639	5,455	6,224	5,782	4,980	6,063	30
1981.....	1,434	2,326	3,631	4,747	5,712	6,355	5,706	5,054	5,976	34
1980.....	1,465	2,485	3,692	4,679	5,931	6,292	6,239	4,964	6,040	35
1979.....	1,452	2,563	3,668	4,536	5,780	6,019	6,112	4,256	5,278	26

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ISCHEMIC HEART DISEASE (410-414)										
BLACK MALE										
1998.....	930	1,235	1,550	1,939	2,304	2,629	2,746	2,190	2,804	4
1997.....	973	1,263	1,573	2,001	2,307	2,775	2,718	2,179	2,714	4
1996.....	922	1,201	1,517	2,050	2,367	2,766	2,721	2,233	2,715	4
1995.....	974	1,235	1,582	2,023	2,590	2,952	2,738	2,240	2,761	4
1994.....	872	1,238	1,542	1,994	2,568	2,917	2,574	2,264	2,665	8
1993.....	795	1,177	1,606	2,178	2,673	2,932	2,592	2,355	2,726	8
1992.....	830	1,135	1,547	2,039	2,652	2,858	2,706	2,183	2,521	11
1991.....	808	1,141	1,601	2,197	2,747	2,901	2,656	2,338	2,506	8
1990.....	764	1,159	1,645	2,154	2,805	2,882	2,817	2,144	2,509	8
1989.....	861	1,218	1,718	2,396	2,911	2,736	2,799	2,165	2,416	8
1988.....	823	1,130	1,708	2,423	2,913	2,876	2,888	2,268	2,341	7
1987.....	824	1,215	1,686	2,458	2,925	3,028	2,813	2,213	2,285	9
1986.....	748	1,256	1,778	2,568	2,878	2,942	2,781	2,086	2,342	7
1985.....	866	1,295	1,966	2,638	2,971	3,171	2,862	2,254	2,272	8
1984.....	873	1,407	1,986	2,746	2,898	3,209	2,807	2,192	2,195	14
1983.....	878	1,496	2,093	2,745	2,994	3,348	2,837	2,272	2,264	13
1982.....	909	1,483	2,246	2,683	3,054	3,220	2,765	2,132	2,238	19
1981.....	990	1,516	2,309	2,797	3,141	3,321	2,693	2,197	2,106	21
1980.....	987	1,630	2,301	2,723	3,322	3,239	2,993	2,179	2,273	24
1979.....	981	1,666	2,366	2,685	3,219	3,178	2,892	1,913	1,993	18
BLACK FEMALE										
1998.....	486	636	897	1,336	1,881	2,643	3,076	3,301	6,524	2
1997.....	451	658	982	1,367	1,913	2,755	3,086	3,243	6,560	4
1996.....	475	705	975	1,454	1,992	2,783	3,147	3,356	6,415	4
1995.....	462	654	921	1,414	2,156	2,848	3,054	3,484	6,229	8
1994.....	427	620	1,001	1,372	2,186	2,763	3,085	3,362	6,060	2
1993.....	404	643	1,002	1,447	2,268	2,804	3,229	3,451	6,162	7
1992.....	406	661	1,036	1,505	2,180	2,697	3,011	3,273	5,632	6
1991.....	390	603	1,019	1,606	2,310	2,815	3,226	3,365	5,399	2
1990.....	379	616	947	1,679	2,414	2,638	3,226	3,244	5,148	7
1989.....	377	608	1,049	1,733	2,422	2,788	3,373	3,175	5,153	5
1988.....	401	679	1,066	1,783	2,343	2,733	3,406	3,239	4,907	6
1987.....	396	660	1,099	1,774	2,395	2,792	3,184	3,051	4,788	4
1986.....	414	669	1,090	1,824	2,419	2,880	3,319	3,023	4,621	9
1985.....	412	707	1,277	1,852	2,446	3,012	3,249	3,008	4,334	7
1984.....	411	740	1,277	1,861	2,345	3,091	3,151	3,098	4,067	7
1983.....	405	774	1,344	1,909	2,409	3,210	3,252	3,056	4,015	5
1982.....	462	851	1,290	1,956	2,401	3,004	3,017	2,848	3,825	11
1981.....	444	810	1,322	1,950	2,571	3,034	3,013	2,857	3,870	13
1980.....	478	855	1,391	1,956	2,609	3,053	3,246	2,785	3,767	11
1979.....	471	897	1,302	1,851	2,561	2,841	3,220	2,343	3,285	8

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 ACUTE MYOCARDIAL INFARCTION (410)

TOTAL, BOTH SEXES

1998.....	4,362	6,834	9,414	12,813	18,111	25,619	32,018	34,270	56,038	7
1997.....	4,574	7,051	9,511	13,302	19,361	26,604	32,697	34,564	54,501	16
1996.....	4,825	7,104	9,471	14,320	20,505	28,433	33,663	35,826	55,109	13
1995.....	4,726	7,236	9,721	14,751	21,902	29,673	34,303	36,408	55,062	18
1994.....	4,780	7,203	10,160	15,401	22,953	30,896	34,946	37,073	54,552	11
1993.....	4,669	7,020	10,236	16,411	24,227	31,529	36,523	37,977	54,391	14
1992.....	4,727	6,976	10,628	16,807	24,603	32,720	37,099	38,405	52,819	15
1991.....	4,626	6,958	11,177	17,861	26,240	33,408	38,713	38,944	52,754	24
1990.....	4,601	7,060	11,580	18,877	27,547	34,192	40,112	39,342	51,228	15
1989.....	4,689	7,351	12,175	20,208	29,171	35,518	41,486	40,200	51,577	22
1988.....	4,664	7,520	12,767	21,108	30,025	37,014	41,709	39,634	48,706	19
1987.....	4,904	8,268	13,850	22,517	31,195	38,491	42,477	39,437	47,363	25
1986.....	4,970	8,635	14,968	24,171	32,552	40,205	43,936	39,575	46,607	58
1985.....	5,277	9,492	16,819	26,064	34,675	42,707	46,016	40,233	47,379	41
1984.....	5,658	10,201	17,887	27,574	35,483	44,042	46,435	40,498	45,860	27
1983.....	5,867	11,166	19,006	28,695	37,384	45,786	46,911	40,177	45,681	33
1982.....	6,244	11,951	20,136	29,784	38,954	46,588	47,005	39,788	44,666	45
1981.....	6,851	12,579	21,009	30,214	39,896	46,415	45,829	39,813	43,902	48
1980.....	7,072	13,360	22,261	31,091	41,400	47,420	46,922	40,150	43,940	30
1979.....	7,505	14,189	23,219	32,305	41,302	47,224	46,825	39,437	42,102	42

TOTAL, MALE

1998.....	3,404	5,242	6,871	8,837	11,852	15,364	17,367	16,285	18,655	4
1997.....	3,606	5,384	6,859	9,162	12,667	16,062	17,745	16,326	18,284	12
1996.....	3,760	5,396	6,867	9,838	13,381	16,969	18,273	16,631	18,361	10
1995.....	3,765	5,563	7,106	10,172	14,138	17,843	18,575	17,160	18,223	11
1994.....	3,746	5,498	7,367	10,629	14,971	18,553	18,840	17,207	18,082	9
1993.....	3,689	5,391	7,452	11,417	15,859	18,851	19,792	17,736	18,062	10
1992.....	3,751	5,320	7,679	11,640	15,979	19,525	20,021	17,663	17,968	11
1991.....	3,649	5,271	8,073	12,307	17,076	19,967	20,700	17,865	17,643	14
1990.....	3,659	5,453	8,517	13,030	17,849	20,381	21,460	18,217	17,370	8
1989.....	3,771	5,619	8,996	13,964	18,934	21,303	22,100	18,474	17,476	13
1988.....	3,691	5,762	9,307	14,481	19,496	22,049	22,353	18,219	16,712	9
1987.....	3,880	6,334	10,199	15,548	20,166	23,067	22,629	17,960	16,427	15
1986.....	3,924	6,720	11,087	16,796	21,131	24,065	23,469	18,142	16,136	19
1985.....	4,254	7,369	12,469	18,276	22,752	25,804	24,682	18,799	17,009	17
1984.....	4,530	8,005	13,246	19,468	23,332	26,422	25,097	18,805	16,585	18
1983.....	4,724	8,739	14,205	20,164	24,820	27,843	25,257	18,699	16,696	20
1982.....	5,066	9,410	15,113	21,220	26,056	28,378	25,339	18,475	16,547	27
1981.....	5,552	9,888	15,919	21,499	26,574	28,538	25,083	18,547	16,375	28
1980.....	5,729	10,657	16,966	22,355	27,839	29,150	25,306	18,705	16,887	15
1979.....	6,159	11,251	17,694	23,398	28,019	29,225	25,429	18,353	16,343	30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ACUTE MYOCARDIAL INFARCTION (410)										
TOTAL, FEMALE										
1998.....	958	1,592	2,543	3,976	6,259	10,255	14,651	17,985	37,383	3
1997.....	968	1,667	2,652	4,140	6,694	10,542	14,952	18,238	36,217	4
1996.....	1,065	1,708	2,604	4,482	7,124	11,464	15,390	19,195	36,748	3
1995.....	961	1,673	2,615	4,579	7,764	11,830	15,728	19,248	36,839	7
1994.....	1,034	1,705	2,793	4,772	7,982	12,343	16,106	19,866	36,470	2
1993.....	980	1,629	2,784	4,994	8,368	12,678	16,731	20,241	36,329	4
1992.....	976	1,656	2,949	5,167	8,624	13,195	17,078	20,742	34,851	4
1991.....	977	1,687	3,104	5,554	9,164	13,441	18,013	21,079	35,111	10
1990.....	942	1,607	3,063	5,847	9,698	13,811	18,652	21,125	33,858	7
1989.....	918	1,732	3,179	6,244	10,237	14,215	19,386	21,726	34,101	9
1988.....	973	1,758	3,460	6,627	10,529	14,965	19,356	21,415	31,994	10
1987.....	1,024	1,934	3,651	6,969	11,029	15,424	19,848	21,477	30,936	10
1986.....	1,046	1,915	3,881	7,375	11,421	16,140	20,467	21,433	30,471	39
1985.....	1,023	2,123	4,350	7,788	11,923	16,903	21,334	21,434	30,370	24
1984.....	1,128	2,196	4,641	8,106	12,151	17,620	21,338	21,693	29,275	9
1983.....	1,143	2,427	4,801	8,531	12,564	17,943	21,654	21,478	28,985	13
1982.....	1,178	2,541	5,023	8,564	12,898	18,210	21,666	21,313	28,119	18
1981.....	1,299	2,691	5,090	8,715	13,322	17,877	20,746	21,266	27,527	20
1980.....	1,343	2,703	5,295	8,736	13,561	18,270	21,616	21,445	27,053	15
1979.....	1,346	2,938	5,525	8,907	13,283	17,999	21,396	21,084	25,759	12
WHITE, BOTH SEXES										
1998.....	3,521	5,687	7,964	10,908	15,744	22,670	28,806	31,265	51,520	5
1997.....	3,720	5,907	7,983	11,376	16,883	23,553	29,616	31,672	50,235	14
1996.....	3,986	5,982	7,973	12,272	17,986	25,340	30,487	32,935	50,840	9
1995.....	3,909	6,133	8,280	12,760	19,176	26,497	31,103	33,427	50,881	11
1994.....	3,945	6,037	8,668	13,403	20,177	27,604	31,788	34,147	50,570	8
1993.....	3,917	5,915	8,666	14,246	21,406	28,275	33,314	34,909	50,229	8
1992.....	3,949	5,866	8,995	14,621	21,762	29,466	33,874	35,442	48,979	8
1991.....	3,887	5,922	9,533	15,498	23,266	30,098	35,306	35,920	48,997	18
1990.....	3,910	5,954	9,952	16,570	24,423	30,963	36,660	36,484	47,720	9
1989.....	3,940	6,194	10,452	17,669	25,854	32,239	37,908	37,287	47,979	16
1988.....	3,980	6,443	11,088	18,571	26,873	33,823	38,247	36,758	45,567	14
1987.....	4,147	7,127	12,207	19,958	27,988	35,151	39,158	36,696	44,232	16
1986.....	4,247	7,417	13,219	21,488	29,379	36,840	40,516	36,917	43,749	54
1985.....	4,504	8,312	14,839	23,261	31,351	39,055	42,580	37,535	44,515	34
1984.....	4,843	8,850	15,845	24,730	32,261	40,414	43,141	37,745	43,135	20
1983.....	5,056	9,765	16,884	25,846	34,052	41,988	43,607	37,550	43,134	19
1982.....	5,414	10,558	17,926	26,936	35,655	42,942	43,933	37,410	42,275	33
1981.....	5,934	11,124	18,745	27,389	36,459	42,851	42,868	37,432	41,567	32
1980.....	6,131	11,815	20,003	28,289	37,938	43,849	43,629	37,860	41,514	14
1979.....	6,554	12,565	20,869	29,443	37,792	43,807	43,528	37,389	39,846	30

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ACUTE MYOCARDIAL INFARCTION (410)										
WHITE MALE										
1998.....	2,837	4,467	5,946	7,685	10,555	13,867	15,793	15,051	17,181	3
1997.....	3,016	4,600	5,904	8,020	11,290	14,530	16,347	15,135	16,891	11
1996.....	3,189	4,656	5,930	8,636	12,010	15,423	16,791	15,416	16,960	8
1995.....	3,214	4,844	6,183	8,981	12,675	16,198	17,047	15,928	16,813	7
1994.....	3,171	4,703	6,483	9,477	13,474	16,806	17,396	15,939	16,699	7
1993.....	3,191	4,647	6,472	10,112	14,322	17,153	18,343	16,420	16,659	6
1992.....	3,213	4,602	6,687	10,361	14,397	17,832	18,491	16,393	16,610	7
1991.....	3,132	4,595	7,059	10,933	15,463	18,270	19,117	16,589	16,331	10
1990.....	3,178	4,712	7,468	11,761	16,163	18,707	19,809	16,991	16,110	6
1989.....	3,247	4,866	7,932	12,484	17,110	19,646	20,449	17,230	16,214	11
1988.....	3,233	5,089	8,277	13,056	17,742	20,396	20,716	16,968	15,605	7
1987.....	3,373	5,597	9,177	14,074	18,407	21,293	21,034	16,780	15,303	8
1986.....	3,455	5,931	9,991	15,255	19,396	22,349	21,850	16,975	15,126	17
1985.....	3,733	6,619	11,284	16,633	20,877	23,874	23,002	17,572	15,953	14
1984.....	3,981	7,117	12,032	17,758	21,520	24,557	23,439	17,572	15,529	13
1983.....	4,168	7,804	12,903	18,487	22,939	25,835	23,657	17,526	15,693	10
1982.....	4,501	8,531	13,683	19,572	24,198	26,422	23,797	17,386	15,576	19
1981.....	4,903	8,930	14,469	19,834	24,636	26,576	23,589	17,468	15,487	21
1980.....	5,087	9,643	15,539	20,708	25,885	27,209	23,658	17,683	15,902	6
1979.....	5,497	10,192	16,157	21,691	25,990	27,334	23,773	17,402	15,426	22
WHITE FEMALE										
1998.....	684	1,220	2,018	3,223	5,189	8,803	13,013	16,214	34,339	2
1997.....	704	1,307	2,079	3,356	5,593	9,023	13,269	16,537	33,344	3
1996.....	797	1,326	2,043	3,636	5,976	9,917	13,696	17,519	33,880	1
1995.....	695	1,289	2,097	3,779	6,501	10,299	14,056	17,499	34,068	4
1994.....	774	1,334	2,185	3,926	6,703	10,798	14,392	18,208	33,871	1
1993.....	726	1,268	2,194	4,134	7,084	11,122	14,971	18,489	33,570	2
1992.....	736	1,264	2,308	4,260	7,365	11,634	15,383	19,049	32,369	1
1991.....	755	1,327	2,474	4,565	7,803	11,828	16,189	19,331	32,666	8
1990.....	732	1,242	2,484	4,809	8,260	12,256	16,851	19,493	31,610	3
1989.....	693	1,328	2,520	5,185	8,744	12,593	17,459	20,057	31,765	5
1988.....	747	1,354	2,811	5,515	9,131	13,427	17,531	19,790	29,962	7
1987.....	774	1,530	3,030	5,884	9,581	13,858	18,124	19,916	28,929	8
1986.....	792	1,486	3,228	6,233	9,983	14,491	18,666	19,942	28,623	37
1985.....	771	1,693	3,555	6,628	10,474	15,181	19,578	19,963	28,562	20
1984.....	862	1,733	3,813	6,972	10,741	15,857	19,702	20,173	27,606	7
1983.....	888	1,961	3,981	7,359	11,113	16,153	19,950	20,024	27,441	9
1982.....	913	2,027	4,243	7,364	11,457	16,520	20,136	20,024	26,699	14
1981.....	1,031	2,194	4,276	7,555	11,823	16,275	19,279	19,964	26,080	11
1980.....	1,044	2,172	4,464	7,581	12,053	16,640	19,971	20,177	25,612	8
1979.....	1,057	2,373	4,712	7,752	11,802	16,473	19,755	19,987	24,420	8

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ACUTE MYOCARDIAL INFARCTION (410)										
ALL OTHER, BOTH SEXES										
1998.....	841	1,147	1,450	1,905	2,367	2,949	3,212	3,005	4,518	2
1997.....	854	1,144	1,528	1,926	2,478	3,051	3,081	2,892	4,266	2
1996.....	839	1,122	1,498	2,048	2,519	3,093	3,176	2,891	4,269	4
1995.....	817	1,103	1,441	1,991	2,726	3,176	3,200	2,981	4,181	7
1994.....	835	1,166	1,492	1,998	2,776	3,292	3,158	2,926	3,982	3
1993.....	752	1,105	1,570	2,165	2,821	3,254	3,209	3,068	4,162	6
1992.....	778	1,110	1,633	2,186	2,841	3,254	3,225	2,963	3,840	7
1991.....	739	1,036	1,644	2,363	2,974	3,310	3,407	3,024	3,757	6
1990.....	691	1,106	1,628	2,307	3,124	3,229	3,452	2,858	3,508	6
1989.....	749	1,157	1,723	2,539	3,317	3,279	3,578	2,913	3,598	6
1988.....	684	1,077	1,679	2,537	3,152	3,191	3,462	2,876	3,139	5
1987.....	757	1,141	1,643	2,559	3,207	3,340	3,319	2,741	3,131	9
1986.....	723	1,218	1,749	2,683	3,173	3,365	3,420	2,658	2,858	4
1985.....	773	1,180	1,980	2,803	3,324	3,652	3,436	2,698	2,864	7
1984.....	815	1,351	2,042	2,844	3,222	3,628	3,294	2,753	2,725	7
1983.....	811	1,401	2,122	2,849	3,332	3,798	3,304	2,627	2,547	14
1982.....	830	1,393	2,210	2,848	3,299	3,646	3,072	2,378	2,391	12
1981.....	917	1,455	2,264	2,825	3,437	3,564	2,961	2,381	2,335	16
1980.....	941	1,545	2,258	2,802	3,462	3,571	3,293	2,290	2,426	16
1979.....	951	1,624	2,350	2,862	3,510	3,417	3,297	2,048	2,256	12
ALL OTHER MALE										
1998.....	567	775	925	1,152	1,297	1,497	1,574	1,234	1,474	1
1997.....	590	784	955	1,142	1,377	1,532	1,398	1,191	1,393	1
1996.....	571	740	937	1,202	1,371	1,546	1,482	1,215	1,401	2
1995.....	551	719	923	1,191	1,463	1,645	1,528	1,232	1,410	4
1994.....	575	795	884	1,152	1,497	1,747	1,444	1,268	1,383	2
1993.....	498	744	980	1,305	1,537	1,698	1,449	1,316	1,403	4
1992.....	538	718	992	1,279	1,582	1,693	1,530	1,270	1,358	4
1991.....	517	676	1,014	1,374	1,613	1,697	1,583	1,276	1,312	4
1990.....	481	741	1,049	1,269	1,686	1,674	1,651	1,226	1,260	2
1989.....	524	753	1,064	1,480	1,824	1,657	1,651	1,244	1,262	2
1988.....	458	673	1,030	1,425	1,754	1,653	1,637	1,251	1,107	2
1987.....	507	737	1,022	1,474	1,759	1,774	1,595	1,180	1,124	7
1986.....	469	789	1,096	1,541	1,735	1,716	1,619	1,167	1,010	2
1985.....	521	750	1,185	1,643	1,875	1,930	1,680	1,227	1,056	3
1984.....	549	888	1,214	1,710	1,812	1,865	1,658	1,233	1,056	5
1983.....	556	935	1,302	1,677	1,881	2,008	1,600	1,173	1,003	10
1982.....	565	879	1,430	1,648	1,858	1,956	1,542	1,089	971	8
1981.....	649	958	1,450	1,665	1,938	1,962	1,494	1,079	888	7
1980.....	642	1,014	1,427	1,647	1,954	1,941	1,648	1,022	985	9
1979.....	662	1,059	1,537	1,707	2,029	1,891	1,656	951	917	8

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 ACUTE MYOCARDIAL INFARCTION (410)

Year	45-49 Years	50-54 Years	55-59 Years	60-64 Years	65-69 Years	70-74 Years	75-79 Years	80-84 Years	85 + Years	NOT STATED
ALL OTHER FEMALE										
1998	274	372	525	753	1,070	1,452	1,638	1,771	3,044	1
1997	264	360	573	784	1,101	1,519	1,683	1,701	2,873	1
1996	268	382	561	846	1,148	1,547	1,694	1,676	2,868	2
1995	266	384	518	800	1,263	1,531	1,672	1,749	2,771	3
1994	260	371	608	846	1,279	1,545	1,714	1,658	2,599	1
1993	254	361	590	860	1,284	1,556	1,760	1,752	2,759	2
1992	240	392	641	907	1,259	1,561	1,695	1,693	2,482	3
1991	222	360	630	989	1,361	1,613	1,824	1,748	2,445	2
1990	210	365	579	1,038	1,438	1,555	1,801	1,632	2,248	4
1989	225	404	659	1,059	1,493	1,622	1,927	1,669	2,336	4
1988	226	404	649	1,112	1,398	1,538	1,825	1,625	2,032	3
1987	250	404	621	1,085	1,448	1,566	1,724	1,561	2,007	2
1986	254	429	653	1,142	1,438	1,649	1,801	1,491	1,848	2
1985	252	430	795	1,160	1,449	1,722	1,756	1,471	1,808	4
1984	266	463	828	1,134	1,410	1,763	1,636	1,520	1,669	2
1983	255	466	820	1,172	1,451	1,790	1,704	1,454	1,544	4
1982	265	514	780	1,200	1,441	1,690	1,530	1,289	1,420	4
1981	268	497	814	1,160	1,499	1,602	1,467	1,302	1,447	9
1980	299	531	831	1,155	1,508	1,630	1,645	1,268	1,441	7
1979	289	565	813	1,155	1,481	1,526	1,641	1,097	1,339	4
BLACK, BOTH SEXES										
1998	753	993	1,265	1,650	2,042	2,532	2,736	2,580	3,874	1
1997	739	1,012	1,326	1,678	2,123	2,671	2,686	2,501	3,736	2
1996	750	975	1,334	1,801	2,216	2,690	2,747	2,505	3,733	4
1995	732	956	1,259	1,736	2,415	2,782	2,786	2,608	3,700	5
1994	732	1,043	1,324	1,763	2,437	2,860	2,765	2,559	3,506	3
1993	654	966	1,410	1,925	2,506	2,887	2,806	2,710	3,666	6
1992	696	979	1,429	1,946	2,516	2,866	2,825	2,607	3,406	6
1991	668	917	1,470	2,103	2,648	2,952	3,013	2,687	3,351	5
1990	620	996	1,447	2,102	2,828	2,887	3,082	2,566	3,139	6
1989	668	1,022	1,546	2,288	2,984	2,936	3,175	2,576	3,209	5
1988	615	983	1,514	2,268	2,850	2,861	3,108	2,563	2,807	5
1987	682	1,035	1,481	2,313	2,918	3,006	2,984	2,456	2,769	8
1986	641	1,100	1,595	2,431	2,926	3,069	3,098	2,359	2,599	4
1985	691	1,062	1,805	2,560	3,029	3,320	3,070	2,423	2,609	6
1984	737	1,240	1,876	2,623	2,953	3,323	2,981	2,465	2,435	4
1983	749	1,286	1,959	2,639	3,073	3,489	3,008	2,379	2,318	12
1982	758	1,284	2,060	2,656	3,038	3,322	2,773	2,152	2,151	9
1981	839	1,363	2,112	2,644	3,198	3,299	2,712	2,175	2,124	14
1980	867	1,443	2,117	2,642	3,222	3,291	3,027	2,100	2,221	15
1979	898	1,530	2,222	2,677	3,282	3,152	3,024	1,862	2,060	10

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 ACUTE MYOCARDIAL INFARCTION (410)

BLACK MALE

1998.....	491	663	787	975	1,113	1,258	1,290	1,008	1,184	-
1997.....	496	678	802	970	1,161	1,303	1,189	984	1,119	1
1996.....	492	624	821	1,027	1,189	1,323	1,243	1,009	1,140	2
1995.....	487	615	798	1,009	1,269	1,407	1,297	1,017	1,168	2
1994.....	489	693	775	993	1,297	1,468	1,235	1,080	1,176	2
1993.....	419	637	864	1,147	1,334	1,476	1,212	1,107	1,148	4
1992.....	468	621	844	1,110	1,371	1,464	1,310	1,088	1,134	3
1991.....	464	582	892	1,196	1,419	1,487	1,361	1,071	1,113	3
1990.....	420	651	912	1,146	1,515	1,474	1,440	1,069	1,101	2
1989.....	458	655	937	1,318	1,613	1,460	1,425	1,055	1,077	2
1988.....	404	600	916	1,260	1,544	1,462	1,443	1,057	950	2
1987.....	447	655	907	1,308	1,567	1,564	1,361	1,018	941	6
1986.....	404	700	979	1,378	1,574	1,541	1,418	997	900	2
1985.....	458	656	1,071	1,473	1,691	1,706	1,446	1,051	934	3
1984.....	495	808	1,099	1,556	1,632	1,670	1,458	1,059	923	3
1983.....	513	848	1,181	1,527	1,715	1,809	1,420	1,040	898	9
1982.....	507	797	1,325	1,521	1,692	1,729	1,328	966	865	5
1981.....	584	885	1,332	1,543	1,784	1,770	1,330	962	797	7
1980.....	581	933	1,316	1,535	1,788	1,736	1,478	922	872	9
1979.....	619	976	1,435	1,579	1,854	1,717	1,468	851	816	7

BLACK FEMALE

1998.....	262	330	478	675	929	1,274	1,446	1,572	2,690	1
1997.....	243	334	524	708	962	1,368	1,497	1,517	2,617	1
1996.....	258	351	513	774	1,027	1,367	1,504	1,496	2,593	2
1995.....	245	341	461	727	1,146	1,375	1,489	1,591	2,532	3
1994.....	243	350	549	770	1,140	1,392	1,530	1,479	2,330	1
1993.....	235	329	546	778	1,172	1,411	1,594	1,603	2,518	2
1992.....	228	358	585	836	1,145	1,402	1,515	1,519	2,272	3
1991.....	204	335	578	907	1,229	1,465	1,652	1,616	2,238	2
1990.....	200	345	535	956	1,313	1,413	1,642	1,497	2,038	4
1989.....	210	367	609	970	1,371	1,476	1,750	1,521	2,132	3
1988.....	211	383	598	1,008	1,306	1,399	1,665	1,506	1,857	3
1987.....	235	380	574	1,005	1,351	1,442	1,623	1,438	1,828	2
1986.....	237	400	616	1,053	1,352	1,528	1,680	1,362	1,699	2
1985.....	233	406	734	1,087	1,338	1,614	1,624	1,372	1,675	3
1984.....	242	432	777	1,067	1,321	1,653	1,523	1,406	1,512	1
1983.....	236	438	778	1,112	1,358	1,680	1,588	1,339	1,420	3
1982.....	251	487	735	1,135	1,346	1,593	1,445	1,186	1,286	4
1981.....	255	478	780	1,101	1,414	1,529	1,382	1,213	1,327	7
1980.....	286	510	801	1,107	1,434	1,555	1,549	1,178	1,349	6
1979.....	279	554	787	1,098	1,428	1,435	1,556	1,011	1,244	3

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)

TOTAL, BOTH SEXES										
1998.....	111	152	179	225	262	307	378	393	781	-
1997.....	118	196	190	266	292	350	373	351	787	4
1996.....	104	156	185	231	289	318	391	327	745	2
1995.....	91	159	175	221	265	332	304	376	707	7
1994.....	106	157	150	246	257	338	327	399	750	4
1993.....	110	149	175	253	317	358	374	414	664	5
1992.....	128	147	199	286	355	389	405	404	710	5
1991.....	125	159	211	317	387	416	409	420	690	7
1990.....	137	183	228	332	402	409	466	398	642	1
1989.....	108	138	225	358	406	416	442	437	718	1
1988.....	112	157	222	319	413	443	459	428	708	2
1987.....	121	181	266	362	441	422	521	427	654	3
1986.....	126	186	319	440	485	531	500	445	647	2
1985.....	125	249	321	477	500	530	500	464	664	2
1984.....	108	228	334	461	528	537	530	482	671	2
1983.....	143	264	324	468	538	549	526	444	657	1
1982.....	159	253	401	474	521	600	500	447	593	3
1981.....	145	282	435	538	594	613	550	528	689	-
1980.....	166	314	453	534	641	630	605	559	695	4
1979.....	162	305	456	579	627	637	637	526	664	2
TOTAL, MALE										
1998.....	89	120	129	164	177	187	204	166	234	-
1997.....	100	153	140	188	191	221	201	156	244	4
1996.....	79	119	134	174	189	200	211	153	220	-
1995.....	74	130	138	153	186	210	164	170	211	5
1994.....	86	117	105	188	177	209	174	175	236	1
1993.....	91	121	124	177	211	223	187	198	215	2
1992.....	106	118	149	204	215	248	205	180	218	3
1991.....	106	121	156	224	283	277	212	188	229	6
1990.....	114	142	175	231	289	265	250	189	206	1
1989.....	86	105	176	254	279	255	225	200	224	1
1988.....	88	115	167	238	275	276	263	183	228	1
1987.....	95	143	196	265	300	261	300	207	208	-
1986.....	103	150	243	327	336	337	300	216	198	2
1985.....	102	199	247	338	342	343	273	213	216	2
1984.....	89	176	253	336	390	336	279	230	241	2
1983.....	113	200	254	335	393	341	301	225	232	-
1982.....	128	205	313	352	371	386	285	213	213	3
1981.....	119	225	332	399	423	390	293	242	251	-
1980.....	144	231	350	399	450	414	326	260	257	3
1979.....	135	239	362	434	435	399	356	244	249	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										
TOTAL, FEMALE										
1998.....	22	32	50	61	85	120	174	227	547	-
1997.....	18	43	50	78	101	129	172	195	543	-
1996.....	25	37	51	57	100	118	180	174	525	2
1995.....	17	29	37	68	79	122	140	206	496	2
1994.....	20	40	45	58	80	129	153	224	514	3
1993.....	19	28	51	76	106	135	187	216	449	3
1992.....	22	29	50	82	140	141	200	224	492	2
1991.....	19	38	55	93	104	139	197	232	461	1
1990.....	23	41	53	101	113	144	216	209	436	-
1989.....	22	33	49	104	127	161	217	237	494	-
1988.....	24	42	55	81	138	167	196	245	480	1
1987.....	26	38	70	97	141	161	221	220	446	3
1986.....	23	36	76	113	149	194	200	229	449	-
1985.....	23	50	74	139	158	187	227	251	448	-
1984.....	19	52	81	125	138	201	251	252	430	-
1983.....	30	64	70	133	145	208	225	219	425	1
1982.....	31	48	88	122	150	214	215	234	380	-
1981.....	26	57	103	139	171	223	257	286	438	-
1980.....	22	83	103	135	191	216	279	299	438	1
1979.....	27	66	94	145	192	238	281	282	415	1
WHITE, BOTH SEXES										
1998.....	82	122	138	181	207	253	320	351	706	-
1997.....	99	159	146	218	243	292	323	310	705	2
1996.....	76	129	144	183	249	269	332	296	664	1
1995.....	69	133	144	176	223	287	260	340	646	7
1994.....	80	121	118	200	226	285	290	338	682	4
1993.....	83	122	143	213	261	311	335	361	604	1
1992.....	108	113	159	235	313	334	345	349	623	2
1991.....	107	131	178	260	314	360	351	360	623	7
1990.....	108	147	190	264	330	349	397	353	571	1
1989.....	79	105	165	292	329	362	360	388	662	1
1988.....	81	119	194	270	344	383	393	387	640	-
1987.....	97	142	213	295	377	360	449	387	589	2
1986.....	100	149	266	378	389	453	435	398	591	2
1985.....	97	199	264	401	429	443	444	422	601	2
1984.....	81	177	272	378	441	442	465	412	608	-
1983.....	122	210	258	386	441	458	453	384	579	1
1982.....	120	193	321	398	440	532	429	399	525	1
1981.....	115	220	346	447	512	499	474	461	629	-
1980.....	113	243	363	445	525	551	539	492	642	4
1979.....	133	241	363	464	528	543	545	468	603	2

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										
WHITE MALE										
1998.....	68	97	98	133	142	155	175	145	210	-
1997.....	86	127	111	162	161	193	176	135	216	2
1996.....	62	100	111	140	161	173	172	137	199	-
1995.....	57	111	113	128	160	186	137	157	199	5
1994.....	64	93	85	154	159	180	155	151	211	1
1993.....	69	100	109	152	176	195	166	170	193	-
1992.....	91	95	123	171	186	212	170	154	193	1
1991.....	94	104	136	187	232	248	183	167	195	6
1990.....	91	115	148	186	244	232	219	171	180	1
1989.....	69	84	133	216	230	232	187	173	202	1
1988.....	66	94	148	206	228	236	224	165	206	-
1987.....	77	113	163	218	257	226	255	188	182	-
1986.....	86	123	207	281	276	287	266	195	179	2
1985.....	84	168	208	291	306	293	244	198	193	2
1984.....	69	141	215	276	334	281	253	205	210	-
1983.....	100	164	206	284	335	298	267	192	201	-
1982.....	99	162	261	305	324	346	245	193	183	1
1981.....	97	182	270	338	376	328	250	211	231	-
1980.....	102	186	283	334	375	374	289	230	238	3
1979.....	114	194	299	354	369	342	310	212	227	1
WHITE FEMALE										
1998.....	14	25	40	48	65	98	145	206	496	-
1997.....	13	32	35	56	82	99	147	175	489	-
1996.....	14	29	33	43	88	96	160	159	465	1
1995.....	12	22	31	48	63	101	123	183	447	2
1994.....	16	28	33	46	67	105	135	187	471	3
1993.....	14	22	34	61	85	116	169	191	411	1
1992.....	17	18	36	64	127	122	175	195	430	1
1991.....	13	27	42	73	82	112	168	193	428	1
1990.....	17	32	42	78	86	117	178	182	391	-
1989.....	10	21	32	76	99	130	173	215	460	-
1988.....	15	25	46	64	116	147	169	222	434	-
1987.....	20	29	50	77	120	134	194	199	407	2
1986.....	14	26	59	97	113	166	169	203	412	-
1985.....	13	31	56	110	123	150	200	224	408	-
1984.....	12	36	57	102	107	161	212	207	398	-
1983.....	22	46	52	102	106	160	186	192	378	1
1982.....	21	31	60	93	116	186	184	206	342	-
1981.....	18	38	76	109	136	171	224	250	398	-
1980.....	11	57	80	111	150	177	250	262	404	1
1979.....	19	47	64	110	159	201	235	256	376	1

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)

ALL OTHER, BOTH SEXES

1998.....	29	30	41	44	55	54	58	42	75	-
1997.....	19	37	44	48	49	58	50	41	82	2
1996.....	28	27	41	48	40	49	59	31	81	1
1995.....	22	26	31	45	42	45	44	36	61	-
1994.....	26	36	32	46	31	53	37	61	68	-
1993.....	27	27	32	40	56	47	39	53	60	4
1992.....	20	34	40	51	42	55	60	55	87	3
1991.....	18	28	33	57	73	56	58	60	67	-
1990.....	29	36	38	68	72	60	69	45	71	-
1989.....	29	33	60	66	77	54	82	49	56	-
1988.....	31	38	28	49	69	60	66	41	68	2
1987.....	24	39	53	67	64	62	72	40	65	1
1986.....	26	37	53	62	96	78	65	47	56	-
1985.....	28	50	57	76	71	87	56	42	63	-
1984.....	27	51	62	83	87	95	65	70	63	2
1983.....	21	54	66	82	97	91	73	60	78	-
1982.....	39	60	80	76	81	68	71	48	68	2
1981.....	30	62	89	91	82	114	76	67	60	-
1980.....	53	71	90	89	116	79	66	67	53	-
1979.....	29	64	93	115	99	94	92	58	61	-

ALL OTHER MALE

1998.....	21	23	31	31	35	32	29	21	24	-
1997.....	14	26	29	26	30	28	25	21	28	2
1996.....	17	19	23	34	28	27	39	16	21	-
1995.....	17	19	25	25	26	24	27	13	12	-
1994.....	22	24	20	34	18	29	19	24	25	-
1993.....	22	21	15	25	35	28	21	28	22	2
1992.....	15	23	26	33	29	36	35	26	25	2
1991.....	12	17	20	37	51	29	29	21	34	-
1990.....	23	27	27	45	45	33	31	18	26	-
1989.....	17	21	43	38	49	23	38	27	22	-
1988.....	22	21	19	32	47	40	39	18	22	1
1987.....	18	30	33	47	43	35	45	19	26	-
1986.....	17	27	36	46	60	50	34	21	19	-
1985.....	18	31	39	47	36	50	29	15	23	-
1984.....	20	35	38	60	56	55	26	25	31	2
1983.....	13	36	48	51	58	43	34	33	31	-
1982.....	29	43	52	47	47	40	40	20	30	2
1981.....	22	43	62	61	47	62	43	31	20	-
1980.....	42	45	67	65	75	40	37	30	19	-
1979.....	21	45	63	80	66	57	46	32	22	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)

ALL OTHER FEMALE	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
1998.....	8	7	10	13	20	22	29	21	51	-
1997.....	5	11	15	22	19	30	25	20	54	-
1996.....	11	8	18	14	12	22	20	15	60	1
1995.....	5	7	6	20	16	21	17	23	49	-
1994.....	4	12	12	12	13	24	18	37	43	-
1993.....	5	6	17	15	21	19	18	25	38	2
1992.....	5	11	14	18	13	19	25	29	62	1
1991.....	6	11	13	20	22	27	29	39	33	-
1990.....	6	9	11	23	27	27	38	27	45	-
1989.....	12	12	17	28	28	31	44	22	34	-
1988.....	9	17	9	17	22	20	27	23	46	1
1987.....	6	9	20	20	21	27	27	21	39	1
1986.....	9	10	17	16	36	28	31	26	37	-
1985.....	10	19	18	29	35	37	27	27	40	-
1984.....	7	16	24	23	31	40	39	45	32	-
1983.....	8	18	18	31	39	48	39	27	47	-
1982.....	10	17	28	29	34	28	31	28	38	-
1981.....	8	19	27	30	35	52	33	36	40	-
1980.....	11	26	23	24	41	39	29	37	34	-
1979.....	8	19	30	35	33	37	46	26	39	-
BLACK, BOTH SEXES										
1998.....	25	27	32	39	49	49	53	38	65	-
1997.....	18	30	39	43	45	51	47	34	72	1
1996.....	25	26	36	47	35	45	56	26	73	1
1995.....	20	24	27	43	33	43	42	31	57	-
1994.....	22	32	26	39	28	45	31	51	59	-
1993.....	21	26	31	38	48	40	37	50	53	3
1992.....	13	25	37	46	38	53	58	50	79	3
1991.....	13	25	26	53	68	54	53	57	63	-
1990.....	26	35	33	66	62	58	64	37	65	-
1989.....	29	29	55	59	73	51	76	47	51	-
1988.....	28	36	27	47	67	58	63	38	62	2
1987.....	23	34	47	63	60	61	67	36	58	1
1986.....	25	36	48	61	86	70	58	44	53	-
1985.....	27	48	55	74	69	85	52	40	57	-
1984.....	27	50	56	82	82	87	63	68	60	2
1983.....	20	52	61	81	93	87	71	56	75	-
1982.....	38	57	75	72	76	63	68	46	65	1
1981.....	27	57	84	84	77	113	71	65	56	-
1980.....	50	67	85	87	110	73	61	62	51	-
1979.....	27	61	91	109	96	91	89	54	57	-

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)

BLACK MALE

1998.....	17	20	22	29	31	27	26	19	21	-
1997.....	13	19	27	24	28	24	24	16	23	1
1996.....	15	18	19	33	25	26	37	13	20	-
1995.....	15	18	21	24	21	22	27	13	9	-
1994.....	18	21	15	29	16	24	15	21	22	-
1993.....	16	21	14	23	27	24	19	27	19	2
1992.....	8	15	24	28	27	34	33	24	23	2
1991.....	10	14	16	34	48	27	26	19	32	-
1990.....	21	26	24	43	40	32	28	13	24	-
1989.....	17	18	38	33	46	22	34	27	20	-
1988.....	19	19	18	31	46	38	36	16	21	1
1987.....	17	26	27	44	39	34	41	17	22	-
1986.....	17	26	31	45	53	45	28	20	17	-
1985.....	17	29	38	46	35	48	27	14	20	-
1984.....	20	34	32	59	51	50	25	24	30	2
1983.....	13	35	44	51	57	39	33	30	29	-
1982.....	29	40	48	44	42	36	38	20	29	1
1981.....	19	39	59	58	45	61	40	30	19	-
1980.....	39	41	63	63	70	35	33	27	18	-
1979.....	19	42	61	77	63	55	44	29	20	-

BLACK FEMALE

1998.....	8	7	10	10	18	22	27	19	44	-
1997.....	5	11	12	19	17	27	23	18	49	-
1996.....	10	8	17	14	10	19	19	13	53	1
1995.....	5	6	6	19	12	21	15	18	48	-
1994.....	4	11	11	10	12	21	16	30	37	-
1993.....	5	5	17	15	21	16	18	23	34	1
1992.....	5	10	13	18	11	19	25	26	56	1
1991.....	3	11	10	19	20	27	27	38	31	-
1990.....	5	9	9	23	22	26	36	24	41	-
1989.....	12	11	17	26	27	29	42	20	31	-
1988.....	9	17	9	16	21	20	27	22	41	1
1987.....	6	8	20	19	21	27	26	19	36	1
1986.....	8	10	17	16	33	25	30	24	36	-
1985.....	10	19	17	28	34	37	25	26	37	-
1984.....	7	16	24	23	31	37	38	44	30	-
1983.....	7	17	17	30	36	48	38	26	46	-
1982.....	9	17	27	28	34	27	30	26	36	-
1981.....	8	18	25	26	32	52	31	35	37	-
1980.....	11	26	22	24	40	38	28	35	33	-
1979.....	8	19	30	32	33	36	45	25	37	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 ANGINA PECTORIS (413)

TOTAL, BOTH SEXES										
1998	8	15	13	30	32	54	94	115	278	-
1997	11	9	23	24	37	82	109	114	320	-
1996	10	11	28	25	55	93	104	153	329	-
1995	9	20	22	37	65	98	104	136	335	-
1994	14	17	31	43	62	89	135	164	340	-
1993	16	14	30	40	69	106	145	161	382	-
1992	10	18	30	40	84	86	178	187	355	-
1991	14	21	25	48	101	116	162	204	359	1
1990	8	14	25	47	101	135	168	189	360	-
1989	18	25	36	56	103	124	169	198	327	-
1988	11	17	28	67	107	135	167	188	294	-
1987	9	16	42	69	108	126	165	195	288	-
1986	16	18	44	66	123	142	155	164	241	-
1985	11	29	35	68	87	131	156	178	221	-
1984	23	25	35	71	94	128	130	142	177	-
1983	14	23	32	60	74	112	130	119	166	-
1982	15	21	33	50	59	95	103	117	99	-
1981	12	24	27	42	52	83	105	91	121	-
1980	12	16	33	43	75	82	94	93	95	-
1979	6	20	34	30	65	66	81	80	100	-
TOTAL, MALE										
1998	5	13	4	16	18	35	49	49	77	-
1997	5	6	13	12	22	51	57	54	77	-
1996	9	7	19	18	31	55	62	66	82	-
1995	6	11	10	23	38	56	47	57	79	-
1994	13	12	16	26	37	52	68	64	94	-
1993	11	5	17	25	39	49	63	62	109	-
1992	7	10	20	25	58	43	97	73	91	-
1991	11	15	18	24	57	51	73	79	102	-
1990	6	8	18	28	66	76	68	67	90	-
1989	12	20	21	38	57	66	77	91	84	-
1988	4	13	20	42	62	78	87	73	72	-
1987	6	10	25	52	64	70	73	69	95	-
1986	11	11	30	40	65	66	76	67	66	-
1985	7	22	22	43	51	67	67	74	75	-
1984	15	14	27	48	48	81	71	65	58	-
1983	11	14	18	41	49	62	63	50	58	-
1982	8	12	16	32	40	60	56	43	37	-
1981	6	15	21	26	30	50	58	38	50	-
1980	8	12	21	26	44	54	46	46	31	-
1979	4	15	24	19	44	41	40	29	34	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ANGINA PECTORIS (413)										
TOTAL, FEMALE										
1998.....	3	2	9	14	14	19	45	66	201	-
1997.....	6	3	10	12	15	31	52	60	243	-
1996.....	1	4	9	7	24	38	42	87	247	-
1995.....	3	9	12	14	27	42	57	79	256	-
1994.....	1	5	15	17	25	37	67	100	246	-
1993.....	5	9	13	15	30	57	82	99	273	-
1992.....	3	8	10	15	26	43	81	114	264	-
1991.....	3	6	7	24	44	65	89	125	257	1
1990.....	2	6	7	19	35	59	100	122	270	-
1989.....	6	5	15	18	46	58	92	107	243	-
1988.....	7	4	8	25	45	57	80	115	222	-
1987.....	3	6	17	17	44	56	92	126	193	-
1986.....	5	7	14	26	58	76	79	97	175	-
1985.....	4	7	13	25	36	64	89	104	146	-
1984.....	8	11	8	23	46	47	59	77	119	-
1983.....	3	9	14	19	25	50	67	69	108	-
1982.....	7	9	17	18	19	35	47	74	62	-
1981.....	6	9	6	16	22	33	47	53	71	-
1980.....	4	4	12	17	31	28	48	47	64	-
1979.....	2	5	10	11	21	25	41	51	66	-
WHITE, BOTH SEXES										
1998.....	5	9	10	21	27	47	85	103	266	-
1997.....	5	7	19	22	33	67	102	107	297	-
1996.....	8	10	23	22	42	80	94	139	310	-
1995.....	6	15	18	35	59	89	92	126	315	-
1994.....	13	13	20	38	56	83	119	152	322	-
1993.....	12	13	22	35	56	95	133	153	360	-
1992.....	7	14	23	36	75	72	166	175	333	-
1991.....	11	16	21	33	88	106	147	189	333	1
1990.....	7	9	18	37	89	115	156	172	341	-
1989.....	12	21	31	47	85	111	149	181	311	-
1988.....	9	9	24	56	101	118	146	179	280	-
1987.....	9	12	31	60	88	105	150	187	265	-
1986.....	14	13	37	57	101	125	140	152	227	-
1985.....	10	23	26	58	77	115	145	162	212	-
1984.....	18	20	31	67	79	118	120	129	168	-
1983.....	12	13	26	51	60	97	123	114	161	-
1982.....	14	16	29	44	55	86	99	111	97	-
1981.....	7	18	24	33	46	77	101	85	115	-
1980.....	9	12	28	43	69	75	84	84	90	-
1979.....	4	16	29	27	54	59	70	75	98	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 ANGINA PECTORIS (413)										
WHITE MALE										
1998.....	4	8	3	10	16	31	43	46	71	-
1997.....	1	5	11	11	19	44	53	50	68	-
1996.....	8	7	16	17	22	51	56	60	77	-
1995.....	5	8	9	21	36	52	40	54	72	-
1994.....	12	10	12	25	34	47	59	61	89	-
1993.....	8	5	14	24	32	46	60	60	104	-
1992.....	5	8	16	22	53	37	89	70	85	-
1991.....	9	11	17	21	52	48	67	74	95	-
1990.....	5	7	12	22	58	67	64	61	83	-
1989.....	9	16	18	35	51	59	68	80	80	-
1988.....	2	8	18	38	59	69	79	68	69	-
1987.....	6	7	22	47	56	61	66	67	89	-
1986.....	9	7	25	36	59	58	71	61	63	-
1985.....	6	17	19	39	47	61	65	68	73	-
1984.....	14	12	24	47	39	76	65	58	55	-
1983.....	10	9	16	35	42	56	59	49	56	-
1982.....	8	10	14	29	37	57	55	42	36	-
1981.....	3	12	19	22	27	46	56	35	46	-
1980.....	6	10	18	26	41	52	43	43	29	-
1979.....	3	13	22	19	39	36	38	28	33	-
WHITE FEMALE										
1998.....	1	1	7	11	11	16	42	57	195	-
1997.....	4	2	8	11	14	23	49	57	229	-
1996.....	-	3	7	5	20	29	38	79	233	-
1995.....	1	7	9	14	23	37	52	72	243	-
1994.....	1	3	8	13	22	36	60	91	233	-
1993.....	4	8	8	11	24	49	73	93	256	-
1992.....	2	6	7	14	22	35	77	105	248	-
1991.....	2	5	4	12	36	58	80	115	238	1
1990.....	2	2	6	15	31	48	92	111	258	-
1989.....	3	5	13	12	34	52	81	101	231	-
1988.....	7	1	6	18	42	49	67	111	211	-
1987.....	3	5	9	13	32	44	84	120	176	-
1986.....	5	6	12	21	42	67	69	91	164	-
1985.....	4	6	7	19	30	54	80	94	139	-
1984.....	4	8	7	20	40	42	55	71	113	-
1983.....	2	4	10	16	18	41	64	65	105	-
1982.....	6	6	15	15	18	29	44	69	61	-
1981.....	4	6	5	11	19	31	45	50	69	-
1980.....	3	2	10	17	28	23	41	41	61	-
1979.....	1	3	7	8	15	23	32	47	65	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS		
0 ANGINA PECTORIS (413)											
ALL OTHER, BOTH SEXES											
1998.....	3	6	3	9	5	7	9	12	12	-	
1997.....	6	2	4	2	4	15	7	7	23	-	
1996.....	2	1	5	3	13	13	10	14	19	-	
1995.....	3	5	4	2	6	9	12	10	20	-	
1994.....	1	4	11	5	6	6	16	12	18	-	
1993.....	4	1	8	5	13	11	12	8	22	-	
1992.....	3	4	7	4	9	14	12	12	22	-	
1991.....	3	5	4	15	13	10	15	15	26	-	
1990.....	1	5	7	10	12	20	12	17	19	-	
1989.....	6	4	5	9	18	13	20	17	16	-	
1988.....	2	8	4	11	6	17	21	9	14	-	
1987.....	-	4	11	9	20	21	15	8	23	-	
1986.....	2	5	7	9	22	17	15	12	14	-	
1985.....	1	6	9	10	10	16	11	16	9	-	
1984.....	5	5	4	4	15	10	10	13	9	-	
1983.....	2	10	6	9	14	15	7	5	5	-	
1982.....	1	5	4	6	4	9	4	6	2	-	
1981.....	5	6	3	9	6	6	4	6	6	-	
1980.....	3	4	5	-	6	7	10	9	5	-	
1979.....	2	4	5	3	11	7	11	5	2	-	
ALL OTHER MALE											
1998.....	1	5	1	6	2	4	6	3	6	-	
1997.....	4	1	2	1	3	7	4	4	9	-	
1996.....	1	-	3	1	9	4	6	6	5	-	
1995.....	1	3	1	2	2	4	7	3	7	-	
1994.....	1	2	4	1	3	5	9	3	5	-	
1993.....	3	-	3	1	7	3	3	2	5	-	
1992.....	2	2	4	3	5	6	8	3	6	-	
1991.....	2	4	1	3	5	3	6	5	7	-	
1990.....	1	1	6	6	8	9	4	6	7	-	
1989.....	3	4	3	3	6	7	9	11	4	-	
1988.....	2	5	2	4	3	9	8	5	3	-	
1987.....	-	3	3	5	8	9	7	2	6	-	
1986.....	2	4	5	4	6	8	5	6	3	-	
1985.....	1	5	3	4	4	6	2	6	2	-	
1984.....	1	2	3	1	9	5	6	7	3	-	
1983.....	1	5	2	6	7	6	4	1	2	-	
1982.....	-	2	2	3	3	3	1	1	1	-	
1981.....	3	3	2	4	3	4	2	3	4	-	
1980.....	2	2	3	-	3	2	3	3	2	-	
1979.....	1	2	2	-	5	5	2	1	1	-	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ANGINA PECTORIS (413)										
ALL OTHER FEMALE										
1998.....	2	1	2	3	3	3	3	9	6	-
1997.....	2	1	2	1	1	8	3	3	14	-
1996.....	1	1	2	2	4	9	4	8	14	-
1995.....	2	2	3	-	4	5	5	7	13	-
1994.....	-	2	7	4	3	1	7	9	13	-
1993.....	1	1	5	4	6	8	9	6	17	-
1992.....	1	2	3	1	4	8	4	9	16	-
1991.....	1	1	3	12	8	7	9	10	19	-
1990.....	-	4	1	4	4	11	8	11	12	-
1989.....	3	-	2	6	12	6	11	6	12	-
1988.....	-	3	2	7	3	8	13	4	11	-
1987.....	-	1	8	4	12	12	8	6	17	-
1986.....	-	1	2	5	16	9	10	6	11	-
1985.....	-	1	6	6	6	10	9	10	7	-
1984.....	4	3	1	3	6	5	4	6	6	-
1983.....	1	5	4	3	7	9	3	4	3	-
1982.....	1	3	2	3	1	6	3	5	1	-
1981.....	2	3	1	5	3	2	2	3	2	-
1980.....	1	2	2	-	3	5	7	6	3	-
1979.....	1	2	3	3	6	2	9	4	1	-
BLACK, BOTH SEXES										
1998.....	3	5	2	9	4	5	7	10	12	-
1997.....	6	2	4	2	3	14	7	4	22	-
1996.....	1	1	5	3	11	12	10	13	19	-
1995.....	3	5	3	2	6	8	11	9	18	-
1994.....	1	4	10	5	5	6	14	10	18	-
1993.....	4	1	8	5	12	9	10	5	20	-
1992.....	3	3	7	4	8	11	11	11	20	-
1991.....	2	3	4	13	12	10	14	14	24	-
1990.....	1	4	6	9	12	18	12	17	16	-
1989.....	6	4	3	8	17	11	18	13	16	-
1988.....	2	7	3	10	6	17	21	9	14	-
1987.....	-	4	11	9	18	20	14	8	21	-
1986.....	2	5	7	8	22	15	14	10	13	-
1985.....	1	6	9	9	10	15	11	14	9	-
1984.....	5	5	4	2	14	9	10	12	9	-
1983.....	2	8	5	8	13	14	7	5	5	-
1982.....	1	4	4	4	4	9	3	6	2	-
1981.....	5	6	3	9	6	6	4	5	5	-
1980.....	3	4	4	-	5	7	10	8	2	-
1979.....	2	4	5	3	11	5	10	5	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 ANGINA PECTORIS (413)

BLACK MALE

1998.....	1	4	-	6	2	4	5	2	6	-
1997.....	4	1	2	1	2	6	4	1	8	-
1996.....	1	-	3	1	8	4	6	5	5	-
1995.....	1	3	1	2	2	4	6	3	6	-
1994.....	1	2	3	1	2	5	8	2	5	-
1993.....	3	-	3	1	7	3	3	1	5	-
1992.....	2	1	4	3	4	5	8	3	5	-
1991.....	1	2	1	1	5	3	5	5	7	-
1990.....	1	1	5	5	8	9	4	6	5	-
1989.....	3	4	2	3	6	6	9	7	4	-
1988.....	2	5	1	4	3	9	8	5	3	-
1987.....	-	3	3	5	7	8	6	2	6	-
1986.....	2	4	5	3	6	7	5	5	3	-
1985.....	1	5	3	4	4	6	2	5	2	-
1984.....	1	2	3	-	8	4	6	7	3	-
1983.....	1	4	1	5	6	5	4	1	2	-
1982.....	-	1	2	1	3	3	1	1	1	-
1981.....	3	3	2	4	3	4	2	2	3	-
1980.....	2	2	2	-	2	2	3	3	1	-
1979.....	1	2	2	-	5	3	2	1	1	-

BLACK FEMALE

1998.....	2	1	2	3	2	1	2	8	6	-
1997.....	2	1	2	1	1	8	3	3	14	-
1996.....	-	1	2	2	3	8	4	8	14	-
1995.....	2	2	2	-	4	4	5	6	12	-
1994.....	-	2	7	4	3	1	6	8	13	-
1993.....	1	1	5	4	5	6	7	4	15	-
1992.....	1	2	3	1	4	6	3	8	15	-
1991.....	1	1	3	12	7	7	9	9	17	-
1990.....	-	3	1	4	4	9	8	11	11	-
1989.....	3	-	1	5	11	5	9	6	12	-
1988.....	-	2	2	6	3	8	13	4	11	-
1987.....	-	1	8	4	11	12	8	6	15	-
1986.....	-	1	2	5	16	8	9	5	10	-
1985.....	-	1	6	5	6	9	9	9	7	-
1984.....	4	3	1	2	6	5	4	5	6	-
1983.....	1	4	4	3	7	9	3	4	3	-
1982.....	1	3	2	3	1	6	2	5	1	-
1981.....	2	3	1	5	3	2	2	3	2	-
1980.....	1	2	2	-	3	5	7	5	1	-
1979.....	1	2	3	3	6	2	8	4	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
TOTAL, BOTH SEXES										
1998.....	3,404	5,279	7,296	10,998	17,527	27,713	37,439	44,961	94,668	12
1997.....	3,511	5,431	7,407	11,357	18,421	28,155	38,102	44,875	95,394	12
1996.....	3,669	5,266	7,344	11,997	19,204	29,311	38,496	45,579	94,469	16
1995.....	3,502	5,255	7,464	11,954	19,953	29,781	37,946	45,473	94,544	20
1994.....	3,337	5,004	7,377	12,159	20,032	29,557	37,410	44,729	92,298	20
1993.....	3,259	4,960	7,450	12,639	21,067	30,071	38,186	45,340	92,215	23
1992.....	3,177	4,637	7,427	12,752	20,734	29,172	36,844	42,787	85,642	26
1991.....	3,008	4,512	7,547	13,335	20,967	29,095	36,967	42,680	84,420	23
1990.....	2,956	4,498	7,731	13,661	21,328	29,025	37,310	42,457	83,676	25
1989.....	2,974	4,698	8,018	14,047	21,674	28,703	37,452	42,649	83,228	21
1988.....	3,089	4,810	8,829	14,927	22,471	30,504	38,863	44,089	86,398	31
1987.....	2,922	4,985	8,967	15,276	22,424	30,404	38,192	42,649	84,829	29
1986.....	2,829	5,106	9,249	15,779	22,418	30,655	38,178	42,846	84,326	160
1985.....	3,059	5,410	9,639	15,740	22,382	30,983	38,221	43,653	85,270	125
1984.....	3,024	5,358	9,738	16,016	22,522	31,062	38,654	43,691	84,093	39
1983.....	2,931	5,626	10,261	15,966	23,020	31,582	39,091	44,828	85,036	40
1982.....	3,027	5,827	10,148	15,978	22,936	31,017	38,623	44,418	82,061	68
1981.....	3,096	5,959	10,552	16,133	23,047	31,145	38,257	44,886	81,618	57
1980.....	3,020	6,114	10,724	15,688	23,226	31,524	39,606	46,239	81,881	61
1979.....	3,076	5,948	9,965	15,134	22,027	30,171	37,629	43,847	75,246	47
TOTAL, MALE										
1998.....	2,657	4,012	5,325	7,570	11,517	17,176	21,478	22,099	30,108	9
1997.....	2,755	4,120	5,433	7,915	12,213	17,456	21,673	21,921	29,993	7
1996.....	2,848	3,928	5,340	8,453	12,723	18,184	21,801	21,918	29,437	10
1995.....	2,743	4,029	5,419	8,375	13,229	18,572	21,289	21,511	29,020	7
1994.....	2,644	3,823	5,371	8,581	13,332	18,487	20,878	20,981	28,346	16
1993.....	2,603	3,768	5,475	8,853	14,015	18,594	21,279	21,098	28,181	10
1992.....	2,539	3,540	5,455	9,042	13,873	18,107	20,572	19,790	26,060	16
1991.....	2,369	3,481	5,607	9,378	14,017	18,079	20,451	19,448	25,763	17
1990.....	2,333	3,428	5,713	9,663	14,163	17,955	20,264	19,233	25,411	13
1989.....	2,378	3,640	5,930	9,897	14,428	17,609	20,224	19,115	25,077	15
1988.....	2,463	3,671	6,492	10,549	14,980	18,800	20,811	19,637	26,187	20
1987.....	2,343	3,857	6,628	10,799	14,819	18,603	20,458	19,036	25,673	17
1986.....	2,260	3,983	6,975	11,132	14,842	18,717	20,244	18,824	25,861	48
1985.....	2,449	4,220	7,243	11,192	14,735	18,905	20,274	19,372	26,443	43
1984.....	2,414	4,177	7,261	11,303	14,740	18,570	20,207	19,073	26,373	23
1983.....	2,355	4,342	7,623	11,270	15,196	18,981	20,561	19,176	26,959	25
1982.....	2,403	4,537	7,651	11,193	15,153	18,409	20,180	19,101	26,494	37
1981.....	2,448	4,625	7,887	11,294	15,106	18,551	19,756	19,372	26,624	30
1980.....	2,411	4,726	7,969	10,906	15,147	18,486	20,272	19,717	27,135	39
1979.....	2,445	4,687	7,536	10,708	14,436	17,844	19,222	18,826	25,209	37

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
TOTAL, FEMALE										
1998.....	747	1,267	1,971	3,428	6,010	10,537	15,961	22,862	64,560	3
1997.....	756	1,311	1,974	3,442	6,208	10,699	16,429	22,954	65,401	5
1996.....	821	1,338	2,004	3,544	6,481	11,127	16,695	23,661	65,032	6
1995.....	759	1,226	2,045	3,579	6,724	11,209	16,657	23,962	65,524	13
1994.....	693	1,181	2,006	3,578	6,700	11,070	16,532	23,748	63,952	4
1993.....	656	1,192	1,975	3,786	7,052	11,477	16,907	24,242	64,034	13
1992.....	638	1,097	1,972	3,710	6,861	11,065	16,272	22,997	59,582	10
1991.....	639	1,031	1,940	3,957	6,950	11,016	16,516	23,232	58,657	6
1990.....	623	1,070	2,018	3,998	7,165	11,070	17,046	23,224	58,265	12
1989.....	596	1,058	2,088	4,150	7,246	11,094	17,228	23,534	58,151	6
1988.....	626	1,139	2,337	4,378	7,491	11,704	18,052	24,452	60,211	11
1987.....	579	1,128	2,339	4,477	7,605	11,801	17,734	23,613	59,156	12
1986.....	569	1,123	2,274	4,647	7,576	11,938	17,934	24,022	58,465	112
1985.....	610	1,190	2,396	4,548	7,647	12,078	17,947	24,281	58,827	82
1984.....	610	1,181	2,477	4,713	7,782	12,492	18,447	24,618	57,720	16
1983.....	576	1,284	2,638	4,696	7,824	12,601	18,530	25,652	58,077	15
1982.....	624	1,290	2,497	4,785	7,783	12,608	18,443	25,317	55,567	31
1981.....	648	1,334	2,665	4,839	7,941	12,594	18,501	25,514	54,994	27
1980.....	609	1,388	2,755	4,782	8,079	13,038	19,334	26,522	54,746	22
1979.....	631	1,261	2,429	4,426	7,591	12,327	18,407	25,021	50,037	10
WHITE, BOTH SEXES										
1998.....	2,679	4,308	5,971	9,190	15,127	24,540	33,800	41,516	88,208	7
1997.....	2,763	4,427	6,029	9,501	15,995	24,885	34,509	41,431	88,925	7
1996.....	2,974	4,254	6,046	10,100	16,744	26,063	34,906	41,962	88,248	13
1995.....	2,746	4,242	6,109	10,088	17,317	26,339	34,539	41,852	88,429	13
1994.....	2,708	4,121	6,020	10,384	17,421	26,351	34,115	41,242	86,346	13
1993.....	2,669	4,048	6,147	10,773	18,415	26,905	34,807	41,799	86,277	14
1992.....	2,585	3,758	6,182	10,995	18,155	26,189	33,583	39,543	80,266	18
1991.....	2,445	3,621	6,289	11,509	18,353	26,088	33,774	39,352	79,333	17
1990.....	2,402	3,692	6,495	11,843	18,743	26,156	34,071	39,327	78,642	15
1989.....	2,384	3,852	6,729	12,106	19,173	25,903	34,207	39,617	78,332	13
1988.....	2,453	3,948	7,487	12,870	19,887	27,559	35,427	40,864	81,518	25
1987.....	2,358	4,100	7,606	13,279	19,905	27,391	34,941	39,587	80,111	24
1986.....	2,292	4,246	7,953	13,713	19,961	27,719	34,945	39,856	79,545	147
1985.....	2,461	4,469	8,147	13,755	19,882	27,966	34,953	40,589	80,883	114
1984.....	2,461	4,451	8,294	13,975	20,134	27,945	35,476	40,667	79,911	24
1983.....	2,374	4,645	8,747	13,886	20,616	28,378	35,829	41,666	80,725	28
1982.....	2,411	4,772	8,663	13,927	20,412	27,963	35,421	41,400	77,834	45
1981.....	2,499	4,994	9,027	14,014	20,472	28,002	35,109	41,846	77,460	35
1980.....	2,437	5,075	9,140	13,630	20,500	28,388	36,223	43,214	77,746	40
1979.....	2,519	4,913	8,511	13,290	19,466	27,204	34,409	41,316	71,736	30

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
WHITE MALE										
1998.....	2,163	3,371	4,448	6,470	10,166	15,550	19,689	20,642	28,027	5
1997.....	2,220	3,460	4,540	6,757	10,851	15,730	19,861	20,464	27,951	5
1996.....	2,372	3,286	4,534	7,300	11,344	16,492	20,062	20,423	27,473	8
1995.....	2,209	3,341	4,552	7,262	11,697	16,767	19,610	20,019	27,040	5
1994.....	2,208	3,213	4,494	7,472	11,877	16,793	19,317	19,565	26,493	10
1993.....	2,192	3,184	4,644	7,714	12,532	16,929	19,690	19,584	26,279	6
1992.....	2,133	2,973	4,680	8,008	12,434	16,543	18,967	18,463	24,399	10
1991.....	1,993	2,873	4,817	8,285	12,547	16,509	18,958	17,975	24,143	12
1990.....	1,963	2,896	4,923	8,599	12,747	16,394	18,709	17,979	23,753	7
1989.....	1,948	3,043	5,110	8,729	13,030	16,187	18,684	17,835	23,489	9
1988.....	2,015	3,107	5,633	9,284	13,491	17,250	19,214	18,235	24,591	16
1987.....	1,948	3,259	5,793	9,590	13,372	16,996	18,851	17,685	24,145	13
1986.....	1,898	3,402	6,152	9,863	13,464	17,189	18,723	17,574	24,238	43
1985.....	2,023	3,574	6,304	9,974	13,374	17,323	18,686	18,028	24,938	36
1984.....	2,016	3,569	6,334	10,081	13,406	16,927	18,707	17,791	24,959	14
1983.....	1,966	3,690	6,683	10,003	13,861	17,334	19,003	17,817	25,457	19
1982.....	1,992	3,846	6,716	9,973	13,697	16,807	18,595	17,810	24,963	22
1981.....	2,040	3,982	6,896	10,029	13,699	16,914	18,292	18,032	25,177	15
1980.....	2,013	4,019	6,972	9,696	13,597	16,867	18,631	18,354	25,558	23
1979.....	2,076	3,986	6,584	9,598	13,021	16,301	17,688	17,687	23,892	25
WHITE FEMALE										
1998.....	516	937	1,523	2,720	4,961	8,990	14,111	20,874	60,181	2
1997.....	543	967	1,489	2,744	5,144	9,155	14,648	20,967	60,974	2
1996.....	602	968	1,512	2,800	5,400	9,571	14,844	21,539	60,775	5
1995.....	537	901	1,557	2,826	5,620	9,572	14,929	21,833	61,389	8
1994.....	500	908	1,526	2,912	5,544	9,558	14,798	21,677	59,853	3
1993.....	477	864	1,503	3,059	5,883	9,976	15,117	22,215	59,998	8
1992.....	452	785	1,502	2,987	5,721	9,646	14,616	21,080	55,867	8
1991.....	452	748	1,472	3,224	5,806	9,579	14,816	21,377	55,190	5
1990.....	439	796	1,572	3,244	5,996	9,762	15,362	21,348	54,889	8
1989.....	436	809	1,619	3,377	6,143	9,716	15,523	21,782	54,843	4
1988.....	438	841	1,854	3,586	6,396	10,309	16,213	22,629	56,927	9
1987.....	410	841	1,813	3,689	6,533	10,395	16,090	21,902	55,966	11
1986.....	394	844	1,801	3,850	6,497	10,530	16,222	22,282	55,307	104
1985.....	438	895	1,843	3,781	6,508	10,643	16,267	22,561	55,945	78
1984.....	445	882	1,960	3,894	6,728	11,018	16,769	22,876	54,952	10
1983.....	408	955	2,064	3,883	6,755	11,044	16,826	23,849	55,268	9
1982.....	419	926	1,947	3,954	6,715	11,156	16,826	23,590	52,871	23
1981.....	459	1,012	2,131	3,985	6,773	11,088	16,817	23,814	52,283	20
1980.....	424	1,056	2,168	3,934	6,903	11,521	17,592	24,860	52,188	17
1979.....	443	927	1,927	3,692	6,445	10,903	16,721	23,629	47,844	5

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
ALL OTHER, BOTH SEXES										
1998.....	725	971	1,325	1,808	2,400	3,173	3,639	3,445	6,460	5
1997.....	748	1,004	1,378	1,856	2,426	3,270	3,593	3,444	6,469	5
1996.....	695	1,012	1,298	1,897	2,460	3,248	3,590	3,617	6,221	3
1995.....	756	1,013	1,355	1,866	2,636	3,442	3,407	3,621	6,115	7
1994.....	629	883	1,357	1,775	2,611	3,206	3,295	3,487	5,952	7
1993.....	590	912	1,303	1,866	2,652	3,166	3,379	3,541	5,938	9
1992.....	592	879	1,245	1,757	2,579	2,983	3,261	3,244	5,376	8
1991.....	563	891	1,258	1,826	2,614	3,007	3,193	3,328	5,087	6
1990.....	554	806	1,236	1,818	2,585	2,869	3,239	3,130	5,034	10
1989.....	590	846	1,289	1,941	2,501	2,800	3,245	3,032	4,896	8
1988.....	636	862	1,342	2,057	2,584	2,945	3,436	3,225	4,880	6
1987.....	564	885	1,361	1,997	2,519	3,013	3,251	3,062	4,718	5
1986.....	537	860	1,296	2,066	2,457	2,936	3,233	2,990	4,781	13
1985.....	598	941	1,492	1,985	2,500	3,017	3,268	3,064	4,387	11
1984.....	563	907	1,444	2,041	2,388	3,117	3,178	3,024	4,182	15
1983.....	557	981	1,514	2,080	2,404	3,204	3,262	3,162	4,311	12
1982.....	616	1,055	1,485	2,051	2,524	3,054	3,202	3,018	4,227	23
1981.....	597	965	1,525	2,119	2,575	3,143	3,148	3,040	4,158	22
1980.....	583	1,039	1,584	2,058	2,726	3,136	3,383	3,025	4,135	21
1979.....	557	1,035	1,454	1,844	2,561	2,967	3,220	2,531	3,510	17
ALL OTHER MALE										
1998.....	494	641	877	1,100	1,351	1,626	1,789	1,457	2,081	4
1997.....	535	660	893	1,158	1,362	1,726	1,812	1,457	2,042	2
1996.....	476	642	806	1,153	1,379	1,692	1,739	1,495	1,964	2
1995.....	534	688	867	1,113	1,532	1,805	1,679	1,492	1,980	2
1994.....	436	610	877	1,109	1,455	1,694	1,561	1,416	1,853	6
1993.....	411	584	831	1,139	1,483	1,665	1,589	1,514	1,902	4
1992.....	406	567	775	1,034	1,439	1,564	1,605	1,327	1,661	6
1991.....	376	608	790	1,093	1,470	1,570	1,493	1,473	1,620	5
1990.....	370	532	790	1,064	1,416	1,561	1,555	1,254	1,658	6
1989.....	430	597	820	1,168	1,398	1,422	1,540	1,280	1,588	6
1988.....	448	564	859	1,265	1,489	1,550	1,597	1,402	1,596	4
1987.....	395	598	835	1,209	1,447	1,607	1,607	1,351	1,528	4
1986.....	362	581	823	1,269	1,378	1,528	1,521	1,250	1,623	5
1985.....	426	646	939	1,218	1,361	1,582	1,588	1,344	1,505	7
1984.....	398	608	927	1,222	1,334	1,643	1,500	1,282	1,414	9
1983.....	389	652	940	1,267	1,335	1,647	1,558	1,359	1,502	6
1982.....	411	691	935	1,220	1,456	1,602	1,585	1,291	1,531	15
1981.....	408	643	991	1,265	1,407	1,637	1,464	1,340	1,447	15
1980.....	398	707	997	1,210	1,550	1,619	1,641	1,363	1,577	16
1979.....	369	701	952	1,110	1,415	1,543	1,534	1,139	1,317	12

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
ALL OTHER FEMALE										
1998.....	231	330	448	708	1,049	1,547	1,850	1,988	4,379	1
1997.....	213	344	485	698	1,064	1,544	1,781	1,987	4,427	3
1996.....	219	370	492	744	1,081	1,556	1,851	2,122	4,257	1
1995.....	222	325	488	753	1,104	1,637	1,728	2,129	4,135	5
1994.....	193	273	480	666	1,156	1,512	1,734	2,071	4,099	1
1993.....	179	328	472	727	1,169	1,501	1,790	2,027	4,036	5
1992.....	186	312	470	723	1,140	1,419	1,656	1,917	3,715	2
1991.....	187	283	468	733	1,144	1,437	1,700	1,855	3,467	1
1990.....	184	274	446	754	1,169	1,308	1,684	1,876	3,376	4
1989.....	160	249	469	773	1,103	1,378	1,705	1,752	3,308	2
1988.....	188	298	483	792	1,095	1,395	1,839	1,823	3,284	2
1987.....	169	287	526	788	1,072	1,406	1,644	1,711	3,190	1
1986.....	175	279	473	797	1,079	1,408	1,712	1,740	3,158	8
1985.....	172	295	553	767	1,139	1,435	1,680	1,720	2,882	4
1984.....	165	299	517	819	1,054	1,474	1,678	1,742	2,768	6
1983.....	168	329	574	813	1,069	1,557	1,704	1,803	2,809	6
1982.....	205	364	550	831	1,068	1,452	1,617	1,727	2,696	8
1981.....	189	322	534	854	1,168	1,506	1,684	1,700	2,711	7
1980.....	185	332	587	848	1,176	1,517	1,742	1,662	2,558	5
1979.....	188	334	502	734	1,146	1,424	1,686	1,392	2,193	5
BLACK, BOTH SEXES										
1998.....	635	846	1,148	1,577	2,090	2,686	3,026	2,863	5,377	5
1997.....	661	877	1,186	1,645	2,049	2,794	3,064	2,883	5,444	5
1996.....	621	904	1,117	1,653	2,097	2,802	3,055	3,045	5,305	3
1995.....	681	904	1,214	1,656	2,292	2,967	2,953	3,076	5,215	7
1994.....	544	779	1,183	1,559	2,284	2,769	2,849	3,006	5,142	7
1993.....	520	827	1,159	1,657	2,375	2,800	2,968	3,041	5,149	6
1992.....	524	789	1,110	1,548	2,270	2,625	2,823	2,788	4,648	8
1991.....	515	799	1,120	1,634	2,329	2,700	2,802	2,945	4,467	5
1990.....	496	740	1,106	1,656	2,317	2,557	2,885	2,768	4,437	9
1989.....	535	771	1,163	1,774	2,259	2,526	2,903	2,704	4,293	8
1988.....	579	783	1,230	1,881	2,333	2,673	3,102	2,897	4,365	6
1987.....	515	802	1,246	1,847	2,324	2,733	2,932	2,764	4,225	4
1986.....	494	784	1,218	1,892	2,263	2,668	2,930	2,696	4,298	12
1985.....	559	886	1,374	1,847	2,309	2,763	2,978	2,785	3,931	9
1984.....	515	852	1,327	1,900	2,194	2,881	2,904	2,745	3,758	15
1983.....	512	924	1,412	1,926	2,224	2,968	3,003	2,888	3,881	6
1982.....	574	989	1,397	1,907	2,337	2,830	2,938	2,776	3,845	20
1981.....	563	900	1,432	2,010	2,431	2,937	2,919	2,809	3,791	20
1980.....	545	971	1,486	1,950	2,594	2,921	3,141	2,794	3,766	20
1979.....	525	968	1,350	1,747	2,391	2,771	2,989	2,335	3,159	16

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)

BLACK MALE

1998.....	421	548	741	929	1,158	1,340	1,425	1,161	1,593	4
1997.....	460	565	742	1,006	1,116	1,442	1,501	1,178	1,564	2
1996.....	414	559	674	989	1,145	1,413	1,435	1,206	1,550	2
1995.....	471	599	762	988	1,298	1,519	1,408	1,207	1,578	2
1994.....	364	522	749	971	1,253	1,420	1,316	1,161	1,462	6
1993.....	357	519	725	1,007	1,305	1,429	1,358	1,220	1,554	2
1992.....	352	498	675	898	1,250	1,355	1,355	1,068	1,359	6
1991.....	333	543	692	966	1,275	1,384	1,264	1,243	1,354	5
1990.....	322	481	704	960	1,242	1,367	1,345	1,056	1,379	6
1989.....	383	541	741	1,042	1,246	1,248	1,331	1,076	1,315	6
1988.....	398	506	773	1,128	1,320	1,367	1,401	1,190	1,367	4
1987.....	360	531	749	1,101	1,312	1,422	1,405	1,176	1,316	3
1986.....	325	526	763	1,142	1,245	1,349	1,330	1,064	1,422	5
1985.....	390	605	854	1,115	1,241	1,411	1,387	1,184	1,316	5
1984.....	357	563	852	1,131	1,207	1,485	1,318	1,102	1,239	9
1983.....	351	609	867	1,162	1,216	1,495	1,380	1,201	1,335	4
1982.....	373	645	871	1,117	1,317	1,452	1,398	1,145	1,343	13
1981.....	384	589	916	1,192	1,309	1,486	1,321	1,203	1,287	14
1980.....	365	654	920	1,125	1,462	1,466	1,479	1,227	1,382	15
1979.....	342	646	868	1,029	1,297	1,403	1,378	1,032	1,156	11

BLACK FEMALE

1998.....	214	298	407	648	932	1,346	1,601	1,702	3,784	1
1997.....	201	312	444	639	933	1,352	1,563	1,705	3,880	3
1996.....	207	345	443	664	952	1,389	1,620	1,839	3,755	1
1995.....	210	305	452	668	994	1,448	1,545	1,869	3,637	5
1994.....	180	257	434	588	1,031	1,349	1,533	1,845	3,680	1
1993.....	163	308	434	650	1,070	1,371	1,610	1,821	3,595	4
1992.....	172	291	435	650	1,020	1,270	1,468	1,720	3,289	2
1991.....	182	256	428	668	1,054	1,316	1,538	1,702	3,113	-
1990.....	174	259	402	696	1,075	1,190	1,540	1,712	3,058	3
1989.....	152	230	422	732	1,013	1,278	1,572	1,628	2,978	2
1988.....	181	277	457	753	1,013	1,306	1,701	1,707	2,998	2
1987.....	155	271	497	746	1,012	1,311	1,527	1,588	2,909	1
1986.....	169	258	455	750	1,018	1,319	1,600	1,632	2,876	7
1985.....	169	281	520	732	1,068	1,352	1,591	1,601	2,615	4
1984.....	158	289	475	769	987	1,396	1,586	1,643	2,519	6
1983.....	161	315	545	764	1,008	1,473	1,623	1,687	2,546	2
1982.....	201	344	526	790	1,020	1,378	1,540	1,631	2,502	7
1981.....	179	311	516	818	1,122	1,451	1,598	1,606	2,504	6
1980.....	180	317	566	825	1,132	1,455	1,662	1,567	2,384	5
1979.....	183	322	482	718	1,094	1,368	1,611	1,303	2,003	5

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 OTHER DISEASES OF ENDOCARDIUM (424)										
TOTAL, BOTH SEXES										
1998.....	244	308	368	514	859	1,588	2,522	3,534	8,090	2
1997.....	241	259	365	506	941	1,465	2,479	3,474	7,447	1
1996.....	221	227	341	534	870	1,598	2,367	3,393	7,218	1
1995.....	180	251	332	512	860	1,600	2,296	3,270	6,505	-
1994.....	198	223	353	491	913	1,567	2,159	3,054	6,035	-
1993.....	165	220	337	528	901	1,452	2,282	3,054	5,797	1
1992.....	177	221	319	562	907	1,452	2,155	2,998	5,151	-
1991.....	159	194	319	543	967	1,356	2,149	2,756	4,830	-
1990.....	159	238	342	612	958	1,438	2,049	2,555	4,236	2
1989.....	134	195	348	565	917	1,408	1,883	2,446	3,812	1
1988.....	130	208	367	586	982	1,431	1,889	2,235	3,477	1
1987.....	146	220	357	577	916	1,307	1,812	2,070	3,111	1
1986.....	124	196	354	581	890	1,308	1,753	1,865	2,676	-
1985.....	134	213	341	546	844	1,236	1,600	1,761	2,401	3
1984.....	110	209	349	570	819	1,167	1,439	1,655	2,055	1
1983.....	119	209	375	532	807	1,201	1,422	1,477	1,890	2
1982.....	166	195	360	573	772	1,091	1,424	1,287	1,595	1
1981.....	140	243	369	546	846	1,066	1,204	1,199	1,410	2
1980.....	131	216	405	601	792	1,072	1,208	1,116	1,284	-
1979.....	117	228	379	546	755	1,017	1,109	979	1,034	2
TOTAL, MALE										
1998.....	160	180	191	314	444	798	1,173	1,463	2,293	2
1997.....	158	160	207	286	469	731	1,186	1,382	2,161	1
1996.....	146	147	199	279	497	789	1,106	1,360	2,108	1
1995.....	121	153	181	277	467	795	1,061	1,345	1,902	-
1994.....	127	128	229	283	470	779	1,023	1,229	1,744	-
1993.....	108	134	201	308	490	771	1,055	1,195	1,644	1
1992.....	112	138	202	319	521	761	1,010	1,202	1,499	-
1991.....	108	117	184	320	554	694	1,005	1,150	1,412	-
1990.....	111	148	200	372	539	736	938	999	1,197	-
1989.....	89	123	211	318	521	729	880	989	1,112	1
1988.....	84	145	228	347	549	806	897	868	997	-
1987.....	105	137	225	355	535	692	881	850	927	-
1986.....	78	130	227	344	504	680	845	748	786	-
1985.....	83	142	201	339	520	649	760	728	721	1
1984.....	78	142	226	343	472	618	706	669	623	1
1983.....	74	142	240	354	533	652	672	610	592	1
1982.....	109	134	234	347	452	587	658	508	491	-
1981.....	85	163	233	340	474	583	586	527	456	1
1980.....	88	151	284	400	471	602	580	467	436	-
1979.....	85	150	273	362	454	545	541	416	345	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR		RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
		45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 OTHER DISEASES OF ENDOCARDIUM (424)											
TOTAL, FEMALE											
1998.....	84	128	177	200	415	790	1,349	2,071	5,797	-	
1997.....	83	99	158	220	472	734	1,293	2,092	5,286	-	
1996.....	75	80	142	255	373	809	1,261	2,033	5,110	-	
1995.....	59	98	151	235	393	805	1,235	1,925	4,603	-	
1994.....	71	95	124	208	443	788	1,136	1,825	4,291	-	
1993.....	57	86	136	220	411	681	1,227	1,859	4,153	-	
1992.....	65	83	117	243	386	691	1,145	1,796	3,652	-	
1991.....	51	77	135	223	413	662	1,144	1,606	3,418	-	
1990.....	48	90	142	240	419	702	1,111	1,556	3,039	2	
1989.....	45	72	137	247	396	679	1,003	1,457	2,700	-	
1988.....	46	63	139	239	433	625	992	1,367	2,480	1	
1987.....	41	83	132	222	381	615	931	1,220	2,184	1	
1986.....	46	66	127	237	386	628	908	1,117	1,890	-	
1985.....	51	71	140	207	324	587	840	1,033	1,680	2	
1984.....	32	67	123	227	347	549	733	986	1,432	-	
1983.....	45	67	135	178	274	549	750	867	1,298	1	
1982.....	57	61	126	226	320	504	766	779	1,104	1	
1981.....	55	80	136	206	372	483	618	672	954	1	
1980.....	43	65	121	201	321	470	628	649	848	-	
1979.....	32	78	106	184	301	472	568	563	689	-	
WHITE, BOTH SEXES											
1998.....	172	245	290	426	756	1,431	2,343	3,352	7,782	1	
1997.....	171	185	301	428	820	1,342	2,312	3,298	7,099	-	
1996.....	154	169	279	437	766	1,456	2,209	3,224	6,908	1	
1995.....	132	194	270	433	746	1,445	2,153	3,082	6,223	-	
1994.....	147	175	292	416	814	1,437	2,017	2,895	5,793	-	
1993.....	127	177	265	447	795	1,324	2,126	2,867	5,546	1	
1992.....	116	181	252	474	808	1,333	2,003	2,843	4,947	-	
1991.....	115	159	272	467	877	1,254	2,016	2,617	4,650	-	
1990.....	119	188	280	546	855	1,317	1,904	2,414	4,037	2	
1989.....	101	158	285	497	817	1,307	1,752	2,325	3,626	-	
1988.....	91	162	303	521	858	1,321	1,747	2,092	3,301	-	
1987.....	108	177	303	503	816	1,189	1,678	1,958	2,948	-	
1986.....	97	160	304	506	812	1,186	1,628	1,771	2,553	-	
1985.....	101	174	280	488	754	1,125	1,472	1,657	2,279	3	
1984.....	91	163	299	500	716	1,045	1,325	1,562	1,953	1	
1983.....	90	177	329	469	735	1,097	1,308	1,413	1,800	2	
1982.....	135	161	306	512	687	975	1,322	1,204	1,521	1	
1981.....	110	207	316	482	765	973	1,111	1,114	1,330	2	
1980.....	103	174	353	541	706	986	1,117	1,034	1,224	-	
1979.....	88	193	331	481	653	922	1,019	922	982	2	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 OTHER DISEASES OF ENDOCARDIUM (424)										
WHITE MALE										
1998.....	113	146	158	266	392	718	1,099	1,408	2,200	1
1997.....	111	116	178	250	418	677	1,101	1,320	2,053	-
1996.....	106	113	171	232	438	724	1,037	1,292	2,013	1
1995.....	94	124	153	237	413	739	1,002	1,259	1,812	-
1994.....	96	105	188	240	423	719	960	1,169	1,652	-
1993.....	85	115	157	260	440	716	987	1,136	1,587	1
1992.....	74	111	163	277	468	705	940	1,142	1,428	-
1991.....	80	94	160	276	513	647	941	1,092	1,354	-
1990.....	81	122	170	345	488	674	880	945	1,141	-
1989.....	67	101	175	280	475	693	819	937	1,048	-
1988.....	59	115	190	315	493	744	825	818	936	-
1987.....	81	112	198	320	480	639	817	812	875	-
1986.....	60	106	196	306	470	621	782	706	754	-
1985.....	66	117	165	305	472	589	701	683	681	1
1984.....	67	117	196	304	411	559	657	635	591	1
1983.....	56	124	215	319	493	592	622	585	559	1
1982.....	91	114	206	314	409	522	615	473	464	-
1981.....	67	141	206	307	431	531	538	488	425	1
1980.....	66	123	251	358	422	556	539	437	412	-
1979.....	68	130	238	327	401	501	496	393	325	2
WHITE FEMALE										
1998.....	59	99	132	160	364	713	1,244	1,944	5,582	-
1997.....	60	69	123	178	402	665	1,211	1,978	5,046	-
1996.....	48	56	108	205	328	732	1,172	1,932	4,895	-
1995.....	38	70	117	196	333	706	1,151	1,823	4,411	-
1994.....	51	70	104	176	391	718	1,057	1,726	4,141	-
1993.....	42	62	108	187	355	608	1,139	1,731	3,959	-
1992.....	42	70	89	197	340	628	1,063	1,701	3,519	-
1991.....	35	65	112	191	364	607	1,075	1,525	3,296	-
1990.....	38	66	110	201	367	643	1,024	1,469	2,896	2
1989.....	34	57	110	217	342	614	933	1,388	2,578	-
1988.....	32	47	113	206	365	577	922	1,274	2,365	-
1987.....	27	65	105	183	336	550	861	1,146	2,073	-
1986.....	37	54	108	200	342	565	846	1,065	1,799	-
1985.....	35	57	115	183	282	536	771	974	1,598	2
1984.....	24	46	103	196	305	486	668	927	1,362	-
1983.....	34	53	114	150	242	505	686	828	1,241	1
1982.....	44	47	100	198	278	453	707	731	1,057	1
1981.....	43	66	110	175	334	442	573	626	905	1
1980.....	37	51	102	183	284	430	578	597	812	-
1979.....	20	63	93	154	252	421	523	529	657	-

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
0 OTHER DISEASES OF ENDOCARDIUM (424)

ALL OTHER, BOTH SEXES

1998.....	72	63	78	88	103	157	179	182	308	1
1997.....	70	74	64	78	121	123	167	176	348	1
1996.....	67	58	62	97	104	142	158	169	310	-
1995.....	48	57	62	79	114	155	143	188	282	-
1994.....	51	48	61	75	99	130	142	159	242	-
1993.....	38	43	72	81	106	128	156	187	251	-
1992.....	61	40	67	88	99	119	152	155	204	-
1991.....	44	35	47	76	90	102	133	139	180	-
1990.....	40	50	62	66	103	121	145	141	199	-
1989.....	33	37	63	68	100	101	131	121	186	1
1988.....	39	46	64	65	124	110	142	143	176	1
1987.....	38	43	54	74	100	118	134	112	163	1
1986.....	27	36	50	75	78	122	125	94	123	-
1985.....	33	39	61	58	90	111	128	104	122	-
1984.....	19	46	50	70	103	122	114	93	102	-
1983.....	29	32	46	63	72	104	114	64	90	-
1982.....	31	34	54	61	85	116	102	83	74	-
1981.....	30	36	53	64	81	93	93	85	80	-
1980.....	28	42	52	60	86	86	91	82	60	-
1979.....	29	35	48	65	102	95	90	57	52	-

ALL OTHER MALE

1998.....	47	34	33	48	52	80	74	55	93	1
1997.....	47	44	29	36	51	54	85	62	108	1
1996.....	40	34	28	47	59	65	69	68	95	-
1995.....	27	29	28	40	54	56	59	86	90	-
1994.....	31	23	41	43	47	60	63	60	92	-
1993.....	23	19	44	48	50	55	68	59	57	-
1992.....	38	27	39	42	53	56	70	60	71	-
1991.....	28	23	24	44	41	47	64	58	58	-
1990.....	30	26	30	27	51	62	58	54	56	-
1989.....	22	22	36	38	46	36	61	52	64	1
1988.....	25	30	38	32	56	62	72	50	61	-
1987.....	24	25	27	35	55	53	64	38	52	-
1986.....	18	24	31	38	34	59	63	42	32	-
1985.....	17	25	36	34	48	60	59	45	40	-
1984.....	11	25	30	39	61	59	49	34	32	-
1983.....	18	18	25	35	40	60	50	25	33	-
1982.....	18	20	28	33	43	65	43	35	27	-
1981.....	18	22	27	33	43	52	48	39	31	-
1980.....	22	28	33	42	49	46	41	30	24	-
1979.....	17	20	35	35	53	44	45	23	20	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 OTHER DISEASES OF ENDOCARDIUM (424)

ALL OTHER FEMALE										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	25	29	45	40	51	77	105	127	215	-
1997	23	30	35	42	70	69	82	114	240	-
1996	27	24	34	50	45	77	89	101	215	-
1995	21	28	34	39	60	99	84	102	192	-
1994	20	25	20	32	52	70	79	99	150	-
1993	15	24	28	33	56	73	88	128	194	-
1992	23	13	28	46	46	63	82	95	133	-
1991	16	12	23	32	49	55	69	81	122	-
1990	10	24	32	39	52	59	87	87	143	-
1989	11	15	27	30	54	65	70	69	122	-
1988	14	16	26	33	68	48	70	93	115	1
1987	14	18	27	39	45	65	70	74	111	1
1986	9	12	19	37	44	63	62	52	91	-
1985	16	14	25	24	42	51	69	59	82	-
1984	8	21	20	31	42	63	65	59	70	-
1983	11	14	21	28	32	44	64	39	57	-
1982	13	14	26	28	42	51	59	48	47	-
1981	12	14	26	31	38	41	45	46	49	-
1980	6	14	19	18	37	40	50	52	36	-
1979	12	15	13	30	49	51	45	34	32	-
BLACK, BOTH SEXES										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	68	57	71	69	86	124	153	139	240	1
1997	66	67	56	70	96	101	122	149	275	-
1996	58	52	54	83	91	119	132	135	249	-
1995	45	50	52	70	96	124	124	150	214	-
1994	48	44	55	66	85	110	114	126	179	-
1993	35	40	65	64	88	111	133	148	200	-
1992	57	37	63	76	91	105	132	132	177	-
1991	41	32	44	66	81	82	114	117	152	-
1990	37	45	57	53	92	108	123	121	166	-
1989	29	32	55	60	95	91	120	105	147	1
1988	35	42	58	54	111	87	123	118	153	1
1987	37	41	51	71	92	107	121	99	134	1
1986	27	33	49	67	74	110	108	74	103	-
1985	31	38	56	50	82	104	114	89	108	-
1984	16	39	45	67	93	106	102	84	85	-
1983	25	30	42	56	68	91	100	53	75	-
1982	29	31	50	56	80	107	88	71	64	-
1981	28	35	48	57	77	87	77	77	68	-
1980	27	41	45	55	78	74	81	68	52	-
1979	29	34	44	58	93	87	85	50	44	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 OTHER DISEASES OF ENDOCARDIUM (424)

BLACK MALE

1998.....	43	29	29	37	45	57	61	40	63	1
1997.....	46	40	24	31	41	46	59	48	68	-
1996.....	34	32	25	39	48	60	54	47	68	-
1995.....	25	27	23	35	49	39	51	62	58	-
1994.....	29	22	37	39	39	47	47	46	55	-
1993.....	21	17	40	37	39	47	57	39	36	-
1992.....	35	25	36	35	49	48	59	51	53	-
1991.....	27	20	21	35	36	35	54	46	48	-
1990.....	27	23	29	23	43	57	46	44	42	-
1989.....	19	20	33	34	43	31	52	43	42	1
1988.....	21	27	35	26	48	47	61	39	51	-
1987.....	24	23	26	34	51	49	56	31	41	-
1986.....	18	21	30	32	32	52	53	29	24	-
1985.....	17	24	32	29	44	57	49	36	34	-
1984.....	10	23	27	37	57	50	45	29	26	-
1983.....	16	16	24	31	37	48	42	18	27	-
1982.....	18	18	25	32	40	57	33	27	26	-
1981.....	17	22	24	30	40	49	39	35	24	-
1980.....	21	27	27	39	43	40	35	23	19	-
1979.....	17	19	32	31	46	40	41	21	14	-

BLACK FEMALE

1998.....	25	28	42	32	41	67	92	99	177	-
1997.....	20	27	32	39	55	55	63	101	207	-
1996.....	24	20	29	44	43	59	78	88	181	-
1995.....	20	23	29	35	47	85	73	88	156	-
1994.....	19	22	18	27	46	63	67	80	124	-
1993.....	14	23	25	27	49	64	76	109	164	-
1992.....	22	12	27	41	42	57	73	81	124	-
1991.....	14	12	23	31	45	47	60	71	104	-
1990.....	10	22	28	30	49	51	77	77	124	-
1989.....	10	12	22	26	52	60	68	62	105	-
1988.....	14	15	23	28	63	40	62	79	102	1
1987.....	13	18	25	37	41	58	65	68	93	1
1986.....	9	12	19	35	42	58	55	45	79	-
1985.....	14	14	24	21	38	47	65	53	74	-
1984.....	6	16	18	30	36	56	57	55	59	-
1983.....	9	14	18	25	31	43	58	35	48	-
1982.....	11	13	25	24	40	50	55	44	38	-
1981.....	11	13	24	27	37	38	38	42	44	-
1980.....	6	14	18	16	35	34	46	45	33	-
1979.....	12	15	12	27	47	47	44	29	30	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)										
TOTAL, BOTH SEXES										
1998.....	4,921	6,621	8,206	10,964	15,282	21,564	28,204	33,217	73,318	30
1997.....	4,808	6,362	8,096	11,217	15,429	21,921	27,972	32,918	71,335	29
1996.....	4,819	6,082	7,847	11,216	15,989	21,875	27,278	32,581	69,800	44
1995.....	4,630	6,065	7,791	11,620	16,329	22,652	27,412	32,701	68,886	43
1994.....	4,301	5,937	7,774	11,539	16,781	22,935	26,982	32,085	66,136	31
1993.....	4,168	5,790	8,126	12,182	17,884	23,407	28,189	32,177	66,018	35
1992.....	3,969	5,257	7,440	12,164	17,014	22,360	26,465	29,982	59,974	36
1991.....	3,681	5,008	7,523	12,295	17,485	22,249	26,679	29,805	58,745	45
1990.....	3,533	4,959	7,617	12,615	17,534	21,434	26,425	29,589	56,694	56
1989.....	3,463	5,242	8,204	13,109	18,242	22,267	27,692	30,315	57,665	41
1988.....	3,595	5,570	9,235	14,809	20,270	25,117	30,514	33,080	63,396	49
1987.....	3,486	5,564	8,981	14,376	20,001	24,844	29,441	32,030	60,510	47
1986.....	3,391	5,495	9,253	14,679	19,495	24,628	29,285	31,610	58,821	96
1985.....	3,216	5,340	9,056	14,270	18,470	23,657	27,661	30,090	55,033	96
1984.....	3,072	5,253	8,915	13,782	17,727	22,508	25,919	28,225	51,590	38
1983.....	2,968	5,420	8,880	13,289	17,200	21,777	25,286	27,390	49,086	48
1982.....	2,965	5,010	8,323	12,344	16,062	19,913	23,261	25,152	44,317	42
1981.....	3,000	5,378	8,570	11,947	15,556	19,320	22,370	24,497	42,480	34
1980.....	2,905	5,362	8,471	11,502	15,464	18,918	21,961	23,546	40,644	46
1979.....	2,951	5,247	7,945	10,959	14,188	17,227	20,164	22,076	36,061	35
TOTAL, MALE										
1998.....	3,418	4,593	5,422	7,148	9,384	12,141	14,504	14,780	21,498	21
1997.....	3,358	4,405	5,426	7,326	9,540	12,457	14,402	14,451	20,981	21
1996.....	3,381	4,205	5,258	7,339	9,945	12,567	14,130	14,253	20,711	30
1995.....	3,267	4,237	5,245	7,510	10,155	13,111	14,193	14,247	20,086	26
1994.....	2,980	4,235	5,322	7,554	10,497	13,217	13,780	13,904	19,461	18
1993.....	2,912	4,057	5,524	7,928	11,134	13,394	14,281	13,996	19,298	22
1992.....	2,812	3,642	5,116	7,968	10,502	12,846	13,435	13,047	17,602	21
1991.....	2,637	3,512	5,102	8,213	10,815	12,893	13,707	12,809	17,266	30
1990.....	2,488	3,437	5,134	8,266	10,930	12,404	13,579	12,888	16,677	34
1989.....	2,474	3,627	5,571	8,584	11,495	12,748	13,997	12,893	17,019	24
1988.....	2,517	3,834	6,323	9,713	12,557	14,611	15,517	14,196	19,007	30
1987.....	2,402	3,904	6,081	9,275	12,424	14,277	14,989	13,569	18,248	33
1986.....	2,335	3,771	6,349	9,634	12,280	14,204	14,931	13,508	17,931	44
1985.....	2,263	3,720	6,180	9,385	11,536	13,510	13,921	12,856	17,030	42
1984.....	2,177	3,589	6,066	9,095	11,155	12,889	13,083	11,887	16,388	22
1983.....	2,075	3,739	6,059	8,659	10,706	12,566	12,760	11,639	15,772	23
1982.....	2,026	3,492	5,613	8,136	10,002	11,365	11,721	10,593	14,349	26
1981.....	2,092	3,739	5,894	7,802	9,662	10,968	11,321	10,487	14,003	17
1980.....	1,994	3,714	5,813	7,484	9,526	10,777	11,109	10,013	13,544	27
1979.....	2,066	3,670	5,517	7,182	8,969	9,800	10,073	9,380	12,230	14

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)										
TOTAL, FEMALE										
1998.....	1,503	2,028	2,784	3,816	5,898	9,423	13,700	18,437	51,820	9
1997.....	1,450	1,957	2,670	3,891	5,889	9,464	13,570	18,467	50,354	8
1996.....	1,438	1,877	2,589	3,877	6,044	9,308	13,148	18,328	49,089	14
1995.....	1,363	1,828	2,546	4,110	6,174	9,541	13,219	18,454	48,800	17
1994.....	1,321	1,702	2,452	3,985	6,284	9,718	13,202	18,181	46,675	13
1993.....	1,256	1,733	2,602	4,254	6,750	10,013	13,908	18,181	46,720	13
1992.....	1,157	1,615	2,324	4,196	6,512	9,514	13,030	16,935	42,372	15
1991.....	1,044	1,496	2,421	4,082	6,670	9,356	12,972	16,996	41,479	15
1990.....	1,045	1,522	2,483	4,349	6,604	9,030	12,846	16,701	40,017	22
1989.....	989	1,615	2,633	4,525	6,747	9,519	13,695	17,422	40,646	17
1988.....	1,078	1,736	2,912	5,096	7,713	10,506	14,997	18,884	44,389	19
1987.....	1,084	1,660	2,900	5,101	7,577	10,567	14,452	18,461	42,262	14
1986.....	1,056	1,724	2,904	5,045	7,215	10,424	14,354	18,102	40,890	52
1985.....	953	1,620	2,876	4,885	6,934	10,147	13,740	17,234	38,003	54
1984.....	895	1,664	2,849	4,687	6,572	9,619	12,836	16,338	35,202	16
1983.....	893	1,681	2,821	4,630	6,494	9,211	12,526	15,751	33,314	25
1982.....	939	1,518	2,710	4,208	6,060	8,548	11,540	14,559	29,968	16
1981.....	908	1,639	2,676	4,145	5,894	8,352	11,049	14,010	28,477	17
1980.....	911	1,648	2,658	4,018	5,938	8,141	10,852	13,533	27,100	19
1979.....	885	1,577	2,428	3,777	5,219	7,427	10,091	12,696	23,831	21
WHITE, BOTH SEXES										
1998.....	3,440	4,886	6,173	8,377	12,240	17,898	24,366	29,614	66,857	16
1997.....	3,428	4,669	6,103	8,629	12,504	18,351	24,360	29,354	65,161	18
1996.....	3,378	4,430	5,902	8,517	12,925	18,174	23,674	29,020	63,810	33
1995.....	3,256	4,485	5,782	8,976	13,134	18,820	23,674	29,041	62,886	35
1994.....	3,061	4,341	5,828	9,010	13,526	19,221	23,355	28,404	60,499	19
1993.....	2,942	4,155	5,962	9,382	14,370	19,526	24,414	28,450	60,322	18
1992.....	2,823	3,832	5,526	9,450	13,758	18,617	22,815	26,492	54,691	25
1991.....	2,600	3,613	5,622	9,651	14,041	18,523	22,917	26,348	53,493	31
1990.....	2,498	3,582	5,654	9,862	14,094	18,044	22,661	26,115	51,563	32
1989.....	2,395	3,690	6,171	10,134	14,618	18,550	23,643	26,689	52,491	28
1988.....	2,504	4,014	7,026	11,589	16,475	21,113	26,118	29,225	57,867	29
1987.....	2,464	4,043	6,914	11,322	16,297	20,869	25,218	28,232	55,275	26
1986.....	2,400	3,972	7,050	11,633	15,941	20,652	25,077	27,906	53,670	72
1985.....	2,316	3,880	6,982	11,336	15,103	19,710	23,827	26,711	50,518	79
1984.....	2,165	3,925	6,893	10,995	14,623	18,850	22,479	24,892	47,401	26
1983.....	2,137	4,019	6,771	10,523	14,109	18,169	21,858	24,242	45,210	30
1982.....	2,088	3,779	6,496	9,836	13,186	16,747	20,206	22,404	40,923	22
1981.....	2,114	4,032	6,669	9,526	12,881	16,291	19,435	21,862	39,135	19
1980.....	2,060	4,017	6,574	9,115	12,595	15,826	18,952	21,082	37,334	28
1979.....	2,098	3,994	6,179	8,784	11,525	14,385	17,360	19,960	33,319	22

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)										
WHITE MALE										
1998.....	2,468	3,470	4,190	5,589	7,642	10,232	12,623	13,258	19,428	10
1997.....	2,465	3,343	4,174	5,705	7,863	10,580	12,681	12,927	19,026	13
1996.....	2,441	3,161	4,065	5,687	8,179	10,591	12,346	12,771	18,777	22
1995.....	2,391	3,183	3,982	5,918	8,282	11,041	12,374	12,706	18,176	20
1994.....	2,194	3,188	4,143	6,024	8,617	11,250	12,058	12,332	17,600	12
1993.....	2,124	2,973	4,127	6,293	9,078	11,320	12,500	12,415	17,442	10
1992.....	2,047	2,746	3,925	6,355	8,653	10,773	11,689	11,492	15,828	14
1991.....	1,934	2,631	3,892	6,590	8,804	10,879	11,859	11,306	15,498	19
1990.....	1,807	2,561	3,883	6,619	8,974	10,605	11,799	11,319	14,955	18
1989.....	1,777	2,618	4,320	6,819	9,357	10,741	12,042	11,326	15,271	13
1988.....	1,812	2,834	4,931	7,755	10,403	12,488	13,344	12,499	17,097	19
1987.....	1,748	2,907	4,827	7,427	10,250	12,218	12,914	11,924	16,421	20
1986.....	1,695	2,814	4,938	7,774	10,232	12,078	12,849	11,852	16,089	31
1985.....	1,660	2,766	4,913	7,595	9,598	11,429	12,088	11,326	15,414	30
1984.....	1,577	2,756	4,838	7,412	9,361	10,936	11,412	10,401	14,852	16
1983.....	1,521	2,870	4,747	7,030	8,966	10,605	11,064	10,238	14,393	16
1982.....	1,451	2,724	4,474	6,593	8,331	9,623	10,222	9,376	13,105	15
1981.....	1,553	2,892	4,696	6,342	8,144	9,381	9,868	9,277	12,691	10
1980.....	1,450	2,861	4,597	6,018	7,952	9,131	9,633	8,874	12,262	17
1979.....	1,518	2,865	4,375	5,877	7,429	8,317	8,676	8,393	11,158	8
WHITE FEMALE										
1998.....	972	1,416	1,983	2,788	4,598	7,666	11,743	16,356	47,429	6
1997.....	963	1,326	1,929	2,924	4,641	7,771	11,679	16,427	46,135	5
1996.....	937	1,269	1,837	2,830	4,746	7,583	11,328	16,249	45,033	11
1995.....	865	1,302	1,800	3,058	4,852	7,779	11,300	16,335	44,710	15
1994.....	867	1,153	1,685	2,986	4,909	7,971	11,297	16,072	42,899	7
1993.....	818	1,182	1,835	3,089	5,292	8,206	11,914	16,035	42,880	8
1992.....	776	1,086	1,601	3,095	5,105	7,844	11,126	15,000	38,863	11
1991.....	666	982	1,730	3,061	5,237	7,644	11,058	15,042	37,995	12
1990.....	691	1,021	1,771	3,243	5,120	7,439	10,862	14,796	36,608	14
1989.....	618	1,072	1,851	3,315	5,261	7,809	11,601	15,363	37,220	15
1988.....	692	1,180	2,095	3,834	6,072	8,625	12,774	16,726	40,770	10
1987.....	716	1,136	2,087	3,895	6,047	8,651	12,304	16,308	38,854	6
1986.....	705	1,158	2,112	3,859	5,709	8,574	12,228	16,054	37,581	41
1985.....	656	1,114	2,069	3,741	5,505	8,281	11,739	15,385	35,104	49
1984.....	588	1,169	2,055	3,583	5,262	7,914	11,067	14,491	32,549	10
1983.....	616	1,149	2,024	3,493	5,143	7,564	10,794	14,004	30,817	14
1982.....	637	1,055	2,022	3,243	4,855	7,124	9,984	13,028	27,818	7
1981.....	561	1,140	1,973	3,184	4,737	6,910	9,567	12,585	26,444	9
1980.....	610	1,156	1,977	3,097	4,643	6,695	9,319	12,208	25,072	11
1979.....	580	1,129	1,804	2,907	4,096	6,068	8,684	11,567	22,161	14

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)										
ALL OTHER, BOTH SEXES										
1998.....	1,481	1,735	2,033	2,587	3,042	3,666	3,838	3,603	6,461	14
1997.....	1,380	1,693	1,993	2,588	2,925	3,570	3,612	3,564	6,174	11
1996.....	1,441	1,652	1,945	2,699	3,064	3,701	3,604	3,561	5,990	11
1995.....	1,374	1,580	2,009	2,644	3,195	3,832	3,738	3,660	6,000	8
1994.....	1,240	1,596	1,946	2,529	3,255	3,714	3,627	3,681	5,637	12
1993.....	1,226	1,635	2,164	2,800	3,514	3,881	3,775	3,727	5,696	17
1992.....	1,146	1,425	1,914	2,714	3,256	3,743	3,650	3,490	5,283	11
1991.....	1,081	1,395	1,901	2,644	3,444	3,726	3,762	3,457	5,252	14
1990.....	1,035	1,377	1,963	2,753	3,440	3,390	3,764	3,474	5,131	24
1989.....	1,068	1,552	2,033	2,975	3,624	3,717	4,049	3,626	5,174	13
1988.....	1,091	1,556	2,209	3,220	3,795	4,004	4,396	3,855	5,529	20
1987.....	1,022	1,521	2,067	3,054	3,704	3,975	4,223	3,798	5,235	21
1986.....	991	1,523	2,203	3,046	3,554	3,976	4,208	3,704	5,151	24
1985.....	900	1,460	2,074	2,934	3,367	3,947	3,834	3,379	4,515	17
1984.....	907	1,328	2,022	2,787	3,104	3,658	3,440	3,333	4,189	12
1983.....	831	1,401	2,109	2,766	3,091	3,608	3,428	3,148	3,876	18
1982.....	877	1,231	1,827	2,508	2,876	3,166	3,055	2,748	3,394	20
1981.....	886	1,346	1,901	2,421	2,675	3,029	2,935	2,635	3,345	15
1980.....	845	1,345	1,897	2,387	2,869	3,092	3,009	2,464	3,310	18
1979.....	853	1,253	1,766	2,175	2,663	2,842	2,804	2,116	2,742	13
ALL OTHER MALE										
1998.....	950	1,123	1,232	1,559	1,742	1,909	1,881	1,522	2,070	11
1997.....	893	1,062	1,252	1,621	1,677	1,877	1,721	1,524	1,955	8
1996.....	940	1,044	1,193	1,652	1,766	1,976	1,784	1,482	1,934	8
1995.....	876	1,054	1,263	1,592	1,873	2,070	1,819	1,541	1,910	6
1994.....	786	1,047	1,179	1,530	1,880	1,967	1,722	1,572	1,861	6
1993.....	788	1,084	1,397	1,635	2,056	2,074	1,781	1,581	1,856	12
1992.....	765	896	1,191	1,613	1,849	2,073	1,746	1,555	1,774	7
1991.....	703	881	1,210	1,623	2,011	2,014	1,848	1,503	1,768	11
1990.....	681	876	1,251	1,647	1,956	1,799	1,780	1,569	1,722	16
1989.....	697	1,009	1,251	1,765	2,138	2,007	1,955	1,567	1,748	11
1988.....	705	1,000	1,392	1,958	2,154	2,123	2,173	1,697	1,910	11
1987.....	654	997	1,254	1,848	2,174	2,059	2,075	1,645	1,827	13
1986.....	640	957	1,411	1,860	2,048	2,126	2,082	1,656	1,842	13
1985.....	603	954	1,267	1,790	1,938	2,081	1,833	1,530	1,616	12
1984.....	600	833	1,228	1,683	1,794	1,953	1,671	1,486	1,536	6
1983.....	554	869	1,312	1,629	1,740	1,961	1,696	1,401	1,379	7
1982.....	575	768	1,139	1,543	1,671	1,742	1,499	1,217	1,244	11
1981.....	539	847	1,198	1,460	1,518	1,587	1,453	1,210	1,312	7
1980.....	544	853	1,216	1,466	1,574	1,646	1,476	1,139	1,282	10
1979.....	548	805	1,142	1,305	1,540	1,483	1,397	987	1,072	6

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)										
ALL OTHER FEMALE										
1998.....	531	612	801	1,028	1,300	1,757	1,957	2,081	4,391	3
1997.....	487	631	741	967	1,248	1,693	1,891	2,040	4,219	3
1996.....	501	608	752	1,047	1,298	1,725	1,820	2,079	4,056	3
1995.....	498	526	746	1,052	1,322	1,762	1,919	2,119	4,090	2
1994.....	454	549	767	999	1,375	1,747	1,905	2,109	3,776	6
1993.....	438	551	767	1,165	1,458	1,807	1,994	2,146	3,840	5
1992.....	381	529	723	1,101	1,407	1,670	1,904	1,935	3,509	4
1991.....	378	514	691	1,021	1,433	1,712	1,914	1,954	3,484	3
1990.....	354	501	712	1,106	1,484	1,591	1,984	1,905	3,409	8
1989.....	371	543	782	1,210	1,486	1,710	2,094	2,059	3,426	2
1988.....	386	556	817	1,262	1,641	1,881	2,223	2,158	3,619	9
1987.....	368	524	813	1,206	1,530	1,916	2,148	2,153	3,408	8
1986.....	351	566	792	1,186	1,506	1,850	2,126	2,048	3,309	11
1985.....	297	506	807	1,144	1,429	1,866	2,001	1,849	2,899	5
1984.....	307	495	794	1,104	1,310	1,705	1,769	1,847	2,653	6
1983.....	277	532	797	1,137	1,351	1,647	1,732	1,747	2,497	11
1982.....	302	463	688	965	1,205	1,424	1,556	1,531	2,150	9
1981.....	347	499	703	961	1,157	1,442	1,482	1,425	2,033	8
1980.....	301	492	681	921	1,295	1,446	1,533	1,325	2,028	8
1979.....	305	448	624	870	1,123	1,359	1,407	1,129	1,670	7
BLACK, BOTH SEXES										
1998.....	1,377	1,567	1,869	2,333	2,788	3,314	3,429	3,201	5,649	13
1997.....	1,264	1,552	1,815	2,349	2,670	3,243	3,201	3,161	5,433	11
1996.....	1,322	1,512	1,775	2,472	2,785	3,347	3,230	3,168	5,288	11
1995.....	1,279	1,445	1,834	2,434	2,930	3,461	3,395	3,267	5,338	8
1994.....	1,144	1,464	1,777	2,316	2,967	3,419	3,300	3,331	4,989	12
1993.....	1,159	1,519	2,013	2,601	3,237	3,566	3,418	3,343	5,104	15
1992.....	1,073	1,338	1,777	2,540	3,027	3,430	3,317	3,163	4,755	11
1991.....	1,023	1,311	1,769	2,465	3,224	3,455	3,453	3,141	4,689	14
1990.....	970	1,268	1,827	2,565	3,194	3,132	3,477	3,162	4,645	22
1989.....	1,012	1,458	1,908	2,784	3,395	3,466	3,766	3,311	4,713	13
1988.....	1,046	1,454	2,084	3,046	3,564	3,750	4,101	3,592	5,077	20
1987.....	973	1,427	1,920	2,882	3,504	3,738	3,977	3,555	4,844	21
1986.....	936	1,439	2,095	2,928	3,381	3,756	3,955	3,463	4,745	22
1985.....	857	1,394	1,973	2,775	3,189	3,742	3,569	3,177	4,160	15
1984.....	858	1,255	1,910	2,657	2,957	3,491	3,250	3,130	3,895	11
1983.....	801	1,336	2,000	2,634	2,954	3,424	3,228	2,954	3,602	13
1982.....	834	1,182	1,744	2,403	2,754	3,023	2,906	2,588	3,180	18
1981.....	852	1,301	1,835	2,336	2,579	2,898	2,777	2,504	3,152	11
1980.....	820	1,290	1,828	2,301	2,762	2,953	2,862	2,353	3,098	17
1979.....	834	1,209	1,698	2,092	2,558	2,741	2,660	1,982	2,578	13

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)										
BLACK MALE										
1998.....	865	1,006	1,118	1,382	1,585	1,713	1,643	1,323	1,706	10
1997.....	808	968	1,131	1,471	1,527	1,670	1,505	1,337	1,645	8
1996.....	848	945	1,084	1,492	1,602	1,772	1,580	1,297	1,615	8
1995.....	809	964	1,150	1,463	1,712	1,859	1,642	1,355	1,637	6
1994.....	713	956	1,060	1,389	1,702	1,789	1,551	1,404	1,559	6
1993.....	739	1,004	1,293	1,517	1,886	1,890	1,586	1,371	1,595	11
1992.....	709	829	1,098	1,511	1,713	1,885	1,561	1,368	1,541	7
1991.....	660	826	1,124	1,506	1,864	1,848	1,662	1,316	1,521	11
1990.....	637	799	1,159	1,525	1,801	1,641	1,626	1,390	1,519	14
1989.....	662	940	1,166	1,639	1,997	1,850	1,782	1,378	1,541	11
1988.....	675	933	1,314	1,844	2,013	1,977	1,989	1,554	1,702	11
1987.....	618	929	1,151	1,740	2,056	1,903	1,918	1,488	1,665	13
1986.....	599	900	1,345	1,780	1,935	1,985	1,934	1,519	1,655	13
1985.....	568	909	1,202	1,686	1,820	1,956	1,667	1,431	1,482	10
1984.....	566	782	1,163	1,600	1,704	1,850	1,549	1,366	1,395	6
1983.....	534	824	1,241	1,552	1,651	1,836	1,570	1,292	1,249	5
1982.....	552	728	1,089	1,480	1,599	1,644	1,396	1,133	1,144	10
1981.....	517	823	1,158	1,401	1,461	1,506	1,350	1,127	1,212	4
1980.....	526	816	1,170	1,415	1,504	1,548	1,390	1,063	1,173	10
1979.....	539	779	1,101	1,250	1,480	1,421	1,301	918	1,002	6
BLACK FEMALE										
1998.....	512	561	751	951	1,203	1,601	1,786	1,878	3,943	3
1997.....	456	584	684	878	1,143	1,573	1,696	1,824	3,788	3
1996.....	474	567	691	980	1,183	1,575	1,650	1,871	3,673	3
1995.....	470	481	684	971	1,218	1,602	1,753	1,912	3,701	2
1994.....	431	508	717	927	1,265	1,630	1,749	1,927	3,430	6
1993.....	420	515	720	1,084	1,351	1,676	1,832	1,972	3,509	4
1992.....	364	509	679	1,029	1,314	1,545	1,756	1,795	3,214	4
1991.....	363	485	645	959	1,360	1,607	1,791	1,825	3,168	3
1990.....	333	469	668	1,040	1,393	1,491	1,851	1,772	3,126	8
1989.....	350	518	742	1,145	1,398	1,616	1,984	1,933	3,172	2
1988.....	371	521	770	1,202	1,551	1,773	2,112	2,038	3,375	9
1987.....	355	498	769	1,142	1,448	1,835	2,059	2,067	3,179	8
1986.....	337	539	750	1,148	1,446	1,771	2,021	1,944	3,090	9
1985.....	289	485	771	1,089	1,369	1,786	1,902	1,746	2,678	5
1984.....	292	473	747	1,057	1,253	1,641	1,701	1,764	2,500	5
1983.....	267	512	759	1,082	1,303	1,588	1,658	1,662	2,353	8
1982.....	282	454	655	923	1,155	1,379	1,510	1,455	2,036	8
1981.....	335	478	677	935	1,118	1,392	1,427	1,377	1,940	7
1980.....	294	474	658	886	1,258	1,405	1,472	1,290	1,925	7
1979.....	295	430	597	842	1,078	1,320	1,359	1,064	1,576	7

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)										
TOTAL, BOTH SEXES										
1998.....	255	338	450	676	949	1,546	2,010	2,565	5,203	-
1997.....	243	343	392	611	932	1,484	2,016	2,451	4,744	1
1996.....	251	330	409	594	961	1,438	1,965	2,301	4,396	-
1995.....	233	315	389	650	957	1,477	1,792	2,193	4,138	2
1994.....	197	292	386	625	915	1,417	1,794	2,113	3,706	-
1993.....	185	301	411	636	932	1,334	1,673	1,897	3,537	2
1992.....	168	243	363	574	904	1,295	1,570	1,832	3,039	1
1991.....	181	231	332	548	870	1,200	1,469	1,676	2,746	2
1990.....	160	237	368	527	821	1,167	1,462	1,541	2,639	2
1989.....	149	232	309	551	836	1,081	1,330	1,527	2,479	1
1988.....	121	250	330	578	823	1,073	1,297	1,438	2,312	1
1987.....	134	205	320	545	828	1,097	1,224	1,345	2,218	1
1986.....	119	240	336	542	766	1,051	1,267	1,360	2,108	4
1985.....	129	217	340	557	737	1,020	1,235	1,286	2,032	2
1984.....	133	191	368	569	738	1,138	1,240	1,209	2,004	1
1983.....	136	196	342	554	724	1,019	1,225	1,250	2,095	4
1982.....	118	216	341	553	718	1,021	1,155	1,240	2,027	3
1981.....	143	240	372	523	739	955	1,162	1,248	1,985	-
1980.....	151	257	380	551	724	1,018	1,203	1,246	2,050	2
1979.....	149	244	376	504	722	872	1,094	1,147	1,943	1
TOTAL, MALE										
1998.....	166	220	280	352	482	705	859	928	1,337	-
1997.....	163	212	228	379	451	706	877	946	1,259	1
1996.....	153	205	251	324	493	687	854	825	1,200	-
1995.....	149	200	217	371	454	723	759	820	1,114	1
1994.....	140	193	235	357	473	652	760	791	997	-
1993.....	109	180	229	350	462	609	722	706	935	2
1992.....	104	145	206	295	471	608	709	709	861	1
1991.....	101	132	203	299	424	560	616	632	821	1
1990.....	99	139	205	277	417	547	618	562	806	1
1989.....	97	154	185	298	440	516	606	608	689	-
1988.....	68	141	181	297	417	513	575	584	641	1
1987.....	80	122	200	326	425	519	545	515	659	-
1986.....	71	134	190	299	406	492	557	505	633	-
1985.....	79	128	197	313	379	499	558	498	618	-
1984.....	87	109	188	308	392	567	539	453	671	-
1983.....	79	118	197	302	377	488	557	512	713	4
1982.....	68	119	196	311	392	497	525	480	726	1
1981.....	79	142	220	280	379	468	534	539	715	-
1980.....	85	141	222	318	345	504	516	514	793	2
1979.....	77	135	218	264	410	427	495	488	726	1

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)

TOTAL, FEMALE										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	89	118	170	324	467	841	1,151	1,637	3,866	-
1997	80	131	164	232	481	778	1,139	1,505	3,485	-
1996	98	125	158	270	468	751	1,111	1,476	3,196	-
1995	84	115	172	279	503	754	1,033	1,373	3,024	1
1994	57	99	151	268	442	765	1,034	1,322	2,709	-
1993	76	121	182	286	470	725	951	1,191	2,602	-
1992	64	98	157	279	433	687	861	1,123	2,178	-
1991	80	99	129	249	446	640	853	1,044	1,925	1
1990	61	98	163	250	404	620	844	979	1,833	1
1989	52	78	124	253	396	565	724	919	1,790	1
1988	53	109	149	281	406	560	722	854	1,671	-
1987	54	83	120	219	403	578	679	830	1,559	1
1986	48	106	146	243	360	559	710	855	1,475	4
1985	50	89	143	244	358	521	677	788	1,414	2
1984	46	82	180	261	346	571	701	756	1,333	1
1983	57	78	145	252	347	531	668	738	1,382	-
1982	50	97	145	242	326	524	630	760	1,301	2
1981	64	98	152	243	360	487	628	709	1,270	-
1980	66	116	158	233	379	514	687	732	1,257	-
1979	72	109	158	240	312	445	599	659	1,217	-
WHITE, BOTH SEXES										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	116	181	258	394	598	1,130	1,537	2,077	4,383	-
1997	97	183	231	388	640	1,069	1,567	2,037	4,034	-
1996	114	166	240	356	653	1,078	1,538	1,885	3,704	-
1995	113	162	201	402	649	1,076	1,390	1,771	3,539	-
1994	84	147	219	418	613	1,058	1,387	1,680	3,165	-
1993	82	172	231	412	640	969	1,288	1,531	2,967	1
1992	65	116	211	360	593	941	1,246	1,497	2,607	-
1991	92	103	173	358	584	894	1,125	1,349	2,372	1
1990	73	111	213	335	560	874	1,140	1,277	2,286	1
1989	66	121	185	349	563	800	1,017	1,255	2,173	1
1988	60	107	195	340	589	801	1,027	1,198	2,001	-
1987	62	110	177	374	603	810	978	1,093	1,939	-
1986	64	133	199	362	546	809	1,005	1,123	1,851	3
1985	54	112	201	356	523	767	982	1,074	1,777	1
1984	61	112	230	370	542	836	969	1,005	1,796	-
1983	62	110	191	387	532	771	1,006	1,057	1,884	-
1982	57	118	220	380	534	781	942	1,035	1,851	3
1981	66	121	228	347	527	721	952	1,060	1,778	-
1980	71	124	244	365	499	780	969	1,096	1,865	1
1979	73	121	230	342	503	677	881	1,027	1,760	1

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)

WHITE MALE

1998.....	83	120	167	231	307	524	665	767	1,144	-
1997.....	69	114	144	251	312	542	675	792	1,056	-
1996.....	76	103	156	198	353	522	675	679	979	-
1995.....	74	113	125	243	322	536	595	665	927	-
1994.....	61	104	136	245	343	500	590	639	848	-
1993.....	55	115	142	228	333	451	583	579	780	1
1992.....	49	74	126	207	324	452	575	592	741	-
1991.....	55	67	115	209	301	424	489	513	701	1
1990.....	49	74	130	188	287	424	499	462	688	1
1989.....	46	84	125	206	297	395	477	508	600	-
1988.....	37	63	133	200	315	409	477	496	553	-
1987.....	42	67	110	241	321	403	437	424	581	-
1986.....	42	73	121	206	317	403	452	417	557	-
1985.....	40	70	129	219	280	388	459	424	535	-
1984.....	41	72	120	210	307	423	442	382	601	-
1983.....	41	71	116	224	287	381	472	432	637	-
1982.....	37	69	144	219	308	401	436	404	666	1
1981.....	38	81	151	191	285	368	450	459	643	-
1980.....	41	74	153	228	262	385	429	449	718	1
1979.....	44	74	147	191	300	337	406	435	651	1

WHITE FEMALE

1998.....	33	61	91	163	291	606	872	1,310	3,239	-
1997.....	28	69	87	137	328	527	892	1,245	2,978	-
1996.....	38	63	84	158	300	556	863	1,206	2,725	-
1995.....	39	49	76	159	327	540	795	1,106	2,612	-
1994.....	23	43	83	173	270	558	797	1,041	2,317	-
1993.....	27	57	89	184	307	518	705	952	2,187	-
1992.....	16	42	85	153	269	489	671	905	1,866	-
1991.....	37	36	58	149	283	470	636	836	1,671	-
1990.....	24	37	83	147	273	450	641	815	1,598	-
1989.....	20	37	60	143	266	405	540	747	1,573	1
1988.....	23	44	62	140	274	392	550	702	1,448	-
1987.....	20	43	67	133	282	407	541	669	1,358	-
1986.....	22	60	78	156	229	406	553	706	1,294	3
1985.....	14	42	72	137	243	379	523	650	1,242	1
1984.....	20	40	110	160	235	413	527	623	1,195	-
1983.....	21	39	75	163	245	390	534	625	1,247	-
1982.....	20	49	76	161	226	380	506	631	1,185	2
1981.....	28	40	77	156	242	353	502	601	1,135	-
1980.....	30	50	91	137	237	395	540	647	1,147	-
1979.....	29	47	83	151	203	340	475	592	1,109	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)										
ALL OTHER, BOTH SEXES										
1998.....	139	157	192	282	351	416	473	488	820	-
1997.....	146	160	161	223	292	415	449	414	710	1
1996.....	137	164	169	238	308	360	427	416	692	-
1995.....	120	153	188	248	308	401	402	422	599	2
1994.....	113	145	167	207	302	359	407	433	541	-
1993.....	103	129	180	224	292	365	385	366	570	1
1992.....	103	127	152	214	311	354	324	335	432	1
1991.....	89	128	159	190	286	306	344	327	374	1
1990.....	87	126	155	192	261	293	322	264	353	1
1989.....	83	111	124	202	273	281	313	272	306	-
1988.....	61	143	135	238	234	272	270	240	311	1
1987.....	72	95	143	171	225	287	246	252	279	1
1986.....	55	107	137	180	220	242	262	237	257	1
1985.....	75	105	139	201	214	253	253	212	255	1
1984.....	72	79	138	199	196	302	271	204	208	1
1983.....	74	86	151	167	192	248	219	193	211	4
1982.....	61	98	121	173	184	240	213	205	176	-
1981.....	77	119	144	176	212	234	210	188	207	-
1980.....	80	133	136	186	225	238	234	150	185	1
1979.....	76	123	146	162	219	195	213	120	183	-
ALL OTHER MALE										
1998.....	83	100	113	121	175	181	194	161	193	-
1997.....	94	98	84	128	139	164	202	154	203	1
1996.....	77	102	95	126	140	165	179	146	221	-
1995.....	75	87	92	128	132	187	164	155	187	1
1994.....	79	89	99	112	130	152	170	152	149	-
1993.....	54	65	87	122	129	158	139	127	155	1
1992.....	55	71	80	88	147	156	134	117	120	1
1991.....	46	65	88	90	123	136	127	119	120	-
1990.....	50	65	75	89	130	123	119	100	118	-
1989.....	51	70	60	92	143	121	129	100	89	-
1988.....	31	78	48	97	102	104	98	88	88	1
1987.....	38	55	90	85	104	116	108	91	78	-
1986.....	29	61	69	93	89	89	105	88	76	-
1985.....	39	58	68	94	99	111	99	74	83	-
1984.....	46	37	68	98	85	144	97	71	70	-
1983.....	38	47	81	78	90	107	85	80	76	4
1982.....	31	50	52	92	84	96	89	76	60	-
1981.....	41	61	69	89	94	100	84	80	72	-
1980.....	44	67	69	90	83	119	87	65	75	1
1979.....	33	61	71	73	110	90	89	53	75	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)

ALL OTHER FEMALE	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
1998.....	56	57	79	161	176	235	279	327	627	-
1997.....	52	62	77	95	153	251	247	260	507	-
1996.....	60	62	74	112	168	195	248	270	471	-
1995.....	45	66	96	120	176	214	238	267	412	1
1994.....	34	56	68	95	172	207	237	281	392	-
1993.....	49	64	93	102	163	207	246	239	415	-
1992.....	48	56	72	126	164	198	190	218	312	-
1991.....	43	63	71	100	163	170	217	208	254	1
1990.....	37	61	80	103	131	170	203	164	235	1
1989.....	32	41	64	110	130	160	184	172	217	-
1988.....	30	65	87	141	132	168	172	152	223	-
1987.....	34	40	53	86	121	171	138	161	201	1
1986.....	26	46	68	87	131	153	157	149	181	1
1985.....	36	47	71	107	115	142	154	138	172	1
1984.....	26	42	70	101	111	158	174	133	138	1
1983.....	36	39	70	89	102	141	134	113	135	-
1982.....	30	48	69	81	100	144	124	129	116	-
1981.....	36	58	75	87	118	134	126	108	135	-
1980.....	36	66	67	96	142	119	147	85	110	-
1979.....	43	62	75	89	109	105	124	67	108	-
BLACK, BOTH SEXES										
1998.....	131	147	189	263	323	389	421	420	734	-
1997.....	140	155	152	216	271	384	404	383	638	1
1996.....	133	158	163	222	285	327	396	377	623	-
1995.....	119	148	178	228	290	370	369	377	544	2
1994.....	109	137	160	193	283	335	375	394	486	-
1993.....	100	120	174	214	275	341	352	344	513	1
1992.....	98	124	142	205	288	327	297	297	389	1
1991.....	87	125	154	179	269	287	332	300	337	1
1990.....	86	122	149	183	247	283	305	256	331	1
1989.....	80	105	121	196	257	268	293	250	279	-
1988.....	57	137	131	232	226	252	258	223	291	1
1987.....	72	91	140	167	222	272	233	236	257	1
1986.....	55	102	132	175	210	235	248	223	242	1
1985.....	75	103	129	199	210	241	242	199	243	1
1984.....	67	78	138	194	194	293	256	191	195	1
1983.....	71	83	149	164	183	239	212	184	197	2
1982.....	59	97	117	166	181	231	204	191	157	-
1981.....	74	116	138	170	209	229	200	176	198	-
1980.....	77	127	128	182	222	229	220	143	171	1
1979.....	73	122	140	160	213	190	201	117	173	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)										
BLACK MALE										
1998.....	79	91	112	112	163	169	165	130	162	-
1997.....	90	96	77	125	124	151	180	138	169	1
1996.....	74	97	91	119	131	151	168	130	186	-
1995.....	74	83	86	115	124	172	148	136	162	1
1994.....	75	85	93	106	121	140	157	135	124	-
1993.....	51	63	86	116	125	150	122	115	134	1
1992.....	52	68	75	85	136	142	121	96	107	1
1991.....	44	63	86	83	113	128	122	107	100	-
1990.....	50	62	71	82	124	121	109	96	109	-
1989.....	49	65	59	90	135	112	119	92	76	-
1988.....	29	72	46	94	96	93	89	76	80	1
1987.....	38	53	90	82	103	107	99	84	69	-
1986.....	29	56	66	89	83	86	97	82	70	-
1985.....	39	56	63	94	97	107	95	67	78	-
1984.....	43	36	68	96	84	140	86	64	66	-
1983.....	36	46	80	77	84	104	82	76	69	2
1982.....	30	50	50	85	83	95	81	71	50	-
1981.....	39	59	66	83	94	97	78	73	70	-
1980.....	43	64	64	88	81	111	80	60	69	1
1979.....	31	61	65	73	107	87	83	53	71	-
BLACK FEMALE										
1998.....	52	56	77	151	160	220	256	290	572	-
1997.....	50	59	75	91	147	233	224	245	469	-
1996.....	59	61	72	103	154	176	228	247	437	-
1995.....	45	65	92	113	166	198	221	241	382	1
1994.....	34	52	67	87	162	195	218	259	362	-
1993.....	49	57	88	98	150	191	230	229	379	-
1992.....	46	56	67	120	152	185	176	201	282	-
1991.....	43	62	68	96	156	159	210	193	237	1
1990.....	36	60	78	101	123	162	196	160	222	1
1989.....	31	40	62	106	122	156	174	158	203	-
1988.....	28	65	85	138	130	159	169	147	211	-
1987.....	34	38	50	85	119	165	134	152	188	1
1986.....	26	46	66	86	127	149	151	141	172	1
1985.....	36	47	66	105	113	134	147	132	165	1
1984.....	24	42	70	98	110	153	170	127	129	1
1983.....	35	37	69	87	99	135	130	108	128	-
1982.....	29	47	67	81	98	136	123	120	107	-
1981.....	35	57	72	87	115	132	122	103	128	-
1980.....	34	63	64	94	141	118	140	83	102	-
1979.....	42	61	75	87	106	103	118	64	102	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 CEREBROVASCULAR DISEASES (430-438)										
TOTAL, BOTH SEXES										
1998.....	2,439	3,270	4,063	5,590	8,786	15,126	23,708	30,720	60,804	9
1997.....	2,477	3,218	3,969	5,707	9,256	15,688	23,638	30,438	61,346	5
1996.....	2,649	3,143	3,939	5,737	9,561	15,745	23,624	30,896	60,662	11
1995.....	2,448	3,025	3,938	5,797	9,649	16,085	23,069	30,585	59,374	7
1994.....	2,342	3,013	3,732	5,845	9,644	15,742	22,726	29,737	56,491	7
1993.....	2,246	2,811	3,769	5,856	9,619	15,692	22,602	28,763	54,875	9
1992.....	2,124	2,667	3,713	5,996	9,611	15,361	22,054	27,383	50,983	13
1991.....	2,054	2,666	3,707	6,037	10,145	15,378	22,069	27,376	50,171	14
1990.....	2,065	2,625	3,874	6,250	10,482	15,572	22,480	27,508	49,367	13
1989.....	1,928	2,655	3,963	6,578	10,615	15,691	22,851	27,889	49,614	18
1988.....	2,023	2,607	4,185	7,011	11,126	16,568	23,878	28,838	50,335	9
1987.....	1,863	2,809	4,311	7,177	10,898	16,869	23,742	28,588	49,687	16
1986.....	1,869	2,779	4,441	7,339	11,233	17,211	23,794	28,188	48,931	65
1985.....	1,885	2,889	4,662	7,474	11,367	17,762	24,638	28,833	49,741	53
1984.....	1,965	3,117	4,752	7,690	11,534	18,089	24,686	29,225	49,432	21
1983.....	2,065	3,036	4,926	7,891	11,909	18,159	25,312	29,528	49,095	27
1982.....	2,024	3,285	5,129	7,895	12,361	18,885	25,729	29,938	48,759	24
1981.....	2,102	3,498	5,433	8,366	12,899	19,900	26,090	31,187	50,129	18
1980.....	2,170	3,580	5,612	8,547	13,656	20,538	28,101	32,848	51,274	18
1979.....	2,292	3,769	5,867	8,743	13,832	20,975	27,825	32,499	49,760	23
TOTAL, MALE										
1998.....	1,366	1,755	2,234	3,111	4,568	7,449	10,716	11,885	15,998	4
1997.....	1,383	1,777	2,214	3,128	4,914	7,749	10,700	11,923	16,686	3
1996.....	1,452	1,710	2,190	3,143	5,037	7,845	10,804	12,019	16,182	4
1995.....	1,379	1,624	2,170	3,192	5,029	7,975	10,452	11,938	15,636	5
1994.....	1,321	1,619	2,068	3,171	5,141	7,795	10,474	11,589	14,911	-
1993.....	1,214	1,528	2,045	3,171	5,157	7,809	10,333	11,122	14,592	3
1992.....	1,162	1,427	1,999	3,271	5,040	7,616	9,948	10,478	13,640	8
1991.....	1,100	1,454	2,024	3,213	5,426	7,715	10,051	10,557	13,138	8
1990.....	1,086	1,419	2,117	3,294	5,493	7,698	10,195	10,501	12,898	7
1989.....	1,029	1,397	2,118	3,586	5,545	7,758	10,380	10,436	13,083	6
1988.....	1,082	1,388	2,291	3,827	5,783	8,241	10,752	10,866	13,411	-
1987.....	954	1,506	2,352	3,832	5,631	8,300	10,578	10,774	13,094	8
1986.....	961	1,441	2,365	3,898	5,774	8,373	10,526	10,778	13,019	16
1985.....	992	1,539	2,559	4,036	5,940	8,843	11,033	10,735	13,166	16
1984.....	1,046	1,631	2,573	4,091	6,116	8,934	10,790	10,973	13,567	8
1983.....	1,073	1,576	2,664	4,207	6,214	9,098	11,371	11,132	13,633	6
1982.....	1,050	1,709	2,781	4,167	6,542	9,450	11,415	11,054	13,795	13
1981.....	1,067	1,822	2,872	4,467	6,844	9,859	11,694	11,575	14,257	13
1980.....	1,048	1,952	2,963	4,623	7,208	10,306	12,488	12,405	14,988	11
1979.....	1,150	1,996	3,161	4,815	7,329	10,462	12,339	12,359	14,793	15

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 CEREBROVASCULAR DISEASES (430-438)										
TOTAL, FEMALE										
1998.....	1,073	1,515	1,829	2,479	4,218	7,677	12,992	18,835	44,806	5
1997.....	1,094	1,441	1,755	2,579	4,342	7,939	12,938	18,515	44,660	2
1996.....	1,197	1,433	1,749	2,594	4,524	7,900	12,820	18,877	44,480	7
1995.....	1,069	1,401	1,768	2,605	4,620	8,110	12,617	18,647	43,738	2
1994.....	1,021	1,394	1,664	2,674	4,503	7,947	12,252	18,148	41,580	7
1993.....	1,032	1,283	1,724	2,685	4,462	7,883	12,269	17,641	40,283	6
1992.....	962	1,240	1,714	2,725	4,571	7,745	12,106	16,905	37,343	5
1991.....	954	1,212	1,683	2,824	4,719	7,663	12,018	16,819	37,033	6
1990.....	979	1,206	1,757	2,956	4,989	7,874	12,285	17,007	36,469	6
1989.....	899	1,258	1,845	2,992	5,070	7,933	12,471	17,453	36,531	12
1988.....	941	1,219	1,894	3,184	5,343	8,327	13,126	17,972	36,924	9
1987.....	909	1,303	1,959	3,345	5,267	8,569	13,164	17,814	36,593	8
1986.....	908	1,338	2,076	3,441	5,459	8,838	13,268	17,410	35,912	49
1985.....	893	1,350	2,103	3,438	5,427	8,919	13,605	18,098	36,575	37
1984.....	919	1,486	2,179	3,599	5,418	9,155	13,896	18,252	35,865	13
1983.....	992	1,460	2,262	3,684	5,695	9,061	13,941	18,396	35,462	21
1982.....	974	1,576	2,348	3,728	5,819	9,435	14,314	18,884	34,964	11
1981.....	1,035	1,676	2,561	3,899	6,055	10,041	14,396	19,612	35,872	5
1980.....	1,122	1,628	2,649	3,924	6,448	10,232	15,613	20,443	36,286	7
1979.....	1,142	1,773	2,706	3,928	6,503	10,513	15,486	20,140	34,967	8
WHITE, BOTH SEXES										
1998.....	1,510	2,211	2,885	4,122	6,850	12,623	20,615	27,587	55,887	4
1997.....	1,549	2,194	2,756	4,164	7,338	13,061	20,672	27,461	56,526	4
1996.....	1,694	2,165	2,796	4,236	7,477	13,083	20,630	27,770	55,842	7
1995.....	1,610	2,055	2,746	4,361	7,580	13,462	20,094	27,451	54,540	3
1994.....	1,521	2,006	2,654	4,395	7,645	13,109	19,864	26,632	52,128	4
1993.....	1,460	1,924	2,670	4,391	7,628	13,142	19,691	25,907	50,635	3
1992.....	1,400	1,851	2,610	4,517	7,644	12,838	19,270	24,687	47,092	10
1991.....	1,329	1,799	2,619	4,518	8,046	12,890	19,253	24,557	46,213	9
1990.....	1,311	1,797	2,785	4,725	8,343	13,095	19,642	24,754	45,624	4
1989.....	1,247	1,756	2,861	4,914	8,434	13,166	19,767	25,128	45,852	11
1988.....	1,344	1,770	2,994	5,306	8,837	13,924	20,812	25,960	46,599	4
1987.....	1,203	1,921	3,125	5,469	8,801	14,182	20,710	25,940	46,138	8
1986.....	1,269	1,883	3,270	5,652	9,082	14,503	20,777	25,540	45,511	46
1985.....	1,230	2,027	3,466	5,757	9,238	14,887	21,609	25,995	46,300	44
1984.....	1,326	2,213	3,505	5,974	9,294	15,147	21,717	26,379	46,289	11
1983.....	1,362	2,138	3,660	6,070	9,666	15,203	22,372	26,831	45,808	16
1982.....	1,365	2,347	3,826	6,105	10,033	16,027	22,622	27,232	45,616	15
1981.....	1,432	2,452	4,033	6,614	10,492	16,804	23,069	28,402	46,811	12
1980.....	1,466	2,579	4,218	6,681	11,007	17,385	24,716	30,061	47,980	11
1979.....	1,562	2,711	4,399	6,938	11,216	17,792	24,519	30,023	46,589	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 CEREBROVASCULAR DISEASES (430-438)										
WHITE MALE										
1998.....	862	1,191	1,577	2,267	3,595	6,266	9,355	10,709	14,557	2
1997.....	874	1,196	1,518	2,307	3,917	6,503	9,379	10,810	15,268	2
1996.....	916	1,160	1,530	2,320	3,990	6,546	9,478	10,904	14,753	2
1995.....	895	1,054	1,487	2,433	3,987	6,710	9,129	10,690	14,240	3
1994.....	848	1,079	1,458	2,400	4,131	6,521	9,212	10,343	13,633	-
1993.....	785	1,030	1,439	2,401	4,146	6,616	9,035	10,021	13,351	1
1992.....	773	997	1,390	2,470	4,024	6,407	8,721	9,465	12,493	6
1991.....	677	976	1,438	2,432	4,345	6,507	8,815	9,409	11,921	5
1990.....	677	958	1,529	2,507	4,398	6,521	8,940	9,429	11,776	-
1989.....	648	916	1,550	2,705	4,457	6,575	9,063	9,439	11,935	4
1988.....	690	952	1,648	2,929	4,664	6,984	9,413	9,729	12,320	-
1987.....	600	1,043	1,693	2,957	4,581	7,043	9,240	9,721	12,024	5
1986.....	641	956	1,727	3,045	4,674	7,114	9,181	9,720	11,981	9
1985.....	636	1,086	1,935	3,139	4,858	7,494	9,680	9,703	12,147	11
1984.....	700	1,147	1,880	3,203	4,997	7,566	9,558	9,884	12,574	4
1983.....	700	1,122	2,006	3,267	5,105	7,688	10,068	10,132	12,593	4
1982.....	695	1,234	2,077	3,245	5,363	8,028	10,028	10,016	12,777	6
1981.....	699	1,278	2,133	3,548	5,624	8,410	10,333	10,477	13,170	9
1980.....	697	1,425	2,242	3,630	5,884	8,769	10,969	11,259	13,886	8
1979.....	776	1,414	2,334	3,831	5,998	8,962	10,862	11,351	13,725	9
WHITE FEMALE										
1998.....	648	1,020	1,308	1,855	3,255	6,357	11,260	16,878	41,330	2
1997.....	675	998	1,238	1,857	3,421	6,558	11,293	16,651	41,258	2
1996.....	778	1,005	1,266	1,916	3,487	6,537	11,152	16,866	41,089	5
1995.....	715	1,001	1,259	1,928	3,593	6,752	10,965	16,761	40,300	-
1994.....	673	927	1,196	1,995	3,514	6,588	10,652	16,289	38,495	4
1993.....	675	894	1,231	1,990	3,482	6,526	10,656	15,886	37,284	2
1992.....	627	854	1,220	2,047	3,620	6,431	10,549	15,222	34,599	4
1991.....	652	823	1,181	2,086	3,701	6,383	10,438	15,148	34,292	4
1990.....	634	839	1,256	2,218	3,945	6,574	10,702	15,325	33,848	4
1989.....	599	840	1,311	2,209	3,977	6,591	10,704	15,689	33,917	7
1988.....	654	818	1,346	2,377	4,173	6,940	11,399	16,231	34,279	4
1987.....	603	878	1,432	2,512	4,220	7,139	11,470	16,219	34,114	3
1986.....	628	927	1,543	2,607	4,408	7,389	11,596	15,820	33,530	37
1985.....	594	941	1,531	2,618	4,380	7,393	11,929	16,292	34,153	33
1984.....	626	1,066	1,625	2,771	4,297	7,581	12,159	16,495	33,715	7
1983.....	662	1,016	1,654	2,803	4,561	7,515	12,304	16,699	33,215	12
1982.....	670	1,113	1,749	2,860	4,670	7,999	12,594	17,216	32,839	9
1981.....	733	1,174	1,900	3,066	4,868	8,394	12,736	17,925	33,641	3
1980.....	769	1,154	1,976	3,051	5,123	8,616	13,747	18,802	34,094	3
1979.....	786	1,297	2,065	3,107	5,218	8,830	13,657	18,672	32,864	7

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 CEREBROVASCULAR DISEASES (430-438)										
ALL OTHER, BOTH SEXES										
1998.....	929	1,059	1,178	1,468	1,936	2,503	3,093	3,133	4,917	5
1997.....	928	1,024	1,213	1,543	1,918	2,627	2,966	2,977	4,820	1
1996.....	955	978	1,143	1,501	2,084	2,662	2,994	3,126	4,820	4
1995.....	838	970	1,192	1,436	2,069	2,623	2,975	3,134	4,834	4
1994.....	821	1,007	1,078	1,450	1,999	2,633	2,862	3,105	4,363	3
1993.....	786	887	1,099	1,465	1,991	2,550	2,911	2,856	4,240	6
1992.....	724	816	1,103	1,479	1,967	2,523	2,784	2,696	3,891	3
1991.....	725	867	1,088	1,519	2,099	2,488	2,816	2,819	3,958	5
1990.....	754	828	1,089	1,525	2,139	2,477	2,838	2,754	3,743	9
1989.....	681	899	1,102	1,664	2,181	2,525	3,084	2,761	3,762	7
1988.....	679	837	1,191	1,705	2,289	2,644	3,066	2,878	3,736	5
1987.....	660	888	1,186	1,708	2,097	2,687	3,032	2,648	3,549	8
1986.....	600	896	1,171	1,687	2,151	2,708	3,017	2,648	3,420	19
1985.....	655	862	1,196	1,717	2,129	2,875	3,029	2,838	3,441	9
1984.....	639	904	1,247	1,716	2,240	2,942	2,969	2,846	3,143	10
1983.....	703	898	1,266	1,821	2,243	2,956	2,940	2,697	3,287	11
1982.....	659	938	1,303	1,790	2,328	2,858	3,107	2,706	3,143	9
1981.....	670	1,046	1,400	1,752	2,407	3,096	3,021	2,785	3,318	6
1980.....	704	1,001	1,394	1,866	2,649	3,153	3,385	2,787	3,294	7
1979.....	730	1,058	1,468	1,805	2,616	3,183	3,306	2,476	3,171	7
ALL OTHER MALE										
1998.....	504	564	657	844	973	1,183	1,361	1,176	1,441	2
1997.....	509	581	696	821	997	1,246	1,321	1,113	1,418	1
1996.....	536	550	660	823	1,047	1,299	1,326	1,115	1,429	2
1995.....	484	570	683	759	1,042	1,265	1,323	1,248	1,396	2
1994.....	473	540	610	771	1,010	1,274	1,262	1,246	1,278	-
1993.....	429	498	606	770	1,011	1,193	1,298	1,101	1,241	2
1992.....	389	430	609	801	1,016	1,209	1,227	1,013	1,147	2
1991.....	423	478	586	781	1,081	1,208	1,236	1,148	1,217	3
1990.....	409	461	588	787	1,095	1,177	1,255	1,072	1,122	7
1989.....	381	481	568	881	1,088	1,183	1,317	997	1,148	2
1988.....	392	436	643	898	1,119	1,257	1,339	1,137	1,091	-
1987.....	354	463	659	875	1,050	1,257	1,338	1,053	1,070	3
1986.....	320	485	638	853	1,100	1,259	1,345	1,058	1,038	7
1985.....	356	453	624	897	1,082	1,349	1,353	1,032	1,019	5
1984.....	346	484	693	888	1,119	1,368	1,232	1,089	993	4
1983.....	373	454	658	940	1,109	1,410	1,303	1,000	1,040	2
1982.....	355	475	704	922	1,179	1,422	1,387	1,038	1,018	7
1981.....	368	544	739	919	1,220	1,449	1,361	1,098	1,087	4
1980.....	351	527	721	993	1,324	1,537	1,519	1,146	1,102	3
1979.....	374	582	827	984	1,331	1,500	1,477	1,008	1,068	6

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 CEREBROVASCULAR DISEASES (430-438)										
ALL OTHER FEMALE										
1998.....	425	495	521	624	963	1,320	1,732	1,957	3,476	3
1997.....	419	443	517	722	921	1,381	1,645	1,864	3,402	-
1996.....	419	428	483	678	1,037	1,363	1,668	2,011	3,391	2
1995.....	354	400	509	677	1,027	1,358	1,652	1,886	3,438	2
1994.....	348	467	468	679	989	1,359	1,600	1,859	3,085	3
1993.....	357	389	493	695	980	1,357	1,613	1,755	2,999	4
1992.....	335	386	494	678	951	1,314	1,557	1,683	2,744	1
1991.....	302	389	502	738	1,018	1,280	1,580	1,671	2,741	2
1990.....	345	367	501	738	1,044	1,300	1,583	1,682	2,621	2
1989.....	300	418	534	783	1,093	1,342	1,767	1,764	2,614	5
1988.....	287	401	548	807	1,170	1,387	1,727	1,741	2,645	5
1987.....	306	425	527	833	1,047	1,430	1,694	1,595	2,479	5
1986.....	280	411	533	834	1,051	1,449	1,672	1,590	2,382	12
1985.....	299	409	572	820	1,047	1,526	1,676	1,806	2,422	4
1984.....	293	420	554	828	1,121	1,574	1,737	1,757	2,150	6
1983.....	330	444	608	881	1,134	1,546	1,637	1,697	2,247	9
1982.....	304	463	599	868	1,149	1,436	1,720	1,668	2,125	2
1981.....	302	502	661	833	1,187	1,647	1,660	1,687	2,231	2
1980.....	353	474	673	873	1,325	1,616	1,866	1,641	2,192	4
1979.....	356	476	641	821	1,285	1,683	1,829	1,468	2,103	1
BLACK, BOTH SEXES										
1998.....	822	940	1,010	1,253	1,608	2,088	2,562	2,572	4,142	5
1997.....	841	883	1,039	1,314	1,635	2,220	2,434	2,421	4,062	1
1996.....	837	843	1,004	1,296	1,787	2,265	2,506	2,663	4,038	4
1995.....	742	843	1,041	1,226	1,788	2,263	2,521	2,662	4,161	4
1994.....	742	887	946	1,280	1,727	2,259	2,448	2,652	3,733	2
1993.....	704	782	977	1,278	1,708	2,248	2,526	2,474	3,656	6
1992.....	649	718	963	1,295	1,719	2,222	2,437	2,375	3,365	3
1991.....	640	772	974	1,339	1,846	2,189	2,441	2,488	3,413	4
1990.....	690	739	976	1,369	1,917	2,185	2,531	2,423	3,288	8
1989.....	621	799	971	1,520	1,969	2,306	2,785	2,457	3,302	6
1988.....	616	754	1,106	1,550	2,084	2,411	2,768	2,579	3,310	2
1987.....	610	793	1,077	1,571	1,922	2,414	2,730	2,385	3,175	7
1986.....	561	809	1,079	1,556	1,976	2,466	2,754	2,424	3,086	15
1985.....	617	803	1,117	1,581	1,981	2,623	2,781	2,561	3,090	7
1984.....	602	831	1,148	1,599	2,086	2,760	2,715	2,620	2,835	9
1983.....	655	839	1,187	1,716	2,083	2,763	2,730	2,486	3,000	8
1982.....	613	883	1,232	1,694	2,186	2,686	2,876	2,496	2,860	9
1981.....	625	984	1,301	1,680	2,257	2,944	2,823	2,597	3,035	5
1980.....	664	955	1,317	1,773	2,516	2,976	3,173	2,569	3,004	7
1979.....	683	1,003	1,399	1,723	2,482	3,037	3,108	2,301	2,914	6

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 CEREBROVASCULAR DISEASES (430-438)										
BLACK MALE										
1998.....	449	496	555	720	809	980	1,099	943	1,117	2
1997.....	466	504	600	700	843	1,050	1,061	855	1,097	1
1996.....	470	490	578	710	907	1,087	1,091	940	1,108	2
1995.....	433	507	590	650	902	1,062	1,093	1,020	1,104	2
1994.....	429	474	542	680	871	1,078	1,054	1,014	1,008	-
1993.....	390	448	550	665	875	1,037	1,092	915	1,013	2
1992.....	358	380	539	702	884	1,061	1,037	857	934	2
1991.....	377	432	526	691	949	1,053	1,063	967	977	2
1990.....	382	422	542	703	980	1,028	1,100	905	948	6
1989.....	350	432	509	813	971	1,069	1,161	828	960	1
1988.....	363	400	595	824	1,011	1,139	1,193	973	912	-
1987.....	332	422	597	786	944	1,117	1,174	910	924	2
1986.....	304	441	589	783	1,001	1,137	1,190	932	905	6
1985.....	333	427	587	838	997	1,228	1,212	881	886	5
1984.....	328	447	640	834	1,045	1,264	1,083	974	879	4
1983.....	355	424	620	872	1,012	1,293	1,187	898	932	2
1982.....	333	448	656	862	1,109	1,327	1,241	928	917	7
1981.....	347	510	688	885	1,132	1,350	1,248	1,008	983	3
1980.....	337	504	679	942	1,251	1,430	1,389	1,045	993	3
1979.....	352	557	789	935	1,247	1,409	1,370	924	957	6
BLACK FEMALE										
1998.....	373	444	455	533	799	1,108	1,463	1,629	3,025	3
1997.....	375	379	439	614	792	1,170	1,373	1,566	2,965	-
1996.....	367	353	426	586	880	1,178	1,415	1,723	2,930	2
1995.....	309	336	451	576	886	1,201	1,428	1,642	3,057	2
1994.....	313	413	404	600	856	1,181	1,394	1,638	2,725	2
1993.....	314	334	427	613	833	1,211	1,434	1,559	2,643	4
1992.....	291	338	424	593	835	1,161	1,400	1,518	2,431	1
1991.....	263	340	448	648	897	1,136	1,378	1,521	2,436	2
1990.....	308	317	434	666	937	1,157	1,431	1,518	2,340	2
1989.....	271	367	462	707	998	1,237	1,624	1,629	2,342	5
1988.....	253	354	511	726	1,073	1,272	1,575	1,606	2,398	2
1987.....	278	371	480	785	978	1,297	1,556	1,475	2,251	5
1986.....	257	368	490	773	975	1,329	1,564	1,492	2,181	9
1985.....	284	376	530	743	984	1,395	1,569	1,680	2,204	2
1984.....	274	384	508	765	1,041	1,496	1,632	1,646	1,956	5
1983.....	300	415	567	844	1,071	1,470	1,543	1,588	2,068	6
1982.....	280	435	576	832	1,077	1,359	1,635	1,568	1,943	2
1981.....	278	474	613	795	1,125	1,594	1,575	1,589	2,052	2
1980.....	327	451	638	831	1,265	1,546	1,784	1,524	2,011	4
1979.....	331	446	610	788	1,235	1,628	1,738	1,377	1,957	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
TOTAL, BOTH SEXES										
1998.....	1,052	1,235	1,369	1,673	2,242	3,343	4,461	4,463	4,936	4
1997.....	1,079	1,248	1,331	1,649	2,336	3,384	4,322	4,121	4,837	1
1996.....	1,093	1,172	1,276	1,539	2,240	3,048	3,828	3,727	4,204	2
1995.....	940	1,134	1,260	1,487	2,136	2,898	3,667	3,632	3,990	3
1994.....	923	1,101	1,167	1,543	2,147	2,905	3,424	3,336	3,740	-
1993.....	869	1,011	1,173	1,586	2,119	3,021	3,393	3,296	3,548	3
1992.....	811	984	1,141	1,610	2,170	2,898	3,326	3,192	3,528	2
1991.....	813	908	1,168	1,593	2,200	2,788	3,344	3,032	3,400	3
1990.....	794	936	1,199	1,654	2,197	2,771	3,243	3,101	3,270	4
1989.....	726	986	1,242	1,756	2,208	2,627	3,295	3,014	3,408	6
1988.....	836	911	1,297	1,790	2,382	2,883	3,368	3,100	3,226	3
1987.....	726	999	1,310	1,826	2,245	2,811	3,185	2,975	3,177	2
1986.....	702	953	1,330	1,755	2,339	2,796	3,195	2,819	3,161	13
1985.....	685	1,005	1,325	1,862	2,209	2,875	3,120	3,003	3,242	3
1984.....	749	1,007	1,362	1,820	2,223	2,873	3,058	2,712	2,978	3
1983.....	742	962	1,377	1,792	2,177	2,611	2,914	2,640	2,823	3
1982.....	699	1,145	1,449	1,836	2,275	2,686	2,920	2,655	2,876	6
1981.....	742	1,145	1,530	1,864	2,191	2,761	2,867	2,681	2,991	3
1980.....	772	1,132	1,572	1,907	2,330	2,781	3,029	2,701	3,160	3
1979.....	788	1,259	1,607	1,926	2,555	3,096	3,034	2,861	3,252	6
TOTAL, MALE										
1998.....	650	713	774	987	1,173	1,662	2,023	1,742	1,464	1
1997.....	662	746	782	921	1,266	1,680	1,949	1,616	1,439	-
1996.....	663	664	736	862	1,185	1,457	1,727	1,455	1,194	2
1995.....	598	646	723	835	1,125	1,402	1,594	1,393	1,179	3
1994.....	575	651	651	835	1,179	1,382	1,521	1,289	1,092	-
1993.....	535	600	640	848	1,136	1,506	1,498	1,282	1,033	2
1992.....	491	539	635	890	1,129	1,390	1,483	1,178	1,018	2
1991.....	481	532	656	843	1,187	1,341	1,437	1,139	980	2
1990.....	460	546	663	870	1,127	1,296	1,392	1,140	907	3
1989.....	428	544	699	921	1,149	1,264	1,487	1,100	1,026	3
1988.....	486	502	726	977	1,207	1,453	1,461	1,127	921	-
1987.....	426	557	726	959	1,132	1,317	1,366	1,137	927	1
1986.....	371	518	697	926	1,170	1,310	1,382	1,014	897	7
1985.....	396	547	744	1,001	1,150	1,429	1,319	1,105	863	2
1984.....	413	509	718	925	1,122	1,338	1,291	998	901	2
1983.....	432	517	739	912	1,098	1,221	1,224	1,010	801	1
1982.....	393	602	807	949	1,155	1,318	1,237	987	837	3
1981.....	404	588	806	954	1,119	1,299	1,229	979	892	3
1980.....	390	613	861	980	1,183	1,353	1,316	1,012	958	1
1979.....	424	703	851	1,013	1,327	1,465	1,303	1,089	979	6

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, FEMALE										
1998.....	402	522	595	686	1,069	1,681	2,438	2,721	3,472	3
1997.....	417	502	549	728	1,070	1,704	2,373	2,505	3,398	1
1996.....	430	508	540	677	1,055	1,591	2,101	2,272	3,010	-
1995.....	342	488	537	652	1,011	1,496	2,073	2,239	2,811	-
1994.....	348	450	516	708	968	1,523	1,903	2,047	2,648	-
1993.....	334	411	533	738	983	1,515	1,895	2,014	2,515	1
1992.....	320	445	506	720	1,041	1,508	1,843	2,014	2,510	-
1991.....	332	376	512	750	1,013	1,447	1,907	1,893	2,420	1
1990.....	334	390	536	784	1,070	1,475	1,851	1,961	2,363	1
1989.....	298	442	543	835	1,059	1,363	1,808	1,914	2,382	3
1988.....	350	409	571	813	1,175	1,430	1,907	1,973	2,305	3
1987.....	300	442	584	867	1,113	1,494	1,819	1,838	2,250	1
1986.....	331	435	633	829	1,169	1,486	1,813	1,805	2,264	6
1985.....	289	458	581	861	1,059	1,446	1,801	1,898	2,379	1
1984.....	336	498	644	895	1,101	1,535	1,767	1,714	2,077	1
1983.....	310	445	638	880	1,079	1,390	1,690	1,630	2,022	2
1982.....	306	543	642	887	1,120	1,368	1,683	1,668	2,039	3
1981.....	338	557	724	910	1,072	1,462	1,638	1,702	2,099	-
1980.....	382	519	711	927	1,147	1,428	1,713	1,689	2,202	2
1979.....	364	556	756	913	1,228	1,631	1,731	1,772	2,273	-
WHITE, BOTH SEXES										
1998.....	563	753	920	1,218	1,798	2,849	3,990	4,059	4,559	3
1997.....	603	801	873	1,211	1,871	2,906	3,874	3,731	4,444	1
1996.....	613	725	865	1,150	1,794	2,598	3,399	3,403	3,861	-
1995.....	527	702	872	1,095	1,723	2,501	3,241	3,287	3,678	1
1994.....	525	663	813	1,146	1,755	2,500	3,041	3,023	3,400	-
1993.....	498	641	787	1,186	1,719	2,595	3,022	3,001	3,252	2
1992.....	473	613	762	1,200	1,784	2,498	2,995	2,916	3,240	2
1991.....	452	545	808	1,190	1,778	2,365	2,972	2,755	3,091	1
1990.....	417	601	829	1,258	1,779	2,382	2,884	2,805	3,020	-
1989.....	415	589	860	1,342	1,788	2,266	2,922	2,730	3,105	5
1988.....	483	549	888	1,353	1,932	2,448	3,002	2,807	2,982	2
1987.....	407	631	932	1,388	1,856	2,425	2,799	2,718	2,938	-
1986.....	428	579	952	1,319	1,968	2,420	2,832	2,562	2,935	8
1985.....	406	654	978	1,435	1,837	2,493	2,758	2,696	2,981	2
1984.....	475	669	982	1,413	1,808	2,484	2,748	2,472	2,763	1
1983.....	411	647	1,020	1,394	1,782	2,264	2,613	2,398	2,615	2
1982.....	423	785	1,075	1,436	1,907	2,343	2,600	2,435	2,691	5
1981.....	450	777	1,107	1,526	1,848	2,420	2,593	2,454	2,790	2
1980.....	478	787	1,178	1,488	1,932	2,374	2,681	2,473	2,939	2
1979.....	480	864	1,206	1,541	2,101	2,663	2,697	2,639	3,059	3

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
WHITE MALE										
1998.....	345	448	524	709	945	1,437	1,827	1,590	1,342	1
1997.....	371	478	505	675	1,012	1,438	1,740	1,469	1,298	-
1996.....	378	409	491	629	952	1,250	1,538	1,335	1,091	-
1995.....	336	385	487	628	897	1,219	1,401	1,275	1,082	1
1994.....	319	406	451	621	972	1,196	1,347	1,163	989	-
1993.....	299	375	417	634	929	1,299	1,323	1,161	930	1
1992.....	295	339	405	665	918	1,212	1,329	1,071	925	2
1991.....	250	328	461	623	973	1,127	1,268	1,036	872	1
1990.....	246	350	463	661	903	1,108	1,234	1,005	824	-
1989.....	232	316	475	701	928	1,094	1,323	996	939	2
1988.....	261	309	494	744	982	1,234	1,301	1,011	843	-
1987.....	232	347	509	733	918	1,138	1,188	1,021	856	-
1986.....	228	302	496	699	979	1,136	1,214	914	831	3
1985.....	229	350	566	777	945	1,237	1,146	990	783	1
1984.....	252	323	514	713	918	1,180	1,163	894	822	1
1983.....	240	346	561	710	900	1,057	1,085	912	735	1
1982.....	230	405	592	734	975	1,147	1,098	893	778	2
1981.....	239	395	578	770	946	1,133	1,092	888	818	2
1980.....	229	432	635	762	984	1,146	1,156	915	890	1
1979.....	250	466	625	811	1,098	1,269	1,156	992	911	3
WHITE FEMALE										
1998.....	218	305	396	509	853	1,412	2,163	2,469	3,217	2
1997.....	232	323	368	536	859	1,468	2,134	2,262	3,146	1
1996.....	235	316	374	521	842	1,348	1,861	2,068	2,770	-
1995.....	191	317	385	467	826	1,282	1,840	2,012	2,596	-
1994.....	206	257	362	525	783	1,304	1,694	1,860	2,411	-
1993.....	199	266	370	552	790	1,296	1,699	1,840	2,322	1
1992.....	178	274	357	535	866	1,286	1,666	1,845	2,315	-
1991.....	202	217	347	567	805	1,238	1,704	1,719	2,219	-
1990.....	171	251	366	597	876	1,274	1,650	1,800	2,196	-
1989.....	183	273	385	641	860	1,172	1,599	1,734	2,166	3
1988.....	222	240	394	609	950	1,214	1,701	1,796	2,139	2
1987.....	175	284	423	655	938	1,287	1,611	1,697	2,082	-
1986.....	200	277	456	620	989	1,284	1,618	1,648	2,104	5
1985.....	177	304	412	658	892	1,256	1,612	1,706	2,198	1
1984.....	223	346	468	700	890	1,304	1,585	1,578	1,941	-
1983.....	171	301	459	684	882	1,207	1,528	1,486	1,880	1
1982.....	193	380	483	702	932	1,196	1,502	1,542	1,913	3
1981.....	211	382	529	756	902	1,287	1,501	1,566	1,972	-
1980.....	249	355	543	726	948	1,228	1,525	1,558	2,049	1
1979.....	230	398	581	730	1,003	1,394	1,541	1,647	2,148	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
ALL OTHER, BOTH SEXES										
1998.....	489	482	449	455	444	494	471	404	377	1
1997.....	476	447	458	438	465	478	448	390	393	-
1996.....	480	447	411	389	446	450	429	324	343	2
1995.....	413	432	388	392	413	397	426	345	312	2
1994.....	398	438	354	397	392	405	383	313	340	-
1993.....	371	370	386	400	400	426	371	295	296	1
1992.....	338	371	379	410	386	400	331	276	288	-
1991.....	361	363	360	403	422	423	372	277	309	2
1990.....	377	335	370	396	418	389	359	296	250	4
1989.....	311	397	382	414	420	361	373	284	303	1
1988.....	353	362	409	437	450	435	366	293	244	1
1987.....	319	368	378	438	389	386	386	257	239	2
1986.....	274	374	378	436	371	376	363	257	226	5
1985.....	279	351	347	427	372	382	362	307	261	1
1984.....	274	338	380	407	415	389	310	240	215	2
1983.....	331	315	357	398	395	347	301	242	208	1
1982.....	276	360	374	400	368	343	320	220	185	1
1981.....	292	368	423	338	343	341	274	227	201	1
1980.....	294	345	394	419	398	407	348	228	221	1
1979.....	308	395	401	385	454	433	337	222	193	3
ALL OTHER MALE										
1998.....	305	265	250	278	228	225	196	152	122	-
1997.....	291	268	277	246	254	242	209	147	141	-
1996.....	285	255	245	233	233	207	189	120	103	2
1995.....	262	261	236	207	228	183	193	118	97	2
1994.....	256	245	200	214	207	186	174	126	103	-
1993.....	236	225	223	214	207	207	175	121	103	1
1992.....	196	200	230	225	211	178	154	107	93	-
1991.....	231	204	195	220	214	214	169	103	108	1
1990.....	214	196	200	209	224	188	158	135	83	3
1989.....	196	228	224	220	221	170	164	104	87	1
1988.....	225	193	232	233	225	219	160	116	78	-
1987.....	194	210	217	226	214	179	178	116	71	1
1986.....	143	216	201	227	191	174	168	100	66	4
1985.....	167	197	178	224	205	192	173	115	80	1
1984.....	161	186	204	212	204	158	128	104	79	1
1983.....	192	171	178	202	198	164	139	98	66	-
1982.....	163	197	215	215	180	171	139	94	59	1
1981.....	165	193	228	184	173	166	137	91	74	1
1980.....	161	181	226	218	199	207	160	97	68	-
1979.....	174	237	226	202	229	196	147	97	68	3

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER FEMALE										
1998.....	184	217	199	177	216	269	275	252	255	1
1997.....	185	179	181	192	211	236	239	243	252	-
1996.....	195	192	166	156	213	243	240	204	240	-
1995.....	151	171	152	185	185	214	233	227	215	-
1994.....	142	193	154	183	185	219	209	187	237	-
1993.....	135	145	163	186	193	219	196	174	193	-
1992.....	142	171	149	185	175	222	177	169	195	-
1991.....	130	159	165	183	208	209	203	174	201	1
1990.....	163	139	170	187	194	201	201	161	167	1
1989.....	115	169	158	194	199	191	209	180	216	-
1988.....	128	169	177	204	225	216	206	177	166	1
1987.....	125	158	161	212	175	207	208	141	168	1
1986.....	131	158	177	209	180	202	195	157	160	1
1985.....	112	154	169	203	167	190	189	192	181	-
1984.....	113	152	176	195	211	231	182	136	136	1
1983.....	139	144	179	196	197	183	162	144	142	1
1982.....	113	163	159	185	188	172	181	126	126	-
1981.....	127	175	195	154	170	175	137	136	127	-
1980.....	133	164	168	201	199	200	188	131	153	1
1979.....	134	158	175	183	225	237	190	125	125	-
BLACK, BOTH SEXES										
1998.....	427	419	376	361	334	360	324	276	264	1
1997.....	440	375	373	357	359	355	314	259	286	-
1996.....	425	374	358	318	339	336	306	236	243	2
1995.....	368	370	323	307	322	307	309	239	228	2
1994.....	360	386	310	328	303	304	284	233	254	-
1993.....	348	322	327	326	308	341	268	231	220	1
1992.....	308	325	324	335	297	307	245	204	228	-
1991.....	321	319	309	326	340	327	271	212	244	2
1990.....	347	291	324	340	355	294	280	233	207	4
1989.....	282	349	320	373	352	302	299	232	251	-
1988.....	325	324	372	376	383	356	309	238	199	-
1987.....	294	317	335	383	323	315	312	211	194	1
1986.....	253	331	337	389	317	315	302	216	188	5
1985.....	260	325	310	375	328	313	303	254	223	1
1984.....	258	304	344	366	365	346	264	212	185	2
1983.....	312	294	321	358	347	305	263	208	182	-
1982.....	261	335	341	362	334	304	284	193	166	1
1981.....	268	339	378	312	300	307	242	201	174	1
1980.....	279	323	365	386	365	368	311	197	192	1
1979.....	290	371	373	369	416	398	302	195	172	3

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										

BLACK MALE

1998.....	272	232	202	221	171	168	128	104	75	-
1997.....	270	224	233	203	193	183	141	88	87	-
1996.....	255	218	213	188	181	151	136	84	62	2
1995.....	233	227	191	162	180	135	132	72	62	2
1994.....	233	214	179	171	155	138	121	85	66	-
1993.....	220	201	196	177	157	161	111	90	64	1
1992.....	183	176	204	184	164	137	106	73	67	-
1991.....	208	182	165	181	168	160	122	62	82	1
1990.....	197	174	180	176	188	136	114	101	60	3
1989.....	178	203	198	199	188	137	135	71	63	-
1988.....	212	177	208	207	188	179	128	86	61	-
1987.....	181	188	188	191	172	147	141	90	56	-
1986.....	135	189	179	195	161	142	133	77	47	4
1985.....	155	184	158	205	183	154	141	83	67	1
1984.....	154	167	189	192	180	136	100	84	68	1
1983.....	183	161	161	176	166	141	119	81	57	-
1982.....	155	181	190	192	166	146	112	75	52	1
1981.....	153	178	208	168	146	143	119	84	59	1
1980.....	154	172	204	200	181	183	139	84	57	-
1979.....	164	226	210	196	205	171	132	82	59	3

BLACK FEMALE

1998.....	155	187	174	140	163	192	196	172	189	1
1997.....	170	151	140	154	166	172	173	171	199	-
1996.....	170	156	145	130	158	185	170	152	181	-
1995.....	135	143	132	145	142	172	177	167	166	-
1994.....	127	172	131	157	148	166	163	148	188	-
1993.....	128	121	131	149	151	180	157	141	156	-
1992.....	125	149	120	151	133	170	139	131	161	-
1991.....	113	137	144	145	172	167	149	150	162	1
1990.....	150	117	144	164	167	158	166	132	147	1
1989.....	104	146	122	174	164	165	164	161	188	-
1988.....	113	147	164	169	195	177	181	152	138	-
1987.....	113	129	147	192	151	168	171	121	138	1
1986.....	118	142	158	194	156	173	169	139	141	1
1985.....	105	141	152	170	145	159	162	171	156	-
1984.....	104	137	155	174	185	210	164	128	117	1
1983.....	129	133	160	182	181	164	144	127	125	-
1982.....	106	154	151	170	168	158	172	118	114	-
1981.....	115	161	170	144	154	164	123	117	115	-
1980.....	125	151	161	186	184	185	172	113	135	1
1979.....	126	145	163	173	211	227	170	113	113	-

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

TOTAL, BOTH SEXES										
1998.....	108	185	220	378	549	1,005	1,620	2,096	4,582	-
1997.....	120	187	235	395	630	1,147	1,776	2,306	5,027	-
1996.....	147	199	276	433	775	1,275	1,860	2,523	5,333	1
1995.....	150	170	285	478	785	1,428	1,983	2,749	5,650	-
1994.....	131	200	288	488	894	1,522	2,136	2,933	5,810	1
1993.....	138	203	296	511	950	1,555	2,267	2,980	6,108	1
1992.....	122	174	334	573	976	1,601	2,452	3,076	6,054	1
1991.....	133	202	342	671	1,101	1,771	2,533	3,347	6,356	1
1990.....	140	224	384	713	1,193	1,952	2,817	3,641	6,935	1
1989.....	128	217	401	794	1,396	2,027	3,113	3,877	7,632	3
1988.....	126	264	434	870	1,431	2,351	3,359	4,358	7,808	2
1987.....	133	264	523	955	1,548	2,500	3,543	4,540	8,166	3
1986.....	139	278	548	1,003	1,670	2,670	3,757	4,650	8,506	11
1985.....	144	281	580	1,037	1,727	2,816	4,038	4,804	8,837	11
1984.....	154	319	610	1,123	1,728	2,806	4,146	5,042	9,078	7
1983.....	190	295	641	1,166	1,815	2,998	4,426	5,349	9,315	5
1982.....	167	353	667	1,126	1,997	3,237	4,775	5,786	10,027	5
1981.....	167	385	717	1,233	2,247	3,710	5,203	6,439	10,676	2
1980.....	158	391	791	1,477	2,430	4,011	5,757	7,185	11,596	3
1979.....	203	439	853	1,535	2,621	4,226	6,113	7,521	11,948	2
TOTAL, MALE										
1998.....	73	114	133	218	280	520	721	785	1,205	-
1997.....	78	102	154	247	347	545	777	929	1,318	-
1996.....	88	120	166	251	444	694	815	979	1,398	-
1995.....	103	96	166	270	451	740	881	1,044	1,429	-
1994.....	84	122	185	301	518	753	998	1,115	1,519	-
1993.....	81	131	177	307	552	796	1,043	1,169	1,607	-
1992.....	73	107	195	349	557	813	1,088	1,163	1,596	-
1991.....	92	125	209	397	624	937	1,181	1,281	1,595	-
1990.....	89	129	242	412	634	1,012	1,269	1,373	1,734	-
1989.....	79	146	221	476	766	1,040	1,370	1,437	1,999	1
1988.....	81	161	252	497	769	1,214	1,521	1,617	2,037	-
1987.....	69	162	318	538	864	1,238	1,637	1,679	2,118	2
1986.....	87	162	335	596	912	1,336	1,682	1,764	2,198	1
1985.....	85	184	338	608	927	1,438	1,800	1,745	2,270	3
1984.....	97	201	374	667	974	1,417	1,883	1,878	2,442	2
1983.....	114	171	406	680	1,009	1,543	1,984	1,998	2,552	2
1982.....	114	207	422	671	1,137	1,633	2,115	2,126	2,752	2
1981.....	107	245	426	718	1,236	1,865	2,286	2,411	2,925	2
1980.....	85	252	438	885	1,327	2,013	2,561	2,713	3,324	3
1979.....	124	259	532	920	1,472	2,148	2,723	2,825	3,413	-

RACE, AND SEX: UNITED STATES, 1979-98

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, FEMALE										
1998.....	35	71	87	160	269	485	899	1,311	3,377	-
1997.....	42	85	81	148	283	602	999	1,377	3,709	-
1996.....	59	79	110	182	331	581	1,045	1,544	3,935	1
1995.....	47	74	119	208	334	688	1,102	1,705	4,221	-
1994.....	47	78	103	187	376	769	1,138	1,818	4,291	1
1993.....	57	72	119	204	398	759	1,224	1,811	4,501	1
1992.....	49	67	139	224	419	788	1,364	1,913	4,458	1
1991.....	41	77	133	274	477	834	1,352	2,066	4,761	1
1990.....	51	95	142	301	559	940	1,548	2,268	5,201	1
1989.....	49	71	180	318	630	987	1,743	2,440	5,633	2
1988.....	45	103	182	373	662	1,137	1,838	2,741	5,771	2
1987.....	64	102	205	417	684	1,262	1,906	2,861	6,048	1
1986.....	52	116	213	407	758	1,334	2,075	2,886	6,308	10
1985.....	59	97	242	429	800	1,378	2,238	3,059	6,567	8
1984.....	57	118	236	456	754	1,389	2,263	3,164	6,636	5
1983.....	76	124	235	486	806	1,455	2,442	3,351	6,763	3
1982.....	53	146	245	455	860	1,604	2,660	3,660	7,275	3
1981.....	60	140	291	515	1,011	1,845	2,917	4,028	7,751	-
1980.....	73	139	353	592	1,103	1,998	3,196	4,472	8,272	-
1979.....	79	180	321	615	1,149	2,078	3,390	4,696	8,535	2
WHITE, BOTH SEXES										
1998.....	64	126	158	283	425	824	1,412	1,860	4,206	-
1997.....	77	126	166	298	506	934	1,539	2,077	4,621	-
1996.....	95	141	190	325	605	1,064	1,625	2,284	4,943	1
1995.....	104	118	189	359	618	1,177	1,737	2,459	5,169	-
1994.....	84	133	200	374	692	1,256	1,862	2,624	5,369	-
1993.....	93	138	208	381	736	1,325	1,969	2,708	5,637	-
1992.....	81	126	235	439	769	1,342	2,127	2,796	5,568	-
1991.....	83	138	240	519	901	1,482	2,215	3,016	5,898	1
1990.....	97	141	282	545	968	1,644	2,464	3,310	6,454	1
1989.....	85	150	304	607	1,104	1,716	2,738	3,519	7,125	1
1988.....	88	186	322	696	1,146	2,023	2,950	3,942	7,306	2
1987.....	93	193	372	747	1,249	2,128	3,176	4,157	7,686	2
1986.....	104	198	411	776	1,360	2,284	3,333	4,266	7,985	8
1985.....	95	206	434	781	1,423	2,412	3,588	4,373	8,300	7
1984.....	104	237	450	879	1,409	2,398	3,705	4,647	8,584	3
1983.....	121	208	477	919	1,528	2,514	3,963	4,898	8,753	-
1982.....	113	260	499	896	1,653	2,801	4,246	5,321	9,488	3
1981.....	113	267	535	986	1,861	3,166	4,689	5,942	10,075	1
1980.....	108	275	586	1,182	1,949	3,476	5,126	6,626	10,908	3
1979.....	137	327	640	1,233	2,167	3,646	5,467	6,995	11,256	2

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

WHITE MALE

1998.....	50	78	92	159	219	432	629	705	1,098	-
1997.....	47	71	110	186	279	461	681	840	1,198	-
1996.....	59	85	115	187	351	589	713	904	1,278	-
1995.....	77	67	118	213	362	608	783	926	1,288	-
1994.....	56	85	130	235	408	619	867	987	1,384	-
1993.....	56	90	125	229	436	683	915	1,074	1,484	-
1992.....	47	78	133	267	455	687	947	1,055	1,455	-
1991.....	58	85	153	317	516	781	1,033	1,145	1,463	-
1990.....	60	81	175	324	519	858	1,122	1,247	1,600	-
1989.....	53	103	173	381	604	882	1,224	1,324	1,846	-
1988.....	55	122	187	410	631	1,060	1,336	1,452	1,892	-
1987.....	51	124	228	425	708	1,052	1,467	1,528	1,969	1
1986.....	69	115	264	477	749	1,150	1,510	1,614	2,048	-
1985.....	57	138	259	466	766	1,254	1,613	1,590	2,116	1
1984.....	63	151	282	526	812	1,222	1,691	1,725	2,298	1
1983.....	74	124	307	553	858	1,295	1,781	1,837	2,394	-
1982.....	79	165	323	553	956	1,412	1,867	1,944	2,595	-
1981.....	74	178	321	578	1,040	1,612	2,054	2,227	2,739	1
1980.....	60	182	330	712	1,076	1,767	2,294	2,504	3,088	3
1979.....	76	189	402	739	1,222	1,878	2,415	2,616	3,190	-

WHITE FEMALE

1998.....	14	48	66	124	206	392	783	1,155	3,108	-
1997.....	30	55	56	112	227	473	858	1,237	3,423	-
1996.....	36	56	75	138	254	475	912	1,380	3,665	1
1995.....	27	51	71	146	256	569	954	1,533	3,881	-
1994.....	28	48	70	139	284	637	995	1,637	3,985	-
1993.....	37	48	83	152	300	642	1,054	1,634	4,153	-
1992.....	34	48	102	172	314	655	1,180	1,741	4,113	-
1991.....	25	53	87	202	385	701	1,182	1,871	4,435	1
1990.....	37	60	107	221	449	786	1,342	2,063	4,854	1
1989.....	32	47	131	226	500	834	1,514	2,195	5,279	1
1988.....	33	64	135	286	515	963	1,614	2,490	5,414	2
1987.....	42	69	144	322	541	1,076	1,709	2,629	5,717	1
1986.....	35	83	147	299	611	1,134	1,823	2,652	5,937	8
1985.....	38	68	175	315	657	1,158	1,975	2,783	6,184	6
1984.....	41	86	168	353	597	1,176	2,014	2,922	6,286	2
1983.....	47	84	170	366	670	1,219	2,182	3,061	6,359	-
1982.....	34	95	176	343	697	1,389	2,379	3,377	6,893	3
1981.....	39	89	214	408	821	1,554	2,635	3,715	7,336	-
1980.....	48	93	256	470	873	1,709	2,832	4,122	7,820	-
1979.....	61	138	238	494	945	1,768	3,052	4,379	8,066	2

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)										
ALL OTHER, BOTH SEXES										
1998.....	44	59	62	95	124	181	208	236	376	-
1997.....	43	61	69	97	124	213	237	229	406	-
1996.....	52	58	86	108	170	211	235	239	390	-
1995.....	46	52	96	119	167	251	246	290	481	-
1994.....	47	67	88	114	202	266	274	309	441	1
1993.....	45	65	88	130	214	230	298	272	471	1
1992.....	41	48	99	134	207	259	325	280	486	1
1991.....	50	64	102	152	200	289	318	331	458	-
1990.....	43	83	102	168	225	308	353	331	481	-
1989.....	43	67	97	187	292	311	375	358	507	2
1988.....	38	78	112	174	285	328	409	416	502	-
1987.....	40	71	151	208	299	372	367	383	480	1
1986.....	35	80	137	227	310	386	424	384	521	3
1985.....	49	75	146	256	304	404	450	431	537	4
1984.....	50	82	160	244	319	408	441	395	494	4
1983.....	69	87	164	247	287	484	463	451	562	5
1982.....	54	93	168	230	344	436	529	465	539	2
1981.....	54	118	182	247	386	544	514	497	601	1
1980.....	50	116	205	295	481	535	631	559	688	-
1979.....	66	112	213	302	454	580	646	526	692	-
ALL OTHER MALE										
1998.....	23	36	41	59	61	88	92	80	107	-
1997.....	31	31	44	61	68	84	96	89	120	-
1996.....	29	35	51	64	93	105	102	75	120	-
1995.....	26	29	48	57	89	132	98	118	141	-
1994.....	28	37	55	66	110	134	131	128	135	-
1993.....	25	41	52	78	116	113	128	95	123	-
1992.....	26	29	62	82	102	126	141	108	141	-
1991.....	34	40	56	80	108	156	148	136	132	-
1990.....	29	48	67	88	115	154	147	126	134	-
1989.....	26	43	48	95	162	158	146	113	153	1
1988.....	26	39	65	87	138	154	185	165	145	-
1987.....	18	38	90	113	156	186	170	151	149	1
1986.....	18	47	71	119	163	186	172	150	150	1
1985.....	28	46	79	142	161	184	187	155	154	2
1984.....	34	50	92	141	162	195	192	153	144	1
1983.....	40	47	99	127	151	248	203	161	158	2
1982.....	35	42	99	118	181	221	248	182	157	2
1981.....	33	67	105	140	196	253	232	184	186	1
1980.....	25	70	108	173	251	246	267	209	236	-
1979.....	48	70	130	181	250	270	308	209	223	-

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

ALL OTHER FEMALE

1998.....	21	23	21	36	63	93	116	156	269	-
1997.....	12	30	25	36	56	129	141	140	286	-
1996.....	23	23	35	44	77	106	133	164	270	-
1995.....	20	23	48	62	78	119	148	172	340	-
1994.....	19	30	33	48	92	132	143	181	306	1
1993.....	20	24	36	52	98	117	170	177	348	1
1992.....	15	19	37	52	105	133	184	172	345	1
1991.....	16	24	46	72	92	133	170	195	326	-
1990.....	14	35	35	80	110	154	206	205	347	-
1989.....	17	24	49	92	130	153	229	245	354	1
1988.....	12	39	47	87	147	174	224	251	357	-
1987.....	22	33	61	95	143	186	197	232	331	-
1986.....	17	33	66	108	147	200	252	234	371	2
1985.....	21	29	67	114	143	220	263	276	383	2
1984.....	16	32	68	103	157	213	249	242	350	3
1983.....	29	40	65	120	136	236	260	290	404	3
1982.....	19	51	69	112	163	215	281	283	382	-
1981.....	21	51	77	107	190	291	282	313	415	-
1980.....	25	46	97	122	230	289	364	350	452	-
1979.....	18	42	83	121	204	310	338	317	469	-

BLACK, BOTH SEXES

1998.....	42	54	56	83	105	162	186	199	315	-
1997.....	39	58	63	87	115	186	202	187	352	-
1996.....	48	55	74	96	148	179	194	207	334	-
1995.....	40	47	87	107	146	221	212	255	424	-
1994.....	46	59	77	101	180	240	241	264	382	-
1993.....	41	54	81	111	189	209	263	232	420	1
1992.....	36	47	88	122	183	230	295	251	424	1
1991.....	39	58	93	143	182	261	295	305	397	-
1990.....	42	72	92	150	203	282	319	303	433	-
1989.....	41	59	88	172	272	287	348	328	450	2
1988.....	33	75	104	159	260	305	371	379	458	-
1987.....	38	66	142	198	282	334	336	344	437	1
1986.....	34	72	128	209	298	358	388	353	463	2
1985.....	48	70	138	241	287	373	420	392	492	2
1984.....	49	78	149	232	305	388	413	377	434	4
1983.....	68	80	155	238	269	445	437	423	515	5
1982.....	53	88	159	216	321	409	502	432	481	2
1981.....	49	113	176	238	361	515	484	459	552	1
1980.....	47	112	193	280	460	506	594	523	631	-
1979.....	64	110	207	283	437	552	604	488	628	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

BLACK MALE

1998.....	21	32	36	54	54	77	80	64	83	-
1997.....	27	30	40	54	62	75	79	71	101	-
1996.....	27	34	44	58	79	91	78	61	98	-
1995.....	24	28	45	51	78	113	83	100	112	-
1994.....	28	31	46	58	99	120	111	106	107	-
1993.....	22	35	50	65	102	102	110	75	105	-
1992.....	22	28	55	74	91	110	124	90	116	-
1991.....	26	37	49	74	96	137	139	120	108	-
1990.....	28	43	62	77	105	143	133	114	113	-
1989.....	24	37	44	88	152	145	132	96	127	1
1988.....	22	37	63	78	124	142	165	148	127	-
1987.....	17	36	86	106	146	163	151	122	133	1
1986.....	17	44	65	107	157	170	150	135	134	1
1985.....	27	43	76	134	147	168	166	134	137	2
1984.....	33	46	84	134	154	181	172	142	121	1
1983.....	39	43	94	123	137	220	189	146	141	2
1982.....	34	40	95	110	168	205	230	171	139	2
1981.....	30	63	99	137	178	236	213	163	169	1
1980.....	23	66	103	163	241	227	248	192	214	-
1979.....	46	68	126	167	236	254	284	196	199	-

BLACK FEMALE

1998.....	21	22	20	29	51	85	106	135	232	-
1997.....	12	28	23	33	53	111	123	116	251	-
1996.....	21	21	30	38	69	88	116	146	236	-
1995.....	16	19	42	56	68	108	129	155	312	-
1994.....	18	28	31	43	81	120	130	158	275	-
1993.....	19	19	31	46	87	107	153	157	315	1
1992.....	14	19	33	48	92	120	171	161	308	1
1991.....	13	21	44	69	86	124	156	185	289	-
1990.....	14	29	30	73	98	139	186	189	320	-
1989.....	17	22	44	84	120	142	216	232	323	1
1988.....	11	38	41	81	136	163	206	231	331	-
1987.....	21	30	56	92	136	171	185	222	304	-
1986.....	17	28	63	102	141	188	238	218	329	1
1985.....	21	27	62	107	140	205	254	258	355	-
1984.....	16	32	65	98	151	207	241	235	313	3
1983.....	29	37	61	115	132	225	248	277	374	3
1982.....	19	48	64	106	153	204	272	261	342	-
1981.....	19	50	77	101	183	279	271	296	383	-
1980.....	24	46	90	117	219	279	346	331	417	-
1979.....	18	42	81	116	201	298	320	292	429	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 CEREBRAL EMBOLISM (434.1)

TOTAL, BOTH SEXES										
1998	12	5	14	24	47	58	104	123	171	-
1997	11	6	18	32	52	79	108	117	177	-
1996	8	13	17	23	60	82	127	128	200	-
1995	8	12	17	26	51	101	99	110	194	-
1994	7	11	12	30	51	108	113	142	215	-
1993	4	9	14	33	51	70	117	122	203	-
1992	7	14	15	18	46	98	108	123	185	-
1991	4	13	15	22	57	98	100	111	194	-
1990	5	13	10	32	55	84	128	139	175	-
1989	6	9	24	30	59	93	139	138	170	-
1988	7	7	18	44	67	117	132	130	203	-
1987	16	16	16	41	59	105	144	137	188	-
1986	12	6	25	41	80	115	154	143	187	-
1985	7	15	27	43	71	118	150	139	202	1
1984	7	15	25	55	76	129	131	155	161	-
1983	20	10	23	40	80	109	129	143	174	-
1982	10	19	30	46	85	103	141	127	181	-
1981	8	19	28	75	90	132	134	141	164	-
1980	17	26	32	53	88	104	141	148	155	-
1979	18	21	27	67	104	120	139	164	168	-
TOTAL, MALE										
1998	7	3	9	14	23	34	47	42	43	-
1997	8	1	9	19	26	40	37	43	38	-
1996	5	5	11	12	27	30	58	57	51	-
1995	3	7	9	14	35	48	46	36	60	-
1994	2	5	8	11	25	55	52	52	46	-
1993	2	4	6	25	23	28	61	45	52	-
1992	4	7	7	7	18	45	47	44	47	-
1991	1	7	10	9	29	43	42	36	43	-
1990	1	4	6	18	30	38	58	57	45	-
1989	2	2	15	16	27	44	58	40	43	-
1988	4	4	12	24	35	54	58	54	54	-
1987	7	7	9	26	35	47	63	43	56	-
1986	4	5	6	20	40	54	79	49	45	-
1985	1	9	12	21	38	52	75	54	62	-
1984	3	4	14	26	42	71	51	58	39	-
1983	11	2	8	18	44	48	52	58	45	-
1982	4	7	17	24	47	52	63	44	44	-
1981	6	12	18	38	45	55	62	44	41	-
1980	13	11	25	33	43	49	50	58	44	-
1979	6	7	10	33	46	55	52	52	44	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 CEREBRAL EMBOLISM (434.1)

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, FEMALE										
1998.....	5	2	5	10	24	24	57	81	128	-
1997.....	3	5	9	13	26	39	71	74	139	-
1996.....	3	8	6	11	33	52	69	71	149	-
1995.....	5	5	8	12	16	53	53	74	134	-
1994.....	5	6	4	19	26	53	61	90	169	-
1993.....	2	5	8	8	28	42	56	77	151	-
1992.....	3	7	8	11	28	53	61	79	138	-
1991.....	3	6	5	13	28	55	58	75	151	-
1990.....	4	9	4	14	25	46	70	82	130	-
1989.....	4	7	9	14	32	49	81	98	127	-
1988.....	3	3	6	20	32	63	74	76	149	-
1987.....	9	9	7	15	24	58	81	94	132	-
1986.....	8	1	19	21	40	61	75	94	142	-
1985.....	6	6	15	22	33	66	75	85	140	1
1984.....	4	11	11	29	34	58	80	97	122	-
1983.....	9	8	15	22	36	61	77	85	129	-
1982.....	6	12	13	22	38	51	78	83	137	-
1981.....	2	7	10	37	45	77	72	97	123	-
1980.....	4	15	7	20	45	55	91	90	111	-
1979.....	12	14	17	34	58	65	87	112	124	-
WHITE, BOTH SEXES										
1998.....	8	4	12	22	42	55	94	113	162	-
1997.....	8	5	14	29	45	72	95	111	168	-
1996.....	6	9	14	21	53	77	118	116	185	-
1995.....	7	10	11	24	47	91	93	102	178	-
1994.....	5	10	9	24	47	100	106	129	199	-
1993.....	2	7	12	27	42	65	112	115	196	-
1992.....	5	12	11	14	39	92	94	112	171	-
1991.....	4	7	12	19	47	89	90	104	186	-
1990.....	4	10	9	26	49	79	118	136	167	-
1989.....	4	8	20	24	50	84	128	132	157	-
1988.....	5	5	13	41	57	107	121	126	195	-
1987.....	14	11	13	35	50	97	130	133	177	-
1986.....	8	5	22	39	71	98	145	132	176	-
1985.....	5	12	24	39	66	108	140	127	192	1
1984.....	6	13	22	48	62	117	124	148	151	-
1983.....	14	7	19	35	72	99	123	135	162	-
1982.....	6	17	25	40	76	95	136	123	173	-
1981.....	8	17	24	60	85	121	119	134	161	-
1980.....	14	19	23	46	77	88	129	141	147	-
1979.....	17	18	24	55	96	108	128	154	159	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 CEREBRAL EMBOLISM (434.1)										
WHITE MALE										
1998.....	5	3	7	12	21	33	42	40	40	-
1997.....	6	1	5	17	23	39	32	42	35	-
1996.....	3	4	11	10	25	28	55	51	48	-
1995.....	3	6	6	14	33	43	41	35	53	-
1994.....	1	5	7	9	23	50	50	45	43	-
1993.....	2	3	6	22	20	25	60	42	52	-
1992.....	4	6	4	7	17	44	40	39	42	-
1991.....	1	4	8	8	22	40	40	33	41	-
1990.....	1	4	5	15	25	37	51	56	41	-
1989.....	1	1	12	12	20	39	54	38	39	-
1988.....	2	3	8	21	30	47	54	52	54	-
1987.....	6	5	8	23	31	44	58	41	52	-
1986.....	4	5	6	18	36	49	73	45	38	-
1985.....	-	7	11	18	37	46	69	49	59	-
1984.....	3	3	13	22	38	69	50	56	32	-
1983.....	8	2	6	15	41	45	50	53	40	-
1982.....	4	5	12	22	43	49	62	44	42	-
1981.....	6	10	15	29	42	50	56	40	41	-
1980.....	10	8	19	28	39	40	45	55	41	-
1979.....	6	6	8	25	41	51	47	47	42	-
WHITE FEMALE										
1998.....	3	1	5	10	21	22	52	73	122	-
1997.....	2	4	9	12	22	33	63	69	133	-
1996.....	3	5	3	11	28	49	63	65	137	-
1995.....	4	4	5	10	14	48	52	67	125	-
1994.....	4	5	2	15	24	50	56	84	156	-
1993.....	-	4	6	5	22	40	52	73	144	-
1992.....	1	6	7	7	22	48	54	73	129	-
1991.....	3	3	4	11	25	49	50	71	145	-
1990.....	3	6	4	11	24	42	67	80	126	-
1989.....	3	7	8	12	30	45	74	94	118	-
1988.....	3	2	5	20	27	60	67	74	141	-
1987.....	8	6	5	12	19	53	72	92	125	-
1986.....	4	-	16	21	35	49	72	87	138	-
1985.....	5	5	13	21	29	62	71	78	133	1
1984.....	3	10	9	26	24	48	74	92	119	-
1983.....	6	5	13	20	31	54	73	82	122	-
1982.....	2	12	13	18	33	46	74	79	131	-
1981.....	2	7	9	31	43	71	63	94	120	-
1980.....	4	11	4	18	38	48	84	86	106	-
1979.....	11	12	16	30	55	57	81	107	117	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 CEREBRAL EMBOLISM (434.1)										
ALL OTHER, BOTH SEXES										
1998.....	4	1	2	2	5	3	10	10	9	-
1997.....	3	1	4	3	7	7	13	6	9	-
1996.....	2	4	3	2	7	5	9	12	15	-
1995.....	1	2	6	2	4	10	6	8	16	-
1994.....	2	1	3	6	4	8	7	13	16	-
1993.....	2	2	2	6	9	5	5	7	7	-
1992.....	2	2	4	4	7	6	14	11	14	-
1991.....	-	6	3	3	10	9	10	7	8	-
1990.....	1	3	1	6	6	5	10	3	8	-
1989.....	2	1	4	6	9	9	11	6	13	-
1988.....	2	2	5	3	10	10	11	4	8	-
1987.....	2	5	3	6	9	8	14	4	11	-
1986.....	4	1	3	2	9	17	9	11	11	-
1985.....	2	3	3	4	5	10	10	12	10	-
1984.....	1	2	3	7	14	12	7	7	10	-
1983.....	6	3	4	5	8	10	6	8	12	-
1982.....	4	2	5	6	9	8	5	4	8	-
1981.....	-	2	4	15	5	11	15	7	3	-
1980.....	3	7	9	7	11	16	12	7	8	-
1979.....	1	3	3	12	8	12	11	10	9	-
ALL OTHER MALE										
1998.....	2	-	2	2	2	1	5	2	3	-
1997.....	2	-	4	2	3	1	5	1	3	-
1996.....	2	1	-	2	2	2	3	6	3	-
1995.....	-	1	3	-	2	5	5	1	7	-
1994.....	1	-	1	2	2	5	2	7	3	-
1993.....	-	1	-	3	3	3	1	3	-	-
1992.....	-	1	3	-	1	1	7	5	5	-
1991.....	-	3	2	1	7	3	2	3	2	-
1990.....	-	-	1	3	5	1	7	1	4	-
1989.....	1	1	3	4	7	5	4	2	4	-
1988.....	2	1	4	3	5	7	4	2	-	-
1987.....	1	2	1	3	4	3	5	2	4	-
1986.....	-	-	-	2	4	5	6	4	7	-
1985.....	1	2	1	3	1	6	6	5	3	-
1984.....	-	1	1	4	4	2	1	2	7	-
1983.....	3	-	2	3	3	3	2	5	5	-
1982.....	-	2	5	2	4	3	1	-	2	-
1981.....	-	2	3	9	3	5	6	4	-	-
1980.....	3	3	6	5	4	9	5	3	3	-
1979.....	-	1	2	8	5	4	5	5	2	-

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
0 CEREBRAL EMBOLISM (434.1)

ALL OTHER FEMALE

1998.....	2	1	-	-	3	2	5	8	6	-
1997.....	1	1	-	1	4	6	8	5	6	-
1996.....	-	3	3	-	5	3	6	6	12	-
1995.....	1	1	3	2	2	5	1	7	9	-
1994.....	1	1	2	4	2	3	5	6	13	-
1993.....	2	1	2	3	6	2	4	4	7	-
1992.....	2	1	1	4	6	5	7	6	9	-
1991.....	-	3	1	2	3	6	8	4	6	-
1990.....	1	3	-	3	1	4	3	2	4	-
1989.....	1	-	1	2	2	4	7	4	9	-
1988.....	-	1	1	-	5	3	7	2	8	-
1987.....	1	3	2	3	5	5	9	2	7	-
1986.....	4	1	3	-	5	12	3	7	4	-
1985.....	1	1	2	1	4	4	4	7	7	-
1984.....	1	1	2	3	10	10	6	5	3	-
1983.....	3	3	2	2	5	7	4	3	7	-
1982.....	4	-	-	4	5	5	4	4	6	-
1981.....	-	-	1	6	2	6	9	3	3	-
1980.....	-	4	3	2	7	7	7	4	5	-
1979.....	1	2	1	4	3	8	6	5	7	-

BLACK, BOTH SEXES

1998.....	4	1	2	2	4	3	8	5	7	-
1997.....	2	1	3	1	6	4	10	3	4	-
1996.....	2	3	3	2	4	4	6	11	12	-
1995.....	-	2	6	2	2	8	5	4	13	-
1994.....	1	1	2	6	3	7	6	11	12	-
1993.....	2	1	2	6	6	4	4	6	6	-
1992.....	1	1	4	4	7	5	13	7	10	-
1991.....	-	4	2	3	10	8	9	6	7	-
1990.....	-	2	1	5	4	4	10	2	7	-
1989.....	2	1	3	5	7	9	9	5	12	-
1988.....	2	1	5	2	8	8	9	2	8	-
1987.....	2	4	2	6	9	7	13	3	10	-
1986.....	3	1	3	2	9	13	8	10	11	-
1985.....	2	1	3	4	4	10	7	11	10	-
1984.....	1	2	3	7	14	12	7	6	8	-
1983.....	5	3	4	5	7	9	5	8	12	-
1982.....	4	2	4	6	8	7	5	4	7	-
1981.....	-	2	4	15	5	11	14	7	3	-
1980.....	3	6	8	6	11	15	11	6	7	-
1979.....	1	3	3	12	7	12	9	9	9	-

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
0 CEREBRAL EMBOLISM (434.1)

BLACK MALE

1998.....	2	-	2	2	1	1	4	1	2	-
1997.....	2	-	3	-	3	-	5	-	-	-
1996.....	2	1	-	2	1	2	2	5	2	-
1995.....	-	1	3	-	1	4	4	1	4	-
1994.....	-	-	1	2	1	4	2	6	2	-
1993.....	-	1	-	3	2	3	1	2	-	-
1992.....	-	-	3	-	1	1	6	3	2	-
1991.....	-	2	1	1	7	3	2	3	2	-
1990.....	-	-	1	3	3	1	7	1	3	-
1989.....	1	1	2	4	5	5	3	1	3	-
1988.....	2	1	4	2	3	6	4	-	-	-
1987.....	1	2	1	3	4	3	4	1	3	-
1986.....	-	-	-	2	4	3	6	4	7	-
1985.....	1	1	1	3	1	6	4	4	3	-
1984.....	-	1	1	4	4	2	1	2	6	-
1983.....	3	-	2	3	2	2	2	5	5	-
1982.....	-	2	4	2	4	2	1	-	1	-
1981.....	-	2	3	9	3	5	5	4	-	-
1980.....	3	3	5	4	4	9	4	2	2	-
1979.....	-	1	2	8	5	4	3	5	2	-

BLACK FEMALE

1998.....	2	1	-	-	3	2	4	4	5	-
1997.....	-	1	-	1	3	4	5	3	4	-
1996.....	-	2	3	-	3	2	4	6	10	-
1995.....	-	1	3	2	1	4	1	3	9	-
1994.....	1	1	1	4	2	3	4	5	10	-
1993.....	2	-	2	3	4	1	3	4	6	-
1992.....	1	1	1	4	6	4	7	4	8	-
1991.....	-	2	1	2	3	5	7	3	5	-
1990.....	-	2	-	2	1	3	3	1	4	-
1989.....	1	-	1	1	2	4	6	4	9	-
1988.....	-	-	1	-	5	2	5	2	8	-
1987.....	1	2	1	3	5	4	9	2	7	-
1986.....	3	1	3	-	5	10	2	6	4	-
1985.....	1	-	2	1	3	4	3	7	7	-
1984.....	1	1	2	3	10	10	6	4	2	-
1983.....	2	3	2	2	5	7	3	3	7	-
1982.....	4	-	-	4	4	5	4	4	6	-
1981.....	-	-	1	6	2	6	9	3	3	-
1980.....	-	3	3	2	7	6	7	4	5	-
1979.....	1	2	1	4	2	8	6	4	7	-

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)

TOTAL, BOTH SEXES

1998.....	1,267	1,845	2,460	3,515	5,948	10,720	17,523	24,038	51,115	5
1997.....	1,267	1,777	2,385	3,631	6,238	11,078	17,432	23,894	51,305	4
1996.....	1,401	1,759	2,370	3,742	6,486	11,340	17,809	24,518	50,925	8
1995.....	1,350	1,709	2,376	3,806	6,677	11,658	17,320	24,094	49,540	4
1994.....	1,281	1,701	2,265	3,784	6,552	11,207	17,053	23,326	46,726	6
1993.....	1,235	1,588	2,286	3,726	6,499	11,046	16,825	22,365	45,016	5
1992.....	1,184	1,495	2,223	3,795	6,419	10,764	16,168	20,992	41,216	10
1991.....	1,104	1,543	2,182	3,751	6,787	10,721	16,092	20,886	40,221	10
1990.....	1,126	1,452	2,281	3,851	7,037	10,765	16,292	20,627	38,987	8
1989.....	1,068	1,443	2,296	3,998	6,952	10,944	16,304	20,860	38,404	9
1988.....	1,054	1,425	2,436	4,307	7,246	11,217	17,019	21,250	39,098	4
1987.....	988	1,530	2,462	4,355	7,046	11,453	16,870	20,936	38,156	11
1986.....	1,016	1,542	2,538	4,540	7,144	11,630	16,688	20,576	37,077	41
1985.....	1,049	1,588	2,730	4,532	7,360	11,953	17,330	20,887	37,460	38
1984.....	1,055	1,776	2,755	4,692	7,507	12,281	17,351	21,316	37,215	11
1983.....	1,113	1,769	2,885	4,893	7,837	12,441	17,843	21,396	36,783	19
1982.....	1,148	1,768	2,983	4,887	8,004	12,859	17,893	21,370	35,675	13
1981.....	1,185	1,949	3,158	5,194	8,371	13,297	17,886	21,926	36,298	13
1980.....	1,223	2,031	3,217	5,110	8,808	13,642	19,174	22,814	36,363	12
1979.....	1,283	2,050	3,380	5,215	8,552	13,533	18,539	21,953	34,392	15

TOTAL, MALE

1998.....	636	925	1,318	1,892	3,092	5,233	7,925	9,316	13,286	3
1997.....	635	928	1,269	1,941	3,275	5,484	7,937	9,335	13,891	3
1996.....	696	921	1,277	2,018	3,381	5,664	8,204	9,528	13,539	2
1995.....	675	875	1,272	2,073	3,418	5,785	7,931	9,465	12,968	2
1994.....	660	841	1,224	2,024	3,419	5,605	7,903	9,133	12,254	-
1993.....	596	793	1,222	1,991	3,446	5,479	7,731	8,626	11,900	1
1992.....	594	774	1,162	2,025	3,336	5,368	7,330	8,093	10,979	6
1991.....	526	790	1,149	1,964	3,586	5,394	7,391	8,101	10,520	6
1990.....	536	740	1,206	1,994	3,702	5,352	7,476	7,931	10,212	4
1989.....	520	705	1,183	2,173	3,603	5,410	7,465	7,859	10,015	2
1988.....	511	721	1,301	2,329	3,772	5,520	7,712	8,068	10,399	-
1987.....	452	780	1,299	2,309	3,600	5,698	7,512	7,915	9,993	5
1986.....	499	756	1,327	2,356	3,652	5,673	7,383	7,951	9,879	8
1985.....	510	799	1,465	2,406	3,825	5,924	7,839	7,831	9,971	11
1984.....	533	917	1,467	2,473	3,978	6,108	7,565	8,039	10,185	4
1983.....	516	886	1,511	2,597	4,063	6,286	8,111	8,066	10,235	3
1982.....	539	893	1,535	2,523	4,203	6,447	8,000	7,897	10,162	8
1981.....	550	977	1,622	2,757	4,444	6,640	8,117	8,141	10,399	8
1980.....	560	1,076	1,639	2,725	4,655	6,891	8,561	8,622	10,662	7
1979.....	596	1,027	1,768	2,849	4,484	6,794	8,261	8,393	10,357	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)										
TOTAL, FEMALE										
1998.....	631	920	1,142	1,623	2,856	5,487	9,598	14,722	37,829	2
1997.....	632	849	1,116	1,690	2,963	5,594	9,495	14,559	37,414	1
1996.....	705	838	1,093	1,724	3,105	5,676	9,605	14,990	37,386	6
1995.....	675	834	1,104	1,733	3,259	5,873	9,389	14,629	36,572	2
1994.....	621	860	1,041	1,760	3,133	5,602	9,150	14,193	34,472	6
1993.....	639	795	1,064	1,735	3,053	5,567	9,094	13,739	33,116	4
1992.....	590	721	1,061	1,770	3,083	5,396	8,838	12,899	30,237	4
1991.....	578	753	1,033	1,787	3,201	5,327	8,701	12,785	29,701	4
1990.....	590	712	1,075	1,857	3,335	5,413	8,816	12,696	28,775	4
1989.....	548	738	1,113	1,825	3,349	5,534	8,839	13,001	28,389	7
1988.....	543	704	1,135	1,978	3,474	5,697	9,307	13,182	28,699	4
1987.....	536	750	1,163	2,046	3,446	5,755	9,358	13,021	28,163	6
1986.....	517	786	1,211	2,184	3,492	5,957	9,305	12,625	27,198	33
1985.....	539	789	1,265	2,126	3,535	6,029	9,491	13,056	27,489	27
1984.....	522	859	1,288	2,219	3,529	6,173	9,786	13,277	27,030	7
1983.....	597	883	1,374	2,296	3,774	6,155	9,732	13,330	26,548	16
1982.....	609	875	1,448	2,364	3,801	6,412	9,893	13,473	25,513	5
1981.....	635	972	1,536	2,437	3,927	6,657	9,769	13,785	25,899	5
1980.....	663	955	1,578	2,385	4,153	6,751	10,613	14,192	25,701	5
1979.....	687	1,023	1,612	2,366	4,068	6,739	10,278	13,560	24,035	6
WHITE, BOTH SEXES										
1998.....	875	1,328	1,795	2,599	4,585	8,895	15,119	21,555	46,960	1
1997.....	861	1,262	1,703	2,626	4,916	9,149	15,164	21,542	47,293	3
1996.....	980	1,290	1,727	2,740	5,025	9,344	15,488	21,967	46,853	6
1995.....	972	1,225	1,674	2,883	5,192	9,693	15,023	21,603	45,515	2
1994.....	907	1,200	1,632	2,851	5,151	9,253	14,855	20,856	43,160	4
1993.....	867	1,138	1,663	2,797	5,131	9,157	14,588	20,083	41,550	1
1992.....	841	1,100	1,602	2,864	5,052	8,906	14,054	18,863	38,113	8
1991.....	790	1,109	1,559	2,790	5,320	8,954	13,976	18,682	37,038	7
1990.....	793	1,045	1,665	2,896	5,547	8,990	14,176	18,503	35,983	3
1989.....	743	1,009	1,677	2,941	5,492	9,100	13,979	18,747	35,465	5
1988.....	768	1,030	1,771	3,216	5,702	9,346	14,739	19,085	36,116	-
1987.....	689	1,086	1,808	3,299	5,646	9,532	14,605	18,932	35,337	6
1986.....	729	1,101	1,885	3,518	5,683	9,701	14,467	18,580	34,415	30
1985.....	724	1,155	2,030	3,502	5,912	9,874	15,123	18,799	34,827	34
1984.....	741	1,294	2,051	3,634	6,015	10,148	15,140	19,112	34,791	7
1983.....	816	1,276	2,144	3,722	6,284	10,326	15,673	19,400	34,278	14
1982.....	823	1,285	2,227	3,733	6,397	10,788	15,640	19,353	33,264	7
1981.....	861	1,391	2,367	4,042	6,698	11,097	15,668	19,872	33,785	9
1980.....	866	1,498	2,431	3,965	7,049	11,447	16,780	20,821	33,986	6
1979.....	928	1,502	2,529	4,109	6,852	11,375	16,227	20,235	32,115	11

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)

WHITE MALE

1998.....	462	662	954	1,387	2,410	4,364	6,857	8,374	12,077	1
1997.....	450	646	898	1,429	2,603	4,565	6,926	8,459	12,737	2
1996.....	476	662	913	1,494	2,662	4,679	7,172	8,614	12,336	2
1995.....	479	596	876	1,578	2,695	4,840	6,904	8,454	11,817	2
1994.....	472	583	870	1,535	2,728	4,656	6,948	8,148	11,217	-
1993.....	428	562	891	1,516	2,761	4,609	6,737	7,744	10,885	-
1992.....	427	574	848	1,531	2,634	4,464	6,405	7,300	10,071	4
1991.....	368	559	816	1,484	2,834	4,559	6,474	7,195	9,545	4
1990.....	370	523	886	1,507	2,951	4,518	6,533	7,121	9,311	-
1989.....	362	496	890	1,611	2,905	4,560	6,462	7,081	9,111	2
1988.....	372	518	959	1,754	3,021	4,643	6,722	7,214	9,531	-
1987.....	311	567	948	1,776	2,924	4,809	6,527	7,131	9,147	4
1986.....	340	534	961	1,851	2,910	4,779	6,384	7,147	9,064	6
1985.....	350	591	1,099	1,878	3,110	4,957	6,852	7,074	9,189	9
1984.....	382	670	1,071	1,942	3,229	5,095	6,654	7,209	9,422	2
1983.....	378	650	1,132	1,989	3,306	5,291	7,152	7,330	9,424	3
1982.....	382	659	1,150	1,936	3,389	5,420	7,001	7,135	9,362	4
1981.....	380	695	1,219	2,171	3,596	5,615	7,131	7,322	9,572	6
1980.....	398	803	1,258	2,128	3,785	5,816	7,474	7,785	9,867	4
1979.....	444	753	1,299	2,256	3,637	5,764	7,244	7,696	9,582	6

WHITE FEMALE

1998.....	413	666	841	1,212	2,175	4,531	8,262	13,181	34,883	-
1997.....	411	616	805	1,197	2,313	4,584	8,238	13,083	34,556	1
1996.....	504	628	814	1,246	2,363	4,665	8,316	13,353	34,517	4
1995.....	493	629	798	1,305	2,497	4,853	8,119	13,149	33,698	-
1994.....	435	617	762	1,316	2,423	4,597	7,907	12,708	31,943	4
1993.....	439	576	772	1,281	2,370	4,548	7,851	12,339	30,665	1
1992.....	414	526	754	1,333	2,418	4,442	7,649	11,563	28,042	4
1991.....	422	550	743	1,306	2,486	4,395	7,502	11,487	27,493	3
1990.....	423	522	779	1,389	2,596	4,472	7,643	11,382	26,672	3
1989.....	381	513	787	1,330	2,587	4,540	7,517	11,666	26,354	3
1988.....	396	512	812	1,462	2,681	4,703	8,017	11,871	26,585	-
1987.....	378	519	860	1,523	2,722	4,723	8,078	11,801	26,190	2
1986.....	389	567	924	1,667	2,773	4,922	8,083	11,433	25,351	24
1985.....	374	564	931	1,624	2,802	4,917	8,271	11,725	25,638	25
1984.....	359	624	980	1,692	2,786	5,053	8,486	11,903	25,369	5
1983.....	438	626	1,012	1,733	2,978	5,035	8,521	12,070	24,854	11
1982.....	441	626	1,077	1,797	3,008	5,368	8,639	12,218	23,902	3
1981.....	481	696	1,148	1,871	3,102	5,482	8,537	12,550	24,213	3
1980.....	468	695	1,173	1,837	3,264	5,631	9,306	13,036	24,119	2
1979.....	484	749	1,230	1,853	3,215	5,611	8,983	12,539	22,533	5

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)										
ALL OTHER, BOTH SEXES										
1998.....	392	517	665	916	1,363	1,825	2,404	2,483	4,155	4
1997.....	406	515	682	1,005	1,322	1,929	2,268	2,352	4,012	1
1996.....	421	469	643	1,002	1,461	1,996	2,321	2,551	4,072	2
1995.....	378	484	702	923	1,485	1,965	2,297	2,491	4,025	2
1994.....	374	501	633	933	1,401	1,954	2,198	2,470	3,566	2
1993.....	368	450	623	929	1,368	1,889	2,237	2,282	3,466	4
1992.....	343	395	621	931	1,367	1,858	2,114	2,129	3,103	2
1991.....	314	434	623	961	1,467	1,767	2,116	2,204	3,183	3
1990.....	333	407	616	955	1,490	1,775	2,116	2,124	3,004	5
1989.....	325	434	619	1,057	1,460	1,844	2,325	2,113	2,939	4
1988.....	286	395	665	1,091	1,544	1,871	2,280	2,165	2,982	4
1987.....	299	444	654	1,056	1,400	1,921	2,265	2,004	2,819	5
1986.....	287	441	653	1,022	1,461	1,929	2,221	1,996	2,662	11
1985.....	325	433	700	1,030	1,448	2,079	2,207	2,088	2,633	4
1984.....	314	482	704	1,058	1,492	2,133	2,211	2,204	2,424	4
1983.....	297	493	741	1,171	1,553	2,115	2,170	1,996	2,505	5
1982.....	325	483	756	1,154	1,607	2,071	2,253	2,017	2,411	6
1981.....	324	558	791	1,152	1,673	2,200	2,218	2,054	2,513	4
1980.....	357	533	786	1,145	1,759	2,195	2,394	1,993	2,377	6
1979.....	355	548	851	1,106	1,700	2,158	2,312	1,718	2,277	4
ALL OTHER MALE										
1998.....	174	263	364	505	682	869	1,068	942	1,209	2
1997.....	185	282	371	512	672	919	1,011	876	1,154	1
1996.....	220	259	364	524	719	985	1,032	914	1,203	-
1995.....	196	279	396	495	723	945	1,027	1,011	1,151	-
1994.....	188	258	354	489	691	949	955	985	1,037	-
1993.....	168	231	331	475	685	870	994	882	1,015	1
1992.....	167	200	314	494	702	904	925	793	908	2
1991.....	158	231	333	480	752	835	917	906	975	2
1990.....	166	217	320	487	751	834	943	810	901	4
1989.....	158	209	293	562	698	850	1,003	778	904	-
1988.....	139	203	342	575	751	877	990	854	868	-
1987.....	141	213	351	533	676	889	985	784	846	1
1986.....	159	222	366	505	742	894	999	804	815	2
1985.....	160	208	366	528	715	967	987	757	782	2
1984.....	151	247	396	531	749	1,013	911	830	763	2
1983.....	138	236	379	608	757	995	959	736	811	-
1982.....	157	234	385	587	814	1,027	999	762	800	4
1981.....	170	282	403	586	848	1,025	986	819	827	2
1980.....	162	273	381	597	870	1,075	1,087	837	795	3
1979.....	152	274	469	593	847	1,030	1,017	697	775	3

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)										
ALL OTHER FEMALE										
1998.....	218	254	301	411	681	956	1,336	1,541	2,946	2
1997.....	221	233	311	493	650	1,010	1,257	1,476	2,858	-
1996.....	201	210	279	478	742	1,011	1,289	1,637	2,869	2
1995.....	182	205	306	428	762	1,020	1,270	1,480	2,874	2
1994.....	186	243	279	444	710	1,005	1,243	1,485	2,529	2
1993.....	200	219	292	454	683	1,019	1,243	1,400	2,451	3
1992.....	176	195	307	437	665	954	1,189	1,336	2,195	-
1991.....	156	203	290	481	715	932	1,199	1,298	2,208	1
1990.....	167	190	296	468	739	941	1,173	1,314	2,103	1
1989.....	167	225	326	495	762	994	1,322	1,335	2,035	4
1988.....	147	192	323	516	793	994	1,290	1,311	2,114	4
1987.....	158	231	303	523	724	1,032	1,280	1,220	1,973	4
1986.....	128	219	287	517	719	1,035	1,222	1,192	1,847	9
1985.....	165	225	334	502	733	1,112	1,220	1,331	1,851	2
1984.....	163	235	308	527	743	1,120	1,300	1,374	1,661	2
1983.....	159	257	362	563	796	1,120	1,211	1,260	1,694	5
1982.....	168	249	371	567	793	1,044	1,254	1,255	1,611	2
1981.....	154	276	388	566	825	1,175	1,232	1,235	1,686	2
1980.....	195	260	405	548	889	1,120	1,307	1,156	1,582	3
1979.....	203	274	382	513	853	1,128	1,295	1,021	1,502	1
BLACK, BOTH SEXES										
1998.....	349	466	576	807	1,165	1,563	2,044	2,092	3,556	4
1997.....	360	449	600	869	1,155	1,675	1,908	1,972	3,420	1
1996.....	362	411	569	880	1,296	1,746	2,000	2,209	3,449	2
1995.....	334	424	625	810	1,318	1,727	1,995	2,164	3,496	2
1994.....	335	441	557	845	1,241	1,708	1,917	2,144	3,085	2
1993.....	313	405	567	835	1,205	1,694	1,991	2,005	3,010	4
1992.....	304	345	547	834	1,232	1,680	1,884	1,913	2,703	2
1991.....	280	391	570	867	1,314	1,593	1,866	1,965	2,765	2
1990.....	301	374	559	874	1,355	1,605	1,922	1,885	2,641	4
1989.....	296	390	560	970	1,338	1,708	2,129	1,892	2,589	4
1988.....	256	354	625	1,013	1,433	1,742	2,079	1,960	2,645	2
1987.....	276	406	598	984	1,308	1,758	2,069	1,827	2,534	5
1986.....	271	405	611	956	1,352	1,780	2,056	1,845	2,424	8
1985.....	307	407	666	961	1,362	1,927	2,051	1,904	2,365	4
1984.....	294	447	652	994	1,402	2,014	2,031	2,025	2,208	3
1983.....	270	462	707	1,115	1,460	2,004	2,025	1,847	2,291	3
1982.....	295	458	728	1,110	1,523	1,966	2,085	1,867	2,206	6
1981.....	308	530	743	1,115	1,591	2,111	2,083	1,930	2,306	3
1980.....	335	514	751	1,101	1,680	2,087	2,257	1,843	2,174	6
1979.....	328	519	816	1,059	1,622	2,075	2,193	1,609	2,105	3

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)

BLACK MALE

1998.....	154	232	315	443	583	734	887	774	957	2
1997.....	167	250	324	443	585	792	836	696	909	1
1996.....	186	237	321	462	646	843	875	790	946	-
1995.....	176	251	351	437	643	810	874	847	926	-
1994.....	168	229	316	449	616	816	820	817	833	-
1993.....	148	211	304	420	614	771	870	748	844	1
1992.....	153	176	277	444	628	813	801	691	749	2
1991.....	143	211	311	435	678	753	800	782	785	1
1990.....	157	205	299	447	684	748	846	689	772	3
1989.....	147	191	265	522	626	782	891	660	767	-
1988.....	127	185	320	537	696	812	896	739	724	-
1987.....	133	196	322	486	622	804	878	697	732	1
1986.....	152	208	345	479	679	822	901	716	717	1
1985.....	150	199	352	496	666	900	901	660	679	2
1984.....	141	233	366	504	707	945	810	746	684	2
1983.....	130	220	363	570	707	930	877	666	729	-
1982.....	144	225	367	558	771	974	898	682	725	4
1981.....	164	267	378	571	805	966	911	757	755	1
1980.....	157	263	367	575	825	1,011	998	767	720	3
1979.....	142	262	451	564	801	980	951	641	697	3

BLACK FEMALE

1998.....	195	234	261	364	582	829	1,157	1,318	2,599	2
1997.....	193	199	276	426	570	883	1,072	1,276	2,511	-
1996.....	176	174	248	418	650	903	1,125	1,419	2,503	2
1995.....	158	173	274	373	675	917	1,121	1,317	2,570	2
1994.....	167	212	241	396	625	892	1,097	1,327	2,252	2
1993.....	165	194	263	415	591	923	1,121	1,257	2,166	3
1992.....	151	169	270	390	604	867	1,083	1,222	1,954	-
1991.....	137	180	259	432	636	840	1,066	1,183	1,980	1
1990.....	144	169	260	427	671	857	1,076	1,196	1,869	1
1989.....	149	199	295	448	712	926	1,238	1,232	1,822	4
1988.....	129	169	305	476	737	930	1,183	1,221	1,921	2
1987.....	143	210	276	498	686	954	1,191	1,130	1,802	4
1986.....	119	197	266	477	673	958	1,155	1,129	1,707	7
1985.....	157	208	314	465	696	1,027	1,150	1,244	1,686	2
1984.....	153	214	286	490	695	1,069	1,221	1,279	1,524	1
1983.....	140	242	344	545	753	1,074	1,148	1,181	1,562	3
1982.....	151	233	361	552	752	992	1,187	1,185	1,481	2
1981.....	144	263	365	544	786	1,145	1,172	1,173	1,551	2
1980.....	178	251	384	526	855	1,076	1,259	1,076	1,454	3
1979.....	186	257	365	495	821	1,095	1,242	968	1,408	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ATHEROSCLEROSIS (440)										
TOTAL, BOTH SEXES										
1998.....	64	108	200	360	597	1,090	1,781	2,626	8,398	-
1997.....	75	133	192	328	664	1,141	1,930	2,808	8,730	1
1996.....	72	132	177	394	623	1,262	2,012	2,903	9,091	1
1995.....	72	124	207	388	678	1,229	2,022	3,013	8,941	1
1994.....	52	99	215	352	736	1,286	1,966	3,006	9,336	1
1993.....	49	122	179	396	727	1,277	2,041	3,016	9,399	3
1992.....	56	106	192	422	747	1,287	1,999	2,910	9,052	2
1991.....	69	88	204	438	776	1,350	2,183	3,036	9,223	1
1990.....	54	108	187	487	833	1,387	2,156	3,175	9,607	3
1989.....	56	112	233	488	882	1,466	2,354	3,407	10,304	1
1988.....	47	129	245	542	1,000	1,699	2,668	4,011	11,677	3
1987.....	51	123	291	579	1,078	1,797	2,791	4,053	11,653	2
1986.....	58	132	270	619	984	1,781	2,780	4,001	12,009	21
1985.....	49	133	319	573	1,076	1,822	2,935	4,328	12,609	25
1984.....	47	106	280	630	1,053	1,858	3,103	4,507	12,815	5
1983.....	68	174	325	667	1,109	2,082	3,286	4,988	13,626	4
1982.....	73	146	329	662	1,238	2,094	3,402	5,084	13,720	14
1981.....	52	165	328	661	1,251	2,147	3,596	5,380	14,346	10
1980.....	78	192	348	687	1,313	2,366	3,841	5,855	14,706	6
1979.....	66	142	346	677	1,368	2,368	3,756	5,769	14,260	3
TOTAL, MALE										
1998.....	40	76	133	230	358	625	877	1,093	2,251	-
1997.....	58	89	142	192	419	618	940	1,189	2,332	1
1996.....	53	94	112	266	373	661	985	1,256	2,437	1
1995.....	52	89	132	236	413	696	1,041	1,236	2,469	1
1994.....	37	68	134	230	440	666	968	1,282	2,549	-
1993.....	27	85	114	253	422	709	1,030	1,202	2,523	1
1992.....	45	73	120	245	428	716	999	1,199	2,466	1
1991.....	54	57	122	291	464	735	1,129	1,251	2,496	1
1990.....	31	79	126	311	486	774	1,086	1,276	2,654	3
1989.....	39	65	149	307	534	789	1,090	1,454	2,785	-
1988.....	31	88	156	345	578	973	1,291	1,639	3,178	1
1987.....	42	81	185	363	647	1,010	1,346	1,581	3,135	1
1986.....	47	88	182	403	599	998	1,339	1,620	3,267	9
1985.....	33	95	227	367	646	1,040	1,383	1,694	3,530	6
1984.....	39	67	171	371	626	1,005	1,476	1,838	3,604	2
1983.....	51	118	218	400	655	1,123	1,604	1,969	3,876	-
1982.....	53	99	212	413	759	1,163	1,686	2,043	4,112	4
1981.....	31	108	214	417	735	1,192	1,743	2,169	4,310	5
1980.....	53	128	227	439	810	1,305	1,746	2,345	4,508	1
1979.....	51	101	221	415	776	1,305	1,773	2,314	4,439	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 ATHEROSCLEROSIS (440)

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, FEMALE										
1998.....	24	32	67	130	239	465	904	1,533	6,147	-
1997.....	17	44	50	136	245	523	990	1,619	6,398	-
1996.....	19	38	65	128	250	601	1,027	1,647	6,654	-
1995.....	20	35	75	152	265	533	981	1,777	6,472	-
1994.....	15	31	81	122	296	620	998	1,724	6,787	1
1993.....	22	37	65	143	305	568	1,011	1,814	6,876	2
1992.....	11	33	72	177	319	571	1,000	1,711	6,586	1
1991.....	15	31	82	147	312	615	1,054	1,785	6,727	-
1990.....	23	29	61	176	347	613	1,070	1,899	6,953	-
1989.....	17	47	84	181	348	677	1,264	1,953	7,519	1
1988.....	16	41	89	197	422	726	1,377	2,372	8,499	2
1987.....	9	42	106	216	431	787	1,445	2,472	8,518	1
1986.....	11	44	88	216	385	783	1,441	2,381	8,742	12
1985.....	16	38	92	206	430	782	1,552	2,634	9,079	19
1984.....	8	39	109	259	427	853	1,627	2,669	9,211	3
1983.....	17	56	107	267	454	959	1,682	3,019	9,750	4
1982.....	20	47	117	249	479	931	1,716	3,041	9,608	10
1981.....	21	57	114	244	516	955	1,853	3,211	10,036	5
1980.....	25	64	121	248	503	1,061	2,095	3,510	10,198	5
1979.....	15	41	125	262	592	1,063	1,983	3,455	9,821	3
WHITE, BOTH SEXES										
1998.....	51	86	165	305	517	971	1,620	2,429	7,865	-
1997.....	56	98	155	278	569	994	1,761	2,603	8,195	1
1996.....	57	108	133	316	546	1,122	1,832	2,687	8,522	1
1995.....	63	104	166	321	574	1,078	1,833	2,772	8,426	1
1994.....	35	76	162	292	632	1,132	1,763	2,764	8,753	1
1993.....	38	100	140	327	626	1,117	1,870	2,767	8,878	2
1992.....	42	84	154	354	641	1,139	1,826	2,667	8,536	2
1991.....	55	72	159	356	676	1,191	1,972	2,777	8,681	1
1990.....	43	90	149	408	717	1,226	1,949	2,900	9,022	2
1989.....	47	94	194	405	770	1,295	2,130	3,149	9,663	-
1988.....	38	99	209	443	859	1,514	2,351	3,683	11,009	2
1987.....	36	103	238	485	939	1,593	2,492	3,755	11,034	1
1986.....	43	105	214	519	844	1,553	2,487	3,679	11,353	19
1985.....	40	107	256	489	930	1,587	2,634	3,996	11,917	20
1984.....	39	88	233	542	901	1,625	2,836	4,176	12,156	3
1983.....	58	139	267	558	961	1,840	2,967	4,604	13,022	1
1982.....	53	117	282	570	1,075	1,857	3,074	4,703	12,997	11
1981.....	38	132	273	554	1,062	1,870	3,256	4,971	13,613	5
1980.....	60	142	283	572	1,121	2,080	3,443	5,448	13,877	2
1979.....	55	115	277	561	1,164	2,074	3,397	5,372	13,545	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ATHEROSCLEROSIS (440)										
WHITE MALE										
1998.....	32	61	110	203	310	552	804	1,005	2,108	-
1997.....	46	65	118	168	374	544	854	1,112	2,194	1
1996.....	46	81	88	220	338	594	909	1,161	2,273	1
1995.....	44	74	114	200	359	615	958	1,138	2,304	1
1994.....	26	57	105	194	385	596	877	1,178	2,385	-
1993.....	22	73	92	209	366	627	956	1,111	2,369	-
1992.....	35	56	98	205	374	633	917	1,098	2,309	1
1991.....	42	44	98	246	417	667	1,021	1,136	2,332	1
1990.....	25	65	105	274	427	692	984	1,175	2,455	2
1989.....	33	60	128	263	471	707	1,009	1,345	2,602	-
1988.....	27	63	137	294	500	880	1,143	1,493	2,953	1
1987.....	31	71	156	310	573	888	1,208	1,470	2,944	-
1986.....	33	74	143	342	523	883	1,201	1,479	3,051	9
1985.....	26	79	189	322	558	918	1,251	1,564	3,305	4
1984.....	32	60	144	325	537	884	1,344	1,689	3,397	1
1983.....	46	95	186	339	575	1,002	1,441	1,808	3,650	-
1982.....	42	80	191	365	664	1,031	1,518	1,889	3,872	3
1981.....	25	90	181	354	649	1,045	1,591	1,999	4,055	2
1980.....	40	96	189	366	705	1,162	1,573	2,180	4,202	-
1979.....	41	84	179	358	679	1,153	1,603	2,145	4,191	-
WHITE FEMALE										
1998.....	19	25	55	102	207	419	816	1,424	5,757	-
1997.....	10	33	37	110	195	450	907	1,491	6,001	-
1996.....	11	27	45	96	208	528	923	1,526	6,249	-
1995.....	19	30	52	121	215	463	875	1,634	6,122	-
1994.....	9	19	57	98	247	536	886	1,586	6,368	1
1993.....	16	27	48	118	260	490	914	1,656	6,509	2
1992.....	7	28	56	149	267	506	909	1,569	6,227	1
1991.....	13	28	61	110	259	524	951	1,641	6,349	-
1990.....	18	25	44	134	290	534	965	1,725	6,567	-
1989.....	14	34	66	142	299	588	1,121	1,804	7,061	-
1988.....	11	36	72	149	359	634	1,208	2,190	8,056	1
1987.....	5	32	82	175	366	705	1,284	2,285	8,090	1
1986.....	10	31	71	177	321	670	1,286	2,200	8,302	10
1985.....	14	28	67	167	372	669	1,383	2,432	8,612	16
1984.....	7	28	89	217	364	741	1,492	2,487	8,759	2
1983.....	12	44	81	219	386	838	1,526	2,796	9,372	1
1982.....	11	37	91	205	411	826	1,556	2,814	9,125	8
1981.....	13	42	92	200	413	825	1,665	2,972	9,558	3
1980.....	20	46	94	206	416	918	1,870	3,268	9,675	2
1979.....	14	31	98	203	485	921	1,794	3,227	9,354	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ATHEROSCLEROSIS (440)										
ALL OTHER, BOTH SEXES										
1998.....	13	22	35	55	80	119	161	197	533	-
1997.....	19	35	37	50	95	147	169	205	535	-
1996.....	15	24	44	78	77	140	180	216	569	-
1995.....	9	20	41	67	104	151	189	241	515	-
1994.....	17	23	53	60	104	154	203	242	583	-
1993.....	11	22	39	69	101	160	171	249	521	1
1992.....	14	22	38	68	106	148	173	243	516	-
1991.....	14	16	45	82	100	159	211	259	542	-
1990.....	11	18	38	79	116	161	207	275	585	1
1989.....	9	18	39	83	112	171	224	258	641	1
1988.....	9	30	36	99	141	185	317	328	668	1
1987.....	15	20	53	94	139	204	299	298	619	1
1986.....	15	27	56	100	140	228	293	322	656	2
1985.....	9	26	63	84	146	235	301	332	692	5
1984.....	8	18	47	88	152	233	267	331	659	2
1983.....	10	35	58	109	148	242	319	384	604	3
1982.....	20	29	47	92	163	237	328	381	723	3
1981.....	14	33	55	107	189	277	340	409	733	5
1980.....	18	50	65	115	192	286	398	407	829	4
1979.....	11	27	69	116	204	294	359	397	715	1
ALL OTHER MALE										
1998.....	8	15	23	27	48	73	73	88	143	-
1997.....	12	24	24	24	45	74	86	77	138	-
1996.....	7	13	24	46	35	67	76	95	164	-
1995.....	8	15	18	36	54	81	83	98	165	-
1994.....	11	11	29	36	55	70	91	104	164	-
1993.....	5	12	22	44	56	82	74	91	154	1
1992.....	10	17	22	40	54	83	82	101	157	-
1991.....	12	13	24	45	47	68	108	115	164	-
1990.....	6	14	21	37	59	82	102	101	199	1
1989.....	6	5	21	44	63	82	81	109	183	-
1988.....	4	25	19	51	78	93	148	146	225	-
1987.....	11	10	29	53	74	122	138	111	191	1
1986.....	14	14	39	61	76	115	138	141	216	-
1985.....	7	16	38	45	88	122	132	130	225	2
1984.....	7	7	27	46	89	121	132	149	207	1
1983.....	5	23	32	61	80	121	163	161	226	-
1982.....	11	19	21	48	95	132	168	154	240	1
1981.....	6	18	33	63	86	147	152	170	255	3
1980.....	13	32	38	73	105	143	173	165	306	1
1979.....	10	17	42	57	97	152	170	169	248	-

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
0 ATHEROSCLEROSIS (440)

ALL OTHER FEMALE

1998.....	5	7	12	28	32	46	88	109	390	-
1997.....	7	11	13	26	50	73	83	128	397	-
1996.....	8	11	20	32	42	73	104	121	405	-
1995.....	1	5	23	31	50	70	106	143	350	-
1994.....	6	12	24	24	49	84	112	138	419	-
1993.....	6	10	17	25	45	78	97	158	367	-
1992.....	4	5	16	28	52	65	91	142	359	-
1991.....	2	3	21	37	53	91	103	144	378	-
1990.....	5	4	17	42	57	79	105	174	386	-
1989.....	3	13	18	39	49	89	143	149	458	1
1988.....	5	5	17	48	63	92	169	182	443	1
1987.....	4	10	24	41	65	82	161	187	428	-
1986.....	1	13	17	39	64	113	155	181	440	2
1985.....	2	10	25	39	58	113	169	202	467	3
1984.....	1	11	20	42	63	112	135	182	452	1
1983.....	5	12	26	48	68	121	156	223	378	3
1982.....	9	10	26	44	68	105	160	227	483	2
1981.....	8	15	22	44	103	130	188	239	478	2
1980.....	5	18	27	42	87	143	225	242	523	3
1979.....	1	10	27	59	107	142	189	228	467	1

BLACK, BOTH SEXES

1998.....	11	20	33	54	71	109	136	173	463	-
1997.....	18	30	35	42	84	135	154	183	477	-
1996.....	14	22	40	72	67	130	152	195	492	-
1995.....	8	18	39	59	90	134	165	219	460	-
1994.....	14	19	47	57	97	137	184	211	518	-
1993.....	10	20	37	61	90	147	163	228	461	1
1992.....	13	21	33	60	95	130	161	216	471	-
1991.....	11	15	44	74	91	149	197	228	487	-
1990.....	9	17	38	75	109	149	185	257	531	1
1989.....	8	17	35	79	97	156	211	241	583	1
1988.....	9	28	34	93	137	171	302	300	609	1
1987.....	14	20	53	89	130	194	272	277	566	1
1986.....	15	27	54	95	130	215	276	289	608	2
1985.....	8	24	61	81	137	228	290	312	624	4
1984.....	7	17	45	84	145	219	255	302	598	2
1983.....	10	35	55	105	142	230	306	362	556	-
1982.....	19	27	42	86	160	221	314	358	659	2
1981.....	13	33	54	104	184	262	324	389	676	5
1980.....	18	48	61	111	185	273	379	384	775	3
1979.....	10	27	67	113	197	270	345	364	658	1

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 ATHEROSCLEROSIS (440)

BLACK MALE

1998.....	7	14	22	27	44	67	60	75	114	-
1997.....	11	20	22	20	40	66	78	68	119	-
1996.....	7	12	21	44	31	61	61	85	129	-
1995.....	7	14	17	32	45	71	75	85	138	-
1994.....	9	9	26	35	52	62	80	88	137	-
1993.....	4	10	21	38	49	75	68	83	126	1
1992.....	9	16	18	35	51	68	72	86	143	-
1991.....	10	12	24	43	44	64	99	95	145	-
1990.....	4	14	21	35	55	76	87	92	173	1
1989.....	6	4	21	43	55	73	75	100	163	-
1988.....	4	23	18	47	77	85	142	133	202	-
1987.....	11	10	29	50	68	116	124	99	170	1
1986.....	14	14	37	57	69	109	128	121	201	-
1985.....	7	15	36	42	82	119	128	120	202	2
1984.....	6	6	27	42	85	115	124	131	178	1
1983.....	5	23	31	58	75	113	155	149	210	-
1982.....	11	18	18	44	94	122	162	141	212	-
1981.....	5	18	32	61	84	137	143	157	232	3
1980.....	13	31	36	71	102	135	160	153	280	-
1979.....	9	17	40	56	92	134	162	151	223	-

BLACK FEMALE

1998.....	4	6	11	27	27	42	76	98	349	-
1997.....	7	10	13	22	44	69	76	115	358	-
1996.....	7	10	19	28	36	69	91	110	363	-
1995.....	1	4	22	27	45	63	90	134	322	-
1994.....	5	10	21	22	45	75	104	123	381	-
1993.....	6	10	16	23	41	72	95	145	335	-
1992.....	4	5	15	25	44	62	89	130	328	-
1991.....	1	3	20	31	47	85	98	133	342	-
1990.....	5	3	17	40	54	73	98	165	358	-
1989.....	2	13	14	36	42	83	136	141	420	1
1988.....	5	5	16	46	60	86	160	167	407	1
1987.....	3	10	24	39	62	78	148	178	396	-
1986.....	1	13	17	38	61	106	148	168	407	2
1985.....	1	9	25	39	55	109	162	192	422	2
1984.....	1	11	18	42	60	104	131	171	420	1
1983.....	5	12	24	47	67	117	151	213	346	-
1982.....	8	9	24	42	66	99	152	217	447	2
1981.....	8	15	22	43	100	125	181	232	444	2
1980.....	5	17	25	40	83	138	219	231	495	3
1979.....	1	10	27	57	105	136	183	213	435	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
TOTAL, BOTH SEXES										
1998.....	470	589	895	1,502	2,622	3,999	5,069	4,816	6,836	-
1997.....	417	589	901	1,562	2,720	4,232	5,075	4,859	6,574	-
1996.....	451	535	825	1,588	2,710	4,157	4,928	4,767	6,416	1
1995.....	403	538	889	1,538	2,896	4,255	4,702	4,480	6,044	1
1994.....	353	523	837	1,596	2,897	4,185	4,659	4,452	5,818	3
1993.....	377	506	879	1,592	3,028	4,188	4,659	4,429	5,559	3
1992.....	357	503	821	1,644	2,939	4,171	4,566	4,248	5,303	2
1991.....	336	475	870	1,712	3,155	4,063	4,463	4,083	5,167	-
1990.....	334	455	864	1,717	3,110	3,999	4,502	4,050	4,943	1
1989.....	277	502	900	1,799	3,045	4,064	4,469	3,797	4,721	4
1988.....	245	456	866	1,819	3,005	3,906	4,206	3,602	4,450	1
1987.....	268	447	815	1,880	2,962	3,911	4,166	3,428	4,289	4
1986.....	244	430	866	1,894	2,945	3,862	4,097	3,451	4,010	2
1985.....	257	448	971	1,871	2,922	3,848	3,912	3,229	3,920	1
1984.....	246	471	979	1,908	2,934	3,631	3,855	3,258	3,841	8
1983.....	218	486	1,009	1,838	2,787	3,540	3,788	3,086	3,618	1
1982.....	256	474	975	1,785	2,870	3,589	3,559	2,928	3,227	4
1981.....	238	486	1,025	1,787	2,808	3,575	3,391	2,837	3,317	-
1980.....	292	530	1,061	1,827	2,832	3,486	3,410	2,874	3,088	1
1979.....	273	547	1,039	1,822	2,797	3,355	3,361	2,785	2,926	3
TOTAL, MALE										
1998.....	318	387	586	1,013	1,679	2,430	2,945	2,477	2,625	-
1997.....	259	395	589	1,039	1,746	2,638	2,866	2,497	2,547	-
1996.....	304	363	581	1,084	1,756	2,576	2,874	2,464	2,377	1
1995.....	259	357	590	1,059	1,955	2,694	2,754	2,292	2,305	-
1994.....	209	346	547	1,076	1,937	2,679	2,724	2,299	2,251	2
1993.....	245	325	600	1,133	2,091	2,680	2,860	2,401	2,160	2
1992.....	220	323	547	1,148	2,062	2,701	2,714	2,248	2,070	2
1991.....	213	312	606	1,226	2,174	2,690	2,705	2,174	2,031	-
1990.....	213	313	608	1,221	2,122	2,681	2,779	2,240	1,979	1
1989.....	181	332	612	1,302	2,147	2,666	2,726	2,128	1,905	3
1988.....	148	290	602	1,312	2,094	2,607	2,620	1,962	1,782	1
1987.....	175	298	564	1,348	2,088	2,635	2,625	1,939	1,782	3
1986.....	141	292	626	1,367	2,084	2,664	2,556	1,892	1,555	1
1985.....	156	309	694	1,385	2,107	2,695	2,456	1,861	1,600	1
1984.....	159	318	695	1,421	2,123	2,518	2,435	1,901	1,619	3
1983.....	137	334	710	1,370	2,016	2,497	2,503	1,776	1,545	-
1982.....	162	317	683	1,328	2,084	2,503	2,345	1,659	1,344	2
1981.....	149	340	725	1,354	2,048	2,506	2,309	1,635	1,414	-
1980.....	179	375	791	1,405	2,081	2,468	2,311	1,646	1,357	1
1979.....	169	388	734	1,360	2,071	2,426	2,211	1,652	1,276	3

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
TOTAL, FEMALE										
1998.....	152	202	309	489	943	1,569	2,124	2,339	4,211	-
1997.....	158	194	312	523	974	1,594	2,209	2,362	4,027	-
1996.....	147	172	244	504	954	1,581	2,054	2,303	4,039	-
1995.....	144	181	299	479	941	1,561	1,948	2,188	3,739	1
1994.....	144	177	290	520	960	1,506	1,935	2,153	3,567	1
1993.....	132	181	279	459	937	1,508	1,799	2,028	3,399	1
1992.....	137	180	274	496	877	1,470	1,852	2,000	3,233	-
1991.....	123	163	264	486	981	1,373	1,758	1,909	3,136	-
1990.....	121	142	256	496	988	1,318	1,723	1,810	2,964	-
1989.....	96	170	288	497	898	1,398	1,743	1,669	2,816	1
1988.....	97	166	264	507	911	1,299	1,586	1,640	2,668	-
1987.....	93	149	251	532	874	1,276	1,541	1,489	2,507	1
1986.....	103	138	240	527	861	1,198	1,541	1,559	2,455	1
1985.....	101	139	277	486	815	1,153	1,456	1,368	2,320	-
1984.....	87	153	284	487	811	1,113	1,420	1,357	2,222	5
1983.....	81	152	299	468	771	1,043	1,285	1,310	2,073	1
1982.....	94	157	292	457	786	1,086	1,214	1,269	1,883	2
1981.....	89	146	300	433	760	1,069	1,082	1,202	1,903	-
1980.....	113	155	270	422	751	1,018	1,099	1,228	1,731	-
1979.....	104	159	305	462	726	929	1,150	1,133	1,650	-
WHITE, BOTH SEXES										
1998.....	329	454	713	1,270	2,329	3,605	4,615	4,411	6,213	-
1997.....	284	442	713	1,331	2,408	3,810	4,684	4,461	6,045	-
1996.....	328	425	663	1,382	2,401	3,745	4,498	4,392	5,914	-
1995.....	281	438	723	1,327	2,593	3,864	4,359	4,142	5,578	1
1994.....	260	410	677	1,382	2,584	3,807	4,272	4,074	5,328	2
1993.....	266	394	708	1,399	2,705	3,826	4,309	4,079	5,096	2
1992.....	256	386	671	1,450	2,647	3,830	4,232	3,935	4,896	2
1991.....	250	361	736	1,506	2,847	3,732	4,126	3,785	4,787	-
1990.....	255	343	725	1,523	2,822	3,674	4,160	3,761	4,550	1
1989.....	205	377	745	1,596	2,768	3,745	4,116	3,513	4,389	4
1988.....	186	360	735	1,584	2,735	3,611	3,918	3,340	4,145	1
1987.....	212	353	694	1,669	2,681	3,621	3,832	3,187	4,008	4
1986.....	175	326	723	1,680	2,709	3,578	3,798	3,221	3,764	2
1985.....	195	357	840	1,666	2,652	3,533	3,621	3,003	3,689	1
1984.....	175	365	840	1,689	2,698	3,329	3,616	3,048	3,605	6
1983.....	170	406	874	1,640	2,560	3,274	3,540	2,895	3,399	1
1982.....	205	389	834	1,590	2,605	3,300	3,351	2,763	3,057	4
1981.....	185	400	882	1,608	2,573	3,334	3,188	2,670	3,138	-
1980.....	233	447	923	1,650	2,578	3,232	3,174	2,694	2,904	1
1979.....	219	450	915	1,661	2,557	3,142	3,151	2,647	2,795	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)										
WHITE MALE										
1998.....	232	305	476	884	1,522	2,248	2,721	2,297	2,406	-
1997.....	175	313	481	917	1,596	2,423	2,673	2,318	2,371	-
1996.....	224	294	482	957	1,578	2,369	2,660	2,298	2,220	-
1995.....	177	302	491	953	1,784	2,501	2,590	2,147	2,171	-
1994.....	159	281	455	965	1,773	2,475	2,524	2,125	2,099	1
1993.....	178	262	503	1,023	1,900	2,489	2,682	2,231	1,994	2
1992.....	168	252	471	1,032	1,872	2,525	2,538	2,095	1,944	2
1991.....	166	251	521	1,106	1,998	2,521	2,537	2,036	1,901	-
1990.....	166	249	525	1,111	1,958	2,488	2,590	2,096	1,862	1
1989.....	140	257	519	1,189	1,966	2,503	2,562	1,984	1,801	3
1988.....	116	231	529	1,167	1,944	2,439	2,476	1,841	1,692	1
1987.....	136	240	500	1,218	1,922	2,481	2,437	1,821	1,680	3
1986.....	103	234	536	1,236	1,942	2,518	2,395	1,788	1,477	1
1985.....	123	256	619	1,256	1,948	2,519	2,309	1,759	1,517	1
1984.....	116	260	613	1,290	1,985	2,341	2,307	1,797	1,534	2
1983.....	106	282	630	1,255	1,891	2,339	2,373	1,691	1,462	-
1982.....	131	259	600	1,205	1,916	2,342	2,239	1,589	1,284	2
1981.....	122	288	650	1,242	1,918	2,375	2,200	1,555	1,349	-
1980.....	147	327	705	1,290	1,930	2,328	2,178	1,560	1,275	1
1979.....	143	329	660	1,260	1,914	2,291	2,107	1,573	1,220	1
WHITE FEMALE										
1998.....	97	149	237	386	807	1,357	1,894	2,114	3,807	-
1997.....	109	129	232	414	812	1,387	2,011	2,143	3,674	-
1996.....	104	131	181	425	823	1,376	1,838	2,094	3,694	-
1995.....	104	136	232	374	809	1,363	1,769	1,995	3,407	1
1994.....	101	129	222	417	811	1,332	1,748	1,949	3,229	1
1993.....	88	132	205	376	805	1,337	1,627	1,848	3,102	-
1992.....	88	134	200	418	775	1,305	1,694	1,840	2,952	-
1991.....	84	110	215	400	849	1,211	1,589	1,749	2,886	-
1990.....	89	94	200	412	864	1,186	1,570	1,665	2,688	-
1989.....	65	120	226	407	802	1,242	1,554	1,529	2,588	1
1988.....	70	129	206	417	791	1,172	1,442	1,499	2,453	-
1987.....	76	113	194	451	759	1,140	1,395	1,366	2,328	1
1986.....	72	92	187	444	767	1,060	1,403	1,433	2,287	1
1985.....	72	101	221	410	704	1,014	1,312	1,244	2,172	-
1984.....	59	105	227	399	713	988	1,309	1,251	2,071	4
1983.....	64	124	244	385	669	935	1,167	1,204	1,937	1
1982.....	74	130	234	385	689	958	1,112	1,174	1,773	2
1981.....	63	112	232	366	655	959	988	1,115	1,789	-
1980.....	86	120	218	360	648	904	996	1,134	1,629	-
1979.....	76	121	255	401	643	851	1,044	1,074	1,575	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)										
ALL OTHER, BOTH SEXES										
1998.....	141	135	182	232	293	394	454	405	623	-
1997.....	133	147	188	231	312	422	391	398	529	-
1996.....	123	110	162	206	309	412	430	375	502	1
1995.....	122	100	166	211	303	391	343	338	466	-
1994.....	93	113	160	214	313	378	387	378	490	1
1993.....	111	112	171	193	323	362	350	350	463	1
1992.....	101	117	150	194	292	341	334	313	407	-
1991.....	86	114	134	206	308	331	337	298	380	-
1990.....	79	112	139	194	288	325	342	289	393	-
1989.....	72	125	155	203	277	319	353	284	332	-
1988.....	59	96	131	235	270	295	288	262	305	-
1987.....	56	94	121	211	281	290	334	241	281	-
1986.....	69	104	143	214	236	284	299	230	246	-
1985.....	62	91	131	205	270	315	291	226	231	-
1984.....	71	106	139	219	236	302	239	210	236	2
1983.....	48	80	135	198	227	266	248	191	219	-
1982.....	51	85	141	195	265	289	208	165	170	-
1981.....	53	86	143	179	235	241	203	167	179	-
1980.....	59	83	138	177	254	254	236	180	184	-
1979.....	54	97	124	161	240	213	210	138	131	2
ALL OTHER MALE										
1998.....	86	82	110	129	157	182	224	180	219	-
1997.....	84	82	108	122	150	215	193	179	176	-
1996.....	80	69	99	127	178	207	214	166	157	1
1995.....	82	55	99	106	171	193	164	145	134	-
1994.....	50	65	92	111	164	204	200	174	152	1
1993.....	67	63	97	110	191	191	178	170	166	-
1992.....	52	71	76	116	190	176	176	153	126	-
1991.....	47	61	85	120	176	169	168	138	130	-
1990.....	47	64	83	110	164	193	189	144	117	-
1989.....	41	75	93	113	181	163	164	144	104	-
1988.....	32	59	73	145	150	168	144	121	90	-
1987.....	39	58	64	130	166	154	188	118	102	-
1986.....	38	58	90	131	142	146	161	104	78	-
1985.....	33	53	75	129	159	176	147	102	83	-
1984.....	43	58	82	131	138	177	128	104	85	1
1983.....	31	52	80	115	125	158	130	85	83	-
1982.....	31	58	83	123	168	161	106	70	60	-
1981.....	27	52	75	112	130	131	109	80	65	-
1980.....	32	48	86	115	151	140	133	86	82	-
1979.....	26	59	74	100	157	135	104	79	56	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)										
ALL OTHER FEMALE										
1998.....	55	53	72	103	136	212	230	225	404	-
1997.....	49	65	80	109	162	207	198	219	353	-
1996.....	43	41	63	79	131	205	216	209	345	-
1995.....	40	45	67	105	132	198	179	193	332	-
1994.....	43	48	68	103	149	174	187	204	338	-
1993.....	44	49	74	83	132	171	172	180	297	1
1992.....	49	46	74	78	102	165	158	160	281	-
1991.....	39	53	49	86	132	162	169	160	250	-
1990.....	32	48	56	84	124	132	153	145	276	-
1989.....	31	50	62	90	96	156	189	140	228	-
1988.....	27	37	58	90	120	127	144	141	215	-
1987.....	17	36	57	81	115	136	146	123	179	-
1986.....	31	46	53	83	94	138	138	126	168	-
1985.....	29	38	56	76	111	139	144	124	148	-
1984.....	28	48	57	88	98	125	111	106	151	1
1983.....	17	28	55	83	102	108	118	106	136	-
1982.....	20	27	58	72	97	128	102	95	110	-
1981.....	26	34	68	67	105	110	94	87	114	-
1980.....	27	35	52	62	103	114	103	94	102	-
1979.....	28	38	50	61	83	78	106	59	75	-
BLACK, BOTH SEXES										
1998.....	133	114	161	194	255	321	386	331	547	-
1997.....	122	132	155	196	265	356	336	333	462	-
1996.....	113	97	144	173	275	345	369	299	432	1
1995.....	109	89	148	187	273	329	302	291	401	-
1994.....	83	100	131	185	274	332	330	310	435	1
1993.....	103	104	151	160	276	304	293	296	411	1
1992.....	90	106	120	173	252	297	299	252	353	-
1991.....	81	112	116	184	265	289	289	255	338	-
1990.....	70	106	120	170	247	283	300	244	348	-
1989.....	64	112	147	182	247	278	315	240	296	-
1988.....	53	84	118	205	238	261	252	225	265	-
1987.....	53	88	103	192	251	253	289	203	249	-
1986.....	64	90	130	191	217	253	255	190	218	-
1985.....	57	85	122	184	239	274	249	198	199	-
1984.....	68	97	122	205	216	264	207	186	202	2
1983.....	46	73	124	181	205	235	213	155	189	-
1982.....	50	80	127	183	242	262	178	151	150	-
1981.....	50	77	132	164	218	214	182	147	157	-
1980.....	57	76	126	165	228	229	203	159	161	-
1979.....	50	90	116	149	226	189	184	118	117	1

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

BLACK MALE

1998.....	82	68	96	109	132	146	183	136	177	-
1997.....	75	73	90	100	130	186	157	142	145	-
1996.....	72	59	87	110	154	170	172	123	127	1
1995.....	70	47	90	93	153	149	138	112	105	-
1994.....	47	56	74	98	139	175	172	133	119	1
1993.....	63	61	91	91	161	151	136	139	139	-
1992.....	48	63	55	105	158	149	153	109	100	-
1991.....	43	60	71	105	146	136	139	111	106	-
1990.....	41	60	71	97	140	160	159	115	100	-
1989.....	33	69	90	100	160	139	139	112	85	-
1988.....	32	50	66	123	130	144	120	94	68	-
1987.....	37	52	56	116	146	130	152	88	81	-
1986.....	35	47	78	119	131	124	132	79	66	-
1985.....	31	50	70	115	136	146	117	80	70	-
1984.....	41	54	72	121	126	151	106	85	72	1
1983.....	31	47	73	104	110	138	104	64	70	-
1982.....	31	55	78	113	149	142	84	62	49	-
1981.....	25	45	68	102	116	112	95	66	56	-
1980.....	31	45	76	105	132	123	106	71	67	-
1979.....	24	55	68	90	144	113	84	64	48	1

BLACK FEMALE

1998.....	51	46	65	85	123	175	203	195	370	-
1997.....	47	59	65	96	135	170	179	191	317	-
1996.....	41	38	57	63	121	175	197	176	305	-
1995.....	39	42	58	94	120	180	164	179	296	-
1994.....	36	44	57	87	135	157	158	177	316	-
1993.....	40	43	60	69	115	153	157	157	272	1
1992.....	42	43	65	68	94	148	146	143	253	-
1991.....	38	52	45	79	119	153	150	144	232	-
1990.....	29	46	49	73	107	123	141	129	248	-
1989.....	31	43	57	82	87	139	176	128	211	-
1988.....	21	34	52	82	108	117	132	131	197	-
1987.....	16	36	47	76	105	123	137	115	168	-
1986.....	29	43	52	72	86	129	123	111	152	-
1985.....	26	35	52	69	103	128	132	118	129	-
1984.....	27	43	50	84	90	113	101	101	130	1
1983.....	15	26	51	77	95	97	109	91	119	-
1982.....	19	25	49	70	93	120	94	89	101	-
1981.....	25	32	64	62	102	102	87	81	101	-
1980.....	26	31	50	60	96	106	97	88	94	-
1979.....	26	35	48	59	82	76	100	54	69	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)										
TOTAL, BOTH SEXES										
1998.....	8	7	11	16	26	31	51	59	158	-
1997.....	6	5	9	12	27	29	54	56	153	-
1996.....	6	10	6	19	26	46	44	65	157	-
1995.....	5	2	11	19	27	45	67	70	171	-
1994.....	2	10	19	22	29	54	61	90	167	-
1993.....	12	16	12	30	34	61	67	99	208	1
1992.....	7	13	15	20	35	49	70	70	153	-
1991.....	7	12	20	26	29	52	82	77	216	-
1990.....	5	6	22	27	44	46	72	85	200	-
1989.....	9	11	15	20	46	54	75	100	183	2
1988.....	14	11	15	29	37	64	58	91	193	-
1987.....	8	9	17	23	36	39	67	72	159	-
1986.....	7	7	13	23	32	66	78	98	165	1
1985.....	9	10	20	27	44	48	59	92	187	-
1984.....	9	6	14	29	41	42	51	76	161	1
1983.....	7	13	24	25	31	39	58	59	161	-
1982.....	5	16	11	26	27	32	57	59	127	-
1981.....	7	13	23	28	39	49	63	70	138	-
1980.....	11	12	30	28	40	49	54	91	163	-
1979.....	7	19	20	25	46	44	46	65	110	1
TOTAL, MALE										
1998.....	4	4	4	9	11	16	24	21	50	-
1997.....	2	2	4	8	11	17	28	18	42	-
1996.....	2	1	1	8	9	25	24	24	45	-
1995.....	3	-	2	7	9	19	30	37	54	-
1994.....	-	5	6	8	7	24	32	37	46	-
1993.....	7	9	7	10	16	28	29	43	61	-
1992.....	3	5	9	13	18	27	35	31	42	-
1991.....	3	4	9	15	15	32	43	27	68	-
1990.....	2	1	9	17	23	23	38	26	63	-
1989.....	6	4	7	15	23	25	41	41	54	1
1988.....	8	5	5	11	19	39	29	35	53	-
1987.....	4	3	10	10	20	23	35	34	57	-
1986.....	3	2	7	16	18	44	41	38	52	-
1985.....	8	5	13	17	23	31	38	39	59	-
1984.....	3	4	10	17	21	26	30	31	51	-
1983.....	2	7	15	17	17	21	34	19	61	-
1982.....	3	8	6	13	17	23	31	21	36	-
1981.....	5	6	15	15	23	24	34	32	45	-
1980.....	7	9	6	10	23	25	30	35	52	-
1979.....	3	12	14	15	19	27	25	31	41	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS		
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)											
TOTAL, FEMALE											
1998.....	4	3	7	7	15	15	27	38	108	-	
1997.....	4	3	5	4	16	12	26	38	111	-	
1996.....	4	9	5	11	17	21	20	41	112	-	
1995.....	2	2	9	12	18	26	37	33	117	-	
1994.....	2	5	13	14	22	30	29	53	121	-	
1993.....	5	7	5	20	18	33	38	56	147	1	
1992.....	4	8	6	7	17	22	35	39	111	-	
1991.....	4	8	11	11	14	20	39	50	148	-	
1990.....	3	5	13	10	21	23	34	59	137	-	
1989.....	3	7	8	5	23	29	34	59	129	1	
1988.....	6	6	10	18	18	25	29	56	140	-	
1987.....	4	6	7	13	16	16	32	38	102	-	
1986.....	4	5	6	7	14	22	37	60	113	1	
1985.....	1	5	7	10	21	17	21	53	128	-	
1984.....	6	2	4	12	20	16	21	45	110	1	
1983.....	5	6	9	8	14	18	24	40	100	-	
1982.....	2	8	5	13	10	9	26	38	91	-	
1981.....	2	7	8	13	16	25	29	38	93	-	
1980.....	4	3	24	18	17	24	24	56	111	-	
1979.....	4	7	6	10	27	17	21	34	69	1	
WHITE, BOTH SEXES											
1998.....	6	7	11	16	26	29	46	56	152	-	
1997.....	4	2	7	9	25	26	50	54	148	-	
1996.....	5	8	6	18	25	43	40	61	147	-	
1995.....	4	2	9	18	25	44	64	66	167	-	
1994.....	1	8	15	20	29	49	59	77	163	-	
1993.....	12	10	10	27	28	57	63	93	197	-	
1992.....	4	11	14	17	34	47	67	61	147	-	
1991.....	7	10	15	22	29	45	76	71	200	-	
1990.....	3	6	19	26	41	45	66	84	194	-	
1989.....	6	8	14	17	42	50	70	95	174	1	
1988.....	14	8	13	28	34	61	55	86	181	-	
1987.....	7	6	16	21	35	37	67	67	152	-	
1986.....	5	5	11	20	31	60	74	93	161	1	
1985.....	7	8	18	24	38	44	54	83	182	-	
1984.....	9	6	10	28	38	36	48	71	156	1	
1983.....	7	10	22	17	27	34	53	58	159	-	
1982.....	4	12	10	23	20	31	52	55	124	-	
1981.....	5	12	22	26	35	43	60	67	134	-	
1980.....	10	11	24	27	37	42	51	88	156	-	
1979.....	6	14	16	22	43	42	45	64	108	-	

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)

WHITE MALE

1998.....	4	4	4	9	11	14	20	20	47	-
1997.....	1	-	4	6	10	14	26	16	39	-
1996.....	2	-	1	8	8	23	21	24	40	-
1995.....	2	-	1	7	7	18	28	36	52	-
1994.....	-	3	4	8	7	21	31	32	45	-
1993.....	7	5	5	9	13	26	26	39	56	-
1992.....	3	4	8	11	18	26	34	25	40	-
1991.....	3	4	6	12	15	27	38	24	62	-
1990.....	1	1	8	16	22	23	35	26	63	-
1989.....	3	4	6	12	20	24	38	39	53	1
1988.....	8	3	4	10	18	38	28	32	51	-
1987.....	4	1	9	10	19	23	35	31	54	-
1986.....	1	1	6	14	17	40	39	36	51	-
1985.....	6	3	12	15	19	28	35	34	56	-
1984.....	3	4	7	17	20	22	28	28	49	-
1983.....	2	5	13	12	15	19	31	18	60	-
1982.....	2	6	6	11	12	23	28	19	35	-
1981.....	4	5	14	14	20	22	33	31	43	-
1980.....	6	8	5	9	21	21	28	34	48	-
1979.....	3	9	11	12	17	25	24	31	41	-

WHITE FEMALE

1998.....	2	3	7	7	15	15	26	36	105	-
1997.....	3	2	3	3	15	12	24	38	109	-
1996.....	3	8	5	10	17	20	19	37	107	-
1995.....	2	2	8	11	18	26	36	30	115	-
1994.....	1	5	11	12	22	28	28	45	118	-
1993.....	5	5	5	18	15	31	37	54	141	-
1992.....	1	7	6	6	16	21	33	36	107	-
1991.....	4	6	9	10	14	18	38	47	138	-
1990.....	2	5	11	10	19	22	31	58	131	-
1989.....	3	4	8	5	22	26	32	56	121	-
1988.....	6	5	9	18	16	23	27	54	130	-
1987.....	3	5	7	11	16	14	32	36	98	-
1986.....	4	4	5	6	14	20	35	57	110	1
1985.....	1	5	6	9	19	16	19	49	126	-
1984.....	6	2	3	11	18	14	20	43	107	1
1983.....	5	5	9	5	12	15	22	40	99	-
1982.....	2	6	4	12	8	8	24	36	89	-
1981.....	1	7	8	12	15	21	27	36	91	-
1980.....	4	3	19	18	16	21	23	54	108	-
1979.....	3	5	5	10	26	17	21	33	67	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)										
ALL OTHER, BOTH SEXES										
1998.....	2	-	-	-	-	2	5	3	6	-
1997.....	2	3	2	3	2	3	4	2	5	-
1996.....	1	2	-	1	1	3	4	4	10	-
1995.....	1	-	2	1	2	1	3	4	4	-
1994.....	1	2	4	2	-	5	2	13	4	-
1993.....	-	6	2	3	6	4	4	6	11	1
1992.....	3	2	1	3	1	2	3	9	6	-
1991.....	-	2	5	4	-	7	6	6	16	-
1990.....	2	-	3	1	3	1	6	1	6	-
1989.....	3	3	1	3	4	4	5	5	9	1
1988.....	-	3	2	1	3	3	3	5	12	-
1987.....	1	3	1	2	1	2	-	5	7	-
1986.....	2	2	2	3	1	6	4	5	4	-
1985.....	2	2	2	3	6	4	5	9	5	-
1984.....	-	-	4	1	3	6	3	5	5	-
1983.....	-	3	2	8	4	5	5	1	2	-
1982.....	1	4	1	3	7	1	5	4	3	-
1981.....	2	1	1	2	4	6	3	3	4	-
1980.....	1	1	6	1	3	7	3	3	7	-
1979.....	1	5	4	3	3	2	1	1	2	1
ALL OTHER MALE										
1998.....	-	-	-	-	-	2	4	1	3	-
1997.....	1	2	-	2	1	3	2	2	3	-
1996.....	-	1	-	-	1	2	3	-	5	-
1995.....	1	-	1	-	2	1	2	1	2	-
1994.....	-	2	2	-	-	3	1	5	1	-
1993.....	-	4	2	1	3	2	3	4	5	-
1992.....	-	1	1	2	-	1	1	6	2	-
1991.....	-	-	3	3	-	5	5	3	6	-
1990.....	1	-	1	1	1	-	3	-	-	-
1989.....	3	-	1	3	3	1	3	2	1	-
1988.....	-	2	1	1	1	1	1	3	2	-
1987.....	-	2	1	-	1	-	-	3	3	-
1986.....	2	1	1	2	1	4	2	2	1	-
1985.....	2	2	1	2	4	3	3	5	3	-
1984.....	-	-	3	-	1	4	2	3	2	-
1983.....	-	2	2	5	2	2	3	1	1	-
1982.....	1	2	-	2	5	-	3	2	1	-
1981.....	1	1	1	1	3	2	1	1	2	-
1980.....	1	1	1	1	2	4	2	1	4	-
1979.....	-	3	3	3	2	2	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS		
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)											
ALL OTHER FEMALE											
1998.....	2	-	-	-	-	-	1	2	3	-	
1997.....	1	1	2	1	1	-	2	-	2	-	
1996.....	1	1	-	1	-	1	1	4	5	-	
1995.....	-	-	1	1	-	-	1	3	2	-	
1994.....	1	-	2	2	-	2	1	8	3	-	
1993.....	-	2	-	2	3	2	1	2	6	1	
1992.....	3	1	-	1	1	1	2	3	4	-	
1991.....	-	2	2	1	-	2	1	3	10	-	
1990.....	1	-	2	-	2	1	3	1	6	-	
1989.....	-	3	-	-	1	3	2	3	8	1	
1988.....	-	1	1	-	2	2	2	2	10	-	
1987.....	1	1	-	2	-	2	-	2	4	-	
1986.....	-	1	1	1	-	2	2	3	3	-	
1985.....	-	-	1	1	2	1	2	4	2	-	
1984.....	-	-	1	1	2	2	1	2	3	-	
1983.....	-	1	-	3	2	3	2	-	1	-	
1982.....	-	2	1	1	2	1	2	2	2	-	
1981.....	1	-	-	1	1	4	2	2	2	-	
1980.....	-	-	5	-	1	3	1	2	3	-	
1979.....	1	2	1	-	1	-	-	1	2	1	
BLACK, BOTH SEXES											
1998.....	2	-	-	-	-	2	5	3	4	-	
1997.....	1	3	2	3	1	3	4	2	3	-	
1996.....	1	2	-	-	1	1	3	3	9	-	
1995.....	1	-	2	-	1	1	3	4	4	-	
1994.....	1	2	4	2	-	5	2	13	4	-	
1993.....	-	5	2	3	6	4	3	4	7	1	
1992.....	3	2	1	3	1	2	3	6	5	-	
1991.....	-	-	4	3	-	7	5	4	13	-	
1990.....	2	-	3	1	2	1	5	1	4	-	
1989.....	3	3	-	3	4	4	4	4	9	1	
1988.....	-	3	2	1	3	2	3	5	10	-	
1987.....	1	3	1	2	1	2	-	4	6	-	
1986.....	2	2	1	3	1	5	4	4	4	-	
1985.....	2	2	2	3	6	4	5	7	3	-	
1984.....	-	-	4	1	3	4	3	4	4	-	
1983.....	-	3	1	5	3	5	5	1	2	-	
1982.....	1	4	1	2	6	1	4	3	3	-	
1981.....	2	1	1	2	4	6	2	3	2	-	
1980.....	-	1	6	1	3	7	2	3	5	-	
1979.....	1	5	4	3	2	2	1	1	2	1	

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)										
BLACK MALE										
1998.....	-	-	-	-	-	2	4	1	2	-
1997.....	-	2	-	2	-	3	2	2	2	-
1996.....	-	1	-	-	1	1	2	-	4	-
1995.....	1	-	1	-	1	1	2	1	2	-
1994.....	-	2	2	-	-	3	1	5	1	-
1993.....	-	3	2	1	3	2	3	3	3	-
1992.....	-	1	1	2	-	1	1	3	1	-
1991.....	-	-	2	2	-	5	4	2	5	-
1990.....	1	-	1	1	1	-	3	-	-	-
1989.....	3	-	-	3	3	1	2	1	1	-
1988.....	-	2	1	1	1	1	1	3	2	-
1987.....	-	2	1	-	1	-	-	2	3	-
1986.....	2	1	1	2	1	3	2	2	1	-
1985.....	2	2	1	2	4	3	3	4	1	-
1984.....	-	-	3	-	1	4	2	2	1	-
1983.....	-	2	1	2	1	2	3	1	1	-
1982.....	1	2	-	1	4	-	2	1	1	-
1981.....	1	1	1	1	3	2	-	1	1	-
1980.....	-	1	1	1	2	4	1	1	2	-
1979.....	-	3	3	3	1	2	1	-	-	-
BLACK FEMALE										
1998.....	2	-	-	-	-	-	1	2	2	-
1997.....	1	1	2	1	1	-	2	-	1	-
1996.....	1	1	-	-	-	-	1	3	5	-
1995.....	-	-	1	-	-	-	1	3	2	-
1994.....	1	-	2	2	-	2	1	8	3	-
1993.....	-	2	-	2	3	2	-	1	4	1
1992.....	3	1	-	1	1	1	2	3	4	-
1991.....	-	-	2	1	-	2	1	2	8	-
1990.....	1	-	2	-	1	1	2	1	4	-
1989.....	-	3	-	-	1	3	2	3	8	1
1988.....	-	1	1	-	2	1	2	2	8	-
1987.....	1	1	-	2	-	2	-	2	3	-
1986.....	-	1	-	1	-	2	2	2	3	-
1985.....	-	-	1	1	2	1	2	3	2	-
1984.....	-	-	1	1	2	-	1	2	3	-
1983.....	-	1	-	3	2	3	2	-	1	-
1982.....	-	2	1	1	2	1	2	2	2	-
1981.....	1	-	-	1	1	4	2	2	1	-
1980.....	-	-	5	-	1	3	1	2	3	-
1979.....	1	2	1	-	1	-	-	1	2	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA AND INFLUENZA (480-487)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, BOTH SEXES										
1998.....	980	1,187	1,552	2,304	3,816	7,189	11,717	17,140	43,127	5
1997.....	1,025	1,208	1,482	2,277	3,764	6,771	11,207	16,151	39,668	6
1996.....	1,029	1,064	1,464	2,149	3,699	6,898	10,677	15,678	38,027	10
1995.....	985	1,094	1,314	2,144	3,788	6,949	10,723	15,262	37,575	4
1994.....	943	1,042	1,297	2,208	3,922	6,680	10,626	15,134	36,400	5
1993.....	861	1,018	1,348	2,356	4,072	6,751	10,721	15,138	37,171	11
1992.....	797	848	1,322	2,131	3,868	6,344	9,931	14,050	33,296	7
1991.....	787	951	1,350	2,388	3,825	6,398	10,195	14,400	34,144	14
1990.....	788	963	1,427	2,495	4,102	6,563	10,610	14,767	34,443	7
1989.....	782	925	1,422	2,458	4,102	6,316	10,175	13,847	32,955	15
1988.....	807	964	1,512	2,612	4,238	6,475	10,346	14,135	33,149	11
1987.....	701	925	1,380	2,499	3,932	6,094	9,355	12,422	28,739	7
1986.....	705	895	1,513	2,631	3,957	6,197	9,735	12,260	28,652	46
1985.....	657	966	1,550	2,580	3,715	6,113	9,230	12,066	27,705	51
1984.....	599	890	1,428	2,323	3,362	5,616	8,141	10,454	23,176	14
1983.....	577	921	1,455	2,288	3,352	5,086	7,415	9,878	22,073	15
1982.....	568	893	1,475	2,141	3,022	4,655	6,584	8,543	18,225	16
1981.....	670	1,007	1,688	2,345	3,398	4,951	7,272	9,479	19,935	14
1980.....	694	1,066	1,698	2,346	3,592	5,076	7,266	9,737	19,841	15
1979.....	622	1,012	1,459	2,052	2,994	4,343	5,990	8,005	15,266	10
TOTAL, MALE										
1998.....	599	703	941	1,346	2,227	4,149	6,294	8,248	14,872	4
1997.....	647	728	856	1,338	2,261	3,886	6,091	7,869	13,904	4
1996.....	652	650	911	1,253	2,207	3,958	5,789	7,571	13,196	6
1995.....	652	666	775	1,307	2,249	4,009	5,802	7,413	13,084	2
1994.....	601	653	788	1,327	2,329	3,858	5,760	7,186	12,885	1
1993.....	539	621	791	1,437	2,455	3,974	5,901	7,331	12,903	8
1992.....	530	529	825	1,281	2,318	3,704	5,505	6,937	11,910	4
1991.....	503	563	853	1,467	2,237	3,705	5,599	7,111	12,058	10
1990.....	494	620	885	1,562	2,486	3,873	5,782	7,157	11,958	3
1989.....	503	588	920	1,540	2,514	3,845	5,499	6,581	11,533	11
1988.....	546	626	934	1,653	2,675	3,875	5,785	6,846	11,783	6
1987.....	458	598	870	1,588	2,499	3,707	5,210	6,078	10,567	5
1986.....	436	582	956	1,709	2,485	3,762	5,506	6,082	10,697	16
1985.....	427	611	1,002	1,682	2,395	3,726	5,200	5,931	10,352	23
1984.....	366	596	939	1,548	2,124	3,458	4,633	5,182	8,849	11
1983.....	368	591	955	1,512	2,167	3,133	4,165	4,929	8,511	9
1982.....	391	565	971	1,374	1,953	2,870	3,835	4,351	7,363	5
1981.....	417	630	1,102	1,528	2,176	2,960	4,058	4,711	7,699	12
1980.....	466	698	1,070	1,533	2,280	3,066	3,996	4,747	7,806	9
1979.....	396	683	976	1,320	1,976	2,748	3,353	4,049	6,307	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA AND INFLUENZA (480-487)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, FEMALE										
1998.....	381	484	611	958	1,589	3,040	5,423	8,892	28,255	1
1997.....	378	480	626	939	1,503	2,885	5,116	8,282	25,764	2
1996.....	377	414	553	896	1,492	2,940	4,888	8,107	24,831	4
1995.....	333	428	539	837	1,539	2,940	4,921	7,849	24,491	2
1994.....	342	389	509	881	1,593	2,822	4,866	7,948	23,515	4
1993.....	322	397	557	919	1,617	2,777	4,820	7,807	24,268	3
1992.....	267	319	497	850	1,550	2,640	4,426	7,113	21,386	3
1991.....	284	388	497	921	1,588	2,693	4,596	7,289	22,086	4
1990.....	294	343	542	933	1,616	2,690	4,828	7,610	22,485	4
1989.....	279	337	502	918	1,588	2,471	4,676	7,266	21,422	4
1988.....	261	338	578	959	1,563	2,600	4,561	7,289	21,366	5
1987.....	243	327	510	911	1,433	2,387	4,145	6,344	18,172	2
1986.....	269	313	557	922	1,472	2,435	4,229	6,178	17,955	30
1985.....	230	355	548	898	1,320	2,387	4,030	6,135	17,353	28
1984.....	233	294	489	775	1,238	2,158	3,508	5,272	14,327	3
1983.....	209	330	500	776	1,185	1,953	3,250	4,949	13,562	6
1982.....	177	328	504	767	1,069	1,785	2,749	4,192	10,862	11
1981.....	253	377	586	817	1,222	1,991	3,214	4,768	12,236	2
1980.....	228	368	628	813	1,312	2,010	3,270	4,990	12,035	6
1979.....	226	329	483	732	1,018	1,595	2,637	3,956	8,959	-
WHITE, BOTH SEXES										
1998.....	685	885	1,207	1,827	3,164	6,198	10,364	15,562	39,915	1
1997.....	674	917	1,131	1,795	3,127	5,844	9,974	14,707	36,766	2
1996.....	710	779	1,104	1,674	3,067	5,922	9,554	14,207	35,202	7
1995.....	667	801	975	1,705	3,149	5,998	9,583	13,870	34,858	4
1994.....	665	760	983	1,792	3,255	5,845	9,544	13,840	33,855	3
1993.....	573	781	1,022	1,879	3,422	5,805	9,557	13,821	34,657	4
1992.....	568	611	1,011	1,694	3,220	5,512	8,976	12,845	31,048	4
1991.....	534	675	1,023	1,937	3,213	5,586	9,124	13,158	31,854	11
1990.....	554	687	1,097	1,976	3,419	5,737	9,505	13,538	32,233	5
1989.....	516	642	1,059	1,982	3,435	5,459	9,038	12,725	30,815	12
1988.....	493	688	1,131	2,102	3,580	5,669	9,311	13,122	31,310	10
1987.....	455	657	1,065	2,011	3,360	5,380	8,456	11,433	27,021	2
1986.....	472	646	1,176	2,130	3,352	5,445	8,780	11,281	26,943	37
1985.....	438	700	1,201	2,085	3,151	5,381	8,319	11,099	26,181	40
1984.....	400	615	1,111	1,894	2,838	4,917	7,334	9,641	21,902	11
1983.....	390	677	1,124	1,867	2,857	4,460	6,709	9,153	20,947	7
1982.....	342	665	1,135	1,740	2,600	4,051	6,024	7,927	17,272	12
1981.....	439	718	1,292	1,903	2,863	4,366	6,634	8,807	18,937	7
1980.....	447	765	1,291	1,931	2,990	4,464	6,490	9,093	18,751	13
1979.....	424	722	1,132	1,673	2,525	3,821	5,403	7,508	14,472	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA AND INFLUENZA (480-487)	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
WHITE MALE										
1998.....	416	512	725	1,053	1,820	3,554	5,543	7,478	13,659	1
1997.....	419	539	638	1,049	1,877	3,376	5,404	7,156	12,773	2
1996.....	431	472	681	952	1,830	3,369	5,140	6,830	12,062	5
1995.....	437	473	561	1,040	1,849	3,461	5,187	6,718	12,006	2
1994.....	416	465	578	1,075	1,947	3,374	5,137	6,525	11,874	1
1993.....	349	460	585	1,144	2,037	3,437	5,231	6,658	11,907	3
1992.....	370	367	598	1,010	1,935	3,197	4,953	6,305	11,008	2
1991.....	336	395	642	1,180	1,871	3,234	4,994	6,454	11,116	7
1990.....	329	431	674	1,245	2,058	3,366	5,172	6,487	11,070	1
1989.....	317	390	680	1,227	2,084	3,296	4,876	6,012	10,668	9
1988.....	319	428	682	1,318	2,259	3,398	5,176	6,323	11,018	5
1987.....	290	417	653	1,267	2,139	3,243	4,667	5,557	9,823	-
1986.....	284	419	730	1,389	2,100	3,290	4,943	5,559	9,903	10
1985.....	271	435	766	1,357	2,024	3,248	4,677	5,418	9,677	15
1984.....	225	394	722	1,242	1,787	3,016	4,134	4,759	8,276	9
1983.....	241	427	730	1,220	1,837	2,725	3,738	4,505	8,002	4
1982.....	223	412	751	1,099	1,673	2,473	3,507	4,018	6,909	3
1981.....	258	421	826	1,228	1,820	2,579	3,690	4,342	7,224	5
1980.....	288	490	806	1,231	1,875	2,693	3,541	4,397	7,280	8
1979.....	256	479	751	1,062	1,661	2,428	2,992	3,765	5,917	7
WHITE FEMALE										
1998.....	269	373	482	774	1,344	2,644	4,821	8,084	26,256	-
1997.....	255	378	493	746	1,250	2,468	4,570	7,551	23,993	-
1996.....	279	307	423	722	1,237	2,553	4,414	7,377	23,140	2
1995.....	230	328	414	665	1,300	2,537	4,396	7,152	22,852	2
1994.....	249	295	405	717	1,308	2,471	4,407	7,315	21,981	2
1993.....	224	321	437	735	1,385	2,368	4,326	7,163	22,750	1
1992.....	198	244	413	684	1,285	2,315	4,023	6,540	20,040	2
1991.....	198	280	381	757	1,342	2,352	4,130	6,704	20,738	4
1990.....	225	256	423	731	1,361	2,371	4,333	7,051	21,163	4
1989.....	199	252	379	755	1,351	2,163	4,162	6,713	20,147	3
1988.....	174	260	449	784	1,321	2,271	4,135	6,799	20,292	5
1987.....	165	240	412	744	1,221	2,137	3,789	5,876	17,198	2
1986.....	188	227	446	741	1,252	2,155	3,837	5,722	17,040	27
1985.....	167	265	435	728	1,127	2,133	3,642	5,681	16,504	25
1984.....	175	221	389	652	1,051	1,901	3,200	4,882	13,626	2
1983.....	149	250	394	647	1,020	1,735	2,971	4,648	12,945	3
1982.....	119	253	384	641	927	1,578	2,517	3,909	10,363	9
1981.....	181	297	466	675	1,043	1,787	2,944	4,465	11,713	2
1980.....	159	275	485	700	1,115	1,771	2,949	4,696	11,471	5
1979.....	168	243	381	611	864	1,393	2,411	3,743	8,555	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA AND INFLUENZA (480-487)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER, BOTH SEXES										
1998.....	295	302	345	477	652	991	1,353	1,578	3,212	4
1997.....	351	291	351	482	637	927	1,233	1,444	2,902	4
1996.....	319	285	360	475	632	976	1,123	1,471	2,825	3
1995.....	318	293	339	439	639	951	1,140	1,392	2,717	-
1994.....	278	282	314	416	667	835	1,082	1,294	2,545	2
1993.....	288	237	326	477	650	946	1,164	1,317	2,514	7
1992.....	229	237	311	437	648	832	955	1,205	2,248	3
1991.....	253	276	327	451	612	812	1,071	1,242	2,290	3
1990.....	234	276	330	519	683	826	1,105	1,229	2,210	2
1989.....	266	283	363	476	667	857	1,137	1,122	2,140	3
1988.....	314	276	381	510	658	806	1,035	1,013	1,839	1
1987.....	246	268	315	488	572	714	899	989	1,718	5
1986.....	233	249	337	501	605	752	955	979	1,709	9
1985.....	219	266	349	495	564	732	911	967	1,524	11
1984.....	199	275	317	429	524	699	807	813	1,274	3
1983.....	187	244	331	421	495	626	706	725	1,126	8
1982.....	226	228	340	401	422	604	560	616	953	4
1981.....	231	289	396	442	535	585	638	672	998	7
1980.....	247	301	407	415	602	612	776	644	1,090	2
1979.....	198	290	327	379	469	522	587	497	794	3
ALL OTHER MALE										
1998.....	183	191	216	293	407	595	751	770	1,213	3
1997.....	228	189	218	289	384	510	687	713	1,131	2
1996.....	221	178	230	301	377	589	649	741	1,134	1
1995.....	215	193	214	267	400	548	615	695	1,078	-
1994.....	185	188	210	252	382	484	623	661	1,011	-
1993.....	190	161	206	293	418	537	670	673	996	5
1992.....	160	162	227	271	383	507	552	632	902	2
1991.....	167	168	211	287	366	471	605	657	942	3
1990.....	165	189	211	317	428	507	610	670	888	2
1989.....	186	198	240	313	430	549	623	569	865	2
1988.....	227	198	252	335	416	477	609	523	765	1
1987.....	168	181	217	321	360	464	543	521	744	5
1986.....	152	163	226	320	385	472	563	523	794	6
1985.....	156	176	236	325	371	478	523	513	675	8
1984.....	141	202	217	306	337	442	499	423	573	2
1983.....	127	164	225	292	330	408	427	424	509	5
1982.....	168	153	220	275	280	397	328	333	454	2
1981.....	159	209	276	300	356	381	368	369	475	7
1980.....	178	208	264	302	405	373	455	350	526	1
1979.....	140	204	225	258	315	320	361	284	390	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA AND INFLUENZA (480-487)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER FEMALE										
1998.....	112	111	129	184	245	396	602	808	1,999	1
1997.....	123	102	133	193	253	417	546	731	1,771	2
1996.....	98	107	130	174	255	387	474	730	1,691	2
1995.....	103	100	125	172	239	403	525	697	1,639	-
1994.....	93	94	104	164	285	351	459	633	1,534	2
1993.....	98	76	120	184	232	409	494	644	1,518	2
1992.....	69	75	84	166	265	325	403	573	1,346	1
1991.....	86	108	116	164	246	341	466	585	1,348	-
1990.....	69	87	119	202	255	319	495	559	1,322	-
1989.....	80	85	123	163	237	308	514	553	1,275	1
1988.....	87	78	129	175	242	329	426	490	1,074	-
1987.....	78	87	98	167	212	250	356	468	974	-
1986.....	81	86	111	181	220	280	392	456	915	3
1985.....	63	90	113	170	193	254	388	454	849	3
1984.....	58	73	100	123	187	257	308	390	701	1
1983.....	60	80	106	129	165	218	279	301	617	3
1982.....	58	75	120	126	142	207	232	283	499	2
1981.....	72	80	120	142	179	204	270	303	523	-
1980.....	69	93	143	113	197	239	321	294	564	1
1979.....	58	86	102	121	154	202	226	213	404	-
BLACK, BOTH SEXES										
1998.....	267	271	300	428	549	804	1,085	1,260	2,483	4
1997.....	318	245	307	414	531	771	1,010	1,144	2,316	4
1996.....	289	255	329	414	554	802	914	1,170	2,279	3
1995.....	296	254	309	385	550	812	937	1,145	2,161	-
1994.....	264	260	278	371	568	702	911	1,042	2,047	2
1993.....	268	220	295	430	564	788	964	1,086	2,043	7
1992.....	203	219	275	383	572	709	807	1,017	1,833	3
1991.....	232	257	288	404	533	712	910	1,033	1,840	3
1990.....	215	255	303	469	616	744	935	1,036	1,802	2
1989.....	245	257	329	426	600	760	976	941	1,758	3
1988.....	295	253	357	457	595	707	906	879	1,558	1
1987.....	227	246	284	449	537	633	798	854	1,419	5
1986.....	217	235	318	472	562	683	837	852	1,433	6
1985.....	205	254	326	466	515	652	820	824	1,274	10
1984.....	186	259	300	386	477	629	712	697	1,054	3
1983.....	182	231	318	382	451	563	628	626	935	7
1982.....	216	215	318	374	382	546	488	542	786	4
1981.....	221	275	381	414	498	531	569	588	844	7
1980.....	238	275	390	395	561	557	667	570	920	2
1979.....	194	272	309	355	426	484	518	425	678	2

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA AND INFLUENZA (480-487)	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

BLACK MALE

1998.....	167	172	192	267	343	483	599	595	863	3
1997.....	207	162	194	249	320	416	562	530	849	2
1996.....	202	161	209	260	328	480	521	566	862	1
1995.....	202	170	198	234	347	459	495	550	808	-
1994.....	175	173	186	224	331	401	516	510	775	-
1993.....	179	152	188	268	359	439	542	538	750	5
1992.....	142	149	203	240	347	427	452	519	689	2
1991.....	156	158	192	259	317	404	506	516	730	3
1990.....	154	175	194	290	394	451	506	545	699	2
1989.....	170	183	222	288	394	485	514	464	665	2
1988.....	216	185	235	303	379	413	524	442	617	1
1987.....	156	169	196	299	337	408	473	441	609	5
1986.....	143	153	215	301	363	430	480	440	648	5
1985.....	146	171	219	304	338	425	457	416	555	8
1984.....	135	190	207	273	305	395	429	353	468	2
1983.....	125	159	217	268	300	366	376	356	430	4
1982.....	165	145	208	255	253	358	280	290	360	2
1981.....	152	201	269	283	331	341	327	315	391	7
1980.....	175	194	252	287	375	339	382	300	433	1
1979.....	138	190	213	240	286	290	312	244	331	2

BLACK FEMALE

1998.....	100	99	108	161	206	321	486	665	1,620	1
1997.....	111	83	113	165	211	355	448	614	1,467	2
1996.....	87	94	120	154	226	322	393	604	1,417	2
1995.....	94	84	111	151	203	353	442	595	1,353	-
1994.....	89	87	92	147	237	301	395	532	1,272	2
1993.....	89	68	107	162	205	349	422	548	1,293	2
1992.....	61	70	72	143	225	282	355	498	1,144	1
1991.....	76	99	96	145	216	308	404	517	1,110	-
1990.....	61	80	109	179	222	293	429	491	1,103	-
1989.....	75	74	107	138	206	275	462	477	1,093	1
1988.....	79	68	122	154	216	294	382	437	941	-
1987.....	71	77	88	150	200	225	325	413	810	-
1986.....	74	82	103	171	199	253	357	412	785	1
1985.....	59	83	107	162	177	227	363	408	719	2
1984.....	51	69	93	113	172	234	283	344	586	1
1983.....	57	72	101	114	151	197	252	270	505	3
1982.....	51	70	110	119	129	188	208	252	426	2
1981.....	69	74	112	131	167	190	242	273	453	-
1980.....	63	81	138	108	186	218	285	270	487	1
1979.....	56	82	96	115	140	194	206	181	347	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 PNEUMONIA (480-486)										
TOTAL, BOTH SEXES										
1998.....	970	1,176	1,524	2,271	3,759	7,094	11,519	16,825	42,201	5
1997.....	1,021	1,194	1,472	2,256	3,728	6,729	11,142	16,054	39,301	6
1996.....	1,020	1,052	1,443	2,132	3,674	6,839	10,610	15,562	37,664	10
1995.....	980	1,081	1,301	2,126	3,751	6,906	10,666	15,184	37,275	4
1994.....	927	1,026	1,277	2,168	3,870	6,585	10,484	14,933	35,802	5
1993.....	851	1,006	1,329	2,329	4,032	6,677	10,631	14,970	36,639	11
1992.....	790	837	1,305	2,104	3,832	6,260	9,796	13,906	32,804	7
1991.....	773	939	1,332	2,352	3,780	6,306	10,071	14,233	33,603	14
1990.....	777	940	1,391	2,435	4,015	6,404	10,372	14,381	33,399	7
1989.....	769	907	1,403	2,405	4,032	6,214	10,006	13,585	32,164	15
1988.....	793	946	1,486	2,579	4,157	6,364	10,122	13,793	32,110	11
1987.....	696	913	1,365	2,477	3,909	6,053	9,289	12,333	28,425	7
1986.....	687	877	1,493	2,594	3,880	6,065	9,492	11,959	27,733	46
1985.....	646	946	1,516	2,524	3,636	5,978	8,979	11,719	26,637	48
1984.....	590	883	1,404	2,298	3,319	5,533	7,982	10,270	22,673	13
1983.....	570	909	1,425	2,251	3,291	4,964	7,267	9,626	21,358	15
1982.....	562	884	1,462	2,114	2,986	4,605	6,494	8,436	17,877	16
1981.....	653	976	1,628	2,258	3,247	4,703	6,882	8,930	18,563	14
1980.....	683	1,044	1,653	2,280	3,468	4,879	6,943	9,199	18,553	15
1979.....	616	1,008	1,447	2,036	2,956	4,297	5,923	7,903	15,001	10
TOTAL, MALE										
1998.....	593	696	930	1,332	2,202	4,103	6,198	8,118	14,642	4
1997.....	643	725	848	1,327	2,242	3,864	6,061	7,832	13,803	4
1996.....	646	643	898	1,248	2,194	3,933	5,758	7,523	13,099	6
1995.....	651	658	770	1,299	2,234	3,989	5,778	7,376	13,000	2
1994.....	593	644	780	1,308	2,312	3,817	5,697	7,112	12,721	1
1993.....	531	614	784	1,426	2,434	3,939	5,853	7,246	12,777	8
1992.....	527	523	818	1,273	2,304	3,667	5,458	6,880	11,781	4
1991.....	495	556	841	1,450	2,215	3,667	5,542	7,056	11,894	10
1990.....	488	610	869	1,523	2,440	3,797	5,667	7,002	11,646	3
1989.....	495	577	912	1,513	2,474	3,797	5,426	6,486	11,333	11
1988.....	537	617	922	1,638	2,632	3,821	5,689	6,714	11,508	6
1987.....	455	588	864	1,578	2,484	3,683	5,178	6,043	10,477	5
1986.....	425	571	942	1,688	2,447	3,687	5,395	5,952	10,465	16
1985.....	423	601	990	1,655	2,356	3,669	5,092	5,785	10,049	23
1984.....	363	592	928	1,531	2,104	3,429	4,555	5,111	8,700	11
1983.....	365	587	934	1,495	2,139	3,073	4,102	4,828	8,282	9
1982.....	388	558	962	1,361	1,932	2,848	3,787	4,307	7,254	5
1981.....	411	617	1,073	1,488	2,105	2,849	3,881	4,498	7,307	12
1980.....	462	688	1,044	1,501	2,218	2,962	3,858	4,556	7,428	9
1979.....	394	681	972	1,314	1,954	2,722	3,322	4,010	6,238	10

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 PNEUMONIA (480-486)										
TOTAL, FEMALE										
1998.....	377	480	594	939	1,557	2,991	5,321	8,707	27,559	1
1997.....	378	469	624	929	1,486	2,865	5,081	8,222	25,498	2
1996.....	374	409	545	884	1,480	2,906	4,852	8,039	24,565	4
1995.....	329	423	531	827	1,517	2,917	4,888	7,808	24,275	2
1994.....	334	382	497	860	1,558	2,768	4,787	7,821	23,081	4
1993.....	320	392	545	903	1,598	2,738	4,778	7,724	23,862	3
1992.....	263	314	487	831	1,528	2,593	4,338	7,026	21,023	3
1991.....	278	383	491	902	1,565	2,639	4,529	7,177	21,709	4
1990.....	289	330	522	912	1,575	2,607	4,705	7,379	21,753	4
1989.....	274	330	491	892	1,558	2,417	4,580	7,099	20,831	4
1988.....	256	329	564	941	1,525	2,543	4,433	7,079	20,602	5
1987.....	241	325	501	899	1,425	2,370	4,111	6,290	17,948	2
1986.....	262	306	551	906	1,433	2,378	4,097	6,007	17,268	30
1985.....	223	345	526	869	1,280	2,309	3,887	5,934	16,588	25
1984.....	227	291	476	767	1,215	2,104	3,427	5,159	13,973	2
1983.....	205	322	491	756	1,152	1,891	3,165	4,798	13,076	6
1982.....	174	326	500	753	1,054	1,757	2,707	4,129	10,623	11
1981.....	242	359	555	770	1,142	1,854	3,001	4,432	11,256	2
1980.....	221	356	609	779	1,250	1,917	3,085	4,643	11,125	6
1979.....	222	327	475	722	1,002	1,575	2,601	3,893	8,763	-
WHITE, BOTH SEXES										
1998.....	677	874	1,182	1,796	3,111	6,106	10,173	15,254	39,010	1
1997.....	671	905	1,124	1,777	3,093	5,804	9,911	14,615	36,404	2
1996.....	701	770	1,085	1,660	3,043	5,868	9,494	14,095	34,851	7
1995.....	662	790	965	1,688	3,115	5,957	9,531	13,795	34,569	4
1994.....	650	745	965	1,756	3,212	5,756	9,406	13,643	33,273	3
1993.....	564	770	1,006	1,854	3,385	5,738	9,472	13,657	34,140	4
1992.....	565	600	997	1,668	3,190	5,435	8,844	12,706	30,570	4
1991.....	523	664	1,005	1,902	3,169	5,500	9,008	12,999	31,332	11
1990.....	545	668	1,064	1,923	3,339	5,587	9,281	13,164	31,219	5
1989.....	506	626	1,043	1,930	3,373	5,365	8,879	12,469	30,055	12
1988.....	481	672	1,109	2,070	3,504	5,568	9,093	12,791	30,293	10
1987.....	451	645	1,051	1,992	3,339	5,343	8,392	11,348	26,723	2
1986.....	456	629	1,157	2,098	3,280	5,320	8,548	10,996	26,045	37
1985.....	429	684	1,172	2,037	3,078	5,262	8,084	10,764	25,141	37
1984.....	391	608	1,091	1,871	2,798	4,837	7,188	9,464	21,411	10
1983.....	383	667	1,099	1,830	2,803	4,340	6,567	8,909	20,243	7
1982.....	339	657	1,124	1,717	2,567	4,003	5,943	7,823	16,931	12
1981.....	425	691	1,242	1,826	2,733	4,130	6,264	8,289	17,599	7
1980.....	440	747	1,254	1,867	2,874	4,274	6,183	8,564	17,495	13
1979.....	418	719	1,121	1,659	2,497	3,780	5,340	7,414	14,219	7

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 PNEUMONIA (480-486)										
WHITE MALE										
1998.....	411	505	715	1,040	1,796	3,510	5,450	7,351	13,437	1
1997.....	416	536	632	1,041	1,859	3,355	5,376	7,119	12,673	2
1996.....	425	467	670	949	1,818	3,345	5,112	6,783	11,971	5
1995.....	436	465	556	1,033	1,836	3,443	5,165	6,683	11,924	2
1994.....	408	456	571	1,058	1,932	3,335	5,077	6,452	11,715	1
1993.....	341	453	578	1,134	2,018	3,404	5,187	6,575	11,787	3
1992.....	369	361	593	1,002	1,925	3,163	4,908	6,250	10,883	2
1991.....	331	388	630	1,164	1,849	3,200	4,941	6,401	10,957	7
1990.....	323	425	658	1,210	2,017	3,296	5,065	6,339	10,766	1
1989.....	310	381	674	1,201	2,049	3,253	4,808	5,918	10,478	9
1988.....	312	421	671	1,303	2,218	3,347	5,083	6,198	10,747	5
1987.....	288	407	648	1,257	2,125	3,221	4,636	5,524	9,737	-
1986.....	273	409	716	1,372	2,064	3,219	4,836	5,436	9,676	10
1985.....	267	428	756	1,335	1,987	3,200	4,577	5,280	9,387	15
1984.....	222	390	712	1,227	1,770	2,987	4,063	4,692	8,135	9
1983.....	238	424	712	1,203	1,812	2,666	3,678	4,408	7,777	4
1982.....	221	406	743	1,088	1,655	2,451	3,465	3,976	6,804	3
1981.....	252	411	802	1,191	1,761	2,474	3,520	4,139	6,845	5
1980.....	287	482	782	1,200	1,817	2,594	3,409	4,208	6,908	8
1979.....	254	478	747	1,057	1,646	2,404	2,963	3,731	5,852	7
WHITE FEMALE										
1998.....	266	369	467	756	1,315	2,596	4,723	7,903	25,573	-
1997.....	255	369	492	736	1,234	2,449	4,535	7,496	23,731	-
1996.....	276	303	415	711	1,225	2,523	4,382	7,312	22,880	2
1995.....	226	325	409	655	1,279	2,514	4,366	7,112	22,645	2
1994.....	242	289	394	698	1,280	2,421	4,329	7,191	21,558	2
1993.....	223	317	428	720	1,367	2,334	4,285	7,082	22,353	1
1992.....	196	239	404	666	1,265	2,272	3,936	6,456	19,687	2
1991.....	192	276	375	738	1,320	2,300	4,067	6,598	20,375	4
1990.....	222	243	406	713	1,322	2,291	4,216	6,825	20,453	4
1989.....	196	245	369	729	1,324	2,112	4,071	6,551	19,577	3
1988.....	169	251	438	767	1,286	2,221	4,010	6,593	19,546	5
1987.....	163	238	403	735	1,214	2,122	3,756	5,824	16,986	2
1986.....	183	220	441	726	1,216	2,101	3,712	5,560	16,369	27
1985.....	162	256	416	702	1,091	2,062	3,507	5,484	15,754	22
1984.....	169	218	379	644	1,028	1,850	3,125	4,772	13,276	1
1983.....	145	243	387	627	991	1,674	2,889	4,501	12,466	3
1982.....	118	251	381	629	912	1,552	2,478	3,847	10,127	9
1981.....	173	280	440	635	972	1,656	2,744	4,150	10,754	2
1980.....	153	265	472	667	1,057	1,680	2,774	4,356	10,587	5
1979.....	164	241	374	602	851	1,376	2,377	3,683	8,367	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 PNEUMONIA (480-486)										
ALL OTHER, BOTH SEXES										
1998.....	293	302	342	475	648	988	1,346	1,571	3,191	4
1997.....	350	289	348	479	635	925	1,231	1,439	2,897	4
1996.....	319	282	358	472	631	971	1,116	1,467	2,813	3
1995.....	318	291	336	438	636	949	1,135	1,389	2,706	-
1994.....	277	281	312	412	658	829	1,078	1,290	2,529	2
1993.....	287	236	323	475	647	939	1,159	1,313	2,499	7
1992.....	225	237	308	436	642	825	952	1,200	2,234	3
1991.....	250	275	327	450	611	806	1,063	1,234	2,271	3
1990.....	232	272	327	512	676	817	1,091	1,217	2,180	2
1989.....	263	281	360	475	659	849	1,127	1,116	2,109	3
1988.....	312	274	377	509	653	796	1,029	1,002	1,817	1
1987.....	245	268	314	485	570	710	897	985	1,702	5
1986.....	231	248	336	496	600	745	944	963	1,688	9
1985.....	217	262	344	487	558	716	895	955	1,496	11
1984.....	199	275	313	427	521	696	794	806	1,262	3
1983.....	187	242	326	421	488	624	700	717	1,115	8
1982.....	223	227	338	397	419	602	551	613	946	4
1981.....	228	285	386	432	514	573	618	641	964	7
1980.....	243	297	399	413	594	605	760	635	1,058	2
1979.....	198	289	326	377	459	517	583	489	782	3
ALL OTHER MALE										
1998.....	182	191	215	292	406	593	748	767	1,205	3
1997.....	227	189	216	286	383	509	685	713	1,130	2
1996.....	221	176	228	299	376	588	646	740	1,128	1
1995.....	215	193	214	266	398	546	613	693	1,076	-
1994.....	185	188	209	250	380	482	620	660	1,006	-
1993.....	190	161	206	292	416	535	666	671	990	5
1992.....	158	162	225	271	379	504	550	630	898	2
1991.....	164	168	211	286	366	467	601	655	937	3
1990.....	165	185	211	313	423	501	602	663	880	2
1989.....	185	196	238	312	425	544	618	568	855	2
1988.....	225	196	251	335	414	474	606	516	761	1
1987.....	167	181	216	321	359	462	542	519	740	5
1986.....	152	162	226	316	383	468	559	516	789	6
1985.....	156	173	234	320	369	469	515	505	662	8
1984.....	141	202	216	304	334	442	492	419	565	2
1983.....	127	163	222	292	327	407	424	420	505	5
1982.....	167	152	219	273	277	397	322	331	450	2
1981.....	159	206	271	297	344	375	361	359	462	7
1980.....	175	206	262	301	401	368	449	348	520	1
1979.....	140	203	225	257	308	318	359	279	386	3

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 PNEUMONIA (480-486)										
ALL OTHER FEMALE										
1998.....	111	111	127	183	242	395	598	804	1,986	1
1997.....	123	100	132	193	252	416	546	726	1,767	2
1996.....	98	106	130	173	255	383	470	727	1,685	2
1995.....	103	98	122	172	238	403	522	696	1,630	-
1994.....	92	93	103	162	278	347	458	630	1,523	2
1993.....	97	75	117	183	231	404	493	642	1,509	2
1992.....	67	75	83	165	263	321	402	570	1,336	1
1991.....	86	107	116	164	245	339	462	579	1,334	-
1990.....	67	87	116	199	253	316	489	554	1,300	-
1989.....	78	85	122	163	234	305	509	548	1,254	1
1988.....	87	78	126	174	239	322	423	486	1,056	-
1987.....	78	87	98	164	211	248	355	466	962	-
1986.....	79	86	110	180	217	277	385	447	899	3
1985.....	61	89	110	167	189	247	380	450	834	3
1984.....	58	73	97	123	187	254	302	387	697	1
1983.....	60	79	104	129	161	217	276	297	610	3
1982.....	56	75	119	124	142	205	229	282	496	2
1981.....	69	79	115	135	170	198	257	282	502	-
1980.....	68	91	137	112	193	237	311	287	538	1
1979.....	58	86	101	120	151	199	224	210	396	-
BLACK, BOTH SEXES										
1998.....	266	271	298	427	546	802	1,081	1,257	2,472	4
1997.....	317	245	306	412	529	769	1,009	1,140	2,313	4
1996.....	289	253	328	411	553	798	912	1,167	2,269	3
1995.....	296	252	306	384	548	810	934	1,143	2,154	-
1994.....	263	259	278	367	562	696	907	1,039	2,037	2
1993.....	267	219	292	428	561	784	959	1,082	2,029	7
1992.....	199	219	273	382	568	703	805	1,014	1,822	3
1991.....	229	256	288	403	532	708	903	1,027	1,826	3
1990.....	214	252	301	462	610	736	921	1,024	1,776	2
1989.....	242	255	327	425	595	754	969	936	1,735	3
1988.....	293	251	354	456	592	697	900	870	1,539	1
1987.....	226	246	283	446	535	630	796	852	1,413	5
1986.....	215	234	317	467	558	678	829	838	1,417	6
1985.....	203	251	321	458	509	639	806	813	1,254	10
1984.....	186	259	296	384	474	627	701	692	1,046	3
1983.....	182	229	316	382	445	561	625	619	927	7
1982.....	214	214	317	370	379	546	482	540	783	4
1981.....	218	272	371	405	477	521	553	560	816	7
1980.....	234	273	382	394	553	551	652	564	898	2
1979.....	194	271	308	354	418	479	515	419	670	2

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED

0 PNEUMONIA (480-486)

BLACK MALE

1998.....	166	172	191	266	343	481	598	594	861	3
1997.....	206	162	194	247	319	415	561	530	849	2
1996.....	202	159	208	258	327	480	520	566	858	1
1995.....	202	170	198	233	346	457	494	548	808	-
1994.....	175	173	186	222	329	399	513	510	772	-
1993.....	179	152	188	267	357	437	538	536	744	5
1992.....	140	149	201	240	345	424	451	519	686	2
1991.....	153	158	192	258	317	402	503	514	727	3
1990.....	154	172	194	286	390	445	498	538	691	2
1989.....	169	181	221	287	390	480	511	464	659	2
1988.....	214	183	235	303	377	410	521	436	615	1
1987.....	155	169	195	299	336	407	472	440	607	5
1986.....	143	152	215	297	361	428	477	434	646	5
1985.....	146	169	217	299	336	417	450	409	545	8
1984.....	135	190	206	271	302	395	423	350	463	2
1983.....	125	158	215	268	297	365	375	353	426	4
1982.....	164	144	207	253	250	358	276	289	359	2
1981.....	152	198	264	280	319	337	320	305	381	7
1980.....	172	192	250	286	371	335	376	299	429	1
1979.....	138	189	213	239	280	288	311	240	330	2

BLACK FEMALE

1998.....	100	99	107	161	203	321	483	663	1,611	1
1997.....	111	83	112	165	210	354	448	610	1,464	2
1996.....	87	94	120	153	226	318	392	601	1,411	2
1995.....	94	82	108	151	202	353	440	595	1,346	-
1994.....	88	86	92	145	233	297	394	529	1,265	2
1993.....	88	67	104	161	204	347	421	546	1,285	2
1992.....	59	70	72	142	223	279	354	495	1,136	1
1991.....	76	98	96	145	215	306	400	513	1,099	-
1990.....	60	80	107	176	220	291	423	486	1,085	-
1989.....	73	74	106	138	205	274	458	472	1,076	1
1988.....	79	68	119	153	215	287	379	434	924	-
1987.....	71	77	88	147	199	223	324	412	806	-
1986.....	72	82	102	170	197	250	352	404	771	1
1985.....	57	82	104	159	173	222	356	404	709	2
1984.....	51	69	90	113	172	232	278	342	583	1
1983.....	57	71	101	114	148	196	250	266	501	3
1982.....	50	70	110	117	129	188	206	251	424	2
1981.....	66	74	107	125	158	184	233	255	435	-
1980.....	62	81	132	108	182	216	276	265	469	1
1979.....	56	82	95	115	138	191	204	179	340	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 INFLUENZA (487)										
TOTAL, BOTH SEXES										
1998.....	10	11	28	33	57	95	198	315	926	-
1997.....	4	14	10	21	36	42	65	97	367	-
1996.....	9	12	21	17	25	59	67	116	363	-
1995.....	5	13	13	18	37	43	57	78	300	-
1994.....	16	16	20	40	52	95	142	201	598	-
1993.....	10	12	19	27	40	74	90	168	532	-
1992.....	7	11	17	27	36	84	135	144	492	-
1991.....	14	12	18	36	45	92	124	167	541	-
1990.....	11	23	36	60	87	159	238	386	1,044	-
1989.....	13	18	19	53	70	102	169	262	791	-
1988.....	14	18	26	33	81	111	224	342	1,039	-
1987.....	5	12	15	22	23	41	66	89	314	-
1986.....	18	18	20	37	77	132	243	301	919	-
1985.....	11	20	34	56	79	135	251	347	1,068	3
1984.....	9	7	24	25	43	83	159	184	503	1
1983.....	7	12	30	37	61	122	148	252	715	-
1982.....	6	9	13	27	36	50	90	107	348	-
1981.....	17	31	60	87	151	248	390	549	1,372	-
1980.....	11	22	45	66	124	197	323	538	1,288	-
1979.....	6	4	12	16	38	46	67	102	265	-
TOTAL, MALE										
1998.....	6	7	11	14	25	46	96	130	230	-
1997.....	4	3	8	11	19	22	30	37	101	-
1996.....	6	7	13	5	13	25	31	48	97	-
1995.....	1	8	5	8	15	20	24	37	84	-
1994.....	8	9	8	19	17	41	63	74	164	-
1993.....	8	7	7	11	21	35	48	85	126	-
1992.....	3	6	7	8	14	37	47	57	129	-
1991.....	8	7	12	17	22	38	57	55	164	-
1990.....	6	10	16	39	46	76	115	155	312	-
1989.....	8	11	8	27	40	48	73	95	200	-
1988.....	9	9	12	15	43	54	96	132	275	-
1987.....	3	10	6	10	15	24	32	35	90	-
1986.....	11	11	14	21	38	75	111	130	232	-
1985.....	4	10	12	27	39	57	108	146	303	-
1984.....	3	4	11	17	20	29	78	71	149	-
1983.....	3	4	21	17	28	60	63	101	229	-
1982.....	3	7	9	13	21	22	48	44	109	-
1981.....	6	13	29	40	71	111	177	213	392	-
1980.....	4	10	26	32	62	104	138	191	378	-
1979.....	2	2	4	6	22	26	31	39	69	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 INFLUENZA (487)										
TOTAL, FEMALE										
1998.....	4	4	17	19	32	49	102	185	696	-
1997.....	-	11	2	10	17	20	35	60	266	-
1996.....	3	5	8	12	12	34	36	68	266	-
1995.....	4	5	8	10	22	23	33	41	216	-
1994.....	8	7	12	21	35	54	79	127	434	-
1993.....	2	5	12	16	19	39	42	83	406	-
1992.....	4	5	10	19	22	47	88	87	363	-
1991.....	6	5	6	19	23	54	67	112	377	-
1990.....	5	13	20	21	41	83	123	231	732	-
1989.....	5	7	11	26	30	54	96	167	591	-
1988.....	5	9	14	18	38	57	128	210	764	-
1987.....	2	2	9	12	8	17	34	54	224	-
1986.....	7	7	6	16	39	57	132	171	687	-
1985.....	7	10	22	29	40	78	143	201	765	3
1984.....	6	3	13	8	23	54	81	113	354	1
1983.....	4	8	9	20	33	62	85	151	486	-
1982.....	3	2	4	14	15	28	42	63	239	-
1981.....	11	18	31	47	80	137	213	336	980	-
1980.....	7	12	19	34	62	93	185	347	910	-
1979.....	4	2	8	10	16	20	36	63	196	-
WHITE, BOTH SEXES										
1998.....	8	11	25	31	53	92	191	308	905	-
1997.....	3	12	7	18	34	40	63	92	362	-
1996.....	9	9	19	14	24	54	60	112	351	-
1995.....	5	11	10	17	34	41	52	75	289	-
1994.....	15	15	18	36	43	89	138	197	582	-
1993.....	9	11	16	25	37	67	85	164	517	-
1992.....	3	11	14	26	30	77	132	139	478	-
1991.....	11	11	18	35	44	86	116	159	522	-
1990.....	9	19	33	53	80	150	224	374	1,014	-
1989.....	10	16	16	52	62	94	159	256	760	-
1988.....	12	16	22	32	76	101	218	331	1,017	-
1987.....	4	12	14	19	21	37	64	85	298	-
1986.....	16	17	19	32	72	125	232	285	898	-
1985.....	9	16	29	48	73	119	235	335	1,040	3
1984.....	9	7	20	23	40	80	146	177	491	1
1983.....	7	10	25	37	54	120	142	244	704	-
1982.....	3	8	11	23	33	48	81	104	341	-
1981.....	14	27	50	77	130	236	370	518	1,338	-
1980.....	7	18	37	64	116	190	307	529	1,256	-
1979.....	6	3	11	14	28	41	63	94	253	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 INFLUENZA (487)

WHITE MALE

1998.....	5	7	10	13	24	44	93	127	222	-
1997.....	3	3	6	8	18	21	28	37	100	-
1996.....	6	5	11	3	12	24	28	47	91	-
1995.....	1	8	5	7	13	18	22	35	82	-
1994.....	8	9	7	17	15	39	60	73	159	-
1993.....	8	7	7	10	19	33	44	83	120	-
1992.....	1	6	5	8	10	34	45	55	125	-
1991.....	5	7	12	16	22	34	53	53	159	-
1990.....	6	6	16	35	41	70	107	148	304	-
1989.....	7	9	6	26	35	43	68	94	190	-
1988.....	7	7	11	15	41	51	93	125	271	-
1987.....	2	10	5	10	14	22	31	33	86	-
1986.....	11	10	14	17	36	71	107	123	227	-
1985.....	4	7	10	22	37	48	100	138	290	-
1984.....	3	4	10	15	17	29	71	67	141	-
1983.....	3	3	18	17	25	59	60	97	225	-
1982.....	2	6	8	11	18	22	42	42	105	-
1981.....	6	10	24	37	59	105	170	203	379	-
1980.....	1	8	24	31	58	99	132	189	372	-
1979.....	2	1	4	5	15	24	29	34	65	-

WHITE FEMALE

1998.....	3	4	15	18	29	48	98	181	683	-
1997.....	-	9	1	10	16	19	35	55	262	-
1996.....	3	4	8	11	12	30	32	65	260	-
1995.....	4	3	5	10	21	23	30	40	207	-
1994.....	7	6	11	19	28	50	78	124	423	-
1993.....	1	4	9	15	18	34	41	81	397	-
1992.....	2	5	9	18	20	43	87	84	353	-
1991.....	6	4	6	19	22	52	63	106	363	-
1990.....	3	13	17	18	39	80	117	226	710	-
1989.....	3	7	10	26	27	51	91	162	570	-
1988.....	5	9	11	17	35	50	125	206	746	-
1987.....	2	2	9	9	7	15	33	52	212	-
1986.....	5	7	5	15	36	54	125	162	671	-
1985.....	5	9	19	26	36	71	135	197	750	3
1984.....	6	3	10	8	23	51	75	110	350	1
1983.....	4	7	7	20	29	61	82	147	479	-
1982.....	1	2	3	12	15	26	39	62	236	-
1981.....	8	17	26	40	71	131	200	315	959	-
1980.....	6	10	13	33	58	91	175	340	884	-
1979.....	4	2	7	9	13	17	34	60	188	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 INFLUENZA (487)										
ALL OTHER, BOTH SEXES										
1998.....	2	-	3	2	4	3	7	7	21	-
1997.....	1	2	3	3	2	2	2	5	5	-
1996.....	-	3	2	3	1	5	7	4	12	-
1995.....	-	2	3	1	3	2	5	3	11	-
1994.....	1	1	2	4	9	6	4	4	16	-
1993.....	1	1	3	2	3	7	5	4	15	-
1992.....	4	-	3	1	6	7	3	5	14	-
1991.....	3	1	-	1	1	6	8	8	19	-
1990.....	2	4	3	7	7	9	14	12	30	-
1989.....	3	2	3	1	8	8	10	6	31	-
1988.....	2	2	4	1	5	10	6	11	22	-
1987.....	1	-	1	3	2	4	2	4	16	-
1986.....	2	1	1	5	5	7	11	16	21	-
1985.....	2	4	5	8	6	16	16	12	28	-
1984.....	-	-	4	2	3	3	13	7	12	-
1983.....	-	2	5	-	7	2	6	8	11	-
1982.....	3	1	2	4	3	2	9	3	7	-
1981.....	3	4	10	10	21	12	20	31	34	-
1980.....	4	4	8	2	8	7	16	9	32	-
1979.....	-	1	1	2	10	5	4	8	12	-
ALL OTHER MALE										
1998.....	1	-	1	1	1	2	3	3	8	-
1997.....	1	-	2	3	1	1	2	-	1	-
1996.....	-	2	2	2	1	1	3	1	6	-
1995.....	-	-	-	1	2	2	2	2	2	-
1994.....	-	-	1	2	2	2	3	1	5	-
1993.....	-	-	-	1	2	2	4	2	6	-
1992.....	2	-	2	-	4	3	2	2	4	-
1991.....	3	-	-	1	-	4	4	2	5	-
1990.....	-	4	-	4	5	6	8	7	8	-
1989.....	1	2	2	1	5	5	5	1	10	-
1988.....	2	2	1	-	2	3	3	7	4	-
1987.....	1	-	1	-	1	2	1	2	4	-
1986.....	-	1	-	4	2	4	4	7	5	-
1985.....	-	3	2	5	2	9	8	8	13	-
1984.....	-	-	1	2	3	-	7	4	8	-
1983.....	-	1	3	-	3	1	3	4	4	-
1982.....	1	1	1	2	3	-	6	2	4	-
1981.....	-	3	5	3	12	6	7	10	13	-
1980.....	3	2	2	1	4	5	6	2	6	-
1979.....	-	1	-	1	7	2	2	5	4	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 INFLUENZA (487)										
ALL OTHER FEMALE										
1998.....	1	-	2	1	3	1	4	4	13	-
1997.....	-	2	1	-	1	1	-	5	4	-
1996.....	-	1	-	1	-	4	4	3	6	-
1995.....	-	2	3	-	1	-	3	1	9	-
1994.....	1	1	1	2	7	4	1	3	11	-
1993.....	1	1	3	1	1	5	1	2	9	-
1992.....	2	-	1	1	2	4	1	3	10	-
1991.....	-	1	-	-	1	2	4	6	14	-
1990.....	2	-	3	3	2	3	6	5	22	-
1989.....	2	-	1	-	3	3	5	5	21	-
1988.....	-	-	3	1	3	7	3	4	18	-
1987.....	-	-	-	3	1	2	1	2	12	-
1986.....	2	-	1	1	3	3	7	9	16	-
1985.....	2	1	3	3	4	7	8	4	15	-
1984.....	-	-	3	-	-	3	6	3	4	-
1983.....	-	1	2	-	4	1	3	4	7	-
1982.....	2	-	1	2	-	2	3	1	3	-
1981.....	3	1	5	7	9	6	13	21	21	-
1980.....	1	2	6	1	4	2	10	7	26	-
1979.....	-	-	1	1	3	3	2	3	8	-
BLACK, BOTH SEXES										
1998.....	1	-	2	1	3	2	4	3	11	-
1997.....	1	-	1	2	2	2	1	4	3	-
1996.....	-	2	1	3	1	4	2	3	10	-
1995.....	-	2	3	1	2	2	3	2	7	-
1994.....	1	1	-	4	6	4	4	3	10	-
1993.....	1	1	3	2	3	4	5	4	14	-
1992.....	4	-	2	1	4	6	2	3	11	-
1991.....	3	1	-	1	1	4	7	6	14	-
1990.....	1	3	2	7	6	8	14	12	26	-
1989.....	3	2	2	1	5	6	7	5	23	-
1988.....	2	2	3	1	3	10	6	9	19	-
1987.....	1	-	1	3	2	3	2	2	6	-
1986.....	2	1	1	5	4	5	8	14	16	-
1985.....	2	3	5	8	6	13	14	11	20	-
1984.....	-	-	4	2	3	2	11	5	8	-
1983.....	-	2	2	-	6	2	3	7	8	-
1982.....	2	1	1	4	3	-	6	2	3	-
1981.....	3	3	10	9	21	10	16	28	28	-
1980.....	4	2	8	1	8	6	15	6	22	-
1979.....	-	1	1	1	8	5	3	6	8	-

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
0 INFLUENZA (487)

BLACK MALE

1998.....	1	-	1	1	-	2	1	1	2	-
1997.....	1	-	-	2	1	1	1	-	-	-
1996.....	-	2	1	2	1	-	1	-	4	-
1995.....	-	-	-	1	1	2	1	2	-	-
1994.....	-	-	-	2	2	2	3	-	3	-
1993.....	-	-	-	1	2	2	4	2	6	-
1992.....	2	-	2	-	2	3	1	-	3	-
1991.....	3	-	-	1	-	2	3	2	3	-
1990.....	-	3	-	4	4	6	8	7	8	-
1989.....	1	2	1	1	4	5	3	-	6	-
1988.....	2	2	-	-	2	3	3	6	2	-
1987.....	1	-	1	-	1	1	1	1	2	-
1986.....	-	1	-	4	2	2	3	6	2	-
1985.....	-	2	2	5	2	8	7	7	10	-
1984.....	-	-	1	2	3	-	6	3	5	-
1983.....	-	1	2	-	3	1	1	3	4	-
1982.....	1	1	1	2	3	-	4	1	1	-
1981.....	-	3	5	3	12	4	7	10	10	-
1980.....	3	2	2	1	4	4	6	1	4	-
1979.....	-	1	-	1	6	2	1	4	1	-

BLACK FEMALE

1998.....	-	-	1	-	3	-	3	2	9	-
1997.....	-	-	1	-	1	1	-	4	3	-
1996.....	-	-	-	1	-	4	1	3	6	-
1995.....	-	2	3	-	1	-	2	-	7	-
1994.....	1	1	-	2	4	4	1	3	7	-
1993.....	1	1	3	1	1	2	1	2	8	-
1992.....	2	-	-	1	2	3	1	3	8	-
1991.....	-	1	-	-	1	2	4	4	11	-
1990.....	1	-	2	3	2	2	6	5	18	-
1989.....	2	-	1	-	1	1	4	5	17	-
1988.....	-	-	3	1	1	7	3	3	17	-
1987.....	-	-	-	3	1	2	1	1	4	-
1986.....	2	-	1	1	2	3	5	8	14	-
1985.....	2	1	3	3	4	5	7	4	10	-
1984.....	-	-	3	-	-	2	5	2	3	-
1983.....	-	1	-	-	3	1	2	4	4	-
1982.....	1	-	-	2	-	-	2	1	2	-
1981.....	3	-	5	6	9	6	9	18	18	-
1980.....	1	-	6	-	4	2	9	5	18	-
1979.....	-	-	1	-	2	3	2	2	7	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
TOTAL, BOTH SEXES										
1998.....	940	1,888	3,512	6,650	12,120	18,982	22,622	21,096	23,076	7
1997.....	968	1,870	3,441	6,668	12,212	18,357	21,792	20,298	21,752	7
1996.....	970	1,831	3,475	6,571	12,064	18,107	21,420	19,532	20,347	13
1995.....	932	1,824	3,439	6,549	12,161	17,957	20,498	18,713	19,149	3
1994.....	899	1,777	3,446	6,889	12,654	18,000	20,270	18,176	17,948	11
1993.....	837	1,657	3,472	7,199	12,954	18,314	20,351	17,949	16,857	10
1992.....	750	1,524	3,343	6,755	12,019	16,686	18,817	15,656	15,004	8
1991.....	779	1,558	3,297	7,135	12,140	16,421	18,445	15,283	14,123	10
1990.....	753	1,524	3,351	6,977	11,830	15,688	17,833	14,312	13,092	8
1989.....	713	1,570	3,643	7,105	11,548	15,517	17,167	13,460	12,273	6
1988.....	734	1,525	3,498	7,161	11,520	15,665	16,618	13,188	11,623	11
1987.....	654	1,491	3,402	7,046	10,931	14,776	15,694	12,244	10,806	9
1986.....	671	1,564	3,532	6,953	10,975	14,891	15,289	11,419	10,075	10
1985.....	679	1,615	3,642	6,965	10,844	14,305	14,701	11,039	9,745	17
1984.....	618	1,507	3,606	6,665	10,155	13,513	13,421	9,845	8,686	8
1983.....	656	1,571	3,577	6,408	10,142	12,923	12,668	9,239	7,938	16
1982.....	605	1,523	3,326	5,899	9,348	11,837	11,299	8,165	6,776	13
1981.....	650	1,596	3,394	6,097	9,401	11,683	10,808	7,719	6,474	7
1980.....	678	1,559	3,330	5,947	9,121	10,989	10,107	7,233	6,137	6
1979.....	597	1,539	3,047	5,579	8,180	9,766	8,802	6,443	5,058	5
TOTAL, MALE										
1998.....	467	913	1,827	3,530	6,458	10,139	11,824	10,626	10,329	7
1997.....	495	948	1,770	3,477	6,656	9,987	11,408	10,330	10,038	5
1996.....	484	929	1,790	3,512	6,528	9,506	11,348	10,134	9,399	7
1995.....	464	897	1,766	3,546	6,613	9,809	11,090	9,800	9,113	3
1994.....	446	907	1,824	3,753	6,866	9,881	10,919	9,706	8,573	9
1993.....	436	892	1,828	3,943	7,111	10,054	11,220	9,762	8,357	6
1992.....	377	792	1,836	3,746	6,788	9,441	10,507	8,673	7,552	7
1991.....	411	754	1,770	3,939	6,905	9,330	10,529	8,731	7,319	8
1990.....	401	752	1,859	3,973	6,899	9,233	10,469	8,254	6,857	8
1989.....	340	801	1,999	3,998	6,797	8,965	10,137	7,821	6,584	4
1988.....	378	824	1,946	4,217	6,931	9,429	10,093	7,999	6,409	7
1987.....	307	789	1,913	4,213	6,594	9,072	9,870	7,581	5,968	6
1986.....	370	849	2,042	4,157	6,747	9,390	9,742	7,254	5,858	6
1985.....	345	886	2,097	4,213	6,806	9,256	9,499	7,133	5,769	13
1984.....	325	874	2,145	4,168	6,397	8,874	8,927	6,513	5,224	4
1983.....	338	883	2,203	4,040	6,537	8,635	8,733	6,251	4,911	13
1982.....	306	896	2,029	3,819	6,202	8,036	7,956	5,616	4,253	10
1981.....	347	957	2,132	3,981	6,359	8,182	7,727	5,326	4,210	4
1980.....	385	945	2,127	3,958	6,346	7,842	7,421	5,118	3,976	3
1979.....	364	926	1,989	3,776	5,869	7,208	6,520	4,772	3,380	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
TOTAL, FEMALE										
1998.....	473	975	1,685	3,120	5,662	8,843	10,798	10,470	12,747	-
1997.....	473	922	1,671	3,191	5,556	8,370	10,384	9,968	11,714	2
1996.....	486	902	1,685	3,059	5,536	8,601	10,072	9,398	10,948	6
1995.....	468	927	1,673	3,003	5,548	8,148	9,408	8,913	10,036	-
1994.....	453	870	1,622	3,136	5,788	8,119	9,351	8,470	9,375	2
1993.....	401	765	1,644	3,256	5,843	8,260	9,131	8,187	8,500	4
1992.....	373	732	1,507	3,009	5,231	7,245	8,310	6,983	7,452	1
1991.....	368	804	1,527	3,196	5,235	7,091	7,916	6,552	6,804	2
1990.....	352	772	1,492	3,004	4,931	6,455	7,364	6,058	6,235	-
1989.....	373	769	1,644	3,107	4,751	6,552	7,030	5,639	5,689	2
1988.....	356	701	1,552	2,944	4,589	6,236	6,525	5,189	5,214	4
1987.....	347	702	1,489	2,833	4,337	5,704	5,824	4,663	4,838	3
1986.....	301	715	1,490	2,796	4,228	5,501	5,547	4,165	4,217	4
1985.....	334	729	1,545	2,752	4,038	5,049	5,202	3,906	3,976	4
1984.....	293	633	1,461	2,497	3,758	4,639	4,494	3,332	3,462	4
1983.....	318	688	1,374	2,368	3,605	4,288	3,935	2,988	3,027	3
1982.....	299	627	1,297	2,080	3,146	3,801	3,343	2,549	2,523	3
1981.....	303	639	1,262	2,116	3,042	3,501	3,081	2,393	2,264	3
1980.....	293	614	1,203	1,989	2,775	3,147	2,686	2,115	2,161	3
1979.....	233	613	1,058	1,803	2,311	2,558	2,282	1,671	1,678	1
WHITE, BOTH SEXES										
1998.....	672	1,559	3,042	5,986	11,141	17,650	21,196	20,036	21,776	7
1997.....	726	1,575	3,000	5,970	11,175	17,095	20,496	19,172	20,532	5
1996.....	723	1,550	3,008	5,884	11,088	16,847	20,124	18,486	19,166	9
1995.....	694	1,525	2,985	5,882	11,173	16,709	19,310	17,688	18,074	3
1994.....	690	1,481	3,006	6,234	11,649	16,763	19,133	17,205	16,980	5
1993.....	629	1,404	3,040	6,503	11,959	17,052	19,211	16,941	15,994	8
1992.....	572	1,280	2,915	6,120	11,043	15,595	17,793	14,855	14,197	7
1991.....	579	1,283	2,896	6,446	11,160	15,336	17,448	14,502	13,408	5
1990.....	548	1,276	2,922	6,314	10,895	14,685	16,791	13,523	12,408	5
1989.....	571	1,286	3,199	6,423	10,579	14,485	16,124	12,742	11,640	5
1988.....	562	1,261	3,074	6,460	10,623	14,636	15,674	12,514	11,065	8
1987.....	507	1,239	3,011	6,401	10,091	13,827	14,876	11,614	10,242	7
1986.....	519	1,318	3,101	6,311	10,163	13,965	14,513	10,863	9,595	9
1985.....	535	1,372	3,213	6,337	10,051	13,501	13,908	10,491	9,312	10
1984.....	474	1,278	3,224	6,072	9,482	12,685	12,784	9,307	8,276	4
1983.....	518	1,374	3,182	5,812	9,476	12,228	12,086	8,773	7,555	12
1982.....	477	1,303	2,944	5,430	8,751	11,167	10,776	7,833	6,502	11
1981.....	530	1,371	3,053	5,611	8,788	11,075	10,289	7,357	6,230	6
1980.....	556	1,346	2,976	5,476	8,556	10,404	9,637	6,954	5,871	6
1979.....	475	1,344	2,737	5,180	7,657	9,266	8,356	6,209	4,835	3

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
WHITE MALE										
1998.....	340	754	1,564	3,145	5,886	9,357	10,976	9,977	9,643	7
1997.....	377	793	1,525	3,091	6,023	9,228	10,615	9,622	9,377	4
1996.....	365	793	1,528	3,107	5,952	8,768	10,538	9,477	8,802	4
1995.....	334	749	1,535	3,134	6,016	9,016	10,372	9,181	8,489	3
1994.....	339	759	1,594	3,365	6,271	9,075	10,199	9,095	8,036	3
1993.....	337	752	1,582	3,520	6,500	9,250	10,470	9,107	7,843	5
1992.....	294	667	1,587	3,348	6,191	8,730	9,835	8,153	7,081	6
1991.....	307	609	1,525	3,536	6,279	8,629	9,853	8,209	6,896	4
1990.....	296	616	1,603	3,572	6,294	8,539	9,741	7,703	6,436	5
1989.....	268	639	1,748	3,594	6,160	8,271	9,396	7,353	6,187	3
1988.....	291	671	1,695	3,778	6,320	8,692	9,391	7,508	6,060	5
1987.....	229	652	1,682	3,803	6,015	8,398	9,289	7,150	5,617	5
1986.....	294	690	1,775	3,734	6,176	8,718	9,149	6,862	5,531	5
1985.....	259	745	1,834	3,798	6,272	8,653	8,918	6,751	5,491	6
1984.....	239	723	1,897	3,779	5,897	8,273	8,455	6,129	4,969	1
1983.....	259	777	1,931	3,629	6,070	8,087	8,301	5,905	4,662	9
1982.....	239	763	1,796	3,495	5,753	7,543	7,571	5,373	4,064	8
1981.....	271	813	1,905	3,633	5,892	7,702	7,328	5,054	4,031	4
1980.....	314	803	1,876	3,611	5,929	7,383	7,061	4,897	3,794	3
1979.....	282	802	1,771	3,497	5,467	6,815	6,163	4,597	3,210	2
WHITE FEMALE										
1998.....	332	805	1,478	2,841	5,255	8,293	10,220	10,059	12,133	-
1997.....	349	782	1,475	2,879	5,152	7,867	9,881	9,550	11,155	1
1996.....	358	757	1,480	2,777	5,136	8,079	9,586	9,009	10,364	5
1995.....	360	776	1,450	2,748	5,157	7,693	8,938	8,507	9,585	-
1994.....	351	722	1,412	2,869	5,378	7,688	8,934	8,110	8,944	2
1993.....	292	652	1,458	2,983	5,459	7,802	8,741	7,834	8,151	3
1992.....	278	613	1,328	2,772	4,852	6,865	7,958	6,702	7,116	1
1991.....	272	674	1,371	2,910	4,881	6,707	7,595	6,293	6,512	1
1990.....	252	660	1,319	2,742	4,601	6,146	7,050	5,820	5,972	-
1989.....	303	647	1,451	2,829	4,419	6,214	6,728	5,389	5,453	2
1988.....	271	590	1,379	2,682	4,303	5,944	6,283	5,006	5,005	3
1987.....	278	587	1,329	2,598	4,076	5,429	5,587	4,464	4,625	2
1986.....	225	628	1,326	2,577	3,987	5,247	5,364	4,001	4,064	4
1985.....	276	627	1,379	2,539	3,779	4,848	4,990	3,740	3,821	4
1984.....	235	555	1,327	2,293	3,585	4,412	4,329	3,178	3,307	3
1983.....	259	597	1,251	2,183	3,406	4,141	3,785	2,868	2,893	3
1982.....	238	540	1,148	1,935	2,998	3,624	3,205	2,460	2,438	3
1981.....	259	558	1,148	1,978	2,896	3,373	2,961	2,303	2,199	2
1980.....	242	543	1,100	1,865	2,627	3,021	2,576	2,057	2,077	3
1979.....	193	542	966	1,683	2,190	2,451	2,193	1,612	1,625	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
ALL OTHER, BOTH SEXES										
1998.....	268	329	470	664	979	1,332	1,426	1,060	1,300	-
1997.....	242	295	441	698	1,037	1,262	1,296	1,126	1,220	2
1996.....	247	281	467	687	976	1,260	1,296	1,046	1,181	4
1995.....	238	299	454	667	988	1,248	1,188	1,025	1,075	-
1994.....	209	296	440	655	1,005	1,237	1,137	971	968	6
1993.....	208	253	432	696	995	1,262	1,140	1,008	863	2
1992.....	178	244	428	635	976	1,091	1,024	801	807	1
1991.....	200	275	401	689	980	1,085	997	781	715	5
1990.....	205	248	429	663	935	1,003	1,042	789	684	3
1989.....	142	284	444	682	969	1,032	1,043	718	633	1
1988.....	172	264	424	701	897	1,029	944	674	558	3
1987.....	147	252	391	645	840	949	818	630	564	2
1986.....	152	246	431	642	812	926	776	556	480	1
1985.....	144	243	429	628	793	804	793	548	433	7
1984.....	144	229	382	593	673	828	637	538	410	4
1983.....	138	197	395	596	666	695	582	466	383	4
1982.....	128	220	382	469	597	670	523	332	274	2
1981.....	120	225	341	486	613	608	519	362	244	1
1980.....	122	213	354	471	565	585	470	279	266	-
1979.....	122	195	310	399	523	500	446	234	223	2
ALL OTHER MALE										
1998.....	127	159	263	385	572	782	848	649	686	-
1997.....	118	155	245	386	633	759	793	708	661	1
1996.....	119	136	262	405	576	738	810	657	597	3
1995.....	130	148	231	412	597	793	718	619	624	-
1994.....	107	148	230	388	595	806	720	611	537	6
1993.....	99	140	246	423	611	804	750	655	514	1
1992.....	83	125	249	398	597	711	672	520	471	1
1991.....	104	145	245	403	626	701	676	522	423	4
1990.....	105	136	256	401	605	694	728	551	421	3
1989.....	72	162	251	404	637	694	741	468	397	1
1988.....	87	153	251	439	611	737	702	491	349	2
1987.....	78	137	231	410	579	674	581	431	351	1
1986.....	76	159	267	423	571	672	593	392	327	1
1985.....	86	141	263	415	534	603	581	382	278	7
1984.....	86	151	248	389	500	601	472	384	255	3
1983.....	79	106	272	411	467	548	432	346	249	4
1982.....	67	133	233	324	449	493	385	243	189	2
1981.....	76	144	227	348	467	480	399	272	179	-
1980.....	71	142	251	347	417	459	360	221	182	-
1979.....	82	124	218	279	402	393	357	175	170	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
ALL OTHER FEMALE										
1998.....	141	170	207	279	407	550	578	411	614	-
1997.....	124	140	196	312	404	503	503	418	559	1
1996.....	128	145	205	282	400	522	486	389	584	1
1995.....	108	151	223	255	391	455	470	406	451	-
1994.....	102	148	210	267	410	431	417	360	431	-
1993.....	109	113	186	273	384	458	390	353	349	1
1992.....	95	119	179	237	379	380	352	281	336	-
1991.....	96	130	156	286	354	384	321	259	292	1
1990.....	100	112	173	262	330	309	314	238	263	-
1989.....	70	122	193	278	332	338	302	250	236	-
1988.....	85	111	173	262	286	292	242	183	209	1
1987.....	69	115	160	235	261	275	237	199	213	1
1986.....	76	87	164	219	241	254	183	164	153	-
1985.....	58	102	166	213	259	201	212	166	155	-
1984.....	58	78	134	204	173	227	165	154	155	1
1983.....	59	91	123	185	199	147	150	120	134	-
1982.....	61	87	149	145	148	177	138	89	85	-
1981.....	44	81	114	138	146	128	120	90	65	1
1980.....	51	71	103	124	148	126	110	58	84	-
1979.....	40	71	92	120	121	107	89	59	53	-
BLACK, BOTH SEXES										
1998.....	244	303	423	571	834	1,134	1,187	858	1,013	-
1997.....	222	257	381	610	881	1,077	1,050	891	959	1
1996.....	227	258	414	603	834	1,071	1,067	853	963	4
1995.....	217	266	405	585	864	1,055	989	836	859	-
1994.....	194	264	392	588	891	1,057	966	772	796	4
1993.....	190	236	389	615	877	1,061	961	831	715	1
1992.....	164	230	385	562	856	943	888	668	673	1
1991.....	193	263	364	616	855	938	846	647	565	5
1990.....	194	225	376	595	820	884	880	678	538	3
1989.....	129	259	402	608	863	911	899	610	518	1
1988.....	161	245	391	637	817	910	807	576	456	1
1987.....	134	224	360	583	755	843	701	549	452	2
1986.....	141	228	396	594	745	833	667	468	400	1
1985.....	136	217	390	570	724	722	681	476	357	7
1984.....	135	213	349	549	613	738	558	453	324	3
1983.....	132	188	367	554	597	615	518	389	324	2
1982.....	123	209	360	438	550	620	450	285	228	2
1981.....	115	211	327	452	564	551	462	318	207	1
1980.....	115	204	336	453	521	538	421	251	211	-
1979.....	118	186	296	372	488	454	408	199	166	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
BLACK MALE										
1998.....	113	143	233	325	486	662	701	522	513	-
1997.....	108	133	206	337	539	639	644	552	502	1
1996.....	112	126	234	358	488	615	653	531	483	3
1995.....	118	136	206	367	519	661	602	504	486	-
1994.....	101	130	207	349	524	684	608	494	429	4
1993.....	91	133	222	372	539	674	637	537	417	1
1992.....	76	115	226	351	520	606	585	430	390	1
1991.....	99	139	221	370	550	606	581	428	333	4
1990.....	99	122	229	363	522	610	613	470	330	3
1989.....	62	147	230	357	565	609	630	397	318	1
1988.....	80	145	227	404	560	658	594	421	287	1
1987.....	70	127	211	374	525	600	499	371	282	1
1986.....	72	150	246	390	522	605	509	322	267	1
1985.....	82	126	239	378	496	548	496	331	232	7
1984.....	82	138	228	361	456	533	414	325	199	2
1983.....	73	103	256	382	421	485	389	282	208	2
1982.....	64	127	219	299	415	455	335	206	158	2
1981.....	73	135	217	325	435	436	357	237	152	-
1980.....	68	134	235	334	385	420	321	203	144	-
1979.....	79	119	209	267	374	363	333	151	128	2
BLACK FEMALE										
1998.....	131	160	190	246	348	472	486	336	500	-
1997.....	114	124	175	273	342	438	406	339	457	-
1996.....	115	132	180	245	346	456	414	322	480	1
1995.....	99	130	199	218	345	394	387	332	373	-
1994.....	93	134	185	239	367	373	358	278	367	-
1993.....	99	103	167	243	338	387	324	294	298	-
1992.....	88	115	159	211	336	337	303	238	283	-
1991.....	94	124	143	246	305	332	265	219	232	1
1990.....	95	103	147	232	298	274	267	208	208	-
1989.....	67	112	172	251	298	302	269	213	200	-
1988.....	81	100	164	233	257	252	213	155	169	-
1987.....	64	97	149	209	230	243	202	178	170	1
1986.....	69	78	150	204	223	228	158	146	133	-
1985.....	54	91	151	192	228	174	185	145	125	-
1984.....	53	75	121	188	157	205	144	128	125	1
1983.....	59	85	111	172	176	130	129	107	116	-
1982.....	59	82	141	139	135	165	115	79	70	-
1981.....	42	76	110	127	129	115	105	81	55	1
1980.....	47	70	101	119	136	118	100	48	67	-
1979.....	39	67	87	105	114	91	75	48	38	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)										
TOTAL, BOTH SEXES										
1998.....	36	65	106	173	270	406	527	521	814	-
1997.....	29	69	84	160	278	442	523	523	828	-
1996.....	39	65	96	170	315	457	547	548	777	1
1995.....	29	54	102	179	360	470	557	573	889	-
1994.....	46	72	114	209	399	528	647	564	879	-
1993.....	38	71	120	235	384	592	657	621	918	1
1992.....	27	76	128	247	409	576	641	597	838	-
1991.....	36	74	125	274	374	585	691	580	842	-
1990.....	35	60	130	256	379	519	641	630	817	-
1989.....	28	70	154	244	426	553	675	602	885	-
1988.....	36	56	144	278	425	604	701	548	799	2
1987.....	27	53	136	267	394	538	645	598	789	-
1986.....	29	69	136	286	420	626	676	605	790	2
1985.....	33	58	147	295	450	604	585	558	775	1
1984.....	32	64	150	308	395	642	623	524	682	-
1983.....	36	82	177	296	501	586	602	508	679	-
1982.....	36	94	171	297	484	569	627	482	599	1
1981.....	39	79	203	350	504	643	633	468	629	-
1980.....	38	95	197	359	541	639	617	526	578	-
1979.....	34	103	220	377	552	607	587	498	505	1
TOTAL, MALE										
1998.....	19	28	66	93	136	229	273	243	328	-
1997.....	14	31	40	73	139	229	264	260	340	-
1996.....	16	30	43	90	167	249	282	297	324	1
1995.....	17	35	55	92	200	262	309	292	340	-
1994.....	20	38	53	112	202	288	335	301	343	-
1993.....	18	36	54	126	211	313	365	317	367	1
1992.....	13	35	68	134	204	319	344	309	312	-
1991.....	27	40	64	154	198	315	395	315	368	-
1990.....	23	29	73	138	216	302	353	339	334	-
1989.....	10	33	79	132	254	299	380	333	354	-
1988.....	19	33	71	138	250	354	418	306	332	1
1987.....	12	31	68	143	225	299	375	330	320	-
1986.....	17	34	70	168	255	355	410	357	342	1
1985.....	14	21	89	162	274	382	373	325	337	1
1984.....	19	37	89	180	243	404	390	286	313	-
1983.....	21	52	103	180	312	383	406	283	333	-
1982.....	14	52	94	186	311	369	427	295	309	1
1981.....	23	47	137	229	321	437	423	299	338	-
1980.....	21	62	113	234	375	448	430	326	287	-
1979.....	22	62	134	232	369	415	421	349	304	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, FEMALE										
1998.....	17	37	40	80	134	177	254	278	486	-
1997.....	15	38	44	87	139	213	259	263	488	-
1996.....	23	35	53	80	148	208	265	251	453	-
1995.....	12	19	47	87	160	208	248	281	549	-
1994.....	26	34	61	97	197	240	312	263	536	-
1993.....	20	35	66	109	173	279	292	304	551	-
1992.....	14	41	60	113	205	257	297	288	526	-
1991.....	9	34	61	120	176	270	296	265	474	-
1990.....	12	31	57	118	163	217	288	291	483	-
1989.....	18	37	75	112	172	254	295	269	531	-
1988.....	17	23	73	140	175	250	283	242	467	1
1987.....	15	22	68	124	169	239	270	268	469	-
1986.....	12	35	66	118	165	271	266	248	448	1
1985.....	19	37	58	133	176	222	212	233	438	-
1984.....	13	27	61	128	152	238	233	238	369	-
1983.....	15	30	74	116	189	203	196	225	346	-
1982.....	22	42	77	111	173	200	200	187	290	-
1981.....	16	32	66	121	183	206	210	169	291	-
1980.....	17	33	84	125	166	191	187	200	291	-
1979.....	12	41	86	145	183	192	166	149	201	1
WHITE, BOTH SEXES										
1998.....	25	53	99	160	244	376	500	496	781	-
1997.....	23	61	74	147	250	403	495	486	787	-
1996.....	30	55	83	151	276	431	509	525	736	1
1995.....	23	43	88	168	328	438	525	531	830	-
1994.....	43	64	101	196	366	488	607	540	832	-
1993.....	27	64	104	214	358	564	614	594	871	1
1992.....	23	70	111	227	381	543	607	578	794	-
1991.....	25	55	107	251	348	564	664	552	800	-
1990.....	30	52	119	241	354	497	598	599	782	-
1989.....	23	60	142	222	397	521	638	580	848	-
1988.....	32	51	129	256	393	573	671	529	772	1
1987.....	23	47	127	247	370	510	617	575	761	-
1986.....	25	64	120	270	390	597	639	575	764	2
1985.....	28	48	134	271	432	575	561	534	751	1
1984.....	25	61	142	278	377	614	602	507	663	-
1983.....	30	73	158	278	470	561	574	495	647	-
1982.....	29	89	153	281	465	549	605	463	577	1
1981.....	36	68	183	334	482	611	604	447	612	-
1980.....	32	79	181	334	510	614	591	511	561	-
1979.....	29	93	208	356	526	583	558	479	487	1

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)

WHITE MALE

1998.....	11	25	61	86	121	214	257	227	310	-
1997.....	10	28	36	70	121	205	251	236	321	-
1996.....	12	26	34	79	143	237	261	280	309	1
1995.....	13	26	49	88	179	240	291	268	315	-
1994.....	19	33	46	109	179	262	305	290	324	-
1993.....	12	31	43	111	196	296	340	303	346	1
1992.....	11	33	54	123	187	302	326	296	294	-
1991.....	19	27	54	139	182	299	377	299	351	-
1990.....	20	22	67	128	200	288	319	316	320	-
1989.....	9	28	72	124	235	279	353	323	338	-
1988.....	16	30	63	125	227	331	397	292	319	1
1987.....	11	27	64	135	209	278	359	317	304	-
1986.....	16	30	56	156	234	337	385	335	328	1
1985.....	11	20	79	149	265	364	353	315	323	1
1984.....	15	35	84	166	232	382	374	277	303	-
1983.....	17	47	91	167	291	363	388	274	310	-
1982.....	13	49	85	173	296	354	412	282	295	1
1981.....	21	39	123	219	301	408	401	286	327	-
1980.....	18	51	101	218	350	428	412	317	275	-
1979.....	18	56	127	220	349	396	401	336	293	-

WHITE FEMALE

1998.....	14	28	38	74	123	162	243	269	471	-
1997.....	13	33	38	77	129	198	244	250	466	-
1996.....	18	29	49	72	133	194	248	245	427	-
1995.....	10	17	39	80	149	198	234	263	515	-
1994.....	24	31	55	87	187	226	302	250	508	-
1993.....	15	33	61	103	162	268	274	291	525	-
1992.....	12	37	57	104	194	241	281	282	500	-
1991.....	6	28	53	112	166	265	287	253	449	-
1990.....	10	30	52	113	154	209	279	283	462	-
1989.....	14	32	70	98	162	242	285	257	510	-
1988.....	16	21	66	131	166	242	274	237	453	-
1987.....	12	20	63	112	161	232	258	258	457	-
1986.....	9	34	64	114	156	260	254	240	436	1
1985.....	17	28	55	122	167	211	208	219	428	-
1984.....	10	26	58	112	145	232	228	230	360	-
1983.....	13	26	67	111	179	198	186	221	337	-
1982.....	16	40	68	108	169	195	193	181	282	-
1981.....	15	29	60	115	181	203	203	161	285	-
1980.....	14	28	80	116	160	186	179	194	286	-
1979.....	11	37	81	136	177	187	157	143	194	1

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)

ALL OTHER, BOTH SEXES

1998.....	11	12	7	13	26	30	27	25	33	-
1997.....	6	8	10	13	28	39	28	37	41	-
1996.....	9	10	13	19	39	26	38	23	41	-
1995.....	6	11	14	11	32	32	32	42	59	-
1994.....	3	8	13	13	33	40	40	24	47	-
1993.....	11	7	16	21	26	28	43	27	47	-
1992.....	4	6	17	20	28	33	34	19	44	-
1991.....	11	19	18	23	26	21	27	28	42	-
1990.....	5	8	11	15	25	22	43	31	35	-
1989.....	5	10	12	22	29	32	37	22	37	-
1988.....	4	5	15	22	32	31	30	19	27	1
1987.....	4	6	9	20	24	28	28	23	28	-
1986.....	4	5	16	16	30	29	37	30	26	-
1985.....	5	10	13	24	18	29	24	24	24	-
1984.....	7	3	8	30	18	28	21	17	19	-
1983.....	6	9	19	18	31	25	28	13	32	-
1982.....	7	5	18	16	19	20	22	19	22	-
1981.....	3	11	20	16	22	32	29	21	17	-
1980.....	6	16	16	25	31	25	26	15	17	-
1979.....	5	10	12	21	26	24	29	19	18	-

ALL OTHER MALE

1998.....	8	3	5	7	15	15	16	16	18	-
1997.....	4	3	4	3	18	24	13	24	19	-
1996.....	4	4	9	11	24	12	21	17	15	-
1995.....	4	9	6	4	21	22	18	24	25	-
1994.....	1	5	7	3	23	26	30	11	19	-
1993.....	6	5	11	15	15	17	25	14	21	-
1992.....	2	2	14	11	17	17	18	13	18	-
1991.....	8	13	10	15	16	16	18	16	17	-
1990.....	3	7	6	10	16	14	34	23	14	-
1989.....	1	5	7	8	19	20	27	10	16	-
1988.....	3	3	8	13	23	23	21	14	13	-
1987.....	1	4	4	8	16	21	16	13	16	-
1986.....	1	4	14	12	21	18	25	22	14	-
1985.....	3	1	10	13	9	18	20	10	14	-
1984.....	4	2	5	14	11	22	16	9	10	-
1983.....	4	5	12	13	21	20	18	9	23	-
1982.....	1	3	9	13	15	15	15	13	14	-
1981.....	2	8	14	10	20	29	22	13	11	-
1980.....	3	11	12	16	25	20	18	9	12	-
1979.....	4	6	7	12	20	19	20	13	11	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)

ALL OTHER FEMALE										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	3	9	2	6	11	15	11	9	15	-
1997	2	5	6	10	10	15	15	13	22	-
1996	5	6	4	8	15	14	17	6	26	-
1995	2	2	8	7	11	10	14	18	34	-
1994	2	3	6	10	10	14	10	13	28	-
1993	5	2	5	6	11	11	18	13	26	-
1992	2	4	3	9	11	16	16	6	26	-
1991	3	6	8	8	10	5	9	12	25	-
1990	2	1	5	5	9	8	9	8	21	-
1989	4	5	5	14	10	12	10	12	21	-
1988	1	2	7	9	9	8	9	5	14	1
1987	3	2	5	12	8	7	12	10	12	-
1986	3	1	2	4	9	11	12	8	12	-
1985	2	9	3	11	9	11	4	14	10	-
1984	3	1	3	16	7	6	5	8	9	-
1983	2	4	7	5	10	5	10	4	9	-
1982	6	2	9	3	4	5	7	6	8	-
1981	1	3	6	6	2	3	7	8	6	-
1980	3	5	4	9	6	5	8	6	5	-
1979	1	4	5	9	6	5	9	6	7	-
BLACK, BOTH SEXES										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	11	9	4	11	21	23	20	21	18	-
1997	6	5	9	11	20	31	24	26	31	-
1996	8	8	12	17	29	18	31	16	36	-
1995	5	10	12	10	27	26	23	29	44	-
1994	3	7	12	8	25	36	32	20	36	-
1993	10	7	13	18	19	27	31	21	34	-
1992	3	6	15	13	25	30	24	18	37	-
1991	11	15	17	18	23	18	21	23	29	-
1990	5	7	9	13	23	21	35	23	20	-
1989	4	9	10	21	27	31	30	20	29	-
1988	4	3	15	20	27	27	23	15	21	-
1987	2	6	9	18	20	24	23	22	17	-
1986	4	5	15	14	29	26	26	26	16	-
1985	5	7	12	21	15	25	20	19	18	-
1984	7	3	6	27	14	26	18	16	16	-
1983	4	9	16	16	25	22	25	10	25	-
1982	6	3	17	15	18	20	20	15	15	-
1981	3	9	19	14	22	28	27	17	11	-
1980	6	16	15	22	29	23	20	14	14	-
1979	5	6	11	20	24	21	23	16	15	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)

BLACK MALE

1998.....	8	3	3	6	12	11	11	13	11	-
1997.....	4	2	4	2	13	18	11	17	15	-
1996.....	4	3	8	11	18	6	16	11	11	-
1995.....	3	8	6	3	18	18	15	14	19	-
1994.....	1	4	6	2	18	23	24	10	13	-
1993.....	5	5	8	14	10	16	21	9	14	-
1992.....	1	2	12	7	16	16	14	12	14	-
1991.....	8	11	9	13	14	14	14	14	14	-
1990.....	3	6	6	9	14	14	28	18	7	-
1989.....	-	4	6	8	18	20	20	8	12	-
1988.....	3	2	8	12	19	20	15	13	10	-
1987.....	-	4	4	7	14	19	12	13	10	-
1986.....	1	4	13	11	20	16	17	19	6	-
1985.....	3	1	10	12	7	16	16	8	10	-
1984.....	4	2	3	12	10	20	15	8	8	-
1983.....	2	5	10	11	19	18	16	7	18	-
1982.....	1	2	8	12	15	15	14	10	8	-
1981.....	2	6	13	8	20	25	20	11	6	-
1980.....	3	11	12	14	23	19	15	9	9	-
1979.....	4	4	6	12	19	17	19	10	10	-

BLACK FEMALE

1998.....	3	6	1	5	9	12	9	8	7	-
1997.....	2	3	5	9	7	13	13	9	16	-
1996.....	4	5	4	6	11	12	15	5	25	-
1995.....	2	2	6	7	9	8	8	15	25	-
1994.....	2	3	6	6	7	13	8	10	23	-
1993.....	5	2	5	4	9	11	10	12	20	-
1992.....	2	4	3	6	9	14	10	6	23	-
1991.....	3	4	8	5	9	4	7	9	15	-
1990.....	2	1	3	4	9	7	7	5	13	-
1989.....	4	5	4	13	9	11	10	12	17	-
1988.....	1	1	7	8	8	7	8	2	11	-
1987.....	2	2	5	11	6	5	11	9	7	-
1986.....	3	1	2	3	9	10	9	7	10	-
1985.....	2	6	2	9	8	9	4	11	8	-
1984.....	3	1	3	15	4	6	3	8	8	-
1983.....	2	4	6	5	6	4	9	3	7	-
1982.....	5	1	9	3	3	5	6	5	7	-
1981.....	1	3	6	6	2	3	7	6	5	-
1980.....	3	5	3	8	6	4	5	5	5	-
1979.....	1	2	5	8	5	4	4	6	5	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 EMPHYSEMA (492)										
TOTAL, BOTH SEXES										
1998.....	143	333	685	1,315	2,408	3,427	3,639	3,078	2,428	-
1997.....	150	306	627	1,331	2,440	3,457	3,724	2,974	2,402	2
1996.....	141	321	681	1,268	2,343	3,390	3,734	3,010	2,315	-
1995.....	150	355	692	1,356	2,403	3,302	3,555	2,827	2,206	-
1994.....	132	294	689	1,418	2,489	3,463	3,562	2,844	2,228	1
1993.....	130	314	710	1,556	2,633	3,534	3,740	2,835	2,056	1
1992.....	132	284	675	1,377	2,517	3,380	3,408	2,522	1,979	-
1991.....	135	322	688	1,468	2,570	3,244	3,447	2,567	1,921	1
1990.....	120	297	704	1,509	2,454	3,188	3,364	2,307	1,677	-
1989.....	105	296	770	1,548	2,511	3,084	3,240	2,245	1,586	-
1988.....	122	280	733	1,561	2,452	3,286	3,164	2,205	1,614	2
1987.....	107	310	728	1,540	2,268	2,953	2,929	2,091	1,453	3
1986.....	145	341	753	1,521	2,304	3,047	2,943	1,967	1,368	1
1985.....	139	319	765	1,497	2,314	3,001	2,860	1,853	1,316	1
1984.....	108	287	791	1,423	2,189	2,753	2,552	1,796	1,268	-
1983.....	122	346	817	1,408	2,209	2,793	2,540	1,713	1,241	5
1982.....	120	354	802	1,392	2,170	2,675	2,396	1,638	1,156	4
1981.....	141	399	853	1,466	2,383	2,804	2,399	1,644	1,171	1
1980.....	159	399	883	1,579	2,410	2,804	2,538	1,724	1,274	1
1979.....	178	440	839	1,624	2,364	2,785	2,451	1,609	1,157	1
TOTAL, MALE										
1998.....	85	169	367	746	1,293	1,866	1,957	1,591	1,197	-
1997.....	95	166	356	705	1,338	1,954	2,047	1,550	1,222	1
1996.....	90	173	365	709	1,348	1,813	2,038	1,644	1,190	-
1995.....	95	205	396	756	1,294	1,864	1,960	1,575	1,155	-
1994.....	79	171	379	769	1,394	1,974	2,015	1,582	1,199	1
1993.....	80	188	393	852	1,475	1,979	2,119	1,642	1,133	-
1992.....	88	140	384	800	1,471	1,925	1,944	1,494	1,113	-
1991.....	87	169	401	827	1,488	1,875	2,017	1,536	1,086	-
1990.....	77	150	403	880	1,487	1,907	2,023	1,447	973	-
1989.....	62	170	438	874	1,529	1,840	1,954	1,406	968	-
1988.....	68	153	427	958	1,501	2,004	2,038	1,469	1,002	1
1987.....	60	172	415	966	1,377	1,885	1,938	1,429	866	3
1986.....	93	198	475	928	1,449	2,013	1,972	1,328	880	1
1985.....	89	198	471	915	1,489	2,005	1,962	1,297	894	1
1984.....	66	175	488	938	1,405	1,882	1,790	1,291	829	-
1983.....	73	206	538	921	1,474	1,982	1,841	1,239	863	4
1982.....	73	218	495	917	1,495	1,959	1,804	1,193	828	1
1981.....	86	270	555	1,007	1,701	2,051	1,823	1,187	844	-
1980.....	99	253	593	1,098	1,756	2,055	1,976	1,332	899	-
1979.....	120	293	591	1,158	1,768	2,173	1,911	1,234	847	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 EMPHYSEMA (492)										
TOTAL, FEMALE										
1998.....	58	164	318	569	1,115	1,561	1,682	1,487	1,231	-
1997.....	55	140	271	626	1,102	1,503	1,677	1,424	1,180	1
1996.....	51	148	316	559	995	1,577	1,696	1,366	1,125	-
1995.....	55	150	296	600	1,109	1,438	1,595	1,252	1,051	-
1994.....	53	123	310	649	1,095	1,489	1,547	1,262	1,029	-
1993.....	50	126	317	704	1,158	1,555	1,621	1,193	923	1
1992.....	44	144	291	577	1,046	1,455	1,464	1,028	866	-
1991.....	48	153	287	641	1,082	1,369	1,430	1,031	835	1
1990.....	43	147	301	629	967	1,281	1,341	860	704	-
1989.....	43	126	332	674	982	1,244	1,286	839	618	-
1988.....	54	127	306	603	951	1,282	1,126	736	612	1
1987.....	47	138	313	574	891	1,068	991	662	587	-
1986.....	52	143	278	593	855	1,034	971	639	488	-
1985.....	50	121	294	582	825	996	898	556	422	-
1984.....	42	112	303	485	784	871	762	505	439	-
1983.....	49	140	279	487	735	811	699	474	378	1
1982.....	47	136	307	475	675	716	592	445	328	3
1981.....	55	129	298	459	682	753	576	457	327	1
1980.....	60	146	290	481	654	749	562	392	375	1
1979.....	58	147	248	466	596	612	540	375	310	-
WHITE, BOTH SEXES										
1998.....	114	285	608	1,214	2,263	3,224	3,453	2,967	2,315	-
1997.....	125	261	578	1,233	2,286	3,260	3,543	2,853	2,287	2
1996.....	114	284	604	1,173	2,208	3,202	3,543	2,887	2,187	-
1995.....	123	319	617	1,276	2,287	3,106	3,375	2,675	2,098	-
1994.....	114	261	626	1,310	2,332	3,278	3,400	2,721	2,119	1
1993.....	104	280	660	1,452	2,457	3,334	3,557	2,698	1,950	1
1992.....	108	253	617	1,279	2,355	3,194	3,248	2,403	1,880	-
1991.....	106	288	637	1,354	2,417	3,058	3,306	2,466	1,845	1
1990.....	95	268	638	1,400	2,290	3,051	3,208	2,198	1,611	-
1989.....	93	263	716	1,438	2,351	2,925	3,095	2,148	1,502	-
1988.....	110	249	660	1,448	2,305	3,102	3,009	2,092	1,551	2
1987.....	91	278	670	1,416	2,132	2,806	2,806	2,005	1,382	3
1986.....	122	308	674	1,420	2,171	2,903	2,828	1,888	1,312	1
1985.....	118	278	696	1,404	2,177	2,865	2,721	1,772	1,252	-
1984.....	86	246	746	1,334	2,068	2,621	2,446	1,715	1,213	-
1983.....	105	319	743	1,316	2,103	2,661	2,452	1,632	1,184	4
1982.....	101	321	740	1,312	2,044	2,568	2,294	1,587	1,116	3
1981.....	119	362	786	1,373	2,255	2,692	2,301	1,589	1,128	1
1980.....	143	360	816	1,470	2,298	2,685	2,452	1,667	1,226	1
1979.....	147	398	781	1,523	2,237	2,673	2,354	1,563	1,118	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 EMPHYSEMA (492)										
WHITE MALE										
1998.....	67	140	319	677	1,199	1,745	1,841	1,514	1,141	-
1997.....	76	136	321	644	1,233	1,816	1,924	1,470	1,146	1
1996.....	72	149	316	645	1,263	1,686	1,910	1,562	1,114	-
1995.....	77	181	343	694	1,219	1,723	1,838	1,469	1,086	-
1994.....	64	150	342	692	1,300	1,843	1,911	1,489	1,126	1
1993.....	64	162	359	782	1,360	1,851	1,988	1,549	1,057	-
1992.....	70	120	346	722	1,358	1,804	1,830	1,403	1,044	-
1991.....	62	149	365	752	1,379	1,756	1,917	1,454	1,035	-
1990.....	58	130	362	805	1,368	1,802	1,909	1,360	927	-
1989.....	53	147	404	804	1,414	1,724	1,845	1,335	904	-
1988.....	59	133	375	882	1,384	1,852	1,902	1,376	952	1
1987.....	47	147	374	875	1,274	1,771	1,845	1,364	820	3
1986.....	80	175	417	850	1,350	1,897	1,868	1,262	840	1
1985.....	69	168	423	847	1,390	1,896	1,853	1,234	844	-
1984.....	51	141	455	875	1,310	1,772	1,703	1,226	791	-
1983.....	58	188	482	844	1,392	1,874	1,774	1,174	824	3
1982.....	58	192	447	861	1,394	1,874	1,717	1,154	795	-
1981.....	71	237	502	930	1,595	1,954	1,738	1,144	810	-
1980.....	86	223	538	1,010	1,668	1,961	1,907	1,284	862	-
1979.....	97	262	547	1,077	1,667	2,080	1,831	1,197	812	-
WHITE FEMALE										
1998.....	47	145	289	537	1,064	1,479	1,612	1,453	1,174	-
1997.....	49	125	257	589	1,053	1,444	1,619	1,383	1,141	1
1996.....	42	135	288	528	945	1,516	1,633	1,325	1,073	-
1995.....	46	138	274	582	1,068	1,383	1,537	1,206	1,012	-
1994.....	50	111	284	618	1,032	1,435	1,489	1,232	993	-
1993.....	40	118	301	670	1,097	1,483	1,569	1,149	893	1
1992.....	38	133	271	557	997	1,390	1,418	1,000	836	-
1991.....	44	139	272	602	1,038	1,302	1,389	1,012	810	1
1990.....	37	138	276	595	922	1,249	1,299	838	684	-
1989.....	40	116	312	634	937	1,201	1,250	813	598	-
1988.....	51	116	285	566	921	1,250	1,107	716	599	1
1987.....	44	131	296	541	858	1,035	961	641	562	-
1986.....	42	133	257	570	821	1,006	960	626	472	-
1985.....	49	110	273	557	787	969	868	538	408	-
1984.....	35	105	291	459	758	849	743	489	422	-
1983.....	47	131	261	472	711	787	678	458	360	1
1982.....	43	129	293	451	650	694	577	433	321	3
1981.....	48	125	284	443	660	738	563	445	318	1
1980.....	57	137	278	460	630	724	545	383	364	1
1979.....	50	136	234	446	570	593	523	366	306	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 EMPHYSEMA (492)										
ALL OTHER, BOTH SEXES										
1998.....	29	48	77	101	145	203	186	111	113	-
1997.....	25	45	49	98	154	197	181	121	115	-
1996.....	27	37	77	95	135	188	191	123	128	-
1995.....	27	36	75	80	116	196	180	152	108	-
1994.....	18	33	63	108	157	185	162	123	109	-
1993.....	26	34	50	104	176	200	183	137	106	-
1992.....	24	31	58	98	162	186	160	119	99	-
1991.....	29	34	51	114	153	186	141	101	76	-
1990.....	25	29	66	109	164	137	156	109	66	-
1989.....	12	33	54	110	160	159	145	97	84	-
1988.....	12	31	73	113	147	184	155	113	63	-
1987.....	16	32	58	124	136	147	123	86	71	-
1986.....	23	33	79	101	133	144	115	79	56	-
1985.....	21	41	69	93	137	136	139	81	64	1
1984.....	22	41	45	89	121	132	106	81	55	-
1983.....	17	27	74	92	106	132	88	81	57	1
1982.....	19	33	62	80	126	107	102	51	40	1
1981.....	22	37	67	93	128	112	98	55	43	-
1980.....	16	39	67	109	112	119	86	57	48	-
1979.....	31	42	58	101	127	112	97	46	39	1
ALL OTHER MALE										
1998.....	18	29	48	69	94	121	116	77	56	-
1997.....	19	30	35	61	105	138	123	80	76	-
1996.....	18	24	49	64	85	127	128	82	76	-
1995.....	18	24	53	62	75	141	122	106	69	-
1994.....	15	21	37	77	94	131	104	93	73	-
1993.....	16	26	34	70	115	128	131	93	76	-
1992.....	18	20	38	78	113	121	114	91	69	-
1991.....	25	20	36	75	109	119	100	82	51	-
1990.....	19	20	41	75	119	105	114	87	46	-
1989.....	9	23	34	70	115	116	109	71	64	-
1988.....	9	20	52	76	117	152	136	93	50	-
1987.....	13	25	41	91	103	114	93	65	46	-
1986.....	13	23	58	78	99	116	104	66	40	-
1985.....	20	30	48	68	99	109	109	63	50	1
1984.....	15	34	33	63	95	110	87	65	38	-
1983.....	15	18	56	77	82	108	67	65	39	1
1982.....	15	26	48	56	101	85	87	39	33	1
1981.....	15	33	53	77	106	97	85	43	34	-
1980.....	13	30	55	88	88	94	69	48	37	-
1979.....	23	31	44	81	101	93	80	37	35	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 EMPHYSEMA (492)										
ALL OTHER FEMALE										
1998.....	11	19	29	32	51	82	70	34	57	-
1997.....	6	15	14	37	49	59	58	41	39	-
1996.....	9	13	28	31	50	61	63	41	52	-
1995.....	9	12	22	18	41	55	58	46	39	-
1994.....	3	12	26	31	63	54	58	30	36	-
1993.....	10	8	16	34	61	72	52	44	30	-
1992.....	6	11	20	20	49	65	46	28	30	-
1991.....	4	14	15	39	44	67	41	19	25	-
1990.....	6	9	25	34	45	32	42	22	20	-
1989.....	3	10	20	40	45	43	36	26	20	-
1988.....	3	11	21	37	30	32	19	20	13	-
1987.....	3	7	17	33	33	33	30	21	25	-
1986.....	10	10	21	23	34	28	11	13	16	-
1985.....	1	11	21	25	38	27	30	18	14	-
1984.....	7	7	12	26	26	22	19	16	17	-
1983.....	2	9	18	15	24	24	21	16	18	-
1982.....	4	7	14	24	25	22	15	12	7	-
1981.....	7	4	14	16	22	15	13	12	9	-
1980.....	3	9	12	21	24	25	17	9	11	-
1979.....	8	11	14	20	26	19	17	9	4	-
BLACK, BOTH SEXES										
1998.....	24	43	68	86	130	168	157	91	93	-
1997.....	22	38	45	86	133	168	149	99	92	-
1996.....	25	30	72	84	117	163	163	100	101	-
1995.....	25	35	70	71	102	160	154	123	87	-
1994.....	17	27	58	99	139	157	140	101	88	-
1993.....	25	33	46	92	149	162	147	109	89	-
1992.....	24	29	52	83	146	160	135	100	82	-
1991.....	27	32	44	103	128	165	119	78	65	-
1990.....	24	26	56	99	145	123	128	92	54	-
1989.....	11	32	49	95	145	133	129	79	70	-
1988.....	12	29	66	97	133	165	133	101	49	-
1987.....	16	31	55	113	122	133	101	70	52	-
1986.....	20	32	73	96	124	131	97	63	48	-
1985.....	20	36	59	81	123	121	115	60	56	1
1984.....	22	39	40	84	110	112	85	69	44	-
1983.....	17	27	70	89	97	112	75	59	48	1
1982.....	17	33	60	77	114	95	88	43	34	1
1981.....	22	35	66	88	124	101	87	51	41	-
1980.....	15	36	65	104	105	107	74	49	40	-
1979.....	31	40	53	96	118	100	92	40	32	1

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
0 EMPHYSEMA (492)

BLACK MALE

1998.....	14	26	42	58	84	100	94	63	42	-
1997.....	17	26	32	53	90	116	97	65	60	-
1996.....	17	21	47	56	71	111	105	65	64	-
1995.....	16	23	50	56	63	114	103	81	55	-
1994.....	15	17	34	70	83	108	86	76	55	-
1993.....	15	25	32	61	99	103	106	74	63	-
1992.....	18	19	35	67	101	104	96	75	56	-
1991.....	23	19	30	68	90	107	86	61	43	-
1990.....	18	17	35	70	102	93	94	72	39	-
1989.....	9	23	31	58	103	99	96	59	52	-
1988.....	9	19	45	66	107	138	117	85	36	-
1987.....	13	24	39	84	93	103	76	52	35	-
1986.....	12	23	54	74	94	105	88	52	34	-
1985.....	19	26	39	58	94	96	88	48	42	1
1984.....	15	32	30	59	85	90	69	55	29	-
1983.....	15	18	53	74	76	91	57	44	33	1
1982.....	13	26	46	53	91	76	75	32	28	1
1981.....	15	31	52	74	103	89	75	39	32	-
1980.....	13	27	53	86	84	85	60	41	31	-
1979.....	23	29	40	79	92	87	75	32	28	1

BLACK FEMALE

1998.....	10	17	26	28	46	68	63	28	51	-
1997.....	5	12	13	33	43	52	52	34	32	-
1996.....	8	9	25	28	46	52	58	35	37	-
1995.....	9	12	20	15	39	46	51	42	32	-
1994.....	2	10	24	29	56	49	54	25	33	-
1993.....	10	8	14	31	50	59	41	35	26	-
1992.....	6	10	17	16	45	56	39	25	26	-
1991.....	4	13	14	35	38	58	33	17	22	-
1990.....	6	9	21	29	43	30	34	20	15	-
1989.....	2	9	18	37	42	34	33	20	18	-
1988.....	3	10	21	31	26	27	16	16	13	-
1987.....	3	7	16	29	29	30	25	18	17	-
1986.....	8	9	19	22	30	26	9	11	14	-
1985.....	1	10	20	23	29	25	27	12	14	-
1984.....	7	7	10	25	25	22	16	14	15	-
1983.....	2	9	17	15	21	21	18	15	15	-
1982.....	4	7	14	24	23	19	13	11	6	-
1981.....	7	4	14	14	21	12	12	12	9	-
1980.....	2	9	12	18	21	22	14	8	9	-
1979.....	8	11	13	17	26	13	17	8	4	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ASTHMA (493)										
TOTAL, BOTH SEXES										
1998.....	320	327	312	361	443	529	622	568	807	-
1997.....	315	321	365	392	456	536	589	594	751	-
1996.....	313	336	374	442	494	601	620	557	739	2
1995.....	328	335	393	392	531	616	606	589	663	-
1994.....	302	295	370	410	564	659	619	536	644	1
1993.....	254	254	353	385	558	638	544	570	623	1
1992.....	235	260	324	368	550	614	564	533	608	-
1991.....	237	273	303	434	548	607	627	534	553	-
1990.....	252	250	323	415	549	576	590	484	512	1
1989.....	208	264	329	414	585	623	646	448	473	2
1988.....	198	242	332	453	500	597	548	443	429	-
1987.....	183	260	312	397	500	581	493	380	408	1
1986.....	156	200	308	380	454	528	474	369	350	-
1985.....	156	222	319	436	486	450	460	325	332	-
1984.....	162	193	298	376	462	443	390	312	303	1
1983.....	157	227	310	376	409	427	407	286	290	-
1982.....	136	205	242	340	360	433	343	250	234	-
1981.....	126	182	265	342	417	386	334	241	229	-
1980.....	126	183	235	294	403	362	360	236	222	-
1979.....	110	172	209	293	352	343	293	206	190	-
TOTAL, MALE										
1998.....	119	96	105	137	186	195	220	185	181	-
1997.....	104	116	142	141	181	209	186	181	172	-
1996.....	120	128	128	161	180	223	219	168	187	1
1995.....	125	115	129	159	191	227	186	193	182	-
1994.....	111	105	133	177	214	257	204	187	147	1
1993.....	91	101	140	162	204	237	173	195	161	-
1992.....	81	88	133	141	210	218	184	190	164	-
1991.....	95	98	109	160	198	223	220	172	142	-
1990.....	97	91	128	158	214	228	223	167	138	1
1989.....	83	108	123	138	225	238	223	140	135	1
1988.....	77	92	125	183	207	240	210	144	113	-
1987.....	62	95	136	165	199	240	175	132	104	-
1986.....	59	86	135	155	166	207	190	125	98	-
1985.....	62	84	134	175	189	183	186	119	96	-
1984.....	63	86	113	165	196	163	161	126	93	1
1983.....	64	80	127	152	168	189	158	106	89	-
1982.....	50	81	93	148	158	176	130	103	64	-
1981.....	54	69	101	162	174	162	140	93	75	-
1980.....	51	72	98	134	212	163	175	102	71	-
1979.....	46	63	90	134	171	155	122	87	65	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ASTHMA (493)										
TOTAL, FEMALE										
1998.....	201	231	207	224	257	334	402	383	626	-
1997.....	211	205	223	251	275	327	403	413	579	-
1996.....	193	208	246	281	314	378	401	389	552	1
1995.....	203	220	264	233	340	389	420	396	481	-
1994.....	191	190	237	233	350	402	415	349	497	-
1993.....	163	153	213	223	354	401	371	375	462	1
1992.....	154	172	191	227	340	396	380	343	444	-
1991.....	142	175	194	274	350	384	407	362	411	-
1990.....	155	159	195	257	335	348	367	317	374	-
1989.....	125	156	206	276	360	385	423	308	338	1
1988.....	121	150	207	270	293	357	338	299	316	-
1987.....	121	165	176	232	301	341	318	248	304	1
1986.....	97	114	173	225	288	321	284	244	252	-
1985.....	94	138	185	261	297	267	274	206	236	-
1984.....	99	107	185	211	266	280	229	186	210	-
1983.....	93	147	183	224	241	238	249	180	201	-
1982.....	86	124	149	192	202	257	213	147	170	-
1981.....	72	113	164	180	243	224	194	148	154	-
1980.....	75	111	137	160	191	199	185	134	151	-
1979.....	64	109	119	159	181	188	171	119	125	-
WHITE, BOTH SEXES										
1998.....	180	214	213	254	311	421	518	502	733	-
1997.....	191	215	244	263	340	432	498	522	685	-
1996.....	201	222	253	306	368	479	517	487	647	2
1995.....	200	223	275	288	404	494	515	518	605	-
1994.....	190	188	254	305	442	558	542	470	597	-
1993.....	151	178	232	281	438	540	479	508	566	1
1992.....	147	173	225	259	431	520	491	476	548	-
1991.....	144	185	215	312	437	518	557	480	516	-
1990.....	145	166	224	325	442	488	514	430	476	-
1989.....	136	172	224	328	466	523	565	399	437	1
1988.....	116	158	233	324	388	495	474	407	401	-
1987.....	112	168	216	307	402	483	442	334	374	-
1986.....	90	128	211	286	368	439	424	336	326	-
1985.....	100	152	236	352	391	394	411	293	307	-
1984.....	101	138	227	289	401	372	352	266	278	-
1983.....	91	160	229	291	337	373	368	259	270	-
1982.....	84	142	181	268	308	371	308	232	221	-
1981.....	83	131	210	284	338	333	304	220	215	-
1980.....	84	136	175	245	335	315	315	225	202	-
1979.....	74	126	156	241	305	303	267	193	173	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 ASTHMA (493)

WHITE MALE

1998.....	69	64	71	91	131	150	178	163	162	-
1997.....	63	75	85	94	142	173	158	153	150	-
1996.....	77	87	88	108	130	174	182	146	162	1
1995.....	73	75	91	116	146	173	153	169	159	-
1994.....	64	67	95	122	172	214	182	153	135	-
1993.....	58	78	89	123	153	189	144	170	144	-
1992.....	53	57	90	96	161	178	162	166	143	-
1991.....	61	64	77	106	150	187	194	146	129	-
1990.....	55	58	80	121	166	190	188	143	122	-
1989.....	54	65	87	108	176	193	190	123	122	-
1988.....	49	53	77	129	162	196	173	128	105	-
1987.....	37	60	89	125	151	203	151	109	92	-
1986.....	34	55	94	115	131	176	170	109	90	-
1985.....	39	55	97	135	151	155	163	106	86	-
1984.....	37	61	84	118	159	139	143	108	79	-
1983.....	36	61	89	118	137	159	143	91	81	-
1982.....	36	55	66	111	136	146	115	94	59	-
1981.....	34	51	80	129	134	131	123	86	69	-
1980.....	35	56	68	110	178	142	150	96	63	-
1979.....	31	47	63	114	149	132	107	80	54	-

WHITE FEMALE

1998.....	111	150	142	163	180	271	340	339	571	-
1997.....	128	140	159	169	198	259	340	369	535	-
1996.....	124	135	165	198	238	305	335	341	485	1
1995.....	127	148	184	172	258	321	362	349	446	-
1994.....	126	121	159	183	270	344	360	317	462	-
1993.....	93	100	143	158	285	351	335	338	422	1
1992.....	94	116	135	163	270	342	329	310	405	-
1991.....	83	121	138	206	287	331	363	334	387	-
1990.....	90	108	144	204	276	298	326	287	354	-
1989.....	82	107	137	220	290	330	375	276	315	1
1988.....	67	105	156	195	226	299	301	279	296	-
1987.....	75	108	127	182	251	280	291	225	282	-
1986.....	56	73	117	171	237	263	254	227	236	-
1985.....	61	97	139	217	240	239	248	187	221	-
1984.....	64	77	143	171	242	233	209	158	199	-
1983.....	55	99	140	173	200	214	225	168	189	-
1982.....	48	87	115	157	172	225	193	138	162	-
1981.....	49	80	130	155	204	202	181	134	146	-
1980.....	49	80	107	135	157	173	165	129	139	-
1979.....	43	79	93	127	156	171	160	113	119	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ASTHMA (493)										
ALL OTHER, BOTH SEXES										
1998.....	140	113	99	107	132	108	104	66	74	-
1997.....	124	106	121	129	116	104	91	72	66	-
1996.....	112	114	121	136	126	122	103	70	92	-
1995.....	128	112	118	104	127	122	91	71	58	-
1994.....	112	107	116	105	122	101	77	66	47	1
1993.....	103	76	121	104	120	98	65	62	57	-
1992.....	88	87	99	109	119	94	73	57	60	-
1991.....	93	88	88	122	111	89	70	54	37	-
1990.....	107	84	99	90	107	88	76	54	36	1
1989.....	72	92	105	86	119	100	81	49	36	1
1988.....	82	84	99	129	112	102	74	36	28	-
1987.....	71	92	96	90	98	98	51	46	34	1
1986.....	66	72	97	94	86	89	50	33	24	-
1985.....	56	70	83	84	95	56	49	32	25	-
1984.....	61	55	71	87	61	71	38	46	25	1
1983.....	66	67	81	85	72	54	39	27	20	-
1982.....	52	63	61	72	52	62	35	18	13	-
1981.....	43	51	55	58	79	53	30	21	14	-
1980.....	42	47	60	49	68	47	45	11	20	-
1979.....	36	46	53	52	47	40	26	13	17	-
ALL OTHER MALE										
1998.....	50	32	34	46	55	45	42	22	19	-
1997.....	41	41	57	47	39	36	28	28	22	-
1996.....	43	41	40	53	50	49	37	22	25	-
1995.....	52	40	38	43	45	54	33	24	23	-
1994.....	47	38	38	55	42	43	22	34	12	1
1993.....	33	23	51	39	51	48	29	25	17	-
1992.....	28	31	43	45	49	40	22	24	21	-
1991.....	34	34	32	54	48	36	26	26	13	-
1990.....	42	33	48	37	48	38	35	24	16	1
1989.....	29	43	36	30	49	45	33	17	13	1
1988.....	28	39	48	54	45	44	37	16	8	-
1987.....	25	35	47	40	48	37	24	23	12	-
1986.....	25	31	41	40	35	31	20	16	8	-
1985.....	23	29	37	40	38	28	23	13	10	-
1984.....	26	25	29	47	37	24	18	18	14	1
1983.....	28	19	38	34	31	30	15	15	8	-
1982.....	14	26	27	37	22	30	15	9	5	-
1981.....	20	18	21	33	40	31	17	7	6	-
1980.....	16	16	30	24	34	21	25	6	8	-
1979.....	15	16	27	20	22	23	15	7	11	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ASTHMA (493)										
ALL OTHER FEMALE										
1998.....	90	81	65	61	77	63	62	44	55	-
1997.....	83	65	64	82	77	68	63	44	44	-
1996.....	69	73	81	83	76	73	66	48	67	-
1995.....	76	72	80	61	82	68	58	47	35	-
1994.....	65	69	78	50	80	58	55	32	35	-
1993.....	70	53	70	65	69	50	36	37	40	-
1992.....	60	56	56	64	70	54	51	33	39	-
1991.....	59	54	56	68	63	53	44	28	24	-
1990.....	65	51	51	53	59	50	41	30	20	-
1989.....	43	49	69	56	70	55	48	32	23	-
1988.....	54	45	51	75	67	58	37	20	20	-
1987.....	46	57	49	50	50	61	27	23	22	1
1986.....	41	41	56	54	51	58	30	17	16	-
1985.....	33	41	46	44	57	28	26	19	15	-
1984.....	35	30	42	40	24	47	20	28	11	-
1983.....	38	48	43	51	41	24	24	12	12	-
1982.....	38	37	34	35	30	32	20	9	8	-
1981.....	23	33	34	25	39	22	13	14	8	-
1980.....	26	31	30	25	34	26	20	5	12	-
1979.....	21	30	26	32	25	17	11	6	6	-
BLACK, BOTH SEXES										
1998.....	128	106	87	90	107	87	77	52	49	-
1997.....	110	94	96	107	88	77	69	53	50	-
1996.....	99	106	100	112	99	92	81	56	74	-
1995.....	114	100	105	84	111	96	68	59	46	-
1994.....	100	91	101	95	103	76	63	49	38	1
1993.....	91	67	111	91	103	81	57	48	44	-
1992.....	79	81	84	99	97	76	59	49	47	-
1991.....	89	86	78	107	93	69	56	37	21	-
1990.....	102	75	82	81	90	75	52	44	28	1
1989.....	66	83	93	73	107	82	72	40	29	1
1988.....	74	76	92	118	101	87	61	29	26	-
1987.....	67	79	87	74	85	85	36	36	28	1
1986.....	61	65	89	87	74	80	39	27	18	-
1985.....	52	64	74	78	85	51	40	27	16	-
1984.....	54	50	65	80	55	60	34	33	18	1
1983.....	63	63	72	76	62	47	32	21	17	-
1982.....	51	56	56	66	50	56	25	16	10	-
1981.....	39	50	50	56	70	47	25	19	11	-
1980.....	38	46	55	46	62	44	41	11	14	-
1979.....	35	45	53	47	44	35	23	10	13	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ASTHMA (493)										
BLACK MALE										
1998.....	45	27	27	34	42	33	29	19	11	-
1997.....	36	33	40	39	27	24	23	22	17	-
1996.....	39	38	33	43	37	32	29	14	18	-
1995.....	46	38	29	33	41	39	21	18	19	-
1994.....	41	30	32	47	33	31	19	23	9	1
1993.....	29	20	44	32	41	36	26	16	11	-
1992.....	23	26	34	40	37	28	17	19	16	-
1991.....	32	33	29	50	39	29	20	17	7	-
1990.....	41	27	39	31	40	34	20	18	11	1
1989.....	24	39	32	27	45	33	27	12	12	1
1988.....	24	35	44	48	42	36	29	10	7	-
1987.....	23	32	41	32	43	32	15	16	10	-
1986.....	23	29	38	37	27	28	14	11	3	-
1985.....	23	26	31	38	33	26	16	10	5	-
1984.....	23	21	26	40	31	18	15	14	9	1
1983.....	25	19	35	30	27	25	11	10	8	-
1982.....	13	22	24	32	21	26	10	8	2	-
1981.....	18	18	19	32	35	27	12	7	5	-
1980.....	15	15	26	22	30	19	22	6	6	-
1979.....	14	16	27	18	20	18	14	5	9	-
BLACK FEMALE										
1998.....	83	79	60	56	65	54	48	33	38	-
1997.....	74	61	56	68	61	53	46	31	33	-
1996.....	60	68	67	69	62	60	52	42	56	-
1995.....	68	62	76	51	70	57	47	41	27	-
1994.....	59	61	69	48	70	45	44	26	29	-
1993.....	62	47	67	59	62	45	31	32	33	-
1992.....	56	55	50	59	60	48	42	30	31	-
1991.....	57	53	49	57	54	40	36	20	14	-
1990.....	61	48	43	50	50	41	32	26	17	-
1989.....	42	44	61	46	62	49	45	28	17	-
1988.....	50	41	48	70	59	51	32	19	19	-
1987.....	44	47	46	42	42	53	21	20	18	1
1986.....	38	36	51	50	47	52	25	16	15	-
1985.....	29	38	43	40	52	25	24	17	11	-
1984.....	31	29	39	40	24	42	19	19	9	-
1983.....	38	44	37	46	35	22	21	11	9	-
1982.....	38	34	32	34	29	30	15	8	8	-
1981.....	21	32	31	24	35	20	13	12	6	-
1980.....	23	31	29	24	32	25	19	5	8	-
1979.....	21	29	26	29	24	17	9	5	4	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, BOTH SEXES										
1998.....	441	1,163	2,409	4,801	8,999	14,620	17,834	16,929	19,027	7
1997.....	474	1,174	2,365	4,785	9,038	13,922	16,956	16,207	17,771	5
1996.....	477	1,109	2,324	4,691	8,912	13,659	16,519	15,417	16,516	10
1995.....	425	1,080	2,252	4,622	8,867	13,569	15,780	14,724	15,391	3
1994.....	419	1,116	2,273	4,852	9,202	13,350	15,442	14,232	14,197	9
1993.....	415	1,018	2,289	5,023	9,379	13,550	15,410	13,923	13,260	7
1992.....	356	904	2,216	4,763	8,543	12,116	14,204	12,004	11,579	8
1991.....	371	889	2,181	4,959	8,648	11,985	13,680	11,602	10,807	9
1990.....	346	917	2,194	4,797	8,448	11,405	13,238	10,891	10,086	7
1989.....	372	940	2,390	4,899	8,026	11,257	12,606	10,165	9,329	4
1988.....	378	947	2,289	4,869	8,143	11,178	12,205	9,992	8,781	7
1987.....	337	868	2,226	4,842	7,769	10,704	11,627	9,175	8,156	5
1986.....	341	954	2,335	4,766	7,797	10,690	11,196	8,478	7,567	7
1985.....	351	1,016	2,411	4,737	7,594	10,250	10,796	8,303	7,322	15
1984.....	316	963	2,367	4,558	7,109	9,675	9,856	7,213	6,433	7
1983.....	341	916	2,273	4,328	7,023	9,117	9,119	6,732	5,728	11
1982.....	313	870	2,111	3,870	6,334	8,160	7,933	5,795	4,787	8
1981.....	344	936	2,073	3,939	6,097	7,850	7,442	5,366	4,445	6
1980.....	355	882	2,015	3,715	5,767	7,184	6,592	4,747	4,063	5
1979.....	275	824	1,779	3,285	4,912	6,031	5,471	4,130	3,206	3
TOTAL, MALE										
1998.....	244	620	1,289	2,554	4,843	7,849	9,374	8,607	8,623	7
1997.....	282	635	1,232	2,558	4,998	7,595	8,911	8,339	8,304	4
1996.....	258	598	1,254	2,552	4,833	7,221	8,809	8,025	7,698	5
1995.....	227	542	1,186	2,539	4,928	7,456	8,635	7,740	7,436	3
1994.....	236	593	1,259	2,695	5,056	7,362	8,365	7,636	6,884	7
1993.....	247	567	1,241	2,803	5,221	7,525	8,563	7,608	6,696	5
1992.....	195	529	1,251	2,671	4,903	6,979	8,035	6,680	5,963	7
1991.....	202	447	1,196	2,798	5,021	6,917	7,897	6,708	5,723	8
1990.....	204	482	1,255	2,797	4,982	6,796	7,870	6,301	5,412	7
1989.....	185	490	1,359	2,854	4,789	6,588	7,580	5,942	5,127	3
1988.....	214	546	1,323	2,938	4,973	6,831	7,427	6,080	4,962	5
1987.....	173	491	1,294	2,939	4,793	6,648	7,382	5,690	4,678	3
1986.....	201	531	1,362	2,906	4,877	6,815	7,170	5,444	4,538	4
1985.....	180	583	1,403	2,961	4,854	6,686	6,978	5,392	4,442	11
1984.....	177	576	1,455	2,885	4,553	6,425	6,586	4,810	3,989	3
1983.....	180	545	1,435	2,787	4,583	6,081	6,328	4,623	3,626	9
1982.....	169	545	1,347	2,568	4,238	5,532	5,595	4,025	3,052	8
1981.....	184	571	1,339	2,583	4,163	5,532	5,341	3,747	2,953	4
1980.....	214	558	1,323	2,492	4,003	5,176	4,840	3,358	2,719	3
1979.....	176	508	1,174	2,252	3,561	4,465	4,066	3,102	2,164	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, FEMALE										
1998.....	197	543	1,120	2,247	4,156	6,771	8,460	8,322	10,404	-
1997.....	192	539	1,133	2,227	4,040	6,327	8,045	7,868	9,467	1
1996.....	219	511	1,070	2,139	4,079	6,438	7,710	7,392	8,818	5
1995.....	198	538	1,066	2,083	3,939	6,113	7,145	6,984	7,955	-
1994.....	183	523	1,014	2,157	4,146	5,988	7,077	6,596	7,313	2
1993.....	168	451	1,048	2,220	4,158	6,025	6,847	6,315	6,564	2
1992.....	161	375	965	2,092	3,640	5,137	6,169	5,324	5,616	1
1991.....	169	442	985	2,161	3,627	5,068	5,783	4,894	5,084	1
1990.....	142	435	939	2,000	3,466	4,609	5,368	4,590	4,674	-
1989.....	187	450	1,031	2,045	3,237	4,669	5,026	4,223	4,202	1
1988.....	164	401	966	1,931	3,170	4,347	4,778	3,912	3,819	2
1987.....	164	377	932	1,903	2,976	4,056	4,245	3,485	3,478	2
1986.....	140	423	973	1,860	2,920	3,875	4,026	3,034	3,029	3
1985.....	171	433	1,008	1,776	2,740	3,564	3,818	2,911	2,880	4
1984.....	139	387	912	1,673	2,556	3,250	3,270	2,403	2,444	4
1983.....	161	371	838	1,541	2,440	3,036	2,791	2,109	2,102	2
1982.....	144	325	764	1,302	2,096	2,628	2,338	1,770	1,735	-
1981.....	160	365	734	1,356	1,934	2,318	2,101	1,619	1,492	2
1980.....	141	324	692	1,223	1,764	2,008	1,752	1,389	1,344	2
1979.....	99	316	605	1,033	1,351	1,566	1,405	1,028	1,042	-
WHITE, BOTH SEXES										
1998.....	353	1,007	2,122	4,358	8,323	13,629	16,725	16,071	17,947	7
1997.....	387	1,038	2,104	4,327	8,299	13,000	15,960	15,311	16,773	3
1996.....	378	989	2,068	4,254	8,236	12,735	15,555	14,587	15,596	6
1995.....	348	940	2,005	4,150	8,154	12,671	14,895	13,964	14,541	3
1994.....	343	968	2,025	4,423	8,509	12,439	14,584	13,474	13,432	4
1993.....	347	882	2,044	4,556	8,706	12,614	14,561	13,141	12,607	5
1992.....	294	784	1,962	4,355	7,876	11,338	13,447	11,398	10,975	7
1991.....	304	755	1,937	4,529	7,958	11,196	12,921	11,004	10,247	4
1990.....	278	790	1,941	4,348	7,809	10,649	12,471	10,296	9,539	5
1989.....	319	791	2,117	4,435	7,365	10,516	11,826	9,615	8,853	4
1988.....	304	803	2,052	4,432	7,537	10,466	11,520	9,486	8,341	5
1987.....	281	746	1,998	4,431	7,187	10,028	11,011	8,700	7,725	4
1986.....	282	818	2,096	4,335	7,234	10,026	10,622	8,064	7,193	6
1985.....	289	894	2,147	4,310	7,051	9,667	10,215	7,892	7,002	9
1984.....	262	833	2,109	4,171	6,636	9,078	9,384	6,819	6,122	4
1983.....	292	822	2,052	3,927	6,566	8,633	8,692	6,387	5,454	8
1982.....	263	751	1,870	3,569	5,934	7,679	7,569	5,551	4,588	7
1981.....	292	810	1,874	3,620	5,713	7,439	7,080	5,101	4,275	5
1980.....	297	771	1,804	3,427	5,413	6,790	6,279	4,551	3,882	5
1979.....	225	727	1,592	3,060	4,589	5,707	5,177	3,974	3,057	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)										
WHITE MALE										
1998.....	193	525	1,113	2,291	4,435	7,248	8,700	8,073	8,030	7
1997.....	228	554	1,083	2,283	4,527	7,034	8,282	7,763	7,760	3
1996.....	204	531	1,090	2,275	4,416	6,671	8,185	7,489	7,217	2
1995.....	171	467	1,052	2,236	4,472	6,880	8,090	7,275	6,929	3
1994.....	192	509	1,111	2,442	4,620	6,756	7,801	7,163	6,451	2
1993.....	203	481	1,091	2,504	4,791	6,914	7,998	7,085	6,296	4
1992.....	160	457	1,097	2,407	4,485	6,446	7,517	6,288	5,600	6
1991.....	165	369	1,029	2,539	4,568	6,387	7,365	6,310	5,381	4
1990.....	163	406	1,094	2,518	4,560	6,259	7,325	5,884	5,067	5
1989.....	152	399	1,185	2,558	4,335	6,075	7,008	5,572	4,823	3
1988.....	167	455	1,180	2,642	4,547	6,313	6,919	5,712	4,684	3
1987.....	134	418	1,155	2,668	4,381	6,146	6,934	5,360	4,401	2
1986.....	164	430	1,208	2,613	4,461	6,308	6,726	5,156	4,273	3
1985.....	140	502	1,235	2,667	4,466	6,238	6,549	5,096	4,238	5
1984.....	136	486	1,274	2,620	4,196	5,980	6,235	4,518	3,796	1
1983.....	148	481	1,269	2,500	4,250	5,691	5,996	4,366	3,447	6
1982.....	132	467	1,198	2,350	3,927	5,169	5,327	3,843	2,915	7
1981.....	145	486	1,200	2,355	3,862	5,209	5,066	3,538	2,825	4
1980.....	175	473	1,169	2,273	3,733	4,852	4,592	3,200	2,594	3
1979.....	136	437	1,034	2,086	3,302	4,207	3,824	2,984	2,051	2
WHITE FEMALE										
1998.....	160	482	1,009	2,067	3,888	6,381	8,025	7,998	9,917	-
1997.....	159	484	1,021	2,044	3,772	5,966	7,678	7,548	9,013	-
1996.....	174	458	978	1,979	3,820	6,064	7,370	7,098	8,379	4
1995.....	177	473	953	1,914	3,682	5,791	6,805	6,689	7,612	-
1994.....	151	459	914	1,981	3,889	5,683	6,783	6,311	6,981	2
1993.....	144	401	953	2,052	3,915	5,700	6,563	6,056	6,311	1
1992.....	134	327	865	1,948	3,391	4,892	5,930	5,110	5,375	1
1991.....	139	386	908	1,990	3,390	4,809	5,556	4,694	4,866	-
1990.....	115	384	847	1,830	3,249	4,390	5,146	4,412	4,472	-
1989.....	167	392	932	1,877	3,030	4,441	4,818	4,043	4,030	1
1988.....	137	348	872	1,790	2,990	4,153	4,601	3,774	3,657	2
1987.....	147	328	843	1,763	2,806	3,882	4,077	3,340	3,324	2
1986.....	118	388	888	1,722	2,773	3,718	3,896	2,908	2,920	3
1985.....	149	392	912	1,643	2,585	3,429	3,666	2,796	2,764	4
1984.....	126	347	835	1,551	2,440	3,098	3,149	2,301	2,326	3
1983.....	144	341	783	1,427	2,316	2,942	2,696	2,021	2,007	2
1982.....	131	284	672	1,219	2,007	2,510	2,242	1,708	1,673	-
1981.....	147	324	674	1,265	1,851	2,230	2,014	1,563	1,450	1
1980.....	122	298	635	1,154	1,680	1,938	1,687	1,351	1,288	2
1979.....	89	290	558	974	1,287	1,500	1,353	990	1,006	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)										
ALL OTHER, BOTH SEXES										
1998.....	88	156	287	443	676	991	1,109	858	1,080	-
1997.....	87	136	261	458	739	922	996	896	998	2
1996.....	99	120	256	437	676	924	964	830	920	4
1995.....	77	140	247	472	713	898	885	760	850	-
1994.....	76	148	248	429	693	911	858	758	765	5
1993.....	68	136	245	467	673	936	849	782	653	2
1992.....	62	120	254	408	667	778	757	606	604	1
1991.....	67	134	244	430	690	789	759	598	560	5
1990.....	68	127	253	449	639	756	767	595	547	2
1989.....	53	149	273	464	661	741	780	550	476	-
1988.....	74	144	237	437	606	712	685	506	440	2
1987.....	56	122	228	411	582	676	616	475	431	1
1986.....	59	136	239	431	563	664	574	414	374	1
1985.....	62	122	264	427	543	583	581	411	320	6
1984.....	54	130	258	387	473	597	472	394	311	3
1983.....	49	94	221	401	457	484	427	345	274	3
1982.....	50	119	241	301	400	481	364	244	199	1
1981.....	52	126	199	319	384	411	362	265	170	1
1980.....	58	111	211	288	354	394	313	196	181	-
1979.....	50	97	187	225	323	324	294	156	149	1
ALL OTHER MALE										
1998.....	51	95	176	263	408	601	674	534	593	-
1997.....	54	81	149	275	471	561	629	576	544	1
1996.....	54	67	164	277	417	550	624	536	481	3
1995.....	56	75	134	303	456	576	545	465	507	-
1994.....	44	84	148	253	436	606	564	473	433	5
1993.....	44	86	150	299	430	611	565	523	400	1
1992.....	35	72	154	264	418	533	518	392	363	1
1991.....	37	78	167	259	453	530	532	398	342	4
1990.....	41	76	161	279	422	537	545	417	345	2
1989.....	33	91	174	296	454	513	572	370	304	-
1988.....	47	91	143	296	426	518	508	368	278	2
1987.....	39	73	139	271	412	502	448	330	277	1
1986.....	37	101	154	293	416	507	444	288	265	1
1985.....	40	81	168	294	388	448	429	296	204	6
1984.....	41	90	181	265	357	445	351	292	193	2
1983.....	32	64	166	287	333	390	332	257	179	3
1982.....	37	78	149	218	311	363	268	182	137	1
1981.....	39	85	139	228	301	323	275	209	128	-
1980.....	39	85	154	219	270	324	248	158	125	-
1979.....	40	71	140	166	259	258	242	118	113	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)										
ALL OTHER FEMALE										
1998.....	37	61	111	180	268	390	435	324	487	-
1997.....	33	55	112	183	268	361	367	320	454	1
1996.....	45	53	92	160	259	374	340	294	439	1
1995.....	21	65	113	169	257	322	340	295	343	-
1994.....	32	64	100	176	257	305	294	285	332	-
1993.....	24	50	95	168	243	325	284	259	253	1
1992.....	27	48	100	144	249	245	239	214	241	-
1991.....	30	56	77	171	237	259	227	200	218	1
1990.....	27	51	92	170	217	219	222	178	202	-
1989.....	20	58	99	168	207	228	208	180	172	-
1988.....	27	53	94	141	180	194	177	138	162	-
1987.....	17	49	89	140	170	174	168	145	154	-
1986.....	22	35	85	138	147	157	130	126	109	-
1985.....	22	41	96	133	155	135	152	115	116	-
1984.....	13	40	77	122	116	152	121	102	118	1
1983.....	17	30	55	114	124	94	95	88	95	-
1982.....	13	41	92	83	89	118	96	62	62	-
1981.....	13	41	60	91	83	88	87	56	42	1
1980.....	19	26	57	69	84	70	65	38	56	-
1979.....	10	26	47	59	64	66	52	38	36	-
BLACK, BOTH SEXES										
1998.....	81	145	264	384	576	856	933	694	853	-
1997.....	84	120	231	406	640	801	808	713	786	1
1996.....	95	114	230	390	589	798	792	681	752	4
1995.....	73	121	218	420	624	773	744	625	682	-
1994.....	74	139	221	386	624	788	731	602	634	3
1993.....	64	129	219	414	606	791	726	653	548	1
1992.....	58	114	234	367	588	677	670	501	507	1
1991.....	66	130	225	388	611	686	650	509	450	5
1990.....	63	117	229	402	562	665	665	519	436	2
1989.....	48	135	250	419	584	665	668	471	390	-
1988.....	71	137	218	402	556	631	590	431	360	1
1987.....	49	108	209	378	528	601	541	421	355	1
1986.....	56	126	219	397	518	596	505	352	318	1
1985.....	59	110	245	390	501	525	506	370	267	6
1984.....	52	121	238	358	434	540	421	335	246	2
1983.....	48	89	209	373	413	434	386	299	234	1
1982.....	49	117	227	280	368	449	317	211	169	1
1981.....	51	117	192	294	348	375	323	231	144	1
1980.....	56	106	201	281	325	364	286	177	143	-
1979.....	47	95	179	209	302	298	270	133	106	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)										
BLACK MALE										
1998.....	46	87	161	227	348	518	567	427	449	-
1997.....	51	72	130	243	409	481	513	448	410	1
1996.....	52	64	146	248	362	466	503	441	390	3
1995.....	53	67	121	275	397	490	463	391	393	-
1994.....	44	79	135	230	390	522	479	385	352	3
1993.....	42	83	138	265	389	519	484	438	329	1
1992.....	34	68	145	237	366	458	458	324	304	1
1991.....	36	76	153	239	407	456	461	336	269	4
1990.....	37	72	149	253	366	469	471	362	273	2
1989.....	29	81	161	264	399	457	487	318	242	-
1988.....	44	89	130	278	392	464	433	313	234	1
1987.....	34	67	127	251	375	446	396	290	227	1
1986.....	36	94	141	268	381	456	390	240	224	1
1985.....	37	73	159	270	362	410	376	265	175	6
1984.....	40	83	169	250	330	405	315	248	153	1
1983.....	31	61	158	267	299	351	305	221	149	1
1982.....	37	77	141	202	288	338	236	156	120	1
1981.....	38	80	133	211	277	295	250	180	109	-
1980.....	37	81	144	212	248	297	224	147	98	-
1979.....	38	70	136	158	243	241	225	104	81	1
BLACK FEMALE										
1998.....	35	58	103	157	228	338	366	267	404	-
1997.....	33	48	101	163	231	320	295	265	376	-
1996.....	43	50	84	142	227	332	289	240	362	1
1995.....	20	54	97	145	227	283	281	234	289	-
1994.....	30	60	86	156	234	266	252	217	282	-
1993.....	22	46	81	149	217	272	242	215	219	-
1992.....	24	46	89	130	222	219	212	177	203	-
1991.....	30	54	72	149	204	230	189	173	181	1
1990.....	26	45	80	149	196	196	194	157	163	-
1989.....	19	54	89	155	185	208	181	153	148	-
1988.....	27	48	88	124	164	167	157	118	126	-
1987.....	15	41	82	127	153	155	145	131	128	-
1986.....	20	32	78	129	137	140	115	112	94	-
1985.....	22	37	86	120	139	115	130	105	92	-
1984.....	12	38	69	108	104	135	106	87	93	1
1983.....	17	28	51	106	114	83	81	78	85	-
1982.....	12	40	86	78	80	111	81	55	49	-
1981.....	13	37	59	83	71	80	73	51	35	1
1980.....	19	25	57	69	77	67	62	30	45	-
1979.....	9	25	43	51	59	57	45	29	25	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ULCER OF STOMACH AND DUODENUM (531-533)										
TOTAL, BOTH SEXES										
1998.....	125	131	184	233	349	496	695	801	1,520	-
1997.....	132	153	176	251	350	589	761	862	1,658	2
1996.....	129	135	150	261	396	576	764	921	1,573	3
1995.....	133	136	195	283	441	609	829	996	1,644	-
1994.....	137	161	199	322	496	733	905	1,049	1,859	2
1993.....	126	178	217	298	520	665	859	1,107	1,762	2
1992.....	128	123	207	317	505	729	978	1,112	1,814	2
1991.....	128	142	210	377	501	729	975	1,089	1,757	-
1990.....	107	145	212	364	557	803	964	1,059	1,764	1
1989.....	106	163	249	362	568	815	1,012	1,157	1,809	1
1988.....	94	163	266	391	632	784	1,031	1,109	1,731	1
1987.....	106	160	255	391	605	809	1,091	1,022	1,703	-
1986.....	99	149	286	450	612	811	1,028	1,102	1,710	3
1985.....	111	175	278	504	666	839	1,066	1,122	1,692	1
1984.....	99	173	328	500	686	837	1,032	1,071	1,634	1
1983.....	116	189	314	455	660	872	1,008	1,042	1,514	1
1982.....	124	199	350	501	707	892	1,050	1,089	1,586	3
1981.....	143	211	392	502	684	902	1,015	969	1,426	1
1980.....	106	254	372	510	665	871	885	956	1,235	-
1979.....	147	261	361	474	657	771	910	863	1,182	1
TOTAL, MALE										
1998.....	80	73	119	147	217	268	352	347	525	-
1997.....	97	101	111	155	205	320	389	366	509	2
1996.....	91	91	101	158	229	313	393	409	481	2
1995.....	103	94	122	168	270	325	444	441	519	-
1994.....	89	114	125	206	313	392	459	459	607	1
1993.....	90	110	139	196	290	378	427	494	562	2
1992.....	93	84	128	198	310	411	466	480	598	1
1991.....	84	98	144	223	291	411	508	477	554	-
1990.....	67	96	146	219	338	472	473	451	562	-
1989.....	70	96	160	216	349	463	515	533	589	1
1988.....	60	108	171	247	378	463	516	482	591	1
1987.....	71	110	175	251	366	479	573	461	559	-
1986.....	71	96	194	272	343	470	499	446	567	1
1985.....	76	123	169	317	423	460	560	488	577	1
1984.....	52	120	217	327	414	440	519	465	544	-
1983.....	73	124	200	276	426	510	531	457	528	1
1982.....	74	137	224	317	425	516	543	474	562	2
1981.....	101	133	240	316	425	525	566	435	522	1
1980.....	79	175	252	345	433	530	490	455	479	-
1979.....	99	180	231	311	419	439	508	420	463	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ULCER OF STOMACH AND DUODENUM (531-533)										
TOTAL, FEMALE										
1998.....	45	58	65	86	132	228	343	454	995	-
1997.....	35	52	65	96	145	269	372	496	1,149	-
1996.....	38	44	49	103	167	263	371	512	1,092	1
1995.....	30	42	73	115	171	284	385	555	1,125	-
1994.....	48	47	74	116	183	341	446	590	1,252	1
1993.....	36	68	78	102	230	287	432	613	1,200	-
1992.....	35	39	79	119	195	318	512	632	1,216	1
1991.....	44	44	66	154	210	318	467	612	1,203	-
1990.....	40	49	66	145	219	331	491	608	1,202	1
1989.....	36	67	89	146	219	352	497	624	1,220	-
1988.....	34	55	95	144	254	321	515	627	1,140	-
1987.....	35	50	80	140	239	330	518	561	1,144	-
1986.....	28	53	92	178	269	341	529	656	1,143	2
1985.....	35	52	109	187	243	379	506	634	1,115	-
1984.....	47	53	111	173	272	397	513	606	1,090	1
1983.....	43	65	114	179	234	362	477	585	986	-
1982.....	50	62	126	184	282	376	507	615	1,024	1
1981.....	42	78	152	186	259	377	449	534	904	-
1980.....	27	79	120	165	232	341	395	501	756	-
1979.....	48	81	130	163	238	332	402	443	719	1
WHITE, BOTH SEXES										
1998.....	92	110	156	192	297	430	626	726	1,416	-
1997.....	91	109	140	198	294	512	681	790	1,548	1
1996.....	96	104	115	204	324	480	687	846	1,481	1
1995.....	102	102	149	250	372	532	740	917	1,548	-
1994.....	108	128	157	257	432	638	820	951	1,728	1
1993.....	91	134	181	248	445	575	762	1,025	1,654	1
1992.....	96	94	161	264	422	653	891	1,040	1,693	1
1991.....	95	102	175	305	439	648	873	1,020	1,653	-
1990.....	85	110	169	299	475	710	885	988	1,665	1
1989.....	74	129	194	301	479	706	894	1,069	1,687	1
1988.....	72	131	223	314	553	711	942	1,050	1,638	1
1987.....	78	136	215	327	546	706	1,017	963	1,613	-
1986.....	73	122	234	378	532	728	930	1,018	1,617	2
1985.....	94	153	229	422	602	752	971	1,033	1,595	1
1984.....	69	130	280	436	613	768	951	992	1,552	1
1983.....	85	162	258	388	582	777	935	980	1,439	1
1982.....	93	150	296	427	621	811	971	1,002	1,514	1
1981.....	109	172	332	427	613	808	948	898	1,359	1
1980.....	76	212	324	465	604	792	815	893	1,181	-
1979.....	118	199	310	424	587	701	848	818	1,128	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ULCER OF STOMACH AND DUODENUM (531-533)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
WHITE MALE										
1998.....	57	60	98	121	183	235	313	320	492	-
1997.....	68	71	84	121	169	276	343	336	472	1
1996.....	67	70	79	118	191	260	358	372	451	-
1995.....	85	71	95	146	226	289	392	403	482	-
1994.....	69	87	99	166	278	344	421	413	551	1
1993.....	67	82	115	159	239	325	379	450	522	1
1992.....	72	62	99	165	263	369	425	438	553	-
1991.....	63	71	122	182	253	368	454	439	517	-
1990.....	55	69	116	171	287	422	441	413	530	-
1989.....	45	75	121	184	292	400	460	488	542	1
1988.....	45	88	140	205	327	419	470	452	558	1
1987.....	50	93	149	208	328	418	530	435	529	-
1986.....	49	79	159	232	295	421	448	403	535	1
1985.....	63	106	137	262	384	410	505	448	538	1
1984.....	36	86	183	283	376	398	479	432	510	-
1983.....	49	107	171	233	382	443	487	424	491	1
1982.....	53	103	191	268	380	466	502	428	532	-
1981.....	76	108	202	270	380	468	525	400	493	1
1980.....	54	142	216	310	390	487	450	422	455	-
1979.....	75	133	198	278	378	400	467	397	437	-
WHITE FEMALE										
1998.....	35	50	58	71	114	195	313	406	924	-
1997.....	23	38	56	77	125	236	338	454	1,076	-
1996.....	29	34	36	86	133	220	329	474	1,030	1
1995.....	17	31	54	104	146	243	348	514	1,066	-
1994.....	39	41	58	91	154	294	399	538	1,177	-
1993.....	24	52	66	89	206	250	383	575	1,132	-
1992.....	24	32	62	99	159	284	466	602	1,140	1
1991.....	32	31	53	123	186	280	419	581	1,136	-
1990.....	30	41	53	128	188	288	444	575	1,135	1
1989.....	29	54	73	117	187	306	434	581	1,145	-
1988.....	27	43	83	109	226	292	472	598	1,080	-
1987.....	28	43	66	119	218	288	487	528	1,084	-
1986.....	24	43	75	146	237	307	482	615	1,082	1
1985.....	31	47	92	160	218	342	466	585	1,057	-
1984.....	33	44	97	153	237	370	472	560	1,042	1
1983.....	36	55	87	155	200	334	448	556	948	-
1982.....	40	47	105	159	241	345	469	574	982	1
1981.....	33	64	130	157	233	340	423	498	866	-
1980.....	22	70	108	155	214	305	365	471	726	-
1979.....	43	66	112	146	209	301	381	421	691	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ULCER OF STOMACH AND DUODENUM (531-533)										
ALL OTHER, BOTH SEXES										
1998.....	33	21	28	41	52	66	69	75	104	-
1997.....	41	44	36	53	56	77	80	72	110	1
1996.....	33	31	35	57	72	96	77	75	92	2
1995.....	31	34	46	33	69	77	89	79	96	-
1994.....	29	33	42	65	64	95	85	98	131	1
1993.....	35	44	36	50	75	90	97	82	108	1
1992.....	32	29	46	53	83	76	87	72	121	1
1991.....	33	40	35	72	62	81	102	69	104	-
1990.....	22	35	43	65	82	93	79	71	99	-
1989.....	32	34	55	61	89	109	118	88	122	-
1988.....	22	32	43	77	79	73	89	59	93	-
1987.....	28	24	40	64	59	103	74	59	90	-
1986.....	26	27	52	72	80	83	98	84	93	1
1985.....	17	22	49	82	64	87	95	89	97	-
1984.....	30	43	48	64	73	69	81	79	82	-
1983.....	31	27	56	67	78	95	73	62	75	-
1982.....	31	49	54	74	86	81	79	87	72	2
1981.....	34	39	60	75	71	94	67	71	67	-
1980.....	30	42	48	45	61	79	70	63	54	-
1979.....	29	62	51	50	70	70	62	45	54	1
ALL OTHER MALE										
1998.....	23	13	21	26	34	33	39	27	33	-
1997.....	29	30	27	34	36	44	46	30	37	1
1996.....	24	21	22	40	38	53	35	37	30	2
1995.....	18	23	27	22	44	36	52	38	37	-
1994.....	20	27	26	40	35	48	38	46	56	-
1993.....	23	28	24	37	51	53	48	44	40	1
1992.....	21	22	29	33	47	42	41	42	45	1
1991.....	21	27	22	41	38	43	54	38	37	-
1990.....	12	27	30	48	51	50	32	38	32	-
1989.....	25	21	39	32	57	63	55	45	47	-
1988.....	15	20	31	42	51	44	46	30	33	-
1987.....	21	17	26	43	38	61	43	26	30	-
1986.....	22	17	35	40	48	49	51	43	32	-
1985.....	13	17	32	55	39	50	55	40	39	-
1984.....	16	34	34	44	38	42	40	33	34	-
1983.....	24	17	29	43	44	67	44	33	37	-
1982.....	21	34	33	49	45	50	41	46	30	2
1981.....	25	25	38	46	45	57	41	35	29	-
1980.....	25	33	36	35	43	43	40	33	24	-
1979.....	24	47	33	33	41	39	41	23	26	-

RACE, AND SEX: UNITED STATES, 1979-98										
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ULCER OF STOMACH AND DUODENUM (531-533)										
ALL OTHER FEMALE										
1998.....	10	8	7	15	18	33	30	48	71	-
1997.....	12	14	9	19	20	33	34	42	73	-
1996.....	9	10	13	17	34	43	42	38	62	-
1995.....	13	11	19	11	25	41	37	41	59	-
1994.....	9	6	16	25	29	47	47	52	75	1
1993.....	12	16	12	13	24	37	49	38	68	-
1992.....	11	7	17	20	36	34	46	30	76	-
1991.....	12	13	13	31	24	38	48	31	67	-
1990.....	10	8	13	17	31	43	47	33	67	-
1989.....	7	13	16	29	32	46	63	43	75	-
1988.....	7	12	12	35	28	29	43	29	60	-
1987.....	7	7	14	21	21	42	31	33	60	-
1986.....	4	10	17	32	32	34	47	41	61	1
1985.....	4	5	17	27	25	37	40	49	58	-
1984.....	14	9	14	20	35	27	41	46	48	-
1983.....	7	10	27	24	34	28	29	29	38	-
1982.....	10	15	21	25	41	31	38	41	42	-
1981.....	9	14	22	29	26	37	26	36	38	-
1980.....	5	9	12	10	18	36	30	30	30	-
1979.....	5	15	18	17	29	31	21	22	28	1
BLACK, BOTH SEXES										
1998.....	29	19	23	36	33	52	52	54	76	-
1997.....	35	36	32	44	41	58	60	50	82	-
1996.....	31	26	28	43	61	78	61	56	68	2
1995.....	27	30	40	30	59	64	74	59	70	-
1994.....	29	25	38	53	50	69	61	76	101	1
1993.....	34	40	30	39	67	72	75	63	81	1
1992.....	28	27	40	45	67	59	71	63	97	1
1991.....	30	34	29	65	49	64	82	52	84	-
1990.....	21	29	40	60	76	83	63	62	75	-
1989.....	31	32	46	49	72	95	107	69	90	-
1988.....	18	29	38	70	68	61	74	49	75	-
1987.....	27	24	36	51	53	90	64	53	71	-
1986.....	26	20	48	65	75	74	80	71	76	1
1985.....	15	21	42	77	57	72	83	74	78	-
1984.....	30	40	43	55	66	56	70	71	68	-
1983.....	29	24	51	63	65	82	65	55	64	-
1982.....	27	47	52	65	78	73	66	69	57	2
1981.....	32	34	55	71	62	84	59	63	59	-
1980.....	29	39	44	43	57	72	55	50	46	-
1979.....	28	53	47	45	62	66	53	39	42	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ULCER OF STOMACH AND DUODENUM (531-533)										
BLACK MALE										
1998.....	21	11	17	23	20	24	29	19	19	-
1997.....	26	25	24	25	28	33	32	22	25	-
1996.....	23	18	17	33	31	43	25	26	18	2
1995.....	15	20	23	21	38	29	40	29	20	-
1994.....	20	21	23	33	25	36	23	33	40	-
1993.....	22	25	22	28	45	42	32	31	28	1
1992.....	19	20	24	29	39	32	35	37	29	1
1991.....	21	23	18	37	29	36	42	26	26	-
1990.....	11	24	28	43	47	45	25	30	24	-
1989.....	25	20	33	28	42	50	48	32	30	-
1988.....	14	18	27	38	46	39	36	22	24	-
1987.....	20	17	23	31	34	53	39	22	19	-
1986.....	22	15	32	35	45	42	39	35	26	-
1985.....	12	17	29	51	34	39	46	29	31	-
1984.....	16	31	30	36	34	34	30	30	28	-
1983.....	22	16	26	39	36	56	37	28	31	-
1982.....	17	33	33	46	39	45	32	33	21	2
1981.....	24	22	35	43	38	50	34	28	28	-
1980.....	24	32	35	33	41	39	30	25	18	-
1979.....	23	41	31	30	35	36	33	20	18	-
BLACK FEMALE										
1998.....	8	8	6	13	13	28	23	35	57	-
1997.....	9	11	8	19	13	25	28	28	57	-
1996.....	8	8	11	10	30	35	36	30	50	-
1995.....	12	10	17	9	21	35	34	30	50	-
1994.....	9	4	15	20	25	33	38	43	61	1
1993.....	12	15	8	11	22	30	43	32	53	-
1992.....	9	7	16	16	28	27	36	26	68	-
1991.....	9	11	11	28	20	28	40	26	58	-
1990.....	10	5	12	17	29	38	38	32	51	-
1989.....	6	12	13	21	30	45	59	37	60	-
1988.....	4	11	11	32	22	22	38	27	51	-
1987.....	7	7	13	20	19	37	25	31	52	-
1986.....	4	5	16	30	30	32	41	36	50	1
1985.....	3	4	13	26	23	33	37	45	47	-
1984.....	14	9	13	19	32	22	40	41	40	-
1983.....	7	8	25	24	29	26	28	27	33	-
1982.....	10	14	19	19	39	28	34	36	36	-
1981.....	8	12	20	28	24	34	25	35	31	-
1980.....	5	7	9	10	16	33	25	25	28	-
1979.....	5	12	16	15	27	30	20	19	24	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR APPENDICITIS (540-543)	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, BOTH SEXES										
1998.....	15	14	26	27	35	41	65	56	79	-
1997.....	18	14	14	33	41	46	42	46	70	-
1996.....	17	17	18	31	35	47	62	47	65	-
1995.....	19	15	24	38	43	40	42	51	72	-
1994.....	21	19	16	19	32	49	44	49	63	-
1993.....	18	12	14	31	43	43	41	39	53	-
1992.....	11	14	21	20	53	49	49	49	74	-
1991.....	13	18	20	29	38	47	38	55	61	-
1990.....	17	15	19	36	41	51	66	48	67	-
1989.....	11	24	30	23	46	65	63	49	74	-
1988.....	10	15	28	40	48	55	57	66	82	-
1987.....	12	19	27	30	50	65	67	57	92	-
1986.....	6	18	40	47	61	65	56	74	69	-
1985.....	10	18	20	48	52	73	72	49	93	-
1984.....	10	10	28	44	47	64	64	75	80	-
1983.....	12	19	33	39	65	67	63	64	91	-
1982.....	20	18	36	47	51	62	65	57	86	-
1981.....	18	19	35	49	72	90	71	62	77	-
1980.....	19	30	59	67	58	77	90	81	100	-
1979.....	24	26	51	56	67	96	87	77	90	-
TOTAL, MALE										
1998.....	11	7	20	16	23	30	30	29	36	-
1997.....	10	7	11	22	25	26	21	26	34	-
1996.....	10	15	12	21	24	25	36	19	27	-
1995.....	14	11	17	21	30	24	21	29	24	-
1994.....	13	17	11	12	23	31	21	24	29	-
1993.....	11	11	12	19	27	26	22	20	20	-
1992.....	7	9	10	13	32	25	30	28	40	-
1991.....	6	9	9	19	21	28	19	29	19	-
1990.....	14	8	12	24	30	30	41	24	26	-
1989.....	8	13	16	12	23	38	37	23	21	-
1988.....	8	11	15	25	23	31	25	32	29	-
1987.....	4	13	19	18	26	35	34	25	37	-
1986.....	2	9	21	31	36	38	27	40	34	-
1985.....	8	12	12	29	31	44	36	21	38	-
1984.....	6	3	14	33	27	37	33	39	36	-
1983.....	6	13	20	21	44	34	39	27	37	-
1982.....	12	10	25	30	30	38	37	31	34	-
1981.....	11	13	22	29	41	53	32	34	32	-
1980.....	12	21	35	40	38	52	50	34	39	-
1979.....	15	15	27	34	41	55	50	34	36	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
APPENDICITIS (540-543)										
TOTAL, FEMALE										
1998.....	4	7	6	11	12	11	35	27	43	-
1997.....	8	7	3	11	16	20	21	20	36	-
1996.....	7	2	6	10	11	22	26	28	38	-
1995.....	5	4	7	17	13	16	21	22	48	-
1994.....	8	2	5	7	9	18	23	25	34	-
1993.....	7	1	2	12	16	17	19	19	33	-
1992.....	4	5	11	7	21	24	19	21	34	-
1991.....	7	9	11	10	17	19	19	26	42	-
1990.....	3	7	7	12	11	21	25	24	41	-
1989.....	3	11	14	11	23	27	26	26	53	-
1988.....	2	4	13	15	25	24	32	34	53	-
1987.....	8	6	8	12	24	30	33	32	55	-
1986.....	4	9	19	16	25	27	29	34	35	-
1985.....	2	6	8	19	21	29	36	28	55	-
1984.....	4	7	14	11	20	27	31	36	44	-
1983.....	6	6	13	18	21	33	24	37	54	-
1982.....	8	8	11	17	21	24	28	26	52	-
1981.....	7	6	13	20	31	37	39	28	45	-
1980.....	7	9	24	27	20	25	40	47	61	-
1979.....	9	11	24	22	26	41	37	43	54	-
WHITE, BOTH SEXES										
1998.....	7	9	21	21	29	36	53	50	72	-
1997.....	9	12	10	28	26	38	35	38	66	-
1996.....	14	14	14	25	28	41	51	44	57	-
1995.....	11	13	17	24	37	31	35	44	63	-
1994.....	15	15	14	16	30	37	37	42	56	-
1993.....	12	7	11	20	36	31	37	33	47	-
1992.....	4	10	15	18	44	40	42	40	66	-
1991.....	9	15	17	26	33	36	31	48	57	-
1990.....	11	9	16	31	28	43	56	42	61	-
1989.....	8	16	17	16	40	53	59	42	62	-
1988.....	5	7	18	28	36	46	47	56	73	-
1987.....	6	12	23	22	37	51	53	49	79	-
1986.....	5	6	31	35	46	53	49	61	63	-
1985.....	7	14	12	39	42	55	59	45	82	-
1984.....	6	7	22	32	41	50	53	69	73	-
1983.....	7	15	25	30	53	51	55	53	83	-
1982.....	13	11	28	35	36	47	55	47	74	-
1981.....	14	15	22	37	52	77	58	49	64	-
1980.....	12	18	46	44	44	65	79	74	95	-
1979.....	14	15	39	43	47	78	72	69	86	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR APPENDICITIS (540-543)	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
WHITE MALE										
1998.....	5	2	16	11	18	27	23	27	33	-
1997.....	6	5	7	17	15	21	16	21	30	-
1996.....	7	12	9	16	20	21	28	17	24	-
1995.....	7	9	10	12	26	17	16	24	21	-
1994.....	8	13	9	9	22	22	18	19	26	-
1993.....	6	6	9	11	23	17	20	17	17	-
1992.....	3	8	7	12	27	18	25	24	37	-
1991.....	4	6	8	16	17	21	15	25	18	-
1990.....	9	4	10	22	21	26	34	19	26	-
1989.....	6	9	9	9	21	31	36	19	17	-
1988.....	5	4	9	19	19	25	21	25	24	-
1987.....	2	9	17	15	18	25	31	22	31	-
1986.....	2	2	16	25	28	28	24	31	31	-
1985.....	6	11	7	24	24	35	30	18	33	-
1984.....	5	3	11	23	24	30	30	37	32	-
1983.....	4	11	16	19	33	25	35	21	32	-
1982.....	8	7	20	24	21	29	31	24	29	-
1981.....	10	11	14	22	34	43	26	23	26	-
1980.....	8	14	28	29	30	44	44	29	36	-
1979.....	8	9	21	28	28	46	38	29	35	-
WHITE FEMALE										
1998.....	2	7	5	10	11	9	30	23	39	-
1997.....	3	7	3	11	11	17	19	17	36	-
1996.....	7	2	5	9	8	20	23	27	33	-
1995.....	4	4	7	12	11	14	19	20	42	-
1994.....	7	2	5	7	8	15	19	23	30	-
1993.....	6	1	2	9	13	14	17	16	30	-
1992.....	1	2	8	6	17	22	17	16	29	-
1991.....	5	9	9	10	16	15	16	23	39	-
1990.....	2	5	6	9	7	17	22	23	35	-
1989.....	2	7	8	7	19	22	23	23	45	-
1988.....	-	3	9	9	17	21	26	31	49	-
1987.....	4	3	6	7	19	26	22	27	48	-
1986.....	3	4	15	10	18	25	25	30	32	-
1985.....	1	3	5	15	18	20	29	27	49	-
1984.....	1	4	11	9	17	20	23	32	41	-
1983.....	3	4	9	11	20	26	20	32	51	-
1982.....	5	4	8	11	15	18	24	23	45	-
1981.....	4	4	8	15	18	34	32	26	38	-
1980.....	4	4	18	15	14	21	35	45	59	-
1979.....	6	6	18	15	19	32	34	40	51	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
APPENDICITIS (540-543)										
ALL OTHER, BOTH SEXES										
1998.....	8	5	5	6	6	5	12	6	7	-
1997.....	9	2	4	5	15	8	7	8	4	-
1996.....	3	3	4	6	7	6	11	3	8	-
1995.....	8	2	7	14	6	9	7	7	9	-
1994.....	6	4	2	3	2	12	7	7	7	-
1993.....	6	5	3	11	7	12	4	6	6	-
1992.....	7	4	6	2	9	9	7	9	8	-
1991.....	4	3	3	3	5	11	7	7	4	-
1990.....	6	6	3	5	13	8	10	6	6	-
1989.....	3	8	13	7	6	12	4	7	12	-
1988.....	5	8	10	12	12	9	10	10	9	-
1987.....	6	7	4	8	13	14	14	8	13	-
1986.....	1	12	9	12	15	12	7	13	6	-
1985.....	3	4	8	9	10	18	13	4	11	-
1984.....	4	3	6	12	6	14	11	6	7	-
1983.....	5	4	8	9	12	16	8	11	8	-
1982.....	7	7	8	12	15	15	10	10	12	-
1981.....	4	4	13	12	20	13	13	13	13	-
1980.....	7	12	13	23	14	12	11	7	5	-
1979.....	10	11	12	13	20	18	15	8	4	-
ALL OTHER MALE										
1998.....	6	5	4	5	5	3	7	2	3	-
1997.....	4	2	4	5	10	5	5	5	4	-
1996.....	3	3	3	5	4	4	8	2	3	-
1995.....	7	2	7	9	4	7	5	5	3	-
1994.....	5	4	2	3	1	9	3	5	3	-
1993.....	5	5	3	8	4	9	2	3	3	-
1992.....	4	1	3	1	5	7	5	4	3	-
1991.....	2	3	1	3	4	7	4	4	1	-
1990.....	5	4	2	2	9	4	7	5	-	-
1989.....	2	4	7	3	2	7	1	4	4	-
1988.....	3	7	6	6	4	6	4	7	5	-
1987.....	2	4	2	3	8	10	3	3	6	-
1986.....	-	7	5	6	8	10	3	9	3	-
1985.....	2	1	5	5	7	9	6	3	5	-
1984.....	1	-	3	10	3	7	3	2	4	-
1983.....	2	2	4	2	11	9	4	6	5	-
1982.....	4	3	5	6	9	9	6	7	5	-
1981.....	1	2	8	7	7	10	6	11	6	-
1980.....	4	7	7	11	8	8	6	5	3	-
1979.....	7	6	6	6	13	9	12	5	1	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
APPENDICITIS (540-543)										
ALL OTHER FEMALE										
1998.....	2	-	1	1	1	2	5	4	4	-
1997.....	5	-	-	-	5	3	2	3	-	-
1996.....	-	-	1	1	3	2	3	1	5	-
1995.....	1	-	-	5	2	2	2	2	6	-
1994.....	1	-	-	-	1	3	4	2	4	-
1993.....	1	-	-	3	3	3	2	3	3	-
1992.....	3	3	3	1	4	2	2	5	5	-
1991.....	2	-	2	-	1	4	3	3	3	-
1990.....	1	2	1	3	4	4	3	1	6	-
1989.....	1	4	6	4	4	5	3	3	8	-
1988.....	2	1	4	6	8	3	6	3	4	-
1987.....	4	3	2	5	5	4	11	5	7	-
1986.....	1	5	4	6	7	2	4	4	3	-
1985.....	1	3	3	4	3	9	7	1	6	-
1984.....	3	3	3	2	3	7	8	4	3	-
1983.....	3	2	4	7	1	7	4	5	3	-
1982.....	3	4	3	6	6	6	4	3	7	-
1981.....	3	2	5	5	13	3	7	2	7	-
1980.....	3	5	6	12	6	4	5	2	2	-
1979.....	3	5	6	7	7	9	3	3	3	-
BLACK, BOTH SEXES										
1998.....	6	5	5	6	6	3	8	5	7	-
1997.....	8	2	3	5	13	5	6	7	4	-
1996.....	3	3	3	5	6	6	9	3	8	-
1995.....	8	2	6	12	6	9	7	5	8	-
1994.....	6	4	1	3	2	12	7	6	6	-
1993.....	5	4	3	9	5	10	4	5	4	-
1992.....	7	4	6	2	7	9	7	5	7	-
1991.....	4	3	3	3	5	10	7	7	3	-
1990.....	5	5	3	5	12	7	9	3	6	-
1989.....	3	8	13	7	6	9	3	7	11	-
1988.....	4	8	10	11	11	8	9	10	9	-
1987.....	5	7	3	7	13	13	13	8	11	-
1986.....	1	10	9	11	14	12	5	11	6	-
1985.....	3	3	8	6	10	17	13	4	11	-
1984.....	4	3	6	12	6	13	11	3	7	-
1983.....	4	4	8	9	12	16	7	10	8	-
1982.....	6	6	6	12	15	12	10	9	12	-
1981.....	4	4	12	10	20	12	13	12	12	-
1980.....	7	12	13	22	13	12	10	6	5	-
1979.....	10	11	11	12	18	18	14	8	4	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
APPENDICITIS (540-543)										
BLACK MALE										
1998.....	5	5	4	5	5	2	6	2	3	-
1997.....	4	2	3	5	8	4	4	5	4	-
1996.....	3	3	2	4	4	4	6	2	3	-
1995.....	7	2	6	8	4	7	5	3	3	-
1994.....	5	4	1	3	1	9	3	4	2	-
1993.....	4	4	3	7	3	8	2	2	1	-
1992.....	4	1	3	1	4	7	5	2	2	-
1991.....	2	3	1	3	4	6	4	4	1	-
1990.....	5	3	2	2	9	3	6	3	-	-
1989.....	2	4	7	3	2	5	1	4	3	-
1988.....	2	7	6	5	3	6	4	7	5	-
1987.....	1	4	2	3	8	9	3	3	4	-
1986.....	-	5	5	5	8	10	2	7	3	-
1985.....	2	1	5	4	7	9	6	3	5	-
1984.....	1	-	3	10	3	6	3	-	4	-
1983.....	1	2	4	2	11	9	4	5	5	-
1982.....	4	3	3	6	9	6	6	7	5	-
1981.....	1	2	7	5	7	10	6	10	5	-
1980.....	4	7	7	11	8	8	5	4	3	-
1979.....	7	6	5	6	11	9	11	5	1	-
BLACK FEMALE										
1998.....	1	-	1	1	1	1	2	3	4	-
1997.....	4	-	-	-	5	1	2	2	-	-
1996.....	-	-	1	1	2	2	3	1	5	-
1995.....	1	-	-	4	2	2	2	2	5	-
1994.....	1	-	-	-	1	3	4	2	4	-
1993.....	1	-	-	2	2	2	2	3	3	-
1992.....	3	3	3	1	3	2	2	3	5	-
1991.....	2	-	2	-	1	4	3	3	2	-
1990.....	-	2	1	3	3	4	3	-	6	-
1989.....	1	4	6	4	4	4	2	3	8	-
1988.....	2	1	4	6	8	2	5	3	4	-
1987.....	4	3	1	4	5	4	10	5	7	-
1986.....	1	5	4	6	6	2	3	4	3	-
1985.....	1	2	3	2	3	8	7	1	6	-
1984.....	3	3	3	2	3	7	8	3	3	-
1983.....	3	2	4	7	1	7	3	5	3	-
1982.....	2	3	3	6	6	6	4	2	7	-
1981.....	3	2	5	5	13	2	7	2	7	-
1980.....	3	5	6	11	5	4	5	2	2	-
1979.....	3	5	6	6	7	9	3	3	3	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)										
TOTAL, BOTH SEXES										
1998.....	96	114	134	207	306	568	902	1,280	2,768	-
1997.....	77	110	133	183	334	560	929	1,183	2,719	-
1996.....	87	82	134	196	305	600	889	1,239	2,651	-
1995.....	80	95	99	191	324	583	853	1,204	2,463	1
1994.....	79	106	131	219	348	538	826	1,160	2,484	-
1993.....	61	82	95	207	340	553	832	1,131	2,362	-
1992.....	58	76	126	203	388	547	869	1,123	2,397	-
1991.....	83	80	104	236	380	592	884	1,161	2,299	-
1990.....	61	74	108	226	356	527	862	1,118	2,217	1
1989.....	61	60	136	229	348	543	812	1,040	2,000	-
1988.....	74	82	128	240	342	561	795	1,055	2,066	2
1987.....	54	84	119	259	375	563	821	1,008	1,962	1
1986.....	47	88	136	266	362	562	806	1,006	1,872	2
1985.....	33	86	169	237	353	535	803	1,040	1,833	1
1984.....	53	89	134	254	408	499	826	940	1,807	-
1983.....	47	98	153	256	400	561	756	896	1,633	2
1982.....	69	109	168	239	384	527	706	891	1,631	1
1981.....	75	123	168	233	413	627	769	948	1,597	-
1980.....	71	140	196	293	423	608	781	929	1,591	-
1979.....	68	148	216	282	481	612	772	951	1,411	1
TOTAL, MALE										
1998.....	53	65	62	103	142	264	404	449	654	-
1997.....	41	56	78	98	166	253	415	466	687	-
1996.....	54	49	72	99	142	305	365	460	696	-
1995.....	43	49	46	103	151	270	340	449	653	1
1994.....	42	58	72	111	171	263	361	435	614	-
1993.....	34	46	49	105	178	261	361	405	601	-
1992.....	29	39	62	98	186	243	392	403	623	-
1991.....	45	40	50	111	174	265	351	433	591	-
1990.....	27	38	59	102	163	238	380	385	562	1
1989.....	23	25	70	119	166	239	334	406	493	-
1988.....	47	38	72	121	160	255	321	377	507	-
1987.....	34	45	59	120	173	253	343	380	505	1
1986.....	25	42	67	130	154	258	354	360	508	-
1985.....	16	45	87	106	163	269	343	369	486	1
1984.....	24	44	71	126	174	232	363	371	450	-
1983.....	25	45	68	133	213	278	331	356	459	2
1982.....	28	63	78	122	187	245	272	307	461	-
1981.....	38	57	82	101	208	280	338	316	469	-
1980.....	36	72	90	144	196	267	318	338	483	-
1979.....	30	91	98	138	233	253	338	325	401	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)										
TOTAL, FEMALE										
1998.....	43	49	72	104	164	304	498	831	2,114	-
1997.....	36	54	55	85	168	307	514	717	2,032	-
1996.....	33	33	62	97	163	295	524	779	1,955	-
1995.....	37	46	53	88	173	313	513	755	1,810	-
1994.....	37	48	59	108	177	275	465	725	1,870	-
1993.....	27	36	46	102	162	292	471	726	1,761	-
1992.....	29	37	64	105	202	304	477	720	1,774	-
1991.....	38	40	54	125	206	327	533	728	1,708	-
1990.....	34	36	49	124	193	289	482	733	1,655	-
1989.....	38	35	66	110	182	304	478	634	1,507	-
1988.....	27	44	56	119	182	306	474	678	1,559	2
1987.....	20	39	60	139	202	310	478	628	1,457	-
1986.....	22	46	69	136	208	304	452	646	1,364	2
1985.....	17	41	82	131	190	266	460	671	1,347	-
1984.....	29	45	63	128	234	267	463	569	1,357	-
1983.....	22	53	85	123	187	283	425	540	1,174	-
1982.....	41	46	90	117	197	282	434	584	1,170	1
1981.....	37	66	86	132	205	347	431	632	1,128	-
1980.....	35	68	106	149	227	341	463	591	1,108	-
1979.....	38	57	118	144	248	359	434	626	1,010	1
WHITE, BOTH SEXES										
1998.....	68	93	104	166	244	496	785	1,135	2,537	-
1997.....	54	83	104	152	276	470	817	1,092	2,496	-
1996.....	56	62	109	152	249	497	766	1,105	2,401	-
1995.....	52	69	73	158	265	493	736	1,054	2,264	1
1994.....	59	68	97	181	278	446	720	1,037	2,261	-
1993.....	45	56	64	157	287	476	717	1,002	2,182	-
1992.....	45	54	98	166	326	456	752	993	2,197	-
1991.....	60	55	76	176	306	500	769	1,028	2,124	-
1990.....	43	48	87	175	290	446	753	1,005	2,047	-
1989.....	42	45	108	179	285	459	707	923	1,844	-
1988.....	52	53	97	190	275	479	688	957	1,903	2
1987.....	47	67	85	205	330	486	722	908	1,829	-
1986.....	37	66	99	211	290	476	688	904	1,742	2
1985.....	23	68	130	186	287	461	707	913	1,713	1
1984.....	38	68	106	209	341	424	730	849	1,683	-
1983.....	32	73	117	207	333	469	659	800	1,524	1
1982.....	52	83	135	197	311	446	616	810	1,531	1
1981.....	56	93	139	195	339	530	686	843	1,488	-
1980.....	45	106	157	252	366	519	692	855	1,497	-
1979.....	57	117	175	229	403	532	684	871	1,325	1

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

WHITE MALE

1998.....	40	54	50	80	114	229	343	395	594	-
1997.....	31	39	59	80	136	211	354	430	619	-
1996.....	35	34	58	77	117	247	317	407	610	-
1995.....	26	34	31	82	123	225	291	385	603	1
1994.....	34	38	52	86	138	212	311	383	546	-
1993.....	23	31	35	80	151	214	313	348	538	-
1992.....	22	30	51	77	155	199	338	347	545	-
1991.....	30	25	34	80	140	215	304	377	536	-
1990.....	19	24	45	77	134	198	323	342	505	-
1989.....	16	19	52	87	128	198	293	354	450	-
1988.....	33	25	53	101	123	213	271	336	452	-
1987.....	31	36	38	90	150	221	295	335	446	-
1986.....	17	31	51	105	120	218	298	318	463	-
1985.....	11	34	68	81	129	232	293	304	448	1
1984.....	14	32	52	106	143	197	317	329	406	-
1983.....	18	29	53	104	178	231	278	308	413	1
1982.....	18	45	64	96	142	197	231	268	419	-
1981.....	29	43	62	84	167	231	289	268	426	-
1980.....	19	55	68	120	167	225	268	301	441	-
1979.....	24	67	74	104	191	219	298	290	362	-

WHITE FEMALE

1998.....	28	39	54	86	130	267	442	740	1,943	-
1997.....	23	44	45	72	140	259	463	662	1,877	-
1996.....	21	28	51	75	132	250	449	698	1,791	-
1995.....	26	35	42	76	142	268	445	669	1,661	-
1994.....	25	30	45	95	140	234	409	654	1,715	-
1993.....	22	25	29	77	136	262	404	654	1,644	-
1992.....	23	24	47	89	171	257	414	646	1,652	-
1991.....	30	30	42	96	166	285	465	651	1,588	-
1990.....	24	24	42	98	156	248	430	663	1,542	-
1989.....	26	26	56	92	157	261	414	569	1,394	-
1988.....	19	28	44	89	152	266	417	621	1,451	2
1987.....	16	31	47	115	180	265	427	573	1,383	-
1986.....	20	35	48	106	170	258	390	586	1,279	2
1985.....	12	34	62	105	158	229	414	609	1,265	-
1984.....	24	36	54	103	198	227	413	520	1,277	-
1983.....	14	44	64	103	155	238	381	492	1,111	-
1982.....	34	38	71	101	169	249	385	542	1,112	1
1981.....	27	50	77	111	172	299	397	575	1,062	-
1980.....	26	51	89	132	199	294	424	554	1,056	-
1979.....	33	50	101	125	212	313	386	581	963	1

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

ALL OTHER, BOTH SEXES

1998.....	28	21	30	41	62	72	117	145	231	-
1997.....	23	27	29	31	58	90	112	91	223	-
1996.....	31	20	25	44	56	103	123	134	250	-
1995.....	28	26	26	33	59	90	117	150	199	-
1994.....	20	38	34	38	70	92	106	123	223	-
1993.....	16	26	31	50	53	77	115	129	180	-
1992.....	13	22	28	37	62	91	117	130	200	-
1991.....	23	25	28	60	74	92	115	133	175	-
1990.....	18	26	21	51	66	81	109	113	170	1
1989.....	19	15	28	50	63	84	105	117	156	-
1988.....	22	29	31	50	67	82	107	98	163	-
1987.....	7	17	34	54	45	77	99	100	133	1
1986.....	10	22	37	55	72	86	118	102	130	-
1985.....	10	18	39	51	66	74	96	127	120	-
1984.....	15	21	28	45	67	75	96	91	124	-
1983.....	15	25	36	49	67	92	97	96	109	1
1982.....	17	26	33	42	73	81	90	81	100	-
1981.....	19	30	29	38	74	97	83	105	109	-
1980.....	26	34	39	41	57	89	89	74	94	-
1979.....	11	31	41	53	78	80	88	80	86	-

ALL OTHER MALE

1998.....	13	11	12	23	28	35	61	54	60	-
1997.....	10	17	19	18	30	42	61	36	68	-
1996.....	19	15	14	22	25	58	48	53	86	-
1995.....	17	15	15	21	28	45	49	64	50	-
1994.....	8	20	20	25	33	51	50	52	68	-
1993.....	11	15	14	25	27	47	48	57	63	-
1992.....	7	9	11	21	31	44	54	56	78	-
1991.....	15	15	16	31	34	50	47	56	55	-
1990.....	8	14	14	25	29	40	57	43	57	1
1989.....	7	6	18	32	38	41	41	52	43	-
1988.....	14	13	19	20	37	42	50	41	55	-
1987.....	3	9	21	30	23	32	48	45	59	1
1986.....	8	11	16	25	34	40	56	42	45	-
1985.....	5	11	19	25	34	37	50	65	38	-
1984.....	10	12	19	20	31	35	46	42	44	-
1983.....	7	16	15	29	35	47	53	48	46	1
1982.....	10	18	14	26	45	48	41	39	42	-
1981.....	9	14	20	17	41	49	49	48	43	-
1980.....	17	17	22	24	29	42	50	37	42	-
1979.....	6	24	24	34	42	34	40	35	39	-

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

ALL OTHER FEMALE

1998.....	15	10	18	18	34	37	56	91	171	-
1997.....	13	10	10	13	28	48	51	55	155	-
1996.....	12	5	11	22	31	45	75	81	164	-
1995.....	11	11	11	12	31	45	68	86	149	-
1994.....	12	18	14	13	37	41	56	71	155	-
1993.....	5	11	17	25	26	30	67	72	117	-
1992.....	6	13	17	16	31	47	63	74	122	-
1991.....	8	10	12	29	40	42	68	77	120	-
1990.....	10	12	7	26	37	41	52	70	113	-
1989.....	12	9	10	18	25	43	64	65	113	-
1988.....	8	16	12	30	30	40	57	57	108	-
1987.....	4	8	13	24	22	45	51	55	74	-
1986.....	2	11	21	30	38	46	62	60	85	-
1985.....	5	7	20	26	32	37	46	62	82	-
1984.....	5	9	9	25	36	40	50	49	80	-
1983.....	8	9	21	20	32	45	44	48	63	-
1982.....	7	8	19	16	28	33	49	42	58	-
1981.....	10	16	9	21	33	48	34	57	66	-
1980.....	9	17	17	17	28	47	39	37	52	-
1979.....	5	7	17	19	36	46	48	45	47	-

BLACK, BOTH SEXES

1998.....	27	19	29	41	58	65	104	136	205	-
1997.....	21	25	27	27	53	82	99	88	206	-
1996.....	29	18	25	43	52	95	118	120	232	-
1995.....	27	23	23	32	53	85	108	145	184	-
1994.....	18	35	29	37	67	83	103	111	210	-
1993.....	14	25	29	46	49	73	107	118	165	-
1992.....	13	20	26	34	57	89	102	121	189	-
1991.....	23	24	27	58	66	81	111	124	166	-
1990.....	17	24	19	48	60	75	101	107	158	1
1989.....	18	14	26	47	61	80	98	111	140	-
1988.....	22	28	31	47	64	76	99	93	154	-
1987.....	6	17	32	52	42	74	91	92	127	1
1986.....	10	19	34	53	69	79	110	97	122	-
1985.....	9	17	37	48	62	71	92	116	113	-
1984.....	15	20	23	41	63	72	90	85	120	-
1983.....	15	24	32	44	65	89	92	88	98	1
1982.....	16	25	33	40	71	74	86	73	95	-
1981.....	18	28	28	36	73	92	77	102	102	-
1980.....	26	32	39	39	55	86	79	71	88	-
1979.....	11	29	38	53	75	78	83	76	82	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

BLACK MALE

1998.....	12	10	12	23	27	29	52	49	51	-
1997.....	10	15	18	14	29	38	53	34	62	-
1996.....	18	14	14	22	23	53	45	46	82	-
1995.....	17	12	13	21	24	42	44	60	47	-
1994.....	7	19	19	24	33	43	48	49	63	-
1993.....	9	14	13	24	26	44	46	50	59	-
1992.....	7	7	11	18	28	42	45	51	72	-
1991.....	15	14	15	30	29	44	46	51	53	-
1990.....	8	13	13	24	26	37	52	40	51	1
1989.....	7	6	17	30	37	39	38	50	39	-
1988.....	14	13	19	19	35	39	45	38	48	-
1987.....	3	9	20	30	22	30	45	40	58	1
1986.....	8	8	15	24	32	37	52	39	43	-
1985.....	4	10	18	24	32	35	48	59	35	-
1984.....	10	12	16	17	27	32	43	39	42	-
1983.....	7	15	13	25	35	46	50	43	40	1
1982.....	9	18	14	24	44	41	37	33	40	-
1981.....	8	13	19	17	40	44	44	46	42	-
1980.....	17	16	22	23	27	40	44	36	38	-
1979.....	6	22	24	34	41	34	36	35	38	-

BLACK FEMALE

1998.....	15	9	17	18	31	36	52	87	154	-
1997.....	11	10	9	13	24	44	46	54	144	-
1996.....	11	4	11	21	29	42	73	74	150	-
1995.....	10	11	10	11	29	43	64	85	137	-
1994.....	11	16	10	13	34	40	55	62	147	-
1993.....	5	11	16	22	23	29	61	68	106	-
1992.....	6	13	15	16	29	47	57	70	117	-
1991.....	8	10	12	28	37	37	65	73	113	-
1990.....	9	11	6	24	34	38	49	67	107	-
1989.....	11	8	9	17	24	41	60	61	101	-
1988.....	8	15	12	28	29	37	54	55	106	-
1987.....	3	8	12	22	20	44	46	52	69	-
1986.....	2	11	19	29	37	42	58	58	79	-
1985.....	5	7	19	24	30	36	44	57	78	-
1984.....	5	8	7	24	36	40	47	46	78	-
1983.....	8	9	19	19	30	43	42	45	58	-
1982.....	7	7	19	16	27	33	49	40	55	-
1981.....	10	15	9	19	33	48	33	56	60	-
1980.....	9	16	17	16	28	46	35	35	50	-
1979.....	5	7	14	19	34	44	47	41	44	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)										
TOTAL, BOTH SEXES										
1998.....	2,966	2,778	2,643	2,636	2,777	2,878	2,282	1,421	887	5
1997.....	2,889	2,733	2,512	2,741	2,924	2,880	2,185	1,353	884	4
1996.....	2,845	2,586	2,558	2,754	2,902	2,823	2,140	1,367	805	10
1995.....	2,680	2,567	2,499	2,857	3,014	2,895	2,144	1,348	831	9
1994.....	2,474	2,569	2,605	2,925	3,262	2,896	2,041	1,330	809	7
1993.....	2,303	2,400	2,618	2,995	3,203	2,891	2,104	1,387	741	13
1992.....	2,221	2,348	2,644	3,136	3,438	2,826	2,043	1,371	789	6
1991.....	2,154	2,296	2,641	3,406	3,370	2,852	2,184	1,266	730	18
1990.....	2,220	2,280	2,875	3,431	3,502	2,788	2,115	1,304	706	15
1989.....	2,202	2,519	3,101	3,655	3,615	2,877	2,135	1,205	704	9
1988.....	2,209	2,571	3,126	3,854	3,478	2,788	1,978	1,105	590	8
1987.....	2,080	2,538	3,330	3,748	3,461	2,741	1,986	1,048	598	8
1986.....	2,013	2,619	3,327	3,836	3,563	2,892	1,899	951	578	8
1985.....	2,174	2,791	3,570	3,971	3,637	2,742	1,835	1,046	537	11
1984.....	2,231	2,983	3,784	4,035	3,773	2,806	1,869	981	491	7
1983.....	2,308	3,132	3,920	4,132	3,614	2,733	1,726	944	474	9
1982.....	2,319	3,375	4,064	4,096	3,754	2,720	1,661	905	437	7
1981.....	2,576	3,811	4,326	4,300	3,980	2,762	1,644	834	489	9
1980.....	2,924	4,126	4,613	4,426	4,026	2,683	1,589	775	446	15
1979.....	2,959	4,157	4,494	4,277	3,847	2,563	1,435	714	397	10
TOTAL, MALE										
1998.....	2,234	2,062	1,898	1,837	1,748	1,648	1,156	671	386	5
1997.....	2,177	2,021	1,781	1,873	1,827	1,620	1,141	650	341	4
1996.....	2,134	1,884	1,814	1,876	1,844	1,599	1,113	686	330	7
1995.....	1,997	1,890	1,730	1,940	1,920	1,756	1,114	649	354	9
1994.....	1,839	1,820	1,850	1,992	2,108	1,636	1,058	676	326	7
1993.....	1,724	1,727	1,820	1,976	2,006	1,687	1,077	669	324	10
1992.....	1,657	1,665	1,875	2,106	2,158	1,655	1,103	688	332	6
1991.....	1,562	1,612	1,857	2,270	2,100	1,600	1,140	640	302	14
1990.....	1,631	1,621	1,964	2,299	2,164	1,636	1,116	642	305	12
1989.....	1,583	1,795	2,116	2,402	2,241	1,695	1,151	581	302	8
1988.....	1,600	1,816	2,170	2,530	2,213	1,659	1,027	543	279	7
1987.....	1,487	1,801	2,312	2,500	2,179	1,619	1,087	499	274	7
1986.....	1,430	1,772	2,289	2,433	2,259	1,713	1,035	461	264	7
1985.....	1,507	1,903	2,402	2,687	2,280	1,645	989	509	222	9
1984.....	1,564	1,982	2,524	2,645	2,396	1,671	1,051	454	225	6
1983.....	1,580	2,089	2,593	2,685	2,360	1,650	953	480	204	7
1982.....	1,584	2,330	2,654	2,720	2,397	1,683	886	461	206	6
1981.....	1,710	2,538	2,853	2,819	2,589	1,660	955	420	238	5
1980.....	1,975	2,731	3,027	2,952	2,584	1,677	897	393	219	13
1979.....	1,996	2,727	2,929	2,875	2,537	1,608	822	374	192	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)										
TOTAL, FEMALE										
1998.....	732	716	745	799	1,029	1,230	1,126	750	501	-
1997.....	712	712	731	868	1,097	1,260	1,044	703	543	-
1996.....	711	702	744	878	1,058	1,224	1,027	681	475	3
1995.....	683	677	769	917	1,094	1,139	1,030	699	477	-
1994.....	635	749	755	933	1,154	1,260	983	654	483	-
1993.....	579	673	798	1,019	1,197	1,204	1,027	718	417	3
1992.....	564	683	769	1,030	1,280	1,171	940	683	457	-
1991.....	592	684	784	1,136	1,270	1,252	1,044	626	428	4
1990.....	589	659	911	1,132	1,338	1,152	999	662	401	3
1989.....	619	724	985	1,253	1,374	1,182	984	624	402	1
1988.....	609	755	956	1,324	1,265	1,129	951	562	311	1
1987.....	593	737	1,018	1,248	1,282	1,122	899	549	324	1
1986.....	583	847	1,038	1,403	1,304	1,179	864	490	314	1
1985.....	667	888	1,168	1,284	1,357	1,097	846	537	315	2
1984.....	667	1,001	1,260	1,390	1,377	1,135	818	527	266	1
1983.....	728	1,043	1,327	1,447	1,254	1,083	773	464	270	2
1982.....	735	1,045	1,410	1,376	1,357	1,037	775	444	231	1
1981.....	866	1,273	1,473	1,481	1,391	1,102	689	414	251	4
1980.....	949	1,395	1,586	1,474	1,442	1,006	692	382	227	2
1979.....	963	1,430	1,565	1,402	1,310	955	613	340	205	1
WHITE, BOTH SEXES										
1998.....	2,375	2,296	2,217	2,262	2,470	2,653	2,156	1,332	838	3
1997.....	2,281	2,267	2,088	2,345	2,605	2,624	2,042	1,281	841	4
1996.....	2,292	2,113	2,126	2,356	2,575	2,559	2,004	1,288	747	8
1995.....	2,143	2,050	2,004	2,460	2,689	2,653	2,009	1,247	773	7
1994.....	1,883	2,048	2,163	2,520	2,869	2,635	1,896	1,254	744	7
1993.....	1,804	1,929	2,207	2,588	2,841	2,637	1,946	1,306	699	8
1992.....	1,710	1,884	2,163	2,717	2,994	2,565	1,912	1,275	736	5
1991.....	1,656	1,816	2,174	2,962	2,951	2,605	2,050	1,186	686	11
1990.....	1,648	1,795	2,318	2,950	3,155	2,534	1,956	1,207	665	10
1989.....	1,659	2,006	2,536	3,164	3,205	2,616	1,986	1,136	661	4
1988.....	1,650	2,011	2,612	3,334	3,110	2,541	1,819	1,025	558	6
1987.....	1,542	1,978	2,783	3,285	3,101	2,532	1,847	991	566	3
1986.....	1,557	2,055	2,830	3,374	3,217	2,662	1,763	892	550	4
1985.....	1,613	2,241	2,984	3,483	3,249	2,511	1,702	977	501	6
1984.....	1,717	2,426	3,188	3,559	3,408	2,579	1,733	919	469	3
1983.....	1,782	2,547	3,340	3,637	3,249	2,528	1,630	896	460	8
1982.....	1,796	2,756	3,521	3,639	3,433	2,515	1,553	855	414	5
1981.....	1,967	3,073	3,718	3,806	3,594	2,532	1,531	792	464	7
1980.....	2,185	3,354	3,922	3,889	3,629	2,470	1,483	735	423	9
1979.....	2,257	3,349	3,803	3,825	3,476	2,360	1,334	672	374	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)										
WHITE MALE										
1998.....	1,830	1,721	1,591	1,576	1,543	1,507	1,097	631	360	3
1997.....	1,745	1,706	1,484	1,613	1,630	1,489	1,074	614	321	4
1996.....	1,746	1,559	1,525	1,615	1,643	1,459	1,040	642	305	5
1995.....	1,623	1,535	1,413	1,688	1,734	1,597	1,053	611	327	7
1994.....	1,406	1,469	1,548	1,743	1,871	1,495	989	629	296	7
1993.....	1,371	1,409	1,549	1,719	1,791	1,527	1,002	636	309	6
1992.....	1,285	1,358	1,563	1,839	1,886	1,498	1,028	634	311	5
1991.....	1,226	1,304	1,536	1,990	1,852	1,480	1,073	608	283	9
1990.....	1,232	1,284	1,611	1,993	1,961	1,490	1,039	592	284	8
1989.....	1,211	1,451	1,745	2,107	1,992	1,548	1,071	540	277	4
1988.....	1,223	1,446	1,821	2,223	1,998	1,525	947	511	267	6
1987.....	1,106	1,432	1,954	2,204	1,959	1,497	1,005	471	255	3
1986.....	1,123	1,410	1,960	2,151	2,051	1,586	956	428	249	3
1985.....	1,134	1,538	2,017	2,367	2,039	1,515	925	478	204	6
1984.....	1,212	1,613	2,147	2,365	2,164	1,546	971	427	215	3
1983.....	1,242	1,713	2,224	2,380	2,130	1,531	897	458	200	6
1982.....	1,246	1,923	2,324	2,413	2,215	1,561	822	437	199	5
1981.....	1,322	2,058	2,476	2,506	2,357	1,527	891	396	226	3
1980.....	1,507	2,226	2,604	2,601	2,337	1,547	838	371	206	7
1979.....	1,535	2,196	2,471	2,586	2,316	1,470	766	353	176	7
WHITE FEMALE										
1998.....	545	575	626	686	927	1,146	1,059	701	478	-
1997.....	536	561	604	732	975	1,135	968	667	520	-
1996.....	546	554	601	741	932	1,100	964	646	442	3
1995.....	520	515	591	772	955	1,056	956	636	446	-
1994.....	477	579	615	777	998	1,140	907	625	448	-
1993.....	433	520	658	869	1,050	1,110	944	670	390	2
1992.....	425	526	600	878	1,108	1,067	884	641	425	-
1991.....	430	512	638	972	1,099	1,125	977	578	403	2
1990.....	416	511	707	957	1,194	1,044	917	615	381	2
1989.....	448	555	791	1,057	1,213	1,068	915	596	384	-
1988.....	427	565	791	1,111	1,112	1,016	872	514	291	-
1987.....	436	546	829	1,081	1,142	1,035	842	520	311	-
1986.....	434	645	870	1,223	1,166	1,076	807	464	301	1
1985.....	479	703	967	1,116	1,210	996	777	499	297	-
1984.....	505	813	1,041	1,194	1,244	1,033	762	492	254	-
1983.....	540	834	1,116	1,257	1,119	997	733	438	260	2
1982.....	550	833	1,197	1,226	1,218	954	731	418	215	-
1981.....	645	1,015	1,242	1,300	1,237	1,005	640	396	238	4
1980.....	678	1,128	1,318	1,288	1,292	923	645	364	217	2
1979.....	722	1,153	1,332	1,239	1,160	890	568	319	198	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)										
ALL OTHER, BOTH SEXES										
1998.....	591	482	426	374	307	225	126	89	49	2
1997.....	608	466	424	396	319	256	143	72	43	-
1996.....	553	473	432	398	327	264	136	79	58	2
1995.....	537	517	495	397	325	242	135	101	58	2
1994.....	591	521	442	405	393	261	145	76	65	-
1993.....	499	471	411	407	362	254	158	81	42	5
1992.....	511	464	481	419	444	261	131	96	53	1
1991.....	498	480	467	444	419	247	134	80	44	7
1990.....	572	485	557	481	347	254	159	97	41	5
1989.....	543	513	565	491	410	261	149	69	43	5
1988.....	559	560	514	520	368	247	159	80	32	2
1987.....	538	560	547	463	360	209	139	57	32	5
1986.....	456	564	497	462	346	230	136	59	28	4
1985.....	561	550	586	488	388	231	133	69	36	5
1984.....	514	557	596	476	365	227	136	62	22	4
1983.....	526	585	580	495	365	205	96	48	14	1
1982.....	523	619	543	457	321	205	108	50	23	2
1981.....	609	738	608	494	386	230	113	42	25	2
1980.....	739	772	691	537	397	213	106	40	23	6
1979.....	702	808	691	452	371	203	101	42	23	2
ALL OTHER MALE										
1998.....	404	341	307	261	205	141	59	40	26	2
1997.....	432	315	297	260	197	131	67	36	20	-
1996.....	388	325	289	261	201	140	73	44	25	2
1995.....	374	355	317	252	186	159	61	38	27	2
1994.....	433	351	302	249	237	141	69	47	30	-
1993.....	353	318	271	257	215	160	75	33	15	4
1992.....	372	307	312	267	272	157	75	54	21	1
1991.....	336	308	321	280	248	120	67	32	19	5
1990.....	399	337	353	306	203	146	77	50	21	4
1989.....	372	344	371	295	249	147	80	41	25	4
1988.....	377	370	349	307	215	134	80	32	12	1
1987.....	381	369	358	296	220	122	82	28	19	4
1986.....	307	362	329	282	208	127	79	33	15	4
1985.....	373	365	385	320	241	130	64	31	18	3
1984.....	352	369	377	280	232	125	80	27	10	3
1983.....	338	376	369	305	230	119	56	22	4	1
1982.....	338	407	330	307	182	122	64	24	7	1
1981.....	388	480	377	313	232	133	64	24	12	2
1980.....	468	505	423	351	247	130	59	22	13	6
1979.....	461	531	458	289	221	138	56	21	16	2

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)										
ALL OTHER FEMALE										
1998.....	187	141	119	113	102	84	67	49	23	-
1997.....	176	151	127	136	122	125	76	36	23	-
1996.....	165	148	143	137	126	124	63	35	33	-
1995.....	163	162	178	145	139	83	74	63	31	-
1994.....	158	170	140	156	156	120	76	29	35	-
1993.....	146	153	140	150	147	94	83	48	27	1
1992.....	139	157	169	152	172	104	56	42	32	-
1991.....	162	172	146	164	171	127	67	48	25	2
1990.....	173	148	204	175	144	108	82	47	20	1
1989.....	171	169	194	196	161	114	69	28	18	1
1988.....	182	190	165	213	153	113	79	48	20	1
1987.....	157	191	189	167	140	87	57	29	13	1
1986.....	149	202	168	180	138	103	57	26	13	-
1985.....	188	185	201	168	147	101	69	38	18	2
1984.....	162	188	219	196	133	102	56	35	12	1
1983.....	188	209	211	190	135	86	40	26	10	-
1982.....	185	212	213	150	139	83	44	26	16	1
1981.....	221	258	231	181	154	97	49	18	13	-
1980.....	271	267	268	186	150	83	47	18	10	-
1979.....	241	277	233	163	150	65	45	21	7	-
BLACK, BOTH SEXES										
1998.....	490	383	345	295	246	186	95	67	32	2
1997.....	518	376	358	338	255	200	113	53	37	-
1996.....	476	402	354	324	278	216	98	49	39	2
1995.....	463	429	389	334	270	195	102	73	47	2
1994.....	507	436	369	334	330	210	115	55	50	-
1993.....	419	412	354	342	308	210	129	56	30	4
1992.....	446	382	398	358	372	200	101	77	39	1
1991.....	429	419	393	388	370	193	105	63	32	7
1990.....	499	417	490	415	293	222	127	76	35	5
1989.....	471	443	483	434	348	223	117	54	31	4
1988.....	481	484	438	458	325	203	136	61	28	2
1987.....	473	493	477	400	305	181	119	48	24	5
1986.....	402	486	448	407	313	196	118	38	16	4
1985.....	506	476	521	436	340	204	113	54	27	5
1984.....	450	492	538	429	319	201	115	51	19	4
1983.....	455	537	525	449	318	179	81	42	13	1
1982.....	468	555	488	424	290	177	90	38	19	1
1981.....	548	662	566	439	355	202	95	36	18	2
1980.....	660	708	633	492	352	188	88	31	19	6
1979.....	629	742	626	414	338	189	88	26	19	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)										
BLACK MALE										
1998.....	346	276	246	210	164	118	47	31	14	2
1997.....	377	255	247	227	164	108	54	27	15	-
1996.....	336	287	237	215	174	117	57	28	12	2
1995.....	330	300	252	221	160	133	45	28	23	2
1994.....	373	297	252	207	208	117	54	33	20	-
1993.....	294	285	243	223	187	135	64	22	10	4
1992.....	326	256	263	238	228	127	54	39	17	1
1991.....	294	270	277	245	216	92	53	24	11	5
1990.....	350	290	321	264	173	130	59	41	17	4
1989.....	326	306	320	264	216	124	62	31	14	3
1988.....	325	327	301	275	186	112	69	22	10	1
1987.....	339	329	322	266	188	101	73	21	14	4
1986.....	267	316	300	245	195	107	70	21	12	4
1985.....	337	320	349	288	211	114	52	23	14	3
1984.....	311	324	341	253	201	109	63	23	9	3
1983.....	298	349	334	275	204	103	43	20	4	1
1982.....	302	368	302	288	165	103	52	19	6	-
1981.....	355	437	352	274	218	117	56	20	6	2
1980.....	421	462	388	318	219	112	48	17	12	6
1979.....	410	495	415	269	200	127	47	12	14	2
BLACK FEMALE										
1998.....	144	107	99	85	82	68	48	36	18	-
1997.....	141	121	111	111	91	92	59	26	22	-
1996.....	140	115	117	109	104	99	41	21	27	-
1995.....	133	129	137	113	110	62	57	45	24	-
1994.....	134	139	117	127	122	93	61	22	30	-
1993.....	125	127	111	119	121	75	65	34	20	-
1992.....	120	126	135	120	144	73	47	38	22	-
1991.....	135	149	116	143	154	101	52	39	21	2
1990.....	149	127	169	151	120	92	68	35	18	1
1989.....	145	137	163	170	132	99	55	23	17	1
1988.....	156	157	137	183	139	91	67	39	18	1
1987.....	134	164	155	134	117	80	46	27	10	1
1986.....	135	170	148	162	118	89	48	17	4	-
1985.....	169	156	172	148	129	90	61	31	13	2
1984.....	139	168	197	176	118	92	52	28	10	1
1983.....	157	188	191	174	114	76	38	22	9	-
1982.....	166	187	186	136	125	74	38	19	13	1
1981.....	193	225	214	165	137	85	39	16	12	-
1980.....	239	246	245	174	133	76	40	14	7	-
1979.....	219	247	211	145	138	62	41	14	5	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)										
TOTAL, BOTH SEXES										
1998.....	51	56	71	108	186	310	439	515	985	-
1997.....	52	50	56	121	212	293	449	472	964	-
1996.....	42	59	82	122	247	315	461	469	933	-
1995.....	50	47	60	141	195	298	437	524	917	-
1994.....	39	50	64	140	212	341	420	509	977	-
1993.....	32	43	73	118	223	311	430	519	930	-
1992.....	34	66	84	112	247	324	456	523	988	-
1991.....	26	49	74	132	228	320	447	537	985	-
1990.....	23	44	70	142	266	364	465	562	1,010	2
1989.....	35	50	78	149	242	348	457	575	1,037	-
1988.....	36	47	88	138	272	352	482	538	1,081	-
1987.....	22	59	79	175	254	385	507	544	954	-
1986.....	24	47	85	140	250	365	482	578	920	2
1985.....	33	55	88	169	265	358	472	510	944	1
1984.....	28	67	95	174	252	414	499	521	894	2
1983.....	41	55	113	175	243	354	494	549	884	-
1982.....	36	72	95	167	272	393	458	520	858	-
1981.....	37	58	116	179	305	393	474	572	879	1
1980.....	41	78	134	187	291	430	556	576	898	-
1979.....	41	77	136	183	290	457	484	563	830	-
TOTAL, MALE										
1998.....	19	31	38	56	97	163	200	230	330	-
1997.....	28	33	32	69	110	165	227	243	289	-
1996.....	25	39	45	61	129	172	226	219	256	-
1995.....	26	24	35	81	118	174	217	222	279	-
1994.....	19	30	43	69	116	168	194	214	339	-
1993.....	16	30	49	67	122	176	220	209	282	-
1992.....	21	37	41	54	145	152	223	228	309	-
1991.....	12	21	41	76	133	160	235	226	302	-
1990.....	11	20	41	65	150	195	245	209	305	-
1989.....	18	17	36	86	133	199	215	261	331	-
1988.....	21	25	43	71	154	205	260	235	330	-
1987.....	11	31	46	94	132	204	257	235	263	-
1986.....	19	28	53	84	137	188	256	264	292	-
1985.....	16	32	51	89	158	199	220	241	321	-
1984.....	14	34	59	96	130	241	256	222	300	2
1983.....	19	26	59	102	130	198	276	232	298	-
1982.....	17	34	53	83	173	195	226	224	255	-
1981.....	19	30	64	91	161	186	233	243	295	-
1980.....	18	39	85	98	156	233	250	247	308	-
1979.....	19	42	66	86	162	243	200	244	291	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)										
TOTAL, FEMALE										
1998.....	32	25	33	52	89	147	239	285	655	-
1997.....	24	17	24	52	102	128	222	229	675	-
1996.....	17	20	37	61	118	143	235	250	677	-
1995.....	24	23	25	60	77	124	220	302	638	-
1994.....	20	20	21	71	96	173	226	295	638	-
1993.....	16	13	24	51	101	135	210	310	648	-
1992.....	13	29	43	58	102	172	233	295	679	-
1991.....	14	28	33	56	95	160	212	311	683	-
1990.....	12	24	29	77	116	169	220	353	705	2
1989.....	17	33	42	63	109	149	242	314	706	-
1988.....	15	22	45	67	118	147	222	303	751	-
1987.....	11	28	33	81	122	181	250	309	691	-
1986.....	5	19	32	56	113	177	226	314	628	2
1985.....	17	23	37	80	107	159	252	269	623	1
1984.....	14	33	36	78	122	173	243	299	594	-
1983.....	22	29	54	73	113	156	218	317	586	-
1982.....	19	38	42	84	99	198	232	296	603	-
1981.....	18	28	52	88	144	207	241	329	584	1
1980.....	23	39	49	89	135	197	306	329	590	-
1979.....	22	35	70	97	128	214	284	319	539	-
WHITE, BOTH SEXES										
1998.....	37	44	56	90	149	259	383	476	910	-
1997.....	34	36	42	90	174	255	406	421	888	-
1996.....	34	47	63	95	197	270	398	428	849	-
1995.....	35	32	43	117	159	258	387	470	860	-
1994.....	32	39	48	114	179	301	377	461	904	-
1993.....	23	33	67	92	190	255	385	462	850	-
1992.....	29	53	67	96	213	280	407	472	915	-
1991.....	18	40	59	113	198	275	394	498	906	-
1990.....	18	37	59	116	230	326	421	522	937	2
1989.....	31	35	64	123	222	304	410	536	962	-
1988.....	23	38	66	115	237	320	431	487	1,012	-
1987.....	18	45	67	144	225	341	456	502	881	-
1986.....	15	39	74	124	215	330	432	524	874	2
1985.....	27	43	73	145	233	311	417	462	883	1
1984.....	20	56	72	153	225	381	462	475	846	1
1983.....	33	43	89	144	216	318	443	502	833	-
1982.....	31	58	83	151	243	344	407	487	814	-
1981.....	28	49	96	155	274	348	437	530	838	-
1980.....	27	62	122	170	255	382	503	547	866	-
1979.....	31	61	121	161	252	413	452	528	793	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)										
WHITE MALE										
1998.....	15	24	33	44	79	150	183	212	300	-
1997.....	17	22	25	53	92	150	206	217	270	-
1996.....	21	32	33	49	112	148	203	204	234	-
1995.....	21	18	28	68	99	154	199	204	261	-
1994.....	16	25	33	58	101	151	178	198	310	-
1993.....	11	25	45	54	108	144	198	188	263	-
1992.....	19	30	34	48	127	139	208	206	293	-
1991.....	11	18	35	69	120	139	206	214	279	-
1990.....	10	19	34	56	130	174	228	194	285	-
1989.....	17	12	30	73	124	177	195	250	306	-
1988.....	12	21	33	63	135	189	233	211	315	-
1987.....	11	24	40	78	121	185	237	221	248	-
1986.....	12	23	46	75	125	172	234	236	281	-
1985.....	13	26	44	76	136	180	197	221	302	-
1984.....	9	30	46	87	117	230	240	198	288	1
1983.....	15	21	49	88	117	184	250	220	277	-
1982.....	16	26	45	79	160	178	201	212	242	-
1981.....	15	27	53	80	153	171	220	233	285	-
1980.....	12	32	79	89	143	213	228	239	297	-
1979.....	17	38	59	76	144	216	189	228	277	-
WHITE FEMALE										
1998.....	22	20	23	46	70	109	200	264	610	-
1997.....	17	14	17	37	82	105	200	204	618	-
1996.....	13	15	30	46	85	122	195	224	615	-
1995.....	14	14	15	49	60	104	188	266	599	-
1994.....	16	14	15	56	78	150	199	263	594	-
1993.....	12	8	22	38	82	111	187	274	587	-
1992.....	10	23	33	48	86	141	199	266	622	-
1991.....	7	22	24	44	78	136	188	284	627	-
1990.....	8	18	25	60	100	152	193	328	652	2
1989.....	14	23	34	50	98	127	215	286	656	-
1988.....	11	17	33	52	102	131	198	276	697	-
1987.....	7	21	27	66	104	156	219	281	633	-
1986.....	3	16	28	49	90	158	198	288	593	2
1985.....	14	17	29	69	97	131	220	241	581	1
1984.....	11	26	26	66	108	151	222	277	558	-
1983.....	18	22	40	56	99	134	193	282	556	-
1982.....	15	32	38	72	83	166	206	275	572	-
1981.....	13	22	43	75	121	177	217	297	553	-
1980.....	15	30	43	81	112	169	275	308	569	-
1979.....	14	23	62	85	108	197	263	300	516	-

RACE, AND SEX: UNITED STATES, 1979-98										
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)										
ALL OTHER, BOTH SEXES										
1998.....	14	12	15	18	37	51	56	39	75	-
1997.....	18	14	14	31	38	38	43	51	76	-
1996.....	8	12	19	27	50	45	63	41	84	-
1995.....	15	15	17	24	36	40	50	54	57	-
1994.....	7	11	16	26	33	40	43	48	73	-
1993.....	9	10	6	26	33	56	45	57	80	-
1992.....	5	13	17	16	34	44	49	51	73	-
1991.....	8	9	15	19	30	45	53	39	79	-
1990.....	5	7	11	26	36	38	44	40	73	-
1989.....	4	15	14	26	20	44	47	39	75	-
1988.....	13	9	22	23	35	32	51	51	69	-
1987.....	4	14	12	31	29	44	51	42	73	-
1986.....	9	8	11	16	35	35	50	54	46	-
1985.....	6	12	15	24	32	47	55	48	61	-
1984.....	8	11	23	21	27	33	37	46	48	1
1983.....	8	12	24	31	27	36	51	47	51	-
1982.....	5	14	12	16	29	49	51	33	44	-
1981.....	9	9	20	24	31	45	37	42	41	1
1980.....	14	16	12	17	36	48	53	29	32	-
1979.....	10	16	15	22	38	44	32	35	37	-
ALL OTHER MALE										
1998.....	4	7	5	12	18	13	17	18	30	-
1997.....	11	11	7	16	18	15	21	26	19	-
1996.....	4	7	12	12	17	24	23	15	22	-
1995.....	5	6	7	13	19	20	18	18	18	-
1994.....	3	5	10	11	15	17	16	16	29	-
1993.....	5	5	4	13	14	32	22	21	19	-
1992.....	2	7	7	6	18	13	15	22	16	-
1991.....	1	3	6	7	13	21	29	12	23	-
1990.....	1	1	7	9	20	21	17	15	20	-
1989.....	1	5	6	13	9	22	20	11	25	-
1988.....	9	4	10	8	19	16	27	24	15	-
1987.....	-	7	6	16	11	19	20	14	15	-
1986.....	7	5	7	9	12	16	22	28	11	-
1985.....	3	6	7	13	22	19	23	20	19	-
1984.....	5	4	13	9	13	11	16	24	12	1
1983.....	4	5	10	14	13	14	26	12	21	-
1982.....	1	8	8	4	13	17	25	12	13	-
1981.....	4	3	11	11	8	15	13	10	10	-
1980.....	6	7	6	9	13	20	22	8	11	-
1979.....	2	4	7	10	18	27	11	16	14	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

ALL OTHER FEMALE	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
1998.....	10	5	10	6	19	38	39	21	45	-
1997.....	7	3	7	15	20	23	22	25	57	-
1996.....	4	5	7	15	33	21	40	26	62	-
1995.....	10	9	10	11	17	20	32	36	39	-
1994.....	4	6	6	15	18	23	27	32	44	-
1993.....	4	5	2	13	19	24	23	36	61	-
1992.....	3	6	10	10	16	31	34	29	57	-
1991.....	7	6	9	12	17	24	24	27	56	-
1990.....	4	6	4	17	16	17	27	25	53	-
1989.....	3	10	8	13	11	22	27	28	50	-
1988.....	4	5	12	15	16	16	24	27	54	-
1987.....	4	7	6	15	18	25	31	28	58	-
1986.....	2	3	4	7	23	19	28	26	35	-
1985.....	3	6	8	11	10	28	32	28	42	-
1984.....	3	7	10	12	14	22	21	22	36	-
1983.....	4	7	14	17	14	22	25	35	30	-
1982.....	4	6	4	12	16	32	26	21	31	-
1981.....	5	6	9	13	23	30	24	32	31	1
1980.....	8	9	6	8	23	28	31	21	21	-
1979.....	8	12	8	12	20	17	21	19	23	-
BLACK, BOTH SEXES										
1998.....	12	10	15	14	30	39	40	30	65	-
1997.....	18	10	11	24	30	26	35	37	64	-
1996.....	8	9	18	22	37	36	49	34	68	-
1995.....	14	11	13	22	32	26	36	44	49	-
1994.....	6	9	14	21	29	32	35	41	58	-
1993.....	6	10	6	21	26	47	37	45	62	-
1992.....	5	11	14	14	26	36	41	48	58	-
1991.....	6	9	13	16	24	39	41	33	61	-
1990.....	4	6	10	20	27	32	34	36	57	-
1989.....	3	12	12	24	16	37	41	30	57	-
1988.....	11	8	16	20	26	25	41	41	55	-
1987.....	3	12	9	25	24	38	41	36	64	-
1986.....	8	5	10	12	27	28	39	44	39	-
1985.....	6	11	14	22	27	37	49	41	49	-
1984.....	7	10	20	17	23	28	29	38	41	1
1983.....	8	10	20	26	20	30	45	44	42	-
1982.....	4	12	10	14	25	41	41	24	34	-
1981.....	7	8	16	20	22	36	27	34	34	1
1980.....	13	15	10	13	27	39	40	21	24	-
1979.....	7	14	13	19	35	35	27	27	27	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)										
BLACK MALE										
1998.....	3	6	5	10	14	12	9	11	23	-
1997.....	11	9	6	13	16	8	15	19	14	-
1996.....	4	5	11	11	13	18	19	12	18	-
1995.....	5	5	4	12	16	12	12	13	12	-
1994.....	3	5	8	9	14	14	13	11	22	-
1993.....	3	5	4	10	10	26	15	13	12	-
1992.....	2	6	6	6	15	9	15	19	9	-
1991.....	1	3	5	4	11	16	20	9	16	-
1990.....	-	1	6	8	14	17	11	13	14	-
1989.....	-	5	6	12	8	15	17	9	16	-
1988.....	7	4	7	6	13	10	22	20	8	-
1987.....	-	6	4	10	10	16	14	11	11	-
1986.....	6	3	6	7	7	12	15	23	10	-
1985.....	3	6	7	12	20	12	20	17	15	-
1984.....	4	4	11	6	11	9	11	19	7	1
1983.....	4	4	8	11	8	10	22	11	15	-
1982.....	1	8	6	3	12	13	18	7	8	-
1981.....	3	3	9	9	6	8	9	7	8	-
1980.....	5	6	5	6	7	15	14	6	8	-
1979.....	1	3	6	9	17	20	9	10	9	-
BLACK FEMALE										
1998.....	9	4	10	4	16	27	31	19	42	-
1997.....	7	1	5	11	14	18	20	18	50	-
1996.....	4	4	7	11	24	18	30	22	50	-
1995.....	9	6	9	10	16	14	24	31	37	-
1994.....	3	4	6	12	15	18	22	30	36	-
1993.....	3	5	2	11	16	21	22	32	50	-
1992.....	3	5	8	8	11	27	26	29	49	-
1991.....	5	6	8	12	13	23	21	24	45	-
1990.....	4	5	4	12	13	15	23	23	43	-
1989.....	3	7	6	12	8	22	24	21	41	-
1988.....	4	4	9	14	13	15	19	21	47	-
1987.....	3	6	5	15	14	22	27	25	53	-
1986.....	2	2	4	5	20	16	24	21	29	-
1985.....	3	5	7	10	7	25	29	24	34	-
1984.....	3	6	9	11	12	19	18	19	34	-
1983.....	4	6	12	15	12	20	23	33	27	-
1982.....	3	4	4	11	13	28	23	17	26	-
1981.....	4	5	7	11	16	28	18	27	26	1
1980.....	8	9	5	7	20	24	26	15	16	-
1979.....	6	11	7	10	18	15	18	17	18	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)										
TOTAL, BOTH SEXES										
1998.....	422	510	745	1,067	1,753	3,025	4,113	4,945	8,804	-
1997.....	365	502	730	1,102	1,786	2,943	3,929	4,691	8,438	-
1996.....	393	486	626	1,053	1,737	2,896	3,805	4,548	7,883	2
1995.....	346	462	631	1,108	1,807	2,783	3,747	4,332	7,513	4
1994.....	339	407	658	1,041	1,772	2,880	3,556	4,232	7,226	2
1993.....	343	417	706	1,148	1,949	2,831	3,591	4,216	7,156	2
1992.....	313	412	628	1,096	1,856	2,684	3,488	3,943	6,740	4
1991.....	271	408	583	1,112	1,806	2,592	3,358	3,831	6,376	2
1990.....	317	407	611	1,125	1,767	2,545	3,256	3,722	6,016	-
1989.....	271	442	689	1,177	1,908	2,507	3,374	3,759	5,960	5
1988.....	326	462	743	1,315	1,983	2,607	3,560	3,907	6,396	1
1987.....	306	455	754	1,278	1,944	2,712	3,537	3,804	6,252	-
1986.....	310	422	726	1,389	1,931	2,718	3,496	3,700	6,006	2
1985.....	303	414	802	1,356	1,954	2,757	3,250	3,646	5,786	3
1984.....	287	413	756	1,308	1,851	2,626	3,223	3,330	5,273	2
1983.....	268	452	834	1,212	1,728	2,480	3,042	3,230	4,791	5
1982.....	257	432	823	1,234	1,755	2,408	2,758	2,986	4,455	3
1981.....	277	462	791	1,144	1,695	2,332	2,676	2,829	4,053	3
1980.....	316	508	795	1,162	1,646	2,181	2,591	2,649	3,901	3
1979.....	323	524	745	1,088	1,631	2,008	2,450	2,467	3,410	2
TOTAL, MALE										
1998.....	281	297	409	574	923	1,582	2,099	2,423	3,506	-
1997.....	222	285	402	579	949	1,576	2,032	2,234	3,365	-
1996.....	230	271	347	591	899	1,552	1,942	2,214	3,066	1
1995.....	206	252	353	583	985	1,465	1,959	2,038	2,974	4
1994.....	195	232	357	537	898	1,473	1,769	2,041	2,841	2
1993.....	213	228	390	586	1,047	1,483	1,837	1,994	2,851	-
1992.....	195	234	350	606	975	1,402	1,804	1,903	2,727	2
1991.....	164	235	331	629	946	1,375	1,738	1,811	2,529	1
1990.....	179	224	312	575	922	1,343	1,700	1,760	2,366	-
1989.....	157	251	404	659	1,003	1,348	1,711	1,776	2,349	4
1988.....	184	271	404	717	1,075	1,346	1,854	1,824	2,550	1
1987.....	186	269	417	715	1,037	1,431	1,839	1,806	2,575	-
1986.....	180	249	393	771	1,034	1,504	1,801	1,814	2,494	1
1985.....	167	220	448	711	1,054	1,475	1,705	1,675	2,428	1
1984.....	152	218	391	739	1,002	1,400	1,667	1,615	2,242	1
1983.....	146	246	454	636	890	1,319	1,552	1,569	1,986	5
1982.....	152	254	461	653	929	1,300	1,434	1,429	1,974	3
1981.....	157	253	446	633	897	1,273	1,387	1,319	1,769	-
1980.....	172	257	442	631	952	1,178	1,381	1,298	1,741	2
1979.....	170	292	421	610	889	1,097	1,331	1,241	1,582	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)										
TOTAL, FEMALE										
1998.....	141	213	336	493	830	1,443	2,014	2,522	5,298	-
1997.....	143	217	328	523	837	1,367	1,897	2,457	5,073	-
1996.....	163	215	279	462	838	1,344	1,863	2,334	4,817	1
1995.....	140	210	278	525	822	1,318	1,788	2,294	4,539	-
1994.....	144	175	301	504	874	1,407	1,787	2,191	4,385	-
1993.....	130	189	316	562	902	1,348	1,754	2,222	4,305	2
1992.....	118	178	278	490	881	1,282	1,684	2,040	4,013	2
1991.....	107	173	252	483	860	1,217	1,620	2,020	3,847	1
1990.....	138	183	299	550	845	1,202	1,556	1,962	3,650	-
1989.....	114	191	285	518	905	1,159	1,663	1,983	3,611	1
1988.....	142	191	339	598	908	1,261	1,706	2,083	3,846	-
1987.....	120	186	337	563	907	1,281	1,698	1,998	3,677	-
1986.....	130	173	333	618	897	1,214	1,695	1,886	3,512	1
1985.....	136	194	354	645	900	1,282	1,545	1,971	3,358	2
1984.....	135	195	365	569	849	1,226	1,556	1,715	3,031	1
1983.....	122	206	380	576	838	1,161	1,490	1,661	2,805	-
1982.....	105	178	362	581	826	1,108	1,324	1,557	2,481	-
1981.....	120	209	345	511	798	1,059	1,289	1,510	2,284	3
1980.....	144	251	353	531	694	1,003	1,210	1,351	2,160	1
1979.....	153	232	324	478	742	911	1,119	1,226	1,828	1
WHITE, BOTH SEXES										
1998.....	259	330	467	735	1,354	2,368	3,396	4,306	7,676	-
1997.....	209	323	465	745	1,360	2,345	3,273	4,066	7,356	-
1996.....	244	314	417	740	1,281	2,310	3,162	3,885	6,837	-
1995.....	211	283	400	763	1,356	2,236	3,117	3,664	6,553	1
1994.....	193	259	419	704	1,315	2,326	2,955	3,666	6,342	1
1993.....	203	252	458	808	1,505	2,265	2,980	3,578	6,219	1
1992.....	183	252	392	757	1,400	2,142	2,935	3,384	5,886	2
1991.....	159	258	365	785	1,351	2,041	2,815	3,285	5,529	2
1990.....	182	247	365	779	1,334	1,986	2,674	3,163	5,281	-
1989.....	161	257	426	798	1,387	1,946	2,718	3,157	5,195	-
1988.....	181	284	482	931	1,516	2,060	2,925	3,299	5,590	-
1987.....	183	279	495	919	1,471	2,141	2,951	3,251	5,486	-
1986.....	183	256	474	994	1,457	2,169	2,855	3,172	5,244	1
1985.....	192	252	531	981	1,467	2,157	2,694	3,070	5,045	2
1984.....	175	262	505	943	1,423	2,060	2,697	2,796	4,658	-
1983.....	172	309	557	872	1,294	1,945	2,527	2,787	4,257	1
1982.....	158	260	542	884	1,304	1,895	2,286	2,520	3,954	1
1981.....	173	297	526	815	1,249	1,811	2,249	2,416	3,613	1
1980.....	191	313	510	795	1,209	1,681	2,103	2,266	3,427	2
1979.....	198	339	495	780	1,225	1,583	1,993	2,147	3,051	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)										
WHITE MALE										
1998.....	176	193	257	398	743	1,295	1,782	2,168	3,121	-
1997.....	123	184	260	405	751	1,301	1,744	1,980	2,958	-
1996.....	143	181	231	431	685	1,284	1,642	1,966	2,690	-
1995.....	127	156	237	409	766	1,221	1,677	1,768	2,618	1
1994.....	102	150	233	378	681	1,221	1,536	1,822	2,526	1
1993.....	128	135	261	438	840	1,216	1,579	1,707	2,504	-
1992.....	113	150	224	442	759	1,153	1,558	1,642	2,396	2
1991.....	93	150	202	461	724	1,111	1,496	1,588	2,206	1
1990.....	99	142	199	407	712	1,076	1,440	1,504	2,081	-
1989.....	94	142	253	486	735	1,080	1,419	1,487	2,044	-
1988.....	99	174	268	533	829	1,122	1,560	1,554	2,257	-
1987.....	117	171	280	530	823	1,162	1,562	1,562	2,255	-
1986.....	104	155	263	581	802	1,233	1,495	1,572	2,186	-
1985.....	108	148	306	538	826	1,191	1,433	1,413	2,117	1
1984.....	95	140	271	538	802	1,141	1,428	1,376	1,979	-
1983.....	98	172	313	467	694	1,071	1,314	1,355	1,742	1
1982.....	93	156	325	489	716	1,055	1,221	1,213	1,748	1
1981.....	98	170	299	473	683	1,013	1,191	1,139	1,554	-
1980.....	104	163	297	469	742	935	1,131	1,105	1,525	2
1979.....	105	195	297	469	698	890	1,081	1,083	1,403	-
WHITE FEMALE										
1998.....	83	137	210	337	611	1,073	1,614	2,138	4,555	-
1997.....	86	139	205	340	609	1,044	1,529	2,086	4,398	-
1996.....	101	133	186	309	596	1,026	1,520	1,919	4,147	-
1995.....	84	127	163	354	590	1,015	1,440	1,896	3,935	-
1994.....	91	109	186	326	634	1,105	1,419	1,844	3,816	-
1993.....	75	117	197	370	665	1,049	1,401	1,871	3,715	1
1992.....	70	102	168	315	641	989	1,377	1,742	3,490	-
1991.....	66	108	163	324	627	930	1,319	1,697	3,323	1
1990.....	83	105	166	372	622	910	1,234	1,659	3,200	-
1989.....	67	115	173	312	652	866	1,299	1,670	3,151	-
1988.....	82	110	214	398	687	938	1,365	1,745	3,333	-
1987.....	66	108	215	389	648	979	1,389	1,689	3,231	-
1986.....	79	101	211	413	655	936	1,360	1,600	3,058	1
1985.....	84	104	225	443	641	966	1,261	1,657	2,928	1
1984.....	80	122	234	405	621	919	1,269	1,420	2,679	-
1983.....	74	137	244	405	600	874	1,213	1,432	2,515	-
1982.....	65	104	217	395	588	840	1,065	1,307	2,206	-
1981.....	75	127	227	342	566	798	1,058	1,277	2,059	1
1980.....	87	150	213	326	467	746	972	1,161	1,902	-
1979.....	93	144	198	311	527	693	912	1,064	1,648	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)										
ALL OTHER, BOTH SEXES										
1998.....	163	180	278	332	399	657	717	639	1,128	-
1997.....	156	179	265	357	426	598	656	625	1,082	-
1996.....	149	172	209	313	456	586	643	663	1,046	2
1995.....	135	179	231	345	451	547	630	668	960	3
1994.....	146	148	239	337	457	554	601	566	884	1
1993.....	140	165	248	340	444	566	611	638	937	1
1992.....	130	160	236	339	456	542	553	559	854	2
1991.....	112	150	218	327	455	551	543	546	847	-
1990.....	135	160	246	346	433	559	582	559	735	-
1989.....	110	185	263	379	521	561	656	602	765	5
1988.....	145	178	261	384	467	547	635	608	806	1
1987.....	123	176	259	359	473	571	586	553	766	-
1986.....	127	166	252	395	474	549	641	528	762	1
1985.....	111	162	271	375	487	600	556	576	741	1
1984.....	112	151	251	365	428	566	526	534	615	2
1983.....	96	143	277	340	434	535	515	443	534	4
1982.....	99	172	281	350	451	513	472	466	501	2
1981.....	104	165	265	329	446	521	427	413	440	2
1980.....	125	195	285	367	437	500	488	383	474	1
1979.....	125	185	250	308	406	425	457	320	359	1
ALL OTHER MALE										
1998.....	105	104	152	176	180	287	317	255	385	-
1997.....	99	101	142	174	198	275	288	254	407	-
1996.....	87	90	116	160	214	268	300	248	376	1
1995.....	79	96	116	174	219	244	282	270	356	3
1994.....	93	82	124	159	217	252	233	219	315	1
1993.....	85	93	129	148	207	267	258	287	347	-
1992.....	82	84	126	164	216	249	246	261	331	-
1991.....	71	85	129	168	222	264	242	223	323	-
1990.....	80	82	113	168	210	267	260	256	285	-
1989.....	63	109	151	173	268	268	292	289	305	4
1988.....	85	97	136	184	246	224	294	270	293	1
1987.....	69	98	137	185	214	269	277	244	320	-
1986.....	76	94	130	190	232	271	306	242	308	1
1985.....	59	72	142	173	228	284	272	262	311	-
1984.....	57	78	120	201	200	259	239	239	263	1
1983.....	48	74	141	169	196	248	238	214	244	4
1982.....	59	98	136	164	213	245	213	216	226	2
1981.....	59	83	147	160	214	260	196	180	215	-
1980.....	68	94	145	162	210	243	250	193	216	-
1979.....	65	97	124	141	191	207	250	158	179	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)										
ALL OTHER FEMALE										
1998.....	58	76	126	156	219	370	400	384	743	-
1997.....	57	78	123	183	228	323	368	371	675	-
1996.....	62	82	93	153	242	318	343	415	670	1
1995.....	56	83	115	171	232	303	348	398	604	-
1994.....	53	66	115	178	240	302	368	347	569	-
1993.....	55	72	119	192	237	299	353	351	590	1
1992.....	48	76	110	175	240	293	307	298	523	2
1991.....	41	65	89	159	233	287	301	323	524	-
1990.....	55	78	133	178	223	292	322	303	450	-
1989.....	47	76	112	206	253	293	364	313	460	1
1988.....	60	81	125	200	221	323	341	338	513	-
1987.....	54	78	122	174	259	302	309	309	446	-
1986.....	51	72	122	205	242	278	335	286	454	-
1985.....	52	90	129	202	259	316	284	314	430	1
1984.....	55	73	131	164	228	307	287	295	352	1
1983.....	48	69	136	171	238	287	277	229	290	-
1982.....	40	74	145	186	238	268	259	250	275	-
1981.....	45	82	118	169	232	261	231	233	225	2
1980.....	57	101	140	205	227	257	238	190	258	1
1979.....	60	88	126	167	215	218	207	162	180	-
BLACK, BOTH SEXES										
1998.....	148	155	251	310	363	569	644	563	1,029	-
1997.....	141	162	238	332	388	537	586	567	999	-
1996.....	140	157	187	289	403	520	580	582	939	2
1995.....	127	161	210	317	411	494	579	593	877	3
1994.....	138	142	213	314	424	504	539	517	805	1
1993.....	132	152	230	311	406	509	548	565	847	1
1992.....	121	143	213	313	418	484	504	504	789	2
1991.....	108	137	199	302	419	514	487	505	769	-
1990.....	126	147	233	315	390	516	528	512	675	-
1989.....	104	175	248	349	482	518	602	550	696	5
1988.....	140	161	246	358	440	501	591	556	745	1
1987.....	113	165	244	340	436	531	539	516	705	-
1986.....	116	149	226	371	452	514	596	498	698	-
1985.....	97	150	255	361	461	558	508	542	706	1
1984.....	98	139	239	340	406	536	480	503	572	2
1983.....	91	134	262	319	410	498	487	414	492	4
1982.....	91	161	264	333	432	488	438	432	466	2
1981.....	98	156	253	314	427	490	405	391	408	2
1980.....	118	186	271	348	421	477	463	355	443	1
1979.....	116	176	241	298	385	403	430	297	326	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)										
BLACK MALE										
1998.....	96	88	139	169	165	244	282	223	340	-
1997.....	90	93	125	162	184	252	255	227	363	-
1996.....	83	85	101	150	192	233	271	215	321	1
1995.....	74	84	108	157	202	221	261	236	318	3
1994.....	88	79	115	148	197	232	211	192	274	1
1993.....	81	84	118	133	191	240	224	244	300	-
1992.....	76	75	117	153	199	220	224	233	294	-
1991.....	70	77	119	154	206	249	209	203	285	-
1990.....	78	77	110	147	189	247	227	229	254	-
1989.....	60	105	143	160	246	244	263	259	271	4
1988.....	81	86	124	173	228	200	269	234	259	1
1987.....	62	92	130	174	196	248	253	218	291	-
1986.....	72	85	116	180	224	252	284	230	275	-
1985.....	57	66	134	167	218	261	241	241	294	-
1984.....	51	70	116	184	187	241	209	223	239	1
1983.....	46	67	135	158	187	230	225	197	221	4
1982.....	54	97	130	155	207	229	196	198	211	2
1981.....	56	77	142	152	206	240	189	166	201	-
1980.....	65	92	143	152	203	230	235	175	202	-
1979.....	61	92	116	136	179	192	233	146	159	1
BLACK FEMALE										
1998.....	52	67	112	141	198	325	362	340	689	-
1997.....	51	69	113	170	204	285	331	340	636	-
1996.....	57	72	86	139	211	287	309	367	618	1
1995.....	53	77	102	160	209	273	318	357	559	-
1994.....	50	63	98	166	227	272	328	325	531	-
1993.....	51	68	112	178	215	269	324	321	547	1
1992.....	45	68	96	160	219	264	280	271	495	2
1991.....	38	60	80	148	213	265	278	302	484	-
1990.....	48	70	123	168	201	269	301	283	421	-
1989.....	44	70	105	189	236	274	339	291	425	1
1988.....	59	75	122	185	212	301	322	322	486	-
1987.....	51	73	114	166	240	283	286	298	414	-
1986.....	44	64	110	191	228	262	312	268	423	-
1985.....	40	84	121	194	243	297	267	301	412	1
1984.....	47	69	123	156	219	295	271	280	333	1
1983.....	45	67	127	161	223	268	262	217	271	-
1982.....	37	64	134	178	225	259	242	234	255	-
1981.....	42	79	111	162	221	250	216	225	207	2
1980.....	53	94	128	196	218	247	228	180	241	1
1979.....	55	84	125	162	206	211	197	151	167	-

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)

TOTAL, BOTH SEXES										
1998.....	8	9	9	14	24	35	51	58	89	-
1997.....	4	12	13	13	16	35	49	60	92	-
1996.....	6	9	11	10	29	26	58	61	78	-
1995.....	2	8	3	8	20	34	48	53	82	-
1994.....	9	7	6	14	20	29	52	57	88	-
1993.....	7	6	10	16	20	30	44	49	78	-
1992.....	3	3	10	27	24	36	50	55	63	-
1991.....	5	8	8	16	27	27	50	49	93	-
1990.....	12	6	10	15	33	26	35	47	73	-
1989.....	4	5	11	21	35	35	51	58	50	-
1988.....	6	8	12	23	26	42	53	44	70	-
1987.....	4	5	14	14	23	41	30	60	51	-
1986.....	1	4	12	24	30	29	40	55	58	-
1985.....	6	9	11	31	30	40	54	54	73	-
1984.....	11	11	12	17	24	37	58	54	60	-
1983.....	4	7	21	21	38	43	56	55	75	-
1982.....	8	11	20	22	21	42	47	57	53	-
1981.....	4	6	13	17	34	47	48	41	55	-
1980.....	8	14	9	28	22	39	47	54	64	-
1979.....	8	10	15	19	38	42	49	58	56	-
TOTAL, MALE										
1998.....	6	5	6	7	10	21	19	25	40	-
1997.....	2	9	7	10	8	17	24	27	35	-
1996.....	2	4	8	5	14	15	36	21	27	-
1995.....	1	5	-	6	9	14	24	23	33	-
1994.....	6	3	5	6	11	16	25	25	29	-
1993.....	5	2	7	6	8	12	19	18	27	-
1992.....	2	3	5	14	9	15	25	23	27	-
1991.....	4	5	6	10	12	15	30	19	34	-
1990.....	8	3	7	9	14	16	19	19	25	-
1989.....	2	4	8	16	21	19	24	26	15	-
1988.....	5	4	11	13	16	22	31	17	25	-
1987.....	3	3	8	6	10	21	16	30	20	-
1986.....	-	2	4	12	16	12	19	23	23	-
1985.....	1	6	8	21	14	15	27	22	21	-
1984.....	2	4	8	12	11	15	37	20	23	-
1983.....	-	4	10	9	22	27	29	25	25	-
1982.....	2	4	12	11	13	19	20	26	27	-
1981.....	1	4	8	8	14	23	26	15	24	-
1980.....	6	10	3	17	16	21	23	24	23	-
1979.....	6	8	8	8	21	23	27	25	23	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, FEMALE										
1998.....	2	4	3	7	14	14	32	33	49	-
1997.....	2	3	6	3	8	18	25	33	57	-
1996.....	4	5	3	5	15	11	22	40	51	-
1995.....	1	3	3	2	11	20	24	30	49	-
1994.....	3	4	1	8	9	13	27	32	59	-
1993.....	2	4	3	10	12	18	25	31	51	-
1992.....	1	-	5	13	15	21	25	32	36	-
1991.....	1	3	2	6	15	12	20	30	59	-
1990.....	4	3	3	6	19	10	16	28	48	-
1989.....	2	1	3	5	14	16	27	32	35	-
1988.....	1	4	1	10	10	20	22	27	45	-
1987.....	1	2	6	8	13	20	14	30	31	-
1986.....	1	2	8	12	14	17	21	32	35	-
1985.....	5	3	3	10	16	25	27	32	52	-
1984.....	9	7	4	5	13	22	21	34	37	-
1983.....	4	3	11	12	16	16	27	30	50	-
1982.....	6	7	8	11	8	23	27	31	26	-
1981.....	3	2	5	9	20	24	22	26	31	-
1980.....	2	4	6	11	6	18	24	30	41	-
1979.....	2	2	7	11	17	19	22	33	33	-
WHITE, BOTH SEXES										
1998.....	7	6	5	11	19	32	41	53	78	-
1997.....	3	11	9	8	11	29	42	50	84	-
1996.....	4	7	7	7	21	25	48	50	65	-
1995.....	1	4	3	6	18	31	43	47	68	-
1994.....	8	4	4	10	14	25	42	50	78	-
1993.....	5	3	5	11	16	23	40	37	72	-
1992.....	2	2	10	23	16	31	46	50	53	-
1991.....	3	7	4	14	18	20	44	43	87	-
1990.....	7	4	7	11	27	23	31	45	68	-
1989.....	2	3	8	17	30	25	40	53	42	-
1988.....	2	4	9	18	22	35	45	37	60	-
1987.....	3	2	9	9	14	35	29	53	47	-
1986.....	-	2	11	23	25	25	35	50	49	-
1985.....	4	5	10	25	26	33	43	50	68	-
1984.....	6	7	8	15	20	33	52	48	54	-
1983.....	4	5	14	17	28	35	54	49	71	-
1982.....	4	6	12	18	19	35	42	46	50	-
1981.....	2	4	9	12	27	39	43	37	52	-
1980.....	5	7	6	20	16	32	43	50	60	-
1979.....	6	9	14	14	33	40	42	52	55	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)

WHITE MALE

1998.....	5	4	4	4	8	20	17	22	38	-
1997.....	2	9	4	7	5	12	20	24	32	-
1996.....	1	4	5	3	8	15	30	20	25	-
1995.....	-	2	-	5	7	14	22	22	30	-
1994.....	5	2	3	4	7	12	21	23	23	-
1993.....	4	2	3	4	6	9	18	15	25	-
1992.....	2	2	5	12	5	13	23	21	22	-
1991.....	3	4	3	10	10	11	28	18	33	-
1990.....	4	2	5	6	11	15	17	19	24	-
1989.....	1	2	6	13	18	15	20	26	14	-
1988.....	1	3	9	11	13	19	28	15	23	-
1987.....	2	2	5	4	6	17	15	27	17	-
1986.....	-	1	3	11	12	10	16	20	21	-
1985.....	1	4	8	17	13	13	22	19	20	-
1984.....	2	1	5	10	9	14	33	18	21	-
1983.....	-	3	8	7	16	23	27	21	25	-
1982.....	1	2	8	10	11	17	18	20	24	-
1981.....	1	3	6	7	11	19	24	13	21	-
1980.....	4	6	3	13	12	18	20	21	21	-
1979.....	4	8	8	6	19	23	24	24	23	-

WHITE FEMALE

1998.....	2	2	1	7	11	12	24	31	40	-
1997.....	1	2	5	1	6	17	22	26	52	-
1996.....	3	3	2	4	13	10	18	30	40	-
1995.....	1	2	3	1	11	17	21	25	38	-
1994.....	3	2	1	6	7	13	21	27	55	-
1993.....	1	1	2	7	10	14	22	22	47	-
1992.....	-	-	5	11	11	18	23	29	31	-
1991.....	-	3	1	4	8	9	16	25	54	-
1990.....	3	2	2	5	16	8	14	26	44	-
1989.....	1	1	2	4	12	10	20	27	28	-
1988.....	1	1	-	7	9	16	17	22	37	-
1987.....	1	-	4	5	8	18	14	26	30	-
1986.....	-	1	8	12	13	15	19	30	28	-
1985.....	3	1	2	8	13	20	21	31	48	-
1984.....	4	6	3	5	11	19	19	30	33	-
1983.....	4	2	6	10	12	12	27	28	46	-
1982.....	3	4	4	8	8	18	24	26	26	-
1981.....	1	1	3	5	16	20	19	24	31	-
1980.....	1	1	3	7	4	14	23	29	39	-
1979.....	2	1	6	8	14	17	18	28	32	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)

ALL OTHER, BOTH SEXES

1998.....	1	3	4	3	5	3	10	5	11	-
1997.....	1	1	4	5	5	6	7	10	8	-
1996.....	2	2	4	3	8	1	10	11	13	-
1995.....	1	4	-	2	2	3	5	6	14	-
1994.....	1	3	2	4	6	4	10	7	10	-
1993.....	2	3	5	5	4	7	4	12	6	-
1992.....	1	1	-	4	8	5	4	5	10	-
1991.....	2	1	4	2	9	7	6	6	6	-
1990.....	5	2	3	4	6	3	4	2	5	-
1989.....	2	2	3	4	5	10	11	5	8	-
1988.....	4	4	3	5	4	7	8	7	10	-
1987.....	1	3	5	5	9	6	1	7	4	-
1986.....	1	2	1	1	5	4	5	5	9	-
1985.....	2	4	1	6	4	7	11	4	5	-
1984.....	5	4	4	2	4	4	6	6	6	-
1983.....	-	2	7	4	10	8	2	6	4	-
1982.....	4	5	8	4	2	7	5	11	3	-
1981.....	2	2	4	5	7	8	5	4	3	-
1980.....	3	7	3	8	6	7	4	4	4	-
1979.....	2	1	1	5	5	2	7	6	1	-

ALL OTHER MALE

1998.....	1	1	2	3	2	1	2	3	2	-
1997.....	-	-	3	3	3	5	4	3	3	-
1996.....	1	-	3	2	6	-	6	1	2	-
1995.....	1	3	-	1	2	-	2	1	3	-
1994.....	1	1	2	2	4	4	4	2	6	-
1993.....	1	-	4	2	2	3	1	3	2	-
1992.....	-	1	-	2	4	2	2	2	5	-
1991.....	1	1	3	-	2	4	2	1	1	-
1990.....	4	1	2	3	3	1	2	-	1	-
1989.....	1	2	2	3	3	4	4	-	1	-
1988.....	4	1	2	2	3	3	3	2	2	-
1987.....	1	1	3	2	4	4	1	3	3	-
1986.....	-	1	1	1	4	2	3	3	2	-
1985.....	-	2	-	4	1	2	5	3	1	-
1984.....	-	3	3	2	2	1	4	2	2	-
1983.....	-	1	2	2	6	4	2	4	-	-
1982.....	1	2	4	1	2	2	2	6	3	-
1981.....	-	1	2	1	3	4	2	2	3	-
1980.....	2	4	-	4	4	3	3	3	2	-
1979.....	2	-	-	2	2	-	3	1	-	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)										
ALL OTHER FEMALE										
1998.....	-	2	2	-	3	2	8	2	9	-
1997.....	1	1	1	2	2	1	3	7	5	-
1996.....	1	2	1	1	2	1	4	10	11	-
1995.....	-	1	-	1	-	3	3	5	11	-
1994.....	-	2	-	2	2	-	6	5	4	-
1993.....	1	3	1	3	2	4	3	9	4	-
1992.....	1	-	-	2	4	3	2	3	5	-
1991.....	1	-	1	2	7	3	4	5	5	-
1990.....	1	1	1	1	3	2	2	2	4	-
1989.....	1	-	1	1	2	6	7	5	7	-
1988.....	-	3	1	3	1	4	5	5	8	-
1987.....	-	2	2	3	5	2	-	4	1	-
1986.....	1	1	-	-	1	2	2	2	7	-
1985.....	2	2	1	2	3	5	6	1	4	-
1984.....	5	1	1	-	2	3	2	4	4	-
1983.....	-	1	5	2	4	4	-	2	4	-
1982.....	3	3	4	3	-	5	3	5	-	-
1981.....	2	1	2	4	4	4	3	2	-	-
1980.....	1	3	3	4	2	4	1	1	2	-
1979.....	-	1	1	3	3	2	4	5	1	-
BLACK, BOTH SEXES										
1998.....	-	2	3	3	4	3	8	5	11	-
1997.....	1	1	2	5	4	4	7	10	8	-
1996.....	2	2	4	3	7	1	10	10	12	-
1995.....	1	4	-	2	2	3	5	5	14	-
1994.....	1	3	1	4	6	4	8	6	9	-
1993.....	2	3	4	4	4	7	3	11	5	-
1992.....	1	1	-	4	7	4	3	4	7	-
1991.....	2	1	4	2	9	7	6	6	6	-
1990.....	5	2	2	4	6	3	3	2	3	-
1989.....	2	2	3	4	5	10	11	5	8	-
1988.....	4	4	3	5	4	7	7	7	9	-
1987.....	1	3	5	5	9	5	1	6	4	-
1986.....	1	2	1	1	5	4	5	5	8	-
1985.....	2	4	1	6	4	7	8	4	5	-
1984.....	4	4	4	2	4	4	6	5	6	-
1983.....	-	2	7	3	10	7	2	6	3	-
1982.....	4	5	8	4	2	7	4	10	3	-
1981.....	1	2	4	5	7	8	5	4	3	-
1980.....	3	7	3	8	5	7	4	3	4	-
1979.....	1	1	1	5	5	2	7	4	1	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)										

BLACK MALE

1998.....	-	-	2	3	2	1	2	3	2	-
1997.....	-	-	1	3	2	3	4	3	3	-
1996.....	1	-	3	2	6	-	6	-	2	-
1995.....	1	3	-	1	2	-	2	1	3	-
1994.....	1	1	1	2	4	4	3	2	5	-
1993.....	1	-	3	1	2	3	1	3	1	-
1992.....	-	1	-	2	3	1	1	1	3	-
1991.....	1	1	3	-	2	4	2	1	1	-
1990.....	4	1	1	3	3	1	1	-	-	-
1989.....	1	2	2	3	3	4	4	-	1	-
1988.....	4	1	2	2	3	3	3	2	2	-
1987.....	1	1	3	2	4	3	1	2	3	-
1986.....	-	1	1	1	4	2	3	3	1	-
1985.....	-	2	-	4	1	2	3	3	1	-
1984.....	-	3	3	2	2	1	4	1	2	-
1983.....	-	1	2	1	6	3	2	4	-	-
1982.....	1	2	4	1	2	2	2	5	3	-
1981.....	-	1	2	1	3	4	2	2	3	-
1980.....	2	4	-	4	3	3	3	2	2	-
1979.....	1	-	-	2	2	-	3	1	-	-

BLACK FEMALE

1998.....	-	2	1	-	2	2	6	2	9	-
1997.....	1	1	1	2	2	1	3	7	5	-
1996.....	1	2	1	1	1	1	4	10	10	-
1995.....	-	1	-	1	-	3	3	4	11	-
1994.....	-	2	-	2	2	-	5	4	4	-
1993.....	1	3	1	3	2	4	2	8	4	-
1992.....	1	-	-	2	4	3	2	3	4	-
1991.....	1	-	1	2	7	3	4	5	5	-
1990.....	1	1	1	1	3	2	2	2	3	-
1989.....	1	-	1	1	2	6	7	5	7	-
1988.....	-	3	1	3	1	4	4	5	7	-
1987.....	-	2	2	3	5	2	-	4	1	-
1986.....	1	1	-	-	1	2	2	2	7	-
1985.....	2	2	1	2	3	5	5	1	4	-
1984.....	4	1	1	-	2	3	2	4	4	-
1983.....	-	1	5	2	4	4	-	2	3	-
1982.....	3	3	4	3	-	5	2	5	-	-
1981.....	1	1	2	4	4	4	3	2	-	-
1980.....	1	3	3	4	2	4	1	1	2	-
1979.....	-	1	1	3	3	2	4	3	1	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

TOTAL, BOTH SEXES										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	34	33	55	66	93	202	260	313	577	-
1997	34	45	51	64	109	190	250	293	499	-
1996	50	41	35	54	113	198	245	271	546	-
1995	18	39	49	76	116	174	231	241	451	-
1994	33	31	47	71	113	184	248	288	449	-
1993	30	37	42	77	121	214	235	272	464	-
1992	34	38	47	59	137	153	254	243	439	1
1991	30	35	42	78	131	179	241	250	416	-
1990	30	44	53	81	123	184	238	257	386	-
1989	30	31	69	82	151	162	221	258	395	1
1988	30	30	53	84	146	164	233	253	411	-
1987	28	37	49	93	106	191	259	236	409	-
1986	24	32	63	101	138	211	243	238	352	-
1985	22	38	65	79	144	209	244	250	411	-
1984	33	45	70	110	165	219	273	299	460	-
1983	32	47	96	101	158	254	328	297	440	2
1982	39	58	79	139	186	247	323	290	447	-
1981	47	62	94	128	189	267	353	341	423	1
1980	56	68	104	153	227	297	341	353	498	-
1979	50	87	104	153	277	296	351	364	485	-
TOTAL, MALE										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	23	19	34	29	53	108	134	164	220	-
1997	21	27	26	41	43	99	132	144	214	-
1996	32	25	16	24	65	105	138	139	211	-
1995	10	19	32	41	63	95	134	118	182	-
1994	15	16	26	36	63	86	131	136	168	-
1993	20	20	24	45	66	118	122	127	201	-
1992	20	20	30	41	79	78	135	120	189	1
1991	15	26	22	45	61	95	111	136	186	-
1990	17	28	24	52	66	98	119	115	162	-
1989	18	20	47	42	69	84	108	110	159	-
1988	15	19	25	51	78	92	129	129	185	-
1987	19	24	25	56	64	99	132	99	160	-
1986	14	18	38	60	74	114	129	107	162	-
1985	15	24	39	39	82	106	113	108	169	-
1984	18	23	34	66	93	129	142	126	188	-
1983	14	23	51	51	77	124	173	139	163	2
1982	27	30	45	71	94	128	163	123	217	-
1981	27	32	44	70	97	127	169	135	178	-
1980	28	33	61	84	130	159	175	171	212	-
1979	28	53	58	95	159	163	186	168	216	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

TOTAL, FEMALE										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	11	14	21	37	40	94	126	149	357	-
1997	13	18	25	23	66	91	118	149	285	-
1996	18	16	19	30	48	93	107	132	335	-
1995	8	20	17	35	53	79	97	123	269	-
1994	18	15	21	35	50	98	117	152	281	-
1993	10	17	18	32	55	96	113	145	263	-
1992	14	18	17	18	58	75	119	123	250	-
1991	15	9	20	33	70	84	130	114	230	-
1990	13	16	29	29	57	86	119	142	224	-
1989	12	11	22	40	82	78	113	148	236	1
1988	15	11	28	33	68	72	104	124	226	-
1987	9	13	24	37	42	92	127	137	249	-
1986	10	14	25	41	64	97	114	131	190	-
1985	7	14	26	40	62	103	131	142	242	-
1984	15	22	36	44	72	90	131	173	272	-
1983	18	24	45	50	81	130	155	158	277	-
1982	12	28	34	68	92	119	160	167	230	-
1981	20	30	50	58	92	140	184	206	245	1
1980	28	35	43	69	97	138	166	182	286	-
1979	22	34	46	58	118	133	165	196	269	-
WHITE, BOTH SEXES										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	25	21	39	43	72	157	210	268	479	-
1997	22	34	37	44	91	151	209	245	435	-
1996	37	30	22	38	78	147	209	236	459	-
1995	12	25	36	56	90	134	192	208	390	-
1994	15	17	27	47	89	147	197	247	381	-
1993	19	30	30	50	87	168	195	227	393	-
1992	21	27	26	46	107	117	218	212	366	1
1991	21	23	29	62	91	142	196	209	357	-
1990	22	30	32	61	89	148	183	218	329	-
1989	18	18	54	61	111	133	180	216	334	-
1988	22	24	38	65	120	135	195	216	359	-
1987	21	25	34	71	76	148	217	203	355	-
1986	20	23	39	75	107	157	200	200	300	-
1985	14	25	45	65	118	169	197	205	357	-
1984	22	26	48	83	141	176	239	252	389	-
1983	26	33	58	68	130	194	267	249	391	1
1982	20	37	53	101	154	197	270	243	399	-
1981	32	48	73	95	148	206	301	297	374	-
1980	38	40	64	106	165	226	273	286	427	-
1979	31	56	75	110	199	232	284	312	423	-

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)										

WHITE MALE

1998.....	18	13	25	21	41	81	104	144	186	-
1997.....	13	17	19	32	38	79	108	126	188	-
1996.....	24	16	9	18	48	85	115	119	182	-
1995.....	7	13	25	30	51	75	108	103	154	-
1994.....	7	9	15	23	50	73	108	123	144	-
1993.....	13	17	17	32	51	94	105	99	176	-
1992.....	11	15	15	30	64	61	114	105	159	1
1991.....	12	19	15	35	41	76	91	116	162	-
1990.....	14	17	16	41	45	80	97	95	135	-
1989.....	11	9	37	32	58	73	95	90	135	-
1988.....	12	14	15	38	64	76	112	109	162	-
1987.....	15	17	19	43	51	78	110	85	141	-
1986.....	11	13	23	47	60	87	109	91	136	-
1985.....	11	15	29	35	66	84	91	88	146	-
1984.....	13	14	27	51	83	107	125	106	155	-
1983.....	11	15	33	34	59	95	139	113	142	1
1982.....	11	20	36	50	79	107	142	106	195	-
1981.....	20	26	34	58	75	95	151	114	155	-
1980.....	19	19	43	64	96	122	140	139	183	-
1979.....	14	32	45	74	116	128	152	149	186	-

WHITE FEMALE

1998.....	7	8	14	22	31	76	106	124	293	-
1997.....	9	17	18	12	53	72	101	119	247	-
1996.....	13	14	13	20	30	62	94	117	277	-
1995.....	5	12	11	26	39	59	84	105	236	-
1994.....	8	8	12	24	39	74	89	124	237	-
1993.....	6	13	13	18	36	74	90	128	217	-
1992.....	10	12	11	16	43	56	104	107	207	-
1991.....	9	4	14	27	50	66	105	93	195	-
1990.....	8	13	16	20	44	68	86	123	194	-
1989.....	7	9	17	29	53	60	85	126	199	-
1988.....	10	10	23	27	56	59	83	107	197	-
1987.....	6	8	15	28	25	70	107	118	214	-
1986.....	9	10	16	28	47	70	91	109	164	-
1985.....	3	10	16	30	52	85	106	117	211	-
1984.....	9	12	21	32	58	69	114	146	234	-
1983.....	15	18	25	34	71	99	128	136	249	-
1982.....	9	17	17	51	75	90	128	137	204	-
1981.....	12	22	39	37	73	111	150	183	219	-
1980.....	19	21	21	42	69	104	133	147	244	-
1979.....	17	24	30	36	83	104	132	163	237	-

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)										

ALL OTHER, BOTH SEXES

1998.....	9	12	16	23	21	45	50	45	98	-
1997.....	12	11	14	20	18	39	41	48	64	-
1996.....	13	11	13	16	35	51	36	35	87	-
1995.....	6	14	13	20	26	40	39	33	61	-
1994.....	18	14	20	24	24	37	51	41	68	-
1993.....	11	7	12	27	34	46	40	45	71	-
1992.....	13	11	21	13	30	36	36	31	73	-
1991.....	9	12	13	16	40	37	45	41	59	-
1990.....	8	14	21	20	34	36	55	39	57	-
1989.....	12	13	15	21	40	29	41	42	61	1
1988.....	8	6	15	19	26	29	38	37	52	-
1987.....	7	12	15	22	30	43	42	33	54	-
1986.....	4	9	24	26	31	54	43	38	52	-
1985.....	8	13	20	14	26	40	47	45	54	-
1984.....	11	19	22	27	24	43	34	47	71	-
1983.....	6	14	38	33	28	60	61	48	49	1
1982.....	19	21	26	38	32	50	53	47	48	-
1981.....	15	14	21	33	41	61	52	44	49	1
1980.....	18	28	40	47	62	71	68	67	71	-
1979.....	19	31	29	43	78	64	67	52	62	-

ALL OTHER MALE

1998.....	5	6	9	8	12	27	30	20	34	-
1997.....	8	10	7	9	5	20	24	18	26	-
1996.....	8	9	7	6	17	20	23	20	29	-
1995.....	3	6	7	11	12	20	26	15	28	-
1994.....	8	7	11	13	13	13	23	13	24	-
1993.....	7	3	7	13	15	24	17	28	25	-
1992.....	9	5	15	11	15	17	21	15	30	-
1991.....	3	7	7	10	20	19	20	20	24	-
1990.....	3	11	8	11	21	18	22	20	27	-
1989.....	7	11	10	10	11	11	13	20	24	-
1988.....	3	5	10	13	14	16	17	20	23	-
1987.....	4	7	6	13	13	21	22	14	19	-
1986.....	3	5	15	13	14	27	20	16	26	-
1985.....	4	9	10	4	16	22	22	20	23	-
1984.....	5	9	7	15	10	22	17	20	33	-
1983.....	3	8	18	17	18	29	34	26	21	1
1982.....	16	10	9	21	15	21	21	17	22	-
1981.....	7	6	10	12	22	32	18	21	23	-
1980.....	9	14	18	20	34	37	35	32	29	-
1979.....	14	21	13	21	43	35	34	19	30	-

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)										

ALL OTHER FEMALE

1998.....	4	6	7	15	9	18	20	25	64	-
1997.....	4	1	7	11	13	19	17	30	38	-
1996.....	5	2	6	10	18	31	13	15	58	-
1995.....	3	8	6	9	14	20	13	18	33	-
1994.....	10	7	9	11	11	24	28	28	44	-
1993.....	4	4	5	14	19	22	23	17	46	-
1992.....	4	6	6	2	15	19	15	16	43	-
1991.....	6	5	6	6	20	18	25	21	35	-
1990.....	5	3	13	9	13	18	33	19	30	-
1989.....	5	2	5	11	29	18	28	22	37	1
1988.....	5	1	5	6	12	13	21	17	29	-
1987.....	3	5	9	9	17	22	20	19	35	-
1986.....	1	4	9	13	17	27	23	22	26	-
1985.....	4	4	10	10	10	18	25	25	31	-
1984.....	6	10	15	12	14	21	17	27	38	-
1983.....	3	6	20	16	10	31	27	22	28	-
1982.....	3	11	17	17	17	29	32	30	26	-
1981.....	8	8	11	21	19	29	34	23	26	1
1980.....	9	14	22	27	28	34	33	35	42	-
1979.....	5	10	16	22	35	29	33	33	32	-

BLACK, BOTH SEXES

1998.....	8	9	14	21	20	38	48	43	86	-
1997.....	9	8	13	18	17	36	32	42	60	-
1996.....	10	10	11	12	30	46	34	30	82	-
1995.....	4	12	11	16	24	38	35	32	55	-
1994.....	16	14	18	21	22	32	46	36	65	-
1993.....	9	7	11	25	33	42	36	41	65	-
1992.....	11	10	19	10	28	33	33	27	71	-
1991.....	9	8	12	14	32	36	43	37	57	-
1990.....	7	10	21	17	30	34	49	35	53	-
1989.....	12	13	15	19	37	27	37	40	57	1
1988.....	7	6	13	17	25	22	33	35	46	-
1987.....	6	12	13	22	26	38	38	32	47	-
1986.....	2	8	21	23	30	53	40	35	46	-
1985.....	7	12	19	13	24	36	43	42	53	-
1984.....	10	18	20	23	23	42	33	46	61	-
1983.....	6	13	35	32	27	57	58	43	47	1
1982.....	16	17	26	37	30	48	48	43	43	-
1981.....	14	13	20	30	38	58	46	43	46	1
1980.....	16	25	38	43	60	68	67	63	68	-
1979.....	19	29	28	42	73	61	64	50	54	-

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)										

BLACK MALE

1998.....	4	5	9	7	11	23	29	20	31	-
1997.....	6	7	6	8	5	20	20	17	23	-
1996.....	7	9	5	5	15	18	22	18	29	-
1995.....	3	5	6	8	12	20	23	15	25	-
1994.....	7	7	11	11	12	13	22	10	22	-
1993.....	7	3	6	11	15	22	16	25	21	-
1992.....	7	4	13	9	14	16	20	13	29	-
1991.....	3	5	6	9	17	18	19	17	23	-
1990.....	3	9	8	8	18	18	17	19	25	-
1989.....	7	11	10	10	10	11	13	18	23	-
1988.....	2	5	9	12	13	11	14	19	20	-
1987.....	3	7	5	13	10	20	21	13	16	-
1986.....	2	5	15	12	13	27	19	15	24	-
1985.....	4	9	10	4	16	22	19	17	23	-
1984.....	5	8	6	12	9	21	16	19	29	-
1983.....	3	7	16	17	18	28	32	24	19	1
1982.....	13	9	9	21	14	19	20	16	21	-
1981.....	6	6	10	12	20	30	16	20	21	-
1980.....	7	13	18	17	33	35	34	29	28	-
1979.....	14	20	12	20	39	33	31	19	27	-

BLACK FEMALE

1998.....	4	4	5	14	9	15	19	23	55	-
1997.....	3	1	7	10	12	16	12	25	37	-
1996.....	3	1	6	7	15	28	12	12	53	-
1995.....	1	7	5	8	12	18	12	17	30	-
1994.....	9	7	7	10	10	19	24	26	43	-
1993.....	2	4	5	14	18	20	20	16	44	-
1992.....	4	6	6	1	14	17	13	14	42	-
1991.....	6	3	6	5	15	18	24	20	34	-
1990.....	4	1	13	9	12	16	32	16	28	-
1989.....	5	2	5	9	27	16	24	22	34	1
1988.....	5	1	4	5	12	11	19	16	26	-
1987.....	3	5	8	9	16	18	17	19	31	-
1986.....	-	3	6	11	17	26	21	20	22	-
1985.....	3	3	9	9	8	14	24	25	30	-
1984.....	5	10	14	11	14	21	17	27	32	-
1983.....	3	6	19	15	9	29	26	19	28	-
1982.....	3	8	17	16	16	29	28	27	22	-
1981.....	8	7	10	18	18	28	30	23	25	1
1980.....	9	12	20	26	27	33	33	34	40	-
1979.....	5	9	16	22	34	28	33	31	27	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)										
TOTAL, BOTH SEXES										
1998.....	380	468	681	987	1,636	2,788	3,802	4,574	8,138	-
1997.....	327	445	666	1,025	1,661	2,718	3,630	4,338	7,847	-
1996.....	337	436	580	989	1,595	2,672	3,502	4,216	7,259	2
1995.....	326	415	579	1,024	1,671	2,575	3,468	4,038	6,980	4
1994.....	297	369	605	956	1,639	2,667	3,256	3,887	6,689	2
1993.....	306	374	654	1,055	1,808	2,587	3,312	3,895	6,614	2
1992.....	276	371	571	1,010	1,695	2,495	3,184	3,645	6,238	3
1991.....	236	365	533	1,018	1,648	2,386	3,067	3,532	5,867	2
1990.....	275	357	548	1,029	1,611	2,335	2,983	3,418	5,557	-
1989.....	237	406	609	1,074	1,722	2,310	3,102	3,443	5,515	4
1988.....	290	424	678	1,208	1,811	2,401	3,274	3,610	5,915	1
1987.....	274	413	691	1,171	1,815	2,480	3,248	3,508	5,792	-
1986.....	285	386	651	1,264	1,763	2,478	3,213	3,407	5,596	2
1985.....	275	367	726	1,246	1,780	2,508	2,952	3,342	5,302	3
1984.....	243	357	674	1,181	1,662	2,370	2,892	2,977	4,753	2
1983.....	232	398	717	1,090	1,532	2,183	2,658	2,878	4,276	3
1982.....	210	363	724	1,073	1,548	2,119	2,388	2,639	3,955	3
1981.....	226	394	684	999	1,472	2,018	2,275	2,447	3,575	2
1980.....	252	426	682	981	1,397	1,845	2,203	2,242	3,339	3
1979.....	265	427	626	916	1,316	1,670	2,050	2,045	2,869	2
TOTAL, MALE										
1998.....	252	273	369	538	860	1,453	1,946	2,234	3,246	-
1997.....	199	249	369	528	898	1,460	1,876	2,063	3,116	-
1996.....	196	242	323	562	820	1,432	1,768	2,054	2,828	1
1995.....	195	228	321	536	913	1,356	1,801	1,897	2,759	4
1994.....	174	213	326	495	824	1,371	1,613	1,880	2,644	2
1993.....	188	206	359	535	973	1,353	1,696	1,849	2,623	-
1992.....	173	211	315	551	887	1,309	1,644	1,760	2,511	1
1991.....	145	204	303	574	873	1,265	1,597	1,656	2,309	1
1990.....	154	193	281	514	842	1,229	1,562	1,626	2,179	-
1989.....	137	227	349	601	913	1,245	1,579	1,640	2,175	4
1988.....	164	248	368	653	981	1,232	1,694	1,678	2,340	1
1987.....	164	242	384	653	963	1,311	1,691	1,677	2,395	-
1986.....	166	229	351	699	944	1,378	1,653	1,684	2,309	1
1985.....	151	190	401	651	958	1,354	1,565	1,545	2,238	1
1984.....	132	191	349	661	898	1,256	1,488	1,469	2,031	1
1983.....	132	219	393	576	791	1,168	1,350	1,405	1,798	3
1982.....	123	220	404	571	822	1,153	1,251	1,280	1,730	3
1981.....	129	217	394	555	786	1,123	1,192	1,169	1,567	-
1980.....	138	214	378	530	806	998	1,183	1,103	1,506	2
1979.....	136	231	355	507	709	911	1,118	1,048	1,343	1

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

TOTAL, FEMALE										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	128	195	312	449	776	1,335	1,856	2,340	4,892	-
1997	128	196	297	497	763	1,258	1,754	2,275	4,731	-
1996	141	194	257	427	775	1,240	1,734	2,162	4,431	1
1995	131	187	258	488	758	1,219	1,667	2,141	4,221	-
1994	123	156	279	461	815	1,296	1,643	2,007	4,045	-
1993	118	168	295	520	835	1,234	1,616	2,046	3,991	2
1992	103	160	256	459	808	1,186	1,540	1,885	3,727	2
1991	91	161	230	444	775	1,121	1,470	1,876	3,558	1
1990	121	164	267	515	769	1,106	1,421	1,792	3,378	-
1989	100	179	260	473	809	1,065	1,523	1,803	3,340	-
1988	126	176	310	555	830	1,169	1,580	1,932	3,575	-
1987	110	171	307	518	852	1,169	1,557	1,831	3,397	-
1986	119	157	300	565	819	1,100	1,560	1,723	3,287	1
1985	124	177	325	595	822	1,154	1,387	1,797	3,064	2
1984	111	166	325	520	764	1,114	1,404	1,508	2,722	1
1983	100	179	324	514	741	1,015	1,308	1,473	2,478	-
1982	87	143	320	502	726	966	1,137	1,359	2,225	-
1981	97	177	290	444	686	895	1,083	1,278	2,008	2
1980	114	212	304	451	591	847	1,020	1,139	1,833	1
1979	129	196	271	409	607	759	932	997	1,526	1
WHITE, BOTH SEXES										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	227	303	423	681	1,263	2,179	3,145	3,985	7,119	-
1997	184	278	419	693	1,258	2,165	3,022	3,771	6,837	-
1996	203	277	388	695	1,182	2,138	2,905	3,599	6,313	-
1995	198	254	361	701	1,248	2,071	2,882	3,409	6,095	1
1994	170	238	388	647	1,212	2,154	2,716	3,369	5,883	1
1993	179	219	423	747	1,402	2,074	2,745	3,314	5,754	1
1992	160	223	356	688	1,277	1,994	2,671	3,122	5,467	1
1991	135	228	332	709	1,242	1,879	2,575	3,033	5,085	2
1990	153	213	326	707	1,218	1,815	2,460	2,900	4,884	-
1989	141	236	364	720	1,246	1,788	2,498	2,888	4,819	-
1988	157	256	435	848	1,374	1,890	2,685	3,046	5,171	-
1987	159	252	452	839	1,381	1,958	2,705	2,995	5,084	-
1986	163	231	424	896	1,325	1,987	2,620	2,922	4,895	1
1985	174	222	476	891	1,323	1,955	2,454	2,815	4,620	2
1984	147	229	449	845	1,262	1,851	2,406	2,496	4,215	-
1983	142	271	485	787	1,136	1,716	2,206	2,489	3,795	-
1982	134	217	477	765	1,131	1,663	1,974	2,231	3,505	1
1981	139	245	444	708	1,074	1,566	1,905	2,082	3,187	1
1980	148	266	440	669	1,028	1,423	1,787	1,930	2,940	2
1979	161	274	406	656	993	1,311	1,667	1,783	2,573	1

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

WHITE MALE

1998.....	153	176	228	373	694	1,194	1,661	2,002	2,897	-
1997.....	108	158	237	366	708	1,210	1,616	1,830	2,738	-
1996.....	118	161	217	410	629	1,184	1,497	1,827	2,483	-
1995.....	120	141	212	374	708	1,132	1,547	1,643	2,434	1
1994.....	90	139	215	351	624	1,136	1,407	1,676	2,359	1
1993.....	111	116	241	402	783	1,113	1,456	1,593	2,303	-
1992.....	100	133	204	400	690	1,079	1,421	1,516	2,215	1
1991.....	78	127	184	416	673	1,024	1,377	1,454	2,011	1
1990.....	81	123	178	360	656	981	1,326	1,390	1,922	-
1989.....	82	131	210	441	659	992	1,304	1,371	1,895	-
1988.....	86	157	244	484	752	1,027	1,420	1,430	2,072	-
1987.....	100	152	256	483	766	1,067	1,437	1,450	2,097	-
1986.....	93	141	237	523	730	1,136	1,370	1,461	2,029	-
1985.....	96	129	269	486	747	1,094	1,320	1,306	1,951	1
1984.....	80	125	239	477	710	1,020	1,270	1,252	1,803	-
1983.....	87	154	272	426	619	953	1,148	1,221	1,575	-
1982.....	81	134	281	429	626	931	1,061	1,087	1,529	1
1981.....	77	141	259	408	597	899	1,016	1,012	1,378	-
1980.....	81	138	251	392	634	795	971	945	1,321	2
1979.....	87	155	244	389	563	739	905	910	1,194	-

WHITE FEMALE

1998.....	74	127	195	308	569	985	1,484	1,983	4,222	-
1997.....	76	120	182	327	550	955	1,406	1,941	4,099	-
1996.....	85	116	171	285	553	954	1,408	1,772	3,830	-
1995.....	78	113	149	327	540	939	1,335	1,766	3,661	-
1994.....	80	99	173	296	588	1,018	1,309	1,693	3,524	-
1993.....	68	103	182	345	619	961	1,289	1,721	3,451	1
1992.....	60	90	152	288	587	915	1,250	1,606	3,252	-
1991.....	57	101	148	293	569	855	1,198	1,579	3,074	1
1990.....	72	90	148	347	562	834	1,134	1,510	2,962	-
1989.....	59	105	154	279	587	796	1,194	1,517	2,924	-
1988.....	71	99	191	364	622	863	1,265	1,616	3,099	-
1987.....	59	100	196	356	615	891	1,268	1,545	2,987	-
1986.....	70	90	187	373	595	851	1,250	1,461	2,866	1
1985.....	78	93	207	405	576	861	1,134	1,509	2,669	1
1984.....	67	104	210	368	552	831	1,136	1,244	2,412	-
1983.....	55	117	213	361	517	763	1,058	1,268	2,220	-
1982.....	53	83	196	336	505	732	913	1,144	1,976	-
1981.....	62	104	185	300	477	667	889	1,070	1,809	1
1980.....	67	128	189	277	394	628	816	985	1,619	-
1979.....	74	119	162	267	430	572	762	873	1,379	1

RACE, AND SEX: UNITED STATES, 1979-98

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED

0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

ALL OTHER, BOTH SEXES

1998.....	153	165	258	306	373	609	657	589	1,019	-
1997.....	143	167	247	332	403	553	608	567	1,010	-
1996.....	134	159	192	294	413	534	597	617	946	2
1995.....	128	161	218	323	423	504	586	629	885	3
1994.....	127	131	217	309	427	513	540	518	806	1
1993.....	127	155	231	308	406	513	567	581	860	1
1992.....	116	148	215	322	418	501	513	523	771	2
1991.....	101	137	201	309	406	507	492	499	782	-
1990.....	122	144	222	322	393	520	523	518	673	-
1989.....	96	170	245	354	476	522	604	555	696	4
1988.....	133	168	243	360	437	511	589	564	744	1
1987.....	115	161	239	332	434	522	543	513	708	-
1986.....	122	155	227	368	438	491	593	485	701	1
1985.....	101	145	250	355	457	553	498	527	682	1
1984.....	96	128	225	336	400	519	486	481	538	2
1983.....	90	127	232	303	396	467	452	389	481	3
1982.....	76	146	247	308	417	456	414	408	450	2
1981.....	87	149	240	291	398	452	370	365	388	1
1980.....	104	160	242	312	369	422	416	312	399	1
1979.....	104	153	220	260	323	359	383	262	296	1

ALL OTHER MALE

1998.....	99	97	141	165	166	259	285	232	349	-
1997.....	91	91	132	162	190	250	260	233	378	-
1996.....	78	81	106	152	191	248	271	227	345	1
1995.....	75	87	109	162	205	224	254	254	325	3
1994.....	84	74	111	144	200	235	206	204	285	1
1993.....	77	90	118	133	190	240	240	256	320	-
1992.....	73	78	111	151	197	230	223	244	296	-
1991.....	67	77	119	158	200	241	220	202	298	-
1990.....	73	70	103	154	186	248	236	236	257	-
1989.....	55	96	139	160	254	253	275	269	280	4
1988.....	78	91	124	169	229	205	274	248	268	1
1987.....	64	90	128	170	197	244	254	227	298	-
1986.....	73	88	114	176	214	242	283	223	280	1
1985.....	55	61	132	165	211	260	245	239	287	-
1984.....	52	66	110	184	188	236	218	217	228	1
1983.....	45	65	121	150	172	215	202	184	223	3
1982.....	42	86	123	142	196	222	190	193	201	2
1981.....	52	76	135	147	189	224	176	157	189	-
1980.....	57	76	127	138	172	203	212	158	185	-
1979.....	49	76	111	118	146	172	213	138	149	1

RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)										

ALL OTHER FEMALE

1998.....	54	68	117	141	207	350	372	357	670	-
1997.....	52	76	115	170	213	303	348	334	632	-
1996.....	56	78	86	142	222	286	326	390	601	1
1995.....	53	74	109	161	218	280	332	375	560	-
1994.....	43	57	106	165	227	278	334	314	521	-
1993.....	50	65	113	175	216	273	327	325	540	1
1992.....	43	70	104	171	221	271	290	279	475	2
1991.....	34	60	82	151	206	266	272	297	484	-
1990.....	49	74	119	168	207	272	287	282	416	-
1989.....	41	74	106	194	222	269	329	286	416	-
1988.....	55	77	119	191	208	306	315	316	476	-
1987.....	51	71	111	162	237	278	289	286	410	-
1986.....	49	67	113	192	224	249	310	262	421	-
1985.....	46	84	118	190	246	293	253	288	395	1
1984.....	44	62	115	152	212	283	268	264	310	1
1983.....	45	62	111	153	224	252	250	205	258	-
1982.....	34	60	124	166	221	234	224	215	249	-
1981.....	35	73	105	144	209	228	194	208	199	1
1980.....	47	84	115	174	197	219	204	154	214	1
1979.....	55	77	109	142	177	187	170	124	147	-

BLACK, BOTH SEXES

1998.....	140	144	234	286	339	528	588	515	932	-
1997.....	131	153	223	309	367	497	547	515	931	-
1996.....	128	145	172	274	366	473	536	542	845	2
1995.....	122	145	199	299	385	453	539	556	808	3
1994.....	121	125	194	289	396	468	485	475	731	1
1993.....	121	142	215	282	369	460	509	513	777	1
1992.....	109	132	194	299	383	447	468	473	711	2
1991.....	97	128	183	286	378	471	438	462	706	-
1990.....	114	135	210	294	354	479	476	475	619	-
1989.....	90	160	230	326	440	481	554	505	631	4
1988.....	129	151	230	336	411	472	551	514	690	1
1987.....	106	150	226	313	401	488	500	478	654	-
1986.....	113	139	204	347	417	457	551	458	644	-
1985.....	88	134	235	342	433	515	457	496	648	1
1984.....	84	117	215	315	379	490	441	452	505	2
1983.....	85	119	220	284	373	434	427	365	442	3
1982.....	71	139	230	292	400	433	386	379	420	2
1981.....	83	141	229	279	382	424	354	344	359	1
1980.....	99	154	230	297	356	402	392	289	371	1
1979.....	96	146	212	251	307	340	359	243	271	1

RACE, AND SEX: UNITED STATES, 1979-98

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

BLACK MALE

1998.....	92	83	128	159	152	220	251	200	307	-
1997.....	84	86	118	151	177	229	231	207	337	-
1996.....	75	76	93	143	171	215	243	197	290	1
1995.....	70	76	102	148	188	201	236	220	290	3
1994.....	80	71	103	135	181	215	186	180	247	1
1993.....	73	81	109	121	174	215	207	216	278	-
1992.....	69	70	104	142	182	203	203	219	262	-
1991.....	66	71	110	145	187	227	188	185	261	-
1990.....	71	67	101	136	168	228	209	210	229	-
1989.....	52	92	131	147	233	229	246	241	247	4
1988.....	75	80	113	159	212	186	252	213	237	1
1987.....	58	84	122	159	182	225	231	203	272	-
1986.....	70	79	100	167	207	223	262	212	250	-
1985.....	53	55	124	159	201	237	219	221	270	-
1984.....	46	59	107	170	176	219	189	203	208	1
1983.....	43	59	117	140	163	199	191	169	202	3
1982.....	40	86	117	133	191	208	174	177	187	2
1981.....	50	70	130	139	183	206	171	144	177	-
1980.....	56	75	125	131	167	192	198	144	172	-
1979.....	46	72	104	114	138	159	199	126	132	1

BLACK FEMALE

1998.....	48	61	106	127	187	308	337	315	625	-
1997.....	47	67	105	158	190	268	316	308	594	-
1996.....	53	69	79	131	195	258	293	345	555	1
1995.....	52	69	97	151	197	252	303	336	518	-
1994.....	41	54	91	154	215	253	299	295	484	-
1993.....	48	61	106	161	195	245	302	297	499	1
1992.....	40	62	90	157	201	244	265	254	449	2
1991.....	31	57	73	141	191	244	250	277	445	-
1990.....	43	68	109	158	186	251	267	265	390	-
1989.....	38	68	99	179	207	252	308	264	384	-
1988.....	54	71	117	177	199	286	299	301	453	-
1987.....	48	66	104	154	219	263	269	275	382	-
1986.....	43	60	104	180	210	234	289	246	394	-
1985.....	35	79	111	183	232	278	238	275	378	1
1984.....	38	58	108	145	203	271	252	249	297	1
1983.....	42	60	103	144	210	235	236	196	240	-
1982.....	31	53	113	159	209	225	212	202	233	-
1981.....	33	71	99	140	199	218	183	200	182	1
1980.....	43	79	105	166	189	210	194	145	199	1
1979.....	50	74	108	137	169	181	160	117	139	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
INFECTIONS OF KIDNEY (590)										
TOTAL, BOTH SEXES										
1998.....	23	20	26	32	44	76	100	140	322	-
1997.....	22	20	17	35	40	87	98	158	315	-
1996.....	12	16	25	40	62	80	130	154	320	1
1995.....	23	19	21	39	50	94	128	144	352	-
1994.....	17	21	19	45	60	80	149	183	352	-
1993.....	22	25	27	42	49	84	148	197	382	-
1992.....	17	22	23	41	63	87	149	189	439	-
1991.....	19	26	27	43	61	106	162	253	449	-
1990.....	19	25	34	59	77	122	188	248	466	-
1989.....	19	20	29	51	95	133	199	269	523	1
1988.....	23	33	39	52	107	129	246	318	591	1
1987.....	20	31	44	67	112	190	232	359	630	-
1986.....	20	36	51	74	130	168	246	358	727	2
1985.....	18	30	49	79	118	189	334	414	691	2
1984.....	20	38	56	101	127	234	286	417	720	-
1983.....	23	34	58	104	127	221	351	391	717	-
1982.....	32	39	57	105	130	288	355	431	713	-
1981.....	32	49	73	102	152	239	402	487	699	-
1980.....	47	47	76	119	212	325	439	519	862	-
1979.....	42	58	94	119	218	352	479	529	883	-
TOTAL, MALE										
1998.....	11	7	7	11	11	21	24	40	62	-
1997.....	5	8	5	12	8	25	39	52	72	-
1996.....	-	4	6	14	21	32	44	42	71	1
1995.....	8	5	5	14	18	29	39	34	73	-
1994.....	6	3	9	19	20	32	41	42	78	-
1993.....	2	11	8	14	17	27	49	56	79	-
1992.....	6	2	3	17	22	33	55	63	104	-
1991.....	7	10	7	12	12	36	55	66	90	-
1990.....	10	10	15	27	22	50	58	72	117	-
1989.....	8	8	10	21	26	63	66	76	128	-
1988.....	12	11	17	16	45	40	90	92	145	-
1987.....	5	13	20	18	37	84	75	102	159	-
1986.....	11	11	16	25	38	63	83	122	174	2
1985.....	5	14	24	31	38	73	135	148	202	-
1984.....	6	15	24	34	54	95	118	137	201	-
1983.....	8	12	22	35	48	86	136	135	210	-
1982.....	9	17	26	33	49	108	127	139	205	-
1981.....	8	12	30	44	54	94	147	189	230	-
1980.....	21	17	31	40	75	127	156	183	279	-
1979.....	15	21	39	50	92	143	184	213	302	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
INFECTIONS OF KIDNEY (590)										
TOTAL, FEMALE										
1998.....	12	13	19	21	33	55	76	100	260	-
1997.....	17	12	12	23	32	62	59	106	243	-
1996.....	12	12	19	26	41	48	86	112	249	-
1995.....	15	14	16	25	32	65	89	110	279	-
1994.....	11	18	10	26	40	48	108	141	274	-
1993.....	20	14	19	28	32	57	99	141	303	-
1992.....	11	20	20	24	41	54	94	126	335	-
1991.....	12	16	20	31	49	70	107	187	359	-
1990.....	9	15	19	32	55	72	130	176	349	-
1989.....	11	12	19	30	69	70	133	193	395	1
1988.....	11	22	22	36	62	89	156	226	446	1
1987.....	15	18	24	49	75	106	157	257	471	-
1986.....	9	25	35	49	92	105	163	236	553	-
1985.....	13	16	25	48	80	116	199	266	489	2
1984.....	14	23	32	67	73	139	168	280	519	-
1983.....	15	22	36	69	79	135	215	256	507	-
1982.....	23	22	31	72	81	180	228	292	508	-
1981.....	24	37	43	58	98	145	255	298	469	-
1980.....	26	30	45	79	137	198	283	336	583	-
1979.....	27	37	55	69	126	209	295	316	581	-
WHITE, BOTH SEXES										
1998.....	16	18	17	21	32	65	85	125	292	-
1997.....	15	13	15	26	35	69	91	142	291	-
1996.....	6	13	23	33	52	71	117	139	285	-
1995.....	17	12	13	30	37	83	108	131	318	-
1994.....	13	14	11	40	48	65	129	161	318	-
1993.....	16	15	20	30	45	75	123	180	343	-
1992.....	11	16	18	35	53	71	136	172	406	-
1991.....	15	21	20	32	55	87	138	223	402	-
1990.....	16	20	27	49	58	106	167	220	428	-
1989.....	15	8	20	38	74	115	167	238	481	1
1988.....	16	26	29	46	94	108	209	291	552	1
1987.....	17	23	38	54	86	156	206	327	582	-
1986.....	13	23	38	59	111	141	208	324	666	2
1985.....	13	19	39	64	87	157	289	369	630	2
1984.....	16	29	40	76	103	199	252	374	664	-
1983.....	16	25	41	84	102	192	317	352	652	-
1982.....	22	30	40	90	111	243	304	400	666	-
1981.....	23	36	53	90	120	205	350	446	649	-
1980.....	27	34	53	96	175	275	371	469	802	-
1979.....	29	39	66	88	176	306	430	473	820	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
INFECTIONS OF KIDNEY (590)										
WHITE MALE										
1998.....	10	7	3	8	9	21	18	33	50	-
1997.....	3	5	4	8	6	17	36	48	65	-
1996.....	-	3	6	13	17	26	41	41	61	-
1995.....	5	3	4	9	15	25	32	31	66	-
1994.....	4	3	5	16	13	26	35	35	69	-
1993.....	1	6	4	7	15	23	42	51	67	-
1992.....	5	1	3	13	18	26	50	55	94	-
1991.....	6	6	6	10	12	28	45	57	83	-
1990.....	8	7	11	22	13	44	50	62	107	-
1989.....	7	4	6	15	18	53	59	66	111	-
1988.....	8	9	13	12	36	31	73	84	130	-
1987.....	4	9	18	14	31	65	64	93	144	-
1986.....	11	9	13	18	35	50	68	108	153	2
1985.....	3	8	19	23	25	58	114	133	184	-
1984.....	5	10	17	21	45	79	103	122	174	-
1983.....	7	8	16	27	39	78	119	117	184	-
1982.....	5	12	16	29	42	95	107	123	184	-
1981.....	5	11	23	38	42	82	128	177	213	-
1980.....	15	12	22	34	60	106	123	161	255	-
1979.....	10	14	25	35	71	124	163	185	279	-
WHITE FEMALE										
1998.....	6	11	14	13	23	44	67	92	242	-
1997.....	12	8	11	18	29	52	55	94	226	-
1996.....	6	10	17	20	35	45	76	98	224	-
1995.....	12	9	9	21	22	58	76	100	252	-
1994.....	9	11	6	24	35	39	94	126	249	-
1993.....	15	9	16	23	30	52	81	129	276	-
1992.....	6	15	15	22	35	45	86	117	312	-
1991.....	9	15	14	22	43	59	93	166	319	-
1990.....	8	13	16	27	45	62	117	158	321	-
1989.....	8	4	14	23	56	62	108	172	370	1
1988.....	8	17	16	34	58	77	136	207	422	1
1987.....	13	14	20	40	55	91	142	234	438	-
1986.....	2	14	25	41	76	91	140	216	513	-
1985.....	10	11	20	41	62	99	175	236	446	2
1984.....	11	19	23	55	58	120	149	252	490	-
1983.....	9	17	25	57	63	114	198	235	468	-
1982.....	17	18	24	61	69	148	197	277	482	-
1981.....	18	25	30	52	78	123	222	269	436	-
1980.....	12	22	31	62	115	169	248	308	547	-
1979.....	19	25	41	53	105	182	267	288	541	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
INFECTIONS OF KIDNEY (590)										
ALL OTHER, BOTH SEXES										
1998.....	7	2	9	11	12	11	15	15	30	-
1997.....	7	7	2	9	5	18	7	16	24	-
1996.....	6	3	2	7	10	9	13	15	35	1
1995.....	6	7	8	9	13	11	20	13	34	-
1994.....	4	7	8	5	12	15	20	22	34	-
1993.....	6	10	7	12	4	9	25	17	39	-
1992.....	6	6	5	6	10	16	13	17	33	-
1991.....	4	5	7	11	6	19	24	30	47	-
1990.....	3	5	7	10	19	16	21	28	38	-
1989.....	4	12	9	13	21	18	32	31	42	-
1988.....	7	7	10	6	13	21	37	27	39	-
1987.....	3	8	6	13	26	34	26	32	48	-
1986.....	7	13	13	15	19	27	38	34	61	-
1985.....	5	11	10	15	31	32	45	45	61	-
1984.....	4	9	16	25	24	35	34	43	56	-
1983.....	7	9	17	20	25	29	34	39	65	-
1982.....	10	9	17	15	19	45	51	31	47	-
1981.....	9	13	20	12	32	34	52	41	50	-
1980.....	20	13	23	23	37	50	68	50	60	-
1979.....	13	19	28	31	42	46	49	56	63	-
ALL OTHER MALE										
1998.....	1	-	4	3	2	-	6	7	12	-
1997.....	2	3	1	4	2	8	3	4	7	-
1996.....	-	1	-	1	4	6	3	1	10	1
1995.....	3	2	1	5	3	4	7	3	7	-
1994.....	2	-	4	3	7	6	6	7	9	-
1993.....	1	5	4	7	2	4	7	5	12	-
1992.....	1	1	-	4	4	7	5	8	10	-
1991.....	1	4	1	2	-	8	10	9	7	-
1990.....	2	3	4	5	9	6	8	10	10	-
1989.....	1	4	4	6	8	10	7	10	17	-
1988.....	4	2	4	4	9	9	17	8	15	-
1987.....	1	4	2	4	6	19	11	9	15	-
1986.....	-	2	3	7	3	13	15	14	21	-
1985.....	2	6	5	8	13	15	21	15	18	-
1984.....	1	5	7	13	9	16	15	15	27	-
1983.....	1	4	6	8	9	8	17	18	26	-
1982.....	4	5	10	4	7	13	20	16	21	-
1981.....	3	1	7	6	12	12	19	12	17	-
1980.....	6	5	9	6	15	21	33	22	24	-
1979.....	5	7	14	15	21	19	21	28	23	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
INFECTIONS OF KIDNEY (590)										
ALL OTHER FEMALE										
1998.....	6	2	5	8	10	11	9	8	18	-
1997.....	5	4	1	5	3	10	4	12	17	-
1996.....	6	2	2	6	6	3	10	14	25	-
1995.....	3	5	7	4	10	7	13	10	27	-
1994.....	2	7	4	2	5	9	14	15	25	-
1993.....	5	5	3	5	2	5	18	12	27	-
1992.....	5	5	5	2	6	9	8	9	23	-
1991.....	3	1	6	9	6	11	14	21	40	-
1990.....	1	2	3	5	10	10	13	18	28	-
1989.....	3	8	5	7	13	8	25	21	25	-
1988.....	3	5	6	2	4	12	20	19	24	-
1987.....	2	4	4	9	20	15	15	23	33	-
1986.....	7	11	10	8	16	14	23	20	40	-
1985.....	3	5	5	7	18	17	24	30	43	-
1984.....	3	4	9	12	15	19	19	28	29	-
1983.....	6	5	11	12	16	21	17	21	39	-
1982.....	6	4	7	11	12	32	31	15	26	-
1981.....	6	12	13	6	20	22	33	29	33	-
1980.....	14	8	14	17	22	29	35	28	36	-
1979.....	8	12	14	16	21	27	28	28	40	-
BLACK, BOTH SEXES										
1998.....	6	2	9	10	8	9	10	15	24	-
1997.....	7	7	2	6	2	16	7	15	21	-
1996.....	5	3	2	6	9	9	11	14	33	1
1995.....	5	5	5	8	10	8	17	11	31	-
1994.....	4	6	7	4	11	12	17	21	30	-
1993.....	6	9	4	9	4	8	23	16	36	-
1992.....	5	6	4	6	10	16	10	14	29	-
1991.....	3	5	7	11	3	19	22	26	42	-
1990.....	3	5	6	9	16	14	14	25	34	-
1989.....	4	10	9	13	19	16	30	26	40	-
1988.....	6	7	8	6	11	19	32	24	38	-
1987.....	3	7	5	12	25	33	25	29	40	-
1986.....	5	13	11	13	17	24	36	32	54	-
1985.....	5	10	10	13	28	28	44	40	54	-
1984.....	4	9	15	24	22	32	30	36	50	-
1983.....	7	9	16	20	25	29	33	38	55	-
1982.....	10	8	17	14	17	44	48	30	42	-
1981.....	7	12	19	12	29	31	49	41	49	-
1980.....	18	12	22	22	37	49	63	48	56	-
1979.....	12	18	26	28	40	44	49	53	55	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
INFECTIONS OF KIDNEY (590)										
BLACK MALE										
1998.....	1	-	4	3	1	-	4	7	9	-
1997.....	2	3	1	3	-	7	3	4	6	-
1996.....	-	1	-	1	3	6	3	1	10	1
1995.....	3	-	1	5	3	4	7	2	6	-
1994.....	2	-	4	3	7	4	6	7	7	-
1993.....	1	4	4	6	2	3	7	5	9	-
1992.....	1	1	-	4	4	7	4	7	8	-
1991.....	1	4	1	2	-	8	9	9	7	-
1990.....	2	3	3	5	8	5	7	8	9	-
1989.....	1	2	4	6	7	9	7	8	15	-
1988.....	3	2	3	4	7	8	16	7	15	-
1987.....	1	4	1	4	6	19	11	8	14	-
1986.....	-	2	3	7	3	11	14	13	20	-
1985.....	2	6	5	6	12	12	21	15	18	-
1984.....	1	5	7	12	8	15	12	14	25	-
1983.....	1	4	6	8	9	8	16	18	21	-
1982.....	4	4	10	3	7	13	18	16	19	-
1981.....	3	1	6	6	12	11	19	12	17	-
1980.....	4	4	9	5	15	21	30	22	22	-
1979.....	5	7	13	15	20	18	21	26	21	-
BLACK FEMALE										
1998.....	5	2	5	7	7	9	6	8	15	-
1997.....	5	4	1	3	2	9	4	11	15	-
1996.....	5	2	2	5	6	3	8	13	23	-
1995.....	2	5	4	3	7	4	10	9	25	-
1994.....	2	6	3	1	4	8	11	14	23	-
1993.....	5	5	-	3	2	5	16	11	27	-
1992.....	4	5	4	2	6	9	6	7	21	-
1991.....	2	1	6	9	3	11	13	17	35	-
1990.....	1	2	3	4	8	9	7	17	25	-
1989.....	3	8	5	7	12	7	23	18	25	-
1988.....	3	5	5	2	4	11	16	17	23	-
1987.....	2	3	4	8	19	14	14	21	26	-
1986.....	5	11	8	6	14	13	22	19	34	-
1985.....	3	4	5	7	16	16	23	25	36	-
1984.....	3	4	8	12	14	17	18	22	25	-
1983.....	6	5	10	12	16	21	17	20	34	-
1982.....	6	4	7	11	10	31	30	14	23	-
1981.....	4	11	13	6	17	20	30	29	32	-
1980.....	14	8	13	17	22	28	33	26	34	-
1979.....	7	11	13	13	20	26	28	27	34	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
HYPERPLASIA OF PROSTATE (600)										
TOTAL, BOTH SEXES										
1998.....	-	1	3	10	9	17	65	98	206	1
1997.....	1	3	1	10	9	24	62	92	218	-
1996.....	1	2	2	8	11	36	64	102	231	-
1995.....	-	-	4	2	19	39	49	92	201	-
1994.....	1	1	4	8	25	29	69	101	172	-
1993.....	-	2	3	10	17	32	69	89	187	-
1992.....	-	-	3	5	16	36	68	75	194	-
1991.....	1	2	4	6	20	40	79	88	188	-
1990.....	-	-	8	9	17	41	81	99	200	-
1989.....	1	2	4	9	28	32	85	99	186	-
1988.....	1	-	4	22	31	40	80	97	179	-
1987.....	1	-	3	8	23	43	91	91	201	-
1986.....	-	-	9	15	30	53	85	90	225	1
1985.....	-	-	3	15	26	46	91	95	203	-
1984.....	1	3	5	18	21	56	92	121	219	-
1983.....	-	2	5	17	33	61	95	134	225	-
1982.....	1	-	5	18	43	62	108	133	285	-
1981.....	-	1	10	15	44	82	112	167	261	1
1980.....	-	4	2	25	47	85	131	179	281	-
1979.....	-	2	6	20	60	101	139	196	286	-
TOTAL, MALE										
1998.....	-	1	3	10	9	17	65	98	206	1
1997.....	1	3	1	10	9	24	62	92	218	-
1996.....	1	2	2	8	11	36	64	102	231	-
1995.....	-	-	4	2	19	39	49	92	201	-
1994.....	1	1	4	8	25	29	69	101	172	-
1993.....	-	2	3	10	17	32	69	89	187	-
1992.....	-	-	3	5	16	36	68	75	194	-
1991.....	1	2	4	6	20	40	79	88	188	-
1990.....	-	-	8	9	17	41	81	99	200	-
1989.....	1	2	4	9	28	32	85	99	186	-
1988.....	1	-	4	22	31	40	80	97	179	-
1987.....	1	-	3	8	23	43	91	91	201	-
1986.....	-	-	9	15	30	53	85	90	225	1
1985.....	-	-	3	15	26	46	91	95	203	-
1984.....	1	3	5	18	21	56	92	121	219	-
1983.....	-	2	5	17	33	61	95	134	225	-
1982.....	1	-	5	18	43	62	108	133	285	-
1981.....	-	1	10	15	44	82	112	167	261	1
1980.....	-	4	2	25	47	85	131	179	281	-
1979.....	-	2	6	20	60	101	139	196	286	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
HYPERPLASIA OF PROSTATE (600)										
WHITE, BOTH SEXES										
1998.....	-	1	2	6	9	12	49	87	190	-
1997.....	1	1	-	9	6	17	54	84	198	-
1996.....	1	2	2	5	7	28	60	92	211	-
1995.....	-	-	4	2	16	33	40	83	186	-
1994.....	1	-	3	8	19	23	63	91	163	-
1993.....	-	1	2	8	14	27	56	74	167	-
1992.....	-	-	2	2	11	34	59	73	177	-
1991.....	1	-	3	4	17	33	70	74	170	-
1990.....	-	-	7	8	15	31	69	88	184	-
1989.....	-	2	1	5	23	23	71	85	165	-
1988.....	1	-	3	16	24	36	66	86	159	-
1987.....	1	-	1	7	15	34	81	78	189	-
1986.....	-	-	7	13	21	42	68	79	209	-
1985.....	-	-	1	11	21	38	81	86	184	-
1984.....	1	2	2	17	17	47	80	107	201	-
1983.....	-	-	4	14	27	43	83	118	212	-
1982.....	1	-	3	17	33	50	85	111	265	-
1981.....	-	1	6	11	35	68	90	152	237	-
1980.....	-	4	1	17	37	65	112	161	257	-
1979.....	-	2	4	15	45	77	117	178	265	-
WHITE MALE										
1998.....	-	1	2	6	9	12	49	87	190	-
1997.....	1	1	-	9	6	17	54	84	198	-
1996.....	1	2	2	5	7	28	60	92	211	-
1995.....	-	-	4	2	16	33	40	83	186	-
1994.....	1	-	3	8	19	23	63	91	163	-
1993.....	-	1	2	8	14	27	56	74	167	-
1992.....	-	-	2	2	11	34	59	73	177	-
1991.....	1	-	3	4	17	33	70	74	170	-
1990.....	-	-	7	8	15	31	69	88	184	-
1989.....	-	2	1	5	23	23	71	85	165	-
1988.....	1	-	3	16	24	36	66	86	159	-
1987.....	1	-	1	7	15	34	81	78	189	-
1986.....	-	-	7	13	21	42	68	79	209	-
1985.....	-	-	1	11	21	38	81	86	184	-
1984.....	1	2	2	17	17	47	80	107	201	-
1983.....	-	-	4	14	27	43	83	118	212	-
1982.....	1	-	3	17	33	50	85	111	265	-
1981.....	-	1	6	11	35	68	90	152	237	-
1980.....	-	4	1	17	37	65	112	161	257	-
1979.....	-	2	4	15	45	77	117	178	265	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
HYPERPLASIA OF PROSTATE (600)										
ALL OTHER, BOTH SEXES										
1998.....	-	-	1	4	-	5	16	11	16	1
1997.....	-	2	1	1	3	7	8	8	20	-
1996.....	-	-	-	3	4	8	4	10	20	-
1995.....	-	-	-	-	3	6	9	9	15	-
1994.....	-	1	1	-	6	6	6	10	9	-
1993.....	-	1	1	2	3	5	13	15	20	-
1992.....	-	-	1	3	5	2	9	2	17	-
1991.....	-	2	1	2	3	7	9	14	18	-
1990.....	-	-	1	1	2	10	12	11	16	-
1989.....	1	-	3	4	5	9	14	14	21	-
1988.....	-	-	1	6	7	4	14	11	20	-
1987.....	-	-	2	1	8	9	10	13	12	-
1986.....	-	-	2	2	9	11	17	11	16	1
1985.....	-	-	2	4	5	8	10	9	19	-
1984.....	-	1	3	1	4	9	12	14	18	-
1983.....	-	2	1	3	6	18	12	16	13	-
1982.....	-	-	2	1	10	12	23	22	20	-
1981.....	-	-	4	4	9	14	22	15	24	1
1980.....	-	-	1	8	10	20	19	18	24	-
1979.....	-	-	2	5	15	24	22	18	21	-
ALL OTHER MALE										
1998.....	-	-	1	4	-	5	16	11	16	1
1997.....	-	2	1	1	3	7	8	8	20	-
1996.....	-	-	-	3	4	8	4	10	20	-
1995.....	-	-	-	-	3	6	9	9	15	-
1994.....	-	1	1	-	6	6	6	10	9	-
1993.....	-	1	1	2	3	5	13	15	20	-
1992.....	-	-	1	3	5	2	9	2	17	-
1991.....	-	2	1	2	3	7	9	14	18	-
1990.....	-	-	1	1	2	10	12	11	16	-
1989.....	1	-	3	4	5	9	14	14	21	-
1988.....	-	-	1	6	7	4	14	11	20	-
1987.....	-	-	2	1	8	9	10	13	12	-
1986.....	-	-	2	2	9	11	17	11	16	1
1985.....	-	-	2	4	5	8	10	9	19	-
1984.....	-	1	3	1	4	9	12	14	18	-
1983.....	-	2	1	3	6	18	12	16	13	-
1982.....	-	-	2	1	10	12	23	22	20	-
1981.....	-	-	4	4	9	14	22	15	24	1
1980.....	-	-	1	8	10	20	19	18	24	-
1979.....	-	-	2	5	15	24	22	18	21	-

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 HYPERPLASIA OF PROSTATE (600)

BLACK, BOTH SEXES										
1998	-	-	1	4	-	4	14	8	13	1
1997	-	2	1	1	3	5	8	7	19	-
1996	-	-	-	3	3	8	4	7	18	-
1995	-	-	-	-	3	6	9	7	11	-
1994	-	1	1	-	6	5	6	9	6	-
1993	-	1	1	2	2	5	12	11	19	-
1992	-	-	1	3	5	2	9	2	14	-
1991	-	2	1	2	3	7	8	12	15	-
1990	-	-	1	1	2	9	12	10	13	-
1989	1	-	3	4	5	9	14	13	18	-
1988	-	-	1	6	7	3	12	10	19	-
1987	-	-	1	1	8	9	9	13	9	-
1986	-	-	2	2	9	11	16	9	15	1
1985	-	-	2	4	5	8	8	9	19	-
1984	-	1	3	1	4	9	12	14	17	-
1983	-	2	1	3	5	18	12	16	12	-
1982	-	-	2	1	10	12	23	20	19	-
1981	-	-	4	4	8	14	20	15	22	1
1980	-	-	-	7	10	19	19	15	21	-
1979	-	-	2	5	15	23	22	18	18	-
BLACK MALE										
1998	-	-	1	4	-	4	14	8	13	1
1997	-	2	1	1	3	5	8	7	19	-
1996	-	-	-	3	3	8	4	7	18	-
1995	-	-	-	-	3	6	9	7	11	-
1994	-	1	1	-	6	5	6	9	6	-
1993	-	1	1	2	2	5	12	11	19	-
1992	-	-	1	3	5	2	9	2	14	-
1991	-	2	1	2	3	7	8	12	15	-
1990	-	-	1	1	2	9	12	10	13	-
1989	1	-	3	4	5	9	14	13	18	-
1988	-	-	1	6	7	3	12	10	19	-
1987	-	-	1	1	8	9	9	13	9	-
1986	-	-	2	2	9	11	16	9	15	1
1985	-	-	2	4	5	8	8	9	19	-
1984	-	1	3	1	4	9	12	14	17	-
1983	-	2	1	3	5	18	12	16	12	-
1982	-	-	2	1	10	12	23	20	19	-
1981	-	-	4	4	8	14	20	15	22	1
1980	-	-	-	7	10	19	19	15	21	-
1979	-	-	2	5	15	23	22	18	18	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

CONGENITAL ANOMALIES (740-759)

TOTAL, BOTH SEXES

1998.....	280	245	248	271	288	363	498	500	646	1
1997.....	274	264	240	261	308	346	470	482	643	2
1996.....	286	241	248	232	286	386	408	405	559	1
1995.....	246	241	223	242	278	343	353	368	446	-
1994.....	256	230	216	242	288	286	348	336	412	-
1993.....	259	199	215	267	267	321	341	343	396	1
1992.....	206	181	220	249	252	320	295	304	316	-
1991.....	206	194	191	217	283	267	287	247	292	4
1990.....	190	174	194	218	267	280	243	235	259	4
1989.....	193	202	204	224	275	238	268	182	218	6
1988.....	160	176	181	252	242	248	228	193	165	5
1987.....	174	176	208	201	240	206	210	173	154	1
1986.....	145	170	199	247	244	235	182	183	163	2
1985.....	160	153	217	217	229	200	207	134	151	6
1984.....	180	170	228	269	179	247	191	132	152	4
1983.....	154	175	202	234	226	210	196	141	151	4
1982.....	153	180	216	220	243	196	185	145	110	7
1981.....	152	187	223	208	225	195	188	131	119	11
1980.....	188	202	238	247	229	216	173	115	103	3
1979.....	193	217	228	223	220	192	145	113	115	8

TOTAL, MALE

1998.....	162	124	134	131	156	186	253	239	256	-
1997.....	154	139	126	149	153	190	243	241	262	2
1996.....	155	127	114	126	134	189	208	201	207	1
1995.....	138	127	116	112	127	174	174	158	156	-
1994.....	145	126	109	118	152	146	172	152	149	-
1993.....	141	101	112	129	148	170	167	141	158	1
1992.....	107	92	102	120	118	157	136	141	119	-
1991.....	112	116	98	113	150	140	142	106	115	4
1990.....	97	88	97	108	132	120	123	110	102	2
1989.....	92	100	114	114	137	109	118	82	91	4
1988.....	84	92	97	113	114	100	111	73	58	1
1987.....	90	99	103	105	127	83	86	83	57	-
1986.....	87	92	89	108	126	110	69	80	59	1
1985.....	90	72	119	115	106	77	90	57	59	-
1984.....	97	80	108	130	95	127	85	59	55	2
1983.....	85	95	97	107	111	96	81	63	64	3
1982.....	75	86	123	106	126	85	77	62	41	1
1981.....	84	88	107	99	101	90	73	50	47	7
1980.....	105	112	126	132	119	104	74	63	28	-
1979.....	96	102	90	102	112	102	62	44	40	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CONGENITAL ANOMALIES (740-759)										
TOTAL, FEMALE										
1998.....	118	121	114	140	132	177	245	261	390	1
1997.....	120	125	114	112	155	156	227	241	381	-
1996.....	131	114	134	106	152	197	200	204	352	-
1995.....	108	114	107	130	151	169	179	210	290	-
1994.....	111	104	107	124	136	140	176	184	263	-
1993.....	118	98	103	138	119	151	174	202	238	-
1992.....	99	89	118	129	134	163	159	163	197	-
1991.....	94	78	93	104	133	127	145	141	177	-
1990.....	93	86	97	110	135	160	120	125	157	2
1989.....	101	102	90	110	138	129	150	100	127	2
1988.....	76	84	84	139	128	148	117	120	107	4
1987.....	84	77	105	96	113	123	124	90	97	1
1986.....	58	78	110	139	118	125	113	103	104	1
1985.....	70	81	98	102	123	123	117	77	92	6
1984.....	83	90	120	139	84	120	106	73	97	2
1983.....	69	80	105	127	115	114	115	78	87	1
1982.....	78	94	93	114	117	111	108	83	69	6
1981.....	68	99	116	109	124	105	115	81	72	4
1980.....	83	90	112	115	110	112	99	52	75	3
1979.....	97	115	138	121	108	90	83	69	75	3
WHITE, BOTH SEXES										
1998.....	243	224	220	235	257	330	466	463	614	1
1997.....	237	232	217	230	280	309	440	452	606	2
1996.....	238	215	216	211	258	350	373	375	526	1
1995.....	216	210	196	217	249	307	329	341	423	-
1994.....	219	194	187	212	262	258	322	318	384	-
1993.....	220	169	186	239	242	276	316	314	376	1
1992.....	183	157	186	223	229	292	272	278	298	-
1991.....	173	160	163	198	255	248	257	228	283	3
1990.....	172	151	174	199	232	254	222	215	240	3
1989.....	171	169	168	202	249	215	238	171	204	3
1988.....	137	154	161	219	218	225	218	176	152	4
1987.....	155	153	182	178	215	187	195	164	145	1
1986.....	130	138	170	226	221	215	168	173	150	2
1985.....	134	129	185	196	213	182	189	123	134	6
1984.....	150	146	199	241	158	225	173	120	140	2
1983.....	127	148	184	203	206	191	177	130	139	3
1982.....	128	157	193	198	220	182	170	140	99	7
1981.....	132	166	193	190	200	175	166	127	108	9
1980.....	171	178	220	223	209	197	153	110	100	3
1979.....	163	196	203	199	203	178	133	109	108	4

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CONGENITAL ANOMALIES (740-759)										
WHITE MALE										
1998.....	138	112	116	115	139	168	237	224	246	-
1997.....	135	125	112	135	137	170	226	229	247	2
1996.....	128	113	99	118	122	168	189	189	198	1
1995.....	120	109	98	101	115	160	161	145	150	-
1994.....	117	107	98	105	140	132	163	147	140	-
1993.....	118	84	100	113	137	149	157	129	149	1
1992.....	98	77	91	105	111	145	125	129	112	-
1991.....	93	98	86	101	139	130	127	97	110	3
1990.....	89	75	91	98	111	110	110	101	94	2
1989.....	82	88	95	104	123	100	101	78	83	3
1988.....	75	84	83	97	102	94	107	67	52	1
1987.....	79	88	94	94	117	75	79	78	54	-
1986.....	76	78	73	100	112	99	63	76	54	1
1985.....	81	63	102	103	98	71	82	51	54	-
1984.....	86	68	98	121	81	114	75	54	50	-
1983.....	69	82	89	95	100	87	72	55	55	3
1982.....	59	79	110	95	114	80	70	58	36	1
1981.....	71	78	90	88	86	82	65	49	44	5
1980.....	94	100	117	117	106	96	65	60	27	-
1979.....	79	94	78	94	103	94	57	43	37	4
WHITE FEMALE										
1998.....	105	112	104	120	118	162	229	239	368	1
1997.....	102	107	105	95	143	139	214	223	359	-
1996.....	110	102	117	93	136	182	184	186	328	-
1995.....	96	101	98	116	134	147	168	196	273	-
1994.....	102	87	89	107	122	126	159	171	244	-
1993.....	102	85	86	126	105	127	159	185	227	-
1992.....	85	80	95	118	118	147	147	149	186	-
1991.....	80	62	77	97	116	118	130	131	173	-
1990.....	83	76	83	101	121	144	112	114	146	1
1989.....	89	81	73	98	126	115	137	93	121	-
1988.....	62	70	78	122	116	131	111	109	100	3
1987.....	76	65	88	84	98	112	116	86	91	1
1986.....	54	60	97	126	109	116	105	97	96	1
1985.....	53	66	83	93	115	111	107	72	80	6
1984.....	64	78	101	120	77	111	98	66	90	2
1983.....	58	66	95	108	106	104	105	75	84	-
1982.....	69	78	83	103	106	102	100	82	63	6
1981.....	61	88	103	102	114	93	101	78	64	4
1980.....	77	78	103	106	103	101	88	50	73	3
1979.....	84	102	125	105	100	84	76	66	71	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CONGENITAL ANOMALIES (740-759)										
ALL OTHER, BOTH SEXES										
1998.....	37	21	28	36	31	33	32	37	32	-
1997.....	37	32	23	31	28	37	30	30	37	-
1996.....	48	26	32	21	28	36	35	30	33	-
1995.....	30	31	27	25	29	36	24	27	23	-
1994.....	37	36	29	30	26	28	26	18	28	-
1993.....	39	30	29	28	25	45	25	29	20	-
1992.....	23	24	34	26	23	28	23	26	18	-
1991.....	33	34	28	19	28	19	30	19	9	1
1990.....	18	23	20	19	35	26	21	20	19	1
1989.....	22	33	36	22	26	23	30	11	14	3
1988.....	23	22	20	33	24	23	10	17	13	1
1987.....	19	23	26	23	25	19	15	9	9	-
1986.....	15	32	29	21	23	20	14	10	13	-
1985.....	26	24	32	21	16	18	18	11	17	-
1984.....	30	24	29	28	21	22	18	12	12	2
1983.....	27	27	18	31	20	19	19	11	12	1
1982.....	25	23	23	22	23	14	15	5	11	-
1981.....	20	21	30	18	25	20	22	4	11	2
1980.....	17	24	18	24	20	19	20	5	3	-
1979.....	30	21	25	24	17	14	12	4	7	4
ALL OTHER MALE										
1998.....	24	12	18	16	17	18	16	15	10	-
1997.....	19	14	14	14	16	20	17	12	15	-
1996.....	27	14	15	8	12	21	19	12	9	-
1995.....	18	18	18	11	12	14	13	13	6	-
1994.....	28	19	11	13	12	14	9	5	9	-
1993.....	23	17	12	16	11	21	10	12	9	-
1992.....	9	15	11	15	7	12	11	12	7	-
1991.....	19	18	12	12	11	10	15	9	5	1
1990.....	8	13	6	10	21	10	13	9	8	-
1989.....	10	12	19	10	14	9	17	4	8	1
1988.....	9	8	14	16	12	6	4	6	6	-
1987.....	11	11	9	11	10	8	7	5	3	-
1986.....	11	14	16	8	14	11	6	4	5	-
1985.....	9	9	17	12	8	6	8	6	5	-
1984.....	11	12	10	9	14	13	10	5	5	2
1983.....	16	13	8	12	11	9	9	8	9	-
1982.....	16	7	13	11	12	5	7	4	5	-
1981.....	13	10	17	11	15	8	8	1	3	2
1980.....	11	12	9	15	13	8	9	3	1	-
1979.....	17	8	12	8	9	8	5	1	3	1

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CONGENITAL ANOMALIES (740-759)										
ALL OTHER FEMALE										
1998.....	13	9	10	20	14	15	16	22	22	-
1997.....	18	18	9	17	12	17	13	18	22	-
1996.....	21	12	17	13	16	15	16	18	24	-
1995.....	12	13	9	14	17	22	11	14	17	-
1994.....	9	17	18	17	14	14	17	13	19	-
1993.....	16	13	17	12	14	24	15	17	11	-
1992.....	14	9	23	11	16	16	12	14	11	-
1991.....	14	16	16	7	17	9	15	10	4	-
1990.....	10	10	14	9	14	16	8	11	11	1
1989.....	12	21	17	12	12	14	13	7	6	2
1988.....	14	14	6	17	12	17	6	11	7	1
1987.....	8	12	17	12	15	11	8	4	6	-
1986.....	4	18	13	13	9	9	8	6	8	-
1985.....	17	15	15	9	8	12	10	5	12	-
1984.....	19	12	19	19	7	9	8	7	7	-
1983.....	11	14	10	19	9	10	10	3	3	1
1982.....	9	16	10	11	11	9	8	1	6	-
1981.....	7	11	13	7	10	12	14	3	8	-
1980.....	6	12	9	9	7	11	11	2	2	-
1979.....	13	13	13	16	8	6	7	3	4	3
BLACK, BOTH SEXES										
1998.....	32	18	26	30	24	28	26	34	26	-
1997.....	33	28	18	24	21	31	27	28	30	-
1996.....	42	25	27	21	24	28	29	24	28	-
1995.....	26	26	24	20	23	31	20	24	18	-
1994.....	30	33	24	23	18	21	21	15	24	-
1993.....	36	28	24	22	22	34	20	24	19	-
1992.....	19	17	26	22	20	24	20	21	16	-
1991.....	28	27	23	17	27	19	29	16	7	1
1990.....	17	17	16	15	32	22	18	15	14	1
1989.....	19	29	29	18	24	21	25	10	11	3
1988.....	18	18	18	31	19	21	7	13	11	1
1987.....	17	20	22	20	23	16	13	9	6	-
1986.....	13	26	25	18	22	15	10	9	10	-
1985.....	24	21	27	17	14	16	15	8	15	-
1984.....	24	23	23	25	18	21	17	9	11	1
1983.....	24	25	17	30	17	18	18	10	10	-
1982.....	23	19	20	19	23	12	14	5	9	-
1981.....	16	20	26	17	22	20	20	4	10	2
1980.....	17	22	17	20	18	18	19	5	2	-
1979.....	30	20	24	21	15	13	11	2	5	4

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CONGENITAL ANOMALIES (740-759)										
BLACK MALE										
1998.....	20	10	18	14	14	15	12	15	8	-
1997.....	16	11	12	11	11	18	15	11	12	-
1996.....	24	14	13	8	11	16	16	9	6	-
1995.....	15	16	16	10	9	11	13	11	4	-
1994.....	22	18	9	11	8	11	6	5	8	-
1993.....	22	15	10	13	9	19	10	11	9	-
1992.....	9	11	9	13	7	10	9	10	6	-
1991.....	16	14	11	11	11	10	14	6	4	1
1990.....	7	10	4	8	20	9	10	6	7	-
1989.....	10	11	16	6	12	9	15	3	6	1
1988.....	7	6	14	15	11	4	1	6	5	-
1987.....	9	10	8	10	9	8	7	5	2	-
1986.....	9	13	13	7	13	9	5	4	4	-
1985.....	7	9	15	10	7	5	6	4	3	-
1984.....	7	11	10	9	11	12	9	4	5	1
1983.....	14	12	8	12	8	9	8	7	8	-
1982.....	14	5	12	8	12	5	6	4	3	-
1981.....	12	9	15	10	13	8	8	1	3	2
1980.....	11	11	9	13	12	8	8	3	1	-
1979.....	17	8	11	6	8	8	4	1	3	1
BLACK FEMALE										
1998.....	12	8	8	16	10	13	14	19	18	-
1997.....	17	17	6	13	10	13	12	17	18	-
1996.....	18	11	14	13	13	12	13	15	22	-
1995.....	11	10	8	10	14	20	7	13	14	-
1994.....	8	15	15	12	10	10	15	10	16	-
1993.....	14	13	14	9	13	15	10	13	10	-
1992.....	10	6	17	9	13	14	11	11	10	-
1991.....	12	13	12	6	16	9	15	10	3	-
1990.....	10	7	12	7	12	13	8	9	7	1
1989.....	9	18	13	12	12	12	10	7	5	2
1988.....	11	12	4	16	8	17	6	7	6	1
1987.....	8	10	14	10	14	8	6	4	4	-
1986.....	4	13	12	11	9	6	5	5	6	-
1985.....	17	12	12	7	7	11	9	4	12	-
1984.....	17	12	13	16	7	9	8	5	6	-
1983.....	10	13	9	18	9	9	10	3	2	-
1982.....	9	14	8	11	11	7	8	1	6	-
1981.....	4	11	11	7	9	12	12	3	7	-
1980.....	6	11	8	7	6	10	11	2	1	-
1979.....	13	12	13	15	7	5	7	1	2	3

RACE, AND SEX: UNITED STATES, 1979-98										
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)										
TOTAL, BOTH SEXES										
1998.....	1	1	3	1	-	1	1	-	2	1
1997.....	2	2	-	1	3	3	-	-	1	2
1996.....	2	2	-	-	-	1	-	-	-	6
1995.....	1	1	-	1	1	1	-	1	2	1
1994.....	2	4	-	1	1	1	-	-	2	-
1993.....	1	-	-	-	2	1	2	2	-	4
1992.....	1	1	-	-	1	2	1	-	2	2
1991.....	1	1	2	-	-	-	-	-	1	-
1990.....	1	1	-	1	-	1	-	1	4	7
1989.....	1	1	-	2	2	1	1	-	-	4
1988.....	2	1	-	-	-	-	1	-	1	8
1987.....	-	-	1	-	-	1	1	-	-	2
1986.....	2	-	-	-	1	-	1	-	1	1
1985.....	-	1	1	-	-	-	1	-	-	3
1984.....	1	2	1	1	-	-	-	-	-	8
1983.....	1	2	-	1	1	1	-	1	1	4
1982.....	-	2	1	-	1	1	-	-	-	4
1981.....	-	-	2	1	-	-	-	-	2	9
1980.....	1	-	3	1	-	1	-	-	1	4
1979.....	2	-	2	1	1	-	-	1	1	20
TOTAL, MALE										
1998.....	1	1	2	1	-	1	1	-	-	-
1997.....	-	1	-	1	-	2	-	-	1	1
1996.....	1	1	-	-	-	-	-	-	-	2
1995.....	1	-	-	-	1	1	-	-	1	-
1994.....	1	2	-	-	1	-	-	-	1	-
1993.....	1	-	-	-	2	1	2	1	-	2
1992.....	-	1	-	-	-	-	1	-	1	2
1991.....	-	1	2	-	-	-	-	-	-	-
1990.....	1	1	-	-	-	-	-	1	2	5
1989.....	-	1	-	2	1	-	1	-	-	2
1988.....	1	-	-	-	-	-	1	-	1	5
1987.....	-	-	-	-	-	-	1	-	-	1
1986.....	1	-	-	-	-	-	1	-	-	-
1985.....	-	-	-	-	-	-	1	-	-	3
1984.....	-	1	1	-	-	-	-	-	-	4
1983.....	1	-	-	-	-	1	-	-	-	4
1982.....	-	2	-	-	-	-	-	-	-	4
1981.....	-	-	-	1	-	-	-	-	2	6
1980.....	1	-	1	1	-	1	-	-	1	1
1979.....	1	-	1	1	-	-	-	-	-	10

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)

	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
TOTAL, FEMALE										
1998.....	-	-	1	-	-	-	-	-	2	1
1997.....	2	1	-	-	3	1	-	-	-	1
1996.....	1	1	-	-	-	1	-	-	-	4
1995.....	-	1	-	1	-	-	-	1	1	1
1994.....	1	2	-	1	-	1	-	-	1	-
1993.....	-	-	-	-	-	-	-	1	-	2
1992.....	1	-	-	-	1	2	-	-	1	-
1991.....	1	-	-	-	-	-	-	-	1	-
1990.....	-	-	-	1	-	1	-	-	2	2
1989.....	1	-	-	-	1	1	-	-	-	2
1988.....	1	1	-	-	-	-	-	-	-	3
1987.....	-	-	1	-	-	1	-	-	-	1
1986.....	1	-	-	-	1	-	-	-	1	1
1985.....	-	1	1	-	-	-	-	-	-	-
1984.....	1	1	-	1	-	-	-	-	-	4
1983.....	-	2	-	1	1	-	-	1	1	-
1982.....	-	-	1	-	1	1	-	-	-	-
1981.....	-	-	2	-	-	-	-	-	-	3
1980.....	-	-	2	-	-	-	-	-	-	3
1979.....	1	-	1	-	1	-	-	1	1	10
WHITE, BOTH SEXES										
1998.....	1	1	2	1	-	1	-	-	2	1
1997.....	1	2	-	1	3	3	-	-	1	2
1996.....	1	2	-	-	-	1	-	-	-	4
1995.....	1	1	-	1	1	1	-	1	2	-
1994.....	2	4	-	1	1	1	-	-	1	-
1993.....	1	-	-	-	2	-	2	1	-	2
1992.....	1	1	-	-	1	2	-	-	1	2
1991.....	1	1	2	-	-	-	-	-	1	-
1990.....	1	1	-	1	-	1	-	1	3	6
1989.....	1	1	-	2	2	1	-	-	-	2
1988.....	2	-	-	-	-	-	1	-	1	5
1987.....	-	-	-	-	-	1	1	-	-	2
1986.....	2	-	-	-	1	-	-	-	1	1
1985.....	-	1	1	-	-	-	-	-	-	1
1984.....	1	2	1	1	-	-	-	-	-	7
1983.....	1	1	-	-	1	1	-	1	-	1
1982.....	-	1	1	-	1	1	-	-	-	1
1981.....	-	-	2	1	-	-	-	-	-	6
1980.....	1	-	3	1	-	1	-	-	1	1
1979.....	2	-	2	1	1	-	-	1	1	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)										
WHITE MALE										
1998.....	1	1	1	1	-	1	-	-	-	-
1997.....	-	1	-	1	-	2	-	-	1	1
1996.....	-	1	-	-	-	-	-	-	-	2
1995.....	1	-	-	-	1	1	-	-	1	-
1994.....	1	2	-	-	1	-	-	-	-	-
1993.....	1	-	-	-	2	-	2	1	-	1
1992.....	-	1	-	-	-	-	-	-	-	2
1991.....	-	1	2	-	-	-	-	-	-	-
1990.....	1	1	-	-	-	-	-	1	2	4
1989.....	-	1	-	2	1	-	-	-	-	1
1988.....	1	-	-	-	-	-	1	-	1	3
1987.....	-	-	-	-	-	-	1	-	-	1
1986.....	1	-	-	-	-	-	-	-	-	-
1985.....	-	-	-	-	-	-	-	-	-	1
1984.....	-	1	1	-	-	-	-	-	-	4
1983.....	1	-	-	-	-	1	-	-	-	1
1982.....	-	1	-	-	-	-	-	-	-	1
1981.....	-	-	-	1	-	-	-	-	-	5
1980.....	1	-	1	1	-	1	-	-	1	-
1979.....	1	-	1	1	-	-	-	-	-	7
WHITE FEMALE										
1998.....	-	-	1	-	-	-	-	-	2	1
1997.....	1	1	-	-	3	1	-	-	-	1
1996.....	1	1	-	-	-	1	-	-	-	2
1995.....	-	1	-	1	-	-	-	1	1	-
1994.....	1	2	-	1	-	1	-	-	1	-
1993.....	-	-	-	-	-	-	-	-	-	1
1992.....	1	-	-	-	1	2	-	-	1	-
1991.....	1	-	-	-	-	-	-	-	1	-
1990.....	-	-	-	1	-	1	-	-	1	2
1989.....	1	-	-	-	1	1	-	-	-	1
1988.....	1	-	-	-	-	-	-	-	-	2
1987.....	-	-	-	-	-	1	-	-	-	1
1986.....	1	-	-	-	1	-	-	-	1	1
1985.....	-	1	1	-	-	-	-	-	-	-
1984.....	1	1	-	1	-	-	-	-	-	3
1983.....	-	1	-	-	1	-	-	1	-	-
1982.....	-	-	1	-	1	1	-	-	-	-
1981.....	-	-	2	-	-	-	-	-	-	1
1980.....	-	-	2	-	-	-	-	-	-	1
1979.....	1	-	1	-	1	-	-	1	1	8

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)

TOTAL, BOTH SEXES										
1998	1	1	2	-	-	1	-	-	-	-
1997	1	-	-	-	-	1	-	-	-	-
1996	1	-	-	-	-	-	-	-	-	1
1995	-	-	-	1	-	-	-	-	-	-
1994	-	2	-	-	1	1	-	-	-	-
1993	1	-	-	-	1	1	1	-	-	-
1992	-	-	-	-	1	-	-	-	-	1
1991	-	-	-	-	-	-	-	-	-	-
1990	1	-	-	-	-	-	-	-	-	-
1989	-	-	-	1	1	-	-	-	-	-
1988	1	-	-	-	-	-	-	-	-	1
1987	-	-	-	-	-	-	-	-	-	-
1986	1	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-
1984	-	1	1	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-
1982	-	1	1	-	-	1	-	-	-	-
1981	-	-	2	-	-	-	-	-	-	-
1980	1	-	1	-	-	-	-	-	-	-
1979	-	-	1	-	-	-	-	-	-	2
TOTAL, MALE										
1998	1	1	1	-	-	1	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	1
1995	-	-	-	-	-	-	-	-	-	-
1994	-	1	-	-	1	-	-	-	-	-
1993	1	-	-	-	1	1	1	-	-	-
1992	-	-	-	-	-	-	-	-	-	1
1991	-	-	-	-	-	-	-	-	-	-
1990	1	-	-	-	-	-	-	-	-	-
1989	-	-	-	1	1	-	-	-	-	-
1988	1	-	-	-	-	-	-	-	-	1
1987	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-
1984	-	-	1	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-
1982	-	1	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-
1980	1	-	-	-	-	-	-	-	-	-
1979	-	-	1	-	-	-	-	-	-	1

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)

	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
TOTAL, FEMALE										
1998.....	-	-	1	-	-	-	-	-	-	-
1997.....	1	-	-	-	-	1	-	-	-	-
1996.....	1	-	-	-	-	-	-	-	-	-
1995.....	-	-	-	1	-	-	-	-	-	-
1994.....	-	1	-	-	-	1	-	-	-	-
1993.....	-	-	-	-	-	-	-	-	-	-
1992.....	-	-	-	-	1	-	-	-	-	-
1991.....	-	-	-	-	-	-	-	-	-	-
1990.....	-	-	-	-	-	-	-	-	-	-
1989.....	-	-	-	-	-	-	-	-	-	-
1988.....	-	-	-	-	-	-	-	-	-	-
1987.....	-	-	-	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	-	-
1985.....	-	-	-	-	-	-	-	-	-	-
1984.....	-	1	-	-	-	-	-	-	-	-
1983.....	-	-	-	-	-	-	-	-	-	-
1982.....	-	-	1	-	-	1	-	-	-	-
1981.....	-	-	2	-	-	-	-	-	-	-
1980.....	-	-	1	-	-	-	-	-	-	-
1979.....	-	-	-	-	-	-	-	-	-	1
WHITE, BOTH SEXES										
1998.....	1	1	1	-	-	1	-	-	-	-
1997.....	-	-	-	-	-	1	-	-	-	-
1996.....	1	-	-	-	-	-	-	-	-	1
1995.....	-	-	-	1	-	-	-	-	-	-
1994.....	-	2	-	-	1	1	-	-	-	-
1993.....	1	-	-	-	1	-	1	-	-	-
1992.....	-	-	-	-	1	-	-	-	-	1
1991.....	-	-	-	-	-	-	-	-	-	-
1990.....	1	-	-	-	-	-	-	-	-	-
1989.....	-	-	-	1	1	-	-	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-
1987.....	-	-	-	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	-	-
1985.....	-	-	-	-	-	-	-	-	-	-
1984.....	-	1	1	-	-	-	-	-	-	-
1983.....	-	-	-	-	-	-	-	-	-	-
1982.....	-	-	1	-	-	1	-	-	-	-
1981.....	-	-	2	-	-	-	-	-	-	-
1980.....	1	-	1	-	-	-	-	-	-	-
1979.....	-	-	1	-	-	-	-	-	-	2

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, BOTH SEXES										
1998.....	-	-	1	1	-	-	1	-	2	1
1997.....	1	2	-	1	3	2	-	-	1	2
1996.....	1	2	-	-	-	1	-	-	-	5
1995.....	1	1	-	-	1	1	-	1	2	1
1994.....	2	2	-	1	-	-	-	-	2	-
1993.....	-	-	-	-	1	-	1	2	-	4
1992.....	1	1	-	-	-	2	1	-	2	1
1991.....	1	1	2	-	-	-	-	-	1	-
1990.....	-	1	-	1	-	1	-	1	4	7
1989.....	1	1	-	1	1	1	1	-	-	4
1988.....	1	1	-	-	-	-	1	-	1	7
1987.....	-	-	1	-	-	1	1	-	-	2
1986.....	1	-	-	-	1	-	1	-	1	1
1985.....	-	1	1	-	-	-	1	-	-	3
1984.....	1	1	-	1	-	-	-	-	-	8
1983.....	1	2	-	1	1	1	-	1	1	4
1982.....	-	1	-	-	1	-	-	-	-	4
1981.....	-	-	-	1	-	-	-	-	2	9
1980.....	-	-	2	1	-	1	-	-	1	4
1979.....	2	-	1	1	1	-	-	1	1	18
TOTAL, MALE										
1998.....	-	-	1	1	-	-	1	-	-	-
1997.....	-	1	-	1	-	2	-	-	1	1
1996.....	1	1	-	-	-	-	-	-	-	1
1995.....	1	-	-	-	1	1	-	-	1	-
1994.....	1	1	-	-	-	-	-	-	1	-
1993.....	-	-	-	-	1	-	1	1	-	2
1992.....	-	1	-	-	-	-	1	-	1	1
1991.....	-	1	2	-	-	-	-	-	-	-
1990.....	-	1	-	-	-	-	-	1	2	5
1989.....	-	1	-	1	-	-	1	-	-	2
1988.....	-	-	-	-	-	-	1	-	1	4
1987.....	-	-	-	-	-	-	1	-	-	1
1986.....	1	-	-	-	-	-	1	-	-	-
1985.....	-	-	-	-	-	-	1	-	-	3
1984.....	-	1	-	-	-	-	-	-	-	4
1983.....	1	-	-	-	-	1	-	-	-	4
1982.....	-	1	-	-	-	-	-	-	-	4
1981.....	-	-	-	1	-	-	-	-	2	6
1980.....	-	-	1	1	-	1	-	-	1	1
1979.....	1	-	-	1	-	-	-	-	-	9

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)

TOTAL, FEMALE										
1998.....	-	-	-	-	-	-	-	-	2	1
1997.....	1	1	-	-	3	-	-	-	-	1
1996.....	-	1	-	-	-	1	-	-	-	4
1995.....	-	1	-	-	-	-	-	1	1	1
1994.....	1	1	-	1	-	-	-	-	1	-
1993.....	-	-	-	-	-	-	-	1	-	2
1992.....	1	-	-	-	-	2	-	-	1	-
1991.....	1	-	-	-	-	-	-	-	1	-
1990.....	-	-	-	1	-	1	-	-	2	2
1989.....	1	-	-	-	1	1	-	-	-	2
1988.....	1	1	-	-	-	-	-	-	-	3
1987.....	-	-	1	-	-	1	-	-	-	1
1986.....	-	-	-	-	1	-	-	-	1	1
1985.....	-	1	1	-	-	-	-	-	-	-
1984.....	1	-	-	1	-	-	-	-	-	4
1983.....	-	2	-	1	1	-	-	1	1	-
1982.....	-	-	-	-	1	-	-	-	-	-
1981.....	-	-	-	-	-	-	-	-	-	3
1980.....	-	-	1	-	-	-	-	-	-	3
1979.....	1	-	1	-	1	-	-	1	1	9
WHITE, BOTH SEXES										
1998.....	-	-	1	1	-	-	-	-	2	1
1997.....	1	2	-	1	3	2	-	-	1	2
1996.....	-	2	-	-	-	1	-	-	-	3
1995.....	1	1	-	-	1	1	-	1	2	-
1994.....	2	2	-	1	-	-	-	-	1	-
1993.....	-	-	-	-	1	-	1	1	-	2
1992.....	1	1	-	-	-	2	-	-	1	1
1991.....	1	1	2	-	-	-	-	-	1	-
1990.....	-	1	-	1	-	1	-	1	3	6
1989.....	1	1	-	1	1	1	-	-	-	2
1988.....	1	-	-	-	-	-	1	-	1	5
1987.....	-	-	-	-	-	1	1	-	-	2
1986.....	1	-	-	-	1	-	-	-	1	1
1985.....	-	1	1	-	-	-	-	-	-	1
1984.....	1	1	-	1	-	-	-	-	-	7
1983.....	1	1	-	-	1	1	-	1	-	1
1982.....	-	1	-	-	1	-	-	-	-	1
1981.....	-	-	-	1	-	-	-	-	-	6
1980.....	-	-	2	1	-	1	-	-	1	1
1979.....	2	-	1	1	1	-	-	1	1	13

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)										
WHITE MALE										
1998.....	-	-	1	1	-	-	-	-	-	-
1997.....	-	1	-	1	-	2	-	-	1	1
1996.....	-	1	-	-	-	-	-	-	-	1
1995.....	1	-	-	-	1	1	-	-	1	-
1994.....	1	1	-	-	-	-	-	-	-	-
1993.....	-	-	-	-	1	-	1	1	-	1
1992.....	-	1	-	-	-	-	-	-	-	1
1991.....	-	1	2	-	-	-	-	-	-	-
1990.....	-	1	-	-	-	-	-	1	2	4
1989.....	-	1	-	1	-	-	-	-	-	1
1988.....	-	-	-	-	-	-	1	-	1	3
1987.....	-	-	-	-	-	-	1	-	-	1
1986.....	1	-	-	-	-	-	-	-	-	-
1985.....	-	-	-	-	-	-	-	-	-	1
1984.....	-	1	-	-	-	-	-	-	-	4
1983.....	1	-	-	-	-	1	-	-	-	1
1982.....	-	1	-	-	-	-	-	-	-	1
1981.....	-	-	-	1	-	-	-	-	-	5
1980.....	-	-	1	1	-	1	-	-	1	-
1979.....	1	-	-	1	-	-	-	-	-	6
WHITE FEMALE										
1998.....	-	-	-	-	-	-	-	-	2	1
1997.....	1	1	-	-	3	-	-	-	-	1
1996.....	-	1	-	-	-	1	-	-	-	2
1995.....	-	1	-	-	-	-	-	1	1	-
1994.....	1	1	-	1	-	-	-	-	1	-
1993.....	-	-	-	-	-	-	-	-	-	1
1992.....	1	-	-	-	-	2	-	-	1	-
1991.....	1	-	-	-	-	-	-	-	1	-
1990.....	-	-	-	1	-	1	-	-	1	2
1989.....	1	-	-	-	1	1	-	-	-	1
1988.....	1	-	-	-	-	-	-	-	-	2
1987.....	-	-	-	-	-	1	-	-	-	1
1986.....	-	-	-	-	1	-	-	-	1	1
1985.....	-	1	1	-	-	-	-	-	-	-
1984.....	1	-	-	1	-	-	-	-	-	3
1983.....	-	1	-	-	1	-	-	1	-	-
1982.....	-	-	-	-	1	-	-	-	-	-
1981.....	-	-	-	-	-	-	-	-	-	1
1980.....	-	-	1	-	-	-	-	-	-	1
1979.....	1	-	1	-	1	-	-	1	1	7

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, BOTH SEXES										
1998.....	1,030	905	784	950	1,227	1,675	2,045	2,574	7,099	88
1997.....	1,046	833	851	974	1,236	1,644	2,072	2,391	6,590	78
1996.....	1,106	905	868	995	1,270	1,631	2,073	2,438	6,373	86
1995.....	1,140	921	864	1,046	1,314	1,757	2,028	2,304	6,013	89
1994.....	878	757	749	977	1,285	1,559	1,861	2,106	5,651	66
1993.....	935	824	857	1,059	1,344	1,631	1,902	2,138	5,354	70
1992.....	715	582	706	908	1,157	1,404	1,574	1,821	4,450	58
1991.....	775	632	683	930	1,202	1,416	1,577	1,913	4,136	83
1990.....	693	659	726	975	1,196	1,383	1,568	1,830	3,801	85
1989.....	789	723	863	1,136	1,471	1,618	1,924	1,975	4,369	91
1988.....	782	849	1,040	1,538	1,940	2,207	2,537	2,651	5,198	90
1987.....	849	966	1,273	1,658	2,002	2,280	2,682	2,616	4,974	84
1986.....	795	951	1,293	1,812	2,188	2,512	2,777	2,728	5,266	89
1985.....	748	983	1,408	1,923	2,194	2,638	2,782	2,799	5,160	92
1984.....	662	965	1,446	1,908	2,238	2,619	2,697	2,629	4,789	62
1983.....	753	959	1,436	1,942	2,223	2,567	2,702	2,445	4,710	82
1982.....	821	1,174	1,549	1,967	2,245	2,533	2,613	2,377	4,118	70
1981.....	843	1,202	1,522	1,980	2,303	2,629	2,452	2,445	3,966	63
1980.....	813	1,122	1,624	1,941	2,300	2,526	2,502	2,298	3,804	64
1979.....	820	1,186	1,574	1,785	2,254	2,403	2,341	2,149	3,454	90
TOTAL, MALE										
1998.....	683	584	498	595	738	926	990	1,032	1,857	68
1997.....	679	578	556	615	777	887	1,050	998	1,721	59
1996.....	783	592	549	631	758	863	1,026	1,082	1,688	55
1995.....	788	617	557	670	767	964	980	969	1,624	53
1994.....	569	505	472	647	777	892	928	875	1,503	46
1993.....	621	524	552	691	802	870	959	886	1,495	51
1992.....	476	374	457	573	695	808	801	708	1,260	43
1991.....	509	412	429	593	726	811	810	803	1,179	57
1990.....	463	432	491	631	746	769	817	804	1,080	62
1989.....	537	498	551	693	916	971	1,013	862	1,328	62
1988.....	525	540	693	966	1,198	1,269	1,289	1,127	1,606	56
1987.....	551	609	824	1,063	1,269	1,346	1,429	1,094	1,593	59
1986.....	511	634	857	1,171	1,375	1,463	1,493	1,248	1,746	51
1985.....	490	664	960	1,285	1,366	1,591	1,539	1,282	1,710	63
1984.....	438	677	990	1,293	1,433	1,510	1,452	1,185	1,593	40
1983.....	480	623	943	1,300	1,422	1,563	1,465	1,148	1,638	48
1982.....	526	784	1,051	1,250	1,428	1,528	1,384	1,147	1,438	43
1981.....	535	811	1,022	1,362	1,515	1,622	1,329	1,158	1,502	45
1980.....	518	736	1,104	1,291	1,493	1,504	1,349	1,072	1,366	44
1979.....	525	806	1,071	1,184	1,507	1,466	1,245	1,031	1,270	61

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, FEMALE										
1998.....	347	321	286	355	489	749	1,055	1,542	5,242	20
1997.....	367	255	295	359	459	757	1,022	1,393	4,869	19
1996.....	323	313	319	364	512	768	1,047	1,356	4,685	31
1995.....	352	304	307	376	547	793	1,048	1,335	4,389	36
1994.....	309	252	277	330	508	667	933	1,231	4,148	20
1993.....	314	300	305	368	542	761	943	1,252	3,859	19
1992.....	239	208	249	335	462	596	773	1,113	3,190	15
1991.....	266	220	254	337	476	605	767	1,110	2,957	26
1990.....	230	227	235	344	450	614	751	1,026	2,721	23
1989.....	252	225	312	443	555	647	911	1,113	3,041	29
1988.....	257	309	347	572	742	938	1,248	1,524	3,592	34
1987.....	298	357	449	595	733	934	1,253	1,522	3,381	25
1986.....	284	317	436	641	813	1,049	1,284	1,480	3,520	38
1985.....	258	319	448	638	828	1,047	1,243	1,517	3,450	29
1984.....	224	288	456	615	805	1,109	1,245	1,444	3,196	22
1983.....	273	336	493	642	801	1,004	1,237	1,297	3,072	34
1982.....	295	390	498	717	817	1,005	1,229	1,230	2,680	27
1981.....	308	391	500	618	788	1,007	1,123	1,287	2,464	18
1980.....	295	386	520	650	807	1,022	1,153	1,226	2,438	20
1979.....	295	380	503	601	747	937	1,096	1,118	2,184	29
WHITE, BOTH SEXES										
1998.....	752	713	609	757	999	1,415	1,780	2,295	6,446	69
1997.....	736	640	654	766	1,044	1,415	1,827	2,130	5,975	69
1996.....	822	687	677	807	1,075	1,404	1,810	2,180	5,838	67
1995.....	860	719	674	848	1,101	1,498	1,762	2,053	5,422	69
1994.....	641	560	577	808	1,055	1,324	1,606	1,839	5,180	52
1993.....	650	594	661	838	1,099	1,367	1,650	1,882	4,868	55
1992.....	522	434	551	708	949	1,183	1,349	1,577	4,024	46
1991.....	538	481	549	749	1,008	1,192	1,367	1,631	3,698	67
1990.....	477	463	529	785	973	1,173	1,316	1,570	3,382	59
1989.....	568	538	649	910	1,217	1,386	1,637	1,740	3,927	64
1988.....	532	628	793	1,241	1,579	1,878	2,223	2,318	4,675	73
1987.....	582	710	1,000	1,313	1,615	1,913	2,275	2,238	4,428	62
1986.....	543	683	1,003	1,423	1,768	2,060	2,310	2,309	4,579	78
1985.....	502	717	1,071	1,482	1,709	2,140	2,281	2,311	4,481	76
1984.....	464	708	1,104	1,446	1,827	2,052	2,161	2,141	4,127	50
1983.....	513	702	1,078	1,505	1,722	2,008	2,127	1,973	3,973	60
1982.....	583	852	1,139	1,454	1,751	1,958	2,085	1,925	3,487	53
1981.....	553	871	1,108	1,527	1,788	2,054	1,906	1,947	3,314	45
1980.....	538	762	1,181	1,459	1,710	1,839	1,882	1,795	3,066	49
1979.....	552	809	1,115	1,316	1,645	1,803	1,785	1,708	2,800	69

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
WHITE MALE										
1998.....	511	458	389	477	593	776	855	925	1,663	55
1997.....	473	449	421	488	653	761	919	896	1,527	51
1996.....	580	457	426	513	642	747	889	972	1,540	42
1995.....	585	478	430	546	638	827	851	853	1,438	39
1994.....	420	366	363	529	631	754	797	751	1,367	36
1993.....	430	375	422	542	658	729	814	781	1,334	41
1992.....	349	275	352	442	569	681	678	610	1,130	32
1991.....	348	308	345	485	622	694	710	685	1,024	44
1990.....	306	301	354	501	610	662	692	694	951	43
1989.....	385	363	407	550	760	848	864	742	1,163	43
1988.....	350	398	529	769	980	1,079	1,124	962	1,408	44
1987.....	368	455	645	855	1,024	1,153	1,216	932	1,379	43
1986.....	346	446	657	922	1,113	1,209	1,245	1,048	1,492	44
1985.....	319	485	724	999	1,077	1,308	1,266	1,053	1,428	53
1984.....	310	488	743	984	1,165	1,185	1,168	948	1,334	28
1983.....	328	458	711	1,007	1,114	1,245	1,165	902	1,360	36
1982.....	364	569	773	932	1,125	1,208	1,106	932	1,182	33
1981.....	344	578	758	1,078	1,193	1,281	1,036	908	1,212	32
1980.....	335	504	806	978	1,156	1,111	1,018	843	1,082	32
1979.....	350	552	765	890	1,128	1,139	961	815	1,003	46
WHITE FEMALE										
1998.....	241	255	220	280	406	639	925	1,370	4,783	14
1997.....	263	191	233	278	391	654	908	1,234	4,448	18
1996.....	242	230	251	294	433	657	921	1,208	4,298	25
1995.....	275	241	244	302	463	671	911	1,200	3,984	30
1994.....	221	194	214	279	424	570	809	1,088	3,813	16
1993.....	220	219	239	296	441	638	836	1,101	3,534	14
1992.....	173	159	199	266	380	502	671	967	2,894	14
1991.....	190	173	204	264	386	498	657	946	2,674	23
1990.....	171	162	175	284	363	511	624	876	2,431	16
1989.....	183	175	242	360	457	538	773	998	2,764	21
1988.....	182	230	264	472	599	799	1,099	1,356	3,267	29
1987.....	214	255	355	458	591	760	1,059	1,306	3,049	19
1986.....	197	237	346	501	655	851	1,065	1,261	3,087	34
1985.....	183	232	347	483	632	832	1,015	1,258	3,053	23
1984.....	154	220	361	462	662	867	993	1,193	2,793	22
1983.....	185	244	367	498	608	763	962	1,071	2,613	24
1982.....	219	283	366	522	626	750	979	993	2,305	20
1981.....	209	293	350	449	595	773	870	1,039	2,102	13
1980.....	203	258	375	481	554	728	864	952	1,984	17
1979.....	202	257	350	426	517	664	824	893	1,797	23

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER, BOTH SEXES										
1998.....	278	192	175	193	228	260	265	279	653	19
1997.....	310	193	197	208	192	229	245	261	615	9
1996.....	284	218	191	188	195	227	263	258	535	19
1995.....	280	202	190	198	213	259	266	251	591	20
1994.....	237	197	172	169	230	235	255	267	471	14
1993.....	285	230	196	221	245	264	252	256	486	15
1992.....	193	148	155	200	208	221	225	244	426	12
1991.....	237	151	134	181	194	224	210	282	438	16
1990.....	216	196	197	190	223	210	252	260	419	26
1989.....	221	185	214	226	254	232	287	235	442	27
1988.....	250	221	247	297	361	329	314	333	523	17
1987.....	267	256	273	345	387	367	407	378	546	22
1986.....	252	268	290	389	420	452	467	419	687	11
1985.....	246	266	337	441	485	498	501	488	679	16
1984.....	198	257	342	462	411	567	536	488	662	12
1983.....	240	257	358	437	501	559	575	472	737	22
1982.....	238	322	410	513	494	575	528	452	631	17
1981.....	290	331	414	453	515	575	546	498	652	18
1980.....	275	360	443	482	590	687	620	503	738	15
1979.....	268	377	459	469	609	600	556	441	654	21
ALL OTHER MALE										
1998.....	172	126	109	118	145	150	135	107	194	13
1997.....	206	129	135	127	124	126	131	102	194	8
1996.....	203	135	123	118	116	116	137	110	148	13
1995.....	203	139	127	124	129	137	129	116	186	14
1994.....	149	139	109	118	146	138	131	124	136	10
1993.....	191	149	130	149	144	141	145	105	161	10
1992.....	127	99	105	131	126	127	123	98	130	11
1991.....	161	104	84	108	104	117	100	118	155	13
1990.....	157	131	137	130	136	107	125	110	129	19
1989.....	152	135	144	143	156	123	149	120	165	19
1988.....	175	142	164	197	218	190	165	165	198	12
1987.....	183	154	179	208	245	193	213	162	214	16
1986.....	165	188	200	249	262	254	248	200	254	7
1985.....	171	179	236	286	289	283	273	229	282	10
1984.....	128	189	247	309	268	325	284	237	259	12
1983.....	152	165	232	293	308	318	300	246	278	12
1982.....	162	215	278	318	303	320	278	215	256	10
1981.....	191	233	264	284	322	341	293	250	290	13
1980.....	183	232	298	313	337	393	331	229	284	12
1979.....	175	254	306	294	379	327	284	216	267	15

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER FEMALE										
1998.....	106	66	66	75	83	110	130	172	459	6
1997.....	104	64	62	81	68	103	114	159	421	1
1996.....	81	83	68	70	79	111	126	148	387	6
1995.....	77	63	63	74	84	122	137	135	405	6
1994.....	88	58	63	51	84	97	124	143	335	4
1993.....	94	81	66	72	101	123	107	151	325	5
1992.....	66	49	50	69	82	94	102	146	296	1
1991.....	76	47	50	73	90	107	110	164	283	3
1990.....	59	65	60	60	87	103	127	150	290	7
1989.....	69	50	70	83	98	109	138	115	277	8
1988.....	75	79	83	100	143	139	149	168	325	5
1987.....	84	102	94	137	142	174	194	216	332	6
1986.....	87	80	90	140	158	198	219	219	433	4
1985.....	75	87	101	155	196	215	228	259	397	6
1984.....	70	68	95	153	143	242	252	251	403	-
1983.....	88	92	126	144	193	241	275	226	459	10
1982.....	76	107	132	195	191	255	250	237	375	7
1981.....	99	98	150	169	193	234	253	248	362	5
1980.....	92	128	145	169	253	294	289	274	454	3
1979.....	93	123	153	175	230	273	272	225	387	6
BLACK, BOTH SEXES										
1998.....	257	173	163	182	205	242	242	251	594	17
1997.....	293	181	184	196	166	206	222	234	556	8
1996.....	265	203	171	175	186	207	242	233	486	13
1995.....	260	179	175	184	201	232	250	228	540	16
1994.....	216	182	158	159	211	218	234	247	436	11
1993.....	267	215	184	201	233	244	235	232	450	14
1992.....	179	134	137	184	193	206	207	230	388	10
1991.....	217	133	123	167	181	206	193	266	394	16
1990.....	202	179	183	168	211	186	231	242	389	22
1989.....	205	171	202	215	242	222	273	226	418	26
1988.....	233	205	232	283	347	318	293	316	486	16
1987.....	255	244	250	329	369	355	388	361	514	18
1986.....	237	258	278	378	403	436	448	403	642	11
1985.....	232	260	327	420	464	476	483	459	633	16
1984.....	187	251	326	445	401	550	514	467	622	12
1983.....	231	249	342	424	480	539	557	443	707	18
1982.....	220	311	394	492	474	553	507	432	584	13
1981.....	269	316	392	431	486	550	516	471	619	18
1980.....	266	350	428	458	571	661	597	481	689	15
1979.....	258	364	443	455	595	581	534	420	617	17

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
BLACK MALE										
1998.....	158	114	105	108	132	139	124	97	173	11
1997.....	194	119	127	120	109	110	115	91	171	8
1996.....	190	125	112	111	113	103	128	99	130	9
1995.....	185	124	119	117	122	118	124	105	167	11
1994.....	133	130	100	111	133	129	119	109	118	8
1993.....	176	141	123	135	140	128	137	91	144	9
1992.....	117	89	96	120	120	118	114	90	115	9
1991.....	148	93	79	101	101	105	92	108	136	13
1990.....	145	120	129	117	129	94	111	101	117	17
1989.....	142	125	134	137	151	118	139	114	155	18
1988.....	160	130	151	188	209	182	153	156	179	12
1987.....	175	149	165	201	233	182	203	157	199	12
1986.....	155	180	193	242	250	243	239	193	241	7
1985.....	159	178	229	273	276	270	262	211	257	10
1984.....	122	184	234	299	262	314	269	226	239	12
1983.....	148	162	221	280	291	307	290	226	267	9
1982.....	153	208	270	308	292	307	264	204	231	8
1981.....	182	220	251	270	300	323	271	229	279	13
1980.....	176	224	289	296	324	377	322	216	263	12
1979.....	169	245	297	285	369	313	269	206	253	12
BLACK FEMALE										
1998.....	99	59	58	74	73	103	118	154	421	6
1997.....	99	62	57	76	57	96	107	143	385	-
1996.....	75	78	59	64	73	104	114	134	356	4
1995.....	75	55	56	67	79	114	126	123	373	5
1994.....	83	52	58	48	78	89	115	138	318	3
1993.....	91	74	61	66	93	116	98	141	306	5
1992.....	62	45	41	64	73	88	93	140	273	1
1991.....	69	40	44	66	80	101	101	158	258	3
1990.....	57	59	54	51	82	92	120	141	272	5
1989.....	63	46	68	78	91	104	134	112	263	8
1988.....	73	75	81	95	138	136	140	160	307	4
1987.....	80	95	85	128	136	173	185	204	315	6
1986.....	82	78	85	136	153	193	209	210	401	4
1985.....	73	82	98	147	188	206	221	248	376	6
1984.....	65	67	92	146	139	236	245	241	383	-
1983.....	83	87	121	144	189	232	267	217	440	9
1982.....	67	103	124	184	182	246	243	228	353	5
1981.....	87	96	141	161	186	227	245	242	340	5
1980.....	90	126	139	162	247	284	275	265	426	3
1979.....	89	119	146	170	226	268	265	214	364	5

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER DISEASES (RESIDUAL)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, BOTH SEXES										
1998.....	6,146	6,760	7,631	9,637	14,396	22,773	33,398	42,427	88,208	12
1997.....	5,980	6,349	6,984	9,374	14,225	22,163	32,015	40,161	81,768	20
1996.....	5,645	5,808	6,731	9,279	14,050	21,549	30,429	37,957	75,599	26
1995.....	5,483	5,775	6,560	9,163	13,870	20,861	28,783	36,396	70,349	26
1994.....	5,164	5,373	6,393	9,208	13,937	20,538	27,555	34,247	64,952	22
1993.....	4,794	5,073	6,253	9,132	13,787	19,772	26,968	32,354	60,539	22
1992.....	4,534	4,736	5,844	9,102	13,699	18,915	24,896	29,180	53,309	18
1991.....	4,164	4,663	6,119	9,518	13,565	18,741	24,542	28,912	51,052	29
1990.....	3,926	4,670	6,056	9,587	13,674	18,182	24,085	27,968	48,661	18
1989.....	3,913	4,562	6,311	9,624	13,848	18,397	24,112	27,410	46,686	20
1988.....	3,989	4,562	6,532	9,988	13,840	18,028	23,839	26,483	44,253	25
1987.....	3,551	4,536	6,407	9,886	13,657	17,917	23,179	24,764	40,753	24
1986.....	4,037	4,804	6,738	9,929	13,224	17,293	21,876	22,868	36,658	52
1985.....	3,716	4,762	6,959	9,936	12,840	16,880	20,733	21,815	33,916	41
1984.....	3,436	4,448	6,828	9,666	12,457	15,966	19,150	19,326	30,099	26
1983.....	3,307	4,801	7,051	9,559	12,328	15,123	17,950	17,626	26,957	24
1982.....	3,257	4,756	6,762	9,108	11,588	14,264	16,154	16,008	23,565	31
1981.....	3,498	4,958	7,138	9,126	11,588	13,891	15,219	15,211	21,895	39
1980.....	3,639	5,299	7,116	9,131	11,688	13,545	14,736	14,401	20,232	24
1979.....	3,510	5,291	6,898	8,672	10,876	12,524	13,674	13,013	17,593	23
TOTAL, MALE										
1998.....	3,728	3,978	4,271	5,282	7,723	11,561	15,905	17,636	25,055	8
1997.....	3,696	3,623	3,933	5,032	7,562	11,368	15,335	16,994	23,296	17
1996.....	3,435	3,330	3,844	5,144	7,441	11,091	14,561	16,078	21,779	18
1995.....	3,364	3,370	3,800	5,108	7,534	10,722	13,782	15,277	20,519	17
1994.....	3,090	3,169	3,671	5,236	7,603	10,699	13,156	14,462	19,061	18
1993.....	2,836	2,988	3,546	5,132	7,482	10,283	13,185	13,710	17,909	15
1992.....	2,829	2,802	3,325	5,128	7,445	9,836	12,156	12,316	16,156	12
1991.....	2,551	2,722	3,559	5,452	7,353	9,817	12,063	12,244	15,308	24
1990.....	2,438	2,796	3,535	5,438	7,590	9,454	11,722	11,647	14,600	11
1989.....	2,408	2,748	3,662	5,576	7,708	9,702	11,790	11,422	14,101	14
1988.....	2,411	2,752	3,797	5,730	7,744	9,477	11,622	11,069	13,737	18
1987.....	2,205	2,734	3,726	5,596	7,436	9,515	11,365	10,618	12,727	12
1986.....	2,653	2,954	4,034	5,687	7,278	9,235	10,710	9,700	11,829	24
1985.....	2,327	2,869	4,100	5,683	7,193	8,994	10,172	9,282	11,154	22
1984.....	2,067	2,649	3,885	5,535	6,956	8,570	9,421	8,281	10,044	14
1983.....	1,967	2,808	4,111	5,507	6,913	8,018	8,925	7,680	9,250	16
1982.....	1,929	2,810	3,941	5,196	6,451	7,600	7,873	6,882	8,120	17
1981.....	2,026	2,954	4,115	5,203	6,546	7,466	7,502	6,603	7,677	21
1980.....	2,132	3,168	4,184	5,249	6,689	7,351	7,240	6,221	7,273	15
1979.....	2,141	3,151	4,120	5,123	6,199	6,730	6,805	5,802	6,333	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER DISEASES (RESIDUAL)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, FEMALE										
1998.....	2,418	2,782	3,360	4,355	6,673	11,212	17,493	24,791	63,153	4
1997.....	2,284	2,726	3,051	4,342	6,663	10,795	16,680	23,167	58,472	3
1996.....	2,210	2,478	2,887	4,135	6,609	10,458	15,868	21,879	53,820	8
1995.....	2,119	2,405	2,760	4,055	6,336	10,139	15,001	21,119	49,830	9
1994.....	2,074	2,204	2,722	3,972	6,334	9,839	14,399	19,785	45,891	4
1993.....	1,958	2,085	2,707	4,000	6,305	9,489	13,783	18,644	42,630	7
1992.....	1,705	1,934	2,519	3,974	6,254	9,079	12,740	16,864	37,153	6
1991.....	1,613	1,941	2,560	4,066	6,212	8,924	12,479	16,668	35,744	5
1990.....	1,488	1,874	2,521	4,149	6,084	8,728	12,363	16,321	34,061	7
1989.....	1,505	1,814	2,649	4,048	6,140	8,695	12,322	15,988	32,585	6
1988.....	1,578	1,810	2,735	4,258	6,096	8,551	12,217	15,414	30,516	7
1987.....	1,346	1,802	2,681	4,290	6,221	8,402	11,814	14,146	28,026	12
1986.....	1,384	1,850	2,704	4,242	5,946	8,058	11,166	13,168	24,829	28
1985.....	1,389	1,893	2,859	4,253	5,647	7,886	10,561	12,533	22,762	19
1984.....	1,369	1,799	2,943	4,131	5,501	7,396	9,729	11,045	20,055	12
1983.....	1,340	1,993	2,940	4,052	5,415	7,105	9,025	9,946	17,707	8
1982.....	1,328	1,946	2,821	3,912	5,137	6,664	8,281	9,126	15,445	14
1981.....	1,472	2,004	3,023	3,923	5,042	6,425	7,717	8,608	14,218	18
1980.....	1,507	2,131	2,932	3,882	4,999	6,194	7,496	8,180	12,959	9
1979.....	1,369	2,140	2,778	3,549	4,677	5,794	6,869	7,211	11,260	8
WHITE, BOTH SEXES										
1998.....	4,544	5,193	6,001	7,766	12,133	19,870	30,017	38,929	81,705	8
1997.....	4,321	4,959	5,509	7,613	12,086	19,428	28,857	36,867	75,797	12
1996.....	4,078	4,438	5,307	7,589	11,965	18,834	27,390	34,791	70,089	17
1995.....	3,982	4,285	5,130	7,447	11,728	18,389	25,986	33,238	65,139	18
1994.....	3,763	4,102	5,044	7,532	11,861	17,982	24,689	31,231	60,140	13
1993.....	3,507	3,819	4,841	7,465	11,777	17,337	24,237	29,470	55,927	14
1992.....	3,292	3,500	4,496	7,422	11,645	16,519	22,356	26,584	49,249	12
1991.....	3,018	3,473	4,779	7,822	11,508	16,469	21,945	26,282	47,090	18
1990.....	2,786	3,418	4,690	7,821	11,599	15,911	21,486	25,425	44,705	11
1989.....	2,712	3,273	4,900	7,783	11,697	16,045	21,490	24,915	42,829	9
1988.....	2,782	3,319	5,107	8,162	11,720	15,754	21,199	24,132	40,772	15
1987.....	2,487	3,301	5,012	8,101	11,604	15,687	20,636	22,474	37,647	14
1986.....	2,847	3,554	5,276	8,170	11,304	15,128	19,478	20,828	33,699	40
1985.....	2,665	3,530	5,541	8,213	10,954	14,759	18,591	19,828	31,249	22
1984.....	2,382	3,355	5,490	8,046	10,738	14,013	17,142	17,454	27,872	16
1983.....	2,379	3,637	5,660	7,874	10,638	13,253	16,074	16,006	24,901	16
1982.....	2,303	3,692	5,459	7,640	9,989	12,514	14,435	14,556	21,744	19
1981.....	2,520	3,809	5,689	7,687	10,037	12,227	13,604	13,822	20,199	22
1980.....	2,575	4,001	5,730	7,653	10,059	11,863	13,138	13,162	18,733	9
1979.....	2,533	4,097	5,569	7,339	9,422	11,078	12,161	11,985	16,296	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER DISEASES (RESIDUAL)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
WHITE MALE										
1998.....	2,796	3,087	3,363	4,239	6,602	10,202	14,376	16,236	23,095	5
1997.....	2,698	2,851	3,105	4,139	6,473	10,045	13,828	15,630	21,380	12
1996.....	2,516	2,562	3,032	4,228	6,378	9,766	13,120	14,761	20,042	13
1995.....	2,447	2,485	2,996	4,166	6,399	9,468	12,451	13,978	18,837	13
1994.....	2,291	2,403	2,942	4,314	6,479	9,395	11,831	13,197	17,468	11
1993.....	2,099	2,265	2,767	4,195	6,424	9,044	11,906	12,454	16,329	10
1992.....	2,064	2,062	2,582	4,245	6,355	8,637	10,943	11,157	14,753	10
1991.....	1,845	2,024	2,781	4,524	6,263	8,665	10,836	11,131	13,998	14
1990.....	1,704	2,064	2,739	4,435	6,480	8,294	10,473	10,538	13,281	6
1989.....	1,673	1,950	2,847	4,562	6,526	8,482	10,523	10,376	12,810	8
1988.....	1,673	1,995	2,986	4,699	6,538	8,328	10,323	10,069	12,531	11
1987.....	1,533	1,997	2,918	4,604	6,355	8,379	10,125	9,583	11,626	7
1986.....	1,878	2,176	3,173	4,686	6,214	8,066	9,507	8,794	10,818	17
1985.....	1,667	2,136	3,282	4,670	6,152	7,920	9,116	8,404	10,207	11
1984.....	1,443	1,998	3,135	4,593	6,020	7,560	8,467	7,453	9,186	8
1983.....	1,412	2,137	3,292	4,555	5,964	7,038	7,980	6,941	8,476	11
1982.....	1,372	2,187	3,169	4,322	5,572	6,693	7,049	6,228	7,422	9
1981.....	1,448	2,277	3,260	4,400	5,697	6,598	6,726	5,968	7,018	12
1980.....	1,517	2,383	3,353	4,392	5,759	6,437	6,430	5,663	6,647	9
1979.....	1,540	2,448	3,318	4,328	5,393	5,949	6,037	5,300	5,802	7
WHITE FEMALE										
1998.....	1,748	2,106	2,638	3,527	5,531	9,668	15,641	22,693	58,610	3
1997.....	1,623	2,108	2,404	3,474	5,613	9,383	15,029	21,237	54,417	-
1996.....	1,562	1,876	2,275	3,361	5,587	9,068	14,270	20,030	50,047	4
1995.....	1,535	1,800	2,134	3,281	5,329	8,921	13,535	19,260	46,302	5
1994.....	1,472	1,699	2,102	3,218	5,382	8,587	12,858	18,034	42,672	2
1993.....	1,408	1,554	2,074	3,270	5,353	8,293	12,331	17,016	39,598	4
1992.....	1,228	1,438	1,914	3,177	5,290	7,882	11,413	15,427	34,496	2
1991.....	1,173	1,449	1,998	3,298	5,245	7,804	11,109	15,151	33,092	4
1990.....	1,082	1,354	1,951	3,386	5,119	7,617	11,013	14,887	31,424	5
1989.....	1,039	1,323	2,053	3,221	5,171	7,563	10,967	14,539	30,019	1
1988.....	1,109	1,324	2,121	3,463	5,182	7,426	10,876	14,063	28,241	4
1987.....	954	1,304	2,094	3,497	5,249	7,308	10,511	12,891	26,021	7
1986.....	969	1,378	2,103	3,484	5,090	7,062	9,971	12,034	22,881	23
1985.....	998	1,394	2,259	3,543	4,802	6,839	9,475	11,424	21,042	11
1984.....	939	1,357	2,355	3,453	4,718	6,453	8,675	10,001	18,686	8
1983.....	967	1,500	2,368	3,319	4,674	6,215	8,094	9,065	16,425	5
1982.....	931	1,505	2,290	3,318	4,417	5,821	7,386	8,328	14,322	10
1981.....	1,072	1,532	2,429	3,287	4,340	5,629	6,878	7,854	13,181	10
1980.....	1,058	1,618	2,377	3,261	4,300	5,426	6,708	7,499	12,086	-
1979.....	993	1,649	2,251	3,011	4,029	5,129	6,124	6,685	10,494	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER DISEASES (RESIDUAL)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER, BOTH SEXES										
1998.....	1,602	1,567	1,630	1,871	2,263	2,903	3,381	3,498	6,503	4
1997.....	1,659	1,390	1,475	1,761	2,139	2,735	3,158	3,294	5,971	8
1996.....	1,567	1,370	1,424	1,690	2,085	2,715	3,039	3,166	5,510	9
1995.....	1,501	1,490	1,430	1,716	2,142	2,472	2,797	3,158	5,210	8
1994.....	1,401	1,271	1,349	1,676	2,076	2,556	2,866	3,016	4,812	9
1993.....	1,287	1,254	1,412	1,667	2,010	2,435	2,731	2,884	4,612	8
1992.....	1,242	1,236	1,348	1,680	2,054	2,396	2,540	2,596	4,060	6
1991.....	1,146	1,190	1,340	1,696	2,057	2,272	2,597	2,630	3,962	11
1990.....	1,140	1,252	1,366	1,766	2,075	2,271	2,599	2,543	3,956	7
1989.....	1,201	1,289	1,411	1,841	2,151	2,352	2,622	2,495	3,857	11
1988.....	1,207	1,243	1,425	1,826	2,120	2,274	2,640	2,351	3,481	10
1987.....	1,064	1,235	1,395	1,785	2,053	2,230	2,543	2,290	3,106	10
1986.....	1,190	1,250	1,462	1,759	1,920	2,165	2,398	2,040	2,959	12
1985.....	1,051	1,232	1,418	1,723	1,886	2,121	2,142	1,987	2,667	19
1984.....	1,054	1,093	1,338	1,620	1,719	1,953	2,008	1,872	2,227	10
1983.....	928	1,164	1,391	1,685	1,690	1,870	1,876	1,620	2,056	8
1982.....	954	1,064	1,303	1,468	1,599	1,750	1,719	1,452	1,821	12
1981.....	978	1,149	1,449	1,439	1,551	1,664	1,615	1,389	1,696	17
1980.....	1,064	1,298	1,386	1,478	1,629	1,682	1,598	1,239	1,499	15
1979.....	977	1,194	1,329	1,333	1,454	1,446	1,513	1,028	1,297	10
ALL OTHER MALE										
1998.....	932	891	908	1,043	1,121	1,359	1,529	1,400	1,960	3
1997.....	998	772	828	893	1,089	1,323	1,507	1,364	1,916	5
1996.....	919	768	812	916	1,063	1,325	1,441	1,317	1,737	5
1995.....	917	885	804	942	1,135	1,254	1,331	1,299	1,682	4
1994.....	799	766	729	922	1,124	1,304	1,325	1,265	1,593	7
1993.....	737	723	779	937	1,058	1,239	1,279	1,256	1,580	5
1992.....	765	740	743	883	1,090	1,199	1,213	1,159	1,403	2
1991.....	706	698	778	928	1,090	1,152	1,227	1,113	1,310	10
1990.....	734	732	796	1,003	1,110	1,160	1,249	1,109	1,319	5
1989.....	735	798	815	1,014	1,182	1,220	1,267	1,046	1,291	6
1988.....	738	757	811	1,031	1,206	1,149	1,299	1,000	1,206	7
1987.....	672	737	808	992	1,081	1,136	1,240	1,035	1,101	5
1986.....	775	778	861	1,001	1,064	1,169	1,203	906	1,011	7
1985.....	660	733	818	1,013	1,041	1,074	1,056	878	947	11
1984.....	624	651	750	942	936	1,010	954	828	858	6
1983.....	555	671	819	952	949	980	945	739	774	5
1982.....	557	623	772	874	879	907	824	654	698	8
1981.....	578	677	855	803	849	868	776	635	659	9
1980.....	615	785	831	857	930	914	810	558	626	6
1979.....	601	703	802	795	806	781	768	502	531	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER DISEASES (RESIDUAL)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER FEMALE										
1998.....	670	676	722	828	1,142	1,544	1,852	2,098	4,543	1
1997.....	661	618	647	868	1,050	1,412	1,651	1,930	4,055	3
1996.....	648	602	612	774	1,022	1,390	1,598	1,849	3,773	4
1995.....	584	605	626	774	1,007	1,218	1,466	1,859	3,528	4
1994.....	602	505	620	754	952	1,252	1,541	1,751	3,219	2
1993.....	550	531	633	730	952	1,196	1,452	1,628	3,032	3
1992.....	477	496	605	797	964	1,197	1,327	1,437	2,657	4
1991.....	440	492	562	768	967	1,120	1,370	1,517	2,652	1
1990.....	406	520	570	763	965	1,111	1,350	1,434	2,637	2
1989.....	466	491	596	827	969	1,132	1,355	1,449	2,566	5
1988.....	469	486	614	795	914	1,125	1,341	1,351	2,275	3
1987.....	392	498	587	793	972	1,094	1,303	1,255	2,005	5
1986.....	415	472	601	758	856	996	1,195	1,134	1,948	5
1985.....	391	499	600	710	845	1,047	1,086	1,109	1,720	8
1984.....	430	442	588	678	783	943	1,054	1,044	1,369	4
1983.....	373	493	572	733	741	890	931	881	1,282	3
1982.....	397	441	531	594	720	843	895	798	1,123	4
1981.....	400	472	594	636	702	796	839	754	1,037	8
1980.....	449	513	555	621	699	768	788	681	873	9
1979.....	376	491	527	538	648	665	745	526	766	2
BLACK, BOTH SEXES										
1998.....	1,440	1,408	1,421	1,637	1,971	2,558	2,954	3,059	5,601	3
1997.....	1,508	1,257	1,311	1,558	1,868	2,387	2,680	2,897	5,212	8
1996.....	1,424	1,213	1,274	1,512	1,816	2,409	2,672	2,740	4,835	9
1995.....	1,354	1,328	1,282	1,519	1,878	2,194	2,465	2,765	4,616	8
1994.....	1,274	1,133	1,220	1,514	1,848	2,266	2,522	2,675	4,251	9
1993.....	1,164	1,127	1,252	1,485	1,799	2,192	2,445	2,534	4,072	6
1992.....	1,135	1,125	1,197	1,540	1,836	2,168	2,257	2,318	3,588	6
1991.....	1,065	1,092	1,225	1,545	1,859	2,050	2,349	2,372	3,526	11
1990.....	1,046	1,157	1,238	1,599	1,871	2,063	2,345	2,298	3,531	7
1989.....	1,097	1,179	1,285	1,691	1,972	2,176	2,407	2,257	3,462	11
1988.....	1,118	1,141	1,309	1,672	1,928	2,095	2,383	2,134	3,132	7
1987.....	993	1,122	1,275	1,645	1,911	2,056	2,341	2,083	2,779	9
1986.....	1,121	1,169	1,368	1,630	1,775	2,003	2,234	1,836	2,620	10
1985.....	994	1,149	1,314	1,609	1,757	1,966	1,955	1,809	2,412	17
1984.....	992	1,026	1,258	1,517	1,594	1,816	1,838	1,702	1,985	10
1983.....	854	1,081	1,295	1,585	1,569	1,723	1,698	1,481	1,833	7
1982.....	874	988	1,233	1,375	1,494	1,637	1,583	1,346	1,642	9
1981.....	903	1,082	1,349	1,363	1,446	1,553	1,485	1,291	1,553	15
1980.....	1,002	1,227	1,297	1,386	1,506	1,555	1,480	1,138	1,342	14
1979.....	922	1,114	1,254	1,253	1,362	1,326	1,401	929	1,171	10

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER DISEASES (RESIDUAL)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
BLACK MALE										
1998.....	833	796	789	917	983	1,197	1,336	1,193	1,586	2
1997.....	917	703	735	783	961	1,138	1,275	1,168	1,570	5
1996.....	840	688	726	821	925	1,173	1,252	1,113	1,439	5
1995.....	822	790	714	831	1,015	1,105	1,156	1,110	1,421	4
1994.....	724	682	667	833	994	1,150	1,153	1,090	1,345	7
1993.....	674	661	701	844	947	1,099	1,121	1,065	1,329	3
1992.....	707	681	671	817	978	1,074	1,060	994	1,187	2
1991.....	651	639	714	844	992	1,043	1,091	967	1,134	10
1990.....	678	682	725	906	987	1,031	1,123	963	1,142	5
1989.....	674	734	749	927	1,077	1,114	1,142	907	1,129	6
1988.....	692	692	744	951	1,101	1,046	1,155	872	1,040	4
1987.....	631	682	744	917	1,017	1,043	1,115	917	954	4
1986.....	735	726	810	927	979	1,062	1,101	797	858	7
1985.....	628	696	763	953	972	993	952	775	825	11
1984.....	592	611	712	885	870	926	856	723	739	6
1983.....	520	620	768	902	866	881	840	655	681	4
1982.....	506	585	735	818	817	844	739	593	616	7
1981.....	535	643	799	759	788	807	689	573	587	7
1980.....	578	749	775	800	854	835	736	507	552	6
1979.....	565	658	748	747	756	706	690	430	455	8
BLACK FEMALE										
1998.....	607	612	632	720	988	1,361	1,618	1,866	4,015	1
1997.....	591	554	576	775	907	1,249	1,405	1,729	3,642	3
1996.....	584	525	548	691	891	1,236	1,420	1,627	3,396	4
1995.....	532	538	568	688	863	1,089	1,309	1,655	3,195	4
1994.....	550	451	553	681	854	1,116	1,369	1,585	2,906	2
1993.....	490	466	551	641	852	1,093	1,324	1,469	2,743	3
1992.....	428	444	526	723	858	1,094	1,197	1,324	2,401	4
1991.....	414	453	511	701	867	1,007	1,258	1,405	2,392	1
1990.....	368	475	513	693	884	1,032	1,222	1,335	2,389	2
1989.....	423	445	536	764	895	1,062	1,265	1,350	2,333	5
1988.....	426	449	565	721	827	1,049	1,228	1,262	2,092	3
1987.....	362	440	531	728	894	1,013	1,226	1,166	1,825	5
1986.....	386	443	558	703	796	941	1,133	1,039	1,762	3
1985.....	366	453	551	656	785	973	1,003	1,034	1,587	6
1984.....	400	415	546	632	724	890	982	979	1,246	4
1983.....	334	461	527	683	703	842	858	826	1,152	3
1982.....	368	403	498	557	677	793	844	753	1,026	2
1981.....	368	439	550	604	658	746	796	718	966	8
1980.....	424	478	522	586	652	720	744	631	790	8
1979.....	357	456	506	506	606	620	711	499	716	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTS AND ADVERSE EFFECTS (E800-E949)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, BOTH SEXES										
1998.....	6,231	4,715	3,857	3,483	3,937	4,955	5,996	6,715	11,372	110
1997.....	5,938	4,478	3,680	3,425	3,841	4,737	5,792	6,313	10,703	100
1996.....	5,717	4,129	3,451	3,420	3,909	4,871	5,494	6,168	10,388	116
1995.....	5,269	3,992	3,310	3,433	3,760	4,640	5,299	5,669	9,731	104
1994.....	4,997	3,771	3,154	3,278	3,772	4,507	5,249	5,708	9,078	99
1993.....	4,549	3,480	3,050	3,355	3,779	4,346	5,104	5,561	8,994	108
1992.....	4,145	3,340	3,063	3,334	3,861	4,304	4,937	5,235	8,296	118
1991.....	3,989	3,148	3,091	3,465	3,900	4,237	4,946	5,196	8,165	120
1990.....	3,941	3,434	3,345	3,887	4,152	4,253	5,057	4,984	7,767	113
1989.....	4,021	3,473	3,585	3,967	4,256	4,556	5,159	5,097	7,764	123
1988.....	3,960	3,554	3,639	4,024	4,386	4,585	5,019	5,126	7,880	132
1987.....	3,671	3,311	3,680	4,145	4,200	4,486	4,964	4,965	7,223	127
1986.....	3,552	3,453	3,666	4,062	4,004	4,495	4,878	4,755	7,002	165
1985.....	3,589	3,480	3,985	4,197	4,020	4,563	4,861	4,642	6,885	136
1984.....	3,646	3,604	3,921	4,102	4,080	4,344	4,763	4,463	6,740	99
1983.....	3,541	3,756	4,037	4,110	4,046	4,290	4,484	4,424	6,610	118
1982.....	3,726	3,928	4,183	4,070	4,001	4,223	4,340	4,224	6,237	97
1981.....	3,984	4,502	4,530	4,323	4,193	4,446	4,336	4,326	6,442	116
1980.....	4,226	4,661	4,786	4,467	4,481	4,516	4,802	4,493	6,552	103
1979.....	4,304	4,722	4,783	4,537	4,543	4,470	4,620	4,335	6,064	145
TOTAL, MALE										
1998.....	4,606	3,377	2,674	2,314	2,439	2,847	3,210	3,363	4,317	102
1997.....	4,400	3,194	2,530	2,287	2,418	2,795	3,150	3,128	4,035	91
1996.....	4,207	2,943	2,405	2,271	2,469	2,851	2,953	3,019	3,905	99
1995.....	3,961	2,871	2,325	2,272	2,368	2,626	2,854	2,802	3,749	100
1994.....	3,679	2,699	2,207	2,209	2,324	2,631	2,851	2,821	3,525	89
1993.....	3,358	2,550	2,142	2,215	2,270	2,591	2,718	2,740	3,472	96
1992.....	3,027	2,461	2,168	2,270	2,415	2,549	2,638	2,604	3,129	111
1991.....	2,926	2,281	2,197	2,346	2,460	2,469	2,644	2,501	3,089	108
1990.....	2,875	2,475	2,329	2,625	2,605	2,506	2,637	2,380	2,943	101
1989.....	2,984	2,528	2,595	2,699	2,703	2,618	2,736	2,478	2,990	110
1988.....	2,985	2,539	2,557	2,712	2,767	2,682	2,662	2,488	3,090	121
1987.....	2,703	2,409	2,571	2,826	2,604	2,659	2,656	2,437	2,861	111
1986.....	2,673	2,556	2,614	2,734	2,492	2,602	2,654	2,254	2,786	146
1985.....	2,680	2,512	2,893	2,830	2,498	2,579	2,672	2,240	2,773	127
1984.....	2,686	2,630	2,789	2,773	2,659	2,579	2,588	2,138	2,698	90
1983.....	2,649	2,756	2,896	2,821	2,575	2,494	2,420	2,123	2,621	101
1982.....	2,806	2,880	2,997	2,804	2,591	2,464	2,378	2,011	2,460	76
1981.....	2,984	3,332	3,232	3,022	2,763	2,643	2,402	2,046	2,570	104
1980.....	3,175	3,425	3,436	3,061	2,932	2,650	2,552	2,120	2,569	92
1979.....	3,225	3,486	3,426	3,168	3,031	2,656	2,528	2,057	2,406	126

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTS AND ADVERSE EFFECTS (E800-E949)	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
TOTAL, FEMALE										
1998.....	1,625	1,338	1,183	1,169	1,498	2,108	2,786	3,352	7,055	8
1997.....	1,538	1,284	1,150	1,138	1,423	1,942	2,642	3,185	6,668	9
1996.....	1,510	1,186	1,046	1,149	1,440	2,020	2,541	3,149	6,483	17
1995.....	1,308	1,121	985	1,161	1,392	2,014	2,445	2,867	5,982	4
1994.....	1,318	1,072	947	1,069	1,448	1,876	2,398	2,887	5,553	10
1993.....	1,191	930	908	1,140	1,509	1,755	2,386	2,821	5,522	12
1992.....	1,118	879	895	1,064	1,446	1,755	2,299	2,631	5,167	7
1991.....	1,063	867	894	1,119	1,440	1,768	2,302	2,695	5,076	12
1990.....	1,066	959	1,016	1,262	1,547	1,747	2,420	2,604	4,824	12
1989.....	1,037	945	990	1,268	1,553	1,938	2,423	2,619	4,774	13
1988.....	975	1,015	1,082	1,312	1,619	1,903	2,357	2,638	4,790	11
1987.....	968	902	1,109	1,319	1,596	1,827	2,308	2,528	4,362	16
1986.....	879	897	1,052	1,328	1,512	1,893	2,224	2,501	4,216	19
1985.....	909	968	1,092	1,367	1,522	1,984	2,189	2,402	4,112	9
1984.....	960	974	1,132	1,329	1,421	1,765	2,175	2,325	4,042	9
1983.....	892	1,000	1,141	1,289	1,471	1,796	2,064	2,301	3,989	17
1982.....	920	1,048	1,186	1,266	1,410	1,759	1,962	2,213	3,777	21
1981.....	1,000	1,170	1,298	1,301	1,430	1,803	1,934	2,280	3,872	12
1980.....	1,051	1,236	1,350	1,406	1,549	1,866	2,250	2,373	3,983	11
1979.....	1,079	1,236	1,357	1,369	1,512	1,814	2,092	2,278	3,658	19
WHITE, BOTH SEXES										
1998.....	4,922	3,805	3,183	2,888	3,350	4,350	5,385	6,186	10,580	98
1997.....	4,720	3,630	3,013	2,812	3,263	4,113	5,158	5,802	9,970	84
1996.....	4,554	3,358	2,830	2,851	3,281	4,240	4,881	5,665	9,704	98
1995.....	4,156	3,252	2,706	2,811	3,174	4,025	4,747	5,145	9,048	95
1994.....	3,996	2,993	2,535	2,681	3,222	3,915	4,676	5,184	8,425	83
1993.....	3,678	2,785	2,491	2,772	3,173	3,794	4,589	5,068	8,303	91
1992.....	3,326	2,692	2,456	2,743	3,296	3,762	4,368	4,786	7,709	102
1991.....	3,249	2,539	2,502	2,907	3,285	3,699	4,435	4,744	7,523	106
1990.....	3,172	2,790	2,765	3,226	3,507	3,728	4,504	4,513	7,175	97
1989.....	3,202	2,767	2,914	3,281	3,577	3,981	4,560	4,627	7,097	98
1988.....	3,191	2,857	2,976	3,326	3,723	3,925	4,405	4,654	7,251	100
1987.....	2,942	2,674	3,040	3,483	3,551	3,885	4,431	4,488	6,640	102
1986.....	2,851	2,825	2,976	3,405	3,454	3,920	4,308	4,313	6,445	135
1985.....	2,882	2,829	3,303	3,511	3,456	3,944	4,293	4,183	6,351	114
1984.....	2,985	3,000	3,239	3,520	3,505	3,750	4,267	4,035	6,226	82
1983.....	2,854	3,071	3,334	3,453	3,417	3,685	3,954	3,967	6,157	92
1982.....	3,047	3,227	3,480	3,443	3,433	3,638	3,860	3,862	5,833	81
1981.....	3,243	3,734	3,809	3,669	3,576	3,881	3,882	3,939	5,998	90
1980.....	3,466	3,803	3,976	3,725	3,757	3,884	4,162	4,055	6,073	82
1979.....	3,554	3,879	4,046	3,867	3,892	3,920	4,103	4,014	5,621	120

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTS AND ADVERSE EFFECTS (E800-E949)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
WHITE MALE										
1998.....	3,653	2,712	2,197	1,909	2,086	2,492	2,890	3,089	3,955	92
1997.....	3,520	2,589	2,085	1,857	2,057	2,432	2,809	2,880	3,730	80
1996.....	3,371	2,370	1,967	1,887	2,067	2,479	2,619	2,758	3,620	85
1995.....	3,118	2,357	1,882	1,858	1,987	2,262	2,536	2,536	3,435	91
1994.....	2,965	2,130	1,756	1,797	1,993	2,269	2,515	2,534	3,233	75
1993.....	2,691	2,028	1,737	1,821	1,893	2,243	2,442	2,500	3,159	83
1992.....	2,410	1,981	1,733	1,856	2,057	2,201	2,334	2,370	2,863	98
1991.....	2,397	1,832	1,780	1,959	2,049	2,145	2,366	2,240	2,813	97
1990.....	2,310	1,993	1,927	2,169	2,186	2,192	2,316	2,155	2,683	89
1989.....	2,346	1,992	2,102	2,200	2,259	2,272	2,394	2,222	2,701	90
1988.....	2,393	2,005	2,065	2,209	2,301	2,259	2,301	2,233	2,800	92
1987.....	2,146	1,943	2,104	2,351	2,200	2,284	2,352	2,190	2,592	89
1986.....	2,123	2,092	2,096	2,312	2,114	2,270	2,301	2,013	2,528	123
1985.....	2,136	2,032	2,382	2,343	2,124	2,204	2,335	1,998	2,524	107
1984.....	2,182	2,198	2,291	2,355	2,269	2,196	2,298	1,918	2,449	75
1983.....	2,134	2,256	2,377	2,357	2,154	2,124	2,109	1,883	2,408	81
1982.....	2,275	2,359	2,476	2,339	2,206	2,092	2,080	1,804	2,266	66
1981.....	2,409	2,748	2,685	2,545	2,328	2,265	2,123	1,839	2,363	81
1980.....	2,585	2,762	2,834	2,533	2,424	2,286	2,193	1,899	2,354	77
1979.....	2,641	2,844	2,865	2,685	2,578	2,299	2,218	1,869	2,206	103
WHITE FEMALE										
1998.....	1,269	1,093	986	979	1,264	1,858	2,495	3,097	6,625	6
1997.....	1,200	1,041	928	955	1,206	1,681	2,349	2,922	6,240	4
1996.....	1,183	988	863	964	1,214	1,761	2,262	2,907	6,084	13
1995.....	1,038	895	824	953	1,187	1,763	2,211	2,609	5,613	4
1994.....	1,031	863	779	884	1,229	1,646	2,161	2,650	5,192	8
1993.....	987	757	754	951	1,280	1,551	2,147	2,568	5,144	8
1992.....	916	711	723	887	1,239	1,561	2,034	2,416	4,846	4
1991.....	852	707	722	948	1,236	1,554	2,069	2,504	4,710	9
1990.....	862	797	838	1,057	1,321	1,536	2,188	2,358	4,492	8
1989.....	856	775	812	1,081	1,318	1,709	2,166	2,405	4,396	8
1988.....	798	852	911	1,117	1,422	1,666	2,104	2,421	4,451	8
1987.....	796	731	936	1,132	1,351	1,601	2,079	2,298	4,048	13
1986.....	728	733	880	1,093	1,340	1,650	2,007	2,300	3,917	12
1985.....	746	797	921	1,168	1,332	1,740	1,958	2,185	3,827	7
1984.....	803	802	948	1,165	1,236	1,554	1,969	2,117	3,777	7
1983.....	720	815	957	1,096	1,263	1,561	1,845	2,084	3,749	11
1982.....	772	868	1,004	1,104	1,227	1,546	1,780	2,058	3,567	15
1981.....	834	986	1,124	1,124	1,248	1,616	1,759	2,100	3,635	9
1980.....	881	1,041	1,142	1,192	1,333	1,598	1,969	2,156	3,719	5
1979.....	913	1,035	1,181	1,182	1,314	1,621	1,885	2,145	3,415	17

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTS AND ADVERSE EFFECTS (E800-E949)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER, BOTH SEXES										
1998.....	1,309	910	674	595	587	605	611	529	792	12
1997.....	1,218	848	667	613	578	624	634	511	733	16
1996.....	1,163	771	621	569	628	631	613	503	684	18
1995.....	1,113	740	604	622	586	615	552	524	683	9
1994.....	1,001	778	619	597	550	592	573	524	653	16
1993.....	871	695	559	583	606	552	515	493	691	17
1992.....	819	648	607	591	565	542	569	449	587	16
1991.....	740	609	589	558	615	538	511	452	642	14
1990.....	769	644	580	661	645	525	553	471	592	16
1989.....	819	706	671	686	679	575	599	470	667	25
1988.....	769	697	663	698	663	660	614	472	629	32
1987.....	729	637	640	662	649	601	533	477	583	25
1986.....	701	628	690	657	550	575	570	442	557	30
1985.....	707	651	682	686	564	619	568	459	534	22
1984.....	661	604	682	582	575	594	496	428	514	17
1983.....	687	685	703	657	629	605	530	457	453	26
1982.....	679	701	703	627	568	585	480	362	404	16
1981.....	741	768	721	654	617	565	454	387	444	26
1980.....	760	858	810	742	724	632	640	438	479	21
1979.....	750	843	737	670	651	550	517	321	443	25
ALL OTHER MALE										
1998.....	953	665	477	405	353	355	320	274	362	10
1997.....	880	605	445	430	361	363	341	248	305	11
1996.....	836	573	438	384	402	372	334	261	285	14
1995.....	843	514	443	414	381	364	318	266	314	9
1994.....	714	569	451	412	331	362	336	287	292	14
1993.....	667	522	405	394	377	348	276	240	313	13
1992.....	617	480	435	414	358	348	304	234	266	13
1991.....	529	449	417	387	411	324	278	261	276	11
1990.....	565	482	402	456	419	314	321	225	260	12
1989.....	638	536	493	499	444	346	342	256	289	20
1988.....	592	534	492	503	466	423	361	255	290	29
1987.....	557	466	467	475	404	375	304	247	269	22
1986.....	550	464	518	422	378	332	353	241	258	23
1985.....	544	480	511	487	374	375	337	242	249	20
1984.....	504	432	498	418	390	383	290	220	249	15
1983.....	515	500	519	464	421	370	311	240	213	20
1982.....	531	521	521	465	385	372	298	207	194	10
1981.....	575	584	547	477	435	378	279	207	207	23
1980.....	590	663	602	528	508	364	359	221	215	15
1979.....	584	642	561	483	453	357	310	188	200	23

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTS AND ADVERSE EFFECTS (E800-E949)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER FEMALE										
1998.....	356	245	197	190	234	250	291	255	430	2
1997.....	338	243	222	183	217	261	293	263	428	5
1996.....	327	198	183	185	226	259	279	242	399	4
1995.....	270	226	161	208	205	251	234	258	369	-
1994.....	287	209	168	185	219	230	237	237	361	2
1993.....	204	173	154	189	229	204	239	253	378	4
1992.....	202	168	172	177	207	194	265	215	321	3
1991.....	211	160	172	171	204	214	233	191	366	3
1990.....	204	162	178	205	226	211	232	246	332	4
1989.....	181	170	178	187	235	229	257	214	378	5
1988.....	177	163	171	195	197	237	253	217	339	3
1987.....	172	171	173	187	245	226	229	230	314	3
1986.....	151	164	172	235	172	243	217	201	299	7
1985.....	163	171	171	199	190	244	231	217	285	2
1984.....	157	172	184	164	185	211	206	208	265	2
1983.....	172	185	184	193	208	235	219	217	240	6
1982.....	148	180	182	162	183	213	182	155	210	6
1981.....	166	184	174	177	182	187	175	180	237	3
1980.....	170	195	208	214	216	268	281	217	264	6
1979.....	166	201	176	187	198	193	207	133	243	2
BLACK, BOTH SEXES										
1998.....	1,116	756	568	479	481	497	516	412	646	12
1997.....	1,039	703	550	494	472	480	510	394	597	14
1996.....	986	652	509	476	517	509	506	398	561	13
1995.....	931	619	494	521	477	528	464	439	574	9
1994.....	845	641	497	493	460	486	468	427	545	11
1993.....	736	582	464	486	521	463	432	398	584	14
1992.....	680	537	507	501	473	445	483	379	487	16
1991.....	605	509	496	464	520	450	454	385	553	13
1990.....	646	533	486	576	543	451	476	389	506	16
1989.....	692	606	581	611	606	513	534	403	591	21
1988.....	664	619	571	600	558	576	536	397	546	29
1987.....	624	565	549	576	554	509	463	402	504	17
1986.....	596	533	603	589	489	515	494	386	477	24
1985.....	612	562	606	620	501	542	501	413	464	20
1984.....	561	514	611	514	519	530	446	382	452	14
1983.....	586	591	631	594	566	533	473	415	401	21
1982.....	592	599	616	542	499	526	433	320	354	15
1981.....	655	683	660	598	546	523	405	349	398	21
1980.....	679	776	736	682	658	573	581	394	423	20
1979.....	681	753	671	590	595	502	463	293	396	23

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTS AND ADVERSE EFFECTS (E800-E949)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
BLACK MALE										
1998.....	826	560	408	335	302	293	264	215	279	10
1997.....	754	513	372	349	304	277	276	192	227	9
1996.....	736	499	363	334	346	309	272	201	226	9
1995.....	723	444	362	351	316	310	270	220	249	9
1994.....	617	471	375	346	284	293	274	228	230	10
1993.....	577	454	339	333	340	296	227	187	263	10
1992.....	524	409	368	360	307	286	261	196	204	13
1991.....	438	376	360	330	345	271	247	210	232	11
1990.....	486	407	341	406	356	275	277	173	207	12
1989.....	542	475	428	450	402	305	309	211	250	16
1988.....	511	480	434	433	392	365	317	206	243	26
1987.....	484	422	400	421	348	319	263	205	231	15
1986.....	470	401	463	378	337	296	313	203	215	20
1985.....	476	422	463	442	339	331	286	215	208	18
1984.....	435	371	451	375	358	338	256	193	213	13
1983.....	451	430	468	416	374	320	269	214	187	15
1982.....	467	453	466	396	343	335	266	174	162	10
1981.....	518	524	501	437	382	348	248	184	182	18
1980.....	535	607	550	485	459	319	312	197	182	14
1979.....	538	585	507	422	415	327	273	169	174	21
BLACK FEMALE										
1998.....	290	196	160	144	179	204	252	197	367	2
1997.....	285	190	178	145	168	203	234	202	370	5
1996.....	250	153	146	142	171	200	234	197	335	4
1995.....	208	175	132	170	161	218	194	219	325	-
1994.....	228	170	122	147	176	193	194	199	315	1
1993.....	159	128	125	153	181	167	205	211	321	4
1992.....	156	128	139	141	166	159	222	183	283	3
1991.....	167	133	136	134	175	179	207	175	321	2
1990.....	160	126	145	170	187	176	199	216	299	4
1989.....	150	131	153	161	204	208	225	192	341	5
1988.....	153	139	137	167	166	211	219	191	303	3
1987.....	140	143	149	155	206	190	200	197	273	2
1986.....	126	132	140	211	152	219	181	183	262	4
1985.....	136	140	143	178	162	211	215	198	256	2
1984.....	126	143	160	139	161	192	190	189	239	1
1983.....	135	161	163	178	192	213	204	201	214	6
1982.....	125	146	150	146	156	191	167	146	192	5
1981.....	137	159	159	161	164	175	157	165	216	3
1980.....	144	169	186	197	199	254	269	197	241	6
1979.....	143	168	164	168	180	175	190	124	222	2

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 MOTOR VEHICLE ACCIDENTS (E810-E825)

TOTAL, BOTH SEXES										
1998	2,762	2,234	1,855	1,565	1,625	1,785	1,867	1,590	1,278	30
1997	2,643	2,162	1,776	1,553	1,596	1,774	1,840	1,552	1,265	22
1996	2,586	1,967	1,650	1,546	1,623	1,796	1,724	1,509	1,132	43
1995	2,439	1,894	1,562	1,533	1,562	1,738	1,757	1,428	1,141	32
1994	2,321	1,853	1,491	1,432	1,648	1,737	1,734	1,457	1,026	34
1993	2,134	1,669	1,432	1,476	1,509	1,607	1,758	1,432	1,015	34
1992	2,073	1,648	1,440	1,436	1,569	1,678	1,580	1,333	893	32
1991	2,053	1,579	1,445	1,539	1,615	1,578	1,646	1,286	919	43
1990	2,135	1,782	1,640	1,725	1,730	1,620	1,666	1,251	943	45
1989	2,069	1,810	1,675	1,733	1,716	1,749	1,632	1,277	877	38
1988	2,041	1,784	1,712	1,708	1,741	1,688	1,573	1,299	858	45
1987	1,911	1,665	1,676	1,769	1,680	1,597	1,528	1,198	778	49
1986	1,781	1,661	1,691	1,666	1,519	1,577	1,512	1,100	702	47
1985	1,773	1,650	1,729	1,733	1,452	1,562	1,407	1,029	706	35
1984	1,811	1,649	1,760	1,734	1,537	1,483	1,435	993	655	31
1983	1,730	1,700	1,648	1,612	1,445	1,382	1,260	921	641	27
1982	1,796	1,728	1,771	1,584	1,449	1,376	1,205	869	578	29
1981	1,991	2,030	2,062	1,735	1,567	1,523	1,272	910	607	47
1980	2,106	2,129	2,080	1,707	1,553	1,438	1,306	862	619	26
1979	2,093	2,164	2,063	1,842	1,699	1,472	1,306	873	537	35
TOTAL, MALE										
1998	1,893	1,546	1,211	1,008	967	971	1,010	879	727	27
1997	1,805	1,469	1,130	971	929	1,026	1,004	833	672	18
1996	1,785	1,319	1,096	945	980	1,006	935	803	631	36
1995	1,700	1,281	1,029	964	927	937	942	779	629	30
1994	1,593	1,232	977	908	964	950	933	771	584	30
1993	1,500	1,133	964	923	850	906	938	776	594	29
1992	1,399	1,151	947	912	919	957	852	736	506	31
1991	1,416	1,086	975	981	955	880	891	706	524	41
1990	1,487	1,202	1,075	1,088	1,007	910	871	673	543	42
1989	1,445	1,237	1,153	1,103	991	954	884	707	515	34
1988	1,455	1,194	1,109	1,099	1,060	964	838	721	495	39
1987	1,327	1,143	1,109	1,144	1,008	920	805	685	460	42
1986	1,281	1,149	1,128	1,069	884	863	857	627	415	42
1985	1,258	1,130	1,217	1,077	839	846	793	568	421	34
1984	1,280	1,166	1,168	1,125	964	858	801	544	403	27
1983	1,246	1,183	1,127	1,049	885	795	713	538	394	24
1982	1,310	1,237	1,233	1,037	902	789	695	518	346	21
1981	1,465	1,456	1,417	1,142	1,007	911	757	540	373	42
1980	1,540	1,496	1,424	1,151	999	847	767	502	382	23
1979	1,526	1,560	1,456	1,259	1,119	882	774	523	331	33

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 MOTOR VEHICLE ACCIDENTS (E810-E825)										
TOTAL, FEMALE										
1998.....	869	688	644	557	658	814	857	711	551	3
1997.....	838	693	646	582	667	748	836	719	593	4
1996.....	801	648	554	601	643	790	789	706	501	7
1995.....	739	613	533	569	635	801	815	649	512	2
1994.....	728	621	514	524	684	787	801	686	442	4
1993.....	634	536	468	553	659	701	820	656	421	5
1992.....	674	497	493	524	650	721	728	597	387	1
1991.....	637	493	470	558	660	698	755	580	395	2
1990.....	648	580	565	637	723	710	795	578	400	3
1989.....	624	573	522	630	725	795	748	570	362	4
1988.....	586	590	603	609	681	724	735	578	363	6
1987.....	584	522	567	625	672	677	723	513	318	7
1986.....	500	512	563	597	635	714	655	473	287	5
1985.....	515	520	512	656	613	716	614	461	285	1
1984.....	531	483	592	609	573	625	634	449	252	4
1983.....	484	517	521	563	560	587	547	383	247	3
1982.....	486	491	538	547	547	587	510	351	232	8
1981.....	526	574	645	593	560	612	515	370	234	5
1980.....	566	633	656	556	554	591	539	360	237	3
1979.....	567	604	607	583	580	590	532	350	206	2
WHITE, BOTH SEXES										
1998.....	2,239	1,848	1,545	1,325	1,397	1,578	1,672	1,470	1,190	26
1997.....	2,164	1,787	1,474	1,304	1,377	1,541	1,666	1,431	1,173	18
1996.....	2,142	1,649	1,400	1,330	1,397	1,586	1,557	1,387	1,055	36
1995.....	1,993	1,588	1,317	1,296	1,360	1,524	1,600	1,316	1,066	30
1994.....	1,943	1,512	1,234	1,196	1,436	1,510	1,550	1,342	952	29
1993.....	1,786	1,372	1,204	1,242	1,298	1,439	1,599	1,331	914	28
1992.....	1,703	1,355	1,173	1,191	1,366	1,486	1,440	1,241	840	25
1991.....	1,706	1,322	1,211	1,315	1,384	1,417	1,517	1,201	845	38
1990.....	1,755	1,473	1,368	1,470	1,489	1,457	1,529	1,139	878	40
1989.....	1,717	1,498	1,407	1,477	1,503	1,579	1,486	1,187	819	34
1988.....	1,715	1,503	1,455	1,467	1,518	1,494	1,414	1,222	781	35
1987.....	1,583	1,390	1,429	1,540	1,459	1,434	1,409	1,123	724	43
1986.....	1,488	1,373	1,420	1,429	1,358	1,429	1,357	1,019	633	37
1985.....	1,499	1,392	1,474	1,481	1,279	1,398	1,270	964	660	34
1984.....	1,535	1,423	1,508	1,525	1,359	1,324	1,307	923	595	25
1983.....	1,442	1,433	1,417	1,413	1,271	1,239	1,130	855	604	21
1982.....	1,523	1,470	1,527	1,379	1,265	1,232	1,095	817	538	23
1981.....	1,679	1,743	1,798	1,534	1,382	1,333	1,160	844	574	36
1980.....	1,818	1,808	1,792	1,480	1,345	1,296	1,182	799	576	21
1979.....	1,797	1,835	1,763	1,606	1,489	1,323	1,194	821	496	30

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 MOTOR VEHICLE ACCIDENTS (E810-E825)										
WHITE MALE										
1998.....	1,537	1,287	999	859	838	852	897	799	668	23
1997.....	1,491	1,216	935	812	797	890	904	765	629	17
1996.....	1,510	1,089	923	807	842	880	838	733	583	30
1995.....	1,386	1,083	858	819	797	804	837	712	574	28
1994.....	1,355	1,000	798	753	837	802	820	699	536	26
1993.....	1,239	928	799	767	718	799	845	718	526	24
1992.....	1,142	945	769	747	788	831	762	682	468	25
1991.....	1,180	900	820	838	800	777	817	644	476	36
1990.....	1,220	976	903	916	864	811	792	603	496	38
1989.....	1,181	1,004	958	926	862	844	790	649	472	31
1988.....	1,216	990	933	930	902	824	736	670	438	30
1987.....	1,075	959	931	982	874	811	734	636	424	36
1986.....	1,062	944	935	918	774	765	747	568	364	34
1985.....	1,055	945	1,025	899	728	731	696	532	392	33
1984.....	1,070	1,002	991	968	837	747	712	500	358	22
1983.....	1,035	991	946	909	765	696	630	494	370	19
1982.....	1,096	1,044	1,053	881	770	690	615	476	318	18
1981.....	1,219	1,242	1,220	994	868	771	675	501	350	33
1980.....	1,322	1,251	1,203	984	834	740	672	462	356	18
1979.....	1,289	1,321	1,224	1,089	959	778	703	486	299	28
WHITE FEMALE										
1998.....	702	561	546	466	559	726	775	671	522	3
1997.....	673	571	539	492	580	651	762	666	544	1
1996.....	632	560	477	523	555	706	719	654	472	6
1995.....	607	505	459	477	563	720	763	604	492	2
1994.....	588	512	436	443	599	708	730	643	416	3
1993.....	547	444	405	475	580	640	754	613	388	4
1992.....	561	410	404	444	578	655	678	559	372	-
1991.....	526	422	391	477	584	640	700	557	369	2
1990.....	535	497	465	554	625	646	737	536	382	2
1989.....	536	494	449	551	641	735	696	538	347	3
1988.....	499	513	522	537	616	670	678	552	343	5
1987.....	508	431	498	558	585	623	675	487	300	7
1986.....	426	429	485	511	584	664	610	451	269	3
1985.....	444	447	449	582	551	667	574	432	268	1
1984.....	465	421	517	557	522	577	595	423	237	3
1983.....	407	442	471	504	506	543	500	361	234	2
1982.....	427	426	474	498	495	542	480	341	220	5
1981.....	460	501	578	540	514	562	485	343	224	3
1980.....	496	557	589	496	511	556	510	337	220	3
1979.....	508	514	539	517	530	545	491	335	197	2

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 MOTOR VEHICLE ACCIDENTS (E810-E825)										
ALL OTHER, BOTH SEXES										
1998.....	523	386	310	240	228	207	195	120	88	4
1997.....	479	375	302	249	219	233	174	121	92	4
1996.....	444	318	250	216	226	210	167	122	77	7
1995.....	446	306	245	237	202	214	157	112	75	2
1994.....	378	341	257	236	212	227	184	115	74	5
1993.....	348	297	228	234	211	168	159	101	101	6
1992.....	370	293	267	245	203	192	140	92	53	7
1991.....	347	257	234	224	231	161	129	85	74	5
1990.....	380	309	272	255	241	163	137	112	65	5
1989.....	352	312	268	256	213	170	146	90	58	4
1988.....	326	281	257	241	223	194	159	77	77	10
1987.....	328	275	247	229	221	163	119	75	54	6
1986.....	293	288	271	237	161	148	155	81	69	10
1985.....	274	258	255	252	173	164	137	65	46	1
1984.....	276	226	252	209	178	159	128	70	60	6
1983.....	288	267	231	199	174	143	130	66	37	6
1982.....	273	258	244	205	184	144	110	52	40	6
1981.....	312	287	264	201	185	190	112	66	33	11
1980.....	288	321	288	227	208	142	124	63	43	5
1979.....	296	329	300	236	210	149	112	52	41	5
ALL OTHER MALE										
1998.....	356	259	212	149	129	119	113	80	59	4
1997.....	314	253	195	159	132	136	100	68	43	1
1996.....	275	230	173	138	138	126	97	70	48	6
1995.....	314	198	171	145	130	133	105	67	55	2
1994.....	238	232	179	155	127	148	113	72	48	4
1993.....	261	205	165	156	132	107	93	58	68	5
1992.....	257	206	178	165	131	126	90	54	38	6
1991.....	236	186	155	143	155	103	74	62	48	5
1990.....	267	226	172	172	143	99	79	70	47	4
1989.....	264	233	195	177	129	110	94	58	43	3
1988.....	239	204	176	169	158	140	102	51	57	9
1987.....	252	184	178	162	134	109	71	49	36	6
1986.....	219	205	193	151	110	98	110	59	51	8
1985.....	203	185	192	178	111	115	97	36	29	1
1984.....	210	164	177	157	127	111	89	44	45	5
1983.....	211	192	181	140	120	99	83	44	24	5
1982.....	214	193	180	156	132	99	80	42	28	3
1981.....	246	214	197	148	139	140	82	39	23	9
1980.....	218	245	221	167	165	107	95	40	26	5
1979.....	237	239	232	170	160	104	71	37	32	5

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 MOTOR VEHICLE ACCIDENTS (E810-E825)

ALL OTHER FEMALE										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	167	127	98	91	99	88	82	40	29	-
1997	165	122	107	90	87	97	74	53	49	3
1996	169	88	77	78	88	84	70	52	29	1
1995	132	108	74	92	72	81	52	45	20	-
1994	140	109	78	81	85	79	71	43	26	1
1993	87	92	63	78	79	61	66	43	33	1
1992	113	87	89	80	72	66	50	38	15	1
1991	111	71	79	81	76	58	55	23	26	-
1990	113	83	100	83	98	64	58	42	18	1
1989	88	79	73	79	84	60	52	32	15	1
1988	87	77	81	72	65	54	57	26	20	1
1987	76	91	69	67	87	54	48	26	18	-
1986	74	83	78	86	51	50	45	22	18	2
1985	71	73	63	74	62	49	40	29	17	-
1984	66	62	75	52	51	48	39	26	15	1
1983	77	75	50	59	54	44	47	22	13	1
1982	59	65	64	49	52	45	30	10	12	3
1981	66	73	67	53	46	50	30	27	10	2
1980	70	76	67	60	43	35	29	23	17	-
1979	59	90	68	66	50	45	41	15	9	-
BLACK, BOTH SEXES										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	410	296	239	185	175	163	154	84	65	4
1997	384	288	240	187	164	162	120	78	73	4
1996	344	244	189	165	170	152	128	90	64	6
1995	336	227	180	178	145	172	115	84	59	2
1994	293	260	191	177	159	171	138	86	60	3
1993	274	220	174	178	172	129	124	70	74	5
1992	286	224	203	197	154	143	112	69	38	7
1991	263	193	181	179	180	118	106	63	60	5
1990	298	239	208	215	192	133	106	81	46	5
1989	285	255	212	213	172	144	116	69	45	4
1988	260	235	211	196	175	154	126	61	63	7
1987	259	227	205	186	177	128	92	53	39	4
1986	233	227	225	204	134	121	122	60	58	8
1985	224	206	214	217	141	126	118	53	37	1
1984	216	171	213	175	161	136	107	62	49	4
1983	229	224	199	176	140	115	109	54	28	6
1982	219	217	198	166	149	116	93	39	32	5
1981	257	243	232	176	151	170	93	57	27	7
1980	240	275	245	198	177	126	100	46	31	5
1979	261	286	271	201	185	131	96	43	37	3

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 MOTOR VEHICLE ACCIDENTS (E810-E825)										
BLACK MALE										
1998.....	285	205	165	122	109	96	93	60	44	4
1997.....	255	204	163	124	107	100	66	49	32	1
1996.....	230	187	134	115	113	96	76	57	41	5
1995.....	250	155	126	111	101	107	84	49	42	2
1994.....	197	174	139	120	99	113	86	55	37	2
1993.....	217	162	130	123	119	93	71	44	54	4
1992.....	212	168	136	138	107	98	77	40	26	6
1991.....	184	141	125	122	122	77	63	44	42	5
1990.....	218	183	135	150	120	84	63	50	32	4
1989.....	216	203	157	155	109	94	80	42	35	3
1988.....	193	176	152	141	128	116	84	39	46	6
1987.....	206	156	148	141	114	88	62	35	28	4
1986.....	179	164	171	132	90	82	93	46	42	7
1985.....	168	154	167	155	96	90	81	27	24	1
1984.....	174	129	152	140	119	97	73	40	36	3
1983.....	175	166	158	126	95	81	67	36	18	5
1982.....	179	167	152	125	110	82	68	30	21	3
1981.....	209	188	176	131	116	125	70	35	20	5
1980.....	188	212	194	150	141	96	73	33	18	5
1979.....	218	218	211	144	140	94	59	32	29	3
BLACK FEMALE										
1998.....	125	91	74	63	66	67	61	24	21	-
1997.....	129	84	77	63	57	62	54	29	41	3
1996.....	114	57	55	50	57	56	52	33	23	1
1995.....	86	72	54	67	44	65	31	35	17	-
1994.....	96	86	52	57	60	58	52	31	23	1
1993.....	57	58	44	55	53	36	53	26	20	1
1992.....	74	56	67	59	47	45	35	29	12	1
1991.....	79	52	56	57	58	41	43	19	18	-
1990.....	80	56	73	65	72	49	43	31	14	1
1989.....	69	52	55	58	63	50	36	27	10	1
1988.....	67	59	59	55	47	38	42	22	17	1
1987.....	53	71	57	45	63	40	30	18	11	-
1986.....	54	63	54	72	44	39	29	14	16	1
1985.....	56	52	47	62	45	36	37	26	13	-
1984.....	42	42	61	35	42	39	34	22	13	1
1983.....	54	58	41	50	45	34	42	18	10	1
1982.....	40	50	46	41	39	34	25	9	11	2
1981.....	48	55	56	45	35	45	23	22	7	2
1980.....	52	63	51	48	36	30	27	13	13	-
1979.....	43	68	60	57	45	37	37	11	8	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)										

TOTAL, BOTH SEXES

1998.....	3,469	2,481	2,002	1,918	2,312	3,170	4,129	5,125	10,094	80
1997.....	3,295	2,316	1,904	1,872	2,245	2,963	3,952	4,761	9,438	78
1996.....	3,131	2,162	1,801	1,874	2,286	3,075	3,770	4,659	9,256	73
1995.....	2,830	2,098	1,748	1,900	2,198	2,902	3,542	4,241	8,590	72
1994.....	2,676	1,918	1,663	1,846	2,124	2,770	3,515	4,251	8,052	65
1993.....	2,415	1,811	1,618	1,879	2,270	2,739	3,346	4,129	7,979	74
1992.....	2,072	1,692	1,623	1,898	2,292	2,626	3,357	3,902	7,403	86
1991.....	1,936	1,569	1,646	1,926	2,285	2,659	3,300	3,910	7,246	77
1990.....	1,806	1,652	1,705	2,162	2,422	2,633	3,391	3,733	6,824	68
1989.....	1,952	1,663	1,910	2,234	2,540	2,807	3,527	3,820	6,887	85
1988.....	1,919	1,770	1,927	2,316	2,645	2,897	3,446	3,827	7,022	87
1987.....	1,760	1,646	2,004	2,376	2,520	2,889	3,436	3,767	6,445	78
1986.....	1,771	1,792	1,975	2,396	2,485	2,918	3,366	3,655	6,300	118
1985.....	1,816	1,830	2,256	2,464	2,568	3,001	3,454	3,613	6,179	101
1984.....	1,835	1,955	2,161	2,368	2,543	2,861	3,328	3,470	6,085	68
1983.....	1,811	2,056	2,389	2,498	2,601	2,908	3,224	3,503	5,969	91
1982.....	1,930	2,200	2,412	2,486	2,552	2,847	3,135	3,355	5,659	68
1981.....	1,993	2,472	2,468	2,588	2,626	2,923	3,064	3,416	5,835	69
1980.....	2,120	2,532	2,706	2,760	2,928	3,078	3,496	3,631	5,933	77
1979.....	2,211	2,558	2,720	2,695	2,844	2,998	3,314	3,462	5,527	110

TOTAL, MALE

1998.....	2,713	1,831	1,463	1,306	1,472	1,876	2,200	2,484	3,590	75
1997.....	2,595	1,725	1,400	1,316	1,489	1,769	2,146	2,295	3,363	73
1996.....	2,422	1,624	1,309	1,326	1,489	1,845	2,018	2,216	3,274	63
1995.....	2,261	1,590	1,296	1,308	1,441	1,689	1,912	2,023	3,120	70
1994.....	2,086	1,467	1,230	1,301	1,360	1,681	1,918	2,050	2,941	59
1993.....	1,858	1,417	1,178	1,292	1,420	1,685	1,780	1,964	2,878	67
1992.....	1,628	1,310	1,221	1,358	1,496	1,592	1,786	1,868	2,623	80
1991.....	1,510	1,195	1,222	1,365	1,505	1,589	1,753	1,795	2,565	67
1990.....	1,388	1,273	1,254	1,537	1,598	1,596	1,766	1,707	2,400	59
1989.....	1,539	1,291	1,442	1,596	1,712	1,664	1,852	1,771	2,475	76
1988.....	1,530	1,345	1,448	1,613	1,707	1,718	1,824	1,767	2,595	82
1987.....	1,376	1,266	1,462	1,682	1,596	1,739	1,851	1,752	2,401	69
1986.....	1,392	1,407	1,486	1,665	1,608	1,739	1,797	1,627	2,371	104
1985.....	1,422	1,382	1,676	1,753	1,659	1,733	1,879	1,672	2,352	93
1984.....	1,406	1,464	1,621	1,648	1,695	1,721	1,787	1,594	2,295	63
1983.....	1,403	1,573	1,769	1,772	1,690	1,699	1,707	1,585	2,227	77
1982.....	1,496	1,643	1,764	1,767	1,689	1,675	1,683	1,493	2,114	55
1981.....	1,519	1,876	1,815	1,880	1,756	1,732	1,645	1,506	2,197	62
1980.....	1,635	1,929	2,012	1,910	1,933	1,803	1,785	1,618	2,187	69
1979.....	1,699	1,926	1,970	1,909	1,912	1,774	1,754	1,534	2,075	93

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)

TOTAL, FEMALE										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	756	650	539	612	840	1,294	1,929	2,641	6,504	5
1997	700	591	504	556	756	1,194	1,806	2,466	6,075	5
1996	709	538	492	548	797	1,230	1,752	2,443	5,982	10
1995	569	508	452	592	757	1,213	1,630	2,218	5,470	2
1994	590	451	433	545	764	1,089	1,597	2,201	5,111	6
1993	557	394	440	587	850	1,054	1,566	2,165	5,101	7
1992	444	382	402	540	796	1,034	1,571	2,034	4,780	6
1991	426	374	424	561	780	1,070	1,547	2,115	4,681	10
1990	418	379	451	625	824	1,037	1,625	2,026	4,424	9
1989	413	372	468	638	828	1,143	1,675	2,049	4,412	9
1988	389	425	479	703	938	1,179	1,622	2,060	4,427	5
1987	384	380	542	694	924	1,150	1,585	2,015	4,044	9
1986	379	385	489	731	877	1,179	1,569	2,028	3,929	14
1985	394	448	580	711	909	1,268	1,575	1,941	3,827	8
1984	429	491	540	720	848	1,140	1,541	1,876	3,790	5
1983	408	483	620	726	911	1,209	1,517	1,918	3,742	14
1982	434	557	648	719	863	1,172	1,452	1,862	3,545	13
1981	474	596	653	708	870	1,191	1,419	1,910	3,638	7
1980	485	603	694	850	995	1,275	1,711	2,013	3,746	8
1979	512	632	750	786	932	1,224	1,560	1,928	3,452	17
WHITE, BOTH SEXES										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	2,683	1,957	1,638	1,563	1,953	2,772	3,713	4,716	9,390	72
1997	2,556	1,843	1,539	1,508	1,886	2,572	3,492	4,371	8,797	66
1996	2,412	1,709	1,430	1,521	1,884	2,654	3,324	4,278	8,649	62
1995	2,163	1,664	1,389	1,515	1,814	2,501	3,147	3,829	7,982	65
1994	2,053	1,481	1,301	1,485	1,786	2,405	3,126	3,842	7,473	54
1993	1,892	1,413	1,287	1,530	1,875	2,355	2,990	3,737	7,389	63
1992	1,623	1,337	1,283	1,552	1,930	2,276	2,928	3,545	6,869	77
1991	1,543	1,217	1,291	1,592	1,901	2,282	2,918	3,543	6,678	68
1990	1,417	1,317	1,397	1,756	2,018	2,271	2,975	3,374	6,297	57
1989	1,485	1,269	1,507	1,804	2,074	2,402	3,074	3,440	6,278	64
1988	1,476	1,354	1,521	1,859	2,205	2,431	2,991	3,432	6,470	65
1987	1,359	1,284	1,611	1,943	2,092	2,451	3,022	3,365	5,916	59
1986	1,363	1,452	1,556	1,976	2,096	2,491	2,951	3,294	5,812	98
1985	1,383	1,437	1,829	2,030	2,177	2,546	3,023	3,219	5,691	80
1984	1,450	1,577	1,731	1,995	2,146	2,426	2,960	3,112	5,631	57
1983	1,412	1,638	1,917	2,040	2,146	2,446	2,824	3,112	5,553	71
1982	1,524	1,757	1,953	2,064	2,168	2,406	2,765	3,045	5,295	58
1981	1,564	1,991	2,011	2,135	2,194	2,548	2,722	3,095	5,424	54
1980	1,648	1,995	2,184	2,245	2,412	2,588	2,980	3,256	5,497	61
1979	1,757	2,044	2,283	2,261	2,403	2,597	2,909	3,193	5,125	90

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)										

WHITE MALE

1998.....	2,116	1,425	1,198	1,050	1,248	1,640	1,993	2,290	3,287	69
1997.....	2,029	1,373	1,150	1,045	1,260	1,542	1,905	2,115	3,101	63
1996.....	1,861	1,281	1,044	1,080	1,225	1,599	1,781	2,025	3,037	55
1995.....	1,732	1,274	1,024	1,039	1,190	1,458	1,699	1,824	2,861	63
1994.....	1,610	1,130	958	1,044	1,156	1,467	1,695	1,835	2,697	49
1993.....	1,452	1,100	938	1,054	1,175	1,444	1,597	1,782	2,633	59
1992.....	1,268	1,036	964	1,109	1,269	1,370	1,572	1,688	2,395	73
1991.....	1,217	932	960	1,121	1,249	1,368	1,549	1,596	2,337	61
1990.....	1,090	1,017	1,024	1,253	1,322	1,381	1,524	1,552	2,187	51
1989.....	1,165	988	1,144	1,274	1,397	1,428	1,604	1,573	2,229	59
1988.....	1,177	1,015	1,132	1,279	1,399	1,435	1,565	1,563	2,362	62
1987.....	1,071	984	1,173	1,369	1,326	1,473	1,618	1,554	2,168	53
1986.....	1,061	1,148	1,161	1,394	1,340	1,505	1,554	1,445	2,164	89
1985.....	1,081	1,087	1,357	1,444	1,396	1,473	1,639	1,466	2,132	74
1984.....	1,112	1,196	1,300	1,387	1,432	1,449	1,586	1,418	2,091	53
1983.....	1,099	1,265	1,431	1,448	1,389	1,428	1,479	1,389	2,038	62
1982.....	1,179	1,315	1,423	1,458	1,436	1,402	1,465	1,328	1,948	48
1981.....	1,190	1,506	1,465	1,551	1,460	1,494	1,448	1,338	2,013	48
1980.....	1,263	1,511	1,631	1,549	1,590	1,546	1,521	1,437	1,998	59
1979.....	1,352	1,523	1,641	1,596	1,619	1,521	1,515	1,383	1,907	75

WHITE FEMALE

1998.....	567	532	440	513	705	1,132	1,720	2,426	6,103	3
1997.....	527	470	389	463	626	1,030	1,587	2,256	5,696	3
1996.....	551	428	386	441	659	1,055	1,543	2,253	5,612	7
1995.....	431	390	365	476	624	1,043	1,448	2,005	5,121	2
1994.....	443	351	343	441	630	938	1,431	2,007	4,776	5
1993.....	440	313	349	476	700	911	1,393	1,955	4,756	4
1992.....	355	301	319	443	661	906	1,356	1,857	4,474	4
1991.....	326	285	331	471	652	914	1,369	1,947	4,341	7
1990.....	327	300	373	503	696	890	1,451	1,822	4,110	6
1989.....	320	281	363	530	677	974	1,470	1,867	4,049	5
1988.....	299	339	389	580	806	996	1,426	1,869	4,108	3
1987.....	288	300	438	574	766	978	1,404	1,811	3,748	6
1986.....	302	304	395	582	756	986	1,397	1,849	3,648	9
1985.....	302	350	472	586	781	1,073	1,384	1,753	3,559	6
1984.....	338	381	431	608	714	977	1,374	1,694	3,540	4
1983.....	313	373	486	592	757	1,018	1,345	1,723	3,515	9
1982.....	345	442	530	606	732	1,004	1,300	1,717	3,347	10
1981.....	374	485	546	584	734	1,054	1,274	1,757	3,411	6
1980.....	385	484	553	696	822	1,042	1,459	1,819	3,499	2
1979.....	405	521	642	665	784	1,076	1,394	1,810	3,218	15

RACE, AND SEX: UNITED STATES, 1979-98
 - CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED
 0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)

ALL OTHER, BOTH SEXES

1998.....	786	524	364	355	359	398	416	409	704	8
1997.....	739	473	365	364	359	391	460	390	641	12
1996.....	719	453	371	353	402	421	446	381	607	11
1995.....	667	434	359	385	384	401	395	412	608	7
1994.....	623	437	362	361	338	365	389	409	579	11
1993.....	523	398	331	349	395	384	356	392	590	11
1992.....	449	355	340	346	362	350	429	357	534	9
1991.....	393	352	355	334	384	377	382	367	568	9
1990.....	389	335	308	406	404	362	416	359	527	11
1989.....	467	394	403	430	466	405	453	380	609	21
1988.....	443	416	406	457	440	466	455	395	552	22
1987.....	401	362	393	433	428	438	414	402	529	19
1986.....	408	340	419	420	389	427	415	361	488	20
1985.....	433	393	427	434	391	455	431	394	488	21
1984.....	385	378	430	373	397	435	368	358	454	11
1983.....	399	418	472	458	455	462	400	391	416	20
1982.....	406	443	459	422	384	441	370	310	364	10
1981.....	429	481	457	453	432	375	342	321	411	15
1980.....	472	537	522	515	516	490	516	375	436	16
1979.....	454	514	437	434	441	401	405	269	402	20

ALL OTHER MALE

1998.....	597	406	265	256	224	236	207	194	303	6
1997.....	566	352	250	271	229	227	241	180	262	10
1996.....	561	343	265	246	264	246	237	191	237	8
1995.....	529	316	272	269	251	231	213	199	259	7
1994.....	476	337	272	257	204	214	223	215	244	10
1993.....	406	317	240	238	245	241	183	182	245	8
1992.....	360	274	257	249	227	222	214	180	228	7
1991.....	293	263	262	244	256	221	204	199	228	6
1990.....	298	256	230	284	276	215	242	155	213	8
1989.....	374	303	298	322	315	236	248	198	246	17
1988.....	353	330	316	334	308	283	259	204	233	20
1987.....	305	282	289	313	270	266	233	198	233	16
1986.....	331	259	325	271	268	234	243	182	207	15
1985.....	341	295	319	309	263	260	240	206	220	19
1984.....	294	268	321	261	263	272	201	176	204	10
1983.....	304	308	338	324	301	271	228	196	189	15
1982.....	317	328	341	309	253	273	218	165	166	7
1981.....	329	370	350	329	296	238	197	168	184	14
1980.....	372	418	381	361	343	257	264	181	189	10
1979.....	347	403	329	313	293	253	239	151	168	18

RACE, AND SEX: UNITED STATES, 1979-98

- CAUSE-OF-DEATH CODE, 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 + NOT
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS STATED

0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)

ALL OTHER FEMALE										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	189	118	99	99	135	162	209	215	401	2
1997	173	121	115	93	130	164	219	210	379	2
1996	158	110	106	107	138	175	209	190	370	3
1995	138	118	87	116	133	170	182	213	349	-
1994	147	100	90	104	134	151	166	194	335	1
1993	117	81	91	111	150	143	173	210	345	3
1992	89	81	83	97	135	128	215	177	306	2
1991	100	89	93	90	128	156	178	168	340	3
1990	91	79	78	122	128	147	174	204	314	3
1989	93	91	105	108	151	169	205	182	363	4
1988	90	86	90	123	132	183	196	191	319	2
1987	96	80	104	120	158	172	181	204	296	3
1986	77	81	94	149	121	193	172	179	281	5
1985	92	98	108	125	128	195	191	188	268	2
1984	91	110	109	112	134	163	167	182	250	1
1983	95	110	134	134	154	191	172	195	227	5
1982	89	115	118	113	131	168	152	145	198	3
1981	100	111	107	124	136	137	145	153	227	1
1980	100	119	141	154	173	233	252	194	247	6
1979	107	111	108	121	148	148	166	118	234	2
BLACK, BOTH SEXES										
Year	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +	NOT STATED
1998	706	460	329	294	306	334	362	328	581	8
1997	655	415	310	307	308	318	390	316	524	10
1996	642	408	320	311	347	357	378	308	497	7
1995	595	392	314	343	332	356	349	355	515	7
1994	552	381	306	316	301	315	330	341	485	8
1993	462	362	290	308	349	334	308	328	510	9
1992	394	313	304	304	319	302	371	310	449	9
1991	342	316	315	285	340	332	348	322	493	8
1990	348	294	278	361	351	318	370	308	460	11
1989	407	351	369	398	434	369	418	334	546	17
1988	404	384	360	404	383	422	410	336	483	22
1987	365	338	344	390	377	381	371	349	465	13
1986	363	306	378	385	355	394	372	326	419	16
1985	388	356	392	403	360	416	383	360	427	19
1984	345	343	398	339	358	394	339	320	403	10
1983	357	367	432	418	426	418	364	361	373	15
1982	373	382	418	376	350	410	340	281	322	10
1981	398	440	428	422	395	353	312	292	371	14
1980	439	501	491	484	481	447	481	348	392	15
1979	420	467	400	389	410	371	367	250	359	20

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)										

BLACK MALE

1998.....	541	355	243	213	193	197	171	155	235	6
1997.....	499	309	209	225	197	177	210	143	195	8
1996.....	506	312	229	219	233	213	196	144	185	4
1995.....	473	289	236	240	215	203	186	171	207	7
1994.....	420	297	236	226	185	180	188	173	193	8
1993.....	360	292	209	210	221	203	156	143	209	6
1992.....	312	241	232	222	200	188	184	156	178	7
1991.....	254	235	235	208	223	194	184	166	190	6
1990.....	268	224	206	256	236	191	214	123	175	8
1989.....	326	272	271	295	293	211	229	169	215	13
1988.....	318	304	282	292	264	249	233	167	197	20
1987.....	278	266	252	280	234	231	201	170	203	11
1986.....	291	237	292	246	247	214	220	157	173	13
1985.....	308	268	296	287	243	241	205	188	184	17
1984.....	261	242	299	235	239	241	183	153	177	10
1983.....	276	264	310	290	279	239	202	178	169	10
1982.....	288	286	314	271	233	253	198	144	141	7
1981.....	309	336	325	306	266	223	178	149	162	13
1980.....	347	395	356	335	318	223	239	164	164	9
1979.....	320	367	296	278	275	233	214	137	145	18

BLACK FEMALE

1998.....	165	105	86	81	113	137	191	173	346	2
1997.....	156	106	101	82	111	141	180	173	329	2
1996.....	136	96	91	92	114	144	182	164	312	3
1995.....	122	103	78	103	117	153	163	184	308	-
1994.....	132	84	70	90	116	135	142	168	292	-
1993.....	102	70	81	98	128	131	152	185	301	3
1992.....	82	72	72	82	119	114	187	154	271	2
1991.....	88	81	80	77	117	138	164	156	303	2
1990.....	80	70	72	105	115	127	156	185	285	3
1989.....	81	79	98	103	141	158	189	165	331	4
1988.....	86	80	78	112	119	173	177	169	286	2
1987.....	87	72	92	110	143	150	170	179	262	2
1986.....	72	69	86	139	108	180	152	169	246	3
1985.....	80	88	96	116	117	175	178	172	243	2
1984.....	84	101	99	104	119	153	156	167	226	-
1983.....	81	103	122	128	147	179	162	183	204	5
1982.....	85	96	104	105	117	157	142	137	181	3
1981.....	89	104	103	116	129	130	134	143	209	1
1980.....	92	106	135	149	163	224	242	184	228	6
1979.....	100	100	104	111	135	138	153	113	214	2

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, BOTH SEXES										
1998.....	2,881	2,250	1,707	1,256	1,259	1,338	1,273	1,082	851	17
1997.....	2,801	2,147	1,702	1,244	1,291	1,372	1,303	957	805	18
1996.....	2,785	2,052	1,615	1,310	1,419	1,387	1,280	1,010	759	24
1995.....	2,561	1,971	1,435	1,369	1,436	1,524	1,307	1,004	785	12
1994.....	2,407	1,889	1,462	1,350	1,384	1,481	1,351	981	811	19
1993.....	2,269	1,899	1,561	1,500	1,499	1,541	1,347	1,043	778	18
1992.....	2,251	1,767	1,541	1,564	1,555	1,483	1,387	1,021	714	13
1991.....	2,206	1,777	1,613	1,628	1,572	1,512	1,395	1,031	758	20
1990.....	2,059	1,659	1,692	1,691	1,666	1,564	1,461	1,032	671	11
1989.....	1,954	1,688	1,650	1,692	1,742	1,533	1,349	910	694	14
1988.....	1,898	1,634	1,720	1,686	1,718	1,578	1,447	1,015	605	19
1987.....	1,931	1,776	1,838	1,812	1,757	1,671	1,469	933	634	13
1986.....	1,895	1,841	1,916	1,866	1,707	1,707	1,433	850	578	12
1985.....	1,804	1,728	1,931	1,794	1,581	1,564	1,282	844	517	7
1984.....	1,862	1,786	2,041	1,809	1,599	1,542	1,147	747	482	19
1983.....	1,729	1,900	1,977	1,696	1,509	1,415	1,123	748	489	15
1982.....	1,797	1,913	1,993	1,748	1,490	1,322	1,056	622	429	16
1981.....	1,752	1,877	1,989	1,600	1,389	1,185	910	577	417	22
1980.....	1,701	1,922	1,893	1,563	1,422	1,208	941	536	430	17
1979.....	1,793	1,996	1,888	1,680	1,532	1,198	986	591	394	17
TOTAL, MALE										
1998.....	2,213	1,683	1,318	987	1,030	1,131	1,075	925	686	17
1997.....	2,116	1,581	1,321	1,010	1,064	1,119	1,089	806	671	16
1996.....	2,141	1,543	1,286	1,020	1,141	1,166	1,102	843	641	18
1995.....	1,952	1,513	1,127	1,087	1,142	1,251	1,103	835	642	11
1994.....	1,825	1,404	1,128	1,070	1,091	1,209	1,148	828	653	17
1993.....	1,694	1,440	1,205	1,167	1,173	1,252	1,119	884	646	15
1992.....	1,689	1,310	1,183	1,203	1,227	1,205	1,152	850	571	9
1991.....	1,614	1,365	1,239	1,278	1,218	1,248	1,181	878	614	17
1990.....	1,583	1,253	1,254	1,309	1,302	1,244	1,237	862	554	8
1989.....	1,455	1,256	1,222	1,288	1,383	1,292	1,132	763	567	12
1988.....	1,341	1,212	1,294	1,282	1,361	1,261	1,199	851	498	17
1987.....	1,392	1,300	1,383	1,375	1,361	1,363	1,215	778	539	11
1986.....	1,380	1,328	1,417	1,371	1,344	1,368	1,161	695	484	11
1985.....	1,305	1,267	1,445	1,369	1,236	1,252	1,035	714	428	7
1984.....	1,313	1,269	1,489	1,355	1,212	1,239	939	614	390	17
1983.....	1,224	1,366	1,426	1,258	1,139	1,108	913	622	397	14
1982.....	1,257	1,357	1,416	1,292	1,129	1,053	859	518	363	14
1981.....	1,184	1,271	1,374	1,191	1,033	925	742	484	354	18
1980.....	1,180	1,340	1,367	1,118	1,098	955	766	446	345	16
1979.....	1,195	1,332	1,312	1,193	1,149	939	784	481	322	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------	---------------

TOTAL, FEMALE

1998.....	668	567	389	269	229	207	198	157	165	-
1997.....	685	566	381	234	227	253	214	151	134	2
1996.....	644	509	329	290	278	221	178	167	118	6
1995.....	609	458	308	282	294	273	204	169	143	1
1994.....	582	485	334	280	293	272	203	153	158	2
1993.....	575	459	356	333	326	289	228	159	132	3
1992.....	562	457	358	361	328	278	235	171	143	4
1991.....	592	412	374	350	354	264	214	153	144	3
1990.....	476	406	438	382	364	320	224	170	117	3
1989.....	499	432	428	404	359	241	217	147	127	2
1988.....	557	422	426	404	357	317	248	164	107	2
1987.....	539	476	455	437	396	308	254	155	95	2
1986.....	515	513	499	495	363	339	272	155	94	1
1985.....	499	461	486	425	345	312	247	130	89	-
1984.....	549	517	552	454	387	303	208	133	92	2
1983.....	505	534	551	438	370	307	210	126	92	1
1982.....	540	556	577	456	361	269	197	104	66	2
1981.....	568	606	615	409	356	260	168	93	63	4
1980.....	521	582	526	445	324	253	175	90	85	1
1979.....	598	664	576	487	383	259	202	110	72	2

WHITE, BOTH SEXES

1998.....	2,655	2,098	1,608	1,185	1,180	1,276	1,224	1,038	824	15
1997.....	2,597	2,018	1,582	1,157	1,202	1,297	1,252	917	771	13
1996.....	2,586	1,923	1,515	1,222	1,340	1,311	1,228	977	737	19
1995.....	2,378	1,847	1,343	1,279	1,347	1,437	1,254	976	761	11
1994.....	2,235	1,795	1,363	1,268	1,299	1,406	1,304	949	783	13
1993.....	2,107	1,762	1,465	1,421	1,427	1,468	1,299	1,008	752	16
1992.....	2,085	1,649	1,476	1,477	1,485	1,426	1,339	980	691	11
1991.....	2,033	1,662	1,508	1,527	1,496	1,443	1,335	995	734	14
1990.....	1,909	1,540	1,595	1,606	1,590	1,493	1,421	1,008	642	11
1989.....	1,830	1,588	1,573	1,594	1,642	1,473	1,308	880	670	12
1988.....	1,761	1,524	1,634	1,612	1,638	1,525	1,401	987	588	17
1987.....	1,798	1,666	1,764	1,723	1,662	1,593	1,421	898	610	11
1986.....	1,768	1,736	1,821	1,775	1,615	1,633	1,390	824	559	8
1985.....	1,673	1,631	1,838	1,708	1,499	1,496	1,242	814	503	5
1984.....	1,734	1,687	1,931	1,719	1,531	1,476	1,110	730	467	13
1983.....	1,605	1,811	1,878	1,629	1,453	1,359	1,084	719	473	12
1982.....	1,699	1,811	1,901	1,685	1,427	1,278	1,028	598	416	14
1981.....	1,632	1,795	1,882	1,531	1,333	1,142	872	558	401	19
1980.....	1,596	1,820	1,800	1,502	1,369	1,170	916	520	411	16
1979.....	1,673	1,896	1,795	1,601	1,465	1,148	953	570	381	15

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
WHITE MALE										
1998.....	2,038	1,575	1,241	932	962	1,080	1,040	890	668	15
1997.....	1,968	1,487	1,224	942	993	1,064	1,048	775	648	12
1996.....	1,991	1,449	1,210	956	1,084	1,111	1,061	819	627	13
1995.....	1,814	1,414	1,056	1,017	1,080	1,182	1,061	812	627	10
1994.....	1,698	1,335	1,058	1,008	1,027	1,148	1,111	801	632	12
1993.....	1,567	1,333	1,131	1,111	1,117	1,202	1,085	856	629	14
1992.....	1,569	1,222	1,133	1,139	1,177	1,158	1,113	815	555	9
1991.....	1,477	1,282	1,152	1,200	1,156	1,196	1,132	849	597	12
1990.....	1,468	1,162	1,186	1,242	1,247	1,188	1,203	843	534	8
1989.....	1,361	1,188	1,167	1,217	1,304	1,239	1,100	744	547	10
1988.....	1,244	1,130	1,228	1,222	1,298	1,221	1,157	834	486	16
1987.....	1,287	1,220	1,324	1,309	1,283	1,301	1,175	746	520	9
1986.....	1,283	1,254	1,354	1,309	1,269	1,313	1,129	674	468	7
1985.....	1,206	1,196	1,368	1,306	1,171	1,204	1,011	690	419	5
1984.....	1,225	1,200	1,407	1,288	1,162	1,186	905	600	380	11
1983.....	1,129	1,304	1,353	1,206	1,090	1,063	886	597	384	11
1982.....	1,187	1,279	1,348	1,245	1,078	1,018	837	499	354	12
1981.....	1,091	1,215	1,297	1,134	989	898	710	466	344	16
1980.....	1,103	1,267	1,293	1,071	1,055	925	749	433	328	15
1979.....	1,106	1,256	1,246	1,140	1,102	898	763	468	310	13
WHITE FEMALE										
1998.....	617	523	367	253	218	196	184	148	156	-
1997.....	629	531	358	215	209	233	204	142	123	1
1996.....	595	474	305	266	256	200	167	158	110	6
1995.....	564	433	287	262	267	255	193	164	134	1
1994.....	537	460	305	260	272	258	193	148	151	1
1993.....	540	429	334	310	310	266	214	152	123	2
1992.....	516	427	343	338	308	268	226	165	136	2
1991.....	556	380	356	327	340	247	203	146	137	2
1990.....	441	378	409	364	343	305	218	165	108	3
1989.....	469	400	406	377	338	234	208	136	123	2
1988.....	517	394	406	390	340	304	244	153	102	1
1987.....	511	446	440	414	379	292	246	152	90	2
1986.....	485	482	467	466	346	320	261	150	91	1
1985.....	467	435	470	402	328	292	231	124	84	-
1984.....	509	487	524	431	369	290	205	130	87	2
1983.....	476	507	525	423	363	296	198	122	89	1
1982.....	512	532	553	440	349	260	191	99	62	2
1981.....	541	580	585	397	344	244	162	92	57	3
1980.....	493	553	507	431	314	245	167	87	83	1
1979.....	567	640	549	461	363	250	190	102	71	2

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER, BOTH SEXES										
1998.....	226	152	99	71	79	62	49	44	27	2
1997.....	204	129	120	87	89	75	51	40	34	5
1996.....	199	129	100	88	79	76	52	33	22	5
1995.....	183	124	92	90	89	87	53	28	24	1
1994.....	172	94	99	82	85	75	47	32	28	6
1993.....	162	137	96	79	72	73	48	35	26	2
1992.....	166	118	65	87	70	57	48	41	23	2
1991.....	173	115	105	101	76	69	60	36	24	6
1990.....	150	119	97	85	76	71	40	24	29	-
1989.....	124	100	77	98	100	60	41	30	24	2
1988.....	137	110	86	74	80	53	46	28	17	2
1987.....	133	110	74	89	95	78	48	35	24	2
1986.....	127	105	95	91	92	74	43	26	19	4
1985.....	131	97	93	86	82	68	40	30	14	2
1984.....	128	99	110	90	68	66	37	17	15	6
1983.....	124	89	99	67	56	56	39	29	16	3
1982.....	98	102	92	63	63	44	28	24	13	2
1981.....	120	82	107	69	56	43	38	19	16	3
1980.....	105	102	93	61	53	38	25	16	19	1
1979.....	120	100	93	79	67	50	33	21	13	2
ALL OTHER MALE										
1998.....	175	108	77	55	68	51	35	35	18	2
1997.....	148	94	97	68	71	55	41	31	23	4
1996.....	150	94	76	64	57	55	41	24	14	5
1995.....	138	99	71	70	62	69	42	23	15	1
1994.....	127	69	70	62	64	61	37	27	21	5
1993.....	127	107	74	56	56	50	34	28	17	1
1992.....	120	88	50	64	50	47	39	35	16	-
1991.....	137	83	87	78	62	52	49	29	17	5
1990.....	115	91	68	67	55	56	34	19	20	-
1989.....	94	68	55	71	79	53	32	19	20	2
1988.....	97	82	66	60	63	40	42	17	12	1
1987.....	105	80	59	66	78	62	40	32	19	2
1986.....	97	74	63	62	75	55	32	21	16	4
1985.....	99	71	77	63	65	48	24	24	9	2
1984.....	88	69	82	67	50	53	34	14	10	6
1983.....	95	62	73	52	49	45	27	25	13	3
1982.....	70	78	68	47	51	35	22	19	9	2
1981.....	93	56	77	57	44	27	32	18	10	2
1980.....	77	73	74	47	43	30	17	13	17	1
1979.....	89	76	66	53	47	41	21	13	12	2

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER FEMALE										
1998.....	51	44	22	16	11	11	14	9	9	-
1997.....	56	35	23	19	18	20	10	9	11	1
1996.....	49	35	24	24	22	21	11	9	8	-
1995.....	45	25	21	20	27	18	11	5	9	-
1994.....	45	25	29	20	21	14	10	5	7	1
1993.....	35	30	22	23	16	23	14	7	9	1
1992.....	46	30	15	23	20	10	9	6	7	2
1991.....	36	32	18	23	14	17	11	7	7	1
1990.....	35	28	29	18	21	15	6	5	9	-
1989.....	30	32	22	27	21	7	9	11	4	-
1988.....	40	28	20	14	17	13	4	11	5	1
1987.....	28	30	15	23	17	16	8	3	5	-
1986.....	30	31	32	29	17	19	11	5	3	-
1985.....	32	26	16	23	17	20	16	6	5	-
1984.....	40	30	28	23	18	13	3	3	5	-
1983.....	29	27	26	15	7	11	12	4	3	-
1982.....	28	24	24	16	12	9	6	5	4	-
1981.....	27	26	30	12	12	16	6	1	6	1
1980.....	28	29	19	14	10	8	8	3	2	-
1979.....	31	24	27	26	20	9	12	8	1	-
BLACK, BOTH SEXES										
1998.....	163	99	61	49	57	32	34	16	11	2
1997.....	138	80	74	57	57	50	31	21	17	5
1996.....	138	98	61	67	59	49	30	20	14	3
1995.....	132	90	62	59	57	61	37	19	13	1
1994.....	127	61	67	48	63	60	32	20	17	2
1993.....	121	102	69	48	48	49	36	25	14	1
1992.....	120	83	47	66	52	43	33	25	17	2
1991.....	132	84	75	64	61	48	42	26	14	5
1990.....	128	91	67	58	58	55	27	16	17	-
1989.....	94	78	60	70	80	43	31	18	17	2
1988.....	106	82	70	62	65	38	38	16	7	2
1987.....	97	78	53	67	76	60	41	25	9	1
1986.....	101	82	72	70	70	56	33	20	12	3
1985.....	103	85	64	69	60	55	34	25	7	1
1984.....	93	76	85	74	49	56	29	11	8	4
1983.....	93	73	73	52	50	42	25	19	11	1
1982.....	71	88	77	51	51	35	17	18	10	2
1981.....	94	63	85	55	43	36	33	14	9	3
1980.....	80	78	69	55	46	30	18	11	10	1
1979.....	90	87	81	67	58	38	20	14	9	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
BLACK MALE										
1998.....	130	80	49	39	51	29	26	15	9	2
1997.....	104	60	62	45	48	41	27	18	15	4
1996.....	113	71	54	54	48	39	24	15	10	3
1995.....	107	77	51	48	40	51	32	18	10	1
1994.....	98	50	51	39	49	51	27	17	15	2
1993.....	101	86	56	31	38	39	26	21	10	-
1992.....	89	68	37	53	40	36	30	23	12	-
1991.....	109	63	62	53	50	37	39	22	12	4
1990.....	100	74	49	46	42	48	25	15	13	-
1989.....	74	54	47	54	64	40	27	14	16	2
1988.....	74	60	55	48	52	33	34	14	7	1
1987.....	83	62	47	52	65	49	34	22	9	1
1986.....	79	61	48	46	59	43	25	17	12	3
1985.....	82	63	56	52	53	45	19	21	5	1
1984.....	64	59	66	58	37	47	28	10	7	4
1983.....	74	53	64	42	44	37	20	19	8	1
1982.....	52	68	63	41	41	28	15	15	9	2
1981.....	78	47	62	46	34	21	29	14	7	2
1980.....	61	62	57	43	38	25	14	10	10	1
1979.....	71	70	60	48	44	32	15	10	8	2
BLACK FEMALE										
1998.....	33	19	12	10	6	3	8	1	2	-
1997.....	34	20	12	12	9	9	4	3	2	1
1996.....	25	27	7	13	11	10	6	5	4	-
1995.....	25	13	11	11	17	10	5	1	3	-
1994.....	29	11	16	9	14	9	5	3	2	-
1993.....	20	16	13	17	10	10	10	4	4	1
1992.....	31	15	10	13	12	7	3	2	5	2
1991.....	23	21	13	11	11	11	3	4	2	1
1990.....	28	17	18	12	16	7	2	1	4	-
1989.....	20	24	13	16	16	3	4	4	1	-
1988.....	32	22	15	14	13	5	4	2	-	1
1987.....	14	16	6	15	11	11	7	3	-	-
1986.....	22	21	24	24	11	13	8	3	-	-
1985.....	21	22	8	17	7	10	15	4	2	-
1984.....	29	17	19	16	12	9	1	1	1	-
1983.....	19	20	9	10	6	5	5	-	3	-
1982.....	19	20	14	10	10	7	2	3	1	-
1981.....	16	16	23	9	9	15	4	-	2	1
1980.....	19	16	12	12	8	5	4	1	-	-
1979.....	19	17	21	19	14	6	5	4	1	-

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
HOMICIDE AND LEGAL INTERVENTION (E960-E978)										
TOTAL, BOTH SEXES										
1998.....	1,066	678	454	312	251	217	183	135	101	56
1997.....	1,189	680	491	362	290	255	205	130	149	48
1996.....	1,161	735	500	375	321	233	197	138	112	63
1995.....	1,171	756	554	400	346	264	205	138	120	52
1994.....	1,162	767	502	402	348	288	225	165	122	52
1993.....	1,261	791	546	431	374	317	208	171	139	68
1992.....	1,246	800	528	464	379	313	233	171	135	54
1991.....	1,283	829	612	544	429	309	269	169	130	81
1990.....	1,135	757	553	502	385	297	250	180	139	98
1989.....	1,092	793	564	521	422	318	241	168	130	83
1988.....	1,022	705	624	506	429	331	265	168	139	91
1987.....	1,038	765	690	514	429	334	279	170	147	101
1986.....	1,070	825	687	508	437	321	241	176	130	88
1985.....	1,051	777	703	569	431	298	232	150	111	63
1984.....	1,070	846	700	588	377	318	220	163	113	58
1983.....	1,065	883	757	597	412	290	255	155	129	63
1982.....	1,202	1,083	799	629	459	335	241	145	141	64
1981.....	1,392	1,156	918	643	445	320	265	156	126	58
1980.....	1,365	1,165	875	652	538	357	244	161	118	76
1979.....	1,396	1,092	881	631	499	336	205	159	110	77
TOTAL, MALE										
1998.....	781	530	344	234	172	132	111	56	39	42
1997.....	886	515	362	267	198	155	115	62	66	32
1996.....	841	564	386	280	221	141	101	70	40	42
1995.....	899	559	415	307	239	147	102	57	43	36
1994.....	903	593	386	299	245	172	129	78	55	35
1993.....	973	623	411	323	248	185	113	70	54	47
1992.....	977	606	419	348	255	192	126	88	66	38
1991.....	979	635	468	396	287	207	140	80	49	56
1990.....	887	597	415	387	270	186	136	78	57	72
1989.....	855	620	429	387	274	198	137	77	65	55
1988.....	804	533	469	372	270	198	150	77	60	66
1987.....	790	583	536	376	290	195	154	84	60	68
1986.....	850	640	548	360	298	193	134	85	50	66
1985.....	808	597	541	415	292	187	125	67	38	48
1984.....	848	688	541	439	262	212	120	79	55	36
1983.....	818	704	578	467	279	198	135	79	55	47
1982.....	973	863	630	473	318	215	141	68	66	43
1981.....	1,112	951	718	486	322	221	145	74	69	46
1980.....	1,110	942	711	497	399	231	142	91	51	52
1979.....	1,100	906	714	468	349	203	126	74	46	54

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR HOMICIDE AND LEGAL INTERVENTION (E960-E978)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, FEMALE										
1998.....	285	148	110	78	79	85	72	79	62	14
1997.....	303	165	129	95	92	100	90	68	83	16
1996.....	320	171	114	95	100	92	96	68	72	21
1995.....	272	197	139	93	107	117	103	81	77	16
1994.....	259	174	116	103	103	116	96	87	67	17
1993.....	288	168	135	108	126	132	95	101	85	21
1992.....	269	194	109	116	124	121	107	83	69	16
1991.....	304	194	144	148	142	102	129	89	81	25
1990.....	248	160	138	115	115	111	114	102	82	26
1989.....	237	173	135	134	148	120	104	91	65	28
1988.....	218	172	155	134	159	133	115	91	79	25
1987.....	248	182	154	138	139	139	125	86	87	33
1986.....	220	185	139	148	139	128	107	91	80	22
1985.....	243	180	162	154	139	111	107	83	73	15
1984.....	222	158	159	149	115	106	100	84	58	22
1983.....	247	179	179	130	133	92	120	76	74	16
1982.....	229	220	169	156	141	120	100	77	75	21
1981.....	280	205	200	157	123	99	120	82	57	12
1980.....	255	223	164	155	139	126	102	70	67	24
1979.....	296	186	167	163	150	133	79	85	64	23
WHITE, BOTH SEXES										
1998.....	622	422	300	204	176	157	131	111	83	48
1997.....	689	443	339	227	199	191	154	104	119	34
1996.....	675	462	330	252	229	165	143	101	85	43
1995.....	688	479	346	255	225	181	134	106	81	39
1994.....	675	505	333	268	226	184	157	121	90	36
1993.....	756	506	360	272	244	213	138	119	98	46
1992.....	750	513	351	314	229	213	168	118	99	39
1991.....	774	514	388	348	276	197	180	107	96	61
1990.....	695	474	344	320	250	207	168	122	88	70
1989.....	685	492	343	326	261	207	152	124	79	58
1988.....	614	434	409	337	270	224	186	111	95	65
1987.....	631	462	436	338	283	229	193	125	110	80
1986.....	637	474	430	326	270	216	169	130	91	73
1985.....	633	476	462	362	290	196	176	115	84	52
1984.....	636	528	435	379	235	206	142	125	81	44
1983.....	627	537	461	373	271	194	169	111	101	49
1982.....	678	653	498	392	286	223	169	112	115	46
1981.....	795	695	552	405	278	214	183	120	102	42
1980.....	784	684	540	397	364	257	187	124	98	55
1979.....	790	612	509	377	325	239	141	124	95	56

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
HOMICIDE AND LEGAL INTERVENTION (E960-E978)										
WHITE MALE										
1998.....	445	314	215	149	114	93	75	48	30	36
1997.....	498	331	245	167	134	106	82	48	52	25
1996.....	469	329	248	182	154	96	69	48	27	31
1995.....	492	337	249	189	152	84	62	38	32	28
1994.....	508	390	254	194	154	107	85	55	38	24
1993.....	564	381	261	195	157	110	73	42	34	31
1992.....	566	373	277	236	148	116	85	62	42	29
1991.....	567	385	289	246	174	118	84	51	35	40
1990.....	519	361	253	232	174	120	82	50	37	47
1989.....	524	375	264	240	161	119	78	52	39	38
1988.....	460	322	307	237	160	130	89	49	38	49
1987.....	485	335	342	237	179	119	96	58	39	53
1986.....	481	352	337	218	172	123	85	55	31	54
1985.....	464	358	343	245	186	115	88	46	27	40
1984.....	483	417	318	270	152	128	68	55	36	29
1983.....	463	409	333	267	177	124	81	49	38	37
1982.....	540	499	377	282	180	135	94	48	54	32
1981.....	619	548	424	305	187	136	85	51	51	33
1980.....	617	544	424	294	267	156	101	64	40	39
1979.....	611	492	396	273	219	141	80	59	37	38
WHITE FEMALE										
1998.....	177	108	85	55	62	64	56	63	53	12
1997.....	191	112	94	60	65	85	72	56	67	9
1996.....	206	133	82	70	75	69	74	53	58	12
1995.....	196	142	97	66	73	97	72	68	49	11
1994.....	167	115	79	74	72	77	72	66	52	12
1993.....	192	125	99	77	87	103	65	77	64	15
1992.....	184	140	74	78	81	97	83	56	57	10
1991.....	207	129	99	102	102	79	96	56	61	21
1990.....	176	113	91	88	76	87	86	72	51	23
1989.....	161	117	79	86	100	88	74	72	40	20
1988.....	154	112	102	100	110	94	97	62	57	16
1987.....	146	127	94	101	104	110	97	67	71	27
1986.....	156	122	93	108	98	93	84	75	60	19
1985.....	169	118	119	117	104	81	88	69	57	12
1984.....	153	111	117	109	83	78	74	70	45	15
1983.....	164	128	128	106	94	70	88	62	63	12
1982.....	138	154	121	110	106	88	75	64	61	14
1981.....	176	147	128	100	91	78	98	69	51	9
1980.....	167	140	116	103	97	101	86	60	58	16
1979.....	179	120	113	104	106	98	61	65	58	18

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
HOMICIDE AND LEGAL INTERVENTION (E960-E978)										
ALL OTHER, BOTH SEXES										
1998.....	444	256	154	108	75	60	52	24	18	8
1997.....	500	237	152	135	91	64	51	26	30	14
1996.....	486	273	170	123	92	68	54	37	27	20
1995.....	483	277	208	145	121	83	71	32	39	13
1994.....	487	262	169	134	122	104	68	44	32	16
1993.....	505	285	186	159	130	104	70	52	41	22
1992.....	496	287	177	150	150	100	65	53	36	15
1991.....	509	315	224	196	153	112	89	62	34	20
1990.....	440	283	209	182	135	90	82	58	51	28
1989.....	407	301	221	195	161	111	89	44	51	25
1988.....	408	271	215	169	159	107	79	57	44	26
1987.....	407	303	254	176	146	105	86	45	37	21
1986.....	433	351	257	182	167	105	72	46	39	15
1985.....	418	301	241	207	141	102	56	35	27	11
1984.....	434	318	265	209	142	112	78	38	32	14
1983.....	438	346	296	224	141	96	86	44	28	14
1982.....	524	430	301	237	173	112	72	33	26	18
1981.....	597	461	366	238	167	106	82	36	24	16
1980.....	581	481	335	255	174	100	57	37	20	21
1979.....	606	480	372	254	174	97	64	35	15	21
ALL OTHER MALE										
1998.....	336	216	129	85	58	39	36	8	9	6
1997.....	388	184	117	100	64	49	33	14	14	7
1996.....	372	235	138	98	67	45	32	22	13	11
1995.....	407	222	166	118	87	63	40	19	11	8
1994.....	395	203	132	105	91	65	44	23	17	11
1993.....	409	242	150	128	91	75	40	28	20	16
1992.....	411	233	142	112	107	76	41	26	24	9
1991.....	412	250	179	150	113	89	56	29	14	16
1990.....	368	236	162	155	96	66	54	28	20	25
1989.....	331	245	165	147	113	79	59	25	26	17
1988.....	344	211	162	135	110	68	61	28	22	17
1987.....	305	248	194	139	111	76	58	26	21	15
1986.....	369	288	211	142	126	70	49	30	19	12
1985.....	344	239	198	170	106	72	37	21	11	8
1984.....	365	271	223	169	110	84	52	24	19	7
1983.....	355	295	245	200	102	74	54	30	17	10
1982.....	433	364	253	191	138	80	47	20	12	11
1981.....	493	403	294	181	135	85	60	23	18	13
1980.....	493	398	287	203	132	75	41	27	11	13
1979.....	489	414	318	195	130	62	46	15	9	16

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
HOMICIDE AND LEGAL INTERVENTION (E960-E978)										
ALL OTHER FEMALE										
1998.....	108	40	25	23	17	21	16	16	9	2
1997.....	112	53	35	35	27	15	18	12	16	7
1996.....	114	38	32	25	25	23	22	15	14	9
1995.....	76	55	42	27	34	20	31	13	28	5
1994.....	92	59	37	29	31	39	24	21	15	5
1993.....	96	43	36	31	39	29	30	24	21	6
1992.....	85	54	35	38	43	24	24	27	12	6
1991.....	97	65	45	46	40	23	33	33	20	4
1990.....	72	47	47	27	39	24	28	30	31	3
1989.....	76	56	56	48	48	32	30	19	25	8
1988.....	64	60	53	34	49	39	18	29	22	9
1987.....	102	55	60	37	35	29	28	19	16	6
1986.....	64	63	46	40	41	35	23	16	20	3
1985.....	74	62	43	37	35	30	19	14	16	3
1984.....	69	47	42	40	32	28	26	14	13	7
1983.....	83	51	51	24	39	22	32	14	11	4
1982.....	91	66	48	46	35	32	25	13	14	7
1981.....	104	58	72	57	32	21	22	13	6	3
1980.....	88	83	48	52	42	25	16	10	9	8
1979.....	117	66	54	59	44	35	18	20	6	5
BLACK, BOTH SEXES										
1998.....	401	230	136	93	64	52	46	22	18	8
1997.....	446	204	132	122	79	58	47	25	28	13
1996.....	442	236	153	113	81	63	48	37	27	17
1995.....	447	245	182	128	114	77	67	29	38	12
1994.....	443	241	155	120	115	98	65	42	31	12
1993.....	458	261	161	147	123	102	68	51	41	18
1992.....	447	270	159	142	140	90	63	51	32	13
1991.....	471	277	196	181	149	107	86	61	33	18
1990.....	404	259	190	173	125	84	80	57	48	27
1989.....	382	279	204	185	149	103	84	41	50	23
1988.....	386	241	200	162	150	103	76	52	42	25
1987.....	380	279	240	164	141	100	83	42	36	17
1986.....	402	328	242	173	162	103	66	44	36	15
1985.....	387	282	229	199	135	97	53	34	27	10
1984.....	403	302	250	202	137	104	75	36	28	13
1983.....	408	321	283	213	134	91	82	43	28	11
1982.....	493	408	292	225	168	105	66	30	25	17
1981.....	565	438	353	230	161	97	80	35	21	13
1980.....	557	458	325	244	166	93	53	34	18	18
1979.....	583	461	354	242	168	90	61	34	15	19

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
HOMICIDE AND LEGAL INTERVENTION (E960-E978)										
BLACK MALE										
1998.....	309	196	113	75	51	35	30	8	9	6
1997.....	352	164	103	89	56	43	32	14	13	7
1996.....	340	206	124	88	61	42	30	22	13	8
1995.....	377	199	147	104	84	61	38	17	10	8
1994.....	362	189	123	96	87	62	42	22	16	8
1993.....	378	224	132	119	87	74	39	27	20	13
1992.....	376	219	131	107	100	72	41	25	22	8
1991.....	384	226	159	141	111	86	56	28	14	14
1990.....	341	219	151	148	88	61	53	28	18	24
1989.....	312	228	153	141	105	73	55	24	25	16
1988.....	331	187	150	132	107	66	58	25	22	16
1987.....	285	229	185	130	108	73	55	24	20	12
1986.....	344	271	201	136	122	68	45	28	17	12
1985.....	322	228	189	166	101	70	35	20	11	7
1984.....	346	261	213	163	107	77	49	22	18	7
1983.....	332	275	235	190	96	71	51	29	17	7
1982.....	408	348	247	182	133	75	43	18	11	10
1981.....	467	386	285	176	129	77	58	22	16	10
1980.....	475	383	281	194	124	68	37	26	9	10
1979.....	469	399	303	185	125	59	44	15	9	15
BLACK FEMALE										
1998.....	92	34	23	18	13	17	16	14	9	2
1997.....	94	40	29	33	23	15	15	11	15	6
1996.....	102	30	29	25	20	21	18	15	14	9
1995.....	70	46	35	24	30	16	29	12	28	4
1994.....	81	52	32	24	28	36	23	20	15	4
1993.....	80	37	29	28	36	28	29	24	21	5
1992.....	71	51	28	35	40	18	22	26	10	5
1991.....	87	51	37	40	38	21	30	33	19	4
1990.....	63	40	39	25	37	23	27	29	30	3
1989.....	70	51	51	44	44	30	29	17	25	7
1988.....	55	54	50	30	43	37	18	27	20	9
1987.....	95	50	55	34	33	27	28	18	16	5
1986.....	58	57	41	37	40	35	21	16	19	3
1985.....	65	54	40	33	34	27	18	14	16	3
1984.....	57	41	37	39	30	27	26	14	10	6
1983.....	76	46	48	23	38	20	31	14	11	4
1982.....	85	60	45	43	35	30	23	12	14	7
1981.....	98	52	68	54	32	20	22	13	5	3
1980.....	82	75	44	50	42	25	16	8	9	8
1979.....	114	62	51	57	43	31	17	19	6	4

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER EXTERNAL CAUSES (E980-E999)	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
TOTAL, BOTH SEXES										
1998.....	469	244	137	77	64	43	47	47	64	25
1997.....	417	216	139	85	62	62	53	38	56	19
1996.....	326	176	97	83	92	54	59	44	65	27
1995.....	318	149	94	56	58	45	47	38	57	25
1994.....	301	162	123	83	60	64	56	43	56	19
1993.....	271	160	114	88	87	57	53	40	51	26
1992.....	199	125	84	81	80	47	43	48	38	29
1991.....	157	118	88	88	71	51	53	48	41	33
1990.....	157	106	87	90	73	54	50	35	44	18
1989.....	164	114	118	75	87	59	54	43	37	20
1988.....	165	123	104	102	98	99	56	48	61	24
1987.....	155	109	109	133	120	60	67	48	62	31
1986.....	173	168	156	135	112	69	71	56	53	28
1985.....	196	126	135	121	91	72	71	55	52	22
1984.....	164	171	155	134	122	97	66	51	62	17
1983.....	165	195	190	123	111	82	77	62	67	19
1982.....	188	198	183	149	98	94	82	43	54	31
1981.....	217	224	234	181	151	116	74	76	71	16
1980.....	227	213	213	169	146	99	95	61	60	25
1979.....	259	272	201	212	126	118	78	58	57	18
TOTAL, MALE										
1998.....	316	172	78	52	37	23	28	31	25	18
1997.....	313	144	89	56	37	41	35	21	25	15
1996.....	248	121	52	53	63	38	35	24	30	24
1995.....	236	104	56	37	37	27	28	29	30	20
1994.....	232	112	81	48	34	44	38	25	29	16
1993.....	196	105	75	63	61	38	35	26	22	19
1992.....	134	82	58	50	46	33	26	27	17	23
1991.....	101	77	60	56	45	28	35	25	22	24
1990.....	106	62	57	64	49	34	31	21	16	16
1989.....	111	77	83	49	52	37	31	25	23	20
1988.....	125	85	69	69	62	58	37	30	28	20
1987.....	109	75	76	88	89	40	47	33	33	22
1986.....	127	116	115	89	69	48	49	35	29	22
1985.....	122	86	98	83	54	41	47	32	35	17
1984.....	106	119	106	98	91	63	37	33	30	15
1983.....	111	136	130	79	77	57	51	29	32	15
1982.....	129	127	126	111	65	64	48	26	24	27
1981.....	142	153	148	114	105	76	51	46	44	14
1980.....	154	132	137	129	97	65	60	38	35	22
1979.....	170	174	132	146	87	80	50	33	34	14

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER EXTERNAL CAUSES (E980-E999)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
TOTAL, FEMALE										
1998.....	153	72	59	25	27	20	19	16	39	7
1997.....	104	72	50	29	25	21	18	17	31	4
1996.....	78	55	45	30	29	16	24	20	35	3
1995.....	82	45	38	19	21	18	19	9	27	5
1994.....	69	50	42	35	26	20	18	18	27	3
1993.....	75	55	39	25	26	19	18	14	29	7
1992.....	65	43	26	31	34	14	17	21	21	6
1991.....	56	41	28	32	26	23	18	23	19	9
1990.....	51	44	30	26	24	20	19	14	28	2
1989.....	53	37	35	26	35	22	23	18	14	-
1988.....	40	38	35	33	36	41	19	18	33	4
1987.....	46	34	33	45	31	20	20	15	29	9
1986.....	46	52	41	46	43	21	22	21	24	6
1985.....	74	40	37	38	37	31	24	23	17	5
1984.....	58	52	49	36	31	34	29	18	32	2
1983.....	54	59	60	44	34	25	26	33	35	4
1982.....	59	71	57	38	33	30	34	17	30	4
1981.....	75	71	86	67	46	40	23	30	27	2
1980.....	73	81	76	40	49	34	35	23	25	3
1979.....	89	98	69	66	39	38	28	25	23	4
WHITE, BOTH SEXES										
1998.....	370	192	114	54	57	38	43	43	61	14
1997.....	325	178	102	69	54	54	46	31	49	11
1996.....	261	142	74	69	76	48	52	39	55	21
1995.....	220	113	71	51	48	35	42	34	46	14
1994.....	223	118	100	65	50	59	48	37	50	13
1993.....	212	127	93	73	67	51	41	36	45	20
1992.....	165	96	68	72	66	41	36	42	32	21
1991.....	130	96	74	68	58	44	46	45	34	22
1990.....	121	88	63	75	62	45	45	29	36	8
1989.....	123	79	87	66	71	52	40	39	35	14
1988.....	126	103	78	82	77	89	50	41	55	17
1987.....	120	80	89	102	96	49	60	41	53	22
1986.....	130	124	112	109	91	60	64	46	42	18
1985.....	152	99	110	99	76	57	59	46	45	16
1984.....	130	128	119	105	106	82	57	47	50	17
1983.....	124	142	153	91	94	68	66	53	56	16
1982.....	139	156	154	123	77	76	71	36	45	23
1981.....	159	177	195	143	131	93	59	62	60	11
1980.....	161	174	173	135	119	83	82	55	52	22
1979.....	195	215	166	177	102	102	67	51	45	13

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER EXTERNAL CAUSES (E980-E999)	RACE, AND SEX: UNITED STATES, 1979-98									NOT STATED
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
WHITE MALE										
1998.....	243	134	58	35	32	20	27	27	22	11
1997.....	242	117	61	43	30	34	30	18	23	9
1996.....	193	91	36	42	52	34	33	22	25	19
1995.....	157	76	40	32	28	20	24	27	23	11
1994.....	166	74	64	34	26	41	31	21	24	10
1993.....	151	80	58	51	44	34	26	24	17	15
1992.....	107	57	43	42	38	29	20	24	12	16
1991.....	82	62	49	42	35	23	29	23	18	17
1990.....	81	46	40	53	40	29	28	19	15	8
1989.....	79	53	57	41	39	31	25	24	23	14
1988.....	91	68	48	55	48	53	32	27	25	16
1987.....	79	53	59	63	67	32	41	27	28	15
1986.....	93	81	80	70	51	42	45	28	24	16
1985.....	91	66	78	68	42	33	37	26	31	13
1984.....	81	88	79	76	79	53	34	29	24	15
1983.....	83	94	103	54	66	48	45	24	26	14
1982.....	90	93	106	91	48	52	40	21	20	21
1981.....	103	117	117	90	91	60	42	37	37	9
1980.....	104	102	103	96	75	52	48	34	27	20
1979.....	126	134	104	115	68	67	44	29	25	9
WHITE FEMALE										
1998.....	127	58	56	19	25	18	16	16	39	3
1997.....	83	61	41	26	24	20	16	13	26	2
1996.....	68	51	38	27	24	14	19	17	30	2
1995.....	63	37	31	19	20	15	18	7	23	3
1994.....	57	44	36	31	24	18	17	16	26	3
1993.....	61	47	35	22	23	17	15	12	28	5
1992.....	58	39	25	30	28	12	16	18	20	5
1991.....	48	34	25	26	23	21	17	22	16	5
1990.....	40	42	23	22	22	16	17	10	21	-
1989.....	44	26	30	25	32	21	15	15	12	-
1988.....	35	35	30	27	29	36	18	14	30	1
1987.....	41	27	30	39	29	17	19	14	25	7
1986.....	37	43	32	39	40	18	19	18	18	2
1985.....	61	33	32	31	34	24	22	20	14	3
1984.....	49	40	40	29	27	29	23	18	26	2
1983.....	41	48	50	37	28	20	21	29	30	2
1982.....	49	63	48	32	29	24	31	15	25	2
1981.....	56	60	78	53	40	33	17	25	23	2
1980.....	57	72	70	39	44	31	34	21	25	2
1979.....	69	81	62	62	34	35	23	22	20	4

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER EXTERNAL CAUSES (E980-E999)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER, BOTH SEXES										
1998.....	99	52	23	23	7	5	4	4	3	11
1997.....	92	38	37	16	8	8	7	7	7	8
1996.....	65	34	23	14	16	6	7	5	10	6
1995.....	98	36	23	5	10	10	5	4	11	11
1994.....	78	44	23	18	10	5	8	6	6	6
1993.....	59	33	21	15	20	6	12	4	6	6
1992.....	34	29	16	9	14	6	7	6	6	8
1991.....	27	22	14	20	13	7	7	3	7	11
1990.....	36	18	24	15	11	9	5	6	8	10
1989.....	41	35	31	9	16	7	14	4	2	6
1988.....	39	20	26	20	21	10	6	7	6	7
1987.....	35	29	20	31	24	11	7	7	9	9
1986.....	43	44	44	26	21	9	7	10	11	10
1985.....	44	27	25	22	15	15	12	9	7	6
1984.....	34	43	36	29	16	15	9	4	12	-
1983.....	41	53	37	32	17	14	11	9	11	3
1982.....	49	42	29	26	21	18	11	7	9	8
1981.....	58	47	39	38	20	23	15	14	11	5
1980.....	66	39	40	34	27	16	13	6	8	3
1979.....	64	57	35	35	24	16	11	7	12	5
ALL OTHER MALE										
1998.....	73	38	20	17	5	3	1	4	3	7
1997.....	71	27	28	13	7	7	5	3	2	6
1996.....	55	30	16	11	11	4	2	2	5	5
1995.....	79	28	16	5	9	7	4	2	7	9
1994.....	66	38	17	14	8	3	7	4	5	6
1993.....	45	25	17	12	17	4	9	2	5	4
1992.....	27	25	15	8	8	4	6	3	5	7
1991.....	19	15	11	14	10	5	6	2	4	7
1990.....	25	16	17	11	9	5	3	2	1	8
1989.....	32	24	26	8	13	6	6	1	-	6
1988.....	34	17	21	14	14	5	5	3	3	4
1987.....	30	22	17	25	22	8	6	6	5	7
1986.....	34	35	35	19	18	6	4	7	5	6
1985.....	31	20	20	15	12	8	10	6	4	4
1984.....	25	31	27	22	12	10	3	4	6	-
1983.....	28	42	27	25	11	9	6	5	6	1
1982.....	39	34	20	20	17	12	8	5	4	6
1981.....	39	36	31	24	14	16	9	9	7	5
1980.....	50	30	34	33	22	13	12	4	8	2
1979.....	44	40	28	31	19	13	6	4	9	5

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER EXTERNAL CAUSES (E980-E999)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
ALL OTHER FEMALE										
1998.....	26	14	3	6	2	2	3	-	-	4
1997.....	21	11	9	3	1	1	2	4	5	2
1996.....	10	4	7	3	5	2	5	3	5	1
1995.....	19	8	7	-	1	3	1	2	4	2
1994.....	12	6	6	4	2	2	1	2	1	-
1993.....	14	8	4	3	3	2	3	2	1	2
1992.....	7	4	1	1	6	2	1	3	1	1
1991.....	8	7	3	6	3	2	1	1	3	4
1990.....	11	2	7	4	2	4	2	4	7	2
1989.....	9	11	5	1	3	1	8	3	2	-
1988.....	5	3	5	6	7	5	1	4	3	3
1987.....	5	7	3	6	2	3	1	1	4	2
1986.....	9	9	9	7	3	3	3	3	6	4
1985.....	13	7	5	7	3	7	2	3	3	2
1984.....	9	12	9	7	4	5	6	-	6	-
1983.....	13	11	10	7	6	5	5	4	5	2
1982.....	10	8	9	6	4	6	3	2	5	2
1981.....	19	11	8	14	6	7	6	5	4	-
1980.....	16	9	6	1	5	3	1	2	-	1
1979.....	20	17	7	4	5	3	5	3	3	-
BLACK, BOTH SEXES										
1998.....	96	48	23	19	6	3	4	3	3	8
1997.....	80	34	33	16	7	6	6	4	6	6
1996.....	57	29	20	14	14	6	7	3	8	5
1995.....	85	31	20	5	8	9	5	4	10	10
1994.....	68	38	20	15	8	4	7	6	4	5
1993.....	50	30	18	14	19	5	11	3	5	5
1992.....	29	24	15	7	12	5	7	5	6	7
1991.....	22	19	13	20	12	7	4	3	6	10
1990.....	32	17	19	9	8	7	4	5	6	9
1989.....	39	33	28	6	14	7	13	3	1	6
1988.....	37	20	22	17	21	9	5	6	6	6
1987.....	34	28	18	29	21	9	5	6	8	9
1986.....	38	38	39	25	18	8	6	8	10	10
1985.....	40	21	23	22	14	13	10	8	7	6
1984.....	30	39	31	25	16	13	6	4	9	-
1983.....	38	47	32	30	15	12	11	8	9	3
1982.....	38	37	27	22	19	16	11	6	7	8
1981.....	50	43	34	34	16	22	15	11	9	5
1980.....	65	36	35	32	21	15	11	6	6	3
1979.....	59	51	31	35	22	11	9	7	11	5

- CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL OTHER EXTERNAL CAUSES (E980-E999)	RACE, AND SEX: UNITED STATES, 1979-98									
	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	NOT STATED
BLACK MALE										
1998.....	72	36	20	13	5	3	1	3	3	6
1997.....	64	24	25	13	6	5	4	2	2	5
1996.....	49	26	14	11	9	4	2	1	4	4
1995.....	71	24	14	5	7	6	4	2	6	8
1994.....	58	34	14	12	6	2	6	4	4	5
1993.....	39	22	14	11	16	4	8	1	4	3
1992.....	23	21	14	7	7	3	6	3	5	6
1991.....	16	13	10	14	10	5	3	2	3	6
1990.....	22	15	15	7	6	4	2	1	1	7
1989.....	30	23	23	5	11	6	5	1	-	6
1988.....	33	17	18	12	14	4	5	2	3	3
1987.....	29	22	15	23	20	6	4	5	5	7
1986.....	31	32	33	19	15	6	4	5	4	6
1985.....	28	18	19	15	11	6	8	6	4	4
1984.....	23	28	23	18	12	9	1	4	4	-
1983.....	25	38	24	23	10	8	6	5	4	1
1982.....	30	30	19	17	15	10	8	5	4	6
1981.....	34	34	28	22	11	15	9	7	6	5
1980.....	49	28	29	31	17	12	10	4	6	2
1979.....	42	36	24	31	17	9	4	4	8	5
BLACK FEMALE										
1998.....	24	12	3	6	1	-	3	-	-	2
1997.....	16	10	8	3	1	1	2	2	4	1
1996.....	8	3	6	3	5	2	5	2	4	1
1995.....	14	7	6	-	1	3	1	2	4	2
1994.....	10	4	6	3	2	2	1	2	-	-
1993.....	11	8	4	3	3	1	3	2	1	2
1992.....	6	3	1	-	5	2	1	2	1	1
1991.....	6	6	3	6	2	2	1	1	3	4
1990.....	10	2	4	2	2	3	2	4	5	2
1989.....	9	10	5	1	3	1	8	2	1	-
1988.....	4	3	4	5	7	5	-	4	3	3
1987.....	5	6	3	6	1	3	1	1	3	2
1986.....	7	6	6	6	3	2	2	3	6	4
1985.....	12	3	4	7	3	7	2	2	3	2
1984.....	7	11	8	7	4	4	5	-	5	-
1983.....	13	9	8	7	5	4	5	3	5	2
1982.....	8	7	8	5	4	6	3	1	3	2
1981.....	16	9	6	12	5	7	6	4	3	-
1980.....	16	8	6	1	4	3	1	2	-	1
1979.....	17	15	7	4	5	2	5	3	3	-