

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,605

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
MAINE -----	15	6	2	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	7	4	2	-	-	-	-	1	-	-	-	-
FEMALE--	8	2	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	50	28	7	-	1	-	1	1	1	2	1	-
WHITE-----MALE----	16	8	-	-	-	-	-	1	-	1	1	-
FEMALE--	18	10	3	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	8	3	3	-	1	-	-	-	1	-	-	-
FEMALE--	8	7	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	3	3	-	1	-	-	-	1	-	-	-
FEMALE--	8	7	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	56	17	1	-	-	3	-	1	5	5	8	3
WHITE-----MALE----	24	5	-	-	-	2	-	-	2	4	7	3
FEMALE--	24	8	-	-	-	1	-	-	2	1	1	-
ALL OTHER--MALE----	6	4	1	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	5	3	1	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	107	50	6	1	3	5	2	8	4	5	5	1
WHITE-----MALE----	40	22	-	-	3	1	1	4	2	1	2	1
FEMALE--	45	20	2	1	-	3	1	1	-	2	3	-
ALL OTHER--MALE----	10	1	2	-	-	1	-	2	2	2	-	-
FEMALE--	12	7	2	-	-	-	-	1	-	-	-	-
BLACK---MALE----	8	1	2	-	-	1	-	1	2	1	-	-
FEMALE--	10	6	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,605

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CONGENITAL ANOMALIES OF HEART (745-746)												
KENTUCKY -----	1	-	1	-	-	1	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	1	2	-	3	2	-	1	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	2	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	-	1	3	1	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	1	-	2	2	3	-	-	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	2	2	2	-	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	-	2	1	1	-	2	3	-	1	1	-
WHITE-----MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	5	-	1	1	-	-	2	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,608

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
OHIO -----	136	68	11	4	-	3	1	4	3	2	6	9
WHITE-----MALE----	62	34	2	1	-	2	-	3	2	1	3	5
FEMALE--	57	23	6	2	-	1	1	-	1	1	3	4
ALL OTHER--MALE----	9	6	1	-	-	-	-	1	-	-	-	-
FEMALE--	8	5	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	9	6	1	-	-	-	-	1	-	-	-	-
FEMALE--	8	5	2	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	71	24	1	2	1	1	1	2	1	1	3	1
WHITE-----MALE----	31	12	-	1	1	-	-	1	1	1	1	1
FEMALE--	31	9	1	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	7	3	-	1	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	50	31	3	-	-	2	1	-	-	2	3	-
WHITE-----MALE----	28	17	2	-	-	1	1	-	-	2	2	-
FEMALE--	20	12	1	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	121	47	9	5	-	3	6	4	3	6	10	2
WHITE-----MALE----	59	22	6	1	-	1	3	1	2	1	8	1
FEMALE--	46	17	-	3	-	2	2	2	1	4	2	1
ALL OTHER--MALE----	5	3	1	-	-	-	-	1	-	-	-	-
FEMALE--	11	5	2	1	-	-	1	-	-	1	-	-
BLACK---MALE----	5	3	1	-	-	-	-	1	-	-	-	-
FEMALE--	9	5	1	1	-	-	-	-	-	1	-	-
RHODE ISLAND -----	9	4	-	1	-	-	-	-	1	-	2	-
WHITE-----MALE----	7	4	-	1	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	50	22	2	-	-	1	2	2	2	2	2	1
WHITE-----MALE----	14	6	-	-	-	-	-	-	1	1	1	-
FEMALE--	14	6	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	11	5	2	-	-	-	1	-	-	-	-	-
FEMALE--	11	5	-	-	-	1	1	2	-	-	1	1
BLACK---MALE----	11	5	2	-	-	-	1	-	-	-	-	-
FEMALE--	11	5	-	-	-	1	1	2	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,609

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
SOUTH DAKOTA -----	9	4	1	-	1	2	-	-	-	-	-	-
WHITE-----MALE----	4	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	96	35	5	2	3	1	4	1	4	6	-	3
WHITE-----MALE----	40	16	3	-	-	1	1	-	2	4	-	2
FEMALE--	36	13	1	2	-	-	2	1	-	1	-	-
ALL OTHER--MALE----	7	-	1	-	1	-	1	-	1	-	-	1
FEMALE--	13	6	-	-	2	-	-	-	1	1	-	-
BLACK---MALE----	7	-	1	-	1	-	1	-	1	-	-	1
FEMALE--	12	5	-	-	2	-	-	-	1	1	-	-
TEXAS -----	351	179	21	2	5	4	12	12	15	8	9	10
WHITE-----MALE----	167	94	6	1	2	2	8	6	6	4	5	4
FEMALE--	134	62	8	-	2	-	1	5	6	4	3	6
ALL OTHER--MALE----	26	15	2	1	-	1	3	-	-	-	-	-
FEMALE--	24	8	5	-	1	1	-	1	3	-	1	-
BLACK---MALE----	22	12	1	1	-	1	3	-	-	-	-	-
FEMALE--	24	8	5	-	1	1	-	1	3	-	1	-
UTAH -----	54	31	2	1	1	1	3	3	2	-	1	2
WHITE-----MALE----	27	17	1	1	-	1	2	1	-	-	-	2
FEMALE--	23	11	1	-	1	-	1	2	1	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
VERMONT -----	5	4	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	92	42	7	2	1	1	2	7	2	3	6	5
WHITE-----MALE----	43	19	4	1	-	1	1	4	1	1	2	2
FEMALE--	30	9	2	1	1	-	1	2	1	1	3	2
ALL OTHER--MALE----	11	8	1	-	-	-	-	-	-	1	1	-
FEMALE--	8	6	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	10	7	1	-	-	-	-	-	-	1	1	-
FEMALE--	7	5	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,611

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)												
UNITED STATES --	1,028	315	21	21	12	22	19	30	27	37	40	56
WHITE-----MALE----	398	121	8	7	5	6	4	13	11	19	10	23
FEMALE--	403	103	6	11	3	9	7	9	9	8	15	26
ALL OTHER--MALE----	128	52	2	3	1	4	3	5	5	4	8	5
FEMALE--	99	39	5	-	3	3	5	3	2	6	7	2
BLACK---MALE----	102	40	2	1	-	4	3	3	5	2	8	4
FEMALE--	88	35	5	-	2	3	3	3	2	5	7	1
ALABAMA -----	16	6	-	-	1	-	-	-	2	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	2	-	-	-	-	-	-	1	-	1	-
FEMALE--	4	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	2	-	-	-	-	-	-	1	-	1	-
FEMALE--	4	1	-	-	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	18	4	-	-	-	1	-	1	1	1	-	1
WHITE-----MALE----	7	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	2	-	-	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	15	9	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	168	44	4	5	2	5	3	3	7	10	8	14
WHITE-----MALE----	71	17	2	1	2	3	2	1	4	4	1	5
FEMALE--	60	13	2	4	-	2	-	1	1	1	3	8
ALL OTHER--MALE----	22	8	-	-	-	-	-	-	2	2	2	-
FEMALE--	15	6	-	-	-	-	1	1	-	3	2	1
BLACK---MALE----	11	2	-	-	-	-	-	-	2	1	2	-
FEMALE--	9	3	-	-	-	-	-	1	-	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,612

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)												
COLORADO -----	16	7	-	1	-	-	-	3	-	1	-	-
WHITE-----MALE----	10	5	-	-	-	-	-	2	-	1	-	-
FEMALE--	5	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	2	-	-	1	1	-	-	-	-	1	1
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	2	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	52	8	1	-	1	-	1	-	1	1	3	4
WHITE-----MALE----	21	3	1	-	-	-	-	-	-	1	1	2
FEMALE--	18	-	-	-	-	-	1	-	1	-	1	2
ALL OTHER--MALE----	5	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	3	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	3	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	29	11	4	1	1	1	1	2	1	1	1	-
WHITE-----MALE----	10	4	1	-	-	-	-	-	-	1	-	-
FEMALE--	10	4	1	1	1	-	-	1	-	-	1	-
ALL OTHER--MALE----	8	3	2	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	7	2	2	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,614

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)												
KENTUCKY -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	3	2	3	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	-	4	1	-	1	3	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	1	2	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	2	-	2	2	4	2	2	2	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	-	1	2	-	-	-
FEMALE--	-	1	-	1	2	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,617

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)												
OHIO -----	37	12	-	2	1	1	-	3	2	1	-	4
WHITE-----MALE----	14	4	-	1	-	-	-	1	1	1	-	2
FEMALE--	19	5	-	1	1	1	-	1	1	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	14	4	-	-	-	1	-	-	-	1	-	1
WHITE-----MALE----	6	3	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	16	1	-	1	-	-	-	-	1	1	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	10	1	-	1	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	37	8	1	-	-	-	-	1	-	1	3	1
WHITE-----MALE----	17	5	1	-	-	-	-	1	-	-	1	1
FEMALE--	14	3	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
RHODE ISLAND -----	2	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	14	2	-	-	-	1	-	-	1	1	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	2	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	6	2	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,618

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)												
SOUTH DAKOTA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	25	10	1	-	-	-	1	-	-	-	3	2
WHITE-----MALE----	6	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	3	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	1	1	-	-	-	1	-	-	-	1	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	1	1	-	-	-	1	-	-	-	1	-
TEXAS -----	83	33	1	1	1	1	5	1	2	-	3	1
WHITE-----MALE----	32	14	-	1	1	-	1	-	1	-	1	-
FEMALE--	39	15	1	-	-	1	4	1	-	-	1	1
ALL OTHER--MALE----	7	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	7	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	1	-	1	-
UTAH -----	6	2	-	-	-	-	-	1	-	1	-	1
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	24	9	1	1	1	1	-	-	1	3	-	3
WHITE-----MALE----	8	1	-	-	-	1	-	-	-	2	-	2
FEMALE--	5	4	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	6	2	-	1	-	-	-	-	-	-	-	1
FEMALE--	5	2	1	-	1	-	-	-	-	1	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	2	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,620

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)												
UNITED STATES --	4,869	3,371	205	45	41	49	63	54	71	64	67	89
WHITE-----MALE----	2,002	1,378	73	20	20	20	27	26	30	22	26	43
FEMALE--	1,853	1,212	75	12	15	16	23	19	27	30	29	34
ALL OTHER--MALE----	538	413	31	10	3	7	9	4	8	8	5	10
FEMALE--	476	368	26	3	3	6	4	5	6	4	7	2
BLACK---MALE----	465	355	25	9	3	7	8	4	6	6	5	8
FEMALE--	382	297	15	3	2	5	4	4	5	4	7	2
ALABAMA -----	85	66	3	1	1	-	2	-	1	2	-	3
WHITE-----MALE----	26	20	1	-	-	-	-	-	1	1	-	1
FEMALE--	30	21	1	1	-	-	2	-	-	1	-	1
ALL OTHER--MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	7	1	-	1	-	-	-	-	-	-	1
BLACK---MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	7	1	-	1	-	-	-	-	-	-	1
ALASKA -----	14	9	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	93	73	2	2	1	-	2	1	1	1	2	2
WHITE-----MALE----	52	42	-	2	1	-	1	1	-	-	1	2
FEMALE--	32	24	-	-	-	-	1	-	1	1	1	-
ALL OTHER--MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	5	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	46	37	1	-	1	-	1	-	2	-	1	-
WHITE-----MALE----	25	21	-	-	-	-	-	-	1	-	1	-
FEMALE--	12	9	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	5	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	5	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	590	430	34	5	6	8	4	5	10	4	7	8
WHITE-----MALE----	245	176	13	2	4	5	3	3	6	-	3	3
FEMALE--	235	171	13	2	2	1	-	1	3	1	4	2
ALL OTHER--MALE----	44	29	4	1	-	-	1	-	-	2	-	3
FEMALE--	66	54	4	-	-	2	-	1	1	1	-	-
BLACK---MALE----	31	19	3	1	-	-	1	-	-	-	-	3
FEMALE--	29	24	-	-	-	1	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,621

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	-	1	3	2	-	3	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	3	2	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	2	2	-	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	1	1	-	-	-
FEMALE--	2	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	7	4	4	6	3	4	4	8	3	-	-	-
WHITE-----MALE----	3	2	1	1	1	1	2	7	1	-	-	-
FEMALE--	3	2	3	4	2	2	2	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
GEORGIA -----	2	4	3	2	2	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	2	3	1	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,623

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)												
KENTUCKY -----	73	50	1	1	1	2	2	-	-	2	-	-
WHITE-----MALE----	36	19	-	1	1	2	2	-	-	1	-	-
FEMALE--	28	23	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	89	64	8	2	-	1	3	1	1	2	2	-
WHITE-----MALE----	27	19	2	-	-	1	1	-	-	-	1	-
FEMALE--	19	12	3	1	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	21	15	2	1	-	-	-	1	-	1	-	-
FEMALE--	22	18	1	-	-	-	2	-	1	-	-	-
BLACK---MALE----	21	15	2	1	-	-	-	1	-	1	-	-
FEMALE--	22	18	1	-	-	-	2	-	1	-	-	-
MAINE -----	15	10	-	-	-	1	-	-	1	2	-	-
WHITE-----MALE----	9	6	-	-	-	-	-	-	1	1	-	-
FEMALE--	6	4	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	73	40	3	1	1	1	1	1	-	1	2	3
WHITE-----MALE----	25	10	-	1	1	-	1	-	-	1	1	2
FEMALE--	24	12	1	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	10	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	9	2	-	-	-	-	1	-	-	-	-
BLACK---MALE----	8	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	8	1	-	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	75	46	4	-	-	-	1	1	1	1	1	2
WHITE-----MALE----	34	22	2	-	-	-	1	-	1	1	1	2
FEMALE--	37	21	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	178	122	8	-	3	1	2	4	3	2	2	6
WHITE-----MALE----	78	54	3	-	2	-	1	1	2	1	1	4
FEMALE--	60	38	1	-	1	-	-	2	1	1	1	1
ALL OTHER--MALE----	24	16	3	-	-	1	1	-	-	-	-	1
FEMALE--	16	14	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	22	15	3	-	-	1	-	-	-	-	-	1
FEMALE--	14	12	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,626

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)												
OHIO -----	232	148	9	5	1	4	3	5	1	1	4	3
WHITE-----MALE----	104	70	3	4	-	3	1	3	1	-	1	-
FEMALE--	109	64	6	-	1	1	2	2	-	1	2	2
ALL OTHER--MALE----	10	9	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	5	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	10	9	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	4	-	1	-	-	-	-	-	-	1	-
OKLAHOMA -----	86	55	5	1	1	-	-	1	2	1	1	1
WHITE-----MALE----	39	27	1	-	-	-	-	1	1	-	-	1
FEMALE--	33	19	1	-	1	-	-	-	1	1	-	-
ALL OTHER--MALE----	7	4	2	1	-	-	-	-	-	-	-	-
FEMALE--	7	5	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	-	-	-	-	-	-	-	-	1	-
OREGON -----	56	38	-	1	1	-	3	-	-	-	1	1
WHITE-----MALE----	27	18	-	-	1	-	1	-	-	-	-	-
FEMALE--	24	15	-	1	-	-	2	-	-	-	1	1
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	156	109	7	1	1	1	1	1	2	3	3	6
WHITE-----MALE----	58	40	1	1	-	1	-	-	1	1	1	-
FEMALE--	75	51	5	-	-	-	1	1	-	2	2	4
ALL OTHER--MALE----	10	6	1	-	1	-	-	-	-	-	-	2
FEMALE--	13	12	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	10	6	1	-	1	-	-	-	-	-	-	2
FEMALE--	12	11	-	-	-	-	-	-	1	-	-	-
RHODE ISLAND -----	26	17	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	10	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	10	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	72	53	1	-	1	-	3	-	2	-	1	1
WHITE-----MALE----	20	14	-	-	1	-	-	-	2	-	-	-
FEMALE--	14	11	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	21	18	-	-	-	-	1	-	-	-	-	-
FEMALE--	17	10	1	-	-	-	1	-	-	-	1	-
BLACK---MALE----	21	18	-	-	-	-	1	-	-	-	-	-
FEMALE--	17	10	1	-	-	-	1	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,626

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	6	6	6	4	8	8	4	4	2	-	-	-
WHITE-----MALE----	3	3	3	2	1	3	1	2	-	-	-	-
FEMALE--	3	3	2	2	7	5	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	-	4	1	3	2	6	-	-	1	-	1	-
WHITE-----MALE----	-	3	-	1	-	4	-	-	-	-	-	-
FEMALE--	-	1	1	2	2	2	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	2	1	-	1	2	2	-	1	-	-
WHITE-----MALE----	-	-	2	1	-	1	2	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	2	3	3	1	3	-	2	1	1	-	-
WHITE-----MALE----	3	-	2	3	-	2	-	1	1	-	-	-
FEMALE--	2	2	1	-	1	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	1	2	-	2	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	4	1	-	1	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,627

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)												
SOUTH DAKOTA -----	9	8	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	111	71	3	-	2	1	-	1	2	1	3	4
WHITE-----MALE----	39	23	-	-	-	-	-	1	1	1	-	2
FEMALE--	43	28	2	-	2	-	-	-	-	-	2	2
ALL OTHER--MALE----	15	12	1	-	-	-	-	-	1	-	-	-
FEMALE--	14	8	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	15	12	1	-	-	-	-	-	1	-	-	-
FEMALE--	13	8	-	-	-	1	-	-	-	-	1	-
TEXAS -----	377	268	13	4	2	2	4	3	9	4	4	8
WHITE-----MALE----	143	104	5	2	-	-	3	-	1	-	2	5
FEMALE--	173	115	6	1	2	2	1	3	7	4	1	3
ALL OTHER--MALE----	27	21	1	-	-	-	-	-	1	-	-	-
FEMALE--	34	28	1	1	-	-	-	-	-	-	1	-
BLACK---MALE----	22	16	1	-	-	-	-	-	1	-	-	-
FEMALE--	32	27	1	1	-	-	-	-	-	-	1	-
UTAH -----	50	38	1	-	-	2	-	1	-	1	1	-
WHITE-----MALE----	20	15	-	-	-	2	-	1	-	-	1	-
FEMALE--	27	20	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	15	12	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	9	8	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	103	83	2	-	-	-	-	-	2	-	1	1
WHITE-----MALE----	38	29	2	-	-	-	-	-	-	-	1	1
FEMALE--	37	27	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	14	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	14	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,630

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XV. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)												
COLORADO -----	169	167	-	-	1	-	-	-	-	1	-	-
WHITE-----MALE----	71	70	-	-	1	-	-	-	-	-	-	-
FEMALE--	71	70	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	16	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	175	175	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	53	53	-	-	-	-	-	-	-	-	-	-
FEMALE--	57	57	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	29	29	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	36	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	27	27	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	36	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	51	51	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	17	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	17	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	51	51	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	26	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	20	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	24	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	19	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	693	686	4	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	218	213	3	1	1	-	-	-	-	-	-	-
FEMALE--	170	169	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	179	179	-	-	-	-	-	-	-	-	-	-
FEMALE--	126	125	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	177	177	-	-	-	-	-	-	-	-	-	-
FEMALE--	123	122	1	-	-	-	-	-	-	-	-	-
GEORGIA -----	512	510	-	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	117	117	-	-	-	-	-	-	-	-	-	-
FEMALE--	82	81	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	170	170	-	-	-	-	-	-	-	-	-	-
FEMALE--	143	142	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	168	168	-	-	-	-	-	-	-	-	-	-
FEMALE--	142	141	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,636

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XV. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)												
SOUTH DAKOTA -----	34	34	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	17	17	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	317	315	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	83	83	-	-	-	-	-	-	-	-	-	-
FEMALE--	72	72	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	80	80	-	-	-	-	-	-	-	-	-	-
FEMALE--	82	80	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	79	79	-	-	-	-	-	-	-	-	-	-
FEMALE--	79	77	1	-	1	-	-	-	-	-	-	-
TEXAS -----	879	869	7	-	-	2	-	-	-	-	1	-
WHITE-----MALE----	377	373	3	-	-	1	-	-	-	-	-	-
FEMALE--	266	263	2	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	140	138	1	-	-	1	-	-	-	-	-	-
FEMALE--	96	95	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	129	127	1	-	-	1	-	-	-	-	-	-
FEMALE--	88	87	1	-	-	-	-	-	-	-	-	-
UTAH -----	98	97	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	44	44	-	-	-	-	-	-	-	-	-	-
FEMALE--	50	49	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	17	16	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	9	8	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	357	353	3	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	110	108	2	-	-	-	-	-	-	-	-	-
FEMALE--	65	65	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	110	109	1	-	-	-	-	-	-	-	-	-
FEMALE--	72	71	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	108	107	1	-	-	-	-	-	-	-	-	-
FEMALE--	72	71	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,654

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (768-769)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	8	8	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	40	38	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	14	14	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	7	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	7	1	-	1	-	-	-	-	-	-	-
TEXAS -----	121	120	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	56	56	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	35	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	19	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	17	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
UTAH -----	7	7	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	32	31	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,657

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)												
COLORADO -----	141	139	-	-	1	-	-	-	-	1	-	-
WHITE-----MALE----	60	59	-	-	1	-	-	-	-	-	-	-
FEMALE--	58	57	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	12	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	155	155	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	48	48	-	-	-	-	-	-	-	-	-	-
FEMALE--	48	48	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	25	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	34	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	25	25	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	34	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	39	39	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	41	41	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	20	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	16	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	16	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	600	596	2	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	184	181	1	1	1	-	-	-	-	-	-	-
FEMALE--	145	145	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	162	162	-	-	-	-	-	-	-	-	-	-
FEMALE--	109	108	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	162	162	-	-	-	-	-	-	-	-	-	-
FEMALE--	106	105	1	-	-	-	-	-	-	-	-	-
GEORGIA -----	454	452	-	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	101	101	-	-	-	-	-	-	-	-	-	-
FEMALE--	73	72	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	156	156	-	-	-	-	-	-	-	-	-	-
FEMALE--	124	123	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	154	154	-	-	-	-	-	-	-	-	-	-
FEMALE--	123	122	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,665

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
UNITED STATES --	25,992	3,658	219	74	82	234	324	423	635	914	1,052	1,030
WHITE-----MALE----	10,045	1,409	73	27	30	114	174	212	320	461	523	511
FEMALE--	10,996	906	68	26	24	54	60	89	147	224	265	241
ALL OTHER--MALE----	2,721	784	46	9	14	44	64	78	101	147	165	172
FEMALE--	2,230	559	32	12	14	22	26	44	67	82	99	106
BLACK---MALE----	2,451	697	39	8	14	43	56	67	83	132	151	158
FEMALE--	2,030	501	27	10	14	20	23	41	63	73	93	99
ALABAMA -----	1,159	71	8	2	7	6	16	8	16	23	36	51
WHITE-----MALE----	381	27	3	-	2	1	7	5	8	12	18	25
FEMALE--	429	27	3	1	2	2	2	-	3	5	5	14
ALL OTHER--MALE----	173	8	1	1	2	3	4	1	3	3	8	10
FEMALE--	176	9	1	-	1	-	3	2	2	3	5	2
BLACK---MALE----	173	8	1	1	2	3	4	1	3	3	8	10
FEMALE--	176	9	1	-	1	-	3	2	2	3	5	2
ALASKA -----	42	21	1	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	18	10	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	2	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	236	64	1	1	-	6	2	4	5	7	12	12
WHITE-----MALE----	102	34	-	-	-	3	2	-	1	3	7	5
FEMALE--	98	15	-	1	-	2	-	2	3	4	4	5
ALL OTHER--MALE----	23	9	-	-	-	1	-	2	1	-	1	2
FEMALE--	13	6	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	4	-	-	-	1	-	-	-	-	-	1
FEMALE--	5	4	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	860	62	3	-	2	1	2	5	7	15	18	24
WHITE-----MALE----	343	25	1	-	-	1	2	2	2	7	9	12
FEMALE--	350	13	1	-	2	-	-	1	4	5	3	3
ALL OTHER--MALE----	88	13	1	-	-	-	-	2	1	2	3	5
FEMALE--	79	11	-	-	-	-	-	-	-	1	3	4
BLACK---MALE----	85	13	1	-	-	-	-	2	-	2	2	5
FEMALE--	78	11	-	-	-	-	-	-	-	1	3	4
CALIFORNIA -----	845	333	13	6	5	15	21	21	36	46	65	59
WHITE-----MALE----	394	139	5	2	2	7	12	12	21	19	35	35
FEMALE--	249	78	4	3	2	3	3	5	8	12	18	15
ALL OTHER--MALE----	120	67	1	-	1	3	3	4	3	11	7	7
FEMALE--	82	49	3	1	-	2	3	-	4	4	5	2
BLACK---MALE----	86	49	1	-	1	3	1	2	3	6	5	6
FEMALE--	55	32	2	1	-	1	2	-	3	3	5	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,666

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
COLORADO -----	393	51	3	1	2	3	3	8	13	23	21	16
WHITE-----MALE----	193	32	1	-	-	2	2	5	8	15	16	4
FEMALE--	173	10	2	1	2	1	1	2	3	5	4	9
ALL OTHER--MALE----	19	7	-	-	-	-	-	1	2	3	1	-
FEMALE--	8	2	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	13	6	-	-	-	-	-	1	-	1	1	-
FEMALE--	6	2	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	371	38	7	-	1	3	6	15	14	32	36	30
WHITE-----MALE----	163	14	2	-	-	1	4	9	9	23	21	15
FEMALE--	163	7	3	-	1	-	2	4	4	6	11	9
ALL OTHER--MALE----	27	9	-	-	-	2	-	1	1	3	3	3
FEMALE--	18	8	2	-	-	-	-	1	-	-	1	3
BLACK---MALE----	26	8	-	-	-	2	-	1	1	3	3	3
FEMALE--	17	8	1	-	-	-	-	1	-	-	1	3
DELAWARE -----	43	14	-	-	-	1	1	-	-	-	1	1
WHITE-----MALE----	15	4	-	-	-	1	1	-	-	-	1	-
FEMALE--	20	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	4	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	4	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	67	13	4	-	-	1	3	1	1	4	5	5
WHITE-----MALE----	5	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	34	5	2	-	-	1	3	-	1	3	5	2
FEMALE--	26	7	2	-	-	-	-	1	-	-	-	3
BLACK---MALE----	34	5	2	-	-	1	3	-	1	3	5	2
FEMALE--	26	7	2	-	-	-	-	1	-	-	-	3
FLORIDA -----	2,874	169	14	-	6	14	13	26	36	44	55	51
WHITE-----MALE----	1,068	64	4	-	1	5	4	14	15	26	33	27
FEMALE--	1,473	41	3	-	-	4	7	4	12	7	11	14
ALL OTHER--MALE----	182	40	5	-	4	4	1	5	6	8	7	5
FEMALE--	151	24	2	-	1	1	1	3	3	3	4	5
BLACK---MALE----	180	39	5	-	4	4	1	5	6	8	7	5
FEMALE--	146	23	2	-	1	1	1	3	3	3	4	5
GEORGIA -----	820	121	7	4	2	9	4	10	22	19	30	38
WHITE-----MALE----	234	33	2	2	-	-	1	3	12	4	17	9
FEMALE--	333	22	3	-	1	4	-	1	5	7	4	11
ALL OTHER--MALE----	125	35	1	1	-	3	1	4	1	5	6	10
FEMALE--	128	31	1	1	1	2	2	2	4	3	3	8
BLACK---MALE----	121	33	1	1	-	3	1	4	1	4	6	10
FEMALE--	126	30	1	1	1	2	2	2	4	3	3	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,666

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
COLORADO -----	18	20	17	19	22	22	37	33	22	29	10	-
WHITE-----MALE----	12	11	8	10	14	11	19	10	3	7	3	-
FEMALE--	5	8	8	7	8	10	18	22	18	22	7	-
ALL OTHER--MALE----	1	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
CONNECTICUT -----	9	8	5	12	29	19	33	30	26	12	6	-
WHITE-----MALE----	5	1	1	5	13	10	16	6	4	4	-	-
FEMALE--	3	4	3	7	16	8	17	23	22	7	6	-
ALL OTHER--MALE----	1	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	2	-	2	1	3	3	3	6	4	1	-	-
WHITE-----MALE----	2	-	1	1	-	2	1	-	-	1	-	-
FEMALE--	-	-	1	-	1	1	2	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	2	7	5	1	3	2	7	1	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	5	4	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	2	1	5	-	1	1	-	-
BLACK---MALE----	1	5	4	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	2	1	5	-	1	1	-	-
FLORIDA -----	59	62	88	101	183	244	406	451	499	247	90	16
WHITE-----MALE----	30	32	49	49	81	110	157	155	139	48	17	8
FEMALE--	19	16	21	34	76	113	217	276	341	187	69	1
ALL OTHER--MALE----	6	8	11	10	18	9	14	8	5	2	-	6
FEMALE--	4	6	7	8	8	12	18	12	14	10	4	1
BLACK---MALE----	6	8	11	10	18	9	14	7	5	2	-	6
FEMALE--	3	6	7	5	8	12	18	12	14	10	4	1
GEORGIA -----	14	23	22	34	52	76	91	108	78	41	15	-
WHITE-----MALE----	6	9	6	13	21	25	22	26	17	6	-	-
FEMALE--	4	7	7	10	17	30	52	65	45	26	12	-
ALL OTHER--MALE----	2	4	5	6	8	9	12	4	6	2	-	-
FEMALE--	2	3	4	5	6	12	5	13	10	7	3	-
BLACK---MALE----	2	4	5	6	8	8	12	4	6	2	-	-
FEMALE--	2	3	4	5	6	12	5	12	10	7	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,667
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
HAWAII -----	1	2	2	2	2	8	9	7	10	6	1	-
WHITE-----MALE----	1	-	1	-	-	3	1	1	2	-	-	-
FEMALE--	-	-	-	-	1	-	2	4	1	-	-	-
ALL OTHER--MALE----	-	1	1	2	1	3	1	-	1	1	-	-
FEMALE--	-	1	-	-	-	2	5	2	6	5	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
IDAHO -----	5	1	-	5	3	9	10	12	13	15	6	-
WHITE-----MALE----	4	-	-	4	2	6	4	3	3	2	-	-
FEMALE--	1	1	-	1	1	3	6	9	10	13	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	44	21	32	40	61	57	68	71	73	36	14	2
WHITE-----MALE----	23	7	15	18	29	21	31	16	15	5	-	2
FEMALE--	8	8	8	13	11	23	29	41	50	24	14	-
ALL OTHER--MALE----	9	5	5	5	12	7	4	6	2	1	-	-
FEMALE--	4	1	4	4	9	6	4	8	6	6	-	-
BLACK---MALE----	9	5	5	5	12	7	4	5	2	1	-	-
FEMALE--	4	1	4	4	9	6	4	7	6	6	-	-
INDIANA -----	16	16	8	21	26	25	37	48	40	27	3	-
WHITE-----MALE----	5	8	4	9	14	10	10	11	11	4	-	-
FEMALE--	8	4	4	7	8	11	22	34	27	21	3	-
ALL OTHER--MALE----	-	3	-	2	3	4	1	-	-	1	-	-
FEMALE--	3	1	-	3	1	-	4	3	2	1	-	-
BLACK---MALE----	-	3	-	2	3	4	1	-	-	1	-	-
FEMALE--	3	1	-	3	1	-	4	2	2	1	-	-
IOWA -----	2	1	1	4	7	7	15	28	35	24	13	-
WHITE-----MALE----	2	1	1	2	3	3	9	11	7	2	4	-
FEMALE--	-	-	-	2	4	4	6	17	28	22	9	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	17	13	15	20	33	39	31	46	51	35	17	-
WHITE-----MALE----	10	5	6	11	12	15	11	16	11	5	1	-
FEMALE--	2	3	6	4	15	18	19	28	38	30	15	-
ALL OTHER--MALE----	4	4	1	4	4	4	1	1	-	-	-	-
FEMALE--	1	1	2	1	2	2	-	1	2	-	1	-
BLACK---MALE----	4	4	1	4	3	4	1	1	-	-	-	-
FEMALE--	1	1	2	1	2	1	-	1	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,668

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
KENTUCKY -----	303	57	3	1	1	3	1	3	6	9	9	7
WHITE-----MALE----	134	24	3	1	1	3	1	2	3	3	8	7
FEMALE--	129	21	-	-	-	-	-	-	3	6	-	-
ALL OTHER--MALE----	19	7	-	-	-	-	-	1	-	-	-	-
FEMALE--	21	5	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	18	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	5	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	610	69	4	-	1	1	2	6	8	8	15	17
WHITE-----MALE----	172	17	-	-	-	-	1	1	2	2	6	6
FEMALE--	216	7	-	-	1	-	-	1	-	2	1	1
ALL OTHER--MALE----	121	23	2	-	-	-	1	3	3	3	6	6
FEMALE--	101	22	2	-	-	1	-	1	3	1	2	4
BLACK---MALE----	119	22	2	-	-	-	1	3	3	3	6	6
FEMALE--	99	21	2	-	-	1	-	1	3	1	2	4
MAINE -----	84	12	-	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	38	8	-	-	-	-	-	1	-	1	-	-
FEMALE--	46	4	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	227	68	2	1	1	2	4	2	6	12	13	11
WHITE-----MALE----	69	15	1	-	-	1	2	1	2	3	2	3
FEMALE--	53	3	1	-	-	-	-	-	-	3	3	1
ALL OTHER--MALE----	62	31	-	-	-	1	2	1	2	4	5	6
FEMALE--	43	19	-	1	1	-	-	-	2	2	3	1
BLACK---MALE----	61	31	-	-	-	1	2	1	1	4	5	6
FEMALE--	40	18	-	1	1	-	-	-	2	2	3	1
MASSACHUSETTS -----	554	28	4	-	2	3	4	3	7	15	18	9
WHITE-----MALE----	202	16	3	-	2	3	2	3	4	7	10	5
FEMALE--	325	5	1	-	-	-	2	-	3	6	5	1
ALL OTHER--MALE----	14	4	-	-	-	-	-	-	-	-	2	-
FEMALE--	13	3	-	-	-	-	-	-	-	2	1	3
BLACK---MALE----	12	4	-	-	-	-	-	-	-	-	2	-
FEMALE--	11	3	-	-	-	-	-	-	-	2	1	3
MICHIGAN -----	462	170	6	3	-	5	2	6	3	11	10	15
WHITE-----MALE----	150	55	4	1	-	3	2	2	2	4	3	4
FEMALE--	179	42	-	1	-	2	-	1	1	4	3	2
ALL OTHER--MALE----	67	42	2	1	-	-	-	1	-	1	2	8
FEMALE--	66	31	-	-	-	-	-	2	-	2	2	1
BLACK---MALE----	63	38	2	1	-	-	-	1	-	1	2	8
FEMALE--	65	31	-	-	-	-	-	2	-	2	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,668

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
KENTUCKY -----	9	9	14	15	32	18	26	27	31	16	6	-
WHITE-----MALE----	5	5	9	6	16	10	13	7	6	1	-	-
FEMALE--	1	1	5	8	8	8	12	17	21	12	6	-
ALL OTHER--MALE----	1	3	-	1	4	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	4	-	1	3	3	2	-	-
BLACK---MALE----	1	3	-	1	4	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	4	-	1	3	3	1	-	-
LOUISIANA -----	9	24	28	40	52	69	83	69	68	28	9	-
WHITE-----MALE----	7	7	12	17	17	21	18	15	20	2	1	-
FEMALE--	1	6	6	9	18	31	42	36	29	20	5	-
ALL OTHER--MALE----	1	8	8	8	14	10	9	6	5	4	1	-
FEMALE--	-	3	2	6	3	7	14	12	14	2	2	-
BLACK---MALE----	1	8	8	8	14	10	8	6	5	4	1	-
FEMALE--	-	3	2	6	3	7	14	11	14	2	2	-
MAINE -----	2	4	2	4	6	10	12	7	12	8	2	-
WHITE-----MALE----	2	2	1	3	3	6	5	4	1	1	-	-
FEMALE--	-	2	1	1	3	4	7	3	11	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	7	12	9	12	14	15	13	11	4	-	3
WHITE-----MALE----	2	-	5	4	6	7	8	6	1	-	-	-
FEMALE--	1	2	4	2	3	6	6	6	8	3	-	1
ALL OTHER--MALE----	1	3	1	1	2	-	-	-	-	1	-	1
FEMALE--	1	2	2	2	1	1	1	1	2	-	-	1
BLACK---MALE----	1	3	1	1	2	-	-	-	-	1	-	1
FEMALE--	1	1	2	2	1	-	1	1	2	-	-	1
MASSACHUSETTS -----	4	10	11	22	42	53	71	99	90	41	18	-
WHITE-----MALE----	2	3	4	12	17	18	29	30	21	7	4	-
FEMALE--	1	6	6	8	23	32	42	67	69	34	14	-
ALL OTHER--MALE----	1	-	-	1	2	3	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	3	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MICHIGAN -----	15	8	12	16	30	37	27	31	27	26	2	-
WHITE-----MALE----	2	2	6	7	14	14	7	7	6	5	-	-
FEMALE--	6	4	5	5	13	16	13	23	16	20	2	-
ALL OTHER--MALE----	4	1	-	2	-	-	2	-	1	-	-	-
FEMALE--	3	1	1	2	3	7	5	1	4	1	-	-
BLACK---MALE----	4	1	-	2	-	-	2	-	1	-	-	-
FEMALE--	2	1	1	2	3	7	5	1	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,669

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
MINNESOTA -----	1,023	56	11	1	2	3	3	5	8	15	11	17
WHITE-----MALE----	366	25	4	-	2	2	1	3	5	10	6	11
FEMALE--	607	17	3	-	-	-	-	-	1	3	4	4
ALL OTHER--MALE----	32	9	2	1	-	1	2	-	2	2	1	1
FEMALE--	18	5	2	-	-	-	-	2	-	-	-	1
BLACK---MALE----	20	6	1	1	-	1	1	-	-	2	1	-
FEMALE--	9	3	2	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	266	66	3	-	2	3	1	6	3	9	5	5
WHITE-----MALE----	59	17	-	-	-	-	1	2	2	3	1	1
FEMALE--	94	9	1	-	-	-	-	-	1	3	-	2
ALL OTHER--MALE----	60	23	1	-	1	2	-	2	-	3	2	1
FEMALE--	53	17	1	-	1	1	-	2	-	-	2	1
BLACK---MALE----	60	23	1	-	1	2	-	2	-	3	2	1
FEMALE--	52	16	1	-	1	1	-	2	-	-	2	1
MISSOURI -----	396	87	2	2	1	3	2	7	7	13	11	10
WHITE-----MALE----	155	32	1	-	1	2	2	4	3	7	6	4
FEMALE--	157	21	-	1	-	-	-	3	3	-	3	4
ALL OTHER--MALE----	49	22	-	-	-	1	-	-	-	5	1	1
FEMALE--	35	12	1	1	-	-	-	-	1	1	1	1
BLACK---MALE----	48	22	-	-	-	1	-	-	-	5	1	-
FEMALE--	34	12	1	1	-	-	-	-	1	1	1	1
MONTANA -----	151	18	-	-	-	-	2	2	-	2	1	1
WHITE-----MALE----	62	6	-	-	-	-	1	2	-	1	1	1
FEMALE--	79	7	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	5	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	425	24	-	-	-	2	-	1	1	9	10	9
WHITE-----MALE----	196	19	-	-	-	1	-	1	1	4	3	3
FEMALE--	199	2	-	-	-	-	-	-	-	4	4	4
ALL OTHER--MALE----	17	3	-	-	-	1	-	-	-	1	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	13	3	-	-	-	1	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	-
NEVADA -----	96	25	1	-	1	-	1	1	4	3	5	3
WHITE-----MALE----	43	12	1	-	-	-	1	1	1	2	4	3
FEMALE--	42	8	-	-	1	-	-	-	3	-	1	-
ALL OTHER--MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	2	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,669

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
MINNESOTA -----	10	8	32	44	62	87	129	179	178	104	58	-
WHITE-----MALE----	6	6	18	27	30	46	45	57	43	14	5	-
FEMALE--	3	1	13	16	30	38	80	121	132	88	53	-
ALL OTHER--MALE----	-	1	-	1	1	2	2	-	2	2	-	-
FEMALE--	1	-	1	-	1	1	2	1	1	-	-	-
BLACK---MALE----	-	1	-	-	1	2	-	-	2	1	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
MISSISSIPPI -----	8	6	3	7	14	18	19	32	33	18	5	-
WHITE-----MALE----	2	2	2	-	5	2	4	8	6	1	-	-
FEMALE--	1	2	-	2	7	10	9	19	16	10	2	-
ALL OTHER--MALE----	4	1	1	5	2	3	2	2	4	1	-	-
FEMALE--	1	1	-	-	-	3	4	3	7	6	3	-
BLACK---MALE----	4	1	1	5	2	3	2	2	4	1	-	-
FEMALE--	1	1	-	-	-	3	4	3	7	6	3	-
MISSOURI -----	12	10	19	17	32	39	38	38	25	16	5	-
WHITE-----MALE----	4	8	10	8	15	16	14	11	5	2	-	-
FEMALE--	4	1	5	3	9	19	22	23	18	13	5	-
ALL OTHER--MALE----	4	1	3	1	6	3	-	1	-	-	-	-
FEMALE--	-	-	1	5	2	1	2	3	2	1	-	-
BLACK---MALE----	4	1	3	1	6	3	-	1	-	-	-	-
FEMALE--	-	-	1	5	2	-	2	3	2	1	-	-
MONTANA -----	5	2	5	10	15	15	20	14	27	9	3	-
WHITE-----MALE----	2	1	3	6	7	10	7	5	8	1	-	-
FEMALE--	2	1	2	3	8	5	12	8	19	8	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	13	15	25	30	38	48	59	49	45	30	17	-
WHITE-----MALE----	10	10	19	17	23	18	29	18	13	7	-	-
FEMALE--	3	3	4	9	11	29	28	30	30	21	17	-
ALL OTHER--MALE----	-	2	2	2	2	-	1	-	-	1	-	-
FEMALE--	-	-	-	2	2	1	1	1	2	1	-	-
BLACK---MALE----	-	2	2	2	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	2	2	1	1	1	2	1	-	-
NEVADA -----	1	1	-	6	6	3	5	12	11	1	3	3
WHITE-----MALE----	1	1	-	3	2	-	3	3	2	-	-	3
FEMALE--	-	-	-	2	4	3	2	8	6	1	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,671
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
OHIO -----	1,830	196	23	9	8	40	44	55	84	102	129	111
WHITE-----MALE----	796	78	10	4	4	20	22	29	42	63	63	56
FEMALE--	672	49	8	4	3	9	6	14	21	17	37	29
ALL OTHER--MALE----	195	36	4	1	-	9	11	8	14	10	17	17
FEMALE--	167	33	1	-	1	2	5	4	7	12	12	9
BLACK---MALE----	193	36	3	1	-	9	11	8	14	10	17	17
FEMALE--	164	31	1	-	1	2	5	4	7	12	11	9
OKLAHOMA -----	383	68	4	4	2	4	8	13	15	25	33	25
WHITE-----MALE----	156	35	1	-	-	-	2	3	8	14	16	13
FEMALE--	158	15	1	2	1	3	4	7	4	9	10	5
ALL OTHER--MALE----	32	8	1	1	-	-	2	2	2	1	4	1
FEMALE--	37	10	1	1	1	1	-	1	1	1	3	6
BLACK---MALE----	17	4	-	1	-	-	1	2	-	1	2	-
FEMALE--	25	7	-	-	1	1	-	1	1	1	1	5
OREGON -----	737	48	1	1	1	1	1	7	7	12	16	24
WHITE-----MALE----	335	25	-	1	-	1	-	5	6	8	10	17
FEMALE--	373	19	1	-	1	-	1	2	1	4	4	6
ALL OTHER--MALE----	13	2	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	2	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	1,822	134	7	4	4	9	18	12	30	44	54	56
WHITE-----MALE----	763	51	2	1	2	5	9	2	18	23	29	33
FEMALE--	822	31	2	3	1	4	4	2	7	15	15	6
ALL OTHER--MALE----	131	29	2	-	1	-	4	4	3	4	6	11
FEMALE--	106	23	1	-	-	-	1	4	2	2	4	6
BLACK---MALE----	126	29	2	-	1	-	4	4	3	4	6	10
FEMALE--	105	23	1	-	-	-	1	4	2	2	4	6
RHODE ISLAND -----	63	5	-	-	1	1	1	5	7	8	6	9
WHITE-----MALE----	42	5	-	-	1	1	-	2	4	5	4	8
FEMALE--	16	-	-	-	-	-	1	2	3	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
SOUTH CAROLINA -----	350	60	5	-	1	3	2	7	14	23	21	17
WHITE-----MALE----	99	21	-	-	-	1	2	3	4	6	7	8
FEMALE--	106	14	1	-	-	1	-	2	3	8	7	-
ALL OTHER--MALE----	80	11	1	-	1	1	-	2	5	4	5	8
FEMALE--	65	14	3	-	-	-	-	-	2	5	2	1
BLACK---MALE----	79	11	1	-	1	1	-	2	5	4	5	8
FEMALE--	62	13	3	-	-	-	-	-	2	3	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,671

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0												
XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
OHIO -----	96	68	69	83	106	140	128	141	113	63	22	-
WHITE-----MALE----	49	40	35	45	60	61	36	43	27	7	2	-
FEMALE--	25	14	15	27	35	55	80	83	81	46	14	-
ALL OTHER--MALE----	12	6	12	3	6	16	3	4	2	1	3	-
FEMALE--	10	8	7	8	5	8	9	11	3	9	3	-
BLACK---MALE----	11	6	12	3	6	16	3	4	2	1	3	-
FEMALE--	10	8	7	8	5	8	9	11	3	9	3	-
OKLAHOMA -----	19	10	11	16	15	26	19	25	24	14	1	2
WHITE-----MALE----	9	4	3	6	6	14	5	8	6	2	-	1
FEMALE--	4	4	8	7	9	10	12	17	13	12	1	-
ALL OTHER--MALE----	5	-	-	2	-	2	1	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	1	-	5	-	-	1
BLACK---MALE----	2	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	3	-	-	1
OREGON -----	17	27	44	50	52	68	104	97	87	54	18	-
WHITE-----MALE----	11	14	28	29	29	37	45	36	20	11	2	-
FEMALE--	6	11	14	18	19	29	55	58	66	42	16	-
ALL OTHER--MALE----	-	-	2	1	2	2	-	1	-	1	-	-
FEMALE--	-	2	-	2	2	-	4	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	2	-	-	-	-
PENNSYLVANIA -----	61	62	91	130	150	201	243	226	187	62	31	6
WHITE-----MALE----	31	34	52	68	78	95	92	77	45	11	4	1
FEMALE--	24	20	25	46	61	87	134	139	125	45	25	1
ALL OTHER--MALE----	6	6	7	13	8	9	7	4	4	1	-	2
FEMALE--	-	2	7	3	3	10	10	6	13	5	2	2
BLACK---MALE----	6	6	6	12	8	7	7	4	4	1	-	2
FEMALE--	-	2	7	2	3	10	10	6	13	5	2	2
RHODE ISLAND -----	6	-	-	2	1	3	2	2	2	1	1	-
WHITE-----MALE----	4	-	-	2	1	2	2	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	24	10	20	13	19	25	33	21	19	7	6	-
WHITE-----MALE----	6	5	7	2	3	9	7	5	3	-	-	-
FEMALE--	6	1	3	5	5	8	10	11	12	4	5	-
ALL OTHER--MALE----	7	4	5	4	7	4	7	2	1	1	-	-
FEMALE--	5	-	5	2	4	4	9	3	3	2	1	-
BLACK---MALE----	7	4	5	4	7	4	6	2	1	1	-	-
FEMALE--	5	-	5	2	4	4	9	3	3	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,672

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
SOUTH DAKOTA -----	79	23	1	-	-	-	1	1	1	2	1	1
WHITE-----MALE----	28	6	-	-	-	-	1	1	-	2	-	-
FEMALE--	34	6	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	9	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	740	83	3	1	-	3	4	7	9	19	25	26
WHITE-----MALE----	288	29	1	-	-	2	3	2	5	9	10	14
FEMALE--	329	27	1	1	-	-	1	2	-	5	7	5
ALL OTHER--MALE----	57	14	1	-	-	-	-	1	3	3	3	5
FEMALE--	66	13	-	-	-	1	-	2	1	2	5	2
BLACK---MALE----	57	14	1	-	-	-	-	1	3	3	3	5
FEMALE--	64	12	-	-	-	1	-	2	1	2	5	2
TEXAS -----	1,070	277	11	4	4	8	27	23	25	44	42	50
WHITE-----MALE----	449	128	3	1	1	4	18	10	17	27	20	24
FEMALE--	432	72	4	2	1	3	9	7	6	7	14	11
ALL OTHER--MALE----	108	49	2	1	1	1	-	3	1	7	5	8
FEMALE--	81	28	2	-	1	-	-	3	1	3	3	7
BLACK---MALE----	107	48	2	1	1	1	-	3	1	7	5	8
FEMALE--	79	27	2	-	1	-	-	3	1	3	3	7
UTAH -----	298	29	3	-	-	5	-	2	1	7	5	13
WHITE-----MALE----	134	18	2	-	-	3	-	1	-	5	3	9
FEMALE--	155	10	-	-	-	2	-	-	1	2	2	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
VERMONT -----	26	4	-	-	-	-	-	1	2	1	1	-
WHITE-----MALE----	13	2	-	-	-	-	-	1	2	1	1	-
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	654	105	7	2	1	6	5	12	13	20	19	16
WHITE-----MALE----	203	27	3	-	-	3	2	8	4	7	6	6
FEMALE--	276	22	1	-	-	-	1	1	2	4	4	4
ALL OTHER--MALE----	92	33	2	1	-	3	2	2	2	8	7	4
FEMALE--	83	23	1	1	1	-	-	1	5	1	2	2
BLACK---MALE----	89	32	2	1	-	3	1	1	2	8	7	4
FEMALE--	81	23	1	1	1	-	-	1	5	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,672
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
SOUTH DAKOTA -----	-	-	1	3	3	-	8	7	10	8	8	-
WHITE-----MALE----	-	-	1	2	1	-	4	3	3	2	2	-
FEMALE--	-	-	-	1	-	-	2	3	7	6	6	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	25	30	35	41	59	77	80	97	77	24	15	-
WHITE-----MALE----	16	19	21	22	26	29	27	31	16	5	1	-
FEMALE--	7	8	9	12	27	39	43	54	51	18	12	-
ALL OTHER--MALE----	-	-	2	5	3	5	3	5	4	-	-	-
FEMALE--	2	3	3	2	3	4	7	7	6	1	2	-
BLACK---MALE----	-	-	2	5	3	5	3	5	4	-	-	-
FEMALE--	2	3	3	2	3	4	6	7	6	1	2	-
TEXAS -----	35	25	42	48	44	54	70	61	82	67	23	4
WHITE-----MALE----	16	13	24	23	21	19	28	23	13	12	-	4
FEMALE--	13	7	12	17	19	32	35	31	60	50	20	-
ALL OTHER--MALE----	4	4	3	8	1	2	2	2	2	1	1	-
FEMALE--	2	1	3	-	3	1	5	5	7	4	2	-
BLACK---MALE----	4	4	3	8	1	2	2	2	2	1	1	-
FEMALE--	2	1	3	-	3	1	4	5	7	4	2	-
UTAH -----	9	16	18	22	25	32	28	26	37	16	4	-
WHITE-----MALE----	3	12	11	10	15	11	10	12	6	3	-	-
FEMALE--	5	4	5	11	9	21	18	14	30	13	4	-
ALL OTHER--MALE----	-	-	2	1	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	1	-	1	1	2	6	2	2	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	1	1	1	-	-
FEMALE--	1	1	-	-	1	-	1	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	14	14	32	56	61	85	61	52	45	18	1
WHITE-----MALE----	4	6	4	12	29	23	27	20	9	3	-	-
FEMALE--	3	5	6	14	18	33	42	29	39	34	14	-
ALL OTHER--MALE----	1	2	2	4	3	2	6	1	2	4	-	1
FEMALE--	1	1	2	2	6	3	10	11	2	4	4	-
BLACK---MALE----	1	2	2	4	3	2	6	1	2	4	-	1
FEMALE--	1	1	2	2	5	3	10	10	2	4	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,675

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)												
COLORADO -----	-	-	-	-	-	2	3	7	5	11	8	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	2	3	-
FEMALE--	-	-	-	-	-	1	3	6	5	9	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	1	1	2	2	2	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	3	6	31	71	126	256	341	388	192	70	-
WHITE-----MALE----	-	-	2	16	31	53	96	122	101	37	16	-
FEMALE--	-	2	4	12	34	66	142	208	276	148	52	-
ALL OTHER--MALE----	-	1	-	1	4	1	5	5	2	2	-	-
FEMALE--	-	-	-	2	2	6	13	6	9	5	2	-
BLACK---MALE----	-	1	-	1	4	1	5	5	2	2	-	-
FEMALE--	-	-	-	2	2	6	13	6	9	5	2	-
GEORGIA -----	-	-	1	3	6	23	33	33	33	21	8	-
WHITE-----MALE----	-	-	-	2	2	8	6	9	9	3	-	-
FEMALE--	-	-	-	1	1	8	21	17	21	14	6	-
ALL OTHER--MALE----	-	-	-	-	1	1	4	-	-	1	-	-
FEMALE--	-	-	1	-	2	6	2	7	3	3	2	-
BLACK---MALE----	-	-	-	-	1	-	4	-	-	1	-	-
FEMALE--	-	-	1	-	2	6	2	6	3	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,678

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)												
MINNESOTA -----	-	-	-	1	3	1	8	25	36	34	22	-
WHITE-----MALE----	-	-	-	-	2	-	5	11	11	4	2	-
FEMALE--	-	-	-	1	1	1	3	14	24	30	20	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	-	-	-	-	-	1	2	2	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
MISSOURI -----	-	-	-	-	1	3	4	6	7	4	3	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	3	5	5	3	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
MONTANA -----	-	-	-	-	-	2	3	4	13	4	3	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	4	-	-	-
FEMALE--	-	-	-	-	-	1	3	2	9	4	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	-	2	1	4	3	11	11	6	-
WHITE-----MALE----	-	-	-	-	2	-	2	2	4	2	-	-
FEMALE--	-	-	-	-	-	1	2	1	7	9	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	-	-	-	-	1	2	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,680

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)												
OHIO -----	-	-	-	1	1	5	13	13	27	22	12	-
WHITE-----MALE----	-	-	-	1	-	1	3	3	8	1	1	-
FEMALE--	-	-	-	-	1	4	9	9	19	19	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	-	-	-	-	-	-	1	1	-	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	-	-	-	-	-	-	1	1	-	2	2	-
OKLAHOMA -----	-	-	-	-	-	-	-	2	2	6	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	1	1	1	12	11	15	19	9	-
WHITE-----MALE----	-	-	-	-	-	-	5	5	5	4	2	-
FEMALE--	-	-	-	1	1	1	7	6	10	14	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	1	-	2	6	16	15	7	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	3	3	-	-
FEMALE--	-	-	-	-	1	-	2	6	8	9	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	3	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	3	2	1	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	1	4	5	5	9	3	5	-
WHITE-----MALE----	-	-	-	-	-	3	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	1	4	5	1	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	2	1	-
BLACK---MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,681

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)												
SOUTH DAKOTA -----	-	-	-	-	-	-	2	4	8	6	4	-
WHITE-----MALE----	-	-	-	-	-	-	2	2	3	1	1	-
FEMALE--	-	-	-	-	-	-	-	2	5	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	2	5	8	1	7	-
WHITE-----MALE----	-	-	-	-	-	-	2	2	2	1	1	-
FEMALE--	-	-	-	-	-	-	-	2	5	-	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	1	-
TEXAS -----	-	-	-	-	-	-	2	8	15	26	16	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	3	5	-	-
FEMALE--	-	-	-	-	-	-	2	7	10	18	13	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	1	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	1	2	2	-
UTAH -----	-	-	-	-	4	6	4	9	13	10	3	-
WHITE-----MALE----	-	-	-	-	2	1	1	4	1	2	-	-
FEMALE--	-	-	-	-	2	5	3	5	12	8	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	-	-	1	1	6	7	9	23	10	-
WHITE-----MALE----	-	-	-	-	-	1	-	4	2	2	-	-
FEMALE--	-	-	-	-	1	-	5	1	7	16	10	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	4	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,683

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	22,994	3,658	219	74	82	234	324	423	635	914	1,052	1,030
WHITE-----MALE----	9,264	1,409	73	27	30	114	174	212	320	461	523	511
FEMALE--	9,001	906	68	26	24	54	60	89	147	224	265	241
ALL OTHER--MALE----	2,663	784	46	9	14	44	64	78	101	147	165	172
FEMALE--	2,066	559	32	12	14	22	26	44	67	82	99	106
BLACK---MALE----	2,401	697	39	8	14	43	56	67	83	132	151	158
FEMALE--	1,883	501	27	10	14	20	23	41	63	73	93	99
ALABAMA -----	1,131	71	8	2	7	6	16	8	16	23	36	51
WHITE-----MALE----	375	27	3	-	2	1	7	5	8	12	18	25
FEMALE--	410	27	3	1	2	2	2	-	3	5	5	14
ALL OTHER--MALE----	173	8	1	1	2	3	4	1	3	3	8	10
FEMALE--	173	9	1	-	1	-	3	2	2	3	5	2
BLACK---MALE----	173	8	1	1	2	3	4	1	3	3	8	10
FEMALE--	173	9	1	-	1	-	3	2	2	3	5	2
ALASKA -----	41	21	1	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	17	10	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	2	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	203	64	1	1	-	6	2	4	5	7	12	12
WHITE-----MALE----	100	34	-	-	-	3	2	-	1	3	7	5
FEMALE--	72	15	-	1	-	2	-	2	3	4	4	5
ALL OTHER--MALE----	21	9	-	-	-	1	-	2	1	-	1	2
FEMALE--	10	6	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	4	-	-	-	1	-	-	-	-	-	1
FEMALE--	5	4	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	848	62	3	-	2	1	2	5	7	15	18	24
WHITE-----MALE----	341	25	1	-	-	1	2	2	2	7	9	12
FEMALE--	341	13	1	-	2	-	-	1	4	5	3	3
ALL OTHER--MALE----	88	13	1	-	-	-	-	2	1	2	3	5
FEMALE--	78	11	-	-	-	-	-	-	-	1	3	4
BLACK---MALE----	85	13	1	-	-	-	-	2	-	2	2	5
FEMALE--	77	11	-	-	-	-	-	-	-	1	3	4
CALIFORNIA -----	840	333	13	6	5	15	21	21	36	46	65	59
WHITE-----MALE----	393	139	5	2	2	7	12	12	21	19	35	35
FEMALE--	245	78	4	3	2	3	3	5	8	12	18	15
ALL OTHER--MALE----	120	67	1	-	1	3	3	4	3	11	7	7
FEMALE--	82	49	3	1	-	2	3	-	4	4	5	2
BLACK---MALE----	86	49	1	-	1	3	1	2	3	6	5	6
FEMALE--	55	32	2	1	-	1	2	-	3	3	5	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,684

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	357	51	3	1	2	3	3	8	13	23	21	16
WHITE-----MALE----	186	32	1	-	-	2	2	5	8	15	16	4
FEMALE--	144	10	2	1	2	1	1	2	3	5	4	9
ALL OTHER--MALE----	19	7	-	-	-	-	-	1	2	3	1	-
FEMALE--	8	2	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	13	6	-	-	-	-	-	1	-	1	1	-
FEMALE--	6	2	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	363	38	7	-	1	3	6	15	14	32	36	30
WHITE-----MALE----	162	14	2	-	-	1	4	9	9	23	21	15
FEMALE--	157	7	3	-	1	-	2	4	4	6	11	9
ALL OTHER--MALE----	27	9	-	-	-	2	-	1	1	3	3	3
FEMALE--	17	8	2	-	-	-	-	1	-	-	1	3
BLACK---MALE----	26	8	-	-	-	2	-	1	1	3	3	3
FEMALE--	16	8	1	-	-	-	-	1	-	-	1	3
DELAWARE -----	42	14	-	-	-	1	1	-	-	-	1	1
WHITE-----MALE----	15	4	-	-	-	1	1	-	-	-	1	-
FEMALE--	19	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	4	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	4	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	67	13	4	-	-	1	3	1	1	4	5	5
WHITE-----MALE----	5	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	34	5	2	-	-	1	3	-	1	3	5	2
FEMALE--	26	7	2	-	-	-	-	1	-	-	-	3
BLACK---MALE----	34	5	2	-	-	1	3	-	1	3	5	2
FEMALE--	26	7	2	-	-	-	-	1	-	-	-	3
FLORIDA -----	1,390	169	14	-	6	14	13	26	36	44	55	51
WHITE-----MALE----	594	64	4	-	1	5	4	14	15	26	33	27
FEMALE--	529	41	3	-	-	4	7	4	12	7	11	14
ALL OTHER--MALE----	161	40	5	-	4	4	1	5	6	8	7	5
FEMALE--	106	24	2	-	1	1	1	3	3	3	4	5
BLACK---MALE----	159	39	5	-	4	4	1	5	6	8	7	5
FEMALE--	101	23	2	-	1	1	1	3	3	3	4	5
GEORGIA -----	659	121	7	4	2	9	4	10	22	19	30	38
WHITE-----MALE----	195	33	2	2	-	-	1	3	12	4	17	9
FEMALE--	244	22	3	-	1	4	-	1	5	7	4	11
ALL OTHER--MALE----	118	35	1	1	-	3	1	4	1	5	6	10
FEMALE--	102	31	1	1	1	2	2	2	4	3	3	8
BLACK---MALE----	115	33	1	1	-	3	1	4	1	4	6	10
FEMALE--	101	30	1	1	1	2	2	2	4	3	3	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,684

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	18	20	17	19	22	20	34	26	17	18	2	-
WHITE-----MALE----	12	11	8	10	14	10	19	9	3	5	-	-
FEMALE--	5	8	8	7	8	9	15	16	13	13	2	-
ALL OTHER--MALE----	1	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
CONNECTICUT -----	9	8	5	12	29	19	32	29	24	10	4	-
WHITE-----MALE----	5	1	1	5	13	10	15	6	4	4	-	-
FEMALE--	3	4	3	7	16	8	17	22	20	6	4	-
ALL OTHER--MALE----	1	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	2	1	3	3	3	6	3	1	-	-
WHITE-----MALE----	2	-	1	1	-	2	1	-	-	1	-	-
FEMALE--	-	-	1	-	1	1	2	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	2	7	5	1	3	2	7	1	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	5	4	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	2	1	5	-	1	1	-	-
BLACK---MALE----	1	5	4	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	2	1	5	-	1	1	-	-
FLORIDA -----	59	59	82	70	112	118	150	110	111	55	20	16
WHITE-----MALE----	30	32	47	33	50	57	61	33	38	11	1	8
FEMALE--	19	14	17	22	42	47	75	68	65	39	17	1
ALL OTHER--MALE----	6	7	11	9	14	8	9	3	3	-	-	6
FEMALE--	4	6	7	6	6	6	5	6	5	5	2	1
BLACK---MALE----	6	7	11	9	14	8	9	2	3	-	-	6
FEMALE--	3	6	7	3	6	6	5	6	5	5	2	1
GEORGIA -----	14	23	21	31	46	53	58	75	45	20	7	-
WHITE-----MALE----	6	9	6	11	19	17	16	17	8	3	-	-
FEMALE--	4	7	7	9	16	22	31	48	24	12	6	-
ALL OTHER--MALE----	2	4	5	6	7	8	8	4	6	1	-	-
FEMALE--	2	3	3	5	4	6	3	6	7	4	1	-
BLACK---MALE----	2	4	5	6	7	8	8	4	6	1	-	-
FEMALE--	2	3	3	5	4	6	3	6	7	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,685

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	2	2	2	2	8	9	6	7	3	-	-
WHITE-----MALE----	1	-	1	-	-	3	1	1	2	-	-	-
FEMALE--	-	-	-	-	1	-	2	4	1	-	-	-
ALL OTHER--MALE----	-	1	1	2	1	3	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	5	1	4	3	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	1	-	5	3	8	6	4	5	3	1	-
WHITE-----MALE----	4	-	-	4	2	6	3	3	1	1	-	-
FEMALE--	1	1	-	1	1	2	3	1	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	44	21	32	40	61	56	64	65	56	28	9	2
WHITE-----MALE----	23	7	15	18	29	21	29	15	13	4	-	2
FEMALE--	8	8	8	13	11	22	27	36	36	17	9	-
ALL OTHER--MALE----	9	5	5	5	12	7	4	6	1	1	-	-
FEMALE--	4	1	4	4	9	6	4	8	6	6	-	-
BLACK---MALE----	9	5	5	5	12	7	4	5	1	1	-	-
FEMALE--	4	1	4	4	9	6	4	7	6	6	-	-
INDIANA -----	16	16	8	21	25	25	34	46	33	22	3	-
WHITE-----MALE----	5	8	4	9	13	10	10	10	9	3	-	-
FEMALE--	8	4	4	7	8	11	19	33	22	17	3	-
ALL OTHER--MALE----	-	3	-	2	3	4	1	-	-	1	-	-
FEMALE--	3	1	-	3	1	-	4	3	2	1	-	-
BLACK---MALE----	-	3	-	2	3	4	1	-	-	1	-	-
FEMALE--	3	1	-	3	1	-	4	2	2	1	-	-
IOWA -----	2	1	1	4	7	7	11	16	10	6	4	-
WHITE-----MALE----	2	1	1	2	3	3	8	5	3	1	1	-
FEMALE--	-	-	-	2	4	4	3	11	7	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	17	13	15	20	33	37	31	42	47	29	8	-
WHITE-----MALE----	10	5	6	11	12	15	11	14	9	5	1	-
FEMALE--	2	3	6	4	15	16	19	26	36	24	7	-
ALL OTHER--MALE----	4	4	1	4	4	4	1	1	-	-	-	-
FEMALE--	1	1	2	1	2	2	-	1	2	-	-	-
BLACK---MALE----	4	4	1	4	3	4	1	1	-	-	-	-
FEMALE--	1	1	2	1	2	1	-	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,686

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	280	57	3	1	1	3	1	3	6	9	9	7
WHITE-----MALE----	130	24	3	1	1	3	1	2	3	3	8	7
FEMALE--	115	21	-	-	-	-	-	-	3	6	-	-
ALL OTHER--MALE----	19	7	-	-	-	-	-	1	-	-	-	-
FEMALE--	16	5	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	18	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	5	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	577	69	4	-	1	1	2	6	8	8	15	17
WHITE-----MALE----	166	17	-	-	-	-	1	1	2	2	6	6
FEMALE--	200	7	-	-	1	-	-	1	-	2	1	1
ALL OTHER--MALE----	119	23	2	-	-	-	1	3	3	3	6	6
FEMALE--	92	22	2	-	-	1	-	1	3	1	2	4
BLACK---MALE----	118	22	2	-	-	-	1	3	3	3	6	6
FEMALE--	90	21	2	-	-	1	-	1	3	1	2	4
MAINE -----	75	12	-	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	38	8	-	-	-	-	-	1	-	1	-	-
FEMALE--	37	4	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	224	68	2	1	1	2	4	2	6	12	13	11
WHITE-----MALE----	69	15	1	-	-	1	2	1	2	3	2	3
FEMALE--	50	3	1	-	-	-	-	-	-	3	3	1
ALL OTHER--MALE----	62	31	-	-	-	1	2	1	2	4	5	6
FEMALE--	43	19	-	1	1	-	-	-	2	2	3	1
BLACK---MALE----	61	31	-	-	-	1	2	1	1	4	5	6
FEMALE--	40	18	-	1	1	-	-	-	2	2	3	1
MASSACHUSETTS -----	535	28	4	-	2	3	4	3	7	15	18	9
WHITE-----MALE----	200	16	3	-	2	3	2	3	4	7	10	5
FEMALE--	308	5	1	-	-	-	2	-	3	6	5	1
ALL OTHER--MALE----	14	4	-	-	-	-	-	-	-	-	2	-
FEMALE--	13	3	-	-	-	-	-	-	-	2	1	3
BLACK---MALE----	12	4	-	-	-	-	-	-	-	-	2	-
FEMALE--	11	3	-	-	-	-	-	-	-	2	1	3
MICHIGAN -----	452	170	6	3	-	5	2	6	3	11	10	15
WHITE-----MALE----	148	55	4	1	-	3	2	2	2	4	3	4
FEMALE--	171	42	-	1	-	2	-	1	1	4	3	2
ALL OTHER--MALE----	67	42	2	1	-	-	-	1	-	1	2	8
FEMALE--	66	31	-	-	-	-	-	2	-	2	2	1
BLACK---MALE----	63	38	2	1	-	-	-	1	-	1	2	8
FEMALE--	65	31	-	-	-	-	-	2	-	2	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,686

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	9	9	14	15	30	18	26	26	21	8	4	-
WHITE-----MALE----	5	5	9	6	15	10	13	7	4	-	-	-
FEMALE--	1	1	5	8	8	8	12	17	14	7	4	-
ALL OTHER--MALE----	1	3	-	1	4	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	3	-	1	2	2	-	-	-
BLACK---MALE----	1	3	-	1	4	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	3	-	1	2	2	-	-	-
LOUISIANA -----	9	24	28	40	52	68	75	66	57	21	6	-
WHITE-----MALE----	7	7	12	17	17	20	18	14	17	1	1	-
FEMALE--	1	6	6	9	18	31	38	35	24	15	4	-
ALL OTHER--MALE----	1	8	8	8	14	10	8	5	5	4	1	-
FEMALE--	-	3	2	6	3	7	11	12	11	1	-	-
BLACK---MALE----	1	8	8	8	14	10	8	5	5	4	1	-
FEMALE--	-	3	2	6	3	7	11	11	11	1	-	-
MAINE -----	2	4	2	4	6	9	12	7	9	5	-	-
WHITE-----MALE----	2	2	1	3	3	6	5	4	1	1	-	-
FEMALE--	-	2	1	1	3	3	7	3	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	7	12	9	12	13	15	13	10	3	-	3
WHITE-----MALE----	2	-	5	4	6	7	8	6	1	-	-	-
FEMALE--	1	2	4	2	3	5	6	6	7	2	-	1
ALL OTHER--MALE----	1	3	1	1	2	-	-	-	-	1	-	1
FEMALE--	1	2	2	2	1	1	1	1	2	-	-	1
BLACK---MALE----	1	3	1	1	2	-	-	-	-	1	-	1
FEMALE--	1	1	2	2	1	-	1	1	2	-	-	1
MASSACHUSETTS -----	4	10	11	22	42	52	71	94	84	35	17	-
WHITE-----MALE----	2	3	4	12	17	18	29	29	20	7	4	-
FEMALE--	1	6	6	8	23	31	42	63	64	28	13	-
ALL OTHER--MALE----	1	-	-	1	2	3	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	3	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MICHIGAN -----	15	8	12	16	28	37	26	30	24	24	1	-
WHITE-----MALE----	2	2	6	7	13	14	6	7	6	5	-	-
FEMALE--	6	4	5	5	12	16	13	22	13	18	1	-
ALL OTHER--MALE----	4	1	-	2	-	-	2	-	1	-	-	-
FEMALE--	3	1	1	2	3	7	5	1	4	1	-	-
BLACK---MALE----	4	1	-	2	-	-	2	-	1	-	-	-
FEMALE--	2	1	1	2	3	7	5	1	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,687

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	893	56	11	1	2	3	3	5	8	15	11	17
WHITE-----MALE----	331	25	4	-	2	2	1	3	5	10	6	11
FEMALE--	513	17	3	-	-	-	-	-	1	3	4	4
ALL OTHER--MALE----	31	9	2	1	-	1	2	-	2	2	1	1
FEMALE--	18	5	2	-	-	-	-	2	-	-	-	1
BLACK---MALE----	19	6	1	1	-	1	1	-	-	2	1	-
FEMALE--	9	3	2	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	258	66	3	-	2	3	1	6	3	9	5	5
WHITE-----MALE----	57	17	-	-	-	-	1	2	2	3	1	1
FEMALE--	90	9	1	-	-	-	-	-	1	3	-	2
ALL OTHER--MALE----	60	23	1	-	1	2	-	2	-	3	2	1
FEMALE--	51	17	1	-	1	1	-	2	-	-	2	1
BLACK---MALE----	60	23	1	-	1	2	-	2	-	3	2	1
FEMALE--	50	16	1	-	1	1	-	2	-	-	2	1
MISSOURI -----	368	87	2	2	1	3	2	7	7	13	11	10
WHITE-----MALE----	152	32	1	-	1	2	2	4	3	7	6	4
FEMALE--	135	21	-	1	-	-	-	3	3	-	3	4
ALL OTHER--MALE----	49	22	-	-	-	1	-	-	-	5	1	1
FEMALE--	32	12	1	1	-	-	-	-	1	1	1	1
BLACK---MALE----	48	22	-	-	-	1	-	-	-	5	1	-
FEMALE--	31	12	1	1	-	-	-	-	1	1	1	1
MONTANA -----	122	18	-	-	-	-	2	2	-	2	1	1
WHITE-----MALE----	56	6	-	-	-	-	1	2	-	1	1	1
FEMALE--	57	7	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	5	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	387	24	-	-	-	2	-	1	1	9	10	9
WHITE-----MALE----	184	19	-	-	-	1	-	1	1	4	3	3
FEMALE--	173	2	-	-	-	-	-	-	-	4	4	4
ALL OTHER--MALE----	17	3	-	-	-	1	-	-	-	1	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	13	3	-	-	-	1	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	-
NEVADA -----	89	25	1	-	1	-	1	1	4	3	5	3
WHITE-----MALE----	42	12	1	-	-	-	1	1	1	2	4	3
FEMALE--	37	8	-	-	1	-	-	-	3	-	1	-
ALL OTHER--MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	2	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,687

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	10	8	32	43	59	86	121	154	142	70	36	-
WHITE-----MALE----	6	6	18	27	28	46	40	46	32	10	3	-
FEMALE--	3	1	13	15	29	37	77	107	108	58	33	-
ALL OTHER--MALE----	-	1	-	1	1	2	2	-	1	2	-	-
FEMALE--	1	-	1	-	1	1	2	1	1	-	-	-
BLACK---MALE----	-	1	-	-	1	2	-	-	1	1	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
MISSISSIPPI -----	8	6	3	7	14	18	18	30	31	16	4	-
WHITE-----MALE----	2	2	2	-	5	2	4	8	4	1	-	-
FEMALE--	1	2	-	2	7	10	8	17	16	9	2	-
ALL OTHER--MALE----	4	1	1	5	2	3	2	2	4	1	-	-
FEMALE--	1	1	-	-	-	3	4	3	7	5	2	-
BLACK---MALE----	4	1	1	5	2	3	2	2	4	1	-	-
FEMALE--	1	1	-	-	-	3	4	3	7	5	2	-
MISSOURI -----	12	10	19	17	31	36	34	32	18	12	2	-
WHITE-----MALE----	4	8	10	8	15	15	13	11	4	2	-	-
FEMALE--	4	1	5	3	8	17	19	18	13	10	2	-
ALL OTHER--MALE----	4	1	3	1	6	3	-	1	-	-	-	-
FEMALE--	-	-	1	5	2	1	2	2	1	-	-	-
BLACK---MALE----	4	1	3	1	6	3	-	1	-	-	-	-
FEMALE--	-	-	1	5	2	-	2	2	1	-	-	-
MONTANA -----	5	2	5	10	15	13	17	10	14	5	-	-
WHITE-----MALE----	2	1	3	6	7	9	7	4	4	1	-	-
FEMALE--	2	1	2	3	8	4	9	6	10	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	13	15	25	30	36	47	55	46	34	19	11	-
WHITE-----MALE----	10	10	19	17	21	18	27	16	9	5	-	-
FEMALE--	3	3	4	9	11	28	26	29	23	12	11	-
ALL OTHER--MALE----	-	2	2	2	2	-	1	-	-	1	-	-
FEMALE--	-	-	-	2	2	1	1	1	2	1	-	-
BLACK---MALE----	-	2	2	2	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	2	2	1	1	1	2	1	-	-
NEVADA -----	1	1	-	6	6	3	4	10	9	-	2	3
WHITE-----MALE----	1	1	-	3	2	-	2	3	2	-	-	3
FEMALE--	-	-	-	2	4	3	2	6	5	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,689

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)												
OHIO -----	1,736	196	23	9	8	40	44	55	84	102	129	111
WHITE-----MALE----	778	78	10	4	4	20	22	29	42	63	63	56
FEMALE--	605	49	8	4	3	9	6	14	21	17	37	29
ALL OTHER--MALE----	192	36	4	1	-	9	11	8	14	10	17	17
FEMALE--	161	33	1	-	1	2	5	4	7	12	12	9
BLACK---MALE----	190	36	3	1	-	9	11	8	14	10	17	17
FEMALE--	158	31	1	-	1	2	5	4	7	12	11	9
OKLAHOMA -----	372	68	4	4	2	4	8	13	15	25	33	25
WHITE-----MALE----	155	35	1	-	-	-	2	3	8	14	16	13
FEMALE--	148	15	1	2	1	3	4	7	4	9	10	5
ALL OTHER--MALE----	32	8	1	1	-	-	2	2	2	1	4	1
FEMALE--	37	10	1	1	1	1	-	1	1	1	3	6
BLACK---MALE----	17	4	-	1	-	-	1	2	-	1	2	-
FEMALE--	25	7	-	-	1	1	-	1	1	1	1	5
OREGON -----	668	48	1	1	1	1	1	7	7	12	16	24
WHITE-----MALE----	314	25	-	1	-	1	-	5	6	8	10	17
FEMALE--	326	19	1	-	1	-	1	2	1	4	4	6
ALL OTHER--MALE----	12	2	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	2	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	1,775	134	7	4	4	9	18	12	30	44	54	56
WHITE-----MALE----	757	51	2	1	2	5	9	2	18	23	29	33
FEMALE--	790	31	2	3	1	4	4	2	7	15	15	6
ALL OTHER--MALE----	128	29	2	-	1	-	4	4	3	4	6	11
FEMALE--	100	23	1	-	-	-	1	4	2	2	4	6
BLACK---MALE----	123	29	2	-	1	-	4	4	3	4	6	10
FEMALE--	99	23	1	-	-	-	1	4	2	2	4	6
RHODE ISLAND -----	61	5	-	-	1	1	1	5	7	8	6	9
WHITE-----MALE----	42	5	-	-	1	1	-	2	4	5	4	8
FEMALE--	14	-	-	-	-	-	1	2	3	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
SOUTH CAROLINA -----	318	60	5	-	1	3	2	7	14	23	21	17
WHITE-----MALE----	93	21	-	-	-	1	2	3	4	6	7	8
FEMALE--	90	14	1	-	-	1	-	2	3	8	7	-
ALL OTHER--MALE----	77	11	1	-	1	1	-	2	5	4	5	8
FEMALE--	58	14	3	-	-	-	-	-	2	5	2	1
BLACK---MALE----	76	11	1	-	1	1	-	2	5	4	5	8
FEMALE--	55	13	3	-	-	-	-	-	2	3	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,689

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	96	68	69	82	105	135	115	128	86	41	10	-
WHITE-----MALE----	49	40	35	44	60	60	33	40	19	6	1	-
FEMALE--	25	14	15	27	34	51	71	74	62	27	8	-
ALL OTHER--MALE----	12	6	12	3	6	16	3	4	2	1	-	-
FEMALE--	10	8	7	8	5	8	8	10	3	7	1	-
BLACK---MALE----	11	6	12	3	6	16	3	4	2	1	-	-
FEMALE--	10	8	7	8	5	8	10	3	7	1	-	-
OKLAHOMA -----	19	10	11	16	15	26	19	23	22	8	-	2
WHITE-----MALE----	9	4	3	6	6	14	5	8	5	2	-	1
FEMALE--	4	4	8	7	9	10	12	15	12	6	-	-
ALL OTHER--MALE----	5	-	-	2	-	2	1	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	1	-	5	-	-	1
BLACK---MALE----	2	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	3	-	-	1
OREGON -----	17	27	44	49	51	67	92	86	72	35	9	-
WHITE-----MALE----	11	14	28	29	29	37	40	31	15	7	-	-
FEMALE--	6	11	14	17	18	28	48	52	56	28	9	-
ALL OTHER--MALE----	-	-	2	1	2	2	-	1	-	-	-	-
FEMALE--	-	2	-	2	2	-	4	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	2	-	-	-	-
PENNSYLVANIA -----	61	62	91	130	149	201	241	220	171	47	24	6
WHITE-----MALE----	31	34	52	68	78	95	92	77	42	8	4	1
FEMALE--	24	20	25	46	60	87	132	133	117	36	19	1
ALL OTHER--MALE----	6	6	7	13	8	9	7	4	2	-	-	2
FEMALE--	-	2	7	3	3	10	10	6	10	3	1	2
BLACK---MALE----	6	6	6	12	8	7	7	4	2	-	-	2
FEMALE--	-	2	7	2	3	10	10	6	10	3	1	2
RHODE ISLAND -----	6	-	-	2	1	3	2	2	1	-	1	-
WHITE-----MALE----	4	-	-	2	1	2	2	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	24	10	20	13	18	21	28	16	10	4	1	-
WHITE-----MALE----	6	5	7	2	3	6	6	5	1	-	-	-
FEMALE--	6	1	3	5	5	7	9	7	7	3	1	-
ALL OTHER--MALE----	7	4	5	4	6	4	6	2	-	1	-	-
FEMALE--	5	-	5	2	4	4	7	2	2	-	-	-
BLACK---MALE----	7	4	5	4	6	4	5	2	-	1	-	-
FEMALE--	5	-	5	2	4	4	7	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,690

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	55	23	1	-	-	-	1	1	1	2	1	1
WHITE-----MALE----	19	6	-	-	-	-	1	1	-	2	-	-
FEMALE--	19	6	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	9	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	717	83	3	1	-	3	4	7	9	19	25	26
WHITE-----MALE----	280	29	1	-	-	2	3	2	5	9	10	14
FEMALE--	317	27	1	1	-	-	1	2	-	5	7	5
ALL OTHER--MALE----	57	14	1	-	-	-	-	1	3	3	3	5
FEMALE--	63	13	-	-	-	1	-	2	1	2	5	2
BLACK---MALE----	57	14	1	-	-	-	-	1	3	3	3	5
FEMALE--	61	12	-	-	-	1	-	2	1	2	5	2
TEXAS -----	1,003	277	11	4	4	8	27	23	25	44	42	50
WHITE-----MALE----	440	128	3	1	1	4	18	10	17	27	20	24
FEMALE--	382	72	4	2	1	3	9	7	6	7	14	11
ALL OTHER--MALE----	105	49	2	1	1	1	-	3	1	7	5	8
FEMALE--	76	28	2	-	1	-	-	3	1	3	3	7
BLACK---MALE----	104	48	2	1	1	1	-	3	1	7	5	8
FEMALE--	74	27	2	-	1	-	-	3	1	3	3	7
UTAH -----	249	29	3	-	-	5	-	2	1	7	5	13
WHITE-----MALE----	123	18	2	-	-	3	-	1	-	5	3	9
FEMALE--	117	10	-	-	-	2	-	-	1	2	2	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
VERMONT -----	23	4	-	-	-	-	-	1	2	1	1	-
WHITE-----MALE----	13	2	-	-	-	-	-	1	2	1	1	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	596	105	7	2	1	6	5	12	13	20	19	16
WHITE-----MALE----	194	27	3	-	-	3	2	8	4	7	6	6
FEMALE--	236	22	1	-	-	-	1	1	2	4	4	4
ALL OTHER--MALE----	89	33	2	1	-	3	2	2	2	8	7	4
FEMALE--	77	23	1	1	1	-	-	1	5	1	2	2
BLACK---MALE----	86	32	2	1	-	3	1	1	2	8	7	4
FEMALE--	75	23	1	1	1	-	-	1	5	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,690

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	3	3	-	6	3	2	2	4	-
WHITE-----MALE----	-	-	1	2	1	-	2	1	-	1	1	-
FEMALE--	-	-	-	1	-	-	2	1	2	1	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	25	30	35	41	59	77	78	92	69	23	8	-
WHITE-----MALE----	16	19	21	22	26	29	25	29	14	4	-	-
FEMALE--	7	8	9	12	27	39	43	52	46	18	7	-
ALL OTHER--MALE----	-	-	2	5	3	5	3	5	4	-	-	-
FEMALE--	2	3	3	2	3	4	7	6	5	1	1	-
BLACK---MALE----	-	-	2	5	3	5	3	5	4	-	-	-
FEMALE--	2	3	3	2	3	4	6	6	5	1	1	-
TEXAS -----	35	25	42	48	44	54	68	53	67	41	7	4
WHITE-----MALE----	16	13	24	23	21	19	28	22	10	7	-	4
FEMALE--	13	7	12	17	19	32	33	24	50	32	7	-
ALL OTHER--MALE----	4	4	3	8	1	2	2	2	1	-	-	-
FEMALE--	2	1	3	-	3	1	5	5	6	2	-	-
BLACK---MALE----	4	4	3	8	1	2	2	2	1	-	-	-
FEMALE--	2	1	3	-	3	1	4	5	6	2	-	-
UTAH -----	9	16	18	22	21	26	24	17	24	6	1	-
WHITE-----MALE----	3	12	11	10	13	10	9	8	5	1	-	-
FEMALE--	5	4	5	11	7	16	15	9	18	5	1	-
ALL OTHER--MALE----	-	-	2	1	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	1	-	1	1	2	5	1	1	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	1	1	1	-	-
FEMALE--	1	1	-	-	1	-	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	13	14	32	55	60	79	54	43	22	8	1
WHITE-----MALE----	4	6	4	12	29	22	27	16	7	1	-	-
FEMALE--	3	5	6	14	17	33	37	28	32	18	4	-
ALL OTHER--MALE----	1	1	2	4	3	2	5	1	2	3	-	1
FEMALE--	1	1	2	2	6	3	10	9	2	-	4	-
BLACK---MALE----	1	1	2	4	3	2	5	1	2	3	-	1
FEMALE--	1	1	2	2	5	3	10	8	2	-	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,692

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
UNITED STATES --	150,445	1,151	2,377	1,736	2,368	10,777	12,555	11,250	11,459	13,543	13,274	10,647
WHITE-----MALE----	83,283	441	952	701	1,151	5,920	7,318	6,422	6,722	8,066	7,946	6,379
FEMALE--	38,752	311	663	453	619	2,216	1,682	1,746	2,106	2,785	2,725	2,190
ALL OTHER--MALE----	20,934	217	453	356	429	2,193	2,979	2,501	2,033	1,964	1,918	1,537
FEMALE--	7,476	182	309	226	169	448	576	581	598	728	685	541
BLACK---MALE----	17,870	194	400	309	350	1,886	2,620	2,144	1,715	1,694	1,642	1,337
FEMALE--	6,037	168	272	184	129	340	453	448	474	620	575	439
ALABAMA -----	3,272	17	58	42	56	255	295	268	240	273	271	196
WHITE-----MALE----	1,595	8	21	19	25	129	132	112	127	146	149	110
FEMALE--	781	2	10	5	12	52	37	50	47	54	63	40
ALL OTHER--MALE----	649	4	19	13	16	68	101	86	45	55	44	33
FEMALE--	247	3	8	5	3	6	25	20	21	18	15	13
BLACK---MALE----	643	4	19	13	16	67	100	84	44	55	43	33
FEMALE--	243	3	8	5	3	6	24	19	21	18	15	12
ALASKA -----	432	2	8	7	11	40	55	37	37	39	49	47
WHITE-----MALE----	197	-	3	3	3	13	29	15	15	14	22	31
FEMALE--	72	1	2	1	3	2	3	6	5	5	7	9
ALL OTHER--MALE----	123	1	2	1	3	19	19	14	12	17	16	4
FEMALE--	40	-	1	2	2	6	4	2	5	3	4	3
BLACK---MALE----	7	-	-	-	1	1	1	2	1	-	-	1
FEMALE--	3	-	-	-	-	-	1	-	1	-	-	-
ARIZONA -----	3,556	23	73	28	47	231	305	293	289	353	351	268
WHITE-----MALE----	2,127	14	37	9	24	126	192	196	164	235	226	176
FEMALE--	895	5	22	12	12	50	40	37	64	55	70	58
ALL OTHER--MALE----	388	3	8	3	8	45	57	47	41	48	41	29
FEMALE--	146	1	6	4	3	10	16	13	20	15	14	5
BLACK---MALE----	95	1	1	-	1	10	16	10	6	17	12	9
FEMALE--	30	1	1	-	1	3	4	4	3	4	2	1
ARKANSAS -----	1,936	17	29	26	48	169	157	141	141	161	167	121
WHITE-----MALE----	1,070	7	12	12	20	83	86	78	93	91	91	72
FEMALE--	474	6	11	9	15	42	22	22	19	42	32	24
ALL OTHER--MALE----	281	4	5	3	12	32	44	32	24	19	32	18
FEMALE--	111	-	1	2	1	12	5	9	5	9	12	7
BLACK---MALE----	274	4	5	3	12	32	43	30	23	19	31	18
FEMALE--	103	-	1	1	1	9	5	7	5	8	12	6
CALIFORNIA -----	15,346	102	255	150	225	1,077	1,365	1,253	1,263	1,456	1,530	1,283
WHITE-----MALE----	9,169	45	122	62	108	642	897	806	823	906	925	806
FEMALE--	3,508	29	81	51	58	193	174	182	211	314	323	250
ALL OTHER--MALE----	1,952	16	30	26	41	195	241	211	178	172	205	164
FEMALE--	717	12	22	11	18	47	53	54	51	64	77	63
BLACK---MALE----	1,204	13	23	17	24	117	163	130	114	116	144	106
FEMALE--	381	9	14	7	7	30	26	30	32	41	50	39

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,692
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
UNITED STATES --	7,887	6,155	5,128	5,511	6,553	7,499	7,979	6,654	4,055	1,385	294	208
WHITE-----MALE----	4,735	3,711	3,025	3,194	3,685	4,032	4,054	2,859	1,379	375	62	154
FEMALE--	1,782	1,494	1,306	1,569	2,136	2,751	3,324	3,348	2,407	917	201	21
ALL OTHER--MALE----	1,027	703	562	484	448	392	321	213	130	40	9	25
FEMALE--	343	247	235	264	284	324	280	234	139	53	22	8
BLACK---MALE----	872	590	462	409	360	321	241	169	94	29	8	24
FEMALE--	261	198	178	199	224	279	212	188	125	46	19	6
ALABAMA -----	174	146	128	148	157	163	154	138	66	17	10	-
WHITE-----MALE----	88	82	72	81	77	74	68	51	19	4	1	-
FEMALE--	41	27	32	36	41	60	62	62	34	9	5	-
ALL OTHER--MALE----	32	25	16	24	22	13	16	8	5	3	1	-
FEMALE--	13	12	8	7	17	16	8	17	8	1	3	-
BLACK---MALE----	32	25	16	24	22	13	16	8	5	3	1	-
FEMALE--	12	12	8	7	17	16	8	17	8	1	3	-
ALASKA -----	29	17	13	6	10	4	10	6	4	1	-	-
WHITE-----MALE----	15	12	7	1	6	3	3	1	1	-	-	-
FEMALE--	6	3	3	3	3	-	3	3	3	1	-	-
ALL OTHER--MALE----	8	-	3	-	1	1	1	1	-	-	-	-
FEMALE--	-	2	-	2	-	-	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	178	144	112	111	155	185	153	128	90	13	5	21
WHITE-----MALE----	116	76	71	70	97	105	85	56	31	3	1	17
FEMALE--	41	53	28	29	51	70	58	69	56	9	3	3
ALL OTHER--MALE----	12	9	8	7	5	7	5	2	2	1	-	-
FEMALE--	9	6	5	5	2	3	5	1	1	-	1	1
BLACK---MALE----	3	3	-	-	1	2	1	-	1	1	-	-
FEMALE--	1	1	1	-	-	2	-	-	1	-	-	-
ARKANSAS -----	101	89	69	78	70	99	86	84	61	17	5	-
WHITE-----MALE----	61	59	46	47	44	57	53	30	21	5	2	-
FEMALE--	23	24	10	21	19	27	26	38	34	8	-	-
ALL OTHER--MALE----	9	5	9	6	3	10	4	6	-	3	1	-
FEMALE--	8	1	4	4	4	5	3	10	6	1	2	-
BLACK---MALE----	9	5	8	6	3	10	4	6	-	2	1	-
FEMALE--	8	1	4	4	4	5	3	10	6	1	2	-
CALIFORNIA -----	909	704	542	469	569	624	657	485	275	74	11	68
WHITE-----MALE----	551	437	313	274	313	353	356	225	118	23	5	59
FEMALE--	215	178	130	123	177	198	221	216	130	44	5	5
ALL OTHER--MALE----	99	64	71	41	49	41	51	26	22	5	1	3
FEMALE--	44	25	28	31	30	32	29	18	5	2	-	1
BLACK---MALE----	62	43	39	18	23	18	16	9	7	-	-	2
FEMALE--	23	16	11	13	9	13	5	5	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,693

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
COLORADO -----	2,417	23	42	29	36	173	190	184	180	204	240	196
WHITE-----MALE----	1,535	14	19	16	22	121	136	138	129	138	166	124
FEMALE--	705	6	15	12	13	35	29	30	31	47	57	55
ALL OTHER--MALE----	125	1	5	-	1	13	19	13	15	15	7	11
FEMALE--	52	2	3	1	-	4	6	3	5	4	10	6
BLACK---MALE----	85	-	2	-	-	9	14	9	8	11	5	7
FEMALE--	29	2	3	1	-	1	2	1	3	1	6	5
CONNECTICUT -----	1,486	4	8	12	12	86	100	111	147	134	125	91
WHITE-----MALE----	840	3	4	6	4	50	57	72	86	80	81	55
FEMALE--	436	-	3	1	6	10	15	14	37	32	24	22
ALL OTHER--MALE----	153	-	-	1	2	21	23	19	20	15	17	10
FEMALE--	57	1	1	4	-	5	5	6	4	7	3	4
BLACK---MALE----	138	-	-	1	2	19	20	17	16	14	17	9
FEMALE--	52	1	1	4	-	4	5	6	4	7	3	2
DELAWARE -----	391	4	5	6	3	27	25	21	27	48	31	30
WHITE-----MALE----	209	-	1	3	2	16	13	13	20	31	18	18
FEMALE--	111	3	2	1	1	5	4	5	2	10	6	5
ALL OTHER--MALE----	50	-	2	2	-	6	6	1	4	6	6	4
FEMALE--	21	1	-	-	-	-	2	2	1	1	1	3
BLACK---MALE----	49	-	2	2	-	6	6	1	3	6	6	4
FEMALE--	19	1	-	-	-	-	2	2	1	1	1	3
DISTRICT OF COLUMBIA ----	488	9	6	4	2	41	48	57	52	50	51	35
WHITE-----MALE----	46	-	-	-	-	1	4	4	5	3	3	2
FEMALE--	24	-	1	-	-	-	-	3	2	4	2	1
ALL OTHER--MALE----	331	4	2	1	2	36	43	43	40	33	36	26
FEMALE--	87	5	3	3	-	4	1	7	5	10	10	6
BLACK---MALE----	329	4	2	1	2	36	43	43	40	33	35	26
FEMALE--	87	5	3	3	-	4	1	7	5	10	10	6
FLORIDA -----	9,249	74	178	107	105	496	652	636	667	821	909	696
WHITE-----MALE----	5,301	30	55	42	49	260	362	368	394	495	593	417
FEMALE--	2,489	21	50	23	21	120	106	102	151	175	190	162
ALL OTHER--MALE----	1,064	12	38	25	25	84	147	129	95	104	96	95
FEMALE--	395	11	35	17	10	32	37	37	27	47	30	22
BLACK---MALE----	1,024	12	38	25	25	81	142	119	93	101	91	92
FEMALE--	366	11	33	17	10	30	35	32	24	46	26	20
GEORGIA -----	4,738	42	89	81	73	332	387	410	390	438	407	312
WHITE-----MALE----	2,166	17	23	24	26	155	171	195	168	213	195	154
FEMALE--	1,103	7	19	10	18	72	52	53	68	83	84	59
ALL OTHER--MALE----	1,055	9	31	37	22	86	132	127	124	102	92	70
FEMALE--	414	9	16	10	7	19	32	35	30	40	36	29
BLACK---MALE----	1,019	9	29	36	22	81	130	124	118	98	90	66
FEMALE--	401	9	15	10	7	19	32	33	30	39	35	27

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,693

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	125	101	67	84	82	118	143	100	63	29	7	1
WHITE-----MALE----	73	58	42	56	46	68	87	47	24	7	3	1
FEMALE--	44	37	20	22	33	49	54	53	37	22	4	-
ALL OTHER--MALE----	7	5	4	3	2	1	2	-	1	-	-	-
FEMALE--	1	1	1	3	1	-	-	-	1	-	-	-
BLACK---MALE----	5	5	4	3	1	-	1	-	1	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	1	-	-	-
CONNECTICUT -----	63	47	43	57	62	93	108	96	53	27	7	-
WHITE-----MALE----	45	29	24	32	30	50	54	38	28	9	3	-
FEMALE--	11	13	14	15	28	38	52	56	24	17	4	-
ALL OTHER--MALE----	6	4	2	5	3	3	1	1	-	-	-	-
FEMALE--	1	1	3	5	1	2	1	1	1	1	-	-
BLACK---MALE----	6	4	2	4	3	3	-	1	-	-	-	-
FEMALE--	1	1	3	4	1	1	1	1	1	1	-	-
DELAWARE -----	19	15	11	20	20	22	24	14	16	2	1	-
WHITE-----MALE----	11	7	8	9	8	10	14	3	4	-	-	-
FEMALE--	5	5	2	7	8	9	8	11	10	2	-	-
ALL OTHER--MALE----	3	2	1	2	1	3	1	-	-	-	-	-
FEMALE--	-	1	-	2	3	-	1	-	2	-	1	-
BLACK---MALE----	3	2	1	2	1	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	3	-	1	-	2	-	1	-
DISTRICT OF COLUMBIA ----	18	21	16	13	13	17	12	7	7	2	-	7
WHITE-----MALE----	3	4	4	-	2	2	3	2	1	1	-	2
FEMALE--	-	1	1	1	2	1	-	1	4	-	-	-
ALL OTHER--MALE----	12	13	10	10	4	8	2	1	1	-	-	4
FEMALE--	3	3	1	2	5	6	7	3	1	1	-	1
BLACK---MALE----	12	13	10	9	4	8	2	1	1	-	-	4
FEMALE--	3	3	1	2	5	6	7	3	1	1	-	1
FLORIDA -----	517	415	342	410	465	500	512	412	226	77	9	23
WHITE-----MALE----	312	259	213	253	268	288	279	221	92	33	2	16
FEMALE--	129	106	91	116	166	185	220	179	125	41	7	3
ALL OTHER--MALE----	60	37	30	27	22	15	7	6	4	2	-	4
FEMALE--	16	13	8	14	9	12	6	6	5	1	-	-
BLACK---MALE----	57	36	30	25	20	15	7	6	4	1	-	4
FEMALE--	12	13	8	13	8	12	5	6	4	1	-	-
GEORGIA -----	272	191	160	173	189	232	239	201	90	24	4	2
WHITE-----MALE----	146	96	89	80	97	114	99	71	26	6	-	1
FEMALE--	53	41	34	40	57	83	103	98	49	17	2	1
ALL OTHER--MALE----	56	38	27	30	21	13	16	16	6	-	-	-
FEMALE--	17	16	10	23	14	22	21	16	9	1	2	-
BLACK---MALE----	55	35	26	30	21	13	15	16	5	-	-	-
FEMALE--	15	15	10	22	13	21	21	16	9	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,694

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
HAWAII -----	478	6	5	4	4	33	36	38	42	28	53	39
WHITE-----MALE----	139	-	1	-	1	4	7	9	12	7	25	23
FEMALE--	46	-	-	1	1	-	2	-	5	5	7	5
ALL OTHER--MALE----	204	3	1	1	1	21	20	25	19	14	17	8
FEMALE--	89	3	3	2	1	8	7	4	6	2	4	3
BLACK---MALE----	7	-	1	-	-	1	2	-	1	1	1	-
FEMALE--	3	1	-	-	-	-	2	-	-	-	-	-
IDAHO -----	818	13	13	16	19	83	64	52	40	67	67	54
WHITE-----MALE----	542	5	5	10	15	56	46	35	30	53	50	36
FEMALE--	240	8	8	6	4	20	11	13	7	12	11	17
ALL OTHER--MALE----	28	-	-	-	-	6	5	4	3	1	4	1
FEMALE--	8	-	-	-	-	1	2	-	-	1	2	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ILLINOIS -----	6,160	54	80	57	99	530	669	493	481	559	535	411
WHITE-----MALE----	3,119	18	28	28	48	256	342	229	254	305	286	216
FEMALE--	1,345	6	17	7	20	78	78	52	59	99	79	81
ALL OTHER--MALE----	1,293	15	22	13	21	178	218	178	130	110	121	83
FEMALE--	403	15	13	9	10	18	31	34	38	45	49	31
BLACK---MALE----	1,245	15	22	13	18	176	214	168	128	107	116	78
FEMALE--	379	15	13	8	9	15	29	30	35	43	49	30
INDIANA -----	3,383	34	67	40	63	265	315	233	262	276	280	199
WHITE-----MALE----	1,903	12	24	20	39	127	177	140	164	163	170	125
FEMALE--	974	11	23	13	17	71	46	34	60	74	70	40
ALL OTHER--MALE----	383	7	13	4	6	55	76	51	26	30	29	21
FEMALE--	123	4	7	3	1	12	16	8	12	9	11	13
BLACK---MALE----	371	7	11	4	6	54	76	49	24	29	28	20
FEMALE--	114	4	7	3	1	12	15	6	12	8	9	12
IOWA -----	1,501	6	24	29	26	104	100	82	92	94	85	93
WHITE-----MALE----	927	2	16	15	14	71	72	57	67	73	59	66
FEMALE--	521	3	7	13	8	29	18	16	20	18	19	24
ALL OTHER--MALE----	37	-	1	-	2	2	10	5	3	3	7	1
FEMALE--	16	1	-	1	2	2	-	4	2	-	-	2
BLACK---MALE----	18	-	-	-	1	2	2	3	1	2	6	1
FEMALE--	8	1	-	1	1	1	-	-	-	-	-	2
KANSAS -----	1,649	11	39	21	31	144	150	100	120	117	136	103
WHITE-----MALE----	985	5	19	11	16	75	107	58	81	87	92	70
FEMALE--	488	4	13	3	7	39	19	26	20	18	32	25
ALL OTHER--MALE----	127	1	3	3	5	25	20	14	17	9	7	5
FEMALE--	49	1	4	4	3	5	4	2	2	3	5	3
BLACK---MALE----	107	1	2	3	3	23	19	11	14	6	5	5
FEMALE--	41	1	4	4	2	4	3	2	1	2	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,694

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
HAWAII -----	31	21	17	17	18	19	16	29	13	7	2	-
WHITE-----MALE----	15	9	3	5	5	4	1	4	4	-	-	-
FEMALE--	5	1	-	3	2	1	2	3	1	1	1	-
ALL OTHER--MALE----	8	9	6	7	7	8	9	11	6	3	-	-
FEMALE--	3	2	8	2	4	6	4	11	2	3	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	43	33	26	31	27	43	45	52	19	6	3	2
WHITE-----MALE----	29	25	17	25	21	23	21	29	6	3	-	2
FEMALE--	9	8	9	5	6	20	24	23	13	3	3	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	276	232	202	216	237	312	290	219	145	50	11	2
WHITE-----MALE----	153	135	103	121	132	155	144	95	51	16	3	1
FEMALE--	55	48	49	58	78	128	119	109	87	30	8	-
ALL OTHER--MALE----	49	35	32	29	19	15	13	5	4	2	-	1
FEMALE--	19	14	18	8	8	14	14	10	3	2	-	-
BLACK---MALE----	47	30	31	27	17	14	12	5	4	2	-	1
FEMALE--	18	14	16	7	7	13	13	10	3	2	-	-
INDIANA -----	155	157	104	117	144	163	189	176	94	40	8	2
WHITE-----MALE----	99	120	65	69	77	91	102	78	29	8	2	2
FEMALE--	36	28	30	37	55	64	77	93	59	30	6	-
ALL OTHER--MALE----	15	6	8	8	8	6	5	4	3	2	-	-
FEMALE--	5	3	1	3	4	2	5	1	3	-	-	-
BLACK---MALE----	15	6	8	8	7	6	4	4	3	2	-	-
FEMALE--	3	3	1	3	4	2	5	1	3	-	-	-
IOWA -----	67	55	55	61	74	82	139	122	77	27	7	-
WHITE-----MALE----	48	31	38	37	47	49	79	55	20	9	2	-
FEMALE--	19	21	17	24	26	33	60	66	57	18	5	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
KANSAS -----	74	61	47	50	69	71	107	94	77	21	6	-
WHITE-----MALE----	51	41	31	33	39	36	56	43	28	4	2	-
FEMALE--	20	15	12	13	28	30	48	49	46	17	4	-
ALL OTHER--MALE----	1	3	3	3	1	2	3	1	1	-	-	-
FEMALE--	2	2	1	1	1	3	-	1	2	-	-	-
BLACK---MALE----	1	3	3	2	-	2	2	1	1	-	-	-
FEMALE--	1	2	1	1	-	3	-	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,695

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
KENTUCKY -----	2,521	17	43	28	33	186	187	188	194	225	219	174
WHITE-----MALE----	1,595	11	21	16	20	124	130	127	133	151	150	107
FEMALE--	745	4	14	10	11	46	39	45	47	55	49	48
ALL OTHER--MALE----	128	-	6	1	2	13	14	16	12	13	11	13
FEMALE--	53	2	2	1	-	3	4	-	2	6	9	6
BLACK---MALE----	124	-	6	1	2	13	14	15	12	12	11	13
FEMALE--	50	2	2	1	-	3	3	-	2	6	9	6
LOUISIANA -----	3,082	36	73	41	49	264	338	254	263	295	261	208
WHITE-----MALE----	1,270	10	23	8	16	94	130	107	112	128	117	98
FEMALE--	616	5	8	8	16	48	30	34	38	53	56	35
ALL OTHER--MALE----	929	6	23	15	10	109	153	99	93	88	71	61
FEMALE--	267	15	19	10	7	13	25	14	20	26	17	14
BLACK---MALE----	909	6	23	14	9	108	152	98	88	85	71	59
FEMALE--	256	15	19	10	7	13	24	13	17	25	15	12
MAINE -----	676	2	8	3	11	42	50	38	55	48	61	38
WHITE-----MALE----	440	1	4	1	9	31	37	31	36	39	42	30
FEMALE--	228	1	4	2	2	10	11	6	16	9	18	8
ALL OTHER--MALE----	5	-	-	-	-	-	2	1	1	-	1	-
FEMALE--	3	-	-	-	-	1	-	-	2	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
MARYLAND -----	2,980	16	36	24	44	209	261	256	269	339	304	213
WHITE-----MALE----	1,156	7	7	8	13	66	91	85	101	131	119	86
FEMALE--	529	2	9	3	6	14	19	27	23	48	30	25
ALL OTHER--MALE----	1,017	4	10	12	19	112	128	120	112	130	125	85
FEMALE--	278	3	10	1	6	17	23	24	33	30	30	17
BLACK---MALE----	976	4	9	10	17	106	126	118	107	127	117	84
FEMALE--	263	3	10	1	6	13	22	23	31	28	29	17
MASSACHUSETTS -----	2,424	18	22	8	21	157	148	167	187	253	232	172
WHITE-----MALE----	1,485	10	11	6	13	110	96	121	135	176	150	131
FEMALE--	766	7	5	-	6	26	31	26	30	59	68	36
ALL OTHER--MALE----	130	-	4	1	1	20	17	19	16	12	10	5
FEMALE--	43	1	2	1	1	1	4	1	6	6	4	-
BLACK---MALE----	109	-	4	1	-	18	16	18	15	9	7	4
FEMALE--	32	1	2	1	1	1	4	-	3	6	4	-
MICHIGAN -----	5,022	56	107	86	99	354	412	427	375	413	457	364
WHITE-----MALE----	2,563	18	41	29	48	176	214	203	180	216	249	206
FEMALE--	1,227	15	20	21	16	74	44	52	71	90	96	72
ALL OTHER--MALE----	912	14	31	20	25	85	135	139	93	76	77	61
FEMALE--	320	9	15	16	10	19	19	33	31	31	35	25
BLACK---MALE----	867	14	30	20	21	80	134	137	86	69	71	57
FEMALE--	293	9	12	15	9	18	16	31	30	27	32	24

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,695

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

KENTUCKY -----	128	102	96	107	121	141	147	117	47	17	4	-
WHITE-----MALE----	92	72	66	67	76	77	81	55	16	3	-	-
FEMALE--	28	25	24	36	39	58	62	58	29	14	4	-
ALL OTHER--MALE----	7	4	2	3	3	4	2	1	1	-	-	-
FEMALE--	1	1	4	1	3	2	2	3	1	-	-	-
BLACK---MALE----	6	4	2	3	3	4	2	1	-	-	-	-
FEMALE--	-	1	4	1	3	2	1	3	1	-	-	-
LOUISIANA -----	146	117	119	103	132	112	111	96	45	15	4	-
WHITE-----MALE----	68	54	45	62	58	45	47	29	12	6	1	-
FEMALE--	31	22	27	24	35	34	39	48	17	6	2	-
ALL OTHER--MALE----	38	34	38	13	25	17	16	11	8	1	-	-
FEMALE--	9	7	9	4	14	16	9	8	8	2	1	-
BLACK---MALE----	37	34	37	12	24	16	16	11	8	1	-	-
FEMALE--	9	6	9	4	14	16	9	8	8	2	1	-
MAINE -----	41	23	19	38	36	36	41	46	30	7	3	-
WHITE-----MALE----	31	20	10	25	15	20	27	17	11	2	1	-
FEMALE--	10	3	9	13	21	16	14	29	19	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	155	103	84	90	127	117	132	114	61	13	6	7
WHITE-----MALE----	72	53	39	34	63	51	63	40	21	4	-	2
FEMALE--	30	20	15	31	31	41	51	61	32	5	5	1
ALL OTHER--MALE----	44	24	17	14	20	16	12	6	3	2	-	2
FEMALE--	9	6	13	11	13	9	6	7	5	2	1	2
BLACK---MALE----	44	23	16	14	18	13	11	6	3	1	-	2
FEMALE--	8	6	11	10	13	9	6	7	5	2	1	2
MASSACHUSETTS -----	116	75	78	83	101	126	146	138	119	45	12	-
WHITE-----MALE----	82	52	45	45	54	75	64	61	36	10	2	-
FEMALE--	24	20	28	36	41	49	76	72	82	34	10	-
ALL OTHER--MALE----	7	2	4	1	5	1	3	1	1	-	-	-
FEMALE--	3	1	1	1	1	1	3	4	-	1	-	-
BLACK---MALE----	6	1	3	1	2	1	2	1	-	-	-	-
FEMALE--	2	1	-	-	1	1	1	2	-	1	-	-
MICHIGAN -----	293	189	166	172	214	237	248	185	117	41	7	3
WHITE-----MALE----	160	115	102	94	121	130	129	85	38	6	1	2
FEMALE--	70	48	43	55	66	81	99	86	70	32	6	-
ALL OTHER--MALE----	49	20	14	13	19	19	9	7	5	-	-	1
FEMALE--	14	6	7	10	8	7	11	7	4	3	-	-
BLACK---MALE----	48	19	11	13	17	19	8	7	5	-	-	1
FEMALE--	14	6	5	8	7	7	9	7	4	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,696

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
MINNESOTA -----	2,361	11	28	31	40	162	193	123	130	168	158	157
WHITE-----MALE----	1,359	4	11	11	27	91	121	82	87	123	110	107
FEMALE--	787	2	9	7	9	46	37	22	23	30	35	34
ALL OTHER--MALE----	165	3	7	9	3	24	29	15	17	12	11	11
FEMALE--	50	2	1	4	1	1	6	4	3	3	2	5
BLACK---MALE----	96	-	7	4	1	18	16	11	9	6	5	6
FEMALE--	19	1	-	-	-	-	4	1	2	1	1	3
MISSISSIPPI -----	2,427	16	51	49	58	174	252	171	191	213	179	144
WHITE-----MALE----	981	1	9	13	22	71	107	71	80	101	76	53
FEMALE--	495	3	10	6	11	29	27	14	27	30	25	31
ALL OTHER--MALE----	676	7	18	15	18	61	91	71	71	57	54	45
FEMALE--	275	5	14	15	7	13	27	15	13	25	24	15
BLACK---MALE----	660	7	17	14	18	61	88	70	70	56	52	43
FEMALE--	269	5	14	15	7	12	27	15	12	24	24	14
MISSOURI -----	3,611	31	55	47	58	287	276	273	237	302	310	227
WHITE-----MALE----	1,959	11	23	22	22	157	169	138	130	186	188	138
FEMALE--	1,094	10	18	16	22	68	51	45	52	79	70	52
ALL OTHER--MALE----	418	6	10	6	9	51	50	78	44	23	38	25
FEMALE--	140	4	4	3	5	11	6	12	11	14	14	12
BLACK---MALE----	404	6	10	6	9	50	45	75	43	23	37	24
FEMALE--	125	4	4	3	4	8	6	9	11	14	14	12
MONTANA -----	662	5	8	4	12	59	44	34	35	40	74	57
WHITE-----MALE----	421	3	2	1	9	40	32	21	19	26	57	35
FEMALE--	169	2	4	1	1	11	1	5	5	10	14	17
ALL OTHER--MALE----	47	-	-	2	1	7	6	6	8	3	2	2
FEMALE--	25	-	2	-	1	1	5	2	3	1	1	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	950	5	14	18	15	78	70	55	55	59	86	66
WHITE-----MALE----	589	3	7	13	9	51	54	39	37	40	56	47
FEMALE--	295	-	6	3	4	19	8	9	10	14	25	11
ALL OTHER--MALE----	46	-	1	2	2	7	5	5	7	4	2	6
FEMALE--	20	2	-	-	-	1	3	2	1	1	3	2
BLACK---MALE----	31	-	-	1	2	7	2	3	3	3	2	4
FEMALE--	14	1	-	-	-	1	3	-	-	1	2	1
NEVADA -----	1,319	17	24	10	24	104	97	98	106	168	133	114
WHITE-----MALE----	816	7	10	6	15	58	64	56	70	111	87	75
FEMALE--	330	8	11	3	6	25	15	17	24	38	32	25
ALL OTHER--MALE----	133	2	1	1	1	17	16	19	9	18	12	12
FEMALE--	40	-	2	-	2	4	2	6	3	1	2	2
BLACK---MALE----	100	1	1	1	1	15	9	12	7	16	11	8
FEMALE--	25	-	2	-	2	2	-	5	2	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,696

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	110	78	75	73	111	153	159	185	146	55	15	-
WHITE-----MALE----	69	44	47	52	60	88	81	72	54	15	3	-
FEMALE--	28	26	23	17	45	64	75	111	92	40	12	-
ALL OTHER--MALE----	9	3	3	3	2	-	2	2	-	-	-	-
FEMALE--	4	5	2	1	4	1	1	-	-	-	-	-
BLACK---MALE----	6	1	1	2	1	-	-	2	-	-	-	-
FEMALE--	2	1	-	-	2	1	-	-	-	-	-	-
MISSISSIPPI -----	124	104	89	102	117	110	107	93	56	23	3	1
WHITE-----MALE----	60	48	35	46	56	34	44	40	11	3	-	-
FEMALE--	25	20	16	26	31	42	44	35	32	10	-	1
ALL OTHER--MALE----	26	30	27	18	13	19	8	13	9	4	1	-
FEMALE--	13	6	11	12	17	15	11	5	4	6	2	-
BLACK---MALE----	26	29	26	18	12	18	8	13	9	4	1	-
FEMALE--	13	6	11	11	16	15	11	5	4	6	2	-
MISSOURI -----	184	120	109	140	146	183	235	190	133	51	16	1
WHITE-----MALE----	119	70	59	98	84	91	118	71	47	14	4	-
FEMALE--	38	39	33	33	53	78	105	105	82	35	10	-
ALL OTHER--MALE----	21	7	11	8	6	12	5	5	1	1	1	-
FEMALE--	6	4	6	1	3	2	7	9	3	1	1	1
BLACK---MALE----	21	7	11	7	5	12	5	5	1	1	1	-
FEMALE--	4	3	3	1	3	2	6	8	3	1	1	1
MONTANA -----	37	26	27	28	28	25	56	36	19	7	-	1
WHITE-----MALE----	28	16	18	19	17	17	35	18	5	2	-	1
FEMALE--	7	7	7	7	10	8	20	15	12	5	-	-
ALL OTHER--MALE----	2	2	2	1	1	-	-	1	1	-	-	-
FEMALE--	-	1	-	1	-	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	47	39	35	31	42	49	66	65	38	13	4	-
WHITE-----MALE----	32	29	24	14	21	33	40	21	15	3	1	-
FEMALE--	12	9	11	16	18	16	26	42	23	10	3	-
ALL OTHER--MALE----	2	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	2	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	2	-	-	-	-
NEVADA -----	81	74	46	41	55	36	44	28	11	5	2	1
WHITE-----MALE----	50	45	29	22	40	27	24	13	6	1	-	-
FEMALE--	21	21	13	15	8	8	17	13	5	3	2	-
ALL OTHER--MALE----	7	4	4	2	5	-	1	1	-	-	-	1
FEMALE--	3	4	-	2	2	1	2	1	-	1	-	-
BLACK---MALE----	5	2	4	1	4	-	-	1	-	-	-	1
FEMALE--	2	2	-	1	1	-	1	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,698

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
OHIO -----	5,152	56	69	66	95	361	351	337	360	435	412	284
WHITE-----MALE----	2,875	13	31	26	41	211	212	213	233	261	256	174
FEMALE--	1,551	24	23	24	36	86	45	58	67	107	93	63
ALL OTHER--MALE----	534	12	8	12	15	59	81	54	43	51	44	30
FEMALE--	192	7	7	4	3	5	13	12	17	16	19	17
BLACK---MALE----	521	12	8	12	13	58	80	52	42	50	44	29
FEMALE--	179	7	6	4	3	5	11	10	15	15	19	17
OKLAHOMA -----	2,352	16	44	40	44	188	176	164	156	195	188	147
WHITE-----MALE----	1,345	9	22	17	27	115	111	92	92	122	112	104
FEMALE--	693	4	13	11	12	40	24	39	37	51	49	26
ALL OTHER--MALE----	225	2	6	8	5	28	33	23	22	15	22	11
FEMALE--	89	1	3	4	-	5	8	10	5	7	5	6
BLACK---MALE----	111	1	5	2	3	15	21	12	12	5	9	3
FEMALE--	34	1	2	1	-	2	4	2	-	1	4	4
OREGON -----	2,146	13	20	18	36	129	170	163	147	198	206	164
WHITE-----MALE----	1,420	6	13	7	22	84	124	117	104	143	155	112
FEMALE--	614	2	6	8	12	33	31	34	35	45	39	41
ALL OTHER--MALE----	79	2	1	-	2	10	12	7	6	7	10	5
FEMALE--	33	3	-	3	-	2	3	5	2	3	2	6
BLACK---MALE----	32	2	-	-	-	6	5	4	2	1	3	2
FEMALE--	5	1	-	-	-	-	-	2	-	-	1	1
PENNSYLVANIA -----	6,767	35	78	70	101	430	548	412	478	579	513	467
WHITE-----MALE----	3,793	17	34	29	48	250	313	263	313	365	325	294
FEMALE--	1,923	3	18	23	26	94	71	54	82	117	108	86
ALL OTHER--MALE----	781	9	16	7	19	73	141	79	64	70	67	69
FEMALE--	270	6	10	11	8	13	23	16	19	27	13	18
BLACK---MALE----	732	9	15	7	16	65	135	70	62	69	64	65
FEMALE--	244	6	10	10	5	9	19	13	19	25	12	16
RHODE ISLAND -----	406	3	2	1	6	22	35	24	28	32	41	29
WHITE-----MALE----	246	1	1	-	5	13	28	11	18	23	28	16
FEMALE--	128	1	-	1	-	4	3	9	6	6	11	10
ALL OTHER--MALE----	23	1	1	-	1	5	3	3	2	3	-	2
FEMALE--	9	-	-	-	-	-	1	1	2	-	2	1
BLACK---MALE----	17	-	1	-	-	3	3	3	1	3	-	2
FEMALE--	8	-	-	-	-	-	1	1	2	-	2	1
SOUTH CAROLINA -----	2,617	21	33	40	42	187	234	210	218	253	234	182
WHITE-----MALE----	1,186	7	8	10	15	81	104	80	113	131	115	82
FEMALE--	566	3	3	7	9	34	26	35	38	42	39	40
ALL OTHER--MALE----	632	5	14	14	16	56	91	77	49	53	61	44
FEMALE--	233	6	8	9	2	16	13	18	18	27	19	16
BLACK---MALE----	624	5	13	14	16	55	91	76	48	52	61	43
FEMALE--	229	5	8	9	2	16	13	18	17	27	18	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,698

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
OHIO -----	256	211	188	225	244	355	297	282	185	66	17	-
WHITE-----MALE----	162	125	122	126	137	195	154	106	56	17	4	-
FEMALE--	66	61	49	64	89	136	122	160	118	47	13	-
ALL OTHER--MALE----	19	23	9	27	13	12	12	5	4	1	-	-
FEMALE--	9	2	8	8	5	12	9	11	7	1	-	-
BLACK---MALE----	18	23	8	27	13	10	12	5	4	1	-	-
FEMALE--	8	2	6	8	5	12	9	9	7	1	-	-
OKLAHOMA -----	110	97	87	97	125	129	117	126	77	24	3	2
WHITE-----MALE----	71	60	54	62	61	78	65	41	24	3	1	2
FEMALE--	23	27	23	26	53	40	46	79	48	20	2	-
ALL OTHER--MALE----	9	5	7	7	7	6	2	3	4	-	-	-
FEMALE--	7	5	3	2	4	5	4	3	1	1	-	-
BLACK---MALE----	5	3	2	3	3	2	2	1	2	-	-	-
FEMALE--	3	2	-	-	2	3	1	1	-	1	-	-
OREGON -----	110	82	66	74	86	128	116	105	78	31	4	2
WHITE-----MALE----	74	61	47	47	55	82	73	55	24	12	1	2
FEMALE--	30	17	16	25	29	46	40	50	53	19	3	-
ALL OTHER--MALE----	5	4	2	2	2	-	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	2	2	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	336	253	226	265	358	445	492	383	208	76	13	1
WHITE-----MALE----	210	155	125	155	206	225	229	160	58	17	1	1
FEMALE--	72	63	67	79	114	190	241	205	142	56	12	-
ALL OTHER--MALE----	44	22	25	24	24	11	8	8	1	-	-	-
FEMALE--	10	13	9	7	14	19	14	10	7	3	-	-
BLACK---MALE----	43	17	23	24	22	10	7	8	1	-	-	-
FEMALE--	9	12	9	6	13	18	14	10	6	3	-	-
RHODE ISLAND -----	23	19	7	13	14	25	25	30	18	8	-	1
WHITE-----MALE----	19	13	5	6	9	15	14	11	7	2	-	1
FEMALE--	1	6	2	7	5	10	11	18	11	6	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	170	117	78	105	112	117	118	68	61	9	5	3
WHITE-----MALE----	79	54	33	52	59	60	57	25	18	2	1	-
FEMALE--	29	25	26	27	31	33	41	34	35	6	3	-
ALL OTHER--MALE----	49	27	14	14	13	11	11	6	3	-	1	3
FEMALE--	13	11	5	12	9	13	9	3	5	1	-	-
BLACK---MALE----	49	27	14	14	13	10	11	6	2	-	1	3
FEMALE--	13	11	5	11	9	13	9	3	5	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,699

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
SOUTH DAKOTA -----	491	4	13	2	16	44	46	30	29	40	32	24
WHITE-----MALE----	258	-	6	2	10	24	22	13	13	18	21	13
FEMALE--	134	1	4	-	3	10	7	8	2	10	5	5
ALL OTHER--MALE----	78	3	2	-	2	5	14	6	11	11	6	4
FEMALE--	21	-	1	-	1	5	3	3	3	1	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3,929	22	51	43	41	308	323	306	345	369	322	271
WHITE-----MALE----	2,223	12	22	18	18	184	179	180	207	231	174	167
FEMALE--	1,028	4	16	14	13	53	58	51	77	76	73	59
ALL OTHER--MALE----	503	3	5	8	8	59	70	62	45	46	51	38
FEMALE--	175	3	8	3	2	12	16	13	16	16	24	7
BLACK---MALE----	491	3	5	8	7	58	69	62	43	44	50	38
FEMALE--	167	3	8	3	2	12	14	12	15	16	23	5
TEXAS -----	11,173	116	215	144	211	961	1,049	902	896	1,085	984	796
WHITE-----MALE----	6,714	46	100	64	112	594	722	580	590	661	614	495
FEMALE--	2,854	46	62	43	54	221	145	158	181	253	234	172
ALL OTHER--MALE----	1,182	12	32	20	33	115	148	127	101	120	104	95
FEMALE--	423	12	21	17	12	31	34	37	24	51	32	34
BLACK---MALE----	1,075	12	31	20	28	104	137	118	92	107	95	88
FEMALE--	376	11	20	14	10	28	32	33	21	48	24	27
UTAH -----	1,262	14	37	17	34	108	115	113	89	120	110	94
WHITE-----MALE----	837	5	20	11	21	72	93	80	58	84	79	67
FEMALE--	354	8	16	5	12	29	16	22	22	25	26	21
ALL OTHER--MALE----	40	-	-	-	-	6	3	9	7	6	3	2
FEMALE--	31	1	1	1	1	1	3	2	2	5	2	4
BLACK---MALE----	6	-	-	-	-	2	-	1	-	2	-	-
FEMALE--	10	1	-	1	1	-	2	1	-	2	1	1
VERMONT -----	315	-	3	3	2	33	20	17	16	25	23	28
WHITE-----MALE----	226	-	2	2	2	27	15	17	10	20	19	17
FEMALE--	86	-	1	1	-	6	5	-	4	5	4	10
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
VIRGINIA -----	3,633	31	47	40	52	236	260	255	273	343	333	229
WHITE-----MALE----	1,819	9	12	17	24	113	132	127	140	180	196	132
FEMALE--	933	6	15	7	12	47	37	47	56	70	65	46
ALL OTHER--MALE----	640	10	11	9	12	66	79	64	56	67	54	42
FEMALE--	241	6	9	7	4	10	12	17	21	26	18	9
BLACK---MALE----	612	10	10	8	9	64	78	62	54	66	51	41
FEMALE--	217	6	8	6	3	5	10	16	19	25	17	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,699

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

SOUTH DAKOTA	24	19	21	19	20	21	26	32	19	10	-	-
WHITE	17	11	15	8	12	13	17	14	6	3	-	-
FEMALE	2	5	3	9	7	7	8	18	13	7	-	-
ALL OTHER	5	2	3	2	1	1	-	-	-	-	-	-
FEMALE	-	1	-	-	-	-	1	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE	196	184	171	136	156	191	201	178	74	32	6	3
WHITE	110	120	104	83	94	107	109	73	24	6	1	-
FEMALE	51	41	45	41	47	65	77	90	48	22	5	2
ALL OTHER	24	18	17	9	12	10	7	8	2	1	-	-
FEMALE	11	5	5	3	3	9	8	7	3	3	-	1
BLACK	24	15	17	9	11	10	7	8	2	1	-	-
FEMALE	10	5	5	3	3	9	8	7	-	3	-	1
TEXAS	595	428	348	382	453	466	438	371	217	82	14	20
WHITE	374	265	215	220	275	260	230	174	77	23	3	20
FEMALE	139	100	92	117	125	165	178	182	126	52	9	-
ALL OTHER	68	47	32	27	32	28	20	7	8	4	2	-
FEMALE	14	16	9	18	21	13	10	8	6	3	-	-
BLACK	57	42	29	23	26	26	19	7	8	4	2	-
FEMALE	13	13	9	16	19	13	9	7	6	3	-	-
UTAH	61	54	36	31	39	61	52	49	20	5	1	2
WHITE	39	41	25	26	27	31	24	22	9	1	1	1
FEMALE	20	11	10	4	10	30	26	26	11	3	-	1
ALL OTHER	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE	2	1	-	-	1	-	2	1	-	1	-	-
BLACK	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT	24	10	11	5	13	20	25	18	11	6	2	-
WHITE	23	8	8	3	8	15	15	8	6	1	-	-
FEMALE	1	2	3	2	5	5	10	10	5	5	2	-
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	209	160	125	136	181	190	221	165	109	28	9	1
WHITE	100	100	74	72	102	89	90	71	33	6	-	-
FEMALE	60	23	24	35	59	57	102	78	61	19	7	-
ALL OTHER	39	29	20	18	9	24	16	8	6	-	-	1
FEMALE	10	8	7	11	11	20	13	8	9	3	2	-
BLACK	36	26	18	17	9	22	16	8	6	-	-	1
FEMALE	8	6	7	10	10	19	11	8	9	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,700

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
WASHINGTON -----	2,989	14	42	16	43	200	236	208	232	250	289	264
WHITE-----MALE----	1,839	8	16	10	18	137	153	125	147	167	194	185
FEMALE--	803	3	15	3	19	32	34	40	52	51	63	46
ALL OTHER--MALE----	249	2	7	1	2	28	36	34	23	25	21	23
FEMALE--	98	1	4	2	4	3	13	9	10	7	11	10
BLACK---MALE----	106	1	4	-	1	15	12	13	11	9	12	13
FEMALE--	30	1	3	-	-	2	3	1	7	1	5	4
WEST VIRGINIA -----	1,203	4	13	8	24	82	91	92	73	104	102	77
WHITE-----MALE----	784	2	8	3	15	56	66	68	52	76	73	55
FEMALE--	365	1	2	4	8	24	20	18	19	25	21	20
ALL OTHER--MALE----	33	-	-	1	-	1	4	5	2	3	5	2
FEMALE--	21	1	3	-	1	1	1	1	-	-	3	-
BLACK---MALE----	31	-	-	1	-	1	4	4	2	2	5	2
FEMALE--	20	1	3	-	1	1	1	1	-	-	2	-
WISCONSIN -----	2,761	27	36	27	59	183	195	163	178	231	216	174
WHITE-----MALE----	1,630	8	21	9	26	105	132	107	122	161	121	114
FEMALE--	847	8	5	9	21	44	26	29	30	44	64	44
ALL OTHER--MALE----	207	7	6	5	10	27	32	21	20	16	23	12
FEMALE--	77	4	4	4	2	7	5	6	6	10	8	4
BLACK---MALE----	171	6	4	5	8	23	28	20	15	13	17	11
FEMALE--	50	3	2	2	2	4	2	4	3	8	4	2
WYOMING -----	340	3	7	4	7	37	20	24	22	32	31	32
WHITE-----MALE----	219	1	4	1	5	21	17	17	13	22	26	22
FEMALE--	95	2	1	2	1	10	2	5	6	7	3	10
ALL OTHER--MALE----	20	-	2	-	1	3	1	2	3	2	2	-
FEMALE--	6	-	-	1	-	3	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	1	1	-	-	-	1	2	-
FEMALE--	3	-	-	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,700

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
WASHINGTON -----	180	116	101	112	114	149	151	147	91	28	3	3
WHITE-----MALE----	112	74	63	73	73	87	84	72	29	9	1	2
FEMALE--	50	31	30	32	33	58	62	70	58	19	2	-
ALL OTHER--MALE----	9	7	8	6	4	4	4	3	2	-	-	-
FEMALE--	9	4	-	1	4	-	1	2	2	-	-	1
BLACK---MALE----	4	2	2	3	2	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	1
WEST VIRGINIA -----	64	48	38	46	75	71	88	59	30	10	4	-
WHITE-----MALE----	53	38	28	32	36	34	43	33	10	1	2	-
FEMALE--	8	10	10	14	35	33	38	26	19	8	2	-
ALL OTHER--MALE----	2	-	-	-	3	1	3	-	1	-	-	-
FEMALE--	1	-	-	-	1	3	4	-	-	1	-	-
BLACK---MALE----	2	-	-	-	3	1	3	-	1	-	-	-
FEMALE--	1	-	-	-	1	3	4	-	-	1	-	-
WISCONSIN -----	115	97	104	106	140	151	210	153	132	48	15	1
WHITE-----MALE----	79	64	71	73	81	79	130	68	44	13	2	-
FEMALE--	22	26	32	30	54	67	76	81	87	35	12	1
ALL OTHER--MALE----	9	6	1	2	3	3	1	3	-	-	-	-
FEMALE--	5	1	-	1	2	2	3	1	1	-	1	-
BLACK---MALE----	7	6	1	2	1	1	1	2	-	-	-	-
FEMALE--	4	1	-	1	1	2	2	1	1	-	1	-
WYOMING -----	19	13	15	9	9	12	17	14	12	1	-	-
WHITE-----MALE----	13	8	12	7	6	8	7	6	3	-	-	-
FEMALE--	5	4	3	2	3	3	8	8	9	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,701

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
UNITED STATES --	97,835	754	1,935	1,544	1,710	6,590	6,759	5,798	6,247	7,534	7,593	6,231
WHITE-----MALE----	52,398	304	833	646	822	3,798	4,441	3,594	3,815	4,535	4,535	3,653
FEMALE--	29,780	207	555	393	475	1,785	1,146	1,067	1,269	1,615	1,596	1,269
ALL OTHER--MALE----	10,644	129	322	311	307	769	879	875	870	978	1,030	953
FEMALE--	5,013	114	225	194	106	238	293	262	293	406	432	356
BLACK---MALE----	8,788	119	279	271	250	606	680	714	690	812	875	826
FEMALE--	4,013	104	191	159	81	163	205	189	217	346	367	290
ALABAMA -----	2,204	13	47	39	46	177	176	154	142	156	150	107
WHITE-----MALE----	1,054	6	17	19	20	97	91	69	81	89	84	55
FEMALE--	611	2	7	5	11	46	30	39	28	29	36	24
ALL OTHER--MALE----	374	3	17	10	12	30	43	35	24	31	24	21
FEMALE--	165	2	6	5	3	4	12	11	9	7	6	7
BLACK---MALE----	372	3	17	10	12	30	43	35	23	31	23	21
FEMALE--	162	2	6	5	3	4	12	10	9	7	6	6
ALASKA -----	251	2	5	6	11	19	24	18	21	22	34	25
WHITE-----MALE----	118	-	3	3	3	10	17	5	12	8	17	14
FEMALE--	46	1	-	1	3	2	1	5	2	1	3	6
ALL OTHER--MALE----	64	1	1	-	3	5	6	7	5	11	12	3
FEMALE--	23	-	1	2	2	2	-	1	2	2	2	2
BLACK---MALE----	4	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,228	17	66	23	28	126	144	146	151	222	201	156
WHITE-----MALE----	1,233	10	34	7	15	61	85	95	79	143	130	102
FEMALE--	633	4	20	9	7	35	22	20	35	32	33	30
ALL OTHER--MALE----	251	2	6	3	5	24	28	25	24	34	27	19
FEMALE--	111	1	6	4	1	6	9	6	13	13	11	5
BLACK---MALE----	47	-	1	-	-	4	3	4	3	9	7	4
FEMALE--	19	1	1	-	1	2	1	1	2	4	-	1
ARKANSAS -----	1,287	12	24	21	28	110	94	83	77	72	93	70
WHITE-----MALE----	692	4	11	10	13	54	60	47	55	38	49	38
FEMALE--	369	4	9	7	9	34	15	14	9	26	22	17
ALL OTHER--MALE----	151	4	3	2	6	15	14	16	11	5	16	11
FEMALE--	75	-	1	2	-	7	5	6	2	3	6	4
BLACK---MALE----	146	4	3	2	6	15	13	16	10	5	15	11
FEMALE--	69	-	1	1	-	6	5	4	2	2	6	3
CALIFORNIA -----	9,264	57	199	129	145	524	636	612	702	822	952	806
WHITE-----MALE----	5,388	26	103	56	69	278	438	411	483	531	578	516
FEMALE--	2,440	19	62	41	39	140	103	98	124	185	214	149
ALL OTHER--MALE----	977	6	17	24	25	77	69	71	69	74	111	107
FEMALE--	459	6	17	8	12	29	26	32	26	32	49	34
BLACK---MALE----	548	5	11	16	12	36	29	35	32	46	81	73
FEMALE--	232	4	10	4	4	14	9	16	14	20	35	24

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,701

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
UNITED STATES --	4,715	3,857	3,483	3,937	4,955	5,996	6,715	5,940	3,812	1,332	288	110
WHITE-----MALE----	2,712	2,197	1,909	2,086	2,492	2,890	3,089	2,335	1,214	345	61	92
FEMALE--	1,093	986	979	1,264	1,858	2,495	3,097	3,183	2,348	898	196	6
ALL OTHER--MALE----	665	477	405	353	355	320	274	199	117	37	9	10
FEMALE--	245	197	190	234	250	291	255	223	133	52	22	2
BLACK---MALE----	560	408	335	302	293	264	215	160	85	26	8	10
FEMALE--	196	160	144	179	204	252	197	182	121	45	19	2
ALABAMA -----	112	95	78	104	122	130	135	131	64	16	10	-
WHITE-----MALE----	52	48	38	54	57	52	55	47	18	4	1	-
FEMALE--	27	20	22	29	34	54	60	61	34	8	5	-
ALL OTHER--MALE----	21	17	11	16	18	12	13	7	5	3	1	-
FEMALE--	12	10	7	5	13	12	7	16	7	1	3	-
BLACK---MALE----	21	17	11	16	18	12	13	7	5	3	1	-
FEMALE--	11	10	7	5	13	12	7	16	7	1	3	-
ALASKA -----	17	7	9	4	5	3	8	6	4	1	-	-
WHITE-----MALE----	9	5	4	-	2	2	2	1	1	-	-	-
FEMALE--	3	1	3	2	3	-	2	3	3	1	-	-
ALL OTHER--MALE----	5	-	2	-	-	1	1	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	105	86	80	82	119	129	129	104	82	13	5	14
WHITE-----MALE----	60	43	49	46	67	61	65	39	26	3	1	12
FEMALE--	25	30	19	25	45	58	55	62	53	9	3	2
ALL OTHER--MALE----	11	8	8	6	5	7	4	2	2	1	-	-
FEMALE--	9	5	4	5	2	3	5	1	1	-	1	-
BLACK---MALE----	3	3	-	-	1	2	1	-	1	1	-	-
FEMALE--	1	1	-	-	-	2	-	-	1	-	-	-
ARKANSAS -----	56	60	52	61	47	85	80	82	58	17	5	-
WHITE-----MALE----	34	40	33	33	26	45	48	29	18	5	2	-
FEMALE--	13	17	8	20	15	25	26	37	34	8	-	-
ALL OTHER--MALE----	4	3	9	5	3	10	4	6	-	3	1	-
FEMALE--	5	-	2	3	3	5	2	10	6	1	2	-
BLACK---MALE----	4	3	8	5	3	10	4	6	-	2	1	-
FEMALE--	5	-	2	3	3	5	2	10	6	1	2	-
CALIFORNIA -----	556	439	333	296	381	447	476	385	241	69	11	46
WHITE-----MALE----	339	262	174	164	186	224	230	154	94	22	5	45
FEMALE--	133	115	92	84	137	160	185	192	122	40	5	1
ALL OTHER--MALE----	60	41	48	22	35	34	37	24	20	5	1	-
FEMALE--	24	21	19	26	23	29	24	15	5	2	-	-
BLACK---MALE----	36	33	30	12	20	14	12	9	6	-	-	-
FEMALE--	12	14	8	12	9	12	5	5	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,702
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
COLORADO -----	1,530	10	32	25	25	94	112	111	98	107	134	102
WHITE-----MALE----	915	7	14	14	17	65	76	84	66	70	92	63
FEMALE--	518	2	12	10	7	21	23	22	24	27	35	28
ALL OTHER--MALE----	68	-	4	-	1	5	9	4	6	8	4	8
FEMALE--	29	1	2	1	-	3	4	1	2	2	3	3
BLACK---MALE----	43	-	1	-	-	3	6	1	2	5	4	5
FEMALE--	12	1	2	1	-	-	-	-	1	-	1	3
CONNECTICUT -----	1,067	4	6	10	9	47	54	65	98	82	73	65
WHITE-----MALE----	597	3	4	5	4	33	35	50	61	50	45	37
FEMALE--	362	-	2	1	3	7	11	9	26	23	15	17
ALL OTHER--MALE----	73	-	-	-	2	5	7	6	9	6	11	8
FEMALE--	35	1	-	4	-	2	1	-	2	3	2	3
BLACK---MALE----	64	-	-	-	2	4	4	5	7	6	11	8
FEMALE--	31	1	-	4	-	1	1	-	2	3	2	2
DELAWARE -----	289	2	4	6	3	23	16	16	15	31	24	18
WHITE-----MALE----	144	-	-	3	2	14	10	11	10	17	14	12
FEMALE--	95	2	2	1	1	5	3	4	2	9	4	1
ALL OTHER--MALE----	34	-	2	2	-	4	2	-	2	5	5	2
FEMALE--	16	-	-	-	-	-	1	1	1	-	1	3
BLACK---MALE----	34	-	2	2	-	4	2	-	2	5	5	2
FEMALE--	14	-	-	-	-	-	1	1	1	-	1	3
DISTRICT OF COLUMBIA ----	207	1	3	4	2	5	4	10	17	21	29	23
WHITE-----MALE----	26	-	-	-	-	1	-	2	3	1	-	2
FEMALE--	14	-	1	-	-	-	-	2	-	2	1	-
ALL OTHER--MALE----	114	-	1	1	2	4	4	5	12	11	19	18
FEMALE--	53	1	1	3	-	-	-	1	2	7	9	3
BLACK---MALE----	113	-	1	1	2	4	4	5	12	11	19	18
FEMALE--	53	1	1	3	-	-	-	1	2	7	9	3
FLORIDA -----	5,877	58	152	92	83	321	392	339	375	476	523	386
WHITE-----MALE----	3,256	25	48	36	39	177	236	218	230	297	345	238
FEMALE--	1,778	16	45	18	16	89	81	56	90	91	110	87
ALL OTHER--MALE----	584	8	32	23	20	39	58	49	43	56	49	48
FEMALE--	259	9	27	15	8	16	17	16	12	32	19	13
BLACK---MALE----	568	8	32	23	20	37	54	46	43	55	49	48
FEMALE--	242	9	25	15	8	15	15	15	9	31	17	12
GEORGIA -----	3,156	22	75	78	60	220	211	203	214	269	233	179
WHITE-----MALE----	1,382	8	20	22	18	109	107	111	102	128	104	81
FEMALE--	864	4	19	10	18	58	38	34	40	54	47	29
ALL OTHER--MALE----	610	7	22	36	19	41	46	46	58	66	58	43
FEMALE--	300	3	14	10	5	12	20	12	14	21	24	26
BLACK---MALE----	585	7	20	35	19	40	45	45	55	62	56	40
FEMALE--	292	3	13	10	5	12	20	12	14	21	24	24

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,702
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
COLORADO -----	72	55	42	60	60	94	119	84	59	28	7	-
WHITE-----MALE----	46	31	23	38	28	48	67	36	21	6	3	-
FEMALE--	20	20	15	16	30	45	51	48	36	22	4	-
ALL OTHER--MALE----	5	4	3	3	1	1	1	-	1	-	-	-
FEMALE--	1	-	1	3	1	-	-	-	1	-	-	-
BLACK---MALE----	4	4	3	3	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	1	-	-	-
CONNECTICUT -----	37	34	32	44	57	79	97	91	50	26	7	-
WHITE-----MALE----	25	19	16	25	26	40	46	36	26	8	3	-
FEMALE--	6	11	11	12	27	35	49	53	23	17	4	-
ALL OTHER--MALE----	5	3	2	2	3	2	1	1	-	-	-	-
FEMALE--	1	1	3	5	1	2	1	1	1	1	-	-
BLACK---MALE----	5	3	2	1	3	2	-	1	-	-	-	-
FEMALE--	1	1	3	4	1	1	1	1	1	1	-	-
DELAWARE -----	10	11	6	17	17	18	21	14	14	2	1	-
WHITE-----MALE----	5	4	4	7	7	7	11	3	3	-	-	-
FEMALE--	3	4	2	6	6	9	8	11	10	2	-	-
ALL OTHER--MALE----	2	2	-	2	1	2	1	-	-	-	-	-
FEMALE--	-	1	-	2	3	-	1	-	1	-	1	-
BLACK---MALE----	2	2	-	2	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	3	-	1	-	1	-	1	-
DISTRICT OF COLUMBIA ----	10	14	7	9	11	13	8	5	7	2	-	2
WHITE-----MALE----	1	3	3	-	2	2	1	2	1	1	-	1
FEMALE--	-	-	-	1	2	1	-	-	4	-	-	-
ALL OTHER--MALE----	7	9	3	6	2	5	2	1	1	-	-	1
FEMALE--	2	2	1	2	5	5	5	2	1	1	-	-
BLACK---MALE----	7	9	3	5	2	5	2	1	1	-	-	1
FEMALE--	2	2	1	2	5	5	5	2	1	1	-	-
FLORIDA -----	289	247	198	269	309	343	401	346	191	70	8	9
WHITE-----MALE----	169	141	113	157	147	169	195	174	68	28	1	5
FEMALE--	73	69	54	80	136	151	194	160	115	39	7	1
ALL OTHER--MALE----	36	27	23	20	17	14	7	6	4	2	-	3
FEMALE--	11	10	8	12	9	9	5	6	4	1	-	-
BLACK---MALE----	34	27	23	19	15	14	7	6	4	1	-	3
FEMALE--	9	10	8	11	8	9	5	6	4	1	-	-
GEORGIA -----	172	124	116	126	156	186	214	182	88	23	4	1
WHITE-----MALE----	91	56	61	43	73	80	80	57	25	6	-	-
FEMALE--	32	29	27	37	52	75	98	96	48	16	2	1
ALL OTHER--MALE----	35	27	20	23	17	10	16	14	6	-	-	-
FEMALE--	14	12	8	23	14	21	20	15	9	1	2	-
BLACK---MALE----	34	24	19	23	17	10	15	14	5	-	-	-
FEMALE--	13	11	8	22	13	20	20	15	9	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,703

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
HAWAII -----	299	3	5	4	3	20	24	19	21	13	23	26
WHITE-----MALE----	82	-	1	-	1	2	7	6	6	2	11	15
FEMALE--	25	-	-	1	1	-	1	-	2	2	2	3
ALL OTHER--MALE----	129	1	1	1	1	14	13	10	12	7	9	6
FEMALE--	63	2	3	2	-	4	3	3	1	2	1	2
BLACK---MALE----	6	-	1	-	-	1	2	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	571	10	12	16	12	60	44	33	27	37	38	31
WHITE-----MALE----	355	3	5	10	8	39	31	19	20	28	28	21
FEMALE--	192	7	7	6	4	18	8	11	4	8	5	9
ALL OTHER--MALE----	18	-	-	-	-	2	4	3	3	-	3	1
FEMALE--	6	-	-	-	-	1	1	-	-	1	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ILLINOIS -----	3,891	34	60	49	61	244	303	235	251	345	345	252
WHITE-----MALE----	2,011	13	24	24	34	143	197	132	143	183	202	126
FEMALE--	1,060	6	14	5	12	63	57	29	35	67	41	53
ALL OTHER--MALE----	564	9	13	11	12	30	33	58	54	69	70	52
FEMALE--	256	6	9	9	3	8	16	16	19	26	32	21
BLACK---MALE----	533	9	13	11	9	30	29	55	53	66	67	47
FEMALE--	238	6	9	8	2	5	14	15	17	25	32	20
INDIANA -----	2,199	26	62	39	47	165	161	120	135	141	165	99
WHITE-----MALE----	1,215	9	23	19	30	89	116	81	87	88	104	60
FEMALE--	761	8	20	13	12	62	31	22	38	35	39	22
ALL OTHER--MALE----	153	6	12	4	4	9	8	17	5	16	14	9
FEMALE--	70	3	7	3	1	5	6	-	5	2	8	8
BLACK---MALE----	145	6	10	4	4	9	8	16	4	15	13	9
FEMALE--	64	3	7	3	1	5	5	-	5	2	6	7
IOWA -----	1,094	5	21	26	22	76	69	44	47	55	42	54
WHITE-----MALE----	645	2	16	15	13	52	49	34	35	43	32	36
FEMALE--	419	2	4	10	6	21	13	9	11	10	7	15
ALL OTHER--MALE----	18	-	1	-	1	1	7	-	-	2	3	1
FEMALE--	12	1	-	1	2	2	-	1	1	-	-	2
BLACK---MALE----	9	-	-	-	1	1	2	-	-	2	2	1
FEMALE--	8	1	-	1	1	1	-	-	-	-	-	2
KANSAS -----	1,152	8	28	19	20	84	88	63	67	66	84	62
WHITE-----MALE----	656	4	15	10	9	46	70	35	45	49	56	39
FEMALE--	407	3	9	2	6	33	12	19	15	12	22	17
ALL OTHER--MALE----	58	-	2	3	4	4	5	8	6	3	4	4
FEMALE--	31	1	2	4	1	1	1	1	1	2	2	2
BLACK---MALE----	45	-	1	3	2	3	4	6	4	2	3	4
FEMALE--	25	1	2	4	1	-	-	1	-	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,703

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
HAWAII -----	14	15	12	12	14	13	11	27	11	7	2	-
WHITE-----MALE----	10	6	1	2	4	2	-	3	3	-	-	-
FEMALE--	1	1	-	2	1	1	1	3	1	1	1	-
ALL OTHER--MALE----	3	6	4	6	6	5	6	10	5	3	-	-
FEMALE--	-	2	7	2	3	5	4	11	2	3	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	22	24	18	24	21	32	37	45	18	6	3	1
WHITE-----MALE----	15	18	12	19	16	16	16	22	5	3	-	1
FEMALE--	4	6	6	5	5	16	21	23	13	3	3	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	185	153	145	159	186	252	245	196	133	46	11	1
WHITE-----MALE----	96	84	70	79	96	113	112	79	43	14	3	1
FEMALE--	37	34	34	51	69	118	109	106	84	28	8	-
ALL OTHER--MALE----	36	24	28	22	14	10	11	3	3	2	-	-
FEMALE--	16	11	13	7	7	11	13	8	3	2	-	-
BLACK---MALE----	36	20	27	20	14	9	10	3	3	2	-	-
FEMALE--	16	11	11	6	6	10	12	8	3	2	-	-
INDIANA -----	92	104	68	81	108	134	152	162	91	39	8	-
WHITE-----MALE----	55	80	39	42	50	68	74	65	27	7	2	-
FEMALE--	21	18	23	32	49	60	70	92	58	30	6	-
ALL OTHER--MALE----	11	4	5	5	6	4	5	4	3	2	-	-
FEMALE--	5	2	1	2	3	2	3	1	3	-	-	-
BLACK---MALE----	11	4	5	5	5	4	4	4	3	2	-	-
FEMALE--	3	2	1	2	3	2	3	1	3	-	-	-
IOWA -----	34	35	45	49	62	67	122	110	76	27	6	-
WHITE-----MALE----	23	20	31	29	37	36	63	48	20	9	2	-
FEMALE--	11	13	14	20	24	31	59	61	56	18	4	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
KANSAS -----	47	39	36	37	64	62	86	91	74	21	6	-
WHITE-----MALE----	28	25	25	24	34	29	40	41	26	4	2	-
FEMALE--	16	9	8	10	28	28	44	48	45	17	4	-
ALL OTHER--MALE----	1	3	2	2	1	2	2	1	1	-	-	-
FEMALE--	2	2	1	1	1	3	-	1	2	-	-	-
BLACK---MALE----	1	3	2	1	-	2	2	1	1	-	-	-
FEMALE--	1	2	1	1	-	3	-	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,704

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
KENTUCKY -----	1,715	11	38	27	25	139	128	117	116	125	126	100
WHITE-----MALE----	1,037	8	19	16	16	92	95	85	80	79	86	62
FEMALE--	584	2	14	10	7	42	28	26	29	39	27	29
ALL OTHER--MALE----	55	-	3	-	2	4	2	6	5	3	5	8
FEMALE--	39	1	2	1	-	1	3	-	2	4	8	1
BLACK---MALE----	53	-	3	-	2	4	2	5	5	3	5	8
FEMALE--	37	1	2	1	-	1	2	-	2	4	8	1
LOUISIANA -----	1,939	28	64	40	35	151	165	131	129	153	149	132
WHITE-----MALE----	818	9	23	8	13	65	93	67	61	72	64	60
FEMALE--	470	5	7	8	10	39	19	24	22	29	34	25
ALL OTHER--MALE----	469	5	18	14	7	38	45	36	36	38	39	39
FEMALE--	182	9	16	10	5	9	8	4	10	14	12	8
BLACK---MALE----	454	5	18	13	7	37	44	35	33	35	39	37
FEMALE--	175	9	16	10	5	9	7	3	10	13	11	6
MAINE -----	448	-	4	3	7	31	35	21	18	22	34	26
WHITE-----MALE----	267	-	2	1	6	25	26	17	11	18	22	21
FEMALE--	178	-	2	2	1	6	7	4	7	4	11	5
ALL OTHER--MALE----	3	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,398	11	21	20	30	82	80	81	79	103	94	78
WHITE-----MALE----	612	6	5	8	8	39	43	46	44	43	41	35
FEMALE--	355	-	5	2	5	9	11	6	5	19	14	14
ALL OTHER--MALE----	288	3	7	9	12	28	17	21	20	30	25	23
FEMALE--	143	2	4	1	5	6	9	8	10	11	14	6
BLACK---MALE----	263	3	6	8	10	24	15	20	18	27	22	23
FEMALE--	134	2	4	1	5	3	8	8	9	11	13	6
MASSACHUSETTS -----	1,336	13	18	8	12	101	64	61	62	55	64	60
WHITE-----MALE----	735	6	10	6	7	69	42	40	46	38	42	49
FEMALE--	526	6	4	-	5	24	12	14	10	12	19	8
ALL OTHER--MALE----	50	-	2	1	-	7	7	7	5	3	2	3
FEMALE--	25	1	2	1	-	1	3	-	1	2	1	-
BLACK---MALE----	43	-	2	1	-	7	7	7	4	3	1	2
FEMALE--	19	1	2	1	-	1	3	-	-	2	1	-
MICHIGAN -----	3,133	37	83	68	71	205	204	199	189	217	242	206
WHITE-----MALE----	1,624	14	37	22	38	113	137	117	104	124	130	113
FEMALE--	956	11	16	17	11	64	31	33	42	49	62	49
ALL OTHER--MALE----	375	8	19	16	18	22	29	37	32	31	30	31
FEMALE--	178	4	11	13	4	6	7	12	11	13	20	13
BLACK---MALE----	349	8	18	16	15	19	28	37	28	26	27	29
FEMALE--	159	4	8	12	3	6	5	11	10	11	18	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,704

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
KENTUCKY -----	78	56	68	74	88	108	122	105	44	17	3	-
WHITE-----MALE----	54	40	42	41	52	51	59	44	13	3	-	-
FEMALE--	21	14	20	31	32	51	59	57	29	14	3	-
ALL OTHER--MALE----	3	1	2	1	2	4	2	1	1	-	-	-
FEMALE--	-	1	4	1	2	2	2	3	1	-	-	-
BLACK---MALE----	3	1	2	1	2	4	2	1	-	-	-	-
FEMALE--	-	1	4	1	2	2	1	3	1	-	-	-
LOUISIANA -----	90	74	92	77	105	92	88	88	39	13	4	-
WHITE-----MALE----	41	31	31	42	39	32	29	25	7	5	1	-
FEMALE--	19	15	26	20	33	30	35	45	17	6	2	-
ALL OTHER--MALE----	26	22	30	11	19	14	15	10	7	-	-	-
FEMALE--	4	6	5	4	14	16	9	8	8	2	1	-
BLACK---MALE----	25	22	29	10	19	14	15	10	7	-	-	-
FEMALE--	4	5	5	4	14	16	9	8	8	2	1	-
MAINE -----	21	12	13	28	31	31	34	38	29	7	3	-
WHITE-----MALE----	15	9	6	17	11	17	20	10	10	2	1	-
FEMALE--	6	3	7	11	20	14	14	28	19	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	68	55	56	65	87	98	110	102	58	13	6	1
WHITE-----MALE----	36	26	27	22	38	42	46	33	20	4	-	-
FEMALE--	12	12	10	26	23	37	47	57	31	5	5	-
ALL OTHER--MALE----	15	12	11	8	15	11	12	5	2	2	-	-
FEMALE--	5	5	8	9	11	8	5	7	5	2	1	1
BLACK---MALE----	15	12	10	8	15	8	11	5	2	1	-	-
FEMALE--	4	5	7	8	11	8	5	7	5	2	1	1
MASSACHUSETTS -----	48	41	59	65	78	111	124	124	113	44	11	-
WHITE-----MALE----	39	27	31	35	39	63	51	52	32	9	2	-
FEMALE--	8	12	23	28	35	46	69	68	80	34	9	-
ALL OTHER--MALE----	-	1	4	1	3	1	1	1	1	-	-	-
FEMALE--	1	1	1	1	1	1	3	3	-	1	-	-
BLACK---MALE----	-	1	3	1	1	1	1	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	2	-	1	-	-
MICHIGAN -----	177	131	116	121	163	191	194	162	110	39	7	1
WHITE-----MALE----	93	81	68	58	83	98	85	68	34	5	1	1
FEMALE--	45	38	34	45	56	75	93	80	68	31	6	-
ALL OTHER--MALE----	27	9	8	9	18	13	7	7	4	-	-	-
FEMALE--	12	3	6	9	6	5	9	7	4	3	-	-
BLACK---MALE----	26	9	7	9	17	13	6	7	4	-	-	-
FEMALE--	12	3	4	7	5	5	8	7	4	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,705

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
MINNESOTA -----	1,728	7	20	24	27	108	106	73	71	93	91	94
WHITE-----MALE----	953	4	9	9	18	61	75	52	51	67	57	66
FEMALE--	670	2	7	7	8	38	22	13	12	18	26	19
ALL OTHER--MALE----	72	-	3	7	1	8	6	6	7	7	6	5
FEMALE--	33	1	1	1	-	1	3	2	1	1	2	4
BLACK---MALE----	36	-	3	4	1	3	2	4	3	3	2	2
FEMALE--	9	-	-	-	-	-	1	-	-	-	1	2
MISSISSIPPI -----	1,716	10	43	46	43	129	152	92	131	128	108	92
WHITE-----MALE----	661	-	8	12	15	56	69	40	62	61	44	30
FEMALE--	403	1	9	5	10	23	25	8	18	16	17	19
ALL OTHER--MALE----	436	4	17	15	12	41	40	38	41	34	29	31
FEMALE--	216	5	9	14	6	9	18	6	10	17	18	12
BLACK---MALE----	426	4	16	14	12	41	37	38	40	33	28	31
FEMALE--	210	5	9	14	6	8	18	6	9	16	18	11
MISSOURI -----	2,455	19	44	41	39	185	165	144	132	170	163	128
WHITE-----MALE----	1,327	7	22	21	19	117	117	89	75	102	105	79
FEMALE--	877	6	18	14	14	53	36	27	35	50	39	31
ALL OTHER--MALE----	157	2	3	4	5	10	8	19	14	9	13	12
FEMALE--	94	4	1	2	1	5	4	9	8	9	6	6
BLACK---MALE----	149	2	3	4	5	9	6	17	14	9	13	11
FEMALE--	83	4	1	2	1	2	4	7	8	9	6	6
MONTANA -----	461	3	7	4	5	44	29	18	22	29	44	36
WHITE-----MALE----	276	3	1	1	4	31	22	12	10	18	33	22
FEMALE--	134	-	4	1	1	8	1	2	3	7	8	11
ALL OTHER--MALE----	31	-	-	2	-	4	3	3	6	3	2	1
FEMALE--	20	-	2	-	-	1	3	1	3	1	1	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	676	3	12	18	12	46	46	30	28	37	50	42
WHITE-----MALE----	393	3	6	13	6	29	37	23	15	26	30	31
FEMALE--	247	-	5	3	4	17	6	6	8	8	16	5
ALL OTHER--MALE----	22	-	1	2	2	-	2	-	4	2	1	4
FEMALE--	14	-	-	-	-	-	1	1	1	1	3	2
BLACK---MALE----	11	-	-	1	2	-	-	-	1	1	1	2
FEMALE--	10	-	-	-	-	-	1	-	-	1	2	1
NEVADA -----	665	8	19	8	13	52	50	42	40	84	58	51
WHITE-----MALE----	393	3	8	5	7	30	35	27	24	51	36	32
FEMALE--	195	4	9	2	4	16	10	10	11	21	16	10
ALL OTHER--MALE----	51	1	-	1	1	4	3	4	2	11	4	8
FEMALE--	26	-	2	-	1	2	2	1	3	1	2	1
BLACK---MALE----	39	1	-	1	1	3	1	3	2	9	3	6
FEMALE--	13	-	2	-	1	-	-	-	2	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,705

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
MINNESOTA -----	75	58	60	54	90	140	150	173	145	54	15	-
WHITE-----MALE----	47	32	39	36	42	79	75	64	53	14	3	-
FEMALE--	18	20	18	15	43	60	73	107	92	40	12	-
ALL OTHER--MALE----	7	2	1	2	1	-	1	2	-	-	-	-
FEMALE--	3	4	2	1	4	1	1	-	-	-	-	-
BLACK---MALE----	5	1	-	1	-	-	-	2	-	-	-	-
FEMALE--	2	-	-	-	2	1	-	-	-	-	-	-
MISSISSIPPI -----	87	72	64	83	90	91	90	87	55	19	3	1
WHITE-----MALE----	38	25	22	35	39	26	30	36	11	2	-	-
FEMALE--	21	16	11	23	27	38	41	33	32	9	-	1
ALL OTHER--MALE----	17	25	21	14	9	15	8	13	9	2	1	-
FEMALE--	11	6	10	11	15	12	11	5	3	6	2	-
BLACK---MALE----	17	24	20	14	9	15	8	13	9	2	1	-
FEMALE--	11	6	10	10	14	12	11	5	3	6	2	-
MISSOURI -----	106	87	75	101	116	153	216	179	126	50	16	-
WHITE-----MALE----	66	49	41	68	59	69	101	63	41	13	4	-
FEMALE--	24	28	24	26	49	72	103	102	81	35	10	-
ALL OTHER--MALE----	13	6	5	6	5	10	5	5	1	1	1	-
FEMALE--	3	4	5	1	3	2	7	9	3	1	1	-
BLACK---MALE----	13	6	5	5	4	10	5	5	1	1	1	-
FEMALE--	2	3	3	1	3	2	6	8	3	1	1	-
MONTANA -----	14	17	21	21	22	19	48	34	16	7	-	1
WHITE-----MALE----	9	10	14	14	12	11	27	16	3	2	-	1
FEMALE--	3	5	6	5	9	8	20	15	12	5	-	-
ALL OTHER--MALE----	2	1	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	31	26	29	25	34	43	50	61	37	13	3	-
WHITE-----MALE----	20	18	20	10	15	28	26	19	14	3	1	-
FEMALE--	9	7	9	14	16	15	24	40	23	10	2	-
ALL OTHER--MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	2	-	-	-	-
NEVADA -----	34	40	20	19	32	25	32	23	9	4	2	-
WHITE-----MALE----	25	20	13	8	23	17	14	10	4	1	-	-
FEMALE--	5	13	4	10	5	7	16	12	5	3	2	-
ALL OTHER--MALE----	2	3	3	-	3	-	-	1	-	-	-	-
FEMALE--	2	4	-	1	1	1	2	-	-	-	-	-
BLACK---MALE----	1	1	3	-	3	-	-	1	-	-	-	-
FEMALE--	1	2	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,707

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
OHIO -----	3,546	38	55	60	66	238	205	189	213	247	239	168
WHITE-----MALE----	1,888	11	25	26	26	148	153	128	141	160	151	96
FEMALE--	1,271	14	20	20	32	72	33	39	43	59	56	39
ALL OTHER--MALE----	249	7	5	12	8	15	13	17	17	20	22	21
FEMALE--	138	6	5	2	-	3	6	5	12	8	10	12
BLACK---MALE----	243	7	5	12	7	14	13	16	17	19	22	20
FEMALE--	130	6	5	2	-	3	4	5	10	8	10	12
OKLAHOMA -----	1,610	13	37	37	32	120	102	92	94	119	103	75
WHITE-----MALE----	855	7	20	17	18	74	70	52	52	67	62	49
FEMALE--	561	4	10	11	10	30	16	26	28	38	26	15
ALL OTHER--MALE----	128	1	5	6	4	12	11	10	11	10	11	7
FEMALE--	66	1	2	3	-	4	5	4	3	4	4	4
BLACK---MALE----	54	1	4	1	2	6	4	4	5	4	4	1
FEMALE--	25	1	1	1	-	1	2	-	-	1	3	3
OREGON -----	1,405	11	17	16	24	99	106	79	92	113	123	93
WHITE-----MALE----	882	4	11	6	13	64	78	59	64	81	92	67
FEMALE--	453	2	5	7	9	31	19	13	24	28	23	17
ALL OTHER--MALE----	48	2	1	-	2	3	6	5	3	4	7	4
FEMALE--	22	3	-	3	-	1	3	2	1	-	1	5
BLACK---MALE----	16	2	-	-	-	-	1	3	1	1	2	2
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	4,573	25	62	60	75	286	269	213	260	324	298	266
WHITE-----MALE----	2,441	13	31	25	34	179	196	150	180	210	183	159
FEMALE--	1,573	2	15	20	23	76	43	32	47	67	66	48
ALL OTHER--MALE----	368	5	10	6	14	24	22	24	20	30	40	46
FEMALE--	191	5	6	9	4	7	8	7	13	17	9	13
BLACK---MALE----	339	5	10	6	11	19	21	22	18	29	39	43
FEMALE--	177	5	6	8	4	3	6	5	13	17	9	12
RHODE ISLAND -----	242	1	2	1	5	12	20	16	10	8	13	12
WHITE-----MALE----	131	1	1	-	4	7	18	7	7	5	9	6
FEMALE--	98	-	-	1	-	3	1	8	1	3	3	5
ALL OTHER--MALE----	10	-	1	-	1	2	1	1	2	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	1	-	-	1	1	1	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	1,803	16	25	36	35	133	132	129	131	169	142	124
WHITE-----MALE----	771	5	7	10	11	67	62	52	64	83	64	53
FEMALE--	443	3	1	6	7	29	19	21	25	29	23	26
ALL OTHER--MALE----	411	3	10	13	15	27	43	46	30	40	42	30
FEMALE--	178	5	7	7	2	10	8	10	12	17	13	15
BLACK---MALE----	405	3	9	13	15	26	43	45	29	39	42	30
FEMALE--	175	4	7	7	2	10	8	10	11	17	12	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,707

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
OHIO -----	146	137	119	171	192	302	255	248	176	65	17	-
WHITE-----MALE----	86	77	64	84	94	150	119	80	49	16	4	-
FEMALE--	42	45	42	57	82	131	117	152	116	47	13	-
ALL OTHER--MALE----	11	13	6	22	11	9	10	5	4	1	-	-
FEMALE--	7	2	7	8	5	12	9	11	7	1	-	-
BLACK---MALE----	11	13	6	22	11	8	10	5	4	1	-	-
FEMALE--	7	2	5	8	5	12	9	9	7	1	-	-
OKLAHOMA -----	74	63	64	77	99	98	94	115	74	24	3	1
WHITE-----MALE----	45	34	38	46	39	53	47	38	22	3	1	1
FEMALE--	16	20	17	25	50	37	42	71	47	20	2	-
ALL OTHER--MALE----	8	4	6	4	6	4	1	3	4	-	-	-
FEMALE--	5	5	3	2	4	4	4	3	1	1	-	-
BLACK---MALE----	4	2	2	2	2	2	1	1	2	-	-	-
FEMALE--	3	2	-	-	2	2	1	1	-	1	-	-
OREGON -----	58	40	36	53	62	96	89	89	76	29	4	-
WHITE-----MALE----	39	28	25	35	34	53	52	42	23	11	1	-
FEMALE--	15	9	9	18	26	43	35	47	52	18	3	-
ALL OTHER--MALE----	3	3	1	-	2	-	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	200	148	171	182	292	372	440	343	200	74	13	-
WHITE-----MALE----	111	85	86	96	155	165	187	128	52	15	1	-
FEMALE--	50	40	54	64	104	182	233	199	140	56	12	-
ALL OTHER--MALE----	33	13	22	17	21	7	7	6	1	-	-	-
FEMALE--	6	10	9	5	12	18	13	10	7	3	-	-
BLACK---MALE----	32	9	20	17	19	6	6	6	1	-	-	-
FEMALE--	6	10	9	4	11	17	13	10	6	3	-	-
RHODE ISLAND -----	6	10	6	11	11	22	21	29	18	8	-	-
WHITE-----MALE----	4	7	4	4	6	12	10	10	7	2	-	-
FEMALE--	-	3	2	7	5	10	11	18	11	6	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	107	79	47	83	84	96	101	62	56	9	5	2
WHITE-----MALE----	44	34	15	37	38	44	44	19	15	2	1	-
FEMALE--	21	15	20	22	29	31	39	34	34	6	3	-
ALL OTHER--MALE----	31	22	7	13	9	10	9	6	2	-	1	2
FEMALE--	11	8	5	11	8	11	9	3	5	1	-	-
BLACK---MALE----	31	22	7	13	9	9	9	6	2	-	1	2
FEMALE--	11	8	5	11	8	11	9	3	5	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,708

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
SOUTH DAKOTA -----	360	4	13	2	15	31	28	20	16	23	22	16
WHITE-----MALE----	168	-	6	2	9	17	13	7	5	7	15	6
FEMALE--	119	1	4	-	3	8	5	8	2	6	3	5
ALL OTHER--MALE----	54	3	2	-	2	2	7	2	7	9	4	3
FEMALE--	19	-	1	-	1	4	3	3	2	1	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,627	16	45	39	35	205	195	164	187	205	193	163
WHITE-----MALE----	1,452	9	20	17	16	134	124	107	115	129	104	98
FEMALE--	814	4	15	13	11	46	46	34	44	47	45	38
ALL OTHER--MALE----	255	2	5	7	6	17	19	19	21	20	29	24
FEMALE--	106	1	5	2	2	8	6	4	7	9	15	3
BLACK---MALE----	247	2	5	7	5	16	18	19	21	19	28	24
FEMALE--	101	1	5	2	2	8	4	4	6	9	14	2
TEXAS -----	7,421	73	180	129	166	612	614	480	531	635	600	502
WHITE-----MALE----	4,245	25	90	59	84	375	433	305	346	381	364	307
FEMALE--	2,195	35	52	37	44	181	108	106	124	156	150	105
ALL OTHER--MALE----	687	6	24	18	27	41	58	47	53	64	66	63
FEMALE--	294	7	14	15	11	15	15	22	8	34	20	27
BLACK---MALE----	626	6	23	18	24	38	52	44	46	57	60	59
FEMALE--	263	7	14	12	9	15	14	18	7	31	14	23
UTAH -----	713	9	33	17	24	65	61	43	28	50	37	38
WHITE-----MALE----	421	3	19	11	15	38	46	29	16	34	24	26
FEMALE--	244	5	13	5	8	22	12	10	6	10	9	8
ALL OTHER--MALE----	26	-	-	-	-	4	2	4	5	2	3	2
FEMALE--	22	1	1	1	1	1	1	-	1	4	1	2
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	5	1	-	1	1	-	1	-	-	1	-	-
VERMONT -----	216	-	3	3	2	26	13	11	10	17	14	12
WHITE-----MALE----	146	-	2	2	2	20	10	11	7	15	11	8
FEMALE--	68	-	1	1	-	6	3	-	2	2	3	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VIRGINIA -----	2,334	18	36	37	40	134	136	117	149	181	184	125
WHITE-----MALE----	1,116	6	10	17	19	69	81	67	81	96	104	66
FEMALE--	702	2	14	7	10	41	25	27	35	34	32	24
ALL OTHER--MALE----	346	6	7	7	8	20	23	17	23	36	34	31
FEMALE--	170	4	5	6	3	4	7	6	10	15	14	4
BLACK---MALE----	331	6	6	7	7	18	22	16	23	36	33	30
FEMALE--	155	4	4	6	3	-	6	6	8	15	13	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,708

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
SOUTH DAKOTA -----	16	11	15	18	12	17	23	30	19	9	-	-
WHITE-----MALE----	10	4	10	7	7	9	14	12	6	2	-	-
FEMALE--	1	4	3	9	4	7	8	18	13	7	-	-
ALL OTHER--MALE----	5	2	2	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	122	116	108	111	120	159	175	162	71	30	6	-
WHITE-----MALE----	62	71	63	65	67	79	86	60	21	4	1	-
FEMALE--	37	29	31	35	39	63	75	87	48	22	5	-
ALL OTHER--MALE----	17	13	10	8	11	9	7	8	2	1	-	-
FEMALE--	6	3	4	3	3	8	7	7	-	3	-	-
BLACK---MALE----	17	11	10	8	10	9	7	8	2	1	-	-
FEMALE--	6	3	4	3	3	8	7	7	-	3	-	-
TEXAS -----	382	272	248	277	335	370	376	322	207	81	14	15
WHITE-----MALE----	228	161	144	149	184	182	180	136	72	22	3	15
FEMALE--	95	66	72	90	104	147	167	172	123	52	9	-
ALL OTHER--MALE----	49	30	25	24	26	28	19	7	6	4	2	-
FEMALE--	10	15	7	14	21	13	10	7	6	3	-	-
BLACK---MALE----	42	28	23	21	22	26	18	7	6	4	2	-
FEMALE--	9	13	7	13	19	13	9	7	6	3	-	-
UTAH -----	38	34	18	24	30	49	42	48	19	5	1	-
WHITE-----MALE----	19	25	10	19	19	21	16	21	8	1	1	-
FEMALE--	17	7	7	4	9	28	24	26	11	3	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	2	1	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	5	7	4	10	14	19	18	9	6	2	-
WHITE-----MALE----	10	4	6	2	5	9	9	8	4	1	-	-
FEMALE--	1	1	1	2	5	5	10	10	5	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	121	101	83	93	137	156	194	152	102	28	9	1
WHITE-----MALE----	56	58	46	43	73	61	69	61	27	6	-	-
FEMALE--	31	16	16	25	48	55	98	75	61	19	7	-
ALL OTHER--MALE----	27	21	15	15	7	20	15	8	5	-	-	1
FEMALE--	7	6	6	10	9	20	12	8	9	3	2	-
BLACK---MALE----	25	19	13	14	7	20	15	8	5	-	-	1
FEMALE--	6	5	6	9	8	19	11	8	9	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,709

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
WASHINGTON -----	1,950	10	36	15	30	124	144	108	125	150	169	164
WHITE-----MALE----	1,156	6	14	10	10	86	97	64	83	103	115	114
FEMALE--	596	3	14	3	15	23	22	23	31	32	35	26
ALL OTHER--MALE----	138	1	6	1	2	14	14	16	7	12	13	15
FEMALE--	60	-	2	1	3	1	11	5	4	3	6	9
BLACK---MALE----	53	-	4	-	1	7	1	5	3	5	7	8
FEMALE--	19	-	1	-	-	1	3	-	2	1	5	4
WEST VIRGINIA -----	840	2	11	8	19	60	54	60	48	59	58	42
WHITE-----MALE----	515	1	6	3	12	42	41	47	34	44	43	29
FEMALE--	288	-	2	4	7	16	12	10	13	14	12	12
ALL OTHER--MALE----	20	-	-	1	-	1	-	3	1	1	2	1
FEMALE--	17	1	3	-	-	1	1	-	-	-	1	-
BLACK---MALE----	18	-	-	1	-	1	-	2	1	-	2	1
FEMALE--	17	1	3	-	-	1	1	-	-	-	1	-
WISCONSIN -----	1,924	14	30	22	41	130	114	83	100	125	120	98
WHITE-----MALE----	1,095	5	19	8	19	83	81	59	66	99	63	62
FEMALE--	695	4	5	8	16	37	18	18	21	17	43	24
ALL OTHER--MALE----	86	3	2	3	6	10	10	4	9	7	6	10
FEMALE--	48	2	4	3	-	5	2	4	2	8	2	2
BLACK---MALE----	62	3	1	3	5	7	6	3	6	4	4	9
FEMALE--	30	1	2	1	-	-	2	1	3	2	4	1
WYOMING -----	231	1	6	2	6	27	10	18	12	21	20	19
WHITE-----MALE----	140	-	4	1	4	13	9	12	8	13	16	15
FEMALE--	72	1	-	1	1	8	-	4	4	6	3	4
ALL OTHER--MALE----	14	-	2	-	1	3	1	2	-	1	1	-
FEMALE--	5	-	-	-	-	3	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	1	1	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,709

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
WASHINGTON -----	111	65	69	67	84	117	119	130	81	28	3	1
WHITE-----MALE----	68	41	43	38	48	64	60	59	23	9	1	-
FEMALE--	30	17	22	24	30	50	54	66	55	19	2	-
ALL OTHER--MALE----	9	5	4	4	3	3	4	3	2	-	-	-
FEMALE--	4	2	-	1	3	-	1	2	1	-	-	1
BLACK---MALE----	4	2	1	2	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	1
WEST VIRGINIA -----	38	29	30	32	60	59	77	51	29	10	4	-
WHITE-----MALE----	29	19	20	21	25	26	35	26	9	1	2	-
FEMALE--	6	10	10	11	31	29	35	25	19	8	2	-
ALL OTHER--MALE----	2	-	-	-	3	1	3	-	1	-	-	-
FEMALE--	1	-	-	-	1	3	4	-	-	1	-	-
BLACK---MALE----	2	-	-	-	3	1	3	-	1	-	-	-
FEMALE--	1	-	-	-	1	3	4	-	-	1	-	-
WISCONSIN -----	66	55	80	78	112	132	192	141	130	46	15	-
WHITE-----MALE----	43	39	50	49	59	63	113	57	43	13	2	-
FEMALE--	13	15	30	26	48	66	75	80	86	33	12	-
ALL OTHER--MALE----	5	1	-	2	3	1	1	3	-	-	-	-
FEMALE--	5	-	-	1	2	2	3	1	1	-	1	-
BLACK---MALE----	4	1	-	2	1	-	1	2	-	-	-	-
FEMALE--	4	-	-	1	1	2	2	1	1	-	1	-
WYOMING -----	15	8	7	8	6	7	13	12	12	1	-	-
WHITE-----MALE----	9	5	6	6	3	3	5	5	3	-	-	-
FEMALE--	5	3	1	2	3	3	6	7	9	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,710

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
UNITED STATES --	45,774	164	766	867	1,094	5,295	5,040	3,904	3,601	3,913	3,513	2,959
WHITE-----MALE----	25,619	71	296	353	525	2,979	3,239	2,294	2,096	2,243	2,002	1,683
FEMALE--	12,554	49	245	256	344	1,589	941	793	809	974	861	726
ALL OTHER--MALE----	5,246	18	125	159	161	533	623	625	509	487	443	379
FEMALE--	2,355	26	100	99	64	194	237	192	187	209	207	171
BLACK---MALE----	4,165	15	108	139	123	417	473	508	400	394	344	303
FEMALE--	1,717	26	79	80	47	130	165	128	126	172	160	126
ALABAMA -----	1,138	4	22	21	30	140	127	101	84	98	94	56
WHITE-----MALE----	585	3	4	11	14	79	69	41	50	56	55	30
FEMALE--	287	-	6	2	9	42	25	28	15	19	21	15
ALL OTHER--MALE----	203	1	9	4	5	17	25	26	14	22	15	10
FEMALE--	63	-	3	4	2	2	8	6	5	1	3	1
BLACK---MALE----	201	1	9	4	5	17	25	26	13	22	14	10
FEMALE--	61	-	3	4	2	2	8	5	5	1	3	-
ALASKA -----	124	1	4	2	4	13	21	11	6	13	17	12
WHITE-----MALE----	66	-	2	-	1	9	15	3	3	5	9	6
FEMALE--	17	1	-	1	1	1	1	3	1	-	2	3
ALL OTHER--MALE----	35	-	1	-	1	3	5	4	2	8	5	2
FEMALE--	6	-	1	1	1	-	-	1	-	-	1	1
BLACK---MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	991	5	28	17	14	98	97	88	83	100	87	67
WHITE-----MALE----	517	3	12	7	5	46	53	55	35	58	45	38
FEMALE--	255	1	7	8	5	29	20	11	20	17	17	18
ALL OTHER--MALE----	143	-	4	-	3	18	17	17	19	16	19	8
FEMALE--	76	1	5	2	1	5	7	5	9	9	6	3
BLACK---MALE----	21	-	-	-	-	3	1	4	3	2	3	1
FEMALE--	12	1	1	-	1	1	1	1	1	3	-	-
ARKANSAS -----	728	2	9	9	22	88	76	66	55	51	66	46
WHITE-----MALE----	409	2	3	4	10	43	48	39	40	22	34	24
FEMALE--	203	-	3	1	8	31	15	13	6	23	19	16
ALL OTHER--MALE----	77	-	2	2	4	8	9	10	7	3	8	3
FEMALE--	39	-	1	2	-	6	4	4	2	3	5	3
BLACK---MALE----	74	-	2	2	4	8	8	10	6	3	7	3
FEMALE--	34	-	1	1	-	5	4	3	2	2	5	2
CALIFORNIA -----	4,034	20	81	80	99	423	435	357	335	313	327	262
WHITE-----MALE----	2,328	10	36	33	50	217	287	230	221	187	180	163
FEMALE--	1,025	6	32	30	25	124	79	57	65	78	87	48
ALL OTHER--MALE----	441	2	5	14	18	58	47	49	33	31	44	38
FEMALE--	240	2	8	3	6	24	22	21	16	17	16	13
BLACK---MALE----	208	2	3	10	9	27	19	25	16	15	24	20
FEMALE--	92	2	5	1	2	12	9	8	5	8	6	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,710

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TRANSPORT ACCIDENTS (E800-E848)												
UNITED STATES --	2,427	2,007	1,686	1,723	1,878	1,913	1,639	947	335	60	6	37
WHITE-----MALE----	1,438	1,121	955	921	925	928	829	501	166	23	1	30
FEMALE--	586	558	477	565	740	787	687	385	148	27	4	3
ALL OTHER--MALE----	273	228	162	137	123	115	81	38	15	8	-	4
FEMALE--	130	100	92	100	90	83	42	23	6	2	1	-
BLACK---MALE----	215	177	131	116	100	93	61	28	12	4	-	4
FEMALE--	93	76	64	67	68	62	25	16	5	1	1	-
ALABAMA -----	59	59	40	54	45	49	30	19	6	-	-	-
WHITE-----MALE----	28	27	19	29	21	21	14	11	3	-	-	-
FEMALE--	17	12	12	14	11	18	13	6	2	-	-	-
ALL OTHER--MALE----	8	13	6	8	7	7	3	2	1	-	-	-
FEMALE--	6	7	3	3	6	3	-	-	-	-	-	-
BLACK---MALE----	8	13	6	8	7	7	3	2	1	-	-	-
FEMALE--	6	7	3	3	6	3	-	-	-	-	-	-
ALASKA -----	10	1	5	-	2	2	-	-	-	-	-	-
WHITE-----MALE----	7	1	3	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	59	42	34	39	45	28	33	14	4	1	-	8
WHITE-----MALE----	33	17	23	24	22	6	16	8	4	-	-	7
FEMALE--	12	15	6	13	19	19	12	5	-	-	-	1
ALL OTHER--MALE----	6	7	2	-	2	1	3	-	-	1	-	-
FEMALE--	8	3	3	2	2	2	2	1	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	39	36	27	30	23	31	24	20	6	2	-	-
WHITE-----MALE----	27	24	19	13	12	17	15	9	3	1	-	-
FEMALE--	10	9	3	15	9	6	6	6	3	1	-	-
ALL OTHER--MALE----	-	3	3	2	1	6	2	4	-	-	-	-
FEMALE--	2	-	2	-	1	2	1	1	-	-	-	-
BLACK---MALE----	-	3	3	2	1	6	2	4	-	-	-	-
FEMALE--	2	-	2	-	1	2	1	1	-	-	-	-
CALIFORNIA -----	229	214	141	132	166	159	140	78	27	7	1	8
WHITE-----MALE----	143	122	75	72	85	85	70	41	11	2	-	8
FEMALE--	53	61	42	37	62	46	48	29	13	2	1	-
ALL OTHER--MALE----	18	21	10	8	10	13	12	4	3	3	-	-
FEMALE--	15	10	14	15	9	15	10	4	-	-	-	-
BLACK---MALE----	4	13	5	3	5	6	2	-	-	-	-	-
FEMALE--	5	4	6	4	2	4	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,711

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
COLORADO -----	718	2	11	12	14	79	88	72	63	62	68	58
WHITE-----MALE----	463	2	6	6	9	54	60	53	40	42	45	34
FEMALE--	209	-	4	6	4	20	17	14	17	18	19	19
ALL OTHER--MALE----	30	-	1	-	1	2	7	4	4	1	2	4
FEMALE--	16	-	-	-	-	3	4	1	2	1	2	1
BLACK---MALE----	16	-	-	-	-	1	5	1	1	-	2	2
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
CONNECTICUT -----	357	1	1	6	3	33	38	36	44	30	18	23
WHITE-----MALE----	201	-	-	4	1	24	24	27	24	17	8	13
FEMALE--	112	-	1	-	2	6	8	5	13	10	7	6
ALL OTHER--MALE----	32	-	-	-	-	3	6	4	7	1	3	2
FEMALE--	12	1	-	2	-	-	-	-	-	2	-	2
BLACK---MALE----	24	-	-	-	-	3	3	3	5	1	3	2
FEMALE--	9	1	-	2	-	-	-	-	-	2	-	1
DELAWARE -----	122	-	1	2	-	19	13	11	9	11	10	5
WHITE-----MALE----	62	-	-	-	-	12	7	7	6	3	6	4
FEMALE--	46	-	1	1	-	5	3	4	2	7	2	-
ALL OTHER--MALE----	9	-	-	1	-	2	2	-	-	1	2	-
FEMALE--	5	-	-	-	-	-	1	-	1	-	-	1
BLACK---MALE----	9	-	-	1	-	2	2	-	-	1	2	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	-	1
DISTRICT OF COLUMBIA ----	59	-	1	3	2	4	2	3	11	4	10	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	33	-	-	1	2	4	2	2	10	1	6	1
FEMALE--	15	-	1	2	-	-	-	-	1	2	3	-
BLACK---MALE----	32	-	-	1	2	4	2	2	10	1	6	1
FEMALE--	15	-	1	2	-	-	-	-	1	2	3	-
FLORIDA -----	3,100	8	48	50	59	275	299	243	237	291	232	211
WHITE-----MALE----	1,732	2	12	18	32	147	180	153	137	170	141	126
FEMALE--	884	4	15	12	9	83	65	40	62	66	57	52
ALL OTHER--MALE----	323	-	6	12	11	30	39	36	29	32	22	25
FEMALE--	161	2	15	8	7	15	15	14	9	23	12	8
BLACK---MALE----	312	-	6	12	11	28	38	34	29	31	22	25
FEMALE--	153	2	14	8	7	14	14	13	7	22	11	8
GEORGIA -----	1,711	6	39	40	39	186	170	158	139	179	148	109
WHITE-----MALE----	788	2	11	9	11	90	82	82	64	77	75	58
FEMALE--	434	3	11	9	13	53	36	31	28	41	28	18
ALL OTHER--MALE----	339	-	10	15	11	34	32	36	35	45	31	17
FEMALE--	150	1	7	7	4	9	20	9	12	16	14	16
BLACK---MALE----	326	-	10	15	11	34	31	35	34	42	30	15
FEMALE--	145	1	6	7	4	9	20	9	12	16	14	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,711

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TRANSPORT ACCIDENTS (E800-E848)												
COLORADO -----	39	32	19	28	21	21	22	3	3	1	-	-
WHITE-----MALE----	26	17	10	19	10	12	14	2	2	-	-	-
FEMALE--	12	14	8	6	11	9	8	1	1	1	-	-
ALL OTHER--MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	13	12	9	15	21	22	20	7	4	1	-	-
WHITE-----MALE----	9	5	5	6	10	9	10	3	2	-	-	-
FEMALE--	2	6	4	6	10	10	9	4	2	1	-	-
ALL OTHER--MALE----	2	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	2	-	2	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
DELAWARE -----	7	6	3	4	6	8	3	2	2	-	-	-
WHITE-----MALE----	5	2	1	2	2	3	1	-	1	-	-	-
FEMALE--	2	2	2	2	3	5	2	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	3	4	5	3	1	1	1	-	-	-
WHITE-----MALE----	-	-	3	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	-	-	-	-
FLORIDA -----	169	147	109	136	147	154	147	87	39	6	-	6
WHITE-----MALE----	92	83	64	77	67	74	75	53	22	3	-	4
FEMALE--	46	38	31	47	70	72	69	29	15	2	-	-
ALL OTHER--MALE----	24	20	8	7	7	6	1	3	2	1	-	2
FEMALE--	7	6	6	5	3	2	2	2	-	-	-	-
BLACK---MALE----	22	20	8	6	6	6	1	3	2	-	-	2
FEMALE--	7	6	6	5	3	2	2	2	-	-	-	-
GEORGIA -----	95	64	64	55	58	63	57	31	9	1	-	1
WHITE-----MALE----	53	26	36	21	23	30	21	12	4	1	-	-
FEMALE--	20	21	13	14	27	25	27	15	-	-	-	1
ALL OTHER--MALE----	17	13	10	11	5	4	7	3	3	-	-	-
FEMALE--	5	4	5	9	3	4	2	1	2	-	-	-
BLACK---MALE----	16	11	9	11	5	4	7	3	3	-	-	-
FEMALE--	4	3	5	9	3	4	2	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,712

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
HAWAII -----	134	-	2	3	2	15	18	17	11	5	11	10
WHITE-----MALE----	40	-	-	-	-	1	7	4	3	-	5	5
FEMALE--	8	-	-	-	1	-	-	-	2	1	-	-
ALL OTHER--MALE----	59	-	-	1	1	10	9	10	5	3	5	4
FEMALE--	27	-	2	2	-	4	2	3	1	1	1	1
BLACK---MALE----	4	-	-	-	-	1	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	295	4	7	10	7	48	30	26	17	22	21	16
WHITE-----MALE----	181	1	2	8	5	30	19	16	12	14	15	9
FEMALE--	97	3	5	2	2	15	8	7	3	7	3	7
ALL OTHER--MALE----	14	-	-	-	-	2	3	3	2	-	2	-
FEMALE--	3	-	-	-	-	1	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,623	6	21	29	39	190	216	144	116	143	119	99
WHITE-----MALE----	907	4	11	14	23	110	139	83	73	80	73	48
FEMALE--	402	1	4	3	9	53	41	20	19	34	17	35
ALL OTHER--MALE----	208	-	3	7	4	21	24	35	15	19	19	11
FEMALE--	106	1	3	5	3	6	12	6	9	10	10	5
BLACK---MALE----	190	-	3	7	2	21	21	34	14	17	18	9
FEMALE--	92	1	3	4	2	4	10	5	7	10	10	4
INDIANA -----	1,078	2	22	19	31	145	131	80	89	80	93	50
WHITE-----MALE----	671	-	6	12	20	78	96	58	58	53	59	30
FEMALE--	320	2	8	7	7	56	23	17	25	22	26	15
ALL OTHER--MALE----	57	-	4	-	3	6	6	5	4	5	5	3
FEMALE--	30	-	4	-	1	5	6	-	2	-	3	2
BLACK---MALE----	54	-	4	-	3	6	6	4	3	5	4	3
FEMALE--	25	-	4	-	1	5	5	-	2	-	1	1
IOWA -----	479	-	8	9	15	65	56	28	35	34	22	27
WHITE-----MALE----	315	-	5	4	10	42	40	20	29	26	18	17
FEMALE--	148	-	3	5	4	20	10	8	5	7	3	9
ALL OTHER--MALE----	11	-	-	-	-	1	6	-	-	1	1	-
FEMALE--	5	-	-	-	1	2	-	-	1	-	-	1
BLACK---MALE----	4	-	-	-	-	1	2	-	-	1	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1
KANSAS -----	578	1	13	14	15	62	65	42	46	47	53	32
WHITE-----MALE----	351	-	6	8	6	33	51	21	28	34	32	18
FEMALE--	182	1	6	2	5	25	10	14	13	9	18	11
ALL OTHER--MALE----	31	-	-	2	3	3	3	6	5	2	2	1
FEMALE--	14	-	1	2	1	1	1	1	-	2	1	2
BLACK---MALE----	23	-	-	2	1	2	3	4	3	1	2	1
FEMALE--	10	-	1	2	1	-	-	1	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,713

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
KENTUCKY -----	851	1	19	16	16	113	95	78	68	69	62	53
WHITE-----MALE----	532	1	8	8	10	71	68	54	44	37	37	36
FEMALE--	274	-	7	7	5	38	23	19	19	29	20	15
ALL OTHER--MALE----	27	-	2	-	1	3	1	5	4	2	2	2
FEMALE--	18	-	2	1	-	1	3	-	1	1	3	-
BLACK---MALE----	26	-	2	-	1	3	1	4	4	2	2	2
FEMALE--	16	-	2	1	-	1	2	-	1	1	3	-
LOUISIANA -----	1,035	2	29	20	18	113	125	97	84	94	87	88
WHITE-----MALE----	468	-	9	5	6	48	71	48	41	39	39	40
FEMALE--	246	-	6	6	9	34	16	21	14	21	23	20
ALL OTHER--MALE----	243	-	10	7	2	22	33	25	21	24	19	21
FEMALE--	78	2	4	2	1	9	5	3	8	10	6	7
BLACK---MALE----	232	-	10	6	2	21	32	24	20	22	19	19
FEMALE--	72	2	4	2	1	9	4	2	8	10	5	5
MAINE -----	189	-	-	2	3	25	29	9	10	12	17	11
WHITE-----MALE----	122	-	-	1	2	19	22	6	7	9	10	7
FEMALE--	65	-	-	1	1	6	6	3	3	3	6	4
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	668	2	9	14	17	69	64	63	60	68	46	44
WHITE-----MALE----	302	1	2	4	6	31	30	34	30	26	21	20
FEMALE--	130	-	3	2	3	8	10	5	4	15	11	10
ALL OTHER--MALE----	166	-	2	8	5	25	16	19	17	20	8	12
FEMALE--	70	1	2	-	3	5	8	5	9	7	6	2
BLACK---MALE----	149	-	2	7	4	21	14	18	15	18	6	12
FEMALE--	63	1	2	-	3	2	8	5	8	7	5	2
MASSACHUSETTS -----	510	3	1	4	7	78	53	47	44	30	29	33
WHITE-----MALE----	319	1	-	4	4	51	35	31	34	19	16	27
FEMALE--	156	2	-	-	3	22	10	11	8	7	11	6
ALL OTHER--MALE----	23	-	-	-	-	4	5	5	2	2	2	-
FEMALE--	12	-	1	-	-	1	3	-	-	2	-	-
BLACK---MALE----	21	-	-	-	-	4	5	5	1	2	1	-
FEMALE--	11	-	1	-	-	1	3	-	-	2	-	-
MICHIGAN -----	1,541	5	32	32	44	165	154	147	111	128	124	110
WHITE-----MALE----	842	2	17	11	24	93	105	80	59	70	73	62
FEMALE--	433	2	3	9	8	55	22	31	29	32	29	29
ALL OTHER--MALE----	188	-	7	9	10	12	21	30	18	17	12	13
FEMALE--	78	1	5	3	2	5	6	6	5	9	10	6
BLACK---MALE----	169	-	7	9	7	10	20	30	16	13	10	11
FEMALE--	67	1	4	3	1	5	4	5	5	8	9	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,713

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TRANSPORT ACCIDENTS (E800-E848)												
KENTUCKY -----	44	29	30	31	33	38	35	18	3	-	-	-
WHITE-----MALE----	31	20	16	20	22	17	22	9	1	-	-	-
FEMALE--	12	9	11	10	9	20	11	8	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	2	1	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	2	1	1	-	-	-	-	-	-	-
LOUISIANA -----	44	40	49	33	41	30	25	11	5	-	-	-
WHITE-----MALE----	20	15	22	22	16	13	8	5	1	-	-	-
FEMALE--	9	9	10	7	14	11	10	5	1	-	-	-
ALL OTHER--MALE----	12	12	15	2	6	4	5	-	3	-	-	-
FEMALE--	3	4	2	2	5	2	2	1	-	-	-	-
BLACK---MALE----	11	12	14	2	6	4	5	-	3	-	-	-
FEMALE--	3	3	2	2	5	2	2	1	-	-	-	-
MAINE -----	10	4	6	9	14	9	10	6	3	-	-	-
WHITE-----MALE----	7	4	2	6	3	7	7	1	2	-	-	-
FEMALE--	3	-	4	3	11	2	3	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	34	34	27	20	24	28	31	11	3	-	-	-
WHITE-----MALE----	20	17	12	4	12	9	13	8	2	-	-	-
FEMALE--	4	9	4	11	7	8	14	1	1	-	-	-
ALL OTHER--MALE----	7	5	6	4	3	6	3	-	-	-	-	-
FEMALE--	3	3	5	1	2	5	1	2	-	-	-	-
BLACK---MALE----	7	5	6	4	3	4	3	-	-	-	-	-
FEMALE--	2	3	4	1	2	5	1	2	-	-	-	-
MASSACHUSETTS -----	26	21	25	19	18	28	22	16	6	-	-	-
WHITE-----MALE----	21	12	13	11	6	13	9	9	3	-	-	-
FEMALE--	4	8	10	7	10	14	13	7	3	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
MICHIGAN -----	83	72	47	61	58	64	57	32	13	1	-	1
WHITE-----MALE----	41	44	30	28	30	29	24	13	6	-	-	1
FEMALE--	29	22	11	23	22	27	27	16	6	1	-	-
ALL OTHER--MALE----	7	5	5	5	5	7	3	1	1	-	-	-
FEMALE--	6	1	1	5	1	1	3	2	-	-	-	-
BLACK---MALE----	6	5	4	5	5	7	2	1	1	-	-	-
FEMALE--	6	1	-	3	1	1	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,714

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
MINNESOTA -----	708	2	9	16	22	86	81	54	43	55	43	46
WHITE-----MALE----	436	2	4	6	13	43	57	37	29	39	24	32
FEMALE--	219	-	3	5	8	38	19	10	7	13	14	10
ALL OTHER--MALE----	38	-	1	5	1	4	2	5	6	3	3	3
FEMALE--	15	-	1	-	-	1	3	2	1	-	2	1
BLACK---MALE----	16	-	1	2	1	2	1	3	2	-	-	1
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	-
MISSISSIPPI -----	992	2	19	21	25	104	122	78	99	84	72	62
WHITE-----MALE----	411	-	4	3	10	47	51	36	46	36	28	17
FEMALE--	204	1	3	4	8	22	22	6	16	11	11	12
ALL OTHER--MALE----	255	-	8	7	5	27	34	31	29	25	16	21
FEMALE--	122	1	4	7	2	8	15	5	8	12	17	12
BLACK---MALE----	248	-	8	7	5	27	31	31	28	24	15	21
FEMALE--	117	1	4	7	2	7	15	5	7	11	17	11
MISSOURI -----	1,198	6	24	24	23	157	129	100	91	98	89	79
WHITE-----MALE----	717	3	14	13	13	98	89	61	48	57	57	50
FEMALE--	377	1	9	10	8	49	33	22	27	33	26	19
ALL OTHER--MALE----	67	-	1	1	1	6	5	11	10	4	4	7
FEMALE--	37	2	-	-	1	4	2	6	6	4	2	3
BLACK---MALE----	62	-	1	1	1	5	3	11	10	4	4	6
FEMALE--	30	2	-	-	1	1	2	4	6	4	2	3
MONTANA -----	243	1	3	1	4	35	20	12	17	15	28	23
WHITE-----MALE----	152	1	-	-	3	23	13	7	6	8	19	16
FEMALE--	57	-	2	-	1	7	1	2	3	6	8	5
ALL OTHER--MALE----	21	-	-	1	-	4	3	2	5	1	-	1
FEMALE--	13	-	1	-	-	1	3	1	3	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	359	3	2	12	9	39	38	24	20	21	35	26
WHITE-----MALE----	225	3	2	11	5	23	29	19	10	14	19	18
FEMALE--	115	-	-	1	3	16	6	5	6	6	15	4
ALL OTHER--MALE----	13	-	-	-	1	-	2	-	3	-	-	3
FEMALE--	6	-	-	-	-	-	1	-	1	1	1	1
BLACK---MALE----	7	-	-	-	1	-	-	-	1	-	-	2
FEMALE--	5	-	-	-	-	-	1	-	-	1	1	1
NEVADA -----	379	1	5	6	12	47	36	25	31	47	28	24
WHITE-----MALE----	227	-	1	4	6	27	24	16	17	28	19	14
FEMALE--	114	1	4	2	4	15	8	6	9	12	8	7
ALL OTHER--MALE----	23	-	-	-	1	3	2	2	2	7	1	2
FEMALE--	15	-	-	-	1	2	2	1	3	-	-	1
BLACK---MALE----	16	-	-	-	1	2	1	1	2	5	1	2
FEMALE--	5	-	-	-	1	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,716

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
OHIO -----	1,502	10	15	37	44	201	163	138	126	129	97	83
WHITE-----MALE----	904	4	5	12	18	116	121	89	86	87	63	50
FEMALE--	462	3	6	15	26	69	28	32	26	34	27	26
ALL OTHER--MALE----	95	2	2	8	-	13	10	13	11	5	4	4
FEMALE--	41	1	2	2	-	3	4	4	3	3	3	3
BLACK---MALE----	91	2	2	8	-	13	10	12	11	4	4	3
FEMALE--	37	1	2	2	-	3	3	4	2	3	3	3
OKLAHOMA -----	810	8	12	22	25	93	80	62	62	79	54	52
WHITE-----MALE----	441	3	6	7	13	57	55	33	32	38	31	32
FEMALE--	251	3	4	9	8	24	11	19	22	31	14	11
ALL OTHER--MALE----	78	1	2	4	4	9	9	7	6	6	8	6
FEMALE--	40	1	-	2	-	3	5	3	2	4	1	3
BLACK---MALE----	26	1	1	-	2	3	3	2	2	3	3	1
FEMALE--	12	1	-	-	-	1	2	-	-	1	1	2
OREGON -----	605	1	10	8	14	77	77	42	37	58	54	42
WHITE-----MALE----	386	1	5	3	6	48	55	29	26	36	34	26
FEMALE--	183	-	4	2	6	26	14	9	10	20	15	13
ALL OTHER--MALE----	24	-	1	-	2	2	6	2	-	2	4	1
FEMALE--	12	-	-	3	-	1	2	2	1	-	1	2
BLACK---MALE----	5	-	-	-	-	-	1	-	-	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	1,714	2	9	32	42	225	190	124	120	135	105	105
WHITE-----MALE----	1,045	1	8	17	20	140	134	84	85	90	67	62
FEMALE--	497	1	1	10	14	61	37	22	25	30	28	25
ALL OTHER--MALE----	120	-	-	1	7	18	13	13	7	11	8	13
FEMALE--	52	-	-	4	1	6	6	5	3	4	2	5
BLACK---MALE----	104	-	-	1	5	16	12	12	6	11	7	10
FEMALE--	40	-	-	3	1	2	4	3	3	4	2	4
RHODE ISLAND -----	92	-	1	-	3	10	15	13	6	5	4	4
WHITE-----MALE----	56	-	-	-	2	7	13	4	3	3	3	2
FEMALE--	27	-	-	-	-	2	1	8	1	2	1	1
ALL OTHER--MALE----	8	-	1	-	1	1	1	1	2	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	-	-	1	1	1	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,045	5	12	21	24	103	108	103	108	108	85	80
WHITE-----MALE----	457	1	3	6	9	54	48	37	51	52	35	34
FEMALE--	232	2	-	5	7	27	18	20	22	19	14	16
ALL OTHER--MALE----	255	2	7	7	7	13	34	36	25	26	26	18
FEMALE--	101	-	2	3	1	9	8	10	10	11	10	12
BLACK---MALE----	250	2	7	7	7	12	34	35	24	25	26	18
FEMALE--	99	-	2	3	1	9	8	10	9	11	9	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,716

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TRANSPORT ACCIDENTS (E800-E848)												
OHIO -----	76	61	48	61	63	69	48	22	10	1	-	-
WHITE-----MALE----	53	37	25	28	26	41	28	11	3	1	-	-
FEMALE--	17	19	17	25	30	27	18	10	7	-	-	-
ALL OTHER--MALE----	4	4	1	6	4	1	2	1	-	-	-	-
FEMALE--	2	1	5	2	3	-	-	-	-	-	-	-
BLACK---MALE----	4	4	1	6	4	-	2	1	-	-	-	-
FEMALE--	2	1	3	2	3	-	-	-	-	-	-	-
OKLAHOMA -----	40	38	34	32	36	29	23	20	6	2	-	1
WHITE-----MALE----	23	18	18	21	12	19	13	8	1	-	-	1
FEMALE--	11	12	11	9	18	8	9	11	4	2	-	-
ALL OTHER--MALE----	3	4	3	1	3	-	1	1	-	-	-	-
FEMALE--	3	4	2	1	3	2	-	-	1	-	-	-
BLACK---MALE----	1	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
OREGON -----	26	20	16	25	31	31	12	17	7	-	-	-
WHITE-----MALE----	20	14	12	19	18	15	11	8	-	-	-	-
FEMALE--	5	5	3	6	12	16	1	9	7	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	93	71	59	61	79	101	93	51	15	2	-	-
WHITE-----MALE----	58	42	31	29	45	51	44	28	7	2	-	-
FEMALE--	26	19	23	24	26	47	48	22	8	-	-	-
ALL OTHER--MALE----	8	7	4	4	2	2	1	1	-	-	-	-
FEMALE--	1	3	1	4	6	1	-	-	-	-	-	-
BLACK---MALE----	7	4	3	4	2	2	1	1	-	-	-	-
FEMALE--	1	3	1	3	5	1	-	-	-	-	-	-
RHODE ISLAND -----	3	7	3	4	1	5	4	2	2	-	-	-
WHITE-----MALE----	2	5	2	2	1	3	1	1	2	-	-	-
FEMALE--	-	2	1	2	-	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	59	50	28	34	39	31	28	11	5	1	1	1
WHITE-----MALE----	25	21	11	15	18	17	12	5	2	-	1	-
FEMALE--	10	12	10	10	14	6	12	5	2	1	-	-
ALL OTHER--MALE----	17	12	5	8	3	4	3	1	-	-	-	1
FEMALE--	7	5	2	1	4	4	1	-	1	-	-	-
BLACK---MALE----	17	12	5	8	3	3	3	1	-	-	-	1
FEMALE--	7	5	2	1	4	4	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,717

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
SOUTH DAKOTA -----	174	4	3	1	9	28	23	14	8	13	6	11
WHITE-----MALE----	84	-	1	1	5	15	10	4	2	5	3	5
FEMALE--	44	1	1	-	2	7	4	5	2	5	2	3
ALL OTHER--MALE----	29	3	-	-	1	2	6	2	2	3	1	1
FEMALE--	17	-	1	-	1	4	3	3	2	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,257	3	23	25	17	160	137	115	111	104	97	87
WHITE-----MALE----	730	2	8	9	6	100	84	71	64	69	48	54
FEMALE--	354	-	9	10	7	45	33	29	30	21	21	22
ALL OTHER--MALE----	132	-	4	5	3	13	16	12	12	11	16	10
FEMALE--	41	1	2	1	1	2	4	3	5	3	12	1
BLACK---MALE----	126	-	4	5	2	12	15	12	12	11	15	10
FEMALE--	38	1	2	1	1	2	2	3	4	3	12	1
TEXAS -----	3,933	15	82	70	109	485	455	340	316	350	327	257
WHITE-----MALE----	2,325	5	38	29	52	292	321	200	193	202	192	152
FEMALE--	1,104	4	26	24	36	156	89	82	87	96	97	65
ALL OTHER--MALE----	354	3	13	9	15	25	36	39	33	33	28	25
FEMALE--	150	3	5	8	6	12	9	19	3	19	10	15
BLACK---MALE----	314	3	13	9	13	24	30	36	29	28	23	24
FEMALE--	127	3	5	8	4	12	9	15	2	16	5	11
UTAH -----	417	4	17	10	20	54	52	29	18	31	27	20
WHITE-----MALE----	245	1	10	7	11	29	37	18	8	22	15	13
FEMALE--	136	2	6	2	8	21	12	8	4	7	9	4
ALL OTHER--MALE----	20	-	-	-	-	3	2	3	5	-	2	2
FEMALE--	16	1	1	1	1	1	1	-	1	2	1	1
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	1	-	1	1	-	1	-	-	-	-	-
VERMONT -----	87	-	2	1	2	13	8	7	7	9	6	6
WHITE-----MALE----	61	-	1	1	2	8	6	7	5	7	3	4
FEMALE--	26	-	1	-	-	5	2	-	2	2	3	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	986	4	14	20	28	103	101	76	87	91	80	52
WHITE-----MALE----	485	3	3	9	10	57	55	39	40	47	41	24
FEMALE--	256	-	5	5	9	34	20	20	23	19	15	12
ALL OTHER--MALE----	168	1	4	3	6	11	19	12	16	20	17	13
FEMALE--	77	-	2	3	3	1	7	5	8	5	7	3
BLACK---MALE----	158	1	3	3	5	10	19	11	16	20	16	12
FEMALE--	69	-	2	3	3	-	6	5	6	5	7	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,717

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TRANSPORT ACCIDENTS (E800-E848)												
SOUTH DAKOTA -----	10	6	9	9	5	4	6	1	4	-	-	-
WHITE-----MALE----	6	3	5	5	3	2	6	1	2	-	-	-
FEMALE--	-	2	2	4	1	1	-	-	2	-	-	-
ALL OTHER--MALE----	4	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	58	54	53	45	43	51	43	24	5	1	1	-
WHITE-----MALE----	32	31	35	25	26	25	27	12	2	-	-	-
FEMALE--	17	15	13	17	11	22	15	12	3	1	1	-
ALL OTHER--MALE----	8	7	4	2	6	3	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	8	6	4	2	5	3	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	1	1	-	-	-	-	-
TEXAS -----	220	152	144	147	141	149	88	58	20	4	-	4
WHITE-----MALE----	140	94	88	78	80	81	43	29	11	1	-	4
FEMALE--	55	40	36	47	44	51	35	25	8	1	-	-
ALL OTHER--MALE----	22	10	15	16	8	11	9	2	-	2	-	-
FEMALE--	3	8	5	6	9	6	1	2	1	-	-	-
BLACK---MALE----	19	8	14	13	6	9	9	2	-	2	-	-
FEMALE--	3	6	5	6	7	6	1	2	1	-	-	-
UTAH -----	24	26	12	12	16	23	11	8	3	-	-	-
WHITE-----MALE----	10	20	6	10	9	10	3	5	1	-	-	-
FEMALE--	12	5	5	2	5	13	7	2	2	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	3	4	-	2	3	7	3	-	-	-	-
WHITE-----MALE----	3	3	3	-	2	2	2	2	-	-	-	-
FEMALE--	1	-	1	-	-	1	5	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	60	46	32	38	40	41	42	22	6	2	-	1
WHITE-----MALE----	23	24	18	20	23	17	14	15	2	1	-	-
FEMALE--	17	8	8	10	11	10	21	5	3	1	-	-
ALL OTHER--MALE----	15	9	4	2	2	7	4	1	1	-	-	1
FEMALE--	5	5	2	6	4	7	3	1	-	-	-	-
BLACK---MALE----	14	8	3	1	2	7	4	1	1	-	-	1
FEMALE--	4	4	2	5	3	7	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,719

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 RAILWAY ACCIDENTS (E800-E807)												
UNITED STATES --	515	-	4	5	14	53	58	61	54	67	49	39
WHITE-----MALE----	339	-	2	3	6	34	43	44	39	46	29	23
FEMALE--	59	-	1	-	4	6	5	4	5	9	5	2
ALL OTHER--MALE----	102	-	-	1	3	12	10	12	9	12	14	12
FEMALE--	15	-	1	1	1	1	-	1	1	-	1	2
BLACK---MALE----	80	-	-	1	3	10	6	9	7	9	9	10
FEMALE--	12	-	1	1	1	1	-	1	-	-	-	1
ALABAMA -----	11	-	-	-	-	-	1	-	1	3	2	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	-	-	-	-	-	1	2	-	3	2	1
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	3	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	-	-	-	2	1	1	1	1	1	-	-
WHITE-----MALE----	3	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	71	-	1	-	3	8	8	10	8	3	9	6
WHITE-----MALE----	48	-	1	-	1	5	8	8	6	2	4	2
FEMALE--	5	-	-	-	-	-	-	1	1	-	2	-
ALL OTHER--MALE----	13	-	-	-	1	3	-	-	-	1	3	3
FEMALE--	5	-	-	-	1	-	-	1	1	-	-	1
BLACK---MALE----	9	-	-	-	1	2	-	-	-	-	2	2
FEMALE--	4	-	-	-	1	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,728

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
UNITED STATES --	43,501	162	759	834	1,034	5,161	4,865	3,724	3,408	3,682	3,281	2,762
WHITE-----MALE----	23,985	70	291	334	501	2,889	3,106	2,158	1,958	2,080	1,839	1,537
FEMALE--	12,197	48	244	248	318	1,569	921	777	779	937	825	702
ALL OTHER--MALE----	5,005	18	125	156	153	512	602	602	485	456	416	356
FEMALE--	2,314	26	99	96	62	191	236	187	186	209	201	167
BLACK---MALE----	3,996	15	108	137	118	399	461	491	382	375	327	285
FEMALE--	1,690	26	78	78	45	127	164	126	126	172	156	125
ALABAMA -----	1,103	4	22	21	30	138	123	101	81	92	89	52
WHITE-----MALE----	561	3	4	11	14	77	66	41	47	52	51	28
FEMALE--	282	-	6	2	9	42	24	28	15	19	21	15
ALL OTHER--MALE----	197	1	9	4	5	17	25	26	14	20	14	8
FEMALE--	63	-	3	4	2	2	8	6	5	1	3	1
BLACK---MALE----	195	1	9	4	5	17	25	26	13	20	13	8
FEMALE--	61	-	3	4	2	2	8	5	5	1	3	-
ALASKA -----	72	-	4	2	4	8	13	10	2	5	8	6
WHITE-----MALE----	34	-	2	-	1	6	8	2	2	1	3	3
FEMALE--	13	-	-	1	1	1	1	3	-	-	2	2
ALL OTHER--MALE----	20	-	1	-	1	1	4	4	-	4	3	-
FEMALE--	5	-	1	1	1	-	-	1	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	941	5	28	17	12	97	95	85	80	94	81	60
WHITE-----MALE----	480	3	12	7	4	46	52	53	33	54	40	31
FEMALE--	251	1	7	8	5	28	20	11	20	17	17	18
ALL OTHER--MALE----	135	-	4	-	2	18	16	16	18	14	18	8
FEMALE--	75	1	5	2	1	5	7	5	9	9	6	3
BLACK---MALE----	21	-	-	-	-	3	1	4	3	2	3	1
FEMALE--	12	1	1	-	1	1	1	1	1	3	-	-
ARKANSAS -----	680	2	8	9	18	86	73	61	53	44	64	45
WHITE-----MALE----	371	2	2	4	8	42	46	35	38	17	32	23
FEMALE--	197	-	3	1	7	31	15	13	6	21	19	16
ALL OTHER--MALE----	73	-	2	2	3	7	8	9	7	3	8	3
FEMALE--	39	-	1	2	-	6	4	4	2	3	5	3
BLACK---MALE----	70	-	2	2	3	7	7	9	6	3	7	3
FEMALE--	34	-	1	1	-	5	4	3	2	2	5	2
CALIFORNIA -----	3,779	20	80	80	93	409	415	325	309	299	303	240
WHITE-----MALE----	2,147	10	35	33	48	208	270	206	202	178	166	149
FEMALE--	986	6	32	30	23	123	77	53	61	76	82	45
ALL OTHER--MALE----	412	2	5	14	17	54	46	46	31	28	39	34
FEMALE--	234	2	8	3	5	24	22	20	15	17	16	12
BLACK---MALE----	190	2	3	10	8	24	19	24	14	13	21	17
FEMALE--	88	2	5	1	1	12	9	7	5	8	6	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,728

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
UNITED STATES --	2,234	1,855	1,565	1,625	1,785	1,867	1,590	912	313	49	4	30
WHITE-----MALE----	1,287	999	859	838	852	897	799	484	162	21	1	23
FEMALE--	561	546	466	559	726	775	671	370	131	18	3	3
ALL OTHER--MALE----	259	212	149	129	119	113	80	36	15	8	-	4
FEMALE--	127	98	91	99	88	82	40	22	5	2	-	-
BLACK---MALE----	205	165	122	109	96	93	60	28	12	4	-	4
FEMALE--	91	74	63	66	67	61	24	15	5	1	-	-
ALABAMA -----	56	55	39	54	43	48	30	19	6	-	-	-
WHITE-----MALE----	27	25	18	29	19	21	14	11	3	-	-	-
FEMALE--	16	10	12	14	11	17	13	6	2	-	-	-
ALL OTHER--MALE----	7	13	6	8	7	7	3	2	1	-	-	-
FEMALE--	6	7	3	3	6	3	-	-	-	-	-	-
BLACK---MALE----	7	13	6	8	7	7	3	2	1	-	-	-
FEMALE--	6	7	3	3	6	3	-	-	-	-	-	-
ALASKA -----	5	-	3	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	55	39	32	37	43	26	31	14	4	1	-	5
WHITE-----MALE----	30	15	21	22	20	6	15	8	4	-	-	4
FEMALE--	11	15	6	13	19	17	12	5	-	-	-	1
ALL OTHER--MALE----	6	6	2	-	2	1	3	-	-	1	-	-
FEMALE--	8	3	3	2	2	2	1	1	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	34	29	24	29	21	31	22	20	6	1	-	-
WHITE-----MALE----	22	17	16	12	11	17	14	9	3	1	-	-
FEMALE--	10	9	3	15	8	6	5	6	3	-	-	-
ALL OTHER--MALE----	-	3	3	2	1	6	2	4	-	-	-	-
FEMALE--	2	-	2	-	1	2	1	1	-	-	-	-
BLACK---MALE----	-	3	3	2	1	6	2	4	-	-	-	-
FEMALE--	2	-	2	-	1	2	1	1	-	-	-	-
CALIFORNIA -----	204	192	129	124	153	156	133	75	26	6	1	7
WHITE-----MALE----	127	104	66	64	74	83	64	40	11	2	-	7
FEMALE--	47	60	41	37	60	45	47	27	12	1	1	-
ALL OTHER--MALE----	16	18	9	8	10	13	12	4	3	3	-	-
FEMALE--	14	10	13	15	9	15	10	4	-	-	-	-
BLACK---MALE----	4	10	5	3	5	6	2	-	-	-	-	-
FEMALE--	5	4	5	4	2	4	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,729
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
COLORADO -----	663	2	11	11	14	75	83	64	59	57	63	51
WHITE-----MALE----	418	2	6	6	9	51	55	47	38	38	40	28
FEMALE--	200	-	4	5	4	19	17	13	15	17	19	18
ALL OTHER--MALE----	30	-	1	-	1	2	7	4	4	1	2	4
FEMALE--	15	-	-	-	-	3	4	-	2	1	2	1
BLACK---MALE----	16	-	-	-	-	1	5	1	1	-	2	2
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
CONNECTICUT -----	341	1	1	6	2	32	38	33	42	30	18	23
WHITE-----MALE----	189	-	-	4	1	23	24	25	23	17	8	13
FEMALE--	108	-	1	-	1	6	8	4	12	10	7	6
ALL OTHER--MALE----	32	-	-	-	-	3	6	4	7	1	3	2
FEMALE--	12	1	-	2	-	-	-	-	-	2	-	2
BLACK---MALE----	24	-	-	-	-	3	3	3	5	1	3	2
FEMALE--	9	1	-	2	-	-	-	-	-	2	-	1
DELAWARE -----	116	-	1	2	-	19	12	11	8	11	9	5
WHITE-----MALE----	57	-	-	-	-	12	6	7	5	3	5	4
FEMALE--	45	-	1	1	-	5	3	4	2	7	2	-
ALL OTHER--MALE----	9	-	-	1	-	2	2	-	-	1	2	-
FEMALE--	5	-	-	-	-	-	1	-	1	-	-	1
BLACK---MALE----	9	-	-	1	-	2	2	-	-	1	2	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	-	1
DISTRICT OF COLUMBIA ----	56	-	1	3	2	4	2	3	11	4	9	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	31	-	-	1	2	4	2	2	10	1	5	1
FEMALE--	15	-	1	2	-	-	-	-	1	2	3	-
BLACK---MALE----	31	-	-	1	2	4	2	2	10	1	5	1
FEMALE--	15	-	1	2	-	-	-	-	1	2	3	-
FLORIDA -----	2,941	8	48	47	59	266	290	224	225	272	217	201
WHITE-----MALE----	1,618	2	12	16	32	144	175	138	129	157	128	119
FEMALE--	857	4	15	11	9	80	63	38	60	61	56	52
ALL OTHER--MALE----	309	-	6	12	11	27	38	35	27	31	21	22
FEMALE--	157	2	15	8	7	15	14	13	9	23	12	8
BLACK---MALE----	298	-	6	12	11	25	37	33	27	30	21	22
FEMALE--	149	2	14	8	7	14	13	12	7	22	11	8
GEORGIA -----	1,657	6	39	40	38	186	167	154	134	174	141	105
WHITE-----MALE----	749	2	11	9	11	90	79	78	62	75	70	54
FEMALE--	429	3	11	9	13	53	36	31	27	40	28	18
ALL OTHER--MALE----	331	-	10	15	10	34	32	36	33	43	30	17
FEMALE--	148	1	7	7	4	9	20	9	12	16	13	16
BLACK---MALE----	318	-	10	15	10	34	31	35	32	40	29	15
FEMALE--	143	1	6	7	4	9	20	9	12	16	13	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,729

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
COLORADO -----	38	29	18	26	18	17	22	3	2	-	-	-
WHITE-----MALE----	25	14	9	17	8	8	14	2	1	-	-	-
FEMALE--	12	14	8	6	10	9	8	1	1	-	-	-
ALL OTHER--MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	12	10	9	15	17	22	20	6	3	1	-	-
WHITE-----MALE----	8	3	5	6	6	9	10	2	2	-	-	-
FEMALE--	2	6	4	6	10	10	9	4	1	1	-	-
ALL OTHER--MALE----	2	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	2	-	2	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
DELAWARE -----	6	6	3	3	6	8	3	1	2	-	-	-
WHITE-----MALE----	4	2	1	1	2	3	1	-	1	-	-	-
FEMALE--	2	2	2	2	3	5	2	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	2	3	5	3	1	1	1	-	-	-
WHITE-----MALE----	-	-	2	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	-	-	-	-
FLORIDA -----	159	135	101	124	139	151	143	85	36	5	-	6
WHITE-----MALE----	83	74	58	66	60	71	73	52	22	3	-	4
FEMALE--	46	37	29	47	69	72	67	28	12	1	-	-
ALL OTHER--MALE----	24	19	8	6	7	6	1	3	2	1	-	2
FEMALE--	6	5	6	5	3	2	2	2	-	-	-	-
BLACK---MALE----	22	19	8	5	6	6	1	3	2	-	-	2
FEMALE--	6	5	6	5	3	2	2	2	-	-	-	-
GEORGIA -----	88	61	60	50	57	63	54	29	9	1	-	1
WHITE-----MALE----	47	23	32	18	22	30	20	11	4	1	-	-
FEMALE--	19	21	13	14	27	25	26	14	-	-	-	1
ALL OTHER--MALE----	17	13	10	10	5	4	6	3	3	-	-	-
FEMALE--	5	4	5	8	3	4	2	1	2	-	-	-
BLACK---MALE----	16	11	9	10	5	4	6	3	3	-	-	-
FEMALE--	4	3	5	8	3	4	2	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,730
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
HAWAII -----	124	-	2	3	2	15	17	17	11	5	10	8
WHITE-----MALE----	32	-	-	-	-	1	6	4	3	-	5	3
FEMALE--	8	-	-	-	1	-	-	-	2	1	-	-
ALL OTHER--MALE----	57	-	-	1	1	10	9	10	5	3	4	4
FEMALE--	27	-	2	2	-	4	2	3	1	1	1	1
BLACK---MALE----	4	-	-	-	-	1	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	269	4	7	8	5	46	29	25	15	17	15	16
WHITE-----MALE----	160	1	2	7	4	28	19	15	10	9	9	9
FEMALE--	93	3	5	1	1	15	8	7	3	7	3	7
ALL OTHER--MALE----	13	-	-	-	-	2	2	3	2	-	2	-
FEMALE--	3	-	-	-	-	1	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,521	6	21	26	34	182	204	136	110	129	103	92
WHITE-----MALE----	837	4	11	12	21	102	131	77	69	71	64	43
FEMALE--	384	1	4	2	7	53	39	19	18	32	12	34
ALL OTHER--MALE----	194	-	3	7	3	21	22	34	14	16	17	10
FEMALE--	106	1	3	5	3	6	12	6	9	10	10	5
BLACK---MALE----	180	-	3	7	2	21	19	33	13	15	16	9
FEMALE--	92	1	3	4	2	4	10	5	7	10	10	4
INDIANA -----	1,046	2	22	19	28	144	128	79	87	78	89	49
WHITE-----MALE----	643	-	6	12	18	77	93	57	57	51	55	30
FEMALE--	316	2	8	7	6	56	23	17	24	22	26	14
ALL OTHER--MALE----	57	-	4	-	3	6	6	5	4	5	5	3
FEMALE--	30	-	4	-	1	5	6	-	2	-	3	2
BLACK---MALE----	54	-	4	-	3	6	6	4	3	5	4	3
FEMALE--	25	-	4	-	1	5	5	-	2	-	1	1
IOWA -----	462	-	8	9	15	63	55	28	34	32	21	25
WHITE-----MALE----	302	-	5	4	10	41	39	20	28	25	18	15
FEMALE--	145	-	3	5	4	19	10	8	5	6	2	9
ALL OTHER--MALE----	10	-	-	-	-	1	6	-	-	1	1	-
FEMALE--	5	-	-	-	1	2	-	-	1	-	-	1
BLACK---MALE----	4	-	-	-	-	1	2	-	-	1	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1
KANSAS -----	550	1	13	14	14	61	65	42	44	44	51	27
WHITE-----MALE----	327	-	6	8	6	32	51	21	27	31	30	14
FEMALE--	178	1	6	2	4	25	10	14	12	9	18	10
ALL OTHER--MALE----	31	-	-	2	3	3	3	6	5	2	2	1
FEMALE--	14	-	1	2	1	1	1	1	-	2	1	2
BLACK---MALE----	23	-	-	2	1	2	3	4	3	1	2	1
FEMALE--	10	-	1	2	1	-	-	1	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,731

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
KENTUCKY -----	823	1	19	16	13	112	89	77	65	65	59	50
WHITE-----MALE----	512	1	8	8	7	70	64	53	42	34	36	33
FEMALE--	266	-	7	7	5	38	21	19	18	28	18	15
ALL OTHER--MALE----	27	-	2	-	1	3	1	5	4	2	2	2
FEMALE--	18	-	2	1	-	1	3	-	1	1	3	-
BLACK---MALE----	26	-	2	-	1	3	1	4	4	2	2	2
FEMALE--	16	-	2	1	-	1	2	-	1	1	3	-
LOUISIANA -----	983	2	29	18	16	108	119	93	76	90	83	84
WHITE-----MALE----	443	-	9	5	6	46	68	46	37	37	37	38
FEMALE--	240	-	6	6	7	34	15	21	13	20	22	20
ALL OTHER--MALE----	225	-	10	5	2	21	31	23	18	23	18	19
FEMALE--	75	2	4	2	1	7	5	3	8	10	6	7
BLACK---MALE----	217	-	10	5	2	20	30	22	18	21	18	17
FEMALE--	69	2	4	2	1	7	4	2	8	10	5	5
MAINE -----	180	-	-	2	3	24	27	9	9	11	17	10
WHITE-----MALE----	113	-	-	1	2	18	20	6	6	8	10	6
FEMALE--	65	-	-	1	1	6	6	3	3	3	6	4
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	647	2	9	13	17	69	63	58	58	68	45	42
WHITE-----MALE----	287	1	2	3	6	31	30	29	28	26	21	18
FEMALE--	128	-	3	2	3	8	10	5	4	15	11	10
ALL OTHER--MALE----	163	-	2	8	5	25	15	19	17	20	8	12
FEMALE--	69	1	2	-	3	5	8	5	9	7	5	2
BLACK---MALE----	148	-	2	7	4	21	14	18	15	18	6	12
FEMALE--	62	1	2	-	3	2	8	5	8	7	4	2
MASSACHUSETTS -----	485	3	1	4	6	72	52	46	43	28	27	31
WHITE-----MALE----	298	1	-	4	4	47	34	30	33	17	14	25
FEMALE--	154	2	-	-	2	21	10	11	8	7	11	6
ALL OTHER--MALE----	21	-	-	-	-	3	5	5	2	2	2	-
FEMALE--	12	-	1	-	-	1	3	-	-	2	-	-
BLACK---MALE----	19	-	-	-	-	3	5	5	1	2	1	-
FEMALE--	11	-	1	-	-	1	3	-	-	2	-	-
MICHIGAN -----	1,472	4	32	32	43	160	152	136	103	123	122	105
WHITE-----MALE----	797	1	17	11	24	89	104	72	55	66	71	59
FEMALE--	416	2	3	9	7	54	22	30	26	31	29	27
ALL OTHER--MALE----	182	-	7	9	10	12	20	28	17	17	12	13
FEMALE--	77	1	5	3	2	5	6	6	5	9	10	6
BLACK---MALE----	164	-	7	9	7	10	20	28	15	13	10	11
FEMALE--	66	1	4	3	1	5	4	5	5	8	9	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,731

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
KENTUCKY -----	44	29	30	30	33	37	34	18	2	-	-	-
WHITE-----MALE----	31	20	16	19	22	16	22	9	1	-	-	-
FEMALE--	12	9	11	10	9	20	10	8	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	2	1	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	2	1	1	-	-	-	-	-	-	-
LOUISIANA -----	40	39	45	31	40	30	25	10	5	-	-	-
WHITE-----MALE----	18	14	20	20	15	13	8	5	1	-	-	-
FEMALE--	9	9	10	7	14	11	10	5	1	-	-	-
ALL OTHER--MALE----	10	12	13	2	6	4	5	-	3	-	-	-
FEMALE--	3	4	2	2	5	2	2	-	-	-	-	-
BLACK---MALE----	9	12	13	2	6	4	5	-	3	-	-	-
FEMALE--	3	3	2	2	5	2	2	-	-	-	-	-
MAINE -----	10	2	6	8	14	9	10	6	3	-	-	-
WHITE-----MALE----	7	2	2	5	3	7	7	1	2	-	-	-
FEMALE--	3	-	4	3	11	2	3	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	31	34	24	19	24	27	31	11	2	-	-	-
WHITE-----MALE----	17	17	10	4	12	9	13	8	2	-	-	-
FEMALE--	4	9	3	11	7	8	14	1	-	-	-	-
ALL OTHER--MALE----	7	5	6	3	3	5	3	-	-	-	-	-
FEMALE--	3	3	5	1	2	5	1	2	-	-	-	-
BLACK---MALE----	7	5	6	3	3	4	3	-	-	-	-	-
FEMALE--	2	3	4	1	2	5	1	2	-	-	-	-
MASSACHUSETTS -----	23	20	23	18	18	26	22	16	6	-	-	-
WHITE-----MALE----	18	11	11	11	6	11	9	9	3	-	-	-
FEMALE--	4	8	10	7	10	14	13	7	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
MICHIGAN -----	81	64	42	59	53	62	54	32	12	-	-	1
WHITE-----MALE----	39	39	25	27	27	29	22	13	6	-	-	1
FEMALE--	29	20	11	22	22	25	26	16	5	-	-	-
ALL OTHER--MALE----	7	4	5	5	4	7	3	1	1	-	-	-
FEMALE--	6	1	1	5	-	1	3	2	-	-	-	-
BLACK---MALE----	6	4	4	5	4	7	2	1	1	-	-	-
FEMALE--	6	1	-	3	-	1	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,732
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
MINNESOTA -----	674	2	9	14	21	83	79	53	40	52	39	43
WHITE-----MALE----	412	2	4	4	12	42	55	37	27	38	21	29
FEMALE--	212	-	3	5	8	37	19	10	7	11	13	10
ALL OTHER--MALE----	36	-	1	5	1	3	2	5	5	3	3	3
FEMALE--	14	-	1	-	-	1	3	1	1	-	2	1
BLACK---MALE----	15	-	1	2	1	1	1	3	2	-	-	1
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	-
MISSISSIPPI -----	963	2	19	21	25	103	118	78	95	79	67	60
WHITE-----MALE----	387	-	4	3	10	46	48	36	43	32	24	16
FEMALE--	203	1	3	4	8	22	21	6	16	11	11	12
ALL OTHER--MALE----	251	-	8	7	5	27	34	31	28	24	15	20
FEMALE--	122	1	4	7	2	8	15	5	8	12	17	12
BLACK---MALE----	244	-	8	7	5	27	31	31	27	23	14	20
FEMALE--	117	1	4	7	2	7	15	5	7	11	17	11
MISSOURI -----	1,147	6	23	22	20	154	125	95	89	94	86	77
WHITE-----MALE----	676	3	13	11	11	95	88	58	46	53	54	48
FEMALE--	369	1	9	10	7	49	30	21	27	33	26	19
ALL OTHER--MALE----	65	-	1	1	1	6	5	10	10	4	4	7
FEMALE--	37	2	-	-	1	4	2	6	6	4	2	3
BLACK---MALE----	60	-	1	1	1	5	3	10	10	4	4	6
FEMALE--	30	2	-	-	1	1	2	4	6	4	2	3
MONTANA -----	219	1	3	1	4	34	20	10	16	14	22	21
WHITE-----MALE----	134	1	-	-	3	22	13	5	5	7	16	14
FEMALE--	52	-	2	-	1	7	1	2	3	6	6	5
ALL OTHER--MALE----	21	-	-	1	-	4	3	2	5	1	-	1
FEMALE--	12	-	1	-	-	1	3	1	3	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	346	3	2	11	9	39	38	24	20	19	33	23
WHITE-----MALE----	215	3	2	10	5	23	29	19	10	14	17	15
FEMALE--	112	-	-	1	3	16	6	5	6	4	15	4
ALL OTHER--MALE----	13	-	-	-	1	-	2	-	3	-	-	3
FEMALE--	6	-	-	-	-	-	1	-	1	1	1	1
BLACK---MALE----	7	-	-	-	1	-	-	-	1	-	-	2
FEMALE--	5	-	-	-	-	-	1	-	-	1	1	1
NEVADA -----	349	1	5	6	12	46	33	19	29	41	25	23
WHITE-----MALE----	203	-	1	4	6	26	21	10	16	23	17	14
FEMALE--	111	1	4	2	4	15	8	6	9	12	7	7
ALL OTHER--MALE----	21	-	-	-	1	3	2	2	1	6	1	2
FEMALE--	14	-	-	-	1	2	2	1	3	-	-	-
BLACK---MALE----	14	-	-	-	1	2	1	1	1	4	1	2
FEMALE--	5	-	-	-	1	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,734

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
OHIO -----	1,451	10	15	36	40	194	160	135	121	124	93	81
WHITE-----MALE----	870	4	5	11	18	110	119	87	82	84	61	49
FEMALE--	448	3	6	15	22	68	28	31	25	33	26	25
ALL OTHER--MALE----	93	2	2	8	-	13	9	13	11	4	4	4
FEMALE--	40	1	2	2	-	3	4	4	3	3	2	3
BLACK---MALE----	90	2	2	8	-	13	9	12	11	4	4	3
FEMALE--	36	1	2	2	-	3	3	4	2	3	2	3
OKLAHOMA -----	777	8	12	22	24	91	79	60	61	76	51	47
WHITE-----MALE----	421	3	6	7	12	56	54	31	31	37	30	29
FEMALE--	242	3	4	9	8	23	11	19	22	29	13	9
ALL OTHER--MALE----	76	1	2	4	4	9	9	7	6	6	7	6
FEMALE--	38	1	-	2	-	3	5	3	2	4	1	3
BLACK---MALE----	25	1	1	-	2	3	3	2	2	3	3	1
FEMALE--	12	1	-	-	-	1	2	-	-	1	1	2
OREGON -----	550	1	9	7	11	75	75	37	33	53	46	35
WHITE-----MALE----	342	1	4	3	5	46	54	24	22	32	27	21
FEMALE--	177	-	4	2	5	26	14	9	10	19	15	12
ALL OTHER--MALE----	21	-	1	-	1	2	5	2	-	2	3	1
FEMALE--	10	-	-	2	-	1	2	2	1	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	1,661	2	9	28	41	222	186	123	116	129	101	99
WHITE-----MALE----	1,011	1	8	16	20	137	131	83	83	87	65	59
FEMALE--	482	1	1	8	13	61	37	22	23	29	26	22
ALL OTHER--MALE----	117	-	-	1	7	18	12	13	7	9	8	13
FEMALE--	51	-	-	3	1	6	6	5	3	4	2	5
BLACK---MALE----	101	-	-	1	5	16	11	12	6	9	7	10
FEMALE--	39	-	-	2	1	2	4	3	3	4	2	4
RHODE ISLAND -----	86	-	1	-	2	9	14	13	5	4	4	4
WHITE-----MALE----	50	-	-	-	1	6	12	4	2	2	3	2
FEMALE--	27	-	-	-	-	2	1	8	1	2	1	1
ALL OTHER--MALE----	8	-	1	-	1	1	1	1	2	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	-	-	1	1	1	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	992	5	11	21	24	100	105	102	102	101	78	78
WHITE-----MALE----	426	1	3	6	9	51	45	37	48	48	31	33
FEMALE--	226	2	-	5	7	27	18	20	21	18	12	16
ALL OTHER--MALE----	240	2	7	7	7	13	34	35	23	24	25	17
FEMALE--	100	-	1	3	1	9	8	10	10	11	10	12
BLACK---MALE----	235	2	7	7	7	12	34	34	22	23	25	17
FEMALE--	98	-	1	3	1	9	8	10	9	11	9	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,734

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
OHIO -----	71	57	44	60	61	69	48	22	9	1	-	-
WHITE-----MALE----	48	33	23	27	25	41	28	11	3	1	-	-
FEMALE--	17	19	15	25	29	27	18	10	6	-	-	-
ALL OTHER--MALE----	4	4	1	6	4	1	2	1	-	-	-	-
FEMALE--	2	1	5	2	3	-	-	-	-	-	-	-
BLACK---MALE----	4	4	1	6	4	-	2	1	-	-	-	-
FEMALE--	2	1	3	2	3	-	-	-	-	-	-	-
OKLAHOMA -----	35	34	33	32	34	27	23	20	5	2	-	1
WHITE-----MALE----	19	15	17	21	11	19	13	8	1	-	-	1
FEMALE--	10	12	11	9	18	6	9	11	4	2	-	-
ALL OTHER--MALE----	3	3	3	1	3	-	1	1	-	-	-	-
FEMALE--	3	4	2	1	2	2	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
OREGON -----	23	18	12	24	30	31	10	14	6	-	-	-
WHITE-----MALE----	17	12	9	18	17	15	9	6	-	-	-	-
FEMALE--	5	5	2	6	12	16	1	8	6	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	89	68	57	57	75	100	92	51	14	2	-	-
WHITE-----MALE----	54	39	30	26	42	50	43	28	7	2	-	-
FEMALE--	26	19	22	23	25	47	48	22	7	-	-	-
ALL OTHER--MALE----	8	7	4	4	2	2	1	1	-	-	-	-
FEMALE--	1	3	1	4	6	1	-	-	-	-	-	-
BLACK---MALE----	7	4	3	4	2	2	1	1	-	-	-	-
FEMALE--	1	3	1	3	5	1	-	-	-	-	-	-
RHODE ISLAND -----	3	6	3	4	1	5	4	2	2	-	-	-
WHITE-----MALE----	2	4	2	2	1	3	1	1	2	-	-	-
FEMALE--	-	2	1	2	-	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	51	45	26	30	35	31	28	11	5	1	1	1
WHITE-----MALE----	19	20	10	11	17	17	12	5	2	-	1	-
FEMALE--	10	12	10	10	12	6	12	5	2	1	-	-
ALL OTHER--MALE----	15	8	4	8	2	4	3	1	-	-	-	1
FEMALE--	7	5	2	1	4	4	1	-	1	-	-	-
BLACK---MALE----	15	8	4	8	2	3	3	1	-	-	-	1
FEMALE--	7	5	2	1	4	4	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,735

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
SOUTH DAKOTA -----	165	4	3	1	9	28	23	14	7	13	6	10
WHITE-----MALE----	77	-	1	1	5	15	10	4	2	5	3	4
FEMALE--	42	1	1	-	2	7	4	5	1	5	2	3
ALL OTHER--MALE----	29	3	-	-	1	2	6	2	2	3	1	1
FEMALE--	17	-	1	-	1	4	3	3	2	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,223	3	23	24	16	158	135	113	109	100	91	84
WHITE-----MALE----	708	2	8	9	6	98	82	70	62	65	46	52
FEMALE--	348	-	9	9	7	45	33	28	30	21	19	22
ALL OTHER--MALE----	128	-	4	5	2	13	16	12	12	11	15	9
FEMALE--	39	1	2	1	1	2	4	3	5	3	11	1
BLACK---MALE----	122	-	4	5	1	12	15	12	12	11	14	9
FEMALE--	36	1	2	1	1	2	2	3	4	3	11	1
TEXAS -----	3,769	15	82	68	106	474	446	330	294	331	313	244
WHITE-----MALE----	2,199	5	38	28	51	285	314	191	175	188	181	142
FEMALE--	1,076	4	26	23	34	153	88	82	85	92	95	62
ALL OTHER--MALE----	345	3	13	9	15	24	35	39	31	32	27	25
FEMALE--	149	3	5	8	6	12	9	18	3	19	10	15
BLACK---MALE----	306	3	13	9	13	23	29	36	27	28	22	24
FEMALE--	127	3	5	8	4	12	9	15	2	16	5	11
UTAH -----	395	4	16	10	19	53	52	26	18	26	27	19
WHITE-----MALE----	229	1	9	7	11	29	37	16	8	18	15	12
FEMALE--	131	2	6	2	7	20	12	8	4	6	9	4
ALL OTHER--MALE----	19	-	-	-	-	3	2	2	5	-	2	2
FEMALE--	16	1	1	1	1	1	1	-	1	2	1	1
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	1	-	1	1	-	1	-	-	-	-	-
VERMONT -----	82	-	2	1	2	12	8	7	6	8	6	5
WHITE-----MALE----	57	-	1	1	2	8	6	7	4	6	3	3
FEMALE--	25	-	1	-	-	4	2	-	2	2	3	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	942	4	14	19	28	100	100	74	83	82	75	47
WHITE-----MALE----	452	3	3	8	10	54	54	39	36	41	36	22
FEMALE--	252	-	5	5	9	34	20	19	23	18	15	11
ALL OTHER--MALE----	161	1	4	3	6	11	19	11	16	18	17	11
FEMALE--	77	-	2	3	3	1	7	5	8	5	7	3
BLACK---MALE----	151	1	3	3	5	10	19	10	16	18	16	10
FEMALE--	69	-	2	3	3	-	6	5	6	5	7	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,735

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
SOUTH DAKOTA -----	8	6	6	8	5	3	6	1	4	-	-	-
WHITE-----MALE----	4	3	3	4	3	1	6	1	2	-	-	-
FEMALE--	-	2	1	4	1	1	-	-	2	-	-	-
ALL OTHER--MALE----	4	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	55	51	53	43	43	51	43	22	5	1	-	-
WHITE-----MALE----	31	28	35	24	26	25	27	10	2	-	-	-
FEMALE--	17	15	13	16	11	22	15	12	3	1	-	-
ALL OTHER--MALE----	7	7	4	2	6	3	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	7	6	4	2	5	3	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	1	-	-	-	-	-
TEXAS -----	201	142	136	140	133	143	87	58	19	4	-	3
WHITE-----MALE----	126	86	81	73	72	77	43	29	10	1	-	3
FEMALE--	50	38	36	47	44	49	34	25	8	1	-	-
ALL OTHER--MALE----	22	10	14	14	8	11	9	2	-	2	-	-
FEMALE--	3	8	5	6	9	6	1	2	1	-	-	-
BLACK---MALE----	19	8	13	11	6	9	9	2	-	2	-	-
FEMALE--	3	6	5	6	7	6	1	2	1	-	-	-
UTAH -----	21	25	11	10	15	22	10	8	3	-	-	-
WHITE-----MALE----	8	19	5	8	8	9	3	5	1	-	-	-
FEMALE--	11	5	5	2	5	13	6	2	2	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	3	3	-	2	3	7	3	-	-	-	-
WHITE-----MALE----	3	3	2	-	2	2	2	2	-	-	-	-
FEMALE--	1	-	1	-	-	1	5	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	55	44	29	37	38	41	42	21	6	2	-	1
WHITE-----MALE----	19	22	17	19	21	17	14	14	2	1	-	-
FEMALE--	16	8	8	10	11	10	21	5	3	1	-	-
ALL OTHER--MALE----	15	9	2	2	2	7	4	1	1	-	-	1
FEMALE--	5	5	2	6	4	7	3	1	-	-	-	-
BLACK---MALE----	14	8	1	1	2	7	4	1	1	-	-	1
FEMALE--	4	4	2	5	3	7	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,737

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
UNITED STATES --	42,191	158	627	794	987	5,060	4,768	3,632	3,312	3,592	3,190	2,676
WHITE-----MALE----	23,122	68	230	314	470	2,822	3,037	2,086	1,886	2,011	1,768	1,485
FEMALE--	11,934	46	213	236	305	1,544	908	768	769	924	817	681
ALL OTHER--MALE----	4,880	18	104	149	152	504	589	595	473	449	408	345
FEMALE--	2,255	26	80	95	60	190	234	183	184	208	197	165
BLACK---MALE----	3,899	15	93	131	117	391	453	485	372	371	319	277
FEMALE--	1,653	26	69	78	44	126	162	124	124	171	154	123
ALABAMA -----	1,081	4	19	19	30	135	120	100	80	91	88	52
WHITE-----MALE----	552	3	4	9	14	76	64	41	47	51	50	28
FEMALE--	278	-	6	2	9	40	23	27	15	19	21	15
ALL OTHER--MALE----	191	1	7	4	5	17	25	26	13	20	14	8
FEMALE--	60	-	2	4	2	2	8	6	5	1	3	1
BLACK---MALE----	189	1	7	4	5	17	25	26	12	20	13	8
FEMALE--	58	-	2	4	2	2	8	5	5	1	3	-
ALASKA -----	62	-	2	1	4	7	12	10	1	3	7	6
WHITE-----MALE----	31	-	2	-	1	6	8	2	1	-	2	3
FEMALE--	12	-	-	1	1	-	1	3	-	-	2	2
ALL OTHER--MALE----	16	-	-	-	1	1	3	4	-	3	3	-
FEMALE--	3	-	-	-	1	-	-	1	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	915	5	21	17	11	97	91	85	79	91	79	58
WHITE-----MALE----	465	3	11	7	3	46	51	53	32	52	38	29
FEMALE--	247	1	5	8	5	28	18	11	20	17	17	18
ALL OTHER--MALE----	131	-	3	-	2	18	15	16	18	13	18	8
FEMALE--	72	1	2	2	1	5	7	5	9	9	6	3
BLACK---MALE----	21	-	-	-	-	3	1	4	3	2	3	1
FEMALE--	12	1	1	-	1	1	1	1	1	3	-	-
ARKANSAS -----	656	1	8	9	17	85	72	59	51	42	63	45
WHITE-----MALE----	350	1	2	4	7	41	45	33	36	15	31	23
FEMALE--	197	-	3	1	7	31	15	13	6	21	19	16
ALL OTHER--MALE----	71	-	2	2	3	7	8	9	7	3	8	3
FEMALE--	38	-	1	2	-	6	4	4	2	3	5	3
BLACK---MALE----	68	-	2	2	3	7	7	9	6	3	7	3
FEMALE--	33	-	1	1	-	5	4	3	2	2	5	2
CALIFORNIA -----	3,630	19	58	77	91	400	402	318	303	290	287	229
WHITE-----MALE----	2,047	10	23	32	47	201	259	201	196	172	155	140
FEMALE--	958	5	26	28	23	122	75	53	61	73	79	45
ALL OTHER--MALE----	401	2	4	14	17	53	46	45	31	28	37	33
FEMALE--	224	2	5	3	4	24	22	19	15	17	16	11
BLACK---MALE----	182	2	3	10	8	23	19	23	14	13	19	16
FEMALE--	82	2	3	1	1	12	9	7	5	8	6	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,737

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
UNITED STATES --	2,169	1,801	1,510	1,571	1,736	1,802	1,535	889	302	47	4	29
WHITE-----MALE----	1,243	956	822	801	821	861	767	471	159	21	1	22
FEMALE--	552	540	459	548	711	751	653	362	124	17	3	3
ALL OTHER--MALE----	254	208	142	125	118	110	76	35	14	8	-	4
FEMALE--	120	97	87	97	86	80	39	21	5	1	-	-
BLACK---MALE----	203	162	117	106	95	90	56	27	11	4	-	4
FEMALE--	85	73	61	64	67	59	23	14	5	1	-	-
ALABAMA -----	54	54	38	51	43	48	30	19	6	-	-	-
WHITE-----MALE----	27	25	18	27	19	21	14	11	3	-	-	-
FEMALE--	16	10	12	14	11	17	13	6	2	-	-	-
ALL OTHER--MALE----	7	12	5	7	7	7	3	2	1	-	-	-
FEMALE--	4	7	3	3	6	3	-	-	-	-	-	-
BLACK---MALE----	7	12	5	7	7	7	3	2	1	-	-	-
FEMALE--	4	7	3	3	6	3	-	-	-	-	-	-
ALASKA -----	5	-	2	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	53	39	30	37	43	25	30	14	4	1	-	5
WHITE-----MALE----	29	15	19	22	20	5	14	8	4	-	-	4
FEMALE--	11	15	6	13	19	17	12	5	-	-	-	1
ALL OTHER--MALE----	5	6	2	-	2	1	3	-	-	1	-	-
FEMALE--	8	3	3	2	2	2	1	1	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	31	25	24	29	21	29	20	18	6	1	-	-
WHITE-----MALE----	20	13	16	12	11	16	12	8	3	1	-	-
FEMALE--	10	9	3	15	8	6	5	6	3	-	-	-
ALL OTHER--MALE----	-	3	3	2	1	5	2	3	-	-	-	-
FEMALE--	1	-	2	-	1	2	1	1	-	-	-	-
BLACK---MALE----	-	3	3	2	1	5	2	3	-	-	-	-
FEMALE--	1	-	2	-	1	2	1	1	-	-	-	-
CALIFORNIA -----	196	186	127	119	146	146	128	71	25	5	1	6
WHITE-----MALE----	120	103	65	62	69	75	61	37	11	2	-	6
FEMALE--	47	57	41	35	60	44	46	26	11	-	1	-
ALL OTHER--MALE----	15	17	9	7	9	12	12	4	3	3	-	-
FEMALE--	14	9	12	15	8	15	9	4	-	-	-	-
BLACK---MALE----	4	10	5	2	4	5	2	-	-	-	-	-
FEMALE--	5	3	4	4	2	4	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,738
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
COLORADO -----	651	2	9	11	14	74	83	64	58	55	61	50
WHITE-----MALE----	408	2	4	6	9	50	55	47	37	37	39	27
FEMALE--	199	-	4	5	4	19	17	13	15	16	19	18
ALL OTHER--MALE----	29	-	1	-	1	2	7	4	4	1	1	4
FEMALE--	15	-	-	-	-	3	4	-	2	1	2	1
BLACK---MALE----	15	-	-	-	-	1	5	1	1	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
CONNECTICUT -----	333	1	1	6	2	32	37	31	42	29	18	23
WHITE-----MALE----	184	-	-	4	1	23	23	23	23	16	8	13
FEMALE--	105	-	1	-	1	6	8	4	12	10	7	6
ALL OTHER--MALE----	32	-	-	-	-	3	6	4	7	1	3	2
FEMALE--	12	1	-	2	-	-	-	-	-	2	-	2
BLACK---MALE----	24	-	-	-	-	3	3	3	5	1	3	2
FEMALE--	9	1	-	2	-	-	-	-	-	2	-	1
DELAWARE -----	113	-	1	2	-	19	12	11	7	11	9	4
WHITE-----MALE----	56	-	-	-	-	12	6	7	5	3	5	3
FEMALE--	44	-	1	1	-	5	3	4	2	7	2	-
ALL OTHER--MALE----	9	-	-	1	-	2	2	-	-	1	2	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	9	-	-	1	-	2	2	-	-	1	2	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
DISTRICT OF COLUMBIA ----	56	-	1	3	2	4	2	3	11	4	9	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	31	-	-	1	2	4	2	2	10	1	5	1
FEMALE--	15	-	1	2	-	-	-	-	1	2	3	-
BLACK---MALE----	31	-	-	1	2	4	2	2	10	1	5	1
FEMALE--	15	-	1	2	-	-	-	-	1	2	3	-
FLORIDA -----	2,865	8	40	43	58	260	288	217	224	266	214	197
WHITE-----MALE----	1,568	2	5	14	31	141	174	133	128	152	125	117
FEMALE--	842	4	15	10	9	80	62	38	60	60	56	51
ALL OTHER--MALE----	301	-	6	11	11	24	38	34	27	31	21	21
FEMALE--	154	2	14	8	7	15	14	12	9	23	12	8
BLACK---MALE----	290	-	6	11	11	22	37	32	27	30	21	21
FEMALE--	146	2	13	8	7	14	13	11	7	22	11	8
GEORGIA -----	1,601	5	32	37	37	183	164	151	128	168	137	102
WHITE-----MALE----	719	1	7	8	11	87	78	76	60	71	68	54
FEMALE--	418	3	9	9	12	53	35	31	26	39	28	16
ALL OTHER--MALE----	320	-	9	13	10	34	31	35	31	42	29	16
FEMALE--	144	1	7	7	4	9	20	9	11	16	12	16
BLACK---MALE----	308	-	9	13	10	34	30	34	30	39	28	15
FEMALE--	139	1	6	7	4	9	20	9	11	16	12	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,738

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
COLORADO -----	37	28	17	26	18	17	22	3	2	-	-	-
WHITE-----MALE----	24	13	8	17	8	8	14	2	1	-	-	-
FEMALE--	12	14	8	6	10	9	8	1	1	-	-	-
ALL OTHER--MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	12	10	8	15	15	22	19	6	3	1	-	-
WHITE-----MALE----	8	3	5	6	6	9	9	2	2	-	-	-
FEMALE--	2	6	3	6	8	10	9	4	1	1	-	-
ALL OTHER--MALE----	2	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	2	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
DELAWARE -----	5	6	3	3	6	8	3	1	2	-	-	-
WHITE-----MALE----	4	2	1	1	2	3	1	-	1	-	-	-
FEMALE--	1	2	2	2	3	5	2	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	2	3	5	3	1	1	1	-	-	-
WHITE-----MALE----	-	-	2	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	-	-	-	-
FLORIDA -----	154	133	99	118	136	147	135	81	36	5	-	6
WHITE-----MALE----	80	73	57	63	59	69	66	50	22	3	-	4
FEMALE--	45	36	29	45	67	70	66	26	12	1	-	-
ALL OTHER--MALE----	24	19	7	5	7	6	1	3	2	1	-	2
FEMALE--	5	5	6	5	3	2	2	2	-	-	-	-
BLACK---MALE----	22	19	7	4	6	6	1	3	2	-	-	2
FEMALE--	5	5	6	5	3	2	2	2	-	-	-	-
GEORGIA -----	87	58	59	49	57	59	53	25	8	1	-	1
WHITE-----MALE----	47	20	31	17	22	28	20	9	3	1	-	-
FEMALE--	19	21	13	14	27	23	26	13	-	-	-	1
ALL OTHER--MALE----	17	13	10	10	5	4	5	3	3	-	-	-
FEMALE--	4	4	5	8	3	4	2	-	2	-	-	-
BLACK---MALE----	16	11	9	10	5	4	5	3	3	-	-	-
FEMALE--	3	3	5	8	3	4	2	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,739

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
HAWAII -----	119	-	-	3	2	15	16	16	10	5	10	8
WHITE-----MALE----	31	-	-	-	-	1	6	4	2	-	5	3
FEMALE--	8	-	-	-	1	-	-	-	2	1	-	-
ALL OTHER--MALE----	55	-	-	1	1	10	8	9	5	3	4	4
FEMALE--	25	-	-	2	-	4	2	3	1	1	1	1
BLACK---MALE----	4	-	-	-	-	1	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	257	4	5	7	5	44	29	23	14	17	15	15
WHITE-----MALE----	153	1	2	6	4	28	19	13	9	9	9	8
FEMALE--	88	3	3	1	1	13	8	7	3	7	3	7
ALL OTHER--MALE----	13	-	-	-	-	2	2	3	2	-	2	-
FEMALE--	3	-	-	-	-	1	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,491	6	20	25	30	180	203	133	106	127	98	91
WHITE-----MALE----	814	4	10	11	17	100	131	74	66	70	60	43
FEMALE--	381	1	4	2	7	53	39	19	18	32	11	33
ALL OTHER--MALE----	192	-	3	7	3	21	22	34	13	16	17	10
FEMALE--	104	1	3	5	3	6	11	6	9	9	10	5
BLACK---MALE----	178	-	3	7	2	21	19	33	12	15	16	9
FEMALE--	90	1	3	4	2	4	9	5	7	9	10	4
INDIANA -----	1,020	2	19	18	26	139	126	77	85	77	88	48
WHITE-----MALE----	626	-	5	11	16	75	92	55	55	50	54	29
FEMALE--	310	2	8	7	6	53	23	17	24	22	26	14
ALL OTHER--MALE----	55	-	3	-	3	6	5	5	4	5	5	3
FEMALE--	29	-	3	-	1	5	6	-	2	-	3	2
BLACK---MALE----	52	-	3	-	3	6	5	4	3	5	4	3
FEMALE--	24	-	3	-	1	5	5	-	2	-	1	1
IOWA -----	442	-	6	9	15	63	53	28	31	30	20	24
WHITE-----MALE----	288	-	3	4	10	41	38	20	25	23	17	15
FEMALE--	140	-	3	5	4	19	10	8	5	6	2	8
ALL OTHER--MALE----	9	-	-	-	-	1	5	-	-	1	1	-
FEMALE--	5	-	-	-	1	2	-	-	1	-	-	1
BLACK---MALE----	4	-	-	-	-	1	2	-	-	1	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1
KANSAS -----	537	1	12	14	14	59	65	42	43	43	50	27
WHITE-----MALE----	321	-	6	8	6	31	51	21	27	30	30	14
FEMALE--	172	1	5	2	4	24	10	14	12	9	17	10
ALL OTHER--MALE----	30	-	-	2	3	3	3	6	4	2	2	1
FEMALE--	14	-	1	2	1	1	1	1	-	2	1	2
BLACK---MALE----	22	-	-	2	1	2	3	4	2	1	2	1
FEMALE--	10	-	1	2	1	-	-	1	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,740

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
KENTUCKY -----	802	1	19	15	12	109	89	75	64	63	57	48
WHITE-----MALE----	496	1	8	7	6	69	64	52	41	33	35	31
FEMALE--	261	-	7	7	5	36	21	18	18	27	17	15
ALL OTHER--MALE----	27	-	2	-	1	3	1	5	4	2	2	2
FEMALE--	18	-	2	1	-	1	3	-	1	1	3	-
BLACK---MALE----	26	-	2	-	1	3	1	4	4	2	2	2
FEMALE--	16	-	2	1	-	1	2	-	1	1	3	-
LOUISIANA -----	959	2	25	16	14	107	117	90	75	88	80	82
WHITE-----MALE----	434	-	9	5	5	45	67	45	36	36	35	38
FEMALE--	230	-	5	4	6	34	14	19	13	20	21	18
ALL OTHER--MALE----	220	-	7	5	2	21	31	23	18	22	18	19
FEMALE--	75	2	4	2	1	7	5	3	8	10	6	7
BLACK---MALE----	212	-	7	5	2	20	30	22	18	20	18	17
FEMALE--	69	2	4	2	1	7	4	2	8	10	5	5
MAINE -----	170	-	-	2	3	24	26	8	8	9	17	10
WHITE-----MALE----	104	-	-	1	2	18	19	5	5	6	10	6
FEMALE--	64	-	-	1	1	6	6	3	3	3	6	4
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	634	2	9	13	16	69	60	58	56	68	44	39
WHITE-----MALE----	278	1	2	3	5	31	28	29	26	26	21	16
FEMALE--	127	-	3	2	3	8	10	5	4	15	11	10
ALL OTHER--MALE----	161	-	2	8	5	25	14	19	17	20	8	11
FEMALE--	68	1	2	-	3	5	8	5	9	7	4	2
BLACK---MALE----	146	-	2	7	4	21	13	18	15	18	6	11
FEMALE--	62	1	2	-	3	2	8	5	8	7	4	2
MASSACHUSETTS -----	474	3	1	4	6	71	52	46	42	28	24	30
WHITE-----MALE----	292	1	-	4	4	47	34	30	32	17	11	24
FEMALE--	149	2	-	-	2	20	10	11	8	7	11	6
ALL OTHER--MALE----	21	-	-	-	-	3	5	5	2	2	2	-
FEMALE--	12	-	1	-	-	1	3	-	-	2	-	-
BLACK---MALE----	19	-	-	-	-	3	5	5	1	2	1	-
FEMALE--	11	-	1	-	-	1	3	-	-	2	-	-
MICHIGAN -----	1,410	4	21	30	43	159	145	134	100	117	114	98
WHITE-----MALE----	751	1	10	9	24	88	99	71	52	62	63	55
FEMALE--	409	2	2	9	7	54	22	30	26	30	29	25
ALL OTHER--MALE----	176	-	5	9	10	12	19	28	17	16	12	12
FEMALE--	74	1	4	3	2	5	5	5	5	9	10	6
BLACK---MALE----	159	-	5	9	7	10	19	28	15	13	10	10
FEMALE--	64	1	4	3	1	5	3	4	5	8	9	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,740

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
KENTUCKY -----	44	28	29	28	33	35	33	18	2	-	-	-
WHITE-----MALE----	31	19	15	17	22	14	21	9	1	-	-	-
FEMALE--	12	9	11	10	9	20	10	8	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	2	1	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	2	1	1	1	-	-	-	-	-	-
LOUISIANA -----	40	39	45	31	40	29	24	10	5	-	-	-
WHITE-----MALE----	18	14	20	20	15	12	8	5	1	-	-	-
FEMALE--	9	9	10	7	14	11	10	5	1	-	-	-
ALL OTHER--MALE----	10	12	13	2	6	4	4	-	3	-	-	-
FEMALE--	3	4	2	2	5	2	2	-	-	-	-	-
BLACK---MALE----	9	12	13	2	6	4	4	-	3	-	-	-
FEMALE--	3	3	2	2	5	2	2	-	-	-	-	-
MAINE -----	8	2	6	6	13	9	10	6	3	-	-	-
WHITE-----MALE----	5	2	2	3	3	7	7	1	2	-	-	-
FEMALE--	3	-	4	3	10	2	3	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	31	34	23	19	24	27	29	11	2	-	-	-
WHITE-----MALE----	17	17	9	4	12	9	12	8	2	-	-	-
FEMALE--	4	9	3	11	7	8	13	1	-	-	-	-
ALL OTHER--MALE----	7	5	6	3	3	5	3	-	-	-	-	-
FEMALE--	3	3	5	1	2	5	1	2	-	-	-	-
BLACK---MALE----	7	5	6	3	3	4	3	-	-	-	-	-
FEMALE--	2	3	4	1	2	5	1	2	-	-	-	-
MASSACHUSETTS -----	23	20	22	18	18	26	18	16	6	-	-	-
WHITE-----MALE----	18	11	11	11	6	11	8	9	3	-	-	-
FEMALE--	4	8	9	7	10	14	10	7	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
MICHIGAN -----	80	59	39	58	52	60	54	31	11	-	-	1
WHITE-----MALE----	38	35	22	27	26	27	22	13	6	-	-	1
FEMALE--	29	20	11	21	22	25	26	15	4	-	-	-
ALL OTHER--MALE----	7	3	5	5	4	7	3	1	1	-	-	-
FEMALE--	6	1	1	5	-	1	3	2	-	-	-	-
BLACK---MALE----	6	3	4	5	4	7	2	1	1	-	-	-
FEMALE--	6	1	-	3	-	1	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,741

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
MINNESOTA -----	649	2	7	13	18	82	79	48	36	49	39	43
WHITE-----MALE----	394	2	3	4	11	41	55	32	24	35	21	29
FEMALE--	206	-	2	5	6	37	19	10	6	11	13	10
ALL OTHER--MALE----	35	-	1	4	1	3	2	5	5	3	3	3
FEMALE--	14	-	1	-	-	1	3	1	1	-	2	1
BLACK---MALE----	15	-	1	2	1	1	1	3	2	-	-	1
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	-
MISSISSIPPI -----	945	2	19	20	23	102	117	77	94	77	67	58
WHITE-----MALE----	380	-	4	3	9	45	48	35	43	30	24	16
FEMALE--	199	1	3	4	8	22	21	6	15	11	11	11
ALL OTHER--MALE----	245	-	8	6	4	27	33	31	28	24	15	19
FEMALE--	121	1	4	7	2	8	15	5	8	12	17	12
BLACK---MALE----	238	-	8	6	4	27	30	31	27	23	14	19
FEMALE--	116	1	4	7	2	7	15	5	7	11	17	11
MISSOURI -----	1,117	6	21	21	20	151	122	92	88	91	83	75
WHITE-----MALE----	655	3	12	11	11	93	85	56	46	51	52	47
FEMALE--	364	1	8	9	7	48	30	21	26	33	26	18
ALL OTHER--MALE----	62	-	1	1	1	6	5	9	10	3	4	7
FEMALE--	36	2	-	-	1	4	2	6	6	4	1	3
BLACK---MALE----	57	-	1	1	1	5	3	9	10	3	4	6
FEMALE--	29	2	-	-	1	1	2	4	6	4	1	3
MONTANA -----	212	1	2	1	4	34	18	10	15	14	21	21
WHITE-----MALE----	129	1	-	-	3	22	11	5	4	7	15	14
FEMALE--	50	-	1	-	1	7	1	2	3	6	6	5
ALL OTHER--MALE----	21	-	-	1	-	4	3	2	5	1	-	1
FEMALE--	12	-	1	-	-	1	3	1	3	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	335	3	2	9	9	39	38	24	20	19	33	23
WHITE-----MALE----	206	3	2	8	5	23	29	19	10	14	17	15
FEMALE--	110	-	-	1	3	16	6	5	6	4	15	4
ALL OTHER--MALE----	13	-	-	-	1	-	2	-	3	-	-	3
FEMALE--	6	-	-	-	-	-	1	-	1	1	1	1
BLACK---MALE----	7	-	-	-	1	-	-	-	1	-	-	2
FEMALE--	5	-	-	-	-	-	1	-	-	1	1	1
NEVADA -----	339	1	5	6	12	45	33	17	28	39	25	22
WHITE-----MALE----	194	-	1	4	6	25	21	8	15	22	17	13
FEMALE--	110	1	4	2	4	15	8	6	9	11	7	7
ALL OTHER--MALE----	21	-	-	-	1	3	2	2	1	6	1	2
FEMALE--	14	-	-	-	1	2	2	1	3	-	-	-
BLACK---MALE----	14	-	-	-	1	2	1	1	1	4	1	2
FEMALE--	5	-	-	-	1	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,743

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
OHIO -----	1,395	9	11	34	34	189	157	130	113	122	91	76
WHITE-----MALE----	833	4	3	11	14	108	116	84	76	82	60	45
FEMALE--	431	2	6	13	20	65	28	29	23	33	25	24
ALL OTHER--MALE----	91	2	-	8	-	13	9	13	11	4	4	4
FEMALE--	40	1	2	2	-	3	4	4	3	3	2	3
BLACK---MALE----	88	2	-	8	-	13	9	12	11	4	4	3
FEMALE--	36	1	2	2	-	3	3	4	2	3	2	3
OKLAHOMA -----	756	8	8	22	22	88	78	60	59	76	51	46
WHITE-----MALE----	411	3	5	7	11	55	53	31	30	37	30	28
FEMALE--	236	3	3	9	7	21	11	19	21	29	13	9
ALL OTHER--MALE----	74	1	-	4	4	9	9	7	6	6	7	6
FEMALE--	35	1	-	2	-	3	5	3	2	4	1	3
BLACK---MALE----	24	1	-	-	2	3	3	2	2	3	3	1
FEMALE--	12	1	-	-	-	1	2	-	-	1	1	2
OREGON -----	528	1	9	7	11	73	74	35	32	53	45	33
WHITE-----MALE----	326	1	4	3	5	44	53	23	21	32	26	21
FEMALE--	172	-	4	2	5	26	14	8	10	19	15	11
ALL OTHER--MALE----	20	-	1	-	1	2	5	2	-	2	3	-
FEMALE--	10	-	-	2	-	1	2	2	1	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	1,620	2	8	28	39	219	180	118	110	128	98	96
WHITE-----MALE----	978	1	7	16	18	135	125	79	78	86	62	57
FEMALE--	475	1	1	8	13	60	37	21	23	29	26	21
ALL OTHER--MALE----	116	-	-	1	7	18	12	13	6	9	8	13
FEMALE--	51	-	-	3	1	6	6	5	3	4	2	5
BLACK---MALE----	100	-	-	1	5	16	11	12	5	9	7	10
FEMALE--	39	-	-	2	1	2	4	3	3	4	2	4
RHODE ISLAND -----	85	-	1	-	2	9	14	12	5	4	4	4
WHITE-----MALE----	49	-	-	-	1	6	12	3	2	2	3	2
FEMALE--	27	-	-	-	-	2	1	8	1	2	1	1
ALL OTHER--MALE----	8	-	1	-	1	1	1	1	2	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	-	-	1	1	1	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	983	5	10	20	23	100	105	102	100	101	78	78
WHITE-----MALE----	422	1	3	5	9	51	45	37	47	48	31	33
FEMALE--	226	2	-	5	7	27	18	20	21	18	12	16
ALL OTHER--MALE----	238	2	6	7	7	13	34	35	22	24	25	17
FEMALE--	97	-	1	3	-	9	8	10	10	11	10	12
BLACK---MALE----	233	2	6	7	7	12	34	34	21	23	25	17
FEMALE--	95	-	1	3	-	9	8	10	9	11	9	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,743

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
OHIO -----	69	56	43	58	57	67	48	22	8	1	-	-
WHITE-----MALE----	46	32	22	25	23	39	28	11	3	1	-	-
FEMALE--	17	19	15	25	27	27	18	10	5	-	-	-
ALL OTHER--MALE----	4	4	1	6	4	1	2	1	-	-	-	-
FEMALE--	2	1	5	2	3	-	-	-	-	-	-	-
BLACK---MALE----	4	4	1	6	4	-	2	1	-	-	-	-
FEMALE--	2	1	3	2	3	-	-	-	-	-	-	-
OKLAHOMA -----	34	33	31	31	32	26	23	20	5	2	-	1
WHITE-----MALE----	19	14	17	20	9	19	13	8	1	-	-	1
FEMALE--	10	12	11	9	18	5	9	11	4	2	-	-
ALL OTHER--MALE----	3	3	3	1	3	-	1	1	-	-	-	-
FEMALE--	2	4	-	1	2	2	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
OREGON -----	21	16	11	23	27	28	9	14	6	-	-	-
WHITE-----MALE----	15	10	9	17	14	14	8	6	-	-	-	-
FEMALE--	5	5	1	6	12	14	1	8	6	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	88	66	56	56	74	99	90	49	14	2	-	-
WHITE-----MALE----	54	37	29	26	41	50	42	26	7	2	-	-
FEMALE--	25	19	22	22	25	46	47	22	7	-	-	-
ALL OTHER--MALE----	8	7	4	4	2	2	1	1	-	-	-	-
FEMALE--	1	3	1	4	6	1	-	-	-	-	-	-
BLACK---MALE----	7	4	3	4	2	2	1	1	-	-	-	-
FEMALE--	1	3	1	3	5	1	-	-	-	-	-	-
RHODE ISLAND -----	3	6	3	4	1	5	4	2	2	-	-	-
WHITE-----MALE----	2	4	2	2	1	3	1	1	2	-	-	-
FEMALE--	-	2	1	2	-	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	50	45	26	29	35	30	27	11	5	1	1	1
WHITE-----MALE----	19	20	10	11	17	16	11	5	2	-	1	-
FEMALE--	10	12	10	10	12	6	12	5	2	1	-	-
ALL OTHER--MALE----	15	8	4	8	2	4	3	1	-	-	-	1
FEMALE--	6	5	2	-	4	4	1	-	1	-	-	-
BLACK---MALE----	15	8	4	8	2	3	3	1	-	-	-	1
FEMALE--	6	5	2	-	4	4	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,744

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
SOUTH DAKOTA -----	160	4	2	1	9	26	23	13	7	13	6	10
WHITE-----MALE----	73	-	-	1	5	13	10	3	2	5	3	4
FEMALE--	42	1	1	-	2	7	4	5	1	5	2	3
ALL OTHER--MALE----	28	3	-	-	1	2	6	2	2	3	1	1
FEMALE--	17	-	1	-	1	4	3	3	2	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,150	3	19	20	14	149	128	110	99	95	85	79
WHITE-----MALE----	656	2	6	8	5	91	79	68	53	62	42	47
FEMALE--	337	-	8	8	6	44	30	28	30	20	19	22
ALL OTHER--MALE----	118	-	3	3	2	12	15	11	11	10	13	9
FEMALE--	39	1	2	1	1	2	4	3	5	3	11	1
BLACK---MALE----	112	-	3	3	1	11	14	11	11	10	12	9
FEMALE--	36	1	2	1	1	2	2	3	4	3	11	1
TEXAS -----	3,696	15	69	68	103	471	439	328	294	328	308	238
WHITE-----MALE----	2,149	5	34	28	48	284	308	189	175	185	176	139
FEMALE--	1,058	4	20	23	34	151	87	82	85	92	95	59
ALL OTHER--MALE----	342	3	12	9	15	24	35	39	31	32	27	25
FEMALE--	147	3	3	8	6	12	9	18	3	19	10	15
BLACK---MALE----	304	3	12	9	13	23	29	36	27	28	22	24
FEMALE--	125	3	3	8	4	12	9	15	2	16	5	11
UTAH -----	373	4	11	9	18	51	48	25	17	26	25	19
WHITE-----MALE----	210	1	5	6	10	27	33	15	8	18	13	12
FEMALE--	129	2	5	2	7	20	12	8	4	6	9	4
ALL OTHER--MALE----	18	-	-	-	-	3	2	2	4	-	2	2
FEMALE--	16	1	1	1	1	1	1	-	1	2	1	1
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	1	-	1	1	-	1	-	-	-	-	-
VERMONT -----	77	-	1	1	2	11	8	6	6	8	5	5
WHITE-----MALE----	52	-	-	1	2	7	6	6	4	6	2	3
FEMALE--	25	-	1	-	-	4	2	-	2	2	3	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	919	4	14	18	26	97	97	72	83	81	75	45
WHITE-----MALE----	437	3	3	7	8	51	53	37	36	40	36	20
FEMALE--	250	-	5	5	9	34	19	19	23	18	15	11
ALL OTHER--MALE----	158	1	4	3	6	11	18	11	16	18	17	11
FEMALE--	74	-	2	3	3	1	7	5	8	5	7	3
BLACK---MALE----	148	1	3	3	5	10	18	10	16	18	16	10
FEMALE--	67	-	2	3	3	-	6	5	6	5	7	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,744

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
SOUTH DAKOTA -----	8	6	5	8	5	3	6	1	4	-	-	-
WHITE-----MALE----	4	3	3	4	3	1	6	1	2	-	-	-
FEMALE--	-	2	1	4	1	1	-	-	2	-	-	-
ALL OTHER--MALE----	4	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	54	48	47	42	41	49	41	22	4	1	-	-
WHITE-----MALE----	31	25	29	23	24	24	25	10	2	-	-	-
FEMALE--	16	15	13	16	11	21	15	12	2	1	-	-
ALL OTHER--MALE----	7	7	4	2	6	3	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	7	6	4	2	5	3	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	1	-	-	-	-	-
TEXAS -----	197	141	129	136	128	139	83	58	17	4	-	3
WHITE-----MALE----	122	85	76	70	69	74	40	29	9	1	-	3
FEMALE--	50	38	35	47	42	48	33	25	7	1	-	-
ALL OTHER--MALE----	22	10	13	13	8	11	9	2	-	2	-	-
FEMALE--	3	8	5	6	9	6	1	2	1	-	-	-
BLACK---MALE----	19	8	12	11	6	9	9	2	-	2	-	-
FEMALE--	3	6	5	6	7	6	1	2	1	-	-	-
UTAH -----	19	24	10	10	14	22	10	8	3	-	-	-
WHITE-----MALE----	7	18	4	8	7	9	3	5	1	-	-	-
FEMALE--	10	5	5	2	5	13	6	2	2	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	3	3	-	2	3	7	3	-	-	-	-
WHITE-----MALE----	2	3	2	-	2	2	2	2	-	-	-	-
FEMALE--	1	-	1	-	-	1	5	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	53	44	28	36	37	39	42	21	4	2	-	1
WHITE-----MALE----	18	22	16	18	21	17	14	14	2	1	-	-
FEMALE--	16	8	8	10	11	10	21	5	2	1	-	-
ALL OTHER--MALE----	14	9	2	2	2	7	4	1	-	-	-	1
FEMALE--	5	5	2	6	3	5	3	1	-	-	-	-
BLACK---MALE----	13	8	1	1	2	7	4	1	-	-	-	1
FEMALE--	4	4	2	5	3	5	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,747

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH TRAIN (E810)												
COLORADO -----	4	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	7	-	-	1	-	-	1	-	-	1	-	1
WHITE-----MALE----	5	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,755

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
UNITED STATES --	16,130	82	214	270	330	1,699	1,584	1,293	1,117	1,269	1,120	1,024
WHITE-----MALE----	8,271	41	82	104	160	908	919	697	604	660	584	514
FEMALE--	5,500	20	75	102	110	586	390	336	311	392	341	330
ALL OTHER--MALE----	1,464	8	30	32	37	141	184	190	142	138	116	107
FEMALE--	895	13	27	32	23	64	91	70	60	79	79	73
BLACK---MALE----	1,150	7	24	27	30	116	151	148	108	116	87	82
FEMALE--	669	13	25	24	16	46	68	49	40	68	55	56
ALABAMA -----	380	1	4	5	9	30	37	37	27	35	36	23
WHITE-----MALE----	187	1	-	3	4	21	16	19	15	20	13	12
FEMALE--	104	-	3	1	3	6	8	6	7	7	14	8
ALL OTHER--MALE----	62	-	1	1	1	3	11	9	3	7	7	2
FEMALE--	27	-	-	-	1	-	2	3	2	1	2	1
BLACK---MALE----	61	-	1	1	1	3	11	9	3	7	6	2
FEMALE--	25	-	-	-	1	-	2	2	2	1	2	-
ALASKA -----	11	-	-	-	1	2	-	2	-	1	2	2
WHITE-----MALE----	4	-	-	-	-	2	-	-	-	-	-	1
FEMALE--	5	-	-	-	1	-	-	1	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	287	2	2	4	3	26	29	31	23	25	25	17
WHITE-----MALE----	148	2	1	3	2	12	17	18	9	18	11	8
FEMALE--	87	-	-	1	1	9	8	5	7	4	6	6
ALL OTHER--MALE----	30	-	-	-	-	4	2	5	5	2	5	2
FEMALE--	22	-	1	-	-	1	2	3	2	1	3	1
BLACK---MALE----	8	-	-	-	-	1	-	2	1	2	1	-
FEMALE--	5	-	1	-	-	1	-	1	-	1	-	-
ARKANSAS -----	233	1	2	3	3	31	17	26	13	14	22	15
WHITE-----MALE----	119	1	-	1	2	14	10	14	8	5	11	3
FEMALE--	83	-	1	1	1	12	5	10	1	7	7	10
ALL OTHER--MALE----	18	-	-	1	-	1	1	1	4	-	3	1
FEMALE--	13	-	1	-	-	4	1	1	-	2	1	1
BLACK---MALE----	16	-	-	1	-	1	1	1	3	-	2	1
FEMALE--	13	-	1	-	-	4	1	1	-	2	1	1
CALIFORNIA -----	1,516	10	24	32	43	138	155	131	135	124	117	82
WHITE-----MALE----	806	8	12	13	23	59	101	75	79	66	67	48
FEMALE--	454	1	9	16	10	54	33	24	32	42	30	15
ALL OTHER--MALE----	153	-	1	3	7	16	12	23	18	9	12	14
FEMALE--	103	1	2	-	3	9	9	9	6	7	8	5
BLACK---MALE----	53	-	-	2	3	6	5	9	10	4	5	5
FEMALE--	36	1	2	-	1	4	3	4	3	4	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,755

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
UNITED STATES --	834	722	652	755	838	873	758	502	160	25	4	5
WHITE-----MALE----	432	374	319	369	374	398	370	261	85	10	1	5
FEMALE--	265	257	254	314	390	394	336	214	68	12	3	-
ALL OTHER--MALE----	74	51	48	27	36	43	34	19	4	3	-	-
FEMALE--	63	40	31	45	38	38	18	8	3	-	-	-
BLACK---MALE----	54	38	36	20	29	34	24	15	2	2	-	-
FEMALE--	49	28	26	29	30	31	8	5	3	-	-	-
ALABAMA -----	25	17	13	20	17	23	12	9	-	-	-	-
WHITE-----MALE----	14	6	3	11	8	11	6	4	-	-	-	-
FEMALE--	6	5	4	6	4	7	5	4	-	-	-	-
ALL OTHER--MALE----	1	4	4	1	2	3	1	1	-	-	-	-
FEMALE--	4	2	2	2	3	2	-	-	-	-	-	-
BLACK---MALE----	1	4	4	1	2	3	1	1	-	-	-	-
FEMALE--	4	2	2	2	3	2	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	14	13	17	10	11	14	5	-	1	-	-
WHITE-----MALE----	10	8	9	8	3	1	6	2	-	-	-	-
FEMALE--	1	5	3	8	7	7	6	3	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	1	-	-	1	-	-
FEMALE--	4	-	-	1	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	15	16	12	12	6	11	9	4	1	-	-	-
WHITE-----MALE----	9	10	7	7	4	5	6	2	-	-	-	-
FEMALE--	6	5	3	5	2	2	3	1	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	89	80	55	55	66	58	60	46	12	1	1	2
WHITE-----MALE----	49	47	24	28	26	24	25	23	7	-	-	2
FEMALE--	21	22	24	18	33	24	24	18	3	-	1	-
ALL OTHER--MALE----	9	5	2	2	2	5	7	3	2	1	-	-
FEMALE--	10	6	5	7	5	5	4	2	-	-	-	-
BLACK---MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	2	1	2	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,756

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
COLORADO -----	207	1	4	4	5	26	21	19	21	13	22	16
WHITE-----MALE----	123	1	1	2	3	15	14	15	13	8	11	8
FEMALE--	70	-	2	2	2	7	4	3	7	5	10	6
ALL OTHER--MALE----	9	-	1	-	-	1	2	1	1	-	-	2
FEMALE--	5	-	-	-	-	3	1	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	1	2	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	134	1	-	2	-	10	15	14	18	12	6	10
WHITE-----MALE----	74	-	-	2	-	9	9	11	9	8	1	4
FEMALE--	49	-	-	-	-	1	4	2	7	4	3	5
ALL OTHER--MALE----	7	-	-	-	-	-	2	1	2	-	2	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	1	1	1	-	2	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	49	-	1	-	-	6	7	3	1	4	3	2
WHITE-----MALE----	20	-	-	-	-	4	2	1	1	2	2	1
FEMALE--	25	-	1	-	-	1	3	2	-	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
DISTRICT OF COLUMBIA ----	18	-	-	1	2	2	2	-	3	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	1	2	2	2	-	3	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	1	2	2	2	-	3	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,285	6	15	16	17	124	124	89	73	111	85	72
WHITE-----MALE----	660	2	4	5	8	65	68	50	40	68	49	41
FEMALE--	451	2	4	4	4	44	33	19	21	23	22	19
ALL OTHER--MALE----	106	-	3	2	2	8	16	13	9	11	9	7
FEMALE--	68	2	4	5	3	7	7	7	3	9	5	5
BLACK---MALE----	102	-	3	2	2	8	16	13	9	10	9	7
FEMALE--	66	2	4	5	3	6	7	6	3	9	5	5
GEORGIA -----	484	3	9	13	9	48	47	47	35	46	28	31
WHITE-----MALE----	203	-	1	3	1	22	24	20	17	15	10	15
FEMALE--	166	2	3	4	4	17	9	15	11	14	9	7
ALL OTHER--MALE----	68	-	1	4	3	7	6	10	4	13	4	5
FEMALE--	47	1	4	2	1	2	8	2	3	4	5	4
BLACK---MALE----	65	-	1	4	3	7	6	10	4	12	3	4
FEMALE--	47	1	4	2	1	2	8	2	3	4	5	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,756

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
COLORADO -----	15	3	5	7	9	7	8	-	1	-	-	-
WHITE-----MALE----	13	2	4	4	4	2	3	-	-	-	-	-
FEMALE--	2	1	1	2	5	5	5	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	3	1	8	5	9	8	3	3	1	-	-
WHITE-----MALE----	4	1	1	4	1	3	3	2	2	-	-	-
FEMALE--	1	2	-	2	4	6	5	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	1	2	2	3	5	4	2	1	2	-	-	-
WHITE-----MALE----	-	1	1	1	2	1	-	-	1	-	-	-
FEMALE--	1	1	1	2	3	3	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	2	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
FLORIDA -----	58	53	49	65	85	90	74	53	24	2	-	-
WHITE-----MALE----	31	27	25	29	29	36	37	33	12	1	-	-
FEMALE--	18	19	18	35	51	49	36	18	11	1	-	-
ALL OTHER--MALE----	5	7	3	-	4	3	1	2	1	-	-	-
FEMALE--	4	-	3	1	1	2	-	-	-	-	-	-
BLACK---MALE----	3	7	3	-	3	3	1	2	1	-	-	-
FEMALE--	4	-	3	1	1	2	-	-	-	-	-	-
GEORGIA -----	21	17	24	14	25	31	22	12	1	1	-	-
WHITE-----MALE----	11	7	14	6	9	14	9	4	-	1	-	-
FEMALE--	7	7	6	6	12	14	12	7	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	4	1	1	1	-	-	-	-
FEMALE--	2	2	3	1	-	2	-	-	1	-	-	-
BLACK---MALE----	1	1	1	1	4	1	1	1	-	-	-	-
FEMALE--	2	2	3	1	-	2	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,758

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
KENTUCKY -----	298	1	5	5	3	33	37	25	18	27	16	18
WHITE-----MALE----	171	1	2	1	-	21	23	16	12	13	10	9
FEMALE--	109	-	3	3	3	10	11	6	5	12	6	9
ALL OTHER--MALE----	10	-	-	-	-	1	1	3	1	2	-	-
FEMALE--	8	-	-	1	-	1	2	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	1	1	3	1	2	-	-
FEMALE--	6	-	-	1	-	1	1	-	-	-	-	-
LOUISIANA -----	218	1	4	3	6	20	24	14	17	15	19	26
WHITE-----MALE----	99	-	2	1	3	6	13	6	11	4	7	14
FEMALE--	64	-	1	2	2	8	2	5	3	3	7	5
ALL OTHER--MALE----	32	-	-	-	-	4	7	3	2	3	3	4
FEMALE--	23	1	1	-	1	2	2	-	1	5	2	3
BLACK---MALE----	31	-	-	-	-	4	7	2	2	3	3	4
FEMALE--	22	1	1	-	1	2	2	-	1	5	2	2
MAINE -----	76	-	-	-	1	9	10	3	2	3	9	4
WHITE-----MALE----	41	-	-	-	-	8	7	-	1	1	5	2
FEMALE--	34	-	-	-	1	1	2	3	1	2	4	2
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	216	1	4	5	3	27	22	22	14	24	14	14
WHITE-----MALE----	91	-	2	2	1	14	7	8	8	8	6	6
FEMALE--	51	-	2	1	1	2	5	2	-	7	3	5
ALL OTHER--MALE----	48	-	-	2	-	9	5	8	4	7	3	2
FEMALE--	26	1	-	-	1	2	5	4	2	2	2	1
BLACK---MALE----	42	-	-	2	-	7	4	8	3	6	2	2
FEMALE--	24	1	-	-	1	-	5	4	2	2	2	1
MASSACHUSETTS -----	97	-	-	-	1	9	10	7	7	6	6	10
WHITE-----MALE----	51	-	-	-	1	3	5	5	4	2	4	8
FEMALE--	42	-	-	-	-	5	3	2	3	4	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	566	2	5	6	16	58	49	57	38	38	35	41
WHITE-----MALE----	298	-	2	2	11	26	31	35	22	21	20	22
FEMALE--	189	1	-	3	3	26	9	11	9	13	9	11
ALL OTHER--MALE----	50	-	2	1	2	4	8	10	4	2	2	3
FEMALE--	29	1	1	-	-	2	1	1	3	2	4	5
BLACK---MALE----	45	-	2	1	2	4	8	10	3	2	2	1
FEMALE--	24	1	1	-	-	2	-	1	3	1	3	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,758

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
KENTUCKY -----	13	16	8	10	18	16	20	9	-	-	-	-
WHITE-----MALE----	8	12	2	6	12	6	12	5	-	-	-	-
FEMALE--	5	4	4	3	6	10	6	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
LOUISIANA -----	9	7	13	13	8	10	4	3	2	-	-	-
WHITE-----MALE----	4	2	5	10	2	6	2	1	-	-	-	-
FEMALE--	4	3	6	3	3	3	1	2	1	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	1	-	-	1	-	-	-
FEMALE--	-	1	1	-	2	-	1	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	-	-	1	-	-	-
FEMALE--	-	1	1	-	2	-	1	-	-	-	-	-
MAINE -----	4	-	3	2	11	7	4	3	1	-	-	-
WHITE-----MALE----	2	-	2	2	2	5	3	-	1	-	-	-
FEMALE--	2	-	1	-	9	2	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	11	5	6	11	13	10	3	-	-	-	-
WHITE-----MALE----	4	5	1	2	7	2	6	2	-	-	-	-
FEMALE--	-	4	1	4	4	6	3	1	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	3	1	-	-	-	-	-
FEMALE--	1	1	2	-	-	2	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	3	1	-	-	-	-	-
FEMALE--	1	1	2	-	-	2	-	-	-	-	-	-
MASSACHUSETTS -----	5	4	4	4	6	7	3	5	3	-	-	-
WHITE-----MALE----	4	1	1	2	2	5	2	1	1	-	-	-
FEMALE--	1	3	2	2	4	2	1	4	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	38	28	18	27	27	28	30	19	5	-	-	1
WHITE-----MALE----	13	16	9	14	15	14	13	8	3	-	-	1
FEMALE--	19	11	6	11	10	12	14	9	2	-	-	-
ALL OTHER--MALE----	2	1	2	1	2	2	1	1	-	-	-	-
FEMALE--	4	-	1	1	-	-	2	1	-	-	-	-
BLACK---MALE----	1	1	2	1	2	2	-	1	-	-	-	-
FEMALE--	4	-	-	1	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,761

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
OHIO -----	441	5	3	5	9	54	43	32	38	33	23	34
WHITE-----MALE----	258	3	1	-	5	36	31	20	25	19	15	18
FEMALE--	148	-	1	3	4	16	9	6	9	13	8	12
ALL OTHER--MALE----	24	2	-	2	-	1	2	6	3	-	-	3
FEMALE--	11	-	1	-	-	1	1	-	1	1	-	1
BLACK---MALE----	23	2	-	2	-	1	2	5	3	-	-	3
FEMALE--	11	-	1	-	-	1	1	-	1	1	-	1
OKLAHOMA -----	251	2	2	9	6	24	21	16	20	17	16	19
WHITE-----MALE----	124	-	1	2	2	14	14	8	8	8	10	13
FEMALE--	90	2	1	4	3	6	4	6	8	4	6	3
ALL OTHER--MALE----	23	-	-	1	1	3	2	2	3	3	-	2
FEMALE--	14	-	-	2	-	1	1	-	1	2	-	1
BLACK---MALE----	9	-	-	-	-	2	1	1	1	2	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
OREGON -----	232	1	4	4	3	31	29	12	10	24	15	18
WHITE-----MALE----	126	1	2	1	1	19	20	8	7	12	7	10
FEMALE--	98	-	2	2	2	11	7	4	3	12	7	7
ALL OTHER--MALE----	5	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	3	-	-	1	-	-	1	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	551	1	2	10	8	55	48	37	32	46	35	29
WHITE-----MALE----	304	1	2	7	3	35	25	21	23	28	18	16
FEMALE--	195	-	-	1	4	14	16	8	7	14	13	7
ALL OTHER--MALE----	28	-	-	-	1	4	3	4	1	1	4	4
FEMALE--	24	-	-	2	-	2	4	4	1	3	-	2
BLACK---MALE----	27	-	-	-	1	4	3	4	1	1	4	4
FEMALE--	19	-	-	1	-	1	3	3	1	3	-	2
RHODE ISLAND -----	26	-	1	-	-	-	4	2	-	1	-	2
WHITE-----MALE----	12	-	-	-	-	-	2	-	-	-	-	2
FEMALE--	11	-	-	-	-	-	1	2	-	1	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	388	1	5	4	7	42	35	32	33	27	23	32
WHITE-----MALE----	162	-	2	2	2	23	8	15	17	10	10	9
FEMALE--	113	-	-	1	3	11	9	6	7	7	5	12
ALL OTHER--MALE----	63	1	3	1	2	5	10	7	5	5	4	5
FEMALE--	50	-	-	-	-	3	8	4	4	5	4	6
BLACK---MALE----	62	1	3	1	2	4	10	7	5	5	4	5
FEMALE--	49	-	-	-	-	3	8	4	4	5	3	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,761

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
OHIO -----	28	20	15	19	19	29	18	12	2	-	-	-
WHITE-----MALE----	19	10	6	7	7	19	10	6	1	-	-	-
FEMALE--	7	9	8	10	10	10	7	5	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	1	-	1	1	2	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	1	-	1	1	2	-	-	-	-	-	-	-
OKLAHOMA -----	12	17	13	9	13	17	11	6	1	-	-	-
WHITE-----MALE----	6	5	5	4	4	12	7	1	-	-	-	-
FEMALE--	5	7	6	4	8	3	4	5	1	-	-	-
ALL OTHER--MALE----	1	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	4	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
OREGON -----	10	6	6	14	13	16	3	8	5	-	-	-
WHITE-----MALE----	7	2	4	9	5	6	2	3	-	-	-	-
FEMALE--	2	4	1	5	8	10	1	5	5	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	34	28	25	25	24	36	37	31	7	1	-	-
WHITE-----MALE----	19	16	11	10	14	23	12	15	4	1	-	-
FEMALE--	13	10	12	12	8	12	25	16	3	-	-	-
ALL OTHER--MALE----	1	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	-	-	-	-	-	-
RHODE ISLAND -----	2	3	2	3	-	3	1	1	1	-	-	-
WHITE-----MALE----	1	1	1	1	-	3	-	-	1	-	-	-
FEMALE--	-	2	1	2	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	25	17	17	17	24	18	17	7	3	1	1	-
WHITE-----MALE----	7	9	7	7	13	9	5	4	2	-	1	-
FEMALE--	7	4	8	7	7	4	10	3	1	1	-	-
ALL OTHER--MALE----	6	1	1	3	-	2	-	-	-	-	-	-
FEMALE--	5	3	1	-	4	3	-	-	-	-	-	-
BLACK---MALE----	6	1	1	3	-	2	2	-	-	-	-	-
FEMALE--	5	3	1	-	4	3	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,762

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
SOUTH DAKOTA -----	69	1	-	1	2	9	6	5	3	4	3	5
WHITE-----MALE----	37	-	-	1	2	6	4	1	1	2	1	2
FEMALE--	23	-	-	-	-	3	2	3	1	2	1	2
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	491	-	5	9	5	51	45	52	38	44	39	28
WHITE-----MALE----	261	-	1	3	4	26	20	29	22	28	16	16
FEMALE--	178	-	2	4	1	21	20	18	10	10	12	9
ALL OTHER--MALE----	38	-	1	2	-	4	3	4	5	5	6	2
FEMALE--	14	-	1	-	-	-	2	1	1	1	5	1
BLACK---MALE----	37	-	1	2	-	4	3	4	5	5	5	2
FEMALE--	13	-	1	-	-	-	2	1	-	1	5	1
TEXAS -----	1,575	12	25	32	43	181	158	119	103	121	124	104
WHITE-----MALE----	820	5	13	12	17	99	104	62	50	60	62	55
FEMALE--	554	2	7	15	16	64	37	43	39	44	47	34
ALL OTHER--MALE----	126	3	4	2	5	12	16	7	11	9	9	9
FEMALE--	75	2	1	3	5	6	1	7	3	8	6	6
BLACK---MALE----	113	3	4	2	4	11	14	5	11	9	7	8
FEMALE--	61	2	1	3	3	6	1	6	2	6	2	4
UTAH -----	138	3	3	3	4	20	21	10	2	7	5	9
WHITE-----MALE----	63	1	2	1	2	7	12	4	1	5	2	5
FEMALE--	66	2	-	1	1	12	9	4	1	2	2	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	2	-	-	1	-
FEMALE--	6	-	1	1	1	1	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-
VERMONT -----	24	-	-	-	1	3	2	2	3	3	2	3
WHITE-----MALE----	19	-	-	-	1	3	2	2	1	2	2	3
FEMALE--	5	-	-	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	301	3	5	5	10	30	21	18	22	26	21	17
WHITE-----MALE----	132	3	1	3	3	12	9	7	7	12	11	7
FEMALE--	95	-	2	2	4	15	5	7	8	5	2	4
ALL OTHER--MALE----	44	-	1	-	2	3	4	3	4	6	4	4
FEMALE--	30	-	1	-	1	-	3	1	3	3	4	2
BLACK---MALE----	42	-	-	-	2	3	4	2	4	6	4	4
FEMALE--	27	-	1	-	1	-	3	1	1	3	4	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,762

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
SOUTH DAKOTA -----	4	4	3	5	3	2	4	1	4	-	-	-
WHITE-----MALE----	2	1	2	2	2	1	4	1	2	-	-	-
FEMALE--	-	2	1	3	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	23	23	22	27	24	22	14	3	-	-	-
WHITE-----MALE----	7	14	13	13	15	11	14	8	1	-	-	-
FEMALE--	8	8	10	8	9	13	7	6	2	-	-	-
ALL OTHER--MALE----	2	1	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	2	1	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
TEXAS -----	92	72	58	74	68	76	57	39	12	3	-	2
WHITE-----MALE----	46	42	32	36	37	36	25	18	6	1	-	2
FEMALE--	33	21	17	31	23	32	24	19	5	1	-	-
ALL OTHER--MALE----	11	4	7	3	2	4	7	-	-	1	-	-
FEMALE--	2	5	2	4	6	4	1	2	1	-	-	-
BLACK---MALE----	10	3	6	2	2	4	7	-	2	1	-	-
FEMALE--	2	4	2	4	5	4	1	2	1	-	-	-
UTAH -----	4	7	4	7	7	11	6	4	1	-	-	-
WHITE-----MALE----	2	5	-	5	3	3	-	3	-	-	-	-
FEMALE--	2	2	4	2	4	8	5	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	1	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	16	12	10	19	12	20	21	9	3	1	-	-
WHITE-----MALE----	4	5	6	9	8	9	7	6	2	1	-	-
FEMALE--	8	2	4	6	3	5	10	2	1	-	-	-
ALL OTHER--MALE----	3	3	-	1	-	2	4	-	-	-	-	-
FEMALE--	1	2	-	3	1	4	-	1	-	-	-	-
BLACK---MALE----	3	3	-	1	-	2	4	-	-	-	-	-
FEMALE--	-	2	-	3	1	4	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,764

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
UNITED STATES --	5,354	5	186	207	175	285	315	316	375	505	483	414
WHITE-----MALE----	2,697	3	74	73	74	148	201	171	199	235	239	227
FEMALE--	1,305	2	48	46	52	75	57	53	73	114	97	79
ALL OTHER--MALE----	952	-	36	56	37	43	42	70	74	112	101	76
FEMALE--	400	-	28	32	12	19	15	22	29	44	46	32
BLACK---MALE----	783	-	33	52	33	34	28	54	57	101	82	66
FEMALE--	303	-	24	30	9	16	13	15	25	35	40	26
ALABAMA -----	68	-	3	3	7	5	3	5	1	8	3	5
WHITE-----MALE----	23	-	-	1	3	2	2	1	1	2	2	2
FEMALE--	19	-	-	-	2	3	-	-	-	5	-	1
ALL OTHER--MALE----	20	-	3	-	1	-	-	3	-	1	1	2
FEMALE--	6	-	-	2	1	-	1	1	-	-	-	-
BLACK---MALE----	20	-	3	-	1	-	-	3	-	1	1	2
FEMALE--	6	-	-	2	1	-	1	1	-	-	-	-
ALASKA -----	7	-	1	1	1	-	-	-	-	1	2	-
WHITE-----MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	159	-	11	4	-	7	8	14	16	18	22	12
WHITE-----MALE----	76	-	6	1	-	1	4	6	5	9	11	7
FEMALE--	33	-	2	3	-	3	1	2	2	3	3	1
ALL OTHER--MALE----	39	-	2	-	-	3	2	5	7	3	8	3
FEMALE--	11	-	1	-	-	-	1	1	2	3	-	1
BLACK---MALE----	6	-	-	-	-	1	-	1	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	51	-	2	2	4	1	7	-	6	3	7	3
WHITE-----MALE----	29	-	1	1	-	-	5	-	5	1	4	1
FEMALE--	10	-	-	-	3	1	-	-	1	1	1	1
ALL OTHER--MALE----	9	-	1	1	1	-	1	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	9	-	1	1	1	-	1	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
CALIFORNIA -----	611	-	16	23	10	36	36	31	42	41	54	45
WHITE-----MALE----	336	-	5	9	5	17	25	26	29	22	30	22
FEMALE--	163	-	9	6	2	10	9	4	7	10	15	8
ALL OTHER--MALE----	75	-	-	8	2	8	1	1	5	6	7	11
FEMALE--	37	-	2	-	1	1	1	-	1	3	2	4
BLACK---MALE----	49	-	-	7	2	6	-	1	2	5	4	8
FEMALE--	13	-	-	-	-	1	1	-	1	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,764

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
UNITED STATES --	312	292	256	215	255	308	252	127	46	9	-	16
WHITE-----MALE----	176	147	136	101	122	144	123	60	29	5	-	10
FEMALE--	56	67	60	62	82	111	102	52	14	-	-	3
ALL OTHER--MALE----	63	66	42	34	32	30	19	9	3	4	-	3
FEMALE--	17	12	18	18	19	23	8	6	-	-	-	-
BLACK---MALE----	55	50	37	28	25	23	11	8	2	1	-	3
FEMALE--	11	6	10	11	14	10	3	5	-	-	-	-
ALABAMA -----	2	3	5	3	1	5	2	3	1	-	-	-
WHITE-----MALE----	-	1	1	-	1	1	-	2	1	-	-	-
FEMALE--	1	-	3	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	2	1	2	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	2	1	2	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	8	5	4	10	3	6	1	-	-	-	4
WHITE-----MALE----	3	4	3	4	5	-	4	-	-	-	-	3
FEMALE--	1	1	1	-	4	3	1	1	-	-	-	1
ALL OTHER--MALE----	2	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	2	3	1	3	-	4	1	-	-	-
WHITE-----MALE----	1	-	2	1	1	3	-	2	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	36	46	31	28	36	43	33	13	6	3	-	2
WHITE-----MALE----	24	19	16	15	21	19	19	8	2	1	-	2
FEMALE--	9	20	10	9	9	13	6	4	3	-	-	-
ALL OTHER--MALE----	1	6	4	2	3	3	4	-	1	2	-	-
FEMALE--	2	1	1	2	3	8	4	1	-	-	-	-
BLACK---MALE----	1	5	2	1	2	1	2	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,765

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
COLORADO -----	71	-	1	4	2	1	6	6	8	12	3	8
WHITE-----MALE----	43	-	1	3	2	-	3	3	6	8	2	6
FEMALE--	22	-	-	1	-	1	2	2	1	3	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	46	-	-	3	-	3	-	3	1	2	4	5
WHITE-----MALE----	18	-	-	1	-	2	-	2	-	-	1	4
FEMALE--	18	-	-	-	-	-	-	1	1	2	3	1
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	2	-	-	-	-	-	-	-	-
DELAWARE -----	12	-	-	1	-	-	-	-	2	4	3	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	4	-	-	1	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	19	-	-	1	-	-	-	-	3	2	6	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	2	-	3	-
FEMALE--	9	-	-	1	-	-	-	-	1	1	3	-
BLACK---MALE----	5	-	-	-	-	-	-	-	2	-	3	-
FEMALE--	9	-	-	1	-	-	-	-	1	1	3	-
FLORIDA -----	514	1	17	11	17	15	29	31	41	56	42	56
WHITE-----MALE----	288	-	-	4	10	8	23	22	24	26	21	36
FEMALE--	127	1	8	3	2	4	5	4	7	11	14	15
ALL OTHER--MALE----	68	-	2	3	4	2	1	3	8	13	5	3
FEMALE--	31	-	7	1	1	1	-	2	2	6	2	2
BLACK---MALE----	67	-	2	3	4	2	1	3	8	13	5	3
FEMALE--	31	-	7	1	1	1	-	2	2	6	2	2
GEORGIA -----	204	-	9	6	6	11	10	13	17	29	24	22
WHITE-----MALE----	80	-	2	1	1	7	3	7	7	10	11	13
FEMALE--	29	-	-	-	2	1	1	4	1	3	4	3
ALL OTHER--MALE----	67	-	5	3	1	1	5	1	7	10	6	2
FEMALE--	28	-	2	2	2	2	1	1	2	6	3	4
BLACK---MALE----	65	-	5	3	1	1	5	1	7	10	6	2
FEMALE--	26	-	1	2	2	2	1	1	2	6	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,765

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
COLORADO -----	3	6	1	3	-	3	3	1	-	-	-	-
WHITE-----MALE----	1	1	-	2	-	2	2	1	-	-	-	-
FEMALE--	1	5	1	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	4	1	1	3	6	4	3	-	-	-	-
WHITE-----MALE----	-	-	1	-	2	3	2	-	-	-	-	-
FEMALE--	1	3	-	1	-	1	1	3	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	1	2	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
FLORIDA -----	37	25	23	18	23	19	24	15	8	1	-	5
WHITE-----MALE----	20	18	13	12	14	10	8	9	7	-	-	3
FEMALE--	7	3	5	5	5	7	16	4	1	-	-	-
ALL OTHER--MALE----	9	4	3	-	2	2	-	1	-	1	-	2
FEMALE--	1	-	2	1	2	-	-	1	-	-	-	-
BLACK---MALE----	9	4	3	-	2	2	-	1	-	-	-	2
FEMALE--	1	-	2	1	2	-	-	1	-	-	-	-
GEORGIA -----	13	9	9	9	2	6	6	2	-	-	-	1
WHITE-----MALE----	5	1	4	3	1	3	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	2	2	1	-	-	-	1
ALL OTHER--MALE----	7	6	4	5	-	1	2	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	7	4	4	5	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,766

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
HAWAII -----	18	-	-	1	2	1	-	-	-	-	-	3
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	1	1	1	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	12	-	-	1	-	2	-	-	-	1	-	1
WHITE-----MALE----	9	-	-	1	-	2	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	227	-	13	11	5	14	17	19	12	19	17	15
WHITE-----MALE----	106	-	7	6	4	6	9	7	7	7	8	7
FEMALE--	45	-	1	-	1	3	5	2	-	4	-	4
ALL OTHER--MALE----	44	-	3	4	-	4	1	8	1	6	5	2
FEMALE--	32	-	2	1	-	1	2	2	4	2	4	2
BLACK---MALE----	41	-	3	4	-	4	-	8	1	6	5	2
FEMALE--	27	-	2	1	-	-	2	1	4	2	4	2
INDIANA -----	78	-	6	1	4	6	1	3	7	9	12	5
WHITE-----MALE----	47	-	2	-	2	4	1	2	4	6	7	4
FEMALE--	18	-	1	1	1	-	-	1	3	1	3	1
ALL OTHER--MALE----	8	-	1	-	1	1	-	-	-	2	1	-
FEMALE--	5	-	2	-	-	1	-	-	-	-	1	-
BLACK---MALE----	8	-	1	-	1	1	-	-	-	2	1	-
FEMALE--	3	-	2	-	-	1	-	-	-	-	-	-
IOWA -----	21	-	1	4	-	1	-	-	1	1	3	3
WHITE-----MALE----	12	-	1	1	-	-	-	-	1	1	3	1
FEMALE--	7	-	-	3	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1
KANSAS -----	34	-	3	2	2	1	5	3	1	3	5	3
WHITE-----MALE----	22	-	3	2	-	-	4	2	1	1	4	1
FEMALE--	8	-	-	-	1	1	-	-	-	2	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,767

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
KENTUCKY -----	63	-	7	1	3	5	2	6	6	5	4	3
WHITE-----MALE----	39	-	2	-	1	3	2	5	3	3	3	-
FEMALE--	13	-	2	1	1	1	-	-	2	1	-	2
ALL OTHER--MALE----	6	-	1	-	1	1	-	1	1	-	-	1
FEMALE--	5	-	2	-	-	-	-	-	-	1	1	-
BLACK---MALE----	5	-	1	-	1	1	-	-	1	-	-	1
FEMALE--	5	-	2	-	-	-	-	-	-	1	1	-
LOUISIANA -----	111	-	6	3	1	4	2	9	6	16	12	8
WHITE-----MALE----	38	-	2	-	-	2	1	4	2	2	5	3
FEMALE--	18	-	2	1	1	1	-	1	1	5	1	-
ALL OTHER--MALE----	49	-	1	1	-	1	1	4	3	8	5	5
FEMALE--	6	-	1	1	-	-	-	-	-	1	1	-
BLACK---MALE----	49	-	1	1	-	1	1	4	3	8	5	5
FEMALE--	6	-	1	1	-	-	-	-	-	1	1	-
MAINE -----	13	-	-	-	1	-	-	1	1	-	1	1
WHITE-----MALE----	8	-	-	-	1	-	-	1	1	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	110	-	3	4	4	3	4	5	7	17	12	6
WHITE-----MALE----	39	-	-	1	2	1	1	2	1	7	6	1
FEMALE--	21	-	1	-	1	1	1	-	1	1	4	1
ALL OTHER--MALE----	36	-	1	3	1	1	1	2	2	8	2	4
FEMALE--	14	-	1	-	-	-	1	1	3	1	-	-
BLACK---MALE----	35	-	1	3	1	1	1	2	2	8	2	4
FEMALE--	13	-	1	-	-	-	1	1	3	1	-	-
MASSACHUSETTS -----	98	1	1	3	-	3	5	3	6	5	7	11
WHITE-----MALE----	59	1	-	3	-	2	3	-	6	3	4	9
FEMALE--	31	-	-	-	-	1	1	2	-	1	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	-	1	1	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	1	-	1	1	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	166	-	7	12	9	12	4	9	7	18	14	12
WHITE-----MALE----	73	-	3	4	2	7	3	4	3	7	6	8
FEMALE--	37	-	-	1	2	2	1	3	1	2	1	1
ALL OTHER--MALE----	36	-	3	5	3	1	-	-	3	4	4	3
FEMALE--	20	-	1	2	2	2	-	2	-	5	3	-
BLACK---MALE----	36	-	3	5	3	1	-	-	3	4	4	3
FEMALE--	18	-	1	2	1	2	-	2	-	5	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,768

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
MINNESOTA -----	60	1	1	4	2	2	8	2	4	4	2	9
WHITE-----MALE----	34	1	1	2	2	1	4	1	1	3	2	6
FEMALE--	19	-	-	1	-	-	2	1	2	1	-	2
ALL OTHER--MALE----	6	-	-	1	-	1	2	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	71	-	4	4	4	4	4	7	3	6	7	7
WHITE-----MALE----	22	-	1	-	2	1	1	2	1	1	1	3
FEMALE--	11	-	-	1	-	-	1	-	1	2	1	2
ALL OTHER--MALE----	24	-	2	2	2	2	1	5	1	2	-	1
FEMALE--	14	-	1	1	-	1	1	-	-	1	5	1
BLACK---MALE----	23	-	2	2	2	2	1	5	1	1	-	1
FEMALE--	14	-	1	1	-	1	1	-	-	1	5	1
MISSOURI -----	100	-	4	4	5	7	6	9	14	8	4	6
WHITE-----MALE----	49	-	2	2	2	5	3	4	6	2	3	3
FEMALE--	28	-	1	1	2	1	2	2	5	2	1	-
ALL OTHER--MALE----	15	-	1	1	-	1	1	2	2	2	-	2
FEMALE--	8	-	-	-	1	-	-	1	1	2	-	1
BLACK---MALE----	14	-	1	1	-	1	-	2	2	2	-	2
FEMALE--	7	-	-	-	1	-	-	-	1	2	-	1
MONTANA -----	13	-	-	-	-	1	-	1	1	1	-	2
WHITE-----MALE----	9	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	23	-	1	1	-	1	-	2	-	1	5	2
WHITE-----MALE----	11	-	1	1	-	1	-	2	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	4	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
NEVADA -----	40	-	-	-	-	1	4	-	2	3	5	3
WHITE-----MALE----	26	-	-	-	-	1	3	-	1	2	2	2
FEMALE--	8	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,770

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
OHIO -----	149	-	3	13	5	11	11	11	10	8	10	4
WHITE-----MALE----	74	-	1	4	3	4	5	7	7	6	6	2
FEMALE--	46	-	2	2	2	6	3	1	-	2	4	-
ALL OTHER--MALE----	21	-	-	5	-	1	3	2	2	-	-	-
FEMALE--	8	-	-	2	-	-	-	1	1	-	-	2
BLACK---MALE----	21	-	-	5	-	1	3	2	2	-	-	-
FEMALE--	7	-	-	2	-	-	-	1	1	-	-	2
OKLAHOMA -----	45	1	-	1	4	1	1	5	3	7	4	3
WHITE-----MALE----	24	1	-	1	2	1	-	-	2	2	2	2
FEMALE--	11	-	-	-	-	-	-	1	-	4	1	1
ALL OTHER--MALE----	8	-	-	-	2	-	1	3	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	3	-	-	-	1	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	62	-	1	1	2	3	10	5	2	11	9	4
WHITE-----MALE----	39	-	1	-	1	1	6	3	2	6	4	4
FEMALE--	13	-	-	-	1	2	2	1	-	4	2	-
ALL OTHER--MALE----	7	-	-	-	-	-	1	1	-	1	2	-
FEMALE--	3	-	-	1	-	-	1	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	203	-	5	6	12	11	9	9	11	14	11	12
WHITE-----MALE----	116	-	5	3	6	8	5	4	7	9	4	7
FEMALE--	57	-	-	2	4	1	3	1	3	2	4	3
ALL OTHER--MALE----	22	-	-	-	2	1	-	4	-	3	2	2
FEMALE--	8	-	-	1	-	1	1	-	1	-	1	-
BLACK---MALE----	20	-	-	-	2	1	-	4	-	3	2	2
FEMALE--	7	-	-	1	-	-	1	-	1	-	1	-
RHODE ISLAND -----	14	-	-	-	1	2	1	-	-	1	1	1
WHITE-----MALE----	9	-	-	-	-	2	1	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	121	-	2	12	3	5	6	7	10	17	23	8
WHITE-----MALE----	40	-	1	1	2	3	3	1	3	5	8	4
FEMALE--	22	-	-	3	-	-	1	3	2	4	2	1
ALL OTHER--MALE----	42	-	-	5	1	-	2	2	4	7	9	1
FEMALE--	17	-	1	3	-	2	-	1	1	1	4	2
BLACK---MALE----	39	-	-	5	1	-	2	1	4	6	9	1
FEMALE--	17	-	1	3	-	2	-	1	1	1	4	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,770

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
OHIO -----	7	7	11	8	8	12	3	4	2	1	-	-
WHITE-----MALE----	3	5	6	3	1	5	1	2	2	1	-	-
FEMALE--	2	-	3	3	5	7	2	2	-	-	-	-
ALL OTHER--MALE----	2	2	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	2	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	1	1	1	2	2	4	3	-	-	-	-	1
WHITE-----MALE----	1	1	1	1	-	3	3	-	-	-	-	1
FEMALE--	-	-	-	1	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	2	1	1	5	1	3	-	-	-	-	-
WHITE-----MALE----	1	1	1	1	3	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	7	9	7	15	22	20	6	4	1	-	-
WHITE-----MALE----	8	5	6	5	4	12	11	4	2	1	-	-
FEMALE--	2	1	2	-	8	9	9	1	2	-	-	-
ALL OTHER--MALE----	2	1	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	1	-	2	2	-	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	6	2	2	2	3	3	3	-	-	-	-
WHITE-----MALE----	2	3	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	2	-	-	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	5	1	1	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	5	1	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,771

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
SOUTH DAKOTA -----	9	-	-	-	1	-	2	1	1	1	-	-
WHITE-----MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	2	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	66	-	2	4	3	2	4	4	2	6	4	8
WHITE-----MALE----	29	-	2	1	-	2	2	4	2	2	-	3
FEMALE--	17	-	-	2	2	-	1	-	-	-	1	3
ALL OTHER--MALE----	17	-	-	-	1	-	1	-	-	3	2	2
FEMALE--	3	-	-	1	-	-	-	-	-	1	1	-
BLACK---MALE----	16	-	-	-	1	-	1	-	-	3	2	2
FEMALE--	3	-	-	1	-	-	-	-	-	1	1	-
TEXAS -----	476	1	23	13	21	28	39	34	35	54	40	29
WHITE-----MALE----	267	-	11	6	8	15	29	20	19	25	25	14
FEMALE--	117	1	7	2	7	9	6	7	11	16	7	4
ALL OTHER--MALE----	74	-	5	2	6	2	2	6	5	10	7	7
FEMALE--	18	-	-	3	-	2	2	1	-	3	1	4
BLACK---MALE----	69	-	5	2	6	2	2	6	4	9	6	7
FEMALE--	17	-	-	3	-	2	2	1	-	2	1	4
UTAH -----	48	-	4	3	2	3	3	2	1	6	4	1
WHITE-----MALE----	32	-	2	2	-	2	3	2	-	5	3	1
FEMALE--	13	-	2	1	2	1	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	-	-	-	1	-	-	-	-	2	1	1
WHITE-----MALE----	6	-	-	-	1	-	-	-	-	2	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	94	-	5	5	5	3	5	4	6	13	10	1
WHITE-----MALE----	40	-	2	2	3	2	3	2	3	5	5	-
FEMALE--	22	-	2	1	-	-	1	1	1	5	1	-
ALL OTHER--MALE----	23	-	1	-	1	1	1	1	1	3	4	1
FEMALE--	9	-	-	2	1	-	-	-	1	-	-	-
BLACK---MALE----	21	-	1	-	1	1	1	1	1	3	4	1
FEMALE--	7	-	-	2	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,773

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
UNITED STATES --	6,152	18	47	108	190	916	921	650	560	525	464	377
WHITE-----MALE----	3,802	5	16	52	112	548	638	400	337	349	292	240
FEMALE--	1,278	5	16	28	33	215	133	103	115	101	94	64
ALL OTHER--MALE----	837	4	8	24	39	119	122	120	87	53	58	57
FEMALE--	235	4	7	4	6	34	28	27	21	22	20	16
BLACK---MALE----	686	3	8	23	29	97	95	101	73	42	48	44
FEMALE--	177	4	6	3	4	27	20	22	11	18	18	11
ALABAMA -----	123	1	2	3	4	15	22	10	9	10	10	5
WHITE-----MALE----	65	-	1	1	3	6	13	5	3	9	6	4
FEMALE--	29	-	1	-	1	5	4	2	3	-	1	-
ALL OTHER--MALE----	23	1	-	1	-	3	2	3	3	1	2	1
FEMALE--	6	-	-	1	-	1	3	-	-	-	1	-
BLACK---MALE----	23	1	-	1	-	3	2	3	3	1	2	1
FEMALE--	6	-	-	1	-	1	3	-	-	-	1	-
ALASKA -----	8	-	1	-	1	-	2	-	-	-	1	2
WHITE-----MALE----	4	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	57	-	1	2	1	10	4	4	3	8	5	6
WHITE-----MALE----	39	-	1	1	1	8	1	2	2	6	3	3
FEMALE--	8	-	-	-	-	1	1	1	-	1	1	1
ALL OTHER--MALE----	9	-	-	-	-	1	2	1	1	1	1	2
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	1	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	66	-	1	1	3	7	8	8	5	4	4	7
WHITE-----MALE----	40	-	-	1	2	4	6	3	3	1	3	6
FEMALE--	10	-	-	-	-	1	1	-	1	2	-	1
ALL OTHER--MALE----	14	-	1	-	1	2	1	4	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	14	-	1	-	1	2	1	4	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
CALIFORNIA -----	631	2	6	6	18	92	102	68	48	51	42	40
WHITE-----MALE----	397	1	2	4	10	51	71	40	33	35	23	29
FEMALE--	126	-	2	2	4	19	9	11	11	8	12	8
ALL OTHER--MALE----	78	-	1	-	4	15	16	13	2	6	5	2
FEMALE--	30	1	1	-	-	7	6	4	2	2	2	1
BLACK---MALE----	36	-	1	-	1	7	7	9	1	2	2	-
FEMALE--	15	1	1	-	-	4	4	2	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,774

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
COLORADO -----	37	-	-	-	1	2	7	7	4	4	3	1
WHITE-----MALE----	26	-	-	-	1	2	5	6	2	3	3	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	2	1	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	86	-	-	-	-	13	15	9	15	8	6	3
WHITE-----MALE----	50	-	-	-	-	8	10	6	8	3	4	2
FEMALE--	18	-	-	-	-	4	1	1	2	3	1	-
ALL OTHER--MALE----	16	-	-	-	-	1	4	2	5	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	11	-	-	-	-	1	2	1	4	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	25	-	-	1	-	6	2	4	4	2	2	-
WHITE-----MALE----	14	-	-	-	-	3	1	3	3	-	2	-
FEMALE--	7	-	-	-	-	2	-	1	1	2	-	-
ALL OTHER--MALE----	3	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	-	1	1	-	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
FLORIDA -----	425	-	3	9	9	53	59	41	45	38	35	16
WHITE-----MALE----	269	-	-	4	4	35	39	27	26	23	28	11
FEMALE--	86	-	1	1	3	8	10	4	12	10	5	2
ALL OTHER--MALE----	58	-	1	4	1	7	9	10	6	4	2	3
FEMALE--	12	-	1	-	1	3	1	-	1	1	-	-
BLACK---MALE----	55	-	1	4	1	5	8	10	6	4	2	3
FEMALE--	11	-	1	-	1	3	1	-	-	1	-	-
GEORGIA -----	118	-	-	5	11	20	10	14	11	14	10	4
WHITE-----MALE----	57	-	-	1	4	10	4	11	3	8	5	2
FEMALE--	18	-	-	2	2	2	2	-	-	3	2	1
ALL OTHER--MALE----	40	-	-	2	5	8	3	3	7	3	3	1
FEMALE--	3	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	39	-	-	2	5	8	3	3	7	2	3	1
FEMALE--	3	-	-	-	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,775
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
HAWAII -----	25	-	-	-	-	5	8	4	3	-	1	-
WHITE-----MALE----	6	-	-	-	-	-	2	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	4	5	3	2	-	-	-
FEMALE--	4	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	22	-	-	1	-	4	2	2	2	3	-	1
WHITE-----MALE----	13	-	-	1	-	1	2	2	2	1	-	-
FEMALE--	9	-	-	-	-	3	-	-	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	225	-	-	4	8	32	51	24	22	19	16	11
WHITE-----MALE----	135	-	-	2	7	18	35	14	14	12	13	6
FEMALE--	36	-	-	1	-	8	5	1	3	4	2	2
ALL OTHER--MALE----	36	-	-	1	1	5	7	8	4	1	-	2
FEMALE--	18	-	-	-	-	1	4	1	1	2	1	1
BLACK---MALE----	33	-	-	1	1	5	7	7	3	1	-	2
FEMALE--	16	-	-	-	-	1	2	1	1	2	1	1
INDIANA -----	111	-	2	5	4	15	16	6	11	12	13	7
WHITE-----MALE----	75	-	-	3	1	7	11	5	10	9	8	5
FEMALE--	25	-	2	2	1	6	2	-	3	3	3	2
ALL OTHER--MALE----	8	-	-	-	2	1	1	1	1	-	2	-
FEMALE--	3	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	6	-	-	-	2	1	1	1	-	-	1	-
FEMALE--	3	-	-	-	-	1	2	-	-	-	-	-
IOWA -----	61	-	-	-	2	12	6	2	7	8	4	-
WHITE-----MALE----	42	-	-	-	1	7	5	1	5	6	4	-
FEMALE--	17	-	-	-	-	5	1	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	118	1	3	5	2	11	19	18	13	11	10	8
WHITE-----MALE----	74	-	-	2	2	7	17	9	5	8	6	7
FEMALE--	34	1	3	1	-	4	2	6	6	1	4	1
ALL OTHER--MALE----	8	-	-	2	-	-	-	2	2	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	6	-	-	2	-	-	-	1	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,776

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
KENTUCKY -----	148	-	2	4	2	30	19	16	15	5	9	10
WHITE-----MALE----	103	-	2	3	2	18	14	13	9	4	6	8
FEMALE--	37	-	-	1	-	11	5	3	5	1	-	2
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	1	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	1	-	-	1	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	53	-	3	1	2	6	9	8	2	4	6	4
WHITE-----MALE----	31	-	-	1	1	3	5	4	2	3	5	2
FEMALE--	6	-	1	-	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	15	-	2	-	1	2	2	2	-	1	1	2
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	14	-	2	-	1	1	2	2	-	1	1	2
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
MAINE -----	43	-	-	2	1	7	9	3	2	2	5	2
WHITE-----MALE----	28	-	-	1	1	4	8	3	1	2	2	1
FEMALE--	14	-	-	1	-	3	1	-	1	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	81	-	-	1	3	15	10	8	11	7	6	4
WHITE-----MALE----	41	-	-	-	-	8	6	5	6	3	4	3
FEMALE--	10	-	-	-	1	-	-	1	-	2	1	-
ALL OTHER--MALE----	28	-	-	1	2	7	4	2	5	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	26	-	-	1	2	7	4	1	4	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
MASSACHUSETTS -----	116	-	-	1	2	29	12	15	11	10	6	4
WHITE-----MALE----	81	-	-	1	2	22	8	10	8	7	1	3
FEMALE--	29	-	-	-	-	5	3	4	3	1	5	1
ALL OTHER--MALE----	3	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	2	-	-
BLACK---MALE----	3	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	2	-	-
MICHIGAN -----	172	1	1	2	11	23	17	18	13	18	14	16
WHITE-----MALE----	94	-	1	-	8	15	11	10	5	10	8	9
FEMALE--	34	1	-	1	1	3	-	1	3	3	4	4
ALL OTHER--MALE----	34	-	-	1	2	5	4	5	4	4	1	2
FEMALE--	10	-	-	-	-	-	2	2	1	1	1	1
BLACK---MALE----	28	-	-	1	-	3	4	5	4	2	1	2
FEMALE--	9	-	-	-	-	-	2	1	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,776

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
KENTUCKY -----	10	3	6	6	4	1	6	-	-	-	-	-
WHITE-----MALE----	7	3	3	4	3	-	4	-	-	-	-	-
FEMALE--	2	-	3	2	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	-	2	2	1	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	3	1	2	-	1	1	1	-	1	-	-	-
WHITE-----MALE----	2	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	2	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	2	-	3	1	1	3	-	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	4	3	2	5	2	3	3	2	2	-	-	-
WHITE-----MALE----	4	3	1	3	2	2	2	1	1	-	-	-
FEMALE--	-	-	1	2	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	13	1	4	4	7	5	4	-	-	-	-	-
WHITE-----MALE----	8	-	2	3	1	2	1	-	-	-	-	-
FEMALE--	3	-	1	-	5	2	2	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,779

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
OHIO -----	196	-	2	6	3	29	25	32	15	18	11	8
WHITE-----MALE----	124	-	1	2	-	13	17	20	13	12	8	7
FEMALE--	40	-	-	3	3	8	5	6	1	3	1	-
ALL OTHER--MALE----	23	-	-	1	-	6	2	4	1	3	2	1
FEMALE--	9	-	1	-	-	2	1	2	-	-	-	-
BLACK---MALE----	21	-	-	1	-	6	2	4	1	3	2	-
FEMALE--	8	-	1	-	-	2	1	2	-	-	-	-
OKLAHOMA -----	75	2	-	1	1	13	9	4	8	9	7	4
WHITE-----MALE----	46	-	-	-	1	10	8	2	6	3	4	1
FEMALE--	21	1	-	1	-	1	-	2	2	6	2	1
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	4	1	-	-	-	1	1	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	1	1	-	-	-	-	-
OREGON -----	66	-	-	-	4	6	13	6	5	4	7	3
WHITE-----MALE----	49	-	-	-	3	3	11	4	4	3	5	2
FEMALE--	14	-	-	-	1	3	1	1	1	-	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	268	-	-	6	12	33	48	23	25	26	12	17
WHITE-----MALE----	176	-	-	3	7	21	35	19	16	19	12	11
FEMALE--	61	-	-	2	2	6	10	3	5	5	-	4
ALL OTHER--MALE----	26	-	-	1	3	5	3	1	4	2	-	1
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	23	-	-	1	2	5	3	1	3	2	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	1
RHODE ISLAND -----	25	-	-	-	1	3	7	5	2	1	2	1
WHITE-----MALE----	16	-	-	-	1	2	7	2	-	-	1	-
FEMALE--	7	-	-	-	-	1	-	3	1	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	185	2	1	4	6	20	21	28	28	21	14	14
WHITE-----MALE----	83	-	-	2	1	9	9	10	14	12	7	8
FEMALE--	32	1	-	1	2	5	5	3	4	1	1	-
ALL OTHER--MALE----	58	1	1	1	3	4	7	12	8	5	6	5
FEMALE--	12	-	-	-	-	2	-	3	2	3	-	1
BLACK---MALE----	57	1	1	1	3	4	7	12	7	5	6	5
FEMALE--	11	-	-	-	-	2	-	3	1	3	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,780

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
SOUTH DAKOTA -----	32	1	1	-	4	9	4	4	1	2	-	2
WHITE-----MALE----	11	-	-	-	1	3	2	1	1	-	-	1
FEMALE--	9	-	-	-	1	2	1	1	-	2	-	-
ALL OTHER--MALE----	5	1	-	-	1	1	-	1	-	-	-	1
FEMALE--	7	-	1	-	1	3	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	331	1	7	4	3	55	42	37	39	22	24	22
WHITE-----MALE----	199	1	3	3	1	33	31	23	19	15	15	14
FEMALE--	83	-	2	-	1	17	5	8	16	4	2	6
ALL OTHER--MALE----	37	-	1	1	-	4	6	4	3	2	4	2
FEMALE--	12	-	1	-	1	1	-	2	1	1	3	-
BLACK---MALE----	34	-	1	1	-	3	5	4	3	2	4	2
FEMALE--	12	-	1	-	1	1	-	2	1	1	3	-
TEXAS -----	690	1	3	6	17	115	113	72	58	70	58	49
WHITE-----MALE----	443	-	3	3	12	74	78	40	39	51	35	34
FEMALE--	159	1	-	2	2	30	24	13	12	13	18	8
ALL OTHER--MALE----	69	-	-	1	3	8	10	15	7	2	3	5
FEMALE--	19	-	-	-	-	3	1	4	-	4	2	2
BLACK---MALE----	59	-	-	1	2	8	7	14	6	2	3	5
FEMALE--	19	-	-	-	-	3	1	4	-	4	2	2
UTAH -----	34	-	-	-	6	3	5	-	1	3	1	4
WHITE-----MALE----	22	-	-	-	5	3	2	-	-	1	-	2
FEMALE--	7	-	-	-	1	-	2	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	1	-	1	-	1	-	-	-	1
WHITE-----MALE----	4	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	142	1	1	-	2	16	16	13	10	7	14	12
WHITE-----MALE----	76	-	-	-	1	10	10	8	2	5	7	7
FEMALE--	28	-	-	-	-	4	2	3	4	1	2	3
ALL OTHER--MALE----	27	1	-	-	-	2	4	1	3	1	2	2
FEMALE--	11	-	1	-	1	-	-	1	1	-	3	-
BLACK---MALE----	25	1	-	-	-	2	4	1	3	1	2	1
FEMALE--	11	-	1	-	1	-	-	1	1	-	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,780

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
SOUTH DAKOTA -----	-	-	1	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	8	10	10	7	12	8	3	-	-	-	-
WHITE-----MALE----	12	6	6	3	4	5	4	1	-	-	-	-
FEMALE--	3	-	2	5	1	5	4	2	-	-	-	-
ALL OTHER--MALE----	2	2	1	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	1	1	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
TEXAS -----	39	15	16	16	17	15	6	2	2	-	-	-
WHITE-----MALE----	26	11	11	7	5	8	4	1	1	-	-	-
FEMALE--	7	3	3	4	10	6	1	1	1	-	-	-
ALL OTHER--MALE----	5	1	1	4	2	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	4	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
UTAH -----	4	2	2	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	2	2	2	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	10	4	-	10	5	4	4	-	-	-	-
WHITE-----MALE----	5	5	3	-	7	1	2	3	-	-	-	-
FEMALE--	2	2	1	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	5	3	-	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	5	2	-	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,782

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
UNITED STATES --	7,530	27	88	107	171	1,227	1,148	761	708	713	595	470
WHITE-----MALE----	4,496	6	29	40	66	712	772	477	424	423	358	288
FEMALE--	1,772	11	35	30	74	362	166	137	149	170	141	104
ALL OTHER--MALE----	899	4	13	20	20	108	153	118	104	85	70	57
FEMALE--	363	6	11	17	11	45	57	29	31	35	26	21
BLACK---MALE----	669	3	11	14	13	69	108	93	76	65	51	44
FEMALE--	225	6	7	13	8	19	30	13	17	26	21	15
ALABAMA -----	233	1	3	4	5	43	30	24	28	20	21	8
WHITE-----MALE----	129	1	1	2	1	22	16	10	19	10	16	4
FEMALE--	45	-	-	-	3	14	4	8	3	4	3	1
ALL OTHER--MALE----	46	-	-	1	1	6	9	5	4	6	2	3
FEMALE--	13	-	2	1	-	1	1	1	2	-	-	-
BLACK---MALE----	45	-	-	1	1	6	9	5	3	6	2	3
FEMALE--	13	-	2	1	-	1	1	1	2	-	-	-
ALASKA -----	15	-	-	-	-	3	5	3	-	-	2	1
WHITE-----MALE----	9	-	-	-	-	2	3	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	194	1	3	3	2	30	28	19	19	21	10	12
WHITE-----MALE----	89	-	-	-	-	14	15	12	7	8	6	5
FEMALE--	63	-	2	2	2	8	7	3	9	6	2	6
ALL OTHER--MALE----	27	-	1	-	-	6	4	4	2	4	2	1
FEMALE--	15	1	-	1	-	2	2	-	1	3	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	1	-	-	1	-	-
ARKANSAS -----	109	-	1	2	4	15	20	12	14	8	7	5
WHITE-----MALE----	62	-	-	1	2	9	15	8	9	1	2	3
FEMALE--	28	-	1	-	1	3	4	2	2	5	3	1
ALL OTHER--MALE----	11	-	-	-	1	1	1	2	2	1	1	-
FEMALE--	8	-	-	1	-	2	-	-	1	1	1	1
BLACK---MALE----	11	-	-	-	1	1	1	2	2	1	1	-
FEMALE--	6	-	-	1	-	1	-	-	1	-	1	1
CALIFORNIA -----	672	7	7	13	16	111	93	74	63	58	54	43
WHITE-----MALE----	399	1	3	4	7	63	52	51	44	38	25	31
FEMALE--	165	4	3	3	7	32	20	10	10	12	17	10
ALL OTHER--MALE----	68	2	1	3	2	11	16	8	4	4	9	1
FEMALE--	40	-	-	3	-	5	5	5	5	4	3	1
BLACK---MALE----	33	2	1	1	1	3	7	4	1	2	7	-
FEMALE--	12	-	-	1	-	2	1	1	1	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,782

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
UNITED STATES --	356	306	203	162	165	151	106	46	16	1	-	3
WHITE-----MALE----	225	179	127	83	96	96	61	24	7	1	-	2
FEMALE--	78	77	43	44	43	44	40	18	6	-	-	-
ALL OTHER--MALE----	40	35	21	20	17	7	3	1	2	-	-	1
FEMALE--	13	15	12	15	9	4	2	3	1	-	-	-
BLACK---MALE----	31	30	17	18	14	5	3	1	2	-	-	1
FEMALE--	5	14	7	11	6	4	1	1	1	-	-	-
ALABAMA -----	8	15	4	6	5	6	1	1	-	-	-	-
WHITE-----MALE----	5	7	4	3	2	4	1	1	-	-	-	-
FEMALE--	1	2	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	3	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	3	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	3	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	3	-	1	1	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	8	1	8	6	5	1	1	1	-	-	1
WHITE-----MALE----	8	1	1	5	4	1	-	-	1	-	-	1
FEMALE--	3	4	-	2	2	4	1	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	3	-	1	6	4	2	1	-	-	-	-
WHITE-----MALE----	4	1	-	-	4	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	30	26	24	13	16	8	12	3	1	-	-	-
WHITE-----MALE----	20	16	16	6	7	6	6	2	1	-	-	-
FEMALE--	7	9	4	3	7	1	5	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	2	2	-	-	-	-	-	-	-
FEMALE--	2	-	3	2	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,783

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
COLORADO -----	188	1	3	3	5	23	34	21	15	14	17	15
WHITE-----MALE----	124	1	1	1	2	17	24	17	9	10	12	8
FEMALE--	55	-	2	2	2	6	7	3	4	4	5	6
ALL OTHER--MALE----	5	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	4	-	-	-	-	-	2	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
CONNECTICUT -----	32	-	-	-	1	2	5	4	3	5	1	5
WHITE-----MALE----	25	-	-	-	1	2	3	4	3	4	1	3
FEMALE--	4	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
DELAWARE -----	18	-	-	-	-	6	2	3	-	1	-	1
WHITE-----MALE----	14	-	-	-	-	4	2	2	-	-	-	1
FEMALE--	4	-	-	-	-	2	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	7	-	-	-	-	-	-	2	1	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	392	1	4	5	10	47	52	41	46	39	35	32
WHITE-----MALE----	215	-	-	-	7	22	31	26	24	22	18	16
FEMALE--	105	1	2	2	-	18	9	8	15	11	11	10
ALL OTHER--MALE----	43	-	-	2	2	4	7	6	4	2	3	5
FEMALE--	29	-	2	1	1	3	5	1	3	4	3	1
BLACK---MALE----	42	-	-	2	2	4	7	5	4	2	3	5
FEMALE--	24	-	1	1	1	3	4	1	2	3	2	1
GEORGIA -----	227	-	1	3	2	33	27	27	22	30	25	15
WHITE-----MALE----	113	-	-	-	1	18	13	15	12	14	14	11
FEMALE--	50	-	-	-	-	14	3	5	5	7	3	-
ALL OTHER--MALE----	51	-	1	2	1	1	7	6	5	8	6	3
FEMALE--	13	-	-	1	-	-	4	1	-	1	2	1
BLACK---MALE----	48	-	1	2	1	1	7	5	4	7	6	3
FEMALE--	12	-	-	1	-	-	4	1	-	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,785

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
KENTUCKY -----	94	-	2	1	2	15	12	13	7	11	10	5
WHITE-----MALE----	65	-	-	1	2	10	11	9	4	7	7	4
FEMALE--	24	-	1	-	-	5	1	3	2	4	2	1
ALL OTHER--MALE----	3	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	3	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
LOUISIANA -----	120	-	3	1	3	8	27	11	10	12	5	5
WHITE-----MALE----	64	-	1	-	-	3	16	7	6	6	3	4
FEMALE--	26	-	-	1	3	1	5	1	-	3	1	1
ALL OTHER--MALE----	26	-	2	-	-	3	5	3	4	2	1	-
FEMALE--	4	-	-	-	-	1	1	-	-	1	-	-
BLACK---MALE----	26	-	2	-	-	3	5	3	4	2	1	-
FEMALE--	3	-	-	-	-	1	-	-	-	1	-	-
MAINE -----	34	-	-	-	-	8	7	1	3	3	2	2
WHITE-----MALE----	24	-	-	-	-	6	4	1	2	2	2	1
FEMALE--	10	-	-	-	-	2	3	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	55	-	1	1	2	5	4	3	9	6	2	6
WHITE-----MALE----	23	-	-	-	-	2	2	1	3	2	-	3
FEMALE--	6	-	-	-	-	-	1	-	1	1	-	1
ALL OTHER--MALE----	17	-	-	1	-	2	1	2	5	1	2	2
FEMALE--	9	-	1	-	2	1	-	-	-	2	-	-
BLACK---MALE----	14	-	-	-	-	2	1	2	5	-	1	2
FEMALE--	9	-	1	-	2	1	-	-	-	2	-	-
MASSACHUSETTS -----	35	-	-	-	-	4	9	3	5	1	1	2
WHITE-----MALE----	26	-	-	-	-	4	5	3	4	1	-	2
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	2	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	204	-	5	1	3	25	34	25	20	19	24	15
WHITE-----MALE----	135	-	2	-	1	18	27	13	11	11	14	12
FEMALE--	40	-	1	-	-	7	1	6	5	5	7	2
ALL OTHER--MALE----	25	-	-	1	2	-	5	6	4	2	3	1
FEMALE--	4	-	2	-	-	-	1	-	-	1	-	-
BLACK---MALE----	21	-	-	1	2	-	5	6	3	1	1	1
FEMALE--	3	-	2	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,786

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
MINNESOTA -----	118	-	3	1	1	21	27	5	7	12	10	6
WHITE-----MALE----	78	-	1	1	1	12	19	4	4	9	6	4
FEMALE--	26	-	1	-	-	7	6	-	1	2	2	1
ALL OTHER--MALE----	10	-	-	-	-	2	-	1	2	1	1	1
FEMALE--	4	-	1	-	-	-	2	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MISSISSIPPI -----	334	-	2	5	4	48	46	32	40	33	29	20
WHITE-----MALE----	138	-	-	-	2	20	22	17	17	15	11	7
FEMALE--	58	-	-	2	2	12	3	4	6	5	5	2
ALL OTHER--MALE----	105	-	2	1	-	11	16	11	16	9	9	7
FEMALE--	33	-	-	2	-	5	5	-	1	4	4	4
BLACK---MALE----	102	-	2	1	-	11	14	11	16	9	9	7
FEMALE--	32	-	-	2	-	4	5	-	1	4	4	4
MISSOURI -----	174	-	2	2	5	33	23	17	12	19	13	14
WHITE-----MALE----	119	-	2	2	2	22	16	13	9	9	10	11
FEMALE--	46	-	-	-	3	9	6	2	1	10	3	2
ALL OTHER--MALE----	4	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	5	-	-	-	-	1	1	1	1	-	-	1
BLACK---MALE----	4	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	4	-	-	-	-	-	1	1	1	-	-	1
MONTANA -----	90	-	1	1	2	19	11	6	6	7	8	13
WHITE-----MALE----	53	-	-	-	1	11	6	2	1	4	5	11
FEMALE--	18	-	-	-	1	4	1	1	2	3	3	1
ALL OTHER--MALE----	12	-	-	1	-	3	1	2	3	-	-	-
FEMALE--	7	-	1	-	-	1	3	1	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	87	-	-	1	-	12	18	8	6	3	7	7
WHITE-----MALE----	61	-	-	1	-	7	17	8	4	3	4	4
FEMALE--	23	-	-	-	-	5	1	-	2	-	3	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	119	1	3	1	7	24	12	9	10	16	8	6
WHITE-----MALE----	68	-	1	-	3	10	10	5	4	9	7	4
FEMALE--	36	1	2	1	2	10	2	2	4	4	1	2
ALL OTHER--MALE----	9	-	-	-	1	2	-	1	1	3	-	-
FEMALE--	6	-	-	-	1	2	-	1	1	-	-	-
BLACK---MALE----	6	-	-	-	1	1	-	1	1	1	-	-
FEMALE--	3	-	-	-	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,788

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
OHIO -----	161	-	-	3	5	32	26	14	16	16	10	6
WHITE-----MALE----	104	-	-	2	-	16	23	12	10	10	8	3
FEMALE--	40	-	-	1	5	12	1	-	4	4	2	3
ALL OTHER--MALE----	11	-	-	-	-	4	1	1	2	1	-	-
FEMALE--	6	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	11	-	-	-	-	4	1	1	2	1	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	1	-	-
OKLAHOMA -----	114	1	3	7	3	14	16	14	6	12	10	5
WHITE-----MALE----	65	1	3	3	1	9	12	11	1	6	4	2
FEMALE--	32	-	-	3	2	4	2	2	4	4	2	2
ALL OTHER--MALE----	14	-	-	1	-	-	2	1	1	2	3	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	120	-	2	2	1	20	17	10	14	10	11	8
WHITE-----MALE----	82	-	-	2	-	12	13	7	8	9	7	5
FEMALE--	33	-	1	-	1	8	2	1	6	1	4	3
ALL OTHER--MALE----	3	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	169	1	1	2	4	40	26	12	12	13	8	12
WHITE-----MALE----	108	-	-	2	1	21	18	8	9	10	6	8
FEMALE--	44	1	1	-	2	16	4	2	2	2	2	2
ALL OTHER--MALE----	13	-	-	-	1	2	4	1	-	1	-	2
FEMALE--	4	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	9	-	-	-	-	2	4	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
RHODE ISLAND -----	15	-	-	-	-	3	2	5	1	-	1	-
WHITE-----MALE----	9	-	-	-	-	2	2	1	1	-	1	-
FEMALE--	4	-	-	-	-	-	-	3	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	195	-	1	-	7	26	29	29	19	29	13	13
WHITE-----MALE----	93	-	-	-	4	12	16	10	11	18	5	4
FEMALE--	37	-	-	-	2	9	2	4	5	4	3	3
ALL OTHER--MALE----	55	-	1	-	1	3	11	13	2	6	4	5
FEMALE--	10	-	-	-	-	2	-	2	1	1	1	1
BLACK---MALE----	55	-	1	-	1	3	11	13	2	6	4	5
FEMALE--	10	-	-	-	-	2	-	2	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,788

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
OHIO -----	8	7	6	1	2	2	7	-	-	-	-	-
WHITE-----MALE----	4	5	3	1	1	1	5	-	-	-	-	-
FEMALE--	3	1	1	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	5	2	4	5	3	2	1	-	1	-	-	-
WHITE-----MALE----	4	2	1	3	-	1	1	-	-	-	-	-
FEMALE--	-	-	3	2	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	5	3	3	5	5	3	-	-	1	-	-	-
WHITE-----MALE----	3	2	3	5	4	2	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	7	6	4	3	4	2	2	1	-	-	-
WHITE-----MALE----	6	3	5	2	3	4	1	1	-	-	-	-
FEMALE--	3	1	1	2	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	6	1	3	2	3	3	-	1	-	-	1
WHITE-----MALE----	4	2	-	1	1	2	3	-	-	-	-	-
FEMALE--	2	1	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	3	-	2	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	3	-	2	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,789

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
SOUTH DAKOTA -----	49	2	1	-	2	8	11	3	2	6	3	3
WHITE-----MALE----	21	-	-	-	1	4	4	1	-	3	2	1
FEMALE--	10	1	1	-	1	2	1	1	-	1	1	1
ALL OTHER--MALE----	13	1	-	-	-	1	4	-	2	2	-	-
FEMALE--	5	-	-	-	-	1	2	1	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	173	2	3	1	3	35	24	13	13	17	15	16
WHITE-----MALE----	118	1	-	1	-	26	16	9	8	13	10	11
FEMALE--	35	-	2	-	2	6	4	2	3	4	3	3
ALL OTHER--MALE----	14	-	1	-	1	2	3	2	1	-	-	2
FEMALE--	6	1	-	-	-	1	1	-	1	-	2	-
BLACK---MALE----	13	-	1	-	-	2	3	2	1	-	-	2
FEMALE--	5	1	-	-	-	1	-	-	1	-	2	-
TEXAS -----	757	1	14	12	19	122	110	85	78	71	71	41
WHITE-----MALE----	496	-	6	4	9	81	88	56	54	41	45	25
FEMALE--	179	-	5	3	8	39	12	17	18	16	20	11
ALL OTHER--MALE----	57	-	2	3	1	2	5	10	6	10	5	2
FEMALE--	25	1	1	2	1	-	5	2	-	4	1	3
BLACK---MALE----	49	-	2	3	1	2	4	10	4	8	3	2
FEMALE--	20	1	1	2	1	-	5	1	-	4	-	1
UTAH -----	129	-	2	3	6	23	15	11	11	8	12	5
WHITE-----MALE----	80	-	1	3	3	13	13	8	6	5	7	4
FEMALE--	34	-	1	-	3	7	1	3	2	2	4	-
ALL OTHER--MALE----	9	-	-	-	-	3	-	-	3	-	-	1
FEMALE--	6	-	-	-	-	-	1	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
VERMONT -----	16	-	-	-	-	4	1	2	3	2	-	-
WHITE-----MALE----	12	-	-	-	-	2	1	2	3	1	-	-
FEMALE--	4	-	-	-	-	2	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	158	-	-	5	7	15	26	18	15	15	15	9
WHITE-----MALE----	77	-	-	1	1	8	16	10	7	8	7	2
FEMALE--	41	-	-	1	4	6	7	4	3	2	3	2
ALL OTHER--MALE----	31	-	-	2	2	1	3	3	3	4	5	4
FEMALE--	9	-	-	1	-	-	-	1	2	1	-	1
BLACK---MALE----	29	-	-	2	1	1	3	3	3	4	4	4
FEMALE--	9	-	-	1	-	-	-	1	2	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,791

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
UNITED STATES --	6,716	25	87	96	114	902	762	582	529	554	502	376
WHITE-----MALE----	3,677	12	29	42	53	488	486	324	308	324	283	208
FEMALE--	2,011	8	37	28	36	297	154	134	118	145	137	100
ALL OTHER--MALE----	685	2	15	16	18	90	82	94	62	59	57	46
FEMALE--	343	3	6	10	7	27	40	30	41	26	25	22
BLACK---MALE----	568	2	15	14	11	72	65	86	54	45	45	39
FEMALE--	263	3	6	8	6	17	28	21	29	22	19	15
ALABAMA -----	268	1	7	4	5	41	27	24	14	17	18	11
WHITE-----MALE----	144	1	2	2	3	24	16	6	9	9	13	6
FEMALE--	79	-	2	1	-	12	7	11	2	3	3	5
ALL OTHER--MALE----	37	-	3	1	2	5	3	6	2	5	2	-
FEMALE--	8	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	37	-	3	1	2	5	3	6	2	5	2	-
FEMALE--	8	-	-	-	-	-	1	1	1	-	-	-
ALASKA -----	21	-	-	-	1	2	5	5	1	1	-	1
WHITE-----MALE----	12	-	-	-	-	2	3	2	1	-	-	1
FEMALE--	4	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	216	2	4	4	5	24	22	16	18	19	17	11
WHITE-----MALE----	113	1	3	2	-	11	14	15	9	11	7	6
FEMALE--	55	1	1	2	2	7	1	-	2	3	5	4
ALL OTHER--MALE----	26	-	-	-	2	4	5	1	3	3	2	-
FEMALE--	22	-	-	-	1	2	2	-	4	2	3	1
BLACK---MALE----	3	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	1	-	-
ARKANSAS -----	171	-	2	1	3	28	14	10	11	11	19	15
WHITE-----MALE----	88	-	1	-	1	13	6	6	9	5	10	10
FEMALE--	60	-	1	-	2	12	5	1	1	6	7	3
ALL OTHER--MALE----	13	-	-	-	-	3	2	2	1	-	-	1
FEMALE--	10	-	-	1	-	-	1	1	-	-	2	1
BLACK---MALE----	12	-	-	-	-	3	1	2	1	-	-	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	2	-
CALIFORNIA -----	184	-	4	3	4	21	14	12	14	13	18	18
WHITE-----MALE----	99	-	1	2	2	10	8	8	10	8	9	10
FEMALE--	46	-	2	1	-	6	4	3	1	1	5	3
ALL OTHER--MALE----	25	-	1	-	2	3	1	-	2	3	3	5
FEMALE--	14	-	-	-	-	2	1	1	1	1	1	-
BLACK---MALE----	9	-	1	-	1	1	-	-	-	-	-	3
FEMALE--	6	-	-	-	-	1	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,791

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
UNITED STATES --	337	274	212	262	308	294	281	151	56	10	-	2
WHITE-----MALE----	194	138	123	146	139	129	134	85	26	4	-	2
FEMALE--	91	91	60	82	138	139	125	60	26	5	-	-
ALL OTHER--MALE----	32	30	12	20	15	16	14	2	3	-	-	-
FEMALE--	20	15	17	14	16	10	8	4	1	1	-	-
BLACK---MALE----	25	25	8	18	12	15	13	1	3	-	-	-
FEMALE--	16	13	12	10	15	10	8	3	1	1	-	-
ALABAMA -----	10	16	13	16	15	11	9	5	4	-	-	-
WHITE-----MALE----	5	10	9	10	5	4	5	3	2	-	-	-
FEMALE--	3	3	3	5	7	6	3	2	1	-	-	-
ALL OTHER--MALE----	2	1	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	2	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	2	1	-	2	-	-	-	-	-	-	-
ALASKA -----	1	-	2	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	8	8	6	14	6	7	6	3	-	-	-
WHITE-----MALE----	6	2	3	4	6	3	2	5	3	-	-	-
FEMALE--	6	4	2	2	5	3	4	1	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	2	-	1	-	-	-	-	-
FEMALE--	2	2	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	6	6	9	6	10	6	3	3	1	-	-
WHITE-----MALE----	3	2	5	3	2	5	4	1	1	1	-	-
FEMALE--	3	4	-	5	4	2	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	9	10	5	8	10	9	5	4	2	-	-	1
WHITE-----MALE----	6	6	2	4	5	4	1	2	-	-	-	1
FEMALE--	1	2	1	2	5	2	4	1	2	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	2	2	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,792

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
COLORADO -----	144	-	1	-	1	22	15	11	10	12	16	8
WHITE-----MALE----	88	-	1	-	1	16	9	6	7	8	11	3
FEMALE--	48	-	-	-	-	5	4	5	2	3	4	4
ALL OTHER--MALE----	3	-	-	-	-	1	1	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	1	-	1	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	35	-	1	1	1	4	2	1	5	2	1	-
WHITE-----MALE----	17	-	-	1	-	2	1	-	3	1	1	-
FEMALE--	16	-	1	-	1	1	1	-	2	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	9	-	-	-	-	1	1	1	-	-	1	1
WHITE-----MALE----	4	-	-	-	-	1	1	1	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	8	-	-	-	-	2	-	1	2	1	1	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	2	-	1	2	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	2	-	1	2	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	245	-	1	2	5	21	24	15	19	22	16	20
WHITE-----MALE----	135	-	1	1	2	11	13	8	14	13	9	13
FEMALE--	72	-	-	-	-	6	5	3	5	5	3	5
ALL OTHER--MALE----	24	-	-	-	2	3	5	2	-	1	2	2
FEMALE--	14	-	-	1	1	1	1	2	-	3	2	-
BLACK---MALE----	22	-	-	-	2	3	5	1	-	1	2	2
FEMALE--	14	-	-	1	1	1	1	2	-	3	2	-
GEORGIA -----	561	2	13	9	9	71	69	50	43	48	50	29
WHITE-----MALE----	261	1	4	2	4	30	34	23	21	23	28	13
FEMALE--	155	1	6	3	4	19	20	7	9	12	10	5
ALL OTHER--MALE----	93	-	2	2	-	17	10	15	8	8	10	4
FEMALE--	52	-	1	2	1	5	5	5	5	5	2	7
BLACK---MALE----	90	-	2	2	-	17	9	15	8	8	10	4
FEMALE--	50	-	1	2	1	5	5	5	5	5	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,792

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
COLORADO -----	7	8	6	6	7	6	6	1	1	-	-	-
WHITE-----MALE----	3	4	2	4	2	3	6	1	1	-	-	-
FEMALE--	4	4	4	1	5	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	3	3	4	4	2	-	-	-	-	-
WHITE-----MALE----	1	-	1	1	2	2	1	-	-	-	-	-
FEMALE--	-	-	2	2	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	1	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	14	10	6	16	12	13	16	10	1	2	-	-
WHITE-----MALE----	6	5	3	9	6	7	6	5	1	2	-	-
FEMALE--	5	3	3	3	6	6	10	4	-	-	-	-
ALL OTHER--MALE----	3	1	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	3	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
GEORGIA -----	34	19	22	18	23	17	22	9	4	-	-	-
WHITE-----MALE----	23	5	12	6	8	9	9	4	2	-	-	-
FEMALE--	6	9	6	6	12	6	10	4	-	-	-	-
ALL OTHER--MALE----	4	4	3	2	-	-	2	1	1	-	-	-
FEMALE--	1	1	1	4	3	2	1	-	1	-	-	-
BLACK---MALE----	3	4	2	2	-	-	2	1	1	-	-	-
FEMALE--	1	1	1	4	3	2	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,793

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
HAWAII -----	21	-	-	-	-	6	3	3	3	1	2	-
WHITE-----MALE----	9	-	-	-	-	1	3	1	2	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	2	-	1	-	-	2	-
FEMALE--	4	-	-	-	-	3	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	12	-	-	-	1	1	1	1	1	-	-	1
WHITE-----MALE----	8	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	313	2	2	3	5	37	40	33	18	30	27	15
WHITE-----MALE----	182	2	1	1	1	18	29	18	11	18	17	11
FEMALE--	73	-	1	1	2	14	8	3	2	8	3	3
ALL OTHER--MALE----	39	-	-	-	1	5	2	10	2	2	6	1
FEMALE--	19	-	-	1	1	-	1	2	3	2	1	-
BLACK---MALE----	36	-	-	-	-	5	2	10	2	1	6	1
FEMALE--	17	-	-	-	1	-	1	2	2	2	1	-
INDIANA -----	323	1	6	2	6	47	48	26	31	24	25	12
WHITE-----MALE----	190	-	1	2	4	27	31	19	18	16	14	7
FEMALE--	110	1	3	-	2	18	15	4	10	6	9	4
ALL OTHER--MALE----	17	-	1	-	-	2	-	3	1	2	1	1
FEMALE--	6	-	1	-	-	-	2	-	2	-	1	-
BLACK---MALE----	16	-	1	-	-	2	-	2	1	2	1	1
FEMALE--	4	-	1	-	-	-	1	-	2	-	-	-
IOWA -----	17	-	-	-	2	3	2	3	-	1	-	2
WHITE-----MALE----	10	-	-	-	1	1	1	2	-	1	-	2
FEMALE--	5	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	57	-	1	2	-	5	6	4	1	6	6	1
WHITE-----MALE----	38	-	-	1	-	4	4	3	1	5	4	1
FEMALE--	14	-	-	-	-	1	1	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	1	1	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	1	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,794

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
KENTUCKY -----	198	-	3	4	2	26	19	15	18	15	18	12
WHITE-----MALE----	117	-	2	2	1	17	14	9	13	6	9	10
FEMALE--	78	-	1	2	1	9	4	6	4	9	9	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	437	1	9	8	2	67	53	48	39	39	36	38
WHITE-----MALE----	193	-	4	3	1	31	32	24	15	20	14	14
FEMALE--	113	-	1	-	-	23	5	10	9	9	12	12
ALL OTHER--MALE----	91	-	2	4	1	10	14	11	9	7	7	8
FEMALE--	40	1	2	1	-	3	2	3	6	3	3	4
BLACK---MALE----	85	-	2	4	1	10	13	11	9	5	7	6
FEMALE--	36	1	2	1	-	3	2	2	6	3	2	3
MAINE -----	4	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	172	1	1	2	4	19	20	20	15	14	10	9
WHITE-----MALE----	84	1	-	-	2	6	12	13	8	6	5	3
FEMALE--	39	-	-	1	-	5	3	2	2	4	3	3
ALL OTHER--MALE----	32	-	1	1	2	6	3	5	1	3	1	2
FEMALE--	17	-	-	-	-	2	2	-	4	1	1	1
BLACK---MALE----	29	-	1	1	1	4	3	5	1	3	1	2
FEMALE--	14	-	-	-	-	1	2	-	3	1	1	1
MASSACHUSETTS -----	128	2	-	-	3	26	16	18	13	6	4	3
WHITE-----MALE----	75	-	-	-	1	16	13	12	10	4	2	2
FEMALE--	43	2	-	-	2	9	2	3	2	1	2	1
ALL OTHER--MALE----	6	-	-	-	-	1	-	3	1	1	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	1	-	3	1	1	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	293	1	3	9	3	40	39	25	22	23	26	13
WHITE-----MALE----	144	1	2	3	1	21	26	9	11	12	14	4
FEMALE--	107	-	1	4	1	16	10	9	8	7	8	6
ALL OTHER--MALE----	31	-	-	1	1	2	2	7	2	4	2	3
FEMALE--	11	-	-	1	-	1	1	-	1	-	2	-
BLACK---MALE----	29	-	-	1	-	2	2	7	2	4	2	3
FEMALE--	10	-	-	1	-	1	1	-	1	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,794

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
KENTUCKY -----	13	5	6	8	6	14	5	7	2	-	-	-
WHITE-----MALE----	10	1	3	4	4	5	3	3	1	-	-	-
FEMALE--	3	4	3	4	2	9	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	15	14	13	13	15	12	12	3	-	-	-	-
WHITE-----MALE----	6	4	8	6	4	3	3	1	-	-	-	-
FEMALE--	5	2	2	4	6	4	7	2	-	-	-	-
ALL OTHER--MALE----	2	6	2	1	3	3	1	-	-	-	-	-
FEMALE--	2	2	1	2	2	2	1	-	-	-	-	-
BLACK---MALE----	1	6	2	1	3	3	1	-	-	-	-	-
FEMALE--	2	1	1	2	2	2	1	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	8	12	6	6	3	7	4	1	-	-	-
WHITE-----MALE----	5	4	7	2	2	2	2	3	1	-	-	-
FEMALE--	2	2	2	3	3	1	3	-	-	-	-	-
ALL OTHER--MALE----	1	1	3	1	-	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	1	1	3	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	1	-	-	-	-
MASSACHUSETTS -----	4	4	4	4	8	5	5	3	-	-	-	-
WHITE-----MALE----	2	1	2	3	2	-	2	3	-	-	-	-
FEMALE--	2	2	2	1	5	4	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
MICHIGAN -----	12	14	7	12	8	13	12	7	4	-	-	-
WHITE-----MALE----	7	7	5	5	4	3	3	4	2	-	-	-
FEMALE--	3	7	1	4	4	7	7	2	2	-	-	-
ALL OTHER--MALE----	-	-	1	2	-	3	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	2	-	3	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,797

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
OHIO -----	440	4	3	7	12	62	52	39	32	47	37	24
WHITE-----MALE----	268	1	-	3	6	38	40	23	20	35	23	15
FEMALE--	154	2	3	4	6	23	10	16	8	11	10	9
ALL OTHER--MALE----	12	-	-	-	-	1	1	-	3	-	2	-
FEMALE--	6	1	-	-	-	-	1	-	1	1	2	-
BLACK---MALE----	12	-	-	-	-	1	1	-	3	-	2	-
FEMALE--	5	1	-	-	-	-	1	-	-	1	2	-
OKLAHOMA -----	263	2	3	3	8	36	30	20	22	31	14	15
WHITE-----MALE----	147	1	1	-	5	21	18	10	13	18	10	10
FEMALE--	79	-	2	1	2	10	5	7	7	11	2	2
ALL OTHER--MALE----	25	1	-	2	1	5	4	1	1	1	2	2
FEMALE--	12	-	-	-	-	-	3	2	1	1	-	1
BLACK---MALE----	9	1	-	-	1	1	2	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	1
OREGON -----	43	-	2	-	1	9	5	2	1	3	3	-
WHITE-----MALE----	25	-	1	-	-	5	3	1	-	1	3	-
FEMALE--	14	-	1	-	-	2	2	1	-	2	-	-
ALL OTHER--MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	427	-	-	4	3	80	48	37	29	29	32	26
WHITE-----MALE----	272	-	-	1	1	50	41	27	22	20	22	15
FEMALE--	118	-	-	3	1	23	4	7	6	6	7	5
ALL OTHER--MALE----	27	-	-	-	-	6	2	3	1	2	2	4
FEMALE--	10	-	-	-	1	1	1	-	-	1	1	2
BLACK---MALE----	21	-	-	-	-	4	1	3	1	2	1	3
FEMALE--	7	-	-	-	1	-	-	-	-	1	1	1
RHODE ISLAND -----	4	-	-	-	-	1	-	-	2	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	87	2	1	-	-	6	14	5	9	7	5	11
WHITE-----MALE----	41	1	-	-	-	3	9	1	2	3	1	8
FEMALE--	20	1	-	-	-	2	1	3	3	2	1	-
ALL OTHER--MALE----	18	-	1	-	-	1	4	1	2	1	2	1
FEMALE--	8	-	-	-	-	-	-	-	2	1	1	2
BLACK---MALE----	18	-	1	-	-	1	4	1	2	1	2	1
FEMALE--	8	-	-	-	-	-	-	-	2	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,797

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
OHIO -----	17	13	7	20	21	18	16	5	4	-	-	-
WHITE-----MALE----	12	8	4	8	9	11	10	2	-	-	-	-
FEMALE--	5	5	3	9	11	7	5	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	3	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	3	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	12	10	11	10	12	3	7	9	3	2	-	-
WHITE-----MALE----	5	5	9	8	3	3	1	5	1	-	-	-
FEMALE--	4	4	1	1	8	-	5	3	2	2	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
OREGON -----	2	4	-	1	1	4	-	5	-	-	-	-
WHITE-----MALE----	1	4	-	1	-	2	-	3	-	-	-	-
FEMALE--	1	-	-	-	1	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	20	16	6	15	25	25	22	8	2	-	-	-
WHITE-----MALE----	12	9	3	7	16	8	12	5	1	-	-	-
FEMALE--	6	6	3	5	7	16	9	3	1	-	-	-
ALL OTHER--MALE----	2	1	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	9	1	4	4	4	3	-	-	-	-	-
WHITE-----MALE----	1	3	1	1	2	4	1	-	-	-	-	-
FEMALE--	-	2	-	3	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,798

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	74	-	2	-	-	5	12	4	4	5	2	4
WHITE-----MALE----	43	-	-	-	-	3	10	3	1	4	1	2
FEMALE--	18	-	2	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	9	-	-	-	-	2	1	1	1	-	1	1
FEMALE--	4	-	-	-	-	-	1	-	2	-	-	-
BLACK---MALE----	9	-	-	-	-	2	1	1	1	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	2	-	-	-
TEXAS -----	154	-	2	5	3	24	14	11	17	10	10	12
WHITE-----MALE----	94	-	1	3	2	15	8	5	11	6	6	8
FEMALE--	41	-	1	1	1	8	5	2	4	3	2	2
ALL OTHER--MALE----	12	-	-	1	-	-	1	1	2	1	2	2
FEMALE--	7	-	-	-	-	1	-	3	-	-	-	-
BLACK---MALE----	10	-	-	1	-	-	1	1	2	-	2	2
FEMALE--	6	-	-	-	-	1	-	2	-	-	-	-
UTAH -----	20	1	1	-	-	2	4	-	2	1	3	-
WHITE-----MALE----	11	-	-	-	-	2	3	-	1	1	1	-
FEMALE--	7	-	1	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
VERMONT -----	22	-	1	-	-	3	5	1	-	1	2	-
WHITE-----MALE----	11	-	-	-	-	1	3	1	-	1	-	-
FEMALE--	11	-	1	-	-	2	2	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	223	-	3	3	2	33	28	19	30	20	15	6
WHITE-----MALE----	112	-	-	1	-	19	15	10	17	10	6	4
FEMALE--	63	-	1	1	1	9	3	4	7	5	7	2
ALL OTHER--MALE----	33	-	2	1	1	4	6	3	5	4	2	-
FEMALE--	15	-	-	-	-	1	4	2	1	1	-	-
BLACK---MALE----	31	-	2	1	1	3	6	3	5	4	2	-
FEMALE--	13	-	-	-	-	-	3	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,798

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
SOUTH DAKOTA -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	7	4	3	2	6	5	4	-	1	-	-
WHITE-----MALE----	2	2	3	3	1	3	4	1	-	-	-	-
FEMALE--	2	2	1	-	1	3	1	3	-	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
TEXAS -----	7	9	6	7	5	6	3	1	1	-	-	1
WHITE-----MALE----	5	6	3	4	4	4	1	1	-	-	-	1
FEMALE--	2	2	2	2	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
UTAH -----	-	1	-	-	1	2	-	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	2	-	4	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	5	5	8	9	6	11	5	1	1	-	-
WHITE-----MALE----	5	3	3	6	3	4	2	4	-	-	-	-
FEMALE--	4	1	1	2	4	1	7	1	1	1	-	-
ALL OTHER--MALE----	2	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	2	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,800

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)												
UNITED STATES --	65	54	55	54	49	65	55	23	11	2	-	1
WHITE-----MALE----	44	43	37	37	31	36	32	13	3	-	-	1
FEMALE--	9	6	7	11	15	24	18	8	7	1	-	-
ALL OTHER--MALE----	5	4	7	4	1	3	4	1	1	-	-	-
FEMALE--	7	1	4	2	2	2	1	1	-	1	-	-
BLACK---MALE----	2	3	5	3	1	3	4	1	1	-	-	-
FEMALE--	6	1	2	2	-	2	1	1	-	-	-	-
ALABAMA -----	2	1	1	3	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	2	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	4	-	-	-	2	2	2	-	-	-	-
WHITE-----MALE----	2	4	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	8	6	2	5	7	10	5	4	1	1	-	1
WHITE-----MALE----	7	1	1	2	5	8	3	3	-	-	-	1
FEMALE--	-	3	-	2	-	1	1	1	1	1	-	-
ALL OTHER--MALE----	1	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,801

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)												
COLORADO -----	12	-	2	-	-	1	-	-	1	2	2	1
WHITE-----MALE----	10	-	2	-	-	1	-	-	1	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	8	-	-	-	-	-	1	2	-	1	-	-
WHITE-----MALE----	5	-	-	-	-	-	1	2	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	76	-	8	4	1	6	2	7	1	6	3	4
WHITE-----MALE----	50	-	7	2	1	3	1	5	1	5	3	2
FEMALE--	15	-	-	1	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	8	-	-	1	-	3	-	1	-	-	-	1
FEMALE--	3	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	8	-	-	1	-	3	-	1	-	-	-	1
FEMALE--	3	-	1	-	-	-	-	1	-	-	-	-
GEORGIA -----	56	1	7	3	1	3	3	3	6	6	4	3
WHITE-----MALE----	30	1	4	1	-	3	1	2	2	4	2	-
FEMALE--	11	-	2	-	1	-	1	-	1	1	-	2
ALL OTHER--MALE----	11	-	1	2	-	-	1	1	2	1	1	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	10	-	1	2	-	-	1	1	2	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,801
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)												
COLORADO -----	1	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	5	2	2	6	3	4	8	4	-	-	-	-
WHITE-----MALE----	3	1	1	3	1	2	7	2	-	-	-	-
FEMALE--	1	1	-	2	2	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	3	1	1	-	4	1	4	1	-	-	-
WHITE-----MALE----	-	3	1	1	-	2	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,803

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)												
KENTUCKY -----	21	-	-	1	1	3	-	2	1	2	2	2
WHITE-----MALE----	16	-	-	1	1	1	-	1	1	1	1	2
FEMALE--	5	-	-	-	-	2	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	24	-	4	2	2	1	2	3	1	2	3	2
WHITE-----MALE----	9	-	-	-	1	1	1	1	1	1	2	-
FEMALE--	10	-	1	2	1	-	1	2	-	-	1	2
ALL OTHER--MALE----	5	-	3	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	3	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	10	-	-	-	-	-	1	1	1	2	-	-
WHITE-----MALE----	9	-	-	-	-	-	1	1	1	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	13	-	-	-	1	-	3	-	2	-	1	3
WHITE-----MALE----	9	-	-	-	1	-	2	-	2	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	11	-	-	-	-	1	-	-	1	-	3	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	62	-	11	2	-	1	7	2	3	6	8	7
WHITE-----MALE----	46	-	7	2	-	1	5	1	3	4	8	4
FEMALE--	7	-	1	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	6	-	2	-	-	-	1	-	-	1	-	1
FEMALE--	3	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	5	-	2	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,806

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)												
OHIO -----	56	1	4	2	6	5	3	5	8	2	2	5
WHITE-----MALE----	37	-	2	-	4	2	3	3	6	2	1	4
FEMALE--	17	1	-	2	2	3	-	2	2	-	1	1
ALL OTHER--MALE----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	21	-	4	-	2	3	1	-	2	-	-	1
WHITE-----MALE----	10	-	1	-	1	1	1	-	1	-	-	1
FEMALE--	6	-	1	-	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	22	-	-	-	-	2	1	2	1	-	1	2
WHITE-----MALE----	16	-	-	-	-	2	1	1	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	41	-	1	-	2	3	6	5	6	1	3	3
WHITE-----MALE----	33	-	1	-	2	2	6	4	5	1	3	2
FEMALE--	7	-	-	-	-	1	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	-	1	1	1	-	-	-	2	-	-	-
WHITE-----MALE----	4	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,807

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)												
SOUTH DAKOTA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	3	6	1	2	2	2	-	1	-	-	-
WHITE-----MALE----	-	3	6	1	2	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	4	1	7	4	5	4	4	-	2	-	-	-
WHITE-----MALE----	4	1	5	3	3	3	3	-	1	-	-	-
FEMALE--	-	-	1	-	2	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	2	1	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	1	1	1	2	-	-	2	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,839

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE (E846-E848)												
KENTUCKY -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	1	-	1	1	3	-	1	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,845

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
UNITED STATES --	10,801	9	27	11	22	261	599	817	1,335	2,003	2,238	1,520
WHITE-----MALE----	6,389	4	11	6	11	176	427	550	844	1,210	1,374	884
FEMALE--	2,296	2	11	3	9	55	86	137	262	409	428	236
ALL OTHER--MALE----	1,518	1	4	-	2	22	67	92	167	265	309	298
FEMALE--	598	2	1	2	-	8	19	38	62	119	127	102
BLACK---MALE----	1,363	1	3	-	1	13	55	75	135	238	292	278
FEMALE--	538	2	1	2	-	6	10	34	55	107	121	95
ALABAMA -----	95	-	2	-	-	2	4	12	14	12	17	9
WHITE-----MALE----	41	-	1	-	-	1	2	6	7	6	9	6
FEMALE--	33	-	-	-	-	1	2	4	4	2	5	1
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	2	3	2	-
FEMALE--	12	-	-	-	-	-	-	2	1	1	1	2
BLACK---MALE----	9	-	1	-	-	-	-	-	2	3	2	-
FEMALE--	12	-	-	-	-	-	-	2	1	1	1	2
ALASKA -----	32	-	-	-	-	1	-	1	5	3	8	8
WHITE-----MALE----	12	-	-	-	-	-	-	-	2	1	2	5
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	1	-	5	1
FEMALE--	6	-	-	-	-	1	-	-	2	1	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	373	-	-	-	-	7	24	37	47	78	77	53
WHITE-----MALE----	256	-	-	-	-	2	15	26	31	53	63	39
FEMALE--	67	-	-	-	-	1	2	5	11	13	10	7
ALL OTHER--MALE----	39	-	-	-	-	4	5	5	2	9	3	6
FEMALE--	11	-	-	-	-	-	2	1	3	3	1	1
BLACK---MALE----	15	-	-	-	-	-	2	-	-	5	2	3
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	1
ARKANSAS -----	37	-	1	-	-	1	-	5	5	4	7	2
WHITE-----MALE----	16	-	-	-	-	-	-	2	2	3	5	1
FEMALE--	13	-	1	-	-	-	-	1	2	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	1	-	1	1	-	1	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	-	1	1	-	1	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	2,071	-	4	-	5	26	82	138	246	372	459	364
WHITE-----MALE----	1,320	-	2	-	1	16	60	94	176	244	297	238
FEMALE--	446	-	2	-	4	7	13	25	39	86	98	64
ALL OTHER--MALE----	215	-	-	-	-	2	7	10	21	30	40	47
FEMALE--	90	-	-	-	-	1	2	9	10	12	24	15
BLACK---MALE----	175	-	-	-	-	-	4	6	10	22	39	41
FEMALE--	78	-	-	-	-	-	-	7	9	10	22	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,846

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
COLORADO -----	167	-	-	2	1	4	9	19	19	26	35	21
WHITE-----MALE----	104	-	-	-	-	2	7	15	13	13	24	12
FEMALE--	38	-	-	2	1	1	2	4	4	7	8	3
ALL OTHER--MALE----	20	-	-	-	-	1	-	-	2	6	2	4
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	15	-	-	-	-	1	-	-	1	5	2	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	2
CONNECTICUT -----	189	-	1	-	-	5	12	16	38	39	39	21
WHITE-----MALE----	118	-	-	-	-	4	7	12	25	23	27	11
FEMALE--	44	-	1	-	-	1	3	2	10	10	6	5
ALL OTHER--MALE----	21	-	-	-	-	-	1	2	1	5	5	4
FEMALE--	6	-	-	-	-	-	1	-	2	1	1	1
BLACK---MALE----	21	-	-	-	-	-	1	2	1	5	5	4
FEMALE--	6	-	-	-	-	-	1	-	2	1	1	1
DELAWARE -----	50	-	-	-	-	1	3	4	3	16	13	6
WHITE-----MALE----	34	-	-	-	-	1	3	3	3	11	7	4
FEMALE--	6	-	-	-	-	-	-	-	-	2	2	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	3	3	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	3	3	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	1
DISTRICT OF COLUMBIA ----	65	-	-	-	-	-	-	4	5	14	16	15
WHITE-----MALE----	7	-	-	-	-	-	-	1	3	1	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	44	-	-	-	-	-	-	2	2	9	11	12
FEMALE--	13	-	-	-	-	-	-	-	-	4	5	2
BLACK---MALE----	44	-	-	-	-	-	-	2	2	9	11	12
FEMALE--	13	-	-	-	-	-	-	-	-	4	5	2
FLORIDA -----	658	1	2	2	1	15	45	55	81	107	151	73
WHITE-----MALE----	421	-	1	2	1	9	29	37	52	74	108	46
FEMALE--	156	1	1	-	-	4	11	10	17	17	31	16
ALL OTHER--MALE----	59	-	-	-	-	1	5	7	9	11	8	8
FEMALE--	22	-	-	-	-	1	-	1	3	5	4	3
BLACK---MALE----	58	-	-	-	-	1	4	7	9	11	8	8
FEMALE--	21	-	-	-	-	1	-	1	2	5	4	3
GEORGIA -----	205	1	1	1	-	5	17	14	24	35	38	23
WHITE-----MALE----	101	-	-	1	-	4	13	12	13	22	11	5
FEMALE--	36	-	-	-	-	-	1	-	5	4	10	4
ALL OTHER--MALE----	55	1	1	-	-	-	3	2	5	8	14	11
FEMALE--	13	-	-	-	-	1	-	-	1	1	3	3
BLACK---MALE----	53	1	-	-	-	-	3	2	5	8	13	11
FEMALE--	13	-	-	-	-	1	-	-	1	1	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,846

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING (E850-E869)												
COLORADO -----	11	5	3	5	2	1	2	2	-	-	-	-
WHITE-----MALE----	7	3	2	2	-	1	2	1	-	-	-	-
FEMALE--	1	1	-	2	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	5	2	-	2	1	1	1	-	-	-	-
WHITE-----MALE----	3	4	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	2	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	1	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	4	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	4	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	4	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
FLORIDA -----	44	18	10	9	14	9	16	3	2	-	-	-
WHITE-----MALE----	28	12	4	3	6	1	5	2	1	-	-	-
FEMALE--	11	5	6	4	7	4	9	1	1	-	-	-
ALL OTHER--MALE----	4	-	-	2	1	2	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	4	-	-	2	1	2	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	1	-	-	-	-	-
GEORGIA -----	15	9	7	4	4	1	3	2	1	-	-	-
WHITE-----MALE----	7	5	3	1	2	-	1	-	1	-	-	-
FEMALE--	4	-	3	2	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	3	3	1	1	1	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	3	3	1	1	1	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,848

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
KENTUCKY -----	142	-	1	2	-	5	9	10	19	23	25	14
WHITE-----MALE----	88	-	1	1	-	4	7	9	10	17	18	7
FEMALE--	40	-	-	1	-	1	2	1	7	3	3	5
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	7	-	-	-	-	-	-	-	1	2	3	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	7	-	-	-	-	-	-	-	1	2	3	-
LOUISIANA -----	128	1	-	-	-	5	15	7	15	16	26	9
WHITE-----MALE----	53	-	-	-	-	4	10	2	7	8	9	5
FEMALE--	33	1	-	-	-	1	2	1	3	4	6	2
ALL OTHER--MALE----	34	-	-	-	-	-	2	3	5	3	10	1
FEMALE--	8	-	-	-	-	-	1	1	-	1	1	1
BLACK---MALE----	33	-	-	-	-	-	2	3	4	3	10	1
FEMALE--	7	-	-	-	-	-	1	1	-	-	1	1
MAINE -----	37	-	-	-	-	2	2	4	7	5	7	4
WHITE-----MALE----	26	-	-	-	-	2	2	3	3	4	4	3
FEMALE--	11	-	-	-	-	-	-	1	4	1	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	52	-	-	-	-	-	7	4	2	6	7	3
WHITE-----MALE----	16	-	-	-	-	-	6	2	1	1	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	1	4	2
FEMALE--	11	-	-	-	-	-	1	2	-	3	2	1
BLACK---MALE----	14	-	-	-	-	-	-	-	1	1	4	2
FEMALE--	9	-	-	-	-	-	-	2	-	3	2	1
MASSACHUSETTS -----	40	-	-	1	-	3	-	5	1	6	7	3
WHITE-----MALE----	22	-	-	-	-	2	-	3	1	4	3	3
FEMALE--	16	-	-	-	-	1	-	2	-	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	1	-
MICHIGAN -----	241	-	3	-	2	9	10	12	22	44	48	31
WHITE-----MALE----	116	-	1	-	2	7	7	7	10	23	22	15
FEMALE--	60	-	1	-	-	2	1	1	5	12	12	4
ALL OTHER--MALE----	47	-	1	-	-	-	2	1	4	8	9	10
FEMALE--	18	-	-	-	-	-	-	3	3	1	5	2
BLACK---MALE----	46	-	1	-	-	-	2	1	3	8	9	10
FEMALE--	18	-	-	-	-	-	-	3	3	1	5	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,848

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING (E850-E869)												
KENTUCKY -----	9	4	6	3	4	2	3	2	-	1	-	-
WHITE-----MALE----	3	3	4	1	2	1	-	-	-	-	-	-
FEMALE--	5	-	2	2	2	1	3	1	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	9	6	5	4	1	5	2	1	1	-	-	-
WHITE-----MALE----	3	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	3	2	4	2	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	3	3	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	3	3	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
MAINE -----	1	2	-	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	1	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	5	-	3	1	5	2	-	1	-	-	-
WHITE-----MALE----	2	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	3	-	-	2	-	3	1	-	1	-	-	-
ALL OTHER--MALE----	1	4	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	4	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	3	1	1	2	2	2	1	2	-	-	-	-
WHITE-----MALE----	2	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	1	1	-	1	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	23	8	8	2	1	8	5	2	2	1	-	-
WHITE-----MALE----	6	1	3	1	1	5	3	1	-	1	-	-
FEMALE--	6	5	5	1	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	9	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	2	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	9	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	2	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,849

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
MINNESOTA -----	75	-	-	-	-	2	2	6	4	6	16	13
WHITE-----MALE----	44	-	-	-	-	1	2	6	3	4	11	7
FEMALE--	18	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	8	-	-	-	-	1	-	-	1	1	2	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	7	-	-	-	-	1	-	-	1	1	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI -----	57	-	3	1	1	2	2	1	4	14	11	5
WHITE-----MALE----	28	-	2	1	1	-	1	-	1	11	5	2
FEMALE--	14	-	1	-	-	-	-	-	1	2	3	2
ALL OTHER--MALE----	13	-	-	-	-	2	1	-	2	1	3	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	13	-	-	-	-	2	1	-	2	1	3	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
MISSOURI -----	150	-	-	-	-	3	9	16	15	33	34	15
WHITE-----MALE----	87	-	-	-	-	3	5	11	9	19	24	9
FEMALE--	32	-	-	-	-	-	-	2	3	9	7	2
ALL OTHER--MALE----	19	-	-	-	-	-	2	3	2	2	2	2
FEMALE--	12	-	-	-	-	-	2	-	1	3	1	2
BLACK---MALE----	19	-	-	-	-	-	2	3	2	2	2	2
FEMALE--	12	-	-	-	-	-	2	-	1	3	1	2
MONTANA -----	16	-	-	-	-	-	2	-	-	3	2	2
WHITE-----MALE----	9	-	-	-	-	-	2	-	-	1	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	30	-	-	-	-	3	-	2	2	5	2	5
WHITE-----MALE----	19	-	-	-	-	2	-	1	1	4	1	4
FEMALE--	8	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	93	-	-	-	-	-	6	9	5	24	16	18
WHITE-----MALE----	55	-	-	-	-	-	3	4	4	16	8	13
FEMALE--	22	-	-	-	-	-	2	4	1	6	4	2
ALL OTHER--MALE----	11	-	-	-	-	-	1	1	-	1	2	3
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	10	-	-	-	-	-	-	1	-	1	2	3
FEMALE--	4	-	-	-	-	-	-	-	-	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,851

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
OHIO -----	296	-	-	-	3	5	13	13	33	59	72	38
WHITE-----MALE----	165	-	-	-	1	5	10	10	20	34	41	16
FEMALE--	67	-	-	-	1	-	2	3	8	13	15	5
ALL OTHER--MALE----	37	-	-	-	1	-	-	-	-	9	11	10
FEMALE--	27	-	-	-	-	-	1	-	5	3	5	7
BLACK---MALE----	36	-	-	-	-	-	-	-	-	9	11	10
FEMALE--	26	-	-	-	-	-	-	-	5	3	5	7
OKLAHOMA -----	104	-	-	-	2	-	4	8	11	16	21	11
WHITE-----MALE----	68	-	-	-	1	-	2	5	10	11	14	7
FEMALE--	28	-	-	-	1	-	1	2	1	3	6	3
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	2	1	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	211	-	-	-	-	3	15	24	35	31	43	25
WHITE-----MALE----	157	-	-	-	-	1	12	20	23	25	35	21
FEMALE--	39	-	-	-	-	2	3	2	9	6	5	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	2	3	-	3	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	2	1	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	664	1	1	1	-	25	31	57	93	127	135	82
WHITE-----MALE----	383	1	-	-	-	17	24	43	59	75	74	45
FEMALE--	134	-	1	-	-	7	1	7	18	27	28	7
ALL OTHER--MALE----	111	-	-	-	-	1	5	7	9	16	28	24
FEMALE--	36	-	-	1	-	-	1	-	7	9	5	6
BLACK---MALE----	107	-	-	-	-	-	5	6	8	15	28	24
FEMALE--	36	-	-	1	-	-	1	-	7	9	5	6
RHODE ISLAND -----	2	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	118	-	-	-	-	2	5	3	7	31	25	14
WHITE-----MALE----	55	-	-	-	-	1	3	2	4	16	13	4
FEMALE--	27	-	-	-	-	-	-	1	-	7	5	5
ALL OTHER--MALE----	26	-	-	-	-	1	2	-	2	4	5	5
FEMALE--	10	-	-	-	-	-	-	-	1	4	2	-
BLACK---MALE----	26	-	-	-	-	1	2	-	2	4	5	5
FEMALE--	10	-	-	-	-	-	-	-	1	4	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,851

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING (E850-E869)												
OHIO -----	10	11	7	9	3	4	7	6	2	1	-	-
WHITE-----MALE----	3	7	3	4	2	3	3	3	-	-	-	-
FEMALE--	3	1	3	3	1	1	2	3	2	1	-	-
ALL OTHER--MALE----	2	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	2	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	2	-	-	-	-	-
OKLAHOMA -----	9	6	-	2	2	5	3	2	1	-	1	-
WHITE-----MALE----	6	3	-	2	1	2	2	1	-	-	1	-
FEMALE--	1	3	-	-	1	3	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	17	5	5	3	1	2	2	-	-	-	-	-
WHITE-----MALE----	8	4	4	1	1	1	1	-	-	-	-	-
FEMALE--	7	-	1	2	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	42	11	7	8	8	12	8	11	3	1	-	-
WHITE-----MALE----	19	4	1	3	6	5	3	3	-	1	-	-
FEMALE--	7	3	2	3	1	7	5	7	3	-	-	-
ALL OTHER--MALE----	13	2	3	2	1	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	13	2	3	2	1	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	5	2	4	3	3	1	2	1	-	-	-
WHITE-----MALE----	4	1	1	3	1	2	-	-	-	-	-	-
FEMALE--	3	1	-	-	2	-	1	1	1	-	-	-
ALL OTHER--MALE----	2	2	1	1	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	2	1	1	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,852

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
SOUTH DAKOTA -----	22	-	-	-	-	1	2	1	2	3	2	2
WHITE-----MALE----	7	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	2	2	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	198	-	-	-	-	5	15	14	29	41	29	22
WHITE-----MALE----	113	-	-	-	-	4	9	10	19	23	18	15
FEMALE--	54	-	-	-	-	-	4	2	7	13	6	2
ALL OTHER--MALE----	22	-	-	-	-	-	1	2	2	3	4	5
FEMALE--	9	-	-	-	-	1	1	-	1	2	1	-
BLACK---MALE----	22	-	-	-	-	-	1	2	2	3	4	5
FEMALE--	9	-	-	-	-	1	1	-	1	2	1	-
TEXAS -----	781	1	3	1	2	35	60	60	93	163	157	94
WHITE-----MALE----	465	1	2	1	1	24	35	42	57	95	99	58
FEMALE--	195	-	1	-	1	9	12	11	23	40	37	19
ALL OTHER--MALE----	86	-	-	-	-	1	11	4	11	18	16	11
FEMALE--	35	-	-	-	-	1	2	3	2	10	5	6
BLACK---MALE----	79	-	-	-	-	1	11	4	9	16	16	9
FEMALE--	35	-	-	-	-	1	2	3	2	10	5	6
UTAH -----	27	-	-	-	-	1	1	3	3	6	3	5
WHITE-----MALE----	20	-	-	-	-	-	1	3	3	3	3	5
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	16	-	-	-	-	1	2	1	-	3	3	3
WHITE-----MALE----	13	-	-	-	-	1	1	1	-	3	3	2
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VIRGINIA -----	199	-	-	-	-	3	11	16	27	35	49	22
WHITE-----MALE----	111	-	-	-	-	2	10	11	14	17	29	12
FEMALE--	41	-	-	-	-	-	1	2	9	6	7	4
ALL OTHER--MALE----	35	-	-	-	-	1	-	3	3	6	10	6
FEMALE--	12	-	-	-	-	-	-	-	1	6	3	-
BLACK---MALE----	35	-	-	-	-	1	-	3	3	6	10	6
FEMALE--	12	-	-	-	-	-	-	-	1	6	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,852

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING (E850-E869)												
SOUTH DAKOTA -----	2	-	-	1	-	1	2	3	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	14	3	7	3	4	2	6	3	1	-	-	-
WHITE-----MALE----	6	1	1	1	1	-	3	2	-	-	-	-
FEMALE--	6	1	3	1	3	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	1	3	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	3	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	44	18	10	11	9	6	8	2	2	1	1	-
WHITE-----MALE----	18	5	6	7	3	3	4	1	1	1	1	-
FEMALE--	15	7	4	4	3	3	4	1	1	-	-	-
ALL OTHER--MALE----	7	5	-	-	2	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	6	5	-	-	2	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	1	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	1	2	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	5	6	1	3	5	2	2	-	-	-	-
WHITE-----MALE----	6	2	3	1	1	-	1	2	-	-	-	-
FEMALE--	2	2	2	-	1	5	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	4	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,854

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
UNITED STATES --	9,838	7	15	7	8	196	538	772	1,257	1,906	2,112	1,419
WHITE-----MALE----	5,795	2	6	3	5	133	383	520	796	1,151	1,290	822
FEMALE--	2,101	2	7	2	3	43	80	130	251	393	407	219
ALL OTHER--MALE----	1,385	1	2	-	-	13	59	85	153	245	292	278
FEMALE--	557	2	-	2	-	7	16	37	57	117	123	100
BLACK---MALE----	1,269	1	1	-	-	7	51	72	127	225	280	262
FEMALE--	510	2	-	2	-	5	9	34	52	106	119	94
ALABAMA -----	85	-	-	-	-	2	4	12	12	11	15	9
WHITE-----MALE----	37	-	-	-	-	1	2	6	5	6	8	6
FEMALE--	31	-	-	-	-	1	2	4	4	2	4	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	2	2	2	-
FEMALE--	10	-	-	-	-	-	-	2	1	1	1	2
BLACK---MALE----	7	-	-	-	-	-	-	-	2	2	2	-
FEMALE--	10	-	-	-	-	-	-	2	1	1	1	2
ALASKA -----	24	-	-	-	-	1	-	-	3	3	4	7
WHITE-----MALE----	11	-	-	-	-	-	-	-	2	1	2	4
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	4	-	-	-	-	1	-	-	-	1	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	347	-	-	-	-	5	22	36	44	75	73	48
WHITE-----MALE----	249	-	-	-	-	1	15	26	30	53	61	37
FEMALE--	62	-	-	-	-	1	2	5	10	12	10	6
ALL OTHER--MALE----	26	-	-	-	-	3	3	4	1	7	2	4
FEMALE--	10	-	-	-	-	-	2	1	3	3	-	1
BLACK---MALE----	13	-	-	-	-	-	2	-	-	4	2	3
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	1
ARKANSAS -----	26	-	1	-	-	1	-	5	3	2	5	2
WHITE-----MALE----	11	-	-	-	-	-	-	2	2	2	3	1
FEMALE--	9	-	1	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	1,994	-	3	-	2	23	79	134	237	366	447	356
WHITE-----MALE----	1,269	-	1	-	-	13	58	91	170	241	287	232
FEMALE--	428	-	2	-	2	7	12	24	37	84	98	62
ALL OTHER--MALE----	209	-	-	-	-	2	7	10	20	29	39	47
FEMALE--	88	-	-	-	-	1	2	9	10	12	23	15
BLACK---MALE----	170	-	-	-	-	-	4	6	10	21	38	41
FEMALE--	77	-	-	-	-	-	-	7	9	10	22	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,855

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
COLORADO -----	144	-	-	1	-	1	9	18	17	26	32	19
WHITE-----MALE----	92	-	-	-	-	1	7	14	12	13	22	11
FEMALE--	32	-	-	1	-	-	2	4	4	7	7	3
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	6	2	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	13	-	-	-	-	-	-	-	-	5	2	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	2
CONNECTICUT -----	178	-	1	-	-	5	12	16	38	36	37	18
WHITE-----MALE----	111	-	-	-	-	4	7	12	25	21	25	11
FEMALE--	43	-	1	-	-	1	3	2	10	10	6	4
ALL OTHER--MALE----	18	-	-	-	-	-	1	2	1	4	5	2
FEMALE--	6	-	-	-	-	-	1	-	2	1	1	1
BLACK---MALE----	18	-	-	-	-	-	1	2	1	4	5	2
FEMALE--	6	-	-	-	-	-	1	-	2	1	1	1
DELAWARE -----	50	-	-	-	-	1	3	4	3	16	13	6
WHITE-----MALE----	34	-	-	-	-	1	3	3	3	11	7	4
FEMALE--	6	-	-	-	-	-	-	-	-	2	2	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	3	3	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	3	3	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	1
DISTRICT OF COLUMBIA ----	64	-	-	-	-	-	-	4	5	14	16	15
WHITE-----MALE----	7	-	-	-	-	-	-	1	3	1	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	44	-	-	-	-	-	-	2	2	9	11	12
FEMALE--	12	-	-	-	-	-	-	-	-	4	5	2
BLACK---MALE----	44	-	-	-	-	-	-	2	2	9	11	12
FEMALE--	12	-	-	-	-	-	-	-	-	4	5	2
FLORIDA -----	593	1	1	-	-	15	42	49	76	101	140	72
WHITE-----MALE----	380	-	1	-	-	9	26	34	48	70	100	46
FEMALE--	142	1	-	-	-	4	11	8	17	17	30	15
ALL OTHER--MALE----	50	-	-	-	-	1	5	6	8	9	6	8
FEMALE--	21	-	-	-	-	1	-	1	3	5	4	3
BLACK---MALE----	49	-	-	-	-	1	4	6	8	9	6	8
FEMALE--	20	-	-	-	-	1	-	1	2	5	4	3
GEORGIA -----	180	1	1	1	-	3	13	14	21	31	36	21
WHITE-----MALE----	87	-	-	1	-	2	10	12	12	19	10	5
FEMALE--	34	-	-	-	-	-	-	-	5	4	10	4
ALL OTHER--MALE----	48	1	1	-	-	-	3	2	3	7	14	9
FEMALE--	11	-	-	-	-	1	-	-	1	1	2	3
BLACK---MALE----	46	1	-	-	-	-	3	2	3	7	13	9
FEMALE--	11	-	-	-	-	1	-	-	1	1	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,855

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
COLORADO -----	9	4	3	2	-	-	1	2	-	-	-	-
WHITE-----MALE----	5	2	2	1	-	-	1	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	4	2	-	1	1	1	1	-	-	-	-
WHITE-----MALE----	2	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	2	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	1	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	4	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	4	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	4	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	41	15	7	6	9	6	11	-	1	-	-	-
WHITE-----MALE----	25	10	3	1	4	-	3	-	-	-	-	-
FEMALE--	11	5	4	4	5	3	6	-	1	-	-	-
ALL OTHER--MALE----	4	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	4	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	-	-	-	-	-
GEORGIA -----	13	7	7	4	3	1	-	2	1	-	-	-
WHITE-----MALE----	6	3	3	1	2	-	-	-	1	-	-	-
FEMALE--	4	-	3	2	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	2	3	1	1	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	3	1	1	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,857

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
KENTUCKY -----	123	-	-	2	-	5	9	10	16	22	24	13
WHITE-----MALE----	77	-	-	1	-	4	7	9	9	16	17	6
FEMALE--	34	-	-	1	-	1	2	1	6	3	3	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	6	-	-	-	-	-	-	-	1	2	3	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	6	-	-	-	-	-	-	-	1	2	3	-
LOUISIANA -----	106	1	-	-	-	4	11	6	15	13	23	8
WHITE-----MALE----	43	-	-	-	-	4	8	1	7	7	7	4
FEMALE--	30	1	-	-	-	-	2	1	3	4	6	2
ALL OTHER--MALE----	29	-	-	-	-	-	1	3	5	1	10	1
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	28	-	-	-	-	-	1	3	4	1	10	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1
MAINE -----	34	-	-	-	-	2	2	4	7	5	7	4
WHITE-----MALE----	23	-	-	-	-	2	2	3	3	4	4	3
FEMALE--	11	-	-	-	-	-	-	1	4	1	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	46	-	-	-	-	-	6	4	2	5	6	2
WHITE-----MALE----	13	-	-	-	-	-	5	2	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	1	4	1
FEMALE--	11	-	-	-	-	-	1	2	-	3	2	1
BLACK---MALE----	12	-	-	-	-	-	-	-	1	1	4	1
FEMALE--	9	-	-	-	-	-	-	2	-	3	2	1
MASSACHUSETTS -----	32	-	-	1	-	-	-	4	1	5	6	3
WHITE-----MALE----	16	-	-	-	-	-	-	2	1	3	2	3
FEMALE--	14	-	-	-	-	-	-	2	-	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	1	-
MICHIGAN -----	213	-	2	-	2	6	9	11	19	41	45	27
WHITE-----MALE----	94	-	1	-	2	4	6	7	8	20	20	11
FEMALE--	56	-	-	-	-	2	1	1	4	12	11	4
ALL OTHER--MALE----	46	-	1	-	-	-	2	-	4	8	9	10
FEMALE--	17	-	-	-	-	-	-	3	3	1	5	2
BLACK---MALE----	45	-	1	-	-	-	2	-	3	8	9	10
FEMALE--	17	-	-	-	-	-	-	3	3	1	5	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,857

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
KENTUCKY -----	9	2	4	-	3	1	1	1	-	1	-	-
WHITE-----MALE----	3	1	2	-	2	-	-	-	-	-	-	-
FEMALE--	5	-	2	-	1	1	1	1	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	7	5	4	2	-	3	2	1	1	-	-	-
WHITE-----MALE----	3	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	2	3	2	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	2	3	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	3	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	1	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	5	-	3	1	4	1	-	1	-	-	-
WHITE-----MALE----	2	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	3	-	-	2	-	3	-	-	1	-	-	-
ALL OTHER--MALE----	1	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	3	-	-	2	2	2	1	2	-	-	-	-
WHITE-----MALE----	2	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	22	7	7	1	-	5	5	2	2	-	-	-
WHITE-----MALE----	5	1	2	-	-	3	3	1	-	-	-	-
FEMALE--	6	5	5	1	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	9	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	9	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,858

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
MINNESOTA -----	54	-	-	-	-	2	-	5	2	4	13	9
WHITE-----MALE----	31	-	-	-	-	1	-	5	1	4	8	4
FEMALE--	14	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	1	-	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	1	-	-	1	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI -----	45	-	-	-	-	2	1	1	3	13	11	4
WHITE-----MALE----	21	-	-	-	-	-	1	-	-	10	5	2
FEMALE--	12	-	-	-	-	-	-	-	1	2	3	2
ALL OTHER--MALE----	10	-	-	-	-	2	-	-	2	1	3	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	10	-	-	-	-	2	-	-	2	1	3	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
MISSOURI -----	132	-	-	-	-	3	8	14	14	28	31	12
WHITE-----MALE----	74	-	-	-	-	3	4	10	9	14	22	7
FEMALE--	28	-	-	-	-	-	-	1	3	9	6	1
ALL OTHER--MALE----	19	-	-	-	-	-	2	3	2	2	2	2
FEMALE--	11	-	-	-	-	-	2	-	-	3	1	2
BLACK---MALE----	19	-	-	-	-	-	2	3	2	2	2	2
FEMALE--	11	-	-	-	-	-	2	-	-	3	1	2
MONTANA -----	13	-	-	-	-	-	2	-	-	3	2	2
WHITE-----MALE----	6	-	-	-	-	-	2	-	-	1	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	21	-	-	-	-	-	-	1	2	4	2	5
WHITE-----MALE----	12	-	-	-	-	-	-	-	1	3	1	4
FEMALE--	6	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	87	-	-	-	-	-	5	8	5	22	16	18
WHITE-----MALE----	51	-	-	-	-	-	2	3	4	15	8	13
FEMALE--	20	-	-	-	-	-	2	4	1	5	4	2
ALL OTHER--MALE----	11	-	-	-	-	-	1	1	-	1	2	3
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	10	-	-	-	-	-	-	1	-	1	2	3
FEMALE--	4	-	-	-	-	-	-	-	-	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,860

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
OHIO -----	248	-	-	-	-	2	10	12	31	56	63	33
WHITE-----MALE----	138	-	-	-	-	2	9	9	19	31	37	13
FEMALE--	53	-	-	-	-	-	1	3	7	13	11	4
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	9	10	9
FEMALE--	24	-	-	-	-	-	-	-	5	3	5	7
BLACK---MALE----	33	-	-	-	-	-	-	-	-	9	10	9
FEMALE--	24	-	-	-	-	-	-	-	5	3	5	7
OKLAHOMA -----	83	-	-	-	-	-	3	5	9	16	21	10
WHITE-----MALE----	50	-	-	-	-	-	1	3	8	11	14	6
FEMALE--	26	-	-	-	-	-	1	2	1	3	6	3
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	2	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	196	-	-	-	-	3	14	23	32	29	38	24
WHITE-----MALE----	143	-	-	-	-	1	11	19	20	24	30	20
FEMALE--	38	-	-	-	-	2	3	2	9	5	5	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	2	3	-	3	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	2	1	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	613	1	1	1	-	20	29	54	90	122	132	75
WHITE-----MALE----	352	1	-	-	-	14	22	41	57	73	71	42
FEMALE--	123	-	1	-	-	5	1	7	18	25	28	6
ALL OTHER--MALE----	103	-	-	-	-	1	5	6	8	15	28	21
FEMALE--	35	-	-	1	-	-	1	-	7	9	5	6
BLACK---MALE----	102	-	-	-	-	-	5	6	8	15	28	21
FEMALE--	35	-	-	1	-	-	1	-	7	9	5	6
RHODE ISLAND -----	2	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	95	-	-	-	-	1	4	3	6	24	21	13
WHITE-----MALE----	47	-	-	-	-	1	2	2	4	13	12	4
FEMALE--	23	-	-	-	-	-	-	1	-	5	5	5
ALL OTHER--MALE----	16	-	-	-	-	-	2	-	2	2	2	4
FEMALE--	9	-	-	-	-	-	-	-	-	4	2	-
BLACK---MALE----	16	-	-	-	-	-	2	-	2	2	2	4
FEMALE--	9	-	-	-	-	-	-	-	-	4	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,860

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
OHIO -----	8	8	3	8	1	3	4	4	1	1	-	-
WHITE-----MALE----	2	4	2	3	1	2	2	2	-	-	-	-
FEMALE--	2	1	1	3	-	1	2	2	1	1	-	-
ALL OTHER--MALE----	2	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	6	2	-	-	2	4	1	2	1	-	1	-
WHITE-----MALE----	3	-	-	-	1	1	-	1	-	-	1	-
FEMALE--	1	2	-	-	1	3	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	17	5	5	3	-	1	2	-	-	-	-	-
WHITE-----MALE----	8	4	4	1	-	-	1	-	-	-	-	-
FEMALE--	7	-	1	2	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	37	6	7	7	2	11	4	11	2	1	-	-
WHITE-----MALE----	14	3	1	2	1	5	1	3	-	1	-	-
FEMALE--	7	1	2	3	1	6	3	7	2	-	-	-
ALL OTHER--MALE----	13	1	3	2	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	13	1	3	2	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	4	1	1	2	3	1	2	1	-	-	-
WHITE-----MALE----	3	1	1	1	1	2	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,861

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
SOUTH DAKOTA -----	10	-	-	-	-	-	1	1	-	1	2	-
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	179	-	-	-	-	3	14	13	25	39	26	20
WHITE-----MALE----	100	-	-	-	-	2	8	9	16	22	16	14
FEMALE--	48	-	-	-	-	-	4	2	6	12	5	1
ALL OTHER--MALE----	22	-	-	-	-	-	1	2	2	3	4	5
FEMALE--	9	-	-	-	-	1	1	-	1	2	1	-
BLACK---MALE----	22	-	-	-	-	-	1	2	2	3	4	5
FEMALE--	9	-	-	-	-	1	1	-	1	2	1	-
TEXAS -----	710	-	3	1	2	25	54	56	85	157	146	89
WHITE-----MALE----	417	-	2	1	1	17	30	39	53	91	91	53
FEMALE--	178	-	1	-	1	7	11	10	21	39	34	19
ALL OTHER--MALE----	81	-	-	-	-	-	11	4	9	17	16	11
FEMALE--	34	-	-	-	-	1	2	3	2	10	5	6
BLACK---MALE----	77	-	-	-	-	-	11	4	8	16	16	9
FEMALE--	34	-	-	-	-	1	2	3	2	10	5	6
UTAH -----	15	-	-	-	-	-	-	1	2	4	1	3
WHITE-----MALE----	11	-	-	-	-	-	-	1	2	2	1	3
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	14	-	-	-	-	1	2	1	-	3	3	2
WHITE-----MALE----	11	-	-	-	-	1	1	1	-	3	3	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VIRGINIA -----	169	-	-	-	-	2	10	13	24	31	44	19
WHITE-----MALE----	92	-	-	-	-	2	9	9	12	14	25	10
FEMALE--	36	-	-	-	-	-	1	1	8	5	7	3
ALL OTHER--MALE----	30	-	-	-	-	-	-	3	3	6	9	6
FEMALE--	11	-	-	-	-	-	-	-	1	6	3	-
BLACK---MALE----	30	-	-	-	-	-	-	3	3	6	9	6
FEMALE--	11	-	-	-	-	-	-	-	1	6	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,861

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
SOUTH DAKOTA -----	-	-	-	-	-	1	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	3	7	3	4	2	5	2	1	-	-	-
WHITE-----MALE----	5	1	1	1	1	-	3	1	-	-	-	-
FEMALE--	5	1	3	1	3	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	3	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	3	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	39	16	8	7	9	4	5	1	1	1	1	-
WHITE-----MALE----	16	4	4	5	3	1	3	1	-	1	1	-
FEMALE--	14	6	4	2	3	3	2	-	1	-	-	-
ALL OTHER--MALE----	6	5	-	-	2	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	6	5	-	-	2	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	1	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	4	4	1	-	5	2	2	-	-	-	-
WHITE-----MALE----	4	1	2	1	-	-	1	2	-	-	-	-
FEMALE--	2	2	2	-	-	5	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,864

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)												
COLORADO -----	-	1	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
FLORIDA -----	3	1	2	1	2	2	-	2	-	-	-	-
WHITE-----MALE----	3	1	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	1	-	-	-	-	3	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,869

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)												
OHIO -----	10	-	-	-	-	1	-	-	-	1	2	-
WHITE-----MALE----	6	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	12	-	-	-	2	-	1	2	-	-	-	1
WHITE-----MALE----	9	-	-	-	1	-	1	1	-	-	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	5	-	-	-	-	-	1	-	1	1	-	1
WHITE-----MALE----	5	-	-	-	-	-	1	-	1	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	19	-	-	-	-	1	-	-	1	4	1	5
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	4	-	-	-	-	1	-	-	-	2	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	-	-	-	-	-	-	-	1	5	3	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,870

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	2	1	1	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	1	2	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,881

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
UNITED STATES --	3,228	33	31	12	16	19	22	27	44	49	81	118
WHITE-----MALE----	1,258	12	10	4	6	10	7	11	17	19	22	45
FEMALE--	1,406	10	10	5	4	9	7	11	19	18	37	35
ALL OTHER--MALE----	241	6	7	2	4	-	5	3	3	4	7	18
FEMALE--	323	5	4	1	2	-	3	2	5	8	15	20
BLACK---MALE----	216	6	7	2	2	-	5	3	1	4	7	15
FEMALE--	294	5	3	1	2	-	3	2	5	8	15	17
ALABAMA -----	73	2	-	-	1	-	-	3	1	2	1	1
WHITE-----MALE----	26	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	1	1	-	1
BLACK---MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	1	1	-	1
ALASKA -----	3	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	68	1	1	-	-	2	-	1	1	1	4	2
WHITE-----MALE----	28	1	1	-	-	1	-	1	-	-	2	1
FEMALE--	35	-	-	-	-	1	-	-	1	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	46	2	-	1	-	-	1	1	-	-	1	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	2	-	-	-	-	1	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	2	-	-	-	-	1	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	246	2	4	-	4	1	2	2	7	6	8	12
WHITE-----MALE----	95	-	-	-	2	-	1	2	4	3	2	6
FEMALE--	107	2	1	-	1	1	1	-	1	2	5	4
ALL OTHER--MALE----	31	-	2	-	1	-	-	-	2	-	1	2
FEMALE--	13	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	18	-	2	-	1	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,881

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
UNITED STATES --	147	168	202	312	402	467	447	363	199	56	12	1
WHITE-----MALE----	58	69	83	135	176	196	183	138	48	8	1	-
FEMALE--	52	68	78	117	160	200	209	187	122	40	8	-
ALL OTHER--MALE----	18	16	22	24	25	25	24	14	10	1	2	1
FEMALE--	19	15	19	36	41	46	31	24	19	7	1	-
BLACK---MALE----	16	15	20	24	24	24	19	11	7	1	2	1
FEMALE--	17	14	15	35	37	42	27	21	18	6	1	-
ALABAMA -----	3	7	4	7	5	7	9	9	10	1	-	-
WHITE-----MALE----	3	1	2	1	1	4	5	3	2	1	-	-
FEMALE--	-	4	1	4	3	2	3	3	6	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	2	-	-	-
FEMALE--	-	2	-	2	1	-	-	3	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	2	-	-	-
FEMALE--	-	2	-	2	1	-	-	3	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	5	6	7	11	9	5	4	3	-	-	-
WHITE-----MALE----	2	1	1	4	6	5	1	1	-	-	-	-
FEMALE--	1	3	3	3	5	4	4	3	3	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	1	4	4	3	8	9	5	1	1	-	-
WHITE-----MALE----	1	1	2	4	1	3	5	2	-	-	-	-
FEMALE--	1	-	2	-	-	5	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	2	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	2	1	1	-	-
CALIFORNIA -----	11	15	18	18	27	32	25	29	18	5	-	-
WHITE-----MALE----	4	4	6	11	10	17	8	11	4	-	-	-
FEMALE--	5	9	8	5	14	10	9	15	10	4	-	-
ALL OTHER--MALE----	2	2	4	-	3	1	5	3	3	-	-	-
FEMALE--	-	-	-	2	-	4	3	-	1	1	-	-
BLACK---MALE----	1	2	3	-	3	-	3	2	-	-	-	-
FEMALE--	-	-	-	2	-	2	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,882

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	4	2	5	5	7	3	7	2	-	-	-
WHITE-----MALE----	1	1	-	4	3	3	-	2	1	-	-	-
FEMALE--	3	2	2	1	1	4	3	5	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	1	2	5	11	11	10	12	2	1	-	-
WHITE-----MALE----	2	-	-	3	7	6	6	8	2	1	-	-
FEMALE--	-	1	1	1	3	5	4	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	-	-	-	-
DELAWARE -----	-	-	-	2	4	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	1	11	4	9	10	8	10	9	1	5	-	-
WHITE-----MALE----	-	7	1	4	5	3	5	4	1	1	-	-
FEMALE--	1	2	3	2	3	4	5	5	-	3	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	2	1	-	-	-	1	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	1	-	-	-	1	-	-
GEORGIA -----	5	4	8	13	13	18	12	15	7	1	-	-
WHITE-----MALE----	3	3	3	4	4	6	5	4	1	-	-	-
FEMALE--	-	-	3	4	3	5	3	7	5	1	-	-
ALL OTHER--MALE----	-	1	2	1	2	1	-	3	-	-	-	-
FEMALE--	2	-	-	4	4	6	4	1	1	-	-	-
BLACK---MALE----	-	1	2	1	2	1	-	3	-	-	-	-
FEMALE--	2	-	-	4	4	5	4	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,884

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
KENTUCKY -----	64	-	3	1	-	1	-	1	-	-	-	2
WHITE-----MALE----	28	-	1	-	-	-	-	1	-	-	-	1
FEMALE--	29	-	1	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	61	-	1	-	1	-	2	-	-	-	2	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	10	-	1	-	1	-	-	-	-	-	1	-
BLACK---MALE----	14	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	10	-	1	-	1	-	-	-	-	-	1	-
MAINE -----	17	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	82	1	1	1	-	-	-	-	-	1	2	1
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	10	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	10	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	1
MASSACHUSETTS -----	43	1	-	-	-	1	-	-	-	-	3	-
WHITE-----MALE----	18	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	-	1	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	82	-	-	1	1	-	1	-	3	-	4	3
WHITE-----MALE----	31	-	-	-	1	-	1	-	-	-	-	2
FEMALE--	39	-	-	-	-	-	-	-	2	-	2	-
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	5	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,884

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	2	6	15	6	5	6	9	4	1	-	-
WHITE-----MALE----	1	2	4	7	3	1	1	4	2	-	-	-
FEMALE--	1	-	1	7	3	2	5	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
LOUISIANA -----	6	3	5	6	8	10	7	7	2	-	1	-
WHITE-----MALE----	1	-	1	4	2	1	3	2	-	-	-	-
FEMALE--	2	1	2	2	4	5	3	4	-	-	-	-
ALL OTHER--MALE----	2	1	2	-	-	3	1	1	1	-	-	-
FEMALE--	1	1	-	-	2	1	-	-	1	-	1	-
BLACK---MALE----	2	1	2	-	-	3	1	1	1	-	-	-
FEMALE--	1	1	-	-	2	1	-	-	1	-	1	-
MAINE -----	-	1	2	4	2	2	2	1	1	1	-	-
WHITE-----MALE----	-	-	1	3	-	2	1	-	1	-	-	-
FEMALE--	-	1	1	1	2	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	2	7	10	9	11	10	13	9	1	1	-
WHITE-----MALE----	2	1	3	4	1	5	6	5	2	-	-	-
FEMALE--	-	-	3	2	2	4	3	7	4	1	1	-
ALL OTHER--MALE----	-	-	-	1	4	-	1	-	1	-	-	-
FEMALE--	-	1	1	3	2	2	-	1	2	-	-	-
BLACK---MALE----	-	-	-	1	4	-	1	-	1	-	-	-
FEMALE--	-	1	1	3	2	2	-	1	2	-	-	-
MASSACHUSETTS -----	1	-	3	5	3	5	11	3	3	3	1	-
WHITE-----MALE----	-	-	1	2	1	2	5	2	2	1	-	-
FEMALE--	1	-	2	3	2	3	6	1	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	3	6	2	10	10	18	6	7	1	-	-
WHITE-----MALE----	3	3	2	-	5	6	3	3	2	-	-	-
FEMALE--	2	-	3	1	5	3	14	2	4	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,887

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
OHIO -----	192	3	3	-	-	3	1	-	1	4	2	3
WHITE-----MALE----	76	1	1	-	-	3	-	-	-	1	2	1
FEMALE--	88	1	1	-	-	-	-	-	1	3	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	1	1	-	-	-	1	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	1	1	-	-	-	1	-	-	-	-	1
OKLAHOMA -----	46	-	-	-	-	-	1	-	-	-	1	1
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	34	1	-	-	-	-	-	-	1	4	1	1
WHITE-----MALE----	22	1	-	-	-	-	-	-	-	4	1	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	300	2	2	1	2	1	1	1	4	5	4	11
WHITE-----MALE----	119	-	1	-	1	1	-	-	1	4	1	7
FEMALE--	146	1	1	1	1	-	1	1	2	-	3	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	1	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	1	-	-	-	-	-	-	1	1	-	1
RHODE ISLAND -----	7	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	45	-	-	-	-	-	-	-	1	1	-	4
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,887

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	7	12	10	22	17	46	19	17	15	7	-	-
WHITE-----MALE----	4	4	8	10	7	15	9	6	2	2	-	-
FEMALE--	2	8	1	6	8	24	7	11	10	4	-	-
ALL OTHER--MALE----	-	-	1	5	1	3	2	-	2	-	-	-
FEMALE--	1	-	-	1	1	4	1	-	1	1	-	-
BLACK---MALE----	-	-	1	5	1	3	2	-	2	-	-	-
FEMALE--	1	-	-	1	1	4	1	-	1	1	-	-
OKLAHOMA -----	-	1	5	4	7	7	4	10	2	3	-	-
WHITE-----MALE----	-	1	4	1	4	4	3	4	-	-	-	-
FEMALE--	-	-	1	3	2	1	1	6	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
OREGON -----	-	-	2	4	2	7	4	3	3	-	1	-
WHITE-----MALE----	-	-	1	3	1	2	3	2	3	-	1	-
FEMALE--	-	-	-	1	1	5	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	15	14	26	22	52	49	48	24	14	-	2	-
WHITE-----MALE----	8	6	10	9	26	16	17	9	2	-	-	-
FEMALE--	4	6	8	12	20	30	27	13	10	-	2	-
ALL OTHER--MALE----	2	-	6	1	3	-	1	-	-	-	-	-
FEMALE--	1	2	2	-	3	3	3	2	2	-	-	-
BLACK---MALE----	2	-	6	1	2	-	1	-	-	-	-	-
FEMALE--	1	2	2	-	3	3	3	2	2	-	-	-
RHODE ISLAND -----	-	-	-	1	-	1	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	1	11	9	6	1	3	3	-	1	-
WHITE-----MALE----	1	2	-	2	5	3	1	-	1	-	-	-
FEMALE--	-	-	1	2	2	2	-	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	7	2	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	7	2	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,888

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
SOUTH DAKOTA -----	8	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	102	1	-	1	-	-	-	1	1	3	2	4
WHITE-----MALE----	29	-	-	1	-	-	-	1	-	1	-	-
FEMALE--	57	1	-	-	-	-	-	-	1	1	2	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	174	2	3	-	1	2	2	1	2	1	6	4
WHITE-----MALE----	71	-	2	-	1	1	1	-	1	1	2	2
FEMALE--	86	2	1	-	-	1	-	1	1	-	2	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	1	-
UTAH -----	24	-	-	-	-	-	-	1	-	-	-	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	101	-	1	-	-	1	-	-	3	1	4	5
WHITE-----MALE----	26	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	43	-	1	-	-	1	-	-	2	-	2	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,888

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	1	-	1	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	1	3	9	10	19	19	12	1	5	1	-
WHITE-----MALE----	1	-	2	3	2	6	6	6	-	-	-	-
FEMALE--	5	1	1	4	6	9	12	5	1	5	1	-
ALL OTHER--MALE----	2	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	2	3	1	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	2	3	1	-	-	-	-	-
TEXAS -----	8	15	15	12	19	21	19	19	17	4	1	-
WHITE-----MALE----	5	8	5	4	7	10	10	7	4	-	-	-
FEMALE--	2	4	9	6	11	9	8	12	13	3	-	-
ALL OTHER--MALE----	1	3	1	-	-	2	1	-	-	1	1	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	1	3	1	-	-	2	1	-	-	1	1	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
UTAH -----	3	2	1	-	3	5	1	6	-	-	-	-
WHITE-----MALE----	-	-	-	-	3	2	-	3	-	-	-	-
FEMALE--	3	2	1	-	-	3	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	2	1	1	3	-	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	-	6	12	12	17	16	10	7	1	-	-
WHITE-----MALE----	3	-	4	4	4	3	4	1	1	-	-	-
FEMALE--	1	-	-	2	7	6	8	5	5	1	-	-
ALL OTHER--MALE----	-	-	-	5	1	2	1	2	-	-	-	-
FEMALE--	1	-	2	1	-	6	3	2	1	-	-	-
BLACK---MALE----	-	-	-	5	1	2	1	2	-	-	-	-
FEMALE--	1	-	2	1	-	6	3	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,890

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL FALLS (E880-E888)												
UNITED STATES --	409	410	486	703	1,181	1,874	2,772	3,088	2,370	930	208	5
WHITE-----MALE----	239	273	273	388	588	909	1,225	1,103	713	238	48	4
FEMALE--	85	85	134	235	485	849	1,416	1,856	1,557	651	146	-
ALL OTHER--MALE----	77	43	58	52	67	51	60	55	45	16	4	1
FEMALE--	8	9	21	28	41	65	71	74	55	25	10	-
BLACK---MALE----	59	39	43	41	49	33	40	36	30	11	3	1
FEMALE--	8	8	16	17	31	54	47	50	48	20	7	-
ALABAMA -----	5	2	6	18	21	23	29	54	28	6	3	-
WHITE-----MALE----	2	2	3	10	10	11	16	20	5	1	-	-
FEMALE--	-	-	3	4	7	11	12	32	20	4	3	-
ALL OTHER--MALE----	3	-	-	4	3	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	1	1	-	2	2	-	-	-
BLACK---MALE----	3	-	-	4	3	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	1	1	-	2	2	-	-	-
ALASKA -----	-	1	-	-	-	1	5	2	3	1	-	-
WHITE-----MALE----	-	1	-	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	6	10	17	33	53	64	71	54	11	5	1
WHITE-----MALE----	1	4	6	7	18	30	31	24	13	3	1	1
FEMALE--	3	1	4	6	14	23	31	47	41	8	3	-
ALL OTHER--MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	3	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	5	6	6	6	15	23	30	35	9	2	-
WHITE-----MALE----	1	5	4	4	3	8	11	11	10	3	2	-
FEMALE--	-	-	1	2	3	7	12	16	22	6	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	3	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	3	-	-	-
CALIFORNIA -----	47	39	59	60	94	158	206	211	152	45	8	1
WHITE-----MALE----	30	28	34	32	48	82	106	75	57	15	4	1
FEMALE--	9	9	12	22	25	58	80	113	81	28	3	-
ALL OTHER--MALE----	8	2	11	4	13	14	12	14	10	1	1	-
FEMALE--	-	-	2	2	8	4	8	9	4	1	-	-
BLACK---MALE----	4	2	5	1	6	5	3	4	5	-	-	-
FEMALE--	-	-	1	1	4	2	1	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,891

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL FALLS (E880-E888)												
COLORADO -----	7	2	5	13	12	38	58	46	37	24	6	-
WHITE-----MALE----	4	1	5	9	5	20	33	18	13	6	3	-
FEMALE--	2	1	-	4	7	17	25	28	23	18	3	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	6	4	4	11	9	22	40	42	29	15	7	-
WHITE-----MALE----	4	3	2	9	3	12	18	11	15	5	3	-
FEMALE--	1	1	2	2	4	10	22	30	14	10	4	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	2	3	8	8	6	-	1	-
WHITE-----MALE----	-	1	-	-	2	3	4	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	4	6	6	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	3	6	2	-	3	2	4	2	5	2	-	1
WHITE-----MALE----	-	2	-	-	1	1	1	1	-	1	-	1
FEMALE--	-	-	-	-	2	-	-	-	3	-	-	-
ALL OTHER--MALE----	3	4	2	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	1	1	-	-
BLACK---MALE----	3	4	2	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	1	1	-	-
FLORIDA -----	17	26	26	40	69	89	146	169	103	48	6	2
WHITE-----MALE----	11	18	11	28	37	46	63	77	27	17	1	1
FEMALE--	5	7	8	10	27	41	80	92	73	30	5	-
ALL OTHER--MALE----	1	1	6	-	3	-	2	-	2	1	-	1
FEMALE--	-	-	1	2	2	2	1	-	1	-	-	-
BLACK---MALE----	1	1	6	-	3	-	2	-	2	1	-	1
FEMALE--	-	-	1	1	2	2	1	-	1	-	-	-
GEORGIA -----	18	17	19	23	42	56	84	87	48	17	2	-
WHITE-----MALE----	8	9	10	5	26	20	31	25	13	4	-	-
FEMALE--	3	2	5	8	14	29	42	55	30	13	1	-
ALL OTHER--MALE----	4	5	4	7	1	2	5	3	2	-	-	-
FEMALE--	3	1	-	3	1	5	6	4	3	-	1	-
BLACK---MALE----	4	4	4	7	1	2	4	3	1	-	-	-
FEMALE--	3	1	-	2	-	5	6	4	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,893

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL FALLS (E880-E888)												
KENTUCKY -----	6	7	3	9	19	28	45	42	23	9	2	-
WHITE-----MALE----	6	4	3	4	10	12	18	16	5	2	-	-
FEMALE--	-	2	-	5	9	16	26	26	17	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	9	3	8	11	12	16	25	45	17	11	2	-
WHITE-----MALE----	7	2	1	5	5	4	10	14	5	4	1	-
FEMALE--	1	-	4	5	3	8	11	27	9	6	1	-
ALL OTHER--MALE----	1	1	2	1	3	1	3	1	1	-	-	-
FEMALE--	-	-	1	-	1	3	1	3	2	1	-	-
BLACK---MALE----	1	1	2	1	3	1	3	1	1	-	-	-
FEMALE--	-	-	1	-	1	3	1	3	2	1	-	-
MAINE -----	2	2	2	7	9	10	12	22	18	3	3	-
WHITE-----MALE----	1	2	2	2	5	3	8	8	5	1	1	-
FEMALE--	1	-	-	5	4	7	4	14	13	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	5	7	17	25	25	33	42	34	7	3	-
WHITE-----MALE----	4	3	6	8	13	11	12	12	14	3	-	-
FEMALE--	3	2	-	7	6	12	15	28	18	1	3	-
ALL OTHER--MALE----	4	-	1	1	3	2	5	1	-	2	-	-
FEMALE--	-	-	-	1	3	-	1	1	2	1	-	-
BLACK---MALE----	4	-	-	1	3	1	4	1	-	1	-	-
FEMALE--	-	-	-	1	3	-	1	1	2	1	-	-
MASSACHUSETTS -----	10	7	14	13	33	42	51	66	71	28	8	-
WHITE-----MALE----	8	6	5	6	18	23	17	22	20	3	2	-
FEMALE--	2	1	6	6	14	18	33	43	51	24	6	-
ALL OTHER--MALE----	-	-	3	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	1	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
MICHIGAN -----	18	17	15	14	37	55	65	83	63	27	5	-
WHITE-----MALE----	10	13	8	8	20	26	31	33	17	2	1	-
FEMALE--	4	3	4	5	12	26	33	46	44	23	4	-
ALL OTHER--MALE----	4	1	1	-	2	2	1	2	-	-	-	-
FEMALE--	-	-	2	1	3	1	-	2	2	2	-	-
BLACK---MALE----	4	1	1	-	2	2	1	2	-	-	-	-
FEMALE--	-	-	2	1	3	1	-	2	2	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,896

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL FALLS (E880-E888)												
OHIO -----	713	-	1	2	1	1	4	7	11	15	11	16
WHITE-----MALE----	287	-	1	2	1	1	3	6	5	11	5	9
FEMALE--	380	-	-	-	-	-	1	1	4	3	5	2
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	2	1	1	5
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	31	-	-	-	-	-	-	-	2	1	1	5
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	250	-	-	-	-	2	2	3	4	2	5	3
WHITE-----MALE----	97	-	-	-	-	2	2	1	3	1	2	3
FEMALE--	136	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	2	1	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
OREGON -----	279	-	-	-	-	1	5	2	5	7	4	3
WHITE-----MALE----	130	-	-	-	-	-	4	2	4	5	3	2
FEMALE--	146	-	-	-	-	1	1	-	1	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	879	1	2	1	2	2	3	7	6	7	15	19
WHITE-----MALE----	356	1	2	1	1	-	3	6	5	6	12	13
FEMALE--	481	-	-	-	-	2	-	1	1	1	2	3
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	21	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	20	-	-	-	1	-	-	-	-	-	-	1
RHODE ISLAND -----	75	-	-	-	-	-	1	1	-	-	3	4
WHITE-----MALE----	32	-	-	-	-	-	1	1	-	-	3	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	194	-	1	1	1	-	1	3	2	5	4	6
WHITE-----MALE----	77	-	-	-	1	-	1	3	1	1	3	5
FEMALE--	93	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	14	-	1	1	-	-	-	-	-	3	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	14	-	1	1	-	-	-	-	-	3	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,896

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL FALLS (E880-E888)												
OHIO -----	14	15	18	34	59	105	101	131	109	42	16	-
WHITE-----MALE----	5	8	9	18	30	53	43	34	30	9	4	-
FEMALE--	7	5	8	12	26	43	55	91	73	32	12	-
ALL OTHER--MALE----	2	2	1	4	3	3	2	2	2	1	-	-
FEMALE--	-	-	-	-	-	6	1	4	4	-	-	-
BLACK---MALE----	2	2	1	4	3	3	2	2	2	1	-	-
FEMALE--	-	-	-	-	-	6	1	2	4	-	-	-
OKLAHOMA -----	5	6	5	14	27	26	35	49	45	16	1	-
WHITE-----MALE----	4	3	4	7	7	11	14	13	17	3	-	-
FEMALE--	1	3	1	5	19	14	19	33	26	13	1	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	2	-	-	-
FEMALE--	-	-	-	1	-	-	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	2	2	6	10	10	36	50	55	51	27	3	-
WHITE-----MALE----	2	1	4	4	1	22	27	23	15	11	-	-
FEMALE--	-	1	2	6	9	14	22	32	35	16	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	15	19	30	33	77	121	172	167	117	54	9	-
WHITE-----MALE----	10	12	17	24	38	48	68	50	29	9	1	-
FEMALE--	3	5	10	5	31	66	100	116	84	43	8	-
ALL OTHER--MALE----	2	1	2	3	7	1	1	-	1	-	-	-
FEMALE--	-	1	1	1	1	6	3	1	3	2	-	-
BLACK---MALE----	2	1	2	3	6	1	1	-	1	-	-	-
FEMALE--	-	1	1	1	1	5	3	1	3	2	-	-
RHODE ISLAND -----	-	1	2	3	2	11	8	22	10	7	-	-
WHITE-----MALE----	-	1	1	1	1	6	5	8	2	2	-	-
FEMALE--	-	-	1	2	1	5	3	13	8	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	3	5	17	11	28	36	26	28	6	3	-
WHITE-----MALE----	2	2	2	10	5	9	15	7	8	2	-	-
FEMALE--	2	-	3	5	4	18	17	18	18	3	3	-
ALL OTHER--MALE----	3	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	3	1	2	1	-	-
BLACK---MALE----	3	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	3	1	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,897

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL FALLS (E880-E888)												
SOUTH DAKOTA -----	2	-	2	3	1	8	10	19	14	6	-	-
WHITE-----MALE----	1	-	2	1	1	4	5	8	4	2	-	-
FEMALE--	-	-	-	1	-	4	4	11	10	4	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	15	11	13	20	35	66	79	50	21	2	-
WHITE-----MALE----	4	10	9	6	10	18	30	31	13	3	-	-
FEMALE--	1	4	1	6	9	14	34	43	35	14	2	-
ALL OTHER--MALE----	1	1	1	1	1	1	-	1	2	1	-	-
FEMALE--	-	-	-	-	-	2	2	4	-	3	-	-
BLACK---MALE----	1	1	1	1	1	1	-	1	2	1	-	-
FEMALE--	-	-	-	-	-	2	2	4	-	3	-	-
TEXAS -----	25	24	21	43	73	97	166	178	123	53	6	-
WHITE-----MALE----	16	12	12	23	42	50	85	72	41	13	1	-
FEMALE--	5	5	7	15	25	42	74	102	78	38	5	-
ALL OTHER--MALE----	3	4	2	2	3	3	3	2	2	1	-	-
FEMALE--	1	3	-	3	3	2	4	2	2	1	-	-
BLACK---MALE----	1	4	2	2	2	3	3	2	2	1	-	-
FEMALE--	1	3	-	2	3	2	3	2	2	1	-	-
UTAH -----	3	1	2	8	6	11	23	23	10	3	-	-
WHITE-----MALE----	2	1	2	6	3	6	9	8	4	1	-	-
FEMALE--	1	-	-	2	3	5	14	15	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	2	4	5	14	5	5	2	-
WHITE-----MALE----	-	-	1	-	1	2	2	6	2	1	-	-
FEMALE--	-	-	-	-	1	2	3	8	3	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	11	11	12	36	48	85	73	63	21	8	-
WHITE-----MALE----	8	10	4	7	17	19	28	28	17	5	-	-
FEMALE--	3	-	3	4	16	22	50	41	42	14	6	-
ALL OTHER--MALE----	6	1	3	1	2	2	4	2	1	-	-	-
FEMALE--	-	-	1	-	1	5	3	2	3	2	2	-
BLACK---MALE----	5	1	2	1	2	2	4	2	1	-	-	-
FEMALE--	-	-	1	-	1	4	2	2	3	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,899

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)												
UNITED STATES --	171	174	191	212	315	369	456	352	228	82	11	1
WHITE-----MALE----	113	126	123	132	193	200	229	160	85	19	4	1
FEMALE--	27	22	40	58	96	143	203	176	133	56	7	-
ALL OTHER--MALE----	30	21	18	20	19	10	12	5	4	3	-	-
FEMALE--	1	5	10	2	7	16	12	11	6	4	-	-
BLACK---MALE----	20	17	11	14	12	6	7	3	4	3	-	-
FEMALE--	1	4	7	1	6	11	6	8	4	4	-	-
ALABAMA -----	2	-	1	6	2	2	1	3	-	-	-	-
WHITE-----MALE----	1	-	1	3	2	1	1	2	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	3	4	5	6	11	7	3	10	2	-	-
WHITE-----MALE----	-	2	2	2	3	7	2	2	1	-	-	-
FEMALE--	-	-	2	1	2	4	4	1	9	2	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	1	2	1	1	5	4	3	1	1	-
WHITE-----MALE----	-	1	1	2	1	-	3	3	1	-	1	-
FEMALE--	-	-	-	-	-	1	2	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	19	11	19	13	19	29	47	28	20	6	1	-
WHITE-----MALE----	13	9	12	7	10	20	30	12	9	2	-	-
FEMALE--	3	2	3	5	5	6	13	14	9	4	1	-
ALL OTHER--MALE----	3	-	2	1	1	1	3	2	1	-	-	-
FEMALE--	-	-	2	-	3	2	1	-	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,900

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)												
COLORADO -----	4	1	2	5	6	9	8	7	2	4	1	-
WHITE-----MALE----	3	-	2	4	4	6	4	4	1	1	1	-
FEMALE--	1	1	-	1	2	3	4	3	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	-	3	3	5	10	5	-	3	-	-
WHITE-----MALE----	1	1	-	2	2	3	6	1	-	1	-	-
FEMALE--	-	-	-	1	1	2	4	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	-	2	3	-	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	4	1	-	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	2	12	6	12	15	8	17	11	6	4	-	1
WHITE-----MALE----	1	11	5	9	13	4	9	9	4	1	-	1
FEMALE--	-	1	-	3	2	4	8	2	2	3	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	5	9	7	3	9	6	9	10	3	-	-	-
WHITE-----MALE----	4	4	6	-	5	3	4	3	-	-	-	-
FEMALE--	-	1	-	2	4	2	5	7	2	-	-	-
ALL OTHER--MALE----	1	4	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,902

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)												
KENTUCKY -----	4	2	2	1	3	4	2	4	-	-	-	-
WHITE-----MALE----	4	1	2	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	5	2	1	3	2	2	4	4	1	1	-	-
WHITE-----MALE----	4	2	-	2	2	1	3	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MAINE -----	1	2	1	5	3	5	4	5	2	-	-	-
WHITE-----MALE----	1	2	1	2	2	3	3	2	1	-	-	-
FEMALE--	-	-	-	3	1	2	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	1	6	5	7	4	8	8	3	1	-	-
WHITE-----MALE----	4	1	6	3	4	2	4	3	2	-	-	-
FEMALE--	2	-	-	1	1	1	3	4	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MASSACHUSETTS -----	7	3	6	5	15	11	15	5	8	-	-	-
WHITE-----MALE----	6	3	2	2	10	9	5	2	2	-	-	-
FEMALE--	1	-	2	3	5	2	10	3	6	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	9	6	4	9	14	10	13	8	4	-	-
WHITE-----MALE----	3	7	4	3	4	9	5	4	3	-	-	-
FEMALE--	2	2	1	1	4	3	4	9	5	3	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,905

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)												
OHIO -----	150	-	1	1	-	-	2	5	4	7	7	7
WHITE-----MALE----	76	-	1	1	-	-	1	5	2	5	3	3
FEMALE--	52	-	-	-	-	-	1	-	-	1	3	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	2	1	1	4
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	2	1	1	4
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	34	-	-	-	-	-	2	2	2	1	1	1
WHITE-----MALE----	20	-	-	-	-	-	2	-	2	1	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	55	-	-	-	-	1	4	2	4	2	2	2
WHITE-----MALE----	35	-	-	-	-	-	4	2	4	1	1	2
FEMALE--	18	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	242	1	2	1	-	2	2	5	5	5	11	12
WHITE-----MALE----	126	1	2	1	-	-	2	4	5	5	8	8
FEMALE--	99	-	-	-	-	2	-	1	-	-	2	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	25	-	-	-	-	-	1	1	-	-	2	2
WHITE-----MALE----	11	-	-	-	-	-	1	1	-	-	2	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	28	-	-	1	1	-	-	3	1	4	3	2
WHITE-----MALE----	17	-	-	-	1	-	-	3	1	1	2	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	2	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	1	-	-	-	-	-	2	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,905

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)												
OHIO -----	10	6	5	9	18	24	15	16	11	2	-	-
WHITE-----MALE----	4	4	2	4	13	10	9	4	5	-	-	-
FEMALE--	4	1	2	3	4	11	5	10	5	2	-	-
ALL OTHER--MALE----	2	1	1	2	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-
BLACK---MALE----	2	1	1	2	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
OKLAHOMA -----	1	1	2	3	4	6	-	4	2	2	-	-
WHITE-----MALE----	1	-	1	2	2	3	-	3	1	-	-	-
FEMALE--	-	1	1	-	1	3	-	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	2	2	2	8	9	7	5	1	-	-
WHITE-----MALE----	1	1	1	1	1	6	6	1	2	1	-	-
FEMALE--	-	-	1	1	1	2	3	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	7	18	13	29	32	41	23	16	7	1	-
WHITE-----MALE----	5	3	11	11	15	13	22	5	4	1	-	-
FEMALE--	3	3	5	1	10	16	19	17	10	6	1	-
ALL OTHER--MALE----	1	-	1	1	4	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	3	-	1	1	-	-	-
BLACK---MALE----	1	-	1	1	4	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	3	-	1	1	-	-	-
RHODE ISLAND -----	-	1	2	1	1	4	2	5	1	2	-	-
WHITE-----MALE----	-	1	1	-	1	2	-	2	-	-	-	-
FEMALE--	-	-	1	1	-	2	2	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	-	-	1	-	4	4	-	1	-	-
WHITE-----MALE----	1	2	-	-	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,906

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)												
SOUTH DAKOTA -----	-	-	1	-	-	2	2	1	4	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	4	4	2	4	6	7	8	1	-	-	-
WHITE-----MALE----	1	2	3	2	3	4	5	4	-	-	-	-
FEMALE--	1	2	1	-	1	2	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	10	7	7	12	21	14	19	11	11	3	-	-
WHITE-----MALE----	8	6	4	10	14	9	7	6	5	1	-	-
FEMALE--	1	-	3	2	6	5	9	5	6	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	1	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
UTAH -----	1	-	2	2	3	5	3	4	5	1	-	-
WHITE-----MALE----	1	-	2	2	1	2	1	1	1	1	-	-
FEMALE--	-	-	-	-	2	3	2	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	6	2	4	7	8	12	5	5	2	-	-
WHITE-----MALE----	5	5	1	2	5	1	4	5	1	-	-	-
FEMALE--	1	-	1	1	1	5	8	-	4	1	-	-
ALL OTHER--MALE----	3	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	2	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,908

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FALL ON SAME LEVEL (E885-E886)												
UNITED STATES --	21	18	23	35	38	101	144	163	113	30	5	-
WHITE-----MALE----	13	12	18	19	19	48	70	62	37	12	3	-
FEMALE--	6	4	3	15	17	52	68	93	74	17	1	-
ALL OTHER--MALE----	2	2	2	1	1	1	5	2	1	-	1	-
FEMALE--	-	-	-	-	1	-	1	6	1	1	-	-
BLACK---MALE----	1	2	1	1	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	4	1	1	-	-
ALABAMA -----	1	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	1	1	2	6	4	13	7	2	-	-
WHITE-----MALE----	-	-	1	1	1	3	3	8	2	2	-	-
FEMALE--	2	-	-	-	1	3	1	5	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	-	-	-	2	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	3	4	5	7	17	15	20	16	5	3	-
WHITE-----MALE----	4	1	3	2	4	7	7	8	9	1	2	-
FEMALE--	2	1	-	3	2	9	6	10	6	4	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	2	1	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,917

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
UNITED STATES --	217	218	272	456	828	1,404	2,172	2,573	2,029	818	192	4
WHITE-----MALE----	113	135	132	237	376	661	926	881	591	207	41	3
FEMALE--	52	59	91	162	372	654	1,145	1,587	1,350	578	138	-
ALL OTHER--MALE----	45	20	38	31	47	40	43	48	40	13	3	1
FEMALE--	7	4	11	26	33	49	58	57	48	20	10	-
BLACK---MALE----	38	20	31	26	36	26	32	32	25	8	3	1
FEMALE--	7	4	9	16	24	43	40	38	43	15	7	-
ALABAMA -----	2	2	5	12	19	21	28	50	28	6	3	-
WHITE-----MALE----	-	2	2	7	8	10	15	18	5	1	-	-
FEMALE--	-	-	3	2	7	10	12	30	20	4	3	-
ALL OTHER--MALE----	2	-	-	3	3	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	1	1	-	2	2	-	-	-
BLACK---MALE----	2	-	-	3	3	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	1	1	-	2	2	-	-	-
ALASKA -----	-	-	-	-	-	1	5	2	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	3	5	11	25	36	53	55	37	7	5	1
WHITE-----MALE----	1	2	3	4	14	20	26	14	10	1	1	1
FEMALE--	1	1	2	5	11	16	26	41	27	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	4	4	4	5	14	18	24	30	8	1	-
WHITE-----MALE----	1	4	2	2	2	8	8	8	9	3	1	-
FEMALE--	-	-	1	2	3	6	10	14	18	5	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	3	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	3	-	-	-
CALIFORNIA -----	22	25	36	42	68	112	144	163	116	34	4	1
WHITE-----MALE----	13	18	19	23	34	55	69	55	39	12	2	1
FEMALE--	4	6	9	14	18	43	61	89	66	20	2	-
ALL OTHER--MALE----	5	1	8	3	11	12	7	11	8	1	-	-
FEMALE--	-	-	-	2	5	2	7	8	3	1	-	-
BLACK---MALE----	3	1	5	-	5	4	2	4	3	-	-	-
FEMALE--	-	-	-	1	2	1	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,918

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	1	2	8	6	27	47	38	35	20	5	-
WHITE-----MALE----	-	1	2	5	1	13	27	14	12	5	2	-
FEMALE--	1	-	-	3	5	13	20	24	22	15	3	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-