

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- TOTAL --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ALL CAUSES															
1998.....	875.8	1,064.6	732.7	854.7	1,038.5	715.1	984.3	1,209.9	818.4	1,135.7	1,410.6	938.2			
1997.....	887.3	1,090.5	736.3	864.9	1,062.5	718.3	1,003.9	1,248.9	825.4	1,151.5	1,446.7	940.7			
1996.....	902.4	1,117.5	742.8	877.6	1,086.1	723.3	1,034.9	1,300.6	840.8	1,188.7	1,513.9	956.3			
1995.....	918.5	1,150.3	748.2	890.0	1,112.7	726.6	1,080.5	1,381.1	864.7	1,224.5	1,582.3	970.1			
1994.....	920.2	1,160.9	745.0	891.6	1,123.4	723.5	1,081.3	1,388.3	860.5	1,224.6	1,589.8	965.0			
1993.....	931.5	1,181.8	751.0	902.0	1,143.0	728.9	1,103.3	1,423.3	874.3	1,247.2	1,629.3	977.7			
1992.....	910.9	1,161.2	731.2	882.9	1,125.6	709.5	1,074.5	1,383.1	852.6	1,216.9	1,591.4	954.4			
1991.....	925.5	1,182.6	741.6	897.0	1,146.4	719.8	1,096.6	1,411.8	867.6	1,237.9	1,622.0	968.0			
1990.....	938.7	1,202.8	750.9	909.8	1,165.9	728.8	1,116.3	1,443.4	881.5	1,250.3	1,644.5	975.1			
1989.....	950.5	1,215.0	761.8	920.2	1,176.6	738.8	1,141.9	1,471.0	903.4	1,275.5	1,670.1	998.1			
1988.....	975.7	1,250.7	781.0	947.6	1,215.9	759.1	1,152.1	1,483.8	912.8	1,284.3	1,677.6	1,006.8			
1987.....	970.0	1,246.1	774.2	943.4	1,213.4	753.3	1,138.9	1,467.7	900.4	1,263.1	1,650.3	989.7			
1986.....	978.6	1,261.7	778.7	952.8	1,230.5	758.1	1,146.1	1,475.4	906.9	1,266.7	1,650.1	994.4			
1985.....	988.1	1,278.1	784.5	963.6	1,249.8	764.3	1,147.7	1,472.2	912.0	1,261.2	1,634.5	994.4			
1984.....	982.5	1,271.4	779.8	959.7	1,245.9	760.7	1,129.9	1,447.3	898.4	1,236.7	1,600.8	976.9			
1983.....	990.0	1,284.5	783.3	967.3	1,259.4	763.9	1,137.7	1,453.5	904.8	1,240.5	1,600.7	980.7			
1982.....	985.0	1,279.9	776.6	963.6	1,255.9	758.7	1,124.1	1,442.6	886.5	1,221.3	1,580.4	960.1			
1981.....	1,007.1	1,308.2	792.7	984.0	1,282.2	773.6	1,159.6	1,487.7	914.6	1,258.4	1,626.6	986.6			
1980.....	1,039.1	1,348.1	817.9	1,012.7	1,317.6	796.1	1,222.6	1,569.4	963.6	1,314.8	1,697.8	1,033.3			
1979.....	1,010.9	1,316.6	790.2	987.0	1,289.6	770.2	1,171.8	1,507.7	919.6	1,241.6	1,604.5	969.2			

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
SHIGELLOSIS AND AMEBIASIS (004,006)												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	0.0	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	0.0	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.0	*	*	0.0	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	*	0.0	*	*	*	*	*	*	*	*
1979.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CERTAIN OTHER INTESTINAL INFECTIONS (007-009)												
1998.....	0.4	0.4	0.4	0.4	0.4	0.3	0.4	0.4	0.4	0.5	0.5	0.5
1997.....	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.4	0.5	0.6	0.4
1996.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.4	0.5	0.3
1995.....	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.3	0.4	0.4	0.4
1994.....	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.5	0.3	0.4	0.6	0.3
1993.....	0.3	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.2	0.3	0.4	0.3
1992.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
1991.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.3	0.2
1990.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2
1989.....	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.2	0.3	0.2
1988.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2
1987.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
1986.....	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.2	0.3	0.4	0.2
1985.....	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2
1984.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.2	0.3	0.2
1983.....	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.3	0.3	0.2
1982.....	0.1	0.1	0.2	0.1	0.1	0.1	0.3	0.2	0.3	0.3	0.2	0.3
1981.....	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.3	0.2	0.2	0.3	0.2
1980.....	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2
1979.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
TUBERCULOSIS (010-018)												
1998.....	0.4	0.6	0.3	0.3	0.4	0.2	1.3	2.1	0.8	1.3	2.1	0.9
1997.....	0.4	0.6	0.3	0.3	0.4	0.2	1.5	2.2	1.0	1.4	2.0	0.9
1996.....	0.5	0.7	0.3	0.3	0.5	0.2	1.5	2.3	1.0	1.5	2.4	0.9
1995.....	0.5	0.8	0.4	0.4	0.5	0.3	1.8	2.7	1.1	1.8	2.8	1.0
1994.....	0.6	0.9	0.4	0.4	0.6	0.3	2.0	3.0	1.3	2.1	3.3	1.3
1993.....	0.7	1.0	0.4	0.5	0.6	0.3	2.2	3.5	1.4	2.4	3.8	1.3
1992.....	0.7	1.0	0.5	0.5	0.7	0.3	2.4	3.7	1.5	2.6	4.2	1.5
1991.....	0.7	1.0	0.5	0.5	0.7	0.3	2.5	3.8	1.6	2.7	4.1	1.7
1990.....	0.8	1.2	0.5	0.5	0.7	0.3	2.8	4.5	1.6	3.0	5.0	1.7
1989.....	0.9	1.3	0.5	0.6	0.9	0.4	3.0	4.9	1.7	3.2	5.4	1.7
1988.....	0.8	1.3	0.5	0.6	0.9	0.4	2.9	4.6	1.7	3.0	4.8	1.8
1987.....	0.8	1.3	0.4	0.5	0.9	0.3	2.7	4.2	1.6	2.8	4.5	1.6
1986.....	0.8	1.3	0.5	0.5	0.9	0.3	2.9	4.5	1.7	3.1	4.9	1.7
1985.....	0.8	1.3	0.5	0.6	0.9	0.3	2.7	4.4	1.6	2.9	4.9	1.6
1984.....	0.8	1.3	0.5	0.6	0.9	0.3	2.9	4.5	1.7	3.1	5.1	1.7
1983.....	0.9	1.4	0.5	0.6	1.0	0.4	3.0	4.9	1.6	3.1	5.3	1.5
1982.....	0.9	1.4	0.5	0.6	1.0	0.4	3.1	4.9	1.8	3.2	5.3	1.6
1981.....	1.0	1.6	0.6	0.7	1.1	0.4	3.4	5.6	1.8	3.6	6.0	1.9
1980.....	1.0	1.6	0.6	0.7	1.2	0.4	3.5	5.4	2.2	3.7	5.9	2.1
1979.....	1.0	1.7	0.6	0.8	1.3	0.4	3.5	5.3	2.2	3.7	5.6	2.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
1998.....	0.3	0.5	0.2	0.2	0.3	0.1	1.0	1.7	0.5	1.0	1.8	0.5
1997.....	0.3	0.5	0.2	0.2	0.3	0.2	1.1	1.8	0.6	1.0	1.7	0.6
1996.....	0.4	0.6	0.2	0.2	0.4	0.1	1.1	1.9	0.7	1.2	1.9	0.7
1995.....	0.4	0.7	0.2	0.3	0.4	0.2	1.3	2.3	0.7	1.3	2.3	0.7
1994.....	0.4	0.7	0.3	0.3	0.5	0.2	1.5	2.5	0.9	1.6	2.7	0.8
1993.....	0.5	0.8	0.3	0.4	0.6	0.2	1.7	2.9	0.9	1.8	3.1	0.9
1992.....	0.5	0.8	0.3	0.4	0.6	0.2	1.8	3.0	1.0	2.0	3.5	1.0
1991.....	0.6	0.9	0.3	0.4	0.5	0.2	1.9	3.1	1.1	2.0	3.4	1.1
1990.....	0.6	1.0	0.3	0.4	0.6	0.2	2.1	3.5	1.1	2.2	3.8	1.1
1989.....	0.7	1.1	0.4	0.5	0.7	0.3	2.3	4.0	1.1	2.5	4.4	1.2
1988.....	0.7	1.1	0.4	0.5	0.8	0.3	2.1	3.6	1.1	2.2	3.7	1.1
1987.....	0.6	1.1	0.3	0.5	0.8	0.2	2.0	3.3	1.1	2.1	3.6	1.0
1986.....	0.6	1.1	0.4	0.5	0.7	0.2	2.3	3.7	1.2	2.4	4.0	1.2
1985.....	0.6	1.1	0.3	0.5	0.8	0.2	2.1	3.5	1.1	2.2	3.9	1.1
1984.....	0.6	1.1	0.3	0.4	0.8	0.2	2.2	3.6	1.2	2.4	4.0	1.2
1983.....	0.7	1.2	0.4	0.5	0.8	0.3	2.2	4.0	1.0	2.4	4.3	1.0
1982.....	0.7	1.2	0.4	0.5	0.9	0.3	2.4	4.0	1.2	2.4	4.2	1.1
1981.....	0.8	1.4	0.4	0.5	1.0	0.3	2.7	4.6	1.3	2.9	4.9	1.5
1980.....	0.8	1.5	0.4	0.6	1.1	0.3	2.8	4.6	1.5	3.0	5.1	1.4
1979.....	0.8	1.5	0.4	0.6	1.2	0.3	2.8	4.6	1.4	2.9	4.8	1.5

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
OTHER TUBERCULOSIS (013-018)												
1998.....	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.4	0.3	0.3	0.3	0.4
1997.....	0.1	0.1	0.1	0.1	0.1	0.0	0.4	0.4	0.4	0.4	0.4	0.4
1996.....	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.4	0.3	0.3	0.5	0.2
1995.....	0.1	0.1	0.1	0.1	0.1	0.1	0.4	0.4	0.4	0.4	0.5	0.4
1994.....	0.1	0.2	0.1	0.1	0.1	0.1	0.5	0.6	0.5	0.5	0.6	0.5
1993.....	0.1	0.2	0.1	0.1	0.1	0.1	0.5	0.6	0.4	0.5	0.7	0.5
1992.....	0.2	0.2	0.1	0.1	0.1	0.1	0.6	0.7	0.5	0.6	0.8	0.5
1991.....	0.2	0.2	0.1	0.1	0.1	0.1	0.6	0.7	0.5	0.6	0.7	0.6
1990.....	0.2	0.2	0.1	0.1	0.1	0.1	0.7	1.1	0.5	0.8	1.1	0.5
1989.....	0.2	0.2	0.2	0.1	0.1	0.1	0.7	0.9	0.6	0.8	1.0	0.6
1988.....	0.2	0.2	0.1	0.1	0.1	0.1	0.8	1.0	0.6	0.8	1.1	0.6
1987.....	0.2	0.2	0.1	0.1	0.1	0.1	0.7	0.8	0.5	0.7	0.9	0.5
1986.....	0.2	0.2	0.1	0.1	0.1	0.1	0.6	0.8	0.5	0.7	0.9	0.5
1985.....	0.2	0.2	0.1	0.1	0.1	0.1	0.6	0.9	0.5	0.7	1.0	0.5
1984.....	0.2	0.2	0.1	0.1	0.1	0.1	0.6	0.9	0.5	0.7	1.0	0.5
1983.....	0.2	0.2	0.1	0.1	0.1	0.1	0.7	0.9	0.6	0.7	0.9	0.6
1982.....	0.2	0.2	0.1	0.1	0.1	0.1	0.7	0.9	0.6	0.7	1.0	0.5
1981.....	0.2	0.2	0.2	0.1	0.1	0.1	0.7	1.0	0.5	0.7	1.1	0.5
1980.....	0.2	0.2	0.1	0.1	0.1	0.1	0.7	0.8	0.6	0.7	0.9	0.6
1979.....	0.2	0.2	0.2	0.1	0.1	0.1	0.8	0.7	0.8	0.8	0.7	0.8

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
WHOOPING COUGH (033)												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	*	*	*	*	*	*	*	*	*	*	*	*
1979.....	*	*	*	*	*	*	*	*	*	*	*	*

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	*	*	*	*	*	*	*	*	*	*	*	*
1979.....	0.0	*	*	0.0	*	*	*	*	*	*	*	*

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MENINGOCOCCAL INFECTION (036)												
1998.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	*
1997.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2
1996.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1
1995.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1
1994.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	*
1993.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
1992.....	0.0	0.0	0.1	0.1	0.0	0.1	0.1	*	*	0.1	*	*
1991.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.1	*	*
1990.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	*	0.1	0.2	*
1989.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
1988.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2
1987.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2
1986.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.2
1985.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.2
1984.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.2
1983.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2
1982.....	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.2
1981.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2
1980.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.3	0.2
1979.....	0.2	0.2	0.2	0.2	0.2	0.1	0.3	0.3	0.2	0.3	0.4	0.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
SEPTICEMIA (038)												
1998.....	8.9	9.7	8.3	7.9	8.7	7.4	15.9	16.9	15.0	19.4	21.0	18.2
1997.....	8.6	9.5	8.0	7.7	8.5	7.1	15.4	16.8	14.4	18.7	20.9	17.2
1996.....	8.4	9.2	7.7	7.5	8.3	7.0	14.8	16.6	13.4	18.0	20.6	16.0
1995.....	8.4	9.3	7.8	7.5	8.2	7.0	15.1	17.5	13.5	17.7	20.7	15.6
1994.....	8.3	9.3	7.6	7.5	8.4	6.9	14.5	16.2	13.2	17.1	19.5	15.3
1993.....	8.6	9.6	7.8	7.8	8.6	7.1	15.2	17.7	13.5	17.5	20.9	15.4
1992.....	8.4	9.4	7.7	7.5	8.4	6.9	15.1	17.2	13.6	17.7	20.8	15.6
1991.....	8.6	9.7	7.8	7.7	8.8	7.0	15.2	17.3	13.5	17.5	20.4	15.4
1990.....	8.6	9.9	7.6	7.7	8.9	6.9	15.4	17.6	13.8	17.7	20.6	15.6
1989.....	8.8	10.0	7.9	7.9	9.0	7.1	15.9	18.1	14.4	18.4	21.3	16.4
1988.....	9.7	10.9	8.8	8.7	9.8	8.0	17.4	19.8	15.7	19.8	22.8	17.7
1987.....	9.3	10.9	8.3	8.3	9.7	7.4	17.8	20.2	16.0	20.2	23.5	17.9
1986.....	9.0	10.9	7.8	8.1	9.7	7.0	16.7	20.1	14.2	18.7	22.9	15.9
1985.....	8.3	10.0	7.3	7.4	8.9	6.5	16.1	19.1	14.0	18.1	21.8	15.6
1984.....	7.4	8.9	6.5	6.6	8.0	5.7	14.5	16.8	12.9	16.3	19.2	14.4
1983.....	6.7	8.2	5.8	6.0	7.4	5.1	13.0	15.1	11.5	14.5	17.0	12.7
1982.....	5.9	7.1	5.1	5.2	6.4	4.5	11.3	13.2	10.1	12.5	14.8	11.0
1981.....	5.4	6.6	4.7	4.9	5.9	4.2	10.7	12.6	9.4	11.9	14.1	10.4
1980.....	5.0	6.2	4.3	4.5	5.5	3.8	10.3	12.5	8.9	11.4	14.0	9.6
1979.....	4.3	5.3	3.7	3.8	4.8	3.3	8.6	10.4	7.4	9.3	11.2	8.0

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ACUTE POLIOMYELITIS (045)												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	*	*	*	*	*	*	*	*	*	*	*	*
1979.....	*	*	*	*	*	*	*	*	*	*	*	*

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02. tables.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MEASLES (055)												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	*	*	*	*	*	*	*	*	*	*	*	*
1979.....	*	*	*	*	*	*	*	*	*	*	*	*

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
VIRAL HEPATITIS (070)												
1998.....	1.8	2.4	1.2	1.7	2.2	1.1	2.6	3.5	1.8	2.5	3.4	1.7
1997.....	1.6	2.0	1.1	1.4	1.9	1.0	2.3	2.8	1.8	2.0	2.6	1.5
1996.....	1.5	1.9	1.1	1.4	1.8	0.9	2.0	2.5	1.6	1.8	2.3	1.4
1995.....	1.3	1.8	0.9	1.2	1.7	0.8	1.8	2.3	1.4	1.6	2.0	1.3
1994.....	1.2	1.6	0.9	1.1	1.6	0.7	1.8	2.1	1.6	1.6	1.9	1.4
1993.....	1.0	1.4	0.7	0.9	1.3	0.6	1.4	1.9	1.0	1.2	1.7	0.8
1992.....	0.8	1.1	0.6	0.7	1.1	0.5	1.2	1.7	0.8	1.0	1.4	0.7
1991.....	0.8	1.0	0.5	0.7	1.0	0.4	1.1	1.4	0.9	0.9	1.1	0.7
1990.....	0.7	0.9	0.5	0.6	0.8	0.4	1.0	1.2	0.8	0.9	0.9	0.8
1989.....	0.6	0.9	0.5	0.6	0.8	0.4	0.9	1.2	0.7	0.8	1.0	0.7
1988.....	0.6	0.7	0.4	0.5	0.7	0.4	0.8	0.9	0.7	0.7	0.8	0.6
1987.....	0.5	0.7	0.3	0.5	0.6	0.3	0.8	1.1	0.6	0.7	0.8	0.5
1986.....	0.5	0.6	0.3	0.4	0.6	0.3	0.6	0.8	0.4	0.5	0.6	0.4
1985.....	0.4	0.5	0.3	0.4	0.5	0.3	0.6	0.6	0.6	0.5	0.5	0.5
1984.....	0.4	0.5	0.3	0.3	0.4	0.3	0.6	0.7	0.5	0.5	0.5	0.5
1983.....	0.4	0.5	0.3	0.3	0.4	0.3	0.6	0.7	0.5	0.6	0.7	0.5
1982.....	0.4	0.5	0.3	0.3	0.4	0.3	0.6	0.7	0.5	0.5	0.6	0.5
1981.....	0.4	0.5	0.3	0.4	0.4	0.3	0.6	0.6	0.6	0.6	0.5	0.6
1980.....	0.4	0.5	0.3	0.4	0.4	0.3	0.6	0.6	0.6	0.5	0.5	0.5
1979.....	0.4	0.4	0.3	0.3	0.4	0.3	0.6	0.8	0.5	0.6	0.6	0.6

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
SYPHILIS (090-097)												
1998.....	0.0	0.0	0.0	0.0	*	*	0.1	*	*	0.1	*	*
1997.....	0.0	0.0	0.0	0.0	0.0	*	0.1	*	*	0.1	*	*
1996.....	0.0	0.0	0.0	0.0	0.0	*	0.1	0.2	*	0.1	0.3	*
1995.....	0.0	0.0	0.0	0.0	0.0	*	0.1	*	*	0.1	*	*
1994.....	0.0	0.0	0.0	0.0	0.0	*	0.1	0.2	*	0.1	0.2	*
1993.....	0.0	0.0	0.0	0.0	0.0	*	0.1	0.2	*	0.2	0.3	*
1992.....	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	*	0.2	0.4	*
1991.....	0.0	0.0	0.0	0.0	0.0	*	0.1	0.2	0.1	0.2	0.2	0.1
1990.....	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.1	0.2	0.4	0.2
1989.....	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.3	0.1	0.2	0.4	0.1
1988.....	0.0	0.0	0.0	0.0	0.0	*	0.2	0.2	*	0.2	0.3	*
1987.....	0.0	0.0	0.0	0.0	0.0	*	0.2	0.2	0.1	0.2	0.3	0.2
1986.....	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	*	0.2	0.3	*
1985.....	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.2	*	0.1	*	*
1984.....	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.5	*	0.3	0.5	*
1983.....	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.4	*	0.3	0.4	*
1982.....	0.1	0.1	0.0	0.0	0.1	0.0	0.2	0.4	*	0.2	0.4	*
1981.....	0.1	0.1	0.0	0.0	0.1	0.0	0.3	0.4	*	0.3	0.4	*
1980.....	0.1	0.1	0.0	0.0	0.1	0.0	0.3	0.6	*	0.4	0.7	*
1979.....	0.1	0.1	0.1	0.1	0.1	0.0	0.4	0.6	0.3	0.5	0.7	0.3

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)												
1998.....	7.5	10.6	4.6	5.0	7.3	2.8	20.3	29.1	12.8	27.0	39.3	16.8
1997.....	8.7	12.7	5.0	5.8	8.6	3.0	24.0	35.4	14.3	31.9	47.5	18.8
1996.....	14.4	22.4	6.6	9.9	16.0	3.9	37.4	58.2	19.6	49.7	77.9	26.0
1995.....	19.1	31.1	7.6	14.0	23.8	4.5	45.7	72.8	22.5	60.3	96.7	29.6
1994.....	19.0	31.3	7.1	14.2	24.3	4.3	44.0	71.0	20.8	57.8	93.9	27.2
1993.....	17.3	28.9	6.2	13.4	23.1	3.9	38.0	61.8	17.5	49.6	81.4	22.6
1992.....	16.0	26.9	5.5	12.7	22.1	3.5	33.6	54.8	15.3	43.9	72.2	19.7
1991.....	14.6	24.8	4.8	11.9	20.7	3.2	29.4	48.6	12.9	38.0	63.5	16.5
1990.....	13.2	22.3	4.5	10.9	19.0	3.0	25.6	41.5	12.0	32.7	53.5	15.1
1989.....	12.1	20.4	4.2	10.0	17.3	3.0	23.5	38.7	10.4	29.8	49.7	12.9
1988.....	9.8	16.2	3.7	8.1	13.7	2.8	19.1	31.4	8.5	23.9	40.0	10.4
1987.....	8.3	13.7	3.2	7.0	11.7	2.4	16.0	25.7	7.7	19.8	32.3	9.3
1986.....	4.1	6.0	2.4	3.7	5.5	2.1	6.5	9.5	4.1	7.6	11.1	4.7
1985.....	3.4	4.7	2.2	3.0	4.3	1.9	5.4	7.4	3.7	6.1	8.5	4.1
1984.....	2.8	3.7	2.0	2.5	3.4	1.8	4.7	6.3	3.4	5.2	6.9	3.9
1983.....	2.3	2.9	1.9	2.1	2.6	1.7	3.8	4.9	3.0	4.2	5.4	3.4
1982.....	2.1	2.6	1.8	2.0	2.3	1.7	3.4	4.2	2.8	3.7	4.5	3.1
1981.....	2.1	2.5	1.8	1.9	2.3	1.6	3.3	3.8	2.9	3.4	3.9	3.0
1980.....	2.0	2.4	1.7	1.8	2.2	1.5	3.4	3.8	3.0	3.6	4.0	3.3
1979.....	1.8	2.1	1.6	1.6	2.0	1.4	2.9	3.2	2.6	2.9	3.2	2.7

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
1998.....	202.4	252.4	169.2	199.3	246.9	167.7	221.7	292.1	175.8	255.1	343.1	200.0
1997.....	205.7	258.0	171.6	202.2	251.9	170.0	228.6	303.4	180.3	262.1	354.7	204.4
1996.....	208.7	263.2	173.4	205.3	256.8	172.1	231.7	312.6	179.5	264.9	365.3	202.3
1995.....	211.7	268.8	175.4	207.8	261.8	173.7	238.7	324.4	184.6	269.6	372.8	206.0
1994.....	213.1	272.2	175.6	209.3	264.9	174.3	240.5	330.1	183.7	271.7	379.7	205.0
1993.....	214.6	275.8	175.9	210.3	268.0	174.2	245.3	339.3	185.7	276.9	390.3	207.0
1992.....	214.3	276.2	175.5	210.3	268.9	173.8	243.2	334.4	184.9	275.1	386.0	206.6
1991.....	215.8	278.6	176.1	211.5	271.1	174.4	247.0	339.5	187.0	278.3	391.8	207.6
1990.....	216.0	280.4	175.7	211.6	272.2	174.0	249.1	347.3	185.8	279.5	397.9	205.9
1989.....	214.2	277.1	174.4	210.0	269.0	173.2	246.2	343.8	182.2	274.7	392.3	200.6
1988.....	212.5	275.5	172.7	208.4	268.1	171.3	243.2	336.4	181.9	270.5	381.9	199.6
1987.....	211.7	274.8	171.7	207.7	267.5	170.2	242.7	335.9	181.1	269.7	380.2	199.0
1986.....	211.5	274.5	171.7	207.5	267.3	170.2	242.0	333.9	180.6	268.1	375.7	198.2
1985.....	211.3	274.4	171.2	207.3	267.1	169.9	242.3	335.3	179.2	266.5	373.9	195.5
1984.....	210.8	273.8	170.8	206.7	266.4	169.4	243.0	335.7	179.5	266.6	374.5	194.8
1983.....	209.1	272.9	168.5	205.2	266.1	167.0	239.9	329.6	177.7	262.2	365.6	192.4
1982.....	208.3	271.9	167.7	204.7	265.5	166.5	237.2	326.4	175.1	258.8	361.3	189.4
1981.....	206.4	268.6	166.2	202.7	262.2	164.9	235.2	323.0	173.5	255.3	355.3	186.5
1980.....	207.9	271.2	166.7	204.2	265.1	165.2	237.9	324.3	176.9	256.4	353.4	189.5
1979.....	204.0	266.5	163.0	200.6	261.2	161.6	230.5	312.7	171.6	245.1	336.2	180.7

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
1998.....	3.0	4.5	1.7	2.8	4.2	1.7	3.9	6.6	1.9	4.5	7.9	2.1
1997.....	3.0	4.6	1.8	2.8	4.2	1.7	4.1	6.9	2.0	4.7	8.1	2.2
1996.....	3.0	4.7	1.8	2.9	4.3	1.8	4.3	7.4	2.0	4.9	8.7	2.1
1995.....	3.2	4.9	1.9	2.9	4.4	1.8	4.7	7.9	2.3	5.4	9.3	2.5
1994.....	3.2	4.9	1.8	2.9	4.4	1.8	4.7	7.9	2.2	5.3	9.3	2.4
1993.....	3.4	5.2	1.9	3.1	4.7	1.8	5.0	8.7	2.3	5.7	10.1	2.4
1992.....	3.3	5.2	2.0	3.1	4.7	1.9	4.9	8.5	2.1	5.6	10.0	2.3
1991.....	3.5	5.4	2.0	3.2	4.9	2.0	5.1	8.6	2.4	5.8	10.0	2.7
1990.....	3.6	5.6	2.0	3.3	5.1	2.0	5.4	9.5	2.4	6.1	11.1	2.5
1989.....	3.5	5.3	2.1	3.2	4.8	2.0	5.2	9.0	2.4	5.9	10.4	2.6
1988.....	3.6	5.6	2.0	3.3	5.1	2.0	5.3	9.1	2.3	6.0	10.6	2.5
1987.....	3.5	5.5	2.1	3.3	5.0	2.0	5.0	8.7	2.2	5.7	9.9	2.5
1986.....	3.7	5.8	2.2	3.4	5.3	2.1	5.7	9.7	2.7	6.5	11.3	2.9
1985.....	3.8	5.9	2.1	3.5	5.4	2.0	5.5	9.6	2.4	6.2	11.0	2.6
1984.....	3.9	6.2	2.2	3.6	5.6	2.1	5.7	10.3	2.3	6.3	11.6	2.4
1983.....	3.9	6.3	2.2	3.6	5.8	2.1	6.0	10.4	2.7	6.6	11.8	2.7
1982.....	4.0	6.5	2.2	3.7	6.0	2.1	6.0	10.2	2.8	6.6	11.4	3.0
1981.....	4.1	6.5	2.3	3.8	6.0	2.2	6.0	10.4	2.7	6.5	11.3	2.8
1980.....	4.2	6.7	2.3	3.9	6.1	2.2	6.4	11.3	2.5	7.0	12.5	2.8
1979.....	4.3	6.7	2.4	4.0	6.2	2.3	6.1	10.4	2.7	6.6	11.4	2.9

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
1998.....	48.2	61.2	38.3	46.2	58.7	36.6	61.6	78.3	49.5	67.9	86.7	54.6
1997.....	48.5	62.0	38.4	46.5	59.4	36.7	63.3	80.9	50.4	69.1	88.7	55.2
1996.....	49.0	62.5	39.1	47.0	59.9	37.4	63.6	81.7	50.8	69.5	90.0	55.4
1995.....	49.9	63.9	39.8	47.8	61.3	38.1	65.5	84.7	52.0	70.7	91.9	56.1
1994.....	50.2	64.6	39.8	48.0	61.7	38.2	66.3	86.9	51.8	71.5	94.3	56.0
1993.....	50.6	64.8	40.4	48.5	62.0	38.8	66.7	86.7	52.7	72.5	95.2	57.0
1992.....	50.9	65.6	40.4	48.8	62.8	38.7	67.0	87.4	52.8	72.6	95.6	57.0
1991.....	51.4	66.3	40.9	49.3	63.6	39.2	67.4	87.9	53.1	73.4	97.0	57.4
1990.....	52.1	67.5	41.3	49.8	64.5	39.6	69.2	91.9	53.6	74.9	100.1	58.1
1989.....	52.1	67.2	41.4	49.9	64.2	39.9	68.8	91.4	52.9	74.2	99.6	56.8
1988.....	51.9	66.7	41.4	49.9	63.9	40.1	67.3	89.2	51.8	72.2	96.7	55.3
1987.....	52.6	67.5	42.2	50.7	65.0	40.8	67.6	88.6	52.7	72.6	95.8	56.8
1986.....	53.1	67.8	42.8	51.2	65.2	41.4	68.2	89.9	52.9	73.2	97.3	56.6
1985.....	54.0	68.9	43.6	52.1	66.4	42.2	68.9	89.2	54.2	73.4	95.3	57.9
1984.....	54.9	69.7	44.7	53.1	67.1	43.4	69.7	91.4	54.1	74.4	98.7	57.4
1983.....	54.5	69.6	44.1	52.8	67.1	42.9	68.9	90.4	53.2	73.3	96.6	56.7
1982.....	54.9	69.9	44.6	53.1	67.3	43.5	68.8	91.7	52.2	73.1	98.3	55.4
1981.....	55.3	70.1	44.9	53.7	67.9	43.9	68.2	89.2	52.7	72.2	95.2	55.7
1980.....	56.3	71.1	45.9	54.6	68.8	44.9	69.6	91.4	53.7	73.1	96.3	56.5
1979.....	56.2	70.9	45.9	54.7	68.8	44.9	68.4	88.5	53.5	71.0	92.4	55.3

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
1998.....	59.5	83.2	42.4	59.3	81.6	43.2	60.0	93.5	36.7	70.1	111.4	42.1
1997.....	60.1	85.1	42.3	59.8	83.4	43.0	61.1	96.6	36.7	71.4	115.2	42.0
1996.....	60.4	86.5	41.8	60.2	84.6	42.6	61.7	99.4	35.6	72.0	118.5	40.6
1995.....	60.9	88.3	41.6	60.5	86.3	42.2	63.3	103.1	36.2	73.0	121.7	40.5
1994.....	61.1	89.6	40.9	60.6	87.5	41.6	64.0	106.0	35.5	73.9	124.8	40.1
1993.....	61.7	91.7	40.5	61.1	89.4	41.2	65.1	109.1	35.0	75.0	128.4	39.4
1992.....	61.4	92.1	39.9	60.8	89.9	40.4	65.3	108.4	35.5	75.4	127.8	40.3
1991.....	61.6	94.1	38.8	60.9	91.8	39.3	65.9	110.9	34.7	75.6	130.1	39.0
1990.....	61.4	95.0	38.1	60.7	92.6	38.5	66.4	113.0	34.1	76.1	132.2	38.2
1989.....	60.3	93.7	36.9	59.4	91.2	37.3	65.8	113.0	32.8	75.1	132.2	36.4
1988.....	59.3	93.8	35.2	58.5	91.4	35.6	64.5	112.3	31.4	73.2	130.1	34.7
1987.....	58.6	94.0	33.8	57.8	91.8	34.0	64.1	111.2	30.9	72.3	128.5	33.8
1986.....	57.4	92.9	32.5	56.6	90.7	32.8	62.8	110.0	29.3	70.8	126.2	32.3
1985.....	56.7	92.5	31.5	55.9	90.4	31.8	61.9	108.9	28.0	69.4	124.1	30.9
1984.....	55.8	92.4	30.0	55.0	90.2	30.3	61.9	110.4	26.9	69.0	125.2	29.3
1983.....	54.9	91.3	29.2	54.1	89.5	29.3	60.4	105.4	27.5	67.2	119.0	30.0
1982.....	54.0	91.2	27.6	53.3	89.4	27.8	59.3	105.5	25.3	66.0	119.1	27.6
1981.....	52.5	89.6	26.0	51.7	87.8	26.1	58.5	104.0	24.7	64.4	116.3	26.7
1980.....	52.1	89.3	25.3	51.3	87.6	25.3	58.1	103.3	24.4	63.3	114.3	26.1
1979.....	50.1	87.2	23.3	49.4	85.7	23.4	55.3	99.0	22.1	59.3	107.8	23.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MALIGNANT NEOPLASM OF BREAST (174-175)												
1998.....	15.8	0.3	27.9	15.4	0.3	27.3	17.5	0.4	30.1	21.1	0.5	35.7
1997.....	16.2	0.3	28.6	15.8	0.3	28.0	18.5	0.5	31.6	22.3	0.6	37.7
1996.....	16.9	0.3	29.8	16.6	0.3	29.4	18.5	0.5	31.5	22.1	0.7	37.3
1995.....	17.6	0.3	30.8	17.2	0.3	30.4	19.3	0.6	32.9	22.7	0.8	38.3
1994.....	17.8	0.3	31.1	17.5	0.3	30.8	19.1	0.5	32.5	22.4	0.6	37.8
1993.....	18.0	0.4	31.5	17.8	0.4	31.3	19.1	0.6	32.5	22.6	0.6	38.1
1992.....	18.1	0.3	31.8	18.0	0.3	31.6	18.6	0.4	31.8	21.9	0.4	37.1
1991.....	18.7	0.3	32.8	18.5	0.3	32.6	19.4	0.4	33.2	22.5	0.4	38.2
1990.....	19.0	0.3	33.3	18.9	0.3	33.2	19.3	0.4	33.1	22.5	0.5	38.1
1989.....	18.9	0.3	33.2	18.9	0.3	33.2	18.6	0.4	32.0	21.4	0.4	36.4
1988.....	18.9	0.3	33.2	18.8	0.3	33.1	19.1	0.7	32.7	22.2	0.9	37.6
1987.....	18.6	0.3	32.7	18.6	0.3	32.6	18.5	0.4	31.9	21.3	0.5	36.4
1986.....	18.7	0.3	32.8	18.7	0.3	32.9	17.9	0.4	30.9	20.5	0.4	35.2
1985.....	18.8	0.3	33.0	18.8	0.3	33.1	17.8	0.4	30.8	20.2	0.4	34.6
1984.....	18.8	0.3	32.9	18.7	0.3	32.9	18.3	0.4	31.6	20.8	0.5	35.7
1983.....	18.3	0.3	32.1	18.3	0.3	32.2	17.3	0.5	30.0	19.4	0.5	33.4
1982.....	18.3	0.3	32.2	18.4	0.3	32.3	17.5	0.5	30.3	19.6	0.5	33.6
1981.....	18.2	0.3	32.0	18.3	0.3	32.2	16.9	0.4	29.3	18.8	0.5	32.3
1980.....	18.1	0.3	31.9	18.2	0.3	32.1	16.6	0.3	29.0	18.4	0.4	31.7
1979.....	17.7	0.3	31.2	17.8	0.3	31.5	16.1	0.5	28.1	17.6	0.5	30.5

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
1998.....	21.8	32.4	16.9	20.6	29.9	16.6	31.4	54.5	18.6	37.9	69.3	21.3
1997.....	22.5	34.3	17.2	21.3	31.6	16.9	32.8	57.4	19.4	39.2	71.6	22.2
1996.....	23.3	36.1	17.3	22.0	33.3	16.9	34.3	61.2	19.5	40.6	76.0	21.8
1995.....	23.9	37.6	17.6	22.6	34.8	17.4	35.0	63.5	19.5	40.7	76.2	22.1
1994.....	24.5	38.8	17.9	23.2	35.9	17.6	35.8	64.8	20.2	41.7	78.2	22.7
1993.....	24.6	39.6	17.7	23.2	36.6	17.3	37.3	67.5	21.1	43.1	80.6	23.8
1992.....	24.9	39.4	18.2	23.5	36.6	17.7	37.2	65.7	21.9	43.2	79.3	24.6
1991.....	24.9	39.4	18.2	23.5	36.7	17.7	37.0	64.4	22.0	42.7	77.3	24.5
1990.....	24.8	38.9	18.4	23.5	36.1	17.9	37.2	65.3	21.8	42.5	77.5	24.2
1989.....	24.0	37.2	18.0	22.7	34.7	17.5	35.6	60.4	21.8	40.4	71.2	24.2
1988.....	23.7	35.9	18.2	22.4	33.5	17.7	35.3	58.9	22.3	40.0	69.2	24.5
1987.....	23.3	35.2	18.1	22.1	32.7	17.7	35.0	58.4	21.9	39.7	68.4	24.3
1986.....	23.5	35.0	18.5	22.2	32.6	17.9	35.3	57.5	22.8	39.8	66.7	25.1
1985.....	23.2	34.1	18.5	21.9	31.5	18.0	35.5	58.0	22.6	39.7	66.5	24.9
1984.....	23.3	34.2	18.7	22.0	31.8	18.1	35.6	56.8	23.4	39.8	65.2	25.7
1983.....	23.6	34.1	19.1	22.3	31.8	18.5	35.6	55.5	23.8	39.7	63.8	26.0
1982.....	23.5	33.6	19.2	22.2	31.4	18.6	35.2	54.3	24.0	39.0	61.6	26.1
1981.....	23.5	33.3	19.5	22.2	31.0	18.9	35.5	55.4	23.7	39.2	62.7	25.5
1980.....	24.0	33.6	20.0	22.6	31.3	19.2	36.9	55.2	26.1	40.6	62.1	28.2
1979.....	23.8	33.0	19.9	22.5	31.0	19.2	35.4	52.3	25.3	38.2	57.4	26.9

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
1998.....	8.9	14.1	5.4	9.1	14.5	5.4	7.2	10.2	5.1	8.1	11.6	5.8
1997.....	8.9	14.0	5.5	9.1	14.4	5.6	7.5	10.7	5.4	8.5	12.3	6.2
1996.....	8.9	14.1	5.5	9.1	14.6	5.4	7.5	10.4	5.5	8.5	11.6	6.3
1995.....	9.0	14.2	5.5	9.1	14.6	5.4	7.7	10.6	5.8	8.7	12.1	6.5
1994.....	9.0	14.3	5.5	9.1	14.6	5.5	7.9	11.3	5.6	8.8	12.7	6.3
1993.....	8.9	14.4	5.3	9.0	14.7	5.2	7.6	11.1	5.4	8.5	12.6	6.0
1992.....	9.0	14.3	5.5	9.1	14.7	5.5	7.6	11.2	5.3	8.5	12.7	5.9
1991.....	9.0	14.3	5.5	9.1	14.6	5.5	7.9	11.2	5.7	8.9	13.0	6.3
1990.....	8.9	14.4	5.4	9.0	14.7	5.4	7.9	11.3	5.6	8.9	13.0	6.3
1989.....	8.8	14.2	5.4	8.9	14.5	5.3	8.0	11.7	5.6	8.9	13.3	6.2
1988.....	8.6	13.8	5.3	8.8	14.1	5.3	7.5	10.6	5.4	8.2	11.8	6.0
1987.....	8.7	14.1	5.3	8.9	14.4	5.3	7.5	11.0	5.2	8.3	12.2	5.8
1986.....	8.8	14.0	5.4	8.9	14.5	5.4	7.4	10.1	5.5	8.1	11.3	6.0
1985.....	8.8	14.4	5.3	8.9	14.6	5.3	7.7	11.7	5.1	8.5	13.0	5.7
1984.....	8.9	14.4	5.3	9.0	14.8	5.2	7.7	11.1	5.5	8.4	12.0	6.1
1983.....	8.9	14.5	5.3	9.1	14.9	5.3	7.5	11.0	5.1	8.2	12.2	5.6
1982.....	9.1	14.9	5.3	9.2	15.3	5.3	7.8	11.0	5.6	8.5	12.0	6.1
1981.....	9.0	14.7	5.4	9.1	15.0	5.3	7.7	11.1	5.3	8.3	12.1	5.8
1980.....	9.1	14.8	5.4	9.3	15.3	5.4	7.4	10.0	5.5	7.9	10.6	5.9
1979.....	9.1	14.8	5.3	9.2	15.2	5.3	7.7	10.9	5.4	8.1	11.8	5.5

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)												
1998.....	24.4	30.4	19.9	24.9	31.1	20.1	21.4	25.4	18.3	24.2	29.2	20.5
1997.....	25.0	30.8	20.7	25.3	31.3	20.9	22.5	26.6	19.6	25.7	31.2	21.7
1996.....	25.7	32.0	21.0	26.1	32.6	21.3	22.7	27.6	19.1	25.6	31.8	21.2
1995.....	25.8	32.3	21.1	26.1	32.6	21.2	24.1	29.7	20.1	27.2	33.8	22.4
1994.....	26.2	32.6	21.5	26.5	33.1	21.7	24.0	28.9	20.3	27.1	33.3	22.6
1993.....	26.5	33.3	21.5	26.6	33.5	21.6	25.1	31.1	20.9	28.0	35.4	22.8
1992.....	25.9	32.7	21.1	26.2	33.1	21.2	24.0	29.1	20.3	27.1	33.6	22.4
1991.....	26.0	32.7	21.0	26.1	32.8	21.2	24.8	31.6	20.1	27.7	36.4	21.8
1990.....	25.7	32.3	21.0	25.9	32.4	21.1	25.0	31.6	20.2	27.9	36.0	22.2
1989.....	26.4	33.4	21.3	26.5	33.4	21.5	25.6	33.6	20.1	28.5	38.1	22.0
1988.....	26.8	34.1	21.6	26.9	34.2	21.6	26.1	32.7	21.4	29.0	37.3	23.2
1987.....	26.9	33.8	21.8	26.8	33.7	21.9	27.1	34.5	21.8	30.2	39.4	23.8
1986.....	26.8	33.6	21.8	26.8	33.7	21.8	26.5	33.0	21.9	29.4	37.0	23.9
1985.....	26.5	33.4	21.5	26.4	33.2	21.5	27.2	35.2	21.6	29.9	39.1	23.4
1984.....	26.1	32.4	21.4	26.0	32.3	21.4	26.7	33.7	21.6	29.3	37.5	23.4
1983.....	25.9	32.4	21.1	25.8	32.2	21.1	26.5	33.8	21.3	28.9	37.3	22.9
1982.....	25.5	31.3	21.2	25.5	31.3	21.3	25.4	31.2	21.0	27.7	34.6	22.7
1981.....	25.2	30.8	21.1	25.2	30.7	21.1	25.4	31.4	21.0	27.5	34.6	22.4
1980.....	25.2	31.3	20.7	25.1	31.2	20.6	26.0	31.5	22.0	28.3	34.6	23.7
1979.....	24.5	30.0	20.3	24.3	29.9	20.3	25.4	30.9	21.2	27.1	33.5	22.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
LEUKEMIA (204-208)												
1998.....	7.6	10.0	5.9	7.7	10.2	6.0	6.3	8.0	5.0	7.0	9.0	5.6
1997.....	7.7	10.3	5.9	7.9	10.6	6.1	6.1	7.9	4.9	6.8	8.9	5.3
1996.....	7.9	10.4	6.1	8.0	10.6	6.2	6.6	8.6	5.3	7.4	9.8	5.9
1995.....	7.9	10.7	6.0	8.1	10.9	6.1	6.5	8.5	5.3	7.1	9.5	5.6
1994.....	7.9	10.5	6.1	8.0	10.7	6.2	6.5	8.6	5.1	7.1	9.4	5.5
1993.....	7.9	10.5	6.1	8.0	10.7	6.2	6.8	8.8	5.5	7.3	9.6	5.8
1992.....	7.9	10.6	6.2	8.1	10.8	6.3	6.4	8.4	5.1	7.1	9.2	5.7
1991.....	8.0	10.3	6.3	8.1	10.5	6.4	6.7	8.9	5.3	7.4	9.9	5.8
1990.....	7.9	10.6	6.2	8.1	10.8	6.3	6.7	8.8	5.3	7.4	9.8	5.8
1989.....	7.9	10.5	6.1	8.0	10.6	6.2	6.7	9.2	5.0	7.2	10.1	5.4
1988.....	7.7	10.4	6.0	7.9	10.6	6.0	6.6	8.7	5.2	7.1	9.6	5.5
1987.....	7.7	10.1	6.1	7.8	10.3	6.1	6.7	8.5	5.4	7.1	9.3	5.8
1986.....	7.9	10.5	6.1	8.0	10.7	6.2	6.6	8.3	5.4	7.1	9.0	5.9
1985.....	8.0	10.5	6.3	8.1	10.8	6.4	6.5	8.6	5.1	6.9	9.3	5.4
1984.....	8.0	10.5	6.3	8.1	10.7	6.4	6.6	8.4	5.3	7.0	9.0	5.6
1983.....	8.0	10.7	6.2	8.1	10.9	6.3	6.7	8.5	5.5	7.1	9.1	5.8
1982.....	8.1	10.8	6.3	8.2	11.1	6.4	6.6	8.6	5.3	7.0	9.1	5.6
1981.....	8.0	10.6	6.2	8.1	10.9	6.3	6.6	8.2	5.4	7.0	8.7	5.8
1980.....	8.3	11.0	6.4	8.5	11.3	6.5	6.6	8.4	5.3	7.0	8.9	5.6
1979.....	8.1	10.8	6.3	8.3	11.1	6.5	6.4	8.1	5.2	6.8	8.6	5.6

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)												
1998.....	13.2	16.3	10.9	13.2	16.4	10.8	12.5	15.0	10.6	14.2	17.3	12.1
1997.....	13.5	16.7	11.2	13.6	16.7	11.2	12.7	15.9	10.4	14.4	18.1	11.9
1996.....	13.4	16.6	11.1	13.4	16.6	11.1	12.7	15.8	10.4	14.4	18.2	11.8
1995.....	13.4	16.6	11.1	13.5	16.6	11.2	12.7	15.7	10.6	14.2	17.7	11.9
1994.....	13.3	16.6	11.0	13.4	16.7	11.0	12.4	15.3	10.3	13.9	17.2	11.6
1993.....	13.0	15.9	10.8	13.0	15.9	10.9	12.5	15.8	10.4	14.1	17.7	11.8
1992.....	12.8	15.9	10.5	12.8	16.0	10.5	12.2	15.3	10.1	13.7	17.3	11.3
1991.....	12.8	15.9	10.6	12.8	15.9	10.6	12.6	15.6	10.5	14.2	17.6	11.8
1990.....	12.5	15.7	10.1	12.5	15.8	10.1	12.0	15.5	9.6	13.3	17.5	10.5
1989.....	12.3	15.3	10.1	12.3	15.3	10.2	11.8	15.1	9.5	13.1	16.9	10.5
1988.....	11.9	14.8	9.8	11.9	14.9	9.8	11.3	14.1	9.4	12.5	15.8	10.3
1987.....	11.7	14.4	9.7	11.7	14.3	9.8	11.3	14.6	9.0	12.5	16.4	9.8
1986.....	11.7	14.6	9.7	11.8	14.5	9.8	11.6	15.1	9.1	12.7	16.5	10.1
1985.....	11.5	14.3	9.5	11.5	14.4	9.5	11.3	13.8	9.4	12.2	15.0	10.2
1984.....	11.2	13.7	9.4	11.2	13.7	9.5	10.6	13.2	8.6	11.6	14.7	9.3
1983.....	11.1	13.7	9.2	11.1	13.6	9.2	10.8	14.1	8.5	11.8	15.4	9.3
1982.....	10.9	13.4	9.1	11.0	13.4	9.2	10.6	13.3	8.6	11.5	14.5	9.4
1981.....	10.5	12.7	8.9	10.5	12.7	8.9	10.5	12.8	8.8	11.3	13.9	9.4
1980.....	10.6	13.0	8.9	10.7	13.0	8.9	10.3	12.9	8.3	11.0	13.8	8.9
1979.....	10.3	12.9	8.3	10.3	13.0	8.4	9.8	12.2	8.0	10.3	12.9	8.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)												
1998.....	3.0	3.2	2.8	3.0	3.2	2.7	3.0	3.1	2.9	3.5	3.6	3.4
1997.....	2.9	3.2	2.7	2.9	3.1	2.7	3.1	3.4	2.9	3.6	3.9	3.4
1996.....	3.0	3.3	2.8	2.9	3.2	2.7	3.2	3.4	3.0	3.6	3.8	3.4
1995.....	3.1	3.4	2.9	3.0	3.3	2.8	3.4	3.7	3.2	3.8	4.3	3.5
1994.....	3.0	3.4	2.8	3.0	3.4	2.8	3.2	3.3	3.1	3.6	3.7	3.4
1993.....	3.1	3.5	2.8	3.0	3.4	2.7	3.2	3.6	2.9	3.6	4.0	3.2
1992.....	3.0	3.4	2.7	2.9	3.3	2.6	3.2	3.6	2.9	3.6	4.1	3.3
1991.....	3.0	3.3	2.7	2.9	3.3	2.7	3.2	3.6	2.9	3.6	4.1	3.3
1990.....	2.9	3.2	2.7	2.9	3.2	2.7	3.3	3.1	3.3	3.6	3.6	3.5
1989.....	3.0	3.4	2.7	2.9	3.3	2.6	3.3	3.4	3.2	3.6	3.9	3.5
1988.....	3.0	3.3	2.8	2.9	3.3	2.7	3.5	3.6	3.3	3.9	4.1	3.8
1987.....	3.0	3.4	2.7	2.9	3.3	2.7	3.2	3.9	2.7	3.5	4.3	3.0
1986.....	3.1	3.6	2.8	3.1	3.5	2.7	3.5	3.7	3.4	3.9	4.1	3.7
1985.....	3.2	3.5	2.9	3.0	3.4	2.8	3.6	3.8	3.5	3.9	4.0	3.9
1984.....	3.0	3.4	2.8	3.0	3.4	2.8	3.5	3.7	3.3	3.7	3.9	3.6
1983.....	3.1	3.5	2.9	3.1	3.5	2.9	3.3	3.6	3.2	3.6	3.9	3.5
1982.....	3.1	3.5	2.9	3.1	3.5	2.8	3.6	3.6	3.5	3.9	4.0	3.8
1981.....	3.1	3.5	2.8	3.1	3.5	2.8	3.4	3.4	3.4	3.6	3.5	3.7
1980.....	3.1	3.5	2.9	3.1	3.4	2.8	3.9	4.0	3.7	4.1	4.4	3.9
1979.....	3.0	3.3	2.9	3.0	3.3	2.8	3.3	3.2	3.5	3.5	3.4	3.6

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
DIABETES MELLITUS (250)												
1998.....	24.2	26.7	22.3	21.9	24.9	19.6	41.7	40.4	42.0	48.4	46.6	49.0
1997.....	24.0	26.2	22.3	21.5	24.2	19.5	42.3	41.1	42.6	48.5	47.0	48.8
1996.....	24.0	26.1	22.4	21.6	24.4	19.6	41.5	39.0	42.8	47.9	45.0	49.5
1995.....	23.4	25.2	22.0	21.1	23.3	19.4	41.5	40.0	42.1	47.1	45.6	47.6
1994.....	22.7	24.4	21.5	20.6	22.7	19.0	39.9	37.9	40.8	45.5	43.4	46.4
1993.....	22.0	23.5	20.9	19.9	21.8	18.4	38.6	36.7	39.5	44.0	42.1	44.9
1992.....	20.8	22.2	19.8	18.8	20.7	17.5	36.5	33.8	38.0	41.6	38.6	43.1
1991.....	20.7	22.0	19.8	18.8	20.5	17.5	36.5	33.6	37.9	41.7	39.2	42.9
1990.....	20.7	21.7	19.9	18.8	20.3	17.6	36.1	33.1	37.7	40.5	37.3	42.2
1989.....	20.5	21.3	19.8	18.7	19.8	17.7	36.0	33.3	37.3	40.1	37.4	41.4
1988.....	18.0	18.7	17.5	16.3	17.5	15.5	32.1	29.5	33.6	35.7	32.8	37.2
1987.....	17.4	18.0	16.9	15.9	17.0	15.0	30.6	27.1	32.6	33.8	29.9	36.0
1986.....	17.2	17.5	16.8	15.6	16.4	15.0	30.5	26.9	32.7	33.5	29.4	35.9
1985.....	17.4	17.7	17.0	15.9	16.6	15.3	30.1	26.8	32.1	33.0	29.1	35.3
1984.....	17.2	17.7	16.7	15.8	16.7	15.1	29.0	25.9	30.9	31.6	28.2	33.7
1983.....	17.6	17.5	17.6	16.3	16.6	15.9	29.3	25.4	31.8	32.0	27.8	34.7
1982.....	17.2	17.2	17.0	16.0	16.4	15.5	27.4	23.6	29.9	29.5	25.4	32.2
1981.....	17.6	17.6	17.4	16.3	16.8	15.7	29.1	24.7	32.1	31.5	26.3	34.8
1980.....	18.1	18.1	18.0	16.7	17.2	16.2	30.6	26.1	33.6	32.7	28.1	35.8
1979.....	17.5	17.6	17.3	16.2	16.7	15.7	29.0	25.4	31.6	30.5	26.3	33.3

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
NUTRITIONAL DEFICIENCIES (260-269)												
1998.....	1.5	1.4	1.6	1.5	1.3	1.6	2.0	2.1	1.9	2.3	2.4	2.1
1997.....	1.5	1.3	1.6	1.5	1.3	1.6	1.8	2.1	1.6	2.0	2.4	1.8
1996.....	1.5	1.4	1.5	1.4	1.3	1.5	1.7	2.0	1.6	1.9	2.3	1.7
1995.....	1.5	1.4	1.5	1.4	1.3	1.5	1.9	2.1	1.8	2.1	2.4	1.9
1994.....	1.4	1.4	1.4	1.4	1.3	1.4	1.9	2.1	1.7	2.1	2.5	1.9
1993.....	1.5	1.5	1.4	1.4	1.5	1.4	1.9	2.3	1.7	2.2	2.6	1.9
1992.....	1.4	1.4	1.4	1.3	1.3	1.3	2.2	2.5	2.0	2.4	2.8	2.1
1991.....	1.4	1.4	1.3	1.3	1.2	1.3	2.0	2.8	1.6	2.2	3.1	1.8
1990.....	1.4	1.5	1.4	1.3	1.4	1.3	2.2	2.6	2.0	2.5	3.0	2.2
1989.....	1.4	1.5	1.4	1.4	1.4	1.3	2.3	2.6	2.1	2.6	3.0	2.3
1988.....	1.4	1.5	1.4	1.4	1.4	1.3	2.2	2.6	2.0	2.4	3.0	2.1
1987.....	1.4	1.6	1.4	1.3	1.4	1.3	2.0	2.6	1.7	2.2	3.0	1.8
1986.....	1.4	1.5	1.4	1.4	1.4	1.3	2.2	2.8	1.9	2.4	3.0	1.9
1985.....	1.5	1.6	1.4	1.4	1.5	1.4	2.0	2.2	1.9	2.1	2.2	2.0
1984.....	1.4	1.4	1.3	1.3	1.3	1.3	2.0	2.5	1.7	2.1	2.6	1.8
1983.....	1.4	1.6	1.3	1.4	1.5	1.3	2.2	2.8	1.8	2.3	3.1	1.8
1982.....	1.3	1.5	1.2	1.3	1.4	1.1	2.2	2.5	1.9	2.2	2.6	2.0
1981.....	1.3	1.4	1.2	1.2	1.4	1.2	2.0	2.2	1.9	2.1	2.2	1.9
1980.....	1.4	1.5	1.3	1.3	1.4	1.2	2.1	2.6	1.8	2.2	2.8	1.8
1979.....	1.3	1.5	1.2	1.2	1.3	1.1	2.1	2.5	1.8	2.2	2.7	1.8

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ANEMIAS (280-285)												
1998.....	1.7	1.8	1.6	1.5	1.6	1.4	2.9	3.1	2.7	3.5	3.7	3.4
1997.....	1.7	1.8	1.7	1.5	1.6	1.4	2.8	3.0	2.7	3.5	3.8	3.3
1996.....	1.7	1.8	1.6	1.5	1.6	1.4	2.9	2.9	2.8	3.5	3.7	3.4
1995.....	1.8	1.9	1.7	1.6	1.7	1.5	3.3	3.4	3.3	3.9	3.9	3.9
1994.....	1.8	2.0	1.6	1.5	1.8	1.4	3.2	3.4	3.0	3.8	4.1	3.6
1993.....	1.8	2.0	1.7	1.6	1.8	1.5	3.2	3.2	3.1	3.8	3.9	3.7
1992.....	1.8	2.0	1.7	1.6	1.8	1.4	3.2	3.3	3.0	3.8	4.0	3.6
1991.....	1.8	2.0	1.7	1.6	1.8	1.5	3.2	3.5	2.9	3.8	4.2	3.4
1990.....	1.8	2.1	1.7	1.6	1.8	1.5	3.3	3.9	2.8	3.8	4.6	3.2
1989.....	1.8	2.0	1.7	1.6	1.8	1.5	3.1	3.3	3.0	3.7	4.0	3.5
1988.....	1.8	1.9	1.7	1.6	1.8	1.5	2.9	3.0	2.7	3.3	3.5	3.1
1987.....	1.8	2.0	1.6	1.6	1.8	1.5	2.8	3.1	2.5	3.2	3.7	2.8
1986.....	1.8	2.1	1.6	1.6	1.9	1.4	2.8	3.1	2.6	3.2	3.4	3.0
1985.....	1.8	2.1	1.6	1.6	1.9	1.4	3.0	3.2	2.8	3.3	3.5	3.1
1984.....	1.8	2.0	1.6	1.6	1.8	1.5	2.7	3.0	2.4	3.0	3.3	2.7
1983.....	1.7	2.0	1.6	1.6	1.9	1.4	2.6	3.0	2.4	3.0	3.4	2.7
1982.....	1.7	1.9	1.6	1.5	1.7	1.4	2.8	2.8	2.6	3.0	3.1	3.0
1981.....	1.7	2.0	1.6	1.6	1.9	1.4	2.7	3.1	2.4	3.0	3.6	2.7
1980.....	1.7	1.9	1.6	1.6	1.7	1.5	2.9	3.0	2.8	3.3	3.4	3.1
1979.....	1.7	2.0	1.5	1.6	1.8	1.4	2.9	2.9	2.9	3.2	3.2	3.1

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MENINGITIS (320-322)												
1998.....	0.3	0.3	0.3	0.3	0.3	0.2	0.5	0.7	0.4	0.6	0.8	0.5
1997.....	0.3	0.3	0.3	0.2	0.3	0.2	0.6	0.7	0.5	0.7	0.8	0.5
1996.....	0.3	0.4	0.2	0.2	0.3	0.2	0.6	0.7	0.5	0.7	0.9	0.6
1995.....	0.3	0.3	0.2	0.3	0.3	0.2	0.6	0.7	0.5	0.7	0.8	0.6
1994.....	0.3	0.3	0.3	0.3	0.3	0.2	0.6	0.8	0.5	0.7	0.9	0.5
1993.....	0.3	0.4	0.3	0.3	0.3	0.2	0.6	0.8	0.5	0.8	0.9	0.6
1992.....	0.3	0.4	0.3	0.3	0.3	0.3	0.6	0.8	0.5	0.7	0.9	0.6
1991.....	0.4	0.4	0.3	0.3	0.3	0.3	0.8	0.9	0.7	0.9	1.0	0.8
1990.....	0.4	0.5	0.4	0.3	0.4	0.3	0.9	1.1	0.7	1.1	1.3	0.9
1989.....	0.4	0.5	0.3	0.3	0.4	0.3	1.1	1.2	0.9	1.2	1.5	1.0
1988.....	0.5	0.5	0.4	0.4	0.4	0.4	1.1	1.4	0.9	1.3	1.6	1.0
1987.....	0.5	0.6	0.4	0.4	0.5	0.3	1.1	1.2	1.0	1.3	1.4	1.1
1986.....	0.5	0.6	0.4	0.4	0.5	0.4	1.1	1.2	0.9	1.2	1.4	1.0
1985.....	0.5	0.6	0.4	0.4	0.5	0.4	1.0	1.2	0.9	1.1	1.3	1.0
1984.....	0.5	0.6	0.5	0.4	0.5	0.4	1.1	1.2	1.0	1.3	1.4	1.1
1983.....	0.6	0.6	0.5	0.5	0.5	0.4	1.1	1.2	1.0	1.3	1.4	1.1
1982.....	0.6	0.7	0.5	0.5	0.6	0.4	1.2	1.5	1.0	1.4	1.7	1.1
1981.....	0.6	0.7	0.5	0.5	0.6	0.4	1.4	1.6	1.2	1.5	1.7	1.3
1980.....	0.6	0.7	0.5	0.5	0.6	0.5	1.3	1.5	1.1	1.4	1.7	1.2
1979.....	0.7	0.7	0.5	0.5	0.6	0.4	1.6	1.9	1.3	1.6	2.0	1.3

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MAJOR CARDIOVASCULAR DISEASES (390-448)												
1998.....	353.6	422.1	300.0	346.5	415.8	291.9	392.7	457.1	344.3	451.6	527.2	395.8
1997.....	364.4	440.1	306.7	357.7	434.6	299.0	400.1	468.7	349.1	456.9	536.3	398.4
1996.....	373.8	453.0	314.1	366.9	447.4	306.0	412.0	483.4	359.6	469.3	553.7	408.7
1995.....	382.6	466.5	320.0	374.5	458.8	311.2	432.6	515.5	373.2	485.1	579.5	417.8
1994.....	385.5	473.2	321.1	377.7	466.3	312.2	432.5	514.8	374.0	483.7	576.8	418.0
1993.....	396.0	488.4	328.7	387.7	481.2	319.3	448.1	533.2	387.5	501.3	599.2	432.6
1992.....	390.6	483.4	323.3	382.8	476.8	314.3	439.4	524.0	379.0	492.5	592.7	423.1
1991.....	399.9	496.2	330.2	391.7	489.3	321.1	452.0	541.3	387.5	505.2	611.6	431.6
1990.....	410.6	511.1	338.7	402.8	504.7	329.7	461.3	552.2	396.9	512.9	622.6	437.9
1989.....	423.1	525.3	349.3	414.4	518.4	339.5	480.2	570.9	414.6	532.5	639.8	457.8
1988.....	448.4	558.1	369.8	440.3	552.0	360.5	500.4	598.0	430.6	555.0	669.5	475.0
1987.....	453.1	564.1	373.2	445.9	558.6	364.8	499.3	598.7	427.2	550.7	665.1	470.2
1986.....	464.2	579.8	381.1	457.1	575.0	372.4	508.9	608.0	436.9	560.8	675.4	479.7
1985.....	478.4	602.1	389.9	471.8	598.8	381.4	517.1	617.9	444.3	566.7	681.4	485.0
1984.....	485.2	611.7	395.3	479.8	609.9	387.5	515.4	614.8	443.0	563.2	676.4	482.6
1983.....	499.1	630.8	405.4	493.6	629.2	397.4	528.8	629.4	454.6	575.9	690.0	493.8
1982.....	502.7	636.2	407.4	498.3	635.7	400.6	523.7	628.3	445.9	568.1	683.5	484.8
1981.....	517.4	654.6	419.1	512.5	653.8	411.8	542.6	647.6	464.6	589.1	705.4	503.2
1980.....	541.2	682.6	439.7	535.2	680.1	431.6	576.9	691.9	492.3	620.6	745.0	530.8
1979.....	531.1	672.9	428.6	526.6	672.2	421.5	553.2	664.8	471.2	586.1	704.9	498.1

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
DISEASES OF HEART (390-398,402,404-429)												
1998.....	272.4	336.6	223.1	268.1	333.2	217.6	294.2	351.4	251.8	340.6	407.8	291.9
1997.....	280.4	349.6	228.1	276.4	346.9	222.9	300.1	359.7	256.0	345.0	414.0	294.7
1996.....	288.3	360.7	234.1	284.2	358.2	228.6	308.6	370.4	263.6	354.0	426.3	302.4
1995.....	296.3	372.7	239.7	291.2	368.4	233.6	325.6	396.8	274.8	367.2	449.2	309.3
1994.....	299.7	379.1	241.6	295.0	375.6	235.7	325.5	395.9	275.6	366.1	446.2	310.1
1993.....	309.9	393.4	249.4	304.6	389.3	242.9	341.7	415.8	289.1	384.3	469.2	325.0
1992.....	306.1	389.9	245.4	301.1	386.3	239.1	335.5	409.5	283.1	377.7	465.2	317.5
1991.....	313.8	400.7	251.1	308.8	397.2	245.0	343.9	420.3	288.8	386.5	477.5	323.6
1990.....	321.8	412.4	257.0	317.0	409.2	250.9	350.8	429.3	295.3	391.5	485.4	327.5
1989.....	332.0	424.4	265.5	326.6	420.6	258.9	366.0	447.0	307.9	407.1	502.3	341.3
1988.....	352.5	451.8	281.5	347.6	448.7	275.2	381.8	468.5	320.2	424.9	526.2	354.8
1987.....	355.9	456.9	283.4	351.5	454.4	277.6	381.8	469.1	318.9	422.5	522.9	352.3
1986.....	365.1	470.7	289.3	360.9	468.8	283.4	389.3	476.6	326.2	430.1	530.8	359.2
1985.....	375.0	488.0	294.5	371.4	487.3	289.1	392.0	483.2	326.5	430.6	533.9	357.7
1984.....	378.8	493.5	297.2	376.0	494.1	292.2	389.5	478.2	325.2	426.4	526.8	355.3
1983.....	388.9	507.9	304.1	386.1	508.7	299.0	399.4	488.8	333.8	435.6	536.2	363.3
1982.....	389.0	509.6	302.8	387.4	511.6	298.8	390.2	482.1	322.4	423.7	524.7	351.3
1981.....	397.0	520.9	308.1	395.1	522.8	303.8	399.9	492.0	331.8	434.7	536.1	360.2
1980.....	412.1	538.9	320.8	409.4	539.6	315.9	422.6	521.4	350.0	455.3	561.4	378.6
1979.....	401.6	528.5	309.5	400.0	530.7	305.3	402.1	497.7	331.8	426.2	527.6	351.3

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
1998.....	1.8	1.3	2.1	1.8	1.3	2.2	1.3	0.9	1.7	1.4	0.9	1.7
1997.....	1.9	1.4	2.2	2.0	1.5	2.3	1.4	1.1	1.6	1.4	1.1	1.5
1996.....	1.9	1.4	2.3	2.0	1.4	2.4	1.4	1.1	1.7	1.4	1.0	1.7
1995.....	2.0	1.5	2.4	2.1	1.5	2.4	1.5	1.1	1.8	1.5	1.1	1.7
1994.....	2.2	1.7	2.5	2.2	1.7	2.6	1.6	1.2	1.8	1.5	1.2	1.7
1993.....	2.3	1.8	2.7	2.4	1.9	2.8	1.7	1.3	2.0	1.8	1.3	2.1
1992.....	2.4	1.7	2.8	2.4	1.8	2.8	1.9	1.4	2.2	1.9	1.4	2.3
1991.....	2.5	1.9	3.0	2.6	1.9	3.0	1.9	1.6	2.2	1.9	1.6	2.2
1990.....	2.6	1.9	3.0	2.7	1.9	3.1	2.0	1.5	2.3	2.0	1.6	2.3
1989.....	2.6	2.0	3.1	2.7	2.0	3.2	2.1	1.7	2.4	2.1	1.8	2.3
1988.....	2.8	2.1	3.4	2.9	2.1	3.4	2.1	1.7	2.3	2.0	1.7	2.3
1987.....	2.9	2.0	3.4	2.9	2.1	3.5	1.9	1.5	2.3	1.9	1.5	2.3
1986.....	2.9	2.2	3.4	3.0	2.3	3.5	2.2	1.8	2.4	2.2	1.9	2.4
1985.....	3.0	2.3	3.5	3.1	2.4	3.6	2.3	1.9	2.6	2.3	1.9	2.6
1984.....	3.2	2.5	3.7	3.3	2.6	3.8	2.2	1.7	2.6	2.2	1.7	2.5
1983.....	3.3	2.4	3.9	3.4	2.5	4.0	2.3	1.8	2.6	2.3	1.8	2.7
1982.....	3.4	2.6	3.9	3.5	2.6	4.0	2.3	1.9	2.6	2.3	1.8	2.7
1981.....	3.6	2.8	4.2	3.7	2.9	4.3	2.5	2.1	2.8	2.5	2.0	2.9
1980.....	3.9	3.1	4.5	4.0	3.1	4.6	2.8	2.2	3.2	2.9	2.4	3.3
1979.....	3.9	3.0	4.5	4.0	3.1	4.6	2.8	2.4	3.0	2.9	2.6	3.1

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
HYPERTENSIVE HEART DISEASE (402)												
1998.....	10.4	10.8	9.6	8.5	8.6	7.9	24.2	27.3	21.5	30.0	34.8	26.2
1997.....	10.3	10.7	9.5	8.4	8.5	7.8	23.7	26.5	21.2	28.9	32.8	25.7
1996.....	10.3	10.7	9.6	8.5	8.5	8.0	23.7	27.2	20.9	29.1	33.9	25.3
1995.....	10.1	10.4	9.3	8.2	8.3	7.6	24.3	27.2	21.7	29.1	33.0	25.6
1994.....	9.8	10.1	9.2	8.0	8.0	7.5	23.7	25.9	21.6	28.5	31.6	25.6
1993.....	9.6	10.0	8.9	7.8	7.9	7.3	23.9	26.9	21.6	28.7	32.8	25.5
1992.....	9.3	9.5	8.7	7.5	7.4	7.1	23.5	26.1	21.4	28.3	31.9	25.4
1991.....	9.3	9.6	8.7	7.5	7.5	7.1	23.5	25.7	21.4	27.8	31.4	24.9
1990.....	9.4	9.6	8.9	7.6	7.5	7.2	23.9	26.2	22.0	28.4	31.8	25.6
1989.....	9.4	9.7	8.8	7.6	7.5	7.2	24.6	27.4	22.2	28.9	32.7	25.8
1988.....	9.5	9.8	8.9	7.6	7.7	7.2	24.9	27.2	22.8	29.1	32.4	26.4
1987.....	9.6	9.8	9.0	7.8	7.9	7.4	24.0	26.1	22.0	27.6	30.7	25.0
1986.....	9.7	9.7	9.3	7.9	7.7	7.6	24.4	26.5	22.6	28.4	31.3	25.9
1985.....	10.0	10.3	9.5	8.2	8.3	7.8	25.2	27.7	23.1	29.0	32.1	26.3
1984.....	10.1	10.4	9.5	8.3	8.4	7.9	25.2	27.3	23.3	29.0	31.8	26.6
1983.....	10.4	10.7	9.8	8.6	8.7	8.2	26.0	28.6	23.8	29.7	33.2	26.9
1982.....	10.5	10.8	10.0	8.7	8.7	8.4	26.1	28.3	24.1	29.6	32.4	27.1
1981.....	10.8	11.0	10.3	9.0	9.0	8.6	26.5	28.7	24.6	30.0	32.8	27.6
1980.....	11.2	11.0	11.0	9.3	9.1	9.2	28.0	28.6	27.0	31.2	32.3	29.8
1979.....	11.3	11.2	11.0	9.4	9.0	9.2	28.6	30.5	26.9	31.6	33.9	29.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
HYPERTENSIVE HEART AND RENAL DISEASE (404)												
1998.....	0.9	1.0	0.9	0.7	0.7	0.6	2.5	2.6	2.4	3.0	3.1	2.9
1997.....	0.9	1.1	0.8	0.7	0.8	0.7	2.4	2.6	2.3	3.0	3.2	2.7
1996.....	1.0	1.1	0.9	0.8	0.8	0.7	2.7	2.8	2.6	3.2	3.4	2.9
1995.....	1.0	1.1	1.0	0.8	0.9	0.8	2.7	2.8	2.6	3.2	3.3	3.1
1994.....	1.0	1.2	0.9	0.8	0.9	0.7	2.8	3.0	2.6	3.2	3.5	3.0
1993.....	1.0	1.2	1.0	0.8	0.9	0.7	2.8	2.8	2.8	3.3	3.4	3.3
1992.....	1.1	1.2	1.0	0.8	0.9	0.8	3.0	3.3	2.8	3.5	3.8	3.4
1991.....	1.1	1.2	1.0	0.8	0.9	0.8	3.0	3.1	2.8	3.5	3.8	3.3
1990.....	1.0	1.1	1.0	0.8	0.9	0.8	3.1	3.2	3.0	3.7	3.9	3.5
1989.....	1.1	1.2	1.0	0.9	0.9	0.8	3.0	3.2	2.9	3.5	3.8	3.3
1988.....	1.1	1.2	1.1	0.9	1.0	0.9	3.0	3.2	2.9	3.5	3.7	3.4
1987.....	1.2	1.2	1.1	1.0	1.0	0.9	3.1	3.5	2.9	3.6	4.1	3.2
1986.....	1.2	1.3	1.1	1.0	1.0	0.9	3.1	3.3	2.9	3.5	3.8	3.3
1985.....	1.4	1.5	1.3	1.2	1.3	1.1	3.5	3.4	3.5	3.9	3.9	3.8
1984.....	1.4	1.5	1.4	1.2	1.3	1.2	3.4	3.6	3.3	3.9	4.2	3.6
1983.....	1.6	1.7	1.5	1.4	1.5	1.3	3.6	3.7	3.6	4.1	4.2	4.0
1982.....	1.6	1.8	1.5	1.4	1.6	1.3	3.5	3.4	3.5	3.9	3.9	3.9
1981.....	1.8	2.0	1.8	1.6	1.8	1.5	3.7	3.7	3.7	4.1	4.1	4.1
1980.....	2.1	2.2	2.0	1.8	2.0	1.8	4.4	4.4	4.5	4.9	4.9	5.0
1979.....	2.1	2.3	2.0	1.9	2.0	1.7	4.3	4.4	4.2	4.7	4.9	4.6

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	TOTAL			WHITE			ALL OTHER			BLACK		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ISCHEMIC HEART DISEASE (410-414)												
1998.....	172.8	222.4	135.8	173.8	225.4	135.0	160.1	193.0	136.2	180.3	216.3	154.7
1997.....	179.7	233.0	140.5	180.8	236.3	139.7	166.0	200.7	140.9	186.8	223.8	160.1
1996.....	187.0	242.5	146.5	188.4	246.4	145.7	171.1	205.6	146.3	192.0	229.6	165.4
1995.....	193.2	251.7	150.8	194.1	254.6	149.8	180.3	221.7	151.5	199.1	243.3	168.6
1994.....	196.8	257.7	153.3	198.0	261.2	152.5	181.3	222.0	153.0	199.6	243.4	169.4
1993.....	204.1	268.2	158.5	205.2	271.8	157.6	189.4	232.0	159.6	208.5	254.3	177.0
1992.....	204.5	269.5	158.4	205.9	273.6	157.6	187.2	228.9	157.9	205.8	252.5	173.9
1991.....	211.1	278.3	163.5	212.5	282.5	162.8	193.0	236.2	162.2	212.9	261.8	179.5
1990.....	218.4	288.9	168.8	220.2	293.8	168.3	196.0	241.8	164.2	215.1	267.5	179.9
1989.....	225.1	296.9	174.1	226.8	301.8	173.6	202.6	248.2	170.2	220.9	272.0	185.9
1988.....	234.4	309.8	181.2	236.9	315.7	181.2	205.8	253.3	172.1	224.7	277.4	188.4
1987.....	239.4	317.0	184.2	242.1	323.1	184.5	208.3	258.3	172.4	226.2	280.6	188.2
1986.....	247.9	329.4	190.0	251.0	336.5	190.2	213.0	260.9	178.4	231.1	283.7	194.1
1985.....	260.5	349.8	197.5	263.9	357.5	198.0	221.6	276.2	182.7	239.7	298.5	198.3
1984.....	267.5	358.8	202.9	271.3	367.1	203.7	224.4	278.6	185.3	241.7	300.6	200.1
1983.....	278.4	374.0	210.5	282.3	382.6	211.1	233.9	289.5	193.3	251.4	312.4	208.0
1982.....	284.0	383.2	213.4	288.4	392.3	214.5	234.8	295.0	190.9	251.2	314.7	206.1
1981.....	291.7	393.7	218.7	296.0	403.2	219.7	242.5	301.2	198.7	260.1	323.0	213.6
1980.....	305.7	411.5	229.9	309.9	420.3	230.8	257.6	323.9	209.3	274.2	343.1	224.8
1979.....	301.4	408.3	224.1	306.0	417.9	225.2	247.6	311.9	200.5	259.1	324.7	210.7

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ACUTE MYOCARDIAL INFARCTION (410)												
1998.....	76.4	99.7	58.7	76.5	100.8	58.0	74.0	89.7	62.6	84.5	102.0	72.0
1997.....	79.3	104.5	60.4	79.5	105.9	59.7	75.8	91.3	64.5	86.6	103.4	74.5
1996.....	83.6	110.1	63.9	84.0	111.7	63.2	78.8	95.4	66.8	89.6	108.0	76.6
1995.....	87.1	116.0	65.9	87.4	117.4	65.2	83.3	102.9	69.6	93.1	114.1	78.6
1994.....	90.3	120.6	68.3	90.7	122.1	67.7	85.1	106.1	70.8	94.9	118.4	79.2
1993.....	94.0	126.6	70.5	94.2	128.1	69.7	89.8	111.1	74.9	99.8	122.5	84.0
1992.....	96.7	130.7	72.6	97.2	132.4	72.0	90.7	113.6	74.9	100.7	126.5	83.5
1991.....	101.1	136.4	76.0	101.6	138.4	75.3	94.8	117.3	79.0	105.2	130.5	88.0
1990.....	105.2	143.4	78.3	106.0	145.7	77.8	96.2	120.9	79.2	106.4	135.3	87.2
1989.....	109.9	149.8	81.6	110.5	152.2	80.9	101.8	126.1	84.6	111.3	138.7	92.7
1988.....	111.9	153.3	82.8	113.1	156.5	82.4	99.1	123.2	82.2	108.3	135.1	90.1
1987.....	116.1	159.6	85.2	117.5	163.1	85.0	101.5	127.4	83.2	110.2	137.6	91.2
1986.....	121.5	167.9	88.4	123.2	172.0	88.3	103.7	129.0	85.6	113.0	140.9	93.4
1985.....	129.8	182.1	92.7	131.7	186.7	92.6	110.0	139.5	89.0	118.8	150.0	97.0
1984.....	134.2	188.9	95.2	136.3	193.8	95.3	112.2	143.5	89.8	120.8	154.8	97.1
1983.....	140.0	197.8	98.5	142.3	203.2	98.7	114.9	146.4	92.1	123.9	158.4	99.5
1982.....	144.7	205.7	100.8	147.8	212.0	101.4	113.9	147.0	89.8	121.8	157.0	96.8
1981.....	148.4	211.8	102.4	151.4	218.2	103.0	117.2	151.3	92.0	125.8	162.4	99.0
1980.....	155.6	222.7	106.9	158.5	229.2	107.2	125.0	160.7	98.8	133.2	170.6	106.2
1979.....	157.9	227.0	107.2	161.0	233.7	107.7	125.3	162.8	97.6	131.6	170.2	103.0

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)												
1998.....	1.1	1.4	0.8	1.0	1.3	0.8	1.4	2.0	1.0	1.7	2.4	1.2
1997.....	1.2	1.6	0.9	1.1	1.5	0.8	1.5	1.9	1.2	1.7	2.3	1.4
1996.....	1.1	1.5	0.8	1.1	1.4	0.8	1.5	2.0	1.1	1.8	2.5	1.2
1995.....	1.1	1.5	0.8	1.1	1.4	0.8	1.4	1.7	1.1	1.6	2.1	1.2
1994.....	1.2	1.6	0.8	1.1	1.5	0.8	1.5	2.1	1.2	1.7	2.3	1.3
1993.....	1.2	1.7	0.9	1.2	1.6	0.8	1.6	2.2	1.1	1.8	2.5	1.3
1992.....	1.3	1.8	1.0	1.3	1.7	0.9	1.9	2.6	1.4	2.1	2.9	1.6
1991.....	1.4	2.0	1.0	1.4	1.9	0.9	2.0	2.7	1.4	2.2	3.2	1.6
1990.....	1.5	2.1	1.0	1.4	2.0	0.9	2.2	2.9	1.6	2.4	3.4	1.8
1989.....	1.5	2.1	1.1	1.4	2.0	1.0	2.2	2.9	1.7	2.5	3.4	1.9
1988.....	1.5	2.1	1.1	1.5	2.1	1.0	2.1	2.9	1.5	2.4	3.4	1.7
1987.....	1.6	2.3	1.1	1.5	2.2	1.1	2.2	3.3	1.5	2.5	3.7	1.7
1986.....	1.8	2.6	1.2	1.7	2.5	1.1	2.4	3.4	1.7	2.7	3.8	1.9
1985.....	1.9	2.7	1.2	1.8	2.6	1.2	2.6	3.3	2.0	2.9	3.8	2.2
1984.....	1.9	2.8	1.3	1.8	2.7	1.2	3.0	4.0	2.2	3.4	4.7	2.5
1983.....	2.0	2.9	1.3	1.9	2.8	1.2	3.2	4.2	2.4	3.5	4.7	2.7
1982.....	2.0	3.0	1.3	1.9	2.9	1.2	3.1	4.3	2.2	3.4	4.9	2.4
1981.....	2.3	3.3	1.5	2.2	3.2	1.4	3.6	4.7	2.6	3.9	5.3	2.9
1980.....	2.5	3.6	1.6	2.3	3.4	1.5	3.7	5.1	2.5	4.0	5.6	2.8
1979.....	2.5	3.7	1.6	2.3	3.5	1.5	3.9	5.4	2.7	4.2	5.9	2.9

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ANGINA PECTORIS (413)												
1998.....	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.3	0.4	0.2
1997.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.4	0.3
1996.....	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.4	0.3
1995.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3
1994.....	0.4	0.4	0.3	0.4	0.4	0.3	0.3	0.4	0.3	0.4	0.4	0.4
1993.....	0.4	0.4	0.4	0.4	0.5	0.4	0.4	0.3	0.4	0.4	0.3	0.4
1992.....	0.4	0.5	0.4	0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.5	0.4
1991.....	0.5	0.5	0.4	0.5	0.5	0.4	0.5	0.4	0.5	0.5	0.5	0.5
1990.....	0.5	0.5	0.4	0.5	0.5	0.4	0.5	0.5	0.4	0.5	0.6	0.5
1989.....	0.5	0.6	0.4	0.5	0.5	0.4	0.5	0.5	0.4	0.5	0.6	0.4
1988.....	0.5	0.5	0.4	0.5	0.5	0.4	0.4	0.5	0.4	0.5	0.6	0.4
1987.....	0.5	0.6	0.4	0.5	0.6	0.4	0.5	0.5	0.5	0.6	0.6	0.6
1986.....	0.5	0.5	0.4	0.5	0.5	0.4	0.5	0.5	0.5	0.5	0.6	0.5
1985.....	0.5	0.5	0.4	0.5	0.6	0.4	0.4	0.4	0.4	0.5	0.4	0.5
1984.....	0.4	0.5	0.3	0.4	0.6	0.3	0.4	0.5	0.3	0.4	0.5	0.4
1983.....	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.4	0.3	0.4	0.4	0.4
1982.....	0.3	0.4	0.2	0.3	0.4	0.2	0.2	*	0.2	0.2	*	0.3
1981.....	0.3	0.4	0.2	0.3	0.4	0.2	0.3	0.4	0.2	0.3	0.4	0.2
1980.....	0.3	0.4	0.2	0.3	0.4	0.2	0.3	0.3	0.3	0.3	*	0.3
1979.....	0.3	0.4	0.2	0.3	0.4	0.2	0.3	0.2	0.3	0.3	*	0.3

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
1998.....	95.0	121.0	76.0	96.0	123.0	76.0	84.4	101.0	72.3	93.9	111.6	81.3
1997.....	99.0	126.6	78.9	99.8	128.5	78.9	88.4	107.1	75.0	98.1	117.7	84.0
1996.....	102.0	130.5	81.5	103.0	132.9	81.4	90.5	107.8	78.1	100.2	118.6	87.2
1995.....	104.6	133.9	83.7	105.3	135.4	83.6	95.4	116.8	80.5	104.1	126.8	88.4
1994.....	105.0	135.0	83.8	105.8	137.1	83.7	94.3	113.5	80.7	102.6	122.3	88.6
1993.....	108.5	139.5	86.7	109.4	141.6	86.6	97.6	118.4	83.2	106.6	128.9	91.3
1992.....	106.0	136.6	84.4	106.9	139.0	84.3	94.2	112.3	81.3	102.4	122.6	88.4
1991.....	108.1	139.3	86.1	109.0	141.7	86.1	95.7	115.8	81.3	104.9	127.6	89.3
1990.....	111.2	142.9	89.1	112.4	145.5	89.2	97.2	117.4	83.1	105.7	128.2	90.4
1989.....	113.2	144.6	91.0	114.4	147.1	91.3	98.1	118.6	83.5	106.6	129.3	90.9
1988.....	120.5	153.8	97.0	121.8	156.6	97.4	104.2	126.7	88.0	113.5	138.3	96.1
1987.....	121.1	154.5	97.5	122.5	157.3	98.0	104.0	127.1	87.2	112.9	138.7	94.8
1986.....	124.1	158.4	100.0	125.6	161.5	100.4	106.3	128.0	90.7	114.9	138.4	98.3
1985.....	128.4	164.5	103.2	130.0	167.6	103.8	108.7	133.1	91.2	117.4	144.2	98.6
1984.....	130.9	166.5	106.1	132.8	170.2	106.8	108.8	130.6	92.9	117.0	140.6	100.1
1983.....	136.1	172.7	110.4	137.7	176.1	111.0	115.4	138.5	98.5	123.6	148.8	105.5
1982.....	136.9	174.1	111.1	138.4	177.1	111.6	117.7	143.5	98.7	125.9	152.6	106.7
1981.....	140.7	178.1	114.6	142.2	181.4	115.1	121.4	144.8	103.9	130.1	154.9	111.6
1980.....	147.3	184.8	121.2	148.7	187.3	121.8	128.7	157.8	107.8	136.7	166.7	115.5
1979.....	140.7	177.2	115.0	142.4	180.4	115.8	118.2	143.4	100.0	123.0	148.4	104.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
OTHER DISEASES OF ENDOCARDIUM (424)												
1998.....	7.0	7.4	6.6	7.2	7.6	6.9	4.5	4.8	4.3	4.9	5.1	4.7
1997.....	6.9	7.4	6.5	7.1	7.6	6.6	4.6	5.0	4.3	4.9	5.1	4.7
1996.....	6.8	7.4	6.3	7.0	7.6	6.6	4.5	5.0	4.2	4.9	5.4	4.6
1995.....	6.6	7.2	6.1	6.8	7.5	6.3	4.6	5.0	4.3	4.8	5.1	4.6
1994.....	6.4	7.0	5.9	6.6	7.2	6.1	4.3	5.1	3.7	4.4	5.1	4.0
1993.....	6.4	7.1	5.9	6.6	7.3	6.0	4.7	4.6	4.6	4.9	4.7	4.8
1992.....	6.2	7.0	5.7	6.4	7.2	5.8	4.4	5.2	3.8	4.9	5.8	4.2
1991.....	6.1	6.9	5.5	6.2	7.1	5.6	4.0	4.6	3.5	4.3	5.0	3.8
1990.....	5.9	6.6	5.4	6.0	6.7	5.5	4.4	4.8	4.1	4.8	5.2	4.4
1989.....	5.6	6.4	5.0	5.7	6.5	5.1	4.2	4.8	3.6	4.4	5.1	3.9
1988.....	5.4	6.3	4.9	5.5	6.3	4.9	4.5	5.4	4.0	4.8	5.6	4.2
1987.....	5.2	6.1	4.5	5.2	6.2	4.5	4.3	4.9	3.9	4.7	5.4	4.2
1986.....	4.9	5.7	4.3	4.9	5.8	4.4	3.8	4.3	3.4	4.0	4.6	3.6
1985.....	4.6	5.5	4.0	4.7	5.6	4.0	4.0	4.8	3.5	4.3	5.1	3.8
1984.....	4.3	5.2	3.7	4.3	5.3	3.7	3.8	4.3	3.4	4.0	4.7	3.5
1983.....	4.2	5.1	3.6	4.3	5.3	3.6	3.4	4.0	2.9	3.5	4.0	3.1
1982.....	4.0	4.7	3.4	4.0	4.8	3.4	3.5	4.1	3.1	3.7	4.3	3.3
1981.....	3.8	4.7	3.2	3.8	4.7	3.2	3.5	4.4	2.9	3.7	4.6	3.1
1980.....	3.8	4.8	3.1	3.8	4.8	3.1	3.5	4.3	2.8	3.5	4.3	2.9
1979.....	3.5	4.4	2.8	3.5	4.4	2.8	3.4	4.0	2.9	3.5	4.1	3.0

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)												
1998.....	79.5	93.7	68.0	76.1	89.5	65.0	101.6	122.9	85.9	120.9	147.6	101.7
1997.....	80.7	96.1	68.5	77.5	92.1	65.8	101.9	123.8	85.6	120.0	148.0	99.9
1996.....	81.2	97.7	68.5	77.6	93.3	65.3	105.2	128.8	87.9	123.4	153.1	102.4
1995.....	83.4	100.8	70.1	79.3	95.6	66.7	112.2	139.0	92.9	129.6	163.3	105.7
1994.....	83.4	101.5	69.8	79.4	96.6	66.3	111.9	138.8	92.9	128.8	161.4	106.3
1993.....	86.4	105.1	72.3	81.8	99.5	68.5	119.2	148.1	98.6	137.1	172.7	112.3
1992.....	82.6	100.9	68.8	78.1	95.3	65.1	115.5	144.6	94.9	133.2	169.8	108.3
1991.....	83.7	103.0	69.4	79.1	97.1	65.7	118.6	149.1	96.7	136.0	173.9	110.0
1990.....	84.5	104.3	69.9	79.7	98.4	66.0	121.4	151.9	99.8	137.6	175.4	111.9
1989.....	88.2	108.3	73.3	82.9	101.8	69.0	129.6	161.8	106.6	147.3	187.0	120.1
1988.....	99.1	122.7	82.0	93.7	115.9	77.6	141.6	177.7	116.1	160.8	205.4	130.2
1987.....	97.7	120.6	81.1	92.4	114.0	76.8	140.1	174.9	115.3	158.5	200.8	129.3
1986.....	98.5	122.4	81.3	93.0	115.5	76.9	142.8	179.8	116.4	160.8	205.5	129.9
1985.....	95.3	118.4	78.7	90.3	112.3	74.6	135.4	169.3	111.2	151.5	192.4	122.9
1984.....	92.1	115.2	75.9	87.5	109.5	71.9	130.4	162.6	107.3	145.7	183.9	119.0
1983.....	91.0	113.9	74.8	86.2	108.2	70.8	130.3	161.3	107.5	144.5	180.6	118.6
1982.....	85.5	106.6	70.5	81.3	101.5	67.1	119.9	149.4	98.0	132.9	167.5	108.1
1981.....	85.2	106.7	70.0	80.9	101.4	66.5	121.1	151.9	98.9	134.2	169.5	108.8
1980.....	85.3	106.3	70.4	80.5	100.3	66.5	126.3	158.0	103.2	138.6	174.3	112.9
1979.....	79.4	99.4	65.2	75.3	94.2	61.7	115.4	144.5	94.2	124.5	157.4	100.5

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)												
1998.....	5.4	5.3	5.3	4.6	4.5	4.5	11.7	11.4	11.6	14.0	13.8	13.8
1997.....	5.2	5.4	5.0	4.5	4.6	4.3	10.9	11.7	10.2	13.1	14.2	12.3
1996.....	5.1	5.3	4.9	4.3	4.4	4.2	11.0	11.9	10.3	13.1	14.5	12.1
1995.....	5.0	5.2	4.8	4.2	4.4	4.0	11.2	12.1	10.5	13.1	14.4	12.2
1994.....	4.8	5.1	4.6	4.1	4.3	3.8	10.9	11.6	10.3	12.7	13.7	11.8
1993.....	4.7	4.9	4.5	3.9	4.2	3.7	11.0	10.9	10.8	12.8	13.0	12.4
1992.....	4.4	4.8	4.1	3.7	4.1	3.4	9.9	10.2	9.7	11.5	12.0	11.1
1991.....	4.1	4.5	3.9	3.5	3.8	3.2	9.6	10.1	9.2	11.3	12.0	10.7
1990.....	4.1	4.5	3.8	3.5	3.9	3.2	9.3	10.0	8.7	10.9	12.0	10.2
1989.....	4.0	4.4	3.6	3.4	3.8	3.1	9.0	9.7	8.4	10.4	11.4	9.6
1988.....	3.9	4.3	3.6	3.3	3.7	3.0	8.8	8.5	8.9	10.2	9.8	10.3
1987.....	3.8	4.3	3.5	3.3	3.7	2.9	8.4	9.0	8.0	9.7	10.4	9.1
1986.....	3.8	4.2	3.5	3.3	3.7	3.0	8.3	8.4	8.2	9.6	9.8	9.3
1985.....	3.8	4.3	3.4	3.2	3.7	2.9	8.6	8.9	8.3	9.8	10.4	9.3
1984.....	3.8	4.4	3.5	3.3	3.9	3.0	8.4	8.8	8.1	9.6	10.1	9.2
1983.....	3.9	4.6	3.5	3.5	4.2	3.1	8.0	8.8	7.5	9.1	10.0	8.4
1982.....	4.0	4.7	3.5	3.5	4.2	3.1	7.9	8.2	7.6	8.7	9.1	8.4
1981.....	4.1	4.8	3.6	3.5	4.3	3.0	8.8	9.3	8.3	9.8	10.5	9.3
1980.....	4.3	5.1	3.8	3.8	4.6	3.3	9.0	9.7	8.5	9.9	10.7	9.4
1979.....	4.1	4.9	3.6	3.6	4.4	3.1	8.5	9.4	7.9	9.3	10.4	8.5

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CEREBROVASCULAR DISEASES (430-438)												
1998.....	59.6	60.1	58.3	57.6	57.6	56.6	72.1	77.2	67.9	80.3	86.3	75.3
1997.....	61.8	63.9	59.7	59.8	61.5	57.9	74.2	80.3	69.3	81.6	88.5	76.1
1996.....	63.2	65.3	60.9	61.0	62.7	59.1	77.1	83.4	72.1	85.2	93.2	79.0
1995.....	63.9	66.3	61.5	61.5	63.2	59.5	80.7	89.1	74.3	87.9	96.7	81.0
1994.....	63.3	66.3	60.5	60.9	63.4	58.5	79.6	88.2	73.4	86.9	96.1	79.9
1993.....	63.2	66.6	60.4	60.9	63.9	58.3	79.4	87.1	73.6	86.6	95.9	79.8
1992.....	62.1	65.2	59.4	59.8	62.6	57.3	78.3	85.5	72.8	86.0	95.0	79.4
1991.....	63.3	66.6	60.5	60.7	63.5	58.3	82.1	91.5	75.2	89.4	100.8	81.4
1990.....	65.5	68.7	62.7	62.9	65.7	60.5	84.0	92.2	78.0	91.7	102.5	84.0
1989.....	67.1	70.4	64.3	64.3	67.3	61.7	87.6	94.3	82.5	95.8	104.2	89.6
1988.....	70.8	74.7	67.6	68.0	71.6	65.0	91.4	99.1	85.4	99.9	109.6	92.6
1987.....	71.8	75.0	69.0	69.2	72.0	66.7	90.7	98.7	84.6	98.7	108.3	91.6
1986.....	73.3	76.7	70.3	70.7	73.7	68.1	92.4	100.6	86.1	100.9	110.7	93.5
1985.....	76.6	80.2	73.5	73.9	77.4	70.9	97.0	102.9	92.2	105.4	112.7	99.4
1984.....	79.0	83.1	75.6	76.4	80.4	73.1	98.2	104.9	93.0	106.7	115.1	100.3
1983.....	81.4	86.2	77.6	78.7	83.5	75.0	101.7	108.1	96.5	110.4	118.2	104.4
1982.....	84.4	89.2	80.6	81.7	86.3	78.2	105.0	113.7	98.1	113.6	123.9	105.9
1981.....	89.7	94.6	85.8	86.9	91.5	83.3	112.0	121.2	104.9	121.2	132.2	112.7
1980.....	96.4	102.4	91.9	93.4	99.0	89.2	120.6	131.4	112.3	129.3	142.1	119.8
1979.....	97.3	103.7	92.5	94.4	100.4	89.9	120.0	131.1	111.8	127.2	139.7	117.5

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
1998.....	9.8	10.9	9.0	9.1	10.0	8.3	13.9	16.1	12.1	14.6	17.2	12.6
1997.....	9.9	11.0	9.0	9.2	10.0	8.4	14.3	17.4	12.0	15.0	18.4	12.5
1996.....	9.2	10.2	8.4	8.4	9.2	7.8	13.6	16.1	11.7	14.4	17.3	12.1
1995.....	9.0	10.0	8.2	8.2	9.0	7.6	13.7	16.4	11.6	14.3	17.1	12.1
1994.....	8.8	9.9	8.0	8.0	8.9	7.3	13.8	16.5	11.8	14.7	17.4	12.5
1993.....	8.8	9.9	8.0	8.1	8.9	7.4	13.5	16.7	11.2	14.4	17.7	11.8
1992.....	8.8	9.8	8.1	8.1	8.9	7.5	13.5	16.1	11.4	14.2	17.3	11.9
1991.....	8.8	9.9	8.1	8.0	8.8	7.4	14.3	17.3	12.1	15.1	18.3	12.7
1990.....	9.0	9.8	8.3	8.2	8.8	7.7	14.4	17.4	12.1	15.4	18.7	12.9
1989.....	9.2	10.3	8.3	8.3	9.3	7.7	15.0	17.7	12.8	16.1	19.3	13.5
1988.....	9.6	10.6	8.7	8.7	9.5	8.0	15.6	18.6	13.2	16.9	20.4	14.1
1987.....	9.5	10.5	8.7	8.6	9.4	8.1	15.2	18.3	12.8	16.2	19.8	13.4
1986.....	9.6	10.4	8.9	8.7	9.4	8.3	15.2	17.5	13.3	16.3	18.7	14.3
1985.....	9.9	10.7	9.1	9.0	9.7	8.5	15.9	18.6	13.8	17.0	20.2	14.6
1984.....	9.8	10.6	9.1	9.0	9.7	8.5	15.2	17.6	13.4	16.5	19.2	14.4
1983.....	9.5	10.3	8.9	8.8	9.4	8.2	15.3	17.5	13.6	16.5	19.0	14.5
1982.....	10.0	10.9	9.2	9.2	10.0	8.6	15.5	18.2	13.3	16.8	19.7	14.5
1981.....	10.3	11.1	9.7	9.6	10.2	9.2	15.8	18.8	13.5	16.9	20.2	14.4
1980.....	10.9	11.9	10.2	10.0	10.9	9.5	17.7	20.5	15.4	18.9	22.0	16.4
1979.....	11.6	12.6	10.7	10.7	11.6	10.1	18.2	21.5	15.7	19.3	23.0	16.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
1998.....	4.1	4.1	4.0	4.0	4.0	3.9	4.9	5.2	4.7	5.7	6.0	5.3
1997.....	4.7	4.8	4.5	4.5	4.6	4.4	5.5	5.9	5.2	6.2	6.8	5.8
1996.....	5.1	5.3	4.9	5.0	5.2	4.8	5.9	6.4	5.5	6.5	7.2	6.0
1995.....	5.6	5.8	5.4	5.4	5.5	5.3	7.0	7.6	6.6	7.8	8.4	7.3
1994.....	6.1	6.4	5.7	5.9	6.1	5.6	7.4	8.6	6.6	8.1	9.4	7.2
1993.....	6.4	6.8	6.1	6.3	6.7	5.9	7.7	8.2	7.2	8.4	9.0	7.8
1992.....	6.8	7.1	6.4	6.6	6.9	6.3	8.2	9.0	7.6	9.2	10.1	8.4
1991.....	7.4	7.8	7.0	7.2	7.5	6.9	8.7	9.9	7.8	9.7	11.2	8.7
1990.....	8.4	8.7	8.0	8.2	8.4	7.8	9.7	10.4	9.1	10.7	11.7	9.8
1989.....	9.2	9.6	8.8	9.0	9.4	8.6	10.4	11.0	9.9	11.5	12.2	10.9
1988.....	10.1	10.6	9.6	9.9	10.4	9.4	11.2	12.2	10.6	12.4	13.7	11.5
1987.....	10.8	11.3	10.3	10.7	11.1	10.2	11.4	12.8	10.4	12.5	14.0	11.4
1986.....	11.6	12.1	11.0	11.4	12.0	10.8	12.5	13.2	11.9	13.6	14.6	12.8
1985.....	12.4	12.8	11.9	12.2	12.6	11.7	13.6	14.2	13.1	14.9	15.5	14.3
1984.....	13.1	13.9	12.4	13.0	13.8	12.3	13.5	14.6	12.6	14.8	16.1	13.7
1983.....	14.0	14.9	13.2	13.8	14.7	13.0	15.2	15.9	14.5	16.6	17.3	15.8
1982.....	15.4	16.3	14.7	15.3	16.1	14.6	16.0	17.2	14.9	17.2	18.8	15.8
1981.....	17.3	18.1	16.5	17.1	17.9	16.4	18.0	19.1	17.0	19.4	20.6	18.3
1980.....	19.6	20.8	18.7	19.4	20.5	18.4	21.4	22.9	20.2	22.9	24.7	21.5
1979.....	20.9	22.1	19.9	20.7	21.8	19.8	21.9	24.3	20.2	23.0	25.7	20.9

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CEREBRAL EMBOLISM (434.1)												
1998.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	*	0.1
1997.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	*	0.2
1996.....	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	*	0.2
1995.....	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.2	*	0.2
1994.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.2
1993.....	0.2	0.3	0.2	0.3	0.3	0.2	0.2	*	0.2	0.2	*	0.2
1992.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	*	0.3
1991.....	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.2
1990.....	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.2	0.2	0.3	*
1989.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.4	0.3
1988.....	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.3	0.2	0.3	0.3	0.2
1987.....	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3
1986.....	0.4	0.4	0.3	0.4	0.4	0.4	0.3	0.4	0.3	0.4	0.5	0.3
1985.....	0.4	0.4	0.3	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.4	0.3
1984.....	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.4	0.4
1983.....	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.4	0.3	0.4	0.4	0.3
1982.....	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.2	0.3	0.3	*	0.3
1981.....	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.4	0.3	0.4	0.4	0.3
1980.....	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.4	0.5	0.6	0.4
1979.....	0.5	0.4	0.5	0.5	0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)												
1998.....	45.5	44.9	45.1	44.3	43.4	44.1	53.1	55.7	50.9	59.8	63.0	57.3
1997.....	47.0	47.9	46.0	45.9	46.6	44.9	54.2	56.8	51.9	60.2	63.2	57.7
1996.....	48.6	49.5	47.4	47.3	48.1	46.1	57.4	60.7	54.8	64.0	68.5	60.6
1995.....	49.0	50.2	47.7	47.5	48.4	46.4	59.7	64.8	55.9	65.6	71.0	61.5
1994.....	48.1	49.8	46.5	46.7	48.1	45.3	58.2	62.9	54.8	63.8	69.1	59.9
1993.....	47.7	49.5	46.1	46.3	48.0	44.8	58.0	62.1	55.0	63.6	69.1	59.9
1992.....	46.2	48.0	44.6	44.8	46.5	43.3	56.3	60.1	53.5	62.4	67.3	58.8
1991.....	46.8	48.7	45.1	45.3	46.9	43.8	58.8	64.1	55.0	64.3	71.0	59.8
1990.....	47.8	49.9	46.1	46.3	48.1	44.6	59.8	64.2	56.7	65.4	71.8	61.2
1989.....	48.4	50.1	46.9	46.7	48.3	45.2	62.0	65.3	59.5	67.9	72.3	64.9
1988.....	50.8	53.1	48.9	49.1	51.3	47.3	64.3	68.0	61.4	70.4	75.2	66.8
1987.....	51.2	52.8	49.6	49.6	51.1	48.1	63.8	67.3	61.1	69.7	74.1	66.4
1986.....	51.8	53.8	50.0	50.1	51.9	48.6	64.4	69.5	60.6	70.6	76.9	66.1
1985.....	54.0	56.2	52.1	52.3	54.6	50.4	67.2	69.7	65.1	73.1	76.6	70.3
1984.....	55.7	58.2	53.7	54.0	56.6	52.0	69.1	72.3	66.6	75.1	79.5	71.7
1983.....	57.5	60.6	55.1	55.8	59.0	53.3	70.8	74.3	68.1	77.0	81.5	73.7
1982.....	58.6	61.7	56.3	56.8	59.7	54.6	73.3	78.1	69.6	79.4	85.3	75.2
1981.....	61.7	65.0	59.1	59.7	62.9	57.3	77.9	82.9	74.0	84.5	90.9	79.7
1980.....	65.5	69.3	62.6	63.6	67.2	60.9	81.1	87.6	76.3	87.0	94.9	81.5
1979.....	64.3	68.5	61.3	62.5	66.6	59.6	79.5	85.0	75.6	84.5	90.6	79.8

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ATHEROSCLEROSIS (440)												
1998.....	5.8	6.0	5.5	5.9	6.1	5.7	4.5	4.8	4.2	5.1	5.5	4.7
1997.....	6.3	6.6	6.0	6.4	6.7	6.0	4.9	5.0	4.8	5.7	5.9	5.4
1996.....	6.7	7.1	6.3	6.8	7.2	6.4	5.3	5.5	5.1	6.0	6.2	5.7
1995.....	6.9	7.5	6.4	7.0	7.6	6.5	5.5	6.2	5.1	6.1	6.9	5.6
1994.....	7.2	7.8	6.8	7.3	7.9	6.8	6.2	6.6	5.9	6.8	7.3	6.4
1993.....	7.4	7.9	7.0	7.6	8.1	7.1	5.9	6.4	5.6	6.6	7.0	6.2
1992.....	7.5	8.1	7.0	7.6	8.2	7.2	6.1	6.8	5.5	6.7	7.7	6.1
1991.....	7.9	8.6	7.4	8.0	8.7	7.5	6.7	7.4	6.2	7.4	8.4	6.7
1990.....	8.5	9.3	8.0	8.6	9.4	8.0	7.3	8.2	6.8	8.0	9.1	7.4
1989.....	9.3	10.0	8.7	9.4	10.2	8.8	7.8	7.9	7.7	8.6	8.9	8.3
1988.....	10.9	11.7	10.2	11.0	11.8	10.3	9.3	10.7	8.4	10.2	12.2	9.0
1987.....	11.2	12.0	10.6	11.4	12.2	10.8	9.1	9.8	8.5	9.9	11.0	9.2
1986.....	11.7	12.5	11.0	11.8	12.7	11.1	9.9	11.2	8.9	10.8	12.5	9.7
1985.....	12.6	13.6	11.9	12.8	13.8	12.0	10.5	11.4	9.9	11.4	12.7	10.6
1984.....	13.2	14.2	12.5	13.5	14.5	12.8	10.3	11.4	9.6	11.1	12.2	10.3
1983.....	14.6	15.8	13.8	14.9	16.0	14.1	11.1	12.9	9.9	12.0	14.4	10.6
1982.....	15.3	17.0	14.2	15.5	17.3	14.4	12.4	13.7	11.5	13.3	14.8	12.2
1981.....	16.5	18.1	15.4	16.7	18.4	15.6	13.6	14.8	12.8	14.7	16.0	13.8
1980.....	18.0	19.5	16.9	18.1	19.7	17.1	15.7	17.5	14.5	16.9	18.9	15.6
1979.....	17.9	19.5	16.8	18.1	19.8	17.0	14.6	15.9	13.8	15.2	16.6	14.3

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)												
1998.....	10.4	14.1	7.8	10.3	14.2	7.6	10.2	12.3	8.8	11.6	13.8	10.1
1997.....	10.6	14.5	8.0	10.6	14.8	7.8	10.1	12.0	8.8	11.4	13.6	9.9
1996.....	10.6	14.6	7.8	10.6	14.8	7.7	10.0	12.2	8.4	11.1	13.4	9.5
1995.....	10.5	14.8	7.7	10.6	15.2	7.5	9.6	11.3	8.4	10.8	12.3	9.6
1994.....	10.5	14.9	7.6	10.5	15.1	7.5	10.3	12.4	8.8	11.2	13.4	9.8
1993.....	10.6	15.6	7.4	10.6	15.8	7.2	10.2	13.0	8.3	11.1	14.0	9.2
1992.....	10.6	15.3	7.4	10.6	15.7	7.3	9.6	12.0	8.0	10.4	12.9	8.8
1991.....	10.6	15.7	7.3	10.7	16.1	7.1	9.7	12.0	8.1	10.7	12.9	9.2
1990.....	10.7	16.2	7.2	10.8	16.5	7.1	9.9	12.5	8.1	10.7	13.5	8.8
1989.....	10.7	16.1	7.1	10.7	16.5	7.0	9.8	12.1	8.2	10.6	13.0	9.0
1988.....	10.4	15.7	6.9	10.4	16.1	6.8	9.1	11.2	7.6	9.7	11.7	8.3
1987.....	10.4	15.9	6.7	10.5	16.3	6.7	9.2	12.1	7.3	9.8	12.5	8.0
1986.....	10.4	15.7	6.9	10.5	16.2	6.7	9.0	11.1	7.4	9.5	11.6	8.0
1985.....	10.3	16.1	6.6	10.4	16.6	6.4	9.0	11.3	7.4	9.5	11.7	8.0
1984.....	10.4	16.4	6.6	10.6	16.9	6.5	8.9	11.5	7.2	9.4	12.1	7.6
1983.....	10.2	16.3	6.3	10.4	16.8	6.2	8.5	10.9	6.9	8.8	11.2	7.2
1982.....	10.0	15.7	6.2	10.2	16.3	6.1	8.2	10.4	6.5	8.6	10.9	7.0
1981.....	10.1	16.2	6.2	10.3	16.7	6.1	8.2	10.2	6.8	8.6	10.6	7.2
1980.....	10.4	16.6	6.3	10.5	17.1	6.1	9.0	11.8	6.9	9.2	11.9	7.4
1979.....	10.3	16.3	6.2	10.5	16.9	6.2	8.0	10.6	6.1	8.2	10.6	6.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)												
1998.....	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.2	*
1997.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.1
1996.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1995.....	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.1
1994.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2
1993.....	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2
1992.....	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2
1991.....	0.3	0.3	0.2	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.3	0.2
1990.....	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2
1989.....	0.3	0.3	0.2	0.3	0.3	0.2	0.3	0.3	0.2	0.3	0.3	0.3
1988.....	0.3	0.3	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.2
1987.....	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.2
1986.....	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.2	0.1	0.2	0.3	0.2
1985.....	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.4	0.1	0.2	0.4	0.2
1984.....	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2
1983.....	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.3	0.1	0.2	0.3	0.2
1982.....	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2
1981.....	0.3	0.3	0.2	0.3	0.4	0.3	0.2	0.3	0.2	0.2	0.2	0.2
1980.....	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.2	0.3	0.3	0.2
1979.....	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
PNEUMONIA AND INFLUENZA (480-487)												
1998.....	34.6	42.3	29.9	34.4	41.7	30.0	34.8	45.4	28.1	37.0	48.5	29.7
1997.....	33.6	42.0	28.6	33.3	41.5	28.5	33.7	44.5	27.0	36.0	47.7	28.9
1996.....	33.2	41.7	28.2	32.8	40.8	28.2	34.3	46.9	26.4	36.7	50.5	28.2
1995.....	33.8	42.9	28.4	33.3	42.1	28.3	35.2	47.7	27.6	36.8	50.0	28.8
1994.....	33.9	43.6	28.4	33.6	42.9	28.4	34.3	47.1	26.5	35.8	49.5	27.7
1993.....	35.2	45.4	29.4	34.9	44.7	29.4	36.1	49.8	27.7	37.8	52.1	29.0
1992.....	33.1	43.5	27.2	32.8	42.8	27.2	33.6	46.7	25.3	35.5	49.9	26.7
1991.....	34.9	45.6	28.9	34.5	44.9	28.8	35.8	49.4	27.3	37.5	52.5	28.5
1990.....	36.8	47.8	30.5	36.4	47.1	30.5	37.5	52.2	28.1	39.4	55.9	29.1
1989.....	35.9	46.7	29.7	35.4	45.7	29.6	37.8	52.3	28.4	39.7	55.5	29.6
1988.....	37.3	49.2	30.4	37.1	48.8	30.6	35.7	50.3	26.2	38.1	54.5	27.7
1987.....	33.8	45.4	27.1	33.5	44.8	27.2	33.7	48.3	24.2	35.5	52.2	25.0
1986.....	34.8	47.3	27.8	34.5	46.6	27.8	35.1	50.8	25.1	37.2	54.2	26.5
1985.....	34.5	46.8	27.6	34.3	46.3	27.6	34.1	48.7	24.4	35.8	51.6	25.5
1984.....	30.6	42.0	24.1	30.3	41.4	24.2	31.0	44.7	21.7	32.2	47.1	22.4
1983.....	29.8	40.7	23.5	29.6	40.3	23.6	28.8	42.2	19.8	29.9	44.9	20.0
1982.....	26.5	37.1	20.4	26.2	36.7	20.3	26.7	38.6	18.4	27.6	40.4	18.9
1981.....	30.0	40.4	23.8	29.7	39.8	23.9	30.0	43.7	20.6	31.4	46.0	21.3
1980.....	31.4	42.1	25.1	30.9	41.1	25.0	33.5	48.4	23.3	34.4	49.9	23.9
1979.....	26.1	36.0	20.1	25.6	35.3	20.0	27.7	40.4	18.9	28.2	41.5	19.1

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
PNEUMONIA (480-486)												
1998.....	34.0	41.6	29.3	33.7	41.0	29.3	34.6	45.1	27.9	36.8	48.4	29.5
1997.....	33.3	41.7	28.3	33.0	41.2	28.2	33.6	44.4	26.9	35.9	47.6	28.8
1996.....	32.9	41.3	27.9	32.5	40.5	27.9	34.2	46.7	26.3	36.5	50.3	28.1
1995.....	33.5	42.7	28.2	33.1	41.9	28.1	35.0	47.6	27.4	36.7	49.9	28.7
1994.....	33.4	43.1	27.9	33.0	42.4	27.8	34.1	46.9	26.3	35.7	49.3	27.5
1993.....	34.8	44.9	29.0	34.4	44.1	28.9	35.9	49.5	27.5	37.5	51.7	28.8
1992.....	32.7	43.1	26.8	32.3	42.4	26.8	33.4	46.5	25.1	35.3	49.7	26.5
1991.....	34.4	45.0	28.4	34.0	44.3	28.2	35.6	49.1	27.1	37.3	52.2	28.3
1990.....	35.8	46.7	29.6	35.3	45.9	29.5	37.1	51.7	27.8	38.9	55.3	28.7
1989.....	35.2	45.9	28.9	34.6	45.0	28.8	37.4	51.8	28.0	39.3	55.2	29.3
1988.....	36.3	48.3	29.5	36.1	47.8	29.5	35.3	49.9	25.9	37.8	54.1	27.3
1987.....	33.5	45.1	26.9	33.2	44.5	26.9	33.5	48.2	24.0	35.4	52.0	24.9
1986.....	33.9	46.3	26.9	33.5	45.6	26.8	34.7	50.4	24.7	36.8	53.9	26.0
1985.....	33.5	45.7	26.5	33.2	45.2	26.5	33.5	48.0	24.0	35.2	50.8	25.1
1984.....	30.1	41.3	23.6	29.7	40.8	23.6	30.7	44.3	21.5	31.9	46.8	22.2
1983.....	28.9	39.8	22.7	28.7	39.4	22.8	28.6	42.0	19.5	29.7	44.6	19.8
1982.....	26.1	36.7	20.0	25.8	36.3	19.9	26.4	38.3	18.3	27.4	40.1	18.8
1981.....	28.2	38.6	22.1	27.8	37.9	22.1	29.1	42.7	19.7	30.5	45.0	20.5
1980.....	29.8	40.4	23.5	29.2	39.4	23.3	32.9	47.9	22.6	33.9	49.4	23.3
1979.....	25.7	35.6	19.8	25.3	34.9	19.6	27.4	40.0	18.7	28.0	41.2	18.8

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
INFLUENZA (487)												
1998.....	0.6	0.6	0.7	0.7	0.6	0.7	0.2	0.2	0.2	0.1	*	0.1
1997.....	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.1	*	0.1	*	*
1996.....	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.1	0.1	*	0.1
1995.....	0.2	0.2	0.3	0.3	0.3	0.2	0.1	*	0.1	0.1	*	0.1
1994.....	0.5	0.5	0.5	0.5	0.5	0.5	0.2	0.2	0.2	0.2	*	0.2
1993.....	0.4	0.5	0.4	0.5	0.5	0.4	0.2	0.2	0.2	0.2	0.3	0.2
1992.....	0.4	0.4	0.5	0.4	0.4	0.5	0.2	0.2	0.2	0.2	*	0.2
1991.....	0.5	0.5	0.5	0.5	0.6	0.5	0.3	0.3	0.3	0.3	0.2	0.2
1990.....	1.0	1.1	0.9	1.0	1.1	1.0	0.4	0.5	0.4	0.5	0.7	0.4
1989.....	0.7	0.7	0.8	0.8	0.8	0.8	0.4	0.4	0.4	0.3	0.4	0.3
1988.....	0.9	1.0	0.9	1.0	1.0	1.0	0.3	0.3	0.4	0.4	0.4	0.4
1987.....	0.3	0.3	0.3	0.3	0.4	0.3	0.2	*	0.2	0.1	*	*
1986.....	0.9	1.0	0.9	1.0	1.0	0.9	0.4	0.4	0.4	0.4	0.3	0.4
1985.....	1.1	1.1	1.0	1.1	1.2	1.1	0.5	0.7	0.4	0.5	0.7	0.4
1984.....	0.6	0.6	0.5	0.6	0.7	0.6	0.3	0.4	0.2	0.3	0.4	0.2
1983.....	0.8	0.9	0.7	0.8	0.9	0.8	0.3	0.3	0.2	0.2	*	0.2
1982.....	0.4	0.5	0.4	0.4	0.5	0.4	0.2	0.3	*	0.2	*	*
1981.....	1.7	1.8	1.7	1.8	1.8	1.8	0.9	0.9	0.9	0.9	1.0	0.9
1980.....	1.6	1.6	1.6	1.7	1.7	1.7	0.6	0.5	0.7	0.6	0.5	0.6
1979.....	0.3	0.3	0.4	0.3	0.3	0.4	0.3	0.4	0.3	0.2	0.3	0.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
1998.....	42.0	54.0	34.8	43.6	55.4	36.5	27.7	40.4	19.8	30.8	45.2	22.3
1997.....	41.5	54.6	33.9	43.0	55.9	35.5	27.8	41.9	19.2	30.3	45.8	21.1
1996.....	41.0	54.2	33.4	42.4	55.5	34.9	28.0	41.5	19.7	30.8	46.1	21.8
1995.....	40.5	55.0	32.2	41.8	56.1	33.6	28.0	43.2	18.9	30.3	47.0	20.5
1994.....	40.6	55.7	31.9	41.9	56.9	33.4	27.5	42.8	18.4	30.0	46.9	20.1
1993.....	41.0	57.3	31.5	42.3	58.6	33.0	27.9	44.6	17.8	30.2	48.9	19.4
1992.....	37.9	54.2	28.5	39.2	55.5	29.8	25.7	40.9	16.4	28.1	45.4	18.0
1991.....	38.0	55.3	28.1	39.2	56.7	29.3	26.0	41.7	16.3	28.1	45.9	17.5
1990.....	37.2	55.5	26.6	38.3	56.6	27.8	26.3	43.9	15.5	28.1	47.6	16.6
1989.....	36.6	54.6	26.2	37.5	55.7	27.2	26.4	43.4	15.8	28.4	47.1	17.2
1988.....	36.5	56.2	24.9	37.5	57.5	25.9	25.7	43.7	14.2	27.6	47.7	15.3
1987.....	35.0	54.8	23.4	36.1	56.2	24.3	24.4	40.6	14.0	25.9	43.8	14.8
1986.....	34.8	55.7	22.4	35.8	57.2	23.4	23.6	40.9	12.4	25.2	43.9	13.4
1985.....	34.5	56.2	21.7	35.6	57.9	22.6	23.2	39.3	12.7	24.6	42.3	13.3
1984.....	32.4	53.7	19.7	33.4	55.3	20.5	22.0	37.3	11.8	23.0	39.5	12.3
1983.....	31.6	53.3	18.5	32.6	55.0	19.2	20.9	35.9	10.9	22.0	38.1	11.5
1982.....	29.1	49.6	16.5	30.0	51.5	17.1	18.6	31.4	9.9	19.7	33.6	10.5
1981.....	29.0	50.4	15.9	30.0	52.1	16.6	18.6	32.9	8.7	19.6	35.2	9.2
1980.....	28.3	49.9	14.9	29.3	51.6	15.5	18.3	32.1	8.6	19.2	34.0	9.1
1979.....	25.5	45.7	12.7	26.4	47.4	13.2	16.5	29.3	7.6	16.9	30.4	7.6

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)												
1998.....	1.1	1.4	1.0	1.2	1.5	1.0	0.6	1.0	0.5	0.7	1.0	0.5
1997.....	1.2	1.5	1.0	1.2	1.5	1.0	0.8	1.1	0.6	0.8	1.2	0.6
1996.....	1.2	1.6	1.0	1.3	1.6	1.1	0.9	1.2	0.7	0.9	1.2	0.7
1995.....	1.3	1.7	1.1	1.3	1.8	1.1	1.0	1.5	0.7	1.0	1.5	0.7
1994.....	1.4	1.9	1.2	1.5	1.9	1.3	0.9	1.4	0.7	1.0	1.4	0.7
1993.....	1.5	2.0	1.3	1.6	2.1	1.3	1.0	1.4	0.7	1.0	1.4	0.7
1992.....	1.5	2.0	1.3	1.6	2.0	1.3	0.9	1.3	0.7	1.0	1.4	0.7
1991.....	1.6	2.2	1.2	1.6	2.3	1.3	1.0	1.5	0.7	1.0	1.6	0.7
1990.....	1.6	2.2	1.2	1.6	2.2	1.3	1.0	1.5	0.6	0.9	1.6	0.5
1989.....	1.7	2.3	1.3	1.7	2.4	1.4	1.0	1.4	0.7	1.0	1.4	0.8
1988.....	1.7	2.3	1.3	1.7	2.4	1.4	0.9	1.4	0.6	0.9	1.5	0.6
1987.....	1.6	2.3	1.3	1.7	2.4	1.3	0.8	1.3	0.6	0.8	1.3	0.6
1986.....	1.7	2.5	1.3	1.8	2.6	1.3	1.0	1.7	0.5	0.9	1.5	0.5
1985.....	1.7	2.5	1.2	1.8	2.7	1.3	0.9	1.3	0.6	0.9	1.3	0.6
1984.....	1.7	2.5	1.2	1.8	2.7	1.3	0.8	1.2	0.5	0.8	1.3	0.5
1983.....	1.7	2.7	1.2	1.8	2.8	1.2	1.0	1.7	0.5	1.0	1.7	0.5
1982.....	1.7	2.7	1.1	1.8	2.9	1.2	0.9	1.4	0.5	0.9	1.4	0.6
1981.....	1.8	3.0	1.1	1.9	3.2	1.2	0.9	1.7	0.4	1.0	1.7	0.4
1980.....	1.9	3.1	1.2	2.0	3.3	1.2	1.0	1.7	0.5	1.1	1.8	0.5
1979.....	1.9	3.2	1.1	2.0	3.4	1.1	1.0	1.6	0.6	1.0	1.7	0.5

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
EMPHYSEMA (492)												
1998.....	6.5	8.6	5.2	6.9	9.0	5.6	3.4	5.3	2.2	3.8	5.9	2.5
1997.....	6.6	9.0	5.2	7.0	9.3	5.6	3.4	5.9	1.9	3.8	6.5	2.1
1996.....	6.6	9.1	5.1	7.0	9.4	5.5	3.6	6.0	2.1	4.0	6.8	2.3
1995.....	6.6	9.2	5.0	7.0	9.5	5.4	3.7	6.5	1.9	4.0	7.0	2.1
1994.....	6.8	9.7	5.1	7.2	10.1	5.4	3.7	6.4	1.9	4.0	6.9	2.2
1993.....	7.0	10.1	5.2	7.4	10.5	5.6	4.0	7.1	2.1	4.2	7.6	2.2
1992.....	6.7	9.8	4.8	7.0	10.1	5.1	3.7	6.8	1.8	4.0	7.5	1.9
1991.....	6.8	10.2	4.8	7.2	10.6	5.2	3.5	6.3	1.8	3.8	6.9	1.9
1990.....	6.6	10.2	4.5	7.0	10.6	4.8	3.6	6.6	1.6	3.8	7.2	1.7
1989.....	6.6	10.2	4.4	6.9	10.6	4.8	3.6	6.7	1.7	3.9	7.3	1.8
1988.....	6.7	10.8	4.2	7.0	11.1	4.6	3.9	7.8	1.3	4.1	8.5	1.4
1987.....	6.4	10.4	3.9	6.7	10.8	4.2	3.5	6.6	1.5	3.7	7.0	1.5
1986.....	6.5	10.8	3.8	6.8	11.2	4.1	3.4	6.7	1.2	3.7	7.3	1.3
1985.....	6.4	11.0	3.6	6.7	11.4	3.9	3.6	6.9	1.4	3.7	7.2	1.5
1984.....	6.1	10.6	3.4	6.4	11.0	3.6	3.3	6.4	1.2	3.4	6.6	1.3
1983.....	6.2	11.1	3.2	6.5	11.6	3.5	3.3	6.3	1.3	3.4	6.5	1.3
1982.....	6.1	11.1	3.0	6.4	11.6	3.2	3.0	5.9	1.1	3.2	6.3	1.2
1981.....	6.5	11.9	3.1	6.8	12.4	3.3	3.3	6.7	1.0	3.7	7.4	1.1
1980.....	6.9	12.9	3.2	7.3	13.6	3.4	3.5	6.6	1.2	3.6	7.1	1.2
1979.....	6.9	13.0	2.9	7.2	13.6	3.1	3.5	6.8	1.2	3.6	7.1	1.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ASTHMA (493)												
1998.....	2.0	1.7	2.3	1.7	1.4	1.9	3.9	3.7	4.1	4.5	4.1	4.8
1997.....	2.1	1.7	2.3	1.8	1.4	2.0	3.9	3.6	4.1	4.4	4.0	4.6
1996.....	2.2	1.8	2.5	1.8	1.5	2.1	4.4	4.0	4.6	4.9	4.4	5.3
1995.....	2.2	1.9	2.5	1.9	1.6	2.2	4.1	4.0	4.3	4.7	4.5	4.9
1994.....	2.2	1.9	2.4	1.9	1.6	2.1	4.0	3.9	4.0	4.5	4.4	4.6
1993.....	2.1	1.8	2.3	1.8	1.5	2.0	3.8	3.7	3.9	4.4	4.1	4.6
1992.....	2.0	1.8	2.2	1.8	1.5	2.0	3.7	3.6	3.8	4.2	3.9	4.5
1991.....	2.2	1.9	2.3	1.9	1.6	2.1	3.8	3.8	3.8	4.2	4.2	4.2
1990.....	2.1	1.9	2.2	1.8	1.6	2.0	3.8	4.0	3.6	4.2	4.4	4.1
1989.....	2.1	1.8	2.3	1.8	1.6	2.0	3.8	3.8	3.8	4.3	4.2	4.3
1988.....	2.0	1.8	2.1	1.7	1.5	1.9	3.9	4.0	3.8	4.4	4.5	4.4
1987.....	1.9	1.8	2.1	1.7	1.5	1.8	3.6	3.8	3.6	4.1	4.2	3.9
1986.....	1.8	1.6	1.9	1.5	1.4	1.6	3.3	3.2	3.4	3.7	3.5	3.8
1985.....	1.8	1.7	1.9	1.6	1.4	1.7	3.2	3.4	3.0	3.5	3.7	3.3
1984.....	1.6	1.6	1.7	1.4	1.4	1.5	3.0	3.2	2.9	3.2	3.3	3.2
1983.....	1.7	1.6	1.8	1.4	1.4	1.5	3.1	3.1	3.1	3.4	3.4	3.4
1982.....	1.5	1.4	1.5	1.3	1.2	1.4	2.7	2.8	2.7	3.0	3.0	3.0
1981.....	1.5	1.4	1.5	1.3	1.3	1.4	2.6	2.8	2.4	2.8	3.0	2.6
1980.....	1.4	1.5	1.4	1.3	1.3	1.3	2.5	2.7	2.4	2.7	2.9	2.6
1979.....	1.3	1.3	1.3	1.2	1.2	1.2	2.2	2.4	2.1	2.4	2.5	2.3

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)												
1998.....	32.3	42.3	26.3	33.8	43.6	28.0	19.7	30.5	13.1	21.8	34.2	14.5
1997.....	31.7	42.4	25.3	33.1	43.7	26.9	19.7	31.2	12.6	21.3	34.1	13.8
1996.....	31.0	41.7	24.7	32.3	42.9	26.2	19.1	30.3	12.3	21.0	33.7	13.5
1995.....	30.3	42.1	23.6	31.6	43.3	24.9	19.2	31.3	12.0	20.6	34.1	12.8
1994.....	30.1	42.2	23.2	31.4	43.3	24.5	19.0	31.1	11.8	20.5	34.2	12.6
1993.....	30.2	43.3	22.7	31.5	44.5	24.1	19.1	32.4	11.0	20.6	35.8	11.8
1992.....	27.7	40.6	20.2	28.8	41.8	21.3	17.3	29.2	10.1	18.9	32.6	10.9
1991.....	27.5	41.1	19.7	28.5	42.2	20.8	17.7	30.2	10.0	19.0	33.2	10.7
1990.....	26.9	41.2	18.7	27.9	42.2	19.7	18.0	31.7	9.7	19.2	34.4	10.3
1989.....	26.2	40.2	18.1	27.0	41.1	19.0	18.0	31.5	9.6	19.2	34.0	10.3
1988.....	26.1	41.2	17.2	27.0	42.3	18.2	17.0	30.4	8.6	18.1	33.2	9.0
1987.....	25.1	40.4	16.1	26.0	41.6	17.0	16.3	28.9	8.4	17.3	31.3	8.8
1986.....	24.8	40.7	15.4	25.7	41.9	16.3	15.9	29.3	7.3	16.9	31.6	7.8
1985.....	24.6	41.0	14.9	25.5	42.4	15.7	15.5	27.7	7.6	16.5	30.2	7.8
1984.....	23.0	39.0	13.4	23.8	40.3	14.1	14.8	26.4	7.1	15.5	28.3	7.2
1983.....	21.9	37.9	12.3	22.8	39.2	13.0	13.6	24.8	6.0	14.3	26.5	6.3
1982.....	19.7	34.4	10.7	20.4	35.7	11.3	12.0	21.3	5.6	12.6	23.0	5.8
1981.....	19.2	34.0	10.1	19.9	35.3	10.6	11.7	21.7	4.9	12.3	23.1	5.1
1980.....	18.0	32.4	9.1	18.7	33.5	9.6	11.3	21.0	4.5	11.8	22.1	4.7
1979.....	15.5	28.2	7.4	16.0	29.2	7.7	9.8	18.5	3.8	9.9	19.1	3.6

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ULCER OF STOMACH AND DUODENUM (531-533)												
1998.....	1.7	2.1	1.5	1.8	2.1	1.5	1.7	2.2	1.4	1.8	2.1	1.5
1997.....	2.0	2.3	1.7	1.9	2.3	1.7	2.1	2.8	1.6	2.1	2.9	1.6
1996.....	2.0	2.4	1.7	2.0	2.3	1.7	2.1	2.8	1.7	2.2	2.9	1.8
1995.....	2.2	2.7	1.8	2.2	2.6	1.8	2.2	3.1	1.6	2.4	3.2	1.8
1994.....	2.5	3.1	2.0	2.4	3.0	2.1	2.6	3.6	2.0	2.7	3.6	2.1
1993.....	2.5	3.1	2.1	2.4	3.0	2.1	2.6	3.6	1.9	2.7	3.7	1.9
1992.....	2.6	3.2	2.2	2.6	3.2	2.2	2.6	3.6	1.9	2.8	3.8	2.0
1991.....	2.7	3.3	2.2	2.7	3.3	2.2	2.6	3.6	2.0	2.7	3.7	2.0
1990.....	2.7	3.4	2.3	2.7	3.4	2.3	2.7	3.6	2.1	2.9	3.9	2.1
1989.....	2.9	3.7	2.4	2.9	3.6	2.4	3.3	4.5	2.5	3.4	4.5	2.6
1988.....	3.0	3.8	2.4	3.0	3.8	2.4	2.7	3.7	2.0	2.9	3.9	2.1
1987.....	3.0	3.9	2.4	3.0	3.8	2.4	2.7	3.7	1.9	2.8	3.9	2.0
1986.....	3.1	3.8	2.6	3.1	3.8	2.6	3.1	4.1	2.3	3.2	4.3	2.4
1985.....	3.2	4.2	2.6	3.2	4.2	2.6	3.1	4.3	2.3	3.2	4.4	2.3
1984.....	3.2	4.1	2.7	3.2	4.1	2.7	3.0	4.0	2.3	3.2	4.2	2.4
1983.....	3.2	4.2	2.6	3.2	4.1	2.6	3.0	4.3	2.0	3.1	4.5	2.1
1982.....	3.5	4.5	2.8	3.4	4.4	2.8	3.3	4.5	2.4	3.4	4.5	2.5
1981.....	3.4	4.5	2.7	3.4	4.5	2.7	3.2	4.6	2.3	3.4	4.9	2.4
1980.....	3.3	4.5	2.4	3.3	4.5	2.5	3.0	4.4	1.9	3.0	4.5	1.9
1979.....	3.2	4.4	2.4	3.2	4.4	2.5	3.0	4.4	1.9	3.0	4.3	1.9

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
APPENDICITIS (540-543)												
1998.....	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.4	0.1	0.3	0.4	0.1
1997.....	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.4	0.1	0.3	0.5	0.1
1996.....	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.4	0.1	0.3	0.4	0.1
1995.....	0.1	0.2	0.1	0.1	0.2	0.1	0.3	0.5	0.1	0.3	0.6	0.2
1994.....	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.4	0.1	0.3	0.4	0.2
1993.....	0.1	0.2	0.1	0.1	0.2	0.1	0.3	0.4	0.1	0.3	0.5	0.2
1992.....	0.2	0.2	0.1	0.2	0.2	0.1	0.3	0.4	0.2	0.3	0.4	0.3
1991.....	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.1	0.3	0.4	0.2
1990.....	0.2	0.3	0.1	0.2	0.2	0.1	0.3	0.4	0.2	0.3	0.5	0.2
1989.....	0.2	0.3	0.1	0.2	0.2	0.1	0.4	0.4	0.3	0.4	0.5	0.3
1988.....	0.2	0.3	0.1	0.2	0.2	0.1	0.4	0.6	0.3	0.5	0.7	0.3
1987.....	0.2	0.3	0.2	0.2	0.3	0.1	0.4	0.5	0.4	0.5	0.6	0.4
1986.....	0.2	0.3	0.2	0.2	0.2	0.2	0.4	0.6	0.4	0.5	0.7	0.4
1985.....	0.2	0.3	0.2	0.2	0.3	0.1	0.4	0.6	0.3	0.5	0.7	0.4
1984.....	0.2	0.3	0.2	0.2	0.3	0.2	0.4	0.5	0.3	0.4	0.5	0.4
1983.....	0.2	0.4	0.2	0.2	0.4	0.2	0.4	0.6	0.3	0.5	0.7	0.4
1982.....	0.3	0.3	0.2	0.2	0.3	0.2	0.5	0.7	0.4	0.6	0.8	0.4
1981.....	0.3	0.4	0.2	0.2	0.4	0.2	0.6	0.8	0.5	0.7	0.9	0.5
1980.....	0.4	0.5	0.3	0.3	0.4	0.3	0.6	0.8	0.5	0.7	0.9	0.5
1979.....	0.4	0.5	0.3	0.3	0.4	0.2	0.7	0.9	0.5	0.7	0.9	0.5

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
1998.....	2.5	2.3	2.6	2.4	2.2	2.5	2.8	2.9	2.7	3.4	3.5	3.2
1997.....	2.5	2.5	2.5	2.5	2.4	2.5	2.7	3.1	2.4	3.2	3.7	2.8
1996.....	2.6	2.5	2.5	2.5	2.4	2.5	3.2	3.6	2.9	3.8	4.5	3.4
1995.....	2.5	2.5	2.5	2.4	2.4	2.4	3.1	3.3	2.9	3.6	4.0	3.3
1994.....	2.6	2.5	2.5	2.5	2.4	2.4	3.2	3.7	2.9	3.7	4.4	3.3
1993.....	2.5	2.5	2.5	2.4	2.4	2.4	3.0	3.5	2.6	3.4	4.2	2.9
1992.....	2.6	2.7	2.6	2.5	2.5	2.6	3.2	3.9	2.8	3.7	4.5	3.3
1991.....	2.7	2.7	2.7	2.6	2.5	2.6	3.4	3.8	3.0	3.9	4.5	3.4
1990.....	2.7	2.6	2.7	2.6	2.5	2.6	3.2	3.7	2.9	3.7	4.3	3.2
1989.....	2.6	2.5	2.5	2.5	2.4	2.5	3.2	3.5	2.9	3.6	4.1	3.2
1988.....	2.7	2.6	2.6	2.6	2.4	2.6	3.3	3.7	3.0	3.7	4.3	3.4
1987.....	2.7	2.7	2.6	2.6	2.5	2.6	3.0	3.8	2.5	3.4	4.4	2.8
1986.....	2.7	2.7	2.6	2.6	2.6	2.6	3.3	3.7	3.1	3.7	4.3	3.4
1985.....	2.7	2.7	2.6	2.6	2.6	2.6	3.3	3.9	2.8	3.6	4.3	3.1
1984.....	2.7	2.7	2.7	2.6	2.6	2.6	3.1	3.6	2.9	3.5	4.1	3.2
1983.....	2.6	2.8	2.5	2.5	2.7	2.5	3.3	4.3	2.7	3.7	4.7	2.9
1982.....	2.7	2.7	2.6	2.6	2.6	2.6	3.2	4.1	2.6	3.5	4.5	2.9
1981.....	2.9	2.9	2.8	2.8	2.8	2.8	3.6	4.4	3.0	3.9	4.9	3.3
1980.....	3.0	3.1	3.0	3.0	2.9	2.9	3.5	4.4	2.9	3.8	4.8	3.1
1979.....	3.0	3.0	2.9	2.9	2.8	2.9	3.6	4.4	3.1	3.9	4.8	3.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
1998.....	9.5	13.4	6.0	9.4	13.3	6.0	9.1	13.5	5.7	9.9	15.1	5.9
1997.....	9.6	13.6	6.2	9.6	13.5	6.1	9.6	13.8	6.3	10.7	15.7	6.7
1996.....	9.8	13.9	6.1	9.6	13.6	6.0	10.3	14.8	6.7	11.3	16.9	7.0
1995.....	10.0	14.3	6.2	9.7	14.0	6.0	11.1	15.9	7.3	12.1	18.0	7.6
1994.....	10.2	14.6	6.5	9.9	14.1	6.1	11.8	17.1	7.7	13.1	19.4	8.2
1993.....	10.3	14.6	6.6	10.0	14.2	6.3	11.9	16.9	7.8	13.2	19.5	8.2
1992.....	10.5	15.1	6.5	10.1	14.5	6.2	12.7	18.5	8.0	14.0	21.0	8.5
1991.....	10.7	15.2	6.9	10.3	14.7	6.5	13.1	18.2	9.1	14.8	20.9	10.0
1990.....	11.1	15.9	7.1	10.5	15.0	6.6	14.6	20.9	9.7	16.5	24.2	10.6
1989.....	11.6	16.6	7.3	10.9	15.7	6.8	15.3	22.3	9.8	17.1	25.4	10.5
1988.....	11.6	16.7	7.3	10.9	15.8	6.8	15.8	22.2	10.6	17.7	25.4	11.5
1987.....	11.7	16.8	7.4	11.0	15.8	6.8	15.9	23.2	10.0	17.9	26.8	10.9
1986.....	11.8	16.7	7.6	11.1	15.9	7.2	15.6	22.3	10.2	17.3	25.3	11.1
1985.....	12.3	17.4	7.9	11.4	16.3	7.3	17.3	24.8	11.3	19.3	28.1	12.2
1984.....	12.7	18.0	8.2	11.9	17.0	7.7	17.1	24.3	11.4	18.8	27.0	12.3
1983.....	12.8	18.1	8.4	12.1	17.2	7.8	17.3	24.1	11.7	19.0	27.0	12.7
1982.....	13.2	18.8	8.5	12.5	17.9	7.9	17.6	24.5	11.9	19.3	27.3	12.8
1981.....	14.2	20.2	9.3	13.2	18.9	8.5	20.6	28.8	13.9	22.4	31.9	14.8
1980.....	15.1	21.3	9.9	13.9	19.8	8.9	23.3	32.8	15.7	25.0	35.6	16.6
1979.....	14.8	21.1	9.6	13.7	19.5	8.8	23.0	32.9	14.9	24.3	35.3	15.5

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
1998.....	1.1	1.2	1.0	1.0	1.2	1.0	1.1	1.2	1.1	1.2	1.2	1.2
1997.....	1.1	1.2	0.9	1.0	1.2	0.9	1.2	1.3	1.1	1.2	1.3	1.1
1996.....	1.1	1.2	1.0	1.1	1.2	1.0	1.3	1.3	1.3	1.4	1.4	1.4
1995.....	1.1	1.3	1.0	1.1	1.3	0.9	1.2	1.2	1.2	1.3	1.2	1.3
1994.....	1.2	1.4	1.1	1.1	1.4	1.0	1.3	1.4	1.2	1.3	1.4	1.3
1993.....	1.1	1.3	1.0	1.1	1.3	1.0	1.4	1.4	1.3	1.4	1.3	1.4
1992.....	1.3	1.5	1.1	1.2	1.5	1.1	1.3	1.2	1.4	1.4	1.2	1.5
1991.....	1.3	1.5	1.1	1.2	1.5	1.1	1.4	1.4	1.4	1.4	1.3	1.4
1990.....	1.4	1.6	1.3	1.4	1.6	1.2	1.3	1.3	1.3	1.3	1.3	1.3
1989.....	1.4	1.7	1.2	1.4	1.7	1.2	1.4	1.4	1.4	1.4	1.4	1.4
1988.....	1.5	1.7	1.3	1.5	1.7	1.3	1.5	1.6	1.4	1.5	1.5	1.4
1987.....	1.4	1.6	1.3	1.4	1.7	1.3	1.5	1.3	1.6	1.5	1.2	1.6
1986.....	1.4	1.7	1.2	1.4	1.8	1.2	1.3	1.4	1.3	1.3	1.4	1.3
1985.....	1.5	1.8	1.3	1.5	1.8	1.2	1.6	1.7	1.5	1.6	1.7	1.5
1984.....	1.5	1.8	1.3	1.5	1.9	1.3	1.4	1.4	1.3	1.3	1.3	1.4
1983.....	1.5	1.9	1.3	1.5	1.9	1.3	1.6	1.7	1.5	1.6	1.6	1.6
1982.....	1.5	1.8	1.4	1.6	1.8	1.4	1.5	1.4	1.5	1.4	1.2	1.5
1981.....	1.6	1.9	1.5	1.7	2.0	1.5	1.5	1.1	1.7	1.3	1.0	1.5
1980.....	1.8	2.1	1.6	1.8	2.2	1.6	1.6	1.5	1.6	1.4	1.3	1.5
1979.....	1.8	2.0	1.6	1.8	2.1	1.6	1.5	1.6	1.5	1.4	1.3	1.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
1998.....	9.8	12.4	8.3	9.0	11.7	7.4	16.1	18.0	14.8	19.1	21.9	17.3
1997.....	9.8	12.4	8.2	8.9	11.6	7.4	16.1	18.7	14.5	19.2	22.8	17.0
1996.....	9.6	12.2	8.0	8.6	11.3	7.1	16.4	18.7	14.9	19.1	22.2	17.0
1995.....	9.5	12.3	7.9	8.6	11.3	7.0	16.9	19.7	15.1	19.5	23.2	17.2
1994.....	9.4	12.0	7.9	8.5	11.2	7.1	16.3	18.5	14.9	18.9	21.6	17.0
1993.....	9.7	12.6	8.1	8.7	11.6	7.2	17.6	20.7	15.6	19.9	23.6	17.7
1992.....	9.4	12.5	7.7	8.5	11.5	6.9	16.9	20.4	14.7	19.3	23.9	16.6
1991.....	9.3	12.2	7.6	8.3	11.2	6.8	17.1	20.4	14.9	19.5	23.8	16.7
1990.....	9.3	12.1	7.7	8.3	11.0	6.8	17.6	21.0	15.4	19.8	24.1	17.3
1989.....	9.6	12.5	7.9	8.4	11.2	6.9	19.2	23.6	16.3	21.6	27.1	18.2
1988.....	10.4	13.6	8.6	9.2	12.5	7.5	19.7	22.9	17.6	22.1	26.0	19.8
1987.....	10.4	13.8	8.5	9.3	12.7	7.5	19.2	23.3	16.7	21.5	26.5	18.5
1986.....	10.4	14.0	8.4	9.3	12.8	7.4	20.0	24.3	17.2	22.2	27.6	18.9
1985.....	10.4	13.8	8.5	9.3	12.6	7.5	20.3	24.4	17.8	22.7	27.7	19.7
1984.....	10.0	13.4	8.1	9.0	12.3	7.2	18.9	22.3	16.7	20.8	24.8	18.4
1983.....	9.6	12.6	8.0	8.7	11.5	7.1	18.0	21.5	15.7	19.7	24.0	17.1
1982.....	9.4	12.6	7.5	8.3	11.5	6.6	18.3	21.7	16.1	20.0	24.2	17.4
1981.....	9.1	12.1	7.4	8.2	11.0	6.5	17.6	21.3	15.3	19.4	23.8	16.6
1980.....	9.1	12.2	7.3	8.0	11.0	6.3	19.2	23.5	16.5	20.9	25.9	17.8
1979.....	8.6	11.7	6.8	7.7	10.7	6.0	17.1	21.3	14.4	18.3	22.7	15.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)												
1998.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	*	0.2
1997.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.2
1996.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.3	0.3
1995.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	*	0.2	0.2	*	0.2
1994.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.1	0.2	0.3	0.2
1993.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2
1992.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	*	0.2
1991.....	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.3	0.2	0.3
1990.....	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.2	0.2	*
1989.....	0.1	0.2	0.1	0.1	0.1	0.1	0.3	0.3	0.2	0.3	0.4	0.3
1988.....	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.2	0.3	0.3	0.3
1987.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.2	0.3	0.2
1986.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.3	0.3	0.2
1985.....	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.2	0.3	0.3	0.3
1984.....	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.3	0.3	0.3	0.3
1983.....	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.3	0.2	0.2	0.3	0.2
1982.....	0.2	0.2	0.1	0.1	0.2	0.1	0.3	0.4	0.2	0.3	0.4	0.3
1981.....	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.2	0.2	0.3	0.2
1980.....	0.2	0.2	0.1	0.1	0.2	0.1	0.3	0.4	0.2	0.3	0.4	0.3
1979.....	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)												
1998.....	0.6	0.8	0.5	0.6	0.7	0.5	1.2	1.4	1.0	1.4	1.8	1.1
1997.....	0.6	0.8	0.5	0.6	0.7	0.5	1.0	1.3	0.9	1.2	1.5	1.0
1996.....	0.6	0.8	0.5	0.6	0.8	0.5	1.2	1.4	1.0	1.4	1.8	1.1
1995.....	0.6	0.8	0.5	0.5	0.7	0.4	1.1	1.4	0.9	1.2	1.7	1.0
1994.....	0.6	0.8	0.5	0.5	0.7	0.5	1.2	1.4	1.2	1.5	1.7	1.3
1993.....	0.7	0.9	0.5	0.6	0.8	0.5	1.3	1.6	1.1	1.5	1.9	1.2
1992.....	0.6	0.9	0.5	0.6	0.8	0.5	1.2	1.6	0.9	1.4	2.0	1.1
1991.....	0.7	0.9	0.5	0.6	0.8	0.4	1.3	1.6	1.1	1.4	1.8	1.2
1990.....	0.7	0.9	0.5	0.6	0.8	0.5	1.4	1.8	1.1	1.5	2.1	1.2
1989.....	0.7	0.9	0.6	0.6	0.8	0.5	1.3	1.5	1.2	1.5	1.9	1.3
1988.....	0.7	1.0	0.5	0.6	0.9	0.5	1.2	1.6	0.9	1.3	1.8	1.0
1987.....	0.7	0.9	0.6	0.6	0.8	0.5	1.4	1.6	1.2	1.5	1.8	1.2
1986.....	0.7	1.0	0.6	0.6	0.9	0.5	1.4	1.9	1.2	1.6	2.2	1.2
1985.....	0.8	1.0	0.6	0.7	0.9	0.6	1.5	1.9	1.2	1.6	2.2	1.3
1984.....	0.9	1.2	0.7	0.8	1.1	0.6	1.7	2.1	1.5	1.9	2.3	1.6
1983.....	1.0	1.2	0.8	0.8	1.0	0.8	1.9	2.4	1.5	2.1	2.7	1.6
1982.....	1.0	1.3	0.8	0.9	1.2	0.7	1.9	2.2	1.7	2.1	2.5	1.8
1981.....	1.1	1.3	0.9	1.0	1.2	0.8	2.0	2.2	1.8	2.1	2.4	2.0
1980.....	1.2	1.6	1.0	1.1	1.4	0.8	2.8	3.4	2.5	3.1	3.7	2.7
1979.....	1.3	1.7	1.0	1.1	1.5	0.9	2.8	3.5	2.3	2.9	3.7	2.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)												
1998.....	9.1	11.5	7.6	8.3	10.8	6.9	14.8	16.4	13.6	17.5	19.8	16.0
1997.....	9.0	11.4	7.6	8.2	10.7	6.8	14.9	17.2	13.4	17.7	20.9	15.8
1996.....	8.8	11.2	7.4	8.0	10.4	6.6	15.0	17.1	13.7	17.4	20.2	15.7
1995.....	8.8	11.3	7.3	7.9	10.5	6.5	15.6	18.1	14.1	18.0	21.3	16.0
1994.....	8.6	11.1	7.3	7.8	10.3	6.5	14.8	16.7	13.6	17.2	19.6	15.6
1993.....	8.9	11.6	7.5	8.0	10.7	6.6	16.1	18.9	14.3	18.2	21.5	16.2
1992.....	8.7	11.4	7.1	7.8	10.5	6.3	15.5	18.5	13.6	17.7	21.8	15.3
1991.....	8.5	11.2	7.0	7.6	10.2	6.2	15.6	18.7	13.6	17.8	21.8	15.3
1990.....	8.5	11.0	7.1	7.6	10.1	6.2	16.0	18.9	14.2	18.1	21.8	15.9
1989.....	8.7	11.5	7.2	7.7	10.2	6.2	17.5	21.8	14.8	19.7	24.9	16.6
1988.....	9.5	12.4	7.9	8.5	11.4	6.9	18.2	21.1	16.4	20.6	23.8	18.5
1987.....	9.5	12.8	7.8	8.6	11.7	6.9	17.7	21.4	15.3	19.8	24.3	17.0
1986.....	9.6	12.9	7.8	8.6	11.8	6.8	18.3	22.1	15.9	20.4	25.1	17.4
1985.....	9.5	12.7	7.8	8.4	11.6	6.8	18.6	22.3	16.3	20.8	25.2	18.1
1984.....	9.0	12.0	7.3	8.0	11.1	6.4	17.0	20.0	15.0	18.7	22.2	16.5
1983.....	8.5	11.2	7.0	7.7	10.3	6.2	15.9	18.8	14.0	17.4	20.9	15.2
1982.....	8.2	11.0	6.6	7.3	10.1	5.8	16.1	19.2	14.1	17.6	21.3	15.3
1981.....	7.9	10.6	6.3	7.0	9.6	5.6	15.4	18.8	13.2	17.0	21.0	14.4
1980.....	7.7	10.4	6.1	6.8	9.4	5.3	16.1	19.7	13.9	17.5	21.8	14.8
1979.....	7.2	9.8	5.6	6.4	8.9	4.9	14.2	17.6	12.0	15.1	18.8	12.8

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
INFECTIONS OF KIDNEY (590)												
1998.....	0.3	0.2	0.4	0.3	0.2	0.4	0.4	0.4	0.4	0.4	0.4	0.5
1997.....	0.3	0.2	0.4	0.3	0.2	0.3	0.4	0.3	0.4	0.4	0.4	0.4
1996.....	0.4	0.2	0.4	0.3	0.2	0.4	0.4	0.3	0.5	0.5	0.4	0.6
1995.....	0.4	0.3	0.4	0.3	0.2	0.4	0.5	0.4	0.6	0.5	0.4	0.6
1994.....	0.4	0.3	0.5	0.4	0.3	0.5	0.6	0.5	0.6	0.6	0.6	0.6
1993.....	0.4	0.3	0.5	0.4	0.3	0.5	0.6	0.5	0.6	0.6	0.6	0.7
1992.....	0.5	0.4	0.5	0.5	0.4	0.5	0.5	0.5	0.6	0.6	0.6	0.6
1991.....	0.5	0.4	0.6	0.5	0.4	0.6	0.7	0.5	0.9	0.8	0.7	0.9
1990.....	0.6	0.5	0.6	0.6	0.5	0.6	0.7	0.7	0.7	0.7	0.8	0.7
1989.....	0.7	0.5	0.7	0.6	0.5	0.7	0.9	0.9	1.0	1.0	1.0	1.1
1988.....	0.7	0.7	0.8	0.7	0.6	0.8	0.9	1.0	0.8	0.9	1.1	0.9
1987.....	0.8	0.7	0.9	0.8	0.7	0.9	1.0	0.9	1.1	1.1	1.1	1.1
1986.....	0.9	0.8	1.0	0.9	0.7	1.0	1.2	1.1	1.3	1.3	1.3	1.4
1985.....	1.0	1.0	1.0	1.0	0.9	1.0	1.4	1.4	1.4	1.5	1.6	1.4
1984.....	1.1	1.0	1.1	1.0	1.0	1.1	1.4	1.5	1.3	1.5	1.7	1.3
1983.....	1.1	1.0	1.1	1.1	1.0	1.1	1.4	1.5	1.4	1.5	1.6	1.6
1982.....	1.2	1.1	1.3	1.2	1.1	1.2	1.4	1.5	1.4	1.5	1.6	1.5
1981.....	1.3	1.3	1.3	1.2	1.3	1.2	1.6	1.4	1.7	1.7	1.5	1.9
1980.....	1.6	1.5	1.6	1.5	1.4	1.6	2.1	2.2	2.1	2.3	2.4	2.3
1979.....	1.7	1.7	1.7	1.6	1.6	1.6	2.2	2.3	2.1	2.3	2.5	2.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
HYPERPLASIA OF PROSTATE (600)												
1998.....	0.2	0.4	...	0.1	0.4	...	0.2	0.5	...	0.2	0.6	...
1997.....	0.2	0.5	...	0.2	0.5	...	0.2	0.5	...	0.2	0.7	...
1996.....	0.2	0.5	...	0.2	0.5	...	0.2	0.5	...	0.2	0.6	...
1995.....	0.2	0.5	...	0.2	0.5	...	0.2	0.5	...	0.2	0.5	...
1994.....	0.2	0.5	...	0.2	0.5	...	0.2	0.5	...	0.2	0.5	...
1993.....	0.2	0.5	...	0.2	0.5	...	0.3	0.8	...	0.3	0.9	...
1992.....	0.2	0.5	...	0.2	0.5	...	0.2	0.5	...	0.2	0.6	...
1991.....	0.2	0.6	...	0.2	0.6	...	0.3	0.7	...	0.3	0.8	...
1990.....	0.2	0.6	...	0.2	0.6	...	0.3	0.7	...	0.3	0.8	...
1989.....	0.2	0.6	...	0.2	0.6	...	0.4	1.0	...	0.4	1.1	...
1988.....	0.2	0.6	...	0.2	0.6	...	0.3	0.9	...	0.3	1.0	...
1987.....	0.2	0.7	...	0.2	0.7	...	0.3	0.7	...	0.3	0.8	...
1986.....	0.3	0.8	...	0.2	0.8	...	0.4	0.9	...	0.4	1.1	...
1985.....	0.2	0.8	...	0.2	0.7	...	0.3	0.8	...	0.3	1.0	...
1984.....	0.3	0.8	...	0.3	0.8	...	0.3	0.9	...	0.4	1.1	...
1983.....	0.3	0.9	...	0.3	0.9	...	0.4	1.0	...	0.4	1.2	...
1982.....	0.4	1.1	...	0.3	1.1	...	0.5	1.4	...	0.6	1.6	...
1981.....	0.4	1.1	...	0.4	1.1	...	0.6	1.5	...	0.6	1.6	...
1980.....	0.4	1.3	...	0.4	1.2	...	0.6	1.6	...	0.6	1.7	...
1979.....	0.5	1.4	...	0.5	1.3	...	0.7	1.7	...	0.7	1.8	...

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)												
1998.....	0.1	...	0.2	0.1	...	0.1	0.2	...	0.4	0.3	...	0.5
1997.....	0.1	...	0.2	0.1	...	0.1	0.3	...	0.5	0.3	...	0.6
1996.....	0.1	...	0.2	0.1	...	0.1	0.3	...	0.5	0.3	...	0.6
1995.....	0.1	...	0.2	0.1	...	0.1	0.3	...	0.6	0.4	...	0.7
1994.....	0.1	...	0.2	0.1	...	0.2	0.3	...	0.5	0.3	...	0.6
1993.....	0.1	...	0.2	0.1	...	0.1	0.3	...	0.6	0.4	...	0.7
1992.....	0.1	...	0.2	0.1	...	0.1	0.3	...	0.6	0.4	...	0.7
1991.....	0.1	...	0.2	0.1	...	0.2	0.3	...	0.5	0.4	...	0.7
1990.....	0.1	...	0.2	0.1	...	0.2	0.4	...	0.7	0.4	...	0.8
1989.....	0.1	...	0.2	0.1	...	0.2	0.3	...	0.6	0.3	...	0.7
1988.....	0.1	...	0.2	0.1	...	0.2	0.3	...	0.6	0.4	...	0.7
1987.....	0.1	...	0.2	0.1	...	0.1	0.2	...	0.4	0.3	...	0.5
1986.....	0.1	...	0.2	0.1	...	0.1	0.3	...	0.5	0.3	...	0.7
1985.....	0.1	...	0.2	0.1	...	0.1	0.3	...	0.6	0.4	...	0.7
1984.....	0.1	...	0.2	0.1	...	0.1	0.3	...	0.6	0.3	...	0.7
1983.....	0.1	...	0.2	0.1	...	0.2	0.3	...	0.6	0.3	...	0.6
1982.....	0.1	...	0.2	0.1	...	0.2	0.3	...	0.6	0.3	...	0.7
1981.....	0.1	...	0.2	0.1	...	0.2	0.3	...	0.6	0.4	...	0.7
1980.....	0.1	...	0.3	0.1	...	0.2	0.4	...	0.8	0.4	...	0.8
1979.....	0.1	...	0.3	0.1	...	0.2	0.5	...	0.9	0.5	...	0.9

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
PREGNANCY WITH ABORTIVE OUTCOME (630-638)												
1998.....	0.0	...	0.0	*	...	*	*	...	*	*	...	*
1997.....	0.0	...	0.0	*	...	*	0.0	...	0.1	0.0	...	0.1
1996.....	0.0	...	0.0	0.0	...	0.0	*	...	*	*	...	*
1995.....	0.0	...	0.0	*	...	*	0.0	...	0.1	0.1	...	0.1
1994.....	0.0	...	0.0	0.0	...	0.0	*	...	*	*	...	*
1993.....	0.0	...	0.0	0.0	...	0.0	0.1	...	0.1	0.1	...	0.1
1992.....	0.0	...	0.0	0.0	...	0.0	0.1	...	0.1	0.1	...	0.1
1991.....	0.0	...	0.0	0.0	...	0.0	0.1	...	0.1	0.1	...	0.1
1990.....	0.0	...	0.0	0.0	...	0.0	0.1	...	0.1	0.1	...	0.2
1989.....	0.0	...	0.0	0.0	...	0.0	0.1	...	0.1	0.1	...	0.1
1988.....	0.0	...	0.0	0.0	...	0.0	0.1	...	0.2	0.1	...	0.2
1987.....	0.0	...	0.0	0.0	...	0.0	*	...	*	*	...	*
1986.....	0.0	...	0.0	0.0	...	0.0	0.1	...	0.1	0.1	...	0.1
1985.....	0.0	...	0.0	*	...	*	0.1	...	0.1	0.1	...	0.2
1984.....	0.0	...	0.0	0.0	...	0.0	0.1	...	0.1	0.1	...	0.2
1983.....	0.0	...	0.0	0.0	...	0.0	0.1	...	0.1	0.1	...	0.1
1982.....	0.0	...	0.0	0.0	...	0.0	0.1	...	0.1	0.1	...	0.1
1981.....	0.0	...	0.0	0.0	...	0.0	0.1	...	0.1	0.1	...	0.1
1980.....	0.0	...	0.1	0.0	...	0.0	0.1	...	0.2	0.1	...	0.2
1979.....	0.0	...	0.1	0.0	...	0.0	0.1	...	0.2	0.1	...	0.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)												
1998.....	0.1	...	0.2	0.1	...	0.1	0.2	...	0.4	0.2	...	0.4
1997.....	0.1	...	0.2	0.1	...	0.1	0.2	...	0.5	0.3	...	0.5
1996.....	0.1	...	0.2	0.1	...	0.1	0.2	...	0.5	0.3	...	0.5
1995.....	0.1	...	0.2	0.1	...	0.1	0.2	...	0.5	0.3	...	0.6
1994.....	0.1	...	0.2	0.1	...	0.2	0.2	...	0.4	0.3	...	0.5
1993.....	0.1	...	0.2	0.1	...	0.1	0.3	...	0.5	0.3	...	0.6
1992.....	0.1	...	0.2	0.1	...	0.1	0.3	...	0.5	0.3	...	0.6
1991.....	0.1	...	0.2	0.1	...	0.1	0.2	...	0.4	0.3	...	0.5
1990.....	0.1	...	0.2	0.1	...	0.1	0.3	...	0.6	0.3	...	0.7
1989.....	0.1	...	0.2	0.1	...	0.1	0.2	...	0.5	0.3	...	0.5
1988.....	0.1	...	0.2	0.1	...	0.1	0.3	...	0.5	0.3	...	0.5
1987.....	0.1	...	0.1	0.1	...	0.1	0.2	...	0.3	0.2	...	0.4
1986.....	0.1	...	0.2	0.1	...	0.1	0.2	...	0.4	0.2	...	0.5
1985.....	0.1	...	0.2	0.1	...	0.1	0.3	...	0.5	0.3	...	0.6
1984.....	0.1	...	0.2	0.1	...	0.1	0.2	...	0.4	0.3	...	0.5
1983.....	0.1	...	0.2	0.1	...	0.1	0.2	...	0.4	0.2	...	0.4
1982.....	0.1	...	0.2	0.1	...	0.1	0.2	...	0.5	0.3	...	0.5
1981.....	0.1	...	0.2	0.1	...	0.1	0.3	...	0.5	0.3	...	0.6
1980.....	0.1	...	0.2	0.1	...	0.2	0.3	...	0.6	0.3	...	0.6
1979.....	0.1	...	0.2	0.1	...	0.1	0.4	...	0.7	0.4	...	0.7

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES(RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CONGENITAL ANOMALIES (740-759)												
1998.....	4.4	4.8	4.1	4.3	4.7	4.0	4.5	4.8	4.2	5.1	5.6	4.7
1997.....	4.4	4.9	4.1	4.4	4.8	4.0	4.4	4.7	4.1	4.9	5.3	4.7
1996.....	4.4	4.8	4.1	4.3	4.8	4.0	4.7	4.9	4.4	5.3	5.6	5.1
1995.....	4.4	4.8	4.1	4.4	4.8	4.1	4.3	4.7	4.0	4.8	5.2	4.4
1994.....	4.5	4.8	4.2	4.4	4.7	4.2	4.5	4.7	4.4	5.0	5.3	4.8
1993.....	4.6	5.0	4.2	4.5	5.0	4.2	4.8	5.2	4.4	5.4	6.0	4.9
1992.....	4.6	5.0	4.2	4.5	4.8	4.1	4.9	5.3	4.6	5.4	5.9	5.0
1991.....	4.6	5.1	4.2	4.6	5.0	4.1	4.8	5.3	4.3	5.3	6.0	4.8
1990.....	4.9	5.3	4.4	4.8	5.3	4.4	5.0	5.5	4.6	5.4	6.0	4.9
1989.....	4.9	5.2	4.6	4.8	5.1	4.5	5.2	5.6	4.9	5.6	6.1	5.2
1988.....	4.9	5.2	4.6	4.9	5.2	4.5	5.1	5.4	4.7	5.4	5.8	5.0
1987.....	4.8	5.2	4.4	4.7	5.1	4.3	5.1	5.3	5.0	5.6	6.0	5.3
1986.....	4.9	5.3	4.6	4.8	5.2	4.5	5.4	5.8	5.0	5.7	6.2	5.3
1985.....	5.0	5.4	4.6	5.0	5.4	4.5	5.3	5.6	5.1	5.7	5.9	5.4
1984.....	5.2	5.6	4.9	5.2	5.5	4.8	5.5	5.8	5.3	5.8	6.1	5.5
1983.....	5.2	5.6	4.9	5.1	5.5	4.8	5.6	6.2	5.2	6.0	6.6	5.6
1982.....	5.4	5.7	5.1	5.3	5.6	5.1	5.8	6.1	5.5	6.1	6.4	5.9
1981.....	5.4	5.8	5.2	5.4	5.7	5.1	5.7	5.9	5.5	6.0	6.3	5.7
1980.....	5.7	6.2	5.3	5.6	6.1	5.2	6.0	6.5	5.6	6.3	6.9	5.7
1979.....	5.7	6.1	5.3	5.6	6.1	5.2	5.9	6.2	5.6	6.1	6.4	5.8

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)												
1998.....	4.9	5.4	4.4	3.7	4.1	3.4	9.4	10.4	8.3	11.9	13.3	10.5
1997.....	4.8	5.3	4.2	3.6	4.0	3.2	9.1	10.0	8.1	11.7	12.9	10.5
1996.....	4.8	5.2	4.3	3.6	4.0	3.3	9.3	10.3	8.3	11.9	13.1	10.6
1995.....	4.8	5.3	4.3	3.7	4.2	3.3	8.8	9.6	8.0	11.0	12.0	10.0
1994.....	5.2	5.7	4.6	3.9	4.3	3.5	9.9	10.9	8.8	12.3	13.6	11.0
1993.....	5.3	5.8	4.8	4.0	4.3	3.5	10.4	11.5	9.3	13.0	14.4	11.6
1992.....	5.4	6.0	4.9	4.0	4.4	3.6	10.8	12.0	9.6	13.4	14.9	11.9
1991.....	5.8	6.4	5.1	4.4	4.9	3.9	10.5	11.7	9.2	13.3	15.0	11.6
1990.....	6.2	6.9	5.5	4.6	5.2	4.0	12.1	13.3	10.9	14.6	16.1	13.1
1989.....	6.7	7.4	6.0	5.1	5.7	4.5	12.9	14.0	11.8	15.4	16.7	14.1
1988.....	6.7	7.5	5.9	5.1	5.8	4.4	13.0	14.3	11.7	15.6	17.2	13.9
1987.....	6.8	7.6	5.9	5.3	5.9	4.6	13.1	14.7	11.4	15.5	17.4	13.6
1986.....	6.9	7.7	6.0	5.4	6.1	4.7	13.0	14.6	11.3	15.3	17.3	13.3
1985.....	7.2	8.1	6.3	5.8	6.7	4.9	13.3	14.7	11.9	15.7	17.3	14.0
1984.....	7.3	8.1	6.5	5.9	6.6	5.2	13.4	14.5	12.1	15.6	17.0	14.3
1983.....	7.3	8.2	6.4	5.9	6.7	5.1	13.3	14.7	12.0	15.6	17.2	13.9
1982.....	7.9	8.8	6.9	6.5	7.2	5.6	14.2	15.9	12.5	16.4	18.4	14.5
1981.....	8.3	9.2	7.3	6.8	7.6	5.9	15.0	16.6	13.5	17.2	18.9	15.4
1980.....	8.9	10.0	7.8	7.4	8.3	6.4	16.1	17.7	14.5	18.0	19.9	16.1
1979.....	9.4	10.5	8.3	7.8	8.8	6.8	17.0	18.6	15.4	18.8	20.5	17.0

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)												
1998.....	0.7	0.8	0.6	0.6	0.7	0.5	1.2	1.3	1.0	1.5	1.7	1.3
1997.....	0.7	0.8	0.6	0.6	0.7	0.5	1.2	1.3	1.1	1.5	1.6	1.4
1996.....	0.7	0.8	0.6	0.6	0.7	0.5	1.2	1.4	1.1	1.6	1.8	1.4
1995.....	0.8	0.9	0.6	0.6	0.7	0.5	1.3	1.5	1.0	1.5	1.8	1.2
1994.....	0.8	1.0	0.7	0.7	0.8	0.6	1.4	1.6	1.1	1.7	2.0	1.4
1993.....	0.9	1.0	0.8	0.7	0.8	0.6	1.6	1.8	1.4	2.0	2.3	1.7
1992.....	1.0	1.1	0.9	0.8	0.9	0.7	1.7	2.0	1.4	2.1	2.4	1.8
1991.....	1.2	1.4	1.0	1.0	1.2	0.8	1.9	2.2	1.6	2.4	2.8	2.0
1990.....	1.3	1.6	1.1	1.1	1.3	0.9	2.3	2.7	1.9	2.8	3.3	2.2
1989.....	1.7	2.0	1.3	1.4	1.6	1.1	2.8	3.3	2.2	3.2	3.8	2.6
1988.....	1.5	1.8	1.3	1.3	1.6	1.0	2.5	2.8	2.2	3.0	3.3	2.6
1987.....	1.6	1.9	1.3	1.4	1.7	1.1	2.6	3.1	2.2	3.1	3.6	2.7
1986.....	1.7	2.0	1.4	1.5	1.8	1.3	2.7	3.3	2.2	3.2	3.8	2.5
1985.....	2.0	2.3	1.6	1.7	2.1	1.4	3.0	3.5	2.4	3.5	4.0	2.9
1984.....	2.0	2.3	1.7	1.7	2.1	1.4	3.1	3.5	2.6	3.5	4.0	3.0
1983.....	2.0	2.4	1.7	1.8	2.2	1.4	3.1	3.4	2.7	3.5	3.9	3.1
1982.....	2.3	2.7	1.9	2.1	2.4	1.7	3.5	4.2	2.8	4.0	4.8	3.3
1981.....	2.6	3.0	2.1	2.3	2.7	1.8	3.9	4.6	3.2	4.4	5.2	3.6
1980.....	3.0	3.4	2.5	2.6	3.1	2.1	4.5	5.0	4.0	5.0	5.6	4.4
1979.....	3.2	3.8	2.7	2.8	3.3	2.3	5.1	5.8	4.3	5.5	6.3	4.7

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)												
1998.....	4.2	4.5	3.8	3.1	3.4	2.9	8.2	9.0	7.3	10.4	11.6	9.2
1997.....	4.0	4.4	3.6	3.0	3.4	2.7	7.9	8.7	7.1	10.2	11.2	9.2
1996.....	4.0	4.4	3.7	3.0	3.3	2.8	8.1	8.9	7.3	10.3	11.4	9.3
1995.....	4.0	4.4	3.7	3.1	3.4	2.7	7.6	8.1	7.0	9.5	10.2	8.8
1994.....	4.3	4.7	3.9	3.2	3.4	2.9	8.5	9.3	7.7	10.6	11.6	9.6
1993.....	4.4	4.8	4.0	3.2	3.5	2.9	8.8	9.6	7.9	11.0	12.0	9.9
1992.....	4.4	4.8	4.0	3.2	3.4	2.9	9.1	10.0	8.1	11.4	12.5	10.2
1991.....	4.6	5.1	4.1	3.4	3.7	3.1	8.6	9.6	7.6	10.9	12.2	9.6
1990.....	4.8	5.3	4.3	3.5	3.9	3.1	9.8	10.6	9.0	11.9	12.8	10.8
1989.....	5.0	5.4	4.7	3.7	4.0	3.4	10.1	10.7	9.6	12.2	12.9	11.5
1988.....	5.1	5.7	4.6	3.8	4.2	3.4	10.4	11.5	9.4	12.6	13.9	11.2
1987.....	5.2	5.7	4.6	3.9	4.2	3.5	10.4	11.7	9.2	12.4	13.7	10.9
1986.....	5.1	5.7	4.5	3.9	4.4	3.4	10.2	11.3	9.1	12.2	13.5	10.8
1985.....	5.3	5.8	4.7	4.1	4.6	3.6	10.3	11.2	9.4	12.2	13.3	11.1
1984.....	5.3	5.7	4.8	4.2	4.5	3.8	10.3	11.1	9.5	12.1	13.1	11.2
1983.....	5.3	5.8	4.7	4.1	4.5	3.7	10.3	11.3	9.3	12.1	13.3	10.8
1982.....	5.5	6.1	5.0	4.4	4.8	3.9	10.7	11.7	9.6	12.4	13.6	11.2
1981.....	5.7	6.2	5.2	4.5	5.0	4.1	11.1	12.0	10.3	12.8	13.7	11.8
1980.....	6.0	6.5	5.4	4.7	5.2	4.2	11.6	12.7	10.5	13.0	14.3	11.7
1979.....	6.2	6.8	5.6	5.0	5.5	4.5	11.9	12.8	11.1	13.3	14.2	12.3

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
1998.....	9.7	11.0	8.3	9.0	10.2	7.8	12.8	15.5	10.6	15.7	19.3	12.7
1997.....	9.8	11.4	8.2	9.1	10.5	7.7	13.1	16.4	10.4	16.0	20.3	12.4
1996.....	10.1	11.9	8.4	9.4	11.0	7.9	13.5	16.4	10.9	16.4	20.4	13.1
1995.....	10.6	12.7	8.7	9.9	11.7	8.2	14.6	18.6	11.5	17.4	22.6	13.4
1994.....	10.0	11.9	8.2	9.1	10.7	7.6	14.4	18.4	11.1	17.1	22.0	13.1
1993.....	10.6	12.8	8.5	9.5	11.4	7.8	16.1	20.9	12.2	19.2	25.4	14.4
1992.....	9.4	11.3	7.6	8.4	10.1	6.9	14.6	18.3	11.5	17.2	22.0	13.4
1991.....	9.8	12.1	7.8	8.8	10.8	6.9	15.5	19.4	12.3	18.2	23.3	14.3
1990.....	9.9	12.4	7.7	8.7	10.8	6.8	16.9	21.7	13.0	19.7	25.6	14.9
1989.....	11.3	14.3	8.7	10.1	12.7	7.8	18.2	24.3	13.4	21.3	29.1	15.4
1988.....	13.3	16.6	10.6	11.9	14.9	9.5	21.3	28.1	16.2	24.8	33.1	18.6
1987.....	13.7	17.4	10.6	12.2	15.5	9.5	23.2	30.2	17.7	26.9	35.8	20.2
1986.....	14.0	18.1	10.8	12.4	16.0	9.6	25.0	33.0	19.0	28.9	39.0	21.5
1985.....	14.0	18.3	10.7	12.4	16.1	9.4	26.3	35.1	19.8	29.9	40.5	22.3
1984.....	13.7	17.8	10.5	12.0	15.5	9.2	26.5	35.3	20.0	30.2	40.9	22.4
1983.....	13.8	18.0	10.7	11.9	15.5	9.2	28.4	37.0	22.0	32.1	42.5	24.5
1982.....	14.0	18.3	10.7	12.0	15.7	9.1	29.4	38.6	22.4	32.8	43.6	24.7
1981.....	14.1	18.8	10.6	12.0	16.0	9.0	30.7	41.2	22.9	33.8	45.8	25.2
1980.....	14.1	18.3	10.8	11.6	15.2	8.9	34.4	43.9	27.2	37.9	49.1	29.6
1979.....	13.7	17.9	10.4	11.2	14.9	8.4	33.5	43.3	26.1	36.4	47.6	28.0

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ALL OTHER DISEASES (RESIDUAL)												
1998.....	93.1	100.5	86.8	92.1	99.3	85.9	94.7	104.2	87.3	110.0	122.7	100.3
1997.....	90.9	99.4	83.9	89.8	98.0	83.1	92.6	105.4	83.5	106.7	122.6	95.5
1996.....	87.9	97.6	80.4	86.7	96.0	79.4	91.7	105.2	81.8	105.5	122.8	93.3
1995.....	86.1	97.0	78.0	84.4	94.7	76.6	93.7	110.2	82.1	106.2	126.1	92.4
1994.....	83.5	95.2	75.0	81.7	92.8	73.5	92.5	109.6	80.7	104.8	125.5	90.6
1993.....	81.6	93.9	72.8	79.5	91.2	71.1	92.6	111.0	80.1	104.3	126.5	89.5
1992.....	77.1	89.7	68.2	74.8	86.9	66.3	89.7	108.0	77.0	101.8	124.6	86.5
1991.....	77.3	90.2	68.2	75.0	87.4	66.3	91.3	108.6	78.8	103.8	125.8	88.6
1990.....	77.2	90.3	68.0	74.4	86.8	65.8	95.0	115.2	80.6	106.9	131.8	89.6
1989.....	77.4	91.1	67.7	74.3	87.3	65.2	98.0	118.1	83.4	110.5	135.5	93.1
1988.....	77.2	91.8	67.1	74.1	87.8	64.8	97.3	119.7	81.1	109.1	136.3	89.8
1987.....	75.0	89.4	64.9	71.9	85.6	62.6	95.0	116.5	79.4	106.2	132.6	87.6
1986.....	74.7	91.7	62.4	71.2	87.1	59.9	98.4	124.1	78.8	110.3	141.4	87.0
1985.....	72.0	88.2	60.7	68.8	84.1	58.3	94.0	117.1	76.6	104.8	132.6	84.2
1984.....	67.3	82.0	57.2	64.3	78.4	54.8	87.2	107.7	72.1	96.2	120.3	78.8
1983.....	64.6	79.1	54.7	61.7	75.7	52.4	84.5	104.7	69.7	92.3	115.5	75.5
1982.....	60.6	73.7	51.5	57.8	70.3	49.4	80.3	99.1	66.1	87.8	109.4	71.9
1981.....	60.5	73.9	51.2	57.5	70.3	48.8	82.0	100.9	67.9	89.5	110.6	73.7
1980.....	60.5	74.1	50.9	57.3	70.1	48.5	84.2	106.1	67.8	90.8	115.5	72.7
1979.....	56.8	70.0	47.5	54.0	66.3	45.3	78.3	99.1	62.7	83.0	104.7	66.6

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
1998.....	36.3	50.9	23.3	36.0	50.1	23.3	37.4	55.4	22.6	41.8	63.2	24.4
1997.....	36.0	50.7	23.0	35.5	49.7	22.7	38.4	56.1	23.8	42.0	62.5	25.2
1996.....	36.2	50.9	23.0	35.7	49.9	22.8	38.6	56.8	23.5	42.4	64.1	25.0
1995.....	36.0	51.5	22.4	35.4	50.1	22.1	39.8	60.1	23.3	43.5	67.0	24.7
1994.....	35.7	51.3	21.9	34.8	49.8	21.5	40.3	60.9	23.6	43.9	67.5	25.1
1993.....	35.7	51.4	21.8	34.8	49.9	21.4	40.4	61.2	23.4	44.3	68.9	24.6
1992.....	34.6	50.0	21.0	33.9	48.6	20.7	39.0	59.2	22.6	42.3	65.6	23.7
1991.....	36.0	51.9	21.8	35.1	50.3	21.6	41.0	62.6	23.2	44.8	69.9	24.6
1990.....	37.5	54.3	22.6	36.7	52.7	22.3	42.7	65.2	24.2	45.8	71.4	25.3
1989.....	39.0	56.5	23.6	37.9	54.4	23.2	46.3	71.3	25.8	50.6	79.8	27.3
1988.....	40.2	58.6	24.0	39.1	56.5	23.6	47.5	74.1	26.0	51.3	81.5	27.4
1987.....	39.6	58.0	23.4	38.7	56.1	23.1	46.1	71.5	25.3	49.3	78.0	26.2
1986.....	40.0	58.9	23.3	39.1	57.2	23.0	46.3	72.0	25.2	49.1	78.0	25.9
1985.....	39.9	58.7	23.4	39.0	57.0	23.0	46.5	72.2	25.5	49.3	78.1	26.2
1984.....	40.1	59.1	23.3	39.4	57.7	23.2	45.0	70.2	24.4	47.6	75.5	25.3
1983.....	40.4	59.5	23.4	39.5	58.0	23.0	46.9	72.5	26.1	49.5	77.3	27.2
1982.....	41.4	61.4	23.6	40.7	59.9	23.3	46.7	73.6	24.8	48.8	78.0	25.3
1981.....	44.7	66.6	25.2	44.0	65.1	25.0	50.3	79.6	26.1	52.7	84.9	26.6
1980.....	47.7	70.5	27.2	46.5	68.3	26.6	57.6	89.4	31.3	59.6	93.5	31.9
1979.....	47.9	71.2	27.0	46.8	69.1	26.6	56.0	88.7	29.0	57.2	91.6	29.0

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MOTOR VEHICLE ACCIDENTS (E810-E825)												
1998.....	16.1	22.4	10.3	16.1	22.2	10.4	16.1	23.7	9.7	17.2	26.2	9.7
1997.....	16.3	22.4	10.6	16.2	22.2	10.6	16.6	23.7	10.4	17.3	25.6	10.2
1996.....	16.5	22.8	10.6	16.5	22.7	10.7	16.3	23.9	9.9	17.0	25.9	9.6
1995.....	16.5	23.1	10.4	16.5	22.9	10.6	16.5	24.9	9.5	16.9	26.4	9.1
1994.....	16.3	22.9	10.3	16.3	22.8	10.3	16.5	24.4	9.9	17.0	25.8	9.8
1993.....	16.2	23.0	9.9	16.2	22.9	10.0	16.3	24.6	9.3	16.8	26.7	8.7
1992.....	15.9	22.7	9.8	16.0	22.5	9.9	16.2	24.4	9.2	16.6	26.1	8.9
1991.....	17.0	24.4	10.3	17.2	24.3	10.5	16.7	25.6	9.2	17.2	27.2	8.9
1990.....	18.5	26.5	11.0	18.5	26.3	11.2	18.5	28.4	10.1	18.8	29.9	9.6
1989.....	18.8	26.9	11.4	19.0	26.7	11.7	18.6	28.9	9.8	19.2	31.1	9.5
1988.....	19.5	28.2	11.5	19.7	28.1	11.7	19.0	29.8	9.9	19.4	31.6	9.5
1987.....	19.2	27.9	11.2	19.5	28.0	11.5	18.2	28.5	9.5	18.4	29.7	9.0
1986.....	19.1	28.1	10.7	19.3	28.1	11.0	18.6	29.7	9.3	18.7	30.9	8.7
1985.....	18.6	27.2	10.7	18.8	27.2	10.9	17.8	28.1	9.0	17.8	29.0	8.5
1984.....	18.8	27.8	10.6	19.2	28.0	11.0	17.2	27.8	8.3	17.4	28.9	8.0
1983.....	18.2	27.1	10.1	18.5	27.3	10.4	17.0	27.2	8.4	16.9	27.7	7.9
1982.....	18.9	28.3	10.2	19.2	28.6	10.5	17.3	27.9	8.4	17.1	28.5	7.7
1981.....	21.3	32.2	11.2	21.8	32.6	11.7	19.1	31.3	8.8	18.8	32.1	7.9
1980.....	22.3	33.6	11.8	22.6	33.8	12.2	20.8	34.1	9.6	20.2	34.2	8.5
1979.....	22.6	34.3	11.8	22.9	34.4	12.2	21.3	35.1	9.8	20.8	35.1	8.9

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)												
1998.....	20.2	28.5	13.0	19.9	27.9	12.8	21.3	31.6	12.9	24.6	37.0	14.8
1997.....	19.8	28.3	12.4	19.3	27.5	12.1	21.9	32.3	13.4	24.7	36.8	15.0
1996.....	19.7	28.1	12.4	19.2	27.3	12.1	22.3	32.9	13.6	25.4	38.2	15.3
1995.....	19.5	28.3	12.0	18.8	27.2	11.5	23.2	35.2	13.7	26.6	40.6	15.6
1994.....	19.3	28.4	11.7	18.5	27.0	11.2	23.8	36.5	13.7	26.9	41.7	15.3
1993.....	19.5	28.4	11.8	18.6	27.0	11.3	24.1	36.6	14.1	27.5	42.3	15.8
1992.....	18.7	27.3	11.2	17.9	26.1	10.8	22.8	34.7	13.3	25.7	39.5	14.8
1991.....	18.9	27.5	11.6	18.0	26.0	11.0	24.2	37.0	14.0	27.7	42.7	15.8
1990.....	19.0	27.8	11.5	18.2	26.4	11.0	24.2	36.8	14.1	27.0	41.5	15.7
1989.....	20.2	29.6	12.1	19.0	27.7	11.5	27.7	42.3	15.9	31.4	48.7	17.8
1988.....	20.7	30.5	12.5	19.5	28.4	11.9	28.6	44.3	16.1	31.9	49.9	17.9
1987.....	20.4	30.0	12.2	19.2	28.1	11.6	27.9	43.0	15.8	30.9	48.3	17.3
1986.....	20.9	30.8	12.6	19.8	29.1	11.9	27.6	42.3	15.9	30.4	47.1	17.2
1985.....	21.3	31.6	12.7	20.2	29.8	12.1	28.7	44.1	16.5	31.5	49.1	17.6
1984.....	21.2	31.4	12.7	20.3	29.8	12.2	27.8	42.3	16.0	30.3	46.6	17.3
1983.....	22.1	32.4	13.3	21.0	30.7	12.6	30.0	45.3	17.7	32.6	49.5	19.3
1982.....	22.5	33.1	13.4	21.4	31.3	12.9	29.5	45.7	16.4	31.8	49.5	17.7
1981.....	23.4	34.4	14.0	22.2	32.5	13.4	31.2	48.3	17.3	33.8	52.8	18.7
1980.....	25.4	36.9	15.4	23.8	34.5	14.5	36.8	55.2	21.7	39.4	59.3	23.4
1979.....	25.3	37.0	15.1	23.9	34.7	14.4	34.7	53.6	19.2	36.4	56.5	20.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK	
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	FEMALE
SUICIDE (E950-E959)														
1998.....	11.3	19.2	4.3	12.2	20.6	4.7	6.3	11.0	2.3	5.8	10.6	1.8		
1997.....	11.4	19.4	4.4	12.3	20.6	4.8	6.7	11.7	2.4	6.3	11.4	2.0		
1996.....	11.7	20.0	4.3	12.5	21.3	4.7	6.8	11.7	2.6	6.6	11.9	2.0		
1995.....	12.0	20.6	4.4	12.8	21.9	4.7	7.1	12.3	2.6	6.9	12.5	2.1		
1994.....	12.1	20.7	4.5	12.8	21.9	4.8	7.3	12.8	2.6	7.0	12.9	2.1		
1993.....	12.2	20.9	4.6	13.0	22.1	5.0	7.3	12.6	2.7	7.1	13.0	2.2		
1992.....	12.1	20.6	4.7	12.9	21.9	5.0	7.0	12.1	2.6	6.9	12.6	2.1		
1991.....	12.3	21.2	4.7	13.2	22.5	5.1	7.1	12.6	2.4	7.0	13.0	2.0		
1990.....	12.5	21.5	4.8	13.4	22.8	5.2	7.2	12.5	2.7	7.1	12.8	2.4		
1989.....	12.3	21.0	4.9	13.1	22.3	5.2	7.2	12.4	2.8	7.2	13.0	2.5		
1988.....	12.5	21.2	5.1	13.3	22.5	5.5	6.9	11.9	2.7	6.9	12.2	2.5		
1987.....	12.8	21.7	5.3	13.7	23.0	5.7	7.1	12.7	2.6	6.9	12.8	2.1		
1986.....	13.0	21.9	5.5	13.9	23.2	6.0	7.0	12.1	2.8	6.8	12.2	2.4		
1985.....	12.5	21.1	5.2	13.4	22.4	5.7	6.8	11.7	2.7	6.6	11.8	2.3		
1984.....	12.6	20.9	5.6	13.5	22.1	6.0	6.8	11.6	2.8	6.6	11.7	2.3		
1983.....	12.4	20.4	5.5	13.2	21.6	6.0	6.5	11.2	2.7	6.2	11.1	2.2		
1982.....	12.5	20.4	5.8	13.3	21.6	6.2	6.5	11.1	2.7	6.3	11.2	2.3		
1981.....	12.3	19.8	6.0	13.1	20.9	6.4	6.9	11.5	3.1	6.5	11.4	2.5		
1980.....	12.2	19.9	5.7	13.0	20.9	6.1	6.8	11.6	2.8	6.5	11.4	2.4		
1979.....	12.6	19.9	6.3	13.2	20.7	6.7	7.7	13.0	3.3	7.3	12.7	2.9		

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
1998.....	6.7	10.3	3.1	4.1	6.0	2.2	17.9	30.1	6.6	22.9	39.1	8.2
1997.....	7.3	11.4	3.2	4.4	6.6	2.3	20.1	33.9	7.3	25.5	43.7	8.9
1996.....	7.8	12.1	3.5	4.7	6.8	2.5	21.8	36.9	7.8	27.8	47.7	9.8
1995.....	8.6	13.3	3.8	5.2	7.6	2.7	24.1	40.9	8.7	30.5	52.3	10.6
1994.....	9.4	14.9	3.9	5.5	8.3	2.6	27.3	46.6	9.5	34.6	59.8	11.7
1993.....	9.8	15.4	4.2	5.6	8.3	2.9	29.4	50.1	10.4	37.2	64.2	12.7
1992.....	9.6	15.3	4.0	5.7	8.7	2.7	28.4	48.5	10.0	35.9	62.3	12.2
1991.....	10.1	15.9	4.3	5.9	8.9	2.9	30.7	52.1	11.1	38.5	66.6	13.3
1990.....	9.5	15.1	4.0	5.6	8.5	2.7	29.2	50.1	10.4	36.6	63.8	12.6
1989.....	8.8	13.8	4.0	5.3	7.8	2.7	27.3	46.3	10.3	33.8	58.3	12.3
1988.....	8.5	13.1	4.0	5.2	7.6	2.8	26.4	44.5	10.4	32.6	55.7	12.4
1987.....	8.3	12.6	4.0	5.2	7.6	2.9	25.1	42.1	10.1	30.7	52.3	12.1
1986.....	8.6	13.4	4.0	5.5	8.2	2.9	26.0	44.4	9.9	31.4	54.5	11.6
1985.....	8.0	12.4	3.8	5.3	7.9	2.9	23.6	40.1	9.1	28.3	48.9	10.7
1984.....	8.1	12.6	3.8	5.4	8.1	2.8	24.3	41.7	9.4	29.0	50.5	10.8
1983.....	8.4	13.2	3.8	5.5	8.3	2.8	25.8	44.5	9.6	30.5	53.3	11.0
1982.....	9.4	14.9	4.1	6.2	9.4	3.1	29.3	51.2	10.3	34.6	61.2	11.8
1981.....	10.1	16.2	4.2	6.5	10.1	3.1	32.4	57.3	11.0	38.0	68.1	12.5
1980.....	10.5	16.9	4.4	6.8	10.7	3.2	34.0	59.9	11.8	39.4	70.3	13.2
1979.....	9.9	15.9	4.2	6.3	9.7	2.9	34.1	59.8	12.2	38.9	68.8	13.6

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ALL OTHER EXTERNAL CAUSES (E980-E999)												
1998.....	1.4	2.0	0.8	1.3	1.8	0.8	1.7	2.8	0.7	2.1	3.5	0.9
1997.....	1.4	2.0	0.7	1.3	1.8	0.7	1.8	2.9	0.8	2.2	3.6	1.0
1996.....	1.3	1.9	0.7	1.2	1.8	0.7	1.7	2.8	0.8	2.2	3.6	0.9
1995.....	1.2	1.9	0.6	1.1	1.7	0.6	1.9	3.1	0.8	2.3	3.8	0.9
1994.....	1.3	2.0	0.7	1.2	1.8	0.7	1.9	3.2	0.8	2.3	3.9	0.9
1993.....	1.3	2.0	0.7	1.2	1.8	0.6	2.0	3.3	0.9	2.4	4.0	1.1
1992.....	1.1	1.6	0.6	1.0	1.5	0.6	1.6	2.6	0.7	1.9	3.3	0.8
1991.....	1.0	1.4	0.6	0.9	1.3	0.5	1.4	2.1	0.8	1.6	2.5	0.9
1990.....	0.9	1.4	0.5	0.9	1.3	0.5	1.4	2.2	0.7	1.6	2.5	0.8
1989.....	1.1	1.6	0.6	0.9	1.4	0.5	1.9	3.0	0.9	2.3	3.7	1.1
1988.....	1.2	1.8	0.7	1.1	1.6	0.6	2.0	3.3	0.9	2.4	4.0	1.0
1987.....	1.2	1.8	0.7	1.0	1.5	0.6	2.3	3.8	1.0	2.6	4.5	1.1
1986.....	1.3	2.0	0.7	1.1	1.7	0.6	2.3	3.7	1.1	2.5	4.2	1.2
1985.....	1.2	1.8	0.6	1.1	1.6	0.6	2.0	3.2	1.0	2.2	3.6	1.2
1984.....	1.3	1.9	0.7	1.1	1.7	0.7	2.3	3.6	1.2	2.5	4.1	1.2
1983.....	1.3	2.0	0.8	1.2	1.7	0.7	2.5	3.8	1.3	2.7	4.2	1.5
1982.....	1.4	2.1	0.8	1.2	1.7	0.7	2.6	4.3	1.2	2.8	4.7	1.3
1981.....	1.6	2.4	1.0	1.4	2.0	0.8	3.0	4.8	1.6	3.3	5.3	1.7
1980.....	1.7	2.4	0.9	1.4	2.1	0.9	3.0	5.1	1.4	3.3	5.6	1.5
1979.....	1.8	2.5	1.1	1.5	2.1	0.9	3.4	5.2	1.8	3.6	5.6	1.9

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
HUMAN IMMUNODEFICIENCY VIRUS INFECTION (*042-*044) 1/												
1998.....	4.9	7.7	2.3	2.7	4.6	0.8	16.2	24.7	8.9	22.1	34.0	12.2
1997.....	6.1	9.7	2.7	3.5	6.0	1.0	19.6	30.5	10.2	26.6	41.7	13.9
1996.....	11.7	19.2	4.3	7.6	13.2	1.9	32.7	52.7	15.5	44.2	71.5	21.1
1995.....	16.3	27.7	5.3	11.6	20.7	2.5	41.1	67.4	18.4	54.9	90.4	24.7
1994.....	16.2	27.8	4.9	11.8	21.2	2.3	39.3	65.2	16.9	52.3	87.2	22.6
1993.....	14.5	25.4	3.9	10.9	20.0	1.9	33.1	55.8	13.4	43.8	74.5	17.8
1992.....	13.2	23.5	3.2	10.3	19.0	1.6	28.7	49.0	11.1	38.1	65.5	14.8
1991.....	11.8	21.1	2.7	9.4	17.5	1.4	24.6	42.4	9.2	32.3	56.1	12.2
1990.....	10.2	18.5	2.2	8.3	15.7	1.1	20.5	35.2	7.7	26.7	46.3	10.1
1989.....	9.0	16.5	1.8	7.3	13.8	0.9	18.4	32.2	6.3	23.8	42.1	8.2
1988.....	6.9	12.6	1.4	5.5	10.4	0.7	14.3	25.3	4.8	18.4	32.8	6.2
1987.....	5.6	10.4	1.1	4.6	8.7	0.6	11.4	20.4	3.6	14.6	26.2	4.6
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.

POPULATION: UNITED STATES, 1979-98

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --			-- BLACK --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ALZHEIMERS DISEASE (331.0) 2/												
1998.....	8.6	7.6	9.1	8.9	7.9	9.4	5.2	4.3	5.6	6.0	5.0	6.4
1997.....	8.8	7.8	9.2	9.2	8.1	9.6	5.1	5.1	5.1	5.8	5.9	5.7
1996.....	8.5	8.0	8.8	8.9	8.3	9.2	4.9	4.6	5.0	5.6	5.2	5.7
1995.....	8.4	8.2	8.5	8.8	8.6	8.8	5.2	5.1	5.2	5.8	5.7	5.7
1994.....	7.8	7.7	7.7	8.1	8.0	8.1	4.6	4.6	4.5	5.0	5.1	4.9
1993.....	7.2	7.2	7.1	7.5	7.4	7.4	4.2	4.5	4.0	4.6	4.9	4.4
1992.....	6.3	6.4	6.3	6.6	6.7	6.5	3.7	3.9	3.6	4.2	4.4	4.0
1991.....	6.3	6.5	6.2	6.6	6.8	6.5	3.4	3.7	3.2	3.8	4.3	3.5
1990.....	6.4	6.6	6.2	6.6	6.8	6.5	3.6	4.2	3.2	3.9	4.6	3.5
1989.....	6.1	6.5	5.9	6.4	6.9	6.1	3.3	3.6	3.1	3.6	4.2	3.3
1988.....	5.8	6.3	5.5	6.2	6.7	5.8	2.8	2.9	2.7	3.0	3.2	2.8
1987.....	5.5	6.1	5.1	5.7	6.4	5.3	2.6	2.9	2.4	2.8	3.1	2.6
1986.....	4.6	5.2	4.3	4.9	5.5	4.5	2.0	2.0	2.0	2.1	2.0	2.1
1985.....	4.1	4.7	3.7	4.3	5.1	3.9	1.8	1.7	1.7	1.9	1.8	1.9
1984.....	3.1	3.8	2.7	3.3	4.0	2.9	1.2	1.2	1.1	1.2	1.3	1.2
1983.....	2.2	2.7	1.9	2.3	2.8	2.1	1.0	1.2	0.8	1.0	1.2	0.8
1982.....	1.3	1.5	1.2	1.4	1.6	1.2	0.5	0.6	0.5	0.6	0.6	0.5
1981.....	0.9	1.1	0.8	0.9	1.1	0.8	0.4	0.4	0.3	0.4	0.4	0.3
1980.....	0.4	0.4	0.3	0.4	0.5	0.3	0.2	0.2	0.1	0.2	0.3	0.1
1979.....	0.2	0.3	0.2	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ INCLUDED IN "ALL OTHER INFECTIOUS AND PARASITIC DISEASES" CATEGORY SHOWN ABOVE.

2/ INCLUDED IN "ALL OTHER DISEASES (RESIDUAL)" CATEGORY SHOWN ABOVE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 79-98S created on 00/03/02.