

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
All codes	166,342	72,483	93,858	10,990	40,486	43,335	71,530	38,454	33,585	64,474	29,828
001-139	7,246	3,468	3,778	450	1,130	1,895	3,771	1,772	1,452	2,619	1,403
003	*35	*	*	*	*	*	*	*	*	*	*
003.0	*30	*	*	*	*	*	*	*	*	*	*
008	826	320	506	128	73	127	498	245	179	273	129
008.4	572	194	378	*27	*40	88	418	185	129	173	84
008.45	556	184	372	*25	*32	85	414	178	128	169	83
008.6	73	45	28	65	*	*	*	*	*	47	*11
008.61	64	36	28	56	*	*	*	*	*	38	*11
008.8	168	72	96	32	29	35	72	51	37	46	33
009	55	*20	35	*	*15	*18	*	*	*14	*18	*12
009.0	32	*	*20	*	*	*	*	*	*	*	*
009.1	*12	*	*	*	*	*	*	*	*	*	*
011	*49	*34	*	*	*	*	*	*	*	*36	*
011.9	*40	*29	*	*	*	*	*	*	*	*29	*
034	21	*	*11	*	*	*	*	*	*	*	*
034.0	20	*	*11	*	*	*	*	*	*	*	*
038	4,589	2,213	2,375	*83	366	1,241	2,899	1,091	984	1,629	885
038.0	285	142	143	*	*	*76	167	*63	73	106	*42
038.1	787	457	330	*	*62	236	482	185	155	285	161
038.10	108	*58	*50	*	*	*	86	*	*	*	*
038.11	507	321	186	*	*	151	298	141	112	152	102
038.19	172	*78	*94	*	*	*	*98	*	*	*88	*
038.2	163	106	*	*	*	*	*	*	*	*	*
038.4	968	395	573	*	*69	227	640	259	168	341	199
038.40	*73	*	*	-	*	*	*58	*	*	*	*
038.42	457	163	294	*	*	89	309	99	94	167	97
038.43	125	*	*	*	*	*	*84	*	*	*	*
038.49	293	125	168	*	*	*87	180	108	*40	98	*
038.8	103	*36	*67	*	*	*	*76	*	*	*	*
038.9	2,225	1,053	1,172	*	146	607	1,445	501	506	774	445
041	*32	*	*	*	*	*	*	*	*	*	*
042	481	315	167	*	297	179	*	146	*51	230	*53
047	125	58	67	37	50	*34	*	*22	*23	36	45
047.9	105	44	62	*24	45	*32	*	*19	*23	*30	*34
053	144	*30	114	*	*	*23	83	*	*46	*69	*
053.1	*40	*	*	*	*	*	*38	*	*	*	*
053.9	76	*	*58	*	*	*	*36	*	*28	*	*
054	*30	*	*	*	*	*	*	*	*	*	*
070	112	50	62	*	*30	57	*	*39	*	40	*19
070.5	*36	*	*	-	*	*	*	*	*	*	*
070.54	*13	*	*	-	*	*	*	*	*	*	*
070.7	*22	*	*	-	*	*	*	*	*	*	*
070.70	*18	*	*	-	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
075	30	*	*20	*	*16	*	*	*	*	*	*
079	145	79	66	78	*16	*19	*32	38	*13	53	41
079.9	135	74	60	68	*16	*18	*32	34	*	51	39
079.99	135	74	60	68	*16	*18	*32	34	*	51	39
112	136	*60	76	*	*	*	70	*34	*	*52	*
112.0	*20	*	*14	*	*	*	*	*	*	*	*
112.2	*26	*	*	*	*	*	*	*	*	*	*
112.8	*35	*	*	*	*	*	*	*	*	*	*
112.84	*33	*	*	*	*	*	*	*	*	*	*
135	*51	*	*41	*	*	*33	*	*	*	*	*
140-239	9,541	4,487	5,054	218	1,014	3,437	4,873	2,125	1,802	3,900	1,715
141	56	*	*	-	*	*31	*	*	*	*	*
150	*73	*47	*	-	*	*	*52	*	*	*	*
151	194	149	*45	-	*	*50	134	*	*	*	*55
151.0	*62	*59	*	-	*	*	*	*	*	*	*
153	814	335	479	*	*	198	588	165	167	327	154
153.1	*55	*	*	-	*	*	*46	*	*	*	*
153.2	*53	*	*	-	*	*	*	*	*	*	*
153.3	184	85	*99	-	*	*51	122	*	*40	*72	*
153.4	182	*71	111	-	*	*43	138	*	*35	*60	*49
153.6	153	*66	87	*	*	*	125	*41	*	*50	*
153.9	64	*15	*49	-	*	*	*41	*	*	*30	*
154	366	206	161	-	*	113	227	104	87	127	*48
154.0	114	*63	*51	-	*	*	*74	*39	*	*35	*
154.1	222	126	96	-	*	73	140	*	64	78	*
155	136	83	*53	*	*	79	*38	*	*	*40	*46
155.0	101	79	*	*	*	*64	*29	*	*	*	*34
156	*56	*	*	-	*	*	*42	*	*	*	*
157	245	116	128	*	*	*80	155	*50	*76	88	*
157.0	145	*68	*77	*	*	*	96	*	*	*45	*
157.9	*47	*	*	-	*	*	*27	*	*	*	*
158	*47	*	*31	*	*	*	*	*	*	*	*
161	*59	*49	*	-	*	*	*	*	*	*	*
162	1,106	579	527	*	*	342	746	270	238	459	140
162.2	95	*64	*	-	*	*	*52	*	*	*46	*
162.3	421	212	209	-	*	86	323	91	91	179	*60
162.5	167	78	89	-	*	*41	125	*	*	*62	*
162.8	121	*54	*67	*	*	*57	*59	*60	*	*	*
162.9	254	132	122	-	*	84	169	*40	62	119	*34
171	55	*	*29	*	*	*	*	*	*	*	*
174	172	-	172	-	23	75	74	27	37	74	34
174.4	*18	-	*18	-	*	*	*	*	*	*	*
174.8	54	-	54	-	*	*19	28	*15	*	*17	*16

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
174.9	83	-	83	-	*	43	*30	*	*23	40	*
180	90	-	90	-	*	*62	*	*	*	*	*19
180.9	*28	-	*28	-	*	*	*	*	*	*	*
182	136	-	136	-	*	59	71	*33	38	43	*23
182.0	134	-	134	-	*	58	70	*32	38	42	*22
183	154	-	154	*	*	72	68	*56	*	*42	*34
183.0	151	-	151	*	*	71	66	*55	*	*41	*34
185	250	250	-	-	*	136	113	55	66	79	51
188	273	232	*41	-	*	78	192	*55	59	93	66
188.8	88	76	*	-	*	*	61	*	*	*	*35
188.9	115	103	*	-	*	*	*79	*	*	*67	*
189	242	150	92	*	*	120	101	*52	*36	106	48
189.0	214	126	87	*	*	107	88	*49	*32	94	*39
191	180	92	89	*	*34	*60	57	*55	*33	*53	*39
191.1	*24	*	*	*	*	*	*	*	*	*	*
191.9	*56	*36	*	*	*	*	*	*	*	*	*
193	37	*11	26	*	*10	*18	*	*	*	*16	*
196	63	*46	*	*	*	*	*	*	*	*	*
197	735	289	446	*	*70	239	426	208	128	262	138
197.0	81	*23	58	*	*	*24	*37	*	*20	*22	*
197.2	210	*61	149	*	*	*50	139	*64	*31	77	*38
197.6	131	*49	81	*	*	*55	*63	*	*	*57	*
197.7	201	108	93	-	*	81	106	*49	49	64	*39
198	504	240	264	*	*	183	291	127	111	162	103
198.3	215	110	106	*	*	74	128	*46	55	66	*49
198.5	195	81	114	*	*	74	112	*58	*38	*56	*44
198.8	66	*38	*27	*	*	*	*42	*	*	*28	*
198.89	63	*38	*	*	*	*	*41	*	*	*28	*
199	207	80	126	*	*	77	113	*	*23	111	*49
199.0	186	*68	118	*	*	75	95	*	*	104	*48
199.1	*21	*	*	-	*	*	*18	*	*	*	*
200	*70	*	*	*	*	*	*	*	*	*	*
200.0	*61	*	*	*	*	*	*	*	*	*	*
201	*43	*	*	*	*	*	*	*	*	*	*
202	314	226	89	*	*	104	177	*45	*65	177	*28
202.8	271	192	79	*	*	*84	156	*32	*59	154	*
202.80	150	104	*45	-	*	*	93	*	*	*93	*
203	274	139	135	-	*	112	158	*	*	203	*
203.0	259	131	129	-	*	100	157	*	*	196	*
203.00	256	128	128	-	*	*97	157	*	*	196	*
204	195	111	*83	*67	*	*	*26	*61	*	*72	*
204.0	148	*88	*60	*67	*	*	*	*	*	*	*
204.00	135	*82	*54	*57	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
204.1	*46	*	*	-	*	*	*	*	*	*	*
204.10	*45	*	*	-	-	*	*	*	*	*	*
205	318	171	147	*	*	114	153	*	*	181	*
205.0	273	153	120	*	*	106	133	*	*	150	*
205.00	256	142	114	*	*	100	133	*	*	147	*
210	*13	*	*	*	*	*	*	*	*	*	*
210.2	*7	*	*	-	*	*	*	*	*	*	*
211	254	130	124	*	*	90	140	65	*47	97	*46
211.3	173	94	80	*	*	54	107	*45	*28	65	*36
213	*16	*	*	*	*	*	*	*	*	*	*
218	509	-	509	-	248	255	*	95	105	214	95
218.0	67	-	67	-	31	35	*	*23	*11	*18	*15
218.1	140	-	140	-	68	70	*	31	26	62	21
218.2	52	-	52	-	30	*21	*	*	*15	*20	*
218.9	250	-	250	-	119	129	*	32	54	113	51
220	106	-	106	*	26	44	*33	*19	*21	44	*23
225	181	*51	130	*	*	89	*62	*54	*	71	*40
225.2	154	*44	111	*	*	77	*55	*46	*	*61	*36
226	*15	*	*12	-	*	*	*	*	*	*	*
227	73	*	58	-	*	*	*35	*	*	*36	*
227.3	*51	*	*41	-	*	*	*	*	*	*	*
228	*24	*	*	*	*	*	*	*	*	*	*
233	48	*	40	-	*20	*21	*	*	*	*21	*8
233.0	*13	*	*13	-	*	*	*	*	*	*	*
233.1	24	-	24	-	*14	*	*	*	*	*	*
235	63	*40	*	*	*	*	*37	*	*	*	*
235.2	*29	*	*	-	*	*	*	*	*	*	*
237	*35	*	*	*	*	*	*	*	*	*	*
238	220	181	*40	*	*	*	99	*	*46	147	*
238.7	207	175	*32	*	*	*	94	*	*44	143	*
239	38	*17	*21	*	*	*	*	*	*	*	*
240-279	6,518	2,794	3,725	498	1,232	1,883	2,905	1,638	1,290	2,606	984
241	24	*	22	*	*	*11	*	*	*	*13	*
241.0	*10	*	*9	*	*	*	*	*	*	*	*
241.1	14	*	*12	-	*	*6	*	*	*	*8	*
242	44	*	30	-	*18	*16	*	*	*	*	*
242.0	*14	*	*11	-	*	*	*	*	*	*	*
242.00	*11	*	*	-	*	*	*	*	*	*	*
242.9	*23	*	*	-	*	*	*	*	*	*	*
242.90	*18	*	*	-	*	*	*	*	*	*	*
244	50	*	39	*	*	*18	*22	*	*	*22	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
244.9	47	*	38	*	*	*16	*22	*	*	*21	*
250	2,742	1,384	1,358	62	651	1,032	998	684	423	1,245	390
250.0	464	165	299	*22	69	182	191	132	81	197	55
250.00	231	87	144	*	31	76	118	50	41	109	31
250.01	35	*18	*17	*	*	*	*	*	*	*	*
250.02	168	57	111	*	26	86	55	69	31	55	*
250.03	*31	*	*27	*	*	*	*	*	*	*	*
250.1	476	222	254	34	276	115	*51	98	64	214	100
250.10	98	51	*48	*	39	*34	*	*	*	46	*22
250.11	127	60	67	*20	79	*22	*	*23	23	54	28
250.12	95	41	54	*	53	*26	*	*	*	44	*22
250.13	155	71	84	*	105	*33	*	*38	*19	71	*28
250.2	61	*31	*30	*	*	*	*	*	*	*28	*
250.20	*26	*	*	-	*	*	*	*	*	*	*
250.22	*32	*	*	-	*	*	*	*	*	*	*
250.3	*99	*	*	*	*	*	*	*	*	*	*
250.4	193	112	81	-	*33	94	66	*	*	113	*33
250.40	111	64	46	-	*	58	*47	*	*	69	*
250.42	*47	*	*	-	*	*	*	*	*	*	*
250.6	305	131	174	-	85	126	94	81	57	126	40
250.60	174	82	92	-	*25	78	71	*44	*39	68	*23
250.61	*34	*	*29	-	*25	*	*	*	*	*	*
250.62	72	*33	*40	-	*	*36	*	*	*	*30	*
250.7	367	224	143	-	*	167	161	*85	*51	191	*41
250.70	265	147	118	-	*	112	138	*51	*	146	*
250.72	*59	*	*	-	*	*	*	*	*	*	*
250.8	739	417	322	*	91	279	365	202	105	334	97
250.80	528	288	241	-	49	184	296	150	70	225	83
250.81	58	*29	*29	*	*	*28	*	*	*	*	*
250.82	126	81	*45	*	*	*66	*47	*	*24	*67	*
250.9	*36	*	*	*	*	*	*	*	*	*	*
251	48	*	*30	*	*	*	*23	*	*	*	*
251.2	*28	*	*18	*	*	*	*	*	*	*	*
252	*28	*	*16	*	*	*	*	*	*	*	*
252.0	*22	*	*	*	*	*	*	*	*	*	*
253	92	*30	61	*	*	*	78	*32	*	*	*
253.6	84	*28	*56	-	*	*	77	*	*	*	*
255	*41	*	*21	*	*	*	*	*	*	*	*
255.4	*20	*	*	*	*	*	*	*	*	*	*
263	61	*	*34	*	*	*	*31	*	*	*	*
263.9	49	*	*28	*	*	*	*26	*	*	*	*
270	*42	*	*	*	*	*	*	*	*	*	*
272	99	60	39	*	*14	42	28	40	*14	31	*15
272.0	22	*12	*10	*	*	*11	*	*	*	*	*
272.4	54	30	24	-	*	28	*19	*12	*10	*24	*
274	75	44	*31	-	*	*25	46	*	*	*27	*
274.0	58	*35	*	-	*	*	*36	*	*	*	*
274.9	*16	*	*	-	*	*	*	*	*	*	*
275	78	*40	38	*	*	*	*44	*	*	*35	*
275.4	59	*32	*28	*	*	*	*36	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
275.42	*44	*	*	-	*	*	*	*	*	*	*
276	2,520	903	1,618	292	231	452	1,545	525	663	933	400
276.0	73	*36	*37	*	*	*	64	*	*	*24	*
276.1	453	151	302	*	31	104	303	118	120	124	90
276.2	*29	*	*19	*	*	*	*	*	*	*	*
276.5	1,663	593	1,070	267	145	254	996	306	458	659	240
276.50	60	*17	43	*	*	*	*38	*	*	49	*
276.51	1,577	563	1,013	265	132	237	943	297	451	598	231
276.52	*26	*	*	*	*	*	*	*	*	*	*
276.6	37	*14	*24	*	*	*15	*	*	*	*26	*
276.7	128	55	74	*	*	*32	82	*37	*23	39	*29
276.8	117	34	83	*	23	32	61	*34	*28	44	*12
277	179	116	*63	*	91	*	*	*69	*	70	*
277.0	105	*61	*	*	*66	*	*	*59	*	*	*
277.02	*82	*	*	*	*53	*	*	*50	*	*	*
277.1	20	18	*	-	19	*	*	*	*	19	*
278	303	50	253	*	144	153	*	111	53	88	51
278.0	289	49	240	*	136	147	*	106	49	84	50
278.00	*16	*	*	*	*	*	*	*	*	*	*
278.01	273	42	231	-	130	140	*	102	47	76	48
278.1	*13	*	*13	-	*	*	*	*	*	*	*
280-289	1,933	884	1,049	227	455	444	807	500	387	754	293
280	330	107	223	*	30	66	231	82	78	134	36
280.0	136	56	80	*	*14	*26	96	*30	33	59	*
280.9	187	48	139	*	*16	38	130	51	43	72	*22
282	316	155	161	47	241	*28	*	99	*26	178	*
282.4	*35	*20	*	*	*26	*	*	*	*	*	*
282.42	*29	*	*	*	*25	*	-	*	*	*	*
282.6	279	134	145	38	213	*27	*	79	*24	165	*
282.62	247	117	130	*30	192	*25	-	67	*	147	*
283	*40	*	*	*	*	*	*	*	*	*	*
284	165	100	64	*	*	82	55	*35	*26	*62	*41
284.8	159	98	61	*	*	80	53	*34	*26	*59	*39
285	403	174	229	*	43	74	279	97	102	146	59
285.1	43	*	*25	*	*	*	*33	*	*	*	*
285.2	106	46	60	*	*	*17	70	*30	*19	40	*
285.21	*42	*	*	-	*	*	*31	*	*	*	*
285.22	30	*13	*	*	*	*	*14	*	*	*	*
285.29	*34	*	*	*	*	*	*26	*	*	*	*
285.9	242	104	138	*	*20	47	168	53	63	90	35
286	67	*33	*34	*	*	*	*28	*	*	*	*
286.9	*27	*	*	*	*	*	*	*	*	*	*
287	177	123	54	*40	*28	*28	81	*49	*32	49	*46
287.3	71	*49	*22	*	*	*	*40	*	*	*22	*
287.31	64	*44	*21	*	*	*	*37	*	*	*21	*
287.5	47	*25	*22	*	*	*	*25	*	*	*	*
288	332	133	199	68	*60	107	98	89	81	102	60
288.0	274	101	173	49	*53	92	80	82	73	78	*41

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
288.8	52	*28	*	*	*	*	*	*	*	*23	*
289	89	*36	53	*24	*	*	*	*	*	45	*
289.3	*17	*	*	*	*	*	*	*	*	*	*
289.8	*31	*	*26	*	*	*	*	*	*	*	*
290-319	16,978	8,467	8,511	1,288	8,761	5,111	1,819	5,553	2,891	7,208	1,325
290	158	*46	111	-	*	*	136	*	*35	*	*
290.4	89	*	*57	-	-	*	81	*	*	*	*
290.40	*23	*	*	-	-	*	*20	*	*	*	*
291	699	504	195	-	303	358	*38	209	257	118	115
291.0	130	110	*	-	*56	66	*	*	*28	*34	*43
291.8	546	374	172	-	245	273	*28	180	224	79	63
291.81	530	362	168	-	237	265	*28	174	216	78	62
292	412	232	180	*	272	92	*47	164	132	74	42
292.0	286	158	127	*	210	65	*	101	112	51	*
292.8	99	60	40	*	48	*	*29	55	*	*	*
292.81	41	*	*23	*	*	*	*29	*	*	*	*
292.84	56	*41	*	*	*43	*	*	*44	*	*	*
293	*70	*48	*	-	*	*	*44	*	*	*	*
293.0	*46	*	*	-	*	*	*	*	*	*	*
294	264	99	165	-	*	*	234	109	53	60	*42
294.8	250	88	162	-	*	*	233	107	53	59	*31
295	3,910	2,085	1,825	*	2,074	1,621	203	1,502	517	1,606	284
295.3	1,432	901	532	*	794	564	*72	550	140	646	*97
295.30	658	417	241	*	386	242	*	186	*65	342	*
295.32	223	112	111	*	*92	127	*	126	*	*61	*
295.34	538	364	174	-	306	193	*	229	*	243	*
295.6	91	*60	*	-	*	*	*	*	*	*	*
295.7	1,853	865	988	*	937	815	*92	720	299	734	99
295.70	1,336	635	701	*	653	613	*61	427	206	660	*43
295.74	414	183	231	-	214	178	*	265	*	*59	*
295.9	404	184	220	*	210	163	*	168	*40	121	*76
295.90	203	114	89	*	119	*53	*	*55	*37	102	*
295.94	102	*	*	-	*	*	*	*87	*	*	-
296	6,960	2,797	4,163	669	3,694	1,900	698	1,962	1,281	3,315	403
296.2	1,183	487	696	126	613	280	164	226	225	682	49
296.20	625	293	333	63	336	157	*68	111	121	362	*31
296.22	77	*23	54	*	50	*	*	*	*	61	*
296.23	212	83	130	*	120	54	*	*56	62	85	*
296.24	254	84	170	*	100	*52	*67	*	*	174	*
296.3	1,884	682	1,201	*	837	692	289	579	360	807	139
296.30	390	134	256	*	167	160	*56	104	104	171	*
296.32	139	59	80	*	70	*30	*	*	*23	61	*30
296.33	874	336	539	*	393	317	135	266	148	370	91
296.34	453	137	316	*	192	175	*81	156	78	199	*
296.4	616	274	341	*	288	243	*66	199	111	251	*55
296.40	249	136	114	*	98	118	*	*53	*40	144	*
296.43	*46	*	*	*	*	*	*	*	*	*	*
296.44	304	107	197	-	154	112	*	120	*51	98	*
296.5	791	285	506	*	461	216	*89	245	214	272	*60
296.50	431	145	286	*	264	131	*	96	145	161	*
296.53	185	*77	108	*	116	*38	*	*78	*39	*39	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
296.54	164	*60	104	*	*79	*42	*	*71	*	*64	*
296.6	645	248	396	80	394	141	*	161	93	350	*40
296.60	259	91	168	*	150	71	*	*	*43	153	*
296.63	136	*57	79	*	79	*	*	*	*	92	*
296.64	224	92	132	*	140	*55	*	*97	*	89	*
296.7	113	*48	*65	*	*53	*	*	*	*	*37	*
296.8	1,247	523	724	204	764	241	*38	238	175	794	40
296.80	1,049	463	587	200	627	194	*	171	152	713	*12
296.89	197	60	137	*	136	*47	*	*66	*	81	*28
296.9	448	239	210	123	267	*47	*	262	73	103	*
296.90	432	233	199	122	255	*46	*	258	65	99	*
297	*72	*	*63	-	*	*	*	*	*	*	*
297.1	*57	*	*51	-	*	*	*	*	*	*	*
298	835	523	312	*	450	201	143	207	107	334	187
298.9	814	516	298	*	443	194	138	203	103	324	184
300	297	112	185	*	139	90	54	91	74	119	*12
300.0	133	48	85	*	44	48	*38	*31	36	60	*
300.00	76	40	35	*	24	*33	*16	*17	*16	37	*
300.01	*29	*	*26	*	*	*	*	*	*	*	*
300.02	*27	*	*	*	*	*	*	*	*	*	*
300.1	*35	*	*32	*	*27	*	*	*	*	*	*
300.11	*22	*	*20	*	*	*	*	*	*	*	*
300.4	67	*33	34	*	*34	*17	*	*26	*12	*27	*
301	*47	*	*	*	*	*	*	*	*	*	*
303	590	430	160	*	277	268	*41	142	96	327	*25
303.0	88	67	*21	-	31	40	*	*27	30	*17	*
303.00	32	*24	*	-	*11	*	*	*	*14	*	*
303.01	52	41	*	-	*17	29	*	*18	*15	*	*
303.9	502	362	140	*	245	228	*	115	66	309	*
303.90	242	180	61	*	124	107	*	*	*	218	*
303.91	254	177	77	*	118	118	*	99	*55	92	*
304	497	338	160	*	360	124	*	132	*33	313	*
304.0	177	124	53	*	126	49	*	*56	*	104	*
304.00	72	*44	*28	*	51	*	*	*	*	62	*
304.01	105	80	*	-	75	*29	*	*52	*	*42	*
304.2	105	73	*	-	71	*34	*	*39	*	*53	*
304.21	76	*60	*	-	*49	*	*	*	*	*	-
304.7	*55	*31	*	*	*50	*	-	*	*	*	*
304.8	55	*35	*	*	*36	*	-	*	*	53	*
304.80	*50	*33	*	*	*34	*	-	*	*	*49	*
305	294	198	95	*43	148	86	*17	35	39	195	24
305.0	96	65	31	*	41	35	*15	*17	22	48	*
305.00	77	55	*22	*	37	28	*	*11	16	44	*
305.01	*17	*8	*	*	*	*	*	*	*	*	*
305.1	32	18	*14	*	16	*15	*	*	*8	*15	*
305.6	52	38	*14	-	30	*22	*	*	*	36	*
305.60	45	33	*	-	*26	*18	*	*	*	*33	*
305.9	49	*29	*	*	*28	*	*	*	*	*42	*
305.90	48	*29	*	*	*26	*	*	*	*	*41	*
307	120	*	*92	*	*74	*	*	*49	*	*	*
309	385	202	183	*97	222	56	*	208	41	113	*22

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
309.0	91	59	32	*	68	*	*	50	*	*	*
309.2	*26	*16	*	*	*17	*	*	*	*	*	*
309.28	*23	*	*	*	*	*	*	*	*	*	*
309.4	35	*17	*	*	*28	*	*	*	*	*	*
309.8	219	104	116	*	101	*	*	119	*	*79	*
309.81	216	101	116	*	99	*	*	118	*	*78	*
309.9	*11	*	*	*	*	*	*	*	*	*	*
310	58	*44	*	*	*	*	*45	*	*	*	*
310.2	*12	*	*	*	*	*	*	*	*	*	*
311	711	329	383	*31	440	193	*48	395	95	169	*52
312	333	262	*71	163	155	*	*	163	*	148	*
312.3	185	137	*	*	130	*	*	121	*	*	-
312.30	102	*68	*	*	69	*	*	*68	*	*	-
312.34	*82	*	*	*	*	*	-	*	*	*	-
312.9	134	*	*	*	*	*	-	*	*	*	*
314	125	79	*46	91	*33	-	*	*	*	76	*
314.0	100	*74	*	*82	*	-	-	*	*	*51	*
314.01	99	*73	*	*82	*	-	-	*	*	*51	*
320-389	3,496	1,456	2,040	465	473	824	1,734	852	585	1,041	1,018
320	*57	*	*	*	*	*	*	*	*	*	*
323	*35	*	*	*	*	*	*	*	*	*	*
324	117	*	*	*	*	*	*	*	*	*	*
327	39	*25	*	*	*	*20	*	*	*	*22	*
327.2	39	*24	*	*	*	*20	*	*	*	*22	*
327.23	38	*23	*	*	*	*20	*	*	*	*22	*
331	764	344	420	*	*	*33	673	228	131	318	86
331.0	534	189	345	-	-	*	517	188	74	233	*39
331.3	82	*69	*	*	*	*	77	*	*	*	*
331.4	80	*54	*26	*	*	*	*	*	*	*	*
331.8	*61	*	*	*	-	*	*60	*	*	*40	*
331.82	*43	*	*	-	-	*	*43	*	*	*	*
332	78	45	33	-	*	*	67	*23	*16	*34	*
332.0	74	*42	32	-	*	*	63	*23	*16	*30	*
333	75	*19	55	*	*	*	*30	*	*	*23	*
340	120	*19	101	*	*31	58	*	*22	*30	*43	*
343	*15	*	*	*	*	*	*	*	*	*	*
344	201	*	*	*	*	*	*	*	*	*	*
345	383	145	238	137	97	91	57	181	43	102	56
345.1	42	*27	*	*	*13	*	*	*	*	*	*
345.10	*23	*	*	*	*	*	*	*	*	*	*
345.3	148	46	102	*75	*	*41	*	*78	*	*50	*
345.4	*22	*	*	*	*	*	*	*	*	*	*
345.5	*30	*	*	*	*	*	*	*	*	*	*
345.9	98	38	60	*14	*37	*30	*	*40	*	*26	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
345.90	66	*30	*35	*	*23	*	*	*25	*	*25	*
345.91	*32	*	*	*	*	*	*	*	*	*	*
346	180	35	144	*	106	57	*	39	48	62	*30
346.8	36	*	*30	*	*19	*	*	*	*	*14	*
346.80	26	*	*20	*	*17	*	*	*	*	*9	*
346.9	122	*21	101	*	77	40	*	*19	35	41	*27
346.90	77	*15	62	*	38	34	*	*15	*20	30	*12
346.91	45	*	*39	*	*38	*	*	*	*	*	*
348	637	169	468	*48	55	75	459	103	*55	99	380
348.1	*68	*48	*	*	*	*	*	*	*	*	*
348.3	200	107	93	*	*	*42	124	*66	*	65	*
348.30	*72	*49	*	*	*	*	*36	*	*	*	*
348.31	84	*	*40	*	*	*	*59	*	*	*	*
348.39	*44	*	*	*	*	*	*	*	*	*	*
349	73	*	*51	*	*	*	*42	*	*	*	*
349.0	*15	*	*	*	*	*	*	*	*	*	*
349.8	*48	*	*	*	*	*	*37	*	*	*	*
349.82	*41	*	*	-	*	*	*	*	*	*	*
350	*13	*	*	-	*	*	*	*	*	*	*
350.1	*12	*	*	-	*	*	*	*	*	*	*
351	*18	*	*	*	*	*	*	*	*	*	*
351.0	*15	*	*	*	*	*	*	*	*	*	*
355	*33	*	*	*	*	*	*	*	*	*	*
356	*29	*	*	-	*	*	*	*	*	*	*
357	81	*	*49	*	*	*	*	*	*	*	*
357.0	*69	*	*	*	*	*	*	*	*	*	*
358	*41	*	*	*	*	*	*	*	*	*	*
359	*41	*	*	*	*	*	*	*	*	*	*
362	*14	*	*	*	*	*	*	*	*	*	*
368	*13	*	*	*	*	*	*	*	*	*	*
373	*14	*	*	*	*	*	*	*	*	*	*
373.1	*12	*	*	*	*	*	*	*	*	*	*
376	*28	*	*	*	*	*	*	*	*	*	*
376.0	*26	*	*	*	*	*	*	*	*	*	*
376.01	*25	*	*	*	*	*	*	*	*	*	*
380	*20	*	*	*	*	*	*	*	*	*	*
380.1	*16	*	*	*	*	*	*	*	*	*	*
382	23	*	*10	*18	*	*	*	*	*	*	*
382.9	*21	*	*9	*17	*	*	*	*	*	*	*
386	123	43	80	*	*	24	94	37	45	31	*10
386.0	*12	*	*	-	*	*	*	*	*	*	*
386.00	*12	*	*	-	*	*	*	*	*	*	*
386.1	61	*22	39	-	*	*14	44	*21	*14	*20	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
386.11	42	*	31	-	*	*10	30	*	*	*16	*
386.3	41	*	32	*	*	*10	30	*	*20	*	*
386.30	35	*	27	*	*	*	28	*	*17	*	*
390-459	27,423	13,425	13,998	213	1,735	7,651	17,824	6,544	6,219	10,371	4,289
394	*61	*	*50	-	*	*	*	*	*	*	*
396	136	*61	*74	*	*	*	100	*	*	*	*
396.2	*46	*	*	-	-	*	*	*	*	*	*
398	217	75	142	-	*	*	179	*65	*	72	*50
398.9	217	75	142	-	*	*	179	*65	*	72	*50
398.91	216	75	141	-	*	*	177	*65	*	71	*50
401	653	202	450	*	90	268	294	216	123	237	76
401.0	60	*18	42	*	*	*18	32	*19	*	*22	*
401.9	587	183	404	*	80	246	260	191	109	215	71
402	229	76	153	-	*	57	162	46	60	94	*28
402.0	*14	*	*	-	*	*	*	*	*	*	*
402.9	214	71	143	-	*	51	155	44	56	88	*25
402.90	*27	*	*20	-	*	*	*	*	*	*	*
402.91	187	64	123	-	*	*40	140	*41	45	77	*25
403	682	345	337	*	130	265	284	151	115	322	94
403.0	*39	*	*	-	*	*	*	*	*	*23	*
403.01	*34	*	*	-	*	*	*	*	*	*20	*
403.9	638	324	314	*	117	248	271	144	108	298	88
403.91	628	320	308	*	116	246	264	141	105	295	87
404	292	141	151	-	*	64	212	*90	100	67	*35
404.9	272	126	145	-	*	*55	209	*83	*94	61	*35
404.93	237	105	132	-	*	*45	186	*78	*85	*46	*
410	3,512	1,896	1,616	*	135	982	2,391	766	863	1,240	644
410.0	94	63	*31	-	*	*33	*53	*	*	*41	*
410.01	93	*62	*31	-	*	*33	*53	*	*	*41	*
410.1	422	224	197	-	*26	154	242	95	76	136	114
410.11	412	217	195	-	*25	154	233	95	72	134	111
410.2	74	*30	*44	-	*	*	*51	*	*	*27	*
410.21	73	*29	*44	-	*	*	*50	*	*	*	*
410.3	*35	*24	*	-	*	*	*	*	*	*	*
410.31	*35	*24	*	-	*	*	*	*	*	*	*
410.4	289	177	112	-	*23	123	143	52	79	100	58
410.41	284	173	111	-	*22	120	143	52	74	100	58
410.5	*35	*23	*	-	*	*	*	*	*	*	*
410.51	*35	*23	*	-	*	*	*	*	*	*	*
410.7	2,082	1,097	985	-	49	536	1,497	480	522	751	329
410.71	2,069	1,090	978	-	49	535	1,485	475	520	745	328
410.8	72	*43	*29	*	*	*	*50	*	*	*	*
410.81	72	*43	*29	*	*	*	*50	*	*	*	*
410.9	404	210	194	*	*	66	314	74	115	128	87
410.91	396	203	193	-	*	65	311	73	114	127	82
411	217	112	105	-	*16	80	122	51	43	75	49
411.1	197	101	96	-	*13	77	106	46	34	70	46
411.8	*15	*	*	-	*	*	*	*	*	*	*
411.89	*13	*	*	-	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
412	*16	*	*	-	*	*	*	*	*	*13	*
413	86	32	54	-	*11	35	40	*20	22	33	*11
413.9	77	26	51	-	*	32	40	*18	17	31	*10
414	3,163	2,012	1,152	*	112	1,302	1,749	662	722	1,333	446
414.0	3,081	1,950	1,131	*	109	1,265	1,707	647	702	1,292	440
414.00	266	158	107	-	*	93	168	98	52	94	22
414.01	2,718	1,726	992	*	102	1,140	1,476	531	619	1,161	406
414.02	75	50	*25	-	*	25	48	*	*24	*25	*
414.05	*11	*	*	-	*	*	*	*	*	*	-
414.8	55	41	*14	-	*	*19	33	*	*16	*22	*
414.9	*14	*	*	-	*	*	*	*	*	*	-
415	812	358	454	*	137	211	462	159	219	314	119
415.1	809	357	453	*	137	211	461	159	219	312	119
415.11	*46	*	*	-	*	*	*	*	*	*	*
415.19	764	332	432	*	121	193	448	151	201	304	109
416	98	*41	*57	*	*	*	*39	*	*	*31	*
416.8	*73	*	*43	*	*	*	*	*	*	*	*
420	48	*26	*21	*	*	*16	*	*	*	*	*
420.9	48	*26	*21	*	*	*16	*	*	*	*	*
420.90	*25	*	*	*	*	*	*	*	*	*	*
421	152	*72	*80	*	*	*	*	*	*	*	*
421.0	149	*70	*79	*	*	*	*	*	*	*	*
423	112	61	50	*	*38	*32	*39	*39	*22	*42	*
423.9	75	*36	*40	*	*24	*29	*	*	*	*26	*
424	615	331	285	*	*36	105	469	161	154	171	130
424.0	245	132	113	*	*28	48	167	70	*47	66	*61
424.1	353	185	168	*	*	*52	290	89	104	96	*64
425	165	112	53	*	33	58	44	*50	*24	65	*27
425.4	127	84	43	*	*20	53	37	*31	*21	51	*22
426	209	97	112	*	*	*26	171	65	40	65	40
426.0	123	58	65	*	*	*	105	*42	*16	44	*20
426.1	56	*28	28	*	*	*	47	*14	*20	*	*
426.13	33	*18	*15	*	*	*	*27	*	*	*	*
427	2,626	1,159	1,467	*17	117	546	1,946	738	635	869	384
427.0	71	26	46	*	*	34	27	*19	*19	25	*
427.1	181	112	69	*	*15	59	105	50	52	46	33
427.3	1,613	710	903	*	44	330	1,236	457	382	566	208
427.31	1,481	632	849	*	39	298	1,143	421	343	524	192
427.32	132	78	54	*	*	32	93	36	38	42	*16
427.4	*54	*	*	*	*	*	*	*	*	*	*
427.41	*54	*	*	*	*	*	*	*	*	*	*
427.5	*21	*14	*	*	*	*	*	*	*	*	*
427.6	*15	*	*	-	*	*	*	*	*	*	*
427.69	*13	*	*	-	*	*	*	*	*	*	*
427.8	660	255	405	*	33	92	525	201	163	182	114
427.81	276	103	173	-	*	*18	255	89	63	77	47
427.89	384	151	232	*	31	73	270	112	100	105	66
428	5,688	2,657	3,031	*	230	1,313	4,083	1,408	1,328	2,221	731

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
428.0	5,113	2,376	2,737	*	206	1,223	3,622	1,259	1,178	1,992	684
428.2	202	119	83	*	*	*33	151	*32	65	94	*
428.20	109	*62	*47	*	*	*	91	*	*39	*45	*
428.21	*35	*	*	-	*	*	*	*	*	*	*
428.22	*28	*18	*	-	*	*	*23	*	*	*	*
428.23	*31	*	*	-	*	*	*	*	*	*	*
428.3	324	130	194	-	*	51	269	112	70	109	*32
428.30	197	80	118	-	*	*35	161	68	*49	63	*
428.31	*57	*	*27	-	*	*	*54	*	*	*	*
428.33	52	*	*35	-	*	*	*44	*	*	*27	*
428.4	*30	*	*	-	*	*	*	*	*	*	*
429	*30	*	*	*	*	*	*	*	*	*	*
430	303	107	196	*	*69	145	*81	*89	*	109	*54
431	392	216	177	*	*	133	233	88	70	154	80
432	168	101	67	*	*	*31	117	*	*	82	*42
432.1	140	93	*47	*	*	*	108	*	*	*71	*32
432.9	*27	*	*	-	*	*	*	*	*	*	*
433	458	247	211	*	*	120	329	72	98	196	93
433.1	365	199	166	*	*	95	267	56	77	157	74
433.10	224	100	124	-	*	45	178	35	60	99	30
433.11	141	*99	*42	*	*	*	88	*	*	*58	*
433.3	55	29	*26	*	*	*	43	*	*16	*20	*
433.30	33	*19	*	*	-	*	29	*	*	*	*
434	2,086	883	1,203	*	90	528	1,464	396	437	896	357
434.0	65	*	*44	*	*	*	*48	*	*	*	*
434.01	61	*	*42	-	*	*	*43	*	*	*	*
434.1	210	96	114	*	*	*51	147	*59	*35	74	*42
434.11	207	93	114	*	*	*51	144	*59	*35	72	*41
434.9	1,811	766	1,045	*	76	464	1,269	327	391	798	294
434.90	*48	*	*	-	*	*	*	*	*	*	*
434.91	1,764	750	1,014	*	73	437	1,252	319	388	767	290
435	567	219	348	*	32	122	413	160	155	171	81
435.8	52	*	*43	-	*	*	*41	*	*	*	*
435.9	496	203	293	*	30	109	357	152	117	154	72
437	173	48	125	*	*	72	82	*37	*35	60	*42
437.2	*31	*	*25	*	*	*	*	*	*	*	*
437.3	68	*30	38	*	*	*31	*	*	*	*26	*
437.7	*20	*	*	-	*	*	*	*	*	*	*
438	230	67	163	*	*	*59	168	*68	*	*57	*92
438.2	*98	*	*	-	*	*	*84	*	*	*	*
438.20	*81	*	*	-	*	*	*	*	*	*	*
438.8	114	*42	*73	*	*	*	70	*41	*	*	*
438.89	83	*28	*56	*	*	*	*39	*	*	*	*
440	736	388	348	*	*	243	474	173	160	317	85
440.1	*21	*	*17	*	*	*	*17	*	*	*	*
440.2	649	351	298	-	*	212	419	162	145	278	64
440.20	42	*27	*15	-	*	*	*28	*	*	*	*
440.21	85	54	31	-	*	40	40	*15	*20	42	*
440.22	86	46	*40	-	*	*46	*39	*	*20	*33	*
440.23	99	*41	*58	-	*	*	74	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
440.24	325	177	148	-	*	*91	233	*78	*68	146	*
440.3	59	*30	*	-	*	*	*35	*	*	*	*
441	371	241	130	*	*	59	296	92	69	149	61
441.0	*84	*	*	-	*	*	*64	*	*	*	*
441.4	182	139	*42	-	*	*33	149	*38	42	81	*22
442	*45	*35	*	*	*	*	*33	*	*	*	*
443	115	42	73	*	*	*28	80	*28	*42	*29	*16
443.9	92	30	62	-	*	*25	65	*	*34	*26	*
444	165	84	80	-	*	*49	102	*39	*41	69	*
444.2	118	60	57	-	*	*31	75	*	*30	*47	*
444.22	108	59	*49	-	*	*29	68	*	*26	*45	*
444.8	*29	*	*	-	*	*	*	*	*	*	*
446	86	*54	*32	*21	*	*	*	*	*	*34	*
446.1	*20	*	*	*20	-	-	-	*	*	*	*
447	66	*20	46	*	*	*20	42	*	*	*27	*
447.1	33	*	*21	-	*	*	*22	*	*	*	*
451	84	*36	49	*	*	*	51	*	*	*30	*
451.1	45	*	*24	*	*	*	*28	*	*	*	*
451.11	*21	*	*	*	*	*	*	*	*	*	*
453	759	357	402	*	116	224	414	157	193	310	99
453.4	622	284	337	*	69	174	377	136	156	251	79
453.40	118	*45	72	-	*	*34	76	*	*	61	*
453.41	347	158	188	*	*38	88	219	71	95	132	*49
453.42	157	80	77	*	*	53	82	*30	46	59	*22
453.8	113	54	59	*	*32	*42	*37	*	*31	56	*
455	114	48	66	-	*11	38	65	40	*25	33	*17
455.2	74	33	41	-	*	*30	38	*29	*	*23	*
455.8	*16	*	*	-	*	*	*	*	*	*	*
456	*38	*	*	-	*	*	*	*	*	*	*
457	*27	*	*21	*	*	*	*	*	*	*17	*
458	371	176	195	*	*13	76	282	99	85	139	49
458.0	175	78	97	*	*	32	138	60	30	71	*15
458.2	37	*17	*20	-	*	*	*25	*	*	*12	*
458.29	32	*16	*	-	*	*	*22	*	*	*	*
458.8	*23	*	*	*	*	*	*17	*	*	*	*
458.9	135	73	62	-	*	28	102	*25	37	50	*22
459	150	86	64	*	*	68	78	*46	*40	*48	*
459.0	*38	*	*	-	*	*	*	*	*	*	*
459.8	106	67	*40	*	*	*52	*52	*	*33	*	*
459.81	103	*66	*37	*	*	*52	*50	*	*33	*	*
460-519	17,665	8,205	9,460	1,869	1,648	4,317	9,830	4,008	3,777	6,901	2,978
461	31	*	*22	*	*	*	*15	*	*	*	*
462	*17	*8	*	*	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
463	23	*	*13	*	*17	*	-	*	*	*14	*
464	44	*21	*23	29	*	*	*	*	*	*22	*
464.4	20	*11	*8	19	*	-	*	*	*	*7	*
465	94	39	56	32	*	*	*38	*25	*	42	*17
465.9	90	37	53	32	*	*	*38	*23	*	40	*17
466	692	361	331	485	35	59	113	123	113	245	211
466.0	204	75	129	*11	32	54	108	51	74	62	*17
466.1	487	286	201	474	*	*	*	72	39	183	194
466.11	277	159	118	270	*	*	*	45	27	114	91
466.19	210	127	83	204	*	*	*	27	*11	69	103
473	40	*17	*23	*	*15	*	*	*	*	*15	*
473.9	*15	*	*	*	*	*	*	*	*	*	*
474	19	*11	*8	*14	*	*	*	*	*	*10	*
474.0	*9	*	*	*	*	*	-	*	*	*	*
474.1	*10	*8	*	*10	*	-	*	*	-	*	*
474.10	*8	*	*	*8	-	-	-	*	-	*	*
475	43	*18	25	*	25	*	*	*13	*11	*	*
478	87	*37	*49	*50	*	*	*	*22	*	*25	*
478.2	*19	*	*	*	*	*	*	*	*	*	*
480	114	54	60	72	*	*	*23	*	28	49	*
480.1	54	*28	*26	44	-	*	*	*	*	*31	*
480.9	48	*18	*30	*21	*	*	*	*	*17	*	*
481	154	79	75	*	*	*52	83	*	*30	67	*
482	818	448	370	*51	*92	141	534	140	158	274	246
482.0	*36	*	*	-	*	*	*	*	*	*	*
482.1	212	114	*98	*	*	*	113	*	*	*85	*85
482.2	*40	*	*	*	*	*	*34	*	*	*	*
482.3	*28	*	*	*	*	*	*	*	*	*	*
482.4	339	181	158	*	*	*46	252	*54	75	97	113
482.41	310	158	151	*	*	*	239	*51	*67	*85	107
482.8	93	*59	*	*	*	*	67	*	*	*45	*
482.83	*54	*32	*	*	*	*	*43	*	*	*	*
482.9	70	*35	*34	*18	*	*	*38	*	*	*	*17
483	*23	*	*	*	*	*	*	*	*	*	*
483.0	*19	*	*	*	*	*	*	*	*	*	*
485	49	*25	*24	*18	*	*	*	*	*	*28	*
486	5,150	2,281	2,869	419	406	1,046	3,278	1,107	1,331	1,938	775
487	134	44	90	27	*	*15	82	*	50	53	*16
487.0	62	*	*42	*	*	*	*41	*	*25	*	*
487.1	66	*20	46	*11	*	*	41	*	*25	*26	*
490	82	35	46	*	*	*21	40	*	*20	41	*
491	2,397	1,040	1,357	*	83	707	1,603	605	502	1,073	217
491.2	2,380	1,033	1,347	*	80	704	1,595	600	501	1,067	212
491.20	70	*24	*46	-	*	*	*50	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
491.21	1,875	829	1,046	*	39	539	1,296	513	410	767	185
491.22	435	180	255	-	*	146	249	77	66	269	*22
492	84	51	*33	*	*	*35	47	*	*	*38	*
492.8	65	*37	*28	*	*	*23	41	*	*	*27	*
493	1,426	464	962	318	243	466	398	418	275	513	220
493.0	101	57	44	79	*12	*	*	21	*	*16	57
493.01	*20	*12	*	*17	*	*	-	*	*	*	*
493.02	76	41	34	58	*	*	*	*13	*	*	45
493.2	621	149	472	*	39	279	301	190	145	213	73
493.20	69	*18	51	*	*	*23	43	*	*	*34	*
493.22	526	127	398	*	*29	242	253	165	131	170	60
493.9	701	256	445	236	192	180	93	206	123	282	90
493.90	141	47	94	35	29	47	*30	39	*21	64	*17
493.91	124	64	61	75	*23	*16	*	36	*19	57	*
493.92	436	146	290	126	139	118	53	132	83	161	61
494	*56	*	*45	*	*	*	*30	*	*	*	*
496	327	165	162	*	*	78	240	80	64	114	69
507	1,353	748	605	*70	83	180	1,021	379	278	452	244
507.0	1,348	747	601	*70	83	178	1,018	378	277	448	244
510	155	104	*	*	*	*69	*	*	*	*74	*
510.9	146	*97	*	*	*	*66	*	*	*	*73	*
511	395	165	230	*	*40	116	236	108	95	160	*32
511.0	*21	*	*	-	*	*	*	*	*	*	*
511.8	*47	*	*	*	*	*	*	*	*	*	*
511.9	326	129	197	*	*	88	219	92	79	127	*28
512	209	164	*45	*	66	*55	79	*39	*40	85	*45
512.1	*27	*	*	-	*	*	*	*	*	*	*
512.8	164	132	*32	*	58	*44	*54	*	*29	61	*41
513	*61	*	*	*	*	*	*	*	*	*	*
514	*26	*	*	*	*	*	*	*	*	*	*
515	152	63	89	*	*27	*35	85	*37	*37	64	*
516	*46	*	*	*	*	*	*	*	*	*	*
518	3,176	1,574	1,601	128	317	1,057	1,673	677	592	1,297	610
518.0	*21	*	*	*	*	*	*	*	*	*	*
518.3	*33	*	*	*	*	*	*	*	*	*	*
518.5	*72	*	*	*	*	*	*	*	*	*	*
518.8	3,019	1,492	1,527	118	299	998	1,604	655	565	1,223	576
518.81	2,450	1,245	1,206	*73	257	821	1,299	540	442	983	485
518.82	*51	*	*	*	*	*	*	*	*	*	*
518.83	*33	*	*	*	*	*	*	*	*	*	*
518.84	408	163	245	*	*	123	241	*	101	166	74
518.89	77	43	*34	*	*	*37	*29	*	*	*41	*
519	124	52	71	*25	*	*48	*35	*29	*	61	*
519.0	*61	*	*	*	*	*	*	*	*	*	*
519.1	*21	*	*	*	*	*	*	*	*	*	*
519.8	*32	*	*	*	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
520-579	16,286	7,405	8,882	782	3,139	5,225	7,140	3,622	3,420	6,355	2,890
522	*32	*	*	*	*	*	*	*	*	*	*
522.5	*28	*	*	*	*	*	*	*	*	*	*
524	23	*11	*12	*	17	*	*	*	*	*	*
524.0	*12	*	*7	*	*10	*	*	*	*	*	*
527	54	*31	*	*	*	*	*35	*	*	*	*
527.2	47	*28	*	*	*	*	*35	*	*	*	*
528	66	*22	*43	*	*	*	*	*	*	*15	*
530	744	354	390	113	99	239	293	163	140	294	148
530.1	140	62	78	*	*22	42	73	*25	*29	64	*23
530.10	*32	*19	*	*	*	*	*	*	*	*19	*
530.11	33	*	*21	*	*	*	*	*	*	*	*
530.19	61	*27	*34	*	*	*17	*32	*	*	*32	*
530.2	58	*26	*32	*	*	*	*26	*	*	*	*
530.21	*45	*21	*	*	*	*	*20	*	*	*	*
530.3	*41	*	*18	*	*	*	*	*	*	*	*
530.7	90	44	*46	*	*23	*29	*37	*	*	*33	*
530.8	363	176	187	92	38	117	116	90	63	132	78
530.81	303	132	170	92	36	98	77	85	44	103	71
531	450	169	281	*	39	147	263	119	105	136	90
531.0	40	*21	*20	-	*	*	*26	*	*	*14	*
531.00	39	*19	*20	-	*	*	*26	*	*	*	*
531.4	289	111	178	*	*	80	194	*86	70	76	57
531.40	288	110	178	*	*	80	193	*86	70	75	56
531.9	46	*	*31	-	*	*25	*	*	*	*	*
531.90	43	*	*31	-	*	*23	*	*	*	*	*
532	276	146	130	*	*27	85	162	50	70	109	48
532.0	*36	*24	*	-	*	*	*	*	*	*	*
532.00	*36	*24	*	-	*	*	*	*	*	*	*
532.4	143	68	75	*	*	*26	104	*30	*41	*50	*22
532.40	141	68	73	*	*	*26	102	*30	*41	*50	*20
532.5	*46	*	*	-	*	*	*	*	*	*	*
532.50	*45	*	*	-	*	*	*	*	*	*	*
532.9	*33	*	*	-	*	*	*	*	*	*	*
533	49	*12	*38	*	*	*	*32	*	*	*35	*
533.4	*33	*	*26	-	*	*	*	*	*	*	*
533.40	*32	*	*	-	*	*	*	*	*	*	*
534	*43	*	*	-	*	*	*	*	*	*	*
535	533	209	324	*	119	137	274	103	97	236	96
535.0	74	*24	51	*	*	*18	41	*17	*22	*24	*
535.00	59	*13	46	*	*	*15	*30	*	*18	*19	*
535.1	55	*20	*35	*	*	*	*34	*	*	*	*
535.10	*33	*	*	*	*	*	*	*	*	*	*
535.11	*22	*	*	-	*	*	*	*	*	*	*
535.3	*14	*	*	-	*	*	*	*	*	*	*
535.4	168	54	114	*	*21	56	91	*36	*30	66	36
535.40	76	*20	56	*	*	*33	30	*18	*	29	*
535.41	92	34	58	*	*	*24	62	*	*	*37	*23
535.5	183	78	105	*	45	39	97	*25	28	104	*25

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
535.50	93	35	58	*	34	*19	38	*16	*18	49	*
535.51	90	*42	*48	*	*	*	*59	*	*	*55	*
535.6	*37	*	*	*	*23	*	*	*	*	*23	*
535.60	*20	*	*	*	*	*	*	*	*	*	*
536	278	87	191	*28	63	82	104	47	49	127	55
536.2	73	*18	54	*	*23	*27	*	*	*	43	*
536.3	62	*	48	*	*31	*	*	*	*	*27	*
536.4	118	*48	69	*	*	*	74	*	*	*48	*
536.41	*53	*	*	*	*	*	*	*	*	*	*
536.42	*28	*	*	*	*	*	*	*	*	*	*
536.49	*35	*	*	*	*	*	*	*	*	*	*
536.8	*24	*	*18	*	*	*	*	*	*	*	*
537	238	155	84	*	*	*37	181	49	*28	61	101
537.0	*31	*	*	*	*	*	*	*	*	*	*
537.8	184	120	65	*	*	*	161	*35	*	*32	*98
537.83	97	*55	*42	-	-	*	87	*29	*	*	*35
540	952	565	387	220	396	216	120	171	195	322	263
540.0	297	174	124	74	88	71	*64	*50	65	93	89
540.1	237	138	98	*67	95	*46	*	*34	51	89	*63
540.9	418	253	165	78	213	99	*28	87	79	140	111
541	18	*7	*12	*	*9	*	*	*	*	*9	*
543	*17	*	*	*	*	*	*	*	*	*	*
550	132	117	*	*10	*18	*27	77	36	32	35	29
550.1	84	75	*	*	*	*20	55	*	*26	*21	*20
550.10	53	48	*	*	*	*	*35	*	*	*16	*
550.9	43	39	*	*	*	*	*17	*	*	*	*
550.90	32	30	*	*	*	*	*10	*	*	*	*
552	347	118	230	*	63	132	150	56	119	131	40
552.1	*22	*15	*	*	*	*	*	*	*	*	*
552.2	234	70	164	*	*38	101	95	*38	87	87	*23
552.20	56	*	*40	*	*	*	*29	*	*	*	*
552.21	147	*43	104	*	*26	73	*47	*24	*47	59	*
552.29	*32	*	*	-	*	*	*	*	*	*	*
552.3	*44	*	*	-	*	*	*	*	*	*	*
553	255	105	150	*	45	98	108	59	59	92	45
553.2	173	77	96	*	33	76	62	30	47	58	38
553.20	*28	*	*	*	*	*	*	*	*	*	*
553.21	120	64	56	*	*25	46	49	*21	28	40	*32
553.29	*25	*	*	-	*	*	*	*	*	*	-
553.3	61	*	*36	*	*	*	*39	*	*	*25	*
555	267	97	169	*	121	111	*	67	46	101	53
555.0	68	*24	*44	*	*34	*	*	*	*	*	*
555.1	69	*	*44	*	*30	*	*	*	*	*	*
555.2	*38	*	*	*	*	*	*	*	*	*	*
555.9	92	*38	54	*	38	*32	*	*19	*21	*40	*
556	231	135	97	*	80	101	*46	*42	*43	100	*46
556.6	*45	*	*	*	*	*	*	*	*	*	*
556.9	114	*67	*47	*	*32	*	*	*	*	*61	*
557	345	119	227	*	*	83	225	77	71	120	77

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
557.0	190	*65	124	*	*	*44	113	*	*35	*69	*42
557.9	121	*40	82	-	*	*30	89	*	*32	*36	*28
558	666	242	424	82	129	147	309	160	150	268	89
558.9	635	228	407	74	126	145	291	157	143	252	83
560	1,993	859	1,134	56	168	636	1,133	426	423	785	358
560.0	*17	*	*	*	*	*	*	*	*	*	*
560.1	299	128	171	*	*24	93	174	74	101	83	*41
560.2	*83	*	*	*	*	*	*50	*	*	*	*
560.3	127	49	78	*9	*	*18	91	*26	*22	56	*23
560.39	119	48	71	*9	*	*17	84	*23	*21	53	*23
560.8	900	342	558	*	81	319	479	195	175	358	172
560.81	693	258	435	*	67	231	376	125	150	290	128
560.89	207	85	123	*	*	88	103	*70	*25	*68	*
560.9	566	289	277	*	42	181	338	104	111	243	108
562	1,512	622	890	-	176	487	849	386	387	571	168
562.1	1,498	618	880	-	171	485	842	384	384	562	168
562.10	122	*51	71	-	*	*42	74	*24	*	65	*
562.11	1,018	419	598	-	163	397	457	279	266	376	97
562.12	274	119	156	-	*	*33	240	65	67	90	52
562.13	84	*29	55	-	*	*	71	*	*34	*31	*
564	278	106	172	28	99	65	86	70	51	103	54
564.0	152	57	95	*18	*32	*29	73	*27	35	65	26
564.00	96	42	53	*11	*19	*	47	*19	27	33	*17
564.09	49	*	*34	*	*	*	*20	*	*	*24	*
564.1	56	*	43	*	*35	*	*	*	*	*21	*
565	*16	*	*	-	*	*	*	*	*	*	*
566	100	75	*25	*	30	53	*	*17	*20	53	*9
567	210	140	69	*	*	105	*33	*47	*60	*70	*32
567.2	170	109	*61	*	*	*82	*	*	*	*48	*
567.22	102	*75	*	*	*	*	*	*	*	*	*
568	109	*	85	*	*	*21	*	*	*	*49	*
568.0	*72	*	*59	*	*	*	*	*	*	*	*
568.8	*36	*	*	-	*	*	*	*	*	*	*
569	811	348	462	*	58	245	454	244	166	301	99
569.1	*70	*	*59	*	*	*	*46	*	*	*	*
569.3	114	49	65	*	*	*35	76	*42	*	*42	*
569.4	44	*22	*	-	*	*	*34	*	*	*	*
569.6	214	106	109	*	*	*63	*97	109	*	*69	*
569.69	149	*68	*81	*	*	*	*58	*	*	*59	*
569.8	337	150	187	*	*	119	183	*70	82	132	*53
569.83	139	*46	*92	*	*	*	*88	*	*	*	*
569.85	85	*54	*31	*	*	*	59	*34	*	*	*
570	*52	*	*	*	*	*	*	*	*	*	*
571	644	426	219	*	132	350	159	151	111	260	122
571.1	68	47	*	-	*	*35	*	*	*	*	*
571.2	306	237	69	-	65	196	*46	77	60	104	65
571.5	206	108	98	*	*	93	93	*33	*33	109	*30
572	376	229	147	*	*29	193	150	120	64	124	68

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
572.0	*62	*	*	-	*	*	*	*	*	*	*
572.2	255	172	83	-	*	143	100	91	*30	91	44
573	69	*41	*28	*	*	*28	*	*	*	*24	*
573.3	*36	*	*	*	*	*	*	*	*	*	*
574	1,279	432	847	*	324	349	599	270	226	559	224
574.0	490	187	303	*	121	157	211	95	87	226	82
574.00	457	178	279	*	116	148	193	90	82	208	76
574.01	*32	*	*	-	*	*	*	*	*	*	*
574.1	331	83	248	*	81	98	148	77	53	148	53
574.10	316	77	239	*	80	87	146	75	50	138	53
574.2	110	38	72	*	42	*19	46	*20	26	53	*
574.20	108	37	71	*	41	*19	46	*20	26	52	*
574.4	*27	*	*	*	*	*	*	*	*	*	*
574.40	*25	*	*	*	*	*	*	*	*	*	*
574.5	93	*33	60	-	*	*24	53	*	*	*38	*
574.50	60	*	44	-	*	*	*33	*	*	*27	*
574.51	*33	*	*	-	*	*	*	*	*	*	*
574.6	*38	*	*19	*	*	*	*	*	*	*	*
574.60	*21	*	*	*	*	*	*	*	*	*	*
574.7	73	*23	*50	*	*28	*	*	*	*	*	*
574.70	*33	*	*	-	*	*	*	*	*	*	*
574.71	*40	*	*	*	*	*	*	*	*	*	*
574.8	70	*	*52	-	*	*	*41	*	*	*	*
574.80	*50	*	*43	-	*	*	*	*	*	*	*
574.9	*23	*	*	*	*	*	*	*	*	*	*
575	335	135	200	*	92	101	138	51	89	143	51
575.0	126	57	69	*	32	*38	56	*	*37	51	*
575.1	171	70	101	*	42	47	78	*23	42	76	*29
575.10	*17	*	*	*	*	*	*	*	*	*	*
575.11	99	*31	68	*	*28	*29	*41	*	*32	46	*
575.12	55	*36	*	*	*	*	*	*	*	*	*
575.8	*30	*	*25	-	*	*	*	*	*	*	*
576	171	75	96	*	*	75	69	*47	48	44	*32
576.1	*42	*23	*	*	*	*	*	*	*	*	*
576.2	81	*43	*38	*	*	*40	*	*	*	*	*
576.8	*42	*	*33	*	*	*	*	*	*	*	*
577	1,503	765	737	*	499	577	400	277	304	625	298
577.0	1,216	585	631	*	389	459	343	227	270	505	214
577.1	164	100	*63	*	*48	85	*	*	*	81	*
577.2	*78	*	*	-	*	*	*	*	*	*	*
578	728	305	422	*19	48	165	495	177	150	313	87
578.0	112	*32	80	*	*	*42	53	*32	*	*52	*
578.1	146	74	72	*	*	*22	106	43	39	48	*17
578.9	469	199	270	*	*29	102	336	102	100	213	54
580-629	7,660	2,797	4,863	248	1,313	1,945	4,154	1,663	1,626	3,011	1,359
581	*34	*	*	*	*	*	*	*	*	*	*
584	2,069	1,030	1,039	*	118	522	1,418	556	420	767	325
584.5	162	*77	*85	*	*	*	103	*	*	*	*
584.9	1,884	944	941	*	95	477	1,305	496	388	716	285
585	184	100	84	*	*30	*41	85	*59	*27	40	*57

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West	
Number of days of care in thousands												
585.6	123	*67	*56	*	*28	*	*35	*	*	*27	*	
585.9	38	*22	*	-	*	*	*31	*	*	*	*	
586	*40	*	*	-	-	*	*	*	*	*	*	
590	469	73	396	61	130	129	149	87	96	198	87	
590.1	202	*27	176	*22	61	66	53	43	56	65	39	
590.10	202	*27	175	*22	61	66	53	*42	56	65	39	
590.8	252	39	213	38	63	60	91	39	37	129	47	
590.80	252	39	213	38	63	60	91	39	37	129	47	
591	*21	*	*	*	*	*	*	*	*	*	*	
592	403	198	205	*	113	180	107	93	111	144	54	
592.0	161	76	85	*	43	73	45	37	31	57	36	
592.1	241	122	119	*	71	107	62	56	80	86	18	
593	154	65	89	*21	*33	*36	64	*27	*25	60	42	
593.4	34	*	*20	*	*	*	*	*	*	*	*	
593.7	*17	*	*	*	*	*	-	*	*	*	*	
593.9	50	*27	*23	*	*	*	*31	*	*	*23	*	
595	58	*	*41	*	*	*	*37	*	*	*21	*	
595.9	*21	*	*	*	*	*	*	*	*	*	*	
596	83	53	*30	*	*	*	56	*	*	*33	*16	
596.0	*17	*16	*	-	*	*	*13	*	*	*	*	
596.1	*38	*	*	-	*	*	*	*	*	*	*	
599	2,380	771	1,609	86	133	389	1,772	529	512	950	389	
599.0	2,224	670	1,554	85	120	338	1,680	493	481	884	365	
599.7	113	80	32	*	*	*35	69	*25	*22	53	*	
599.8	*10	*	*9	-	*	*	*	*	*	*	*	
599.82	*8	*	*8	-	-	*	*	*	*	*	*	
600	209	209	-	-	*	34	174	42	47	74	45	
600.0	195	195	-	-	*	31	163	37	44	70	44	
600.00	39	39	-	-	*	*	32	*	*	*17	*	
600.01	155	155	-	-	*	24	131	32	35	53	36	
601	*19	*19	-	-	*	*	*	*	*	*	*	
601.0	*14	*14	-	-	*	*	*	*	*	*	*	
604	*47	*47	-	*	*	*	*	*	*	*	*	
604.9	*41	*41	-	*	*	*	*	*	*	*	*	
607	*26	*26	-	*	*	*	*	*	*	*	*	
607.8	*16	*16	-	*	*	*	*	*	*	*	*	
608	74	74	-	*	*	*	*	*	*	*35	*	
608.4	*53	*53	-	*	*	*	*	*	*	*	*	
611	49	*	46	*	21	*21	*	*11	*	*26	*	
611.0	30	*	27	*	*	*	*	*	*	*	*	
611.1	*7	*	*6	-	*	*	*	*	*	*	*	
614	147	-	147	*	86	56	*	*22	*26	61	*38	
614.2	*41	-	*41	*	*16	*	-	*	*	*	*	
614.6	25	-	25	*	*13	*	*	*	*	*	*	
614.9	*27	-	*27	*	*26	*	-	*	*	*	*	

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
616	26	-	26	*	*13	*	*	*	*	*	*
617	144	-	144	-	103	36	*	26	42	55	*22
617.0	65	-	65	-	41	22	*	*13	*19	21	*
617.1	35	-	35	-	*24	*	*	*	*	*	*
617.3	20	-	20	-	*18	*	-	*	*	*	*
618	292	-	292	-	47	127	119	42	76	104	71
618.0	64	-	64	-	*	28	28	*9	*14	23	*17
618.01	26	-	26	-	*	*12	*12	*	*8	*	*
618.04	*12	-	*12	-	*	*	*	*	*	*	*
618.1	21	-	21	-	*12	*	*	*	*	*	*
618.2	41	-	41	-	*	18	*14	*10	*13	*	*10
618.3	27	-	27	-	*	*	*12	*	*	*11	*
618.4	49	-	49	-	*	22	*20	*	*17	*16	*
618.5	56	-	56	-	*	27	26	*	*15	28	*10
618.8	27	-	27	-	*	*	*	*	*	*	*11
618.89	24	-	24	-	*	*	*	*	*	*	*11
619	*25	-	*25	-	*	*	*	*	*	*	*
620	164	-	164	*	106	39	*	26	39	71	28
620.1	28	-	28	*	*23	*	-	*	*	*	*
620.2	96	-	96	*	59	25	*	*16	26	39	*15
620.5	*20	-	*20	*	*	*	-	*	*	*	*
621	42	-	42	-	*	*20	*	*	*	*23	*
621.3	*19	-	*19	-	*	*	*	*	*	*	*
622	18	-	18	-	*11	*	*	*	*	*	*
622.1	*16	-	*16	-	*10	*	*	*	*	*	*
625	137	-	137	*	88	35	*15	*15	24	74	25
625.3	34	-	34	*	32	*	-	*	*	18	*
625.6	30	-	30	-	*	*17	*	*	*9	*12	*
625.9	58	-	58	*	44	*	*	*	*	33	*
626	222	-	222	*	140	80	*	25	65	90	42
626.2	163	-	163	*	102	60	-	*18	50	69	26
626.8	53	-	53	*	34	*18	-	*	*13	17	*16
627	21	-	21	-	*	*11	*	*	*	*	*
627.1	*16	-	*16	-	-	*	*	*	*	*	*
630-677	1,427	-	1,427	*	1,422	*	-	217	235	666	309
632	33	-	33	-	33	*	-	*	*	19	*
633	49	-	49	-	48	*	-	*	*	*18	*16
633.1	42	-	42	-	41	*	-	*	*	*18	*
633.10	38	-	38	-	38	*	-	*	*	*16	*
634	26	-	26	*	25	*	-	*	*	*12	*
634.9	14	-	14	-	13	*	-	*	*	*	*
634.91	*7	-	*7	-	*7	*	-	*	*	*	*
640	*30	-	*30	-	*30	-	-	*	*	*	*
641	52	-	52	-	52	-	-	*	*	*	*31

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
642	58	-	58	-	58	*	-	*	*	36	*
642.3	*17	-	*17	-	*17	*	-	*	*	*13	*
642.33	*16	-	*16	-	*16	*	-	*	*	*	*
642.4	*16	-	*16	-	*16	-	-	*	*	*	*
643	97	-	97	*	97	-	-	*21	*13	49	*
643.0	40	-	40	*	40	-	-	*	*	*16	*
643.03	40	-	40	*	40	-	-	*	*	*16	*
643.1	41	-	41	-	41	-	-	*	*	*26	*
643.13	41	-	41	-	41	-	-	*	*	*26	*
644	291	-	291	*	290	*	-	27	48	141	74
644.0	269	-	269	*	268	*	-	*26	46	136	60
644.03	269	-	269	*	268	*	-	*26	46	136	60
644.1	22	-	22	*	22	-	-	*	*	*	*
644.13	22	-	22	*	22	-	-	*	*	*	*
646	155	-	155	*	154	*	-	28	*20	80	27
646.6	107	-	107	*	107	*	-	*16	*14	54	*22
646.63	98	-	98	*	98	*	-	*13	*	53	*19
646.8	35	-	35	-	35	-	-	*	*	21	*
646.83	30	-	30	-	30	-	-	*	*	*20	*
647	*24	-	*24	*	*24	-	-	*	*	*	*
647.8	*20	-	*20	*	*20	-	-	*	*	*	*
647.83	*17	-	*17	*	*17	-	-	*	*	*	*
648	283	-	283	*	283	*	-	42	57	130	54
648.0	*25	-	*25	-	*25	*	-	*	*	*	*
648.03	*25	-	*25	-	*25	*	-	*	*	*	*
648.4	73	-	73	-	73	-	-	*	*	*34	*
648.43	58	-	58	-	58	-	-	*	*	*	*
648.9	160	-	160	*	160	-	-	*25	29	76	29
648.93	152	-	152	*	152	-	-	*23	29	73	28
654	84	-	84	-	84	*	-	*	*	*35	*
654.5	*59	-	*59	-	*59	-	-	*	*	*	*
654.53	*59	-	*59	-	*59	-	-	*	*	*	*
658	40	-	40	*	40	-	-	*	*	*	*
658.1	*23	-	*23	*	*23	-	-	*	*	*	*
658.13	*23	-	*23	*	*23	-	-	*	*	*	*
659	*11	-	*11	*	*11	-	-	*	*	*	*
670	*22	-	*22	-	*22	*	-	*	*	*	*
670.0	*22	-	*22	-	*22	*	-	*	*	*	*
670.04	*22	-	*22	-	*22	*	-	*	*	*	*
671	*18	-	*18	-	*18	-	-	*	*	*	*
674	57	-	57	-	56	*	-	*	*	*34	*
674.3	*20	-	*20	-	*20	-	-	*	*	*	*
674.34	*20	-	*20	-	*20	-	-	*	*	*	*
674.8	*22	-	*22	-	*22	*	-	*	*	*	*
674.84	*22	-	*22	-	*22	*	-	*	*	*	*
680-709	3,809	2,109	1,700	266	1,067	1,206	1,270	851	773	1,568	617

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
681	134	74	60	*13	42	44	*34	*32	*26	45	*30
681.0	81	43	38	*	*37	*22	*	*	*	31	*
681.00	72	37	*35	*	*32	*21	*	*	*	30	*
681.1	53	*31	*	*	*	*	*24	*	*	*	*
681.10	52	*31	*	*	*	*	*24	*	*	*	*
682	2,469	1,357	1,112	169	646	828	826	532	526	972	439
682.0	134	72	62	*17	61	*36	*20	*24	*25	62	*24
682.1	43	*30	*	*	*	*	*	*	*	*	*
682.2	264	113	151	*29	84	99	52	43	*40	133	48
682.3	220	127	93	*	79	60	71	46	34	105	*34
682.4	137	89	48	*	64	48	*	*36	*31	50	*20
682.5	112	48	64	37	*21	*24	*	*	*20	47	*30
682.6	1,285	723	562	55	255	442	532	281	324	451	229
682.7	241	133	109	*	59	91	85	66	*45	92	*39
683	*23	*	*	*	*	*	*	*	*	*	*
693	*31	*	*	*	*	*	*	*	*	*	*
693.0	*31	*	*	*	*	*	*	*	*	*	*
695	48	*	*	*	*	*	*	*	*	*	*
695.1	*43	*	*	*	*	*	*	*	*	*	*
701	26	15	*11	11	*12	*	*	*	*	24	*
701.4	20	15	*	11	*	*	-	*	-	20	*
705	*77	*	*52	*	*	*	*	*	*	*	*
705.8	*76	*	*52	*	*	*	*	*	*	*	*
705.83	*76	*	*52	*	*	*	*	*	*	*	*
707	763	469	294	*	216	196	348	207	100	353	103
707.0	548	363	186	*	170	120	257	142	53	285	*68
707.03	211	132	*79	*	*68	*	105	*	*	126	*
707.04	118	100	*	-	*	*	*	*	*	*	*
707.05	*71	*	*	*	*	*	*	*	*	*	*
707.07	*54	*	*	-	*	*	*	*	*	*	*
707.09	*81	*	*	-	*	*	*	*	*	*	*
707.1	189	90	100	*	*32	70	88	*50	*44	63	*
707.15	58	*32	*	-	*	*	*	*	*	*	*
707.19	*39	*	*	*	*	*	*	*	*	*	*
709	129	102	27	32	*13	*	*	*	*	43	*
709.2	43	31	12	29	*13	*	*	*	*	39	*
710-739	7,637	3,174	4,463	143	1,107	2,658	3,729	1,707	1,845	2,598	1,488
710	208	*	164	*	112	*35	*48	*28	*	99	*57
710.0	146	*	133	*	106	*19	*	*	*	56	*53
711	143	81	*62	*	*38	*47	*44	*	*	*51	*
711.0	141	81	*60	*	*38	*47	*42	*	*	*50	*
711.06	77	*46	*	*	*	*	*	*	*	*	*
714	80	*	63	*	*	*38	*32	*25	*	*31	*
714.0	60	*	54	-	*	*30	*25	*	*	*	*
715	2,832	1,078	1,754	-	72	1,018	1,742	602	802	881	546
715.1	176	59	116	-	*	62	110	49	*24	62	40
715.15	64	*29	*35	-	*	*26	*36	*	*	*	*23

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
715.16	100	*26	74	-	*	*35	65	*28	*19	36	*
715.2	42	*25	*	-	*	*19	*	*	*	*	*
715.26	*28	*	*	-	*	*	*	*	*	*	*
715.3	1,797	678	1,119	-	44	621	1,131	390	493	537	375
715.31	28	*	*20	-	*	*	*21	*	*	*	*
715.35	460	203	257	-	*	178	263	125	125	124	86
715.36	1,286	456	830	-	*24	428	834	250	359	400	277
715.9	802	310	492	-	*21	312	469	134	277	275	116
715.91	*15	*	*	-	*	*	*	*	*	*	*
715.95	226	99	127	-	*	92	125	42	84	69	*31
715.96	538	193	345	-	*	206	327	79	186	190	83
716	64	30	*35	*	*	32	*21	*	*	*32	*
716.1	*17	*	*	-	*	*	*	*	*	*	*
716.9	31	*15	*16	*	*	*	*	*	*	*	*
717	*8	*	*	*	*	*	*	*	*	*	*
718	33	*	*22	*	*19	*	*	*	*	*	*18
719	148	70	78	*	*12	45	83	40	31	47	*30
719.4	109	44	65	*	*	*33	64	*25	*16	43	*25
719.41	*14	*	*	-	*	*	*	*	*	*	*
719.45	60	*22	*38	*	*	*	*41	*	*	*	*
719.46	*26	*	*	*	*	*	*	*	*	*	*
721	388	147	241	-	22	178	188	67	87	161	73
721.0	65	33	32	-	*	31	28	*	*15	31	*10
721.1	69	35	*34	-	*	38	*28	*	*	*19	*
721.3	184	57	127	-	*	63	109	34	49	69	*31
722	1,005	456	550	*	261	424	319	202	255	316	232
722.0	101	39	61	*	32	58	*	23	23	33	21
722.1	380	182	197	*	113	150	116	90	89	117	85
722.10	368	172	196	*	112	141	114	83	88	114	83
722.4	31	*	*17	-	*	*11	*	*	*	*	*
722.5	273	118	155	-	69	119	85	50	61	85	77
722.52	259	115	145	-	65	119	76	46	60	76	77
722.7	101	41	59	-	*15	50	*35	*	*31	37	*
722.71	57	*30	*28	-	*	30	*	*	*	*19	*
722.73	*40	*	*	-	*	*	*	*	*	*	*
722.8	48	*23	*26	-	*	*	*	*	*	*22	*
722.83	47	*22	*25	-	*	*	*	*	*	*21	*
722.9	66	*	*32	*	*	*18	*	*	*	*	*
722.93	*57	*	*	*	*	*	*	*	*	*	*
723	103	46	56	*	*14	50	36	*22	*20	39	*21
723.0	51	*26	*25	*	*	*29	*	*	*	*	*
723.1	27	*12	*15	*	*	*12	*	*	*	*13	*
723.4	*16	*	*	-	*	*	*	*	*	*	*
724	536	219	317	*	54	171	311	121	153	176	86
724.0	314	134	180	-	*15	95	203	67	87	105	55
724.02	298	130	168	-	*	93	192	63	81	100	55
724.2	102	34	68	*	*21	*28	52	*23	*29	*31	*19
724.3	*15	*	*	-	*	*	*	*	*	*	*
724.4	37	*	*23	-	*	*20	*	*	*	*	*
724.5	50	*18	32	*	*	*16	*24	*	*	*18	*
726	123	75	47	*	*29	38	53	*30	34	37	*21

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
726.1	25	*	*15	-	*	*	*13	*	*	*	*
726.10	20	*	*14	-	*	*	*10	*	*	*	*
726.3	*19	*	*	-	*	*	*	*	*	*	*
726.33	*18	*	*	-	*	*	*	*	*	*	*
726.5	*21	*	*	-	*	*	*	*	*	*	*
726.6	*45	*38	*	*	*	*	*	*	*	*	*
726.65	*30	*26	*	*	*	*	*	*	*	*	*
727	67	*24	*43	*	*	*39	*	*	*	*18	*11
727.0	*50	*	*	*	*	*	*	*	*	*	*
728	267	159	108	*	63	114	83	*67	*46	128	*27
728.8	229	138	91	*	56	95	74	*38	*44	120	*26
728.88	115	70	44	*	*31	*29	54	*	*	51	*18
729	217	88	129	*	74	62	79	*21	57	83	56
729.1	44	*	33	*	*23	*	*	*	*	*	*
729.5	66	*24	42	*	*18	*16	32	*	*13	*24	*20
729.8	70	41	*30	*	*	*30	*17	*	*	*36	*
729.81	*36	*28	*	*	*	*	*	*	*	*29	*
729.89	*33	*	*	*	*	*	*	*	*	*	*
730	465	301	164	*	117	151	171	161	90	138	*76
730.0	96	*53	*	*	*	*	*	*	*	*50	*
730.07	*33	*	*	*	*	*	*	*	*	*	*
730.1	*70	*	*	*	*	*	*	*	*	*	*
730.2	297	200	97	*	*74	96	104	*98	69	79	*50
730.27	128	80	*48	*	*	*42	*63	*	*38	*	*
730.28	*98	*73	*	*	*	*	*	*	*	*	*
732	*9	*	*	*	*	*	*	*	*	*	*
733	598	179	418	*	64	125	402	136	137	240	84
733.1	364	90	274	*	*	50	308	83	75	158	48
733.13	269	55	213	-	*	*35	233	61	60	107	*41
733.14	*35	*	*	*	*	*	*	*	*	*	*
733.4	77	39	*38	*	*23	*34	*	*	*	*28	*
733.42	66	36	*30	*	*21	*29	*	*	*	*25	*
733.6	36	*	31	*	*11	*11	*13	*	*	*18	*
733.8	90	37	53	*	26	*25	38	*	*21	30	*16
733.81	*17	*	*	*	*	*	*	*	*	*	*
733.82	73	30	43	*	*21	*24	*28	*	*18	*25	*
733.9	*18	*	*	*	*	*	*	*	*	*	*
736	33	*	*19	*	*	*	*	*	*	*	*
737	113	*37	75	*33	*43	*	*	*42	*	*	*
737.3	99	*	70	*33	*	*	*	*	*	*	*
737.30	65	*	*52	*	*	*	*	*	*	*	*
738	132	49	83	*	*34	45	49	*29	*	52	*26
738.1	*34	*	*	*	*	*	*	*	*	*	*
738.19	*33	*	*	*	*	*	*	*	*	*	*
738.4	90	*25	65	*	*	*29	45	*	*	*32	*
740-759	1,221	582	639	828	97	257	*39	292	253	302	374
742	*54	*	*	*42	*	*	*	*	*	*	*
745	181	78	103	155	*	*	*	53	*	*54	*59

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
745.4	*32	*	*	*	*	*	*	*	*	*	*
745.5	56	*8	*48	*37	*	*	*	*11	*	*	*
746	162	104	*58	137	*	*	*	*53	*	*	*
747	333	90	243	120	*	190	*	*31	185	*53	*64
747.0	*59	*	*	*59	*	-	-	*	*	*	*
747.8	210	*	199	*	*	177	*	*	176	*	*
747.81	191	*	187	*	*	177	*	*	171	*	*
748	*70	*	*	*	*	-	*	*	*	*	*
749	33	*14	*19	31	*	*	-	*	*	*	*19
749.0	*12	*	*	*12	-	*	-	*	*	*	*
749.2	15	*9	*	*14	*	-	-	*	*	*	*
750	50	40	*	48	*	-	*	*	*	*	*15
750.5	31	28	*	31	*	-	*	*	*	*	*12
751	67	*29	*	*57	*	*	*	*	*	*	*
753	*38	*	*	*	*	*	*	*	*	*	*
754	*26	*16	*	*19	*	*	-	*	*	*	*
755	*22	*	*	*	*	*	*	*	*	*	*
755.6	*18	*	*	*	*	*	*	*	*	*	*
756	113	*56	*57	*63	*	*25	*	*46	*	*34	*
756.1	48	*	*27	*	*	*25	*	*	*	*	*
756.12	44	*	*25	*	*	*25	*	*	*	*	*
757	*6	*	*	*	*	*	*	*	*	*	*
759	*17	*	*	*	*	*	*	*	*	*	*
760-779	2,142	1,120	1,022	2,142	*	-	-	265	151	716	1,010
765	581	321	260	581	-	-	-	*	*	257	249
765.1	462	231	231	462	-	-	-	*	*	210	183
765.18	101	*	*	101	-	-	-	*	*	*	*
769	553	268	286	553	-	-	-	*	*	180	315
770	360	247	113	360	-	-	-	*	*32	104	183
770.6	*77	*67	*	*77	-	-	-	*	*	*	*
770.8	129	*68	*60	129	-	-	-	*	*	*62	*36
770.81	*32	*	*	*32	-	-	-	*	*	*	*
770.89	*81	*	*	*81	-	-	-	*	*	*	*
771	104	*42	62	104	-	-	-	*	*	*45	*30
771.8	94	*38	*56	94	-	-	-	*	*	*39	*
771.81	*53	*	*	*53	-	-	-	*	*	*	*
771.82	*23	*	*	*23	-	-	-	*	*	*	*
774	99	45	54	99	-	-	-	*13	*13	29	44
774.6	81	37	43	81	-	-	-	*11	*11	23	35
778	*20	*	*	*20	-	-	-	*	*	*	*
778.4	*16	*	*	*16	-	-	-	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
779	200	101	99	200	-	-	-	*47	*	*51	*92
779.8	137	*70	*67	137	-	-	-	*	*	*39	*
779.89	133	*69	*65	133	-	-	-	*	*	*39	*
780-799	449	207	242	90	156	87	116	98	68	216	66
780	127	66	60	42	52	*13	*20	32	*15	65	15
780.2	*16	*	*	*	*	*	*	*	*	*	*
780.3	52	23	29	19	*19	*	*	*18	*	*20	*
780.39	47	*20	28	*15	*19	*	*	*17	*	*20	*
780.6	46	*31	*15	*20	*	-	*	*	*	*30	*
784	*12	*	*	*	*	*	*	*	*	*	*
786	78	38	40	*9	22	30	18	20	*	46	*8
786.0	*13	*	*	*	*	*	*	*	*	*	*
786.5	63	31	32	*	21	26	16	15	*	38	*
786.50	31	17	14	*	*9	*14	*8	*	*	19	*
786.59	29	13	16	-	*12	*11	*	*7	*	17	*
789	46	14	32	*	25	*	*	*15	*	16	*8
789.0	43	*13	30	*	24	*	*	*13	*	16	*7
789.00	*13	*	*9	*	*	*	*	*	*	*	*
789.03	*11	*	*	*	*	*	*	*	*	*	*
799	136	65	71	*21	37	*29	50	*21	*35	57	*22
799.9	132	61	71	*20	36	*29	47	*21	*33	55	*22
800-999	15,984	8,421	7,563	936	3,949	4,473	6,626	3,377	3,120	6,553	2,934
800	97	*76	*21	*29	*	*	*	*	*	*54	*
800.2	*56	*	*	*	*	*	*	*	*	*	*
801	212	153	*59	*18	99	*60	*	*38	*29	86	60
801.0	56	*48	*	*	*42	*	*	*	*	*	*
801.01	*29	*	*	*	*	*	*	*	*	*	*
801.2	109	82	*	*	*44	*	*	*	*	*	*
802	164	117	*47	*	88	*25	*48	*20	29	93	*22
802.0	*14	*	*	*	*	*	*	*	*	*	*
802.2	59	53	*	*	39	*	*	*	*	*37	*
802.4	*44	*21	*	-	*	*	*	*	*	*	*
802.6	*15	*11	*	*	*	*	*	*	*	*	*
803	*52	*49	*	*	*	*	*	*	*	*	*
805	612	317	294	*	185	126	289	83	162	252	113
805.0	156	94	62	*	44	*49	61	*	*38	70	*32
805.02	*58	*31	*	*	*	*	*34	*	*	*	*
805.2	194	125	69	*	*99	*34	60	*	63	*99	*
805.4	202	84	118	*	*21	*34	137	*48	*44	58	52
805.6	60	*	*45	-	*	*	*	*	*	*	*
806	131	*	*	*	*	*	*	*	*	*	*
807	209	106	103	*	36	*33	140	45	58	70	*36
807.0	191	97	94	*	*26	*30	135	*37	55	66	*33
807.01	*31	*	*	*	*	*	*27	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
807.02	*38	*	*22	-	*	*	*26	*	*	*	*
807.03	*40	*	*	-	*	*	*33	*	*	*	*
808	421	214	207	*	*90	134	195	68	76	226	50
808.0	179	150	*	*	*	*	*	*	*	*	*
808.2	176	*31	145	*	*	*	143	*37	39	62	*38
810	26	*13	*	*	*	*	*	*	*	*	*
810.0	26	*13	*	*	*	*	*	*	*	*	*
812	260	94	166	22	34	51	153	75	63	77	45
812.0	161	56	105	*	*	37	111	47	42	52	*20
812.00	38	*	*27	*	*	*	*28	*	*	*	*
812.01	62	*	*30	*	*	*	*40	*	*	*	*
812.03	*21	*	*	-	*	*	*	*	*	*	*
812.09	37	*	32	*	*	*	29	*	*	*	*
812.2	38	*	*29	*	*	*	*25	*	*	*	*
812.21	*21	*	*	*	*	*	*	*	*	*	*
812.4	51	23	28	19	*	*	*	*13	*10	*10	*17
812.41	30	*12	*18	14	*	*	*	*	*	*	*10
813	232	129	104	*12	80	72	69	41	34	91	66
813.0	48	*21	*27	*	*	*	*	*	*	*	*
813.01	*32	*	*23	*	*	*	*	*	*	*	*
813.2	*16	*12	*	*	*11	*	*	*	*	*	*
813.4	92	49	43	*	*26	22	39	*18	*18	37	*18
813.41	*24	*	*	*	*	*	*	*	*	*	*
813.42	35	*18	*17	*	*	*	*21	*	*	*16	*
813.44	*23	*	*	*	*	*	*	*	*	*	*
813.5	*39	*18	*	*	*	*	*	*	*	*	*
813.54	*28	*	*	*	*	*	*	*	*	*	*
816	*19	*14	*	*	*	*	*	*	*	*	*
820	2,032	581	1,451	*	*31	161	1,833	461	500	751	319
820.0	553	161	392	*	*	*43	499	134	143	183	93
820.02	*34	*	*	*	*	*	*	*	*	*	*
820.03	*48	*	*31	*	*	*	*43	*	*	*	*
820.09	446	120	326	*	*	*25	414	101	121	152	72
820.2	1,016	304	713	*	*	83	908	239	250	370	157
820.20	73	*	*49	-	*	*	70	*	*	*	*
820.21	862	248	614	*	*	72	773	186	225	305	147
820.22	81	*	*50	*	*	*	66	*	*	*	*
820.8	432	116	317	*	*	*35	395	87	107	183	55
821	297	146	151	42	64	*56	136	71	55	126	44
821.0	137	67	71	*29	*30	*	65	*27	*22	70	*19
821.01	126	61	65	*26	*28	*	60	*	*20	*62	*19
821.2	109	*41	69	*	*	*	70	*	*	*46	*
821.20	*30	*	*	*	*	*	*	*	*	*	*
821.23	*45	*	*33	*	*	*	*35	*	*	*	*
822	50	*20	*30	*	*	*	*24	*	*	*	*
822.0	46	*	*29	*	*	*	*23	*	*	*	*
823	309	179	129	*	137	99	66	76	82	111	40
823.0	133	56	77	*	*34	*47	*50	*41	*	46	*
823.00	107	*43	64	*	*26	*39	*41	*34	*	*34	*
823.02	*24	*	*	*	*	*	*	*	*	*	*
823.2	63	43	*	*	*34	*20	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
823.22	52	*35	*	*	*28	*	*	*	*	*	*
823.3	*44	*32	*	*	*33	*	*	*	*	*	*
823.32	*33	*	*	*	*	*	*	*	*	*	*
823.8	*26	*16	*	*	*	*	*	*	*	*	*
823.82	*19	*	*	*	*	*	*	*	*	*	*
824	445	225	220	*	184	137	120	81	108	118	138
824.0	*28	*	*	*	*	*	*	*	*	*	*
824.2	*22	*	*	-	*	*	*	*	*	*	*
824.4	99	41	58	*	20	37	*42	*25	32	*32	*
824.6	85	*18	67	-	*32	*22	*31	*13	*17	*24	*30
824.8	81	37	44	*	*26	35	*	*	*21	*29	*
824.9	*94	*	*	*	*	*	*	*	*	*	*
825	108	87	*21	*	*55	*33	*	*	*	*39	*
825.0	*51	*	*	-	*	*	*	*	*	*	*
825.2	*24	*	*	*	*	*	*	*	*	*	*
831	*10	*	*	*	*	*	*	*	*	*	*
831.0	*10	*	*	*	*	*	*	*	*	*	*
835	*11	*	*	*	*	*	*	*	*	*	*
835.0	*11	*	*	*	*	*	*	*	*	*	*
840	23	*11	*	*	*	*	*14	*	*	*	*
840.4	*16	*	*	-	*	*	*	*	*	*	*
844	22	*10	*	*	*	*	*	*	*	*	*
847	28	*	*16	*	*	*	*	*	*	*	*
850	124	63	60	*11	46	36	*30	28	23	42	31
850.0	21	*8	*13	*	*	*	*	*	*	*	*
850.1	47	25	*22	*	*17	*	*	*	*	*	*14
850.11	45	23	*22	*	*17	*	*	*	*	*	*14
850.5	51	29	*	*	*21	*	*	*	*	*20	*
851	185	138	*46	*	*62	*36	77	*81	*	*44	*26
851.8	138	100	*38	*	*45	*	*61	*	*	*34	*
851.81	*33	*	*	*	*	*	*	*	*	*	*
852	485	295	190	*	110	176	190	67	83	181	154
852.0	132	*95	*37	*	*	*89	*	*	*	*26	*66
852.06	*31	*	*	*	*	*	*	*	*	*	*
852.2	336	189	147	*	85	86	159	*40	61	148	88
852.20	122	*57	*64	*	*	*	*66	*	*	*69	*
852.21	102	*49	54	*	*	*25	70	*	*	*35	*24
852.26	*62	*	*	-	*	*	*	*	*	*	*
853	72	*45	*	*	*	*	*33	*	*	*	*
853.0	72	*45	*	*	*	*	*33	*	*	*	*
860	252	215	*37	*	49	151	*48	*	*31	97	*89
860.0	118	92	*	*	*23	*60	*	*	*	*57	*34
861	*58	*52	*	*	*	*	*	*	*	*	*
861.2	*50	*46	*	*	*	*	*	*	*	*	*
861.21	*38	*	*	*	*	*	*	*	*	*	*
862	*49	*47	*	*	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
863	106	*82	*	*	*58	*	*	*	*	*56	*
864	52	*43	*	*	*29	*	*	*	*	*	*
864.0	*36	*30	*	*	*24	*	*	*	*	*	*
865	89	75	*	*	*49	*	*	*	*	*	*
865.0	80	*68	*	*	*42	*	*	*	*	*	*
868	*22	*	*	*	*	*	*	*	*	*	*
873	53	38	*15	*10	*19	*	*14	*	*10	*21	*9
873.0	*13	*	*	*	*	*	*	*	*	*	*
873.4	21	*12	*	*	*	*	*	*	*	*	*
873.42	*12	*	*	*	*	*	*	*	*	*	*
879	*29	*27	*	*	*17	*	*	*	*	*	*
881	*20	*	*	*	*	*	*	*	*	*	*
883	*14	*	*	*	*	*	*	*	*	*	*
891	72	*59	*	*	*	*	*	*	*	*18	*
891.1	*56	*	*	*	*	*	*	*	*	*	*
892	*25	*	*	*	*	*	*	*	*	*15	*
892.1	*22	*	*	*	*	*	*	*	*	*	*
920	32	*	*19	*	*	*	*17	*	*	*	*
922	52	*22	*30	*	*10	*	36	*	*18	*18	*
922.1	25	*11	*14	*	*	*	*18	*	*	*	*
924	72	*16	56	*	*	*	43	*19	*	*	*
924.0	36	*	*29	*	*	*	*32	*	*	*	*
924.01	*29	*	*24	*	*	*	*26	*	*	*	*
924.1	*27	*	*	*	*	*	*	*	*	*	*
935	33	*14	*18	*11	*	*	*	*	*	*11	*
935.1	*21	*	*	*	*	*	*	*	*	*	*
941	159	138	*	*71	*33	*	*	*	*	131	*
941.2	86	74	*	*	*32	*	*	*	*	63	*
941.29	*65	*57	*	*	*	*	*	*	*	*52	*
942	337	197	*	*60	*96	*	*	*	*	264	*
942.2	72	58	*	*20	*	*	*	*	*	37	*
942.24	*34	*	*	*	*	*	*	*	*	*	-
942.3	264	*	*	*	*	*	*	*	*	*	*
943	79	*42	*37	*	*	*	*	*	*	56	*
943.2	*42	*	*	*	*	*	*	*	*	*23	*
944	81	*59	*	*	*	*	*	*	*	*50	*
944.2	*20	*	*	*	*	*	*	*	*	*	*
945	170	106	*64	*25	*49	*86	*	*	*	121	*
945.2	29	*21	*	*	*	*	*	*	*	*20	*
945.3	*93	*51	*	*	*	*	*	*	*	*70	-

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West	
				Number of days of care in thousands								
946	113	*	*	*	*	*	-	*	-	103	-	
946.3	105	*	*	*	*	*	-	*	-	*	-	
958	*42	*	*	*	*	*	*	*	*	*	*	
959	119	78	41	*	26	*46	43	*18	*21	*28	52	
959.0	63	44	*19	*	*13	*	*	*	*	*	*32	
959.01	61	43	*19	*	*12	*	*	*	*	*	*32	
959.1	*20	*	*	*	*	*	*	*	*	*	*	
962	*28	*	*	*	*	*	*	*	*	*	*	
962.3	*26	*	*	*	*	*	*	*	*	*	*	
963	*16	*	*	*	*11	*	*	*	*	*	*	
963.0	*12	*	*	*	*	*	*	*	*	*	*	
965	180	76	104	*	97	43	*34	39	37	72	32	
965.0	87	43	44	*	35	*31	*	*18	*15	41	*13	
965.09	47	*19	*28	*	*15	*	*	*	*	*24	*	
965.1	*16	*	*	*	*	*	*	*	*	*	*	
965.4	52	19	33	*	43	*	*	*13	*11	*16	*	
965.8	*17	*	*15	*	*	*	*	*	*	*	*	
966	30	*	*18	*	*15	*	*	*	*	*	*	
966.3	*17	*	*	*	*	*	*	*	*	*	*	
967	38	*21	*17	-	*21	*	*	*	*	*	*	
967.8	*15	*	*12	-	*	*	*	*	*	*	*	
968	*20	*	*	*	*	*	*	*	*	*	*	
969	190	73	117	*	108	54	*	33	50	67	41	
969.0	60	*21	39	*	35	*18	*	*	*17	*18	*14	
969.3	*22	*	*	*	*14	*	*	*	*	*	*	
969.4	78	*21	57	*	39	*29	*	*12	*19	35	*	
970	79	52	*27	*	31	44	*	37	*	*21	*	
970.8	78	52	*26	*	31	43	*	37	*	*20	*	
972	*27	*	*	*	*	*	*	*	*	*	*	
977	38	*	*18	*	*23	*	*	*	*13	*	*	
977.9	*15	*	*13	*	*	*	*	*	*	*	*	
980	35	*26	*	*	*	*21	-	*	*	*	*	
980.0	*21	*	*	*	*	*	-	*	*	*	*	
989	*17	*	*	*	*	*	*	*	*	*12	*	
989.5	*13	*	*	*	*	*	*	*	*	*	*	
995	159	64	95	*	*15	49	70	*30	40	81	*	
995.1	20	*	*13	*	*	*	*	*	*	*	*	
995.9	79	*	*43	*	*	*	*44	*	*	*	*	
995.91	*56	*	*30	-	*	*	*29	*	*	*	*	
996	3,249	1,707	1,542	154	659	1,070	1,366	740	591	1,393	524	
996.0	90	35	55	*	*	*37	47	*25	*30	*24	*	
996.01	22	*11	*	*	*	*	*17	*	*	*	*	
996.04	*18	*	*	*	*	*	*	*	*	*	*	
996.1	64	*30	*34	*	*	*	*23	*	*	*36	*	

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
996.2	90	59	*31	*24	*42	*	*	*25	*	40	*
996.4	386	149	238	*	41	131	214	73	80	151	82
996.41	54	*23	*30	-	*	*16	*29	*	*	*	*14
996.42	83	*28	56	-	*	*24	51	*19	*21	*31	*
996.43	*34	*	*	-	*	*	*	*	*	*	*
996.44	*44	*	*35	-	-	*	*39	*	*	*	*
996.47	*35	*	*26	-	*	*	*	*	*	*	*
996.49	104	52	52	*	*	47	*39	*	*	36	*38
996.5	57	*35	*22	*	*	*	*	*	*	*31	*
996.59	*35	*	*	*	*	*	*	*	*	*	*
996.6	1,678	953	725	*77	346	524	732	419	260	725	274
996.61	120	93	*	*	*	*	101	*	*	*	*
996.62	864	512	351	*54	155	332	323	230	115	372	146
996.64	104	59	*45	*	*	*	78	*	*	*32	*23
996.65	*23	*	*	-	*	*	*	*	*	*	*
996.66	185	97	88	-	*	*63	105	*41	*41	79	*
996.67	138	*92	*46	*	*	*	*	*	*	*	*
996.68	*43	*	*	*	*	*	*	*	*	*	*
996.69	107	*	*76	*	*	*31	*56	*	*	*	*
996.7	616	281	334	*	114	227	265	114	145	258	99
996.72	58	38	*21	*	*	*19	34	*12	*17	*24	*
996.73	178	95	83	-	*26	71	81	*48	*	68	42
996.74	191	79	112	*	*	81	81	*23	*67	77	*
996.77	59	*30	*29	-	*	*24	*28	*	*18	*17	*
996.78	43	*	33	*	*	*	*	*	*	*19	*
996.79	*22	*	*	*	*	*	*	*	*	*	*
996.8	254	159	95	*	69	109	*41	*63	*39	126	*
996.81	140	89	*52	*	*56	*64	*	*	*	96	*
997	789	436	353	*	131	263	375	166	129	341	153
997.0	56	*37	*19	*	*	*	*	*	*	*	*
997.09	*31	*	*	*	*	*	*	*	*	*	*
997.1	64	*42	*	*	*	*	*42	*	*	*	*
997.2	46	*25	*	*	*	*	*	*	*	*	*
997.3	43	*26	*	*	*	*	*23	*	*	*	*
997.4	305	122	183	*	67	108	121	64	58	108	75
997.5	41	*33	*	*	*	*	*	*	*	*	*
997.6	211	133	78	*	*	81	117	*	*	122	*
997.62	120	*79	*	*	*	*56	*	*	*	*56	*
997.69	91	*54	*37	-	*	*	*63	*	*	*66	*
998	1,494	653	841	*34	324	584	553	391	307	553	243
998.1	273	143	129	*	48	112	109	67	43	106	57
998.11	113	59	54	*	*12	35	63	*36	*16	43	*18
998.12	135	78	57	*	*32	66	*38	*	*	*54	*34
998.13	*24	*	*	-	*	*	*	*	*	*	*
998.2	85	*	*67	*	*	*	*	*	*	*	*
998.3	89	*45	*44	*	*	*35	*	*	*	*41	*
998.32	73	*38	*	*	*	*	*	*	*	*	*
998.5	896	393	504	*	224	311	345	243	207	298	149
998.59	873	386	488	*	221	296	340	238	203	288	144
998.6	*55	*	*	*	*	*	*	*	*	*	*
998.8	94	*43	51	*	*	37	*36	*	*32	*38	*
998.83	*54	*	*26	*	*	*	*	*	*	*	*
998.89	39	*14	*25	*	*	*16	*	*	*	*15	*
999	48	*22	*26	*	*	*	*18	*	*	*	*
V01 -V85	18,926	3,484	15,442	326	11,788	1,919	4,894	3,369	3,693	7,089	4,775

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
V10	*27	*23	*	*	*	*8	*	*	*	*	*
V12	*18	*	*14	*	*	*	*	*	*	*	*
V12.5	*10	*	*	-	*	*	*	*	*	*	*
V15	*12	*	*	*	*	*	*	*	*	*	*
V15.8	*11	*	*	*	*	*	*	*	*	*	*
V17	*12	*	*	*	*	*	*	*	*	*9	*
V22	29	-	29	-	29	-	-	*	*	*24	*
V22.1	*6	-	*6	-	*6	-	-	*	-	*6	*
V25	*5	*	*5	-	*	*	-	*	*	*	*
V25.2	*5	*	*5	-	*	*	-	*	*	*	*
V27	10,868	-	10,868	*18	10,826	*23	-	1,792	2,108	4,321	2,647
V27.0	9,619	-	9,619	*16	9,586	*17	-	1,582	1,884	3,860	2,294
V27.1	55	-	55	*	54	-	-	*	*	33	*
V27.2	315	-	315	-	314	*	-	46	43	123	103
V27.9	836	-	836	*	831	*	-	151	176	272	237
V30	*67	*	*	*67	-	-	-	*	*	*	*
V30.1	*67	*	*	*67	-	-	-	*	*	*	*
V42	*15	*	*	*	*	*	*	*	*	*	*
V45	37	*15	23	*	*15	*13	*	*	*	*15	*
V45.7	*11	*	*11	-	*	*	*	*	*	*	*
V45.8	*16	*	*	*	*	*	*	*	*	*	*
V50	*13	*	*12	-	*	*	*	*	*	*	*
V53	21	*13	*8	*	*	*	*10	*	*	*	*
V53.3	15	*8	*	*	*	*	*10	*	*	*	*
V53.31	*9	*	*	*	*	*	*7	*	*	*	*
V54	296	152	144	*	*	*	254	*57	*47	*	141
V54.1	157	135	*	*	*	*	143	*	*	*	*
V54.8	121	*	105	*	*	*	108	*	*	*	*
V54.81	106	*	*95	-	-	*	*95	*	*	*	*
V55	202	119	83	*	*45	67	69	62	*38	70	*33
V55.2	49	*30	*	*	*	*	*	*	*	*	*
V55.3	139	83	*56	*	*	*45	*49	*38	*	*45	*
V56	*14	*	*	*	*	*	*	*	*	*	*
V56.0	*12	*	*	*	*	*	*	*	*	*	*
V57	6,088	2,449	3,639	*	547	1,333	4,167	1,126	1,343	1,954	1,665
V57.1	1,072	549	524	*	*	244	684	224	*	358	477
V57.8	4,882	1,847	3,035	*	407	1,072	3,367	889	1,327	1,591	1,074
V57.89	4,882	1,847	3,035	*	407	1,072	3,367	889	1,327	1,591	1,074
V58	939	531	408	125	152	374	288	217	103	433	186
V58.0	46	*	*34	*	*	*33	*	*	*	*	*
V58.1	716	456	260	119	135	298	164	179	46	361	130
V58.11	677	432	245	119	134	262	163	165	44	338	130
V58.12	*38	*	*	*	*	*36	*	*	*	*	*
V58.4	*45	*	*	*	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
V58.8	65	*26	*39	*	*	*	*49	*	*45	*	*
V58.89	61	*	*37	*	*	*	*49	*	*44	*	*
V59	*24	*	*13	*	*14	*	*	*	*	*	*
V59.4	*21	*	*	-	*	*	*	*	*	*	-
V66	*39	*	*	-	*	*	*36	*	*	*	*
V66.7	*30	*	*	-	*	*	*29	*	*	*	*
V70	45	*19	*26	*	*	*	*	*	*	*26	*
V70.7	*24	*	*	*	*	*	*	*	*	*	*
V71	*15	*	*	*	*	*	*	*	*	*	*

* Figure does not meet standard of reliability or precision.

- Quantity zero.

NOTE: Estimates are rounded to the nearest thousand, and totals may include data from categories that are not shown individually in this table. For these reasons, figures may not always add to totals. Because of low reliability, estimates of days of care that correspond to estimated discharges less than 5,000 are suppressed and an asterisk (*) is inserted. These estimates generally are based on a sample size of less than 30 records and usually have a relative standard error (RSE) of more than 30 percent.

Estimates of days of care that correspond to estimated discharges between 5,000 and 9,999 are preceded by an asterisk (*) because they are generally based on fewer than 60 records and may have low reliability. These criteria for minimum sample size and maximum acceptable RSE are consistent with NCHS guidelines for reporting statistical results. More information can be found in the Methods section of National Hospital Discharge Survey: 2005 Annual Summary With Detailed Diagnosis and Procedure Data, Series 13, No. 165. http://www.cdc.gov/nchs/data/series/sr_13/sr13_165.pdf