

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
All codes	35,697	14,371	21,326	1,985	10,469	9,341	13,902	7,574	8,062	13,366	6,695
001-139	1,296	591	705	117	190	334	656	292	280	460	265
003	*7	*	*	*	*	*	*	*	*	*	*
003.0	*6	*	*	*	*	*	*	*	*	*	*
008	187	74	113	23	26	38	100	43	48	56	40
008.4	108	40	68	*	*8	21	78	25	27	35	20
008.45	103	38	65	*	*7	20	76	24	25	35	19
008.6	*5	*	*	*	*	*	*	*	*	*	*
008.8	71	31	40	17	17	16	21	15	19	18	19
009	28	*9	19	*	11	*6	*9	*	*	11	*8
009.0	18	*7	11	*	*9	*	*	*	*	*7	*
009.1	*5	*	*	*	*	*	*	*	*	*	*
011	*8	*6	*	-	*	*	*	*	*	*	*
011.9	*6	*5	*	-	*	*	*	*	*	*	*
033	*5	*	*	*	-	*	-	*	*	*	*
034	13	*	*9	*6	*	*	*	*	*	*5	*
034.0	12	*	*9	*5	*	*	*	*	*	*	*
038	721	329	392	16	49	183	472	161	170	273	117
038.0	37	21	16	*	*	11	23	*9	*8	11	*9
038.1	69	37	32	*	*6	24	38	20	13	27	*9
038.10	10	*	*5	-	-	*	*6	*	*	*	*
038.11	48	29	20	*	*5	19	22	14	*9	19	*7
038.19	11	*	*7	-	*	*	*9	*	*	*	*
038.2	18	*9	10	*	*	*7	*9	*	*	*8	*
038.4	129	59	70	*	*8	40	80	35	30	48	16
038.40	*9	*	*6	*	*	*	*6	*	*	*	*
038.42	68	26	42	*	*5	20	42	18	14	23	13
038.43	10	*7	*	*	*	*	*6	*	*	*	*
038.49	40	22	18	*	*	12	26	11	10	16	*
038.8	22	*9	13	*	*	*	15	*8	*5	*	*
038.9	442	193	249	11	30	96	304	86	108	175	73
041	26	11	15	11	*	*	10	*	*	*5	13
041.0	*5	*	*	*	*	*	*	*	*	*	*
041.1	10	*	*5	*6	*	*	*	*	*	*	*8
041.11	*8	*	*	*5	*	*	*	*	*	*	*7
041.4	*7	*	*	*	-	-	*	*	*	*	*
042	60	37	23	-	31	28	*	20	*6	22	11
047	36	18	19	15	17	*5	*	*5	*6	11	14
047.9	32	15	17	11	16	*	*	*	*	10	13
053	13	*	10	*	*	*	*9	*	*	*	*
053.9	*7	*	*6	*	*	*	*	*	*	*	*
054	*9	*	*7	*	*	*	*	*	*	*	*
070	32	17	16	*	*6	20	*6	*9	*	14	*
070.4	*7	*6	*	-	*	*5	*	*	*	*	*
070.44	*6	*6	*	-	*	*	*	*	*	*	*
070.5	*9	*	*5	-	*	*6	*	*	*	*	*
070.54	*6	*	*	-	*	*5	-	*	*	*	*
070.7	*8	*	*	-	*	*6	*	*	*	*6	*
079	52	29	22	23	*7	*7	14	10	12	13	16
079.9	48	28	20	21	*6	*7	14	10	12	12	14
079.99	48	28	20	21	*6	*7	14	10	12	12	14

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
112	34	13	21	*	*8	*9	12	*6	*	13	10
112.0	*8	*	*	*	*	*	*	*	*	*	*
112.2	*7	*	*5	*	*	*	*6	*	*	*	*
112.8	14	*5	*8	-	*	*6	*	*	*	*7	*
112.84	12	*5	*7	-	*	*6	*	*	*	*6	*
117	*8	*	*	-	*	*	*	*	*	*	*
135	*6	*	*5	*	*	*	*	*	*	*	-
140-239	1,728	704	1,024	13	267	717	731	390	401	659	279
141	*8	*	*	-	*	*	*	*	*	*6	*
150	11	*8	*	-	*	*	*8	*	*	*	-
151	19	14	*	-	*	*8	11	*5	*5	*7	*
151.0	*6	*6	*	-	*	*	*	*	*	*	*
152	*6	*	*	-	-	*	*	*	*	*	*
153	108	45	63	*	*8	32	68	21	29	40	17
153.1	14	*8	*6	-	*	*	10	*	*	*	*
153.3	19	*9	10	-	*	*	12	*	*	*	*6
153.4	16	*	11	-	*	*7	*9	*	*	*5	*
153.6	21	*9	12	-	-	*	17	*6	*	*8	*
153.8	*6	*	*	-	*	*	*	*	*	*	*
153.9	21	*8	13	*	*	*8	*9	*	*6	12	*
154	33	20	13	-	*	13	19	*	*8	15	*5
154.0	11	*7	*	-	*	*	*6	*	*	*	*
154.1	19	11	*8	-	*	*6	11	*	*5	*8	*
155	24	15	*9	*	*	*9	15	*7	*	*8	*
155.0	21	13	*8	*	*	*8	12	*6	*	*7	*
156	*6	*	*	-	-	*	*	*	*	*	*
157	42	23	20	-	*	17	25	12	13	11	*6
157.0	14	*6	*8	-	*	*	10	*	*	*7	*
157.2	*5	*	*	-	-	*	*	*	*	*	*
157.8	*6	*	*	-	-	*	*	*5	*	*	-
157.9	13	*5	*8	-	*	*	*9	*	*7	*	*
161	*9	*7	*	-	*	*	*	*	*	*6	*
162	149	78	71	-	*	49	97	32	36	58	23
162.2	*6	*	*	-	*	*	*	*	*	*	-
162.3	55	29	25	-	*	14	39	*9	13	19	13
162.4	*7	*	*	-	*	*	*	*	*	*	*
162.5	23	11	12	-	*	*9	14	*8	*5	*7	*
162.8	11	*8	*	-	*	*6	*	*	*	*	*
162.9	47	23	25	-	*	16	31	*8	13	22	*
171	*8	*	*	-	*	*	*	*	*	*	*
174	77	-	77	-	14	30	33	19	17	28	12
174.4	*8	-	*8	-	*	*	*	*	*	*	*
174.8	23	-	23	-	*5	10	*8	*9	*	*7	*
174.9	30	-	30	-	*6	11	14	*	*9	13	*
180	12	-	12	-	*6	*	*	*	*	*6	-
180.9	*9	-	*9	-	*6	*	*	*	*	*5	-
182	47	-	47	-	*	27	18	10	11	16	10
182.0	47	-	47	-	*	27	18	10	11	16	10

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
183	26	-	26	-	*	14	10	*7	*7	*9	*
183.0	23	-	23	-	*	12	*8	*6	*6	*8	*
184	*5	-	*5	*	-	*	*	*	*	*	*
185	89	89	-	-	*	49	40	18	22	28	20
188	34	25	*9	-	*	*9	25	*9	*8	13	*
188.8	10	*8	*	-	-	*	*8	*	*	*	-
188.9	*9	*	*	-	*	*	*	*	*	*	*
189	49	30	19	*	*	23	21	12	*9	21	*7
189.0	44	27	16	*	*	21	18	11	*6	19	*7
190	20	10	*9	*	*	*8	10	-	-	20	-
190.6	19	10	*9	-	*	*7	10	-	-	19	-
191	34	24	11	*	*9	14	11	*6	*9	16	*
191.1	*6	*	*	-	*	*	*	*	*	*	*
191.2	*9	*5	*	-	*	*	*	*	*	*	*
191.3	*6	*	*	-	*	*	*	*	*	*	*
191.8	*5	*	*	*	*	*	*	*	*	*	-
191.9	*5	*	*	*	*	*	*	*	*	*	*
193	22	*5	17	-	*9	*8	*6	*6	*	*7	*
196	24	12	12	*	*	10	*9	*	*	11	*6
196.0	*8	*6	*	-	*	*	*	*	*	*	*
196.2	*6	*	*	*	*	*	*	*	*	*	*
197	122	50	71	*	15	56	51	26	31	46	19
197.0	26	12	14	*	*	14	*7	*5	*6	11	*
197.2	24	12	12	-	*	*7	14	*	*8	*9	*
197.6	24	*7	17	-	*	13	*9	*6	*6	*9	*
197.7	31	13	17	-	*	15	12	*6	*8	12	*
197.8	*8	*	*5	-	*	*	*	*	*	*	*
198	113	51	62	*	*6	52	55	26	27	34	26
198.3	44	19	25	*	*	22	20	*7	12	14	11
198.4	*5	*	*	-	-	*	*	*	*	*	*
198.5	40	20	20	-	*	17	21	11	*8	12	*9
198.8	17	*7	10	*	*	*6	10	*6	*	*	*
198.89	16	*7	*9	*	*	*6	*9	*6	*	*	*
199	*9	*	*6	-	*	*6	*	*	*	*	*
200	11	*7	*	-	*	*	*	*	*	*	*
201	*5	*	*	*	*	*	*	*	*	*	-
202	38	25	12	*	*	17	16	*6	*7	14	11
202.8	30	21	*9	-	*	12	14	*	*	11	10
202.80	15	11	*	-	*	*7	*6	*	*	*5	*6
202.83	*6	*	*	-	*	*	*	*	*	*	*
203	17	*7	10	-	*	*9	*8	*	*	*6	*
203.0	16	*7	10	-	*	*8	*8	*	*	*6	*
203.00	16	*6	10	-	*	*8	*8	*	*	*6	*
204	17	11	*6	*	*	*	*8	*5	*	*7	*
204.0	11	*7	*	*	*	*	*	*	*	*	*
204.00	*9	*5	*	*	*	*	*	*	*	*	*
204.1	*7	*	*	-	-	*	*5	*	*	*	*
204.10	*7	*	*	-	-	*	*5	*	*	*	*
205	23	17	*6	*	*	*7	13	*5	*	*9	*
205.0	19	14	*5	*	*	*6	10	*	*	*7	*
205.00	17	12	*5	*	*	*	10	*	*	*6	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
211	52	21	31	*	*	19	30	12	13	20	*7
211.3	42	17	25	*	*	15	25	11	10	16	*6
212	*6	*	*	-	*	*	*	*	*	*	-
218	217	-	217	-	108	107	*	46	55	88	28
218.0	26	-	26	-	16	*9	*	*7	*7	10	*
218.1	58	-	58	-	24	34	-	15	12	21	*9
218.2	15	-	15	-	*8	*7	-	*	*	*5	*
218.9	118	-	118	-	60	56	*	20	32	52	15
220	35	-	35	*	14	16	*	*9	*8	15	*
225	26	*8	19	*	*	16	*6	*8	*6	*7	*5
225.2	21	*7	14	-	*	13	*	*6	*6	*5	*
226	*8	*	*7	-	*	*	*	*	*	*	*
227	16	*6	10	-	*	*7	*7	*	*	*7	*
227.1	*8	*	*6	-	*	*	*	*	*	*	*
233	20	*	19	-	*	10	*6	*	*	*8	*
233.0	12	-	12	-	*	*6	*5	*	*	*	*
233.1	*6	-	*6	-	*	*	*	*	*	*	*
235	*8	*	*5	-	*	*	*	*	*	*	*
237	*5	*	*	*	*	*	*	*	*	*	*
238	27	18	*9	*	*	*6	20	*8	*5	13	*
238.7	22	15	*7	*	*	*	17	*5	*	12	*
238.75	15	11	*	-	-	*	12	*	*	*7	*
239	12	*7	*5	*	*	*	*7	*5	*	*	*
240-279	1,795	734	1,061	135	384	559	717	437	352	660	347
241	24	*	21	*	*8	*	12	*	*	*9	*8
241.0	*7	*	*6	-	*	*	*	*	*	*	*
241.1	15	*	14	*	*	*	10	*	*	*8	*
242	11	*	*6	*	*	*	*	*	*	*	*
244	28	*8	20	*	*	13	10	*7	*5	*9	*7
244.9	26	*8	18	*	*	12	10	*7	*	*9	*6
250	623	305	317	23	168	212	220	158	121	231	114
250.0	170	78	92	*7	36	68	59	43	28	60	39
250.00	101	46	55	*	14	41	45	25	16	32	28
250.01	*9	*	*6	*	*	*	*	*	*	*	*
250.02	57	27	29	*	17	25	13	15	*9	23	10
250.1	133	61	72	14	84	27	*9	26	33	53	22
250.10	*6	*	*	-	*5	*	-	*	*	*	*
250.11	*6	*	*	*	*	*	-	*	*	*	*
250.12	31	18	13	*	12	14	*5	*	*8	14	*
250.13	90	36	55	13	62	12	*	17	22	36	14
250.2	13	*7	*6	-	*	*8	*	*	*	*	*
250.22	*8	*6	*	-	*	*	*	*	*	*	*
250.3	*6	*	*	-	*	*	*	*	*	*	*
250.4	29	18	11	-	*7	12	*9	*6	*5	*9	*9
250.40	19	11	*8	-	*	*9	*7	*	*	*6	*7
250.42	*5	*	*	-	*	*	*	*	*	*	-
250.6	73	33	40	-	18	28	27	26	13	25	*8
250.60	41	20	21	-	*7	17	18	15	*6	14	*6
250.61	*7	*	*	-	*	*	*	*	*	*	*
250.62	20	*8	12	-	*5	*7	*8	*7	*	*7	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
250.7	47	30	17	-	*	15	29	14	*7	19	*8
250.70	34	23	12	-	*	10	22	10	*	12	*8
250.72	10	*6	*	-	*	*	*5	*	*	*5	*
250.8	134	63	71	*	13	45	75	38	28	49	18
250.80	97	47	50	*	*7	29	60	26	19	35	17
250.82	28	15	14	-	*	12	12	10	*5	12	*
250.9	14	12	*	*	*	*6	*	*	*	*8	*
250.92	*9	*7	*	-	*	*	*	*	*	*5	-
251	*8	*	*	*	*	*	*	*	*	*	*
252	10	*	*8	-	*	*	*	*	*	*	*
252.0	*8	*	*	-	*	*	*	*	*	*	*
253	25	12	13	-	*	*6	18	*7	*	*8	*6
253.6	22	10	12	-	*	*5	17	*7	*	*7	*5
255	13	*5	*8	*	*	*7	*	*	*	*	*
255.4	*9	*	*6	*	*	*5	*	*	*	*	*
255.41	*9	*	*6	*	*	*5	*	*	*	*	*
263	16	*9	*6	*	*	*	*9	*	*	*5	*5
263.9	14	*8	*6	*	*	*	*8	*	*	*	*5
272	54	20	34	*	*7	24	22	15	*8	15	16
272.0	11	*6	*5	-	*	*6	*	*	*	*	*
272.4	40	13	27	-	*5	17	18	11	*6	12	12
273	*6	*	*	*	*	*	*	-	*	*	*
273.8	*6	*	*	*	*	*	*	-	*	*	*
274	19	*8	11	-	*	*9	*8	*5	*	*6	*
274.0	10	*	*7	-	*	*	*6	*	*	*	*
274.9	*7	*	*	-	-	*5	*	*	*	*	*
275	26	12	14	*	*	*8	10	*6	*7	10	*
275.4	22	10	12	*	*	*8	*8	*	*5	*9	*
275.41	*7	*	*	*	*	*	*	*	*	*	*
275.42	13	*5	*8	-	*	*7	*6	*	*	*5	*
276	697	277	420	89	89	156	363	146	145	272	134
276.0	16	*7	10	*	*	*	12	*	*	*6	*
276.1	145	51	94	*	11	36	94	25	32	47	40
276.2	32	16	16	14	*	10	*	*	*	*7	18
276.5	395	162	233	68	52	71	203	95	79	166	54
276.50	17	*	12	*	*	*	13	*	*	12	-
276.51	374	155	219	68	52	67	187	91	75	154	54
276.6	18	*9	*9	-	*	*6	*9	*	*7	*8	*
276.7	30	15	15	-	*	11	15	*5	*6	11	*8
276.8	56	16	40	*	12	20	23	11	12	25	*7
277	21	10	11	*6	10	*	*	*	10	*5	*
277.0	12	*6	*6	*	*8	*	-	*	*7	*	-
277.02	10	*6	*	*	*8	*	-	*	*6	*	-
278	178	39	139	*	72	89	15	67	24	61	26
278.0	171	38	132	*	70	87	13	66	23	58	24
278.00	10	*	*7	-	*	*	*	*	*	*	*
278.01	159	35	124	*	66	82	11	62	22	55	21
280-289	561	237	324	42	141	148	229	128	117	210	106
280	95	22	73	*	21	26	48	25	22	36	13
280.0	43	*9	34	*	11	11	21	12	10	14	*7
280.9	51	13	38	*	*9	14	27	12	13	20	*5
282	86	39	47	13	63	*9	*	22	15	41	*8

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
282.4	*8	*6	*	*	*6	*	*	*6	*	*	-
282.42	*7	*6	*	*	*6	-	-	*5	*	*	-
282.6	77	33	44	12	56	*9	*	15	14	40	*8
282.62	67	29	37	*7	52	*8	*	14	12	34	*6
282.69	*5	*	*	*	*	-	-	-	-	*	*
283	11	*	*7	*	*	*	*	*	*	*	*
283.0	*8	*	*5	*	*	*	*	*	*	*	*
284	31	18	13	*	*	13	12	*	*7	15	*5
284.1	19	11	*8	*	*	*8	*8	*	*6	*8	*
284.8	10	*	*	*	*	*5	*	*	*	*6	*
284.89	10	*	*	*	*	*	*	*	*	*6	*
285	177	67	110	*	17	47	111	39	36	61	41
285.1	53	22	30	-	*	17	30	16	11	14	12
285.2	41	19	22	*	*	*5	32	10	*9	*9	12
285.21	11	*7	*	*	*	*	*8	*5	*	*	*
285.22	10	*	*6	-	*	*	*8	*	*	*	*
285.29	21	*8	12	-	*	*	16	*	*	*5	*9
285.9	78	25	53	*	*8	22	46	12	15	36	15
286	18	10	*8	*	*	*	11	*	*	*	*7
286.9	*7	*	*	*	*	*	*	*	*	*	*
287	55	31	24	*6	11	21	16	13	10	18	14
287.3	24	12	11	*	*6	*9	*	*7	*5	*7	*
287.31	22	11	11	*	*6	*9	*	*7	*5	*5	*
287.4	*7	*	*	-	*	*	*	*	*	*	*
287.5	21	12	*9	*	*	*9	*9	*	*	*8	*7
288	63	35	28	*9	*8	21	25	13	17	21	12
288.0	43	25	18	*7	*	16	15	10	10	12	10
288.00	29	16	12	*6	*	*8	11	*8	*7	*8	*6
288.03	11	*7	*	*	*	*6	*	*	*	*	*
288.6	16	*7	*9	*	*	*	*9	*	*6	*6	*
288.60	14	*7	*7	*	*	*	*8	*	*6	*6	*
289	21	*8	13	*	12	*	*	*	*	*8	*
289.2	*7	*	*	*	*	*	-	*	*	*	*
289.8	*8	*	*	-	*	*	*	*	*	*	*
289.81	*7	*	*	-	*	*	*	*	*	*	*
290-319	2,030	1,020	1,010	111	990	668	262	489	555	722	265
290	20	*6	14	-	-	*	18	*	*	*7	*
290.4	10	*	*7	-	-	*	*9	*	*	*	*
290.40	*6	*	*	-	-	*	*6	*	*	*	*
291	174	125	49	*	73	89	10	50	54	43	27
291.0	32	24	*8	-	10	21	*	10	*	10	*7
291.8	136	97	39	*	62	67	*5	39	48	29	19
291.81	128	94	35	*	56	66	*5	35	46	28	19
291.89	*7	*	*	-	*6	*	*	*	*	*	*
292	87	46	41	*	52	24	11	26	29	22	10
292.0	54	27	27	*	38	15	*	13	21	11	*8
292.8	26	14	12	*	13	*8	*6	10	*6	*8	*
292.81	11	*7	*	-	*	*	*	*	*	*5	*
292.84	14	*7	*6	*	*9	*	*	*6	*	*	*
293	*9	*	*	-	*	*	*6	*	*	*	*
293.0	*8	*	*	-	*	*	*6	*	*	*	*
294	45	20	25	-	*	*	43	13	*8	16	*8
294.1	*7	*	*5	-	-	-	*7	*	*	*	*
294.8	37	18	19	-	*	*	36	13	*7	11	*6

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
295	318	176	142	*	155	139	22	63	81	126	48
295.3	108	67	41	*	48	51	*8	22	24	45	17
295.30	59	35	23	*	26	29	*	*9	14	26	*9
295.32	26	16	*9	-	11	13	*	*5	*	*9	*7
295.34	21	14	*7	-	10	*7	*	*7	*	*9	*
295.6	*8	*5	*	-	*	*	*	*	*	*	*
295.7	172	89	83	*	87	71	12	36	46	67	22
295.70	144	74	70	*	71	61	10	23	41	61	19
295.74	22	12	10	-	13	*8	*	11	*	*6	*
295.9	24	11	13	-	13	10	*	*	*6	*8	*7
295.90	18	*9	*9	-	12	*5	*	*	*	*8	*
296	820	342	477	59	440	243	78	158	256	343	63
296.2	141	65	76	16	74	35	16	22	53	59	*7
296.20	73	32	40	*6	39	22	*6	13	27	29	*
296.22	*5	*	*	*	*	*	*	*	*	*	*
296.23	42	19	22	*7	24	*7	*	*	18	18	*
296.24	20	10	11	*	*8	*	*5	*	*	10	*
296.3	247	94	153	*7	117	94	30	48	70	100	28
296.30	46	17	29	*	23	16	*6	12	20	10	*
296.32	21	*7	14	*	*7	*7	*5	*	*5	*8	*
296.33	119	45	74	*	62	45	*7	20	36	47	17
296.34	58	23	34	*	23	24	*9	13	*8	33	*
296.4	50	18	32	*	26	17	*6	12	13	17	*8
296.40	26	*9	17	*	13	11	*	*8	*	*9	*
296.44	17	*6	11	*	*9	*5	*	*	*	*7	*
296.5	104	39	65	*	59	34	*9	22	32	41	*9
296.50	61	24	37	*	36	20	*	12	19	26	*
296.53	17	*6	11	*	11	*5	*	*	*7	*	*
296.54	21	*7	14	-	*9	*8	*	*	*6	10	*
296.6	79	39	40	11	43	19	*5	10	22	45	*
296.60	45	24	20	*9	22	*9	*	*	10	29	*
296.63	13	*6	*7	*	*9	*	*	*	*7	*	*
296.64	17	*6	11	*	*9	*6	*	*	*	10	*
296.7	15	*6	*8	*	*9	*	*	*	*5	*6	*
296.8	120	48	72	10	79	26	*6	22	40	54	*5
296.80	86	36	50	*9	55	17	*	16	26	41	*
296.89	34	12	23	*	24	*9	*	*6	14	12	*
296.9	60	33	28	11	33	14	*	21	19	20	*
296.90	58	32	26	11	32	12	*	20	18	19	*
297	*7	*	*	-	*	*	*	*	*	*	*
298	51	26	25	*	24	15	10	10	15	17	*9
298.9	50	25	24	*	24	15	10	10	15	17	*9
299	*7	*	*	*	*	-	-	*	*	*	*
299.0	*6	*	*	*	*	-	-	*	*	*	*
299.00	*6	*	*	*	*	-	-	*	*	*	*
300	74	29	45	*	29	30	13	16	12	24	21
300.0	44	17	26	*	16	19	*7	*9	*6	12	16
300.00	33	13	19	*	*9	15	*7	*8	*5	10	10
300.01	*8	*	*6	*	*	*	*	*	*	*	*5
300.1	12	*5	*7	*	*6	*6	*	*	*	*5	*
300.11	*8	*	*	*	*	*5	-	*	*	*	*
300.4	14	*	*9	*	*	*	*	*	*	*5	*
301	11	*5	*6	*	*8	*	*	*	*	*8	*
301.9	*5	*	*	-	*	*	-	*	-	*	-
303	73	52	21	*	33	34	*6	15	21	22	14
303.0	33	23	10	-	12	18	*	*	12	*8	*8
303.00	14	10	*	-	*	*9	*	*	*6	*	*
303.01	18	13	*5	-	*8	*8	*	*	*6	*5	*
303.9	40	29	11	*	21	17	*	11	*9	14	*6
303.90	*9	*5	*	-	*	*	*	*	*	*	*





Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
337	*6	*	*	*	*	*	*	*	*	*	*
338	76	27	49	*	19	33	23	16	24	15	22
338.1	32	11	21	*	*9	11	10	*	10	*6	11
338.11	*5	*	*	-	*	*	*	*	*	*	*
338.18	21	*9	13	*	*8	*8	*	*	*6	*	*7
338.2	22	*6	16	-	*6	10	*6	*5	*5	*	*8
338.29	19	*	16	-	*6	*7	*6	*5	*	*	*6
338.3	19	10	*9	-	*	10	*6	*5	*8	*	*
340	30	*	27	-	16	12	*	*8	11	*8	*
342	86	41	45	*	*6	26	52	68	*	*7	*9
342.9	84	39	44	*	*6	25	52	68	*	*6	*8
342.90	84	39	44	*	*6	25	52	68	*	*6	*8
343	*8	*5	*	*	*	*	-	*	*	*	*
344	48	34	15	*	17	10	21	19	*	*	24
344.0	22	21	*	*	13	*	*	*8	*	*	13
344.00	18	17	*	*	11	*	*	*6	*	*	11
344.1	18	*8	*9	*	*	*	14	*8	*	*	*8
345	188	92	96	34	62	50	42	53	41	60	33
345.1	24	10	13	*5	*9	*	*5	*8	*6	*6	*
345.10	20	*9	11	*	*7	*	*5	*7	*6	*	*
345.3	21	12	10	*8	*	*	*	*	*	*8	*
345.4	11	*	*9	*	*	*	*	*	*	*	*
345.40	10	*	*7	*	*	*	*	*	*	*	*
345.5	16	*6	10	*	*	*	*7	*	*	*7	*
345.50	12	*6	*6	*	*	*	*	*	*	*	*
345.9	106	55	52	15	39	32	20	29	24	36	17
345.90	98	51	47	14	35	29	19	27	20	34	16
345.91	*9	*	*	*	*	*	*	*	*	*	*
346	54	10	43	*	26	20	*	11	12	21	10
346.2	*6	*	*	*	*	*	*	*	*	*	*
346.20	*5	*	*	*	*	*	*	*	*	*	*
346.8	*9	*	*6	*	*6	*	*	*	*	*	*
346.80	*6	*	*	*	*	*	*	*	*	*	*
346.9	36	*	31	*	17	13	*	*9	*8	15	*
346.90	28	*	25	*	14	*9	*	*9	*6	12	*
346.91	*7	*	*6	*	*	*	-	*	*	*	*
348	85	43	41	*8	16	20	41	19	17	29	20
348.1	10	*7	*	*	-	*	*5	*	*	*5	*
348.2	*9	*	*7	*	*6	*	*	*	*	*	*
348.3	45	23	22	*	*	*9	28	12	*9	18	*6
348.30	22	12	*9	*	*	*	13	*	*6	10	*
348.31	13	*	*8	-	*	*	*9	*5	*	*5	*
348.39	10	*5	*	*	*	*	*7	*	*	*	*
348.9	*5	*5	*	-	*	*	*	-	*	*	*
349	16	*	11	*	*6	*	*8	*	*6	*5	*
349.8	11	*	*8	*	*	*	*8	*	*6	*	-
349.82	10	*	*6	-	*	*	*7	*	*	*	-
350	*5	*	*5	-	*	*	*	*	*	*	*
350.1	*5	*	*	-	*	*	*	*	*	*	*
351	12	*5	*7	*	*	*	*5	*5	*	*	*
351.0	11	*	*6	*	*	*	*5	*5	*	*	*
355	*9	*	*5	-	*	*	*7	*	*	*	*
355.8	*6	*	*	-	-	*	*5	*	*	*	*
356	*9	*6	*	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
356.9	*6	*	*	-	-	*	*	*	*	*	*
357	*6	*	*	*	*	*	*	*	*	*	*
358	*8	*	*	*	*	*	*	*	*	*	*
358.0	*8	*	*	*	*	*	*	*	*	*	*
358.00	*5	*	*	*	*	*	*	*	*	*	*
359	10	*	*6	*	*	*	*	*	*	*	*
368	*8	*	*	-	*	*	*	*	*	*	*
376	*9	*	*	*	*	*	*	*	*	*	*
376.0	*8	*	*	*	*	*	*	*	*	*	*
376.01	*8	*	*	*	*	*	*	*	*	*	*
378	*8	*	*7	*	-	*	*	*	*	*	*
380	*5	*	*	*	*	*	*	*	*	*	*
382	11	*5	*6	10	*	*	*	*	*	*	*6
382.9	10	*	*6	*9	*	*	*	*	*	*	*6
386	41	10	31	-	*	*9	30	10	13	10	*9
386.1	23	*6	17	-	*	*	17	*7	*7	*6	*
386.11	16	*	12	-	*	*	12	*	*5	*	*
386.3	12	*	*9	-	*	*	*8	*	*	*	*
386.30	11	*	*9	-	*	*	*7	*	*	*	*
389	*7	*	*	-	*	*	*7	*	*	*	*
390-459	6,129	3,140	2,989	18	442	1,854	3,814	1,450	1,392	2,347	939
396	14	*	10	-	*	*	10	*	*	*	*
398	34	13	21	*	*	*	31	13	*7	*9	*5
398.9	34	13	21	-	*	*	31	13	*7	*9	*5
398.91	34	13	21	-	*	*	30	13	*7	*9	*5
401	361	143	219	*	47	156	156	88	55	136	82
401.0	34	13	21	-	*6	15	12	12	*6	13	*
401.9	324	128	196	*	41	141	140	74	49	123	78
402	49	21	28	-	*	21	25	14	*6	27	*
402.9	43	19	25	-	*	18	24	13	*5	23	*
402.90	10	*	*6	-	*	*	*7	*	*	*7	*
402.91	33	14	19	-	*	15	17	11	*	16	*
403	113	52	61	*	16	43	54	27	22	56	*8
403.0	16	*	11	-	*	*5	*9	*5	*	*8	*
403.00	*8	*	*6	-	*	*	*5	*	*	*	-
403.01	*8	*	*5	-	*	*	*	*	*	*	*
403.9	97	47	50	*	14	38	45	21	21	48	*7
403.90	28	12	16	*	*	*6	19	*7	*5	14	*
403.91	69	35	34	-	12	32	25	14	15	35	*
404	47	23	24	-	*	13	30	13	*9	20	*
404.0	*6	*	*	-	*	*	*	*	*	*	*
404.9	41	21	20	-	*	10	28	11	*8	17	*
404.91	28	14	15	-	*	*6	20	*8	*	12	*
404.93	*8	*	*	-	*	*	*6	*	*	*	-
410	657	368	288	*	43	218	396	153	171	260	74
410.0	12	*8	*	-	*	*	*7	*	*	*	*
410.01	11	*8	*	-	*	*	*6	*	*	*	*
410.1	54	33	21	-	*	21	31	10	15	23	*6
410.11	54	33	21	-	*	21	31	10	15	23	*6

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
410.2	*7	*	*	-	*	*	*	*	*	*	*
410.21	*7	*	*	-	*	*	*	*	*	*	*
410.3	10	*	*7	-	*	*	*	*	*	*	*
410.31	10	*	*7	-	*	*	*	*	*	*	*
410.4	71	44	27	-	*7	41	23	14	19	29	*9
410.41	70	44	26	-	*7	40	23	14	19	29	*7
410.5	*8	*5	*	-	*	*	*	*	*	*	*
410.51	*8	*5	*	-	*	*	*	*	*	*	*
410.7	421	228	193	-	24	119	278	105	108	172	36
410.71	417	226	190	-	23	118	275	105	107	168	36
410.8	*6	*	*	-	*	*	*	*	*	*	*
410.81	*6	*	*	-	*	*	*	*	*	*	*
410.9	66	40	27	*	*6	18	42	14	17	19	16
410.91	61	34	26	-	*	18	40	*9	17	19	16
411	54	34	20	-	*8	25	22	14	12	20	*9
411.1	49	29	20	-	*8	23	18	13	*9	20	*7
411.8	*5	*	*	-	*	*	*	*	*	*	*
412	22	11	12	-	*	10	10	*	*	11	*6
413	22	10	11	-	*6	*8	*7	*	*6	11	*
413.9	20	10	10	-	*6	*8	*6	*	*5	10	*
414	825	524	301	-	34	333	458	211	216	289	109
414.0	802	509	292	-	33	323	446	207	211	280	103
414.00	88	56	32	-	*	33	53	23	16	36	13
414.01	675	426	249	-	29	278	368	176	181	230	88
414.02	30	21	*9	-	*	10	19	*6	11	11	*
414.8	17	12	*	-	*	*7	*9	*	*	*7	*
415	156	73	83	-	25	48	83	28	38	50	40
415.1	151	69	82	-	25	46	80	27	37	48	39
415.11	*7	*	*	-	*	*	*	*	*	*	*
415.19	144	66	78	-	24	45	75	24	36	47	37
416	24	*7	17	-	*	*8	14	*	*6	*9	*5
416.8	15	*	12	-	*	*6	*8	*	*	*6	*
416.9	*7	*	*	-	*	*	*5	*	*	*	*
420	11	*5	*5	*	*	*	*	*	*	*	*
420.9	11	*5	*5	*	*	*	*	*	*	*	*
420.90	*6	*	*	-	*	*	*	*	*	*	*
421	12	*7	*5	*	*	*	*5	*6	*	*	*
421.0	11	*7	*	*	*	*	*5	*6	*	*	*
423	23	11	12	*	*	10	*9	*	*7	*8	*
423.9	19	*9	11	*	*	*9	*8	*	*7	*6	*
424	68	35	33	*	*	21	42	21	19	19	*9
424.0	23	*9	14	-	*	11	10	*7	*6	*6	*
424.1	43	25	18	-	*	*9	32	14	11	13	*
425	54	28	25	*	11	20	22	13	*8	21	12
425.4	48	25	23	*	*9	17	21	11	*7	19	11
426	63	34	29	*	*6	12	44	10	13	22	19
426.0	32	14	18	*	*	*5	24	*	*7	12	*8
426.1	19	12	*7	-	*	*	13	*	*	*9	*
426.13	11	*6	*	-	*	*	*9	*	*	*	*
427	842	429	413	*	61	219	559	210	176	309	147
427.0	28	10	17	*	*	10	13	*	*6	13	*5
427.1	60	43	17	-	*6	21	33	13	13	22	11
427.3	504	264	239	*	30	139	335	134	107	177	86
427.31	429	217	213	-	28	110	291	113	91	156	70
427.32	74	48	27	*	*	29	43	22	16	21	16

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
427.4	*7	*	*	-	*	*	*	*	*	*	*
427.41	*7	*	*	-	*	*	*	*	*	*	*
427.5	*6	*	*	-	*	*	*	*	*	*	*
427.6	10	*7	*	-	*	*5	*	*	*	*6	*
427.69	10	*7	*	-	*	*5	*	*	*	*6	*
427.8	221	93	128	*	17	40	162	54	45	87	35
427.81	80	37	44	*	*	*7	69	20	16	29	16
427.89	140	56	84	*	13	33	93	35	29	58	19
427.9	*7	*	*5	*	*	*	*	*	*	*	*
428	1,017	490	527	*	41	226	748	251	233	400	133
428.0	529	265	263	*	22	126	378	123	133	202	70
428.1	*6	*	*	-	-	*	*5	*	*	*	*
428.2	220	118	102	*	10	59	151	53	47	92	27
428.20	34	15	19	*	*	*7	24	*8	*8	14	*
428.21	59	30	29	*	*	20	37	15	14	22	*8
428.22	28	16	12	-	*	*7	19	*7	*5	11	*
428.23	99	57	42	-	*	24	71	24	19	45	11
428.3	188	62	126	-	*7	27	154	56	38	70	24
428.30	55	23	31	-	*	*9	43	12	14	19	10
428.31	52	13	39	-	*	*5	44	15	*7	26	*
428.32	19	*8	11	-	*	*	15	10	*	*	*
428.33	63	18	45	-	*	10	52	20	14	21	*8
428.4	69	38	31	-	*	12	55	16	13	29	11
428.40	*8	*	*	-	*	*	*7	*	*	*	*
428.41	14	*5	*8	-	*	*	11	*	*	*7	*
428.42	*8	*	*	-	*	*	*5	*	*	*	*
428.43	40	26	14	-	*	*6	32	*8	*9	18	*6
428.9	*5	*	*	-	*	*	*	*	*	*	-
429	12	*	*8	-	*	*	*7	*	*	*	*
429.8	*6	*	*5	-	*	*	*	*	*	*	*
430	25	11	15	-	*5	13	*7	*7	*8	*9	*
431	65	39	26	*	*	17	46	*8	15	26	16
432	27	12	15	*	*	*7	19	*	*6	12	*7
432.1	20	10	10	*	*	*	14	*	*	*7	*6
432.9	*7	*	*	-	*	*	*	*	*	*	*
433	167	96	70	*	*	44	121	38	38	65	26
433.1	154	89	65	*	*	42	110	35	34	61	24
433.10	124	72	52	-	*	32	91	25	29	51	19
433.11	30	17	13	*	*	10	19	11	*	10	*5
433.3	*6	*	*	-	-	*	*5	*	*	*	*
434	366	169	197	-	19	92	255	77	89	156	45
434.0	10	*6	*	-	*	*	*6	*	*	*	*
434.01	*9	*6	*	-	*	*	*6	*	*	*	*
434.1	50	27	23	-	*	12	36	16	11	16	*6
434.11	47	25	22	-	*	12	34	15	11	15	*6
434.9	307	137	170	-	16	77	213	57	75	137	37
434.90	*6	*	*6	-	-	*	*6	*	*	*	*
434.91	300	136	164	-	16	77	208	56	75	134	35
435	191	89	102	-	12	49	131	49	36	77	30
435.8	*8	*	*5	-	*	*	*5	*	*	*	*
435.9	179	84	95	-	11	46	122	45	32	72	30
437	37	10	27	*	*9	10	18	11	10	12	*
437.2	11	*	*9	-	*	*	*5	*5	*	*	*
437.3	12	*	*9	*	*	*	*	*	*	*	*
437.7	*6	*	*	-	-	*	*	*	*	*	-
438	53	27	26	-	*	*9	44	*9	*6	20	18
438.2	36	17	19	-	-	*5	31	*	*	11	16
438.20	31	13	17	-	-	*	28	*	*	*9	14







Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
528	12	*7	*5	*	*5	*	*	*	*	*	*
528.3	*7	*	*	*	*	*	-	*	*	*	*
530	210	103	107	24	37	81	68	44	41	67	58
530.1	29	15	13	*	*5	*8	12	*9	*5	*9	*6
530.11	*8	*	*5	-	*	*	*	*	*	*	*
530.19	14	10	*	*	*	*	*6	*5	*	*	*
530.2	*9	*5	*	-	*	*	*5	*	*	*	*
530.21	*6	*	*	-	*	*	*	*	*	*	*
530.3	*6	*	*	-	*	*	*	*	*	*	*
530.5	*5	*	*	-	*	*	*	*	*	*	*
530.7	16	11	*5	*	*6	*5	*	*	*	*5	*6
530.8	138	63	75	21	22	59	36	26	23	46	43
530.81	128	57	71	21	20	56	31	24	20	43	42
531	85	41	44	*	13	28	44	18	18	27	22
531.0	*6	*	*	-	*	*	*	*	*	*	*
531.00	*6	*	*	-	*	*	*	*	*	*	*
531.4	54	24	30	*	*	17	33	10	12	19	13
531.40	53	24	30	*	*	17	33	10	11	19	13
531.5	*5	*	*	-	*	*	*	*	*	*	*
531.50	*5	*	*	-	*	*	*	*	*	*	*
531.9	18	10	*8	-	*	*8	*6	*	*	*	*6
531.90	17	10	*7	-	*	*8	*	*	*	*	*5
532	47	30	17	*	*6	14	27	12	12	15	*8
532.0	*5	*	*	-	*	*	*	*	*	*	*
532.00	*5	*	*	-	*	*	*	*	*	*	*
532.4	28	21	*7	-	*	*9	16	*9	*6	*9	*
532.40	27	21	*7	-	*	*9	15	*9	*6	*9	*
532.9	*6	*	*	*	*	*	*	*	*	*	*
532.90	*6	*	*	*	*	*	*	*	*	*	*
533	15	*8	*7	-	*	*	*9	*5	*	*	*
533.4	*8	*	*	-	*	-	*7	*	*	*	*
533.40	*8	*	*	-	*	-	*7	*	*	*	*
533.9	*6	*	*	-	*	*	*	*	*	*	*
533.90	*6	*	*	-	*	*	*	*	*	*	*
534	*6	*	*	*	*	*	*	*	*	*	*
535	102	48	54	*	28	31	42	28	24	40	*9
535.0	11	*	*7	*	*	*	*6	*	*	*5	-
535.00	*8	*	*6	*	*	*	*	*	*	*	-
535.1	*7	*	*6	-	*	*	*	*	*	*	*
535.10	*6	*	*	-	*	*	*	*	*	*	-
535.4	34	20	14	*	*9	*9	15	*7	*9	13	*5
535.40	23	11	12	*	*8	*6	*8	*5	*5	*9	*8
535.41	12	*9	*	*	*	*	*7	*	*	*	*
535.5	39	15	24	*	12	13	14	12	10	15	*
535.50	26	10	16	*	11	*8	*7	*7	*7	11	*
535.51	13	*	*8	-	*	*	*7	*5	*	*	*
535.6	*6	*	*	-	*	*	*	*	*	*	*
536	59	25	34	*	16	15	25	*6	15	23	14
536.2	21	*9	12	*	*8	*6	*	*	*	*6	*9
536.3	13	*	*8	-	*	*	*5	*	*	*	*
536.4	20	*8	12	*	*	*	14	*	*5	10	*
536.42	11	*	*7	*	*	*	*8	*	*	*6	*
537	37	12	25	*	*	*6	23	11	*7	14	*
537.0	*7	*	*5	*	*	*	*	*	*	*	*
537.8	28	*9	19	*	*	*	21	*8	*	10	*
537.83	18	*5	12	-	*	*	15	*6	*	*7	*
537.89	*6	*	*	*	*	*	*	*	-	*	*
540	268	152	116	68	123	56	22	45	45	97	81



Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
540.0	42	25	17	16	10	11	*6	*6	12	12	13
540.1	36	21	15	*7	14	12	*	*7	*	18	*7
540.9	190	106	84	45	99	34	13	33	30	66	61
541	*6	*	*	*	*	*	*	*	*	*	*
550	31	27	*	*	*5	*7	16	*6	*6	*9	10
550.1	16	14	*	*	*	*	*8	*	*	*	*
550.10	13	11	*	*	*	*	*6	*	*	*	*
550.9	15	13	*	*	*	*	*7	*	*	*	*7
550.90	11	10	*	*	*	*	*6	*	*	*	*5
552	64	20	44	*	10	25	28	14	11	30	*8
552.1	11	*8	*	-	*	*5	*	*	*	*5	*
552.2	44	10	35	*	*8	17	20	*9	*7	21	*7
552.20	15	*	12	*	*	*	*8	*	*	*8	*
552.21	26	*6	20	-	*	11	10	*	*	12	*6
553	84	27	57	*	19	34	27	20	20	32	12
553.1	*7	*	*	*	*	*	*	*	*	*	*
553.2	49	18	31	*	10	21	16	*9	15	18	*7
553.20	*7	*	*5	-	*	*	*	*	*	*	*
553.21	40	14	25	*	*9	17	11	*8	12	14	*6
553.3	24	*	20	*	*	*8	10	10	*	10	*
555	53	26	27	*	27	15	*8	*8	10	29	*6
555.0	12	*6	*6	*	*6	*	*	*	*	*7	*
555.1	*8	*	*5	-	*	*	*	*	*	*	*
555.9	28	14	14	*	15	*7	*6	*	*5	15	*
556	32	15	17	*	13	12	*6	*8	*7	11	*6
556.6	*8	*	*7	*	*	*	*	*	*	*	*
556.9	12	*7	*6	*	*	*6	*	*	*	*6	*
557	66	17	49	*	*	12	50	15	20	21	10
557.0	26	*9	18	*	*	*	21	*7	*8	*7	*
557.1	*5	*	*	-	*	*	*	*	*	*	*
557.9	34	*7	28	-	*	*7	25	*6	10	13	*6
558	150	52	98	20	35	35	60	35	35	60	19
558.1	*6	*	*	-	*	*	*	*	*	*	*
558.9	143	50	93	19	34	34	55	33	34	58	18
560	321	149	171	14	40	104	163	69	80	107	65
560.0	*7	*	*	*6	*	*	*	*	*	*	*
560.1	71	29	42	*	15	20	36	12	12	25	21
560.2	11	*	*6	*	*	*	*	*	*	*	*
560.3	26	12	14	*	*	*6	19	10	*	*8	*
560.39	24	12	12	*	*	*	18	*9	*	*7	*
560.8	92	48	44	*	*9	33	47	24	24	27	17
560.81	63	29	34	*	*7	22	32	14	17	18	15
560.89	29	19	10	*	*	12	15	10	*7	*9	*
560.9	114	52	62	*	13	43	56	19	34	42	18
562	301	140	161	*	52	110	139	66	75	111	48
562.1	297	140	158	*	52	107	138	66	74	108	48
562.10	26	15	11	-	*	13	11	*	*	15	*
562.11	209	95	115	*	48	86	74	49	56	69	35
562.12	51	28	23	-	*	*7	44	13	11	20	*8
562.13	11	*	*9	-	*	*	*9	*	*	*	*
564	70	32	38	12	11	22	26	15	14	20	20
564.0	46	27	19	12	*5	12	18	12	10	12	12
564.00	38	22	16	10	*	10	14	10	*8	*8	12
564.09	*8	*	*	*	*	*	*	*	*	*	*
564.1	15	*	13	*	*	*6	*	*	*	*6	*
564.8	*7	*	*	-	*	*	*	*	*	*	*
564.89	*7	*	*	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
566	27	19	*9	*	13	*9	*	*	*	13	*7
567	29	16	14	*	*6	12	11	*7	*5	13	*
567.2	23	13	10	*	*	11	*7	*5	*	*9	*
567.22	17	*9	*8	*	*	*8	*6	*	*	*7	*
568	15	*5	10	-	*	*6	*5	*	*	*6	*
568.0	*8	*	*6	-	*	*	*	-	*	*	*
568.8	*7	*	*	-	*	*	*	*	*	*	*
569	120	57	63	*	14	39	66	36	28	40	16
569.1	*7	*	*7	*	*	*	*	*	*	*	*
569.3	27	14	13	*	*	11	13	*9	*7	10	*
569.4	11	*6	*5	-	*	*	*7	*	*	*	*
569.49	*7	*	*	-	*	*	*5	*	*	*	-
569.5	*5	*	*	-	*	*	*	*	*	*	*
569.6	28	*9	19	*	*	*8	19	*8	*7	*9	*
569.62	*5	*	*	-	*	*	*	*	*	*	*
569.69	19	*6	13	*	*	*	13	*7	*	*7	*
569.8	37	20	16	*	*	15	18	*8	*9	14	*5
569.81	*7	*	*	-	*	*	*	*	*	*	*
569.83	12	*5	*7	*	*	*6	*	*	*	*	*
569.85	*9	*6	*	-	*	*	*7	*	*	*	*
569.89	*5	*	*	*	*	*	*	*	*	*	*
570	*7	*	*6	*	*	*	*	*	*	*	*
571	100	66	34	-	22	54	24	18	21	37	24
571.1	15	10	*5	-	*7	*7	*	*	*	*	*5
571.2	47	37	10	-	*9	28	11	*6	10	16	16
571.5	27	16	11	-	*	16	*8	*	*6	14	*
572	64	43	21	-	*	42	18	10	11	28	14
572.2	45	31	14	-	*	32	10	*5	*8	23	*9
572.3	*7	*	*	-	*	*	*	*	*	*	*
572.8	*7	*	*	-	*	*	*	*	*	*	*
573	12	*5	*6	*	*	*	*	*	*	*7	*
574	337	120	217	*	99	101	135	76	65	134	62
574.0	132	51	81	*	37	41	54	28	23	63	18
574.00	121	48	73	*	33	37	51	26	23	58	15
574.01	11	*	*7	-	*	*	*	*	*	*5	*
574.1	92	23	70	*	28	26	38	27	18	35	13
574.10	90	22	68	*	26	26	38	26	18	34	12
574.2	30	11	19	*	11	12	*6	*	*7	12	*7
574.20	30	11	19	*	10	12	*6	*	*7	12	*7
574.3	10	*	*6	-	*	*	*6	*	*	*	*
574.30	*7	*	*6	-	*	*	*	*	*	*	*
574.5	26	13	12	-	*	*5	17	*8	*	*7	*7
574.50	14	*6	*8	-	*	*	11	*5	*	*	*
574.51	12	*7	*	-	*	*	*6	*	*	*	*
574.6	11	*6	*6	-	*6	*	*	*	*	*	*
574.60	*9	*	*5	-	*	*	*	*	*	*	*
574.7	13	*	10	-	*5	*	*	*	*	*6	*
574.70	10	*	*8	-	*	*	*	*	*	*	*
574.8	*9	*	*	-	*	*	*	*	*	*	*
574.80	*7	*	*	-	*	*	*	*	*	*	*
574.9	*9	*	*6	-	*	*	*	*	*	*	*
574.90	*6	*	*	-	*	*	*	*	*	*	*
575	96	43	53	*	42	24	27	14	21	45	16
575.0	44	27	17	*	18	12	14	*8	*8	19	*9
575.1	34	11	23	*	13	*9	11	*	*7	20	*
575.10	*9	*	*5	-	*	*	*	-	*	*7	*
575.11	21	*6	14	*	*6	*8	*6	*	*	10	*
575.8	17	*	12	*	11	*	*	*	*6	*7	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
576	36	14	22	*	*	*8	19	11	*6	*9	10
576.1	12	*6	*7	*	*	*	*7	*	*	*	*
576.2	10	*	*7	*	*	*	*7	*	*	*6	*
576.8	12	*	*7	*	*	*	*	*	*	*	*6
577	297	148	149	*	108	124	62	47	76	111	63
577.0	253	128	126	*	95	103	52	41	66	91	54
577.1	33	15	18	*	10	17	*6	*	*8	15	*7
577.2	*7	*	*	-	*	*	*	*	*	*	*
578	201	100	101	*	29	50	118	40	43	82	35
578.0	33	19	15	*	14	*9	*8	*8	*5	12	*8
578.1	37	18	19	*	*	*9	24	*7	10	14	*6
578.9	130	63	67	*	12	31	86	24	28	57	21
579	15	*	14	*6	*5	*	*	*	*	*	*7
579.0	*6	*	*6	*	*	*	*	*	*	*	*
579.3	*5	*	*	*	*	*	*	-	*	*	*
580-629	2,086	708	1,378	66	471	584	965	426	450	819	390
584	427	217	211	*	34	120	272	108	95	169	56
584.5	22	12	10	-	*	*7	13	*8	*5	*5	*
584.9	403	203	200	*	31	111	259	98	89	164	53
585	75	39	36	*	*5	32	37	11	12	28	23
585.4	*6	*	*	-	-	*	*	*	*	*	*
585.6	60	35	25	*	*	26	29	*8	10	20	22
590	141	30	111	17	64	27	33	25	28	53	35
590.1	62	13	49	*5	31	10	16	12	15	18	17
590.10	62	13	49	*5	31	10	16	12	15	18	17
590.8	76	16	60	12	31	16	17	12	12	34	18
590.80	76	16	60	12	31	16	17	12	12	34	18
591	16	*9	*7	*	*	*	*5	*	*	*7	*
592	152	83	69	*	57	57	37	36	39	57	20
592.0	45	23	22	*	15	18	12	12	11	18	*
592.1	107	60	47	*	42	39	25	24	28	39	15
593	36	17	19	*5	*	14	12	*8	10	15	*
593.4	*9	*	*7	*	*	*	*	*	*	*	*
593.9	11	*	*7	-	*	*	*	*	*	*6	-
594	*7	*	*	-	*	*	*	*	*	*	*
594.1	*6	*	*	-	*	*	*	*	*	*	*
595	28	10	18	*	*	*7	18	*7	*	16	*
595.0	*8	*5	*	*	*	*	*	*	*	*6	-
595.8	*8	*	*6	-	-	*	*8	*	*	*	-
595.82	*5	*	*	-	-	*	*5	*	*	*	-
595.9	*9	*	*6	-	*	*	*6	*	*	*6	*
596	18	13	*	*	*	*8	*9	*	*	*6	*
596.0	*6	*	*	-	*	*	*	-	*	*	*
596.1	*5	*	*	-	*	*	*	*	*	*	-
598	11	*5	*5	-	*	*6	*	*	*	*6	*
598.9	*8	*	*	-	*	*	*	*	*	*	-
599	541	163	377	20	38	90	392	109	114	215	103
599.0	507	141	366	19	34	83	371	103	108	201	96
599.7	24	17	*7	*	*	*	17	*6	*	*9	*5
600	61	61	-	-	*	10	50	16	14	20	10

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
600.0	52	52	-	-	*	*7	44	16	13	18	*6
600.00	10	10	-	-	*	*	*7	*	*	*	*
600.01	43	43	-	-	-	*6	37	11	12	15	*
601	*8	*8	-	-	*	*	*5	*	*	*	*
604	13	13	-	*	*	*	*	*	*	*	*
604.9	12	12	-	*	*	*	*	*	*	*	*
604.90	*8	*8	-	*	*	*	*	*	*	*	*
607	*6	*6	-	*	*	*	*	*	*	*	*
608	11	11	-	*	*	*	*	*	*	*	*
611	22	*	20	*	*8	11	*	*	*	10	*
611.0	13	*	10	*	*	*6	*	*	*	*7	*
611.1	*5	*	*	-	*	*	*	*	*	*	*
614	33	-	33	*	23	*6	*	*	10	13	*7
614.2	*6	-	*6	-	*	*	-	*	*	*	*
614.6	*9	-	*9	-	*5	*	*	*	*	*	*
614.9	*6	-	*6	*	*6	-	-	*	*	*	*
616	11	-	11	*	*7	*	*	*	*	*7	*
617	60	-	60	-	43	16	*	13	*9	23	14
617.0	32	-	32	-	20	11	*	*7	*	10	10
617.1	11	-	11	-	*8	*	*	*	*	*7	*
617.3	10	-	10	-	*9	*	-	*	*	*	*
617.9	*6	-	*6	-	*5	*	-	*	*	*	*
618	122	-	122	-	18	54	50	28	28	40	26
618.0	26	-	26	-	*	11	13	*7	*6	*9	*5
618.01	15	-	15	-	*	*5	*9	*	*	*6	*
618.04	*6	-	*6	-	*	*	*	*	*	*	*
618.1	10	-	10	-	*	*	*	*	*	*	*
618.2	17	-	17	-	*	12	*	*	*	*	*7
618.3	11	-	11	-	*	*5	*	*	*	*	*
618.4	30	-	30	-	*6	11	13	*8	*8	12	*
618.5	21	-	21	-	*	*7	13	*5	*	*7	*5
620	53	-	53	*	33	14	*	*9	11	22	11
620.2	38	-	38	*	23	*9	*	*5	*8	17	*7
621	17	-	17	-	*5	*9	*	*5	*	*7	*
621.3	*9	-	*9	-	*	*6	*	*	*	*	*
621.33	*6	-	*6	-	*	*	*	*	*	*	-
622	*7	-	*7	-	*	*	-	*	*	*	*
623	*5	-	*5	-	*	*	*	*	*	*	*
625	53	-	53	-	34	14	*5	*5	12	29	*7
625.3	13	-	13	-	13	*	-	*	*5	*7	*
625.6	20	-	20	-	*6	*9	*	*	*	12	*
625.9	15	-	15	-	12	*	*	*	*	*6	*
626	118	-	118	*	71	46	*	15	29	43	32
626.2	85	-	85	*	51	34	-	13	24	33	15
626.8	30	-	30	*	17	11	*	*	*	*7	17
627	*9	-	*9	-	*	*6	*	*	*	*5	*
627.1	*6	-	*6	-	-	*	*	*	*	*	-
630-677	450	-	450	*	448	*	-	84	96	191	78
632	15	-	15	-	15	-	-	*	*	*9	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
633	27	-	27	-	27	*	-	*6	*	*8	*9
633.1	21	-	21	-	21	-	-	*5	*	*6	*7
633.10	20	-	20	-	20	-	-	*	*	*6	*7
634	19	-	19	-	19	*	-	*5	*	*9	*
634.9	14	-	14	-	13	*	-	*	*	*6	*
634.91	11	-	11	-	10	*	-	*	*	*	*
639	*5	-	*5	-	*5	-	-	*	*	*	*
641	13	-	13	*	13	-	-	*	*	*5	*
641.1	*7	-	*7	-	*7	-	-	*	*	*	*
641.13	*7	-	*7	-	*7	-	-	*	*	*	*
642	34	-	34	-	33	*	-	*8	*7	14	*5
642.0	*6	-	*6	-	*6	*	-	*	*	*	*
642.03	*6	-	*6	-	*5	*	-	*	*	*	*
642.3	*8	-	*8	-	*8	-	-	*	*	*	*
642.33	*7	-	*7	-	*7	-	-	*	*	*	*
642.4	10	-	10	-	10	-	-	*	*	*	*
642.43	*9	-	*9	-	*9	-	-	*	*	*	*
642.7	*5	-	*5	-	*5	-	-	*	*	*	*
643	19	-	19	-	19	-	-	*	*	12	*
643.0	*5	-	*5	-	*5	-	-	*	*	*	-
643.03	*5	-	*5	-	*5	-	-	*	*	*	-
643.1	11	-	11	-	11	-	-	*	*	*7	*
643.13	11	-	11	-	11	-	-	*	*	*7	*
644	65	-	65	-	65	-	-	*8	19	33	*5
644.0	59	-	59	-	59	-	-	*7	18	29	*5
644.03	59	-	59	-	59	-	-	*7	18	29	*5
644.1	*6	-	*6	-	*6	-	-	*	*	*	-
644.13	*6	-	*6	-	*6	-	-	*	*	*	-
646	58	-	58	-	58	*	-	*8	11	22	17
646.2	*7	-	*7	-	*7	-	-	*	*	*	*
646.23	*7	-	*7	-	*7	-	-	*	*	*	*
646.6	35	-	35	-	35	*	-	*5	*6	12	12
646.63	32	-	32	-	32	*	-	*	*5	11	12
646.8	14	-	14	-	14	-	-	*	*	*6	*
646.83	13	-	13	-	13	-	-	*	*	*6	*
647	*6	-	*6	-	*6	-	-	*	*	*	*
648	90	-	90	-	90	*	-	19	19	38	15
648.4	12	-	12	-	12	-	-	*	*	*	*
648.43	10	-	10	-	10	-	-	*	*	*	*
648.9	57	-	57	-	57	-	-	11	13	22	11
648.93	53	-	53	-	53	-	-	10	12	21	10
649	*9	-	*9	-	*9	-	-	-	*	*5	-
649.4	*6	-	*6	-	*6	-	-	-	*	*	-
649.43	*6	-	*6	-	*6	-	-	-	*	*	-
654	15	-	15	-	15	-	-	*	*	*7	*
654.5	*9	-	*9	-	*9	-	-	*	*	*	*
654.53	*9	-	*9	-	*9	-	-	*	*	*	*
658	*5	-	*5	-	*5	*	-	*	*	*	*
659	11	-	11	-	11	-	-	*	*	*	*
659.7	*6	-	*6	-	*6	-	-	*	*	*	*
659.73	*6	-	*6	-	*6	-	-	*	*	*	*
670	10	-	10	*	10	-	-	*	*	*	*
670.0	10	-	10	*	10	-	-	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
670.04	10	-	10	*	10	-	-	*	*	*	*
674	12	-	12	-	12	*	-	*	*	*6	*
674.3	*6	-	*6	-	*6	*	-	*	*	*	*
674.34	*6	-	*6	-	*6	*	-	*	*	*	*
680-709	752	380	372	77	203	218	255	154	156	288	153
681	26	13	13	*	*7	12	*6	*	*6	14	*
681.0	14	*8	*6	*	*6	*	*	*	*	*6	*
681.00	12	*7	*5	*	*6	*	*	*	*	*	*
681.1	12	*5	*7	*	*	*7	*	*	*	*7	*
681.10	12	*5	*7	*	*	*7	*	*	*	*7	*
682	563	292	271	57	167	168	171	113	126	211	112
682.0	53	18	35	*9	24	12	*8	*9	12	22	*9
682.1	17	10	*6	*5	*	*6	*	*	*	*	*9
682.2	56	27	29	*7	16	24	*9	10	14	21	11
682.3	54	31	24	*6	22	14	13	11	12	23	*8
682.4	27	18	10	*	15	*7	*	*8	*5	*9	*5
682.5	26	*8	19	14	*5	*	*	*	*	15	*
682.6	279	154	125	12	67	88	111	58	68	97	56
682.7	43	24	18	*	10	12	19	12	*9	14	*8
693	*6	*	*	*	*	*	*	*	*	*	*
693.0	*6	*	*	*	*	*	*	*	*	*	*
695	*6	*	*	*	*	*	*	*	*	*	*
707	104	50	54	*	12	25	63	26	16	42	19
707.0	65	31	34	*	*9	13	43	17	*8	28	12
707.03	30	16	14	*	*	*	22	*6	*	18	*
707.05	20	*5	15	-	*	*	16	*7	*	*	*7
707.07	*6	*	*	-	*	*	*	*	*	*	*
707.1	34	16	18	*	*	13	19	*8	*8	12	*7
707.10	*6	*	*	-	*	*	*	*	*	*	*
707.14	*5	*	*	-	*	*	*	*	*	*	*
707.15	*9	*	*	*	*	*	*5	*	*	*	*
707.19	*9	*	*6	-	*	*	*6	*	*	*	*
710-739	2,127	892	1,235	32	307	793	995	429	528	746	423
710	31	*	29	*	19	*9	*	*8	*	13	*7
710.0	26	*	25	*	19	*6	*	*6	*	11	*7
711	22	16	*6	*	*7	*9	*	*	*6	11	*
711.0	21	15	*6	*	*6	*8	*	*	*5	11	*
711.06	10	*7	*	*	*	*	*	*	*	*	*
714	20	*5	14	*	*	*6	10	*	*	*	*7
714.0	15	*	11	-	*	*5	*9	*	*	*	*5
715	861	336	524	-	15	346	500	167	221	324	149
715.1	65	31	34	-	*	20	44	12	10	34	*9
715.15	16	*6	10	-	*	*6	*9	*	*	*5	*
715.16	44	22	23	-	*	13	32	*6	*6	28	*
715.3	574	221	353	-	*9	242	323	124	151	195	104
715.30	*7	*	*	-	-	*	*7	-	-	*7	-
715.31	15	*8	*7	-	-	*6	*9	*	*	*	*
715.35	157	65	92	-	*	69	84	42	42	49	24
715.36	389	143	247	-	*	165	220	76	106	134	74
715.8	*8	*	*	-	-	*	*	*	*	*	*
715.89	*8	*	*	-	-	*	*	*	*	*	*
715.9	209	78	131	-	*	77	129	30	55	94	30
715.90	*5	*	*	-	*	*	*	*	*	*	*
715.91	*7	*	*	-	-	*5	*	*	*	*	*
715.95	47	24	23	-	*	18	27	11	14	18	*



Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
729	51	15	36	*	15	13	21	12	13	15	11
729.1	10	*	*9	*	*	*	*	*	*	*	*
729.5	19	*	15	*	*6	*	*7	*	*5	*6	*
729.8	18	*8	11	-	*	*6	10	*	*	*5	*6
729.89	15	*7	*8	-	*	*	*8	*	*	*	*6
730	62	38	24	*6	11	25	20	15	12	22	14
730.0	16	10	*6	*	*	*6	*	*	*	*	*7
730.07	*7	*	*	*	*	*	*	*	*	*	*
730.1	12	*9	*	*	*	*	*	*	*	*	*
730.17	*8	*5	*	-	*	*	*	*	*	*	*
730.2	34	20	15	*	*	15	13	10	*7	13	*
730.27	22	12	10	*	*	12	*8	*8	*	*8	*
733	160	42	118	*	22	36	99	49	36	45	30
733.0	17	*	17	-	-	*	17	13	*	*	*
733.00	17	*	17	-	-	*	17	13	*	*	*
733.1	65	13	51	*	*	*7	57	18	15	19	12
733.13	51	*9	41	-	*	*	46	16	10	14	11
733.14	*5	*	*	*	-	*	*	*	*	*	*
733.4	18	*9	*9	-	*	11	*	*	*	*8	*
733.42	13	*7	*6	-	*	*8	*	*	*	*6	*
733.6	19	*	14	*	*8	*6	*	*8	*	*6	*
733.8	28	11	17	*	*6	11	*9	*	*7	*8	*9
733.81	*7	*	*	*	*	*	*	*	*	*	*
733.82	21	*7	14	*	*	10	*7	*	*6	*7	*
733.9	12	*	*8	*	*	*	*8	*	*	*	*
736	15	*8	*7	*	*	*7	*6	*5	*	*	*
736.6	*8	*	*	-	*	*	*	*	*	*	*
737	17	*	13	*	*	*	*7	*	*6	*6	*
737.3	14	*	10	*	*	*	*6	*	*5	*5	*
737.30	10	*	*8	*	*	*	*	*	*	*	*
738	38	14	25	*	*6	19	13	*	12	10	14
738.1	*6	*	*	-	*	*	-	*	*	*	*
738.19	*6	*	*	-	*	*	-	*	*	*	*
738.4	32	11	21	*	*	17	12	*	10	*8	11
740-759	183	93	90	108	30	34	11	28	39	51	65
741	*6	*	*	*	*	*	-	-	*	*	*
741.0	*6	*	*	*	*	*	-	-	*	*	*
742	12	*	*7	*6	*	*	-	*	*	*6	*
742.5	*5	*	*	*	*	-	-	-	*	*	*
742.59	*5	*	*	*	*	-	-	-	*	*	*
745	24	14	10	17	*	*	*	*	*	10	*8
745.4	*7	*	*	*6	*	-	-	*	*	*	*
745.5	11	*7	*	*	*	*	*	*	*	*	*
746	11	*7	*	*	*	*	*	*	*	*	*
747	18	*	13	*7	*	*8	*	*	*9	*	*
747.8	11	*	*9	*	*	*7	*	*	*9	*	*
747.81	10	*	*9	*	*	*7	*	*	*9	*	*
749	13	*	*9	13	*	-	-	*	*	*	*7
749.2	*8	*	*	*8	*	-	-	*	-	*	*5
750	13	11	*	13	*	*	*	*	*	*5	*
750.5	11	10	*	11	-	-	-	*	*	*	*
751	12	*6	*6	*9	*	*	*	*	*	*	*5









Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
852	76	48	29	*	19	18	37	19	19	19	19
852.0	26	13	13	*	10	*	12	*	*8	*7	*7
852.00	*5	*	*	-	*	*	*	*	*	*	*
852.01	*8	*	*	*	*	*	*	*	*	*	*
852.02	*6	*	*	*	*	*	*	*	*	*	*
852.06	*5	*	*	*	*	*	*	*	*	*	-
852.2	49	34	15	*	*8	15	24	15	11	10	12
852.20	14	10	*	*	*	*	*7	*6	*	*	*
852.21	19	15	*	*	*	*8	*9	*	*6	*	*5
852.26	*9	*	*	-	*	*	*6	*	*	*	*
853	14	*9	*	*	*	*	*6	*	*	*	*
853.0	14	*9	*	*	*	*	*6	*	*	*	*
853.01	*5	*	*	*	*	*	*	*	*	*	*
860	34	27	*7	*	12	13	*8	*8	*6	*8	11
860.0	17	12	*5	-	*	*8	*	*	*	*	*
860.4	*6	*6	*	-	*	*	*	*	*	*	*
861	*7	*	*	*	*	*	*	*	*	*	*
861.2	*5	*	*	*	*	*	*	-	*	*	*
861.21	*5	*	*	*	*	*	*	-	*	*	*
863	15	11	*	*	13	*	-	*	*	*	*7
864	12	*9	*	*	*9	*	*	*	*	*	*
864.0	*8	*	*	*	*5	*	*	*	*	*	*
865	20	16	*	*	10	*	*	*9	*	*7	*
865.0	17	14	*	*	*9	*	*	*8	*	*6	*
865.03	*6	*	*	*	*	*	-	*	*	*	-
867	*8	*	*	-	*	*	*	*	*	*	*
867.0	*6	*	*	-	*	*	*	*	*	*	*
868	*6	*	*	*	*	*	*	*	*	*	*
873	19	11	*9	*	*6	*	*9	*	*6	*	*7
873.0	*9	*	*5	-	*	*	*5	*	*	*	*
873.4	*7	*	*	*	*	*	*	*	*	*	*
873.42	*5	*	*	*	*	*	*	*	*	*	*
879	*6	*	*	*	*	*	*	*	*	*	*
881	*8	*	*	*	*	*	*	*	*	*	*
882	*7	*5	*	*	*	*	*	*	*	*	*
891	10	*5	*	*	*	*	*	*	*	*6	*
892	*8	*7	*	*	*	*	*	*	*	*	*
920	*9	*	*	*	*	*	*	*	*	*	*
922	13	*	11	*	*	*	*8	*	*	*6	*
922.1	*7	*	*5	-	*	*	*	*	*	*	*
923	*8	*	*5	*	*	*	*6	*	*	*	*
924	23	*8	15	*	*	*	15	*6	*	*7	*
924.0	13	*	10	*	*	*	10	*	*	*5	*
924.00	*6	*	*	*	*	*	*	*	*	*	*
924.01	*7	*	*6	-	-	*	*6	*	*	*	*
924.1	*6	*	*	*	*	*	*	*	*	*	*
934	10	*	*6	*	*	*	*	*	*	*	*
935	11	*	*8	*7	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
935.1	*9	*	*6	*5	*	*	*	*	*	*	*
941	*9	*5	*	*	*	*	*	*	*	*	*
941.2	*6	*	*	*	*	*	*	*	*	*	*
942	*6	*	*	*	*	*	*	*	*	*5	*
943	*5	*	*	*	*	*	*	*	*	*	*
945	*7	*6	*	*	*	*	*	*	*	*	*
952	*8	*6	*	*	*	*	*	*	*	*	*
952.0	*7	*6	*	*	*	*	*	*	*	*	*
958	*7	*5	*	-	*	*	*	*	*	*	*
959	18	11	*6	*	*7	*	*8	*	*7	*	*
959.0	10	*7	*	*	*	*	*6	*	*	*	*
959.01	*9	*6	*	*	*	*	*5	*	*	*	*
959.1	*5	*	*	*	*	*	*	*	*	*	*
962	*7	*	*5	*	*	*	*	*	*	*	*
962.3	*7	*	*	*	*	*	*	*	*	*	*
963	*6	*	*	*	*	*	-	*	*	*	*
965	78	36	42	*	50	22	*	15	20	26	17
965.0	34	23	10	*	17	13	*	*8	10	*8	*8
965.00	*6	*	*	-	*	*	*	*	*	*	*
965.01	*6	*6	*	*	*	*	*	*	*	*	*
965.09	18	11	*7	-	*6	10	*	*	*	*6	*6
965.1	*6	*	*	-	*	*	*	*	*	*	*
965.4	31	*7	24	*	25	*5	*	*5	*9	12	*
966	*7	*	*	*	*	*	*	*	*	*	*
967	12	*5	*7	-	*	*6	*	*	*5	*5	*
967.8	*7	*	*	-	*	*	*	*	*	*	-
969	94	41	53	*	62	25	*	17	22	39	16
969.0	25	10	16	*	15	*8	*	*8	*7	*	*5
969.3	13	*6	*7	*	*8	*	*	*	*	*	*
969.4	44	19	26	*	30	11	*	*7	*7	25	*5
970	17	11	*6	-	*9	*7	*	*7	*	*	*
970.8	17	11	*6	-	*9	*7	*	*7	*	*	*
972	*8	*	*	*	*	*	*	*	*	*	*
972.6	*5	*	*	*	*	*	*	*	*	*	-
977	12	*6	*7	*	*	*6	*	*	*	*5	*
977.9	*7	*	*	*	*	*	*	*	*	*	*
980	*7	*	*	*	*	*	*	*	*	*	*
980.0	*5	*	*	*	*	*	*	*	*	*	*
989	12	*7	*	*	*6	*	*	*	*	*	*
989.5	*6	*	*	*	*	*	*	*	*	*	-
995	34	14	20	*	*6	16	*8	*6	*8	15	*
995.1	12	*6	*6	*	*	*5	*	*	*	*6	*
995.9	*6	*	*	*	*	*	*	*	*	*	*
996	547	274	273	15	71	192	269	123	122	223	79
996.0	35	22	13	*	*	*7	25	*9	*	19	*
996.01	18	10	*8	*	*	*	15	*5	*	*9	*
996.04	13	*9	*	-	*	*	*8	*	*	*6	*
996.1	14	*7	*7	-	*	*	*9	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
996.2	16	*8	*8	*5	*	*	*	*	*	*6	*
996.3	*6	*	*	-	*	*	*5	*	*	*	*
996.4	115	36	79	*	*9	36	68	22	25	51	17
996.41	15	*6	*9	-	*	*	10	*	*	*6	*
996.42	26	*5	21	-	*	*6	20	*6	*	*8	*7
996.43	16	*	12	-	*	*5	*9	*	*5	*6	*
996.44	*9	*	*8	-	*	*	*8	*	*	*	*
996.46	*5	*	*	-	*	*	*	-	*	*	*
996.49	34	14	20	*	*6	14	13	*6	*7	18	*
996.5	16	*7	*9	*	*	*9	*	*	*	*5	*
996.59	11	*	*7	*	*	*6	*	*	*	*	*
996.6	184	107	78	*	21	63	96	41	38	77	28
996.61	11	*7	*	-	*	*	*8	*	*	*	*
996.62	55	34	21	*	11	18	26	12	13	23	*8
996.63	*7	*	*	*	*	*	*	*	*	*	*
996.64	30	16	14	-	*	*7	22	*6	*6	14	*
996.65	*6	*	*	-	*	*	*	*	*	*	*
996.66	33	20	13	-	*	14	18	*9	*6	14	*
996.67	19	*8	11	*	*	*7	10	*	*	*8	*5
996.68	*7	*5	*	*	*	*	*	*	*	*	*
996.69	15	*8	*7	*	*	*	*6	*	*	*8	*
996.7	123	61	61	*	15	50	55	27	32	47	17
996.72	19	12	*6	*	*	10	*8	*7	*	*	*
996.73	38	18	20	-	*	16	19	*9	10	11	*8
996.74	23	14	*9	*	*	*6	14	*	*8	*9	*
996.76	*8	*	*	-	*	*	*	*	*	*	*
996.77	10	*	*6	-	*	*	*	*	*	*	*
996.78	15	*	10	-	*	*8	*	*	*	*8	*
996.79	*7	*	*	-	*	*	*	*	*	*	-
996.8	39	22	17	*	14	20	*	11	12	11	*6
996.81	26	11	14	*	12	11	*	*6	10	*5	*
996.82	*6	*5	*	-	*	*	*	*	*	*	-
997	135	69	66	*	30	42	63	33	34	42	26
997.0	10	*6	*	-	*	*	*	*	*	*	*
997.09	*7	*	*	-	*	*	*	*	*	*	*
997.1	15	*9	*5	-	*	*	*9	*	*	*	*
997.2	11	*	*7	-	*	*	*7	*	*	*	*
997.3	*8	*5	*	*	*	*	*	*	*	*	-
997.4	51	17	35	*	15	19	17	10	13	18	10
997.5	13	11	*	-	*	*	10	*5	*	*	*
997.6	23	15	*8	*	*	*8	12	*	*6	*8	*
997.62	18	12	*6	*	*	*6	10	*	*	*6	*
998	276	121	155	15	62	106	93	77	53	107	39
998.1	68	36	32	*	14	23	28	19	16	23	10
998.11	36	22	14	*	*8	*9	17	12	*9	11	*
998.12	24	*9	15	*	*5	*9	*9	*5	*6	*7	*6
998.13	*8	*	*	-	*	*	*	*	*	*	*
998.2	11	*5	*5	-	*	*5	*	*	*	*	*
998.3	27	*9	17	*	*5	*8	12	*6	*5	13	*
998.31	*9	*	*7	-	*	*	*6	*	*	*	*
998.32	18	*7	11	*	*	*5	*6	*	*	10	*
998.5	135	56	79	*9	33	57	36	42	24	50	19
998.51	*7	*	*6	*	*	*	*	*	*	*	*
998.59	128	54	74	*9	32	53	34	41	22	46	18
998.6	*8	*	*	-	*	*	*	*	*	*	*
998.8	27	11	16	*	*8	*9	*8	*	*	14	*
998.83	13	*5	*7	*	*	*7	*	*	*	*7	*
998.89	13	*5	*8	*	*	*	*	*	*	*6	*
999	33	14	19	*	*7	13	11	*8	12	*9	*
999.3	29	12	17	*	*5	12	*9	*8	10	*7	*
999.31	23	*9	14	*	*	11	*7	*5	*8	*7	*
999.39	*6	*	*	-	*	*	*	*	*	*	-
V01-V86	5,080	395	4,685	66	4,282	285	448	834	1,166	2,030	1,050

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
V10	15	*	12	-	*	*8	*7	*	*	*9	*
V12	20	*6	14	*	*7	*	10	*	*	*8	*6
V12.5	11	*	*7	-	*	*	*5	*	*	*5	*
V12.54	*6	*	*	-	*	*	*	*	*	*	*
V12.7	*5	*	*	-	*	*	*	*	-	*	*
V14	*5	*	*5	*	*	*	*	*	*	*	*
V15	21	12	*9	*	*7	*7	*5	*	*	15	*
V15.8	21	12	*9	*	*7	*7	*	*	*	15	*
V15.81	12	*8	*	*	*7	*	*	*	*	*8	*
V15.82	*8	*	*	-	*	*	*	*	*	*7	*
V17	*6	*	*	*	*	*	*	*	*	*	*
V24	*6	-	*6	-	*6	-	-	*	*	*	*
V24.0	*6	-	*6	-	*6	-	-	*	*	*	*
V27	4,144	-	4,144	*5	4,131	*8	-	631	968	1,691	853
V27.0	3,668	-	3,668	*5	3,658	*	-	562	835	1,531	739
V27.1	13	-	13	-	13	-	-	*	*	*5	*
V27.2	56	-	56	-	55	*	-	*9	15	22	*9
V27.9	404	-	404	*	401	*	-	57	114	130	102
V30	*6	*	*	*6	-	-	-	*	*	*	*
V30.1	*6	*	*	*6	-	-	-	*	*	*	*
V42	*8	*	*	*	*	*5	*	*	*	*	*
V45	41	17	24	*	*9	10	20	23	*	*9	*
V45.7	*6	-	*6	-	*	*	*	*	*	*	*
V45.71	*5	-	*5	-	*	*	*	*	*	*	*
V45.8	32	15	16	*	*6	*6	18	22	*	*	*
V45.81	*5	*	*	-	-	*	*5	*	*	*	-
V45.82	*7	*6	*	-	-	*	*5	*5	-	*	*
V45.89	16	*	12	*	*	*	*7	10	*	*	*
V50	*9	*	*8	*	*5	*	*	*	*	*	*
V50.4	*8	-	*8	-	*5	*	*	*	*	*	*
V50.42	*6	-	*6	-	*	*	*	*	*	*	*
V52	*8	*	*	*8	-	-	-	-	-	*8	-
V52.8	*8	*	*	*8	-	-	-	-	-	*8	-
V53	12	*7	*	-	*	*	*8	*	*	*	*
V53.3	12	*7	*	-	*	*	*8	*	*	*	*
V53.31	*8	*	*	-	*	*	*6	*	*	*	*
V54	24	*9	15	-	*6	*6	12	16	*	*	*5
V54.0	*5	*	*	-	*	*	*	*	-	*	*
V54.1	15	*	10	-	*	*	*7	12	*	*	*
V54.19	11	*	*8	-	*	*	*5	*9	-	*	*
V55	42	22	20	*	*8	12	18	*8	*9	15	10
V55.1	*6	*	*	*	*	*	*	*	*	*	*
V55.2	14	*7	*7	*	*	*6	*	*	*	*	*
V55.3	20	12	*8	-	*6	*	*9	*	*	*9	*
V56	18	11	*7	-	*	*9	*6	*	*	15	*
V56.0	17	10	*7	-	*	*8	*6	*	*	13	*
V57	385	159	226	*	29	92	259	69	109	120	87
V57.1	30	*5	25	*	*	*7	18	14	*6	*7	*
V57.8	350	151	199	*	24	84	240	51	103	112	83
V57.89	350	151	199	*	24	84	240	51	103	112	83

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>§</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
V58	227	105	122	14	41	95	77	47	52	85	43
V58.0	16	*5	10	*	*	*	*9	*7	*	*7	*
V58.1	167	84	82	11	30	79	46	37	38	62	29
V58.11	163	81	82	11	30	76	46	37	38	59	29
V58.4	*6	*	*	*	*	*	*	*	*	*	*
V58.6	21	*9	12	*	*5	*5	*8	*	*	12	*6
V58.61	*6	*	*	-	*	*	*	*	*	*	-
V58.69	*7	*	*6	-	*	*	*	-	-	*7	-
V58.8	13	*	10	*	*	*	11	*	10	*	*
V58.89	11	*	*7	*	*	*	*9	-	10	*	*
V59	*8	*	*5	-	*	*	*	*	*	*	*
V59.4	*7	*	*5	-	*	*	-	*	*	*	*
V70	10	*	*6	*	*	*	*	*	-	*	*
V70.7	*7	*	*5	*	*	*	*	*	-	*	*
V71	*9	*	*5	*	*	*	*	*	*	*	*
V71.4	*6	*	*	*	*	-	*	*	*	*	-
V85	10	*	10	-	*	*	*	*	*	*	*
V85.4	*7	*	*7	-	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision.

- Quantity zero.

§ U.S. Department of Health and Human Services. Centers for Disease Control and Prevention, Centers for Medicare and Medicaid Services. Official version *International Classification of Diseases, Ninth Revision, Clinical Modification, Sixth Edition*. DHHS Pub No. (PHS) 06-1260. available at: <http://www.cdc.gov/nchs/icd/icd9cm.htm>

NOTE: Estimates are rounded to the nearest thousand, and totals may include data from categories that are not shown individually in this table. For these reasons, figures may not always add to totals. Because of low reliability, estimates less than 5,000 are suppressed and an asterisk (\*) is inserted. These estimates generally are based on a sample size of less than 30 records and usually have a relative standard error (RSE) of more than 30 percent. Estimates between 5,000 and 9,000 are preceded by an asterisk (\*) because they are generally based on fewer than 60 records and may have low reliability. These criteria for minimum sample size and maximum acceptable RSE are consistent with NCHS guidelines for reporting statistical results. More information can be found in the Methods section of *National Hospital Discharge Survey: 2005 Annual Summary With Detailed Diagnosis and Procedure Data, Series 13, No. 165*. [http://www.cdc.gov/nchs/data/series/sr\\_13/sr13\\_165.pdf](http://www.cdc.gov/nchs/data/series/sr_13/sr13_165.pdf)