

# Adult Tobacco Use Questions on the National Health Interview Survey

# 1997 - Forward

Questions on adult tobacco that have been asked on the National Health Interview Survey over the course of its history are shown here in their original format. The NHIS dates back to 1957, however, tobacco questions were first included in 1965. The full questionnaires from which these questions were extracted are available from the "Guide for Data Users" on the Adult Tobacco Use Information website:

[http://www.cdc.gov/nchs/nhis/tobacco/tobacco\\_guide.htm](http://www.cdc.gov/nchs/nhis/tobacco/tobacco_guide.htm)

**NHIS Tobacco Questions: 1997 – Forward**

**1997 – Forward: NHIS Sample Adult Core  
Adult Health Behavior (AHB) Section (18 years and over)**

**Section IV - HEALTH BEHAVIORS**

**Part A - Tobacco**

These next questions are about cigarette smoking.

AHB.010 Have you smoked at least 100 cigarettes in your ENTIRE LIFE?

- >SMKEV< (1) Yes (AHB.020) (7) Refused (AHB.090)  
(2) No (AHB.090) (9) DK (AHB.090)

AHB.020 How old were you when you FIRST started to smoke fairly regularly?

- >SMKREG< (06-94) 6-94 years of age  
(95) 95 years or older (97) Refused  
(96) Never smoked regularly (99) DK

AHB.030 Do you NOW smoke cigarettes every day, some days or not at all?

- >SMKKNOW< (1) Every day (AHB.050) (7) Refused (AHB.060)  
(2) Some days (AHB.060) (9) DK (AHB.060)  
(3) Not at all (AHB.040)

AHB.040 How long has it been since you quit smoking cigarettes?

- >SMKQTNO< [ ] NUMBER  
  
(01-94) 1-94 (97) Refused  
(95) 95+ (99) DK

- >SMKQTTP< [ ] TIME PERIOD  
  
(1) Days (AHB.090) (4) Years (AHB.090)  
(2) Weeks (AHB.090) (7) Refused (AHB.090)  
(3) Months (AHB.090) (9) DK (AHB.090)

AHB.045 Have you quit smoking since {current month 1 year ago}

- >SMKQTD2< (1) Yes (AHB.090) (7) Refused (AHB.090)  
(2) No (AHB.090) (9) DK (AHB.090)

[Note: Question AHB.045 was dropped beginning in 2004.]



**1998 Family Prevention (2000 Objectives) Supplement  
Pregnancy and Smoking Section (18–49 years)**

**FAMILY PREVENTION MODULE  
Pregnancy and Smoking**

This section should begin AFTER the Family section is completed, i.e. FSTAT has been entered and all related code closing the Family questionnaire (including setting up callbacks at ARRANGE2) has been executed.

Check item BEGIN\_PFA: If any females in the family greater than or equal to 18 and less than or equal to 49, [go to BIR5/(PFA.010)]; Else go to END\_PFA.

PFA.010 {Has/Have} {READ NAMES} given birth to a liveborn infant in the past 5 years?

>BIR5< (1) Yes (PFA.015) (7) Refused (END\_PFA)  
(2) No (END\_PFA) (9) Don't know (END\_PFA)

PFA.015 **FR: ASK OR VERIFY. ENTER APPLICABLE LINE NUMBER(S).  
ENTER (N) FOR NO MORE AFTER THE LAST NUMBER.**

>PBIR5< Who is this? (Anyone else)  
[Enter person #s] [] [] [] [] [] []

(Go to END\_SCR)

[Assign PSFLAG = 1 to every person listed in PBIR5 (PFA.015)]

Check item END\_SCR: For first/next woman with PSFLAG=1

**FR: READ IF NECESSARY:**

The next few questions are about smoking during pregnancy. Is (fill name) available to answer these questions?

(1) Yes (PFA.017)  
(2) No (END\_PFA)

**1998 Family Prevention (2000 Objectives) Supplement  
Pregnancy and Smoking Section (18–49 years)**

**Part A - Tobacco Use**

PFA.017 Earlier I was told you had a live birth within the past 5 years. In what month and year was your last child born?

**FR: ENTER (N) IF RESPONDENT SAYS SHE DID NOT HAVE LIVE BIRTH IN PAST 5 YEARS.**

>BIRVER\_M< MONTH: \_\_\_\_\_  
>BIRVER\_D< DAY: \_\_\_\_\_  
>BIRVER\_Y< YEAR: \_\_\_\_\_

**[If BIRVER = N go to END\_PFA; Else go to PFA.020]**

PFA.020 Have you smoked at least 100 cigarettes in your ENTIRE LIFE?

>PSMKEV< (1) Yes (PFA.030) (7) Refused (END\_PFA)  
(2) No (END\_PFA) (9) Don't know (END\_PFA)

PFA.030 How old were you when you FIRST started to smoke fairly regularly?

**FR: IF LESS THAN 6 YEARS OLD, ENTER "6".**

>PSMKRG< (06) 6 years of age and younger  
(06-49) 06-49 years of age (97) Refused  
(96) Never smoked regularly (99) Don't know

PFA.040 Do you NOW smoke cigarettes every day, some days, or not at all?

>PSMKNOW< (1) Every day (PFA.060) (2) Some days (PFA.070)  
(7) Refused (PFA.070) (3) Not at all (PFA.050)  
(9) Don't know (PFA.070)

NHIS Tobacco Questions: 1997 – Forward

**1998 Family Prevention (2000 Objectives) Supplement  
Pregnancy and Smoking Section (18–49 years)**

PFA.050 How long has it been since you quit smoking cigarettes?

>PSMKQT\_N< [ ] NUMBER

- (01-94) 01-94 (97) Refused
- (95) 95+ (99) Don't know

>PSMKQT\_T< [ ] TIME PERIOD

- (1) Days (4) Years
- (2) Weeks (7) Refused
- (3) Months (9) Don't know

**If PSMKOT\_N = 99 and PSMKOT\_T = 9 then go to PFA.055; Else go to PFA.120**

PFA.055 Have you quit smoking since {current month in word format} {last year [current year minus 1] in digit format}?

>PSMKQTD< (1) Yes (7) Refused  
(2) No (9) Don't Know (Go to PFA.120)

PFA.060 **FR: IF LESS THAN "1", ENTER "1".**

On the average, how many cigarettes do you now smoke a day?

>PCIGSDA1< (01-94) 01-94 cigarettes  
(95) 95+ cigarettes  
(97) Refused  
(99) Don't know

PFA.070 On how many of the PAST 30 DAYS did you smoke a cigarette?

>PCIGDAMO< (0) None (PFA.090)  
(01-30) 01-30 days (PFA.080)  
(97) Refused (PFA.080)  
(99) Don't know (PFA.080)

**NHIS Tobacco Questions: 1997 – Forward**

**1998 Family Prevention (2000 Objectives) Supplement  
Pregnancy and Smoking Section (18–49 years)**

PFA.080                    **FR: IF LESS THAN “1” ENTER “1”.**

On the average, when you smoked during the PAST 30 DAYS, about how many cigarettes did you smoke a day?

>PCIGSDA2<            (01-94)    01-94 cigarettes  
                                  (95)        95+ cigarettes  
                                  (97)        Refused  
                                  (99)        Don't know

PFA.090                    During the PAST 12 MONTHS, have you stopped smoking for more than one day  
BECAUSE YOU WERE TRYING TO QUIT SMOKING?

>PCIGQTYR<            (1) Yes  
                                  (2) No  
                                  (7) Refused  
                                  (9) Don't know

**1998 Family Prevention (2000 Objectives) Supplement  
Pregnancy and Smoking Section (18–49 years)**

**Part B - Smoking During Pregnancy**

PFA.120 Were you smoking cigarettes when you became pregnant with your last child?

- >PSMSTLPG< (1) Yes {PFA.130} (7) Refused {END\_PFA}  
(2) No {END\_PFA} (9) Don't know {END\_PFA}

PFA.130 Did you smoke cigarettes at any time during your pregnancy with your last child?

- >PSMDURPG< (1) Yes {PFA.140} (7) Refused {END\_PFA}  
(2) No {END\_PFA} (9) Don't know {END\_PFA}

PFA.140 Did you quit smoking for seven days or longer during your pregnancy with your last child?

- >PSMKQTPG< (1) Yes {PFA.150} (7) Refused {END\_PFA}  
(2) No {END\_PFA} (9) Don't know {END\_PFA}

PFA.150 In what month of your pregnancy did you first quit for 7 days or longer?

- >PSQPGM< (01-09) 1-9 month  
(97) Refused  
(99) Don't know

PFA.160 Did you start smoking again during that pregnancy or did you stay off cigarettes for the rest of the pregnancy?

- >PSMPGSTA< (1) Stayed off rest of pregnancy (7) Refused  
(2) Started again (9) Don't know  
(3) Never started again

Check item END PFA: Arrange for callback if eligible woman (PSFLAG = 1) not available to answer questions. Loop to END\_SCR for next woman with PSFLAG=1. If there are no more eligible women (or no women at all), proceed to next section of HIS interview.







**1998 Prevention Sample Adult (2000 Objectives) Supplement  
Workplace Health Promotion Section (Currently employed 18 years and over)**

**Section E. - Workplace Health Promotion**

These next questions are about health programs in the workplace.

Earlier, you told me that you were employed during the past two weeks.  
Which best describes the area in which you work most of the time?

- >WRKAREA<**
- |  |                          |
|--|--------------------------|
| (1) Work mainly indoors (PAE.110)                    | (5) Other (PAE.140)      |
| (2) Work mainly outdoors (PAE.140)                   | (7) Refused (PAE.140)    |
| (3) Travel to different buildings or sites (PAE.140) | (9) Don't know (PAE.140) |
| (4) In a motor vehicle (PAE.140)                     |                          |

PAE.110 Does your employer have an official policy that restricts smoking in any way?

- >SMPOLICY<**
- |                   |                          |
|-------------------|--------------------------|
| (1) Yes (PAE.120) | (7) Refused (PAE.140)    |
| (2) No (PAE.140)  | (9) Don't know (PAE.140) |

PAE.120 **FR: SHOW CARD A16.**

Which of these best describes your employer's smoking policy for indoor public or common areas, such as lobbies, rest rooms, and lunch rooms?

- >COPOLICY<**
- (1) Not allowed in ANY indoor common areas
  - (2) Allowed in SOME indoor common areas, including designated smoking areas
  - (3) Allowed in ALL indoor common areas
  - (7) Refused
  - (9) Don't know

**1998 Prevention Sample Adult (2000 Objectives) Supplement  
Workplace Health Promotion Section (Currently employed 18 years and over)**

PAE.130                    **FR:            SHOW CARD A17.**

Which of these best describes your employer’s smoking policy for work areas?

- >WKPOLICY<            (1) Not allowed in ANY work areas                    (7) Refused  
                                  (2) Allowed in SOME work areas                    (9) Don’t know  
                                  (3) Allowed in ALL work areas

PAE.140                    Does your employer offer a quit smoking program or any other help to employees who want to quit smoking?

- >SMQPROG<            (1) Yes (PAECCI03)    (7) Refused (PAECCI04)  
                                  (2) No (PAECCI04)    (9) Don’t know (PAECCI04)

Check item PAECCI03:    Smoked at least 100 Cigarettes. Refer to AHB.010/ SMKEW, in Section IV - Health Behaviors, Adult Core.

---

**If SMKEV eq <1> [go to SMQPYOU/(PAE.150); Else go to PAECCI04]**

PAE.150                    In the past year, have you participated in a quit smoking program made available by your employer?

- >SMQPYOU<            (1) Yes    (7) Refused  
                                  (2) No    (9) Don’t know

**2000 NHIS Sample Adult Cancer Supplement (18 years and over)**

**CANCER 2000 MODULE**

**Section E - Tobacco**

Check item NAECCI01: Refer to Adult Core, Basic Module. SMKEV/AHB.010, “Have you smoked at least 100 cigarettes in your ENTIRE LIFE?”

---

[If SMKEV is not = 1, then go to Check Item NAECCI11]

Check item NAECCI03: Refer to Adult Core, Basic Module. SMKNOW/AHB.030, “Do you now smoke cigarettes every day, some days, or not at all?”

---

[If SMKNOW is not = 3, then go to NAE.050]

NAE.010 Earlier you said that you used to smoke cigarettes.

Did you ever USE or SWITCH to a lower tar and nicotine cigarette to reduce your health risk?

>FSSWITC< (1) Yes  
(2) No  
(7) Refused  
(9) Don't know

NAE.020 **FR: SHOW CARD CAN8.**

When you stopped smoking completely, which of these methods did you use?

**FR: MARK ALL THAT APPLY. ENTER THE NUMBER ‘1’ FOR EACH ITEM MENTIONED. ENTER (N) FOR NO MORE. PROBE: “Anything else?”**

NAE.020 >FSQSTOP< Stopped all at once (“cold turkey”)  
NAE.021 >FSQDECR< Gradually decreased the number of cigarettes smoked in a day  
NAE.022 >FSQBOOK< Instructions in a pamphlet or book  
NAE.023 >FSQCOUN< One-on-one counseling  
NAE.024 >FSQCLIN< Stop-smoking clinic or program  
NAE.025 >FSQPATC< Nicotine patch  
NAE.026 >FSQGUM< Nicotine containing gum (such as “Nicorette”)  
NAE.027 >FSQSPRY< Nicotine nasal spray  
NAE.028 >FSQINHA< Nicotine inhaler  
NAE.029 >FSQZYB< Zyban/Bupropion/Wellbutrin medication  
NAE.030 >FSQSWIT< Switched to chewing tobacco or snuff  
NAE.031 >FSQOTH< Any other method

**NHIS Tobacco Questions: 1997 – Forward**

**2000 NHIS Sample Adult Cancer Supplement (18 years and over)**

NAE.040 In your WHOLE LIFE, including the last time, how many times did you stop smoking for one day or longer BECAUSE YOU WERE TRYING TO QUIT SMOKING?

>FSQUITN< (001-994) 1-994 times  
(995) 995+ times  
(997) Refused (999) Don't know

**[Go to Check Item NAECCI11]**

NAE.050 Did you EVER USE or SWITCH to a lower tar and nicotine cigarette to reduce your health risk?

>CSSWITC< (1) Yes  
(2) No  
(7) Refused  
(9) Don't know

NAE.060 Have you EVER stopped smoking for one day or longer BECAUSE YOU WERE TRYING TO QUIT SMOKING?

>CSQEV< (1) Yes (NAE.070)  
(2) No (NAE.100)  
(7) Refused (NAE.070)  
(9) Don't know (NAE.070)

NAE.070 In your WHOLE LIFE, how many times have you stopped smoking for one day or longer BECAUSE YOU WERE TRYING TO QUIT SMOKING?

>CSQ12< (001-994) 1-994 times  
(995) 995+ times  
(997) Refused  
(999) Don't know

**NHIS Tobacco Questions: 1997 – Forward**

**2000 NHIS Sample Adult Cancer Supplement (18 years and over)**

NAE.080            **FR:**        **SHOW CARD CAN8.**

The LAST TIME you stopped smoking, which of these methods did you use?

**FR:**            **MARK ALL THAT APPLY. ENTER THE NUMBER ‘1’ FOR EACH ITEM MENTIONED. ENTER (N) FOR NO MORE. PROBE: “Anything else?”**

- NAE.080            **>CSQSTOP<**        Stopped all at once (“cold turkey”)
- NAE.081            **>CSQDECR<**        Gradually decreased the number of cigarettes smoked in a day
- NAE.082            **>CSQBOOK<**        Instructions in a pamphlet or book
- NAE.083            **>CSQCOUN<**        One-on-one counseling
- NAE.084            **>CSQCLIN<**        Stop-smoking clinic or program
- NAE.085            **>CSQPATC<**        Nicotine patch
- NAE.086            **>CSQGUM<**        Nicotine containing gum (such as “Nicorette”)
- NAE.087            **>CSQSPRY<**        Nicotine nasal spray
- NAE.088            **>CSQINHA<**        Nicotine inhaler
- NAE.089            **>CSQZYB<**        Zyban /Bupropion/Wellbutrin medication
- NAE.090            **>CSQSWIT<**        Switched to chewing tobacco or snuff
- NAE.091            **>CSQOTH<**        Any other method

NAE.100            Would you like to completely quit smoking cigarettes?

- >QWANT<**            (1) Yes (NAE.110)  
                          (2) No (NAE.150)  
                          (7) Refused (NAE.110)  
                          (9) Don’t know (NAE.110)

NAE.110            Are you seriously considering quitting smoking within the NEXT 6 MONTHS?

- >CSQ6M<**            (1) Yes (NAE.120)  
                          (2) No (NAE.150)  
                          (7) Refused (NAE.150)  
                          (9) Don’t know (NAE.150)

NAE.120            Are you planning to quit smoking within the NEXT 30 DAYS?

- >CSQ30D<**            (1) Yes  
                          (2) No  
                          (7) Refused  
                          (9) Don’t know

Check Item NAEC111: Refer to Adult Core, Basic Module. AMDLONGR/AAU.305, “Time since last saw/talked to health professional” IF AMDLONGR is not = 1 or 2, then store ‘5’ in NAE.130 and go to NAE.140.

**NHIS Tobacco Questions: 1997 – Forward**

**2000 NHIS Sample Adult Cancer Supplement (18 years and over)**

NAE.130 The following questions are about cigarette smoking.

In the PAST 12 MONTHS has a medical doctor or other health professional ASKED you about whether you smoke cigarettes or use other kinds of tobacco?

- >MDTOB1<
- (1) Yes (Check item NAECCI12)
  - (2) No (Check item NAECCI12)
  - (3) My doctor doesn't ask as {he/she} knows I DO smoke or use tobacco (Check item NAECCI12)
  - (4) My doctor doesn't ask as {he/she} knows I DON'T use tobacco (NAE.140)
  - (5) Did not see a doctor in the past 12 months (NAE.140)
  - (7) Refused (Check item NAECCI12)
  - (9) Don't know (Check item NAECCI12)

Check item NAECCI12: If never smoked or if quit more than a year ago, then go to NAE.140.

NAE.135 In the PAST 12 MONTHS has a medical doctor or other health professional ADVISED you to quit smoking or quit using other kinds of tobacco?

- >MDTOB2<
- (1) Yes
  - (2) No
  - (7) Refused
  - (9) Don't know

NAE.140-142 Have you EVER smoked . . .

(1) Yes                      (2) No                      (7) Refused                      (9) Don't know

NAE.140 >EPIPE< ... A pipe?

NAE.141 >EVCIGAR< ... A cigar?

**HELP:** Include small, thin, cigars called 'cigarillos', 'puritos' or 'chicos', that are wrapped in tobacco leaf rather than paper, and are made by machine or handrolled.

NAE.142 >EBIDI< ... A bidi?

**HELP:** A bidi is a flavored cigarette from India.

NAE.143-144 Have you EVER used . . .

(1) Yes                      (2) No                      (7) Refused                      (9) Don't know

NAE.143 >ESNUFF< ... Snuff?

NAE.144 >ECHEW< ... Chewing tobacco?

**[If EPIPE is not = 1, then go to Check item NAECCI13]**

**NHIS Tobacco Questions: 1997 – Forward**

**2000 NHIS Sample Adult Cancer Supplement (18 years and over)**

NAE.150 Have you smoked a pipe at least 50 times in your ENTIRE LIFE?

- >PIPE50<**
- (1) Yes
  - (2) No
  - (7) Refused
  - (9) Don't know

NAE.151 Do you NOW smoke a pipe every day, some days, or not at all?

- >PIPEED<**
- (1) Every day
  - (2) Some days
  - (3) Not at all
  - (7) Refused
  - (9) Don't know

Check item NAECCI13: If EVCIGAR is not = 1, then go to Check item NAECCI14.

NAE.160 Have you smoked at least 50 cigars in your ENTIRE LIFE?

- >CIGAR50<**
- (1) Yes
  - (2) No
  - (7) Refused
  - (9) Don't know

NAE.161 Do you NOW smoke cigars every day, some days, or not at all?

- >CIGARED<**
- (1) Every day (Check item NAECCI14)
  - (2) Some days (NAE.162)
  - (3) Not at all (Check item NAECCI14)
  - (7) Refused (NAE.162)
  - (9) Don't know (NAE.162)

NAE.162 On how many of the PAST 30 DAYS have you smoked a cigar?

- >CIG30D<**
- (0) None
  - (01-30) 1-30 days
  - (97) Refused
  - (99) Don't know

Check item NAECCI14: If EVBIDI is not = 1, then go to Check item NAECCI15.

NAE.170 Have you smoked bidis least 20 times in your ENTIRE LIFE?

- >BIDI20<**
- (1) Yes
  - (2) No
  - (7) Refused
  - (9) Don't know

**NHIS Tobacco Questions: 1997 – Forward**

**2000 NHIS Sample Adult Cancer Supplement (18 years and over)**

NAE.171 Do you NOW smoke bidis every day, some days, or not at all?

- >BIDIED<**
- (1) Every day
  - (2) Some days
  - (3) Not at all
  - (7) Refused
  - (9) Don't know

Check item NAECCI15: If EVSNUFF is not = 1, then go to Check item NAECCI16.

NAE.180 Have you used snuff, (such as Skoal, Skoal Bandits, or Copenhagen) at least 20 times in your ENTIRE LIFE?

- >SNUFF20<**
- (1) Yes
  - (2) No
  - (7) Refused
  - (9) Don't know

NAE.181 Do you now use snuff every day, some days, or not at all?

- >SNUFFED<**
- (1) Every day
  - (2) Some days
  - (3) Not at all
  - (7) Refused
  - (9) Don't know

Check item NAECCI16: If EVCHEW is not = 1, then go to NAE.200

NAE.190 Have you used chewing tobacco, (such as Redman, Levi Garrett, or Beechnut) at least 20 times in your ENTIRE LIFE?

- >CHEW20<**
- (1) Yes
  - (2) No
  - (7) Refused
  - (9) Don't know

NAE.191 Do you NOW use chewing tobacco every day, some days, or not at all?

- >CHEWED<**
- (1) Every day
  - (2) Some days
  - (3) Not at all
  - (7) Refused
  - (9) Don't know

**NHIS Tobacco Questions: 1997 – Forward**

**2000 NHIS Sample Adult Cancer Supplement (18 years and over)**

NAE.200 During the PAST WEEK, how many days did ANYONE smoke cigarettes, cigars, or pipes ANYWHERE INSIDE your home?

- >SMHOME<
- (00) Less than 1 day per week/Rarely/None
  - (01-07) 1-7 days per week
  - (97) Refused
  - (99) Don't know

Check item NAECCI17: Refer to Adult Core, Basic Module. DOINGLW/FSD.050 "Which of the following were you doing last week?"

- (1) Working at a job or business (Check item NAECCI18)
- (2) With a job or business but not at work (Check item NAECCI18)
- (3) Looking for work (NAE.260)
- (4) Not working at a job or business (NAE.260)
- (7) Refused (NAE.260)
- (9) Don't Know (NAE.260)

Check item NAECCI18: Refer to Adult Core, Basic Module. WRKCAT/ASD.110 "Looking at the card, which of these best describes your current job or work situation?"

- (1) Private business (NAE.210)
- (2) Federal employee (NAE.210)
- (3) State government employee (NAE.210)
- (4) Local government employee (NAE.210)
- (5) Self employed in own business, professional practice, or farm (NAE.260)
- (6) Working without pay in family business or farm (NAE.260)
- (7) Refused (NAE.260)
- (9) Don't Know (NAE.260)

NAE.210 **FR: SHOW CARD CAN9.**

The next questions are about smoking where you work.

Which of these BEST describes the area in which you work most of the time?

- >AREAWRK<
- (1) Work mainly indoors (NAE.220)
  - (2) Work mainly outdoors (NAE.260)
  - (3) Travel to different buildings or sites (NAE.260)
  - (4) In a motor vehicle (NAE.260)
  - (5) Some other area (NAE.260)
  - (7) Refused (NAE.260)
  - (9) Don't know (NAE.260)

**NHIS Tobacco Questions: 1997 – Forward**

**2000 NHIS Sample Adult Cancer Supplement (18 years and over)**

NAE.220 As far as you know, has anyone smoked in your work area in the LAST WEEK?

- >SMAREA<
- (1) Yes
  - (2) No
  - (7) Refused
  - (9) Don't know

NAE.230 Does your employer have an official policy that restricts smoking in any way?

- >SMPOL<
- (1) Yes (NAE.240)
  - (2) No (NAE.260)
  - (7) Refused (NAE.260)
  - (9) Don't know (NAE.260)

NAE.240 **FR: SHOW CARD CAN10.**

Which of these BEST describes your employer's smoking policy for indoor public or common areas, such as lobbies, rest rooms, and lunch rooms?

- >SMPOLP<
- (1) Not allowed in ANY indoor public or common areas
  - (2) Allowed in SOME indoor public or common areas
  - (3) Allowed in ALL indoor public or common areas
  - (7) Refused
  - (9) Don't Know

NAE.250 **FR: SHOW CARD CAN11.**

Which of these BEST describes your employer's smoking policy for work areas?

- >SMPOLW<
- (1) Not allowed in ANY work areas
  - (2) Allowed in SOME work areas
  - (3) Allowed in ALL work areas
  - (7) Refused
  - (9) Don't Know

NAE.260 **FR: SHOW CARD CAN12**

Which BEST describes your opinion about smoking in indoor public places?  
Smoking should be...

- >NOSMOK<
- (1) NOT allowed in ANY indoor public places
  - (2) Allowed ONLY in smoking areas
  - (3) Allowed in ALL indoor public places
  - (7) Refused
  - (9) Don't Know

**NHIS Tobacco Questions: 1997 – Forward**

**2000 NHIS Sample Adult Cancer Supplement (18 years and over)**

NAE.270                    **FR:            SHOW CARD CAN13**

Now, I am going to read a list of statements about cigarette smoking. After I read each one, please tell me whether you agree, disagree or have no opinion.

The smoke from other people's cigarettes is harmful to you.

**>SMHARM<**

- (1) Agree
- (2) Disagree
- (3) Have no opinion
- (7) Refused
- (9) Don't Know

NAE.280                    **FR:            SHOW CARD CAN13**

To help prevent smoking in young people, the price of cigarettes should be increased by at least \$1.50 per pack.

**>INCR150<**

- (1) Agree
- (2) Disagree
- (3) Have no opinion
- (7) Refused
- (9) Don't Know

Check item END\_NAE: Go to the next section, Section F -- Cancer Screening

**2001 NHIS Sample Adult Core  
Adult Health Care Access and Utilization  
(AAU) Section Supplement Questions (18 years and over)**

**Part A-Access to Care**

[Asked of current smokers and former smokers who quit in the past year]

AAU.050.130 DURING THE PAST 12 MONTHS, has your {fill from kind of provider-- taken from AQHPKND2, AHCPLKND, OR APLKIND} advised you to quit smoking?

>AHCQSMK< (1) Yes (AAU.050.140) (7) Refused (AAU\_CCI5)  
(2) No (AAU\_CCI5) (9) Don't know (AAU\_CCI5)

AAU.050.140 Did your {fill from kind of provider-- taken from AQHPKND2, AHCPLKND, OR APLKIND} give you help to quit smoking?

**FR: READ IF NECESSARY:**

Help would include recommending a program to help you quit smoking, counseling, quitting tips, nicotine gum, patch, spray or inhaler, or the non-nicotine medication called Zyban.

>AHCHELP< (1) Yes (7) Refused  
(2) No (9) Don't know

**2005 NHIS Sample Adult Cancer Supplement (18 years and over)**

**2005 NHIS Questionnaire - Sample Adult  
Tobacco**

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.010\_00.000    **Instrument Variable Name:** MENTHOLF    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Earlier you said you used to smoke cigarettes. Think back to the 12 months BEFORE you quit smoking. During that time, was your usual cigarette brand menthol or non-menthol?

- 1        Menthol
- 2        Non menthol
- 3        No usual type
- 7        Refused
- 9        Don't know

**UniverseText:** Sample adults 18+ who are former smokers and gave a valid number and time period answer for time quitting smoking

**SkipInstructions:** <1-3,R,D> [goto NUMCIG]

---

**Question ID:** NAE.015\_00.000    **Instrument Variable Name:** NUMCIG    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Thinking back over the years you have smoked regularly, about how many cigarettes did you usually smoke each day?

- \*Read if necessary.
- 1 pack equals 20 cigarettes.
- \*Enter '95' if varied.
- \*Enter '96' if never smoked cigarettes regularly.

- 01-94    1-94 cigarettes
- 95        Varied
- 96        Never smoked cigarettes regularly
- 97        Refused
- 99        Don't know

**UniverseText:** Sample adults 18+ who are former smokers and gave a valid number and time period answer for time quitting smoking

**SkipInstructions:** <1-94,96,R,D> if SMKQTNO and SMKQTTP LE 2 years ago [goto FE1A\_1]; else if AMDLONG=1,2,R,D or ADENLONG = 1,2,R,D [goto MDTOB1A]; else if AMDLONG=0,3,4,5 or ADENLONG = 0,3,4,5 [goto PIPEEV] <95> [goto NUMCVAR]

## 2005 NHIS Sample Adult Cancer Supplement (18 years and over)

### 2005 NHIS Questionnaire - Sample Adult Tobacco

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.017\_00.000    **Instrument Variable Name:** NUMCVAR    **QuestionnaireFileName:** Sample Adult

**QuestionText:** What is the average number of cigarettes that you smoked daily during the longest period that you smoked?

\*Read if necessary: 1 pack equals 20 cigarettes.

- 01-94 1-94 cigarettes
- 97 Refused
- 99 Don't know

**UniverseText:** Sample adults 18+ who said number of cigarettes smoked daily varied

**SkipInstructions:** <1-94,R,D> if SMKQTNO and SMKQTTP LE 2 years ago [goto FE1A\_1]; else if  
AMDLONG=1,2,R,D or ADENLONG = 1,2,R,D [goto MDTOB1A]; AMDLONG=0,3,4,5 or  
ADENLONG = 0,3,4,5 [goto PIPEEV]

---

**Question ID:** NAE.020\_01.000    **Instrument Variable Name:** FE1A\_1    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Thinking back to when you stopped smoking completely, did you use ANY of the following PRODUCTS:

A nicotine gum?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:** <1,2,R,D> [goto FE1A\_2]

---

**Question ID:** NAE.020\_02.000    **Instrument Variable Name:** FE1A\_2    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you stopped smoking completely, did you use ANY of the following PRODUCTS:

A nicotine patch?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:** <1,2,R,D> [goto FE1A\_3]

**2005 NHIS Sample Adult Cancer Supplement (18 years and over)**

**2005 NHIS Questionnaire - Sample Adult  
Tobacco**

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.020\_03.000    **Instrument Variable Name:** FE1A\_3    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you stopped smoking completely, did you use ANY of the following PRODUCTS:

Any of these other nicotine products---nasal spray, inhaler, lozenge or tablet?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:** <1,2,R,D> [goto FE1A\_4]

---

**Question ID:** NAE.020\_04.000    **Instrument Variable Name:** FE1A\_4    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you stopped smoking completely, did you use ANY of the following PRODUCTS:

A prescription pill, such as Zyban, Bupropion, or Wellbutrin?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:** <1,2,R,D> [goto FE1B\_1]

---

**Question ID:** NAE.025\_01.000    **Instrument Variable Name:** FE1B\_1    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Thinking back to when you stopped smoking completely, did you use ANY of the following:

A telephone help line or quit line?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:** <1,2,R,D> [goto FE1B\_2]

**2005 NHIS Sample Adult Cancer Supplement (18 years and over)**

**2005 NHIS Questionnaire - Sample Adult  
Tobacco**

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.025\_02.000    **Instrument Variable Name:** FE1B\_2    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you stopped smoking completely, did you use ANY of the following:

A stop smoking clinic, class, or support group?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:** <1,2,R,D> [goto FE1B\_3]

---

**Question ID:** NAE.025\_03.000    **Instrument Variable Name:** FE1B\_3    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you stopped smoking completely, did you use ANY of the following:

One-on-one counseling?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:** <1,2,R,D> [goto FE1B\_4]

---

**Question ID:** NAE.025\_04.000    **Instrument Variable Name:** FE1B\_4    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you stopped smoking completely, did you use ANY of the following:

Help or support from friends or family?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:** <1,2,R,D> [goto FE1B\_5]

## 2005 NHIS Sample Adult Cancer Supplement (18 years and over)

### 2005 NHIS Questionnaire - Sample Adult Tobacco

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.025\_05.000    **Instrument Variable Name:** FE1B\_5    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you stopped smoking completely, did you use ANY of the following:

The Internet or World Wide Web?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:** <1,2,R,D> [goto FE1B\_6]

---

**Question ID:** NAE.025\_06.000    **Instrument Variable Name:** FE1B\_6    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you stopped smoking completely, did you use ANY of the following:

Books, pamphlets, videos, or other materials?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:** <1,2,R,D> [goto FE1B\_7]

---

**Question ID:** NAE.025\_07.000    **Instrument Variable Name:** FE1B\_7    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you stopped smoking completely, did you use ANY of the following:

Acupuncture or hypnosis?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:** <1,2,R,D> if AMDLONG=1,2,R,D or ADENLONG = 1,2,R,D [goto MDTOB1A]; else if AMDLONG=0,3,4,5 or ADENLONG = 0,3,4,5 [goto PIPEEV]

## 2005 NHIS Sample Adult Cancer Supplement (18 years and over)

### 2005 NHIS Questionnaire - Sample Adult Tobacco

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.060\_00.000    **Instrument Variable Name:** MENTHOL    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Earlier you said you smoke cigarettes.

Is your usual cigarette brand menthol or non-menthol?

- 1      Menthol
- 2      Non menthol
- 3      No usual type
- 7      Refused
- 9      Don't know

**UniverseText:** Sample adults 18+ who are current smokers

**SkipInstructions:** <1-3,R,D> if CIGQTYR=1 [goto CE1A\_1]; else [goto CSQEV]

---

**Question ID:** NAE.075\_00.000    **Instrument Variable Name:** CSQEV    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Have you EVER stopped smoking for one day or longer BECAUSE YOU WERE TRYING TO QUIT SMOKING?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:** Sample adults 18+ who are current smokers

**SkipInstructions:** <1,2,R,D> [goto COMPQT]

---

**Question ID:** NAE.080\_01.000    **Instrument Variable Name:** CE1A\_1    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following PRODUCTS:

A nicotine gum?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:** Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:** <1,2,R,D> [goto CE1A\_2]

## 2005 NHIS Sample Adult Cancer Supplement (18 years and over)

### 2005 NHIS Questionnaire - Sample Adult Tobacco

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.080\_02.000    **Instrument Variable Name:** CE1A\_2    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following PRODUCTS:

A nicotine patch?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:**       <1,2,R,D> [goto CE1A\_3]

---

**Question ID:** NAE.080\_03.000    **Instrument Variable Name:** CE1A\_3    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following PRODUCTS:

Any of these other nicotine products---nasal spray, inhaler, lozenge or tablet?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:**       <1,2,R,D> [goto CE1A\_4]

**2005 NHIS Sample Adult Cancer Supplement (18 years and over)**

**2005 NHIS Questionnaire - Sample Adult  
Tobacco**

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.080\_04.000    **Instrument Variable Name:** CE1A\_4    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following PRODUCTS:

A prescription pill, such as Zyban, Bupropion, or Wellbutrin?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:** <1,2,R,D> [goto CE1B\_1]

---

**Question ID:** NAE.085\_01.000    **Instrument Variable Name:** CE1B\_1    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following:

A telephone help line or quit line?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:** <1,2,R,D> [goto CE1B\_2]

---

**Question ID:** NAE.085\_02.000    **Instrument Variable Name:** CE1B\_2    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following:

A stop smoking clinic, class, or support group?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:** <1,2,R,D> [goto CE1B\_3]

**2005 NHIS Sample Adult Cancer Supplement (18 years and over)**

**2005 NHIS Questionnaire - Sample Adult  
Tobacco**

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.085\_03.000    **Instrument Variable Name:** CE1B\_3    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following:

One-on-one counseling?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:** <1,2,R,D> [goto CE1B\_4]

---

**Question ID:** NAE.085\_04.000    **Instrument Variable Name:** CE1B\_4    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following:

Help or support from friends or family?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:** <1,2,R,D> [goto CE1B\_5]

---

**Question ID:** NAE.085\_05.000    **Instrument Variable Name:** CE1B\_5    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following:

The Internet or World Wide Web?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:** <1,2,R,D> [goto CE1B\_6]

**2005 NHIS Sample Adult Cancer Supplement (18 years and over)**

**2005 NHIS Questionnaire - Sample Adult  
Tobacco**

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.085\_06.000    **Instrument Variable Name:** CE1B\_6    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following:

Books, pamphlets, videos, or other materials?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:**       <1,2,R,D> [goto CE1B\_7]

---

**Question ID:** NAE.085\_07.000    **Instrument Variable Name:** CE1B\_7    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following:

Acupuncture or hypnosis?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:**       <1,2,R,D> [goto QWANT]

---

**Question ID:** NAE.100\_00.000    **Instrument Variable Name:** QWANT    **QuestionnaireFileName:** Sample Adult

**QuestionText:**    Would you like to completely quit smoking cigarettes?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+ who are current smokers

**SkipInstructions:**       <1,2,R,D> if AMDLONG=1,2, R,D or ADENLONG = 1,2,R,D [goto MDTOB1A];  
else if AMDLONG=0,3,4,5 or ADENLONG =0,3,4,5 [goto PIPEEV]

**2005 NHIS Sample Adult Cancer Supplement (18 years and over)**

**2005 NHIS Questionnaire - Sample Adult  
Tobacco**

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.130\_00.000    **Instrument Variable Name:** MDTOB1A    **QuestionnaireFileName:** Sample Adult

**QuestionText:** [fill1: These questions are about tobacco use.]

In the PAST 12 MONTHS, has a medical doctor, dentist, or other health professional ASKED you about whether you smoke cigarettes or use other kinds of tobacco?

- 1 Yes
- 2 No
- 3 Did not see a doctor in the past 12 months
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who have seen a doctor or other health care professional in the past year

**SkipInstructions:** <1,R,D> if SMKNOW=1,2 or SMKNOW=3 and SMKQTNO and SMKQTTP LE 1 year ago [goto MDTOB2]; else [goto PIPEEV] <2> [goto MDTOB1B] <3> [goto PIPEEV]

---

**Question ID:** NAE.131\_00.000    **Instrument Variable Name:** MDTOB1B    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Was this because the doctor, dentist, or other health professional already knew whether or not you smoke or use tobacco?

- 1 Yes
- 2 No
- 3 Varies from doctor to doctor
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ whose doctor did not ask them about smoking habits in the past 12 months

**SkipInstructions:** <1,2,3,R,D> if SMKNOW=1,2 or SMKNOW=3 and SMKQTNO and SMKQTTP LE 1 year ago [goto MDTOB2]; else [goto PIPEEV]

---

**Question ID:** NAE.135\_00.000    **Instrument Variable Name:** MDTOB2    **QuestionnaireFileName:** Sample Adult

**QuestionText:** In the PAST 12 MONTHS, has a medical doctor, dentist, or other health professional ADVISED you to quit smoking, or quit using other kinds of tobacco?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who have seen a doctor or other health professional in the past year and are current smokers or former smokers who have quit in the past 12 months

**SkipInstructions:** <1> [goto HPTOB2] <2,R,D> [goto PIPEEV]

NHIS Tobacco Questions: 1997 – Forward

2005 NHIS Sample Adult Cancer Supplement (18 years and over)

2005 NHIS Questionnaire - Sample Adult  
Tobacco

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.137\_00.000    **Instrument Variable Name:** HPTOB2    **QuestionnaireFileName:** Sample Adult

**QuestionText:** (book) CAN9

In the PAST 12 MONTHS, which health professional(s) advised you to quit smoking or quit using other kinds of tobacco?

\*Enter all that apply, separate with commas.

- 1 Medical doctor
- 2 Dentist
- 3 Nurse
- 4 Dental Hygienist
- 5 Other health professional (specify)
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ whose doctor or other health professional advised them to quit smoking or using other kinds of tobacco in the past 12 months

**SkipInstructions:** <1-4,R,D> [goto PIPEEV] <5> [goto HPTOTH]

---

**Question ID:** NAE.138\_00.000    **Instrument Variable Name:** HPTOTH    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Enter other health professional.

- 7 Refused
- 9 Don't know
- verbatim** Verbatim response

**UniverseText:** Sample adults 18+ who were advised to quit using tobacco by other health professional

**SkipInstructions:** <allow 20,R,D> [goto PIPEEV]

---

**Question ID:** NAE.140\_00.000    **Instrument Variable Name:** PIPEEV    **QuestionnaireFileName:** Sample Adult

**QuestionText:** [fill1: These questions are about tobacco use.]

Have you ever smoked tobacco in a pipe EVEN ONE TIME?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+

**SkipInstructions:** <1> [goto PIPEEV50] <2,R,D> [goto CIGEV1]

**2005 NHIS Sample Adult Cancer Supplement** (18 years and over)

**2005 NHIS Questionnaire - Sample Adult  
Tobacco**

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.142\_00.000    **Instrument Variable Name:** PIPEEV50    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Have you smoked a pipe at least 50 times in your entire life?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who have ever smoked a pipe

**SkipInstructions:** <1,2,R,D> [goto PIPECUR]

---

**Question ID:** NAE.144\_00.000    **Instrument Variable Name:** PIPECUR    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Do you now smoke a pipe every day, some days, or not at all?

- 1 Every day
- 2 Some days
- 3 Not at all
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who have ever smoked a pipe

**SkipInstructions:** <1-3,R,D> [goto CIGEV1]

---

**Question ID:** NAE.146\_00.000    **Instrument Variable Name:** CIGEV1    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Have you ever smoked a cigar EVEN ONE TIME?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+

**SkipInstructions:** <1> [goto CIGEV50] <2,R,D> [goto SNUFFEV]

**2005 NHIS Sample Adult Cancer Supplement** (18 years and over)

**2005 NHIS Questionnaire - Sample Adult  
Tobacco**

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.148\_00.000    **Instrument Variable Name:** CIGEV50    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Have you smoked at least 50 cigars in your entire life?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who have ever smoked a cigar

**SkipInstructions:** <1,2,R,D> [goto CIGCUR]

---

**Question ID:** NAE.150\_00.000    **Instrument Variable Name:** CIGCUR    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Do you now smoke a cigar every day, some days, or not at all?

- 1 Every day
- 2 Some days
- 3 Not at all
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who have ever smoked a cigar

**SkipInstructions:** <1,3> [goto SNUFFEV] <2,R,D> [goto CIG30D]

---

**Question ID:** NAE.152\_00.000    **Instrument Variable Name:** CIG30D    **QuestionnaireFileName:** Sample Adult

**QuestionText:** On how many of the PAST 30 DAYS have you smoked a cigar?

\*Enter '0' for none.  
\*Enter '30' for all days in the month.

- 00 None
- 01-30 1-30 days
- 97 Refused
- 99 Don't know

**UniverseText:** Sample adults 18+ who smoke a cigar some days or refused or don't know current cigar smoking status

**SkipInstructions:** <0-30,R,D> [goto SNUFFEV]

## 2005 NHIS Sample Adult Cancer Supplement (18 years and over)

### 2005 NHIS Questionnaire - Sample Adult Tobacco

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.154\_00.000    **Instrument Variable Name:** SNUFEV    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Have you EVER used snuff, such as Skoal, Skoal Bandits, or Copenhagen, EVEN ONE TIME?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+

**SkipInstructions:** <1> [goto SNUFEV20] <2,R,D> [goto CHEWEV]

---

**Question ID:** NAE.156\_00.000    **Instrument Variable Name:** SNUFEV20    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Have you used snuff, (such as Skoal, Skoal Bandits, or Copenhagen) at least 20 times in your entire life?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who have ever used snuff

**SkipInstructions:** <1,2,R,D> [goto SNUFFCUR]

---

**Question ID:** NAE.158\_00.000    **Instrument Variable Name:** SNUFFCUR    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Do you now use snuff every day, some days, or not at all?

- 1 Every day
- 2 Some days
- 3 Not at all
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who have ever used snuff

**SkipInstructions:** <1-3,R,D> [goto CHEWEV]

## 2005 NHIS Sample Adult Cancer Supplement (18 years and over)

### 2005 NHIS Questionnaire - Sample Adult Tobacco

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.160\_00.000    **Instrument Variable Name:** CHEWEV    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Have you EVER used chewing tobacco, such as Redman, Levi Garrett, or Beechnut EVEN ONE TIME?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+

**SkipInstructions:** <1> [goto CHEWEV20] <2,R,D> [goto BIDISEV]

---

**Question ID:** NAE.162\_00.000    **Instrument Variable Name:** CHEWEV20    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Have you used chewing tobacco (such as Redman, Levi Garrett, or Beechnut) at least 20 times in your entire life?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who have ever used chewing tobacco

**SkipInstructions:** <1,2,R,D> [goto CHEWCUR]

---

**Question ID:** NAE.164\_00.000    **Instrument Variable Name:** CHEWCUR    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Do you now use chewing tobacco every day, some days, or not at all?

- 1 Every day
- 2 Some days
- 3 Not at all
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who have ever used chewing tobacco

**SkipInstructions:** <1-3,R,D> [goto BIDISEV]

## 2005 NHIS Sample Adult Cancer Supplement (18 years and over)

### 2005 NHIS Questionnaire - Sample Adult Tobacco

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.166\_00.000    **Instrument Variable Name:** BIDISEV    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Have you ever smoked a bidi (bee-dee) EVEN ONE TIME?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+

**SkipInstructions:**      <1-3,R,D>[goto LIVINTRO]

---

**Question ID:** NAE.168\_00.000    **Instrument Variable Name:** BIDIEV20    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Have you smoked a bidi at least 20 times in your entire life?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:** Sample adults 18+ who have ever smoked a bidi

**SkipInstructions:** <1,2,R,D> [goto BIDISCUR]

---

**Question ID:** NAE.170\_00.000    **Instrument Variable Name:** BIDISCUR    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Do you now smoke a bidi every day, some days, or not at all?

- 1      Every day
- 2      Some days
- 3      Not at all
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+ who have ever smoked a bidi

**SkipInstructions:**      <1-3,R,D>[goto LIVINTRO]

2005 NHIS Sample Adult Cancer Supplement (18 years and over)

2005 NHIS Questionnaire - Sample Adult  
Tobacco

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.173\_00.000    **Instrument Variable Name:** LIVINTRO    **QuestionnaireFileName:** Sample Adult

**QuestionText:** In a usual week, does ANYONE who lives here, including yourself, smoke cigarettes, cigars, or pipes anywhere inside this home?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+

**SkipInstructions:** <1> [goto LIVSMOKE]  
<2,R,D> [if SEX = 2 and AGE = 18-49 [goto LIVEBTH]]; else goto next section

---

**Question ID:** NAE.174\_00.000    **Instrument Variable Name:** LIVSMOKE    **QuestionnaireFileName:** Sample Adult

**QuestionText:** In a usual week, how many people WHO LIVE here, including yourself, smoke cigarettes, cigars, or pipes anywhere INSIDE this home?

\*Enter '0' for none.  
\*Enter '96' for 96 or more smokers.

- 00 None
- 01-95 01-95 persons
- 96 96+
- 97 Refused
- 99 Don't know

**UniverseText:** Sample adults 18+ who have people living in the home that smoke in a usual week

**SkipInstructions:** <1-96> [goto LVDYSMOK]  
<0,R,D> [if SEX = 2 and AGE = 18-49 [goto LIVEBTH]]; else goto next section

---

**Question ID:** NAE.176\_00.000    **Instrument Variable Name:** LVDYSMO    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Usually, about how many days per week do people WHO LIVE here smoke anywhere INSIDE this home?

\*Enter '0' for less than 1 day per week/rarely/none  
\*Enter '7' for all days per week

- 00 Less than one day per week/rarely/none
- 01-07 01-07 days
- 97 Refused
- 99 Don't know

**UniverseText:** Sample adults 18+ who have at least one resident smoking inside the home

**SkipInstructions:** <0-7,R,D> [if SEX = 2 and AGE = 18-49 [goto LIVEBTH]]; else goto next section

NHIS Tobacco Questions: 1997 – Forward

**2005 NHIS Sample Adult Cancer Supplement  
Pregnancy and Smoking Questions (18–49 years)**

**2005 NHIS Questionnaire - Sample Adult  
Tobacco**

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.190\_00.000    **Instrument Variable Name:** LIVEBTH    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Have you given birth to a live born infant within the past 5 years?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:** Female sample adults age 18-49

**SkipInstructions:** <1> if SMKEV=1 [goto SMKPREG]; else [goto next section] <2,R,D> [goto next section]

---

**Question ID:** NAE.200\_00.000    **Instrument Variable Name:** SMKPREG    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Were you smoking cigarettes when you became pregnant with your last child?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:** Female sample adults age 18-49 who have smoked at least 100 cigarettes in their entire life and have had a live birth in the past 5 years

**SkipInstructions:** <1,2,R,D> [goto SMKLST]

---

**Question ID:** NAE.210\_00.000    **Instrument Variable Name:** SMKLST    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Did you smoke cigarettes at any time during your pregnancy with your last child?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:** Female sample adults age 18-49 who have smoked at least 100 cigarettes in their entire life and have had a live birth in the past 5 years

**SkipInstructions:** <1> [goto QUTWK] <2,R,D> [goto next section]

---

## 2005 NHIS Sample Adult Cancer Supplement Pregnancy and Smoking Questions (18–49 years)

### 2005 NHIS Questionnaire - Sample Adult Tobacco

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.220\_00.000    **Instrument Variable Name:** QUTWK    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Did you quit smoking for 7 days or longer during your pregnancy with your last child?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:** Female sample adults age 18-49 who have smoked at least 100 cigarettes in their entire life and smoked during last pregnancy

**SkipInstructions:** <1> [goto MTHQUIT] <2,R,D> [goto next section]

---

**Question ID:** NAE.230\_00.000    **Instrument Variable Name:** MTHQUIT    **QuestionnaireFileName:** Sample Adult

**QuestionText:** In what month of your pregnancy did you quit for 7 days or longer?

- 01     First
- 02     Second
- 03     Third
- 04     Fourth
- 05     Fifth
- 06     Sixth
- 07     Seventh
- 08     Eighth
- 09     Ninth
- 97     Refused
- 99     Don't know

**UniverseText:** Female sample adults age 18-49 who have smoked at least 100 cigarettes in their entire life and smoked during last pregnancy, but quit for 7 days or longer

**SkipInstructions:** <1-9,R,D> [goto STSMOK]

## 2005 NHIS Sample Adult Cancer Supplement Pregnancy and Smoking Questions (18–49 years)

### 2005 NHIS Questionnaire - Sample Adult Tobacco

Document Version Date: 12-Feb-07

---

**Question ID:** NAE.240\_00.000    **Instrument Variable Name:** STSMOK    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Did you start smoking again during the pregnancy or did you stay off cigarettes for the rest of the pregnancy?

- 1 Stayed off rest of pregnancy
- 2 Started again
- 3 Never started again
- 7 Refused
- 9 Don't know

**UniverseText:** Female sample adults age 18-49 who have smoked at least 100 cigarettes in their entire life and smoked during last pregnancy, but quit for 7 days or longer

**SkipInstructions:** <1-3,R,D> [goto next section]



2010 NHIS Sample Adult Cancer Supplement (18 years and over)

DRAFT 2010 NHIS Questionnaire - Sample Adult  
Tobacco

Document Version Date: 04-Mar-10

---

**Question ID:** NAE.017\_00.000    **Instrument Variable Name:** NUMCVAR    **QuestionnaireFileName:** Sample Adult

**QuestionText:** What is the average number of cigarettes that you smoked daily during the longest period that you smoked?

\*Read if necessary: 1 pack equals 20 cigarettes.

\*Enter '95' if 95 or more.

- 01-94 1-94 cigarettes
- 95 95 or more cigarettes
- 97 Refused

**UniverseText:** Sample adults 18+ who said number of cigarettes smoked daily varied

**SkipInstructions:** <1-95,R,D> if ((SMKQTNO(e) LE '95' and SMKQTTP(e)='1') or  
(SMKQTNO(e) LE '95' and SMKQTTP(e)='2') or  
(SMKQTNO(e) LE '24' and SMKQTTP(e)='3') or  
(SMKQTNO(e) LE '02' and SMKQTTP(e)='4')) [goto FQUITA\_1];  
else [goto CIGEV1]

---

**Question ID:** NAE.020\_01.000    **Instrument Variable Name:** FQUITA\_1    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Thinking back to when you stopped smoking completely, did you use ANY of the following PRODUCTS:

A nicotine patch?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:** <1,2,R,D> [goto FQUITA\_2]

---

**Question ID:** NAE.020\_02.000    **Instrument Variable Name:** FQUITA\_2    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you stopped smoking completely, did you use ANY of the following PRODUCTS:

A nicotine gum or lozenge?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:** <1,2,R,D> [goto FQUITA\_3]

**2010 NHIS Sample Adult Cancer Supplement (18 years and over)**

**DRAFT 2010 NHIS Questionnaire - Sample Adult  
Tobacco**

Document Version Date: 04-Mar-10

---

**Question ID:** NAE.020\_03.000    **Instrument Variable Name:** FQUITA\_3    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you stopped smoking completely, did you use ANY of the following PRODUCTS:

A nicotine containing nasal spray or inhaler?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:**      <1,2,R,D> [goto FQUITA\_4]

---

**Question ID:** NAE.020\_04.000    **Instrument Variable Name:** FQUITA\_4    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you stopped smoking completely, did you use ANY of the following PRODUCTS:

A prescription pill called Chantix (CHAN-tix) or Varenicline (vuh-REN-ih-klin)?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:**      <1,2,R,D> [goto FQUITA\_5]

---

**Question ID:** NAE.020\_05.000    **Instrument Variable Name:** FQUITA\_5    **QuestionnaireFileName:**

**QuestionText:** \*Read if necessary.

Thinking back to when you stopped smoking completely, did you use ANY of the following PRODUCTS:

A prescription pill called Zyban (ZI-ban), Bupropion (byoo-PRO-pee-ON), or Wellbutrin (well-BYOO-trin)?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:**      <1,2,R,D> [goto FQUITB\_1]

**2010 NHIS Sample Adult Cancer Supplement (18 years and over)**

**DRAFT 2010 NHIS Questionnaire - Sample Adult  
Tobacco**

Document Version Date: 04-Mar-10

---

**Question ID:** NAE.025\_01.000    **Instrument Variable Name:** FQUITB\_1    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Thinking back to when you stopped smoking completely, did you use ANY of the following:  
A telephone help line or quit line?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:** <1,2,R,D> [goto FQUITB\_2]

---

**Question ID:** NAE.025\_02.000    **Instrument Variable Name:** FQUITB\_2    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.  
Thinking back to when you stopped smoking completely, did you use ANY of the following:  
One-on-one counseling?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:** <1,2,R,D> [goto FQUITB\_3]

---

**Question ID:** NAE.025\_03.000    **Instrument Variable Name:** FQUITB\_3    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.  
Thinking back to when you stopped smoking completely, did you use ANY of the following:  
A stop smoking clinic, class or support group?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are former smokers and quit in the last 2 years

**SkipInstructions:** <1,2,R,D> [goto CIGEV1]

**2010 NHIS Sample Adult Cancer Supplement (18 years and over)**

**DRAFT 2010 NHIS Questionnaire - Sample Adult  
Tobacco**

Document Version Date: 04-Mar-10

---

**Question ID:** NAE.060\_00.000    **Instrument Variable Name:** MENTHOL    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Earlier you said you smoke cigarettes. Is your usual cigarette brand menthol or non-menthol?

- 1      Menthol
- 2      Non menthol
- 3      No usual type
- 7      Refused
- 9      Don't know

**UniverseText:** Sample adults 18+ who are current smokers

**SkipInstructions:** <1-3,R,D> if CIGQTYR=1 [store '1' in CSQEV] and [goto CQUITA\_1];  
else [goto CSQEV]

---

**Question ID:** NAE.075\_00.000    **Instrument Variable Name:** CSQEV    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Have you EVER stopped smoking for one day or longer BECAUSE YOU WERE TRYING TO QUIT SMOKING?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:** Sample adults 18+ who are current smokers

**SkipInstructions:** <1,2,R,D> [goto QWANT]

---

**Question ID:** NAE.080\_01.000    **Instrument Variable Name:** CQUITA\_1    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following PRODUCTS:

A nicotine patch?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:** Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:** <1,2,R,D> [goto CQUITA\_2]

2010 NHIS Sample Adult Cancer Supplement (18 years and over)

DRAFT 2010 NHIS Questionnaire - Sample Adult  
Tobacco

Document Version Date: 04-Mar-10

---

**Question ID:** NAE.080\_02.000    **Instrument Variable Name:** CQUITA\_2    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following PRODUCTS:

A nicotine gum or lozenge?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:**       <1,2,R,D> [goto CQUITA\_3]

---

**Question ID:** NAE.080\_03.000    **Instrument Variable Name:** CQUITA\_3    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following PRODUCTS:

A nicotine containing nasal spray or inhaler?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:**       <1,2,R,D> [goto CQUITA\_4]

## 2010 NHIS Sample Adult Cancer Supplement (18 years and over)

### DRAFT 2010 NHIS Questionnaire - Sample Adult Tobacco

Document Version Date: 04-Mar-10

---

**Question ID:** NAE.080\_04.000    **Instrument Variable Name:** CQUITA\_4    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following PRODUCTS:

A prescription pill called Chantix or Varenicline?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:** <1,2,R,D> [goto CQUITA\_5]

---

**Question ID:** NAE.080\_05.000    **Instrument Variable Name:** CQUITA\_5    **QuestionnaireFileName:**

**QuestionText:** \*Read if necessary.

Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following PRODUCTS:

A prescription pill, such as Zyban, Bupropion, or Wellbutrin?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:** <1,2,R,D> [goto CQUITB\_1]

---

**Question ID:** NAE.085\_01.000    **Instrument Variable Name:** CQUITB\_1    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following:

A telephone help line or quit line?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:** <1,2,R,D> [goto CQUITB\_2]

**2010 NHIS Sample Adult Cancer Supplement (18 years and over)**

**DRAFT 2010 NHIS Questionnaire - Sample Adult  
Tobacco**

Document Version Date: 04-Mar-10

---

**Question ID:** NAE.085\_02.000    **Instrument Variable Name:** CQUITB\_2    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following:

One-on-one counseling?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:**      <1,2,R,D> [goto CQUITB\_3]

---

**Question ID:** NAE.085\_03.000    **Instrument Variable Name:** CQUITB\_3    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Read if necessary.

Thinking back to when you tried to QUIT smoking in the PAST 12 MONTHS, did you use ANY of the following:

A stop smoking clinic, class or support group?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+ who are current smokers and tried to quit in the last year

**SkipInstructions:**      <1,2,R,D> [goto QWANT]

---

**Question ID:** NAE.100\_00.000    **Instrument Variable Name:** QWANT    **QuestionnaireFileName:** Sample Adult

**QuestionText:**      Would you like to completely quit smoking cigarettes?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+ who are current smokers

**SkipInstructions:**      <1,2,R,D> [goto CIGEV1]

**2010 NHIS Sample Adult Cancer Supplement** (18 years and over)

**DRAFT 2010 NHIS Questionnaire - Sample Adult  
Tobacco**

Document Version Date: 04-Mar-10

---

**Question ID:** NAE.146\_00.000    **Instrument Variable Name:** CIGEV1    **QuestionnaireFileName:** Sample Adult

**QuestionText:** ? [F1]

[fill1: These questions are about tobacco use.]

Have you ever smoked a cigar EVEN ONE TIME?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+

**SkipInstructions:**      <1> [goto CIGEV50] <2,R,D> [goto SNUFFEV]

---

**Question ID:** NAE.148\_00.000    **Instrument Variable Name:** CIGEV50    **QuestionnaireFileName:** Sample Adult

**QuestionText:**    Have you smoked at least 50 cigars in your entire life?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+ who have ever smoked a cigar

**SkipInstructions:**      <1,2,R,D> [goto CIGCUR]

---

**Question ID:** NAE.150\_00.000    **Instrument Variable Name:** CIGCUR    **QuestionnaireFileName:** Sample Adult

**QuestionText:**    Do you now smoke a cigar every day, some days, or not at all?

- 1      Every day
- 2      Some days
- 3      Not at all
- 7      Refused
- 9      Don't know

**UniverseText:**            Sample adults 18+ who have ever smoked a cigar

**SkipInstructions:**      <1,3> [goto SNUFFEV] <2,R,D> [goto CIG30D]

**2010 NHIS Sample Adult Cancer Supplement (18 years and over)**

**DRAFT 2010 Document NHIS Questionnaire - Sample Adult  
Tobacco**

Version Date: 04-Mar-10

---

**Question ID:** NAE.152\_00.000    **Instrument Variable Name:** CIG30D    **QuestionnaireFileName:** Sample Adult

**QuestionText:** On how many of the PAST 30 DAYS have you smoked a cigar?

\*Enter '0' for none.

\*Enter '30' for all days in the month.

- 00 None
- 01-30 1-30 days
- 97 Refused
- 99 Don't know

**UniverseText:** Sample adults 18+ who smoke a cigar some days or refused or don't know current cigar smoking status

**SkipInstructions:** <0-30,R,D> [goto SNUFFEVEV]

---

**Question ID:** NAE.154\_00.000    **Instrument Variable Name:** SNUFFEVEV    **QuestionnaireFileName:** Sample Adult

**QuestionText:** ? [F1]

Have you EVER used snuff, such as Skoal, Skoal Bandits, or Copenhagen, EVEN ONE TIME?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+

**SkipInstructions:** <1> [goto SNUFEVEV20] <2,R,D> [goto CHEWEVEV]

---

**Question ID:** NAE.156\_00.000    **Instrument Variable Name:** SNUFEV20    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Have you used snuff, (such as Skoal, Skoal Bandits, or Copenhagen) at least 20 times in your entire life?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who have ever used snuff

**SkipInstructions:** <1,2,R,D> [goto SNUFFCUR]

**2010 NHIS Sample Adult Cancer Supplement** (18 years and over)

**DRAFT 2010 Document NHIS Questionnaire - Sample Adult  
Tobacco**

Version Date: 04-Mar-10

---

**Question ID:** NAE.158\_00.000    **Instrument Variable Name:** SNUFFCUR    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Do you now use snuff every day, some days, or not at all?

- 1        Every day
- 2        Some days
- 3        Not at all
- 7        Refused
- 9        Don't know

**UniverseText:**            Sample adults 18+ who have ever used snuff

**SkipInstructions:**        <1,3> [goto CHEWEV] <2,R,D> [goto SNUFF30D]

---

**Question ID:** NAE.159\_00.000    **Instrument Variable Name:** SNUFF30D    **QuestionnaireFileName:** Sample Adult

**QuestionText:** On how many of the PAST 30 DAYS have you used snuff?

\*Enter '0' for none.

\*Enter '30' for all days in the month.

- 00        None
- 01-30    1-30 days
- 97        Refused
- 99        Don't know

**UniverseText:**            Sample adults 18+ who use snuff some days or refused or don't know current snuff using status

**SkipInstructions:**        <0-30,R,D> [goto CHEWEV]

**2010 NHIS Sample Adult Cancer Supplement (18 years and over)**

**DRAFT 2010 Document NHIS Questionnaire - Sample Adult  
Tobacco**

Version Date: 04-Mar-10

---

**Question ID:** NAE.160\_00.000    **Instrument Variable Name:** CHEWEV    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Have you EVER used chewing tobacco, such as Redman, Levi Garrett, or Beech-Nut EVEN ONE TIME?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+

**SkipInstructions:** <1> [goto CHEWEV20]  
<2,R,D> if (01<= SNUFF30D <=30) or SNUFFCUR=1 [goto CHEWTYP]  
elseif (AMDLONG IN ('1','2','7','9') or ADENLONG IN ('1','2','7','9')) and  
((CIGCUR IN ('1','2') or SNUFFCUR IN ('1','2') or CHEWCUR IN ('1','2')) or  
(SMKEV='1' and  
(SMKNOW IN ('1','2') or (SMKNOW='3' and  
((SMKQTNO(e) LE '95' and SMKQTTP(e)='1') or  
(SMKQTNO(e) LE '52' and SMKQTTP(e)='2') or  
(SMKQTNO(e) LE '12' and SMKQTTP(e)='3') or  
(SMKQTNO(e) LE '01' and SMKQTTP(e)='4')))))) [goto MDTOB2]  
else [goto LIVINTRO]

---

**Question ID:** NAE.162\_00.000    **Instrument Variable Name:** CHEWEV20    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Have you used chewing tobacco (such as Redman, Levi Garrett, or Beech-Nut) at least 20 times in your entire life?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who have ever used chewing tobacco

**SkipInstructions:** <1,2,R,D> [goto CHEWCUR]

**2010 NHIS Sample Adult Cancer Supplement (18 years and over)**

**DRAFT 2010 Document NHIS Questionnaire - Sample Adult  
Tobacco**

Version Date: 04-Mar-10

**Question ID:** NAE.164\_00.000    **Instrument Variable Name:** CHEWCUR    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Do you now use chewing tobacco every day, some days, or not at all?

- 1        Every day
- 2        Some days
- 3        Not at all
- 7        Refused
- 9        Don't know

**UniverseText:** Sample adults 18+ who have ever used chewing tobacco

**SkipInstructions:** <1> [goto CHEWTYP]  
 <2,R,D> [goto CHEW30D]  
 <3> if (01<= SNUFF30D <=30) or SNUFFCUR=1 [goto CHEWTYP]  
       elseif (AMDLONG IN ('1','2','7','9') or ADENLONG IN ('1','2','7','9')) and  
       ((CIGCUR IN ('1','2') or SNUFFCUR IN ('1','2') or CHEWCUR IN ('1','2')) or  
       (SMKEV='1' and  
       (SMKNOW IN ('1','2') or (SMKNOW='3' and  
       ((SMKQTNO(e) LE '95' and SMKQTTP(e)='1') or  
       (SMKQTNO(e) LE '52' and SMKQTTP(e)='2') or  
       (SMKQTNO(e) LE '12' and SMKQTTP(e)='3') or  
       (SMKQTNO(e) LE '01' and SMKQTTP(e)='4'))))))) [goto MDTOB2]  
       else [goto LIVINTRO]

**Question ID:** NAE.166\_00.000    **Instrument Variable Name:** CHEW30D    **QuestionnaireFileName:** Sample Adult

**QuestionText:** On how many of the PAST 30 DAYS have you used chewing tobacco?

- \*Enter '0' for none.
- \*Enter '30' for all days in the month.

- 00        None
- 01-30    1-30 days
- 97        Refused
- 99        Don't know

**UniverseText:** Sample adults 18+ who use chewing tobacco some days or refused or don't know current chewing tobacco status

**SkipInstructions:** <0,R,D> if (01<= SNUFF30D <=30) or SNUFFCUR=1 [goto CHEWTYP]  
       elseif (AMDLONG IN ('1','2','7','9') or ADENLONG IN ('1','2','7','9')) and  
       ((CIGCUR IN ('1','2') or SNUFFCUR IN ('1','2') or CHEWCUR IN ('1','2')) or  
       (SMKEV='1' and  
       (SMKNOW IN ('1','2') or (SMKNOW='3' and  
       ((SMKQTNO(e) LE '95' and SMKQTTP(e)='1') or  
       (SMKQTNO(e) LE '52' and SMKQTTP(e)='2') or  
       (SMKQTNO(e) LE '12' and SMKQTTP(e)='3') or  
       (SMKQTNO(e) LE '01' and SMKQTTP(e)='4'))))))) [goto MDTOB2]  
       else [goto LIVINTRO];  
 <1-30> [goto CHEWTYP]

**2010 NHIS Sample Adult Cancer Supplement (18 years and over)**

**DRAFT 2010 Document NHIS Questionnaire - Sample Adult**

**Tobacco**

Version Date: 04-Mar-10

---

**Question ID:** NAE.167\_00.000    **Instrument Variable Name:** CHEWTYP    **QuestionnaireFileName:** Sample Adult

**QuestionText:** During the past 30 days, what brand of [fill: snuff/chewing tobacco/snuff or chewing tobacco] did you use MOST OFTEN?

**\*Do not read categories.**

- 01 Beech-Nut
- 02 Camel Snus
- 03 Cope
- 04 Copenhagen
- 05 Cougar
- 06 Grizzly
- 07 Hawken
- 08 Husky
- 09 Kayak
- 10 Kodiak
- 11 Levi Garrett
- 12 Longhorn
- 13 Marlboro Snus
- 14 Red Man
- 15 Red Seal
- 16 Rooster
- 17 Silver Creek
- 18 Skoal
- 19 Taylor's Pride
- 20 Timber Wolfe
- 21 Brand not on list (specify)
- 97 Refused
- 99 Don't know

**UniverseText:** Sample adults 18+ who use snuff or chewing tobacco at least once in the past 30 days

**SkipInstructions:** <1-20,R,D> if (AMDLONG IN ('1','2','7','9') or ADENLONG IN ('1','2','7','9')) and  
((CIGCUR IN ('1','2') or SNUFFCUR IN ('1','2') or CHEWCUR IN ('1','2')) or  
(SMKEV='1' and  
(SMKNOW IN ('1','2') or (SMKNOW='3' and  
((SMKQTNO(e) LE '95' and SMKQTP(e)='1') or  
(SMKQTNO(e) LE '52' and SMKQTP(e)='2') or  
(SMKQTNO(e) LE '12' and SMKQTP(e)='3') or  
(SMKQTNO(e) LE '01' and SMKQTP(e)='4')))))) [goto MDTOB2]  
else [goto LIVINTRO]  
<21> [goto CHTYPOTH]



**2010 NHIS Sample Adult Cancer Supplement (18 years and over)**

**DRAFT 2010 Document NHIS Questionnaire - Sample Adult  
Tobacco**

Version Date: 04-Mar-10

---

**Question ID:** NAE.171\_00.000    **Instrument Variable Name:** HPTOB2    **QuestionnaireFileName:** Sample Adult

**QuestionText:** ? [F1]

In the PAST 12 MONTHS, which health professional(s) advised you to quit smoking or quit using other kinds of tobacco?

\*Read answer categories below.

\*Enter all that apply, separate with commas.

- 1 Medical doctor
- 2 Dentist
- 3 Nurse
- 4 Dental Hygienist
- 5 Other health professional (specify)
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ whose doctor or other health professional advised them to quit smoking or using other kinds of tobacco in the past 12 months

**SkipInstructions:** <1-4,R,D> [goto LIVINTRO] <5> [goto HPTOTH]

---

**Question ID:** NAE.172\_00.000    **Instrument Variable Name:** HPTOTH    **QuestionnaireFileName:** Sample Adult

**QuestionText:** \*Enter other health professional.

- 7 Refused
- 9 Don't know
- verbatim** Verbatim response

**UniverseText:** Sample adults 18+ who were advised to quit using tobacco by other health professional

**SkipInstructions:** <allow 20,R,D> [goto LIVINTRO]

**2010 NHIS Sample Adult Cancer Supplement (18 years and over)**

**DRAFT 2010 Document NHIS Questionnaire - Sample Adult  
Tobacco**

Version Date: 04-Mar-10

---

**Question ID:** NAE.173\_00.000    **Instrument Variable Name:** LIVINTRO    **QuestionnaireFileName:** Sample Adult

**QuestionText:** In a usual week, does ANYONE who lives here, including yourself, smoke cigarettes, cigars, or pipes anywhere inside this home?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+

**SkipInstructions:** <1> [goto LIVSMOKE]  
<2,R,D> [if SEX = 2 and AGE = 18-49 [goto LIVEBTH]]; else goto next section

---

**Question ID:** NAE.174\_00.000    **Instrument Variable Name:** LIVSMOKE    **QuestionnaireFileName:** Sample Adult

**QuestionText:** In a usual week, how many people WHO LIVE here, including yourself, smoke cigarettes, cigars, or pipes anywhere INSIDE this home?

\*Enter '0' for none.

\*Enter '96' for 96 or more smokers.

- 00 None
- 01-95 1-95 persons
- 96 96+
- 97 Refused
- 99 Don't know

**UniverseText:** Sample adults 18+ who have people living in the home that smoke in a usual week

**SkipInstructions:** <1-96> [goto LVDYSMOK]  
<0,R,D> [if SEX = 2 and AGE = 18-49 [goto LIVEBTH]]; else goto next section

---

**Question ID:** NAE.176\_00.000    **Instrument Variable Name:** LVDYSMOK    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Usually, about how many days per week do people WHO LIVE here smoke anywhere INSIDE this home?

\*Enter '0' for less than 1 day per week/rarely/none

\*Enter '7' for all days per week

- 00 Less than one day per week/rarely/none
- 01-07 1-07 days
- 97 Refused
- 99 Don't know

**UniverseText:** Sample adults 18+ who have at least one resident smoking inside the home

**SkipInstructions:** <0-7,R,D> [if SEX = 2 and AGE = 18-49 [goto LIVEBTH]]; else goto next section

## 2010 NHIS Sample Adult Cancer Supplement Pregnancy and Smoking Questions (18 years and over)

### DRAFT 2010 NHIS Questionnaire - Sample Adult Tobacco

Document Version Date: 04-Mar-10

---

**Question ID:** NAE.190\_00.000    **Instrument Variable Name:** LIVEBTH    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Have you given birth to a live born infant within the past 5 years?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:** Female sample adults age 18-49

**SkipInstructions:** <1> if SMKEV=1 [goto SMKREG]; else [goto next section] <2,R,D> [goto next section]

---

**Question ID:** NAE.200\_00.000    **Instrument Variable Name:** SMKREG    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Were you smoking cigarettes when you became pregnant with your last child?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:** Female sample adults age 18-49 who have smoked at least 100 cigarettes in their entire life and have had a live birth in the past 5 years

**SkipInstructions:** <1,2,R,D> [goto SMKLST]

---

**Question ID:** NAE.210\_00.000    **Instrument Variable Name:** SMKLST    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Did you smoke cigarettes at any time during your pregnancy with your last child?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:** Female sample adults age 18-49 who have smoked at least 100 cigarettes in their entire life and have had a live birth in the past 5 years

**SkipInstructions:** <1> [goto QUTWK] <2,R,D> [goto next section]

---

## 2010 NHIS Sample Adult Cancer Supplement Pregnancy and Smoking Questions (18 years and over)

### DRAFT 2010 NHIS Questionnaire - Sample Adult Tobacco

Document Version Date: 04-Mar-10

---

**Question ID:** NAE.220\_00.000    **Instrument Variable Name:** QUTWK    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Did you quit smoking for 7 days or longer during your pregnancy with your last child?

- 1      Yes
- 2      No
- 7      Refused
- 9      Don't know

**UniverseText:** Female sample adults age 18-49 who have smoked at least 100 cigarettes in their entire life and smoked during last pregnancy

**SkipInstructions:** <1> [goto MTHQUIT] <2,R,D> [goto next section]

---

**Question ID:** NAE.230\_00.000    **Instrument Variable Name:** MTHQUIT    **QuestionnaireFileName:** Sample Adult

**QuestionText:** In what month of your pregnancy did you quit for 7 days or longer?

- 01     First
- 02     Second
- 03     Third
- 04     Fourth
- 05     Fifth
- 06     Sixth
- 07     Seventh
- 08     Eighth
- 09     Ninth
- 97     Refused
- 99     Don't know

**UniverseText:** Female sample adults age 18-49 who have smoked at least 100 cigarettes in their entire life and smoked during last pregnancy, but quit for 7 days or longer

**SkipInstructions:** <1-9,R,D> [goto STSMOK]

## 2010 NHIS Sample Adult Cancer Supplement Pregnancy and Smoking Questions (18 years and over)

### DRAFT 2010 NHIS Questionnaire - Sample Adult Tobacco

Document Version Date: 04-Mar-10

---

**Question ID:** NAE.240\_00.000    **Instrument Variable Name:** STSMOK    **QuestionnaireFileName:** Sample Adult

**QuestionText:** Did you start smoking again during the pregnancy or did you stay off cigarettes for the rest of the pregnancy?

- 1 Stayed off rest of pregnancy
- 2 Started again
- 3 Never started again
- 7 Refused
- 9 Don't know

**UniverseText:** Female sample adults age 18-49 who have smoked at least 100 cigarettes in their entire life and smoked during last pregnancy, but quit for 7 days or longer

**SkipInstructions:** <1-3,R,D> [goto next section]

## NHIS Tobacco Questions: 1997 – Forward

### 2011 NHIS Sample Adult Core Adult Health Care Access and Utilization (AAU) Section Supplement Questions (18 years and over)

**Question ID:** AAU.570\_00.010 **Instrument Variable Name:** APSSMKC **QuestionnaireFileName:** Sample Adult

**QuestionText:** DURING THE PAST 12 MONTHS, has a doctor or other health professional talked to you about your smoking?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ currently who smoke every day or some days

**SkipInstructions:** <1,2,R,D> if (40<=AGE<=65) [goto LTCFAM];  
else [goto AINDINS]

### 2012 NHIS Adult Alternative Health/Complementary And Alternative Medicine (ALT) Section Supplement Questions (18 years and over)

**Question ID:** ALT.518\_00.000 **Instrument Variable Name:** TP1\_MOT4 **QuestionnaireFileName:** Adult CAM

**QuestionText:** \*Read if necessary.

Did {fill1: seeing a practitioner for/using} {fill2: modality} motivate you to  
Cut back or stop smoking cigarettes?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who have used first of top three modalities and who currently smoke every day or some days

**SkipInstructions:** <1,2,R,D> [goto TP1\_MOT5]

### 2012 NHIS Adult Alternative Health/Complementary And Alternative Medicine (ALT) Section Supplement Questions (18 years and over)

**Question ID:** ALT.528\_00.000 **Instrument Variable Name:** TP1\_MOST **QuestionnaireFileName:** Adult CAM

**QuestionText:** Of these reasons, which ONE was the most important for using [fill1: modality]?

\*Read list below.

- 09 To cut back or stop smoking cigarettes

**UniverseText:** Sample adults 18+ who have used first of top three modalities and two or more reasons for seeing a practitioner/using modality chosen

**SkipInstructions:** <1-18> [goto TP1\_HELP]  
<R,D> [goto TP1\_TRET]

## 2012 NHIS Adult Alternative Health/Complementary And Alternative Medicine (ALT) Section Supplement Questions (18 years and over)

**Question ID:** ALT.603\_00.000 **Instrument Variable Name:** TP2\_MOT4 **QuestionnaireFileName:** Adult CAM

**QuestionText:** \*Read if necessary.

Did {fill1: seeing a practitioner for/using} {fill2: modality} motivate you to

Cut back or stop smoking cigarettes?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

**UniverseText:** Sample adults 18+ who have used second of top three modalities and who currently smoke every day or some

**SkipInstructions:** <1,2,R,D> [goto TP2\_MOT5]

## 2012 NHIS Adult Alternative Health/Complementary And Alternative Medicine (ALT) Section Supplement Questions (18 years and over)

**Question ID:** ALT.613\_00.000 **Instrument Variable Name:** TP2\_MOST **QuestionnaireFileName:** Adult CAM

**QuestionText:** Of these reasons, which ONE was the most important for using [fill1: modality]?

\*Read list below.

- 09 To cut back or stop smoking cigarettes

**UniverseText:** Sample adults 18+ who have used second of top three modalities and two or more reasons for seeing a practitioner/using modality chosen

**SkipInstructions:** <1-18> [goto TP2\_HELP]  
<R,D> [goto TP2\_TRET]

## 2012 NHIS Adult Alternative Health/Complementary And Alternative Medicine (ALT) Section Supplement Questions (18 years and over)

**Question ID:** ALT.698\_00.000 **Instrument Variable Name:** TP3\_MOT4 **QuestionnaireFileName:** Adult CAM

**QuestionText:** \*Read if necessary.

Did {fill1: seeing a practitioner for/using} {fill2: modality} motivate you to

Cut back or stop smoking cigarettes?

- 1 Yes
- 2 No
- 7 Refused
- 9 Don't know

## NHIS Tobacco Questions: 1997 – Forward

**UniverseText:** Sample adults 18+ who have used third of top three modalities and who currently smoke every day or some

**SkipInstructions:** <1,2,R,D> [goto TP3\_MOT5]

## 2012 NHIS Adult Alternative Health/Complementary And Alternative Medicine (ALT) Section Supplement Questions (18 years and over)

**Question ID:** ALT.708\_00.000 **Instrument Variable Name:** TP3\_MOST **QuestionnaireFileName:** Adult CAM

**QuestionText:** Of these reasons, which ONE was the most important for using [fill1: modality]?

\*Read list below.

- 01 Your general wellness or general disease prevention
- 02 To improve your energy
- 03 To improve your immune function
- 04 To improve your athletic or sports performance
- 05 To improve your memory or concentration
- 06 To eat healthier
- 07 To eat more organic foods
- 08 To cut back or stop drinking alcohol
- 09 To cut back or stop smoking cigarettes
- 10 To exercise more regularly
- 11 To give you a sense of control over your health
- 12 To help to reduce your stress level or to relax
- 13 To help you to sleep better
- 14 To make you feel better emotionally
- 15 To make it easier to cope with health problems
- 16 To improve your overall health and make you feel better
- 17 To improve your relationships with others
- 18 To improve your attendance at a job or school
- 97 Refused
- 99 Don't know

**UniverseText:** Sample adults 18+ who have used third of top three modalities and had two or more reasons for seeing a practitioner/using modality chosen

**SkipInstructions:** <1-18> [goto TP3\_HELP]  
<R,D> [goto TP3\_TRET]