

National Immunization Survey

1995 Public-Use Data File

Documentation, Code Book and Frequencies

Centers for Disease Control and Prevention

**National Immunization Program
and
National Center for Health Statistics**

**Prepared by Abt Associates Inc.
May 2002**

1995 National Immunization Survey Public-Use Data File

TABLE OF CONTENTS =====

SECTION	PAGE
INDEX OF VARIABLES	3
1 ID, WEIGHT AND FLAG VARIABLES.	13
2 HOUSEHOLD VACCINATION VARIABLES.	16
3 DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES.	24
4 GEOGRAPHIC VARIABLES	32
5 NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES	36
6 NUMBER OF RESPONDING PROVIDER VARIABLES.	37
7 CHARACTERISTICS OF PROVIDER VARIABLES.	40
8 PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES	41
9 PROVIDER-REPORTED AGE AT VACCINATION VARIABLES	54
ALPHABETICAL INDEX OF VARIABLES.	130

1995 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
SEQNUMC	0001	0006	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	0007	0011	1	UNIQUE HOUSEHOLD IDENTIFIER
HY_WGT	0012	0021	1	MODIFIED-POSTSTRATIFICATION (HH) WEIGHT FOR CHILD
W0	0022	0031	1	OVERALL VACCINATION HISTORY NONRESPONSE ADJUSTED WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA
YEAR	0032	0035	1	YEAR OF INTERVIEW
PDAT	0036	0036	1	CHILD HAS ADEQUATE PROVIDER DATA
ALL4SHOT	0037	0037	2	4:3:1:3 UP-TO-DATE (HH REPORT)
C_431	0038	0038	2	HOUSEHOLD REPORT OF 4:3:1 UP-TO-DATE BY SHOT CARD USE
C_4313	0039	0039	2	HOUSEHOLD REPORT OF 4:3:1:3 UP-TO-DATE BY SHOT CARD USE
C_DTP	0040	0040	2	HOUSEHOLD REPORT OF 4+ DTP UP-TO-DATE BY SHOT CARD USE
C_HEP	0041	0041	2	HOUSEHOLD REPORT OF 3+ HEPATITIS B UP-TO-DATE BY SHOT CARD USE
C_HIB	0042	0042	2	HOUSEHOLD REPORT OF 3+ HIB UP-TO-DATE BY SHOT CARD USE
C_MMR	0043	0043	2	HOUSEHOLD REPORT OF 1+ MEASLES-CONTAINING VACCINE UP-TO-DATE BY SHOT CARD USE
C_POL	0044	0044	2	HOUSEHOLD REPORT OF 3+ POLIO UP-TO-DATE BY SHOT CARD USE
DTP_SOUR	0045	0045	2	SHOT CARD USED FOR DTP REPORTING
FUL2_MMR	0046	0046	2	HOUSEHOLD REPORT OF 1+ MMR AT ANY AGE
FULL_DTP	0047	0047	2	HOUSEHOLD REPORT OF 4+ DTP
FULL_HEP	0048	0048	2	HOUSEHOLD REPORT OF 3+ HEPATITIS B
FULL_HIB	0049	0049	2	HOUSEHOLD REPORT OF 3+ HIB
FULL_POL	0050	0050	2	HOUSEHOLD REPORT OF 3+ POLIO
HUTD4313	0051	0051	2	HOUSEHOLD REPORT OF 4:3:1:3 UTD (UP-TO-DATE)
SHOTCARD	0052	0052	2	SHOT CARD USE FLAG
AGEGRP	0053	0053	3	AGE CATEGORY OF CHILD (RECODE)
C1R	0054	0055	3	NUMBER OF PEOPLE LIVING IN THE HOUSEHOLD (RECODE)
C5R	0056	0057	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CEN_REG	0058	0058	3	CENSUS REGION BASED ON STATE
CHILDNM	0059	0059	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
EDUC1	0060	0060	3	EDUCATION OF MOTHER CATEGORIES
ENTRY	0061	0061	3	CHILD LIVES IN STATE WITH HEPATITIS B STATE ENTRY LAW FOR DAY CARE/HEAD START (1996-1997 SCHOOL YEAR)
INCPOV1R	0062	0062	3	POVERTY STATUS(RECODE)
INCOMER	0063	0064	3	FAMILY INCOME CATEGORIES (RECODE)
I_HISP_K	0065	0065	3	HISPANIC ORIGIN OF CHILD

1995 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
I_HISP_M	0066	0066	3	HISPANIC ORIGIN OF MOTHER
I_RACEKR	0067	0067	3	RACE OF CHILD (RECODE)
I_RACEMR	0068	0068	3	RACE OF MOTHER (RECODE)
MARITAL	0069	0069	3	MARITAL STATUS OF MOTHER CATEGORIES
MOBIL	0070	0070	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE OF RESIDENCE
RACEKIDR	0071	0071	3	RACE/ETHNICITY OF CHILD (RECODE)
RACEMOMR	0072	0072	3	RACE/ETHNICITY OF MOTHER (RECODE)
SEX	0073	0073	3	GENDER OF CHILD
ITRUEIAP	0074	0075	4	IAP AREA OF CURRENT RESIDENCE
STATE	0076	0077	4	STATE OF RESIDENCE (STATE FIPS CODE)
D6R	0078	0078	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
DISPCODE	0079	0080	6	NIS PROVIDER RECORD-CHECK DISPOSITION CODE
N_PRVR	0081	0081	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
CARTYP1	0082	0082	6	CHILD'S PROVIDERS OFFER ROUTINE WELL CARE
CARTYP2	0083	0083	6	CHILD'S PROVIDERS OFFER SICK/EMERGENCY VISITS
CARTYP3	0084	0084	6	CHILD'S PROVIDERS OFFER VACCINATION VISITS
CARTYP4	0085	0085	6	CHILD'S PROVIDERS OFFER OTHER SERVICES
CARTYP5	0086	0086	6	CHILD'S PROVIDERS OFFER WIC PROGRAM/SERVICES
PROV_FAC	0087	0087	7	PROVIDER FACILITY TYPE
P_UTD431	0088	0088	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
PUTD4313	0089	0089	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3
PUT43133	0090	0090	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3
P_UTD331	0091	0091	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
P_UTDHEP	0092	0092	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B
P_UTDHIB	0093	0093	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB
P_UTDMCV	0094	0094	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MCV
P_UTDMMX	0095	0095	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR (NOT INCLUDING ANY MEASLES-ONLY SHOTS)
P_UTDPOL	0096	0096	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO
P_UTDTP3	0097	0097	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DTP
P_UTDTP4	0098	0098	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DTP
P_NUMDHB	0099	0099	8	NUMBER OF DTP/HIB COMBINATION SHOTS (ALL TYPES), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDTP	0100	0100	8	NUMBER OF DTP SHOTS (ALL TYPES INCLUDING DT), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

1995 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
P_NUMHEP	0101	0101	8	NUMBER OF HEPATITIS B (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMHIB	0102	0102	8	NUMBER OF HIB (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMMMR	0103	0103	8	NUMBER OF MCV (MEASLES-CONTAINING VACCINE) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMMMX	0104	0104	8	NUMBER OF TRUE MMR (NOT INCLUDING MEASLES-ONLY SHOTS), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMPOL	0105	0105	8	NUMBER OF POLIO (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMRB	0106	0106	8	NUMBER OF RUBELLA SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
VB11	0107	0136	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB12	0137	0166	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB13	0167	0196	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB21	0197	0226	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB22	0227	0256	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB23	0257	0286	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB31	0287	0316	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB32	0317	0346	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.

1995 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
VB33	0347	0376	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB41	0377	0406	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB42	0407	0436	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB43	0437	0466	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB51	0467	0496	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB52	0497	0526	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB53	0527	0556	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
DDTP1	0557	0560	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #1
DDTP2	0561	0564	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #2
DDTP3	0565	0568	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #3
DDTP4	0569	0572	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #4
DDTP5	0573	0576	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #5
DDTP6	0577	0580	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #6
DDTP7	0581	0584	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #7
DDTP8	0585	0588	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #8
DDTPHB1	0589	0592	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #1
DDTPHB2	0593	0596	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #2
DDTPHB3	0597	0600	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #3
DDTPHB4	0601	0604	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #4
DDTPHB5	0605	0608	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #5
DDTPHB6	0609	0612	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #6
DDTPHB7	0613	0616	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #7

1995 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DDTPHB8	0617	0620	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #8
DHEPB1	0621	0624	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #1
DHEPB2	0625	0628	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #2
DHEPB3	0629	0632	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #3
DHEPB4	0633	0636	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #4
DHEPB5	0637	0640	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #5
DHEPB6	0641	0644	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #6
DHEPB7	0645	0648	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #7
DHEPB8	0649	0652	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #8
DHIB1	0653	0656	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #1
DHIB2	0657	0660	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #2
DHIB3	0661	0664	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #3
DHIB4	0665	0668	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #4
DHIB5	0669	0672	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #5
DHIB6	0673	0676	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #6
DHIB7	0677	0680	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #7
DHIB8	0681	0684	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #8
DMMR1	0685	0688	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #1
DMMR2	0689	0692	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #2
DMMR3	0693	0696	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3
DMMR4	0697	0700	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
DMMRX1	0701	0704	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #1
DMMRX2	0705	0708	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #2
DMMRX3	0709	0712	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #3
DMMRX4	0713	0716	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #4
DMP1	0717	0720	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #1
DMP2	0721	0724	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #2
DMP3	0725	0728	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #3

1995 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DMP4	0729	0732	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #4
DMPRB1	0733	0736	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
DMPRB2	0737	0740	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
DMPRB3	0741	0744	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
DMPRB4	0745	0748	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
DMS1	0749	0752	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #1
DMS2	0753	0756	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #2
DMS3	0757	0760	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #3
DMS4	0761	0764	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #4
DMSMP1	0765	0768	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
DMSMP2	0769	0772	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
DMSMP3	0773	0776	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
DMSMP4	0777	0780	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
DMSRB1	0781	0784	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #1
DMSRB2	0785	0788	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #2
DMSRB3	0789	0792	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #3
DMSRB4	0793	0796	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #4
DPOLIO1	0797	0800	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #1
DPOLIO2	0801	0804	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #2
DPOLIO3	0805	0808	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #3
DPOLIO4	0809	0812	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #4
DPOLIO5	0813	0816	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #5
DPOLIO6	0817	0820	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #6
DPOLIO7	0821	0824	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #7
DPOLIO8	0825	0828	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #8
DRB1	0829	0832	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #1

1995 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DRB2	0833	0836	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #2
DRB3	0837	0840	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #3
DRB4	0841	0844	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #4
DRB5	0845	0848	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #5
DRB6	0849	0852	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #6
DRB7	0853	0856	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #7
DRB8	0857	0860	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #8
DHB1_AGE	0861	0862	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #1
DHB2_AGE	0863	0864	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #2
DHB3_AGE	0865	0866	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #3
DHB4_AGE	0867	0868	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #4
DHB5_AGE	0869	0870	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #5
DHB6_AGE	0871	0872	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #6
DHB7_AGE	0873	0874	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #7
DHB8_AGE	0875	0876	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #8
DTP1_AGE	0877	0878	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #1
DTP2_AGE	0879	0880	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #2
DTP3_AGE	0881	0882	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #3
DTP4_AGE	0883	0884	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #4
DTP5_AGE	0885	0886	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #5
DTP6_AGE	0887	0888	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #6
DTP7_AGE	0889	0890	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #7
DTP8_AGE	0891	0892	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #8
HEP1_AGE	0893	0894	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #1
HEP2_AGE	0895	0896	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #2

1995 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
HEP3_AGE	0897	0898	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #3
HEP4_AGE	0899	0900	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #4
HEP5_AGE	0901	0902	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #5
HEP6_AGE	0903	0904	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #6
HEP7_AGE	0905	0906	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #7
HEP8_AGE	0907	0908	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #8
HIB1_AGE	0909	0910	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #1
HIB2_AGE	0911	0912	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #2
HIB3_AGE	0913	0914	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #3
HIB4_AGE	0915	0916	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #4
HIB5_AGE	0917	0918	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #5
HIB6_AGE	0919	0920	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #6
HIB7_AGE	0921	0922	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #7
HIB8_AGE	0923	0924	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #8
MMR1_AGE	0925	0926	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #1
MMR2_AGE	0927	0928	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #2
MMR3_AGE	0929	0930	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3
MMR4_AGE	0931	0932	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
MMX1_AGE	0933	0934	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #1
MMX2_AGE	0935	0936	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #2
MMX3_AGE	0937	0938	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #3
MMX4_AGE	0939	0940	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #4
MP1_AGE	0941	0942	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #1
MP2_AGE	0943	0944	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #2
MP3_AGE	0945	0946	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #3
MP4_AGE	0947	0948	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #4
MPR1_AGE	0949	0950	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1

1995 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
MPR2_AGE	0951	0952	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
MPR3_AGE	0953	0954	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
MPR4_AGE	0955	0956	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
MS1_AGE	0957	0958	9	AGE IN MONTHS OF PROVIDER-REPORTED SHOT #1
MS2_AGE	0959	0960	9	AGE IN MONTHS OF PROVIDER-REPORTED SHOT #2
MS3_AGE	0961	0962	9	AGE IN MONTHS OF PROVIDER-REPORTED SHOT #3
MS4_AGE	0963	0964	9	AGE IN MONTHS OF PROVIDER-REPORTED SHOT #4
MSM1_AGE	0965	0966	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
MSM2_AGE	0967	0968	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
MSM3_AGE	0969	0970	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
MSM4_AGE	0971	0972	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
MSR1_AGE	0973	0974	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #1
MSR2_AGE	0975	0976	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #2
MSR3_AGE	0977	0978	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #3
MSR4_AGE	0979	0980	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #4
POL1_AGE	0981	0982	9	AGE ON MONTHS OF PROVIDER-REPORTED TYPES) SHOT # 1
POL2_AGE	0983	0984	9	AGE ON MONTHS OF PROVIDER-REPORTED TYPES) SHOT # 2
POL3_AGE	0985	0986	9	AGE ON MONTHS OF PROVIDER-REPORTED TYPES) SHOT # 3
POL4_AGE	0987	0988	9	AGE ON MONTHS OF PROVIDER-REPORTED TYPES) SHOT # 4
POL5_AGE	0989	0990	9	AGE ON MONTHS OF PROVIDER-REPORTED TYPES) SHOT # 5
POL6_AGE	0991	0992	9	AGE ON MONTHS OF PROVIDER-REPORTED TYPES) SHOT # 6
POL7_AGE	0993	0994	9	AGE ON MONTHS OF PROVIDER-REPORTED TYPES) SHOT # 7
POL8_AGE	0995	0996	9	AGE ON MONTHS OF PROVIDER-REPORTED TYPES) SHOT # 8
RB1_AGE	0997	0998	9	AGE IN MONTHS OF PROVIDER-REPORTED #1
RB2_AGE	0999	1000	9	AGE IN MONTHS OF PROVIDER-REPORTED #2
RB3_AGE	1001	1002	9	AGE IN MONTHS OF PROVIDER-REPORTED #3

1995 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
				#3
RB4_AGE	1003	1004	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #4
RB5_AGE	1005	1006	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #5
RB6_AGE	1007	1008	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #6
RB7_AGE	1009	1010	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #7
RB8_AGE	1011	1012	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #8

1995 National Immunization Survey Public-Use Data File

SECTION 1. ID, WEIGHT AND FLAG VARIABLES

Section	1
Variable Name	SEQNUMC
Label	UNIQUE CHILD IDENTIFIER
Response	
Categories	Statistics Description
	31997 NON-MISSING CHARACTER STRING
	000011 MINIMUM VALUE
	310401 MAXIMUM VALUE
Type	CHAR
Location	0001 - 0006
Width	6
Sequence Order	1
Notes	

Section	1
Variable Name	SEQNUMHH
Label	UNIQUE HOUSEHOLD IDENTIFIER
Response	
Categories	Statistics Description
	31997 NON-MISSING CHARACTER STRING
	00001 MINIMUM VALUE
	31040 MAXIMUM VALUE
Type	CHAR
Location	0007 - 0011
Width	5
Sequence Order	2
Notes	EACH HOUSEHOLD CONTAINS ONE OR MORE CHILDREN AGE 19-35 MONTHS.

1995 National Immunization Survey Public-Use Data File

SECTION 1. ID, WEIGHT AND FLAG VARIABLES

```

-----
Section          1
Variable Name    HY_WGT
Label            MODIFIED-POSTSTRATIFICATION (HH) WEIGHT FOR CHILD
Response
Categories       Statistics  Description
                  31997    NUMBER OF NON-MISSING
                  0        NUMBER OF MISSING

                  181.28   AVERAGE/MEAN
                  106.79   MEDIAN VALUE
                   4.97   MINIMUM VALUE
                  2301.73  MAXIMUM VALUE

Type             NUM
Location         0012 - 0021
Width            10
Sequence Order   3
Notes            FINAL HOUSEHOLD WEIGHT FOR CHILD.  USE THIS WEIGHT FOR
                  ESTIMATES BASED ON CHILDREN WITH COMPLETED HOUSEHOLD
                  INTERVIEWS.  THIS VARIABLE IS CALCULATED TO 5 DECIMAL PLACES.
-----

```

```

-----
Section          1
Variable Name    W0
Label            OVERALL VACCINATION HISTORY NONRESPONSE ADJUSTED WEIGHT FOR
                  CHILDREN WITH ADEQUATE PROVIDER DATA
Response
Categories       Statistics  Description
                  16183   NUMBER OF NON-MISSING
                  15814   NUMBER OF MISSING

                  358.43   AVERAGE/MEAN
                  196.90   MEDIAN VALUE
                   4.66   MINIMUM VALUE
                  10758.96  MAXIMUM VALUE

Type             NUM
Location         0022 - 0031
Width            10
Sequence Order   4
Notes            FINAL CHILD WEIGHT TO USE FOR THE CALCULATION OF VACCINATION
                  COVERAGE RATES FOR CHILDREN WITH ADEQUATE PROVIDER DATA
                  (PDAT=1).  THIS VARIABLE IS CALCULATED TO 5 DECIMAL PLACES.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 1. ID, WEIGHT AND FLAG VARIABLES

Section	1
Variable Name	YEAR
Label	YEAR OF INTERVIEW
Response	
Categories	Freq Value Label
	31997 1995
Type	NUM
Location	0032 - 0035
Width	4
Sequence Order	5
Notes	YEAR OF INTERVIEW IS 1995.

Section	1
Variable Name	PDAT
Label	CHILD HAS ADEQUATE PROVIDER DATA
Response	
Categories	Freq Value Label
	16183 1 USABLE PROVIDER DATA
	15814 2 NO USABLE PROVIDER DATA
Type	NUM
Location	0036 - 0036
Width	1
Sequence Order	6
Notes	USE PDAT = 1 TO IDENTIFY CHILDREN WITH ADEQUATE PROVIDER DATA.

1995 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

```
-----
Section                2
Variable Name          ALL4SHOT
Label                  4:3:1:3 UP-TO-DATE (HH REPORT)
Response
Categories              Freq  Value  Label
                        3382    .    MISSING
                        14918   1    YES
                        11022   2    NO
                        2661    6    DON'T KNOW
                        14      7    REFUSED

Type                   NUM
Location               0037 - 0037
Width                  1
Sequence Order         7
Notes                  4+ DTP, 3+ POLIO, 1+ MCV AND 3+ HIB. REPORTING ERROR EXISTS IN
HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.
-----
```

```
-----
Section                2
Variable Name          C_431
Label                  HOUSEHOLD REPORT OF 4:3:1 UP-TO-DATE BY SHOT CARD USE
Response
Categories              Freq  Value  Label
                        10886   1    UTD 431/SC
                        5181    2    NOT UTD 431/ SC
                        6629    3    UTD 431/NSC
                        4749    4    NOT UTD 431/ NSC
                        4552    5    MISSING 431/SC,NSC
-----
```

```
-----
Type                   NUM
Location               0038 - 0038
Width                  1
Sequence Order         8
Notes                  4+ DTP, 3+ POLIO AND 1+ MCV. SC = SHOT CARD, NSC = NON-SHOT
CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF
VACCINATIONS RECEIVED.
-----
```


1995 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name C_4313
Label HOUSEHOLD REPORT OF 4:3:1:3 UP-TO-DATE BY SHOT CARD USE
Response
Categories

	Freq	Value	Label
	9951	1	UTD 4313/SC
	6116	2	NOT UTD 4313/ SC
	4967	3	UTD 4313/NSC
	4906	4	NOT UTD 4313/ NSC
	6057	5	MISSING 4313/SC,NSC

Type NUM
Location 0039 - 0039
Width 1
Sequence Order 9
Notes 4+ DTP, 3+ POLIO, 1+ MCV AND 3+ HIB. SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name C_DTP
Label HOUSEHOLD REPORT OF 4+ DTP UP-TO-DATE BY SHOT CARD USE
Response
Categories

	Freq	Value	Label
	11578	1	UTD DTP/SC
	4489	2	NOT UTD DTP/ SC
	8391	3	UTD DTP/NSC
	4763	4	NOT UTD DTP/ NSC
	2776	5	MISSING DTP/SC,NSC

Type NUM
Location 0040 - 0040
Width 1
Sequence Order 10
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1995 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name C_HEP
Label HOUSEHOLD REPORT OF 3+ HEPATITIS B UP-TO-DATE BY SHOT CARD USE
Response
Categories

Freq	Value	Label
9841	1	UTD HEPB/SC
6226	2	NOT UTD HEPB/ SC
6681	3	UTD HEPB/NSC
5406	4	NOT UTD HEPB/ NSC
3843	5	MISSING HEPB/SC,NSC

Type NUM
Location 0041 - 0041
Width 1
Sequence Order 11
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name C_HIB
Label HOUSEHOLD REPORT OF 3+ HIB UP-TO-DATE BY SHOT CARD USE
Response
Categories

Freq	Value	Label
13348	1	UTD HIB/SC
2719	2	NOT UTD HIB/ SC
6673	3	UTD HIB/NSC
4849	4	NOT UTD HIB/ NSC
4408	5	MISSING HIB/SC,NSC

Type NUM
Location 0042 - 0042
Width 1
Sequence Order 12
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1995 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

```
-----
Section                2
Variable Name          C_MMR
Label                  HOUSEHOLD REPORT OF 1+ MEASLES-CONTAINING VACCINE UP-TO-DATE BY
                        SHOT CARD USE
Response
Categories              Freq  Value  Label
                        -----
                        14313   1    UTD MMR/SC
                        1754    2    NOT UTD MMR/ SC
                        11620   3    UTD MMR/NSC
                        878     4    NOT UTD MMR/ NSC
                        3432    5    MISSING MMR/SC,NSC

Type                   NUM
Location               0043 - 0043
Width                  1
Sequence Order         13
Notes                  SC = SHOT CARD, NSC = NON-SHOT CARD.  REPORTING ERROR EXISTS IN
                        HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.
-----
```

```
-----
Section                2
Variable Name          C_POL
Label                  HOUSEHOLD REPORT OF 3+ POLIO UP-TO-DATE BY SHOT CARD USE
Response
Categories              Freq  Value  Label
                        -----
                        13529   1    UTD POLIO/SC
                        2538    2    NOT UTD POLIO/ SC
                        8881    3    UTD POLIO/NSC
                        4321    4    NOT UTD POLIO/ NSC
                        2728    5    MISSING POLIO/SC,NSC

Type                   NUM
Location               0044 - 0044
Width                  1
Sequence Order         14
Notes                  SC = SHOT CARD, NSC = NON-SHOT CARD.  REPORTING ERROR EXISTS IN
                        HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.
-----
```

1995 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name DTP_SOUR
Label SHOT CARD USED FOR DTP REPORTING
Response
Categories

	Freq	Value	Label
	16067	1	SHOT RECORDS
	398	2	BOTH SHOT RECORDS AND RESPONDENT RECALL
	14929	3	RESPONDENT RECALL ONLY
	603	6	DON'T KNOW

Type NUM
Location 0045 - 0045
Width 1
Sequence Order 15
Notes A VALUE OF 1 IDENTIFIES CHILDREN WITH VACCINATION REPORT FOR DTP BASED ONLY ON A SHOT CARD. A VALUE OF 2 IDENTIFIES CHILDREN WITH A REPORT FOR DTP BASED ON SHOT CARD AND RECALL (HISTORY).

Section 2
Variable Name FUL2_MMR
Label HOUSEHOLD REPORT OF 1+ MMR AT ANY AGE
Response
Categories

	Freq	Value	Label
	1045	.	MISSING
	25123	1	YES
	3442	2	NO
	2374	6	DON'T KNOW
	13	7	REFUSED

Type NUM
Location 0046 - 0046
Width 1
Sequence Order 16
Notes REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1995 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name FULL_DTP
Label HOUSEHOLD REPORT OF 4+ DTP
Response
Categories

	Freq	Value	Label
	463	.	MISSING
	19969	1	YES
	9252	2	NO
	2296	6	DON'T KNOW
	17	7	REFUSED

Type NUM
Location 0047 - 0047
Width 1
Sequence Order 17
Notes 4+ DTP. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name FULL_HEP
Label HOUSEHOLD REPORT OF 3+ HEPATITIS B
Response
Categories

	Freq	Value	Label
	2168	.	MISSING
	16522	1	YES
	11632	2	NO
	1663	6	DON'T KNOW
	12	7	REFUSED

Type NUM
Location 0048 - 0048
Width 1
Sequence Order 18
Notes 3+ HEPATITIS B. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1995 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name FULL_HIB
Label HOUSEHOLD REPORT OF 3+ HIB
Response
Categories

Freq	Value	Label
2631	.	MISSING
20021	1	YES
7568	2	NO
1769	6	DON'T KNOW
8	7	REFUSED

Type NUM
Location 0049 - 0049
Width 1
Sequence Order 19
Notes 3+ HIB. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name FULL_POL
Label HOUSEHOLD REPORT OF 3+ POLIO
Response
Categories

Freq	Value	Label
508	.	MISSING
22410	1	YES
6859	2	NO
2206	6	DON'T KNOW
14	7	REFUSED

Type NUM
Location 0050 - 0050
Width 1
Sequence Order 20
Notes 3+ POLIO. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1995 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name HUTD4313
Label HOUSEHOLD REPORT OF 4:3:1:3 UTD (UP-TO-DATE)
Response
Categories

Freq	Value	Label
14918	1	4:3:1:3 UTD
11022	2	NOT 4:3:1:3 UTD
6057	3	MISSING

Type NUM
Location 0051 - 0051
Width 1
Sequence Order 21
Notes 4+ DTP, 3+ POLIO, 1+ MCV, AND 3+ HIB. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name SHOTCARD
Label SHOT CARD USE FLAG
Response
Categories

Freq	Value	Label
16067	1	SHOT CARD
15930	2	NON SHOT CARD

Type NUM
Location 0052 - 0052
Width 1
Sequence Order 22
Notes DTP_SOUR=1 USED TO IDENTIFY SHOTCARD CHILDREN.

1995 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name AGEGRP
Label AGE CATEGORY OF CHILD (RECODE)
Response
Categories

	Freq	Value	Label
	9360	1	19 - 23 MONTHS
	11101	2	24 - 29 MONTHS
	11536	3	30 - 35 MONTHS

Type NUM
Location 0053 - 0053
Width 1
Sequence Order 23
Notes

Section 3
Variable Name C1R
Label NUMBER OF PEOPLE LIVING IN THE HOUSEHOLD (RECODE)
Response
Categories

	Freq	Value	Label
	335	.	MISSING
	1171	2	2
	8079	3	3
	11346	4	4
	6297	5	5
	2641	6	6
	1134	7	7
	994	8	8+

Type NUM
Location 0054 - 0055
Width 2
Sequence Order 24
Notes

1995 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name C5R
Label RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
Response
Categories

	Freq	Value	Label
	324	.	MISSING
	26413	1	MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE GUARDIAN
	3919	2	FATHER (STEP, FOSTER, ADOPTIVE) OR MALE GUARDIAN
	836	3	GRANDPARENT
	492	4	OTHER FAMILY MEMBER/FRIEND
	6	96	DON'T KNOW
	7	97	REFUSED

Type NUM
Location 0056 - 0057
Width 2
Sequence Order 25
Notes

Section 3
Variable Name CEN_REG
Label CENSUS REGION BASED ON STATE
Response
Categories

	Freq	Value	Label
	5270	1	NORTHEAST
	7418	2	MIDWEST
	11871	3	SOUTH
	7438	4	WEST

Type NUM
Location 0058 - 0058
Width 1
Sequence Order 26
Notes

1995 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name CHILDNM
Label NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
Response
Categories

	Freq	Value	Label
	9148	1	1 CHILD
	18647	2	2-3 CHILDREN
	3848	3	4+ CHILDREN
	354	4	UNKNOWN

Type NUM
Location 0059 - 0059
Width 1
Sequence Order 27
Notes

Section 3
Variable Name EDUC1
Label EDUCATION OF MOTHER CATEGORIES
Response
Categories

	Freq	Value	Label
	3895	1	<12 YEARS
	11504	2	12 YEARS
	6162	3	>12, NON COLLEGE GRADUATE
	10436	4	COLLEGE GRADUATE

Type NUM
Location 0060 - 0060
Width 1
Sequence Order 28
Notes IMPUTED VARIABLE.

1995 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name ENTRY
Label CHILD LIVES IN STATE WITH HEPATITIS B STATE ENTRY LAW FOR DAY CARE/HEAD START (1996-1997 SCHOOL YEAR)

Response
Categories

Freq	Value	Label
13532	1	YES
18465	2	NO

Type NUM
Location 0061 - 0061
Width 1
Sequence Order 29
Notes OBTAINED FROM STATE IMMUNIZATION REQUIREMENTS, 1996-97.
DEPARTMENT OF HEALTH AND HUMAN SERVICES, PUBLIC HEALTH SERVICES, CENTERS FOR DISEASE CONTROL AND PREVENTION. PAGE 19.

Section 3
Variable Name INCPOV1R
Label POVERTY STATUS(RECODE)

Response
Categories

Freq	Value	Label
20194	1	>= 1.0 (ABOVE)
5344	2	< 1.0 (BELOW)
6459	3	UNKNOWN

Type NUM
Location 0062 - 0062
Width 1
Sequence Order 30
Notes BASED ON 1995 CENSUS POVERTY THRESHOLDS.

1995 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

```

-----
Section          3
Variable Name    INCOMER
Label            FAMILY INCOME CATEGORIES (RECODE)
Response
Categories       Freq  Value  Label
                -----
                420    .    NO ANSWER GIVEN
                1645   3     0 - $ 7,500
                1717   4    $ 7,501 - $10,000
                619    5    $10,001 - $12,500
                1070   6    $12,501 - $15,000
                856    7    $15,001 - $17,500
                1609   8    $17,501 - $20,000
                4470   9    $20,001 - $30,000
                6733  10   $30,001 - $50,000
                6853  11   $50,001 +
                3657  96   DON'T KNOW
                2348  97   REFUSED

Type            NUM
Location        0063 - 0064
Width           2
Sequence Order  31
Notes           FAMILY INCOME DURING THE PAST 12 MONTHS.
-----

```

```

-----
Section          3
Variable Name    I_HISP_K
Label            HISPANIC ORIGIN OF CHILD
Response
Categories       Freq  Value  Label
                -----
                4298   1    HISPANIC
                27699  2    NOT HISPANIC

Type            NUM
Location        0065 - 0065
Width           1
Sequence Order  32
Notes           IMPUTED VARIABLE.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name I_HISP_M
Label HISPANIC ORIGIN OF MOTHER
Response
Categories

	Freq	Value	Label
	3789	1	HISPANIC
	28208	2	NOT HISPANIC

Type NUM
Location 0066 - 0066
Width 1
Sequence Order 33
Notes IMPUTED VARIABLE.

Section 3
Variable Name I_RACEKR
Label RACE OF CHILD (RECODE)
Response
Categories

	Freq	Value	Label
	23872	1	WHITE
	6170	2	BLACK
	1955	3	ALL OTHER (AMERICAN INDIAN+ASIAN+OTHER)

Type NUM
Location 0067 - 0067
Width 1
Sequence Order 34
Notes IMPUTED VARIABLE. ONLY CONTAINS RACE.

Section 3
Variable Name I_RACEMR
Label RACE OF MOTHER (RECODE)
Response
Categories

	Freq	Value	Label
	24291	1	WHITE
	5872	2	BLACK
	1834	3	ALL OTHER (AMERICAN INDIAN+ASIAN+OTHER)

Type NUM
Location 0068 - 0068
Width 1
Sequence Order 35
Notes IMPUTED VARIABLE. ONLY CONTAINS RACE.

1995 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
 Variable Name MARITAL
 Label MARITAL STATUS OF MOTHER CATEGORIES
 Response
 Categories

Freq	Value	Label
2989	1	WIDOWED/DIVORCED/SEPARATED
5677	2	NEVER MARRIED
22827	3	MARRIED
34	4	DECEASED
470	5	MISSING

Type NUM
 Location 0069 - 0069
 Width 1
 Sequence Order 36
 Notes

Section 3
 Variable Name MOBIL
 Label GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE OF RESIDENCE
 Response
 Categories

Freq	Value	Label
3522	1	MOVED FROM DIFFERENT STATE
28475	2	DID NOT MOVE FROM DIFFERENT STATE

Type NUM
 Location 0070 - 0070
 Width 1
 Sequence Order 37
 Notes

Section 3
 Variable Name RACEKIDR
 Label RACE/ETHNICITY OF CHILD (RECODE)
 Response
 Categories

Freq	Value	Label
4298	1	HISPANIC
20525	2	WHITE, NON HISPANIC
5599	3	BLACK, NON HISPANIC
1575	4	ALL OTHER, NON HISPANIC

Type NUM
 Location 0071 - 0071
 Width 1
 Sequence Order 38
 Notes IMPUTED VARIABLE. COMBINES HISPANIC ORIGIN AND RACE.

1995 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name RACEMOMR
Label RACE/ETHNICITY OF MOTHER (RECODE)
Response
Categories

	Freq	Value	Label
	3789	1	HISPANIC
	21364	2	WHITE, NON HISPANIC
	5333	3	BLACK, NON HISPANIC
	1511	4	ALL OTHER, NON HISPANIC

Type NUM
Location 0072 - 0072
Width 1
Sequence Order 39
Notes IMPUTED VARIABLE. COMBINES HISPANIC ORIGIN AND RACE.

Section 3
Variable Name SEX
Label GENDER OF CHILD
Response
Categories

	Freq	Value	Label
	16571	1	MALE
	15426	2	FEMALE

Type NUM
Location 0073 - 0073
Width 1
Sequence Order 40
Notes

1995 National Immunization Survey Public-Use Data File

SECTION 4. GEOGRAPHIC VARIABLES

Section	4		
Variable Name	ITRUEIAP		
Label	IAP AREA OF CURRENT RESIDENCE		
Response			
Categories	Freq	Value	Label
	413	1	CT
	420	2	MA-REST OF STATE
	386	3	MA-CITY OF BOSTON
	406	4	ME
	420	5	NH
	405	6	RI
	401	7	VT
	458	8	NJ-REST OF STATE
	340	9	NJ-CITY OF NEWARK
	413	10	NY-REST OF STATE
	395	11	NY-NYC 5 COUNTIES
	368	12	DISTRICT OF COLUMBIA
	398	13	DE
	436	14	MD-REST OF STATE
	375	15	MD-CITY OF BALTIMORE
	407	16	PA-REST OF STATE
	406	17	PA-PHILADELPHIA COUNTY
	408	18	VA
	413	19	WV
	409	20	AL-REST OF STATE
	394	21	AL-JEFFERSON COUNTY
	410	22	FL-REST OF STATE
	399	23	FL-DUVAL COUNTY
	372	24	FL-DADE COUNTY
	426	25	GA-REST OF STATE
	385	26	GA-FULTON/DEKALB COUNTIES
	418	27	KY
	418	28	MS
	410	29	NC
	403	30	SC
	397	31	TN-REST OF STATE
	419	32	TN-SHELBY COUNTY
	434	33	TN-DAVIDSON COUNTY
	400	34	IL-REST OF STATE
	438	35	IL-CITY OF CHICAGO
	416	36	IN-REST OF STATE
	390	37	IN-MARION COUNTY
	428	38	MI-REST OF STATE
	384	39	MI-CITY OF DETROIT
	400	40	MN
	429	41	OH-REST OF STATE
	384	42	OH-CUYAHOGA COUNTY
	388	43	OH-FRANKLIN COUNTY
	421	44	WI-REST OF STATE
	417	45	WI-MILWAUKEE COUNTY
	414	46	AR
	438	47	LA-REST OF STATE

1995 National Immunization Survey Public-Use Data File

SECTION 4. GEOGRAPHIC VARIABLES

397	48	LA-ORLEANS PARISH
416	49	NM
410	50	OK
471	51	TX-REST OF STATE
383	52	TX-DALLAS COUNTY
467	53	TX-EL PASO COUNTY
395	54	TX-CITY OF HOUSTON
404	55	TX-BEXAR COUNTY
434	56	IA
416	57	KS
418	58	MO
413	59	NE
417	60	CO
421	61	MT
408	62	ND
434	63	SD
448	64	UT
423	65	WY
436	66	AZ-REST OF STATE
431	67	AZ-MARICOPA COUNTY
390	68	CA-REST OF STATE
399	69	CA-LOS ANGELES COUNTY
391	70	CA-SANTA CLARA COUNTY
410	71	CA-SAN DIEGO COUNTY
395	72	HI
401	73	NV
433	74	AK
421	75	ID
402	76	OR
415	77	WA-REST OF STATE
389	78	WA-KING COUNTY

Type	NUM
Location	0074 - 0075
Width	2
Sequence Order	41
Notes	USE AS STRATUM IDENTIFIER WHEN CALCULATING STANDARD ERRORS.

1995 National Immunization Survey Public-Use Data File

SECTION 4. GEOGRAPHIC VARIABLES

Section	4		
Variable Name	STATE		
Label	STATE OF RESIDENCE (STATE FIPS CODE)		
Response			
Categories	Freq	Value	Label
	803	1	ALABAMA
	433	2	ALASKA
	867	4	ARIZONA
	414	5	ARKANSAS
	1590	6	CALIFORNIA
	417	8	COLORADO
	413	9	CONNECTICUT
	398	10	DELAWARE
	368	11	DIST. OF COLUMBIA
	1181	12	FLORIDA
	811	13	GEORGIA
	395	15	HAWAII
	421	16	IDAHO
	838	17	ILLINOIS
	806	18	INDIANA
	434	19	IOWA
	416	20	KANSAS
	418	21	KENTUCKY
	835	22	LOUISIANA
	406	23	MAINE
	811	24	MARYLAND
	806	25	MASSACHUSETTS
	812	26	MICHIGAN
	400	27	MINNESOTA
	418	28	MISSISSIPPI
	418	29	MISSOURI
	421	30	MONTANA
	413	31	NEBRASKA
	401	32	NEVADA
	420	33	NEW HAMPSHIRE
	798	34	NEW JERSEY
	416	35	NEW MEXICO
	808	36	NEW YORK
	410	37	NORTH CAROLINA
	408	38	NORTH DAKOTA
	1201	39	OHIO
	410	40	OKLAHOMA
	402	41	OREGON
	813	42	PENNSYLVANIA
	405	44	RHODE ISLAND
	403	45	SOUTH CAROLINA
	434	46	SOUTH DAKOTA
	1250	47	TENNESSEE
	2120	48	TEXAS
	448	49	UTAH
	401	50	VERMONT
	408	51	VIRGINIA

1995 National Immunization Survey Public-Use Data File

SECTION 4. GEOGRAPHIC VARIABLES

804	53	WASHINGTON
413	54	WEST VIRGINIA
838	55	WISCONSIN
423	56	WYOMING

Type	NUM
Location	0076 - 0077
Width	2
Sequence Order	42
Notes	

1995 National Immunization Survey Public-Use Data File

SECTION 5. NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES

Section 5
Variable Name D6R
Label NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT
(RECODE)

Response
Categories

Freq	Value	Label
1794	.	MISSING
311	0	0
21557	1	1
6893	2	2
1442	3	3+

Type NUM
Location 0078 - 0078
Width 1
Sequence Order 43
Notes NUMBER OF VACCINATIONS PROVIDERS IDENTIFIED FOR THE CHILD IN QUESTION D6 DURING THE HOUSEHOLD INTERVIEW. RANGE: 1 TO 5 PROVIDERS.

1995 National Immunization Survey Public-Use Data File

SECTION 6. NUMBER OF RESPONDING PROVIDER VARIABLES

```
-----
Section          6
Variable Name    DISPCODE
Label           NIS PROVIDER RECORD-CHECK DISPOSITION CODE
Response
Categories              Freq  Value  Label

                  15299      .
                  7701       1
                  6150       2
                   542       3
                   99        4
                  1255       5
                   81        6
                   515       7
                   55        8
                   34        9
                   136      10
                   130      11

Type            NUM
Location        0079 - 0080
Width           2
Sequence Order  44
Notes          SEE USER'S GUIDE FOR DEFINITION OF CODES. CHILDREN WITH A
DISPCODE = 7 HAVE INADEQUATE PROVIDER DATA (PDAT = 2) TO
DETERMINE UP-TO-DATE STATUS OF CHILD.  THESE CHILDREN SHOULD
NOT BE USED IN THE CALCULATION OF VACCINATION COVERAGE RATES.
-----
```

```
-----
Section          6
Variable Name    N_PRVR
Label           NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD
                (RECODE)
Response
Categories              Freq  Value  Label

                  15299      .  MISSING
                  14131      1   1
                   2357      2   2
                   210       3  3+

Type            NUM
Location        0081 - 0081
Width           1
Sequence Order  45
Notes          TOTAL NUMBER OF VACCINATION PROVIDERS RESPONDING WITH
VACCINATION INFORMATION FOR THE CHILD. RANGE: 1 TO 5 PROVIDERS.
-----
```

1995 National Immunization Survey Public-Use Data File

SECTION 6. NUMBER OF RESPONDING PROVIDER VARIABLES

Section 6
Variable Name CARTYP1
Label CHILD'S PROVIDERS OFFER ROUTINE WELL CARE
Response
Categories

Freq	Value	Label
15299	.	MISSING
11488	1	ALL PROVIDERS
1271	2	SOME BUT NOT ALL PROVIDERS
3939	3	NO PROVIDER/UNKNOWN

Type NUM
Location 0082 - 0082
Width 1
Sequence Order 46
Notes CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.

Section 6
Variable Name CARTYP2
Label CHILD'S PROVIDERS OFFER SICK/EMERGENCY VISITS
Response
Categories

Freq	Value	Label
15299	.	MISSING
10394	1	ALL PROVIDERS
1427	2	SOME BUT NOT ALL PROVIDERS
4877	3	NO PROVIDER/UNKNOWN

Type NUM
Location 0083 - 0083
Width 1
Sequence Order 47
Notes CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.

1995 National Immunization Survey Public-Use Data File

SECTION 6. NUMBER OF RESPONDING PROVIDER VARIABLES

```
-----
Section          6
Variable Name    CARTYP3
Label           CHILD'S PROVIDERS OFFER VACCINATION VISITS
Response
Categories              Freq  Value  Label
                        15299   .    MISSING
                        13619   1    ALL PROVIDERS
                        932     2    SOME BUT NOT ALL PROVIDERS
                        2147   3    NO PROVIDER/UNKNOWN

Type            NUM
Location        0084 - 0084
Width           1
Sequence Order  48
Notes          CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.
-----
```

```
-----
Section          6
Variable Name    CARTYP4
Label           CHILD'S PROVIDERS OFFER OTHER SERVICES
Response
Categories              Freq  Value  Label
                        15299   .    MISSING
                        495     1    ALL PROVIDERS
                        192     2    SOME BUT NOT ALL PROVIDERS
                        16011  3    NO PROVIDER/UNKNOWN

Type            NUM
Location        0085 - 0085
Width           1
Sequence Order  49
Notes          CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.
-----
```

```
-----
Section          6
Variable Name    CARTYP5
Label           CHILD'S PROVIDERS OFFER WIC PROGRAM/SERVICES
Response
Categories              Freq  Value  Label
                        15299   .    MISSING
                        1120   1    ALL PROVIDERS
                        249     2    SOME BUT NOT ALL PROVIDERS
                        15329  3    NO PROVIDER/UNKNOWN

Type            NUM
Location        0086 - 0086
Width           1
Sequence Order  50
Notes          CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.
-----
```

1995 National Immunization Survey Public-Use Data File

SECTION 7. CHARACTERISTICS OF PROVIDER VARIABLES

Section	7
Variable Name	PROV_FAC
Label	PROVIDER FACILITY TYPE
Response	
Categories	Freq Value Label
	15299 . MISSING
	3569 1 ALL PUBLIC FACILITIES
	560 2 ALL HOSPITAL FACILITIES
	9427 3 ALL PRIVATE FACILITIES
	473 4 ALL MILITARY/OTHER FACILITIES
	1258 5 MIXED(ONE OR MORE OF ABOVE CATEGORIES)
	1411 6 TYPE OF FACILITY UNKNOWN
Type	NUM
Location	0087 - 0087
Width	1
Sequence Order	51
Notes	CONSTRUCTED FROM THE RESPONSES OF UP TO 5 PROVIDERS.

1995 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name P_UTD431
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
Response
Categories

	Freq	Value	Label
	15299	.	MISSING
	3886	0	NOT UTD
	12812	1	UTD

Type NUM
Location 0088 - 0088
Width 1
Sequence Order 52
Notes 4+ DTP, 3+ POLIO AND 1+ MCV.

Section 8
Variable Name PUTD4313
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3
Response
Categories

	Freq	Value	Label
	15299	.	MISSING
	4179	0	NOT UTD
	12519	1	UTD

Type NUM
Location 0089 - 0089
Width 1
Sequence Order 53
Notes 4+ DTP, 3+ POLIO, 1+ MCV AND 3+ HIB

Section 8
Variable Name PUT43133
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3
Response
Categories

	Freq	Value	Label
	15299	.	MISSING
	7780	0	NOT UTD
	8918	1	UTD

Type NUM
Location 0090 - 0090
Width 1
Sequence Order 54
Notes 4+ DTP, 3+ POLIO, 1+ MCV, 3+ HIB AND 3+ HEP B.

1995 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name P_UTD331
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
Response
Categories

Freq	Value	Label
15299	.	MISSING
2778	0	NOT UTD
13920	1	UTD

Type NUM
Location 0091 - 0091
Width 1
Sequence Order 55
Notes 3+ DTP, 3+ POLIO AND 1+ MCV.

Section 8
Variable Name P_UTDHEP
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B
Response
Categories

Freq	Value	Label
15299	.	MISSING
5848	0	NOT UTD
10850	1	UTD

Type NUM
Location 0092 - 0092
Width 1
Sequence Order 56
Notes INCLUDES ALL HEPATITIS B-CONTAINING VACCINES.

Section 8
Variable Name P_UTDHIB
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB
Response
Categories

Freq	Value	Label
15299	.	MISSING
1506	0	NOT UTD
15192	1	UTD

Type NUM
Location 0093 - 0093
Width 1
Sequence Order 57
Notes INCLUDES ALL HIB-CONTAINING VACCINES.

1995 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name P_UTDMCV
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MCV
Response
Categories

	Freq	Value	Label
	15299	.	MISSING
	1794	0	NOT UTD
	14904	1	UTD

Type NUM
Location 0094 - 0094
Width 1
Sequence Order 58
Notes INCLUDES ALL MEASLES-CONTAINING VACCINES (MCV).

Section 8
Variable Name P_UTDMMX
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR (NOT INCLUDING ANY MEASLES-ONLY SHOTS)

Response
Categories

	Freq	Value	Label
	15299	.	MISSING
	1801	0	NOT UTD
	14897	1	UTD

Type NUM
Location 0095 - 0095
Width 1
Sequence Order 59
Notes ONLY INCLUDES MMR VACCINES.

Section 8
Variable Name P_UTDPOL
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO

Response
Categories

	Freq	Value	Label
	15299	.	MISSING
	2114	0	NOT UTD
	14584	1	UTD

Type NUM
Location 0096 - 0096
Width 1
Sequence Order 60
Notes INCLUDES ALL POLIO-CONTAINING VACCINES.

1995 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name P_UTDTP3
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DTP
Response
Categories

	Freq	Value	Label
	15299	.	MISSING
	998	0	NOT UTD
	15700	1	UTD

Type NUM
Location 0097 - 0097
Width 1
Sequence Order 61
Notes INCLUDES ALL DTP-CONTAINING VACCINES.

Section 8
Variable Name P_UTDTP4
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DTP
Response
Categories

	Freq	Value	Label
	15299	.	MISSING
	3504	0	NOT UTD
	13194	1	UTD

Type NUM
Location 0098 - 0098
Width 1
Sequence Order 62
Notes INCLUDES ALL DTP-CONTAINING VACCINES.

1995 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
 Variable Name P_NUMDHB
 Label NUMBER OF DTP/HIB COMBINATION SHOTS (ALL TYPES), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
 Categories

Freq	Value	Label
15299	.	
13334	0	
1192	1	
459	2	
917	3	
786	4	
10	5	

Type NUM
 Location 0099 - 0099
 Width 1
 Sequence Order 63
 Notes INCLUDES ALL TYPES OF DTP/HIB VACCINES.

Section 8
 Variable Name P_NUMDTP
 Label NUMBER OF DTP SHOTS (ALL TYPES INCLUDING DT), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
 Categories

Freq	Value	Label
15299	.	
90	0	
405	1	
503	2	
2506	3	
12693	4	
418	5	
43	6	
30	7	
9	8	
1	9	

Type NUM
 Location 0100 - 0100
 Width 1
 Sequence Order 64
 Notes INCLUDES ALL DTP-CONTAINING VACCINES.

1995 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
 Variable Name P_NUMHEP
 Label NUMBER OF HEPATITIS B (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
 Categories

Freq	Value	Label
15299	.	
3849	0	
583	1	
1416	2	
10271	3	
486	4	
70	5	
22	6	
1	7	

Type NUM
 Location 0101 - 0101
 Width 1
 Sequence Order 65
 Notes INCLUDES ALL HEPATITIS B-CONTAINING VACCINES.

Section 8
 Variable Name P_NUMHIB
 Label NUMBER OF HIB (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
 Categories

Freq	Value	Label
15299	.	
262	0	
549	1	
695	2	
3124	3	
11589	4	
388	5	
59	6	
25	7	
7	8	

Type NUM
 Location 0102 - 0102
 Width 1
 Sequence Order 66
 Notes INCLUDES ALL HIB-CONTAINING VACCINES.

1995 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name P_NUMMMR
Label NUMBER OF MCV (MEASLES-CONTAINING VACCINE) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
Categories

	Freq	Value	Label
	15299	.	
	1794	0	
	14582	1	
	293	2	
	23	3	
	6	4	

Type NUM
Location 0103 - 0103
Width 1
Sequence Order 67
Notes INCLUDES ALL MEASLES-CONTAINING VACCINES (MCV).

Section 8
Variable Name P_NUMMMX
Label NUMBER OF TRUE MMR (NOT INCLUDING MEASLES-ONLY SHOTS), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
Categories

	Freq	Value	Label
	15299	.	
	1801	0	
	14614	1	
	256	2	
	21	3	
	6	4	

Type NUM
Location 0104 - 0104
Width 1
Sequence Order 68
Notes ONLY INCLUDES MMR VACCINES.

1995 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
 Variable Name P_NUMPOL
 Label NUMBER OF POLIO (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
 Categories

Freq	Value	Label
15299	.	
151	0	
429	1	
1534	2	
11991	3	
2436	4	
127	5	
23	6	
4	7	
3	8	

Type NUM
 Location 0105 - 0105
 Width 1
 Sequence Order 69
 Notes INCLUDES ALL POLIO VACCINES.

Section 8
 Variable Name P_NUMRB
 Label NUMBER OF RUBELLA SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
 Categories

Freq	Value	Label
15299	.	
16695	0	
3	1	

Type NUM
 Location 0106 - 0106
 Width 1
 Sequence Order 70
 Notes

1995 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section	8
Variable Name	VB11
Label	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
Response	
Categories	Frequency of Missing/Non-missing Values
	29205 MISSING
	2792 NON-MISSING CHARACTER STRING
Type	CHAR
Location	0107 - 0136
Width	30
Sequence Order	71
Notes	ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section	8
Variable Name	VB12
Label	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
Response	
Categories	Frequency of Missing/Non-missing Values
	31768 MISSING
	229 NON-MISSING CHARACTER STRING
Type	CHAR
Location	0137 - 0166
Width	30
Sequence Order	72
Notes	ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section	8
Variable Name	VB13
Label	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response	
Categories	Frequency of Missing/Non-missing Values
	31980 MISSING
	17 NON-MISSING CHARACTER STRING
Type	CHAR
Location	0167 - 0196
Width	30
Sequence Order	73
Notes	ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1995 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section	8
Variable Name	VB21
Label	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
Response	
Categories	Frequency of Missing/Non-missing Values
	31555 MISSING
	442 NON-MISSING CHARACTER STRING
Type	CHAR
Location	0197 - 0226
Width	30
Sequence Order	74
Notes	ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section	8
Variable Name	VB22
Label	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
Response	
Categories	Frequency of Missing/Non-missing Values
	31967 MISSING
	30 NON-MISSING CHARACTER STRING
Type	CHAR
Location	0227 - 0256
Width	30
Sequence Order	75
Notes	ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section	8
Variable Name	VB23
Label	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response	
Categories	Frequency of Missing/Non-missing Values
	31996 MISSING
	1 NON-MISSING CHARACTER STRING
Type	CHAR
Location	0257 - 0286
Width	30
Sequence Order	76
Notes	ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1995 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name VB31
Label VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

31849	MISSING
148	NON-MISSING CHARACTER STRING

Type CHAR
Location 0287 - 0316
Width 30
Sequence Order 77
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB32
Label VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

31990	MISSING
7	NON-MISSING CHARACTER STRING

Type CHAR
Location 0317 - 0346
Width 30
Sequence Order 78
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB33
Label VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

31997	MISSING
-------	---------

Type CHAR
Location 0347 - 0376
Width 30
Sequence Order 79
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1995 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name VB41
Label VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

31867	MISSING
130	NON-MISSING CHARACTER STRING

Type CHAR
Location 0377 - 0406
Width 30
Sequence Order 80
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB42
Label VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

31985	MISSING
12	NON-MISSING CHARACTER STRING

Type CHAR
Location 0407 - 0436
Width 30
Sequence Order 81
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB43
Label VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

31996	MISSING
1	NON-MISSING CHARACTER STRING

Type CHAR
Location 0437 - 0466
Width 30
Sequence Order 82
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1995 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section	8
Variable Name	VB51
Label	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
Response	
Categories	Frequency of Missing/Non-missing Values
	31986 MISSING
	11 NON-MISSING CHARACTER STRING
Type	CHAR
Location	0467 - 0496
Width	30
Sequence Order	83
Notes	ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section	8
Variable Name	VB52
Label	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
Response	
Categories	Frequency of Missing/Non-missing Values
	31996 MISSING
	1 NON-MISSING CHARACTER STRING
Type	CHAR
Location	0497 - 0526
Width	30
Sequence Order	84
Notes	ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section	8
Variable Name	VB53
Label	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response	
Categories	Frequency of Missing/Non-missing Values
	31997 MISSING
Type	CHAR
Location	0527 - 0556
Width	30
Sequence Order	85
Notes	ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTP1
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES
                INCLUDING DT) #1
Response
Categories      Statistics  Description

                16608  NUMBER OF NON-MISSING
                15389  NUMBER OF MISSING

                81.95  AVERAGE/MEAN
                65.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0557  - 0560
Width           4
Sequence Order  86
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTP2
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES
                INCLUDING DT) #2
Response
Categories      Statistics  Description

                16203  NUMBER OF NON-MISSING
                15794  NUMBER OF MISSING

                154.46  AVERAGE/MEAN
                131.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0561  - 0564
Width           4
Sequence Order  87
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTP3
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES
                INCLUDING DT) #3
Response
Categories       Statistics  Description
                15700  NUMBER OF NON-MISSING
                16297  NUMBER OF MISSING

                236.38  AVERAGE/MEAN
                199.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location       0565  - 0568
Width          4
Sequence Order 88
Notes         SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTP4
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES
                INCLUDING DT) #4
Response
Categories       Statistics  Description
                13194  NUMBER OF NON-MISSING
                18803  NUMBER OF MISSING

                539.91  AVERAGE/MEAN
                547.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location       0569  - 0572
Width          4
Sequence Order 89
Notes         SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTP5
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES
                INCLUDING DT) #5
Response
Categories      Statistics  Description

                501  NUMBER OF NON-MISSING
                31496 NUMBER OF MISSING

                535.14 AVERAGE/MEAN
                552.00 MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0573  - 0576
Width           4
Sequence Order  90
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTP6
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES
                INCLUDING DT) #6
Response
Categories      Statistics  Description

                83  NUMBER OF NON-MISSING
                31914 NUMBER OF MISSING

                444.77 AVERAGE/MEAN
                475.00 MEDIAN VALUE
                86.00  MINIMUM VALUE
                1025.00 MAXIMUM VALUE

Type            NUM
Location        0577  - 0580
Width           4
Sequence Order  91
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```


1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTP7
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES
                INCLUDING DT) #7
Response
Categories      Statistics  Description

                40  NUMBER OF NON-MISSING
                31957 NUMBER OF MISSING

                509.85 AVERAGE/MEAN
                548.50 MEDIAN VALUE
                160.00 MINIMUM VALUE
                790.00 MAXIMUM VALUE

Type            NUM
Location        0581 - 0584
Width           4
Sequence Order  92
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTP8
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES
                INCLUDING DT) #8
Response
Categories      Statistics  Description

                10  NUMBER OF NON-MISSING
                31987 NUMBER OF MISSING

                578.20 AVERAGE/MEAN
                529.00 MEDIAN VALUE
                201.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0585 - 0588
Width           4
Sequence Order  93
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPHB1
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #1
Response
Categories      Statistics  Description
                3364    NUMBER OF NON-MISSING
                28633   NUMBER OF MISSING

                224.62  AVERAGE/MEAN
                104.00  MEDIAN VALUE
                -1.00   MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0589 - 0592
Width           4
Sequence Order  94
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTPHB2
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #2
Response
Categories      Statistics  Description
                2172    NUMBER OF NON-MISSING
                29825   NUMBER OF MISSING

                193.91  AVERAGE/MEAN
                134.00  MEDIAN VALUE
                -1.00   MINIMUM VALUE
                1073.00 MAXIMUM VALUE

Type            NUM
Location        0593 - 0596
Width           4
Sequence Order  95
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPHB3
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #3
Response
Categories      Statistics  Description
                1713     NUMBER OF NON-MISSING
                30284    NUMBER OF MISSING

                245.28   AVERAGE/MEAN
                197.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1011.00  MAXIMUM VALUE

Type            NUM
Location        0597 - 0600
Width           4
Sequence Order  96
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTPHB4
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #4
Response
Categories      Statistics  Description
                796     NUMBER OF NON-MISSING
                31201    NUMBER OF MISSING

                522.44   AVERAGE/MEAN
                513.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1021.00  MAXIMUM VALUE

Type            NUM
Location        0601 - 0604
Width           4
Sequence Order  97
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTPPHB5
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #5
Response
Categories      Statistics  Description
                10        NUMBER OF NON-MISSING
                31987     NUMBER OF MISSING

                610.10    AVERAGE/MEAN
                607.00    MEDIAN VALUE
                523.00    MINIMUM VALUE
                753.00    MAXIMUM VALUE

Type            NUM
Location        0605 - 0608
Width           4
Sequence Order  98
Notes          SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DTPPHB6
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #6
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                31997     NUMBER OF MISSING

Type            NUM
Location        0609 - 0612
Width           4
Sequence Order  99
Notes          SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTPHB7
Label AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #7
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0613 - 0616
Width 4
Sequence Order 100
Notes SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DDTPHB8
Label AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #8
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0617 - 0620
Width 4
Sequence Order 101
Notes SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHEPB1
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #1
Response
Categories      Statistics  Description

                12849  NUMBER OF NON-MISSING
                19148  NUMBER OF MISSING

                76.96  AVERAGE/MEAN
                15.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0621  - 0624
Width           4
Sequence Order  102
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DHEPB2
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #2
Response
Categories      Statistics  Description

                12266  NUMBER OF NON-MISSING
                19731  NUMBER OF MISSING

                137.40  AVERAGE/MEAN
                73.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0625  - 0628
Width           4
Sequence Order  103
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHEPB3
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #3
Response
Categories      Statistics  Description

                10850  NUMBER OF NON-MISSING
                21147  NUMBER OF MISSING

                309.80  AVERAGE/MEAN
                275.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0629  - 0632
Width           4
Sequence Order  104
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP.  IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1.  IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DHEPB4
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #4
Response
Categories      Statistics  Description

                579   NUMBER OF NON-MISSING
                31418  NUMBER OF MISSING

                341.33  AVERAGE/MEAN
                292.00  MEDIAN VALUE
                 1.00  MINIMUM VALUE
                1086.00  MAXIMUM VALUE

Type            NUM
Location        0633  - 0636
Width           4
Sequence Order  105
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP.  IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1.  IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
    
```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DHEPB5
Label AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
SHOT #5
Response
Categories Statistics Description

	93	NUMBER OF NON-MISSING
	31904	NUMBER OF MISSING
	343.83	AVERAGE/MEAN
	299.00	MEDIAN VALUE
	42.00	MINIMUM VALUE
	867.00	MAXIMUM VALUE

Type NUM
Location 0637 - 0640
Width 4
Sequence Order 106
Notes SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DHEPB6
Label AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
SHOT #6
Response
Categories Statistics Description

	23	NUMBER OF NON-MISSING
	31974	NUMBER OF MISSING
	383.39	AVERAGE/MEAN
	295.00	MEDIAN VALUE
	167.00	MINIMUM VALUE
	790.00	MAXIMUM VALUE

Type NUM
Location 0641 - 0644
Width 4
Sequence Order 107
Notes SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHEPB7
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #7
Response
Categories      Statistics  Description

                1  NUMBER OF NON-MISSING
                31996 NUMBER OF MISSING

                326.00 AVERAGE/MEAN
                326.00 MEDIAN VALUE
                326.00 MINIMUM VALUE
                326.00 MAXIMUM VALUE

Type            NUM
Location        0645  - 0648
Width           4
Sequence Order  108
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DHEPB8
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #8
Response
Categories      Statistics  Description

                0  NUMBER OF NON-MISSING
                31997 NUMBER OF MISSING

Type            NUM
Location        0649  - 0652
Width           4
Sequence Order  109
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIB1
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #1
Response
Categories      Statistics  Description
                16436    NUMBER OF NON-MISSING
                15561    NUMBER OF MISSING

                85.69    AVERAGE/MEAN
                65.00    MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1210.00   MAXIMUM VALUE

Type            NUM
Location        0653 - 0656
Width           4
Sequence Order  110
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DHIB2
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #2
Response
Categories      Statistics  Description
                15887    NUMBER OF NON-MISSING
                16110    NUMBER OF MISSING

                156.59   AVERAGE/MEAN
                131.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1210.00   MAXIMUM VALUE

Type            NUM
Location        0657 - 0660
Width           4
Sequence Order  111
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIB3
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #3
Response
Categories      Statistics  Description
                15192    NUMBER OF NON-MISSING
                16805    NUMBER OF MISSING

                245.79   AVERAGE/MEAN
                201.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0661 - 0664
Width           4
Sequence Order  112
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DHIB4
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #4
Response
Categories      Statistics  Description
                12068    NUMBER OF NON-MISSING
                19929    NUMBER OF MISSING

                497.06   AVERAGE/MEAN
                477.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1123.00  MAXIMUM VALUE

Type            NUM
Location        0665 - 0668
Width           4
Sequence Order  113
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIB5
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #5
Response
Categories      Statistics  Description
                479      NUMBER OF NON-MISSING
                31518    NUMBER OF MISSING

                493.38  AVERAGE/MEAN
                504.00  MEDIAN VALUE
                42.00   MINIMUM VALUE
                1025.00  MAXIMUM VALUE

Type            NUM
Location        0669 - 0672
Width           4
Sequence Order  114
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DHIB6
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #6
Response
Categories      Statistics  Description
                91      NUMBER OF NON-MISSING
                31906    NUMBER OF MISSING

                467.68  AVERAGE/MEAN
                475.00  MEDIAN VALUE
                113.00  MINIMUM VALUE
                872.00  MAXIMUM VALUE

Type            NUM
Location        0673 - 0676
Width           4
Sequence Order  115
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIB7
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #7
Response
Categories      Statistics  Description
                32        NUMBER OF NON-MISSING
                31965     NUMBER OF MISSING

                520.34   AVERAGE/MEAN
                519.50   MEDIAN VALUE
                176.00   MINIMUM VALUE
                790.00   MAXIMUM VALUE

Type            NUM
Location        0677 - 0680
Width           4
Sequence Order  116
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DHIB8
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #8
Response
Categories      Statistics  Description
                7        NUMBER OF NON-MISSING
                31990     NUMBER OF MISSING

                536.29   AVERAGE/MEAN
                501.00   MEDIAN VALUE
                456.00   MINIMUM VALUE
                808.00   MAXIMUM VALUE

Type            NUM
Location        0681 - 0684
Width           4
Sequence Order  117
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DMMR1
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #1
Response
Categories      Statistics  Description

                14904  NUMBER OF NON-MISSING
                17093  NUMBER OF MISSING

                479.64  AVERAGE/MEAN
                468.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0685  - 0688
Width           4
Sequence Order  118
Notes           SEE SECTION 8 NOTES FOR P_NUMMMR. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DMMR2
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #2
Response
Categories      Statistics  Description

                322   NUMBER OF NON-MISSING
                31675 NUMBER OF MISSING

                528.00  AVERAGE/MEAN
                486.50  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0689  - 0692
Width           4
Sequence Order  119
Notes           SEE SECTION 8 NOTES FOR P_NUMMMR. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DMMR3
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #3
Response
Categories      Statistics  Description

                29  NUMBER OF NON-MISSING
                31968 NUMBER OF MISSING

                539.28 AVERAGE/MEAN
                507.00 MEDIAN VALUE
                190.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0693  - 0696
Width           4
Sequence Order  120
Notes           SEE SECTION 8 NOTES FOR P_NUMMMR. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DMMR4
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #4
Response
Categories      Statistics  Description

                6  NUMBER OF NON-MISSING
                31991 NUMBER OF MISSING

                597.33 AVERAGE/MEAN
                599.00 MEDIAN VALUE
                460.00 MINIMUM VALUE
                718.00 MAXIMUM VALUE

Type            NUM
Location        0697  - 0700
Width           4
Sequence Order  121
Notes           SEE SECTION 8 NOTES FOR P_NUMMMR. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DMMRX1
Label           AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #1
Response
Categories      Statistics  Description
                14897  NUMBER OF NON-MISSING
                17100  NUMBER OF MISSING

                480.40  AVERAGE/MEAN
                468.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0701 - 0704
Width           4
Sequence Order  122
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DMMRX2
Label           AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #2
Response
Categories      Statistics  Description
                283   NUMBER OF NON-MISSING
                31714  NUMBER OF MISSING

                533.14  AVERAGE/MEAN
                487.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0705 - 0708
Width           4
Sequence Order  123
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```


1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DMMRX3
Label           AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #3
Response
Categories      Statistics  Description
                27        NUMBER OF NON-MISSING
                31970     NUMBER OF MISSING

                538.93    AVERAGE/MEAN
                498.00    MEDIAN VALUE
                190.00    MINIMUM VALUE
                1210.00   MAXIMUM VALUE

Type            NUM
Location        0709 - 0712
Width           4
Sequence Order  124
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DMMRX4
Label           AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #4
Response
Categories      Statistics  Description
                6        NUMBER OF NON-MISSING
                31991     NUMBER OF MISSING

                597.33    AVERAGE/MEAN
                599.00    MEDIAN VALUE
                460.00    MINIMUM VALUE
                718.00    MAXIMUM VALUE

Type            NUM
Location        0713 - 0716
Width           4
Sequence Order  125
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMP1
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #1
Response
Categories Statistics Description

	4	NUMBER OF NON-MISSING
	31993	NUMBER OF MISSING
	542.00	AVERAGE/MEAN
	508.00	MEDIAN VALUE
	345.00	MINIMUM VALUE
	807.00	MAXIMUM VALUE

Type NUM
Location 0717 - 0720
Width 4
Sequence Order 126
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMP2
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	31997	NUMBER OF MISSING

Type NUM
Location 0721 - 0724
Width 4
Sequence Order 127
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMP3
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0725 - 0728
Width 4
Sequence Order 128
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMP4
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0729 - 0732
Width 4
Sequence Order 129
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMPRB1
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0733 - 0736
Width 4
Sequence Order 130
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMPRB2
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0737 - 0740
Width 4
Sequence Order 131
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMPRB3
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0741 - 0744
Width 4
Sequence Order 132
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMPRB4
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0745 - 0748
Width 4
Sequence Order 133
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMS1
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #1
Response
Categories Statistics Description

	52	NUMBER OF NON-MISSING
	31945	NUMBER OF MISSING
	258.37	AVERAGE/MEAN
	212.00	MEDIAN VALUE
	171.00	MINIMUM VALUE
	621.00	MAXIMUM VALUE

Type NUM
Location 0749 - 0752
Width 4
Sequence Order 134
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMS2
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	31997	NUMBER OF MISSING

Type NUM
Location 0753 - 0756
Width 4
Sequence Order 135
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMS3
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0757 - 0760
Width 4
Sequence Order 136
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMS4
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0761 - 0764
Width 4
Sequence Order 137
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DMSMP1
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
Response
Categories      Statistics  Description
                1 NUMBER OF NON-MISSING
                31996 NUMBER OF MISSING

                385.00 AVERAGE/MEAN
                385.00 MEDIAN VALUE
                385.00 MINIMUM VALUE
                385.00 MAXIMUM VALUE

Type            NUM
Location        0765 - 0768
Width           4
Sequence Order  138
Notes          IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125,
                AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DMSMP2
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
Response
Categories      Statistics  Description
                0 NUMBER OF NON-MISSING
                31997 NUMBER OF MISSING

Type            NUM
Location        0769 - 0772
Width           4
Sequence Order  139
Notes          IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125,
                AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.
-----

```


1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMSMP3
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0773 - 0776
Width 4
Sequence Order 140
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMSMP4
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0777 - 0780
Width 4
Sequence Order 141
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMSRB1
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #1
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0781 - 0784
Width 4
Sequence Order 142
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMSRB2
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #2
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0785 - 0788
Width 4
Sequence Order 143
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMSRB3
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0789 - 0792
Width 4
Sequence Order 144
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMSRB4
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0793 - 0796
Width 4
Sequence Order 145
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPOLIO1
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #1
Response
Categories      Statistics  Description
                16547    NUMBER OF NON-MISSING
                15450    NUMBER OF MISSING

                81.57    AVERAGE/MEAN
                65.00    MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1210.00   MAXIMUM VALUE

Type            NUM
Location        0797 - 0800
Width           4
Sequence Order  146
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DPOLIO2
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #2
Response
Categories      Statistics  Description
                16118    NUMBER OF NON-MISSING
                15879    NUMBER OF MISSING

                155.94   AVERAGE/MEAN
                131.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1210.00   MAXIMUM VALUE

Type            NUM
Location        0801 - 0804
Width           4
Sequence Order  147
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DPOLIO3
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #3
Response

Categories	Statistics	Description
	14584	NUMBER OF NON-MISSING
	17413	NUMBER OF MISSING
	426.16	AVERAGE/MEAN
	468.00	MEDIAN VALUE
	-1.00	MINIMUM VALUE
	1210.00	MAXIMUM VALUE

Type NUM
Location 0805 - 0808
Width 4
Sequence Order 148
Notes SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DPOLIO4
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #4
Response

Categories	Statistics	Description
	2593	NUMBER OF NON-MISSING
	29404	NUMBER OF MISSING
	540.80	AVERAGE/MEAN
	550.00	MEDIAN VALUE
	-1.00	MINIMUM VALUE
	1210.00	MAXIMUM VALUE

Type NUM
Location 0809 - 0812
Width 4
Sequence Order 149
Notes SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPOLIO5
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #5
Response
Categories      Statistics  Description
                157      NUMBER OF NON-MISSING
                31840    NUMBER OF MISSING

                512.22   AVERAGE/MEAN
                547.00   MEDIAN VALUE
                -1.00    MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0813 - 0816
Width           4
Sequence Order  150
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DPOLIO6
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #6
Response
Categories      Statistics  Description
                30      NUMBER OF NON-MISSING
                31967    NUMBER OF MISSING

                438.73   AVERAGE/MEAN
                487.50   MEDIAN VALUE
                86.00    MINIMUM VALUE
                781.00   MAXIMUM VALUE

Type            NUM
Location        0817 - 0820
Width           4
Sequence Order  151
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DPOLIO7
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #7
Response
Categories Statistics Description

	7	NUMBER OF NON-MISSING
	31990	NUMBER OF MISSING
	390.43	AVERAGE/MEAN
	462.00	MEDIAN VALUE
	150.00	MINIMUM VALUE
	745.00	MAXIMUM VALUE

Type NUM
Location 0821 - 0824
Width 4
Sequence Order 152
Notes SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DPOLIO8
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #8
Response
Categories Statistics Description

	3	NUMBER OF NON-MISSING
	31994	NUMBER OF MISSING
	518.33	AVERAGE/MEAN
	490.00	MEDIAN VALUE
	489.00	MINIMUM VALUE
	576.00	MAXIMUM VALUE

Type NUM
Location 0825 - 0828
Width 4
Sequence Order 153
Notes SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DRB1
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #1
Response
Categories Statistics Description

	3	NUMBER OF NON-MISSING
	31994	NUMBER OF MISSING
	729.33	AVERAGE/MEAN
	766.00	MEDIAN VALUE
	655.00	MINIMUM VALUE
	767.00	MAXIMUM VALUE

Type NUM
Location 0829 - 0832
Width 4
Sequence Order 154
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DRB2
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	31997	NUMBER OF MISSING

Type NUM
Location 0833 - 0836
Width 4
Sequence Order 155
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DRB3
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #3
Response
Categories Statistics Description
 0 NUMBER OF NON-MISSING
 31997 NUMBER OF MISSING

Type NUM
Location 0837 - 0840
Width 4
Sequence Order 156
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A
 MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125,
 AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DRB4
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #4
Response
Categories Statistics Description
 0 NUMBER OF NON-MISSING
 31997 NUMBER OF MISSING

Type NUM
Location 0841 - 0844
Width 4
Sequence Order 157
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A
 MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125,
 AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DRB5
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #5
Response
Categories Statistics Description

 0 NUMBER OF NON-MISSING
 31997 NUMBER OF MISSING

Type NUM
Location 0845 - 0848
Width 4
Sequence Order 158
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A
 MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125,
 AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DRB6
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #6
Response
Categories Statistics Description

 0 NUMBER OF NON-MISSING
 31997 NUMBER OF MISSING

Type NUM
Location 0849 - 0852
Width 4
Sequence Order 159
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A
 MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125,
 AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DRB7
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #7
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0853 - 0856
Width 4
Sequence Order 160
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DRB8
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #8
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0857 - 0860
Width 4
Sequence Order 161
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHB1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #1
Response
Categories      Statistics  Description
                3362    NUMBER OF NON-MISSING
                28635   NUMBER OF MISSING

                6.97    AVERAGE/MEAN
                3.00    MEDIAN VALUE
                -1.00   MINIMUM VALUE
                40.00   MAXIMUM VALUE

Type            NUM
Location        0861 - 0862
Width           2
Sequence Order  162
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DHB2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #2
Response
Categories      Statistics  Description
                2172    NUMBER OF NON-MISSING
                29825   NUMBER OF MISSING

                5.95    AVERAGE/MEAN
                4.00    MEDIAN VALUE
                -1.00   MINIMUM VALUE
                35.00   MAXIMUM VALUE

Type            NUM
Location        0863 - 0864
Width           2
Sequence Order  163
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHB3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #3
Response
Categories      Statistics  Description
                1713    NUMBER OF NON-MISSING
                30284   NUMBER OF MISSING

                7.65    AVERAGE/MEAN
                6.00    MEDIAN VALUE
                -1.00   MINIMUM VALUE
                33.00   MAXIMUM VALUE

Type            NUM
Location        0865 - 0866
Width           2
Sequence Order  164
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DHB4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #4
Response
Categories      Statistics  Description
                796    NUMBER OF NON-MISSING
                31201   NUMBER OF MISSING

                16.73   AVERAGE/MEAN
                16.00   MEDIAN VALUE
                -1.00   MINIMUM VALUE
                33.00   MAXIMUM VALUE

Type            NUM
Location        0867 - 0868
Width           2
Sequence Order  165
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHB5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #5
Response
Categories      Statistics  Description
                10        NUMBER OF NON-MISSING
                31987     NUMBER OF MISSING

                19.60    AVERAGE/MEAN
                19.50    MEDIAN VALUE
                17.00    MINIMUM VALUE
                24.00    MAXIMUM VALUE

Type            NUM
Location        0869 - 0870
Width           2
Sequence Order  166
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DHB6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #6
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                31997     NUMBER OF MISSING

Type            NUM
Location        0871 - 0872
Width           2
Sequence Order  167
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DHB7_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #7
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0873 - 0874
Width 2
Sequence Order 168
Notes SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
Variable Name DHB8_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #8
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0875 - 0876
Width 2
Sequence Order 169
Notes SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTP1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #1
Response
Categories      Statistics  Description

                16595  NUMBER OF NON-MISSING
                15402  NUMBER OF MISSING

                2.28  AVERAGE/MEAN
                2.00  MEDIAN VALUE
                -1.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        0877  - 0878
Width           2
Sequence Order  170
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DTP2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #2
Response
Categories      Statistics  Description

                16203  NUMBER OF NON-MISSING
                15794  NUMBER OF MISSING

                4.65  AVERAGE/MEAN
                4.00  MEDIAN VALUE
                -1.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        0879  - 0880
Width           2
Sequence Order  171
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```


1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTP3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #3
Response
Categories      Statistics  Description

                15700  NUMBER OF NON-MISSING
                16297  NUMBER OF MISSING

                7.34  AVERAGE/MEAN
                6.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        0881  - 0882
Width           2
Sequence Order  172
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DTP4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #4
Response
Categories      Statistics  Description

                13194  NUMBER OF NON-MISSING
                18803  NUMBER OF MISSING

                17.31  AVERAGE/MEAN
                18.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        0883  - 0884
Width           2
Sequence Order  173
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTP5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #5
Response
Categories      Statistics  Description

                501  NUMBER OF NON-MISSING
                31496 NUMBER OF MISSING

                17.16 AVERAGE/MEAN
                18.00 MEDIAN VALUE
                -1.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        0885  - 0886
Width           2
Sequence Order  174
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

```

-----
Section          9
Variable Name    DTP6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #6
Response
Categories      Statistics  Description

                83  NUMBER OF NON-MISSING
                31914 NUMBER OF MISSING

                14.11 AVERAGE/MEAN
                15.00 MEDIAN VALUE
                2.00  MINIMUM VALUE
                33.00 MAXIMUM VALUE

Type            NUM
Location        0887  - 0888
Width           2
Sequence Order  175
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTP7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #7
Response
Categories      Statistics  Description

                40  NUMBER OF NON-MISSING
                31957 NUMBER OF MISSING

                16.38 AVERAGE/MEAN
                18.00 MEDIAN VALUE
                 5.00 MINIMUM VALUE
                25.00 MAXIMUM VALUE

Type            NUM
Location        0889  - 0890
Width           2
Sequence Order  176
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

```

-----
Section          9
Variable Name    DTP8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #8
Response
Categories      Statistics  Description

                10  NUMBER OF NON-MISSING
                31987 NUMBER OF MISSING

                18.60 AVERAGE/MEAN
                17.00 MEDIAN VALUE
                 6.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        0891  - 0892
Width           2
Sequence Order  177
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HEP1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #1
Response
Categories       Statistics  Description
                12838  NUMBER OF NON-MISSING
                19159  NUMBER OF MISSING
                2.26   AVERAGE/MEAN
                0.00   MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        0893  - 0894
Width           2
Sequence Order  178
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

```

-----
Section          9
Variable Name    HEP2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #2
Response
Categories       Statistics  Description
                12266  NUMBER OF NON-MISSING
                19731  NUMBER OF MISSING
                4.11   AVERAGE/MEAN
                2.00   MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        0895  - 0896
Width           2
Sequence Order  179
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
 Variable Name HEP3_AGE
 Label AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
 SHOT #3
 Response
 Categories Statistics Description

10850	NUMBER OF NON-MISSING
21147	NUMBER OF MISSING
9.76	AVERAGE/MEAN
9.00	MEDIAN VALUE
-1.00	MINIMUM VALUE
40.00	MAXIMUM VALUE

Type NUM
 Location 0897 - 0898
 Width 2
 Sequence Order 180
 Notes SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
 Variable Name HEP4_AGE
 Label AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
 SHOT #4
 Response
 Categories Statistics Description

579	NUMBER OF NON-MISSING
31418	NUMBER OF MISSING
10.79	AVERAGE/MEAN
9.00	MEDIAN VALUE
0.00	MINIMUM VALUE
35.00	MAXIMUM VALUE

Type NUM
 Location 0899 - 0900
 Width 2
 Sequence Order 181
 Notes SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
 Variable Name HEP5_AGE
 Label AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
 SHOT #5
 Response
 Categories Statistics Description

93	NUMBER OF NON-MISSING
31904	NUMBER OF MISSING
10.84	AVERAGE/MEAN
9.00	MEDIAN VALUE
1.00	MINIMUM VALUE
28.00	MAXIMUM VALUE

Type NUM
 Location 0901 - 0902
 Width 2
 Sequence Order 182
 Notes SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
 Variable Name HEP6_AGE
 Label AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
 SHOT #6
 Response
 Categories Statistics Description

23	NUMBER OF NON-MISSING
31974	NUMBER OF MISSING
12.17	AVERAGE/MEAN
9.00	MEDIAN VALUE
5.00	MINIMUM VALUE
25.00	MAXIMUM VALUE

Type NUM
 Location 0903 - 0904
 Width 2
 Sequence Order 183
 Notes SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name HEP7_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
SHOT #7
Response
Categories Statistics Description

	1	NUMBER OF NON-MISSING
	31996	NUMBER OF MISSING
	10.00	AVERAGE/MEAN
	10.00	MEDIAN VALUE
	10.00	MINIMUM VALUE
	10.00	MAXIMUM VALUE

Type NUM
Location 0905 - 0906
Width 2
Sequence Order 184
Notes SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
Variable Name HEP8_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
SHOT #8
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	31997	NUMBER OF MISSING

Type NUM
Location 0907 - 0908
Width 2
Sequence Order 185
Notes SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIB1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #1
Response
Categories      Statistics  Description
                16429    NUMBER OF NON-MISSING
                15568    NUMBER OF MISSING

                2.40    AVERAGE/MEAN
                2.00    MEDIAN VALUE
                -1.00   MINIMUM VALUE
                40.00   MAXIMUM VALUE

Type            NUM
Location        0909  - 0910
Width           2
Sequence Order  186
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    HIB2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #2
Response
Categories      Statistics  Description
                15887    NUMBER OF NON-MISSING
                16110    NUMBER OF MISSING

                4.72    AVERAGE/MEAN
                4.00    MEDIAN VALUE
                -1.00   MINIMUM VALUE
                40.00   MAXIMUM VALUE

Type            NUM
Location        0911  - 0912
Width           2
Sequence Order  187
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```


1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIB3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #3
Response
Categories      Statistics  Description
                15192  NUMBER OF NON-MISSING
                16805  NUMBER OF MISSING

                7.65  AVERAGE/MEAN
                6.00  MEDIAN VALUE
                -1.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        0913  - 0914
Width           2
Sequence Order  188
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    HIB4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #4
Response
Categories      Statistics  Description
                12068  NUMBER OF NON-MISSING
                19929  NUMBER OF MISSING

                15.92 AVERAGE/MEAN
                15.00 MEDIAN VALUE
                -1.00 MINIMUM VALUE
                36.00 MAXIMUM VALUE

Type            NUM
Location        0915  - 0916
Width           2
Sequence Order  189
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIB5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #5
Response
Categories      Statistics  Description
                479      NUMBER OF NON-MISSING
                31518    NUMBER OF MISSING

                15.77    AVERAGE/MEAN
                16.00    MEDIAN VALUE
                1.00     MINIMUM VALUE
                33.00    MAXIMUM VALUE

Type            NUM
Location        0917 - 0918
Width           2
Sequence Order  190
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    HIB6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #6
Response
Categories      Statistics  Description
                91      NUMBER OF NON-MISSING
                31906    NUMBER OF MISSING

                14.93    AVERAGE/MEAN
                15.00    MEDIAN VALUE
                3.00     MINIMUM VALUE
                28.00    MAXIMUM VALUE

Type            NUM
Location        0919 - 0920
Width           2
Sequence Order  191
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```
-----
Section          9
Variable Name    HIB7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #7
Response
Categories      Statistics  Description
                32        NUMBER OF NON-MISSING
                31965     NUMBER OF MISSING

                16.63     AVERAGE/MEAN
                16.50     MEDIAN VALUE
                5.00      MINIMUM VALUE
                25.00     MAXIMUM VALUE

Type            NUM
Location        0921 - 0922
Width           2
Sequence Order  192
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----
```

```
-----
Section          9
Variable Name    HIB8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #8
Response
Categories      Statistics  Description
                7        NUMBER OF NON-MISSING
                31990     NUMBER OF MISSING

                17.29     AVERAGE/MEAN
                16.00     MEDIAN VALUE
                15.00     MINIMUM VALUE
                26.00     MAXIMUM VALUE

Type            NUM
Location        0923 - 0924
Width           2
Sequence Order  193
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----
```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MMR1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #1
Response
Categories      Statistics  Description

                14902  NUMBER OF NON-MISSING
                17095  NUMBER OF MISSING

                15.35  AVERAGE/MEAN
                15.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        0925  - 0926
Width           2
Sequence Order  194
Notes          SEE SECTION 8 NOTES FOR P_NUMMMR.  CALCULATED AS EXACT AGE IN
                MONTHS.  IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1.  IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

```

-----
Section          9
Variable Name    MMR2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #2
Response
Categories      Statistics  Description

                322   NUMBER OF NON-MISSING
                31675 NUMBER OF MISSING

                16.95  AVERAGE/MEAN
                15.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        0927  - 0928
Width           2
Sequence Order  195
Notes          SEE SECTION 8 NOTES FOR P_NUMMMR.  CALCULATED AS EXACT AGE IN
                MONTHS.  IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1.  IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
 Variable Name MMR3_AGE
 Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3
 Response
 Categories Statistics Description

29	NUMBER OF NON-MISSING
31968	NUMBER OF MISSING
17.28	AVERAGE/MEAN
16.00	MEDIAN VALUE
6.00	MINIMUM VALUE
40.00	MAXIMUM VALUE

Type NUM
 Location 0929 - 0930
 Width 2
 Sequence Order 196
 Notes SEE SECTION 8 NOTES FOR P_NUMMMR. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
 Variable Name MMR4_AGE
 Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
 Response
 Categories Statistics Description

6	NUMBER OF NON-MISSING
31991	NUMBER OF MISSING
19.17	AVERAGE/MEAN
19.00	MEDIAN VALUE
15.00	MINIMUM VALUE
23.00	MAXIMUM VALUE

Type NUM
 Location 0931 - 0932
 Width 2
 Sequence Order 197
 Notes SEE SECTION 8 NOTES FOR P_NUMMMR. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```
-----
Section          9
Variable Name    MMX1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #1
Response
Categories      Statistics  Description
                14895    NUMBER OF NON-MISSING
                17102    NUMBER OF MISSING

                15.37    AVERAGE/MEAN
                15.00    MEDIAN VALUE
                -1.00    MINIMUM VALUE
                40.00    MAXIMUM VALUE

Type            NUM
Location        0933 - 0934
Width           2
Sequence Order  198
Notes          SEE SECTION 8 NOTES FOR P_NUMMMX. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----
```

```
-----
Section          9
Variable Name    MMX2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #2
Response
Categories      Statistics  Description
                283     NUMBER OF NON-MISSING
                31714   NUMBER OF MISSING

                17.13   AVERAGE/MEAN
                15.00   MEDIAN VALUE
                -1.00   MINIMUM VALUE
                40.00   MAXIMUM VALUE

Type            NUM
Location        0935 - 0936
Width           2
Sequence Order  199
Notes          SEE SECTION 8 NOTES FOR P_NUMMMX. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----
```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MMX3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #3
Response
Categories       Statistics  Description
                27  NUMBER OF NON-MISSING
                31970 NUMBER OF MISSING

                17.26 AVERAGE/MEAN
                16.00 MEDIAN VALUE
                6.00  MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        0937  - 0938
Width           2
Sequence Order  200
Notes          SEE SECTION 8 NOTES FOR P_NUMMMX. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    MMX4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #4
Response
Categories       Statistics  Description
                6  NUMBER OF NON-MISSING
                31991 NUMBER OF MISSING

                19.17 AVERAGE/MEAN
                19.00 MEDIAN VALUE
                15.00 MINIMUM VALUE
                23.00 MAXIMUM VALUE

Type            NUM
Location        0939  - 0940
Width           2
Sequence Order  201
Notes          SEE SECTION 8 NOTES FOR P_NUMMMX. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MP1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #1
Response
Categories Statistics Description

	4	NUMBER OF NON-MISSING
	31993	NUMBER OF MISSING
	17.25	AVERAGE/MEAN
	16.00	MEDIAN VALUE
	11.00	MINIMUM VALUE
	26.00	MAXIMUM VALUE

Type NUM
Location 0941 - 0942
Width 2
Sequence Order 202
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MP2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	31997	NUMBER OF MISSING

Type NUM
Location 0943 - 0944
Width 2
Sequence Order 203
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section	9
Variable Name	MP3_AGE
Label	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #3
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	31997 NUMBER OF MISSING
Type	NUM
Location	0945 - 0946
Width	2
Sequence Order	204
Notes	CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section	9
Variable Name	MP4_AGE
Label	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #4
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	31997 NUMBER OF MISSING
Type	NUM
Location	0947 - 0948
Width	2
Sequence Order	205
Notes	CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```
-----
Section          9
Variable Name    MPR1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
Response
Categories      Statistics  Description
                    0  NUMBER OF NON-MISSING
                    31997 NUMBER OF MISSING

Type            NUM
Location        0949 - 0950
Width           2
Sequence Order  206
Notes           CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS
                THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1.
                IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO
                A MISSING VALUE CODE OF 40.
-----
```

```
-----
Section          9
Variable Name    MPR2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
Response
Categories      Statistics  Description
                    0  NUMBER OF NON-MISSING
                    31997 NUMBER OF MISSING

Type            NUM
Location        0951 - 0952
Width           2
Sequence Order  207
Notes           CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS
                THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1.
                IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO
                A MISSING VALUE CODE OF 40.
-----
```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MPR3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	31997	NUMBER OF MISSING

Type NUM
Location 0953 - 0954
Width 2
Sequence Order 208
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MPR4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	31997	NUMBER OF MISSING

Type NUM
Location 0955 - 0956
Width 2
Sequence Order 209
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MS1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #1
Response
Categories      Statistics  Description
                52      NUMBER OF NON-MISSING
                31945   NUMBER OF MISSING

                8.06   AVERAGE/MEAN
                6.50   MEDIAN VALUE
                5.00   MINIMUM VALUE
                20.00  MAXIMUM VALUE

Type            NUM
Location        0957 - 0958
Width           2
Sequence Order  210
Notes           CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS
                THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1.
                IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO
                A MISSING VALUE CODE OF 40.
-----

```

```

-----
Section          9
Variable Name    MS2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #2
Response
Categories      Statistics  Description
                0      NUMBER OF NON-MISSING
                31997   NUMBER OF MISSING

Type            NUM
Location        0959 - 0960
Width           2
Sequence Order  211
Notes           CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS
                THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1.
                IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO
                A MISSING VALUE CODE OF 40.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section              9
Variable Name        MS3_AGE
Label                AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #3
Response
Categories           Statistics  Description
                    0 NUMBER OF NON-MISSING
                    31997 NUMBER OF MISSING

Type                 NUM
Location             0961 - 0962
Width                2
Sequence Order       212
Notes                CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS
                    THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1.
                    IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO
                    A MISSING VALUE CODE OF 40.
-----

```

```

-----
Section              9
Variable Name        MS4_AGE
Label                AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #4
Response
Categories           Statistics  Description
                    0 NUMBER OF NON-MISSING
                    31997 NUMBER OF MISSING

Type                 NUM
Location             0963 - 0964
Width                2
Sequence Order       213
Notes                CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS
                    THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1.
                    IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO
                    A MISSING VALUE CODE OF 40.
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MSM1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
Response
Categories Statistics Description

	1	NUMBER OF NON-MISSING
	31996	NUMBER OF MISSING
	12.00	AVERAGE/MEAN
	12.00	MEDIAN VALUE
	12.00	MINIMUM VALUE
	12.00	MAXIMUM VALUE

Type NUM
Location 0965 - 0966
Width 2
Sequence Order 214
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MSM2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	31997	NUMBER OF MISSING

Type NUM
Location 0967 - 0968
Width 2
Sequence Order 215
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MSM3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0969 - 0970
Width 2
Sequence Order 216
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MSM4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0971 - 0972
Width 2
Sequence Order 217
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MSR1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #1
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0973 - 0974
Width 2
Sequence Order 218
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MSR2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #2
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0975 - 0976
Width 2
Sequence Order 219
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MSR3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0977 - 0978
Width 2
Sequence Order 220
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MSR4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 0979 - 0980
Width 2
Sequence Order 221
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```
-----
Section          9
Variable Name    POL1_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 1
Response
Categories      Statistics  Description
                16539    NUMBER OF NON-MISSING
                15458    NUMBER OF MISSING

                2.27    AVERAGE/MEAN
                2.00    MEDIAN VALUE
                -1.00   MINIMUM VALUE
                40.00   MAXIMUM VALUE

Type            NUM
Location        0981 - 0982
Width           2
Sequence Order  222
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----
```

```
-----
Section          9
Variable Name    POL2_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 2
Response
Categories      Statistics  Description
                16118    NUMBER OF NON-MISSING
                15879    NUMBER OF MISSING

                4.70    AVERAGE/MEAN
                4.00    MEDIAN VALUE
                -1.00   MINIMUM VALUE
                40.00   MAXIMUM VALUE

Type            NUM
Location        0983 - 0984
Width           2
Sequence Order  223
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----
```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    POL3_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 3
Response
Categories      Statistics  Description
                14584    NUMBER OF NON-MISSING
                17413    NUMBER OF MISSING

                13.58    AVERAGE/MEAN
                15.00    MEDIAN VALUE
                -1.00    MINIMUM VALUE
                40.00    MAXIMUM VALUE

Type            NUM
Location        0985 - 0986
Width           2
Sequence Order  224
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    POL4_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 4
Response
Categories      Statistics  Description
                2593    NUMBER OF NON-MISSING
                29404   NUMBER OF MISSING

                17.34    AVERAGE/MEAN
                18.00    MEDIAN VALUE
                -1.00    MINIMUM VALUE
                40.00    MAXIMUM VALUE

Type            NUM
Location        0987 - 0988
Width           2
Sequence Order  225
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name POL5_AGE
Label AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 5
Response
Categories Statistics Description

	157	NUMBER OF NON-MISSING
	31840	NUMBER OF MISSING
	16.36	AVERAGE/MEAN
	17.00	MEDIAN VALUE
	-1.00	MINIMUM VALUE
	40.00	MAXIMUM VALUE

Type NUM
Location 0989 - 0990
Width 2
Sequence Order 226
Notes SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
Variable Name POL6_AGE
Label AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 6
Response
Categories Statistics Description

	30	NUMBER OF NON-MISSING
	31967	NUMBER OF MISSING
	13.93	AVERAGE/MEAN
	15.50	MEDIAN VALUE
	2.00	MINIMUM VALUE
	25.00	MAXIMUM VALUE

Type NUM
Location 0991 - 0992
Width 2
Sequence Order 227
Notes SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    POL7_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 7
Response
Categories      Statistics  Description
                7 NUMBER OF NON-MISSING
                31990 NUMBER OF MISSING

                12.43 AVERAGE/MEAN
                15.00 MEDIAN VALUE
                4.00  MINIMUM VALUE
                24.00 MAXIMUM VALUE

Type            NUM
Location        0993 - 0994
Width           2
Sequence Order  228
Notes          SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    POL8_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 8
Response
Categories      Statistics  Description
                3 NUMBER OF NON-MISSING
                31994 NUMBER OF MISSING

                16.67 AVERAGE/MEAN
                16.00 MEDIAN VALUE
                16.00 MINIMUM VALUE
                18.00 MAXIMUM VALUE

Type            NUM
Location        0995 - 0996
Width           2
Sequence Order  229
Notes          SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section	9
Variable Name	RB1_AGE
Label	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #1
Response	
Categories	Statistics Description
	3 NUMBER OF NON-MISSING
	31994 NUMBER OF MISSING
	23.67 AVERAGE/MEAN
	25.00 MEDIAN VALUE
	21.00 MINIMUM VALUE
	25.00 MAXIMUM VALUE
Type	NUM
Location	0997 - 0998
Width	2
Sequence Order	230
Notes	SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section	9
Variable Name	RB2_AGE
Label	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #2
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	31997 NUMBER OF MISSING
Type	NUM
Location	0999 - 1000
Width	2
Sequence Order	231
Notes	CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section	9
Variable Name	RB3_AGE
Label	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #3
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	31997 NUMBER OF MISSING
Type	NUM
Location	1001 - 1002
Width	2
Sequence Order	232
Notes	CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section	9
Variable Name	RB4_AGE
Label	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #4
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	31997 NUMBER OF MISSING
Type	NUM
Location	1003 - 1004
Width	2
Sequence Order	233
Notes	CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name RB5_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #5
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 1005 - 1006
Width 2
Sequence Order 234
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name RB6_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #6
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
31997 NUMBER OF MISSING

Type NUM
Location 1007 - 1008
Width 2
Sequence Order 235
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1995 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```
-----
Section          9
Variable Name    RB7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #7
Response
Categories       Statistics  Description
                   0  NUMBER OF NON-MISSING
                   31997 NUMBER OF MISSING

Type            NUM
Location        1009  - 1010
Width           2
Sequence Order  236
Notes          CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS
                THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1.
                IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO
                A MISSING VALUE CODE OF 40.
-----
```

```
-----
Section          9
Variable Name    RB8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #8
Response
Categories       Statistics  Description
                   0  NUMBER OF NON-MISSING
                   31997 NUMBER OF MISSING

Type            NUM
Location        1011  - 1012
Width           2
Sequence Order  237
Notes          CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS
                THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1.
                IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO
                A MISSING VALUE CODE OF 40.
-----
```

1995 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
AGEGRP	0053	0053	3	AGE CATEGORY OF CHILD (RECODE)
ALL4SHOT	0037	0037	2	4:3:1:3 UP-TO-DATE (HH REPORT)
C_431	0038	0038	2	HOUSEHOLD REPORT OF 4:3:1 UP-TO-DATE BY SHOT CARD USE
C_4313	0039	0039	2	HOUSEHOLD REPORT OF 4:3:1:3 UP-TO-DATE BY SHOT CARD USE
C_DTP	0040	0040	2	HOUSEHOLD REPORT OF 4+ DTP UP-TO-DATE BY SHOT CARD USE
C_HEP	0041	0041	2	HOUSEHOLD REPORT OF 3+ HEPATITIS B UP-TO-DATE BY SHOT CARD USE
C_HIB	0042	0042	2	HOUSEHOLD REPORT OF 3+ HIB UP-TO-DATE BY SHOT CARD USE
C_MMR	0043	0043	2	HOUSEHOLD REPORT OF 1+ MEASLES-CONTAINING VACCINE UP-TO-DATE BY SHOT CARD USE
C_POL	0044	0044	2	HOUSEHOLD REPORT OF 3+ POLIO UP-TO-DATE BY SHOT CARD USE
C1R	0054	0055	3	NUMBER OF PEOPLE LIVING IN THE HOUSEHOLD (RECODE)
C5R	0056	0057	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CARTYP1	0082	0082	6	CHILD'S PROVIDERS OFFER ROUTINE WELL CARE
CARTYP2	0083	0083	6	CHILD'S PROVIDERS OFFER SICK/EMERGENCY VISITS
CARTYP3	0084	0084	6	CHILD'S PROVIDERS OFFER VACCINATION VISITS
CARTYP4	0085	0085	6	CHILD'S PROVIDERS OFFER OTHER SERVICES
CARTYP5	0086	0086	6	CHILD'S PROVIDERS OFFER WIC PROGRAM/SERVICES
CEN_REG	0058	0058	3	CENSUS REGION BASED ON STATE
CHILDNM	0059	0059	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
D6R	0078	0078	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
DDTP1	0557	0560	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #1
DDTP2	0561	0564	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #2
DDTP3	0565	0568	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #3
DDTP4	0569	0572	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #4
DDTP5	0573	0576	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #5
DDTP6	0577	0580	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #6
DDTP7	0581	0584	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #7
DDTP8	0585	0588	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #8

1995 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DDTPHB1	0589	0592	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #1
DDTPHB2	0593	0596	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #2
DDTPHB3	0597	0600	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #3
DDTPHB4	0601	0604	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #4
DDTPHB5	0605	0608	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #5
DDTPHB6	0609	0612	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #6
DDTPHB7	0613	0616	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #7
DDTPHB8	0617	0620	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #8
DHB1_AGE	0861	0862	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #1
DHB2_AGE	0863	0864	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #2
DHB3_AGE	0865	0866	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #3
DHB4_AGE	0867	0868	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #4
DHB5_AGE	0869	0870	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #5
DHB6_AGE	0871	0872	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #6
DHB7_AGE	0873	0874	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #7
DHB8_AGE	0875	0876	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #8
DHEPB1	0621	0624	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #1
DHEPB2	0625	0628	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #2
DHEPB3	0629	0632	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #3
DHEPB4	0633	0636	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #4
DHEPB5	0637	0640	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #5
DHEPB6	0641	0644	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #6
DHEPB7	0645	0648	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #7
DHEPB8	0649	0652	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #8

1995 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DHIB1	0653	0656	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #1
DHIB2	0657	0660	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #2
DHIB3	0661	0664	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #3
DHIB4	0665	0668	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #4
DHIB5	0669	0672	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #5
DHIB6	0673	0676	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #6
DHIB7	0677	0680	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #7
DHIB8	0681	0684	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #8
DISPCODE	0079	0080	6	NIS PROVIDER RECORD-CHECK DISPOSITION CODE
DMMR1	0685	0688	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #1
DMMR2	0689	0692	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #2
DMMR3	0693	0696	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3
DMMR4	0697	0700	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
DMMRX1	0701	0704	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #1
DMMRX2	0705	0708	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #2
DMMRX3	0709	0712	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #3
DMMRX4	0713	0716	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #4
DMP1	0717	0720	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #1
DMP2	0721	0724	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #2
DMP3	0725	0728	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #3
DMP4	0729	0732	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #4
DMPRB1	0733	0736	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
DMPRB2	0737	0740	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
DMPRB3	0741	0744	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
DMPRB4	0745	0748	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
DMS1	0749	0752	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #1
DMS2	0753	0756	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #2
DMS3	0757	0760	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #3

1995 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
				#3
DMS4	0761	0764	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #4
DMSMP1	0765	0768	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
DMSMP2	0769	0772	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
DMSMP3	0773	0776	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
DMSMP4	0777	0780	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
DMSRB1	0781	0784	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #1
DMSRB2	0785	0788	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #2
DMSRB3	0789	0792	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #3
DMSRB4	0793	0796	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #4
DPOLIO1	0797	0800	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #1
DPOLIO2	0801	0804	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #2
DPOLIO3	0805	0808	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #3
DPOLIO4	0809	0812	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #4
DPOLIO5	0813	0816	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #5
DPOLIO6	0817	0820	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #6
DPOLIO7	0821	0824	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #7
DPOLIO8	0825	0828	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #8
DRB1	0829	0832	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #1
DRB2	0833	0836	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #2
DRB3	0837	0840	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #3
DRB4	0841	0844	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #4
DRB5	0845	0848	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #5
DRB6	0849	0852	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #6

1995 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DRB7	0853	0856	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #7
DRB8	0857	0860	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #8
DTP_SOUR	0045	0045	2	SHOT CARD USED FOR DTP REPORTING
DTP1_AGE	0877	0878	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #1
DTP2_AGE	0879	0880	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #2
DTP3_AGE	0881	0882	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #3
DTP4_AGE	0883	0884	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #4
DTP5_AGE	0885	0886	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #5
DTP6_AGE	0887	0888	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #6
DTP7_AGE	0889	0890	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #7
DTP8_AGE	0891	0892	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #8
EDUC1	0060	0060	3	EDUCATION OF MOTHER CATEGORIES
ENTRY	0061	0061	3	CHILD LIVES IN STATE WITH HEPATITIS B STATE ENTRY LAW FOR DAY CARE/HEAD START (1996-1997 SCHOOL YEAR)
FUL2_MMR	0046	0046	2	HOUSEHOLD REPORT OF 1+ MMR AT ANY AGE
FULL_DTP	0047	0047	2	HOUSEHOLD REPORT OF 4+ DTP
FULL_HEP	0048	0048	2	HOUSEHOLD REPORT OF 3+ HEPATITIS B
FULL_HIB	0049	0049	2	HOUSEHOLD REPORT OF 3+ HIB
FULL_POL	0050	0050	2	HOUSEHOLD REPORT OF 3+ POLIO
HEP1_AGE	0893	0894	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #1
HEP2_AGE	0895	0896	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #2
HEP3_AGE	0897	0898	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #3
HEP4_AGE	0899	0900	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #4
HEP5_AGE	0901	0902	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #5
HEP6_AGE	0903	0904	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #6
HEP7_AGE	0905	0906	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #7
HEP8_AGE	0907	0908	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #8

1995 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
HIB1_AGE	0909	0910	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #1
HIB2_AGE	0911	0912	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #2
HIB3_AGE	0913	0914	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #3
HIB4_AGE	0915	0916	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #4
HIB5_AGE	0917	0918	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #5
HIB6_AGE	0919	0920	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #6
HIB7_AGE	0921	0922	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #7
HIB8_AGE	0923	0924	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #8
HUTD4313	0051	0051	2	HOUSEHOLD REPORT OF 4:3:1:3 UTD (UP-TO-DATE)
HY_WGT	0012	0021	1	MODIFIED-POSTSTRATIFICATION (HH) WEIGHT FOR CHILD
I_HISP_K	0065	0065	3	HISPANIC ORIGIN OF CHILD
I_HISP_M	0066	0066	3	HISPANIC ORIGIN OF MOTHER
I_RACEKR	0067	0067	3	RACE OF CHILD (RECODE)
I_RACEMR	0068	0068	3	RACE OF MOTHER (RECODE)
INCOMER	0063	0064	3	FAMILY INCOME CATEGORIES (RECODE)
INCPOV1R	0062	0062	3	POVERTY STATUS(RECODE)
ITRUEIAP	0074	0075	4	IAP AREA OF CURRENT RESIDENCE
MARITAL	0069	0069	3	MARITAL STATUS OF MOTHER CATEGORIES
MMR1_AGE	0925	0926	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #1
MMR2_AGE	0927	0928	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #2
MMR3_AGE	0929	0930	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3
MMR4_AGE	0931	0932	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
MMX1_AGE	0933	0934	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #1
MMX2_AGE	0935	0936	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #2
MMX3_AGE	0937	0938	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #3
MMX4_AGE	0939	0940	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #4
MOBIL	0070	0070	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE OF RESIDENCE
MP1_AGE	0941	0942	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #1
MP2_AGE	0943	0944	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #2

1995 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
				#2
MP3_AGE	0945	0946	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #3
MP4_AGE	0947	0948	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #4
MPR1_AGE	0949	0950	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
MPR2_AGE	0951	0952	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
MPR3_AGE	0953	0954	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
MPR4_AGE	0955	0956	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
MS1_AGE	0957	0958	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #1
MS2_AGE	0959	0960	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #2
MS3_AGE	0961	0962	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #3
MS4_AGE	0963	0964	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #4
MSM1_AGE	0965	0966	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
MSM2_AGE	0967	0968	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
MSM3_AGE	0969	0970	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
MSM4_AGE	0971	0972	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
MSR1_AGE	0973	0974	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #1
MSR2_AGE	0975	0976	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #2
MSR3_AGE	0977	0978	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #3
MSR4_AGE	0979	0980	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #4
N_PRVR	0081	0081	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
P_NUMDHB	0099	0099	8	NUMBER OF DTP/HIB COMBINATION SHOTS (ALL TYPES), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDTP	0100	0100	8	NUMBER OF DTP SHOTS (ALL TYPES INCLUDING DT), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

1995 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
P_NUMHEP	0101	0101	8	NUMBER OF HEPATITIS B (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMHIB	0102	0102	8	NUMBER OF HIB (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMMMR	0103	0103	8	NUMBER OF MCV (MEASLES-CONTAINING VACCINE) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMMMX	0104	0104	8	NUMBER OF TRUE MMR (NOT INCLUDING MEASLES-ONLY SHOTS), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMPOL	0105	0105	8	NUMBER OF POLIO (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMRB	0106	0106	8	NUMBER OF RUBELLA SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_UTD331	0091	0091	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
P_UTD431	0088	0088	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
P_UTDHEP	0092	0092	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B
P_UTDHIB	0093	0093	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB
P_UTDMCV	0094	0094	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MCV
P_UTDMMX	0095	0095	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR (NOT INCLUDING ANY MEASLES-ONLY SHOTS)
P_UTDPOL	0096	0096	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO
P_UTDTP3	0097	0097	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DTP
P_UTDTP4	0098	0098	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DTP
PDAT	0036	0036	1	CHILD HAS ADEQUATE PROVIDER DATA
POL1_AGE	0981	0982	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 1
POL2_AGE	0983	0984	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 2
POL3_AGE	0985	0986	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 3
POL4_AGE	0987	0988	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 4

1995 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
POL5_AGE	0989	0990	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 5
POL6_AGE	0991	0992	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 6
POL7_AGE	0993	0994	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 7
POL8_AGE	0995	0996	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 8
PROV_FAC	0087	0087	7	PROVIDER FACILITY TYPE
PUT43133	0090	0090	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3
PUTD4313	0089	0089	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3
RACEKIDR	0071	0071	3	RACE/ETHNICITY OF CHILD (RECODE)
RACEMOMR	0072	0072	3	RACE/ETHNICITY OF MOTHER (RECODE)
RB1_AGE	0997	0998	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #1
RB2_AGE	0999	1000	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #2
RB3_AGE	1001	1002	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #3
RB4_AGE	1003	1004	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #4
RB5_AGE	1005	1006	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #5
RB6_AGE	1007	1008	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #6
RB7_AGE	1009	1010	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #7
RB8_AGE	1011	1012	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #8
SEQNUMC	0001	0006	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	0007	0011	1	UNIQUE HOUSEHOLD IDENTIFIER
SEX	0073	0073	3	GENDER OF CHILD
SHOTCARD	0052	0052	2	SHOT CARD USE FLAG
STATE	0076	0077	4	STATE OF RESIDENCE (STATE FIPS CODE)
VB11	0107	0136	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB12	0137	0166	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB13	0167	0196	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB21	0197	0226	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.

1995 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
VB22	0227	0256	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB23	0257	0286	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB31	0287	0316	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB32	0317	0346	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB33	0347	0376	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB41	0377	0406	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB42	0407	0436	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB43	0437	0466	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB51	0467	0496	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB52	0497	0526	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB53	0527	0556	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
W0	0022	0031	1	OVERALL VACCINATION HISTORY NONRESPONSE ADJUSTED WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA
YEAR	0032	0035	1	YEAR OF INTERVIEW