
National Survey of Family Growth 2006-2010 ACASI File User's Guide and Documentation

Supplement to the 2006-2010 National Survey of Family Growth Public Use
Data Files and Documentation

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
Centers for Disease Control and Prevention
National Center for Health Statistics

Hyattsville, Maryland
January 2012

User's Guide for the ACASI Files and Codebook Documentation

Supplement to the 2006-2010 National Survey of Family Growth Public Use Files and Documentation

Table of Contents

	Page
Introduction	2
ACASI Data Files and Documentation	3
ACASI File Content	3
ACASI File Characteristics and Data Layout	4
User Notes for Selected ACASI Variables	6
Key to File Indexes	8
Female ACASI File Index	9
Male ACASI File Index	12
Key to Codebook Documentation	16
Female ACASI File Codebook	17
Male ACASI File Codebook	47

Introduction

Interviewing for the 2006-2010 National Survey of Family Growth (NSFG) was conducted from June 2006 through June 2010 by the University of Michigan's Institute for Social Research (ISR), under contract to the National Center for Health Statistics (NCHS). In-person interviews were conducted with 12,279 women and 10,403 men 15-44 years of age, of all marital statuses. Most of the survey was administered using computer-assisted personal interviewing (CAPI), in which a trained female interviewer asks the questions and enters the answers into a computer. Public use data files for 2006-2010 NSFG were released in October 2011.

The data files documented here are based on questions asked in the Audio Computer-Assisted Self-Interview (ACASI) portion of the NSFG interviews in 2006-2010. In ACASI, the respondent used the interviewer's computer to answer the most sensitive items directly – by entering his or her own answers into the computer. The respondent could read the questions on the screen, as well as listen to them through headphones. The purpose of ACASI was to give respondents a more private opportunity to report this sensitive information.

Respondents who participated in the survey were assured that the information they provided would be used only to produce statistics and that their individual answers would be kept confidential. These ACASI Files have been designed to assure that this promise is kept. Because of the sensitivity of the ACASI information, the potential consequences of a misuse of the data, or of a breach of confidentiality, could be more serious than with other data from the NSFG survey. Accordingly, NCHS has deemed it necessary and prudent to distribute most of

the ACASI items in separate ACASI files, with a User Agreement signed by all researchers who will work with these data. In this manner, NCHS takes one additional step to assure that the data are being used for legitimate statistical, social science, and public health research purposes.

ACASI Data Files and Documentation

The ACASI **data files** are provided on CD-ROM to users who have completed the access procedures described on the NSFG webpage (www.cdc.gov/nchs/nsfg.htm). The access procedures involve 2 steps:

- a) Submitting a description (on letterhead of the user's organization) of the proposed analyses with ACASI data, and
- b) Signing a User Agreement specifying the conditions for use of the ACASI data. The User Agreement (in pdf format) is accessible on the NSFG website or can be emailed upon request.

The **data files** are provided in ASCII format on the ACASI CD-ROM. There is one file for the male ACASI data and another file for the female ACASI data. **Program syntax for SAS, SPSS, and STATA** statistical software packages are also provided on the CD-ROM. All 3 sets of syntax files include statements for reading in the variables from the ACASI data files and assigning variable labels. The SAS program statements also include syntax for assigning value labels for all variables, in correspondence with their appearance in the codebook documentation. The SPSS and STATA syntax includes value label assignments as well, but for selected variables where values have been collapsed for codebook display, the SPSS and STATA value labels will not correspond with the codebook documentation.

The **documentation** for the ACASI files consists of this **User's Guide**, followed by **file indexes** for the male and female files and complete **codebooks** for the male and female files. For convenience, all of this documentation is provided in a single PDF file on the ACASI CD-ROM, but is also posted on the NSFG webpage (www.cdc.gov/nchs/nsfg.htm).

If you have questions about any of these ACASI related materials, please contact NSFG staff at nsfg@cdc.gov or 301-458-4222.

ACASI File Content

The ACASI files include most of the questions in the ACASI portion of the 2006-2010 NSFG interview (female Section J and male Section K). Two series – one on height and weight and one on income and sources of income – were collected in ACASI, but they were included on the 2006-2010 Public Use Files released in October 2011.

The questions included in ACASI were largely the same for male and female respondents.

- Comparable items were asked about drug use, risk behaviors for sexually transmitted diseases (STDs, including HIV), and experience with STDs.

- Both male and female respondents were given an opportunity to re-report their experience with pregnancies or fathering pregnancies that were previously reported directly to the interviewer.
- All adult respondents (18-44) were asked about non-voluntary sexual intercourse and types of force they may have experienced, if they reported non-voluntary intercourse.
- While the main interviewer-administered portion of the NSFG interview was limited to heterosexual vaginal intercourse, in ACASI all respondents were asked about other types of sexual activity, including oral and anal sex and same-sex partners.

The 2006-2010 ACASI data files are intended to be used in conjunction with the 2006-2010 NSFG public use data files previously released. In particular, to obtain weighted national estimates or accurate variance estimates, the user must merge in weighting and sample design variables from the public use files. The user is referred to the User's Guide for the 2006-2010 NSFG Public Use Files for descriptions of the data preparation procedures, sample design, and coding conventions that apply to both the public use files and to the ACASI files.

ACASI File Characteristics and Data Layout

There are 2 ASCII data files containing the ACASI items for the 2006-2010 National Survey of Family Growth. One file contains data for each of the 12,279 women interviewed, and the other contains data for each of the 10,403 men interviewed. Each of these data files includes CASEID, the case number that enables users to merge ACASI File data with data from the main 2006-2010 NSFG Public Use Files.

Female ACASI File:

file name:	2006-2010NSFGFemaleACASI.dat
number of records:	12,279 (female respondents interviewed in 2006-2010 NSFG)
record length:	140
number of variables:	98
file size:	1,703 kilobytes

Male ACASI File:

file name:	2006-2010NSFGMaleACASI.dat
number of records:	10,403 (male respondents interviewed in 2006-2010 NSFG)
record length:	151
number of variables:	109
file size:	1,555 kilobytes

Data Layout for Female ACASI File:

<u>Column Locations</u>	<u>Variable(s)</u>
1-5	CASEID
6	QuestYear (Year 1, 2, 3, or 4 of the 2006-2010 NSFG)
7-13	Pregnancy reporting – number ending in live birth, abortion, or other outcomes
14-16	Suspension/expulsion from school
17-27	Substance use: cigarettes, alcohol, marijuana, cocaine, crack, IV drugs
28-44	Sex with males: Specific sexual behaviors that R may have engaged in Condom use at last occurrence of vaginal, oral, or anal sex Condom use at last occurrence of any type of sex & reasons why
45-65	Nonvoluntary sexual intercourse with males (<i>asked only for 18-44</i>)
66-112	STD/HIV risk behaviors with male partners, including numbers of male partners
113-130	Sex with females, including numbers of female partners
131-140	Sexual attraction, sexual orientation, and STD experience

Data Layout for Male ACASI File:

<u>Column Locations</u>	<u>Variable(s)</u>
1-5	CASEID
6	QuestYear (Year 1, 2, 3, or 4 of the 2006-2010 NSFG)
7-12	Significant life events, including school suspension/expulsion
13-19	Substance use: alcohol, marijuana, cocaine, crack, IV drugs
20-30	Pregnancy/abortion: Ever caused pregnancies/births/abortions; if so, how many <i>If R < 25: Ever told so; if so, what happened the last time</i>
31-46	Sex with females: Specific sexual behaviors that R may have engaged in Condom use at last occurrence of vaginal, oral, or anal sex Condom use at last occurrence of any type of sex & reasons why
47-59	Nonvoluntary sexual intercourse with females (<i>asked only for 18-44</i>)
60-105	STD/HIV risk behaviors with female partners, including numbers of female partners
106-110	Sex with males: Specific sexual behaviors that R may have engaged in Condom use at last occurrence of oral or anal sex Condom use at last occurrence of any type of sex
111-120	Nonvoluntary sex with males (<i>asked only for 18-44</i>)
121-139	HIV/STD risk behaviors with male partners, including numbers of male partners
140-142	Condom use at last sex of any type

User Notes for Selected ACASI File Variables

CASEID -- The SAS, STATA, and SPSS program statements provided on the ACASI File CD-ROM read in CASEID as a character variable, to enable merging with public use file data. Merging with the main public use files is necessary to obtain the weighting and variance estimation variables.

Age when first began smoking cigarettes (AGESMK) – Female respondents who reported smoking at least 100 cigarettes in their lives were asked the age when they first began smoking cigarettes. The code 0 was used to indicate that she never smoked regularly. The responses to this question included some very low, implausible values, and these cases represented less than 1% of respondents. As done for the 2002 NSFG, all values 1-11 on the variable AGESMK in the female 2006-2010 ACASI file were collapsed and "bottom-coded" at 11, to indicate "11 years or younger."

Ever injected illicit drugs (EVRINJECT) and Ever shared needles for intravenous drug use (EVRSHARE) -- All respondents were asked whether they have ever, in their lives, injected illicit drugs without a prescription or ever used a needle that they knew or suspected someone else had used before them. EVRINJECT is question KC-7 in the male ACASI and JC-10 in the female ACASI. EVRSHARE, question KC-8 in the male ACASI and question JC-11 in the female ACASI, was intended to measure needle-sharing in connection with non-prescription drugs. As in the 2002 NSFG, among both male and female respondents, there were a surprisingly large number of "yes" responses to these 2 questions, which suggested that many respondents misunderstood what was being asked. Despite the addition of clarifying text in the 2006-2010 NSFG to emphasize the "ever in your lifetime" timeframe, respondents were still confused by the EVRINJECT and EVRSHARE questions and over-reported these behaviors. As a result, neither EVRINJECT nor EVRSHARE are included in these ACASI data files, and the wording and placement of these questions will be reevaluated for use in future NSFG cycles.

Oral sex question wording changes – The questions on oral sex were modified between Cycle 6 (2002) and the first year of the 2006-2010 NSFG, beginning in June 2006.

In Cycle 6, female respondents were asked these two questions on oral sex with males:

- *Has a male ever put his mouth on your vagina (also known as cunnilingus or oral sex)?*
- *Have you ever put your mouth on a male's penis (also known as fellatio or oral sex)?*

Starting in June 2006 (Year 1 of the 2006-2010 NSFG), female respondents were asked:

- *The next few questions are about oral sex. By oral sex, we mean stimulating the genitals with the mouth. Has a male ever performed oral sex on you?*
- *Have you ever performed oral sex on a male? That is, have you ever stimulated his penis with your mouth?*

In Cycle 6, male respondents were asked these two questions on oral sex with females:

- *Has a female ever put her mouth on your penis (also known as oral sex or fellatio)?*
- *Have you ever put your mouth on a female's vagina (also known as oral sex or cunnilingus)?*

Starting in June 2006 (Year 1 of the 2006-2010 NSFG), male respondents were asked:

- *Has a female ever performed oral sex on you, that is, stimulated your penis with her mouth?*
- *Have you ever performed oral sex on a female?*

Number of partners in lifetime and in last 12 months -- In the interviewer-administered portion of the NSFG Cycle 6 interview, respondents were asked only about heterosexual vaginal intercourse. In ACASI, respondents were asked about other forms of sexual contact, including vaginal, oral, and anal sex with opposite-sex partners, as well as sexual activity with same-sex partners. Considering all types of sexual contact they may have had, respondents were asked to report the number of opposite-sex partners and same-sex partners they have had in their lives and in the last 12 months. There were two approaches taken to address extreme values on these "numbers of partners" variables, and these are described below.

a) Respondents who gave responses on the "number of opposite-sex partners" questions that were potentially keying errors (for example, 222, 777, etc.) were asked a confirmation question shown below in the variable names ending in "V." If they answered "no" to this question, they were re-asked their number of partners. For example, if R answered 222 on PARTSLIF_1, he or she was asked PARTSLFV, and the new response was stored in PARTSLIF_2. Very few respondents needed to be re-asked their number of partners, but all of the raw variables involved in these series are included in the ACASI data files.

Female File:

- Number of male partners in lifetime -- PARTSLIF_1, PARTSLFV, PARTSLIF_2
- Number of male partners in last 12 months -- PARTS12M_1, PARTS12V, PARTS12M_2

Male File:

- Number of female partners in lifetime -- PARTSLIF_1, PARTSLFV, PARTSLIF_2
- Number of female partners in last 12 months -- PARTS12_1, PARTS12V, PARTS12_2
- Number of male partners in lifetime -- MALEPRTS_1, MALEPRTSV, MALEPRTS_2
- Number of male partners in last 12 months -- MALPRT12_1, MALPRT12V, MALPRT12_2

b) Some extreme values on the "numbers of partners" variables were not suspected to be keying errors during the ACASI interview, and they have been "top-coded" at values roughly representing the top 5% of cases. That is, all values greater than or equal to this top-coding value have been edited to this value. The original, full-detail variables are accessible only through the NCHS Research Data Center. The variables listed below have been top-coded for the 2006-2010

ACASI files as follows:

- PARTSLIF_1 & PARTSLIF_2 (“number of opposite-sex partners in lifetime” for both male & female respondents) have been top-coded at 50, representing “50 or more opposite-sex partners in lifetime.”
- Female PARTS12M_1 & PARTS12M_2 and Male PARTS12_1 & PARTS12_2 have been top-coded at 20, representing “20 or more opposite-sex partners in last 12 months.”
- MALEPRTS_1 & MALEPRTS_2 for male respondents have been top-coded at 10, representing “10 or more same-sex partners in lifetime.”
- MALPRT12_1 & MALPRT12_2 for male respondents have been top-coded at 6, representing “6 or more same-sex partners in last 12 months.”

Key to File Indexes

(For further details on any components of the file indexes, see this section in the 2006-2010 Public Use Files User's Guide)

Variable name:

Corresponds exactly or approximately to the question name in the CAPI Reference Questionnaire (CRQ), which is the text version of the programmed interview. The CRQs for the 2006-2010 NSFG are provided on the NSFG webpage (www.cdc.gov/nchs/nsfg.htm).

Starting and ending column locations for each variable

Item description and variable type:

For original data items asked during the interview, the CRQ question number appears in the item description. Item descriptions without question numbers in the ACASI files are mostly “computed variables,” created during the interview for the purposes of the computer-assisted survey program. In selected item descriptions, the abbreviation “R” is used to indicate “Respondent.”

FEMALE ACASI FILE INDEX

Variable	Starting Column	Ending Column	Item Description	Variable Type
Female Respondent ID				
CASEID	1	5	Respondent ID number	Raw
Female Date of interview and questionnaire model timepoints				
QUESTYEAR	6	6	Questionnaire version year (1, 2, or 3)	Computed
Section JB Pregnancy reporting				
CASIBIRTH	7	8	JB-1 Number of pregnancies ending in live birth in 5 yrs bef intvw	Raw
CASILOSS	9	10	JB-2 Number of pregnancies ending in spont loss in 5 yrs bef intvw	Raw
CASIABOR	11	12	JB-3 Number of pregnancies ending in abortion in 5 yrs bef intvw	Raw
CASIADOP	13	13	JB-4 R ever placed a child she gave birth to for adoption	Raw
Section JC Suspension/expulsion; substance use				
EVSUSPEN	14	14	JC0-a Ever been suspended or expelled from school?	Raw
GRADSUSP	15	16	JC0-b Grade when suspended or expelled from school	Raw
SMK100	17	17	JC-1 Has R Smoked at Least 100 Cigarettes in Life	Raw
AGESMK	18	19	JC-2 Age That R First Began Smoking Regularly	Raw
SMOKE12	20	20	JC-3 Last 12 months: How Often R Smoked Cigarettes	Raw
DRINK12	21	21	JC-4 Last 12 months: How Often Drank Alcoholic Beverages	Raw
BINGE12	22	22	JC-5 Last 12 months: How Often Binge Drank (5+ in Couple of Hours)	Raw
POT12	23	23	JC-6 Last 12 months: How Often Smoked Marijuana	Raw
COC12	24	24	JC-7 Last 12 months: How Often Used Cocaine	Raw
CRACK12	25	25	JC-8 Last 12 months: How Often Used Crack	Raw
CRYSTMTH12	26	26	JC-8a Last 12 months: How Often Used Crystal/Meth	Raw
INJECT12	27	27	JC-9 Last 12 months: How Often Injected Non-Prescription Drugs	Raw
Section JD Sex with males				
VAGSEX	28	28	JD-1 Ever Had Vaginal Intercourse with a Male	Raw
AGEVAGR	29	30	JD-2 R's Age at First Vaginal Intercourse with a Male	Raw
AGEVAGM	31	32	JD-3 R's Partner's Age at First Vaginal Intercourse w/a Male	Raw
CONDVAG	33	33	JD-4 R Used Condom at Last Vaginal Intercourse with a Male	Raw
WHYCONDL	34	34	JD-5 Reason R Used Condom at Last Vaginal Intercourse w/a Male	Raw
GETORALM	35	35	JD-6 R has ever received oral sex from a male	Raw
GIVORALM	36	36	JD-7 R has ever performed oral sex on a male	Raw
CONDFELL	37	37	JD-8 R Used Condom at Last Oral Sex with a Male	Raw
ANYORAL	38	38	Whether R has ever had oral sex with a male	Computed
TIMING	39	39	JD-8b First oral sex before, after, or during first vag	Raw

Variable	Starting Column	Ending Column	Item Description	Variable Type
			sex?	
ANALSEX	40	40	JD-9 R Ever Had Anal Sex with a Male	Raw
CONDANAL	41	41	JD-10 R Used Condom at Last Anal Sex with a Male	Raw
OPPSEXANY	42	42	Ever Had Vaginal, Oral, or Anal Sex with a Male	Computed
OPPSEXGEN	43	43	Ever Had Male-Genital-Involving Sex with a Male	Computed
CONDSEXL	44	44	JD-11 R Used Condom at Last Sex (any type) with a Male	Raw
Section JE Non voluntary intercourse: male - female				
WANTSEX1	45	45	JE-1 How much R wanted her first vaginal intercourse to happen	Raw
VOLSEX1	46	46	JE-2 R's First Vaginal Intercourse Voluntary or Not Voluntary	Raw
HOWOLD	47	48	JE-3 R's Age at This First Vaginal Intercourse	Raw
GIVNDRUG	49	49	JE-4a How forced: R was given alcohol/drugs	Raw
HEBIGOLD	50	50	JE-4b How forced: he was bigger than R, or grown up, R young	Raw
ENDRELAT	51	51	JE-4c How forced: he said relationship would end if no sex	Raw
WORDPRES	52	52	JE-4d How forced: R was pressured by his words but no threats of harm	Raw
THRTPHYS	53	53	JE-4e How forced: R was threatened with physical hurt/injury	Raw
PHYSHURT	54	54	JE-4f How forced: R was physically hurt/injured	Raw
HELDDOWN	55	55	JE-4g How forced: R was physically held down	Raw
EVRFORCD	56	56	JE-5 R Ever Been Forced by a Man to Have Vaginal Sex	Raw
AGEFORC1	57	58	JE-6 R's Age at First Forced Vaginal Sex by a Man	Raw
GIVNDRG2	59	59	JE-7a How forced: R was given alcohol/drugs	Raw
HEBIGOL2	60	60	JE-7b How forced: he was bigger than R or grown up, R young	Raw
ENDRELA2	61	61	JE-7c How forced: he said relationship would end if no sex	Raw
WRDPRES2	62	62	JE-7d How forced: pressured by his words but not threats of harm	Raw
THRTPHY2	63	63	JE-7e How forced: R was threatened with physical hurt/injury	Raw
PHYSHRT2	64	64	JE-7f How forced: R was physically hurt/injured	Raw
HELDDWN2	65	65	JE-7g How forced: R was physically held down	Raw
Section JF STD/HIV risk behaviors				
PARTSLIF_1	66	68	JF-1a Number of Male Sex Partners in Entire Life (any type of sex)	Raw
PARTSLFV	69	69	JF_1v Verify Number of Sex Partners in Entire Life (any type of sex)	Raw
PARTSLIF_2	70	72	JF-1b Number of Male Sex Partners in Entire Life (any type of sex)	Raw
PARTS12M_1	73	75	JF-2a Number of Male Sex Partners in Last 12 Mos (any type of sex)	Raw
PARTS12V	76	76	JF_2v Verify Number of Sex Partners in Last 12 Mos (any type of sex)	Raw

Variable	Starting Column	Ending Column	Item Description	Variable Type
PARTS12M_2	77	79	JF-2a Number of Male Sex Partners in Last 12 Mos (any type of sex)	Raw
NEWYEAR	80	82	JF-2YR Re-ask number of male partners in last 12 months	Raw
NEWLIFE	83	85	JF-2LF Re-ask number of male partners in lifetime	Raw
VAGNUM12	86	88	JF-2YRa Number of male partners past 12 mons R had vag sex with	Raw
ORALNUM12	89	91	JF-2YRb Number of male partners past 12 mons R had oral sex with	Raw
ANALNUM12	92	94	JF-2YRc Number of male partners past 12 mons R had anal sex with	Raw
CURRPAGE	95	96	JF-2a Age of R's 1st Current Partner at Last Sex	Raw
RELAGE	97	97	JF-2b Is 1st Current Partner Older/Younger/Same Age	Raw
HOWMUCH	98	98	JF-2c Age Difference between 1st Current Partner & R	Raw
CURRPAGE2	99	100	JF-2a Age of R's 2nd Current Partner at Last Sex	Raw
RELAGE2	101	101	JF-2b Is 2nd Current Partner Older/Younger/Same Age	Raw
HOWMUCH2	102	102	JF-2c Age Difference between 2nd Current Partner & R	Raw
CURRPAGE3	103	104	JF-2a Age of R's 3rd Current Partner at Last Sex	Raw
RELAGE3	105	105	JF-2b Is 3rd Current Partner Older/Younger/Same Age	Raw
HOWMUCH3	106	106	JF-2c Age Difference between 3rd Current Partner & R	Raw
BISEXPRT	107	107	JF-3 Last 12 months: R Had Sex w/Male Who Ever Had Sex w/Males	Raw
NONMONOG	108	108	JF-4 Last 12 months: R Had Sex w/Male Who Had Other Partners	Raw
MALSHT12	109	109	JF-6 Last 12 months: R had sex w/male intravenous drug user	Raw
PROSTFRQ	110	110	JF-7 Last 12 months: R took money or drugs from male for sex	Raw
JOHNFREQ	111	111	JF-8 Last 12 months: R gave money or drugs to male for sex	Raw
HIVMAL12	112	112	JF-9 Last 12 months: R had sex with an HIV-positive male	Raw
Section JG Sex with females				
GIVORALF	113	113	JG-1a R performed oral sex on another female?	Raw
GETORALF	114	114	JG-1b Another female ever performed oral sex on R?	Raw
FEMSEX	115	115	JG-1 R ever had sexual experience with a female	Raw
SAMESEXAN Y	116	116	Ever Had Sexual Contact with a Female	Computed
FEMPARTS_1	117	119	JG-2 Number of Female Sex Partners in Entire Life	Raw
FEMLIFEV	120	120	JG-2v Verify Number of Female Sex Partners in Entire Life	Raw
FEMPARTS_2	121	123	JG-2 Number of Female Sex Partners in Entire Life	Raw
FEMPRT12_1	124	126	JG-3 Number of Female Sex Partners in Last 12 Months	Raw
FEM12V	127	127	JG-3v Verify Number of Female Sex Partners in Last 12 Months	Raw
FEMPRT12_2	128	130	JG-3 Number of Female Sex Partners in Last 12 Mos	Raw
Section JH Sexual attraction, orientation, & experience with STDs				

Variable	Starting Column	Ending Column	Item Description	Variable Type
MFLASTP	131	131	JH-1 Was R's Last Sex Partner Male or Female	Raw
ATTRACT	132	132	JH-2 R's Sexual Attraction to Males vs Females	Raw
ORIENT	133	133	JH-3 R's Sexual Orientation	Raw
CHLAMTST	134	134	JH-4 Last 12 months: R tested for chlamydia	Raw
STDTRT12	135	135	JH-5 Last 12 months: R treated for any STD	Raw
GON	136	136	JH-6 Last 12 months: R told she had gonorrhea	Raw
CHLAM	137	137	JH-7 Last 12 months: R told she had chlamydia	Raw
HERPES	138	138	JH-8 R ever (in life) told she had genital herpes	Raw
GENWARTS	139	139	JH-9 R ever (in life) told she had genital warts	Raw
SYPHILIS	140	140	JH-10 R ever (in life) told she had syphilis	Raw

MALE ACASI FILE INDEX

Variable	Starting Column	Ending Column	Item Description	Variable Type
Male Respondent ID				
CASEID	1	5	Respondent ID number	Raw
Male Date of interview and questionnaire model timepoints				
QUESTYEAR	6	6	Questionnaire version year (1, 2, or 3)	Computed
Section KB Significant events				
SHELTER	7	7	KB-1 R Last 12 months: Stayed overnight in shelter	Raw
JAILED	8	8	KB-2 R Last 12 months: Spent time in jail	Raw
JAILED2	9	9	KB-3 R Ever in jail, prison, juvenile detention	Raw
EVSUSPEN	10	10	KB-3b Ever been suspended or expelled from school?	Raw
GRADSUSP	11	12	KB-3c Grade when suspended or expelled from school	Raw
Section KC Substance use				
DRINK12	13	13	KC-1 Last 12 months: How Often Drank Alcoholic Beverages	Raw
BINGE12	14	14	KC-2 Last 12 months: How Often Binge Drank (5+ in Couple of Hours)	Raw
POT12	15	15	KC-3 Last 12 months: How Often Smoked Marijuana	Raw
COC12	16	16	KC-4 Last 12 months: How Often Used Cocaine	Raw
CRACK12	17	17	KC-5 Last 12 months: How Often Used Crack	Raw
CRYSTMTH12	18	18	JC-8a Last 12 months: How Often Used Crystal/Meth	Raw
INJECT12	19	19	KC-6 Last 12 months: How Often Injected Non-Prescription Drugs	Raw
Section KD Pregnancy/abortion				
MADEPREG	20	20	KD-1 Has R ever made someone pregnant	Raw
PREGTOT2	21	22	KD-2 Number of times R made someone pregnant	Raw

Variable	Starting Column	Ending Column	Item Description	Variable Type
PREGACASI	23	24	Number of pregnancies R reported fathering (in ACASI)	Computed
NUMABORT	25	26	KD-3 Number of pregnancies fathered by R that ended in abortion	Raw
NUMLIVEB	27	28	KD-4 Number of pregnancies fathered by R that ended in live birth	Raw
TOLDPREG	29	29	KD-5 R ever been told may have made someone pregnant	Raw
WHATHAPP	30	30	KD-6 What was outcome last time R was told he made someone pregnant	Raw
Section KE Sex with females				
FEMTOUCH	31	31	KE-1 R ever touched by female and ejaculated	Raw
VAGSEX	32	32	KE-2 Ever had vaginal intercourse	Raw
AGEVAGR	33	34	KE-2b R's age at first vaginal intercourse	Raw
CONDVAG	35	35	KE-3 Was condom used at last vaginal sex	Raw
WHYCONDL	36	36	KE-4 Reason for condom use at last vaginal sex	Raw
GETORALF	37	37	KE-5 R has ever received oral sex from a female	Raw
CONDFELL	38	38	KE-6 Was condom used when last received oral sex from a female	Raw
GIVORALF	39	39	KE-7 R has ever performed oral sex on a female	Raw
ANYORAL	40	40	Whether R has ever had oral sex (either type)	Computed
TIMING	41	41	KE-7b Oral sex before or after 1st vaginal sex	Raw
ANALSEX	42	42	KE-8 R ever had anal sex with a female	Raw
CONDANAL	43	43	KE-9 Was condom used when last had anal sex with a female	Raw
OPPSEXANY	44	44	Ever had vaginal, oral or anal sex with a female	Computed
OPPSEXGEN	45	45	Ever had male-genital-involving sex with a female	Computed
CONDSEXL	46	46	KE-10 Was condom used at last sex of any kind with a female	Raw
Section KF Non voluntary intercourse: female - male				
WANTSEX1	47	47	KF-1 How much R wanted his first vaginal intercourse to happen	Raw
HOWOLD	48	49	KF-1b R's Age at First Vaginal Intercourse	Raw
EVRFORCD	50	50	KF-2 R Ever Forced by Female to Have Vaginal Intercourse	Raw
AGEFORC1	51	52	KF-3 R's age at first forced vaginal sex by female	Raw
GIVNDRG2	53	53	KF-4a How forced by female: R was given alcohol/drugs	Raw
SHEBIGOL	54	54	KF-4b How forced by female: she was bigger than R or grown up, R young	Raw
ENDRELA2	55	55	KF-4c How forced by female: she said relationship would end if no sex	Raw
WRDPRES2	56	56	KF-4d How forced by female: R was pressured by her words but no threats of harm	Raw
THRTPHY2	57	57	KF-4e How forced by female: R was threatened with physical hurt/injury	Raw
PHYSHRT2	58	58	KF-4f How forced by female: R was physically hurt/injured	Raw
HELDDWN2	59	59	KF-4g How forced by female: R was physically held down	Raw

Variable	Starting Column	Ending Column	Item Description	Variable Type
Section KG STD/HIV risking behaviors: females				
PARTSLIF_1	60	62	KG-1a Number of Female Sex Partners in Entire Life (any type of sex)	Raw
PARTSLFV	63	63	KG-1v Verify Number of Female Sex Partners in Entire Life (any type of sex)	Raw
PARTSLIF_2	64	66	KG-1b Number of Female Sex Partners in Entire Life (any type of sex)	Raw
PARTS12_1	67	69	KG-2a Number of Female Sex Partners in Last 12 Months (any type of sex)	Raw
PARTS12V	70	70	KG-2v Verify Number of Fem Sex Partners in Last 12 Mos (any type of sex)	Raw
PARTS12_2	71	73	KG-2b Number of Female Sex Partners in Last 12 Months (any type of sex)	Raw
NEWYEAR	74	76	KG-2YR Re-ask number of female partners in last 12 months	Raw
NEWLIFE	77	79	KG-2LF Re-ask number of female partners in lifetime	Raw
VAGNUM12	80	82	KG-2YRa Number of female partners past 12 months had vaginal sex with	Raw
ORALNUM12	83	85	KG-2YRb Number of female partners past 12 months had oral sex with, either giving or receiving	Raw
ANALNUM12	86	88	KG-2YRc Number of female partners past 12 months had anal sex with	Raw
CURRPAGE	89	90	KG-3a Age of R's 1st Current Partner at Last Sex	Raw
RELAGE	91	91	KG-3b Is 1st Current Partner Older/Younger/Same Age	Raw
HOWMUCH	92	92	KG-3c Age Difference between 1st Current Partner & R	Raw
CURRPAGE2	93	94	KG-3a Age of R's 2nd Current Partner at Last Sex	Raw
RELAGE2	95	95	KG-3b Is 2nd Current Partner Older/Younger/Same Age	Raw
HOWMUCH2	96	96	KG-3c Age Difference between 2nd Current Partner & R	Raw
CURRPAGE3	97	98	KG-3a Age of R's 3rd Current Partner at Last Sex	Raw
RELAGE3	99	99	KG-3b Is 3rd Current Partner Older/Younger/Same Age	Raw
HOWMUCH3	100	100	KG-3c Age Difference between 3rd Current Partner & R	Raw
NONMONOG	101	101	KG-4 Last 12 months: R Had Sex w/Female Having Sex With Others	Raw
FEMSHT12	102	102	KG-6 Last 12 months: R had sex w/female intravenous drug user	Raw
JOHNFREQ	103	103	KG-7 Last 12 months: R gave money or drugs to female for sex	Raw
PROSTFRQ	104	104	KG-8 Last 12 months: R took money or drugs from female for sex	Raw
HIVFEM12	105	105	KG-9 Last 12 months: R had sex with an HIV-positive female	Raw
Section KH Sex with males				
GIVORALM	106	106	KH-1 R has ever performed oral sex on a male	Raw
GETORALM	107	107	KH-2 R has ever received oral sex from a male	Raw
ANALSEX2	108	108	KH-3 Has a male partner ever put his penis in R's rectum	Raw
ANALSEX3	109	109	KH-4 Has R ever put his penis in a male partner's rectum	Raw
SAMESEXANY	110	110	Ever had oral or anal sex with a male	Computed
Section KI Non voluntary intercourse: male -> male				

Variable	Starting Column	Ending Column	Item Description	Variable Type
EVRFORC2	111	111	KI-1 R Ever Been Forced by a Male to Have Sex	Raw
AGEFORC2	112	113	KI-2 R's Age at First Forced Sex by a Male	Raw
GIVNDRG3	114	114	KI-3a How forced by male: given alcohol/drugs	Raw
HEBIGOLD	115	115	KI-3b How forced by male: He was bigger than R or grown up, R young	Raw
ENDRELA3	116	116	KI-3c How forced by male: he said relationship would end if no sex	Raw
WRDPRES3	117	117	KI-3d How forced by male: R was pressured by his words, but no threat of harm	Raw
THRTPHY3	118	118	KI-3e How forced by male: R was threatened with physical hurt/injury	Raw
PHYSHRT3	119	119	KI-3f How forced by male: R was physically hurt/injured	Raw
HELDDWN3	120	120	KI-3g How forced by male: R was physically held down	Raw
Section KJ STD/HIV risking behaviors: males				
MALEPRTS_1	121	123	KJ-1a Number of Male Sex Partners in Entire Life	Raw
MALEPRTSV	124	124	KJ-1v Verify number of Male Sex Partners in Entire Life	Raw
MALEPRTS_2	125	127	KJ-1b Number of Male Sex Partners in Entire Life	Raw
MALPRT12_1	128	130	KJ-2a Number of Male Sex Partners in Last 12 Months	Raw
MALPRT12V	131	131	KJ-2v Verify Number of Sex Partners in Last 12 Months	Raw
MALPRT12_2	132	134	KJ-2b Number of Male Sex Partners in Last 12 Months	Raw
CNDLSMAL	135	135	KJ-3 Was condom used at last sex with a male partner	Raw
MALSHT12	136	136	KJ-5 Last 12 months: R had sex w/male intravenous drug user	Raw
JOHN2FRQ	137	137	KJ-6 Last 12 months: R gave money or drugs to male for sex	Raw
PROS2FRQ	138	138	KJ-7 Last 12 months: R took money or drugs from male for sex	Raw
HIVMAL12	139	139	KJ-8 Last 12 months: R had sex with an HIV-positive male	Raw
Section KK Sexual attraction, orientation, & experience with STDs				
CONDALLS	140	140	KK-1 Was condom used at last sex w/male or female partner	Raw
MFLASTP	141	141	KK-2 Was Last Sex Partner Male or Female?	Raw
WHYCOND	142	142	KK-3 Reason For Condom Use at Last Sex (if vaginal)	Raw
ATTRACT	143	143	KK-4 R's Sexual Attraction to Males vs Females	Raw
ORIENT	144	144	KK-5 R's Sexual Orientation	Raw
STDTST12	145	145	KK-7 Last 12 months: R Tested for STD	Raw
STDTRT12	146	146	KK-8 Last 12 months: R Treated for STD	Raw
GON	147	147	KK-9 Last 12 months: R told he had gonorrhea	Raw
CHLAM	148	148	KK-10 Last 12 months: R told he had chlamydia	Raw
HERPES	149	149	KK-11 R ever told he had genital herpes	Raw
GENWARTS	150	150	KK-12 R ever told he had genital warts	Raw
SYPHILIS	151	151	KK-13 R ever told he had syphilis	Raw

Key to Codebook Documentation

(For further details on any components of the codebook documentation, see this section in the 2006-2010 Public Use Files User's Guide)

For each item, the codebook documentation includes a variable name, numbers indicating the beginning and ending column locations on the data file, the question text for the item, the "universe statement" (who was asked the question), numerical values into which responses were coded with detailed value labels, and unweighted frequencies.

Variable name:

The variable name corresponds to the question name that appears in the CAPI Reference Questionnaire (CRQ), which is the text version of the programmed interview. The CRQs for the 2006-2010 NSFG are provided on the NSFG webpage (www.cdc.gov/nchs/nsfg.htm).

Question text:

The question wording is given here, and where appropriate, ACASI wording variants are shown in parentheses.

Universe statement:

Some questions were asked of all respondents, and these are indicated as such. But for many variables in the codebook, beneath the question text is a statement specifying the respondents who were asked the question. The "universe statement" or "applicable specification" gives a basic description of the conditions under which respondents were asked the question -- that is, respondents for whom the question was applicable.

Response categories:

For categorical variables and several continuous variables, the documentation lists all possible values with descriptive value labels. Variables that are not applicable for all respondents include the number of "inapplicable" cases. In the interest of space in the codebook, most continuous variables have been grouped into meaningful, yet manageable, sets of values. For some continuous variables, extreme (very high or very low) values have been recoded. Every question in the NSFG interview had a "don't know" and "refuse" option. These are only presented among the response categories if one or more cases gave such a response to the question. In addition, some variables have one or more cases with "not ascertained" values, and this category is shown where it applies.

Unweighted frequencies:

Frequencies are shown for the total sample of female and male respondents. These frequencies, or "marginal distributions," are raw unweighted counts of sample females and males; they are not estimates of numbers or distributions for the population represented by the sample. **To make national estimates, sample cases must be weighted**, using weight variables merged in from the 2006-2010 NSFG Public Use Files. The unweighted frequencies are provided only as a guide to the researcher, who often wants to know in advance if the number of cases in a particular category is large enough to support a particular analysis.

ACASI Female File :: Respondent ID and screener items

CASEID(1-5)

Variable Type : Raw

Description : Respondent ID number

value	label	Total
26141-42681	Respondent ID number	12279
	Total	12279

Universe : Applicable for all respondents

ACASI Female File :: Date of interview and questionnaire model timepoints

questyear(6-6)

Variable Type : Computed

Description : Questionnaire version year (1, 2, 3, or 4)

value	label	Total
1	Questionnaire version year 1	3073
2	Questionnaire version year 2	2778
3-4	Questionnaire version year 3	6428
	Total	12279

Universe : Applicable for all respondents

ACASI Female File :: Pregnancy reporting (JB)

CASIBIRTH(7-8)

Variable Type : Raw

JB-1 : Between January [YEAR OF INTERVIEW - 5] and December [YEAR OF INTERVIEW - 1], how many pregnancies did you have that resulted in live birth, that is, in a baby born alive? Having twins or triplets should be counted as 1 pregnancy.

value	label	Total
0	NO PREGNANCIES	8051
1	1 PREGNANCY	2676
2	2 PREGNANCIES	1074
3-95	3 OR MORE PREGNANCIES	366
97	Not ascertained	52
98	Refused	37
99	Don't know	23
	Total	12279

Universe : Applicable for all respondents

CASILOSS(9-10)

Variable Type : Raw

JB-2 : Between January [YEAR OF INTERVIEW - 5] and December [YEAR OF INTERVIEW - 1], how many pregnancies did you have that ended in miscarriage, stillbirth, or ectopic pregnancy?

value	label	Total
0	NO PREGNANCIES	10830

1	1 PREGNANCY	1000
2	2 PREGNANCIES	232
3-95	3 OR MORE PREGNANCIES	120
97	Not ascertained	52
98	Refused	28
99	Don't know	17
	Total	12279

Universe : Applicable for all respondents

CASIABOR(11-12)

Variable Type : Raw

JB-3 : Between January [YEAR OF INTERVIEW - 5] and December [YEAR OF INTERVIEW - 1], how many pregnancies did you have that ended in abortion?

value	label	Total
0	NO PREGNANCIES	11466
1	1 PREGNANCY	549
2	2 PREGNANCIES	99
3-95	3 OR MORE PREGNANCIES	65
97	Not ascertained	52
98	Refused	29
99	Don't know	19
	Total	12279

Universe : Applicable for all respondents

CASIADOP(13-13)

Variable Type : Raw

JB-4 : Have you ever placed a child you gave birth to for adoption?

value	label	Total
.	INAPPLICABLE	89
1	Yes	279
5	No	11840
7	Not ascertained	52
8	Refused	14
9	Don't know	5
	Total	12279

Universe : Applicable if R has not previously reported placing a child for adoption (totplacd > 0)

ACASI Female File :: Suspension/expulsion; substance use (JC)

EVSUSPEN(14-14)

Variable Type : Raw

JC-0a : Next, I have a couple of questions about your school experience. Have you ever been suspended or expelled from school?

value	label	Total
.	INAPPLICABLE	8651
1	Yes	1041
5	No	2531
7	Not ascertained	52
8	Refused	3

9	Don't know	1
Total		12279

Universe : Applicable if QuestYear >=2 (asked starting in Year 2) and R's age at screener is less than 25 years (agescrn < 25)

GRADSUSP(15-16)

Variable Type : Raw

JC-0b : What grade were you in when you were suspended or expelled from school? If you were suspended or expelled more than once, please enter the grade you were in the most recent time.

value	label	Total
.	INAPPLICABLE	11186
1-6	GRADES 1-6	158
7-9	GRADES 7-9	539
10-12	GRADES 10-12	359
97	Not ascertained	27
98	Refused	6
99	Don't know	4
Total		12279

Universe : Applicable if QuestYear >=2 (asked starting in Year 2) and R reported ever being suspended or expelled from school (JC-0a EVSUSPEN = 1)

SMK100(17-17)

Variable Type : Raw

JC-1 : (These next questions are about your use of cigarettes, alcohol, and other substances.) In your entire life, have you smoked at least 100 cigarettes?

value	label	Total
1	Yes	4194
5	No	8024
7	Not ascertained	52
8	Refused	6
9	Don't know	3
Total		12279

Universe : Applicable for all respondents

AGESMK(18-19)

Variable Type : Raw

JC-2 : How old were you when you first started smoking fairly regularly? Please enter your age in years. If you never smoked regularly, enter 0.

value	label	Total
.	INAPPLICABLE	8033
0	NEVER SMOKED REGULARLY	243
11	11 YEARS OR YOUNGER	163
12	12 YEARS OLD	189
13	13 YEARS OLD	275
14	14 YEARS OLD	399
15	15 YEARS OLD	462
16	16 YEARS OLD	626
17	17 YEARS OLD	410
18	18 YEARS OLD	551

19	19 YEARS OLD	230
20-24	20-24 YEARS OLD	477
25-29	25-29 YEARS OLD	111
30-44	30-44 YEARS OLD	52
97	Not ascertained	52
98	Refused	4
99	Don't know	2
	Total	12279

Universe : Applicable if R reported smoking at least 100 cigarettes in lifetime (JC-1 SMK100 = 1)

Notes : This variable has been bottom-coded for public use.

SMOKE12(20-20)

Variable Type : Raw

JC-3 : During the last 12 months, that is since [INTERVIEW MONTH, INTERVIEW YEAR-1], how many cigarettes did you smoke a day, on average?

value	label	Total
.	INAPPLICABLE	8033
1	None	1057
2	About one cigarette a day or less	424
3	Just a few cigarettes a day, between 2 to 4 cigarettes	687
4	About half a pack a day, between 5 to 14 cigarettes	1135
5	About a pack a day, between 15 to 24 cigarettes	719
6	More than a pack a day, 25 or more cigarettes	170
7	Not ascertained	52
8	Refused	1
9	Don't know	1
	Total	12279

Universe : Applicable if R reported smoking at least 100 cigarettes in lifetime (JC-1 SMK100 = 1)

DRINK12(21-21)

Variable Type : Raw

JC-4 : During the last 12 months, that is, since [INTERVIEW MONTH, INTERVIEW YEAR-1], how often have you had beer, wine, hard liquor, or other alcoholic beverages?

value	label	Total
1	Never	3117
2	Once or twice during the year	2684
3	Several times during the year	2102
4	About once a month	1762
5	About once a week	2128
6	About once a day	422
7	Not ascertained	52
8	Refused	10
9	Don't know	2
	Total	12279

Universe : Applicable for all respondents

BINGE12(22-22)

Variable Type : Raw

JC-5 : During the last 12 months, how often did you have 5 or more drinks within a couple of hours?

value label	Total
. INAPPLICABLE	3127
1 Never	4189
2 Once or twice during the year	2307
3 Several times during the year	1059
4 About once a month	867
5 About once a week	622
6 About once a day	53
7 Not ascertained	52
8 Refused	1
9 Don't know	2
Total	12279

Universe : Applicable if R reported consumption of any amount of alcoholic beverages in last year or said DK (JC-1 DRINK12 = 2, 3, 4, 5, 6, or DK)

POT12(23-23)

Variable Type : Raw

JC-6 : During the last 12 months, how often have you smoked marijuana?

value label	Total
1 Never	10051
2 Once or twice during the year	918
3 Several times during the year	433
4 About once a month	195
5 About once a week	222
6 About once a day or more	383
7 Not ascertained	52
8 Refused	24
9 Don't know	1
Total	12279

Universe : Applicable for all respondents

COC12(24-24)

Variable Type : Raw

JC-7 : During the last 12 months, how often have you used cocaine?

value label	Total
1 Never	11910
2 Once or twice during the year	204
3 Several times during the year	73
4 About once a month or more	32
7 Not ascertained	52
8 Refused	8
Total	12279

Universe : Applicable for all respondents

CRACK12(25-25)

Variable Type : Raw

JC-8 : During the last 12 months, how often have you used crack?

value label	Total
1 Never	12149

2	Once or twice during the year	33
3	Several times during the year	20
4	About once a month or more	17
7	Not ascertained	52
8	Refused	7
9	Don't know	1
Total		12279

Universe : Applicable for all respondents

CRYSTMTH12(26-26)

Variable Type : Raw

JC-8a : During the last 12 months, how often have you used Crystal or meth, also known as tina, crank, or ice?

value	label	Total
1	Never	12131
2	Once or twice during the year	50
3	Several times during the year	24
4	About once a month or more	14
7	Not ascertained	52
8	Refused	6
9	Don't know	2
Total		12279

Universe : Applicable for all respondents

INJECT12(27-27)

Variable Type : Raw

JC-9 : During the last 12 months, how often have you shot up or injected drugs other than those prescribed for you? By shooting up, we mean anytime you might have used drugs with a needle, by mainlining, skin-popping, or muscling.

value	label	Total
1	Never	12191
2	Once or twice during the year	12
3	Several times during the year	11
4	About once a month or more	7
7	Not ascertained	52
8	Refused	6
Total		12279

Universe : Applicable for all respondents

ACASI Female File :: Sex with males (JD)

VAGSEX(28-28)

Variable Type : Raw

JD-1 : Has a male ever put his penis in your vagina (also known as vaginal intercourse)?

value	label	Total
.	INAPPLICABLE	9053
1	Yes	1596
5	No	1566
7	Not ascertained	53
8	Refused	11

Total	12279
--------------	--------------

Universe : Applicable if R has never married, never cohabited, and not reported any pregnancies thus far in the interview (AB-1 MARSTAT = 6 and npregs_s = 0 and (CD-1 LIVEOTH = 5, DK, or RF) and JB-1 CASIBIRTH = 0 and JB-2 CASILOSS = 0 and JB-3 CASIABOR = 0 and (JB-4 CASIADOP = 5, DK, or RF))

AGEVAGR(29-30)

Variable Type : Raw

JD-2 : The first time this occurred, how old were you?

value	label	Total
.	INAPPLICABLE	10630
0-14	UNDER 15 YEARS	219
15-17	15-17 YEARS	730
18-19	18-19 YEARS	382
20-95	20 YEARS OR OLDER	255
97	Not ascertained	53
98	Refused	8
99	Don't know	2
Total		12279

Universe : Applicable if R was asked in ACASI and reported ever having vaginal intercourse with a male (JD-1 VAGSEX = 1)

AGEVAGM(31-32)

Variable Type : Raw

JD-3 : The first time this occurred, how old was he?

value	label	Total
.	INAPPLICABLE	11905
0-14	UNDER 15 YEARS	23
15-17	15-17 YEARS	220
18-19	18-19 YEARS	54
20-95	20 YEARS OR OLDER	18
97	Not ascertained	53
98	Refused	3
99	Don't know	3
Total		12279

Universe : Applicable if R was asked in ACASI and reported ever having vaginal intercourse with a male (JD-1 VAGSEX = 1) and R is under 18 years of age (age_r < 18)

CONDVAG(33-33)

Variable Type : Raw

JD-4 : Was a condom used the last time you had vaginal intercourse with a male?

value	label	Total
.	INAPPLICABLE	1577
1	Yes	3378
5	No	7240
7	Not ascertained	54
8	Refused	16
9	Don't know	14
Total		12279

Universe : Applicable if R reported ever having vaginal intercourse with a male (JD-1 VAGSEX = 1 or blank)

WHYCONDL(34-34)

Variable Type : Raw

JD-5 : The last time you had vaginal intercourse with a male, did you use the condom to...

value	label	Total
.	INAPPLICABLE	8847
1	To prevent pregnancy	1259
2	To prevent diseases like syphilis, gonorrhea or AIDS	346
3	For both reasons	1672
4	Or for some other reason	95
7	Not ascertained	54
8	Refused	4
9	Don't know	2
	Total	12279

Universe : Applicable if R reported using a condom at last vaginal intercourse (JD-4 CONDVAG = 1)

GETORALM(35-35)

Variable Type : Raw

JD-6 : The next few questions are about oral sex. By oral sex, we mean stimulating the genitals with the mouth. Has a male ever performed oral sex on you?

value	label	Total
1	Yes	9163
5	No	2946
7	Not ascertained	54
8	Refused	106
9	Don't know	10
	Total	12279

Universe : Applicable for all respondents

GIVORALM(36-36)

Variable Type : Raw

JD-7 : Have you ever performed oral sex on a male? That is, have you ever stimulated his penis with your mouth?

value	label	Total
1	Yes	8757
5	No	3346
7	Not ascertained	54
8	Refused	114
9	Don't know	8
	Total	12279

Universe : Applicable for all respondents

CONDFELL(37-37)

Variable Type : Raw

JD-8 : Was a condom used the last time you performed oral sex on a male?

value	label	Total
-------	-------	-------

.	INAPPLICABLE	3468
1	Yes	569
5	No	8181
7	Not ascertained	54
8	Refused	4
9	Don't know	3
	Total	12279

Universe : Applicable if R reported ever performing oral sex on a male partner (JD-7 GIVORALM = 1)

anyoral(38-38)

Variable Type : Computed

Description : Whether R has ever had oral sex with a male (Computed in Flow Check J-8b)

value	label	Total
.	INAPPLICABLE	3066
1	YES	7214
5	NO	1945
7	Not ascertained	54
	Total	12279

Universe : Applicable if QuestYear >= 2 (computed starting in Year 2) and R gave valid responses to the oral sex questions ((JD-6 GETORALM = 1 or 5) and (JD-7 GIVORALM = 1 or 5))

TIMING(39-39)

Variable Type : Raw

JD-8b : Thinking back to when you had oral sex with a male for the first time, was it before, after, or on the same occasion as your first vaginal intercourse with a male?

value	label	Total
.	INAPPLICABLE	10266
1	Before first vaginal intercourse	771
3	After first vaginal intercourse	911
5	Same occasion	261
7	Not ascertained	54
8	Refused	5
9	Don't know	11
	Total	12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R's age at screener is less than 25 years (agescrn < 25) and R reported having ever had both vaginal and oral sex ((JD-1 VAGSEX = 1 or blank) and anyoral = 1)

ANALSEX(40-40)

Variable Type : Raw

JD-9 : Has a male ever put his penis in your rectum or butt (also known as anal sex)?

value	label	Total
1	Yes	3763
5	No	8358
7	Not ascertained	54
8	Refused	97
9	Don't know	7
	Total	12279

Universe : Applicable for all respondents

CONDANAL(41-41)

Variable Type : Raw

JD-10 : Was a condom used the last time you had anal sex with a male?

value	label	Total
.	INAPPLICABLE	8462
1	Yes	849
5	No	2903
7	Not ascertained	54
8	Refused	6
9	Don't know	5
Total		12279

Universe : Applicable if R reported ever having anal sex (JD-9 ANALSEX = 1)

oppsexany(42-42)

Variable Type : Computed

Description : Whether R has ever had vaginal, oral, or anal sex with a male partner (Computed in Flow Check J-9)

value	label	Total
.	INAPPLICABLE	16
1	YES	10907
5	NO	1302
7	Not ascertained	54
Total		12279

Universe : Applicable if R gave answers other than "don't know" or "refused" to all of the questions on opposite-sex activity (JD-1 VAGSEX NE DK/RF and JD-6 GETORALM NE DK/RF and JD-7 GIVORALM NE DK/RF and JD-9 ANALSEX NE DK/RF).

oppsexgen(43-43)

Variable Type : Computed

Description : Whether R has ever had male-genital-involving sex with a male partner (Computed in Flow Check J-9)

value	label	Total
.	INAPPLICABLE	16
1	YES	10847
5	NO	1362
7	Not ascertained	54
Total		12279

Universe : Applicable if R gave answers other than "don't know" or "refused" to all of the questions on opposite-sex activity (JD-1 VAGSEX NE DK/RF and JD-6 GETORALM NE DK/RF and JD-7 GIVORALM NE DK/RF and JD-9 ANALSEX NE DK/RF).

CONDSEXL(44-44)

Variable Type : Raw

JD-11 : The very last time you had any type of sex -- that is, vaginal intercourse or anal sex or oral sex -- with a male partner, was a condom used?

value	label	Total
.	INAPPLICABLE	8282
1	Yes	2998
5	No	935
7	Not ascertained	54
8	Refused	5
9	Don't know	5
	Total	12279

Universe : Applicable if R reported more than 1 form of male-genital-involving sex (more than 1 of these statements true: JD-1 VAGSEX = 1, JD-7 GIVORALM = 1, JD-9 ANALSEX = 1) and reported condom use at last sex for any specific type (JD-4 CONDVAG = 1 or JD-8 CONDFELL = 1 or JD-10 CONDANAL = 1)

ACASI Female File :: Non voluntary intercourse: male - female (JE)

WANTSEX1(45-45)

Variable Type : Raw

JE-1 : Think back to the very first time you had vaginal intercourse with a male. Which would you say comes closest to describing how much you wanted that first vaginal intercourse to happen?

value	label	Total
.	INAPPLICABLE	2049
1	I really didn't want it to happen at the time	1343
2	I had mixed feelings -- part of me wanted it to happen at the time and part of me didn't	4965
3	I really wanted it to happen at the time	3769
7	Not ascertained	54
8	Refused	79
9	Don't know	20
	Total	12279

Universe : Applicable if R is 18 years or older (age_r GE 18) and R reported ever having vaginal intercourse with a male (JD-1 VAGSEX = 1 or blank)

VOLSEX1(46-46)

Variable Type : Raw

JE-2 : Would you say then that this first vaginal intercourse was voluntary or not voluntary, that is, did you choose to have sex of your own free will or not?

value	label	Total
.	INAPPLICABLE	2049
1	Voluntary	9248
5	Not voluntary	859
7	Not ascertained	55
8	Refused	56
9	Don't know	12
	Total	12279

Universe : Applicable if R is 18 years or older (age_r GE 18) and R reported ever having vaginal intercourse with a male (JD-1 VAGSEX = 1 or blank)

HOWOLD(47-48)

Variable Type : Raw

JE-3 : How old were you when this first vaginal intercourse happened?

value	label	Total
-------	-------	-------

.	INAPPLICABLE	2049
0-14	UNDER 15 YEARS	1651
15-17	15-17 YEARS	4536
18-19	18-19 YEARS	2092
20-95	20 YEARS OR OLDER	1800
97	Not ascertained	55
98	Refused	72
99	Don't know	24
	Total	12279

Universe : Applicable if R is 18 years or older (age_r GE 18) and R reported ever having vaginal intercourse with a male (JD-1 VAGSEX = 1 or blank)

GIVNDRUG(49-49)

Variable Type : Raw

JE-4a : Were you given alcohol or drugs?

value	label	Total
.	INAPPLICABLE	5872
1	Yes	701
5	No	5649
7	Not ascertained	55
9	Don't know	2
	Total	12279

Universe : Applicable if R reported her 1st vaginal intercourse with a male as "not voluntary" (JE-2 VOLSEX1 = 5), or she did not want it to happen at the time or had mixed feelings about it (JE-1 WANTSEX1 = 1 or 2)

HEBIGOLD(50-50)

Variable Type : Raw

JE-4b : Did you do what he said because he was bigger than you or a grown-up, and you were young?

value	label	Total
.	INAPPLICABLE	5872
1	Yes	789
5	No	5556
7	Not ascertained	55
8	Refused	3
9	Don't know	4
	Total	12279

Universe : Applicable if R reported her 1st vaginal intercourse with a male as "not voluntary" (JE-2 VOLSEX1 = 5), or she did not want it to happen at the time or had mixed feelings about it (JE-1 WANTSEX1 = 1 or 2)

ENDRELAT(51-51)

Variable Type : Raw

JE-4c : Were you told that the relationship would end if you didn't have sex?

value	label	Total
.	INAPPLICABLE	5872
1	Yes	383
5	No	5967
7	Not ascertained	55
8	Refused	1
9	Don't know	1

Total	12279
--------------	--------------

Universe : Applicable if R reported her 1st vaginal intercourse with a male as "not voluntary" (JE-2 VOLSEX1 = 5), or she did not want it to happen at the time or had mixed feelings about it (JE-1 WANTSEX1 = 1 or 2)

WORDPRES(52-52)

Variable Type : Raw

JE-4d : Were you pressured into it by his words or actions, but without threats of harm?

value	label	Total
.	INAPPLICABLE	5872
1	Yes	1551
5	No	4795
7	Not ascertained	55
8	Refused	5
9	Don't know	1
Total		12279

Universe : Applicable if R reported her 1st vaginal intercourse with a male as "not voluntary" (JE-2 VOLSEX1 = 5), or she did not want it to happen at the time or had mixed feelings about it (JE-1 WANTSEX1 = 1 or 2)

THRTPHYS(53-53)

Variable Type : Raw

JE-4e : Were you threatened with physical hurt or injury?

value	label	Total
.	INAPPLICABLE	5872
1	Yes	320
5	No	6028
7	Not ascertained	55
8	Refused	2
9	Don't know	2
Total		12279

Universe : Applicable if R reported her 1st vaginal intercourse with a male as "not voluntary" (JE-2 VOLSEX1 = 5), or she did not want it to happen at the time or had mixed feelings about it (JE-1 WANTSEX1 = 1 or 2)

PHYSHURT(54-54)

Variable Type : Raw

JE-4f : Were you physically hurt or injured?

value	label	Total
.	INAPPLICABLE	5872
1	Yes	298
5	No	6050
7	Not ascertained	55
8	Refused	2
9	Don't know	2
Total		12279

Universe : Applicable if R reported her 1st vaginal intercourse with a male as "not voluntary" (JE-2 VOLSEX1 = 5), or she did not want it to happen at the time or had mixed feelings about it (JE-1 WANTSEX1 = 1 or 2)

HELDDOWN(55-55)

Variable Type : Raw

JE-4g : Were you physically held down?

value	label	Total
.	INAPPLICABLE	5872
1	Yes	464
5	No	5883
7	Not ascertained	55
8	Refused	3
9	Don't know	2
Total		12279

Universe : Applicable if R reported her 1st vaginal intercourse with a male as "not voluntary" (JE-2 VOLSEX1 = 5), or she did not want it to happen at the time or had mixed feelings about it (JE-1 WANTSEX1 = 1 or 2)

EVRFORCD(56-56)

Variable Type : Raw

JE-5 : (At any time in your life / Besides the time you already reported), have you ever been forced by a male to have vaginal intercourse against your will?

value	label	Total
.	INAPPLICABLE	1309
1	Yes	1826
5	No	9041
7	Not ascertained	55
8	Refused	43
9	Don't know	5
Total		12279

Universe : Applicable if R is 18 years of age or older (age_r GE 18)

AGEFORC1(57-58)

Variable Type : Raw

JE-6 : (How / After the time you already reported, when you were age [age at first vaginal intercourse from JE_3 HOWOLD], how) old were you the (very first/next) time you were forced by a male to have vaginal intercourse against your will?

value	label	Total
.	INAPPLICABLE	10398
0-14	UNDER 15 YEARS	372
15-17	15-17 YEARS	475
18-19	18-19 YEARS	343
20-95	20 YEARS OR OLDER	606
97	Not ascertained	55
98	Refused	14
99	Don't know	16
Total		12279

Universe : Applicable if R reported ever being forced by a male at some time other than her 1st vaginal intercourse to have vaginal intercourse against her will (JE-5 EVRFORCD = 1)

GIVNDRG2(59-59)

Variable Type : Raw

JE-7a : Were you given alcohol or drugs?

value	label	Total
-------	-------	-------

.	INAPPLICABLE	11746
1	Yes	174
5	No	302
7	Not ascertained	55
8	Refused	1
9	Don't know	1
	Total	12279

Universe : Applicable if R did not report that her 1st vaginal intercourse with a male was "not voluntary" (JE-2 VOLSEX1 NE 5), but reported having ever been forced by a male at some other time to have vaginal intercourse against her will (JE-5 EVRFORCD = 1)

HEBIGOL2(60-60)

Variable Type : Raw

JE-7b : Did you do what he said because he was bigger than you or a grown-up, and you were young?

value	label	Total
.	INAPPLICABLE	11746
1	Yes	200
5	No	277
7	Not ascertained	55
8	Refused	1
	Total	12279

Universe : Applicable if R did not report that her 1st vaginal intercourse with a male was "not voluntary" (JE-2 VOLSEX1 NE 5), but reported having ever been forced by a male at some other time to have vaginal intercourse against her will (JE-5 EVRFORCD = 1)

ENDRELA2(61-61)

Variable Type : Raw

JE-7c : Were you told that the relationship would end if you didn't have sex?

value	label	Total
.	INAPPLICABLE	11746
1	Yes	57
5	No	419
7	Not ascertained	55
8	Refused	1
9	Don't know	1
	Total	12279

Universe : Applicable if R did not report that her 1st vaginal intercourse with a male was "not voluntary" (JE-2 VOLSEX1 NE 5), but reported having ever been forced by a male at some other time to have vaginal intercourse against her will (JE-5 EVRFORCD = 1)

WRDPRES2(62-62)

Variable Type : Raw

JE-7d : Were you pressured into it by his words or actions, but without threats of harm?

value	label	Total
.	INAPPLICABLE	11748
1	Yes	265
5	No	207
7	Not ascertained	55
8	Refused	3

9	Don't know	1
Total		12279

Universe : Applicable if R did not report that her 1st vaginal intercourse with a male was "not voluntary" (JE-2 VOLSEX1 NE 5), but reported having ever been forced by a male at some other time to have vaginal intercourse against her will (JE-5 EVRFORCD = 1)

THRTPHY2(63-63)

Variable Type : Raw

JE-7e : Were you threatened with physical hurt or injury?

value	label	Total
.	INAPPLICABLE	11746
1	Yes	212
5	No	263
7	Not ascertained	55
8	Refused	3
Total		12279

Universe : Applicable if R did not report that her 1st vaginal intercourse with a male was "not voluntary" (JE-2 VOLSEX1 NE 5), but reported having ever been forced by a male at some other time to have vaginal intercourse against her will (JE-5 EVRFORCD = 1)

PHYSHRT2(64-64)

Variable Type : Raw

JE-7f : Were you physically hurt or injured?

value	label	Total
.	INAPPLICABLE	11746
1	Yes	160
5	No	316
7	Not ascertained	55
8	Refused	2
Total		12279

Universe : Applicable if R did not report that her 1st vaginal intercourse with a male was "not voluntary" (JE-2 VOLSEX1 NE 5), but reported having ever been forced by a male at some other time to have vaginal intercourse against her will (JE-5 EVRFORCD = 1)

HELDDWN2(65-65)

Variable Type : Raw

JE-7g : Were you physically held down?

value	label	Total
.	INAPPLICABLE	11746
1	Yes	337
5	No	138
7	Not ascertained	55
8	Refused	2
9	Don't know	1
Total		12279

Universe : Applicable if R did not report that her 1st vaginal intercourse with a male was "not voluntary" (JE-2 VOLSEX1 NE 5), but reported having ever been forced by a male at some other time to have vaginal intercourse against her will (JE-5 EVRFORCD = 1)

ACASI Female File :: STD/HIV risk behaviors (JF)

PARTSLIF_1(66-68)

Variable Type : Raw

JF-1 : Thinking about your entire life, how many male sex partners have you had? Please count every partner even those you had sex with only once.

value	label	Total
.	INAPPLICABLE	1318
1	1 PARTNER	2315
2	2 PARTNERS	1271
3	3 PARTNERS	1178
4	4 PARTNERS	992
5	5 PARTNERS	1084
6	6 PARTNERS	626
7	7 PARTNERS	509
8	8 PARTNERS	367
9	9 PARTNERS	204
10	10 PARTNERS	512
11-19	11-19 PARTNERS	834
20-29	20-29 PARTNERS	443
30-39	30-39 PARTNERS	148
40-49	40-49 PARTNERS	53
50	50 OR MORE PARTNERS	191
997	Not ascertained	55
998	Refused	132
999	Don't know	47
	Total	12279

Universe : Applicable if R reported any vaginal, oral, or anal sex with a male (oppsexany = 1)

Notes : This variable has been top-coded for public use.

PARTSLFV(69-69)

Variable Type : Raw

JF-1v : It is very important that we get accurate responses to this key question. The computer recorded that you have had [# from JF_1a PARTSLIF_1] male sex partners in your entire life. If this answer is correct, select "Yes" to move on to the next question. If the computer recorded an incorrect response, please select "No" to change your answer.

value	label	Total
.	INAPPLICABLE	12051
1	Yes	166
5	No	7
7	Not ascertained	55
	Total	12279

Universe : Applicable if R reported questionable number of male sexual partners in lifetime that may reflect a keying error (JF-1 PARTSLIF_1 = 111, 222, 333, 444, 555, 666, 777, or 888)

PARTSLIF_2(70-72)

Variable Type : Raw

JF-1 : Thinking about your entire life, how many male sex partners have you had? Please count every partner, even those you had sex with only once.

value	label	Total
.	INAPPLICABLE	12217
5	5 PARTNERS	1
11-19	11-19 PARTNERS	5
50	50 OR MORE PARTNERS	1
997	Not ascertained	55
	Total	12279

Universe : Applicable if R reported the previously entered information on number of male sexual partners in lifetime was incorrect (JF-1V PARTSLFV = 5)

Notes : This variable has been top-coded for public use.

PARTS12M_1(73-75)

Variable Type : Raw

JF-2 : Thinking about the last 12 months, how many male sex partners have you had in the 12 months since [INTERVIEW MONTH, INTERVIEW YEAR-1]? Please count every partner, even those you had sex with only once in those 12 months.

value	label	Total
.	INAPPLICABLE	1318
0	0 PARTNERS	1030
1	1 PARTNER	7788
2	2 PARTNERS	1175
3	3 PARTNERS	418
4	4 PARTNERS	171
5	5 PARTNERS	102
6	6 PARTNERS	42
7	7 PARTNERS	28
8	8 PARTNERS	18
9	9 PARTNERS	8
10	10 PARTNERS	16
11-19	11-19 PARTNERS	23
20	20 OR MORE PARTNERS	16
997	Not ascertained	55
998	Refused	55
999	Don't know	16
	Total	12279

Universe : Applicable if R reported any vaginal, oral, or anal sex with a male (oppsexany = 1)

Notes : This variable has been top-coded for public use.

PARTS12V(76-76)

Variable Type : Raw

JF-2v : It is very important that we get accurate responses to this key question. The computer recorded that you have had [# from JF_2 PARTS12M_1] male sex partners in the last 12 months. If this answer is correct, select "Yes" to move on to the next question. If the computer recorded an incorrect response, please select "No" to change your answer.

value	label	Total
.	INAPPLICABLE	12220
1	Yes	4
7	Not ascertained	55
	Total	12279

Universe : Applicable if R reported questionable number of male sexual partners in the last 12 months that may

reflect a keying error (JF-2 PARTS12M_1 = 111, 222, 333, 444, 555, 666, 777, or 888)

PARTS12M_2(77-79)

Variable Type : Raw

JF-2 : Thinking about the last 12 months, how many male sex partners have you had in the 12 months since [INTERVIEW MONTH, INTERVIEW YEAR-1]? Please count every partner, even those you had sex with only once in those 12 months.

value	label	Total
.	INAPPLICABLE	12224
997	Not ascertained	55
	Total	12279

Universe : Applicable if R reported the previously entered information on number of male sexual partners in the last 12 months was incorrect (JF-2V PARTS12V = 5)

Notes : This variable has been top-coded for public use.

NEWYEAR(80-82)

Variable Type : Raw

JF-2YR : Earlier you reported having more male partners in the last 12 months than you have had in your life. One or both of these numbers appear to be entered incorrectly, so those questions will be asked again. Your previous answers are displayed below:

value	label	Total
.	INAPPLICABLE	12208
1	1 PARTNER	3
2	2 PARTNERS	5
3	3 PARTNERS	4
4-995	4 OR MORE PARTNERS	4
997	Not ascertained	55
	Total	12279

Universe : Applicable if R is still reporting her number of partners in the last 12 months that is greater than her lifetime number (JF-2 PARTS12M_2 > JF-1 PARTSLIF_2)

NEWLIFE(83-85)

Variable Type : Raw

JF-2LF : How many male partners did you have in your lifetime?

value	label	Total
.	INAPPLICABLE	12208
0	0 PARTNERS	1
1	1 PARTNER	2
2	2 PARTNERS	6
3	3 PARTNERS	2
4-995	4 OR MORE PARTNERS	5
997	Not ascertained	55
	Total	12279

Universe : Applicable if R is still reporting her number of partners in the last 12 months that is greater than her lifetime number (JF-2 PARTS12M_2 > JF-1 PARTSLIF_2)

VAGNUM12(86-88)

Variable Type : Raw

JF-2YRa : Your number of male partners in the last 12 months is displayed below. Thinking of your male partners in the last 12 months, with how many of them did you have vaginal intercourse ?

value	label	Total
.	INAPPLICABLE	6399
0	0 PARTNERS	35
1	1 PARTNER	4269
2	2 PARTNERS	876
3	3 PARTNERS	313
4-995	4 OR MORE PARTNERS	320
997	Not ascertained	55
998	Refused	5
999	Don't know	7
	Total	12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R reported any male sexual partners in the last 12 months (JF-2 PARTS12M_1 > 0 or PARTS12M_2 > 0 or JF-2YR NEWYEAR > 0) and R reported ever having vaginal intercourse (JD-1 VAGSEX = 1 or blank)

ORALNUM12(89-91)

Variable Type : Raw

JF-2YRb : (Your number of male partners in the last 12 months is displayed below.) Thinking of your male partners in the last 12 months, with how many of them did you have oral sex , either giving or receiving?

value	label	Total
.	INAPPLICABLE	6782
0	0 PARTNERS	368
1	1 PARTNER	3978
2	2 PARTNERS	694
3	3 PARTNERS	193
4-995	4 OR MORE PARTNERS	200
997	Not ascertained	55
998	Refused	8
999	Don't know	1
	Total	12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R reported any male sexual partners in the last 12 months (JF-2 PARTS12M_1 > 0 or PARTS12M_2 > 0 or JF-2YR NEWYEAR > 0) and R reported ever having oral sex with a male (anyoral = 1)

ANALNUM12(92-94)

Variable Type : Raw

JF-2YRc : (Your number of male partners in the last 12 months is displayed below.) Thinking of your male partners in the last 12 months, with how many of them did you have anal sex?

value	label	Total
.	INAPPLICABLE	9841
0	0 PARTNERS	958
1	1 PARTNER	1311
2	2 PARTNERS	75
3	3 PARTNERS	16
4-995	4 OR MORE PARTNERS	20
997	Not ascertained	55
998	Refused	1
999	Don't know	2
	Total	12279

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R reported any male sexual partners in the last 12 months (JF-2 PARTS12M_1 > 0 or PARTS12M_2 > 0 or JF-2YR NEWYEAR > 0) and R reported ever having anal sex with a male (JD-9 ANALSEX = 1)

CURRPAGE(95-96)

Variable Type : Raw

JF-2a : Earlier you reported that you last had sexual intercourse with the (person / first person) shown on the screen in [M/Y OF LAST SEX WITH THIS PARTNER]. How old was he at that time?

value	label	Total
.	INAPPLICABLE	12005
0-14	UNDER 15 YEARS	2
15-17	15-17 YEARS	107
18-19	18-19 YEARS	72
20-95	20 YEARS OR OLDER	38
97	Not ascertained	55
Total		12279

Universe : Applicable if R is under 18 years of age (age_r < 18) and has 1 or more current sexual partners (currprts > 0)

RELAGE(97-97)

Variable Type : Raw

JF-2b : Is he older than you, younger than you, or the same age? (FIRST DISPLAYED PARTNER)

value	label	Total
.	INAPPLICABLE	12224
7	Not ascertained	55
Total		12279

Universe : Applicable if R did not know age of this current partner at their last sexual intercourse (JF-2a CURRPAGE = DK)

HOWMUCH(98-98)

Variable Type : Raw

JF-2c : By how many years? (FIRST DISPLAYED PARTNER)

value	label	Total
.	INAPPLICABLE	12224
7	Not ascertained	55
Total		12279

Universe : Applicable if R reported this current partner's age at their last sexual intercourse was either older or younger than herself (JF-2b RELAGE = 1 or 2)

CURRPAGE2(99-100)

Variable Type : Raw

JF-2a : Earlier you reported that you last had sexual intercourse with the second person shown on the screen in [M/Y OF LAST SEX WITH THIS PARTNER]. How old was he at that time?

value	label	Total
.	INAPPLICABLE	12218
15-17	15-17 YEARS	4
18-19	18-19 YEARS	2

97	Not ascertained	55
Total		12279

Universe : Applicable if R is under 18 years of age (age_r < 18) and has 2 or more current sexual partners (currprts > 1)

RELAGE2(101-101)

Variable Type : Raw

JF-2b : Is he older than you, younger than you, or the same age? (SECOND DISPLAYED PARTNER)

value	label	Total
.	INAPPLICABLE	12224
7	Not ascertained	55
Total		12279

Universe : Applicable if R did not know age of this current partner at their last sexual intercourse (JF-2a CURRPAGE2 = DK)

HOWMUCH2(102-102)

Variable Type : Raw

JF-2c : By how many years? (SECOND DISPLAYED PARTNER)

value	label	Total
.	INAPPLICABLE	12224
7	Not ascertained	55
Total		12279

Universe : Applicable if R reported this current partner's age at their last sexual intercourse was either older or younger than herself (JF-2b RELAGE2 = 1 or 2)

CURRPAGE3(103-104)

Variable Type : Raw

JF-2a : Earlier you reported that you last had sexual intercourse with the third person shown on the screen in [M/Y OF LAST SEX WITH THIS PARTNER]. How old was he at that time?

value	label	Total
.	INAPPLICABLE	12223
20-95	20 YEARS OR OLDER	1
97	Not ascertained	55
Total		12279

Universe : Applicable if R is under 18 years of age (age_r < 18) and has 3 or more current sexual partners (currprts > 2)

RELAGE3(105-105)

Variable Type : Raw

JF-2b : Is he older than you, younger than you, or the same age? (THIRD DISPLAYED PARTNER)

value	label	Total
.	INAPPLICABLE	12224
7	Not ascertained	55
Total		12279

Universe : Applicable if R did not know age of this current partner at their last sexual intercourse (JF-2a

CURRPAGE3 = DK)

HOWMUCH3(106-106)

Variable Type : Raw

JF-2c : By how many years? (THIRD DISPLAYED PARTNER)

value	label	Total
.	INAPPLICABLE	12224
7	Not ascertained	55
	Total	12279

Universe : Applicable if R reported this current partner's age at their last sexual intercourse was either older or younger than herself (JF-2b RELAGE3 = 1 or 2)

BISEXPRT(107-107)

Variable Type : Raw

JF-3 : (Now please think about all of / Have any of) your male partners in the last 12 months, that is since [INTERVIEW MONTH, INTERVIEW YEAR-1] ever had sex with other males?

value	label	Total
.	INAPPLICABLE	2403
1	Yes	196
5	No	9555
7	Not ascertained	55
8	Refused	5
9	Don't know	65
	Total	12279

Universe : Applicable if R reported any male sexual partners in the last 12 months (JF-2 PARTS12M_1 > 0 or PARTS12M_2 > 0 or JF-2YR NEWYEAR > 0) or R said she did not know how many male partners she had in the last 12 months (PARTS12M_1 = DK)

NONMONOG(108-108)

Variable Type : Raw

JF-4 : In the last 12 months, did you have sex with any males who were also having sex with other people at around the same time?

value	label	Total
.	INAPPLICABLE	2403
1	Yes	1278
5	No	8437
7	Not ascertained	55
8	Refused	10
9	Don't know	96
	Total	12279

Universe : Applicable if R reported any male sexual partners in the last 12 months (JF-2 PARTS12M_1 > 0 or PARTS12M_2 > 0 or JF-2YR NEWYEAR > 0) or R said she did not know how many male partners she had in the last 12 months (PARTS12M_1 = DK)

MALSHT12(109-109)

Variable Type : Raw

JF-6 : In the last 12 months, have you had sex with a male who takes or shoots street drugs using a needle?

value	label	Total
.	INAPPLICABLE	2403
1	Yes	121
5	No	9668
7	Not ascertained	55
8	Refused	5
9	Don't know	27
	Total	12279

Universe : Applicable if R reported any male sexual partners in the last 12 months (JF-2 PARTS12M_1 > 0 or PARTS12M_2 > 0 or JF-2YR NEWYEAR > 0) or R said she did not know how many male partners she had in the last 12 months (PARTS12M_1 = DK)

PROSTFRQ(110-110)

Variable Type : Raw

JF-7 : In the last 12 months, has a male given you money or drugs to have sex with him?

value	label	Total
.	INAPPLICABLE	2403
1	Yes	105
5	No	9709
7	Not ascertained	55
8	Refused	5
9	Don't know	2
	Total	12279

Universe : Applicable if R reported any male sexual partners in the last 12 months (JF-2 PARTS12M_1 > 0 or PARTS12M_2 > 0 or JF-2YR NEWYEAR > 0) or R said she did not know how many male partners she had in the last 12 months (PARTS12M_1 = DK)

JOHNFREQ(111-111)

Variable Type : Raw

JF-8 : In the last 12 months, have you given a male money or drugs to have sex with you?

value	label	Total
.	INAPPLICABLE	2403
1	Yes	24
5	No	9791
7	Not ascertained	55
8	Refused	5
9	Don't know	1
	Total	12279

Universe : Applicable if R reported any male sexual partners in the last 12 months (JF-2 PARTS12M_1 > 0 or PARTS12M_2 > 0 or JF-2YR NEWYEAR > 0) or R said she did not know how many male partners she had in the last 12 months (PARTS12M_1 = DK)

HIVMAL12(112-112)

Variable Type : Raw

JF-9 : In the last 12 months, have you had sex with a male who you knew was infected with the AIDS virus?

value	label	Total
.	INAPPLICABLE	2403
1	Yes	14
5	No	9795

7	Not ascertained	56
8	Refused	4
9	Don't know	7
	Total	12279

Universe : Applicable if R reported any male sexual partners in the last 12 months (JF-2 PARTS12M_1 > 0 or PARTS12M_2 > 0 or JF-2YR NEWYEAR > 0) or R said she did not know how many male partners she had in the last 12 months (PARTS12M_1 = DK)

ACASI Female File :: Sex with females (JG)

GIVORALF(113-113)

Variable Type : Raw

JG-1a : The next questions ask about sexual experiences you may have had with another female. Have you ever performed oral sex on another female?

value	label	Total
1	Yes	1128
5	No	11050
7	Not ascertained	56
8	Refused	43
9	Don't know	2
	Total	12279

Universe : Applicable for all respondents

GETORALF(114-114)

Variable Type : Raw

JG-1b : Has another female ever performed oral sex on you?

value	label	Total
1	Yes	1290
5	No	10893
7	Not ascertained	56
8	Refused	39
9	Don't know	1
	Total	12279

Universe : Applicable for all respondents

FEMSEX(115-115)

Variable Type : Raw

JG-1c : Have you ever had any sexual experience of any kind with another female?

value	label	Total
.	INAPPLICABLE	1385
1	Yes	469
5	No	10332
7	Not ascertained	57
8	Refused	35
9	Don't know	1
	Total	12279

Universe : Applicable if R has not reported some form or oral sex with a female partner (JG-1a GIVORALF = 5, DK, or RF and JG-1b GETORALF = 5, DK, or RF)

samesexany(116-116)

Variable Type : Computed

Description : Whether R has had any sexual experience with a female partner (Computed in Flow Check J-19)

value	label	Total
.	INAPPLICABLE	44
1	YES	1854
5	NO	10324
7	Not ascertained	57
Total		12279

Universe : Applicable if R gave answers other than "don't know" or "refused" to all of the questions on same-sex activity (JG-1a GIVORALF NE DK/RF and JG-1b GETORALF NE DK/RF and JG-1c FEMSEX NE DK/RF).

FEMPARTS_1(117-119)

Variable Type : Raw

JG-2 : Thinking about your entire life, how many female sex partners have you had?

value	label	Total
.	INAPPLICABLE	10368
1	1 PARTNER	961
2	2 PARTNERS	371
3	3 PARTNERS	202
4-995	4 OR MORE PARTNERS	293
997	Not ascertained	57
998	Refused	17
999	Don't know	10
Total		12279

Universe : Applicable if R reported ever having sex with a female (samesexany = 1)

FEMLI FEV(120-120)

Variable Type : Raw

JG-2v : It is very important that we get accurate responses to this key question. The computer recorded that you have had [# from JG_2 FEMPARTS_1] female sex partners in your entire life. If this answer is correct, select "Yes" to move on to the next question. If the computer recorded an incorrect response, please select "No" to change your answer.

value	label	Total
.	INAPPLICABLE	12219
1	Yes	3
7	Not ascertained	57
Total		12279

Universe : Applicable if R reported questionable number of female sexual partners in lifetime that may reflect a keying error (JG-2 FEMPARTS_1 = 111, 222, 333, 444, 555, 666, 777, or 888)

FEMPARTS_2(121-123)

Variable Type : Raw

JG-2 : Thinking about your entire life, how many female sex partners have you had?

value	label	Total
.	INAPPLICABLE	12222
997	Not ascertained	57

Total	12279
--------------	--------------

Universe : Applicable if R reported the previously entered information on number of life female sexual partners was incorrect (JG-2 FEMLIFEV = 5)

FEMPRT12_1(124-126)

Variable Type : Raw

JG-3 : Thinking about the last 12 months, how many female sex partners have you had in the 12 months since [INTERVIEW MONTH, INTERVIEW YEAR-1]? Please count every partner, even those you had sex with only once in those 12 months.

value	label	Total
.	INAPPLICABLE	10368
0	0 PARTNERS	1212
1	1 PARTNER	462
2	2 PARTNERS	94
3	3 PARTNERS	37
4-995	4 OR MORE PARTNERS	42
997	Not ascertained	57
998	Refused	6
999	Don't know	1
Total		12279

Universe : Applicable if R reported ever having sex with a female (JG-1 FEMSEX = 1)

FEM12V(127-127)

Variable Type : Raw

JG-3v : It is very important that we get accurate responses to this key question. The computer recorded that you have had [# from FEMPRT12_1] female sex partners in the last 12 months. If this answer is correct, select "Yes" to move on to the next question. If the computer recorded an incorrect response, please select "No" to change your answer.

value	label	Total
.	INAPPLICABLE	12222
7	Not ascertained	57
Total		12279

Universe : Applicable if R reported questionable number of female sexual partners in the last 12 months that may reflect a keying error (JG-3 FEMPRT12_1 = 111, 222, 333, 444, 555, 666, 777, or 888)

FEMPRT12_2(128-130)

Variable Type : Raw

JG-3 : Thinking about the last 12 months, how many female sex partners have you had in the 12 months since [INTERVIEW MONTH, INTERVIEW YEAR-1]? Please count every partner, even those you had sex with only once in those 12 months.

value	label	Total
.	INAPPLICABLE	12222
997	Not ascertained	57
Total		12279

Universe : Applicable if R reported the previously entered information on number of female sexual partners in the previous 12 months was incorrect (JG-3 FEM12V = 5)

ACASI Female File :: Sexual attraction, orientation, & experience with STDs (JH)

MFLASTP(131-131)

Variable Type : Raw

JH-1 : The very last time you had any type of sex -- that is vaginal intercourse or anal sex or oral sex -- was that last sexual partner male or female?

value	label	Total
.	INAPPLICABLE	11689
1	Male	450
2	Female	78
7	Not ascertained	57
8	Refused	3
9	Don't know	2
	Total	12279

Universe : Applicable if R reported having sex with both males & females in the last 12 months ((JF-2 PARTS12M_1 > 0 or PARTS12M_1 = DK) and (JG-3 FEMPRT12_1 > 0 or FEMPRT12_1 = DK)) or if R has reported no partners at all in the last 12 months but has had both male and female partners in lifetime (PARTS12M_1 = 0, RF and FEMPRT12_1 = 0, RF and oppsexgen = 1 and samesexany = 1)

ATTRACT(132-132)

Variable Type : Raw

JH-2 : People are different in their sexual attraction to other people. Which best describes your feelings? Are you...

value	label	Total
1	Only attracted to males	9960
2	Mostly attracted to males	1467
3	Equally attracted to males and females	412
4	Mostly attracted to females	106
5	Only attracted to females	124
6	Not sure	117
7	Not ascertained	57
8	Refused	28
9	Don't know	8
	Total	12279

Universe : Applicable for all respondents

ORIENT(133-133)

Variable Type : Raw

JH-3 : Do you think of yourself as ...

value	label	Total
1	Heterosexual or straight	11275
2	Homosexual, gay, or lesbian	197
3	Bisexual	591
4	Y1/Y2:Something else/Y3:[Was deleted as response option]	58
7	Not ascertained	58
8	Refused	57
9	Don't know	43
	Total	12279

Universe : Applicable for all respondents

CHLAMTST(134-134)

Variable Type : Raw

JH-4 : In the last 12 months, that is, since [INTERVIEW MONTH, INTERVIEW YEAR-1], have you been tested for chlamydia?

value	label	Total
1	Yes	3084
5	No	9049
7	Not ascertained	58
8	Refused	26
9	Don't know	62
	Total	12279

Universe : Applicable for all respondents

STDTRT12(135-135)

Variable Type : Raw

JH-5 : In the past 12 months, have you been treated or received medication from a doctor or other medical care provider for a sexually transmitted disease like gonorrhea, herpes, or syphilis?

value	label	Total
1	Yes	597
5	No	11591
7	Not ascertained	58
8	Refused	22
9	Don't know	11
	Total	12279

Universe : Applicable for all respondents

GON(136-136)

Variable Type : Raw

JH-6 : In the last 12 months, have you been told by a doctor or other provider that you had gonorrhea?

value	label	Total
.	INAPPLICABLE	11624
1	Yes	91
5	No	506
7	Not ascertained	58
	Total	12279

Universe : Applicable if R reported treatment for STD in last 12 months (JH-5 STDTRT12 = 1)

CHLAM(137-137)

Variable Type : Raw

JH-7 : In the last 12 months, have you ever been told by a doctor or other medical care provider that you had chlamydia?

value	label	Total
.	INAPPLICABLE	11624
1	Yes	191
5	No	406
7	Not ascertained	58
	Total	12279

Universe : Applicable if R reported treatment for STD in last 12 months (JH-5 STDTRT12 = 1)

HERPES(138-138)

Variable Type : Raw

JH-8 : At any time in your life, have you ever been told by a doctor or other medical care provider that you had genital herpes?

value	label	Total
1	Yes	498
5	No	11692
7	Not ascertained	58
8	Refused	23
9	Don't know	8
	Total	12279

Universe : Applicable for all respondents

GENWARTS(139-139)

Variable Type : Raw

JH-9 : Asked in Year 1: At any time in your life, have you ever been told by a doctor or other medical care provider that you had genital warts?

Asked starting in Year 2: At any time in your life, have you ever been told by a doctor or other medical care provider that you had genital warts or human papillomavirus also called HPV?

value	label	Total
1	Yes	974
5	No	11212
7	Not ascertained	58
8	Refused	23
9	Don't know	12
	Total	12279

Universe : Applicable for all respondents

SYPHILIS(140-140)

Variable Type : Raw

JH-10 : At any time in your life, have you ever been told by a doctor or other medical care provider that you had syphilis?

value	label	Total
1	Yes	105
5	No	12089
7	Not ascertained	59
8	Refused	20
9	Don't know	6
	Total	12279

Universe : Applicable for all respondents

ACASI Male File :: Male Respondent ID

CASEID(1-5)

Variable Type : Raw

Description : Respondent ID number

value	label	Total
20001-42683	Respondent ID number	10403
	Total	10403

Universe : Applicable for all respondents

ACASI Male File :: Male Date of interview and questionnaire model timepoints

questyear(6-6)

Variable Type : Computed

Description : Questionnaire version year (1, 2, 3, or 4)

value	label	Total
1	Questionnaire version year 1	2482
2	Questionnaire version year 2	2383
3-4	Questionnaire version year 3	5538
	Total	10403

Universe : Applicable for all respondents

ACASI Male File :: Significant events (KB)

SHELTER(7-7)

Variable Type : Raw

KB-1 : In the last 12 months, that is, since [INTERVIEW MONTH, INTERVIEW YEAR-1] have you stayed overnight in a shelter for the homeless or some other type of shelter?

value	label	Total
1	Yes	216
5	No	10142
7	Not ascertained	34
8	Refused	10
9	Don't know	1
	Total	10403

Universe : Applicable for all respondents

JAILED(8-8)

Variable Type : Raw

KB-2 : In the last 12 months, have you spent any time in a jail, prison or a juvenile detention facility?

value	label	Total
1	Yes	788
5	No	9570
7	Not ascertained	34
8	Refused	11
	Total	10403

Universe : Applicable for all respondents

JAILED2(9-9)

Variable Type : Raw

KB-3 : Have you ever spent time in a jail, prison or juvenile detention center?

value	label	Total
.	INAPPLICABLE	788
1	Yes	1980
5	No	7582
7	Not ascertained	34
8	Refused	15
9	Don't know	4
	Total	10403

Universe : Applicable if R did not report jail experience in the last 12 months (KB-2 JAILED NE 1)

EVSUSPEN(10-10)

Variable Type : Raw

KB-4 : Have you ever been suspended or expelled from school?

value	label	Total
.	INAPPLICABLE	7269
1	Yes	1340
5	No	1756
7	Not ascertained	34
8	Refused	4
	Total	10403

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R's age at screener is less than 25 years (agescrn < 25)

GRADSUSP(11-12)

Variable Type : Raw

KB-5 : What grade were you in when you were suspended or expelled from school? If you were suspended or expelled more than once, please enter the grade you were in the most recent time.

value	label	Total
.	INAPPLICABLE	9029
1-6	GRADES 1-6	258
7-9	GRADES 7-9	602
10-12	GRADES 10-12	472
97	Not ascertained	34
98	Refused	1
99	Don't know	7
	Total	10403

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R reported ever being suspended or expelled from school (KB-3b EVSUSPEN = 1)

ACASI Male File :: Substance use (KC)

DRINK12(13-13)

Variable Type : Raw

KC-1 : During the last 12 months, that is, since [INTERVIEW MONTH, INTERVIEW YEAR - 1], how often have you had beer, wine, hard liquor, or other alcoholic beverages?

value	label	Total
1	Never	2203
2	Once or twice during the year	1530
3	Several times during the year	1341
4	About once a month	1510
5	About once a week	2795
6	About once a day	966
7	Not ascertained	34
8	Refused	20
9	Don't know	4
	Total	10403

Universe : Applicable for all respondents

BINGE12(14-14)

Variable Type : Raw

KC-2 : During the last 12 months, how often did you have 5 or more drinks within a couple of hours?

value	label	Total
.	INAPPLICABLE	2223
1	Never	2272
2	Once or twice during the year	1786
3	Several times during the year	1198
4	About once a month	1292
5	About once a week	1410
6	About once a day	182
7	Not ascertained	34
8	Refused	3
9	Don't know	3
	Total	10403

Universe : Applicable if R reported consumption of any amount of alcoholic beverages in last year or said DK (KC-1 DRINK12 = 2, 3, 4, 5, 6, or DK)

POT12(15-15)

Variable Type : Raw

KC-3 : During the last 12 months, how often have you smoked marijuana?

value	label	Total
1	Never	7499
2	Once or twice during the year	891
3	Several times during the year	513
4	About once a month	272
5	About once a week	410
6	About once a day or more	747
7	Not ascertained	34
8	Refused	35
9	Don't know	2
	Total	10403

Universe : Applicable for all respondents

COC12(16-16)

Variable Type : Raw

KC-4 : During the last 12 months, how often have you used cocaine?

value	label	Total
1	Never	9712
2	Once or twice during the year	364
3	Several times during the year	192
4	About once a month or more	80
7	Not ascertained	35
8	Refused	19
9	Don't know	1
	Total	10403

Universe : Applicable for all respondents

CRACK12(17-17)

Variable Type : Raw

KC-5 : During the last 12 months, how often have you used crack?

value	label	Total
1	Never	10227
2	Once or twice during the year	70
3	Several times during the year	36
4	About once a month or more	16
7	Not ascertained	35
8	Refused	19
	Total	10403

Universe : Applicable for all respondents

CRYSTMTH12(18-18)

Variable Type : Raw

KC-5a : During the last 12 months, how often have you used Crystal or meth, also known as tina, crank, or ice?

value	label	Total
1	Never	10202
2	Once or twice during the year	79
3	Several times during the year	42
4	About once a month or more	28
7	Not ascertained	35
8	Refused	17
	Total	10403

Universe : Applicable for all respondents

INJECT12(19-19)

Variable Type : Raw

KC-6 : During the last 12 months, how often have you shot up or injected drugs other than those prescribed for you? By shooting up, we mean anytime you might have used drugs with a needle, by mainlining, skin-popping, or muscling.

value	label	Total
1	Never	10300

2	Once or twice during the year	22
3	Several times during the year	15
4	About once a month or more	13
7	Not ascertained	35
8	Refused	17
9	Don't know	1
Total		10403

Universe : Applicable for all respondents

ACASI Male File :: Pregnancy/abortion (KD)

MADEPREG(20-20)

Variable Type : Raw

KD-1 : To the best of your knowledge, have you ever made someone pregnant?

value	label	Total
.	INAPPLICABLE	4776
1	Yes	114
5	No	5465
7	Not ascertained	36
8	Refused	10
9	Don't know	2
Total		10403

Universe : Applicable if R has not reported fathering any pregnancies in sections C-F of the questionnaire (totpregs_r = 0 and totpregs_c = 0)

PREGTOT2(21-22)

Variable Type : Raw

KD-2 : To the best of your knowledge, how many times have you ever made someone pregnant? Please include any pregnancies you may have already told the interviewer about.

value	label	Total
.	INAPPLICABLE	5477
1	1 TIME	1596
2	2 TIMES	1410
3	3 TIMES	860
4-95	4 OR MORE TIMES	980
98	Refused	30
99	Don't know	50
Total		10403

Universe : Applicable if R reported ever fathering any pregnancies (totpregs_r > 0 or totpregs_c > 0 or KD-1 MADEPREG = 1)

pregacasi(23-24)

Variable Type : Computed

Description : Number of pregnancies reported in ACASI (Computed in Flow Check K-4b)

value	label	Total
0	NEVER	5477
1	1 TIME	1596
2	2 TIMES	1410
3	3 TIMES	860

4-95	4 OR MORE TIMES	980
98	Refused	30
99	Don't know	50
	Total	10403

Universe : Applicable for all respondents

NUMABORT(25-26)

Variable Type : Raw

KD-3 : To the best of your knowledge, how many of these pregnancies ended in abortion?

value	label	Total
.	INAPPLICABLE	5476
0	NONE	3502
1	1 PREGNANCY	906
2	2 PREGNANCIES	251
3	3 PREGNANCIES	70
4-95	4 OR MORE PREGNANCIES	89
97	Not ascertained	37
98	Refused	31
99	Don't know	41
	Total	10403

Universe : Applicable if R reported ever fathering any pregnancies (totpregs_r > 0 or totpregs_c > 0 or KD-1 MADEPREG = 1)

NUMLIVEB(27-28)

Variable Type : Raw

KD-4 : To the best of your knowledge, how many of these pregnancies resulted in a baby being born? Twins or triplets from a pregnancy count as one pregnancy.

value	label	Total
.	INAPPLICABLE	6011
0	NONE	747
1	1 PREGNANCY	1419
2	2 PREGNANCIES	1204
3	3 PREGNANCIES	579
4-95	4 OR MORE PREGNANCIES	382
97	Not ascertained	37
98	Refused	10
99	Don't know	14
	Total	10403

Universe : Applicable if R reported ever fathering any pregnancies (totpregs_r > 0 or totpregs_c > 0 or KD-1 MADEPREG = 1)

TOLDPREG(29-29)

Variable Type : Raw

KD-5 : Have you ever been told by someone that you may have made her pregnant?

value	label	Total
.	INAPPLICABLE	6260
1	Yes	800
5	No	3296
7	Not ascertained	37

8	Refused	8
9	Don't know	2
Total		10403

Universe : Applicable if R is less than 25 years of age (agescrn < 25)

WHATHAPP(30-30)

Variable Type : Raw

KD-6 : The last time you were told by someone that you may have made her pregnant,...

value	label	Total
.	INAPPLICABLE	9566
1	Did it turn out that she was pregnant and you were the father,	211
2	Or was she pregnant but you were not the father,	61
3	Or did it turn out that she was not pregnant?	516
7	Not ascertained	37
8	Refused	5
9	Don't know	7
Total		10403

Universe : Applicable if R is less than 25 years of age (agescrn < 25)

ACASI Male File :: Sex with females (KE)

FEMTOUCH(31-31)

Variable Type : Raw

KE-1 : Has a female ever touched your penis until you ejaculated, or "came"?

value	label	Total
.	INAPPLICABLE	8092
1	Yes	1079
5	No	1180
7	Not ascertained	37
8	Refused	14
9	Don't know	1
Total		10403

Universe : Applicable if R is under 20 years of age (agescrn < 20) and he has never been married and never cohabited (evrmarry = 0 and evrcohab = 0)

VAGSEX(32-32)

Variable Type : Raw

KE-2 : Have you ever put your penis in a female's vagina (also known as vaginal intercourse)?

value	label	Total
.	INAPPLICABLE	6302
1	Yes	2306
5	No	1729
7	Not ascertained	37
8	Refused	29
Total		10403

Universe : Applicable if R has never married, never cohabited, and not fathered any pregnancies thus far in the interview (evrmarry = 0 or evrcohab = 0) or (0 < pregacasi <= 95) or (0 < TOTPREGS_C < 97) or (0 < TOTPREGS_R <= 95)

AGEVAGR(33-34)

Variable Type : Raw

KE-2b : The first time this occurred, how old were you?

value	label	Total
.	INAPPLICABLE	8060
0-14	UNDER 15 YEARS	446
15-17	15-17 YEARS	1157
18-19	18-19 YEARS	426
20-95	20 YEARS OR OLDER	266
97	Not ascertained	37
98	Refused	9
99	Don't know	2
	Total	10403

Universe : Applicable if R was asked in ACASI and reported ever having vaginal intercourse with a female (KE-2 VAGSEX = 1)

CONDVAG(35-35)

Variable Type : Raw

KE-3 : Did you use a condom the last time you had vaginal intercourse with a female?

value	label	Total
.	INAPPLICABLE	1758
1	Yes	3625
5	No	4952
7	Not ascertained	39
8	Refused	20
9	Don't know	9
	Total	10403

Universe : Applicable if R reported ever having vaginal intercourse with a female (KE-2 VAGSEX = 1 or blank)

WHYCONDL(36-36)

Variable Type : Raw

KE-4 : The last time you had vaginal intercourse with a female, did you use the condom...

value	label	Total
.	INAPPLICABLE	6739
1	To prevent pregnancy	1386
2	To prevent diseases like syphilis, gonorrhea or AIDS	195
3	For both reasons	1979
4	Or for some other reason	57
7	Not ascertained	39
8	Refused	5
9	Don't know	3
	Total	10403

Universe : Applicable if R used a condom the last time he had vaginal intercourse (KE-3 CONDVAG)

GETORALF(37-37)

Variable Type : Raw

KE-5 : The next few questions are about oral sex. By oral sex, we mean stimulating the genitals with the mouth. Has a female ever performed oral sex on you, that is, stimulated your penis with her mouth?

value	label	Total
1	Yes	7836
5	No	2432
7	Not ascertained	39
8	Refused	86
9	Don't know	10
Total		10403

Universe : Applicable for all respondents

CONDFELL(38-38)

Variable Type : Raw

KE-6 : Did you use a condom the last time a female performed oral sex on you?

value	label	Total
.	INAPPLICABLE	2528
1	Yes	622
5	No	7210
7	Not ascertained	39
8	Refused	2
9	Don't know	2
Total		10403

Universe : Applicable if R reported ever having oral sex with a female partner (KE-5 GETORALF = 1)

GIVORALF(39-39)

Variable Type : Raw

KE-7 : Have you ever performed oral sex on a female?

value	label	Total
1	Yes	7282
5	No	2988
7	Not ascertained	39
8	Refused	81
9	Don't know	13
Total		10403

Universe : Applicable for all respondents

anyoral(40-40)

Variable Type : Computed

Description : Whether R has ever had oral sex with a female (Computed in Flow Check K-6c)

value	label	Total
.	INAPPLICABLE	2471
1	Yes	6205
5	No	1688
7	Not ascertained	39
Total		10403

Universe : Applicable if QuestYear >= 2 (computed starting in Year 2) and R gave valid responses to the oral sex questions ((KE-5 GETORALF = 1 or 5) and (KE-7 GIVORALF = 1 or 5))

TIMING(41-41)

Variable Type : Raw

KE-7b : Thinking back to when you had oral sex with a female for the first time, was it before, after, or on the same occasion as your first vaginal intercourse with a female?

value	label	Total
.	INAPPLICABLE	8576
1	Before first vaginal intercourse	717
3	After first vaginal intercourse	695
5	Same occasion	361
7	Not ascertained	39
8	Refused	6
9	Don't know	9
	Total	10403

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R's age at screener is less than 25 years (agescrn < 25) and R reported having ever had both vaginal and oral sex ((KE-2 VAGSEX = 1 or blank) and anyoral = 1)

ANALSEX(42-42)

Variable Type : Raw

KE-8 : Have you ever put your penis in a female's rectum or butt (also known as anal sex)?

value	label	Total
1	Yes	3574
5	No	6703
7	Not ascertained	39
8	Refused	79
9	Don't know	8
	Total	10403

Universe : Applicable for all respondents

CONDANAL(43-43)

Variable Type : Raw

KE-9 : Did you use a condom the last time you had anal sex with a female?

value	label	Total
.	INAPPLICABLE	6790
1	Yes	1191
5	No	2380
7	Not ascertained	39
8	Refused	2
9	Don't know	1
	Total	10403

Universe : Applicable if R reported ever having anal sex with a female (KE-8 ANALSEX = 1)

oppsexany(44-44)

Variable Type : Computed

Description : Ever had vaginal, oral or anal sex with a female [Computed in Flow Check K-7]

value	label	Total
.	INAPPLICABLE	31
1	YES	8981

5	NO	1352
7	Not ascertained	39
Total		10403

Universe : Applicable if R gave answers other than "don't know" or "refused" to all of the questions on opposite-sex activity (KE-2 VAGSEX NE DK/RF and KE-5 GETORALF NE DK/RF and KE-7 GIVORALF NE DK/RF and KE-8 ANALSEX NE DK/RF and KE-9 FEMTOUCH NE DK/RF).

oppsexgen(45-45)

Variable Type : Computed

Description : Ever had male-genital-involving sex with a female [Computed in Flow Check K-7]

value	label	Total
.	INAPPLICABLE	31
1	YES	8968
5	NO	1365
7	Not ascertained	39
Total		10403

Universe : Applicable if R gave answers other than "don't know" or "refused" to all of the questions on opposite-sex activity (KE-2 VAGSEX NE DK/RF and KE-5 GETORALF NE DK/RF and KE-7 GIVORALF NE DK/RF and KE-8 ANALSEX NE DK/RF and KE-9 FEMTOUCH NE DK/RF).

CONDSEXL(46-46)

Variable Type : Raw

KE-10 : The very last time you had any type of sex -- that is, vaginal intercourse or anal sex or oral sex -- with a female partner, did you use a condom?

value	label	Total
.	INAPPLICABLE	6552
1	Yes	2989
5	No	819
7	Not ascertained	39
8	Refused	2
9	Don't know	2
Total		10403

Universe : Applicable if R reported more than 1 form of male-genital-involving sex (more than 1 of these statements true: KE-2 VAGSEX = 1, KE-7 GIVORALF = 1, KE-8 ANALSEX = 1) and reported condom use at last sex for any specific type (KE-3 CONDVAG = 1 or KE-6 CONDFELL = 1 or KE-9 CONDANAL = 1)

ACASI Male File :: Non voluntary intercourse: female - male (KF)

WANTSEX1(47-47)

Variable Type : Raw

KF-1 : Think back to the very first time you had vaginal intercourse with a female. Which would you say comes closest to describing how much you wanted that first vaginal intercourse to happen?

value	label	Total
.	INAPPLICABLE	2248
1	I really didn't want it to happen at the time	453
2	I had mixed feelings -- part of me wanted it to happen at the time and part of me didn't	2252
3	I really wanted it to happen at the time	5328
7	Not ascertained	39
8	Refused	57

9	Don't know	26
	Total	10403

Universe : Applicable if R is 18 years or older (age_r GE 18) and R reported ever having vaginal intercourse (KE-2 VAGSEX = 1 or blank)

HOWOLD(48-49)

Variable Type : Raw

KF-1b : How old were you when this first intercourse happened?

value	label	Total
.	INAPPLICABLE	2248
0-14	UNDER 15 YEARS	1704
15-17	15-17 YEARS	3625
18-19	18-19 YEARS	1482
20-95	20 YEARS OR OLDER	1226
97	Not ascertained	39
98	Refused	52
99	Don't know	27
	Total	10403

Universe : Applicable if R is 18 years or older (age_r GE 18) and R reported ever having vaginal intercourse (KE-2 VAGSEX = 1 or blank)

EVRFORCD(50-50)

Variable Type : Raw

KF-2 : At any time in your life, have you ever been forced by a female to have vaginal intercourse against your will?

value	label	Total
.	INAPPLICABLE	1423
1	Yes	510
5	No	8397
7	Not ascertained	39
8	Refused	27
9	Don't know	7
	Total	10403

Universe : Applicable if R is 18 years or older (age_r GE 18)

AGEFORC1(51-52)

Variable Type : Raw

KF-3 : How old were you the very first time you were forced by a female to have vaginal intercourse against your will?

value	label	Total
.	INAPPLICABLE	9854
0-14	UNDER 15 YEARS	119
15-17	15-17 YEARS	132
18-19	18-19 YEARS	92
20-95	20 YEARS OR OLDER	155
97	Not ascertained	39
98	Refused	4
99	Don't know	8
	Total	10403

Universe : Applicable if R is 18 years or older (age_r GE 18) and R reported ever being forced by a female to have vaginal intercourse against his will (KF-2 EVRFORCD = 1)

GIVNDRG2(53-53)

Variable Type : Raw

KF-4a : Were you given alcohol or drugs?

value	label	Total
.	INAPPLICABLE	9854
1	Yes	187
5	No	323
7	Not ascertained	39
Total		10403

Universe : Applicable if R is 18 years or older (age_r GE 18) and R reported ever being forced by a female to have vaginal intercourse against his will (KF-2 EVRFORCD = 1)

SHEBIGOL(54-54)

Variable Type : Raw

KF-4b : Did you do what she said because she was bigger than you or a grown-up, and you were young?

value	label	Total
.	INAPPLICABLE	9854
1	Yes	171
5	No	338
7	Not ascertained	39
9	Don't know	1
Total		10403

Universe : Applicable if R is 18 years or older (age_r GE 18) and R reported ever being forced by a female to have vaginal intercourse against his will (KF-2 EVRFORCD = 1)

ENDRELA2(55-55)

Variable Type : Raw

KF-4c : Were you told that the relationship would end if you didn't have sex?

value	label	Total
.	INAPPLICABLE	9854
1	Yes	111
5	No	397
7	Not ascertained	39
9	Don't know	2
Total		10403

Universe : Applicable if R is 18 years or older (age_r GE 18) and R reported ever being forced by a female to have vaginal intercourse against his will (KF-2 EVRFORCD = 1)

WRDPRES2(56-56)

Variable Type : Raw

KF-4d : Were you pressured into it by her words or actions, but without threats of harm?

value	label	Total
.	INAPPLICABLE	9854
1	Yes	347

5	No	160
7	Not ascertained	39
8	Refused	1
9	Don't know	2
Total		10403

Universe : Applicable if R is 18 years or older (age_r GE 18) and R reported ever being forced by a female to have vaginal intercourse against his will (KF-2 EVRFORCD = 1)

THRTPHY2(57-57)

Variable Type : Raw

KF-4e : Were you threatened with physical hurt or injury?

value	label	Total
.	INAPPLICABLE	9854
1	Yes	50
5	No	458
7	Not ascertained	39
8	Refused	1
9	Don't know	1
Total		10403

Universe : Applicable if R is 18 years or older (age_r GE 18) and R reported ever being forced by a female to have vaginal intercourse against his will (KF-2 EVRFORCD = 1)

PHYSHRT2(58-58)

Variable Type : Raw

KF-4f : Were you physically hurt or injured?

value	label	Total
.	INAPPLICABLE	9854
1	Yes	31
5	No	477
7	Not ascertained	39
8	Refused	1
9	Don't know	1
Total		10403

Universe : Applicable if R is 18 years or older (age_r GE 18) and R reported ever being forced by a female to have vaginal intercourse against his will (KF-2 EVRFORCD = 1)

HELDDWN2(59-59)

Variable Type : Raw

KF-4g : Were you physically held down?

value	label	Total
.	INAPPLICABLE	9854
1	Yes	146
5	No	362
7	Not ascertained	39
9	Don't know	2
Total		10403

Universe : Applicable if R is 18 years or older (age_r GE 18) and R reported ever being forced by a female to have vaginal intercourse against his will (KF-2 EVRFORCD = 1)

ACASI Male File :: STD/HIV risking behaviors: females (KG)

PARTSLIF_1(60-62)

Variable Type : Raw

KG-1 : Thinking about your entire life, how many female sex partners have you had? Please count every partner even those you had sex with only once.

value	label	Total
.	INAPPLICABLE	1383
1	1 PARTNER	1361
2	2 PARTNERS	766
3	3 PARTNERS	773
4	4 PARTNERS	650
5	5 PARTNERS	713
6	6 PARTNERS	519
7	7 PARTNERS	426
8	8 PARTNERS	227
9	9 PARTNERS	172
10	10 PARTNERS	427
11-19	11-19 PARTNERS	1087
20-29	20-29 PARTNERS	692
30-39	30-39 PARTNERS	298
40-49	40-49 PARTNERS	146
50	50 OR MORE PARTNERS	499
997	Not ascertained	39
998	Refused	115
999	Don't know	110
	Total	10403

Universe : Applicable if R reported any oral, anal, vaginal intercourse with female (oppsexany = 1)

Notes : This variable has been top-coded for public use.

PARTSLFV(63-63)

Variable Type : Raw

KG-1v : It is very important that we get accurate responses to this key question. The computer recorded that you have had [PARTSLIF_1] female sex partners in your entire life. If this answer is correct, select "Yes" to move on to the next question. If the computer recorded an incorrect response, please select "No" to change your answer.

value	label	Total
.	INAPPLICABLE	10235
1	Yes	125
5	No	4
7	Not ascertained	39
	Total	10403

Universe : Applicable if R reported questionable number of female sexual partners in lifetime (KG-1 PARTSLIF_1 = 111, 222, 333, 444, 555, 666, 777, or 888)

PARTSLIF_2(64-66)

Variable Type : Raw

KG-1 : Thinking about your entire life, how many female sex partners have you had? Please count every partner even those you had sex with only once.

value	label	Total
.	INAPPLICABLE	10361
1	1 PARTNER	1
3	3 PARTNERS	1
50	50 OR MORE PARTNERS	1
997	Not ascertained	39
	Total	10403

Universe : Applicable if R reported the previously entered information on number of female sexual partners in lifetime was incorrect (KG-1v PARTSLFV = 5)

Notes : This variable has been top-coded for public use.

PARTS12_1(67-69)

Variable Type : Raw

KG-2 : Thinking about the last 12 months, how many female sex partners have you had in the 12 months since [INTERVIEW MONTH, INTERVIEW YEAR -1]? Please count every partner, even those you had sex with only once in those 12 months.

value	label	Total
.	INAPPLICABLE	1383
0	0 PARTNERS	881
1	1 PARTNER	5551
2	2 PARTNERS	1089
3	3 PARTNERS	570
4	4 PARTNERS	290
5	5 PARTNERS	141
6	6 PARTNERS	80
7	7 PARTNERS	80
8	8 PARTNERS	33
9	9 PARTNERS	15
10	10 PARTNERS	36
11-19	11-19 PARTNERS	64
20	20 OR MORE PARTNERS	38
997	Not ascertained	40
998	Refused	68
999	Don't know	44
	Total	10403

Universe : Applicable if R reported any vaginal, oral, or anal sex with a female (oppsexany = 1)

Notes : This variable has been top-coded for public use.

PARTS12V(70-70)

Variable Type : Raw

KG-2v : It is very important that we get accurate responses to this key question. The computer recorded that you have had [PARTS12_1] female sex partners in the last 12 months. If this answer is correct, select "Yes" to move on to the next question. If the computer recorded an incorrect response, please select "No" to change your answer.

value	label	Total
.	INAPPLICABLE	10356
1	Yes	2
5	No	5
7	Not ascertained	40
	Total	10403

Universe : Applicable if R reported questionable number of female sexual partners in the last 12 months (KG-2 PARTS12_1 = 111, 222, 333, 444, 555, 666, 777, or 888)

PARTS12_2(71-73)

Variable Type : Raw

KG-2 : Thinking about the last 12 months, how many female sex partners have you had in the 12 months since [INTERVIEW MONTH, INTERVIEW YEAR -1]? Please count every partner, even those you had sex with only once in those 12 months.

value	label	Total
.	INAPPLICABLE	10359
1	1 PARTNER	1
5	5 PARTNERS	1
11-19	11-19 PARTNERS	2
997	Not ascertained	40
Total		10403

Universe : Applicable if R reported the previously entered information on number of female sexual partners in the last 12 months was incorrect (KG-2v PARTS12V = 5)

Notes : This variable has been top-coded for public use.

NEWYEAR(74-76)

Variable Type : Raw

KG-2YR : Earlier you reported having more female partners in the last 12 months than you have had in your life. One or both of these numbers appear to be entered incorrectly, so those questions will be asked again. Your previous answers are displayed below: [PARTS12] female partners in last 12 months [PARTSLIF] female partners in lifetime How many female partners did you have in the last 12 months?

value	label	Total
.	INAPPLICABLE	10321
0	0 PARTNERS	4
1	1 PARTNER	7
2	2 PARTNERS	9
3	3 PARTNERS	7
4	4 PARTNERS	2
5	5 PARTNERS	4
6-996	6 OR MORE PARTNERS	8
997	Not ascertained	40
999	Don't know	1
Total		10403

Universe : Applicable if R is still reporting his number of partners in the last 12 months that is greater than his lifetime number (KG-2 PARTS12_2 > KG-1 PARTSLIF_2)

NEWLIFE(77-79)

Variable Type : Raw

KG-2LF : How many female partners did you have in your lifetime?

value	label	Total
.	INAPPLICABLE	10321
1	1 PARTNER	6
2	2 PARTNERS	5
3	3 PARTNERS	7
4	4 PARTNERS	2

5	5 PARTNERS	3
6	6 PARTNERS	3
7	7 PARTNERS	2
9	9 PARTNERS	1
10	10 PARTNERS	2
11-19	11-19 PARTNERS	4
20-29	20-29 PARTNERS	3
50-996	50 OR MORE PARTNERS	3
997	Not ascertained	40
999	Don't know	1
	Total	10403

Universe : Applicable if R is still reporting his number of partners in the last 12 months that is greater than his lifetime number (KG-2 PARTS12_2 > KG-1 PARTSLIF_2)

VAGNUM12(80-82)

Variable Type : Raw

KG-2YRa : Your number of female partners in the last 12 months is displayed below. Thinking of your female partners in the last 12 months, with how many of them did you have vaginal intercourse?

value label	Total	
.	INAPPLICABLE	5216
0	0 PARTNERS	64
1	1 PARTNER	3307
2	2 PARTNERS	755
3	3 PARTNERS	408
4	4 PARTNERS	221
5	5 PARTNERS	115
6-996	6 OR MORE PARTNERS	272
997	Not ascertained	40
998	Refused	2
999	Don't know	3
	Total	10403

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R reported any female sexual partners in the last 12 months (KG-2 PARTS12_1 > 0 or PARTS12_2 > 0 or KG-2YR NEWYEAR > 0) and R reported ever having vaginal intercourse (JD-1 VAGSEX = 1 or blank)

ORALNUM12(83-85)

Variable Type : Raw

KG-2YRb : (Your number of female partners in the last 12 months is displayed below.) Thinking of your female partners in the last 12 months, with how many of them did you have oral sex, either giving or receiving?

value label	Total	
.	INAPPLICABLE	5418
0	0 PARTNERS	344
1	1 PARTNER	3125
2	2 PARTNERS	684
3	3 PARTNERS	341
4	4 PARTNERS	151
5	5 PARTNERS	94
6-996	6 OR MORE PARTNERS	193
997	Not ascertained	41
998	Refused	10
999	Don't know	2
	Total	10403

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R reported any female sexual partners in the last 12 months (KG-2 PARTS12_1 > 0 or PARTS12_2 > 0 or KG-2YR NEWYEAR > 0) and R reported ever having oral sex with a female (anyoral = 1)

ANALNUM12(86-88)

Variable Type : Raw

KG-2YRc : (Your number of female partners in the last 12 months is displayed below.) Thinking of your female partners in the last 12 months, with how many of them did you have anal sex?

value	label	Total
.	INAPPLICABLE	7905
0	0 PARTNERS	1118
1	1 PARTNER	1073
2	2 PARTNERS	139
3	3 PARTNERS	53
4	4 PARTNERS	15
5	5 PARTNERS	22
6-996	6 OR MORE PARTNERS	30
997	Not ascertained	41
998	Refused	4
999	Don't know	3
Total		10403

Universe : Applicable if QuestYear >= 2 (asked starting in Year 2) and R reported any female sexual partners in the last 12 months (KG-2 PARTS12_1 > 0 or PARTS12_2 > 0 or KG-2YR NEWYEAR > 0) and R reported ever having anal sex with a female (KE-8 ANALSEX = 1)

CURRPAGE(89-90)

Variable Type : Raw

KG-3a : Earlier you reported that you last had sexual intercourse with the [person / first person] shown on the screen in [M/Y OF LAST SEX WITH THIS PARTNER]. How old was she at that time?

value	label	Total
.	INAPPLICABLE	10164
0-14	UNDER 15 YEARS	15
15-17	15-17 YEARS	151
18-19	18-19 YEARS	26
20-95	20 YEARS OR OLDER	3
97	Not ascertained	41
98	Refused	2
99	Don't know	1
Total		10403

Universe : Applicable if R is under 18 years of age (age_r < 18) and has 1 or more current female sexual partners (currprts > 0)

Notes : use recode LSEXPAGE on main PUF

RELAGE(91-91)

Variable Type : Raw

KG-3b : Is she older than you, younger than you or about the same age? (1st CURRENT PARTNER LISTED)

value	label	Total
.	INAPPLICABLE	10361
1	Older	1

7	Not ascertained	41
Total		10403

Universe : Applicable if R did not know age of this current partner at their last sexual intercourse (KG-3a CURRPAGE = DK)

Notes : use recode LSEXPAGE on main PUF

HOWMUCH(92-92)

Variable Type : Raw

KG-3c : By how many years? (1st CURRENT PARTNER LISTED)

value	label	Total
.	INAPPLICABLE	10361
3	6-10 years	1
7	Not ascertained	41
Total		10403

Universe : Applicable if R reported this current partner's age at their last sexual intercourse was either older or younger than himself (KG-3b RELAGE = 1 or 2)

Notes : use recode LSEXPAGE on main PUF

CURRPAGE2(93-94)

Variable Type : Raw

KG-3a : Earlier you reported that you last had sexual intercourse with the second person shown on the screen in [M/Y OF LAST SEX WITH THIS PARTNER]. How old was she at that time?

value	label	Total
.	INAPPLICABLE	10339
0-14	UNDER 15 YEARS	5
15-17	15-17 YEARS	18
97	Not ascertained	41
Total		10403

Universe : Applicable if R is under 18 years of age (age_r < 18) and has 2 or more current female sexual partners (currprts > 1)

RELAGE2(95-95)

Variable Type : Raw

KG-3b : Is she older than you, younger than you or about the same age? (2nd CURRENT PARTNER LISTED)

value	label	Total
.	INAPPLICABLE	10362
7	Not ascertained	41
Total		10403

Universe : Applicable if R did not know age of this current partner at their last sexual intercourse (KG-3a CURRPAGE2 = DK)

HOWMUCH2(96-96)

Variable Type : Raw

KG-3c : By how many years? (2nd CURRENT PARTNER LISTED)

value	label	Total
.	INAPPLICABLE	10362
7	Not ascertained	41
	Total	10403

Universe : Applicable if R reported this current partner's age at their last sexual intercourse was either older or younger than himself (KG-3b RELAGE2 = 1 or 2)

CURRPAGE3(97-98)

Variable Type : Raw

KG-3a : Earlier you reported that you last had sexual intercourse with the third person shown on the screen in [M/Y OF LAST SEX WITH THIS PARTNER]. How old was she at that time?

value	label	Total
.	INAPPLICABLE	10350
0-14	UNDER 15 YEARS	2
15-17	15-17 YEARS	9
18-19	18-19 YEARS	1
97	Not ascertained	41
	Total	10403

Universe : Applicable if R is under 18 years of age (age_r < 18) and has 3 or more current female sexual partners (currprts > 2)

RELAGE3(99-99)

Variable Type : Raw

KG-3b : Is she older than you, younger than you or about the same age? (3rd CURRENT PARTNER LISTED)

value	label	Total
.	INAPPLICABLE	10362
7	Not ascertained	41
	Total	10403

Universe : Applicable if R did not know age of this current partner at their last sexual intercourse (KG-3a CURRPAGE3 = DK)

HOWMUCH3(100-100)

Variable Type : Raw

KG-3c : By how many years? (3rd CURRENT PARTNER LISTED)

value	label	Total
.	INAPPLICABLE	10362
7	Not ascertained	41
	Total	10403

Universe : Applicable if R reported this current partner's age at their last sexual intercourse was either older or younger than himself (KG-3b RELAGE3 = 1 or 2)

NONMONOG(101-101)

Variable Type : Raw

KG-4 : [Now please think about all of your female sexual partners in the last 12 months, that is since [INTERVIEW MONTH, INTERVIEW YEAR - 1]. [In the last 12 months /In the last 12 months, that is since [INTERVIEW MONTH, INTERVIEW YEAR-1]], did you have sex with any females who were also having sex with other people at around the same time?

value	label	Total
.	INAPPLICABLE	2332
1	Yes	1321
5	No	6637
7	Not ascertained	41
8	Refused	4
9	Don't know	68
Total		10403

Universe : Applicable if R reported any female sexual partners in the last 12 months (KG-2 PARTS12_1 > 0 or PARTS12_2 > 0 or KG-2YR NEWYEAR > 0) or R said he did not know how many female partners he had in the last 12 months (PARTS12_1 = DK)

FEMSHT12(102-102)

Variable Type : Raw

KG-6 : In the last 12 months, have you had sex with a female who takes or shoots street drugs using a needle?

value	label	Total
.	INAPPLICABLE	2332
1	Yes	103
5	No	7912
7	Not ascertained	41
8	Refused	1
9	Don't know	14
Total		10403

Universe : Applicable if R reported any female sexual partners in the last 12 months (KG-2 PARTS12_1 > 0 or PARTS12_2 > 0 or KG-2YR NEWYEAR > 0) or R said he did not know how many female partners he had in the last 12 months (PARTS12_1 = DK)

JOHNFREQ(103-103)

Variable Type : Raw

KG-7 : In the last 12 months, have you given a female money or drugs in exchange for having sex with you?

value	label	Total
.	INAPPLICABLE	2332
1	Yes	141
5	No	7881
7	Not ascertained	41
8	Refused	2
9	Don't know	6
Total		10403

Universe : Applicable if R reported any female sexual partners in the last 12 months (KG-2 PARTS12_1 > 0 or PARTS12_2 > 0 or KG-2YR NEWYEAR > 0) or R said he did not know how many female partners he had in the last 12 months (PARTS12_1 = DK)

PROSTFRQ(104-104)

Variable Type : Raw

KG-8 : In the last 12 months, has a female given you money or drugs to have sex with her?

value	label	Total
.	INAPPLICABLE	2332
1	Yes	102
5	No	7922

7	Not ascertained	41
8	Refused	1
9	Don't know	5
Total		10403

Universe : Applicable if R reported any female sexual partners in the last 12 months (KG-2 PARTS12_1 > 0 or PARTS12_2 > 0 or KG-2YR NEWYEAR > 0) or R said he did not know how many female partners he had in the last 12 months (PARTS12_1 = DK)

HIVFEM12(105-105)

Variable Type : Raw

KG-9 : In the last 12 months, have you had sex with a female who you knew was infected with the AIDS virus?

value	label	Total
.	INAPPLICABLE	2332
1	Yes	20
5	No	8001
7	Not ascertained	41
8	Refused	2
9	Don't know	7
Total		10403

Universe : Applicable if R reported any female sexual partners in the last 12 months (KG-2 PARTS12_1 > 0 or PARTS12_2 > 0 or KG-2YR NEWYEAR > 0) or R said he did not know how many female partners he had in the last 12 months (PARTS12_1 = DK)

ACASI Male File :: Sex with males (KH)

GIVORALM(106-106)

Variable Type : Raw

KH-1 : Have you ever performed oral sex on another male, that is, stimulated his penis with your mouth

value	label	Total
1	Yes	448
5	No	9870
7	Not ascertained	41
8	Refused	43
9	Don't know	1
Total		10403

Universe : Applicable for all respondents

GETORALM(107-107)

Variable Type : Raw

KH-2 : Has another male ever performed oral sex on you, that is, stimulated your penis with his mouth?

value	label	Total
1	Yes	544
5	No	9779
7	Not ascertained	41
8	Refused	37
9	Don't know	2
Total		10403

Universe : Applicable for all respondents

ANALSEX2(108-108)

Variable Type : Raw

KH-3 : Has another male ever put his penis in your rectum or butt (anal sex)?

value	label	Total
1	Yes	288
5	No	10033
7	Not ascertained	41
8	Refused	39
9	Don't know	2
	Total	10403

Universe : Applicable for all respondents

ANALSEX3(109-109)

Variable Type : Raw

KH-4 : Have you ever put your penis in his rectum or butt (anal sex)?

value	label	Total
1	Yes	320
5	No	10002
7	Not ascertained	41
8	Refused	39
9	Don't know	1
	Total	10403

Universe : Applicable for all respondents

samesexany(110-110)

Variable Type : Computed

Description : Ever had oral or anal sex with a male [Computed in Flow Check K-13]

value	label	Total
.	INAPPLICABLE	50
1	YES	599
5	NO	9713
7	Not ascertained	41
	Total	10403

Universe : Applicable if R gave answers other than "don't know" or "refused" to all of the questions on same-sex activity (KH-1 GIVORALM NE DK/RF and KH-2 GETORALM NE DK/RF and KH-3 ANALSEX2 NE DK/RF and KH-4 ANALSEX3 NE DK/RF).

ACASI Male File :: Non voluntary intercourse: male -> male (KI)

EVRFORC2(111-111)

Variable Type : Raw

KI-1 : At any time in your life, have you ever been forced by a male to have oral or anal sex against your will?

value	label	Total
.	INAPPLICABLE	1423
1	Yes	165
5	No	8740
7	Not ascertained	42

8	Refused	31
9	Don't know	2
Total		10403

Universe : Applicable if R is 18 years of age or older (age_r GE 18)

AGEFORC2(112-113)

Variable Type : Raw

KI-2 : How old were you the very first time you were forced by a male to have sexual intercourse against your will?

value	label	Total
.	INAPPLICABLE	10196
0-14	UNDER 15 YEARS	127
15-17	15-17 YEARS	14
18-19	18-19 YEARS	9
20-95	20 YEARS OR OLDER	15
97	Not ascertained	42
Total		10403

Universe : Applicable if R reported ever being forced by a male to have oral or anal sex against his will (KI-1 EVRFORC2 = 1)

GIVNDRG3(114-114)

Variable Type : Raw

KI-3a : Were you given alcohol or drugs?

value	label	Total
.	INAPPLICABLE	10196
1	Yes	33
5	No	132
7	Not ascertained	42
Total		10403

Universe : Applicable if R reported ever being forced by a male to have oral or anal sex against his will (KI-1 EVRFORC2 = 1)

HEBIGOLD(115-115)

Variable Type : Raw

KI-3b : Did you do what he said because he was bigger than you or a grown- up, and you were young?

value	label	Total
.	INAPPLICABLE	10196
1	Yes	138
5	No	27
7	Not ascertained	42
Total		10403

Universe : Applicable if R reported ever being forced by a male to have oral or anal sex against his will (KI-1 EVRFORC2 = 1)

ENDRELA3(116-116)

Variable Type : Raw

KI-3c : Were you told that the relationship would end if you didn't have sex?

value	label	Total
.	INAPPLICABLE	10196
1	Yes	18
5	No	147
7	Not ascertained	42
Total		10403

Universe : Applicable if R reported ever being forced by a male to have oral or anal sex against his will (KI-1 EVRFORC2 = 1)

WRDPRES3(117-117)

Variable Type : Raw

KI-3d : Were you pressured into it by his words or actions, but without threats of harm?

value	label	Total
.	INAPPLICABLE	10196
1	Yes	107
5	No	57
7	Not ascertained	42
9	Don't know	1
Total		10403

Universe : Applicable if R reported ever being forced by a male to have oral or anal sex against his will (KI-1 EVRFORC2 = 1)

THRTPHY3(118-118)

Variable Type : Raw

KI-3e : Were you threatened with physical hurt or injury?

value	label	Total
.	INAPPLICABLE	10196
1	Yes	67
5	No	97
7	Not ascertained	42
9	Don't know	1
Total		10403

Universe : Applicable if R reported ever being forced by a male to have oral or anal sex against his will (KI-1 EVRFORC2 = 1)

PHYSHRT3(119-119)

Variable Type : Raw

KI-3f : Were you physically hurt or injured?

value	label	Total
.	INAPPLICABLE	10196
1	Yes	51
5	No	114
7	Not ascertained	42
Total		10403

Universe : Applicable if R reported ever being forced by a male to have oral or anal sex against his will (KI-1 EVRFORC2 = 1)

HELDDWN3(120-120)

Variable Type : Raw

KI-3g : Were you physically held down?

value	label	Total
.	INAPPLICABLE	10196
1	Yes	78
5	No	86
7	Not ascertained	42
9	Don't know	1
	Total	10403

Universe : Applicable if R reported ever being forced by a male to have oral or anal sex against his will (KI-1 EVRFORC2 = 1)

ACASI Male File :: STD/HIV risking behaviors: males (KJ)

MALEPRTS_1(121-123)

Variable Type : Raw

KJ-1 : Thinking about your entire life, how many male sex partners have you had?

value	label	Total
.	INAPPLICABLE	9762
1	1 PARTNER	217
2	2 PARTNERS	71
3	3 PARTNERS	46
4	4 PARTNERS	18
5	5 PARTNERS	38
6	6 PARTNERS	8
7	7 PARTNERS	9
8	8 PARTNERS	8
9	9 PARTNERS	4
10	10 OR MORE PARTNERS	145
997	Not ascertained	42
998	Refused	19
999	Don't know	16
	Total	10403

Universe : Applicable if R reported oral or anal sex with a male (samesexany = 1)

Notes : This variable has been top-coded for public use.

MALEPRTSV(124-124)

Variable Type : Raw

KJ-1v : It is very important that we get accurate responses to this key question. The computer recorded that you have had [MALEPRTS_1] male sex partners in your entire life. If this answer is correct, select "Yes" to move on to the next question. If the computer recorded an incorrect response, please select "No" to change your answer.

value	label	Total
.	INAPPLICABLE	10358
1	Yes	3
7	Not ascertained	42
	Total	10403

Universe : Applicable if R reported questionable number of male sexual partners in lifetime (KJ-1 MALEPRTS_1 = 111, 222, 333, 444, 555, 666, 777, or 888)

MALEPRTS_2(125-127)

Variable Type : Raw

KJ-1 : Thinking about your entire life, how many male sex partners have you had?

value	label	Total
.	INAPPLICABLE	10361
997	Not ascertained	42
	Total	10403

Universe : Applicable if R reported the previously entered information on number of male sexual partners in lifetime was incorrect (KJ-1 MALEPRTSV = 5)

Notes : This variable has been top-coded for public use.

MALPRT12_1(128-130)

Variable Type : Raw

KJ-2 : Thinking about the last 12 months, how many male sex partners have you had in the 12 months since [INTERVIEW MONTH, INTERVIEW YEAR-1]? Please count every partner, even those you had sex with only once in those 12 months.

value	label	Total
.	INAPPLICABLE	9762
0	0 PARTNERS	317
1	1 PARTNER	123
2	2 PARTNERS	51
3	3 PARTNERS	23
4	4 PARTNERS	8
5	5 PARTNERS	22
6	6 OR MORE PARTNERS	45
997	Not ascertained	42
998	Refused	6
999	Don't know	4
	Total	10403

Universe : Applicable if R reported oral or anal sex with a male (samesexany = 1)

Notes : This variable has been top-coded for public use.

MALPRT12V(131-131)

Variable Type : Raw

KJ-2v : It is very important that we get accurate responses to this key question. The computer recorded that you have had [MALPRT12_1] male sex partners in the last 12 months. If this answer is correct, select "Yes" to move on to the next question. If the computer recorded an incorrect response, please select "No" to change your answer.

value	label	Total
.	INAPPLICABLE	10361
7	Not ascertained	42
	Total	10403

Universe : Applicable if R reported questionable number of male sexual partners in the last 12 months (KJ-2 MALPRT12_1 = 111, 222, 333, 444, 555, 666, 777, or 888)

MALPRT12_2(132-134)

Variable Type : Raw

KJ-2 : Thinking about the last 12 months, how many male sex partners have you had in the 12 months since [INTERVIEW MONTH, INTERVIEW YEAR-1]? Please count every partner, even those you had sex with only once in those 12 months.

value	label	Total
.	INAPPLICABLE	10361
997	Not ascertained	42
	Total	10403

Universe : Applicable if R reported the previously entered information on number of male sexual partners in the last 12 months was incorrect (KJ-2 MALPRT12V = 5)

Notes : This variable has been top-coded for public use.

CNDLSMAL(135-135)

Variable Type : Raw

KJ-3 : The last time you had oral or anal sex with a male partner, was a condom used?

value	label	Total
.	INAPPLICABLE	9762
1	Yes	187
5	No	401
7	Not ascertained	42
8	Refused	9
9	Don't know	2
	Total	10403

Universe : Applicable if reported oral or anal sex with a male (samesexany = 1)

MALSHT12(136-136)

Variable Type : Raw

KJ-5 : In the last 12 months, have you had sex with a male who takes or shoots street drugs using a needle?

value	label	Total
.	INAPPLICABLE	10085
1	Yes	10
5	No	266
7	Not ascertained	42
	Total	10403

Universe : Applicable if R had at least 1 male sexual partner in last 12 months (KJ-2 MALPRT12_1 > 0 or MALPRT12_1 = DK)

JOHN2FRQ(137-137)

Variable Type : Raw

KJ-6 : In the last 12 months, have you given a male money or drugs in exchange for having sex with you?

value	label	Total
.	INAPPLICABLE	10085
1	Yes	8
5	No	268
7	Not ascertained	42
	Total	10403

Universe : Applicable if R had at least 1 male sexual partner in last 12 months (KJ-2 MALPRT12_1 > 0 or

MALPRT12_1 = DK)

PROS2FRQ(138-138)

Variable Type : Raw

KJ-7 : In the last 12 months, has a male given you money or drugs to have sex with him?

value	label	Total
.	INAPPLICABLE	10085
1	Yes	17
5	No	259
7	Not ascertained	42
Total		10403

Universe : Applicable if R had at least 1 male sexual partner in last 12 months (KJ-2 MALPRT12_1 > 0 or MALPRT12_1 = DK)

HIVMAL12(139-139)

Variable Type : Raw

KJ-8 : In the last 12 months, did you have sex with a male who you knew was infected with the AIDS virus?

value	label	Total
.	INAPPLICABLE	10085
1	Yes	32
5	No	244
7	Not ascertained	42
Total		10403

Universe : Applicable if R had at least 1 male sexual partner in last 12 months (KJ-2 MALPRT12_1 > 0 or MALPRT12_1 = DK)

ACASI Male File :: Sexual attraction, orientation, & experience with STDs (KK)

CONDALLS(140-140)

Variable Type : Raw

KK-1 : The very last time you had any type of sex -- that is vaginal intercourse or anal sex or oral sex -- with a male or female partner, was a condom used?

value	label	Total
.	INAPPLICABLE	10290
1	Yes	30
5	No	41
7	Not ascertained	42
Total		10403

Universe : Applicable if R reported having sex with both males and females in the last 12 months ((KG-2 PARTS12_1 > 0 or PARTS12_1 = DK) and (KJ-2 MALPRT12_1 > 0 or MALPRT12_1 = DK)) or if R has reported no partners in the last 12 months but has had both male and female partners in lifetime (oppsexgen = 1 and samesexany = 1 and KG-2 PARTS12_1 = 0, RF and KJ-2 MALPRT12_1 = 0, RF)

MFLASTP(141-141)

Variable Type : Raw

KK-2 : Was that last sexual partner male or female?

value	label	Total
-------	-------	-------

.	INAPPLICABLE	10331
1	Male	9
2	Female	21
7	Not ascertained	42
	Total	10403

Universe : Applicable if R reported condom use at his last sex of any kind (KK-1 CONDALLS = 1)

WHYCOND(142-142)

Variable Type : Raw

KK-3 : Was the condom used...

value	label	Total
.	INAPPLICABLE	10340
1	To prevent pregnancy	6
2	To prevent diseases like syphilis, gonorrhea or AIDS	2
3	For both reasons	12
4	Or for some other reason	1
7	Not ascertained	42
	Total	10403

Universe : Applicable if R reported last sexual partner was a female (KK-2 MFLASTP = 2)

ATTRACT(143-143)

Variable Type : Raw

KK-4 : People are different in their sexual attraction to other people. Which best describes your feelings? Are you...

value	label	Total
1	Only attracted to females	9485
2	Mostly attracted to females	424
3	Equally attracted to females and males	83
4	Mostly attracted to males	79
5	Only attracted to males	169
6	Not sure	74
7	Not ascertained	42
8	Refused	40
9	Don't know	7
	Total	10403

Universe : Applicable for all respondents

ORIENT(144-144)

Variable Type : Raw

KK-5 : Do you think of yourself as ...

value	label	Total
1	Heterosexual or straight	9851
2	Homosexual or gay	224
3	Bisexual	160
4	Y1/Y2:Something else/Y3:[Was deleted as response option]	21
7	Not ascertained	42
8	Refused	75
9	Don't know	30
	Total	10403

Universe : Applicable for all respondents

STDTST12(145-145)

Variable Type : Raw

KK-7 : In the past 12 months, that is, since [INTERVIEW MONTH, INTERVIEW YEAR-1], have you been tested by a doctor or other medical care provider for a sexually transmitted disease like gonorrhea, chlamydia, herpes, or syphilis?

value	label	Total
1	Yes	1836
5	No	8479
7	Not ascertained	42
8	Refused	28
9	Don't know	18
	Total	10403

Universe : Applicable for all respondents

STDTRT12(146-146)

Variable Type : Raw

KK-8 : In the past 12 months, have you been treated or received medication from a doctor or other medical care provider for a sexually transmitted disease like gonorrhea, chlamydia, herpes, or syphilis?

value	label	Total
1	Yes	306
5	No	10019
7	Not ascertained	42
8	Refused	29
9	Don't know	7
	Total	10403

Universe : Applicable for all respondents

GON(147-147)

Variable Type : Raw

KK-9 : In the last 12 months, have you been told by a doctor or other provider that you had gonorrhea?

value	label	Total
.	INAPPLICABLE	10055
1	Yes	58
5	No	247
7	Not ascertained	42
9	Don't know	1
	Total	10403

Universe : Applicable only if R reported STD treatment in last 12 months (KK-8 STDTRT12 = 1)

CHLAM(148-148)

Variable Type : Raw

KK-10 : In the last 12 months, have you been told by a doctor or other medical care provider that you had chlamydia?

value	label	Total
.	INAPPLICABLE	10055

1	Yes	67
5	No	238
7	Not ascertained	42
9	Don't know	1
Total		10403

Universe : Applicable only if R reported STD treatment in last 12 months (KK-8 STDTRT12 = 1)

HERPES(149-149)

Variable Type : Raw

KK-11 : At any time in your life, have you ever been told by a doctor or other medical care provider that you had genital herpes?

value	label	Total
1	Yes	136
5	No	10195
7	Not ascertained	42
8	Refused	24
9	Don't know	6
Total		10403

Universe : Applicable for all respondents

GENWARTS(150-150)

Variable Type : Raw

KK-12 : Asked in Year 1: At any time in your life, have you ever been told by a doctor or other medical care provider that you had genital warts?

Asked starting in Year 2: At any time in your life, have you ever been told by a doctor or other medical care provider that you had genital warts or human papillomavirus also called HPV?

value	label	Total
1	Yes	246
5	No	10085
7	Not ascertained	42
8	Refused	25
9	Don't know	5
Total		10403

Universe : Applicable for all respondents

SYPHILIS(151-151)

Variable Type : Raw

KK-13 : At any time in your life, have you ever been told by a doctor or other medical care provider that you had syphilis?

value	label	Total
1	Yes	67
5	No	10263
7	Not ascertained	42
8	Refused	25
9	Don't know	6
Total		10403

Universe : Applicable for all respondents