

9998	Refused	6
9999	Don't know	5
Total		9543

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

cmbabdob(70-73)

Variable Type : computed

Description : Century Month for baby's or babies' date of birth (delivery date) (computed in Flow Check B-19b)

value	label	Total
.	INAPPLICABLE	2873
380-1340	Before Sept 2011	6241
1341-1352	Sept 2011-Aug 2012	322
1353-1365	Sept 2012-Sept 2013	96
9998	Refused	6
9999	Don't know	5
Total		9543

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

Notes : use recode DATEND

kidage(74-76)

Variable Type : computed

Description : Current Age (in months) of R's child(ren) from this pregnancy (computed in Flow Check B-19b)

value	label	Total
.	INAPPLICABLE	2884
0-994	0-994	6659
Total		9543

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1) and bpa_bdscheck1 = 0.

HPAGELB(77-78)

Variable Type : raw

BD-6 : How old was the father when (BABY'S NAME/the [twins/triplets]) (was/were) born?

value	label	Total
.	INAPPLICABLE	2873
LOW-19	UNDER 20 YEARS	684
20-24	20-24 YEARS	1845
25-29	25-29 YEARS	1727
30-44	30-44 YEARS	2185
45-95	45 YEARS OR OLDER	142
98	Refused	4
99	Don't know	83
Total		9543

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1)

BIRTHPLC(79-79)

Variable Type : raw

BD-7 : Where did you give birth? Was it in a hospital, in a birthing center, in your home, or some other place?

value	label	Total
.	INAPPLICABLE	7248
1	In a hospital	2238
2	In a birthing center	30
3	In your home	22
4	Some other place	5
	Total	9543

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1) and delivery occurred on or after January [YEAR OF INTERVIEW - 5] (cmbabdob GE cmjan5yr)

PAYBIRTH1(80-80)

Variable Type : raw

BD-8 : When ([BABY'S NAME] was born/your [twins/triplets] were born,) in which of the ways on Card 16 was the delivery bill paid? (1st mention)

value	label	Total
.	INAPPLICABLE	7248
1	Insurance	1010
2	Co-payment or out-of-pocket payment	59
3	Medicaid	1156
4	No payment required	33
5	Some other way	35
8	Refused	1
9	Don't know	1
	Total	9543

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1) and delivery occurred in or after January [YEAR OF INTERVIEW - 5] (cmbabdob GE cmjan5yr)

Notes : use recode PAYDELIV

PAYBIRTH2(81-81)

Variable Type : raw

BD-8 : When ([BABY'S NAME] was born/your [twins/triplets] were born,) in which of the ways on Card 16 was the delivery bill paid? (2nd mention)

value	label	Total
.	INAPPLICABLE	9000
1	Insurance	26
2	Co-payment or out-of-pocket payment	448
3	Medicaid	61
5	Some other way	8
	Total	9543

Universe : Applicable if more than 1 form of payment reported for this delivery (see BD-8 PAYBIRTH1)

Notes : use recode PAYDELIV

PAYBIRTH3(82-82)

Variable Type : raw

BD-8 : When ([BABY'S NAME] was born/your [twins/triplets] were born,) in which of the ways on Card 16 was the delivery bill paid? (3rd mention)

value	label	Total
.	INAPPLICABLE	9533
1	Insurance	1

2	Co-payment or out-of-pocket payment	1
3	Medicaid	2
5	Some other way	6
	Total	9543

Universe : Applicable if more than 2 forms of payment reported for this delivery (see BD-8 PAYBIRTH1)

Notes : use recode PAYDELIV

CSECPRIM(83-83)

Variable Type : raw

BD-9 : Was this your first cesarean delivery, or had you had one before this?

value	label	Total
.	INAPPLICABLE	8902
1	Yes	380
5	No	261
	Total	9543

Universe : Applicable if only pregnancy outcome was cesarean livebirth delivery (BC-1 PREGEND1 - 6 only included code 5)

CSECMED1(84-84)

Variable Type : raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (1st MENTION)

value	label	Total
.	INAPPLICABLE	9163
1	Labor was taking too long	79
2	Maternity care provider concerned that baby was too big	35
3	Baby was in the wrong position (e.g, breech)	72
4	Maternity care provider concerned about your health	52
5	Maternity care provider concerned about your baby's health	75
6	Some other medical reason	57
7	There was no medical reason	10
	Total	9543

Universe : Applicable if this is R's first cesarean delivery (BD-9 CSECPRIM = 1) and R has not already reported on her first cesarean delivery (PRIMVAR NE 1)

CSECMED2(85-85)

Variable Type : raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (2nd MENTION)

value	label	Total
.	INAPPLICABLE	9416
1	Labor was taking too long	7
2	Maternity care provider concerned that baby was too big	18
3	Baby was in the wrong position (e.g, breech)	9
4	Maternity care provider concerned about your health	28
5	Maternity care provider concerned about your baby's health	45
6	Some other medical reason	20
	Total	9543

Universe : Applicable if R reported more than 1 medical reason for her first cesarean delivery (see BD-10 CSECMED1)

CSECMED3(86-86)

Variable Type : raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (3rd MENTION)

value	label	Total
.	INAPPLICABLE	9514
1	Labor was taking too long	1
2	Maternity care provider concerned that baby was too big	1
3	Baby was in the wrong position (e.g, breech)	1
4	Maternity care provider concerned about your health	7
5	Maternity care provider concerned about your baby's health	14
6	Some other medical reason	5
	Total	9543

Universe : Applicable if R reported more than 2 medical reasons for her first cesarean delivery (see BD-10 CSECMED1)

CSECMED4(87-87)

Variable Type : raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (4th MENTION)

value	label	Total
.	INAPPLICABLE	9534
4	Maternity care provider concerned about your health	3
5	Maternity care provider concerned about your baby's health	3
6	Some other medical reason	3
	Total	9543

Universe : Applicable if R reported more than 3 medical reasons for her first cesarean delivery (see BD-10 CSECMED1)

CSECMED5(88-88)

Variable Type : raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (5th MENTION)

value	label	Total
.	INAPPLICABLE	9542
5	Maternity care provider concerned about your baby's health	1
	Total	9543

Universe : Applicable if R reported more than 4 medical reasons for her first cesarean delivery (see BD-10 CSECMED1)

CSECMED6(89-89)

Variable Type : raw

BD-10 : Please look at Card 16b. Which of these medical reasons, if any, were there for this cesarean delivery? (6th MENTION)

value	label	Total
.	INAPPLICABLE	9542

6	Some other medical reason	1
Total		9543

Universe : Applicable if R reported more than 5 medical reasons for her first cesarean delivery (see BD-10 CSECMED1)

CSECPAN(90-90)

Variable Type : raw

BD-11 : Was this cesarean the result of your own idea to have a planned cesarean before labor began?

value	label	Total
.	INAPPLICABLE	9530
1	Yes	5
5	No	8
Total		9543

Universe : Applicable if R reported no medical reason for her first cesarean delivery (BD-10 CSECMED1 = 7)

KNEWPREG(91-92)

Variable Type : raw

BE-1 : How many weeks pregnant were you when you learned that you were pregnant this (nth) time?

value	label	Total
.	INAPPLICABLE	6597
0-13	13 WEEKS OR LESS	2788
14-26	14-26 WEEKS	106
27-50	27 WEEKS OR LONGER	12
98	Refused	6
99	Don't know	34
Total		9543

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmotpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 - 6 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA_BDScheck1 - 3 = 1)

TRIMESTR(93-93)

Variable Type : raw

BE-2a : Was it less than 3 months, at least 3 months but less than 6 months, or six or more months?

value	label	Total
.	INAPPLICABLE	9530
1	Less than 3 months,	4
2	At least 3 months, but less than 6 months	8
8	Refused	1
Total		9543

Universe : Applicable if R did not know or refused to answer when she learned she was pregnant (BE-1 KNEWPREG = DK/RF) and gestational length was 6 months or longer (mosgest GE 6)

LTRIMEST(94-94)

Variable Type : raw

BE-2b : Was it less than 3 months or 3 months or more?

<u>value</u>	<u>label</u>	<u>Total</u>
--------------	--------------	--------------

.	INAPPLICABLE	9543
	Total	9543

Universe : Applicable if R did not know or refused to answer when she learned she was pregnant (BE-1 KNEWPREG = DK/RF) and gestational length was between 3 and 6 months (3 LE mosgest LT 6)

PRIORSMK(95-95)

Variable Type : raw

BE-3 : Please look at Card 17. In the 6 months before you found out you were pregnant this (nth) time, how many cigarettes did you smoke a day, on the average?

value	label	Total
.	INAPPLICABLE	6597
0	None	2239
1	About one cigarette a day or less	61
2	Just a few cigarettes a day (2-4)	160
3	About half a pack a day (5-14)	290
4	About a pack a day (15-24)	153
5	About 1 1/2 packs a day (25-34)	28
6	About 2 packs a day (35-44)	6
7	More than 2 packs a day (45 or more)	1
8	Refused	8
	Total	9543

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmotpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 - 6 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA_BDScheck1 - 3 = 1)

POSTSMKS(96-96)

Variable Type : raw

BE-4 : After you found out you were pregnant this (nth) time, did you smoke cigarettes at all during the pregnancy?

value	label	Total
.	INAPPLICABLE	6597
1	Yes	340
5	No	2598
8	Refused	8
	Total	9543

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmotpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 - 6 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA_BDScheck1 - 3 = 1)

NPOSTSMK(97-97)

Variable Type : raw

BE-5 : Looking at Card 18, on the average, how many cigarettes did you smoke per day after you found out that you were pregnant this (nth) time?

value	label	Total
.	INAPPLICABLE	9203
1	About one cigarette a day or less	53
2	Just a few cigarettes a day (2-4)	130
3	About half a pack a day (5-14)	104
4	About a pack a day (15-24)	44
5	About 1 1/2 packs a day (25-34)	6

6	About 2 packs a day (35-44)	1
7	More than 2 packs a day (45 or more)	1
9	Don't know	1
Total		9543

Universe : Applicable if R reported any cigarette smoking during this pregnancy (BE-4 POSTSMKS = 1)

GETPRENA(98-98)

Variable Type : raw

BE-6 : During this (nth) pregnancy, did you ever visit a doctor or other medical care provider for prenatal care, that is, for one or more pregnancy check-ups?

value	label	Total
.	INAPPLICABLE	6597
1	Yes	2595
5	No	349
8	Refused	1
9	Don't know	1
Total		9543

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmotpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 - 6 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA_BDScheck1 - 3 = 1)

Notes : use recode PNCAREWK

BGNPRENA(99-100)

Variable Type : raw

BE-7 : How many weeks pregnant were you at the time of your first prenatal care visit?

value	label	Total
.	INAPPLICABLE	6948
0-13	13 WEEKS OR LESS	2341
14-26	14-26 WEEKS	215
27-50	27 WEEKS OR LONGER	19
98	Refused	1
99	Don't know	19
Total		9543

Universe : Applicable if this is a completed pregnancy ending in or after January [YEAR OF INTERVIEW - 5] (either cmbabdob or cmotpreg GE cmjan5yr) and it did not end in induced abortion (BC-1 PREGEND1 - 6 did not include code 3) and not all liveborn babies from this pregnancy were placed for adoption (not all BPA_BDScheck1 - 3 = 1)

Notes : use recode PNCAREWK

PNCTRIM(101-101)

Variable Type : raw

BE-8a : Was it less than 3 months, at least 3 months but less than 6 months, or 6 or more months?

value	label	Total
.	INAPPLICABLE	9530
1	Less than 3 months,	3
2	At least 3 months , but less than 6 months	9
9	Don't know	1

Total**9543**

Universe : Applicable if R did not know or refused to answer when she began prenatal care (BE-7 BGNPRENA = DK/RF) and gestational length was 6 months or longer (mosgest GE 6)

Notes : use recode PNCAREWK

LPNCTRI(102-102)

Variable Type : raw

BE-8b : Was it less than 3 months or 3 months or more?

value	label	Total
.	INAPPLICABLE	9536
1	Less than 3 months	7
Total		9543

Universe : Applicable if R did not know or refused to answer when she began prenatal care (BE-7 BGNPRENA = DK/RF) and gestational length was between 3 and 6 months (3 LE mosgest LT 6)

Notes : use recode PNCAREWK

LIVEHERE1(103-103)

Variable Type : raw

BG-1 : Earlier I don't think you mentioned (BABY'S NAME) when you told me who lives with you. Does (BABY'S NAME) still live with you? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	7486
1	Yes	1613
5	No	443
9	Don't know	1
Total		9543

Universe : Applicable if 1st liveborn child from this pregnancy did not match any biological child reported in the household roster (no NAME[X] with RELAR[X]=3 from household roster matches BABYNAME1)

Notes : see recode LIVCHILD

ALIVENOW1(104-104)

Variable Type : raw

BG-2 : Is (she/he) still living? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9099
1	Yes	381
5	No	63
Total		9543

Universe : Applicable if child not living with R (BG-1 LIVEHERE1 = 5/DK/RF)

WHENDIED_M1(105-106)

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (1st child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	9480
1-12	January-December	63

Total **9543**

Universe : Applicable if child died (BG-2 ALIVENOW1 = 5)

WHENDIED_Y1(107-110)

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (1st child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	9480
1931-2013	1931-2013	63
	Total	9543

Universe : Applicable if child died (BG-2 ALIVENOW1 = 5)

cmkidied1(111-114)

Variable Type : computed

Description : Century Month for child's date of death - 1st from this pregnancy (computed in Flow Check B-35)

value	label	Total
.	INAPPLICABLE	9480
380-1340	Before Sept 2011	60
1341-1352	Sept 2011-Aug 2012	3
	Total	9543

Universe : Applicable if child died (BG-2 ALIVENOW1 = 5)

WHENLEFT_M1(115-116)

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (1st child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	9162
1-12	January-December	319
13	Winter	8
14	Spring	4
15	Summer	19
16	Fall	7
98	Refused	4
99	Don't know	20
	Total	9543

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW1 = 1/DK/RF)

WHENLEFT_Y1(117-120)

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (1st child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	9162
1931-2013	1931-2013	373
9998	Refused	4
9999	Don't know	4
	Total	9543

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW1 = 1/DK/RF)

cmkidlft1(121-124)

Variable Type : computed

Description : Century Month for date child stopped living w/R - 1st from this pregnancy (computed in Flow Check B-36)

value	label	Total
.	INAPPLICABLE	9162
380-1340	Before Sept 2011	299
1341-1352	Sept 2011-Aug 2012	61
1353-1365	Sept 2012-Sept 2013	13
9998	Refused	4
9999	Don't know	4
	Total	9543

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW1 = 1/DK/RF)

lastage1(125-127)

Variable Type : computed

Description : Age (in months) when child last lived w/R-1st from this pregnancy (computed in Flow Check B-38)

value	label	Total
.	INAPPLICABLE	9107
0-994	0-994	436
	Total	9543

Universe : Applicable if child no longer lives with R (BG-1 LIVEHERE1 = 5/DK/RF)

WHEREHOW1(128-128)

Variable Type : raw

BG-5 : Please look at Card 19. Where does (BABY'S NAME) now live? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9162
1	With biological father	137
2	With other relatives	147
3	With adoptive family	55
4	Away at school/college	4
5	Living on own	15
6	Other	22
9	Don't know	1
	Total	9543

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW1 = 1/DK/RF)

Notes : see recode LIVCHILD

LEGAGREE1(129-129)

Variable Type : raw

BG-6 : Do you and (BABY'S NAME)'s father have a legal agreement about (BABY'S NAME) regarding child support, alimony, custody, visitation, or where the child lives? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9406

1	Yes	95
5	No	42
Total		9543

Universe : Applicable if child lives with biological father (BG-5 WHERE NOW1 = 1)

PARENEND1(130-130)

Variable Type : raw

BG-7 : Are you still the legal mother of (BABY'S NAME)? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9221
1	Yes	289
5	No	32
9	Don't know	1
Total		9543

Universe : Applicable if child lives with biological father, other relatives, on own, or somewhere else, or if R did not know or refused to answer where child lives (BG-5 WHERE NOW1 = 1, 2, 5, 6, DK, or RF)

ANYNURSE1(131-131)

Variable Type : raw

BH-1 : (When (BABY'S NAME) was an infant,) (Have/did) you breastfeed (him/her) at all? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	3591
1	Yes	3833
5	No	2117
8	Refused	2
Total		9543

Universe : Applicable if pregnancy resulted in live birth (prgoutcome = 1), child lived with R for at least 2 months (lastage1 GE 2), and child is currently 18 years or younger (kidage LT 228)

Notes : use recode BFEEDWKS

FEDSOLID1(132-132)

Variable Type : raw

BH-2 : Besides breastmilk, babies are sometimes given formula, baby food, or other liquid or solid foods. (Did you feed/Have you fed) [BABY'S NAME] something other than breast milk yet? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9260
1	Yes	249
5	No	34
Total		9543

Universe : Applicable if child is younger than 1 year (lastage1 = blank and kidage < 12) or child stopped living with R at age younger than 1 year (lastage1 < 12 and kidage < 12)

FRSTEATD_N1(133-135)

Variable Type : raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (1st child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	5744
0-994	0-994	3787
999	Don't know	12
	Total	9543

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID1 = blank or 1)

FRSTEATD_P1(136-136)

Variable Type : raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (1st child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	5756
1	Months	2563
2	Weeks	628
3	Days	596
	Total	9543

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID1 = blank or 1)

FRSTEATD1(137-138)

Variable Type : raw

BH-3 : Age (in months) when 1st supplemented - 1st from this preg (computed in Flow Check B-39b)

value	label	Total
.	INAPPLICABLE	5756
0	LESS THAN 1 MONTH	921
1	1 MONTH	495
2	2 MONTHS	339
3	3 MONTHS	509
4	4 MONTHS	470
5	5 MONTHS	246
6	6 MONTHS	504
7-95	7 OR MORE MONTHS	303
	Total	9543

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID1 = blank or 1)

QUITNURS1(139-139)

Variable Type : raw

BH-4 : (Have/Had) you stopped breast-feeding (her/him) altogether? (1st child from this pregnancy)

value	label	Total
.	INAPPLICABLE	8962
1	Yes	447
5	No	134
	Total	9543

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1), child was ever fed something other than breastmilk (BH-2 FEDSOLID1 = blank or 1), and child is either 2 years or younger or last lived with R at age 2 years or younger (lastage1 LE 24 or (lastage1 = blank and kidage LE 24))

Notes : use recode BFEEDWKS

AGEQTNUR_N1(140-142)

Variable Type : raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (1st child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	5878
0-994	0-994	3649
996	Still breastfeeding this child	12
998	Refused	1
999	Don't know	3
	Total	9543

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS1 = blank or 1)

Notes : use recode BFEEDWKS

AGEQTNUR_P1(143-143)

Variable Type : raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (1st child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	5894
1	Months	2932
2	Weeks	573
3	Days	138
7	Not ascertained	4
9	Don't know	2
	Total	9543

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS1 = blank or 1)

Notes : use recode BFEEDWKS

AGEQTNUR1(144-145)

Variable Type : raw

Description : Age (in months) when R stopped nursing child - 1st from this preg (computed in Flow Check B-40_1)

value	label	Total
.	INAPPLICABLE	5896
0	LESS THAN 1 MONTH OLD	348
1	1 MONTH OLD	474
2	2 MONTHS OLD	319
3	3 MONTHS OLD	411
4-6	4-6 MONTHS OLD	711
7-12	7-12 MONTHS OLD	899
13-24	13-24 MONTHS OLD	421
25-95	25 MONTHS OR OLDER	60
97	Not ascertained	4
	Total	9543

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE1 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS1 = blank or 1)

Notes : use recode BFEEDWKS

LIVEHERE2(146-146)

Variable Type : raw

BG-1 : Earlier I don't think you mentioned (BABY'S NAME) when you told me who lives with you. Does (BABY'S NAME) still live with you? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9509
1	Yes	22
5	No	11
9	Don't know	1
Total		9543

Universe : Applicable if 2nd liveborn child from this pregnancy did not match any biological child reported in the household roster (no NAME[X] with RELAR[X]=3 from household roster matches BABYNAME2)

ALIVENOW2(147-147)

Variable Type : raw

BG-2 : Is (she/he) still living? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9531
1	Yes	7
5	No	5
Total		9543

Universe : Applicable if child not living with R (BG-1 LIVEHERE2 = 5/DK/RF)

WHENDIED_M2(148-149)

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (2nd child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	9538
1-12	January-December	5
Total		9543

Universe : Applicable if child died (BG-2 ALIVENOW2 = 5)

WHENDIED_Y2(150-153)

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (2nd child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	9538
1931-2013	1931-2013	5
Total		9543

Universe : Applicable if child died (BG-2 ALIVENOW2 = 5)

cmkidied2(154-157)

Variable Type : computed

Description : Century Month for child's date of death - 2nd from this pregnancy (computed in Flow Check B-35)

value	label	Total
.	INAPPLICABLE	9538
380-1340	Before Sept 2011	5
Total		9543

Universe : Applicable if child died (BG-2 ALIVENOW2 = 5)

WHENLEFT_M2(158-159)

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (2nd child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	9536
1-12	January-December	5
16	Fall	1
99	Don't know	1
Total		9543

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW2 = 1/DK/RF)

WHENLEFT_Y2(160-163)

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (2nd child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	9536
1931-2013	1931-2013	7
Total		9543

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW2 = 1/DK/RF)

cmkidlft2(164-167)

Variable Type : computed

Description : Century Month for date child stopped living w/R - 2nd from this pregnancy (computed in Flow Check B-36)

value	label	Total
.	INAPPLICABLE	9536
380-1340	Before Sept 2011	6
1341-1352	Sept 2011-Aug 2012	1
Total		9543

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW2 = 1/DK/RF)

lastage2(168-170)

Variable Type : computed

Description : Age (in months) when child last lived w/R-2nd from this pregnancy (computed in Flow Check B-38)

value	label	Total
.	INAPPLICABLE	9531
0-994	0-994	11
997	Not Ascertained	1

Total **9543**

Universe : Applicable if child no longer lives with R (BG-1 LIVEHERE2 = 5/DK/RF)

WHERE NOW2(171-171)

Variable Type : raw

BG-5 : Please look at Card 19. Where does (BABY'S NAME) now live? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9536
1	With biological father	3
2	With other relatives	3
3	With adoptive family	1
Total		9543

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW2 = 1/DK/RF)

LEGAGREE2(172-172)

Variable Type : raw

BG-6 : Do you and (BABY'S NAME)'s father have a legal agreement about (BABY'S NAME) regarding child support, alimony, custody, visitation, or where the child lives? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9540
1	Yes	2
5	No	1
Total		9543

Universe : Applicable if child lives with biological father (BG-5 WHERE NOW2 = 1)

PARENEND2(173-173)

Variable Type : raw

BG-7 : Are you still the legal mother of (BABY'S NAME)? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9537
1	Yes	6
Total		9543

Universe : Applicable if child lives with biological father, other relatives, on own, or somewhere else, or if R did not know or refused to answer where child lives (BG-5 WHERE NOW2 = 1, 2, 5, 6, DK, or RF)

ANYNURSE2(174-174)

Variable Type : raw

BH-1 : (When (BABY'S NAME) was an infant,) (Have/did) you breastfeed (him/her) at all? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9460
1	Yes	53
5	No	30
Total		9543

Universe : Applicable if pregnancy resulted in more than 1 liveborn baby (bornaliv > 2), child lived with R for at least 2 months (lastage2 GE 2), and child is currently 18 years or younger (kidage LT 228)

FEDSOLID2(175-175)

Variable Type : raw

BH-2 : Besides breastmilk, babies are sometimes given formula, baby food, or other liquid or solid foods. (Did you feed/Have you fed) [BABY'S NAME] something other than breast milk yet? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9540
1	Yes	3
Total		9543

Universe : Applicable if child is younger than 1 year (lastage2 = blank and kidage < 12) or child stopped living with R at age younger than 1 year (lastage2 < 12 and kidage < 12)

FRSTEATD_N2(176-177)

Variable Type : raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (2nd child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	9490
0-994	0-994	53
Total		9543

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID2 = blank or 1)

FRSTEATD_P2(178-178)

Variable Type : raw

BH-3 : How old was (she/he) when you first fed (her/him) something other than breast milk? (2nd child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	9490
1	Months	24
2	Weeks	13
3	Days	16
Total		9543

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID2 = blank or 1)

FRSTEATD2(179-179)

Variable Type : raw

BH-3 : Age (in months) when 2nd supplemented - 2nd from this preg (computed in Flow Check B-39b)

value	label	Total
.	INAPPLICABLE	9490
0	LESS THAN 1 MONTH	23
1	1 MONTH	6
2	2 MONTHS	1
3	3 MONTHS	7
4	4 MONTHS	9
5	5 MONTHS	2
6	6 MONTHS	4
7-95	7 OR MORE MONTHS	1

Total **9543**

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and child was ever fed something other than breastmilk (BH-2 FEDSOLID2 = blank or 1)

QUITNURS2(180-180)

Variable Type : raw

BH-4 : (Have/Had) you stopped breast-feeding (her/him) altogether? (2nd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9534
1	Yes	8
5	No	1
Total		9543

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1), child was ever fed something other than breastmilk (BH-2 FEDSOLID2 = blank or 1), and child is either 2 years or younger or last lived with R at age 2 years or younger (lastage2 LE 24 or (lastage2 = blank and kidage LE 24))

AGEQTNUR_N2(181-182)

Variable Type : raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (2nd child from this pregnancy; NUMBER)

value	label	Total
.	INAPPLICABLE	9491
0-994	0-994	52
Total		9543

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS2 = blank or 1)

AGEQTNUR_P2(183-183)

Variable Type : raw

BH-5 : How old was (she/he) when you stopped breast-feeding (her/him) altogether? (2nd child from this pregnancy; UNITS)

value	label	Total
.	INAPPLICABLE	9491
1	Months	34
2	Weeks	14
3	Days	4
Total		9543

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS2 = blank or 1)

AGEQTNUR2(184-185)

Variable Type : raw

Description : Age (in months) when R stopped nursing child - 2nd from this preg (computed in Flow Check B-40_1)

value	label	Total
.	INAPPLICABLE	9491
0	LESS THAN 1 MONTH OLD	11
1	1 MONTH OLD	7

2	2 MONTHS OLD	2
3	3 MONTHS OLD	7
4-6	4-6 MONTHS OLD	12
7-12	7-12 MONTHS OLD	10
13-24	13-24 MONTHS OLD	3
	Total	9543

Universe : Applicable if child was ever breastfed (BH-1 ANYNURSE2 = 1) and R has stopped breastfeeding child altogether (BH-4 QUITNURS2 = blank or 1)

LIVEHERE3(186-186)

Variable Type : raw

BG-1 : Earlier I don't think you mentioned (BABY'S NAME) when you told me who lives with you. Does (BABY'S NAME) still live with you? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9543
	Total	9543

Universe : Applicable if 3rd liveborn child from this pregnancy did not match any biological child reported in the household roster (no NAME[X] with RELAR[X]=3 from household roster matches BABYNAME3)

ALIVENOW3(187-187)

Variable Type : raw

BG-2 : Is (she/he) still living? (3rd child from this pregnancy)

value	label	Total
.	INAPPLICABLE	9543
	Total	9543

Universe : Applicable if child not living with R (BG-1 LIVEHERE3 = 5/DK/RF)

WHENDIED_M3(188-188)

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (3rd child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	9543
	Total	9543

Universe : Applicable if child died (BG-2 ALIVENOW3 = 5)

WHENDIED_Y3(189-189)

Variable Type : raw

BG-3 : When did (BABY'S NAME) die? (3rd child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	9543
	Total	9543

Universe : Applicable if child died (BG-2 ALIVENOW3 = 5)

cmkidied3(190-190)

Variable Type : computed

Description : Century Month for child's date of death - 3rd from this pregnancy (computed in Flow Check B-35)

value	label	Total
.	INAPPLICABLE	9543
Total		9543

Universe : Applicable if child died (BG-2 ALIVENOW3 = 5)

WHENLEFT_M3(191-191)

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (3rd child from this pregnancy; MONTH)

value	label	Total
.	INAPPLICABLE	9543
Total		9543

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW3 = 1/DK/RF)

WHENLEFT_Y3(192-192)

Variable Type : raw

BG-4 : When did (BABY'S NAME) stop living with you? (3rd child from this pregnancy; YEAR)

value	label	Total
.	INAPPLICABLE	9543
Total		9543

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW3 = 1/DK/RF)

cmkidlft3(193-193)

Variable Type : computed

Description : Century Month for date child stopped living w/R - 3rd from this pregnancy (computed in Flow Check B-36)

value	label	Total
.	INAPPLICABLE	9543
Total		9543

Universe : Applicable if child stopped living with R (BG-2 ALIVENOW3 = 1/DK/RF)

lastage3(194-194)

Variable Type : computed

Description : Age (in months) when child last lived w/R-3rd from this pregnancy (computed in Flow Check B-38)

value	label	Total
.	INAPPLICABLE	9543
Total		9543

Universe : Applicable if child no longer lives with R (BG-1 LIVEHERE3 = 5/DK/RF)

WHERENOW3(195-195)

Variable Type : raw

BG-5 : Please look at Card 19. Where does (BABY'S NAME) now live? (3rd child from this pregnancy)

Universe : Applicable if R said she became pregnant "too soon" (EG-10 TIMINGOK =1)

NEWWANTR(355-355)

Variable Type : pregnancy recode

Description : Detailed wantedness of pregnancy - respondent (recode)

value	label	Total
1	Later, overdue	566
2	Right time	4012
3	Too soon: by less than 2 years	718
4	Too soon: by 2 years or more	2195
5	Didn't care, indifferent	92
6	Unwanted	1924
7	Don't know, not sure	36
Total		9543

Universe : Applicable for all pregnancies

Female Pregnancy File Codebook :: Pregnancy Variables :: 5. Selected respondent file variables (raw and recode)

cmbirth(356-359)

Variable Type : computed

Description : Century month of R's birth (computed; respondent variable)

value	label	Total
380-1340	Before Sept 2011	9543
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

AGER(360-361)

Variable Type : respondent recode

Description : Age at interview (respondent recode)

value	label	Total
15	15 YEARS	4
16	16 YEARS	7
17	17 YEARS	20
18	18 YEARS	41
19	19 YEARS	73
20	20 YEARS	109
21	21 YEARS	143
22	22 YEARS	200
23	23 YEARS	186
24	24 YEARS	258
25	25 YEARS	274
26	26 YEARS	350
27	27 YEARS	397
28	28 YEARS	379
29	29 YEARS	459
30	30 YEARS	476
31	31 YEARS	535
32	32 YEARS	517
33	33 YEARS	487
34	34 YEARS	429
35	35 YEARS	438

36	36 YEARS	483
37	37 YEARS	408
38	38 YEARS	406
39	39 YEARS	441
40	40 YEARS	399
41	41 YEARS	423
42	42 YEARS	394
43	43 YEARS	451
44-45	44 YEARS	356
	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable)

Notes : Respondents age 45 were 44 at screener

agescrn(362-363)

Variable Type : computed

Description : R's age at screener (computed; respondent variable)

value	label	Total
15	15 years	4
16	16 years	7
17	17 years	20
18	18 years	41
19	19 years	73
20	20 years	107
21	21 years	152
22	22 years	198
23	23 years	194
24	24 years	254
25	25 years	269
26	26 years	359
27	27 years	388
28	28 years	391
29	29 years	455
30	30 years	492
31	31 years	538
32	32 years	502
33	33 years	490
34	34 years	428
35	35 years	452
36	36 years	469
37	37 years	410
38	38 years	398
39	39 years	430
40	40 years	418
41	41 years	417
42	42 years	407
43	43 years	429
44	44 years	348
97	Not ascertained	3
	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable)

FMARITAL(364-364)

Variable Type : respondent recode

Description : Formal marital status (respondent recode)

value	label	Total
1	MARRIED	4139
2	WIDOWED	79
3	DIVORCED	1254
4	SEPARATED	765
5	NEVER MARRIED	3306
	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable)

RMARITAL(365-365)

Variable Type : respondent recode

Description : Informal Marital Status (respondent recode)

value	label	Total
1	CURRENTLY MARRIED	4139
2	NOT MARRIED BUT LIVING WITH OPP SEX PARTNER	1475
3	WIDOWED	72
4	DIVORCED	938
5	SEPARATED FOR REASONS OF MARITAL DISCORD	669
6	NEVER BEEN MARRIED	2250
	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable)

EDUCAT(366-367)

Variable Type : respondent recode

Description : Education (completed years of schooling) (respondent recode)

value	label	Total
9	9TH GRADE OR LESS	1346
10	10TH GRADE	519
11	11TH GRADE	627
12	12TH GRADE	2376
13	1 YEAR OF COLLEGE/GRAD SCHOOL	1305
14	2 YEARS OF COLLEGE/GRAD SCHOOL	1143
15	3 YEARS OF COLLEGE/GRAD SCHOOL	414
16	4 YEARS OF COLLEGE/GRAD SCHOOL	883
17	5 YEARS OF COLLEGE/GRAD SCHOOL	246
18	6 YEARS OF COLLEGE/GRAD SCHOOL	320
19	7+ YEARS OF COLLEGE/GRAD SCHOOL	364
	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been bottomcoded for public use.)

HIEDUC(368-369)

Variable Type : respondent recode

Description : Highest completed year of school or degree (respondent recode)

value	label	Total
5	9TH GRADE OR LESS	1066

6	10TH GRADE	358
7	11TH GRADE	451
8	12TH GRADE, NO DIPLOMA (NOR GED)	56
9	HIGH SCHOOL GRADUATE (DIPLOMA OR GED)	2935
10	SOME COLLEGE BUT NO DEGREE	2120
11	ASSOCIATE DEGREE IN COLLEGE/UNIVERSITY	869
12	BACHELOR'S DEGREE	1096
13	MASTER'S DEGREE	481
14	DOCTORATE DEGREE	67
15	PROFESSIONAL DEGREE	44
	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been bottomcoded for public use.)

RACE(370-370)

Variable Type : respondent recode

Description : Race (respondent recode)

value	label	Total
1	BLACK	2630
2	WHITE	5707
3	OTHER	1206
	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable)

HISPANIC(371-371)

Variable Type : respondent recode

Description : Hispanic origin (respondent recode)

value	label	Total
1	HISPANIC	2723
2	NON-HISPANIC	6820
	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable)

HISPRACE(372-372)

Variable Type : respondent recode

Description : Race & Hispanic origin of respondent - 1977 OMB standards (respondent recode)

value	label	Total
1	Hispanic	2723
2	Non-Hispanic White	3941
3	Non-Hispanic Black	2414
4	Non-Hispanic Other	465
	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable)

HISPRACE2(373-373)

Variable Type : respondent recode

Description : Race & Hispanic origin of respondent - 1997 OMB standards (respondent recode)

value	label	Total
1	Hispanic	2723
2	Non-Hispanic White, Single Race	3788
3	Non-Hispanic Black, Single Race	2313
4	Non-Hispanic Other or Multiple Race	719
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

RCURPREG(374-374)

Variable Type : respondent recode

Description : Pregnant at time of interview (respondent recode)

value	label	Total
1	YES (CURRENTLY PREGNANT)	638
2	NO (NOT CURRENTLY PREGNANT)	8905
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

PREGNUM(375-376)

Variable Type : respondent recode

Description : CAPI-based total number of pregnancies (respondent recode)

value	label	Total
1	1 PREGNANCY	872
2	2 PREGNANCIES	1958
3	3 PREGNANCIES	2307
4	4 PREGNANCIES	1772
5	5 PREGNANCIES	1145
6	6 PREGNANCIES	630
7-95	7 OR MORE PREGNANCIES	859
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

PARITY(377-378)

Variable Type : respondent recode

Description : Total number of live births (respondent recode)

value	label	Total
0	0 BABIES	520
1	1 BABY	1780
2	2 BABIES	2948
3	3 BABIES	2391
4	4 BABIES	1088
5-95	5 OR MORE BABIES	816
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

CURR_INS(379-379)

Variable Type : respondent recode

Description : Current health insurance coverage status (respondent recode)

value	label	Total
-------	-------	-------

1	Currently covered by private health insurance or Medi-Gap	3861
2	Currently covered by Medicaid, CHIP, or a state-sponsored health plan	2808
3	Currently covered by Medicare, military health care, or other government health care	607
4	Currently covered only by a single-service plan, only by the Indian Health Service, or currently not covered by health insurance	2267
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

PUBASSIS(380-380)

Variable Type : respondent recode

Description : Whether R or any members of her family received public assistance in the calendar year before the interview

value	label	Total
1	YES (RECEIVED PUBLIC ASSISTANCE IN [INTERVIEW YEAR -1])	5364
2	NO (DID NOT RECEIVE PUBLIC ASSISTANCE IN [INTERVIEW YEAR -1])	4179
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

POVERTY(381-383)

Variable Type : respondent recode

Description : Poverty level income (respondent recode)

value	label	Total
0-99	0-99 PERCENT OF POVERTY LEVEL	4035
100-199	100-199 PERCENT OF POVERTY LEVEL	2272
200-299	200-299 PERCENT OF POVERTY LEVEL	1278
300-399	300-399 PERCENT OF POVERTY LEVEL	785
400-499	400-499 PERCENT OF POVERTY LEVEL	459
500-HIGH	500 PERCENT OF POVERTY LEVEL OR GREATER	714
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been topcoded for public use.)

LABORFOR(384-384)

Variable Type : respondent recode

Description : Labor force status (respondent recode)

value	label	Total
1	WORKING FULL-TIME	3502
2	WORKING PART-TIME	1651
3	WORKING-TEMP ILL/ETC	370
4	WORKING-MATERNITY OR FAMILY LEAVE	102
5	NOT WORKING BUT LOOKING FOR WORK	772
6	SCHOOL	357
7	KEEPING HOUSE	2381
8	CARING FOR FAMILY	205
9	OTHER	203
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been recoded for public use.)

RELIGION(385-385)

Variable Type : respondent recode

Description : Current religious affiliation (respondent recode)

value	label	Total
1	NO RELIGION	1685
2	CATHOLIC	2189
3	PROTESTANT	4986
4	OTHER RELIGIONS	683
	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable)

METRO(386-386)

Variable Type : respondent recode

Description : Place of residence (Metropolitan / Nonmetropolitan) (respondent recode)

value	label	Total
1	Principal city of MSA	4045
2	Other MSA	4131
3	Not MSA	1367
	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable)

BRNOUT(387-387)

Variable Type : raw

IB-8 : Were you born outside of the United States? (respondent variable)

value	label	Total
1	Yes	1722
5	No	7821
	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable)

yrstrus(388-391)

Variable Type : computed

Description : Year R came to the U.S. to stay (computed in post-processing; respondent variable)

value	label	Total
.	INAPPLICABLE	7821
1931-2013	1931-2013	1700
9998	Refused	5
9999	Don't know	17
	Total	9543

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been recoded for public use.)

Female Pregnancy File Codebook :: Pregnancy Variables :: 6. Pregnancy recode imputation flags

PRGLNGTH_I(392-392)

Variable Type : imputation flag

Description : PRGLNGTH Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9518
1	Model-based imputation	15
2	Logical imputation	10
Total		9543

Universe : Applicable for all pregnancies

OUTCOME_I(393-393)

Variable Type : imputation flag

Description : OUTCOME Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9526
1	Model-based imputation	9
2	LOGICAL IMPUTATION	8
Total		9543

Universe : Applicable for all pregnancies

BIRTHORD_I(394-394)

Variable Type : imputation flag

Description : BIRTHORD Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9526
2	Logical imputation	17
Total		9543

Universe : Applicable for all pregnancies

DATEND_I(395-395)

Variable Type : imputation flag

Description : DATEND Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9440
1	Model-based imputation	59
2	Logical imputation	44
Total		9543

Universe : Applicable for all pregnancies

AGEPREG_I(396-396)

Variable Type : imputation flag

Description : AGEPREG Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9457
1	Model-based imputation	59
2	LOGICAL IMPUTATION	27
Total		9543

Universe : Applicable for all pregnancies

DATECON_I(397-397)

Variable Type : imputation flag

Description : DATECON Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9449
1	Model-based imputation	65
2	LOGICAL IMPUTATION	29
Total		9543

Universe : Applicable for all pregnancies

AGECON_I(398-398)

Variable Type : imputation flag

Description : AGECON Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9450
1	Model-based imputation	65
2	LOGICAL IMPUTATION	28
Total		9543

Universe : Applicable for all pregnancies

FMAROUT5_I(399-399)

Variable Type : imputation flag

Description : FMAROUT5 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9440
1	Model-based imputation	103
Total		9543

Universe : Applicable for all pregnancies

PMARPREG_I(400-400)

Variable Type : imputation flag

Description : PMARPREG Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9448
1	Model-based imputation	95
Total		9543

Universe : Applicable for all pregnancies

RMAROUT6_I(401-401)

Variable Type : imputation flag

Description : RMAROUT6 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9440
1	Model-based imputation	95
2	LOGICAL IMPUTATION	8

Total **9543**

Universe : Applicable for all pregnancies

FMARCON5_I(402-402)

Variable Type : imputation flag

Description : FMARCON5 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9437
1	Model-based imputation	106
Total		9543

Universe : Applicable for all pregnancies

RMARCON6_I(403-403)

Variable Type : imputation flag

Description : RMARCON6 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9440
1	Model-based imputation	96
2	LOGICAL IMPUTATION	7
Total		9543

Universe : Applicable for all pregnancies

LEARNPRG_I(404-404)

Variable Type : imputation flag

Description : LEARNPRG Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9455
1	Model-based imputation	47
2	Logical imputation	41
Total		9543

Universe : Applicable for all pregnancies

PNCAREWK_I(405-405)

Variable Type : imputation flag

Description : PNCAREWK Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9472
1	Model-based imputation	32
2	Logical imputation	39
Total		9543

Universe : Applicable for all pregnancies

PAYDELIV_I(406-406)

Variable Type : imputation flag

Description : PAYDELIV Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9530
1	Model-based imputation	13
	Total	9543

Universe : Applicable for all pregnancies

LBW1_I(407-407)

Variable Type : imputation flag

Description : LBW1 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9521
1	Model-based imputation	5
2	Logical imputation	17
	Total	9543

Universe : Applicable for all pregnancies

LIVCHILD_I(408-408)

Variable Type : imputation flag

Description : LIVCHILD Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9526
2	Logical imputation	17
	Total	9543

Universe : Applicable for all pregnancies

BFEEDWKS_I(409-409)

Variable Type : imputation flag

Description : BFEEDWKS Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9505
1	Model-based imputation	21
2	Logical imputation	17
	Total	9543

Universe : Applicable for all pregnancies

OLDWANTR_I(410-410)

Variable Type : imputation flag

Description : OLDWANTR Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9510
1	Model-based imputation	33
	Total	9543

Universe : Applicable for all pregnancies

OLDWANTP_I(411-411)

Variable Type : imputation flag

Description : OLDWANTP Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9502
1	Model-based imputation	38
2	LOGICAL IMPUTATION	3
Total		9543

Universe : Applicable for all pregnancies

WANTRESP_I(412-412)

Variable Type : imputation flag

Description : WANTRESP Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9510
1	Model-based imputation	33
Total		9543

Universe : Applicable for all pregnancies

WANTPART_I(413-413)

Variable Type : imputation flag

Description : WANTPART Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9482
1	Model-based imputation	61
Total		9543

Universe : Applicable for all pregnancies

TOOSOON_I(414-414)

Variable Type : imputation flag

Description : TOOSOON Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9489
1	Model-based imputation	54
Total		9543

Universe : Applicable for all pregnancies

NEWWANTR_I(415-415)

Variable Type : imputation flag

Description : NEWWANTR Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9456
1	Model-based imputation	74
2	LOGICAL IMPUTATION	13
Total		9543

Universe : Applicable for all pregnancies

Female Pregnancy File Codebook :: Pregnancy Variables :: 7. Respondent recode imputation flags included on pregnancy file

AGER_I(416-416)

Variable Type : imputation flag

Description : AGER Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9543
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

FMARITAL_I(417-417)

Variable Type : imputation flag

Description : FMARITAL Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9543
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

RMARITAL_I(418-418)

Variable Type : imputation flag

Description : RMARITAL Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9543
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

EDUCAT_I(419-419)

Variable Type : imputation flag

Description : EDUCAT Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9532
1	Model-based imputation	11
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

HIEDUC_I(420-420)

Variable Type : imputation flag

Description : HIEDUC Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9530
2	Logical imputation	13
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

RACE_I(421-421)

Variable Type : imputation flag

Description : RACE Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9539
1	Model-based imputation	4
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

HISPANIC_I(422-422)

Variable Type : imputation flag

Description : HISPANIC Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9538
1	Model-based imputation	5
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

HISPRACE_I(423-423)

Variable Type : imputation flag

Description : HISPRACE Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9538
2	LOGICAL IMPUTATION	5
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

HISPRACE2_I(424-424)

Variable Type : imputation flag

Description : HISPRACE2 Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9539
2	LOGICAL IMPUTATION	4
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

RCURPREG_I(425-425)

Variable Type : imputation flag

Description : RCURPREG Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9541
2	Logical imputation	2
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

PREGNUM_I(426-426)

Variable Type : imputation flag

Description : PREGNUM Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9543
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

PARITY_I(427-427)

Variable Type : imputation flag

Description : PARITY Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9539
2	Logical imputation	4
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

CURR_INS_I(428-428)

Variable Type : imputation flag

Description : CURR_INS Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9540
1	Model-based imputation	3
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

PUBASSIS_I(429-429)

Variable Type : imputation flag

Description : PUBASSIS Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9350
1	Model-based imputation	193
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

POVERTY_I(430-430)

Variable Type : imputation flag

Description : POVERTY Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	8976
1	Model-based imputation	567
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

LABORFOR_I(431-431)

Variable Type : imputation flag

Description : LABORFOR Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9543
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

RELIGION_I(432-432)

Variable Type : imputation flag

Description : RELIGION Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9529
1	Model-based imputation	14
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

METRO_I(433-433)

Variable Type : imputation flag

Description : METRO Imputation Flag

value	label	Total
0	Questionnaire data (not imputed)	9543
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

Female Pregnancy File Codebook :: Pregnancy Variables :: 8. Weights and related variables

WGT2011_2013(434-449)

Variable Type : weight-related

Description : Final weight for the 2011-2013 NSFG

value	label	Total
1714.541-85207.95		9543
Total		9543

Universe : Applicable for all Respondents

SECU(450-450)

Variable Type : weight-related

Description : Randomized version of the sampling error computational unit

value	label	Total
1	1	2693
2	2	2451
3	3	2046
4	4	2353
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

SEST(451-453)

Variable Type : weight-related

Description : Randomized version of the stratum

value	label	Total
303-369	303-369	9543
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

Female Pregnancy File Codebook :: Pregnancy Variables :: 9. Date of interview, key reference dates, and fieldwork variables

cmintvw(454-457)

Variable Type : computed

Description : Century month of interview date (computed in Flow Check A-1; respondent variable)

value	label	Total
1341-1365	Sept 2011-Sept 2013	9543
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

cmlstyr(458-461)

Variable Type : computed

Description : Century month of interview minus 1 year (cmintvw-12) (computed in Flow Check A-1; respondent variable)

value	label	Total
1329-1341	SEPT 2010-SEPT 2011	4805
1342-1353	OCT 2011-SEPT 2012	4738
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

cmjan3yr(462-465)

Variable Type : computed

Description : Century month for the January three years prior to cmintvw (computed in Flow Check A-1; respondent variable)

value	label	Total
1297-1321	Jan 2008-Jan 2010	9543
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

cmjan4yr(466-469)

Variable Type : computed

Description : Century month for the January four years prior to cmintvw (computed in Flow Check A-1; respondent variable)

value	label	Total
1285-1309	Jan 2007-Jan 2009	9543

Total **9543**

Universe : Applicable for all pregnancies (respondent-level variable)

cmjan5yr(470-473)

Variable Type : computed

Description : Century month for the January five years prior to cmintvw (computed in Flow Check A-1; respondent variable)

value	label	Total
1273-1297	Jan 2006-Jan 2008	9543
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

QUARTER(474-474)

Variable Type : raw

Description : Quarter when case was sampled

value	label	Total
1	1	1293
2	2	1089
3	3	1104
4	4	1163
5	5	1259
6	6	1357
7	7	1189
8	8	1089
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

Notes : See User's Guide for 2013-2015 release, Appendix 2, for information concerning combining this variable with QUARTER from 2013-2015 data

PHASE(475-475)

Variable Type : raw

Description : Regular- or double-sample portion of the quarter

value	label	Total
.	INAPPLICABLE	25
1	First 10 weeks of quarter	8621
2	Last 2 weeks of quarter (double sample)	897
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)

INTVWYEAR(476-479)

Variable Type : raw

Description : Calendar year when interview occurred

value	label	Total
2011	2011	1293
2012	2012	4615
2013	2013	3635
Total		9543

Universe : Applicable for all pregnancies (respondent-level variable)