

Female Pregnancy File Codebook :: Pregnancy Variables :: 1. Respondent ID and Pregnancy Order

### CASEID(1-5)

Variable Type : raw

Description : Case identification number

value	label	Total
60417-70621	Case identification number	9358
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

### pregordr(6-7)

Variable Type : computed

Description : Pregnancy order (number)

value	label	Total
1	1ST PREGNANCY	3476
2	2ND PREGNANCY	2588
3	3RD PREGNANCY	1592
4	4TH PREGNANCY	831
5	5TH PREGNANCY	423
6	6TH PREGNANCY	209
7	7TH PREGNANCY	109
8	8TH PREGNANCY	56
9	9TH PREGNANCY	28
10	10TH PREGNANCY	17
11	11TH PREGNANCY	11
12	12TH PREGNANCY	6
13	13TH PREGNANCY	3
14	14TH PREGNANCY	2
15	15TH PREGNANCY	2
16	16TH PREGNANCY	1
17	17TH PREGNANCY	1
18	18TH PREGNANCY	1
19	19TH PREGNANCY	1
20	20TH PREGNANCY	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

Female Pregnancy File Codebook :: Pregnancy Variables :: 2. Section B raw variables

### HOWPREG\_N(8-9)

Variable Type : raw

BB-2 : How many weeks or months pregnant are you now? (NUMBER)

value	label	Total
.	INAPPLICABLE	8752
0-50	0-50	606
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a current pregnancy (prgoutcome = 3) (respondent-level variable)

### HOWPREG\_P(10-10)

Variable Type : raw

BB-2 : How many weeks or months pregnant are you now? (UNITS)

value	label	Total
.	INAPPLICABLE	8752
1	Weeks	486
2	Months	120
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a current pregnancy (prgoutcome = 3) (respondent-level variable)

### **moscurrp(11-11)**

Variable Type : computed

Description : Number of Months Currently Pregnant (computed in Flow Check B-5)

value	label	Total
.	INAPPLICABLE	8752
0-11	0-11 Months	606
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a current pregnancy (prgoutcome = 3) (respondent-level variable)

Notes : use recode PRGLNGTH

### **NOWPRGDK(12-12)**

Variable Type : raw

BB-3 : Are you in your first trimester, in your second trimester, or in your third trimester?

value	label	Total
.	INAPPLICABLE	9358
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a current pregnancy (prgoutcome = 3) and R did not know or refused to answer current gestational length (BB-2 HOWPREG\_N = DK/RF) (respondent-level variable)

### **PREGEND1(13-13)**

Variable Type : raw

BC-1 : In which of the ways shown on Card 13 did the pregnancy end? (1st mention)

value	label	Total
.	INAPPLICABLE	252
1	Miscarriage	1473
2	Stillbirth	82
3	Abortion	936
4	Ectopic or tubal pregnancy	116
5	Live birth by Cesarean section	1842
6	Live birth by vaginal delivery	4633
8	Refused	16
9	Don't know	8
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (prgoutcome = 1 or 2)

Notes : Use recode OUTCOME

### **PREGEND2(14-14)**

Variable Type : raw

BC-1 : In which of the ways shown on Card 13 did the pregnancy end? (2nd mention)

value	label	Total
.	INAPPLICABLE	9336
1	Miscarriage	4
3	Abortion	3
4	Ectopic or tubal pregnancy	1
5	Live birth by Cesarean section	6
6	Live birth by vaginal delivery	8
<b>Total</b>		<b>9358</b>

Universe : Applicable if more than 1 pregnancy outcome was reported for this completed pregnancy (see BC-1 PREGEND1)

Notes : Use recode OUTCOME

### HOWENDDK(15-15)

Variable Type : raw

BC-1b : I understand that you may not want to answer this question in detail. If you are willing to say, did this (nth) pregnancy result in a baby or babies born alive, or did it end in some other way?

value	label	Total
.	INAPPLICABLE	9334
1	Live birth	1
5	Some other way	10
8	Refused	10
9	Don't know	3
<b>Total</b>		<b>9358</b>

Universe : Applicable if R did not know or refused to answer how this pregnancy ended (BC-1 PREGEND1 = DK or RF)

### NBRNALIV(16-16)

Variable Type : raw

BC-2 : (With your (nth) pregnancy,) How many babies did you have that were born alive? Please include babies that may have died shortly after birth and babies that you placed for adoption.

value	label	Total
.	INAPPLICABLE	2873
1	1 BABY	6379
2	2 BABIES	100
3	3 OR MORE BABIES	5
8	Refused	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy resulted in at least 1 live birth (prgoutcome = 1)

### MULTBRTH(17-17)

Variable Type : raw

BC-3 : Did you have (twins/triplets/all of these babies with this [nth] pregnancy)?

value	label	Total
.	INAPPLICABLE	9253
1	Yes	97
5	No	8
<b>Total</b>		<b>9358</b>

















































































3	Birth control pills	814
4	Condom	888
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	20
7	Withdrawal, pulling out	421
8	Depo-Provera, injectables	133
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	8
10	Calendar rhythm, Standard Days, or Cycle Beads method	54
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
12	Diaphragm	4
13	Female condom, vaginal pouch	2
14	Foam	5
17	Suppository, insert	3
19	IUD, coil, or loop	35
20	Emergency contraception	4
21	Other method	4
24	Lunelle injectable (monthly shot)	2
25	Contraceptive patch	49
26	Vaginal contraceptive ring	44
99	Don't know	9
	<b>Total</b>	<b>9358</b>

Universe : Applicable if (pregnancy began on or after January[`YEAR OF INTERVIEW-3 (cmpbeg_s >= cmjan3yr)`] and R used a method in the month pregnancy began (`ED-6 METHX1 -- METHX192` corresponding to `cmpbeg_s NE 1`) and also in the month after pregnancy began, and it was the same method in both months (`ED-6 METHX1 -- METHX192` corresponding to `cmpbeg_s + 1 NE 1` and is equal to method for `cmpbeg_s`) or R had not stopped using all methods before becoming pregnant, or responded "don't know" or "refused" (`EG-2 STOPDUSE = 5 / DK/ RF`)

### WHATMETH02(265-266)

Variable Type : raw

EG-4 : You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (2nd mention)

value	label	Total
.	INAPPLICABLE	8875
1	No method used	1
3	Birth control pills	31
4	Condom	156
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	192
8	Depo-Provera, injectables	19
9	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	37
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
12	Diaphragm	3
14	Foam	3
15	Jelly or cream	1
16	Cervical cap	1
17	Suppository, insert	3
18	Today sponge	1
19	IUD, coil, or loop	4
20	Emergency contraception	7
25	Contraceptive patch	10
26	Vaginal contraceptive ring	8
	<b>Total</b>	<b>9358</b>

Universe : Applicable if more than 1 method was being used before R became pregnant this time (see EG-4 WHATMETH01)



**WHATMETH03(267-268)**

Variable Type : raw

EG-4 : You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (3rd mention)

value	label	Total
.	INAPPLICABLE	9295
1	No method used	1
3	Birth control pills	3
4	Condom	4
7	Withdrawal, pulling out	23
8	Depo-Provera, injectables	3
10	Calendar rhythm, Standard Days, or Cycle Beads method	9
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	2
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
17	Suppository, insert	3
18	Today sponge	1
20	Emergency contraception	6
21	Other method	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	2
	<b>Total</b>	<b>9358</b>

Universe : Applicable if more than 2 methods were being used before R became pregnant this time (see EG-4 WHATMETH01)

**WHATMETH04(269-270)**

Variable Type : raw

EG-4 : You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (4th mention)

value	label	Total
.	INAPPLICABLE	9351
7	Withdrawal, pulling out	1
10	Calendar rhythm, Standard Days, or Cycle Beads method	1
11	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Diaphragm	1
15	Jelly or cream	1
18	Today sponge	1
20	Emergency contraception	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if more than 3 methods were being used before R became pregnant this time (see EG-4 WHATMETH01)

**RESNOUSE(271-271)**

Variable Type : raw

EG-5 : (IF R NEVER USED A METHOD:) Before you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time), was the reason you did not use any birth control methods because you, yourself, wanted to become pregnant?

(IF USED A METHOD BETWEEN FIRST SEX/LAST PREGNANCY AND THIS ONE:) You told me you had stopped using a birth control method before you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time). Was the reason you had stopped using any methods because you yourself wanted to become pregnant?

(IF DID NOT USE A METHOD BETWEEN FIRST SEX/LAST PREGNANCY AND THIS ONE:) You did not use any

method of birth control from (your first intercourse/[BABY NAME's] birth in [DATE]/your [Nth] pregnancy which ended in [DATE]) until you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time). Was the reason you were not using any methods because you yourself wanted to become pregnant?

value	label	Total
.	INAPPLICABLE	6099
1	Yes	1692
5	No	1522
8	Refused	24
9	Don't know	21
<b>Total</b>		<b>9358</b>

Universe : Applicable if R did not know or refused to answer pregnancy beginning date and never used a method of birth control (cmpbeg\_s = DK/RF and everused = 5) or [pregnancy began prior to January[**YEAR OF INTERVIEW - 3**] (cmpbeg\_s < cmjan3yr) and R has never used a method of birth control (everused = 5) or R's first method use was after the end of the pregnancy (cmintfin < cmfirm)] or [pregnancy began on or after January[**YEAR OF INTERVIEW - 3**] (cmpbeg\_s < cmjan3yr) and R did not use a method in the month pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg\_s = 1) or R did not use a method within pregnancy interval (between 1st sex/previous pregnancy end and end of this pregnancy) or responded "don't know" or "refused" (EG-1 EVUSEINT = 5,DK,RF)]

### **WANTBOLD(272-272)**

Variable Type : raw

EG-6 : Right before you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time), did you yourself want to have a(nother) baby at any time in the future?

value	label	Total
.	INAPPLICABLE	3718
1	Yes	3744
5	No	1672
6	Not sure, Don't know	192
8	Refused	26
9	Don't know	6
<b>Total</b>		<b>9358</b>

Universe : Applicable if R responded "no" to whether she stopped using all methods of birth control because she wanted to become pregnant (EG-3 WHYSTOPD = 5) or R responded "no" to whether the reason she did not use a method in the pregnancy interval was because she wanted to become pregnant (EG-5 RESNOUSE = 5)

Notes : see recode WANTRESP or NEWWANTR

### **PROBBABE(273-273)**

Variable Type : raw

EG-7 : It is sometimes difficult to recall these things but, right before (this/that) pregnancy began, would you say you probably wanted a(nother) baby at some time in the future or probably not?

value	label	Total
.	INAPPLICABLE	9134
1	Probably yes	114
5	Probably not	61
6	Didn't care	17
8	Refused	26
9	Don't know	6
<b>Total</b>		<b>9358</b>

Universe : Applicable if R responded "not sure, don't know" about wanting a(nother) baby at any time in the future (EG-6 WANTBOLD = 6)

**CNFRMNO(274-274)**

Variable Type : raw

EG-8 : So right before you became pregnant (this time/that time), you thought you did not want to have (any children/a Nth child from this pregnancy) at any time in the future, is that correct?

value	label	Total
.	INAPPLICABLE	9330
1	Correct	25
2	Incorrect	2
9	Don't know	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if R is younger than 20 years (age\_r < 20) and: R responded "no" about wanting a (nother) baby at any time in the future (EG-6 WANTBOLD = 6) or R responded "probably not" about whether she probably wanted or didn't want a(nother) baby at some time in the future (EG-7 PROBBABE = 5)

**WANTBLD2(275-275)**

Variable Type : raw

EG-9 : Right before you became pregnant (with your (Nth) pregnancy (which ended in (DATE)/this time), did you yourself want to have a(nother) baby at any time in the future?

value	label	Total
.	INAPPLICABLE	9355
1	Yes	2
6	Not sure, Don't know	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if question confirming that R did not want to have a(nother) child at any time was answered "incorrect" or "don't know" or "refused" (EG-8 CNFRMNO = 5 or DK/RF)

**TIMINGOK(276-276)**

Variable Type : raw

EG-10 : So would you say you became pregnant too soon, at about the right time, or later than you wanted?

value	label	Total
.	INAPPLICABLE	1783
1	Sooner	2793
2	Right time	4087
3	Later	604
4	Didn't care	76
8	Refused	4
9	Don't know	11
<b>Total</b>		<b>9358</b>

Universe : Applicable if R responded "yes" to whether she stopped using all methods of birth control because she wanted to become pregnant (EG-3 WHYSTOPD = 1) or R responded "yes" to whether the reason she did not use a method in the pregnancy interval was because she wanted to become pregnant (EG-5 RESNOUSE = 1) or R responded "yes" to whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-6 WANTBOLD = 1) or R responded "probably yes" to whether, right before pregnancy, she probably wanted to have a baby at some time in the future (EG-7 PROBBABE = 1) or R responded "yes" to the second time she was asked whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-9 WANTBLD2 = 1)

Notes : see recode WANTRESP or NEWWANTR

**TOOSOON\_N(277-279)**

Variable Type : raw

EG-11 : How much sooner than you wanted did you become pregnant? (number of months or years)

value	label	Total
.	INAPPLICABLE	6565
1-100	1-100	2737
998	Refused	2
999	Don't know	54
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R said she became pregnant "too soon" (EG-10 TIMINGOK = 1)

Notes : See recode WANTRESP or NEWWANTR

### **TOOSOON\_P(280-280)**

Variable Type : raw

EG-11 : (How much sooner than you wanted did you become pregnant?) (unit -- months or years)

value	label	Total
.	INAPPLICABLE	6565
1	Months	245
2	Years	2503
8	Refused	2
9	Don't know	43
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R said she became pregnant "too soon" (EG-10 TIMINGOK = 1)

Notes : See recode WANTRESP or NEWWANTR

### **WTHPART1(281-281)**

Variable Type : raw

EG-12a : Right before (the/this/that) pregnancy, did you want to have a(nother) baby with that partner?  
Would you say definitely yes, probably yes, probably no, or definitely no?

value	label	Total
.	INAPPLICABLE	4650
1	Definitely yes	4056
2	Probably yes	382
3	Probably no	116
4	Definitely no	149
9	Don't know	5
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R responded that she became pregnant at the "right time" or "later" than she wanted (EG-10 TIMINGOK = 2 or 3) or R responded "didn't care " to whether she probably wanted a(nother) baby at some time in the future (EG-7 PROBBABE = 6)

### **WTHPART2(282-282)**

Variable Type : raw

EG-12b : Right before (the/this/that) pregnancy, did you think you might ever want to have a(nother) baby with that partner? Would you say definitely yes, probably yes, probably no, or definitely no?

value	label	Total
.	INAPPLICABLE	4711
1	Definitely yes	1490
2	Probably yes	889
3	Probably no	618
4	Definitely no	1590

8	Refused	28
9	Don't know	32
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R responded that she became pregnant "too soon" or "didn't care" about the timing or "don't know" or "refused" (EG-10 TIMINGOK = 1 or 4 or DK/RF) or R responded "no" or "don't know" or "refused" to whether she probably wanted a(nother) baby at some time in the future (EG-7 PROBBABE = 6) or R responded "no", "not sure", "don't know" or "refused" to whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-6 WANTBOLD NE 1) or R responded "probably not", "didn't care", "Don't know" or "refused" to whether she probably wanted a(nother) baby at some time in the future (EG-7 PROBBABE NE 1) or R responded "no", "not sure", "didn't care", "don't know" or "refused" to the second time she was asked whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-9 WANTBLD2 NE 1)

### FEELINPG(283-284)

Variable Type : raw

EG-13 : Please look at the scale on Card 39. On this scale, a zero means that you were very unhappy to be pregnant and a ten means that you were very happy to be pregnant. Tell me which number on the card best describes how you felt when you found out you were pregnant.

value	label	Total
.	INAPPLICABLE	7078
0	VERY UNHAPPY	234
1	1	57
2	2	61
3	3	75
4	4	87
5	5	203
6	6	96
7	7	124
8	8	164
9	9	115
10	VERY HAPPY	1038
98	REFUSED	18
99	DON'T KNOW	8
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy ended on or after January [YEAR OF INTERVIEW - 3] (cmendp\_s GE cmjan3yr)

### HPWNOLD(285-285)

Variable Type : raw

EG-16 : Right before you became pregnant (this time/that (Nth) time,) did the father want you to have a (nother) baby at any time in the future?

value	label	Total
1	Yes	6866
5	No	1852
6	Not sure, Don't know	590
7	Not ascertained	3
8	Refused	29
9	Don't know	18
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

### TIMOKHP(286-286)

Variable Type : raw

EG-17 : So would you say you became pregnant sooner than he wanted, at about the right time, or later than he wanted?

value	label	Total
.	INAPPLICABLE	2492
1	Sooner	1571
2	Right time	4593
3	Later	555
4	Didn't care	112
8	Refused	1
9	Don't know	34
<b>Total</b>		<b>9358</b>

Universe : Applicable if R responded "yes" to whether father of pregnancy wanted her to have baby at any time in the future (EG-16 HPWNOLD = 1)

Notes : see recode WANTRESP or NEWWANTR

### COHPBEG(287-287)

Variable Type : raw

EG-18a : Were you either married to or living with the father of (the pregnancy/this pregnancy/your (Nth) pregnancy which ended in (DATE)) at the beginning of the pregnancy? By living together, we mean having a sexual relationship while sharing the same usual address.

value	label	Total
.	INAPPLICABLE	2446
1	Yes	3961
5	No	2916
8	Refused	29
9	Don't know	6
<b>Total</b>		<b>9358</b>

Universe : Applicable if R is not currently married (AB-1 MARSTAT ne 1) or married more than once, or times married is unknown (CA-1 TIMESMAR>1 or DK/RF) or 1st marriage began after pregnancy ended (cmmarrhx > cmendp\_s) or 1st marriage start date is unknown (cmmarrhx = DK/RF) or date pregnancy ended is unknown (cmendp\_s = DK/RF)

### COHPEND(288-288)

Variable Type : raw

EG-18b : (When [BABY NAME] was born, were you either married to or living with (his/her) father? / Were you either married to or living with the father of (the/that) pregnancy when ([BABY NAME] was born/the pregnancy ended))?

value	label	Total
.	INAPPLICABLE	2595
1	Yes	4045
5	No	2683
8	Refused	28
9	Don't know	7
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is not current (outcom\_s NE 3) and conditions for EG-18a COHPBEG are met

### TELLFATH(289-289)

Variable Type : raw

EG-19 : Did you tell the father of (the pregnancy/that (Nth) pregnancy/your current pregnancy) that you (were/are) pregnant?

value	label	Total
.	INAPPLICABLE	5674
1	Yes	3395
5	No	257
8	Refused	27
9	Don't know	5
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy did not result in a live birth (outcom\_s NE 1) or R was not living with the father of the pregnancy when the pregnancy ended (EG-18 COHPEND NE 1) or responded "don't know/refused" (EG-18 COHPEND = DK/RF)

### WHENTELL(290-290)

Variable Type : raw

EG-20 : When did you tell him that you were pregnant - during the pregnancy or after the baby was born/after the pregnancy ended?

value	label	Total
.	INAPPLICABLE	5963
1	During the pregnancy	3236
2	After the [pregnancy ended/baby was born]	156
8	Refused	1
9	Don't know	2
<b>Total</b>		<b>9358</b>

Universe : Applicable if R told the father of the pregnancy that she was pregnant (EG-19 TELLFATH = 1) and if pregnancy is not current (outcom\_s NE 3)

### TRYSCALE(291-292)

Variable Type : raw

EG-21 : Look at the scale on Card 40, where a 0 means trying hard not to get pregnant, and a 10 means trying hard to get pregnant. If you had to rate how much you were trying to get pregnant or avoid pregnancy right before you got pregnant (this time/that time), how would you rate yourself?

value	label	Total
.	INAPPLICABLE	7078
0	0	435
1	1	77
2	2	119
3	3	112
4	4	89
5	5	416
6	6	90
7	7	124
8	8	145
9	9	57
10	10	591
98	Refused	16
99	Don't know	9
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy ended on or after January [YEAR OF INTERVIEW - 3] (cmendp\_s GE cmjan3yr) or pregnancy is current (outcom\_s = 3)

### WANTSCAL(293-294)

Variable Type : raw

EG-22 : Look at the scale on Card 41, where a 0 means you wanted to avoid a pregnancy and a 10 means you wanted to get pregnant. If you had to rate how much you wanted or didn't want a pregnancy right before you got pregnant (this time/that time), how would you rate yourself?

value	label	Total
.	INAPPLICABLE	7078
0	0	513
1	1	77
2	2	96
3	3	94
4	4	61
5	5	326
6	6	61
7	7	80
8	8	100
9	9	69
10	10	776
98	Refused	16
99	Don't know	11
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy ended on or after January [YEAR OF INTERVIEW - 3] (cmendp\_s GE cmjan3yr) or pregnancy is current (outcom\_s = 3)

### WHYPRG1(295-295)

Variable Type : raw

EG-23 : Please look at Card 42. (Earlier you told me (your/this/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? Your birth control method failed, or you did not use your birth control method properly? (1st mention)

value	label	Total
.	INAPPLICABLE	8921
1	Your birth control method failed	201
2	You did not use your birth control method properly	191
3	Respondent wasn't using a method	43
9	Don't know	2
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy ended on or after January [YEAR OF INTERVIEW - 3] (cmendp\_s GE cmjan3yr) or pregnancy is current (outcom\_s = 3) and R responded that she became pregnant "too soon" (EG-10 TIMINGOK = 1) or R responded "no" to whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-6 WANTBOLD = 5) or R responded "probably not" to whether she probably wanted a(nother) baby at some time in the future (EG-7 PROBBABE = 5) or R responded "no" to the second time she was asked whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-9 WANTBLD2 = 5) and R used a method in month pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg\_s NE 1)

### WHYPRG2(296-296)

Variable Type : raw

EG-23 : Please look at Card 42. (Earlier you told me (your/this/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? Your birth control method failed, or you did not use your birth control method properly? (2nd mention)

value	label	Total
.	INAPPLICABLE	9339



1	Your birth control method failed	1
2	You did not use your birth control method properly	16
3	Respondent wasn't using a method	2
<b>Total</b>		<b>9358</b>

Universe : Applicable if more than one reason became pregnant with unintended pregnancy (see EG-23 WHYPRG1)

### WHYHOUSE1(297-298)

Variable Type : raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (1st mention)

value	label	Total
.	INAPPLICABLE	8758
1	You did not expect to have sex	76
2	You did not think you could get pregnant	168
3	You didn't really mind if you got pregnant	70
4	You were worried about the side effects of birth control	63
5	Your male partner did not want you to use a birth control method	16
6	Your male partner himself did not want to use a birth control method	16
7	(IF VOLUNTEERED:)Respondent was using a method	36
8	You could not get a method	14
9	You were not taking, or using, your method consistently	126
98	Refused	1
99	Don't know	14
<b>Total</b>		<b>9358</b>

Universe : Applicable if conditions met for EG-23 WHYPRG1 and R did not use a method in month pregnancy began (ED-6 METHX1 through METHX192 corresponding to cmpbeg\_s = 1)

### WHYHOUSE2(299-299)

Variable Type : raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (2nd mention)

value	label	Total
.	INAPPLICABLE	9253
1	You did not expect to have sex	5
2	You did not think you could get pregnant	24
3	You didn't really mind if you got pregnant	11
4	You were worried about the side effects of birth control	10
5	Your male partner did not want you to use a birth control method	12
6	Your male partner himself did not want to use a birth control method	19
7	(IF VOLUNTEERED:)Respondent was using a method	3
8	You could not get a method	2
9	You were not taking, or using, your method consistently	19
<b>Total</b>		<b>9358</b>

Universe : Applicable if more than one reason R didn't use a method before unintended pregnancy began (see EG-24 WHYHOUSE1)

### WHYHOUSE3(300-300)

Variable Type : raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (3rd mention)

value	label	Total
.	INAPPLICABLE	9330
2	You did not think you could get pregnant	1
3	You didn't really mind if you got pregnant	3
4	You were worried about the side effects of birth control	4
5	Your male partner did not want you to use a birth control method	4
6	Your male partner himself did not want to use a birth control method	6
7	(IF VOLUNTEERED:)Respondent was using a method	1
8	You could not get a method	1
9	You were not taking, or using, your method consistently	8
<b>Total</b>		<b>9358</b>

Universe : Applicable if more than 2 reasons R didn't use a method before unintended pregnancy began (see EG-24 WHYNOUSE1)

#### WHYNOUSE4(301-301)

Variable Type : raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (4th mention)

value	label	Total
.	INAPPLICABLE	9353
4	You were worried about the side effects of birth control	1
5	Your male partner did not want you to use a birth control method	1
6	Your male partner himself did not want to use a birth control method	1
7	(IF VOLUNTEERED:)Respondent was using a method	1
9	You were not taking, or using, your method consistently	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if more than 3 reasons R didn't use a method before unintended pregnancy began (see EG-24 WHYNOUSE1)

#### WHYNOUSE5(302-302)

Variable Type : raw

EG-24 : Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in [DATE]))? You did not use birth control because... (5th mention)

value	label	Total
.	INAPPLICABLE	9356
5	Your male partner did not want you to use a birth control method	1
9	You were not taking, or using, your method consistently	1
<b>Total</b>		<b>9358</b>

Universe : Applicable if more than 4 reasons R didn't use a method before unintended pregnancy began (see EG-24 WHYNOUSE1)

#### whynopg1(303-304)

Variable Type : computed

EG-24aa : Could you say a bit more about why you did not think you could get pregnant? (1st mention)

value	label	Total
.	INAPPLICABLE	9168
1	Diagnosis of repro problems/condition	17
2	Prior preg or attempt: problems with or treatments/ART needed	4
3	Prior unprotected sex, no preg	25
4	Just didn't think would get preg/misunderstood risk	18
5	Just didn't think could get preg	8
6	Don't know why/didn't think about it/naive/mistake	20
7	Thought method was still working (still in her system)	10
8	Prior/recent miscarriage(s)	11
9	Menstrual cycle problems/irregularity	3
10	Had birth recently	5
11	Perceive infertile or difficult getting preg/carrying to term	4
12	Lack of education/knowledge	2
13	Endometriosis	2
14	Age (too old)	3
15	Breastfeeding	9
16	Believed partner subfecund/infertile/sterile	6
17	Withdrawal failed	9
18	Thought it was safe period in cycle	7
19	Method failure (pill, condom, tubal, IUD)	10
20	Other	14
97	Not ascertained	3
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R chose "did not think you could get pregnant" as reason for no BC use before unintended preg (any EG-24 WHYNOUSE1 through EG-24 WHYNOUSE5 = 2)

### whynopg2(305-306)

Variable Type : computed

EG-24aa : Could you say a bit more about why you did not think you could get pregnant? (2nd mention)

value	label	Total
.	INAPPLICABLE	9350
3	Prior unprotected sex, no preg	1
4	Just didn't think would get preg/misunderstood risk	1
7	Thought method was still working (still in her system)	2
17	Withdrawal failed	1
18	Thought it was safe period in cycle	2
20	Other	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R reported at least 2 reasons on EG-24aa WHYNOPG (see whynopg1)

### MAINOUSE(307-308)

Variable Type : raw

EG-24a : Which one of these is the main reason that you did not use birth control?

value	label	Total
.	INAPPLICABLE	9259
1	You did not expect to have sex	17
2	You did not think you could get pregnant	19
3	You didn't really mind if you got pregnant	8
4	You were worried about the side effects of birth control	14
5	Your male partner did not want you to use a birth control method	4

6	Your male partner himself did not want to use a birth control method	17
8	You could not get a method	4
9	You were not taking, or using, your method consistently	15
99	Don't know	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R reported more than one reason why didn't use a method before unintended pregnancy began (2 or more of EG-24 WHYNOUSE1 through WHYNOUSE5 contain a valid response)

Female Pregnancy File Codebook :: Pregnancy Variables :: 4. Section B and E pregnancy-based recodes

### **PRGLNGTH(309-310)**

Variable Type : pregnancy recode

Description : Duration of completed pregnancy in weeks (recode)

value	label	Total
0-13	13 WEEKS OR LESS	2323
14-26	14-26 WEEKS	450
27-95	27 WEEKS OR LONGER	6585
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

### **OUTCOME(311-311)**

Variable Type : pregnancy recode

Description : Pregnancy outcome (recode)

value	label	Total
1	LIVE BIRTH	6489
2	INDUCED ABORTION	947
3	STILLBIRTH	86
4	MISCARRIAGE	1469
5	ECTOPIC PREGNANCY	118
6	CURRENT PREGNANCY	249
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

### **BIRTHORD(312-313)**

Variable Type : pregnancy recode

Description : Birth order (recode)

value	label	Total
.	INAPPLICABLE	2869
1	1ST BIRTH	3067
2	2ND BIRTH	2002
3	3RD BIRTH	937
4	4TH BIRTH	322
5	5TH BIRTH	106
6	6TH BIRTH	32
7	7TH BIRTH	14
8	8TH BIRTH	6
9	9TH BIRTH	2
10	10TH BIRTH	1
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies that resulted in live birth (OUTCOME = 1)

### **DATEND(314-317)**

Variable Type : pregnancy recode

Description : Century month for date pregnancy ended (recode)

value	label	Total
.	INAPPLICABLE	249
378-1340	Before Sept 2011	7377
1341-1352	Sept 2011-Aug 2012	588
1353-1364	Sept 2012-Aug 2013	545
1365-1376	Sept 2013-Aug 2014	441
1377-1389	Sept 2014-Sept 2015	158
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

### **AGEPREG(318-321)**

Variable Type : pregnancy recode

Description : Age at pregnancy outcome (recode)

value	label	Total
.	INAPPLICABLE	249
0-1999	UNDER 20 YEARS	2001
2000-2499	20-24 YEARS	2985
2500-2999	25-29 YEARS	2193
3000-4499	30-44 YEARS	1930
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

### **DATECON(322-325)**

Variable Type : pregnancy recode

Description : Century month for date of conception (recode)

value	label	Total
378-1340	Before Sept 2011	7699
1341-1352	Sept 2011-Aug 2012	552
1353-1364	Sept 2012-Aug 2013	574
1365-1376	Sept 2013-Aug 2014	388
1377-1389	Sept 2014-Sept 2015	145
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **AGECON(326-329)**

Variable Type : pregnancy recode

Description : Age at time of conception (recode)

value	label	Total
0-1999	UNDER 20 YEARS	2406
2000-2499	20-24 YEARS	2960
2500-2999	25-29 YEARS	2216
3000-4499	30-44 YEARS	1776
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **FMAROUT5(330-330)**

Variable Type : pregnancy recode

Description : Formal marital status at pregnancy outcome (recode)

value	label	Total
.	INAPPLICABLE	249
1	MARRIED	3700
2	DIVORCED	517
3	WIDOWED	25
4	SEPARATED	96
5	NEVER MARRIED	4771
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

### **PMARPREG(331-331)**

Variable Type : pregnancy recode

Description : Whether pregnancy ended before R's 1st marriage (premaritally) (recode)

value	label	Total
.	INAPPLICABLE	249
1	YES	4771
2	No	4338
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

### **RMAROUT6(332-332)**

Variable Type : pregnancy recode

Description : Informal marital status at pregnancy outcome - 6 categories (recode)

value	label	Total
.	INAPPLICABLE	249
1	MARRIED	3700
2	DIVORCED	241
3	WIDOWED	15
4	SEPARATED	96
5	COHABITING	2516
6	NEVER MARRIED, NOT COHABITING	2541
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (OUTCOME NE 6)

### **FMARCON5(333-333)**

Variable Type : pregnancy recode

Description : Formal marital status at conception - 5 categories (recode)

value	label	Total
1	MARRIED	3473
2	DIVORCED	534
3	WIDOWED	24
4	SEPARATED	89
5	NEVER MARRIED	5238
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **RMARCON6(334-334)**

Variable Type : pregnancy recode

Description : Informal marital status at conception - 6 categories (recode)

value	label	Total
1	MARRIED	3473
2	DIVORCED	256
3	WIDOWED	15
4	SEPARATED	89
5	COHABITING	2597
6	NEVER MARRIED, NOT COHABITING	2928
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies

### **LEARNPRG(335-336)**

Variable Type : pregnancy recode

Description : Number of weeks pregnant when R learned she was pregnant (recode)

value	label	Total
.	INAPPLICABLE	6500
0-13	13 WEEKS OR LESS	2728
14-50	14 WEEKS OR LATER	130
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (other than an induced abortion) (OUTCOME = 1, 3, 4, or 5) that ended in January [YEAR OF INTERVIEW - 5] or later (DATEND GE cmjan5yr), but not with an unnamed baby placed for adoption (no BPA\_BDScheck1 - 3 = 1)

### **PNCAREWK(337-338)**

Variable Type : pregnancy recode

Description : Number of weeks pregnant at first prenatal care (recode)

value	label	Total
.	INAPPLICABLE	6498
0-13	13 WEEKS OR LESS	2275
14-50	14 WEEKS OR LATER	249
95	NO PRENATAL CARE FOR THIS PREGNANCY	336
<b>Total</b>		<b>9358</b>

Universe : Applicable if pregnancy is a completed pregnancy (other than an induced abortion) (OUTCOME = 1, 3, 4, or 5) that ended in January [YEAR OF INTERVIEW - 5] or later (DATEND GE cmjan5yr), but not with an unnamed baby placed for adoption (no BPA\_BDScheck1 - 3 = 1)

### **PAYDELIV(339-339)**

Variable Type : pregnancy recode

Description : Payment for delivery (recode)

value	label	Total
.	INAPPLICABLE	7133
1	OWN INCOME ONLY	40
2	INSURANCE ONLY	445
3	OWN INCOME & INSURANCE ONLY	456

4	MEDICAID/GOVT ASSISTANCE MENTIONED AT ALL	1232
5	ALL OTHER COMBINATIONS OF PAYMENT METHODS	52
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy ended in live birth in January [INTERVIEW YEAR - 5] or later (OUTCOME = 1 and DATEND GE cmjan5yr)

### LBW1(340-340)

Variable Type : pregnancy recode

Description : Low birthweight - Baby 1 (recode)

value	label	Total
.	INAPPLICABLE	2869
1	YES, LOW BIRTH WEIGHT	697
2	NO, NOT LOW BIRTH WEIGHT	5792
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy ended in live birth (OUTCOME = 1)

### LIVCHILD(341-341)

Variable Type : pregnancy recode

Description : Current living arrangements of 1st liveborn child from this pregnancy (recode)

value	label	Total
.	INAPPLICABLE	2869
1	Child lives with R	6025
2	Child is dead	51
3	Child lives with adoptive parents/family	50
4	Child lives with biological father	158
5	Child lives with other relatives	133
6	Child's living arrangements are other or unknown	72
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy ended in live birth (OUTCOME = 1)

### BFEEDWKS(342-344)

Variable Type : pregnancy recode

Description : Duration of breastfeeding in weeks (recode)

value	label	Total
.	INAPPLICABLE	3740
0	Less than 1 week	66
1-4	1-4 weeks	498
5-8	5-8 weeks	138
9-26	9-26 weeks	1365
27-52	27-52 weeks (> 6mos, < 1 yr)	906
53-993	53 WEEKS OR LONGER (> 1 yr)	601
994	STILL BREASTFEEDING THIS CHILD	176
995	NEVER BREAST-FED THIS CHILD	1868
	<b>Total</b>	<b>9358</b>

Universe : Applicable if pregnancy ended in single live birth (OUTCOME = 1 and nbrnlv\_s = 1) and child is currently under age 19 lived with R at least 2 months (lastage1 GE 2 and kidage LT 228)

### OLDWANTR(345-345)



Variable Type : pregnancy recode

Description : Wantedness of pregnancy - respondent - Cycle 4 version (recode)

value	label	Total
1	LATER, OVERDUE	612
2	RIGHT TIME	4093
3	TOO SOON, MISTIMED	2805
4	DIDN'T CARE, INDIFFERENT	89
5	UNWANTED	1735
6	DON'T KNOW, NOT SURE	24
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

### **OLDWANTP(346-346)**

Variable Type : pregnancy recode

Description : Wantedness of preg - R's partner (father of pregnancy) - Cycle 4 version (recode)

value	label	Total
1	LATER, OVERDUE	569
2	RIGHT TIME	4602
3	TOO SOON, MISTIMED	1595
4	DIDN'T CARE, INDIFFERENT	123
5	UNWANTED	1858
6	DON'T KNOW, NOT SURE	611
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

### **WANTRESP(347-347)**

Variable Type : pregnancy recode

Description : Wantedness of pregnancy -- Respondent (RECODE)

value	label	Total
1	LATER, OVERDUE	612
2	RIGHT TIME	4093
3	TOO SOON, MISTIMED	2807
4	DIDN'T CARE, INDIFFERENT	89
5	UNWANTED	1733
6	DON'T KNOW, NOT SURE	24
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

### **WANTPART(348-348)**

Variable Type : pregnancy recode

Description : Wantedness of pregnancy -- R's partner (RECODE)

value	label	Total
1	LATER, OVERDUE	571
2	RIGHT TIME	4605
3	TOO SOON, MISTIMED	1603
4	DIDN'T CARE, INDIFFERENT	124
5	UNWANTED	1862
6	DON'T KNOW, NOT SURE	593
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

### **TOOSOON(349-351)**

Variable Type : pregnancy recode

Description : Number of months too soon pregnancy occurred (recode)

value	label	Total
.	INAPPLICABLE	6565
1-400	1-400	2793
	<b>Total</b>	<b>9358</b>

Universe : Applicable if R said she became pregnant "too soon" (EG-10 TIMINGOK =1)

### **NEWWANTR(352-352)**

Variable Type : pregnancy recode

Description : Detailed wantedness of pregnancy - respondent (recode)

value	label	Total
1	Later, overdue	612
2	Right time	4093
3	Too soon: by less than 2 years	754
4	Too soon: by 2 years or more	2053
5	Didn't care, indifferent	89
6	Unwanted	1733
7	Don't know, not sure	24
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies

Female Pregnancy File Codebook :: Pregnancy Variables :: 5. Selected respondent file variables (raw and recode)

### **cmbirth(353-356)**

Variable Type : computed

Description : Century month of R's birth (computed; respondent variable)

value	label	Total
378-1340	Before Sept 2011	9358
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **AGER(357-358)**

Variable Type : respondent recode

Description : Age at interview (respondent recode)

value	label	Total
15	15 YEARS	2
16	16 YEARS	8
17	17 YEARS	26
18	18 YEARS	34
19	19 YEARS	59
20	20 YEARS	79
21	21 YEARS	126
22	22 YEARS	144
23	23 YEARS	186

24	24 YEARS	245
25	25 YEARS	296
26	26 YEARS	376
27	27 YEARS	390
28	28 YEARS	310
29	29 YEARS	369
30	30 YEARS	514
31	31 YEARS	401
32	32 YEARS	523
33	33 YEARS	451
34	34 YEARS	489
35	35 YEARS	551
36	36 YEARS	418
37	37 YEARS	445
38	38 YEARS	380
39	39 YEARS	441
40	40 YEARS	362
41	41 YEARS	433
42	42 YEARS	339
43	43 YEARS	475
44-45	44 YEARS	486
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

Notes : Respondents age 45 were 44 at screener

### **agescrn(359-360)**

Variable Type : computed

Description : R's age at screener (computed; respondent variable)

<b>value</b>	<b>label</b>	<b>Total</b>
15	15 years	2
16	16 years	8
17	17 years	26
18	18 years	34
19	19 years	60
20	20 years	78
21	21 years	131
22	22 years	145
23	23 years	186
24	24 years	249
25	25 years	310
26	26 years	362
27	27 years	390
28	28 years	315
29	29 years	372

30	30 years	503
31	31 years	416
32	32 years	526
33	33 years	452
34	34 years	493
35	35 years	544
36	36 years	418
37	37 years	438
38	38 years	381
39	39 years	430
40	40 years	369
41	41 years	431
42	42 years	348
43	43 years	462
44	44 years	479
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **FMARITAL(361-361)**

Variable Type : respondent recode

Description : Formal marital status (respondent recode)

value	label	Total
1	MARRIED TO A PERSON OF THE OPPOSITE SEX	4074
2	WIDOWED	86
3	DIVORCED OR ANNULLED	1237
4	SEPARATED	664
5	NEVER MARRIED	3297
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **RMARITAL(362-362)**

Variable Type : respondent recode

Description : Informal Marital Status (respondent recode)

value	label	Total
1	CURRENTLY MARRIED	4074
2	NOT MARRIED BUT LIVING WITH OPP SEX PARTNER	1644
3	WIDOWED	55
4	DIVORCED	829
5	SEPARATED FOR REASONS OF MARITAL DISCORD	564
6	NEVER BEEN MARRIED	2192
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

**EDUCAT(363-364)**

Variable Type : respondent recode

Description : Education (completed years of schooling) (respondent recode)

<b>value</b>	<b>label</b>	<b>Total</b>
9	9TH GRADE OR LESS	1247
10	10TH GRADE	526
11	11TH GRADE	651
12	12TH GRADE	2315
13	1 YEAR OF COLLEGE/GRAD SCHOOL	1193
14	2 YEARS OF COLLEGE/GRAD SCHOOL	1179
15	3 YEARS OF COLLEGE/GRAD SCHOOL	313
16	4 YEARS OF COLLEGE/GRAD SCHOOL	876
17	5 YEARS OF COLLEGE/GRAD SCHOOL	236
18	6 YEARS OF COLLEGE/GRAD SCHOOL	438
19	7+ YEARS OF COLLEGE/GRAD SCHOOL	384
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been bottomcoded for public use.)

**HIEDUC(365-366)**

Variable Type : respondent recode

Description : Highest completed year of school or degree (respondent recode)

<b>value</b>	<b>label</b>	<b>Total</b>
5	9TH GRADE OR LESS	1002
6	10TH GRADE	346
7	11TH GRADE	433
8	12TH GRADE, NO DIPLOMA (NOR GED)	70
9	HIGH SCHOOL GRADUATE (DIPLOMA OR GED)	2882
10	SOME COLLEGE BUT NO DEGREE	1943
11	ASSOCIATE DEGREE IN COLLEGE/UNIVERSITY	827
12	BACHELOR'S DEGREE	1149
13	MASTER'S DEGREE	576
14	DOCTORATE DEGREE	67
15	PROFESSIONAL DEGREE	63
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable) (This variable has been bottomcoded for public use.)

**RACE(367-367)**

Variable Type : respondent recode

Description : Race (respondent recode)

<b>value</b>	<b>label</b>	<b>Total</b>
1	BLACK	2431
2	WHITE	5992
3	OTHER	935
<b>Total</b>		<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

**HISPANIC(368-368)**

Variable Type : respondent recode

Description : Hispanic origin (respondent recode)

value	label	Total
1	HISPANIC	2531
2	NON-HISPANIC	6827
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **HISPRACE(369-369)**

Variable Type : respondent recode

Description : Race & Hispanic origin of respondent - 1977 OMB standards (respondent recode)

value	label	Total
1	Hispanic	2531
2	Non-Hispanic White	3994
3	Non-Hispanic Black	2272
4	Non-Hispanic Other	561
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **HISPRACE2(370-370)**

Variable Type : respondent recode

Description : Race & Hispanic origin of respondent - 1997 OMB standards (respondent recode)

value	label	Total
1	Hispanic	2531
2	Non-Hispanic White, Single Race	3836
3	Non-Hispanic Black, Single Race	2134
4	Non-Hispanic Other or Multiple Race	857
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **RCURPREG(371-371)**

Variable Type : respondent recode

Description : Pregnant at time of interview (respondent recode)

value	label	Total
1	YES (CURRENTLY PREGNANT)	606
2	NO (NOT CURRENTLY PREGNANT)	8752
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **PREGNUM(372-373)**

Variable Type : respondent recode

Description : CAPI-based total number of pregnancies (respondent recode)

value	label	Total
1	1 PREGNANCY	888
2	2 PREGNANCIES	1992
3	3 PREGNANCIES	2283
4	4 PREGNANCIES	1632
5	5 PREGNANCIES	1070































13	13	1128
14	14	1229
15	15	1135
16	16	1134
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

Notes : See User's Guide, Appendix 2, for information concerning combining this variable with QUARTER from 2011-2013 data

### **PHASE(473-473)**

Variable Type : raw

Description : Regular- or double-sample portion of the quarter

value	label	Total
1	First 10 weeks of quarter	8460
2	Last 2 weeks of quarter (double sample)	898
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)

### **INTVWYEAR(474-477)**

Variable Type : raw

Description : Calendar year when interview occurred

value	label	Total
2013	2013	1262
2014	2014	4598
2015	2015	3498
	<b>Total</b>	<b>9358</b>

Universe : Applicable for all pregnancies (respondent-level variable)