



3	DIVORCED OR ANNULLED	550
4	SEPARATED	219
5	NEVER MARRIED	3419
	<b>Total</b>	<b>6141</b>

Universe : Applicable for all respondents

### RMARITAL(2825-2825)

Variable Type : recode

Description : Informal marital status (RECODE)

value	label	Total
1	CURRENTLY MARRIED TO A PERSON OF THE OPPOSITE SEX	1913
2	NOT MARRIED BUT LIVING WITH OPP SEX PARTNER	754
3	WIDOWED	33
4	DIVORCED OR ANNULLED	410
5	SEPARATED FOR REASONS OF MARITAL DISCORD	200
6	NEVER BEEN MARRIED	2831
	<b>Total</b>	<b>6141</b>

Universe : Applicable for all respondents

### EDUCAT(2826-2827)

Variable Type : recode

Description : Education (number of years of schooling) (RECODE)

value	label	Total
9	9TH GRADE OR LESS	621
10	10TH GRADE	377
11	11TH GRADE	402
12	12TH GRADE	1385
13	1 YEAR OF COLLEGE/GRAD SCHOOL	638
14	2 YEARS OF COLLEGE/GRAD SCHOOL	696
15	3 YEARS OF COLLEGE/GRAD SCHOOL	313
16	4 YEARS OF COLLEGE/GRAD SCHOOL	848
17	5 YEARS OF COLLEGE/GRAD SCHOOL	244
18	6 YEARS OF COLLEGE/GRAD SCHOOL	325
19	7+ YEARS OF COLLEGE/GRAD SCHOOL	292
	<b>Total</b>	<b>6141</b>

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### HI EDUC(2828-2829)

Variable Type : recode

Description : Highest completed year of school or highest degree received (RECODE)

value	label	Total
5	9TH GRADE OR LESS	500
6	10TH GRADE	311
7	11TH GRADE	326
8	12TH GRADE, NO DIPLOMA (NOR GED)	31
9	HIGH SCHOOL GRADUATE (DIPLOMA OR GED)	1614
10	SOME COLLEGE BUT NO DEGREE	1227
11	ASSOCIATE DEGREE IN COLLEGE/UNIVERSITY	512













































































































































Universe : Applicable for all respondents

### MAROUT02\_I (3214-3214)

Variable Type : imputation flag

Description : MAROUT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6115
1	MULTIPLE REGRESSION IMPUTATION	26
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MAROUT03\_I (3215-3215)

Variable Type : imputation flag

Description : MAROUT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6122
1	MULTIPLE REGRESSION IMPUTATION	19
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MAROUT04\_I (3216-3216)

Variable Type : imputation flag

Description : MAROUT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6128
1	MULTIPLE REGRESSION IMPUTATION	13
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MAROUT05\_I (3217-3217)

Variable Type : imputation flag

Description : MAROUT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6133
1	MULTIPLE REGRESSION IMPUTATION	8
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MAROUT06\_I (3218-3218)

Variable Type : imputation flag

Description : MAROUT06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6136
1	MULTIPLE REGRESSION IMPUTATION	5
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MAROUT07\_I (3219-3219)

Variable Type : imputation flag

Description : MAROUT07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6137
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MAROUT08\_I (3220-3220)

Variable Type : imputation flag

Description : MAROUT08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MAROUT09\_I (3221-3221)

Variable Type : imputation flag

Description : MAROUT09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MAROUT10\_I (3222-3222)

Variable Type : imputation flag

Description : MAROUT10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MAROUT11\_I (3223-3223)

Variable Type : imputation flag

Description : MAROUT11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MAROUT12\_I (3224-3224)

Variable Type : imputation flag

Description : MAROUT12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MAROUT13\_I (3225-3225)

Variable Type : imputation flag

Description : MAROUT13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MAROUT14\_I (3226-3226)

Variable Type : imputation flag

Description : MAROUT14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### RMAROUT01\_I (3227-3227)

Variable Type : imputation flag

Description : RMAROUT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6111
1	MULTIPLE REGRESSION IMPUTATION	28
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### RMAROUT02\_I (3228-3228)

Variable Type : imputation flag

Description : RMAROUT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6114
1	MULTIPLE REGRESSION IMPUTATION	25
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>6141</b>

---

Universe : Applicable for all respondents

**RMAROUT03\_I (3229-3229)**

Variable Type : imputation flag

Description : RMAROUT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6121
1	MULTIPLE REGRESSION IMPUTATION	18
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**RMAROUT04\_I (3230-3230)**

Variable Type : imputation flag

Description : RMAROUT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6129
1	MULTIPLE REGRESSION IMPUTATION	11
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**RMAROUT05\_I (3231-3231)**

Variable Type : imputation flag

Description : RMAROUT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6134
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**RMAROUT06\_I (3232-3232)**

Variable Type : imputation flag

Description : RMAROUT06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6136
1	MULTIPLE REGRESSION IMPUTATION	5
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**RMAROUT07\_I (3233-3233)**

Variable Type : imputation flag

Description : RMAROUT07 Imputation Flag

---

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6137
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **RMAROUT08\_I (3234-3234)**

Variable Type : imputation flag

Description : RMAROUT08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **RMAROUT09\_I (3235-3235)**

Variable Type : imputation flag

Description : RMAROUT09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **RMAROUT10\_I (3236-3236)**

Variable Type : imputation flag

Description : RMAROUT10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **RMAROUT11\_I (3237-3237)**

Variable Type : imputation flag

Description : RMAROUT11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **RMAROUT12\_I (3238-3238)**

Variable Type : imputation flag

Description : RMAROUT12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **RMAROUT13\_I (3239-3239)**

Variable Type : imputation flag

Description : RMAROUT13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **RMAROUT14\_I (3240-3240)**

Variable Type : imputation flag

Description : RMAROUT14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **MARCON01\_I (3241-3241)**

Variable Type : imputation flag

Description : MARCON01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6111
1	MULTIPLE REGRESSION IMPUTATION	30
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **MARCON02\_I (3242-3242)**

Variable Type : imputation flag

Description : MARCON02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6115
1	MULTIPLE REGRESSION IMPUTATION	26
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **MARCON03\_I (3243-3243)**

Variable Type : imputation flag

Description : MARCON03 Imputation Flag

--	--	--

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6122
1	MULTIPLE REGRESSION IMPUTATION	19
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MARCON04\_I (3244-3244)

Variable Type : imputation flag

Description : MARCON04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6127
1	MULTIPLE REGRESSION IMPUTATION	14
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MARCON05\_I (3245-3245)

Variable Type : imputation flag

Description : MARCON05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6133
1	MULTIPLE REGRESSION IMPUTATION	8
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MARCON06\_I (3246-3246)

Variable Type : imputation flag

Description : MARCON06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6135
1	MULTIPLE REGRESSION IMPUTATION	6
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MARCON07\_I (3247-3247)

Variable Type : imputation flag

Description : MARCON07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6137
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MARCON08\_I (3248-3248)

Variable Type : imputation flag

Description : MARCON08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MARCON09\_I (3249-3249)

Variable Type : imputation flag

Description : MARCON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MARCON10\_I (3250-3250)

Variable Type : imputation flag

Description : MARCON10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MARCON11\_I (3251-3251)

Variable Type : imputation flag

Description : MARCON11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MARCON12\_I (3252-3252)

Variable Type : imputation flag

Description : MARCON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MARCON13\_I (3253-3253)

Variable Type : imputation flag

Description : MARCON13 Imputation Flag



value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MARCON14\_I (3254-3254)

Variable Type : imputation flag

Description : MARCON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### RMARCON01\_I (3255-3255)

Variable Type : imputation flag

Description : RMARCON01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6110
1	MULTIPLE REGRESSION IMPUTATION	28
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### RMARCON02\_I (3256-3256)

Variable Type : imputation flag

Description : RMARCON02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6116
1	MULTIPLE REGRESSION IMPUTATION	23
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### RMARCON03\_I (3257-3257)

Variable Type : imputation flag

Description : RMARCON03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6121
1	MULTIPLE REGRESSION IMPUTATION	18
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### RMARCON04\_I (3258-3258)

Variable Type : imputation flag

Description : RMARCON04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6128
1	MULTIPLE REGRESSION IMPUTATION	12
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **RMARCON05\_I (3259-3259)**

Variable Type : imputation flag

Description : RMARCON05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6134
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **RMARCON06\_I (3260-3260)**

Variable Type : imputation flag

Description : RMARCON06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6135
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **RMARCON07\_I (3261-3261)**

Variable Type : imputation flag

Description : RMARCON07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6137
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **RMARCON08\_I (3262-3262)**

Variable Type : imputation flag

Description : RMARCON08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**RMARCON09\_I (3263-3263)**

Variable Type : imputation flag

Description : RMARCON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**RMARCON10\_I (3264-3264)**

Variable Type : imputation flag

Description : RMARCON10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**RMARCON11\_I (3265-3265)**

Variable Type : imputation flag

Description : RMARCON11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**RMARCON12\_I (3266-3266)**

Variable Type : imputation flag

Description : RMARCON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**RMARCON13\_I (3267-3267)**

Variable Type : imputation flag

Description : RMARCON13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**RMARCON14\_I (3268-3268)**

Variable Type : imputation flag

Description : RMARCON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**CEBOW\_I (3269-3269)**

Variable Type : imputation flag

Description : CEBOW Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**CEBOWC\_I (3270-3270)**

Variable Type : imputation flag

Description : CEBOWC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**DATBABY1\_I (3271-3271)**

Variable Type : imputation flag

Description : DATBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6126
1	MULTIPLE REGRESSION IMPUTATION	15
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**AGEBABY1\_I (3272-3272)**

Variable Type : imputation flag

Description : AGEBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6126
1	MULTIPLE REGRESSION IMPUTATION	15
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section C Recodes

### FMARNO(3273-3273)

Variable Type : recode

Description : Number of times R has been married (RECODE)

value	label	Total
0	NEVER BEEN MARRIED	3419
1	1 TIME	2293
2	2 TIMES	356
3	3 TIMES	61
4	4 TIMES	12
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### CSPBIOKD(3274-3274)

Variable Type : recode

Description : Total number of biological children R has had with current spouse or cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	3474
0-12	Number of biological children R has had with her current husband or cohabiting partner	2667
<b>Total</b>		<b>6141</b>

Universe : Applicable if R is currently married or cohabiting (RMARITAL = 1 or 2)

### MARDAT01(3275-3278)

Variable Type : recode

Description : Year of R's 1st marriage (RECODE)

value	label	Total
.	INAPPLICABLE	3419
1967-2019	1967-2019	2722
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been married at least once (FMARNO > 0)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### MARDAT02(3279-3282)

Variable Type : recode

Description : Year of R's 2nd marriage (RECODE)

value	label	Total
.	INAPPLICABLE	5712
1967-2019	1967-2019	429
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been married at least 2 times (FMARNO > 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

**fmar2age(3283-3284)**

Variable Type : computed

Description : R's age at 2nd formal marriage (computed in post-processing)

value	label	Total
.	INAPPLICABLE	5712
30-34	30-34 YEARS	117
0-19	UNDER 20 YEARS	2
25-29	25-29 YEARS	118
20-24	20-24 YEARS	66
35-49	35-49 YEARS	126
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been married at least 2 times (FMARNO &gt; 1)

Notes : This variable has been created for public use, and the original source variables are accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

**MARDAT03(3285-3288)**

Variable Type : recode

Description : Year of R's 3rd marriage (RECODE)

value	label	Total
.	INAPPLICABLE	6068
1967-2019	1967-2019	73
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been married at least 3 times (FMARNO &gt; 2)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

**fmar3age(3289-3290)**

Variable Type : computed

Description : R's age at 3rd formal marriage (computed in post-processing)

value	label	Total
.	INAPPLICABLE	6068
20-24	20-24 YEARS	1
25-29	25-29 YEARS	9
30-34	30-34 YEARS	21
35-49	35-49 YEARS	42
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been married at least 3 times (FMARNO &gt; 2)

Notes : This variable has been created for public use, and the original source variables are accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

**MARDAT04(3291-3294)**

Variable Type : recode

Description : Year of R's 4th marriage (RECODE)

value	label	Total
.	INAPPLICABLE	6129
1967-2019	1967-2019	12

<b>Total</b>	<b>6141</b>
--------------	-------------

Universe : Applicable if R has been married at least 4 times (FMARNO > 3)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

#### **fmar4age(3295-3296)**

Variable Type : computed

Description : R's age at 4th formal marriage (computed in post-processing)

value	label	Total
.	INAPPLICABLE	6129
30-34	30-34 YEARS	1
35-49	35-49 YEARS	11
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been married at least 4 times (FMARNO > 3)

Notes : This variable has been created for public use, and the original source variables are accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

#### **MARDISO1(3297-3300)**

Variable Type : recode

Description : Year when R's 1st marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5046
1967-2019	1967-2019	1095
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been married more than once (FMARNO > 1) or R's 1st marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

#### **MARDISO2(3301-3304)**

Variable Type : recode

Description : Year when R's 2nd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5954
1967-2019	1967-2019	187
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been married more than 2 times (FMARNO > 2) or R's 2nd marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

#### **MARDISO3(3305-3308)**

Variable Type : recode

Description : Year when R's 3rd marriage ended (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	6104
1967-2019	1967-2019	37
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been married more than 3 times (FMARNO > 3) or R's 3rd marriage is not intact (FMARNO = 3 and FMARITAL NE 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

#### MARDIS04(3309-3312)

Variable Type : recode

Description : Year when R's 4th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	6137
1967-2019	1967-2019	4
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been married more than 4 times (FMARNO > 4) or R's 4th marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

#### MAREND01(3313-3313)

Variable Type : recode

Description : How R's 1st marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5046
1	DIVORCED OR ANNULLED	873
2	SEPARATED	177
3	WIDOWED	45
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been married more than once (FMARNO > 1) or R's 1st marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

#### MAREND02(3314-3314)

Variable Type : recode

Description : How R's 2nd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5954
1	DIVORCED OR ANNULLED	147
2	SEPARATED	33
3	WIDOWED	7
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been married more than 2 times (FMARNO > 2) or R's 2nd marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

#### MAREND03(3315-3315)

Variable Type : recode

Description : How R's 3rd marriage ended (RECODE)



value	label	Total
.	INAPPLICABLE	6104
1	DIVORCED OR ANNULLED	27
2	SEPARATED	8
3	WIDOWED	2
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been married more than 3 times (FMARNO >3) or R's 3rd marriage is not intact (FMARNO = 3 and FMARITAL NE 1)

#### MAREND04(3316-3316)

Variable Type : recode

Description : How R's 4th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	6137
1	DIVORCED OR ANNULLED	3
2	SEPARATED	1
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been married more than 4 times (FMARNO > 4) or R's 4th marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

#### FMAR1AGE(3317-3318)

Variable Type : recode

Description : Age at first marriage (RECODE)

value	label	Total
.	INAPPLICABLE	3419
0-19	UNDER 20 YEARS	454
20-24	20-24 YEARS	1023
25-29	25-29 YEARS	747
30-34	30-34 YEARS	360
35-49	35-49 YEARS	138
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever been married (FMARITAL NE 5)

#### AGEDISS1(3319-3320)

Variable Type : recode

Description : Age at dissolution of first marriage (RECODE)

value	label	Total
.	INAPPLICABLE	5046
0-19	UNDER 20 YEARS	55
20-24	20-24 YEARS	286
25-29	25-29 YEARS	294
30-34	30-34 YEARS	238
35-49	35-49 YEARS	222
<b>Total</b>		<b>6141</b>

Universe : Applicable if R's first marriage dissolved (FMARNO > 1 or (FMARNO = 1 and MARDIS01 NE blank))

#### AGEDD1(3321-3322)

Variable Type : recode

Description : Age at divorce or death: 1st marriage (RECODE)

value	label	Total
.	INAPPLICABLE	5223
0-19	UNDER 20 YEARS	28
20-24	20-24 YEARS	195
25-29	25-29 YEARS	261
30-34	30-34 YEARS	220
35-49	35-49 YEARS	214
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R's first marriage dissolved (FMARNO > 1 or (FMARNO = 1 and MARDIS01 NE inapp), but only in divorce or death and not in separation (MAREND01 = 1 or 3))

### MAR1DISS(3323-3323)

Variable Type : recode

Description : Months btw/1st marriage & dissolution (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	3419
1	0-12 months	254
2	13-24 months	231
3	25-36 months	209
4	37-48 months	209
5	More than 4 years	1819
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has ever been married (FMARITAL NE 5)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### DD1REMAR(3324-3324)

Variable Type : recode

Description : Months btw/divorce or death (1st marriage) and remarriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	5223
1	0-12 months	166
2	13-24 months	128
3	25-36 months	87
4	37-48 months	91
5	More than 4 years	446
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R's first marriage dissolved (FMARNO > 1 or (FMARNO = 1 and MARDIS01 NE inapp), but only in divorce or death and not in separation (MAREND01 = 1 or 3))

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### MAR1BIR1(3325-3327)

Variable Type : recode

Description : Months btw/1st marriage & 1st birth (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	2302
1	0-12 months	480
2	13-24 months	358

3	25-36 months	295
4	More than 3 years	848
888	First birth occurred before first marriage	1858
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever been married (FMARITAL NE 5) or ever had a live birth (PARITY > 0)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### MAR1CON1(3328-3330)

Variable Type : recode

Description : Months btw/1st marriage & 1st conception (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	2064
1	0-12 months	444
2	13-24 months	282
3	25-36 months	192
4	More than 3 years	576
995	First conception before marriage	1228
996	Has been pregnant, but has never been married	1355
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever been pregnant (PREGNUM > 0) or ever been married (FMARITAL NE 5)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### CON1MAR1(3331-3333)

Variable Type : recode

Description : Months btw/1st conception & 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	2064
1	0-12 months	1492
2	13-24 months	201
3	25-36 months	168
4	More than 3 years	1847
996	Has been married but has never been pregnant	369
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever been pregnant (PREGNUM > 0) or ever been married (FMARITAL NE 5)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### B1PREMAR(3334-3334)

Variable Type : recode

Description : Whether R's first birth was premarital (RECODE)

value	label	Total
.	INAPPLICABLE	2826
1	YES	1858
2	NO	1457
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had a live birth (PARITY > 0)

### COHEVER(3335-3335)

Variable Type : recode

Description : Whether R ever cohabited outside of marriage (RECODE)

value	label	Total
1	YES, EVER COHABITED (LIVED WITH A MAN OUTSIDE OF MARRIAGE)	3441
2	NO, NEVER COHABITED (LIVED WITH A MAN OUTSIDE OF MARRIAGE)	2700
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### EVMARCOH(3336-3336)

Variable Type : recode

Description : Whether R ever married or cohabited (RECODE)

value	label	Total
1	YES, EVER MARRIED OR COHABITED	4169
2	NO, NEVER MARRIED OR COHABITED	1972
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### PMARRNO(3337-3338)

Variable Type : recode

Description : Number of premarital cohabitations (RECODE)

value	label	Total
0	None	4300
1	One	1611
2	Two	198
3	Three	29
4	Four	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### NONMARR(3339-3340)

Variable Type : recode

Description : Number of nonmarital cohabitations (RECODE)

value	label	Total
0	None	3972
1	One	1480
2	Two	484
3	Three	152
4	Four	31
5	Five or more	22
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

**TIMESCOH(3341-3342)**

Variable Type : recode

Description : Total number of cohabitations (RECODE)

value	label	Total
0	None	2700
1	One	2176
2	Two	888
3	THREE	261
4	Four	80
5	Five or more	36
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

**COHAB1(3343-3346)**

Variable Type : recode

Description : Year of 1st cohabitation (incl. premarital cohabitation) (RECODE)

value	label	Total
.	INAPPLICABLE	2700
1967-2019	1967-2019	3441
<b>Total</b>		<b>6141</b>

Universe : Applicable if R ever cohabited outside of marriage (COHEVER = 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

**COHSTAT(3347-3347)**

Variable Type : recode

Description : Cohabitation experience relative to 1st marriage (RECODE)

value	label	Total
1	NEVER COHABITED OUTSIDE OF MARRIAGE	2700
2	FIRST COHABITED BEFORE FIRST MARRIAGE	3240
3	FIRST COHABITED AFTER FIRST MARRIAGE	201
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**COHOUT(3348-3348)**

Variable Type : recode

Description : Outcome of 1st cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	2700
1	INTACT COHABITATION	432
2	INTACT MARRIAGE	866
3	DISSOLVED MARRIAGE	628
4	DISSOLVED COHABITATION	1515
<b>Total</b>		<b>6141</b>

Universe : Applicable if R ever cohabited outside of marriage (COHEVER = 1)

### COH1DUR(3349-3349)

Variable Type : recode

Description : Duration (in months) of R's first cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	2700
1	0-12 months	1001
2	13-24 months	696
3	25-36 months	479
4	37-48 months	350
5	More than 4 years	915
<b>Total</b>		<b>6141</b>

Universe : Applicable if R ever cohabited outside of marriage (COHEVER = 1)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### HADSEX(3350-3350)

Variable Type : recode

Description : Whether R has ever had sexual intercourse with a male (RECODE)

value	label	Total
1	YES, R EVER HAD INTERCOURSE	5312
2	NO, R NEVER HAD INTERCOURSE	829
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### SEXONCE(3351-3351)

Variable Type : recode

Description : Whether R has had sex only once (RECODE)

value	label	Total
.	INAPPLICABLE	829
1	YES (R HAS HAD SEX ONLY ONCE)	69
2	NO (R HAS HAD SEX MORE THAN ONCE)	5243
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### SEXEVER(3352-3352)

Variable Type : recode

Description : Whether R has ever had sexual intercourse with a male since menarche (RECODE)

value	label	Total
1	YES (R HAS HAD SEX AFTER 1ST PERIOD)	5306
2	NO (NO PERIOD, NO SEX AT ALL, OR NO SEX SINCE 1ST PERIOD)	835
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### VRY1STAG(3353-3354)

Variable Type : recode

Description : Age at first intercourse (even if before menarche) (RECODE)

value	label	Total
.	INAPPLICABLE	829
10	10 YEARS OR YOUNGER	41
11-14	11-14 YEARS	832
15-17	15-17 YEARS	2530
18-19	18-19 YEARS	1060
20-49	20 YEARS OR OLDER	849
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### SEX1AGE(3355-3356)

Variable Type : recode

Description : Age at first intercourse since menarche (RECODE)

value	label	Total
.	INAPPLICABLE	835
10	10 YEARS OR YOUNGER	6
11-14	11-14 YEARS	811
15-17	15-17 YEARS	2554
18-19	18-19 YEARS	1066
20-49	20 YEARS OR OLDER	869
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male since menarche (SEXEVER = 1)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### VRY1STSX(3357-3360)

Variable Type : recode

Description : CM date of first intercourse (even if before menarche) (RECODE)

value	label	Total
.	INAPPLICABLE	826
900-1340	Before Sept 2011	4227
1341-1352	Sept 2011-Aug 2012	164
1353-1364	Sept 2012-Aug 2013	162
1365-1376	Sept 2013-Aug 2014	132
1377-1388	Sept 2014-Aug 2015	152
1389-1400	Sept 2015-Aug 2016	166
1401-1412	Sept 2016-AUG 2017	134
1413-1424	Sept 2017-AUG 2018	107
1425-1437	Sept 2018-Sept 2019	32
9996	RESPONDED SHE NEVER HAD INTERCOURSE	3
9997	Not ascertained	36
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

**DATESEX1(3361-3364)**

Variable Type : recode

Description : CM date of first intercourse since menarche (RECODE)

value	label	Total
.	INAPPLICABLE	831
900-1340	Before Sept 2011	4240
1341-1352	Sept 2011-Aug 2012	163
1353-1364	Sept 2012-Aug 2013	162
1365-1376	Sept 2013-Aug 2014	133
1377-1388	Sept 2014-Aug 2015	152
1389-1400	Sept 2015-Aug 2016	167
1401-1412	Sept 2016-Aug 2017	138
1413-1424	Sept 2017-Aug 2018	110
1425-1437	Sept 2018-Sept 2019	35
9595	NEVER HAD A MENSTRUAL PERIOD BUT HAS HAD INTERCOURSE	4
9997	Not ascertained	6
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male since menarche (SEXEVER = 1)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

**SEXMAR(3365-3365)**

Variable Type : recode

Description : Mos btw/1st intercourse (even if before menarche) &amp; 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	829
1	0-12 months	538
2	13-24 months	259
3	25-36 months	315
4	More than 3 years	4168
5	First intercourse after first marriage	32
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

**SEX1FOR(3366-3366)**

Variable Type : recode

Description : Mos btw/1st intercourse since menarche &amp; 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	835
1	0-12 months	542
2	13-24 months	263
3	25-36 months	316
4	More than 3 years	4153
5	First intercourse after menarche after first marriage	32
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male since menarche (SEXEVER = 1)



Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### SEXUNION(3367-3367)

Variable Type : recode

Description : Months between 1st intercourse and 1st coresidential union (marriage or cohabitation) (RECODE)

value	label	Total
.	INAPPLICABLE	829
1	0-12 months	872
2	13-24 months	534
3	25-36 months	579
4	More than 3 years	3181
5	First intercourse after first marriage or cohabitation	146
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### SEXOUT(3368-3368)

Variable Type : recode

Description : Outcome of 1st sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	829
1	Intact cohabitation	102
2	Intact marriage	558
3	Dissolved marriage	281
4	Dissolved cohabitation	344
5	Never married or cohabited with 1st sexual partner	4027
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### FPDUR(3369-3371)

Variable Type : recode

Description : Months between 1st and last/most recent intercourse with 1st partner ever (RECODE)

value	label	Total
.	INAPPLICABLE	829
0-995	Number of months between first and most recent sex with 1st partner	4859
997	Only had sex once with first partner	453
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### PARTS1YR(3372-3372)

Variable Type : recode

Description : Number of opposite-sex partners in last 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	829
0	NONE	736

1	1 PARTNER	3947
2	2 PARTNERS	381
3	3 PARTNERS	109
4	4 PARTNERS	73
5	5 PARTNERS	25
6	6 PARTNERS	14
7	7 OR MORE PARTNERS	27
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### LSEXDATE(3373-3376)

Variable Type : recode

Description : CM date of last or most recent sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	829
900-1340	Before Sept 2011	188
1341-1352	Sept 2011-Aug 2012	32
1353-1364	Sept 2012-Aug 2013	27
1365-1376	Sept 2013-Aug 2014	65
1377-1388	Sept 2014-Aug 2015	79
1389-1400	Sept 2015-Aug 2016	129
1401-1412	Sept 2016-Aug 2017	312
1413-1424	Sept 2017-Aug 2018	2293
1425-1437	Sept 2018-Sept 2019	2186
9997	Not ascertained	1
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### Isexpreg(3377-3377)

Variable Type : computed

Description : Whether R was pregnant in month of last sexual intercourse in the past 12 months (computed in post-processing)

value	label	Total
.	INAPPLICABLE	1565
1	YES	252
2	NO	4324
<b>Total</b>		<b>6141</b>

Universe : Applicable if R had at least 1 sexual partner in the past 12 months (PARTS1YR > 0)

Notes : This variable has been created for public use, and the original source variables are accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### SEX3MO(3378-3378)

Variable Type : recode

Description : Whether R had sex in past 3 months (from sexual partner dates) (RECODE)

--	--	--

value	label	Total
.	INAPPLICABLE	829
1	YES	4096
2	NO	1216
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### NUMP3MOS(3379-3379)

Variable Type : recode

Description : Number of male partners in last 3 mos (RECODE)

value	label	Total
.	INAPPLICABLE	829
0	NONE	1225
1	1 PARTNER	3912
2-4	2 OR MORE PARTNERS	175
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### LSEXRAGE(3380-3381)

Variable Type : recode

Description : R's age at last or most recent sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	829
10	10 YEARS OR YOUNGER	1
11-14	11-14 YEARS	12
15-17	15-17 YEARS	168
18-19	18-19 YEARS	289
20-24	20-24 YEARS	753
25-34	25-34 YEARS	1981
35-50	35-49 YEARS	2108
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### PARTDUR1(3382-3384)

Variable Type : recode

Description : Months between 1st and most recent intercourse with last/most recent partner (RECODE)

value	label	Total
.	INAPPLICABLE	829
0-440	Number of months between first and most recent sex with this partner	5230
997	Only had sex once with partner	82
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### PARTDUR2(3385-3387)

Variable Type : recode

Description : Months between 1st and most recent intercourse with 2nd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	5512
0-440	Number of months between first and most recent sex with this partner	594
997	Only had sex once with partner	35
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### PARTDUR3(3388-3390)

Variable Type : recode

Description : Months between 1st and most recent intercourse with 3rd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	5893
0-440	Number of months between first and most recent sex with this partner	226
997	Only had sex once with partner	22
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### RELATP1(3391-3391)

Variable Type : recode

Description : Relationship at time of 1st sex with last/most recent partner (RECODE)

value	label	Total
.	INAPPLICABLE	1565
1	Married to him	253
2	Engaged to him	138
3	Living together in a sexual relationship, but not engaged	164
4	Going out with him or going steady	2516
5	Going out with him once in a while	621
6	Just friends	619
7	Had just met him	190
8	Something else	75
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### RELATP2(3392-3392)

Variable Type : recode

Description : Relationship at time of 1st sex with 2nd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	5512
2	Engaged to him	2
3	Living together in a sexual relationship, but not engaged	6
4	Going out with him or going steady	153
5	Going out with him once in a while	127
6	Just friends	253
7	Had just met him	64
8	Something else	24
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### RELATP3(3393-3393)

Variable Type : recode

Description : Relationship at time of 1st sex with 3rd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	5893
3	Living together in a sexual relationship, but not engaged	2
4	Going out with him or going steady	49
5	Going out with him once in a while	42
6	Just friends	103
7	Had just met him	43
8	Something else	9
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### LIFPRTNR(3394-3395)

Variable Type : recode

Description : Number of opposite-sex partners in lifetime (RECODE)

value	label	Total
0	NONE	829
1	1 PARTNER	951
2	2 PARTNERS	571
3	3 PARTNERS	529
4	4 PARTNERS	555
5	5 PARTNERS	557
6	6 PARTNERS	323
7	7 PARTNERS	244
8	8 PARTNERS	223
9	9 PARTNERS	123
10-19	10-19 PARTNERS	761
20-49	20-49 PARTNERS	389
50	50 OR MORE PARTNERS	86
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### FMARNO\_I(3396-3396)

Variable Type : imputation flag

Description : FMARNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### CSPBIOKD\_I(3397-3397)

Variable Type : imputation flag

Description : CSPBIOKD Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MARDAT01\_I (3398-3398)

Variable Type : imputation flag

Description : MARDAT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6120
1	MULTIPLE REGRESSION IMPUTATION	17
2	LOGICAL IMPUTATION	4
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MARDAT02\_I (3399-3399)

Variable Type : imputation flag

Description : MARDAT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6131
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MARDAT03\_I (3400-3400)

Variable Type : imputation flag

Description : MARDAT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MARDAT04\_I (3401-3401)

Variable Type : imputation flag

Description : MARDAT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MARDIS01\_I (3402-3402)

Variable Type : imputation flag

Description : MARDIS01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6121
1	MULTIPLE REGRESSION IMPUTATION	17
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MARDIS02\_I (3403-3403)

Variable Type : imputation flag

Description : MARDIS02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6131
1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MARDIS03\_I (3404-3404)

Variable Type : imputation flag

Description : MARDIS03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MARDIS04\_I (3405-3405)

Variable Type : imputation flag

Description : MARDIS04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MAREND01\_I (3406-3406)

Variable Type : imputation flag

Description : MAREND1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6135
2	LOGICAL IMPUTATION	6
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**MAREND02\_I (3407-3407)**

Variable Type : imputation flag

Description : MAREND2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**MAREND03\_I (3408-3408)**

Variable Type : imputation flag

Description : MAREND3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**MAREND04\_I (3409-3409)**

Variable Type : imputation flag

Description : MAREND4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**FMAR1AGE\_I (3410-3410)**

Variable Type : imputation flag

Description : FMAR1AGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6124
1	MULTIPLE REGRESSION IMPUTATION	17
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**AGEDISS1\_I (3411-3411)**

Variable Type : imputation flag

Description : AGEDISS1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6124
1	MULTIPLE REGRESSION IMPUTATION	17
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**AGEDD1\_I (3412-3412)**

Variable Type : imputation flag



Description : AGEDD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6094
1	MULTIPLE REGRESSION IMPUTATION	45
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MAR1DISS\_I (3413-3413)

Variable Type : imputation flag

Description : MAR1DISS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6113
1	MULTIPLE REGRESSION IMPUTATION	28
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### DD1REMAR\_I (3414-3414)

Variable Type : imputation flag

Description : DD1REMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6097
1	MULTIPLE REGRESSION IMPUTATION	35
2	LOGICAL IMPUTATION	9
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MAR1BIR1\_I (3415-3415)

Variable Type : imputation flag

Description : MAR1BIR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6117
1	MULTIPLE REGRESSION IMPUTATION	24
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MAR1CON1\_I (3416-3416)

Variable Type : imputation flag

Description : MAR1CON1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6113
1	MULTIPLE REGRESSION IMPUTATION	28
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### CON1MAR1\_I (3417-3417)

Variable Type : imputation flag

Description : CON1MAR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6102
1	MULTIPLE REGRESSION IMPUTATION	39
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **B1PREMAR\_I (3418-3418)**

Variable Type : imputation flag

Description : B1PREMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6120
1	MULTIPLE REGRESSION IMPUTATION	21
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **COHEVER\_I (3419-3419)**

Variable Type : imputation flag

Description : COHEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **EVMARCOH\_I (3420-3420)**

Variable Type : imputation flag

Description : EVMARCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **PMARRNO\_I (3421-3421)**

Variable Type : imputation flag

Description : PMARRNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6135
1	MULTIPLE REGRESSION IMPUTATION	6
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **NONMARR\_I (3422-3422)**

Variable Type : imputation flag

Description : NONMARR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6131
1	MULTIPLE REGRESSION IMPUTATION	10
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### **TIMESCOH\_I (3423-3423)**

Variable Type : imputation flag

Description : TIMESCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6126
1	MULTIPLE REGRESSION IMPUTATION	15
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### **COHAB1\_I (3424-3424)**

Variable Type : imputation flag

Description : COHAB1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6095
1	MULTIPLE REGRESSION IMPUTATION	27
2	LOGICAL IMPUTATION	19
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### **COHSTAT\_I (3425-3425)**

Variable Type : imputation flag

Description : COHSTAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6102
1	MULTIPLE REGRESSION IMPUTATION	29
2	LOGICAL IMPUTATION	10
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### **COHOUT\_I (3426-3426)**

Variable Type : imputation flag

Description : COHOUT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6106
1	MULTIPLE REGRESSION IMPUTATION	29
2	LOGICAL IMPUTATION	6
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**COH1DUR\_I (3427-3427)**

Variable Type : imputation flag

Description : COH1DUR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6077
1	MULTIPLE REGRESSION IMPUTATION	40
2	LOGICAL IMPUTATION	24
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**HADSEX\_I (3428-3428)**

Variable Type : imputation flag

Description : HADSEX Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**SEXEVER\_I (3429-3429)**

Variable Type : imputation flag

Description : SEXEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6104
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	34
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**VRY1STAG\_I (3430-3430)**

Variable Type : imputation flag

Description : VRY1STAG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6103
1	MULTIPLE REGRESSION IMPUTATION	31
2	LOGICAL IMPUTATION	7
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**SEX1AGE\_I (3431-3431)**

Variable Type : imputation flag

Description : SEX1AGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6072
1	MULTIPLE REGRESSION IMPUTATION	67
2	LOGICAL IMPUTATION	2

















42	Other nonuser--had intercourse in the 3 months prior to interview	476
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### CONSTAT2(3464-3465)

Variable Type : recode

Description : 2nd priority code for current contraceptive status (RECODE)

value	label	Total
2	Male sterilization	43
3	Norplant or Implanon implant	3
5	Depo-Provera (injectable)	14
6	Pill	43
8	Contraceptive Ring	2
9	Emergency contraception	2
10	IUD	31
12	(Male) Condom	247
13	Female condom/vaginal pouch	1
14	Foam	2
17	Suppository or insert	2
18	Jelly or cream (not with diaphragm)	1
19	Periodic abstinence: NFP, cervical mucus test or temperature rhythm	6
20	Periodic abstinence: calendar rhythm	46
21	Withdrawal	223
22	Other method	3
33	Sterile--nonsurgical--female	7
34	Sterile--nonsurgical--male	6
36	Sterile--surgical--male (noncontraceptive)	2
38	Sterile--unknown reasons--male	4
88	Inapplicable (no 2nd, 3rd, or 4th method reported)	5453
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### CONSTAT3(3466-3467)

Variable Type : recode

Description : 3rd priority code for current contraceptive status (RECODE)

value	label	Total
2	Male sterilization	2
5	Depo-Provera (injectable)	1
8	Contraceptive Ring	1
12	(Male) Condom	8
20	Periodic abstinence: calendar rhythm	7
21	Withdrawal	55
22	Other method	1
88	Inapplicable (no 2nd, 3rd, or 4th method reported)	6066
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### CONSTAT4(3468-3469)

Variable Type : recode

Description : 4th priority code for current contraceptive status (RECODE)

value	label	Total
-------	-------	-------

21	Withdrawal	3
88	Inapplicable (no 2nd, 3rd, or 4th method reported)	6138
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### PILLR(3470-3470)

Variable Type : recode

Description : Ever used the pill for any reason (RECODE)

value	label	Total
1	YES	4184
2	NO	1957
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### CONDOMR(3471-3471)

Variable Type : recode

Description : Ever used condom (RECODE)

value	label	Total
.	INAPPLICABLE	829
1	YES	5015
2	NO	297
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

### SEX1MTHD1(3472-3473)

Variable Type : recode

Description : Contraceptive method used at first sex, if any: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	829
1	Pill	1075
2	Condom	2421
3	Partner's vasectomy	2
5	Withdrawal	224
6	Depo-Provera, injectables	74
7	Implant (Norplant, Implanon, or Nexplanon)	7
8	Calendar rhythm, Standard Days, or Cycle Beads method	13
9	Safe period by temperature or cervical mucus test (Two Day, Billing Ovulation, or Sympto-thermal Method)	2
10	Diaphragm	1
11	Female condom, vaginal pouch	1
12	Foam	1
13	Jelly or cream	2
15	Suppository, insert	1
16	Today sponge	3
17	IUD, coil, loop	8
18	Emergency contraception	6
19	Other method	3
22	Lunelle injectable	1
23	Contraceptive patch	13
24	Contraceptive ring	5
95	Never used a method	52
96	Did not use a method at 1st intercourse	1397

**Total****6141**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

**SEX1MTHD2(3474-3475)**

Variable Type : recode

Description : Contraceptive method used at first sex, if any: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3852
1	Pill	48
2	Condom	666
3	Partner's vasectomy	1
5	Withdrawal	59
6	Depo-Provera, injectables	31
7	Implant (Norplant, Implanon, or Nexplanon)	1
8	Calendar rhythm, Standard Days, or Cycle Beads method	10
9	Safe period by temperature or cervical mucus test (Two Day, Billing Ovulation, or Sympto-thermal Method)	1
12	Foam	5
13	Jelly or cream	2
15	Suppository, insert	1
16	Today sponge	2
17	IUD, coil, loop	2
18	Emergency contraception	3
23	Contraceptive patch	4
24	Contraceptive ring	4
95	Never used a method	52
96	Did not use a method at 1st intercourse	1397
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a second method at first sex (mthfstx2 not blank)

**SEX1MTHD3(3476-3477)**

Variable Type : recode

Description : Contraceptive method used at first sex, if any: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	4656
1	Pill	2
2	Condom	3
4	Female sterilizing operation/tubal ligation	2
5	Withdrawal	22
6	Depo-Provera, injectables	1
8	Calendar rhythm, Standard Days, or Cycle Beads method	2
13	Jelly or cream	1
15	Suppository, insert	1
18	Emergency contraception	1
24	Contraceptive ring	1
95	Never used a method	52
96	Did not use a method at 1st intercourse	1397
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a third method at first sex (mthfstx3 not blank)

**SEX1MTHD4(3478-3479)**

Variable Type : recode

Description : Contraceptive method used at first sex, if any: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	4686
7	Implant (Norplant, Implanon, or Nexplanon)	1
12	Foam	1
18	Emergency contraception	3
19	Other method	1
95	Never used a method	52
96	Did not use a method at 1st intercourse	1397
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a fourth method at first sex (mthfstx4 not blank)

### MTHUSE12(3480-3481)

Variable Type : recode

Description : Whether used any contraceptive method at last sex in past 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	1565
1	USED A METHOD	3690
2	DID NOT USE A METHOD	854
95	NEVER USED A METHOD	32
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 months (PARTS1YR > 0)

### METH12M1(3482-3483)

Variable Type : recode

Description : Contraceptive method used at last sex past 12 mos: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	2451
1	Pill	656
2	Condom	893
3	Partner's vasectomy	246
4	Female sterilizing operation/tubal ligation	697
5	Withdrawal	417
6	Depo-Provera injectable	115
7	Implant (Norplant, Implanon, or Nexplanon)	121
8	Calendar rhythm, Standard Days, or Cycle Beads method	36
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
10	Diaphragm	1
13	Jelly or cream	1
17	IUD, coil, loop	427
18	Emergency contraception	7
19	Other method	2
20	Respondent sterile (aside from sterilizing operation above)	6
21	Respondent's partner sterile (aside from vasectomy above)	4
23	Contraceptive patch	13
24	Contraceptive ring	42
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used a method at last sex in the past 12 mons (MTHUSE12 = 1)

**METH12M2(3484-3485)**

Variable Type : recode

Description : Contraceptive method used at last sex past 12 mos: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5499
1	Pill	16
2	Condom	164
3	Partner's vasectomy	29
4	Female sterilizing operation/tubal ligation	101
5	Withdrawal	134
6	Depo-Provera injectable	23
7	Implant (Norplant, Implanon, or Nexplanon)	23
8	Calendar rhythm, Standard Days, or Cycle Beads method	65
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	7
11	Female condom, vaginal pouch	1
12	Foam	2
13	Jelly or cream	1
15	Suppository, insert	1
17	IUD, coil, loop	55
18	Emergency contraception	5
19	Other method	2
21	Respondent's partner sterile (aside from vasectomy above)	1
23	Contraceptive patch	4
24	Contraceptive ring	8
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used more than one method at last sex in the past 12 mons (mthfstx2 not blank or EF-2 LSTMTHP2 not blank)

**METH12M3(3486-3487)**

Variable Type : recode

Description : Contraceptive method used at last sex past 12 mos: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	6102
1	Pill	1
5	Withdrawal	17
6	Depo-Provera injectable	2
7	Implant (Norplant, Implanon, or Nexplanon)	2
8	Calendar rhythm, Standard Days, or Cycle Beads method	9
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
13	Jelly or cream	1
17	IUD, coil, loop	2
18	Emergency contraception	3
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used more than two methods at last sex in the past 12 mons (mthfstx3 not blank or EF-2 LSTMTHP3 not blank)

**METH12M4(3488-3488)**

Variable Type : recode

Description : Contraceptive method used at last sex past 12 mos: 4th mentioned (RECODE)

value	label	Total
-------	-------	-------



.	INAPPLICABLE	6141
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used more than three methods at last sex in the past 12 mons (mthfstsx4 not blank or EF-2 LSTMTHP4 not blank)

### MTHUSE3(3489-3490)

Variable Type : recode

Description : Whether used any contraceptive method at last sex in past 3 mos (RECODE)

value	label	Total
.	INAPPLICABLE	2045
1	USED A METHOD AT LAST INTERCOURSE IN PAST 3 MONTHS	3300
2	DID NOT USE A METHOD AT LAST INTERCOURSE IN PAST 3 MONTHS	765
95	NEVER USED A METHOD	31
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 months (SEX3MO = 1)

### METH3M1(3491-3492)

Variable Type : recode

Description : Contraceptive method used last sex past 3 mos: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	2837
1	Pill	582
2	Condom	740
3	Partner's vasectomy	241
4	Female sterilizing operation/tubal ligation	647
5	Withdrawal	383
6	Depo-Provera, injectables	96
7	Implant (Norplant, Implanon, or Nexplanon)	108
8	Calendar rhythm, Standard Days, or Cycle Beads method	35
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	6
10	Diaphragm	1
13	Jelly or cream	1
17	IUD, coil, loop	398
18	Emergency contraception	5
19	Other method	2
20	Respondent sterile (aside from sterilizing operation above)	4
21	Respondent's partner sterile (aside from vasectomy above)	4
23	Contraceptive patch	12
24	Contraceptive ring	39
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a method at last sex in the past 3 mons (MTHUSE3 = 1)

### METH3M2(3493-3494)

Variable Type : recode

Description : Contraceptive method used last sex past 3 mos: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5585
1	Pill	10

2	Condom	137
3	Partner's vasectomy	26
4	Female sterilizing operation/tubal ligation	89
5	Withdrawal	118
6	Depo-Provera, injectables	20
7	Implant (Norplant, Implanon, or Nexplanon)	20
8	Calendar rhythm, Standard Days, or Cycle Beads method	60
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	7
11	Female condom, vaginal pouch	1
12	Foam	2
13	Jelly or cream	1
15	Suppository, insert	1
17	IUD, coil, loop	47
18	Emergency contraception	4
19	Other method	2
21	Respondent's partner sterile (aside from vasectomy above)	1
23	Contraceptive patch	4
24	Contraceptive ring	6
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a second method at last sex in the past 3 mons (mthfstx2 not blank or EF-2 LSTMTHP2 not blank)

#### METH3M3(3495-3496)

Variable Type : recode

Description : Contraceptive method used last sex past 3 mos: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	6108
1	Pill	1
5	Withdrawal	13
6	Depo-Provera, injectables	2
7	Implant (Norplant, Implanon, or Nexplanon)	2
8	Calendar rhythm, Standard Days, or Cycle Beads method	9
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
17	IUD, coil, loop	2
18	Emergency contraception	2
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a third method at last sex in the past 3 mons (mthfstx3 not blank or EF-2 LSTMTHP3 not blank)

#### METH3M4(3497-3497)

Variable Type : recode

Description : Contraceptive method used last sex past 3 mos: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	6141
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a fourth method at last sex in the past 3 mons (mthfstx4 not blank or EF-2 LSTMTHP4 not blank)

#### FMETHOD1(3498-3499)

Variable Type : recode

Description : First method ever used: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	690
1	Pill	2077
2	Condom	2592
3	Partner's vasectomy	2
4	Female sterilizing operation/tubal ligation	10
5	Withdrawal	247
6	Depo-Provera, injectables	295
7	Hormonal implant (Norplant, Implanon, or Nexplanon)	33
8	Calendar rhythm, Standard Days, or Cycle Beads method	28
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
10	Diaphragm	1
11	Female condom, vaginal pouch	1
12	Foam	4
13	Jelly or cream	3
15	Suppository, insert	1
16	Todaytm sponge	6
17	IUD, coil, loop	56
18	Emergency contraception	15
19	Other method	12
20	Respondent sterile (aside from sterilizing operation above)	1
21	Respondent's partner sterile (aside from vasectomy above)	1
22	Lunelle injectable	3
23	Contraceptive patch	44
24	Contraceptive ring	16
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1)

#### FMETHOD2(3500-3501)

Variable Type : recode

Description : First method ever used: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5771
1	Pill	27
2	Condom	230
3	Partner's vasectomy	1
5	Withdrawal	60
6	Depo-Provera, injectables	12
7	Hormonal implant (Norplant, Implanon, or Nexplanon)	5
8	Calendar rhythm, Standard Days, or Cycle Beads method	13
11	Female condom, vaginal pouch	1
12	Foam	5
13	Jelly or cream	2
14	Cervical cap	1
15	Suppository, insert	2
16	Today sponge	2
17	IUD, coil, loop	3
18	Emergency contraception	4
23	Contraceptive patch	1
24	Contraceptive ring	1
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1) and used a 2nd method the first time (EB-1 FIRSMETH2 not blank)

**FMETHOD3(3502-3503)**

Variable Type : recode

Description : First method ever used: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	6092
1	Pill	2
2	Condom	4
4	Female sterilizing operation/tubal ligation	2
5	Withdrawal	23
6	Depo-Provera, injectables	3
7	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
8	Calendar rhythm, Standard Days, or Cycle Beads method	5
12	Foam	1
13	Jelly or cream	1
15	Suppository, insert	1
18	Emergency contraception	4
24	Contraceptive ring	2
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1) and used a 3rd method the first time (EB-1 FIRSMETH3 not blank)

**FMETHOD4(3504-3505)**

Variable Type : recode

Description : First method ever used: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	6131
7	Hormonal implant (Norplant, Implanon, or Nexplanon)	1
8	Calendar rhythm, Standard Days, or Cycle Beads method	1
12	Foam	1
13	Jelly or cream	1
17	IUD, coil, loop	1
18	Emergency contraception	5
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1) and used a 4th method the first time (EB-1 FIRSMETH4 not blank)

**DATEUSE1(3506-3510)**

Variable Type : recode

Description : Date R used first method for the first time (RECODE)

value	label	Total
.	INAPPLICABLE	879
900-1340	Before Sept 2011	4151
1341-1352	Sept 2011-Aug 2012	145
1353-1364	Sept 2012-Aug 2013	143
1365-1376	Sept 2013-Aug 2014	139
1377-1388	Sept 2014-Aug 2015	170
1389-1400	Sept 2015-Aug 2016	167
1401-1412	Sept 2016-Aug 2017	143
1413-1424	Sept 2017-Aug 2018	85
1425-1437	Sept 2018-Sept 2019	32
90000-99999	Date estimated	87
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and has ever used a contraceptive method (ANYMTHD = 1)

#### OLDWP01(3511-3511)

Variable Type : recode

Description : Wantedness of 1st pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	2432
1	LATER, OVERDUE	207
2	RIGHT TIME	1603
3	TOO SOON, MISTIMED	775
4	DIDN'T CARE, INDIFFERENT	59
5	UNWANTED	736
6	DON'T KNOW, NOT SURE	329
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

#### OLDWP02(3512-3512)

Variable Type : recode

Description : Wantedness of 2nd pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	3335
1	LATER, OVERDUE	145
2	RIGHT TIME	1561
3	TOO SOON, MISTIMED	404
4	DIDN'T CARE, INDIFFERENT	62
5	UNWANTED	471
6	DON'T KNOW, NOT SURE	163
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

#### OLDWP03(3513-3513)

Variable Type : recode

Description : Wantedness of 3rd pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	4365
1	LATER, OVERDUE	84
2	RIGHT TIME	948
3	TOO SOON, MISTIMED	230
4	DIDN'T CARE, INDIFFERENT	31
5	UNWANTED	390
6	DON'T KNOW, NOT SURE	93
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

#### OLDWP04(3514-3514)

Variable Type : recode

Description : Wantedness of 4th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	4365
1	LATER, OVERDUE	84
2	RIGHT TIME	948
3	TOO SOON, MISTIMED	230
4	DIDN'T CARE, INDIFFERENT	31
5	UNWANTED	390
6	DON'T KNOW, NOT SURE	93
	<b>Total</b>	<b>6141</b>

value	label	Total
.	INAPPLICABLE	5189
1	LATER, OVERDUE	41
2	RIGHT TIME	481
3	TOO SOON, MISTIMED	102
4	DIDN'T CARE, INDIFFERENT	19
5	UNWANTED	239
6	DON'T KNOW, NOT SURE	70
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

#### OLDWP05(3515-3515)

Variable Type : recode

Description : Wantedness of 5th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5660
1	LATER, OVERDUE	20
2	RIGHT TIME	245
3	TOO SOON, MISTIMED	51
4	DIDN'T CARE, INDIFFERENT	13
5	UNWANTED	114
6	DON'T KNOW, NOT SURE	38
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

#### OLDWP06(3516-3516)

Variable Type : recode

Description : Wantedness of 6th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5914
1	LATER, OVERDUE	12
2	RIGHT TIME	110
3	TOO SOON, MISTIMED	20
4	DIDN'T CARE, INDIFFERENT	5
5	UNWANTED	63
6	DON'T KNOW, NOT SURE	17
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

#### OLDWP07(3517-3517)

Variable Type : recode

Description : Wantedness of 7th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6026
1	LATER, OVERDUE	4
2	RIGHT TIME	52
3	TOO SOON, MISTIMED	13
4	DIDN'T CARE, INDIFFERENT	5
5	UNWANTED	33
6	DON'T KNOW, NOT SURE	8

<b>Total</b>	<b>6141</b>
--------------	-------------

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

#### OLDWP08(3518-3518)

Variable Type : recode

Description : Wantedness of 8th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6073
1	LATER, OVERDUE	1
2	RIGHT TIME	39
3	TOO SOON, MISTIMED	5
4	DIDN'T CARE, INDIFFERENT	2
5	UNWANTED	16
6	DON'T KNOW, NOT SURE	5
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

#### OLDWP09(3519-3519)

Variable Type : recode

Description : Wantedness of 9th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6106
1	LATER, OVERDUE	1
2	RIGHT TIME	13
4	DIDN'T CARE, INDIFFERENT	2
5	UNWANTED	16
6	DON'T KNOW, NOT SURE	3
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

#### OLDWP10(3520-3520)

Variable Type : recode

Description : Wantedness of 10th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6119
2	RIGHT TIME	9
3	TOO SOON, MISTIMED	1
5	UNWANTED	11
6	DON'T KNOW, NOT SURE	1
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

#### OLDWP11(3521-3521)

Variable Type : recode

Description : Wantedness of 11th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6131
1	LATER, OVERDUE	2

2	RIGHT TIME	2
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	5
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

#### OLDWP12(3522-3522)

Variable Type : recode

Description : Wantedness of 12th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6134
2	RIGHT TIME	1
5	UNWANTED	4
6	DON'T KNOW, NOT SURE	2
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

#### OLDWP13(3523-3523)

Variable Type : recode

Description : Wantedness of 13th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6136
3	TOO SOON, MISTIMED	2
5	UNWANTED	3
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

#### OLDWP14(3524-3524)

Variable Type : recode

Description : Wantedness of 14th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6139
5	UNWANTED	2
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

#### OLDWR01(3525-3525)

Variable Type : recode

Description : Wantedness of 1st pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	2432
1	LATER, OVERDUE	275
2	RIGHT TIME	1352
3	TOO SOON, MISTIMED	1421
4	DIDN'T CARE, INDIFFERENT	45
5	UNWANTED	604
6	DON'T KNOW, NOT SURE	12



<b>Total</b>	<b>6141</b>
--------------	-------------

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

### OLDWR02(3526-3526)

Variable Type : recode

Description : Wantedness of 2nd pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	3335
1	LATER, OVERDUE	195
2	RIGHT TIME	1429
3	TOO SOON, MISTIMED	693
4	DIDN'T CARE, INDIFFERENT	47
5	UNWANTED	433
6	DON'T KNOW, NOT SURE	9
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

### OLDWR03(3527-3527)

Variable Type : recode

Description : Wantedness of 3rd pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	4365
1	LATER, OVERDUE	98
2	RIGHT TIME	923
3	TOO SOON, MISTIMED	317
4	DIDN'T CARE, INDIFFERENT	38
5	UNWANTED	393
6	DON'T KNOW, NOT SURE	7
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

### OLDWR04(3528-3528)

Variable Type : recode

Description : Wantedness of 4th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5189
1	LATER, OVERDUE	49
2	RIGHT TIME	467
3	TOO SOON, MISTIMED	153
4	DIDN'T CARE, INDIFFERENT	12
5	UNWANTED	267
6	DON'T KNOW, NOT SURE	4
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

### OLDWR05(3529-3529)

Variable Type : recode

Description : Wantedness of 5th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5660
1	LATER, OVERDUE	26
2	RIGHT TIME	228
3	TOO SOON, MISTIMED	70
4	DIDN'T CARE, INDIFFERENT	6
5	UNWANTED	143
6	DON'T KNOW, NOT SURE	8
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

#### OLDWR06(3530-3530)

Variable Type : recode

Description : Wantedness of 6th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5914
1	LATER, OVERDUE	11
2	RIGHT TIME	99
3	TOO SOON, MISTIMED	31
4	DIDN'T CARE, INDIFFERENT	5
5	UNWANTED	79
6	DON'T KNOW, NOT SURE	2
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

#### OLDWR07(3531-3531)

Variable Type : recode

Description : Wantedness of 7th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6026
1	LATER, OVERDUE	7
2	RIGHT TIME	44
3	TOO SOON, MISTIMED	18
4	DIDN'T CARE, INDIFFERENT	3
5	UNWANTED	42
6	DON'T KNOW, NOT SURE	1
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

#### OLDWR08(3532-3532)

Variable Type : recode

Description : Wantedness of 8th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6073
1	LATER, OVERDUE	2
2	RIGHT TIME	37
3	TOO SOON, MISTIMED	7
4	DIDN'T CARE, INDIFFERENT	3
5	UNWANTED	18
6	DON'T KNOW, NOT SURE	1

<b>Total</b>	<b>6141</b>
--------------	-------------

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

#### OLDWR09(3533-3533)

Variable Type : recode

Description : Wantedness of 9th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6106
1	LATER, OVERDUE	1
2	RIGHT TIME	16
3	TOO SOON, MISTIMED	4
4	DIDN'T CARE, INDIFFERENT	3
5	UNWANTED	11
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

#### OLDWR10(3534-3534)

Variable Type : recode

Description : Wantedness of 10th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6119
1	LATER, OVERDUE	1
2	RIGHT TIME	9
3	TOO SOON, MISTIMED	3
5	UNWANTED	9
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

#### OLDWR11(3535-3535)

Variable Type : recode

Description : Wantedness of 11th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6131
1	LATER, OVERDUE	1
2	RIGHT TIME	3
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	5
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

#### OLDWR12(3536-3536)

Variable Type : recode

Description : Wantedness of 12th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6134
2	RIGHT TIME	1
5	UNWANTED	6
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

**OLDWR13(3537-3537)**

Variable Type : recode

Description : Wantedness of 13th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6136
3	TOO SOON, MISTIMED	1
5	UNWANTED	4
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

**OLDWR14(3538-3538)**

Variable Type : recode

Description : Wantedness of 14th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6139
5	UNWANTED	2
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

**WANTRP01(3539-3539)**

Variable Type : recode

Description : Wantedness of 1st pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	2432
1	LATER, OVERDUE	275
2	RIGHT TIME	1352
3	TOO SOON, MISTIMED	1421
4	DIDN'T CARE, INDIFFERENT	45
5	UNWANTED	604
6	DON'T KNOW, NOT SURE	12
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

**WANTRP02(3540-3540)**

Variable Type : recode

Description : Wantedness of 2nd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	3335
1	LATER, OVERDUE	195
2	RIGHT TIME	1429
3	TOO SOON, MISTIMED	694
4	DIDN'T CARE, INDIFFERENT	47
5	UNWANTED	432
6	DON'T KNOW, NOT SURE	9
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

**WANTRP03(3541-3541)**

Variable Type : recode

Description : Wantedness of 3rd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	4365
1	LATER, OVERDUE	98
2	RIGHT TIME	923
3	TOO SOON, MISTIMED	317
4	DIDN'T CARE, INDIFFERENT	38
5	UNWANTED	393
6	DON'T KNOW, NOT SURE	7
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM &gt; 2)

**WANTRP04(3542-3542)**

Variable Type : recode

Description : Wantedness of 4th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5189
1	LATER, OVERDUE	49
2	RIGHT TIME	467
3	TOO SOON, MISTIMED	153
4	DIDN'T CARE, INDIFFERENT	12
5	UNWANTED	267
6	DON'T KNOW, NOT SURE	4
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM &gt; 3)

**WANTRP05(3543-3543)**

Variable Type : recode

Description : Wantedness of 5th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5660
1	LATER, OVERDUE	26
2	RIGHT TIME	228
3	TOO SOON, MISTIMED	70
4	DIDN'T CARE, INDIFFERENT	6
5	UNWANTED	143
6	DON'T KNOW, NOT SURE	8
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM &gt; 4)

**WANTRP06(3544-3544)**

Variable Type : recode

Description : Wantedness of 6th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5914
1	LATER, OVERDUE	11
2	RIGHT TIME	99

3	TOO SOON, MISTIMED	31
4	DIDN'T CARE, INDIFFERENT	5
5	UNWANTED	79
6	DON'T KNOW, NOT SURE	2
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

#### WANTRP07(3545-3545)

Variable Type : recode

Description : Wantedness of 7th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	6026
1	LATER, OVERDUE	7
2	RIGHT TIME	44
3	TOO SOON, MISTIMED	18
4	DIDN'T CARE, INDIFFERENT	3
5	UNWANTED	42
6	DON'T KNOW, NOT SURE	1
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

#### WANTRP08(3546-3546)

Variable Type : recode

Description : Wantedness of 8th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	6073
1	LATER, OVERDUE	2
2	RIGHT TIME	37
3	TOO SOON, MISTIMED	7
4	DIDN'T CARE, INDIFFERENT	3
5	UNWANTED	18
6	DON'T KNOW, NOT SURE	1
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

#### WANTRP09(3547-3547)

Variable Type : recode

Description : Wantedness of 9th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	6106
1	LATER, OVERDUE	1
2	RIGHT TIME	16
3	TOO SOON, MISTIMED	4
4	DIDN'T CARE, INDIFFERENT	3
5	UNWANTED	11
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

#### WANTRP10(3548-3548)

Variable Type : recode

Description : Wantedness of 10th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	6119
1	LATER, OVERDUE	1
2	RIGHT TIME	9
3	TOO SOON, MISTIMED	3
5	UNWANTED	9
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

#### WANTRP11(3549-3549)

Variable Type : recode

Description : Wantedness of 11th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	6131
1	LATER, OVERDUE	1
2	RIGHT TIME	3
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	5
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

#### WANTRP12(3550-3550)

Variable Type : recode

Description : Wantedness of 12th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	6134
2	RIGHT TIME	1
5	UNWANTED	6
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

#### WANTRP13(3551-3551)

Variable Type : recode

Description : Wantedness of 13th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	6136
3	TOO SOON, MISTIMED	1
5	UNWANTED	4
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

#### WANTRP14(3552-3552)

Variable Type : recode

Description : Wantedness of 14th pregnancy--Respondent (RECODE)

\_\_\_\_\_

value	label	Total
.	INAPPLICABLE	6139
5	UNWANTED	2
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

#### WANTP01(3553-3553)

Variable Type : recode

Description : Wantedness of 1st pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	2432
1	LATER, OVERDUE	208
2	RIGHT TIME	1605
3	TOO SOON, MISTIMED	777
4	DIDN'T CARE, INDIFFERENT	59
5	UNWANTED	738
6	DON'T KNOW, NOT SURE	322
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

#### WANTP02(3554-3554)

Variable Type : recode

Description : Wantedness of 2nd pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	3335
1	LATER, OVERDUE	144
2	RIGHT TIME	1566
3	TOO SOON, MISTIMED	404
4	DIDN'T CARE, INDIFFERENT	62
5	UNWANTED	472
6	DON'T KNOW, NOT SURE	158
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

#### WANTP03(3555-3555)

Variable Type : recode

Description : Wantedness of 3rd pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	4365
1	LATER, OVERDUE	84
2	RIGHT TIME	953
3	TOO SOON, MISTIMED	230
4	DIDN'T CARE, INDIFFERENT	31
5	UNWANTED	390
6	DON'T KNOW, NOT SURE	88
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

#### WANTP04(3556-3556)



Variable Type : recode

Description : Wantedness of 4th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5189
1	LATER, OVERDUE	41
2	RIGHT TIME	482
3	TOO SOON, MISTIMED	101
4	DIDN'T CARE, INDIFFERENT	18
5	UNWANTED	243
6	DON'T KNOW, NOT SURE	67
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

#### WANTP05(3557-3557)

Variable Type : recode

Description : Wantedness of 5th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5660
1	LATER, OVERDUE	21
2	RIGHT TIME	250
3	TOO SOON, MISTIMED	51
4	DIDN'T CARE, INDIFFERENT	12
5	UNWANTED	116
6	DON'T KNOW, NOT SURE	31
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

#### WANTP06(3558-3558)

Variable Type : recode

Description : Wantedness of 6th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5914
1	LATER, OVERDUE	13
2	RIGHT TIME	113
3	TOO SOON, MISTIMED	20
4	DIDN'T CARE, INDIFFERENT	5
5	UNWANTED	63
6	DON'T KNOW, NOT SURE	13
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

#### WANTP07(3559-3559)

Variable Type : recode

Description : Wantedness of 7th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	6026
1	LATER, OVERDUE	4
2	RIGHT TIME	54
3	TOO SOON, MISTIMED	14

4	DIDN'T CARE, INDIFFERENT	5
5	UNWANTED	33
6	DON'T KNOW, NOT SURE	5
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

#### WANTP08(3560-3560)

Variable Type : recode

Description : Wantedness of 8th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	6073
1	LATER, OVERDUE	1
2	RIGHT TIME	39
3	TOO SOON, MISTIMED	5
4	DIDN'T CARE, INDIFFERENT	2
5	UNWANTED	18
6	DON'T KNOW, NOT SURE	3
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

#### WANTP09(3561-3561)

Variable Type : recode

Description : Wantedness of 9th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	6106
1	LATER, OVERDUE	1
2	RIGHT TIME	13
4	DIDN'T CARE, INDIFFERENT	2
5	UNWANTED	17
6	DON'T KNOW, NOT SURE	2
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

#### WANTP10(3562-3562)

Variable Type : recode

Description : Wantedness of 10th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	6119
2	RIGHT TIME	9
3	TOO SOON, MISTIMED	1
5	UNWANTED	11
6	DON'T KNOW, NOT SURE	1
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

#### WANTP11(3563-3563)

Variable Type : recode

Description : Wantedness of 11th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	6131
1	LATER, OVERDUE	2
2	RIGHT TIME	2
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	5
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

#### WANTP12(3564-3564)

Variable Type : recode

Description : Wantedness of 12th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	6134
2	RIGHT TIME	1
5	UNWANTED	4
6	DON'T KNOW, NOT SURE	2
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

#### WANTP13(3565-3565)

Variable Type : recode

Description : Wantedness of 13th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	6136
3	TOO SOON, MISTIMED	2
5	UNWANTED	3
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

#### WANTP14(3566-3566)

Variable Type : recode

Description : Wantedness of 14th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	6139
5	UNWANTED	2
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

#### NWWANTRP01(3567-3567)

Variable Type : recode

Description : Detailed wantedness of 1st pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	2432
1	Later, overdue	275
2	Right time	1352
3	Too soon: by less than 2 years	199
4	Too soon: by 2 years or more	1222

5	Didn't care, indifferent	45
6	Unwanted	604
7	Don't know, not sure	12
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

### NWWANTRP02(3568-3568)

Variable Type : recode

Description : Detailed wantedness of 2nd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	3335
1	Later, overdue	195
2	Right time	1429
3	Too soon: by less than 2 years	226
4	Too soon: by 2 years or more	468
5	Didn't care, indifferent	47
6	Unwanted	432
7	Don't know, not sure	9
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

### NWWANTRP03(3569-3569)

Variable Type : recode

Description : Detailed wantedness of 3rd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	4365
1	Later, overdue	98
2	Right time	922
3	Too soon: by less than 2 years	123
4	Too soon: by 2 years or more	194
5	Didn't care, indifferent	38
6	Unwanted	394
7	Don't know, not sure	7
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

### NWWANTRP04(3570-3570)

Variable Type : recode

Description : Detailed wantedness of 4th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5189
1	Later, overdue	49
2	Right time	467
3	Too soon: by less than 2 years	66
4	Too soon: by 2 years or more	86
5	Didn't care, indifferent	12
6	Unwanted	268
7	Don't know, not sure	4
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

**NWWANTRP05(3571-3571)**

Variable Type : recode

Description : Detailed wantedness of 5th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5660
1	Later, overdue	26
2	Right time	228
3	Too soon: by less than 2 years	37
4	Too soon: by 2 years or more	33
5	Didn't care, indifferent	6
6	Unwanted	143
7	Don't know, not sure	8
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM &gt; 4)

**NWWANTRP06(3572-3572)**

Variable Type : recode

Description : Detailed wantedness of 6th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5914
1	Later, overdue	11
2	Right time	99
3	Too soon: by less than 2 years	17
4	Too soon: by 2 years or more	14
5	Didn't care, indifferent	5
6	Unwanted	79
7	Don't know, not sure	2
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM &gt; 5)

**NWWANTRP07(3573-3573)**

Variable Type : recode

Description : Detailed wantedness of 7th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	6026
1	Later, overdue	7
2	Right time	44
3	Too soon: by less than 2 years	4
4	Too soon: by 2 years or more	14
5	Didn't care, indifferent	3
6	Unwanted	42
7	Don't know, not sure	1
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM &gt; 6)

**NWWANTRP08(3574-3574)**

Variable Type : recode

Description : Detailed wantedness of 8th pregnancy--Respondent (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	6073
1	Later, overdue	2
2	Right time	36
3	Too soon: by less than 2 years	4
4	Too soon: by 2 years or more	3
5	Didn't care, indifferent	3
6	Unwanted	19
7	Don't know, not sure	1
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

#### NWWANTRP09(3575-3575)

Variable Type : recode

Description : Detailed wantedness of 9th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	6106
1	Later, overdue	1
2	Right time	16
3	Too soon: by less than 2 years	2
4	Too soon: by 2 years or more	2
5	Didn't care, indifferent	3
6	Unwanted	11
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

#### NWWANTRP10(3576-3576)

Variable Type : recode

Description : Detailed wantedness of 10th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	6119
1	Later, overdue	1
2	Right time	9
3	Too soon: by less than 2 years	1
4	Too soon: by 2 years or more	2
6	Unwanted	9
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

#### NWWANTRP11(3577-3577)

Variable Type : recode

Description : Detailed wantedness of 11th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	6131
1	Later, overdue	1
2	Right time	3
5	Didn't care, indifferent	1
6	Unwanted	5
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

**NWWANTRP12(3578-3578)**

Variable Type : recode

Description : Detailed wantedness of 12th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	6134
2	Right time	1
6	Unwanted	6
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM &gt; 11)

**NWWANTRP13(3579-3579)**

Variable Type : recode

Description : Detailed wantedness of 13th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	6136
4	Too soon: by 2 years or more	1
6	Unwanted	4
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM &gt; 12)

**NWWANTRP14(3580-3580)**

Variable Type : recode

Description : Detailed wantedness of 14th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	6139
6	Unwanted	2
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM &gt; 13)

**WANTP5(3581-3581)**

Variable Type : recode

Description : Number of wanted pregnancies in the last 5 years (RECODE)

value	label	Total
.	INAPPLICABLE	4363
0	No wanted pregnancies in last 5 years	260
1-8	1-8 wanted pregnancies in last 5 years	1518
<b>Total</b>		<b>6141</b>

Universe : Applicable if R is currently pregnant (RCURPREG recode = 1) or she has had at least 1 pregnancy within the past 5 years (DATENDnn for R's last completed pregnancy is within 60 months of cmintvw)

**STRLOPER\_I (3582-3582)**

Variable Type : imputation flag

Description : STRLOPER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140

2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### FECUND\_I (3583-3583)

Variable Type : imputation flag

Description : FECUND Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### INFERT\_I (3584-3584)

Variable Type : imputation flag

Description : INFERT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6125
1	MULTIPLE REGRESSION IMPUTATION	12
2	LOGICAL IMPUTATION	4
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### ANYMTHD\_I (3585-3585)

Variable Type : imputation flag

Description : ANYMTHD Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### NOSEX12\_I (3586-3586)

Variable Type : imputation flag

Description : NOSEX12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6119
1	MULTIPLE REGRESSION IMPUTATION	22
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### SEX3MO\_I (3587-3587)

Variable Type : imputation flag

Description : SEX3MO Imputation Flag

value	label	Total
-------	-------	-------



0	QUESTIONNAIRE DATA (NOT IMPUTED)	6072
1	MULTIPLE REGRESSION IMPUTATION	69
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### CONSTAT1\_I (3588-3588)

Variable Type : imputation flag

Description : CONSTAT1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6124
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	15
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### CONSTAT2\_I (3589-3589)

Variable Type : imputation flag

Description : CONSTAT2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6125
1	MULTIPLE REGRESSION IMPUTATION	16
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### CONSTAT3\_I (3590-3590)

Variable Type : imputation flag

Description : CONSTAT3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6125
1	MULTIPLE REGRESSION IMPUTATION	16
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### CONSTAT4\_I (3591-3591)

Variable Type : imputation flag

Description : CONSTAT4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6125
1	MULTIPLE REGRESSION IMPUTATION	16
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### PILLR\_I (3592-3592)

Variable Type : imputation flag

Description : PILLR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### CONDOMR\_I (3593-3593)

Variable Type : imputation flag

Description : CONDOMR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### SEX1MTHD1\_I (3594-3594)

Variable Type : imputation flag

Description : SEX1MTHD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6112
1	MULTIPLE REGRESSION IMPUTATION	16
2	LOGICAL IMPUTATION	13
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### SEX1MTHD2\_I (3595-3595)

Variable Type : imputation flag

Description : SEX1MTHD2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6115
1	MULTIPLE REGRESSION IMPUTATION	21
2	LOGICAL IMPUTATION	5
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### SEX1MTHD3\_I (3596-3596)

Variable Type : imputation flag

Description : SEX1MTHD3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6115
1	MULTIPLE REGRESSION IMPUTATION	21
2	LOGICAL IMPUTATION	5
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### SEX1MTHD4\_I (3597-3597)

Variable Type : imputation flag

Description : SEX1MTHD4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6115
1	MULTIPLE REGRESSION IMPUTATION	21
2	LOGICAL IMPUTATION	5
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### MTHUSE12\_I (3598-3598)

Variable Type : imputation flag

Description : MTHUSE12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6132
1	MULTIPLE REGRESSION IMPUTATION	9
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### METH12M1\_I (3599-3599)

Variable Type : imputation flag

Description : METH12M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6128
1	MULTIPLE REGRESSION IMPUTATION	11
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### METH12M2\_I (3600-3600)

Variable Type : imputation flag

Description : METH12M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6128
1	MULTIPLE REGRESSION IMPUTATION	11
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### METH12M3\_I (3601-3601)

Variable Type : imputation flag

Description : METH12M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6128
1	MULTIPLE REGRESSION IMPUTATION	11
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### METH12M4\_I (3602-3602)

Variable Type : imputation flag

Description : METH12M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6128
1	MULTIPLE REGRESSION IMPUTATION	11
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### MTHUSE3\_I (3603-3603)

Variable Type : imputation flag

Description : MTHUSE3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6092
1	MULTIPLE REGRESSION IMPUTATION	49
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### METH3M1\_I (3604-3604)

Variable Type : imputation flag

Description : METH3M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6109
1	MULTIPLE REGRESSION IMPUTATION	32
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### METH3M2\_I (3605-3605)

Variable Type : imputation flag

Description : METH3M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6109
1	MULTIPLE REGRESSION IMPUTATION	32
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### METH3M3\_I (3606-3606)

Variable Type : imputation flag

Description : METH3M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6109
1	MULTIPLE REGRESSION IMPUTATION	32
<b>Total</b>		<b>6141</b>

[REDACTED]

Universe : Applicable for all respondents

### METH3M4\_I (3607-3607)

Variable Type : imputation flag

Description : METH3M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6109
1	MULTIPLE REGRESSION IMPUTATION	32
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### FMETHOD1\_I (3608-3608)

Variable Type : imputation flag

Description : FMETHOD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6127
1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	5
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### FMETHOD2\_I (3609-3609)

Variable Type : imputation flag

Description : FMETHOD2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6127
1	MULTIPLE REGRESSION IMPUTATION	14
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### FMETHOD3\_I (3610-3610)

Variable Type : imputation flag

Description : FMETHOD3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6127
1	MULTIPLE REGRESSION IMPUTATION	14
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### FMETHOD4\_I (3611-3611)

Variable Type : imputation flag

Description : FMETHOD4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6127

1	MULTIPLE REGRESSION IMPUTATION	14
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### DATEUSE1\_I (3612-3612)

Variable Type : imputation flag

Description : DATEUSE1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6029
1	MULTIPLE REGRESSION IMPUTATION	101
2	LOGICAL IMPUTATION	11
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWP01\_I (3613-3613)

Variable Type : imputation flag

Description : OLDWP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6127
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWP02\_I (3614-3614)

Variable Type : imputation flag

Description : OLDWP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6131
1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWP03\_I (3615-3615)

Variable Type : imputation flag

Description : OLDWP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6137
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWP04\_I (3616-3616)

Variable Type : imputation flag

Description : OLDWP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6136
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWP05\_I (3617-3617)

Variable Type : imputation flag

Description : OLDWP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6134
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWP06\_I (3618-3618)

Variable Type : imputation flag

Description : OLDWP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6136
1	MULTIPLE REGRESSION IMPUTATION	5
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWP07\_I (3619-3619)

Variable Type : imputation flag

Description : OLDWP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6137
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWP08\_I (3620-3620)

Variable Type : imputation flag

Description : OLDWP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWP09\_I (3621-3621)

Variable Type : imputation flag

Description : OLDWP09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWP10\_I (3622-3622)

Variable Type : imputation flag

Description : OLDWP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWP11\_I (3623-3623)

Variable Type : imputation flag

Description : OLDWP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWP12\_I (3624-3624)

Variable Type : imputation flag

Description : OLDWP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWP13\_I (3625-3625)

Variable Type : imputation flag

Description : OLDWP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWP14\_I (3626-3626)



Variable Type : imputation flag

Description : OLDWP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWR01\_I (3627-3627)

Variable Type : imputation flag

Description : OLDWR01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6136
1	MULTIPLE REGRESSION IMPUTATION	5
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWR02\_I (3628-3628)

Variable Type : imputation flag

Description : OLDWR02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWR03\_I (3629-3629)

Variable Type : imputation flag

Description : OLDWR03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6137
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### OLDWR04\_I (3630-3630)

Variable Type : imputation flag

Description : OLDWR04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6136
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**OLDWR05\_I (3631-3631)**

Variable Type : imputation flag

Description : OLDWR05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6136
1	MULTIPLE REGRESSION IMPUTATION	5
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**OLDWR06\_I (3632-3632)**

Variable Type : imputation flag

Description : OLDWR06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6135
1	MULTIPLE REGRESSION IMPUTATION	6
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**OLDWR07\_I (3633-3633)**

Variable Type : imputation flag

Description : OLDWR07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6137
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**OLDWR08\_I (3634-3634)**

Variable Type : imputation flag

Description : OLDWR08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**OLDWR09\_I (3635-3635)**

Variable Type : imputation flag

Description : OLDWR09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### OLDWR10\_I (3636-3636)

Variable Type : imputation flag

Description : OLDWR10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### OLDWR11\_I (3637-3637)

Variable Type : imputation flag

Description : OLDWR11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### OLDWR12\_I (3638-3638)

Variable Type : imputation flag

Description : OLDWR12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### OLDWR13\_I (3639-3639)

Variable Type : imputation flag

Description : OLDWR13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### OLDWR14\_I (3640-3640)

Variable Type : imputation flag

Description : OLDWR14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### WANTRP01\_I (3641-3641)

Variable Type : imputation flag

Description : WANTRP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6136
1	MULTIPLE REGRESSION IMPUTATION	5
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### WANTRP02\_I (3642-3642)

Variable Type : imputation flag

Description : WANTRP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
1	MULTIPLE REGRESSION IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### WANTRP03\_I (3643-3643)

Variable Type : imputation flag

Description : WANTRP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6137
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### WANTRP04\_I (3644-3644)

Variable Type : imputation flag

Description : WANTRP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6136
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### WANTRP05\_I (3645-3645)

Variable Type : imputation flag

Description : WANTRP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6136
1	MULTIPLE REGRESSION IMPUTATION	5

<b>Total</b>	<b>6141</b>
--------------	-------------

Universe : Applicable for all respondents

#### **WANTRP06\_I (3646-3646)**

Variable Type : imputation flag

Description : WANTRP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6135
1	MULTIPLE REGRESSION IMPUTATION	6
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **WANTRP07\_I (3647-3647)**

Variable Type : imputation flag

Description : WANTRP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6137
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **WANTRP08\_I (3648-3648)**

Variable Type : imputation flag

Description : WANTRP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **WANTRP09\_I (3649-3649)**

Variable Type : imputation flag

Description : WANTRP09Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **WANTRP10\_I (3650-3650)**

Variable Type : imputation flag

Description : WANTRP10 Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### WANTRP11\_I (3651-3651)

Variable Type : imputation flag

Description : WANTRP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### WANTRP12\_I (3652-3652)

Variable Type : imputation flag

Description : WANTRP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### WANTRP13\_I (3653-3653)

Variable Type : imputation flag

Description : WANTRP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### WANTRP14\_I (3654-3654)

Variable Type : imputation flag

Description : WANTRP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### WANTP01\_I (3655-3655)

Variable Type : imputation flag

Description : WANTP01 Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	6120
1	MULTIPLE REGRESSION IMPUTATION	21
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### WANTP02\_I (3656-3656)

Variable Type : imputation flag

Description : WANTP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6126
1	MULTIPLE REGRESSION IMPUTATION	15
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### WANTP03\_I (3657-3657)

Variable Type : imputation flag

Description : WANTP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6132
1	MULTIPLE REGRESSION IMPUTATION	9
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### WANTP04\_I (3658-3658)

Variable Type : imputation flag

Description : WANTP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6133
1	MULTIPLE REGRESSION IMPUTATION	8
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### WANTP05\_I (3659-3659)

Variable Type : imputation flag

Description : WANTP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6127
1	MULTIPLE REGRESSION IMPUTATION	14
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### WANTP06\_I (3660-3660)

Variable Type : imputation flag

Description : WANTP06 Imputation Flag

--	--	--

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6132
1	MULTIPLE REGRESSION IMPUTATION	9
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### WANTP07\_I (3661-3661)

Variable Type : imputation flag

Description : WANTP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6134
1	MULTIPLE REGRESSION IMPUTATION	7
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### WANTP08\_I (3662-3662)

Variable Type : imputation flag

Description : WANTP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6137
1	MULTIPLE REGRESSION IMPUTATION	4
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### WANTP09\_I (3663-3663)

Variable Type : imputation flag

Description : WANTP09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### WANTP10\_I (3664-3664)

Variable Type : imputation flag

Description : WANTP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### WANTP11\_I (3665-3665)

Variable Type : imputation flag

Description : WANTP11 Imputation Flag



value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **WANTP12\_I (3666-3666)**

Variable Type : imputation flag

Description : WANTP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **WANTP13\_I (3667-3667)**

Variable Type : imputation flag

Description : WANTP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **WANTP14\_I (3668-3668)**

Variable Type : imputation flag

Description : WANTP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **NWWANTRP01\_I (3669-3669)**

Variable Type : imputation flag

Description : NWWANTRP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6104
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	33
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### **NWWANTRP02\_I (3670-3670)**

Variable Type : imputation flag

Description : NWWANTRP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6115
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	24
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### NWWANTRP03\_I (3671-3671)

Variable Type : imputation flag

Description : NWWANTRP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6122
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	18
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### NWWANTRP04\_I (3672-3672)

Variable Type : imputation flag

Description : NWWANTRP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6130
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	8
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### NWWANTRP05\_I (3673-3673)

Variable Type : imputation flag

Description : NWWANTRP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6133
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	4
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### NWWANTRP06\_I (3674-3674)

Variable Type : imputation flag

Description : NWWANTRP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6134
2	LOGICAL IMPUTATION	7
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### NWWANTRP07\_I (3675-3675)

Variable Type : imputation flag

Description : NWWANTRP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6135
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	4
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### NWWANTRP08\_I (3676-3676)

Variable Type : imputation flag

Description : NWWANTRP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### NWWANTRP09\_I (3677-3677)

Variable Type : imputation flag

Description : NWWANTRP09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### NWWANTRP10\_I (3678-3678)

Variable Type : imputation flag

Description : NWWANTRP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### NWWANTRP11\_I (3679-3679)

Variable Type : imputation flag

Description : NWWANTRP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**NWWANTRP12\_I (3680-3680)**

Variable Type : imputation flag

Description : NWWANTRP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**NWWANTRP13\_I (3681-3681)**

Variable Type : imputation flag

Description : NWWANTRP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**NWWANTRP14\_I (3682-3682)**

Variable Type : imputation flag

Description : NWWANTRP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**WANTP5\_I (3683-3683)**

Variable Type : imputation flag

Description : WANTP5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6089
1	MULTIPLE REGRESSION IMPUTATION	52
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section F Recodes

**FPTIT12(3684-3684)**

Variable Type : recode

Description : Type of clinic used for fp services in last 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	5600
1	TITLE X CLINIC	192
2	NON-TITLE X CLINIC	349
<b>Total</b>		<b>6141</b>

Universe : Applicable if R received any family planning service from a medical care provider in the last 12 months at a clinic (FA-BC12PLCX2-BC12PLCX8=3,4,6,7)

#### FPTITMED(3685-3685)

Variable Type : recode

Description : Type of clinic used for medical services in last 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	5290
1	TITLE X CLINIC	267
2	NON-TITLE X CLINIC	584
<b>Total</b>		<b>6141</b>

Universe : Applicable if R received any family planning service from a medical care provider in the last 12 months at a clinic (FA-BC12PLCX9-BC12PLCX15=3,4,6,7)

#### FPTITSTE(3686-3687)

Variable Type : recode

Description : Source of services in last 12 months: Sterlization operation (RECODE)

value	label	Total
.	INAPPLICABLE	6059
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	1
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	11
8	PRIVATE DOCTOR'S OFFICE OR HMO	36
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	33
10	SOME OTHER PLACE	1
<b>Total</b>		<b>6141</b>

Universe : Applicable if R received a sterilizing operation from a medical care provider in the last 12 months (FA-1e STEROP12 = 1)

#### FPTITBC(3688-3689)

Variable Type : recode

Description : Source of services last 12 mos: Method of BC or prescription (RECODE)

value	label	Total
.	INAPPLICABLE	4405
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	50
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	105
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	17
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	144
7	EMPLOYER OR COMPANY CLINIC	10
8	PRIVATE DOCTOR'S OFFICE OR HMO	1337
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	29
10	SOME OTHER PLACE	44
<b>Total</b>		<b>6141</b>

Universe : Applicable if R received a method of birth control or a prescription for birth control from a medical care provider in the last 12 months (FA-1b BTHCON12 = 1)

#### FPTITCHK(3690-3691)

Variable Type : recode

Description : Source of services in last 12 mos: Check-up or test re: BC (RECODE)

value	label	Total
.	INAPPLICABLE	4866
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	35
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	81
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	10
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	94
7	EMPLOYER OR COMPANY CLINIC	7
8	PRIVATE DOCTOR'S OFFICE OR HMO	1019
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	15
10	SOME OTHER PLACE	14
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R received a check-up or medical test related to using birth control from a medical care provider in the last 12 months (FA-1c MEDTST12 = 1)

### FPTITCBC(3692-3693)

Variable Type : recode

Description : Source of services in last 12 mos: Counseling re BC (RECODE)

value	label	Total
.	INAPPLICABLE	5079
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	35
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	87
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	13
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	108
7	EMPLOYER OR COMPANY CLINIC	6
8	PRIVATE DOCTOR'S OFFICE OR HMO	774
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	17
10	SOME OTHER PLACE	22
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R received counseling about birth control from a medical care provider in the last 12 months (Fa-1d BCCNS12 = 1)

### FPTITCST(3694-3695)

Variable Type : recode

Description : Source of services in last 12 mos: Counseling re sterilization (RECODE)

value	label	Total
.	INAPPLICABLE	5964
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	3
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	8
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	1
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	8
7	EMPLOYER OR COMPANY CLINIC	1
8	PRIVATE DOCTOR'S OFFICE OR HMO	141
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	10
10	SOME OTHER PLACE	5
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R received counseling about getting sterilized from a medical care provider in the last 12 months (FA-1f STCNS12 = 1)

### FPTITEC(3696-3697)

Variable Type : recode

Description : Source of service in last 12 months: EC or prescription (RECODE)

value	label	Total
.	INAPPLICABLE	5974
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	6
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	22
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	3
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	10
8	PRIVATE DOCTOR'S OFFICE OR HMO	62
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	7
10	SOME OTHER PLACE	57
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R received emergency contraception from a medical care provider in the last 12 months (FA-1g EMCON12 = 1)

#### FPTITCEC(3698-3699)

Variable Type : recode

Description : Source of service in last 12 mos: Counseling or info on EC (RECODE)

value	label	Total
.	INAPPLICABLE	6003
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	10
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	27
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	2
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	25
8	PRIVATE DOCTOR'S OFFICE OR HMO	65
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	2
10	SOME OTHER PLACE	7
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R received counseling about emergency contraception from a medical care provider in the last 12 months (FA-1h ECCNS12 = 1)

#### FPTITPRE(3700-3701)

Variable Type : recode

Description : Source of service in last 12 mos: Pregnancy test (RECODE)

value	label	Total
.	INAPPLICABLE	4917
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	40
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	75
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	19
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	109
7	EMPLOYER OR COMPANY CLINIC	6
8	PRIVATE DOCTOR'S OFFICE OR HMO	805
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	107
10	SOME OTHER PLACE	63
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R received a pregnancy test from a medical provider in the last 12 months (FA-3a PRGTST12 = 1)

#### FPTITABO(3702-3703)

Variable Type : recode

Description : Source of service in last 12 mos: Abortion (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	6109
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	9
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	11
8	PRIVATE DOCTOR'S OFFICE OR HMO	9
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	2
10	SOME OTHER PLACE	1
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R received an abortion from a medical care provider in the last 12 months (FA-3b ABORT12 = 1)

#### FPTITPAP(3704-3705)

Variable Type : recode

Description : Source of service in last 12 mos: Pap smear (RECODE)

value	label	Total
.	INAPPLICABLE	3161
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	60
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	104
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	25
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	204
7	EMPLOYER OR COMPANY CLINIC	20
8	PRIVATE DOCTOR'S OFFICE OR HMO	2486
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	65
10	SOME OTHER PLACE	16
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R received a pap smear from a medical care provider in the last 12 months (FA-3c PAP12 = 1)

#### FPTITPEL(3706-3707)

Variable Type : recode

Description : Source of service in last 12 mos: Pelvic exam (RECODE)

value	label	Total
.	INAPPLICABLE	3145
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	53
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	101
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	21
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	210
7	EMPLOYER OR COMPANY CLINIC	18
8	PRIVATE DOCTOR'S OFFICE OR HMO	2491
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	83
10	SOME OTHER PLACE	19
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R received a pelvic exam from a medical care provider in the last 12 months (FA-3d PELVIC12 = 1)

#### FPTITPRN(3708-3709)

Variable Type : recode

Description : Source of service in last 12 mos: Prenatal care (RECODE)

value	label	Total
.	INAPPLICABLE	5825
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	5
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	10



3	CLINIC: TITLE X=NO HEALTH DEPT=YES	1
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	29
8	PRIVATE DOCTOR'S OFFICE OR HMO	257
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	10
10	SOME OTHER PLACE	4
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R received prenatal care from a medical care provider in the last 12 months (FA-3e PRENAT12 = 1)

### FPTITPPR(3710-3711)

Variable Type : recode

Description : Source of service in last 12 mos: Post-pregnancy care (RECODE)

value	label	Total
.	INAPPLICABLE	5867
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	4
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	8
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	2
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	19
8	PRIVATE DOCTOR'S OFFICE OR HMO	226
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	11
10	SOME OTHER PLACE	4
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R received post-pregnancy care from a medical care provider in the last 12 months (FA-3f PARTUM12 = 1)

### FPTITSTD(3712-3713)

Variable Type : recode

Description : Source of service in last 12 mos: Testing for STD (RECODE)

value	label	Total
.	INAPPLICABLE	3925
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	66
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	141
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	29
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	213
7	EMPLOYER OR COMPANY CLINIC	21
8	PRIVATE DOCTOR'S OFFICE OR HMO	1619
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	96
10	SOME OTHER PLACE	31
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R received testing for a sexually transmitted disease by a medical care provider in the last 12 months (FA-3g STDSVC12 = 1)

### FPREGFP(3714-3714)

Variable Type : recode

Description : Title X clinic used for FP svcs: Regular place for care (RECODE)

value	label	Total
.	INAPPLICABLE	5949
1	YES	123
2	NO	69
	<b>Total</b>	<b>6141</b>

Universe : Applicable if R received any family planning service at a Title X clinic in the last 12 months (FPTITBC = 1,2,5 or FPTITCHK = 1,2,5 or FPTITCBC = 1,2,5 or FPTITSTE = 1,2,5 or FPTITCST = 1, 2,5 or FPTITEC = 1,2,5 or FPTITCEC = 1, 2,5 ).

### FPREGMED(3715-3715)

Variable Type : recode

Description : Title X clinic used for med svcs: Regular place for care (RECODE)

value	label	Total
.	INAPPLICABLE	5874
1	YES	171
2	NO	96
<b>Total</b>		<b>6141</b>

Universe : Applicable if R received any medical service at a Title X clinic in the last 12 months (FPTITPRE = 1,2,5 or FPTITABO = 1,2,5 or FPTITPAP = 1, 2,5 or FPTITPEL = 1, 2,5 or FPTITPRN = 1,2,5 or FPTITPPR = 1, 2,5 or FPTITSTD = 1,2,5).

### FPTIT12\_I(3716-3716)

Variable Type : imputation flag

Description : FPTIT12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### FPTITMED\_I(3717-3717)

Variable Type : imputation flag

Description : FPTITMED Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6141
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### FPTITSTE\_I(3718-3718)

Variable Type : imputation flag

Description : FPTITSTE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6134
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	5
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### FPTITBC\_I(3719-3719)

Variable Type : imputation flag

Description : FPTITBC Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	6051
1	MULTIPLE REGRESSION IMPUTATION	41
2	LOGICAL IMPUTATION	49
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### FPTITCHK\_I (3720-3720)

Variable Type : imputation flag

Description : FPTITCHK Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6075
1	MULTIPLE REGRESSION IMPUTATION	33
2	LOGICAL IMPUTATION	33
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### FPTITCBC\_I (3721-3721)

Variable Type : imputation flag

Description : FPTITCBC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6077
1	MULTIPLE REGRESSION IMPUTATION	30
2	LOGICAL IMPUTATION	34
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### FPTITCST\_I (3722-3722)

Variable Type : imputation flag

Description : FPTITCST Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6133
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	5
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### FPTITEC\_I (3723-3723)

Variable Type : imputation flag

Description : FPTITEC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6137
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**FPTITCEC\_I (3724-3724)**

Variable Type : imputation flag

Description : FPTITCEC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6133
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	5
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**FPTITPRE\_I (3725-3725)**

Variable Type : imputation flag

Description : FPTITPRE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6040
1	MULTIPLE REGRESSION IMPUTATION	35
2	LOGICAL IMPUTATION	66
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**FPTITABO\_I (3726-3726)**

Variable Type : imputation flag

Description : FPTITABO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6138
2	LOGICAL IMPUTATION	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**FPTITPAP\_I (3727-3727)**

Variable Type : imputation flag

Description : FPTITPAP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5999
1	MULTIPLE REGRESSION IMPUTATION	65
2	LOGICAL IMPUTATION	77
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**FPTITPEL\_I (3728-3728)**

Variable Type : imputation flag

Description : FPTITPEL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6001
1	MULTIPLE REGRESSION IMPUTATION	60

2	LOGICAL IMPUTATION	80
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### FPTITPRN\_I (3729-3729)

Variable Type : imputation flag

Description : FPTITPRN Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6121
1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	11
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### FPTITPPR\_I (3730-3730)

Variable Type : imputation flag

Description : FPTITPPR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6123
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	15
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### FPTITSTD\_I (3731-3731)

Variable Type : imputation flag

Description : FPTITSTD Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5988
1	MULTIPLE REGRESSION IMPUTATION	72
2	LOGICAL IMPUTATION	81
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### FPREGFP\_I (3732-3732)

Variable Type : imputation flag

Description : FPREGFP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

#### FPREGMED\_I (3733-3733)

Variable Type : imputation flag

Description : FPREGMED Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6140
1	MULTIPLE REGRESSION IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section G Recodes

### INTENT(3734-3734)

Variable Type : recode

Description : Intentions for additional births (RECODE)

value	label	Total
1	R INTENDS TO HAVE (MORE) CHILDREN	2720
2	R DOES NOT INTEND TO HAVE (MORE) CHILDREN	3324
3	R DOES NOT KNOW HER INTENT	97
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### ADDEXP(3735-3737)

Variable Type : recode

Description : Central number of additional births expected (RECODE)

value	label	Total
0	NO ADDITIONAL BIRTHS	3229
5	.5 ADDITIONAL BIRTHS	23
10	1 ADDITIONAL BIRTH	1069
15	1.5 ADDITIONAL BIRTHS	35
20	2 ADDITIONAL BIRTHS	1149
25	2.5 ADDITIONAL BIRTHS	6
30	3 ADDITIONAL BIRTHS	446
35	3.5 ADDITIONAL BIRTHS	1
40	4 ADDITIONAL BIRTHS	134
50	5 ADDITIONAL BIRTHS	31
60	6 ADDITIONAL BIRTHS	10
65	6.5 ADDITIONAL BIRTHS	2
70	7 ADDITIONAL BIRTHS	3
100-995	10 OR MORE ADDITIONAL BIRTHS	3
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### INTENT\_I(3738-3738)

Variable Type : imputation flag

Description : INTENT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

**ADDEXP\_I (3739-3739)**

Variable Type : imputation flag

Description : ADDEXP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6132
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	1
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section H Recodes

**ANYPRGHP(3740-3740)**

Variable Type : recode

Description : Any medical help to become pregnant (RECODE)

value	label	Total
.	INAPPLICABLE	441
1	YES	478
2	NO	5222
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) or is 18 years or older (age\_r GT 18)

**ANYMSCHP(3741-3741)**

Variable Type : recode

Description : Any medical help to prevent miscarriage (RECODE)

value	label	Total
.	INAPPLICABLE	441
1	YES	283
2	NO	5417
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) or is 18 years or older (age\_r GT 18)

**INFEVER(3742-3742)**

Variable Type : recode

Description : Ever used infertility services of any kind (RECODE)

value	label	Total
.	INAPPLICABLE	441
1	YES	666
2	NO	5034
<b>Total</b>		<b>6141</b>

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) or is 18 years or older (age\_r GT 18)

**OVULATE(3743-3743)**

Variable Type : recode

Description : Infertility services: drugs to improve ovulation (RECODE)

value	label	Total
.	INAPPLICABLE	5663
1	REPORTED	203
2	NOT REPORTED	275
<b>Total</b>		<b>6141</b>

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

#### **TUBES(3744-3744)**

Variable Type : recode

Description : Infertility services: surgery to correct blocked tubes (RECODE)

value	label	Total
.	INAPPLICABLE	5663
1	REPORTED	38
2	NOT REPORTED	440
<b>Total</b>		<b>6141</b>

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

#### **INFERTR(3745-3745)**

Variable Type : recode

Description : Infertility services: Infertility testing on R (RECODE)

value	label	Total
.	INAPPLICABLE	5663
1	REPORTED	275
2	NOT REPORTED	203
<b>Total</b>		<b>6141</b>

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

#### **INFERTH(3746-3746)**

Variable Type : recode

Description : Infertility services: Infertility testing on H/P (RECODE)

value	label	Total
.	INAPPLICABLE	5663
1	REPORTED	208
2	NOT REPORTED	270
<b>Total</b>		<b>6141</b>

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

#### **ADVICE(3747-3747)**

Variable Type : recode

Description : Infertility services: Advice (RECODE)

value	label	Total
.	INAPPLICABLE	5663
1	REPORTED	371
2	NOT REPORTED	107



<b>Total</b>	<b>6141</b>
--------------	-------------

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

### INSEM(3748-3748)

Variable Type : recode

Description : Infertility services: Artificial insemination (RECODE)

value	label	Total
.	INAPPLICABLE	5663
1	REPORTED	77
2	NOT REPORTED	401
<b>Total</b>		<b>6141</b>

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

### INVITRO(3749-3749)

Variable Type : recode

Description : Infertility services: In vitro fertilization or other assisted reproduction (RECODE)

value	label	Total
.	INAPPLICABLE	5663
1	REPORTED	19
2	NOT REPORTED	459
<b>Total</b>		<b>6141</b>

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

### ENDOMET(3750-3750)

Variable Type : recode

Description : Infertility services: Surgery or drug treatment for endometriosis (RECODE)

value	label	Total
.	INAPPLICABLE	5663
1	REPORTED	12
2	NOT REPORTED	466
<b>Total</b>		<b>6141</b>

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

### FIBROIDS(3751-3751)

Variable Type : recode

Description : Infertility services: Surgery for uterine fibroids (RECODE)

value	label	Total
.	INAPPLICABLE	5663
1	REPORTED	10
2	NOT REPORTED	468
<b>Total</b>		<b>6141</b>

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

### PIDTREAT(3752-3752)

Variable Type : recode

Description : Ever been treated for PID (RECODE)

value	label	Total
1	YES	218
2	NO	5923
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### EVHIVTST(3753-3753)

Variable Type : recode

Description : Ever had an HIV test

value	label	Total
0	NO HIV TEST REPORTED	1557
1	YES, ONLY AS PART OF BLOOD DONATION	654
2	YES, ONLY OUTSIDE OF BLOOD DONATION	2304
3	YES, IN BOTH CONTEXTS	1626
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### FPTITHIV(3754-3755)

Variable Type : recode

Description : Source of service in the last 12 mos: HIV test (RECODE)

value	label	Total
.	INAPPLICABLE	4774
1	Clinic: Title X=yes; health department=yes	40
2	Clinic: Title X=yes; health department=no	79
3	Clinic: Title X=no; health department=yes	20
4	Clinic: Title X=no; health department=no	163
7	Employer or company clinic/worksite	20
8	Private Doctor's office or HMO	861
9	Hospital emergency room/regular room/urgent care	100
10	Home	17
11	Military site	15
12	Lab or blood bank	47
13	Some other place	5
<b>Total</b>		<b>6141</b>

Universe : Applicable if R received an HIV test (outside of blood donation) in the last 12 months (HE-2 HIVTEST = 1 and cmhivtst GT CMLSTYR)

### ANYPRGHP\_I (3756-3756)

Variable Type : imputation flag

Description : ANYPRGHP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### ANYMSCHP\_I (3757-3757)

Variable Type : imputation flag

Description : ANYMSCHP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### INFEVER\_I (3758-3758)

Variable Type : imputation flag

Description : INFEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### OVULATE\_I (3759-3759)

Variable Type : imputation flag

Description : OVULATE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### TUBES\_I (3760-3760)

Variable Type : imputation flag

Description : TUBES Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### INFETR\_I (3761-3761)

Variable Type : imputation flag

Description : INFETR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### INFERTH\_I (3762-3762)

Variable Type : imputation flag

Description : INFERTH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### ADVICE\_I (3763-3763)

Variable Type : imputation flag

Description : ADVICE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### INSEM\_I (3764-3764)

Variable Type : imputation flag

Description : INSEM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### INVITRO\_I (3765-3765)

Variable Type : imputation flag

Description : INVITRO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### ENDOMET\_I (3766-3766)

Variable Type : imputation flag

Description : ENDOMET Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### FIBROIDS\_I (3767-3767)

Variable Type : imputation flag

Description : FIBROIDS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6139
1	MULTIPLE REGRESSION IMPUTATION	2
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### PIDTREAT\_I (3768-3768)

Variable Type : imputation flag

Description : PIDTREAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6133
1	MULTIPLE REGRESSION IMPUTATION	8
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### EVHIVTST\_I (3769-3769)

Variable Type : imputation flag

Description : EVHIVTST Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6062
1	MULTIPLE REGRESSION IMPUTATION	79
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### FPTITHIV\_I (3770-3770)

Variable Type : imputation flag

Description : FPTITHIV Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6045
1	MULTIPLE REGRESSION IMPUTATION	48
2	LOGICAL IMPUTATION	48
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section I Recodes

### CURR\_INS(3771-3771)

Variable Type : recode

Description : Current health insurance status

value	label	Total
1	Currently covered by private health insurance or Medi-Gap	3462
2	Currently covered by Medicaid, CHIP, or a state-sponsored health plan	1545
3	Currently covered by Medicare, military health care, or other government health care	293
4	Currently covered only by a single-service plan, only by the Indian Health Service, or currently not covered by health insurance	841
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### METRO(3772-3772)

Variable Type : recode

Description : Place of residence (metropolitan-non-metropolitan) (RECODE)

value	label	Total
1	PRINCIPAL CITY OF MSA	2264
2	OTHER MSA	2846
3	NOT MSA	1031
	<b>Total</b>	<b>6141</b>

Universe : Applicable for all respondents

### RELIGION(3773-3773)

Variable Type : recode

Description : Current religious affiliation (RECODE)

value	label	Total
1	NO RELIGION	1571
2	CATHOLIC	1366
3	PROTESTANT	2725
4	OTHER RELIGIONS	479
	<b>Total</b>	<b>6141</b>

Universe : Applicable for all respondents

Notes : Please refer to the [2017-2019 user's guide](#) for more information on religion data in the NSFG

### LABORFOR(3774-3774)

Variable Type : recode

Description : Labor force status (RECODE)

value	label	Total
1	Working full-time	2745
2	Working part-time	1210
3	Working, but on vacation, strike, or had temporary illness	204
4	Working - maternity or family leave	36
5	Not working but looking for work	247
6	In school	588
7	Keeping house	856
8	Caring for family	58
9	Other	197
	<b>Total</b>	<b>6141</b>

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### CURR\_INS\_I (3775-3775)

Variable Type : imputation flag

Description : CURR\_INS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6043

1	MULTIPLE REGRESSION IMPUTATION	98
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### RELIGION\_I (3776-3776)

Variable Type : imputation flag

Description : RELIGION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6115
1	MULTIPLE REGRESSION IMPUTATION	26
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

### LABORFOR\_I (3777-3777)

Variable Type : imputation flag

Description : LABORFOR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	6135
1	MULTIPLE REGRESSION IMPUTATION	6
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section J Recodes

### POVERTY(3778-3780)

Variable Type : recode

Description : Poverty level income (RECODE)

value	label	Total
50	50 percent of poverty level or less	728
51-99	51-99 percent of poverty level	872
100-199	100-199 percent of poverty level	1477
200-299	200-299 percent of poverty level	1073
300-399	300-399 percent of poverty level	537
400-499	400-499 percent of poverty level	693
500-599	500-599 percent of poverty level	225
600-699	600-699 percent of poverty level	280
700	700 percent of poverty level or greater	256
<b>Total</b>		<b>6141</b>

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

### TOTINCR(3781-3782)

Variable Type : recode

Description : Total income of R's family (RECODE)

value	label	Total
1	Under \$5000	282

2	\$5000-\$7499	179
3	\$7500-\$9999	183
4	\$10,000-\$12,499	262
5	\$12,500-\$14,999	273
6	\$15,000-\$19,999	318
7	\$20,000-\$24,999	384
8	\$25,000-\$29,999	427
9	\$30,000-\$34,999	368
10	\$35,000-\$39,999	353
11	\$40,000-\$49,999	536
12	\$50,000-\$59,999	533
13	\$60,000-\$74,999	568
14	\$75,000-\$99,999	563
15	\$100,000 or more	912
	<b>Total</b>	<b>6141</b>

Universe : Applicable for all respondents

### PUBASSIS(3783-3783)

Variable Type : recode

Description : Whether R or any members of her family received public assistance in the calendar year before the interview (RECODE)

value	label	Total
1	Yes (received public assistance in [INTERVIEW YEAR-1])	2157
2	No (did not receive public assistance in [INTERVIEW YEAR-1])	3984
	<b>Total</b>	<b>6141</b>

Universe : Applicable for all respondents

### POVERTY\_I (3784-3784)

Variable Type : imputation flag

Description : POVERTY Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
1	MULTIPLE REGRESSION IMPUTATION	586
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>6141</b>

Universe : Applicable for all respondents

### TOTINCR\_I (3785-3785)

Variable Type : imputation flag

Description : TOTINCR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
1	MULTIPLE REGRESSION IMPUTATION	586
2	LOGICAL IMPUTATION	1
	<b>Total</b>	<b>6141</b>

Universe : Applicable for all respondents

### PUBASSIS\_I (3786-3786)

Variable Type : imputation flag



Description : PUBASSIS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5924
1	MULTIPLE REGRESSION IMPUTATION	217
	<b>Total</b>	<b>6141</b>

Universe : Applicable for all respondents