

Universe : Applicable if R has ever cohabited outside of marriage (COHEVER = 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

COHSTAT(3868-3868)

Variable Type : recode

Description : Cohabitation status experience relative to 1st marriage (RECODE)

value	label	Total
1	Never cohabited outside of marriage	2628
2	First cohabited before first marriage	2434
3	First cohabited after first marriage	144
	Total	5206

Universe : Applicable for all respondents

COHOUT(3869-3869)

Variable Type : recode

Description : Outcome of R's first (if premarital) cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	2772
1	Intact cohabitation	236
2	Intact marriage	596
3	Dissolved marriage	340
4	Dissolved cohabitation	1262
	Total	5206

Universe : Applicable if R's first cohabitation occurred before his first marriage (COHSTAT = 2)

COH1DUR(3870-3870)

Variable Type : recode

Description : Duration (in months) of R's first (if premarital) cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	2771
1	0-12 months	801
2	13-24 months	534
3	25-36 months	342
4	37-48 months	195
5	More than 4 years	563
	Total	5206

Universe : Applicable if R's first cohabitation occurred before his first marriage (COHSTAT = 2)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

CSPBIOKD(3871-3871)

Variable Type : recode

Description : Total number of biological children R has had with current spouse or cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	3216

0	NONE	751
1	1 CHILD	469
2	2 CHILDREN	512
3	3 CHILDREN	195
4-95	4 OR MORE CHILDREN	63
	Total	5206

Universe : Applicable if R is currently married or cohabiting (RMARITAL = 1 or 2)

DATBABY1(3872-3875)

Variable Type : recode

Description : Year when R fathered his first biological child (RECODE)

value	label	Total
.	INAPPLICABLE	3177
1967-2019	1967-2019	2029
	Total	5206

Universe : Applicable if R has ever had a biological child (biokids > 0)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

AGEBABY1(3876-3877)

Variable Type : recode

Description : Age when R fathered his first biological child (RECODE)

value	label	Total
.	INAPPLICABLE	3177
0-19	Under 20 years	266
20-24	20-24 years	627
25-29	25-29 years	585
30-49	30-49 years	551
	Total	5206

Universe : Applicable if R has ever had a biological child (biokids > 0)

B1PREMAR(3878-3878)

Variable Type : recode

Description : Whether R's first biological child was born before his first marriage (premaritally) (RECODE)

value	label	Total
.	INAPPLICABLE	3177
1	Yes (1st biological child born before 1st marriage)	973
2	No (1st biological child born in same month as or later than 1st marriage)	1056
	Total	5206

Universe : Applicable if R has ever had a biological child (biokids > 0)

MARBABY1(3879-3879)

Variable Type : recode

Description : Formal marital status at time of R's first biological child's birth (RECODE)

value	label	Total
.	INAPPLICABLE	3177
1	Yes, married to child's mother	964

2	No, not married to child's mother	1065
Total		5206

Universe : Applicable if R has ever had a biological child (biokids > 0)

CEBOW(3880-3881)

Variable Type : recode

Description : Number of biological children born out of wedlock (RECODE)

value	label	Total
.	INAPPLICABLE	3177
0	None	912
1	1 child	599
2	2 children	315
3	3 children	131
4	4 children	42
5-10	5 or more	30
Total		5206

Universe : Applicable if R has ever had a biological child (biokids > 0)

CEBOWC(3882-3882)

Variable Type : recode

Description : Number of biological children born out of wedlock, in cohabiting unions (RECODE)

value	label	Total
.	INAPPLICABLE	3177
0	NONE	1219
1	1 CHILD	503
2	2 CHILDREN	216
3	3 CHILDREN	78
4-10	4 OR MORE CHILDREN	13
Total		5206

Universe : Applicable if R has ever had a biological child (biokids > 0)

CEBOWP(3883-3883)

Variable Type : recode

Description : Number of biological children born out of wedlock, but paternity established (RECODE)

value	label	Total
.	INAPPLICABLE	4089
0	NONE	207
1	1 CHILD	530
2	2 CHILDREN	255
3	3 CHILDREN	95
4-10	4 OR MORE CHILDREN	30
Total		5206

Universe : Applicable if R ever had a biological child born out of wedlock (CEBOW > 0)

EVRNOPAT(3884-3884)

Variable Type : recode

Description : Whether R has never established paternity for his biological children born out of wedlock (RECODE)

value	label	Total
.	INAPPLICABLE	4089
1	YES, 1 OR MORE CHILDREN OUT OF WEDLOCK, BUT NO ESTABLISHED PATERNITY	207
2	NO, 1 OR MORE CHILDREN OUT OF WEDLOCK, BUT ESTABLISHED PATERNITY	910
Total		5206

Universe : Applicable if R ever had a biological child born out of wedlock (CEBOW > 0)

NONLIVEB(3885-3886)

Variable Type : recode

Description : Number of non-live birth pregnancies R has fathered (RECODE)

value	label	Total
0	NONE	4163
1	1 PREGNANCY	663
2	2 PREGNANCIES	225
3	3 PREGNANCIES	75
4	4 OR MORE PREGNANCIES	60
98	REFUSED	10
99	DON'T KNOW	10
Total		5206

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

COMPREG(3887-3888)

Variable Type : recode

Description : Number of completed pregnancies R has fathered (RECODE)

value	label	Total
0	NONE	2820
1	1 PREGNANCY	741
2	2 PREGNANCIES	708
3	3 PREGNANCIES	467
4	4 PREGNANCIES	237
5	5 PREGNANCIES	118
6	6 PREGNANCIES	56
7	7 PREGNANCIES	29
8	8 PREGNANCIES	9
9	9 PREGNANCIES	7
10	10 OR MORE PREGNANCIES	14
Total		5206

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

ABORTION(3889-3890)

Variable Type : recode

Description : Number of abortions R has fathered (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	2820
0	NONE	2009
1	1 PREGNANCY	286
2	2 PREGNANCIES	55
3	3 PREGNANCIES	23
4	4 OR MORE PREGNANCIES	13
	Total	5206

Universe : Applicable if R has ever fathered a completed pregnancy (COMPREG > 0)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

LOSSNUM(3891-3891)

Variable Type : recode

Description : Number of spontaneous pregnancy losses R has fathered (RECODE)

value	label	Total
.	INAPPLICABLE	2816
0	NONE	1636
1	1 PREGNANCY	523
2	2 PREGNANCIES	154
3	3 PREGNANCIES	50
4	4 OR MORE PREGNANCIES	27
	Total	5206

Universe : Applicable if R has ever fathered a completed pregnancy (COMPREG > 0)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

PARENT01(3892-3892)

Variable Type : recode

Description : Other biological parent of R's 1st biological child (RECODE)

value	label	Total
.	INAPPLICABLE	3177
1	Current wife	908
2	Current cohabiting partner	156
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	130
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	40
5	Former wife (reported in Section E)	323
6	First cohabiting partner (reported in Section E)	187
7	Other sexual partner, not otherwise classified in codes 1-6	285
	Total	5206

Universe : Applicable if R reported a biological child in Sections C, D, E, or F (biokids >0)

PARENT02(3893-3893)

Variable Type : recode

Description : Other biological parent of R's 2nd biological child (RECODE)

value	label	Total
.	INAPPLICABLE	3904
1	Current wife	694
2	Current cohabiting partner	94
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	77

4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	19
5	Former wife (reported in Section E)	206
6	First cohabiting partner (reported in Section E)	76
7	Other sexual partner, not otherwise classified in codes 1-6	136
Total		5206

Universe : Applicable if R reported more than 1 biological child in Sections C, D, E, or F (biokids >1)

PARENT03(3894-3894)

Variable Type : recode

Description : Other biological parent of R's 3rd biological child (RECODE)

value	label	Total
.	INAPPLICABLE	4665
1	Current wife	280
2	Current cohabiting partner	47
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	42
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	8
5	Former wife (reported in Section E)	70
6	First cohabiting partner (reported in Section E)	29
7	Other sexual partner, not otherwise classified in codes 1-6	65
Total		5206

Universe : Applicable if R reported more than 2 biological children in Sections C, D, E, or F (biokids >2)

PARENT04(3895-3895)

Variable Type : recode

Description : Other biological parent of R's 4th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	5015
1	Current wife	94
2	Current cohabiting partner	16
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	16
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	2
5	Former wife (reported in Section E)	25
6	First cohabiting partner (reported in Section E)	9
7	Other sexual partner, not otherwise classified in codes 1-6	29
Total		5206

Universe : Applicable if R reported more than 3 biological children in Sections C, D, E, or F (biokids >3)

PARENT05(3896-3896)

Variable Type : recode

Description : Other biological parent of R's 5th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	5138
1	Current wife	32
2	Current cohabiting partner	6
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	8
5	Former wife (reported in Section E)	4
6	First cohabiting partner (reported in Section E)	2
7	Other sexual partner, not otherwise classified in codes 1-6	16
Total		5206

Universe : Applicable if R reported more than 4 biological children in Sections C, D, E, or F (biokids >4)

PARENT06(3897-3897)

Variable Type : recode

Description : Other biological parent of R's 6th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	5179
1	Current wife	9
2	Current cohabiting partner	3
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	4
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	1
5	Former wife (reported in Section E)	3
7	Other sexual partner, not otherwise classified in codes 1-6	7
Total		5206

Universe : Applicable if R reported more than 5 biological children in Sections C, D, E, or F (biokids >5)

PARENT07(3898-3898)

Variable Type : recode

Description : Other biological parent of R's 7th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	5189
1	Current wife	5
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	3
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	1
5	Former wife (reported in Section E)	1
6	First cohabiting partner (reported in Section E)	1
7	Other sexual partner, not otherwise classified in codes 1-6	6
Total		5206

Universe : Applicable if R reported more than 6 biological children in Sections C, D, E, or F (biokids >6)

PARENT08(3899-3899)

Variable Type : recode

Description : Other biological parent of R's 8th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	5193
1	Current wife	4
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	2
5	Former wife (reported in Section E)	2
7	Other sexual partner, not otherwise classified in codes 1-6	5
Total		5206

Universe : Applicable if R reported more than 7 biological children in Sections C, D, E, or F (biokids >7)

PARENT09(3900-3900)

Variable Type : recode

Description : Other biological parent of R's 9th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	5199
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	2
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	1
7	Other sexual partner, not otherwise classified in codes 1-6	4
Total		5206

Universe : Applicable if R reported more than 8 biological children in Sections C, D, E, or F (biokids >8)

PARENT10(3901-3901)

Variable Type : recode

Description : Other biological parent of R's 10th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	5202
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	1
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	1
7	Other sexual partner, not otherwise classified in codes 1-6	2
Total		5206

Universe : Applicable if R reported more than 9 biological children in Sections C, D, E, or F (biokids >9)

WANTB01(3902-3902)

Variable Type : recode

Description : Wantedness of pregnancy: R's first biological child, if 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	3554
1	LATER, OVERDUE	120
2	RIGHT TIME	909
3	TOO SOON, MISTIMED	421
4	DIDN'T CARE, INDIFFERENT	15
5	UNWANTED	167
6	DON'T KNOW, NOT SURE	2
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	18
Total		5206

Universe : Applicable if this biological child is aged 18 or younger (bioage1 LE 18 or bioagegp1 = 1 or 2)

WANTB02(3903-3903)

Variable Type : recode

Description : Wantedness of pregnancy: R's 2nd biological child, if 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	4072
1	LATER, OVERDUE	62
2	RIGHT TIME	712
3	TOO SOON, MISTIMED	206
4	DIDN'T CARE, INDIFFERENT	12
5	UNWANTED	128
6	DON'T KNOW, NOT SURE	1
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	13
Total		5206

Universe : Applicable if this biological child is aged 18 or younger (bioage2 LE 18 or bioagegp2 = 1 or 2)

WANTB03(3904-3904)

Variable Type : recode

Description : Wantedness of pregnancy: R's 3rd biological child, if 18 or younger (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	4720
1	LATER, OVERDUE	24
2	RIGHT TIME	270
3	TOO SOON, MISTIMED	69
4	DIDN'T CARE, INDIFFERENT	8
5	UNWANTED	109
6	DON'T KNOW, NOT SURE	1
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	5
	Total	5206

Universe : Applicable if this biological child is aged 18 or younger (bioage3 LE 18 or bioagegp3 = 1 or 2)

WANTB04(3905-3905)

Variable Type : recode

Description : Wantedness of pregnancy: R's 4th biological child, if 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	5032
1	LATER, OVERDUE	3
2	RIGHT TIME	102
3	TOO SOON, MISTIMED	19
4	DIDN'T CARE, INDIFFERENT	5
5	UNWANTED	43
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	2
	Total	5206

Universe : Applicable if this biological child is aged 18 or younger (bioage4 LE 18 or bioagegp4 = 1 or 2)

WANTB05(3906-3906)

Variable Type : recode

Description : Wantedness of pregnancy: R's 5th biological child, if 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	5145
1	LATER, OVERDUE	3
2	RIGHT TIME	28
3	TOO SOON, MISTIMED	4
4	DIDN'T CARE, INDIFFERENT	4
5	UNWANTED	21
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	1
	Total	5206

Universe : Applicable if this biological child is aged 18 or younger (bioage5 LE 18 or bioagegp5 = 1 or 2)

WANTB06(3907-3907)

Variable Type : recode

Description : Wantedness of pregnancy: R's 6th biological child, if 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	5182
2	RIGHT TIME	11
3	TOO SOON, MISTIMED	1
4	DIDN'T CARE, INDIFFERENT	2
5	UNWANTED	8
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	2
	Total	5206

Universe : Applicable if this biological child is aged 18 or younger (bioage6 LE 18 or bioagegp6 = 1 or 2)

WANTB07(3908-3908)

Variable Type : recode

Description : Wantedness of pregnancy: R's 7th biological child, if 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	5192
2	RIGHT TIME	7
3	TOO SOON, MISTIMED	1
5	UNWANTED	6
Total		5206

Universe : Applicable if this biological child is aged 18 or younger (bioage7 LE 18 or bioagegp7 = 1 or 2)

WANTB08(3909-3909)

Variable Type : recode

Description : Wantedness of pregnancy: R's 8th biological child, if 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	5195
2	RIGHT TIME	6
5	UNWANTED	4
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	1
Total		5206

Universe : Applicable if this biological child is aged 18 or younger (bioage8 LE 18 or bioagegp8 = 1 or 2)

WANTB09(3910-3910)

Variable Type : recode

Description : Wantedness of pregnancy: R's 9th biological child, if 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	5201
2	RIGHT TIME	2
5	UNWANTED	2
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	1
Total		5206

Universe : Applicable if this biological child is aged 18 or younger (bioage9 LE 18 or bioagegp9 = 1 or 2)

WANTB10(3911-3911)

Variable Type : recode

Description : Wantedness of pregnancy: R's 10th biological child, if 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	5203
2	RIGHT TIME	2
5	UNWANTED	1
Total		5206

Universe : Applicable if this biological child is aged 18 or younger (bioage10 LE 18 or bioagegp10 = 1 or 2)

HADSEX_I(3912-3912)

Variable Type : imputation flag

Description : HADSEX Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

SEXONCE_I(3913-3913)

Variable Type : imputation flag

Description : SEXONCE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5205
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5206

Universe : Applicable for all respondents

VRY1STSX_I(3914-3914)

Variable Type : imputation flag

Description : VRY1STSX Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4995
1	MULTIPLE REGRESSION IMPUTATION	42
2	LOGICAL IMPUTATION	169
Total		5206

Universe : Applicable for all respondents

VRY1STAG_I(3915-3915)

Variable Type : imputation flag

Description : VRY1STAG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5161
1	MULTIPLE REGRESSION IMPUTATION	42
2	LOGICAL IMPUTATION	3
Total		5206

Universe : Applicable for all respondents

SEXMAR_I(3916-3916)

Variable Type : imputation flag

Description : SEXMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5137
1	MULTIPLE REGRESSION IMPUTATION	68
2	LOGICAL IMPUTATION	1
Total		5206

Universe : Applicable for all respondents

SEXUNION_I(3917-3917)

Variable Type : imputation flag

Description : SEXUNION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5033
1	MULTIPLE REGRESSION IMPUTATION	170
2	LOGICAL IMPUTATION	3
Total		5206

Universe : Applicable for all respondents

FSEXRLTN_I(3918-3918)

Variable Type : imputation flag

Description : FSEXRLTN Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5177
1	MULTIPLE REGRESSION IMPUTATION	29
Total		5206

Universe : Applicable for all respondents

SEX1MTHD1_I(3919-3919)

Variable Type : imputation flag

Description : SEX1MTHD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5137
1	MULTIPLE REGRESSION IMPUTATION	69
Total		5206

Universe : Applicable for all respondents

SEX1MTHD2_I(3920-3920)

Variable Type : imputation flag

Description : SEX1MTHD2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5128
1	MULTIPLE REGRESSION IMPUTATION	78
Total		5206

Universe : Applicable for all respondents

SEX1MTHD3_I(3921-3921)

Variable Type : imputation flag

Description : SEX1MTHD3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5128
1	MULTIPLE REGRESSION IMPUTATION	78
Total		5206

Universe : Applicable for all respondents

SEX1MTHD4_I(3922-3922)

Variable Type : imputation flag

Description : SEX1MTHD4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5128
1	MULTIPLE REGRESSION IMPUTATION	78
Total		5206

Universe : Applicable for all respondents

LSEXDATE_I(3923-3923)

Variable Type : imputation flag

Description : LSEXDATE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5150
1	MULTIPLE REGRESSION IMPUTATION	49
2	LOGICAL IMPUTATION	7
Total		5206

Universe : Applicable for all respondents

SEX3MO_I(3924-3924)

Variable Type : imputation flag

Description : SEX3MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5157
1	MULTIPLE REGRESSION IMPUTATION	49
Total		5206

Universe : Applicable for all respondents

SEX12MO_I(3925-3925)

Variable Type : imputation flag

Description : SEX12MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5157
1	MULTIPLE REGRESSION IMPUTATION	49
Total		5206

Universe : Applicable for all respondents

LSEXRAGE_I(3926-3926)

Variable Type : imputation flag

Description : LSEXRAGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5156
1	MULTIPLE REGRESSION IMPUTATION	49
2	LOGICAL IMPUTATION	1
Total		5206

Universe : Applicable for all respondents

LSEXRLTN_I(3927-3927)

Variable Type : imputation flag

Description : LSEXRLTN Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5175
1	MULTIPLE REGRESSION IMPUTATION	30
2	LOGICAL IMPUTATION	1
Total		5206

Universe : Applicable for all respondents

LSEXUSE1_I(3928-3928)

Variable Type : imputation flag

Description : LSEXUSE1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5175
1	MULTIPLE REGRESSION IMPUTATION	31
Total		5206

Universe : Applicable for all respondents

LSEXUSE2_I(3929-3929)

Variable Type : imputation flag

Description : LSEXUSE2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5055
1	MULTIPLE REGRESSION IMPUTATION	151
Total		5206

Universe : Applicable for all respondents

LSEXUSE3_I(3930-3930)

Variable Type : imputation flag

Description : LSEXUSE3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5044
1	MULTIPLE REGRESSION IMPUTATION	162
Total		5206

Universe : Applicable for all respondents

LSEXUSE4_I(3931-3931)

Variable Type : imputation flag

Description : LSEXUSE4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5043
1	MULTIPLE REGRESSION IMPUTATION	163
Total		5206

Universe : Applicable for all respondents

METH12M1_I(3932-3932)

Variable Type : imputation flag

Description : METH12M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5145
1	MULTIPLE REGRESSION IMPUTATION	61
Total		5206

Universe : Applicable for all respondents

METH12M2_I(3933-3933)

Variable Type : imputation flag

Description : METH12M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5057
1	MULTIPLE REGRESSION IMPUTATION	149
Total		5206

Universe : Applicable for all respondents

METH12M3_I(3934-3934)

Variable Type : imputation flag

Description : METH12M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5050
1	MULTIPLE REGRESSION IMPUTATION	156
Total		5206

Universe : Applicable for all respondents

METH12M4_I(3935-3935)

Variable Type : imputation flag

Description : METH12M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5049
1	MULTIPLE REGRESSION IMPUTATION	157
Total		5206

Universe : Applicable for all respondents

METH3M1_I(3936-3936)

Variable Type : imputation flag

Description : METH3M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5147
1	MULTIPLE REGRESSION IMPUTATION	59

Total **5206**

Universe : Applicable for all respondents

METH3M2_I(3937-3937)

Variable Type : imputation flag

Description : METH3M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5088
1	MULTIPLE REGRESSION IMPUTATION	118
Total		5206

Universe : Applicable for all respondents

METH3M3_I(3938-3938)

Variable Type : imputation flag

Description : METH3M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5084
1	MULTIPLE REGRESSION IMPUTATION	122
Total		5206

Universe : Applicable for all respondents

METH3M4_I(3939-3939)

Variable Type : imputation flag

Description : METH3M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5083
1	MULTIPLE REGRESSION IMPUTATION	123
Total		5206

Universe : Applicable for all respondents

NUMP3MOS_I(3940-3940)

Variable Type : imputation flag

Description : NUMP3MOS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5154
1	MULTIPLE REGRESSION IMPUTATION	52
Total		5206

Universe : Applicable for all respondents

LIFPRTNR_I(3941-3941)

Variable Type : imputation flag

Description : LIFPRTNR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5006
1	MULTIPLE REGRESSION IMPUTATION	200

Total **5206**

Universe : Applicable for all respondents

PARTS1YR_I(3942-3942)

Variable Type : imputation flag

Description : PARTS1YR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5203
1	MULTIPLE REGRESSION IMPUTATION	3
Total		5206

Universe : Applicable for all respondents

PARTDUR1_I(3943-3943)

Variable Type : imputation flag

Description : PARTDUR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5072
1	MULTIPLE REGRESSION IMPUTATION	104
2	LOGICAL IMPUTATION	30
Total		5206

Universe : Applicable for all respondents

PARTDUR2_I(3944-3944)

Variable Type : imputation flag

Description : PARTDUR2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5189
1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	8
Total		5206

Universe : Applicable for all respondents

PARTDUR3_I(3945-3945)

Variable Type : imputation flag

Description : PARTDUR3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5190
1	MULTIPLE REGRESSION IMPUTATION	10
2	LOGICAL IMPUTATION	6
Total		5206

Universe : Applicable for all respondents

COHEVER_I(3946-3946)

Variable Type : imputation flag

Description : COHEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe : Applicable for all respondents

EVMARCOH_I(3947-3947)

Variable Type : imputation flag

Description : EVMARCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe : Applicable for all respondents

PMARRNO_I(3948-3948)

Variable Type : imputation flag

Description : PMARRNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5202
1	MULTIPLE REGRESSION IMPUTATION	4
	Total	5206

Universe : Applicable for all respondents

NONMARR_I(3949-3949)

Variable Type : imputation flag

Description : NONMARR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5195
1	MULTIPLE REGRESSION IMPUTATION	11
	Total	5206

Universe : Applicable for all respondents

TIMESCOH_I(3950-3950)

Variable Type : imputation flag

Description : TIMESCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5192
1	MULTIPLE REGRESSION IMPUTATION	14
	Total	5206

Universe : Applicable for all respondents

MARDAT01_I(3951-3951)

Variable Type : imputation flag

Description : MARDAT01 Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5161
1	MULTIPLE REGRESSION IMPUTATION	30
2	LOGICAL IMPUTATION	15
Total		5206

Universe : Applicable for all respondents

MARDAT02_I(3952-3952)

Variable Type : imputation flag

Description : MARDAT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5185
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	16
Total		5206

Universe : Applicable for all respondents

MARDAT03_I(3953-3953)

Variable Type : imputation flag

Description : MARDAT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5202
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
Total		5206

Universe : Applicable for all respondents

MARDAT04_I(3954-3954)

Variable Type : imputation flag

Description : MARDAT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5205
2	LOGICAL IMPUTATION	1
Total		5206

Universe : Applicable for all respondents

MARDAT05_I(3955-3955)

Variable Type : imputation flag

Description : MARDAT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

MAREND01_I(3956-3956)

Variable Type : imputation flag

Description : MAREND01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5162
1	MULTIPLE REGRESSION IMPUTATION	16
2	LOGICAL IMPUTATION	28
Total		5206

Universe : Applicable for all respondents

MAREND02_I(3957-3957)

Variable Type : imputation flag

Description : MAREND02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5193
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	10
Total		5206

Universe : Applicable for all respondents

MAREND03_I(3958-3958)

Variable Type : imputation flag

Description : MAREND03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5204
2	LOGICAL IMPUTATION	2
Total		5206

Universe : Applicable for all respondents

MAREND04_I(3959-3959)

Variable Type : imputation flag

Description : MAREND04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

MAREND05_I(3960-3960)

Variable Type : imputation flag

Description : MAREND05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

MARDIS01_I(3961-3961)

Variable Type : imputation flag

Description : MARDIS01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5139
1	MULTIPLE REGRESSION IMPUTATION	39
2	LOGICAL IMPUTATION	28
Total		5206

Universe : Applicable for all respondents

MARDIS02_I(3962-3962)

Variable Type : imputation flag

Description : MARDIS02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5195
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	4
Total		5206

Universe : Applicable for all respondents

MARDIS03_I(3963-3963)

Variable Type : imputation flag

Description : MARDIS03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5203
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
Total		5206

Universe : Applicable for all respondents

MARDIS04_I(3964-3964)

Variable Type : imputation flag

Description : MARDIS04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

MARDIS05_I(3965-3965)

Variable Type : imputation flag

Description : MARDIS05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

MAR1DISS_I(3966-3966)

Variable Type : imputation flag

Description : MAR1DISS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5157
1	MULTIPLE REGRESSION IMPUTATION	48
2	LOGICAL IMPUTATION	1
Total		5206

Universe : Applicable for all respondents

PREMARW1_I(3967-3967)

Variable Type : imputation flag

Description : PREMARW1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5185
1	MULTIPLE REGRESSION IMPUTATION	21
Total		5206

Universe : Applicable for all respondents

COHAB1_I(3968-3968)

Variable Type : imputation flag

Description : COHAB1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5075
1	MULTIPLE REGRESSION IMPUTATION	129
2	LOGICAL IMPUTATION	2
Total		5206

Universe : Applicable for all respondents

COHSTAT_I(3969-3969)

Variable Type : imputation flag

Description : COHSTAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5141
1	MULTIPLE REGRESSION IMPUTATION	64
2	LOGICAL IMPUTATION	1
Total		5206

Universe : Applicable for all respondents

COHOUT_I(3970-3970)

Variable Type : imputation flag

Description : COHOUT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5062
1	MULTIPLE REGRESSION IMPUTATION	125
2	LOGICAL IMPUTATION	19
Total		5206

Universe : Applicable for all respondents

COH1DUR_I(3971-3971)

Variable Type : imputation flag

Description : COH1DUR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5048
1	MULTIPLE REGRESSION IMPUTATION	158
Total		5206

Universe : Applicable for all respondents

CSPBIOKD_I(3972-3972)

Variable Type : imputation flag

Description : CSPBIOKD Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5204
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5206

Universe : Applicable for all respondents

DATBABY1_I(3973-3973)

Variable Type : imputation flag

Description : DATBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5183
1	MULTIPLE REGRESSION IMPUTATION	22
2	LOGICAL IMPUTATION	1
Total		5206

Universe : Applicable for all respondents

AGEBABY1_I(3974-3974)

Variable Type : imputation flag

Description : AGEBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5183
1	MULTIPLE REGRESSION IMPUTATION	22
2	LOGICAL IMPUTATION	1
Total		5206

Universe : Applicable for all respondents

B1PREMAR_I(3975-3975)

Variable Type : imputation flag

Description : B1PREMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5166
1	MULTIPLE REGRESSION IMPUTATION	40

Total **5206**

Universe : Applicable for all respondents

MARBABY1_I(3976-3976)

Variable Type : imputation flag

Description : MARBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

CEBOW_I(3977-3977)

Variable Type : imputation flag

Description : CEBOW Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

CEBOWC_I(3978-3978)

Variable Type : imputation flag

Description : CEBOWC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

CEBOWP_I(3979-3979)

Variable Type : imputation flag

Description : CEBOWP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5196
1	MULTIPLE REGRESSION IMPUTATION	10
Total		5206

Universe : Applicable for all respondents

EVRNOPAT_I(3980-3980)

Variable Type : imputation flag

Description : EVRNOPAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5196
1	MULTIPLE REGRESSION IMPUTATION	10
Total		5206

Universe : Applicable for all respondents

NONLIVEB_I(3981-3981)

Variable Type : imputation flag

Description : NONLIVEB Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

COMPREG_I(3982-3982)

Variable Type : imputation flag

Description : COMPREG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5194
1	MULTIPLE REGRESSION IMPUTATION	12
Total		5206

Universe : Applicable for all respondents

ABORTION_I(3983-3983)

Variable Type : imputation flag

Description : ABORTION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5179
1	MULTIPLE REGRESSION IMPUTATION	27
Total		5206

Universe : Applicable for all respondents

LOSSNUM_I(3984-3984)

Variable Type : imputation flag

Description : LOSSNUM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5182
1	MULTIPLE REGRESSION IMPUTATION	12
2	LOGICAL IMPUTATION	12
Total		5206

Universe : Applicable for all respondents

PARENT01_I(3985-3985)

Variable Type : imputation flag

Description : PARENT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5205
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5206

Universe : Applicable for all respondents

PARENT02_I(3986-3986)

Variable Type : imputation flag

Description : PARENT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe : Applicable for all respondents

PARENT03_I(3987-3987)

Variable Type : imputation flag

Description : PARENT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe : Applicable for all respondents

PARENT04_I(3988-3988)

Variable Type : imputation flag

Description : PARENT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe : Applicable for all respondents

PARENT05_I(3989-3989)

Variable Type : imputation flag

Description : PARENT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe : Applicable for all respondents

PARENT06_I(3990-3990)

Variable Type : imputation flag

Description : PARENT06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe : Applicable for all respondents

PARENT07_I(3991-3991)

Variable Type : imputation flag

Description : PARENT07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

PARENT08_I(3992-3992)

Variable Type : imputation flag

Description : PARENT08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

PARENT09_I(3993-3993)

Variable Type : imputation flag

Description : PARENT09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

PARENT10_I(3994-3994)

Variable Type : imputation flag

Description : PARENT10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

WANTB01_I(3995-3995)

Variable Type : imputation flag

Description : WANTB01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5202
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
Total		5206

Universe : Applicable for all respondents

WANTB02_I(3996-3996)

Variable Type : imputation flag

Description : WANTB02 Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5205
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5206

Universe : Applicable for all respondents

WANTB03_I(3997-3997)

Variable Type : imputation flag

Description : WANTB03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5202
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
Total		5206

Universe : Applicable for all respondents

WANTB04_I(3998-3998)

Variable Type : imputation flag

Description : WANTB04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

WANTB05_I(3999-3999)

Variable Type : imputation flag

Description : WANTB05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

WANTB06_I(4000-4000)

Variable Type : imputation flag

Description : WANTB06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

WANTB07_I(4001-4001)

Variable Type : imputation flag

Description : WANTB07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206

Total **5206**

Universe : Applicable for all respondents

WANTB08_I(4002-4002)

Variable Type : imputation flag

Description : WANTB08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

WANTB09_I(4003-4003)

Variable Type : imputation flag

Description : WANTB09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5205
2	LOGICAL IMPUTATION	1
Total		5206

Universe : Applicable for all respondents

WANTB10_I(4004-4004)

Variable Type : imputation flag

Description : WANTB10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RG) Section G Recodes

DADTYPE(4005-4005)

Variable Type : recode

Description : Type of children aged 18 or younger that R has (RECODE)

value	label	Total
1	ONLY CORESIDENTIAL CHILDREN	1367
2	ONLY NON-CORESIDENTIAL CHILDREN	360
3	BOTH CORESIDENTIAL AND NON-CORESIDENTIAL CHILDREN	183
4	NO CHILDREN 18 OR YOUNGER, NO CHILDREN AT ALL, OR NEVER HAD SEXUAL INTERCOURSE	3296
Total		5206

Universe : Applicable for all respondents

DADTYP5(4006-4006)

Variable Type : recode

Description : Type of children under 5 that R has (RECODE)

value	label	Total
1	ONLY CORESIDENTIAL CHILDREN UNDER 5	790
2	ONLY NON-CORESIDENTIAL CHILDREN UNDER 5	133
3	BOTH CORESIDENTIAL AND NONCORESIDENTIAL CHILDREN UNDER 5	15
4	NEITHER CORESIDENTIAL OR NONCORESIDENTIAL CHILDREN UNDER 5, NO CHILDREN, OR NEVER HAD SEXUAL INTERCOURSE	4268
Total		5206

Universe : Applicable for all respondents

DADTYP518(4007-4007)

Variable Type : recode

Description : Type of children 5-18 that R has (RECODE)

value	label	Total
1	ONLY CORESIDENTIAL CHILDREN 5 TO 18	1002
2	ONLY NON-CORESIDENTIAL CHILDREN 5 TO 18	328
3	BOTH CORESIDENTIAL AND NONCORESIDENTIAL CHILDREN 5 TO 18	134
4	NEITHER CORESIDENTIAL OR NONCORESIDENTIAL CHILDREN 5 TO 18, NO CHILDREN AT ALL, OR NEVER HAD SEXUAL INTERCOURSE	3742
Total		5206

Universe : Applicable for all respondents

NUMCRU18(4008-4008)

Variable Type : recode

Description : Number of coresidential children (<= 18 yrs old) (RECODE)

value	label	Total
0	NONE	3656
1	1 CHILD	607
2	2 CHILDREN	602
3	3 CHILDREN	247
4	4 OR MORE CHILDREN	94
Total		5206

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

NUMNCU18(4009-4010)

Variable Type : recode

Description : Number of noncoresidential children (< = 18 yrs old) (RECODE)

value	label	Total
0	NONE	4663
1	1 CHILD	302
2	2 CHILDREN	179
3	3 CHILDREN	42
4-95	4 OR MORE CHILDREN	20
Total		5206

Universe : Applicable for all respondents

SUPP12MO(4011-4011)

Variable Type : recode

Description : Contribution of child support in last 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	4663
1	CONTRIBUTED CHILD SUPPORT ON A REGULAR BASIS IN LAST 12 MONTHS	405
2	CONTRIBUTED CHILD SUPPORT ONCE IN A WHILE IN LAST 12 MONTHS	66
3	DID NOT CONTRIBUTE CHILD SUPPORT IN LAST 12 MONTHS	72
	Total	5206

Universe : Applicable if R has any non-coresidential biological or adopted children aged 18 or younger (ncall > 0)

DADTYPE_I(4012-4012)

Variable Type : imputation flag

Description : DADTYPE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe : Applicable for all respondents

DADTYPU5_I(4013-4013)

Variable Type : imputation flag

Description : DADTYPU5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe : Applicable for all respondents

DADTYP518_I(4014-4014)

Variable Type : imputation flag

Description : DADTYP518 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe : Applicable for all respondents

NUMCRU18_I(4015-4015)

Variable Type : imputation flag

Description : NUMCRU18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
	Total	5206

Universe : Applicable for all respondents

NUMNCU18_I(4016-4016)

Variable Type : imputation flag

Description : NUMNCU18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

SUPP12MO_I(4017-4017)

Variable Type : imputation flag

Description : SUPP12MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5204
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5206

Universe : Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RH) Section H Recodes

INTENT(4018-4018)

Variable Type : recode

Description : Intentions for additional births (RECODE)

value	label	Total
1	R intends to have (more) children	2975
2	R does not intend to have (more) children	2186
3	R does not know his intent	45
Total		5206

Universe : Applicable for all respondents

ADDEXP(4019-4021)

Variable Type : recode

Description : Central number of additional births expected (RECODE)

value	label	Total
0	NO ADDITIONAL BIRTHS	2134
5	.5 ADDITIONAL BIRTHS	4
10	1 ADDITIONAL BIRTH	893
15	1.5 ADDITIONAL BIRTHS	30
20	2 ADDITIONAL BIRTHS	1488
25	2.5 ADDITIONAL BIRTHS	10
30	3 ADDITIONAL BIRTHS	460
35	3.5 ADDITIONAL BIRTHS	4
40	4 ADDITIONAL BIRTHS	111
45	4.5 ADDITIONAL BIRTHS	3
50	5 ADDITIONAL BIRTHS	36
60	6 ADDITIONAL BIRTHS	19
70	7 ADDITIONAL BIRTHS	4
80	8 ADDITIONAL BIRTHS	5
90	9 ADDITIONAL BIRTHS	2
100-995	10 OR MORE ADDITIONAL BIRTHS	3
Total		5206

Universe : Applicable for all respondents

INTENT_I(4022-4022)

Variable Type : imputation flag

Description : INTENT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5205
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5206

Universe : Applicable for all respondents

ADDEXP_I(4023-4023)

Variable Type : imputation flag

Description : ADDEXP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5194
1	MULTIPLE REGRESSION IMPUTATION	12
Total		5206

Universe : Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RI) Section I Recodes

CURR_INS(4024-4024)

Variable Type : recode

Description : Current health insurance status (RECODE)

value	label	Total
1	Currently covered by private health insurance or Medi-Gap	3113
2	Currently covered by Medicaid, CHIP, or a state-sponsored health plan	881
3	Currently covered by Medicare, military health care, or other government health care	322
4	Currently covered only by a single-service plan, only by the Indian Health Service, or currently not covered by health insurance	890
Total		5206

Universe : Applicable for all respondents

INFEVER(4025-4025)

Variable Type : recode

Description : Ever used infertility services (RECODE)

value	label	Total
.	INAPPLICABLE	850
1	YES	275
2	NO	4081
Total		5206

Universe : Applicable if respondent has ever had sexual intercourse with a female (HADSEX = 1)

EVHIVTST(4026-4026)

Variable Type : recode

Description : Ever had an HIV test

value	label	Total
0	NO HIV TEST REPORTED	1822
1	YES, ONLY AS PART OF BLOOD DONATION	922
2	YES, ONLY OUTSIDE OF BLOOD DONATION	1283
3	YES, IN BOTH CONTEXTS	1179
Total		5206

Universe : Applicable for all respondents

CURR_INS_I(4027-4027)

Variable Type : imputation flag

Description : CURR_INS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5067
1	MULTIPLE REGRESSION IMPUTATION	139
Total		5206

Universe : Applicable for all respondents

INFEVER_I(4028-4028)

Variable Type : imputation flag

Description : INFEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5206
Total		5206

Universe : Applicable for all respondents

EVHIVTST_I(4029-4029)

Variable Type : imputation flag

Description : EVHIVTST Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5137
1	MULTIPLE REGRESSION IMPUTATION	69
Total		5206

Universe : Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RJ) Section J Recodes

METRO(4030-4030)

Variable Type : recode

Description : Place of residence (metropolitan-non-metropolitan) (RECODE)

value	label	Total
1	PRINCIPAL CITY OF MSA	1950
2	OTHER MSA	2457
3	NOT MSA	799
Total		5206

Universe : Applicable for all respondents

RELIGION(4031-4031)

Variable Type : recode

Description : Current religious affiliation (RECODE)

value	label	Total
1	No religion	1704
2	Catholic	1075
3	Protestant	1910
4	Other religion	517
Total		5206

Universe : Applicable for all respondents

Notes : Please refer to the [2017-2019 user's guide](#) for more information on religion data in the NSFG**LABORFOR(4032-4032)**

Variable Type : recode

Description : Labor force status (RECODE)

value	label	Total
1	Working full-time	2984
2	Working part-time	790
3	Working, but on vacation, strike, or had temporary illness	148
4	Working - paternity or family leave	8
5	Not working but looking for work	209
6	In school	562
7	Keeping house	249
8	Caring for family	34
9	Other	222
Total		5206

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

RELIGION_I(4033-4033)

Variable Type : imputation flag

Description : RELIGION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5192
1	MULTIPLE REGRESSION IMPUTATION	14
Total		5206

Universe : Applicable for all respondents

LABORFOR_I(4034-4034)

Variable Type : imputation flag

Description : LABORFOR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5203
1	MULTIPLE REGRESSION IMPUTATION	3
Total		5206

Universe : Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RK) Section K Recodes

POVERTY(4035-4037)

Variable Type : recode

Description : Poverty level income (RECODE)

value	label	Total
50	50 percent of poverty level or less	380
51-99	51-99 percent of poverty level	487
100-199	100-199 percent of poverty level	1161
200-299	200-299 percent of poverty level	936
300-399	300-399 percent of poverty level	574
400-499	400-499 percent of poverty level	749
500-599	500-599 percent of poverty level	295
600-699	600-699 percent of poverty level	315
700	700 percent of poverty level or greater	309
Total		5206

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

TOTINCR(4038-4039)

Variable Type : recode

Description : Total income of R's family (RECODE)

value	label	Total
1	Under \$5000	182
2	\$5000-\$7499	103
3	\$7500-\$9999	86
4	\$10,000-\$12,499	162
5	\$12,500-\$14,999	146
6	\$15,000-\$19,999	171
7	\$20,000-\$24,999	288
8	\$25,000-\$29,999	332
9	\$30,000-\$34,999	317
10	\$35,000-\$39,999	326
11	\$40,000-\$49,999	449
12	\$50,000-\$59,999	470
13	\$60,000-\$74,999	573
14	\$75,000-\$99,999	571
15	\$100,000 or more	1030
Total		5206

Universe : Applicable for all respondents

PUBASSIS(4040-4040)

Variable Type : recode

Description : Whether R or any member of his family received public assistance in the calendar year before the interview (RECODE)

value	label	Total
1	Yes (received public assistance in [INTERVIEW YEAR -1])	1275
2	No (did not receive public assistance in [INTERVIEW YEAR -1])	3931

Total**5206**

Universe : Applicable for all respondents

POVERTY_I(4041-4041)

Variable Type : imputation flag

Description : POVERTY Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4634
1	MULTIPLE REGRESSION IMPUTATION	570
2	LOGICAL IMPUTATION	2
Total		5206

Universe : Applicable for all respondents

TOTINCR_I(4042-4042)

Variable Type : imputation flag

Description : TOTINCR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4634
1	MULTIPLE REGRESSION IMPUTATION	570
2	LOGICAL IMPUTATION	2
Total		5206

Universe : Applicable for all respondents

PUBASSIS_I(4043-4043)

Variable Type : imputation flag

Description : PUBASSIS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4973
1	MULTIPLE REGRESSION IMPUTATION	233
Total		5206

Universe : Applicable for all respondents