2017-2019 NSFG User's Guide

Appendix 1b: Public-Use Female Pregnancy File Index

Abbreviations:

R Respondent

CCSD Corrected and Chronologically Sorted Data (see Pregnancy File Notes in Appendix 2 of the User's Guide for further details)

Variables flagged with * have had some disclosure risk reduction (DRR) action taken for inclusion on the public-use files. Those that have yellow highlighting with the * are new DRR actions taken for 2017-2019. For further details on these modified variables, as well as variables suppressed

altogether for public use, please see Appendix 7.

For further information on Variable Type, please see "Description of Codebooks" (Elements of the Codebook subsection) in the main text of the User's Guide. Variable labels for "Raw" variables based on asked questions start with the question number.

Further details on each raw or computed variable can be found in the codebook entry for the variable or in the questionnaires.

Further details on each recode can be found in the codebook entry for the variable or in Appendix 3a or 3b (female respondent file & female pregnancy file recode specifications).

/ariable Name		Variable Label	Variable Type
Respondent ID a	nd P		
CASEID	Ι	Case identification number	raw
REGORDR	<u> </u>	Pregnancy order (number)	computed
ection B raw va	riahl		Computed
AOSCURRP	labi		Isamputad
	\vdash	Number of Months Currently Pregnant	computed
REGEND1		BC-1 How Pregnancy Ended - 1st mention	raw
REGEND2	١.	BC-1 How Pregnancy Ended - 2nd mention	raw
IPAGEEND	*	BC-4c Father's age (categorical) at pregnancy's end date	raw
IDAGE	*	Current age (in years) of child(ren) from this pregnancy	computed
IPAGELB	*	BD-6 Father's age (categorical) at time of child(ren) s birth	raw
AYBIRTH1		BD-8 Payment for delivery - 1st mention	raw
AYBIRTH2		BD-8 Payment for delivery - 2nd mention	raw
AYBIRTH3		BD-8 Payment for delivery - 3rd mention	raw
SECPRIM		BD-9 Is this R's first c-section?	raw
SECMED1		BD-10 Medical reasons reported for this C-section - 1st mention	raw
SECMED2		BD-10 Medical reasons reported for this C-section - 2nd mention	raw
SECMED3		BD-10 Medical reasons reported for this C-section - 3rd mention	raw
SECMED4		BD-10 Medical reasons reported for this C-section - 4th mention	raw
SECMED5		BD-10 Medical reasons reported for this C-section - 5th mention	raw
SECPLAN		BD-11 Was this c-section planned for by R?	raw
RIORSMK		BE-3 Amount R smoked in 6 mos before R knew she was pregnant	raw
OSTSMKS		BE-4 R smoked at all after R knew she was pregnant	raw
POSTSMK			+
		BE-5 Amount R smoked during pregnancy after R knew she was preg BH-1 Whether R breastfed this child at all - 1st from this preg	raw
NYNURSE1	-		raw
EDSOLID1		BH-2 Has R fed this child anything other than breastmilk - 1st from this preg	raw
RSTEATD_N1		BH-3 Age (mos/wks/day) when 1st fed non-breastmilk - 1st from this preg	raw
RSTEATD_P1		BH-3 Units (mos/wks/days) for FRSTEATD_N - 1st from this preg	raw
RSTEATD1		Age (in mos) when 1st fed non-breastmilk - 1st from this preg	raw
UITNURS1		BH-4 Has R stopped breastfeeding child - 1st from this preg	raw
1DSOLID1		BH-5a Doctor talked with R about when to feed solid food to this child aged 6 mos-5 yrs old (1st or only from this pregnancy)	raw
VHNSOLID1		BH-5b Age when doctor recommended feeding this child solid foods (1st or only from this pregnancy)	raw
1DNUTRIT1_1		BH-5c Nutrition information given for this child aged 6 mos-5 yrs old (1st mention/1st or only from this preg)	raw
1DNUTRIT1_2		BH-5c Nutrition information given for this child aged 6 mos-5 yrs old (2nd mention/1st or only from this preg)	raw
IDNUTRIT1_3		BH-5c Nutrition information given for this child aged 6 mos-5 yrs old (3rd mention/1st or only from this preg)	raw
/IDNUTRIT1_4		BH-5c Nutrition information given for this child aged 6 mos-5 yrs old (4th mention/1st or only from this preg)	raw
1DNUTRIT1 5		BH-5c Nutrition information given for this child aged 6 mos-5 yrs old (5th mention/1st or only from this preg)	raw
BRNLV S		# of babies born alive from this preg (based on CCSD)	computed
ection E raw vai	riabl		The process
NYUSINT	T	Any method use in pregnancy interval	computed
VUSEINT		EG-1 Use any method in pregnancy interval?	raw
TOPDUSE		EG-2 Before you became preg, stop using all methods?	raw
/HYSTOPD		EG-3 Stop using methods before preg because wanted preg?	
			raw
/HATMETH01		EG-4 Method(s) using when became preg - 1st mention	raw
/HATMETH02	-	EG-4 Method(s) using when became preg - 2nd mention	raw
/HATMETH03	-	EG-4 Method(s) using when became preg - 3rd mention	raw
/HATMETH04		EG-4 Method(s) using when became preg - 4th mention	raw
ESNOUSE	_	EG-5 Reason not using/had stopped using method bec. wanted preg?	raw
/ANTBOLD		EG-6 Right bef preg, want to have baby at any time in future?	raw
ROBBABE		EG-7 probably want baby at any time in future or not?	raw
NFRMNO		EG-8 Verify didn't want baby at any time in future	raw
/ANTBLD2		EG-9 Right before preg, want to have baby at any time in future? (2nd asking)	raw
MINGOK		EG-10 Become preg too soon, right time, or later than you wanted?	raw
OOSOON_N		EG-11 How much sooner than wanted became preg (months or years)	raw
OOSOON_P		EG-11 Choose mons or yrs for how much sooner became preg than wanted	raw
ATERNUM		EG-11c How much later than wanted became preg - number	raw
ATERMY	H	EG-11d How much later than wanted became preg - unit	raw
		1	1

2017-2019 NSFG User's Guide

Appendix 1b: Public-Use Female Pregnancy File Index

Variable Name		Variable Label	Variable Type
WTHPART2		EG-12b Right bef. preg, think might ever want to have baby w/that partner?	raw
FEELINPG		EG-13 How happy to be preg. scale (0-10)	raw
HPWNOLD		EG-16 Right bef preg, did the father want R to have baby at any time in future?	raw
TIMOKHP		EG-17 R became preg sooner, right time, or later than father of preg wanted	raw
COHPBEG		EG-18a Was R living w/father of preg at beginning of preg	raw
COHPEND		EG-18b Was R living w/father of preg when preg ended/baby was born	raw
TELLFATH		EG-19 Did R tell father of preg that she was pregnant	raw
WHENTELL		EG-20 When did R tell father of preg about pregnancy: during or after?	raw
TRYSCALE		EG-21 How hard trying to get/avoid pregnancy (0-10 scale)	raw
WANTSCAL		EG-22 How much wanted to get/avoid pregnancy (0-10 scale)	raw
WHYPRG1 WHYPRG2		EG-23 (unintended preg): method fail or R wasn't using properly-1st mention	raw
WHYPRG3		EG-23 (unintended preg): method fail or R wasn't using properly-2nd mention EG-23 (unintended preg): method fail or R wasn't using properly-3rd mention	raw
WHYNOUSE1		EG-24 (unintended preg) Reason didn't use contraceptn - 1st	raw
WHYNOUSE2		EG-24 (unintended preg) Reason didn't use contraceptn - 2nd	raw
WHYNOUSE3		EG-24 (unintended preg) Reason didn't use contraceptn - 3rd	raw
WHYNOUSE4		EG-24 (unintended preg) Reason didn't use contraceptn - 4th	raw
WHYNOUSE5		EG-24 (unintended preg) Reason didn't use contraceptn - 5th	raw
WHYNOUSE6		EG-24 (unintended preg) Reason didn't use contraceptn - 6th	raw
WHYNOUSE7		EG-24 (unintended preg) Reason didn't use contraceptn - 7th	raw
			computed in post-
WHYNOPG1		EG-24aa open-ended response: reason didn't think could get preg - 1st	processing
			computed in post-
WHYNOPG2		EG-24aa open-ended response: reason didn't think could get preg - 2nd	processing
MAINOUSE		EG-24a (unintended preg) Main reason didn't use contraception	raw
Section B and E pr	regn	ancy-based recodes	computed in post-
GEST LB	*	Gestational length (if live birth)	processing
GEST_EB		destational rengin (in live birth)	computed in post-
GEST OTHR	*	Gestational length (if not live birth)	processing
0201_01111		estational rengin (in net me shari)	computed in post-
GESTIMP	*	GEST LB or GEST OTHR var based on imputed gestational length	processing
OUTCOME		Pregnancy outcome	pregnancy recode
BIRTHORD		Birth order	pregnancy recode
DATEND	*	Year pregnancy ended	pregnancy recode
AGEPREG	*	Age at pregnancy outcome	pregnancy recode
DATECON	*	Year pregnancy began	pregnancy recode
AGECON	*	Age at time of conception	pregnancy recode
FMAROUT5		Formal marital status at pregnancy outcome	pregnancy recode
PMARPREG		Whether pregnancy ended before R's 1st marriage (premaritally)	pregnancy recode
RMAROUT6 FMARCON5		Informal marital status at pregnancy outcome - 6 categories Formal marital status at conception - 5 categories	pregnancy recode
RMARCON6		Informal marital status at conception - 6 categories	pregnancy recode pregnancy recode
LEARNPRG	*	Number of weeks pregnant when R learned she was pregnant	pregnancy recode
PNCAREWK	*	Number of weeks pregnant at first prenatal care	pregnancy recode
PAYDELIV		Payment for delivery	pregnancy recode
LBW1		Low birthweight - 1st baby from this preg	pregnancy recode
BFEEDWKS	*	Duration of breastfeeding in weeks	pregnancy recode
OLDWANTR		Wantedness of pregnancy - respondent - Cycle 4 version	pregnancy recode
OLDWANTP		Wantedness of preg - R's partner (father of pregnancy) - Cycle 4 version	pregnancy recode
WANTRESP		Wantedness of pregnancy Respondent (RECODE)	pregnancy recode
WANTPART		Wantedness of pregnancy R's partner (RECODE)	pregnancy recode
TOOSOON		Number of months too soon pregnancy occurred	pregnancy recode
NEWWANTR		Detailed wantedness of pregnancy - respondent	pregnancy recode
	ent	file variables (raw and recode)	
AGEGGEN		Age at interview	respondent recode
AGESCRN		R's age at screener	computed
FMARITAL RMARITAL		Formal marital status Informal Marital Status	respondent recode respondent recode
EDUCAT	*	Education (completed years of schooling)	respondent recode
HIEDUC	*	Highest completed year of school or degree	respondent recode
RACE		Race	respondent recode
HISPANIC		Hispanic origin	respondent recode
		Race & Hispanic origin of respondent - 1997 OMB standards (respondent recode)	respondent recode
HISPRACE2		Pregnant at time of interview	respondent recode
RCURPREG		·	
-		CAPI-based total number of pregnancies	respondent recode
RCURPREG		CAPI-based total number of pregnancies Total number of live births	respondent recode
RCURPREG PREGNUM		. •	
RCURPREG PREGNUM PARITY		Total number of live births	respondent recode

2017-2019 NSFG User's Guide

Appendix 1b: Public-Use Female Pregnancy File Index

Marchila Name			Martin Tolling
Variable Name		Variable Label	Variable Type
LABORFOR	-	Labor force status	respondent recode
RELIGION	_	Current religious affiliation	respondent recode
METRO		Place of residence (Metropolitan / Nonmetropolitan)	respondent recode
BRNOUT	_	IB-8 R born outside of US	raw
Pregnancy recode	e im		
OUTCOME_I		OUTCOME Imputation Flag	imputation flag
BIRTHORD_I		BIRTHORD Imputation Flag	imputation flag
DATEND_I		DATEND Imputation Flag	imputation flag
AGEPREG_I		AGEPREG Imputation Flag	imputation flag
DATECON_I		DATECON Imputation Flag	imputation flag
AGECON_I		AGECON Imputation Flag	imputation flag
FMAROUT5_I		FMAROUTS Imputation Flag	imputation flag
PMARPREG_I		PMARPREG Imputation Flag	imputation flag
RMAROUT6_I		RMAROUT6 Imputation Flag	imputation flag
FMARCON5_I		FMARCON5 Imputation Flag	imputation flag
RMARCON6_I		RMARCON6 Imputation Flag	imputation flag
LEARNPRG_I		LEARNPRG Imputation Flag	imputation flag
PNCAREWK_I		PNCAREWK Imputation Flag	imputation flag
PAYDELIV_I		PAYDELIV Imputation Flag	imputation flag
LBW1_I		LBW1 Imputation Flag	imputation flag
BFEEDWKS_I		BFEEDWKS Imputation Flag	imputation flag
OLDWANTR_I		OLDWANTR Imputation Flag	imputation flag
OLDWANTP_I		OLDWANTP Imputation Flag	imputation flag
WANTRESP_I		WANTRESP Imputation Flag	imputation flag
WANTPART_I		WANTPART Imputation Flag	imputation flag
TOOSOON_I		TOOSOON Imputation Flag	imputation flag
NEWWANTR_I		NEWWANTR Imputation Flag	imputation flag
Respondent reco	de ir	nputation flags included on pregnancy file	
AGER_I		AGER Imputation Flag	imputation flag
FMARITAL_I		FMARITAL Imputation Flag	imputation flag
RMARITAL_I		RMARITAL Imputation Flag	imputation flag
EDUCAT I		EDUCAT Imputation Flag	imputation flag
HIEDUC I		HIEDUC Imputation Flag	imputation flag
RACE I		RACE Imputation Flag	imputation flag
HISPANIC I		HISPANIC Imputation Flag	imputation flag
HISPRACE2 I		HISPRACE2 Imputation Flag	imputation flag
RCURPREG I		RCURPREG Imputation Flag	imputation flag
PREGNUM I		PREGNUM Imputation Flag	imputation flag
PARITY I		PARITY Imputation Flag	imputation flag
CURR INS I		CURR INS Imputation Flag	imputation flag
PUBASSIS I		PUBASSIS Imputation Flag	imputation flag
POVERTY I		POVERTY Imputation Flag	imputation flag
LABORFOR I		LABORFOR Imputation Flag	imputation flag
RELIGION I		RELIGION Imputation Flag	imputation flag
Weights and rela	tod s		imputation nag
WGT2017 2019	leu	Final weight for the 2017-2019 NSFG	weight-related
SECU	\vdash	Randomized version of the sampling error computational unit	weight-related
SEST	\vdash	Randomized version of the stratum	weight-related
	, ,	y reference dates, and fieldwork variables	weight-related
	, ke	Century month for date of interview (Computed in Flow Check A-1)	computed
CMINTVW		Century month for date of interview (Computed in Flow Check A-1) Century month for month/year of interview minus one year (Computed in Flow Check A-1)	computed
			computed
CMJAN3YR	\vdash	Century month of January Three Years Prior to Year of Interview (Computed in Flow Check A-1)	computed
CMJAN4YR		Century month of January Four Years Prior to Year of Interview (Computed in Flow Check A-1)	computed
CMJAN5YR	_	Century month of January Five Years Prior to Year of Interview (Computed in Flow Check A-1)	computed
QUARTER	_	Quarter when case was sampled	raw
PHASE	_	Regular- or double-sample portion of the quarter	raw
INTVWYEAR		Calendar year when interview occurred	raw