

FEMALE SECTION E
 CAPI Reference Questionnaire (CRQ)

Contraceptive History and Pregnancy Wantedness

VARIABLES IMPORTED FROM EARLIER SECTIONS:

AGE_R	R'S AGE AT INTERVIEW (FROM A)
CMLSTYR	CM FOR 12 MONTHS BEFORE INTERVIEW (FROM A)
CMLSTYR_FILL	MO/YR FILL FOR CMLSTYR (FROM A)
CMINTVW	CM FOR DATE OF INTERVIEW (FROM A)
CMBIRTH	CM FOR R'S DATE OF BIRTH (FROM A)
CMJAN3YR	CM FOR JANUARY OF YEAR 3 YEARS BEFORE DATE OF IW (FROM A)
CMJAN3YR_FILL	FILL FOR CENTURY MONTH OF JANUARY OF INTERVIEW YEAR MINUS 3 (FROM A)
CMJAN5YR	CM FOR JANUARY XXXX ("LAST 5 YEARS") (FROM A)
MARSTAT	R'S INFORMAL MARITAL STATUS (FROM A)
THREYRS_FILL	YEAR FILL FOR YEAR OF INTERVIEW - 3 YR ("2003") (FROM FC A-1)
CURRPREG	IS R CURRENTLY PREGNANT (FROM B)
EVERPREG	HAS R EVER BEEN PREGNANT (FROM B)
CMFSTPRG	CM FOR R' FIRST COMPLETED PREGNANCY (FROM B)
NPREGS_S	NUMBER OF PREGNANCIES (FROM B)
OUTCOM_S[X]	OUTCOME OF EACH PREGNANCY (INCL. CURRENT) (VERIFIED) (FROM B)
CMENDP_S[X]	CM FOR DATE PREGNANCY ENDED (VERIFIED AND SORTED) (ALL OUTCOMES; BLANK/INAPP FOR CURRENT PREG) (FROM B)
CMPBEG_S[X]	CM FOR DATE PREGNANCY BEGAN (VERIFIED AND SORTED) (ALL OUTCOMES; INCL. CURRENT)(FROM B)
CMENDP_S[X]_FILL	MO/YR FILL FOR CMPRGEND (FROM B)
CMPBEG_S[X]_FILL	MO/YR FILL FOR CMPRGBEG (FROM B)
NBRNLV_S[X]	COMPUTED NUMBER OF BABIES BORN ALIVE FROM PREGNANCY (FROM B)
BABNAM_S[X]	BABY NAME FOR LIVE BIRTHS (FROM B)
MULT_S_FILL	FILL FOR MULTIPLE BIRTHS (FROM B)
BABSEX_S	SEX OF BABY (FROM B)
CMBDAY_S	CM FOR DATE OF CHILD'S BIRTH (FROM B)
TIMESMAR	NUMBER OF MARRIAGES (ONLY FOR EVER-MARRIED) (FROM C)
CMMARRHX	CM FOR DATE OF MARRIAGE X (FROM C)
CMFSTSEX	CM FOR DATE OF FIRST SEX (FROM C)
CMFSTSEX_FILL	MO/YR FILL FOR CMFSTSEX (FROM C)
FLGSXDK1	FLAG FOR REPORTING OF SEASON OR DK/RF ON CE-3 WNFSTSEX_M (FROM C)
CMSEXAFM	CM DATE OF FIRST SEX AFTER MENARCHE (FROM C)
CMSEXAFM_FILL	MO/YR FILL FOR CMSEXAFM (FROM C)
RHADSEX	WHETHER R EVER HAD SEX (FROM C)
CMLSEXP	CM OF LAST SEX WITH FIRST PARTNER (FROM C)
CMFSEX1	CM OF FIRST SEX WITH LAST PARTNER IN LAST 12 MOS (FROM C)
CMFSEX2	CM OF FIRST SEX WITH 2ND-TO-LAST PARTNER X IN LAST 12 MOS (FROM C)
CMFSEX3	CM OF FIRST SEX WITH 3RD-TO-LAST PARTNER X IN LAST 12 MOS (FROM C)
CMLSEX1	CM OF LAST SEX WITH LAST PARTNER IN LAST 12 MOS (FROM C)
CMLSEX2	CM OF LAST SEX WITH 2ND-TO-LAST PARTNER X IN LAST 12 MOS (FROM C)
CMLSEX3	CM OF LAST SEX WITH 3RD-TO-LAST PARTNER X IN LAST 12 MOS (FROM C)
CMLSEXX_FILL	MO/YR FILL FOR CM OF LAST SEX W/3 RECENT PARTNERS IN LAST 12 MOS (FROM C)
PARTS12	NUMBER OF MALE PARTNERS IN LAST 12 MOS (FROM C)
P1NAME	NAME FILL FOR 1 ST MOST RECENT MALE PARTNER IN LAST 12 MOS (FROM C)
P2NAME	NAME FILL FOR 2 ND MOST RECENT MALE PARTNER IN LAST 12 MOS (FROM C)
P3NAME	NAME FILL FOR 3 RD MOST RECENT MALE PARTNER IN LAST 12 MOS (FROM C)
PLYRELPIX	RELATIONSHIP OF RECENT PARTNER TO R (FROM C)
RSURGSTR	WHETHER R IS SURGICALLY STERILE AT INTERVIEW (FROM D)
PSURGSTR	WHETHER R'S CURRENT H/P IS SURGICALLY STERILE AT INTERVIEW (FROM D)
RSTRSTAT	WHETHER R IS SURGICALLY OR NONSURGICALLY STERILE AT INTERVIEW (FROM D)
ANYFSTER	HAS R EVER HAD STERILIZING OPERATION (FROM D)
ANYMSTER	HAS R'S CURRENT H/P EVER HAD STERILIZING OPERATION (FROM D)
CMOPER1	CM DATE FOR R'S 1ST STERILIZING OPERATION (FROM D)
CMMALEOP	CM DATE FOR R'S CURRENT H/P'S STERILIZING OPERATION (FROM D)
CMLIGREV	CM DATE FOR R'S REVERSAL OF TUBAL STERILIZATION (FROM D)

CMVASREV CM DATE FOR R'S CURRENT H/P'S REVERSAL OF VASECTOMY (FROM D)
 CMHYST CM DATE FOR R'S HYSTERECTOMY (FROM D)
 CMHYST_FILL FILL FOR CM DATE FOR R'S HYSTERECTOMY (FROM D)

VARIABLES CREATED IN THIS SECTION & OUTPUT TO DATA FILE

EVERUSED EVER USED ANY METHOD (INCLUDING STERILIZATIONS FROM D) (FC E-6)
 NUMFIRM NUMBER OF METHODS REPORTED IN FIRST METHOD USE (FC E-13B)
 DRUGDEVX YES IF FIRST METHOD (UP TO 4) WAS A DRUG OR DEVICE, NO/DK/RF OTHERWISE. (FC E-14)
 CMFIRM CM FOR DATE OF FIRST METHOD USE (FC E-18 AND FC E-21)
 USEFSTSX WHETHER R USED A METHOD AT FIRST SEX (FC E-18 AND FC E-29)
 MTHFSTSX METHOD USED AT FIRST SEX (ALL MENTIONS) (FC E-18 AND FC E-32)
 CMFSTUSE CENTURY MONTH FOR DATE FIRST USED A METHOD (FC E-20)
 FMETHPRS WHETHER 1ST [DRUG/DEVICE] METHOD USED WAS PRESCRIPTION OR NON-PRESCRIPTION (FC E-25)
 CMMONSX CM OF THIS MONSX QUESTION (FC E-34a)
 CMSTRMCM CM FOR DATE OF STARTING MONTH OF METHOD CALENDAR (FC E-39)
 CMENDMC CM FOR DATE OF ENDING MONTH OF METHOD CALENDAR (FC E-39)
 NUMMCMON NUMBER OF MONTHS OF METH CALENDAR ASKED ABOUT (FC E-41)
 METHCNTL COUNTER FOR # TIMES METHHIST ASKED (FC E-41)
 NUMMULT NUMBER OF METHODS REPORTED IN MONTH X OF METH.CALENDAR (FC E-42)
 SALM FLAG INDICATING WHETHER 'SAME AS LAST MONTH' WAS ORIGINAL ANSWER TO METHHIST (FC E-44)
 SAY FLAG INDICATING WHETHER 'SAME ALL YEAR' WAS ORIGINAL ANSWER TO METHHIST (FC E-44)
 CMMHCAL CM OF THIS ENTRY IN THE METHOD HISTORY CALENDAR (FC E-44)
 CMDATBEGIN CM FOR DATE BEGAN METH. REPORTED IN 1ST MON OF METH CALENDAR (FC E-49)
 CURRMETH1 METHOD(S) USED IN MONTH OF INTERVIEW - 1ST MENTION (FC E-54)
 CURRMETH2 METHOD(S) USED IN MONTH OF INTERVIEW - 2ND MENTION (FC E-54)
 CURRMETH3 METHOD(S) USED IN MONTH OF INTERVIEW - 3RD MENTION (FC E-54)
 CURRMETH4 METHOD(S) USED IN MONTH OF INTERVIEW - 4TH MENTION (FC E-54)
 LSTMONMETH1 METHOD USED IN MONTH BEFORE INTERVIEW - 1ST MENTION (FC E-54)
 LSTMONMETH2 METHOD USED IN MONTH BEFORE INTERVIEW - 2ND MENTION (FC E-54)
 LSTMONMETH3 METHOD USED IN MONTH BEFORE INTERVIEW - 3RD MENTION (FC E-54)
 LSTMONMETH4 METHOD USED IN MONTH BEFORE INTERVIEW - 4TH MENTION (FC E-54)
 PILL_12 WHETHER USED PILL IN THE 12 MONTHS BEFORE INTERVIEW (FC E-55)
 DIAPH_12 WHETHER USED DIAPHRAGM IN THE 12 MONTHS BEFORE INTERVIEW (FC E-55)
 IUD_12 WHETHER USED IUD IN THE 12 MONTHS BEFORE INTERVIEW (FC E-55)
 IMPLANT_12 WHETHER USED HORMONAL IMPLANTS (NORPLANT OR IMPLANON) IN THE 12 MONTHS BEFORE INTERVIEW (FC E-55)
 DEPO_12 WHETHER USED DEPO-PROVERA INJECTABLES IN THE 12 MONTHS BEFORE INTERVIEW (FC E-55)
 CERVC_12 WHETHER USED CERVICAL CAP IN THE 12 MONTHS BEFORE INTERVIEW (FC E-55)
 MPILL_12 WHETHER USED EMERGENCY CONTRACEPTION IN THE 12 MONTHS BEFORE INTERVIEW (FC E-55)
 LUNEL_12 WHETHER USED LUNELLE INJECTABLE IN THE 12 MONTHS BEFORE INTERVIEW (FC E-55)
 PATCH_12 WHETHER USED CONTRACEPTIVE PATCH IN THE 12 MONTHS BEFORE INTERVIEW (FC E-55)
 RING_12 WHETHER USED CONTRACEPTIVE RING IN THE 12 MONTHS BEFORE INTERVIEW (FC E-55)
 CMINTSTRXX CM FOR DATE OF BEGINNING OF PREGNANCY INTERVAL (FC E-68)
 CMINTFINXX CM FOR DATE OF END OF PREGNANCY INTERVAL (FC E-68)
 CMINTSTROP OPEN INTERVAL: CM OF DATE OF BEGINNING (FC E-68)
 CMINTFINOP OPEN INTERVAL: CM OF DATE OF END (FC E-68)
 CMINTSTRCR CURRENTLY PREGNANT: CM OF DATE OF BEGINNING OF INTERVAL (FC E-68)
 CMINTFINCR CURRENTLY PREGNANT: CM OF DATE OF END OF INTERVAL (FC E-68)
 ANYUSINT ANY METHOD USE IN PREGNANCY INTERVAL (FC E-69)
 CMETHPRS WHETHER [DRUG/DEVICE] METHOD USED IN MONTH BEFORE INTERVIEW WAS PRESCRIPTION OR NON-PRESCRIPTION (FC E-92)
 ClinicFund TITLE X FUNDING -- CODE NOT SHOWN BUT OUTPUT TO DATASET (EH-9b)
 ClinicType AGENCY TYPE -- CODE NOT SHOWN BUT OUTPUT TO DATASET (EH-9c)

VARIABLES CREATED IN THIS SECTION & ARE NOT OUTPUT TO DATA FILE:

NUMDISS NUMBER OF METHODS STOPPED DUE TO DISSATISFACTION (FC E-10)
FIRSMETH_FILL FILL FOR FIRST METHOD USED (FC E-13C)
PLACCNTR1 COUNTER FOR # TIMES PLACGOTF ASKED, EQUALS THE NUMBER OF ITEMS
THAT WERE SELECTED IN FIRSMETH EB-1 (FC E-23)
MTHFRSTS_FILL FILL FOR METHODS USED AT FIRST INTERCOURSE (FC E-31A)
FRSMTHRX_FILL FILL FOR ASKING SOURCE OF 1ST METHOD USED (FC E-25A)
CMJANIWYR CENTURY MONTH OF JANUARY OF INTERVIEW YEAR (FC E-34A)
CMJANIYR CENTURY MONTH OF JANUARY OF INTERVIEW YEAR MINUS 1 (FC E-34A)
CMJANIWYR_FILL FILL FOR CENTURY MONTH OF JANUARY OF INTERVIEW YEAR (FC E-34A)
CMJANIYR_FILL FILL FOR CM OF JANUARY OF INTERVIEW YEAR MINUS 1 (FC E-34A)
YR1_FILL DISPLAY OF INTERVIEW YEAR MINUS 1 (FC E-34A)
YR2_FILL DISPLAY OF INTERVIEW YEAR MINUS 2 (FC E-34A)
CMINTVW_FILL MO/YR FILL FOR CMINTVW (FC E-34A)
CMLSEXP_FILL MO/YR FILL FOR LAST SEX WITH FIRST PARTNER (FC E-34A)
CMLSEXX_FILL MO/YR FILL FOR CM DATE OF LAST SEX WITH 3 RECENT PARTNERS IN LAST
12 MOS (FC E-34A)
CMFSEXX_FILL MO/YR FILL FOR CM DATE OF FIRST SEX WITH 3 RECENT PARTNERS IN LAST
12 MOS (FC E-34A)
CMOPER1_FILL FILL FOR DATE OF R'S FIRST STERILIZING OPERATION (FC E-38B)
CMLIGREV_FILL FILL FOR DATE OF R'S FIRST REVERSAL OPERATION (FC E-38B)
CMMALEOP_FILL FILL FOR DATE OF R'S H/P'S FIRST STERILIZING OPERATION (FC E-38B)
CMVASREV_FILL FILL FOR DATE OF R'S H/P'S FIRST REVERSAL OPERATION (FC E-38B)
CMSTRMC_FILL FILL FOR DATE OF STARTING MONTH OF METHOD CALENDAR (FC E-40)
CMENDMC_FILL FILL FOR DATE OF ENDING MONTH OF METHOD CALENDAR (FC E-40)
METHCNTR COUNTER FOR # TIMES METHHIST ASKED, THIS IS THE SAME AS NUMMCMON
(FC E-41)
METHHIST_FILL FILL FOR METHOD(S) USED IN A MONTH OF THE METHOD CALENDAR (FC E-
44)
EF-CNTR COUNTER FOR # TIMES THROUGH METHOD USE WITH RECENT PARTNER LOOP
(FC E-58)
LBCNTR LIVE BIRTHS COUNTER FOR WANTEDNESS SERIES (FC E-65)
WANTCNTR PREGNANCY COUNTER FOR WANTENESS SERIES, (EQUALS THE VALUE OF
NPREGS_S FOUND IN SECTION B (FC E-65)
XX COUNTER TO INDICATE WHICH PREGNANCY INTERVAL IS BEING DISCUSSED
(USED IN FILLS AND FOR DATES) (FC E-65)
BEGFILXX FILL FOR BEGINNING OF PREGNANCY INTERVAL (FC E-66)
BABYNAME_FILL FILL FOR BABY NAME (ADDS WORDING FOR MULTIPLES, RELINQUISHED &
DIED) (FC E-66)
PRGOUTCOME_FILL FILL FOR OUTCOME OF EACH PREGNANCY (INCL. CURRENT) (FC E-68)
PLACCNTR2 COUNTER FOR # TIMES PLACCUR1 OR PLACCUR2 ASKED, EQUALS THE NUMBER
OF TIMES THE EH_CLINIC_INFO [PLACCUR (EH-3) TO CLINFSTN (EH-11)]
OR CMETHPRS_B ARRAYS HAVE DATA IN THEM(FC E-90)
CURMTHRX_FILL FILL FOR ASKING SOURCE OF METHOD USED IN MONTH BEFORE INTERVIEW
(FC E-92A)

CONTRACEPTIVE METHODS EVER USED (EA)

INTR-EA1

EA-0. Card 30 lists methods that some people use to prevent pregnancy or to prevent sexually transmitted disease. As I read a method from the list, please tell me if you have ever used it for any reason. Just give me a "yes" or "no" answer. Please answer yes even if you have only used the method once.

♦ ENTER [1] to continue

[SHOW CARD 30]

{ underlying range 1 to 1

PILL

EA-1. Have you ever used birth control pills?

♦ *If R volunteers she never used a method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]

Yes.....1
No.....5

**FLOW CHECK E-1: IF RHADSEX = YES, ASK EA-2 CONDOM.
ELSE IF RHADSEX = NO, GO TO EA-4 DEPOPROV.**

CONDOM

EA-2. Have you ever used condoms or rubbers with a partner?

♦ *If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]

Yes.....1
No.....5

VASECTMY

EA-3. Have you ever had sex with a partner who had a vasectomy?

♦ *If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]

Yes.....1
No.....5

EDIT CHECK EA3_1: Probe if EA-3 VASECTMY=5 and PSURGSTR=1. DISPLAY:
R has stated that she's never had sex with a partner who had a vasectomy, but earlier she stated that her current husband/partner is surgically sterile. Verify with R that this is correct.

DEPOPROV

EA-4. (Have you ever used) Depo-Provera, an injectable (or shot) given once every three months?

♦ *If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]

Yes.....1
No.....5

LUNELLE

EA-5. (Have you ever used) Lunelle, a once-a-month injection?

♦ *If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]

Yes.....1
No.....5

FLOW CHECK E-2: IF RHADSEX = YES, ASK EA-6 WIDRAWAL.
ELSE, IF RHADSEX = NO, GO TO EA-9 PATCH

WIDRAWAL

EA-6. Have you ever had sex with a partner who used withdrawal or "pulling out"?

♦ *If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]

Yes.....1
No.....5

RHYTHM

EA-7. Have you ever used rhythm or safe period by calendar to prevent pregnancy?

♦ *If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]

Yes.....1
No.....5

TEMPSAFE

EA-8. (Have you ever used) Natural family planning or safe period by temperature or cervical mucus test to prevent pregnancy?

♦ *If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]

Yes.....1
No.....5

PATCH

EA-9. (Have you ever used) The contraceptive patch?

♦ *If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]

Yes.....1
No.....5

RING

EA-10. (Have you ever used) The vaginal contraceptive ring (or

"NuvaRing")?

♦ *If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]

Yes.....1
No.....5

**FLOW CHECK E-3: IF RHADSEX = YES, ASK EA-11 MORNPIII.
ELSE, IF RHADSEX = NO, GO TO EA-14 OTHRMETH**

MORNPIII

EA-11. (Have you ever used) Emergency contraception, also known as "Plan B" or "Preven", or "Morning after" pills?

♦ *Read if necessary:* This is a series of regular birth control pills taken within 72 hours after unprotected sex to help a woman avoid pregnancy.

♦ *If R volunteers she never used a (another) method, probe to make sure R has read the entire card and is sure of her answer.*

[HELP AVAILABLE]

Yes.....1
No.....5

**FLOW CHECK E-4: IF EA-11 MORNPIII = YES THEN ASK EA-12 ECTIMESX.
ELSE IF EA-11 MORNPIII NE YES, GO TO EA-14 OTHRMETH**

ECTIMESX

EA-12. How many different times have you used emergency contraception?

♦ *ENTER number*

{ underlying range 1 to 95

ECREASON

EA-13. Did you use emergency contraception because you were worried your birth control method would not work, you didn't use birth control that time, or for some other reason?

♦ *ENTER all that apply*

♦ *Press [Space] or [-] to separate responses*

You were worried your birth control method would not work.....1
You didn't use birth control that time.....2
Some other reason.....3

ECRX

EA-13aa IF ECTIMESX = 1, ASK:
Did you get the emergency contraception with or without a prescription?

ELSE, ASK:
The last time you used it, did you get the emergency contraception
with or without a prescription?

With a prescription.....1
Without a prescription.....2

ECWHERE

EA-13a {used EC only once, got with a prescription
IF ECTIMESX = 1 and ECRX = 1, ASK:
Please look at Card 36. Where did you get the prescription for the
emergency contraception?

{used EC only once, got without a prescription
ELSE, IF ECTIMESX = 1 and ECRX = 2 THEN ASK:
Please look at Card 36. Where did you get the emergency
contraception?

{used EC more than once, got with a prescription
ELSE, IF ECTIMESX > 1 and ECRX = 1, ASK:
Please look at Card 36. The last time you used it, where did you get
the prescription for the emergency contraception?

{used EC more than once, got without a prescription
ELSE, IF ECTIMESX > 1 and ECRX = 2 THEN ASK:
Please look at Card 36. The last time you used it, where did you get
the emergency contraception?

[HELP AVAILABLE]

Private doctor's office.....1
HMO facility.....2
Community health clinic, community clinic, public health clinic.....3
Family planning or Planned Parenthood clinic.....4
Employer or company clinic.....5
School or school-based clinic.....6
Hospital outpatient clinic.....7
Hospital emergency room.....8
Hospital regular room.....9
Urgent care center, urgi-care or walk-in facility.....10
Friend.....11
Partner or spouse.....12
Drug store.....13
Mail order / Internet.....14
Some other place.....20

ECWHEN

EA-13b IF ECTIMESX = 1, ASK:
Was this within the last 12 months, that is, since (CMLSTYR_FILL)?

ELSE, ASK:
The last time you used it, was it within the last 12 months, that is,
since (CMLSTYR_FILL)?

Within the last 12 months.....1
Over 12 months ago.....2

OTHRMETH

EA-14. On the right side of Card 30 is a list of some other methods of birth
control. Which, if any, of the methods listed on that side of the card

have you ever used? Please tell me the method even if you have only used it once.

- ♦ ENTER all that apply
- ♦ Press [Space] or [-] to separate responses

[HELP AVAILABLE]
[SHOW CARD 30]

Hormonal implant (Norplanttm or Implanontm)..9
Diaphragm.....12
Female condom, vaginal pouch.....13
Foam.....14
Jelly or cream.....15
Cervical cap.....16
Suppository, insert.....17
Todaytm sponge.....18
IUD, coil, loop.....19
Other method -- specify.....21

No other methods ever used.....95

**EDIT CHECK EA14_2: IF (95 IN OTHRMETH) AND OTHRMETH=ANY OTHER RESPONSE
DISPLAY:**

"None" cannot be used in conjunction with any other answer choices. Verify R's answers and re-enter.

**FLOW CHECK E-5: IF EA-14 OTHRMETH=21 THEN ASK EA-15 SP_OTHRMETH
ELSE GO TO FLOW CHECK E-6**

SP_OTHRMETH

EA-15. (On the right side of Card 30 is a list of some other methods of birth control. Which, if any, of the methods listed on that side of the card have you ever used? Please tell me the method even if you have only used it once.)

- ♦ SPECIFY "Other" birth control methods

[HELP AVAILABLE]
[SHOW CARD 30]

TYPE: String[75]

deleted LH calendar reference

**FLOW CHECK E-6: DEFINE EVERUSED:
"EVER USED ANY METHOD" (ever used any of the methods just asked about or R or current husband/partner ever surgically sterilized):**

EVERUSED= 1 (YES) IF ANYFSTER = 1 OR ANYMSTER = 1 OR EA-1
PILL=1 OR EA-2 CONDOM=1 OR EA-3 VASECTMY=1 OR
EA-4 DEPOPROV=1 OR EA-5 LUNELLE=1 OR EA-6
WIDRAWAL=1 OR EA-7 RHYTHM=1 OR EA-8 TEMPSAFE=1
or EA-9 PATCH=1 or EA-10 RING=1 or EA-11
MORNPIll=1 OR 3 ≤ EA-14 OTHRMETH < 95

= 5 (NO) IF ALL THE VARIABLES LISTED ABOVE
(EXCEPT EA-14 OTHRMETH) = 5 AND EA-14
OTHRMETH=95

ELSE EVERUSED = SYSMIS

FLOW CHECK E-7: IF EVERUSED=5 (NO), GO TO FLOW CHECK E-12
ELSE ASK EA-16 METHDISS

METHDISS

EA-16. Some people try a method and then don't use it again, or stop using it, because they are not satisfied with the method. Did you ever stop using a method because you were not satisfied with it in some way?

♦ Do not count stopping a method for reasons other than dissatisfaction, for example, stopped to get pregnant or because not having intercourse

Yes.....1
No.....5

FLOW CHECK E-8: IF EA-16 METHDISS = 1 (YES), ASK EA-17 METHSTOP
ELSE IF EA-16 METHDISS NE 1, GO TO FLOW CHECK E-12

METHSTOP

EA-17. Please look at card 31. What method or methods did you stop because you were not satisfied?

- ♦ ENTER all that apply
- ♦ Press [Space] or [-] to separate responses

[SHOW CARD 31]

Birth control pills.....3
Condom.....4
Partner's vasectomy.....5
Female sterilizing operation, such as tubal
sterilization and hysterectomy.....6
Withdrawal, pulling out.....7
Depo-Provera, injectables (shots).....8
Hormonal implant (Norplanttm or
Implanontm).....9
Rhythm or safe period by calendar.....10
Safe period by temperature or cervical mucus
test, natural family planning.....11
Diaphragm.....12
Female condom, vaginal pouch.....13
Foam.....14
Jelly or cream.....15
Cervical cap.....16
Suppository, insert.....17
Todaytm sponge.....18
IUD, coil, loop.....19
Other method.....21
Lunelle injectable (monthly shot).....24
Contraceptive patch.....25
Vaginal contraceptive ring.....26

FLOW CHECK E-9: IF EA-17 METHSTOP INCLUDES CODES 3 (Pill), 4 (Condom), 8

(Depo-Provera), 24 (Lunelle), OR 25 (Patch), GO TO FLOW
CHECK E-10
ELSE, IF EA-17 METHSTOP DOES NOT INCLUDE 3 OR 4 OR 8 OR 24
OR 25, GO TO FLOW CHECK E-12.

FLOW CHECK E-10:
DEFINE NUMDISS.
SET NUMDISS = 0.
NUMDISS = TOTAL NUMBER OF RESPONSES TO EA-17 METHSTOP THAT
EQUAL 3 (Pill), 4 (Condom), 8 (Depo-Provera), 24 (Lunelle),
OR 25 (Patch)

FLOW CHECK E-11a: IF EA-17 METHSTOP INCLUDES 3, ASK EA-18 REASPILL.
ELSE GO TO FLOW CHECK E-11b.

REASPILL

EA-18. Looking at Card 32, what was the reason or reasons you were not
satisfied with the Pill?

- ♦ ENTER all that apply
- ♦ Press [Space] or [-] to separate responses

[SHOW CARD 32]

Too expensive.....1
Insurance did not cover it.....2
Too difficult to use.....3
Too messy.....4
Your partner did not like it.....5
You had side effects.....6
You were worried you might have side effects.....7
You worried the method would not work.....8
The method failed, you became pregnant.....9
The method did not protect against disease.....10
Because of other health problems, a doctor told you that you should
not use the method again.....11
The method decreased your sexual pleasure.....12
Too difficult to obtain the method.....13
Did not like the changes to your menstrual cycle.....14
Other - specify.....15

FLOW CHECK E-11a.1: IF EA-18 REASPILL INCLUDES 15 THEN ASK EA-18b
SP_REASPILL
ELSE IF EA-18 REASPILL DOES NOT INCLUDE 15 THEN GO TO
FLOW CHECK E-11a.2

SP_REASPILL

EA-18b. (Looking at Card 32, what was the reason or reasons you were not
satisfied with the Pill?)

- ♦ SPECIFY "Other" reason she was not satisfied with the Pill

[SHOW CARD 32]

TYPE: Memo

FLOW CHECK E-11a.2: IF EA-18 REASPILL INCLUDES 3 THEN ASK EA-18c
SP_DIFFPILL
ELSE IF EA-18 REASPILL DOES NOT INCLUDE 3 THEN GO TO

FLOW CHECK E-11a.3

SP_DIFFPILL

EA-18c. Could you say a bit more about why it was too difficult to use?

TYPE: Memo

**FLOW CHECK E-11a.3: IF EA-18 REASPILL INCLUDES 6 THEN ASK EA-18d
SP_SIDEPIILL
ELSE IF EA-18 REASPILL DOES NOT INCLUDE 6 THEN GO TO
FLOW CHECK E-11b**

SP_SIDEPIILL

EA-18d. What were those side effects?

TYPE: Memo

**FLOW CHECK E-11b: IF EA-17 METHSTOP INCLUDES 4, ASK EA-19 REASCOND.
ELSE GO TO FLOW CHECK E-11c.**

REASCOND

EA-19. Looking at Card 32, what was the reason or reasons you were not satisfied with the condom?

- ♦ *ENTER all that apply*
- ♦ *Press [Space] or [-] to separate responses*

[SHOW CARD 32]

- Too expensive.....1
- Insurance did not cover it.....2
- Too difficult to use.....3
- Too messy.....4
- Your partner did not like it.....5
- You had side effects.....6
- You were worried you might have side effects.....7
- You worried the method would not work.....8
- The method failed, you became pregnant.....9
- The method did not protect against disease.....10
- Because of other health problems, a doctor told you that you should
not use the method again.....11
- The method decreased your sexual pleasure.....12
- Too difficult to obtain the method.....13
- Did not like the changes to your menstrual cycle.....14
- Other - *specify*.....15

**FLOW CHECK E-11b.1: IF EA-19 REASCOND INCLUDES 15 THEN ASK EA-19b
SP_REASCOND
ELSE IF EA-19 REASCOND DOES NOT INCLUDE 15 THEN GO TO
FLOW CHECK E-11b.2**

SP_REASCOND

EA-19b. (Looking at Card 32, what was the reason or reasons you were not satisfied with the condom?)

- ♦ *SPECIFY "Other" reason she was not satisfied with the condom*

[SHOW CARD 32]

TYPE: Memo

FLOW CHECK E-11b.2: IF EA-19 REASCOND INCLUDES 3 THEN ASK EA-19c
SP_DIFFCOND
ELSE IF EA-19 REASCOND DOES NOT INCLUDE 3 THEN GO TO
FLOW CHECK E-11b.3

SP_DIFFCOND

EA-19c. Could you say a bit more about why it was too difficult to use?

TYPE: Memo

FLOW CHECK E-11b.3: IF EA-19 REASCOND INCLUDES 6 THEN ASK EA-19d
SP_SIDECOND
ELSE IF EA-19 REASCOND DOES NOT INCLUDE 6 THEN GO TO
FLOW CHECK E-11c

SP_SIDECOND

EA-19d. What were those side effects?

TYPE: Memo

FLOW CHECK E-11c: IF EA-17 METHSTOP INCLUDES 8, ASK EA-20 REASDEPO.
ELSE GO TO FLOW CHECK E-11d.

REASDEPO

EA-20. Looking at Card 32, what was the reason or reasons you were not satisfied with Depo-Provera?

- ♦ ENTER all that apply
- ♦ Press [Space] or [-] to separate responses

[SHOW CARD 32]

Too expensive.....1
Insurance did not cover it.....2
Too difficult to use.....3
Too messy.....4
Your partner did not like it.....5
You had side effects.....6
You were worried you might have side effects.....7
You worried the method would not work.....8
The method failed, you became pregnant.....9
The method did not protect against disease.....10
Because of other health problems, a doctor told you that you should
not use the method again.....11
The method decreased your sexual pleasure.....12
Too difficult to obtain the method.....13
Did not like the changes to your menstrual cycle.....14
Other - specify.....15

FLOW CHECK E-11c.1: IF EA-20 REASDEPO INCLUDES 15 THEN ASK EA-20b
SP_REASDEPO
ELSE IF EA-20 REASDEPO DOES NOT INCLUDE 15 THEN GO TO
FLOW CHECK E-11c.2

SP_REASDEPO

EA-20b. (Looking at Card 32, what was the reason or reasons you were not satisfied with Depo-provera?)

♦ SPECIFY "Other" reason she was not satisfied with Depo-provera

[SHOW CARD 32]

TYPE: Memo

FLOW CHECK E-11c.2: IF EA-20 REASDEPO INCLUDES 3 THEN ASK EA-20c
SP_DIFFDEPO
ELSE IF EA-20 REASDEPO DOES NOT INCLUDE 3 THEN GO TO
FLOW CHECK E-11c.3

SP_DIFFDEPO

EA-20c. Could you say a bit more about why it was too difficult to use?

TYPE: Memo

FLOW CHECK E-11c.3: IF EA-20 REASDEPO INCLUDES 6 THEN ASK EA-20d
SP_SIDEDEPO
ELSE IF EA-20 REASDEPO DOES NOT INCLUDE 6 THEN GO TO
FLOW CHECK E-11d

SP_SIDEDEPO

EA-20d. What were those side effects?

TYPE: Memo

FLOW CHECK E-11d: IF EA-17 METHSTOP INCLUDES 24, ASK EA-21 REASLUNL.
ELSE GO TO FLOW CHECK E-11e.

REASLUNL

EA-21. Looking at Card 32, what was the reason or reasons you were not satisfied with Lunelle injectable?

♦ ENTER all that apply

♦ Press [Space] or [-] to separate responses

[SHOW CARD 32]

- Too expensive.....1
- Insurance did not cover it.....2
- Too difficult to use.....3
- Too messy.....4
- Your partner did not like it.....5
- You had side effects.....6
- You were worried you might have side effects.....7
- You worried the method would not work.....8
- The method failed, you became pregnant.....9
- The method did not protect against disease.....10
- Because of other health problems, a doctor told you that you should
not use the method again.....11
- The method decreased your sexual pleasure.....12
- Too difficult to obtain the method.....13

Did not like the changes to your menstrual cycle.....14
Other - *specify*.....15

FLOW CHECK E-11d.1: IF EA-21 REASLUNL INCLUDES 15 THEN ASK EA-21b
SP_REASLUNL
ELSE IF EA-21 REASLUNL DOES NOT INCLUDE 15 THEN GO TO
FLOW CHECK E-11d.2

SP_REASLUNL

EA-21b. (Looking at Card 32, what was the reason or reasons you were not satisfied with Lunelle injectable?)

♦ *SPECIFY "Other" reason she was not satisfied with Lunelle injectable*

[SHOW CARD 32]

TYPE: Memo

FLOW CHECK E-11d.2: IF EA-21 REASLUNL INCLUDES 3 THEN ASK EA-21c
SP_DIFFLUNL
ELSE IF EA-21 REASLUNL DOES NOT INCLUDE 3 THEN GO TO
FLOW CHECK E-11d.3

SP_DIFFLUNL

EA-21c. Could you say a bit more about why it was too difficult to use?

TYPE: Memo

FLOW CHECK E-11d.3: IF EA-21 REASLUNL INCLUDES 6 THEN ASK EA-21d
SP_SIDEUNL
ELSE IF EA-21 REASLUNL DOES NOT INCLUDE 6 THEN GO TO
FLOW CHECK E-11e

SP_SIDEUNL

EA-21d. What were those side effects?

TYPE: Memo

FLOW CHECK E-11e: IF EA-17 METHSTOP INCLUDES 25, ASK EA-22 REASPTCH.
ELSE GO TO FLOW CHECK E-12.

REASPTCH

EA-22. Looking at Card 32, what was the reason or reasons you were not satisfied with the contraceptive patch?

♦ *ENTER all that apply*

♦ *Press [Space] or [-] to separate responses*

[SHOW CARD 32]

Too expensive.....1
Insurance did not cover it.....2
Too difficult to use.....3

Too messy.....4
Your partner did not like it.....5
You had side effects.....6
You were worried you might have side effects.....7
You worried the method would not work.....8
The method failed, you became pregnant.....9
The method did not protect against disease.....10
Because of other health problems, a doctor told you that you should
not use the method again.....11
The method decreased your sexual pleasure.....12
Too difficult to obtain the method.....13
Did not like the changes to your menstrual cycle.....14
Other - *specify*.....15

FLOW CHECK E-11e.1: IF EA-22 REASPTCH INCLUDES 15 THEN ASK EA-22b
SP_REASPTCH
ELSE IF EA-22 REASPTCH DOES NOT INCLUDE 15 THEN GO TO
FLOW CHECK E-11e.2

SP_REASPTCH

EA-22b. (Looking at Card 32, what was the reason or reasons you were not
satisfied with the Patch?)

♦ SPECIFY "Other" reason she was not satisfied with the
Patch

[SHOW CARD 32]

TYPE: Memo

FLOW CHECK E-11e.2: IF EA-22 REASPTCH INCLUDES 3 THEN ASK EA-22c
SP_DIFFPTCH
ELSE IF EA-22 REASPTCH DOES NOT INCLUDE 3 THEN GO TO
FLOW CHECK E-11e.3

SP_DIFFPTCH

EA-22c. Could you say a bit more about why it was too difficult to use?

TYPE: Memo

FLOW CHECK E-11e.3: IF EA-22 REASPTCH INCLUDES 6 THEN ASK EA-22d
SP_SIDEPTCH
ELSE IF EA-22 REASPTCH DOES NOT INCLUDE 6 THEN GO TO
FLOW CHECK E-12

SP_SIDEPTCH

EA-22d. What were those side effects?

TYPE: Memo

FLOW CHECK E-12: IF EVERUSED = 1 (YES), GO TO INTR-EB1.
ELSE IF EVERUSED = NO AND RHADSEX = NO, GO TO FLOW CHECK F-
0.
ELSE IF EVERUSED = NO AND RHADSEX = YES, GO TO INTR-EC1.

FIRST METHOD SERIES (EB)

INTR-EB1

EB-0. Now I need to ask a few questions about the very first time in your life that you used a birth control method for any reason.

- ♦ ENTER [1] to continue

{ underlying range 1 to 1

FIRSMETH

EB-1. What was the first birth control method you ever used for any reason? If you used more than one method, please tell me about each one. Please refer to Card 33.

- ♦ If R spontaneously mentions she was sterile (aside from sterilizing operation listed among categories), enter [22]
- ♦ If R spontaneously mentions her partner was sterile (aside from vasectomy listed in categories), enter [23]
- ♦ ENTER all that apply
- ♦ Press [Space] or [-] to separate responses

[HELP AVAILABLE]
[SHOW CARD 33]

Birth control pills	3
Condom	4
Partner's vasectomy	5
Female sterilizing operation, such as tubal sterilization and hysterectomy.....	6
Withdrawal, pulling out	7
Depo-Provera, injectables	8
Hormonal implant (Norplant™ or Implanon™)	9
Rhythm or safe period by calendar	10
Safe period by temperature or cervical mucus test, natural family planning.....	11
Diaphragm	12
Female condom, vaginal pouch	13
Foam	14
Jelly or cream	15
Cervical cap	16
Suppository, insert	17
Today™ sponge.....	18
IUD, coil, loop	19
Emergency Contraception	20
Other method -- specify	21
Respondent was sterile	22
Respondent's partner was sterile	23
Lunelle injectable (monthly shot)	24
Contraceptive patch	25
Vaginal contraceptive ring	26

**FLOW CHECK E-13a: IF EB-1 FIRSMETH INCLUDES 21, ASK EB-1 SP_FIRSMETH.
ELSE IF FIRSMETH DOES NOT INCLUDE 21, GO TO FLOW CHECK E-13b.**

SP_FIRSMETH

EB-1a.(What was the first birth control method you ever used for any reason? If you used more than one method, please tell me about each one. Please

refer to Card 33.)

♦ SPECIFY "Other" type of birth control method

TYPE: String[75]

FLOW CHECK E-13b: COMPUTE NUMFIRSM

(NUMFIRSM is total number of methods reported as first method ever used)

INITIALIZE NUMFIRSM TO NULL/BLANK.

NUMFIRSM=TOTAL NUMBER OF RESPONSES IN EB-1 FIRSMETH

FLOW CHECK E-13c: DEFINE FIRSMETH_FILL FOR EACH RESPONSE IN FIRSMETH:

INITIALIZE AS NULL/BLANK.

IF FIRSMETH=3, FIRSMETH_FILL= "the pill"

ELSE IF FIRSMETH=4, FIRSMETH_FILL= "the condom"

ELSE IF FIRSMETH=5, FIRSMETH_FILL= "your partner's vasectomy"

ELSE IF FIRSMETH=6, FIRSMETH_FILL= "your sterilizing operation"

ELSE IF FIRSMETH=7, FIRSMETH_FILL= "withdrawal"

ELSE IF FIRSMETH=8, FIRSMETH_FILL= "Depo-Provera"

ELSE IF FIRSMETH=9, FIRSMETH_FILL= "implant"

ELSE IF FIRSMETH=10, FIRSMETH_FILL= "the calendar rhythm method"

ELSE IF FIRSMETH=11, FIRSMETH_FILL= "natural family planning"

ELSE IF FIRSMETH=12, FIRSMETH_FILL= "the diaphragm"

ELSE IF FIRSMETH=13, FIRSMETH_FILL= "the female condom"

ELSE IF FIRSMETH=14, FIRSMETH_FILL= "foam"

ELSE IF FIRSMETH=15, FIRSMETH_FILL= "jelly or cream"

ELSE IF FIRSMETH=16, FIRSMETH_FILL= "the cervical cap"

ELSE IF FIRSMETH=17, FIRSMETH_FILL= "the suppository"

ELSE IF FIRSMETH=18, FIRSMETH_FILL= "the sponge"

ELSE IF FIRSMETH=19, FIRSMETH_FILL= "the IUD"

ELSE IF FIRSMETH=20, FIRSMETH_FILL= "emergency contraception"

ELSE IF FIRSMETH=21 AND EB-1a SP_FIRSMETH NE DK/RF, FIRSMETH_FILL=EB-1a SP_FIRSMETH

ELSE IF FIRSMETH=21 AND EB-1a SP_FIRSMETH = DK/RF, FIRSMETH_FILL= "the first method you used"

ELSE IF FIRSMETH=22, FIRSMETH_FILL= "your sterility"

ELSE IF FIRSMETH=23, FIRSMETH_FILL= "your partner's sterility"

ELSE IF FIRSMETH=24, FIRSMETH_FILL= "Lunelle"

ELSE IF FIRSMETH=25, FIRSMETH_FILL= "the patch"

ELSE IF FIRSMETH=26, FIRSMETH_FILL= "the ring"

ELSE IF FIRSMETH=DK/RF, FIRSMETH_FILL= "the first method you used"

EDIT CHECK EB1_2: IF ANY RESPONSE TO FIRSMETH NOT EQUAL TO A METHOD REPORTED IN EA-1 PILL TO EA-11 MORNPIILL OR EA-14 OTHERMETH, PROBE WITH THE FOLLOWING: "I do not have the (FIRSMETH_FILL) you just told me about in my computer from our question on the types of methods that you ever used. It will just take me a moment to add it."
INVOLVING: appropriate question from 1) EA-1 PILL through

EA-14 OTHRMETH, and 2) EB-1 FIRSMETH

EDIT CHECK EB1_3: IF FIRSMETH INCLUDES 6 (STER. OP) AND RSURGSTR = NO, PROBE WITH THE FOLLOWING: "Earlier in the interview I did not record that you had a sterilizing operation. Is it correct that the first method you used (FIRSMETH) was a sterilizing operation?"

INVOLVING: EB-1 FIRSMETH

FLOW CHECK E-13d: IF EDIT CHECK EB1_3 IS SUPPRESSED, GO TO EB-1b SU_FIRSMETH. ELSE GO TO FLOW CHECK E-14.

SU_FIRSMETH

EB-1b. Interviewer Checkpoint

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK EB1_3: "Earlier in the interview I did not record that you had a sterilizing operation. Is it correct that the first method you used (FIRSMETH) was a sterilizing operation?")

- ♦ ENTER all that apply
- ♦ Press [Space] or [-] to separate responses

R did have a sterilizing operation.....1
Unable to correct the question on first method used
(FIRSMETH).....2
R unable to/refused to resolve the discrepancy.....3
Some other reason.....4

FLOW CHECK E-14: DEFINE DRUGDEV (Whether first method was a drug or device)
FOR EACH RESPONSE TO FIRSMETH:
SET DRUGDEV = 0.
IF EB-1 FIRSMETH = 3 (PILL), 4 (CONDOM), 6 (STERIZING OPERATION), 8 (DEPO), 9 (IMPLANT), 12 (DIAPHRAGM), 13 (FEMALE CONDOM), 14 (FOAM), 15 (JELLY/CREAM), 16(CERVICAL CAP), 17 (SUPPOSITORY), 18 (SPONGE), 19 (IUD), 20 (EMERG. CONTRACEPTION), 24 (LUNELLE), 25 (CONT. PATCH), OR 26 (CONT. RING),
THEN DRUGDEV = 1 (YES)
ELSE IF EB-1 = 7 (WITHDRAWAL), 10 (RHYTHM), 5 (PARTNER'S VASECTOMY), 11 (SAFE PERIOD BY TEMPERATURE), 22 (RESPONDENT STERILE), 23 (PARTNER STERILE), OR 21 (OTHER METHOD),
THEN DRUGDEV = 5 (NO)
ELSE IF EB-1 FIRSMETH=DK/RF,
THEN DRUGDEV = DK/RF

FLOW CHECK E-15: IF RHADSEX = YES, GO TO FLOW CHECK E-16.
ELSE, IF RHADSEX = NO, GO TO EB-3 WNFSTUSE_M.

FLOW CHECK E-16: IF ANY RESPONSE TO EB-1 FIRSMETH = 3 (PILLS), 5 (VASECTOMY), 6 (STERILIZING OPERATION), 8 (DEPO-PROVERA), 9 (IMPLANT), 19 (IUD), 22 (R STERILE), 23 (H/P STERILE), 21 (OTHER METHOD), 24 (LUNELLE), OR 25 (CONT. PATCH)
ASK EB-2 FIRSMETH2.

ELSE IF ANY RESPONSE TO EB-1 FIRSMETH = 4 (CONDOM), 12 (DIAPHRAGM), 14 (FOAM), 15 (JELLY OR CREAM), 16 (CERVICAL CAP), 17 (SUPPOSITORY), 18 (TODAY SPONGE), 13 (FEMALE CONDOM), 20 (EMERGENCY CONTRACEPTION), 7 (WITHDRAWAL), 10 (RHYTHM (CALENDAR)), OR 11 (SAFE PERIOD (NFP)),
ASK EB-2 FIRSTIME1.

FIRSTIME1

EB-2. Please look at Card 34. Thinking again of the very first time you ever used a method of birth control, when was it? Was it the first time you had intercourse, less than a month after your first intercourse, one to three months after your first intercourse, four to twelve months after your first intercourse, or more than twelve months after your first intercourse?

[SHOW CARD 34]

The first time you had
intercourse.....2
Less than a month after
your first intercourse.....3
One to three months after
first intercourse.....4
Four to twelve months after
first intercourse.....5
More than twelve months after
first intercourse.....6

FLOW CHECK E-17: GO TO FLOW CHECK E-18

FIRSTIME2

EB_2. Please look at Card 35. Thinking again of the very first time you ever used a method of birth control, when was it? Was it before your first intercourse, the first time you had intercourse, less than a month after your first intercourse, one to three months after your first intercourse, four to twelve months after your first intercourse, or more than twelve months after your first intercourse?

[SHOW CARD 35]

Before your first
intercourse.....1
The first time you had
intercourse2
Less than a month after
your first intercourse.....3
One to three months after
first intercourse.....4
Four to twelve months after
first intercourse.....5
More than twelve months after
first intercourse.....6

FLOW CHECK E-18: DEFINE USEFSTX:
(Whether R used a method at first sex -- here, for everyone except those who reported it was before first sex):

SET USEFSTX = SYSMIS.

USEFSTSX = 1 (YES) IF EB_2 FIRSTIME1 = 2 OR EB_2
 FIRSTIME2 = 2
 USEFSTSX = 5 (NO) IF EB_2 FIRSTIME1 = 3, 4, 5, OR 6 OR
 EB_2 FIRSTIME2 = 3, 4, 5, OR 6
 USEFSTSX = remains sysmis IF FIRSTIME2=1
 USEFSTSX = DK/RF IF FIRSTIME1 or FIRSTIME2 = DK/RF

DEFINE CMFIRSM:
 (Date of first method use -- here, for those who reported
 that it was at first sex):

SET CMFIRSM = NULL/BLANK

CMFIRSM = CMFSTSEX IF EB_2 FIRSTIME1 = 2 OR EB_2
 FIRSTIME2 = 2

DEFINE MTHFSTSX:
 (Method used at first sex -- here, for those reported that
 it was at first sex):

SET MTHFSTSX = NULL/BLANK.

IF EB_2 FIRSTIME1 = 2 OR EB_2 FIRSTIME2 = 2, THEN MTHFSTSX = EB_1
 FIRSMETH

FLOW CHECK E-19: {1st method use was after 1st sex.
 IF EB_2 FIRSTIME1 = 3, 4, 5, OR 6 OR EB_2 FIRSTIME2 = 3, 4,
 5, OR 6, THEN ASK EB-3 WNFSTUSE_H.

{1st method use was at 1st sex
 ELSE IF EB_2 FIRSTIME1 = 2 OR FIRSTIME2 = 2 THEN GO TO FLOW
 CHECK E-22

{1st method use was before 1st sex
 ELSE IF EB_2 FIRSTIME2 = 1 THEN GO TO EB_3 WNFSTUSE_M

{1st method use timing v 1st sex unknown
 ELSE IF EB_2 FIRSTIME1 = DK/RF OR EB_2 FIRSTIME2=DK/RF THEN
 GO TO EB_3 WNFSTUSE_M

WNFSTUSE_M

① of ②

EB-3. Now, please look at your calendar, and tell me in what month and year
 you first used a method (for any reason).

Display if RHADSEX NE NO:

◆ *If respondent needs help, remind her of the date of her first
 intercourse which was in [CMFSTSEX].*

◆ **ENTER MM/YYYY**

◆ *PROBE for season if DK month*

- | | | | |
|-------------|-----------|--------------|------------|
| 1. January | 5. May | 9. September | 13. Winter |
| 2. February | 6. June | 10. October | 14. Spring |
| 3. March | 7. July | 11. November | 15. Summer |
| 4. April | 8. August | 12. December | 16. Fall |

[CALENDAR REFERENCE]

WNFSTUSE_Y

@ of @

EB-3. (Now, please look at your calendar, and tell me in what month and year you first used a method (for any reason).)

[CALENDAR REFERENCE]

♦ After R has given the year, say: Please write this on your calendar on the "Birth Control Methods" row, in the box for this month and year. You can use an abbreviation for the method, or anything that you will recognize later. If this date is before THREEYRS_FILL, write the date and method in the "Before THREEYRS_FILL" box.

♦ ENTER (WNFSTUSE_M)/YYYY

UNDERLYING RANGE: 1966 to 2011

FLOW CHECK E-20: COMPUTE CMFSTUSE = CM for date first used a method for those who did not report that it was at first sex

SET CMFSTUSE = null/blank

IF WNFSTUSE_Y=RF, SET CMFSTUSE=9998
ELSE IF WNFSTUSE_Y=DK, SET CMFSTUSE=9999

ELSE IF WNFSTUSE_M LE 12,
COMPUTE CMFSTUSE=(WNFSTUSE_Y - 1900) * 12 + WNFSTUSE_M

ELSE IF 13 LE WNFSTUSE_M LE 16, USE MONTH APPROPRIATE TO SEASON AND COMPUTE CMFSTUSE AS ABOVE

ELSE IF WNFSTUSE_M =DK OR RF, ASSIGN MONTH = 6 (June) AND COMPUTE CMFSTUSE AS ABOVE

Edit Check EB3_1: IF (WNFSTUSE_M LE 12) AND CMFSTUSE > CMINTVW, DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check EB3_2: IF (WNFSTUSE_M LE 12) AND CMFSTUSE < CMBIRTH, DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check EB3_3: IF (13 LE WNFSTUSE_M LE 16) AND CMFSTUSE > (CMINTVW + 2) , DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check EB3_4: IF (13 LE WNFSTUSE_M LE 16) AND CMFSTUSE < (CMBIRTH - 3) , DISPLAY: The date entered cannot be before her date of birth. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check EB3_5: IF (WNFSTUSE_M = DK OR RF) AND WNFSTUSE_Y > (CMINTVW/12 +1900), DISPLAY: The date entered cannot be after the date of interview. Please correct. HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check EB3_6: IF (WNFSTUSE_M = DK OR RF) AND WNFSTUSE_Y < (CMBIRTH/12

+1900)- 1, DISPLAY: The date entered cannot be before her date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK EB3_7: PROBE IF EB-2 FIRSTIME2 = 1 (BEFORE YOUR FIRST INTERCOURSE) AND CMFSTUSE > CMFSTSEX AND FLGSXDK1 = 1 AND WNFSTUSE_M LE 12 WITH:
"You reported that you used a birth control method before your first intercourse (CMFSTSEX_FILL); however the date you just gave me was after your first intercourse. Do I have one of the dates wrong?"
INVOLVING: EB-2 FIRSTIME2, WNFSTUSE_M, WNFSTUSE_Y

EDIT CHECK EB3_8: PROBE IF EB-2 FIRSTIME1 OR EB-2 FIRSTIME2 = 3 OR 4 OR 5 OR 6 AND CMFSTUSE < CMFSTSEX AND FLGSXDK1 = 1 AND WNFSTUSE_M LE 12 WITH:
"You reported that your first use was after the first time you had intercourse (CMFSTSEX_FILL); however the date you just gave me was not after your first intercourse. Do I have one of the dates wrong?"
INVOLVING: EB-2 FIRSTIME2, EB-2 FIRSTIME2, WNFSTUSE_M, WNFSTUSE_Y

FLOW CHECK E-20a: IF EDIT CHECK EB3_7 or EDIT CHECK EB3_8 IS SUPPRESSED, GO TO EB-3a SU_WNFSTUSE.
ELSE GO TO FLOW CHECK E-21.

SU_WNFSTUSE

EB-3a. Interviewer Checkpoint

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK EB3_7: "You reported that you used a birth control method before your first intercourse (CMFSTSEX_FILL); however the date you just gave me was after your first intercourse. Do I have one of the dates wrong?")

OR

(EDIT CHECK EB3_8: "You reported that your first use was after the first time you had intercourse (CMFSTSEX_FILL); however the date you just gave me was not after your first intercourse. Do I have one of the dates wrong?")

- ♦ ENTER all that apply
- ♦ Press [Space] or [-] to separate responses

Date of first intercourse is wrong.....1
Unable to correct the question on the date of first method use (WNFSTUSE).....2
Unable to correct the question on timing of first intercourse before/after method use (FIRSTIME2).....3
R unable to/refused to resolve the discrepancy.....4
Some other reason.....5

FLOW CHECK E-21: CONTINUE DEFINING CMFIRSM (Date of first method use -- here, for those who did not report that it was at first sex):
IF CMFIRSM = NULL/BLANK, THEN CMFIRSM=CMFSTUSE.

AGEFSTUS

EB-4. How old were you the first time you used a method for any reason?

♦ ENTER Age in years

{UNDERLYING RANGE 0-45

EDIT CHECK EB4_1: PROBE IF EB-4 AGEFSTUS > AGE_R.

FLOW CHECK E-22: IF AGE_R < 25, GO TO FLOW CHECK E-23. ELSE, GO TO FLOW CHECK E-28.

FLOW CHECK E-23: Set PLACNTR1=0
(PLACNTR1 is counter for # of times PLACGOTF asked.
PLACNTR1 WILL EQUAL THE NUMBER OF ITEMS THAT WERE SELECTED
IN FIRSMETH)

FLOW CHECK E-24: If DRUGDEV = Yes for any response to EB-1 FIRSMETH, Go to
FLOW CHECK E-25.
(Asks PLACGOTF for each method reported in EB-1
FIRSMETHx that is a drug or device.)

Else if DRUGDEV = No for all responses to EB-1 FIRSMETHx OR
DRUGDEV=DK/RF, Go to FLOW CHECK E-28

FLOW CHECK E-25: IF DRUGDEV = YES FOR (PLACNTR1) RESPONSE TO FIRSMETH,
CONTINUE.
ELSE GO TO FLOW CHECK E-27.

COMPUTE FMETHPRS FOR (PLACNTR1) RESPONSE TO FIRSMETH.

Set FMETHPRS=0.

If EB-1 FIRSMETH = 3 (pill) or 12 (Diaphragm) or 8 (Depo-
Provera) or 9 (Implant) or 16 (Cervical cap) or 19 (IUD) or
24 (Lunell) or 25 (Cont. Patch) or 26 (contraceptive ring),
FMETHPRS=1.

(Sets new variable FMETHPRS to 1 if first method required a
prescription, 0 if first method was non-prescription. Don't
have to define explicitly to capture the non-prescription
ones because only DRUGDEV are being asked this, so it will
correctly get assigned the non-prescription drug/device
methods. Also, should only need to look at FIRSMETH1 to
assign DK/RF.)

FLOW CHECK E-25a: SET FRSMTHRX_FILL = NULL/BLANK.
If FMETHPRS=1, FRSMTHRX_FILL = "Prescription for the
[FIRSMETH_FILL for FIRSMETH]"
Else if FMETHPRS = 0, FRSMTHRX_FILL = [FIRSMETH_FILL for
FIRSMETH].

(Causes question text to adapt depending on whether FIRSMETH
required a prescription - asks where R got prescription if
it did, method if it did not.)

PLACGOTF

EB_5. Please look at Card 36. Where did you get the [FRSMTHRX_FILL]?

[HELP AVAILABLE]
[SHOW CARD 36]

Private doctor's office.....1
 HMO facility.....2
 Community health clinic, community clinic, public health clinic.....3
 Family planning or Planned Parenthood clinic.....4
 Employer or company clinic.....5
 School or school-based clinic.....6
 Hospital outpatient clinic.....7
 Hospital emergency room.....8
 Hospital regular room.....9
 Urgent care center, urgi-care or walk-in facility.....10
 Friend.....11
 Partner or spouse.....12
 Drug store.....13
 Mail order / Internet.....14
 Some other place.....20

Edit Check EB5_1: Probe if FMETHPRS=1 and PLACGOTF eq 11 or 12 or 13 or 14 with:

"You reported that your first method was a method that generally requires a prescription; however, you just told me that you got the prescription from a friend, partner/spouse, or drug store. Do I have one of these answers wrong?" If necessary: Please think about where you got the *prescription*, whether or not that is also where you got the method itself.

INVOLVING: EB-5 PLACGOTF, EB-1 FIRSMETH
 (SEE ENDOTE)

FLOW CHECK E-27: Increment PLACNTR1 by 1
 If PLACNTR1 < NUMFIRSM then return to FLOW CHECK E-25
 Else if PLACNTR1 = NUMFIRSM the go to FLOW CHECK E-28.

FLOW CHECK E-28: (This flow check does the following:
 IF FIRST USE WAS BEFORE FIRST SEX, ASK IF R USED BIRTH CONTROL AT FIRST SEX, OTHERWISE,
 IF FIRST USE WAS AT FIRST INTERCOURSE OR AFTER FIRST INTERCOURSE, GO TO NEXT SERIES, OTHERWISE,
 IF FIRST USE TIMING UNKNOWN/REFUSED, GO TO NEXT SERIES)

 IF EB-2 FIRSTIME1 <> (BLANK, DK, RF), GO TO FLOW CHECK E-33

 ELSE
 IF EB-2 FIRSTIME2=1 (before) OR BLANK AND (CMFIRSM <= CMFSTSEX)
 OR
 EB-2 FIRSTIME2=1 (before) OR BLANK AND (CMFIRSM=DK/RF OR CMFSTSEX=DK/RF),
 ASK EB-6 USEFRSTS.

 ELSE GO TO FLOW CHECK E-33

USEFRSTS
 EB-6. Did you use any birth control method the first time you had intercourse?

 Yes.....1
 No.....5

FLOW CHECK E-29: CONTINUE DEFINING USEFSTSX (Whether R used a method at first sex):
 IF USEFSTSX = NULL/BLANK, THEN USEFSTSX=USEFRSTS

FLOW CHECK E-30: IF USEFRSTS=5 THEN GO TO FLOW CHECK E-33

MTHFRSTS

EB-8. Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that.

- ♦ ENTER all that apply
- ♦ Press [Space] or [-] to separate responses
- ♦ If R spontaneously mentions she was sterile (aside from sterilizing operation listed in categories), enter [22]
- ♦ If R spontaneously mentions her partner was sterile (aside from vasectomy listed in categories), enter [23]

[HELP AVAILABLE]
[SHOW CARD 33]

Birth control pills	3
Condom	4
Partner's vasectomy	5
Female sterilizing operation, such as tubal sterilization and hysterectomy.....	6
Withdrawal, pulling out	7
Depo-Provera, injectables	8
Hormonal implant (Norplant™ or Implanon™)	9
Rhythm or safe period by calendar	10
Safe period by temperature or cervical mucus test, natural family planning.....	11
Diaphragm	12
Female condom, vaginal pouch	13
Foam	14
Jelly or cream	15
Cervical cap	16
Suppository, insert	17
Today™ sponge.....	18
IUD, coil, loop	19
Emergency Contraception	20
Other method -- specify	21
Respondent was sterile	22
Respondent's partner was sterile	23
Lunelle injectable (monthly shot)	24
Contraceptive patch	25
Vaginal contraceptive ring	26

**FLOW CHECK E-31: IF EB-8 MTHFRSTS=21 THEN ASK SP_MTHFRSTS
ELSE IF EB-8 MTHFRSTS NE 21 THEN GO TO EDIT CHECK EB8_1**

SP_MTHFRSTS

EB-8a.(Which method did you use the first time you had intercourse? The methods are listed on Card 33. If you used more than one method at the same time, please tell me about that.)

- ♦ SPECIFY "Other" type of birth control method

[SHOW CARD 33]

TYPE: String[75]

FLOW CHECK E-31a: DEFINE MTHFRSTS_FILL FOR EACH RESPONSE IN MTHFRSTS:
INITIALIZE AS NULL/BLANK.
IF MTHFRSTS=3, MTHFRSTS_FILL='the pill'
ELSE IF MTHFRSTS=4, MTHFRSTS_FILL='the condom'
ELSE IF MTHFRSTS=5, MTHFRSTS_FILL='your partner's vasectomy'
ELSE IF MTHFRSTS=6, MTHFRSTS_FILL='your sterilizing
operation'
ELSE IF MTHFRSTS=7, MTHFRSTS_FILL='withdrawal'
ELSE IF MTHFRSTS=8, MTHFRSTS_FILL='Depo-Provera'
ELSE IF MTHFRSTS=9, MTHFRSTS_FILL='implant'
ELSE IF MTHFRSTS=10, MTHFRSTS_FILL='the calendar rhythm
method'
ELSE IF MTHFRSTS=11, MTHFRSTS_FILL='natural family planning'
ELSE IF MTHFRSTS=12, MTHFRSTS_FILL='the diaphragm'
ELSE IF MTHFRSTS=13, MTHFRSTS_FILL='the female condom'
ELSE IF MTHFRSTS=14, MTHFRSTS_FILL='foam'
ELSE IF MTHFRSTS=15, MTHFRSTS_FILL='jelly or cream'
ELSE IF MTHFRSTS=16, MTHFRSTS_FILL='the cervical cap'
ELSE IF MTHFRSTS=17, MTHFRSTS_FILL='the suppository'
ELSE IF MTHFRSTS=18, MTHFRSTS_FILL='the sponge'
ELSE IF MTHFRSTS=19, MTHFRSTS_FILL='the IUD'
ELSE IF MTHFRSTS=20, MTHFRSTS_FILL='emergency contraception'
ELSE IF MTHFRSTS=21 AND EB-8a SP_MTHFRSTS NE DK/RF,
MTHFRSTS_FILL=EB-8a SP_MTHFRSTS
ELSE IF MTHFRSTS=21 AND EB-8a SP_MTHFRSTS = DK/RF,
MTHFRSTS_FILL= "the first method you used"
ELSE IF MTHFRSTS=22, MTHFRSTS_FILL='your sterility'
ELSE IF MTHFRSTS=23, MTHFRSTS_FILL='your partner's
sterility'
ELSE IF MTHFRSTS=24, MTHFRSTS_FILL='Lunelle'
ELSE IF MTHFRSTS=25, MTHFRSTS_FILL='the patch'
ELSE IF MTHFRSTS=26, MTHFRSTS_FILL='the ring'
ELSE IF MTHFRSTS = DK/RF, MTHFRSTS_FILL= "the first method
you used"

EDIT CHECK EB8_1: IF ANY RESPONSE TO MTHFRSTS NOT EQUAL TO A METHOD REPORTED
IN EA-1 PILL TO EA-11 MORNPIII OR EA-14 OTHERMETH, PROBE
WITH THE FOLLOWING: "I do not have the (MTHFRSTS_FILL) you
just told me about in my computer from our question on the
types of methods that you ever used. It will just take me a
moment to add it."

FLOW CHECK E-32: CONTINUE DEFINING MTHFSTX (Method used at first sex -- for
those who reported that it was before first sex):
IF MTHFSTX = NULL/BLANK, THEN MTHFSTX=MTHFRSTS

Create and output 5 MTHFSTXs: MTHFSTX1 through MTHFSTX5

PERIODS OF NON INTERCOURSE (EC)

FLOW CHECK E-33: IF RHADSEX=YES, GO TO FLOW CHECK E-34.
ELSE, IF RHADSEX = NO, GO TO FLOW CHECK E-38.

FLOW CHECK E-34: IF (CMFSTSEX = CMINTVW, SET EC-8 MONSX = 1) AND FOR ALL
MONTHS BEFORE CMFSTSEX (OR CMMONSX < CMFSTSEX), SET EC-8

MONSX = 5 AND GO TO FLOW CHECK E-38

FLOW CHECK E-34a: CREATE CMJANIWYR = CENTURY MONTH OF JANUARY OF INTERVIEW YEAR
CREATE CMJAN1YR = CENTURY MONTH OF JANUARY OF INTERVIEW YEAR MINUS 1
CREATE CMJANIWYR_FILL IN THE FORMAT 'JANUARY 2006'. (YEAR WILL VARY BASED ON IW YEAR.)
CREATE CMJAN1YR_FILL IN THE FORMAT 'JANUARY 2005'. (YEAR WILL VARY BASED ON IW YEAR.)
CREATE YR1_FILL IN THE FORMAT '2005'. (WILL VARY BASED ON IW YEAR. SHOULD ALWAYS BE INTERVIEW YEAR MINUS 1.)
CREATE YR2_FILL IN THE FORMAT '2004'. (WILL VARY BASED ON IW YEAR. SHOULD ALWAYS BE INTERVIEW YEAR MINUS 2.)
CREATE CMINTVW_FILL IN THE FORMAT 'MAY 2006' BASED ON VALUE FOR CMINTVW.
CREATE CMLSEXP_FILL IN THE FORMAT 'August 1998' BASED ON VALUE FOR CMLSEXP.
CREATE CMLSEXx_FILL IN THE FORMAT 'August 1998' BASED ON VALUE FOR CMLSEXx.
CREATE CMFSEXx_FILL IN THE FORMAT 'August 1998' BASED ON VALUE FOR CMFSEXx.
CREATE CMMONSX = CENTURY MONTH OF CURRENT MONSX QUESTION SET = CMJAN3YR AND INCREMENT BY ONE AS R IS CYCLED THROUGH THE 48 MONSX MONTHS.

INTR-EC1

EC-1.

IF CMFSTSEX <= CMJAN3YR or CMFSTSEX=DK/RF, ASK:
Many women have times when they are not having intercourse at all, for example, because of pregnancy, separation, not dating anyone, illness, or other reasons. I'd like to know the months since [CMJAN3YR_FILL] that you did not have intercourse with a male at all for the entire month. First, let's make sure you have other information on your calendar.

IF CMFSTSEX > CMJAN3YR, ASK:
Many women have times when they are not having intercourse at all, for example, because of pregnancy, separation, not dating anyone, illness, or other reasons. I'd like to know the months, since the first time you had intercourse, which was in [CMFSTSEX_FILL], that you did not have intercourse with a male at all for the entire month. First, let's make sure you have other information on your calendar.

Check calendar and make sure the following information is filled in. Help respondent fill in any missing information. If no pregnancies, go to the next screen.

[CALENDAR REFERENCE]

Pregnancy history
Beginning Date
CMPBEG_S[X]_FILL

Ending Date
CMENDP_S[X]_FILL

♦ ENTER [1] to continue

{ underlying range 1 to 1

INTR-EC2

EC-2. IF CMFSTSEX <= CMJAN3YR or CMFSTSEX=DK/RF, ASK:
(Many women have times when they are not having intercourse at all, for example, because of pregnancy, separation, not dating anyone, illness, or other reasons. I'd like to know the months since [CMJAN3YR_FILL] that you did not have intercourse with a male at all for the entire month. First, let's make sure you have other information on your calendar.)

IF CMFSTSEX > CMJAN3YR, ASK:
(Many women have times when they are not having intercourse at all, for example, because of pregnancy, separation, not dating anyone, illness, or other reasons. I'd like to know the months, since the first time you had intercourse, which was in [CMFSTSEX_FILL], that you did not have intercourse with a male at all for the entire month. First, let's make sure you have other information on your calendar.)

♦ Check calendar and make sure the following information is filled in. Help respondent fill in any missing information.

[CALENDAR REFERENCE]

Sexual history

Very first sexual intercourse: [CMFSTSEX_FILL]

First sexual intercourse after menstrual period: [CMSEXAFM_FILL]

Last sex with first partner: [CMLSEXFP_FILL]

Partners in the past 12 months (since [CMLSTYR_FILL]):

<i>Name</i>	<i>First sex</i>	<i>Last (or only) sex</i>
[PXNAME_FILL/FRSTPART_FILL]	[CMFSEXx_FILL/CMFSTSEX_FILL]	[CMLSEXx_FILL/CMLSEXFP_FILL]

Number of partners in the past 12 months: [PARTS12]

♦ ENTER [1] to continue

{ underlying range 1 to 1

INTR_EC3

EC-3. IF CMFSTSEX <= CMJAN3YR or CMFSTSEX=DK/RF, ASK:
Since [CMJAN3YR_FILL], have there been any times when you were not having intercourse with a male at all for one month or more?

IF CMFSTSEX > CMJAN3YR, ASK:
Since [CMFSTSX_FILL], have there been any times when you were not having intercourse with a male at all for one month or more?

♦ Remember,
'Yes' means the respondent had at least one month of no intercourse, and
'No' means R had intercourse every month.

Yes.....1
No.....5

**FLOW CHECK E-35: IF INTR_EC3 = 1, DK, OR RF THEN GO TO INTR-EC4
ELSE IF INTR_EC3=5 THEN:**

**(1) FILL WITH "1" ALL CELLS OF THE NONINTERCOURSE
VARS STARTING WITH EITHER CMJAN3YR OR CMFSTSX
(WHICHEVER COMES LATER) UPTO AND INCLUDING CMINTVW
AND FILL WITH SYSMIS FOR MONTHS BEYOND CMINTVW, AND**

(2) GO TO FLOW CHECK E-38

INTR-EC4

EC-4.

IF CMFSTSX <= CMJANIWYR or CMFSTSEX=DK/RF, SAY:
Start with the current month, [CMINTVW_FILL], and think about each month one at a time, going back to [CMJANIWYR_FILL]. On the row labeled "Intercourse", please mark an "x" in the box for each month during which you had intercourse at least once. So the boxes in this row that are blank will be the ones during which you did not have intercourse at all for the whole month.

IF CMFSTSX > CMJANIWYR SAY:
Start with the current month, [CMINTVW_FILL], and think about each month one at a time, going back to [CMFSTSX_FILL]. On the row labeled "Intercourse", please mark an "x" in the box for each month during which you had intercourse at least once. So the boxes that are blank will be the ones during which you did not have intercourse at all for the whole month.

IF CMINTVW = CMJANIWYR SAY:
Start with the current month, [CMINTVW_FILL]. Please mark an "x" in the box for this month if you had intercourse this month at least once.

**FLOW CHECK E-36: IF CMFSTSX < CMJANIWYR or CMFSTSEX=DK/RF THEN GO TO INTR-EC5
ELSE IF CMFSTSX >= CMJANIWYR THEN GO TO INTR-EC7**

INTR-EC5

EC-5.

IF CMFSTSX <= CMJAN1YR or CMFSTSEX=DK/RF, SAY:
Now think about last year, YR1_FILL. Start with December, and think about each month one at a time, going back to January, YR1_FILL. Please mark an "x" in the box for each month during which you had intercourse at least once.

IF CMFSTSX > CMJAN1YR SAY:
Now think about YR1_FILL. Start with December, and think about each month one at a time, going back to [CMFSTSEX_FILL]. Please mark an "x" in the box for each month during which you had intercourse at least once.

**FLOW CHECK E-37: IF CMFSTSX < CMJAN1YR or CMFSTSEX=DK/RF THEN GO TO INTR-EC6.
ELSE IF CMFSTSX >= CMJAN1YR THEN GO TO INTR-EC7**

INTR-EC6

EC-6.

IF CMFSTSX <= CMJAN3YR or CMFSTSEX=DK/RF, SAY:
Finally, start with December YR2_FILL, and think about each month one at a time, going back to CMJAN3YR_FILL. Please mark an "x" in the box for each month during which you had intercourse at least once.

IF CMFSTSX > CMJAN3YR SAY:
Finally, start with December YR2_FILL, and think about each month one at a time, going back to [CMFSTSEX_FILL]. Please mark an "x" in the box for each month during which you had intercourse at least once.

INTR-EC7

EC-7.

Now I need to enter those months into the computer. Would you prefer that I look at your calendar, or would you rather tell me the months?

♦ *If Respondent is reading the months:*

Please tell me the months that you had intercourse, starting with [CMJAN3YR_FILL/CMFSTSEX_FILL].

♦ ENTER [1] to continue

{ underlying range 1 to 1

{ASKED IF CMMONSX >= CMFSTSEX AND CMMONSX <= CMINTVW OR (CMFSTSEX > 9995 AND CMMONSX <= CMINTVW)
{PLACE A HEADER ON SCREEN THAT IS DATE CORRESPONDING TO MONTH THAT DISCUSSING MONSX

EC-8. Interviewer Checkpoint

♦ Did the Respondent mark an X in this month or mention intercourse occurred during:

[FILL FOR MONTH AND YEAR CORRESPONDING TO CURSOR'S POSITION.]

Yes.....1
No.....5

EDIT CHECK EC8_1a: PROBE IF MONSX[xxxx]=5 AND (MONSX[xxxx]=CMFSTSEX OR MONSX[xxxx]=CMSEXAFM), DISPLAY:
I have recorded that you first had sex [EMPTY/AFTER_MENARCHE] on this date (CMMONSX_FILL). I also just recorded that you did not have sex this month. Which one should I correct.
INVOLVING: MONSX[xxxx].
EC EC8_1A FILL AFTER_MENARCHE="after menarche" IF FIRST SEX WAS AFTER MENARCHE OTHERWISE LEAVE BLANK

FLOW CHECK E-37b: IF EDIT CHECK EC8_1a IS SUPPRESSED, GO TO EC-8a SU_MONSXa. ELSE GO TO EDIT CHECK EC8_1b.

{ SU_MONSXa FILL AFTER_MENARCHE="after menarche" IF FIRST SEX WAS AFTER MENARCHE OTHERWISE LEAVE BLANK

SU_MONSXa

EC-8a. Interviewer Checkpoint

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK EC8_1a: I have recorded that you first had sex [EMPTY/AFTER_MENARCHE] on this date (CMMONSX_FILL). I also just recorded that you did not have sex this month. Which one should I correct.)

♦ ENTER all that apply

♦ Press [Space] or [-] to separate responses

Date of first intercourse (or date of first intercourse after menarche) is wrong.....1
Unable to correct the question on intercourse/no intercourse in this month (MONSX).....2
R unable to/refused to resolve the discrepancy.....3
Some other reason.....4

EDIT CHECK EC8_1b: PROBE IF MONSX[xxxx] IS WITHIN CMINTVW-12 AND MONSX=5 AND

(MONSX[xxxx]= CMLSEX1 OR MONSX[xxxx]= CMLSEX2 OR
MONSX[xxxx]= CMLSEX3), DISPLAY: I have recorded that you
last had sex with PXNAME_FILL on MONSX[xxxx] I also just
recorded that you did not have sex this month. Which one
should I correct? (Interviewer, if the date of last sex
with partner is wrong, suppress this edit check).
INVOLVING: MONSX[xxxx].

FLOW CHECK E-37c: IF EDIT CHECK EC8_1b IS SUPPRESSED, GO TO EC-8b SU_MONSXb.
ELSE GO TO FLOW CHECK E-37a.

SU_MONSXb

EC-8b. Interviewer Checkpoint

What reason(s) best describes why you suppressed this edit check?

EDIT CHECK EC8_1b: (I have recorded that you last had sex with
PXNAME_FILL on MONSX[xxxx] I also just recorded that you did not
have sex this month. Which one should I correct?)

- ♦ ENTER all that apply
- ♦ Press [Space] or [-] to separate responses

Date of last sex with recent partner(s) is wrong.....1
Unable to correct the question on intercourse/no intercourse
in this month (MONSX).....2
R unable to/refused to resolve the discrepancy.....3
Some other reason.....4

FLOW CHECK E-37a: IF EC-3 INTR_EC3=DK/RF AND FIRST MONSX[xxxx] =DK/RF
THEN GO TO FLOW CHECK E-38.
ELSE, CONTINUE WITH NEXT EC-8 MONSX[xxxx]

CONTRACEPTIVE METHOD HISTORY (ED)

FLOW CHECK E-38: IF EVERUSED = NO, GO TO FLOW CHECK E-64.
ELSE, IF EVERUSED=YES, GO TO FLOW CHECK E-38a.

FLOW CHECK E-38a: IF CMPBEG_S[X]_FILL=BLANK AND CMENDP_S[X]_FILL=BLANK THEN GO
TO INTR-ED2.
ELSE IF CMPBEG_S[X]_FILL NE BLANK OR CMENDP_S[X]_FILL NE
BLANK THEN ASK INTR-ED1.

INTR-ED1

ED-1. Before we begin this next section on your birth control use, I
need to make sure all of the information we need is on your
calendar.

- ♦ Check calendar and make sure the following information is
filled in. Help respondent fill in any missing information.

[CALENDAR REFERENCE]

Pregnancies	Ending Date
Beginning Date	CMENDP_S[X]_FILL
CMPBEG_S[X]_FILL	

- ♦ ENTER [1] to continue

{ underlying range 1 to 1

INTR-ED2

ED-2. (Before we begin this next section on your birth control use, I need to make sure all of the information we need is on your calendar.)

♦ Check calendar and make sure the following information is filled in. Help respondent fill in any missing information.

[CALENDAR REFERENCE]

Months of intercourse:

IF INTR_EC3 NE 5, DISPLAY: MONSX

IF INTR_EC3 = 5, DISPLAY: CMJAN3YR_FILL or CMFSTXS_FILL (whichever comes later) to **CMINTVW_FILL** (FOR EXAMPLE, DISPLAY: "JANUARY 2003 to August 2006")

♦ ENTER [1] to continue

UNDERLYING RANGE 1 TO 1

FLOW CHECK E-38b: CREATE CMOPER1_FILL:

SET CMOPER1_FILL = BLANK.

IF CMOPER1 NE NULL/BLANK, CREATE CMOPER1_FILL IN THE
FORMAT 'March 1986'.

CREATE CMMALEOP_FILL:

SET CMMALEOP_FILL = BLANK.

IF CMMALEOP NE NULL/BLANK, CREATE CMMALEOP_FILL IN THE
FORMAT 'March 1986'.

CREATE CMLIGREV_FILL:

SET CMLIGREV_FILL = BLANK.

IF CMLIGREV NE NULL/BLANK, CREATE CMLIGREV_FILL IN THE
FORMAT 'March 1986'.

CREATE CMVASREV_FILL:

SET CMVASREV_FILL = BLANK.

IF CMVASREV NE NULL/BLANK, CREATE CMVASREV_FILL IN THE
FORMAT 'March 1986'.

**FLOW CHECK E-38c: IF (CMOPER1_FILL=BLANK AND CMLIGREV_FILL=BLANK AND
CMMALEOP_FILL=BLANK AND CMVASREV_FILL=BLANK) THEN GO TO FLOW
CHECK E-39.**

**ELSE IF (CMOPER1_FILL NE BLANK OR CMLIGREV_FILL NE BLANK OR
CMMALEOP_FILL NE BLANK OR CMVASREV_FILL NE BLANK) THEN ASK
INTR-ED3.**

INTR-ED3

ED-3. (Before we begin this next section on your birth control use, I need to make sure all of the information we need is on your calendar.)

♦ Check calendar and make sure the following information is filled in. Help respondent fill in any missing information.

[CALENDAR REFERENCE]

R surgically sterile between:

Date of operation

CMOPER1_FILL

Date of reversal

CMLIGREV_FILL

CHECK E-64.

INTR-ED4b

ED-4b.

IF ED-4a INTR-ED4a=SYSMIS THEN SAY:

I need to find out about the birth control methods you used each month between (CMSTRTMC_FILL) and (CMENDMC_FILL). Remember to include methods men use -- such as condoms, vasectomy, and withdrawal -- in your answer.

IF ED-4a INTR-ED4a=1 THEN START HERE:

Looking at the methods on Card 37, please write the methods you used each month on the calendar. I need to know about all the methods you used, so if you used more than one method in a month, please record all the methods you used that month.

To do this, on the "Birth Control Methods" row, write the name of the method in each month that you used a method, going back to CMSTRTMC_FILL. You can use an abbreviation for the method if you wish.

IF CMOPER1 NE BLANK AND CMOPER1 < 9998, ASK:

Even though we've marked the month that your sterilization began, if you used any methods after that time, please write them on the calendar.

To do this, on the "Birth Control Methods" row, write the name of the method in each month that you used a method, going back to CMSTRTMC_FILL. You can use an abbreviation for the method if you wish.

{*DISPLAYED FOR ALL*

- ♦ *ENTER [1] to continue*

[CALENDAR REFERENCE]

[SHOW CARD 37]

{ underlying range 1 to 1

INTR-ED5

ED-5.

Take your time.

- ♦ *Help her record methods on calendar.*
- ♦ *Make sure R is starting in the correct month and year of the method history calendar, (STRTMC_FILL) when she is thinking back about using or not using contraceptives*
- ♦ *When R has recorded all methods on the calendar, say:*

Now I need to enter the methods in the computer. It is important that we get these methods correct. If you notice that I have entered something incorrectly, please let me know.

- ♦ *Have R read methods to you if possible. Verify methods with R as you enter them.*
- ♦ *ENTER [1] to continue*

{ underlying range 1 to 1

FLOW CHECK E-41: (This flow check does the following: establishes beginning of loop that contains method cal. questions - completed for every month of the calendar to be asked about)
 SET METHCNTR=0
 (METHCNTR is counter for # times METHHIST asked)
 INITIALIZE NUMMCMON= NULL/BLANK.
 SET NUMMCMON = number of months of method calendar between CMSTRTMC and CMENDMC (max=48))
 METHCNTR=NUMMCMON

FLOW CHECK E-42: SET NUMMULT=0
 (NUMMULT is total number of methods reported in each month (month x) of method calendar - max = 4)

METHHIST

ED-6. Interviewer Checkpoint

What method(s) did the respondent use during:

[FILL FOR MONTH AND YEAR CORRESPONDING TO CURSOR'S POSITION]

IF CMSTRTMC/MONTHx GE CMOPER1 and (CMLIGREV=sysmis or MONTHx < CMLIGREV), display:

- ◆ Respondent has previously mentioned she was sterile at this point in time, based on date of operation, so enter [6] (along with other codes if she used other method(s)).

- ◆ If R spontaneously mentions her partner was sterile, for reasons other than vasectomy, and no method was used in the month, enter [23]

ELSE, DISPLAY:

- ◆ If R spontaneously mentions she was sterile, for reasons other than an operation, and no method was used in the month, enter [22]

- ◆ If R spontaneously mentions her partner was sterile, for reasons other than vasectomy, and no method was used in the month, enter [23]

IF CMSTRTMC/MONTHx NE JANUARY, DISPLAY:

- ◆ If "Same method(s) used through the end of the year", enter [55]
- ◆ If "Same method(s) as previous month", enter [2]

- ◆ ENTER up to 4 different methods

[HELP AVAILABLE]

- No method used1
- [EMPTY (IF JAN)/Same as previous month]2
- Birth control pills3
- Condom4
- Partner's vasectomy5
- Female sterilizing operation, such as tubal6
- sterilization and hysterectomy6
- Withdrawal, pulling out7
- Depo-Provera, injectables8
- Hormonal implant (Norplanttm or Implanontm).....9
- Rhythm or safe period by calendar10
- Safe period by temperature or cervical mucus test,
 natural family planning11

Diaphragm12
 Female condom, vaginal pouch13
 Foam14
 Jelly or cream15
 Cervical cap16
 Suppository, insert17
 Today™ sponge18
 IUD, coil, loop19
 Emergency Contraception20
 Other method -- specify21
 Respondent sterile22
 Respondent's partner sterile23
 Lunelle injectable (monthly shot24
 Contraceptive patch25
 Vaginal contraceptive ring26
 [EMPTY (IF JAN)/Same method used thru end of year]55

FLOW CHECK E-43: IF ED-6 METHHIST INCLUDES 21 THEN GO TO ED-7 SP_METHHIST
 ELSE IF ED-6 METHHIST DOES NOT INCLUDE 21 THEN GO TO FLOW
 CHECK 44

SP_METHHIST

ED-7. (What method(s) did the respondent use during:

[FILL FOR MONTH AND YEAR CORRESPONDING TO CURSOR'S POSITION]

♦ Specify "Other" type of method

TYPE: STRING [50]

FLOW CHECK E-44: DEFINE METHHIST_FILL (fill for method x used in month x of
 method calendar) FOR EACH RESPONSE IN METHHIST
 SET METHHIST_FILL = NULL/BLANK.
 IF METHHIST=3, METHHIST_FILL="the pill"
 ELSE IF METHHIST=4, METHHIST_FILL="the condom"
 ELSE IF METHHIST=5, METHHIST_FILL="your partner's vasectomy"
 ELSE IF METHHIST=6, METHHIST_FILL="your sterilizing
 operation"
 ELSE IF METHHIST=7, METHHIST_FILL="withdrawal"
 ELSE IF METHHIST=8, METHHIST_FILL="Depo-Provera"
 ELSE IF METHHIST=9, METHHIST_FILL="implant"
 ELSE IF METHHIST=10, METHHIST_FILL="the calendar rhythm
 method"
 ELSE IF METHHIST=11, METHHIST_FILL="natural family planning"
 ELSE IF METHHIST=12, METHHIST_FILL="the diaphragm"
 ELSE IF METHHIST=13, METHHIST_FILL="the female condom"
 ELSE IF METHHIST=14, METHHIST_FILL="foam"
 ELSE IF METHHIST=15, METHHIST_FILL="jelly or cream"
 ELSE IF METHHIST=16, METHHIST_FILL="the cervical cap"
 ELSE IF METHHIST=17, METHHIST_FILL="the suppository"
 ELSE IF METHHIST=18, METHHIST_FILL="the sponge"
 ELSE IF METHHIST=19, METHHIST_FILL="the IUD"
 ELSE IF METHHIST=20, METHHIST_FILL="emergency contraception"
 ELSE IF METHHIST=21 AND ED-1a SP_METHHIST NE DK/RF,
 METHHIST_FILL=ED-1a SP_METHHIST
 ELSE IF METHHIST=21 AND ED-1a SP_METHHIST = DK/RF,
 METHHIST_FILL="the method you used"
 ELSE IF METHHIST=22, METHHIST_FILL="your sterility"
 ELSE IF METHHIST=23, METHHIST_FILL="your partner's

```
sterility"  
ELSE IF METHHIST=24, METHHIST_FILL="Lunelle"  
ELSE IF METHHIST=25, METHHIST_FILL="the patch"  
ELSE IF METHHIST=26, METHHIST_FILL="the ring"  
ELSE IF METHHIST = DK/RF, METHHIST_FILL="that method"
```

```
CREATE CMMHICAL = CENTURY MONTH OF THIS ENTRY IN THE METHOD HISTORY  
SET = CMJAN3YR AND INCREMENT BY ONE AS R IS CYCLED  
THE MHC.
```

```
CREATE SALM = FLAG INDICATING WHETHER 'SAME AS LAST MONTH'  
WAS ORIGINAL ANSWER TO METHHIST  
INITIALIZE AS 0  
SALM = 1 IF SAME AS PREVIOUS MONTH (2) IS  
ENDORSED
```

```
CREATE SAY = FLAG INDICATING WHETHER 'SAME ALL YEAR' WAS  
ORIGINAL ANSWER TO METHHIST  
INITIALIZE AS 0  
SAY = 1 IF METHHIST = 55
```

```
FLOW CHECK E-45: IF ED-6 METHHIST = 55 ASK ED-8 SAMEALLYEAR.  
ELSE IF ED-6 METHHIST NE 55 GO TO EDIT CHECK ED1_1.
```

SAMEAllYear

ED-8. I'm about to enter that you used [METHHIST_FILL for each response in previous month] every month from [THIS MONTH] through [DECEMBER OF THAT YEAR or INTERVIEW if this is the interview year]. Is that correct?

```
Yes.....1  
No.....5
```

```
FLOW CHECK E-46: IF ED-8 SAMEALLYEAR NE YES THEN RETURN TO ED-6 METHHIST  
ELSE IF ED-8 SAMEALLYEAR=YES THEN GO TO EDIT CHECK ED1_1.
```

EDIT CHECK ED8_1: SAMEALLYEAR <> YES, DISPLAY: If R now says the methods used were not the same for the rest of the year, return to METHHIST (listed below) and change the methods used for this month. Otherwise, change the answer to this question (SAMEAllYear) to "Yes" INVOLVING(METHHIST)

EDIT CHECK ED6_1: IF METHOD REPORTED IN ED-6 METHHIST OTHER THAN 22 OR 23 OR ED-7 SP_METHHIST WAS NOT REPORTED IN EA-1 (PILL) TO EA-15 (SP_OTHRMETH), DISPLAY: I do not have (METHHIST_FILL) that you just told me about in my computer from our question on the types of methods that you ever used. It will just take me a moment to add it. INVOLVING(EA SERIES QUESTION ASSOCIATED WITH METHHIST_FILL)

EDIT CHECK ED6_2: PROBE IF ED-6 METHHIST INCLUDES 1 (NO METHODS USED) AND ANOTHER ANSWER "You have reported that you used no method but also that you used [METHHIST_FILL] that/this month. Do I have something wrong?"

EDIT CHECK ED6_3: PROBE IF ED-6 METHHIST = 2 (SAME AS PREVIOUS MONTH) AND ED-6 METHHIST > 2 (A METHOD) "IWER: "same as last month" cannot be selected along with another method for the same month."

EDIT CHECK ED6_4a: PROBE IF MONTH IN QUESTION = CMFIRSM AND METHHIST = 1 (NO METHODS USED) DISPLAY: You have reported that you did not use a method in this month, but this month is the month you earlier said you used a method for the first time. Do I have something wrong?

EDIT CHECK ED6_4b: PROBE IF MONTH IN QUESTION = CMFIRSM AND METHHIST NE EB-1 FIRSMETH. DISPLAY: Earlier, you reported using a method (METHHIST_FILL) when we discussed which methods you used the first time you used a method, but you did not report that method here. Do I have something wrong?
INVOLVING: METHHISTxxxx, CMFIRSM, EB-1 FIRSMETH

EDIT CHECK ED6_5: PROBE IF MONTH IN QUESTION=CMFIRSM AND USEFSTSX=YES AND ED-6 METHHIST NE MTHFSTSX
INVOLVING: METHHISTxxxx, CMFIRSM, USEFSTSX, MTHFSTSX

EDIT CHECK ED6_6: PROBE IF ED-6 METHHIST INCLUDES 4 (CONDOM), 12 (DIAPHRAGM), 14 (FOAM), 15 (JELLY OR CREAM), 16 (CERVICAL CAP), 17 (SUPPOSITORY), 18 (TODAY SPONGE), 13 (FEMALE CONDOM), 20 (EMER.CONTRACEPTION), 7 (WITHDRAWAL), 10 (RHYTHM) OR 11 (SAFE PERIOD), AND MONTH IS NONINTERCOURSE AS INDICATED BY MONSXxxxx FOR THIS MONTH. Display: You have reported a method that is used during an act of sexual intercourse (METHHIST for this month), but earlier you reported you did not have sexual intercourse in this month (MONSX for this month). Please help me correct the information.
INVOLVING: MONSXnnnn and METHHISTxxxx

EDIT CHECK ED6_7: PROBE IF ED-6 METHHIST INCLUDES 3 (PILL), 9 (IMPLANT), 8 (DEPO), AND MONTH IN QUESTION IS WITHIN 2 MONTHS BEFORE CMBDAY_S, OR IF CURRPREG=1 (YES) AND MONTH IN QUESTION IS 7TH, 8TH, OR 9TH MONTH OF PREG, DISPLAY: Based on what I recorded earlier, you would have been in the seventh month of pregnancy or later, in this month. Is your pregnancy and method use information correct for this month, or has something been entered incorrectly?
INVOLVING: METHHISTxxxx

FLOW CHECK E-46a: IF EDIT CHECK ED1_7 IS SUPPRESSED, GO TO ED-8a SU_FIRSMETH. ELSE GO TO FLOW CHECK E-14.

SU_METHHIST

ED-6a. Interviewer Checkpoint

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK ED6_7: Based on what I recorded earlier, you would have been in the seventh month of pregnancy or later, in this month. Is your pregnancy and method use information correct for this month or has something been entered incorrectly?)

- ♦ ENTER all that apply
- ♦ Press [Space] or [-] to separate responses

- Baby's birth date is wrong.....1
- R is not currently pregnant.....2
- R is currently pregnant but is not in the last 3 months of pregnancy.....3
- Unable to correct the question on method used during this month (METHHIST).....4
- R unable to/refused to resolve the discrepancy.....5
- Some other reason.....6

FLOW CHECK E-47: IF MONTH IN QUESTION = CMJAN3YR THEN ASK ED-9 DATBEGIN_M ELSE IF MONTH IN QUESTION > CMJAN3YR THEN GO TO FLOW CHECK E-50

FLOW CHECK E-48: NUMMULT=TOTAL NUMBER OF METHODS REPORTED IN ED-6 METHHIST (max = 4)

DATBEGIN_M

① of ②

ED-9. IF ONLY ONE METHOD REPORTED IN 1ST MONTH OF MC, ASK:

When did you start using this method? If you used this method on and off before (CMSTRTMC_FILL), please tell me when you started using the method most recently before (CMSTRTMC_FILL).

IF MORE THAN ONE METHOD REPORTED IN 1ST MONTH OF MC, AND NONE OF THEM IS PILL, ASK:

When did you start using that method combination? If you used that method combination on and off before (CMSTRTMC_FILL), please tell me when you started using the method combination most recently before (CMSTRTMC_FILL).

IF MORE THAN ONE METHOD REPORTED IN 1ST MONTH OF MC, AND ONE OF THEM IS PILL, ASK:

When did you start using that method combination? If you used that method combination on and off before (CMSTRTMC_FILL), please tell me when you started using the method combination most recently before (CMSTRTMC_FILL).

If you used the methods at different times during that month, please tell me when you started using the pill most recently before (CMSTRTMC_FILL).

♦ If R has difficulty remembering, refer her to the life history calendar.

♦ ENTER MM/YYYY

♦ PROBE for season if DK month

[CALENDAR REFERENCE]

[HELP AVAILABLE]

- | | | | |
|-------------|-----------|--------------|------------|
| 1. January | 5. May | 9. September | 13. Winter |
| 2. February | 6. June | 10. October | 14. Spring |
| 3. March | 7. July | 11. November | 15. Summer |
| 4. April | 8. August | 12. December | 16. Fall |

DATBEGIN_Y

② of ②

ED-9. IF ONLY ONE METHOD REPORTED IN 1ST MONTH OF MC, ASK:

(When did you start using this method? If you used this method on and off before (CMSTRTMC), please tell me when you started using the method

most recently prior to (CMSTRTMC).)

IF MORE THAN ONE METHOD REPORTED IN 1ST MONTH OF MC, AND NONE OF THEM IS PILL, ASK:

(When did you start using that method combination? If you used that method combination on and off before (CMSTRTMC_FILL), please tell me when you started using the method combination most recently prior to (CMSTRTMC_FILL).)

IF MORE THAN ONE METHOD REPORTED IN 1ST MONTH OF MC, AND ONE OF THEM IS PILL, ASK:

(When did you start using that method combination? If you used that method combination on and off before (CMSTRTMC_FILL), please tell me when you started using the method combination most recently prior to (CMSTRTMC_FILL).)

If you used the methods at different times during that month, please tell me when you started using the pill most recently before (CMSTRTMC_FILL).)

♦ *If R has difficulty remembering, refer her to the life history calendar.*

♦ *ENTER MM/YYYY*

{underlying range 1966 to 2011

[CALENDAR REFERENCE]

FLOW CHECK E-49: COMPUTE CMDATBEGIN = CM for date began method reported in first month of method calendar

SET CMDATBEGIN=null/blank

IF DATBEGIN_Y=RF, SET CMDATBEGIN=9998.
ELSE IF DATBEGIN_Y=DK, SET CMDATBEGIN=9999.

ELSE IF DATBEGIN_M <= 12,
COMPUTE CMDATBEGIN=(DATBEGIN_Y - 1900) * 12 + DATBEGIN_M.

ELSE IF 13 <= DATBEGIN_M <= 16, USE MONTH APPROPRIATE TO SEASON AND COMPUTE CMDATBEGIN AS ABOVE

ELSE IF DATBEGIN_M = DK OR RF, ASSIGN MONTH = 6 (June) AND COMPUTE CMDATBEGIN AS ABOVE.

Edit Check ED9_1: IF (DATBEGIN_M LE 12) AND CMDATBEGIN > CMINTVW,
DISPLAY: The date entered cannot be after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check ED9_2: IF (DATBEGIN_M LE 12) AND CMDATBEGIN < CMBIRTH,
DISPLAY: The date entered cannot be before her date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check ED9_3: IF (13 LE DATBEGIN_M LE 16) AND CMDATBEGIN > (CMINTVW + 2) , **DISPLAY:** The date entered cannot be after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check ED9_4: IF (13 LE DATBEGIN_M LE 16) AND CMDATBEGIN < (CMBIRTH - 3) , **DISPLAY:** The date entered cannot be before her date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check ED9_5: IF (DATBEGIN_M = DK OR RF) AND DATBEGIN_Y > (CMINTVW/12 +1900), **DISPLAY:** The date entered cannot be after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check ED9_6: IF (DATBEGIN_M = DK OR RF) AND DATBEGIN_Y < (CMBIRTH/12 +1900)- 1, **DISPLAY:** The date entered cannot be before her date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK ED9_7: PROBE IF DATBEGIN > CMSTRTMC, **DISPLAY:** R has reported a date that is after the start of the method history calendar. Verify with R the correct date and re-enter.
INVOLVING(DATBEGIN_M,DATBEGIN_Y)

EDIT CHECK ED9_8: PROBE IF DATBEGIN < CMFIRSM, **DISPLAY:** R has reported a date that is before the date she reported using a method for the first time. Verify with R the correct date and re-enter.
INVOLVING(DATBEGIN_M,DATBEGIN_Y)

FLOW CHECK E-50: IF NUMMULT=2 (TWO METHODS USED IN THE MONTH), ASK ED-10 SIMSEQ.
ELSE IF NUMMULT>2 (MORE THAN TWO METHODS USED IN THE MONTH), GO TO ED-11 MTHUSIMX.
ELSE, IF NUMMULT=1 (ONLY ONE METHOD USED IN THE MONTH), GO TO FLOW CHECK E-51

SIMSEQ

ED-10. Did you use those methods together, that is, at the same time, or did you use them at different times during the month?

[HELP AVAILABLE]

Same time.....1
Different times.....2

FLOW CHECK E-51: GO TO FLOW CHECK E-53

MTHUSIMX

ED-11. IF FIRST TIME QUESTION ASKED FOR THE MONTH, ASK:
During that month, which of those methods, if any, did you use at the same time?

- ♦ *Select first set of methods used simultaneously.*
- ♦ *ENTER all that apply*

- ♦ *Press [Space] or [-] to separate responses*

IF SECOND OR THIRD TIME QUESTION ASKED FOR THE MONTH, ASK:
During that month, which other methods, if any, did you use at the same time?

- ♦ *Select next set of methods used simultaneously.*

- ♦ ENTER all that apply
- ♦ Press [Space] or [-] to separate responses

None.....1
 Birth control pills.....3
 Condom.....4
 Partner's vasectomy.....5
 Female sterilizing operation, such as tubal
 sterilization and hysterectomy.....6
 Withdrawal, pulling out.....7
 Depo-Provera, injectables.....8
 Hormonal implant (Norplant™ or
 Implanon™).....9
 Rhythm or safe period by calendar.....10
 Safe period by temperature or cervical mucus
 test, natural family planning.....11
 Diaphragm.....12
 Female condom, vaginal pouch.....13
 Foam.....14
 Jelly or cream.....15
 Cervical cap.....16
 Suppository, insert.....17
 Today™ sponge.....18
 IUD, coil, loop.....19
 Emergency Contraception.....20
 Other method (*Display specified response*)..21

R's sterility.....22
 R's partner's sterility.....23
 Lunelle injectable (monthly shot).....24
 Contraceptive patch.....25
 Vaginal contraceptive ring.....26

EDIT CHECK ED11_1: PROBE IF METHOD REPORTED IN ED-11 MTHUSIMX NE METHOD REPORTED IN ED-6 METHHIST FOR THAT MONTH. Method given is not among those methods selected in the method history for this month. Make sure that the choices selected are all choices that had been selected previously in the method history for this month.
 INVOLVING: MTHUSIMXnn and METHHIST[xxxx]

FLOW CHECK E-52: REPEAT ED-11 MTHUSIMX [NUMMULT]-1 TIMES, ([NUMMULT] = NUMBER OF METHODS REPORTED IN THE MONTH), OR UNTIL ED-11 MTHUSIMX=1 (NONE). WHEN [NUMMULT]-1 TIMES REACHED, OR ED-11 MTHUSIMX =1, GO TO FLOW CHECK E-53

FLOW CHECK E-53: (This does the following: If there are more months to record, go back to beginning of loop. Otherwise, go to next flow check)
 INCREMENT METHCNTR BY 1
 IF METHCNTR < NUMMCMON THEN RETURN TO ED-6 METHHIST
 ELSE IF METHCNTR = NUMMCMON THEN GO TO FLOW CHECK E-54

FLOW CHECK E-54: COMPUTE CURRMETH1, CURRMETH2, CURRMETH3, CURRMETH4.
 INITIALIZE TO NULL/BLANK.
 (Create variables for method(s) used in current month (interview month). Can be up to 4 different methods)

COMPUTE LSTMONMETH1, LSTMONMETH2, LSTMONMETH3, LSTMONMETH4.
INITIALIZE TO NULL/BLANK.

(Create variables for method(s) used in month before
interview. Can be up to 4 different methods)
EACH INDIVIDUAL METHOD IN THE ENTER ALL THAT APPLY ANSWER TO
ED-6 METHHIST SHOULD BE PLACED IN ITS OWN VARIABLE HERE FOR
CURRMETHX AND LASTMONMETHX.

FLOW CHECK E-55: COMPUTE PILL_12, DIAPH_12, IUD_12, IMPLANT_12, DEPO_12,
CERVX_12, MPILL_12, LUNEL_12, PATCH_12, RING_12
(Create yes/no (1/5) variable for whether she used the
method at all in the 12 months prior to interview (including
month of interview) for Section F)

INITIALIZE PILL_12, DIAPH_12, IUD_12, IMPLANT_12, DEPO_12,
CERVX_12, MPILL_12, LUNEL_12, PATCH_12, RING_12 TO 5

IF METHHIST1,2,3,4 for month of interview = 3 or
METHHIST1,2,3,4 for (month of interview - 1) = 3 or
METHHIST1,2,3,4 for (month of interview - 2) = 3 or
...
METHHIST1,2,3,4 for (month of interview - 11) = 3 then
PILL_12 = 1

IF METHHIST1,2,3,4 for month of interview = 12 or
METHHIST1,2,3,4 for (month of interview - 1) = 12 or
METHHIST1,2,3,4 for (month of interview - 2) = 12 or
...
METHHIST1,2,3,4 for (month of interview - 11) = 12 then
DIAPH_12 = 1

FLOW CHECK E-56: IF RHADSEX = NO AND EA-1 PILL = YES, GO TO FLOW CHECK E-97
(pill for health reasons - EJ).
ELSE IF RHADSEX = NO AND EA-1 PILL NE YES, GO TO FLOW CHECK
F-0
ELSE IF RHADSEX = YES GO TO FLOW CHECK E-57

METHOD USE AT LAST (AND FIRST) SEX WITH UP TO 3 PARTNERS IN THE PAST 12 MONTHS (EF)

FLOW CHECK E-57:
IF (PARTS12 = 0) OR
(PARTS12 = DK/RF AND CMLSEX1 < CMLSTYR) OR
(PARTS12 = 1 AND LIFEPR1 = 1 AND LSTSEXP_M=96),
GO TO FLOW CHECK E-64

ELSE IF (PARTS12 > 0) OR
(PARTS12=DK/RF AND CMLSEX1 GE CMLSTYR),
CONTINUE WITH INTRBC12.

INTRBC12

EF_0. IF PARTS12 = 1, SAY:
Now I have some questions about your use of birth control with your
sexual partner within the past year, that is, since (CMLSTYR_FILL). It
will be helpful to look at your calendar for any information on sexual
partners, months you did not have intercourse, and birth control methods
you used.

ELSE IF PARTS12 = 2 or 3, SAY:
Now I have some questions about your use of birth control with your

(PARTS12) sexual partners within the past year, that is, since (CMLSTYR_FILL). It will be helpful to look at your calendar for any information on sexual partners, months you did not have intercourse, and birth control methods you used.

ELSE IF PARTS12 GT 3, SAY:

Now I have some questions about your use of birth control with your sexual partners within the past year, that is, since (CMLSTYR_FILL). It will be helpful to look at your calendar for any information on sexual partners, months you did not have intercourse, and birth control methods you used. In order to save time during the interview, I'll only ask you about your 3 most recent partners in the past 12 months. Let's start with [P1NAME].

[CALENDAR REFERENCE]

♦ ENTER [1] to continue

{ underlying range 1 to 1

FLOW CHECK E-58: INITIALIZE EF-CNTR = 1.

FLOW CHECK E-59:

ASK EF-1 USELSTP THROUGH EF-4 FOR UP TO 3 PARTNERS IN LAST 12 MONTHS: USING P1NAME, P2NAME, P3NAME, and CMLSEX1_FILL, CMLSEX2_FILL, CMLSEX3_FILL (until EF-CNTR GT smaller value of 3 or PARTS12).

FLOW CHECK E-60: IF P1YRELPX = 13 AND CMLSEXFP= 9996 (only had sex once with her first partner), GO TO FLOW CHECK E-63. (We already have method use info for first sex with first sexual partner).

ELSE CONTINUE WITH USELSTP EF-1

USELSTP

EF-1. IF CMFSEXx = 9996 (only had sex once with this partner), ASK:
Looking at Card 33, the time you had intercourse with [PxNAME] in [CMLSEXx_FILL], did you or he use any method?

ELSE ASK:

Looking at Card 33, the last time you had intercourse with [PxNAME] in [CMLSEXx_FILL], did you or he use any method?

[SHOW CARD 33]

Yes.....1
No.....5

EDIT CHECK EF1_1:

CHECK AGAINST METHOD CALENDAR:

. IF METHHIST ED-1 FOR THAT MONTH (CMLSEXx) = 1 (NO METHODS USED) AND USELSTP= 1 (YES), PROBE
. IF METHHIST ED-1 FOR THAT MONTH INCLUDES 3 (PILL), 5 (VASECTOMY), 19 (IUD), 9 (IMPLANT), 8 (DEPO-PROVERA), 22 (RESPONDENT STERILE), OR 24 (LUNELLE) AND USELSTP=NO, PROBE: R has reported using a method at last sex with this partner, but this conflicts with the method history calendar entry for this month. Probe R and clarify any possible mistakes INVOLVING: USELSTP and METHHISTxxxx

**FLOW CHECK E-60b: IF EDIT CHECK EF1_1 IS SUPPRESSED, GO TO EF-1a SU_USELSTP.
ELSE GO TO FLOW CHECK E-60a.**

SU_USELSTP

EF-1a. Interviewer Checkpoint

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK EF1_1: (R has reported using a method at last sex with this partner, but this conflicts with the method history calendar entry for this month. Probe R and clarify any possible mistakes.)

- ♦ ENTER all that apply
- ♦ Press [Space] or [-] to separate responses

- Date of last sex with this partner is wrong.....1
- Did use this method in this month, but after last sex with this partner.....2
- Unable to correct the question on method use at last sex with this partner (USELSTP).....3
- Unable to correct the question on methods used in this month (METHHISTxxxx).....4
- R unable to/refused to resolve the discrepancy.....5
- Some other reason.....6

**FLOW CHECK E-60a: IF EF-1 USELSTP NE 1 THEN GO TO FLOW CHECK E-61
ELSE IF EF-1 USELSTP = 1 THEN ASK EF-2 LSTMTHP.**

LSTMTHP

EF-2. Which method or methods on Card 33 did you or he use?

[SHOW CARD 33]

- Birth control pills3
- Condom4
- Partner's vasectomy5
- Female sterilizing operation, such as tubal sterilization and hysterectomy.....6
- Withdrawal, pulling out7
- Depo-Provera, injectables8
- Hormonal implant (Norplant™ or Implanon™)9
- Rhythm or safe period by calendar10
- Safe period by temperature or cervical mucus test, natural family planning.....11
- Diaphragm12
- Female condom, vaginal pouch13
- Foam14
- Jelly or cream15
- Cervical cap16
- Suppository, insert17
- Today™ sponge.....18
- IUD, coil, loop19
- Emergency Contraception20
- Other method -- specify21
- Respondent was sterile22
- Respondent's partner was sterile23
- Lunelle injectable (monthly shot)24
- Contraceptive patch25
- Vaginal contraceptive ring26

EDIT CHECK EF2_1: PROBE IF METHHIST ED-1 FOR THAT MONTH (CMLSEXx) DOES NOT INCLUDE LSTMTHP. Display:
R has reported a method at last sex with this partner that conflicts with the method history calendar entry for this month. Probe R and clarify any possible mistakes.
INVOLVING: LSTMTHP and METHHISTxxxx

FLOW CHECK E-60c: IF EDIT CHECK EF2_1 IS SUPPRESSED, GO TO EF-2a SU_LSTMTHP ELSE GO TO FLOW CHECK E-61.

SU_LSTMTHP

EF-2a. Interviewer Checkpoint

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK EF2_1: (R has reported a method at last sex with this partner that conflicts with the method history calendar entry for this month. Probe R and clarify any possible mistakes.))

- ♦ ENTER all that apply
- ♦ Press [Space] or [-] to separate responses

Date of last sex with this partner is wrong.....1
Unable to correct the question on methods used at
last sex with this partner (LSTMTHP).....2
Unable to correct the question on methods used in
this month (METHHISTxxxx).....3
R unable to/refused to resolve the discrepancy....4
Some other reason.....5

FLOW CHECK E-61: (This flow check does the following: FIRST PARTNERS WITH WHOM SHE HAD SEX MORE THAN ONCE GET HERE. DON'T NEED TO ASK NEXT QUESTIONS ABOUT METHOD USE AT FIRST SEX W/THEM BECAUSE WE ALREADY KNOW. FIRST PARTNERS WITH WHOM SHE HAD SEX ONLY ONCE HAVE ALREADY BEEN SKIPPED TO END OF LOOP.)

IF PLYRELPX = 13, GO TO FLOW CHECK E-63

FLOW CHECK E-62: IF CMFSEXx = 9996 (only had sex with this partner once), GO TO FLOW CHECK E-63.

USEFSTP

EF-3. Looking at Card 33, the first time you had intercourse with [PxNAME] in [CMFSEXx_FILL], did you or he use any method?

[SHOW CARD 33]

Yes.....1
No.....5

EDIT CHECK EF3_1: CHECK AGAINST METHOD CALENDAR:
IF CMFSEXx >= CMJAN3YR (WITHIN PAST 3 YRS):
 . IF METHHIST ED-1 FOR THAT MONTH (CMFSEXx) =1 (NO METHODS USED) AND USEFSTP = 1 (YES), PROBE
 . IF METHHIST ED-1 FOR THAT MONTH INCLUDES 3 (PILL), 5 (VASECTOMY), 19 (IUD), 9 (IMPLANT), 8 (DEPO-PROVERA), 22 (RESPONDENT STERILE), OR 24 (LUNELLE) AND USEFSTP= 5 (NO), PROBE:

R has reported using a method at first sex with this partner, but this conflicts with the method history calendar entry for this month. Probe R and clarify any possible mistakes.

INVOLVING: USEFSTP and METHHISTxxxx

**FLOW CHECK E-62b: IF EDIT CHECK EF3_1 IS SUPPRESSED, GO TO EF-3a SU_USEFSTP
 ELSE GO TO FLOW CHECK E-62a.**

SU_USEFSTP

EF-3a. Interviewer Checkpoint

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK EF3_1: (R has reported using a method at first sex with this partner, but this conflicts with the method history calendar entry for this month. Probe R and clarify any possible mistakes.)

- ♦ ENTER all that apply
- ♦ Press [Space] or [-] to separate responses

- Date of first sex with this partner is wrong.....1
- Did use this method in this month, but stopped before sex
with this partner2
- Unable to correct the question on method use at first sex
with this partner (USEFSTP)3
- Unable to correct the question on methods used in this
month (METHHISTxxxx)4
- R unable to/refused to resolve the discrepancy.....5
- Some other reason.....6

**FLOW CHECK E-62a: IF EF-3 USEFSTP NE 1 THEN GO TO FLOW CHECK E-63
 ELSE IF EF-3 USEFSTP = 1 THEN ASK EF-4 FSTMTHP.**

FSTMTHP

EF-4. Which method or methods on Card 33 did you or he use?

[SHOW CARD 33]

- Birth control pills3
- Condom4
- Partner's vasectomy5
- Female sterilizing operation, such as tubal
sterilization and hysterectomy.....6
- Withdrawal, pulling out7
- Depo-Provera, injectables8
- Hormonal implant (Norplant™ or Implanon™)9
- Rhythm or safe period by calendar10
- Safe period by temperature or cervical mucus test,
natural family planning.....11
- Diaphragm12
- Female condom, vaginal pouch13
- Foam14
- Jelly or cream15
- Cervical cap16
- Suppository, insert17
- Today™ sponge18
- IUD, coil, loop19
- Emergency Contraception20

Other method -- specify21
Respondent was sterile22
Respondent's partner was sterile23
Lunelle injectable (monthly shot)24
Contraceptive patch25
Vaginal contraceptive ring26

EDIT CHECK EF4_1: PROBE IF METHHIST ED-1 FOR THAT MONTH (CMFSEXx) DOES NOT INCLUDE FSTMTHP.
(R has reported a method at first sex with this partner that conflicts with the method history calendar entry for this month. Probe R and clarify any possible mistakes.)
INVOLVING: FSTMTHP and METHHISTxxxx

FLOW CHECK E-62c: IF EDIT CHECK EF4_1 IS SUPPRESSED, GO TO EF-4a SU_FSTMTHP ELSE GO TO FLOW CHECK E-63.

SU_FSTMTHP

EF-4a. Interviewer Checkpoint

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK EF4_1: (R has reported a method at first sex with this partner that conflicts with the method history calendar entry for this month. Probe R and clarify any possible mistakes.)

- ♦ ENTER all that apply
- ♦ Press [Space] or [-] to separate responses

Date of first sex with this partner is wrong.....1
Unable to correct the question on methods used at first sex with this partner (FSTMTHP).....2
Unable to correct the question on methods used in this month (METHHISTxxxx).....3
R unable to/refused to resolve the discrepancy....4
Some other reason.....5

FLOW CHECK E-63: ADVANCE EF-CNTR BY 1.
IF PARTS12 = DK/RF, GO TO FLOW CHECK E-64.
ELSE IF EF-CNTR LE (smaller value of 3 or PARTS12), RETURN TO FLOW CHECK E-59 TO ASK ABOUT NEXT MOST RECENT PARTNER IN LAST 12 MONTHS.
ELSE IF EF-CNTR GT 3 or PARTS12 [ja: don't think we need the "or PARTS12" now], CONTINUE WITH FLOW CHECK E-64.

CONDITIONS SURROUNDING R's PREGNANCIES: WANTEDNESS; PARTNER(S); MOTIVATION; REASONS (EG)

{ pregnancy dates and fills below should reflect final vars that are exported from Section B, after corrections, etc. from summary screen (check all vars below incl. name, outcome, length, date, number of babies).

FLOW CHECK E-64: IF EVERPREG=NO THEN GO TO FLOW CHECK E-86

FLOW CHECK E-65: INITIALIZE WANTCNTR TO 1
INITIALIZE LBCNTR TO 0 (NUMBER OF LIVE BIRTHS BEFORE NTH

PREGNANCY, WHERE N=WANTCNTR
INITIALIZE XX TO 1 (FOR FILLS/DATES (BEGFILXX, CMPRGENDX,
CMPBEG_S[X]))

FLOW CHECK E-66: BEGINNING OF PREGNANCY LOOP.

{The following part used to be Flow Check E-67, but it has
been incorporated into the beginning of this flow check.}
DEFINE BABYNAME_FILL (Fill for name of baby for live births
or wording for relinquished or died)
SET BABYNAME_FILL = NULL/BLANK.

IF NBRNLV_S[X] > 1
 SET BABYNAME_FILL TO [MULT_S_FILL]
ELSE IF BABNAM_S[X] = BPAX,
 SET BABYNAME_FILL TO "the baby you placed for
 adoption".
ELSE IF BABNAM_S[X] = BDSX,
 SET BABYNAME_FILL TO "the baby that died"
ELSE IF BABNAM_S[X] = NULL/BLANK or " " (just spaces),
 SET BABYNAME_FILL TO "the baby"
ELSE BABYNAME_FILL= BABNAM_S[X]

CREATE FILLS FOR THE BEGINNING OF THE PREGNANCY INTERVALS.
INITIALIZE BEGFILXX TO NULL/BLANK.

- (1) SET BEGFIL[XX] (XX = 1) = "your first intercourse"
- (2) SET BEGFILXX (XX > 1) = "(BABYNAME_FILL)'s birth in
(CMENDP_S[X]_FILL)" WHERE CMENDP_S[X]_FILL IS FOR (XX-1)
PREGNANCY IF PREVIOUS PREGNANCY ENDED IN LIVE BIRTH.
ELSE, SET BEGFILXX (XX > 1) = "your (XX-1) pregnancy which
ended in (CMENDP_S[X]_FILL)" WHERE CMENDP_S[X]_FILL IS FOR
(XX-1) PREGNANCY

INTR-EG1

INTR_EG1. IF NPREGS_S = 1, ASK:
Now let's talk about the period of time from (BEGFILXX) until you
became pregnant.

ELSE IF NPREGS_S>1 AND WANTCNTR < NPREGS_S, ASK:
Now let's talk about the period of time from (BEGFILXX) until you
became pregnant with your (XXTH) pregnancy which ended in
(CMENDP_S[X]_FILL).

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S, AND CURRPREG NE YES,
ASK:
Now let's talk about the period of time from (BEGFILXX) until you
became pregnant with your (XXTH) pregnancy which ended in
(CMENDP_S[X]_FILL).

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG = YES, ASK:
Now let's talk about the period of time from (BEGFILXX) until you
became pregnant this time.

♦ ENTER [1] to continue

{ underlying range 1 to 1

FLOW CHECK E-68: CREATE INTERVALS

SET CMINTSTRXX = CMINTFINXX = CMINTSTROP = CMINTFINOP =
CMINTSTRCR = CMINTFINCR = 0.

CLOSED INTERVALS:

1ST INTERVAL: 1ST SEX TO END OF 1ST PREG

CMINTSTR01 = CMFSTSEX

CMINTFIN01 = CMFSTPRG = CMPRGEND1

2ND INTERVAL: END OF 1ST PREG TO END OF 2ND PREG

CMINTSTR02 = CMFSTPRG = CMPRGEND1

CMINTFIN02 = CMPRGEND2

Compute remaining intervals (up to NPREGS_S if not currently pregnant, or up to NPREGS_S - 1 if currently pregnant).

OPEN INTERVAL:

END OF LAST PREGNANCY TO MONTH OF INTERVIEW

CMINTSTROP = CMPRGEND[NPREGS_S] if not currently pregnant OR CMPRGEND[NPREGS_S-1] if currently pregnant

CMINTFINOP = CMINTVW

CURR. PREG. INTERVAL:

1ST SEX TO MONTH OF INTERVIEW OR

END OF LAST PREG TO MONTH OF INTERVIEW

(IF NPREGS_S=1):

CMINTSTRCR = CMFSTSEX

CMINTFINCR = CMINTVW

(IF NPREGS_S>1):

CMINTSTRCR = CMPRGEND[NPREGS_S-1]

CMINTFINCR = CMINTVW

CREATE PRGOUTCOME_FILL:

INITIALIZE PRGOUTCOME_FILL = NULL/BLANK

IF OUTCOM_S[X] = 1 SET PRGOUTCOME_FILL = "Live Birth"

IF OUTCOM_S[X] = 2 SET PRGOUTCOME_FILL = "Not a Live Birth"

IF OUTCOM_S[X] = 3 SET PRGOUTCOME_FILL = "Current Pregnancy"

FLOW CHECK E-69: DEFINE ANYUSINTXX:

INITIALIZE ANYUSINTXX = NO.

IF CMFIRSM < CMINTFINXX then ANYUSINT = YES

OR

IF R USED A METHOD IN ANY MONTH IN THE INTERVAL THAT OVERLAPS WITH THE METHOD CALENDAR (METHHIST ED-1 for months prior to and including CMINTFINXX), SET ANYUSINTXX = YES.

Notes:

-- THIS IS USED IN RESNOUSE EG-5 TO INDICATE WHETHER ANY METHOD USED DURING EACH PREGNANCY INTERVAL)FOR PREGS BEGINNING >= CMJAN3YR

-- Whenever the interval is completely before the method calendar, or straddles the beginning of the method calendar, that is, begins before the calendar and ends within the calendar, need to use date of first method use (cmfirm) in relation to end of interval to determine ANYUSINT. When interval is completely within method calendar, can rely solely on method calendar to define ANYUSEINT.

FLOW CHECK E-69a: (DETERMINE WHAT SHOULD BE THE FIRST QUESTION ASKED)
(FOR PREGNANCIES WITH DK/RF BEGINNING DATES.)
IF CMPBEG_S[X] = DK/RF AND EVERUSED = 5 (NO), GO TO RESNOUSE EG-5.
ELSE IF CMPBEG_S[X] = DK/RF AND EVERUSED = 1 (YES), GO TO EVUSEINT EG-1.
ELSE IF CMPBEG_S[X] = DK/RF AND EVERUSED = SYSMIS, GO TO EVUSEINT EG-1.

FLOW CHECK E-70: (DETERMINE WHAT SHOULD BE THE FIRST QUESTION ASKED)
(FOR PREGNANCIES THAT BEGAN PRIOR TO CMJAN3YR:)
IF CMPBEG_S[X] < CMJAN3YR
 IF EVERUSED = NO, GO TO EG-5 RESNOUSE
 ELSE IF (CMFIRSM=DK/RF OR CMINTSTRXX=DK/RF), ASK EVUSEINT EG-1
 { (if 1st meth use date unknown, or start date of interval (date of first sex) unknown, ask about use during interval)
 {
 ELSE IF CMFIRSM < CMINTSTRXX, ASK EVUSEINT EG-1.
 { (if 1st method use preceded first sex/end of nth preg, ask about use during interval)
 {
 ELSE IF CMINTSTRXX LE CMFIRSM LE CMINTFINXX, SET EVUSEINT EG-1 = YES AND GO TO STOPDUSE EG-2.
 { (if 1st method use was between (or = to) 1st sex and end of nth preg or end of nth preg and end of nth+1 preg, ask if stopped before nth/nth+1 preg.
 {
 ELSE IF CMINTFINXX < CMFIRSM, SET EVUSEINT EG-1 = NO AND GO TO EG-5 RESNOUSE.
 { (if 1st method use was after end of nth preg, ask why no use before nth preg)

FLOW CHECK E-71: (FOR PREGNANCIES THAT BEGAN ON/AFTER CMJAN3YR)
{Note: (These could be current)
IF CMPBEG_S[X] GE CMJAN3YR
 IF EVERUSED = NO, GO TO EG-5 RESNOUSE.
 ELSE:
 USING METHOD CALENDAR MONTH (METHHIST ED-6)
 CORRESPONDING TO CMPBEG_S[X],
 . IF R DID NOT USE A METHOD IN CMPBEG_S[X], GO TO EG-5 RESNOUSE
 . IF R USED A METHOD IN CMPBEG_S[X] BUT DID NOT USE ONE IN THE MONTH AFTER CMPBEG_S[X], GO TO STOPDUSE EG-2.
 . IF R USED A METHOD IN CMPBEG_S[X] AND IN THE MONTH AFTER CMPBEG_S[X],
 AND THEY WERE THE SAME METHOD, GO TO EG-4
 WHATMETH
 AND THEY WERE DIFFERENT METHODS, GO TO EG-2
 STOPDUSE

{NOTE: DISPLAY HEADER ON SCREEN THROUGHOUT EG SERIES THAT INDICATES WHICH PREGNANCY IS BEING DISCUSSED.
{FOR NON-CURRENT PREGNANCIES, HEADER SHOULD SAY:

(XX) PREGNANCY ENDED (CMENDP_S[X]_FILL) - (PRGOUTCOME_FILL)

{FOR EXAMPLE: 2ND PREGNANCY ENDED 6/1/97 - NOT A LIVE BIRTH

{FOR CURRENT PREGNANCY, HEADER SHOULD SAY:

CURRENT PREGNANCY

EVUSEINT

EG-1. IF OUTCOM_S[X] NE LIVE BIRTH BY CESAREAN OR VAGINAL DELIVERY, ASK:
Did you ever use any method of birth control between (BEGFILXX) and
(CMENDP_S[X]_FILL)? Remember to include methods men use--that is
condoms, vasectomy, and withdrawal--in your answer.

IF OUTCOM_S[X] = LIVE BIRTH BY CESAREAN OR VAGINAL BIRTH, ASK:
Did you ever use any method of birth control between (BEGFILXX) and
(BABYNAME_FILL's) birth? Remember to include methods men use--that is
condoms, vasectomy, and withdrawal--in your answer.

Yes..... 1 (EG-2 STOPDUSE)
No..... 5 (EG-5 RESNOUSE)

STOPDUSE

EG-2. IF NPREGS_S = 1, ASK:
Before you became pregnant, had you stopped using all methods of birth
control?

ELSE IF NPREGS_S>1 AND WANTCNTR< NPREGS_S, ASK:
Before you became pregnant with your (XXTH) pregnancy which ended in
(CMENDP_S[X]_FILL), had you stopped using all methods of birth control?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, ASK:
Before you became pregnant with your (XXTH) pregnancy which ended in
(CMENDP_S[X]_FILL)), had you stopped using all methods of birth control?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG = YES, ASK:
Before you became pregnant this time, had you stopped using all methods
of birth control?

Yes.....1
No.....5 (EG-4 WHATMETH)

WHYSTOPD

EG-3. Was the reason you stopped using all methods of birth control because
you yourself wanted to become pregnant?

Yes.....1 (EG-10 TIMINGOK)
No.....5 (INTR-EG2)

WHATMETH

EG-4. IF NPREGS_S=1, ASK:
You may have already told me, but looking at Card 38, what methods were
you using at the time you became pregnant?

ELSE IF NPREGS_S>1 AND WANTCNTR< NPREGS_S, ASK:
You may have already told me, but looking at Card 38, what methods were
you using at the time you became pregnant with your (XXTH) pregnancy
which ended in (CMENDP_S[X]_FILL)?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, ASK:
You may have already told me, but looking at Card 38, what methods were
you using at the time you became pregnant with your (XXTH) pregnancy
which ended in (CMENDP_S[X]_FILL)?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES, ASK:
You may have already told me, but looking at Card 38, what methods were
you using at the time you became pregnant this time?

- ♦ If R spontaneously mentions "thought I was sterile" or "thought partner was sterile", ascertain whether any methods in answer list were used. If not, enter [1]
- ♦ ENTER all that apply
- ♦ Press [Space] or [-] to separate responses

[HELP AVAILABLE]
[SHOW CARD 38]

No method used.....	1
Birth control pills.....	3
Condom.....	4
Partner's vasectomy.....	5
Female sterilizing operation, such as tubal sterilization and hysterectomy.....	6
Withdrawal, pulling out.....	7
Depo-Provera, injectables.....	8
Hormonal implant (Norplant™ or Implanon™).....	9
Rhythm or safe period by calendar.....	10
Safe period by temperature or cervical mucus test, natural family planning.....	11
Diaphragm.....	12
Female condom, vaginal pouch.....	13
Foam.....	14
Jelly or cream.....	15
Cervical cap.....	16
Suppository, insert.....	17
Today™ sponge.....	18
IUD, coil, loop.....	19
Emergency Contraception.....	20
Other method -- specify.....	21
Lunelle injectable (monthly shot).....	24
Contraceptive patch.....	25
Vaginal contraceptive ring.....	26

EDIT CHECK EG4_1: IF CMPBEG_S[X] GE CMJAN3YR, and METHHIST[xxxx] FOR THAT MONTH (CMPBEG_S[X]) DOES NOT INCLUDE EG-4 WHATMETH, PROBE [You have reported using a method at the time you became pregnant that you did not report during the same month on the method history calendar. Do I have something wrong? INVOLVING: EG-4 WHATMETH and METHHIST[xxxx].

FLOW CHECK E-71a: IF EDIT CHECK EG4_1 IS SUPPRESSED, GO TO EG-4a SU_WHATMETH ELSE GO TO FLOW CHECK E-72.

SU_WHATMETH

EG-4a. Interviewer Checkpoint

What reason(s) best describes why you suppressed this edit check?

(EDIT CHECK EB1_3: You have reported using a method at the time you became pregnant that you did not report during the same month on the method history calendar. Do I have something wrong?)?)

- ♦ ENTER all that apply

♦ Press [Space] or [-] to separate responses

Start date of pregnancy is wrong.....1
Unable to correct the question on the method(s) used at
beginning of pregnancy question (WHATMETH).....2
Unable to correct the question on the methods used that month
question (METHHISTxxxx).....3
R unable to/refused to resolve the discrepancy.....4
Some other reason5

**FLOW CHECK E-72: IF EG-4 WHATMETH INCLUDES 21 THEN GO TO EG-4 SP WHATMETH SP
ELSE IF EG-4 WHATMETH DOES NOT INCLUDE 21 THEN GO TO INTR-
EG2**

WHATMETH_SP

EG-4c. (Fill variant from WHATMETH EG-4) What method was that?

♦ SPECIFY other type of method

[SHOW CARD 38]

TYPE: STRING[100]

FLOW CHECK E-72a: GO TO INTR-EG2

RESNOUSE

EG-5. IF EVERUSED = NO AND NPREGS_S=1, ASK:

Before you became pregnant, was the reason you did not use any birth control methods because you, yourself, wanted to become pregnant?

ELSE IF EVERUSED = NO AND NPREGS_S>1 AND WANTCNTR< NPREGS_S, ASK:
Before you became pregnant with your (XXTH) pregnancy which ended in (CMENDP_S[X]_FILL), was the reason you did not use any birth control methods because you, yourself, wanted to become pregnant?

ELSE IF EVERUSED = NO AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, ASK:
Before you became pregnant with your (XXTH) pregnancy which ended in (CMENDP_S[X]_FILL), was the reason you did not use any birth control methods because you, yourself, wanted to become pregnant?

ELSE IF EVERUSED = NO AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES, ASK:
Before you became pregnant this time, was the reason you did not use any birth control methods because you, yourself, wanted to become pregnant?

ELSE IF (EVUSEINT = YES OR ANYUSINT = YES) AND NPREGS_S = 1, ASK:
You told me you had stopped using a birth control method before you became pregnant. Was the reason you had stopped using any methods because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = YES OR ANYUSINT = YES) AND NPREGS_S>1 AND WANTCNTR< NPREGS_S, ASK:
You told me you had stopped using a birth control method before you became pregnant with your (XXTH) pregnancy which ended in (CMPREGEND_FILL). Was the reason you had stopped using any methods because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = YES OR ANYUSINT = YES) AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=NO, ASK:

You told me you had stopped using a birth control method before you became pregnant with your (XXTH) pregnancy which ended in (CMENDP_S[X]_FILL). Was the reason you had stopped using any methods because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = YES OR ANYUSINT = YES) AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG = YES, ASK:

You told me you had stopped using a birth control method before you became pregnant this time. Was the reason you had stopped using any methods because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = NO/DK/RF AND ANYUSINT = NO) AND NPREGS_S = 1, ASK: You did not use any method of birth control from (BEGFILXX) until you became pregnant. Was the reason you were not using any methods because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = NO/DK/RF AND ANYUSINT = NO) AND NPREGS_S>1 AND WANTCNTR< NPREGS_S, ASK: You did not use any method of birth control from (BEGFILXX) until you became pregnant with your (XXTH) pregnancy which ended in (CMENDP_S[X]_FILL). Was the reason you were not using any methods because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = NO/DK/RF AND ANYUSINT = NO) AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, ASK: You did not use any method of birth control from (BEGFILXX) until you became pregnant with your (XXTH) pregnancy which ended in (CMENDP_S[X]_FILL). Was the reason you were not using any methods because you yourself wanted to become pregnant?

ELSE IF (EVUSEINT = NO AND ANYUSINT = NO) AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG = YES, ASK: You did not use any method of birth control from (BEGFILXX) until you became pregnant this time. Was the reason you were not using any methods because you yourself wanted to become pregnant?

[HELP AVAILABLE]

Yes..... 1 (EG-10 TIMINGOK)
No..... 5

{INTR-EG2 is only asked once for each R (for the 1st pregnancy).}

INTR-EG2

INTR_EG2. IF NPREGS_S=1, SAY:

The next few questions are important. They are about how you felt right before you became pregnant.

ELSE IF NPREGS_S>1 AND WANTCNTR< NPREGS_S, SAY:

The next few questions are important. They are about how you felt right before you became pregnant with your pregnancy which ended in (CMENDP_S[X]_FILL).

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, SAY:

The next few questions are important. They are about how you felt right before you became pregnant with your pregnancy which ended in (CMENDP_S[X]_FILL).

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG = YES, SAY: The next few questions are important. They are about how you felt right before you became pregnant this time.

♦ ENTER [1] to continue

{ underlying range 1 to 1

WANTBOLD

EG-6. IF NPREGS_S=1, ASK:

Right before you became pregnant, did you yourself want to have a baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR=0, ASK:

Right before you became pregnant this time, did you yourself want to have a baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR>0, ASK:

Right before you became pregnant this time, did you yourself want to have another baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR=0, ASK:

Right before you became pregnant with your (XXTH) pregnancy (which ended in (CMENDP_S[X]_FILL)), did you yourself want to have a baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR>0, ASK:

Right before you became pregnant with your (XXTH) pregnancy (which ended in (CMENDP_S[X]_FILL)), did you yourself want to have another baby at any time in the future?

[HELP AVAILABLE]

Yes.....1 (FLOW CHECK E-74)
No.....5 (FLOW CHECK E-73)
Not sure, don't know.....6

PROBBABE

EG-7. IF WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR=0, ASK:

It is sometimes difficult to recall these things but, right before this pregnancy began, would you say you probably wanted a baby at some time in the future or probably not?

ELSE IF WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR>0, ASK:

It is sometimes difficult to recall these things but, right before this pregnancy began, would you say you probably wanted another baby at some time in the future or probably not?

ELSE IF LBCNTR=0, ASK:

It is sometimes difficult to recall these things but, right before that pregnancy began, would you say you probably wanted a baby at some time in the future or probably not?

ELSE IF LBCNTR>0, ASK:

It is sometimes difficult to recall these things but, right before that pregnancy began, would you say you probably wanted another baby at some time in the future or probably not?

Probably yes..... 1 (FLOW CHECK E-74)
Probably not..... 5
Didn't care..... 6 (FLOW CHECK E-74)

**FLOW CHECK E-73: IF AGE_R < 20 YEARS, ASK EG-8 CNFRMNO
ELSE, GO TO FLOW CHECK E-74a.**

CNFRMNO

EG-8. IF NPREGS_S = 1, ASK:

So right before you became pregnant, you thought you did not want to have any children at any time in the future, is that correct?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR=0, ASK:

So right before you became pregnant this time, you thought you did not want to have any children at any time in the future, is that correct?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR>0, ASK:

So right before you became pregnant this time, you thought you did not want to have a (fill for (LBCNTR + 1)) child at any time in the future, is that correct?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR=0, ASK:

So right before you became pregnant that time, you thought you did not want to have any children at any time in the future, is that correct?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR>0, ASK:

So right before you became pregnant that time, you thought you did not want to have a (fill for (LBCNTR + 1)) child at any time in the future, is that correct?

Correct.....1 (FLOW CHECK E-74a)
Incorrect.....2

INCORTXT

EGINCO_1. I must have gotten something wrong. Let me ask this question again.

♦ ENTER [1] to continue

{ underlying range 1 to 1

WANTBLD2

EG-9. IF NPREGS_S=1, ASK:

Right before you became pregnant, did you yourself want to have a baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR=0, ASK:

Right before you became pregnant this time, did you yourself want to have a baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR>0, ASK:

Right before you became pregnant this time, did you yourself want to have another baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR=0, ASK:

Right before you became pregnant with your (XXth) pregnancy (which ended in (CMENDP_S[X]_FILL)), did you yourself want to have a baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR>0, ASK:

Right before you became pregnant with your (XXth) pregnancy (which ended in (CMENDP_S[X]_FILL)), did you yourself want to have another baby at any time in the future?

Yes.....1
No.....5 (FLOW CHECK E-74a)
Not sure, don't know.....6 (FLOW CHECK E-74a)
Didn't care.....7 (FLOW CHECK E-74a)

**FLOW CHECK E-74: IF EG-6 WANTBOLD=YES OR EG-7 PROBBABE=YES OR EG-9 WANTBLD2 = YES, ASK EG-10 TIMINGOK.
ELSE, (IF EG-6 WANTBOLD NE YES AND EG-7 PROBBABE NE YES AND EG-9 WANTBLD2 NE YES) GO TO FLOW CHECK E-74a.**

TIMINGOK

EG-10. So would you say you became pregnant too soon, at about the right time, or later than you wanted?

[HELP AVAILABLE]

Too soon..... 1
Right time.....2 (GO TO FLOW CHECK E-74a)
Later.....3 (GO TO FLOW CHECK E-74a)
Didn't care.....4 (GO TO FLOW CHECK E-74a)

TOOSOONQ

① of ②

EG-11. How much sooner than you wanted did you become pregnant?

♦ ___Number and (Months/Years)

{underlying range = 1-100

TOOSOONQQYM

② of ②

EG-11. (How much sooner than you wanted did you become pregnant?)

♦ (TOOSOONQ) and Months/Years

Months.....1
Years.....2

**FLOW CHECK E-74a: IF WANTCNTR = 1, GO TO INTROWTH.
ELSE GO TO FLOW CHECK E-75.**

INTROWTH

INTROWTH_1. Sometimes how people feel about having a baby in general can be different from how they feel about having a baby with a certain partner.

♦ ENTER [1] to continue

{ underlying range 1 to 1

**FLOW CHECK E-75: IF TIMINGOK EG-10 = 2 OR 3 (RIGHT TIME OR LATER) OR PROBBABE EG-7 = 6 (DIDN'T CARE), ASK EG-12a WTHPART1.
ELSE GO TO EG-12b WTHPART2**

WTHPART1

EG-12a. IF NPREGS_S=1, ASK:
Right before the pregnancy, did you want to have a baby with that partner?
Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR=0, ASK:

Right before this pregnancy, did you want to have a baby with that partner?

Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR>0, ASK:

Right before this pregnancy, did you want to have another baby with that partner?

Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR=0, ASK:

Right before that pregnancy, did you want to have a baby with that partner?

Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR>0, ASK:

Right before that pregnancy, did you want to have another baby with that partner?

Would you say definitely yes, probably yes, probably no, or definitely no?

Definitely yes.....1 (FLOW CHECK E-76)

Probably yes.....2 (FLOW CHECK E-76)

Probably no.....3 (FLOW CHECK E-76)

Definitely no.....4 (FLOW CHECK E-76)

WTHPART2

EG-12b.

IF NPREGS_S=1, ASK:

Right before the pregnancy, did you think you might ever want to have a baby with that partner?

Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR=0, ASK:

Right before this pregnancy, did you think you might ever want to have a baby with that partner?

Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR>0, ASK:

Right before this pregnancy, did you think you might ever want to have another baby with that partner?

Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR=0, ASK:

Right before that pregnancy, did you think you might ever want to have a baby with that partner?

Would you say definitely yes, probably yes, probably no, or definitely no?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR>0, ASK:

Right before that pregnancy, did you think you might ever want to have another baby with that partner?

Would you say definitely yes, probably yes, probably no, or definitely no?

- Definitely yes.....1
- Probably yes.....2
- Probably no.....3
- Definitely no.....4

**FLOW CHECK E-76: IF CMINTFINXX GE CMJAN3YR, ASK EG-13 FEELINPG.
ELSE, IF CMINTFINXX < CMJAN3YR, GO TO EG-16 HPWNOLD.**

FEELINPG

EG-13. Please look at the scale on Card 39. On this scale, a one means that you were very unhappy to be pregnant and a ten means that you were very happy to be pregnant. Tell me which number on the card best describes how you felt when you found out you were pregnant.

[SHOW CARD 39]

UNDERLYING RANGE: 1 TO 10

HPWNOLD

EG-16. IF NPREGS_S=1, ASK:
Right before you became pregnant, did the father want you to have a baby at any time in the future?

♦ If R says [DK], do not probe.

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR=0, ASK:
Right before you became pregnant this time, did the father want you to have a baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES AND LBCNTR>0, ASK:
Right before you became pregnant this time, did the father want you to have another baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR=0, ASK:
Right before you became pregnant that (XXth) time, did the father want you to have a baby at any time in the future?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S AND LBCNTR>0, ASK:
Right before you became pregnant that (XXth) time, did the father want you to have another baby at any time in the future?

[HELP AVAILABLE]

- Yes.....1
- No.....5 (FLOW CHECK E-77)
- Not sure, don't know.....6 (FLOW CHECK E-77)

TIMOKHP

EG-17. So would you say you became pregnant sooner than he wanted, at about the right time, or later than he wanted?

[HELP AVAILABLE]

- Sooner..... 1
- Right time.....2
- Later..... 3
- Didn't care..... 4

FLOW CHECK E-77: IF (MARSTAT NE MARRIED OR (TIMESMAR>1 OR TIMESMAR=DK/RF) OR (CMMARRHX(for current husband)> CMENDP_S[X] OR CMMARRHX(for current husband)=DK/RF OR CMENDP_S[X]=DK/RF)) ASK EG-18a COHPBEG
(if not currently married, or married more than once, or times married unknown, or century month married greater than century month pregnancy ended, or century month married unknown, or century month pregnancy ended unknown, ask about living with the father at the beginning of the pregnancy)

ELSE
IF (TIMESMAR=1 AND MARSTAT=MARRIED AND ((CMENDP_S[X] NE DK/RF AND CMENDP_S[X] GE CMMARRHX) OR CMENDP_S[X] = blank/inapp (current pregnancy))) GO TO FLOW CHECK E-82 (if married only once, and currently married, and century month pregnancy ended greater than or equal to century month married or pregnancy is current, go to flow check E-82)

COHPBEG
EG-18a.

IF NPREGS_S=1 THEN ASK:
Were you either married to or living with the father of the pregnancy at the beginning of the pregnancy? By living together, we mean having a sexual relationship while sharing the same usual address.

ELSE IF NPREGS_S>1 AND WANTCNTR< NPREGS_S, ASK:
Were you either married to or living with the father of your (XXth) pregnancy (which ended in (CMENDP_S[X]_FILL)) at the beginning of the pregnancy? By living together, we mean having a sexual relationship while sharing the same usual address.

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES THEN ASK:
Were you either married to or living with the father of your (XXth) pregnancy (which ended in (CMENDP_S[X]_FILL)) at the beginning of the pregnancy? By living together, we mean having a sexual relationship while sharing the same usual address.

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG = YES THEN ASK:
Were you either married to or living with the father of this pregnancy at the beginning of the pregnancy? By living together, we mean having a sexual relationship while sharing the same usual address.

Yes.....1
No.....5

FLOW CHECK E-78: IF CURRPREG NE 1 (YES) or (CURRPREG=1 AND WANTCNTR< NPREGS_S), THEN ASK EG-18b COHPEND
ELSE IF WANTCNTR= NPREGS_S AND CURRPREG = 1 (YES) THEN GO TO EG-19 TELLFATH

COHPEND
EG-18b.

IF OUTCOM_S[X]=LIVE BIRTH BY CESAREAN OR VAGINAL DELIVERY, and BABYSEX_S=1 (male) ASK:
When [BABYNAME_FILL] was born, were you either married to or living with his father?

IF OUTCOM_S[X]=LIVE BIRTH BY CESAREAN OR VAGINAL DELIVERY, and BABYSEX_S=2 (female) ASK:

When [BABYNAME_FILL] was born, were you either married to or living with her father?

IF OUTCOM_S[X]=LIVE BIRTH BY CESAREAN OR VAGINAL DELIVERY, and
BABYSEX_S=NULL/BLANK ASK:

When [BABYNAME_FILL] was born, were you either married to or living with the father?

ELSE IF NPREGS_S=1 AND OUTCOM_S[X] NE LIVE BIRTH BY CESAREAN OR VAGINAL DELIVERY, ASK:

Were you either married to or living with the father of the pregnancy when the pregnancy ended?

ELSE IF NPREGS_S>1 AND OUTCOM_S[X] NE LIVE BIRTH BY CESAREAN OR VAGINAL DELIVERY, ASK:

Were you either married to or living with the father of that pregnancy when the pregnancy ended?

Yes.....1
No.....5

**FLOW CHECK E-79: IF OUTCOM_S[X] NE LIVE BIRTH OR COHPEND NE 1 (YES), ASK EG-19 TELLFATH
ELSE, IF OUTCOM_S[X] = LIVE BIRTH AND COHPEND=1 (YES) GO TO FLOW CHECK E-82**

TELLFATH

EG-19.

IF NPREGS_S=1 THEN ASK:

Did you tell the father of the pregnancy that you were pregnant?

IF NPREGS_S>1 AND WANTCNTR< NPREGS_S, ASK:

Did you tell the father of that (XXth) pregnancy that you were pregnant?

IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, ASK:

Did you tell the father of that (XXth) pregnancy that you were pregnant?

IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG = YES, ASK:

Did you tell the father of your current pregnancy that you are pregnant?

Yes.....1
No.....5

**FLOW CHECK E-80: IF EG-19 TELLFATH=1 THEN GO TO FLOW CHECK E-81
ELSE IF EG-19 TELLFATH NE 1, THEN GO TO FLOW CHECK E-82**

**FLOW CHECK E-81: IF CURRPREG NE 1 (YES), ASK EG-20 WHENTELL
ELSE IF WANTCNTR= NPREGS_S AND CURRPREG = 1 (YES) THEN GO TO FLOW CHECK E-82
ELSE, ASK EG-20 WHENTELL**

WHENTELL

EG-20.

IF OUTCOM_S[X] NE LIVE BIRTH, ASK:

When did you tell him that you were pregnant B during the pregnancy or after the pregnancy ended?

During the pregnancy.....1
After the pregnancy ended.....2

IF OUTCOM_S[X] = LIVE BIRTH, ASK:
When did you tell him that you were pregnant B during the pregnancy or after the baby was born?

During the pregnancy.....1
After the baby was born.....2

FLOW CHECK E-82: IF CMENDP_S[X] GE CMJAN3YR OR (WANTCNTR= NPREGS_S AND CURRPREG=1), ASK EG-21 TRYSCALE ELSE IF CMENDP_S[X] < CMJAN3YR, GO TO FLOW CHECK E-85

TRYSCALE

EG-21.

IF NPREGS_S=1, ASK:

Look at the scale on Card 40, where a 0 means trying hard not to get pregnant, and a 10 means trying hard to get pregnant. If you had to rate how much you were trying to get pregnant or avoid pregnancy right before you got pregnant, how would you rate yourself?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES, ASK:
Look at the scale on Card 40, where a 0 means trying hard not to get pregnant, and a 10 means trying hard to get pregnant. If you had to rate how much you were trying to get pregnant or avoid pregnancy right before you got pregnant this time, how would you rate yourself?

ELSE IF NPREGS_S>1 AND WANTCNTR LE NPREGS_S, ASK:
Look at the scale on Card 40, where a 0 means trying hard not to get pregnant, and a 10 means trying hard to get pregnant. If you had to rate how much you were trying to get pregnant or avoid pregnancy right before you got pregnant that time, how would you rate yourself?

[SHOW CARD 40]

UNDERLYING RANGE 0 to 10

WANTSCAL

EG-22.

IF NPREGS_S=1, ASK:

Look at the scale on Card 41, where a 0 means you wanted to avoid a pregnancy and a 10 means you wanted to get pregnant. If you had to rate how much you wanted or didn't want a pregnancy right before you got pregnant, how would you rate yourself?

ELSE IF NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES, ASK:
Look at the scale on Card 41, where a 0 means you wanted to avoid a pregnancy and a 10 means you wanted to get pregnant. If you had to rate how much you wanted or didn't want a pregnancy right before you got pregnant this time, how would you rate yourself?

ELSE IF NPREGS_S>1, AND WANTCNTR LE NPREGS_S, ASK:
Look at the scale on Card 41, where a 0 means you wanted to avoid a pregnancy and a 10 means you wanted to get pregnant. If you had to rate how much you wanted or didn't want a pregnancy right before you got pregnant that time, how would you rate yourself?

[SHOW CARD 41]

UNDERLYING RANGE 0 to 10

FLOW CHECK E-83: IF EG-10 TIMINGOK=1 (TOO SOON) OR EG-6 WANTBOLD=5 (NO) OR

EG-7 PROBBABE=5 (PROBABLY NOT) OR EG-9 WANTBLD2=5 (NO) THEN
GO TO FLOW CHECK E-84

ELSE IF EG-10 TIMINGOK NE 1 AND EG-6 WANTBOLD NE 5 AND EG-7
PROBBABE NE 5 AND EG-9 WANTBLD2 NE 5 THEN GO TO FLOW CHECK
E-85

FLOW CHECK E-84: IF ED-6 METHHIST CORRESPONDING TO CMPBEG_S[X] NE (1 OR
SYSMIS) (NO METHODS USED) GO TO EG-23 WHYPRG
ELSE IF ED-6 METHHIST CORRESPONDING TO CMPBEG_S[X] = 1 OR
SYSMIS (NO METHODS USED) OR EVERUSED = 5 (NO) GO TO EG-24
WHYNOUSE.

WHYPRG

EG-23.

IF TIMINGOK=TOO SOON AND NPREGS_S=1, ASK:

Please look at Card 42. Earlier you told me your pregnancy
occurred too soon. Which of the following statements, if any,
applies to you right before you became pregnant? Your birth
control method failed, or you did not use your birth control
method properly?

ELSE IF TIMINGOK=TOO SOON, AND NPREGS_S>1 AND WANTCNTR= NPREGS_S
AND CURRPREG=YES, ASK:

Please look at Card 42. Earlier you told me this pregnancy
occurred too soon. Which of the following statements, if any,
applies to you right before you became pregnant this time? Your
birth control method failed, or you did not use your birth control
method properly?

ELSE IF TIMINGOK=TOO SOON, AND NPREGS_S>1 AND WANTCNTR= NPREGS_S
AND CURRPREG NE YES, ASK:

Please look at Card 42. Earlier you told me that pregnancy
occurred too soon. Which of the following statements, if any,
applies to you right before you became pregnant that time (that
is, with the pregnancy that ended in CMENDP_S[X]_FILL)? Your
birth control method failed, or you did not use your birth control
method properly?

ELSE IF TIMINGOK=TOO SOON, AND NPREGS_S>1 AND WANTCNTR< NPREGS_S,
ASK:

Please look at Card 42. Earlier you told me that pregnancy
occurred too soon. Which of the following statements, if any,
applies to you right before you became pregnant that time (that
is, with the pregnancy that ended in CMENDP_S[X]_FILL)? Your
birth control method failed, or you did not use your birth control
method properly?

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO,
AND NPREGS_S=1, ASK:

Please look at Card 42. Earlier you told me that your pregnancy
occurred at a time when you wanted no future pregnancies. Which
of the following statements, if any, applies to you right before
you became pregnant? Your birth control method failed, or you did
not use your birth control method properly?

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO,
AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES, ASK:

Please look at Card 42. Earlier you told me that this pregnancy
occurred at a time when you wanted no future pregnancies. Which
of the following statements, if any, applies to you right before
you became pregnant this time? Your birth control method failed,
or you did not use your birth control method properly?

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO,
AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, ASK:
Please look at Card 42. Earlier you told me that that pregnancy
occurred at a time when you wanted no future pregnancies. Which
of the following statements, if any, applies to you right before
you became pregnant that time (that is, with the pregnancy that
ended in CMENDP_S[X]_FILL)? Your birth control method failed, or
you did not use your birth control method properly?

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO,
AND NPREGS_S>1 AND WANTCNTR < NPREGS_S, ASK:
Please look at Card 42. Earlier you told me that that pregnancy
occurred at a time when you wanted no future pregnancies. Which
of the following statements, if any, applies to you right before
you became pregnant that time (that is, with the pregnancy that
ended in CMENDP_S[X]_FILL)? Your birth control method failed, or
you did not use your birth control method properly?

- ♦ ENTER all that apply
- ♦ Press [Space] or [-] to separate responses
- ♦ If Respondent volunteers she wasn't using a method, enter [3]

[SHOW CARD 42]

Your birth control method failed.....1 (FLOW CHECK E-85)
You did not use your birth control
method properly.....2 (FLOW CHECK E-85)
Respondent wasn't using a method.....3 (FLOW CHECK E-85)

WHYNOUSE

EG-24.

IF TIMINGOK=TOO SOON AND NPREGS_S=1, ASK:
Please look at Card 43. Earlier you told me your pregnancy
occurred too soon. Which of the following statements applies to
you right before you became pregnant? You did not use birth
control because...

ELSE IF TIMINGOK=TOO SOON AND NPREGS_S>1, AND WANTCNTR= NPREGS_S
AND CURRPREG=YES, ASK:
Please look at Card 43. Earlier you told me your pregnancy
occurred too soon. Which of the following statements applies to
you right before you became pregnant this time? You did not use
birth control because...

ELSE IF TIMINGOK=TOO SOON, AND NPREGS_S>1 AND WANTCNTR= NPREGS_S
AND CURRPREG NE YES, ASK:
Please look at Card 43. Earlier you told me that pregnancy
occurred too soon. Which of the following statements applies to
you right before you became pregnant that time (that is, with the
pregnancy that ended in CMENDP_S[X]_FILL)? You did not use birth
control because.....

ELSE IF TIMINGOK=TOO SOON, AND NPREGS_S>1 AND WANTCNTR< NPREGS_S,
ASK:
Please look at Card 43. Earlier you told me that pregnancy
occurred too soon. Which of the following statements applies to
you right before you became pregnant that time (that is, with the
pregnancy that ended in CMENDP_S[X]_FILL)? You did not use birth
control because.....

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO,
AND NPREGS_S=1, ASK:
Please look at Card 43. Earlier you told me that your pregnancy
occurred at a time when you wanted no future pregnancies. Which
of the following statements applies to you right before you became
pregnant? You did not use birth control because.....

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO,
AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG=YES, ASK:
Please look at Card 43. Earlier you told me that this pregnancy
occurred at a time when you wanted no future pregnancies. Which
of the following statements applies to you right before you became
pregnant this time? You did not use birth control because.....

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO,
AND NPREGS_S>1 AND WANTCNTR= NPREGS_S AND CURRPREG NE YES, ASK:
Please look at Card 43. Earlier you told me that that pregnancy
occurred at a time when you wanted no future pregnancies. Which
of the following statements applies to you right before you became
pregnant that time (that is, with the pregnancy that ended in
CMENDP_S[X]_FILL)? You did not use birth control because.....

ELSE IF WANTBOLD=NO OR PROBBABE=PROBABLY NOT OR WANTBLD2=NO,
AND NPREGS_S>1 AND WANTCNTR < NPREGS_S, ASK:
Please look at Card 43. Earlier you told me that that pregnancy
occurred at a time when you wanted no future pregnancies. Which
of the following statements applies to you right before you became
pregnant that time (that is, with the pregnancy that ended in
CMENDP_S[X]_FILL)? You did not use birth control because....

- ◆ *If Respondent volunteers sex was forced, enter [1]*
- ◆ *If Respondent volunteers she was using a method (in the month the pregnancy began), enter [7]*
- ◆ *If Respondent had difficulties with a method that she DID use at the beginning of this pregnancy, ENTER [7]. Example: "condom broke".*
- ◆ *For examples of "not taking or using your method consistently" see the Help Screen.*
- ◆ *ENTER all that apply*
- ◆ *Press [Space] or [-] to separate responses*

[SHOW CARD 43]

[HELP AVAILABLE]

You did not expect to have sex.....1
You did not think you could get pregnant.....2
You didn't really mind if you got pregnant.....3

You were worried about the side effects of birth control...4
Your male partner did not want you to use a birth
control method.....5
Your male partner himself did not want to use a birth

control method.....6
(IF VOLUNTEERED:) Respondent was using a method.....7
You could not get a method.....8
You were not taking, or using, your method consistently....9

**FLOW CHECK E-84a: IF MORE THAN 1 REASON REPORTED IN EG-24 WHYNOUSE ASK EG-24a
MAINOUSE. ELSE GO TO FLOW CHECK E-85. (Exclude 7 from this)**

MAINOUSE

EG-24a.

Which one of these is the main reason that you did not use birth control?

[DISPLAY ONLY RESPONSE CATEGORIES THAT RESPONDENT MENTIONED IN EG-24 WHYNOUSE]

You did not expect to have sex.....1
You did not think you could get pregnant.....2
You didn't really mind if you got pregnant.....3

You were worried about the side effects of birth control...4
Your male partner did not want you to use a birth
control method.....5
Your male partner himself did not want to use a birth
control method.....6

You could not get a method.....8
You were not taking, or using, your method consistently....9

**FLOW CHECK E-85: IF WANTCNTR= NPREGS_S, GO TO FLOW CHECK E-86
ELSE IF WANTCNTR < NPREGS_S:**
 . ADVANCE WANTCNTR AND XX FOR FILLS/DATES (BEGFILXX,
 CMENDP_S[X], CMPBEG_S[X]) BY 1
 . IF OUTCOME OF (WANTCNTR-1) PREGNANCY INCLUDES LIVE
 BIRTH (OUTCOM_S[X] = live birth by vaginal or Cesarean
 delivery), ADVANCE LBCNTR BY 1.
 . RETURN TO FLOW CHECK E-66 (AND COMPLETE EG SERIES
 FOR NEXT PREGNANCY INTERVAL)

OPEN INTERVAL QUESTIONS (EH)

FLOW CHECK E-86: IF CURRPREG = YES, GO TO FLOW CHECK E-97

**FLOW CHECK E-87: (This does the following: SKIP THIS WHOLE SECTION IF SHE IS
NOT CURRENTLY "AT RISK OF PREGNANCY")
IF EC-8 MONSX CORRESPONDING TO CMINTVW = 5 (NO INTERCOURSE)
OR RSTRSTAT = (1 (STERILE) OR 2 (NONSURGICALLY STERILE)) OR
ANY CURRMETHx=6 (STERILIZING OPERATION), GO TO FLOW CHECK E-
97**

INTR-EH1

INTR_EH1. Now, I have a few more questions about birth control.

♦ ENTER [1] to continue

{ underlying range 1 to 1

**FLOW CHECK E-88: IF CURRMETHx = 1 (NO METHODS USED) ASK EH-1 WYNOTUSE
ELSE IF CURRMETHx NE 1 GO TO FLOW CHECK E-90.**

WYNOTUSE

EH-1. Is the reason you are not using a method of birth control now because
you, yourself, want to become pregnant as soon as possible?

Yes.....1
No.....5

HPPREGQ

EH-2. And your partner, does he want you to become pregnant as soon as possible?

Yes..... 1
No..... 5
(If vol:) no current partner.....6

**FLOW CHECK E-89: IF EH-1 WYNOTUSE=1 (YES) THEN ASK EH-2a DURTRY
ELSE IF WYNOTUSE EH-1 NE 1 (YES) GO TO FLOW CHECK E-89a.**

DURTRY

① of ②

EH-2a. How long have you been trying to become pregnant?

- ◆ ___Number and (Months/Years)
- ◆ If R has been trying for less than a month enter [1]
- ◆ If R says she is / they are not trying, enter [95]

{underlying range = 0 to 95

DURTRYM

② of ②

EH-2b. (How long have you been trying to become pregnant?)

- ◆ (DURTRY) and Months/Years

Months.....1
Years.....5

**FLOW CHECK E-89a: IF EH-2 HPPREGQ = 5 (NO) or DK/RF THEN ASK EH-2c WHYNOUSING.
ELSE IF HPPREGQ = 1 THEN GO TO FLOW CHECK E-90.**

{Note: Flow Checks E-86 and E-87 are also in effect for this question

WHYNOUSING

EH-2c. Please look at Card 43a. Which of the following statements applies to you right now? You are not using birth control because...

ENTER all that apply

If Respondent volunteers she is using a method, ENTER [7]

If Respondent had difficulties with a method that she DID use in the month of the interview, ENTER [7]. Example: "condom broke".

For examples of "not taking or using your method consistently" and other guidance, see the Help Screen.

[HELP AVAILABLE]

You do not expect to have sex.....1
You do not think you can get pregnant.....2
You don't really mind if you get pregnant.....3
You are worried about the side effects of birth control....4

- Your male partner does not want you to use a birth control method.....5
- Your male partner himself does not want to use a birth control method.....6
- (IF VOLUNTEERED:)Respondent is using a method.....7
- You could not get a method.....8
- You are not taking, or using, your method consistently.....9

FLOW CHECK E-89b: IF MORE THAN 1 REASON REPORTED IN EH-2c WHYNOUSING ASK EH-2d MAINNOUSE. ELSE GO TO FLOW CHECK E-90.

MAINNOUSE

EH-2d.

Which one of these is the main reason that you are not using birth control?

[DISPLAY ONLY RESPONSE CATEGORIES THAT RESPONDENT MENTIONED IN EH-2c WHYNOUSING]

- You do not expect to have sex.....1
- You do not think you can get pregnant.....2
- You don't really mind if you get pregnant.....3
- You are worried about the side effects of birth control....4
- Your male partner does not want you to use a birth control method.....5
- Your male partner himself does not want to use a birth control method.....6
- You could not get a method.....8
- You are not taking, or using, your method consistently.....9

**FLOW CHECK E-90: Set PLACNTR2=0
(PLACNTR2 is counter for # of times PLACCUR asked)**

FLOW CHECK E-91: IF ANY LSTMONMETH1 through LSTMONMETH4 = 3 (PILL), 4 (CONDOM), 6 (STERIZING OPERATION), 8 (DEPO), 9 (IMPLANT), 12 (DIAPHRAGM), 13 (FEMALE CONDOM), 14 (FOAM), 15 (JELLY/CREAM), 16(CERVICAL CAP), 17 (SUPPOSITORY), 18 (SPONGE), 19 (IUD), 20 (EMERG. CONTRACEPTION), 24 (LUNELLE), 25 (CONT. PATCH), OR 26 (CONTRACEP. RING) THEN GO TO FLOW CHECK E-92

ELSE IF ANY LSTMONMETH1 through LSTMONMETH4 = 1 (NO METHODS USED), 7 (WITHDRAWAL), 10 (RHYTHM), 5 (PARTNER'S VASECTOMY), 11 (SAFE PERIOD BY TEMPERATURE), 22 (RESPONDENT STERILE), 23 (PARTNER STERILE), OR 21 (OTHER METHOD), DK, OR RF, GO TO FLOW CHECK E-97
(Determines who should get the next questions -- if drug or device type method was not used in the month before interview, skip past following questions)

FLOW CHECK E-92: IF LSTMONMETH[PLACNTR2] = 20 (EMERGENCY CONTRACEPTION) THEN GO TO FLOW CHECK E-92b

ELSE IF LASTMONTH[PLACNTR2] = 3 (PILL), 4 (CONDOM), 6 (STERIZING OPERATION), 8 (DEPO), 9 (IMPLANT), 12 (DIAPHRAGM), 13 (FEMALE CONDOM), 14 (FOAM), 15 (JELLY/CREAM), 16(CERVICAL CAP), 17 (SUPPOSITORY), 18 (SPONGE), 19 (IUD), 24 (LUNELLE), 25 (CONT. PATCH), OR 26 (CONTRACEP. RING), CONTINUE.

ELSE GO TO FLOW CHECK E-96 .

COMPUTE CMETHPRS FOR (PLACCNTR2) LASTMONMETH

SET CMETHPRS=0.

If LASTMONTH[PLACCNTR2] = 3 (pill) or 12 (Diaphragm) or 8 (Depo-Provera) or 9 (Implant) or 16 (Cervical cap) or 19 (IUD) or 24 (Lunell) or 25 (Cont Patch) or 26 (contraceptive ring), CMETHPRS=1.

If LASTMONTH[PLACCNTR2]=DK/RF then CMETHPRS=DK/RF

(Sets new variable CMETHPRS to 1 if first method required a prescription, 0 if first method was non-prescription. Don't have to define explicitly to capture the non-prescription ones because only DRUGDEV are being routed here, so it will correctly get assigned the non-prescription drug/device methods. Also, ok to just look at LSTMONMETH1 for DK/RF)

FLOW CHECK E-92a: COMPUTE CURMTHRX_FILL FOR EACH RESPONSE TO LASTMONMETH (THESE RESPONSES ARE EACH PUT INTO A SEPARATE VARIABLE LSTMONMETH1 THROUGH LSTMONMETH4)

SET CURMTHRX_FILL = NULL/BLANK.

If CMETHPRS=1, CURMTHRX_FILL = "the prescription for [METHHIST_FILL FOR LASTMONMETHx]"

Else if CMETHPRS = 0, CURMTHRX_FILL = [METHHIST_FILL FOR LASTMONMETHx].

Else if CMETHPRS = DK/RF, CURMTHRX_FILL = NULL/BLANK.

(Causes question text to adapt depending on whether LSTMONMETH1 through LSTMONMETH4 required a prescription - asks where R got prescription if it did, method if it did not.)

PLACCUR

EH_3. Please look at Card 36. You may have already told me, but where did you get [CURMTHRX_FILL] you used last month?

[SHOW CARD 36]

- Private doctor's office.....1
- HMO facility.....2
- Community health clinic, community clinic, public health clinic.....3
- Family planning or Planned Parenthood clinic.....4
- Employer or company clinic.....5
- School or school-based clinic.....6
- Hospital outpatient clinic.....7
- Hospital emergency room.....8
- Hospital regular room.....9
- Urgent care center, urgi-care or walk-in facility.....10
- Friend.....11
- Partner or spouse.....12
- Drug store.....13
- Mail order / Internet.....14
- Some other place.....20

EDIT CHECK EH3_1: **PROBE IF CMETHPRS=1 AND PLACCUR EQ 11 OR 12 OR 13 OR 14 WITH:** "You reported that the method you used last month was a method that generally requires a prescription; however, you just told me that you got the prescription from a friend, partner/spouse, drug store, or mail order/internet. Do I have one of these answers wrong? If necessary: Please think about where you got the *prescription*, whether or not that is also where you got the method itself."

FLOW CHECK E-92b: IF [METHHISTxxx = (20) 'Emergency Contraception' AND (CMMHCAL >= (CMINTVW - 24))] THEN ASK EH3a PLACEC

ELSE CONTINUE TO FLOW CHECK E-94

PLACEC

EH-3a Please look at Card 36. Earlier you reported using emergency contraception within the past two years. Where did you get the emergency contraception (the last time you used it)?

[SHOW CARD 36]

- Private doctor's office.....1
- HMO facility.....2
- Community health clinic, community clinic, public health clinic....3
- Family planning or Planned Parenthood clinic.....4
- Employer or company clinic.....5
- School or school-based clinic.....6
- Hospital outpatient clinic.....7
- Hospital emergency room.....8
- Hospital regular room.....9
- Urgent care center, urgi-care or walk-in facility.....10
- Friend.....11
- Partner or spouse.....12
- Drug store.....13
- Mail order / Internet.....14
- Some other place.....20

{This flow check does the following: if any of up to 4 methods in the last month was drug/device, excluding emerg contraception, and source was clinic, trigger database

OR

If any of up to 4 methods in the last 24 months including interview month was emerg contraception and source was clinic, trigger database.

FLOW CHECK E-94: IF (EH-3 PLACCUR = 3 OR 4 OR 6 OR 7) OR (EH-3a PLACEC = 3 OR 4 OR 6 OR 7), ASK State_name.

ELSE IF (EH-3 PLACCUR NE 3 OR 4 OR 6 OR 7) AND (EH-3a PLACEC NE 3 OR 4 OR 6 OR 7), GO TO FLOW CHECK E-96.

State_name

EH-4. What is the name and address of the place where you received [CURMTHR_X_FILL]?

What state is the place in?

♦ *Either press [BackSpace] or start typing the state name to open the lookup table.*

[HELP AVAILABLE]

CLINFST

EH-5. What is the name and address of the place where you received
[CURMTHR_X_FILL]?

◆ *Either press [Backspace] or start typing the name of the city
where the clinic is located.*

- 1) *Type or select a city name*
- 2) *Select a clinic by scrolling up or down*
- 3) *Press [Enter]*

[HELP AVAILABLE]

CityName

EH-7

ClinicName

EH-8

ClinicCode

EH-9a

ClinicFund {Created variable for 'Title X Funding' (same as "tx9798_#" from
EH-9b C6 data) code not shown but output to dataset}

ClinicType {Created variable for 'Agency type' (same as "TYPE9798_#" from
EH-9c C6 data) code not shown but output to dataset}

Confirm

EH-10

I have found a clinic (by that name/in that city) at:

[Clinic.Name1]
[Clinic.Name2]
[Clinic.Address1]
[Clinic.Address2]
[Clinic.City], [Clinic.State] ...[Clinic.Zipcode]

County: [Clinic.CntyName]

Is this correct?

- Yes.....1
- No.....5
- Clinic not in database.....6

FLOW CHECK E-95: IF CONFIRM EH-10 = 1 OR RF, GO TO FLOW CHECK E-96.
ELSE IF CONFIRM EH-10 = 6 OR DK, GO TO EH-3b CLINFSTN.
ELSE, GO TO EDIT CHECK EH10_1.

Edit Check EH10_1: Probe if CONFIRM EH-10 NE 1, 6, DK, RF, DISPLAY: "Go back
to CLINFST and try again."
INVOLVING: CLINFST EH-5, CONFIRM EH-10
HARD, NONSUPPRESSIBLE EDIT CHECK.

CLINFSTN

EH-11. (What is the name and address of the place where you received
[CURMTHR_X_FILL]?)

◆ *ENTER name and address of clinic you were unable to find in
database*

♦ *If necessary: refer R to personal records or area phone books to obtain clinic name and address. If R is unable to provide the full address, record as much information as she can provide, including cross streets, etc.*

[HELP AVAILABLE]

FLOW CHECK E-96: Increment PLACCNTR2 by 1
If PLACCNTR2 < NUMMULT then return to FLOW CHECK E-92
Else if PLACCNTR2=NUMMULT the go to FLOW CHECK E-97.

PILL FOR HEALTH REASONS (EJ)

**FLOW CHECK E-97: IF CURRMETHx OR LASTMONMETHx = 3 (PILL), ASK EJ-1 YUSEPILL
ELSE IF CURRMETHx NE 3 AND LASTMONMETHx NE 3 THEN, GO TO
FLOW CHECK E-99**

YUSEPILL

EJ-1. Now I would like to know all of the reasons for your recent pill use. Have you used it for birth control, cramps or pain during menstrual period, treatment for acne, treatment for endometriosis, to regulate your menstrual periods, or for some other reason?

- ♦ *ENTER all that apply*
- ♦ *Press [Space] or [-] to separate responses*

Birth control.....1
Cramps, or pain during menstrual periods...2
Treatment for acne.....3
Treatment for endometriosis.....4
Other reasons.....5
To regulate your menstrual periods.....6

TYPEPILL

EJ-2. This chart shows types of oral contraceptive pills that are available for women today. Please tell me the number next to the type that you are currently using or used most recently.

- ♦ *If the R can't remember what her packs look like, but has one on hand, encourage her to get it so that you both can try to find it on the chart, or to see the brand name to enter into the answer field.*
- ♦ *If pill is not on chart, ask R to specify type or brand and enter that information in the answer field.*
- ♦ *ENTER pill number*

[PILL CHART]

TYPE: STRING[20]

CONDOM CONSISTENCY: PAST 4 WEEKS & PAST 12 MONTHS (EL)

**FLOW CHECK E-99: IF MONNOSX FOR EACH MONTH CMINTVW THROUGH CMLSTYR = 5 (NO INTERCOURSE), GO TO FLOW CHECK F-0.
(If R did not have intercourse in any of the past 12 months, skip this series.)**

ELSE IF MONNOSX FOR ANY MONTH CMINTVW THROUGH CMLSTYR NE 5
(HAD INTERCOURSE OR DK/RF), GO TO EL-1 PST4WKSX
(If R had intercourse in any of the past 12 months, proceed
to next question.)

PST4WKSX

EL-1. Now please think about the last four weeks. How many times have you had sexual intercourse with a male in the last four weeks?

♦ If R says "not at all" or "none", enter [0]

{ Underlying range = 0 to 995

FLOW CHECK E-99a: IF EA-2 CONDOM NE YES, GO TO FLOW CHECK F-0.
(If R has never used the condom, or answered dk/rf, skip the rest of this series)
ELSE IF EA-2 CONDOM = YES, GO TO FLOW CHECK E-100

FLOW CHECK E-100: IF EL-1 PST4WKSX=1, ASK EL-2 PSWKCOND1
ELSE IF EL-1 PST4WKSX=0, GO TO EL-4 P12MOCON
ELSE IF EL-1 PST4WKSX>1, GO TO EL-3 PSWKCOND2

PSWKCOND1

EL-2. Did you use a condom?

Yes.....1 (P12MOCON)
No.....5 (P12MOCON)

PSWKCOND2

EL-3. How many of those times did you use a condom?

♦ If R says "every time", enter [PST4WKSX]
♦ If R says "not at all" or "never", enter [0]

{ Underlying range 0 to 995

P12MOCON

EL-4. Please look at the card 48. Thinking back over the past 12 months, that is, since (CMLSTYR_FILL), would you say you used a condom with your partner for sexual intercourse every time, most of the time, about half of the time, some of the time, or none of the time?

[SHOW CARD 48]

Every time.....1
Most of the time.....2
About half of the time.....3
Some of the time.....4
None of the time.....5