

SECTION B
 Pregnancy & Birth History; Adoption & Nonbiological Children

VARIABLES IMPORTED FROM EARLIER SECTIONS:

AGE_R	R' AGE AT INTERVIEW (FROM A)
CMBIRTH	CM FOR R' DOB (FROM A)
CMJAN5YR	CENTURY MONTH OF THE JANUARY FIVE YEARS PRIOR TO CURRENT YEAR (FROM A)
CMINTVW	CM FOR DATE OF INTERVIEW (FROM A)
RELAR[X]	RELATIONSHIP OF HH MEMBERS TO R (FROM A)
NAME[X]	NAMES OF HH MEMBERS (FROM A)
THREYRS_FILL	YEAR FILL FOR YEAR OF INTERVIEW - 3 YR (FROM A)

VARIABLES CREATED IN THIS SECTION & OUTPUT TO DATA FILE

NUMBABES	# OF BABIES BORN ALIVE (ACROSS ALL PREGNANCIES) (FC B-1 AND B-10)
NPLACED	# OF R' BIOLOGICAL CHILDREN THAT SHE PLACED FOR ADOPTION (BASED ON BPA NAMING) (FC B-1 AND B-17)
NDIED	# OF R' BIO CHILDREN THAT DIED SHORTLY AFTER BIRTH (FC B-1 AND B-17)
NADOPTV	# OF R' BIOLOGICAL CHILDREN CURRENTLY LIVING WITH ADOPTIVE FAMILIES (BASED ON BG-5 WHERE NOW) (FC B-1 AND FC B-39)
EVERPREG	WHETHER R EVER BEEN PREGNANT (FC B-4)
CURRPREG	WHETHER R IS CURRENTLY PREGNANT (FC B-4)
MOSCURRP	MONTHS GESTATION OF CURRENT PREGNANCY (FC B-5)
BORNALIV	NUMBER OF BABIES BORN ALIVE FROM THIS PREGNANCY (FC B-10)
CMOTPREG	CM FOR DATE PREGNANCY ENDED (NONLIVEBIRTHS) (FC B-11)
FLGDKM01	FLAG INDICATING SEASON/DK/RF FOR BC-4A DATPRGEN_M (FC B-12)
MOSGEST	MONTHS PREGNANT WHEN PREGNANCY ENDED OR DELIVERY OCCURRED (FC B-13)
WKSGEST	WEEKS PREGNANT WHEN PREGNANCY ENDED OR DELIVERY OCCURRED (FC B-13)
FLGSTILL	FLAG INDICATING AN EARLIER THAN TYPICAL STILLBIRTH (FC B-15A)
FLGMISC	FLAG FOR A LATER THAN TYPICAL MISCARRIAGE/ECTOPIC/ABORTION (FC B-15B)
BPA_BDSCHECK1	INDICATOR FOR 1ST UNNAMED BABY FROM A PREGNANCY WHO WAS PLACED FOR ADOPTION OR WHO DIED SOON AFTER BIRTH (FC B-17)
BPA_BDSCHECK3	INDICATOR FOR 2ND UNNAMED BABY FROM A PREGNANCY WHO WAS PLACED FOR ADOPTION OR WHO DIED SOON AFTER BIRTH (FC B-17)
BPA_BDSCHECK3	INDICATOR FOR 2ND UNNAMED BABY FROM A PREGNANCY WHO WAS PLACED FOR ADOPTION OR WHO DIED SOON AFTER BIRTH (FC B-17)
CMBABDOB	CM EQUIVALENT FOR DATE OF CHILD' BIRTH (FC B-19B)
KIDAGE	AGE (IN MONTHS) OF BIO CHILD AT TIME OF INTERVIEW (FC B-19B)
PRIMVAR	WHETHER R HAS ANSWERED VOL C-SECTION QUESTIONS OR NOT (FC B-20C)
CMKIDIED	CM FOR DATE WHEN BIO CHILD UNDER AGE 19 DIED (FC B-35)
CMKIDLFT	CM FOR DATE WHEN BIO CHILD UNDER AGE 19 STOPPED LIVING WITH R (FC B-36)
LASTAGE	AGE (IN MONTHS) WHEN BIOLOGICAL CHILD LAST LIVED WITH R (FC B-38)
PRGOUTCOME	OUTCOME OF EACH PREGNANCY (INCLUDING CURRENT) (FC B-42A)
FRSTEATD	AGE (IN MOS) WHEN 1ST SUPPLEMENTED-NTH FROM THIS PREG (IN BLAISE BUT NOT CRQ)
AGEQTNUR	AGE (IN MOS) WHEN R STOPPED NURSING CHILD - NTH FROM THIS PREG (IN BLAISE BUT NOT CRQ)
CMPRGEND	CM FOR DATE EACH PREGNANCY ENDED (FC B-42A)
CMPRGBEG	CM FOR DATE EACH PREGNANCY (INCLUDING CURRENT PREG) BEGAN (FC B-42A)
WKSGESTV	WEEKS PREGNANT WHEN PREGNANCY ENDED OR DELIVERY OCCURRED AS REPORTED DURING SUMMARY SCREEN (FC B-42C_1)
MOSGESTV	MONTHS PREGNANT WHEN PREGNANCY ENDED OR DELIVERY OCCURRED AS REPORTED DURING SUMMARY SCREEN (FC B-42C_1)
CMENDDATE	CM FOR DATE EACH PREGNANCY ENDED AS REPORTED DURING SUMMARY SCREEN (FC B-42C_3)
PREGORDR	ORDER OF PREGNANCY AS DETERMINED AFTER SORTING (FC B-42C_7)

NPREGS_S: TOTAL # OF PREGS R HAS HAD/BASED ON VERIFIED AND SORTED DATA (FC B- 42D)

NBABES_S: TOTAL # OF BABIES BORN ALIVE (ACROSS ALL PREGS) - BASED ON VERIFIED AND SORTED DATA (FC B-42D)

OUTCOM_S[X]: PREGNANCY OUTCOME SORTED INTO CORRECT ORDER (FC B-42D)

CMENDP_S[X]: PREGNANCY END DATE SORTED INTO CORRECT ORDER (FC B-42D)

CMPBEG_S[X]: PREGNANCY BEGINNING DATE BASED ON LOOP AND VERIFICATION DATA AND SORTED INTO CORRECT ORDER. (FC B-42D)

NBRNLV_S[X]: NUMBER OF BABIES BORN ALIVE SORTED INTO CORRECT ORDER (FC B-42D)

CMBDAY_S BIRTHDATE FOR NTH SORTED PREGNANCY

OUTCOM_F PREGNANCY OUTCOME BASED ON LOOP AND VERIFICATION DATA (FC B-42c_6)

CMENDP_F PREGNANCY END DATE BASED ON LOOP AND VERIFICATION DATA (FC B-42c_6)

NBRNLV_F NUMBER OF BABIES BORN ALIVE BASED ON LOOP AND VERIFICATION DATA PREGORDR ORDER OF PREGNANCY AS DETERMINED AFTER SORTING (FC B-42c_6)(FC B-42c_6)

CMPG1BEG CM FOR MO/YR WHEN R' 1ST PREGNANCY BEGAN (INCL CURRENT) (FC B-42D)

HASBABES WHETHER R HAS HAD ANY LIVE BIRTHS (FC B-42D)

CMLASTLB CM FOR R' MOST RECENT LIVE BIRTH (FC B-42D)

CMLSTPRG CM FOR R' MOST RECENT COMPLETED PREGNANCY(FC B-42D)

CMFSTPRG CM FOR R' FIRST COMPLETED PREGNANCY (FC B-42D)

TOTPLACD # OF BIOLOGICAL CHILDREN THAT R PLACED FOR ADOPTION OR THAT WERE PLACED FOR ADOPTION (FC B-43)

EVERADPT R' EXPERIENCE WITH ADOPTION (BASED ON BJ SERIES) (FC B-56)

CMOKDCAM CM FOR DATE NONBIO CHILD CAME TO LIVE WITH R (FC B-49)

CMOKDDOB CM FOR NONBIO CHILD' DATE OF BIRTH (FC B-52)

VARIABLES CREATED IN THIS SECTION LOOPING & ROUTING & ARE NOT OUTPUT TO DATA FILE:

PREGCNTR COUNTS PREGNANCIES FOR PURPOSES OF LOOPING (FC B-1)

PREGCOUNTER ORDER OF PREGNANCY AS ENTERED DURING THE INTERVIEW

BABYCNTR COUNTS BABIES W/IN A MULTIPLE BIRTH FOR PURPOSES OF LOOPING (FC B-1)

NCAREFOR # OF NONBIOLOGICAL CHILDREN R EVER CARED FOR (FC B-1 AND B-45)

PREGFILL FILL FOR PREGNANCY ORDER (FC B-7)

BABYFILL FILL FOR BABIES WITHIN A MULTIPLE BIRTH (FC B-17)

MULT FILL FOR MULTIPLE BIRTHS (FC B-10)

CMPRGEND_FILL MO/YR FILL FOR CMPRGEND (FC B-42A)

CMPRGBEG_FILL MO/YR FILL FOR CMPRGBEG (FC B-42A)

CMPG1BEG_FILL MO/YR FILL FOR CMPG1BEG (FC B-42D)

CMENDP_S[X]_FILL: FILL FOR PREGNANCY END DATE SORTED INTO CORRECT ORDER (FC B-42D)

CMPBEG_S_FILL: FILL FOR PREGNANCY BEGINNING DATE BASED ON LOOP AND VERIFICATION DATA SORTED INTO CORRECT ORDER (FC B- B-42D)

BINTRO_1

BA-0. Las siguientes preguntas son acerca de sus experiencias con la maternidad y el embarazo. Primero me gustaría saber cuándo comenzó a tener sus períodos menstruales.

♦ ENTER [1] to continue

FLOW CHECK B-1: CREATE COUNTERS AND INITIALIZE ALL TO 0:

PREGCNTR = COUNTS PREGNANCIES FOR PURPOSES OF LOOPING

BABYCNTR = COUNTS BABIES WITHIN A PREGNANCY FOR PURPOSES OF LOOPING

NUMBABES = # OF BABIES BORN ALIVE (based on BORNALIV)

NPLACED = # OF R'S BIOLOGICAL CHILDREN THAT SHE

PLACED FOR ADOPTION (based on BPA naming)
NDIED = # OF R'S BIOLOGICAL CHILDREN THAT DIED
SHORTLY AFTER BIRTH (based on BDS naming)
NADOPTV = # OF R'S BIOLOGICAL CHILDREN CURRENTLY
LIVING WITH ADOPTIVE FAMILIES (based on
BG-5 WHEREIN)
NCAREFOR = # OF NONBIOLOGIC CHILDREN R EVER CARED
FOR

MENARCHE AND CURRENT PREGNANCY (BA)

MENARCHE

BA-1. ¿Qué edad tenía cuando tuvo su primera menstruación o regla?

♦ *If periods have not yet started, enter [96]*

[HELP AVAILABLE]

♦ *ENTER age in years _____*

UNDERLYING RANGE: 1 to 96

EDIT CHECK BA1_1: PROBE IF BA-1 MENARCHE > AGE_R (HARD EDIT).
DISPLAY: R has reported an age of first period (MENARCHE) that is older than her current age (BIRTHDAY). Please correct her age at 1st period.
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BA1_2: PROBE IF BA-1 MENARCHE < 6 (SOFT EDIT).
DISPLAY: R's age at 1st menstrual period has been entered as younger than 6 years. This age is outside the range when most women have their first periods. Please correct the age of R's first period (MENARCHE) if necessary, or suppress the edit check if the entered age is correct.

EDIT CHECK BA1_3: PROBE IF BA-1 MENARCHE > 25 (SOFT EDIT).
DISPLAY: R's age at 1st menstrual period has been entered as older than 25 years. This age is outside the range when most women have their first periods. Please correct the age of R's first period (MENARCHE) if necessary, or suppress the edit check if the entered age is correct.

EDIT CHECK BA1_4: PROBE IF BA-1 MENARCHE = 96 AND ANY RELAR(X) FROM HH ROSTER = 3 (BIOLOGICAL CHILD) (SOFT EDIT). **DISPLAY:** R has reported that her periods have not yet begun, but she reported having a biological child earlier. *Has something been entered incorrectly?*
INVOLVING(MENARCHE)

FLOW CHECK B-2: IF 1 LE BA-1 MENARCHE LT 96 OR IF MENARCHE = DK OR RF, ASK BA-2 PREGNOWQ.
ELSE IF MENARCHE = 96, GO TO FLOW CHECK B-4.

PREGNOWQ

BA-2. ¿Está embarazada en estos momentos?

Sí.....1
No.....5

**FLOW CHECK B-3: IF BA-2 PREGNOWQ = DK, ASK BA-3 MAYBPREG.
ELSE GO TO BINTRO_2.**

MAYBPREG

BA-3. ¿Cree que probablemente está embarazada o que no lo está?

♦ *PROBE for R's best guess or hunch before accepting a DK response. (A response of DK will be treated as not currently pregnant in subsequent questions.)*

Probablemente está embarazada.....1
Probablemente no está embarazada..2

BINTRO_2

BA-4. A continuación le preguntaré acerca de cualquier embarazo que haya tenido, ya sea que haya resultado en el nacimiento de un bebé vivo o sin vida, en un aborto espontáneo o intencional, o en un embarazo fuera del útero o matriz. Hablaremos de cada uno de sus embarazos en el orden en que ocurrieron. Esta información es de suma importancia para esta entrevista porque ayudará a mejorar la planificación familiar y los servicios de salud para todas las mujeres. Así que tómesese todo el tiempo que necesite para contestarlas lo más correcta y completamente posible.

♦ *ENTER [1] to continue*

NUMBER OF PREGNANCIES (BB)

{ Asked if R has had her first menstrual period (MENARCHE NE 96)

NUMPREGS

BB-1. IF BA-2 PREGNOWQ = 1 (yes) OR BA-3 MAYBPREG = 1 (probably pregnant),
ASK:

¿Incluyendo este embarazo, cuántas veces ha estado embarazada en su vida?

ELSE IF BA-2 PREGNOWQ = (5 or RF) OR BA-3 MAYBPREG = (5 or DK or RF), ASK:

¿Cuántas veces ha estado embarazada en su vida?

♦ *ENTER number of pregnancies _____*

UNDERLYING RANGE: 0 to 95 (allow space for 20 in later loop)

**EDIT CHECK BB1_1: PROBE IF BA-2 PREGNOWQ = YES OR BA-3 MAYBPREG = PROBABLY PREGNANT AND BB-1 NUMPREGS = 0.
DISPLAY TEXT: R may be currently pregnant, but**

has reported 0 pregnancies (NUMPREGS). Please correct this information.

INVOLVING(NUMPREGS,PREGNOWQ,MAYBPREG)

FLOW CHECK B-4: COMPUTE EVERPREG:
(Has R ever been pregnant)
EVERPREG = 1 (YES) IF NUMPREGS > 0
= 5 (NO) IF NUMPREGS = 0, DK, OR RF OR
IF MENARCHE = 96

COMPUTE CURRPREG:
(Is R currently pregnant)
CURRPREG = 1 (YES) IF PREGNOWQ=YES OR
MAYBPREG=PROB PREG.
= 5 (NO) otherwise

IF MENARCHE = 96 (periods not yet started) OR
EVERPREG = NO, GO TO FLOW CHECK B-42d.
ELSE IF EVERPREG = YES, CONTINUE.

IF CURRPREG = YES, ASK BB-2 HOWPREG. ELSE GO TO FLOW
CHECK B-6.

HOWPREG_N

BB-2.

① of ②

¿Cuántas semanas o meses de embarazo tiene ahora?

- ♦ ____ per (Week(s)/Month(s))
- ♦ If R is less than 1 week pregnant, enter [0]

[CALENDAR REFERENCE]

UNDERLYING RANGE: 0 to 50
IF DK OR RF, GO TO FLOW CHECK B-5.

HOWPREG_P

BB-2.

② of ②

¿Cuántas semanas o meses de embarazo tiene ahora?

After R has selected the units, SAY: Por favor, anote el mes en que comenzó este embarazo, poniendo una "P" en el cuadro que corresponde en la línea de "Embarazos y Nacimientos" en su calendario.

[CALENDAR REFERENCE]

- ♦ (HOWPREG_N) per Week(s)/Month(s)

Semanas...1
Meses.....2

EDIT CHECK BB2_1: PROBE IF BB-2 HOWPREG_N GE 10 AND BB-2
HOWPREG_P = 2 (months). Display: R has reported she is currently 10 or more months

pregnant. This is extremely unlikely. Please correct either the number (NOWPREG_N) or the units (NOWPREG_P), if necessary. If you suppress this check, please enter an F2 comment for the reason.

EDIT CHECK BB2_2: **PROBE IF BB-2 HOWPREG_N GE 43 AND BB-2 HOWPREG_P = 1 (weeks). Display:** R has reported she is currently 43 or more weeks pregnant. This is extremely unlikely. Please correct either the number (NOWPREG_N) or the units (NOWPREG_P), if necessary. If you suppress this check, please enter an F2 comment for the reason.

FLOW CHECK B-5: **IF BB-2 HOWPREG_N = DK OR RF OR HOWPREG_P = DK OR RF, ASK BB-3 NOWPRGDK. ELSE (IF 0 LE HOWPREG_N LE 50 AND HOWPREG_P IN(1,2)) OR IF NOWPRGDK = DK or RF, COMPUTE MOSCURRP AND GO TO FLOW CHECK B-6.**

COMPUTE MOSCURRP:
 (months currently pregnant)

SET MOSCURRP = blank
 IF NOWPRGDK=8 THEN MOSCURRP=98.
 ELSE IF NOWPRGDK=9 THEN MOSCURRP=99.
 ELSE IF HOWPREG_P = 2, SET MOSCURRP =

HOWPREG_N.

 ELSE IF HOWPREG_P = 1,
 SET MOSCURRP = HOWPREG_N / 4.33

NOWPRGDK

BB-3. ¿Está en el primer trimestre, en el segundo trimestre o en el tercer trimestre?

[HELP AVAILABLE]

Primer trimestre.....1(SET MOSCURRP = 2)
Segundo trimestre.....2(SET MOSCURRP = 5)
Tercer trimestre.....3(SET MOSCURRP = 8)

FLOW CHECK B-5b: **IF BB-3 NOWPRGDK = 8 (RF), THEN SET MOSCURRP=98 (RF). ELSE IF NOWPRGDK = 9 (DK), THEN SET MOSCURRP=99 (DK).**

FLOW CHECK B-6: **IF CURRPREG = NO OR (CURRPREG = YES AND BB-1 NUMPREGS > 1), CONTINUE WITH FLOW CHECK B-7.**

 ELSE IF CURRPREG = YES AND BB-1 NUMPREGS = 1, GO TO FLOW CHECK B-42a.

PREGNANCY OUTCOME, DATE, AND GESTATIONAL LENGTH -- ALL COMPLETED PREGS (BC)

FLOW CHECK B-7: **INCREASE PREGCNTR BY 1.**

CREATE PREGFILL:

IF BB-1 NUMPREGS=1 and PREGCNTR=1, SET PREGFILL = blank (use no fill).
ELSE IF NUMPREGS > 1, INSERT APPROPRIATE FILLS FOR EACH VALUE OF PREGCNTR (e.g., if PREGCNTR=1 use "1st").

FLOW CHECK B-8a: IF PREGCNTR = BB-1 NUMPREGS AND CURRPREG=YES, GO TO FLOW CHECK B-42a. ELSE, GO TO BC-0 BINTRO_3.

BINTRO_3

BC-0. IF PREGCNTR = 1 AND [BB-1 NUMPREGS > 2 OR (NUMPREGS=2 AND CURRPREG=NO)], ASK:
Ahora le haré algunas preguntas específicamente acerca de su (PREGFILL) embarazo. Recuerde que estaremos hablando de cada uno de sus embarazos en el orden en que ocurrieron

ELSE, ASK:

Ahora le haré algunas preguntas específicamente acerca de su (PREGFILL) embarazo.

♦ ENTER [1] to continue

PREGEND

BC-1. ¿En cuál de las formas que aparecen en la tarjeta 12 terminó ese embarazo?

♦ If this pregnancy included more than one type of outcome, such as miscarriage of one fetus and live birth for the other fetus, enter all that apply.

♦ If pregnancy resulted in multiples (such as twins or triplets) born vaginally and by cesarean section, enter both [5] and [6]. If all the babies from this pregnancy were born the same way, enter that code [5] or [6] only once.

♦ PROBE if R says DK or RF. ENTER all that apply. Do not probe AO

♦ This is a critical item. PROBE if R says DK or RF.

[SHOW CARD 12]

[HELP AVAILABLE]

Aborto espontáneo o natural.....1
Bebé nacido sin vida.....2
Aborto intencional.....3
Embarazo en los tubos o
en las trompas.....4
Nacimiento con vida por cesarea.....5
Nacimiento con vida con parto vaginal..6

FLOW CHECK B-8b: IF BC-1 PREGEND INCLUDES ANY MENTION OF CODES 5 OR 6 (LIVE BIRTH), ASK BC-2 NBRNALIV.

ELSE IF ALL RESPONSES CODED FOR BC-1 PREGEND = 1 or 2 or 3 or 4 (MISCARRIAGE, STILLBIRTH, ABORTION, OR ECTOPIC PREGNANCY), GO TO BC-4a DATPRGEN.

ELSE IF BC-1 PREGEND = DK OR RF, GO TO BC-1b HOWENDDK.

(If pregnancy did not end in a live birth, we ask "date pregnancy ended." Otherwise, we ask "date of delivery," after a few other questions on the birth. If R does not report pregnancy outcome, we ask one (new) follow-up question, and if she doesn't answer that one either, we go to end of preg loop and ask about next pregnancy if there is one.)

HOWENDDK

BC-1b. Entiendo que usted tal vez no quiera contestar esta pregunta en detalle.

Si está dispuesta a contestar, ¿resultó este(PREGFILL) embarazo en el nacimiento de uno o más bebés con vida o terminó de alguna otra manera?

Nacimiento de un bebé con vida.....1

De alguna otra manera5

FLOW CHECK B-8c: IF BC-1b HOWENDDK = DK or RF, GO TO FLOW CHECK B-42a.
ELSE IF HOWENDDK = 1 THEN ASK BC-2 NBRNALIV.
ELSE IF HOWENDDK = 5 THEN GO TO BC-4a DATPRGEN.
(HOWENDDK=5 are routed the same way as induced abortions)

NBRNALIV

BC-2. IF BB-1 NUMPREGS = 1, ASK:

¿Cuántos bebés tuvo que nacieron con vida? Por favor incluya bebés que hayan muerto poco después de nacer y bebés que usted haya dado en adopción.

ELSE IF BB-1 NUMPREGS > 1, ASK:

De su (PREGFILL) embarazo, ¿cuántos bebés nacieron vivos? Por favor incluya bebés que hayan muerto poco después de nacer y bebés que usted haya dado en adopción.

♦ ENTER number of babies

UNDERLYING RANGE: 1 to 6

FLOW CHECK B-9: IF BC-2 NBRNALIV > 1, ASK BC-3 MULTBRTH.
ELSE IF BC-2 NBRNALIV = 1, DK OR RF, GO TO BC-5 GESTASUN.

MULTBRTH

BC-3. IF BC-2 NBRNALIV = 2, ASK:

¿Tuvo mellizos o gemelos?

ELSE IF BC-2 NBRNALIV = 3, ASK:

¿Tuvo trillizos?

ELSE IF BC-2 NBRNALIV > 3, ASK:

¿Tuvo a todos esos bebés de ese [PREGFILL] embarazo?

Sí.....1

No.....5

FLOW CHECK B-10: DEFINE BORNALIV = Number of babies born alive from this pregnancy

INITIALIZE BORNALIV = blank/inapp
(retain blank for cases where NBRNALIV = DK/RF)
IF BC-2 NBRNALIV = 1 THEN BORNALIV=1;
ELSE IF (1 < NBRNALIV < 7) AND BC-3 MULTBRTH=5,DK,RF,
THEN BORNALIV=1;
ELSE IF 1 < NBRNALIV < 7 AND MULTBRTH=1,
THEN BORNALIV = NBRNALIV;

DEFINE MULT fill based on BORNALIV:
If BORNALIV=2,
MULT=twins
ELSE If BORNALIV=3,
MULT=triplets
ELSE If BORNALIV>3,
MULT=babies

INCREMENT NUMBABES BASED ON # OF BABIES BORN ALIVE FROM THIS PREGNANCY:

NUMBABES = NUMBABES + BORNALIV

GO TO BC-5 GESTASUN.

DATPRGEN_M

BC-4am. ① of ②

¿En qué mes y año terminó ese embarazo?

- ♦ PROBE gently for season if DK or RF month
- ♦ If R insists she does not know, enter [Ctrl+D].
- ♦ ENTER MM/YYYY

[CALENDAR REFERENCE]

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

DATPRGEN_Y

BC-4ay. ② of ②

(¿En qué mes y año terminó ese embarazo?)

[CALENDAR REFERENCE]

- ♦ After R has given the year, say: Por favor anote el embarazo en la sección de "fechas de partos o fechas en que terminaron los embarazos" debajo del calendario. Luego, si el embarazo terminó en 2008 o más tarde, por favor marque con una "M" si el bebé nació muerto, con "AE" si tuvo un aborto espontáneo o un embarazo en las trompas o tubos, o con "A" para un aborto, en el cuadrado

apropiado en la línea de "Nacimientos y otros embarazos" de su calendario.

♦ ENTER (DATPRGEN_M)/YYYY

UNDERLYING RANGE: 1971 to 2020

FLOW CHECK B-11: COMPUTE CMOTPREG:
(Century month for mo/yr when nonlivebirth preg ended)

SET CMOTPREG = null/blank.

IF DATPRGEN_Y = RF, SET CMOTPREG = 9998 (RF).
ELSE IF DATPRGEN_Y = DK, SET CMOTPREG = 9999 (DK).

ELSE IF DATPRGEN_M LE 12,
COMPUTE CMOTPREG = (DATPRGEN_Y - 1900)*12 +
DATPRGEN_M

ELSE IF 13 LE DATPRGEN_M LE 16, USE MONTH APPROPRIATE
TO SEASON & COMPUTE CMOTPREG as above.

ELSE IF DATPRGEN_M = DK OR RF, ASSIGN MONTH = 6
(June) & COMPUTE CMOTPREG as above.

Edit Check BC4a_1: IF (DATPRGEN_M LE 12) AND CMOTPREG > CMINTVW, DISPLAY:
The date entered cannot be after the date of interview.
Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BC4a_2: IF (DATPRGEN_M LE 12) AND CMOTPREG < CMBIRTH, DISPLAY:
The date entered cannot be before her date of birth.
Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BC4a_3: IF (13 LE DATPRGEN_M LE 16) AND CMOTPREG > (CMINTVW + 2)
, DISPLAY: The date entered cannot be after the date of
interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BC4a_4: IF (13 LE DATPRGEN_M LE 16) AND CMOTPREG < (CMBIRTH - 3)
, DISPLAY: The date entered cannot be before her date of
birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BC4a_5: IF (DATPRGEN_M = DK OR RF) AND DATPRGEN_Y > (CMINTVW/12
+1900), DISPLAY: The date entered cannot be after the date
of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BC4a_6: IF (DATPRGEN_M = DK OR RF) AND DATPRGEN_Y < (CMBIRTH/12
+1900)- 1, DISPLAY: The date entered cannot be before her
date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BC4a_6b: PROBE IF CMOTPREG < CMBIRTH + 120 DISPLAY: R has

reported having a pregnancy before age 10. Please correct the date of this pregnancy if necessary.
INVOLVING: DATPRGEN_M, DATPRGEN_Y

EDIT CHECK BC4a_7: PROBE IF CMOTPREG FOR THIS PREGNANCY IS SAME AS CMOTPREG FOR A PRIOR PREGNANCY (CMOTPREG[x] = CMOTPREG[x-1] or ANY OTHER nonsysmis, nonDK/RF CMOTPREG value): R has reported that this pregnancy ended in the same month and year as another pregnancy. Please correct one of these dates if necessary. If R says she her pregnancy ended in more than 1 way, such as miscarriage and stillbirth, please return to correct BB-1 NUMPREGS and BC-1 PREGEND.

EDIT CHECK BC4a_8: PROBE IF R'S AGE AT CMOTPREG FOR THIS PREGNANCY IS YOUNGER THAN HER AGE AT 1ST MENSTRUAL PERIOD (INT((CMOTPREG-CMBIRTH)/12)) LT BA-1 MENARCHE): The computer has estimated that this pregnancy ended at a younger age than R's first menstrual period. If necessary, please correct the date of this pregnancy or her age at first menstrual period.

FLOW CHECK B-12: DEFINE FLGDKM01 for SEASON/DK/RF reporting on DATPRGEN_M:
SET FLGDKM01 = 0 (NO)
IF DATPRGEN_M = 13 or 14 or 15 or 16, SET FLGDKM01 =1.
ELSE IF DATPRGEN_M = DK or RF, SET FLGDKM01 = 2.
IF FLGDKM01 = 1 or 2 OR CMOTPREG = DK OR RF, ASK BC-4b AGEATEND.
ELSE GO TO BC-4c HPAGEEND.

{ Asked if R reported a season or dk/rf on month or entire date was dk/rf
AGEATEND

BC-4b. ¿Qué edad tenía usted cuando terminó ese embarazo?

♦ ENTER age in years. _____

UNDERLYING RANGE: 5 to 49

EDIT CHECK BC4b_1: PROBE IF R'S AGE WHEN THIS PREGNANCY ENDED IS YOUNGER THAN HER AGE AT 1ST MENSTRUAL PERIOD (BC-4b AGEATEND LT BA-1 MENARCHE): R has reported that this pregnancy ended at an age younger than her first menstrual period. If necessary, please correct her age when this pregnancy ended or her age at first menstrual period.

{Asked for all pregnancies that did not end in live birth
HPAGEEND

BC-4c. ¿Qué edad tenía el padre cuando terminó ese embarazo?

♦ ENTER age in years. _____

UNDERLYING RANGE: 5 to 95

GESTASUN_M

BC-5m. ① of ②

IF BORNALIV = 1, ASK:

¿Cuántos meses o semanas de embarazo tenía usted cuando nació el bebé?

ELSE IF BORNALIV > 1, ASK:

¿Cuántos meses o semanas de embarazo tenía usted cuando nacieron los [MULT]?

ELSE IF BORNALIV = BLANK, ASK:

¿Cuántos meses o semanas de embarazo tenía usted cuando terminó ese embarazo?

♦ *PROBE for an exact number. Fill fields for both months and weeks as R reports them. For example, "2 1/2 months" should be entered as 2 months and 2 weeks, "9 months" would be entered as 9 months and 0 weeks.*

♦ *___ months (and ___ weeks)*

UNDERLYING RANGE: 0 to 11

GESTASUN_W

BC-5w. ② of ②

IF BORNALIV = 1, ASK:

(¿Cuántos meses o semanas de embarazo tenía usted cuando nació el bebé?)

ELSE IF BORNALIV > 1, ASK:

(¿Cuántos meses o semanas de embarazo tenía usted cuando nacieron los [MULT]?)

ELSE IF BORNALIV = BLANK, ASK:

¿Cuántos meses o semanas de embarazo tenía usted cuando terminó ese embarazo?)

♦ *PROBE for an exact number. Fill fields for both months and weeks as R reports them. For example, "2 1/2 months" should be entered as 2 months and 2 weeks, "9 months" would be entered as 9 months and 0 weeks.*

[CALENDAR REFERENCE]

♦ *(GESTASUN_M) months and ___ weeks*

UNDERLYING RANGE: 0 to 50

FLOW CHECK B-13: COMPUTE WKSGEST:
(weeks of gestation for completed pregnancy)

INITIALIZE WKSGEST = null/blank.
IF (GESTASUN_M = DK OR RF) OR (GESTASUN_W = DK OR RF)
THEN SET WKSGEST = DK OR RF (as appropriate).
ELSE IF (GESTASUN_M NE DK OR RF) AND (GESTASUN_W NE
DK OR RF):
SET WKSGEST = (GESTASUN_M * 4.33) + GESTASUN_W

COMPUTE MOSGEST:
(months of gestation for completed pregnancy):

INITIALIZE MOSGEST = null/blank.
IF (GESTASUN_M = DK OR RF) OR (GESTASUN_W = DK OR RF)
THEN SET MOSGEST = DK OR RF (as appropriate).
ELSE IF (GESTASUN_M NE DK OR RF) AND (GESTASUN_W NE
DK OR RF):
SET MOSGEST = GESTASUN_M + (GESTASUN_W / 4.33)

EDIT CHECK BC5_1a: PROBE IF WKSGEST > 44 WEEKS. DISPLAY: R has reported a pregnancy longer than 44 weeks or 10 months. This is extremely unlikely. Please correct the months or weeks of gestation (GESTASUN_M or GESTASUN_W), if necessary. If you suppress this check, please enter an F2 comment for the reason.
INVOLVING(GESTASUN_W,GESTASUN_M) [RECOMPUTE MOSGEST AND WKSGEST]

EDIT CHECK BC5_1b: PROBE IF MOSGEST GT 10. DISPLAY: R has reported a pregnancy longer than 44 weeks or 10 months. This is extremely unlikely. Please correct the months or weeks of gestation (GESTASUN_M or GESTASUN_W), if necessary. If you suppress this check, please enter an F2 comment for the reason.
INVOLVING(GESTASUN_W,GESTASUN_M) [RECOMPUTE MOSGEST AND WKSGEST]

EDIT CHECK BC5_2: PROBE IF BC-1 PREGEND = ONLY 2 (STILLBIRTH) AND (MOSGEST < 5 MONTHS OR WKSGEST < 20). . DISPLAY: Stillbirths typically occur at 20 weeks or later during pregnancy, but R has reported a stillbirth that occurred earlier than this. Please correct the months or weeks of gestation (GESTASUN_M or GESTASUN_W), if necessary. If you suppress this check, please enter an F2 comment for the reason.
INVOLVING(GESTASUN_W,GESTASUN_M) [RECOMPUTE MOSGEST AND WKSGEST]

EDIT CHECK BC5_3: PROBE IF BC-1 PREGEND = ONLY 1 or 4 (MISCARRIAGE OR ECTOPIC PREGNANCY) AND (MOSGEST GE 5 MONTHS or WKSGEST GE 20). DISPLAY: Such pregnancy losses typically occur earlier than 20 weeks of pregnancy, but R has reported that her pregnancy ended later than this. Please correct the months or weeks of gestation (GESTASUN_M or GESTASUN_W), if necessary. If you suppress this check, please enter an F2 comment for the reason.

INVOLVING(GESTASUN_W,GESTASUN_M) [RECOMPUTE MOSGEST
AND WKSGEST]

EDIT CHECK BC5_4: PROBE IF BC-1 PREGEND = ONLY 3 (ABORTION) AND MOSGEST
GE 6 MONTHS. DISPLAY: Abortions are typically done
within the 1st 6 months of pregnancy, but R has
reported that her pregnancy was ended at 6 months or
later. Please correct the months or weeks of
gestation (GESTASUN_M or GESTASUN_W), if
necessary. If you suppress this check, please enter
an F2 comment for the reason.
INVOLVING(GESTASUN_W,GESTASUN_M) [RECOMPUTE MOSGEST
AND WKSGEST]

EDIT CHECK BC5_5: PROBE IF BC-1 PREGEND INCLUDES CODES 5 OR 6 (ANY LIVE
BIRTH BY CESEAREAN OR VAGINAL DELIVERY) AND
(WKSGEST<24 OR MOSGEST<6). DISPLAY: R has reported
a live birth occurring earlier than 24 weeks or 6
months of pregnancy. This is extremely unlikely.
Please correct the months or weeks of gestation
(GESTASUN_M or GESTASUN_W), if necessary. If you
suppress this check, please enter an F2 comment for
the reason.
INVOLVING(GESTASUN_W,GESTASUN_M) [RECOMPUTE MOSGEST
AND WKSGEST]

FLOW CHECK B-14: IF WKSGEST = DK/RF, CONTINUE WITH FLOW CHECK B-15.
ELSE IF WKSGEST NE DK/RF, GO TO FLOW CHECK B-16.

FLOW CHECK B-15: IF BC-1 PREGEND = ONLY 2 (STILLBIRTH), ASK BC-6 DK1GEST.

ELSE IF BC-1 PREGEND includes codes 5 or 6 (ANY
LIVEBIRTH BY CESEAREAN OR VAGINAL DELIVERY) OR BC-1b
HOWENDDK=1 (live birth), GO TO BC-7 DK2GEST.

ELSE IF BC-1 PREGEND = ONLY 1 OR 3 OR 4 (ONLY MISCARRIAGE,
ABORTION, OR ECTOPIC PREGNANCY), GO TO BC-8 DK3GEST.
(Routes to the outcome-appropriate followup questions for
gestational length DK responses.)

DK1GEST

BC-6. Fue...

Menos de 6 meses.....1(RESET MOSGEST=4.5 & WKSGEST=4.5*4.33)
6 meses o más.....2(RESET MOSGEST=7.5 & WKSGEST=7.5*4.33)
{IF DK/RF, THEN MOSGEST REMAINS DK/RF.}

EDIT CHECK BC6_1: PROBE IF BC-1 PREGEND = ONLY 2 (STILLBIRTH) AND BC-6
DK1GEST = 1 (less than 6 months). Display:
Stillbirths typically occur at 6 months or later
during pregnancy, but R has reported a stillbirth
that occurred earlier than 6 months. Please correct
DK1GEST if necessary. If you suppress this check,
please enter an F2 comment for the reason. (ALLOW
CORRECTION OF DK1GEST, and then recompute MOSGEST and

WKSGEST.)

FLOW CHECK B-15a: IF R INSISTS THAT HER STILLBIRTH OCCURRED AT LESS THAN 6 MONTHS, SET FLAG SO THAT WE CAN DECIDE ON WHETHER TO MODIFY OUTCOME IN LATER EDITING.

Initialize FLGSTILL = 0 for all cases asked DK1GEST.
If DK1GEST = 1, Set FLGSTILL = 1.

GO TO FLOW CHECK B-16.

DK2GEST

BC-7. Un parto prematuro o pretérmino es uno que ocurre a las 36 semanas o antes en el embarazo. Hasta donde usted sabe, ¿tuvo un parto prematuro?

Sí.....1(RESET MOSGEST=30/4.33 & WKSGEST=30); FLOW CHECK B-16)
No.....5(RESET MOSGEST=40/4.33 & WKSGEST=40); FLOW CHECK B-16)
{IF DK/RF, THEN MOSGEST REMAINS DK/RF.}

DK3GEST

BC-8. Fue...

♦ *READ list*

Menos de 3 meses.....1(RESET MOSGEST=1.5 & WKSGEST=1.5*4.33)
3 meses o más, pero
menos de 6 meses,o.....2(RESET MOSGEST=4.5 & KSGEST=4.5*4.33)
6 meses o más.....3(RESET MOSGEST=7.5 & WKSGEST=7.5*4.33)
{IF DK/RF, THEN MOSGEST REMAINS DK/RF.}

EDIT CHECK BC8_1:

PROBE IF BC-1 PREGEND = ONLY CODES 1 OR 3 OR 4 (ONLY MISCARRIAGE, ABORTION, OR ECTOPIC PREGNANCY) AND BC-8 DK3GEST = 3 (6 MONTHS OR MORE). DISPLAY TEXT: Such pregnancies typically occur earlier than 6 months of pregnancy, but R has reported that her pregnancy ended at 6 months or later. Please correct DK2GEST if necessary. If you suppress this check, please enter an F2 comment for the reason. (ALLOW CORRECTION OF DK3GEST, and then recompute MOSGEST and WKSGEST.)

FLOW CHECK B-15b: IF R INSISTS THAT THE PREGNANCY ENDED AT 6 MONTHS OR LATER, SET FLAG SO THAT WE CAN DECIDE ON WHETHER TO MODIFY OUTCOME IN LATER EDITING.

Initialize FLGMISC = 0 for all cases asked DK3GEST.
If DK3GEST = 3, Set FLGMISC = 1.

FLOW CHECK B-16: IF BC-1 PREGEND INCLUDES CODES 5 OR 6 (live birth by cesarean or vaginal delivery) OR BC-1b HOWENDDK=1, ASK BD-1 BABYNAME.

ELSE IF BC-1 PREGEND = only 3 (ONLY ABORTION) OR BC-1b HOWENDDK=5 (non-livebirth), GO TO FLOW CHECK B-42a.

ELSE IF BC-1 PREGEND = only 1, 2, or 4 (ONLY MISCARRIAGE,

STILLBIRTH, OR ECTOPIC PREGNANCY), GO TO FLOW CHECK B-21.
 (If pregnancy ended in induced abortion or R was asked the dk/rf follow-up question for preg outcome, we ask no more questions about it, beyond date and gestational length obtained above. Otherwise, R is routed through BD-BH series based on date and outcome of pregnancy.)

DELIVERY INFORMATION -- ALL LIVE BIRTHS, SOME BABY-SPECIFIC QUESTIONS (BD)

BABYNAME

BD-1. IF BORNALIV = 1, ASK:

¿Qué nombre le puso a su bebé?

ELSE IF BORNALIV > 1, ASK:

¿Qué nombres les puso a sus [MULT]?

- ♦ If the baby was unnamed and placed for adoption, enter [BPA].
- ♦ If the baby was unnamed and died shortly after birth, enter [BDS].
- ♦ If there are multiple instances of either of these cases, add a number to the entry to distinguish one child from another, e.g., "BPA1", "BPA2", and so forth.

♦ ENTER Name or initials

{ SPACE ALLOWED FOR UP TO 6 CHILDREN.

FLOW CHECK B-17: INCREASE BABYCNTN BY 1.

IF BD-1 BABYNAME = BPA, BPA1, BPA2, ETC, INCREASE NPLACED BY 1.

IF BD-1 BABYNAME = BDS, BDS1, BDS2, ETC, INCREASE NDIED BY 1.

BPA_BDScheck variables will be defined for each liveborn baby from this pregnancy to indicate that the baby was placed for adoption or died shortly after birth.

(Jason: Please advise if this is not the best location for defining BPA_BDScheck variable for each baby.)

DEFINE BABYFILL and BPA_BDScheck:

IF BABYNAME NE BPA (or BPA1, BPA2, etc) OR BDS (or BDS1, BDS2, etc) OR DK OR RF OR " " (WHITE SPACE), SET BPA_BDScheck=0 AND SET BABYFILL = BABYNAME.

ELSE IF BABYNAME = DK OR RF OR " " (WHITE SPACE) AND BORNALIV = 1, SET BABYFILL = BLANK.

ELSE IF BABYNAME = DK OR RF OR " " (WHITE SPACE) AND BORNALIV > 1, SET BPA_BDScheck=0 AND SET BABYFILL = "first," "second," etc.

ELSE IF BABYNAME = BPA, BPA1, BPA2, ETC AND NPLACED = 1, SET BABYFILL = BLANK and SET BPA_BDScheck = 1 (baby placed for adoption).

ELSE IF BABYNAME = BPA, BPA1, BPA2, ETC AND NPLACED > 1, SET BABYFILL = "first" FOR THE FIRST BPA, "second" FOR THE SECOND BPA, ETC. SET BPA_BDScheck=1 for each of the babies

named with a BPA name.

ELSE IF BABYNAME = BDS, BDS1, BDS2, ETC AND NDIED = 1, SET
BABYFILL = BLANK and SET BPA_BDScheck = 2 (baby died
shortly after birth).

ELSE IF BABYNAME = BDS, BDS1, BDS2, ETC AND NDIED > 1, SET
BABYFILL = "first" FOR FIRST BDS, "second" FOR SECOND BDS,
ETC. SET BPA_BDScheck=2 for each of the babies named with
a BDS name.

FLOW CHECK B-17a: IF BORNALIV > 3, ASK BINTRO_4 BD-1b.

ELSE GO TO BABYSEX BD-2.

BINTRO_4

BD-1b. "Para ahorrar tiempo durante la entrevista, sólo le haré
preguntas específicas sobre los primeros tres bebés de ese
embarazo."

♦ ENTER [1] to continue

BABYSEX

BD-2. IF BABYNAME = BPA (or BPA1, BPA2, etc):

Ask only if necessary: ¿El (BABYFILL) bebé que usted dio en adopción
era niño o niña?

ELSE IF BABYNAME = BDS (or BDS1, BDS2, etc):

Ask only if necessary: ¿El (BABYFILL) bebé que murió era niño o niña?

ELSE IF BABYNAME = DK OR RF, ASK:

¿El (BABYFILL) bebé era niño o niña?

ELSE IF BABYNAME NE BPA OR BDS OR DK OR RF:

ASK ONLY IF NECESSARY: Es (BABYFILL) niño o niña?

Masculino.....1

Femenino.....2

BIRTHWGT_LB

BD-3. ① of ②

IF BABYNAME = BPA OR BDS or DK OR RF, ASK:

¿Cuánto pesó este (NTH) bebé al nacer?

ELSE IF BABYNAME NE BPA OR BDS OR DK OR RF, ASK:

¿Cuánto pesó (BABYFILL) al nacer?

♦ Fill in both pounds and ounces fields. If R answers in metric
grams, enter [Ctrl+D] and answer BD-4 LOBTHWGT.

♦ ___ Pounds (and ___ ounces)

UNDERLYING RANGE: 0 to 20

IF DK OR RF, GO TO FLOW CHECK B-18.

BIRTHWGT_OZ

BD-3. ② of ②

¿Cuánto pesó (BABYFILL/este (Nth) bebé) al nacer?)

♦ (BIRTHWGT_LB) pounds and ____ ounces

UNDERLYING RANGE: 0 to 15

FLOW CHECK B-18: IF BD-3 BIRTHWGT_LB = DK OR RF OR (BIRTHWGT_LB LT 6 AND BIRTHWGT_OZ = DK OR RF), ASK BD-4 LOBTHWGT. ELSE, GO TO FLOW CHECK B-19.

LOBTHWGT

BD-4. IF BD-2 BABYSEX = 1, ASK:

¿Pesó 5 libras y media o más, o pesó menos de 5 libras y media?

ELSE IF BD-2 BABYSEX = 2, ASK:

¿Pesó 5 libras y media o más, o pesó menos de 5 libras y media?

♦ ENTER [2] if baby weighed less than 5 1/2 pounds or less than 2500 grams.

5 libras y media o más.....1

Menos de 5 libras y media.....2

FLOW CHECK B-19: IF BABYCNTR < BORNALIV, RETURN TO FLOW CHECK B-17. ELSE IF BABYCNTR = BORNALIV = 1, GO TO BD-5 BABYDOB. We ask DOB after getting sex & birthweight of each baby born from this pregnancy. If there's more than 1 liveborn baby, we only ask DOB once.

BABYDOB_M

BD-5. ① of ②

IF BORNALIV = 1 AND (BD-1 BABYNAME = DK or RF OR BPA_BDScheck=1 or 2) AND BD-2 BABYSEX = 1 (MALE), ASK:

¿En qué mes y año nació él?

ELSE IF BORNALIV = 1 AND (BD-1 BABYNAME = DK or RF OR BPA_BDScheck=1 or 2) AND BD-2 BABYSEX = 2 (FEMALE), ASK:

¿En qué mes y año nació ella?

ELSE IF BORNALIV > 1, ASK:

¿En qué mes y año nacieron los [MULT]?

ELSE IF BC-2 NBRNALIV = DK OR RF, ASK:

¿En qué mes y año terminó ese embarazo?

ELSE IF BORNALIV = 1 AND BPA_BDScheck=0, ASK:

¿En qué mes y año nació (BABYFILL)?

[CALENDAR REFERENCE]

[HELP AVAILABLE]

- ♦ PROBE gently for season if DK or RF month
- ♦ ENTER MM/YYYY

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

BABYDOB_Y

BD-5. ② of ②

(Variant from month screen)

[CALENDAR REFERENCE]
[HELP AVAILABLE]

♦ After R has given the year, say: Por favor anote esa fecha en la sección de "Fechas de partos o fechas en que terminaron los embarazos" debajo del calendario. Luego, si el parto tuvo lugar en [THREYRS_FILL] o después, por favor ponga una "P" en el cuadrado correspondiente a ese mes y año en la línea de "Nacimientos y otros embarazos" en el calendario.

- ♦ ENTER (BABYDOB_M)/YYYY

UNDERLYING RANGE: 1971 to 2020

FLOW CHECK B-19b: COMPUTE CMBABDOB:

(Century month for baby' date of birth)

SET CMBABDOB = null/blank.

IF BABYDOB_Y = RF, SET CMBABDOB = 9998 (RF).
ELSE IF BABYDOB_Y = DK, SET CMBABDOB = 9999 (DK).

ELSE IF BABYDOB_M LE 12,
COMPUTE CMBABDOB = (BABYDOB_Y - 1900)*12 + BABYDOB_M

ELSE IF 13 LE BABYDOB_M LE 16, USE MONTH APPROPRIATE
TO SEASON & COMPUTE CMBABDOB as above.

ELSE IF BABYDOB_M = DK OR RF, ASSIGN MONTH = 6 (June)
& COMPUTE CMBABDOB as above.

COMPUTE KIDAGE:

(Child' age (in months) at time of interview)

IF CMBABDOB NE blank,
KIDAGE = CMINTVW - CMBABDOB

Edit Check BD5_1: IF (BABYDOB_M LE 12) AND CMBABDOB > CMINTVW, DISPLAY:
The date entered cannot be after the date of
interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BD5_2: IF (BABYDOB_M LE 12) AND CMBABDOB < CMBIRTH, DISPLAY:
The date entered cannot be before her date of birth.

Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

- Edit Check BD5_3: IF (13 LE BABYDOB_M LE 16) AND CMBABDOB > (CMINTVW + 2), DISPLAY: The date entered cannot be after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check BD5_4: IF (13 LE BABYDOB_M LE 16) AND CMBABDOB < (CMBIRTH - 3), DISPLAY: The date entered cannot be before her date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check BD5_5: IF (BABYDOB_M = DK OR RF) AND BABYDOB_Y > (CMINTVW/12 +1900), DISPLAY: The date entered cannot be after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.
- Edit Check BD5_6: IF (BABYDOB_M = DK OR RF) AND BABYDOB_Y < (CMBIRTH/12 +1900)- 1, DISPLAY: The date entered cannot be before her date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.
- EDIT CHECK BD5_7: PROBE IF CMBABDOB < CMBIRTH + 120 DISPLAY: R has reported having a baby before age 10. Please correct the baby's date of birth if necessary.
INVOLVING: BABYDOB_M, BABYDOB_Y
- EDIT CHECK BD5_8: PROBE IF CMBABDOB FOR THIS PREGNANCY IS SAME AS CMBABDOB FOR A PRIOR PREGNANCY (CMBABDOB[x] = CMBABDOB[x-1] or ANY OTHER nonsymis, nonDK/RF CMBABDOB value): R has reported a date of birth for this child that is the same as another child's date of birth. Please correct one of the children's date of birth if necessary. If R says she had twins or triplets, please return to correct BB-1 NUMPREGS and BC-2 NBRNALIV.
- EDIT CHECK BD5_9: PROBE IF CMBABDOB FOR THIS PREGNANCY IS SAME AS CMOTPREG FOR A PRIOR PREGNANCY (CMBABDOB[x] = CMOTPREG[x-1] or ANY OTHER nonsymis, nonDK/RF CMOTPREG value): R has reported a date of birth for this child that is the same as another pregnancy's end date. Please correct one of these dates if necessary. If R says she her pregnancy ended in more than 1 way, such as live birth and stillbirth, please return to correct BB-1 NUMPREGS and BC-1 PREGEND.

{Asked for all pregnancies resulting in a liveborn baby

HPAGELB

BD-6. ¿Qué edad tenía el padre cuando (él/ella/los [MULT]) (nació/nacieron)?

♦ ENTER age in years. _____

UNDERLYING RANGE 5 to 95

FLOW CHECK B-20: IF CMBABDOB GE CMJAN5YR, ASK BD-7 BIRTHPLC.
ELSE IF CMBABDOB LT CMJAN5YR, GO TO FLOW CHECK B-33.

BIRTHPLC

BD-7. ¿Dónde dio usted a luz? ¿Fue en un hospital, en una maternidad o centro de partos, en su casa o en otro lugar?

- En un hospital.....1
- En una maternidad o centro de partos...2
- En su casa.....3
- En otro lugar.....4

PAYBIRTH

BD-8. IF BORNALIV = 1 AND (BD-1 BABYNAME = DK or RF OR BPA_BDScheck=1 or 2), ASK:

Mire la Tarjeta 16 y dígame ¿cómo se pagó la cuenta del parto?

ELSE IF BORNALIV > 1, ASK:

Mire la Tarjeta 16 y dígame ¿cómo se pagó la cuenta del parto cuando nacieron sus [MULT].

ELSE IF BORNALIV = 1 AND BPA_BDSCHECK=0 (MOST COMMON VARIANT), ASK: Mire la Tarjeta 16 y dígame ¿cómo se pagó la cuenta del parto cuando nació(BABYFILL).

- ♦ ENTER all that apply.
- ♦ PROBE: "Any other ways?"
- ♦ Do not include costs of prenatal care, only costs of the delivery and any follow-up care.
- ♦ ASK if R volunteers bill still unpaid: ¿Cómo cree que se pagará la deuda?

[SHOW CARD 16]
[HELP AVAILABLE]

- Con el seguro.....1
- Pagaré parte o toda la cuenta.....2
- Con Medicaid.....3
- No fue necesario pagar.....4
- De alguna otra manera.....5

EDIT CHECK BD8_1: PAYBIRTH=4 + ANOTHER RESPONSE THEN
This answer choice is not allowed to be used with any other answer code. Verify with R and re-enter.

FLOW CHECK B-20B: IF BC-1 PREGEND INCLUDES CODE 6 (vaginal delivery mentioned at all) OR PRIMVAR=1, GO TO FLOW CHECK B-21.

ELSE IF PREGEND INCLUDES ONLY CODE 5 (only cesarean delivery mentioned) AND PRIMVAR NE 1, ASK BD-9 CSECPRIM.

{Asked if this pregnancy's only outcome was cesarean delivery and R has not already reported on her first cesarean delivery

CSECPRIM

BD-9. ¿Ese fue su primer parto por cesárea, o había tenido algún otro antes?

- Sí, Primera cesárea.....1
- No, no fue la primera cesárea....5

FLOW CHECK B-20C: CREATE PRIMVAR:

(Whether R has answered vol C-Section questions or not)
SET PRIMVAR = 0
PRIMVAR = 1 (IF CSECPRIM = Yes)

IF BD-9 CSECPRIM= 5, DK, OR RF, GO TO FLOW CHECK B-21.
ELSE IF CSECPRIM=1, SET PRIMVAR=1 AND ASK BD-10 CSECMED.

{Asked if this is her first (primary) cesarean delivery

CSECMED

BD-10. Por favor mire la tarjeta 16b. ¿Cuál de estas razones médicas fue la razón por la cual este parto fue por cesárea?

[SHOW CARD 16b]

- ♦ *PROBE*: "Alguna otra razón?"
- ♦ *ENTER* all that apply
- ♦ *Press [Space] or [-] to separate responses*

El parto estaba durando demasiado.....1
La persona que le brindó atención durante el parto
se preocupó de que el bebé fuera demasiado grande.....2
El bebé estaba en mala posición (por ejemplo, de nalgas)....3
La persona que le brindó atención durante el parto
se preocupó por su salud4
La persona que le brindó atención durante el parto
se preocupó por la salud del bebé.....5
Por alguna otra razón médica.....6
No hubo ninguna razón médica.....7

EDIT CHECK BD-10_1: IF CSECMED = 7 AND ANY OTHER CODE DISPLAY: You cannot choose "No medical reason" in conjunction with any other answers. Verify with R and re-enter.
HARD, NONSUPPRESSIBLE EDIT CHECK.

**FLOW CHECK B-20D: IF BD-10 CSECMED=7 (no medical reason), ASK BD-10s
SP_CSECMED.
ELSE, GO TO FLOW CHECK B-21.**

{ Asked only if R has reported no medical reason for the c-section

CSECMED_SP

BD-10sp. ¿Cuál fue la razón principal por la cual usted tuvo un parto por cesárea?

TYPE: STRING 250

{ Asked only if R has reported no medical reason for the c-section

CSECPLAN

BD-11. ¿Se debió esta cesarea a que usted tuvo la idea de tener una cesárea planificada antes de que empezara el trabajo de parto?

Sí1
No5

FLOW CHECK B-21: IF BC-1 PREGEND NE 5 or 6 (NO LIVE BIRTH FROM THIS PREGNANCY) OR BC-1b HOWPREGDK = 5, DK, OR RF), GO TO FLOW CHECK B-22.

ELSE IF BPA_BDScheck for any baby from this pregnancy = 0 or 2, GO TO FLOW CHECK B-22.

ELSE GO TO FLOW CHECK B-42a.

(WE DO NOT ASK BE-BH SERIES FOR UNNAMED BABIES WHO WERE PLACED FOR ADOPTION.)

FLOW CHECK B-22: IF CMOTPREG OR CMBABDOB GE CMJAN5YR, ASK BE-1 KNEWPREG.
ELSE GO TO FLOW CHECK B-29.

SELECTED INFORMATION FOR RECENT PREGNANCIES ((Since January of the year 5 years before interview)) (BE)

KNEWPREG

BE-1. ¿Cuántas semanas de embarazo tenía cuando se enteró de que estaba embarazada esa (PREGFILL) vez?

♦ *Weeks of pregnancy should be counted as completed weeks since the last normal menstrual period.*

♦ *ENTER number of weeks*

UNDERLYING RANGE: 0 to 50

EDIT CHECK BE1_1: PROBE IF BE-1 KNEWPREG > 44 WEEKS. DISPLAY TEXT: R reports learning of this pregnancy later than 44 weeks or 10 months. Please correct whichever item has been entered incorrectly.

EDIT CHECK BE1_2: PROBE IF BE-1 KNEWPREG > WKSGEST. DISPLAY TEXT: R has reported learning of this pregnancy after it ended. Please correct whichever item has been entered incorrectly.

INVOLVING(KNEWPREG,GESTASUN_M,.GESTASUN_W)

[IF GESTASUN_M/Y IS CHANGED, RECOMPUTE MOSGEST AND WKSGEST]

FLOW CHECK B-23: IF BE-1 KNEWPREG = DK OR RF, GO TO FLOW CHECK B-24.
ELSE IF 0 LE KNEWPREG LE 50, GO TO BE-3 PRIORSMK.

FLOW CHECK B-24: IF MOSGEST < 3 OR IF BC-8 DK3GEST = 1 (less than 3 months), GO TO FLOW CHECK B-26.

ELSE IF MOSGEST < 6 OR IF BC-8 DK3GEST = 2 (3 months or more but less than 6 months), ASK BE-2b LTRIMEST.

ELSE IF MOSGEST GE 6 OR IF BC-7 DK2GEST NE BLANK OR IF BC-6 DK1GEST = 2 (6 months or more), ASK BE-2a TRIMESTR.

(Routes to gestation-appropriate DK F/U questions)

TRIMESTR

BE-2a. ¿Tenía menos de 3 meses, por lo menos 3 meses pero menos de 6 meses, o seis meses o más?

Menos de 3 meses.....1
 3 meses o más, pero menos de 6 meses....2
 6 meses o más.....3

FLOW CHECK B-25: IF BE-2a TRIMESTR = 1, 2, 3, DK, OR RF, GO TO BE-3 PRIORSMK.

LTRIMEST

BE-2b. ¿Tenía menos de 3 meses o más de 3 meses?

Menos de 3 meses.....1
 Más de 3 meses.....2

EDIT CHECK BE2_1: PROBE IF (TRIMESTR = 3 AND MOSGEST LT 3) OR (TRIMESTR = 3 AND MOSGEST LT 6) OR (LTRIMEST = 2 AND MOSGEST LT 3). DISPLAY TEXT: R has reported learning of this pregnancy after it ended. Please correct whichever item has been entered incorrectly.

PRIORSMK

BE-3. Por favor mire la Tarjeta 17. En los 6 meses antes de enterarse que estaba embarazada esa (PREGFILL) vez, (en promedio) ¿cuántos cigarrillos fumaba al día?

[SHOW CARD 17]

Ninguno.....0
 Alrededor de 1 cigarrillo al día o menos.....1
 Solamente unos pocos cigarrillos al día (2-4)....2
 Alrededor de medio paquete al día (5-14.).....3
 Alrededor de un paquete al día (15-24).....4
 Alrededor de 1 paquete y medio al día (25-34)...5
 Alrededor de 2 paquetes al día (35-44).....6
 Más de 2 paquetes al día (45 o más).....7

POSTSMKS

BE-4. Después de enterarse que estaba embarazada esa (PREGFILL) vez, ¿fumó algún cigarrillo durante el embarazo?

Sí.....1
 No.....5(BE-6 GETPRENA)

NPOSTSMK

BE-5. Mire la Tarjeta 18. (En promedio), ¿cuántos cigarrillos fumaba al día después de enterarse que estaba embarazada esa (PREGFILL) vez?

[SHOW CARD 18]

Alrededor de 1 cigarrillo al día o menos...1
 Solamente unos pocos cigarrillos al día....2
 Alrededor de medio paquete
 al día (5-14).....3
 Alrededor de un paquete al día (15-24).....4

Alrededor de 1 paquete y medio
 al día (25-34).....5
 Alrededor de 2 paquetes al día.....6
 Más de 2 paquetes al día.....7

GETPRENA

BE-6. Durante ese (PREGFILL) embarazo, ¿alguna vez fue a ver a un doctor u otra persona que presta atención médica para una consulta de cuidado prenatal, es decir para uno o más chequeos del embarazo?

[HELP AVAILABLE]

Sí.....1
 No.....5(Flow Check **B-32**)

BGNPRENA

BE-7. ¿Cuántas semanas de embarazo tenía cuando fue a su primera consulta de cuidado prenatal?

♦ *Weeks of pregnancy should be counted as completed weeks since the last normal menstrual period.*

[HELP AVAILABLE]

♦ *ENTER number of weeks completed since the last normal menstrual period*

UNDERLYING RANGE: 1 to 50

EDIT CHECK BE7_1: PROBE IF BE-7 BGNPRENA < BE-1 KNEWPREG. DISPLAY TEXT: R has reported a 1st prenatal visit before she learned she was pregnant. Please correct whichever item has been entered incorrectly. (ALLOW CORRECTION OF KNEWPREG pr BGNPRENA.)

EDIT CHECK BE7_2: PROBE IF BE-7 BGNPRENA > WKSGEST. DISPLAY TEXT: R has reported a 1st prenatal visit after this pregnancy ended. Has something been entered incorrectly? (ALLOW CORRECTION OF KNEWPREG, or GESTASUN_M & _W, on which WKSGEST & MOSGEST ARE BASED. IF GESTASUN vars are corrected, recomputed mosgest & wksgest.) HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK B-26: IF BE-7 BGNPRENA = DK OR RF, GO TO FLOW CHECK B-27.
ELSE IF 1 LE BGNPRENA LE 50, GO TO FLOW CHECK **B-32** .

FLOW CHECK B-27: IF MOSGEST < 3 OR IF BC-8 DK3GEST = 1 (less than 3 months), GO TO FLOW CHECK B-32.
(We skip the DK follow-up questions if pregnancy ended at less than 3 months.)
ELSE IF MOSGEST < 6 OR IF BC-8 DK3GEST = 2 (3 months or more but less than 6 months), ASK BE-8b LPNCTRI.
ELSE, ASK BE-8a PNCTRIM.

PNCTRIM

BE-8a. ¿Tenía menos de 3 meses, al menos 3 meses pero menos de 6 meses, o seis meses o más?

Menos de 3 meses.....1
 3 meses o más, pero menos de 6 meses.....2
 6 meses o más.....3

FLOW CHECK B-28: IF BE-8a PNCTRIM = 1, 2, 3, DK, OR RF, GO TO FLOW CHECK B-32 ~~B-29~~.

LPNCTRI

BE-8b. ¿Tenía menos de 3 meses o tenía 3 meses o más?

Menos de 3 meses.....1
 Más de 3 meses.....2

FLOW CHECK B-32: IF BC-1 PREGEND INCLUDES LIVEBIRTH (codes 5 or 6) OR BC-1b HOWENDDK=1, GO TO FLOW CHECK B-33.

ELSE IF BC-1 PREGEND INCLUDES NO LIVEBIRTH (no codes 5 or 6) OR HOWENDDK=5, DK, OR RF, GO TO FLOW CHECK B-42a.

FLOW CHECK B-33: IF KIDAGE GE 228 (19 years) OR BD-1 BABYNAME = BDS (or BDS1, BDS2, etc), GO TO FLOW CHECK B-42a.
ELSE, RESET BABYCNR TO 1 AND GO TO FLOW CHECK B-34.

(These 2 flow checks above, B-32 & B-33, route the right babies into the BG series on current living status.)

CURRENT LIVING STATUS OF EACH BABY BORN (if under age 19) (BG)

FLOW CHECK B-34: IF BD-1 BABYNAME NE ANY NAME[X] FROM HH ROSTER OR IF (BD-1 BABYNAME = NAME[X] AND RELAR[X] NE 3 (biological child)), ASK BG-1 LIVEHERE.

ELSE IF BD-1 BABYNAME EXACTLY MATCHES A NAME[X] WITH RELAR[X] = 3, GO TO BH-1 ANYNURSE.

(If this child was named identically and identified as a biological child in the HH Roster, we go right to breastfeeding series. Otherwise, the BG series determines whether the child lived with woman for at least 2 months, and thus the breastfeeding questions can be asked. Note that the BG & BH series are asked for EACH baby born from the pregnancy, so we must reset BABYCNR to 1 in FC B-33.)

LIVEHERE

BG-1. Creo que antes usted no mencionó a (BABYFILL) cuando me dijo quiénes vivían con usted. ¿Vive (BABYFILL) todavía con usted?

♦ ENTER [1] if child usually lives with R.

Sí.....1 (BH-1 ANYNURSE)
 No.....5

ALIVENOW

BG-2. IF BD-2 BABYSEX = 1, ASK:
¿Aún está vivo?

ELSE IF BABYSEX = 2, ASK:
¿Aún está viva?

Sí.....1
No.....5

**FLOW CHECK B-34b: IF BG-2 ALIVENOW = 5, ASK BG-3 WHENDIED.
ELSE IF ALIVENOW = 1, DK, OR RF, GO TO BG-4 WHENLEFT.**

WHENDIED_M

BG-3. ① of ②

¿Cuándo murió (BABYFILL)?

- ◆ *PROBE for season if DK month*
- ◆ *Refer R to calendar to determine month and year*
- ◆ *PROBE for child's age if R cannot recall month and year, and enter an [F2] comment if age is given.*
- ◆ *ENTER MM/YYYY*

[CALENDAR REFERENCE]

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

WHENDIED_Y

BG-3. ② of ②

(¿Cuándo murió (BABYFILL)?)

- ◆ *Refer R to calendar to determine month and year.*
- ◆ *After R has reported year, say: Si usted piensa que después puede ayudarla a recordar fechas de otras cosas, puede anotar eso en el calendario en la línea de "Embarazos y Nacimientos".*

[CALENDAR REFERENCE]

- ◆ *ENTER (WHENDIED_M)/YYYY*

UNDERLYING RANGE: 1971 to 2020

**FLOW CHECK B-35: COMPUTE CMKIDIED:
(Century month for date child died).**

SET CMKIDIED = null/blank.

**IF WHENDIED_Y = RF, SET CMKIDIED = 9998 (RF).
ELSE IF WHENDIED_Y = DK, SET CMKIDIED = 9999 (DK).**

**ELSE IF WHENDIED_M LE 12,
COMPUTE CMKIDIED = (WHENDIED_Y - 1900)*12 +
WHENDIED_M**

**ELSE IF 13 LE WHENDIED_M LE 16, USE MONTH APPROPRIATE
TO SEASON & COMPUTE CMKIDIED as above.**

ELSE IF WHENDIED_M = DK OR RF, ASSIGN MONTH = 6
(June) & COMPUTE CMKIDIED as above.

Edit Check BG3_1: IF (WHENDIED_M LE 12) AND CMKIDIED > CMINTVW,
DISPLAY: The date entered cannot be after the date of
interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BG3_2: IF (WHENDIED_M LE 12) AND CMKIDIED < CMBIRTH,
DISPLAY: The date entered cannot be before her date
of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BG3_3: IF (13 LE WHENDIED_M LE 16) AND CMKIDIED > (CMINTVW +
2), DISPLAY: The date entered cannot be after the
date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BG3_4: IF (13 LE WHENDIED_M LE 16) AND CMKIDIED < (CMBIRTH -
3), DISPLAY: The date entered cannot be before her
date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BG3_5: IF (WHENDIED_M = DK OR RF) AND WHENDIED_Y >
(CMINTVW/12 +1900), DISPLAY: The date entered cannot
be after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BG3_6: IF (WHENDIED_M = DK OR RF) AND WHENDIED_Y <
(CMBIRTH/12 +1900)- 1, DISPLAY: The date entered
cannot be before her date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BG3_7: PROBE IF CMKIDIED < CMBABDOB. DISPLAY TEXT: R has
reported that the child died (CMKIDIED) earlier than
the child was born (CMBABDOB). Has one of the dates
been entered incorrectly?

WHENLEFT_M ① of ②

BG-4. ¿Cuándo dejó (BABYFILL) de vivir con usted?

- ◆ PROBE for season if DK month
- ◆ Refer R to calendar to determine month and year
- ◆ ENTER MM/YYYY

[HELP AVAILABLE]

[CALENDAR REFERENCE]

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

WHENLEFT_Y ② of ②

BG-4. ¿Cuándo dejó (BABYFILL) de vivir con usted?

♦ After R has reported year, say: *Si piensa que esto puede ayudarla a recordar fecha de otras cosas, puede anotar eso en el calendario en la línea de "Embarazos y Nacimientos"*.

[HELP AVAILABLE]
[CALENDAR REFERENCE]

♦ ENTER (WHENLEFT_M)/YYYY

UNDERLYING RANGE: 1971 to 2020

FLOW CHECK B-36: COMPUTE CMKIDLFT:
(Century month for date child stopped living with R)

SET CMKIDLFT = null/blank.

IF WHENLEFT_Y = RF, SET CMKIDLFT = 9998 (RF).
ELSE IF WHENLEFT_Y = DK, SET CMKIDLFT = 9999 (DK).

ELSE IF WHENLEFT_M LE 12,
COMPUTE CMKIDLFT = (WHENLEFT_Y - 1900)*12 +
WHENLEFT_M

ELSE IF 13 LE WHENLEFT_M LE 16, USE MONTH APPROPRIATE
TO SEASON & COMPUTE CMKIDLFT as above.

ELSE IF WHENLEFT_M = DK OR RF, ASSIGN MONTH = 6
(June) & COMPUTE CMKIDLFT as above.

Edit Check BG4_1: IF (WHENLEFT_M LE 12) AND CMKIDLFT > CMINTVW,
DISPLAY: The date entered cannot be after the date
of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BG4_2: IF (WHENLEFT_M LE 12) AND CMKIDLFT < CMBIRTH,
DISPLAY: The date entered cannot be before her date
of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BG4_3: IF (13 LE WHENLEFT_M LE 16) AND CMKIDLFT > (CMINTVW +
2) (2 month leeway given when a season was reported
for month), DISPLAY: The date entered cannot be
after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BG4_4: IF (13 LE KIDLEFT_M LE 16) AND CMKIDLFT < (CMBIRTH -
2), DISPLAY: The date entered cannot be before her
date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BG4_5: IF (WHENLEFT_M = DK OR RF) AND WHENLEFT_Y >
(CMINTVW/12 +1900), DISPLAY: The date entered cannot
be after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BG4_6: IF (WHENLEFT_M = DK OR RF) AND WHENLEFT_Y <
(CMBIRTH/12 +1900)- 1, DISPLAY: The date entered
cannot be before her date of birth. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BG4_7: **PROBE IF CMKIDLFT < CMBABDOB. DISPLAY TEXT:** R has reported that the child stopped living with her (CMKIDLFT) before the child was born (CMBABDOB). Has one of the dates been entered incorrectly?

WHERE NOW

BG-5. Por favor mire la tarjeta 19. ¿Dónde vive (BABYFILL) ahora?

[SHOW CARD 19]

- Con su padre biológico.....1
- Con otros parientes.....2
- Con su familia adoptive.....3
- Vive en la escuela/college.....4
- Vive por su cuenta.....5
- Vive en otro lugar.....6

EDIT CHECK BG5_1: **PROBE IF BG-5 WHERE NOW = 5 (living on own) AND KIDAGE LT 192 (16 years). DISPLAY TEXT:** R has reported her child under age 16 is living on his/her own. Please correct whichever item has been entered incorrectly.

EDIT CHECK BG5_2: **PROBE IF BG-5 WHERE NOW = 4 (away at school) AND KIDAGE LT 72 (6 years). DISPLAY TEXT:** R has reported her child under age 6 is away at school. Please correct whichever item has been entered incorrectly.

FLOW CHECK B-37: IF BG-5 WHERE NOW = 1, ASK BG-6 LEGAGREE.
ELSE IF WHERE NOW = 2 or 5 or 6 OR DK OR RF, GO TO BG-7 PARENEND.
ELSE IF WHERE NOW = 3, ADVANCE NADOPTV BY 1, SET BPA_BDSCheck=1 for this child, AND GO TO FLOW CHECK B-38.
ELSE IF WHERE NOW = 4, GO TO FLOW CHECK B-38.

LEGAGREE

BG-6. ¿Tienen usted y el padre de (BABYFILL) un acuerdo legal acerca de (BABYFILL) con respecto a la manutención del niño, la pensión alimenticia, la custodia, las visitas o dónde vive el niño?

- Sí.....1
- No.....5

PARENEND

BG-7. ¿Es usted aún legalmente la madre de (BABYFILL)?

♦ ENTER [5] if R's parental rights have been terminated.

- Sí.....1
- No.....5

FLOW CHECK B-38: COMPUTE LASTAGE:
(Age in months when child died or last lived with R)

(Note: LASTAGE is defined for each baby born from this pregnancy, while KIDAGE is defined per delivery.)

INITIALIZE LASTAGE=blank (inapp).

IF BG-1 LIVEHERE = YES OR BLANK, LASTAGE = BLANK
(Inapp because child still lives with R or is older than 18 years).

ELSE IF CMKIDIED NE BLANK,
LASTAGE = CMKIDIED - CMBABDOB.

ELSE IF CMKIDLFT NE BLANK,
LASTAGE = CMKIDLFT - CMBABDOB.

IF LASTAGE GE 2 (GE 2 months) OR (LASTAGE = blank AND 2 LE KIDAGE LT 228), ASK BH-1 ANYNURSE.

ELSE IF LASTAGE LT 2 (less than 2 months) OR KIDAGE LT 2 OR BG-5 WHERE NOW = DK/RF, GO TO FLOW CHECK B-41.

(If child lived with R for at least 2 months OR if R has not said DK/RF on where the child lives now, ask breastfeeding questions.)

BREASTFEEDING SERIES FOR EACH NAMED BABY (BH)

ANYNURSE

BH-1. IF BD-2 BABYSEX=1 (MALE) & ((LASTAGE=BLANK & KIDAGE GE 24) OR LASTAGE GE 24 MONTHS), ASK:

Quando (BABYFILL) era bebé, ¿alguna vez usted le dio el pecho?

ELSE IF BD-2 BABYSEX = 2 (FEMALE) AND ((LASTAGE = BLANK AND KIDAGE GE 24) OR LASTAGE GE 24 MONTHS), ASK:

Quando (BABYFILL) era bebé, ¿alguna vez usted le dio el pecho?

ELSE IF LASTAGE LT 24, ASK:

¿Alguna vez le dio el pecho a (BABYFILL)?

ELSE IF LASTAGE = BLANK AND KIDAGE LT 24, ASK:

¿Alguna vez le ha dado el pecho a (BABYFILL)?

♦ ENTER [1] for any amount of breastfeeding by R. If R only expressed or pumped breastmilk to be fed to the baby, count this as "yes" as well.

♦ ENTER [1] if R is still breastfeeding this child.

Sí.....1

No.....5(FLOW CHECK B-41)

FLOW CHECK B-39: IF (LASTAGE < 12 MONTHS AND KIDAGE LT 12 months) OR IF

(LASTAGE = BLANK AND KIDAGE LT 12 MONTHS), ASK BH-2
FEDSOLID.

ELSE IF (LASTAGE GE 12 OR LASTAGE = BLANK) AND KIDAGE GE
12, GO TO BH-3 FRSTEATD.

FEDSOLID

BH-2. IF CMKIDIED = BLANK, ASK:

Aparte de darles leche de pecho, a los bebés a veces se les da fórmula
o leche en polvo, comida para bebés, u otras comidas líquidas o
sólidas. ¿Usted ha alimentado a [BABYFILL] con algo que no sea leche
de pecho?

ELSE IF CMKIDIED NE BLANK, ASK:

Aparte de darles leche de pecho, a los bebés a veces se les da fórmula
o leche en polvo, comida para bebés, u otras comidas líquidas o
sólidas. ¿Alimentó a [BABYFILL] con algo que no fuera leche de
pecho?

Sí.....1
No.....5 (FLOW CHECK B-41)

FRSTEATD_N

BH-3. ① of ②

Variant depends on sex of child:

¿Qué edad tenía (él/ella) la primera vez que (lo/la) alimentó con algo
que no fuera leche de pecho?

♦ *READ if necessary: Eso podría incluir fórmula o leche en polvo,
comida para bebés, u otras comidas líquidas o sólidas aparte de leche
de pecho.*

♦ _____ (Month(s)/Week(s)/Day(s))
UNDERLYING RANGE: 0 to 995

FRSTEATD_P

BH-3. ② of ②

(¿Qué edad tenía (él/ella) la primera vez que (lo/la) alimentó con algo
que no fuera leche de pecho?)

♦ (FRSTEATD_N) (Month(s)/Week(s)/Day(s))

Meses.....1
Semanas....2
Días.....3

EDIT CHECK BH3_1:

**PROBE IF BH-3 FRSTEATD (converted to months) > KIDAGE
(if LASTAGE = blank). DISPLAY TEXT: R has reported
first feeding child something other than breast milk
at an age older than child's current age. Please
correct whichever item has been entered incorrectly.
INVOLVING(FRSTEATD_N,FRSTEATD_P)**

EDIT CHECK BH3_2: PROBE IF BH-3 FRSTEATD (converted to months) >
 LASTAGE (if LASTAGE NE blank) DISPLAY TEXT: R has
 reported first feeding child something other than
 breast milk at an age older than when child stopped
 living with R. Please correct whichever item has been
 entered incorrectly.
 INVOLVING(FRSTEATD_N,FRSTEATD_P)

EDIT CHECK BH3_3: PROBE IF BH-3 FRSTEATD (converted to months) >
 CMBABDOB + 18. DISPLAY TEXT: R has reported first
 feeding child something other than breast milk at an
 age older than 18 months. Is this correct?
 INVOLVING(FRSTEATD_N,FRSTEATD_P)

FLOW CHECK B-40: IF LASTAGE LE 24 MONTHS OR (IF LASTAGE = BLANK AND KIDAGE
 LE 24 MONTHS), ASK BH-4 QUITNURS.

 ELSE IF LASTAGE GT 24 OR (IF LASTAGE = BLANK AND KIDAGE GT
 24), GO TO BH-5 AGEQTNUR.

QUITNURS

BH-4. IF LASTAGE = BLANK, ASK:
 DEPENDING ON SEX OF CHILD:
 ¿Ha dejado de darle pecho por completo?

 IF LASTAGE NE BLANK, ASK:
 DEPENDING ON SEX OF CHILD:
 ¿Había dejado de darle pecho por completo?

 Sí.....1
 No.....5(FLOW CHECK B-41)

AGEQTNUR_N

BH-5. ① of ②
 DEPENDING ON SEX OF CHILD:
 ¿Qué edad tenía (él/ella) cuando usted dejó de darle pecho por
 completo?

(Use la información ya anotada en el calendario para que le ayude a
recordar la fecha en que dejó de darle pecho. Si quiere puede anotarlo
en el calendario, pero no es necesario.)

♦ If R is still breastfeeding this child, enter [996]

[CALENDAR REFERENCE]

♦ _____ (Month(s)/Week(s)/Day(s))

UNDERLYING RANGE: 0 to 996

FLOW CHECK B-40_1: IF AGEQTNUR_N = 996 (Special Code for "Still
 Breastfeeding"), GO TO FLOW CHECK B-41.

AGEQTNUR_P

BH-5. @ of @

(¿Qué edad tenía (él/ella) cuando usted dejó de darle pecho por completo?)

(Use la información ya anotada en el calendario para que le ayude a recordar la fecha en que dejó de darle pecho. Si quiere puede anotarlo en el calendario, pero no es necesario.)

♦(AGEQTNUR_N) (Month(s)/Week(s)/Day(s))

[CALENDAR REFERENCE]

Meses.....1
Semanas....2
Días.....3

EDIT CHECK BH5_1: PROBE IF BH-5 AGEQTNUR (converted to months) > KIDAGE (if LASTAGE = blank) DISPLAY TEXT: R has reported that she stopped breastfeeding this child at an age older than child's current age. Please correct whichever item has been entered incorrectly. INVOLVING(AGEQTNUR_N,AGEQTNUR_P)

EDIT CHECK BH5_2: PROBE IF BH-5 AGEQTNUR (converted to months) > LASTAGE (if LASTAGE NE blank) DISPLAY TEXT: R has reported that she stopped breastfeeding this child at an age older than when child stopped living with R. Please correct whichever item has been entered incorrectly. INVOLVING(AGEQTNUR_N,AGEQTNUR_P)

EDIT CHECK BH5_3: PROBE IF BH-5 AGEQTNUR (converted to months) > CMBABDOB + 48. DISPLAY TEXT: R has reported that she stopped breastfeeding this child at an age older than 4 years. Please correct whichever item has been entered incorrectly. INVOLVING(AGEQTNUR_N,AGEQTNUR_P)

EDIT CHECK BH5_4: PROBE IF BH-5 AGEQTNUR (converted to months) < BH-3 FRSTEATD (converted to months). DISPLAY TEXT: R has reported that she stopped breastfeeding this child before she began feeding this child something other than breastmilk. Please correct whichever item has been entered incorrectly. INVOLVING(AGEQTNUR_N,AGEQTNUR_P)

FLOW CHECK B-41: IF BABYCNR < BORNALIV, ADVANCE BABYCNR BY 1 AND RETURN TO FLOW CHECK B-34 TO ASK ABOUT NEXT BABY FROM THIS PREGNANCY. ELSE IF BABYCNR = BORNALIV, GO TO FLOW CHECK B-42a.

FLOW CHECK B-42a: DEFINE PRGOUTCOME:
(Outcome of each pregnancy)

INITIALIZE PRGOUTCOME=blank (inapp).
IF BC-1 PREGEND includes codes 5 or 6 (any livebirth)
or BC-1b HOWENDDK = 1,

SET PRGOUTCOME = 1.

ELSE IF BC-1 PREGEND includes only codes 1 or 2 or 3
or 4 (non livebirth) or BC-1b HOWENDDK = 5,
SET PRGOUTCOME = 2.

ELSE IF CURRPREG = YES AND BC-1 PREGEND = blank
(current pregnancy),
SET PRGOUTCOME = 3.

DEFINE CMPRGEND:
(Century month for date when each pregnancy ended -- all
outcomes)

INITIALIZE CMPRGEND=blank (inapp).
IF PRGOUTCOME = 1 (livebirth),
SET CMPRGEND = CMBABDOB.

ELSE IF PRGOUTCOME = 2 (non-livebirth),
SET CMPRGEND = CMOTPREG.

ELSE IF PRGOUTCOME = 3 (current pregnancy),
SET CMPRGEND = blank/inapp.

DEFINE CMPRGEND_FILL:
(Mo/Yr fill for end date of each completed pregnancy)

IF CMPRGEND = BLANK, DK, OR RF, SET CMPRGEND_FILL =
"Date Unknown". (I changed date unknown to mixed
case.)

ELSE IF CMPRGEND LT 9997, DEFINE CMPRGEND_FILL as
follows:

IF 1 LE (month variable on which CMPRGEND was
based, either BABYDOB_M or DATPRGEN_M) LE 12,
THEN ESTABLISH MO/YR FILL IN THE FORMAT
"1/1998" etc.

ELSE IF MONTH WAS REPORTED AS A SEASON (codes
13-16), THEN ESTABLISH FILL IN THE FORMAT
"Spring, 1998" (I changed SPRING to mixed
case.) etc.

ELSE IF MONTH WAS REPORTED AS DK OR RF, BUT
YEAR WAS REPORTED, THEN ESTABLISH FILL BASED
ONLY ON THE YEAR IN THE FORMAT "1998" etc.

{{{ THIS FILL DEFINITION ABOVE SHOULD BE USED AS THE STANDARD MO/YR FILL
{{{ DEFINITION THROUGHOUT THE QUESTIONNAIRE.
{{{ THE ONLY FURTHER DETAIL NEEDED FOR THOSE CM VARIABLES THAT CAN HAVE
VALUES
{{{ OF 9996 (special code to indicate that R only had sex once with that
{{{ partner) IS TO SET THE FILL = "Not applicable"

DEFINE CMPRKBEG:
(Century month for estimated date when each pregnancy began --
including a current pregnancy)

INITIALIZE CMPRGBEG = null/blank for each pregnancy.

IF PRGOUTCOME = 1 or 2 AND MOSGEST not in(blank,DK,RF)
SET CMPRGBEG = (CMPRGEND - MOSGEST).

ELSE IF PRGOUTCOME = 1 or 2 AND MOSGEST = DK OR RF,
SET CMPRGBEG = DK OR RF to match MOSGEST.

ELSE IF PRGOUTCOME = 3 AND MOSCURRP not
in(blank,DK,RF)
SET CMPRGBEG = (CMINTVW - MOSCURRP).

ELSE IF PRGOUTCOME = 3 AND MOSCURRP = DK OR RF,
SET CMPRGBEG = DK OR RF to match MOSCURRP.

DEFINE CMPRGBEG_FILL AS SHOWN ABOVE FOR CMPRGEND_FILL.
(Mo/Yr fill for beginning date of each pregnancy, completed
or current)

FLOW CHECK B-42a_2: IF PRGOUTCOME = 3 (current pregnancy) GO TO FLOW
CHECK B-42b.
(Skip those never pregnant and current pregnancies
past verification questions)

CNFMMPREG

BH-6. Gracias. Ahora quisiera confirmar alguna información importante sobre
este [PREGFILL] embarazo para estar segura de que lo que tengo es
correcto.

IF PRGOUTCOME = 1 AND BORNALIV = 1 AND BABYNAME NE BPA OR BDS or DK or RF,
ASK:
Este embarazo [terminó con el nacimiento de 1 bebé (llamado
(BABYFILL)). Este embarazo comenzó en (cmprgbeg_fill), duró
(GESTASUN_M) meses y (GESTASUN_W) semana(s), terminó (CMPRGEND_FILL)].
¿Correcto?

IF PRGOUTCOME = 1 AND BORNALIV = 1 AND BABYNAME NE BPA OR BDS or DK or RF,
AND GESTASUN_M/GESTASUN_W = DK OR RF AND CMPRGEND_FILL = '(Date
Unknown)' ASK:
Este embarazo terminó con el nacimiento de 1 bebé (llamado (BABYFILL)).
¿Correcto?

IF PRGOUTCOME = 1 AND BORNALIV = 1 AND BABYNAME NE BPA OR BDS or DK or RF,
AND GESTASUN_M/GESTASUN_W = DK OR RF AND CMPRGEND_FILL <> '(Date
Unknown)' ASK:
Este embarazo terminó con el nacimiento de 1 bebé (llamado
(BABYFILL)). Este embarazo terminó en [CMPRGEND_FILL]. ¿Correcto?

IF PRGOUTCOME = 1 AND BORNALIV = 1 AND BABYNAME = BPA OR BDS or DK or RF,
ASK:
Este embarazo terminó con el nacimiento de 1 bebé. Este embarazo
comenzó en (cmprgbeg_fill), duró (GESTASUN_M) meses y (GESTASUN_W)
semana(s), y terminó (CMPRGEND_FILL). ¿Correcto?

IF (PRGOUTCOME = 1 AND BORNALIV = 1 AND BABYNAME = BPA OR BDS or DK or RF),
AND GESTASUN_M/GESTASUN_W = DK OR RF AND CMPRGEND_FILL = '(Date
Unknown)' ASK:
Este embarazo terminó con el nacimiento de 1 bebé. ¿Correcto?

IF (PRGOUTCOME = 1 AND BORNALIV = 1 AND BABYNAME = BPA OR BDS or DK or RF),
 AND GESTASUN_M/GESTASUN_W = DK OR RF AND CMPRGEND_FILL <> '(Date
 Unknown)' ASK:
 Este embarazo terminó con el nacimiento de 1 bebé. Este embarazo
 terminó en [CMPRGEND_FILL]. ¿Correcto?

ELSE IF PRGOUTCOME = 1 AND BORNALIV > 1, ASK:
 Este embarazo terminó con el nacimiento de (MULT). Este embarazo
 comenzó en (cmprgbeg_fill), duró [GESTASUN_M] meses y
 [GESTASUN_W]semana(s), y terminó en [CMPRGEND_FILL].
 ¿Correcto?

ELSE IF PRGOUTCOME = 1 AND BORNALIV > 1, **AND** GESTASUN_M/GESTASUN_W = DK OR RF
 AND CMPRGEND_FILL = '(Date Unknown)' ASK:
 Este embarazo terminó con el nacimiento de (MULT). ¿Correcto?

ELSE IF PRGOUTCOME = 1 AND BORNALIV > 1, **AND** GESTASUN_M/GESTASUN_W = DK OR RF
 AND CMPRGEND_FILL <> '(Date Unknown)' ASK:
 Este embarazo terminó con el nacimiento de (MULT). Este embarazo
 terminó en [CMPRGEND_FILL]. ¿Correcto?

ELSE IF PRGOUTCOME = 2, ASK:
 Este embarazo no terminó en el nacimiento de un bebé con vida.
 Este embarazo comenzó en (cmprgbeg_fill), duró [GESTASUN_M]meses y
 [GESTASUN_W]semana(s) y terminó en [CMPRGEND_FILL].
 ¿Correcto?

ELSE IF PRGOUTCOME = 2, **AND** GESTASUN_M/GESTASUN_W = DK OR RF AND
 CMPRGEND_FILL = '(Date Unknown)' ASK:
 Este embarazo no terminó en el nacimiento de un bebé con vida.
 ¿Correcto?

ELSE IF PRGOUTCOME = 2, **AND** GESTASUN_M/GESTASUN_W = DK OR RF AND
 CMPRGEND_FILL <> '(Date Unknown)' ASK:
 Este embarazo no terminó en el nacimiento de un bebé con vida.
 Este embarazo terminó en [CMPRGEND_FILL]. ¿Correcto?

♦ *After R has verified the pregnancy information, including the
estimated conception date, say:*
Please record the month and year when this pregnancy began using a
"P" in the appropriate box on your calendar's "Births & Other
Pregnancies" row. You may wish to draw a line from the beginning to
the ending month of this pregnancy. If pregnancy began before
[THREEYRS_FILL], please record this, including the date, in the box
for "Before [THREEYRS_FILL]".

[CALENDAR REFERENCE]

Sí.....1
No.....5

EDIT CHECK BH6_1: PROBE IF CNFMPREG = 5 (NO). Display: "Which part of this
information is not correct? Is it the pregnancy outcome
(PREGEND), number of babies born alive (NBRNALIV),
name(s) (BABYNAME), length of the pregnancy (GESTASUN_M)
which determines the start date, or end date of the
pregnancy (DATPRGEN_M)?"

INVOLVING(PREGEND,NBRNALIV,DATPRGEN_M,DATPRGEN_Y,GESTASUN
_M,GESTASUN_W,BABYNAME,BABYDOB_M,BABYDOB_Y)

CONFIRMATION OF REPORTED PREGNANCIES (BI)

FLOW CHECK B-42b: IF PREGCNTR < BB-1 NUMPREGS, RETURN TO FLOW CHECK B-7.

ELSE IF PREGCNTR = BB-1 NUMPREGS THEN:
IF BB-1 NUMPREGS=1 OR
IF (BB-1 NUMPREGS=2 AND CURRPREG=1),
GO TO FLOW CHECK B-42c_6
ELSE GO TO BI-1 INTR_ORD

INTR_ORD

BI-1. Gracias por esa información. Además de los detalles que acaba de darme, también es importante asegurarme que tengo los embarazos en el orden correcto. Usaremos ese orden para las preguntas más adelante en la entrevista. A medida que yo lea una lista de sus embarazos pasados, por favor dígame si las tengo en el orden en que ocurrieron.

♦ ENTER [1] to continue

CHKORDER

BI-2. (Por favor dígame si esos embarazos anteriores aparecen en el orden en que ocurrieron.)

[DISPLAY PREGNANCY TEXT FROM BH-6 CNFMPREG FOR EACH PREGNANCY EXCEPT SUBSTITUTE "Your (PREGFILL)" for "This" at the beginning of the question text for each pregnancy.

EXAMPLE:

Your 1st pregnancy did not end in a live birth. This pregnancy lasted 3 months and 2 weeks and ended in June 2002.
Your 2nd pregnancy ended in the birth of 1 baby (named George). This pregnancy lasted 9 month(s) and 1 week(s) and ended in December 2004.]

Sí, los embarazos están en el orden correcto.....1
No, los embarazos están fuera de orden.....5
If vol: No, algo más es incorrecto.....7

FLOW CHECK B-42c_0: IF CHKORDER BI-2 = 1 OR DK/RF, GO TO FLOW CHECK B-42c_7.
ELSE IF CHKORDER BI-2 = 5, GO TO BI-8 FIXORDER.
ELSE CONTINUE.

DISPLAY PREGNANCY GRID THAT WILL BE MODELED AFTER THE HOUSEHOLD ROSTER IN SECTION A.

TABLE BELOW APPEARS WITH ONE ROW FOR EACH REPORTED PREGNANCY AND ONE EMPTY ROW AT BOTTOM OF GRID, AND EIGHT COLUMNS FOR EACH PREG:

COLUMN 1: PRGVERIF (INTRO FIELD FOR EACH PREGNANCY WHICH DISPLAYS INFO AND PROMPTS R TO EITHER EDIT THE INFO FOR

THIS PREGNANCY OR CONTINUE ON TO THE NEXT PREGNANCY.

COLUMN 2: OUTCOME (PULL FROM PRGOUTCOME CREATED IN FC B-42A)

COLUMN 3: NUM_BRN (PULL FROM BC-2 NBRNALIV)

COLUMN 4: MULT_BRN (PULL FROM BC-3 MLTBRTH)

COLUMN 5: GESTATIONAL LENGTH MONTHS (PULL FROM BC-5 GESTASUN_M)

COLUMN 6: GESTATIONAL LENGTH WEEKS (PULL FROM BC-5 GESTASUN_W)

COLUMN 7: END DATE MONTH (EXTRACTED FROM CMPRGEND (FC B-42a))

COLUMN 8: END DATE YEAR (EXTRACTED FROM CMPRGEND (FC B-42a))

SET UP LOOP AND ALLOW UP TO 20 PREGNANCIES

WHEN THE TABLE FIRST APPEARS, THE CURSOR SHOULD BE AUTOMATICALLY POSITIONED AT PRGVERIF[X] ON THE FIRST ROW.

{ TABLE APPEARS

PRGVERIF	Outcome	Numlvbrn	Multbor n	Gestlen_m	Gestlen_w	Enddate_m	Enddate_y

PRGVERIF[X]

BI-3. WHEN CURSOR IN FIRST ROW, DISPLAY:

Primero vamos a corregir la información sobre sus embarazos.

Tengo que el primer embarazo del que hablamos [insert pregnancy text from BH-6 except drop "This pregnancy" from the beginning of the first sentence.].

- ◆ If information is correct, enter [1] to go to next pregnancy.
- ◆ If information is incorrect, enter [5] to correct information.
- ◆ If pregnancy did not occur, enter [96] to remove it from list.

WHEN CURSOR IN LAST ROW, DISPLAY:
You have reached the end of the grid.

- ◆ *After you have completed the grid, say: Por favor asegúrese que las fechas de todos los nacimientos/embarazos también estén anotadas correctamente en su calendario.'*
- ◆ *If all pregnancies have been verified, enter [1].*
- ◆ *If R reports an additional pregnancy, enter [5].*

ELSE, DISPLAY:
Tengo que el [PREGFILL] embarazo del que hablamos [insert pregnancy text from BH-6 except drop "This pregnancy" from the beginning of the first sentence.].

- ◆ *If information is correct, enter [1] to go to next pregnancy.*
- ◆ *If information is incorrect, enter [5] to correct information.*
- ◆ *If pregnancy did not occur, enter [96] to remove it from list.*

La información es correcta1
La información no es correcta.....5
No hubo embarazo96

FLOW CHECK B-42c: IF PRGVERIF[X] BI-3 = 1 OR DK/RF:
IF THIS IS A NON-EMPTY ROW, GO TO PRGVERIF[X] FOR NEXT PREGNANCY.
IF THIS IS AN EMPTY ROW, GO TO FLOW CHECK B-42c_5.
ELSE IF PRGVERIF[X] BI-3 = 5, THEN CONTINUE ON TO BI-4 OUTCOME.

OUTCOME[X]

BI-4. ¿De cuál de las siguientes maneras terminó este embarazo?

Nacimiento de un bebé vivo.....1
Nacimiento de un bebé sin vida.....5

NUMLVBRN[X]

BI-4a. De este embarazo, ¿cuántos bebés tuvo que nacieron con vida?
Por favor incluya bebés que hayan muerto poco después de nacer y bebés que usted haya dado en adopción.

- ◆ ENTER number of babies

UNDERLYING RANGE: 1 to 6

FLOW CHECK B_42x: IF BI-4a NUMLVBRN[X] > 1 AND BI-4a NUMLVBRN[X] NE DK/RF,
GO TO MULTBORN[X] BI-4b.
ELSE GO TO BI-5a GESTLEN_M[X].

MULTBORN[X]

BI-4b. IF BI-4a NUMLVBRN[X] = 2, ASK:
¿Tuvo mellizos o gemelos?

ELSE IF BI-4a NUMLVBRN[X] = 3, ASK:
¿Tuvo trillizos?

ELSE IF BI-4a NUMLVBRN[X] > 3, ASK:
¿Tuvo a todos esos bebés de ese [PREGFILL] embarazo)?

Sí1
No5

GESTLEN_M[X]

BI-5a.

① of ②

IF OUTCOME[X] = 1, ASK:
¿Cuántos meses o semanas de embarazo tenía usted cuando [nació el bebé / los
bebés nacieron)?

ELSE IF OUTCOME[X] NE 1, ASK:
¿Cuántos meses o semanas de embarazo tenía usted cuando terminó ese
embarazo?

◆ *PROBE for an exact number. Fill fields for both months and weeks as R reports them. For example, "2 1/2 months" should be entered as 2 months and 2 weeks, "9 months" would be entered as 9 months and 0 weeks.*

◆ *___ months (and ___ weeks)*

UNDERLYING RANGE: 0 to 11

GESTLEN_W[X]

BI-5b.

② of ②

IF OUTCOME[X] = 1, ASK:
(¿Cuántos meses o semanas de embarazo tenía usted cuando (nació el
bebé / nacieron) los bebés?)

ELSE IF OUTCOME[X] NE 1, ASK:
(¿Cuántos meses o semanas de embarazo tenía usted cuando terminó ese
embarazo?)

[CALENDAR REFERENCE]

◆ *PROBE for an exact number. Fill fields for both months and weeks as R reports them. For example, "2 1/2 months" should be entered as 2 months and 2 weeks, "9 months" would be entered as 9 months and 0 weeks.*

◆ *After R has reported the number of weeks, say:
Por favor asegúrese que el mes y año en que empezó este embarazo esté anotado correctamente en las líneas debajo del calendario y marcando con una "P" en el cuadro que corresponde en la línea de "Embarazos y Nacimientos" en su calendario.*

♦ (GESTLEN_M[X]) months and ____ weeks

UNDERLYING RANGE: 0 to 50

FLOW CHECK B-42c_1: COMPUTE WKSGESTV:

(weeks of gestation for completed pregnancy)

```
INITIALIZE WKSGESTV = null/blank.  
IF (GESTLEN_M = DK OR RF) OR (GESTLEN_W = DK OR RF)  
THEN SET WKSGESTV = DK OR RF (as appropriate).  
IF GESTLEN_M = NULL/BLANK AND GESTLEN_W = NULL/BLANK  
THEN LEAVE WKSGESTV = NULL/BLANK.  
ELSE IF (GESTLEN_M NE DK OR RF) AND (GESTLEN_W NE DK  
OR RF):  
SET WKSGESTV = (GESTLEN_M * 4.33) + GESTLEN_W
```

COMPUTE MOSGESTV:

(months of gestation for completed pregnancy):

```
INITIALIZE MOSGESTV = null/blank.  
IF (GESTLEN_M = DK OR RF) OR (GESTLEN_W = DK OR RF)  
THEN SET MOSGESTV = DK OR RF (as appropriate).  
IF GESTLEN_M = NULL/BLANK AND GESTLEN_W = NULL/BLANK  
THEN LEAVE MOSGESTV = NULL/BLANK.  
ELSE IF (GESTLEN_M NE DK OR RF) AND (GESTLEN_W NE DK  
OR RF):  
SET MOSGESTV = GESTLEN_M + (GESTLEN_W / 4.33)
```

EDIT CHECK BI5b_1: PROBE IF WKSGESTV > 44 WEEKS OR MOSGESTV GT 10. DISPLAY: R

has reported a pregnancy longer than 44 weeks or 10 months. Please correct pregnancy length if it was entered incorrectly.

INVOLVING: GESTLEN_M, GESTLEN_W (Then recompute MOSGESTV and WKSGESTV.)

ENDDATE_M[X]

BI-6a.

① of ②

¿En qué mes y año terminó ese embarazo?

- ♦ *PROBE gently for season if DK or RF month*
- ♦ *If R insists she does not know, enter [Ctrl+D].*
- ♦ *ENTER MM/YYYY*

[CALENDAR REFERENCE]

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

ENDDATE_Y[X]

BI-6b.

② of ②

(¿En qué mes y año terminó ese embarazo?)

[CALENDAR REFERENCE]

♦ After R has given the year, say:

Por favor asegúrese que el mes y año en que empezó este embarazo esté anotado correctamente en las líneas debajo del calendario y marcado con una "M" si el bebé nació muerto, con "AE" si tuvo un aborto espontáneo o un embarazo en las trompas o tubos, o con "A" para un aborto, en el cuadrado apropiado en la línea de "Nacimientos y otros embarazos" de su calendario.

♦ ENTER (ENDDATE_M)/YYYY

UNDERLYING RANGE: 1971 to 2020

FLOW CHECK B-42c_3: COMPUTE CMENDDATE:

(Century month for mo/yr when preg ended)

SET CMENDDATE = null/blank.

IF ENDDATE_Y = RF, SET CMENDDATE = 9998 (RF).

ELSE IF ENDDATE_Y = DK, SET CMENDDATE = 9999 (DK).

ELSE IF ENDDATE_M LE 12, COMPUTE CMENDDATE =
(ENDDATE_Y - 1900)*12 + ENDDATE_M

ELSE IF 13 LE ENDDATE_M LE 16, USE MONTH APPROPRIATE
TO SEASON & COMPUTE CMENDDATE AS ABOVE.

ELSE IF ENDDATE_M = DK OR RF, ASSIGN MONTH = 6 (June)
& COMPUTE CMENDDATE AS ABOVE.

Edit Check BI6b_1:

IF (ENDDATE_M LE 12) AND CMENDDATE > CMINTVW,

DISPLAY: The date entered cannot be after the date of
interview. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BI6b_2:

IF (ENDDATE_M LE 12) AND CMENDDATE < CMBIRTH,

DISPLAY: The date entered cannot be before her date
of birth. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BI6b_3:

IF (13 LE ENDDATE_M LE 16) AND CMENDDATE > (CMINTVW +

2), DISPLAY: The date entered cannot be after the
date of interview. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BI6b_4:

IF (13 LE ENDDATE_M LE 16) AND CMENDDATE < (CMBIRTH -

3), DISPLAY: The date entered cannot be before her
date of birth. Please correct.

HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BI6b_5:

IF (ENDDATE_M = DK OR RF) AND ENDDATE_Y > (CMINTVW/12

+1900), DISPLAY: The date entered cannot be after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BI6b_6: IF (ENDDATE_M = DK OR RF) AND ENDDATE_Y < (CMBIRTH/12 +1900)- 1, DISPLAY: The date entered cannot be before her date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK B-42c_4: THE PROGRAM SHOULD RETURN CURSOR AUTOMATICALLY TO PRGVERIF[X] IN THE NEXT ROW (EVEN IF THIS IS THE LAST ROW).

FLOW CHECK B-42c_5: IF THERE ARE ANY EMPTY BOXES IN NONEMPTY ROWS (I.E., WHERE A PREGNANCY IS LISTED), DISPLAY EDIT CHECK BI6b_7.
ELSE DISPLAY FIXORDER BI-8.

EDIT CHECK BI6b_7: Some information on the table is missing. MOVE the cursor to the appropriate box to ENTER the information.

FLOW CHECK B-42c_6: COMPUTE THE FOLLOWING VARIABLES:

OUTCOM_F[X]:
(Pregnancy outcome based on loop and verification data)

INITIALIZE OUTCOM_F[X] = NULL/BLANK.
IF OUTCOME[X] = NULL/BLANK, THEN OUTCOM_F[X] =
PRGOUTCOME (FC B-42a).
ELSE OUTCOM_F[X] = OUTCOME[X].

OUTCOM_F[X]_FILL:
(fill for pregnancy outcome based on loop and verification data)

INITIALIZE OUTCOM_F[X]_FILL = NULL/BLANK.
IF OUTCOM_F[X] = 1, THEN OUTCOM_F[X]_FILL = "Live
birth"
ELSE IF OUTCOM_F[X] = 2, THEN OUTCOM_F[X]_FILL = "Not
a live birth"

CMENDP_F[X]:
(Pregnancy end date based on loop and verification data)

INITIALIZE CMENDP_F[X] = NULL/BLANK.
IF CMENDDATE[X] = NULL/BLANK, THEN CMENDP_F[X] =
CMPRGEND (FC B-42a).
ELSE CMENDP_F[X] = CMENDDATE[X].

CMENDP_F[X]_FILL:
(Fill for pregnancy end date based on loop and verification data)

Create standard date fill based on CMENDP_F[X] (see
FC B-42a).

NBRNLV_F[X]:
(Number of babies born alive based on loop and verification data)

```
INITIALIZE NBRNLV_F[X] = 0;  
IF NUMLVBRN[X] = NULL/BLANK THEN NBRNLV_F[X] =  
    BORNALIV (FC B-10).  
ELSE IF MULTBORN[X] = NULL/BLANK OR 1 THEN  
    NBRNLV_F[X] = NUMLVBRN[X]  
ELSE IF MULTBORN[X] = 5/DK/RF THEN NBRNLV_F[X] = 1.
```

IF BB-1 NUMPREGS = 1 or (NUMPREGS=2 & CURRPREG=1),GO TO FLOW CHECK
B-42c_7

FIXORDER

BI-8. Gracias por esa información. Ahora vamos a corregir el orden de sus embarazos completados. Por favor dígame cuál fue su primer embarazo? (¿Y el siguiente?)

◆ Type number corresponding to the first pregnancy, then press [Space] or [-] (to separate responses) and number corresponding to the next pregnancy. Continue until all pregnancies have been entered.

◆ If R volunteers that any pregnancy listed here never occurred, back up to BI-2 CHKORDER and enter 7 for " No, algo más esta incorrecto"

[FOR ALL PREGNANCIES WHERE PRGVERIF NE 96 AND OUTCOM_F NE 3, DISPLAY:
OUTCOM_F[X], NBRNLV_F[X] "child" or "children" (BABYNAME); "ending"
CMENDP_F[X]_FILL

EXAMPLE FOR PROGRAMMER:

```
Not a live birth;.....1  
Live birth, 1 child (JOE); ending 6/2002.....2  
Not a live birth; ending 8/2003.....3  
Live birth, 2 children (SAMANTHA, ALICE); ending 6/2004.....4]
```

EDIT CHECK BI8_1a: CHECK THAT ALL NUMBERS HAVE BEEN ENTERED."Not all the pregnancies from the list given have been selected. Please delete the current entry, re-verify, and re-enter the list. (You will know you have entered all the pregnancies available if all pregnancies in the list have a check mark by each of them."

Edit Check BI8_3: IF END DATE FOR NTH PREGNANCY GREATER THAN END DATE FOR (N+1)TH PREGNANCY AND NEITHER END DATE = DK/RF, **DISPLAY:** The pregnancy you said happened (nth) has an ending date after the pregnancy you said happened ((n+1)th). I will need a moment to fix the end dates (CHKORDER).
INVOLVING: (CHKORDER, FIXORDER)

EXITORDR

BI-9. Gracias por ayudarme a estar segura que esta información sobre embarazos es correcta.
Ahora pasemos a algunas otras preguntas.

◆ ENTER [1] to continue

FLOW CHECK B-42c_7: CREATE PREGORDR.

IF BI-8 FIXORDER = NULL/BLANK OR DK/RF, THEN PREGORDR = PRGCNTR.
ELSE IF BI-8 FIXORDER NE DK/RF, THEN PREGORDR = BI-8 FIXORDER.

FLOW CHECK B-42d: ONCE THE SUMMARY SCREEN HAS BEEN VERIFIED AND/OR
INFORMATION HAS BEEN CORRECTED, THEN DEFINE THE FOLLOWING
COMPUTED VARIABLES:

NPREGS_S:

(Total number of pregnancies R has had - based on verified
and sorted data)

NPREGS_S = 1 + COUNT OF ALL PREGS WHERE PRGVERIF NE
96 IF CURRPREG = 1 (YES)

NPREGS_S = COUNT OF ALL PREGS WHERE PRGVERIF NE 96 IF
CURRPREG NE 1 (YES)

NBABES_S:

(Total number of babies born alive (across all pregnancies)
- based on verified and sorted data)

NBABES_S = 0 FOR EACH PREG WHERE PRGVERIF NE 96 AND
NUMLVBORN[x]>=1:

IF MULTBORN = 1 THEN NBABES_S = NBABES_S + NUMLVBRN
ELSE NBABES_S = NBABES_S + 1

OUTCOM_S[X]:

(Pregnancy outcome sorted into correct order)

INITIALIZE OUTCOM_S[X] = NULL/BLANK

POPULATE WITH DATA FROM OUTCOM_F[X]. DETERMINE ORDER
THROUGH PREGORDR.

ASSIGN OUTCOM_S = 3 FOR CURRENT PREGNANCY. (CURRENT
PREGNANCY SHOULD BE FINAL ITEM IN PREGNANCY ARRAY)

CMENDP_S[X]:

(Pregnancy end date sorted into correct order)

INITIALIZE CMENDP_S[X] = NULL/BLANK.

POPULATE WITH DATA FROM CMENDP_F[X]. DETERMINE ORDER
THROUGH PREGORDR.

CMENDP_S[X]_FILL:

(Fill for pregnancy end date sorted into correct order)

INITIALIZE CMENDP_S[X]_FILL = NULL/BLANK

Create standard date fill based on CMENDP_S[X] (see
FC B-42a).

CMPBEG_S[X]:

(Pregnancy beginning date based on loop and verification
data and sorted into correct order.)

INITIALIZE CMPBEG_S[X] = null/blank.

MATCH [X] WITH LOOP OR VERIFICATION DATA THROUGH
PREGORDR.

```
IF OUTCOM_S[X]= 1 or 2 AND MOSGESTV = NULL/BLANK
THEN:
  IF MOSGEST not in(blank,DK,RF) THEN SET
    CMPBEG_S[X] = (CMENDP - MOSGEST).
  ELSE MOSGEST = DK OR RF OR BLANK, THEN SET
    CMPBEG_S[X] = DK OR RF to match MOSGEST.
ELSE IF OUTCOM_S[X]= 1 or 2 AND MOSGESTV NE
NULL/BLANK THEN:
  IF MOSGESTV not in(DK,RF) THEN SET CMPBEG_S[X] =
    (CMENDP - MOSGESTV).
  ELSE MOSGESTV = DK OR RF, THEN SET CMPBEG_S[X] =
    DK OR RF to match MOSGESTV.
ELSE IF OUTCOM_S[X]= 3 AND MOSCURRP not
in(blank,DK,RF)
  SET CMPBEG_S[X] = (CMINTVW - MOSCURRP).
ELSE IF OUTCOM_S[X]= 3 AND MOSCURRP = DK OR RF,
  SET CMPBEG_S[X] = DK OR RF to match MOSCURRP.
{Note that OUTCOM_S[X]=3 is not an option for the
verification grid so there is no need for logic to
accommodate that}
```

CMPBEG_S_FILL:

(Fill for pregnancy beginning date based on loop and
verification data sorted into correct order)

```
INITIALIZE CMPBEG_S_FILL = NULL/BLANK.
Create standard date fill based on CMPBEG_S_FILL.
```

NBRNLV_S[X]:

(Number of babies born alive sorted into correct order)

```
INITIALIZE NBRNLV_S[X] = NULL/BLANK.
POPULATE WITH DATA FROM NBRNLV_F[X]. DETERMINE ORDER
THROUGH PRGORDR.
```

ASSORTED VARIABLES:

INITIALIZE:

```
BABNAM_S[X] = NULL/BLANK
MULT_S[X]_FILL = NULL/BLANK
BABSEX_S[X] = NULL/BLANK
```

```
IF (OUTCOM_F[X] = PRGOUTCOME (for the comparable
pregnancy) OR OUTCOME[X] = NULL/BLANK) AND
(NBRNLV_F[X] = BORNALIV (for the comparable
pregnancy) ) THEN:
  BABNAM_S[X] = BABYNAME (MATCH [X] WITH LOOP
    DATA THROUGH PRGORDR.)
  MULT_S[X]_FILL = MULT (MATCH [X] WITH LOOP DATA
    THROUGH PRGORDR.)
  BABSEX_S[X] = BABYSEX (MATCH [X] WITH LOOP DATA
    THROUGH PRGORDR.)
```

ELSE:

```
BABNAM_S[X] = NULL/BLANK.
MULT_S_FILL = NULL/BLANK.
BABSEX_S = NULL/BLANK.
```

CMBDAY_S[X]:

(Date of baby's birth)

```
INITIALIZE CMBDAY_S[X] = NULL/BLANK.  
IF OUTCOM_S[X] = 1 THEN CMBDAY_S[X] = CMENDP_S[X].  
ELSE CMBDAY_S[X] = NULL/BLANK.
```

HASBABES:

(Whether R has had any live births, based upon verified and sorted data)

```
HASBABES = 1 (YES) IF 1 LE NBABES_S LT 95  
HASBABES = 5 (NO) otherwise (including cases where  
NBABES_S=DK/RF or sysmis.
```

CMLASTLB:

(Century month for date of last live birth, based upon verified and sorted data)

```
CMLASTLB = INAPP (blank) if HASBABES=NO.  
ELSE, IF HASBABES=YES:  
CMLASTLB = CMEND_S[x] value for the highest order  
pregnancy where outcom_s=1 (we want it to  
have a dk/rf value if cmendp_s=dk/rf in  
this case).
```

CMLSTPRG:

(Century month for date of last completed pregnancy, based upon verified and sorted data)

```
CMLSTPRG = INAPP (blank) IF EVERPREG=NO OR BB-1  
npregs_s=DK/RF OR (IF npregs_s = 1 AND  
CURRPREG=YES)  
ELSE,  
CMLSTPRG = CMENDP_S value where PREGORDR = npregs_s  
(we want it to take on a dk/rf value if  
no date was reported for R's last  
completed pregnancy based on the  
chronologically sorted pregnancies; also  
if npregs_s > 1 and currpreg=1, we want  
CMLSTPRG to be drawn from npregs_s - 1)
```

CMFSTPRG:

(Century month for date of first completed pregnancy, based upon verified and sorted data)

```
CMFSTPRG = INAPP (blank) IF EVERPREG=NO OR BB-1  
npregs_s =DK/RF OR (IF npregs_s = 1 AND  
CURRPREG=YES)  
ELSE,  
CMFSTPRG = CMENDP_S value where PREGORDR = 1 (we  
want it to take on a dk/rf value if no  
date was reported for R's first completed  
pregnancy based on the chronologically  
sorted pregnancies)
```

CMPG1BEG:

(Century month for start of first pregnancy, based upon verified and sorted data)

```
CMPG1BEG = INAPP (BLANK) IF EVERPREG=NO
```


ELSE,

CMPG1BEG = CMPBEG_S
value where PREGORDR = 1 (we want it to
take on a dk/rf value if no date was
reported for R's first pregnancy based on
the chronologically sorted pregnancies.
This could also take on value for start
of current pregnancy, though.

DEFINE CMPG1BEG_FILL AS SHOWN ABOVE FOR CMPRGEND_FILL.
(Mo/Yr fill for beginning date of 1st pregnancy, completed
or current)

FLOW CHECK B-43: DEFINE TOTPLACD: Total number of biological children R
placed for adoption or were placed for adoption

TOTPLACD = NPLACED (FC B-17) + NADOPTV (FC B-37)
= blank if NUMBABES = 0 or EVERPREG=NO

FLOW CHECK B-44: IF AGE_R < 18, GO TO FLOW CHECK C-1.

OTHER (NON-BIOLOGICAL) CHILDREN CARED FOR SERIES (BJ)

{ Asked if R is 18 or older

OTHERKID

BJ-1. IF NUMBABES = 1 AND TOTPLACD NE 1 AND NO VALUE OF BPA_BDScheck
variables = 2, ASK:

Sin contar al niño que usted dio a luz, ¿ha vivido algún niño con usted
bajo su cuidado y responsabilidad?

ELSE IF HASBABES = NO OR (HASBABES = YES AND ALL BPA_BDScheck variables
= 1 or 2), ASK:

¿Ha vivido algún niño con usted bajo su cuidado y responsabilidad?

ELSE IF HASBABES = YES AND NUMBABES GT 1, ASK:

Sin contar a los niños que usted dio a luz, ¿ha vivido algún niño con
usted bajo su cuidado y responsabilidad?

[HELP AVAILABLE]

Sí.....1
No.....5

EDIT CHECK BJ1_1: PROBE IF BJ-1 OTHERKID = NO AND NONBIOKIDS GT 0 (HH
ROSTER INCLUDES ANY OF THE FOLLOWING NON-BIO CHILDREN (18
and under): 4-stepchild, 5-adopted child, 6-legal ward,
7-foster child, 8-partner's child, 9-grandchild, 10-
niece/nephew. IF NECESSARY, RETURN TO BJ-1 OTHERKID AND
CODE YES. (Soft Edit because R could live with such a
child but not view child as under her care or
responsibility.) DISPLAY TEXT: R has answered No, but
there is at least one child living with her that may
qualify for a YES answer. Does R want to modify her
answer or is this correct?

FLOW CHECK B-44b: IF BJ-1 OTHERKID = 5, DK, OR RF, GO TO FLOW CHECK B-56.

{ Asked if R cared for an unrelated child

NOTHRKID

BJ-2. ¿Cuántos niños?

♦ ENTER number of children _____

UNDERLYING RANGE: 1 to 20

OKDNAME

BJ-3. IF BJ-2 NOTHRKID = 1, ASK:

Para poder referirme a este niño durante la entrevista, por favor dígame el nombre o las iniciales del niño que vivió con usted bajo su cuidado.

ELSE IF BJ-2 NOTHRKID > 1, ASK:

Para poder referirme a esos niños durante la entrevista, por favor dígame los nombres o las iniciales de los niños que vivieron con usted bajo su cuidado.

♦ ENTER Child's name or initials _____

FLOW CHECK B-45: INCREASE NCAREFOR BY 1 AND ESTABLISH NAME FILLS AS APPROPRIATE FOR REMAINDER OF BJ SERIES.

FLOW CHECK B-45A: IF THIS IS THE 1ST NONBIOLOGICAL CHILD, GO TO SEXOTHKD BJ-4.

ELSE GO TO BINTRO_5a BJ_0.

BINTRO_5a

BJ-0.

Ahora necesito obtener esta información para [OKDNAME]

♦ ENTER [1] to continue

SEXOTHKD

BJ-4.

♦ If necessary, ask:

[ASK IF NECESSARY:] ¿Es (OKDNAME) masculino o femenino?

Masculino.....1

Femeninao.....2

{ Asked for all nonbiokids reported in BJ-3 OKDNAME

RELOTHKD

BJ-5. IF BJ-4 SEXOTHKD = 1 (MALE), ASK:

Por favor mire la Tarjeta 20. Cuando (OKDNAME) empezó a vivir con usted, ¿qué parentesco o relación tenía él con usted?

ELSE IF BJ-5 SEXOTHKD = 2 (FEMALE), ASK:

Por favor mire la Tarjeta 20. Cuando (OKDNAME) empezó a vivir con usted, ¿qué parentesco o relación tenía ella con usted?

ELSE IF BJ-5 SEXOTHKD = DK OR RF, ASK:
Por favor mire la Tarjeta 20. Cuando (OKDNAME) empezó a vivir con usted, ¿qué parentesco o relación tenía este niño o niña con usted?

[SHOW CARD 20]
[HELP AVAILABLE]

- Era hijo/hija de su esposo (hijastro)..... 1
- Era hijo/hija de un pariente de sangre.....2
- Era hijo/hija de un pariente político.....3
- Era hijo/hija de un amigo o amiga.....4
- Era hijo/hija de su novio o pareja.....5
- Tenía alguna otra relación con usted.....6
- No tenía ninguna relación anterior con usted.....7

{ Asked for all nonbiokids reported in BJ-3 OKDNAME

ADPTOTKD

BJ-6. ¿Adoptó usted legalmente a (OKDNAME) o llegó a ser la tutora o guardiana legal de (OKDNAME)?

♦ ENTER [1] if R both adopted and became legal guardian to this child.

[HELP AVAILABLE]

- Sí, adoptó.....1
- Sí, fue tutor.....3
- No, ninguna de las dos cosas....5

**FLOW CHECK B-46: IF BJ-6 ADPTOTKD = 3, ASK BJ-7a TRYADOPT.
ELSE IF BJ-6 ADPTOTKD = 5, ASK BJ-7b TRYEITHR.
ELSE IF BJ-6 ADPTOTKD = 1, DK, OR RF, GO TO BJ-8 STILHERE.**

{ Asked if R became legal guardian to this child

TRYADOPT

BJ-7a. ¿Está tratando de adoptar legalmente a [OKDNAME]?

[HELP AVAILABLE]

- Sí.....1(FLOW CHECK B-47)
- No.....5(FLOW CHECK B-47)

{ Asked if R neither adopted or became legal guardian to this child

TRYEITHR

BJ-7b. DETERMINE VARIANTS AS ABOVE IN BJ-5 RELOTHKD:
¿Está tratando de adoptar legalmente a [OKDNAME] o de llegar a ser su tutora o guardiana legal?

[HELP AVAILABLE]

- Sí, tratando de adoptar.....1
- Sí, tratando de ser su tutora.....3
- Ninguna de las dos cosas.....5

{ Asked if not already clear from HH Roster that child is living in HH
STILHERE

BJ-8. Aún vive(OKDNAME) con usted?

♦ *ENTER "5" if child lives away from home more than half the year (e.g., at school, in military).*

- Sí.....1
- No.....5

**FLOW CHECK B-48: IF BJ-8 STILHERE = 1 or DK, ASK BJ-9 DATKDCAM_M.
 ELSE IF STILHERE = 5 or RF, GO TO FLOW CHECK B-51.**

{ Asked if nonbiokid lives in HH

DATKDCAM_M

① of ②

BJ-9. DETERMINE VARIANTS AS ABOVE IN BJ-5 RELOTHKD:

¿En qué mes y año empezó (ella/él/este niño o niña) a vivir con usted?

Use la información ya anotada en el calendario para que le ayude a recordar cuándo (este niño/esta niña/este niño o niña) estuvo viviendo con usted. Si quiere puede anotarlo en el calendario, pero no es necesario.

- ♦ *Refer R to calendar to determine month and year.*
- ♦ *PROBE for season if DK month*
- ♦ *ENTER MM/YYYY*

[HELP AVAILABLE]

[CALENDAR REFERENCE]

- | | | | |
|------------|-----------|---------------|---------------|
| 1. Enero | 5. Mayo | 9. Septiembre | 13. Invierno |
| 2. Febrero | 6. Junio | 10. Octubre | 14. Primavera |
| 3. Marzo | 7. Julio | 11. Noviembre | 15. Verano |
| 4. Abril | 8. Agosto | 12. Diciembre | 16. Otoño |

DATKDCAM_Y

② of ②

BJ-9. DETERMINE VARIANTS AS ABOVE IN BJ-5 RELOTHKD:

(¿En qué mes y año empezó (ella/él/este niño o niña) a vivir con usted?

Use la información ya anotada en el calendario para que le ayude a recordar cuándo (este niño/esta niña/este niño o niña) estuvo viviendo con usted. Si quiere puede anotarlo en el calendario, pero no es necesario.)

[HELP AVAILABLE]
[CALENDAR REFERENCE]

♦ ENTER (DATKDCAM_M)/YYYY
UNDERLYING RANGE: 1966 to 2020

FLOW CHECK B-49: COMPUTE CMOKDCAM (CENTURY MONTH FOR DATE CHILD BEGAN LIVING WITH R)
SET CMOKDCAM = null/blank.
IF DATKDCAM_Y = RF, SET CMOKDCAM = 9998 (RF).
ELSE IF DATKDCAM_Y = DK, SET CMOKDCAM = 9999 (DK).

ELSE IF DATKDCAM_M LE 12,
COMPUTE CMOKDCAM = (DATKDCAM_Y - 1900) * 12 + DATKDCAM_M.

ELSE IF 13 LE DATKDCAM_M LE 16, USE MONTH APPROPRIATE TO SEASON & COMPUTE CMOKDCAM as above.

ELSE IF DATKDCAM_M = DK OR RF, ASSIGN MONTH = 6 (June) & COMPUTE CMOKDCAM as above.

Edit Check BJ9_1: IF (DATKDCAM_M LE 12) AND CMOKDCAM > CMINTVW,
DISPLAY: The date entered cannot be after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BJ9_2: IF (DATKDCAM_M LE 12) AND CMOKDCAM < CMBIRTH,
DISPLAY: The date entered cannot be before her date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BJ9_3: IF (13 LE DATKDCAM_M LE 16) AND CMOKDCAM > (CMINTVW + 2),
DISPLAY: The date entered cannot be after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BJ9_4: IF (13 LE DATKDCAM_M LE 16) AND CMOKDCAM < (CMBIRTH - 3),
DISPLAY: The date entered cannot be before her date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BJ9_5: IF (DATKDCAM_M = DK OR RF) AND DATKDCAM_Y > (CMINTVW/12 +1900),
DISPLAY: The date entered cannot be after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BJ9_6: IF (DATKDCAM_M = DK OR RF) AND DATKDCAM_Y < (CMBIRTH/12 +1900)- 1,
DISPLAY: The date entered cannot be before her date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK B-50: IF BJ-5 RELOTHKD = 2, 3, 4, 6, 7, DK, OR RF, ASK BJ-10 OTHKDFOS.
ELSE IF BJ-5 RELOTHKD = 1 OR 5, GO TO FLOW CHECK B-51

{ Asked if nonbiokid lives in HH and is neither stepchild nor partner's child
OTHKDFOS

BJ-10. ¿Era (OKDNAME) un niño "foster" o era un pariente suyo colocado en su hogar por la corte, por el departamento de bienestar infantil (Child Welfare Department) o por alguna agencia de servicios sociales?

♦ Enter [1] for any child for whom R was designated or formally certified as a caregiver (e.g., foster parent, relative foster parent, or custodian) by a court, child welfare department, social service agencies.

Sí.....1

No.....5

FLOW CHECK B-51: IF BJ-8 STILHERE = 1 or DK (child is in HH) OR BJ-6 ADPTOTKD = 1 (R adopted this child), ASK BJ-11 OKDDOB_M.

ELSE IF BJ-8 STILHERE = 5 or RF (child is not in HH) AND BJ-6 ADPTOTKD NE 1 (R did not adopt this child), GO TO FLOW CHECK B-55.

{ Asked if child is in HH or was adopted by R

OKDDOB_M

① of ②

BJ-11. ¿En qué mes y año nació (OKDNAME)?

♦ PROBE for season if DK month

♦ ENTER MM/YYYY

1. Enero	5. Mayo	9. Septiembre	13. Invierno
2. Febrero	6. Junio	10. Octubre	14. Primavera
3. Marzo	7. Julio	11. Noviembre	15. Verano
4. Abril	8. Agosto	12. Diciembre	16. Otoño

OKDDOB_Y

② of ②

BJ-11. (¿En qué mes y año nació (OKDNAME)?)

♦ ENTER (OKDDOB_M)/YYYY

UNDERLYING RANGE: 1966 to 2020

FLOW CHECK B-52: COMPUTE CMOKDDOB (CENTURY MONTH FOR NONBIOKID'S DATE OF BIRTH)

SET CMOKDDOB = null/blank.

IF OKDDOB_Y = RF, SET CMOKDDOB = 9998 (RF).
ELSE IF OKDDOB_Y = DK, SET CMOKDDOB = 9999 (DK).

ELSE IF OKDDOB_M LE 12,
COMPUTE CMOKDDOB = (OKDDOB_Y - 1900)*12 + OKDDOB_M

ELSE IF 13 LE OKDDOB_M LE 16, USE MONTH APPROPRIATE TO
SEASON & COMPUTE CMOKDDOB as above.

ELSE IF OKDDOB_M = DK OR RF, ASSIGN MONTH = 6 (June) &
COMPUTE CMOKDDOB as above.

Edit Check BJ11_1: IF (OKDDOB_M LE 12) AND CMOKDDOB > CMINTVW, DISPLAY:
The date entered cannot be after the date of
interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BJ11_2: IF (OKDDOB_M LE 12) AND CMOKDDOB < CMBIRTH, DISPLAY:
The date entered cannot be before her date of birth.
Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BJ11_3: IF (13 LE OKDDOB_M LE 16) AND CMOKDDOB > (CMINTVW +
2), DISPLAY: The date entered cannot be after the
date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BJ11_4: IF (13 LE OKDDOB_M LE 16) AND CMOKDDOB < (CMBIRTH -
3), DISPLAY: The date entered cannot be before her
date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BJ11_5: IF (OKDDOB_M = DK OR RF) AND OKDDOB_Y > ((CMINTVW /
12) + 1900), DISPLAY: The date entered cannot be
after the date of interview. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

Edit Check BJ11_6: IF (OKDDOB_M = DK OR RF) AND (OKDDOB_Y < ((CMBIRTH /
12) + 1900) - 1), DISPLAY: The date entered cannot be
before her date of birth. Please correct.
HARD, NONSUPPRESSIBLE EDIT CHECK.

EDIT CHECK BJ11_7: PROBE IF CMOKDDOB > CMOKDCAM. DISPLAY TEXT: R has
reported that the child came to live with R before
the child was born. Has one of the dates been
entered incorrectly?

FLOW CHECK B-53: IF (BJ-8 STILHERE = 1 or DK (child still in HH) OR BJ-6
ADPTOTKD = 1 (adopted this child)) AND BJ-5 RELOTHKD = 7
(unrelated previously in any way), ASK BJ-12 OTHKDSPN.

ELSE GO TO FLOW CHECK B-55.

{ Asked for "unrelated" nonbiokids living in HH or adopted by R

OTHKDSPN

BJ-12. Es (OKDNAME) hispano(a) o latino(a), o de origen español?

Sí.....1
No.....5

OTHKDRAC

BJ-13. ¿Cuál de los grupos en la Tarjeta 2 describe la raza de (OKDNAME)? Por favor escoja uno o más grupos.

- ♦ ENTER all that apply. Do not probe A0.
- ♦ If R reports a mixture of several races (biracial, mixed, mulatto, etc.), enter all groups that are part of the mixture.

[SHOW CARD 2]
[HELP AVAILABLE]

Indio(a) americano (a) o nativo(a) de Alaska 1
Asiática.....2
Nativa de Hawai o de otras islas del Pacífico.....3
Negra, morena o afro-americana.....4
Blanca.....5

DK OR RF CANNOT BE ENTERED WITH CODES 1-5

FLOW CHECK B-54: IF MORE THAN ONE RACE IS CODED FOR BJ-13 OTHKDRAC, ASK BJ-14 KDBSTRAC. ELSE, GO TO BJ-15 OKBORNUS.

KDBSTRAC

BJ-14. ¿Cuál de esos grupos, es decir (RACE GROUPS MENTIONED IN BJ-23 OTHKDRAC), diría usted que mejor describe el origen racial de (él/ella/este niño o niña)?

[HELP AVAILABLE]

{ **DISPLAY ONLY THOSE CATEGORIES REPORTED IN BJ-13 OTHKDRAC**
[/ Indio (a) Americano(a) o nativo(a) de Alaska].....1
[/ Asiático(a)].....2
[/ Nativo(a) de Hawai o de otras islas del Pacífico]..3
[/ Negro(a), moreno(a) o afro-americano(a)].....4
[/ Blanco(a)].....5

EDIT CHECK BJ14_1: PROBE IF KDBSTRAC <> OTHKDRAC (IF A CHOICE, OTHER THAN THOSE PREVIOUSLY SELECTED IN OTHKDRAC), DISPLAY:
You cannot choose a race that was not among the choices given. Re-select.

OKBORNUS

BJ-15. DETERMINE VARIANTS AS ABOVE IN BJ-5 RELOTHKD:

¿Nació (ella/él/este niño o niña) en los Estados Unidos o en otro país?

♦ *The United States includes the 50 states, Washington, D.C., and the U.S. territories and protectorates such as American Samoa, Puerto Rico, Guam, the U.S. Virgin islands, and the Republic of Palau.*

[HELP AVAILABLE]

Estados Unidos.....1
Otro país.....5

OKDISABL

BJ-16. ¿Tiene (OKDNAME) alguna incapacidad física, desorden emocional o retardo mental?

♦ *ENTER all that apply*

[HELP AVAILABLE]

Incapacidad física.....1
Desorden emocional.....2
Retardo mental.....3
Nada de eso.....4

EDIT CHECK BJ16_1: IF OKDISABL = 4 AND ANY OTHER CODE DISPLAY: 'None of the above' (4) cannot be entered with any other code.
HARD, NONSUPPRESSIBLE EDIT CHECK.

FLOW CHECK B-55: IF NCAREFOR < BJ-2 NOTHRKID, RETURN TO FLOW CHECK B-45.
ELSE IF NOTHRKID = NCAREFOR, GO TO FLOW CHECK B-56.

FLOW CHECK B-56: COMPUTE EVERADPT (R'S EXPERIENCE WITH ADOPTION)
SET TO NULL/BLANK.
EVERADPT = 1 (YES) IF BJ-6 ADPTOTKD = YES FOR ANY CHILD DESCRIBED IN THIS SERIES.
ELSE
EVERADPT = 3 (TRYING) IF BJ-7a TRYADOPT = 1 OR BJ-7b TRYEITHR = 1 FOR ANY CHILD DESCRIBED IN THIS SERIES.
ELSE
EVERADPT = 5 (NO) IF BJ-1 OTHERKID NE YES OR IF BJ-6 ADPTOTKD = NO/DK/RF FOR EVERY CHILD DESCRIBED IN THIS SERIES.

CURRENT PLANS TO ADOPT (BK)

{ Asked if R is 18 or older

BINTRO_6

BK-0. IF EVERADPT = 1 (YES), SAY:

Las siguientes preguntas son acerca de cualquier plan que usted tenga en estos momentos para adoptar otro niño.

ELSE IF EVERADPT = 3 (TRYING), SAY:

Las siguientes preguntas son acerca de cualquier plan que usted tenga en estos momentos para adoptar un niño que no ha vivido con usted. Cuando conteste estas preguntas no incluya ningún niño que esté en proceso de adoptar en estos momentos.

ELSE IF EVERADPT = 5 (NO), SAY:

Las siguientes preguntas son acerca de cualquier plan que usted tenga en estos momentos para adoptar a un niño.

♦ ENTER [1] to continue

{ Asked if R is 18 or older

SEEKADPT

BK-1. IF EVERADPT = 3 (TRYING), ASK:

Sin contar niños que han vivido con usted o que viven con usted ahora, ¿está tratando de adoptar un niño en estos momentos?

ELSE IF EVERADPT = 1 (YES), ASK:

¿Sin contar niños que han vivido con usted o que viven con usted ahora, está tratando de adoptar otro niño en estos momentos?

ELSE IF EVERADPT = 5 (NO), ASK:

¿En estos momentos está tratando de adoptar un niño?

Sí.....1

No.....5(BL-1 EVWNTANO)

{ Asked if R is currently seeking to adopt a child

CONTAGEM

BK-2. IF EVERADPT = YES, ASK:

¿Ha puesto un anuncio en el periódico o se ha puesto en contacto con una agencia de adopciones, un abogado, un doctor o alguien más para adoptar otro niño?

ELSE IF EVERADPT = TRYING, ASK:

Sin incluir cosas que usted ha hecho por cualquier niño que está en proceso de adoptar, ¿ha puesto un anuncio en el periódico o se ha puesto en contacto con una agencia de adopciones, un abogado, un doctor o alguien más para adoptar otro niño?

IF EVERADPT = NO, ASK:

¿Ha puesto un anuncio en el periódico o se ha puesto en contacto con una agencia de adopciones, un abogado, un doctor o alguien más para adoptar un niño?

[HELP AVAILABLE]

Sí.....1
No.....5(BK-4 KNOWADPT)

{ Asked if R has taken steps to adopt

TRYLONG

BK-3. IF EVERADPT = YES ASK:

Nuevamente, sin contar cosas que ha hecho con relación a otros niños que ha adoptado o está tratando de adoptar en estos momentos, ¿cuánto tiempo hace que está tratando de adoptar (un/otro) niño?

IF EVERADPT = TRYING, ASK:

Nuevamente, sin contar cosas que ha hecho con relación a otros niños que ha adoptado o está tratando de adoptar en estos momentos, ¿cuánto tiempo hace que está tratando de adoptar (un/otro) niño?

ELSE IF EVERADPT = NO, ASK:

¿Cuánto tiempo hace que ha estado tratando de adoptar un niño?
Hace... [READ LIST]

◆ *READ list*

Menos de 1 año.....1
De 1 a 2 años.....2
O más de 2 años.....3

{ ASKED IF R NOT SEEKING TO ADOPT A CHILD SHE KNOWS

KNOWADPT

BK-4. Está tratando de adoptar un niño que usted conoce?

[HELP AVAILABLE]

Sí.....1
No.....5

PREVIOUS PLANS TO ADOPT (BL)

FLOW CHECK B-57: IF BK-1 SEEKADPT = YES, GO TO BL-6 HRDEMBRYO.

{ ASKED IF R IS NOT CURRENTLY SEEKING TO ADOPT

EVWNTANO

BL-1. IF EVERADPT = NO, ASK:

¿Ha considerado alguna vez adoptar un niño(a)?

ELSE IF EVERADPT = YES, ASK:

¿Ha considerado alguna vez adoptar otro niño(a)?

ELSE IF EVERADPT = TRYING, ASK:

Sin contar ningún niño que usted esté tratando de adoptar en estos momentos, ¿alguna vez ha considerado adoptar otro niño?

Sí.....1

No.....5(BL-6 HRDEMBRYO)

FLOW CHECK B-57a: IF BL-1 EVWNTANO = DK/RF, GO TO BL-6 HRDEMBRYO.

{ ASKED IF R EVER CONSIDERED ADOPTING A CHILD

EVCONTAG

BL-2. IF EVERADPT = NO, ASK:

¿Alguna vez se puso en contacto con una agencia de adopciones, un abogado, un doctor o alguien más para adoptar un niño (a)?

ELSE IF EVERADPT = YES, ASK:

¿Alguna vez se puso en contacto con una agencia de adopciones, un abogado, un doctor o alguien más para adoptar otro niño(a)?

ELSE IF EVERADPT = TRYING, ASK:

Sin contar ningún niño que usted está tratando de adoptar en estos momentos, ¿alguna vez se puso en contacto con una agencia de adopciones, un abogado, un doctor o alguien más para adoptar otro niño(a)?

Sí.....1

No.....5(BL-6 HRDEMBRYO)

FLOW CHECK B-57b: IF BL-2 EVCONTAG = DK/RF, GO TO BL-6 HRDEMBRYO.

{ ASKED IF R TOOK STEPS TO ADOPT

TURNDOWN

BL-3. Le negaron una adopción, no pudo conseguir un niño para adoptar, o decidió usted no continuar más con el proceso de adopción?

Le negaron la adopción.....1

No pudo conseguir un(a) niño(a).....2

Decidió no continuar con el proceso.....3

FLOW CHECK B-58: IF BL-3 TURNDOWN = 3, ASK BL-4 YQUITTRY.

ELSE IF TURNDOWN = 1, 2, DK, OR RF, GO TO BL-6 HRDEMBRYO.

{ ASKED IF R DECIDED NOT TO PURSUE ADOPTING A CHILD

YQUITTRY

BL-4. ¿Por qué razones decidió no continuar con el proceso de adopción?
¿Fueron razones que tenían que ver con el proceso mismo de adopción, razones relacionadas con su situación personal o razones de ambos tipos?

[HELP AVAILABLE]

Solamente con el proceso de adopción.....1

Solamente por su situación personal.....2(BL-6 HRDEMBRYO)

Por ambos tipos de razones.....3

FLOW CHECK B-59: IF BL-4 YQUITTRY = 1, 3, DK, OR RF, ASK BL-5 APROCESS.

ELSE IF BL-4 YQUITTRY = 2, GO TO BL-6 HRDEMBRYO.

{ ASKED IF "ADOPTION PROCESS" CITED AT ALL

APROCESS

BL-5. Dígame qué razones relacionadas con la adopción le hicieron decidir no continuar con el proceso de adopción. ¿Fue porque los

costos eran demasiado altos, no había suficientes niños disponibles, o alguna otra razón?

♦ ENTER all that apply

Costos demasiado altos.....1
No había suficientes niños disponibles....2
Alguna otra razón.....3

{ASKED OF ALL Rs 18 OR OLDER

HRDEMBRYO

BL-6. hora tengo una pregunta más sobre maneras de tener hijos. ¿Ha oído alguna vez hablar de donación de embriones congelados o adopción de embriones congelados como un método para formar una familia?

Yes1
No5