

2015-2017 NSFG User's Guide

Appendix 4b: Female and Pregnancy File Recode Crosswalks for NSFG Public-Use File Releases since 2006-2010

n/a - recode not constructed for this file

Absence of comment in last column indicates "same universe, same code categories, same specifications"

This crosswalk describes female **RESPONDENT** file recodes. Crosswalk for female pregnancy recode crosswalk starts on page 10.

Recode specifications for the 2006-2010, 2011-2013, 2013-2015 and 2015-2017 NSFG female respondent file recodes for public use are found in Appendix 3a of the User's Guide for those files.

| 2015-2017 recode | 2013-2015 recode | 2011-2013 recode | 2006-2010 recode | Short Description | Comparability across Data Years |
|------------------|------------------|------------------|------------------|--|---|
| Section A | | | | | |
| AGER | AGER | AGER | AGER | R's age at interview | |
| FMARITAL | FMARITAL | FMARITAL | FMARITAL | Formal (legal) marital status | |
| RMARITAL | RMARITAL | RMARITAL | RMARITAL | Informal marital status | |
| EDUCAT | EDUCAT | EDUCAT | EDUCAT | Number of years of schooling | |
| HIEDUC | HIEDUC | HIEDUC | HIEDUC | Highest completed year of school or highest degree received | |
| HISPANIC | HISPANIC | HISPANIC | HISPANIC | Hispanic origin of respondent | |
| RACE | RACE | RACE | RACE | Race of respondent | In 2013-2015, the question on race that is used in the creation of this variable was modified. See Appendix 5 of the 2013-2015 User's Guide for more details. |
| HISPRACE | HISPRACE | HISPRACE | HISPRACE | Race & Hispanic origin of respondent - 1977 OMB standards | In 2013-2015, the question on race that is used in the creation of this variable was modified. See Appendix 5 of the 2013-2015 User's Guide for more details. |
| HISPRACE2 | HISPRACE2 | HISPRACE2 | HISPRACE2 | Race & Hispanic origin of respondent - 1997 OMB standards | In 2013-2015, the question on race that is used in the creation of this variable was modified. See Appendix 5 of the 2013-2015 User's Guide for more details. |
| NUMKDHH | NUMKDHH | NUMKDHH | NUMKDHH | Number of biological/adopted/related/legal children under age 18 in household | In 2015-2017, this recode was top-coded at 4="4 or more children" instead of 5 as in prior data years. |
| NUMFMHH | NUMFMHH | NUMFMHH | NUMFMHH | Number of family members in HH | |
| HHFAMTYP | HHFAMTYP | HHFAMTYP | HHFAMTYP | Type of household/family structure | |
| HHPARTYP | HHPARTYP | HHPARTYP | HHPARTYP | Type of parental situation in household | |
| NCHILDHH | NCHILDHH | NCHILDHH | NCHILDHH | Number of respondent's children (18 or younger) living in household | |
| HHKIDTYP | HHKIDTYP | HHKIDTYP | HHKIDTYP | Respondent's children (18 or younger) living in the household | |
| CSPBBHH | CSPBBHH | CSPBBHH | CSPBBHH | Number of R's biological children (18 or younger) with current spouse/partner who live in the household | |
| CSPBSSH | CSPBSSH | CSPBSSH | CSPBSSH | Number of R's biological children (18 or younger) in the household who are not the biological children of her current spouse/partner | |
| CSPOKDHH | CSPOKDHH | CSPOKDHH | CSPOKDHH | Number of all other children living in household with R and current spouse/partner | |
| INTCTFAM | INTCTFAM | INTCTFAM | INTCTFAM | Whether R lived in intact family until 18, until interview or until lived on own | |
| PARAGE14 | PARAGE14 | PARAGE14 | PARAGE14 | Parental living situation at age 14 | |
| EDUCMOM | EDUCMOM | EDUCMOM | EDUCMOM | R's mother's (or mother-figure's) education | |
| AGEMOMB1 | AGEMOMB1 | AGEMOMB1 | AGEMOMB1 | Age of R's mother at first birth | |
| Section B | | | | | |
| RCURPREG | RCURPREG | RCURPREG | RCURPREG | Whether R is currently pregnant | |

2015-2017 NSFG User's Guide

Appendix 4b: Female and Pregnancy File Recode Crosswalks for NSFG Public-Use File Releases since 2006-2010

n/a - recode not constructed for this file

Absence of comment in last column indicates "same universe, same code categories, same specifications"

This crosswalk describes female **RESPONDENT** file recodes. Crosswalk for female pregnancy recode crosswalk starts on page 10.

Recode specifications for the 2006-2010, 2011-2013, 2013-2015 and 2015-2017 NSFG female respondent file recodes for public use are found in Appendix 3a of the User's Guide for those files.

| 2015-2017 recode | 2013-2015 recode | 2011-2013 recode | 2006-2010 recode | Short Description | Comparability across Data Years |
|------------------|------------------|------------------|------------------|---|--|
| PREGNUM | PREGNUM | PREGNUM | PREGNUM | CAPI-based total number of pregnancies | |
| COMPREG | COMPREG | COMPREG | COMPREG | CAPI-based total number of completed pregnancies | |
| LOSSNUM | LOSSNUM | LOSSNUM | LOSSNUM | CAPI-based total number of spontaneous preg losses | |
| ABORTION | ABORTION | ABORTION | ABORTION | CAPI-based total number of induced abortions | |
| LBPREGS | LBPREGS | LBPREGS | LBPREGS | CAPI-based total number of pregs ending in live birth | |
| PARITY | PARITY | PARITY | PARITY | CAPI-based total number of live births (accounting for mult birth) | |
| BIRTHS5 | BIRTHS5 | BIRTHS5 | BIRTHS5 | Number of live births in last 5 years | |
| OUTCOM[x] | OUTCOM[x] | OUTCOM[x] | OUTCOM[x] | Resp version of preg file OUTCOME; Outcome of Nth pregnancy | |
| DATEND[x] | DATEND[x] | DATEND[x] | DATEND[x] | Resp version of preg file DATEND; date when Nth pregnancy ended | In 2013-2015 and prior survey years, this recode on the public-use files indicates the century month of this event, but for the 2015-2017 public-use files, this recode was modified to show only the year of the event. The original CM date recode for 2015-2017 NSFG is available through the NCHS RDC. |
| AGEPRG[x] | AGEPRG[x] | AGEPRG[x] | AGEPRG[x] | Resp version of preg file AGEPRG; Age at Nth pregnancy outcome | In 2013-2015 and prior survey years, this recode shows age with 2 implied decimal points. In 2015-2017, this recode indicates age in whole years. |
| DATCON[x] | DATCON[x] | DATCON[x] | DATCON[x] | Resp version of preg file DATECON; date when Nth pregnancy was conceived | In 2013-2015 and prior survey years, this recode on the public-use files indicates the century month of this event, but for the 2015-2017 public-use files, this recode was modified to show only the year of the event. The original CM date recode for 2015-2017 NSFG is available through the NCHS RDC. |
| AGECON[x] | AGECON[x] | AGECON[x] | AGECON[x] | Resp version of preg file AGECON; Age at Nth pregnancy conception | In 2013-2015 and prior survey years, this recode shows age with 2 implied decimal points. In 2015-2017, this recode indicates age in whole years. |
| MAROUT[x] | MAROUT[x] | MAROUT[x] | MAROUT[x] | Resp version of preg file FMAROUT5; Formal marital status at Nth pregnancy outcome | |
| RMAROUT[x] | RMAROUT[x] | RMAROUT[x] | RMAROUT[x] | Resp version of preg file RMAROUT6; Informal marital status at Nth pregnancy outcome | |
| MARCON[x] | MARCON[x] | MARCON[x] | MARCON[x] | Resp version of preg file FMARCON5; Formal marital status at Nth pregnancy conception | |
| RMARCON[x] | RMARCON[x] | RMARCON[x] | RMARCON[x] | Resp version of preg file RMARCON6; Informal marital status at Nth pregnancy conception | |
| CEBOW | CEBOW | CEBOW | CEBOW | Number of children born out of wedlock | |
| CEBOWC | CEBOWC | CEBOWC | CEBOWC | Number of children born out of wedlock, in cohab | |

2015-2017 NSFG User's Guide

Appendix 4b: Female and Pregnancy File Recode Crosswalks for NSFG Public-Use File Releases since 2006-2010

n/a - recode not constructed for this file

Absence of comment in last column indicates "same universe, same code categories, same specifications"

This crosswalk describes female **RESPONDENT** file recodes. Crosswalk for female pregnancy recode crosswalk starts on page 10.

Recode specifications for the 2006-2010, 2011-2013, 2013-2015 and 2015-2017 NSFG female respondent file recodes for public use are found in Appendix 3a of the User's Guide for those files.

| 2015-2017 recode | 2013-2015 recode | 2011-2013 recode | 2006-2010 recode | Short Description | Comparability across Data Years |
|------------------|------------------|------------------|------------------|---|--|
| DATBABY1 | DATBABY1 | DATBABY1 | DATBABY1 | Date of 1st live birth | In 2013-2015 and prior survey years, this recode on the public-use files indicates the century month of this event, but for the 2015-2017 public-use files, this recode was modified to show only the year of the event. The original CM date recode for 2015-2017 NSFG is available through the NCHS RDC. |
| AGEBABY1 | AGEBABY1 | AGEBABY1 | AGEBABY1 | Age at 1st live birth | In 2013-2015 and prior survey years, this recode shows age with 2 implied decimal points. In 2015-2017, this recode indicates age in whole years. |
| LIVCHILD[x] | LIVCHILD[x] | LIVCHILD[x] | LIVCHILD[x] | Living arrangements of each liveborn child | |
| Section C | | | | | |
| FMARNO | FMARNO | FMARNO | FMARNO | Number of formal marriages | |
| CSPBIOKD | CSPBIOKD | CSPBIOKD | CSPBIOKD | Total number of biological children R has had with current spouse or cohabiting partner (regardless of age and residence in HH) | Questions used to define this recode were added beginning in Year 2 (July 2007) in the 2006-2010 file, so the recode is not available for Year 1 cases in the 2006-2010 file. |
| MARDAT01-06 | MARDAT[x] | MARDAT[x] | MARDAT[x] | Date of Nth marriage | In 2013-2015 and prior survey years, this recode on the public-use files indicates the century month of this event, but for the 2015-2017 public-use files, this recode was modified to show only the year of the event. The original CM date recode for 2015-2017 NSFG is available through the NCHS RDC. |
| MARDIS01-06 | MARDIS[x] | MARDIS[x] | MARDIS[x] | Date when Nth marriage ended | In 2013-2015 and prior survey years, this recode on the public-use files indicates the century month of this event, but for the 2015-2017 public-use files, this recode was modified to show only the year of the event. The original CM date recode for 2015-2017 NSFG is available through the NCHS RDC. |
| MAREND01-06 | MAREND[x] | MAREND[x] | MAREND[x] | How Nth marriage ended | |
| FMAR1AGE | FMAR1AGE | FMAR1AGE | FMAR1AGE | Age at first marriage | |
| AGEDISS1 | AGEDISS1 | AGEDISS1 | AGEDISS1 | Age at first marital dissolution | |
| AGEDD1 | AGEDD1 | AGEDD1 | AGEDD1 | Age at divorce or death (1st marriage) | |
| MAR1DISS | MAR1DISS | MAR1DISS | MAR1DISS | Months btw/1st marriage & dissolution (or interview) | In 2013-2015 and prior survey years, this recode indicates the exact number of months, but in 2015-2017, this recode was modified as a categorical variable for inclusion on the public-use file. The original recode for 2015-2017 is available through the NCHS RDC. |

2015-2017 NSFG User's Guide

Appendix 4b: Female and Pregnancy File Recode Crosswalks for NSFG Public-Use File Releases since 2006-2010

n/a - recode not constructed for this file

Absence of comment in last column indicates "same universe, same code categories, same specifications"

This crosswalk describes female **RESPONDENT** file recodes. Crosswalk for female pregnancy recode crosswalk starts on page 10.

Recode specifications for the 2006-2010, 2011-2013, 2013-2015 and 2015-2017 NSFG female respondent file recodes for public use are found in Appendix 3a of the User's Guide for those files.

| 2015-2017 recode | 2013-2015 recode | 2011-2013 recode | 2006-2010 recode | Short Description | Comparability across Data Years |
|------------------|------------------|------------------|------------------|--|--|
| DD1REMAR | DD1REMAR | DD1REMAR | DD1REMAR | Months btw/divorce or death (for 1st marriage) and remarriage (or interview) | In 2013-2015 and prior survey years, this recode indicates the exact number of months, but in 2015-2017, this recode was modified as a categorical variable for inclusion on the public-use file. The original recode for 2015-2017 is available through the NCHS RDC. |
| MAR1BIR1 | MAR1BIR1 | MAR1BIR1 | MAR1BIR1 | Months btw/1st marriage & 1st birth (or interview) | In 2013-2015 and prior survey years, this recode indicates the exact number of months, but in 2015-2017, this recode was modified as a categorical variable for inclusion on the public-use file. The original recode for 2015-2017 is available through the NCHS RDC. |
| MAR1CON1 | MAR1CON1 | MAR1CON1 | MAR1CON1 | Months btw/1st marriage & 1st conception (or interview) | In 2013-2015 and prior survey years, this recode indicates the exact number of months, but in 2015-2017, this recode was modified as a categorical variable for inclusion on the public-use file. The original recode for 2015-2017 is available through the NCHS RDC. |
| CON1MAR1 | CON1MAR1 | CON1MAR1 | CON1MAR1 | Months btw/1st conception & 1st marriage (or interview) | In 2013-2015 and prior survey years, this recode indicates the exact number of months, but in 2015-2017, this recode was modified as a categorical variable for inclusion on the public-use file. The original recode for 2015-2017 is available through the NCHS RDC. |
| B1PREMAR | B1PREMAR | B1PREMAR | B1PREMAR | Was R's 1st baby born before 1st marriage | |
| COHEVER | COHEVER | COHEVER | COHEVER | Whether R ever cohabited outside of marriage | |
| EVMARCOH | EVMARCOH | EVMARCOH | EVMARCOH | Whether R ever married OR cohabited | |
| PMARRNO | PMARRNO | PMARRNO | PMARRNO | Number of premarital cohabitations | |
| NONMARR | NONMARR | NONMARR | NONMARR | Number of nonmarital cohabitations | |
| TIMESCOH | TIMESCOH | TIMESCOH | TIMESCOH | Number of cohabitations ever | |
| COHAB1 | COHAB1 | COHAB1 | COHAB1 | Date of 1st cohabitation (incl. premar cohab) | In 2013-2015 and prior survey years, this recode on the public-use files indicates the century month of this event, but for the 2015-2017 public-use files, this recode was modified to show only the year of the event. The original CM date recode for 2015-2017 NSFG is available through the NCHS RDC. |
| COHSTAT | COHSTAT | COHSTAT | COHSTAT | Cohabitation experience relative to 1st marriage | |
| COHOUT | COHOUT | COHOUT | COHOUT | Outcome of 1st cohabitation | |

2015-2017 NSFG User's Guide

Appendix 4b: Female and Pregnancy File Recode Crosswalks for NSFG Public-Use File Releases since 2006-2010

n/a - recode not constructed for this file

Absence of comment in last column indicates "same universe, same code categories, same specifications"

This crosswalk describes female **RESPONDENT** file recodes. Crosswalk for female pregnancy recode crosswalk starts on page 10.

Recode specifications for the 2006-2010, 2011-2013, 2013-2015 and 2015-2017 NSFG female respondent file recodes for public use are found in Appendix 3a of the User's Guide for those files.

| 2015-2017 recode | 2013-2015 recode | 2011-2013 recode | 2006-2010 recode | Short Description | Comparability across Data Years |
|------------------|------------------|------------------|------------------|--|--|
| COH1DUR | COH1DUR | COH1DUR | COH1DUR | Duration of 1st cohabitation | In 2013-2015 and prior survey years, this recode indicates the exact number of months, but in 2015-2017, this recode was modified as a categorical variable for inclusion on the public-use file. The original recode for 2015-2017 is available through the NCHS RDC. |
| HADSEX | HADSEX | HADSEX | HADSEX | Ever had sexual intercourse at all | |
| SEXEVER | SEXEVER | SEXEVER | SEXEVER | Ever had sexual intercourse since menarche | |
| VRY1STAG | VRY1STAG | VRY1STAG | VRY1STAG | Age at 1st sex ever | |
| SEX1AGE | SEX1AGE | SEX1AGE | SEX1AGE | Age at 1st sex since menarche | |
| VRY1STSX | VRY1STSX | VRY1STSX | VRY1STSX | CM date of 1st sexual intercourse ever | |
| DATESEX1 | DATESEX1 | DATESEX1 | DATESEX1 | CM date of 1st sex since menarche | |
| FSEXPAGE | FSEXPAGE | FSEXPAGE | FSEXPAGE | Age of R's 1st sexual partner at time of R's 1st sex | FSEXPAGE is not included on the public-use files for 2015-2017. This recode for 2015-2017 NSFG is available through the NCHS RDC. |
| SEXMAR | SEXMAR | SEXMAR | SEXMAR | Months btw/1st sex ever & 1st marriage (or interview) | In 2013-2015 and prior survey years, this recode indicates the exact number of months, but in 2015-2017, this recode was modified as a categorical variable for inclusion on the public-use file. The original recode for 2015-2017 is available through the NCHS RDC. |
| SEX1FOR | SEX1FOR | SEX1FOR | SEX1FOR | Months btw/1st sex since menarche & 1st marriage (or interview) | In 2013-2015 and prior survey years, this recode indicates the exact number of months, but in 2015-2017, this recode was modified as a categorical variable for inclusion on the public-use file. The original recode for 2015-2017 is available through the NCHS RDC. |
| SEXUNION | SEXUNION | SEXUNION | SEXUNION | Months btw/1st sex ever & 1st coresidential union (marriage or cohabitation) | In 2013-2015 and prior survey years, this recode indicates the exact number of months, but in 2015-2017, this recode was modified as a categorical variable for inclusion on the public-use file. The original recode for 2015-2017 is available through the NCHS RDC. |
| SEXOUT | SEXOUT | SEXOUT | SEXOUT | Outcome of 1st sexual intercourse (or 1st sexual relationship?) | |
| FPDUR | FPDUR | FPDUR | FPDUR | Months btw/ 1st and last/most recent intercourse with 1st partner ever | |
| PARTS1YR | PARTS1YR | PARTS1YR | PARTS1YR | Number of opposite-sex sexual partners in past 12 mos | |
| LSEXDATE | LSEXDATE | LSEXDATE | LSEXDATE | CM date of last (or most recent) sex | |
| LSEXRAGE | LSEXRAGE | LSEXRAGE | LSEXRAGE | R's age at last (or most recent) sex | |

2015-2017 NSFG User's Guide

Appendix 4b: Female and Pregnancy File Recode Crosswalks for NSFG Public-Use File Releases since 2006-2010

n/a - recode not constructed for this file

Absence of comment in last column indicates "same universe, same code categories, same specifications"

This crosswalk describes female **RESPONDENT** file recodes. Crosswalk for female pregnancy recode crosswalk starts on page 10.

Recode specifications for the 2006-2010, 2011-2013, 2013-2015 and 2015-2017 NSFG female respondent file recodes for public use are found in Appendix 3a of the User's Guide for those files.

| 2015-2017 recode | 2013-2015 recode | 2011-2013 recode | 2006-2010 recode | Short Description | Comparability across Data Years |
|-------------------------|-------------------------|-------------------------|-------------------------|--|---|
| PARTDUR1-3 | PARTDUR1-3 | PARTDUR1-3 | PARTDUR1-3 | Months btw/1st and most recent intercourse with each of up to 3 most recent sexual partners in last year (most recent can be outside 12-mo window if no partners in last year) | |
| RELATP1-3 | RELATP1-3 | RELATP1-3 | RELATP1-3 | Relationship at time of 1st intercourse with each of up to 3 most recent partners in last 12 mos (most recent can be outside 12-mo window if no partners in last year) | |
| LIFPRTNR | LIFPRTNR | LIFPRTNR | LIFPRTNR | Number of opposite-sex sexual partners in life | |
| NUMP3MOS | NUMP3MOS | NUMP3MOS | NUMP3MOS | Number of male partners in last 3 mos | |
| SEX3MO | SEX3MO | SEX3MO | SEX3MO | Intercourse in the past 3 months (including interview month) (based on last sexual partner date -- LSEXDATE)" | |
| Sections D&E | | | | | |
| STRLOPER | STRLOPER | STRLOPER | STRLOPER | Type of sterilization operation "in effect" at time of interview | There are small variations in the specifications for this recode based on small changes in the series on sterilization operations over time, but STRLOPER coding is essentially the same over time. |
| FECUND | FECUND | FECUND | FECUND | Fecundity status | There are small variations in the specifications for this recode based on coding updates for current contraceptive method use on CONSTAT1 over time, but FECUND coding is essentially the same over time. |
| INFERT | INFERT | INFERT | INFERT | Infertility status | There are small variations in the specifications for this recode based on coding updates for current contraceptive method use on CONSTAT1 over time, but INFERT coding is essentially the same over time. |
| ANYMTHD | ANYMTHD | ANYMTHD | ANYMTHD | Ever used any method for any reason | |
| NOSEX12 | NOSEX12 | NOSEX12 | NOSEX12 | Number of months of nonintercourse in the 12 months prior to interview | |
| SEXP3MO | SEXP3MO | SEXP3MO | SEXP3MO | Intercourse in the past 3 months (including interview month) (based on nonintercourse series) | |
| CONSTAT1-4 | CONSTAT1-4 | CONSTAT1-4 | CONSTAT1-4 | Current contraceptive status (1st-4th priority codes) | In each successive survey period, this recode contains new categories, or updated category labels, for contraceptive methods that became available since the prior survey. |
| PILLR | PILLR | PILLR | PILLR | Ever used the pill for any reason | |
| CONDOMR | CONDOMR | CONDOMR | CONDOMR | Ever used condom | |
| SEX1MTHD1- SEX1MTHD4 | SEX1MTHD1- SEX1MTHD4 | SEX1MTHD1- SEX1MTHD4 | SEX1MTHD1- SEX1MTHD4 | Method used at first intercourse, if any: 1st - 4th | In each successive survey period, this recode contains new categories for contraceptive methods that became available since the prior survey. |
| MTHUSE12 | MTHUSE12 | MTHUSE12 | MTHUSE12 | Whether used any method use at last sex in past 12 mos | |

2015-2017 NSFG User's Guide

Appendix 4b: Female and Pregnancy File Recode Crosswalks for NSFG Public-Use File Releases since 2006-2010

n/a - recode not constructed for this file

Absence of comment in last column indicates "same universe, same code categories, same specifications"

This crosswalk describes female **RESPONDENT** file recodes. Crosswalk for female pregnancy recode crosswalk starts on page 10.

Recode specifications for the 2006-2010, 2011-2013, 2013-2015 and 2015-2017 NSFG female respondent file recodes for public use are found in Appendix 3a of the User's Guide for those files.

| 2015-2017 recode | 2013-2015 recode | 2011-2013 recode | 2006-2010 recode | Short Description | Comparability across Data Years |
|-------------------|-------------------|-------------------|-------------------|---|--|
| METH12M1-METH12M4 | METH12M1-METH12M4 | METH12M1-METH12M4 | METH12M1-METH12M4 | Method used last sex past 12 mos: 1st - 4th | In each successive survey period, this recode contains new categories for contraceptive methods that became available since the prior survey. |
| MTHUSE3 | MTHUSE3 | MTHUSE3 | MTHUSE3 | Whether used any method use at last sex in past 3 mos | |
| METH3M1-METH3M4 | METH3M1-METH3M4 | METH3M1-METH3M4 | METH3M1-METH3M4 | Method used last sex past 3 mos: 1st - 4th | In each successive survey period, this recode contains new categories for contraceptive methods that became available since the prior survey. |
| FMETHOD1-FMETHOD4 | FMETHOD1-FMETHOD4 | FMETHOD1-FMETHOD4 | FMETHOD1-FMETHOD4 | First method ever used: 1st-4th | In each successive survey period, this recode contains new categories for contraceptive methods that became available since the prior survey. |
| DATEUSE1 | DATEUSE1 | DATEUSE1 | DATEUSE1 | Date R used first method for the first time | |
| n/a | n/a | n/a | SOURCEM1-4 | Source of method used in month prior to interview | 2011-13 and later: This recode was discontinued due to interview length concerns and overlapping of information with that obtained in the next section (Section F). |
| OLDWR[x] | OLDWR[x] | OLDWR[x] | OLDWR[x] | Resp version of preg file OLDWANTR (Wantedness of the pregnancy, respondent -- cycle 4 version) | |
| OLDWP[x] | OLDWP[x] | OLDWP[x] | OLDWP[x] | Resp version of preg file OLDWANTP (Wantedness of pregnancy, respondent's partner -- cycle 4 version) | |
| WANTRP[x] | WANTRP[x] | WANTRP[x] | WANTRP[x] | Resp version of preg file WANTRESP (Wantedness of the pregnancy, respondent) | |
| WANTP[x] | WANTP[x] | WANTP[x] | WANTP[x] | Resp version of preg file WANTPART (Wantedness of pregnancy, respondent's partner) | |
| NWWANTRP[x] | NWWANTRP[x] | NWWANTRP[x] | n/a | Resp version of preg file NEWWANTR (Detailed wantedness of pregnancy, respondent) | New recodes created since 2011-2013 that are equivalent to WANTRP[x] except for breaking out "mistimed" pregnancies into two categories: "less than 2 years too soon" or "2 years or more too soon." |
| WANTP5 | WANTP5 | WANTP5 | WANTP5 | Number of wanted pregnancies in the last 5 years | |
| Section F | | | | | |
| FPTIT12 | FPTIT12 | FPTIT12 | FPTIT12 | Type of clinic used for family planning services in last 12 months | |
| FPTITMED | FPTITMED | FPTITMED | FPTITMED | Type of clinic used for medical services in last 12 months | |
| FPTITSTE | FPTITSTE | FPTITSTE | FPTITSTE | Source of service in last 12 months: sterilization operation | |
| FPTITBC | FPTITBC | FPTITBC | FPTITBC | Source of service in last 12 months: method of birth control or prescription for a method | |
| FPTITCHK | FPTITCHK | FPTITCHK | FPTITCHK | Source of service in last 12 months: check-up or medical test related to using a birth control method | |
| FPTITCBC | FPTITCBC | FPTITCBC | FPTITCBC | Source of service in last 12 months: counseling for birth control | |

2015-2017 NSFG User's Guide

Appendix 4b: Female and Pregnancy File Recode Crosswalks for NSFG Public-Use File Releases since 2006-2010

n/a - recode not constructed for this file

Absence of comment in last column indicates "same universe, same code categories, same specifications"

This crosswalk describes female **RESPONDENT** file recodes. Crosswalk for female pregnancy recode crosswalk starts on page 10.

Recode specifications for the 2006-2010, 2011-2013, 2013-2015 and 2015-2017 NSFG female respondent file recodes for public use are found in Appendix 3a of the User's Guide for those files.

| 2015-2017 recode | 2013-2015 recode | 2011-2013 recode | 2006-2010 recode | Short Description | Comparability across Data Years |
|------------------|------------------|------------------|------------------|---|---------------------------------|
| FPTITCST | FPTITCST | FPTITCST | FPTITCST | Source of service in last 12 months: counseling about sterilization | |
| FPTITEC | FPTITEC | FPTITEC | FPTITEC | Source of service in last 12 months: emergency contraception | |
| FPTITCEC | FPTITCEC | FPTITCEC | FPTITCEC | Source of service in last 12 months: counseling about emergency contraception | |
| FPTITPRE | FPTITPRE | FPTITPRE | FPTITPRE | Source of service in last 12 months: pregnancy test | |
| FPTITABO | FPTITABO | FPTITABO | FPTITABO | Source of service in last 12 months: abortion | |
| FPTITPAP | FPTITPAP | FPTITPAP | FPTITPAP | Source of service in last 12 months: pap smear | |
| FPTITPEL | FPTITPEL | FPTITPEL | FPTITPEL | Source of service in last 12 months: pelvic exam | |
| FPTITPRN | FPTITPRN | FPTITPRN | FPTITPRN | Source of service in last 12 months: prenatal care | |
| FPTITPPR | FPTITPPR | FPTITPPR | FPTITPPR | Source of service in last 12 months: post-pregnancy care | |
| FPTITSTD | FPTITSTD | FPTITSTD | FPTITSTD | Source of service in last 12 months: Testing/treatment for other STD | |
| FPREGFP | FPREGFP | FPREGFP | FPREGFP | Whether Title X clinic where R received family planning service(s) in last 12 months was regular place for care | |
| FPREGMED | FPREGMED | FPREGMED | FPREGMED | Whether Title X clinic where R received medical service(s) in last 12 months was regular place for care | |
| Section G | | | | | |
| INTENT | INTENT | INTENT | INTENT | Intentions for additional births | |
| ADDEXP | ADDEXP | ADDEXP | ADDEXP | Central number of additional births expected | |
| Section H | | | | | |
| ANYPRGHP | ANYPRGHP | ANYPRGHP | ANYPRGHP | Any medical help to become pregnant | |
| ANYMSCHP | ANYMSCHP | ANYMSCHP | ANYMSCHP | Any medical help to prevent miscarriage | |
| INFEVER | INFEVER | INFEVER | INFEVER | Ever used infertility services of any kind | |
| OVULATE | OVULATE | OVULATE | OVULATE | Infertility services: drugs to improve ovulation | |
| TUBES | TUBES | TUBES | TUBES | Infertility services: surgery to correct blocked tubes | |
| INFERTR | INFERTR | INFERTR | INFERTR | Infertility services: infertility testing on R | |
| INFERTH | INFERTH | INFERTH | INFERTH | Infertility services: infertility testing on H/P | |
| ADVICE | ADVICE | ADVICE | ADVICE | Infertility services: advice | |
| INSEM | INSEM | INSEM | INSEM | Infertility services: artificial insemination | |
| INVITRO | INVITRO | INVITRO | INVITRO | Infertility services: in vitro fertilization or other assisted reproduction | |
| ENDOMET | ENDOMET | ENDOMET | ENDOMET | Infertility services: surgery or drug treatment for endometriosis | |
| FIBROIDS | FIBROIDS | FIBROIDS | FIBROIDS | Infertility services: surgery for uterine fibroids | |
| PIDTREAT | PIDTREAT | PIDTREAT | PIDTREAT | Ever been treated for PID | |
| EVHIVTST | EVHIVTST | EVHIVTST | EVHIVTST | Ever had an HIV test | |
| FPTITHIV | FPTITHIV | FPTITHIV | FPTITHIV | Source of service in the last 12 months: HIV test | |
| Section I | | | | | |

2015-2017 NSFG User's Guide

Appendix 4b: Female and Pregnancy File Recode Crosswalks for NSFG Public-Use File Releases since 2006-2010

n/a - recode not constructed for this file

Absence of comment in last column indicates "same universe, same code categories, same specifications"

This crosswalk describes female **RESPONDENT** file recodes. Crosswalk for female pregnancy recode crosswalk starts on page 10.

Recode specifications for the 2006-2010, 2011-2013, 2013-2015 and 2015-2017 NSFG female respondent file recodes for public use are found in Appendix 3a of the User's Guide for those files.

| 2015-2017 recode | 2013-2015 recode | 2011-2013 recode | 2006-2010 recode | Short Description | Comparability across Data Years |
|-------------------------------|------------------|------------------|------------------|--|--|
| CURR_INS | CURR_INS | CURR_INS | CURR_INS | Current health insurance status | |
| METRO | METRO | METRO | METRO | Place of residence (metropolitan/non-metropolitan) | After the 2010 Census, metropolitan locations have different labels. The labels for 2011-2013, 2013-2015 and 2015-2017 are: 1) principal city of MSA, 2) Other MSA, and 3) Not MSA. |
| RELIGION | RELIGION | RELIGION | RELIGION | Current religious affiliation | |
| LABORFOR | LABORFOR | LABORFOR | LABORFOR | Labor force status | |
| Section J (Audio CASI) | | | | | |
| POVERTY | POVERTY | POVERTY | POVERTY | Poverty level income | |
| TOTINCR | TOTINCR | TOTINCR | TOTINCR | Total income of R's family | |
| PUBASSIS | PUBASSIS | PUBASSIS | PUBASSIS | Any public assistance in last 12 months | |

2015-2017 NSFG User's Guide

Appendix 4b: Female and Pregnancy File Recode Crosswalks for NSFG Public-Use File Releases since 2006-2010

n/a - recode not constructed for this file

Absence of comment in last column indicates "same universe, same code categories, same specifications"

This crosswalk describes female **PREGNANCY** file recodes. See pages 1-9 for female respondent recode crosswalk.

Recode specifications for the 2006-2010, 2011-2013, 2013-2015 and 2015-2017 NSFG female pregnancy file recodes for public use are found in Appendix 3b of the User's Guide for those files.

| 2015-2017 recode | 2013-2015 recode | 2011-2013 recode | 2006-2010 recode | Short Description | Comparability across Data Years |
|------------------|------------------|------------------|------------------|---|--|
| Section B | | | | | |
| PRGLNGTH | PRGLNGTH | PRGLNGTH | PRGLNGTH | Duration of pregnancy in weeks (including current pregnancies) | Small revisions were made in 2011-2013 to make better use of the DK/RF followup questions for gestational length according to pregnancy outcome. These enhanced specs were also followed for 2013-2015 and 2015-2017. See recode specs for details. |
| BIRTHORD | BIRTHORD | BIRTHORD | BIRTHORD | Birth order (if pregnancy resulted in livebirth) | |
| OUTCOME | OUTCOME | OUTCOME | OUTCOME | Outcome of pregnancy | |
| DATEND | DATEND | DATEND | DATEND | Date when pregnancy ended | In 2013-2015 and prior survey years, this recode on the public-use files indicates the century month of this event, but for the 2015-2017 public-use files, this recode was modified to show only the year of the event. The original CM date recode for 2015-2017 NSFG is available through the NCHS RDC. |
| AGEPREG | AGEPREG | AGEPREG | AGEPREG | Age at pregnancy outcome | In 2013-2015 and prior survey years, this recode shows age with 2 implied decimal points. In 2015-2017, this recode indicates age in whole years. |
| DATECON | DATECON | DATECON | DATECON | Date when each pregnancy began | In 2013-2015 and prior survey years, this recode on the public-use files indicates the century month of this event, but for the 2015-2017 public-use files, this recode was modified to show only the year of the event. The original CM date recode for 2015-2017 NSFG is available through the NCHS RDC. |
| AGECON | AGECON | AGECON | AGECON | Age at pregnancy conception | In 2013-2015 and prior survey years, this recode shows age with 2 implied decimal points. In 2015-2017, this recode indicates age in whole years. |
| PMARPREG | PMARPREG | PMARPREG | PMARPREG | Whether this pregnancy ended before 1st marriage | |
| FMAROUT5 | FMAROUT5 | FMAROUT5 | FMAROUT5 | Formal marital status at pregnancy outcome | |
| RMAROUT6 | RMAROUT6 | RMAROUT6 | RMAROUT6 | Informal marital status at pregnancy outcome | |
| FMARCON5 | FMARCON5 | FMARCON5 | FMARCON5 | Formal marital status at pregnancy conception | |
| RMARCON6 | RMARCON6 | RMARCON6 | RMARCON6 | Informal marital status at pregnancy outcome -- 6 categories | |
| LIVCHILD | LIVCHILD | LIVCHILD | LIVCHILD | Living arrangements of each liveborn child | |
| LEARNPRG | LEARNPRG | LEARNPRG | LEARNPRG | Number of weeks pregnant when R learned she was pregnant (for recent pregs) | |
| PNCAREWK | PNCAREWK | PNCAREWK | PNCAREWK | Number of weeks pregnant at first prenatal care (for recent pregs) | |
| LBW1 | LBW1 | LBW1 | LBW1 | Low birthweight for 1st liveborn baby from this pregnancy | |
| PAYDELIV | PAYDELIV | PAYDELIV | PAYDELIV | Payment for delivery | |
| BFEEDWKS | BFEEDWKS | BFEEDWKS | BFEEDWKS | Duration of breastfeeding in weeks | |
| n/a | n/a | n/a | MATERNLV | Use of maternity leave | The questions on maternity leave were deleted after 2006-2010 NSFG due to a need to shorten interview length. Therefore this recode could no longer be constructed. |
| Section E | | | | | |
| WANTRESP | WANTRESP | WANTRESP | WANTRESP | Wantedness of pregnancy -- Respondent | |
| WANTPART | WANTPART | WANTPART | WANTPART | Wantedness of pregnancy -- Respondent's partner | |
| OLDWANTR | OLDWANTR | OLDWANTR | OLDWANTR | Wantedness of pregnancy -- Respondent -- Cycle 4 version | comparable to 1988 (Cycle 4) WANTWIFE |
| OLDWANTP | OLDWANTP | OLDWANTP | OLDWANTP | Wantedness of pregnancy -- Respondent -- Cycle 4 version | comparable to 1988 (Cycle 4) WANTMAN |

2015-2017 NSFG User's Guide

Appendix 4b: Female and Pregnancy File Recode Crosswalks for NSFG Public-Use File Releases since 2006-2010

n/a - recode not constructed for this file

Absence of comment in last column indicates "same universe, same code categories, same specifications"

This crosswalk describes female **PREGNANCY** file recodes. See pages 1-9 for female respondent recode crosswalk.

Recode specifications for the 2006-2010, 2011-2013, 2013-2015 and 2015-2017 NSFG female pregnancy file recodes for public use are found in Appendix 3b of the User's Guide for those files.

| 2015-2017 recode | 2013-2015 recode | 2011-2013 recode | 2006-2010 recode | Short Description | Comparability across Data Years |
|------------------|------------------|------------------|------------------|---|---|
| TOOSOON | TOOSOON | TOOSOON | n/a | Number of months too soon pregnancy occurred | New recode created since 2011-2013 indicating the number of months "too soon" by which a mistimed pregnancy occurred (used in construction of NEWWANTR) |
| NEWWANTR | NEWWANTR | NEWWANTR | n/a | Detailed wantedness of pregnancy - respondent | New recode created since 2011-2013 that is equivalent to WANTRESP except for breaking out "mistimed" pregnancies into two categories based on the TOOSOON recode. Mistimed pregnancies are shown as "less than 2 years too soon" or "2 years or more too soon." |