

Female File :: Section E :: Contraceptive method history (ED)

cmstrtmc(2358-2361)

Variable Type : Computed

Description : Century month for starting date of method calendar (Computed in Flow Check E-39)

value	label	Total
.	INAPPLICABLE	1500
1237-1248	2003	1253
1249-1260	2004	2302
1261-1272	2005	2433
1273-1284	2006	2868
1285-1296	2007	1630
1297-1308	2008	187
1309-1320	2009	94
1321-1324	2010	12
	Total	12279

Universe : Applicable if R ever used a method of contraception (everused = 1)

cmendmc(2362-2365)

Variable Type : Computed

Description : Century month for ending date of method calendar (Computed in Flow Check E-39)

value	label	Total
.	INAPPLICABLE	1500
522-1278	Before July 2006	50
1279-1290	July 2006-June 2007	2657
1291-1308	July 2007-Dec 2008	3728
1309-1326	Jan 2009-June 2010	4344
	Total	12279

Universe : Applicable if R ever used a method of contraception (everused = 1)

INTR_ED4a(2366-2366)

Variable Type : Raw

ED-4a : The next questions are about birth control methods you may have used between (START DATE OF METHOD CALENDAR) and (END DATE OF METHOD CALENDAR). Remember that this also refers to methods men use, such as condoms, vasectomy, and withdrawal. As we discussed earlier, you had a hysterectomy in (DATE OF HYSTERECTOMY). Since (START DATE OF METHOD CALENDAR), have you used any birth control methods for any reason, such as preventing disease?

value	label	Total
.	INAPPLICABLE	12091
1	Yes	59
5	No	129
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and had a hysterectomy and date of hysterectomy is earlier than date of start of method calendar (cmhyst < cmstrtmc)

nummcmmon(2367-2368)

Variable Type : Computed

Description : Number of months of method calendar asked about (Computed in Flow Check E-41)

value	label	Total
.	INAPPLICABLE	1500
0-48	0-48	10779
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 3] (cmfirsm <= cmjan3yr)

DATBEGIN_M(2369-2370)

Variable Type : Raw

ED-9m : When did you start using (this method/that method combination)? If you used (this method/that method combination) on and off before (DATE OF START OF METHOD CALENDAR), please tell me when you started using the method (combination) most recently before (DATE OF START OF METHOD CALENDAR). If you used the methods at different times during that month, please tell me when you started using the pill most recently before (DATE OF START OF METHOD CALENDAR). (month)

value	label	Total
.	INAPPLICABLE	6191
1-12	January-December	5098
13	Winter	97
14	Spring	158
15	Summer	245
16	Fall	147
98	Refused	7
99	Don't know	336
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) or had a hysterectomy but used a method since start date for method calendar (INTR_ED4a = 1) and date of first method use was on or before January [interview year - 3] (cmfirsm <= cmjan3yr)

DATBEGIN_Y(2371-2374)

Variable Type : Raw

ED-9y : (When did you start using (this method/that method combination)? If you used (this method/that method combination) on and off prior to (DATE OF START OF METHOD CALENDAR), please tell me when you started using the method (combination) most recently before (DATE OF START OF METHOD CALENDAR). If you used the methods at different times during that month, please tell me when you started using the pill most recently before (DATE OF START OF METHOD CALENDAR).) (year)

value	label	Total
.	INAPPLICABLE	6191
1919-2010	1919-2010	6006

9998	Refused	5
9999	Don't know	77
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) or had a hysterectomy but used a method since start date for method calendar (INTR_ED4a = 1) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmjan3yr)

cmdatbegin(2375-2378)

Variable Type : Computed

Description : CM for date began method reported in 1st month of method calendar (Computed in Flow Check E-49)

value	label	Total
.	INAPPLICABLE	6191
522-1278	Before July 2006	5840
1279-1290	July 2006-June 2007	159
1291-1308	July 2007-Dec 2008	6
1309-1326	Jan 2009-June 2010	1
9998	Refused	5
9999	Don't know	77
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) or had a hysterectomy but used a method since start date for method calendar (INTR_ED4a = 1) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmjan3yr)

currmeth1(2379-2380)

Variable Type : Computed

Description : Method(s) used in month of interview - 1st mention (Computed in Flow Check E-54)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	1500
1	No method used	3479
3	Birth control pills	2004
4	Condom	1572
5	Partner's vasectomy	500
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1510
7	Withdrawal, pulling out	456
8	Depo-Provera, injectables	358
9	Hormonal implant (Norplant or Implanon)	44
10	Rhythm or safe period by calendar	65
11	Safe period by temperature or cervical mucus test, natural family planning	9
12	Diaphragm	4
13	Female condom, vaginal pouch	1
14	Foam	3
15	Jelly or cream	4
17	Suppository, insert	7
18	Today sponge	1
19	IUD, coil, or loop	445
20	Emergency contraception	3
21	Other method -- specify	24
22	Respondent was sterile	28
23	Respondent's partner was sterile	7
24	Lunelle injectable (monthly shot)	12
25	Contraceptive patch	79
26	Vaginal contraceptive ring	151
98	Refused	9
99	Don't know	4
	Total	12279

Universe : Applicable if R ever used a method (everused = 1)

currmeth2(2381-2382)

Variable Type : Computed

Description : Method(s) used in month of interview- 2nd mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	11254
3	Birth control pills	27
4	Condom	395
5	Partner's vasectomy	37
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	103
7	Withdrawal, pulling out	274
8	Depo-Provera, injectables	35
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	57
11	Safe period by temperature or cervical mucus test, natural family planning	12
12	Diaphragm	2
13	Female condom, vaginal pouch	2
14	Foam	3
15	Jelly or cream	9
17	Suppository, insert	3
18	Today sponge	1
19	IUD, coil, or loop	22
20	Emergency contraception	7
21	Other method -- specify	3
22	Respondent was sterile	3
23	Respondent's partner was sterile	2
25	Contraceptive patch	3
26	Vaginal contraceptive ring	24
	Total	12279

Universe : Applicable if R used at least 2 methods in the month of interview (see currmeth1)

currmeth3(2383-2384)

Variable Type : Computed

Description : Method(s) used in month of interview - 3rd mention (Computed in Flow Check E-54)

value label	Total
. INAPPLICABLE	12208
3 Birth control pills	1
4 Condom	4
7 Withdrawal, pulling out	31
8 Depo-Provera, injectables	1
10 Rhythm or safe period by calendar	15
11 Safe period by temperature or cervical mucus test, natural family planning	3
12 Diaphragm	3
14 Foam	3
15 Jelly or cream	2
17 Suppository, insert	1
19 IUD, coil, or loop	2
20 Emergency contraception	2
21 Other method -- specify	1
25 Contraceptive patch	1
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 3 methods in the month of interview (see currmeth1)

currmeth4(2385-2386)

Variable Type : Computed

Description : Method(s) used in month of interview - 4th mention (Computed in Flow Check E-54)

value label	Total
. INAPPLICABLE	12273
7 Withdrawal, pulling out	1
11 Safe period by temperature or cervical mucus test, natural family planning	3
15 Jelly or cream	2
Total	12279

Universe : Applicable if R used at least 4 methods in the month of interview (see currmeth1)

Istmonmeth1 (2387-2388)

Variable Type : Computed

Description : Method used in month before interview - 1st mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	1500
1	No method used	3205
3	Birth control pills	2035
4	Condom	1766
5	Partner's vasectomy	499
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1504
7	Withdrawal, pulling out	493
8	Depo-Provera, injectables	367
9	Hormonal implant (Norplant or Implanon)	44
10	Rhythm or safe period by calendar	67
11	Safe period by temperature or cervical mucus test, natural family planning	12
12	Diaphragm	5
13	Female condom, vaginal pouch	1
14	Foam	3
15	Jelly or cream	4
17	Suppository, insert	11
18	Today sponge	1
19	IUD, coil, or loop	447
20	Emergency contraception	8
21	Other method -- specify	22
22	Respondent was sterile	31
23	Respondent's partner was sterile	7
24	Lunelle injectable (monthly shot)	11
25	Contraceptive patch	74
26	Vaginal contraceptive ring	150
98	Refused	9
99	Don't know	3
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before the month prior to interview month (cmfirm <= cmintvw - 1)

Istmonmeth2(2389-2390)

Variable Type : Computed

Description : Method used in month before interview - 2nd mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	11112
3	Birth control pills	32
4	Condom	467
5	Partner's vasectomy	38
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	113
7	Withdrawal, pulling out	299
8	Depo-Provera, injectables	38
9	Hormonal implant (Norplant or Implanon)	2
10	Rhythm or safe period by calendar	66
11	Safe period by temperature or cervical mucus test, natural family planning	12
12	Diaphragm	3
13	Female condom, vaginal pouch	1
14	Foam	4
15	Jelly or cream	12
17	Suppository, insert	5
18	Today sponge	1
19	IUD, coil, or loop	23
20	Emergency contraception	13
21	Other method -- specify	3
22	Respondent was sterile	3
23	Respondent's partner was sterile	2
25	Contraceptive patch	7
26	Vaginal contraceptive ring	23
	Total	12279

Universe : Applicable if R used at least 2 methods in the month prior to interview month (see Istmonmeth1)

Istmonmeth3(2391-2392)

Variable Type : Computed

Description : Method used in month before interview - 3rd mention (Computed in Flow Check E-54)

value	label	Total
.	INAPPLICABLE	12185
3	Birth control pills	5
4	Condom	10
5	Partner's vasectomy	2
7	Withdrawal, pulling out	40
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	21
11	Safe period by temperature or cervical mucus test, natural family planning	3
12	Diaphragm	2
14	Foam	2
15	Jelly or cream	1
17	Suppository, insert	2
19	IUD, coil, or loop	1
20	Emergency contraception	2
21	Other method -- specify	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in the month prior to interview month (see Istmonmeth1)

Istmonmeth4(2393-2394)

Variable Type : Computed

Description : Method used in month before interview - 4th mention (Computed in Flow Check E-54)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12271
4	Condom	1
7	Withdrawal, pulling out	1
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	3
20	Emergency contraception	1
	Total	12279

Universe : Applicable if R used at least 4 methods in the month prior to interview month (see Istmonmeth1)

pill_12(2395-2395)

Variable Type : Computed

Description : Whether used pill in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	1500
1	used in past 12 months	2818
5	not used in past 12 mos or dk/rf	7961
	Total	12279

Universe : Applicable if R ever used a method (everused = 1)

diaph_12(2396-2396)

Variable Type : Computed

Description : Whether used diaphragm in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	1500
1	used in past 12 months	12
5	not used in past 12 mos or dk/rf	10767
	Total	12279

Universe : Applicable if R ever used a method (everused = 1)

iud_12(2397-2397)

Variable Type : Computed

Description : Whether used IUD in the 12 months before interview (Computed in Flow Check E-55)

value label	Total
. INAPPLICABLE	1500
1 used in past 12 months	514
5 not used in past 12 mos or dk/rf	10265
Total	12279

Universe : Applicable if R ever used a method (everused = 1)

implant_12(2398-2398)

Variable Type : Computed

Description : Whether used hormonal implants (Norplant or Implanon) in the 12 months before interview (Computed in Flow Check E-55)

value label	Total
. INAPPLICABLE	1500
1 used in past 12 months	51
5 not used in past 12 mos or dk/rf	10728
Total	12279

Universe : Applicable if R ever used a method (everused = 1)

depo_12(2399-2399)

Variable Type : Computed

Description : Whether used Depo-Provera injectables in the 12 months before interview (Computed in Flow Check E-55)

value label	Total
. INAPPLICABLE	1500
1 used in past 12 months	595
5 not used in past 12 mos or dk/rf	10184
Total	12279

Universe : Applicable if R ever used a method (everused = 1)

cervc_12(2400-2400)

Variable Type : Computed

Description : Whether used cervical cap in the 12 months before interview (Computed in Flow Check E-55)

value label	Total
. INAPPLICABLE	1500
5 not used in past 12 mos or dk/rf	10779
Total	12279

Universe : Applicable if R ever used a method (everused = 1)

mpill_12(2401-2401)

Variable Type : Computed

Description : Whether used emergency contraception in the 12 months before interview (Computed in Flow Check E-55)

value label	Total
. INAPPLICABLE	1500
1 used in past 12 months	107
5 not used in past 12 mos or dk/rf	10672
Total	12279

Universe : Applicable if R ever used a method (everused = 1)

lunel_12(2402-2402)

Variable Type : Computed

Description : Whether used Lunelle injectable in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	1500
1	used in past 12 months	15
5	not used in past 12 mos or dk/rf	10764
Total		12279

Universe : Applicable if R ever used a method (everused = 1)

patch_12(2403-2403)

Variable Type : Computed

Description : Whether used contraceptive patch in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	1500
1	used in past 12 months	174
5	not used in past 12 mos or dk/rf	10605
Total		12279

Universe : Applicable if R ever used a method (everused = 1)

ring_12(2404-2404)

Variable Type : Computed

Description : Whether used contraceptive ring in the 12 months before interview (Computed in Flow Check E-55)

value	label	Total
.	INAPPLICABLE	1500

1	used in past 12 months	285
5	not used in past 12 mos or dk/rf	10494
	Total	12279

Universe : Applicable if R ever used a method (everused = 1)

METHX1(2405-2406)

Variable Type : Raw

ED-6 : Method(s) used in Jan [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	2950
1	No method used	3088
3	Birth control pills	2039
4	Condom	1414
5	Partner's vasectomy	310
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1115
7	Withdrawal, pulling out	387
8	Depo-Provera, injectables	386
9	Hormonal implant (Norplant or Implanon)	9
10	Rhythm or safe period by calendar	63
11	Safe period by temperature or cervical mucus test, natural family planning	10
12	Diaphragm	9
13	Female condom, vaginal pouch	1
14	Foam	6
15	Jelly or cream	2
17	Suppository, insert	4
18	Today sponge	1
19	IUD, coil, or loop	218
21	Other method -- specify	7
22	Respondent was sterile	16
23	Respondent's partner was sterile	6
24	Lunelle injectable (monthly shot)	11

25	Contraceptive patch	138
26	Vaginal contraceptive ring	65
98	Refused	7
99	Don't know	17
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 3] (cmfirm <= cmjan3yr)

METHX2(2407-2408)

Variable Type : Raw

ED-6 : Method(s) used in Jan [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	11453
1	No method used	1
3	Birth control pills	29
4	Condom	371
5	Partner's vasectomy	24
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	53
7	Withdrawal, pulling out	213
8	Depo-Provera, injectables	28
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	46
11	Safe period by temperature or cervical mucus test, natural family planning	10
12	Diaphragm	3
13	Female condom, vaginal pouch	1
14	Foam	6
15	Jelly or cream	7
17	Suppository, insert	3
19	IUD, coil, or loop	8
21	Other method -- specify	2
23	Respondent's partner was sterile	1

25	Contraceptive patch	13
26	Vaginal contraceptive ring	6
	Total	12279

Universe : Applicable if R used at least 2 methods in January [interview yr - 3] (see METHX1)

METHX3(2409-2410)

Variable Type : Raw

ED-6 : Method(s) used in Jan [interview yr-3]-3rd mention

value	label	Total
.	INAPPLICABLE	12237
4	Condom	6
7	Withdrawal, pulling out	19
10	Rhythm or safe period by calendar	9
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	2
15	Jelly or cream	4
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 3] (see METHX1)

METHX4(2411-2412)

Variable Type : Raw

ED-6 : Method(s) used in Jan [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	12273
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	3
20	Emergency contraception	1

Total**12279**

Universe : Applicable if R used at least 4 methods in January [interview yr - 3] (see METHX1)

METHX5(2413-2414)

Variable Type : Raw

ED-6 : Method(s) used in Feb [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	2920
1	No method used	3126
3	Birth control pills	2058
4	Condom	1387
5	Partner's vasectomy	316
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1121
7	Withdrawal, pulling out	376
8	Depo-Provera, injectables	393
9	Hormonal implant (Norplant or Implanon)	9
10	Rhythm or safe period by calendar	62
11	Safe period by temperature or cervical mucus test, natural family planning	9
12	Diaphragm	9
13	Female condom, vaginal pouch	1
14	Foam	5
15	Jelly or cream	1
17	Suppository, insert	4
19	IUD, coil, or loop	216
20	Emergency contraception	1
21	Other method -- specify	8
22	Respondent was sterile	17
23	Respondent's partner was sterile	6
24	Lunelle injectable (monthly shot)	12
25	Contraceptive patch	134
26	Vaginal contraceptive ring	62

98	Refused	7
99	Don't know	19
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirsm <= cmmhcalx2)

METHX6(2415-2416)

Variable Type : Raw

ED-6 : Method(s) used in Feb [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	11434
1	No method used	1
3	Birth control pills	21
4	Condom	382
5	Partner's vasectomy	24
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	59
7	Withdrawal, pulling out	214
8	Depo-Provera, injectables	30
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	47
11	Safe period by temperature or cervical mucus test, natural family planning	13
12	Diaphragm	3
13	Female condom, vaginal pouch	1
14	Foam	6
15	Jelly or cream	4
17	Suppository, insert	3
19	IUD, coil, or loop	9
21	Other method -- specify	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	18
26	Vaginal contraceptive ring	6

Total

12279

Universe : Applicable if R used at least 2 methods in February [interview yr - 3] (see METHX5)

METHX7(2417-2418)

Variable Type : Raw

ED-6 : Method(s) used in Feb [interview yr-3] - 3rd mention

value label	Total
. INAPPLICABLE	12233
4 Condom	6
7 Withdrawal, pulling out	20
10 Rhythm or safe period by calendar	9
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	3
15 Jelly or cream	6
20 Emergency contraception	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 3] (see METHX5)

METHX8(2419-2420)

Variable Type : Raw

ED-6 : Method(s) used in Feb [interview yr-3]-4th mention

value label	Total
. INAPPLICABLE	12274
7 Withdrawal, pulling out	1
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	3
Total	12279

Universe : Applicable if R used at least 4 methods in February [interview yr - 3] (see METHX5)

METHX9(2421-2422)

Variable Type : Raw

ED-6 : Method(s) used in March [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	2892
1	No method used	3146
3	Birth control pills	2059
4	Condom	1383
5	Partner's vasectomy	315
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1123
7	Withdrawal, pulling out	380
8	Depo-Provera, injectables	392
9	Hormonal implant (Norplant or Implanon)	10
10	Rhythm or safe period by calendar	57
11	Safe period by temperature or cervical mucus test, natural family planning	11
12	Diaphragm	9
13	Female condom, vaginal pouch	1
14	Foam	5
15	Jelly or cream	1
17	Suppository, insert	5
19	IUD, coil, or loop	214
21	Other method -- specify	6
22	Respondent was sterile	21
23	Respondent's partner was sterile	6
24	Lunelle injectable (monthly shot)	12
25	Contraceptive patch	138
26	Vaginal contraceptive ring	67
98	Refused	7
99	Don't know	19
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 3] (cmfirm <= cmmhcalx3)

METHX10(2423-2424)

Variable Type : Raw

ED-6 : Method(s) used in March [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	11434
3	Birth control pills	19
4	Condom	377
5	Partner's vasectomy	27
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	62
7	Withdrawal, pulling out	208
8	Depo-Provera, injectables	32
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	46
11	Safe period by temperature or cervical mucus test, natural family planning	13
12	Diaphragm	3
13	Female condom, vaginal pouch	1
14	Foam	5
15	Jelly or cream	6
17	Suppository, insert	4
19	IUD, coil, or loop	11
20	Emergency contraception	2
21	Other method -- specify	3
23	Respondent's partner was sterile	1
25	Contraceptive patch	16
26	Vaginal contraceptive ring	8
	Total	12279

Universe : Applicable if R used at least 2 methods in March [interview yr - 3] (see METHX9)

METHX11(2425-2426)

Variable Type : Raw

ED-6 : Method(s) used in March [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	12231
4	Condom	5
5	Partner's vasectomy	1
7	Withdrawal, pulling out	22
10	Rhythm or safe period by calendar	8
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	3
15	Jelly or cream	6
20	Emergency contraception	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 3] (see METHX9)

METHX12(2427-2428)

Variable Type : Raw

ED-6 : Method(s) used in March [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	12274
7	Withdrawal, pulling out	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	3
	Total	12279

Universe : Applicable if R used at least 4 methods in March [interview yr - 3] (see METHX9)

METHX13(2429-2430)

Variable Type : Raw

ED-6 : Method(s) used in April [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	2848
1	No method used	3134
3	Birth control pills	2061
4	Condom	1398
5	Partner's vasectomy	316
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1133
7	Withdrawal, pulling out	399
8	Depo-Provera, injectables	395
9	Hormonal implant (Norplant or Implanon)	11
10	Rhythm or safe period by calendar	61
11	Safe period by temperature or cervical mucus test, natural family planning	10
12	Diaphragm	7
13	Female condom, vaginal pouch	1
14	Foam	5
15	Jelly or cream	1
17	Suppository, insert	4
19	IUD, coil, or loop	218
20	Emergency contraception	1
21	Other method -- specify	6
22	Respondent was sterile	27
23	Respondent's partner was sterile	5
24	Lunelle injectable (monthly shot)	12
25	Contraceptive patch	132
26	Vaginal contraceptive ring	68
98	Refused	7
99	Don't know	19
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 3] (cmfirsm <= cmmhcalx4)

METHX14(2431-2432)

Variable Type : Raw

ED-6 : Method(s) used in April [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	11428
3	Birth control pills	19
4	Condom	373
5	Partner's vasectomy	28
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	59
7	Withdrawal, pulling out	216
8	Depo-Provera, injectables	33
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	47
11	Safe period by temperature or cervical mucus test, natural family planning	13
12	Diaphragm	4
13	Female condom, vaginal pouch	1
14	Foam	6
15	Jelly or cream	5
17	Suppository, insert	3
19	IUD, coil, or loop	11
20	Emergency contraception	1
21	Other method -- specify	4
23	Respondent's partner was sterile	2
25	Contraceptive patch	16
26	Vaginal contraceptive ring	9
	Total	12279

Universe : Applicable if R used at least 2 methods in April [interview yr - 3] (see METHX13)

METHX15(2433-2434)

Variable Type : Raw

ED-6 : Method(s) used in April [interview yr-3] - 3rd mention

value label	Total
. INAPPLICABLE	12234
3 Birth control pills	1
4 Condom	6
7 Withdrawal, pulling out	18
10 Rhythm or safe period by calendar	10
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	3
15 Jelly or cream	4
20 Emergency contraception	2
Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 3] (see METHX13)

METHX16(2435-2436)

Variable Type : Raw

ED-6 : Method(s) used in April [interview yr-3]-4th mention

value label	Total
. INAPPLICABLE	12274
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	4
Total	12279

Universe : Applicable if R used at least 4 methods in April [interview yr - 3] (see METHX13)

METHX17(2437-2438)

Variable Type : Raw

ED-6 : Method(s) used in May [interview yr-3] - 1st mention

value label	Total
. INAPPLICABLE	2812

1	No method used	3107
3	Birth control pills	2050
4	Condom	1441
5	Partner's vasectomy	326
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1138
7	Withdrawal, pulling out	403
8	Depo-Provera, injectables	394
9	Hormonal implant (Norplant or Implanon)	11
10	Rhythm or safe period by calendar	60
11	Safe period by temperature or cervical mucus test, natural family planning	11
12	Diaphragm	9
13	Female condom, vaginal pouch	1
14	Foam	5
15	Jelly or cream	1
17	Suppository, insert	4
18	Today sponge	1
19	IUD, coil, or loop	220
20	Emergency contraception	1
21	Other method -- specify	6
22	Respondent was sterile	29
23	Respondent's partner was sterile	5
24	Lunelle injectable (monthly shot)	11
25	Contraceptive patch	136
26	Vaginal contraceptive ring	71
98	Refused	7
99	Don't know	19
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirsm <= cmmhcalx5)

METHX18(2439-2440)

Variable Type : Raw

ED-6 : Method(s) used in May [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	11399
3	Birth control pills	25
4	Condom	380
5	Partner's vasectomy	25
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	57
7	Withdrawal, pulling out	232
8	Depo-Provera, injectables	33
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	47
11	Safe period by temperature or cervical mucus test, natural family planning	13
12	Diaphragm	4
13	Female condom, vaginal pouch	2
14	Foam	5
15	Jelly or cream	6
17	Suppository, insert	4
19	IUD, coil, or loop	12
20	Emergency contraception	2
21	Other method -- specify	4
23	Respondent's partner was sterile	1
25	Contraceptive patch	19
26	Vaginal contraceptive ring	8
	Total	12279

Universe : Applicable if R used at least 2 methods in May [interview yr - 3] (see METHX17)

METHX19(2441-2442)

Variable Type : Raw

ED-6 : Method(s) used in May [interview yr-3] - 3rd mention

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12223
4	Condom	4
5	Partner's vasectomy	1
7	Withdrawal, pulling out	23
10	Rhythm or safe period by calendar	13
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	3
14	Foam	2
15	Jelly or cream	4
20	Emergency contraception	2
26	Vaginal contraceptive ring	2
	Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 3] (see METHX17)

METHX20(2443-2444)

Variable Type : Raw

ED-6 : Method(s) used in May [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	12272
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	5
20	Emergency contraception	1
	Total	12279

Universe : Applicable if R used at least 4 methods in May [interview yr - 3] (see METHX17)

METHX21(2445-2446)

Variable Type : Raw

ED-6 : Method(s) used in June [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	2773
1	No method used	3053
3	Birth control pills	2054
4	Condom	1475
5	Partner's vasectomy	336
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1155
7	Withdrawal, pulling out	409
8	Depo-Provera, injectables	394
9	Hormonal implant (Norplant or Implanon)	11
10	Rhythm or safe period by calendar	62
11	Safe period by temperature or cervical mucus test, natural family planning	12
12	Diaphragm	10
13	Female condom, vaginal pouch	1
14	Foam	5
15	Jelly or cream	1
17	Suppository, insert	5
19	IUD, coil, or loop	221
21	Other method -- specify	6
22	Respondent was sterile	35
23	Respondent's partner was sterile	4
24	Lunelle injectable (monthly shot)	11
25	Contraceptive patch	145
26	Vaginal contraceptive ring	75
98	Refused	7
99	Don't know	19
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirms <= cmmhcalx6)

METHX22(2447-2448)

Variable Type : Raw

ED-6 : Method(s) used in June [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	11385
1	No method used	1
3	Birth control pills	23
4	Condom	377
5	Partner's vasectomy	24
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	59
7	Withdrawal, pulling out	255
8	Depo-Provera, injectables	33
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	47
11	Safe period by temperature or cervical mucus test, natural family planning	12
12	Diaphragm	3
13	Female condom, vaginal pouch	1
14	Foam	6
15	Jelly or cream	6
17	Suppository, insert	3
19	IUD, coil, or loop	11
21	Other method -- specify	4
23	Respondent's partner was sterile	1
25	Contraceptive patch	17
26	Vaginal contraceptive ring	10
	Total	12279

Universe : Applicable if R used at least 2 methods in June [interview yr - 3] (see METHX21)

METHX23(2449-2450)

Variable Type : Raw

ED-6 : Method(s) used in June [interview yr-3] - 3rd mention

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12228
4	Condom	5
7	Withdrawal, pulling out	18
10	Rhythm or safe period by calendar	14
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	3
14	Foam	2
15	Jelly or cream	4
20	Emergency contraception	2
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 3] (see METHX21)

METHX24(2451-2452)

Variable Type : Raw

ED-6 : Method(s) used in June [interview yr-3]-4th mention

value label	Total	
.	INAPPLICABLE	12273
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	5
	Total	12279

Universe : Applicable if R used at least 4 methods in June [interview yr - 3] (see METHX21)

METHX25(2453-2454)

Variable Type : Raw

ED-6 : Method(s) used in July [interview yr-3] - 1st mention

value label	Total	
.	INAPPLICABLE	2729

1	No method used	3039
3	Birth control pills	2056
4	Condom	1508
5	Partner's vasectomy	340
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1164
7	Withdrawal, pulling out	417
8	Depo-Provera, injectables	389
9	Hormonal implant (Norplant or Implanon)	11
10	Rhythm or safe period by calendar	60
11	Safe period by temperature or cervical mucus test, natural family planning	12
12	Diaphragm	10
13	Female condom, vaginal pouch	1
14	Foam	4
15	Jelly or cream	1
17	Suppository, insert	4
19	IUD, coil, or loop	224
21	Other method -- specify	6
22	Respondent was sterile	35
23	Respondent's partner was sterile	7
24	Lunelle injectable (monthly shot)	10
25	Contraceptive patch	147
26	Vaginal contraceptive ring	79
98	Refused	7
99	Don't know	19
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirsm <= cmmhcalx7)

METHX26(2455-2456)

Variable Type : Raw

ED-6 : Method(s) used in July [interview yr-3]-2nd mention

value label	Total
. INAPPLICABLE	11377
3 Birth control pills	25
4 Condom	391
5 Partner's vasectomy	25
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	58
7 Withdrawal, pulling out	246
8 Depo-Provera, injectables	31
9 Hormonal implant (Norplant or Implanon)	1
10 Rhythm or safe period by calendar	45
11 Safe period by temperature or cervical mucus test, natural family planning	12
12 Diaphragm	4
13 Female condom, vaginal pouch	1
14 Foam	6
15 Jelly or cream	6
17 Suppository, insert	5
19 IUD, coil, or loop	14
21 Other method -- specify	3
23 Respondent's partner was sterile	2
25 Contraceptive patch	17
26 Vaginal contraceptive ring	10
Total	12279

Universe : Applicable if R used at least 2 methods in July [interview yr - 3] (see METHX25)

METHX27(2457-2458)

Variable Type : Raw

ED-6 : Method(s) used in July [interview yr-3] - 3rd mention

value label	Total
. INAPPLICABLE	12222
4 Condom	5
7 Withdrawal, pulling out	20

10	Rhythm or safe period by calendar	14
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	3
14	Foam	4
15	Jelly or cream	4
20	Emergency contraception	3
25	Contraceptive patch	1
26	Vaginal contraceptive ring	2
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 3] (see METHX25)

METHX28(2459-2460)

Variable Type : Raw

ED-6 : Method(s) used in July [interview yr-3]-4th mention

value label	Total
. INAPPLICABLE	12272
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	6
Total	12279

Universe : Applicable if R used at least 4 methods in July [interview yr - 3] (see METHX25)

METHX29(2461-2462)

Variable Type : Raw

ED-6 : Method(s) used in Aug [interview yr-3] - 1st mention

value label	Total
. INAPPLICABLE	2675
1 No method used	3041
3 Birth control pills	2068

4	Condom	1527
5	Partner's vasectomy	348
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1176
7	Withdrawal, pulling out	422
8	Depo-Provera, injectables	388
9	Hormonal implant (Norplant or Implanon)	13
10	Rhythm or safe period by calendar	61
11	Safe period by temperature or cervical mucus test, natural family planning	9
12	Diaphragm	9
13	Female condom, vaginal pouch	2
14	Foam	3
15	Jelly or cream	2
17	Suppository, insert	5
19	IUD, coil, or loop	223
21	Other method -- specify	7
22	Respondent was sterile	32
23	Respondent's partner was sterile	6
24	Lunelle injectable (monthly shot)	10
25	Contraceptive patch	147
26	Vaginal contraceptive ring	81
98	Refused	7
99	Don't know	17
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirsm <= cmmhcalx8)

METHX30(2463-2464)

Variable Type : Raw

ED-6 : Method(s) used in Aug [interview yr-3]-2nd mention

value label	Total
. INAPPLICABLE	11396

3	Birth control pills	22
4	Condom	373
5	Partner's vasectomy	25
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	60
7	Withdrawal, pulling out	247
8	Depo-Provera, injectables	31
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	46
11	Safe period by temperature or cervical mucus test, natural family planning	11
12	Diaphragm	4
13	Female condom, vaginal pouch	2
14	Foam	4
15	Jelly or cream	7
17	Suppository, insert	3
19	IUD, coil, or loop	16
20	Emergency contraception	2
21	Other method -- specify	3
23	Respondent's partner was sterile	2
25	Contraceptive patch	14
26	Vaginal contraceptive ring	10
	Total	12279

Universe : Applicable if R used at least 2 methods in Aug [interview yr - 3] (see METHX29)

METHX31(2465-2466)

Variable Type : Raw

ED-6 : Method(s) used in Aug [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	12224
3	Birth control pills	1
4	Condom	5
7	Withdrawal, pulling out	22

10	Rhythm or safe period by calendar	14
12	Diaphragm	3
14	Foam	3
15	Jelly or cream	4
20	Emergency contraception	2
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 3] (see METHX29)

METHX32(2467-2468)

Variable Type : Raw

ED-6 : Method(s) used in Aug [interview yr-3]-4th mention

value label	Total
. INAPPLICABLE	12272
10 Rhythm or safe period by calendar	1
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	5
Total	12279

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 3] (see METHX29)

METHX33(2469-2470)

Variable Type : Raw

ED-6 : Method(s) used in Sept [interview yr-3] - 1st mention

value label	Total
. INAPPLICABLE	2645
1 No method used	3115
3 Birth control pills	2050
4 Condom	1479

5	Partner's vasectomy	355
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1188
7	Withdrawal, pulling out	413
8	Depo-Provera, injectables	390
9	Hormonal implant (Norplant or Implanon)	13
10	Rhythm or safe period by calendar	65
11	Safe period by temperature or cervical mucus test, natural family planning	9
12	Diaphragm	7
13	Female condom, vaginal pouch	4
14	Foam	3
15	Jelly or cream	2
17	Suppository, insert	6
19	IUD, coil, or loop	228
20	Emergency contraception	1
21	Other method -- specify	5
22	Respondent was sterile	32
23	Respondent's partner was sterile	6
24	Lunelle injectable (monthly shot)	10
25	Contraceptive patch	147
26	Vaginal contraceptive ring	83
98	Refused	7
99	Don't know	16
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirsm <= cmmhcalx9)

METHX34(2471-2472)

Variable Type : Raw

ED-6 : Method(s) used in Sept [interview yr-3]-2nd mention

value label	Total
. INAPPLICABLE	11403

3	Birth control pills	24
4	Condom	371
5	Partner's vasectomy	25
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	64
7	Withdrawal, pulling out	234
8	Depo-Provera, injectables	31
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	49
11	Safe period by temperature or cervical mucus test, natural family planning	10
12	Diaphragm	3
13	Female condom, vaginal pouch	1
14	Foam	4
15	Jelly or cream	8
17	Suppository, insert	3
18	Today sponge	1
19	IUD, coil, or loop	15
20	Emergency contraception	1
21	Other method -- specify	3
23	Respondent's partner was sterile	2
25	Contraceptive patch	13
26	Vaginal contraceptive ring	13
	Total	12279

Universe : Applicable if R used at least 2 methods in Sept [interview yr - 3] (see METHX33)

METHX35(2473-2474)

Variable Type : Raw

ED-6 : Method(s) used in Sept [interview yr-3] - 3rd mention

value	label	Total
.	INAPPLICABLE	12221
3	Birth control pills	1
4	Condom	7

5	Partner's vasectomy	1
7	Withdrawal, pulling out	21
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	14
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	3
14	Foam	3
15	Jelly or cream	4
20	Emergency contraception	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 3] (see METHX33)

METHX36(2475-2476)

Variable Type : Raw

ED-6 : Method(s) used in Sept [interview yr-3]-4th mention

value label	Total
. INAPPLICABLE	12272
10 Rhythm or safe period by calendar	1
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	5
Total	12279

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 3] (see METHX33)

METHX37(2477-2478)

Variable Type : Raw

ED-6 : Method(s) used in Oct [interview yr-3] - 1st mention

value label	Total
. INAPPLICABLE	2613

1	No method used	3089
3	Birth control pills	2066
4	Condom	1507
5	Partner's vasectomy	357
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1195
7	Withdrawal, pulling out	418
8	Depo-Provera, injectables	376
9	Hormonal implant (Norplant or Implanon)	13
10	Rhythm or safe period by calendar	66
11	Safe period by temperature or cervical mucus test, natural family planning	9
12	Diaphragm	9
13	Female condom, vaginal pouch	2
14	Foam	5
15	Jelly or cream	2
17	Suppository, insert	5
18	Today sponge	1
19	IUD, coil, or loop	237
21	Other method -- specify	5
22	Respondent was sterile	30
23	Respondent's partner was sterile	5
24	Lunelle injectable (monthly shot)	9
25	Contraceptive patch	145
26	Vaginal contraceptive ring	92
98	Refused	7
99	Don't know	16
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx10)

METHX38(2479-2480)

Variable Type : Raw

ED-6 : Method(s) used in Oct [interview yr-3]-2nd mention

value label	Total
. INAPPLICABLE	11387
3 Birth control pills	24
4 Condom	377
5 Partner's vasectomy	28
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	68
7 Withdrawal, pulling out	233
8 Depo-Provera, injectables	34
9 Hormonal implant (Norplant or Implanon)	1
10 Rhythm or safe period by calendar	55
11 Safe period by temperature or cervical mucus test, natural family planning	10
12 Diaphragm	3
13 Female condom, vaginal pouch	1
14 Foam	3
15 Jelly or cream	7
17 Suppository, insert	2
19 IUD, coil, or loop	12
20 Emergency contraception	4
21 Other method -- specify	3
23 Respondent's partner was sterile	2
25 Contraceptive patch	15
26 Vaginal contraceptive ring	10
Total	12279

Universe : Applicable if R used at least 2 methods in Oct [interview yr - 3] (see METHX37)

METHX39(2481-2482)

Variable Type : Raw

ED-6 : Method(s) used in Oct [interview yr-3] - 3rd mention

value label	Total
. INAPPLICABLE	12223
3 Birth control pills	1

4	Condom	5
5	Partner's vasectomy	1
7	Withdrawal, pulling out	23
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	9
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	3
14	Foam	4
15	Jelly or cream	4
20	Emergency contraception	1
26	Vaginal contraceptive ring	2
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 3] (see METHX37)

METHX40(2483-2484)

Variable Type : Raw

ED-6 : Method(s) used in Oct [interview yr-3]-4th mention

value label	Total
. INAPPLICABLE	12270
10 Rhythm or safe period by calendar	1
11 Safe period by temperature or cervical mucus test, natural family planning	2
15 Jelly or cream	5
20 Emergency contraception	1
Total	12279

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 3] (see METHX37)

METHX41(2485-2486)

Variable Type : Raw

ED-6 : Method(s) used in Nov [interview yr-3] - 1st mention

value label	Total
. INAPPLICABLE	2583
1 No method used	3099
3 Birth control pills	2063
4 Condom	1520
5 Partner's vasectomy	357
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1202
7 Withdrawal, pulling out	407
8 Depo-Provera, injectables	381
9 Hormonal implant (Norplant or Implanon)	13
10 Rhythm or safe period by calendar	66
11 Safe period by temperature or cervical mucus test, natural family planning	10
12 Diaphragm	6
13 Female condom, vaginal pouch	1
14 Foam	4
15 Jelly or cream	2
17 Suppository, insert	5
18 Today sponge	1
19 IUD, coil, or loop	243
20 Emergency contraception	2
21 Other method -- specify	6
22 Respondent was sterile	26
23 Respondent's partner was sterile	5
24 Lunelle injectable (monthly shot)	9
25 Contraceptive patch	150
26 Vaginal contraceptive ring	92
98 Refused	7
99 Don't know	19
Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirm <= cmmhcalx11)

METHX42(2487-2488)

Variable Type : Raw

ED-6 : Method(s) used in Nov [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	11379
3	Birth control pills	29
4	Condom	375
5	Partner's vasectomy	32
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	68
7	Withdrawal, pulling out	241
8	Depo-Provera, injectables	33
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	48
11	Safe period by temperature or cervical mucus test, natural family planning	10
12	Diaphragm	4
13	Female condom, vaginal pouch	1
14	Foam	3
15	Jelly or cream	9
17	Suppository, insert	3
19	IUD, coil, or loop	10
20	Emergency contraception	5
21	Other method -- specify	3
23	Respondent's partner was sterile	2
25	Contraceptive patch	12
26	Vaginal contraceptive ring	11
	Total	12279

Universe : Applicable if R used at least 2 methods in Nov [interview yr - 3] (see METHX41)

METHX43(2489-2490)

Variable Type : Raw

ED-6 : Method(s) used in Nov [interview yr-3] - 3rd mention

value label	Total
. INAPPLICABLE	12225
3 Birth control pills	1
4 Condom	5
7 Withdrawal, pulling out	25
8 Depo-Provera, injectables	1
10 Rhythm or safe period by calendar	9
11 Safe period by temperature or cervical mucus test, natural family planning	2
12 Diaphragm	3
14 Foam	2
15 Jelly or cream	4
20 Emergency contraception	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 3] (see METHX41)

METHX44(2491-2492)

Variable Type : Raw

ED-6 : Method(s) used in Nov [interview yr-3]-4th mention

value label	Total
. INAPPLICABLE	12271
10 Rhythm or safe period by calendar	1
11 Safe period by temperature or cervical mucus test, natural family planning	2
15 Jelly or cream	5
Total	12279

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 3] (see METHX41)

METHX45(2493-2494)

Variable Type : Raw

ED-6 : Method(s) used in Dec [interview yr-3] - 1st mention

value	label	Total
.	INAPPLICABLE	2558
1	No method used	3103
3	Birth control pills	2054
4	Condom	1546
5	Partner's vasectomy	363
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1207
7	Withdrawal, pulling out	409
8	Depo-Provera, injectables	375
9	Hormonal implant (Norplant or Implanon)	14
10	Rhythm or safe period by calendar	70
11	Safe period by temperature or cervical mucus test, natural family planning	12
12	Diaphragm	5
13	Female condom, vaginal pouch	1
14	Foam	4
15	Jelly or cream	2
17	Suppository, insert	4
18	Today sponge	1
19	IUD, coil, or loop	244
21	Other method -- specify	5
22	Respondent was sterile	25
23	Respondent's partner was sterile	4
24	Lunelle injectable (monthly shot)	10
25	Contraceptive patch	147
26	Vaginal contraceptive ring	93
98	Refused	7
99	Don't know	16
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirm <= cmmhcalx12)

METHX46(2495-2496)

Variable Type : Raw

ED-6 : Method(s) used in Dec [interview yr-3]-2nd mention

value	label	Total
.	INAPPLICABLE	11374
3	Birth control pills	27
4	Condom	379
5	Partner's vasectomy	30
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	75
7	Withdrawal, pulling out	240
8	Depo-Provera, injectables	36
10	Rhythm or safe period by calendar	50
11	Safe period by temperature or cervical mucus test, natural family planning	10
12	Diaphragm	2
13	Female condom, vaginal pouch	1
14	Foam	4
15	Jelly or cream	8
17	Suppository, insert	3
19	IUD, coil, or loop	12
20	Emergency contraception	2
21	Other method -- specify	3
23	Respondent's partner was sterile	2
25	Contraceptive patch	11
26	Vaginal contraceptive ring	10
	Total	12279

Universe : Applicable if R used at least 2 methods in Dec [interview yr - 3] (see METHX45)

METHX47(2497-2498)

Variable Type : Raw

ED-6 : Method(s) used in Dec [interview yr-3] - 3rd mention

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12227
4	Condom	5
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	25
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	10
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	3
14	Foam	1
15	Jelly or cream	3
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 3] (see METHX45)

METHX48(2499-2500)

Variable Type : Raw

ED-6 : Method(s) used in Dec [interview yr-3]-4th mention

value	label	Total
.	INAPPLICABLE	12273
10	Rhythm or safe period by calendar	1
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	3
	Total	12279

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 3] (see METHX45)

METHX49(2501-2502)

Variable Type : Raw

ED-6 : Method(s) used in Jan [interview yr-2] - 1st mention

value label	Total
. INAPPLICABLE	2528
1 No method used	3138
3 Birth control pills	2017
4 Condom	1544
5 Partner's vasectomy	375
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1220
7 Withdrawal, pulling out	426
8 Depo-Provera, injectables	362
9 Hormonal implant (Norplant or Implanon)	11
10 Rhythm or safe period by calendar	62
11 Safe period by temperature or cervical mucus test, natural family planning	12
12 Diaphragm	7
13 Female condom, vaginal pouch	2
14 Foam	6
15 Jelly or cream	2
17 Suppository, insert	4
18 Today sponge	1
19 IUD, coil, or loop	237
20 Emergency contraception	5
21 Other method -- specify	4
22 Respondent was sterile	20
23 Respondent's partner was sterile	8
24 Lunelle injectable (monthly shot)	12
25 Contraceptive patch	154
26 Vaginal contraceptive ring	99
98 Refused	7
99 Don't know	16
Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 2] (cmfirm <= cmmhcalx13)

METHX50(2503-2504)

Variable Type : Raw

ED-6 : Method(s) used in Jan [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	11364
3	Birth control pills	16
4	Condom	354
5	Partner's vasectomy	28
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	88
7	Withdrawal, pulling out	249
8	Depo-Provera, injectables	40
10	Rhythm or safe period by calendar	58
11	Safe period by temperature or cervical mucus test, natural family planning	11
12	Diaphragm	1
13	Female condom, vaginal pouch	2
14	Foam	2
15	Jelly or cream	9
17	Suppository, insert	6
19	IUD, coil, or loop	15
20	Emergency contraception	4
21	Other method -- specify	2
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	13
26	Vaginal contraceptive ring	14
	Total	12279

Universe : Applicable if R used at least 2 methods in January [interview yr - 2] (see METHX49)

METHX51 (2505-2506)

Variable Type : Raw

ED-6 : Method(s) used in Jan [interview yr-2]-3rd mention

value label	Total
. INAPPLICABLE	12224
1 No method used	1
4 Condom	4
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	24
8 Depo-Provera, injectables	2
10 Rhythm or safe period by calendar	13
11 Safe period by temperature or cervical mucus test, natural family planning	2
12 Diaphragm	3
14 Foam	1
15 Jelly or cream	2
20 Emergency contraception	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 2] (see METHX49)

METHX52(2507-2508)

Variable Type : Raw

ED-6 : Method(s) used in Jan [interview yr-2]-4th mention

value label	Total
. INAPPLICABLE	12272
10 Rhythm or safe period by calendar	1
11 Safe period by temperature or cervical mucus test, natural family planning	2
15 Jelly or cream	3
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 4 methods in January [interview yr - 2] (see METHX49)

METHX53(2509-2510)

Variable Type : Raw

ED-6 : Method(s) used in Feb [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	2495
1	No method used	3183
3	Birth control pills	2026
4	Condom	1519
5	Partner's vasectomy	378
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1229
7	Withdrawal, pulling out	425
8	Depo-Provera, injectables	354
9	Hormonal implant (Norplant or Implanon)	12
10	Rhythm or safe period by calendar	59
11	Safe period by temperature or cervical mucus test, natural family planning	10
12	Diaphragm	8
13	Female condom, vaginal pouch	2
14	Foam	6
15	Jelly or cream	2
17	Suppository, insert	5
18	Today sponge	1
19	IUD, coil, or loop	245
20	Emergency contraception	1
21	Other method -- specify	4
22	Respondent was sterile	23
23	Respondent's partner was sterile	8
24	Lunelle injectable (monthly shot)	12
25	Contraceptive patch	152
26	Vaginal contraceptive ring	98
98	Refused	7
99	Don't know	15
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before

February [interview year - 3] (cmfirsm <= cmmhcalx14)

METHX54(2511-2512)

Variable Type : Raw

ED-6 : Method(s) used in Feb [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	11346
3	Birth control pills	14
4	Condom	362
5	Partner's vasectomy	32
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	92
7	Withdrawal, pulling out	256
8	Depo-Provera, injectables	44
10	Rhythm or safe period by calendar	58
11	Safe period by temperature or cervical mucus test, natural family planning	12
12	Diaphragm	1
13	Female condom, vaginal pouch	2
14	Foam	2
15	Jelly or cream	7
17	Suppository, insert	5
19	IUD, coil, or loop	12
20	Emergency contraception	3
21	Other method -- specify	3
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	11
26	Vaginal contraceptive ring	14
	Total	12279

Universe : Applicable if R used at least 2 methods in February [interview yr - 2] (see METHX53)

METHX55(2513-2514)

Variable Type : Raw

ED-6 : Method(s) used in Feb [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	12221
4	Condom	5
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	27
8	Depo-Provera, injectables	2
10	Rhythm or safe period by calendar	14
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	3
14	Foam	1
15	Jelly or cream	2
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 2] (see METHX53)

METHX56(2515-2516)

Variable Type : Raw

ED-6 : Method(s) used in Feb [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	12272
10	Rhythm or safe period by calendar	1
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	3
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 4 methods in February [interview yr - 2] (see METHX53)

METHX57(2517-2518)

Variable Type : Raw

ED-6 : Method(s) used in March [interview yr-2] - 1st mention

value label	Total
. INAPPLICABLE	2454
1 No method used	3192
3 Birth control pills	2024
4 Condom	1533
5 Partner's vasectomy	384
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1229
7 Withdrawal, pulling out	421
8 Depo-Provera, injectables	357
9 Hormonal implant (Norplant or Implanon)	13
10 Rhythm or safe period by calendar	56
11 Safe period by temperature or cervical mucus test, natural family planning	11
12 Diaphragm	7
13 Female condom, vaginal pouch	1
14 Foam	5
15 Jelly or cream	2
17 Suppository, insert	4
18 Today sponge	1
19 IUD, coil, or loop	251
20 Emergency contraception	2
21 Other method -- specify	7
22 Respondent was sterile	28
23 Respondent's partner was sterile	6
24 Lunelle injectable (monthly shot)	11
25 Contraceptive patch	152
26 Vaginal contraceptive ring	105
98 Refused	7
99 Don't know	16
Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 2] (cmfirm <= cmmhcalx15)

METHX58(2519-2520)

Variable Type : Raw

ED-6 : Method(s) used in March [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	11368
3	Birth control pills	14
4	Condom	356
5	Partner's vasectomy	28
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	89
7	Withdrawal, pulling out	249
8	Depo-Provera, injectables	41
10	Rhythm or safe period by calendar	53
11	Safe period by temperature or cervical mucus test, natural family planning	12
12	Diaphragm	2
13	Female condom, vaginal pouch	2
14	Foam	1
15	Jelly or cream	10
17	Suppository, insert	5
19	IUD, coil, or loop	13
20	Emergency contraception	4
21	Other method -- specify	2
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	13
26	Vaginal contraceptive ring	14
	Total	12279

Universe : Applicable if R used at least 2 methods in March [interview yr - 2] (see METHX57)

METHX59(2521-2522)

Variable Type : Raw

ED-6 : Method(s) used in March [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	12223
4	Condom	4
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	24
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	16
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	3
14	Foam	1
15	Jelly or cream	2
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 2] (see METHX57)

METHX60(2523-2524)

Variable Type : Raw

ED-6 : Method(s) used in March [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	12273
10	Rhythm or safe period by calendar	1
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	3
	Total	12279

Universe : Applicable if R used at least 4 methods in March [interview yr - 2] (see METHX57)

METHX61(2525-2526)

Variable Type : Raw

ED-6 : Method(s) used in April [interview yr-2] - 1st mention

value label	Total
. INAPPLICABLE	2409
1 No method used	3181
3 Birth control pills	2027
4 Condom	1557
5 Partner's vasectomy	390
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1228
7 Withdrawal, pulling out	426
8 Depo-Provera, injectables	353
9 Hormonal implant (Norplant or Implanon)	13
10 Rhythm or safe period by calendar	58
11 Safe period by temperature or cervical mucus test, natural family planning	12
12 Diaphragm	7
13 Female condom, vaginal pouch	1
14 Foam	4
15 Jelly or cream	3
17 Suppository, insert	5
18 Today sponge	1
19 IUD, coil, or loop	260
20 Emergency contraception	2
21 Other method -- specify	7
22 Respondent was sterile	38
23 Respondent's partner was sterile	6
24 Lunelle injectable (monthly shot)	10
25 Contraceptive patch	150
26 Vaginal contraceptive ring	107
98 Refused	8
99 Don't know	16
Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirsm <= cmmhcalx16)

METHX62(2527-2528)

Variable Type : Raw

ED-6 : Method(s) used in April [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	11350
3	Birth control pills	15
4	Condom	361
5	Partner's vasectomy	28
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	94
7	Withdrawal, pulling out	253
8	Depo-Provera, injectables	40
10	Rhythm or safe period by calendar	54
11	Safe period by temperature or cervical mucus test, natural family planning	12
12	Diaphragm	4
13	Female condom, vaginal pouch	2
14	Foam	1
15	Jelly or cream	8
17	Suppository, insert	4
19	IUD, coil, or loop	14
20	Emergency contraception	1
21	Other method -- specify	2
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	15
26	Vaginal contraceptive ring	18
	Total	12279

Universe : Applicable if R used at least 2 methods in April [interview yr - 2] (see METHX61)

METHX63(2529-2530)

Variable Type : Raw

ED-6 : Method(s) used in April [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	12213
4	Condom	4
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	28
8	Depo-Provera, injectables	3
10	Rhythm or safe period by calendar	17
11	Safe period by temperature or cervical mucus test, natural family planning	3
12	Diaphragm	3
14	Foam	1
15	Jelly or cream	2
20	Emergency contraception	3
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 2] (see METHX61)

METHX64(2531-2532)

Variable Type : Raw

ED-6 : Method(s) used in April [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	12272
10	Rhythm or safe period by calendar	1
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	4
	Total	12279

Universe : Applicable if R used at least 4 methods in April [interview yr - 2] (see METHX61)

METHX65(2533-2534)

Variable Type : Raw

ED-6 : Method(s) used in May [interview yr-2] - 1st mention

value label	Total
. INAPPLICABLE	2362
1 No method used	3178
3 Birth control pills	2046
4 Condom	1553
5 Partner's vasectomy	397
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1241
7 Withdrawal, pulling out	431
8 Depo-Provera, injectables	342
9 Hormonal implant (Norplant or Implanon)	12
10 Rhythm or safe period by calendar	58
11 Safe period by temperature or cervical mucus test, natural family planning	10
12 Diaphragm	6
13 Female condom, vaginal pouch	2
14 Foam	4
15 Jelly or cream	4
17 Suppository, insert	5
18 Today sponge	2
19 IUD, coil, or loop	267
20 Emergency contraception	4
21 Other method -- specify	6
22 Respondent was sterile	50
23 Respondent's partner was sterile	6
24 Lunelle injectable (monthly shot)	10
25 Contraceptive patch	150
26 Vaginal contraceptive ring	110
98 Refused	8
99 Don't know	15
Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirm <= cmmhcalx17)

METHX66(2535-2536)

Variable Type : Raw

ED-6 : Method(s) used in May [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	11338
3	Birth control pills	17
4	Condom	364
5	Partner's vasectomy	28
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	92
7	Withdrawal, pulling out	264
8	Depo-Provera, injectables	36
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	52
11	Safe period by temperature or cervical mucus test, natural family planning	13
12	Diaphragm	5
13	Female condom, vaginal pouch	3
14	Foam	1
15	Jelly or cream	8
17	Suppository, insert	5
19	IUD, coil, or loop	15
20	Emergency contraception	1
21	Other method -- specify	3
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	13
26	Vaginal contraceptive ring	17
	Total	12279

Universe : Applicable if R used at least 2 methods in May [interview yr - 2] (see METHX65)

METHX67(2537-2538)

Variable Type : Raw

ED-6 : Method(s) used in May [interview yr-2] - 3rd mention

value label	Total
. INAPPLICABLE	12220
4 Condom	4
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	26
8 Depo-Provera, injectables	1
10 Rhythm or safe period by calendar	16
11 Safe period by temperature or cervical mucus test, natural family planning	3
12 Diaphragm	3
14 Foam	1
15 Jelly or cream	2
20 Emergency contraception	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 2] (see METHX65)

METHX68(2539-2540)

Variable Type : Raw

ED-6 : Method(s) used in May [interview yr-2]-4th mention

value label	Total
. INAPPLICABLE	12271
10 Rhythm or safe period by calendar	2
11 Safe period by temperature or cervical mucus test, natural family planning	2
15 Jelly or cream	4
Total	12279

Universe : Applicable if R used at least 4 methods in May [interview yr - 2] (see METHX65)

METHX69(2541-2542)

Variable Type : Raw

ED-6 : Method(s) used in June [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	2313
1	No method used	3170
3	Birth control pills	2049
4	Condom	1565
5	Partner's vasectomy	403
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1254
7	Withdrawal, pulling out	432
8	Depo-Provera, injectables	332
9	Hormonal implant (Norplant or Implanon)	15
10	Rhythm or safe period by calendar	60
11	Safe period by temperature or cervical mucus test, natural family planning	10
12	Diaphragm	7
13	Female condom, vaginal pouch	2
14	Foam	5
15	Jelly or cream	2
17	Suppository, insert	7
18	Today sponge	2
19	IUD, coil, or loop	274
20	Emergency contraception	2
21	Other method -- specify	7
22	Respondent was sterile	62
23	Respondent's partner was sterile	6
24	Lunelle injectable (monthly shot)	10
25	Contraceptive patch	154
26	Vaginal contraceptive ring	113
98	Refused	8

99	Don't know	15
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirsm <= cmmhcalx18)

METHX70(2543-2544)

Variable Type : Raw

ED-6 : Method(s) used in June [interview yr-2]-2nd mention

value label	Total
. INAPPLICABLE	11337
3 Birth control pills	15
4 Condom	378
5 Partner's vasectomy	32
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	87
7 Withdrawal, pulling out	258
8 Depo-Provera, injectables	37
10 Rhythm or safe period by calendar	56
11 Safe period by temperature or cervical mucus test, natural family planning	12
12 Diaphragm	5
13 Female condom, vaginal pouch	2
15 Jelly or cream	8
17 Suppository, insert	4
19 IUD, coil, or loop	13
20 Emergency contraception	2
21 Other method -- specify	3
22 Respondent was sterile	1
23 Respondent's partner was sterile	1
24 Lunelle injectable (monthly shot)	1
25 Contraceptive patch	11
26 Vaginal contraceptive ring	16
Total	12279

Universe : Applicable if R used at least 2 methods in June [interview yr - 2] (see METHX69)

METHX71(2545-2546)

Variable Type : Raw

ED-6 : Method(s) used in June [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	12225
4	Condom	4
7	Withdrawal, pulling out	26
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	13
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	3
14	Foam	1
15	Jelly or cream	2
20	Emergency contraception	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 2] (see METHX69)

METHX72(2547-2548)

Variable Type : Raw

ED-6 : Method(s) used in June [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	12272
10	Rhythm or safe period by calendar	1
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	4
	Total	12279

Universe : Applicable if R used at least 4 methods in June [interview yr - 2] (see METHX69)

METHX73(2549-2550)

Variable Type : Raw

ED-6 : Method(s) used in July [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	2265
1	No method used	3184
3	Birth control pills	2039
4	Condom	1590
5	Partner's vasectomy	406
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1259
7	Withdrawal, pulling out	439
8	Depo-Provera, injectables	332
9	Hormonal implant (Norplant or Implanon)	13
10	Rhythm or safe period by calendar	60
11	Safe period by temperature or cervical mucus test, natural family planning	11
12	Diaphragm	6
13	Female condom, vaginal pouch	3
14	Foam	5
15	Jelly or cream	2
17	Suppository, insert	8
18	Today sponge	3
19	IUD, coil, or loop	273
20	Emergency contraception	1
21	Other method -- specify	8
22	Respondent was sterile	65
23	Respondent's partner was sterile	6
24	Lunelle injectable (monthly shot)	7
25	Contraceptive patch	153
26	Vaginal contraceptive ring	118
98	Refused	8

99	Don't know	15
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirsm <= cmmhcalx19)

METHX74(2551-2552)

Variable Type : Raw

ED-6 : Method(s) used in July [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	11310
3	Birth control pills	19
4	Condom	383
5	Partner's vasectomy	33
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	92
7	Withdrawal, pulling out	260
8	Depo-Provera, injectables	35
10	Rhythm or safe period by calendar	58
11	Safe period by temperature or cervical mucus test, natural family planning	13
12	Diaphragm	5
13	Female condom, vaginal pouch	2
14	Foam	1
15	Jelly or cream	10
17	Suppository, insert	5
19	IUD, coil, or loop	13
21	Other method -- specify	3
22	Respondent was sterile	1
23	Respondent's partner was sterile	1
25	Contraceptive patch	16
26	Vaginal contraceptive ring	19
	Total	12279

Universe : Applicable if R used at least 2 methods in July [interview yr - 2] (see METHX73)

METHX75(2553-2554)

Variable Type : Raw

ED-6 : Method(s) used in July [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	12221
3	Birth control pills	1
4	Condom	3
7	Withdrawal, pulling out	25
10	Rhythm or safe period by calendar	15
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	3
14	Foam	1
15	Jelly or cream	2
20	Emergency contraception	5
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 2] (see METHX73)

METHX76(2555-2556)

Variable Type : Raw

ED-6 : Method(s) used in July [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	12272
10	Rhythm or safe period by calendar	1
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	4
	Total	12279

Universe : Applicable if R used at least 4 methods in July [interview yr - 2] (see METHX73)

METHX77(2557-2558)

Variable Type : Raw

ED-6 : Method(s) used in Aug [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	2231
1	No method used	3221
3	Birth control pills	2030
4	Condom	1587
5	Partner's vasectomy	411
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1265
7	Withdrawal, pulling out	444
8	Depo-Provera, injectables	328
9	Hormonal implant (Norplant or Implanon)	13
10	Rhythm or safe period by calendar	54
11	Safe period by temperature or cervical mucus test, natural family planning	9
12	Diaphragm	7
13	Female condom, vaginal pouch	1
14	Foam	5
15	Jelly or cream	3
17	Suppository, insert	8
18	Today sponge	1
19	IUD, coil, or loop	273
20	Emergency contraception	3
21	Other method -- specify	8
22	Respondent was sterile	67
23	Respondent's partner was sterile	6
24	Lunelle injectable (monthly shot)	8
25	Contraceptive patch	147
26	Vaginal contraceptive ring	126
98	Refused	8

99	Don't know	15
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirsm <= cmmhcalx20)

METHX78(2559-2560)

Variable Type : Raw

ED-6 : Method(s) used in Aug [interview yr-2]-2nd mention

value label	Total
. INAPPLICABLE	11309
3 Birth control pills	22
4 Condom	369
5 Partner's vasectomy	30
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	96
7 Withdrawal, pulling out	260
8 Depo-Provera, injectables	34
9 Hormonal implant (Norplant or Implanon)	3
10 Rhythm or safe period by calendar	61
11 Safe period by temperature or cervical mucus test, natural family planning	12
12 Diaphragm	4
13 Female condom, vaginal pouch	2
14 Foam	1
15 Jelly or cream	10
17 Suppository, insert	4
19 IUD, coil, or loop	18
20 Emergency contraception	4
21 Other method -- specify	3
22 Respondent was sterile	1
23 Respondent's partner was sterile	1
25 Contraceptive patch	18
26 Vaginal contraceptive ring	17

Total

12279

Universe : Applicable if R used at least 2 methods in Aug [interview yr - 2] (see METHX77)

METHX79(2561-2562)

Variable Type : Raw

ED-6 : Method(s) used in Aug [interview yr-2] - 3rd mention

value label	Total
. INAPPLICABLE	12223
4 Condom	5
7 Withdrawal, pulling out	22
8 Depo-Provera, injectables	1
10 Rhythm or safe period by calendar	16
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	4
13 Female condom, vaginal pouch	1
14 Foam	2
15 Jelly or cream	2
20 Emergency contraception	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 2] (see METHX77)

METHX80(2563-2564)

Variable Type : Raw

ED-6 : Method(s) used in Aug [interview yr-2]-4th mention

value label	Total
. INAPPLICABLE	12271
7 Withdrawal, pulling out	1

10	Rhythm or safe period by calendar	1
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	4
	Total	12279

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 2] (see METHX77)

METHX81(2565-2566)

Variable Type : Raw

ED-6 : Method(s) used in Sept [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	2196
1	No method used	3301
3	Birth control pills	2020
4	Condom	1538
5	Partner's vasectomy	412
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1282
7	Withdrawal, pulling out	440
8	Depo-Provera, injectables	327
9	Hormonal implant (Norplant or Implanon)	14
10	Rhythm or safe period by calendar	53
11	Safe period by temperature or cervical mucus test, natural family planning	10
12	Diaphragm	6
13	Female condom, vaginal pouch	1
14	Foam	5
15	Jelly or cream	4
17	Suppository, insert	8
18	Today sponge	1
19	IUD, coil, or loop	282
20	Emergency contraception	4
21	Other method -- specify	6
22	Respondent was sterile	56

23	Respondent's partner was sterile	6
24	Lunelle injectable (monthly shot)	8
25	Contraceptive patch	142
26	Vaginal contraceptive ring	134
98	Refused	8
99	Don't know	15
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirm <= cmmhcalx21)

METHX82(2567-2568)

Variable Type : Raw

ED-6 : Method(s) used in Sept [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	11322
3	Birth control pills	25
4	Condom	371
5	Partner's vasectomy	31
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	87
7	Withdrawal, pulling out	265
8	Depo-Provera, injectables	35
9	Hormonal implant (Norplant or Implanon)	2
10	Rhythm or safe period by calendar	56
11	Safe period by temperature or cervical mucus test, natural family planning	11
12	Diaphragm	2
13	Female condom, vaginal pouch	2
14	Foam	2
15	Jelly or cream	12
17	Suppository, insert	4
19	IUD, coil, or loop	16
21	Other method -- specify	4

22	Respondent was sterile	1
23	Respondent's partner was sterile	1
25	Contraceptive patch	14
26	Vaginal contraceptive ring	16
	Total	12279

Universe : Applicable if R used at least 2 methods in Sept [interview yr - 2] (see METHX81)

METHX83(2569-2570)

Variable Type : Raw

ED-6 : Method(s) used in Sept [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	12218
4	Condom	4
7	Withdrawal, pulling out	28
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	16
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	2
14	Foam	3
15	Jelly or cream	1
20	Emergency contraception	3
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 2] (see METHX81)

METHX84(2571-2572)

Variable Type : Raw

ED-6 : Method(s) used in Sept [interview yr-2]-4th mention

value label	Total
. INAPPLICABLE	12272
7 Withdrawal, pulling out	1
10 Rhythm or safe period by calendar	1
11 Safe period by temperature or cervical mucus test, natural family planning	2
15 Jelly or cream	3
Total	12279

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 2] (see METHX81)

METHX85(2573-2574)

Variable Type : Raw

ED-6 : Method(s) used in Oct [interview yr-2] - 1st mention

value label	Total
. INAPPLICABLE	2149
1 No method used	3277
3 Birth control pills	2039
4 Condom	1561
5 Partner's vasectomy	421
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1293
7 Withdrawal, pulling out	448
8 Depo-Provera, injectables	333
9 Hormonal implant (Norplant or Implanon)	15
10 Rhythm or safe period by calendar	53
11 Safe period by temperature or cervical mucus test, natural family planning	11
12 Diaphragm	7
13 Female condom, vaginal pouch	1
14 Foam	5
15 Jelly or cream	3
17 Suppository, insert	7
19 IUD, coil, or loop	287
20 Emergency contraception	3

21	Other method -- specify	7
22	Respondent was sterile	54
23	Respondent's partner was sterile	5
24	Lunelle injectable (monthly shot)	7
25	Contraceptive patch	141
26	Vaginal contraceptive ring	129
98	Refused	8
99	Don't know	15
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirm <= cmmhcalx22)

METHX86(2575-2576)

Variable Type : Raw

ED-6 : Method(s) used in Oct [interview yr-2]-2nd mention

value label	Total
. INAPPLICABLE	11288
3 Birth control pills	21
4 Condom	384
5 Partner's vasectomy	30
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	91
7 Withdrawal, pulling out	271
8 Depo-Provera, injectables	38
9 Hormonal implant (Norplant or Implanon)	2
10 Rhythm or safe period by calendar	61
11 Safe period by temperature or cervical mucus test, natural family planning	12
12 Diaphragm	3
13 Female condom, vaginal pouch	2
14 Foam	2
15 Jelly or cream	11
17 Suppository, insert	5

19	IUD, coil, or loop	17
20	Emergency contraception	3
21	Other method -- specify	4
22	Respondent was sterile	1
23	Respondent's partner was sterile	1
25	Contraceptive patch	12
26	Vaginal contraceptive ring	20
	Total	12279

Universe : Applicable if R used at least 2 methods in Oct [interview yr - 2] (see METHX85)

METHX87(2577-2578)

Variable Type : Raw

ED-6 : Method(s) used in Oct [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	12216
4	Condom	4
5	Partner's vasectomy	1
7	Withdrawal, pulling out	29
8	Depo-Provera, injectables	2
10	Rhythm or safe period by calendar	15
11	Safe period by temperature or cervical mucus test, natural family planning	4
12	Diaphragm	2
14	Foam	2
15	Jelly or cream	1
20	Emergency contraception	2
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 2] (see METHX85)

METHX88(2579-2580)

Variable Type : Raw

ED-6 : Method(s) used in Oct [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	12272
7	Withdrawal, pulling out	1
10	Rhythm or safe period by calendar	1
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	3
	Total	12279

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 2] (see METHX85)

METHX89(2581-2582)

Variable Type : Raw

ED-6 : Method(s) used in Nov [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	2117
1	No method used	3287
3	Birth control pills	2045
4	Condom	1561
5	Partner's vasectomy	427
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1301
7	Withdrawal, pulling out	449
8	Depo-Provera, injectables	340
9	Hormonal implant (Norplant or Implanon)	14
10	Rhythm or safe period by calendar	54
11	Safe period by temperature or cervical mucus test, natural family planning	9
12	Diaphragm	8
13	Female condom, vaginal pouch	1
14	Foam	4
15	Jelly or cream	4

17	Suppository, insert	6
19	IUD, coil, or loop	293
20	Emergency contraception	4
21	Other method -- specify	7
22	Respondent was sterile	45
23	Respondent's partner was sterile	5
24	Lunelle injectable (monthly shot)	7
25	Contraceptive patch	136
26	Vaginal contraceptive ring	132
98	Refused	8
99	Don't know	15
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirm <= cmmhcalx23)

METHX90(2583-2584)

Variable Type : Raw

ED-6 : Method(s) used in Nov [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	11321
3	Birth control pills	22
4	Condom	365
5	Partner's vasectomy	26
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	93
7	Withdrawal, pulling out	262
8	Depo-Provera, injectables	35
9	Hormonal implant (Norplant or Implanon)	3
10	Rhythm or safe period by calendar	64
11	Safe period by temperature or cervical mucus test, natural family planning	13
12	Diaphragm	2
13	Female condom, vaginal pouch	1

14	Foam	1
15	Jelly or cream	11
17	Suppository, insert	5
19	IUD, coil, or loop	16
20	Emergency contraception	3
21	Other method -- specify	3
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	12
26	Vaginal contraceptive ring	18
	Total	12279

Universe : Applicable if R used at least 2 methods in Nov [interview yr - 2] (see METHX89)

METHX91(2585-2586)

Variable Type : Raw

ED-6 : Method(s) used in Nov [interview yr-2] - 3rd mention

value label	Total
. INAPPLICABLE	12216
4 Condom	5
7 Withdrawal, pulling out	29
8 Depo-Provera, injectables	1
10 Rhythm or safe period by calendar	15
11 Safe period by temperature or cervical mucus test, natural family planning	4
12 Diaphragm	2
14 Foam	2
15 Jelly or cream	1
20 Emergency contraception	2
25 Contraceptive patch	1
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 2] (see METHX89)

METHX92(2587-2588)

Variable Type : Raw

ED-6 : Method(s) used in Nov [interview yr-2]-4th mention

value	label	Total
.	INAPPLICABLE	12273
7	Withdrawal, pulling out	1
10	Rhythm or safe period by calendar	1
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	2
	Total	12279

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 2] (see METHX89)

METHX93(2589-2590)

Variable Type : Raw

ED-6 : Method(s) used in Dec [interview yr-2] - 1st mention

value	label	Total
.	INAPPLICABLE	2087
1	No method used	3249
3	Birth control pills	2057
4	Condom	1621
5	Partner's vasectomy	429
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1317
7	Withdrawal, pulling out	448
8	Depo-Provera, injectables	330
9	Hormonal implant (Norplant or Implanon)	16
10	Rhythm or safe period by calendar	56
11	Safe period by temperature or cervical mucus test, natural family planning	7

12	Diaphragm	7
13	Female condom, vaginal pouch	1
14	Foam	5
15	Jelly or cream	3
17	Suppository, insert	6
19	IUD, coil, or loop	298
20	Emergency contraception	7
21	Other method -- specify	7
22	Respondent was sterile	33
23	Respondent's partner was sterile	5
24	Lunelle injectable (monthly shot)	7
25	Contraceptive patch	127
26	Vaginal contraceptive ring	133
98	Refused	8
99	Don't know	15
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirsm <= cmmhcalx24)

METHX94(2591-2592)

Variable Type : Raw

ED-6 : Method(s) used in Dec [interview yr-2]-2nd mention

value	label	Total
.	INAPPLICABLE	11274
3	Birth control pills	20
4	Condom	392
5	Partner's vasectomy	29
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	89
7	Withdrawal, pulling out	281
8	Depo-Provera, injectables	42
9	Hormonal implant (Norplant or Implanon)	2

10	Rhythm or safe period by calendar	60
11	Safe period by temperature or cervical mucus test, natural family planning	12
12	Diaphragm	3
13	Female condom, vaginal pouch	2
14	Foam	1
15	Jelly or cream	11
17	Suppository, insert	5
19	IUD, coil, or loop	17
20	Emergency contraception	4
21	Other method -- specify	3
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	11
26	Vaginal contraceptive ring	18
	Total	12279

Universe : Applicable if R used at least 2 methods in Dec [interview yr - 2] (see METHX45)

METHX95(2593-2594)

Variable Type : Raw

ED-6 : Method(s) used in Dec [interview yr-2] - 3rd mention

value	label	Total
.	INAPPLICABLE	12215
3	Birth control pills	1
4	Condom	4
7	Withdrawal, pulling out	28
8	Depo-Provera, injectables	2
10	Rhythm or safe period by calendar	16
11	Safe period by temperature or cervical mucus test, natural family planning	4
12	Diaphragm	2
13	Female condom, vaginal pouch	1
14	Foam	2

15	Jelly or cream	1
20	Emergency contraception	1
25	Contraceptive patch	2
Total		12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 2] (see METHX45)

METHX96(2595-2596)

Variable Type : Raw

ED-6 : Method(s) used in Dec [interview yr-2]-4th mention

value label	Total
. INAPPLICABLE	12272
7 Withdrawal, pulling out	1
10 Rhythm or safe period by calendar	1
11 Safe period by temperature or cervical mucus test, natural family planning	2
15 Jelly or cream	3
Total	12279

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 2] (see METHX45)

METHX97(2597-2598)

Variable Type : Raw

ED-6 : Method(s) used in Jan [interview yr-1]-1st mention

value label	Total
. INAPPLICABLE	2055
1 No method used	3279
3 Birth control pills	2024
4 Condom	1638
5 Partner's vasectomy	441
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1346

7	Withdrawal, pulling out	440
8	Depo-Provera, injectables	331
9	Hormonal implant (Norplant or Implanon)	17
10	Rhythm or safe period by calendar	57
11	Safe period by temperature or cervical mucus test, natural family planning	9
12	Diaphragm	9
13	Female condom, vaginal pouch	2
14	Foam	4
15	Jelly or cream	3
17	Suppository, insert	10
19	IUD, coil, or loop	295
20	Emergency contraception	5
21	Other method -- specify	8
22	Respondent was sterile	21
23	Respondent's partner was sterile	6
24	Lunelle injectable (monthly shot)	9
25	Contraceptive patch	111
26	Vaginal contraceptive ring	141
98	Refused	8
99	Don't know	10
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 1] (cmfirsm <= cmmhcalx25)

METHX98(2599-2600)

Variable Type : Raw

ED-6 : Method(s) used in Jan [interview yr-1]-2nd mention

value label	Total
. INAPPLICABLE	11304
3 Birth control pills	20
4 Condom	337

5	Partner's vasectomy	25
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	100
7	Withdrawal, pulling out	286
8	Depo-Provera, injectables	38
9	Hormonal implant (Norplant or Implanon)	3
10	Rhythm or safe period by calendar	68
11	Safe period by temperature or cervical mucus test, natural family planning	14
12	Diaphragm	1
13	Female condom, vaginal pouch	3
14	Foam	2
15	Jelly or cream	12
17	Suppository, insert	8
19	IUD, coil, or loop	22
20	Emergency contraception	5
21	Other method -- specify	2
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	12
26	Vaginal contraceptive ring	14
	Total	12279

Universe : Applicable if R used at least 2 methods in January [interview yr - 1] (see METHX97)

METHX99(2601-2602)

Variable Type : Raw

ED-6 : Method(s) used in Jan [interview yr-1]-3rd mention

value label	Total
. INAPPLICABLE	12220
3 Birth control pills	1
4 Condom	5
7 Withdrawal, pulling out	21
8 Depo-Provera, injectables	1

10	Rhythm or safe period by calendar	15
11	Safe period by temperature or cervical mucus test, natural family planning	5
12	Diaphragm	2
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	1
25	Contraceptive patch	3
26	Vaginal contraceptive ring	2
	Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 1] (see METHX97)

METHX100(2603-2604)

Variable Type : Raw

ED-6 : Method(s) used in Jan [interview yr-1]-4th mention

value label	Total
. INAPPLICABLE	12271
7 Withdrawal, pulling out	1
10 Rhythm or safe period by calendar	1
11 Safe period by temperature or cervical mucus test, natural family planning	2
15 Jelly or cream	2
20 Emergency contraception	2
Total	12279

Universe : Applicable if R used at least 4 methods in January [interview yr - 1] (see METHX97)

METHX101(2605-2606)

Variable Type : Raw

ED-6 : Method(s) used in Feb [interview yr-1] - 1st mention

value label	Total
-------------	-------

.	INAPPLICABLE	2025
1	No method used	3305
3	Birth control pills	2035
4	Condom	1605
5	Partner's vasectomy	439
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1355
7	Withdrawal, pulling out	443
8	Depo-Provera, injectables	331
9	Hormonal implant (Norplant or Implanon)	19
10	Rhythm or safe period by calendar	58
11	Safe period by temperature or cervical mucus test, natural family planning	13
12	Diaphragm	8
13	Female condom, vaginal pouch	1
14	Foam	5
15	Jelly or cream	4
17	Suppository, insert	8
19	IUD, coil, or loop	304
20	Emergency contraception	4
21	Other method -- specify	9
22	Respondent was sterile	21
23	Respondent's partner was sterile	6
24	Lunelle injectable (monthly shot)	9
25	Contraceptive patch	111
26	Vaginal contraceptive ring	143
55	EMPTY (IF JAN)/Same method used thru end of year	1
98	Refused	8
99	Don't know	9
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 1] (cmfirsm <= cmmhcalx26)

METHX102(2607-2608)

Variable Type : Raw

ED-6 : Method(s) used in Feb [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	11288
3	Birth control pills	18
4	Condom	353
5	Partner's vasectomy	26
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	102
7	Withdrawal, pulling out	277
8	Depo-Provera, injectables	43
9	Hormonal implant (Norplant or Implanon)	2
10	Rhythm or safe period by calendar	71
11	Safe period by temperature or cervical mucus test, natural family planning	14
12	Diaphragm	2
13	Female condom, vaginal pouch	2
14	Foam	2
15	Jelly or cream	13
17	Suppository, insert	9
19	IUD, coil, or loop	22
20	Emergency contraception	3
21	Other method -- specify	2
22	Respondent was sterile	1
23	Respondent's partner was sterile	1
25	Contraceptive patch	11
26	Vaginal contraceptive ring	17
	Total	12279

Universe : Applicable if R used at least 2 methods in February [interview yr - 1] (see METHX101)

METHX103(2609-2610)

Variable Type : Raw

ED-6 : Method(s) used in Feb [interview yr-1] - 3rd mention

value label	Total
. INAPPLICABLE	12221
4 Condom	4
7 Withdrawal, pulling out	24
8 Depo-Provera, injectables	1
10 Rhythm or safe period by calendar	15
11 Safe period by temperature or cervical mucus test, natural family planning	6
12 Diaphragm	1
14 Foam	2
15 Jelly or cream	1
20 Emergency contraception	1
25 Contraceptive patch	2
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 1] (see METHX101)

METHX104(2611-2612)

Variable Type : Raw

ED-6 : Method(s) used in Feb [interview yr-1]-4th mention

value label	Total
. INAPPLICABLE	12272
7 Withdrawal, pulling out	1
10 Rhythm or safe period by calendar	1
11 Safe period by temperature or cervical mucus test, natural family planning	2
15 Jelly or cream	2
20 Emergency contraception	1
Total	12279

Universe : Applicable if R used at least 4 methods in February [interview yr - 1] (see METHX101)

METHX105(2613-2614)

Variable Type : Raw

ED-6 : Method(s) used in March [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	1993
1	No method used	3337
3	Birth control pills	2033
4	Condom	1583
5	Partner's vasectomy	449
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1356
7	Withdrawal, pulling out	443
8	Depo-Provera, injectables	331
9	Hormonal implant (Norplant or Implanon)	19
10	Rhythm or safe period by calendar	61
11	Safe period by temperature or cervical mucus test, natural family planning	12
12	Diaphragm	6
13	Female condom, vaginal pouch	3
14	Foam	3
15	Jelly or cream	4
17	Suppository, insert	7
19	IUD, coil, or loop	315
20	Emergency contraception	5
21	Other method -- specify	9
22	Respondent was sterile	28
23	Respondent's partner was sterile	5
24	Lunelle injectable (monthly shot)	8
25	Contraceptive patch	112
26	Vaginal contraceptive ring	140
98	Refused	8
99	Don't know	9
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 1] (cmfirsm <= cmmhcalx27)

METHX106(2615-2616)

Variable Type : Raw

ED-6 : Method(s) used in March [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	11298
3	Birth control pills	16
4	Condom	363
5	Partner's vasectomy	25
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	107
7	Withdrawal, pulling out	264
8	Depo-Provera, injectables	38
9	Hormonal implant (Norplant or Implanon)	2
10	Rhythm or safe period by calendar	69
11	Safe period by temperature or cervical mucus test, natural family planning	13
12	Diaphragm	4
13	Female condom, vaginal pouch	3
14	Foam	2
15	Jelly or cream	11
17	Suppository, insert	9
19	IUD, coil, or loop	18
20	Emergency contraception	8
21	Other method -- specify	2
22	Respondent was sterile	1
23	Respondent's partner was sterile	1
25	Contraceptive patch	9
26	Vaginal contraceptive ring	16
	Total	12279

Universe : Applicable if R used at least 2 methods in March [interview yr - 1] (see METHX105)

METHX107(2617-2618)

Variable Type : Raw

ED-6 : Method(s) used in March [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	12212
4	Condom	6
5	Partner's vasectomy	1
7	Withdrawal, pulling out	27
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	15
11	Safe period by temperature or cervical mucus test, natural family planning	5
12	Diaphragm	1
14	Foam	4
15	Jelly or cream	1
19	IUD, coil, or loop	1
20	Emergency contraception	2
25	Contraceptive patch	2
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 1] (see METHX105)

METHX108(2619-2620)

Variable Type : Raw

ED-6 : Method(s) used in March [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	12274
7	Withdrawal, pulling out	1
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	2
	Total	12279

Universe : Applicable if R used at least 4 methods in March [interview yr - 1] (see METHX105)

METHX109(2621-2622)

Variable Type : Raw

ED-6 : Method(s) used in April [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	1964
1	No method used	3368
3	Birth control pills	2022
4	Condom	1572
5	Partner's vasectomy	451
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1362
7	Withdrawal, pulling out	436
8	Depo-Provera, injectables	328
9	Hormonal implant (Norplant or Implanon)	23
10	Rhythm or safe period by calendar	67
11	Safe period by temperature or cervical mucus test, natural family planning	12
12	Diaphragm	6
13	Female condom, vaginal pouch	3
14	Foam	3
15	Jelly or cream	4
17	Suppository, insert	7
19	IUD, coil, or loop	330
20	Emergency contraception	3
21	Other method -- specify	8
22	Respondent was sterile	37
23	Respondent's partner was sterile	5
24	Lunelle injectable (monthly shot)	7
25	Contraceptive patch	108
26	Vaginal contraceptive ring	136
98	Refused	8
99	Don't know	9
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirm <= cmmhcalx28)

METHX110(2623-2624)

Variable Type : Raw

ED-6 : Method(s) used in April [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	11312
3	Birth control pills	18
4	Condom	344
5	Partner's vasectomy	30
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	103
7	Withdrawal, pulling out	265
8	Depo-Provera, injectables	37
9	Hormonal implant (Norplant or Implanon)	4
10	Rhythm or safe period by calendar	70
11	Safe period by temperature or cervical mucus test, natural family planning	13
12	Diaphragm	3
13	Female condom, vaginal pouch	2
14	Foam	2
15	Jelly or cream	12
17	Suppository, insert	8
18	Today sponge	1
19	IUD, coil, or loop	21
20	Emergency contraception	2
21	Other method -- specify	2
22	Respondent was sterile	1
23	Respondent's partner was sterile	1
25	Contraceptive patch	11
26	Vaginal contraceptive ring	17
	Total	12279

Universe : Applicable if R used at least 2 methods in April [interview yr - 1] (see METHX109)

METHX111(2625-2626)

Variable Type : Raw

ED-6 : Method(s) used in April [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	12218
4	Condom	6
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	25
10	Rhythm or safe period by calendar	15
11	Safe period by temperature or cervical mucus test, natural family planning	5
12	Diaphragm	1
14	Foam	3
15	Jelly or cream	2
17	Suppository, insert	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 1] (see METHX109)

METHX112(2627-2628)

Variable Type : Raw

ED-6 : Method(s) used in April [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	12273
7	Withdrawal, pulling out	3
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	1

Total**12279**

Universe : Applicable if R used at least 4 methods in April [interview yr - 1] (see METHX109)

METHX113(2629-2630)

Variable Type : Raw

ED-6 : Method(s) used in May [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	1932
1	No method used	3271
3	Birth control pills	2046
4	Condom	1617
5	Partner's vasectomy	459
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1376
7	Withdrawal, pulling out	450
8	Depo-Provera, injectables	342
9	Hormonal implant (Norplant or Implanon)	25
10	Rhythm or safe period by calendar	62
11	Safe period by temperature or cervical mucus test, natural family planning	9
12	Diaphragm	5
13	Female condom, vaginal pouch	3
14	Foam	4
15	Jelly or cream	4
17	Suppository, insert	7
19	IUD, coil, or loop	336
20	Emergency contraception	6
21	Other method -- specify	7
22	Respondent was sterile	48
23	Respondent's partner was sterile	5
24	Lunelle injectable (monthly shot)	6
25	Contraceptive patch	104
26	Vaginal contraceptive ring	140

98	Refused	8
99	Don't know	7
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 1] (cmfirm <= cmmhcalx29)

METHX114(2631-2632)

Variable Type : Raw

ED-6 : Method(s) used in May [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	11301
3	Birth control pills	20
4	Condom	366
5	Partner's vasectomy	30
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	96
7	Withdrawal, pulling out	267
8	Depo-Provera, injectables	35
9	Hormonal implant (Norplant or Implanon)	2
10	Rhythm or safe period by calendar	63
11	Safe period by temperature or cervical mucus test, natural family planning	12
12	Diaphragm	2
13	Female condom, vaginal pouch	2
14	Foam	3
15	Jelly or cream	11
17	Suppository, insert	10
18	Today sponge	1
19	IUD, coil, or loop	18
20	Emergency contraception	4
21	Other method -- specify	2
22	Respondent was sterile	2
23	Respondent's partner was sterile	2

24	Lunelle injectable (monthly shot)	1
25	Contraceptive patch	11
26	Vaginal contraceptive ring	18
Total		12279

Universe : Applicable if R used at least 2 methods in May [interview yr - 1] (see METHX113)

METHX115(2633-2634)

Variable Type : Raw

ED-6 : Method(s) used in May [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	12213
4	Condom	5
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	27
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	15
11	Safe period by temperature or cervical mucus test, natural family planning	6
12	Diaphragm	2
14	Foam	3
15	Jelly or cream	2
20	Emergency contraception	1
26	Vaginal contraceptive ring	2
Total		12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 1] (see METHX113)

METHX116(2635-2636)

Variable Type : Raw

ED-6 : Method(s) used in May [interview yr-1]-4th mention

value label	Total
. INAPPLICABLE	12274
7 Withdrawal, pulling out	1
11 Safe period by temperature or cervical mucus test, natural family planning	2
15 Jelly or cream	2
Total	12279

Universe : Applicable if R used at least 4 methods in May [interview yr - 1] (see METHX113)

METHX117(2637-2638)

Variable Type : Raw

ED-6 : Method(s) used in June [interview yr-1] - 1st mention

value label	Total
. INAPPLICABLE	1883
1 No method used	3258
3 Birth control pills	2036
4 Condom	1630
5 Partner's vasectomy	458
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1388
7 Withdrawal, pulling out	476
8 Depo-Provera, injectables	342
9 Hormonal implant (Norplant or Implanon)	31
10 Rhythm or safe period by calendar	64
11 Safe period by temperature or cervical mucus test, natural family planning	10
12 Diaphragm	5
13 Female condom, vaginal pouch	1
14 Foam	3
15 Jelly or cream	5
17 Suppository, insert	7
18 Today sponge	1
19 IUD, coil, or loop	340
20 Emergency contraception	4

21	Other method -- specify	9
22	Respondent was sterile	53
23	Respondent's partner was sterile	6
24	Lunelle injectable (monthly shot)	8
25	Contraceptive patch	102
26	Vaginal contraceptive ring	144
98	Refused	8
99	Don't know	7
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 1] (cmfirsm <= cmmhcalx30)

METHX118(2639-2640)

Variable Type : Raw

ED-6 : Method(s) used in June [interview yr-1]-2nd mention

value label	Total
. INAPPLICABLE	11261
3 Birth control pills	20
4 Condom	397
5 Partner's vasectomy	30
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	97
7 Withdrawal, pulling out	268
8 Depo-Provera, injectables	35
9 Hormonal implant (Norplant or Implanon)	1
10 Rhythm or safe period by calendar	72
11 Safe period by temperature or cervical mucus test, natural family planning	12
12 Diaphragm	2
13 Female condom, vaginal pouch	1
14 Foam	5
15 Jelly or cream	13
17 Suppository, insert	8

19	IUD, coil, or loop	20
20	Emergency contraception	6
21	Other method -- specify	2
22	Respondent was sterile	2
23	Respondent's partner was sterile	2
25	Contraceptive patch	8
26	Vaginal contraceptive ring	17
	Total	12279

Universe : Applicable if R used at least 2 methods in June [interview yr - 1] (see METHX117)

METHX119(2641-2642)

Variable Type : Raw

ED-6 : Method(s) used in June [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	12218
3	Birth control pills	2
4	Condom	5
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	21
10	Rhythm or safe period by calendar	14
11	Safe period by temperature or cervical mucus test, natural family planning	5
12	Diaphragm	1
13	Female condom, vaginal pouch	1
14	Foam	4
15	Jelly or cream	2
21	Other method -- specify	1
26	Vaginal contraceptive ring	3
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 1] (see METHX117)

METHX120(2643-2644)

Variable Type : Raw

ED-6 : Method(s) used in June [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	12274
7	Withdrawal, pulling out	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	2
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 4 methods in June [interview yr - 1] (see METHX117)

METHX121(2645-2646)

Variable Type : Raw

ED-6 : Method(s) used in July [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	1829
1	No method used	3226
3	Birth control pills	2036
4	Condom	1695
5	Partner's vasectomy	459
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1395
7	Withdrawal, pulling out	479
8	Depo-Provera, injectables	340
9	Hormonal implant (Norplant or Implanon)	32
10	Rhythm or safe period by calendar	64
11	Safe period by temperature or cervical mucus test, natural family planning	10
12	Diaphragm	5
13	Female condom, vaginal pouch	1
14	Foam	3
15	Jelly or cream	3

17	Suppository, insert	9
18	Today sponge	1
19	IUD, coil, or loop	348
20	Emergency contraception	4
21	Other method -- specify	10
22	Respondent was sterile	55
23	Respondent's partner was sterile	5
24	Lunelle injectable (monthly shot)	9
25	Contraceptive patch	105
26	Vaginal contraceptive ring	141
98	Refused	7
99	Don't know	8
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirsm <= cmmhcalx31)

METHX122(2647-2648)

Variable Type : Raw

ED-6 : Method(s) used in July [interview yr-1]-2nd mention

value label	Total
. INAPPLICABLE	11236
3 Birth control pills	25
4 Condom	417
5 Partner's vasectomy	30
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	101
7 Withdrawal, pulling out	274
8 Depo-Provera, injectables	35
9 Hormonal implant (Norplant or Implanon)	2
10 Rhythm or safe period by calendar	71
11 Safe period by temperature or cervical mucus test, natural family planning	13
12 Diaphragm	2

13	Female condom, vaginal pouch	2
14	Foam	4
15	Jelly or cream	11
17	Suppository, insert	9
18	Today sponge	1
19	IUD, coil, or loop	18
20	Emergency contraception	3
21	Other method -- specify	1
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	5
26	Vaginal contraceptive ring	16
	Total	12279

Universe : Applicable if R used at least 2 methods in July [interview yr - 1] (see METHX121)

METHX123(2649-2650)

Variable Type : Raw

ED-6 : Method(s) used in July [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	12220
4	Condom	6
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	23
10	Rhythm or safe period by calendar	15
11	Safe period by temperature or cervical mucus test, natural family planning	3
12	Diaphragm	1
14	Foam	2
15	Jelly or cream	2
20	Emergency contraception	2
21	Other method -- specify	1
26	Vaginal contraceptive ring	2

Total

12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 1] (see METHX121)

METHX124(2651-2652)

Variable Type : Raw

ED-6 : Method(s) used in July [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	12274
7	Withdrawal, pulling out	2
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 4 methods in July [interview yr - 1] (see METHX121)

METHX125(2653-2654)

Variable Type : Raw

ED-6 : Method(s) used in Aug [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	1796
1	No method used	3226
3	Birth control pills	2040
4	Condom	1683
5	Partner's vasectomy	466
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1396
7	Withdrawal, pulling out	497
8	Depo-Provera, injectables	348
9	Hormonal implant (Norplant or Implanon)	35

10	Rhythm or safe period by calendar	69
11	Safe period by temperature or cervical mucus test, natural family planning	10
12	Diaphragm	5
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	4
17	Suppository, insert	8
18	Today sponge	1
19	IUD, coil, or loop	350
20	Emergency contraception	5
21	Other method -- specify	10
22	Respondent was sterile	54
23	Respondent's partner was sterile	5
24	Lunelle injectable (monthly shot)	9
25	Contraceptive patch	100
26	Vaginal contraceptive ring	143
98	Refused	8
99	Don't know	8
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 1] (cmfirm <= cmmhcalx32)

METHX126(2655-2656)

Variable Type : Raw

ED-6 : Method(s) used in Aug [interview yr-1]-2nd mention

value label	Total
. INAPPLICABLE	11255
3 Birth control pills	28
4 Condom	402
5 Partner's vasectomy	32
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	104

7	Withdrawal, pulling out	260
8	Depo-Provera, injectables	38
9	Hormonal implant (Norplant or Implanon)	2
10	Rhythm or safe period by calendar	66
11	Safe period by temperature or cervical mucus test, natural family planning	13
12	Diaphragm	2
13	Female condom, vaginal pouch	1
14	Foam	4
15	Jelly or cream	12
17	Suppository, insert	10
18	Today sponge	1
19	IUD, coil, or loop	14
20	Emergency contraception	6
21	Other method -- specify	1
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	5
26	Vaginal contraceptive ring	20
	Total	12279

Universe : Applicable if R used at least 2 methods in Aug [interview yr - 1] (see METHX125)

METHX127(2657-2658)

Variable Type : Raw

ED-6 : Method(s) used in Aug [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	12219
3	Birth control pills	1
4	Condom	5
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	24
10	Rhythm or safe period by calendar	15

11	Safe period by temperature or cervical mucus test, natural family planning	3
12	Diaphragm	2
14	Foam	2
15	Jelly or cream	1
19	IUD, coil, or loop	1
20	Emergency contraception	2
21	Other method -- specify	1
26	Vaginal contraceptive ring	1
Total		12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 1] (see METHX125)

METHX128(2659-2660)

Variable Type : Raw

ED-6 : Method(s) used in Aug [interview yr-1]-4th mention

value label	Total
. INAPPLICABLE	12275
7 Withdrawal, pulling out	1
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 1] (see METHX125)

METHX129(2661-2662)

Variable Type : Raw

ED-6 : Method(s) used in Sept [interview yr-1] - 1st mention

value label	Total
. INAPPLICABLE	1765

1	No method used	3261
3	Birth control pills	2027
4	Condom	1649
5	Partner's vasectomy	466
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1420
7	Withdrawal, pulling out	497
8	Depo-Provera, injectables	352
9	Hormonal implant (Norplant or Implanon)	36
10	Rhythm or safe period by calendar	72
11	Safe period by temperature or cervical mucus test, natural family planning	10
12	Diaphragm	5
13	Female condom, vaginal pouch	1
14	Foam	3
15	Jelly or cream	4
17	Suppository, insert	10
18	Today sponge	1
19	IUD, coil, or loop	361
20	Emergency contraception	4
21	Other method -- specify	10
22	Respondent was sterile	53
23	Respondent's partner was sterile	5
24	Lunelle injectable (monthly shot)	10
25	Contraceptive patch	96
26	Vaginal contraceptive ring	146
98	Refused	8
99	Don't know	7
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 1] (cmfirsm <= cmmhcalx33)

METHX130(2663-2664)

Variable Type : Raw

ED-6 : Method(s) used in Sept [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	11271
3	Birth control pills	24
4	Condom	389
5	Partner's vasectomy	26
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	100
7	Withdrawal, pulling out	272
8	Depo-Provera, injectables	32
9	Hormonal implant (Norplant or Implanon)	3
10	Rhythm or safe period by calendar	66
11	Safe period by temperature or cervical mucus test, natural family planning	15
12	Diaphragm	2
13	Female condom, vaginal pouch	1
14	Foam	4
15	Jelly or cream	13
17	Suppository, insert	9
18	Today sponge	1
19	IUD, coil, or loop	15
20	Emergency contraception	5
21	Other method -- specify	1
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	5
26	Vaginal contraceptive ring	22
	Total	12279

Universe : Applicable if R used at least 2 methods in Sept [interview yr - 1] (see METHX129)

METHX131(2665-2666)

Variable Type : Raw

ED-6 : Method(s) used in Sept [interview yr-1] - 3rd mention

value label	Total
. INAPPLICABLE	12217
3 Birth control pills	1
4 Condom	6
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7 Withdrawal, pulling out	27
8 Depo-Provera, injectables	1
10 Rhythm or safe period by calendar	15
11 Safe period by temperature or cervical mucus test, natural family planning	3
12 Diaphragm	1
14 Foam	2
15 Jelly or cream	1
20 Emergency contraception	1
21 Other method -- specify	1
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 1] (see METHX129)

METHX132(2667-2668)

Variable Type : Raw

ED-6 : Method(s) used in Sept [interview yr-1]-4th mention

value label	Total
. INAPPLICABLE	12276
7 Withdrawal, pulling out	1
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 1] (see METHX129)

METHX133(2669-2670)

Variable Type : Raw

ED-6 : Method(s) used in Oct [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	1723
1	No method used	3261
3	Birth control pills	2048
4	Condom	1686
5	Partner's vasectomy	466
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1428
7	Withdrawal, pulling out	478
8	Depo-Provera, injectables	346
9	Hormonal implant (Norplant or Implanon)	37
10	Rhythm or safe period by calendar	68
11	Safe period by temperature or cervical mucus test, natural family planning	12
12	Diaphragm	6
13	Female condom, vaginal pouch	2
14	Foam	2
15	Jelly or cream	3
17	Suppository, insert	10
18	Today sponge	1
19	IUD, coil, or loop	371
20	Emergency contraception	5
21	Other method -- specify	11
22	Respondent was sterile	45
23	Respondent's partner was sterile	5
24	Lunelle injectable (monthly shot)	9
25	Contraceptive patch	95
26	Vaginal contraceptive ring	146
98	Refused	8
99	Don't know	7
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before

Oct [interview year - 3] (cmfirsm <= cmmhcalx34)

METHX134(2671-2672)

Variable Type : Raw

ED-6 : Method(s) used in Oct [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	11231
3	Birth control pills	20
4	Condom	421
5	Partner's vasectomy	34
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	108
7	Withdrawal, pulling out	267
8	Depo-Provera, injectables	33
9	Hormonal implant (Norplant or Implanon)	3
10	Rhythm or safe period by calendar	63
11	Safe period by temperature or cervical mucus test, natural family planning	14
12	Diaphragm	2
13	Female condom, vaginal pouch	1
14	Foam	4
15	Jelly or cream	11
17	Suppository, insert	9
18	Today sponge	1
19	IUD, coil, or loop	16
20	Emergency contraception	8
21	Other method -- specify	2
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	5
26	Vaginal contraceptive ring	23
	Total	12279

Universe : Applicable if R used at least 2 methods in Oct [interview yr - 1] (see METHX85)

METHX135(2673-2674)

Variable Type : Raw

ED-6 : Method(s) used in Oct [interview yr-1] - 3rd mention

value label	Total
. INAPPLICABLE	12213
4 Condom	5
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7 Withdrawal, pulling out	33
8 Depo-Provera, injectables	1
10 Rhythm or safe period by calendar	15
11 Safe period by temperature or cervical mucus test, natural family planning	3
12 Diaphragm	1
14 Foam	2
15 Jelly or cream	1
20 Emergency contraception	1
21 Other method -- specify	1
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 1] (see METHX85)

METHX136(2675-2676)

Variable Type : Raw

ED-6 : Method(s) used in Oct [interview yr-1]-4th mention

value label	Total
. INAPPLICABLE	12276
7 Withdrawal, pulling out	1
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 1] (see METHX85)

METHX137(2677-2678)

Variable Type : Raw

ED-6 : Method(s) used in Nov [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	1688
1	No method used	3245
3	Birth control pills	2026
4	Condom	1752
5	Partner's vasectomy	472
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1434
7	Withdrawal, pulling out	477
8	Depo-Provera, injectables	347
9	Hormonal implant (Norplant or Implanon)	37
10	Rhythm or safe period by calendar	68
11	Safe period by temperature or cervical mucus test, natural family planning	9
12	Diaphragm	4
13	Female condom, vaginal pouch	1
14	Foam	3
15	Jelly or cream	3
17	Suppository, insert	11
19	IUD, coil, or loop	387
20	Emergency contraception	2
21	Other method -- specify	11
22	Respondent was sterile	40
23	Respondent's partner was sterile	5
24	Lunelle injectable (monthly shot)	8
25	Contraceptive patch	92
26	Vaginal contraceptive ring	143
98	Refused	8
99	Don't know	6

Total**12279**

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 1] (cmfirm <= cmmhcalx35)

METHX138(2679-2680)

Variable Type : Raw

ED-6 : Method(s) used in Nov [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	11203
3	Birth control pills	30
4	Condom	420
5	Partner's vasectomy	31
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	117
7	Withdrawal, pulling out	283
8	Depo-Provera, injectables	31
9	Hormonal implant (Norplant or Implanon)	2
10	Rhythm or safe period by calendar	65
11	Safe period by temperature or cervical mucus test, natural family planning	14
12	Diaphragm	3
13	Female condom, vaginal pouch	1
14	Foam	5
15	Jelly or cream	10
17	Suppository, insert	10
18	Today sponge	1
19	IUD, coil, or loop	17
20	Emergency contraception	4
21	Other method -- specify	3
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	7
26	Vaginal contraceptive ring	19

Total

12279

Universe : Applicable if R used at least 2 methods in Nov [interview yr - 1] (see METHX137)

METHX139(2681-2682)

Variable Type : Raw

ED-6 : Method(s) used in Nov [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	12206
4	Condom	5
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	37
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	16
11	Safe period by temperature or cervical mucus test, natural family planning	3
12	Diaphragm	1
13	Female condom, vaginal pouch	1
14	Foam	3
15	Jelly or cream	2
20	Emergency contraception	1
21	Other method -- specify	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 1] (see METHX137)

METHX140(2683-2684)

Variable Type : Raw

ED-6 : Method(s) used in Nov [interview yr-1]-4th mention

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12275
7	Withdrawal, pulling out	1
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 1] (see METHX137)

METHX141(2685-2686)

Variable Type : Raw

ED-6 : Method(s) used in Dec [interview yr-1] - 1st mention

value	label	Total
.	INAPPLICABLE	1656
1	No method used	3247
3	Birth control pills	2034
4	Condom	1737
5	Partner's vasectomy	478
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1447
7	Withdrawal, pulling out	491
8	Depo-Provera, injectables	355
9	Hormonal implant (Norplant or Implanon)	37
10	Rhythm or safe period by calendar	71
11	Safe period by temperature or cervical mucus test, natural family planning	10
12	Diaphragm	4
14	Foam	3
15	Jelly or cream	3
17	Suppository, insert	11
19	IUD, coil, or loop	395
20	Emergency contraception	2
21	Other method -- specify	10
22	Respondent was sterile	28
23	Respondent's partner was sterile	5

24	Lunelle injectable (monthly shot)	9
25	Contraceptive patch	87
26	Vaginal contraceptive ring	145
98	Refused	8
99	Don't know	6
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 1] (cmfirsm <= cmmhcalx36)

METHX142(2687-2688)

Variable Type : Raw

ED-6 : Method(s) used in Dec [interview yr-1]-2nd mention

value	label	Total
.	INAPPLICABLE	11184
3	Birth control pills	25
4	Condom	442
5	Partner's vasectomy	33
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	112
7	Withdrawal, pulling out	288
8	Depo-Provera, injectables	28
9	Hormonal implant (Norplant or Implanon)	3
10	Rhythm or safe period by calendar	64
11	Safe period by temperature or cervical mucus test, natural family planning	14
12	Diaphragm	2
13	Female condom, vaginal pouch	2
14	Foam	4
15	Jelly or cream	12
17	Suppository, insert	10
18	Today sponge	1
19	IUD, coil, or loop	18
20	Emergency contraception	6

21	Other method -- specify	3
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	6
26	Vaginal contraceptive ring	19
	Total	12279

Universe : Applicable if R used at least 2 methods in Dec [interview yr - 1] (see METHX142)

METHX143(2689-2690)

Variable Type : Raw

ED-6 : Method(s) used in Dec [interview yr-1] - 3rd mention

value	label	Total
.	INAPPLICABLE	12198
3	Birth control pills	1
4	Condom	7
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	38
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	18
11	Safe period by temperature or cervical mucus test, natural family planning	4
12	Diaphragm	1
14	Foam	3
20	Emergency contraception	3
21	Other method -- specify	1
26	Vaginal contraceptive ring	2
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 1] (see METHX142)

METHX144(2691-2692)

Variable Type : Raw

ED-6 : Method(s) used in Dec [interview yr-1]-4th mention

value	label	Total
.	INAPPLICABLE	12273
7	Withdrawal, pulling out	1
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	2
20	Emergency contraception	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 1] (see METHX142)

METHX145(2693-2694)

Variable Type : Raw

ED-6 : Method(s) used in Jan [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	1633
1	No method used	3282
3	Birth control pills	1983
4	Condom	1727
5	Partner's vasectomy	492
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1467
7	Withdrawal, pulling out	482
8	Depo-Provera, injectables	354
9	Hormonal implant (Norplant or Implanon)	39
10	Rhythm or safe period by calendar	77
11	Safe period by temperature or cervical mucus test, natural family planning	11
12	Diaphragm	4
14	Foam	3
15	Jelly or cream	3
17	Suppository, insert	11

19	IUD, coil, or loop	408
20	Emergency contraception	7
21	Other method -- specify	11
22	Respondent was sterile	22
23	Respondent's partner was sterile	6
24	Lunelle injectable (monthly shot)	9
25	Contraceptive patch	83
26	Vaginal contraceptive ring	153
98	Refused	8
99	Don't know	4
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year] (cmfirm <= cmmhcalx37)

METHX146(2695-2696)

Variable Type : Raw

ED-6 : Method(s) used in Jan [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	11186
3	Birth control pills	29
4	Condom	414
5	Partner's vasectomy	28
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	112
7	Withdrawal, pulling out	296
8	Depo-Provera, injectables	35
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	65
11	Safe period by temperature or cervical mucus test, natural family planning	17
12	Diaphragm	2
13	Female condom, vaginal pouch	2
14	Foam	5

15	Jelly or cream	11
17	Suppository, insert	8
18	Today sponge	3
19	IUD, coil, or loop	23
20	Emergency contraception	9
21	Other method -- specify	2
22	Respondent was sterile	3
23	Respondent's partner was sterile	2
25	Contraceptive patch	6
26	Vaginal contraceptive ring	20
	Total	12279

Universe : Applicable if R used at least 2 methods in January [interview yr] (see METHX145)

METHX147(2697-2698)

Variable Type : Raw

ED-6 : Method(s) used in Jan [interview yr]-3rd mention

value	label	Total
.	INAPPLICABLE	12201
3	Birth control pills	1
4	Condom	4
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	35
8	Depo-Provera, injectables	1
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	17
11	Safe period by temperature or cervical mucus test, natural family planning	5
12	Diaphragm	2
14	Foam	3
15	Jelly or cream	2
20	Emergency contraception	2
21	Other method -- specify	2

25	Contraceptive patch	2
Total		12279

Universe : Applicable if R used at least 3 methods in January [interview yr] (see METHX145)

METHX148(2699-2700)

Variable Type : Raw

ED-6 : Method(s) used in Jan [interview yr]-4th mention

value label	Total
. INAPPLICABLE	12273
4 Condom	1
7 Withdrawal, pulling out	1
11 Safe period by temperature or cervical mucus test, natural family planning	2
15 Jelly or cream	2
Total	12279

Universe : Applicable if R used at least 4 methods in January [interview yr] (see METHX145)

METHX149(2701-2702)

Variable Type : Raw

ED-6 : Method(s) used in Feb [interview yr] - 1st mention

value label	Total
. INAPPLICABLE	2610
1 No method used	2966
3 Birth control pills	1837
4 Condom	1557
5 Partner's vasectomy	456
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1305
7 Withdrawal, pulling out	445
8 Depo-Provera, injectables	313

9	Hormonal implant (Norplant or Implanon)	33
10	Rhythm or safe period by calendar	66
11	Safe period by temperature or cervical mucus test, natural family planning	9
12	Diaphragm	4
14	Foam	3
15	Jelly or cream	2
17	Suppository, insert	6
18	Today sponge	2
19	IUD, coil, or loop	376
20	Emergency contraception	2
21	Other method -- specify	12
22	Respondent was sterile	20
23	Respondent's partner was sterile	7
24	Lunelle injectable (monthly shot)	10
25	Contraceptive patch	83
26	Vaginal contraceptive ring	143
98	Refused	8
99	Don't know	4
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year] (cmfirm <= cmmhcalx38)

METHX150(2703-2704)

Variable Type : Raw

ED-6 : Method(s) used in Feb [interview yr]-2nd mention

value label	Total
. INAPPLICABLE	11301
3 Birth control pills	24
4 Condom	373
5 Partner's vasectomy	25
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	101

7	Withdrawal, pulling out	254
8	Depo-Provera, injectables	33
9	Hormonal implant (Norplant or Implanon)	2
10	Rhythm or safe period by calendar	61
11	Safe period by temperature or cervical mucus test, natural family planning	12
13	Female condom, vaginal pouch	3
14	Foam	5
15	Jelly or cream	11
17	Suppository, insert	8
18	Today sponge	2
19	IUD, coil, or loop	24
20	Emergency contraception	6
21	Other method -- specify	4
22	Respondent was sterile	3
23	Respondent's partner was sterile	2
25	Contraceptive patch	8
26	Vaginal contraceptive ring	17
	Total	12279

Universe : Applicable if R used at least 2 methods in February [interview yr] (see METHX149)

METHX151(2705-2706)

Variable Type : Raw

ED-6 : Method(s) used in Feb [interview yr] - 3rd mention

value label	Total
. INAPPLICABLE	12207
3 Birth control pills	2
4 Condom	2
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	31
8 Depo-Provera, injectables	1
10 Rhythm or safe period by calendar	17

11	Safe period by temperature or cervical mucus test, natural family planning	4
12	Diaphragm	3
14	Foam	3
15	Jelly or cream	1
17	Suppository, insert	1
20	Emergency contraception	3
21	Other method -- specify	1
25	Contraceptive patch	2
	Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr] (see METHX149)

METHX152(2707-2708)

Variable Type : Raw

ED-6 : Method(s) used in Feb [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	12271
4	Condom	1
7	Withdrawal, pulling out	1
10	Rhythm or safe period by calendar	1
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	2
20	Emergency contraception	1
	Total	12279

Universe : Applicable if R used at least 4 methods in February [interview yr] (see METHX149)

METHX153(2709-2710)

Variable Type : Raw

ED-6 : Method(s) used in March [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	3568
1	No method used	2692
3	Birth control pills	1655
4	Condom	1370
5	Partner's vasectomy	408
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1195
7	Withdrawal, pulling out	389
8	Depo-Provera, injectables	274
9	Hormonal implant (Norplant or Implanon)	31
10	Rhythm or safe period by calendar	63
11	Safe period by temperature or cervical mucus test, natural family planning	9
12	Diaphragm	4
14	Foam	3
15	Jelly or cream	2
17	Suppository, insert	6
19	IUD, coil, or loop	345
20	Emergency contraception	5
21	Other method -- specify	8
22	Respondent was sterile	21
23	Respondent's partner was sterile	6
24	Lunelle injectable (monthly shot)	8
25	Contraceptive patch	74
26	Vaginal contraceptive ring	133
98	Refused	6
99	Don't know	4
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year] (cmfirms <= cmmhcalx39)

METHX154(2711-2712)

Variable Type : Raw

ED-6 : Method(s) used in March [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	11391
3	Birth control pills	19
4	Condom	329
5	Partner's vasectomy	23
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	92
7	Withdrawal, pulling out	240
8	Depo-Provera, injectables	34
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	60
11	Safe period by temperature or cervical mucus test, natural family planning	11
13	Female condom, vaginal pouch	2
14	Foam	4
15	Jelly or cream	9
17	Suppository, insert	6
18	Today sponge	2
19	IUD, coil, or loop	18
20	Emergency contraception	5
21	Other method -- specify	4
22	Respondent was sterile	3
23	Respondent's partner was sterile	2
25	Contraceptive patch	8
26	Vaginal contraceptive ring	16
	Total	12279

Universe : Applicable if R used at least 2 methods in March [interview yr] (see METHX153)

METHX155(2713-2714)

Variable Type : Raw

ED-6 : Method(s) used in March [interview yr] - 3rd mention

value label	Total
. INAPPLICABLE	12211
3 Birth control pills	2
4 Condom	1
5 Partner's vasectomy	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	25
10 Rhythm or safe period by calendar	17
11 Safe period by temperature or cervical mucus test, natural family planning	5
12 Diaphragm	2
14 Foam	3
15 Jelly or cream	1
17 Suppository, insert	1
18 Today sponge	1
20 Emergency contraception	4
21 Other method -- specify	1
25 Contraceptive patch	1
26 Vaginal contraceptive ring	2
Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr] (see METHX153)

METHX156(2715-2716)

Variable Type : Raw

ED-6 : Method(s) used in March [interview yr]-4th mention

value label	Total
. INAPPLICABLE	12273
7 Withdrawal, pulling out	2
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	2
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 4 methods in March [interview yr] (see METHX153)

METHX157(2717-2718)

Variable Type : Raw

ED-6 : Method(s) used in April [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	4357
1	No method used	2461
3	Birth control pills	1492
4	Condom	1249
5	Partner's vasectomy	361
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1098
7	Withdrawal, pulling out	341
8	Depo-Provera, injectables	246
9	Hormonal implant (Norplant or Implanon)	28
10	Rhythm or safe period by calendar	52
11	Safe period by temperature or cervical mucus test, natural family planning	11
12	Diaphragm	3
13	Female condom, vaginal pouch	1
14	Foam	2
15	Jelly or cream	2
17	Suppository, insert	6
19	IUD, coil, or loop	315
20	Emergency contraception	4
21	Other method -- specify	9
22	Respondent was sterile	20
23	Respondent's partner was sterile	5
24	Lunelle injectable (monthly shot)	7
25	Contraceptive patch	69
26	Vaginal contraceptive ring	130
98	Refused	6
99	Don't know	4

Total

12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year] (cmfirsm <= cmmhcalx40)

METHX158(2719-2720)

Variable Type : Raw

ED-6 : Method(s) used in April [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	11472
3	Birth control pills	19
4	Condom	308
5	Partner's vasectomy	27
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	84
7	Withdrawal, pulling out	219
8	Depo-Provera, injectables	31
9	Hormonal implant (Norplant or Implanon)	3
10	Rhythm or safe period by calendar	51
11	Safe period by temperature or cervical mucus test, natural family planning	6
13	Female condom, vaginal pouch	2
14	Foam	1
15	Jelly or cream	8
17	Suppository, insert	5
18	Today sponge	3
19	IUD, coil, or loop	15
20	Emergency contraception	4
21	Other method -- specify	4
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	5
26	Vaginal contraceptive ring	9
	Total	12279

Universe : Applicable if R used at least 2 methods in April [interview yr] (see METHX157)

METHX159(2721-2722)

Variable Type : Raw

ED-6 : Method(s) used in April [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	12222
3	Birth control pills	1
4	Condom	2
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	21
10	Rhythm or safe period by calendar	13
11	Safe period by temperature or cervical mucus test, natural family planning	3
12	Diaphragm	2
14	Foam	3
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	2
20	Emergency contraception	4
21	Other method -- specify	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr] (see METHX157)

METHX160(2723-2724)

Variable Type : Raw

ED-6 : Method(s) used in April [interview yr]-4th mention

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12274
7	Withdrawal, pulling out	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	2
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 4 methods in April [interview yr] (see METHX157)

METHX161(2725-2726)

Variable Type : Raw

ED-6 : Method(s) used in May [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	5371
1	No method used	2109
3	Birth control pills	1316
4	Condom	1101
5	Partner's vasectomy	323
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	923
7	Withdrawal, pulling out	322
8	Depo-Provera, injectables	209
9	Hormonal implant (Norplant or Implanon)	20
10	Rhythm or safe period by calendar	50
11	Safe period by temperature or cervical mucus test, natural family planning	8
12	Diaphragm	2
13	Female condom, vaginal pouch	1
14	Foam	3
15	Jelly or cream	4
17	Suppository, insert	6
18	Today sponge	2
19	IUD, coil, or loop	285
20	Emergency contraception	3

21	Other method -- specify	7
22	Respondent was sterile	21
23	Respondent's partner was sterile	5
24	Lunelle injectable (monthly shot)	6
25	Contraceptive patch	58
26	Vaginal contraceptive ring	114
98	Refused	5
99	Don't know	5
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year] (cmfirsm <= cmmhcalx41)

METHX162(2727-2728)

Variable Type : Raw

ED-6 : Method(s) used in May [interview yr]-2nd mention

value label	Total
. INAPPLICABLE	11550
3 Birth control pills	17
4 Condom	289
5 Partner's vasectomy	25
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	77
7 Withdrawal, pulling out	189
8 Depo-Provera, injectables	23
10 Rhythm or safe period by calendar	42
11 Safe period by temperature or cervical mucus test, natural family planning	6
12 Diaphragm	1
13 Female condom, vaginal pouch	2
14 Foam	1
15 Jelly or cream	6
17 Suppository, insert	6
18 Today sponge	1

19	IUD, coil, or loop	13
20	Emergency contraception	7
21	Other method -- specify	5
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
25	Contraceptive patch	3
26	Vaginal contraceptive ring	13
	Total	12279

Universe : Applicable if R used at least 2 methods in May [interview yr] (see METHX113)

METHX163(2729-2730)

Variable Type : Raw

ED-6 : Method(s) used in May [interview yr] - 3rd mention

value label	Total
. INAPPLICABLE	12225
3 Birth control pills	2
4 Condom	2
5 Partner's vasectomy	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	24
10 Rhythm or safe period by calendar	11
11 Safe period by temperature or cervical mucus test, natural family planning	2
12 Diaphragm	1
14 Foam	3
15 Jelly or cream	1
19 IUD, coil, or loop	1
20 Emergency contraception	3
21 Other method -- specify	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr] (see METHX113)

METHX164(2731-2732)

Variable Type : Raw

ED-6 : Method(s) used in May [interview yr]-4th mention

value label	Total
. INAPPLICABLE	12272
7 Withdrawal, pulling out	2
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	2
20 Emergency contraception	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 4 methods in May [interview yr] (see METHX113)

METHX165(2733-2734)

Variable Type : Raw

ED-6 : Method(s) used in June [interview yr] - 1st mention

value label	Total
. INAPPLICABLE	6509
1 No method used	1808
3 Birth control pills	1113
4 Condom	905
5 Partner's vasectomy	261
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	761
7 Withdrawal, pulling out	254
8 Depo-Provera, injectables	178
9 Hormonal implant (Norplant or Implanon)	13
10 Rhythm or safe period by calendar	36

11	Safe period by temperature or cervical mucus test, natural family planning	8
12	Diaphragm	1
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	4
17	Suppository, insert	3
18	Today sponge	1
19	IUD, coil, or loop	238
20	Emergency contraception	2
21	Other method -- specify	8
22	Respondent was sterile	21
23	Respondent's partner was sterile	4
24	Lunelle injectable (monthly shot)	7
25	Contraceptive patch	48
26	Vaginal contraceptive ring	85
98	Refused	5
99	Don't know	4
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview yr] (cmfirm <= cmmhcalx42)

METHX166(2735-2736)

Variable Type : Raw

ED-6 : Method(s) used in June [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	11680
3	Birth control pills	17
4	Condom	245
5	Partner's vasectomy	16
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	66
7	Withdrawal, pulling out	150

8	Depo-Provera, injectables	15
9	Hormonal implant (Norplant or Implanon)	1
10	Rhythm or safe period by calendar	37
11	Safe period by temperature or cervical mucus test, natural family planning	5
12	Diaphragm	1
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	5
17	Suppository, insert	5
18	Today sponge	1
19	IUD, coil, or loop	13
20	Emergency contraception	4
21	Other method -- specify	3
22	Respondent was sterile	2
23	Respondent's partner was sterile	1
26	Vaginal contraceptive ring	10
	Total	12279

Universe : Applicable if R used at least 2 methods in June [interview yr] (see METHX165)

METHX167(2737-2738)

Variable Type : Raw

ED-6 : Method(s) used in June [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	12232
4	Condom	2
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	23
10	Rhythm or safe period by calendar	11
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1

14	Foam	2
15	Jelly or cream	1
20	Emergency contraception	2
21	Other method -- specify	1
25	Contraceptive patch	1
Total		12279

Universe : Applicable if R used at least 3 methods in June [interview yr] (see METHX165)

METHX168(2739-2740)

Variable Type : Raw

ED-6 : Method(s) used in June [interview yr]-4th mention

value label	Total
. INAPPLICABLE	12272
7 Withdrawal, pulling out	2
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	2
20 Emergency contraception	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 4 methods in June [interview yr] (see METHX165)

METHX169(2741-2742)

Variable Type : Raw

th : Method(s) used in July [interview yr] - 1st mention

value label	Total
. INAPPLICABLE	7050
1 No method used	1623
3 Birth control pills	1014

4	Condom	813
5	Partner's vasectomy	238
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	700
7	Withdrawal, pulling out	248
8	Depo-Provera, injectables	154
9	Hormonal implant (Norplant or Implanon)	11
10	Rhythm or safe period by calendar	30
11	Safe period by temperature or cervical mucus test, natural family planning	8
12	Diaphragm	1
13	Female condom, vaginal pouch	1
15	Jelly or cream	4
17	Suppository, insert	5
18	Today sponge	1
19	IUD, coil, or loop	209
20	Emergency contraception	1
21	Other method -- specify	8
22	Respondent was sterile	22
23	Respondent's partner was sterile	3
24	Lunelle injectable (monthly shot)	6
25	Contraceptive patch	42
26	Vaginal contraceptive ring	79
98	Refused	4
99	Don't know	4
	Total	12279

Universe : Applicable if R's date of interview was July 2006 or later (cmintvw > = 1279) and R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirm < = cmmhcalx43)

METHX170(2743-2744)

Variable Type : Raw

ED-6 : Method(s) used in July [interview yr]-2nd mention

value label	Total
. INAPPLICABLE	11729
3 Birth control pills	15
4 Condom	234
5 Partner's vasectomy	15
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	54
7 Withdrawal, pulling out	130
8 Depo-Provera, injectables	17
10 Rhythm or safe period by calendar	35
11 Safe period by temperature or cervical mucus test, natural family planning	8
12 Diaphragm	1
13 Female condom, vaginal pouch	1
14 Foam	1
15 Jelly or cream	3
17 Suppository, insert	5
18 Today sponge	1
19 IUD, coil, or loop	11
20 Emergency contraception	4
21 Other method -- specify	2
22 Respondent was sterile	2
23 Respondent's partner was sterile	1
25 Contraceptive patch	1
26 Vaginal contraceptive ring	9
Total	12279

Universe : Applicable if R used at least 2 methods in July [interview yr] (see METHX169)

METHX171(2745-2746)

Variable Type : Raw

ED-6 : Method(s) used in July [interview yr] - 3rd mention

value label	Total
. INAPPLICABLE	12231

4	Condom	3
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	24
10	Rhythm or safe period by calendar	9
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	2
14	Foam	2
17	Suppository, insert	1
20	Emergency contraception	2
21	Other method -- specify	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr] (see METHX169)

METHX172(2747-2748)

Variable Type : Raw

ED-6 : Method(s) used in July [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	12272
7	Withdrawal, pulling out	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	3
20	Emergency contraception	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 4 methods in July [interview yr] (see METHX169)

METHX173(2749-2750)

Variable Type : Raw

ED-6 : Method(s) used in Aug [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	8047
1	No method used	1308
3	Birth control pills	845
4	Condom	654
5	Partner's vasectomy	201
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	550
7	Withdrawal, pulling out	192
8	Depo-Provera, injectables	128
9	Hormonal implant (Norplant or Implanon)	10
10	Rhythm or safe period by calendar	22
11	Safe period by temperature or cervical mucus test, natural family planning	6
12	Diaphragm	1
15	Jelly or cream	3
17	Suppository, insert	4
18	Today sponge	1
19	IUD, coil, or loop	177
20	Emergency contraception	1
21	Other method -- specify	3
22	Respondent was sterile	19
23	Respondent's partner was sterile	2
24	Lunelle injectable (monthly shot)	5
25	Contraceptive patch	33
26	Vaginal contraceptive ring	59
98	Refused	4
99	Don't know	4
	Total	12279

Universe : Applicable if R's date of interview was Aug 2006 or later (cmintvw > = 1280) and R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year] (cmfirm < = cmmhcalx44)

METHX174(2751-2752)

Variable Type : Raw

ED-6 : Method(s) used in Aug [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	11852
3	Birth control pills	14
4	Condom	168
5	Partner's vasectomy	14
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	37
7	Withdrawal, pulling out	115
8	Depo-Provera, injectables	8
10	Rhythm or safe period by calendar	29
11	Safe period by temperature or cervical mucus test, natural family planning	6
12	Diaphragm	1
15	Jelly or cream	2
17	Suppository, insert	3
18	Today sponge	1
19	IUD, coil, or loop	9
20	Emergency contraception	6
21	Other method -- specify	3
22	Respondent was sterile	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	8
	Total	12279

Universe : Applicable if R used at least 2 methods in Aug [interview yr] (see METHX173)

METHX175(2753-2754)

Variable Type : Raw

ED-6 : Method(s) used in Aug [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	12241

4	Condom	3
5	Partner's vasectomy	1
7	Withdrawal, pulling out	15
10	Rhythm or safe period by calendar	8
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	2
14	Foam	1
17	Suppository, insert	1
19	IUD, coil, or loop	2
20	Emergency contraception	1
21	Other method -- specify	1
26	Vaginal contraceptive ring	2
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr] (see METHX173)

METHX176(2755-2756)

Variable Type : Raw

ED-6 : Method(s) used in Aug [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	12275
15	Jelly or cream	3
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Aug [interview yr] (see METHX173)

METHX177(2757-2758)

Variable Type : Raw

ED-6 : Method(s) used in Sept [interview yr] - 1st mention

value label	Total
. INAPPLICABLE	9026
1 No method used	1030
3 Birth control pills	631
4 Condom	489
5 Partner's vasectomy	152
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	430
7 Withdrawal, pulling out	147
8 Depo-Provera, injectables	110
9 Hormonal implant (Norplant or Implanon)	10
10 Rhythm or safe period by calendar	12
11 Safe period by temperature or cervical mucus test, natural family planning	2
15 Jelly or cream	1
17 Suppository, insert	3
19 IUD, coil, or loop	135
20 Emergency contraception	2
21 Other method -- specify	3
22 Respondent was sterile	11
23 Respondent's partner was sterile	2
24 Lunelle injectable (monthly shot)	4
25 Contraceptive patch	28
26 Vaginal contraceptive ring	44
98 Refused	4
99 Don't know	3
Total	12279

Universe : Applicable if R's date of interview was Sept 2006 or later (cmintw > = 1281) and R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year] (cmfirm < = cmmhcalx45)

METHX178(2759-2760)

Variable Type : Raw

ED-6 : Method(s) used in Sept [interview yr]-2nd mention

value label	Total
. INAPPLICABLE	11936
3 Birth control pills	9
4 Condom	149
5 Partner's vasectomy	10
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	30
7 Withdrawal, pulling out	88
8 Depo-Provera, injectables	10
10 Rhythm or safe period by calendar	21
11 Safe period by temperature or cervical mucus test, natural family planning	4
12 Diaphragm	2
15 Jelly or cream	1
17 Suppository, insert	1
19 IUD, coil, or loop	7
20 Emergency contraception	1
21 Other method -- specify	2
22 Respondent was sterile	2
25 Contraceptive patch	1
26 Vaginal contraceptive ring	5
Total	12279

Universe : Applicable if R used at least 2 methods in Sept [interview yr] (see METHX177)

METHX179(2761-2762)

Variable Type : Raw

ED-6 : Method(s) used in Sept [interview yr] - 3rd mention

value label	Total
. INAPPLICABLE	12253
4 Condom	2
7 Withdrawal, pulling out	14
10 Rhythm or safe period by calendar	5
12 Diaphragm	2

14	Foam	1
17	Suppository, insert	1
21	Other method -- specify	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr] (see METHX177)

METHX180(2763-2764)

Variable Type : Raw

ED-6 : Method(s) used in Sept [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	12276
15	Jelly or cream	3
	Total	12279

Universe : Applicable if R used at least 4 methods in Sept [interview yr] (see METHX177)

METHX181(2765-2766)

Variable Type : Raw

ED-6 : Method(s) used in Oct [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	9768
1	No method used	778
3	Birth control pills	488
4	Condom	382
5	Partner's vasectomy	123
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	349
7	Withdrawal, pulling out	108
8	Depo-Provera, injectables	76
9	Hormonal implant (Norplant or Implanon)	8

10	Rhythm or safe period by calendar	14
15	Jelly or cream	1
17	Suppository, insert	2
19	IUD, coil, or loop	103
20	Emergency contraception	3
21	Other method -- specify	1
22	Respondent was sterile	8
23	Respondent's partner was sterile	2
24	Lunelle injectable (monthly shot)	3
25	Contraceptive patch	23
26	Vaginal contraceptive ring	33
98	Refused	3
99	Don't know	3
	Total	12279

Universe : Applicable if R's date of interview was Oct 2006 or later (cmintvw > = 1281) and R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year] (cmfirm < = cmmhcalx46)

METHX182(2767-2768)

Variable Type : Raw

ED-6 : Method(s) used in Oct [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	12021
3	Birth control pills	5
4	Condom	102
5	Partner's vasectomy	8
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	22
7	Withdrawal, pulling out	73
8	Depo-Provera, injectables	9
10	Rhythm or safe period by calendar	12
11	Safe period by temperature or cervical mucus test, natural family planning	2

12	Diaphragm	2
13	Female condom, vaginal pouch	1
15	Jelly or cream	1
19	IUD, coil, or loop	7
20	Emergency contraception	5
21	Other method -- specify	2
22	Respondent was sterile	2
25	Contraceptive patch	1
26	Vaginal contraceptive ring	4
	Total	12279

Universe : Applicable if R used at least 2 methods in Oct [interview yr] (see METHX181)

METHX183(2769-2770)

Variable Type : Raw

ED-6 : Method(s) used in Oct [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	12257
3	Birth control pills	1
4	Condom	1
5	Partner's vasectomy	1
7	Withdrawal, pulling out	12
10	Rhythm or safe period by calendar	4
12	Diaphragm	2
21	Other method -- specify	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr] (see METHX181)

METHX184(2771-2772)

Variable Type : Raw

ED-6 : Method(s) used in Oct [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	12275
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	3
	Total	12279

Universe : Applicable if R used at least 4 methods in Oct [interview yr] (see METHX181)

METHX185(2773-2774)

Variable Type : Raw

ED-6 : Method(s) used in Nov [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	10858
1	No method used	446
3	Birth control pills	283
4	Condom	198
5	Partner's vasectomy	78
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	188
7	Withdrawal, pulling out	67
8	Depo-Provera, injectables	36
9	Hormonal implant (Norplant or Implanon)	4
10	Rhythm or safe period by calendar	7
17	Suppository, insert	2
19	IUD, coil, or loop	60
20	Emergency contraception	2
21	Other method -- specify	1
22	Respondent was sterile	3
24	Lunelle injectable (monthly shot)	3
25	Contraceptive patch	19
26	Vaginal contraceptive ring	21

98	Refused	1
99	Don't know	2
	Total	12279

Universe : Applicable if R's date of interview was Nov 2006 or later (cmintvw > = 1282) and R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year] (cmfirm < = cmmhcalx47)

METHX186(2775-2776)

Variable Type : Raw

ED-6 : Method(s) used in Nov [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	12143
3	Birth control pills	4
4	Condom	59
5	Partner's vasectomy	5
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	9
7	Withdrawal, pulling out	38
8	Depo-Provera, injectables	8
10	Rhythm or safe period by calendar	4
19	IUD, coil, or loop	3
20	Emergency contraception	1
21	Other method -- specify	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	2
	Total	12279

Universe : Applicable if R used at least 2 methods in Nov [interview yr] (see METHX185)

METHX187(2777-2778)

Variable Type : Raw

ED-6 : Method(s) used in Nov [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	12265
3	Birth control pills	1
4	Condom	1
7	Withdrawal, pulling out	10
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr] (see METHX185)

METHX188(2779-2779)

Variable Type : Raw

ED-6 : Method(s) used in Nov [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	12279
	Total	12279

Universe : Applicable if R used at least 4 methods in Nov [interview yr] (see METHX185)

METHX189(2780-2781)

Variable Type : Raw

ED-6 : Method(s) used in Dec [interview yr] - 1st mention

value	label	Total
.	INAPPLICABLE	11935
1	No method used	119
3	Birth control pills	67
4	Condom	52

5	Partner's vasectomy	21
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	38
7	Withdrawal, pulling out	12
8	Depo-Provera, injectables	8
10	Rhythm or safe period by calendar	3
17	Suppository, insert	1
19	IUD, coil, or loop	14
20	Emergency contraception	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	5
98	Refused	1
	Total	12279

Universe : Applicable if R's date of interview was Dec 2006 or later (cmintvw > = 1284) and R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year] (cmfirmm < = cmmhcalx48)

METHX190(2782-2783)

Variable Type : Raw

ED-6 : Method(s) used in Dec [interview yr]-2nd mention

value	label	Total
.	INAPPLICABLE	12249
3	Birth control pills	1
4	Condom	12
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	12
10	Rhythm or safe period by calendar	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 2 methods in Dec [interview yr] (see METHX189)

METHX191(2784-2785)

Variable Type : Raw

ED-6 : Method(s) used in Dec [interview yr] - 3rd mention

value	label	Total
.	INAPPLICABLE	12276
7	Withdrawal, pulling out	2
10	Rhythm or safe period by calendar	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr] (see METHX189)

METHX192(2786-2786)

Variable Type : Raw

ED-6 : Method(s) used in Dec [interview yr]-4th mention

value	label	Total
.	INAPPLICABLE	12279
	Total	12279

Universe : Applicable if R used at least 4 methods in Dec [interview yr] (see METHX189)

cmmhcalx1(2787-2790)

Variable Type : Computed

Description : Century month of Jan [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx2(2791-2794)

Variable Type : Computed

Description : Century month of Feb [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx3(2795-2798)

Variable Type : Computed

Description : Century month of March [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx4(2799-2802)

Variable Type : Computed

Description : Century month of April [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx5(2803-2806)

Variable Type : Computed

Description : Century month of May [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June

2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx6(2807-2810)

Variable Type : Computed

Description : Century month of June [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx7(2811-2814)

Variable Type : Computed

Description : Century month of July [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see

User's Guide, Part 2 for guidance).

cmmhcalx8(2815-2818)

Variable Type : Computed

Description : Century month of Aug [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx9(2819-2822)

Variable Type : Computed

Description : Century month of Sept [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx10(2823-2826)

Variable Type : Computed

Description : Century month of Oct [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx11(2827-2830)

Variable Type : Computed

Description : Century month of Nov [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx12(2831-2834)

Variable Type : Computed

Description : Century month of Dec [interview yr-3] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx13(2835-2838)

Variable Type : Computed

Description : Century month of Jan [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx14(2839-2842)

Variable Type : Computed

Description : Century month of Feb [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx15(2843-2846)

Variable Type : Computed

Description : Century month of March [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx16(2847-2850)

Variable Type : Computed

Description : Century month of April [interview yr-2] in the method history calendar (computed in Flow Check

E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx17(2851-2854)

Variable Type : Computed

Description : Century month of May [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx18(2855-2858)

Variable Type : Computed

Description : Century month of June [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx19(2859-2862)

Variable Type : Computed

Description : Century month of July [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx20(2863-2866)

Variable Type : Computed

Description : Century month of Aug [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx21(2867-2870)

Variable Type : Computed

Description : Century month of Sept [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx22(2871-2874)

Variable Type : Computed

Description : Century month of Oct [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524

1237-1332 JAN 2003-DEC 2010	10755
Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx23(2875-2878)

Variable Type : Computed

Description : Century month of Nov [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332 JAN 2003-DEC 2010		10755
Total		12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx24(2879-2882)

Variable Type : Computed

Description : Century month of Dec [interview yr-2] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332 JAN 2003-DEC 2010		10755

Total	12279
--------------	--------------

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx25(2883-2886)

Variable Type : Computed

Description : Century month of Jan [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx26(2887-2890)

Variable Type : Computed

Description : Century month of Feb [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx27(2891-2894)

Variable Type : Computed

Description : Century month of March [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx28(2895-2898)

Variable Type : Computed

Description : Century month of April [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx29(2899-2902)

Variable Type : Computed

Description : Century month of May [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx30(2903-2906)

Variable Type : Computed

Description : Century month of June [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June

2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx31(2907-2910)

Variable Type : Computed

Description : Century month of July [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx32(2911-2914)

Variable Type : Computed

Description : Century month of Aug [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see

User's Guide, Part 2 for guidance).

cmmhcalx33(2915-2918)

Variable Type : Computed

Description : Century month of Sept [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx34(2919-2922)

Variable Type : Computed

Description : Century month of Oct [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx35(2923-2926)

Variable Type : Computed

Description : Century month of Nov [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx36(2927-2930)

Variable Type : Computed

Description : Century month of Dec [interview yr-1] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx37(2931-2934)

Variable Type : Computed

Description : Century month of Jan [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1524
1237-1332	JAN 2003-DEC 2010	10755
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx38(2935-2938)

Variable Type : Computed

Description : Century month of Feb [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1621
1237-1332	JAN 2003-DEC 2010	10658
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx39(2939-2942)

Variable Type : Computed

Description : Century month of March [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1736
1237-1332	JAN 2003-DEC 2010	10543
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx40(2943-2946)

Variable Type : Computed

Description : Century month of April [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1846
1237-1332	JAN 2003-DEC 2010	10433
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx41(2947-2950)

Variable Type : Computed

Description : Century month of May [interview yr] in the method history calendar (computed in Flow Check

E-44)

value	label	Total
.	INAPPLICABLE	1995
1237-1332	JAN 2003-DEC 2010	10284
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx42(2951-2954)

Variable Type : Computed

Description : Century month of June [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2144
1237-1332	JAN 2003-DEC 2010	10135
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx43(2955-2958)

Variable Type : Computed

Description : Century month of July [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2223
1237-1332	JAN 2003-DEC 2010	10056
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx44(2959-2962)

Variable Type : Computed

Description : Century month of Aug [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2360
1237-1332	JAN 2003-DEC 2010	9919
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx45(2963-2966)

Variable Type : Computed

Description : Century month of Sept [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	2501
1237-1332	JAN 2003-DEC 2010	9778
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx46(2967-2970)

Variable Type : Computed

Description : Century month of Oct [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2601
1237-1332	JAN 2003-DEC 2010	9678
	Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx47(2971-2974)

Variable Type : Computed

Description : Century month of Nov [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2749

1237-1332 JAN 2003-DEC 2010	9530
Total	12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

cmmhcalx48(2975-2978)

Variable Type : Computed

Description : Century month of Dec [interview yr] in the method history calendar (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2927
1237-1332 JAN 2003-DEC 2010		9352
Total		12279

Universe : Applicable for all respondents

Notes : This set of variables has values through Dec 2010 even though no interviews took place after June 2010. It corresponds to all possible 48 slots of the method calendar and is for use with METHHX variables (see User's Guide, Part 2 for guidance).

nummultx1(2979-2979)

Variable Type : Computed

Description : Number of Methods Reported in Jan [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2974
0	0	3214
1	1	5266

2-25	2 OR MORE	825
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 3] (cmfirsm <= cmjan3yr)

nummultx2(2980-2980)

Variable Type : Computed

Description : Number of Methods Reported in Feb [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2944
0	0	3255
1	1	5237
2-25	2 OR MORE	843
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirsm <= cmmhcalx2)

nummultx3(2981-2981)

Variable Type : Computed

Description : Number of Methods Reported in March [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2916
0	0	3274
1	1	5246
2-25	2 OR MORE	843
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before

March [interview year - 3] (cmfirm ≤ cmmhcalx3)

nummultx4(2982-2982)

Variable Type : Computed

Description : Number of Methods Reported in April [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2872
0	0	3262
1	1	5296
2-25	2 OR MORE	849
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 3] (cmfirm ≤ cmmhcalx4)

nummultx5(2983-2983)

Variable Type : Computed

Description : Number of Methods Reported in May [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2836
0	0	3235
1	1	5329
2-25	2 OR MORE	879
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirm ≤ cmmhcalx5)

nummultx6(2984-2984)

Variable Type : Computed

Description : Number of Methods Reported in June [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2797
0	0	3182
1	1	5408
2-25	2 OR MORE	892
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirmsm <= cmmhcalx6)

nummultx7(2985-2985)

Variable Type : Computed

Description : Number of Methods Reported in July [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2753
0	0	3167
1	1	5458
2-25	2 OR MORE	901
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirmsm <= cmmhcalx7)

nummultx8(2986-2986)

Variable Type : Computed

Description : Number of Methods Reported in Aug [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2699

0	0	3167
1	1	5531
2-25	2 OR MORE	882
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) or had a hysterectomy but used a method since start date for method calendar (INTR_ED4a = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirm <= cmmhcalx8)

nummultx9(2987-2987)

Variable Type : Computed

Description : Number of Methods Reported in Sept [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2669
0	0	3240
1	1	5495
2-25	2 OR MORE	875
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirm <= cmmhcalx9)

nummultx10(2988-2988)

Variable Type : Computed

Description : Number of Methods Reported in Oct [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2637
0	0	3214
1	1	5537
2-25	2 OR MORE	891

Total	12279
--------------	--------------

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirsm <= cmmhcalx10)

nummultx11(2989-2989)

Variable Type : Computed

Description : Number of Methods Reported in Nov [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2607
0	0	3227
1	1	5546
2-25	2 OR MORE	899
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirsm <= cmmhcalx11)

nummultx12(2990-2990)

Variable Type : Computed

Description : Number of Methods Reported in Dec [interview yr-3] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2582
0	0	3228
1	1	5565
2-25	2 OR MORE	904
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirsm <= cmmhcalx12)

nummultx13(2991-2991)

Variable Type : Computed

Description : Number of Methods Reported in Jan [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2552
0	0	3264
1	1	5550
2-25	2 OR MORE	913
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 2] (cmfirsm <= cmjan2yr)

nummultx14(2992-2992)

Variable Type : Computed

Description : Number of Methods Reported in Feb [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2519
0	0	3307
1	1	5521
2-25	2 OR MORE	932
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 2] (cmfirsm <= cmmhcalx2)

nummultx15(2993-2993)

Variable Type : Computed

Description : Number of Methods Reported in March [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2478
0	0	3317
1	1	5576
2-25	2 OR MORE	908
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 2] (cmfirm <= cmmhcalx3)

nummultx16(2994-2994)

Variable Type : Computed

Description : Number of Methods Reported in April [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2433
0	0	3307
1	1	5612
2-25	2 OR MORE	927
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirm <= cmmhcalx4)

nummultx17(2995-2995)

Variable Type : Computed

Description : Number of Methods Reported in May [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2386
0	0	3303
1	1	5651

2-25	2 OR MORE	939
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 2] (cmfirm <= cmmhcalx5)

nummultx18(2996-2996)

Variable Type : Computed

Description : Number of Methods Reported in June [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2337
0	0	3295
1	1	5707
2-25	2 OR MORE	940
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 2] (cmfirm <= cmmhcalx6)

nummultx19(2997-2997)

Variable Type : Computed

Description : Number of Methods Reported in July [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2289
0	0	3309
1	1	5714
2-25	2 OR MORE	967
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before

July [interview year - 2] (cmfirsm <= cmmhcalx7)

nummultx20(2998-2998)

Variable Type : Computed

Description : Number of Methods Reported in Aug [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2255
0	0	3346
1	1	5711
2-25	2 OR MORE	967
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 2] (cmfirsm <= cmmhcalx8)

nummultx21(2999-2999)

Variable Type : Computed

Description : Number of Methods Reported in Sept [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2220
0	0	3426
1	1	5679
2-25	2 OR MORE	954
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 2] (cmfirsm <= cmmhcalx9)

nummultx22(3000-3000)

Variable Type : Computed

Description : Number of Methods Reported in Oct [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2173
0	0	3402
1	1	5716
2-25	2 OR MORE	988
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 2] (cmfirsm <= cmmhcalx10)

nummultx23(3001-3001)

Variable Type : Computed

Description : Number of Methods Reported in Nov [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2141
0	0	3412
1	1	5771
2-25	2 OR MORE	955
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 2] (cmfirsm <= cmmhcalx11)

nummultx24(3002-3002)

Variable Type : Computed

Description : Number of Methods Reported in Dec [interview yr-2] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2111

0	0	3374
1	1	5792
2-25	2 OR MORE	1002
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 2] (cmfirm <= cmmhcalx12)

nummultx25(3003-3003)

Variable Type : Computed

Description : Number of Methods Reported in Jan [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2079
0	0	3399
1	1	5828
2-25	2 OR MORE	973
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 1] (cmfirm <= cmjan1yr)

nummultx26(3004-3004)

Variable Type : Computed

Description : Number of Methods Reported in Feb [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2049
0	0	3425
1	1	5816
2-25	2 OR MORE	989
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 1] (cmfirsm <= cmmhcalx2)

nummultx27(3005-3005)

Variable Type : Computed

Description : Number of Methods Reported in March [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2017
0	0	3456
1	1	5827
2-25	2 OR MORE	979
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 1] (cmfirsm <= cmmhcalx3)

nummultx28(3006-3006)

Variable Type : Computed

Description : Number of Methods Reported in April [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1988
0	0	3487
1	1	5841
2-25	2 OR MORE	963
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 1] (cmfirsm <= cmmhcalx4)

nummultx29(3007-3007)

Variable Type : Computed

Description : Number of Methods Reported in May [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1956
0	0	3388
1	1	5960
2-25	2 OR MORE	975
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 1] (cmfirm <= cmmhcalx5)

nummultx30(3008-3008)

Variable Type : Computed

Description : Number of Methods Reported in June [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1907
0	0	3375
1	1	5982
2-25	2 OR MORE	1015
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 1] (cmfirm <= cmmhcalx6)

nummultx31(3009-3009)

Variable Type : Computed

Description : Number of Methods Reported in July [interview yr-1] (computed in Flow Check E-42)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	1853
0	0	3343
1	1	6043
2-25	2 OR MORE	1040
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirsm <= cmmhcalx7)

nummultx32(3010-3010)

Variable Type : Computed

Description : Number of Methods Reported in Aug [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1820
0	0	3344
1	1	6092
2-25	2 OR MORE	1023
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 1] (cmfirsm <= cmmhcalx8)

nummultx33(3011-3011)

Variable Type : Computed

Description : Number of Methods Reported in Sept [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1789
0	0	3378
1	1	6105
2-25	2 OR MORE	1007

Total	12279
--------------	--------------

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 1] (cmfirm <= cmmhcalx9)

nummultx34(3012-3012)

Variable Type : Computed

Description : Number of Methods Reported in Oct [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1747
0	0	3378
1	1	6107
2-25	2 OR MORE	1047
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 1] (cmfirm <= cmmhcalx10)

nummultx35(3013-3013)

Variable Type : Computed

Description : Number of Methods Reported in Nov [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1712
0	0	3361
1	1	6131
2-25	2 OR MORE	1075
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 1] (cmfirm <= cmmhcalx11)

nummultx36(3014-3014)

Variable Type : Computed

Description : Number of Methods Reported in Dec [interview yr-1] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1680
0	0	3363
1	1	6142
2-25	2 OR MORE	1094
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 1] (cmfirsm <= cmmhcalx12)

nummultx37(3015-3015)

Variable Type : Computed

Description : Number of Methods Reported in Jan [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	1657
0	0	3396
1	1	6133
2-25	2 OR MORE	1093
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year] (cmfirsm <= cmjanyr)

nummultx38(3016-3016)

Variable Type : Computed

Description : Number of Methods Reported in Feb [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	2630
0	0	3067
1	1	5605
2-25	2 OR MORE	977
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year] (cmfirm <= cmmhcalx2)

nummultx39(3017-3017)

Variable Type : Computed

Description : Number of Methods Reported in March [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	3587
0	0	2785
1	1	5021
2-25	2 OR MORE	886
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year] (cmfirm <= cmmhcalx3)

nummultx40(3018-3018)

Variable Type : Computed

Description : Number of Methods Reported in April [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	4375
0	0	2547
1	1	4551

2-25	2 OR MORE	806
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year] (cmfirsm <= cmmhcalx4)

nummultx41(3019-3019)

Variable Type : Computed

Description : Number of Methods Reported in May [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	5389
0	0	2182
1	1	3980
2-25	2 OR MORE	728
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year] (cmfirsm <= cmmhcalx5)

nummultx42(3020-3020)

Variable Type : Computed

Description : Number of Methods Reported in June [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	6522
0	0	1868
1	1	3292
2-25	2 OR MORE	597
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before

June [interview year] (cmfirsm <= cmmhcalx6)

nummultx43(3021-3021)

Variable Type : Computed

Description : Number of Methods Reported in July [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	7063
0	0	1677
1	1	2991
2-25	2 OR MORE	548
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year] (cmfirsm <= cmmhcalx7)

nummultx44(3022-3022)

Variable Type : Computed

Description : Number of Methods Reported in Aug [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	8057
0	0	1357
1	1	2438
2-25	2 OR MORE	427
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year] (cmfirsm <= cmmhcalx8)

nummultx45(3023-3023)

Variable Type : Computed

Description : Number of Methods Reported in Sept [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	9034
0	0	1065
1	1	1838
2-25	2 OR MORE	342
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year] (cmfirm <= cmmhcalx9)

nummultx46(3024-3024)

Variable Type : Computed

Description : Number of Methods Reported in Oct [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	9776
0	0	808
1	1	1438
2-25	2 OR MORE	257
	Total	12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year] (cmfirm <= cmmhcalx10)

nummultx47(3025-3025)

Variable Type : Computed

Description : Number of Methods Reported in Nov [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	10862

0	0	459
1	1	822
2-25	2 OR MORE	136
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year] (cmfirm <= cmmhcalx11)

nummultx48(3026-3026)

Variable Type : Computed

Description : Number of Methods Reported in Dec [interview yr] (computed in Flow Check E-42)

value	label	Total
.	INAPPLICABLE	11935
0	0	122
1	1	192
2-25	2 OR MORE	30
Total		12279

Universe : Applicable if R ever used a method (everused = 1) and date of first method use was on or before December 2002 (cmfirm < 1236) and R's date of interview was Dec 2002 or later (cmintvw >= 1236)

salmx1(3027-3027)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Jan [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2974
0	No	9305
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX1 = 2)

salmx2(3028-3028)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Feb [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2944
0	No	8455
1	Yes	880
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX5 = 2)

salmx3(3029-3029)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST -Mar [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2916
0	No	8570
1	Yes	793
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX9 = 2)

salmx4(3030-3030)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - April [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2872
0	No	8677
1	Yes	730
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX13 = 2)

salmx5(3031-3031)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - May [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2836
0	No	8777
1	Yes	666
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX17 = 2)

salmx6(3032-3032)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - June [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2797
0	No	8883
1	Yes	599
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX21 = 2)

salmx7(3033-3033)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - July [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2753
0	No	8958
1	Yes	568
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX25 = 2)

salmx8(3034-3034)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Aug [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2699
0	No	9093
1	Yes	487

Total	12279
--------------	--------------

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX29 = 2)

salmx9(3035-3035)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Sept [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2669
0	No	9202
1	Yes	408
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX33 = 2)

salmx10(3036-3036)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Oct [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2637
0	No	9297
1	Yes	345
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX37 = 2)

salmx11(3037-3037)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Nov [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2607
0	No	9364
1	Yes	308
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX41 = 2)

salmx12(3038-3038)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Dec [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2582
0	No	9404
1	Yes	293
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX45 = 2)

salmx13(3039-3039)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Jan

[interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2552
0	No	9726
1	Yes	1
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX49 = 2)

salmx14(3040-3040)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Feb [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2519
0	No	8928
1	Yes	832
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX53 = 2)

salmx15(3041-3041)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Mar [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2478
0	No	9025

1	Yes	776
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX57 = 2)

salmx16(3042-3042)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - April [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2433
0	No	9110
1	Yes	736
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX61 = 2)

salmx17(3043-3043)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - May [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2386
0	No	9191
1	Yes	702
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX65 = 2)

salmx18(3044-3044)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - June [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2337
0	No	9321
1	Yes	621
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX69 = 2)

salmx19(3045-3045)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - July [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2289
0	No	9394
1	Yes	596
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX73 = 2)

salmx20(3046-3046)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Aug

[interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2255
0	No	9492
1	Yes	532
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX77 = 2)

salmx21(3047-3047)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Sept [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2220
0	No	9603
1	Yes	456
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX81 = 2)

salmx22(3048-3048)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Oct [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2173
0	No	9721

1	Yes	385
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX85 = 2)

salmx23(3049-3049)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Nov [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2141
0	No	9812
1	Yes	326
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX89 = 2)

salmx24(3050-3050)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Dec [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2111
0	No	9893
1	Yes	275
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX93 = 2)

salmx25(3051-3051)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Jan [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2079
0	No	10200
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX97 = 2)

salmx26(3052-3052)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Feb [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2049
0	No	9347
1	Yes	883
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX101 = 2)

salmx27(3053-3053)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Mar [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2017
0	No	9430
1	Yes	832
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX105 = 2)

salmx28(3054-3054)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - April [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1988
0	No	9505
1	Yes	786
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX109 = 2)

salmx29(3055-3055)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - May [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1956
0	No	9592
1	Yes	731

Total	12279
--------------	--------------

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX113 = 2)

salmx30(3056-3056)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - June [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1907
0	No	9683
1	Yes	689
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX117 = 2)

salmx31(3057-3057)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - July [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1853
0	No	9781
1	Yes	645
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX121 = 2)

salmx32(3058-3058)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Aug [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1820
0	No	9904
1	Yes	555
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX125 = 2)

salmx33(3059-3059)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Sept [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1789
0	No	10006
1	Yes	484
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX129 = 2)

salmx34(3060-3060)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Oct

[interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1747
0	No	10133
1	Yes	399
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX133 = 2)

salmx35(3061-3061)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Nov [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1712
0	No	10225
1	Yes	342
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX37 = 2)

salmx36(3062-3062)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Dec [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1680
0	No	10311

1	Yes	288
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX141 = 2)

salmx37(3063-3063)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Jan [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1657
0	No	10621
1	Yes	1
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX145 = 2)

salmx38(3064-3064)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Feb [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2630
0	No	8950
1	Yes	699
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX149 = 2)

salmx39(3065-3065)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Mar [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	3587
0	No	8134
1	Yes	558
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX153 = 2)

salmx40(3066-3066)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - April [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4375
0	No	7429
1	Yes	475
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX157 = 2)

salmx41(3067-3067)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - May

[interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	5389
0	No	6492
1	Yes	398
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX161 = 2)

salmx42(3068-3068)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - June [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	6522
0	No	5441
1	Yes	316
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX165 = 2)

salmx43(3069-3069)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - July [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	7063
0	No	4952

1	Yes	264
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX169 = 2)

salmx44(3070-3070)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Aug [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	8057
0	No	4022
1	Yes	200
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX173 = 2)

salmx45(3071-3071)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Sept [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	9034
0	No	3103
1	Yes	142
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX177 = 2)

salmx46(3072-3072)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Oct [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	9776
0	No	2391
1	Yes	112
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX181 = 2)

salmx47(3073-3073)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Nov [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	10862
0	No	1367
1	Yes	50
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX185 = 2)

salmx48(3074-3074)

Variable Type : Computed

Description : Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Dec

[interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	11935
0	No	333
1	Yes	11
Total		12279

Universe : Applicable if R said she used the same method as last month (original response on ED-6 METHX189 = 2)

sayx1(3075-3075)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Jan [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2974
0	No	9305
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX1 = 55)

sayx2(3076-3076)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Feb [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2944
0	No	4602
1	Yes	4733

Total	12279
--------------	--------------

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX5 = 55)

sayx3(3077-3077)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Mar [interview yr-3] (computed in Flow Check E-44)

value label	Total
. INAPPLICABLE	2916
0 No	8215
1 Yes	1148
Total	12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX9 = 55)

sayx4(3078-3078)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - April [interview yr-3] (computed in Flow Check E-44)

value label	Total
. INAPPLICABLE	2872
0 No	9191
1 Yes	216
Total	12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX13 = 55)

sayx5(3079-3079)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - May [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2836
0	No	9223
1	Yes	220
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX17 = 55)

sayx6(3080-3080)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - June [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2797
0	No	9301
1	Yes	181
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX21 = 55)

sayx7(3081-3081)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - July [interview

yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2753
0	No	9298
1	Yes	228
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX25 = 55)

sayx8(3082-3082)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Aug [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2699
0	No	9403
1	Yes	177
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX29 = 55)

sayx9(3083-3083)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Sept [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2669
0	No	9394

1	Yes	216
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX33 = 55)

sayx10(3084-3084)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Oct [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2637
0	No	9438
1	Yes	204
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX37 = 55)

sayx11(3085-3085)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Nov [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2607
0	No	9531
1	Yes	141
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX41 = 55)

sayx12(3086-3086)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Dec [interview yr-3] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2582
0	No	9616
1	Yes	81
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX45 = 55)

sayx13(3087-3087)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Jan [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2552
0	No	9727
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX49 = 55)

sayx14(3088-3088)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Feb [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2519
0	No	4093
1	Yes	5667
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX53 = 55)

sayx15(3089-3089)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Mar [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2478
0	No	9556
1	Yes	245
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX57 = 55)

sayx16(3090-3090)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - April [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2433
0	No	9655
1	Yes	191

Total	12279
--------------	--------------

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX61 = 55)

sayx17(3091-3091)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - May [interview yr-2] (computed in Flow Check E-44)

value label	Total
. INAPPLICABLE	2386
0 No	9698
1 Yes	195
Total	12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX65 = 55)

sayx18(3092-3092)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - June [interview yr-2] (computed in Flow Check E-44)

value label	Total
. INAPPLICABLE	2337
0 No	9750
1 Yes	192
Total	12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX69 = 55)

sayx19(3093-3093)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - July [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2289
0	No	9784
1	Yes	206
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX73 = 55)

sayx20(3094-3094)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Aug [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2255
0	No	9831
1	Yes	193
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX77 = 55)

sayx21(3095-3095)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Sept [interview

yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2220
0	No	9866
1	Yes	193
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX81 = 55)

sayx22(3096-3096)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Oct [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2173
0	No	9877
1	Yes	229
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX85 = 55)

sayx23(3097-3097)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Nov [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2141
0	No	9970

1	Yes	168
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX89 = 55)

sayx24(3098-3098)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Dec [interview yr-2] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2111
0	No	10089
1	Yes	79
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX93 = 55)

sayx25(3099-3099)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Jan [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2079
0	No	10200
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX97 = 55)

sayx26(3100-3100)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Feb [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2049
0	No	4604
1	Yes	5626
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX101 = 55)

sayx27(3101-3101)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Mar [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2017
0	No	9990
1	Yes	272
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX105 = 55)

sayx28(3102-3102)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - April [interview

yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1988
0	No	10095
1	Yes	196
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX109 = 55)

sayx29(3103-3103)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - May [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1956
0	No	10131
1	Yes	192
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX113 = 55)

sayx30(3104-3104)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - June [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1907
0	No	10181

1	Yes	191
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX117 = 55)

sayx31(3105-3105)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - July [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1853
0	No	10202
1	Yes	224
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX121 = 55)

sayx32(3106-3106)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Aug [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1820
0	No	10261
1	Yes	198
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX125 = 55)

sayx33(3107-3107)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Sept [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1789
0	No	10267
1	Yes	223
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX129 = 55)

sayx34(3108-3108)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Oct [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1747
0	No	10320
1	Yes	212
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX133 = 55)

sayx35(3109-3109)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Nov [interview

yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1712
0	No	10384
1	Yes	183
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX137 = 55)

sayx36(3110-3110)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Dec [interview yr-1] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1680
0	No	10495
1	Yes	104
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX141 = 55)

sayx37(3111-3111)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Jan [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	1657
0	No	10622

Total	12279
--------------	--------------

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX145 = 55)

sayx38(3112-3112)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Feb [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	2630
0	No	4412
1	Yes	5237
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX149 = 55)

sayx39(3113-3113)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Mar [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	3587
0	No	8494
1	Yes	198
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX153 = 55)

sayx40(3114-3114)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - April [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	4375
0	No	7789
1	Yes	115
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX157 = 55)

sayx41(3115-3115)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - May [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	5389
0	No	6788
1	Yes	102
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX161 = 55)

sayx42(3116-3116)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - June [interview

yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	6522
0	No	5699
1	Yes	58
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX165 = 55)

sayx43(3117-3117)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - July [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	7063
0	No	5172
1	Yes	44
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX169 = 55)

sayx44(3118-3118)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Aug [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	8057
0	No	4177

1	Yes	45
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX173 = 55)

sayx45(3119-3119)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Sept [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	9034
0	No	3212
1	Yes	33
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX177 = 55)

sayx46(3120-3120)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Oct [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	9776
0	No	2485
1	Yes	18
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX181 = 55)

sayx47(3121-3121)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Nov [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	10862
0	No	1415
1	Yes	2
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX185 = 55)

sayx48(3122-3122)

Variable Type : Computed

Description : Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Dec [interview yr] (computed in Flow Check E-44)

value	label	Total
.	INAPPLICABLE	11935
0	No	344
Total		12279

Universe : Applicable if R said she used the same method for the whole year (original response on ED-6 METHX189 = 55)

SIMSEQX1(3123-3123)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Jan [interview yr-3]

value	label	Total
.	INAPPLICABLE	11496
1	Same time	592
2	Different times	191
Total		12279

Universe : Applicable if R used two methods in January [interview yr - 3] (nummultx1 = 2)

SIMSEQX2(3124-3124)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Feb [interview yr-3]

value	label	Total
.	INAPPLICABLE	11482
1	Same time	614
2	Different times	183
Total		12279

Universe : Applicable if R used two methods in February [interview yr - 3] (nummultx2 = 2)

SIMSEQX3(3125-3125)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Mar [interview yr-3]

value	label	Total
.	INAPPLICABLE	11483
1	Same time	614
2	Different times	182
Total		12279

Universe : Applicable if R used two methods in March [interview yr - 3] (nummultx3 = 2)

SIMSEQX4(3126-3126)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - April [interview yr-3]

value	label	Total
.	INAPPLICABLE	11475
1	Same time	627
2	Different times	177
Total		12279

Universe : Applicable if R used two methods in April [interview yr - 3] (nummultx4 = 2)

SIMSEQX5(3127-3127)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - May [interview yr-3]

value	label	Total
.	INAPPLICABLE	11456
1	Same time	626
2	Different times	197
Total		12279

Universe : Applicable if R used two methods in May [interview yr - 3] (nummultx5 = 2)

SIMSEQX6(3128-3128)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - June [interview yr-3]

value	label	Total
.	INAPPLICABLE	11438
1	Same time	641
2	Different times	200
Total		12279

Universe : Applicable if R used two methods in June [interview yr - 3] (nummultx6 = 2)

SIMSEQ7(3129-3129)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - July [interview yr-3]

value	label	Total
.	INAPPLICABLE	11435
1	Same time	643
2	Different times	201
Total		12279

Universe : Applicable if R used two methods in July [interview yr - 3] (nummultx7 = 2)

SIMSEQ8(3130-3130)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Aug [interview yr-3]

value	label	Total
.	INAPPLICABLE	11452
1	Same time	628
2	Different times	199
Total		12279

Universe : Applicable if R used two methods in Aug [interview yr - 3] (nummultx8 = 2)

SIMSEQ9(3131-3131)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Sept [interview yr-3]

value	label	Total
-------	-------	-------

.	INAPPLICABLE	11462
1	Same time	620
2	Different times	197
	Total	12279

Universe : Applicable if R used two methods in September [interview yr - 3] (nummultx9 = 2)

SIMSEQX10(3132-3132)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Oct [interview yr-3]

value	label	Total
.	INAPPLICABLE	11444
1	Same time	634
2	Different times	201
	Total	12279

Universe : Applicable if R used two methods in October [interview yr - 3] (nummultx10 = 2)

SIMSEQX11(3133-3133)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Nov [interview yr-3]

value	label	Total
.	INAPPLICABLE	11434
1	Same time	646
2	Different times	199
	Total	12279

Universe : Applicable if R used two methods in November [interview yr - 3] (nummultx11 = 2)

SIMSEQX12(3134-3134)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Dec [interview yr-3]

value	label	Total
.	INAPPLICABLE	11427
1	Same time	659
2	Different times	193
Total		12279

Universe : Applicable if R used two methods in December [interview yr - 3] (nummultx12 = 2)

SIMSEQX13(3135-3135)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Jan [interview yr-2]

value	label	Total
.	INAPPLICABLE	11420
1	Same time	654
2	Different times	205
Total		12279

Universe : Applicable if R used two methods in January [interview yr - 2] (nummultx13 = 2)

SIMSEQX14(3136-3136)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Feb [interview yr-2]

value	label	Total
.	INAPPLICABLE	11405
1	Same time	657
2	Different times	217
Total		12279

Universe : Applicable if R used two methods in February [interview yr - 2] (nummultx14 = 2)

SIMSEQX15(3137-3137)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Mar [interview yr-2]

value	label	Total
.	INAPPLICABLE	11426
1	Same time	645
2	Different times	208
Total		12279

Universe : Applicable if R used two methods in March [interview yr - 2] (nummultx15 = 2)

SIMSEQX16(3138-3138)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - April [interview yr-2]

value	label	Total
.	INAPPLICABLE	11418
1	Same time	655
2	Different times	206
Total		12279

Universe : Applicable if R used two methods in April [interview yr - 2] (nummultx16 = 2)

SIMSEQX17(3139-3139)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - May [interview yr-2]

value	label	Total
-------	-------	-------

.	INAPPLICABLE	11399
1	Same time	670
2	Different times	210
Total		12279

Universe : Applicable if R used two methods in May [interview yr - 2] (nummultx17 = 2)

SIMSEQX18(3140-3140)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - June [interview yr-2]

value	label	Total
.	INAPPLICABLE	11393
1	Same time	668
2	Different times	218
Total		12279

Universe : Applicable if R used two methods in June [interview yr - 2] (nummultx18 = 2)

SIMSEQX19(3141-3141)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - July [interview yr-2]

value	label	Total
.	INAPPLICABLE	11370
1	Same time	689
2	Different times	220
Total		12279

Universe : Applicable if R used two methods in July [interview yr - 2] (nummultx19 = 2)

SIMSEQX20(3142-3142)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Aug [interview yr-2]

value	label	Total
.	INAPPLICABLE	11367
1	Same time	691
2	Different times	221
Total		12279

Universe : Applicable if R used two methods in Aug [interview yr - 2] (nummultx20 = 2)

SIMSEQX21(3143-3143)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Sept [interview yr-2]

value	label	Total
.	INAPPLICABLE	11385
1	Same time	676
2	Different times	218
Total		12279

Universe : Applicable if R used two methods in September [interview yr - 2] (nummultx21 = 2)

SIMSEQX22(3144-3144)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Oct [interview yr-2]

value	label	Total
.	INAPPLICABLE	11354
1	Same time	710
2	Different times	215
Total		12279

Universe : Applicable if R used two methods in October [interview yr - 2] (nummultx22 = 2)

SIMSEQX23(3145-3145)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Nov [interview yr-2]

value	label	Total
.	INAPPLICABLE	11386
1	Same time	683
2	Different times	210
Total		12279

Universe : Applicable if R used two methods in November [interview yr - 2] (nummultx23 = 2)

SIMSEQX24(3146-3146)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Dec [interview yr-2]

value	label	Total
.	INAPPLICABLE	11341
1	Same time	713
2	Different times	225
Total		12279

Universe : Applicable if R used two methods in December [interview yr - 2] (nummultx24 = 2)

SIMSEQX25(3147-3147)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Jan [interview yr-1]

value	label	Total
-------	-------	-------

.	INAPPLICABLE	11365
1	Same time	693
2	Different times	221
	Total	12279

Universe : Applicable if R used two methods in January [interview yr - 1] (nummultx25 = 2)

SIMSEQX26(3148-3148)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Feb [interview yr-1]

value	label	Total
.	INAPPLICABLE	11348
1	Same time	713
2	Different times	218
	Total	12279

Universe : Applicable if R used two methods in February [interview yr - 1] (nummultx26 = 2)

SIMSEQX27(3149-3149)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Mar [interview yr-1]

value	label	Total
.	INAPPLICABLE	11367
1	Same time	701
2	Different times	211
	Total	12279

Universe : Applicable if R used two methods in March [interview yr - 1] (nummultx27 = 2)

SIMSEQX28(3150-3150)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - April [interview yr-1]

value	label	Total
.	INAPPLICABLE	11377
1	Same time	690
2	Different times	212
Total		12279

Universe : Applicable if R used two methods in April [interview yr - 1] (nummultx28 = 2)

SIMSEQX29(3151-3151)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - May [interview yr-1]

value	label	Total
.	INAPPLICABLE	11369
1	Same time	695
2	Different times	215
Total		12279

Universe : Applicable if R used two methods in May [interview yr - 1] (nummultx29 = 2)

SIMSEQX30(3152-3152)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - June [interview yr-1]

value	label	Total
.	INAPPLICABLE	11325
1	Same time	735
2	Different times	219
Total		12279

Universe : Applicable if R used two methods in June [interview yr - 1] (nummultx30 = 2)

SIMSEQX31(3153-3153)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - July [interview yr-1]

value	label	Total
.	INAPPLICABLE	11298
1	Same time	761
2	Different times	220
Total		12279

Universe : Applicable if R used two methods in July [interview yr - 1] (nummultx31 = 2)

SIMSEQX32(3154-3154)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Aug [interview yr-1]

value	label	Total
.	INAPPLICABLE	11316
1	Same time	752
2	Different times	211
Total		12279

Universe : Applicable if R used two methods in Aug [interview yr - 1] (nummultx32 = 2)

SIMSEQX33(3155-3155)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Sept [interview yr-1]

value	label	Total
-------	-------	-------

.	INAPPLICABLE	11334
1	Same time	735
2	Different times	210
	Total	12279

Universe : Applicable if R used two methods in September [interview yr - 1] (nummultx33 = 2)

SIMSEQ34(3156-3156)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Oct [interview yr-1]

value	label	Total
.	INAPPLICABLE	11298
1	Same time	774
2	Different times	207
	Total	12279

Universe : Applicable if R used two methods in October [interview yr - 1] (nummultx34 = 2)

SIMSEQ35(3157-3157)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Nov [interview yr-1]

value	label	Total
.	INAPPLICABLE	11277
1	Same time	782
2	Different times	220
	Total	12279

Universe : Applicable if R used two methods in November [interview yr - 1] (nummultx35 = 2)

SIMSEQ36(3158-3158)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Dec [interview yr-1]

value	label	Total
.	INAPPLICABLE	11266
1	Same time	797
2	Different times	216
Total		12279

Universe : Applicable if R used two methods in December [interview yr - 1] (nummultx36 = 2)

SIMSEQX37(3159-3159)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Jan [interview yr]

value	label	Total
.	INAPPLICABLE	11264
1	Same time	787
2	Different times	228
Total		12279

Universe : Applicable if R used two methods in January [interview yr] (nummultx37 = 2)

SIMSEQX38(3160-3160)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Feb [interview yr]

value	label	Total
.	INAPPLICABLE	11374
1	Same time	704
2	Different times	201
Total		12279

Universe : Applicable if R used two methods in February [interview yr] (nummultx38 = 2)

SIMSEQX39(3161-3161)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Mar [interview yr]

value	label	Total
.	INAPPLICABLE	11461
1	Same time	632
2	Different times	186
Total		12279

Universe : Applicable if R used two methods in March [interview yr] (nummultx39 = 2)

SIMSEQX40(3162-3162)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - April [interview yr]

value	label	Total
.	INAPPLICABLE	11529
1	Same time	591
2	Different times	159
Total		12279

Universe : Applicable if R used two methods in April [interview yr] (nummultx40 = 2)

SIMSEQX41(3163-3163)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - May [interview yr]

value	label	Total
-------	-------	-------

.	INAPPLICABLE	11605
1	Same time	529
2	Different times	145
	Total	12279

Universe : Applicable if R used two methods in May [interview yr] (nummultx41 = 2)

SIMSEQX42(3164-3164)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - June [interview yr]

value	label	Total
.	INAPPLICABLE	11729
1	Same time	437
2	Different times	113
	Total	12279

Universe : Applicable if R used two methods in June [interview yr] (nummultx42 = 2)

SIMSEQX43(3165-3165)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - July [interview yr]

value	label	Total
.	INAPPLICABLE	11779
1	Same time	394
2	Different times	106
	Total	12279

Universe : Applicable if R used two methods in July [interview yr] (nummultx43 = 2)

SIMSEQX44(3166-3166)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Aug [interview yr]

value	label	Total
.	INAPPLICABLE	11890
1	Same time	299
2	Different times	90
	Total	12279

Universe : Applicable if R used two methods in Aug [interview yr] (nummultx44 = 2)

SIMSEQX45(3167-3167)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Sept [interview yr]

value	label	Total
.	INAPPLICABLE	11963
1	Same time	248
2	Different times	68
	Total	12279

Universe : Applicable if R used two methods in September [interview yr] (nummultx45 = 2)

SIMSEQX46(3168-3168)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Oct [interview yr]

value	label	Total
.	INAPPLICABLE	12044
1	Same time	185
2	Different times	50
	Total	12279

Universe : Applicable if R used two methods in October [interview yr] (nummultx46 = 2)

SIMSEQX47(3169-3169)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Nov [interview yr]

value	label	Total
.	INAPPLICABLE	12157
1	Same time	100
2	Different times	22
Total		12279

Universe : Applicable if R used two methods in November [interview yr] (nummultx47 = 2)

SIMSEQX48(3170-3170)

Variable Type : Raw

Description : ED-10 Use Methods Together or at Different Times - Dec [interview yr]

value	label	Total
.	INAPPLICABLE	12252
1	Same time	20
2	Different times	7
Total		12279

Universe : Applicable if R used two methods in December [interview yr] (nummultx48 = 2)

MTHSIMX1(3171-3172)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Jan [interview yr-3])

value label	Total
. INAPPLICABLE	12237
1 None	3
3 Birth control pills	16
4 Condom	12
7 Withdrawal, pulling out	5
10 Rhythm or safe period by calendar	3
12 Diaphragm	1
14 Foam	1
19 IUD, coil, or loop	1
Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 3] (nummultx1 > 2)

MTHSIMX2(3173-3174)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Jan [interview yr-3])

value label	Total
. INAPPLICABLE	12241
4 Condom	16
7 Withdrawal, pulling out	10
10 Rhythm or safe period by calendar	6
11 Safe period by temperature or cervical mucus test, natural family planning	3
14 Foam	2
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 3] (nummultx1 > 2) and R used at least 2 methods in the first method combination (MTHSIMX1 ne 1)

MTHSIMX3(3175-3176)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Jan [interview yr-3])

value	label	Total
.	INAPPLICABLE	12255
4	Condom	1
7	Withdrawal, pulling out	10
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	4
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	3
15	Jelly or cream	4
	Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 3] (nummultx1 > 2) and R used at least 2 methods in the first method combination (MTHSIMX1 ne 1)

MTHSIMX4(3177-3178)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - Jan [interview yr-3])

value	label	Total
.	INAPPLICABLE	12274
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
15	Jelly or cream	3
	Total	12279

Universe : Applicable if R used at least 4 methods in January [interview yr - 3] (nummultx1 > 3) and R used at least 3 methods in first method combination (MTHSIMX3 ne 1)

MTHSIMX5(3179-3180)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - Jan [interview yr-3])

value	label	Total
.	INAPPLICABLE	12240
1	None	21
3	Birth control pills	9
4	Condom	4
7	Withdrawal, pulling out	1
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
14	Foam	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 3] (nummultx1 > 2)

MTHSIMX6(3181-3182)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Jan [interview yr-3])

value	label	Total
.	INAPPLICABLE	12262
4	Condom	2
7	Withdrawal, pulling out	10
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 3] (nummultx1 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX5 ne 1)

MTHSIMX7(3183-3184)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Jan [interview yr-3])

value label	Total
. INAPPLICABLE	12274
4 Condom	1
7 Withdrawal, pulling out	3
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 3] (nummultx1 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX5 ne 1)

MTHSIMX8(3185-3185)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - Jan [interview yr-3])

value label	Total
. INAPPLICABLE	12279
Total	12279

Universe : Applicable if R used at least 4 methods in January [interview yr - 3] (nummultx1 > 3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination (MTHSIMX7 ne 1)

MTHSIMX9(3186-3187)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 3rd combo - Jan [interview yr-3])

value	label	Total
.	INAPPLICABLE	12277
4	Condom	1
10	Rhythm or safe period by calendar	1
	Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 3] (nummultx1 > 2)

MTHSIMX10(3188-3189)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 3rd combo - Jan [interview yr-3])

value	label	Total
.	INAPPLICABLE	12277
7	Withdrawal, pulling out	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
	Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 3] (nummultx1 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX9 ne 1)

MTHSIMX11(3190-3191)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (3rd method used in 3rd combo - Jan [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1

Total	12279
--------------	--------------

Universe : Applicable if R used at least 3 methods in January [interview yr - 3] (nummultx1 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX9 ne 1)

MTHSIMX12(3192-3193)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - Jan [interview yr-3])

value label	Total
. INAPPLICABLE	12278
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in January [interview yr - 3] (nummultx1 > 3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination (MTHSIMX11 ne 1)

MTHSIMX13(3194-3195)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Feb [interview yr-3])

value label	Total
. INAPPLICABLE	12233
1 None	5
3 Birth control pills	16
4 Condom	16
7 Withdrawal, pulling out	4
10 Rhythm or safe period by calendar	2
14 Foam	1
19 IUD, coil, or loop	1

25	Contraceptive patch	1
Total		12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 3] (nummultx2 > 2)

MTHSIMX14(3196-3197)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Feb [interview yr-3])

value label	Total
. INAPPLICABLE	12238
4 Condom	18
7 Withdrawal, pulling out	9
10 Rhythm or safe period by calendar	7
11 Safe period by temperature or cervical mucus test, natural family planning	2
12 Diaphragm	1
14 Foam	2
15 Jelly or cream	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 3] (nummultx2 > 2) and R used at least 2 methods in the first method combination (MTHSIMX13 ne 1)

MTHSIMX15(3198-3199)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Feb [interview yr-3])

value label	Total
. INAPPLICABLE	12250

4	Condom	1
7	Withdrawal, pulling out	13
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	4
11	Safe period by temperature or cervical mucus test, natural family planning	3
12	Diaphragm	3
15	Jelly or cream	3
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 3] (nummultx2 > 2) and R used at least 2 methods in the first method combination (MTHSIMX13 ne 1)

MTHSIMX16(3200-3201)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - Feb [interview yr-3])

value	label	Total
.	INAPPLICABLE	12275
7	Withdrawal, pulling out	1
15	Jelly or cream	3
	Total	12279

Universe : Applicable if R used at least 4 methods in February [interview yr - 3] (nummultx2 > 3) and R used at least 3 methods in first method combination (MTHSIMX15 ne 1)

MTHSIMX17(3202-3203)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - Feb [interview yr-3])

value label	Total
. INAPPLICABLE	12238
1 None	25
3 Birth control pills	7
4 Condom	3
7 Withdrawal, pulling out	2
10 Rhythm or safe period by calendar	1
12 Diaphragm	1
14 Foam	1
19 IUD, coil, or loop	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 3] (nummultx2 > 2)

MTHSIMX18(3204-3205)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Feb [interview yr-3])

value label	Total
. INAPPLICABLE	12263
4 Condom	3
7 Withdrawal, pulling out	9
10 Rhythm or safe period by calendar	2
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 3] (nummultx2 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX17 ne 1)

MTHSIMX19(3206-3207)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (3rd method used in 2nd combo - Feb [interview yr-3])

value	label	Total
.	INAPPLICABLE	12272
4	Condom	1
7	Withdrawal, pulling out	2
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
15	Jelly or cream	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 3] (nummultx2 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX17 ne 1)

MTHSIMX20(3208-3209)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (4th method used in 2nd combo - Feb [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in February [interview yr - 3] (nummultx2 > 3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination (MTHSIMX19 ne 1)

MTHSIMX21(3210-3210)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 3rd combo - Feb [interview yr-3])

value	label	Total
.	INAPPLICABLE	12277
1	None	2
	Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 3] (nummultx2 > 2)

MTHSIMX22(3211-3211)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Feb [interview yr-3])

value	label	Total
.	INAPPLICABLE	12279
	Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 3] (nummultx2 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX21 ne 1)

MTHSIMX23(3212-3212)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Feb [interview yr-3])

value	label	Total
.	INAPPLICABLE	12279
	Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 3] (nummultx2 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX21 ne 1)

MTHSIMX24(3213-3213)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - Feb [interview yr-3])

value	label	Total
.	INAPPLICABLE	12279
	Total	12279

Universe : Applicable if R used at least 4 methods in February [interview yr - 3] (nummultx2 > 3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination (MTHSIMX23 ne 1)

MTHSIMX25(3214-3215)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - March [interview yr-3])

value	label	Total
.	INAPPLICABLE	12232
1	None	9
3	Birth control pills	15
4	Condom	15
7	Withdrawal, pulling out	4
10	Rhythm or safe period by calendar	1
14	Foam	1
19	IUD, coil, or loop	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 3] (nummultx3 > 2)

MTHSIMX26(3216-3217)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 1st combo - March [interview yr-3])

value	label	Total
.	INAPPLICABLE	12241
3	Birth control pills	1
4	Condom	16
7	Withdrawal, pulling out	8
10	Rhythm or safe period by calendar	6
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	2
14	Foam	2
20	Emergency contraception	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 3] (nummultx3 > 2) and R used at least 2 methods in the first method combination (MTHSIMX25 ne 1)

MTHSIMX27(3218-3219)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (3rd method used in 1st combo - March [interview yr-3])

value	label	Total
.	INAPPLICABLE	12255
4	Condom	2
7	Withdrawal, pulling out	10
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	3
12	Diaphragm	1
15	Jelly or cream	4

Total

12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 3] (nummultx3 > 2) and R used at least 2 methods in the first method combination (MTHSIMX25 ne 1)

MTHSIMX28(3220-3221)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - March [interview yr-3])

value	label	Total
.	INAPPLICABLE	12277
15	Jelly or cream	2
	Total	12279

Universe : Applicable if R used at least 4 methods in March [interview yr - 3] (nummultx3 > 3) and R used at least 3 methods in first method combination (MTHSIMX27 ne 1)

MTHSIMX29(3222-3223)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - March [interview yr-3])

value	label	Total
.	INAPPLICABLE	12241
1	None	20
3	Birth control pills	9
4	Condom	3
7	Withdrawal, pulling out	2
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
14	Foam	1

19	IUD, coil, or loop	1
Total		12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 3] (nummultx3 > 2)

MTHSIMX30(3224-3225)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - March [interview yr-3])

value label	Total
. INAPPLICABLE	12262
4 Condom	2
7 Withdrawal, pulling out	10
10 Rhythm or safe period by calendar	2
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 3] (nummultx3 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX29 ne 1)

MTHSIMX31(3226-3227)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - March [interview yr-3])

value label	Total
. INAPPLICABLE	12272
4 Condom	1
7 Withdrawal, pulling out	2

10	Rhythm or safe period by calendar	1
12	Diaphragm	1
15	Jelly or cream	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 3] (nummultx3 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX29 ne 1)

MTHSIMX32(3228-3229)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - March [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in March [interview yr - 3] (nummultx3 > 3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination (MTHSIMX31 ne 1)

MTHSIMX33(3230-3231)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - March [interview yr-3])

value	label	Total
.	INAPPLICABLE	12275
1	None	2
10	Rhythm or safe period by calendar	2
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 3] (nummultx3 > 2)

MTHSIMX34(3232-3233)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - March [interview yr-3])

value	label	Total
.	INAPPLICABLE	12277
11	Safe period by temperature or cervical mucus test, natural family planning	2
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 3] (nummultx3 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX33 ne 1)

MTHSIMX35(3234-3235)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - March [interview yr-3])

value	label	Total
.	INAPPLICABLE	12277
12	Diaphragm	2
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 3] (nummultx3 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX33 ne 1)

MTHSIMX36(3236-3237)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - March [interview yr-3])

value	label	Total
.	INAPPLICABLE	12277
15	Jelly or cream	2
	Total	12279

Universe : Applicable if R used at least 4 methods in March [interview yr - 3] (nummultx3 > 3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination (MTHSIMX35 ne 1)

MTHSIMX37(3238-3239)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - April [interview yr-3])

value	label	Total
.	INAPPLICABLE	12234
1	None	10
3	Birth control pills	10
4	Condom	17
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	1
14	Foam	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 3] (nummultx4 > 2)

MTHSIMX38(3240-3241)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - April [interview yr-3])

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12244
4	Condom	11
5	Partner's vasectomy	1
7	Withdrawal, pulling out	11
10	Rhythm or safe period by calendar	6
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	2
14	Foam	1
25	Contraceptive patch	2
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 3] (nummultx4 > 2) and R used at least 2 methods in the first method combination (MTHSIMX37 ne 1)

MTHSIMX39(3242-3243)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - April [interview yr-3])

value	label	Total
.	INAPPLICABLE	12256
4	Condom	1
7	Withdrawal, pulling out	8
8	Depo-Provera, injectables	2
10	Rhythm or safe period by calendar	5
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	1
15	Jelly or cream	2
20	Emergency contraception	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 3] (nummultx4 > 2) and R used at

least 2 methods in the first method combination (MTHSIMX37 ne 1)

MTHSIMX40(3244-3245)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - April [interview yr-3])

value label	Total
. INAPPLICABLE	12276
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	2
Total	12279

Universe : Applicable if R used at least 4 methods in April [interview yr - 3] (nummultx4 > 3) and R used at least 3 methods in first method combination (MTHSIMX39 ne 1)

MTHSIMX41(3246-3247)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - April [interview yr-3])

value label	Total
. INAPPLICABLE	12244
1 None	19
3 Birth control pills	6
4 Condom	5
7 Withdrawal, pulling out	2
10 Rhythm or safe period by calendar	1
12 Diaphragm	1
19 IUD, coil, or loop	1
Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 3] (nummultx4 > 2)

MTHSIMX42(3248-3249)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - April [interview yr-3])

value label	Total
. INAPPLICABLE	12265
4 Condom	2
7 Withdrawal, pulling out	7
10 Rhythm or safe period by calendar	2
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 3] (nummultx4 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX41 ne 1)

MTHSIMX43(3250-3251)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - April [interview yr-3])

value label	Total
. INAPPLICABLE	12272
7 Withdrawal, pulling out	2
10 Rhythm or safe period by calendar	3
12 Diaphragm	1
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 3] (nummultx4 > 3) and R used at

least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX41 ne 1)

MTHSIMX44(3252-3253)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - April [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in April [interview yr - 3] (nummultx4 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX43 ne 1)

MTHSIMX45(3254-3255)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - April [interview yr-3])

value	label	Total
.	INAPPLICABLE	12276
1	None	2
10	Rhythm or safe period by calendar	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 3] (nummultx4 > 2)

MTHSIMX46(3256-3257)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - April [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 3] (nummultx4 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX45 ne 1)

MTHSIMX47(3258-3259)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - April [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 3] (nummultx4 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX45 ne 1)

MTHSIMX48(3260-3261)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - April [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in April [interview yr - 3] (nummultx4 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX47 ne 1)

MTHSIMX49(3262-3263)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - May [interview yr-3])

value label	Total
. INAPPLICABLE	12223
1 None	10
3 Birth control pills	14
4 Condom	17
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	9
10 Rhythm or safe period by calendar	2
14 Foam	1
19 IUD, coil, or loop	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 3] (nummultx5 > 2)

MTHSIMX50(3264-3265)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - May [interview yr-3])

value label	Total
. INAPPLICABLE	12234
4 Condom	15
5 Partner's vasectomy	1
7 Withdrawal, pulling out	12
10 Rhythm or safe period by calendar	9
11 Safe period by temperature or cervical mucus test, natural family planning	2

14	Foam	1
20	Emergency contraception	2
25	Contraceptive patch	3
	Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 3] (nummultx5 > 2) and R used at least 2 methods in the first method combination (MTHSIMX49 ne 1)

MTHSIMX51(3266-3267)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - May [interview yr-3])

value	label	Total
.	INAPPLICABLE	12251
4	Condom	1
5	Partner's vasectomy	1
7	Withdrawal, pulling out	9
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	6
11	Safe period by temperature or cervical mucus test, natural family planning	3
12	Diaphragm	3
15	Jelly or cream	1
20	Emergency contraception	1
26	Vaginal contraceptive ring	2
	Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 3] (nummultx5 > 2) and R used at least 2 methods in the first method combination (MTHSIMX49 ne 1)

MTHSIMX52(3268-3269)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (4th method used in 1st combo - May [interview yr-3])

value	label	Total
.	INAPPLICABLE	12275
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	3
	Total	12279

Universe : Applicable if R used at least 4 methods in May [interview yr - 3] (nummultx5 > 3) and R used at least 3 methods in first method combination (MTHSIMX51 ne 1)

MTHSIMX53(3270-3271)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 2nd combo - May [interview yr-3])

value	label	Total
.	INAPPLICABLE	12233
1	None	27
3	Birth control pills	7
4	Condom	4
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	4
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 3] (nummultx5 > 2)

MTHSIMX54(3272-3273)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 2nd combo - May [interview yr-3])

value	label	Total
.	INAPPLICABLE	12262
4	Condom	4
5	Partner's vasectomy	1
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	4
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 3] (nummultx5 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX53 ne 1)

MTHSIMX55(3274-3275)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (3rd method used in 2nd combo - May [interview yr-3])

value	label	Total
.	INAPPLICABLE	12274
7	Withdrawal, pulling out	2
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 3] (nummultx5 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX53 ne 1)

MTHSIMX56(3276-3277)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - May [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in May [interview yr - 3] (nummultx5 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX55 ne 1)

MTHSIMX57(3278-3279)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - May [interview yr-3])

value	label	Total
.	INAPPLICABLE	12275
1	None	3
10	Rhythm or safe period by calendar	1
	Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 3] (nummultx5 > 2)

MTHSIMX58(3280-3281)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - May [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278

11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 3] (nummultx5 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX57 ne 1)

MTHSIMX59(3282-3283)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - May [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 3] (nummultx5 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX57 ne 1)

MTHSIMX60(3284-3285)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - May [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 4 methods in May [interview yr - 3] (nummultx5 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX59 ne 1)

MTHSIMX61(3286-3287)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - June [interview yr-3])

value	label	Total
.	INAPPLICABLE	12228
1	None	9
3	Birth control pills	13
4	Condom	19
5	Partner's vasectomy	1
7	Withdrawal, pulling out	6
10	Rhythm or safe period by calendar	2
14	Foam	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 3] (nummultx6 > 2)

MTHSIMX62(3288-3289)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - June [interview yr-3])

value	label	Total
.	INAPPLICABLE	12238
4	Condom	12
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	13
10	Rhythm or safe period by calendar	7
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	1
14	Foam	1
20	Emergency contraception	1
25	Contraceptive patch	2

Total	12279
--------------	--------------

Universe : Applicable if R used at least 3 methods in June [interview yr - 3] (nummultx6 > 2) and R used at least 2 methods in the first method combination (MTHSIMX61 ne 1)

MTHSIMX63(3290-3291)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - June [interview yr-3])

value label	Total
. INAPPLICABLE	12253
7 Withdrawal, pulling out	7
8 Depo-Provera, injectables	1
10 Rhythm or safe period by calendar	9
11 Safe period by temperature or cervical mucus test, natural family planning	2
12 Diaphragm	2
15 Jelly or cream	1
20 Emergency contraception	1
25 Contraceptive patch	1
26 Vaginal contraceptive ring	2
Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 3] (nummultx6 > 2) and R used at least 2 methods in the first method combination (MTHSIMX61 ne 1)

MTHSIMX64(3292-3293)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - June [interview yr-3])

value label	Total
--------------------	--------------

.	INAPPLICABLE	12275
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	3
	Total	12279

Universe : Applicable if R used at least 4 methods in June [interview yr - 3] (nummultx6 > 3) and R used at least 3 methods in first method combination (MTHSIMX63 ne 1)

MTHSIMX65(3294-3295)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - June [interview yr-3])

value	label	Total
.	INAPPLICABLE	12237
1	None	24
3	Birth control pills	8
4	Condom	2
5	Partner's vasectomy	1
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 3] (nummultx6 > 2)

MTHSIMX66(3296-3297)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - June [interview yr-3])

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12262
4	Condom	4
7	Withdrawal, pulling out	7
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 3] (nummultx6 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX65 ne 1)

MTHSIMX67(3298-3299)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - June [interview yr-3])

value label	Total	
.	INAPPLICABLE	12274
7	Withdrawal, pulling out	2
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 3] (nummultx6 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX65 ne 1)

MTHSIMX68(3300-3301)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - June [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in June [interview yr - 3] (nummultx6 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX67 ne 1)

MTHSIMX69(3302-3303)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - June [interview yr-3])

value	label	Total
.	INAPPLICABLE	12276
1	None	2
10	Rhythm or safe period by calendar	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 3] (nummultx6 > 2)

MTHSIMX70(3304-3305)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - June [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 3] (nummultx6 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX69 ne 1)

MTHSIMX71(3306-3307)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - June [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 3] (nummultx6 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX69 ne 1)

MTHSIMX72(3308-3309)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - June [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in June [interview yr - 3] (nummultx6 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX71 ne 1)

MTHSIMX73(3310-3311)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - July [interview yr-3])

value label	Total	
.	INAPPLICABLE	12222
1	None	12
3	Birth control pills	15
4	Condom	21
5	Partner's vasectomy	1
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	2
14	Foam	1
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 3] (nummultx7 > 2)

MTHSIMX74(3312-3313)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - July [interview yr-3])

value label	Total	
.	INAPPLICABLE	12235
4	Condom	14
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	13
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	7
11	Safe period by temperature or cervical mucus test, natural family planning	2
14	Foam	1
15	Jelly or cream	1
25	Contraceptive patch	3
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 3] (nummultx6 > 2) and R used at least 2 methods in the first method combination (MTHSIMX73 ne 1)

MTHSIMX75(3314-3315)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - July [interview yr-3])

value	label	Total
.	INAPPLICABLE	12252
7	Withdrawal, pulling out	7
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	7
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	3
14	Foam	1
15	Jelly or cream	1
20	Emergency contraception	2
25	Contraceptive patch	1
26	Vaginal contraceptive ring	2
Total		12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 3] (nummultx7 > 2) and R used at least 2 methods in the first method combination (MTHSIMX73 ne 1)

MTHSIMX76(3316-3317)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - July [interview yr-3])

value	label	Total
.	INAPPLICABLE	12275
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	3
Total		12279

Universe : Applicable if R used at least 4 methods in July [interview yr - 3] (nummultx7 > 2) and R used at least 2 methods in the first method combination (MTHSIMX75 ne 1)

MTHSIMX77(3318-3319)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - July [interview yr-3])

value label	Total
. INAPPLICABLE	12234
1 None	26
3 Birth control pills	11
4 Condom	2
7 Withdrawal, pulling out	4
10 Rhythm or safe period by calendar	1
12 Diaphragm	1
Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 3] (nummultx7 > 2)

MTHSIMX78(3320-3321)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - July [interview yr-3])

value label	Total
. INAPPLICABLE	12262
4 Condom	5
7 Withdrawal, pulling out	6
10 Rhythm or safe period by calendar	3
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1

25	Contraceptive patch	1
Total		12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 3] (nummultx7 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX77 ne 1)

MTHSIMX79(3322-3323)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - July [interview yr-3])

value	label	Total
.	INAPPLICABLE	12274
7	Withdrawal, pulling out	3
12	Diaphragm	1
20	Emergency contraception	1
Total		12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 3] (nummultx7 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX77 ne 1)

MTHSIMX80(3324-3325)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - July [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 4 methods in July [interview yr - 3] (nummultx7 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX79 ne 1)

MTHSIMX81(3326-3327)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - July [interview yr-3])

value	label	Total
.	INAPPLICABLE	12276
1	None	2
10	Rhythm or safe period by calendar	1
Total		12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 3] (nummultx7 > 2)

MTHSIMX82(3328-3329)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - July [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 3] (nummultx7 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX81 ne 1)

MTHSIMX83(3330-3331)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - July [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 3] (nummultx7 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX81 ne 1)

MTHSIMX84(3332-3333)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - July [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in July [interview yr - 3] (nummultx7 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX83 ne 1)

MTHSIMX85(3334-3335)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Aug [interview yr-3])

value	label	Total
.	INAPPLICABLE	12224
1	None	11
3	Birth control pills	15
4	Condom	21
5	Partner's vasectomy	1

7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	1
19	IUD, coil, or loop	1
Total		12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 3] (nummultx8 = 2)

MTHSIMX86(3336-3337)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Aug [interview yr-3])

value	label	Total
.	INAPPLICABLE	12235
4	Condom	16
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	13
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	7
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
19	IUD, coil, or loop	1
25	Contraceptive patch	2
Total		12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 3] (nummultx8 > 2) and R used at least 2 methods in the first method combination (MTHSIMX85 ne 1)

MTHSIMX87(3338-3339)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Aug [interview yr-3])

value label	Total
. INAPPLICABLE	12251
7 Withdrawal, pulling out	9
8 Depo-Provera, injectables	1
10 Rhythm or safe period by calendar	8
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	2
14 Foam	2
15 Jelly or cream	1
20 Emergency contraception	1
25 Contraceptive patch	1
26 Vaginal contraceptive ring	2
Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 3] (nummultx8 > 2) and R used at least 2 methods in the first method combination (MTHSIMX85 ne 1)

MTHSIMX88(3340-3341)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Aug [interview yr-3])

value label	Total
. INAPPLICABLE	12276
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	2
Total	12279

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 3] (nummultx8 > 3) and R used at least 3 methods in first method combination (MTHSIMX87 ne 1)

MTHSIMX89(3342-3343)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 2nd combo - Aug [interview yr-3])

value	label	Total
.	INAPPLICABLE	12235
1	None	27
3	Birth control pills	10
4	Condom	1
7	Withdrawal, pulling out	3
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 3] (nummultx8 > 2)

MTHSIMX90(3344-3345)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 2nd combo - Aug [interview yr-3])

value	label	Total
.	INAPPLICABLE	12262
4	Condom	3
7	Withdrawal, pulling out	9
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 3] (nummultx8 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX89 ne 1)

MTHSIMX91(3346-3347)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Aug [interview yr-3])

value	label	Total
.	INAPPLICABLE	12275
7	Withdrawal, pulling out	3
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 3] (nummultx8 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX89 ne 1)

MTHSIMX92(3348-3349)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - Aug [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 3] (nummultx8 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX91 ne 1)

MTHSIMX93(3350-3351)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - Aug [interview yr-3])

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12275
1	None	3
10	Rhythm or safe period by calendar	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 3] (nummultx8 > 2)

MTHSIMX94(3352-3353)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Aug [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 3] (nummultx8 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX93 ne 1)

MTHSIMX95(3354-3355)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Aug [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 3] (nummultx8 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX93 ne 1)

MTHSIMX96(3356-3357)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - Aug [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 3] (nummultx8 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX95 ne 1)

MTHSIMX97(3358-3359)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Sept [interview yr-3])

value	label	Total
.	INAPPLICABLE	12221
1	None	11
3	Birth control pills	17
4	Condom	23
5	Partner's vasectomy	1
7	Withdrawal, pulling out	3
10	Rhythm or safe period by calendar	1
14	Foam	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 3] (nummultx9 > 2)

MTHSIMX98(3360-3361)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Sept [interview yr-3])

value	label	Total
.	INAPPLICABLE	12233
4	Condom	17
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	15
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	8
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 3] (nummultx9 > 2) and R used at least 2 methods in the first method combination (MTHSIMX97 ne 1)

MTHSIMX99(3362-3363)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Sept [interview yr-3])

value	label	Total
.	INAPPLICABLE	12251
5	Partner's vasectomy	1
7	Withdrawal, pulling out	7
8	Depo-Provera, injectables	3
10	Rhythm or safe period by calendar	7
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	2
14	Foam	2

15	Jelly or cream	2
19	IUD, coil, or loop	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 3] (nummultx9 > 2) and R used at least 2 methods in the first method combination (MTHSIMX97 ne 1)

MTHSIMX100(3364-3365)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Sept [interview yr-3])

value label	Total
. INAPPLICABLE	12276
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	2
Total	12279

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 3] (nummultx9 > 3) and R used at least 3 methods in first method combination (MTHSIMX99 ne 1)

MTHSIMX101(3366-3367)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Sept [interview yr-3])

value label	Total
. INAPPLICABLE	12232
1 None	26
3 Birth control pills	11
4 Condom	2

5	Partner's vasectomy	1
7	Withdrawal, pulling out	3
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
14	Foam	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 3] (nummultx9 > 2)

MTHSIMX102(3368-3369)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Sept [interview yr-3])

value label	Total
. INAPPLICABLE	12258
4 Condom	4
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	11
10 Rhythm or safe period by calendar	3
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 3] (nummultx9 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX101 ne 1)

MTHSIMX103(3370-3371)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Sept [interview yr-3])

value	label	Total
.	INAPPLICABLE	12272
7	Withdrawal, pulling out	5
12	Diaphragm	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 3] (nummultx9 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX101 ne 1)

MTHSIMX104(3372-3373)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Sept [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 3] (nummultx9 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX103 ne 1)

MTHSIMX105(3374-3375)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Sept [interview yr-3])

value	label	Total
.	INAPPLICABLE	12275
1	None	3
10	Rhythm or safe period by calendar	1

Total	12279
--------------	--------------

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 3] (nummultx9 > 2)

MTHSIMX106(3376-3377)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Sept [interview yr-3])

value label	Total
. INAPPLICABLE	12278
11 Safe period by temperature or cervical mucus test, natural family planning	1
Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 3] (nummultx9 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX105 ne 1)

MTHSIMX107(3378-3379)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Sept [interview yr-3])

value label	Total
. INAPPLICABLE	12278
12 Diaphragm	1
Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 3] (nummultx9 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX105 ne 1)

MTHSIMX108(3380-3381)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (4th method used in 3rd combo - Sept [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 3] (nummultx9 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX107 ne 1)

MTHSIMX109(3382-3383)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 1st combo - Oct [interview yr-3])

value	label	Total
.	INAPPLICABLE	12223
1	None	11
3	Birth control pills	15
4	Condom	22
5	Partner's vasectomy	1
7	Withdrawal, pulling out	4
10	Rhythm or safe period by calendar	1
14	Foam	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 3] (nummultx10 > 2)

MTHSIMX110(3384-3385)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?

(2nd method used in 1st combo - Oct [interview yr-3])

value	label	Total
.	INAPPLICABLE	12235
3	Birth control pills	4
4	Condom	14
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	12
8	Depo-Provera, injectables	2
10	Rhythm or safe period by calendar	8
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 3] (nummultx10 > 2) and R used at least 2 methods in the first method combination (MTHSIMX109 ne 1)

MTHSIMX111(3386-3387)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Oct [interview yr-3])

value	label	Total
.	INAPPLICABLE	12251
4	Condom	1
7	Withdrawal, pulling out	10
8	Depo-Provera, injectables	2
10	Rhythm or safe period by calendar	4
11	Safe period by temperature or cervical mucus test, natural family planning	3
12	Diaphragm	2
14	Foam	3
15	Jelly or cream	1
20	Emergency contraception	1

25	Contraceptive patch	1
Total		12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 3] (nummultx10 > 2) and R used at least 2 methods in the first method combination (MTHSIMX109 ne 1)

MTHSIMX112(3388-3389)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Oct [interview yr-3])

value label	Total
. INAPPLICABLE	12276
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	2
Total	12279

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 3] (nummultx10 > 3) and R used at least 3 methods in first method combination (MTHSIMX111 ne 1)

MTHSIMX113(3390-3391)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Oct [interview yr-3])

value label	Total
. INAPPLICABLE	12234
1 None	21
3 Birth control pills	13
4 Condom	5
5 Partner's vasectomy	1
7 Withdrawal, pulling out	2

10	Rhythm or safe period by calendar	1
12	Diaphragm	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 3] (nummultx10 > 2)

MTHSIMX114(3392-3393)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Oct [interview yr-3])

value	label	Total
.	INAPPLICABLE	12256
4	Condom	8
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	8
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 3] (nummultx10 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX113 ne 1)

MTHSIMX115(3394-3395)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Oct [interview yr-3])

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12268
7	Withdrawal, pulling out	7
8	Depo-Provera, injectables	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
14	Foam	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 3] (nummultx10 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX113 ne 1)

MTHSIMX116(3396-3397)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Oct [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 3] (nummultx10 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX115 ne 1)

MTHSIMX117(3398-3399)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Oct [interview yr-3])

value	label	Total
.	INAPPLICABLE	12273
1	None	5

10	Rhythm or safe period by calendar	1
Total		12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 3] (nummultx10 > 2)

MTHSIMX118(3400-3401)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Oct [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 3] (nummultx10 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX117 ne 1)

MTHSIMX119(3402-3403)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Oct [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 3] (nummultx10 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX117 ne 1)

MTHSIMX120(3404-3405)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - Oct [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 3] (nummultx10 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX119 ne 1)

MTHSIMX121(3406-3407)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Nov [interview yr-3])

value	label	Total
.	INAPPLICABLE	12225
1	None	11
3	Birth control pills	19
4	Condom	16
5	Partner's vasectomy	1
7	Withdrawal, pulling out	4
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	1
14	Foam	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 3] (nummultx11 > 2)

MTHSIMX122(3408-3409)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 1st combo - Nov [interview yr-3])

value	label	Total
.	INAPPLICABLE	12239
4	Condom	17
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	10
10	Rhythm or safe period by calendar	8
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 3] (nummultx11 > 2) and R used at least 2 methods in the first method combination (MTHSIMX121 ne 1)

MTHSIMX123(3410-3411)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (3rd method used in 1st combo - Nov [interview yr-3])

value	label	Total
.	INAPPLICABLE	12252
4	Condom	1
7	Withdrawal, pulling out	11
8	Depo-Provera, injectables	2
10	Rhythm or safe period by calendar	5
11	Safe period by temperature or cervical mucus test, natural family planning	3
12	Diaphragm	1
14	Foam	1
15	Jelly or cream	1
20	Emergency contraception	1

25	Contraceptive patch	1
Total		12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 3] (nummultx11 > 2) and R used at least 2 methods in the first method combination (MTHSIMX121 ne 1)

MTHSIMX124(3412-3413)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Nov [interview yr-3])

value label	Total
. INAPPLICABLE	12276
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	2
Total	12279

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 3] (nummultx11 > 3) and R used at least 3 methods in first method combination (MTHSIMX123 ne 1)

MTHSIMX125(3414-3415)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Nov [interview yr-3])

value label	Total
. INAPPLICABLE	12236
1 None	21
3 Birth control pills	14
4 Condom	3
5 Partner's vasectomy	1
7 Withdrawal, pulling out	2

10	Rhythm or safe period by calendar	1
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 3] (nummultx11 > 2)

MTHSIMX126(3416-3417)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Nov [interview yr-3])

value label	Total
. INAPPLICABLE	12258
4 Condom	7
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	8
10 Rhythm or safe period by calendar	3
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 3] (nummultx11 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX125 ne 1)

MTHSIMX127(3418-3419)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Nov [interview yr-3])

value label	Total
. INAPPLICABLE	12269
7 Withdrawal, pulling out	8

11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 3] (nummultx11 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX125 ne 1)

MTHSIMX128(3420-3421)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Nov [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 3] (nummultx11 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX127 ne 1)

MTHSIMX129(3422-3423)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Nov [interview yr-3])

value	label	Total
.	INAPPLICABLE	12274
1	None	4
10	Rhythm or safe period by calendar	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 3] (nummultx11 > 2)

MTHSIMX130(3424-3425)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Nov [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 3] (nummultx11 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX129 ne 1)

MTHSIMX131(3426-3427)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Nov [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 3] (nummultx11 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX129 ne 1)

MTHSIMX132(3428-3429)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - Nov [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 3] (nummultx11 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX131 ne 1)

MTHSIMX133(3430-3431)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Dec [interview yr-3])

value	label	Total
.	INAPPLICABLE	12227
1	None	11
3	Birth control pills	16
4	Condom	18
5	Partner's vasectomy	1
7	Withdrawal, pulling out	4
10	Rhythm or safe period by calendar	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 3] (nummultx12 > 2)

MTHSIMX134(3432-3433)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Dec [interview yr-3])

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12239
4	Condom	16
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	10
10	Rhythm or safe period by calendar	9
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 3] (nummultx12 > 2) and R used at least 2 methods in the first method combination (MTHSIMX133 ne 1)

MTHSIMX135(3434-3435)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Dec [interview yr-3])

value label	Total	
.	INAPPLICABLE	12254
3	Birth control pills	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	10
8	Depo-Provera, injectables	3
10	Rhythm or safe period by calendar	5
11	Safe period by temperature or cervical mucus test, natural family planning	3
12	Diaphragm	1
14	Foam	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 3] (nummultx12 > 2) and R used at least 2 methods in the first method combination (MTHSIMX133 ne 1)

MTHSIMX136(3436-3437)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - Dec [interview yr-3])

value	label	Total
.	INAPPLICABLE	12277
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 3] (nummultx12 > 3) and R used at least 3 methods in first method combination (MTHSIMX135 ne 1)

MTHSIMX137(3438-3439)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - Dec [interview yr-3])

value	label	Total
.	INAPPLICABLE	12238
1	None	20
3	Birth control pills	12
4	Condom	2
5	Partner's vasectomy	1
7	Withdrawal, pulling out	3
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 3] (nummultx12 > 2)

MTHSIMX138(3440-3441)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Dec [interview yr-3])

value label	Total
. INAPPLICABLE	12259
4 Condom	6
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	7
10 Rhythm or safe period by calendar	4
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 3] (nummultx12 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX137 ne 1)

MTHSIMX139(3442-3443)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Dec [interview yr-3])

value label	Total
. INAPPLICABLE	12271
7 Withdrawal, pulling out	6
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	1
Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 3] (nummultx12 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX137 ne 1)

MTHSIMX140(3444-3445)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - Dec [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 3] (nummultx12 > 3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination (MTHSIMX139 ne 1)

MTHSIMX141(3446-3447)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - Dec [interview yr-3])

value	label	Total
.	INAPPLICABLE	12275
1	None	3
10	Rhythm or safe period by calendar	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 3] (nummultx12 > 2)

MTHSIMX142(3448-3449)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Dec [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 3] (nummultx12 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX141 ne 1)

MTHSIMX143(3450-3451)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Dec [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 3] (nummultx12 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX141 ne 1)

MTHSIMX144(3452-3453)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Dec [interview yr-3])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 3] (nummultx12 > 2) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination (MTHSIMX143 ne 1)

MTHSIMX145(3454-3455)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Jan [interview yr-2])

value	label	Total
.	INAPPLICABLE	12225
1	None	8
3	Birth control pills	18
4	Condom	17
5	Partner's vasectomy	1
7	Withdrawal, pulling out	5
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	3
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 2] (nummultx13 > 2)

MTHSIMX146(3456-3457)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Jan [interview yr-2])

value	label	Total
.	INAPPLICABLE	12233
4	Condom	18
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	13
10	Rhythm or safe period by calendar	10
11	Safe period by temperature or cervical mucus test, natural family planning	2

15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 2] (nummultx13 > 2) and R used at least 2 methods in the first method combination (MTHSIMX145 ne 1)

MTHSIMX147(3458-3459)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Jan [interview yr-2])

value label	Total
. INAPPLICABLE	12251
4 Condom	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	10
8 Depo-Provera, injectables	2
10 Rhythm or safe period by calendar	7
11 Safe period by temperature or cervical mucus test, natural family planning	3
12 Diaphragm	2
14 Foam	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 2] (nummultx13 > 2) and R used at least 2 methods in the first method combination (MTHSIMX145 ne 1)

MTHSIMX148(3460-3461)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Jan [interview yr-2])

value label	Total
. INAPPLICABLE	12275
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	2
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 4 methods in January [interview yr - 2] (nummultx13 > 3) and R used at least 3 methods in first method combination (MTHSIMX147 ne 1)

MTHSIMX149(3462-3463)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Jan [interview yr-2])

value label	Total
. INAPPLICABLE	12233
1 None	23
3 Birth control pills	12
4 Condom	3
5 Partner's vasectomy	1
7 Withdrawal, pulling out	3
10 Rhythm or safe period by calendar	1
12 Diaphragm	1
19 IUD, coil, or loop	1
20 Emergency contraception	1
Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 2] (nummultx13 > 2)

MTHSIMX150(3464-3465)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 2nd combo - Jan [interview yr-2])

value	label	Total
.	INAPPLICABLE	12257
4	Condom	7
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	9
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 2] (nummultx13 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX149 ne 1)

MTHSIMX151(3466-3467)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (3rd method used in 2nd combo - Jan [interview yr-2])

value	label	Total
.	INAPPLICABLE	12268
7	Withdrawal, pulling out	6
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	2
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 2] (nummultx13 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX149 ne 1)

MTHSIMX152(3468-3469)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - Jan [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in January [interview yr - 2] (nummultx13 > 3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination (MTHSIMX151 ne 1)

MTHSIMX153(3470-3471)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - Jan [interview yr-2])

value	label	Total
.	INAPPLICABLE	12276
1	None	2
10	Rhythm or safe period by calendar	1
	Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 2] (nummultx13 > 2)

MTHSIMX154(3472-3473)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Jan [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278

11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 2] (nummultx13 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX153 ne 1)

MTHSIMX155(3474-3475)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Jan [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 2] (nummultx13 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX153 ne 1)

MTHSIMX156(3476-3477)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Jan [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 4 methods in January [interview yr - 2] (nummultx13 > 3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination (MTHSIMX155 ne 1)

MTHSIMX157(3478-3479)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Feb [interview yr-2])

value label	Total
. INAPPLICABLE	12221
1 None	9
3 Birth control pills	21
4 Condom	20
5 Partner's vasectomy	1
7 Withdrawal, pulling out	5
10 Rhythm or safe period by calendar	1
19 IUD, coil, or loop	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 2] (nummultx14 > 2)

MTHSIMX158(3480-3481)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Feb [interview yr-2])

value label	Total
. INAPPLICABLE	12230
4 Condom	19
5 Partner's vasectomy	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7 Withdrawal, pulling out	13
10 Rhythm or safe period by calendar	12
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 2] (nummultx14 > 2) and R used at least 2 methods in the first method combination (MTHSIMX157 ne 1)

MTHSIMX159(3482-3483)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Feb [interview yr-2])

value label	Total
. INAPPLICABLE	12249
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	13
8 Depo-Provera, injectables	3
10 Rhythm or safe period by calendar	6
11 Safe period by temperature or cervical mucus test, natural family planning	3
12 Diaphragm	1
14 Foam	1
25 Contraceptive patch	1
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 2] (nummultx14 > 2) and R used at least 2 methods in the first method combination (MTHSIMX157 ne 1)

MTHSIMX160(3484-3485)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - Feb [interview yr-2])

value label	Total
. INAPPLICABLE	12276
11 Safe period by temperature or cervical mucus test, natural family planning	1

15	Jelly or cream	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 4 methods in February [interview yr - 2] (nummultx14 > 3) and R used at least 3 methods in first method combination (MTHSIMX159 ne 1)

MTHSIMX161(3486-3487)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Feb [interview yr-2])

value	label	Total
.	INAPPLICABLE	12230
1	None	26
3	Birth control pills	12
4	Condom	2
5	Partner's vasectomy	1
7	Withdrawal, pulling out	4
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
19	IUD, coil, or loop	1
99	Don't know	1
	Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 2] (nummultx14 > 2)

MTHSIMX162(3488-3489)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - Feb [interview yr-2])

value label	Total
. INAPPLICABLE	12257
4 Condom	4
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	11
10 Rhythm or safe period by calendar	4
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 2] (nummultx14 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX161 ne 1)

MTHSIMX163(3490-3491)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Feb [interview yr-2])

value label	Total
. INAPPLICABLE	12270
7 Withdrawal, pulling out	5
10 Rhythm or safe period by calendar	1
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	1
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 2] (nummultx14 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX161 ne 1)

MTHSIMX164(3492-3493)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (4th method used in 2nd combo - Feb [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 4 methods in February [interview yr - 2] (nummultx14 > 3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination (MTHSIMX163 ne 1)

MTHSIMX165(3494-3495)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 3rd combo - Feb [interview yr-2])

value	label	Total
.	INAPPLICABLE	12275
1	None	3
10	Rhythm or safe period by calendar	1
Total		12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 2] (nummultx14 > 2)

MTHSIMX166(3496-3497)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 3rd combo - Feb [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 2] (nummultx14 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX165 ne 1)

MTHSIMX167(3498-3499)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Feb [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 2] (nummultx14 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX165 ne 1)

MTHSIMX168(3500-3501)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - Feb [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in February [interview yr - 2] (nummultx14 > 3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination (MTHSIMX167 ne 1)

MTHSIMX169(3502-3503)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?

(1st method used in 1st combo - March [interview yr-2])

value	label	Total
.	INAPPLICABLE	12224
1	None	13
3	Birth control pills	14
4	Condom	18
5	Partner's vasectomy	1
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	2
14	Foam	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 2] (nummultx15 > 2)

MTHSIMX170(3504-3505)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - March [interview yr-2])

value	label	Total
.	INAPPLICABLE	12238
4	Condom	13
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	10
10	Rhythm or safe period by calendar	12
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 2] (nummultx15 > 2) and R used at least 2 methods in the first method combination (MTHSIMX169 ne 1)

MTHSIMX171(3506-3507)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - March [interview yr-2])

value	label	Total
.	INAPPLICABLE	12255
4	Condom	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	8
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	5
11	Safe period by temperature or cervical mucus test, natural family planning	3
12	Diaphragm	2
14	Foam	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 2] (nummultx15 > 2) and R used at least 2 methods in the first method combination (MTHSIMX169 ne 1)

MTHSIMX172(3508-3509)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - March [interview yr-2])

value	label	Total
.	INAPPLICABLE	12276
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	2
	Total	12279

Universe : Applicable if R used at least 4 methods in March [interview yr - 2] (nummultx15 > 3) and R used at least 3 methods in first method combination (MTHSIMX171 ne 1)

MTHSIMX173(3510-3511)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - March [interview yr-2])

value	label	Total
.	INAPPLICABLE	12237
1	None	20
3	Birth control pills	10
4	Condom	3
5	Partner's vasectomy	1
7	Withdrawal, pulling out	4
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
19	IUD, coil, or loop	1
99	Don't know	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 2] (nummultx15 > 2)

MTHSIMX174(3512-3513)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - March [interview yr-2])

value	label	Total
.	INAPPLICABLE	12260
4	Condom	4
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1

7	Withdrawal, pulling out	9
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 2] (nummultx15 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX173 ne 1)

MTHSIMX175(3514-3515)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - March [interview yr-2])

value label	Total	
.	INAPPLICABLE	12270
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
26	Vaginal contraceptive ring	1
Total		12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 2] (nummultx15 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX173 ne 1)

MTHSIMX176(3516-3517)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - March [interview yr-2])

value label	Total
-------------	-------

.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in March [interview yr - 2] (nummultx15 > 3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination (MTHSIMX175 ne 1)

MTHSIMX177(3518-3519)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - March [interview yr-2])

value	label	Total
.	INAPPLICABLE	12276
1	None	2
10	Rhythm or safe period by calendar	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 2] (nummultx15 > 2)

MTHSIMX178(3520-3521)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - March [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 2] (nummultx15 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX177 ne 1)

MTHSIMX179(3522-3523)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - March [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 2] (nummultx15 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX177 ne 1)

MTHSIMX180(3524-3525)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - March [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in March [interview yr - 2] (nummultx15 > 3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination (MTHSIMX179 ne 1)

MTHSIMX181(3526-3527)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - April [interview yr-2])

value label	Total
. INAPPLICABLE	12213
1 None	12
3 Birth control pills	18
4 Condom	24
5 Partner's vasectomy	1
7 Withdrawal, pulling out	8
10 Rhythm or safe period by calendar	1
14 Foam	1
19 IUD, coil, or loop	1
Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 2] (nummultx16 > 2)

MTHSIMX182(3528-3529)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - April [interview yr-2])

value label	Total
. INAPPLICABLE	12226
3 Birth control pills	1
4 Condom	16
5 Partner's vasectomy	2
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	16
10 Rhythm or safe period by calendar	12
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	2
20 Emergency contraception	2
Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 2] (nummultx16 > 2) and R used at

least 2 methods in the first method combination (MTHSIMX181 ne 1)

MTHSIMX183(3530-3531)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - April [interview yr-2])

value label	Total
. INAPPLICABLE	12246
4 Condom	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	12
8 Depo-Provera, injectables	3
10 Rhythm or safe period by calendar	7
11 Safe period by temperature or cervical mucus test, natural family planning	4
12 Diaphragm	2
14 Foam	1
20 Emergency contraception	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 2] (nummultx16 > 2) and R used at least 2 methods in the first method combination (MTHSIMX181 ne 1)

MTHSIMX184(3532-3533)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - April [interview yr-2])

value label	Total
. INAPPLICABLE	12276
11 Safe period by temperature or cervical mucus test, natural family planning	1

15	Jelly or cream	2
Total		12279

Universe : Applicable if R used at least 4 methods in April [interview yr - 2] (nummultx16 > 3) and R used at least 3 methods in first method combination (MTHSIMX183 ne 1)

MTHSIMX185(3534-3535)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - April [interview yr-2])

value label	Total
. INAPPLICABLE	12225
1 None	29
3 Birth control pills	10
4 Condom	6
7 Withdrawal, pulling out	3
10 Rhythm or safe period by calendar	3
12 Diaphragm	1
19 IUD, coil, or loop	1
99 Don't know	1
Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 2] (nummultx16 > 2)

MTHSIMX186(3536-3537)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - April [interview yr-2])

value label	Total
. INAPPLICABLE	12260

3	Birth control pills	1
4	Condom	5
7	Withdrawal, pulling out	9
10	Rhythm or safe period by calendar	2
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 2] (nummultx16 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX185 ne 1)

MTHSIMX187(3538-3539)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - April [interview yr-2])

value	label	Total
.	INAPPLICABLE	12271
7	Withdrawal, pulling out	4
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	2
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 2] (nummultx16 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX185 ne 1)

MTHSIMX188(3540-3541)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - April [interview yr-2])

value label	Total
.	INAPPLICABLE 12278
15	Jelly or cream 1
Total	12279

Universe : Applicable if R used at least 4 methods in April [interview yr - 2] (nummultx16 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX187 ne 1)

MTHSIMX189(3542-3543)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - April [interview yr-2])

value label	Total
.	INAPPLICABLE 12275
1	None 2
7	Withdrawal, pulling out 1
10	Rhythm or safe period by calendar 1
Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 2] (nummultx16 > 2)

MTHSIMX190(3544-3545)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - April [interview yr-2])

value label	Total
.	INAPPLICABLE 12277
11	Safe period by temperature or cervical mucus test, natural family planning 2
Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 2] (nummultx16 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX189 ne 1)

MTHSIMX191(3546-3547)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - April [interview yr-2])

value label	Total
. INAPPLICABLE	12277
10 Rhythm or safe period by calendar	1
12 Diaphragm	1
Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 2] (nummultx16 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX189 ne 1)

MTHSIMX192(3548-3549)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - April [interview yr-2])

value label	Total
. INAPPLICABLE	12278
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in April [interview yr - 2] (nummultx16 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX191 ne 1)

MTHSIMX193(3550-3551)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 1st combo - May [interview yr-2])

value	label	Total
.	INAPPLICABLE	12220
1	None	12
3	Birth control pills	17
4	Condom	21
5	Partner's vasectomy	1
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	2
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 2] (nummultx17 > 2)

MTHSIMX194(3552-3553)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 1st combo - May [interview yr-2])

value	label	Total
.	INAPPLICABLE	12232
3	Birth control pills	1
4	Condom	15
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	11
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	12
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
15	Jelly or cream	2

20	Emergency contraception	1
Total		12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 2] (nummultx17 > 2) and R used at least 2 methods in the first method combination (MTHSIMX193 ne 1)

MTHSIMX195(3554-3555)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - May [interview yr-2])

value label	Total	
.	INAPPLICABLE	12251
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	14
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	5
11	Safe period by temperature or cervical mucus test, natural family planning	4
12	Diaphragm	1
14	Foam	1
25	Contraceptive patch	1
Total		12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 2] (nummultx17 > 2) and R used at least 2 methods in the first method combination (MTHSIMX193 ne 1)

MTHSIMX196(3556-3557)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - May [interview yr-2])

value label	Total
--------------------	--------------

.	INAPPLICABLE	12276
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	2
	Total	12279

Universe : Applicable if R used at least 4 methods in May [interview yr - 2] (nummultx17 > 3) and R used at least 3 methods in first method combination (MTHSIMX195 ne 1)

MTHSIMX197(3558-3559)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - May [interview yr-2])

value	label	Total
.	INAPPLICABLE	12232
1	None	23
3	Birth control pills	10
4	Condom	5
7	Withdrawal, pulling out	4
10	Rhythm or safe period by calendar	2
12	Diaphragm	1
19	IUD, coil, or loop	1
99	Don't know	1
	Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 2] (nummultx17 > 2)

MTHSIMX198(3560-3561)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - May [interview yr-2])

value label	Total
. INAPPLICABLE	12258
3 Birth control pills	1
4 Condom	5
5 Partner's vasectomy	1
7 Withdrawal, pulling out	7
10 Rhythm or safe period by calendar	4
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	2
Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 2] (nummultx17 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX197 ne 1)

MTHSIMX199(3562-3563)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - May [interview yr-2])

value label	Total
. INAPPLICABLE	12271
7 Withdrawal, pulling out	4
10 Rhythm or safe period by calendar	2
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	1
Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 2] (nummultx17 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX197 ne 1)

MTHSIMX200(3564-3565)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (4th method used in 2nd combo - May [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 4 methods in May [interview yr - 2] (nummultx17 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX199 ne 1)

MTHSIMX201(3566-3567)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 3rd combo - May [interview yr-2])

value	label	Total
.	INAPPLICABLE	12274
1	None	3
3	Birth control pills	1
10	Rhythm or safe period by calendar	1
Total		12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 2] (nummultx17 > 2)

MTHSIMX202(3568-3569)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 3rd combo - May [interview yr-2])

value	label	Total
.	INAPPLICABLE	12277
10	Rhythm or safe period by calendar	1

11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 2] (nummultx17 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX201 ne 1)

MTHSIMX203(3570-3571)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - May [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 2] (nummultx17 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX201 ne 1)

MTHSIMX204(3572-3573)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - May [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 4 methods in May [interview yr - 2] (nummultx17 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX203 ne 1)

MTHSIMX205(3574-3575)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - June [interview yr-2])

value	label	Total
.	INAPPLICABLE	12225
1	None	10
3	Birth control pills	16
4	Condom	17
5	Partner's vasectomy	1
7	Withdrawal, pulling out	6
10	Rhythm or safe period by calendar	2
14	Foam	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 2] (nummultx18 > 2)

MTHSIMX206(3576-3577)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - June [interview yr-2])

value	label	Total
.	INAPPLICABLE	12235
3	Birth control pills	1
4	Condom	15
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	14
10	Rhythm or safe period by calendar	10
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	2
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 2] (nummultx18 > 2) and R used at least 2 methods in the first method combination (MTHSIMX205 ne 1)

MTHSIMX207(3578-3579)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - June [interview yr-2])

value	label	Total
.	INAPPLICABLE	12254
4	Condom	1
7	Withdrawal, pulling out	11
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	5
11	Safe period by temperature or cervical mucus test, natural family planning	3
12	Diaphragm	2
14	Foam	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 2] (nummultx18 > 2) and R used at least 2 methods in the first method combination (MTHSIMX205 ne 1)

MTHSIMX208(3580-3581)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - June [interview yr-2])

value	label	Total
.	INAPPLICABLE	12276
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	2

Total

12279

Universe : Applicable if R used at least 4 methods in June [interview yr - 2] (nummultx18 > 3) and R used at least 3 methods in first method combination (MTHSIMX207 ne 1)

MTHSIMX209(3582-3583)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - June [interview yr-2])

value label	Total
. INAPPLICABLE	12235
1 None	22
3 Birth control pills	8
4 Condom	5
5 Partner's vasectomy	1
7 Withdrawal, pulling out	3
10 Rhythm or safe period by calendar	2
12 Diaphragm	1
19 IUD, coil, or loop	1
99 Don't know	1
Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 2] (nummultx18 > 2)

MTHSIMX210(3584-3585)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - June [interview yr-2])

value label	Total
. INAPPLICABLE	12259

4	Condom	3
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	10
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 2] (nummultx18 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX209 ne 1)

MTHSIMX211(3586-3587)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - June [interview yr-2])

value label	Total
. INAPPLICABLE	12271
7 Withdrawal, pulling out	3
10 Rhythm or safe period by calendar	2
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	2
Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 2] (nummultx18 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX209 ne 1)

MTHSIMX212(3588-3589)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - June [interview yr-2])

value label	Total
. INAPPLICABLE	12277
15 Jelly or cream	2
Total	12279

Universe : Applicable if R used at least 4 methods in June [interview yr - 2] (nummultx18 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX211 ne 1)

MTHSIMX213(3590-3591)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - June [interview yr-2])

value label	Total
. INAPPLICABLE	12274
1 None	4
10 Rhythm or safe period by calendar	1
Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 2] (nummultx18 > 2)

MTHSIMX214(3592-3593)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - June [interview yr-2])

value label	Total
. INAPPLICABLE	12278
11 Safe period by temperature or cervical mucus test, natural family planning	1
Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 2] (nummultx18 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX213 ne 1)

MTHSIMX215(3594-3595)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - June [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 2] (nummultx18 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX213 ne 1)

MTHSIMX216(3596-3597)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - June [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in June [interview yr - 2] (nummultx18 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX215 ne 1)

MTHSIMX217(3598-3599)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - July [interview yr-2])

value label	Total
. INAPPLICABLE	12221
1 None	11
3 Birth control pills	18
4 Condom	18
5 Partner's vasectomy	1
7 Withdrawal, pulling out	6
10 Rhythm or safe period by calendar	2
14 Foam	1
19 IUD, coil, or loop	1
Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 2] (nummultx19 > 2)

MTHSIMX218(3600-3601)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - July [interview yr-2])

value label	Total
. INAPPLICABLE	12232
4 Condom	18
5 Partner's vasectomy	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	12
10 Rhythm or safe period by calendar	10
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	1
15 Jelly or cream	2
20 Emergency contraception	1
Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 2] (nummultx6 > 2) and R used at

least 2 methods in the first method combination (MTHSIMX217 ne 1)

MTHSIMX219(3602-3603)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - July [interview yr-2])

value label	Total
. INAPPLICABLE	12252
4 Condom	1
7 Withdrawal, pulling out	12
10 Rhythm or safe period by calendar	5
11 Safe period by temperature or cervical mucus test, natural family planning	2
12 Diaphragm	2
14 Foam	1
15 Jelly or cream	1
20 Emergency contraception	2
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 2] (nummultx19 > 2) and R used at least 2 methods in the first method combination (MTHSIMX217 ne 1)

MTHSIMX220(3604-3605)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - July [interview yr-2])

value label	Total
. INAPPLICABLE	12276
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	2

Total

12279

Universe : Applicable if R used at least 4 methods in July [interview yr - 2] (nummultx19 > 2) and R used at least 2 methods in the first method combination (MTHSIMX219 ne 1)

MTHSIMX221(3606-3607)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - July [interview yr-2])

value label	Total
. INAPPLICABLE	12232
1 None	25
3 Birth control pills	10
4 Condom	1
7 Withdrawal, pulling out	5
10 Rhythm or safe period by calendar	2
12 Diaphragm	2
19 IUD, coil, or loop	1
99 Don't know	1
Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 2] (nummultx19 > 2)

MTHSIMX222(3608-3609)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 2nd combo - July [interview yr-2])

value label	Total
. INAPPLICABLE	12260
4 Condom	5

7	Withdrawal, pulling out	8
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	2
15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 2] (nummultx19 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX221 ne 1)

MTHSIMX223(3610-3611)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - July [interview yr-2])

value	label	Total
.	INAPPLICABLE	12273
7	Withdrawal, pulling out	2
10	Rhythm or safe period by calendar	2
12	Diaphragm	1
20	Emergency contraception	1
Total		12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 2] (nummultx19 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX221 ne 1)

MTHSIMX224(3612-3613)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - July [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278

15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in July [interview yr - 2] (nummultx19 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX223 ne 1)

MTHSIMX225(3614-3615)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - July [interview yr-2])

value label	Total	
.	INAPPLICABLE	12275
1	None	3
10	Rhythm or safe period by calendar	1
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 2] (nummultx19 > 2)

MTHSIMX226(3616-3617)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - July [interview yr-2])

value label	Total	
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 2] (nummultx19 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX225 ne 1)

MTHSIMX227(3618-3619)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - July [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 2] (nummultx19 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX225 ne 1)

MTHSIMX228(3620-3621)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - July [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in July [interview yr - 2] (nummultx19 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX227 ne 1)

MTHSIMX229(3622-3623)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Aug [interview yr-2])

value	label	Total
.	INAPPLICABLE	12224

1	None	10
3	Birth control pills	17
4	Condom	18
5	Partner's vasectomy	1
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	2
19	IUD, coil, or loop	1
99	Don't know	1
Total		12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 2] (nummultx20 = 2)

MTHSIMX230(3624-3625)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Aug [interview yr-2])

value label	Total
. INAPPLICABLE	12238
4 Condom	17
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	10
10 Rhythm or safe period by calendar	11
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 2] (nummultx20 > 2) and R used at least 2 methods in the first method combination (MTHSIMX229 ne 1)

MTHSIMX231(3626-3627)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (3rd method used in 1st combo - Aug [interview yr-2])

value	label	Total
.	INAPPLICABLE	12256
7	Withdrawal, pulling out	12
10	Rhythm or safe period by calendar	5
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	2
14	Foam	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 2] (nummultx20 > 2) and R used at least 2 methods in the first method combination (MTHSIMX229 ne 1)

MTHSIMX232(3628-3629)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (4th method used in 1st combo - Aug [interview yr-2])

value	label	Total
.	INAPPLICABLE	12276
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	2
	Total	12279

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 2] (nummultx20 > 3) and R used at least 3 methods in first method combination (MTHSIMX231 ne 1)

MTHSIMX233(3630-3631)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?

(1st method used in 2nd combo - Aug [interview yr-2])

value	label	Total
.	INAPPLICABLE	12234
1	None	25
3	Birth control pills	10
4	Condom	1
7	Withdrawal, pulling out	3
10	Rhythm or safe period by calendar	2
12	Diaphragm	2
15	Jelly or cream	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 2] (nummultx20 > 2)

MTHSIMX234(3632-3633)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Aug [interview yr-2])

value	label	Total
.	INAPPLICABLE	12260
3	Birth control pills	1
4	Condom	5
7	Withdrawal, pulling out	7
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 2] (nummultx20 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX233 ne 1)

MTHSIMX235(3634-3635)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Aug [interview yr-2])

value	label	Total
.	INAPPLICABLE	12272
4	Condom	1
7	Withdrawal, pulling out	4
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 2] (nummultx20 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX233 ne 1)

MTHSIMX236(3636-3637)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - Aug [interview yr-2])

value	label	Total
.	INAPPLICABLE	12277
7	Withdrawal, pulling out	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 2] (nummultx20 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX235 ne 1)

MTHSIMX237(3638-3639)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 3rd combo - Aug [interview yr-2])

value	label	Total
.	INAPPLICABLE	12274
1	None	3
10	Rhythm or safe period by calendar	1
99	Don't know	1
Total		12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 2] (nummultx20 > 2)

MTHSIMX238(3640-3641)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 3rd combo - Aug [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 2] (nummultx20 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX237 ne 1)

MTHSIMX239(3642-3643)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (3rd method used in 3rd combo - Aug [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1

Total	12279
--------------	--------------

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 2] (nummultx20 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX237 ne 1)

MTHSIMX240(3644-3645)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Aug [interview yr-2])

value label	Total
. INAPPLICABLE	12278
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 2] (nummultx20 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX239 ne 1)

MTHSIMX241(3646-3647)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Sept [interview yr-2])

value label	Total
. INAPPLICABLE	12219
1 None	9
3 Birth control pills	18
4 Condom	22
5 Partner's vasectomy	1
7 Withdrawal, pulling out	6
10 Rhythm or safe period by calendar	2
19 IUD, coil, or loop	1

99	Don't know	1
Total		12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 2] (nummultx21 > 2)

MTHSIMX242(3648-3649)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Sept [interview yr-2])

value	label	Total
.	INAPPLICABLE	12230
3	Birth control pills	1
4	Condom	19
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	11
10	Rhythm or safe period by calendar	12
11	Safe period by temperature or cervical mucus test, natural family planning	1
14	Foam	1
15	Jelly or cream	2
20	Emergency contraception	1
Total		12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 2] (nummultx21 > 2) and R used at least 2 methods in the first method combination (MTHSIMX241 ne 1)

MTHSIMX243(3650-3651)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Sept [interview yr-2])

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12251
3	Birth control pills	1
7	Withdrawal, pulling out	14
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	5
11	Safe period by temperature or cervical mucus test, natural family planning	3
12	Diaphragm	2
14	Foam	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 2] (nummultx21 > 2) and R used at least 2 methods in the first method combination (MTHSIMX241 ne 1)

MTHSIMX244(3652-3653)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Sept [interview yr-2])

value label	Total	
.	INAPPLICABLE	12276
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	2
	Total	12279

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 2] (nummultx21 > 3) and R used at least 3 methods in first method combination (MTHSIMX243 ne 1)

MTHSIMX245(3654-3655)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Sept [interview yr-2])

value label	Total
. INAPPLICABLE	12228
1 None	29
3 Birth control pills	12
4 Condom	1
7 Withdrawal, pulling out	4
10 Rhythm or safe period by calendar	2
15 Jelly or cream	1
19 IUD, coil, or loop	1
99 Don't know	1
Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 2] (nummultx21 > 2)

MTHSIMX246(3656-3657)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Sept [interview yr-2])

value label	Total
. INAPPLICABLE	12260
4 Condom	5
7 Withdrawal, pulling out	9
10 Rhythm or safe period by calendar	4
11 Safe period by temperature or cervical mucus test, natural family planning	1
Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 2] (nummultx21 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX245 ne 1)

MTHSIMX247(3658-3659)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (3rd method used in 2nd combo - Sept [interview yr-2])

value	label	Total
.	INAPPLICABLE	12272
7	Withdrawal, pulling out	4
8	Depo-Provera, injectables	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 2] (nummultx21 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX245 ne 1)

MTHSIMX248(3660-3661)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (4th method used in 2nd combo - Sept [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 2] (nummultx21 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX247 ne 1)

MTHSIMX249(3662-3663)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 3rd combo - Sept [interview yr-2])

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12275
1	None	2
10	Rhythm or safe period by calendar	1
99	Don't know	1
Total		12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 2] (nummultx21 > 2)

MTHSIMX250(3664-3665)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Sept [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 2] (nummultx21 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX249 ne 1)

MTHSIMX251(3666-3667)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Sept [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 2] (nummultx21 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX249 ne 1)

MTHSIMX252(3668-3669)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - Sept [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 2] (nummultx21 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX251 ne 1)

MTHSIMX253(3670-3671)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Oct [interview yr-2])

value	label	Total
.	INAPPLICABLE	12216
1	None	11
3	Birth control pills	17
4	Condom	23
5	Partner's vasectomy	1
7	Withdrawal, pulling out	7
10	Rhythm or safe period by calendar	3
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 2] (nummultx22 > 2)

MTHSIMX254(3672-3673)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Oct [interview yr-2])

value label	Total
. INAPPLICABLE	12228
3 Birth control pills	1
4 Condom	19
5 Partner's vasectomy	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	12
10 Rhythm or safe period by calendar	13
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	1
15 Jelly or cream	2
Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 2] (nummultx22 > 2) and R used at least 2 methods in the first method combination (MTHSIMX253 ne 1)

MTHSIMX255(3674-3675)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Oct [interview yr-2])

value label	Total
. INAPPLICABLE	12248
5 Partner's vasectomy	1
7 Withdrawal, pulling out	15
8 Depo-Provera, injectables	1
10 Rhythm or safe period by calendar	4
11 Safe period by temperature or cervical mucus test, natural family planning	4
12 Diaphragm	1

14	Foam	1
20	Emergency contraception	2
25	Contraceptive patch	2
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 2] (nummultx22 > 2) and R used at least 2 methods in the first method combination (MTHSIMX253 ne 1)

MTHSIMX256(3676-3677)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Oct [interview yr-2])

value label	Total
. INAPPLICABLE	12276
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	2
Total	12279

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 2] (nummultx22 > 3) and R used at least 3 methods in first method combination (MTHSIMX255 ne 1)

MTHSIMX257(3678-3679)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Oct [interview yr-2])

value label	Total
. INAPPLICABLE	12227
1 None	29
3 Birth control pills	9
4 Condom	5

7	Withdrawal, pulling out	4
10	Rhythm or safe period by calendar	2
12	Diaphragm	1
15	Jelly or cream	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 2] (nummultx22 > 2)

MTHSIMX258(3680-3681)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Oct [interview yr-2])

value	label	Total
.	INAPPLICABLE	12258
4	Condom	4
5	Partner's vasectomy	1
7	Withdrawal, pulling out	10
10	Rhythm or safe period by calendar	4
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 2] (nummultx22 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX257 ne 1)

MTHSIMX259(3682-3683)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Oct [interview yr-2])

value label	Total
. INAPPLICABLE	12269
7 Withdrawal, pulling out	5
8 Depo-Provera, injectables	1
11 Safe period by temperature or cervical mucus test, natural family planning	2
12 Diaphragm	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 2] (nummultx22 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX257 ne 1)

MTHSIMX260(3684-3685)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Oct [interview yr-2])

value label	Total
. INAPPLICABLE	12278
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 2] (nummultx22 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX259 ne 1)

MTHSIMX261(3686-3687)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Oct [interview yr-2])

value label	Total
. INAPPLICABLE	12275

1	None	2
10	Rhythm or safe period by calendar	1
99	Don't know	1
Total		12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 2] (nummultx22 > 2)

MTHSIMX262(3688-3689)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Oct [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 2] (nummultx22 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX261 ne 1)

MTHSIMX263(3690-3691)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Oct [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 2] (nummultx22 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX261 ne 1)

MTHSIMX264(3692-3693)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - Oct [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 2] (nummultx22 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX263 ne 1)

MTHSIMX265(3694-3695)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Nov [interview yr-2])

value	label	Total
.	INAPPLICABLE	12217
1	None	12
3	Birth control pills	18
4	Condom	20
5	Partner's vasectomy	1
7	Withdrawal, pulling out	7
10	Rhythm or safe period by calendar	3
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 2] (nummultx23 > 2)

MTHSIMX266(3696-3697)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Nov [interview yr-2])

value	label	Total
.	INAPPLICABLE	12231
1	None	1
4	Condom	20
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	9
10	Rhythm or safe period by calendar	13
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	2
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 2] (nummultx23 > 2) and R used at least 2 methods in the first method combination (MTHSIMX265 ne 1)

MTHSIMX267(3698-3699)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Nov [interview yr-2])

value	label	Total
.	INAPPLICABLE	12252
7	Withdrawal, pulling out	14
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	4
12	Diaphragm	1
14	Foam	1
25	Contraceptive patch	2

26	Vaginal contraceptive ring	1
Total		12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 2] (nummultx23 > 2) and R used at least 2 methods in the first method combination (MTHSIMX265 ne 1)

MTHSIMX268(3700-3701)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Nov [interview yr-2])

value label	Total
. INAPPLICABLE	12277
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 2] (nummultx23 > 3) and R used at least 3 methods in first method combination (MTHSIMX267 ne 1)

MTHSIMX269(3702-3703)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Nov [interview yr-2])

value label	Total
. INAPPLICABLE	12230
1 None	25
3 Birth control pills	10
4 Condom	5
7 Withdrawal, pulling out	5
10 Rhythm or safe period by calendar	2

15	Jelly or cream	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 2] (nummultx23 > 2)

MTHSIMX270(3704-3705)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Nov [interview yr-2])

value label	Total
. INAPPLICABLE	12257
4 Condom	4
5 Partner's vasectomy	1
7 Withdrawal, pulling out	10
10 Rhythm or safe period by calendar	5
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	1
Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 2] (nummultx23 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX269 ne 1)

MTHSIMX271(3706-3707)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Nov [interview yr-2])

value label	Total
. INAPPLICABLE	12270
7 Withdrawal, pulling out	5

11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 2] (nummultx23 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX269 ne 1)

MTHSIMX272(3708-3709)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Nov [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 2] (nummultx23 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX271 ne 1)

MTHSIMX273(3710-3711)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Nov [interview yr-2])

value	label	Total
.	INAPPLICABLE	12275
1	None	2
10	Rhythm or safe period by calendar	1
99	Don't know	1

Total	12279
--------------	--------------

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 2] (nummultx23 > 2)

MTHSIMX274(3712-3713)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Nov [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 2] (nummultx23 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX273 ne 1)

MTHSIMX275(3714-3715)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Nov [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 2] (nummultx23 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX273 ne 1)

MTHSIMX276(3716-3717)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (4th method used in 3rd combo - Nov [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 2] (nummultx23 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX275 ne 1)

MTHSIMX277(3718-3719)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 1st combo - Dec [interview yr-2])

value	label	Total
.	INAPPLICABLE	12215
1	None	9
3	Birth control pills	20
4	Condom	23
5	Partner's vasectomy	1
7	Withdrawal, pulling out	7
10	Rhythm or safe period by calendar	3
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 2] (nummultx24 > 2)

MTHSIMX278(3720-3721)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 1st combo - Dec [interview yr-2])

value label	Total
. INAPPLICABLE	12225
4 Condom	21
5 Partner's vasectomy	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	12
10 Rhythm or safe period by calendar	14
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	2
15 Jelly or cream	2
Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 2] (nummultx24 > 2) and R used at least 2 methods in the first method combination (MTHSIMX277 ne 1)

MTHSIMX279(3722-3723)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Dec [interview yr-2])

value label	Total
. INAPPLICABLE	12249
3 Birth control pills	1
7 Withdrawal, pulling out	14
8 Depo-Provera, injectables	2
10 Rhythm or safe period by calendar	4
11 Safe period by temperature or cervical mucus test, natural family planning	4
12 Diaphragm	1
14 Foam	1
15 Jelly or cream	1
25 Contraceptive patch	2
Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 2] (nummultx24 > 2) and R used at least 2 methods in the first method combination (MTHSIMX277 ne 1)

MTHSIMX280(3724-3725)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Dec [interview yr-2])

value label	Total
. INAPPLICABLE	12276
7 Withdrawal, pulling out	1
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 2] (nummultx24 > 3) and R used at least 3 methods in first method combination (MTHSIMX279 ne 1)

MTHSIMX281(3726-3727)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Dec [interview yr-2])

value label	Total
. INAPPLICABLE	12224
1 None	30
3 Birth control pills	10
4 Condom	5
7 Withdrawal, pulling out	6
10 Rhythm or safe period by calendar	2
15 Jelly or cream	1
19 IUD, coil, or loop	1

Total

12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 2] (nummultx24 > 2)

MTHSIMX282(3728-3729)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Dec [interview yr-2])

value label	Total
. INAPPLICABLE	12256
4 Condom	4
5 Partner's vasectomy	1
7 Withdrawal, pulling out	11
10 Rhythm or safe period by calendar	4
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	2
Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 2] (nummultx24 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX281 ne 1)

MTHSIMX283(3730-3731)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Dec [interview yr-2])

value label	Total
. INAPPLICABLE	12269
7 Withdrawal, pulling out	5
8 Depo-Provera, injectables	1
10 Rhythm or safe period by calendar	1

11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
25	Contraceptive patch	1
Total		12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 2] (nummultx24 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX281 ne 1)

MTHSIMX284(3732-3733)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Dec [interview yr-2])

value	label	Total
.	INAPPLICABLE	12277
15	Jelly or cream	2
Total		12279

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 2] (nummultx24 > 3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination (MTHSIMX283 ne 1)

MTHSIMX285(3734-3735)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Dec [interview yr-2])

value	label	Total
.	INAPPLICABLE	12274
1	None	2
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
99	Don't know	1

Total	12279
--------------	--------------

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 2] (nummultx24 > 2)

MTHSIMX286(3736-3737)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Dec [interview yr-2])

value label	Total
. INAPPLICABLE	12277
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 2] (nummultx24 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX285 ne 1)

MTHSIMX287(3738-3739)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Dec [interview yr-2])

value label	Total
. INAPPLICABLE	12278
12 Diaphragm	1
Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 2] (nummultx24 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX285 ne 1)

MTHSIMX288(3740-3741)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - Dec [interview yr-2])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 2] (nummultx24 > 2) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination (MTHSIMX287 ne 1)

MTHSIMX289(3742-3743)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Jan [interview yr-1])

value	label	Total
.	INAPPLICABLE	12220
1	None	5
3	Birth control pills	17
4	Condom	23
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	7
10	Rhythm or safe period by calendar	3
19	IUD, coil, or loop	1
99	Don't know	1
	Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 1] (nummultx25 > 2)

MTHSIMX290(3744-3745)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Jan [interview yr-1])

value label	Total
. INAPPLICABLE	12227
4 Condom	19
5 Partner's vasectomy	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	10
10 Rhythm or safe period by calendar	14
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	2
15 Jelly or cream	3
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 1] (nummultx25 > 2) and R used at least 2 methods in the first method combination (MTHSIMX289 ne 1)

MTHSIMX291(3746-3747)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Jan [interview yr-1])

value label	Total
. INAPPLICABLE	12247
7 Withdrawal, pulling out	16
8 Depo-Provera, injectables	1
10 Rhythm or safe period by calendar	4
11 Safe period by temperature or cervical mucus test, natural family planning	5
12 Diaphragm	1
13 Female condom, vaginal pouch	1

14	Foam	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	1
Total		12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 1] (nummultx25 > 2) and R used at least 2 methods in the first method combination (MTHSIMX289 ne 1)

MTHSIMX292(3748-3749)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Jan [interview yr-1])

value label	Total
. INAPPLICABLE	12276
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	2
Total	12279

Universe : Applicable if R used at least 4 methods in January [interview yr - 1] (nummultx25 > 3) and R used at least 3 methods in first method combination (MTHSIMX291 ne 1)

MTHSIMX293(3750-3751)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Jan [interview yr-1])

value label	Total
. INAPPLICABLE	12225
1 None	30
3 Birth control pills	8
4 Condom	5

7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	2
12	Diaphragm	1
15	Jelly or cream	1
19	IUD, coil, or loop	1
99	Don't know	1
	Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 1] (nummultx25 > 2)

MTHSIMX294(3752-3753)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Jan [interview yr-1])

value	label	Total
.	INAPPLICABLE	12258
4	Condom	3
5	Partner's vasectomy	1
7	Withdrawal, pulling out	11
10	Rhythm or safe period by calendar	4
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 1] (nummultx25 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX293 ne 1)

MTHSIMX295(3754-3755)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Jan [interview yr-1])

value label	Total
. INAPPLICABLE	12269
7 Withdrawal, pulling out	4
8 Depo-Provera, injectables	1
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	1
15 Jelly or cream	1
25 Contraceptive patch	1
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 1] (nummultx25 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX293 ne 1)

MTHSIMX296(3756-3757)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - Jan [interview yr-1])

value label	Total
. INAPPLICABLE	12277
7 Withdrawal, pulling out	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in January [interview yr - 1] (nummultx25 > 3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination (MTHSIMX295 ne 1)

MTHSIMX297(3758-3759)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - Jan [interview yr-1])

value label	Total
. INAPPLICABLE	12273
1 None	2
4 Condom	1
10 Rhythm or safe period by calendar	1
99 Don't know	2
Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 1] (nummultx25 > 2)

MTHSIMX298(3760-3761)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Jan [interview yr-1])

value label	Total
. INAPPLICABLE	12278
11 Safe period by temperature or cervical mucus test, natural family planning	1
Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 1] (nummultx25 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX297 ne 1)

MTHSIMX299(3762-3763)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Jan [interview yr-1])

value label	Total
. INAPPLICABLE	12278
12 Diaphragm	1
Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr - 1] (nummultx25 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX297 ne 1)

MTHSIMX300(3764-3765)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - Jan [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in January [interview yr - 1] (nummultx25 > 3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination (MTHSIMX299 ne 1)

MTHSIMX301(3766-3767)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Feb [interview yr-1])

value	label	Total
.	INAPPLICABLE	12221
1	None	8
3	Birth control pills	17
4	Condom	21
5	Partner's vasectomy	1
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	3
14	Foam	1
15	Jelly or cream	1
19	IUD, coil, or loop	1

Total	12279
--------------	--------------

Universe : Applicable if R used at least 3 methods in February [interview yr - 1] (nummultx26 > 2)

MTHSIMX302(3768-3769)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Feb [interview yr-1])

value label	Total
. INAPPLICABLE	12231
3 Birth control pills	1
4 Condom	19
5 Partner's vasectomy	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	10
10 Rhythm or safe period by calendar	12
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	1
15 Jelly or cream	2
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 1] (nummultx26 > 2) and R used at least 2 methods in the first method combination (MTHSIMX301 ne 1)

MTHSIMX303(3770-3771)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Feb [interview yr-1])

value label	Total
. INAPPLICABLE	12250

7	Withdrawal, pulling out	15
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	4
11	Safe period by temperature or cervical mucus test, natural family planning	4
12	Diaphragm	1
20	Emergency contraception	1
25	Contraceptive patch	2
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 1] (nummultx26 > 2) and R used at least 2 methods in the first method combination (MTHSIMX301 ne 1)

MTHSIMX304(3772-3773)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - Feb [interview yr-1])

value	label	Total
.	INAPPLICABLE	12277
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in February [interview yr - 1] (nummultx26 > 3) and R used at least 3 methods in first method combination (MTHSIMX303 ne 1)

MTHSIMX305(3774-3775)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - Feb [interview yr-1])

value label	Total
. INAPPLICABLE	12229
1 None	26
3 Birth control pills	11
4 Condom	3
7 Withdrawal, pulling out	5
10 Rhythm or safe period by calendar	2
12 Diaphragm	1
15 Jelly or cream	1
19 IUD, coil, or loop	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 1] (nummultx26 > 2)

MTHSIMX306(3776-3777)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Feb [interview yr-1])

value label	Total
. INAPPLICABLE	12257
4 Condom	7
5 Partner's vasectomy	1
7 Withdrawal, pulling out	8
10 Rhythm or safe period by calendar	4
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 1] (nummultx26 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX305 ne 1)

MTHSIMX307(3778-3779)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Feb [interview yr-1])

value	label	Total
.	INAPPLICABLE	12269
7	Withdrawal, pulling out	6
8	Depo-Provera, injectables	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 1] (nummultx26 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX305 ne 1)

MTHSIMX308(3780-3781)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - Feb [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in February [interview yr - 1] (nummultx26 > 3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination (MTHSIMX307 ne 1)

MTHSIMX309(3782-3783)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?

(1st method used in 3rd combo - Feb [interview yr-1])

value label	Total
. INAPPLICABLE	12274
1 None	1
7 Withdrawal, pulling out	2
10 Rhythm or safe period by calendar	1
99 Don't know	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 1] (nummultx26 > 2)

MTHSIMX310(3784-3785)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Feb [interview yr-1])

value label	Total
. INAPPLICABLE	12277
11 Safe period by temperature or cervical mucus test, natural family planning	1
20 Emergency contraception	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 1] (nummultx26 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX309 ne 1)

MTHSIMX311(3786-3787)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Feb [interview yr-1])

value label	Total
-------------	-------

.	INAPPLICABLE	12278
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr - 1] (nummultx26 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX309 ne 1)

MTHSIMX312(3788-3789)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Feb [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in February [interview yr - 1] (nummultx26 > 3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination (MTHSIMX311 ne 1)

MTHSIMX313(3790-3791)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - March [interview yr-1])

value	label	Total
.	INAPPLICABLE	12212
1	None	8
3	Birth control pills	24
4	Condom	24
5	Partner's vasectomy	1
7	Withdrawal, pulling out	6

10	Rhythm or safe period by calendar	3
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 1] (nummultx27 > 2)

MTHSIMX314(3792-3793)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - March [interview yr-1])

value	label	Total
.	INAPPLICABLE	12221
4	Condom	23
5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	13
8	Depo-Provera, injectables	2
10	Rhythm or safe period by calendar	13
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	2
15	Jelly or cream	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 1] (nummultx27 > 2) and R used at least 2 methods in the first method combination (MTHSIMX313 ne 1)

MTHSIMX315(3794-3795)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - March [interview yr-1])

value label	Total
. INAPPLICABLE	12246
5 Partner's vasectomy	1
7 Withdrawal, pulling out	15
10 Rhythm or safe period by calendar	4
11 Safe period by temperature or cervical mucus test, natural family planning	4
12 Diaphragm	1
14 Foam	3
19 IUD, coil, or loop	1
20 Emergency contraception	1
25 Contraceptive patch	2
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 1] (nummultx27 > 2) and R used at least 2 methods in the first method combination (MTHSIMX313 ne 1)

MTHSIMX316(3796-3797)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - March [interview yr-1])

value label	Total
. INAPPLICABLE	12277
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in March [interview yr - 1] (nummultx27 > 3) and R used at least 3 methods in first method combination (MTHSIMX315 ne 1)

MTHSIMX317(3798-3799)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 2nd combo - March [interview yr-1])

value	label	Total
.	INAPPLICABLE	12220
1	None	32
3	Birth control pills	12
4	Condom	3
7	Withdrawal, pulling out	8
10	Rhythm or safe period by calendar	2
15	Jelly or cream	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 1] (nummultx27 > 2)

MTHSIMX318(3800-3801)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 2nd combo - March [interview yr-1])

value	label	Total
.	INAPPLICABLE	12254
4	Condom	5
5	Partner's vasectomy	1
7	Withdrawal, pulling out	9
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	5
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
15	Jelly or cream	1
20	Emergency contraception	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 1] (nummultx27 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX317 ne 1)

MTHSIMX319(3802-3803)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - March [interview yr-1])

value label	Total
. INAPPLICABLE	12272
7 Withdrawal, pulling out	4
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 1] (nummultx27 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX317 ne 1)

MTHSIMX320(3804-3805)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - March [interview yr-1])

value label	Total
. INAPPLICABLE	12278
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in March [interview yr - 1] (nummultx27 > 3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination (MTHSIMX319 ne 1)

MTHSIMX321(3806-3807)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - March [interview yr-1])

value	label	Total
.	INAPPLICABLE	12275
1	None	1
4	Condom	1
10	Rhythm or safe period by calendar	1
99	Don't know	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 1] (nummultx27 > 2)

MTHSIMX322(3808-3809)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - March [interview yr-1])

value	label	Total
.	INAPPLICABLE	12277
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 1] (nummultx27 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX321 ne 1)

MTHSIMX323(3810-3811)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - March [interview yr-1])

value label	Total
. INAPPLICABLE	12277
7 Withdrawal, pulling out	1
12 Diaphragm	1
Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr - 1] (nummultx27 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX321 ne 1)

MTHSIMX324(3812-3813)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - March [interview yr-1])

value label	Total
. INAPPLICABLE	12277
15 Jelly or cream	2
Total	12279

Universe : Applicable if R used at least 4 methods in March [interview yr - 1] (nummultx27 > 3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination (MTHSIMX323 ne 1)

MTHSIMX325(3814-3815)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - April [interview yr-1])

value label	Total
. INAPPLICABLE	12218
1 None	8
3 Birth control pills	19
4 Condom	24

5	Partner's vasectomy	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	4
10	Rhythm or safe period by calendar	3
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 1] (nummultx28 > 2)

MTHSIMX326(3816-3817)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - April [interview yr-1])

value	label	Total
.	INAPPLICABLE	12227
4	Condom	22
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	9
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	12
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	2
15	Jelly or cream	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 1] (nummultx28 > 2) and R used at least 2 methods in the first method combination (MTHSIMX325 ne 1)

MTHSIMX327(3818-3819)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (3rd method used in 1st combo - April [interview yr-1])

value	label	Total
.	INAPPLICABLE	12248
7	Withdrawal, pulling out	16
10	Rhythm or safe period by calendar	6
11	Safe period by temperature or cervical mucus test, natural family planning	4
12	Diaphragm	1
14	Foam	2
17	Suppository, insert	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 1] (nummultx28 > 2) and R used at least 2 methods in the first method combination (MTHSIMX325 ne 1)

MTHSIMX328(3820-3821)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (4th method used in 1st combo - April [interview yr-1])

value	label	Total
.	INAPPLICABLE	12276
7	Withdrawal, pulling out	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in April [interview yr - 1] (nummultx28 > 3) and R used at least 3 methods in first method combination (MTHSIMX327 ne 1)

MTHSIMX329(3822-3823)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - April [interview yr-1])

value	label	Total
.	INAPPLICABLE	12226
1	None	29
3	Birth control pills	9
4	Condom	4
5	Partner's vasectomy	1
7	Withdrawal, pulling out	6
10	Rhythm or safe period by calendar	2
15	Jelly or cream	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 1] (nummultx28 > 2)

MTHSIMX330(3824-3825)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - April [interview yr-1])

value	label	Total
.	INAPPLICABLE	12257
3	Birth control pills	1
4	Condom	4
5	Partner's vasectomy	1
7	Withdrawal, pulling out	8
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	2

Total

12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 1] (nummultx28 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX329 ne 1)

MTHSIMX331(3826-3827)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - April [interview yr-1])

value label	Total
. INAPPLICABLE	12270
7 Withdrawal, pulling out	5
10 Rhythm or safe period by calendar	1
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 1] (nummultx28 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX329 ne 1)

MTHSIMX332(3828-3829)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - April [interview yr-1])

value label	Total
. INAPPLICABLE	12277
7 Withdrawal, pulling out	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in April [interview yr - 1] (nummultx28 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX331 ne 1)

MTHSIMX333(3830-3831)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - April [interview yr-1])

value	label	Total
.	INAPPLICABLE	12275
1	None	1
4	Condom	1
10	Rhythm or safe period by calendar	1
99	Don't know	1
Total		12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 1] (nummultx28 > 2)

MTHSIMX334(3832-3833)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - April [interview yr-1])

value	label	Total
.	INAPPLICABLE	12277
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 1] (nummultx28 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX333 ne 1)

MTHSIMX335(3834-3835)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - April [interview yr-1])

value	label	Total
.	INAPPLICABLE	12277
12	Diaphragm	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr - 1] (nummultx28 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX333 ne 1)

MTHSIMX336(3836-3837)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - April [interview yr-1])

value	label	Total
.	INAPPLICABLE	12277
7	Withdrawal, pulling out	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in April [interview yr - 1] (nummultx28 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX335 ne 1)

MTHSIMX337(3838-3839)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - May [interview yr-1])

value label	Total
. INAPPLICABLE	12214
1 None	4
3 Birth control pills	22
4 Condom	24
5 Partner's vasectomy	2
7 Withdrawal, pulling out	8
10 Rhythm or safe period by calendar	3
14 Foam	1
19 IUD, coil, or loop	1
Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 1] (nummultx29 > 2)

MTHSIMX338(3840-3841)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - May [interview yr-1])

value label	Total
. INAPPLICABLE	12219
4 Condom	20
5 Partner's vasectomy	3
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7 Withdrawal, pulling out	12
10 Rhythm or safe period by calendar	15
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	1
15 Jelly or cream	2
25 Contraceptive patch	1
26 Vaginal contraceptive ring	3
Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 1] (nummultx29 > 2) and R used at least 2 methods in the first method combination (MTHSIMX337 ne 1)

MTHSIMX339(3842-3843)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - May [interview yr-1])

value label	Total
. INAPPLICABLE	12245
4 Condom	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	17
10 Rhythm or safe period by calendar	6
11 Safe period by temperature or cervical mucus test, natural family planning	5
12 Diaphragm	1
14 Foam	2
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 1] (nummultx29 > 2) and R used at least 2 methods in the first method combination (MTHSIMX337 ne 1)

MTHSIMX340(3844-3845)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - May [interview yr-1])

value label	Total
. INAPPLICABLE	12277
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1

Total

12279

Universe : Applicable if R used at least 4 methods in May [interview yr - 1] (nummultx29 > 3) and R used at least 3 methods in first method combination (MTHSIMX339 ne 1)

MTHSIMX341(3846-3847)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - May [interview yr-1])

value label	Total
. INAPPLICABLE	12218
1 None	33
3 Birth control pills	13
4 Condom	5
5 Partner's vasectomy	1
7 Withdrawal, pulling out	5
10 Rhythm or safe period by calendar	2
15 Jelly or cream	1
19 IUD, coil, or loop	1
Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 1] (nummultx29 > 2)

MTHSIMX342(3848-3849)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - May [interview yr-1])

value label	Total
. INAPPLICABLE	12253
4 Condom	8

5	Partner's vasectomy	1
7	Withdrawal, pulling out	8
10	Rhythm or safe period by calendar	4
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	1
26	Vaginal contraceptive ring	2
	Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 1] (nummultx29 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX341 ne 1)

MTHSIMX343(3850-3851)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - May [interview yr-1])

value	label	Total
.	INAPPLICABLE	12270
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 1] (nummultx29 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX341 ne 1)

MTHSIMX344(3852-3853)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - May [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in May [interview yr - 1] (nummultx29 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX343 ne 1)

MTHSIMX345(3854-3855)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - May [interview yr-1])

value	label	Total
.	INAPPLICABLE	12275
1	None	1
7	Withdrawal, pulling out	1
10	Rhythm or safe period by calendar	1
99	Don't know	1
	Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 1] (nummultx29 > 2)

MTHSIMX346(3856-3857)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - May [interview yr-1])

value	label	Total
.	INAPPLICABLE	12277
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1

Total

12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 1] (nummultx29 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX345 ne 1)

MTHSIMX347(3858-3859)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - May [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in May [interview yr - 1] (nummultx29 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX345 ne 1)

MTHSIMX348(3860-3861)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - May [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 4 methods in May [interview yr - 1] (nummultx29 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX347 ne 1)

MTHSIMX349(3862-3863)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - June [interview yr-1])

value	label	Total
.	INAPPLICABLE	12218
1	None	8
3	Birth control pills	19
4	Condom	21
5	Partner's vasectomy	2
7	Withdrawal, pulling out	6
10	Rhythm or safe period by calendar	3
15	Jelly or cream	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 1] (nummultx30 > 2)

MTHSIMX350(3864-3865)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - June [interview yr-1])

value	label	Total
.	INAPPLICABLE	12227
4	Condom	18
5	Partner's vasectomy	3
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	13
10	Rhythm or safe period by calendar	9
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	2
21	Other method	1

26	Vaginal contraceptive ring	3
Total		12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 1] (nummultx30 > 2) and R used at least 2 methods in the first method combination (MTHSIMX349 ne 1)

MTHSIMX351(3866-3867)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - June [interview yr-1])

value	label	Total
.	INAPPLICABLE	12249
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	12
10	Rhythm or safe period by calendar	9
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	1
14	Foam	3
15	Jelly or cream	1
26	Vaginal contraceptive ring	1
Total		12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 1] (nummultx30 > 2) and R used at least 2 methods in the first method combination (MTHSIMX349 ne 1)

MTHSIMX352(3868-3869)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - June [interview yr-1])

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12277
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in June [interview yr - 1] (nummultx30 > 3) and R used at least 3 methods in first method combination (MTHSIMX351 ne 1)

MTHSIMX353(3870-3871)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - June [interview yr-1])

value	label	Total
.	INAPPLICABLE	12226
1	None	28
3	Birth control pills	10
4	Condom	6
5	Partner's vasectomy	1
7	Withdrawal, pulling out	4
10	Rhythm or safe period by calendar	2
15	Jelly or cream	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 1] (nummultx30 > 2)

MTHSIMX354(3872-3873)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - June [interview yr-1])

value label	Total
. INAPPLICABLE	12257
3 Birth control pills	1
4 Condom	5
5 Partner's vasectomy	1
7 Withdrawal, pulling out	7
10 Rhythm or safe period by calendar	2
11 Safe period by temperature or cervical mucus test, natural family planning	2
12 Diaphragm	1
15 Jelly or cream	1
21 Other method	1
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 1] (nummultx30 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX353 ne 1)

MTHSIMX355(3874-3875)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - June [interview yr-1])

value label	Total
. INAPPLICABLE	12272
7 Withdrawal, pulling out	4
10 Rhythm or safe period by calendar	1
12 Diaphragm	1
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 1] (nummultx30 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX353 ne 1)

MTHSIMX356(3876-3877)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - June [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in June [interview yr - 1] (nummultx30 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX355 ne 1)

MTHSIMX357(3878-3879)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - June [interview yr-1])

value	label	Total
.	INAPPLICABLE	12275
7	Withdrawal, pulling out	2
10	Rhythm or safe period by calendar	1
99	Don't know	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 1] (nummultx30 > 2)

MTHSIMX358(3880-3881)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - June [interview yr-1])

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12277
10	Rhythm or safe period by calendar	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 1] (nummultx30 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX357 ne 1)

MTHSIMX359(3882-3883)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - June [interview yr-1])

value	label	Total
.	INAPPLICABLE	12277
12	Diaphragm	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr - 1] (nummultx30 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX357 ne 1)

MTHSIMX360(3884-3885)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - June [interview yr-1])

value	label	Total
.	INAPPLICABLE	12277
15	Jelly or cream	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 4 methods in June [interview yr - 1] (nummultx30 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX359 ne 1)

MTHSIMX361(3886-3887)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - July [interview yr-1])

value label	Total
. INAPPLICABLE	12220
1 None	7
3 Birth control pills	20
4 Condom	18
5 Partner's vasectomy	1
7 Withdrawal, pulling out	7
10 Rhythm or safe period by calendar	4
14 Foam	1
19 IUD, coil, or loop	1
Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 1] (nummultx31 > 2)

MTHSIMX362(3888-3889)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - July [interview yr-1])

value label	Total
. INAPPLICABLE	12229
4 Condom	20
5 Partner's vasectomy	2
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	2

7	Withdrawal, pulling out	13
10	Rhythm or safe period by calendar	10
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
21	Other method	1
Total		12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 1] (nummultx6 > 2) and R used at least 2 methods in the first method combination (MTHSIMX361 ne 1)

MTHSIMX363(3890-3891)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - July [interview yr-1])

value	label	Total
.	INAPPLICABLE	12251
4	Condom	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	13
10	Rhythm or safe period by calendar	6
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	2
14	Foam	1
26	Vaginal contraceptive ring	2
Total		12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 1] (nummultx31 > 2) and R used at least 2 methods in the first method combination (MTHSIMX361 ne 1)

MTHSIMX364(3892-3893)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (4th method used in 1st combo - July [interview yr-1])

value	label	Total
.	INAPPLICABLE	12277
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in July [interview yr - 1] (nummultx31 > 2) and R used at least 2 methods in the first method combination (MTHSIMX363 ne 1)

MTHSIMX365(3894-3895)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 2nd combo - July [interview yr-1])

value	label	Total
.	INAPPLICABLE	12227
1	None	28
3	Birth control pills	13
4	Condom	3
7	Withdrawal, pulling out	2
10	Rhythm or safe period by calendar	3
15	Jelly or cream	2
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 1] (nummultx31 > 2)

MTHSIMX366(3896-3897)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?

(2nd method used in 2nd combo - July [interview yr-1])

value	label	Total
.	INAPPLICABLE	12256
4	Condom	6
5	Partner's vasectomy	1
7	Withdrawal, pulling out	9
10	Rhythm or safe period by calendar	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
17	Suppository, insert	1
20	Emergency contraception	1
21	Other method	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 1] (nummultx31 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX365 ne 1)

MTHSIMX367(3898-3899)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - July [interview yr-1])

value	label	Total
.	INAPPLICABLE	12271
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	2
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 1] (nummultx31 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX365 ne 1)

MTHSIMX368(3900-3901)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - July [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in July [interview yr - 1] (nummultx31 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX367 ne 1)

MTHSIMX369(3902-3903)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - July [interview yr-1])

value	label	Total
.	INAPPLICABLE	12275
1	None	2
10	Rhythm or safe period by calendar	1
99	Don't know	1
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 1] (nummultx31 > 2)

MTHSIMX370(3904-3905)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - July [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 1] (nummultx31 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX369 ne 1)

MTHSIMX371(3906-3907)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - July [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr - 1] (nummultx31 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX369 ne 1)

MTHSIMX372(3908-3909)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - July [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in July [interview yr - 1] (nummultx31 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX371 ne 1)

MTHSIMX373(3910-3911)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Aug [interview yr-1])

value	label	Total
.	INAPPLICABLE	12219
1	None	7
3	Birth control pills	19
4	Condom	19
5	Partner's vasectomy	1
7	Withdrawal, pulling out	7
10	Rhythm or safe period by calendar	3
12	Diaphragm	1
14	Foam	1
19	IUD, coil, or loop	2
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 1] (nummultx32 = 2)

MTHSIMX374(3912-3913)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Aug [interview yr-1])

value	label	Total
.	INAPPLICABLE	12228
3	Birth control pills	1
4	Condom	19
5	Partner's vasectomy	3
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	13

10	Rhythm or safe period by calendar	10
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	2
Total		12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 1] (nummultx32 > 2) and R used at least 2 methods in the first method combination (MTHSIMX373 ne 1)

MTHSIMX375(3914-3915)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Aug [interview yr-1])

value label	Total
. INAPPLICABLE	12250
4 Condom	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	15
10 Rhythm or safe period by calendar	6
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	2
14 Foam	1
20 Emergency contraception	1
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 1] (nummultx32 > 2) and R used at least 2 methods in the first method combination (MTHSIMX373 ne 1)

MTHSIMX376(3916-3917)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?

(4th method used in 1st combo - Aug [interview yr-1])

value label	Total
. INAPPLICABLE	12277
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 1] (nummultx32 > 3) and R used at least 3 methods in first method combination (MTHSIMX375 ne 1)

MTHSIMX377(3918-3919)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - Aug [interview yr-1])

value label	Total
. INAPPLICABLE	12226
1 None	29
3 Birth control pills	10
4 Condom	5
7 Withdrawal, pulling out	3
10 Rhythm or safe period by calendar	2
12 Diaphragm	1
15 Jelly or cream	2
19 IUD, coil, or loop	1
Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 1] (nummultx32 > 2)

MTHSIMX378(3920-3921)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?

(2nd method used in 2nd combo - Aug [interview yr-1])

value	label	Total
.	INAPPLICABLE	12256
3	Birth control pills	1
4	Condom	7
5	Partner's vasectomy	1
7	Withdrawal, pulling out	6
10	Rhythm or safe period by calendar	2
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
15	Jelly or cream	1
19	IUD, coil, or loop	1
21	Other method	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 1] (nummultx32 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX377 ne 1)

MTHSIMX379(3922-3923)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Aug [interview yr-1])

value	label	Total
.	INAPPLICABLE	12270
7	Withdrawal, pulling out	6
10	Rhythm or safe period by calendar	2
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 1] (nummultx32 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX377 ne 1)

MTHSIMX380(3924-3925)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - Aug [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 1] (nummultx32 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX379 ne 1)

MTHSIMX381(3926-3927)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - Aug [interview yr-1])

value	label	Total
.	INAPPLICABLE	12276
1	None	1
10	Rhythm or safe period by calendar	1
99	Don't know	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 1] (nummultx32 > 2)

MTHSIMX382(3928-3929)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Aug [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 1] (nummultx32 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX381 ne 1)

MTHSIMX383(3930-3931)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Aug [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr - 1] (nummultx32 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX381 ne 1)

MTHSIMX384(3932-3933)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Aug [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Aug [interview yr - 1] (nummultx32 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX383 ne 1)

MTHSIMX385(3934-3935)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Sept [interview yr-1])

value	label	Total
.	INAPPLICABLE	12217
1	None	7
3	Birth control pills	20
4	Condom	22
7	Withdrawal, pulling out	8
10	Rhythm or safe period by calendar	3
14	Foam	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 1] (nummultx33 > 2)

MTHSIMX386(3936-3937)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Sept [interview yr-1])

value	label	Total
.	INAPPLICABLE	12225
3	Birth control pills	1
4	Condom	18
5	Partner's vasectomy	3
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	16
10	Rhythm or safe period by calendar	10
11	Safe period by temperature or cervical mucus test, natural family planning	1

12	Diaphragm	1
15	Jelly or cream	2
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 1] (nummultx33 > 2) and R used at least 2 methods in the first method combination (MTHSIMX385 ne 1)

MTHSIMX387(3938-3939)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Sept [interview yr-1])

value	label	Total
.	INAPPLICABLE	12249
4	Condom	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	12
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	8
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	1
14	Foam	1
19	IUD, coil, or loop	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 1] (nummultx33 > 2) and R used at least 2 methods in the first method combination (MTHSIMX385 ne 1)

MTHSIMX388(3940-3941)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?

(4th method used in 1st combo - Sept [interview yr-1])

value	label	Total
.	INAPPLICABLE	12276
7	Withdrawal, pulling out	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 1] (nummultx33 > 3) and R used at least 3 methods in first method combination (MTHSIMX387 ne 1)

MTHSIMX389(3942-3943)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - Sept [interview yr-1])

value	label	Total
.	INAPPLICABLE	12224
1	None	30
3	Birth control pills	12
4	Condom	4
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	2
15	Jelly or cream	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 1] (nummultx33 > 2)

MTHSIMX390(3944-3945)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?

(2nd method used in 2nd combo - Sept [interview yr-1])

value	label	Total
.	INAPPLICABLE	12257
3	Birth control pills	1
4	Condom	7
5	Partner's vasectomy	1
7	Withdrawal, pulling out	7
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
21	Other method	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 1] (nummultx33 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX389 ne 1)

MTHSIMX391(3946-3947)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Sept [interview yr-1])

value	label	Total
.	INAPPLICABLE	12272
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 1] (nummultx33 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX389 ne 1)

MTHSIMX392(3948-3949)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - Sept [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 1] (nummultx33 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX391 ne 1)

MTHSIMX393(3950-3951)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - Sept [interview yr-1])

value	label	Total
.	INAPPLICABLE	12277
10	Rhythm or safe period by calendar	1
99	Don't know	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 1] (nummultx33 > 2)

MTHSIMX394(3952-3953)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Sept [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278

11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 1] (nummultx33 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX393 ne 1)

MTHSIMX395(3954-3955)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Sept [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr - 1] (nummultx33 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX393 ne 1)

MTHSIMX396(3956-3957)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Sept [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 4 methods in Sept [interview yr - 1] (nummultx33 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX395 ne 1)

MTHSIMX397(3958-3959)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Oct [interview yr-1])

value label	Total
. INAPPLICABLE	12213
1 None	10
3 Birth control pills	24
4 Condom	21
5 Partner's vasectomy	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	4
10 Rhythm or safe period by calendar	3
14 Foam	1
19 IUD, coil, or loop	1
Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 1] (nummultx34 > 2)

MTHSIMX398(3960-3961)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Oct [interview yr-1])

value label	Total
. INAPPLICABLE	12225
3 Birth control pills	2
4 Condom	21
5 Partner's vasectomy	3
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7 Withdrawal, pulling out	14
10 Rhythm or safe period by calendar	9
11 Safe period by temperature or cervical mucus test, natural family planning	1

12	Diaphragm	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 1] (nummultx34 > 2) and R used at least 2 methods in the first method combination (MTHSIMX397 ne 1)

MTHSIMX399(3962-3963)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 1st combo - Oct [interview yr-1])

value	label	Total
.	INAPPLICABLE	12250
4	Condom	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	15
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	6
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
14	Foam	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 1] (nummultx34 > 2) and R used at least 2 methods in the first method combination (MTHSIMX397 ne 1)

MTHSIMX400(3964-3965)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?

(4th method used in 1st combo - Oct [interview yr-1])

value	label	Total
.	INAPPLICABLE	12277
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 1] (nummultx34 > 3) and R used at least 3 methods in first method combination (MTHSIMX399 ne 1)

MTHSIMX401(3966-3967)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - Oct [interview yr-1])

value	label	Total
.	INAPPLICABLE	12223
1	None	29
3	Birth control pills	14
4	Condom	3
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	2
15	Jelly or cream	1
19	IUD, coil, or loop	1
Total		12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 1] (nummultx34 > 2)

MTHSIMX402(3968-3969)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?

(2nd method used in 2nd combo - Oct [interview yr-1])

value	label	Total
.	INAPPLICABLE	12254
3	Birth control pills	1
4	Condom	8
5	Partner's vasectomy	1
7	Withdrawal, pulling out	9
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
21	Other method	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 1] (nummultx34 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX401 ne 1)

MTHSIMX403(3970-3971)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Oct [interview yr-1])

value	label	Total
.	INAPPLICABLE	12271
7	Withdrawal, pulling out	6
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 1] (nummultx34 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX401 ne 1)

MTHSIMX404(3972-3973)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - Oct [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 1] (nummultx34 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX403 ne 1)

MTHSIMX405(3974-3975)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - Oct [interview yr-1])

value	label	Total
.	INAPPLICABLE	12277
10	Rhythm or safe period by calendar	1
99	Don't know	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 1] (nummultx34 > 2)

MTHSIMX406(3976-3977)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Oct [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278

11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 1] (nummultx34 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX405 ne 1)

MTHSIMX407(3978-3979)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 3rd combo - Oct [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr - 1] (nummultx34 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX405 ne 1)

MTHSIMX408(3980-3981)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Oct [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 4 methods in Oct [interview yr - 1] (nummultx34 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX407 ne 1)

MTHSIMX409(3982-3983)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Nov [interview yr-1])

value label	Total
. INAPPLICABLE	12206
1 None	8
3 Birth control pills	29
4 Condom	22
5 Partner's vasectomy	1
7 Withdrawal, pulling out	6
10 Rhythm or safe period by calendar	4
12 Diaphragm	1
14 Foam	1
19 IUD, coil, or loop	1
Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 1] (nummultx35 > 2)

MTHSIMX410(3984-3985)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Nov [interview yr-1])

value label	Total
. INAPPLICABLE	12215
3 Birth control pills	2
4 Condom	22
5 Partner's vasectomy	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7 Withdrawal, pulling out	18
10 Rhythm or safe period by calendar	10
11 Safe period by temperature or cervical mucus test, natural family planning	2

12	Diaphragm	1
13	Female condom, vaginal pouch	1
14	Foam	1
15	Jelly or cream	2
19	IUD, coil, or loop	1
20	Emergency contraception	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 1] (nummultx35 > 2) and R used at least 2 methods in the first method combination (MTHSIMX409 ne 1)

MTHSIMX411(3986-3987)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Nov [interview yr-1])

value	label	Total
.	INAPPLICABLE	12249
4	Condom	1
7	Withdrawal, pulling out	16
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	5
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	1
14	Foam	1
15	Jelly or cream	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 1] (nummultx35 > 2) and R used at least 2 methods in the first method combination (MTHSIMX409 ne 1)

MTHSIMX412(3988-3989)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - Nov [interview yr-1])

value label	Total
. INAPPLICABLE	12277
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 1] (nummultx35 > 3) and R used at least 3 methods in first method combination (MTHSIMX411 ne 1)

MTHSIMX413(3990-3991)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - Nov [interview yr-1])

value label	Total
. INAPPLICABLE	12214
1 None	31
3 Birth control pills	18
4 Condom	6
7 Withdrawal, pulling out	6
10 Rhythm or safe period by calendar	2
15 Jelly or cream	1
19 IUD, coil, or loop	1
Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 1] (nummultx35 > 2)

MTHSIMX414(3992-3993)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 2nd combo - Nov [interview yr-1])

value	label	Total
.	INAPPLICABLE	12248
1	None	1
3	Birth control pills	1
4	Condom	11
5	Partner's vasectomy	1
7	Withdrawal, pulling out	10
10	Rhythm or safe period by calendar	2
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	2
14	Foam	1
21	Other method	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 1] (nummultx35 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX413 ne 1)

MTHSIMX415(3994-3995)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (3rd method used in 2nd combo - Nov [interview yr-1])

value	label	Total
.	INAPPLICABLE	12271
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 1] (nummultx35 > 3) and R used at

least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX413 ne 1)

MTHSIMX416(3996-3997)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - Nov [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 1] (nummultx35 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX415 ne 1)

MTHSIMX417(3998-3999)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - Nov [interview yr-1])

value	label	Total
.	INAPPLICABLE	12276
4	Condom	1
10	Rhythm or safe period by calendar	1
99	Don't know	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 1] (nummultx35 > 2)

MTHSIMX418(4000-4001)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 3rd combo - Nov [interview yr-1])

value	label	Total
.	INAPPLICABLE	12277
7	Withdrawal, pulling out	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 1] (nummultx35 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX417 ne 1)

MTHSIMX419(4002-4003)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (3rd method used in 3rd combo - Nov [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr - 1] (nummultx35 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX417 ne 1)

MTHSIMX420(4004-4005)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (4th method used in 3rd combo - Nov [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1

Total	12279
--------------	--------------

Universe : Applicable if R used at least 4 methods in Nov [interview yr - 1] (nummultx35 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX419 ne 1)

MTHSIMX421(4006-4007)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Dec [interview yr-1])

value label	Total
. INAPPLICABLE	12198
1 None	12
3 Birth control pills	33
4 Condom	24
5 Partner's vasectomy	2
7 Withdrawal, pulling out	4
10 Rhythm or safe period by calendar	4
14 Foam	1
19 IUD, coil, or loop	1
Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 1] (nummultx36 > 2)

MTHSIMX422(4008-4009)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - Dec [interview yr-1])

value label	Total
. INAPPLICABLE	12211
3 Birth control pills	2

4	Condom	28
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	16
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	11
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	1
14	Foam	1
15	Jelly or cream	1
20	Emergency contraception	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 1] (nummultx36 > 2) and R used at least 2 methods in the first method combination (MTHSIMX421 ne 1)

MTHSIMX423(4010-4011)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Dec [interview yr-1])

value	label	Total
.	INAPPLICABLE	12241
4	Condom	4
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	18
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	7
11	Safe period by temperature or cervical mucus test, natural family planning	3
12	Diaphragm	1
14	Foam	1
25	Contraceptive patch	1
26	Vaginal contraceptive ring	1

Total

12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 1] ($\text{nummultx36} > 2$) and R used at least 2 methods in the first method combination (MTHSIMX421 ne 1)

MTHSIMX424(4012-4013)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Dec [interview yr-1])

value label	Total
. INAPPLICABLE	12276
7 Withdrawal, pulling out	1
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 1] ($\text{nummultx36} > 3$) and R used at least 3 methods in first method combination (MTHSIMX423 ne 1)

MTHSIMX425(4014-4015)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 2nd combo - Dec [interview yr-1])

value label	Total
. INAPPLICABLE	12210
1 None	38
3 Birth control pills	16
4 Condom	3
7 Withdrawal, pulling out	6
8 Depo-Provera, injectables	1

10	Rhythm or safe period by calendar	3
15	Jelly or cream	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 1] (nummultx36 > 2)

MTHSIMX426(4016-4017)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Dec [interview yr-1])

value	label	Total
.	INAPPLICABLE	12250
3	Birth control pills	1
4	Condom	5
5	Partner's vasectomy	1
7	Withdrawal, pulling out	12
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	1
14	Foam	1
20	Emergency contraception	2
21	Other method	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 1] (nummultx36 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX425 ne 1)

MTHSIMX427(4018-4019)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?

(3rd method used in 2nd combo - Dec [interview yr-1])

value	label	Total
.	INAPPLICABLE	12272
7	Withdrawal, pulling out	4
10	Rhythm or safe period by calendar	2
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 1] ($\text{nummultx36} > 3$) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX425 ne 1)

MTHSIMX428(4020-4021)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - Dec [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 1] ($\text{nummultx36} > 3$) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination (MTHSIMX427 ne 1)

MTHSIMX429(4022-4023)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - Dec [interview yr-1])

value	label	Total
.	INAPPLICABLE	12275
4	Condom	1

7	Withdrawal, pulling out	1
10	Rhythm or safe period by calendar	1
99	Don't know	1
Total		12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 1] (nummultx36 > 2)

MTHSIMX430(4024-4025)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Dec [interview yr-1])

value	label	Total
.	INAPPLICABLE	12276
7	Withdrawal, pulling out	1
10	Rhythm or safe period by calendar	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 1] (nummultx36 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX429 ne 1)

MTHSIMX431(4026-4027)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Dec [interview yr-1])

value	label	Total
.	INAPPLICABLE	12277
12	Diaphragm	1
15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr - 1] (nummultx36 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX429 ne 1)

MTHSIMX432(4028-4029)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 3rd combo - Dec [interview yr-1])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 4 methods in Dec [interview yr - 1] (nummultx36 > 2) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination (MTHSIMX431 ne 1)

MTHSIMX433(4030-4031)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - Jan [interview yr])

value	label	Total
.	INAPPLICABLE	12201
1	None	11
3	Birth control pills	32
4	Condom	22
5	Partner's vasectomy	1
7	Withdrawal, pulling out	6
10	Rhythm or safe period by calendar	3
12	Diaphragm	1
19	IUD, coil, or loop	1
25	Contraceptive patch	1

Total

12279

Universe : Applicable if R used at least 3 methods in January [interview yr] (nummultx37 > 2)

MTHSIMX434(4032-4033)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Jan [interview yr])

value	label	Total
.	INAPPLICABLE	12213
3	Birth control pills	2
4	Condom	27
5	Partner's vasectomy	2
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	2
7	Withdrawal, pulling out	15
10	Rhythm or safe period by calendar	12
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
14	Foam	1
15	Jelly or cream	1
20	Emergency contraception	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr] (nummultx37 > 2) and R used at least 2 methods in the first method combination (MTHSIMX433 ne 1)

MTHSIMX435(4034-4035)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Jan [interview yr])

value label	Total
. INAPPLICABLE	12248
3 Birth control pills	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	16
8 Depo-Provera, injectables	1
10 Rhythm or safe period by calendar	5
11 Safe period by temperature or cervical mucus test, natural family planning	3
12 Diaphragm	1
14 Foam	1
20 Emergency contraception	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr] (nummultx37 > 2) and R used at least 2 methods in the first method combination (MTHSIMX433 ne 1)

MTHSIMX436(4036-4037)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 1st combo - Jan [interview yr])

value label	Total
. INAPPLICABLE	12277
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in January [interview yr] (nummultx37 > 3) and R used at least 3 methods in first method combination (MTHSIMX435 ne 1)

MTHSIMX437(4038-4039)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 2nd combo - Jan [interview yr])

value label	Total
. INAPPLICABLE	12212
1 None	32
3 Birth control pills	19
4 Condom	2
7 Withdrawal, pulling out	6
9 Hormonal implant (Norplant or Implanon)	1
10 Rhythm or safe period by calendar	3
12 Diaphragm	1
15 Jelly or cream	1
19 IUD, coil, or loop	1
20 Emergency contraception	1
Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr] (nummultx37 > 2)

MTHSIMX438(4040-4041)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 2nd combo - Jan [interview yr])

value label	Total
. INAPPLICABLE	12246
3 Birth control pills	1
4 Condom	8
5 Partner's vasectomy	1
7 Withdrawal, pulling out	13
10 Rhythm or safe period by calendar	3
11 Safe period by temperature or cervical mucus test, natural family planning	2
12 Diaphragm	1

15	Jelly or cream	1
21	Other method	2
26	Vaginal contraceptive ring	1
Total		12279

Universe : Applicable if R used at least 3 methods in January [interview yr] (nummultx37 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX437 ne 1)

MTHSIMX439(4042-4043)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Jan [interview yr])

value label	Total
. INAPPLICABLE	12270
7 Withdrawal, pulling out	6
10 Rhythm or safe period by calendar	1
12 Diaphragm	1
20 Emergency contraception	1
Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr] (nummultx37 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX437 ne 1)

MTHSIMX440(4044-4045)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - Jan [interview yr])

value label	Total
. INAPPLICABLE	12278
15 Jelly or cream	1

Total	12279
--------------	--------------

Universe : Applicable if R used at least 4 methods in January [interview yr] (nummultx37 > 3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination (MTHSIMX439 ne 1)

MTHSIMX441(4046-4047)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - Jan [interview yr])

value label	Total
. INAPPLICABLE	12275
1 None	1
4 Condom	1
10 Rhythm or safe period by calendar	1
99 Don't know	1
Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr] (nummultx37 > 2)

MTHSIMX442(4048-4049)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 3rd combo - Jan [interview yr])

value label	Total
. INAPPLICABLE	12277
7 Withdrawal, pulling out	1
11 Safe period by temperature or cervical mucus test, natural family planning	1
Total	12279

Universe : Applicable if R used at least 3 methods in January [interview yr] (nummultx37 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX441 ne 1)

MTHSIMX443(4050-4051)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Jan [interview yr])

value	label	Total
.	INAPPLICABLE	12277
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in January [interview yr] ($\text{nummultx37} > 2$) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX441 ne 1)

MTHSIMX444(4052-4053)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - Jan [interview yr])

value	label	Total
.	INAPPLICABLE	12277
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 4 methods in January [interview yr] ($\text{nummultx37} > 3$) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination (MTHSIMX443 ne 1)

MTHSIMX445(4054-4055)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?

(1st method used in 1st combo - Feb [interview yr])

value label	Total
. INAPPLICABLE	12207
1 None	12
3 Birth control pills	29
4 Condom	22
5 Partner's vasectomy	1
7 Withdrawal, pulling out	4
10 Rhythm or safe period by calendar	3
19 IUD, coil, or loop	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr] (nummultx38 > 2)

MTHSIMX446(4056-4057)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Feb [interview yr])

value label	Total
. INAPPLICABLE	12220
3 Birth control pills	2
4 Condom	27
5 Partner's vasectomy	2
7 Withdrawal, pulling out	13
10 Rhythm or safe period by calendar	11
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	1
14 Foam	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr] (nummultx38 > 2) and R used at

least 2 methods in the first method combination (MTHSIMX445 ne 1)

MTHSIMX447(4058-4059)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Feb [interview yr])

value label	Total
. INAPPLICABLE	12247
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	16
8 Depo-Provera, injectables	1
10 Rhythm or safe period by calendar	7
11 Safe period by temperature or cervical mucus test, natural family planning	3
12 Diaphragm	1
14 Foam	1
17 Suppository, insert	1
20 Emergency contraception	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr] (nummultx38 > 2) and R used at least 2 methods in the first method combination (MTHSIMX445 ne 1)

MTHSIMX448(4060-4061)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - Feb [interview yr])

value label	Total
. INAPPLICABLE	12275
11 Safe period by temperature or cervical mucus test, natural family planning	2
15 Jelly or cream	1

25	Contraceptive patch	1
Total		12279

Universe : Applicable if R used at least 4 methods in February [interview yr] (nummultx38 > 3) and R used at least 3 methods in first method combination (MTHSIMX447 ne 1)

MTHSIMX449(4062-4063)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - Feb [interview yr])

value label	Total	
.	INAPPLICABLE	12219
1	None	30
3	Birth control pills	17
4	Condom	3
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	3
15	Jelly or cream	1
19	IUD, coil, or loop	1
Total		12279

Universe : Applicable if R used at least 3 methods in February [interview yr] (nummultx38 > 2)

MTHSIMX450(4064-4065)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Feb [interview yr])

value label	Total	
.	INAPPLICABLE	12249
3	Birth control pills	2

4	Condom	6
5	Partner's vasectomy	1
7	Withdrawal, pulling out	13
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	2
12	Diaphragm	1
20	Emergency contraception	1
21	Other method	1
Total		12279

Universe : Applicable if R used at least 3 methods in February [interview yr] (nummultx38 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX449 ne 1)

MTHSIMX451(4066-4067)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (3rd method used in 2nd combo - Feb [interview yr])

value	label	Total
.	INAPPLICABLE	12270
4	Condom	1
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
20	Emergency contraception	1
Total		12279

Universe : Applicable if R used at least 3 methods in February [interview yr] (nummultx38 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX449 ne 1)

MTHSIMX452(4068-4069)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (4th method used in 2nd combo - Feb [interview yr])

value label	Total
. INAPPLICABLE	12277
7 Withdrawal, pulling out	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in February [interview yr] (nummultx38 > 3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination (MTHSIMX451 ne 1)

MTHSIMX453(4070-4071)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 3rd combo - Feb [interview yr])

value label	Total
. INAPPLICABLE	12273
1 None	2
4 Condom	1
10 Rhythm or safe period by calendar	1
20 Emergency contraception	1
99 Don't know	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr] (nummultx38 > 2)

MTHSIMX454(4072-4073)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 3rd combo - Feb [interview yr])

value label	Total
. INAPPLICABLE	12276
7 Withdrawal, pulling out	2
11 Safe period by temperature or cervical mucus test, natural family planning	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr] (nummultx38 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX453 ne 1)

MTHSIMX455(4074-4075)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Feb [interview yr])

value label	Total
. INAPPLICABLE	12277
10 Rhythm or safe period by calendar	1
12 Diaphragm	1
Total	12279

Universe : Applicable if R used at least 3 methods in February [interview yr] (nummultx38 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX453 ne 1)

MTHSIMX456(4076-4077)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - Feb [interview yr])

value label	Total
. INAPPLICABLE	12277
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1

Total

12279

Universe : Applicable if R used at least 4 methods in February [interview yr] (nummultx38 > 3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination (MTHSIMX455 ne 1)

MTHSIMX457(4078-4079)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - March [interview yr])

value label	Total
. INAPPLICABLE	12211
1 None	9
3 Birth control pills	25
4 Condom	22
7 Withdrawal, pulling out	4
10 Rhythm or safe period by calendar	3
17 Suppository, insert	1
18 Today sponge	1
19 IUD, coil, or loop	1
25 Contraceptive patch	1
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr] (nummultx39 > 2)

MTHSIMX458(4080-4081)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - March [interview yr])

value label

Total

.	INAPPLICABLE	12221
3	Birth control pills	1
4	Condom	23
5	Partner's vasectomy	2
7	Withdrawal, pulling out	15
10	Rhythm or safe period by calendar	11
11	Safe period by temperature or cervical mucus test, natural family planning	1
14	Foam	2
15	Jelly or cream	1
20	Emergency contraception	2
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr] (nummultx39 > 2) and R used at least 2 methods in the first method combination (MTHSIMX457 ne 1)

MTHSIMX459(4082-4083)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - March [interview yr])

value	label	Total
.	INAPPLICABLE	12250
4	Condom	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	13
10	Rhythm or safe period by calendar	7
11	Safe period by temperature or cervical mucus test, natural family planning	4
12	Diaphragm	1
14	Foam	1
20	Emergency contraception	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr] (nummultx39 > 2) and R used at

least 2 methods in the first method combination (MTHSIMX457 ne 1)

MTHSIMX460(4084-4085)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - March [interview yr])

value label	Total
. INAPPLICABLE	12276
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 4 methods in March [interview yr] (nummultx39 > 3) and R used at least 3 methods in first method combination (MTHSIMX459 ne 1)

MTHSIMX461(4086-4087)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - March [interview yr])

value label	Total
. INAPPLICABLE	12220
1 None	32
3 Birth control pills	15
4 Condom	4
7 Withdrawal, pulling out	4
10 Rhythm or safe period by calendar	2
15 Jelly or cream	1
19 IUD, coil, or loop	1
Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr] (nummultx39 > 2)

MTHSIMX462(4088-4089)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - March [interview yr])

value label	Total
. INAPPLICABLE	12253
3 Birth control pills	1
4 Condom	5
5 Partner's vasectomy	2
7 Withdrawal, pulling out	10
10 Rhythm or safe period by calendar	3
11 Safe period by temperature or cervical mucus test, natural family planning	1
14 Foam	1
20 Emergency contraception	1
21 Other method	1
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr] (nummultx39 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX461 ne 1)

MTHSIMX463(4090-4091)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - March [interview yr])

value label	Total
. INAPPLICABLE	12273
7 Withdrawal, pulling out	3

10	Rhythm or safe period by calendar	1
12	Diaphragm	1
20	Emergency contraception	1
Total		12279

Universe : Applicable if R used at least 3 methods in March [interview yr] (nummultx39 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX461 ne 1)

MTHSIMX464(4092-4093)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (4th method used in 2nd combo - March [interview yr])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 4 methods in March [interview yr] (nummultx39 > 3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination (MTHSIMX463 ne 1)

MTHSIMX465(4094-4095)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 3rd combo - March [interview yr])

value	label	Total
.	INAPPLICABLE	12276
1	None	1
10	Rhythm or safe period by calendar	1
99	Don't know	1
Total		12279

Universe : Applicable if R used at least 3 methods in March [interview yr] (nummultx39 > 2)

MTHSIMX466(4096-4097)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - March [interview yr])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr] (nummultx39 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX465 ne 1)

MTHSIMX467(4098-4099)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - March [interview yr])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in March [interview yr] (nummultx39 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX465 ne 1)

MTHSIMX468(4100-4101)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - March [interview yr])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in March [interview yr] (nummultx39 > 3) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination (MTHSIMX467 ne 1)

MTHSIMX469(4102-4103)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (1st method used in 1st combo - April [interview yr])

value	label	Total
.	INAPPLICABLE	12223
1	None	8
3	Birth control pills	19
4	Condom	19
7	Withdrawal, pulling out	4
10	Rhythm or safe period by calendar	3
18	Today sponge	1
19	IUD, coil, or loop	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr] (nummultx40 > 2)

MTHSIMX470(4104-4105)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time? (2nd method used in 1st combo - April [interview yr])

value label	Total
. INAPPLICABLE	12232
3 Birth control pills	2
4 Condom	18
5 Partner's vasectomy	3
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	10
8 Depo-Provera, injectables	1
10 Rhythm or safe period by calendar	7
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	1
14 Foam	1
17 Suppository, insert	1
20 Emergency contraception	1
Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr] ($\text{nummultx40} > 2$) and R used at least 2 methods in the first method combination (MTHSIMX469 ne 1)

MTHSIMX471(4106-4107)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - April [interview yr])

value label	Total
. INAPPLICABLE	12252
4 Condom	2
5 Partner's vasectomy	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	11
10 Rhythm or safe period by calendar	4
11 Safe period by temperature or cervical mucus test, natural family planning	2
12 Diaphragm	1

14	Foam	1
15	Jelly or cream	1
19	IUD, coil, or loop	1
20	Emergency contraception	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr] (nummultx40 > 2) and R used at least 2 methods in the first method combination (MTHSIMX469 ne 1)

MTHSIMX472(4108-4109)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - April [interview yr])

value label	Total
. INAPPLICABLE	12275
4 Condom	1
10 Rhythm or safe period by calendar	1
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in April [interview yr] (nummultx40 > 3) and R used at least 3 methods in first method combination (MTHSIMX471 ne 1)

MTHSIMX473(4110-4111)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - April [interview yr])

value label	Total
-------------	-------

.	INAPPLICABLE	12231
1	None	27
3	Birth control pills	9
4	Condom	3
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	2
15	Jelly or cream	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr] (nummultx40 > 2)

MTHSIMX474(4112-4113)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - April [interview yr])

value label	Total	
.	INAPPLICABLE	12258
3	Birth control pills	2
4	Condom	4
5	Partner's vasectomy	3
7	Withdrawal, pulling out	7
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	1
21	Other method	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr] (nummultx40 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX473 ne 1)

MTHSIMX475(4114-4115)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (3rd method used in 2nd combo - April [interview yr])

value	label	Total
.	INAPPLICABLE	12272
4	Condom	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	3
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr] (nummultx40 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX473 ne 1)

MTHSIMX476(4116-4117)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (4th method used in 2nd combo - April [interview yr])

value	label	Total
.	INAPPLICABLE	12277
7	Withdrawal, pulling out	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in April [interview yr] (nummultx40 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX475 ne 1)

MTHSIMX477(4118-4119)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 3rd combo - April [interview yr])

value	label	Total
.	INAPPLICABLE	12277
10	Rhythm or safe period by calendar	1
99	Don't know	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr] (nummultx40 > 2)

MTHSIMX478(4120-4121)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - April [interview yr])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr] (nummultx40 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX477 ne 1)

MTHSIMX479(4122-4123)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - April [interview yr])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in April [interview yr] (nummultx40 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX477 ne 1)

MTHSIMX480(4124-4125)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - April [interview yr])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in April [interview yr] (nummultx40 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX479 ne 1)

MTHSIMX481(4126-4127)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - May [interview yr])

value	label	Total
.	INAPPLICABLE	12225
1	None	6
3	Birth control pills	21
4	Condom	18
7	Withdrawal, pulling out	3
10	Rhythm or safe period by calendar	3
12	Diaphragm	1
19	IUD, coil, or loop	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr] (nummultx41 > 2)

MTHSIMX482(4128-4129)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - May [interview yr])

value label	Total
. INAPPLICABLE	12232
3 Birth control pills	4
4 Condom	18
5 Partner's vasectomy	3
7 Withdrawal, pulling out	10
10 Rhythm or safe period by calendar	7
11 Safe period by temperature or cervical mucus test, natural family planning	1
14 Foam	1
15 Jelly or cream	1
19 IUD, coil, or loop	1
20 Emergency contraception	1
Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr] (nummultx41 > 2) and R used at least 2 methods in the first method combination (MTHSIMX481 ne 1)

MTHSIMX483(4130-4131)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - May [interview yr])

value label	Total
. INAPPLICABLE	12254
4 Condom	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	13
10 Rhythm or safe period by calendar	4
11 Safe period by temperature or cervical mucus test, natural family planning	1

12	Diaphragm	1
14	Foam	1
20	Emergency contraception	3
Total		12279

Universe : Applicable if R used at least 3 methods in May [interview yr] (nummultx41 > 2) and R used at least 2 methods in the first method combination (MTHSIMX481 ne 1)

MTHSIMX484(4132-4133)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - May [interview yr])

value label	Total
. INAPPLICABLE	12275
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	2
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 4 methods in May [interview yr] (nummultx41 > 3) and R used at least 3 methods in first method combination (MTHSIMX483 ne 1)

MTHSIMX485(4134-4135)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - May [interview yr])

value label	Total
. INAPPLICABLE	12231
1 None	24
3 Birth control pills	12

4	Condom	3
5	Partner's vasectomy	1
7	Withdrawal, pulling out	4
10	Rhythm or safe period by calendar	2
15	Jelly or cream	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr] (nummultx41 > 2)

MTHSIMX486(4136-4137)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - May [interview yr])

value	label	Total
.	INAPPLICABLE	12258
3	Birth control pills	1
4	Condom	5
5	Partner's vasectomy	2
7	Withdrawal, pulling out	8
10	Rhythm or safe period by calendar	2
11	Safe period by temperature or cervical mucus test, natural family planning	1
19	IUD, coil, or loop	1
21	Other method	1
	Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr] (nummultx41 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX485 ne 1)

MTHSIMX487(4138-4139)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (3rd method used in 2nd combo - May [interview yr])

value	label	Total
.	INAPPLICABLE	12274
7	Withdrawal, pulling out	3
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in May [interview yr] (nummultx41 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX485 ne 1)

MTHSIMX488(4140-4141)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (4th method used in 2nd combo - May [interview yr])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in May [interview yr] (nummultx41 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX487 ne 1)

MTHSIMX489(4142-4143)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 3rd combo - May [interview yr])

value	label	Total
.	INAPPLICABLE	12276

3	Birth control pills	1
10	Rhythm or safe period by calendar	1
99	Don't know	1
Total		12279

Universe : Applicable if R used at least 3 methods in May [interview yr] (nummultx41 > 2)

MTHSIMX490(4144-4145)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - May [interview yr])

value	label	Total
.	INAPPLICABLE	12277
7	Withdrawal, pulling out	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in May [interview yr] (nummultx41 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX489 ne 1)

MTHSIMX491(4146-4147)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - May [interview yr])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in May [interview yr] (nummultx41 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX489 ne 1)

MTHSIMX492(4148-4149)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - May [interview yr])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in May [interview yr] ($\text{nummultx41} > 2$) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX491 ne 1)

MTHSIMX493(4150-4151)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - June [interview yr])

value	label	Total
.	INAPPLICABLE	12232
1	None	5
3	Birth control pills	19
4	Condom	19
7	Withdrawal, pulling out	1
10	Rhythm or safe period by calendar	2
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr] ($\text{nummultx42} > 2$)

MTHSIMX494(4152-4153)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 1st combo - June [interview yr])

value	label	Total
.	INAPPLICABLE	12238
3	Birth control pills	3
4	Condom	16
5	Partner's vasectomy	4
7	Withdrawal, pulling out	12
10	Rhythm or safe period by calendar	4
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr] (nummultx42 > 2) and R used at least 2 methods in the first method combination (MTHSIMX493 ne 1)

MTHSIMX495(4154-4155)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (3rd method used in 1st combo - June [interview yr])

value	label	Total
.	INAPPLICABLE	12254
4	Condom	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	12
10	Rhythm or safe period by calendar	7
12	Diaphragm	1
14	Foam	1
19	IUD, coil, or loop	1
20	Emergency contraception	1
	Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr] (nummultx42 > 2) and R used at least 2 methods in the first method combination (MTHSIMX493 ne 1)

MTHSIMX496(4156-4157)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - June [interview yr])

value label	Total
. INAPPLICABLE	12275
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
20 Emergency contraception	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 4 methods in June [interview yr] (nummultx42 > 3) and R used at least 3 methods in first method combination (MTHSIMX495 ne 1)

MTHSIMX497(4158-4159)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - June [interview yr])

value label	Total
. INAPPLICABLE	12237
1 None	23
3 Birth control pills	10
4 Condom	2
7 Withdrawal, pulling out	4
10 Rhythm or safe period by calendar	2
15 Jelly or cream	1

Total	12279
--------------	--------------

Universe : Applicable if R used at least 3 methods in June [interview yr] (nummultx42 > 2)

MTHSIMX498(4160-4161)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - June [interview yr])

value label	Total
. INAPPLICABLE	12261
3 Birth control pills	1
4 Condom	4
5 Partner's vasectomy	2
7 Withdrawal, pulling out	7
10 Rhythm or safe period by calendar	2
11 Safe period by temperature or cervical mucus test, natural family planning	1
21 Other method	1
Total	12279

Universe : Applicable if R used at least 3 methods in June [interview yr] (nummultx42 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX497 ne 1)

MTHSIMX499(4162-4163)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - June [interview yr])

value label	Total
. INAPPLICABLE	12275
7 Withdrawal, pulling out	2
10 Rhythm or safe period by calendar	1

12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in June [interview yr] (nummultx42 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX497 ne 1)

MTHSIMX500(4164-4165)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - June [interview yr])

value label	Total
.	INAPPLICABLE 12278
15	Jelly or cream 1
Total 12279	

Universe : Applicable if R used at least 4 methods in June [interview yr] (nummultx42 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX499 ne 1)

MTHSIMX501(4166-4167)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - June [interview yr])

value label	Total
.	INAPPLICABLE 12275
1	None 1
3	Birth control pills 1
10	Rhythm or safe period by calendar 1
99	Don't know 1
Total 12279	

Universe : Applicable if R used at least 3 methods in June [interview yr] (nummultx42 > 2)

MTHSIMX502(4168-4169)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - June [interview yr])

value	label	Total
.	INAPPLICABLE	12277
4	Condom	1
11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in June [interview yr] (nummultx42 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX501 ne 1)

MTHSIMX503(4170-4171)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - June [interview yr])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in June [interview yr] (nummultx42 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX501 ne 1)

MTHSIMX504(4172-4173)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - June [interview yr])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in June [interview yr] (nummultx42 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX503 ne 1)

MTHSIMX505(4174-4175)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - July [interview yr])

value	label	Total
.	INAPPLICABLE	12231
1	None	5
3	Birth control pills	19
4	Condom	19
5	Partner's vasectomy	1
7	Withdrawal, pulling out	1
10	Rhythm or safe period by calendar	2
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr] (nummultx43 > 2)

MTHSIMX506(4176-4177)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - July [interview yr])

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12237
3	Birth control pills	2
4	Condom	20
5	Partner's vasectomy	2
7	Withdrawal, pulling out	11
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	4
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr] (nummultx6 > 2) and R used at least 2 methods in the first method combination (MTHSIMX505 ne 1)

MTHSIMX507(4178-4179)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - July [interview yr])

value label	Total	
.	INAPPLICABLE	12253
3	Birth control pills	1
4	Condom	1
6	Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7	Withdrawal, pulling out	10
10	Rhythm or safe period by calendar	6
12	Diaphragm	1
14	Foam	1
15	Jelly or cream	1
19	IUD, coil, or loop	2
20	Emergency contraception	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr] (nummultx43 > 2) and R used at least 2 methods in the first method combination (MTHSIMX505 ne 1)

MTHSIMX508(4180-4181)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - July [interview yr])

value label	Total
. INAPPLICABLE	12274
7 Withdrawal, pulling out	1
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
20 Emergency contraception	1
25 Contraceptive patch	1
Total	12279

Universe : Applicable if R used at least 4 methods in July [interview yr] (nummultx43 > 2) and R used at least 2 methods in the first method combination (MTHSIMX507 ne 1)

MTHSIMX509(4182-4183)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - July [interview yr])

value label	Total
. INAPPLICABLE	12236
1 None	24
3 Birth control pills	9
4 Condom	2
7 Withdrawal, pulling out	5
10 Rhythm or safe period by calendar	2

15	Jelly or cream	1
Total		12279

Universe : Applicable if R used at least 3 methods in July [interview yr] (nummultx43 > 2)

MTHSIMX510(4184-4185)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - July [interview yr])

value	label	Total
.	INAPPLICABLE	12261
3	Birth control pills	1
4	Condom	1
5	Partner's vasectomy	1
7	Withdrawal, pulling out	9
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	2
11	Safe period by temperature or cervical mucus test, natural family planning	1
17	Suppository, insert	1
21	Other method	1
Total		12279

Universe : Applicable if R used at least 3 methods in July [interview yr] (nummultx43 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX509 ne 1)

MTHSIMX511(4186-4187)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - July [interview yr])

value	label	Total
-------	-------	-------

.	INAPPLICABLE	12275
7	Withdrawal, pulling out	1
10	Rhythm or safe period by calendar	1
12	Diaphragm	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in July [interview yr] (nummultx43 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX5090 ne 1)

MTHSIMX512(4188-4189)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - July [interview yr])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in July [interview yr] (nummultx43 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX511 ne 1)

MTHSIMX513(4190-4191)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - July [interview yr])

value	label	Total
.	INAPPLICABLE	12276
1	None	1
10	Rhythm or safe period by calendar	1

99	Don't know	1
Total		12279

Universe : Applicable if R used at least 3 methods in July [interview yr] (nummultx43 > 2)

MTHSIMX514(4192-4193)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - July [interview yr])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in July [interview yr] (nummultx43 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX513 ne 1)

MTHSIMX515(4194-4195)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - July [interview yr])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in July [interview yr] (nummultx43 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX513 ne 1)

MTHSIMX516(4196-4197)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - July [interview yr])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in July [interview yr] (nummultx43 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX515 ne 1)

MTHSIMX517(4198-4199)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Aug [interview yr])

value	label	Total
.	INAPPLICABLE	12241
1	None	5
3	Birth control pills	10
4	Condom	17
5	Partner's vasectomy	1
7	Withdrawal, pulling out	2
10	Rhythm or safe period by calendar	2
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr] (nummultx44 = 2)

MTHSIMX518(4200-4201)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (2nd method used in 1st combo - Aug [interview yr])

value	label	Total
.	INAPPLICABLE	12246
3	Birth control pills	1
4	Condom	11
5	Partner's vasectomy	2
7	Withdrawal, pulling out	10
10	Rhythm or safe period by calendar	3
11	Safe period by temperature or cervical mucus test, natural family planning	1
15	Jelly or cream	1
17	Suppository, insert	1
19	IUD, coil, or loop	1
20	Emergency contraception	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr] (nummultx44 > 2) and R used at least 2 methods in the first method combination (MTHSIMX517 ne 1)

MTHSIMX519(4202-4203)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (3rd method used in 1st combo - Aug [interview yr])

value	label	Total
.	INAPPLICABLE	12258
7	Withdrawal, pulling out	9
10	Rhythm or safe period by calendar	6
12	Diaphragm	1
14	Foam	1
19	IUD, coil, or loop	2

20	Emergency contraception	1
26	Vaginal contraceptive ring	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr] (nummultx44 > 2) and R used at least 2 methods in the first method combination (MTHSIMX517 ne 1)

MTHSIMX520(4204-4205)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - Aug [interview yr])

value	label	Total
.	INAPPLICABLE	12277
15	Jelly or cream	1
25	Contraceptive patch	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Aug [interview yr] (nummultx44 > 3) and R used at least 3 methods in first method combination (MTHSIMX519 ne 1)

MTHSIMX521(4206-4207)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - Aug [interview yr])

value	label	Total
.	INAPPLICABLE	12246
1	None	17
3	Birth control pills	3
4	Condom	5
5	Partner's vasectomy	1

7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	2
	Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr] (nummultx44 > 2)

MTHSIMX522(4208-4209)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Aug [interview yr])

value label	Total
. INAPPLICABLE	12264
3 Birth control pills	1
4 Condom	2
5 Partner's vasectomy	2
7 Withdrawal, pulling out	3
10 Rhythm or safe period by calendar	3
11 Safe period by temperature or cervical mucus test, natural family planning	1
17 Suppository, insert	1
19 IUD, coil, or loop	1
21 Other method	1
Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr] (nummultx44 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX521 ne 1)

MTHSIMX523(4210-4211)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Aug [interview yr])

value label	Total
. INAPPLICABLE	12273
7 Withdrawal, pulling out	2
10 Rhythm or safe period by calendar	1
12 Diaphragm	1
26 Vaginal contraceptive ring	2
Total	12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr] (nummultx44 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX521 ne 1)

MTHSIMX524(4212-4213)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - Aug [interview yr])

value label	Total
. INAPPLICABLE	12278
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in Aug [interview yr] (nummultx44 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX523 ne 1)

MTHSIMX525(4214-4215)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - Aug [interview yr])

value label	Total
. INAPPLICABLE	12276
1 None	2

10	Rhythm or safe period by calendar	1
Total		12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr] (nummultx44 > 2)

MTHSIMX526(4216-4217)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Aug [interview yr])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
Total		12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr] (nummultx44 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX525 ne 1)

MTHSIMX527(4218-4219)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Aug [interview yr])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
Total		12279

Universe : Applicable if R used at least 3 methods in Aug [interview yr] (nummultx44 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX525 ne 1)

MTHSIMX528(4220-4221)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - Aug [interview yr])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Aug [interview yr] (nummultx44 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX527 ne 1)

MTHSIMX529(4222-4223)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Sept [interview yr])

value	label	Total
.	INAPPLICABLE	12253
1	None	3
3	Birth control pills	10
4	Condom	11
5	Partner's vasectomy	1
10	Rhythm or safe period by calendar	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr] (nummultx45 > 2)

MTHSIMX530(4224-4225)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Sept [interview yr])

value label	Total
. INAPPLICABLE	12256
4 Condom	10
7 Withdrawal, pulling out	6
10 Rhythm or safe period by calendar	3
11 Safe period by temperature or cervical mucus test, natural family planning	1
12 Diaphragm	1
15 Jelly or cream	1
17 Suppository, insert	1
Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr] (nummultx45 > 2) and R used at least 2 methods in the first method combination (MTHSIMX529 ne 1)

MTHSIMX531(4226-4227)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Sept [interview yr])

value label	Total
. INAPPLICABLE	12266
7 Withdrawal, pulling out	7
10 Rhythm or safe period by calendar	2
12 Diaphragm	1
14 Foam	1
19 IUD, coil, or loop	1
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr] (nummultx45 > 2) and R used at least 2 methods in the first method combination (MTHSIMX529 ne 1)

MTHSIMX532(4228-4229)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - Sept [interview yr])

value	label	Total
.	INAPPLICABLE	12277
15	Jelly or cream	2
	Total	12279

Universe : Applicable if R used at least 4 methods in Sept [interview yr] (nummultx45 > 3) and R used at least 3 methods in first method combination (MTHSIMX531 ne 1)

MTHSIMX533(4230-4231)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - Sept [interview yr])

value	label	Total
.	INAPPLICABLE	12256
1	None	11
3	Birth control pills	5
4	Condom	1
7	Withdrawal, pulling out	5
10	Rhythm or safe period by calendar	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr] (nummultx45 > 2)

MTHSIMX534(4232-4233)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Sept [interview yr])

value label	Total
. INAPPLICABLE	12268
4 Condom	2
7 Withdrawal, pulling out	4
10 Rhythm or safe period by calendar	2
11 Safe period by temperature or cervical mucus test, natural family planning	1
17 Suppository, insert	1
21 Other method	1
Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr] (nummultx45 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX3533ne 1)

MTHSIMX535(4234-4235)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Sept [interview yr])

value label	Total
. INAPPLICABLE	12276
7 Withdrawal, pulling out	1
12 Diaphragm	1
26 Vaginal contraceptive ring	1
Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr] (nummultx45 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX533 ne 1)

MTHSIMX536(4236-4237)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - Sept [interview yr])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Sept [interview yr] (nummultx45 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX535 ne 1)

MTHSIMX537(4238-4239)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - Sept [interview yr])

value	label	Total
.	INAPPLICABLE	12277
1	None	1
10	Rhythm or safe period by calendar	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr] (nummultx45 > 2)

MTHSIMX538(4240-4241)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Sept [interview yr])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr] (nummultx45 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX537 ne 1)

MTHSIMX539(4242-4243)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Sept [interview yr])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Sept [interview yr] ($\text{nummultx45} > 2$) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX537 ne 1)

MTHSIMX540(4244-4245)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - Sept [interview yr])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Sept [interview yr] ($\text{nummultx45} > 2$) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX539 ne 1)

MTHSIMX541(4246-4247)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Oct [interview yr])

value label	Total
. INAPPLICABLE	12257
1 None	3
3 Birth control pills	10
4 Condom	6
5 Partner's vasectomy	1
7 Withdrawal, pulling out	1
10 Rhythm or safe period by calendar	1
Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr] (nummultx46 > 2)

MTHSIMX542(4248-4249)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Oct [interview yr])

value label	Total
. INAPPLICABLE	12260
4 Condom	9
5 Partner's vasectomy	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	4
10 Rhythm or safe period by calendar	2
11 Safe period by temperature or cervical mucus test, natural family planning	1
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr] (nummultx46 > 2) and R used at least 2 methods in the first method combination (MTHSIMX541 ne 1)

MTHSIMX543(4250-4251)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (3rd method used in 1st combo - Oct [interview yr])

value	label	Total
.	INAPPLICABLE	12267
7	Withdrawal, pulling out	7
10	Rhythm or safe period by calendar	2
11	Safe period by temperature or cervical mucus test, natural family planning	1
12	Diaphragm	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr] (nummultx46 > 2) and R used at least 2 methods in the first method combination (MTHSIMX541 ne 1)

MTHSIMX544(4252-4253)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (4th method used in 1st combo - Oct [interview yr])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Oct [interview yr] (nummultx46 > 3) and R used at least 3 methods in first method combination (MTHSIMX543 ne 1)

MTHSIMX545(4254-4255)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
 (1st method used in 2nd combo - Oct [interview yr])

value label	Total
. INAPPLICABLE	12260
1 None	12
3 Birth control pills	4
7 Withdrawal, pulling out	2
10 Rhythm or safe period by calendar	1
Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr] (nummultx46 > 2)

MTHSIMX546(4256-4257)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Oct [interview yr])

value label	Total
. INAPPLICABLE	12272
4 Condom	1
6 Female sterilizing operation, such as tubal sterilization and hysterectomy	1
7 Withdrawal, pulling out	2
10 Rhythm or safe period by calendar	1
11 Safe period by temperature or cervical mucus test, natural family planning	1
21 Other method	1
Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr] (nummultx46 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX545 ne 1)

MTHSIMX547(4258-4259)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Oct [interview yr])

value label	Total
. INAPPLICABLE	12277
7 Withdrawal, pulling out	1
12 Diaphragm	1
Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr] (nummultx46 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX545 ne 1)

MTHSIMX548(4260-4261)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - Oct [interview yr])

value label	Total
. INAPPLICABLE	12278
15 Jelly or cream	1
Total	12279

Universe : Applicable if R used at least 4 methods in Oct [interview yr] (nummultx46 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX547 ne 1)

MTHSIMX549(4262-4263)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - Oct [interview yr])

value label	Total
. INAPPLICABLE	12276
1 None	2
10 Rhythm or safe period by calendar	1
Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr] (nummultx46 > 2)

MTHSIMX550(4264-4265)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Oct [interview yr])

value	label	Total
.	INAPPLICABLE	12278
11	Safe period by temperature or cervical mucus test, natural family planning	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr] (nummultx46 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX549 ne 1)

MTHSIMX551(4266-4267)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Oct [interview yr])

value	label	Total
.	INAPPLICABLE	12278
12	Diaphragm	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Oct [interview yr] (nummultx46 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX449 ne 1)

MTHSIMX552(4268-4269)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - Oct [interview yr])

value	label	Total
.	INAPPLICABLE	12278
15	Jelly or cream	1
	Total	12279

Universe : Applicable if R used at least 4 methods in Oct [interview yr] (nummultx46 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX451 ne 1)

MTHSIMX553(4270-4270)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Nov [interview yr])

value	label	Total
.	INAPPLICABLE	12265
1	None	2
3	Birth control pills	7
4	Condom	3
5	Partner's vasectomy	1
7	Withdrawal, pulling out	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr] (nummultx47 > 2)

MTHSIMX554(4271-4272)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Nov [interview yr])

value	label	Total
.	INAPPLICABLE	12267
4	Condom	8

7	Withdrawal, pulling out	3
20	Emergency contraception	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr] (nummultx47 > 2) and R used at least 2 methods in the first method combination (MTHSIMX553 ne 1)

MTHSIMX555(4273-4274)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Nov [interview yr])

value	label	Total
.	INAPPLICABLE	12271
7	Withdrawal, pulling out	5
8	Depo-Provera, injectables	1
10	Rhythm or safe period by calendar	1
19	IUD, coil, or loop	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr] (nummultx47 > 2) and R used at least 2 methods in the first method combination (MTHSIMX553 ne 1)

MTHSIMX556(4275-4275)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - Nov [interview yr])

value	label	Total
.	INAPPLICABLE	12279
	Total	12279

Universe : Applicable if R used at least 4 methods in Nov [interview yr] (nummultx47 > 3) and R used at least

3 methods in first method combination (MTHSIMX555 ne 1)

MTHSIMX557(4276-4276)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - Nov [interview yr])

value	label	Total
.	INAPPLICABLE	12267
1	None	8
3	Birth control pills	3
7	Withdrawal, pulling out	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr] (nummultx47 > 2)

MTHSIMX558(4277-4278)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Nov [interview yr])

value	label	Total
.	INAPPLICABLE	12275
4	Condom	1
7	Withdrawal, pulling out	2
20	Emergency contraception	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr] (nummultx47 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX557 ne 1)

MTHSIMX559(4279-4279)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Nov [interview yr])

value	label	Total
.	INAPPLICABLE	12278
7	Withdrawal, pulling out	1
Total		12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr] (nummultx47 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX557 ne 1)

MTHSIMX560(4280-4280)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - Nov [interview yr])

value	label	Total
.	INAPPLICABLE	12279
Total		12279

Universe : Applicable if R used at least 4 methods in Nov [interview yr] (nummultx47 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX559 ne 1)

MTHSIMX561(4281-4281)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - Nov [interview yr])

value	label	Total
.	INAPPLICABLE	12279
Total		12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr] (nummultx47 > 2)

MTHSIMX562(4282-4282)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Nov [interview yr])

value	label	Total
.	INAPPLICABLE	12279
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr] (nummultx47 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX561 ne 1)

MTHSIMX563(4283-4283)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Nov [interview yr])

value	label	Total
.	INAPPLICABLE	12279
	Total	12279

Universe : Applicable if R used at least 3 methods in Nov [interview yr] (nummultx47 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX561 ne 1)

MTHSIMX564(4284-4284)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - Nov [interview yr])

value	label	Total
.	INAPPLICABLE	12279
	Total	12279

Universe : Applicable if R used at least 4 methods in Nov [interview yr] (nummultx47 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX563 ne 1)

MTHSIMX565(4285-4285)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 1st combo - Dec [interview yr])

value	label	Total
.	INAPPLICABLE	12276
1	None	1
3	Birth control pills	2
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr] (nummultx48 > 2)

MTHSIMX566(4286-4286)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 1st combo - Dec [interview yr])

value	label	Total
.	INAPPLICABLE	12277
4	Condom	2
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr] (nummultx48 > 2) and R used at least 2 methods in the first method combination (MTHSIMX565 ne 1)

MTHSIMX567(4287-4287)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 1st combo - Dec [interview yr])

value	label	Total
.	INAPPLICABLE	12278
7	Withdrawal, pulling out	1
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr] (nummultx48 > 2) and R used at least 2 methods in the first method combination (MTHSIMX565 ne 1)

MTHSIMX568(4288-4288)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 1st combo - Dec [interview yr])

value	label	Total
.	INAPPLICABLE	12279
	Total	12279

Universe : Applicable if R used at least 4 methods in Dec [interview yr] (nummultx48 > 3) and R used at least 3 methods in first method combination (MTHSIMX567 ne 1)

MTHSIMX569(4289-4289)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 2nd combo - Dec [interview yr])

value	label	Total
--------------	--------------	--------------

.	INAPPLICABLE	12277
1	None	1
3	Birth control pills	1
Total		12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr] (nummultx48 > 2)

MTHSIMX570(4290-4290)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 2nd combo - Dec [interview yr])

value	label	Total
.	INAPPLICABLE	12278
4	Condom	1
Total		12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr] (nummultx48 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX569 ne 1)

MTHSIMX571(4291-4291)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 2nd combo - Dec [interview yr])

value	label	Total
.	INAPPLICABLE	12279
Total		12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr] (nummultx48 > 3) and R used at least 2 method combinations, with at least 2 methods in the 2nd method combination (MTHSIMX569 ne 1)

MTHSIMX572(4292-4292)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 2nd combo - Dec [interview yr])

value	label	Total
.	INAPPLICABLE	12279
	Total	12279

Universe : Applicable if R used at least 4 methods in Dec [interview yr] (nummultx48 > 3) and R used at least 2 method combinations, with at least 3 methods in the 2nd method combination (MTHSIMX571 ne 1)

MTHSIMX573(4293-4293)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(1st method used in 3rd combo - Dec [interview yr])

value	label	Total
.	INAPPLICABLE	12279
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr] (nummultx48 > 2)

MTHSIMX574(4294-4294)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(2nd method used in 3rd combo - Dec [interview yr])

value	label	Total
.	INAPPLICABLE	12279
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr] (nummultx48 > 2) and R used at least

3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX573 ne 1)

MTHSIMX575(4295-4295)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(3rd method used in 3rd combo - Dec [interview yr])

value	label	Total
.	INAPPLICABLE	12279
	Total	12279

Universe : Applicable if R used at least 3 methods in Dec [interview yr] (nummultx48 > 2) and R used at least 3 method combinations, with at least 2 methods in the 3rd method combination (MTHSIMX573 ne 1)

MTHSIMX576(4296-4296)

Variable Type : Raw

ED-11 : During that month, which (of those methods/other methods), if any, did you use at the same time?
(4th method used in 3rd combo - Dec [interview yr])

value	label	Total
.	INAPPLICABLE	12279
	Total	12279

Universe : Applicable if R used at least 4 methods in Dec [interview yr] (nummultx48 > 2) and R used at least 3 method combinations, with at least 3 methods in the 3rd method combination (MTHSIMX575 ne 1)