National Study of Long-Term Care Providers: 2012 State Web Tables

The Long-Term Care Statistics Branch is pleased to release state web tables using data from the first wave of the National Study of Long-Term Care Providers (NSLTCP). NSLTCP is a new initiative by the National Center for Health Statistics (NCHS) to provide reliable, accurate, relevant and timely statistical information to support and inform long-term care services policy, research and practice. The main goals of NSLTCP are to: (1) estimate the supply and use of paid, regulated long-term care services providers, (2) estimate key policy-relevant characteristics and practices, (3) produce national and state-level estimates, where feasible, (4) compare among sectors, and (5) monitor trends over time. NCHS implemented the first wave of the study in 2012 and plans to conduct NSLTCP every two years.

NSLTCP comprises two components: (1) survey data collected by NCHS on adult day services centers and assisted living and similar residential care communities; and (2) administrative data on nursing homes, home health agencies, and hospices obtained from the Centers for Medicare & Medicaid Services (CMS). The restricted 2012 survey data files for adult day services centers and residential care communities are available through NCHS' Research Data Center (http://www.cdc.gov/nchs/nsltcp/nsltcp_new_data_release.html).

In December 2013, NCHS released the first in a series of reports from NSLTCP. *Long-Term Care Services in the United States: 2013* Overview (accessible at: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf) includes descriptive information on the supply, organizational characteristics, staffing, and services offered by paid, regulated providers of long-term care services; and the demographic, health, and functional characteristics of users of these services.

The enclosed series of 51 state web tables (one for each state and the District of Columbia) and 6 use rate maps is a companion to *Long-Term Care Services in the United States: 2013 Overview* (specifically, Appendix B Detailed Tables 1-4) and provides comparable information by state. Five of the 6 maps show the use of long-term care services by individuals aged 85 and over per 1,000 persons aged 85 and over for each of the five provider sectors; the sixth map shows use of long-term care services by individuals younger than 65 years per 1,000 persons younger than 65 for adult day services centers, because a large percentage of adult day services center participants are under age 65. These maps complement the maps in the *2013 Overview* report by presenting data for the same provider sectors, but for different age groups.

Data are presented in the state web tables only if they meet NCHS' data reliability and confidentiality standards. Footnotes are included in the state web tables to indicate if estimates do not meet NCHS reliability and confidentiality standards. Estimates are presented as number, percent distribution (i.e., estimates total to 100%), or percentage, as appropriate. Estimates for adult day services centers are not presented for the District of Columbia, Idaho, and Wyoming because the number of respondents to the survey was fewer than the number required to meet NCHS confidentiality standards. Estimates for hospices are not presented for Alaska and the District of Columbia because the number of respondents to the survey was fewer than the number required to meet NCHS confidentiality standards. The remainder of this section briefly describes the data sources used to produce estimates for each of the five sectors. The data sources and methodology used to develop the state web tables and maps are the same as that used for the *2013 Overview* report. For more information on the data sources and methodology, please see Chapter 5. Technical Notes in the *Long-Term Care Services in the United States: 2013 Overview* (accessible at: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf).

The residential care community and adult day services center surveys were conducted between September 2012 and February 2013. NSLTCP used a multi-mode survey protocol with mail, web, and telephone follow-up for nonresponse. The questionnaires included survey items on provider characteristics such as ownership, size, number of years in operation, services offered, selected

practices, and staffing, in addition to aggregate user characteristics, such as age, sex, race, and the number of residents/participants needing assistance with activities of daily living (ADLs). The 2012 mail questionnaires are available at: http://www.cdc.gov/nchs/nsltcp/nsltcp_questionnaires.htm. Survey data were collected by RTI International under contract to NCHS. Survey documentation is available at: http://www.cdc.gov/nchs/data/nsltcp/NSLTCP_survey_methodology_and_documentation.pdf.

Using a sampling frame obtained from the National Adult Day Services Association (NADSA) and additional centers self-identified during data collection, a total of 5,254 adult day services centers were included in the survey. About 9% (476) of the adult day services centers were found to be invalid or out of business. All remaining centers (4,778) were assumed eligible and of these centers, 3,212 completed the survey, resulting in a weighted response rate of 68%.

The sampling frame for the residential care community component was constructed from lists of licensed residential care communities obtained from the state licensing agencies in each of the 50 states and the District of Columbia. Using the same definition of residential care as in the 2010 National Survey of Residential Care Facilities (NSRCF), all residential care communities that participated in the survey were licensed, registered, listed, certified, or otherwise regulated by the state; had four or more licensed, registered, or certified beds; provided room and board with at least two meals a day, around-the-clock on-site supervision, and help with personal care, such as bathing and dressing or health related services such as medication management. These communities served a predominantly adult population. As was done for NSRCF, residential care communities licensed to serve the mentally ill or the intellectually disabled/developmentally disabled populations exclusively were excluded from NSLTCP. Of the 39,779 residential care communities on the sampling frame, a combination of probability samples (in states that had sufficient numbers of residential care communities to enable state estimates) and census-taking (in states that did not have sufficient numbers of residential care communities for state estimates) resulted in 11,690 sampled residential care communities. Eligibility was determined using a set of screener items in the questionnaire. Of the sampled cases, 4,578 (weighted 44%) could not be contacted and their eligibility was unknown. Using the eligibility rate[1] a proportion of communities with unknown eligibility was estimated to be eligible. This estimated number and the total number of eligible communities resulting from the screening process were used to estimate the total number of eligible residential care communities. A total of 4,694 communities completed the survey, resulting in a weighted response rate of 55%.

Administrative data were obtained from CMS for home health agencies, hospices, and nursing homes. Provider-specific data files from the Certification and Survey Provider Enhanced Reporting (CASPER) system drawn for the third quarter of 2012 were used for each of the providers (home health, hospice, and nursing homes). User-level data were aggregated to the provider-level using a unique provider identification (ID) number, and the data were merged to respective provider-level data files.

The home health agency file included 12,206 home health agencies coded as active providers, of which 76% were Medicare- and Medicaid-certified, 23% were Medicare-certified only, and 1.4% were Medicaid-certified only. About 90% of these agencies completed a certification survey in the last 3 years. Outcome-Based Quality Improvement (OBQI) Case Mix Roll Up data from the Outcome and Assessment Information Set were used as the primary source of information on home health patients whose episode of care ended any time in calendar year 2011, regardless of payment source. Institutional Provider and Beneficiary Summary (IPBS) home health data were used to compute percentages of home health patients of different racial and ethnic groups, and to compute percentages of those diagnosed with Alzheimer's disease and other dementias.

---

[1] Eligibility rate is calculated by the number of known eligible residential care communities divided by the total number of residential care communities with known eligibility status (those known to be eligible and those known to be ineligible). Communities that were invalid or out of business, and communities that screened out as ineligible were classified as "known ineligibles."

The Hospice agency file included 3,678 hospices coded as active, without information on type of certification. About 93% of Medicare hospices completed a certification in the last 8 years, including 54% within the last 3 years. IPBS contained information on hospice patients for whom Medicare-certified hospice agencies submitted a Medicare claim at any time in calendar year 2011. Given that 93% of hospice agencies were Medicare-certified in 2007 (based on findings from NCHS' 2007 National Home and Hospice Care Survey) and that no other data source was available on hospice patients, IPBS data were assumed to provide current coverage and used for NSLTCP to provide information on hospice patients.

The Nursing home file included 15,675 nursing homes coded as active providers, of which 92% were Medicare- and Medicaid-certified, 5% were Medicare-certified only, and 3.5% were Medicaid-certified only. Nearly all of these nursing homes completed a certification survey during the last 18 months. Two sources of data were used for nursing home residents: Minimum Data Set Active Resident Episode Table (MARET) and the CASPER nursing home file. MARET provided data for all residents who were residing in a Medicare-or Medicaid-certified nursing home on the last day of the third quarter of 2012, regardless of payment source. Excluded were residents whose last assessment during the third quarter of 2012 was discharge assessment. These data were used as the denominator in the calculations for percentages of nursing home residents with different demographic characteristics. The CASPER data file for the third quarter of 2012 provided information on the number of residents diagnosed with Alzheimer's disease and other dementias, number of residents diagnosed with depression, and the number of residents with ADL limitations.

Suggested citation

Sengupta M, Valverde R, Rome V, Park-Lee E, Caffrey C, Harris-Kojetin L. National Study of Long-Term Care Providers: 2012 State Web Tables. Hyattsville, MD: National Center for Health Statistics. 2015.

Acknowledgements

The authors greatly appreciate the guidance received from Eve Powell-Griner, Alvan Zarate, and Iris Shimizu, National Center for Health Statistics. The authors are grateful for technical support and assistance from Anthony Lefevour, Division of Health Care Statistics.

Figure 1. Adult day services center participants aged 64 and under: United States, 2012



Significance tested at $p<.05$.

Note: The national rate is 0.4.

Note: Rates based on participants enrolled in adult day services centers on any given day in 2012 per 1,000 persons aged 64 and under.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure table 1. Adult day services center participants aged 64 and under: United States, 2012

Area	Daily rate[1]	Standard error
United States	0.37	0.01
Alabama	0.07	0.01
Alaska	0.22	0.04
Arizona	0.06	0.01
Arkansas	0.01	0
California	1.19	0.04
Colorado	0.28	0.03
Connecticut	0.07	0.01
Delaware	0.3	0.05
District of Columbia	*	*
Florida	0.06	0.01
Georgia	0.19	0.02
Hawaii	0.12	0.04
Idaho	*	*
Illinois	0.07	0.01
Indiana	0.08	0.01
Iowa	0.23	0.01
Kansas	0.11	0.02
Kentucky	0.7	0.04
Louisiana	0.11	0.01
Maine	0.13	0.04
Maryland	0.62	0.05
Massachusetts	0.54	0.04
Michigan	0.04	0
Minnesota	0.37	0.03
Mississippi	0.25	0.02
Missouri	0.38	0.03
Montana	0.06	0.03
Nebraska	1.13	0.18
Nevada	0.12	0.01
New Hampshire	0.18	0.02
New Jersey	0.58	0.03
New Mexico	0.09	0.05
New York	0.28	0.01
North Carolina	0.13	0.01
North Dakota	0.12	0.04
Ohio	0.13	0.01
Oklahoma	0.21	0.02
Oregon	0.02	0.01
Pennsylvania	0.38	0.03
Rhode Island	0.47	0.12
South Carolina	0.28	0.01
South Dakota	0.03	0
Tennessee	0.07	0.01

Texas	0.62	0.02
Utah	0.01	0
Vermont	0.26	0.04
Virginia	0.06	0
Washington	0.19	0.03
West Virginia	0.03	0.02
Wisconsin	0.3	0.02
Wyoming	*	*

[1]Participants enrolled in adult day services centers on any given day in 2012 per 1,000 persons aged 64 and under.

*Estimate is not presented because estimate does not meet NCHS confidentiality standards.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure 2. Adult day services center participants aged 85 and over: United States, 2012



Significance tested at $p<.05$.

Note: The national rate is 8.

Note: Rates based on participants enrolled in adult day services centers on any given day in 2012 per 1,000 persons aged 85 and over.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure table 2. Adult day services center participants aged 85 and over: United States, 2012

Area	Daily rate[1]	Standard error
United States	7.83	0.14
Alabama	1.15	0.18
Alaska	24.25	1.35
Arizona	2.42	0.2
Arkansas	2.52	0.32
California	17.72	0.93
Colorado	4.81	0.52
Connecticut	11.19	0.66
Delaware	4.43	0.64
District of Columbia	*	*
Florida	5.5	0.29
Georgia	4.91	0.49
Hawaii	23.14	2.73
Idaho	*	*
Illinois	5.64	0.59
Indiana	2.01	0.17
Iowa	2.36	0.21
Kansas	1.67	0.28
Kentucky	2.94	0.29
Louisiana	3.45	0.49
Maine	3.68	0.55
Maryland	14.46	1.2
Massachusetts	15.38	0.99
Michigan	3.72	0.21
Minnesota	8.47	0.71
Mississippi	3.82	0.39
Missouri	2.8	0.34
Montana	1.31	0.4
Nebraska	2.41	0.49
Nevada	5.71	0.75
New Hampshire	11.59	1.44
New Jersey	13.54	0.65
New Mexico	3.99	1.55
New York	10.68	0.56
North Carolina	4.4	0.2
North Dakota	9.01	3.31
Ohio	5.81	0.35
Oklahoma	4.29	0.39
Oregon	1.86	0.31
Pennsylvania	6.27	0.4
Rhode Island	13.38	1.02
South Carolina	6.93	0.61
South Dakota	6.9	0.82
Tennessee	3.16	0.31

Texas	10.5	0.66
Utah	1.73	0.22
Vermont	20.16	2.59
Virginia	4.72	0.28
Washington	5.56	1.05
West Virginia	0.35	0.25
Wisconsin	5.13	0.41
Wyoming	*	*

[1]Participants enrolled in adult day services centers on any given day in 2012 per 1,000 persons aged 85 and over.

*Estimate is not presented because estimate does not meet NCHS confidentiality standards.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure 3. Nursing home residents aged 85 and over: United States, 2012



Significance tested at $p<.05$.

Note: The national rate is 95.

Note: Rates based on residents in nursing homes on any given day in 2012 per 1,000 persons aged 85 and over.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure table 3. Nursing home residents aged 85 and over: United States, 2012

Area	Daily rate[1]	Standard error
United States	94.79	0.59
Alabama	99.22	7.57
Alaska	28.1	9.02
Arizona	31.09	3.06
Arkansas	128.45	9.52
California	54.33	1.91
Colorado	87	7.22
Connecticut	128.13	10.01
Delaware	100.48	16.91
District of Columbia	77.07	21.93
Florida	60.92	2.64
Georgia	94.66	5.87
Hawaii	51.87	9.98
Idaho	54.87	7.41
Illinois	110.53	5
Indiana	136.12	7.06
Iowa	169.31	9.24
Kansas	135.97	9.01
Kentucky	121.94	8.41
Louisiana	117.84	8.41
Maine	94.15	10.61
Maryland	88.32	7.48
Massachusetts	130.62	7.42
Michigan	84.96	4.82
Minnesota	122.96	7.63
Mississippi	114.84	9.23
Missouri	121.64	6.55
Montana	91.12	12.69
Nebraska	143.15	11.44
Nevada	39.23	6.92
New Hampshire	127.85	17.03
New Jersey	100.82	6.18
New Mexico	61.67	8.38
New York	107.84	5.42
North Carolina	89.55	4.88
North Dakota	176.92	23.33
Ohio	121.47	4.72
Oklahoma	105.52	7.19
Oregon	30.6	3.21
Pennsylvania	113.57	5.29
Rhode Island	156.51	19.62
South Carolina	87.55	7.48
South Dakota	160.68	18.04
Tennessee	108	6.89

Texas	107.59	3.6
Utah	47.25	6.14
Vermont	93.39	17.21
Virginia	84.57	5.77
Washington	54.05	4.33
West Virginia	97.5	10.34
Wisconsin	114.31	6.69
Wyoming	113.65	22.33

[1]Residents in nursing homes on any given day in 2012 per 1,000 persons aged 85 and over.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure 4. Residential care residents aged 85 and over: United States, 2012



Significance tested at $p<.05$.

Note: The national rate is 61.

Note: Rates based on residents in residential care communities on any given day in 2012 per 1,000 persons aged 85 and over.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure table 4. Residential care residents aged 85 and over: United States, 2012

Area	Daily rate[1]	Standard error
United States	61.18	1.32
Alabama	42.17	2.31
Alaska	121.53	20.93
Arizona	53.14	7.43
Arkansas	10.69	0.75
California	73.54	5.35
Colorado	62.58	6.72
Connecticut	9.25	1.44
Delaware	46.12	4.83
District of Columbia	74.56	5.78
Florida	52.3	4.61
Georgia	53.89	6.23
Hawaii	42.86	6.31
Idaho	109.43	5.23
Illinois	42.04	3.88
Indiana	47.13	1.9
Iowa	6.32	0.8
Kansas	88.97	3.07
Kentucky	47.98	3.4
Louisiana	25.61	0.99
Maine	82.27	3.34
Maryland	75.89	10.27
Massachusetts	41.96	2.09
Michigan	45.83	6.12
Minnesota	105.97	10
Mississippi	55.48	3.65
Missouri	54.62	5.69
Montana	101.78	16.08
Nebraska	105.72	4.19
Nevada	47.92	3.26
New Hampshire	59.32	3.5
New Jersey	45.45	1.6
New Mexico	52.5	4.09
New York	28.04	1.75
North Carolina	54.09	5.96
North Dakota	138.25	7.87
Ohio	66.15	3.12
Oklahoma	35.72	2.11
Oregon	117.7	14.52
Pennsylvania	92.35	9.04
Rhode Island	55.8	4.26
South Carolina	60.32	4.4
South Dakota	91	2.58
Tennessee	56.33	1.9

Texas	46.56	3.79
Utah	78.88	3.56
Vermont	93.93	5.67
Virginia	98.49	7.32
Washington	151.11	21.56
West Virginia	29.98	1.77
Wisconsin	124.03	13.99
Wyoming	45.96	2.69

[1]Residents in residential care on any given day in 2012 per 1,000 persons aged 85 and over.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure 5. Home health patients aged 85 and over discharged in calendar year: United States, 2011



Significance tested at $p<.05$.

Note: The national rate is 206.

Note: Rates based on home health patients whose episode of care ended anytime in 2011 per 1,000 persons aged 85 and over.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure table 5. Home health patients aged 85 and over discharged in calendar year: United States, 2011

Area	Annual rate[1]	Standard error
United States	205.74	5.19
Alabama	267.36	36.94
Alaska	94.17	32.81
Arizona	148.32	24.14
Arkansas	183.42	24
California	177.19	11.49
Colorado	193.27	34.17
Connecticut	246.35	43.33
Delaware	176.4	64.13
District of Columbia	125.06	56.57
Florida	260.41	15.11
Georgia	228.1	33.29
Hawaii	66.6	24.43
Idaho	170.46	35.73
Illinois	228.79	18.47
Indiana	168.54	18.59
Iowa	111.86	19.44
Kansas	147.6	26.2
Kentucky	244.22	40.47
Louisiana	245.91	25.39
Maine	211.4	58.37
Maryland	176.46	33.35
Massachusetts	289.51	47.49
Michigan	272.57	28.81
Minnesota	130.41	25.69
Mississippi	263.21	50.15
Missouri	167.35	26.08
Montana	113.7	27.34
Nebraska	140.66	33.57
Nevada	201.19	39.42
New Hampshire	220.75	63
New Jersey	190.12	38.54
New Mexico	150.5	28.97
New York	205.69	50.44
North Carolina	204.78	23.79
North Dakota	86.09	30.21
Ohio	203.25	20.64
Oklahoma	225.52	23.49
Oregon	153.98	41.67
Pennsylvania	228.49	28.49
Rhode Island	240.57	68.26
South Carolina	190.44	34.84
South Dakota	83.04	19.82
Tennessee	268.16	33.23

Texas	241.09	10.86
Utah	237.35	39.04
Vermont	223.15	79.27
Virginia	198.44	22.66
Washington	155.6	29.86
West Virginia	181.54	32.75
Wisconsin	109.18	22.37
Wyoming	106.28	29.41

[1] Home health patients whose episode of care ended anytime in 2011 per 1,000 persons aged 85 and over.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure 6. Hospice patients aged 85 and over in calendar year: United States, 2011



Significance tested at $p<.05$.

Note: The national rate is 99.

Note: Rates based on hospice patients receiving care anytime in 2011 per 1,000 persons aged 85 and over.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Figure table 6. Hospice patients aged 85 and over in calendar year: United States, 2011

Area	Annual rate[1]	Standard error
United States	98.93	3.2
Alabama	129.32	20.41
Alaska	*	*
Arizona	147.72	31.14
Arkansas	99.41	24.33
California	85.74	8.65
Colorado	111.79	24.68
Connecticut	74.54	21.23
Delaware	146.49	55.26
District of Columbia	*	*
Florida	108.06	28.96
Georgia	133.47	15.21
Hawaii	57.74	26.43
Idaho	124.58	26.53
Illinois	89.28	14.31
Indiana	95.83	13.79
Iowa	118.25	20.16
Kansas	96.05	23.46
Kentucky	76.65	26.78
Louisiana	123.93	15.08
Maine	91.39	26.63
Maryland	79.46	23.72
Massachusetts	88.25	15.88
Michigan	112.1	17.2
Minnesota	83.7	18.77
Mississippi	111.63	18.31
Missouri	115.34	17.43
Montana	84.96	22.82
Nebraska	97.51	23.93
Nevada	124.77	38.74
New Hampshire	82.87	24.02
New Jersey	92.6	17.09
New Mexico	113.34	32.77
New York	48.35	10.63
North Carolina	101.59	16.86
North Dakota	63.01	36.7
Ohio	119.8	19.62
Oklahoma	131.68	15.85
Oregon	111.45	24.63
Pennsylvania	102.41	11.24
Rhode Island	113.34	61.52
South Carolina	135.99	21.41
South Dakota	65.79	22.38
Tennessee	96.07	19.06

Texas	121.8	10.58
Utah	165.91	28.61
Vermont	60.14	22.65
Virginia	87.47	17.11
Washington	84.01	20.72
West Virginia	94.61	30.06
Wisconsin	100.74	18.53
Wyoming	45.22	16.11

[1] Hospice patients receiving care anytime in 2011 per 1,000 persons aged 85 and over.

*Estimate is not presented because estimate does not meet NCHS confidentiality standards.

Source: CDC/NCHS, National Study of Long-Term Care Providers

Table 1. Providers and Users of Long-Term Care Services in Alabama, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	20	(0.0)	200	(12)	100	(10)	200	(15)	200	(2)
Number of beds or licensed maximum capacity[2]	1,100	(100)	...	...	...	...	26,700	(1,900)	10,300	(400)
Average capacity	49	(3.6)	---	---	---	---	117	(3.1)	45	(1.7)
Average number of people served	21	(1.9)	---	---	---	---	99	(2.8)	35	(1.5)
Metropolitan statistical area status (percent):										
Metropolitan	*	*	54.7	(4.1)	62.2	(4.6)	65.8	(3.1)	69.6	(2.9)
Micropolitan or neither	*	*	45.3	(4.1)	37.8	(4.6)	34.2	(3.1)	30.4	(2.9)
Ownership (percent):										
For-profit	*	*	66.0	(3.9)	73.9	(4.2)	80.3	(2.6)	74.8	(2.8)
Not-for-profit, government, or other	*	*	34.0	(3.9)	26.1	(4.2)	19.7	(2.6)	25.2	(2.8)
Number of people served (percent):[3]										
Category 1	68.4	(6.6)	10.7	(2.5)	32.1	(4.5)	2.6	(1.1)	*	*
Category 2	31.6	(6.6)	30.2	(3.8)	47.7	(4.8)	52.2	(3.3)	*	*
Category 3	-	-	59.1	(4.0)	20.2	(3.8)	45.2	(3.3)	*	*
Staffing[4]										
Number of nursing employee FTEs	55	(6)	2,170	(234)	1,457	(200)	17,977	(1,306)	4,255	(207)
Nursing employee FTEs (percent):										
Registered nurse	23.1	(3.0)	60.4	(1.4)	54.0	(1.3)	9.4	(0.3)	5.8	(0.6)
Licensed practical nurse or licensed vocational nurse	14.2	(2.5)	16.3	(1.4)	7.8	(0.8)	26.1	(0.4)	16.6	(0.6)
Aide	62.7	(4.0)	23.3	(1.2)	38.2	(1.1)	64.5	(0.5)	77.5	(0.9)
Providers with one or more employee FTEs (percentage):										
Registered nurse	55.9	(7.1)	100.0	(0.0)	100.0	(0.0)	97.8	(1.0)	63.4	(3.0)
Licensed practical nurse or licensed vocational nurse	36.5	(6.8)	82.7	(3.1)	55.0	(4.7)	100.0	(0.0)	73.3	(2.6)
Aide	62.0	(6.9)	100.0	(0.0)	100.0	(0.0)	†	†	†	†
Social worker	*	*	75.3	(3.5)	100.0	(0.0)	69.7	(3.0)	9.6	(2.0)
Employee hours per resident or participant per day:										
Registered nurse	0.8	(0.2)	---	---	---	---	0.4	(0.0)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.2	(0.1)	---	---	---	---	1.1	(0.0)	0.4	(0.0)
Aide	1.0	(0.2)	---	---	---	---	2.6	(0.0)	2.8	(0.1)
Social worker	0.1	(0.0)	---	---	---	---	0.0	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	*	*	79.3	(3.3)	100.0	(0.0)	87.7	(2.2)	74.2	(2.9)
Mental health or counseling (percentage)	62.0	(6.9)	---	---	95.5	(2.0)	87.3	(2.2)	69.6	(3.0)
Therapy (physical, occupational, or speech) (percentage)	49.4	(7.1)	†	†	†	†	100.0	(0.0)	92.1	(1.8)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	74.8	(2.9)
Pharmacy or pharmacist (percentage)	30.4	(6.5)	*	*	---	---	†	†	†	†
Hospice (percentage)	37.6	(6.9)	3.3	(1.5)	...	...	88.2	(2.1)	93.1	(1.6)

Table 1. Providers and Users of Long-Term Care Services in Alabama, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	600	(100)	98,800	(13,100)	26,100	(4,200)	22,600	(1,600)	7,900	(400)
Age in years (percent):										
Under 65	43.5	(3.7)	18.6	(0.6)	7.6	(0.2)	15.7	(0.8)	3.3	(0.5)
65 and over	56.5	(3.7)	81.4	(0.6)	92.4	(0.2)	84.3	(0.8)	96.7	(0.5)
65–74	21.4	(1.2)	26.0	(0.3)	19.1	(0.4)	17.1	(0.4)	11.4	(1.4)
75–84	20.6	(2.6)	33.8	(0.4)	33.6	(0.3)	30.7	(0.4)	42.5	(1.7)
85 and over	14.6	(2.2)	21.7	(0.4)	39.6	(0.5)	36.5	(0.9)	42.8	(2.0)
Sex (percent):										
Men	47.6	(2.0)	35.2	(0.3)	40.7	(0.5)	28.3	(0.7)	24.9	(0.9)
Women	52.4	(2.0)	64.8	(0.3)	59.3	(0.5)	71.7	(0.7)	75.1	(0.9)
Race and ethnicity (percent):										
Hispanic	0.5	(0.2)	0.4	(0.0)	0.3	(0.0)	0.2	(0.0)	0.4	(0.1)
Non-Hispanic white	44.0	(4.2)	78.1	(1.5)	79.6	(1.1)	74.1	(1.6)	92.7	(1.5)
Non-Hispanic black	54.0	(4.1)	21.0	(1.5)	19.5	(1.1)	25.4	(1.6)	3.3	(0.5)
Non-Hispanic other	1.6	(0.5)	0.6	(0.0)	0.5	(0.1)	0.3	(0.1)	3.6	(1.4)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	28.1	(5.1)	32.2	(0.5)	47.6	(0.7)	54.2	(1.0)	39.7	(2.2)
Diagnosed with depression	7.2	(1.1)	28.2	(0.9)	18.1	(0.6)	47.4	(1.6)	28.8	(1.9)
Need assistance in physical functioning (percentage):										
Eating	29.0	(6.1)	63.1	(1.7)	---	---	55.0	(1.3)	13.7	(1.3)
Bathing	30.4	(5.5)	97.0	(0.3)	---	---	97.4	(0.3)	57.4	(2.7)
Dressing	25.0	(6.3)	90.4	(0.9)	---	---	92.8	(0.4)	44.2	(2.8)
Toileting	26.1	(5.5)	76.8	(1.5)	---	---	87.4	(0.6)	29.6	(2.6)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 2. Providers and Users of Long-Term Care Services in Alaska, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Nursing home		Residential care community	
	Number or percent (standard error)							
Organization								
Number of providers[1]	10	(0.0)	10	(4)	20	(4)	100	(1)
Number of beds or licensed maximum capacity[2]	400	(0.0)	...	...	700	(200)	1,700	(200)
Average capacity	27	(1.0)	---	---	42	(10.5)	13	(1.4)
Average number of people served	16	(0.8)	---	---	37	(8.9)	12	(1.4)
Metropolitan statistical area status (percent):								
Metropolitan	38.5	(3.8)	46.2	(13.8)	*	*	85.4	(2.5)
Micropolitan or neither	61.6	(3.8)	53.8	(13.8)	*	*	14.6	(2.5)
Ownership (percent):								
For-profit	*	*	*	*	*	*	82.2	(2.4)
Not-for-profit, government, or other	*	*	*	*	*	*	17.8	(2.4)
Number of people served (percent):[3]								
Category 1	*	*	*	*	*	*	*	*
Category 2	*	*	*	*	*	*	*	*
Category 3	-	-	*	*	*	*	*	*
Staffing[4]								
Number of nursing employee FTEs	28	(3)	121	(50)	638	(220)	1,074	(124)
Nursing employee FTEs (percent):								
Registered nurse	10.3	(1.0)	66.1	(7.4)	22.3	(1.9)	10.0	(0.9)
Licensed practical nurse or licensed vocational nurse	11.4	(1.0)	19.8	(9.2)	12.4	(3.1)	7.5	(0.9)
Aide	78.3	(1.8)	14.2	(2.9)	65.3	(3.7)	82.5	(1.4)
Providers with one or more employee FTEs (percentage):								
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	34.7	(3.1)
Licensed practical nurse or licensed vocational nurse	*	*	*	*	62.5	(12.1)	28.5	(2.9)
Aide	46.1	(3.8)	*	*	*	*	†	†
Social worker	38.5	(3.8)	61.5	(13.5)	62.5	(12.1)	9.9	(2.0)
Employee hours per resident or participant per day:								
Registered nurse	0.1	(0.0)	---	---	1.6	(0.2)	0.3	(0.1)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	0.6	(0.1)	0.3	(0.0)
Aide	0.6	(0.1)	---	---	4.0	(0.5)	3.4	(0.1)
Social worker	0.1	(0.0)	---	---	0.1	(0.0)	0.1	(0.0)
Service provided								
Social work (percentage)	46.1	(3.8)	*	*	*	*	73.8	(3.1)
Mental health or counseling (percentage)	*	*	---	---	43.8	(12.4)	61.9	(3.5)
Therapy (physical, occupational, or speech) (percentage)	*	*	†	†	100.0	(0.0)	78.5	(2.9)
Skilled nursing or nursing (percentage)	46.2	(3.8)	100.0	(0.0)	100.0	(0.0)	77.3	(3.0)
Pharmacy or pharmacist (percentage)	38.5	(3.8)	*	*	100.0	(0.0)	73.4	(3.2)
Hospice (percentage)	38.5	(3.8)	*	*	*	*	74.1	(3.1)

Table 2. Providers and Users of Long-Term Care Services in Alaska, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Nursing home		Residential care community	
	Number or percent (standard error)							
Service users								
Number of users[2]	500	(0)	2,500	(900)	600	(200)	1,500	(200)
Age in years (percent):								
Under 65	27.2	(2.4)	21.5	(2.4)	21.1	(4.6)	10.2	(1.5)
65 and over	72.8	(2.4)	78.5	(2.4)	78.9	(4.6)	89.8	(1.5)
65–74	18.7	(0.6)	28.0	(1.5)	20.5	(1.5)	12.7	(1.2)
75–84	29.6	(1.1)	30.4	(1.3)	31.2	(3.5)	34.0	(2.6)
85 and over	24.5	(1.6)	20.2	(1.6)	27.2	(3.0)	43.0	(3.2)
Sex (percent):								
Men	37.9	(1.5)	39.4	(0.9)	37.3	(2.5)	33.7	(1.5)
Women	62.1	(1.5)	60.6	(0.9)	62.7	(2.5)	66.3	(1.5)
Race and ethnicity (percent):								
Hispanic	2.0	(0.2)	2.0	(0.4)	1.3	(0.4)	0.4	(0.1)
Non-Hispanic white	58.2	(1.9)	76.4	(5.1)	66.6	(4.0)	79.5	(1.3)
Non-Hispanic black	4.9	(0.3)	3.3	(1.0)	3.8	(1.9)	1.5	(0.3)
Non-Hispanic other	34.9	(1.7)	18.4	(5.4)	28.3	(3.6)	18.6	(1.2)
Conditions (percentage):								
Diagnosed with Alzheimer's disease or other dementias	60.5	(2.6)	28.1	(2.1)	41.6	(4.2)	48.0	(3.0)
Diagnosed with depression	14.2	(1.3)	26.1	(1.2)	49.7	(7.8)	31.6	(3.0)
Need assistance in physical functioning (percentage):								
Eating	14.4	(1.2)	52.5	(5.3)	54.8	(6.4)	51.7	(3.5)
Bathing	19.5	(2.7)	95.1	(2.2)	95.6	(0.9)	82.7	(2.4)
Dressing	19.4	(3.3)	85.9	(2.9)	92.0	(1.5)	63.0	(4.4)
Toileting	46.4	(1.3)	63.3	(3.7)	87.5	(2.2)	63.9	(3.2)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.
[4]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 3. Providers and Users of Long-Term Care Services in Arizona, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	20	(0.0)	100	(12)	80	(9)	100	(12)	900	(9)
Number of beds or licensed maximum capacity[2]	1,200	(100)	...	...	...	...	16,400	(1,500)	20,300	(900)
Average capacity	52	(2.5)	---	---	---	---	113	(4.4)	22	(1.0)
Average number of people served	28	(2.0)	---	---	---	---	78	(3.6)	17	(1.2)
Metropolitan statistical area status (percent):										
Metropolitan	100.0	(0.0)	96.4	(1.6)	*	*	93.8	(2.0)	*	*
Micropolitan or neither	-	-	3.6	(1.6)	*	*	6.2	(2.0)	*	*
Ownership (percent):										
For-profit	*	*	89.2	(2.6)	70.9	(5.1)	80.8	(3.3)	*	*
Not-for-profit, government, or other	*	*	10.8	(2.6)	29.1	(5.1)	19.2	(3.3)	*	*
Number of people served (percent):[3]										
Category 1	58.4	(5.6)	27.7	(3.9)	29.3	(5.3)	8.2	(2.3)	83.0	(1.6)
Category 2	41.6	(5.6)	28.5	(4.0)	29.3	(5.3)	67.8	(3.9)	*	*
Category 3	-	-	43.8	(4.4)	41.3	(5.7)	24.0	(3.5)	*	*
Staffing[4]										
Number of nursing employee FTEs	88	(6)	1,460	(174)	1,558	(275)	8,643	(830)	5,209	(464)
Nursing employee FTEs (percent):										
Registered nurse	24.1	(2.2)	59.9	(3.1)	54.2	(1.5)	14.4	(0.6)	4.6	(1.3)
Licensed practical nurse or licensed vocational nurse	7.5	(1.6)	15.3	(1.8)	8.6	(1.0)	23.7	(0.6)	6.5	(1.1)
Aide	68.5	(1.8)	24.8	(3.1)	37.3	(1.1)	62.0	(0.8)	88.8	(1.6)
Providers with one or more employee FTEs (percentage):										
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	†	†	*	*
Licensed practical nurse or licensed vocational nurse	*	*	63.3	(4.1)	53.2	(5.6)	†	†	*	*
Aide	*	*	92.1	(2.3)	†	†	†	†	76.4	(5.1)
Social worker	46.8	(5.7)	74.8	(3.7)	†	†	78.1	(3.4)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.1)	---	---	---	---	1.0	(0.2)	*0.2	(0.1)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	1.0	(0.1)	*0.1	(0.0)
Aide	0.8	(0.1)	---	---	---	---	2.6	(0.2)	2.0	(0.2)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.1	(0.0)
Service provided										
Social work (percentage)	†	†	92.1	(2.3)	100.0	(0.0)	84.9	(3.0)	85.4	(4.2)
Mental health or counseling (percentage)	44.8	(5.7)	---	---	†	†	76.7	(3.5)	80.3	(4.8)
Therapy (physical, occupational, or speech) (percentage)	58.2	(5.8)	96.4	(1.6)	†	†	100.0	(0.0)	89.9	(3.6)
Skilled nursing or nursing (percentage)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	82.6	(4.6)
Pharmacy or pharmacist (percentage)	*	*	*	*	---	---	96.6	(1.5)	93.7	(2.8)
Hospice (percentage)	44.8	(5.7)	*	*	...	...	77.4	(3.5)	†	†

Table 3. Providers and Users of Long-Term Care Services in Arizona, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	1,300	(100)	65,500	(11,500)	35,400	(7,500)	11,400	(1,100)	15,800	(1,100)
Age in years (percent):										
Under 65	24.8	(2.5)	16.0	(1.6)	5.0	(0.3)	20.3	(1.5)	9.0	(2.5)
65 and over	75.2	(2.5)	84.0	(1.6)	95.0	(0.3)	79.7	(1.5)	91.0	(2.5)
65–74	21.2	(1.2)	25.2	(0.7)	15.7	(0.4)	18.4	(0.5)	16.4	(2.2)
75–84	33.3	(2.4)	32.9	(0.7)	31.6	(0.3)	27.9	(0.7)	36.1	(3.8)
85 and over	20.7	(1.7)	25.9	(1.0)	47.7	(0.7)	33.4	(1.4)	38.5	(4.8)
Sex (percent):										
Men	49.7	(1.0)	39.0	(0.4)	41.8	(0.6)	38.3	(1.3)	31.5	(2.7)
Women	50.3	(1.0)	61.0	(0.4)	58.2	(0.6)	61.7	(1.3)	68.5	(2.7)
Race and ethnicity (percent):										
Hispanic	14.0	(1.1)	6.9	(0.5)	7.8	(0.7)	13.9	(1.1)	6.7	(1.6)
Non-Hispanic white	69.7	(2.0)	87.4	(0.7)	87.7	(0.9)	74.2	(1.7)	84.2	(3.2)
Non-Hispanic black	9.8	(0.9)	2.8	(0.2)	2.3	(0.2)	4.8	(0.5)	2.3	(0.5)
Non-Hispanic other	6.5	(0.9)	2.9	(0.2)	2.2	(0.2)	7.1	(1.4)	*6.8	(2.8)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	58.8	(3.2)	29.7	(1.4)	35.7	(1.2)	39.8	(1.9)	42.5	(5.0)
Diagnosed with depression	18.2	(3.0)	33.4	(0.7)	14.2	(0.4)	44.2	(1.6)	29.8	(4.3)
Need assistance in physical functioning (percentage):										
Eating	39.6	(3.5)	46.3	(2.9)	---	---	51.1	(2.5)	26.3	(3.3)
Bathing	26.5	(3.7)	93.3	(0.9)	---	---	95.8	(0.6)	66.9	(6.7)
Dressing	22.4	(4.1)	79.2	(1.9)	---	---	90.3	(0.9)	47.7	(5.1)
Toileting	39.7	(2.2)	57.1	(2.0)	---	---	86.5	(1.2)	37.4	(4.2)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 4. Providers and Users of Long-Term Care Services in Arkansas, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	40	(0.0)	200	(13)	50	(7)	200	(15)	60	(1)
Number of beds or licensed maximum capacity[2]	900	(0.0)	...	...	...	...	24,400	(1,700)	2,700	(100)
Average capacity	23	(1.2)	---	---	---	---	105	(2.2)	47	(1.7)
Average number of people served	14	(2.2)	---	---	---	---	78	(1.9)	32	(1.1)
Metropolitan statistical area status (percent):										
Metropolitan	75.1	(4.7)	31.6	(3.6)	51.0	(7.0)	48.7	(3.3)	58.3	(3.2)
Micropolitan or neither	24.9	(4.7)	68.4	(3.6)	49.0	(7.0)	51.3	(3.3)	41.7	(3.2)
Ownership (percent):										
For-profit	44.2	(5.4)	31.0	(3.5)	47.1	(7.0)	82.3	(2.5)	80.6	(2.5)
Not-for-profit, government, or other	55.8	(5.4)	69.0	(3.5)	52.9	(7.0)	17.7	(2.5)	19.4	(2.5)
Number of people served (percent):[3]										
Category 1	*	*	45.0	(3.8)	39.2	(6.8)	3.0	(1.1)	44.5	(2.2)
Category 2	*	*	25.4	(3.4)	35.3	(6.7)	79.7	(2.6)	55.5	(2.2)
Category 3	-	-	29.6	(3.5)	25.5	(6.1)	17.2	(2.5)	-	-
Staffing[4]										
Number of nursing employee FTEs	110	(9)	1,994	(205)	825	(197)	13,680	(946)	627	(33)
Nursing employee FTEs (percent):										
Registered nurse	13.2	(2.0)	51.8	(2.2)	49.7	(2.4)	3.9	(0.3)	7.1	(1.2)
Licensed practical nurse or licensed vocational nurse	11.8	(1.9)	15.6	(1.2)	8.6	(1.6)	25.2	(0.3)	8.6	(0.8)
Aide	75.0	(2.6)	32.7	(2.5)	41.7	(2.3)	70.9	(0.4)	84.3	(1.3)
Providers with one or more employee FTEs (percentage):										
Registered nurse	37.5	(5.3)	100.0	(0.0)	†	†	†	†	36.5	(3.0)
Licensed practical nurse or licensed vocational nurse	29.7	(5.0)	69.6	(3.5)	62.7	(6.8)	†	†	32.0	(2.6)
Aide	81.1	(4.3)	86.5	(2.6)	†	†	†	†	89.3	(2.0)
Social worker	*	*	32.7	(3.6)	†	†	46.1	(3.3)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.5	(0.1)	---	---	---	---	0.3	(0.1)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.4	(0.1)	---	---	---	---	1.0	(0.0)	0.1	(0.0)
Aide	1.8	(0.1)	---	---	---	---	2.8	(0.1)	1.5	(0.1)
Social worker	0.2	(0.1)	---	---	---	---	0.0	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	42.1	(5.5)	43.3	(3.8)	100.0	(0.0)	61.2	(3.2)	69.6	(3.0)
Mental health or counseling (percentage)	22.2	(4.5)	---	---	100.0	(0.0)	88.4	(2.1)	80.4	(2.6)
Therapy (physical, occupational, or speech) (percentage)	49.4	(5.6)	94.7	(1.7)	100.0	(0.0)	†	†	84.8	(2.3)
Skilled nursing or nursing (percentage)	52.4	(5.4)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	65.2	(3.1)
Pharmacy or pharmacist (percentage)	22.0	(4.5)	*	*	---	---	100.0	(0.0)	80.5	(2.6)
Hospice (percentage)	21.2	(4.4)	*	*	...	...	80.2	(2.6)	76.0	(2.8)

Table 4. Providers and Users of Long-Term Care Services in Arkansas, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	600	(100)	44,500	(5,600)	13,500	(3,200)	18,000	(1,300)	1,800	(100)
Age in years (percent):										
Under 65	4.5	(0.9)	20.4	(0.7)	7.8	(0.4)	13.8	(1.0)	21.9	(2.6)
65 and over	95.5	(0.9)	79.6	(0.7)	92.2	(0.4)	86.2	(1.0)	78.1	(2.6)
65–74	22.5	(2.6)	25.3	(0.4)	19.7	(0.5)	15.7	(0.4)	11.7	(1.0)
75–84	48.9	(2.7)	32.1	(0.4)	32.7	(0.4)	29.7	(0.5)	35.1	(2.2)
85 and over	24.1	(2.4)	22.2	(0.7)	39.7	(1.0)	40.8	(1.0)	31.3	(2.0)
Sex (percent):										
Men	31.1	(1.7)	35.6	(0.5)	42.7	(0.7)	30.0	(0.8)	35.2	(1.4)
Women	68.9	(1.7)	64.4	(0.5)	57.3	(0.7)	70.0	(0.8)	64.8	(1.4)
Race and ethnicity (percent):										
Hispanic	0.8	(0.3)	0.7	(0.1)	0.5	(0.1)	0.4	(0.1)	0.4	(0.1)
Non-Hispanic white	60.1	(6.6)	86.9	(1.5)	90.0	(1.2)	85.6	(1.4)	93.7	(1.1)
Non-Hispanic black	36.6	(6.4)	11.5	(1.5)	8.3	(1.4)	13.7	(1.4)	5.2	(1.1)
Non-Hispanic other	2.5	(0.9)	0.9	(0.1)	1.1	(0.3)	0.3	(0.1)	0.7	(0.1)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	76.9	(5.2)	30.3	(0.8)	48.1	(1.3)	49.5	(1.1)	30.7	(1.7)
Diagnosed with depression	12.2	(2.4)	31.9	(0.8)	23.9	(0.8)	47.6	(1.6)	18.6	(1.5)
Need assistance in physical functioning (percentage):										
Eating	21.7	(2.5)	49.6	(2.0)	---	---	50.2	(1.6)	5.2	(0.6)
Bathing	48.9	(5.2)	95.7	(0.4)	---	---	96.7	(0.4)	50.2	(2.4)
Dressing	32.2	(3.6)	83.3	(1.4)	---	---	89.4	(0.6)	28.5	(1.9)
Toileting	40.8	(3.3)	63.7	(2.3)	---	---	82.6	(0.7)	9.1	(1.1)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4] FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 5. Providers and Users of Long-Term Care Services in California, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	1,100	(1)	1,100	(32)	300	(17)	1,200	(34)	3,200	(30)
Number of beds or licensed maximum capacity[2]	80,200	(1,500)	...	...	...	...	121,000	(3,900)	103,300	(5,100)
Average capacity	75	(1.4)	---	---	---	---	98	(1.7)	32	(1.6)
Average number of people served	52	(1.1)	---	---	---	---	83	(1.4)	26	(1.3)
Metropolitan statistical area status (percent):										
Metropolitan	96.4	(0.5)	98.2	(0.4)	96.9	(1.0)	96.8	(0.5)	*	*
Micropolitan or neither	3.6	(0.5)	1.8	(0.4)	3.1	(1.0)	3.2	(0.5)	*	*
Ownership (percent):										
For-profit	42.4	(1.3)	88.1	(1.0)	73.4	(2.5)	81.9	(1.1)	87.8	(2.2)
Not-for-profit, government, or other	57.6	(1.3)	11.9	(1.0)	26.6	(2.5)	18.1	(1.1)	12.2	(2.2)
Number of people served (percent):[3]										
Category 1	24.7	(1.1)	31.8	(1.4)	31.0	(2.6)	5.7	(0.7)	77.7	(0.7)
Category 2	66.6	(1.3)	27.4	(1.3)	24.5	(2.4)	69.6	(1.3)	15.0	(1.0)
Category 3	8.7	(0.8)	30.7	(1.4)	33.4	(2.6)	24.7	(1.2)	7.4	(0.6)
Missing[4]	…	…	10.1	(0.9)	11.1	(1.8)	…	…	…	…
Staffing[5]										
Number of nursing employee FTEs	4,257	(141)	10,316	(432)	4,037	(368)	74,773	(2,348)	23,870	(1,514)
Nursing employee FTEs (percent):										
Registered nurse	18.2	(0.7)	55.4	(1.1)	54.2	(1.2)	13.4	(0.2)	7.2	(1.9)
Licensed practical nurse or licensed vocational nurse	9.5	(0.4)	30.0	(1.0)	13.3	(0.9)	21.8	(0.3)	6.9	(0.8)
Aide	72.3	(0.9)	14.6	(0.7)	32.5	(1.0)	64.8	(0.3)	86.0	(2.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	37.7	(1.3)	100.0	(0.0)	100.0	(0.0)	98.1	(0.4)	20.4	(3.0)
Licensed practical nurse or licensed vocational nurse	29.5	(1.2)	87.9	(1.0)	68.7	(2.6)	94.5	(0.7)	19.8	(2.0)
Aide	53.2	(1.3)	95.5	(0.6)	94.1	(1.3)	97.2	(0.5)	77.4	(3.3)
Social worker	45.5	(1.3)	36.8	(1.4)	98.1	(0.8)	58.8	(1.4)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.1	(0.0)	---	---	---	---	0.6	(0.0)	0.2	(0.1)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.9	(0.0)	*0.1	(0.0)
Aide	0.6	(0.0)	---	---	---	---	2.5	(0.0)	2.0	(0.1)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.1	(0.0)
Service provided										
Social work (percentage)	56.9	(1.3)	95.1	(0.6)	100.0	(0.0)	84.0	(1.0)	70.4	(3.6)
Mental health or counseling (percentage)	50.5	(1.3)	---	---	96.3	(1.1)	79.5	(1.1)	64.5	(3.8)
Therapy (physical, occupational, or speech) (percentage)	56.9	(1.3)	96.1	(0.6)	†	†	98.1	(0.4)	83.6	(3.0)
Skilled nursing or nursing (percentage)	44.2	(1.3)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	65.4	(3.8)
Pharmacy or pharmacist (percentage)	28.6	(1.2)	16.8	(1.1)	---	---	97.6	(0.4)	90.6	(2.4)
Hospice (percentage)	9.3	(0.8)	2.4	(0.4)	...	...	68.9	(1.3)	90.9	(2.3)

Table 5. Providers and Users of Long-Term Care Services in California, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	80,600	(1,800)	399,400	(25,700)	107,500	(10,600)	102,700	(3,300)	83,100	(4,200)
Age in years (percent):										
Under 65	49.5	(1.5)	13.8	(0.5)	3.9	(0.1)	19.4	(0.6)	3.4	(0.7)
65 and over	50.5	(1.5)	86.2	(0.5)	96.1	(0.1)	80.6	(0.6)	96.6	(0.7)
65–74	13.2	(0.5)	24.6	(0.3)	14.1	(0.3)	16.8	(0.2)	8.8	(1.1)
75–84	22.9	(0.8)	32.6	(0.2)	29.8	(0.2)	26.6	(0.3)	29.8	(1.6)
85 and over	14.4	(0.6)	29.0	(0.5)	52.2	(0.5)	37.2	(0.6)	57.9	(2.3)
Sex (percent):										
Men	44.2	(0.4)	39.1	(0.3)	40.3	(0.3)	37.3	(0.4)	30.6	(0.9)
Women	55.8	(0.4)	60.9	(0.3)	59.7	(0.3)	62.7	(0.4)	69.4	(0.9)
Race and ethnicity (percent):										
Hispanic	19.6	(0.8)	18.7	(0.6)	11.8	(0.6)	17.2	(0.5)	5.6	(0.9)
Non-Hispanic white	43.8	(1.2)	61.2	(1.1)	77.4	(0.9)	60.0	(0.8)	79.7	(2.3)
Non-Hispanic black	7.9	(0.5)	8.0	(0.4)	4.6	(0.4)	11.1	(0.4)	2.1	(0.5)
Non-Hispanic other	28.7	(1.3)	12.1	(0.7)	6.2	(0.4)	11.7	(0.6)	12.6	(1.8)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	23.7	(0.9)	31.6	(0.4)	31.7	(0.8)	39.0	(0.6)	32.3	(2.3)
Diagnosed with depression	23.8	(0.9)	32.5	(0.4)	13.5	(0.4)	35.1	(0.5)	17.9	(1.8)
Need assistance in physical functioning (percentage):										
Eating	25.6	(0.9)	64.0	(1.1)	---	---	61.7	(0.8)	14.0	(1.1)
Bathing	47.9	(1.3)	95.8	(0.4)	---	---	95.7	(0.5)	48.1	(3.1)
Dressing	44.4	(1.2)	87.6	(0.8)	---	---	92.4	(0.5)	37.9	(3.0)
Toileting	38.6	(1.1)	72.9	(1.3)	---	---	88.8	(0.6)	33.0	(3.0)

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

[5]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 6. Providers and Users of Long-Term Care Services in Colorado, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	60	(0.0)	200	(13)	60	(8)	200	(15)	300	(3)
Number of beds or licensed maximum capacity[2]	3,500	(200)	...	...	...	...	20,400	(1,500)	12,400	(900)
Average capacity	59	(3.7)	---	---	---	---	95	(3.1)	36	(2.7)
Average number of people served	35	(3.1)	---	---	---	---	75	(2.6)	30	(2.1)
Metropolitan statistical area status (percent):										
Metropolitan	†	†	76.8	(3.3)	71.2	(5.9)	73.5	(3.0)	*	*
Micropolitan or neither	*	*	23.2	(3.3)	28.8	(5.9)	26.5	(3.0)	*	*
Ownership (percent):										
For-profit	34.9	(3.8)	73.2	(3.5)	49.2	(6.5)	73.0	(3.0)	*	*
Not-for-profit, government, or other	65.1	(3.8)	26.8	(3.5)	50.8	(6.5)	27.0	(3.0)	*	*
Number of people served (percent):[3]										
Category 1	*	*	33.1	(3.9)	38.2	(6.6)	7.4	(1.8)	65.8	(1.3)
Category 2	*	*	33.8	(3.9)	32.7	(6.3)	73.5	(3.0)	*	*
Category 3	*	*	33.1	(3.9)	29.1	(6.1)	19.1	(2.7)	*	*
Staffing[4]										
Number of nursing employee FTEs	244	(15)	2,217	(243)	1,056	(257)	11,816	(901)	4,336	(238)
Nursing employee FTEs (percent):										
Registered nurse	14.0	(1.1)	47.1	(2.5)	58.1	(1.8)	17.0	(0.4)	4.8	(1.1)
Licensed practical nurse or licensed vocational nurse	5.4	(0.9)	13.8	(1.5)	6.2	(1.3)	19.6	(0.5)	6.2	(0.8)
Aide	80.6	(1.5)	39.2	(3.0)	35.7	(1.2)	63.4	(0.5)	89.1	(1.7)
Providers with one or more employee FTEs (percentage):										
Registered nurse	70.7	(3.6)	†	†	†	†	†	†	32.4	(3.8)
Licensed practical nurse or licensed vocational nurse	26.9	(3.5)	67.1	(3.7)	40.7	(6.4)	†	†	39.1	(3.8)
Aide	†	†	95.7	(1.6)	91.5	(3.6)	†	†	92.1	(2.2)
Social worker	24.3	(3.4)	65.2	(3.7)	†	†	75.3	(2.9)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.0)	---	---	---	---	0.8	(0.1)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.7	(0.0)	0.2	(0.0)
Aide	1.0	(0.1)	---	---	---	---	2.5	(0.1)	2.6	(0.2)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Service provided										
Social work (percentage)	23.1	(3.4)	76.2	(3.3)	100.0	(0.0)	92.6	(1.8)	81.4	(3.3)
Mental health or counseling (percentage)	17.7	(3.0)	---	---	†	†	87.4	(2.3)	81.4	(3.3)
Therapy (physical, occupational, or speech) (percentage)	40.5	(3.9)	96.3	(1.5)	†	†	†	†	†	†
Skilled nursing or nursing (percentage)	51.8	(4.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	83.1	(3.1)
Pharmacy or pharmacist (percentage)	*	*	*	*	---	---	97.7	(1.0)	97.0	(1.4)
Hospice (percentage)	25.9	(3.5)	8.5	(2.2)	...	...	80.5	(2.7)	91.5	(2.3)

Table 6. Providers and Users of Long-Term Care Services in Colorado, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	3,000	(200)	54,000	(9,000)	17,800	(4,000)	16,100	(1,200)	10,400	(700)
Age in years (percent):										
Under 65	42.7	(3.9)	15.4	(1.2)	5.4	(0.3)	14.8	(1.2)	9.4	(1.9)
65 and over	57.3	(3.9)	84.6	(1.2)	94.6	(0.3)	85.2	(1.2)	90.6	(1.9)
65–74	21.0	(1.6)	24.7	(0.6)	15.9	(0.5)	14.5	(0.5)	12.0	(1.3)
75–84	23.9	(2.0)	32.5	(0.7)	30.8	(0.5)	27.0	(0.6)	32.4	(1.7)
85 and over	12.4	(1.3)	27.4	(1.1)	47.9	(0.9)	43.7	(1.3)	46.2	(2.6)
Sex (percent):										
Men	44.1	(0.8)	36.1	(0.5)	41.0	(0.7)	33.3	(1.1)	27.9	(1.2)
Women	55.9	(0.8)	63.9	(0.5)	59.0	(0.7)	66.6	(1.1)	72.1	(1.2)
Race and ethnicity (percent):										
Hispanic	9.8	(1.2)	9.3	(0.7)	7.4	(0.8)	10.3	(0.7)	3.4	(0.6)
Non-Hispanic white	72.0	(2.1)	85.0	(0.8)	88.8	(1.2)	83.6	(1.0)	74.8	(6.8)
Non-Hispanic black	6.8	(0.9)	3.5	(0.4)	2.2	(0.7)	4.4	(0.7)	2.1	(0.4)
Non-Hispanic other	11.4	(1.7)	2.2	(0.1)	1.6	(0.2)	1.7	(0.2)	*19.7	(7.2)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	24.0	(2.6)	29.7	(1.6)	38.7	(2.2)	48.0	(1.4)	41.4	(3.1)
Diagnosed with depression	31.7	(2.2)	36.3	(0.8)	20.4	(1.0)	52.3	(1.4)	24.5	(2.4)
Need assistance in physical functioning (percentage):										
Eating	23.6	(2.0)	38.0	(1.6)	---	---	54.0	(2.0)	14.4	(2.0)
Bathing	32.6	(4.2)	93.3	(0.7)	---	---	96.7	(0.5)	61.0	(5.6)
Dressing	40.9	(4.8)	74.5	(2.1)	---	---	88.4	(0.8)	41.1	(4.0)
Toileting	35.8	(2.4)	49.5	(2.6)	---	---	84.3	(1.0)	31.7	(4.0)

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf).

For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 7. Providers and Users of Long-Term Care Services in Connecticut, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	50	(0.0)	90	(9)	30	(6)	200	(15)	50	(1)
Number of beds or licensed maximum capacity[2]	2,500	(100)	...	...	...	...	27,900	(2,000)	2,300	(200)
Average capacity	47	(1.7)	---	---	---	---	121	(3.9)	43	(4.0)
Average number of people served	29	(1.3)	---	---	---	---	108	(3.6)	39	(3.7)
Metropolitan statistical area status (percent):										
Metropolitan	†	†	*	*	*	*	95.6	(1.4)	85.1	(2.9)
Micropolitan or neither	*	*	*	*	*	*	4.4	(1.4)	14.9	(2.9)
Ownership (percent):										
For-profit	30.4	(3.3)	53.4	(5.3)	24.2	(7.5)	79.2	(2.7)	52.6	(4.4)
Not-for-profit, government, or other	69.6	(3.3)	46.6	(5.3)	75.8	(7.5)	20.8	(2.7)	47.4	(4.4)
Number of people served (percent):[3]										
Category 1	55.0	(3.5)	20.0	(4.3)	27.3	(7.8)	2.2	(1.0)	*	*
Category 2	45.0	(3.5)	25.9	(4.8)	24.2	(7.5)	42.0	(3.2)	*	*
Category 3	-	-	54.1	(5.4)	36.4	(8.4)	55.8	(3.3)	*	*
Missing[4]	…	…	…	…	12.1	(5.7)	…	…	…	…
Staffing[5]										
Number of nursing employee FTEs	209	(8)	2,425	(325)	518	(151)	17,491	(1,244)	603	(108)
Nursing employee FTEs (percent):										
Registered nurse	20.4	(0.9)	47.6	(2.4)	51.1	(3.4)	13.3	(0.4)	7.7	(1.2)
Licensed practical nurse or licensed vocational nurse	13.6	(1.0)	11.1	(1.5)	6.7	(1.9)	21.3	(0.4)	7.8	(1.2)
Aide	66.0	(1.1)	41.3	(3.0)	42.1	(2.6)	65.5	(0.5)	84.5	(1.6)
Providers with one or more employee FTEs (percentage):										
Registered nurse	73.6	(3.1)	100.0	(0.0)	100.0	(0.0)	†	†	31.6	(4.1)
Licensed practical nurse or licensed vocational nurse	54.7	(3.5)	70.5	(4.9)	45.5	(8.7)	†	†	31.6	(4.1)
Aide	†	†	†	†	100.0	(0.0)	100.0	(0.0)	79.2	(3.7)
Social worker	55.5	(3.5)	72.7	(4.7)	100.0	(0.0)	93.1	(1.7)	23.9	(3.8)
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.0)	---	---	---	---	0.5	(0.0)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	0.7	(0.0)	0.1	(0.0)
Aide	0.7	(0.0)	---	---	---	---	2.4	(0.0)	1.2	(0.1)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	†	†	†	†	100.0	(0.0)	†	†	62.0	(4.5)
Mental health or counseling (percentage)	62.0	(3.5)	---	---	100.0	(0.0)	97.4	(1.0)	81.2	(3.5)
Therapy (physical, occupational, or speech) (percentage)	78.6	(2.9)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	80.7	(3.6)
Skilled nursing or nursing (percentage)	85.6	(2.5)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	67.6	(4.1)
Pharmacy or pharmacist (percentage)	28.5	(3.2)	6.8	(2.7)	---	---	97.4	(1.0)	†	†
Hospice (percentage)	31.1	(3.3)	8.0	(2.9)	...	...	72.7	(2.9)	58.3	(4.2)

Table 7. Providers and Users of Long-Term Care Services in Connecticut, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	2,700	(100)	69,700	(12,400)	12,300	(3,500)	25,000	(1,800)	2,100	(200)
Age in years (percent):										
Under 65	7.7	(1.1)	18.5	(1.3)	3.9	(0.3)	11.7	(1.0)	25.3	(2.9)
65 and over	92.3	(1.1)	81.5	(1.3)	96.1	(0.3)	88.3	(1.0)	74.7	(2.9)
65–74	18.2	(1.0)	19.2	(0.5)	12.5	(0.7)	12.7	(0.5)	16.2	(1.1)
75–84	37.7	(1.3)	31.1	(0.5)	30.3	(0.6)	25.7	(0.4)	19.3	(1.2)
85 and over	36.3	(1.6)	31.2	(1.1)	53.3	(1.2)	49.9	(1.3)	39.2	(3.1)
Sex (percent):										
Men	32.3	(0.7)	37.7	(0.4)	39.1	(0.9)	29.6	(0.7)	33.6	(2.0)
Women	67.7	(0.7)	62.3	(0.4)	60.9	(0.9)	70.4	(0.7)	66.4	(2.0)
Race and ethnicity (percent):										
Hispanic	9.4	(1.4)	5.0	(0.6)	2.7	(0.3)	4.2	(0.5)	3.2	(0.4)
Non-Hispanic white	69.8	(2.3)	86.2	(1.3)	91.7	(0.9)	85.9	(1.3)	77.7	(3.3)
Non-Hispanic black	13.6	(1.4)	7.2	(0.8)	4.5	(0.6)	9.2	(0.9)	6.2	(0.7)
Non-Hispanic other	7.2	(2.0)	1.7	(0.1)	1.2	(0.1)	0.8	(0.1)	12.8	(3.7)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	55.4	(2.0)	31.1	(1.1)	51.3	(2.7)	51.9	(1.1)	13.5	(2.1)
Diagnosed with depression	22.3	(1.7)	33.1	(0.5)	26.4	(0.9)	42.3	(1.4)	15.0	(2.0)
Need assistance in physical functioning (percentage):										
Eating	25.2	(2.0)	38.5	(2.2)	---	---	44.0	(1.3)	4.1	(1.0)
Bathing	38.8	(2.2)	90.3	(1.2)	---	---	94.5	(0.5)	37.5	(4.0)
Dressing	33.4	(1.9)	71.9	(2.5)	---	---	89.9	(0.6)	12.7	(2.9)
Toileting	39.7	(2.0)	48.7	(3.1)	---	---	83.8	(0.7)	7.4	(2.9)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.
[5]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers.
The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf).
For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 8. Providers and Users of Long-Term Care Services in Delaware, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	10	(0.0)	20	(5)	10	(3)	50	(7)	30	(0.0)
Number of beds or licensed maximum capacity[2]	700	(0.0)	...	...	...	...	4,900	(800)	2,300	(100)
Average capacity	53	(2.0)	---	---	---	---	107	(8.8)	70	(3.5)
Average number of people served	33	(1.9)	---	---	---	---	93	(6.3)	53	(3.1)
Metropolitan statistical area status (percent):										
Metropolitan	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	74.6	(6.6)
Micropolitan or neither	*	*	-	-	-	-	-	-	25.4	(6.6)
Ownership (percent):										
For-profit	*	*	68.2	(9.9)	*	*	56.5	(7.3)	47.8	(6.7)
Not-for-profit, government, or other	*	*	31.8	(9.9)	*	*	43.5	(7.3)	52.2	(6.7)
Number of people served (percent):[3]										
Category 1	*	*	*	*	-	-	*	*	*	*
Category 2	*	*	*	*	*	*	*	*	*	*
Category 3	-	-	*	*	*	*	*	*	*	*
Staffing[4]										
Number of nursing employee FTEs	59	(4)	452	(135)	248	(118)	3,526	(569)	743	(63)
Nursing employee FTEs (percent):										
Registered nurse	12.9	(2.0)	51.0	(5.5)	52.4	(6.1)	16.5	(0.9)	10.6	(1.4)
Licensed practical nurse or licensed vocational nurse	22.6	(2.6)	15.2	(5.9)	9.9	(3.5)	21.9	(1.0)	16.9	(1.7)
Aide	64.5	(3.0)	33.7	(6.4)	37.7	(4.0)	61.6	(0.8)	72.5	(1.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	†	†
Licensed practical nurse or licensed vocational nurse	*	*	45.5	(10.6)	*	*	100.0	(0.0)	*	*
Aide	†	†	†	†	*	*	†	†	†	†
Social worker	50.9	(8.1)	59.1	(10.5)	100.0	(0.0)	89.1	(4.6)	*	*
Nursing hours per resident or participant per day:										
Registered nurse	0.2	(0.0)	---	---	---	---	0.8	(0.1)	0.3	(0.1)
Licensed practical nurse or licensed vocational nurse	0.3	(0.0)	---	---	---	---	0.9	(0.0)	0.4	(0.0)
Aide	0.7	(0.0)	---	---	---	---	2.6	(0.1)	1.8	(0.1)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	*	*	59.1	(10.5)	100.0	(0.0)	†	†	63.5	(7.4)
Mental health or counseling (percentage)	54.4	(8.0)	---	---	100.0	(0.0)	†	†	*	*
Therapy (physical, occupational, or speech) (percentage)	100.0	(0.0)	†	†	100.0	(0.0)	100.0	(0.0)	*	*
Skilled nursing or nursing (percentage)	†	†	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	58.4	(8.1)
Pharmacy or pharmacist (percentage)	*	*	-	-	---	---	†	†	100.0	(0.0)
Hospice (percentage)	53.9	(8.0)	-	-	...	...	†	†	*	*

Table 8. Providers and Users of Long-Term Care Services in Delaware, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	600	(0)	15,500	(6,000)	5,500	(2,100)	4,300	(700)	1,800	(100)
Age in years (percent):										
Under 65	39.9	(5.8)	22.4	(1.9)	5.9	(0.4)	11.8	(1.4)	4.8	(0.6)
65 and over	60.1	(5.8)	77.6	(1.9)	94.1	(0.4)	88.2	(1.4)	95.2	(0.6)
65–74	26.9	(3.1)	27.4	(1.4)	17.0	(0.9)	14.5	(1.1)	14.7	(2.4)
75–84	20.4	(2.8)	31.0	(1.1)	32.4	(0.7)	27.5	(0.8)	36.5	(3.9)
85 and over	12.7	(2.1)	19.1	(1.5)	44.7	(1.5)	46.2	(2.1)	44.1	(3.3)
Sex (percent):										
Men	38.0	(1.6)	40.5	(0.9)	40.3	(1.1)	30.5	(2.2)	26.4	(1.7)
Women	62.0	(1.6)	59.5	(0.9)	59.7	(1.1)	69.5	(2.2)	73.6	(1.7)
Race and ethnicity (percent):										
Hispanic	3.7	(0.4)	1.7	(0.3)	1.3	(0.2)	1.6	(0.3)	0.7	(0.2)
Non-Hispanic white	59.8	(2.4)	77.7	(1.9)	85.3	(1.4)	78.2	(2.3)	93.6	(1.1)
Non-Hispanic black	35.3	(2.2)	18.9	(1.5)	11.8	(1.3)	19.8	(2.1)	4.7	(0.8)
Non-Hispanic other	1.2	(0.2)	1.7	(0.2)	1.6	(0.2)	0.5	(0.1)	1.0	(0.2)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	49.4	(6.1)	24.8	(2.2)	52.6	(1.8)	50.2	(2.4)	45.8	(5.1)
Diagnosed with depression	8.7	(1.6)	32.0	(1.2)	24.0	(1.0)	44.5	(2.0)	31.6	(5.2)
Need assistance in physical functioning (percentage):										
Eating	25.2	(3.4)	48.6	(5.6)	---	---	49.0	(3.2)	11.4	(2.7)
Bathing	58.9	(3.5)	94.8	(1.3)	---	---	95.2	(0.7)	47.2	(4.1)
Dressing	64.9	(3.7)	82.0	(3.8)	---	---	90.8	(0.8)	35.8	(5.7)
Toileting	57.7	(3.0)	58.3	(4.1)	---	---	86.4	(1.2)	36.4	(5.4)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 9. Providers and Users of Long-Term Care Services in District of Columbia, by Provider Type and Selected Characteristics

Selected characteristic	Home health agency		Nursing home		Residential care community	
	Number or percent (standard error)					
Organization						
Number of providers[1]	30	(5)	20	(4)	20	(1)
Number of beds or licensed maximum capacity[2]	...	...	2,800	(800)	1,400	(100)
Average capacity	---	---	146	(22.2)	63	(4.2)
Average number of people served	---	---	137	(21.7)	50	(4.6)
Metropolitan statistical area status (percent):						
Metropolitan	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)
Micropolitan or neither	-	-	-	-	-	-
Ownership (percent):						
For-profit	*	*	52.6	(11.5)	*	*
Not-for-profit, government, or other	*	*	47.4	(11.5)	*	*
Number of people served (percent):[3]						
Category 1	36.0	(9.6)	-	-	*	*
Category 2	20.0	(8.0)	42.1	(11.3)	*	*
Category 3	20.0	(8.0)	57.9	(11.3)	*	*
Missing[4]	24.0	(8.5)	...	...	...	...
Staffing[5]						
Number of nursing employee FTEs	447	(111)	1,836	(478)	475	(92)
Nursing employee FTEs (percent):						
Registered nurse	32.3	(5.9)	11.4	(2.1)	3.3	(0.9)
Licensed practical nurse or licensed vocational nurse	18.3	(4.0)	25.1	(2.7)	22.1	(1.6)
Aide	49.4	(7.0)	63.5	(2.2)	74.6	(1.6)
Providers with one or more employee FTEs (percentage):						
Registered nurse	100.0	(0.0)	100.0	(0.0)	*	*
Licensed practical nurse or licensed vocational nurse	†	†	†	†	*	*
Aide	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)
Social worker	*	*	†	†	*	*
Employee hours per resident or participant per day:						
Registered nurse	---	---	0.6	(0.2)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	---	---	1.0	(0.1)	0.3	(0.0)
Aide	---	---	2.6	(0.2)	2.0	(0.3)
Social worker	---	---	0.1	(0.0)	0.1	(0.1)
Service provided						
Social work (percentage)	*	*	†	†	*	*
Mental health or counseling (percentage)	---	---	*	*	†	†
Therapy (physical, occupational, or speech) (percentage)	†	†	100.0	(0.0)	†	†
Skilled nursing or nursing (percentage)	100.0	(0.0)	100.0	(0.0)	*	*
Missing[4]	...	...	...	...	...	...
Pharmacy or pharmacist (percentage)	-	-	100.0	(0.0)	†	†
Hospice (percentage)	-	-	73.7	(10.1)	*	*
Service users						
Number of users[2]	5,400	(2,300)	2,600	(700)	1,100	(100)
Age in years (percent):						
Under 65	20.1	(3.2)	21.5	(5.3)	2.4	(0.4)
65 and over	79.9	(3.2)	78.5	(5.3)	97.6	(0.4)
65–74	24.5	(0.8)	19.6	(1.8)	4.6	(0.6)
75–84	29.8	(1.5)	25.0	(2.2)	18.5	(1.7)
85 and over	25.6	(1.8)	33.9	(5.0)	74.6	(2.1)
Sex (percent):						
Men	35.2	(1.1)	38.1	(4.0)	29.1	(1.2)
Women	64.8	(1.1)	61.9	(4.0)	70.9	(1.2)
Race and ethnicity (percent):						
Hispanic	1.8	(0.3)	1.3	(0.4)	0.4	(0.1)
Non-Hispanic white	13.1	(1.8)	13.4	(3.9)	65.5	(17.6)
Non-Hispanic black	83.4	(1.8)	84.0	(4.3)	11.9	(3.0)

Table 9. Providers and Users of Long-Term Care Services in District of Columbia, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Home health agency		Nursing home		Residential care community	
	Number or percent (standard error)					
Non-Hispanic other	1.6	(0.1)	1.3	(0.3)	22.2	(16.7)
Conditions (percentage):						
Diagnosed with Alzheimer's disease or other dementias	33.8	(2.0)	44.1	(5.4)	48.2	(6.5)
Diagnosed with depression	20.6	(0.6)	27.2	(3.2)	23.6	(3.0)
Need assistance in physical functioning (percentage):						
Eating	49.6	(4.4)	54.9	(4.3)	14.5	(2.7)
Bathing	92.9	(1.2)	94.1	(1.7)	65.9	(2.8)
Dressing	76.0	(3.4)	89.4	(2.7)	50.1	(6.0)
Toileting	56.8	(4.8)	85.0	(2.9)	44.5	(6.4)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For nursing homes and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

[4]Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

[5]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 10. Providers and Users of Long-Term Care Services in Florida, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	200	(1)	1,400	(36)	40	(6)	700	(26)	2,000	(19)
Number of beds or licensed maximum capacity[2]	10,500	(300)	...	...	...	...	82,600	(3,400)	66,500	(2,100)
Average capacity	52	(1.6)	---	---	---	---	121	(1.9)	33	(1.0)
Average number of people served	26	(0.9)	---	---	---	---	106	(1.7)	29	(1.5)
Metropolitan statistical area status (percent):										
Metropolitan	†	†	98.7	(0.3)	*	*	94.6	(0.9)	*	*
Micropolitan or neither	*	*	1.3	(0.3)	*	*	5.4	(0.9)	*	*
Ownership (percent):										
For-profit	35.2	(2.5)	94.5	(0.6)	22.0	(6.5)	72.0	(1.7)	*	*
Not-for-profit, government, or other	64.8	(2.5)	5.5	(0.6)	78.0	(6.5)	28.0	(1.7)	*	*
Number of people served (percent):[3]										
Category 1	57.8	(2.6)	42.9	(1.4)	*	*	2.6	(0.6)	64.9	(0.0)
Category 2	42.2	(2.6)	27.1	(1.2)	*	*	34.6	(1.8)	*	*
Category 3	-	-	30.0	(1.3)	*	*	62.8	(1.9)	*	*
Staffing[4]										
Number of nursing employee FTEs	854	(28)	13,773	(602)	2,196	(413)	57,395	(2,313)	20,008	(1,469)
Nursing employee FTEs (percent):										
Registered nurse	14.2	(0.7)	52.3	(1.1)	52.8	(2.6)	8.8	(0.2)	*6.8	(3.0)
Licensed practical nurse or licensed vocational nurse	14.6	(0.7)	21.5	(0.7)	13.5	(1.3)	24.2	(0.2)	14.2	(1.5)
Aide	71.2	(1.0)	26.1	(1.2)	33.7	(1.8)	66.9	(0.2)	79.1	(2.6)
Providers with one or more employee FTEs (percentage):										
Registered nurse	58.1	(2.6)	99.4	(0.2)	100.0	(0.0)	†	†	32.4	(4.7)
Licensed practical nurse or licensed vocational nurse	55.9	(2.6)	77.9	(1.1)	†	†	100.0	(0.0)	39.1	(4.0)
Aide	86.2	(1.8)	79.8	(1.1)	100.0	(0.0)	98.2	(0.5)	82.7	(4.1)
Social worker	47.7	(2.6)	48.0	(1.3)	100.0	(0.0)	88.7	(1.2)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.0)	---	---	---	---	0.4	(0.0)	*0.3	(0.1)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	1.0	(0.0)	*0.3	(0.1)
Aide	1.1	(0.1)	---	---	---	---	2.8	(0.1)	1.8	(0.2)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Service provided										
Social work (percentage)	74.1	(2.3)	80.2	(1.1)	100.0	(0.0)	92.8	(1.0)	77.0	(4.6)
Mental health or counseling (percentage)	37.0	(2.5)	---	---	100.0	(0.0)	94.0	(0.9)	76.7	(4.6)
Therapy (physical, occupational, or speech) (percentage)	73.9	(2.3)	96.6	(0.5)	†	†	100.0	(0.0)	87.1	(3.8)
Skilled nursing or nursing (percentage)	78.9	(2.2)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	83.1	(4.0)
Pharmacy or pharmacist (percentage)	16.8	(2.0)	0.8	(0.2)	---	---	97.8	(0.6)	89.0	(3.6)
Hospice (percentage)	33.5	(2.5)	*	*	...	...	91.9	(1.0)	87.5	(3.7)

Table 10. Providers and Users of Long-Term Care Services in Florida, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	8,300	(300)	447,600	(23,800)	110,500	(28,000)	72,300	(3,000)	57,000	(3,000)
Age in years (percent):										
Under 65	10.9	(1.3)	12.6	(0.3)	5.0	(0.3)	14.0	(0.6)	9.3	(2.3)
65 and over	89.1	(1.3)	87.4	(0.3)	95.0	(0.3)	86.0	(0.6)	90.7	(2.3)
65–74	19.2	(0.9)	25.8	(0.3)	16.3	(0.7)	15.6	(0.3)	10.1	(1.5)
75–84	38.0	(1.1)	33.5	(0.2)	31.4	(0.4)	28.9	(0.3)	36.3	(4.1)
85 and over	31.8	(1.3)	28.1	(0.5)	47.2	(1.3)	41.6	(0.7)	44.3	(3.9)
Sex (percent):										
Men	33.7	(0.8)	39.1	(0.2)	42.9	(0.7)	33.9	(0.5)	31.6	(1.8)
Women	66.3	(0.8)	60.9	(0.2)	57.1	(0.7)	66.1	(0.5)	68.4	(1.8)
Race and ethnicity (percent):										
Hispanic	30.6	(2.0)	19.2	(1.0)	10.3	(2.9)	10.4	(0.9)	7.1	(1.8)
Non-Hispanic white	47.8	(2.0)	71.5	(1.1)	81.6	(3.7)	72.9	(1.1)	83.4	(3.2)
Non-Hispanic black	18.5	(1.3)	8.2	(0.3)	6.9	(0.9)	16.0	(0.7)	4.5	(0.8)
Non-Hispanic other	3.1	(0.3)	1.2	(0.0)	1.1	(0.1)	0.7	(0.0)	*5.0	(2.5)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	67.6	(1.9)	33.0	(0.4)	44.1	(0.7)	47.7	(0.6)	43.7	(4.3)
Diagnosed with depression	21.8	(1.5)	39.0	(0.4)	24.3	(0.4)	46.5	(0.7)	23.5	(3.3)
Need assistance in physical functioning (percentage):										
Eating	31.5	(1.6)	50.4	(0.9)	---	---	56.9	(0.9)	18.7	(2.3)
Bathing	39.2	(2.1)	95.4	(0.2)	---	---	97.1	(0.2)	61.8	(4.2)
Dressing	37.8	(1.9)	87.2	(0.5)	---	---	92.9	(0.3)	46.9	(4.1)
Toileting	49.7	(2.0)	67.5	(0.8)	---	---	89.3	(0.4)	42.9	(3.8)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 11. Providers and Users of Long-Term Care Services in Georgia, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	200	(1)	100	(10)	200	(13)	400	(19)	700	(7)
Number of beds or licensed maximum capacity[2]	6,200	(400)	...	...	...	...	39,900	(2,300)	20,100	(1,200)
Average capacity	42	(2.6)	---	---	---	---	111	(2.7)	30	(1.7)
Average number of people served	21	(1.4)	---	---	---	---	95	(2.3)	23	(1.5)
Metropolitan statistical area status (percent):										
Metropolitan	80.2	(2.9)	73.8	(4.2)	79.9	(3.0)	62.6	(2.6)	*	*
Micropolitan or neither	19.8	(2.9)	26.2	(4.2)	20.1	(3.0)	37.4	(2.6)	*	*
Ownership (percent):										
For-profit	48.2	(3.6)	71.0	(4.4)	82.2	(2.9)	65.1	(2.5)	*	*
Not-for-profit, government, or other	51.8	(3.6)	29.0	(4.4)	17.8	(2.9)	34.9	(2.5)	*	*
Number of people served (percent):[3]										
Category 1	*	*	*	*	29.6	(3.6)	2.8	(0.9)	73.6	(2.5)
Category 2	*	*	*	*	45.1	(3.9)	60.9	(2.6)	*	*
Category 3	*	*	*	*	25.3	(3.4)	36.3	(2.5)	*	*
Staffing[4]										
Number of nursing employee FTEs	619	(34)	2,135	(266)	2,773	(328)	22,803	(1,337)	6,874	(625)
Nursing employee FTEs (percent):										
Registered nurse	16.5	(1.0)	62.4	(1.6)	51.3	(1.1)	5.8	(0.2)	5.5	(1.4)
Licensed practical nurse or licensed vocational nurse	16.7	(1.0)	21.6	(1.5)	9.7	(0.8)	29.6	(0.3)	4.0	(0.8)
Aide	66.8	(1.6)	16.0	(1.1)	39.0	(1.1)	64.6	(0.4)	90.5	(1.3)
Providers with one or more employee FTEs (percentage):										
Registered nurse	63.5	(3.5)	100.0	(0.0)	100.0	(0.0)	95.0	(1.2)	38.6	(5.4)
Licensed practical nurse or licensed vocational nurse	64.0	(3.5)	89.7	(2.9)	62.1	(3.7)	†	†	*	*
Aide	75.1	(3.2)	†	†	†	†	98.3	(0.7)	90.1	(3.4)
Social worker	25.3	(3.1)	72.0	(4.3)	†	†	74.0	(2.3)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.4	(0.1)	---	---	---	---	0.2	(0.0)	0.3	(0.1)
Licensed practical nurse or licensed vocational nurse	0.6	(0.1)	---	---	---	---	1.1	(0.0)	*0.1	(0.0)
Aide	1.4	(0.2)	---	---	---	---	2.2	(0.0)	2.3	(0.2)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Service provided										
Social work (percentage)	51.8	(3.6)	84.1	(3.5)	100.0	(0.0)	84.1	(1.9)	58.1	(5.7)
Mental health or counseling (percentage)	29.8	(3.3)	---	---	97.1	(1.3)	87.7	(1.7)	68.4	(5.4)
Therapy (physical, occupational, or speech) (percentage)	53.7	(3.6)	100.0	(0.0)	†	†	†	†	80.4	(4.7)
Skilled nursing or nursing (percentage)	70.5	(3.3)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	69.6	(5.2)
Pharmacy or pharmacist (percentage)	35.8	(3.5)	*	*	---	---	98.3	(0.7)	89.5	(3.7)
Hospice (percentage)	24.2	(3.1)	*	*	...	...	87.4	(1.8)	72.7	(5.2)

Table 11. Providers and Users of Long-Term Care Services in Georgia, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	4,300	(300)	123,700	(17,600)	40,600	(4,500)	34,100	(2,000)	15,400	(1,000)
Age in years (percent):										
Under 65	38.5	(2.9)	19.2	(0.6)	7.9	(0.3)	16.7	(0.8)	6.5	(1.1)
65 and over	61.5	(2.9)	80.8	(0.6)	92.1	(0.3)	83.3	(0.8)	93.5	(1.1)
65–74	22.3	(1.4)	26.1	(0.4)	19.4	(0.5)	18.3	(0.4)	14.7	(2.6)
75–84	25.1	(1.9)	32.0	(0.3)	32.2	(0.3)	29.4	(0.4)	35.7	(3.2)
85 and over	14.1	(1.2)	22.8	(0.6)	40.6	(0.7)	35.7	(0.8)	43.2	(3.3)
Sex (percent):										
Men	33.5	(1.2)	35.5	(0.3)	39.3	(0.5)	31.0	(0.7)	26.0	(1.6)
Women	66.5	(1.2)	64.5	(0.3)	60.7	(0.5)	69.0	(0.7)	74.0	(1.6)
Race and ethnicity (percent):										
Hispanic	1.7	(0.2)	1.1	(0.1)	0.9	(0.1)	0.7	(0.1)	0.5	(0.1)
Non-Hispanic white	32.3	(2.6)	74.2	(1.8)	78.0	(1.2)	65.8	(1.5)	80.2	(5.1)
Non-Hispanic black	58.2	(3.1)	23.5	(1.7)	20.3	(1.2)	33.0	(1.5)	11.0	(2.8)
Non-Hispanic other	7.8	(3.1)	1.2	(0.1)	0.9	(0.1)	0.5	(0.1)	*8.4	(4.7)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	45.6	(2.9)	33.1	(0.9)	48.7	(1.1)	50.2	(0.9)	49.7	(4.3)
Diagnosed with depression	15.9	(1.4)	31.5	(0.5)	19.6	(0.4)	56.0	(1.2)	22.3	(3.2)
Need assistance in physical functioning (percentage):										
Eating	24.4	(1.9)	60.3	(1.6)	---	---	64.7	(1.3)	15.3	(2.1)
Bathing	40.7	(3.4)	97.4	(0.3)	---	---	97.1	(0.3)	58.6	(3.7)
Dressing	38.4	(2.7)	90.4	(1.0)	---	---	92.4	(0.4)	43.9	(3.5)
Toileting	41.2	(2.8)	75.8	(1.8)	---	---	87.6	(0.5)	29.5	(3.5)

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 12. Providers and Users of Long-Term Care Services in Hawaii, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	40	(1)	10	(4)	10	(3)	50	(7)	200	(2)
Number of beds or licensed maximum capacity[2]	1,800	(100)	...	...	...	...	4,100	(700)	2,900	(100)
Average capacity	43	(3.1)	---	---	---	---	87	(9.7)	13	(0.4)
Average number of people served	26	(2.2)	---	---	---	---	80	(9.2)	11	(1.0)
Metropolitan statistical area status (percent):										
Metropolitan	73.6	(5.7)	64.3	(12.8)	*	*	70.2	(6.7)	*	*
Micropolitan or neither	26.4	(5.7)	35.7	(12.8)	*	*	29.8	(6.7)	*	*
Ownership (percent):										
For-profit	22.4	(5.7)	*	*	*	*	51.1	(7.3)	*	*
Not-for-profit, government, or other	77.6	(5.7)	*	*	*	*	48.9	(7.3)	*	*
Number of people served (percent):[3]										
Category 1	50.3	(6.5)	-	-	*	*	25.5	(6.4)	92.5	(0.8)
Category 2	49.7	(6.5)	53.8	(13.8)	*	*	44.7	(7.3)	*	*
Category 3	-	-	46.2	(13.8)	*	*	29.8	(6.7)	*	*
Staffing[4]										
Number of nursing employee FTEs	224	(22)	140	(43)	156	(78)	2,771	(481)	931	(88)
Nursing employee FTEs (percent):										
Registered nurse	11.1	(1.6)	64.8	(6.6)	65.8	(7.7)	21.3	(1.4)	16.2	(1.7)
Licensed practical nurse or licensed vocational nurse	5.2	(1.3)	5.0	(3.1)	14.0	(3.7)	10.4	(1.1)	4.7	(1.1)
Aide	83.7	(2.2)	30.2	(5.7)	20.1	(7.2)	68.3	(1.1)	79.1	(1.9)
Providers with one or more employee FTEs (percentage):										
Registered nurse	48.8	(6.5)	100.0	(0.0)	100.0	(0.0)	†	†	54.4	(4.5)
Licensed practical nurse or licensed vocational nurse	25.4	(5.5)	*	*	*	*	85.1	(5.2)	*	*
Aide	73.1	(5.7)	†	†	100.0	(0.0)	†	†	71.3	(4.1)
Social worker	25.2	(5.5)	*	*	100.0	(0.0)	74.5	(6.4)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.0)	---	---	---	---	1.3	(0.3)	0.6	(0.1)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.5	(0.1)	0.1	(0.0)
Aide	1.4	(0.2)	---	---	---	---	3.1	(0.3)	2.2	(0.3)
Social worker	0.0	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Service provided										
Social work (percentage)	47.6	(6.4)	*	*	100.0	(0.0)	†	†	64.9	(4.5)
Mental health or counseling (percentage)	29.7	(5.9)	---	---	100.0	(0.0)	46.8	(7.3)	60.3	(4.7)
Therapy (physical, occupational, or speech) (percentage)	63.8	(6.3)	100.0	(0.0)	100.0	(0.0)	†	†	74.9	(4.0)
Skilled nursing or nursing (percentage)	55.2	(6.5)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	66.8	(4.4)
Pharmacy or pharmacist (percentage)	23.3	(5.5)	*	*	---	---	100.0	(0.0)	78.5	(3.9)
Hospice (percentage)	30.7	(6.0)	-	-	...	...	53.2	(7.3)	62.1	(4.5)

Table 12. Providers and Users of Long-Term Care Services in Hawaii, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	1,700	(100)	6,600	(2,400)	3,800	(1,700)	3,700	(700)	2,500	(200)
Age in years (percent):										
Under 65	8.3	(2.9)	12.6	(1.2)	3.8	(0.4)	9.8	(1.5)	6.8	(1.4)
65 and over	91.7	(2.9)	87.4	(1.2)	96.2	(0.4)	90.2	(1.5)	93.2	(1.4)
65–74	10.7	(1.2)	19.6	(0.8)	15.5	(1.3)	11.6	(0.8)	5.6	(1.2)
75–84	34.9	(3.0)	32.7	(0.8)	27.5	(1.3)	24.6	(0.9)	27.3	(4.9)
85 and over	46.1	(3.9)	35.0	(1.0)	53.2	(2.2)	53.9	(2.0)	60.4	(5.1)
Sex (percent):										
Men	23.1	(1.0)	41.9	(0.5)	44.1	(1.3)	32.7	(1.7)	29.8	(2.0)
Women	76.9	(1.0)	58.1	(0.5)	55.9	(1.3)	67.3	(1.7)	70.2	(2.0)
Race and ethnicity (percent):										
Hispanic	1.9	(0.3)	4.6	(0.5)	4.7	(0.4)	2.1	(0.3)	*0.7	(0.4)
Non-Hispanic white	9.0	(1.5)	31.0	(3.8)	28.0	(3.3)	20.4	(2.0)	12.6	(2.8)
Non-Hispanic black	0.2	(0.1)	0.9	(0.1)	0.5	(0.1)	0.5	(0.1)	*0.7	(0.5)
Non-Hispanic other	88.9	(1.6)	63.5	(4.0)	66.8	(3.4)	77.0	(2.2)	85.9	(3.0)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	72.5	(3.1)	39.3	(1.9)	28.1	(2.9)	56.1	(2.6)	35.2	(5.3)
Diagnosed with depression	12.5	(1.8)	20.8	(0.4)	7.2	(0.3)	39.3	(2.8)	11.3	(1.6)
Need assistance in physical functioning (percentage):										
Eating	25.6	(4.6)	63.0	(4.0)	---	---	68.2	(4.4)	21.8	(3.5)
Bathing	34.2	(5.4)	95.1	(0.9)	---	---	98.7	(0.3)	50.0	(7.4)
Dressing	32.2	(5.2)	83.3	(2.7)	---	---	98.2	(0.4)	43.8	(3.1)
Toileting	54.5	(4.6)	67.0	(5.0)	---	---	95.9	(0.8)	43.5	(3.1)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 13. Providers and Users of Long-Term Care Services in Idaho, by Provider Type and Selected Characteristics

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)							
Organization								
Number of providers[1]	50	(7)	40	(7)	80	(9)	200	(2)
Number of beds or licensed maximum capacity[2]	...	...	...	...	5,900	(800)	6,800	(200)
Average capacity	---	---	---	---	77	(4.3)	37	(1.0)
Average number of people served	---	---	---	---	53	(2.8)	29	(0.8)
Metropolitan statistical area status (percent):								
Metropolitan	*	*	76.7	(6.4)	55.8	(5.7)	71.9	(2.8)
Micropolitan or neither	*	*	23.3	(6.4)	44.2	(5.7)	28.1	(2.8)
Ownership (percent):								
For-profit	79.2	(5.9)	65.1	(7.3)	68.8	(5.3)	92.7	(1.6)
Not-for-profit, government, or other	20.8	(5.9)	34.9	(7.3)	31.2	(5.3)	7.3	(1.6)
Number of people served (percent):[3]								
Category 1	19.6	(5.8)	*	*	*	*	*	*
Category 2	39.1	(7.2)	*	*	*	*	*	*
Category 3	41.3	(7.3)	*	*	*	*	*	*
Staffing[4]								
Number of nursing employee FTEs	541	(116)	335	(77)	3,422	(425)	2,536	(115)
Nursing employee FTEs (percent):								
Registered nurse	60.5	(3.4)	52.0	(2.5)	13.1	(0.7)	6.4	(1.0)
Licensed practical nurse or licensed vocational nurse	12.6	(1.6)	9.6	(1.4)	19.7	(0.8)	3.3	(0.3)
Aide	26.9	(2.9)	38.4	(2.6)	67.3	(1.0)	90.4	(1.0)
Providers with one or more employee FTEs (percentage):								
Registered nurse	100.0	(0.0)	100.0	(0.0)	†	†	64.9	(2.8)
Licensed practical nurse or licensed vocational nurse	66.7	(6.8)	55.8	(7.6)	†	†	36.7	(2.9)
Aide	†	†	†	†	100.0	(0.0)	93.9	(1.6)
Social worker	75.0	(6.3)	†	†	67.5	(5.3)	6.9	(1.7)
Employee hours per resident or participant per day:								
Registered nurse	---	---	---	---	0.6	(0.1)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	---	---	---	---	0.9	(0.1)	0.1	(0.0)
Aide	---	---	---	---	3.0	(0.1)	2.5	(0.1)
Social worker	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided								
Social work (percentage)	89.6	(4.4)	100.0	(0.0)	88.3	(3.7)	81.4	(2.5)
Mental health or counseling (percentage)	---	---	†	†	83.1	(4.3)	80.7	(2.5)
Therapy (physical, occupational, or speech) (percentage)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	92.8	(1.6)
Skilled nursing or nursing (percentage)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	80.9	(2.5)
Pharmacy or pharmacist (percentage)	12.5	(4.8)	---	---	100.0	(0.0)	94.5	(1.4)
Hospice (percentage)	18.8	(5.6)	...	...	64.9	(5.4)	91.7	(1.7)

Table 13. Providers and Users of Long-Term Care Services in Idaho, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)							
Service users								
Number of users[2]	16,000	(3,300)	6,800	(1,500)	4,100	(500)	5,300	(200)
Age in years (percent):								
Under 65	15.6	(0.7)	4.7	(0.3)	16.0	(1.5)	6.3	(0.6)
65 and over	84.4	(0.7)	95.3	(0.3)	84.0	(1.5)	93.7	(0.6)
65–74	24.4	(0.8)	16.2	(0.8)	17.0	(0.8)	8.8	(0.7)
75–84	31.5	(0.5)	30.2	(0.5)	28.6	(0.9)	30.0	(1.8)
85 and over	28.4	(1.0)	48.9	(1.1)	38.4	(1.7)	54.9	(2.0)
Sex (percent):								
Men	36.1	(0.8)	41.0	(0.7)	36.3	(2.4)	25.9	(0.6)
Women	63.9	(0.8)	59.0	(0.7)	63.7	(2.4)	74.1	(0.6)
Race and ethnicity (percent):								
Hispanic	3.1	(0.2)	2.0	(0.2)	2.1	(0.4)	0.8	(0.1)
Non-Hispanic white	94.8	(0.3)	96.2	(0.3)	95.9	(0.4)	87.7	(3.0)
Non-Hispanic black	0.3	(0.1)	0.2	(0.1)	0.2	(0.1)	0.1	(0.0)
Non-Hispanic other	1.9	(0.2)	1.6	(0.2)	1.8	(0.2)	11.4	(3.0)
Conditions (percentage):								
Diagnosed with Alzheimer's disease or other dementias	27.7	(1.1)	36.6	(1.8)	43.7	(2.0)	47.6	(2.3)
Diagnosed with depression	36.1	(1.1)	16.8	(0.6)	54.9	(2.5)	27.7	(1.7)
Need assistance in physical functioning (percentage):								
Eating	46.9	(3.2)	---	---	54.4	(2.8)	23.9	(1.8)
Bathing	94.4	(1.1)	---	---	97.6	(0.5)	73.5	(2.1)
Dressing	80.7	(3.0)	---	---	91.2	(1.0)	52.2	(2.3)
Toileting	60.9	(4.2)	---	---	88.9	(1.1)	46.2	(2.3)

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 14. Providers and Users of Long-Term Care Services in Illinois, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	100	(1)	800	(27)	100	(10)	800	(27)	300	(3)
Number of beds or licensed maximum capacity[2]	6,000	(300)	...	...	...	...	94,400	(3,900)	18,900	(1,200)
Average capacity	58	(2.6)	---	---	---	---	122	(2.6)	59	(3.6)
Average number of people served	30	(1.4)	---	---	---	---	95	(2.1)	53	(3.7)
Metropolitan statistical area status (percent):										
Metropolitan	86.6	(1.9)	93.5	(0.9)	75.2	(4.1)	71.6	(1.6)	*	*
Micropolitan or neither	13.4	(1.9)	6.5	(0.9)	24.8	(4.1)	28.4	(1.6)	*	*
Ownership (percent):										
For-profit	25.0	(2.5)	86.2	(1.2)	34.9	(4.6)	71.1	(1.6)	59.4	(4.1)
Not-for-profit, government, or other	75.0	(2.5)	13.8	(1.2)	65.1	(4.6)	28.9	(1.6)	40.6	(4.1)
Number of people served (percent):[3]										
Category 1	*	*	37.6	(1.8)	26.5	(4.4)	6.7	(0.9)	30.8	(2.7)
Category 2	*	*	34.6	(1.8)	31.4	(4.6)	57.1	(1.8)	*	*
Category 3	*	*	27.8	(1.7)	42.2	(4.9)	36.2	(1.7)	*	*
Staffing[4]										
Number of nursing employee FTEs	489	(19)	7,050	(348)	1,942	(300)	44,719	(1,800)	5,956	(441)
Nursing employee FTEs (percent):										
Registered nurse	20.2	(1.1)	72.6	(1.0)	56.6	(2.3)	15.0	(0.4)	14.6	(1.6)
Licensed practical nurse or licensed vocational nurse	9.7	(0.7)	7.8	(0.5)	7.7	(1.3)	18.7	(0.3)	13.5	(1.0)
Aide	70.1	(1.2)	19.6	(0.9)	35.7	(1.4)	66.2	(0.3)	71.9	(1.5)
Providers with one or more employee FTEs (percentage):										
Registered nurse	75.9	(2.4)	100.0	(0.0)	†	†	99.4	(0.3)	68.9	(3.9)
Licensed practical nurse or licensed vocational nurse	51.2	(2.9)	44.3	(1.8)	46.8	(4.8)	98.2	(0.5)	68.7	(4.0)
Aide	84.6	(2.1)	96.9	(0.6)	†	†	98.7	(0.4)	86.7	(2.9)
Social worker	43.3	(2.8)	31.6	(1.7)	†	†	54.0	(1.8)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.4	(0.0)	---	---	---	---	0.6	(0.0)	0.3	(0.0)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	0.6	(0.0)	0.3	(0.0)
Aide	1.3	(0.2)	---	---	---	---	2.4	(0.1)	1.7	(0.1)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	65.1	(2.7)	91.8	(1.0)	†	†	89.9	(1.1)	75.3	(3.7)
Mental health or counseling (percentage)	42.1	(2.8)	---	---	†	†	77.3	(1.5)	71.5	(3.8)
Therapy (physical, occupational, or speech) (percentage)	62.2	(2.8)	†	†	†	†	97.5	(0.6)	95.1	(1.8)
Skilled nursing or nursing (percentage)	90.0	(1.7)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	62.4	(4.1)
Pharmacy or pharmacist (percentage)	28.3	(2.6)	6.8	(0.9)	---	---	98.7	(0.4)	94.8	(1.8)
Hospice (percentage)	23.6	(2.5)	0.6	(0.3)	...	...	77.0	(1.5)	94.3	(1.8)

Table 14. Providers and Users of Long-Term Care Services in Illinois, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	7,200	(700)	224,500	(17,400)	44,800	(7,000)	73,700	(3,100)	17,200	(1,200)
Age in years (percent):										
Under 65	10.4	(0.7)	16.5	(0.5)	4.5	(0.3)	22.1	(1.2)	1.5	(0.2)
65 and over	89.6	(0.7)	83.5	(0.5)	95.5	(0.3)	77.9	(1.2)	98.5	(0.2)
65–74	33.6	(2.3)	25.9	(0.4)	15.2	(0.6)	14.1	(0.3)	5.6	(0.9)
75–84	36.7	(1.9)	32.4	(0.4)	30.9	(0.3)	24.6	(0.4)	32.1	(2.4)
85 and over	19.4	(1.1)	25.3	(0.6)	49.4	(0.9)	39.2	(1.0)	60.7	(2.9)
Sex (percent):										
Men	35.6	(0.7)	36.6	(0.3)	38.8	(0.4)	35.7	(0.7)	23.9	(1.1)
Women	64.4	(0.7)	63.4	(0.3)	61.2	(0.4)	64.3	(0.7)	76.1	(1.1)
Race and ethnicity (percent):										
Hispanic	6.3	(1.6)	7.1	(0.4)	2.9	(0.4)	3.6	(0.4)	0.6	(0.1)
Non-Hispanic white	49.3	(5.2)	63.5	(1.7)	85.6	(2.3)	77.2	(1.3)	94.9	(1.4)
Non-Hispanic black	22.5	(3.0)	26.1	(1.4)	10.2	(1.9)	17.3	(1.2)	1.6	(0.4)
Non-Hispanic other	21.8	(4.4)	3.3	(0.3)	1.3	(0.2)	1.8	(0.3)	*2.9	(1.3)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	48.4	(3.6)	27.7	(0.5)	52.0	(1.9)	41.9	(0.8)	37.5	(3.5)
Diagnosed with depression	28.4	(3.6)	30.9	(0.4)	27.6	(0.9)	49.6	(0.9)	20.1	(2.6)
Need assistance in physical functioning (percentage):										
Eating	24.6	(1.6)	52.1	(1.3)	---	---	48.3	(1.2)	13.4	(2.0)
Bathing	20.7	(2.4)	95.6	(0.4)	---	---	88.6	(1.0)	55.9	(3.9)
Dressing	24.4	(1.9)	84.9	(0.9)	---	---	81.5	(1.1)	42.3	(3.8)
Toileting	26.2	(2.6)	66.6	(1.4)	---	---	75.9	(1.2)	34.1	(3.6)

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 15. Providers and Users of Long-Term Care Services in Indiana, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	40	(1)	300	(17)	80	(9)	500	(22)	200	(2)
Number of beds or licensed maximum capacity[2]	1,500	(100)	...	...	...	...	50,200	(2,400)	16,700	(600)
Average capacity	36	(1.4)	---	---	---	---	97	(2.0)	81	(2.6)
Average number of people served	16	(1.0)	---	---	---	---	76	(1.7)	55	(1.2)
Metropolitan statistical area status (percent):										
Metropolitan	*	*	82.3	(2.3)	74.7	(4.8)	66.0	(2.1)	77.5	(2.1)
Micropolitan or neither	*	*	17.7	(2.3)	25.3	(4.8)	34.0	(2.1)	22.5	(2.1)
Ownership (percent):										
For-profit	27.5	(4.0)	79.4	(2.4)	48.2	(5.5)	57.9	(2.2)	65.6	(2.4)
Not-for-profit, government, or other	72.5	(4.0)	20.6	(2.4)	51.8	(5.5)	42.1	(2.2)	34.4	(2.4)
Number of people served (percent):[3]										
Category 1	86.0	(3.0)	35.0	(2.9)	17.1	(4.2)	6.0	(1.0)	15.1	(1.5)
Category 2	14.0	(3.0)	22.4	(2.5)	43.9	(5.5)	68.5	(2.0)	75.5	(2.0)
Category 3	-	-	30.0	(2.8)	39.0	(5.4)	25.4	(1.9)	9.4	(1.4)
Missing[4]	…	…	12.6	(2.0)	…	…	…	…	…	…
Staffing[5]										
Number of nursing employee FTEs	128	(8)	4,335	(369)	1,311	(198)	27,483	(1,350)	3,356	(129)
Nursing employee FTEs (percent):										
Registered nurse	17.0	(1.8)	44.9	(2.2)	55.8	(2.0)	11.1	(0.3)	7.4	(0.5)
Licensed practical nurse or licensed vocational nurse	14.5	(1.1)	15.0	(1.2)	9.8	(1.4)	28.0	(0.3)	30.9	(1.0)
Aide	68.5	(1.9)	40.1	(2.1)	34.4	(1.5)	61.0	(0.3)	61.7	(0.9)
Providers with one or more employee FTEs (percentage):										
Registered nurse	53.2	(4.5)	100.0	(0.0)	100.0	(0.0)	†	†	66.6	(2.5)
Licensed practical nurse or licensed vocational nurse	52.8	(4.6)	66.8	(2.8)	57.8	(5.4)	†	†	91.6	(1.5)
Aide	76.6	(3.9)	96.0	(1.2)	†	†	98.3	(0.6)	91.4	(1.5)
Social worker	46.0	(4.5)	42.6	(3.0)	†	†	81.4	(1.7)	37.1	(2.5)
Employee hours per resident or participant per day:										
Registered nurse	0.4	(0.1)	---	---	---	---	0.5	(0.0)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	0.3	(0.0)	---	---	---	---	1.1	(0.0)	0.5	(0.0)
Aide	1.1	(0.1)	---	---	---	---	2.3	(0.1)	1.1	(0.0)
Social worker	0.3	(0.1)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Service provided										
Social work (percentage)	68.2	(4.2)	55.6	(3.0)	100.0	(0.0)	94.2	(1.0)	78.4	(2.2)
Mental health or counseling (percentage)	44.9	(4.5)	---	---	100.0	(0.0)	92.6	(1.2)	92.5	(1.4)
Therapy (physical, occupational, or speech) (percentage)	63.2	(4.5)	81.6	(2.3)	100.0	(0.0)	99.0	(0.4)	92.8	(1.4)
Skilled nursing or nursing (percentage)	73.6	(4.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	69.6	(2.4)
Pharmacy or pharmacist (percentage)	15.5	(3.3)	5.1	(1.3)	---	---	94.2	(1.0)	†	†
Hospice (percentage)	20.4	(3.7)	9.0	(1.7)	...	...	82.3	(1.7)	95.8	(1.1)

Table 15. Providers and Users of Long-Term Care Services in Indiana, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	1,300	(100)	83,000	(9,300)	26,400	(3,900)	39,400	(1,900)	11,400	(300)
Age in years (percent):										
Under 65	34.0	(3.3)	18.9	(0.7)	6.3	(0.3)	12.9	(0.6)	6.0	(1.0)
65 and over	66.0	(3.3)	81.1	(0.7)	93.7	(0.3)	87.1	(0.6)	94.0	(1.0)
65–74	18.0	(1.1)	24.6	(0.4)	17.6	(0.6)	14.3	(0.3)	8.9	(0.6)
75–84	28.7	(2.0)	31.8	(0.3)	31.7	(0.4)	28.7	(0.3)	34.4	(1.2)
85 and over	19.2	(1.8)	24.8	(0.6)	44.3	(1.0)	44.1	(0.7)	50.6	(1.6)
Sex (percent):										
Men	44.7	(1.3)	36.2	(0.3)	40.8	(0.5)	28.6	(0.4)	26.9	(0.8)
Women	55.3	(1.3)	63.8	(0.3)	59.2	(0.5)	71.3	(0.4)	73.1	(0.8)
Race and ethnicity (percent):										
Hispanic	1.9	(0.3)	1.9	(0.3)	0.8	(0.1)	0.7	(0.1)	0.4	(0.1)
Non-Hispanic white	69.3	(2.4)	85.6	(1.2)	93.2	(0.7)	91.3	(0.8)	94.5	(1.0)
Non-Hispanic black	27.2	(2.2)	11.7	(1.1)	5.4	(0.7)	7.6	(0.8)	4.1	(0.9)
Non-Hispanic other	1.6	(0.3)	0.8	(0.0)	0.7	(0.1)	0.4	(0.0)	1.0	(0.4)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	52.4	(4.0)	29.7	(0.8)	46.2	(1.8)	50.9	(0.7)	34.4	(1.4)
Diagnosed with depression	12.9	(1.4)	36.2	(0.7)	26.0	(0.7)	45.0	(1.0)	26.8	(1.2)
Need assistance in physical functioning (percentage):										
Eating	38.8	(3.4)	43.1	(2.1)	---	---	64.7	(1.4)	8.4	(0.7)
Bathing	45.1	(3.7)	93.8	(0.6)	---	---	97.2	(0.2)	45.1	(1.6)
Dressing	38.8	(2.9)	77.3	(1.7)	---	---	92.4	(0.4)	31.7	(1.7)
Toileting	45.6	(1.9)	55.5	(2.5)	---	---	88.7	(0.5)	24.3	(1.6)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For nursing homes and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

[4]Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

[5]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 16. Providers and Users of Long-Term Care Services in Iowa, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	30	(0.0)	200	(13)	80	(9)	400	(21)	60	(1)
Number of beds or licensed maximum capacity[2]	1,100	(0.0)	...	...	...	...	31,300	(1,700)	2,100	(100)
Average capacity	35	(1.0)	---	---	---	---	71	(2.0)	38	(1.1)
Average number of people served	24	(0.9)	---	---	---	---	56	(1.6)	28	(0.9)
Metropolitan statistical area status (percent):										
Metropolitan	51.6	3.3	32.0	(3.6)	37.3	(5.3)	36.5	(2.3)	41.2	(3.6)
Micropolitan or neither	48.4	3.3	68.0	(3.6)	62.7	(5.3)	63.5	(2.3)	58.8	(3.6)
Ownership (percent):										
For-profit	*	*	27.8	(3.4)	24.1	(4.7)	54.7	(2.4)	30.4	(3.3)
Not-for-profit, government, or other	*	*	72.2	(3.4)	75.9	(4.7)	45.3	(2.4)	69.6	(3.3)
Number of people served (percent):[3]										
Category 1	66.0	(3.1)	52.4	(3.9)	44.4	(5.5)	6.8	(1.2)	*	*
Category 2	34.0	(3.1)	34.3	(3.7)	35.8	(5.3)	86.9	(1.6)	*	*
Category 3	-	-	13.3	(2.6)	19.8	(4.4)	6.3	(1.2)	*	*
Staffing[4]										
Number of nursing employee FTEs	146	(5)	2,290	(237)	788	(154)	16,286	(877)	612	(27)
Nursing employee FTEs (percent):										
Registered nurse	12.5	(0.6)	52.8	(2.0)	67.6	(2.3)	13.0	(0.4)	20.7	(2.2)
Licensed practical nurse or licensed vocational nurse	4.5	(0.6)	9.5	(1.7)	2.7	(0.8)	18.7	(0.4)	18.3	(1.2)
Aide	83.0	(0.9)	37.7	(2.0)	29.7	(2.3)	68.4	(0.4)	61.0	(2.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	75.7	(2.8)	100.0	(0.0)	100.0	(0.0)	†	†	77.1	(3.0)
Licensed practical nurse or licensed vocational nurse	20.0	(2.6)	39.1	(3.8)	21.7	(4.5)	98.0	(0.7)	86.1	(2.4)
Aide	100.0	(0.0)	91.1	(2.2)	†	†	98.0	(0.7)	†	†
Social worker	44.9	(3.3)	30.2	(3.5)	100.0	(0.0)	58.3	(2.3)	52.2	(3.5)
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.0)	---	---	---	---	0.6	(0.1)	0.9	(0.1)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.6	(0.0)	0.7	(0.1)
Aide	1.3	(0.0)	---	---	---	---	2.3	(0.0)	2.3	(0.2)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.2	(0.0)
Service provided										
Social work (percentage)	44.8	(3.3)	39.6	(3.8)	100.0	(0.0)	77.5	(2.0)	83.3	(2.7)
Mental health or counseling (percentage)	23.9	(2.8)	---	---	100.0	(0.0)	75.7	(2.0)	†	†
Therapy (physical, occupational, or speech) (percentage)	58.8	(3.2)	94.1	(1.8)	100.0	(0.0)	†	†	†	†
Skilled nursing or nursing (percentage)	54.5	(3.3)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	66.9	(3.5)
Pharmacy or pharmacist (percentage)	24.8	(2.9)	7.7	(2.0)	---	---	96.8	(0.8)	†	†
Hospice (percentage)	*	*	18.9	(3.0)	...	...	84.5	(1.7)	†	†

Table 16. Providers and Users of Long-Term Care Services in Iowa, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	1,400	(100)	32,900	(5,900)	18,000	(3,100)	25,100	(1,400)	1,500	(100)
Age in years (percent):										
Under 65	43.4	(2.1)	18.0	(0.8)	4.7	(0.2)	8.8	(0.6)	29.8	(3.1)
65 and over	56.6	(2.1)	81.9	(0.8)	95.3	(0.2)	91.2	(0.6)	70.2	(3.1)
65–74	19.8	(0.7)	22.4	(0.4)	14.5	(0.5)	10.4	(0.4)	15.2	(1.3)
75–84	23.4	(1.0)	33.3	(0.5)	29.9	(0.4)	26.2	(0.4)	23.3	(1.7)
85 and over	13.4	(0.9)	26.3	(0.6)	50.8	(0.8)	54.6	(0.9)	31.8	(3.8)
Sex (percent):										
Men	50.2	(0.5)	36.5	(0.5)	40.4	(0.6)	29.9	(1.1)	41.0	(3.1)
Women	49.8	(0.5)	63.5	(0.5)	59.6	(0.6)	70.0	(1.1)	59.0	(3.1)
Race and ethnicity (percent):										
Hispanic	1.6	(0.2)	0.9	(0.1)	0.6	(0.1)	0.4	(0.1)	0.5	(0.1)
Non-Hispanic white	91.0	(0.6)	95.9	(0.6)	97.4	(0.3)	98.1	(0.2)	97.0	(0.4)
Non-Hispanic black	5.9	(0.4)	2.3	(0.5)	1.2	(0.2)	1.2	(0.2)	1.0	(0.2)
Non-Hispanic other	1.5	(0.2)	0.9	(0.1)	0.8	(0.1)	0.3	(0.0)	1.5	(0.3)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	29.2	(1.2)	20.9	(0.7)	45.4	(1.4)	51.1	(0.8)	20.9	(2.0)
Diagnosed with depression	14.5	(1.1)	32.8	(0.8)	24.5	(0.4)	60.4	(1.0)	26.6	(1.7)
Need assistance in physical functioning (percentage):										
Eating	17.1	(0.8)	42.8	(4.9)	---	---	41.1	(0.9)	6.6	(0.7)
Bathing	20.6	(1.2)	94.6	(0.8)	---	---	98.8	(0.3)	51.3	(3.1)
Dressing	20.1	(0.8)	75.8	(3.5)	---	---	87.6	(0.4)	21.0	(2.8)
Toileting	25.8	(0.9)	53.6	(4.8)	---	---	81.5	(0.6)	9.8	(1.8)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 17. Providers and Users of Long-Term Care Services in Kansas, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	20	(0.0)	100	(11)	60	(8)	300	(18)	300	(3)
Number of beds or licensed maximum capacity[2]	900	(100)	...	...	...	...	22,600	(1,400)	12,000	(300)
Average capacity	53	(8.8)	---	---	---	---	66	(1.9)	37	(0.9)
Average number of people served	26	(3.5)	---	---	---	---	54	(1.6)	32	(1.1)
Metropolitan statistical area status (percent):										
Metropolitan	*	*	46.8	(4.4)	61.3	(6.2)	40.8	(2.7)	52.4	(1.8)
Micropolitan or neither	*	*	53.2	(4.4)	38.7	(6.2)	59.2	(2.7)	47.6	(1.8)
Ownership (percent):										
For-profit	39.0	(6.1)	42.9	(4.4)	43.5	(6.3)	51.6	(2.7)	71.7	(1.6)
Not-for-profit, government, or other	61.0	(6.1)	57.1	(4.4)	56.5	(6.3)	48.4	(2.7)	28.3	(1.6)
Number of people served (percent):[3]										
Category 1	*	*	49.2	(4.5)	43.3	(6.4)	10.2	(1.6)	50.3	(1.3)
Category 2	*	*	26.2	(4.0)	45.0	(6.4)	82.8	(2.0)	45.7	(1.4)
Category 3	-	-	24.6	(3.9)	11.7	(4.1)	7.0	(1.4)	3.9	(0.7)
Staffing[4]										
Number of nursing employee FTEs	77	(7)	951	(116)	705	(163)	13,497	(855)	4,933	(194)
Nursing employee FTEs (percent):										
Registered nurse	11.0	(1.4)	60.2	(3.0)	55.8	(2.2)	11.2	(0.3)	9.4	(0.4)
Licensed practical nurse or licensed vocational nurse	6.7	(1.1)	12.2	(1.9)	11.3	(1.6)	17.3	(0.4)	13.9	(0.4)
Aide	82.3	(1.8)	27.6	(3.2)	32.9	(2.0)	71.5	(0.4)	76.8	(0.6)
Providers with one or more employee FTEs (percentage):										
Registered nurse	61.0	(6.1)	†	†	100.0	(0.0)	†	†	69.0	(1.7)
Licensed practical nurse or licensed vocational nurse	46.6	(6.2)	54.8	(4.4)	53.2	(6.3)	98.5	(0.6)	77.2	(1.5)
Aide	†	†	95.2	(1.9)	91.9	(3.5)	98.0	(0.8)	94.7	(0.8)
Social worker	*	*	49.2	(4.5)	†	†	46.1	(2.7)	16.1	(1.3)
Employee hours per resident or participant per day:										
Registered nurse	0.8	(0.2)	---	---	---	---	0.5	(0.0)	0.4	(0.0)
Licensed practical nurse or licensed vocational nurse	0.5	(0.1)	---	---	---	---	0.7	(0.0)	0.4	(0.0)
Aide	3.1	(0.6)	---	---	---	---	2.6	(0.1)	2.7	(0.1)
Social worker	0.2	(0.1)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	53.4	(6.2)	57.1	(4.4)	100.0	(0.0)	95.3	(1.1)	75.2	(1.6)
Mental health or counseling (percentage)	*	*	---	---	†	†	87.8	(1.8)	75.2	(1.6)
Therapy (physical, occupational, or speech) (percentage)	*	*	96.0	(1.7)	†	†	†	†	88.9	(1.2)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	76.6	(1.5)
Pharmacy or pharmacist (percentage)	38.7	(6.1)	7.9	(2.4)	---	---	†	†	90.8	(1.1)
Hospice (percentage)	*	*	7.9	(2.4)	...	...	73.8	(2.4)	90.6	(1.1)

Table 17. Providers and Users of Long-Term Care Services in Kansas, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	700	(100)	31,600	(5,700)	12,000	(2,900)	18,600	(1,100)	10,200	(400)
Age in years (percent):										
Under 65	37.7	(2.3)	15.3	(1.0)	5.4	(0.5)	12.0	(1.0)	2.8	(0.2)
65 and over	62.3	(2.3)	84.7	(1.0)	94.6	(0.5)	88.0	(1.0)	97.2	(0.2)
65–74	23.2	(1.5)	21.9	(0.6)	14.1	(1.0)	11.8	(0.4)	10.0	(0.7)
75–84	24.7	(1.1)	33.8	(0.6)	30.6	(0.6)	27.1	(0.5)	33.1	(0.9)
85 and over	14.3	(0.9)	29.0	(0.9)	49.9	(1.9)	49.1	(1.1)	54.0	(1.1)
Sex (percent):										
Men	33.7	(1.6)	35.2	(0.3)	39.8	(0.8)	31.3	(0.6)	25.6	(0.5)
Women	66.3	(1.6)	64.8	(0.3)	60.2	(0.8)	68.7	(0.6)	74.4	(0.5)
Race and ethnicity (percent):										
Hispanic	6.0	(0.9)	2.1	(0.1)	1.8	(0.2)	1.5	(0.1)	1.2	(0.1)
Non-Hispanic white	58.6	(3.3)	90.1	(0.8)	93.3	(0.5)	93.2	(0.7)	94.9	(0.6)
Non-Hispanic black	31.2	(3.6)	6.4	(0.7)	3.6	(0.3)	4.5	(0.6)	3.0	(0.5)
Non-Hispanic other	4.1	(0.5)	1.5	(0.1)	1.3	(0.1)	0.8	(0.1)	0.9	(0.3)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	21.2	(2.4)	29.2	(1.1)	51.5	(2.9)	48.9	(1.1)	39.2	(1.3)
Diagnosed with depression	10.3	(1.1)	37.3	(0.8)	28.6	(1.1)	58.0	(1.2)	29.0	(1.1)
Need assistance in physical functioning (percentage):										
Eating	20.1	(3.4)	39.9	(2.0)	---	---	46.5	(1.6)	16.6	(1.0)
Bathing	32.3	(4.6)	96.3	(0.6)	---	---	94.7	(0.7)	62.3	(1.8)
Dressing	26.2	(3.7)	84.6	(1.9)	---	---	83.5	(0.9)	44.4	(1.7)
Toileting	26.1	(3.0)	66.2	(2.3)	---	---	78.7	(1.0)	33.6	(1.6)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 18. Providers and Users of Long-Term Care Services in Kentucky, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	100	(1)	100	(10)	20	(5)	300	(17)	100	(2)
Number of beds or licensed maximum capacity[2]	5,600	(200)	...	...	...	...	25,800	(1,700)	7,500	(400)
Average capacity	55	(1.9)	---	---	---	---	91	(2.5)	59	(3.3)
Average number of people served	30	(1.3)	---	---	---	---	81	(2.3)	56	(3.3)
Metropolitan statistical area status (percent):										
Metropolitan	36.3	(2.6)	46.2	(4.9)	41.7	(10.1)	47.0	(3.0)	61.8	(3.3)
Micropolitan or neither	63.7	(2.6)	53.8	(4.9)	58.3	(10.1)	53.0	(3.0)	38.2	(3.3)
Ownership (percent):										
For-profit	58.5	(2.7)	47.1	(4.9)	25.0	(8.8)	73.5	(2.6)	54.8	(3.8)
Not-for-profit, government, or other	41.5	(2.7)	52.9	(4.9)	75.0	(8.8)	26.5	(2.6)	45.2	(3.8)
Number of people served (percent):[3]										
Category 1	*	*	*	*	*	*	8.8	(1.7)	31.0	(2.8)
Category 2	*	*	*	*	*	*	64.3	(2.8)	57.9	(3.1)
Category 3	*	*	*	*	*	*	26.9	(2.6)	11.1	(2.3)
Staffing[4]										
Number of nursing employee FTEs	596	(16)	2,092	(269)	593	(167)	16,965	(1,102)	2,860	(321)
Nursing employee FTEs (percent):										
Registered nurse	18.7	(0.6)	58.0	(1.6)	63.7	(2.7)	9.9	(0.4)	8.6	(0.8)
Licensed practical nurse or licensed vocational nurse	21.0	(0.9)	10.0	(1.2)	9.8	(2.6)	24.0	(0.4)	15.7	(1.0)
Aide	60.3	(1.1)	32.0	(1.5)	26.4	(2.6)	66.1	(0.5)	75.7	(1.4)
Providers with one or more employee FTEs (percentage):										
Registered nurse	87.8	(1.8)	100.0	(0.0)	100.0	(0.0)	†	†	41.7	(3.7)
Licensed practical nurse or licensed vocational nurse	82.7	(2.1)	64.4	(4.7)	75.0	(8.8)	†	†	54.2	(3.8)
Aide	†	†	†	†	100.0	(0.0)	†	†	85.2	(2.7)
Social worker	54.0	(2.7)	67.3	(4.6)	100.0	(0.0)	68.2	(2.8)	31.4	(3.5)
Employee hours per resident or participant per day:										
Registered nurse	0.5	(0.1)	---	---	---	---	0.5	(0.1)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.6	(0.1)	---	---	---	---	1.0	(0.1)	0.3	(0.0)
Aide	1.1	(0.1)	---	---	---	---	2.6	(0.1)	1.9	(0.2)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Service provided										
Social work (percentage)	74.6	(2.4)	74.0	(4.3)	100.0	(0.0)	74.6	(2.6)	70.9	(3.5)
Mental health or counseling (percentage)	57.6	(2.7)	---	---	100.0	(0.0)	85.5	(2.1)	83.9	(2.8)
Therapy (physical, occupational, or speech) (percentage)	83.9	(2.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	91.2	(2.1)
Skilled nursing or nursing (percentage)	†	†	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	66.2	(3.7)
Pharmacy or pharmacist (percentage)	53.8	(2.7)	6.7	(2.5)	---	---	97.9	(0.9)	†	†
Hospice (percentage)	28.7	(2.5)	*	*	...	...	61.8	(2.9)	83.3	(2.8)

Table 18. Providers and Users of Long-Term Care Services in Kentucky, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	4,300	(200)	83,600	(13,500)	15,100	(5,000)	23,000	(1,500)	7,100	(400)
Age in years (percent):										
Under 65	61.0	(2.0)	21.8	(0.7)	8.6	(0.5)	12.8	(0.6)	2.3	(0.2)
65 and over	39.0	(2.0)	78.2	(0.7)	91.4	(0.5)	87.2	(0.6)	97.7	(0.2)
65–74	23.5	(1.5)	25.8	(0.3)	22.3	(0.8)	16.1	(0.5)	13.9	(1.6)
75–84	10.6	(0.6)	31.1	(0.4)	32.0	(0.5)	30.8	(0.4)	34.2	(1.4)
85 and over	5.0	(0.5)	21.3	(0.6)	37.1	(1.3)	40.3	(0.9)	49.6	(2.3)
Sex (percent):										
Men	41.5	(0.7)	36.0	(0.4)	43.1	(1.0)	28.0	(0.6)	21.7	(0.6)
Women	58.5	(0.7)	64.0	(0.4)	56.9	(1.0)	72.0	(0.6)	78.3	(0.6)
Race and ethnicity (percent):										
Hispanic	0.5	(0.1)	0.4	(0.0)	0.4	(0.0)	0.2	(0.0)	0.6	(0.2)
Non-Hispanic white	83.2	(1.5)	92.6	(1.0)	94.8	(1.3)	91.6	(0.8)	95.6	(1.0)
Non-Hispanic black	15.4	(1.5)	6.4	(1.0)	4.4	(1.2)	7.9	(0.8)	2.6	(0.5)
Non-Hispanic other	0.9	(0.1)	0.6	(0.0)	0.5	(0.1)	0.3	(0.1)	1.2	(0.4)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	16.2	(1.2)	27.8	(0.5)	41.1	(0.8)	52.6	(0.9)	43.5	(1.7)
Diagnosed with depression	21.7	(1.3)	34.0	(0.6)	23.0	(0.8)	49.6	(1.3)	24.2	(1.9)
Need assistance in physical functioning (percentage):										
Eating	40.2	(2.3)	46.7	(2.3)	---	---	52.4	(1.5)	24.4	(3.0)
Bathing	53.7	(2.1)	95.9	(0.5)	---	---	98.1	(0.2)	62.4	(3.5)
Dressing	50.9	(2.2)	83.5	(1.9)	---	---	94.4	(0.4)	45.7	(2.8)
Toileting	42.8	(2.0)	62.8	(2.8)	---	---	89.6	(0.5)	35.0	(3.2)

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 19. Providers and Users of Long-Term Care Services in Louisiana, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	50	(1)	200	(15)	100	(11)	300	(17)	80	(1)
Number of beds or licensed maximum capacity[2]	2,100	(100)	...	...	...	...	34,900	(2,200)	3,800	(100)
Average capacity	41	(2.5)	---	---	---	---	125	(2.7)	49	(1.6)
Average number of people served	20	(1.7)	---	---	---	---	92	(2.2)	44	(1.6)
Metropolitan statistical area status (percent):										
Metropolitan	76.7	(4.3)	76.2	(2.9)	82.2	(3.3)	71.4	(2.7)	85.1	(2.8)
Micropolitan or neither	23.3	(4.3)	23.8	(2.9)	17.8	(3.3)	28.6	(2.7)	14.9	(2.8)
Ownership (percent):										
For-profit	56.4	(5.2)	88.3	(2.2)	86.7	(2.9)	80.0	(2.4)	85.1	(3.3)
Not-for-profit, government, or other	43.6	(5.2)	11.7	(2.2)	13.3	(2.9)	20.0	(2.4)	14.9	(3.3)
Number of people served (percent):[3]										
Category 1	75.9	(4.4)	18.7	(2.7)	47.4	(4.3)	4.3	(1.2)	*	*
Category 2	24.1	(4.4)	37.9	(3.3)	39.8	(4.2)	53.2	(3.0)	*	*
Category 3	-	-	43.5	(3.4)	12.8	(2.9)	42.5	(3.0)	*	*
Staffing[4]										
Number of nursing employee FTEs	210	(12)	4,105	(348)	983	(131)	16,696	(1,063)	1,081	(83)
Nursing employee FTEs (percent):										
Registered nurse	13.8	(2.3)	51.4	(1.4)	50.8	(1.9)	3.8	(0.3)	1.4	(0.4)
Licensed practical nurse or licensed vocational nurse	22.0	(1.7)	25.1	(1.2)	14.1	(1.6)	28.6	(0.3)	5.8	(0.8)
Aide	64.2	(1.9)	23.5	(1.3)	35.2	(1.1)	67.6	(0.4)	92.9	(0.9)
Providers with one or more employee FTEs (percentage):										
Registered nurse	50.6	(5.2)	100.0	(0.0)	100.0	(0.0)	96.8	(1.1)	10.6	(2.8)
Licensed practical nurse or licensed vocational nurse	84.5	(3.8)	89.7	(2.1)	51.9	(4.3)	100.0	(0.0)	43.5	(4.5)
Aide	†	†	†	†	†	†	†	†	89.7	(2.7)
Social worker	48.2	(5.2)	49.1	(3.4)	†	†	73.9	(2.6)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.0)	---	---	---	---	0.2	(0.0)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	0.6	(0.1)	---	---	---	---	1.2	(0.1)	0.1	(0.0)
Aide	1.2	(0.1)	---	---	---	---	2.8	(0.3)	2.8	(0.3)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	*	*	89.7	(2.1)	100.0	(0.0)	77.1	(2.5)	78.7	(3.7)
Mental health or counseling (percentage)	38.5	(5.1)	---	---	100.0	(0.0)	62.5	(2.9)	73.8	(4.1)
Therapy (physical, occupational, or speech) (percentage)	42.8	(5.1)	100.0	(0.0)	†	†	100.0	(0.0)	78.2	(3.7)
Skilled nursing or nursing (percentage)	79.2	(4.2)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	71.7	(4.2)
Pharmacy or pharmacist (percentage)	33.5	(4.9)	6.1	(1.6)	---	---	97.9	(0.9)	82.5	(3.5)
Hospice (percentage)	21.9	(4.3)	3.3	(1.2)	...	...	86.8	(2.0)	82.8	(3.3)

Table 19. Providers and Users of Long-Term Care Services in Louisiana, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	1,500	(200)	86,200	(8,400)	21,100	(2,600)	25,900	(1,700)	3,400	(100)
Age in years (percent):										
Under 65	29.3	(2.2)	21.7	(0.6)	6.8	(0.2)	20.0	(1.1)	2.3	(0.4)
65 and over	70.7	(2.2)	78.3	(0.6)	93.2	(0.2)	80.0	(1.1)	97.7	(0.4)
65–74	23.9	(1.8)	26.4	(0.3)	18.9	(0.4)	18.1	(0.4)	6.4	(0.7)
75–84	30.3	(1.9)	31.8	(0.4)	32.7	(0.4)	28.8	(0.5)	38.6	(2.0)
85 and over	16.6	(2.3)	20.2	(0.4)	41.6	(0.6)	33.0	(1.0)	52.7	(2.2)
Sex (percent):										
Men	38.3	(1.3)	37.3	(0.2)	40.5	(0.5)	35.4	(0.9)	22.7	(0.8)
Women	61.7	(1.3)	62.7	(0.2)	59.5	(0.5)	64.6	(0.9)	77.3	(0.8)
Race and ethnicity (percent):										
Hispanic	1.7	(0.2)	1.4	(0.1)	1.7	(0.2)	0.7	(0.1)	0.6	(0.2)
Non-Hispanic white	24.9	(3.2)	62.5	(1.4)	76.6	(1.0)	70.0	(1.3)	95.2	(1.5)
Non-Hispanic black	71.9	(3.3)	35.1	(1.4)	20.9	(1.0)	28.8	(1.3)	3.9	(1.4)
Non-Hispanic other	1.6	(0.6)	0.9	(0.1)	0.8	(0.1)	0.5	(0.1)	0.2	(0.1)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	48.2	(4.0)	27.7	(0.4)	46.5	(1.5)	40.8	(0.9)	29.5	(2.4)
Diagnosed with depression	18.2	(2.2)	34.7	(0.7)	22.5	(0.8)	46.4	(1.6)	12.3	(1.4)
Need assistance in physical functioning (percentage):										
Eating	20.7	(2.1)	60.2	(1.5)	---	---	71.0	(1.6)	11.1	(1.2)
Bathing	58.6	(4.5)	95.1	(0.4)	---	---	96.6	(0.3)	40.8	(2.4)
Dressing	41.5	(2.6)	87.8	(1.2)	---	---	88.0	(0.7)	32.5	(2.3)
Toileting	32.2	(1.7)	73.6	(1.7)	---	---	83.6	(0.9)	22.9	(2.3)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 20. Providers and Users of Long-Term Care Services in Maine, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	30	(0.0)	30	(5)	20	(4)	100	(10)	200	(2)
Number of beds or licensed maximum capacity[2]	700	(100)	...	...	...	...	7,100	(800)	6,000	(200)
Average capacity	23	(1.8)	---	---	---	---	65	(3.3)	28	(0.7)
Average number of people served	11	(1.3)	---	---	---	---	59	(3.2)	27	(0.6)
Metropolitan statistical area status (percent):										
Metropolitan	36.7	(7.0)	52.0	(10.0)	63.2	(11.1)	37.9	(4.8)	57.8	(2.2)
Micropolitan or neither	63.3	(7.0)	48.0	(10.0)	36.8	(11.1)	62.1	(4.8)	42.2	(2.2)
Ownership (percent):										
For-profit	30.4	(6.7)	36.0	(9.6)	36.8	(11.1)	69.4	(4.4)	62.4	(2.2)
Not-for-profit, government, or other	69.6	(6.7)	64.0	(9.6)	63.2	(11.1)	30.6	(4.4)	37.6	(2.2)
Number of people served (percent):[3]										
Category 1	*	*	*	*	*	*	6.5	(2.4)	52.4	(0.8)
Category 2	*	*	*	*	*	*	81.5	(3.7)	47.6	(0.8)
Category 3	-	-	*	*	*	*	12.0	(3.1)	-	-
Staffing[4]										
Number of nursing employee FTEs	110	(14)	450	(125)	320	(101)	5,442	(589)	2,827	(100)
Nursing employee FTEs (percent):										
Registered nurse	16.2	(2.9)	68.3	(5.0)	59.0	(3.2)	17.6	(0.7)	8.7	(0.8)
Licensed practical nurse or licensed vocational nurse	3.0	(1.1)	5.2	(2.9)	0.8	(0.4)	10.2	(0.4)	4.0	(0.3)
Aide	80.9	(3.3)	26.6	(5.7)	40.2	(3.4)	72.2	(0.7)	87.4	(0.9)
Providers with one or more employee FTEs (percentage):										
Registered nurse	69.6	(6.7)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	64.5	(2.1)
Licensed practical nurse or licensed vocational nurse	*	*	36.0	(9.6)	*	*	†	†	34.5	(1.9)
Aide	†	†	†	†	100.0	(0.0)	100.0	(0.0)	93.9	(1.1)
Social worker	68.6	(6.8)	*	*	100.0	(0.0)	†	†	32.9	(2.0)
Employee hours per resident or participant per day:										
Registered nurse	0.6	(0.1)	---	---	---	---	0.8	(0.0)	0.3	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.5	(0.0)	0.1	(0.0)
Aide	1.8	(0.2)	---	---	---	---	3.2	(0.1)	2.8	(0.1)
Social worker	0.4	(0.1)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Service provided										
Social work (percentage)	*	*	*	*	100.0	(0.0)	†	†	84.9	(1.7)
Missing[5]	*	*	…	…	…	…	…	…	…	…
Mental health or counseling (percentage)	26.5	(6.5)	---	---	*	*	81.5	(3.7)	89.1	(1.4)
Therapy (physical, occupational, or speech) (percentage)	48.1	(7.4)	100.0	(0.0)	100.0	(0.0)	†	†	89.1	(1.4)
Skilled nursing or nursing (percentage)	46.4	(7.4)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	71.2	(2.1)
Pharmacy or pharmacist (percentage)	*	*	*	*	---	---	†	†	93.4	(1.2)
Hospice (percentage)	25.1	(6.3)	*	*	...	...	75.0	(4.2)	91.5	(1.3)

Table 20. Providers and Users of Long-Term Care Services in Maine, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	600	(0)	24,100	(7,000)	6,000	(1,800)	6,400	(700)	5,600	(100)
Age in years (percent):										
Under 65	25.9	(6.1)	17.4	(1.0)	5.8	(0.5)	9.6	(0.8)	7.8	(0.6)
65 and over	74.1	(6.1)	82.6	(1.0)	94.2	(0.5)	90.4	(0.8)	92.2	(0.6)
65–74	14.5	(2.2)	23.9	(0.8)	15.6	(1.1)	12.5	(0.5)	13.8	(0.8)
75–84	39.5	(4.6)	31.9	(0.4)	32.0	(0.7)	29.8	(0.6)	33.5	(1.1)
85 and over	20.0	(3.2)	26.8	(1.3)	46.5	(2.0)	48.0	(1.1)	44.8	(1.4)
Sex (percent):										
Men	44.1	(2.2)	38.4	(0.8)	40.5	(1.7)	30.0	(1.7)	29.3	(0.9)
Women	55.9	(2.2)	61.6	(0.8)	59.5	(1.7)	70.0	(1.7)	70.7	(0.9)
Race and ethnicity (percent):										
Hispanic	0.0	(0.0)	0.4	(0.0)	0.3	(0.1)	0.3	(0.1)	0.3	(0.1)
Non-Hispanic white	98.2	(0.6)	98.2	(0.1)	98.9	(0.1)	99.1	(0.2)	97.8	(0.5)
Non-Hispanic black	1.2	(0.4)	0.3	(0.0)	0.2	(0.0)	0.3	(0.1)	0.2	(0.0)
Non-Hispanic other	0.6	(0.2)	1.1	(0.1)	0.7	(0.1)	0.4	(0.1)	1.8	(0.5)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	58.4	(5.8)	24.2	(1.3)	46.0	(3.6)	56.1	(1.9)	44.2	(1.5)
Diagnosed with depression	17.0	(2.4)	40.3	(0.7)	29.8	(1.1)	61.1	(1.6)	32.7	(1.2)
Need assistance in physical functioning (percentage):										
Eating	35.4	(4.3)	30.7	(2.9)	---	---	57.7	(2.9)	28.3	(1.5)
Bathing	40.0	(5.1)	96.9	(0.5)	---	---	96.8	(0.5)	71.5	(1.6)
Dressing	32.9	(3.8)	83.7	(2.6)	---	---	96.5	(0.4)	49.7	(1.5)
Toileting	40.5	(4.4)	58.9	(3.5)	---	---	95.3	(0.5)	36.0	(1.4)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]FTE is full time equivalent.
[5]Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 21. Providers and Users of Long-Term Care Services in Maryland, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	100	(1)	60	(7)	30	(5)	200	(15)	700	(9)
Number of beds or licensed maximum capacity[2]	9,800	(400)	...	...	...	...	28,500	(2,100)	18,300	(2,100)
Average capacity	81	(3.2)	---	---	---	---	122	(4.4)	27	(3.0)
Average number of people served	54	(2.7)	---	---	---	---	105	(3.9)	23	(2.8)
Metropolitan statistical area status (percent):										
Metropolitan	91.9	(1.7)	*	*	*	*	94.4	(1.5)	*	*
Micropolitan or neither	8.1	(1.7)	*	*	*	*	5.6	(1.5)	*	*
Ownership (percent):										
For-profit	46.3	(3.1)	60.0	(6.6)	29.6	(8.8)	68.2	(3.0)	*	*
Not-for-profit, government, or other	53.7	(3.1)	40.0	(6.6)	70.4	(8.8)	31.8	(3.0)	*	*
Number of people served (percent):[3]										
Category 1	25.7	(2.7)	*	*	*	*	8.2	(1.8)	74.9	(2.5)
Category 2	64.1	(3.0)	*	*	*	*	41.6	(3.2)	*	*
Category 3	10.2	(1.9)	*	*	*	*	50.2	(3.3)	*	*
Staffing[4]										
Number of nursing employee FTEs	680	(30)	949	(174)	568	(143)	17,414	(1,250)	7,273	(767)
Nursing employee FTEs (percent):										
Registered nurse	28.9	(1.4)	74.7	(2.1)	56.4	(3.1)	13.8	(0.5)	8.4	(1.3)
Licensed practical nurse or licensed vocational nurse	5.8	(0.6)	10.3	(1.6)	5.9	(1.2)	24.3	(0.5)	8.8	(1.6)
Aide	65.3	(1.6)	15.1	(1.5)	37.7	(3.1)	61.9	(0.6)	82.8	(2.4)
Providers with one or more employee FTEs (percentage):										
Registered nurse	93.6	(1.6)	100.0	(0.0)	100.0	(0.0)	†	†	50.3	(5.2)
Licensed practical nurse or licensed vocational nurse	35.2	(3.0)	61.8	(6.6)	48.1	(9.6)	†	†	*	*
Aide	79.9	(2.5)	†	†	†	†	†	†	79.1	(4.3)
Social worker	63.7	(3.0)	89.1	(4.2)	100.0	(0.0)	82.4	(2.5)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.0)	---	---	---	---	0.6	(0.0)	0.4	(0.1)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.9	(0.0)	*0.1	(0.0)
Aide	0.6	(0.0)	---	---	---	---	2.5	(0.1)	2.4	(0.3)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Service provided										
Social work (percentage)	†	†	†	†	100.0	(0.0)	97.0	(1.1)	73.6	(4.9)
Mental health or counseling (percentage)	64.9	(3.0)	---	---	100.0	(0.0)	89.3	(2.0)	87.2	(3.8)
Therapy (physical, occupational, or speech) (percentage)	87.4	(2.1)	100.0	(0.0)	100.0	(0.0)	†	†	91.6	(3.2)
Skilled nursing or nursing (percentage)	92.6	(1.6)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	80.7	(4.4)
Pharmacy or pharmacist (percentage)	63.5	(3.0)	*	*	---	---	91.4	(1.8)	92.7	(3.0)
Hospice (percentage)	26.5	(2.7)	*	*	...	...	71.2	(3.0)	89.3	(3.5)

Table 21. Providers and Users of Long-Term Care Services in Maryland, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	9,200	(400)	68,900	(13,600)	17,800	(5,200)	24,500	(1,800)	15,900	(1,900)
Age in years (percent):										
Under 65	34.2	(2.6)	13.7	(1.2)	5.1	(0.5)	17.1	(1.1)	3.8	(0.7)
65 and over	65.8	(2.6)	86.3	(1.2)	94.9	(0.5)	82.9	(1.1)	96.2	(0.7)
65–74	17.9	(0.6)	25.6	(0.8)	16.6	(0.7)	15.5	(0.5)	9.5	(1.5)
75–84	31.3	(1.7)	33.6	(0.5)	31.1	(0.5)	27.4	(0.5)	36.3	(4.1)
85 and over	16.6	(1.0)	27.1	(1.4)	47.2	(1.2)	40.0	(1.4)	50.3	(4.1)
Sex (percent):										
Men	40.9	(0.8)	36.7	(0.3)	39.7	(0.7)	33.3	(1.0)	24.0	(1.5)
Women	59.1	(0.8)	63.3	(0.3)	60.3	(0.7)	66.7	(1.0)	76.0	(1.5)
Race and ethnicity (percent):										
Hispanic	2.2	(0.5)	1.3	(0.2)	1.1	(0.3)	1.0	(0.1)	*1.1	(0.3)
Non-Hispanic white	45.8	(2.7)	71.6	(2.7)	78.7	(2.8)	63.8	(2.3)	80.7	(3.4)
Non-Hispanic black	39.0	(2.7)	24.9	(2.6)	18.5	(2.9)	33.3	(2.3)	16.3	(3.5)
Non-Hispanic other	13.0	(2.6)	2.2	(0.3)	1.8	(0.4)	1.9	(0.4)	1.9	(0.5)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	28.6	(1.7)	31.2	(1.2)	51.2	(1.5)	45.2	(1.2)	56.7	(5.2)
Diagnosed with depression	22.8	(1.4)	33.1	(0.7)	25.2	(0.8)	40.4	(1.2)	37.3	(3.9)
Need assistance in physical functioning (percentage):										
Eating	26.3	(1.8)	51.9	(1.8)	---	---	56.3	(1.5)	22.8	(3.0)
Bathing	50.4	(2.3)	96.7	(0.3)	---	---	95.6	(0.4)	70.5	(6.9)
Dressing	46.0	(2.3)	86.0	(1.1)	---	---	93.6	(0.5)	56.8	(6.6)
Toileting	36.1	(2.1)	66.3	(1.9)	---	---	89.9	(0.5)	53.3	(5.5)

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 22. Providers and Users of Long-Term Care Services in Massachusetts, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	200	(1)	200	(13)	70	(8)	400	(20)	200	(2)
Number of beds or licensed maximum capacity[2]	9,300	(300)	...	...	...	...	48,000	(2,500)	12,900	(400)
Average capacity	59	(1.9)	---	---	---	---	114	(2.3)	57	(1.6)
Average number of people served	43	(1.4)	---	---	---	---	100	(2.1)	55	(1.8)
Metropolitan statistical area status (percent):										
Metropolitan	100.0	(0.0)	*	*	*	*	97.3	(0.8)	*	*
Micropolitan or neither	-	-	*	*	*	*	2.7	(0.8)	*	*
Ownership (percent):										
For-profit	40.6	(2.6)	59.1	(3.9)	38.9	(5.7)	71.1	(2.2)	62.3	(3.2)
Not-for-profit, government, or other	59.4	(2.6)	40.9	(3.9)	61.1	(5.7)	28.9	(2.2)	37.7	(3.2)
Number of people served (percent):[3]										
Category 1	29.4	(2.4)	25.2	(3.4)	18.6	(4.6)	3.3	(0.9)	25.9	(2.5)
Category 2	65.9	(2.5)	14.5	(2.8)	40.0	(5.9)	45.0	(2.4)	65.1	(2.9)
Category 3	4.7	(1.1)	49.1	(4.0)	41.4	(5.9)	51.7	(2.4)	9.0	(1.7)
Missing[4]	…	…	11.3	(2.5)	…	…	…	…	…	…
Staffing[5]										
Number of nursing employee FTEs	902	(30)	3,338	(355)	1,042	(199)	30,550	(1,592)	4,313	(230)
Nursing employee FTEs (percent):										
Registered nurse	29.3	(0.9)	58.2	(2.2)	53.6	(2.3)	14.3	(0.3)	9.7	(1.2)
Licensed practical nurse or licensed vocational nurse	9.1	(0.5)	14.9	(1.7)	6.2	(1.7)	22.1	(0.3)	7.3	(0.5)
Aide	61.6	(1.0)	26.9	(2.1)	40.2	(2.9)	63.6	(0.3)	83.0	(1.3)
Providers with one or more employee FTEs (percentage):										
Registered nurse	95.7	(1.0)	†	†	100.0	(0.0)	†	†	80.9	(2.6)
Licensed practical nurse or licensed vocational nurse	57.5	(2.6)	65.4	(3.8)	31.9	(5.5)	100.0	(0.0)	68.9	(3.0)
Aide	90.7	(1.5)	85.5	(2.8)	91.7	(3.3)	†	†	92.1	(1.8)
Social worker	79.8	(2.1)	61.0	(3.9)	100.0	(0.0)	96.9	(0.8)	34.9	(3.2)
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.0)	---	---	---	---	0.6	(0.0)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.8	(0.0)	0.2	(0.0)
Aide	0.6	(0.0)	---	---	---	---	2.4	(0.0)	1.7	(0.1)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	†	†	79.9	(3.2)	100.0	(0.0)	100.0	(0.0)	79.0	(2.7)
Mental health or counseling (percentage)	66.8	(2.5)	---	---	†	†	98.6	(0.6)	83.3	(2.5)
Therapy (physical, occupational, or speech) (percentage)	92.7	(1.4)	95.0	(1.7)	†	†	100.0	(0.0)	91.2	(1.9)
Skilled nursing or nursing (percentage)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	79.8	(2.6)
Pharmacy or pharmacist (percentage)	51.1	(2.7)	5.0	(1.7)	---	---	98.3	(0.6)	92.1	(1.8)
Hospice (percentage)	33.8	(2.5)	16.4	(2.9)	...	...	87.9	(1.6)	86.8	(2.3)

Table 22. Providers and Users of Long-Term Care Services in Massachusetts, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	11,700	(400)	155,400	(26,200)	25,900	(4,700)	42,200	(2,200)	12,500	(400)
Age in years (percent):										
Under 65	26.5	(1.6)	18.2	(1.2)	4.5	(0.3)	11.6	(0.8)	7.8	(1.1)
65 and over	73.5	(1.6)	81.8	(1.2)	95.5	(0.3)	88.4	(0.8)	92.2	(1.1)
65–74	20.0	(0.7)	21.3	(0.5)	14.0	(0.6)	12.3	(0.4)	10.0	(0.8)
75–84	33.4	(1.6)	32.0	(0.6)	29.3	(0.4)	26.7	(0.4)	30.6	(1.4)
85 and over	20.2	(1.1)	28.5	(1.0)	52.2	(1.1)	49.4	(0.9)	51.6	(1.9)
Sex (percent):										
Men	37.6	(0.6)	37.9	(0.4)	38.1	(0.7)	30.5	(0.7)	28.2	(0.9)
Women	62.4	(0.6)	62.1	(0.4)	61.9	(0.7)	69.5	(0.7)	71.8	(0.9)
Race and ethnicity (percent):										
Hispanic	14.5	(2.1)	4.2	(0.5)	2.4	(0.2)	2.7	(0.2)	1.6	(0.3)
Non-Hispanic white	69.8	(2.5)	88.5	(1.6)	92.8	(0.7)	90.8	(0.8)	89.2	(2.0)
Non-Hispanic black	9.7	(1.3)	4.8	(1.1)	2.9	(0.4)	5.1	(0.6)	2.7	(0.7)
Non-Hispanic other	6.0	(0.9)	2.5	(0.3)	1.9	(0.3)	1.5	(0.3)	6.4	(1.9)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	29.3	(1.6)	26.8	(1.4)	49.8	(2.6)	55.7	(0.8)	34.2	(1.8)
Diagnosed with depression	32.0	(1.5)	37.0	(0.7)	27.5	(0.8)	51.5	(0.9)	19.9	(1.3)
Need assistance in physical functioning (percentage):										
Eating	24.0	(1.3)	39.1	(2.2)	---	---	47.3	(0.9)	12.3	(1.0)
Bathing	43.6	(2.0)	93.4	(1.0)	---	---	96.0	(0.3)	59.3	(1.9)
Dressing	41.8	(1.9)	79.1	(2.3)	---	---	94.1	(0.3)	42.3	(1.9)
Toileting	34.0	(1.3)	55.9	(2.9)	---	---	87.4	(0.5)	25.2	(1.9)

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

[5]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 23. Providers and Users of Long-Term Care Services in Michigan, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	60	(0.0)	700	(25)	100	(10)	400	(20)	800	(9)
Number of beds or licensed maximum capacity[2]	1,600	(100)	...	...	...	...	46,600	(2,500)	23,900	(1,700)
Average capacity	31	(1.3)	---	---	---	---	109	(2.5)	28	(2.0)
Average number of people served	20	(1.0)	---	---	---	---	92	(2.2)	24	(1.8)
Metropolitan statistical area status (percent):										
Metropolitan	78.8	(2.3)	92.8	(1.0)	67.3	(4.6)	70.7	(2.2)	*	*
Micropolitan or neither	21.2	(2.3)	7.2	(1.0)	32.7	(4.6)	29.3	(2.2)	*	*
Ownership (percent):										
For-profit	10.4	(1.7)	89.8	(1.2)	47.1	(4.9)	68.3	(2.3)	*	*
Not-for-profit, government, or other	89.6	(1.7)	10.2	(1.2)	52.9	(4.9)	31.7	(2.3)	*	*
Number of people served (percent):[3]										
Category 1	81.1	(2.2)	32.0	(1.8)	19.2	(3.9)	4.0	(0.9)	71.1	(2.5)
Category 2	18.9	(2.2)	33.6	(1.8)	38.5	(4.8)	59.2	(2.4)	*	*
Category 3	-	-	24.0	(1.6)	42.3	(4.8)	36.9	(2.3)	*	*
Missing[4]	…	…	10.5	(1.2)	…	…	…	…	…	…
Staffing[5]										
Number of nursing employee FTEs	199	(8)	3,742	(273)	1,925	(302)	28,760	(1,559)	11,398	(1,620)
Nursing employee FTEs (percent):										
Registered nurse	16.7	(0.9)	67.6	(1.4)	56.9	(1.5)	12.6	(0.3)	5.0	(1.0)
Licensed practical nurse or licensed vocational nurse	7.5	(0.6)	9.7	(0.8)	5.5	(0.8)	21.0	(0.4)	5.7	(1.0)
Aide	75.8	(1.1)	22.7	(1.2)	37.6	(1.4)	66.5	(0.4)	89.3	(1.6)
Providers with one or more employee FTEs (percentage):										
Registered nurse	58.5	(2.8)	99.3	(0.3)	100.0	(0.0)	†	†	*	*
Licensed practical nurse or licensed vocational nurse	31.5	(2.6)	35.1	(1.8)	47.1	(4.9)	97.9	(0.7)	37.1	(5.7)
Aide	80.5	(2.2)	94.8	(0.8)	†	†	97.4	(0.8)	80.3	(5.9)
Social worker	50.6	(2.8)	72.3	(1.7)	100.0	(0.0)	88.5	(1.5)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.0)	---	---	---	---	0.5	(0.0)	*0.2	(0.1)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.8	(0.0)	0.1	(0.0)
Aide	1.3	(0.1)	---	---	---	---	2.5	(0.0)	2.8	(0.4)
Social worker	0.3	(0.0)	---	---	---	---	0.1	(0.0)	*0.2	(0.1)
Service provided										
Social work (percentage)	76.0	(2.4)	97.2	(0.6)	100.0	(0.0)	95.3	(1.0)	80.9	(5.8)
Mental health or counseling (percentage)	54.8	(2.8)	---	---	†	†	95.5	(1.0)	80.9	(5.8)
Therapy (physical, occupational, or speech) (percentage)	63.4	(2.7)	†	†	†	†	†	†	87.1	(5.0)
Skilled nursing or nursing (percentage)	56.7	(2.8)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	75.1	(6.2)
Pharmacy or pharmacist (percentage)	21.9	(2.4)	3.1	(0.7)	---	---	98.1	(0.7)	99.1	(0.9)
Hospice (percentage)	39.9	(2.8)	1.5	(0.5)	...	...	84.7	(1.7)	95.3	(1.9)

Table 23. Providers and Users of Long-Term Care Services in Michigan, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	2,400	(100)	231,200	(23,400)	47,900	(7,300)	39,300	(2,100)	20,400	(1,500)
Age in years (percent):										
Under 65	15.3	(0.9)	22.1	(0.7)	5.7	(0.2)	11.9	(0.6)	9.2	(1.9)
65 and over	84.7	(0.9)	77.9	(0.7)	94.3	(0.2)	88.1	(0.6)	90.8	(1.9)
65–74	21.9	(0.7)	24.4	(0.3)	16.0	(0.5)	14.3	(0.3)	7.9	(1.5)
75–84	31.5	(0.7)	29.5	(0.4)	30.6	(0.3)	28.3	(0.3)	37.1	(3.7)
85 and over	31.2	(1.1)	24.0	(0.6)	47.7	(0.9)	45.5	(0.7)	45.9	(4.1)
Sex (percent):										
Men	35.0	(0.7)	38.1	(0.3)	39.9	(0.6)	29.4	(0.5)	29.9	(2.0)
Women	65.0	(0.7)	61.9	(0.3)	60.1	(0.6)	70.6	(0.5)	70.1	(2.0)
Race and ethnicity (percent):										
Hispanic	2.0	(0.2)	1.5	(0.1)	1.1	(0.1)	0.9	(0.1)	0.7	(0.2)
Non-Hispanic white	78.1	(1.3)	69.5	(1.7)	89.1	(1.2)	82.2	(1.4)	93.5	(1.6)
Non-Hispanic black	17.3	(1.3)	27.0	(1.6)	8.7	(1.2)	16.2	(1.4)	2.5	(0.6)
Non-Hispanic other	2.6	(0.5)	2.0	(0.1)	1.1	(0.1)	0.6	(0.1)	*3.3	(1.5)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	62.0	(2.2)	30.7	(0.7)	49.8	(1.8)	56.0	(0.9)	59.6	(3.5)
Diagnosed with depression	23.5	(2.0)	36.2	(0.6)	25.1	(0.6)	46.1	(1.0)	29.6	(4.2)
Need assistance in physical functioning (percentage):										
Eating	28.4	(2.0)	50.5	(1.6)	---	---	48.2	(1.2)	34.1	(5.2)
Bathing	41.8	(2.0)	95.8	(0.3)	---	---	98.0	(0.2)	82.8	(3.3)
Dressing	46.3	(1.4)	84.5	(1.2)	---	---	93.6	(0.3)	68.9	(5.3)
Toileting	45.5	(1.5)	66.6	(1.9)	---	---	89.8	(0.5)	64.0	(5.7)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

[5]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 24. Providers and Users of Long-Term Care Services in Minnesota, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	100	(1)	200	(14)	70	(8)	400	(19)	700	(8)
Number of beds or licensed maximum capacity[2]	5,000	(200)	...	...	...	...	30,700	(1,800)	27,300	(2,200)
Average capacity	34	(1.2)	---	---	---	---	81	(2.5)	38	(2.9)
Average number of people served	21	(1.0)	---	---	---	---	73	(2.3)	36	(2.8)
Metropolitan statistical area status (percent):										
Metropolitan	75.2	(2.1)	61.6	(3.5)	49.2	(6.2)	54.1	(2.6)	55.5	(4.2)
Micropolitan or neither	24.8	(2.1)	38.4	(3.5)	50.8	(6.2)	45.9	(2.6)	44.5	(4.2)
Ownership (percent):										
For-profit	42.1	(2.4)	43.4	(3.5)	13.8	(4.3)	29.3	(2.3)	67.9	(3.6)
Not-for-profit, government, or other	57.9	(2.4)	56.6	(3.5)	86.2	(4.3)	70.7	(2.3)	32.1	(3.6)
Number of people served (percent):[3]										
Category 1	*	*	54.3	(3.7)	35.9	(6.0)	4.0	(1.0)	57.6	(3.1)
Category 2	*	*	28.8	(3.3)	37.5	(6.1)	77.0	(2.2)	*	*
Category 3	*	*	16.8	(2.8)	26.6	(5.5)	19.0	(2.0)	*	*
Staffing[4]										
Number of nursing employee FTEs	466	(21)	3,109	(309)	787	(181)	19,866	(1,184)	11,506	(1,181)
Nursing employee FTEs (percent):										
Registered nurse	13.5	(0.8)	47.9	(2.2)	60.6	(2.5)	13.4	(0.4)	10.0	(1.2)
Licensed practical nurse or licensed vocational nurse	10.9	(0.7)	11.9	(1.2)	9.6	(2.5)	20.4	(0.4)	8.3	(0.9)
Aide	75.5	(1.0)	40.3	(2.5)	29.8	(1.7)	66.2	(0.4)	81.7	(1.7)
Providers with one or more employee FTEs (percentage):										
Registered nurse	50.7	(2.4)	†	†	†	†	98.7	(0.6)	93.1	(2.2)
Licensed practical nurse or licensed vocational nurse	32.8	(2.2)	62.1	(3.4)	55.4	(6.2)	†	†	57.6	(4.3)
Aide	76.6	(2.1)	97.0	(1.2)	†	†	†	†	92.2	(2.3)
Social worker	33.9	(2.3)	30.8	(3.3)	†	†	81.5	(2.0)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.0)	---	---	---	---	0.5	(0.0)	0.5	(0.1)
Licensed practical nurse or licensed vocational nurse	0.3	(0.0)	---	---	---	---	0.8	(0.0)	0.2	(0.0)
Aide	1.3	(0.1)	---	---	---	---	2.4	(0.0)	2.6	(0.2)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.1	(0.0)
Service provided										
Social work (percentage)	56.9	(2.4)	47.5	(3.5)	100.0	(0.0)	85.2	(1.8)	73.7	(3.9)
Mental health or counseling (percentage)	42.1	(2.4)	---	---	†	†	77.8	(2.1)	85.2	(3.1)
Therapy (physical, occupational, or speech) (percentage)	78.4	(2.0)	90.9	(2.0)	†	†	†	†	89.3	(2.7)
Skilled nursing or nursing (percentage)	78.2	(2.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	81.9	(3.4)
Pharmacy or pharmacist (percentage)	31.8	(2.2)	13.6	(2.4)	---	---	97.1	(0.9)	91.2	(2.5)
Hospice (percentage)	23.2	(2.0)	17.2	(2.7)	...	...	70.2	(2.3)	92.8	(2.3)

Table 24. Providers and Users of Long-Term Care Services in Minnesota, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	5,600	(300)	50,200	(9,900)	18,700	(4,200)	27,800	(1,700)	25,600	(2,100)
Age in years (percent):										
Under 65	30.6	(2.2)	19.1	(1.4)	4.6	(0.3)	9.7	(1.0)	5.4	(1.1)
65 and over	69.4	(2.2)	80.9	(1.4)	95.4	(0.3)	90.3	(1.0)	94.6	(1.1)
65–74	24.1	(1.3)	20.5	(0.8)	15.3	(0.4)	11.1	(0.4)	14.2	(1.9)
75–84	28.3	(1.3)	31.2	(0.5)	29.8	(0.4)	25.7	(0.4)	33.8	(1.9)
85 and over	17.0	(1.1)	29.2	(1.4)	50.3	(0.7)	53.5	(1.1)	46.5	(3.0)
Sex (percent):										
Men	43.8	(0.8)	35.7	(0.5)	40.4	(0.7)	30.9	(0.7)	27.1	(1.3)
Women	56.2	(0.8)	64.3	(0.5)	59.6	(0.7)	69.1	(0.7)	72.9	(1.3)
Race and ethnicity (percent):										
Hispanic	2.3	(0.5)	0.7	(0.1)	0.5	(0.1)	0.6	(0.1)	*0.7	(0.2)
Non-Hispanic white	59.1	(2.9)	94.4	(0.6)	96.0	(0.5)	95.3	(0.5)	90.1	(2.6)
Non-Hispanic black	16.7	(2.7)	3.0	(0.4)	1.4	(0.3)	2.6	(0.4)	*1.6	(0.6)
Non-Hispanic other	21.9	(2.6)	1.9	(0.1)	2.0	(0.2)	1.5	(0.2)	*7.6	(2.5)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	36.3	(2.4)	25.0	(1.5)	36.0	(1.6)	48.0	(0.9)	35.5	(3.9)
Diagnosed with depression	40.4	(2.1)	35.2	(0.6)	19.3	(0.6)	55.5	(1.0)	25.1	(2.9)
Need assistance in physical functioning (percentage):										
Eating	23.8	(2.0)	36.8	(3.4)	---	---	45.4	(1.2)	21.4	(2.2)
Bathing	31.3	(3.1)	93.5	(1.1)	---	---	96.5	(0.8)	63.3	(3.0)
Dressing	26.5	(2.4)	74.8	(3.3)	---	---	88.5	(0.8)	45.8	(3.3)
Toileting	25.4	(1.4)	56.6	(4.1)	---	---	84.5	(0.9)	44.1	(3.6)

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 25. Providers and Users of Long-Term Care Services in Mississippi, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	40	(0.0)	50	(7)	100	(11)	200	(14)	100	(2)
Number of beds or licensed maximum capacity[2]	2,100	(100)	...	...	...	...	18,500	(1,400)	6,100	(200)
Average capacity	55	(3.1)	---	---	---	---	91	(2.8)	45	(1.6)
Average number of people served	24	(1.2)	---	---	---	---	80	(2.5)	38	(1.6)
Metropolitan statistical area status (percent):										
Metropolitan	24.1	(4.4)	29.4	(6.4)	36.0	(4.5)	31.4	(3.2)	37.5	(3.9)
Micropolitan or neither	75.9	(4.4)	70.6	(6.4)	64.0	(4.5)	68.6	(3.2)	62.5	(3.9)
Ownership (percent):										
For-profit	59.4	(5.2)	62.7	(6.8)	78.1	(3.9)	76.0	(3.0)	79.5	(3.1)
Not-for-profit, government, or other	40.6	(5.2)	37.3	(6.8)	21.9	(3.9)	24.0	(3.0)	20.5	(3.1)
Number of people served (percent):[3]										
Category 1	61.0	(5.0)	*	*	52.6	(4.7)	3.9	(1.4)	*	*
Category 2	39.0	(5.0)	*	*	20.2	(3.8)	66.2	(3.3)	*	*
Category 3	-	-	*	*	12.3	(3.1)	29.9	(3.2)	*	*
Missing[4]	…	…	…	…	14.9	(3.3)	…	…	…	…
Staffing[5]										
Number of nursing employee FTEs	126	(13)	896	(172)	1,149	(152)	11,843	(915)	2,286	(157)
Nursing employee FTEs (percent):										
Registered nurse	19.0	(1.7)	59.0	(2.0)	51.2	(2.2)	9.4	(0.4)	6.2	(0.6)
Licensed practical nurse or licensed vocational nurse	10.6	(1.3)	6.9	(1.3)	12.3	(1.4)	27.2	(0.6)	19.3	(1.1)
Aide	70.4	(1.9)	34.1	(2.1)	36.5	(1.8)	63.4	(0.7)	74.5	(1.4)
Providers with one or more employee FTEs (percentage):										
Registered nurse	59.3	(5.0)	100.0	(0.0)	100.0	(0.0)	†	†	51.8	(4.0)
Licensed practical nurse or licensed vocational nurse	33.8	(4.8)	52.9	(7.0)	58.8	(4.6)	†	†	73.0	(3.3)
Aide	64.0	(5.0)	100.0	(0.0)	94.7	(2.1)	96.1	(1.4)	84.5	(2.9)
Social worker	30.5	(4.7)	88.2	(4.5)	†	†	62.7	(3.4)	22.5	(3.4)
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.0)	---	---	---	---	0.5	(0.1)	0.3	(0.1)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	1.0	(0.1)	0.4	(0.1)
Aide	0.6	(0.1)	---	---	---	---	2.5	(0.1)	2.1	(0.1)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Service provided										
Social work (percentage)	78.4	(4.3)	†	†	100.0	(0.0)	76.5	(3.0)	83.3	(2.9)
Mental health or counseling (percentage)	58.0	(5.1)	---	---	†	†	83.8	(2.6)	73.3	(3.6)
Therapy (physical, occupational, or speech) (percentage)	66.2	(5.0)	†	†	†	†	100.0	(0.0)	91.9	(2.2)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	73.0	(3.6)
Pharmacy or pharmacist (percentage)	32.9	(4.9)	*	*	---	---	†	†	91.6	(2.2)
Hospice (percentage)	21.8	(4.4)	21.6	(5.8)	...	...	66.2	(3.3)	87.6	(2.6)

Table 25. Providers and Users of Long-Term Care Services in Mississippi, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	1,400	(100)	60,600	(11,400)	14,200	(2,200)	16,300	(1,200)	5,200	(200)
Age in years (percent):										
Under 65	44.1	(2.7)	21.3	(0.7)	10.1	(0.6)	17.2	(0.9)	6.0	(1.3)
65 and over	55.9	(2.7)	78.7	(0.7)	89.9	(0.6)	82.8	(0.9)	94.0	(1.3)
65–74	22.8	(1.3)	26.1	(0.3)	20.0	(0.5)	18.5	(0.5)	9.8	(0.9)
75–84	20.6	(1.4)	32.1	(0.5)	32.7	(0.4)	29.5	(0.5)	33.4	(2.4)
85 and over	12.5	(0.8)	20.5	(0.5)	37.2	(0.9)	34.7	(1.0)	50.8	(3.1)
Sex (percent):										
Men	31.0	(1.4)	35.9	(0.4)	42.2	(0.7)	31.3	(0.9)	20.7	(1.4)
Women	69.0	(1.4)	64.1	(0.4)	57.8	(0.7)	68.7	(0.9)	79.3	(1.4)
Race and ethnicity (percent):										
Hispanic	0.2	(0.1)	0.4	(0.0)	0.3	(0.0)	0.2	(0.0)	0.2	(0.1)
Non-Hispanic white	27.0	(2.6)	65.7	(2.8)	71.9	(2.0)	64.6	(1.6)	91.1	(1.9)
Non-Hispanic black	72.7	(2.6)	33.2	(2.8)	27.1	(2.0)	34.8	(1.6)	8.4	(1.9)
Non-Hispanic other	0.1	(0.1)	0.7	(0.1)	0.7	(0.1)	0.4	(0.2)	0.3	(0.1)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	24.4	(2.5)	28.3	(0.6)	48.7	(1.6)	48.4	(1.0)	36.8	(2.1)
Diagnosed with depression	14.9	(1.7)	29.2	(1.3)	23.7	(0.8)	49.4	(1.6)	18.9	(2.5)
Need assistance in physical functioning (percentage):										
Eating	12.1	(1.7)	60.7	(2.4)	---	---	63.4	(1.7)	12.9	(2.1)
Bathing	20.8	(2.7)	96.4	(0.5)	---	---	97.5	(0.3)	62.2	(3.0)
Dressing	21.5	(2.6)	88.3	(1.7)	---	---	90.2	(0.6)	49.7	(3.1)
Toileting	25.4	(3.3)	72.3	(2.7)	---	---	85.7	(0.7)	37.2	(3.3)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.
[5]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 26. Providers and Users of Long-Term Care Services in Missouri, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	100	(1)	200	(13)	100	(10)	500	(22)	400	(4)
Number of beds or licensed maximum capacity[2]	4,400	(200)	...	...	...	...	52,400	(2,500)	20,700	(900)
Average capacity	37	(1.6)	---	---	---	---	102	(2.1)	51	(2.1)
Average number of people served	19	(1.3)	---	---	---	---	74	(1.8)	36	(1.8)
Metropolitan statistical area status (percent):										
Metropolitan	85.4	(2.4)	61.8	(3.7)	72.0	(4.3)	57.4	(2.2)	59.8	(4.0)
Micropolitan or neither	14.6	(2.4)	38.2	(3.7)	28.0	(4.3)	42.6	(2.2)	40.2	(4.0)
Ownership (percent):										
For-profit	50.1	(3.5)	52.6	(3.8)	54.2	(4.8)	74.6	(1.9)	62.8	(4.1)
Not-for-profit, government, or other	49.9	(3.5)	47.4	(3.8)	45.8	(4.8)	25.4	(1.9)	37.2	(4.1)
Number of people served (percent):[3]										
Category 1	*	*	25.2	(3.4)	27.5	(4.4)	4.1	(0.9)	44.3	(3.2)
Category 2	*	*	33.3	(3.7)	42.2	(4.9)	76.2	(1.9)	*	*
Category 3	*	*	41.5	(3.9)	30.4	(4.6)	19.7	(1.8)	*	*
Staffing[4]										
Number of nursing employee FTEs	534	(45)	1,787	(207)	1,445	(198)	25,747	(1,273)	5,294	(401)
Nursing employee FTEs (percent):										
Registered nurse	15.2	(1.0)	71.8	(1.5)	58.9	(1.9)	7.5	(0.2)	5.2	(0.7)
Licensed practical nurse or licensed vocational nurse	22.3	(1.5)	13.2	(1.3)	13.1	(1.6)	22.0	(0.3)	11.9	(1.1)
Aide	62.4	(1.5)	15.0	(1.0)	28.0	(1.1)	70.5	(0.4)	82.9	(1.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	57.0	(3.4)	100.0	(0.0)	100.0	(0.0)	†	†	59.6	(4.3)
Licensed practical nurse or licensed vocational nurse	83.2	(2.6)	64.2	(3.6)	67.3	(4.5)	†	†	75.9	(3.3)
Aide	79.0	(2.8)	96.0	(1.5)	†	†	100.0	(0.0)	†	†
Social worker	23.0	(2.9)	59.5	(3.7)	100.0	(0.0)	58.2	(2.2)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.7	(0.1)	---	---	---	---	0.3	(0.0)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.9	(0.1)	---	---	---	---	0.8	(0.0)	0.2	(0.0)
Aide	1.5	(0.2)	---	---	---	---	2.5	(0.0)	1.7	(0.1)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	59.6	(3.4)	76.3	(3.2)	100.0	(0.0)	66.4	(2.1)	73.1	(3.8)
Mental health or counseling (percentage)	48.8	(3.5)	---	---	†	†	84.4	(1.6)	79.9	(3.4)
Therapy (physical, occupational, or speech) (percentage)	72.2	(3.1)	†	†	†	†	†	†	91.4	(2.4)
Skilled nursing or nursing (percentage)	89.3	(2.2)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	56.4	(4.4)
Pharmacy or pharmacist (percentage)	28.5	(3.2)	*	*	---	---	†	†	96.0	(1.7)
Hospice (percentage)	23.3	(2.9)	11.0	(2.4)	...	...	88.3	(1.4)	86.4	(2.9)

Table 26. Providers and Users of Long-Term Care Services in Missouri, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	3,200	(200)	93,400	(15,500)	30,000	(4,500)	38,100	(1,900)	14,500	(800)
Age in years (percent):										
Under 65	60.8	(2.8)	20.6	(1.1)	6.0	(0.2)	18.1	(1.0)	17.4	(3.0)
65 and over	39.2	(2.8)	79.4	(1.1)	94.0	(0.2)	81.9	(1.0)	82.6	(3.0)
65–74	14.4	(1.4)	26.6	(0.7)	16.8	(0.7)	14.6	(0.3)	10.8	(1.4)
75–84	14.2	(1.2)	31.2	(0.6)	31.1	(0.4)	27.2	(0.4)	26.6	(2.1)
85 and over	10.5	(0.9)	21.6	(0.9)	46.2	(1.1)	40.1	(0.9)	45.2	(3.6)
Sex (percent):										
Men	45.1	(1.1)	37.3	(0.5)	39.3	(0.7)	31.5	(0.7)	27.4	(1.7)
Women	54.9	(1.1)	62.7	(0.5)	60.7	(0.7)	68.5	(0.7)	72.6	(1.7)
Race and ethnicity (percent):										
Hispanic	1.2	(0.1)	0.8	(0.1)	0.8	(0.1)	0.5	(0.0)	0.4	(0.1)
Non-Hispanic white	52.0	(3.3)	85.0	(1.8)	91.7	(0.9)	87.2	(1.1)	91.2	(3.1)
Non-Hispanic black	42.8	(3.2)	13.1	(1.8)	6.8	(0.8)	11.8	(1.1)	3.9	(1.0)
Non-Hispanic other	4.1	(1.0)	1.0	(0.1)	0.8	(0.1)	0.6	(0.0)	*4.4	(3.0)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	22.1	(2.2)	24.3	(1.0)	48.1	(1.8)	46.1	(0.7)	29.6	(2.5)
Diagnosed with depression	13.4	(1.5)	37.6	(0.8)	28.1	(0.8)	51.4	(1.0)	28.5	(1.8)
Need assistance in physical functioning (percentage):										
Eating	21.6	(1.8)	45.5	(2.7)	---	---	49.6	(1.3)	10.6	(2.1)
Bathing	31.4	(2.9)	95.2	(0.5)	---	---	94.6	(0.6)	59.2	(3.2)
Dressing	34.4	(2.7)	82.3	(1.6)	---	---	83.5	(0.7)	29.4	(3.8)
Toileting	34.0	(1.9)	59.8	(3.0)	---	---	76.9	(0.9)	16.4	(2.3)

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 27. Providers and Users of Long-Term Care Services in Montana, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	40	(0.0)	30	(6)	30	(5)	90	(9)	200	(2)
Number of beds or licensed maximum capacity[2]	300	(0.0)	...	...	...	...	6,800	(900)	5,000	(600)
Average capacity	8	(1.1)	---	---	---	---	80	(5.3)	30	(3.4)
Average number of people served	3	(0.6)	---	---	---	---	55	(3.8)	24	(2.5)
Metropolitan statistical area status (percent):										
Metropolitan	39.8	(9.9)	22.6	(7.5)	25.0	(8.2)	21.2	(4.4)	43.4	(3.0)
Micropolitan or neither	60.3	(9.9)	77.4	(7.5)	75.0	(8.2)	78.8	(4.4)	56.6	(3.0)
Ownership (percent):										
For-profit	66.9	(9.5)	16.1	(6.6)	25.0	(8.2)	42.4	(5.4)	77.4	(2.6)
Not-for-profit, government, or other	33.1	(9.5)	83.9	(6.6)	75.0	(8.2)	57.6	(5.4)	22.6	(2.6)
Number of people served (percent):[3]										
Category 1	100.0	(0.0)	33.3	(8.6)	*	*	20.0	(4.3)	*	*
Category 2	-	-	40.0	(8.9)	*	*	69.4	(5.0)	*	*
Category 3	-	-	26.7	(8.1)	*	*	10.6	(3.3)	*	*
Staffing[4]										
Number of nursing employee FTEs	152	(26)	200	(47)	216	(64)	3,262	(436)	1,838	(158)
Nursing employee FTEs (percent):										
Registered nurse	9.0	(2.1)	66.0	(6.2)	58.3	(3.0)	16.8	(1.0)	6.5	(0.6)
Licensed practical nurse or licensed vocational nurse	15.9	(2.4)	10.3	(2.3)	11.5	(2.8)	14.5	(0.8)	6.1	(0.6)
Aide	75.1	(2.7)	23.8	(7.3)	30.2	(3.7)	68.7	(1.0)	87.4	(0.9)
Providers with one or more employee FTEs (percentage):										
Registered nurse	46.9	(10.1)	100.0	(0.0)	100.0	(0.0)	†	†	53.7	(2.9)
Licensed practical nurse or licensed vocational nurse	60.2	(9.9)	51.6	(9.0)	46.4	(9.4)	†	†	30.6	(2.7)
Aide	*	*	83.9	(6.6)	†	†	†	†	93.7	(1.4)
Social worker	*	*	71.0	(8.2)	†	†	49.4	(5.4)	10.3	(1.8)
Employee hours per resident or participant per day:										
Registered nurse	1.6	(0.4)	---	---	---	---	0.7	(0.1)	0.3	(0.0)
Licensed practical nurse or licensed vocational nurse	3.6	(0.9)	---	---	---	---	0.5	(0.1)	0.2	(0.0)
Aide	9.9	(1.9)	---	---	---	---	2.4	(0.1)	2.6	(0.1)
Social worker	0.9	(0.4)	---	---	---	---	0.1	(0.1)	0.1	(0.0)
Service provided										
Social work (percentage)	60.2	(9.9)	80.6	(7.1)	100.0	(0.0)	60.0	(5.3)	68.2	(2.8)
Mental health or counseling (percentage)	40.2	(9.9)	---	---	*	*	75.3	(4.7)	66.1	(2.8)
Therapy (physical, occupational, or speech) (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	†	†	91.6	(1.7)
Skilled nursing or nursing (percentage)	60.2	(9.9)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	82.9	(2.1)
Pharmacy or pharmacist (percentage)	64.6	(10.0)	32.3	(8.4)	---	---	†	†	93.2	(1.5)
Hospice (percentage)	*	*	38.7	(8.7)	...	...	51.8	(5.4)	95.3	(1.3)

Table 27. Providers and Users of Long-Term Care Services in Montana, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	200	(0)	7,700	(1,900)	3,800	(1,000)	4,700	(600)	4,000	(400)
Age in years (percent):										
Under 65	30.8	(5.0)	12.2	(0.6)	4.8	(0.4)	12.3	(1.3)	4.8	(0.6)
65 and over	69.2	(5.0)	87.8	(0.6)	95.2	(0.4)	87.7	(1.3)	95.2	(0.6)
65–74	20.4	(3.1)	22.0	(0.8)	16.8	(0.7)	15.2	(0.8)	9.4	(0.8)
75–84	32.5	(4.2)	34.7	(0.6)	31.0	(0.7)	27.7	(0.7)	32.9	(3.1)
85 and over	16.4	(4.1)	31.1	(0.9)	47.4	(1.3)	44.9	(2.0)	53.0	(3.5)
Sex (percent):										
Men	58.0	(5.0)	36.0	(0.7)	43.5	(1.1)	33.9	(1.7)	25.5	(1.3)
Women	42.0	(5.0)	64.0	(0.7)	56.5	(1.1)	66.1	(1.7)	74.5	(1.3)
Race and ethnicity (percent):										
Hispanic	0.0	(0.0)	0.8	(0.1)	0.8	(0.2)	0.6	(0.1)	0.5	(0.1)
Non-Hispanic white	89.3	(3.1)	96.1	(0.7)	96.4	(0.5)	94.0	(1.2)	84.2	(3.3)
Non-Hispanic black	1.3	(0.7)	0.1	(0.0)	0.2	(0.1)	0.2	(0.1)	0.0	(0.0)
Non-Hispanic other	9.4	(2.7)	3.0	(0.6)	2.6	(0.5)	5.2	(1.1)	15.2	(3.3)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	55.7	(9.7)	26.4	(1.4)	38.7	(1.7)	47.3	(1.6)	31.6	(5.0)
Diagnosed with depression	10.8	(4.6)	36.2	(1.1)	20.2	(1.0)	56.8	(1.8)	30.8	(2.1)
Need assistance in physical functioning (percentage):										
Eating	26.7	(8.1)	33.8	(5.2)	---	---	58.6	(3.4)	17.6	(1.4)
Bathing	35.7	(13.0)	93.6	(1.3)	---	---	98.0	(0.4)	56.1	(2.4)
Dressing	20.4	(6.9)	74.0	(3.3)	---	---	86.9	(1.2)	40.4	(2.0)
Toileting	40.7	(10.5)	53.6	(4.7)	---	---	83.1	(1.7)	34.1	(2.5)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 28. Providers and Users of Long-Term Care Services in Nebraska, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	40	(1)	80	(9)	40	(6)	200	(15)	200	(2)
Number of beds or licensed maximum capacity[2]	2,100	(200)	...	...	...	...	15,700	(1,200)	10,200	(300)
Average capacity	52	(5.5)	---	---	---	---	72	(2.8)	45	(1.3)
Average number of people served	30	(3.7)	---	---	---	---	56	(2.3)	36	(1.1)
Metropolitan statistical area status (percent):										
Metropolitan	34.8	(5.4)	53.2	(5.6)	51.2	(7.8)	31.7	(3.2)	36.1	(1.8)
Micropolitan or neither	65.2	(5.4)	46.8	(5.6)	48.8	(7.8)	68.3	(3.2)	63.9	(1.8)
Ownership (percent):										
For-profit	30.0	(5.3)	46.8	(5.6)	41.5	(7.7)	49.1	(3.4)	51.9	(1.9)
Not-for-profit, government, or other	70.0	(5.3)	53.2	(5.6)	58.5	(7.7)	50.9	(3.4)	48.1	(1.9)
Number of people served (percent):[3]										
Category 1	*	*	41.8	(5.5)	53.8	(8.0)	7.8	(1.8)	49.4	(1.4)
Category 2	*	*	29.1	(5.1)	23.1	(6.7)	82.6	(2.6)	45.4	(1.5)
Category 3	*	*	19.0	(4.4)	23.1	(6.7)	9.6	(2.0)	5.2	(0.8)
Missing[4]	…	…	10.1	(3.4)	…	…	…	…	…	…
Staffing[5]										
Number of nursing employee FTEs	136	(20)	985	(171)	349	(73)	9,097	(764)	3,365	(116)
Nursing employee FTEs (percent):										
Registered nurse	19.2	(3.9)	54.9	(4.3)	61.2	(3.7)	12.2	(0.6)	9.9	(0.8)
Licensed practical nurse or licensed vocational nurse	13.4	(1.9)	16.7	(3.3)	9.5	(2.2)	20.5	(0.6)	11.9	(0.5)
Aide	67.4	(3.6)	28.3	(3.4)	29.3	(3.5)	67.3	(0.8)	78.2	(0.9)
Providers with one or more employee FTEs (percentage):										
Registered nurse	40.0	(5.6)	100.0	(0.0)	100.0	(0.0)	†	†	75.6	(1.6)
Licensed practical nurse or licensed vocational nurse	42.1	(5.7)	59.5	(5.5)	58.5	(7.7)	†	†	67.2	(1.8)
Aide	62.0	(5.6)	87.3	(3.7)	100.0	(0.0)	†	†	†	†
Social worker	42.2	(5.7)	38.0	(5.5)	100.0	(0.0)	70.2	(3.1)	23.7	(1.6)
Employee hours per resident or participant per day:										
Registered nurse	0.6	(0.2)	---	---	---	---	0.5	(0.1)	0.3	(0.0)
Licensed practical nurse or licensed vocational nurse	0.5	(0.1)	---	---	---	---	0.8	(0.0)	0.3	(0.0)
Aide	3.6	(0.8)	---	---	---	---	2.5	(0.1)	2.1	(0.1)
Social worker	0.5	(0.2)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	81.8	(4.4)	48.1	(5.6)	100.0	(0.0)	77.1	(2.8)	70.9	(1.8)
Mental health or counseling (percentage)	71.8	(5.1)	---	---	100.0	(0.0)	80.3	(2.7)	74.8	(1.7)
Therapy (physical, occupational, or speech) (percentage)	49.1	(5.8)	92.4	(3.0)	100.0	(0.0)	†	†	91.6	(1.1)
Skilled nursing or nursing (percentage)	47.0	(5.8)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	65.8	(1.9)
Pharmacy or pharmacist (percentage)	51.7	(5.8)	10.1	(3.4)	---	---	96.8	(1.2)	92.3	(1.1)
Hospice (percentage)	43.0	(5.7)	30.4	(5.2)	...	...	77.1	(2.8)	90.6	(1.1)

Table 28. Providers and Users of Long-Term Care Services in Nebraska, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center	Home health agency	Hospice	Nursing home	Residential care community
	Number or percent (standard error)				
Service users					
Number of users[2]	2,300 (300)	19,800 (4,900)	7,700 (1,800)	12,200 (1,000)	8,200 (300)
Age in years (percent):					
Under 65	77.6 (4.1)	15.6 (1.5)	4.8 (0.5)	11.6 (1.2)	10.3 (2.5)
65 and over	22.4 (4.1)	84.4 (1.5)	95.2 (0.5)	88.4 (1.2)	89.7 (2.5)
65–74	7.3 (1.0)	21.6 (0.8)	13.6 (0.9)	11.9 (0.7)	9.4 (0.5)
75–84	10.9 (2.7)	33.7 (0.6)	29.5 (0.6)	26.5 (0.6)	27.6 (1.2)
85 and over	4.2 (1.0)	29.1 (1.7)	52.2 (1.6)	49.9 (1.5)	52.7 (1.8)
Sex (percent):					
Men	48.5 (1.4)	36.2 (0.7)	39.9 (0.8)	31.1 (0.8)	30.3 (1.3)
Women	51.5 (1.4)	63.8 (0.7)	60.1 (0.8)	68.9 (0.8)	69.7 (1.3)
Race and ethnicity (percent):					
Hispanic	5.8 (0.7)	1.7 (0.2)	1.1 (0.2)	1.0 (0.1)	0.9 (0.1)
Non-Hispanic white	81.8 (2.3)	92.9 (1.1)	95.2 (0.9)	94.7 (0.8)	96.3 (0.5)
Non-Hispanic black	9.0 (2.0)	4.2 (1.0)	2.5 (0.7)	3.4 (0.7)	0.8 (0.1)
Non-Hispanic other	3.4 (0.4)	1.2 (0.1)	1.2 (0.2)	0.9 (0.2)	2.0 (0.4)
Conditions (percentage):					
Diagnosed with Alzheimer's disease or other dementias	15.1 (3.6)	25.5 (1.6)	48.5 (2.5)	44.0 (1.2)	29.2 (1.5)
Diagnosed with depression	20.2 (4.1)	33.6 (0.6)	25.6 (1.1)	59.5 (1.5)	27.6 (1.2)
Need assistance in physical functioning (percentage):					
Eating	13.0 (4.8)	41.0 (6.3)	--- ---	52.2 (1.7)	14.3 (1.0)
Bathing	11.2 (3.6)	95.3 (1.0)	--- ---	98.5 (0.4)	65.9 (2.0)
Dressing	14.6 (4.9)	75.9 (3.9)	--- ---	89.0 (0.7)	33.9 (1.6)
Toileting	15.4 (5.1)	53.7 (5.5)	--- ---	86.2 (0.8)	22.1 (1.5)

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

[5]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 29. Providers and Users of Long-Term Care Services in Nevada, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	20	(0.0)	100	(11)	20	(5)	50	(7)	100	(1)
Number of beds or licensed maximum capacity[2]	1,200	(100)	...	...	...	...	6,000	(1,000)	3,900	(200)
Average capacity	64	(4.0)	---	---	---	---	117	(9.8)	30	(1.2)
Average number of people served	37	(2.2)	---	---	---	---	91	(7.8)	25	(1.0)
Metropolitan statistical area status (percent):										
Metropolitan	†	†	*	*	*	*	78.4	(5.8)	88.5	(2.4)
Micropolitan or neither	*	*	*	*	*	*	21.6	(5.8)	11.5	(2.4)
Ownership (percent):										
For-profit	60.7	(5.3)	94.2	(2.1)	*	*	76.5	(5.9)	*	*
Not-for-profit, government, or other	39.3	(5.3)	5.8	(2.1)	*	*	23.5	(5.9)	*	*
Number of people served (percent):[3]										
Category 1	47.6	(5.5)	20.7	(3.7)	*	*	11.8	(4.5)	73.3	(1.1)
Category 2	52.4	(5.5)	47.9	(4.5)	*	*	47.1	(7.0)	20.1	(1.8)
Category 3	-	-	19.8	(3.6)	*	*	41.2	(6.9)	6.6	(1.5)
Missing[4]	…	…	11.6	(2.9)	…	…	…	…	…	…
Staffing[5]										
Number of nursing employee FTEs	110	(7)	806	(109)	419	(144)	3,013	(497)	960	(56)
Nursing employee FTEs (percent):										
Registered nurse	13.1	(0.8)	59.0	(3.7)	49.9	(2.2)	17.0	(1.3)	3.5	(0.7)
Licensed practical nurse or licensed vocational nurse	11.1	(1.1)	23.7	(2.8)	10.0	(2.2)	24.5	(1.3)	4.1	(0.8)
Aide	75.8	(1.7)	17.3	(1.9)	40.0	(2.6)	58.5	(1.7)	92.4	(1.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	†	†	17.9	(2.7)
Licensed practical nurse or licensed vocational nurse	53.8	(5.4)	82.6	(3.4)	63.6	(10.3)	†	†	16.8	(2.0)
Aide	*	*	†	†	100.0	(0.0)	88.2	(4.5)	89.5	(2.3)
Social worker	53.1	(5.5)	71.9	(4.1)	100.0	(0.0)	88.2	(4.5)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.0)	---	---	---	---	0.9	(0.2)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	1.0	(0.2)	0.0	(0.0)
Aide	0.9	(0.1)	---	---	---	---	3.8	(1.9)	2.0	(0.1)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.1)	0.0	(0.0)
Service provided										
Social work (percentage)	*	*	95.0	(2.0)	100.0	(0.0)	100.0	(0.0)	76.4	(3.2)
Mental health or counseling (percentage)	58.5	(5.4)	---	---	†	†	68.6	(6.5)	65.5	(3.6)
Therapy (physical, occupational, or speech) (percentage)	*	*	†	†	†	†	†	†	83.4	(2.8)
Skilled nursing or nursing (percentage)	†	†	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	68.8	(3.6)
Pharmacy or pharmacist (percentage)	33.8	(5.2)	10.7	(2.8)	---	---	†	†	86.6	(2.6)
Hospice (percentage)	46.9	(5.5)	*	*	...	...	58.8	(6.9)	90.7	(2.2)

Table 29. Providers and Users of Long-Term Care Services in Nevada, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center	Home health agency	Hospice	Nursing home	Residential care community
	Number or percent (standard error)				
Service users					
Number of users[2]	1,100 (100)	34,700 (6,600)	10,700 (3,400)	4,600 (800)	3,300 (100)
Age in years (percent):					
Under 65	26.8 (3.1)	16.3 (0.8)	5.4 (0.4)	20.3 (2.1)	4.3 (0.5)
65 and over	73.2 (3.1)	83.7 (0.8)	94.6 (0.4)	79.7 (2.1)	95.7 (0.5)
65–74	21.8 (1.9)	31.5 (0.8)	19.8 (1.6)	19.1 (1.1)	8.9 (1.0)
75–84	32.8 (2.2)	32.0 (0.6)	34.4 (0.7)	29.0 (1.1)	37.0 (2.5)
85 and over	18.6 (1.8)	20.1 (1.2)	40.5 (2.2)	31.7 (2.3)	49.8 (2.7)
Sex (percent):					
Men	37.3 (1.5)	40.0 (0.4)	41.8 (1.2)	37.8 (1.8)	25.9 (1.4)
Women	62.7 (1.5)	60.0 (0.4)	58.2 (1.2)	62.2 (1.8)	74.1 (1.4)
Race and ethnicity (percent):					
Hispanic	21.8 (3.5)	10.7 (0.9)	5.6 (0.3)	6.0 (0.6)	2.9 (0.3)
Non-Hispanic white	50.0 (2.7)	71.4 (2.2)	84.9 (1.3)	79.0 (2.1)	83.1 (3.7)
Non-Hispanic black	18.3 (1.7)	11.0 (1.0)	5.9 (0.8)	10.6 (1.5)	2.8 (0.6)
Non-Hispanic other	9.9 (0.9)	6.9 (0.6)	3.6 (0.3)	4.5 (0.5)	11.3 (3.8)
Conditions (percentage):					
Diagnosed with Alzheimer's disease or other dementias	47.2 (3.1)	27.6 (0.9)	32.3 (3.1)	39.1 (2.6)	30.3 (2.7)
Diagnosed with depression	19.2 (3.3)	33.2 (0.7)	15.4 (1.2)	37.2 (2.6)	13.1 (1.9)
Need assistance in physical functioning (percentage):					
Eating	39.9 (4.0)	51.0 (3.2)	--- ---	53.8 (3.7)	14.3 (1.1)
Bathing	44.7 (4.8)	93.0 (2.4)	--- ---	95.5 (1.0)	53.4 (3.2)
Dressing	56.0 (2.7)	82.4 (3.6)	--- ---	91.5 (1.4)	44.5 (3.2)
Toileting	52.0 (2.0)	64.5 (4.8)	--- ---	88.4 (1.5)	35.6 (2.3)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.
[5]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 30. Providers and Users of Long-Term Care Services in New Hampshire, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	20	(0.0)	30	(6)	20	(5)	80	(9)	100	(1)
Number of beds or licensed maximum capacity[2]	900	(100)	...	...	...	...	7,700	(1,000)	4,200	(200)
Average capacity	38	(2.8)	---	---	---	---	100	(6.3)	39	(1.6)
Average number of people served	19	(2.3)	---	---	---	---	90	(6.1)	29	(0.9)
Metropolitan statistical area status (percent):										
Metropolitan	66.4	(6.3)	50.0	(8.8)	47.8	(10.4)	53.4	(5.8)	53.4	(3.3)
Micropolitan or neither	33.6	(6.3)	50.0	(8.8)	52.2	(10.4)	46.6	(5.8)	46.6	(3.3)
Ownership (percent):										
For-profit	*	*	28.1	(7.9)	30.4	(9.6)	53.2	(5.7)	62.8	(3.2)
Not-for-profit, government, or other	*	*	71.9	(7.9)	69.6	(9.6)	46.8	(5.7)	37.2	(3.2)
Number of people served (percent):[3]										
Category 1	*	*	21.9	(7.3)	47.8	(10.4)	*	*	*	*
Category 2	*	*	21.9	(7.3)	26.1	(9.2)	*	*	*	*
Category 3	-	-	56.3	(8.8)	26.1	(9.2)	*	*	*	*
Staffing[4]										
Number of nursing employee FTEs	97	(7)	709	(152)	242	(65)	4,891	(630)	1,525	(76)
Nursing employee FTEs (percent):										
Registered nurse	27.8	(2.3)	58.5	(3.7)	60.1	(2.9)	16.4	(0.8)	11.5	(0.6)
Licensed practical nurse or licensed vocational nurse	9.1	(1.2)	12.1	(2.8)	6.7	(1.5)	17.0	(0.8)	11.7	(0.7)
Aide	63.1	(2.2)	29.5	(4.3)	33.2	(2.5)	66.6	(1.0)	76.8	(1.0)
Providers with one or more employee FTEs (percentage):										
Registered nurse	†	†	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	73.5	(2.5)
Licensed practical nurse or licensed vocational nurse	51.1	(6.8)	68.8	(8.2)	47.8	(10.4)	†	†	54.6	(2.9)
Aide	†	†	†	†	†	†	†	†	91.7	(1.8)
Social worker	28.9	(6.1)	75.0	(7.7)	100.0	(0.0)	81.8	(4.4)	16.6	(2.4)
Employee hours per resident or participant per day:										
Registered nurse	0.7	(0.1)	---	---	---	---	0.6	(0.0)	0.3	(0.0)
Licensed practical nurse or licensed vocational nurse	0.3	(0.1)	---	---	---	---	0.6	(0.0)	0.3	(0.0)
Aide	1.4	(0.3)	---	---	---	---	2.5	(0.1)	2.5	(0.2)
Social worker	0.3	(0.1)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	70.3	(6.2)	*	*	100.0	(0.0)	85.7	(4.0)	73.0	(2.9)
Mental health or counseling (percentage)	65.3	(6.4)	---	---	†	†	92.2	(3.1)	79.0	(2.6)
Therapy (physical, occupational, or speech) (percentage)	*	*	†	†	100.0	(0.0)	100.0	(0.0)	†	†
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	75.1	(3.0)
Pharmacy or pharmacist (percentage)	*	*	*	*	---	---	†	†	†	†
Hospice (percentage)	51.6	(6.8)	18.8	(6.9)	...	...	79.2	(4.6)	90.2	(1.8)

Table 30. Providers and Users of Long-Term Care Services in New Hampshire, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center	Home health agency	Hospice	Nursing home	Residential care community
	Number or percent (standard error)				
Service users					
Number of users[2]	900 (100)	21,800 (5,900)	4,600 (1,300)	6,900 (900)	3,100 (100)
Age in years (percent):					
Under 65	22.4 (1.8)	16.0 (1.0)	5.5 (0.4)	8.0 (1.1)	5.0 (0.7)
65 and over	77.6 (1.8)	84.0 (1.0)	94.5 (0.4)	92.0 (1.1)	95.0 (0.7)
65–74	18.5 (0.9)	24.5 (0.8)	15.7 (0.8)	12.7 (0.8)	13.5 (1.4)
75–84	26.3 (1.1)	32.7 (0.7)	31.4 (0.9)	28.7 (0.7)	31.2 (1.9)
85 and over	32.9 (1.9)	26.8 (1.0)	47.4 (1.2)	50.7 (1.6)	50.4 (2.7)
Sex (percent):					
Men	34.0 (0.9)	37.8 (0.7)	38.5 (1.0)	26.7 (1.1)	25.1 (0.9)
Women	66.0 (0.9)	62.2 (0.7)	61.5 (1.0)	73.3 (1.1)	74.9 (0.9)
Race and ethnicity (percent):					
Hispanic	1.5 (0.3)	0.7 (0.1)	0.6 (0.1)	0.3 (0.1)	0.2 (0.1)
Non-Hispanic white	96.9 (0.5)	97.7 (0.3)	98.0 (0.2)	99.0 (0.1)	89.3 (3.7)
Non-Hispanic black	0.6 (0.1)	0.6 (0.1)	0.5 (0.2)	0.3 (0.1)	0.2 (0.1)
Non-Hispanic other	1.0 (0.2)	1.0 (0.1)	0.9 (0.1)	0.4 (0.1)	10.2 (3.8)
Conditions (percentage):					
Diagnosed with Alzheimer's disease or other dementias	54.8 (2.0)	25.2 (1.3)	50.8 (2.7)	56.5 (1.9)	47.1 (2.4)
Diagnosed with depression	22.9 (1.9)	37.1 (0.8)	32.4 (1.8)	54.8 (1.9)	36.6 (2.5)
Need assistance in physical functioning (percentage):					
Eating	25.8 (3.4)	37.1 (3.2)	--- ---	47.8 (3.5)	15.7 (1.2)
Bathing	40.2 (3.9)	95.8 (0.7)	--- ---	95.8 (0.5)	56.6 (1.8)
Dressing	33.4 (3.3)	79.3 (3.3)	--- ---	90.5 (0.7)	37.8 (1.6)
Toileting	37.6 (2.6)	55.0 (4.7)	--- ---	83.7 (1.1)	32.3 (2.1)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 31. Providers and Users of Long-Term Care Services in New Jersey, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	200	(1)	50	(7)	60	(8)	400	(19)	200	(2)
Number of beds or licensed maximum capacity[2]	17,500	(700)	...	...	...	...	51,900	(3,100)	18,000	(400)
Average capacity	117	(4.9)	---	---	---	---	143	(4.1)	87	(1.8)
Average number of people served	92	(4.7)	---	---	---	---	125	(3.9)	72	(1.5)
Metropolitan statistical area status (percent):										
Metropolitan	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)
Micropolitan or neither	-	-	-	-	-	-	-	-	-	-
Ownership (percent):										
For-profit	68.4	(2.3)	24.0	(6.0)	39.0	(6.4)	69.8	(2.4)	58.6	(2.9)
Not-for-profit, government, or other	31.6	(2.3)	76.0	(6.0)	61.0	(6.4)	30.2	(2.4)	41.4	(2.9)
Number of people served (percent):[3]										
Category 1	14.1	(1.8)	*	*	10.9	(4.2)	3.0	(0.9)	9.1	(1.1)
Category 2	54.2	(2.5)	*	*	30.9	(6.2)	32.7	(2.5)	76.5	(2.1)
Category 3	31.7	(2.3)	*	*	58.2	(6.7)	64.3	(2.5)	14.4	(1.9)
Staffing[4]										
Number of nursing employee FTEs	886	(31)	1,784	(293)	1,497	(285)	29,041	(1,672)	4,825	(187)
Nursing employee FTEs (percent):										
Registered nurse	36.3	(1.1)	67.5	(2.5)	54.0	(3.2)	16.1	(0.4)	9.8	(0.6)
Licensed practical nurse or licensed vocational nurse	8.3	(0.6)	7.6	(1.4)	7.3	(1.1)	22.3	(0.4)	16.7	(0.7)
Aide	55.4	(1.3)	24.9	(2.4)	38.7	(3.6)	61.6	(0.4)	73.5	(0.8)
Providers with one or more employee FTEs (percentage):										
Registered nurse	93.6	(1.2)	100.0	(0.0)	100.0	(0.0)	†	†	95.6	(1.3)
Licensed practical nurse or licensed vocational nurse	39.0	(2.4)	66.0	(6.7)	42.4	(6.4)	97.0	(0.9)	88.1	(2.0)
Aide	83.0	(1.9)	88.0	(4.6)	88.1	(4.2)	97.0	(0.9)	90.5	(1.8)
Social worker	92.1	(1.3)	90.0	(4.2)	†	†	96.7	(0.9)	38.6	(2.7)
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.0)	---	---	---	---	0.6	(0.0)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.0	(0.0)	---	---	---	---	0.7	(0.0)	0.3	(0.0)
Aide	0.4	(0.0)	---	---	---	---	2.1	(0.0)	1.3	(0.1)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Service provided										
Social work (percentage)	95.2	(1.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	87.9	(2.0)
Mental health or counseling (percentage)	64.4	(2.4)	---	---	†	†	96.7	(0.9)	†	†
Therapy (physical, occupational, or speech) (percentage)	89.0	(1.5)	100.0	(0.0)	†	†	100.0	(0.0)	†	†
Skilled nursing or nursing (percentage)	94.3	(1.1)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	80.2	(2.5)
Pharmacy or pharmacist (percentage)	80.7	(1.9)	*	*	---	---	98.6	(0.6)	†	†
Hospice (percentage)	36.9	(2.4)	18.0	(5.4)	...	...	83.8	(1.9)	†	†

Table 31. Providers and Users of Long-Term Care Services in New Jersey, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center	Home health agency	Hospice	Nursing home	Residential care community
	Number or percent (standard error)				
Service users					
Number of users[2]	18,800 (600)	118,600 (23,900)	33,100 (6,200)	45,400 (2,700)	14,800 (300)
Age in years (percent):					
Under 65	23.6 (1.2)	12.5 (1.0)	3.8 (0.2)	15.1 (1.0)	2.1 (0.2)
65 and over	76.4 (1.2)	87.5 (1.0)	96.2 (0.2)	84.9 (1.0)	97.9 (0.2)
65–74	27.7 (0.8)	22.3 (0.4)	13.1 (0.5)	14.2 (0.4)	6.7 (0.4)
75–84	35.1 (1.2)	34.9 (0.5)	30.1 (0.6)	26.8 (0.4)	33.0 (1.2)
85 and over	13.6 (0.6)	30.3 (0.8)	53.0 (1.1)	43.9 (1.2)	58.1 (1.3)
Sex (percent):					
Men	38.4 (0.6)	37.4 (0.3)	37.3 (0.7)	33.3 (0.9)	22.9 (0.7)
Women	61.6 (0.6)	62.6 (0.3)	62.7 (0.7)	66.7 (0.9)	77.1 (0.7)
Race and ethnicity (percent):					
Hispanic	23.6 (1.8)	6.0 (1.0)	3.8 (0.5)	7.2 (0.8)	1.7 (0.3)
Non-Hispanic white	33.2 (2.1)	79.9 (2.1)	87.3 (1.0)	73.1 (1.6)	85.9 (2.0)
Non-Hispanic black	17.8 (1.4)	11.4 (1.5)	7.3 (0.8)	17.1 (1.2)	2.8 (0.4)
Non-Hispanic other	25.5 (2.0)	2.6 (0.2)	1.6 (0.1)	2.6 (0.5)	9.5 (2.0)
Conditions (percentage):					
Diagnosed with Alzheimer's disease or other dementias	33.7 (1.7)	32.2 (0.7)	54.8 (2.0)	46.0 (0.9)	41.1 (1.3)
Diagnosed with depression	27.4 (1.3)	30.3 (0.5)	25.1 (0.6)	35.7 (1.0)	26.4 (1.3)
Need assistance in physical functioning (percentage):					
Eating	26.3 (1.4)	52.6 (2.9)	--- ---	53.5 (1.2)	15.9 (0.8)
Bathing	42.1 (2.2)	96.2 (0.6)	--- ---	95.4 (0.4)	64.5 (1.5)
Dressing	42.1 (2.0)	87.0 (1.8)	--- ---	91.0 (0.5)	50.4 (1.6)
Toileting	45.1 (1.7)	70.8 (3.1)	--- ---	85.4 (0.7)	36.6 (1.6)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 32. Providers and Users of Long-Term Care Services in New Mexico, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	20	(0.0)	80	(9)	40	(6)	70	(9)	200	(2)
Number of beds or licensed maximum capacity[2]	800	(100)	...	...	...	...	6,900	(900)	4,500	(200)
Average capacity	32	(3.7)	---	---	---	---	96	(5.9)	30	(1.4)
Average number of people served	15	(3.8)	---	---	---	---	79	(5.1)	25	(1.9)
Metropolitan statistical area status (percent):										
Metropolitan	*	*	50.6	(5.7)	50.0	(7.9)	44.4	(5.9)	74.1	(2.8)
Micropolitan or neither	*	*	49.4	(5.7)	50.0	(7.9)	55.6	(5.9)	25.9	(2.8)
Ownership (percent):										
For-profit	*	*	71.4	(5.1)	62.5	(7.7)	70.8	(5.4)	82.3	(2.5)
Not-for-profit, government, or other	*	*	28.6	(5.1)	37.5	(7.7)	29.2	(5.4)	17.7	(2.5)
Number of people served (percent):[3]										
Category 1	*	*	29.3	(5.3)	53.8	(8.0)	*	*	*	*
Category 2	*	*	40.0	(5.7)	30.8	(7.4)	*	*	*	*
Category 3	-	-	30.7	(5.3)	15.4	(5.8)	*	*	*	*
Staffing[4]										
Number of nursing employee FTEs	33	(12)	757	(121)	465	(128)	3,427	(464)	1,810	(124)
Nursing employee FTEs (percent):										
Registered nurse	29.2	(9.9)	60.5	(2.8)	62.0	(1.9)	13.2	(0.8)	9.1	(1.6)
Licensed practical nurse or licensed vocational nurse	7.3	(5.2)	14.1	(1.8)	6.0	(1.7)	16.7	(0.9)	5.6	(0.8)
Aide	63.5	(5.6)	25.4	(1.7)	32.0	(2.9)	70.1	(1.3)	85.3	(1.6)
Providers with one or more employee FTEs (percentage):										
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	42.3	(3.4)
Licensed practical nurse or licensed vocational nurse	*	*	61.0	(5.6)	42.5	(7.8)	†	†	29.5	(2.5)
Aide	*	*	100.0	(0.0)	†	†	†	†	93.0	(1.9)
Social worker	*	*	75.3	(4.9)	†	†	75.0	(5.1)	8.7	(1.8)
Employee hours per resident or participant per day:										
Registered nurse	0.1	(0.1)	---	---	---	---	0.5	(0.1)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.4	(0.3)	---	---	---	---	0.6	(0.1)	0.1	(0.0)
Aide	1.3	(0.7)	---	---	---	---	2.2	(0.1)	2.8	(0.1)
Social worker	0.3	(0.1)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	*	*	80.5	(4.5)	100.0	(0.0)	86.1	(4.1)	79.6	(2.8)
Mental health or counseling (percentage)	*	*	---	---	†	†	87.5	(3.9)	77.0	(3.1)
Therapy (physical, occupational, or speech) (percentage)	50.0	(12.7)	†	†	†	†	†	†	94.3	(1.6)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	78.7	(2.9)
Pharmacy or pharmacist (percentage)	*	*	9.1	(3.3)	---	---	†	†	90.7	(2.1)
Hospice (percentage)	*	*	13.0	(3.8)	...	...	69.4	(5.4)	†	†

Table 32. Providers and Users of Long-Term Care Services in New Mexico, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	500	(100)	20,700	(3,800)	8,400	(2,400)	5,700	(800)	3,800	(300)
Age in years (percent):										
Under 65	34.2	(15.6)	15.6	(0.8)	5.2	(0.2)	15.3	(1.1)	3.0	(0.5)
65 and over	65.8	(15.6)	84.4	(0.8)	94.8	(0.2)	84.7	(1.1)	97.0	(0.5)
65–74	11.6	(3.3)	25.0	(0.5)	16.2	(0.8)	15.3	(0.7)	10.7	(1.3)
75–84	23.7	(6.4)	34.1	(0.5)	31.7	(0.8)	30.3	(0.8)	38.0	(1.3)
85 and over	30.5	(10.9)	25.3	(0.8)	47.0	(1.6)	39.2	(1.6)	48.3	(1.8)
Sex (percent):										
Men	35.3	(4.9)	37.4	(0.5)	40.7	(0.7)	36.4	(1.5)	30.7	(1.4)
Women	64.7	(4.9)	62.6	(0.5)	59.3	(0.7)	63.6	(1.5)	69.3	(1.4)
Race and ethnicity (percent):										
Hispanic	46.8	(5.1)	29.7	(1.9)	27.0	(1.2)	31.8	(2.3)	13.5	(1.8)
Non-Hispanic white	46.8	(5.2)	63.2	(1.8)	68.5	(1.4)	56.3	(2.5)	80.1	(2.1)
Non-Hispanic black	1.6	(0.8)	1.7	(0.2)	1.5	(0.2)	2.0	(0.3)	1.2	(0.2)
Non-Hispanic other	4.7	(1.3)	5.5	(1.5)	3.1	(0.5)	9.9	(2.5)	5.2	(1.3)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	41.6	(10.6)	30.3	(0.8)	37.6	(2.8)	46.9	(2.3)	38.4	(3.9)
Diagnosed with depression	14.8	(4.5)	36.3	(0.9)	19.7	(1.3)	52.8	(2.4)	21.4	(2.6)
Need assistance in physical functioning (percentage):										
Eating	27.2	(6.0)	57.7	(4.4)	---	---	62.3	(3.2)	23.5	(2.7)
Bathing	49.2	(9.7)	93.4	(1.1)	---	---	98.3	(0.4)	62.8	(4.4)
Dressing	33.3	(5.9)	81.8	(2.4)	---	---	92.6	(1.0)	44.6	(3.0)
Toileting	29.4	(4.9)	64.9	(3.9)	---	---	89.5	(1.2)	43.1	(3.6)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 33. Providers and Users of Long-Term Care Services in New York, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	300	(1)	200	(13)	50	(7)	600	(25)	400	(4)
Number of beds or licensed maximum capacity[2]	12,600	(300)	...	...	...	...	117,300	(5,600)	29,600	(1,000)
Average capacity	45	(1.2)	---	---	---	---	186	(5.1)	76	(2.4)
Average number of people served	42	(2.3)	---	---	---	---	170	(4.7)	66	(2.1)
Metropolitan statistical area status (percent):										
Metropolitan	88.1	(1.1)	87.3	(2.5)	75.5	(6.1)	86.4	(1.4)	*	*
Micropolitan or neither	12.0	(1.1)	12.7	(2.5)	24.5	(6.1)	13.6	(1.4)	*	*
Ownership (percent):										
For-profit	18.4	(1.3)	21.5	(3.1)	*	*	53.0	(2.0)	53.6	(3.9)
Not-for-profit, government, or other	81.6	(1.3)	78.5	(3.1)	*	*	47.0	(2.0)	46.4	(3.9)
Number of people served (percent):[3]										
Category 1	46.2	(1.7)	21.7	(3.1)	*	*	2.1	(0.6)	*	*
Category 2	49.0	(1.7)	21.1	(3.1)	*	*	26.1	(1.7)	66.8	(2.6)
Category 3	4.7	(0.7)	57.1	(3.7)	*	*	71.8	(1.8)	*	*
Staffing[4]										
Number of nursing employee FTEs	1,321	(36)	3,846	(381)	1,708	(328)	59,184	(2,552)	7,013	(405)
Nursing employee FTEs (percent):										
Registered nurse	27.7	(0.6)	72.3	(2.1)	57.1	(3.7)	11.8	(0.2)	4.6	(0.5)
Licensed practical nurse or licensed vocational nurse	7.2	(0.4)	10.1	(1.2)	12.8	(2.0)	23.7	(0.3)	12.5	(1.0)
Aide	65.1	(0.6)	17.5	(1.9)	30.1	(3.6)	64.5	(0.4)	82.9	(1.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	70.3	(1.5)	†	†	100.0	(0.0)	96.7	(0.7)	55.5	(3.8)
Licensed practical nurse or licensed vocational nurse	33.2	(1.6)	46.4	(3.7)	71.4	(6.5)	98.7	(0.4)	61.6	(3.9)
Aide	86.1	(1.2)	42.5	(3.7)	67.3	(6.7)	98.9	(0.4)	91.8	(2.2)
Social worker	79.6	(1.4)	75.7	(3.2)	100.0	(0.0)	92.7	(1.0)	31.8	(3.8)
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.0)	---	---	---	---	0.4	(0.0)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.7	(0.0)	0.2	(0.0)
Aide	1.0	(0.1)	---	---	---	---	2.0	(0.0)	1.4	(0.1)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	89.2	(1.0)	96.7	(1.3)	100.0	(0.0)	98.9	(0.4)	64.8	(3.8)
Mental health or counseling (percentage)	71.1	(1.5)	---	---	†	†	92.2	(1.1)	85.2	(2.8)
Therapy (physical, occupational, or speech) (percentage)	75.1	(1.5)	100.0	(0.0)	100.0	(0.0)	†	†	93.6	(1.9)
Skilled nursing or nursing (percentage)	70.5	(1.5)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	78.3	(3.3)
Pharmacy or pharmacist (percentage)	51.2	(1.7)	11.0	(2.3)	---	---	89.9	(1.2)	93.6	(2.0)
Hospice (percentage)	28.3	(1.5)	*	*	...	...	56.6	(2.0)	80.4	(3.1)

Table 33. Providers and Users of Long-Term Care Services in New York, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	20,100	(900)	307,300	(76,800)	42,300	(9,200)	107,500	(5,100)	25,600	(900)
Age in years (percent):										
Under 65	23.4	(1.0)	18.3	(0.8)	4.8	(0.2)	14.1	(0.7)	6.9	(1.4)
65 and over	76.6	(1.0)	81.7	(0.8)	95.2	(0.2)	85.9	(0.7)	93.1	(1.4)
65–74	21.5	(0.7)	21.8	(0.3)	16.3	(0.4)	14.4	(0.3)	13.5	(1.5)
75–84	33.2	(0.7)	32.2	(0.5)	31.5	(0.4)	27.4	(0.3)	34.2	(1.9)
85 and over	22.0	(0.7)	27.7	(0.6)	47.4	(0.7)	44.0	(0.8)	45.4	(2.6)
Sex (percent):										
Men	34.9	(0.5)	36.9	(0.3)	40.0	(0.4)	33.6	(0.6)	30.5	(1.3)
Women	65.1	(0.5)	63.1	(0.3)	60.0	(0.4)	66.4	(0.6)	69.5	(1.3)
Race and ethnicity (percent):										
Hispanic	13.1	(0.8)	9.1	(1.7)	5.5	(1.4)	8.5	(0.6)	1.5	(0.3)
Non-Hispanic white	57.9	(1.6)	73.4	(3.7)	83.3	(3.4)	70.6	(1.6)	92.7	(1.4)
Non-Hispanic black	18.8	(1.0)	12.0	(1.3)	8.6	(1.5)	18.2	(1.1)	4.0	(1.1)
Non-Hispanic other	10.1	(1.1)	5.5	(0.9)	2.6	(0.6)	2.7	(0.4)	*1.8	(0.6)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	30.1	(1.4)	31.9	(0.9)	38.0	(1.5)	50.6	(0.7)	34.6	(2.4)
Diagnosed with depression	24.5	(1.2)	30.2	(0.7)	18.6	(0.6)	42.8	(0.9)	19.1	(1.7)
Need assistance in physical functioning (percentage):										
Eating	23.7	(1.2)	54.6	(2.6)	---	---	63.7	(1.0)	10.5	(1.2)
Bathing	33.6	(1.8)	93.7	(0.6)	---	---	96.0	(0.4)	66.6	(2.9)
Dressing	32.8	(1.2)	83.8	(1.5)	---	---	92.2	(0.5)	38.5	(2.8)
Toileting	30.4	(0.9)	62.1	(1.7)	---	---	88.5	(0.6)	23.7	(2.5)

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 34. Providers and Users of Long-Term Care Services in North Carolina, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	100	(0.0)	200	(13)	80	(9)	400	(20)	700	(8)
Number of beds or licensed maximum capacity[2]	4,300	(100)	...	...	...	...	43,400	(2,300)	29,100	(1,100)
Average capacity	42	(1.4)	---	---	---	---	104	(2.2)	43	(1.4)
Average number of people served	24	(0.7)	---	---	---	---	89	(1.9)	35	(1.4)
Metropolitan statistical area status (percent):										
Metropolitan	78.4	(1.8)	65.5	(3.6)	56.0	(5.4)	68.5	(2.3)	*	*
Micropolitan or neither	21.6	(1.8)	34.5	(3.6)	44.0	(5.4)	31.5	(2.3)	*	*
Ownership (percent):										
For-profit	13.9	(1.5)	46.3	(3.7)	32.1	(5.1)	76.6	(2.1)	*	*
Not-for-profit, government, or other	86.1	(1.5)	53.7	(3.7)	67.9	(5.1)	23.4	(2.1)	*	*
Number of people served (percent):[3]										
Category 1	64.6	(2.1)	8.2	(2.1)	20.0	(4.5)	5.7	(1.1)	54.5	(1.8)
Category 2	35.4	(2.1)	19.9	(3.1)	33.8	(5.3)	57.5	(2.4)	*	*
Category 3	-	-	71.9	(3.4)	46.3	(5.6)	36.8	(2.4)	*	*
Staffing[4]										
Number of nursing employee FTEs	467	(18)	2,423	(239)	1,835	(304)	27,020	(1,409)	10,162	(844)
Nursing employee FTEs (percent):										
Registered nurse	16.6	(0.8)	74.8	(1.2)	59.7	(2.1)	10.9	(0.3)	2.5	(0.4)
Licensed practical nurse or licensed vocational nurse	9.3	(0.6)	5.9	(0.6)	5.4	(1.1)	23.4	(0.3)	2.2	(0.5)
Aide	74.1	(1.0)	19.3	(1.2)	34.9	(1.9)	65.6	(0.3)	95.3	(0.9)
Providers with one or more employee FTEs (percentage):										
Registered nurse	59.7	(2.2)	†	†	100.0	(0.0)	†	†	*	*
Licensed practical nurse or licensed vocational nurse	39.9	(2.2)	46.3	(3.7)	58.3	(5.4)	†	†	*	*
Aide	80.8	(1.8)	95.5	(1.6)	†	†	†	†	87.6	(3.6)
Social worker	32.8	(2.1)	81.9	(2.9)	100.0	(0.0)	89.3	(1.5)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.0)	---	---	---	---	0.7	(0.1)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	1.2	(0.2)	*0.1	(0.0)
Aide	1.0	(0.0)	---	---	---	---	3.6	(0.7)	2.2	(0.2)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Service provided										
Social work (percentage)	55.8	(2.2)	89.8	(2.3)	100.0	(0.0)	92.6	(1.3)	79.6	(4.4)
Mental health or counseling (percentage)	31.6	(2.1)	---	---	†	†	93.1	(1.2)	82.1	(4.3)
Therapy (physical, occupational, or speech) (percentage)	50.7	(2.2)	100.0	(0.0)	†	†	100.0	(0.0)	87.0	(3.7)
Skilled nursing or nursing (percentage)	71.1	(2.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	75.3	(4.9)
Pharmacy or pharmacist (percentage)	19.0	(1.8)	6.2	(1.8)	---	---	†	†	98.9	(1.1)
Hospice (percentage)	18.7	(1.7)	23.2	(3.2)	...	...	79.2	(2.0)	80.9	(3.9)

Table 34. Providers and Users of Long-Term Care Services in North Carolina, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	3,800	(100)	155,900	(18,200)	39,700	(6,500)	37,300	(2,000)	24,000	(1,000)
Age in years (percent):										
Under 65	28.7	(1.1)	22.0	(0.5)	7.1	(0.2)	13.8	(0.6)	17.9	(2.8)
65 and over	71.3	(1.1)	78.0	(0.5)	92.9	(0.2)	86.2	(0.6)	82.1	(2.8)
65–74	22.6	(0.6)	26.2	(0.3)	19.5	(0.3)	16.2	(0.3)	16.7	(1.7)
75–84	30.2	(0.8)	30.8	(0.2)	32.5	(0.3)	29.8	(0.3)	29.3	(2.5)
85 and over	18.5	(0.6)	21.0	(0.5)	40.9	(0.7)	40.2	(0.8)	36.1	(3.5)
Sex (percent):										
Men	40.9	(0.7)	35.9	(0.3)	40.9	(0.5)	29.7	(0.6)	28.9	(2.1)
Women	59.1	(0.7)	64.1	(0.3)	59.1	(0.5)	70.3	(0.6)	71.1	(2.1)
Race and ethnicity (percent):										
Hispanic	1.6	(0.1)	0.9	(0.1)	0.7	(0.1)	0.5	(0.0)	1.1	(0.2)
Non-Hispanic white	55.7	(1.4)	77.3	(1.2)	83.3	(1.3)	72.7	(1.1)	74.0	(3.5)
Non-Hispanic black	41.4	(1.4)	20.3	(1.1)	14.7	(1.2)	25.8	(1.1)	23.2	(3.4)
Non-Hispanic other	1.2	(0.1)	1.6	(0.2)	1.2	(0.2)	1.0	(0.2)	*1.8	(0.5)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	56.8	(1.4)	29.6	(0.8)	44.8	(1.0)	44.9	(0.8)	40.3	(3.6)
Diagnosed with depression	16.8	(1.2)	33.0	(0.6)	21.4	(0.5)	47.5	(1.0)	17.0	(2.2)
Need assistance in physical functioning (percentage):										
Eating	27.2	(1.2)	44.6	(1.6)	---	---	59.7	(1.2)	18.8	(1.9)
Bathing	55.9	(1.9)	94.4	(0.4)	---	---	96.3	(0.2)	70.7	(3.6)
Dressing	51.2	(1.5)	78.9	(1.0)	---	---	93.8	(0.3)	49.2	(3.1)
Toileting	49.0	(1.4)	56.4	(1.6)	---	---	91.3	(0.4)	45.3	(3.7)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 35. Providers and Users of Long-Term Care Services in North Dakota, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	20	(0.0)	20	(5)	10	(4)	80	(9)	100	(1)
Number of beds or licensed maximum capacity[2]	500	(100)	...	...	...	...	6,300	(800)	4,500	(200)
Average capacity	24	(5.2)	---	---	---	---	76	(5.6)	45	(1.8)
Average number of people served	20	(4.9)	---	---	---	---	69	(5.2)	42	(1.9)
Metropolitan statistical area status (percent):										
Metropolitan	*	*	33.3	(10.3)	*	*	28.9	(5.0)	39.1	(2.8)
Micropolitan or neither	*	*	66.7	(10.3)	*	*	71.1	(5.0)	60.9	(2.8)
Ownership (percent):										
For-profit	-	-	*	*	*	*	*	*	31.8	(2.4)
Not-for-profit, government, or other	100.0	(0.0)	*	*	*	*	*	*	68.2	(2.4)
Number of people served (percent):[3]										
Category 1	*	*	42.9	(10.8)	*	*	6.0	(2.6)	38.7	(2.0)
Category 2	*	*	28.6	(9.9)	*	*	74.7	(4.8)	54.5	(2.2)
Category 3	-	-	28.6	(9.9)	*	*	19.3	(4.3)	6.8	(1.5)
Staffing[4]										
Number of nursing employee FTEs	111	(23)	236	(80)	123	(74)	4,197	(560)	1,556	(99)
Nursing employee FTEs (percent):										
Registered nurse	17.8	(5.7)	66.0	(2.2)	58.8	(3.0)	12.5	(0.9)	10.3	(0.5)
Licensed practical nurse or licensed vocational nurse	6.5	(2.0)	11.0	(3.8)	6.9	(1.2)	16.7	(0.9)	13.3	(0.6)
Aide	75.7	(6.5)	23.1	(4.2)	34.2	(2.7)	70.9	(1.2)	76.4	(1.0)
Providers with one or more employee FTEs (percentage):										
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	89.6	(1.8)
Licensed practical nurse or licensed vocational nurse	*	*	38.1	(10.6)	42.9	(13.2)	100.0	(0.0)	80.7	(2.3)
Aide	*	*	100.0	(0.0)	100.0	(0.0)	†	†	91.0	(1.6)
Social worker	*	*	52.4	(10.9)	100.0	(0.0)	80.7	(4.3)	23.5	(2.2)
Employee hours per resident or participant per day:										
Registered nurse	0.8	(0.4)	---	---	---	---	0.6	(0.1)	0.3	(0.0)
Licensed practical nurse or licensed vocational nurse	0.5	(0.3)	---	---	---	---	0.6	(0.0)	0.3	(0.0)
Aide	5.8	(2.0)	---	---	---	---	2.7	(0.1)	1.6	(0.1)
Social worker	0.9	(0.6)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Service provided										
Social work (percentage)	*	*	61.9	(10.6)	100.0	(0.0)	100.0	(0.0)	75.0	(2.5)
Mental health or counseling (percentage)	*	*	---	---	100.0	(0.0)	†	†	79.0	(2.4)
Therapy (physical, occupational, or speech) (percentage)	100.0	(0.0)	†	†	100.0	(0.0)	100.0	(0.0)	85.8	(2.0)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	65.2	(2.8)
Pharmacy or pharmacist (percentage)	*	*	*	*	---	---	†	†	†	†
Hospice (percentage)	*	*	38.1	(10.6)	...	...	54.2	(5.5)	78.0	(2.4)

Table 35. Providers and Users of Long-Term Care Services in North Dakota, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	400	(100)	5,300	(1,900)	2,200	(1,300)	5,700	(800)	4,300	(200)
Age in years (percent):										
Under 65	15.9	(4.8)	12.6	(1.0)	4.9	(0.5)	7.8	(0.7)	5.2	(0.5)
65 and over	84.1	(4.8)	87.4	(1.0)	95.1	(0.5)	92.2	(0.7)	94.8	(0.5)
65–74	34.9	(13.5)	21.1	(0.7)	15.3	(0.7)	9.2	(0.6)	8.4	(0.7)
75–84	13.8	(3.5)	37.9	(0.8)	31.1	(1.6)	26.0	(0.7)	30.6	(1.1)
85 and over	35.4	(11.6)	28.3	(1.4)	48.7	(1.9)	57.0	(1.2)	55.9	(1.2)
Sex (percent):										
Men	28.1	(4.9)	35.9	(0.7)	42.7	(1.8)	30.3	(0.9)	28.9	(0.6)
Women	71.9	(4.9)	64.1	(0.7)	57.3	(1.8)	69.7	(0.9)	71.1	(0.6)
Race and ethnicity (percent):										
Hispanic	0.0	(0.0)	0.3	(0.1)	0.2	(0.1)	0.1	(0.0)	0.1	(0.0)
Non-Hispanic white	95.8	(1.7)	97.2	(0.5)	97.8	(0.4)	97.6	(0.6)	91.6	(2.0)
Non-Hispanic black	0.0	(0.0)	0.1	(0.0)	0.3	(0.1)	0.1	(0.0)	0.0	(0.0)
Non-Hispanic other	4.2	(1.7)	2.4	(0.5)	1.8	(0.3)	2.3	(0.6)	8.3	(2.0)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	36.5	(10.3)	17.1	(1.3)	40.5	(1.9)	49.8	(1.5)	30.0	(1.6)
Diagnosed with depression	26.4	(9.4)	33.1	(0.7)	27.8	(1.0)	64.6	(1.4)	20.8	(1.5)
Need assistance in physical functioning (percentage):										
Eating	38.1	(9.9)	27.5	(3.5)	---	---	45.0	(2.2)	9.5	(1.1)
Bathing	57.7	(17.0)	95.5	(1.0)	---	---	98.2	(0.3)	52.3	(2.0)
Dressing	40.7	(10.6)	68.7	(3.1)	---	---	88.8	(0.9)	35.9	(2.1)
Toileting	41.8	(11.4)	40.7	(3.8)	---	---	83.0	(1.1)	18.1	(1.5)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 36. Providers and Users of Long-Term Care Services in Ohio, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	200	(1)	700	(25)	100	(11)	1,000	(30)	500	(5)
Number of beds or licensed maximum capacity[2]	5,500	(200)	...	...	...	...	92,100	(3,200)	38,600	(1,200)
Average capacity	37	(1.2)	---	---	---	---	96	(1.5)	71	(2.0)
Average number of people served	23	(1.2)	---	---	---	---	82	(1.3)	50	(1.3)
Metropolitan statistical area status (percent):										
Metropolitan	80.1	(2.0)	83.8	(1.4)	71.5	(4.1)	71.7	(1.5)	77.9	(3.1)
Micropolitan or neither	19.9	(2.0)	16.2	(1.4)	28.5	(4.1)	28.3	(1.5)	22.1	(3.1)
Ownership (percent):										
For-profit	23.0	(2.2)	78.5	(1.6)	39.0	(4.4)	78.2	(1.3)	68.1	(3.6)
Not-for-profit, government, or other	77.0	(2.2)	21.5	(1.6)	61.0	(4.4)	21.8	(1.3)	31.9	(3.6)
Number of people served (percent):[3]										
Category 1	*	*	45.6	(1.9)	12.4	(3.1)	5.2	(0.7)	*	*
Category 2	*	*	18.9	(1.5)	37.2	(4.5)	71.2	(1.5)	72.7	(2.7)
Category 3	*	*	24.6	(1.7)	50.4	(4.7)	23.6	(1.4)	*	*
Missing[4]	…	…	10.9	(1.2)	…	…	…	…	…	…
Staffing[5]										
Number of nursing employee FTEs	606	(21)	10,648	(569)	2,991	(380)	54,759	(1,948)	9,982	(454)
Nursing employee FTEs (percent):										
Registered nurse	19.1	(0.7)	35.6	(1.4)	55.2	(1.9)	11.4	(0.2)	7.6	(1.1)
Licensed practical nurse or licensed vocational nurse	9.0	(0.6)	18.1	(0.9)	11.3	(1.0)	24.9	(0.2)	23.4	(1.0)
Aide	71.9	(0.9)	46.3	(1.6)	33.5	(1.7)	63.7	(0.2)	69.0	(1.2)
Providers with one or more employee FTEs (percentage):										
Registered nurse	79.8	(2.1)	100.0	(0.0)	†	†	99.1	(0.3)	76.6	(3.3)
Licensed practical nurse or licensed vocational nurse	36.9	(2.5)	74.5	(1.7)	67.5	(4.2)	†	†	93.7	(1.9)
Aide	87.0	(1.7)	95.9	(0.8)	†	†	97.4	(0.5)	94.6	(1.8)
Social worker	40.1	(2.5)	34.1	(1.8)	†	†	75.4	(1.4)	30.9	(3.5)
Employee hours per resident or participant per day:										
Registered nurse	0.5	(0.0)	---	---	---	---	0.5	(0.0)	0.3	(0.0)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	0.9	(0.0)	0.5	(0.0)
Aide	1.3	(0.1)	---	---	---	---	2.4	(0.1)	1.6	(0.1)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Service provided										
Social work (percentage)	69.2	(2.4)	59.7	(1.9)	100.0	(0.0)	88.3	(1.0)	74.5	(3.4)
Mental health or counseling (percentage)	40.5	(2.5)	---	---	95.1	(1.9)	93.7	(0.8)	92.2	(2.1)
Therapy (physical, occupational, or speech) (percentage)	73.3	(2.3)	93.2	(1.0)	†	†	100.0	(0.0)	†	†
Skilled nursing or nursing (percentage)	81.2	(2.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	89.3	(2.4)
Pharmacy or pharmacist (percentage)	23.3	(2.2)	3.5	(0.7)	---	---	98.5	(0.4)	100.0	(0.0)
Hospice (percentage)	34.2	(2.5)	5.3	(0.9)	...	...	88.4	(1.0)	95.9	(1.6)

Table 36. Providers and Users of Long-Term Care Services in Ohio, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	6,300	(300)	203,800	(21,800)	61,800	(10,200)	78,200	(2,800)	26,900	(800)
Age in years (percent):										
Under 65	20.6	(1.8)	20.5	(0.7)	5.4	(0.2)	17.7	(0.6)	1.9	(0.3)
65 and over	79.4	(1.8)	79.5	(0.7)	94.6	(0.2)	82.3	(0.6)	98.1	(0.3)
65–74	22.3	(0.8)	23.7	(0.4)	15.7	(0.4)	15.3	(0.2)	6.1	(0.7)
75–84	34.6	(1.2)	31.5	(0.3)	31.7	(0.3)	27.4	(0.3)	32.2	(1.9)
85 and over	22.5	(0.9)	24.3	(0.6)	47.2	(0.8)	39.5	(0.6)	59.8	(2.1)
Sex (percent):										
Men	36.3	(0.8)	35.8	(0.3)	39.4	(0.5)	32.1	(0.6)	24.4	(0.7)
Women	63.7	(0.8)	64.2	(0.3)	60.6	(0.5)	67.9	(0.6)	75.6	(0.7)
Race and ethnicity (percent):										
Hispanic	0.9	(0.1)	1.0	(0.1)	0.7	(0.1)	0.7	(0.1)	0.3	(0.1)
Non-Hispanic white	69.2	(1.7)	84.5	(1.0)	90.7	(0.9)	85.1	(0.8)	89.8	(2.5)
Non-Hispanic black	26.8	(1.7)	13.4	(0.9)	7.9	(0.8)	13.8	(0.8)	2.9	(0.9)
Non-Hispanic other	3.1	(0.5)	1.1	(0.1)	0.7	(0.0)	0.3	(0.0)	*7.0	(2.3)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	55.8	(1.8)	29.0	(0.8)	44.5	(1.4)	48.2	(0.6)	40.4	(2.3)
Diagnosed with depression	19.8	(1.1)	38.3	(0.5)	23.6	(0.6)	59.4	(0.7)	25.4	(1.9)
Need assistance in physical functioning (percentage):										
Eating	31.9	(1.7)	42.4	(1.8)	---	---	59.7	(1.0)	14.1	(1.3)
Bathing	46.3	(2.2)	93.0	(0.5)	---	---	96.4	(0.3)	64.7	(2.1)
Dressing	41.3	(1.6)	73.7	(1.5)	---	---	92.3	(0.3)	43.2	(2.2)
Toileting	45.0	(1.3)	52.1	(2.3)	---	---	88.5	(0.4)	36.3	(2.3)

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

[5]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 37. Providers and Users of Long-Term Care Services in Oklahoma, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	40	(0.0)	300	(16)	100	(12)	300	(17)	100	(1)
Number of beds or licensed maximum capacity[2]	2,000	(100)	...	...	...	...	28,500	(1,700)	6,300	(200)
Average capacity	57	(2.3)	---	---	---	---	92	(2.2)	56	(1.5)
Average number of people served	31	(1.5)	---	---	---	---	63	(1.6)	39	(1.4)
Metropolitan statistical area status (percent):										
Metropolitan	72.7	(3.5)	51.8	(3.1)	53.2	(4.2)	47.1	(2.8)	62.7	(3.4)
Micropolitan or neither	27.3	(3.5)	48.2	(3.1)	46.8	(4.2)	52.9	(2.8)	37.3	(3.4)
Ownership (percent):										
For-profit	17.5	(3.0)	81.6	(2.4)	69.5	(3.9)	85.4	(2.0)	78.5	(2.9)
Not-for-profit, government, or other	82.5	(3.0)	18.4	(2.4)	30.5	(3.9)	14.6	(2.0)	21.5	(2.9)
Number of people served (percent):[3]										
Category 1	45.7	(3.9)	35.7	(3.0)	41.9	(4.3)	4.9	(1.2)	*	*
Category 2	54.3	(3.9)	34.5	(3.0)	48.1	(4.4)	85.1	(2.0)	*	*
Category 3	-	-	29.7	(2.9)	10.1	(2.7)	10.1	(1.7)	*	*
Staffing[4]										
Number of nursing employee FTEs	214	(10)	3,717	(321)	1,069	(138)	13,527	(860)	1,723	(76)
Nursing employee FTEs (percent):										
Registered nurse	12.4	(1.8)	47.7	(1.3)	48.6	(1.9)	4.8	(0.2)	6.9	(2.2)
Licensed practical nurse or licensed vocational nurse	10.9	(0.8)	27.9	(1.3)	15.9	(1.4)	23.1	(0.4)	9.2	(0.7)
Aide	76.8	(1.5)	24.4	(1.3)	35.5	(1.2)	72.1	(0.5)	84.0	(2.0)
Providers with one or more employee FTEs (percentage):										
Registered nurse	44.9	(3.9)	100.0	(0.0)	†	†	97.7	(0.8)	60.4	(3.3)
Licensed practical nurse or licensed vocational nurse	61.4	(3.8)	89.4	(1.9)	76.6	(3.6)	100.0	(0.0)	73.9	(2.4)
Aide	†	†	93.7	(1.5)	†	†	100.0	(0.0)	93.3	(1.7)
Social worker	44.4	(3.9)	34.1	(3.0)	†	†	40.3	(2.8)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.0)	---	---	---	---	0.2	(0.0)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	0.9	(0.0)	0.2	(0.0)
Aide	1.3	(0.1)	---	---	---	---	2.5	(0.0)	1.9	(0.1)
Social worker	0.2	(0.0)	---	---	---	---	0.0	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	61.8	(3.8)	67.8	(2.9)	100.0	(0.0)	49.4	(2.8)	62.4	(3.4)
Mental health or counseling (percentage)	61.8	(3.8)	---	---	†	†	73.7	(2.5)	63.9	(3.5)
Therapy (physical, occupational, or speech) (percentage)	82.4	(3.0)	†	†	100.0	(0.0)	†	†	89.9	(2.2)
Skilled nursing or nursing (percentage)	78.1	(3.3)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	62.3	(3.6)
Pharmacy or pharmacist (percentage)	17.0	(2.9)	4.3	(1.3)	---	---	†	†	90.2	(2.1)
Hospice (percentage)	37.7	(3.8)	*	*	...	...	91.9	(1.6)	83.5	(2.6)

Table 37. Providers and Users of Long-Term Care Services in Oklahoma, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center	Home health agency	Hospice	Nursing home	Residential care community
	Number or percent (standard error)				
Service users					
Number of users[2]	1,600 (100)	70,000 (7,300)	20,000 (2,400)	19,300 (1,200)	4,400 (200)
Age in years (percent):					
Under 65	42.2 (2.8)	20.1 (0.6)	6.4 (0.2)	16.9 (0.8)	6.0 (1.7)
65 and over	57.8 (2.8)	79.9 (0.6)	93.6 (0.2)	83.1 (0.8)	94.0 (1.7)
65–74	15.9 (0.8)	26.7 (0.4)	18.1 (0.4)	16.4 (0.4)	7.7 (0.8)
75–84	24.7 (1.5)	32.1 (0.4)	32.3 (0.3)	29.0 (0.5)	32.6 (1.3)
85 and over	17.3 (1.2)	21.1 (0.5)	43.2 (0.7)	37.7 (0.9)	53.7 (2.1)
Sex (percent):					
Men	37.0 (0.9)	36.3 (0.3)	39.2 (0.7)	29.6 (0.7)	24.6 (0.7)
Women	63.0 (0.9)	63.7 (0.3)	60.8 (0.7)	70.4 (0.7)	75.4 (0.7)
Race and ethnicity (percent):					
Hispanic	2.6 (0.2)	1.4 (0.1)	1.0 (0.1)	1.1 (0.1)	0.7 (0.2)
Non-Hispanic white	61.8 (2.5)	82.1 (0.7)	86.7 (0.5)	87.3 (0.7)	82.1 (3.3)
Non-Hispanic black	21.9 (2.9)	6.6 (0.4)	4.9 (0.3)	7.3 (0.7)	0.7 (0.1)
Non-Hispanic other	13.7 (1.7)	9.9 (0.6)	7.4 (0.5)	4.4 (0.3)	16.4 (3.3)
Conditions (percentage):					
Diagnosed with Alzheimer's disease or other dementias	35.4 (2.2)	28.3 (0.6)	52.0 (1.6)	45.1 (1.0)	41.7 (2.7)
Diagnosed with depression	18.6 (1.4)	41.7 (0.8)	28.8 (0.9)	52.3 (1.3)	28.7 (1.8)
Need assistance in physical functioning (percentage):					
Eating	24.3 (1.6)	48.7 (2.1)	--- ---	45.8 (1.5)	7.3 (0.6)
Bathing	26.7 (1.9)	95.0 (0.4)	--- ---	94.5 (0.4)	46.9 (2.0)
Dressing	31.8 (1.5)	80.9 (1.3)	--- ---	81.7 (0.7)	28.3 (1.8)
Toileting	34.1 (1.9)	60.1 (2.2)	--- ---	74.9 (0.8)	20.8 (1.8)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 38. Providers and Users of Long-Term Care Services in Oregon, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	20	(1)	60	(8)	50	(7)	100	(12)	900	(10)
Number of beds or licensed maximum capacity[2]	500	(100)	...	...	...	...	12,200	(1,100)	25,100	(1,300)
Average capacity	30	(3.6)	---	---	---	---	89	(3.3)	30	(1.5)
Average number of people served	19	(2.3)	---	---	---	---	53	(2.1)	26	(1.4)
Metropolitan statistical area status (percent):										
Metropolitan	*	*	56.1	(6.6)	54.3	(7.3)	78.1	(3.5)	*	*
Micropolitan or neither	*	*	43.9	(6.6)	45.7	(7.3)	21.9	(3.5)	*	*
Ownership (percent):										
For-profit	*	*	38.6	(6.4)	43.5	(7.3)	81.8	(3.3)	*	*
Not-for-profit, government, or other	*	*	61.4	(6.4)	56.5	(7.3)	18.2	(3.3)	*	*
Number of people served (percent):[3]										
Category 1	*	*	15.1	(4.9)	23.9	(6.3)	11.7	(2.7)	59.7	(2.2)
Category 2	*	*	26.4	(6.1)	32.6	(6.9)	84.7	(3.1)	*	*
Category 3	-	-	58.5	(6.8)	43.5	(7.3)	3.6	(1.6)	*	*
Staffing[4]										
Number of nursing employee FTEs	53	(8)	670	(119)	746	(161)	5,988	(578)	9,540	(1,167)
Nursing employee FTEs (percent):										
Registered nurse	5.8	(1.1)	76.1	(2.6)	70.9	(1.7)	13.3	(0.6)	6.6	(0.9)
Licensed practical nurse or licensed vocational nurse	1.4	(0.9)	10.9	(2.6)	3.6	(0.8)	13.8	(0.5)	1.7	(0.4)
Aide	92.7	(1.6)	13.0	(1.4)	25.4	(1.4)	72.9	(0.5)	91.7	(1.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	†	†	59.2	(3.9)
Licensed practical nurse or licensed vocational nurse	*	*	43.9	(6.6)	37.0	(7.1)	96.4	(1.6)	*	*
Aide	†	†	†	†	100.0	(0.0)	†	†	80.2	(4.2)
Social worker	*	*	86.0	(4.6)	100.0	(0.0)	73.0	(3.8)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.1	(0.0)	---	---	---	---	0.7	(0.2)	0.3	(0.1)
Licensed practical nurse or licensed vocational nurse	0.0	(0.0)	---	---	---	---	0.6	(0.0)	*0.1	(0.0)
Aide	1.3	(0.2)	---	---	---	---	3.1	(0.1)	1.9	(0.2)
Social worker	0.1	(0.1)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Service provided										
Social work (percentage)	*	*	89.5	(4.1)	100.0	(0.0)	88.3	(2.7)	85.4	(3.8)
Mental health or counseling (percentage)	*	*	---	---	87.0	(5.0)	77.4	(3.6)	86.8	(3.6)
Therapy (physical, occupational, or speech) (percentage)	*	*	†	†	†	†	†	†	†	†
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	83.0	(3.9)
Pharmacy or pharmacist (percentage)	*	*	14.0	(4.6)	---	---	†	†	96.0	(2.1)
Hospice (percentage)	*	*	31.6	(6.2)	...	...	74.5	(3.7)	93.5	(2.6)

Table 38. Providers and Users of Long-Term Care Services in Oregon, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	600	(100)	37,500	(9,900)	17,900	(3,900)	7,300	(700)	22,300	(1,300)
Age in years (percent):										
Under 65	12.4	(2.0)	13.3	(0.8)	4.7	(0.3)	16.2	(1.3)	9.0	(2.3)
65 and over	87.6	(2.0)	86.7	(0.8)	95.3	(0.3)	83.8	(1.3)	91.0	(2.3)
65–74	15.7	(3.6)	21.9	(0.5)	15.6	(0.5)	17.8	(0.7)	15.5	(3.3)
75–84	48.3	(5.6)	31.1	(0.7)	28.7	(0.5)	28.1	(0.7)	32.3	(3.1)
85 and over	23.6	(3.0)	33.7	(0.8)	51.0	(0.8)	37.9	(1.4)	43.2	(4.7)
Sex (percent):										
Men	39.2	(4.0)	37.5	(0.9)	40.7	(0.6)	36.5	(1.3)	29.0	(1.5)
Women	60.8	(4.0)	62.5	(0.9)	59.3	(0.6)	63.5	(1.3)	71.0	(1.5)
Race and ethnicity (percent):										
Hispanic	1.9	(0.5)	1.9	(0.1)	1.3	(0.1)	1.5	(0.2)	1.4	(0.3)
Non-Hispanic white	80.2	(5.3)	93.7	(0.8)	95.7	(0.3)	93.9	(0.7)	90.8	(3.6)
Non-Hispanic black	11.1	(5.0)	1.3	(0.3)	0.9	(0.2)	2.1	(0.4)	*0.5	(0.2)
Non-Hispanic other	6.8	(0.9)	3.1	(0.4)	2.0	(0.2)	2.5	(0.5)	*7.2	(3.6)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	78.5	(6.9)	32.7	(1.0)	28.6	(2.2)	40.4	(1.5)	46.1	(4.6)
Diagnosed with depression	38.2	(8.0)	33.4	(0.7)	11.3	(0.8)	41.8	(1.9)	30.4	(2.8)
Need assistance in physical functioning (percentage):										
Eating	16.5	(2.6)	49.6	(2.3)	---	---	48.6	(1.9)	27.4	(3.0)
Bathing	31.7	(9.8)	96.2	(0.4)	---	---	98.0	(0.3)	72.4	(4.0)
Dressing	32.4	(7.9)	81.1	(1.7)	---	---	94.3	(0.5)	51.6	(3.9)
Toileting	34.6	(7.4)	64.1	(2.6)	---	---	91.3	(0.6)	45.9	(4.0)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 39. Providers and Users of Long-Term Care Services in Pennsylvania, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	200	(1)	400	(20)	200	(13)	700	(26)	900	(9)
Number of beds or licensed maximum capacity[2]	13,600	(400)	...	...	...	...	88,500	(4,000)	60,500	(2,300)
Average capacity	55	(1.7)	---	---	---	---	125	(3.2)	66	(2.4)
Average number of people served	30	(1.2)	---	---	---	---	113	(3.0)	55	(3.8)
Metropolitan statistical area status (percent):										
Metropolitan	82.6	(1.4)	88.0	(1.6)	87.2	(2.4)	83.2	(1.4)	*	*
Micropolitan or neither	17.4	(1.4)	12.0	(1.6)	12.8	(2.4)	16.8	(1.4)	*	*
Ownership (percent):										
For-profit	23.4	(1.6)	71.0	(2.2)	54.8	(3.6)	51.5	(1.9)	60.9	(4.3)
Not-for-profit, government, or other	76.6	(1.6)	29.0	(2.2)	45.2	(3.6)	48.5	(1.9)	39.1	(4.3)
Number of people served (percent):[3]										
Category 1	*	*	26.5	(2.2)	23.0	(3.1)	5.1	(0.8)	*	*
Category 2	*	*	17.2	(1.9)	39.9	(3.6)	41.9	(1.9)	59.3	(3.1)
Category 3	*	*	37.8	(2.4)	37.2	(3.6)	53.0	(1.9)	*	*
Missing[4]	...	...	18.4	(1.9)	...	...	...	...	...	...
Staffing[5]										
Number of nursing employee FTEs	1,250	(47)	7,259	(502)	3,384	(357)	51,625	(2,131)	19,742	(1,428)
Nursing employee FTEs (percent):										
Registered nurse	17.2	(0.9)	53.7	(2.0)	53.8	(1.5)	14.8	(0.3)	8.5	(1.9)
Licensed practical nurse or licensed vocational nurse	10.3	(0.5)	13.9	(1.1)	7.3	(0.7)	23.7	(0.3)	15.1	(1.2)
Aide	72.5	(1.0)	32.4	(1.9)	38.9	(1.5)	61.4	(0.3)	76.4	(2.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	60.1	(1.9)	†	†	100.0	(0.0)	†	†	39.1	(4.2)
Licensed practical nurse or licensed vocational nurse	51.8	(1.9)	62.7	(2.4)	56.9	(3.6)	99.0	(0.4)	71.3	(3.2)
Aide	80.7	(1.5)	91.6	(1.4)	97.3	(1.2)	98.4	(0.5)	93.7	(1.9)
Social worker	25.8	(1.7)	50.9	(2.5)	100.0	(0.0)	92.1	(1.0)	31.7	(4.1)
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.0)	---	---	---	---	0.6	(0.0)	0.2	(0.1)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	0.8	(0.0)	0.3	(0.0)
Aide	1.2	(0.0)	---	---	---	---	2.1	(0.0)	1.7	(0.1)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	51.6	(1.9)	69.8	(2.3)	100.0	(0.0)	96.6	(0.7)	71.9	(4.0)
Mental health or counseling (percentage)	44.1	(1.9)	---	---	†	†	89.3	(1.2)	84.1	(3.3)
Therapy (physical, occupational, or speech) (percentage)	61.5	(1.9)	83.3	(1.8)	†	†	†	†	91.6	(2.6)
Skilled nursing or nursing (percentage)	75.7	(1.7)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	67.3	(4.2)
Pharmacy or pharmacist (percentage)	25.6	(1.7)	2.5	(0.8)	---	---	95.0	(0.8)	96.5	(1.7)
Hospice (percentage)	35.7	(1.8)	18.2	(1.9)	...	...	85.6	(1.3)	93.4	(2.1)

Table 39. Providers and Users of Long-Term Care Services in Pennsylvania, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	11,000	(500)	275,700	(37,000)	64,600	(7,200)	80,000	(3,600)	49,900	(3,500)
Age in years (percent):										
Under 65	37.2	(2.2)	17.9	(0.9)	4.4	(0.2)	11.0	(0.5)	5.4	(1.0)
65 and over	62.8	(2.2)	82.1	(0.9)	95.6	(0.2)	89.0	(0.5)	94.6	(1.0)
65–74	19.3	(0.7)	22.6	(0.4)	14.1	(0.4)	13.0	(0.3)	9.8	(1.4)
75–84	25.1	(1.2)	32.8	(0.4)	30.5	(0.3)	28.0	(0.2)	25.2	(1.7)
85 and over	18.3	(0.9)	26.7	(0.7)	51.0	(0.8)	48.0	(0.7)	59.6	(2.8)
Sex (percent):										
Men	40.6	(0.8)	38.3	(0.3)	38.5	(0.5)	29.3	(0.4)	27.9	(1.2)
Women	59.4	(0.8)	61.7	(0.3)	61.5	(0.5)	70.7	(0.4)	72.1	(1.2)
Race and ethnicity (percent):										
Hispanic	2.1	(0.2)	1.7	(0.2)	1.2	(0.2)	1.3	(0.1)	*0.3	(0.1)
Non-Hispanic white	78.0	(2.2)	88.5	(1.5)	91.4	(1.5)	88.3	(1.0)	96.3	(1.1)
Non-Hispanic black	18.8	(2.1)	8.5	(1.4)	6.5	(1.3)	9.9	(0.9)	*3.1	(1.1)
Non-Hispanic other	1.1	(0.1)	1.4	(0.1)	1.0	(0.1)	0.5	(0.1)	0.3	(0.1)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	38.4	(1.8)	27.5	(0.8)	41.9	(1.3)	50.1	(0.7)	35.7	(3.0)
Diagnosed with depression	23.1	(1.6)	33.9	(0.4)	21.8	(0.6)	48.3	(0.9)	26.3	(2.5)
Need assistance in physical functioning (percentage):										
Eating	44.6	(1.6)	43.4	(1.6)	---	---	55.6	(1.0)	18.5	(2.8)
Bathing	55.3	(2.0)	93.6	(0.6)	---	---	96.0	(0.2)	66.4	(4.7)
Dressing	49.2	(1.8)	79.4	(1.7)	---	---	93.4	(0.3)	49.8	(2.9)
Toileting	50.2	(1.6)	56.8	(2.2)	---	---	89.9	(0.4)	38.9	(3.1)

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

[5]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 40. Providers and Users of Long-Term Care Services in Rhode Island, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	20	(0.0)	30	(5)	10	(3)	80	(9)	50	(1)
Number of beds or licensed maximum capacity[2]	1,100	(100)	...	...	...	...	8,700	(1,100)	3,400	(100)
Average capacity	48	(3.2)	---	---	---	---	103	(5.5)	63	(2.6)
Average number of people served	35	(3.0)	---	---	---	---	95	(5.2)	58	(2.9)
Metropolitan statistical area status (percent):										
Metropolitan	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)
Micropolitan or neither	-	-	-	-	-	-	-	-	-	-
Ownership (percent):										
For-profit	*	*	66.7	(9.1)	*	*	79.8	(4.4)	68.9	(4.9)
Not-for-profit, government, or other	*	*	33.3	(9.1)	*	*	20.2	(4.4)	31.1	(4.9)
Number of people served (percent):[3]										
Category 1	*	*	*	*	*	*	*	*	*	*
Category 2	*	*	*	*	*	*	*	*	*	*
Category 3	*	*	*	*	*	*	*	*	*	*
Staffing[4]										
Number of nursing employee FTEs	115	(6)	594	(145)	253	(132)	5,427	(662)	942	(66)
Nursing employee FTEs (percent):										
Registered nurse	28.0	(2.2)	53.0	(6.7)	47.6	(6.0)	17.2	(0.7)	13.2	(2.5)
Licensed practical nurse or licensed vocational nurse	3.8	(0.7)	6.0	(1.4)	3.2	(2.2)	10.8	(0.5)	7.7	(0.8)
Aide	68.1	(2.0)	40.9	(7.3)	49.2	(7.8)	72.0	(0.8)	79.1	(2.5)
Providers with one or more employee FTEs (percentage):										
Registered nurse	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	*	*
Licensed practical nurse or licensed vocational nurse	32.0	(4.8)	59.3	(9.5)	*	*	89.3	(3.4)	53.2	(4.9)
Aide	100.0	(0.0)	†	†	*	*	100.0	(0.0)	†	†
Social worker	62.0	(5.0)	81.5	(7.5)	100.0	(0.0)	88.1	(3.5)	17.5	(4.0)
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.0)	---	---	---	---	0.6	(0.0)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.3	(0.0)	0.1	(0.0)
Aide	1.1	(0.1)	---	---	---	---	2.5	(0.1)	1.3	(0.1)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	*	*	*	*	100.0	(0.0)	†	†	†	†
Mental health or counseling (percentage)	*	*	---	---	100.0	(0.0)	90.5	(3.2)	†	†
Therapy (physical, occupational, or speech) (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	†	†	†	†
Skilled nursing or nursing (percentage)	†	†	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	81.4	(4.3)
Pharmacy or pharmacist (percentage)	27.5	(4.6)	*	*	---	---	84.5	(3.9)	†	†
Hospice (percentage)	72.5	(4.6)	*	*	...	...	91.7	(3.0)	82.0	(3.4)

Table 40. Providers and Users of Long-Term Care Services in Rhode Island, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center	Home health agency	Hospice	Nursing home	Residential care community
	Number or percent (standard error)				
Service users					
Number of users[2]	1,400 (100)	21,700 (6,300)	5,700 (3,100)	8,000 (1,000)	3,100 (200)
Age in years (percent):					
Under 65	29.9 (5.4)	14.2 (1.2)	5.4 (0.4)	7.9 (1.0)	6.1 (1.0)
65 and over	70.1 (5.4)	85.8 (1.2)	94.6 (0.4)	92.1 (1.0)	93.9 (1.0)
65–74	16.5 (1.4)	22.0 (0.7)	11.6 (1.2)	10.9 (0.8)	13.4 (1.5)
75–84	27.4 (2.5)	33.2 (0.6)	27.9 (0.6)	26.3 (0.7)	30.9 (2.3)
85 and over	26.2 (2.7)	30.6 (1.4)	55.1 (2.1)	54.8 (2.0)	49.6 (2.8)
Sex (percent):					
Men	34.2 (2.0)	37.6 (0.7)	37.9 (2.2)	27.1 (1.2)	26.5 (1.2)
Women	65.8 (2.0)	62.4 (0.7)	62.1 (2.2)	72.8 (1.2)	73.5 (1.2)
Race and ethnicity (percent):					
Hispanic	11.2 (1.7)	5.6 (1.4)	2.6 (0.3)	2.0 (0.4)	1.2 (0.2)
Non-Hispanic white	78.6 (2.7)	88.4 (2.2)	94.0 (0.4)	93.8 (1.0)	94.9 (0.9)
Non-Hispanic black	7.7 (0.8)	3.3 (0.6)	2.2 (0.2)	3.4 (0.6)	0.9 (0.2)
Non-Hispanic other	2.5 (0.5)	2.6 (0.5)	1.3 (0.2)	0.8 (0.2)	3.0 (0.7)
Conditions (percentage):					
Diagnosed with Alzheimer's disease or other dementias	46.2 (4.9)	26.0 (1.8)	44.3 (5.1)	50.8 (1.9)	33.2 (3.0)
Diagnosed with depression	23.2 (1.7)	35.7 (0.9)	19.8 (0.7)	48.9 (2.3)	21.3 (2.0)
Need assistance in physical functioning (percentage):					
Eating	27.6 (3.1)	41.8 (4.7)	--- ---	40.5 (1.8)	9.9 (1.7)
Bathing	40.9 (3.0)	93.2 (2.0)	--- ---	95.6 (0.6)	56.5 (2.9)
Dressing	38.7 (3.3)	76.1 (5.5)	--- ---	90.1 (0.9)	39.6 (3.3)
Toileting	42.6 (3.6)	53.4 (6.0)	--- ---	81.5 (1.1)	15.6 (1.8)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 41. Providers and Users of Long-Term Care Services in South Carolina, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	80	(0.0)	70	(8)	90	(9)	200	(14)	300	(3)
Number of beds or licensed maximum capacity[2]	3,500	(100)	...	...	...	...	19,300	(1,600)	12,500	(500)
Average capacity	42	(1.6)	---	---	---	---	102	(4.0)	48	(1.7)
Average number of people served	27	(1.2)	---	---	---	---	90	(3.6)	39	(1.5)
Metropolitan statistical area status (percent):										
Metropolitan	63.9	(2.8)	78.3	(5.0)	90.1	(3.1)	79.8	(2.9)	*	*
Micropolitan or neither	36.2	(2.8)	21.7	(5.0)	9.9	(3.1)	20.2	(2.9)	*	*
Ownership (percent):										
For-profit	60.4	(2.9)	55.1	(6.0)	72.5	(4.7)	76.1	(3.1)	*	*
Not-for-profit, government, or other	39.6	(2.9)	44.9	(6.0)	27.5	(4.7)	23.9	(3.1)	*	*
Number of people served (percent):[3]										
Category 1	59.7	(2.8)	*	*	31.4	(5.0)	10.6	(2.2)	*	*
Category 2	40.3	(2.8)	*	*	36.0	(5.2)	50.0	(3.6)	58.9	(2.5)
Category 3	-	-	*	*	32.6	(5.1)	39.4	(3.6)	*	*
Staffing[4]										
Number of nursing employee FTEs	417	(14)	1,143	(188)	1,364	(230)	12,373	(1,013)	4,745	(283)
Nursing employee FTEs (percent):										
Registered nurse	28.1	(1.0)	79.8	(1.3)	54.6	(2.1)	10.5	(0.4)	*5.2	(1.6)
Licensed practical nurse or licensed vocational nurse	4.8	(0.5)	7.8	(1.3)	6.4	(1.2)	24.8	(0.4)	4.6	(0.7)
Aide	67.0	(0.9)	12.4	(1.1)	39.0	(2.0)	64.7	(0.4)	90.2	(2.0)
Providers with one or more employee FTEs (percentage):										
Registered nurse	85.7	(2.1)	100.0	(0.0)	100.0	(0.0)	†	†	*	*
Licensed practical nurse or licensed vocational nurse	27.1	(2.5)	44.9	(6.0)	33.0	(4.9)	†	†	38.4	(3.9)
Aide	†	†	†	†	†	†	†	†	92.7	(2.2)
Social worker	19.7	(2.3)	85.5	(4.2)	†	†	80.3	(2.9)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.5	(0.0)	---	---	---	---	0.5	(0.1)	*0.2	(0.1)
Licensed practical nurse or licensed vocational nurse	0.2	(0.1)	---	---	---	---	1.0	(0.0)	0.1	(0.0)
Aide	1.3	(0.1)	---	---	---	---	2.5	(0.1)	2.1	(0.1)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Service provided										
Social work (percentage)	48.1	(2.9)	92.8	(3.1)	100.0	(0.0)	85.6	(2.6)	67.6	(4.2)
Mental health or counseling (percentage)	31.9	(2.7)	---	---	93.4	(2.6)	74.5	(3.2)	77.4	(3.8)
Therapy (physical, occupational, or speech) (percentage)	61.6	(2.8)	100.0	(0.0)	†	†	100.0	(0.0)	87.9	(2.8)
Skilled nursing or nursing (percentage)	84.5	(2.1)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	75.3	(3.9)
Pharmacy or pharmacist (percentage)	34.5	(2.7)	*	*	---	---	†	†	94.0	(2.1)
Hospice (percentage)	24.7	(2.5)	7.2	(3.1)	...	...	83.5	(2.7)	90.6	(2.4)

Table 41. Providers and Users of Long-Term Care Services in South Carolina, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center	Home health agency	Hospice	Nursing home	Residential care community
	Number or percent (standard error)				
Service users					
Number of users[2]	3,000 (100)	70,600 (12,700)	25,500 (4,000)	16,900 (1,400)	10,300 (400)
Age in years (percent):					
Under 65	37.9 (1.6)	21.0 (0.7)	7.4 (0.3)	11.4 (0.7)	10.1 (1.6)
65 and over	62.1 (1.6)	79.0 (0.7)	92.6 (0.3)	88.6 (0.7)	89.9 (1.6)
65–74	19.9 (0.8)	27.4 (0.4)	19.5 (0.6)	16.8 (0.5)	11.1 (1.4)
75–84	24.7 (1.5)	31.0 (0.4)	32.5 (0.4)	30.8 (0.5)	34.2 (2.3)
85 and over	17.5 (1.1)	20.5 (0.6)	40.6 (0.9)	41.0 (1.0)	44.7 (2.9)
Sex (percent):					
Men	38.6 (0.9)	37.1 (0.4)	40.8 (0.5)	30.7 (1.5)	30.0 (1.6)
Women	61.4 (0.9)	62.9 (0.4)	59.2 (0.5)	69.3 (1.5)	70.0 (1.6)
Race and ethnicity (percent):					
Hispanic	0.8 (0.1)	0.6 (0.0)	0.6 (0.1)	0.3 (0.0)	0.4 (0.1)
Non-Hispanic white	28.5 (1.5)	74.4 (2.0)	78.7 (1.2)	69.3 (1.6)	84.0 (2.5)
Non-Hispanic black	67.3 (1.7)	24.4 (2.0)	20.2 (1.2)	30.2 (1.6)	12.0 (1.5)
Non-Hispanic other	3.4 (1.1)	0.7 (0.0)	0.6 (0.0)	0.3 (0.0)	*3.6 (2.3)
Conditions (percentage):					
Diagnosed with Alzheimer's disease or other dementias	42.5 (2.1)	29.8 (0.9)	49.4 (1.4)	57.6 (1.2)	38.6 (2.4)
Diagnosed with depression	12.5 (1.1)	31.0 (0.8)	21.4 (0.6)	48.8 (1.5)	23.4 (2.9)
Need assistance in physical functioning (percentage):					
Eating	52.3 (2.2)	57.8 (3.1)	--- ---	62.7 (1.8)	12.1 (1.3)
Bathing	64.6 (2.5)	97.3 (0.5)	--- ---	98.7 (0.2)	57.8 (2.9)
Dressing	63.8 (2.5)	90.0 (1.5)	--- ---	97.3 (0.3)	39.8 (2.8)
Toileting	66.6 (1.8)	73.7 (3.3)	--- ---	94.8 (0.5)	29.9 (2.7)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 42. Providers and Users of Long-Term Care Services in South Dakota, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	20	(0.0)	40	(6)	20	(4)	100	(11)	100	(1)
Number of beds or licensed maximum capacity[2]	400	(0)	...	...	...	...	7,000	(700)	3,700	(100)
Average capacity	19	(1.7)	---	---	---	---	62	(2.9)	30	(0.6)
Average number of people served	13	(1.5)	---	---	---	---	57	(2.8)	27	(0.7)
Metropolitan statistical area status (percent):										
Metropolitan	*	*	30.6	(7.7)	33.3	(12.2)	29.5	(4.3)	39.7	(2.3)
Micropolitan or neither	*	*	69.4	(7.7)	66.7	(12.2)	70.5	(4.3)	60.3	(2.3)
Ownership (percent):										
For-profit	-	-	33.3	(7.9)	*	*	34.8	(4.5)	51.5	(2.4)
Not-for-profit, government, or other	100.0	(0.0)	66.7	(7.9)	*	*	65.2	(4.5)	48.5	(2.4)
Number of people served (percent):[3]										
Category 1	*	*	50.0	(8.6)	*	*	4.5	(2.0)	*	*
Category 2	*	*	35.3	(8.2)	*	*	86.6	(3.2)	*	*
Category 3	-	-	14.7	(6.1)	*	*	8.9	(2.7)	*	*
Staffing[4]										
Number of nursing employee FTEs	87	(5)	263	(74)	122	(45)	4,118	(444)	1,797	(55)
Nursing employee FTEs (percent):										
Registered nurse	23.1	(2.1)	64.3	(4.3)	61.9	(7.5)	18.2	(0.7)	14.3	(1.0)
Licensed practical nurse or licensed vocational nurse	15.5	(1.0)	12.7	(3.9)	5.3	(3.5)	11.0	(0.6)	6.0	(0.4)
Aide	61.3	(1.9)	23.0	(5.9)	32.8	(4.5)	70.7	(0.7)	79.7	(1.0)
Providers with one or more employee FTEs (percentage):										
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	83.4	(1.7)
Licensed practical nurse or licensed vocational nurse	64.8	(3.9)	41.7	(8.2)	*	*	†	†	47.6	(2.3)
Aide	†	†	*	*	†	†	100.0	(0.0)	†	†
Social worker	53.0	(4.0)	19.4	(6.6)	100.0	(0.0)	56.3	(4.7)	26.8	(2.1)
Employee hours per resident or participant per day:										
Registered nurse	2.0	(0.2)	---	---	---	---	0.6	(0.0)	1.0	(0.1)
Licensed practical nurse or licensed vocational nurse	1.6	(0.2)	---	---	---	---	0.4	(0.0)	0.4	(0.1)
Aide	6.4	(0.6)	---	---	---	---	2.3	(0.1)	3.5	(0.2)
Social worker	1.2	(0.2)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Service provided										
Social work (percentage)	*	*	38.9	(8.1)	100.0	(0.0)	92.9	(2.4)	61.8	(2.3)
Mental health or counseling (percentage)	41.5	(4.0)	---	---	*	*	90.2	(2.8)	62.9	(2.3)
Therapy (physical, occupational, or speech) (percentage)	*	*	†	†	100.0	(0.0)	†	†	85.5	(1.6)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	70.4	(2.2)
Pharmacy or pharmacist (percentage)	47.5	(4.1)	*	*	---	---	†	†	92.8	(1.2)
Hospice (percentage)	47.3	(4.1)	30.6	(7.7)	...	...	50.0	(4.7)	55.2	(2.3)

Table 42. Providers and Users of Long-Term Care Services in South Dakota, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center	Home health agency	Hospice	Nursing home	Residential care community
	Number or percent (standard error)				
Service users					
Number of users[2]	400 (0)	4,800 (1,100)	2,700 (900)	6,400 (700)	3,300 (100)
Age in years (percent):					
Under 65	5.0 (0.2)	9.9 (0.7)	4.9 (0.5)	8.5 (0.7)	4.6 (0.3)
65 and over	95.0 (0.2)	90.1 (0.7)	95.1 (0.5)	91.5 (0.7)	95.4 (0.3)
65–74	17.4 (1.2)	18.2 (0.8)	14.9 (1.2)	10.3 (0.5)	9.3 (0.8)
75–84	40.7 (3.7)	36.8 (0.8)	30.8 (1.0)	26.4 (0.6)	30.2 (0.9)
85 and over	36.9 (3.1)	35.2 (1.4)	49.4 (2.4)	54.8 (1.4)	55.9 (1.2)
Sex (percent):					
Men	43.8 (1.8)	32.6 (0.8)	39.2 (1.4)	30.6 (1.0)	28.5 (0.7)
Women	56.2 (1.8)	67.4 (0.8)	60.8 (1.4)	69.4 (1.0)	71.5 (0.7)
Race and ethnicity (percent):					
Hispanic	0.9 (0.1)	0.3 (0.1)	0.5 (0.2)	0.3 (0.1)	0.2 (0.1)
Non-Hispanic white	97.3 (0.2)	94.4 (1.7)	96.5 (0.8)	94.4 (1.1)	87.6 (2.8)
Non-Hispanic black	0.9 (0.2)	0.2 (0.1)	0.2 (0.1)	0.2 (0.1)	0.2 (0.0)
Non-Hispanic other	0.9 (0.2)	5.1 (1.7)	2.8 (0.7)	5.1 (1.1)	12.1 (2.8)
Conditions (percentage):					
Diagnosed with Alzheimer's disease or other dementias	68.3 (2.9)	22.0 (1.1)	40.8 (3.6)	47.8 (1.4)	30.0 (1.5)
Diagnosed with depression	21.0 (3.3)	33.9 (1.1)	27.6 (1.3)	62.4 (1.7)	30.4 (1.6)
Need assistance in physical functioning (percentage):					
Eating	55.4 (2.7)	31.0 (4.8)	--- ---	46.4 (2.3)	9.9 (1.1)
Bathing	72.1 (3.2)	95.5 (0.9)	--- ---	98.5 (0.4)	59.9 (1.7)
Dressing	62.5 (3.8)	71.8 (3.4)	--- ---	87.7 (0.8)	30.5 (1.7)
Toileting	63.5 (3.1)	47.7 (5.9)	--- ---	82.4 (1.0)	21.6 (2.1)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 43. Providers and Users of Long-Term Care Services in Tennessee, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	50	(0.0)	100	(12)	60	(8)	300	(18)	300	(3)
Number of beds or licensed maximum capacity[2]	2,000	(200)	...	...	...	...	36,900	(2,300)	14,900	(300)
Average capacity	45	(3.7)	---	---	---	---	115	(3.1)	56	(1.1)
Average number of people served	25	(3.0)	---	---	---	---	97	(2.7)	46	(1.2)
Metropolitan statistical area status (percent):										
Metropolitan	†	†	69.7	(3.8)	73.7	(5.8)	62.7	(2.7)	71.9	(1.8)
Micropolitan or neither	*	*	30.3	(3.8)	26.3	(5.8)	37.3	(2.7)	28.1	(1.8)
Ownership (percent):										
For-profit	28.9	(4.2)	76.6	(3.5)	57.9	(6.5)	77.3	(2.3)	77.9	(1.8)
Not-for-profit, government, or other	71.1	(4.2)	23.4	(3.5)	42.1	(6.5)	22.7	(2.3)	22.1	(1.8)
Number of people served (percent):[3]										
Category 1	*	*	7.0	(2.1)	19.3	(5.2)	3.7	(1.1)	29.8	(1.4)
Category 2	*	*	24.6	(3.6)	31.6	(6.2)	53.4	(2.8)	62.5	(1.7)
Category 3	*	*	68.3	(3.9)	49.1	(6.6)	42.9	(2.8)	7.7	(1.1)
Staffing[4]										
Number of nursing employee FTEs	159	(13)	3,531	(388)	1,078	(203)	21,257	(1,304)	4,694	(168)
Nursing employee FTEs (percent):										
Registered nurse	16.1	(2.5)	53.1	(1.9)	52.4	(2.9)	8.9	(0.3)	4.1	(0.3)
Licensed practical nurse or licensed vocational nurse	11.9	(2.3)	18.8	(1.3)	11.0	(1.2)	28.1	(0.4)	17.6	(0.5)
Aide	72.0	(4.4)	28.1	(2.0)	36.6	(2.5)	63.0	(0.4)	78.2	(0.6)
Providers with one or more employee FTEs (percentage):										
Registered nurse	50.2	(4.6)	†	†	100.0	(0.0)	†	†	44.0	(2.1)
Licensed practical nurse or licensed vocational nurse	27.7	(4.1)	84.8	(3.0)	71.9	(6.0)	98.4	(0.7)	83.8	(1.4)
Aide	69.7	(4.2)	95.9	(1.7)	†	†	98.4	(0.7)	91.9	(1.1)
Social worker	52.5	(4.6)	78.6	(3.4)	100.0	(0.0)	84.5	(2.0)	22.7	(1.8)
Employee hours per resident or participant per day:										
Registered nurse	0.3	(0.0)	---	---	---	---	0.5	(0.1)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	1.1	(0.0)	0.3	(0.0)
Aide	0.9	(0.1)	---	---	---	---	2.3	(0.1)	1.7	(0.0)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	68.9	(4.3)	91.0	(2.4)	100.0	(0.0)	87.6	(1.8)	79.0	(1.8)
Mental health or counseling (percentage)	43.3	(4.6)	---	---	†	†	92.5	(1.5)	83.1	(1.6)
Therapy (physical, occupational, or speech) (percentage)	67.9	(4.4)	†	†	†	†	†	†	94.1	(1.0)
Skilled nursing or nursing (percentage)	46.6	(4.6)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	68.8	(2.0)
Pharmacy or pharmacist (percentage)	18.8	(3.6)	5.5	(1.9)	---	---	96.0	(1.1)	95.0	(0.9)
Hospice (percentage)	13.9	(3.1)	4.8	(1.8)	...	...	76.4	(2.4)	87.3	(1.4)

Table 43. Providers and Users of Long-Term Care Services in Tennessee, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center	Home health agency	Hospice	Nursing home	Residential care community
	Number or percent (standard error)				
Service users					
Number of users[2]	1,500 (100)	118,600 (14,100)	26,300 (5,200)	31,300 (1,900)	12,200 (300)
Age in years (percent):					
Under 65	26.3 (2.7)	19.0 (1.0)	8.0 (0.2)	13.9 (0.7)	4.2 (0.4)
65 and over	73.7 (2.7)	81.0 (1.0)	92.0 (0.2)	86.1 (0.7)	95.8 (0.4)
65–74	24.4 (2.3)	24.5 (0.4)	20.1 (0.5)	16.6 (0.4)	9.2 (0.5)
75–84	27.5 (1.9)	32.4 (0.4)	33.0 (0.3)	30.7 (0.4)	37.5 (1.0)
85 and over	21.8 (2.1)	24.1 (0.8)	38.9 (0.9)	38.8 (0.8)	49.0 (1.4)
Sex (percent):					
Men	38.7 (1.3)	35.2 (0.3)	41.1 (0.7)	29.8 (0.6)	23.4 (0.4)
Women	61.3 (1.3)	64.8 (0.3)	58.9 (0.7)	70.2 (0.6)	76.6 (0.4)
Race and ethnicity (percent):					
Hispanic	1.5 (0.2)	0.5 (0.0)	0.4 (0.0)	0.3 (0.0)	0.4 (0.1)
Non-Hispanic white	57.2 (3.1)	86.3 (1.5)	88.9 (1.8)	84.0 (1.4)	94.1 (0.6)
Non-Hispanic black	40.0 (3.2)	12.6 (1.5)	10.1 (1.8)	15.4 (1.4)	3.6 (0.4)
Non-Hispanic other	1.3 (0.2)	0.6 (0.0)	0.6 (0.0)	0.3 (0.0)	1.9 (0.4)
Conditions (percentage):					
Diagnosed with Alzheimer's disease or other dementias	58.8 (3.3)	34.4 (0.8)	44.1 (1.9)	55.1 (0.8)	43.9 (1.1)
Diagnosed with depression	28.8 (2.7)	37.0 (0.7)	22.9 (0.7)	52.1 (1.2)	24.5 (1.2)
Need assistance in physical functioning (percentage):					
Eating	26.9 (3.5)	57.8 (1.6)	--- ---	61.5 (1.3)	17.7 (1.0)
Bathing	40.5 (2.6)	97.4 (0.3)	--- ---	98.1 (0.2)	61.6 (1.3)
Dressing	30.6 (2.1)	89.9 (1.0)	--- ---	94.9 (0.4)	45.7 (1.3)
Toileting	33.1 (2.9)	74.8 (1.8)	--- ---	91.2 (0.5)	35.7 (1.4)

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 44. Providers and Users of Long-Term Care Services in Texas, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	400	(1)	2,600	(46)	400	(19)	1,200	(33)	1,000	(10)
Number of beds or licensed maximum capacity[2]	38,400	(700)	...	...	...	...	130,700	(3,900)	41,300	(2,200)
Average capacity	86	(1.6)	---	---	---	---	109	(1.2)	42	(2.2)
Average number of people served	62	(1.7)	---	---	---	---	78	(1.1)	34	(2.1)
Metropolitan statistical area status (percent):										
Metropolitan	86.4	(1.3)	91.2	(0.6)	85.1	(1.8)	69.3	(1.3)	*	*
Micropolitan or neither	13.6	(1.3)	8.8	(0.6)	14.9	(1.8)	30.7	(1.3)	*	*
Ownership (percent):										
For-profit	78.9	(1.6)	94.0	(0.5)	76.8	(2.1)	86.4	(1.0)	*	*
Not-for-profit, government, or other	21.1	(1.6)	6.0	(0.5)	23.2	(2.1)	13.6	(1.0)	*	*
Number of people served (percent):[3]										
Category 1	15.4	(1.4)	62.5	(1.0)	43.6	(2.6)	5.4	(0.7)	48.9	(2.2)
Category 2	74.6	(1.7)	24.1	(0.9)	29.3	(2.4)	69.1	(1.3)	*	*
Category 3	10.0	(1.1)	13.3	(0.7)	27.1	(2.3)	25.5	(1.3)	*	*
Staffing[4]										
Number of nursing employee FTEs	1,879	(69)	22,596	(633)	6,078	(493)	60,165	(1,924)	13,934	(1,359)
Nursing employee FTEs (percent):										
Registered nurse	12.1	(0.9)	46.7	(0.5)	48.0	(0.9)	6.1	(0.2)	*6.7	(2.7)
Licensed practical nurse or licensed vocational nurse	22.5	(0.8)	33.0	(0.5)	13.1	(0.7)	26.7	(0.2)	8.7	(1.3)
Aide	65.5	(1.3)	20.3	(0.5)	38.9	(0.9)	67.2	(0.2)	84.6	(2.7)
Providers with one or more employee FTEs (percentage):										
Registered nurse	51.3	(1.9)	†	†	†	†	96.6	(0.5)	37.3	(4.9)
Licensed practical nurse or licensed vocational nurse	86.0	(1.3)	76.7	(0.8)	65.7	(2.4)	96.1	(0.6)	52.2	(4.8)
Aide	58.6	(1.9)	84.6	(0.7)	97.7	(0.7)	97.3	(0.5)	84.1	(3.7)
Social worker	12.4	(1.3)	19.2	(0.8)	†	†	81.5	(1.1)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.1	(0.0)	---	---	---	---	0.3	(0.0)	*0.3	(0.1)
Licensed practical nurse or licensed vocational nurse	0.2	(0.0)	---	---	---	---	1.0	(0.0)	0.2	(0.0)
Aide	0.5	(0.1)	---	---	---	---	2.3	(0.0)	2.3	(0.2)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Service provided										
Social work (percentage)	37.3	(1.9)	90.7	(0.6)	100.0	(0.0)	98.7	(0.3)	78.3	(3.9)
Mental health or counseling (percentage)	37.2	(1.9)	---	---	97.0	(0.9)	91.9	(0.8)	80.4	(4.0)
Therapy (physical, occupational, or speech) (percentage)	44.9	(1.9)	98.6	(0.2)	96.7	(0.9)	98.6	(0.3)	94.9	(2.2)
Skilled nursing or nursing (percentage)	89.5	(1.2)	100.0	(0.0)	100.0	(0.0)	†	†	87.6	(3.3)
Pharmacy or pharmacist (percentage)	52.5	(1.9)	2.4	(0.3)	---	---	98.8	(0.3)	96.5	(2.0)
Hospice (percentage)	14.6	(1.4)	0.7	(0.2)	...	...	89.7	(0.9)	88.5	(3.1)

Table 44. Providers and Users of Long-Term Care Services in Texas, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center	Home health agency	Hospice	Nursing home	Residential care community
	Number or percent (standard error)				
Service users					
Number of users[2]	33,000 (800)	381,100 (15,200)	93,000 (8,200)	93,600 (2,900)	33,500 (2,100)
Age in years (percent):					
Under 65	43.4 (1.3)	20.0 (0.4)	6.3 (0.1)	15.7 (0.4)	5.5 (0.8)
65 and over	56.6 (1.3)	80.0 (0.4)	93.7 (0.1)	84.3 (0.4)	94.5 (0.8)
65–74	23.3 (0.5)	26.9 (0.2)	17.5 (0.2)	16.3 (0.2)	11.2 (1.5)
75–84	22.6 (0.8)	31.9 (0.2)	32.2 (0.2)	29.9 (0.2)	36.6 (2.6)
85 and over	10.7 (0.5)	21.2 (0.3)	44.0 (0.4)	38.1 (0.5)	46.7 (3.1)
Sex (percent):					
Men	42.3 (0.6)	37.2 (0.2)	39.7 (0.3)	33.4 (0.4)	23.6 (1.3)
Women	57.7 (0.6)	62.8 (0.2)	60.3 (0.3)	66.6 (0.4)	76.4 (1.3)
Race and ethnicity (percent):					
Hispanic	74.8 (1.8)	23.7 (0.9)	14.8 (1.3)	16.7 (0.8)	*6.7 (3.6)
Non-Hispanic white	10.0 (0.9)	55.7 (1.0)	75.2 (1.2)	69.2 (0.8)	86.0 (4.3)
Non-Hispanic black	9.8 (1.0)	18.5 (0.5)	8.6 (0.5)	13.1 (0.5)	2.3 (0.5)
Non-Hispanic other	5.4 (1.2)	2.1 (0.1)	1.4 (0.1)	1.0 (0.1)	*5.0 (2.9)
Conditions (percentage):					
Diagnosed with Alzheimer's disease or other dementias	14.2 (0.9)	31.1 (0.3)	52.8 (1.0)	54.6 (0.5)	43.4 (4.1)
Diagnosed with depression	22.3 (0.9)	37.6 (0.3)	27.7 (0.5)	52.8 (0.7)	25.2 (2.9)
Need assistance in physical functioning (percentage):					
Eating	10.0 (0.8)	59.3 (0.7)	--- ---	61.0 (0.8)	18.5 (2.4)
Bathing	13.5 (0.9)	96.1 (0.2)	--- ---	96.9 (0.2)	60.4 (4.0)
Dressing	15.3 (1.2)	88.4 (0.4)	--- ---	90.0 (0.3)	47.2 (3.2)
Toileting	13.5 (1.1)	71.5 (0.7)	--- ---	85.6 (0.4)	38.7 (3.7)

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 45. Providers and Users of Long-Term Care Services in Utah, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	10	(0.0)	100	(10)	80	(9)	100	(10)	100	(1)
Number of beds or licensed maximum capacity[2]	200	(0)	...	...	...	...	8,500	(1,000)	5,800	(200)
Average capacity	28	(1.5)	---	---	---	---	85	(4.7)	42	(1.1)
Average number of people served	15	(1.2)	---	---	---	---	54	(3.1)	35	(0.9)
Metropolitan statistical area status (percent):										
Metropolitan	100.0	(0.0)	93.3	(2.4)	91.4	(3.1)	86.0	(3.5)	88.1	(2.0)
Micropolitan or neither	-	-	6.7	(2.4)	8.6	(3.1)	14.0	(3.5)	11.9	(2.0)
Ownership (percent):										
For-profit	*	*	81.9	(3.8)	80.2	(4.4)	81.0	(3.9)	*	*
Not-for-profit, government, or other	*	*	18.1	(3.8)	19.8	(4.4)	19.0	(3.9)	*	*
Number of people served (percent):[3]										
Category 1	100.0	(0.0)	34.3	(4.6)	62.3	(5.5)	15.0	(3.6)	*	*
Category 2	-	-	31.4	(4.5)	23.4	(4.8)	76.0	(4.3)	*	*
Category 3	-	-	23.8	(4.2)	14.3	(4.0)	9.0	(2.9)	*	*
Missing[4]	...	...	10.5	(3.0)	...	...	...	...	...	...
Staffing[5]										
Number of nursing employee FTEs	4	(1)	1,358	(210)	747	(145)	3,814	(449)	2,110	(86)
Nursing employee FTEs (percent):										
Registered nurse	0.0	(0.0)	49.2	(2.3)	47.8	(2.0)	21.1	(1.1)	4.8	(0.4)
Licensed practical nurse or licensed vocational nurse	0.0	(0.0)	10.9	(2.2)	6.8	(1.0)	13.1	(0.7)	1.3	(0.4)
Aide	100.0	(0.0)	39.9	(2.8)	45.4	(1.7)	65.8	(1.1)	93.9	(0.6)
Providers with one or more employee FTEs (percentage):										
Registered nurse	-	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	65.7	(2.9)
Licensed practical nurse or licensed vocational nurse	-	(0.0)	51.4	(4.9)	45.7	(5.5)	93.0	(2.6)	10.3	(1.9)
Aide	*	*	†	†	†	†	92.0	(2.7)	†	†
Social worker	*	*	71.4	(4.4)	†	†	65.0	(4.8)	6.7	(1.6)
Employee hours per resident or participant per day:										
Registered nurse	0.0	(0.0)	---	---	---	---	1.1	(0.1)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.0	(0.0)	---	---	---	---	0.5	(0.0)	0.0	(0.0)
Aide	0.2	(0.1)	---	---	---	---	2.3	(0.1)	2.4	(0.1)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	*	*	91.4	(2.7)	100.0	(0.0)	†	†	84.4	(2.3)
Mental health or counseling (percentage)	*	*	---	---	†	†	86.0	(3.5)	79.7	(2.5)
Therapy (physical, occupational, or speech) (percentage)	*	*	100.0	(0.0)	†	†	†	†	†	†
Skilled nursing or nursing (percentage)	–	–	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	94.0	(1.4)
Pharmacy or pharmacist (percentage)	–	–	21.0	(4.0)	---	---	100.0	(0.0)	†	†
Hospice (percentage)	–	–	41.9	(4.8)	...	...	70.0	(4.6)	†	†

Table 45. Providers and Users of Long-Term Care Services in Utah, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	200	(0)	27,900	(5,100)	10,700	(1,900)	5,400	(600)	4,900	(100)
Age in years (percent):										
Under 65	12.3	(1.6)	13.3	(1.4)	4.1	(0.3)	24.1	(2.0)	6.2	(0.6)
65 and over	87.7	(1.6)	86.7	(1.4)	95.9	(0.3)	75.9	(2.0)	93.8	(0.6)
65–74	21.4	(2.2)	24.8	(1.0)	12.9	(0.5)	18.4	(0.7)	9.4	(0.7)
75–84	35.1	(2.8)	33.4	(0.8)	31.0	(0.6)	27.2	(1.1)	30.3	(1.4)
85 and over	31.2	(4.7)	28.4	(1.5)	52.0	(1.1)	30.3	(1.6)	54.0	(1.7)
Sex (percent):										
Men	39.2	(2.4)	35.8	(0.8)	40.2	(0.9)	38.1	(1.9)	27.5	(1.3)
Women	60.8	(2.4)	64.2	(0.8)	59.8	(0.9)	61.9	(1.9)	72.5	(1.3)
Race and ethnicity (percent):										
Hispanic	9.1	(1.6)	3.6	(0.2)	2.5	(0.2)	4.0	(0.3)	5.7	(2.2)
Non-Hispanic white	81.8	(1.9)	93.4	(0.4)	95.1	(0.3)	91.3	(0.9)	85.5	(2.6)
Non-Hispanic black	0.7	(0.3)	0.6	(0.1)	0.5	(0.1)	1.2	(0.2)	0.3	(0.1)
Non-Hispanic other	8.5	(0.4)	2.4	(0.2)	1.9	(0.2)	3.5	(0.8)	8.5	(1.5)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	75.4	(4.1)	31.5	(1.5)	40.8	(1.7)	38.4	(2.0)	34.1	(1.8)
Diagnosed with depression	23.6	(3.1)	37.9	(0.8)	17.8	(0.6)	57.5	(2.3)	23.8	(1.7)
Need assistance in physical functioning (percentage):										
Eating	*	*	47.0	(2.4)	---	---	64.7	(3.6)	18.1	(1.0)
Bathing	*	*	96.1	(0.7)	---	---	96.5	(0.7)	58.1	(2.1)
Dressing	*	*	84.3	(2.0)	---	---	92.4	(1.1)	44.8	(1.6)
Toileting	*	*	61.1	(4.1)	---	---	89.2	(1.4)	42.0	(1.9)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.
[5]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 46. Providers and Users of Long-Term Care Services in Vermont, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	20	(0.0)	10	(4)	10	(3)	40	(6)	90	(1)
Number of beds or licensed maximum capacity[2]	700	(100)	...	...	...	...	3,200	(600)	2,800	(200)
Average capacity	43	(4.0)	---	---	---	---	84	(7.2)	33	(2.0)
Average number of people served	27	(2.6)	---	---	---	---	73	(6.1)	28	(1.3)
Metropolitan statistical area status (percent):										
Metropolitan	*	*	*	*	*	*	15.2	(6.2)	24.6	(3.3)
Micropolitan or neither	*	*	*	*	*	*	84.8	(6.2)	75.4	(3.3)
Ownership (percent):										
For-profit	*	*	*	*	*	*	65.8	(7.7)	52.9	(3.7)
Not-for-profit, government, or other	*	*	*	*	*	*	34.2	(7.7)	47.1	(3.7)
Number of people served (percent):[3]										
Category 1	41.6	(8.1)	-	-	*	*	*	*	57.6	(2.2)
Category 2	58.4	(8.1)	*	*	*	*	*	*	42.4	(2.2)
Category 3	-	-	*	*	*	*	*	*	-	-
Staffing[4]										
Number of nursing employee FTEs	104	(8)	435	(141)	189	(89)	2,117	(383)	1,184	(110)
Nursing employee FTEs (percent):										
Registered nurse	17.7	(2.0)	62.7	(3.6)	59.2	(2.8)	14.6	(0.7)	10.6	(1.0)
Licensed practical nurse or licensed vocational nurse	9.0	(1.9)	10.6	(2.9)	9.1	(2.3)	21.5	(0.9)	8.6	(0.8)
Aide	73.4	(2.1)	26.7	(3.0)	31.8	(4.0)	63.9	(0.7)	80.8	(1.4)
Providers with one or more employee FTEs (percentage):										
Registered nurse	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	86.0	(1.9)
Licensed practical nurse or licensed vocational nurse	42.3	(8.1)	†	†	*	*	100.0	(0.0)	61.3	(3.2)
Aide	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	†	†
Social worker	41.2	(8.1)	100.0	(0.0)	100.0	(0.0)	73.7	(7.1)	14.6	(2.8)
Employee hours per resident or participant per day:										
Registered nurse	0.4	(0.1)	---	---	---	---	0.6	(0.0)	0.3	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.8	(0.0)	0.2	(0.0)
Aide	1.5	(0.1)	---	---	---	---	2.5	(0.1)	2.2	(0.1)
Social worker	0.2	(0.1)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	73.7	(7.1)	77.5	(3.1)
Mental health or counseling (percentage)	*	*	---	---	*	*	81.6	(6.3)	86.0	(2.6)
Therapy (physical, occupational, or speech) (percentage)	†	†	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	91.5	(2.1)
Skilled nursing or nursing (percentage)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	79.2	(3.0)
Pharmacy or pharmacist (percentage)	57.0	(8.1)	-	-	---	---	100.0	(0.0)	87.9	(2.2)
Hospice (percentage)	49.1	(8.2)	*	*	...	...	23.7	(6.9)	91.3	(2.0)

Table 46. Providers and Users of Long-Term Care Services in Vermont, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center	Home health agency	Hospice	Nursing home	Residential care community
	Number or percent (standard error)				
Service users					
Number of users[2]	900 (100)	12,000 (4,300)	1,800 (700)	2,800 (500)	2,400 (100)
Age in years (percent):					
Under 65	15.9 (1.6)	20.1 (0.6)	4.5 (0.4)	8.7 (1.1)	7.4 (1.0)
65 and over	84.1 (1.6)	79.9 (0.6)	95.5 (0.4)	91.3 (1.1)	92.6 (1.0)
65–74	17.0 (1.2)	24.0 (0.5)	18.2 (1.4)	12.9 (1.0)	10.1 (1.0)
75–84	36.2 (1.7)	30.7 (0.3)	31.8 (1.2)	29.4 (1.1)	28.7 (1.8)
85 and over	30.9 (1.7)	25.2 (0.5)	45.4 (1.7)	49.0 (2.4)	53.8 (2.1)
Sex (percent):					
Men	34.2 (1.2)	40.2 (0.6)	40.8 (1.0)	32.2 (2.9)	27.1 (1.4)
Women	65.8 (1.2)	59.8 (0.6)	59.2 (1.0)	67.7 (2.9)	72.9 (1.4)
Race and ethnicity (percent):					
Hispanic	0.1 (0.1)	0.4 (0.1)	0.4 (0.2)	0.4 (0.1)	0.2 (0.1)
Non-Hispanic white	79.8 (9.0)	97.8 (0.2)	98.4 (0.3)	98.9 (0.3)	87.4 (4.1)
Non-Hispanic black	0.9 (0.2)	0.4 (0.1)	0.3 (0.1)	0.4 (0.2)	0.1 (0.1)
Non-Hispanic other	19.1 (9.0)	1.3 (0.1)	0.9 (0.2)	0.3 (0.1)	12.2 (4.1)
Conditions (percentage):					
Diagnosed with Alzheimer's disease or other dementias	43.3 (4.5)	21.8 (0.5)	36.1 (1.2)	53.6 (2.4)	38.9 (2.6)
Diagnosed with depression	33.4 (1.5)	35.4 (0.8)	23.4 (1.2)	57.9 (2.6)	29.1 (1.9)
Need assistance in physical functioning (percentage):					
Eating	25.2 (2.3)	48.9 (3.9)	--- ---	50.3 (3.6)	19.4 (2.2)
Bathing	58.4 (6.0)	95.7 (0.8)	--- ---	96.0 (1.2)	66.6 (3.1)
Dressing	46.5 (4.9)	83.5 (3.4)	--- ---	93.7 (1.0)	45.8 (2.8)
Toileting	42.6 (2.8)	60.1 (3.9)	--- ---	89.4 (1.4)	33.8 (3.0)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 47. Providers and Users of Long-Term Care Services in Virginia, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	80	(0.0)	200	(15)	80	(9)	30	(17)	400	(4)
Number of beds or licensed maximum capacity[2]	3,100	(100)	...	...	...	...	32,100	(2,100)	26,700	(1,100)
Average capacity	41	(1.6)	---	---	---	---	113	(3.5)	69	(2.7)
Average number of people served	24	(1.3)	---	---	---	---	100	(3.2)	61	(4.3)
Metropolitan statistical area status (percent):										
Metropolitan	83.4	(2.2)	75.7	(2.9)	70.7	(5.0)	73.6	(2.6)	*	*
Micropolitan or neither	16.6	(2.2)	24.3	(2.9)	29.3	(5.0)	26.4	(2.6)	*	*
Ownership (percent):										
For-profit	23.8	(2.5)	79.7	(2.7)	58.5	(5.4)	69.4	(2.7)	64.3	(4.3)
Not-for-profit, government, or other	76.2	(2.5)	20.3	(2.7)	41.5	(5.4)	30.6	(2.7)	35.7	(4.3)
Number of people served (percent):[3]										
Category 1	*	*	28.7	(3.1)	28.4	(5.0)	4.9	(1.3)	*	*
Category 2	*	*	18.2	(2.7)	37.0	(5.4)	45.4	(3.0)	59.5	(3.4)
Category 3	*	*	53.1	(3.5)	34.6	(5.3)	49.6	(3.0)	*	*
Staffing[4]										
Number of nursing employee FTEs	452	(26)	2,762	(255)	1,229	(195)	19,754	(1,309)	8,883	(641)
Nursing employee FTEs (percent):										
Registered nurse	21.5	(0.9)	59.3	(1.8)	59.1	(2.4)	9.3	(0.3)	7.1	(1.6)
Licensed practical nurse or licensed vocational nurse	5.0	(0.5)	18.9	(1.4)	7.8	(1.0)	28.5	(0.4)	15.4	(1.3)
Aide	73.5	(1.0)	21.8	(1.6)	33.1	(2.0)	62.2	(0.5)	77.6	(1.8)
Providers with one or more employee FTEs (percentage):										
Registered nurse	86.7	(2.0)	†	†	100.0	(0.0)	†	†	49.8	(4.5)
Licensed practical nurse or licensed vocational nurse	25.8	(2.6)	72.1	(3.0)	52.4	(5.5)	†	†	76.3	(3.2)
Aide	†	†	93.7	(1.6)	†	†	†	†	94.8	(2.0)
Social worker	31.3	(2.7)	62.2	(3.3)	100.0	(0.0)	93.7	(1.4)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.5	(0.0)	---	---	---	---	0.5	(0.1)	0.1	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	1.0	(0.0)	0.3	(0.0)
Aide	1.6	(0.1)	---	---	---	---	2.3	(0.1)	1.8	(0.1)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided										
Social work (percentage)	57.1	(2.9)	74.8	(2.9)	100.0	(0.0)	96.8	(1.0)	77.7	(3.8)
Mental health or counseling (percentage)	51.3	(2.9)	---	---	†	†	93.0	(1.5)	92.7	(2.3)
Therapy (physical, occupational, or speech) (percentage)	70.2	(2.7)	97.3	(1.1)	†	†	100.0	(0.0)	†	†
Skilled nursing or nursing (percentage)	66.7	(2.8)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	74.0	(4.0)
Pharmacy or pharmacist (percentage)	18.7	(2.3)	2.7	(1.1)	---	---	98.2	(0.8)	100.0	(0.0)
Hospice (percentage)	37.5	(2.9)	11.3	(2.1)	...	...	71.5	(2.7)	94.8	(1.9)

Table 47. Providers and Users of Long-Term Care Services in Virginia, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	2,600	(100)	110,200	(13,800)	26,000	(5,000)	28,300	(1,900)	23,900	(1,700)
Age in years (percent):										
Under 65	17.7	(1.0)	17.6	(0.9)	5.1	(0.3)	14.5	(0.8)	4.9	(1.1)
65 and over	82.3	(1.0)	82.4	(0.9)	94.9	(0.3)	85.5	(0.8)	95.1	(1.1)
65–74	21.3	(0.9)	26.4	(0.5)	17.6	(0.5)	15.7	(0.4)	9.8	(1.4)
75–84	36.9	(1.2)	32.2	(0.4)	32.7	(0.3)	28.7	(0.4)	30.7	(2.7)
85 and over	24.1	(0.8)	23.8	(0.7)	44.5	(0.8)	41.0	(0.9)	54.6	(2.8)
Sex (percent):										
Men	34.8	(1.2)	37.3	(0.4)	39.6	(0.5)	31.3	(0.8)	27.4	(1.0)
Women	65.2	(1.2)	62.7	(0.4)	60.4	(0.5)	68.7	(0.8)	72.6	(1.0)
Race and ethnicity (percent):										
Hispanic	2.4	(0.3)	1.3	(0.1)	1.1	(0.3)	0.9	(0.1)	0.6	(0.1)
Non-Hispanic white	52.3	(2.4)	77.0	(1.3)	83.3	(1.5)	73.1	(1.4)	92.0	(1.5)
Non-Hispanic black	33.2	(2.2)	19.3	(1.4)	13.7	(1.7)	24.7	(1.3)	4.3	(0.8)
Non-Hispanic other	12.0	(2.6)	2.4	(0.3)	1.9	(0.4)	1.3	(0.2)	*3.1	(1.3)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	60.1	(2.0)	29.8	(0.8)	49.2	(1.1)	47.1	(1.0)	40.9	(2.3)
Diagnosed with depression	25.2	(1.4)	32.5	(0.6)	22.4	(0.5)	47.0	(1.1)	28.6	(2.7)
Need assistance in physical functioning (percentage):										
Eating	43.8	(2.3)	52.5	(2.1)	---	---	62.9	(1.6)	17.8	(2.5)
Bathing	62.1	(2.5)	95.8	(0.6)	---	---	96.6	(0.3)	58.1	(3.9)
Dressing	61.3	(2.6)	85.1	(1.4)	---	---	92.8	(0.5)	47.0	(4.3)
Toileting	62.0	(2.1)	65.9	(2.3)	---	---	89.1	(0.6)	42.4	(4.6)

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 48. Providers and Users of Long-Term Care Services in Washington, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	30	(1)	60	(8)	30	(6)	200	(15)	1,600	(16)
Number of beds or licensed maximum capacity[2]	2,200	(400)	...	...	...	...	21,800	(1,600)	33,200	(1,600)
Average capacity	79	(14.7	---	---	---	---	96	(2.8)	20	(0.9)
Average number of people served	63	(14.1	---	---	---	---	76	(2.4)	21	(1.6)
Metropolitan statistical area status (percent):										
Metropolitan	†	†	84.7	(4.7)	77.4	(7.5)	86.3	(2.3)	*	*
Micropolitan or neither	*	*	15.3	(4.7)	22.6	(7.5)	13.7	(2.3)	*	*
Ownership (percent):										
For-profit	*	*	52.5	(6.5)	16.1	(6.6)	74.9	(2.9)	*	*
Not-for-profit, government, or other	*	*	47.5	(6.5)	83.9	(6.6)	25.1	(2.9)	*	*
Number of people served (percent):[3]										
Category 1	*	*	-	-	*	*	6.6	(1.6)	78.5	(0.9)
Category 2	*	*	17.9	(5.1)	*	*	70.5	(3.0)	*	*
Category 3	*	*	82.1	(5.1)	*	*	22.9	(2.8)	*	*
Staffing[4]										
Number of nursing employee FTEs	153	(20)	922	(170)	857	(223)	12,791	(964)	14,004	(1,267)
Nursing employee FTEs (percent):										
Registered nurse	22.3	(2.0)	77.1	(1.7)	65.3	(1.9)	17.7	(0.5)	10.6	(1.6)
Licensed practical nurse or licensed vocational nurse	7.6	(1.0)	11.7	(1.6)	4.6	(1.3)	17.8	(0.5)	11.7	(1.4)
Aide	70.0	(2.4)	11.2	(0.6)	30.1	(1.3)	64.5	(0.5)	77.6	(2.1)
Providers with one or more employee FTEs (percentage):										
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	†	†	46.9	(4.8)
Licensed practical nurse or licensed vocational nurse	48.9	(6.4)	66.1	(6.2)	38.7	(8.7)	95.2	(1.4)	29.0	(4.1)
Aide	*	*	†	†	100.0	(0.0)	95.6	(1.4)	86.7	(3.6)
Social worker	53.8	(6.4)	†	†	100.0	(0.0)	82.4	(2.5)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.0)	---	---	---	---	0.8	(0.1)	0.3	(0.1)
Licensed practical nurse or licensed vocational nurse	0.1	(0.0)	---	---	---	---	0.6	(0.0)	0.2	(0.1)
Aide	0.5	(0.1)	---	---	---	---	2.5	(0.1)	2.3	(0.2)
Social worker	0.1	(0.0)	---	---	---	---	0.1	(0.0)	*0.0	(0.0)
Service provided										
Social work (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	90.7	(1.9)	81.6	(4.0)
Mental health or counseling (percentage)	63.9	(6.2)	---	---	100.0	(0.0)	87.7	(2.2)	82.2	(4.1)
Therapy (physical, occupational, or speech) (percentage)	*	*	†	†	100.0	(0.0)	100.0	(0.0)	86.4	(3.7)
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	†	†	86.7	(3.2)
Pharmacy or pharmacist (percentage)	26.1	(5.8)	10.2	(3.9)	---	---	†	†	85.0	(3.9)
Hospice (percentage)	24.6	(5.5)	28.8	(5.9)	...	...	68.7	(3.1)	91.6	(3.1)

Table 48. Providers and Users of Long-Term Care Services in Washington, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	3,700	(500)	57,300	(10,500)	21,400	(5,200)	17,400	(1,300)	35,100	(2,600)
Age in years (percent):										
Under 65	30.5	(4.6)	12.7	(0.9)	5.2	(0.4)	15.3	(1.2)	8.7	(1.8)
65 and over	69.5	(4.6)	87.3	(0.9)	94.8	(0.4)	84.7	(1.2)	91.3	(1.8)
65–74	28.0	(4.4)	21.4	(0.5)	16.4	(0.7)	15.9	(0.5)	9.4	(1.8)
75–84	23.0	(1.5)	32.0	(0.3)	29.5	(0.4)	26.9	(0.5)	28.3	(3.0)
85 and over	18.5	(3.2)	33.9	(1.2)	49.0	(1.3)	41.9	(1.2)	53.6	(4.5)
Sex (percent):										
Men	37.7	(2.3)	36.7	(0.5)	41.6	(0.5)	34.8	(1.1)	30.3	(2.0)
Women	62.3	(2.3)	63.3	(0.5)	58.4	(0.5)	65.2	(1.1)	69.7	(2.0)
Race and ethnicity (percent):										
Hispanic	3.9	(0.7)	2.1	(0.2)	1.7	(0.2)	2.2	(0.3)	1.4	(0.3)
Non-Hispanic white	50.5	(6.6)	91.1	(0.7)	92.4	(1.0)	89.0	(1.3)	86.5	(3.4)
Non-Hispanic black	12.3	(3.1)	2.2	(0.4)	1.6	(0.4)	3.7	(0.6)	1.6	(0.4)
Non-Hispanic other	33.4	(8.0)	4.6	(0.4)	4.2	(0.5)	5.1	(1.0)	*10.4	(3.4)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	25.6	(3.6)	34.1	(1.2)	37.1	(2.6)	45.0	(1.2)	46.7	(4.9)
Diagnosed with depression	21.2	(2.1)	34.5	(0.5)	17.1	(1.2)	52.3	(1.6)	31.9	(4.0)
Need assistance in physical functioning (percentage):										
Eating	22.4	(3.5)	48.0	(1.9)	---	---	52.8	(1.7)	25.2	(3.9)
Bathing	36.9	(5.7)	97.1	(0.4)	---	---	98.3	(0.2)	64.9	(5.7)
Dressing	44.2	(4.7)	83.5	(1.6)	---	---	93.4	(0.4)	52.2	(4.4)
Toileting	41.5	(3.0)	64.4	(2.6)	---	---	90.7	(0.6)	45.2	(5.6)

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.

[4]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 49. Providers and Users of Long-Term Care Services in West Virginia, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	10	(0.0)	60	(8)	20	(5)	100	(11)	90	(1)
Number of beds or licensed maximum capacity[2]	300	(100)	...	...	...	...	10,800	(1,100)	3,000	(200)
Average capacity	20	(4.2)	---	---	---	---	87	(3.6)	36	(2.1)
Average number of people served	8	(1.7)	---	---	---	---	76	(3.1)	27	(1.3)
Metropolitan statistical area status (percent):										
Metropolitan	*	*	57.9	(6.5)	55.0	(11.1)	52.0	(4.5)	58.4	(4.4)
Micropolitan or neither	*	*	42.1	(6.5)	45.0	(11.1)	48.0	(4.5)	41.6	(4.4)
Ownership (percent):										
For-profit	*	*	56.1	(6.6)	30.0	(10.2)	70.4	(4.1)	87.4	(3.1)
Not-for-profit, government, or other	*	*	43.9	(6.6)	70.0	(10.2)	29.6	(4.1)	12.6	(3.1)
Number of people served (percent):[3]										
Category 1	100.0	(0.0)	14.3	(4.7)	25.0	(9.7)	8.0	(2.4)	64.7	(2.4)
Category 2	-	-	16.1	(4.9)	25.0	(9.7)	67.2	(4.2)	35.3	(2.4)
Category 3	-	-	69.6	(6.1)	50.0	(11.2)	24.8	(3.9)	-	-
Staffing[4]										
Number of nursing employee FTEs	28	(7)	578	(91)	637	(222)	6,524	(636)	1,226	(86)
Nursing employee FTEs (percent):										
Registered nurse	22.9	(4.1)	72.7	(2.0)	50.0	(3.5)	12.0	(0.6)	8.6	(0.5)
Licensed practical nurse or licensed vocational nurse	6.8	(4.1)	14.1	(2.1)	13.7	(1.9)	25.3	(0.7)	14.7	(1.0)
Aide	70.3	(5.3)	13.2	(1.0)	36.3	(2.9)	62.7	(0.8)	76.7	(1.0)
Providers with one or more employee FTEs (percentage):										
Registered nurse	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	85.4	(3.1)
Licensed practical nurse or licensed vocational nurse	*	*	63.2	(6.4)	70.0	(10.2)	100.0	(0.0)	63.1	(4.5)
Aide	*	*	91.2	(3.7)	100.0	(0.0)	†	†	†	†
Social worker	-	-	64.9	(6.3)	100.0	(0.0)	96.0	(1.8)	26.8	(4.2)
Employee hours per resident or participant per day:										
Registered nurse	0.8	(0.2)	---	---	---	---	0.5	(0.1)	0.3	(0.0)
Licensed practical nurse or licensed vocational nurse	0.1	(0.1)	---	---	---	---	0.9	(0.0)	0.4	(0.0)
Aide	2.4	(0.7)	---	---	---	---	2.2	(0.1)	2.7	(0.1)
Social worker	0.0	(0.0)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Service provided										
Social work (percentage)	*	*	75.4	(5.7)	100.0	(0.0)	†	†	65.7	(4.4)
Mental health or counseling (percentage)	*	*	---	---	100.0	(0.0)	67.2	(4.2)	71.5	(4.1)
Therapy (physical, occupational, or speech) (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	†	†	†	†
Skilled nursing or nursing (percentage)	*	*	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	87.1	(3.2)
Pharmacy or pharmacist (percentage)	*	*	-	-	---	---	93.6	(2.2)	†	†
Hospice (percentage)	*	*	*	*	...	...	63.2	(4.3)	†	†
Missing[5]	*	*	...	...	...	...	...	...	...	...

Table 49. Providers and Users of Long-Term Care Services in West Virginia, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Service users										
Number of users[2]	100	(0)	31,400	(5,600)	8,900	(2,800)	9,500	(900)	2,200	(100)
Age in years (percent):										
Under 65	36.1	(18.2)	22.4	(0.8)	6.4	(0.5)	12.7	(0.8)	5.4	(1.1)
65 and over	63.9	(18.2)	77.6	(0.8)	93.6	(0.5)	87.3	(0.8)	94.6	(1.1)
65–74	30.1	(10.2)	24.2	(0.4)	19.6	(0.5)	15.3	(0.6)	8.8	(1.2)
75–84	24.2	(7.5)	31.6	(0.5)	33.7	(0.7)	30.7	(0.7)	35.6	(3.3)
85 and over	9.5	(6.8)	21.8	(0.6)	40.3	(0.9)	41.4	(1.3)	50.2	(3.2)
Sex (percent):										
Men	35.7	(6.7)	37.1	(0.5)	40.7	(0.6)	26.9	(0.8)	23.4	(1.0)
Women	64.3	(6.7)	62.9	(0.5)	59.3	(0.6)	73.1	(0.8)	76.6	(1.0)
Race and ethnicity (percent):										
Hispanic	0.0	(0.0)	0.3	(0.1)	0.1	(0.0)	0.2	(0.0)	0.1	(0.0)
Non-Hispanic white	90.5	(3.2)	96.0	(0.4)	97.3	(0.3)	96.5	(0.4)	86.3	(4.6)
Non-Hispanic black	8.2	(3.7)	3.1	(0.4)	2.2	(0.3)	3.2	(0.3)	1.2	(0.3)
Non-Hispanic other	1.4	(1.0)	0.6	(0.1)	0.4	(0.1)	0.1	(0.0)	12.5	(4.7)
Conditions (percentage):										
Diagnosed with Alzheimer's disease or other dementias	44.4	(14.4)	29.7	(1.0)	41.1	(1.2)	52.8	(1.6)	45.9	(2.8)
Diagnosed with depression	8.4	(4.5)	36.1	(0.7)	21.3	(0.7)	58.4	(1.5)	20.9	(2.4)
Need assistance in physical functioning (percentage):										
Eating	44.0	(11.1)	58.2	(2.4)	---	---	53.3	(2.3)	20.9	(2.4)
Bathing	54.9	(12.1)	96.8	(0.6)	---	---	97.2	(0.4)	71.7	(3.4)
Dressing	51.9	(12.3)	89.3	(1.6)	---	---	91.2	(0.7)	54.7	(3.4)
Toileting	48.7	(11.0)	75.4	(2.7)	---	---	87.2	(0.8)	49.3	(3.7)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For adult day services centers, nursing homes, and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]FTE is full time equivalent.
[5]Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 50. Providers and Users of Long-Term Care Services in Wisconsin, by Provider Type and Selected Characteristics

Selected characteristic	Adult day services center		Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)									
Organization										
Number of providers[1]	100	(1)	100	(11)	70	(8)	400	(20)	1,200	(22)
Number of beds or licensed maximum capacity[2]	3,600	(200)	...	...	...	...	35,200	(2,000)	34,400	(2,800)
Average capacity	29	(1.4)	---	---	---	---	90	(2.4)	29	(2.2)
Average number of people served	18	(0.9)	---	---	---	---	74	(2.1)	26	(2.2)
Metropolitan statistical area status (percent):										
Metropolitan	61.9	(2.6)	66.7	(4.2)	70.1	(5.6)	58.4	(2.5)	63.9	(4.4)
Micropolitan or neither	38.1	(2.6)	33.3	(4.2)	29.9	(5.6)	41.6	(2.5)	36.1	(4.4)
Ownership (percent):										
For-profit	25.2	(2.4)	49.2	(4.5)	29.9	(5.6)	51.8	(2.5)	71.3	(4.1)
Not-for-profit, government, or other	74.8	(2.4)	50.8	(4.5)	70.1	(5.6)	48.2	(2.5)	28.7	(4.1)
Number of people served (percent):[3]										
Category 1	*	*	34.2	(4.3)	19.4	(4.8)	5.9	(1.2)	69.4	(2.4)
Category 2	*	*	37.5	(4.4)	40.3	(6.0)	73.2	(2.2)	*	*
Category 3	*	*	28.3	(4.1)	40.3	(6.0)	20.9	(2.1)	*	*
Staffing[4]										
Number of nursing employee FTEs	388	(20)	1,825	(229)	1,272	(232)	21,104	(1,206)	15,431	(1,654)
Nursing employee FTEs (percent):										
Registered nurse	7.8	(0.5)	52.4	(2.8)	56.2	(1.7)	17.6	(0.3)	10.7	(2.8)
Licensed practical nurse or licensed vocational nurse	4.7	(0.6)	8.5	(1.2)	7.6	(1.5)	14.4	(0.4)	4.2	(1.3)
Aide	87.5	(0.8)	39.2	(2.6)	36.2	(1.5)	67.9	(0.4)	85.1	(3.3)
Providers with one or more employee FTEs (percentage):										
Registered nurse	34.9	(2.5)	100.0	(0.0)	100.0	(0.0)	†	†	68.0	(3.7)
Licensed practical nurse or licensed vocational nurse	15.5	(1.9)	43.7	(4.4)	46.3	(6.1)	98.5	(0.6)	24.4	(3.6)
Aide	83.6	(2.0)	†	†	†	†	98.5	(0.6)	93.9	(2.2)
Social worker	35.0	(2.5)	45.2	(4.4)	100.0	(0.0)	88.5	(1.6)	*	*
Employee hours per resident or participant per day:										
Registered nurse	0.2	(0.0)	---	---	---	---	0.7	(0.0)	0.2	(0.0)
Licensed practical nurse or licensed vocational nurse	0.2	(0.1)	---	---	---	---	0.6	(0.0)	*0.1	(0.0)
Aide	1.8	(0.2)	---	---	---	---	2.5	(0.0)	3.3	(0.2)
Social worker	0.2	(0.0)	---	---	---	---	0.1	(0.0)	0.1	(0.0)
Service provided										
Social work (percentage)	44.6	(2.6)	57.1	(4.4)	100.0	(0.0)	96.9	(0.9)	73.3	(4.1)
Mental health or counseling (percentage)	25.7	(2.3)	---	---	100.0	(0.0)	81.4	(2.0)	71.6	(4.3)
Therapy (physical, occupational, or speech) (percentage)	37.2	(2.6)	85.7	(3.1)	†	†	†	†	83.0	(3.6)
Skilled nursing or nursing (percentage)	44.4	(2.6)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	74.3	(4.2)
Pharmacy or pharmacist (percentage)	18.7	(2.1)	8.7	(2.5)	---	---	96.4	(0.9)	91.8	(3.0)
Hospice (percentage)	25.6	(2.3)	23.0	(3.8)	...	...	74.5	(2.2)	87.8	(3.3)

Table 50. Providers and Users of Long-Term Care Services in Wisconsin, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Adult day services center	Home health agency	Hospice	Nursing home	Residential care community
	Number or percent (standard error)				
Service users					
Number of users[2]	3,600 (200)	49,700 (10,900)	25,100 (4,600)	29,100 (1,700)	30,900 (2,700)
Age in years (percent):					
Under 65	41.0 (2.2)	17.8 (1.4)	4.8 (0.2)	8.9 (0.6)	6.0 (0.9)
65 and over	59.0 (2.2)	82.2 (1.4)	95.2 (0.2)	91.1 (0.6)	94.0 (0.9)
65–74	16.6 (0.7)	22.0 (0.4)	15.3 (0.7)	11.7 (0.4)	7.7 (1.2)
75–84	24.6 (1.1)	32.9 (0.5)	30.1 (0.5)	27.1 (0.3)	36.4 (4.3)
85 and over	17.7 (1.1)	27.3 (1.1)	49.8 (1.2)	52.4 (0.9)	49.8 (4.3)
Sex (percent):					
Men	43.8 (1.1)	38.4 (0.3)	40.1 (0.6)	31.6 (0.8)	27.4 (1.3)
Women	56.2 (1.1)	61.6 (0.3)	59.9 (0.6)	68.4 (0.8)	72.6 (1.3)
Race and ethnicity (percent):					
Hispanic	5.8 (1.9)	1.4 (0.2)	0.9 (0.1)	0.7 (0.1)	0.5 (0.2)
Non-Hispanic white	67.9 (2.6)	91.7 (1.6)	94.8 (0.8)	94.7 (0.7)	93.3 (3.2)
Non-Hispanic black	18.8 (2.0)	5.2 (1.4)	3.0 (0.7)	3.6 (0.6)	*3.2 (2.5)
Non-Hispanic other	7.4 (1.3)	1.7 (0.1)	1.3 (0.1)	1.0 (0.1)	*2.9 (2.1)
Conditions (percentage):					
Diagnosed with Alzheimer's disease or other dementias	41.7 (2.0)	26.6 (0.9)	41.3 (2.0)	51.1 (0.8)	34.2 (3.0)
Diagnosed with depression	15.2 (1.3)	35.1 (0.5)	20.7 (0.7)	52.2 (1.1)	27.1 (3.2)
Need assistance in physical functioning (percentage):					
Eating	32.3 (1.6)	36.9 (2.6)	--- ---	43.7 (1.1)	15.6 (2.2)
Bathing	32.6 (1.7)	93.9 (0.9)	--- ---	97.1 (0.3)	60.0 (5.6)
Dressing	35.1 (1.5)	74.2 (3.0)	--- ---	90.8 (0.5)	42.4 (4.5)
Toileting	44.4 (2.4)	51.0 (4.6)	--- ---	85.2 (0.6)	31.5 (4.0)

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.

[3]For nursing homes and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011.

[4]Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.

[5]FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.

Table 51. Providers and Users of Long-Term Care Services in Wyoming, by Provider Type and Selected Characteristics

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)							
Organization								
Number of providers[1]	30	(5)	20	(4)	40	(6)	20	(1)
Number of beds or licensed maximum capacity[2]	...	...	...	...	3,000	(500)	1,200	(100)
Average capacity	---	---	---	---	76	(6.8)	49	(1.6)
Average number of people served	---	---	---	---	62	(5.9)	36	(1.4)
Metropolitan statistical area status (percent):								
Metropolitan	*	*	*	*	20.5	(6.5)	25.6	(4.0)
Micropolitan or neither	*	*	*	*	79.5	(6.5)	74.4	(4.0)
Ownership (percent):								
For-profit	44.8	(9.2)	*	*	41.0	(7.9)	*	*
Not-for-profit, government, or other	55.2	(9.2)	*	*	59.0	(7.9)	*	*
Number of people served (percent):[3]								
Category 1	*	*	*	*	15.4	(5.8)	44.6	(2.3)
Category 2	*	*	*	*	69.2	(7.4)	55.4	(2.3)
Category 3	*	*	-	-	15.4	(5.8)	-	-
Staffing[4]								
Number of nursing employee FTEs	255	(62)	136	(39)	1,570	(297)	327	(19)
Nursing employee FTEs (percent):								
Registered nurse	50.5	(3.1)	62.4	(2.8)	20.6	(1.4)	14.2	(1.7)
Licensed practical nurse or licensed vocational nurse	4.9	(1.3)	3.7	(2.4)	14.9	(1.0)	14.2	(1.3)
Aide	44.6	(2.4)	34.0	(3.2)	64.5	(1.7)	71.6	(1.2)
Providers with one or more employee FTEs (percentage):								
Registered nurse	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	*	*
Licensed practical nurse or licensed vocational nurse	34.5	(8.8)	*	*	†	†	60.3	(3.4)
Aide	†	†	100.0	(0.0)	†	†	100.0	(0.0)
Social worker	69.0	(8.6)	100.0	(0.0)	76.9	(6.7)	*	*
Employee hours per resident or participant per day:								
Registered nurse	---	---	---	---	1.1	(0.3)	0.3	(0.1)
Licensed practical nurse or licensed vocational nurse	---	---	---	---	0.5	(0.0)	0.3	(0.0)
Aide	---	---	---	---	2.0	(0.1)	2.6	(0.4)
Social worker	---	---	---	---	0.1	(0.0)	0.0	(0.0)
Service provided								
Social work (percentage)	75.9	(7.9)	100.0	(0.0)	†	†	*	*
Mental health or counseling (percentage)	---	---	†	†	†	†	72.2	(4.3)
Therapy (physical, occupational, or speech) (percentage)	100.0	(0.0)	†	†	100.0	(0.0)	*	*
Skilled nursing or nursing (percentage)	100.0	(0.0)	100.0	(0.0)	100.0	(0.0)	*	*
Missing[5]	...	...	...	...	...	...	*	*
Pharmacy or pharmacist (percentage)	*	*	---	---	†	†	*	*
Missing[5]	...	...	...	...	...	...	*	*
Hospice (percentage)	24.1	(7.9)	...	...	28.2	(7.2)	*	*

Table 51. Providers and Users of Long-Term Care Services in Wyoming, by Provider Type and Selected Characteristics-Con.

Selected characteristic	Home health agency		Hospice		Nursing home		Residential care community	
	Number or percent (standard error)							
Service users								
Number of users[2]	3,700	(1,000)	1,100	(400)	2,400	(500)	900	(0)
Age in years (percent):								
Under 65	17.0	(1.0)	8.0	(0.8)	9.3	(1.0)	8.9	(2.6)
65 and over	83.0	(1.0)	92.0	(0.8)	90.7	(1.0)	91.1	(2.6)
65–74	23.7	(1.1)	21.1	(0.9)	12.8	(1.0)	14.3	(1.3)
75–84	33.2	(0.8)	34.2	(1.6)	29.5	(1.1)	27.2	(2.3)
85 and over	26.1	(1.0)	36.7	(1.6)	48.4	(2.1)	49.5	(2.9)
Sex (percent):								
Men	37.4	(1.0)	47.0	(1.3)	30.7	(1.4)	32.2	(3.1)
Women	62.6	(1.0)	53.0	(1.3)	69.3	(1.4)	67.8	(3.1)
Race and ethnicity (percent):								
Hispanic	4.0	(0.7)	3.4	(0.6)	3.4	(0.7)	2.0	(0.3)
Non-Hispanic white	92.8	(1.0)	92.8	(1.2)	93.7	(1.1)	81.6	(3.4)
Non-Hispanic black	0.5	(0.2)	0.4	(0.4)	0.7	(0.2)	0.4	(0.1)
Non-Hispanic other	2.7	(1.2)	3.3	(1.0)	2.3	(0.9)	16.0	(3.4)
Conditions (percentage):								
Diagnosed with Alzheimer's disease or other dementias	24.7	(1.3)	32.0	(1.8)	48.5	(2.2)	44.5	(3.9)
Diagnosed with depression	33.9	(1.2)	26.3	(1.2)	61.1	(3.2)	26.3	(2.8)
Need assistance in physical functioning (percentage):								
Eating	40.0	(3.3)	---	---	50.5	(5.0)	18.1	(3.9)
Bathing	91.3	(1.2)	---	---	96.6	(0.8)	59.1	(4.8)
Dressing	71.8	(3.2)	---	---	85.1	(1.9)	30.1	(3.1)
Toileting	46.8	(4.8)	---	---	82.6	(2.1)	21.1	(2.9)

– Quantity zero.
0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.
*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.
†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.
[1]Number of providers are rounded to the nearest tenth if less than 100, and to the nearest hundredth if more than 100.
[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest hundredth.
[3]For nursing homes and residential care communities, number of people served is based on current users on any given day in 2012 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served is based on number of patients in 2011 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2011. Hospice patients are patients who received care anytime in 2011.
[4]Reported only when the percentage of missing cases is greater than 10%. If percent missing is 10% or less, the cases are dropped from the analysis.
[5]FTE is full time equivalent.
NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. The methodology used to compute the tables is described in Appendix A of the Long-Term Care Services in the United States: 2013 Overview Report (available from: http://www.cdc.gov/nchs/data/nsltcp/long_term_care_services_2013.pdf). For each characteristic in the table, percent indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.
SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012.