# Long-Term Care Providers and Services Users in the United States—State Estimates Supplement: National Study of Long-Term Care Providers, 2013–2014

In February 2016, the National Center for Health Statistics (NCHS) released a report entitled *Long-Term Care Providers and Services Users in the United States: Data from the National Study of Long-Term Care Providers, 2013 – 2014* (accessible at: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf). That report includes national descriptive information on the supply, organizational characteristics, staffing, and services offered by paid, regulated providers of long-term care services; and the demographic, health, and functional characteristics of users of these services. The enclosed online-only series of **51 state tables** (one for each state and the District of Columbia) and **10 use rate maps** is a companion to that national report, providing state-level estimates for the topics covered in Appendix B (Tables 1-4) of that report.

Five of the 10 maps show the use rate of long-term care services by individuals aged 65 and over per 1,000 persons aged 65 and over for each of the five sectors (adult day, home health, hospice, nursing home, residential care). The other five maps show the use rate of long-term care services by individuals aged 85 and over per 1,000 persons aged 85 and over for each of the five sectors. The adult day, nursing home, and residential care maps present data for 2014 and the home health and hospice maps present data for 2013.

Data are presented in the state tables and maps only if they meet data reliability and confidentiality standards. Footnotes are included in the state tables and maps to indicate if estimates do not meet reliability and confidentiality standards. Estimates in the state tables are presented as a number,

percent distribution (i.e., estimates total to 100%), or percentage, as appropriate; estimates in the maps are presented as rates. No estimates for adult day services centers are presented for the District of Columbia, Idaho, Kansas, Utah, West Virginia and Wyoming, and no estimates for hospices are presented for Alaska, because these estimates do not meet reliability or confidentiality standards.

The data sources and methodology used to develop these state tables and maps are the same as used for *Long-Term Care Providers and Services Users in the United States: Data from the National Study of Long-Term Care Providers, 2013 – 2014*. For information on the data sources and methodology used, please see Chapter 4. Technical Notes and Appendix A of that report (accessible at: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

NSLTCP was initiated by NCHS to provide reliable, accurate, relevant, and timely statistical information to support and inform long-term care services policy, research and practice. The main goals of NSLTCP are to: (1) estimate the supply and use of paid, regulated long-term care services providers, (2) estimate key policy-relevant characteristics and practices, (3) produce national and state-level estimates, where feasible, (4) compare among sectors, and (5) monitor trends over time. NCHS implemented the first wave of the study in 2012 followed by the second wave in 2014, and plans to conduct NSLTCP every two years. NSLTCP comprises two components: (1) survey data collected by NCHS about adult day services centers and participants, and assisted living and similar residential care communities and residents; and (2) administrative data (claims, assessment, and survey and certification regulatory information) on nursing homes and residents, home health agencies and patients, and hospices and patients obtained from the Centers for Medicare & Medicaid Services

(CMS). The restricted 2014 survey data files for the adult day services and residential care sectors are available through NCHS's Research Data Center (http://www.cdc.gov/nchs/nsltcp/nsltcp_rdc.htm).

**Suggested citation**

Sengupta M, Valverde R, Lendon JP, Rome V, Caffrey C, Harris-Kojetin L. Long-Term Care Providers and Services Users in the United States—State Estimates Supplement: National Study of Long-Term Care Providers, 2013–2014. Hyattsville, MD: National Center for Health Statistics. 2016.

**Acknowledgements**

The authors greatly appreciate the guidance received from Eve Powell-Griner, Alvan Zarate, and Iris Shimizu, National Center for Health Statistics, in designing the first wave of tables using the 2012 NSLTCP. The same design was used for the current tables. The authors are grateful for technical support and assistance from Anthony Quintana, National Center for Health Statistics, in making the document 508 compliant.

# Figure 1. Use rate of adult day services center participants aged 65 and over: United States, 2014




Statistical significance tested at p<0.05.

Note: The national rate is 4.

Note: Rates based on participants enrolled in adult day services centers on any given day in 2014 per 1,000 persons aged 65 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 1. Use rate of adult day services center participants aged 65 and over: United States, 2014

| Area | Daily rate[1] | Standard error |
|---|---|---|
| United States | 3.88 | 0.07 |
| Alabama | 0.56 | 0.23 |
| Alaska | 5.49 | 0.52 |
| Arizona | 1.23 | 0.10 |
| Arkansas | 1.18 | 0.15 |
| California | 10.12 | 0.46 |
| Colorado | 3.47 | 0.39 |
| Connecticut | 4.12 | 0.25 |
| Delaware | 2.43 | 0.21 |
| DC | * | * |
| Florida | 1.79 | 0.10 |
| Georgia | 1.21 | 0.11 |
| Hawaii | 6.57 | 0.69 |
| Idaho | * | * |
| Illinois | 2.80 | 0.19 |
| Indiana | 0.94 | 0.07 |
| Iowa | 1.44 | 0.20 |
| Kansas | * | * |
| Kentucky | 2.76 | 0.20 |
| Louisiana | 2.08 | 0.44 |
| Maine | 0.91 | 0.09 |
| Maryland | 9.01 | 0.83 |
| Massachusetts | 8.80 | 0.60 |
| Michigan | 1.92 | 0.22 |
| Minnesota | 6.56 | 0.47 |
| Mississippi | 4.71 | 0.50 |
| Missouri | 1.58 | 0.19 |
| Montana | 0.51 | 0.16 |
| Nebraska | 1.14 | 0.25 |
| Nevada | 2.71 | 0.29 |
| New Hampshire | 2.30 | 0.37 |
| New Jersey | 9.94 | 0.51 |
| New Mexico | 0.99 | 0.22 |
| New York | 3.84 | 0.27 |
| North Carolina | 2.03 | 0.10 |
| North Dakota | 1.80 | 0.59 |
| Ohio | 2.32 | 0.18 |
| Oklahoma | 1.26 | 0.13 |
| Oregon | 0.72 | 0.08 |
| Pennsylvania | 3.80 | 0.26 |
| Rhode Island | 5.09 | 0.50 |
| South Carolina | 2.28 | 0.20 |

| | | |
|---|---|---|
| South Dakota | 2.34 | 0.48 |
| Tennessee | 0.88 | 0.08 |
| Texas | 6.21 | 0.23 |
| Utah | * | * |
| Vermont | 5.85 | 0.81 |
| Virginia | 2.06 | 0.14 |
| Washington | 1.60 | 0.20 |
| West Virginia | * | * |
| Wisconsin | 2.78 | 0.23 |
| Wyoming | * | * |

[1]Participants enrolled in adult day services centers on any given day in 2014 per 1,000 persons aged 65 and over.

*Estimate is not presented because estimate does not meet reliability or confidentiality standards.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

# Figure 2. Use rate of adult day services center participants aged 85 and over: United States, 2014




Statistical significance tested at $p<0.05$.

Note: The national rate is 6.

Note: Rates based on participants enrolled in adult day services centers on any given day in 2014 per 1,000 persons aged 85 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 2. Use rate of adult day services center participants aged 85 and over: United States, 2014

| Area | Daily rate[1] | Standard error |
|---|---|---|
| United States | 6.43 | 0.16 |
| Alabama | 0.85 | 0.29 |
| Alaska | 7.00 | 1.62 |
| Arizona | 1.89 | 0.45 |
| Arkansas | 1.93 | 0.35 |
| California | 17.80 | 1.12 |
| Colorado | 5.04 | 1.01 |
| Connecticut | 7.44 | 0.75 |
| Delaware | 2.76 | 1.13 |
| DC | * | * |
| Florida | 3.61 | 0.34 |
| Georgia | 2.02 | 0.34 |
| Hawaii | 23.44 | 3.04 |
| Idaho | * | * |
| Illinois | 3.45 | 0.19 |
| Indiana | 2.20 | 0.25 |
| Iowa | 1.56 | 0.24 |
| Kansas | * | * |
| Kentucky | 3.77 | 0.66 |
| Louisiana | 2.91 | 1.30 |
| Maine | 1.66 | 0.28 |
| Maryland | 18.44 | 2.39 |
| Massachusetts | 11.52 | 0.94 |
| Michigan | 3.65 | 0.60 |
| Minnesota | 7.92 | 1.06 |
| Mississippi | 3.73 | 1.32 |
| Missouri | 2.41 | 0.39 |
| Montana | 0.55 | 0.24 |
| Nebraska | 1.61 | 0.46 |
| Nevada | 6.67 | 0.86 |
| New Hampshire | 4.59 | 0.77 |
| New Jersey | 11.01 | 0.93 |
| New Mexico | 1.61 | 1.09 |
| New York | 5.82 | 0.39 |
| North Carolina | 4.01 | 0.24 |
| North Dakota | 3.63 | 1.81 |
| Ohio | 4.14 | 0.45 |
| Oklahoma | 2.63 | 0.40 |
| Oregon | 1.67 | 0.21 |
| Pennsylvania | 6.21 | 0.56 |
| Rhode Island | 12.51 | 1.46 |
| South Carolina | 6.17 | 0.78 |

| | | |
|---|---|---|
| South Dakota | 3.15 | 1.37 |
| Tennessee | 2.35 | 0.27 |
| Texas | 7.05 | 0.73 |
| Utah | * | * |
| Vermont | 16.59 | 3.71 |
| Virginia | 4.99 | 0.49 |
| Washington | 2.47 | 0.33 |
| West Virginia | * | * |
| Wisconsin | 3.58 | 0.45 |
| Wyoming | * | * |

[1]Participants enrolled in adult day services centers on any given day in 2014 per 1,000 persons aged 85 and over.

*Estimate is not presented because estimate does not meet reliability or confidentiality standards.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

# Figure 3. Use rate of home health patients aged 65 and over discharged in calendar year: United States, 2013




Statistical significance tested at $p<0.05$.

Note: The national rate is 91.

Note: Rates based on home health patients whose episode of care ended anytime in 2013 per 1,000 persons aged 65 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 3. Use rate of home health patients aged 65 and over discharged in calendar year: United States, 2013

| Area | Annual rate[1] | Standard error |
|---|---|---|
| United States | 91.12 | 2.12 |
| Alabama | 115.22 | 16.04 |
| Alaska | 28.72 | 11.57 |
| Arizona | 58.11 | 10.41 |
| Arkansas | 85.88 | 11.08 |
| California | 77.92 | 4.89 |
| Colorado | 72.74 | 12.97 |
| Connecticut | 114.11 | 22.50 |
| Delaware | 93.12 | 35.82 |
| DC | 62.04 | 25.99 |
| Florida | 106.69 | 6.27 |
| Georgia | 88.58 | 12.88 |
| Hawaii | 27.02 | 9.57 |
| Idaho | 69.70 | 13.96 |
| Illinois | 107.29 | 9.49 |
| Indiana | 75.00 | 8.53 |
| Iowa | 63.81 | 12.01 |
| Kansas | 72.91 | 13.03 |
| Kentucky | 105.63 | 17.24 |
| Louisiana | 116.99 | 11.64 |
| Maine | 89.37 | 25.56 |
| Maryland | 79.49 | 15.78 |
| Massachusetts | 133.85 | 24.34 |
| Michigan | 118.22 | 12.89 |
| Minnesota | 61.19 | 12.70 |
| Mississippi | 124.55 | 23.54 |
| Missouri | 87.35 | 14.00 |
| Montana | 40.48 | 10.39 |
| Nebraska | 66.69 | 16.05 |
| Nevada | 78.65 | 15.98 |
| New Hampshire | 100.09 | 27.81 |
| New Jersey | 83.73 | 16.45 |
| New Mexico | 65.86 | 12.98 |
| New York | 87.52 | 20.22 |
| North Carolina | 90.68 | 10.08 |
| North Dakota | 42.24 | 16.05 |
| Ohio | 97.85 | 11.15 |
| Oklahoma | 106.08 | 11.40 |
| Oregon | 57.86 | 14.62 |
| Pennsylvania | 115.26 | 15.02 |
| Rhode Island | 125.91 | 34.57 |
| South Carolina | 85.21 | 15.37 |

| | | |
|---|---|---|
| South Dakota | 33.35 | 8.12 |
| Tennessee | 106.17 | 12.00 |
| Texas | 103.11 | 4.40 |
| Utah | 91.64 | 15.84 |
| Vermont | 98.02 | 34.65 |
| Virginia | 88.67 | 10.45 |
| Washington | 59.99 | 11.09 |
| West Virginia | 84.69 | 14.76 |
| Wisconsin | 53.06 | 11.36 |
| Wyoming | 41.56 | 10.60 |

[1]Home health patients whose episode of care ended anytime in 2013 per 1,000 persons aged 65 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

# Figure 4. Use rate of home health patients aged 85 and over discharged in calendar year: United States, 2013




Statistical significance tested at p<0.05.

Note: The national rate is 212.

Note: Rates based on home health patients whose episode of care ended anytime in 2013 per 1,000 persons aged 85 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 4. Use rate of home health patients aged 85 and over discharged in calendar year: United States, 2013

| Area | Annual rate[1] | Standard error |
|---|---|---|
| United States | 212.22 | 5.17 |
| Alabama | 269.14 | 37.96 |
| Alaska | 78.40 | 28.51 |
| Arizona | 154.37 | 27.23 |
| Arkansas | 197.52 | 26.20 |
| California | 186.53 | 11.93 |
| Colorado | 191.64 | 34.74 |
| Connecticut | 267.65 | 51.39 |
| Delaware | 202.07 | 75.38 |
| DC | 129.79 | 55.53 |
| Florida | 262.54 | 15.97 |
| Georgia | 232.61 | 34.93 |
| Hawaii | 69.85 | 25.71 |
| Idaho | 187.27 | 38.15 |
| Illinois | 232.83 | 20.70 |
| Indiana | 168.72 | 18.59 |
| Iowa | 126.14 | 22.86 |
| Kansas | 164.59 | 29.33 |
| Kentucky | 245.99 | 40.35 |
| Louisiana | 255.94 | 25.87 |
| Maine | 214.47 | 59.79 |
| Maryland | 183.92 | 35.20 |
| Massachusetts | 301.32 | 52.77 |
| Michigan | 263.31 | 29.16 |
| Minnesota | 150.37 | 30.96 |
| Mississippi | 277.53 | 52.85 |
| Missouri | 174.74 | 27.03 |
| Montana | 111.86 | 28.20 |
| Nebraska | 151.10 | 36.39 |
| Nevada | 192.92 | 42.38 |
| New Hampshire | 235.51 | 67.13 |
| New Jersey | 199.98 | 39.27 |
| New Mexico | 170.78 | 33.91 |
| New York | 202.68 | 46.20 |
| North Carolina | 208.00 | 23.23 |
| North Dakota | 81.11 | 30.31 |
| Ohio | 212.93 | 22.58 |
| Oklahoma | 228.83 | 24.33 |
| Oregon | 163.92 | 44.19 |
| Pennsylvania | 242.53 | 30.07 |
| Rhode Island | 272.10 | 73.54 |
| South Carolina | 197.56 | 35.55 |

| | | |
|---|---|---|
| South Dakota | 78.23 | 18.73 |
| Tennessee | 275.36 | 31.57 |
| Texas | 236.70 | 10.71 |
| Utah | 231.18 | 36.37 |
| Vermont | 236.09 | 82.63 |
| Virginia | 207.87 | 23.25 |
| Washington | 173.11 | 33.42 |
| West Virginia | 198.23 | 35.23 |
| Wisconsin | 124.32 | 24.95 |
| Wyoming | 113.11 | 29.71 |

[1]Home health patients whose episode of care ended anytime in 2013 per 1,000 persons aged 85 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

# Figure 5. Use rate of hospice patients aged 65 and over: United States, 2013




Statistical significance tested at $p<0.05$.

Note: The national rate is 28.

Note: Rates based on hospice patients receiving care anytime in 2013 per 1,000 persons aged 65 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 5. Use rate of hospice patients aged 65 and over in calendar year: United States, 2013

| Area | Annual rate[1] | Standard error |
|---|---|---|
| United States | 28.31 | 0.86 |
| Alabama | 37.08 | 5.78 |
| Alaska | * | * |
| Arizona | 34.46 | 6.87 |
| Arkansas | 29.99 | 7.35 |
| California | 24.31 | 2.08 |
| Colorado | 27.04 | 5.95 |
| Connecticut | 24.07 | 6.88 |
| Delaware | 31.15 | 12.19 |
| DC | 19.07 | 10.78 |
| Florida | 30.19 | 7.68 |
| Georgia | 34.44 | 3.62 |
| Hawaii | 20.54 | 8.76 |
| Idaho | 32.88 | 6.98 |
| Illinois | 25.19 | 3.87 |
| Indiana | 29.73 | 4.30 |
| Iowa | 34.96 | 5.86 |
| Kansas | 31.73 | 6.58 |
| Kentucky | 23.85 | 7.84 |
| Louisiana | 33.89 | 3.94 |
| Maine | 25.50 | 7.83 |
| Maryland | 23.33 | 6.92 |
| Massachusetts | 26.26 | 4.81 |
| Michigan | 32.73 | 4.77 |
| Minnesota | 26.73 | 6.03 |
| Mississippi | 34.86 | 5.15 |
| Missouri | 32.27 | 4.56 |
| Montana | 23.31 | 6.27 |
| Nebraska | 30.00 | 6.46 |
| Nevada | 27.44 | 8.29 |
| New Hampshire | 23.62 | 6.49 |
| New Jersey | 24.97 | 4.69 |
| New Mexico | 27.85 | 7.50 |
| New York | 15.52 | 3.47 |
| North Carolina | 28.33 | 4.66 |
| North Dakota | 22.19 | 13.39 |
| Ohio | 35.48 | 5.70 |
| Oklahoma | 34.95 | 4.38 |
| Oregon | 30.89 | 6.83 |
| Pennsylvania | 30.84 | 3.45 |
| Rhode Island | 34.54 | 20.76 |
| South Carolina | 36.97 | 5.69 |

| | | |
|---|---|---|
| South Dakota | 21.24 | 6.98 |
| Tennessee | 27.33 | 5.26 |
| Texas | 32.17 | 2.64 |
| Utah | 37.82 | 6.33 |
| Vermont | 20.10 | 7.70 |
| Virginia | 24.26 | 4.51 |
| Washington | 23.89 | 5.93 |
| West Virginia | 26.38 | 8.52 |
| Wisconsin | 30.77 | 5.42 |
| Wyoming | 14.58 | 4.93 |

[1]Hospice patients receiving care anytime in 2013 per 1,000 persons aged 65 and over.

*Estimate is not presented because estimate does not meet reliability or confidentiality standards.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

# Figure 6. Use rate of hospice patients aged 85 and over: United States, 2013




Statistical significance tested at $p<0.05$.

Note: The national rate is 105.

Note: Rates based on hospice patients receiving care anytime in 2013 per 1,000 persons aged 85 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 6. Use rate of hospice patients aged 85 and over in calendar year: United States, 2013

| Area | Annual rate[1] | Standard error |
|---|---|---|
| United States | 105.03 | 3.32 |
| Alabama | 140.42 | 21.38 |
| Alaska | * | * |
| Arizona | 147.06 | 29.47 |
| Arkansas | 104.47 | 26.21 |
| California | 96.17 | 8.49 |
| Colorado | 114.58 | 24.34 |
| Connecticut | 85.24 | 24.14 |
| Delaware | 123.54 | 47.96 |
| DC | 70.12 | 39.23 |
| Florida | 110.25 | 29.39 |
| Georgia | 142.08 | 15.37 |
| Hawaii | 74.36 | 31.98 |
| Idaho | 135.31 | 28.23 |
| Illinois | 91.24 | 14.08 |
| Indiana | 103.60 | 15.19 |
| Iowa | 114.78 | 18.95 |
| Kansas | 109.11 | 22.27 |
| Kentucky | 80.94 | 27.49 |
| Louisiana | 126.08 | 14.67 |
| Maine | 97.70 | 29.17 |
| Maryland | 85.57 | 25.51 |
| Massachusetts | 93.10 | 16.64 |
| Michigan | 119.90 | 17.56 |
| Minnesota | 94.67 | 21.44 |
| Mississippi | 123.08 | 18.44 |
| Missouri | 116.53 | 16.59 |
| Montana | 88.30 | 24.02 |
| Nebraska | 106.21 | 23.34 |
| Nevada | 124.28 | 35.41 |
| New Hampshire | 89.97 | 24.78 |
| New Jersey | 94.89 | 17.56 |
| New Mexico | 118.14 | 32.37 |
| New York | 53.00 | 12.06 |
| North Carolina | 106.92 | 17.98 |
| North Dakota | 69.00 | 43.03 |
| Ohio | 127.32 | 20.20 |
| Oklahoma | 133.23 | 16.74 |
| Oregon | 120.09 | 27.05 |
| Pennsylvania | 106.23 | 11.75 |
| Rhode Island | 116.49 | 67.82 |
| South Carolina | 152.02 | 23.64 |

| | | |
|---|---|---|
| South Dakota | 66.00 | 21.43 |
| Tennessee | 101.72 | 19.82 |
| Texas | 128.67 | 10.34 |
| Utah | 168.72 | 26.95 |
| Vermont | 74.94 | 29.73 |
| Virginia | 95.57 | 18.14 |
| Washington | 95.02 | 24.03 |
| West Virginia | 95.54 | 31.14 |
| Wisconsin | 110.28 | 19.57 |
| Wyoming | 49.06 | 16.23 |

[1]Hospice patients receiving care anytime in 2013 per 1,000 persons aged 85 and over.

*Estimate is not presented because estimate does not meet reliability or confidentiality standards.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

# Figure 7. Use rate of nursing home residents aged 65 and over: United States, 2014




Statistical significance tested at p<0.05.

Note: The national rate is 24.

Note: Rates based on nursing home residents on any given day in 2014 per 1,000 persons aged 65 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 7. Use rate of nursing home residents aged 65 and over: United States, 2014

| Area | Daily rate[1] | Standard error |
|---|---|---|
| Unite States | 23.64 | 0.13 |
| Alabama | 24.56 | 1.78 |
| Alaska | 6.50 | 1.93 |
| Arizona | 7.59 | 0.72 |
| Arkansas | 31.01 | 2.18 |
| California | 15.14 | 0.51 |
| Colorado | 19.23 | 1.49 |
| Connecticut | 34.49 | 2.58 |
| Delaware | 21.39 | 3.65 |
| DC | 25.55 | 7.02 |
| Florida | 15.80 | 0.65 |
| Georgia | 21.16 | 1.23 |
| Hawaii | 12.45 | 2.42 |
| Idaho | 13.00 | 1.66 |
| Illinois | 29.98 | 1.27 |
| Indiana | 33.92 | 1.66 |
| Iowa | 43.11 | 2.40 |
| Kansas | 35.06 | 2.22 |
| Kentucky | 29.88 | 1.96 |
| Louisiana | 31.56 | 2.06 |
| Maine | 22.07 | 2.49 |
| Maryland | 23.26 | 1.79 |
| Massachusetts | 34.09 | 1.86 |
| Michigan | 21.47 | 1.15 |
| Minnesota | 28.17 | 1.70 |
| Mississippi | 29.23 | 2.26 |
| Missouri | 31.95 | 1.61 |
| Montana | 20.43 | 2.73 |
| Nebraska | 37.06 | 2.94 |
| Nevada | 8.39 | 1.41 |
| New Hampshire | 27.95 | 3.80 |
| New Jersey | 27.14 | 1.63 |
| New Mexico | 13.41 | 1.81 |
| New York | 29.18 | 1.42 |
| North Carolina | 20.74 | 1.08 |
| North Dakota | 45.88 | 6.22 |
| Ohio | 33.07 | 1.20 |
| Oklahoma | 25.94 | 1.66 |
| Oregon | 8.32 | 0.81 |
| Pennsylvania | 31.18 | 1.42 |
| Rhode Island | 42.97 | 5.22 |
| South Carolina | 17.85 | 1.49 |

| | | |
|---|---|---|
| South Dakota | 41.19 | 4.43 |
| Tennessee | 23.34 | 1.44 |
| Texas | 24.89 | 0.78 |
| Utah | 13.27 | 1.54 |
| Vermont | 21.23 | 3.93 |
| Virginia | 19.91 | 1.33 |
| Washington | 13.31 | 1.00 |
| West Virginia | 23.29 | 2.32 |
| Wisconsin | 26.11 | 1.51 |
| Wyoming | 23.25 | 4.39 |

[1]Residents in nursing homes on any given day in 2014 per 1,000 persons aged 65 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

# Figure 8. Use rate of nursing home residents aged 85 and over: United States, 2014




Statistical significance tested at p<0.05.

Note: The national rate is 87.

Note: Rates based on residents in nursing homes on any given day in 2014 per 1,000 persons aged 85 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 8. Use rate of nursing home residents aged 85 and over: United States, 2014

| Area | Daily rate[1] | Standard error |
|---|---|---|
| United States | 86.89 | 0.54 |
| Alabama | 94.74 | 7.20 |
| Alaska | 27.48 | 8.63 |
| Arizona | 26.46 | 2.62 |
| Arkansas | 124.14 | 9.20 |
| California | 49.73 | 1.77 |
| Colorado | 80.10 | 6.56 |
| Connecticut | 120.44 | 9.41 |
| Delaware | 92.70 | 15.72 |
| DC | 75.07 | 21.53 |
| Florida | 54.79 | 2.38 |
| Georgia | 84.29 | 5.21 |
| Hawaii | 45.62 | 9.04 |
| Idaho | 49.25 | 6.61 |
| Illinois | 104.50 | 4.72 |
| Indiana | 126.69 | 6.52 |
| Iowa | 159.49 | 8.83 |
| Kansas | 125.45 | 8.28 |
| Kentucky | 118.37 | 8.17 |
| Louisiana | 109.26 | 7.78 |
| Maine | 91.39 | 10.35 |
| Maryland | 81.25 | 6.84 |
| Massachusetts | 122.67 | 7.05 |
| Michigan | 77.81 | 4.35 |
| Minnesota | 110.23 | 6.84 |
| Mississippi | 102.39 | 8.29 |
| Missouri | 116.19 | 6.22 |
| Montana | 81.96 | 11.55 |
| Nebraska | 134.33 | 10.68 |
| Nevada | 33.29 | 5.91 |
| New Hampshire | 116.95 | 16.01 |
| New Jersey | 93.82 | 5.82 |
| New Mexico | 52.58 | 7.07 |
| New York | 100.32 | 5.06 |
| North Carolina | 81.88 | 4.41 |
| North Dakota | 166.04 | 22.43 |
| Ohio | 112.08 | 4.39 |
| Oklahoma | 94.28 | 6.40 |
| Oregon | 26.86 | 2.87 |
| Pennsylvania | 107.84 | 5.01 |
| Rhode Island | 151.29 | 18.83 |
| South Carolina | 74.78 | 6.47 |

| | | |
|---|---|---|
| South Dakota | 156.05 | 17.18 |
| Tennessee | 91.73 | 5.88 |
| Texas | 94.75 | 3.13 |
| Utah | 43.07 | 5.51 |
| Vermont | 84.28 | 15.41 |
| Virginia | 77.05 | 5.27 |
| Washington | 49.20 | 3.97 |
| West Virginia | 91.34 | 9.52 |
| Wisconsin | 101.10 | 5.99 |
| Wyoming | 98.34 | 18.54 |

[1]Residents in nursing homes on any given day in 2014 per 1,000 persons aged 85 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

# Figure 9. Use rate of residential care residents aged 65 and over: United States, 2014




Statistical significance tested at p<0.05.

Note: The national rate is 17.

Note: Rates based on residents in residential care communities on any given day in 2014 per 1,000 persons aged 65 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 9. Use rate of residential care residents aged 65 and over: United States, 2014

| Area | Daily rate[1] | Standard error |
|---|---|---|
| United States | 16.77 | 0.27 |
| Alabama | 9.96 | 0.49 |
| Alaska | 19.07 | 3.91 |
| Arizona | 17.00 | 0.90 |
| Arkansas | 8.12 | 0.30 |
| California | 19.49 | 0.78 |
| Colorado | 16.50 | 0.90 |
| Connecticut | 1.93 | 0.21 |
| Delaware | 10.59 | 1.16 |
| DC | 7.54 | 0.14 |
| Florida | 16.91 | 1.05 |
| Georgia | 15.64 | 0.79 |
| Hawaii | 20.01 | 3.10 |
| Idaho | 26.35 | 1.02 |
| Illinois | 15.04 | 1.13 |
| Indiana | 14.73 | 0.42 |
| Iowa | 1.90 | 0.10 |
| Kansas | 21.89 | 1.61 |
| Kentucky | 15.01 | 0.68 |
| Louisiana | 7.09 | 0.35 |
| Maine | 23.53 | 0.81 |
| Maryland | 18.34 | 1.50 |
| Massachusetts | 12.07 | 0.42 |
| Michigan | 17.66 | 0.95 |
| Minnesota | 33.36 | 2.76 |
| Mississippi | 10.99 | 0.77 |
| Missouri | 10.98 | 0.73 |
| Montana | 25.73 | 1.24 |
| Nebraska | 31.99 | 1.02 |
| Nevada | 8.25 | 0.24 |
| New Hampshire | 15.62 | 0.54 |
| New Jersey | 13.50 | 0.37 |
| New Mexico | 10.02 | 0.59 |
| New York | 9.00 | 0.46 |
| North Carolina | 16.80 | 0.96 |
| North Dakota | 40.22 | 1.93 |
| Ohio | 17.88 | 0.87 |
| Oklahoma | 13.14 | 0.44 |
| Oregon | 41.94 | 2.42 |
| Pennsylvania | 23.07 | 1.93 |
| Rhode Island | 18.92 | 0.84 |
| South Carolina | 13.51 | 2.07 |

| | | |
|---|---|---|
| South Dakota | 31.17 | 1.09 |
| Tennessee | 13.56 | 0.43 |
| Texas | 11.02 | 0.68 |
| Utah | 19.69 | 0.69 |
| Vermont | 18.16 | 0.61 |
| Virginia | 15.30 | 0.90 |
| Washington | 41.59 | 3.67 |
| West Virginia | 8.19 | 0.48 |
| Wisconsin | 30.50 | 2.36 |
| Wyoming | 7.57 | 0.87 |

[1]Residents in residential care on any given day in 2014 per 1,000 persons aged 65 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

# Figure 10. Use rate of residential care residents aged 85 and over: United States, 2014




Statistical significance tested at p<0.05.

Note: The national rate is 62.

Note: Rates based on residents in residential care communities on any given day in 2014 per 1,000 persons aged 85 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014

Figure table 10. Use of residential care residents aged 85 and over: United States, 2014

| Area | Daily rate[1] | Standard error |
|---|---|---|
| United States | 61.71 | 1.46 |
| Alabama | 43.46 | 2.81 |
| Alaska | 84.24 | 31.28 |
| Arizona | 69.41 | 7.83 |
| Arkansas | 29.20 | 1.71 |
| California | 60.93 | 5.55 |
| Colorado | 72.56 | 8.26 |
| Connecticut | 6.04 | 0.94 |
| Delaware | 45.09 | 7.06 |
| DC | 22.50 | 5.19 |
| Florida | 63.50 | 6.23 |
| Georgia | 61.85 | 7.73 |
| Hawaii | 65.90 | 14.74 |
| Idaho | 105.24 | 8.76 |
| Illinois | 53.27 | 6.20 |
| Indiana | 54.59 | 2.89 |
| Iowa | 6.72 | 0.84 |
| Kansas | 64.59 | 5.21 |
| Kentucky | 64.25 | 4.31 |
| Louisiana | 29.24 | 2.33 |
| Maine | 85.82 | 4.50 |
| Maryland | 72.05 | 7.80 |
| Massachusetts | 44.21 | 2.05 |
| Michigan | 57.64 | 6.55 |
| Minnesota | 124.69 | 15.92 |
| Mississippi | 37.80 | 4.36 |
| Missouri | 37.12 | 4.74 |
| Montana | 90.50 | 8.05 |
| Nebraska | 107.96 | 4.87 |
| Nevada | 31.32 | 3.56 |
| New Hampshire | 66.97 | 3.81 |
| New Jersey | 57.95 | 2.14 |
| New Mexico | 37.50 | 3.41 |
| New York | 24.03 | 2.88 |
| North Carolina | 58.52 | 5.97 |
| North Dakota | 118.10 | 7.38 |
| Ohio | 70.61 | 4.85 |
| Oklahoma | 56.36 | 3.53 |
| Oregon | 166.28 | 16.13 |
| Pennsylvania | 88.63 | 8.55 |
| Rhode Island | 58.73 | 3.93 |
| South Carolina | 56.57 | 11.14 |

| | | |
|---|---|---|
| South Dakota | 111.01 | 7.26 |
| Tennessee | 62.15 | 2.99 |
| Texas | 42.97 | 4.86 |
| Utah | 78.88 | 5.82 |
| Vermont | 72.10 | 4.24 |
| Virginia | 55.98 | 6.27 |
| Washington | 165.28 | 21.69 |
| West Virginia | 40.31 | 3.02 |
| Wisconsin | 90.07 | 10.80 |
| Wyoming | 35.39 | 4.29 |

[1]Residents in residential care on any given day in 2014 per 1,000 persons aged 85 and over.

Source: NCHS, National Study of Long-Term Care Providers, 2014.

Table 1. Providers and Users of Long-Term Care Services in Alabama, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 20 | (0.0) | 100 | (12) | 100 | (11) | 200 | (15) | 300 | (3) |
| Number of beds or licensed maximum capacity[2] | 800 | (200) | ... | ... | ... | ... | 26,400 | (1,900) | 9,700 | (400) |
| Average capacity | 48 | (13.9) | --- | --- | --- | --- | 117 | (3.1) | 38 | (1.5) |
| Average number of people served | 19 | (5.2) | --- | --- | --- | --- | 100 | (2.7) | 30 | (1.4) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | * | * | 55.7 | (4.1) | 63.7 | (4.5) | 65.9 | (3.2) | 71.5 | (2.8) |
| Micropolitan or neither | * | * | 44.3 | (4.1) | 36.3 | (4.5) | 34.1 | (3.2) | 28.5 | (2.8) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | * | * | 70.5 | (3.7) | 67.3 | (4.4) | 81.0 | (2.6) | 78.2 | (2.6) |
| Not-for-profit, government, or other | * | * | 29.5 | (3.7) | 32.7 | (4.4) | 19.0 | (2.6) | 21.8 | (2.6) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 6.1 | (2.0) | 26.1 | (4.2) | * | * | * | * |
| Category 2 | * | * | 34.5 | (3.9) | 48.6 | (4.7) | * | * | * | * |
| Category 3 | - | - | 59.5 | (4.0) | 25.2 | (4.1) | * | * | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 99.1 | (0.6) | … | … |
| Medicaid-certified | * | * | 95.3 | (1.7) | --- | --- | 96.9 | (1.2) | * | * |
| Chain-affiliated (percentage) | 0.0 | (0.0) | --- | --- | --- | --- | 58.8 | (3.3) | 65.2 | (3.1) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 83 | (37) | 2,217 | (237) | 2,128 | (272) | 17,432 | (1,273) | 4,194 | (292) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 29.5 | (6.0) | 60.1 | (1.6) | 49.4 | (1.1) | 10.1 | (0.3) | 7.3 | (0.7) |
| Licensed practical nurse or licensed vocational nurse | 11.7 | (1.8) | 16.0 | (1.4) | 6.1 | (0.7) | 26.1 | (0.4) | 18.1 | (1.0) |
| Aide | 50.4 | (4.6) | 20.6 | (1.3) | 33.6 | (0.7) | 62.6 | (0.6) | 73.9 | (1.3) |
| Social worker | 8.4 | (1.5) | 3.4 | (0.3) | 10.9 | (0.4) | 1.2 | (0.1) | 0.7 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 97.8 | (1.0) | 54.6 | (3.2) |
| Licensed practical nurse or licensed vocational nurse | * | * | 84.6 | (3.0) | 59.3 | (4.6) | 100.0 | (0.0) | 66.1 | (2.8) |
| Aide | * | * | † | (†) | † | (†) | † | (†) | 91.3 | (1.8) |

Table 1. Providers and Users of Long-Term Care Services in Alabama, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | * | * | 77.9 | (3.4) | 100.0 | (0.0) | 69.0 | (3.1) | 10.1 | (2.0) |
| Activities staff | * | * | --- | --- | --- | --- | 96.0 | (1.3) | 75.8 | (2.5) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.8 | (0.2) | --- | --- | --- | --- | 0.4 | (0.0) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.1) | --- | --- | --- | --- | 1.0 | (0.0) | 0.4 | (0.0) |
| Aide | 0.6 | (0.2) | --- | --- | --- | --- | 2.4 | (0.1) | 2.4 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.0 | (0.0) | 0.0 | (0.0) |
| Activities staff | 0.8 | (0.2) | --- | --- | --- | --- | 0.2 | (0.0) | 0.3 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | * | * | 79.2 | (3.3) | 100.0 | (0.0) | 85.4 | (2.3) | 33.6 | (3.2) |
| Mental health or counseling (percentage) | * | * | --- | --- | † | (†) | 82.7 | (2.5) | 39.8 | (3.4) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | † | (†) | † | (†) | † | (†) | 59.6 | (3.4) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 43.1 | (3.4) |
| Pharmacy or pharmacist (percentage) | * | * | * | * | --- | --- | 96.9 | (1.2) | 81.4 | (2.5) |
| Hospice (percentage) | * | * | * | * | … | … | 89.8 | (2.0) | 47.1 | (3.4) |
| Dental (percentage) | * | * | --- | --- | --- | --- | 73.5 | (2.9) | 32.6 | (3.2) |
| Podiatrist (percentage) | * | * | --- | --- | --- | --- | 87.6 | (2.2) | 67.6 | (3.1) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | * | * | 100.0 | (0.0) | --- | --- | --- | --- | 76.6 | (2.5) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 24.8 | (2.9) | 34.7 | (3.1) |

Table 1. Providers and Users of Long-Term Care Services in Alabama, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 600 | (200) | 102,800 | (14,000) | 29,000 | (4,500) | 22,700 | (1,600) | 7,600 | (400) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 32.8 | (7.1) | 19.2 | (0.6) | 7.8 | (0.2) | 16.5 | (0.7) | 2.4 | (0.3) |
| 65 and over | 67.5 | (7.2) | 80.8 | (0.6) | 92.2 | (0.2) | 83.5 | (0.7) | 97.6 | (0.3) |
| 65–74 | 36.1 | (4.3) | 26.9 | (0.3) | 19.8 | (0.3) | 17.9 | (0.5) | 8.2 | (0.8) |
| 75–84 | 20.1 | (2.7) | 32.5 | (0.4) | 32.7 | (0.3) | 29.4 | (0.4) | 35.5 | (1.6) |
| 85 and over | 11.2 | (2.1) | 21.5 | (0.5) | 39.7 | (0.6) | 36.2 | (0.9) | 54.0 | (1.9) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 51.0 | (3.1) | 36.3 | (0.3) | 40.9 | (0.7) | 29.3 | (0.7) | 26.1 | (1.4) |
| Women | 49.0 | (3.1) | 63.7 | (0.3) | 59.1 | (0.7) | 70.7 | (0.7) | 73.9 | (1.4) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 0.7 | (0.3) | 0.4 | (0.0) | 0.3 | (0.0) | 0.2 | (0.0) | 0.2 | (0.1) |
| Non-Hispanic white | 41.1 | (6.0) | 78.1 | (1.5) | 80.6 | (1.1) | 72.9 | (1.6) | 94.3 | (0.7) |
| Non-Hispanic black | 57.2 | (6.0) | 20.8 | (1.5) | 18.5 | (1.1) | 25.7 | (1.6) | 4.8 | (0.7) |
| Non-Hispanic other | 1.0 | (0.3) | 0.7 | (0.0) | 0.5 | (0.1) | 1.2 | (0.2) | 0.6 | (0.2) |
| Used Medicaid for long-term care services (percent distribution) | 63.0 | (18.0) | 5.2 | (0.9) | --- | --- | 67.9 | (0.9) | 4.2 | (2.0) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 35.3 | (3.6) | 33.2 | (0.5) | 48.6 | (0.7) | 56.0 | (0.9) | 42.1 | (2.8) |
| Diagnosed with depression | 8.0 | (2.1) | 31.4 | (0.8) | 19.7 | (0.6) | 52.8 | (1.1) | 25.8 | (2.3) |
| Diagnosed with diabetes | 38.6 | (8.2) | 45.8 | (0.4) | 33.2 | (0.5) | 35.1 | (0.5) | 18.7 | (1.4) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 13.8 | (4.1) | 71.1 | (1.7) | --- | --- | 52.3 | (1.4) | 17.3 | (2.4) |
| Bathing | 32.2 | (4.8) | 98.5 | (0.2) | --- | --- | 97.4 | (0.3) | 62.9 | (2.4) |
| Dressing | 30.3 | (5.4) | 95.7 | (0.4) | --- | --- | 93.1 | (0.5) | 50.0 | (2.7) |
| Toileting | 18.6 | (2.8) | 86.8 | (1.0) | --- | --- | 87.6 | (0.6) | 33.4 | (3.0) |
| Transferring in and out of a chair or bed | 14.9 | (2.6) | 94.2 | (0.5) | --- | --- | 85.5 | (0.7) | 24.4 | (2.7) |
| Walking | 20.3 | (3.6) | 97.2 | (0.3) | --- | --- | 92.6 | (0.5) | 35.1 | (3.1) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 4.7 | (1.0) | 22.3 | (0.8) | --- | --- | --- | --- | 8.6 | (0.7) |

Table 1. Providers and Users of Long-Term Care Services in Alabama, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 10.7 | (3.1) | 18.4 | (0.8) | --- | --- | --- | --- | 11.0 | (1.1) |
| Falls | 13.5 | (3.8) | 0.1 | (0.0) | --- | --- | 15.7 | (0.5) | 23.9 | (1.8) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 2. Providers and Users of Long-Term Care Services in Alaska, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | |
| Number of providers[1] | 10 | (0) | 10 | (4) | 20 | (4) | 100 | (2) |
| Number of beds or licensed maximum capacity[2] | 400 | (100) | ... | ... | 700 | (200) | 1,800 | (300) |
| Average capacity | 33 | (4.4) | --- | --- | 39 | (7.0) | 12 | (1.8) |
| Average number of people served | 16 | (1.3) | --- | --- | 33 | (6.7) | 10 | (1.7) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | |
| Metropolitan | * | * | 50.0 | (14.4) | * | * | 84.3 | (2.9) |
| Micropolitan or neither | * | * | 50.0 | (14.4) | * | * | 15.7 | (2.9) |
| Ownership (percent distribution): | | | | | | | | |
| For-profit | - | - | * | * | * | * | 88.2 | (2.6) |
| Not-for-profit, government, or other | 100.0 | (0.0) | * | * | † | (†) | 11.8 | (2.6) |
| Number of people served (percent distribution):[3] | | | | | | | | |
| Category 1 | * | * | * | * | 61.1 | (11.5) | † | (†) |
| Category 2 | * | * | * | * | 38.9 | (11.5) | * | * |
| Category 3 | - | - | * | * | - | - | * | * |
| Certification (percentage): | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | 100.0 | (0.0) | … | … |
| Medicaid-certified | * | * | 91.7 | (8.3) | 100.0 | (0.0) | † | (†) |
| Chain-affiliated (percentage) | * | * | --- | --- | 33.3 | (11.4) | 56.7 | (4.5) |
| **Staffing[4]** | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 30 | (8) | 103 | (38) | 615 | (180) | 1,083 | (187) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | |
| Registered nurse | 6.4 | (1.2) | 74.1 | (3.7) | 18.3 | (1.9) | 8.5 | (1.0) |
| Licensed practical nurse or licensed vocational nurse | 4.2 | (0.9) | 6.9 | (3.0) | 12.0 | (2.1) | 6.4 | (1.5) |
| Aide | 85.1 | (2.4) | 15.5 | (3.1) | 68.0 | (2.2) | 84.6 | (2.2) |
| Social worker | 4.2 | (0.9) | 3.5 | (1.1) | 1.7 | (0.4) | 0.5 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | |
| Registered nurse | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 26.4 | (3.7) |
| Licensed practical nurse or licensed vocational nurse | * | * | * | * | * | * | 15.6 | (2.5) |

Table 2. Providers and Users of Long-Term Care Services in Alaska, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| Aide | * | * | * | * | † | (†) | 89.5 | (2.8) |
| Social worker | * | * | * | * | 72.2 | (10.6) | * | * |
| Activities staff | 100.0 | (0.0) | --- | --- | † | (†) | 22.3 | (3.2) |
| Employee hours per resident or participant per day: | | | | | | | | |
| Registered nurse | 0.0 | (0.0) | --- | --- | 1.3 | (0.2) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.0 | (0.0) | --- | --- | 0.6 | (0.1) | 0.1 | (0.0) |
| Aide | 0.8 | (0.2) | --- | --- | 3.7 | (0.4) | 3.3 | (0.3) |
| Social worker | 0.0 | (0.0) | --- | --- | 0.2 | (0.0) | 0.0 | (0.0) |
| Activities staff | 1.3 | (0.2) | --- | --- | 0.4 | (0.1) | 0.1 | (0.0) |
| **Service provided** | | | | | | | | |
| Social work (percentage) | * | * | † | (†) | * | * | 31.7 | (4.2) |
| Mental health or counseling (percentage) | * | * | --- | --- | 61.1 | (11.5) | 34.3 | (4.2) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 40.9 | (4.4) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 51.6 | (4.4) |
| Pharmacy or pharmacist (percentage) | * | * | * | * | 100.0 | (0.0) | 50.1 | (4.4) |
| Hospice (percentage) | * | * | * | * | * | * | 40.6 | (4.4) |
| Dental (percentage) | * | * | --- | --- | 61.1 | (11.5) | 41.7 | (4.5) |
| Podiatrist (percentage) | * | * | --- | --- | 38.9 | (11.5) | 52.0 | (4.6) |
| **Practices** | | | | | | | | |
| Depression screening (percentage) | * | * | † | (†) | --- | --- | 87.7 | (3.0) |
| **Special care** | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | * | * | 23.6 | (3.7) |

Table 2. Providers and Users of Long-Term Care Services in Alaska, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | |
| Number of users[2] | 400 | (0) | 2,400 | (1,000) | 600 | (200) | 1,500 | (300) |
| Age in years (percent distribution): | | | | | | | | |
| Under 65 | 10.9 | (0.9) | 20.5 | (1.7) | 20.9 | (4.3) | 13.7 | (2.8) |
| 65 and over | 89.1 | (0.9) | 79.5 | (1.7) | 79.1 | (4.3) | 86.6 | (2.8) |
| 65–74 | 25.2 | (3.5) | 31.9 | (1.6) | 23.2 | (1.7) | 17.7 | (2.6) |
| 75–84 | 49.2 | (4.7) | 29.0 | (0.9) | 27.4 | (2.8) | 30.6 | (2.3) |
| 85 and over | 14.8 | (2.0) | 18.7 | (1.9) | 28.6 | (4.3) | 38.3 | (5.5) |
| Sex (percent distribution): | | | | | | | | |
| Men | 33.5 | (2.9) | 38.3 | (0.8) | 40.2 | (1.8) | 36.3 | (3.2) |
| Women | 66.5 | (2.9) | 61.7 | (0.8) | 59.8 | (1.8) | 63.7 | (3.2) |
| Race and ethnicity (percent distribution): | | | | | | | | |
| Hispanic | 2.1 | (0.5) | 2.2 | (0.5) | 1.4 | (0.4) | 1.8 | (0.5) |
| Non-Hispanic white | 58.1 | (6.3) | 76.1 | (4.5) | 67.4 | (4.3) | 74.0 | (2.6) |
| Non-Hispanic black | 2.4 | (0.4) | 2.8 | (0.8) | 4.6 | (1.9) | 1.5 | (0.4) |
| Non-Hispanic other | 37.3 | (6.7) | 18.9 | (4.6) | 26.7 | (4.4) | 23.1 | (2.4) |
| Used Medicaid for long-term care services (percent distribution) | 34.0 | (6.6) | 20.5 | (3.4) | 80.7 | (5.0) | 43.4 | (4.8) |
| Conditions (percentage): | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 42.0 | (5.6) | 27.4 | (2.7) | 36.1 | (4.6) | 46.3 | (3.7) |
| Diagnosed with depression | 10.6 | (2.3) | 30.6 | (1.8) | 42.8 | (3.4) | 21.1 | (2.4) |
| Diagnosed with diabetes | 16.7 | (1.6) | 39.2 | (1.2) | 33.3 | (3.3) | 18.1 | (1.9) |
| Need assistance in physical functioning (percentage): | | | | | | | | |
| Eating | 24.5 | (4.6) | 49.8 | (5.2) | 51.0 | (7.9) | 44.8 | (4.0) |
| Bathing | 38.1 | (7.2) | 96.0 | (1.6) | 95.8 | (1.0) | 69.9 | (5.1) |
| Dressing | 39.5 | (7.3) | 86.0 | (3.2) | 91.0 | (1.9) | 59.3 | (4.6) |
| Toileting | 33.7 | (6.1) | 66.8 | (3.2) | 87.5 | (3.0) | 57.4 | (4.6) |
| Transferring in and out of a chair or bed | 34.9 | (5.6) | 89.5 | (3.0) | 84.8 | (3.6) | 40.0 | (3.1) |
| Walking | 40.8 | (3.7) | 95.0 | (1.9) | 93.7 | (1.7) | 42.4 | (4.9) |
| Adverse events (percentage): | | | | | | | | |

Table 2. Providers and Users of Long-Term Care Services in Alaska, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| Overnight hospital stay | 5.3 | (0.6) | 13.1 | (2.5) | --- | --- | 9.6 | (0.9) |
| Emergency department visit | 5.2 | (0.6) | 18.7 | (2.2) | --- | --- | 13.8 | (0.9) |
| Falls | 7.3 | (1.3) | 0.5 | (0.1) | 16.1 | (2.5) | 19.1 | (2.5) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

Estimates for hospices are not presented because these estimates do not meet reliability or confidentiality standards.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 3. Providers and Users of Long-Term Care Services in Arizona, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 20 | (1) | 200 | (13) | 100 | (10) | 100 | (12) | 1,400 | (17) |
| Number of beds or licensed maximum capacity[2] | 1,200 | (100) | ... | ... | ... | ... | 16,500 | (1,500) | 24,900 | (1,200) |
| Average capacity | 55 | (4.6) | --- | --- | --- | --- | 112 | (4.4) | 17 | (0.8) |
| Average number of people served | 34 | (3.5) | --- | --- | --- | --- | 78 | (3.4) | 14 | (0.6) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 100.0 | (0.0) | 96.8 | (1.4) | 93.7 | (2.5) | 93.9 | (2.0) | † | (†) |
| Micropolitan or neither | - | - | 3.2 | (1.4) | 6.3 | (2.5) | 6.1 | (2.0) | * | * |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | * | * | 87.9 | (2.6) | 72.6 | (4.6) | 78.9 | (3.4) | 92.0 | (2.3) |
| Not-for-profit, government, or other | * | * | 12.1 | (2.6) | 27.4 | (4.6) | 21.1 | (3.4) | * | * |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 51.3 | (9.4) | 29.9 | (3.8) | 27.8 | (4.7) | 8.2 | (2.3) | 88.0 | (1.0) |
| Category 2 | 48.7 | (9.4) | 27.1 | (3.7) | 32.2 | (4.9) | 70.7 | (3.8) | * | * |
| Category 3 | - | - | 43.1 | (4.1) | 40.0 | (5.2) | 21.1 | (3.4) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 100.0 | (0.0) | … | … |
| Medicaid-certified | 60.6 | 9.2 | 85.4 | (2.8) | --- | --- | 79.6 | (3.3) | 48.9 | (4.5) |
| Chain-affiliated (percentage) | * | * | --- | --- | --- | --- | 63.9 | (4.0) | 47.0 | (4.5) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 110 | (11) | 1,661 | (198) | 2,013 | (338) | 9,039 | (847) | 7,485 | (570) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 29.5 | (4.1) | 62.1 | (2.6) | 49.1 | (1.9) | 14.2 | (0.5) | 5.0 | (1.1) |
| Licensed practical nurse or licensed vocational nurse | 7.0 | (2.0) | 15.6 | (2.6) | 7.2 | (1.2) | 23.9 | (0.6) | *10.6 | (3.5) |
| Aide | 53.1 | (4.5) | 18.2 | (2.1) | 33.1 | (1.9) | 60.3 | (0.7) | 83.3 | (3.5) |
| Social worker | 10.3 | (1.8) | 4.1 | (0.4) | 10.6 | (0.6) | 1.6 | (0.1) | *1.1 | (0.5) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | † | (†) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Licensed practical nurse or licensed vocational nurse | * | * | 66.9 | (3.8) | 49.5 | (5.1) | 100.0 | (0.0) | * | * |
| Aide | * | * | 91.7 | (2.2) | † | (†) | † | (†) | 64.7 | (4.2) |

Table 3. Providers and Users of Long-Term Care Services in Arizona, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | * | * | 72.6 | (3.6) | † | (†) | 74.1 | (3.6) | * | * |
| Activities staff | 100.0 | (0.0) | --- | --- | --- | --- | † | (†) | 35.0 | (4.0) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.4 | (0.1) | --- | --- | --- | --- | 0.8 | (0.1) | 0.2 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.1) | --- | --- | --- | --- | 1.1 | (0.1) | *0.1 | (0.1) |
| Aide | 0.6 | (0.1) | --- | --- | --- | --- | 2.8 | (0.3) | 1.7 | (0.2) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Activities staff | 0.5 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.3 | (0.1) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | * | * | 90.4 | (2.3) | 100.0 | (0.0) | 81.6 | (3.2) | 42.0 | (4.5) |
| Mental health or counseling (percentage) | * | * | --- | --- | † | (†) | 78.9 | (3.4) | 43.3 | (4.5) |
| Therapy (physical, occupational, or speech) (percentage) | 42.3 | (9.4) | † | (†) | † | (†) | 100.0 | (0.0) | 67.3 | (4.2) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 60.0 | (4.4) |
| Pharmacy or pharmacist (percentage) | – | – | 5.1 | (1.8) | --- | --- | † | (†) | * | * |
| Hospice (percentage) | * | * | * | * | … | … | 81.6 | (3.2) | 66.2 | (4.3) |
| Dental (percentage) | – | – | --- | --- | --- | --- | 81.6 | (3.2) | 42.4 | (4.4) |
| Podiatrist (percentage) | * | * | --- | --- | --- | --- | 87.1 | (2.8) | 72.4 | (4.0) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | † | (†) | 86.1 | (2.9) | --- | --- | --- | --- | 84.4 | (3.2) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 22.4 | (3.4) | * | * |

Table 3. Providers and Users of Long-Term Care Services in Arizona, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 1,600 | (100) | 69,200 | (12,200) | 36,900 | (7,400) | 11,400 | (1,100) | 19,500 | (900) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 17.7 | (3.4) | 14.5 | (1.5) | 4.9 | (0.2) | 21.6 | (1.6) | 6.7 | (2.0) |
| 65 and over | 82.0 | (3.3) | 85.5 | (1.5) | 95.1 | (0.2) | 78.4 | (1.6) | 93.4 | (2.0) |
| 65–74 | 23.8 | (2.5) | 26.8 | (0.8) | 17.0 | (0.4) | 19.8 | (0.6) | 11.1 | (1.8) |
| 75–84 | 31.5 | (2.8) | 32.1 | (0.7) | 30.6 | (0.4) | 26.7 | (0.7) | 32.9 | (3.0) |
| 85 and over | 26.7 | (3.1) | 26.6 | (0.9) | 47.5 | (0.8) | 31.9 | (1.4) | 49.3 | (3.8) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 50.3 | (1.7) | 39.1 | (0.4) | 42.4 | (0.4) | 40.1 | (1.3) | 31.1 | (1.6) |
| Women | 49.7 | (1.7) | 60.9 | (0.4) | 57.6 | (0.4) | 59.9 | (1.3) | 69.0 | (1.6) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 15.5 | (1.7) | 7.2 | (0.6) | 8.6 | (0.8) | 14.6 | (1.1) | 4.6 | (0.6) |
| Non-Hispanic white | 75.3 | (3.2) | 86.7 | (0.7) | 86.6 | (0.9) | 70.7 | (1.7) | 86.4 | (3.2) |
| Non-Hispanic black | 4.4 | (0.9) | 2.7 | (0.2) | 2.4 | (0.2) | 4.9 | (0.4) | 1.4 | (0.4) |
| Non-Hispanic other | 4.9 | (1.4) | 3.3 | (0.2) | 2.5 | (0.2) | 9.7 | (1.5) | *7.6 | (3.1) |
| Used Medicaid for long-term care services (percent distribution) | 19.7 | (5.4) | 7.6 | (1.6) | --- | --- | 58.5 | (2.2) | 15.6 | (3.0) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 61.9 | (4.0) | 30.0 | (1.3) | 35.8 | (1.1) | 41.3 | (1.7) | 46.3 | (4.1) |
| Diagnosed with depression | 19.2 | (4.5) | 35.7 | (0.7) | 14.5 | (0.5) | 46.3 | (1.2) | 24.2 | (3.1) |
| Diagnosed with diabetes | 17.4 | (1.2) | 38.7 | (0.8) | 20.2 | (0.4) | 33.5 | (0.8) | 15.8 | (1.5) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 23.6 | (5.7) | 51.5 | (3.6) | --- | --- | 54.7 | (2.6) | 25.5 | (2.8) |
| Bathing | 18.6 | (4.9) | 95.6 | (0.8) | --- | --- | 96.4 | (0.6) | 66.8 | (4.1) |
| Dressing | 16.4 | (3.7) | 86.4 | (1.9) | --- | --- | 90.6 | (0.9) | 56.3 | (4.2) |
| Toileting | 32.8 | (4.5) | 69.8 | (2.3) | --- | --- | 88.5 | (1.0) | 46.9 | (3.9) |
| Transferring in and out of a chair or bed | 24.8 | (3.9) | 87.9 | (1.5) | --- | --- | 86.6 | (1.2) | 38.5 | (2.9) |
| Walking | 22.8 | (5.1) | 94.2 | (0.9) | --- | --- | 93.0 | (0.7) | 33.0 | (3.8) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 6.0 | (1.0) | 12.6 | (0.6) | --- | --- | --- | --- | 8.2 | (1.2) |

Table 3. Providers and Users of Long-Term Care Services in Arizona, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 6.1 | (0.8) | 13.0 | (0.5) | --- | --- | --- | --- | 12.4 | (1.7) |
| Falls | 8.3 | (0.8) | 0.2 | (0.0) | --- | --- | 17.2 | (0.9) | 23.8 | (2.7) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 4. Providers and Users of Long-Term Care Services in Arkansas, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 40 | (0) | 200 | (13) | 50 | (7) | 200 | (15) | 100 | (1) |
| Number of beds or licensed maximum capacity[2] | 1,100 | (100) | ... | ... | ... | ... | 24,600 | (1,700) | 5,800 | (100) |
| Average capacity | 30 | (4.0) | --- | --- | --- | --- | 107 | (2.1) | 52 | (1.0) |
| Average number of people served | 15 | (2.6) | --- | --- | --- | --- | 76 | (1.8) | 39 | (1.0) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 79.5 | (5.2) | 32.0 | (3.6) | 50.0 | (6.9) | 49.4 | (3.3) | 64.3 | (2.7) |
| Micropolitan or neither | 20.5 | (5.2) | 68.0 | (3.6) | 50.0 | (6.9) | 50.6 | (3.3) | 35.7 | (2.7) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 44.0 | (6.6) | 29.1 | (3.5) | 46.2 | (6.9) | 84.8 | (2.4) | 75.9 | (2.4) |
| Not-for-profit, government, or other | 56.0 | (6.6) | 70.9 | (3.5) | 53.8 | (6.9) | 15.2 | (2.4) | 24.1 | (2.4) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 43.8 | (3.8) | 39.2 | (6.8) | 2.2 | (1.0) | * | * |
| Category 2 | * | * | 28.4 | (3.5) | 29.4 | (6.4) | 82.7 | (2.5) | * | * |
| Category 3 | * | * | 27.8 | (3.4) | 31.4 | (6.5) | 15.2 | (2.4) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 97.8 | (1.0) | … | … |
| Medicaid-certified | 100.0 | (0.0) | 100.0 | (0.0) | --- | --- | 97.8 | (1.0) | 56.0 | (3.0) |
| Chain-affiliated (percentage) | * | * | --- | --- | --- | --- | 7.8 | (1.8) | 57.7 | (3.0) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 118 | (11) | 1,831 | (188) | 975 | (219) | 13,372 | (927) | 1,568 | (65) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 9.3 | (2.3) | 51.9 | (2.5) | 46.6 | (2.1) | 4.4 | (0.2) | 7.9 | (1.5) |
| Licensed practical nurse or licensed vocational nurse | 11.2 | (2.3) | 14.7 | (1.3) | 7.4 | (1.3) | 25.4 | (0.3) | 13.2 | (0.9) |
| Aide | 71.6 | (3.8) | 32.3 | (3.1) | 36.3 | (1.8) | 69.4 | (0.4) | 78.7 | (1.3) |
| Social worker | 7.9 | (1.9) | 1.1 | (0.2) | 9.7 | (0.6) | 0.8 | (0.1) | 0.1 | (0.0) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 27.9 | (6.1) | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | 42.9 | (2.7) |
| Licensed practical nurse or licensed vocational nurse | 36.3 | (6.5) | 59.3 | (3.7) | 65.4 | (6.6) | 100.0 | (0.0) | 52.8 | (2.7) |
| Aide | * | * | 83.7 | (2.8) | † | (†) | † | (†) | † | (†) |

Table 4. Providers and Users of Long-Term Care Services in Arkansas, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 23.6 | (5.8) | 26.2 | (3.4) | † | (†) | 43.7 | (3.3) | * | * |
| Activities staff | * | * | --- | --- | --- | --- | 96.5 | (1.2) | 74.1 | (2.4) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.7 | (0.2) | --- | --- | --- | --- | 1.0 | (0.0) | 0.2 | (0.0) |
| Aide | 1.6 | (0.2) | --- | --- | --- | --- | 2.6 | (0.0) | 1.5 | (0.1) |
| Social worker | 0.2 | (0.1) | --- | --- | --- | --- | 0.0 | (0.0) | 0.0 | (0.0) |
| Activities staff | 1.2 | (0.2) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 37.5 | (6.8) | 35.5 | (3.6) | 100.0 | (0.0) | 59.7 | (3.2) | 40.9 | (2.7) |
| Mental health or counseling (percentage) | 23.7 | (6.0) | --- | --- | 100.0 | (0.0) | 83.1 | (2.5) | 48.7 | (2.9) |
| Therapy (physical, occupational, or speech) (percentage) | 37.0 | (6.8) | 94.8 | (1.7) | 100.0 | (0.0) | † | (†) | 67.8 | (2.9) |
| Skilled nursing or nursing (percentage) | 55.0 | (7.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 55.7 | (3.1) |
| Pharmacy or pharmacist (percentage) | * | * | * | * | --- | --- | 100.0 | (0.0) | 81.9 | (2.5) |
| Hospice (percentage) | * | * | * | * | … | … | 82.7 | (2.5) | 56.3 | (2.9) |
| Dental (percentage) | * | * | --- | --- | --- | --- | 93.5 | (1.6) | 47.9 | (3.1) |
| Podiatrist (percentage) | * | * | --- | --- | --- | --- | 92.6 | (1.7) | 56.2 | (3.2) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 78.6 | (5.4) | † | (†) | --- | --- | --- | --- | 85.9 | (2.0) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 7.4 | (1.7) | 13.6 | (2.0) |

Table 4. Providers and Users of Long-Term Care Services in Arkansas, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 800 | (100) | 49,200 | (6,300) | 14,800 | (3,600) | 17,700 | (1,200) | 4,400 | (100) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 29.4 | (11.6) | 20.6 | (0.7) | 7.8 | (0.3) | 14.1 | (1.0) | 13.1 | (2.1) |
| 65 and over | 70.6 | (11.6) | 79.4 | (0.7) | 92.2 | (0.3) | 85.9 | (1.0) | 86.9 | (2.1) |
| 65–74 | 17.7 | (3.3) | 26.6 | (0.6) | 21.2 | (0.6) | 16.8 | (0.5) | 13.7 | (1.0) |
| 75–84 | 37.3 | (6.7) | 31.0 | (0.4) | 32.6 | (0.5) | 28.5 | (0.5) | 28.9 | (1.1) |
| 85 and over | 15.6 | (3.1) | 21.9 | (0.7) | 38.4 | (0.9) | 40.6 | (1.1) | 44.3 | (1.6) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 38.2 | (2.5) | 36.9 | (0.4) | 42.1 | (0.7) | 30.9 | (0.8) | 31.9 | (1.2) |
| Women | 61.8 | (2.5) | 63.1 | (0.4) | 57.9 | (0.7) | 69.1 | (0.8) | 68.1 | (1.2) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 0.4 | (0.1) | 0.9 | (0.1) | 0.7 | (0.1) | 0.4 | (0.1) | 0.5 | (0.1) |
| Non-Hispanic white | 56.7 | (5.1) | 87.4 | (1.4) | 89.3 | (1.3) | 80.0 | (1.6) | 93.0 | (0.8) |
| Non-Hispanic black | 41.0 | (5.1) | 10.9 | (1.4) | 8.9 | (1.4) | 12.9 | (1.2) | 5.1 | (0.7) |
| Non-Hispanic other | 1.9 | (0.3) | 0.9 | (0.1) | 1.2 | (0.2) | 6.8 | (1.2) | 1.5 | (0.4) |
| Used Medicaid for long-term care services (percent distribution) | 47.7 | (8.5) | 9.9 | (0.7) | --- | --- | 67.1 | (1.0) | 27.3 | (1.9) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 56.6 | (10.0) | 31.5 | (1.0) | 47.1 | (1.3) | 48.7 | (1.1) | 37.9 | (2.0) |
| Diagnosed with depression | 13.0 | (3.4) | 35.0 | (0.7) | 24.4 | (0.8) | 50.5 | (1.0) | 23.8 | (1.1) |
| Diagnosed with diabetes | 15.7 | (3.2) | 40.4 | (0.5) | 30.3 | (0.5) | 29.0 | (0.5) | 16.8 | (0.6) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 25.2 | (2.7) | 55.5 | (2.1) | --- | --- | 50.5 | (1.8) | 11.4 | (1.7) |
| Bathing | 35.4 | (5.4) | 96.6 | (0.4) | --- | --- | 96.6 | (0.4) | 52.2 | (2.2) |
| Dressing | 28.8 | (4.0) | 88.5 | (1.2) | --- | --- | 88.8 | (0.7) | 30.6 | (2.0) |
| Toileting | 51.2 | (6.8) | 73.4 | (2.1) | --- | --- | 82.8 | (0.7) | 21.4 | (1.9) |
| Transferring in and out of a chair or bed | 35.1 | (6.2) | 87.9 | (1.0) | --- | --- | 78.0 | (0.9) | 12.9 | (1.3) |
| Walking | 36.7 | (5.6) | 94.1 | (0.6) | --- | --- | 88.5 | (0.6) | 18.1 | (1.6) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 3.5 | (1.2) | 20.2 | (0.7) | --- | --- | --- | --- | 9.4 | (0.5) |

Table 4. Providers and Users of Long-Term Care Services in Arkansas, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 5.7 | (1.1) | 17.8 | (0.6) | --- | --- | --- | --- | 13.3 | (0.6) |
| Falls | 11.9 | (1.8) | 0.3 | (0.0) | --- | --- | 18.8 | (0.5) | 20.1 | (1.1) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards).

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 5. Providers and Users of Long-Term Care Services in California, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Number or percent (standard error) | | | | | | | | | |
| **Organization** | | | | | | | | | | |
| Number of providers[1] | 1,200 | (2) | 1,300 | (34) | 500 | (21) | 1,200 | (34) | 5,900 | (68) |
| Number of beds or licensed maximum capacity[2] | 88,900 | (1,900) | ... | ... | ... | ... | 119,700 | (3,800) | 127,000 | (4,600) |
| Average capacity | 77 | (1.6) | --- | --- | --- | --- | 98 | (1.6) | 21 | (0.7) |
| Average number of people served | 54 | (1.2) | --- | --- | --- | --- | 84 | (1.4) | 17 | (0.6) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 95.8 | (0.6) | 98.4 | (0.3) | 98.0 | (0.6) | 96.8 | (0.5) | 98.1 | (0.8) |
| Micropolitan or neither | 4.2 | (0.6) | 1.6 | (0.3) | 2.0 | (0.6) | 3.2 | (0.5) | * | * |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 48.4 | (1.5) | 90.2 | (0.8) | 81.5 | (1.7) | 83.3 | (1.1) | 90.3 | (1.9) |
| Not-for-profit, government, or other | 51.6 | (1.5) | 9.8 | (0.8) | 18.5 | (1.7) | 16.7 | (1.1) | * | * |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 26.9 | (1.3) | 37.8 | (1.4) | 35.2 | (2.1) | 5.5 | (0.7) | 84.9 | (1.0) |
| Category 2 | 62.7 | (1.4) | 31.6 | (1.4) | 19.9 | (1.8) | 69.3 | (1.3) | 11.7 | (1.1) |
| Category 3 | 10.4 | (0.9) | 30.6 | (1.4) | 25.0 | (1.9) | 25.2 | (1.2) | * | * |
| Missing | ... | ... | ... | ... | 19.9 | (1.8) | ... | ... | ... | ... |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 97.2 | (0.5) | --- | --- | 95.7 | (0.6) | … | … |
| Medicaid-certified | 37.4 | (1.4) | 92.0 | (0.8) | --- | --- | 94.9 | (0.6) | 11.6 | (2.2) |
| Chain-affiliated (percentage) | 52.6 | (1.5) | --- | --- | --- | --- | 49.0 | (1.4) | 56.8 | (3.3) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 5,699 | (218) | 11,231 | (464) | 7,314 | (566) | 77,597 | (2,442) | 32,250 | (2,209) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 15.2 | (0.6) | 53.2 | (1.0) | 46.1 | (0.9) | 13.1 | (0.2) | 3.2 | (0.6) |
| Licensed practical nurse or licensed vocational nurse | 8.3 | (0.4) | 30.4 | (1.0) | 13.3 | (0.7) | 21.7 | (0.2) | 8.1 | (1.3) |
| Aide | 56.3 | (1.3) | 12.8 | (0.6) | 27.0 | (0.8) | 63.9 | (0.3) | 88.0 | (1.4) |
| Social worker | 20.2 | (0.7) | 3.5 | (0.2) | 13.5 | (0.4) | 1.2 | (0.0) | 0.7 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 39.6 | (1.5) | 100.0 | (0.0) | 100.0 | (0.0) | 98.4 | (0.4) | 16.2 | (2.4) |
| Licensed practical nurse or licensed vocational nurse | 31.6 | (1.4) | 87.6 | (0.9) | 83.5 | (1.7) | 95.3 | (0.6) | 16.8 | (1.9) |
| Aide | 46.8 | (1.5) | 95.7 | (0.6) | 96.0 | (0.9) | 98.5 | (0.3) | 64.7 | (3.3) |

Table 5. Providers and Users of Long-Term Care Services in California, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 43.2 | (1.5) | 47.4 | (1.4) | 98.8 | (0.5) | 60.7 | (1.4) | * | * |
| Activities staff | 85.1 | (1.1) | --- | --- | --- | --- | 95.9 | (0.6) | 39.9 | (3.0) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.9 | (0.0) | 0.1 | (0.0) |
| Aide | 0.5 | (0.1) | --- | --- | --- | --- | 2.6 | (0.0) | 1.8 | (0.2) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Activities staff | 0.8 | (0.0) | --- | --- | --- | --- | 0.2 | (0.0) | 0.4 | (0.1) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 48.9 | (1.5) | 96.0 | (0.6) | 100.0 | (0.0) | 83.5 | (1.1) | 41.1 | (3.3) |
| Mental health or counseling (percentage) | 41.2 | (1.5) | --- | --- | 97.8 | (0.7) | 79.7 | (1.2) | 41.0 | (3.3) |
| Therapy (physical, occupational, or speech) (percentage) | 48.1 | (1.5) | 96.1 | (0.5) | 98.4 | (0.6) | 98.2 | (0.4) | 61.8 | (3.3) |
| Skilled nursing or nursing (percentage) | 41.9 | (1.5) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 42.7 | (3.4) |
| Pharmacy or pharmacist (percentage) | 19.2 | (1.2) | 13.1 | (0.9) | --- | --- | 98.6 | (0.3) | 77.9 | (2.9) |
| Hospice (percentage) | 4.2 | (0.6) | 1.8 | (0.4) | --- | --- | 70.4 | (1.3) | 57.5 | (3.4) |
| Dental (percentage) | 6.7 | (0.8) | --- | --- | … | … | 94.5 | (0.7) | 53.5 | (3.4) |
| Podiatrist (percentage) | 12.8 | (1.0) | --- | --- | --- | --- | 94.7 | (0.6) | 69.3 | (3.2) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 78.7 | (1.2) | 94.0 | (0.7) | --- | --- | --- | --- | 81.4 | (2.6) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 3.6 | (0.5) | 17.7 | (2.3) |

Table 5. Providers and Users of Long-Term Care Services in California, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 91,000 | (2,300) | 432,700 | (27,800) | 121,200 | (10,300) | 102,200 | (3,300) | 101,700 | (3,900) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 44.4 | (1.5) | 13.7 | (0.7) | 3.9 | (0.1) | 19.5 | (0.6) | 4.2 | (0.6) |
| 65 and over | 55.6 | (1.5) | 86.3 | (0.7) | 96.1 | (0.1) | 80.5 | (0.6) | 95.7 | (0.6) |
| 65–74 | 14.0 | (0.6) | 25.8 | (0.3) | 14.5 | (0.3) | 18.1 | (0.3) | 12.2 | (1.2) |
| 75–84 | 26.1 | (0.9) | 31.7 | (0.3) | 28.5 | (0.3) | 25.9 | (0.3) | 30.3 | (1.7) |
| 85 and over | 15.4 | (0.7) | 28.8 | (0.5) | 53.1 | (0.6) | 36.5 | (0.6) | 53.2 | (2.3) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 44.4 | (0.5) | 39.9 | (0.2) | 40.6 | (0.3) | 38.0 | (0.4) | 30.2 | (1.2) |
| Women | 55.6 | (0.5) | 60.1 | (0.2) | 59.4 | (0.3) | 62.0 | (0.4) | 69.9 | (1.2) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 20.2 | (0.9) | 19.0 | (0.6) | 12.7 | (0.6) | 17.6 | (0.5) | 6.7 | (0.7) |
| Non-Hispanic white | 40.1 | (1.4) | 60.9 | (1.0) | 75.4 | (0.9) | 57.3 | (0.8) | 70.7 | (3.0) |
| Non-Hispanic black | 7.4 | (0.5) | 7.6 | (0.3) | 4.9 | (0.3) | 11.0 | (0.4) | 3.3 | (0.5) |
| Non-Hispanic other | 32.3 | (1.5) | 12.5 | (0.7) | 7.0 | (0.4) | 14.0 | (0.6) | 19.4 | (3.1) |
| Used Medicaid for long-term care services (percent distribution) | 40.0 | (1.9) | 11.8 | (0.8) | --- | --- | 66.9 | (0.7) | 3.4 | (1.0) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 25.4 | (1.0) | 33.0 | (0.3) | 33.4 | (0.8) | 41.2 | (0.6) | 40.4 | (3.2) |
| Diagnosed with depression | 27.6 | (1.1) | 36.1 | (0.4) | 14.5 | (0.4) | 35.1 | (0.4) | 20.5 | (2.2) |
| Diagnosed with diabetes | 27.4 | (0.9) | 47.4 | (0.5) | 19.2 | (0.5) | 35.0 | (0.3) | 14.3 | (1.1) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 25.2 | (1.0) | 67.9 | (1.2) | --- | --- | 66.1 | (0.9) | 24.1 | (1.9) |
| Bathing | 53.3 | (1.4) | 96.4 | (0.4) | --- | --- | 96.4 | (0.4) | 69.1 | (2.3) |
| Dressing | 45.8 | (1.3) | 89.9 | (0.8) | --- | --- | 93.6 | (0.5) | 57.3 | (2.6) |
| Toileting | 36.2 | (1.3) | 77.6 | (1.3) | --- | --- | 90.5 | (0.6) | 50.6 | (2.5) |
| Transferring in and out of a chair or bed | 33.8 | (1.4) | 89.1 | (0.8) | --- | --- | 88.6 | (0.6) | 38.0 | (2.1) |
| Walking | 34.3 | (1.4) | 94.6 | (0.5) | --- | --- | 91.4 | (0.6) | 38.4 | (2.3) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 4.7 | (0.3) | 12.8 | (0.2) | --- | --- | --- | --- | 6.8 | (0.6) |
| Emergency department visit | 5.5 | (0.3) | 11.5 | (0.2) | --- | --- | --- | --- | 12.8 | (1.1) |

Table 5. Providers and Users of Long-Term Care Services in California, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 8.7 | (0.6) | 0.3 | (0.0) | --- | --- | 11.1 | (0.2) | 12.9 | (1.2) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 6. Providers and Users of Long-Term Care Services in Colorado, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 80 | (1) | 200 | (13) | 60 | (8) | 200 | (15) | 400 | (6) |
| Number of beds or licensed maximum capacity[2] | 4,800 | (600) | ... | ... | ... | ... | 20,400 | (1,500) | 14,600 | (700) |
| Average capacity | 64 | (7.7) | --- | --- | --- | --- | 95 | (3.0) | 33 | (1.4) |
| Average number of people served | 25 | (2.7) | --- | --- | --- | --- | 76 | (2.5) | 27 | (1.3) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 90.0 | (2.8) | 80.8 | (3.0) | 73.3 | (5.7) | 74.3 | (3.0) | 85.4 | (2.8) |
| Micropolitan or neither | 10.0 | (2.8) | 19.2 | (3.0) | 26.7 | (5.7) | 25.7 | (3.0) | * | * |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 44.1 | (4.9) | 70.7 | (3.5) | 55.0 | (6.4) | 76.2 | (2.9) | 85.3 | (3.0) |
| Not-for-profit, government, or other | 55.9 | (4.9) | 29.3 | (3.5) | 45.0 | (6.4) | 23.8 | (2.9) | * | * |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 33.5 | (3.7) | 36.2 | (6.3) | 6.5 | (1.7) | 67.1 | (1.6) |
| Category 2 | * | * | 24.0 | (3.3) | 36.2 | (6.3) | 72.9 | (3.0) | * | * |
| Category 3 | * | * | 30.5 | (3.6) | 27.6 | (5.9) | 20.6 | (2.8) | * | * |
| Missing | ... | ... | 12.0 | (2.5) | ... | ... | ... | ... | ... | ... |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 94.9 | (1.5) | … | … |
| Medicaid-certified | † | (†) | 96.4 | (1.4) | --- | --- | 86.9 | (2.3) | 64.0 | (4.5) |
| Chain-affiliated (percentage) | 30.6 | (4.6) | --- | --- | --- | --- | 67.8 | (3.2) | * | * |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 246 | (26) | 2,238 | (266) | 1,126 | (253) | 12,227 | (925) | 4,915 | (387) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 21.8 | (2.0) | 47.0 | (2.8) | 49.4 | (2.1) | 16.8 | (0.5) | *2.9 | (1.2) |
| Licensed practical nurse or licensed vocational nurse | 7.7 | (1.4) | 10.5 | (1.3) | 5.0 | (0.9) | 18.9 | (0.5) | 5.6 | (1.3) |
| Aide | 62.7 | (3.4) | 40.0 | (3.4) | 33.4 | (1.8) | 62.3 | (0.4) | 90.8 | (1.7) |
| Social worker | 7.8 | (2.4) | 2.4 | (0.3) | 12.3 | (1.5) | 2.1 | (0.1) | *0.6 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 78.2 | (4.2) | † | (†) | † | (†) | 100.0 | (0.0) | * | * |
| Licensed practical nurse or licensed vocational nurse | 28.1 | (4.7) | 60.5 | (3.8) | 51.7 | (6.5) | † | (†) | * | * |

Table 6. Providers and Users of Long-Term Care Services in Colorado, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Aide | † | (†) | 95.8 | (1.6) | † | (†) | 100.0 | (0.0) | 88.3 | (3.0) |
| Social worker | 18.3 | (4.1) | 58.7 | (3.8) | † | (†) | 79.9 | (2.7) | * | * |
| Activities staff | 85.5 | (3.6) | --- | --- | --- | --- | 95.8 | (1.4) | 57.4 | (4.3) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.5 | (0.1) | --- | --- | --- | --- | 0.8 | (0.1) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.7 | (0.0) | 0.1 | (0.0) |
| Aide | 1.1 | (0.1) | --- | --- | --- | --- | 2.5 | (0.1) | 2.0 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Activities staff | 0.8 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.4 | (0.1) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 15.7 | (3.8) | 74.3 | (3.4) | 100.0 | (0.0) | 96.3 | (1.3) | 51.5 | (5.0) |
| Mental health or counseling (percentage) | 16.0 | (3.8) | --- | --- | † | (†) | 89.7 | (2.1) | 51.5 | (5.0) |
| Therapy (physical, occupational, or speech) (percentage) | 32.6 | (5.0) | 95.8 | (1.6) | † | (†) | † | (†) | * | * |
| Skilled nursing or nursing (percentage) | 52.0 | (5.3) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 58.5 | (4.9) |
| Pharmacy or pharmacist (percentage) | * | * | 4.8 | (1.7) | --- | --- | † | (†) | * | * |
| Hospice (percentage) | * | * | 4.8 | (1.7) | --- | --- | 80.4 | (2.7) | * | * |
| Dental (percentage) | 11.8 | (3.4) | --- | --- | … | … | 88.3 | (2.2) | 55.8 | (5.0) |
| Podiatrist (percentage) | 25.2 | (4.6) | --- | --- | --- | --- | 88.8 | (2.2) | * | * |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 68.7 | (4.8) | 91.1 | (2.4) | --- | --- | --- | --- | 80.5 | (3.9) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 25.7 | (3.0) | * | * |

Table 6. Providers and Users of Long-Term Care Services in Colorado, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 3,800 | (300) | 56,200 | (9,600) | 18,500 | (4,100) | 16,200 | (1,200) | 12,200 | (600) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 37.7 | (5.1) | 16.2 | (1.1) | 5.3 | (0.3) | 14.8 | (1.1) | 7.7 | (1.7) |
| 65 and over | 62.3 | (5.1) | 83.8 | (1.1) | 94.7 | (0.3) | 85.2 | (1.1) | 92.3 | (1.7) |
| 65–74 | 22.7 | (3.2) | 25.2 | (0.7) | 16.4 | (0.7) | 16.0 | (0.6) | 10.4 | (1.3) |
| 75–84 | 24.8 | (2.9) | 31.5 | (0.6) | 29.2 | (0.5) | 26.6 | (0.5) | 25.3 | (2.5) |
| 85 and over | 14.8 | (1.8) | 27.0 | (1.1) | 49.1 | (1.3) | 42.6 | (1.3) | 56.6 | (3.2) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 42.2 | (1.5) | 37.1 | (0.5) | 41.4 | (0.9) | 34.7 | (1.1) | 30.2 | (1.1) |
| Women | 57.8 | (1.5) | 62.9 | (0.5) | 58.6 | (0.9) | 65.3 | (1.1) | 69.8 | (1.1) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 9.7 | (1.8) | 9.5 | (0.7) | 8.1 | (1.1) | 9.6 | (0.6) | 4.8 | (1.1) |
| Non-Hispanic white | 71.5 | (3.4) | 84.6 | (0.8) | 87.7 | (1.4) | 81.7 | (1.0) | 80.9 | (4.2) |
| Non-Hispanic black | 5.8 | (0.9) | 3.5 | (0.4) | 2.5 | (0.6) | 4.8 | (0.6) | 1.6 | (0.4) |
| Non-Hispanic other | 13.0 | (3.4) | 2.4 | (0.2) | 1.7 | (0.1) | 3.9 | (0.4) | *12.6 | (4.2) |
| Used Medicaid for long-term care services (percent distribution) | 54.7 | (6.1) | 11.9 | (1.7) | --- | --- | 60.2 | (1.6) | 20.9 | (3.2) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 26.9 | (3.6) | 30.9 | (1.6) | 38.3 | (2.3) | 49.7 | (1.1) | 43.1 | (3.8) |
| Diagnosed with depression | 34.0 | (4.6) | 39.7 | (0.9) | 20.1 | (1.0) | 45.6 | (0.8) | 27.9 | (3.6) |
| Diagnosed with diabetes | 20.7 | (2.4) | 33.2 | (0.6) | 18.1 | (1.0) | 26.6 | (0.5) | 15.3 | (1.7) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 13.7 | (2.1) | 41.5 | (1.7) | --- | --- | 55.1 | (2.2) | 17.7 | (2.5) |
| Bathing | 22.9 | (3.2) | 93.9 | (0.6) | --- | --- | 96.5 | (0.5) | 62.7 | (4.4) |
| Dressing | 27.4 | (4.0) | 79.1 | (2.0) | --- | --- | 88.4 | (0.9) | 47.0 | (4.3) |
| Toileting | 23.7 | (2.7) | 59.5 | (3.0) | --- | --- | 85.1 | (1.0) | 32.4 | (4.0) |
| Transferring in and out of a chair or bed | 17.4 | (2.1) | 82.2 | (1.5) | --- | --- | 81.9 | (1.2) | 18.8 | (3.3) |
| Walking | 21.6 | (3.8) | 92.2 | (0.7) | --- | --- | 90.0 | (0.8) | 22.6 | (3.5) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 2.2 | (0.4) | 12.9 | (0.8) | --- | --- | --- | --- | 7.9 | (0.8) |

Table 6. Providers and Users of Long-Term Care Services in Colorado, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 3.7 | (0.5) | 13.9 | (0.6) | --- | --- | --- | --- | 11.6 | (1.1) |
| Falls | 6.9 | (1.3) | 0.3 | (0.0) | --- | --- | 22.1 | (0.6) | 21.9 | (2.5) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 7. Providers and Users of Long-Term Care Services in Connecticut, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 50 | (0.0) | 90 | (10) | 30 | (6) | 200 | (15) | 60 | (1) |
| Number of beds or licensed maximum capacity[2] | 2,300 | (100) | ... | ... | ... | ... | 27,700 | (2,000) | 1,700 | (100) |
| Average capacity | 50 | (3.0) | --- | --- | --- | --- | 121 | (3.9) | 28 | (1.7) |
| Average number of people served | 33 | (3.4) | --- | --- | --- | --- | 106 | (3.6) | 25 | (1.6) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | † | (†) | 94.4 | (2.4) | * | * | 93.4 | (1.6) | 87.4 | (3.4) |
| Micropolitan or neither | * | * | 5.6 | (2.4) | * | * | 6.6 | (1.6) | 12.6 | (3.4) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 33.8 | (4.9) | 56.7 | (5.2) | 25.8 | (7.9) | 80.3 | (2.6) | 49.5 | (6.0) |
| Not-for-profit, government, or other | 66.2 | (4.9) | 43.3 | (5.2) | 74.2 | (7.9) | 19.7 | (2.6) | 50.5 | (6.0) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 16.5 | (4.0) | 29.0 | (8.2) | * | * | 67.8 | (3.3) |
| Category 2 | * | * | 31.8 | (5.0) | 35.5 | (8.6) | * | * | 32.2 | (3.3) |
| Category 3 | * | * | 51.8 | (5.4) | 35.5 | (8.6) | * | * | - | - |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 100.0 | (0.0) | … | … |
| Medicaid-certified | 78.7 | (4.2) | 11.1 | (3.3) | --- | --- | 95.2 | (1.4) | † | (†) |
| Chain-affiliated (percentage) | 25.8 | (4.6) | --- | --- | --- | --- | 51.5 | (3.3) | 26.3 | (5.5) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 206 | (11) | 2,382 | (328) | 541 | (148) | 17,638 | (1,264) | 500 | (59) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 16.6 | (1.7) | 48.1 | (2.7) | 45.4 | (3.7) | 13.5 | (0.3) | 13.5 | (3.0) |
| Licensed practical nurse or licensed vocational nurse | 16.9 | (1.8) | 11.0 | (1.5) | 7.1 | (1.6) | 20.4 | (0.4) | 7.5 | (2.0) |
| Aide | 56.9 | (1.6) | 39.0 | (3.2) | 36.0 | (3.1) | 64.1 | (0.4) | 75.3 | (3.7) |
| Social worker | 9.6 | (1.2) | 1.9 | (0.2) | 11.5 | (1.1) | 2.0 | (0.1) | 3.6 | (0.6) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 63.6 | (5.1) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 46.1 | (6.4) |
| Licensed practical nurse or licensed vocational nurse | 55.8 | (5.1) | 70.0 | (4.8) | 54.8 | (8.9) | † | (†) | 24.9 | (5.1) |
| Aide | * | * | † | (†) | 100.0 | (0.0) | 100.0 | (0.0) | 78.0 | (5.3) |

Table 7. Providers and Users of Long-Term Care Services in Connecticut, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 50.4 | (5.2) | 72.2 | (4.7) | 100.0 | (0.0) | 93.9 | (1.6) | 38.3 | (6.1) |
| Activities staff | 100.0 | (0.0) | --- | --- | --- | --- | 78.6 | (2.7) | 71.7 | (5.4) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 0.4 | (0.2) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.7 | (0.0) | 0.1 | (0.0) |
| Aide | 0.8 | (0.1) | --- | --- | --- | --- | 2.4 | (0.0) | 1.3 | (0.1) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Activities staff | 0.7 | (0.1) | --- | --- | --- | --- | 0.1 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 72.5 | (4.7) | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | 62.2 | (5.4) |
| Mental health or counseling (percentage) | 28.3 | (4.8) | --- | --- | 100.0 | (0.0) | † | (†) | 61.6 | (5.7) |
| Therapy (physical, occupational, or speech) (percentage) | 49.3 | (5.3) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 61.8 | (5.7) |
| Skilled nursing or nursing (percentage) | 80.6 | (4.3) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 55.7 | (6.1) |
| Pharmacy or pharmacist (percentage) | 27.0 | (4.7) | * | * | --- | --- | 95.6 | (1.4) | * | * |
| Hospice (percentage) | * | * | * | * | … | … | 79.5 | (2.7) | 20.8 | (5.0) |
| Dental (percentage) | * | * | --- | --- | --- | --- | 96.5 | (1.2) | 61.8 | (5.7) |
| Podiatrist (percentage) | 61.8 | (5.2) | --- | --- | --- | --- | † | (†) | 73.6 | (5.3) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 80.7 | (4.2) | 91.7 | (3.0) | --- | --- | --- | --- | 82.5 | (4.8) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 17.0 | (2.5) | * | * |

Table 7. Providers and Users of Long-Term Care Services in Connecticut, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 2,600 | (200) | 77,500 | (15,400) | 13,700 | (3,900) | 24,300 | (1,800) | 1,600 | (100) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 12.5 | (3.9) | 19.7 | (1.4) | 3.8 | (0.2) | 12.4 | (1.0) | 33.1 | (4.4) |
| 65 and over | 87.4 | (3.9) | 80.3 | (1.4) | 96.2 | (0.2) | 87.6 | (1.0) | 66.9 | (4.4) |
| 65–74 | 25.0 | (2.3) | 20.5 | (0.5) | 13.6 | (0.6) | 13.3 | (0.6) | 15.5 | (1.5) |
| 75–84 | 34.6 | (2.1) | 29.0 | (0.5) | 26.8 | (0.5) | 24.9 | (0.4) | 17.6 | (2.0) |
| 85 and over | 27.9 | (2.0) | 30.9 | (1.2) | 55.8 | (1.0) | 49.4 | (1.4) | 33.8 | (4.2) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 35.9 | (1.2) | 38.5 | (0.3) | 39.0 | (0.6) | 31.2 | (0.8) | 36.1 | (2.7) |
| Women | 64.1 | (1.2) | 61.5 | (0.3) | 61.0 | (0.6) | 68.8 | (0.8) | 63.9 | (2.7) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 13.5 | (2.2) | 4.9 | (0.5) | 3.2 | (0.4) | 4.1 | (0.5) | 4.3 | (1.0) |
| Non-Hispanic white | 66.9 | (2.8) | 86.1 | (1.2) | 90.8 | (1.0) | 82.5 | (1.3) | 72.1 | (5.7) |
| Non-Hispanic black | 15.4 | (1.9) | 7.1 | (0.8) | 4.7 | (0.7) | 8.8 | (0.9) | 8.0 | (2.0) |
| Non-Hispanic other | 4.2 | (0.8) | 2.0 | (0.1) | 1.3 | (0.1) | 4.6 | (0.6) | 15.6 | (6.4) |
| Used Medicaid for long-term care services (percent distribution) | 49.9 | (4.0) | 17.4 | (1.6) | --- | --- | 68.6 | (1.0) | 78.8 | (4.0) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 51.3 | (3.4) | 32.3 | (1.1) | 52.9 | (2.6) | 55.6 | (0.9) | 22.3 | (3.3) |
| Diagnosed with depression | 22.3 | (1.8) | 37.7 | (0.5) | 29.3 | (1.1) | 49.2 | (0.8) | 30.4 | (2.8) |
| Diagnosed with diabetes | 30.6 | (2.6) | 39.2 | (0.6) | 27.1 | (0.6) | 29.2 | (0.6) | 24.4 | (1.8) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 23.4 | (2.0) | 45.1 | (2.4) | --- | --- | 44.4 | (1.4) | 7.9 | (2.9) |
| Bathing | 38.0 | (3.2) | 91.3 | (1.4) | --- | --- | 94.5 | (0.5) | 38.5 | (4.3) |
| Dressing | 32.1 | (2.8) | 78.5 | (2.4) | --- | --- | 90.1 | (0.6) | 13.4 | (4.3) |
| Toileting | 30.7 | (2.5) | 58.2 | (3.0) | --- | --- | 83.2 | (0.8) | 12.0 | (4.2) |
| Transferring in and out of a chair or bed | 18.7 | (1.9) | 78.8 | (1.9) | --- | --- | 79.4 | (0.9) | 9.3 | (4.4) |
| Walking | 28.1 | (2.5) | 88.0 | (1.4) | --- | --- | 86.9 | (0.8) | 18.6 | (4.7) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 6.3 | (0.6) | 19.8 | (1.0) | --- | --- | --- | --- | 10.6 | (1.4) |

Table 7. Providers and Users of Long-Term Care Services in Connecticut, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 6.4 | (0.7) | 18.9 | (0.6) | --- | --- | --- | --- | 15.7 | (1.6) |
| Falls | 7.1 | (0.6) | 0.1 | (0.0) | --- | --- | 16.0 | (0.4) | 9.9 | (1.6) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 8. Providers and Users of Long-Term Care Services in Delaware, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 10 | (0.0) | 20 | (5) | 10 | (3) | 50 | (7) | 30 | (2) |
| Number of beds or licensed maximum capacity[2] | 600 | (0) | ... | ... | ... | ... | 4,900 | (800) | 2,100 | (200) |
| Average capacity | 46 | (2.4) | --- | --- | --- | --- | 106 | (6.4) | 60 | (4.0) |
| Average number of people served | 30 | (2.3) | --- | --- | --- | --- | 94 | (6.0) | 50 | (3.7) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 74.4 | (7.3) |
| Micropolitan or neither | * | * | - | - | - | - | - | - | 25.6 | (7.3) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | * | * | 69.6 | (9.6) | * | * | 65.2 | (7.0) | 45.2 | (7.8) |
| Not-for-profit, government, or other | † | (†) | 30.4 | (9.6) | * | * | 34.8 | (7.0) | 54.8 | (7.8) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | * | * | - | - | * | * | * | * |
| Category 2 | * | * | * | * | * | * | * | * | * | * |
| Category 3 | - | - | * | * | * | * | * | * | * | * |
| Missing | ... | ... | * | * | ... | ... | ... | ... | ... | ... |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 89.1 | (4.6) | … | … |
| Medicaid-certified | 100.0 | (0.0) | 100.0 | (0.0) | --- | --- | 93.5 | (3.7) | 50.2 | (8.6) |
| Chain-affiliated (percentage) | 49.5 | (8.0) | --- | --- | --- | --- | 63.0 | (7.2) | 72.1 | (5.4) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 62 | (4) | 535 | (152) | 278 | (134) | 3,274 | (526) | 774 | (75) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 6.5 | (1.7) | 53.2 | (8.2) | 44.9 | (5.5) | 16.9 | (1.0) | 7.1 | (0.6) |
| Licensed practical nurse or licensed vocational nurse | 25.4 | (1.5) | 13.0 | (5.2) | 8.8 | (3.2) | 22.3 | (1.0) | 23.7 | (1.4) |
| Aide | 59.6 | (2.4) | 31.8 | (7.8) | 33.9 | (3.4) | 59.2 | (1.4) | 68.3 | (1.4) |
| Social worker | 8.5 | (1.4) | 2.0 | (0.7) | 12.4 | (0.7) | 1.6 | (0.1) | 1.0 | (0.3) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 100.0 | (0.0) | 56.5 | (10.3) | * | * | 100.0 | (0.0) | † | (†) |

Table 8. Providers and Users of Long-Term Care Services in Delaware, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Aide | 100.0 | (0.0) | † | (†) | * | * | 100.0 | (0.0) | 100.0 | (0.0) |
| Social worker | * | * | 47.8 | (10.4) | 100.0 | (0.0) | 80.4 | (5.8) | * | * |
| Activities staff | 100.0 | (0.0) | --- | --- | --- | --- | † | (†) | † | (†) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.7 | (0.0) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.3 | (0.0) | --- | --- | --- | --- | 0.8 | (0.1) | 0.5 | (0.1) |
| Aide | 0.6 | (0.0) | --- | --- | --- | --- | 2.4 | (0.1) | 1.8 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | 0.4 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.3 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | * | * | 60.9 | (10.2) | 100.0 | (0.0) | † | (†) | 39.5 | (7.8) |
| Mental health or counseling (percentage) | * | * | --- | --- | 100.0 | (0.0) | † | (†) | 71.9 | (7.8) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | * | * | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 55.6 | (8.6) |
| Pharmacy or pharmacist (percentage) | * | * | - | - | --- | --- | 100.0 | (0.0) | * | * |
| Hospice (percentage) | * | * | - | - | --- | --- | 89.1 | (4.6) | 67.3 | (7.8) |
| Dental (percentage) | * | * | --- | --- | --- | --- | 82.6 | (5.6) | * | * |
| Podiatrist (percentage) | * | * | --- | --- | --- | --- | † | (†) | * | * |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | † | (†) | * | * | --- | --- | --- | --- | * | * |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 30.4 | (6.8) | 63.8 | (7.3) |

Table 8. Providers and Users of Long-Term Care Services in Delaware, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 600 | (0) | 17,500 | (6,900) | 4,900 | (1,900) | 4,300 | (700) | 1,700 | (200) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 34.5 | (5.2) | 21.6 | (1.6) | 6.9 | (0.3) | 11.8 | (1.5) | 4.0 | (1.2) |
| 65 and over | 65.7 | (5.3) | 78.4 | (1.6) | 93.1 | (0.3) | 88.2 | (1.5) | 96.0 | (1.2) |
| 65–74 | 21.2 | (1.0) | 28.1 | (1.3) | 18.0 | (1.1) | 15.2 | (1.1) | 7.8 | (1.5) |
| 75–84 | 29.0 | (3.1) | 30.2 | (0.8) | 31.4 | (1.0) | 28.4 | (0.9) | 40.1 | (4.5) |
| 85 and over | 15.5 | (2.6) | 20.2 | (1.6) | 43.8 | (2.0) | 44.6 | (2.1) | 48.0 | (4.9) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 37.9 | (1.4) | 39.9 | (0.8) | 43.8 | (1.1) | 31.9 | (2.3) | 35.5 | (4.2) |
| Women | 62.1 | (1.4) | 60.1 | (0.8) | 56.2 | (1.1) | 68.1 | (2.3) | 64.5 | (4.2) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 4.1 | (0.4) | 1.9 | (0.3) | 1.5 | (0.3) | 1.5 | (0.2) | 1.2 | (0.5) |
| Non-Hispanic white | 56.0 | (2.6) | 78.2 | (1.9) | 85.0 | (1.6) | 74.4 | (2.3) | 94.0 | (1.1) |
| Non-Hispanic black | 37.6 | (2.8) | 18.1 | (1.6) | 11.9 | (1.4) | 19.8 | (2.0) | 3.6 | (0.9) |
| Non-Hispanic other | 2.3 | (0.4) | 1.7 | (0.2) | 1.7 | (0.1) | 4.1 | (1.3) | 1.3 | (0.3) |
| Used Medicaid for long-term care services (percent distribution) | 44.6 | (4.2) | 12.1 | (1.5) | --- | --- | 59.9 | (2.8) | 12.2 | (2.3) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 50.8 | (5.0) | 27.6 | (2.7) | 48.6 | (2.7) | 52.0 | (1.8) | 42.5 | (3.8) |
| Diagnosed with depression | 15.6 | (3.0) | 37.2 | (1.4) | 26.1 | (1.1) | 48.8 | (1.8) | 27.8 | (2.7) |
| Diagnosed with diabetes | 25.7 | (1.5) | 46.7 | (0.8) | 33.9 | (1.1) | 31.1 | (1.1) | 17.2 | (2.8) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 40.4 | (4.8) | 53.6 | (5.0) | --- | --- | 51.5 | (3.1) | 18.9 | (4.1) |
| Bathing | 53.2 | (5.7) | 96.4 | (1.0) | --- | --- | 95.1 | (0.7) | 50.1 | (3.7) |
| Dressing | 53.6 | (3.5) | 89.0 | (2.7) | --- | --- | 91.2 | (1.0) | 37.1 | (4.5) |
| Toileting | 57.4 | (2.5) | 63.7 | (4.6) | --- | --- | 87.3 | (1.3) | 32.0 | (3.9) |
| Transferring in and out of a chair or bed | 30.4 | (2.7) | 88.4 | (2.2) | --- | --- | 84.2 | (1.6) | 20.9 | (3.2) |
| Walking | 39.8 | (3.8) | 94.7 | (1.5) | --- | --- | 90.5 | (1.1) | 14.9 | (2.4) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 4.7 | (0.6) | 13.7 | (0.8) | --- | --- | --- | --- | 8.9 | (1.1) |

Table 8. Providers and Users of Long-Term Care Services in Delaware, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 6.5 | (0.9) | 12.9 | (0.8) | --- | --- | --- | --- | 15.1 | (1.8) |
| Falls | 7.9 | (0.7) | 0.1 | (0.0) | --- | --- | 18.6 | (1.1) | 33.6 | (4.2) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 9. Providers and Users of Long-Term Care Services in the District of Columbia, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | |
| Number of providers[1] | 30 | (5) | 10 | (2) | 20 | (4) | 10 | (0.0) |
| Number of beds or licensed maximum capacity[2] | ... | ... | ... | ... | 2,700 | (700) | 700 | (0) |
| Average capacity | --- | --- | --- | --- | 142 | (21.6) | 56 | (2.9) |
| Average number of people served | --- | --- | --- | --- | 135 | (21.5) | 48 | (0.6) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | |
| Metropolitan | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) |
| Micropolitan or neither | - | - | - | - | - | - | - | - |
| Ownership (percent distribution): | | | | | | | | |
| For-profit | * | * | * | * | 42.1 | (11.3) | * | * |
| Not-for-profit, government, or other | * | * | * | * | 57.9 | (11.3) | * | * |
| Number of people served (percent distribution):[3] | | | | | | | | |
| Category 1 | 32.0 | (9.3) | * | * | * | * | * | * |
| Category 2 | 20.0 | (8.0) | * | * | * | * | * | * |
| Category 3 | 20.0 | (8.0) | * | * | * | * | * | * |
| Missing | 28.0 | (9.0) | ... | ... | ... | ... | ... | ... |
| Certification (percentage): | | | | | | | | |
| Medicare-certified | 100.0 | (0.0) | --- | --- | 94.7 | (5.3) | … | … |
| Medicaid-certified | 96.0 | (4.0) | --- | --- | 100.0 | (0.0) | * | * |
| Chain-affiliated (percentage) | --- | --- | --- | --- | 31.6 | (11.0) | * | * |
| **Staffing[4]** | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 474 | (110) | 78 | (48) | 1,963 | (512) | 377 | (68) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | |
| Registered nurse | 34.4 | (5.4) | 41.8 | (1.7) | 14.4 | (1.3) | 7.0 | (2.0) |
| Licensed practical nurse or licensed vocational nurse | 25.8 | (4.8) | 12.7 | (2.4) | 20.0 | (1.1) | 19.3 | (3.5) |
| Aide | 37.2 | (6.1) | 31.3 | (1.9) | 63.9 | (1.9) | 72.1 | (4.4) |
| Social worker | 2.5 | (0.8) | 14.1 | (1.9) | 1.7 | (0.2) | 1.6 | (0.5) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | |
| Registered nurse | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | * | * |

Table 9. Providers and Users of Long-Term Care Services in the District of Columbia, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| Licensed practical nurse or licensed vocational nurse | * | * | * | * | 100.0 | (0.0) | * | * |
| Aide | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Social worker | * | * | 100.0 | (0.0) | * | * | * | * |
| Activities staff | --- | --- | --- | --- | † | (†) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | |
| Registered nurse | --- | --- | --- | --- | 0.7 | (0.1) | 0.2 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | --- | --- | --- | --- | 0.9 | (0.1) | 0.4 | (0.0) |
| Aide | --- | --- | --- | --- | 2.8 | (0.2) | 2.2 | (0.7) |
| Social worker | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | --- | --- | --- | --- | 0.2 | (0.0) | 0.7 | (0.3) |
| **Service provided** | | | | | | | | |
| Social work (percentage) | * | * | 100.0 | (0.0) | † | (†) | * | * |
| Mental health or counseling (percentage) | --- | --- | 100.0 | (0.0) | † | (†) | * | * |
| Therapy (physical, occupational, or speech) (percentage) | † | (†) | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Skilled nursing or nursing (percentage) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Pharmacy or pharmacist (percentage) | - | - | --- | --- | † | (†) | * | * |
| Hospice (percentage) | * | * | … | … | 73.7 | (10.1) | * | * |
| Dental (percentage) | --- | --- | --- | --- | 100.0 | (0.0) | * | * |
| Podiatrist (percentage) | --- | --- | --- | --- | 100.0 | (0.0) | * | * |
| **Practices** | | | | | | | | |
| Depression screening (percentage) | * | * | --- | --- | --- | --- | * | * |
| **Special care** | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | * | * | * | * |

Table 9. Providers and Users of Long-Term Care Services in the District of Columbia, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | |
| Number of users[2] | 5,700 | (2,300) | 1,500 | (800) | 2,600 | (700) | 600 | (0) |
| Age in years (percent distribution): | | | | | | | | |
| Under 65 | 20.2 | (3.1) | 5.7 | (0.5) | 20.6 | (4.9) | 1.5 | (0.3) |
| 65 and over | 79.8 | (3.1) | 94.3 | (0.5) | 79.4 | (4.9) | 98.8 | (0.3) |
| 65–74 | 25.2 | (0.9) | 17.5 | (1.2) | 20.0 | (1.9) | 8.9 | (1.7) |
| 75–84 | 29.2 | (1.4) | 23.9 | (1.0) | 24.4 | (1.6) | 37.5 | (8.3) |
| 85 and over | 25.5 | (2.2) | 52.9 | (2.3) | 35.0 | (5.3) | 52.4 | (8.3) |
| Sex (percent distribution): | | | | | | | | |
| Men | 34.9 | (0.8) | 35.7 | (1.0) | 38.7 | (4.2) | 24.4 | (1.6) |
| Women | 65.1 | (0.8) | 64.3 | (1.0) | 61.3 | (4.2) | 75.6 | (1.6) |
| Race and ethnicity (percent distribution): | | | | | | | | |
| Hispanic | 2.3 | (0.4) | 2.4 | (0.3) | 1.5 | (0.5) | 2.3 | (0.4) |
| Non-Hispanic white | 14.2 | (2.6) | 33.8 | (1.0) | 11.7 | (3.6) | 53.6 | (8.4) |
| Non-Hispanic black | 81.9 | (2.8) | 60.5 | (1.1) | 80.8 | (4.5) | 22.6 | (5.1) |
| Non-Hispanic other | 1.5 | (0.1) | 3.4 | (0.3) | 5.8 | (3.2) | 21.5 | (12.6) |
| Used Medicaid for long-term care services (percent distribution) | 19.8 | (6.9) | --- | --- | 80.8 | (3.2) | 7.3 | (2.9) |
| Conditions (percentage): | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 35.9 | (1.9) | 56.3 | (4.3) | 51.3 | (4.1) | 37.7 | (8.4) |
| Diagnosed with depression | 23.4 | (1.0) | 17.8 | (1.4) | 36.5 | (1.9) | 18.4 | (5.5) |
| Diagnosed with diabetes | 53.6 | (1.5) | 33.6 | (1.2) | 39.4 | (2.2) | 11.1 | (2.1) |
| Need assistance in physical functioning (percentage): | | | | | | | | |
| Eating | 56.3 | (5.3) | --- | --- | 49.3 | (3.3) | 20.8 | (6.8) |
| Bathing | 95.4 | (1.4) | --- | --- | 92.1 | (1.8) | 68.7 | (6.9) |
| Dressing | 82.9 | (3.9) | --- | --- | 88.8 | (2.0) | 60.5 | (7.4) |
| Toileting | 64.4 | (6.7) | --- | --- | 83.1 | (2.3) | 38.0 | (12.8) |
| Transferring in and out of a chair or bed | 83.5 | (2.5) | --- | --- | 80.7 | (2.7) | 28.9 | (8.3) |
| Walking | 94.4 | (1.3) | --- | --- | 90.8 | (0.9) | 26.0 | (8.4) |
| Adverse events (percentage): | | | | | | | | |

Table 9. Providers and Users of Long-Term Care Services in the District of Columbia, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| Overnight hospital stay | 14.8 | (1.0) | --- | --- | --- | --- | 10.0 | (1.7) |
| Emergency department visit | 10.1 | (1.3) | --- | --- | --- | --- | 14.0 | (0.4) |
| Falls | 0.3 | (0.1) | --- | --- | 12.1 | (1.8) | 15.0 | (3.6) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 10 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For nursing homes and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

Estimates for adult day services centers are not presented because these estimates do not meet reliability or confidentiality standards.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 10. Providers and Users of Long-Term Care Services in Florida, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 200 | (2) | 1,300 | (34) | 40 | (6) | 700 | (26) | 2,400 | (28) |
| Number of beds or licensed maximum capacity[2] | 11,300 | (400) | ... | ... | ... | ... | 83,100 | (3,400) | 75,100 | (2,900) |
| Average capacity | 52 | (1.9) | --- | --- | --- | --- | 121 | (1.9) | 32 | (1.1) |
| Average number of people served | 24 | (1.1) | --- | --- | --- | --- | 106 | (1.7) | 28 | (1.7) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 96.1 | (1.2) | 98.6 | (0.3) | † | (†) | 94.6 | (0.9) | 96.6 | (1.2) |
| Micropolitan or neither | 3.9 | (1.2) | 1.4 | (0.3) | * | * | 5.4 | (0.9) | * | * |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 51.6 | (3.2) | 93.6 | (0.7) | 22.0 | (6.5) | 72.6 | (1.7) | 85.0 | (3.2) |
| Not-for-profit, government, or other | 48.4 | (3.2) | 6.4 | (0.7) | 78.0 | (6.5) | 27.4 | (1.7) | * | * |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 63.8 | (3.1) | 40.4 | (1.4) | - | - | 2.6 | (0.6) | 69.6 | (1.7) |
| Category 2 | 36.2 | (3.1) | 27.5 | (1.3) | 12.2 | (5.1) | 35.3 | (1.8) | 23.2 | (2.1) |
| Category 3 | - | - | 32.0 | (1.4) | 87.8 | (5.1) | 62.1 | (1.8) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 95.3 | (0.6) | --- | --- | 99.7 | (2.1) | … | … |
| Medicaid-certified | 88.9 | (2.0) | 43.0 | (1.4) | --- | --- | 95.8 | (0.8) | 77.9 | (2.1) |
| Chain-affiliated (percentage) | 28.2 | (3.0) | --- | --- | --- | --- | 62.1 | (1.8) | 47.6 | (4.3) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 935 | (47) | 12,254 | (532) | 2,549 | (461) | 58,889 | (2,364) | 22,671 | (1,438) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 15.6 | (1.5) | 51.9 | (1.1) | 49.2 | (1.8) | 9.7 | (0.2) | 3.8 | (0.6) |
| Licensed practical nurse or licensed vocational nurse | 11.9 | (1.1) | 22.1 | (0.8) | 9.9 | (1.1) | 23.0 | (0.2) | 14.2 | (1.4) |
| Aide | 64.2 | (1.9) | 23.5 | (1.2) | 30.0 | (1.7) | 65.8 | (0.2) | 81.4 | (1.7) |
| Social worker | 8.4 | (0.8) | 2.5 | (0.1) | 10.9 | (0.6) | 1.5 | (0.0) | *0.6 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 53.6 | (3.3) | 99.5 | (0.2) | 100.0 | (0.0) | † | (†) | 31.1 | (4.1) |
| Licensed practical nurse or licensed vocational nurse | 46.3 | (3.3) | 79.9 | (1.1) | † | (†) | † | (†) | 39.8 | (3.8) |
| Aide | 83.1 | (2.5) | 80.3 | (1.1) | 100.0 | (0.0) | 99.1 | (0.4) | 81.4 | (3.7) |
| Social worker | 35.0 | (3.2) | 52.4 | (1.4) | † | (†) | 88.8 | (1.2) | * | * |

Table 10. Providers and Users of Long-Term Care Services in Florida, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Activities staff | 81.0 | (2.6) | --- | --- | --- | --- | 97.1 | (0.6) | 55.2 | (4.1) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.0) | --- | --- | --- | --- | 0.5 | (0.0) | 0.2 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 1.0 | (0.0) | 0.2 | (0.1) |
| Aide | 1.0 | (0.1) | --- | --- | --- | --- | 2.8 | (0.0) | 2.3 | (0.3) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.1 | (0.1) |
| Activities staff | 0.6 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | *0.7 | (0.3) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 45.7 | (3.3) | 84.0 | (1.0) | † | (†) | 93.3 | (1.0) | 51.4 | (4.6) |
| Mental health or counseling (percentage) | 16.6 | (2.5) | --- | --- | † | (†) | 95.1 | (0.8) | 49.0 | (4.6) |
| Therapy (physical, occupational, or speech) (percentage) | 35.3 | (3.2) | 96.9 | (0.5) | † | (†) | 100.0 | (0.0) | 71.1 | (4.1) |
| Skilled nursing or nursing (percentage) | 61.5 | (3.2) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 64.7 | (4.3) |
| Pharmacy or pharmacist (percentage) | 6.3 | (1.6) | 0.7 | (0.2) | --- | --- | 97.8 | (0.6) | * | * |
| Hospice (percentage) | 7.0 | (1.7) | - | - | … | … | 91.7 | (1.0) | 57.5 | (4.6) |
| Dental (percentage) | 5.4 | (1.5) | --- | --- | --- | --- | 89.6 | (1.2) | 50.0 | (4.6) |
| Podiatrist (percentage) | 31.2 | (3.0) | --- | --- | --- | --- | 96.2 | (0.7) | 76.1 | (3.8) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 85.3 | (2.3) | 94.5 | (0.7) | --- | --- | --- | --- | 79.8 | (3.6) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 15.2 | (1.4) | 17.8 | (2.6) |

Table 10. Providers and Users of Long-Term Care Services in Florida, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 7,600 | (400) | 443,300 | (25,700) | 116,100 | (29,400) | 73,100 | (3,000) | 66,900 | (4,000) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 11.2 | (1.8) | 12.2 | (0.3) | 5.1 | (0.3) | 13.6 | (0.6) | 4.2 | (0.7) |
| 65 and over | 88.9 | (1.8) | 87.8 | (0.3) | 94.9 | (0.3) | 86.4 | (0.6) | 95.8 | (0.7) |
| 65–74 | 20.4 | (1.5) | 25.4 | (0.3) | 16.8 | (0.6) | 16.6 | (0.3) | 9.4 | (1.2) |
| 75–84 | 39.6 | (1.6) | 32.5 | (0.2) | 30.0 | (0.4) | 28.6 | (0.3) | 31.1 | (3.0) |
| 85 and over | 28.8 | (1.5) | 30.0 | (0.5) | 48.0 | (1.2) | 41.3 | (0.7) | 55.4 | (3.0) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 33.0 | (1.1) | 39.5 | (0.2) | 43.2 | (0.7) | 34.3 | (0.5) | 29.2 | (1.3) |
| Women | 67.0 | (1.1) | 60.5 | (0.2) | 56.8 | (0.7) | 65.7 | (0.5) | 70.8 | (1.3) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 37.9 | (2.9) | 15.1 | (0.9) | 11.1 | (3.0) | 10.5 | (0.9) | 8.3 | (1.6) |
| Non-Hispanic white | 40.8 | (2.8) | 75.3 | (1.0) | 80.6 | (3.8) | 70.5 | (1.1) | 76.0 | (3.9) |
| Non-Hispanic black | 18.9 | (1.8) | 8.2 | (0.3) | 7.1 | (0.9) | 15.9 | (0.7) | 3.4 | (0.6) |
| Non-Hispanic other | 2.4 | (0.4) | 1.4 | (0.0) | 1.2 | (0.1) | 3.1 | (0.2) | 12.3 | (3.5) |
| Used Medicaid for long-term care services (percent distribution) | 33.2 | (2.8) | 1.3 | (0.2) | --- | --- | 57.3 | (0.7) | 14.0 | (1.8) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 60.3 | (2.7) | 35.7 | (0.5) | 45.4 | (0.7) | 49.1 | (0.6) | 39.8 | (3.7) |
| Diagnosed with depression | 20.4 | (2.2) | 41.9 | (0.4) | 25.2 | (0.5) | 51.4 | (0.5) | 15.7 | (1.8) |
| Diagnosed with diabetes | 23.6 | (1.3) | 45.4 | (0.4) | 28.8 | (0.7) | 32.8 | (0.4) | 14.7 | (1.4) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 23.8 | (1.8) | 58.0 | (0.9) | --- | --- | 57.3 | (1.0) | 16.7 | (2.0) |
| Bathing | 38.0 | (2.6) | 97.2 | (0.2) | --- | --- | 97.1 | (0.2) | 61.9 | (3.8) |
| Dressing | 40.3 | (2.5) | 92.1 | (0.5) | --- | --- | 93.2 | (0.3) | 49.1 | (3.6) |
| Toileting | 50.5 | (2.3) | 78.9 | (0.9) | --- | --- | 89.8 | (0.4) | 41.4 | (3.4) |
| Transferring in and out of a chair or bed | 36.2 | (2.6) | 90.4 | (0.5) | --- | --- | 88.3 | (0.4) | 32.8 | (3.2) |
| Walking | 35.7 | (2.5) | 95.0 | (0.3) | --- | --- | 93.5 | (0.3) | 36.0 | (3.1) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 5.3 | (0.4) | 15.3 | (0.4) | --- | --- | --- | --- | 7.5 | (0.9) |
| Emergency department visit | 7.3 | (0.6) | 11.9 | (0.3) | --- | --- | --- | --- | 13.4 | (1.7) |

Table 10. Providers and Users of Long-Term Care Services in Florida, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 6.2 | (0.5) | 0.3 | (0.0) | --- | --- | 13.5 | (0.2) | 17.3 | (2.0) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 11. Providers and Users of Long-Term Care Services in Georgia, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 90 | (1) | 100 | (10) | 200 | (13) | 400 | (19) | 900 | (13) |
| Number of beds or licensed maximum capacity[2] | 4,700 | (500) | ... | ... | ... | ... | 39,900 | (2,300) | 25,200 | (1,000) |
| Average capacity | 52 | (4.9) | --- | --- | --- | --- | 112 | (2.7) | 27 | (1.0) |
| Average number of people served | 20 | (1.4) | --- | --- | --- | --- | 95 | (2.2) | 23 | (1.0) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 76.4 | (3.6) | 75.0 | (4.2) | 80.5 | (2.9) | 63.0 | (2.6) | 69.4 | (4.0) |
| Micropolitan or neither | 23.6 | (3.6) | 25.0 | (4.2) | 19.5 | (2.9) | 37.0 | (2.6) | 30.6 | (4.0) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 60.0 | (4.5) | 70.4 | (4.4) | 80.5 | (2.9) | 65.5 | (2.5) | 83.3 | (3.6) |
| Not-for-profit, government, or other | 40.0 | (4.5) | 29.6 | (4.4) | 19.5 | (2.9) | 34.5 | (2.5) | * | * |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 73.1 | (3.9) | * | * | 31.1 | (3.5) | 2.5 | (0.8) | 67.8 | (1.9) |
| Category 2 | 26.9 | (3.9) | * | * | 41.2 | (3.7) | 59.9 | (2.6) | 32.2 | (1.9) |
| Category 3 | - | - | * | * | 27.7 | (3.4) | 37.5 | (2.6) | - | - |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 99.2 | (0.5) | … | … |
| Medicaid-certified | 85.1 | (3.2) | 93.5 | (2.4) | --- | --- | 96.6 | (1.0) | 46.4 | (3.8) |
| Chain-affiliated (percentage) | 41.9 | (4.3) | --- | --- | --- | --- | 73.9 | (2.3) | 49.7 | (4.4) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 510 | (30) | 2,036 | (248) | 3,544 | (382) | 23,438 | (1,360) | 9,128 | (796) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 18.4 | (1.5) | 59.8 | (1.5) | 47.3 | (1.1) | 6.2 | (0.2) | 2.9 | (0.6) |
| Licensed practical nurse or licensed vocational nurse | 17.2 | (1.4) | 22.3 | (1.5) | 7.6 | (0.6) | 28.9 | (0.3) | 6.5 | (0.9) |
| Aide | 60.7 | (2.3) | 14.2 | (1.1) | 35.0 | (1.1) | 63.3 | (0.4) | 90.4 | (1.0) |
| Social worker | 3.7 | (0.8) | 3.6 | (0.3) | 10.2 | (0.4) | 1.6 | (0.1) | *0.1 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 79.6 | (3.7) | 100.0 | (0.0) | 100.0 | (0.0) | 96.4 | (1.0) | 31.4 | (4.4) |
| Licensed practical nurse or licensed vocational nurse | 74.8 | (3.9) | 90.7 | (2.8) | 60.0 | (3.6) | † | (†) | 35.1 | (3.7) |
| Aide | † | (†) | † | (†) | † | (†) | † | (†) | 82.5 | (3.7) |

Table 11. Providers and Users of Long-Term Care Services in Georgia, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 18.7 | (3.5) | 72.2 | (4.3) | † | (†) | 75.9 | (2.3) | * | * |
| Activities staff | 84.4 | (3.3) | --- | --- | --- | --- | † | (†) | 62.5 | (4.2) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.5 | (0.1) | --- | --- | --- | --- | 0.3 | (0.0) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 1.0 | (0.3) | --- | --- | --- | --- | 1.1 | (0.0) | 0.2 | (0.0) |
| Aide | 1.7 | (0.3) | --- | --- | --- | --- | 2.2 | (0.0) | 2.1 | (0.2) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Activities staff | 0.8 | (0.2) | --- | --- | --- | --- | 0.1 | (0.0) | 0.3 | (0.1) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 42.3 | (4.4) | 81.5 | (3.7) | 100.0 | (0.0) | 86.0 | (1.8) | 39.0 | (4.7) |
| Mental health or counseling (percentage) | 22.2 | (3.7) | --- | --- | † | (†) | 84.6 | (1.9) | 39.5 | (4.7) |
| Therapy (physical, occupational, or speech) (percentage) | 50.7 | (4.7) | 100.0 | (0.0) | † | (†) | † | (†) | 61.5 | (4.4) |
| Skilled nursing or nursing (percentage) | 80.2 | (3.7) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 57.6 | (4.7) |
| Pharmacy or pharmacist (percentage) | 34.8 | (4.3) | 6.5 | (2.4) | --- | --- | 96.9 | (0.9) | * | * |
| Hospice (percentage) | 18.6 | (3.5) | * | * | … | … | 87.1 | (1.8) | 52.8 | (4.5) |
| Dental (percentage) | 26.0 | (3.9) | --- | --- | --- | --- | 86.0 | (1.8) | 38.3 | (4.5) |
| Podiatrist (percentage) | 26.3 | (4.1) | --- | --- | --- | --- | 91.3 | (1.5) | 56.0 | (4.4) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 81.8 | (3.4) | 100.0 | (0.0) | --- | --- | --- | --- | 87.5 | (3.0) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 12.6 | (1.8) | * | * |

Table 11. Providers and Users of Long-Term Care Services in Georgia, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 2,900 | (200) | 131,600 | (19,200) | 44,600 | (4,700) | 34,000 | (1,900) | 20,900 | (1,000) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 47.4 | (3.4) | 19.5 | (0.6) | 7.7 | (0.3) | 17.1 | (0.8) | 6.4 | (0.9) |
| 65 and over | 52.6 | (3.4) | 80.5 | (0.6) | 92.3 | (0.3) | 82.9 | (0.8) | 93.6 | (0.8) |
| 65–74 | 21.2 | (1.7) | 27.2 | (0.4) | 20.3 | (0.5) | 19.8 | (0.4) | 10.6 | (1.2) |
| 75–84 | 19.6 | (1.8) | 30.7 | (0.3) | 31.3 | (0.3) | 28.5 | (0.4) | 31.3 | (2.5) |
| 85 and over | 11.7 | (1.3) | 22.6 | (0.7) | 40.8 | (0.8) | 34.6 | (0.8) | 51.8 | (3.1) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 38.3 | (1.7) | 36.4 | (0.4) | 40.6 | (0.5) | 31.9 | (0.7) | 26.8 | (1.3) |
| Women | 61.7 | (1.7) | 63.6 | (0.4) | 59.4 | (0.5) | 68.1 | (0.7) | 73.2 | (1.3) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 1.8 | (0.2) | 1.2 | (0.1) | 1.0 | (0.1) | 0.6 | (0.1) | 0.7 | (0.2) |
| Non-Hispanic white | 30.2 | (2.8) | 74.4 | (1.8) | 77.2 | (1.2) | 64.0 | (1.5) | 88.3 | (1.9) |
| Non-Hispanic black | 66.4 | (2.8) | 23.0 | (1.7) | 20.8 | (1.2) | 33.4 | (1.4) | 8.1 | (0.9) |
| Non-Hispanic other | 1.6 | (0.2) | 1.4 | (0.1) | 1.0 | (0.1) | 2.0 | (0.3) | *3.0 | (1.5) |
| Used Medicaid for long-term care services (percent distribution) | 67.0 | (3.4) | 7.4 | (0.7) | --- | --- | 70.8 | (0.9) | 11.0 | (1.7) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 39.6 | (3.4) | 34.4 | (1.0) | 47.8 | (1.1) | 53.3 | (0.7) | 41.6 | (3.6) |
| Diagnosed with depression | 22.0 | (3.1) | 33.8 | (0.5) | 20.2 | (0.4) | 53.1 | (0.7) | 14.7 | (2.5) |
| Diagnosed with diabetes | 31.6 | (2.0) | 45.2 | (0.5) | 30.2 | (0.4) | 36.2 | (0.4) | 15.7 | (1.0) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 27.2 | (1.9) | 65.9 | (1.7) | --- | --- | 64.2 | (1.4) | 11.9 | (1.7) |
| Bathing | 38.2 | (3.7) | 98.3 | (0.3) | --- | --- | 96.9 | (0.3) | 56.2 | (3.5) |
| Dressing | 36.5 | (2.9) | 93.9 | (0.8) | --- | --- | 93.0 | (0.4) | 40.6 | (3.3) |
| Toileting | 49.4 | (3.2) | 83.0 | (1.4) | --- | --- | 88.9 | (0.5) | 32.0 | (3.2) |
| Transferring in and out of a chair or bed | 30.0 | (2.2) | 92.7 | (0.8) | --- | --- | 86.3 | (0.6) | 18.6 | (2.2) |
| Walking | 37.1 | (3.2) | 96.9 | (0.3) | --- | --- | 91.7 | (0.5) | 15.5 | (3.1) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 5.1 | (0.5) | 16.9 | (0.5) | --- | --- | --- | --- | 7.8 | (1.1) |

Table 11. Providers and Users of Long-Term Care Services in Georgia, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 7.4 | (0.6) | 15.6 | (0.4) | --- | --- | --- | --- | 13.4 | (1.6) |
| Falls | 6.9 | (0.7) | 0.1 | (0.0) | --- | --- | 17.1 | (0.4) | 24.4 | (2.9) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 12. Providers and Users of Long-Term Care Services in Hawaii, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 50 | (1) | 20 | (4) | 10 | (3) | 50 | (7) | 300 | (3) |
| Number of beds or licensed maximum capacity[2] | 1,800 | (100) | ... | ... | ... | ... | 4,100 | (700) | 5,200 | (700) |
| Average capacity | 36 | (3.1) | --- | --- | --- | --- | 88 | (9.8) | 18 | (2.3) |
| Average number of people served | 22 | (2.1) | --- | --- | --- | --- | 79 | (9.0) | 17 | (2.4) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 72.1 | (5.7) | 66.7 | (12.2) | * | * | 69.6 | (6.8) | 92.5 | (2.2) |
| Micropolitan or neither | 27.9 | (5.7) | 33.3 | (12.2) | * | * | 30.4 | (6.8) | * | * |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 39.5 | (6.4) | * | * | * | * | 47.8 | (7.4) | 75.6 | (3.5) |
| Not-for-profit, government, or other | 60.5 | (6.4) | * | * | * | * | 52.2 | (7.4) | * | * |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 62.4 | (6.2) | * | * | * | * | 23.9 | (6.3) | 88.8 | (1.0) |
| Category 2 | 37.6 | (6.2) | * | * | * | * | 47.8 | (7.4) | * | * |
| Category 3 | - | - | * | * | * | * | 28.3 | (6.6) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 100.0 | (0.0) | … | … |
| Medicaid-certified | 54.9 | (6.4) | 93.3 | (6.7) | --- | --- | 95.7 | (3.0) | 58.4 | (4.3) |
| Chain-affiliated (percentage) | 46.2 | (6.4) | --- | --- | --- | --- | 58.7 | (7.3) | * | * |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 249 | (29) | 134 | (43) | 223 | (112) | 2,668 | (472) | 2,051 | (278) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 7.3 | (1.5) | 64.6 | (5.0) | 47.8 | (3.9) | 19.0 | (1.7) | 13.8 | (1.6) |
| Licensed practical nurse or licensed vocational nurse | 5.0 | (0.9) | 3.7 | (3.0) | 10.7 | (1.8) | 12.2 | (1.5) | 8.5 | (1.5) |
| Aide | 79.7 | (1.6) | 24.9 | (4.3) | 29.4 | (2.1) | 66.9 | (1.8) | 76.2 | (2.9) |
| Social worker | 8.1 | (1.0) | 6.7 | (1.6) | 12.1 | (1.2) | 1.9 | (0.2) | 1.5 | (0.4) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 32.6 | (6.1) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 45.5 | (4.3) |
| Licensed practical nurse or licensed vocational nurse | 25.0 | (5.9) | * | * | * | * | 87.0 | (5.0) | * | * |
| Aide | * | * | † | (†) | 100.0 | (0.0) | † | (†) | 69.3 | (4.1) |

Table 12. Providers and Users of Long-Term Care Services in Hawaii, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 47.5 | (6.5) | * | * | 100.0 | (0.0) | 76.1 | (6.3) | * | * |
| Activities staff | 81.8 | (5.0) | --- | --- | --- | --- | 100.0 | (0.0) | 33.4 | (3.8) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.1) | --- | --- | --- | --- | 1.3 | (0.2) | 0.5 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.6 | (0.2) | *0.2 | (0.1) |
| Aide | 1.8 | (0.4) | --- | --- | --- | --- | 3.2 | (0.4) | 2.2 | (0.2) |
| Social worker | 0.2 | (0.1) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Activities staff | 0.6 | (0.1) | --- | --- | --- | --- | 0.4 | (0.1) | 0.4 | (0.1) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 43.3 | (6.6) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 33.3 | (4.3) |
| Mental health or counseling (percentage) | * | * | --- | --- | 100.0 | (0.0) | 56.5 | (7.3) | 35.9 | (4.3) |
| Therapy (physical, occupational, or speech) (percentage) | 36.1 | (6.5) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 46.6 | (4.7) |
| Skilled nursing or nursing (percentage) | 44.7 | (6.6) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 49.4 | (4.8) |
| Pharmacy or pharmacist (percentage) | * | * | * | * | --- | --- | 100.0 | (0.0) | 60.7 | (4.4) |
| Hospice (percentage) | * | * | - | - | … | … | 56.5 | (7.3) | 39.2 | (4.4) |
| Dental (percentage) | * | * | --- | --- | --- | --- | 89.1 | (4.6) | 47.2 | (4.6) |
| Podiatrist (percentage) | * | * | --- | --- | --- | --- | 76.1 | (6.3) | 44.2 | (4.6) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 66.0 | (6.0) | * | * | --- | --- | --- | --- | 80.0 | (3.6) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | * | * | * | * |

Table 12. Providers and Users of Long-Term Care Services in Hawaii, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 1,600 | (200) | 6,700 | (2,400) | 4,700 | (2,000) | 3,700 | (700) | 4,800 | (700) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 6.5 | (1.9) | 11.9 | (1.5) | 3.5 | (0.4) | 11.4 | (1.5) | *4.7 | (1.7) |
| 65 and over | 93.5 | (1.9) | 88.1 | (1.5) | 96.5 | (0.4) | 88.6 | (1.5) | 95.3 | (1.7) |
| 65–74 | 10.0 | (2.4) | 20.8 | (1.2) | 14.9 | (1.3) | 12.5 | (1.0) | 7.9 | (1.0) |
| 75–84 | 29.6 | (2.5) | 30.7 | (0.9) | 25.5 | (1.1) | 23.6 | (0.8) | 22.4 | (3.6) |
| 85 and over | 53.9 | (4.1) | 36.6 | (1.4) | 56.1 | (2.4) | 52.5 | (2.3) | 65.0 | (2.6) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 22.2 | (1.3) | 41.1 | (0.7) | 42.8 | (1.2) | 34.4 | (1.7) | 32.3 | (2.4) |
| Women | 77.8 | (1.3) | 58.9 | (0.7) | 57.2 | (1.2) | 65.6 | (1.7) | 67.7 | (2.4) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 3.4 | (1.0) | 5.3 | (0.4) | 4.1 | (0.5) | 2.2 | (0.3) | *0.3 | (0.2) |
| Non-Hispanic white | 8.4 | (1.2) | 29.6 | (4.1) | 27.3 | (3.2) | 22.7 | (2.1) | 20.8 | (4.3) |
| Non-Hispanic black | 0.3 | (0.1) | 0.7 | (0.2) | 0.5 | (0.1) | 0.6 | (0.1) | 0.5 | (0.1) |
| Non-Hispanic other | 87.9 | (1.5) | 64.4 | (4.4) | 68.1 | (3.4) | 74.5 | (2.3) | 78.6 | (4.2) |
| Used Medicaid for long-term care services (percent distribution) | 15.6 | (2.9) | 11.1 | (2.2) | --- | --- | 62.5 | (3.4) | *9.0 | (2.8) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 63.2 | (3.4) | 41.2 | (2.0) | 31.0 | (2.8) | 53.6 | (3.8) | 38.9 | (6.1) |
| Diagnosed with depression | 9.1 | (1.5) | 21.6 | (0.7) | 8.5 | (0.2) | 25.5 | (2.3) | 11.0 | (2.8) |
| Diagnosed with diabetes | 22.5 | (2.4) | 46.4 | (1.0) | 17.3 | (0.7) | 29.6 | (1.0) | 15.1 | (3.7) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 23.2 | (4.8) | 60.0 | (4.8) | --- | --- | 71.2 | (4.1) | 19.1 | (2.7) |
| Bathing | 32.6 | (5.9) | 95.1 | (1.3) | --- | --- | 99.0 | (0.4) | 48.0 | (7.0) |
| Dressing | 36.9 | (4.3) | 84.8 | (2.6) | --- | --- | 98.4 | (0.5) | 36.4 | (4.1) |
| Toileting | 44.4 | (4.0) | 71.9 | (4.6) | --- | --- | 97.1 | (0.8) | 35.9 | (4.8) |
| Transferring in and out of a chair or bed | 41.3 | (4.6) | 88.1 | (3.2) | --- | --- | 96.4 | (0.9) | 32.4 | (4.0) |
| Walking | 50.9 | (4.9) | 94.9 | (1.2) | --- | --- | 96.8 | (1.1) | 33.2 | (4.1) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 8.6 | (2.9) | 10.1 | (0.7) | --- | --- | --- | --- | 7.5 | (0.8) |

Table 12. Providers and Users of Long-Term Care Services in Hawaii, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 8.9 | (1.3) | 14.4 | (0.9) | --- | --- | --- | --- | 9.5 | (2.0) |
| Falls | 10.5 | (1.0) | 0.2 | (0.1) | --- | --- | 13.0 | (1.2) | 14.3 | (2.1) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 13. Providers and Users of Long-Term Care Services in Idaho, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | |
| Number of providers[1] | 50 | (7) | 50 | (7) | 80 | (9) | 200 | (3) |
| Number of beds or licensed maximum capacity[2] | ... | ... | ... | ... | 6,000 | (700) | 8,300 | (300) |
| Average capacity | --- | --- | --- | --- | 76 | (4.1) | 38 | (1.1) |
| Average number of people served | --- | --- | --- | --- | 49 | (2.8) | 30 | (1.0) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | |
| Metropolitan | 71.7 | (6.6) | 77.8 | (6.2) | 56.4 | (5.6) | 69.4 | (3.0) |
| Micropolitan or neither | 28.3 | (6.6) | 22.2 | (6.2) | 43.6 | (5.6) | 30.6 | (3.0) |
| Ownership (percent distribution): | | | | | | | | |
| For-profit | 78.3 | (6.1) | 68.9 | (6.9) | 73.1 | (5.0) | 91.6 | (1.8) |
| Not-for-profit, government, or other | 21.7 | (6.1) | 31.1 | (6.9) | 26.9 | (5.0) | 8.4 | (1.8) |
| Number of people served (percent distribution):[3] | | | | | | | | |
| Category 1 | * | * | 34.1 | (7.4) | * | * | * | * |
| Category 2 | * | * | 53.7 | (7.8) | * | * | * | * |
| Category 3 | * | * | 12.2 | (5.1) | * | * | * | * |
| Certification (percentage): | | | | | | | | |
| Medicare-certified | 100.0 | (0.0) | --- | --- | 100.0 | (0.0) | … | … |
| Medicaid-certified | 95.6 | (3.0) | --- | --- | 92.3 | (3.0) | 89.9 | (2.0) |
| Chain-affiliated (percentage) | --- | --- | --- | --- | 70.5 | (5.2) | 73.4 | (3.0) |
| **Staffing[4]** | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 509 | (108) | 399 | (87) | 3,347 | (417) | 2,953 | (140) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | |
| Registered nurse | 58.0 | (3.0) | 45.8 | (1.8) | 14.9 | (0.8) | 4.9 | (0.3) |
| Licensed practical nurse or licensed vocational nurse | 11.0 | (1.6) | 7.7 | (1.1) | 18.1 | (0.8) | 4.4 | (0.4) |
| Aide | 24.8 | (2.4) | 31.2 | (2.4) | 64.8 | (0.9) | 90.3 | (0.6) |
| Social worker | 6.2 | (0.7) | 15.3 | (1.5) | 2.1 | (0.2) | 0.5 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | |
| Registered nurse | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 71.2 | (3.0) |
| Licensed practical nurse or licensed vocational nurse | 58.7 | (7.3) | 53.3 | (7.4) | † | (†) | 46.9 | (3.2) |

Table 13. Providers and Users of Long-Term Care Services in Idaho, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| Aide | † | (†) | † | (†) | 100.0 | (0.0) | 93.5 | (1.7) |
| Social worker | 78.3 | (6.1) | † | (†) | 82.1 | (4.3) | 5.5 | (1.5) |
| Activities staff | --- | --- | --- | --- | † | (†) | 72.1 | (2.9) |
| Employee hours per resident or participant per day: | | | | | | | | |
| Registered nurse | --- | --- | --- | --- | 0.9 | (0.2) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | --- | --- | --- | --- | 1.0 | (0.2) | 0.1 | (0.0) |
| Aide | --- | --- | --- | --- | 3.2 | (0.3) | 2.4 | (0.1) |
| Social worker | --- | --- | --- | --- | 0.2 | (0.1) | 0.0 | (0.0) |
| Activities staff | --- | --- | --- | --- | 0.3 | (0.1) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | |
| Social work (percentage) | † | (†) | 100.0 | (0.0) | † | (†) | 61.5 | (3.4) |
| Mental health or counseling (percentage) | --- | --- | † | (†) | 82.1 | (4.3) | 65.7 | (3.4) |
| Therapy (physical, occupational, or speech) (percentage) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 80.9 | (2.8) |
| Skilled nursing or nursing (percentage) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 81.9 | (2.7) |
| Pharmacy or pharmacist (percentage) | 21.7 | (6.1) | --- | --- | † | (†) | 89.6 | (2.1) |
| Hospice (percentage) | 28.3 | (6.6) | … | … | 57.7 | (5.6) | 77.6 | (2.9) |
| Dental (percentage) | --- | --- | --- | --- | 76.9 | (4.8) | 57.1 | (3.6) |
| Podiatrist (percentage) | --- | --- | --- | --- | 85.9 | (3.9) | 81.0 | (2.8) |
| **Practices** | | | | | | | | |
| Depression screening (percentage) | † | (†) | --- | --- | --- | --- | 86.1 | (2.3) |
| **Special care** | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | 10.3 | (3.4) | 25.9 | (2.8) |

Table 13. Providers and Users of Long-Term Care Services in Idaho, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | |
| Number of users[2] | 18,600 | (3,700) | 7,700 | (1,600) | 3,900 | (500) | 6,500 | (200) |
| Age in years (percent distribution): | | | | | | | | |
| Under 65 | 16.6 | (0.9) | 5.2 | (0.4) | 16.4 | (1.5) | 6.0 | (0.9) |
| 65 and over | 83.4 | (0.9) | 94.8 | (0.4) | 83.6 | (1.5) | 94.0 | (0.9) |
| 65–74 | 25.4 | (0.8) | 16.7 | (0.8) | 18.6 | (0.7) | 11.9 | (1.8) |
| 75–84 | 30.8 | (0.5) | 30.6 | (0.6) | 27.8 | (1.0) | 29.2 | (1.7) |
| 85 and over | 27.3 | (1.0) | 47.4 | (1.3) | 37.1 | (1.7) | 52.8 | (2.4) |
| Sex (percent distribution): | | | | | | | | |
| Men | 37.1 | (0.7) | 41.5 | (0.8) | 37.4 | (2.4) | 28.0 | (0.9) |
| Women | 62.9 | (0.7) | 58.5 | (0.8) | 62.6 | (2.4) | 72.0 | (0.9) |
| Race and ethnicity (percent distribution): | | | | | | | | |
| Hispanic | 3.5 | (0.3) | 2.1 | (0.3) | 2.5 | (0.4) | 1.4 | (0.2) |
| Non-Hispanic white | 94.0 | (0.4) | 95.9 | (0.3) | 92.2 | (1.2) | 82.2 | (3.3) |
| Non-Hispanic black | 0.3 | (0.1) | 0.2 | (0.0) | 0.1 | (0.1) | 0.1 | (0.0) |
| Non-Hispanic other | 2.2 | (0.2) | 1.8 | (0.1) | 5.1 | (1.2) | 16.3 | (3.3) |
| Used Medicaid for long-term care services (percent distribution) | 7.6 | (0.9) | --- | --- | 63.9 | (1.9) | 28.1 | (2.1) |
| Conditions (percentage): | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 28.6 | (1.2) | 37.3 | (1.7) | 40.8 | (1.8) | 45.8 | (2.7) |
| Diagnosed with depression | 42.6 | (1.3) | 19.0 | (0.8) | 52.8 | (1.3) | 29.4 | (2.2) |
| Diagnosed with diabetes | 38.4 | (0.8) | 22.2 | (0.8) | 34.5 | (0.9) | 14.6 | (0.8) |
| Need assistance in physical functioning (percentage): | | | | | | | | |
| Eating | 56.1 | (3.5) | --- | --- | 53.7 | (3.3) | 23.2 | (1.6) |
| Bathing | 95.7 | (1.0) | --- | --- | 98.2 | (0.4) | 68.9 | (2.2) |
| Dressing | 85.6 | (2.6) | --- | --- | 91.4 | (0.9) | 53.9 | (2.1) |
| Toileting | 68.2 | (4.6) | --- | --- | 88.8 | (1.1) | 46.9 | (2.3) |
| Transferring in and out of a chair or bed | 87.9 | (1.9) | --- | --- | 86.2 | (1.2) | 38.8 | (2.2) |
| Walking | 94.6 | (1.1) | --- | --- | 92.6 | (0.9) | 28.9 | (1.7) |
| Adverse events (percentage): | | | | | | | | |

Table 13. Providers and Users of Long-Term Care Services in Idaho, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| Overnight hospital stay | 11.1 | (0.5) | --- | --- | --- | --- | 7.5 | (1.2) |
| Emergency department visit | 13.7 | (0.6) | --- | --- | --- | --- | 9.9 | (0.6) |
| Falls | 0.2 | (0.0) | --- | --- | 19.3 | (1.0) | 28.9 | (2.2) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For nursing homes and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

Estimates for adult day services centers are not presented because these estimates do not meet reliability or confidentiality standards.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 14. Providers and Users of Long-Term Care Services in Illinois, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 80 | (0.0) | 800 | (27) | 100 | (11) | 800 | (27) | 400 | (6) |
| Number of beds or licensed maximum capacity[2] | 4,900 | (200) | ... | ... | ... | ... | 94,300 | (3,900) | 31,000 | (2,100) |
| Average capacity | 61 | (2.9) | --- | --- | --- | --- | 124 | (2.6) | 73 | (4.9) |
| Average number of people served | 33 | (1.7) | --- | --- | --- | --- | 96 | (2.1) | 65 | (4.9) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 86.0 | (2.0) | 93.7 | (0.9) | 77.3 | (3.8) | 72.0 | (1.6) | 74.9 | (3.9) |
| Micropolitan or neither | 14.0 | (2.0) | 6.3 | (0.9) | 22.7 | (3.8) | 28.0 | (1.6) | * | * |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 28.6 | (2.6) | 87.3 | (1.2) | 38.7 | (4.5) | 71.8 | (1.6) | 54.2 | (4.9) |
| Not-for-profit, government, or other | 71.4 | (2.6) | 12.7 | (1.2) | 61.3 | (4.5) | 28.2 | (1.6) | 45.8 | (4.9) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 42.5 | (1.8) | 31.0 | (4.4) | 6.2 | (0.9) | * | * |
| Category 2 | * | * | 37.1 | (1.7) | 31.0 | (4.4) | 57.4 | (1.8) | 65.6 | (4.0) |
| Category 3 | * | * | 20.4 | (1.4) | 38.1 | (4.6) | 36.4 | (1.7) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 99.7 | (0.2) | --- | --- | 92.5 | (1.0) | … | … |
| Medicaid-certified | 67.2 | (2.7) | 68.8 | (1.6) | --- | --- | 94.2 | (0.8) | * | * |
| Chain-affiliated (percentage) | 56.3 | (2.8) | --- | --- | --- | --- | 48.1 | (1.8) | 62.7 | (4.8) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 379 | (14) | 6,827 | (337) | 2,248 | (333) | 45,218 | (1,824) | 10,435 | (1,061) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 21.1 | (0.9) | 71.5 | (1.0) | 51.2 | (2.0) | 15.2 | (0.3) | 12.2 | (1.2) |
| Licensed practical nurse or licensed vocational nurse | 11.2 | (0.9) | 8.3 | (0.6) | 6.3 | (1.2) | 18.3 | (0.3) | 16.6 | (1.0) |
| Aide | 60.7 | (1.6) | 18.3 | (0.9) | 31.2 | (1.6) | 65.1 | (0.3) | 70.3 | (1.4) |
| Social worker | 7.0 | (0.7) | 2.0 | (0.2) | 11.2 | (0.7) | 1.4 | (0.1) | 0.9 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 85.7 | (2.0) | 100.0 | (0.0) | † | (†) | † | (†) | 68.6 | (4.5) |
| Licensed practical nurse or licensed vocational nurse | 50.8 | (2.9) | 48.0 | (1.8) | 47.1 | (4.6) | 96.6 | (0.7) | 78.5 | (3.9) |
| Aide | 80.6 | (2.3) | 96.9 | (0.6) | 95.0 | (2.0) | 99.2 | (0.3) | 88.8 | (3.2) |

Table 14. Providers and Users of Long-Term Care Services in Illinois, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 27.0 | (2.5) | 29.3 | (1.6) | † | (†) | 54.7 | (1.8) | * | * |
| Activities staff | 90.5 | (1.7) | --- | --- | --- | --- | 97.2 | (0.6) | 94.6 | (2.2) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.4 | (0.0) | --- | --- | --- | --- | 0.7 | (0.1) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 0.3 | (0.0) |
| Aide | 0.8 | (0.1) | --- | --- | --- | --- | 2.3 | (0.1) | 1.5 | (0.2) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | 0.6 | (0.0) | --- | --- | --- | --- | 0.2 | (0.0) | 0.3 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 50.8 | (3.0) | 92.6 | (0.9) | † | (†) | 89.9 | (1.1) | 58.5 | (4.5) |
| Mental health or counseling (percentage) | 27.0 | (2.6) | --- | --- | † | (†) | 76.7 | (1.5) | 53.9 | (4.6) |
| Therapy (physical, occupational, or speech) (percentage) | 50.7 | (3.0) | † | (†) | † | (†) | 97.9 | (0.5) | * | * |
| Skilled nursing or nursing (percentage) | 79.3 | (2.4) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 58.0 | (4.5) |
| Pharmacy or pharmacist (percentage) | 25.4 | (2.6) | 5.9 | (0.8) | --- | --- | 98.4 | (0.5) | * | * |
| Hospice (percentage) | 12.9 | (2.1) | 1.4 | (0.4) | … | … | 79.7 | (1.5) | 66.5 | (4.4) |
| Dental (percentage) | 12.7 | (2.0) | --- | --- | --- | --- | 86.5 | (1.2) | 48.9 | (4.6) |
| Podiatrist (percentage) | 33.8 | (2.9) | --- | --- | --- | --- | 96.6 | (0.7) | * | * |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 84.1 | (2.1) | 94.0 | (0.8) | --- | --- | --- | --- | 81.7 | (3.9) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 17.4 | (1.4) | 41.1 | (4.8) |

Table 14. Providers and Users of Long-Term Care Services in Illinois, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 5,700 | (400) | 223,400 | (19,200) | 46,100 | (7,100) | 73,200 | (3,000) | 27,700 | (2,100) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 12.3 | (1.3) | 16.2 | (0.5) | 4.6 | (0.2) | 21.0 | (1.1) | 3.0 | (0.8) |
| 65 and over | 87.7 | (1.3) | 83.8 | (0.5) | 95.4 | (0.2) | 79.0 | (1.1) | 97.0 | (0.8) |
| 65–74 | 32.4 | (1.4) | 26.1 | (0.4) | 15.9 | (0.5) | 15.5 | (0.3) | 7.8 | (1.0) |
| 75–84 | 38.0 | (1.4) | 31.3 | (0.3) | 29.4 | (0.4) | 24.1 | (0.4) | 30.1 | (2.0) |
| 85 and over | 17.3 | (1.0) | 26.3 | (0.6) | 50.1 | (0.8) | 39.4 | (1.0) | 59.0 | (3.0) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 34.6 | (1.3) | 37.0 | (0.2) | 39.0 | (0.4) | 36.0 | (0.7) | 26.0 | (1.2) |
| Women | 65.4 | (1.3) | 63.0 | (0.2) | 61.0 | (0.4) | 64.0 | (0.7) | 74.0 | (1.2) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 6.2 | (1.6) | 6.9 | (0.4) | 3.2 | (0.4) | 3.7 | (0.4) | 1.2 | (0.3) |
| Non-Hispanic white | 31.2 | (3.0) | 64.2 | (1.7) | 85.0 | (2.4) | 75.6 | (1.3) | 91.7 | (1.9) |
| Non-Hispanic black | 22.5 | (2.5) | 25.3 | (1.4) | 10.3 | (2.0) | 17.1 | (1.2) | *2.7 | (0.9) |
| Non-Hispanic other | 40.2 | (4.8) | 3.6 | (0.2) | 1.5 | (0.2) | 3.4 | (0.3) | *4.4 | (1.7) |
| Used Medicaid for long-term care services (percent distribution) | 19.6 | (2.1) | 7.5 | (0.5) | --- | --- | 60.1 | (1.1) | *8.3 | (2.6) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 45.0 | (3.2) | 29.6 | (0.6) | 51.9 | (1.3) | 45.4 | (0.8) | 38.0 | (3.0) |
| Diagnosed with depression | 31.5 | (3.1) | 34.5 | (0.5) | 28.2 | (0.7) | 43.1 | (0.6) | 21.2 | (2.1) |
| Diagnosed with diabetes | 27.5 | (1.7) | 48.2 | (0.6) | 32.3 | (0.6) | 31.0 | (0.3) | 18.5 | (2.4) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 16.7 | (1.4) | 57.0 | (1.2) | --- | --- | 55.1 | (1.3) | 20.6 | (2.6) |
| Bathing | 21.2 | (2.1) | 96.9 | (0.3) | --- | --- | 91.1 | (1.0) | 59.3 | (4.0) |
| Dressing | 23.3 | (2.0) | 89.1 | (0.7) | --- | --- | 86.0 | (1.1) | 46.5 | (3.8) |
| Toileting | 28.2 | (2.3) | 73.9 | (1.3) | --- | --- | 80.7 | (1.2) | 38.7 | (3.8) |
| Transferring in and out of a chair or bed | 20.5 | (1.7) | 88.7 | (0.5) | --- | --- | 78.5 | (1.2) | 35.8 | (3.5) |
| Walking | 24.1 | (2.0) | 94.5 | (0.4) | --- | --- | 82.5 | (1.2) | 30.7 | (3.8) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 6.2 | (0.3) | 15.6 | (0.4) | --- | --- | --- | --- | 9.3 | (1.7) |

Table 14. Providers and Users of Long-Term Care Services in Illinois, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 6.6 | (0.4) | 13.1 | (0.3) | --- | --- | --- | --- | 9.3 | (0.9) |
| Falls | 4.8 | (0.5) | 0.4 | (0.0) | --- | --- | 15.2 | (0.3) | 24.7 | (2.7) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 15. Providers and Users of Long-Term Care Services in Indiana, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 40 | (1) | 290 | (17) | 90 | (9) | 500 | (23) | 200 | (3) |
| Number of beds or licensed maximum capacity[2] | 1,400 | (100) | ... | ... | ... | ... | 50,900 | (2,400) | 20,300 | (700) |
| Average capacity | 35 | (2.1) | --- | --- | --- | --- | 97 | (1.9) | 89 | (3.1) |
| Average number of people served | 20 | (1.4) | --- | --- | --- | --- | 74 | (1.6) | 63 | (1.6) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | † | (†) | 85.0 | (2.1) | 76.7 | (4.6) | 66.5 | (2.1) | 78.4 | (2.0) |
| Micropolitan or neither | * | * | 15.0 | (2.1) | 23.3 | (4.6) | 33.5 | (2.1) | 21.6 | (2.0) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 29.4 | (5.3) | 80.9 | (2.3) | 47.7 | (5.4) | 44.7 | (2.2) | 65.6 | (2.7) |
| Not-for-profit, government, or other | 70.6 | (5.3) | 19.1 | (2.3) | 52.3 | (5.4) | 55.3 | (2.2) | 34.4 | (2.7) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 68.4 | (5.3) | 45.8 | (3.1) | 17.9 | (4.2) | 6.3 | (1.1) | 18.0 | (1.7) |
| Category 2 | 31.6 | (5.3) | 23.9 | (2.6) | 38.1 | (5.3) | 71.9 | (2.0) | 64.7 | (2.6) |
| Category 3 | - | - | 30.3 | (2.8) | 44.0 | (5.4) | 21.9 | (1.8) | 17.4 | (2.1) |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 77.8 | (2.4) | --- | --- | 98.1 | (0.6) | … | … |
| Medicaid-certified | † | (†) | 87.7 | (1.9) | --- | --- | 94.7 | (1.0) | 31.7 | (2.6) |
| Chain-affiliated (percentage) | * | * | --- | --- | --- | --- | 78.1 | (1.8) | 72.2 | (2.5) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 156 | (12) | 4,396 | (369) | 1,624 | (243) | 29,092 | (1,415) | 4,881 | (217) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 13.1 | (2.0) | 41.8 | (2.3) | 51.2 | (1.5) | 11.9 | (0.2) | 10.7 | (1.3) |
| Licensed practical nurse or licensed vocational nurse | 11.3 | (1.5) | 15.5 | (1.5) | 7.2 | (1.0) | 26.3 | (0.3) | 30.2 | (0.8) |
| Aide | 64.5 | (3.2) | 41.1 | (2.3) | 30.1 | (1.3) | 59.6 | (0.3) | 57.0 | (1.1) |
| Social worker | 11.0 | (1.6) | 1.5 | (0.2) | 11.5 | (0.6) | 2.2 | (0.1) | 2.1 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 47.8 | (5.8) | † | (†) | 100.0 | (0.0) | † | (†) | 71.9 | (2.6) |
| Licensed practical nurse or licensed vocational nurse | 47.4 | (6.0) | 60.4 | (2.9) | 48.8 | (5.4) | † | (†) | 95.1 | (1.0) |
| Aide | 70.2 | (5.3) | 94.9 | (1.3) | † | (†) | † | (†) | 93.7 | (1.2) |

Table 15. Providers and Users of Long-Term Care Services in Indiana, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 36.7 | (5.6) | 42.3 | (2.9) | 100.0 | (0.0) | 84.4 | (1.6) | 43.4 | (2.8) |
| Activities staff | 81.1 | (4.6) | --- | --- | --- | --- | 98.1 | (0.6) | † | (†) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.1) | --- | --- | --- | --- | 0.6 | (0.0) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 1.2 | (0.1) | 0.6 | (0.0) |
| Aide | 1.1 | (0.2) | --- | --- | --- | --- | 2.5 | (0.1) | 1.2 | (0.1) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Activities staff | 1.0 | (0.1) | --- | --- | --- | --- | 0.3 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 57.8 | (5.7) | 52.9 | (2.9) | 100.0 | (0.0) | 95.8 | (0.9) | 67.1 | (2.7) |
| Mental health or counseling (percentage) | 38.9 | (5.6) | --- | --- | † | (†) | 94.5 | (1.0) | 72.1 | (2.5) |
| Therapy (physical, occupational, or speech) (percentage) | 42.0 | (5.7) | 78.5 | (2.4) | † | (†) | † | (†) | 88.8 | (1.8) |
| Skilled nursing or nursing (percentage) | 64.6 | (5.6) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 75.0 | (2.5) |
| Pharmacy or pharmacist (percentage) | * | * | 4.4 | (1.2) | --- | --- | 95.6 | (0.9) | 91.1 | (1.6) |
| Hospice (percentage) | * | * | 6.8 | (1.5) | … | … | 81.9 | (1.7) | 73.0 | (2.5) |
| Dental (percentage) | 16.9 | (4.2) | --- | --- | --- | --- | 94.5 | (1.0) | 61.7 | (2.8) |
| Podiatrist (percentage) | 27.4 | (5.0) | --- | --- | --- | --- | 96.6 | (0.8) | 88.4 | (1.9) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 81.3 | (4.5) | 87.0 | (2.1) | --- | --- | --- | --- | 85.4 | (2.1) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 37.5 | (2.1) | 40.1 | (2.8) |

Table 15. Providers and Users of Long-Term Care Services in Indiana, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 1,500 | (100) | 85,200 | (9,700) | 29,100 | (4,200) | 38,800 | (1,900) | 14,400 | (400) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 41.5 | (4.6) | 19.4 | (0.7) | 6.5 | (0.2) | 13.5 | (0.7) | 3.8 | (0.6) |
| 65 and over | 58.5 | (4.6) | 80.6 | (0.7) | 93.5 | (0.2) | 86.5 | (0.7) | 96.2 | (0.6) |
| 65–74 | 17.4 | (1.5) | 25.0 | (0.4) | 18.1 | (0.6) | 15.0 | (0.3) | 10.7 | (1.0) |
| 75–84 | 22.6 | (2.0) | 30.9 | (0.3) | 30.9 | (0.3) | 28.2 | (0.3) | 30.9 | (0.8) |
| 85 and over | 18.5 | (2.3) | 24.7 | (0.7) | 44.4 | (1.0) | 43.4 | (0.8) | 54.6 | (1.5) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 41.7 | (1.3) | 36.8 | (0.3) | 41.3 | (0.5) | 30.1 | (0.5) | 30.6 | (0.9) |
| Women | 58.3 | (1.3) | 63.2 | (0.3) | 58.7 | (0.5) | 69.9 | (0.5) | 69.4 | (0.9) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 2.4 | (0.4) | 1.9 | (0.3) | 0.9 | (0.2) | 0.7 | (0.1) | 0.9 | (0.2) |
| Non-Hispanic white | 70.6 | (3.2) | 86.1 | (1.1) | 93.2 | (0.7) | 88.1 | (0.8) | 89.3 | (1.9) |
| Non-Hispanic black | 25.1 | (2.9) | 11.0 | (1.0) | 5.2 | (0.6) | 7.9 | (0.7) | 3.5 | (1.1) |
| Non-Hispanic other | 1.8 | (0.3) | 1.0 | (0.1) | 0.7 | (0.1) | 3.2 | (0.3) | 6.4 | (1.4) |
| Used Medicaid for long-term care services (percent distribution) | 47.9 | (3.9) | 9.2 | (0.8) | --- | --- | 62.6 | (0.8) | 13.0 | (1.7) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 47.3 | (4.8) | 31.1 | (0.9) | 46.8 | (1.8) | 53.0 | (0.7) | 37.8 | (1.8) |
| Diagnosed with depression | 18.8 | (2.1) | 40.9 | (0.7) | 26.5 | (0.8) | 51.8 | (0.6) | 28.8 | (1.7) |
| Diagnosed with diabetes | 18.4 | (1.7) | 46.0 | (0.4) | 31.4 | (0.6) | 31.9 | (0.4) | 19.1 | (1.1) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 31.9 | (3.1) | 48.5 | (2.2) | --- | --- | 65.4 | (1.5) | 13.5 | (1.3) |
| Bathing | 44.7 | (5.0) | 95.2 | (0.5) | --- | --- | 97.5 | (0.2) | 48.4 | (2.0) |
| Dressing | 37.2 | (4.6) | 81.5 | (1.6) | --- | --- | 93.4 | (0.3) | 36.6 | (1.8) |
| Toileting | 45.4 | (3.4) | 63.1 | (2.5) | --- | --- | 89.9 | (0.5) | 26.4 | (1.7) |
| Transferring in/out of chair | 29.0 | (2.8) | 83.7 | (1.3) | --- | --- | 87.4 | (0.6) | 25.1 | (1.8) |
| Walking | 24.0 | (2.4) | 92.4 | (0.6) | --- | --- | 91.6 | (0.4) | 22.4 | (1.8) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 6.3 | (0.9) | 18.4 | (0.5) | --- | --- | --- | --- | 7.6 | (0.6) |

Table 15. Providers and Users of Long-Term Care Services in Indiana, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 9.2 | (0.9) | 16.7 | (0.5) | --- | --- | --- | --- | 11.1 | (1.1) |
| Falls | 8.3 | (0.9) | 0.3 | (0.0) | --- | --- | 18.1 | (0.3) | 25.5 | (1.5) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served is baseddaily on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 16. Providers and Users of Long-Term Care Services in Iowa, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 30 | (1) | 200 | (13) | 80 | (9) | 400 | (21) | 50 | (1) |
| Number of beds or licensed maximum capacity[2] | 1,100 | (100) | ... | ... | ... | ... | 31,200 | (1,700) | 1,700 | (0) |
| Average capacity | 35 | (2.2) | --- | --- | --- | --- | 71 | (2.0) | 32 | (0.7) |
| Average number of people served | 21 | (1.9) | --- | --- | --- | --- | 56 | (1.6) | 23 | (0.6) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 38.8 | (7.1) | 32.7 | (3.7) | 38.0 | (5.5) | 36.4 | (2.3) | 50.7 | (3.5) |
| Micropolitan or neither | 61.2 | (7.1) | 67.3 | (3.7) | 62.0 | (5.5) | 63.6 | (2.3) | 49.3 | (3.5) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | * | * | 30.3 | (3.6) | 21.5 | (4.6) | 54.5 | (2.4) | 34.3 | (3.5) |
| Not-for-profit, government, or other | † | (†) | 69.7 | (3.6) | 78.5 | (4.6) | 45.5 | (2.4) | 65.7 | (3.5) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 70.9 | (6.6) | 48.4 | (4.0) | 40.5 | (5.5) | 7.5 | (1.3) | * | * |
| Category 2 | 29.1 | (6.6) | 37.1 | (3.8) | 39.2 | (5.5) | 86.0 | (1.7) | * | * |
| Category 3 | - | - | 14.5 | (2.8) | 20.3 | (4.5) | 6.6 | (1.2) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 94.1 | (1.1) | … | … |
| Medicaid-certified | † | (†) | 100.0 | (0.0) | --- | --- | 98.2 | (0.6) | 72.9 | (3.5) |
| Chain-affiliated (percentage) | 23.5 | (6.1) | --- | --- | --- | --- | 54.8 | (2.4) | 36.8 | (3.6) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 127 | (13) | 2,195 | (225) | 880 | (167) | 16,695 | (902) | 560 | (31) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 15.0 | (2.4) | 53.4 | (1.8) | 58.5 | (2.2) | 13.7 | (0.3) | 15.0 | (0.9) |
| Licensed practical nurse or licensed vocational nurse | 7.3 | (1.6) | 11.0 | (2.3) | 2.0 | (0.7) | 17.9 | (0.4) | 19.2 | (1.0) |
| Aide | 69.4 | (4.0) | 34.5 | (2.2) | 25.8 | (2.1) | 66.9 | (0.4) | 61.6 | (1.4) |
| Social worker | 8.2 | (2.5) | 1.1 | (0.2) | 13.8 | (0.8) | 1.6 | (0.1) | 4.2 | (0.4) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 62.9 | (7.1) | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | 77.8 | (2.9) |
| Licensed practical nurse or licensed vocational nurse | 30.3 | (6.7) | 37.0 | (3.8) | 22.8 | (4.7) | 98.2 | (0.6) | 86.8 | (2.6) |

Table 16. Providers and Users of Long-Term Care Services in Iowa, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Aide | * | * | 89.7 | (2.4) | † | (†) | † | (†) | † | (†) |
| Social worker | * | * | 28.5 | (3.5) | 100.0 | (0.0) | 58.1 | (2.3) | 48.3 | (3.2) |
| Activities staff | * | * | --- | --- | --- | --- | 96.8 | (0.8) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.1) | --- | --- | --- | --- | 0.6 | (0.1) | 1.0 | (0.2) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 1.3 | (0.3) |
| Aide | 1.0 | (0.1) | --- | --- | --- | --- | 2.3 | (0.0) | 2.6 | (0.3) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.2 | (0.0) |
| Activities staff | 0.6 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.6 | (0.1) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 35.5 | (7.0) | 40.6 | (3.8) | 100.0 | (0.0) | 76.5 | (2.0) | 62.8 | (3.3) |
| Mental health or counseling (percentage) | * | * | --- | --- | 100.0 | (0.0) | 76.2 | (2.0) | 60.5 | (3.8) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | 95.2 | (1.7) | 100.0 | (0.0) | † | (†) | 87.4 | (2.5) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 46.5 | (3.8) |
| Pharmacy or pharmacist (percentage) | * | * | 6.1 | (1.9) | --- | --- | 98.0 | (0.7) | * | * |
| Hospice (percentage) | * | * | 24.8 | (3.4) | … | … | 82.6 | (1.8) | 63.2 | (3.6) |
| Dental (percentage) | – | – | --- | --- | --- | --- | 73.3 | (2.1) | 77.4 | (3.0) |
| Podiatrist (percentage) | * | * | --- | --- | --- | --- | 89.8 | (1.4) | 87.4 | (2.5) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 72.0 | (6.4) | 94.9 | (1.7) | --- | --- | --- | --- | † | (†) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 18.3 | (1.8) | * | * |

Table 16. Providers and Users of Long-Term Care Services in Iowa, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 1,300 | (100) | 37,400 | (7,100) | 17,600 | (3,000) | 24,900 | (1,400) | 1,200 | (0) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 45.4 | (3.5) | 18.0 | (0.9) | 4.6 | (0.2) | 9.0 | (0.6) | 23.2 | (3.2) |
| 65 and over | 54.6 | (3.5) | 82.0 | (0.9) | 95.4 | (0.2) | 91.0 | (0.6) | 76.9 | (3.2) |
| 65–74 | 23.9 | (3.2) | 23.0 | (0.5) | 15.1 | (0.5) | 11.5 | (0.5) | 14.2 | (2.1) |
| 75–84 | 21.2 | (2.0) | 32.5 | (0.5) | 29.2 | (0.5) | 25.5 | (0.3) | 18.0 | (1.4) |
| 85 and over | 9.5 | (1.2) | 26.4 | (0.8) | 51.1 | (0.9) | 53.9 | (0.9) | 44.7 | (5.1) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 44.7 | (1.9) | 37.0 | (0.4) | 41.5 | (0.5) | 30.6 | (1.1) | 39.4 | (3.7) |
| Women | 55.3 | (1.9) | 63.0 | (0.4) | 58.5 | (0.5) | 69.4 | (1.1) | 60.6 | (3.7) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 1.2 | (0.3) | 1.0 | (0.1) | 0.7 | (0.1) | 0.4 | (0.0) | 0.7 | (0.2) |
| Non-Hispanic white | 92.8 | (0.9) | 95.7 | (0.7) | 97.5 | (0.2) | 96.8 | (0.3) | 96.2 | (0.5) |
| Non-Hispanic black | 4.2 | (0.8) | 2.4 | (0.5) | 1.1 | (0.2) | 1.3 | (0.2) | 1.3 | (0.2) |
| Non-Hispanic other | 1.7 | (0.3) | 0.9 | (0.1) | 0.8 | (0.1) | 1.5 | (0.2) | 1.8 | (0.4) |
| Used Medicaid for long-term care services (percent distribution) | 57.8 | (4.5) | 15.0 | (1.6) | --- | --- | 47.8 | (1.0) | 27.6 | (2.5) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 27.6 | (3.0) | 21.7 | (0.7) | 45.2 | (1.4) | 48.9 | (0.7) | 17.8 | (1.6) |
| Diagnosed with depression | 23.1 | (4.1) | 34.8 | (0.9) | 24.7 | (0.6) | 51.4 | (0.6) | 23.9 | (2.0) |
| Diagnosed with diabetes | 23.9 | (3.9) | 38.2 | (0.5) | 28.6 | (0.5) | 28.1 | (0.5) | 15.9 | (1.8) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 17.6 | (2.4) | 49.7 | (5.4) | --- | --- | 38.9 | (1.1) | 4.4 | (0.5) |
| Bathing | 27.2 | (3.5) | 95.4 | (0.8) | --- | --- | 98.9 | (0.2) | 59.9 | (4.9) |
| Dressing | 26.0 | (2.4) | 80.0 | (3.3) | --- | --- | 88.3 | (0.4) | 16.1 | (1.5) |
| Toileting | 22.2 | (1.6) | 60.8 | (5.4) | --- | --- | 81.7 | (0.6) | 9.9 | (1.3) |
| Transferring in and out of a chair or bed | 13.1 | (1.4) | 82.5 | (2.7) | --- | --- | 75.5 | (0.8) | 7.1 | (1.1) |
| Walking | 15.3 | (2.5) | 91.6 | (1.2) | --- | --- | 89.2 | (0.6) | 7.3 | (0.8) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 4.6 | (0.7) | 17.5 | (0.8) | --- | --- | --- | --- | 5.8 | (0.5) |

Table 16. Providers and Users of Long-Term Care Services in Iowa, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 3.0 | (0.5) | 18.7 | (0.8) | --- | --- | --- | --- | 5.4 | (0.7) |
| Falls | 6.9 | (1.2) | 0.4 | (0.1) | --- | --- | 21.5 | (0.4) | 16.4 | (1.6) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 17. Providers and Users of Long-Term Care Services in Kansas, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | |
| Number of providers[1] | 100 | (11) | 70 | (8) | 300 | (18) | 400 | (5) |
| Number of beds or licensed maximum capacity[2] | ... | ... | ... | ... | 22,900 | (1,400) | 12,100 | (1,000) |
| Average capacity | --- | --- | --- | --- | 67 | (1.9) | 34 | (2.7) |
| Average number of people served | --- | --- | --- | --- | 53 | (1.6) | 27 | (2.0) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | |
| Metropolitan | 47.6 | (4.5) | 62.3 | (5.8) | 42.6 | (2.7) | 54.8 | (4.6) |
| Micropolitan or neither | 52.4 | (4.5) | 37.7 | (5.8) | 57.4 | (2.7) | 45.2 | (4.6) |
| Ownership (percent distribution): | | | | | | | | |
| For-profit | 43.5 | (4.5) | 42.0 | (5.9) | 52.5 | (2.7) | 75.8 | (3.7) |
| Not-for-profit, government, or other | 56.5 | (4.5) | 58.0 | (5.9) | 47.5 | (2.7) | 24.2 | (3.7) |
| Number of people served (percent distribution):[3] | | | | | | | | |
| Category 1 | 40.3 | (4.5) | 48.5 | (6.1) | 11.6 | (1.7) | 58.1 | (3.3) |
| Category 2 | 34.5 | (4.4) | 36.8 | (5.8) | 81.2 | (2.1) | 39.5 | (3.3) |
| Category 3 | 25.2 | (4.0) | 14.7 | (4.3) | 7.2 | (1.4) | * | * |
| Certification (percentage): | | | | | | | | |
| Medicare-certified | 100.0 | (0.0) | --- | --- | 83.8 | (2.0) | … | … |
| Medicaid-certified | 86.3 | (3.1) | --- | --- | 96.5 | (1.0) | * | * |
| Chain-affiliated (percentage) | --- | --- | --- | --- | 51.0 | (2.7) | * | * |
| **Staffing[4]** | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 1,050 | (133) | 918 | (191) | 13,755 | (863) | 5,473 | (434) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | |
| Registered nurse | 61.5 | (2.8) | 48.0 | (1.5) | 12.2 | (0.3) | 8.5 | (1.0) |
| Licensed practical nurse or licensed vocational nurse | 13.4 | (2.4) | 10.6 | (1.4) | 16.7 | (0.4) | 14.6 | (1.3) |
| Aide | 22.2 | (3.1) | 28.0 | (1.5) | 69.6 | (0.4) | 76.2 | (1.7) |
| Social worker | 3.0 | (0.4) | 13.4 | (0.8) | 1.6 | (0.1) | 0.7 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | |
| Registered nurse | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | 68.6 | (4.5) |
| Licensed practical nurse or licensed vocational nurse | 56.5 | (4.5) | 53.6 | (6.0) | 98.6 | (0.6) | 84.7 | (3.5) |

Table 17. Providers and Users of Long-Term Care Services in Kansas, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| Aide | 94.4 | (2.1) | † | (†) | 100.0 | (0.0) | † | (†) |
| Social worker | 51.6 | (4.5) | 100.0 | (0.0) | 49.3 | (2.7) | * | * |
| Activities staff | --- | --- | --- | --- | 97.7 | (0.8) | 69.5 | (4.2) |
| Employee hours per resident or participant per day: | | | | | | | | |
| Registered nurse | --- | --- | --- | --- | 0.8 | (0.1) | 0.4 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | --- | --- | --- | --- | 0.8 | (0.1) | 0.5 | (0.1) |
| Aide | --- | --- | --- | --- | 3.4 | (0.4) | 3.2 | (0.3) |
| Social worker | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Activities staff | --- | --- | --- | --- | 0.3 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | |
| Social work (percentage) | 57.3 | (4.4) | 100.0 | (0.0) | 94.8 | (1.2) | 53.2 | (4.8) |
| Mental health or counseling (percentage) | --- | --- | † | (†) | 87.5 | (1.8) | 62.3 | (4.7) |
| Therapy (physical, occupational, or speech) (percentage) | 92.7 | (2.3) | † | (†) | † | (†) | * | * |
| Skilled nursing or nursing (percentage) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Pharmacy or pharmacist (percentage) | * | * | --- | --- | † | (†) | * | * |
| Hospice (percentage) | 5.6 | (2.1) | … | … | 68.7 | (2.5) | * | * |
| Dental (percentage) | --- | --- | --- | --- | 90.4 | (1.6) | 60.4 | (4.7) |
| Podiatrist (percentage) | --- | --- | --- | --- | 91.6 | (1.5) | * | * |
| **Practices** | | | | | | | | |
| Depression screening (percentage) | 95.0 | (2.0) | --- | --- | --- | --- | 84.2 | (3.6) |
| **Special care** | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | 2.0 | (0.8) | * | * |

Table 17. Providers and Users of Long-Term Care Services in Kansas, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | |
| Number of users[2] | 34,800 | (6,000) | 13,500 | (2,800) | 18,400 | (1,100) | 9,600 | (700) |
| Age in years (percent distribution): | | | | | | | | |
| Under 65 | 15.1 | (1.1) | 5.1 | (0.3) | 12.8 | (1.0) | 5.1 | (1.1) |
| 65 and over | 84.9 | (1.1) | 94.9 | (0.3) | 87.2 | (1.0) | 94.9 | (1.1) |
| 65–74 | 23.1 | (0.8) | 15.6 | (1.0) | 13.2 | (0.4) | 11.3 | (1.5) |
| 75–84 | 32.0 | (0.5) | 28.5 | (0.4) | 26.1 | (0.5) | 33.9 | (1.9) |
| 85 and over | 29.8 | (1.1) | 50.8 | (1.4) | 47.9 | (1.1) | 49.7 | (2.9) |
| Sex (percent distribution): | | | | | | | | |
| Men | 36.2 | (0.5) | 39.8 | (0.7) | 31.6 | (0.7) | 25.5 | (1.1) |
| Women | 63.8 | (0.5) | 60.2 | (0.7) | 68.4 | (0.7) | 74.5 | (1.1) |
| Race and ethnicity (percent distribution): | | | | | | | | |
| Hispanic | 2.3 | (0.2) | 1.7 | (0.2) | 1.7 | (0.1) | 0.8 | (0.2) |
| Non-Hispanic white | 89.7 | (0.8) | 93.1 | (0.4) | 91.1 | (0.7) | 97.2 | (0.5) |
| Non-Hispanic black | 6.4 | (0.7) | 3.8 | (0.4) | 4.9 | (0.6) | 1.0 | (0.2) |
| Non-Hispanic other | 1.5 | (0.1) | 1.4 | (0.1) | 2.1 | (0.2) | *1.0 | (0.4) |
| Used Medicaid for long-term care services (percent distribution) | 6.6 | (1.2) | --- | --- | 53.3 | (1.3) | 22.7 | (2.5) |
| Conditions (percentage): | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 32.0 | (1.3) | 52.4 | (2.4) | 49.6 | (1.0) | 42.6 | (3.1) |
| Diagnosed with depression | 41.7 | (0.9) | 30.2 | (0.9) | 55.9 | (0.8) | 31.8 | (2.9) |
| Diagnosed with diabetes | 40.1 | (0.5) | 29.8 | (0.6) | 29.6 | (0.5) | 18.6 | (1.8) |
| Need assistance in physical functioning (percentage): | | | | | | | | |
| Eating | 45.6 | (2.4) | --- | --- | 44.0 | (1.6) | 24.5 | (3.4) |
| Bathing | 96.6 | (0.5) | --- | --- | 94.7 | (0.7) | 68.0 | (3.2) |
| Dressing | 87.3 | (1.8) | --- | --- | 84.5 | (0.8) | 52.1 | (3.4) |
| Toileting | 72.6 | (2.4) | --- | --- | 79.5 | (1.0) | 44.9 | (4.0) |
| Transferring in and out of a chair or bed | 88.1 | (1.5) | --- | --- | 75.2 | (1.1) | 34.7 | (3.3) |
| Walking | 94.9 | (0.7) | --- | --- | 87.9 | (0.9) | 31.8 | (3.6) |
| Adverse events (percentage): | | | | | | | | |

Table 17. Providers and Users of Long-Term Care Services in Kansas, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| Overnight hospital stay | 15.7 | (1.0) | --- | --- | --- | --- | 11.1 | (1.9) |
| Emergency department visit | 15.1 | (0.6) | --- | --- | --- | --- | 11.3 | (0.8) |
| Falls | 0.3 | (0.1) | --- | --- | 23.6 | (0.5) | 27.1 | (2.7) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For nursing homes and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

Estimates for adult day services centers are not presented because these estimates do not meet reliability or confidentiality standards.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 18. Providers and Users of Long-Term Care Services in Kentucky, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 100 | (1) | 100 | (10) | 20 | (5) | 300 | (17) | 200 | (3) |
| Number of beds or licensed maximum capacity[2] | 6,200 | (300) | ... | ... | ... | ... | 26,200 | (1,700) | 12,500 | (400) |
| Average capacity | 54 | (2.4) | --- | --- | --- | --- | 92 | (2.5) | 58 | (1.8) |
| Average number of people served | 27 | (1.3) | --- | --- | --- | --- | 80 | (2.3) | 51 | (1.8) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 44.9 | (3.5) | 47.6 | (4.9) | 41.7 | (10.1) | 47.2 | (3.0) | 61.8 | (2.7) |
| Micropolitan or neither | 55.1 | (3.5) | 52.4 | (4.9) | 58.3 | (10.1) | 52.8 | (3.0) | 38.2 | (2.7) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 55.8 | (3.5) | 47.6 | (4.9) | 25.0 | (8.8) | 73.4 | (2.6) | 67.7 | (2.8) |
| Not-for-profit, government, or other | 44.2 | (3.5) | 52.4 | (4.9) | 75.0 | (8.8) | 26.6 | (2.6) | 32.3 | (2.8) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 60.1 | (3.4) | * | * | * | * | 8.7 | (1.7) | 27.0 | (2.2) |
| Category 2 | 39.9 | (3.4) | * | * | * | * | 64.7 | (2.8) | 64.8 | (2.5) |
| Category 3 | - | - | * | * | * | * | 26.6 | (2.6) | 8.1 | (1.5) |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 100.0 | (0.0) | … | … |
| Medicaid-certified | 88.6 | (2.3) | 99.0 | (1.0) | --- | --- | 93.7 | (1.4) | 31.2 | (2.4) |
| Chain-affiliated (percentage) | 48.4 | (3.5) | --- | --- | --- | --- | 60.8 | (2.9) | 60.2 | (3.0) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 640 | (32) | 2,008 | (269) | 688 | (187) | 17,284 | (1,123) | 4,377 | (255) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 19.4 | (1.4) | 59.9 | (1.6) | 55.5 | (2.2) | 10.9 | (0.3) | 8.8 | (0.5) |
| Licensed practical nurse or licensed vocational nurse | 20.0 | (1.1) | 10.6 | (1.1) | 7.4 | (2.1) | 24.1 | (0.4) | 15.4 | (0.8) |
| Aide | 53.8 | (1.9) | 25.8 | (1.6) | 23.8 | (3.0) | 63.5 | (0.5) | 74.3 | (1.1) |
| Social worker | 6.9 | (0.6) | 3.7 | (0.4) | 13.3 | (1.9) | 1.5 | (0.1) | 1.5 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 78.3 | (2.9) | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | 43.5 | (2.9) |
| Licensed practical nurse or licensed vocational nurse | 71.1 | (3.3) | 63.8 | (4.7) | 70.8 | (9.3) | † | (†) | 50.0 | (2.9) |
| Aide | 85.3 | (2.6) | 95.2 | (2.1) | † | (†) | † | (†) | 91.2 | (1.8) |

Table 18. Providers and Users of Long-Term Care Services in Kentucky, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 49.0 | (3.5) | 72.4 | (4.4) | 100.0 | (0.0) | 71.0 | (2.7) | 28.7 | (2.7) |
| Activities staff | 88.1 | (2.3) | --- | --- | --- | --- | 96.2 | (1.1) | 90.2 | (1.7) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.4 | (0.1) | --- | --- | --- | --- | 0.7 | (0.1) | 0.3 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.4 | (0.1) | --- | --- | --- | --- | 1.2 | (0.1) | 0.4 | (0.1) |
| Aide | 0.9 | (0.1) | --- | --- | --- | --- | 2.6 | (0.1) | 2.0 | (0.2) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | 0.7 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.3 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 55.9 | (3.7) | 75.2 | (4.2) | 100.0 | (0.0) | 77.6 | (2.5) | 49.2 | (2.9) |
| Mental health or counseling (percentage) | 33.1 | (3.3) | --- | --- | † | (†) | 85.7 | (2.1) | 53.9 | (2.9) |
| Therapy (physical, occupational, or speech) (percentage) | 72.5 | (3.2) | 100.0 | (0.0) | † | (†) | 100.0 | (0.0) | 69.2 | (2.8) |
| Skilled nursing or nursing (percentage) | 86.3 | (2.6) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 54.5 | (2.8) |
| Pharmacy or pharmacist (percentage) | 40.1 | (3.6) | * | * | --- | --- | 95.1 | (1.3) | 75.3 | (2.6) |
| Hospice (percentage) | 20.4 | (2.8) | * | * | … | … | 57.3 | (2.9) | 49.0 | (3.0) |
| Dental (percentage) | 25.2 | (3.1) | --- | --- | --- | --- | 85.0 | (2.1) | 55.1 | (2.8) |
| Podiatrist (percentage) | 36.6 | (3.4) | --- | --- | --- | --- | 89.5 | (1.8) | 76.3 | (2.6) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 84.2 | (2.6) | † | (†) | --- | --- | --- | --- | 72.9 | (2.7) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 7.0 | (1.5) | 21.1 | (2.5) |

Table 18. Providers and Users of Long-Term Care Services in Kentucky, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 4,800 | (300) | 84,900 | (13,700) | 16,500 | (5,400) | 22,900 | (1,500) | 11,000 | (400) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 62.3 | (2.4) | 21.1 | (0.8) | 8.5 | (0.3) | 13.3 | (0.7) | 10.9 | (1.5) |
| 65 and over | 37.8 | (2.4) | 78.9 | (0.8) | 91.5 | (0.3) | 86.7 | (0.7) | 89.1 | (1.5) |
| 65–74 | 18.5 | (1.2) | 26.7 | (0.3) | 22.3 | (0.8) | 17.0 | (0.4) | 10.9 | (0.8) |
| 75–84 | 12.1 | (1.2) | 30.5 | (0.3) | 32.7 | (0.5) | 29.9 | (0.4) | 29.2 | (1.6) |
| 85 and over | 7.2 | (1.0) | 21.6 | (0.6) | 36.6 | (1.1) | 39.8 | (0.9) | 49.1 | (2.0) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 40.5 | (0.8) | 36.4 | (0.3) | 43.1 | (0.8) | 29.4 | (0.9) | 27.4 | (0.8) |
| Women | 59.5 | (0.8) | 63.6 | (0.3) | 56.9 | (0.8) | 70.6 | (0.9) | 72.6 | (0.8) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 0.8 | (0.1) | 0.4 | (0.0) | 0.3 | (0.0) | 0.2 | (0.0) | 0.3 | (0.0) |
| Non-Hispanic white | 79.4 | (2.2) | 92.1 | (1.1) | 95.2 | (1.4) | 90.4 | (0.8) | 86.7 | (3.2) |
| Non-Hispanic black | 16.0 | (1.8) | 6.8 | (1.0) | 3.9 | (1.3) | 8.0 | (0.7) | 2.8 | (0.3) |
| Non-Hispanic other | 3.8 | (1.8) | 0.7 | (0.1) | 0.7 | (0.1) | 1.4 | (0.2) | 10.2 | (3.3) |
| Used Medicaid for long-term care services (percent distribution) | 78.9 | (2.7) | 8.8 | (0.8) | --- | --- | 66.4 | (1.1) | 19.1 | (2.2) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 15.1 | (1.3) | 28.5 | (0.6) | 40.0 | (0.8) | 53.8 | (0.9) | 30.5 | (1.8) |
| Diagnosed with depression | 23.5 | (1.9) | 38.8 | (0.8) | 24.0 | (0.5) | 54.2 | (0.8) | 21.6 | (1.6) |
| Diagnosed with diabetes | 23.5 | (1.4) | 45.9 | (0.5) | 31.6 | (1.0) | 33.8 | (0.6) | 16.4 | (1.0) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 33.5 | (1.9) | 52.3 | (2.3) | --- | --- | 55.0 | (1.7) | 17.4 | (1.5) |
| Bathing | 43.7 | (3.0) | 96.7 | (0.4) | --- | --- | 98.3 | (0.2) | 53.9 | (2.5) |
| Dressing | 41.4 | (2.4) | 87.7 | (1.6) | --- | --- | 94.6 | (0.4) | 38.9 | (2.2) |
| Toileting | 35.9 | (1.7) | 69.3 | (2.6) | --- | --- | 90.8 | (0.5) | 29.1 | (2.1) |
| Transferring in and out of a chair or bed | 26.2 | (1.7) | 87.2 | (1.6) | --- | --- | 88.2 | (0.6) | 24.9 | (2.1) |
| Walking | 31.2 | (1.4) | 94.3 | (0.7) | --- | --- | 92.7 | (0.4) | 27.5 | (2.4) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 6.4 | (0.5) | 19.4 | (0.9) | --- | --- | --- | --- | 9.3 | (0.6) |
| Emergency department visit | 8.2 | (0.8) | 16.6 | (0.9) | --- | --- | --- | --- | 10.7 | (0.6) |

Table 18. Providers and Users of Long-Term Care Services in Kentucky, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 8.1 | (0.5) | 0.1 | (0.0) | --- | --- | 17.6 | (0.4) | 17.6 | (1.1) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 19. Providers and Users of Long-Term Care Services in Louisiana, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 50 | (1) | 200 | (14) | 100 | (12) | 300 | (17) | 100 | (1) |
| Number of beds or licensed maximum capacity[2] | 2,200 | (300) | ... | ... | ... | ... | 34,600 | (2,200) | 5,300 | (100) |
| Average capacity | 45 | (5.4) | --- | --- | --- | --- | 124 | (2.7) | 50 | (1.3) |
| Average number of people served | 24 | (4.1) | --- | --- | --- | --- | 92 | (2.2) | 44 | (2.0) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 75.0 | (6.9) | 77.1 | (2.9) | 83.8 | (3.1) | 71.4 | (2.7) | 87.3 | (2.0) |
| Micropolitan or neither | 25.0 | (6.9) | 22.9 | (2.9) | 16.2 | (3.1) | 28.6 | (2.7) | 12.7 | (2.0) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 51.9 | (8.1) | 91.0 | (2.0) | 81.7 | (3.2) | 80.7 | (2.4) | 79.4 | (3.4) |
| Not-for-profit, government, or other | 48.1 | (8.1) | 9.0 | (2.0) | 18.3 | (3.2) | 19.3 | (2.4) | 20.6 | (3.4) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 70.1 | (7.3) | 19.6 | (2.7) | 38.3 | (4.1) | 4.3 | (1.2) | * | * |
| Category 2 | 29.9 | (7.3) | 32.5 | (3.2) | 50.4 | (4.2) | 52.5 | (3.0) | * | * |
| Category 3 | - | - | 47.8 | (3.5) | 11.3 | (2.7) | 43.2 | (3.0) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 100.0 | (0.0) | … | … |
| Medicaid-certified | * | * | 97.1 | (1.2) | --- | --- | 92.5 | (1.6) | 0.0 | (0.0) |
| Chain-affiliated (percentage) | * | * | --- | --- | --- | --- | 54.3 | (3.0) | 62.4 | (4.0) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 293 | (64) | 3,643 | (313) | 1,407 | (161) | 17,237 | (1,094) | 1,361 | (101) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 13.7 | (1.9) | 53.1 | (1.1) | 43.9 | (1.3) | 3.9 | (0.2) | 1.4 | (0.4) |
| Licensed practical nurse or licensed vocational nurse | 17.9 | (3.4) | 24.0 | (1.0) | 11.5 | (1.2) | 28.2 | (0.3) | 8.0 | (1.2) |
| Aide | 54.4 | (2.4) | 20.8 | (1.0) | 31.7 | (1.1) | 66.2 | (0.4) | 90.1 | (1.4) |
| Social worker | 14.0 | (1.6) | 2.0 | (0.2) | 12.9 | (0.6) | 1.7 | (0.1) | 0.5 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 60.9 | (8.3) | 100.0 | (0.0) | 100.0 | (0.0) | 96.4 | (1.1) | 9.9 | (2.5) |
| Licensed practical nurse or licensed vocational nurse | † | (†) | 94.8 | (1.5) | 56.3 | (4.2) | † | (†) | 36.5 | (3.3) |
| Aide | * | * | 97.6 | (1.1) | 100.0 | (0.0) | † | (†) | † | (†) |

Table 19. Providers and Users of Long-Term Care Services in Louisiana, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 59.0 | (8.1) | 50.0 | (3.5) | † | (†) | 78.2 | (2.5) | 8.8 | (2.5) |
| Activities staff | 100.0 | (0.0) | --- | --- | --- | --- | 97.5 | (0.9) | 88.0 | (2.7) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.0 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.6 | (0.1) | --- | --- | --- | --- | 1.0 | (0.0) | 0.1 | (0.0) |
| Aide | 0.9 | (0.1) | --- | --- | --- | --- | 2.3 | (0.1) | 2.1 | (0.1) |
| Social worker | 0.4 | (0.1) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | 0.7 | (0.2) | --- | --- | --- | --- | 0.1 | (0.0) | 0.3 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | * | * | 87.6 | (2.3) | 100.0 | (0.0) | 80.4 | (2.4) | 24.1 | (3.6) |
| Mental health or counseling (percentage) | 38.3 | (8.5) | --- | --- | 100.0 | (0.0) | 62.1 | (2.9) | 29.2 | (3.9) |
| Therapy (physical, occupational, or speech) (percentage) | 31.3 | (7.7) | 100.0 | (0.0) | † | (†) | 100.0 | (0.0) | 39.0 | (4.2) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 25.6 | (3.7) |
| Pharmacy or pharmacist (percentage) | 30.9 | (7.7) | 6.7 | (1.7) | --- | --- | † | (†) | 49.7 | (4.3) |
| Hospice (percentage) | 23.4 | (7.2) | 4.3 | (1.4) | … | … | 88.6 | (1.9) | 26.8 | (3.6) |
| Dental (percentage) | 32.3 | (7.9) | --- | --- | --- | --- | 81.1 | (2.3) | 33.1 | (4.2) |
| Podiatrist (percentage) | 35.2 | (8.0) | --- | --- | --- | --- | 79.6 | (2.4) | 45.0 | (4.2) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | † | (†) | 94.2 | (1.6) | --- | --- | --- | --- | 67.8 | (4.0) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 24.6 | (2.6) | 35.0 | (4.4) |

Table 19. Providers and Users of Long-Term Care Services in Louisiana, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 1,800 | (300) | 90,200 | (8,800) | 22,500 | (2,600) | 25,900 | (1,700) | 4,700 | (200) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 24.9 | (4.8) | 20.4 | (0.6) | 7.4 | (0.3) | 20.0 | (1.1) | 3.6 | (0.6) |
| 65 and over | 74.8 | (4.8) | 79.6 | (0.6) | 92.6 | (0.3) | 80.0 | (1.1) | 96.3 | (0.6) |
| 65–74 | 22.4 | (1.6) | 27.6 | (0.3) | 19.9 | (0.4) | 19.3 | (0.4) | 7.0 | (0.5) |
| 75–84 | 32.4 | (3.0) | 31.2 | (0.3) | 31.5 | (0.4) | 28.1 | (0.5) | 35.7 | (1.9) |
| 85 and over | 20.0 | (2.0) | 20.8 | (0.4) | 41.1 | (0.7) | 32.6 | (1.0) | 53.7 | (1.8) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 35.1 | (2.3) | 37.4 | (0.3) | 41.3 | (0.5) | 35.4 | (0.9) | 25.1 | (0.7) |
| Women | 64.9 | (2.3) | 62.6 | (0.3) | 58.7 | (0.5) | 64.6 | (0.9) | 74.9 | (0.7) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 2.1 | (0.4) | 1.6 | (0.1) | 2.0 | (0.2) | 0.8 | (0.1) | 0.7 | (0.1) |
| Non-Hispanic white | 24.6 | (3.4) | 63.7 | (1.2) | 75.3 | (1.1) | 68.1 | (1.4) | 92.5 | (1.6) |
| Non-Hispanic black | 72.3 | (3.8) | 33.8 | (1.3) | 21.8 | (1.0) | 29.0 | (1.3) | 3.3 | (0.6) |
| Non-Hispanic other | 1.0 | (0.2) | 1.0 | (0.1) | 0.9 | (0.1) | 2.1 | (0.5) | 3.4 | (1.5) |
| Used Medicaid for long-term care services (percent distribution) | 76.2 | (6.8) | 6.7 | (0.6) | --- | --- | 73.5 | (0.8) | 0.0 | (0.0) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 35.5 | (4.9) | 29.1 | (0.4) | 46.2 | (1.6) | 39.8 | (0.9) | 25.4 | (2.3) |
| Diagnosed with depression | 24.1 | (4.4) | 37.8 | (0.7) | 23.3 | (0.8) | 53.7 | (0.8) | 17.0 | (1.5) |
| Diagnosed with diabetes | 34.0 | (3.1) | 47.7 | (0.4) | 31.5 | (0.9) | 34.6 | (0.5) | 16.3 | (1.3) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 17.5 | (3.2) | 66.0 | (1.5) | --- | --- | 74.6 | (1.6) | 10.2 | (1.1) |
| Bathing | 57.4 | (3.9) | 96.9 | (0.3) | --- | --- | 96.4 | (0.4) | 36.0 | (2.1) |
| Dressing | 51.8 | (4.4) | 91.9 | (0.8) | --- | --- | 90.3 | (0.6) | 31.0 | (1.9) |
| Toileting | 39.8 | (3.7) | 81.5 | (1.4) | --- | --- | 85.7 | (0.9) | 21.3 | (2.2) |
| Transferring in and out of a chair or bed | 40.6 | (5.3) | 91.8 | (0.7) | --- | --- | 84.1 | (1.0) | 16.9 | (2.0) |
| Walking | 44.8 | (4.7) | 94.8 | (0.4) | --- | --- | 89.6 | (0.7) | 19.3 | (2.3) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 10.8 | (1.1) | 25.8 | (0.9) | --- | --- | --- | --- | 6.6 | (0.4) |

Table 19. Providers and Users of Long-Term Care Services in Louisiana, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 10.6 | (1.0) | 19.8 | (0.7) | --- | --- | --- | --- | 10.4 | (0.7) |
| Falls | 15.4 | (3.6) | 0.2 | (0.0) | --- | --- | 17.2 | (0.4) | 17.7 | (1.4) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 20. Providers and Users of Long-Term Care Services in Maine, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 30 | (1) | 30 | (5) | 20 | (4) | 100 | (10) | 240 | (3) |
| Number of beds or licensed maximum capacity[2] | 700 | (100) | ... | ... | ... | ... | 7,000 | (800) | 6,500 | (200) |
| Average capacity | 26 | (3.1) | --- | --- | --- | --- | 66 | (3.3) | 28 | (0.9) |
| Average number of people served | 10 | (2.2) | --- | --- | --- | --- | 59 | (3.1) | 26 | (0.8) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 37.8 | (8.7) | 53.8 | (9.8) | 68.4 | (10.7) | 47.2 | (4.8) | 58.7 | (2.5) |
| Micropolitan or neither | 62.2 | (8.7) | 46.2 | (9.8) | 31.6 | (10.7) | 52.8 | (4.8) | 41.3 | (2.5) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 36.5 | (8.6) | 38.5 | (9.5) | 26.3 | (10.1) | 70.8 | (4.4) | 62.9 | (2.6) |
| Not-for-profit, government, or other | 63.5 | (8.6) | 61.5 | (9.5) | 73.7 | (10.1) | 29.2 | (4.4) | 37.1 | (2.6) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | † | (†) | * | * | * | * | 8.5 | (2.7) | * | * |
| Category 2 | * | * | * | * | * | * | 81.1 | (3.8) | * | * |
| Category 3 | - | - | * | * | * | * | 10.4 | (3.0) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 100.0 | (0.0) | … | … |
| Medicaid-certified | * | * | 88.5 | (6.4) | --- | --- | 99.1 | (0.9) | 73.0 | (2.3) |
| Chain-affiliated (percentage) | 33.7 | (8.3) | --- | --- | --- | --- | 60.4 | (4.8) | 60.7 | (2.6) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 84 | (11) | 502 | (133) | 436 | (129) | 5,164 | (565) | 2,846 | (90) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 7.1 | (1.4) | 67.4 | (3.5) | 54.0 | (2.2) | 17.7 | (0.7) | 7.7 | (0.8) |
| Licensed practical nurse or licensed vocational nurse | 3.1 | (1.1) | 5.8 | (3.5) | 1.6 | (1.2) | 10.1 | (0.5) | 4.9 | (0.6) |
| Aide | 80.8 | (2.8) | 21.6 | (1.9) | 34.0 | (2.0) | 69.6 | (0.8) | 85.7 | (0.9) |
| Social worker | 9.0 | (2.1) | 5.2 | (0.6) | 10.3 | (0.8) | 2.5 | (0.1) | 1.7 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 45.5 | (8.7) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 57.4 | (2.3) |
| Licensed practical nurse or licensed vocational nurse | * | * | 34.6 | (9.3) | * | * | † | (†) | 31.9 | (2.2) |
| Aide | * | * | † | (†) | 100.0 | (0.0) | 100.0 | (0.0) | 92.9 | (1.6) |

Table 20. Providers and Users of Long-Term Care Services in Maine, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 38.5 | (8.5) | 76.9 | (8.3) | 100.0 | (0.0) | † | (†) | 25.2 | (2.2) |
| Activities staff | 57.3 | (8.7) | --- | --- | --- | --- | † | (†) | 74.2 | (2.0) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.1) | --- | --- | --- | --- | 0.8 | (0.0) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.1) | --- | --- | --- | --- | 0.4 | (0.0) | 0.1 | (0.0) |
| Aide | 2.4 | (0.3) | --- | --- | --- | --- | 2.9 | (0.1) | 2.4 | (0.1) |
| Social worker | 0.3 | (0.1) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | 0.4 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 64.8 | (8.5) | * | * | 100.0 | (0.0) | † | (†) | 61.9 | (2.5) |
| Mental health or counseling (percentage) | * | * | --- | --- | * | * | 81.1 | (3.8) | 62.1 | (2.5) |
| Therapy (physical, occupational, or speech) (percentage) | 41.4 | (8.7) | † | (†) | † | (†) | 100.0 | (0.0) | 73.8 | (2.3) |
| Skilled nursing or nursing (percentage) | 41.6 | (9.3) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 56.9 | (2.6) |
| Pharmacy or pharmacist (percentage) | * | * | * | * | --- | --- | † | (†) | 92.5 | (1.5) |
| Hospice (percentage) | * | * | 30.8 | (9.1) | … | … | 77.4 | (4.1) | 69.7 | (2.4) |
| Dental (percentage) | – | – | --- | --- | --- | --- | 74.5 | (4.2) | 64.9 | (2.6) |
| Podiatrist (percentage) | * | * | --- | --- | --- | --- | 93.4 | (2.4) | 88.6 | (1.7) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | * | * | 100.0 | (0.0) | --- | --- | --- | --- | 88.9 | (1.6) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 10.4 | (3.0) | 15.4 | (1.8) |

Table 20. Providers and Users of Long-Term Care Services in Maine, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 400 | (100) | 25,200 | (7,300) | 6,300 | (2,000) | 6,300 | (700) | 6,100 | (200) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 47.7 | (10.1) | 16.7 | (1.0) | 5.3 | (0.5) | 9.1 | (0.8) | 6.5 | (0.6) |
| 65 and over | 52.3 | (10.1) | 83.3 | (1.0) | 94.7 | (0.5) | 90.9 | (0.8) | 93.5 | (0.6) |
| 65–74 | 12.3 | (2.4) | 25.2 | (0.6) | 16.8 | (1.1) | 13.2 | (0.5) | 13.8 | (0.8) |
| 75–84 | 27.6 | (5.6) | 31.6 | (0.6) | 29.8 | (0.6) | 28.7 | (0.7) | 31.0 | (1.1) |
| 85 and over | 12.5 | (3.2) | 26.5 | (1.1) | 48.1 | (1.7) | 49.0 | (1.1) | 48.7 | (1.3) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 39.1 | (1.8) | 39.6 | (0.6) | 42.0 | (1.9) | 30.8 | (1.9) | 30.3 | (1.2) |
| Women | 60.9 | (1.8) | 60.4 | (0.6) | 58.0 | (1.9) | 69.2 | (1.9) | 69.7 | (1.2) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 1.3 | (0.6) | 0.4 | (0.0) | 0.4 | (0.1) | 0.2 | (0.1) | 0.1 | (0.0) |
| Non-Hispanic white | 96.1 | (0.8) | 98.0 | (0.1) | 98.6 | (0.1) | 96.0 | (1.5) | 93.7 | (1.7) |
| Non-Hispanic black | 0.5 | (0.3) | 0.4 | (0.0) | 0.2 | (0.1) | 0.2 | (0.1) | 0.1 | (0.0) |
| Non-Hispanic other | 2.1 | (0.7) | 1.3 | (0.1) | 0.9 | (0.1) | 3.5 | (1.5) | 6.1 | (1.7) |
| Used Medicaid for long-term care services (percent distribution) | 26.6 | (6.4) | 9.5 | (2.5) | --- | --- | 65.0 | (1.3) | 56.1 | (2.8) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 45.9 | (9.6) | 25.0 | (1.2) | 46.0 | (3.5) | 58.2 | (1.8) | 40.8 | (1.6) |
| Diagnosed with depression | 16.2 | (4.3) | 42.5 | (0.8) | 30.2 | (1.2) | 54.2 | (1.2) | 36.8 | (1.6) |
| Diagnosed with diabetes | 12.3 | (2.8) | 38.1 | (0.6) | 27.4 | (0.8) | 28.5 | (0.8) | 24.8 | (1.0) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 41.0 | (3.9) | 38.3 | (3.9) | --- | --- | 55.8 | (3.0) | 24.3 | (1.3) |
| Bathing | 41.0 | (9.1) | 97.8 | (0.3) | --- | --- | 97.5 | (0.4) | 73.7 | (2.1) |
| Dressing | 33.3 | (7.2) | 88.2 | (2.0) | --- | --- | 96.8 | (0.5) | 51.3 | (1.8) |
| Toileting | 33.5 | (4.1) | 67.8 | (3.2) | --- | --- | 95.3 | (0.6) | 41.5 | (1.9) |
| Transferring in and out of a chair or bed | 30.4 | (3.6) | 86.1 | (1.5) | --- | --- | 92.4 | (0.8) | 24.4 | (1.4) |
| Walking | 28.2 | (3.6) | 95.2 | (0.9) | --- | --- | 94.3 | (0.7) | 26.5 | (2.0) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 5.2 | (1.1) | 13.2 | (1.1) | --- | --- | --- | --- | 8.3 | (0.4) |

Table 20. Providers and Users of Long-Term Care Services in Maine, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 4.6 | (1.0) | 16.0 | (1.1) | --- | --- | --- | --- | 13.2 | (0.5) |
| Falls | 10.3 | (2.4) | 0.1 | (0.0) | --- | --- | 26.0 | (1.0) | 27.9 | (2.1) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 21. Providers and Users of Long-Term Care Services in Maryland, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 100 | (1) | 50 | (7) | 30 | (5) | 200 | (15) | 900 | (11) |
| Number of beds or licensed maximum capacity[2] | 10,500 | (700) | ... | ... | ... | ... | 27,600 | (2,000) | 17,500 | (1,000) |
| Average capacity | 89 | (5.3) | --- | --- | --- | --- | 121 | (4.1) | 19 | (1.1) |
| Average number of people served | 59 | (4.3) | --- | --- | --- | --- | 107 | (3.9) | 17 | (1.3) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | † | (†) | † | (†) | † | (†) | 94.3 | (1.5) | † | (†) |
| Micropolitan or neither | * | * | * | * | * | * | 5.7 | (1.5) | * | * |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 45.1 | (4.3) | 61.1 | (6.6) | 26.9 | (8.7) | 70.9 | (3.0) | 87.5 | (3.1) |
| Not-for-profit, government, or other | 54.9 | (4.3) | 38.9 | (6.6) | 73.1 | (8.7) | 29.1 | (3.0) | * | * |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 16.9 | (3.2) | * | * | * | * | 5.3 | (1.5) | 82.7 | (1.5) |
| Category 2 | 66.4 | (4.1) | * | * | * | * | 42.3 | (3.3) | * | * |
| Category 3 | 16.8 | (3.3) | * | * | * | * | 52.4 | (3.3) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 98.7 | (0.8) | … | … |
| Medicaid-certified | 100.0 | (0.0) | 85.2 | (4.9) | --- | --- | 95.6 | (1.4) | 46.0 | (4.7) |
| Chain-affiliated (percentage) | 51.3 | (4.3) | --- | --- | --- | --- | 58.6 | (3.3) | 51.6 | (4.6) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 774 | (51) | 999 | (182) | 773 | (207) | 17,576 | (1,275) | 7,455 | (843) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 29.1 | (1.9) | 71.1 | (2.2) | 50.6 | (2.5) | 15.3 | (0.5) | *14.0 | (5.6) |
| Licensed practical nurse or licensed vocational nurse | 5.4 | (1.0) | 11.1 | (1.6) | 5.8 | (1.0) | 22.9 | (0.5) | 9.8 | (1.8) |
| Aide | 54.0 | (2.5) | 13.5 | (1.5) | 31.9 | (2.5) | 60.0 | (0.6) | 75.5 | (5.3) |
| Social worker | 11.5 | (0.9) | 4.3 | (0.4) | 11.7 | (1.1) | 1.7 | (0.1) | *0.7 | (0.3) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | † | (†) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 51.0 | (4.4) |
| Licensed practical nurse or licensed vocational nurse | 29.5 | (3.9) | 72.2 | (6.1) | 57.7 | (9.7) | † | (†) | * | * |
| Aide | 76.3 | (3.7) | † | (†) | † | (†) | † | (†) | 80.6 | (3.8) |

Table 21. Providers and Users of Long-Term Care Services in Maryland, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 84.1 | (3.2) | 88.9 | (4.3) | 100.0 | (0.0) | 83.3 | (2.5) | * | * |
| Activities staff | † | (†) | --- | --- | --- | --- | 96.5 | (1.2) | 51.8 | (4.6) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 0.3 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.9 | (0.0) | *0.1 | (0.0) |
| Aide | 0.7 | (0.1) | --- | --- | --- | --- | 2.3 | (0.1) | 2.3 | (0.3) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Activities staff | 0.5 | (0.0) | --- | --- | --- | --- | 0.2 | (0.0) | 0.4 | (0.1) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | † | (†) | † | (†) | 100.0 | (0.0) | 96.0 | (1.3) | 54.6 | (4.7) |
| Mental health or counseling (percentage) | 66.3 | (4.1) | --- | --- | 100.0 | (0.0) | 93.8 | (1.6) | 61.2 | (4.4) |
| Therapy (physical, occupational, or speech) (percentage) | 83.7 | (3.2) | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | * | * |
| Skilled nursing or nursing (percentage) | † | (†) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Pharmacy or pharmacist (percentage) | 60.6 | (4.2) | * | * | --- | --- | 86.8 | (2.2) | * | * |
| Hospice (percentage) | 18.9 | (3.4) | * | * | … | … | 71.4 | (3.0) | 63.8 | (4.4) |
| Dental (percentage) | 38.6 | (4.2) | --- | --- | --- | --- | 82.4 | (2.5) | 47.4 | (4.8) |
| Podiatrist (percentage) | 79.1 | (3.5) | --- | --- | --- | --- | 92.1 | (1.8) | * | * |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 80.2 | (3.5) | 100.0 | (0.0) | --- | --- | --- | --- | 90.0 | (2.9) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 11.5 | (2.1) | * | * |

Table 21. Providers and Users of Long-Term Care Services in Maryland, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 9,900 | (700) | 73,300 | (14,700) | 19,600 | (5,800) | 24,300 | (1,800) | 15,900 | (1,200) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 25.3 | (2.8) | 13.8 | (1.2) | 5.4 | (0.4) | 17.2 | (1.1) | 5.0 | (0.9) |
| 65 and over | 74.7 | (2.8) | 86.2 | (1.2) | 94.6 | (0.4) | 82.8 | (1.1) | 95.0 | (0.9) |
| 65–74 | 20.0 | (0.8) | 27.1 | (0.9) | 17.6 | (0.7) | 17.3 | (0.6) | 8.2 | (0.8) |
| 75–84 | 33.2 | (2.0) | 31.7 | (0.5) | 29.4 | (0.5) | 26.4 | (0.4) | 33.3 | (2.7) |
| 85 and over | 21.5 | (1.7) | 27.4 | (1.4) | 47.6 | (1.3) | 39.1 | (1.4) | 53.5 | (2.7) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 37.6 | (1.2) | 37.3 | (0.3) | 40.6 | (0.6) | 34.1 | (1.0) | 28.1 | (1.6) |
| Women | 62.4 | (1.2) | 62.7 | (0.3) | 59.4 | (0.6) | 65.9 | (1.0) | 71.9 | (1.6) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 1.6 | (0.5) | 1.5 | (0.2) | 1.3 | (0.3) | 1.2 | (0.1) | 1.0 | (0.3) |
| Non-Hispanic white | 39.7 | (3.8) | 70.1 | (2.7) | 76.7 | (3.0) | 58.9 | (2.3) | 78.8 | (4.7) |
| Non-Hispanic black | 32.7 | (3.6) | 25.8 | (2.6) | 19.6 | (3.0) | 32.1 | (2.1) | 13.7 | (3.0) |
| Non-Hispanic other | 26.0 | (4.9) | 2.6 | (0.4) | 2.4 | (0.5) | 7.9 | (0.9) | *6.5 | (4.0) |
| Used Medicaid for long-term care services (percent distribution) | 73.2 | (2.5) | 6.6 | (1.3) | --- | --- | 60.9 | (1.3) | 4.6 | (1.1) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 25.9 | (1.9) | 31.7 | (1.3) | 52.4 | (1.5) | 47.9 | (1.1) | 52.8 | (4.1) |
| Diagnosed with depression | 30.5 | (3.1) | 36.0 | (0.9) | 27.3 | (0.8) | 45.4 | (1.0) | 26.3 | (2.8) |
| Diagnosed with diabetes | 30.6 | (1.2) | 45.8 | (1.0) | 34.2 | (1.1) | 33.9 | (0.7) | 17.4 | (1.4) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 21.3 | (2.2) | 58.8 | (1.8) | --- | --- | 56.8 | (1.5) | 28.6 | (4.5) |
| Bathing | 57.7 | (4.2) | 97.6 | (0.3) | --- | --- | 96.0 | (0.4) | 68.2 | (5.1) |
| Dressing | 43.5 | (4.1) | 90.5 | (1.0) | --- | --- | 93.8 | (0.4) | 53.2 | (4.2) |
| Toileting | 39.5 | (3.4) | 75.1 | (1.9) | --- | --- | 90.4 | (0.6) | 47.1 | (4.3) |
| Transferring in/out of chair | 28.3 | (2.7) | 89.2 | (0.9) | --- | --- | 87.8 | (0.6) | 35.0 | (4.2) |
| Walking | 39.7 | (3.2) | 95.6 | (0.5) | --- | --- | 92.1 | (0.5) | 36.1 | (4.3) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 5.5 | (0.4) | 15.0 | (0.9) | --- | --- | --- | --- | 11.1 | (1.0) |

Table 21. Providers and Users of Long-Term Care Services in Maryland, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 5.6 | (0.6) | 15.6 | (0.6) | --- | --- | --- | --- | 15.0 | (1.4) |
| Falls | 4.8 | (0.6) | 0.1 | (0.0) | --- | --- | 15.8 | (0.5) | 26.2 | (5.1) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 22. Providers and Users of Long-Term Care Services in Massachussetts, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Number or percent (standard error) | | | | | | | | | |
| **Organization** | | | | | | | | | | |
| Number of providers[1] | 200 | (1) | 200 | (14) | 70 | (8) | 400 | (20) | 300 | (3) |
| Number of beds or licensed maximum capacity[2] | 9,100 | (400) | ... | ... | ... | ... | 47,500 | (2,500) | 13,600 | (400) |
| Average capacity | 58 | (2.6) | --- | --- | --- | --- | 114 | (2.4) | 52 | (1.3) |
| Average number of people served | 44 | (1.9) | --- | --- | --- | --- | 99 | (2.1) | 49 | (1.5) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 100.0 | (0.0) | † | (†) | † | (†) | 98.3 | (0.6) | 100.0 | (0.0) |
| Micropolitan or neither | - | - | * | * | * | * | 1.7 | (0.6) | - | - |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 42.2 | (3.2) | 69.9 | (3.4) | 38.0 | (5.8) | 72.0 | (2.2) | 62.4 | (3.2) |
| Not-for-profit, government, or other | 57.8 | (3.2) | 30.1 | (3.4) | 62.0 | (5.8) | 28.0 | (2.2) | 37.6 | (3.2) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 29.1 | (3.0) | 30.1 | (3.4) | 11.8 | (3.9) | 3.1 | (0.8) | 29.9 | (1.8) |
| Category 2 | 64.9 | (3.1) | 14.0 | (2.5) | 44.1 | (6.0) | 45.7 | (2.4) | 65.1 | (2.1) |
| Category 3 | 6.0 | (1.5) | 39.8 | (3.6) | 44.1 | (6.0) | 51.2 | (2.4) | 5.1 | (1.1) |
| Missing | ... | ... | 16.1 | (2.7) | ... | ... | ... | ... | ... | ... |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 98.6 | (0.6) | … | … |
| Medicaid-certified | † | (†) | 91.4 | (2.1) | --- | --- | 96.7 | (0.9) | 46.6 | (3.1) |
| Chain-affiliated (percentage) | 67.8 | (3.0) | --- | --- | --- | --- | 58.9 | (2.4) | 49.8 | (3.1) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 1,017 | (46) | 3,368 | (359) | 1,478 | (267) | 30,718 | (1,615) | 4,794 | (238) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 28.5 | (1.1) | 58.4 | (2.4) | 48.5 | (1.9) | 14.5 | (0.3) | 9.9 | (1.6) |
| Licensed practical nurse or licensed vocational nurse | 7.7 | (0.5) | 12.8 | (1.3) | 4.7 | (1.2) | 21.5 | (0.3) | 8.0 | (0.5) |
| Aide | 51.2 | (1.6) | 26.4 | (2.2) | 34.9 | (2.4) | 61.8 | (0.3) | 80.5 | (1.6) |
| Social worker | 12.6 | (0.6) | 2.4 | (0.3) | 11.8 | (0.5) | 2.2 | (0.0) | 1.6 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | † | (†) | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | 79.7 | (2.6) |
| Licensed practical nurse or licensed vocational nurse | 53.0 | (3.3) | 60.8 | (3.6) | 29.6 | (5.4) | 100.0 | (0.0) | 69.4 | (2.9) |
| Aide | 86.5 | (2.3) | 88.7 | (2.3) | 91.5 | (3.3) | 100.0 | (0.0) | 95.8 | (1.3) |

Table 22. Providers and Users of Long-Term Care Services in Massachussetts, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 89.1 | (2.1) | 53.8 | (3.7) | 100.0 | (0.0) | 96.9 | (0.8) | 36.5 | (3.1) |
| Activities staff | † | (†) | --- | --- | --- | --- | † | (†) | 94.8 | (1.4) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.4 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.8 | (0.0) | 0.2 | (0.0) |
| Aide | 0.6 | (0.0) | --- | --- | --- | --- | 2.4 | (0.0) | 1.8 | (0.1) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | 0.5 | (0.0) | --- | --- | --- | --- | 0.2 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 89.2 | (2.1) | 81.7 | (2.8) | 100.0 | (0.0) | 100.0 | (0.0) | 61.4 | (3.2) |
| Mental health or counseling (percentage) | 53.4 | (3.4) | --- | --- | 100.0 | (0.0) | 98.6 | (0.6) | 56.5 | (3.3) |
| Therapy (physical, occupational, or speech) (percentage) | 78.5 | (2.7) | 95.7 | (1.5) | † | (†) | 100.0 | (0.0) | 64.3 | (3.1) |
| Skilled nursing or nursing (percentage) | † | (†) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 58.8 | (3.3) |
| Pharmacy or pharmacist (percentage) | 43.4 | (3.3) | 2.7 | (1.2) | --- | --- | † | (†) | 81.4 | (2.6) |
| Hospice (percentage) | 22.3 | (2.8) | 13.4 | (2.5) | … | … | 85.9 | (1.7) | 64.2 | (3.1) |
| Dental (percentage) | 20.5 | (2.7) | --- | --- | --- | --- | 95.7 | (1.0) | 56.3 | (3.2) |
| Podiatrist (percentage) | 67.1 | (3.1) | --- | --- | --- | --- | 97.6 | (0.7) | 83.0 | (2.5) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 91.4 | (1.8) | 92.2 | (2.2) | --- | --- | --- | --- | 79.5 | (2.7) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 21.5 | (2.0) | 38.0 | (3.1) |

Table 22. Providers and Users of Long-Term Care Services in Massachussetts, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 12,100 | (700) | 163,700 | (29,000) | 27,200 | (5,000) | 41,300 | (2,200) | 12,900 | (400) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 26.3 | (2.2) | 19.1 | (1.5) | 4.5 | (0.3) | 11.9 | (0.8) | 5.1 | (0.9) |
| 65 and over | 73.7 | (2.2) | 80.9 | (1.5) | 95.5 | (0.3) | 88.1 | (0.8) | 94.9 | (0.9) |
| 65–74 | 23.4 | (1.9) | 22.2 | (0.6) | 13.9 | (0.6) | 13.7 | (0.4) | 9.8 | (0.8) |
| 75–84 | 33.5 | (2.6) | 30.0 | (0.6) | 28.3 | (0.4) | 25.4 | (0.3) | 26.0 | (1.2) |
| 85 and over | 16.8 | (1.4) | 28.7 | (1.1) | 53.4 | (1.1) | 49.1 | (1.0) | 59.1 | (1.7) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 43.0 | (1.0) | 38.4 | (0.4) | 38.3 | (0.8) | 31.3 | (0.7) | 26.4 | (0.8) |
| Women | 57.0 | (1.0) | 61.6 | (0.4) | 61.7 | (0.8) | 68.7 | (0.7) | 73.6 | (0.8) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 7.4 | (1.2) | 3.9 | (0.4) | 2.6 | (0.3) | 2.8 | (0.3) | 1.4 | (0.3) |
| Non-Hispanic white | 73.7 | (3.1) | 88.9 | (1.5) | 92.5 | (0.8) | 86.8 | (0.9) | 84.8 | (2.5) |
| Non-Hispanic black | 11.0 | (1.9) | 4.5 | (1.1) | 2.7 | (0.5) | 5.2 | (0.6) | 2.6 | (0.6) |
| Non-Hispanic other | 7.9 | (1.9) | 2.7 | (0.3) | 2.2 | (0.3) | 5.1 | (0.6) | 11.1 | (2.5) |
| Used Medicaid for long-term care services (percent distribution) | 69.5 | (2.7) | 16.0 | (2.1) | --- | --- | 61.6 | (0.9) | 16.7 | (1.8) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 31.0 | (2.4) | 27.6 | (1.4) | 50.2 | (2.5) | 56.4 | (0.7) | 39.1 | (1.7) |
| Diagnosed with depression | 31.5 | (1.8) | 40.0 | (0.7) | 28.6 | (0.8) | 53.3 | (0.6) | 20.4 | (1.3) |
| Diagnosed with diabetes | 30.7 | (1.1) | 38.1 | (0.9) | 26.3 | (0.6) | 28.6 | (0.4) | 14.2 | (0.9) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 26.3 | (1.5) | 43.8 | (3.2) | --- | --- | 46.7 | (1.0) | 12.6 | (1.1) |
| Bathing | 52.0 | (2.6) | 94.0 | (1.2) | --- | --- | 96.1 | (0.3) | 60.7 | (1.6) |
| Dressing | 42.8 | (2.1) | 84.6 | (2.4) | --- | --- | 94.4 | (0.4) | 44.9 | (1.8) |
| Toileting | 40.9 | (2.2) | 67.5 | (3.5) | --- | --- | 87.5 | (0.6) | 26.6 | (1.7) |
| Transferring in and out of a chair or bed | 33.2 | (2.1) | 81.6 | (2.1) | --- | --- | 84.6 | (0.6) | 14.8 | (1.4) |
| Walking | 39.9 | (2.3) | 90.7 | (1.4) | --- | --- | 91.0 | (0.5) | 18.5 | (1.5) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 9.1 | (0.5) | 15.6 | (0.8) | --- | --- | --- | --- | 12.1 | (1.0) |
| Emergency department visit | 8.3 | (0.6) | 15.2 | (0.8) | --- | --- | --- | --- | 15.5 | (1.1) |

Table 22. Providers and Users of Long-Term Care Services in Massachussetts, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 7.2 | (0.6) | 0.1 | (0.0) | --- | --- | 14.1 | (0.3) | 25.4 | (1.6) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 23. Providers and Users of Long-Term Care Services in Michigan, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 80 | (1) | 700 | (26) | 100 | (10) | 400 | (21) | 1,700 | (21) |
| Number of beds or licensed maximum capacity[2] | 3,100 | (400) | ... | ... | ... | ... | 46,400 | (2,400) | 36,500 | (1,800) |
| Average capacity | 40 | (4.6) | --- | --- | --- | --- | 107 | (2.4) | 22 | (1.0) |
| Average number of people served | 21 | (2.1) | --- | --- | --- | --- | 91 | (2.2) | 18 | (0.8) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 66.2 | (4.3) | 92.9 | (1.0) | 68.8 | (4.4) | 71.4 | (2.2) | 73.0 | (3.3) |
| Micropolitan or neither | 33.8 | (4.3) | 7.1 | (1.0) | 31.2 | (4.4) | 28.6 | (2.2) | 27.0 | (3.3) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 15.4 | (3.3) | 87.5 | (1.3) | 48.6 | (4.8) | 70.7 | (2.2) | 82.1 | (3.0) |
| Not-for-profit, government, or other | 84.6 | (3.3) | 12.5 | (1.3) | 51.4 | (4.8) | 29.3 | (2.2) | * | * |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 74.0 | (4.0) | 45.4 | (2.0) | 15.9 | (3.5) | 3.2 | (0.9) | 80.8 | (1.4) |
| Category 2 | 26.0 | (4.0) | 30.8 | (1.8) | 42.1 | (4.8) | 61.4 | (2.3) | 17.3 | (1.5) |
| Category 3 | - | - | 23.8 | (1.7) | 42.1 | (4.8) | 35.3 | (2.3) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 97.9 | (0.7) | … | … |
| Medicaid-certified | 75.2 | (4.0) | 60.8 | (1.9) | --- | --- | 96.3 | (0.9) | 42.5 | (3.9) |
| Chain-affiliated (percentage) | 30.3 | (4.2) | --- | --- | --- | --- | 57.3 | (2.4) | 47.6 | (3.8) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 314 | (28) | 3,779 | (277) | 2,479 | (365) | 30,065 | (1,611) | 14,980 | (1,283) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 19.0 | (1.6) | 66.4 | (1.2) | 49.1 | (1.1) | 13.0 | (0.3) | 4.5 | (0.8) |
| Licensed practical nurse or licensed vocational nurse | 8.2 | (1.3) | 8.8 | (0.8) | 5.1 | (0.6) | 20.1 | (0.4) | 4.2 | (0.5) |
| Aide | 59.0 | (3.1) | 19.2 | (1.0) | 32.9 | (1.0) | 64.7 | (0.4) | 90.7 | (1.1) |
| Social worker | 13.9 | (2.1) | 5.5 | (0.3) | 12.9 | (0.6) | 2.2 | (0.1) | 0.6 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 62.5 | (4.6) | † | (†) | 100.0 | (0.0) | † | (†) | 29.4 | (3.4) |
| Licensed practical nurse or licensed vocational nurse | 32.8 | (4.5) | 36.9 | (1.8) | 47.7 | (4.8) | 98.4 | (0.6) | 24.3 | (2.7) |
| Aide | 79.2 | (4.0) | 89.8 | (1.2) | † | (†) | † | (†) | 72.9 | (3.4) |
| Social worker | 47.7 | (4.8) | 65.9 | (1.8) | 100.0 | (0.0) | 88.7 | (1.5) | * | * |

Table 23. Providers and Users of Long-Term Care Services in Michigan, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Activities staff | † | (†) | --- | --- | --- | --- | 97.9 | (0.7) | 44.4 | (3.3) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.4 | (0.1) | --- | --- | --- | --- | 0.6 | (0.0) | 0.2 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.8 | (0.0) | 0.1 | (0.0) |
| Aide | 1.1 | (0.1) | --- | --- | --- | --- | 2.5 | (0.0) | 2.7 | (0.3) |
| Social worker | 0.3 | (0.1) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Activities staff | 1.0 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.4 | (0.1) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 56.8 | (5.0) | 95.9 | (0.8) | 100.0 | (0.0) | 94.7 | (1.1) | 56.8 | (3.8) |
| Mental health or counseling (percentage) | 41.9 | (4.9) | --- | --- | † | (†) | 95.4 | (1.0) | 64.3 | (3.7) |
| Therapy (physical, occupational, or speech) (percentage) | 45.2 | (4.9) | † | (†) | † | (†) | † | (†) | 68.6 | (3.6) |
| Skilled nursing or nursing (percentage) | 46.8 | (5.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 66.2 | (3.7) |
| Pharmacy or pharmacist (percentage) | 11.2 | (3.2) | 2.3 | (0.6) | --- | --- | 98.2 | (0.6) | * | * |
| Hospice (percentage) | 31.0 | (4.6) | * | * | … | … | 85.7 | (1.7) | 59.4 | (3.8) |
| Dental (percentage) | 19.8 | (4.1) | --- | --- | --- | --- | 92.6 | (1.3) | 58.2 | (3.7) |
| Podiatrist (percentage) | 38.4 | (4.8) | --- | --- | --- | --- | 95.4 | (1.0) | 77.8 | (3.2) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 86.6 | (3.3) | 97.9 | (0.6) | --- | --- | --- | --- | 81.2 | (3.1) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 6.2 | (1.2) | 20.0 | (2.8) |

Table 23. Providers and Users of Long-Term Care Services in Michigan, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 3,500 | (400) | 222,300 | (23,500) | 51,700 | (7,500) | 39,200 | (2,100) | 30,200 | (1,400) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 15.1 | (1.7) | 20.9 | (0.6) | 5.8 | (0.2) | 12.5 | (0.6) | 10.6 | (1.2) |
| 65 and over | 84.7 | (1.7) | 79.1 | (0.6) | 94.2 | (0.2) | 87.5 | (0.6) | 89.5 | (1.2) |
| 65–74 | 21.8 | (1.4) | 25.6 | (0.3) | 16.8 | (0.5) | 15.9 | (0.3) | 8.6 | (1.0) |
| 75–84 | 34.5 | (1.6) | 28.8 | (0.3) | 29.0 | (0.3) | 27.9 | (0.3) | 29.5 | (2.4) |
| 85 and over | 28.4 | (1.4) | 24.7 | (0.6) | 48.4 | (0.7) | 43.7 | (0.8) | 51.4 | (2.7) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 37.9 | (1.1) | 38.8 | (0.3) | 40.4 | (0.5) | 31.1 | (0.5) | 31.4 | (1.2) |
| Women | 62.1 | (1.1) | 61.2 | (0.3) | 59.6 | (0.5) | 68.9 | (0.5) | 68.6 | (1.2) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 3.1 | (0.6) | 1.6 | (0.1) | 1.2 | (0.1) | 0.9 | (0.1) | *0.7 | (0.2) |
| Non-Hispanic white | 75.0 | (3.5) | 71.4 | (1.6) | 88.8 | (1.3) | 78.8 | (1.4) | 88.2 | (3.2) |
| Non-Hispanic black | 18.0 | (3.5) | 24.7 | (1.5) | 8.8 | (1.2) | 16.2 | (1.3) | 2.3 | (0.4) |
| Non-Hispanic other | 3.8 | (0.9) | 2.3 | (0.1) | 1.2 | (0.1) | 4.0 | (0.4) | *8.8 | (3.2) |
| Used Medicaid for long-term care services (percent distribution) | 42.4 | (7.1) | 7.5 | (0.7) | --- | --- | 60.8 | (1.1) | 10.7 | (2.0) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 61.1 | (4.2) | 32.5 | (0.8) | 48.9 | (1.5) | 56.3 | (0.8) | 48.7 | (3.3) |
| Diagnosed with depression | 37.7 | (4.8) | 40.2 | (0.6) | 26.4 | (0.7) | 48.7 | (0.7) | 28.7 | (2.5) |
| Diagnosed with diabetes | 24.9 | (3.5) | 49.5 | (0.6) | 30.3 | (0.7) | 32.1 | (0.4) | 16.4 | (1.2) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 36.1 | (4.0) | 56.1 | (1.7) | --- | --- | 50.4 | (1.3) | 31.6 | (3.0) |
| Bathing | 55.6 | (4.9) | 97.0 | (0.3) | --- | --- | 98.4 | (0.2) | 73.2 | (2.7) |
| Dressing | 55.3 | (4.5) | 89.1 | (1.1) | --- | --- | 94.1 | (0.3) | 58.0 | (2.4) |
| Toileting | 53.7 | (4.2) | 75.5 | (1.9) | --- | --- | 91.4 | (0.4) | 53.9 | (2.9) |
| Transferring in and out of a chair or bed | 43.7 | (4.3) | 88.5 | (0.9) | --- | --- | 88.7 | (0.5) | 44.0 | (2.9) |
| Walking | 48.0 | (4.3) | 94.1 | (0.5) | --- | --- | 93.3 | (0.3) | 36.5 | (3.0) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 6.3 | (0.6) | 13.4 | (0.4) | --- | --- | --- | --- | 7.2 | (0.8) |
| Emergency department visit | 11.1 | (2.1) | 14.0 | (0.5) | --- | --- | --- | --- | 12.8 | (1.1) |

Table 23. Providers and Users of Long-Term Care Services in Michigan, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 14.2 | (1.9) | 0.3 | (0.0) | --- | --- | 16.7 | (0.3) | 20.7 | (2.2) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 24. Providers and Users of Long-Term Care Services in Minnesota, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 200 | (2) | 200 | (14) | 70 | (8) | 400 | (19) | 800 | (12) |
| Number of beds or licensed maximum capacity[2] | 6,200 | (300) | ... | ... | ... | ... | 29,800 | (1,800) | 30,600 | (2,200) |
| Average capacity | 38 | (2.0) | --- | --- | --- | --- | 79 | (2.4) | 38 | (2.6) |
| Average number of people served | 19 | (1.1) | --- | --- | --- | --- | 71 | (2.3) | 35 | (2.6) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 79.5 | (2.5) | 63.4 | (3.4) | 50.7 | (6.0) | 55.4 | (2.6) | 58.7 | (5.0) |
| Micropolitan or neither | 20.5 | (2.5) | 36.6 | (3.4) | 49.3 | (6.0) | 44.6 | (2.6) | 41.3 | (5.0) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 50.7 | (3.2) | 42.9 | (3.5) | 21.7 | (5.0) | 29.7 | (2.4) | 65.4 | (4.0) |
| Not-for-profit, government, or other | 49.3 | (3.2) | 57.1 | (3.5) | 78.3 | (5.0) | 70.3 | (2.4) | 34.6 | (4.0) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 56.0 | (3.6) | 32.8 | (5.7) | 4.8 | (1.1) | 59.6 | (3.4) |
| Category 2 | * | * | 27.7 | (3.2) | 41.8 | (6.0) | 78.2 | (2.1) | 34.7 | (3.7) |
| Category 3 | * | * | 16.2 | (2.7) | 25.4 | (5.3) | 17.0 | (1.9) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 97.3 | (0.8) | … | … |
| Medicaid-certified | 72.7 | (2.9) | 99.0 | (0.7) | --- | --- | 97.6 | (0.8) | * | * |
| Chain-affiliated (percentage) | 40.6 | (3.1) | --- | --- | --- | --- | 53.8 | (2.6) | 60.0 | (5.0) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 523 | (44) | 2,812 | (268) | 1,005 | (215) | 19,592 | (1,174) | 12,252 | (1,117) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 12.1 | (1.2) | 47.9 | (2.2) | 53.3 | (1.8) | 13.7 | (0.3) | 8.2 | (0.7) |
| Licensed practical nurse or licensed vocational nurse | 7.5 | (0.9) | 11.5 | (1.2) | 7.2 | (1.8) | 19.8 | (0.4) | 5.3 | (0.6) |
| Aide | 72.8 | (2.2) | 39.4 | (2.4) | 24.5 | (1.6) | 64.3 | (0.4) | 85.9 | (1.2) |
| Social worker | 7.7 | (1.0) | 1.2 | (0.2) | 14.9 | (1.0) | 2.3 | (0.1) | 0.6 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 46.7 | (3.2) | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | † | (†) |
| Licensed practical nurse or licensed vocational nurse | 25.7 | (2.8) | 60.5 | (3.4) | 49.3 | (6.0) | † | (†) | 59.6 | (5.1) |
| Aide | 66.2 | (3.2) | 97.6 | (1.1) | † | (†) | † | (†) | † | (†) |

Table 24. Providers and Users of Long-Term Care Services in Minnesota, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 31.7 | (3.0) | 31.7 | (3.3) | 100.0 | (0.0) | 80.1 | (2.1) | * | * |
| Activities staff | 73.5 | (2.8) | --- | --- | --- | --- | 96.0 | (1.0) | 65.4 | (4.9) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.1) | --- | --- | --- | --- | 0.5 | (0.0) | 0.4 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.3 | (0.1) | --- | --- | --- | --- | 0.7 | (0.0) | 0.2 | (0.0) |
| Aide | 1.8 | (0.3) | --- | --- | --- | --- | 2.4 | (0.0) | 3.2 | (0.2) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Activities staff | 0.9 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 44.0 | (3.2) | 45.9 | (3.5) | 100.0 | (0.0) | 85.9 | (1.8) | 42.9 | (5.1) |
| Mental health or counseling (percentage) | 29.4 | (2.9) | --- | --- | † | (†) | 77.7 | (2.1) | 47.8 | (5.2) |
| Therapy (physical, occupational, or speech) (percentage) | 51.8 | (3.2) | 90.7 | (2.0) | † | (†) | † | (†) | * | * |
| Skilled nursing or nursing (percentage) | 69.4 | (3.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Pharmacy or pharmacist (percentage) | 21.8 | (2.7) | 12.2 | (2.3) | --- | --- | 96.0 | (1.0) | * | * |
| Hospice (percentage) | 16.5 | (2.3) | 14.6 | (2.5) | … | … | 77.5 | (2.2) | * | * |
| Dental (percentage) | 11.9 | (2.0) | --- | --- | --- | --- | 78.2 | (2.1) | 61.6 | (5.0) |
| Podiatrist (percentage) | 28.4 | (2.9) | --- | --- | --- | --- | 84.1 | (1.9) | * | * |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 89.3 | (1.9) | 88.3 | (2.3) | --- | --- | --- | --- | 85.7 | (3.5) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 22.0 | (2.1) | 34.1 | (4.9) |

Table 24. Providers and Users of Long-Term Care Services in Minnesota, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 6,800 | (400) | 57,000 | (11,600) | 21,200 | (4,800) | 26,700 | (1,600) | 27,800 | (2,200) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 25.0 | (2.4) | 18.9 | (1.4) | 4.7 | (0.3) | 9.9 | (1.0) | 6.3 | (1.6) |
| 65 and over | 75.0 | (2.5) | 81.1 | (1.4) | 95.3 | (0.3) | 90.1 | (1.0) | 93.7 | (1.6) |
| 65–74 | 29.2 | (1.6) | 21.1 | (1.0) | 15.4 | (0.7) | 12.3 | (0.5) | 8.3 | (1.0) |
| 75–84 | 31.2 | (1.5) | 29.7 | (0.4) | 28.4 | (0.4) | 25.1 | (0.4) | 27.2 | (2.3) |
| 85 and over | 14.7 | (1.6) | 30.4 | (1.7) | 51.4 | (1.2) | 52.7 | (1.1) | 58.2 | (3.2) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 43.6 | (1.3) | 36.4 | (0.4) | 40.9 | (0.7) | 32.2 | (0.8) | 29.0 | (1.6) |
| Women | 56.4 | (1.3) | 63.6 | (0.4) | 59.1 | (0.7) | 67.8 | (0.8) | 71.0 | (1.6) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 2.7 | (1.0) | 0.8 | (0.1) | 0.6 | (0.1) | 0.6 | (0.1) | *0.3 | (0.1) |
| Non-Hispanic white | 57.2 | (4.2) | 94.0 | (0.7) | 95.7 | (0.5) | 92.4 | (0.7) | 86.0 | (4.9) |
| Non-Hispanic black | 19.5 | (3.9) | 3.2 | (0.5) | 1.6 | (0.3) | 2.7 | (0.4) | *1.8 | (0.8) |
| Non-Hispanic other | 20.6 | (3.3) | 2.1 | (0.2) | 2.1 | (0.2) | 4.2 | (0.5) | *11.9 | (4.9) |
| Used Medicaid for long-term care services (percent distribution) | 37.1 | (3.8) | 19.1 | (2.3) | --- | --- | 53.6 | (1.0) | 20.2 | (3.2) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 27.3 | (2.4) | 26.6 | (1.9) | 39.2 | (2.0) | 49.3 | (0.8) | 38.7 | (4.6) |
| Diagnosed with depression | 30.4 | (2.0) | 37.8 | (0.8) | 21.4 | (0.5) | 48.5 | (0.6) | 27.7 | (3.6) |
| Diagnosed with diabetes | 28.5 | (1.9) | 32.7 | (0.6) | 20.7 | (0.5) | 28.0 | (0.4) | 14.3 | (1.3) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 15.1 | (1.6) | 37.7 | (2.6) | --- | --- | 44.2 | (1.3) | 24.1 | (2.8) |
| Bathing | 17.5 | (1.9) | 94.5 | (0.9) | --- | --- | 96.5 | (0.7) | 60.0 | (4.0) |
| Dressing | 17.0 | (1.7) | 79.9 | (2.9) | --- | --- | 89.3 | (0.8) | 42.9 | (4.0) |
| Toileting | 15.9 | (1.4) | 65.6 | (3.8) | --- | --- | 85.3 | (0.9) | 36.9 | (4.1) |
| Transferring in and out of a chair or bed | 11.4 | (1.0) | 82.4 | (2.1) | --- | --- | 80.9 | (1.0) | 26.1 | (3.7) |
| Walking | 21.2 | (2.1) | 92.2 | (1.1) | --- | --- | 87.3 | (0.9) | 25.6 | (3.8) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 5.9 | (0.4) | 16.8 | (1.0) | --- | --- | --- | --- | 8.7 | (1.6) |
| Emergency department visit | 6.1 | (0.5) | 17.2 | (0.8) | --- | --- | --- | --- | 9.9 | (1.2) |

Table 24. Providers and Users of Long-Term Care Services in Minnesota, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 6.3 | (0.6) | 0.3 | (0.1) | --- | --- | 21.7 | (0.4) | 18.3 | (1.8) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 25. Providers and Users of Long-Term Care Services in Mississippi, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 90 | (1) | 50 | (7) | 100 | (11) | 200 | (14) | 100 | (2) |
| Number of beds or licensed maximum capacity[2] | 5,100 | (400) | ... | ... | ... | ... | 18,400 | (1,400) | 6,400 | (300) |
| Average capacity | 61 | (4.5) | --- | --- | --- | --- | 90 | (2.7) | 43 | (2.2) |
| Average number of people served | 25 | (2.1) | --- | --- | --- | --- | 79 | (2.4) | 36 | (2.2) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 20.0 | (5.2) | 30.4 | (6.8) | 42.5 | (4.7) | 31.4 | (3.2) | 40.4 | (4.3) |
| Micropolitan or neither | 80.0 | (5.2) | 69.6 | (6.8) | 57.5 | (4.7) | 68.6 | (3.2) | 59.6 | (4.3) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 63.2 | (6.3) | 67.4 | (6.9) | 81.4 | (3.7) | 77.0 | (2.9) | 83.0 | (3.3) |
| Not-for-profit, government, or other | 36.8 | (6.3) | 32.6 | (6.9) | 18.6 | (3.7) | 23.0 | (2.9) | 17.0 | (3.3) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 61.6 | (6.3) | * | * | 55.8 | (4.9) | 4.4 | (1.4) | * | * |
| Category 2 | 38.4 | (6.3) | * | * | 30.8 | (4.5) | 68.1 | (3.3) | * | * |
| Category 3 | - | - | * | * | 13.5 | (3.3) | 27.5 | (3.1) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 87.3 | (2.3) | … | … |
| Medicaid-certified | 97.1 | (2.2) | 97.8 | (2.2) | --- | --- | 96.6 | (1.3) | 26.4 | (4.0) |
| Chain-affiliated (percentage) | 30.7 | (6.0) | --- | --- | --- | --- | 49.0 | (3.5) | 57.9 | (4.3) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 220 | (24) | 1,057 | (220) | 1,377 | (190) | 11,712 | (896) | 2,340 | (185) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 16.7 | (2.6) | 58.8 | (2.0) | 48.7 | (1.5) | 9.8 | (0.4) | 4.1 | (0.5) |
| Licensed practical nurse or licensed vocational nurse | 9.3 | (1.5) | 7.9 | (1.3) | 7.4 | (1.1) | 26.4 | (0.4) | 18.0 | (1.2) |
| Aide | 54.0 | (3.6) | 30.3 | (1.9) | 32.3 | (1.3) | 62.3 | (0.5) | 76.6 | (1.6) |
| Social worker | 20.0 | (3.4) | 3.0 | (0.5) | 11.6 | (0.8) | 1.5 | (0.1) | 1.3 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 52.9 | (7.1) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 46.0 | (4.5) |
| Licensed practical nurse or licensed vocational nurse | 33.4 | (6.7) | 60.9 | (7.2) | 46.0 | (4.7) | 100.0 | (0.0) | 63.1 | (3.8) |
| Aide | 66.3 | (6.7) | 100.0 | (0.0) | 95.6 | (1.9) | † | (†) | 92.2 | (2.2) |
| Social worker | 60.6 | (6.6) | 89.1 | (4.6) | 100.0 | (0.0) | 69.1 | (3.2) | 20.7 | (3.6) |

Table 25. Providers and Users of Long-Term Care Services in Mississippi, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Activities staff | † | (†) | --- | --- | --- | --- | 96.6 | (1.3) | 85.5 | (3.1) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.5 | (0.1) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 1.0 | (0.1) | 0.4 | (0.1) |
| Aide | 0.5 | (0.1) | --- | --- | --- | --- | 2.4 | (0.1) | 2.0 | (0.1) |
| Social worker | 0.3 | (0.1) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Activities staff | 0.6 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 84.7 | (5.0) | † | (†) | 100.0 | (0.0) | 81.9 | (2.7) | 61.6 | (4.1) |
| Mental health or counseling (percentage) | 15.8 | (4.7) | --- | --- | † | (†) | 84.3 | (2.5) | 57.4 | (4.2) |
| Missing | * | * | ... | ... | ... | ... | ... | ... | ... | ... |
| Therapy (physical, occupational, or speech) (percentage) | 36.2 | (6.7) | † | (†) | † | (†) | † | (†) | 73.0 | (3.9) |
| Skilled nursing or nursing (percentage) | 63.2 | (6.3) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 67.4 | (4.1) |
| Missing | * | * | ... | ... | ... | ... | ... | ... | ... | ... |
| Pharmacy or pharmacist (percentage) | 29.4 | (6.3) | * | * | --- | --- | 96.6 | (1.3) | 82.6 | (3.3) |
| Hospice (percentage) | * | * | 28.3 | (6.6) | --- | --- | 72.1 | (3.1) | 56.2 | (4.3) |
| Missing | * | * | ... | ... | ... | ... | ... | ... | ... | ... |
| Dental (percentage) | 16.6 | (5.0) | --- | --- | --- | --- | 63.2 | (3.4) | 42.4 | (4.3) |
| Podiatrist (percentage) | 16.7 | (4.9) | --- | --- | --- | --- | 82.4 | (2.7) | 58.0 | (4.2) |
| Missing | 14.0 | (4.5) | ... | ... | ... | ... | ... | ... | ... | ... |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 69.3 | (6.0) | 100.0 | (0.0) | --- | --- | --- | --- | 42.0 | (4.2) |
| Missing | 14.0 | (4.5) | ... | ... | ... | ... | ... | ... | ... | ... |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 5.4 | 1.6 | 22.5 | (3.1) |

Table 25. Providers and Users of Long-Term Care Services in Mississippi, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 3,500 | (300) | 65,700 | (12,400) | 16,300 | (2,400) | 16,000 | (1,200) | 5,300 | (300) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 41.7 | (2.6) | 21.0 | (0.6) | 10.8 | (0.8) | 18.0 | (0.9) | 11.0 | (2.0) |
| 65 and over | 58.3 | (2.6) | 79.0 | (0.6) | 89.2 | (0.8) | 82.0 | (0.9) | 89.0 | (2.0) |
| 65–74 | 30.6 | (2.3) | 27.0 | (0.4) | 20.7 | (0.7) | 19.7 | (0.5) | 9.9 | (0.9) |
| 75–84 | 19.4 | (1.7) | 31.3 | (0.3) | 31.6 | (0.5) | 29.0 | (0.5) | 36.9 | (2.8) |
| 85 and over | 8.3 | (1.2) | 20.6 | (0.5) | 36.9 | (1.0) | 33.3 | (0.9) | 42.2 | (3.2) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 33.8 | (1.8) | 36.8 | (0.4) | 41.9 | (0.7) | 32.2 | (0.9) | 27.6 | (1.7) |
| Women | 66.3 | (1.8) | 63.2 | (0.4) | 58.1 | (0.7) | 67.8 | (0.9) | 72.4 | (1.7) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 0.1 | (0.1) | 0.4 | (0.1) | 0.4 | (0.1) | 0.2 | (0.0) | 0.3 | (0.1) |
| Non-Hispanic white | 17.3 | (2.6) | 67.0 | (2.5) | 71.4 | (2.2) | 63.1 | (1.6) | 88.6 | (1.8) |
| Non-Hispanic black | 81.7 | (2.6) | 31.8 | (2.5) | 27.4 | (2.2) | 35.3 | (1.6) | 10.4 | (1.7) |
| Non-Hispanic other | 1.0 | (0.4) | 0.9 | (0.1) | 0.7 | (0.1) | 1.5 | (0.3) | 0.7 | (0.4) |
| Used Medicaid for long-term care services (percent distribution) | 65.4 | (7.0) | 13.8 | (2.0) | --- | --- | 75.5 | (1.1) | 11.4 | (3.2) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 16.2 | (3.5) | 29.4 | (0.6) | 49.3 | (1.6) | 49.2 | (1.0) | 34.6 | (2.6) |
| Diagnosed with depression | 11.0 | (2.1) | 32.3 | (1.3) | 25.2 | (0.8) | 54.8 | (1.0) | 18.9 | (2.1) |
| Diagnosed with diabetes | 33.7 | (3.5) | 46.0 | (0.6) | 35.9 | (0.6) | 38.5 | (0.6) | 16.1 | (1.5) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 9.2 | (2.1) | 67.0 | (2.7) | --- | --- | 66.2 | (1.9) | 14.7 | (2.4) |
| Bathing | 16.3 | (2.7) | 98.4 | (0.3) | --- | --- | 97.9 | (0.3) | 60.5 | (3.4) |
| Dressing | 13.8 | (2.3) | 94.0 | (1.3) | --- | --- | 92.1 | (0.6) | 48.4 | (4.3) |
| Toileting | 12.4 | (1.9) | 81.5 | (2.3) | --- | --- | 88.4 | (0.7) | 35.8 | (3.4) |
| Transferring in and out of a chair or bed | 10.5 | (1.4) | 93.5 | (1.0) | --- | --- | 86.1 | (0.9) | 27.6 | (4.4) |
| Walking | 17.9 | (2.4) | 97.0 | (0.6) | --- | --- | 91.5 | (0.6) | 29.2 | (3.8) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 3.9 | (0.8) | 26.8 | (1.2) | --- | --- | --- | --- | 9.8 | (0.9) |
| Emergency department visit | 5.1 | (0.7) | 21.5 | (1.2) | --- | --- | --- | --- | 11.2 | (1.0) |

Table 25. Providers and Users of Long-Term Care Services in Mississippi, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 3.6 | (1.1) | 0.1 | (0.0) | --- | --- | 14.3 | (0.4) | 14.8 | (1.3) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 26. Providers and Users of Long-Term Care Services in Missouri, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Number or percent (standard error) | | | | | | | | | |
| **Organization** | | | | | | | | | | |
| Number of providers[1] | 100 | (1) | 200 | (13) | 100 | (10) | 500 | (22) | 400 | (5) |
| Number of beds or licensed maximum capacity[2] | 4,100 | (200) | ... | ... | ... | ... | 52,900 | (2,500) | 19,900 | (1,100) |
| Average capacity | 40 | (2.2) | --- | --- | --- | --- | 103 | (2.1) | 44 | (2.3) |
| Average number of people served | 19 | (1.3) | --- | --- | --- | --- | 75 | (1.7) | 28 | (1.5) |
| Metropolitan statistical area status (percent): | | | | | | | | | | |
| Metropolitan | 83.3 | (2.7) | 63.4 | (3.6) | 73.0 | (4.2) | 57.6 | (2.2) | 60.3 | (4.2) |
| Micropolitan or neither | 16.7 | (2.7) | 36.6 | (3.6) | 27.0 | (4.2) | 42.4 | (2.2) | 39.7 | (4.2) |
| Ownership (percent): | | | | | | | | | | |
| For-profit | 53.1 | (3.8) | 54.3 | (3.8) | 56.8 | (4.7) | 75.4 | (1.9) | 74.8 | (4.0) |
| Not-for-profit, government, or other | 46.9 | (3.8) | 45.7 | (3.8) | 43.2 | (4.7) | 24.6 | (1.9) | * | * |
| Number of people served (percent):[3] | | | | | | | | | | |
| Category 1 | 76.3 | (3.2) | 25.0 | (3.3) | 28.0 | (4.3) | 3.7 | (0.8) | 60.4 | (3.3) |
| Category 2 | 23.7 | (3.2) | 35.1 | (3.7) | 39.3 | (4.7) | 76.4 | (1.9) | 37.2 | (3.5) |
| Category 3 | - | - | 39.9 | (3.8) | 32.7 | (4.5) | 19.9 | (1.8) | * | * |
| Certification (percent): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 96.5 | (0.8) | … | … |
| Medicaid-certified | † | (†) | 92.6 | (2.0) | --- | --- | 98.2 | (0.6) | * | * |
| Chain-affiliated (percent) | 19.6 | (3.0) | --- | --- | --- | --- | 51.6 | (2.2) | 64.6 | (4.2) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 408 | (24) | 1,787 | (208) | 1,763 | (243) | 26,402 | (1,303) | 5,595 | (663) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 16.2 | (1.8) | 68.1 | (1.9) | 49.7 | (1.8) | 8.1 | (0.2) | *12.8 | (4.4) |
| Licensed practical nurse or licensed vocational nurse | 24.3 | (1.8) | 13.5 | (1.4) | 12.3 | (1.4) | 21.6 | (0.3) | 8.6 | (1.4) |
| Aide | 52.4 | (2.1) | 14.8 | (2.3) | 24.7 | (1.2) | 68.8 | (0.4) | 77.2 | (3.7) |
| Social worker | 7.2 | (1.2) | 3.7 | (0.4) | 13.4 | (0.5) | 1.5 | (0.1) | 1.5 | (0.3) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 46.9 | (3.7) | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | 53.3 | (4.6) |
| Licensed practical nurse or licensed vocational nurse | 76.1 | (3.2) | 61.7 | (3.7) | 69.4 | (4.4) | 100.0 | (0.0) | 66.5 | (4.0) |
| Aide | 72.8 | (3.4) | 89.1 | (2.4) | † | (†) | † | (†) | 92.6 | (2.4) |
| Social worker | 26.3 | (3.3) | 64.6 | (3.6) | 100.0 | (0.0) | 58.8 | (2.2) | * | * |

Table 26. Providers and Users of Long-Term Care Services in Missouri, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Activities staff | 76.0 | (3.2) | --- | --- | --- | --- | 98.2 | (0.6) | 70.2 | (3.8) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.5 | (0.1) | --- | --- | --- | --- | 0.3 | (0.0) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.7 | (0.1) | --- | --- | --- | --- | 0.8 | (0.0) | 0.2 | (0.0) |
| Aide | 1.2 | (0.1) | --- | --- | --- | --- | 2.5 | (0.0) | 2.0 | (0.2) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Activities staff | 1.1 | (0.2) | --- | --- | --- | --- | 0.2 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 32.9 | (3.6) | 76.0 | (3.2) | 100.0 | (0.0) | 66.8 | (2.1) | 50.0 | (4.4) |
| Mental health or counseling (percentage) | 20.8 | (3.1) | --- | --- | † | (†) | 84.8 | (1.6) | 60.2 | (4.5) |
| Therapy (physical, occupational, or speech) (percentage) | 44.6 | (3.8) | † | (†) | † | (†) | † | (†) | * | * |
| Skilled nursing or nursing (percentage) | 88.2 | (2.4) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 54.3 | (4.6) |
| Pharmacy or pharmacist (percentage) | 22.0 | (3.2) | * | * | --- | --- | 98.0 | (0.6) | * | * |
| Hospice (percentage) | 10.8 | (2.4) | 9.1 | (2.2) | --- | --- | 88.5 | (1.4) | 50.6 | (4.4) |
| Dental (percentage) | 12.1 | (2.5) | --- | --- | --- | --- | 79.1 | (1.8) | 56.6 | (4.5) |
| Podiatrist (percentage) | 33.4 | (3.6) | --- | --- | --- | --- | 94.3 | (1.0) | * | * |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 83.8 | (2.7) | 97.0 | (1.3) | --- | --- | --- | --- | 77.1 | (3.9) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 32.8 | (2.1) | * | * |

Table 26. Providers and Users of Long-Term Care Services in Missouri, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 3,400 | (300) | 98,900 | (16,200) | 31,300 | (4,400) | 38,200 | (1,900) | 12,500 | (700) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 57.0 | (3.0) | 19.9 | (1.1) | 6.5 | (0.3) | 18.6 | (1.0) | 17.9 | (2.6) |
| 65 and over | 43.0 | (3.0) | 80.1 | (1.1) | 93.5 | (0.3) | 81.4 | (1.0) | 82.0 | (2.6) |
| 65–74 | 18.3 | (1.8) | 28.3 | (0.8) | 17.7 | (0.6) | 15.3 | (0.3) | 12.6 | (1.5) |
| 75–84 | 14.3 | (1.2) | 30.1 | (0.6) | 30.1 | (0.4) | 26.4 | (0.4) | 26.3 | (2.2) |
| 85 and over | 10.5 | (1.0) | 21.7 | (0.9) | 45.7 | (1.1) | 39.7 | (0.9) | 43.1 | (3.3) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 44.6 | (1.6) | 38.1 | (0.5) | 40.2 | (0.6) | 32.3 | (0.7) | 30.6 | (1.6) |
| Women | 55.4 | (1.6) | 61.9 | (0.5) | 59.8 | (0.6) | 67.7 | (0.7) | 69.4 | (1.6) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 1.0 | (0.2) | 0.8 | (0.1) | 0.8 | (0.1) | 0.5 | (0.0) | *0.4 | (0.1) |
| Non-Hispanic white | 41.6 | (4.1) | 86.1 | (1.8) | 91.3 | (1.0) | 86.4 | (1.1) | 86.6 | (4.0) |
| Non-Hispanic black | 51.9 | (4.3) | 12.0 | (1.8) | 7.1 | (1.0) | 11.7 | (1.1) | 3.3 | (0.8) |
| Non-Hispanic other | 5.5 | (1.1) | 1.1 | (0.1) | 0.8 | (0.1) | 1.4 | (0.1) | *9.7 | (4.1) |
| Used Medicaid for long-term care services (percent distribution) | 86.9 | (14.4) | 8.9 | (1.2) | --- | --- | 62.4 | (0.9) | 26.8 | (3.4) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 27.5 | (3.3) | 25.3 | (0.9) | 47.1 | (1.7) | 46.5 | (0.7) | 28.8 | (3.6) |
| Diagnosed with depression | 20.9 | (2.5) | 40.9 | (0.8) | 28.3 | (0.7) | 51.5 | (0.6) | 27.7 | (2.3) |
| Diagnosed with diabetes | 21.2 | (2.1) | 43.0 | (0.7) | 28.6 | (0.6) | 31.5 | (0.4) | 20.4 | (1.7) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 21.5 | (2.4) | 50.8 | (2.8) | --- | --- | 49.4 | (1.3) | 9.3 | (1.8) |
| Bathing | 23.2 | (2.7) | 96.6 | (0.5) | --- | --- | 94.2 | (0.5) | 52.6 | (3.1) |
| Dressing | 23.1 | (2.7) | 86.8 | (1.4) | --- | --- | 82.7 | (0.7) | 26.8 | (2.6) |
| Toileting | 25.8 | (2.5) | 68.8 | (2.7) | --- | --- | 77.2 | (0.8) | 16.7 | (2.1) |
| Transferring in and out of a chair or bed | 21.0 | (2.2) | 85.8 | (2.2) | --- | --- | 72.9 | (0.9) | *6.7 | (2.1) |
| Walking | 21.2 | (1.8) | 93.7 | (0.8) | --- | --- | 84.7 | (0.8) | 11.5 | (2.8) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 6.0 | (0.9) | 13.1 | (0.5) | --- | --- | --- | --- | 8.0 | (0.9) |
| Emergency department visit | 7.3 | (0.9) | 13.3 | (0.5) | --- | --- | --- | --- | 9.9 | (0.9) |

Table 26. Providers and Users of Long-Term Care Services in Missouri, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 7.5 | (1.1) | 0.2 | (0.0) | --- | --- | 21.5 | (0.4) | 16.7 | (1.5) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 27. Providers and Users of Long-Term Care Services in Montana, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 10 | (0.0) | 30 | (5) | 30 | (5) | 80 | (9) | 200 | (3) |
| Number of beds or licensed maximum capacity[2] | 100 | (0) | ... | ... | ... | ... | 6,700 | (900) | 5,900 | (300) |
| Average capacity | 11 | (2.6) | --- | --- | --- | --- | 82 | (5.3) | 32 | (1.5) |
| Average number of people served | 10 | (3.7) | --- | --- | --- | --- | 56 | (3.8) | 25 | (1.1) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | * | * | 28.6 | (8.5) | 25.0 | (8.2) | 20.7 | (4.5) | 42.9 | (3.0) |
| Micropolitan or neither | * | * | 71.4 | (8.5) | 75.0 | (8.2) | 79.3 | (4.5) | 57.1 | (3.0) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | * | * | 28.6 | (8.5) | 28.6 | (8.5) | 47.6 | (5.5) | 76.9 | (2.7) |
| Not-for-profit, government, or other | * | * | 71.4 | (8.5) | 71.4 | (8.5) | 52.4 | (5.5) | 23.1 | (2.7) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 29.6 | (8.8) | 55.6 | (9.6) | 15.9 | (4.0) | * | * |
| Category 2 | * | * | 37.0 | (9.3) | 22.2 | (8.0) | 74.4 | (4.8) | * | * |
| Category 3 | - | - | 33.3 | (9.1) | 22.2 | (8.0) | 9.8 | (3.3) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 98.8 | (1.2) | … | … |
| Medicaid-certified | * | * | 96.4 | (3.6) | --- | --- | 98.8 | (1.2) | 81.2 | (2.6) |
| Chain-affiliated (percentage) | * | * | --- | --- | --- | --- | 36.6 | (5.4) | 53.7 | (3.1) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 111 | (22) | 191 | (42) | 290 | (78) | 3,296 | (446) | 1,946 | (135) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 10.2 | (3.4) | 65.8 | (3.1) | 51.0 | (2.7) | 17.6 | (0.8) | 8.8 | (1.0) |
| Licensed practical nurse or licensed vocational nurse | 11.2 | (2.6) | 10.7 | (2.1) | 9.8 | (2.6) | 12.9 | (0.9) | 7.7 | (0.7) |
| Aide | 77.2 | (5.2) | 17.2 | (3.1) | 25.6 | (3.2) | 67.7 | (0.9) | 82.6 | (1.2) |
| Social worker | 1.4 | (0.7) | 6.4 | (0.9) | 13.7 | (1.4) | 1.8 | (0.2) | 1.0 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | * | * | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | 59.0 | (3.1) |
| Licensed practical nurse or licensed vocational nurse | * | * | 60.7 | (9.2) | 46.4 | (9.4) | 87.8 | (3.6) | 34.0 | (3.0) |
| Aide | 100.0 | (0.0) | * | * | † | (†) | 100.0 | (0.0) | 93.6 | (1.6) |

Table 27. Providers and Users of Long-Term Care Services in Montana, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | * | * | 78.6 | (7.8) | † | (†) | 63.4 | (5.3) | 10.7 | (1.9) |
| Activities staff | * | * | --- | --- | --- | --- | † | (†) | 71.6 | (2.9) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 2.7 | (1.2) | --- | --- | --- | --- | 0.7 | (0.1) | 0.3 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 2.3 | (0.6) | --- | --- | --- | --- | 0.4 | (0.0) | 0.2 | (0.0) |
| Aide | 10.6 | (2.0) | --- | --- | --- | --- | 2.4 | (0.1) | 2.5 | (0.1) |
| Social worker | 0.2 | (0.1) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | 2.6 | (1.2) | --- | --- | --- | --- | 0.3 | (0.0) | 0.4 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | * | * | * | * | 100.0 | (0.0) | 68.3 | (5.1) | 47.8 | (3.4) |
| Mental health or counseling (percentage) | * | * | --- | --- | 82.1 | (7.2) | 75.6 | (4.7) | 44.1 | (3.3) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | 59.7 | (3.3) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 62.6 | (3.4) |
| Pharmacy or pharmacist (percentage) | * | * | 25.0 | (8.2) | --- | --- | 93.9 | (2.6) | 75.1 | (2.9) |
| Hospice (percentage) | * | * | 39.3 | (9.2) | … | … | 50.0 | (5.5) | 61.5 | (3.3) |
| Dental (percentage) | * | * | --- | --- | --- | --- | 68.3 | (5.1) | 43.7 | (3.2) |
| Podiatrist (percentage) | * | * | --- | --- | --- | --- | 67.1 | (5.2) | 70.1 | (3.2) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | * | * | 100.0 | (0.0) | --- | --- | --- | --- | 83.8 | (2.6) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 28.0 | (5.0) | 29.6 | (3.1) |

Table 27. Providers and Users of Long-Term Care Services in Montana, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 100 | (0) | 7,600 | (2,000) | 4,000 | (1,100) | 4,600 | (600) | 4,700 | (200) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 27.2 | (4.8) | 12.7 | (0.6) | 4.9 | (0.6) | 13.0 | (1.3) | 5.8 | (0.8) |
| 65 and over | 72.8 | (4.8) | 87.3 | (0.6) | 95.1 | (0.6) | 87.0 | (1.3) | 94.2 | (0.8) |
| 65–74 | 19.0 | (2.6) | 22.7 | (0.7) | 17.6 | (0.9) | 15.9 | (1.0) | 11.5 | (1.3) |
| 75–84 | 43.7 | (6.7) | 33.1 | (0.6) | 30.3 | (0.8) | 26.2 | (0.8) | 29.3 | (1.8) |
| 85 and over | 10.1 | (1.2) | 31.6 | (1.2) | 47.1 | (1.6) | 44.8 | (2.2) | 53.4 | (2.3) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 40.0 | (2.6) | 36.8 | (1.0) | 43.0 | (1.1) | 34.4 | (1.6) | 26.7 | (1.0) |
| Women | 60.0 | (2.6) | 63.2 | (1.0) | 57.0 | (1.1) | 65.6 | (1.6) | 73.3 | (1.0) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 2.6 | (1.0) | 1.0 | (0.1) | 0.8 | (0.1) | 0.8 | (0.2) | 0.4 | (0.1) |
| Non-Hispanic white | 91.5 | (2.8) | 95.4 | (0.7) | 95.6 | (0.6) | 88.6 | (1.6) | 78.6 | (4.6) |
| Non-Hispanic black | 1.2 | (0.7) | 0.1 | (0.0) | 0.2 | (0.0) | 0.1 | (0.1) | 0.0 | (0.0) |
| Non-Hispanic other | 4.7 | (2.9) | 3.5 | (0.6) | 3.3 | (0.5) | 10.4 | (1.5) | 21.0 | (4.6) |
| Used Medicaid for long-term care services (percent distribution) | 39.8 | (5.8) | 4.9 | (0.5) | --- | --- | 56.9 | (1.8) | 16.5 | (2.5) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 38.4 | (6.6) | 28.3 | (0.9) | 38.4 | (2.0) | 45.1 | (1.7) | 35.9 | (2.6) |
| Diagnosed with depression | 1.2 | (0.7) | 40.5 | (1.4) | 23.8 | (0.9) | 49.8 | (1.6) | 20.1 | (1.6) |
| Diagnosed with diabetes | 5.5 | (3.0) | 32.1 | (0.8) | 21.7 | (1.1) | 28.7 | (1.0) | 14.7 | (1.2) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 8.1 | (2.5) | 34.7 | (4.1) | --- | --- | 57.7 | (3.8) | 18.8 | (1.6) |
| Bathing | 36.3 | (8.8) | 94.8 | (1.1) | --- | --- | 96.5 | (0.8) | 60.0 | (2.4) |
| Dressing | 32.2 | (9.4) | 78.4 | (4.0) | --- | --- | 87.9 | (1.4) | 41.8 | (2.7) |
| Toileting | 36.0 | (7.0) | 61.4 | (6.2) | --- | --- | 84.9 | (1.6) | 31.2 | (2.3) |
| Transferring in and out of a chair or bed | 24.7 | (6.0) | 82.0 | (3.1) | --- | --- | 80.0 | (2.0) | 25.8 | (2.9) |
| Walking | 19.5 | (2.8) | 94.1 | (1.2) | --- | --- | 89.4 | (1.3) | 27.7 | (3.0) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 5.0 | (0.7) | 10.4 | (0.6) | --- | --- | --- | --- | 6.2 | (0.6) |

Table 27. Providers and Users of Long-Term Care Services in Montana, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 7.7 | (2.0) | 13.0 | (0.6) | --- | --- | --- | --- | 10.0 | (0.8) |
| Falls | 8.1 | (1.5) | 0.4 | (0.1) | --- | --- | 24.1 | (0.8) | 23.2 | (1.7) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 28. Providers and Users of Long-Term Care Services in Nebraska, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 30 | (0.0) | 80 | (9) | 40 | (6) | 200 | (15) | 200 | (3) |
| Number of beds or licensed maximum capacity[2] | 1,900 | (300) | ... | ... | ... | ... | 15,800 | (1,200) | 11,300 | (300) |
| Average capacity | 69 | (10.7) | --- | --- | --- | --- | 72 | (2.8) | 47 | (1.3) |
| Average number of people served | 26 | (3.0) | --- | --- | --- | --- | 55 | (2.3) | 38 | (1.0) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 49.4 | (7.1) | 53.9 | (5.7) | 52.4 | (7.7) | 32.0 | (3.2) | 40.2 | (2.0) |
| Micropolitan or neither | 50.6 | (7.1) | 46.1 | (5.7) | 47.6 | (7.7) | 68.0 | (3.2) | 59.8 | (2.0) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | * | * | 43.4 | (5.7) | 45.2 | (7.7) | 48.9 | (3.4) | 56.9 | (2.1) |
| Not-for-profit, government, or other | † | (†) | 56.6 | (5.7) | 54.8 | (7.7) | 51.1 | (3.4) | 43.1 | (2.1) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 66.9 | (6.8) | 48.6 | (5.9) | 42.9 | (7.6) | 12.3 | (2.2) | 42.2 | (1.5) |
| Category 2 | 33.1 | (6.8) | 30.6 | (5.4) | 38.1 | (7.5) | 78.1 | (2.8) | 54.2 | (1.7) |
| Category 3 | - | - | 20.8 | (4.8) | 19.0 | (6.1) | 9.6 | (2.0) | 3.6 | (0.9) |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 96.1 | (2.2) | --- | --- | 90.9 | (2.0) | … | … |
| Medicaid-certified | † | (†) | 97.4 | (1.8) | --- | --- | 99.5 | (0.5) | 83.7 | (1.7) |
| Chain-affiliated (percentage) | 36.7 | (6.9) | --- | --- | --- | --- | 57.1 | (3.4) | 61.1 | (2.1) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 138 | (19) | 931 | (160) | 484 | (101) | 8,926 | (724) | 3,946 | (157) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 7.2 | (1.1) | 55.7 | (4.8) | 49.5 | (2.3) | 12.7 | (0.5) | 8.6 | (0.6) |
| Licensed practical nurse or licensed vocational nurse | 10.6 | (1.7) | 14.3 | (3.6) | 8.9 | (2.4) | 19.8 | (0.6) | 11.2 | (0.5) |
| Aide | 67.4 | (5.4) | 28.0 | (4.4) | 27.9 | (1.9) | 65.3 | (0.8) | 78.8 | (0.9) |
| Social worker | 14.8 | (3.9) | 2.0 | (0.5) | 13.7 | (1.0) | 2.2 | (0.1) | 1.4 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 41.9 | (7.0) | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | 69.3 | (2.0) |
| Licensed practical nurse or licensed vocational nurse | 40.7 | (7.0) | 56.6 | (5.7) | 54.8 | (7.7) | † | (†) | 65.7 | (2.1) |
| Aide | 56.6 | (7.1) | 93.4 | (2.8) | 100.0 | (0.0) | † | (†) | † | (†) |

Table 28. Providers and Users of Long-Term Care Services in Nebraska, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 43.1 | (7.1) | 39.5 | (5.6) | 100.0 | (0.0) | 71.2 | (3.1) | 22.2 | (1.7) |
| Activities staff | * | * | --- | --- | --- | --- | 97.7 | (1.0) | 86.7 | (1.4) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.1) | --- | --- | --- | --- | 0.6 | (0.1) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.3 | (0.1) | --- | --- | --- | --- | 0.8 | (0.1) | 0.3 | (0.0) |
| Aide | 2.0 | (0.7) | --- | --- | --- | --- | 2.7 | (0.1) | 2.3 | (0.1) |
| Social worker | 0.6 | (0.2) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Activities staff | 1.4 | (0.3) | --- | --- | --- | --- | 0.2 | (0.0) | 0.3 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 70.0 | (6.4) | 55.3 | (5.7) | 100.0 | (0.0) | 75.8 | (2.9) | 48.4 | (2.2) |
| Mental health or counseling (percentage) | 52.6 | (7.1) | --- | --- | † | (†) | 85.4 | (2.4) | 60.8 | (2.2) |
| Therapy (physical, occupational, or speech) (percentage) | 57.0 | (7.1) | † | (†) | 100.0 | (0.0) | † | (†) | 86.4 | (1.6) |
| Skilled nursing or nursing (percentage) | 47.4 | (7.1) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 54.8 | (2.2) |
| Pharmacy or pharmacist (percentage) | 36.7 | (6.9) | 14.5 | (4.0) | --- | --- | 97.7 | (1.0) | 92.6 | (1.2) |
| Hospice (percentage) | * | * | 30.3 | (5.3) | … | … | 79.9 | (2.7) | 79.7 | (1.9) |
| Dental (percentage) | 30.0 | (6.4) | --- | --- | --- | --- | 87.2 | (2.3) | 71.2 | (2.0) |
| Podiatrist (percentage) | 34.5 | (6.7) | --- | --- | --- | --- | 91.3 | (1.9) | 84.2 | (1.7) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | * | * | 93.1 | (3.0) | --- | --- | --- | --- | 79.3 | (1.8) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 21.9 | (2.8) | 25.7 | (2.1) |

Table 28. Providers and Users of Long-Term Care Services in Nebraska, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 1,900 | (400) | 21,000 | (5,100) | 8,300 | (1,800) | 12,000 | (1,000) | 9,100 | (300) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 84.0 | (4.9) | 16.0 | (1.4) | 4.3 | (0.3) | 11.6 | (1.1) | 5.0 | (0.8) |
| 65 and over | 16.1 | (4.9) | 84.0 | (1.4) | 95.7 | (0.3) | 88.4 | (1.1) | 95.0 | (0.8) |
| 65–74 | 6.9 | (2.0) | 22.2 | (0.8) | 14.2 | (0.8) | 13.4 | (0.7) | 9.1 | (0.5) |
| 75–84 | 5.7 | (1.8) | 32.0 | (0.5) | 28.3 | (0.6) | 25.5 | (0.5) | 33.0 | (1.3) |
| 85 and over | 3.6 | (1.3) | 29.9 | (1.8) | 53.2 | (1.4) | 49.5 | (1.5) | 52.8 | (1.5) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 51.5 | (1.2) | 36.3 | (0.9) | 40.8 | (0.7) | 31.4 | (0.8) | 27.9 | (0.9) |
| Women | 48.5 | (1.2) | 63.7 | (0.9) | 59.2 | (0.7) | 68.6 | (0.8) | 72.1 | (0.9) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 4.7 | (0.5) | 1.9 | (0.2) | 1.1 | (0.2) | 1.1 | (0.2) | 1.1 | (0.4) |
| Non-Hispanic white | 66.5 | (2.7) | 92.9 | (1.0) | 95.4 | (0.8) | 90.7 | (1.8) | 89.9 | (1.4) |
| Non-Hispanic black | 21.3 | (2.7) | 3.9 | (0.9) | 2.3 | (0.7) | 3.0 | (0.7) | 0.8 | (0.4) |
| Non-Hispanic other | 7.4 | (0.9) | 1.3 | (0.1) | 1.2 | (0.2) | 5.1 | (1.7) | 8.1 | (1.3) |
| Used Medicaid for long-term care services (percent distribution) | 57.7 | (2.5) | 8.4 | (1.2) | --- | --- | 51.8 | (1.7) | 24.0 | (1.6) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 10.0 | (3.3) | 26.5 | (1.7) | 49.8 | (2.3) | 45.0 | (1.2) | 33.8 | (1.8) |
| Diagnosed with depression | 10.3 | (2.8) | 37.3 | (0.8) | 25.7 | (1.1) | 53.5 | (0.9) | 24.1 | (1.7) |
| Diagnosed with diabetes | 7.7 | (2.2) | 37.0 | (0.8) | 27.7 | (0.5) | 28.6 | (0.6) | 17.8 | (0.8) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 2.3 | (0.7) | 45.0 | (4.7) | --- | --- | 53.6 | (1.8) | 14.4 | (1.2) |
| Bathing | 2.4 | (0.9) | 96.1 | (0.7) | --- | --- | 98.6 | (0.3) | 67.8 | (2.1) |
| Dressing | 2.7 | (1.0) | 82.0 | (3.1) | --- | --- | 89.5 | (0.7) | 35.6 | (1.6) |
| Toileting | 5.5 | (1.8) | 62.8 | (5.1) | --- | --- | 86.5 | (0.8) | 25.1 | (1.6) |
| Transferring in and out of a chair or bed | 5.0 | (1.6) | 84.5 | (2.2) | --- | --- | 81.6 | (1.0) | 19.7 | (1.4) |
| Walking | 4.1 | (1.4) | 94.1 | (1.0) | --- | --- | 89.6 | (0.8) | 21.1 | (1.9) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 8.1 | (0.8) | 15.0 | (0.9) | --- | --- | --- | --- | 8.1 | (0.4) |

Table 28. Providers and Users of Long-Term Care Services in Nebraska, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 3.3 | (0.8) | 14.4 | (0.7) | --- | --- | --- | --- | 9.0 | (0.4) |
| Falls | 3.1 | (0.8) | 0.3 | (0.1) | --- | --- | 22.2 | (0.6) | 21.0 | (0.9) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 29. Providers and Users of Long-Term Care Services in Nevada, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 20 | (0.0) | 100 | (11) | 30 | (5) | 50 | (7) | 200 | (3) |
| Number of beds or licensed maximum capacity[2] | 1,600 | (100) | ... | ... | ... | ... | 6,000 | (1,000) | 4,200 | (100) |
| Average capacity | 80 | (6.7) | --- | --- | --- | --- | 116 | (9.7) | 19 | (0.4) |
| Average number of people served | 53 | (4.8) | --- | --- | --- | --- | 93 | (7.8) | 16 | (0.4) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | † | (†) | † | (†) | † | (†) | 78.8 | (5.7) | 94.7 | (1.2) |
| Micropolitan or neither | * | * | * | * | * | * | 21.2 | (5.7) | 5.3 | (1.2) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 67.8 | (6.2) | 95.4 | (1.8) | * | * | 75.0 | (6.0) | 79.1 | (2.4) |
| Not-for-profit, government, or other | 32.2 | (6.2) | 4.6 | (1.8) | * | * | 25.0 | (6.0) | 9.1 | (1.6) |
| Missing | ... | ... | ... | ... | ... | ... | ... | ... | 11.8 | (2.0) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 25.4 | (3.8) | 27.6 | (8.3) | 13.5 | (4.7) | * | * |
| Category 2 | * | * | 40.8 | (4.3) | 34.5 | (8.8) | 46.2 | (6.9) | * | * |
| Category 3 | * | * | 21.5 | (3.6) | 37.9 | (9.0) | 40.4 | (6.8) | * | * |
| Missing | ... | ... | 12.3 | (2.9) | ... | ... | ... | ... | ... | ... |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 96.2 | (2.7) | … | … |
| Medicaid-certified | † | (†) | 61.5 | (4.3) | --- | --- | 94.2 | (3.3) | 45.2 | (3.0) |
| Missing | … | … | … | … | … | … | … | … | 11.8 | (2.0) |
| Chain-affiliated (percentage) | 36.7 | (6.9) | --- | --- | --- | --- | 67.3 | (6.6) | 50.9 | (2.9) |
| Missing | … | … | … | … | … | … | … | … | 11.0 | (1.9) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 157 | (15) | 999 | (141) | 458 | (152) | 3,519 | (569) | 942 | (66) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 15.7 | (1.8) | 50.9 | (4.3) | 42.4 | (1.7) | 16.9 | (1.1) | 2.5 | (0.3) |
| Licensed practical nurse or licensed vocational nurse | 10.1 | (1.4) | 21.5 | (3.5) | 9.4 | (1.8) | 21.9 | (1.1) | 2.8 | (0.3) |
| Aide | 69.6 | (2.7) | 23.7 | (5.0) | 33.8 | (3.1) | 59.0 | (1.0) | 94.5 | (0.5) |
| Social worker | 4.6 | (0.8) | 3.9 | (0.6) | 14.3 | (2.2) | 2.3 | (0.2) | 0.2 | (0.1) |

Table 29. Providers and Users of Long-Term Care Services in Nevada, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 15.0 | (1.9) |
| Licensed practical nurse or licensed vocational nurse | 56.8 | (6.9) | 76.9 | (3.7) | 65.5 | (8.8) | † | (†) | 11.3 | (1.2) |
| Aide | * | * | 96.2 | (1.7) | 100.0 | (0.0) | † | (†) | 65.4 | (3.0) |
| Social worker | 35.4 | (6.6) | 73.8 | (3.9) | 100.0 | (0.0) | † | (†) | * | * |
| Activities staff | 100.0 | (0.0) | --- | --- | --- | --- | 100.0 | (0.0) | 39.2 | (2.7) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.0) | --- | --- | --- | --- | 1.2 | (0.5) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 1.2 | (0.4) | 0.0 | (0.0) |
| Aide | 0.7 | (0.1) | --- | --- | --- | --- | 3.2 | (1.0) | 1.5 | (0.2) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.2 | (0.1) | 0.0 | (0.0) |
| Activities staff | 0.6 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.3 | (0.1) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 33.0 | (6.3) | 93.8 | (2.1) | 100.0 | (0.0) | † | (†) | 55.9 | (2.9) |
| Missing | ... | ... | ... | ... | ... | ... | ... | ... | 11.0 | (1.9) |
| Mental health or counseling (percentage) | * | * | --- | --- | † | (†) | 71.2 | (6.3) | 63.2 | (2.9) |
| Missing | ... | ... | ... | ... | ... | ... | ... | ... | 11.8 | (2.0) |
| Therapy (physical, occupational, or speech) (percentage) | 66.6 | (6.3) | † | (†) | † | (†) | † | (†) | 39.3 | (2.9) |
| Missing | ... | ... | ... | ... | ... | ... | ... | ... | 11.0 | (1.9) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 49.2 | (2.9) |
| Missing | ... | ... | ... | ... | ... | ... | ... | ... | 11.8 | (2.0) |
| Pharmacy or pharmacist (percentage) | 40.4 | (6.6) | 10.0 | (2.6) | --- | --- | 100.0 | (0.0) | 24.2 | (2.6) |
| Missing | ... | ... | ... | ... | ... | ... | ... | ... | 11.0 | (1.9) |
| Hospice (percentage) | * | * | * | * | … | … | 65.4 | (6.6) | 37.7 | (2.9) |
| Missing | ... | ... | ... | ... | ... | ... | ... | ... | 11.8 | (2.0) |
| Dental (percentage) | 34.2 | (6.4) | --- | --- | --- | --- | 67.3 | (6.5) | 47.1 | (3.0) |
| Missing | ... | ... | ... | ... | ... | ... | ... | ... | 12.7 | (2.0) |
| Podiatrist (percentage) | 47.3 | (6.7) | --- | --- | --- | --- | 82.7 | (5.2) | 31.7 | (2.8) |
| Missing | ... | ... | ... | ... | ... | ... | ... | ... | 11.0 | (1.9) |
| **Practices** | | | | | | | | | | |

Table 29. Providers and Users of Long-Term Care Services in Nevada, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Depression screening (percentage) | † | (†) | † | (†) | --- | --- | --- | --- | 67.2 | (2.8) |
| Missing | ... | ... | ... | ... | ... | ... | ... | ... | 11.0 | (1.9) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 17.3 | (5.2) | 6.1 | (0.9) |
| Missing | ... | ... | ... | ... | ... | ... | ... | ... | 11.0 | (1.9) |

Table 29. Providers and Users of Long-Term Care Services in Nevada, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 1,500 | (100) | 36,200 | (7,100) | 11,100 | (3,400) | 4,900 | (800) | 3,500 | (100) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 28.2 | (3.7) | 17.3 | (1.0) | 5.7 | (0.4) | 20.9 | (2.1) | 4.7 | (0.7) |
| 65 and over | 71.8 | (3.7) | 82.7 | (1.0) | 94.3 | (0.4) | 79.1 | (2.1) | 95.4 | (0.7) |
| 65–74 | 25.8 | (2.0) | 32.3 | (0.8) | 20.5 | (1.5) | 21.7 | (1.1) | 11.4 | (1.0) |
| 75–84 | 29.7 | (2.5) | 31.0 | (0.7) | 33.1 | (0.9) | 27.9 | (0.8) | 28.4 | (1.2) |
| 85 and over | 16.2 | (1.5) | 19.4 | (1.3) | 40.8 | (2.5) | 29.5 | (2.0) | 55.7 | (1.7) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 34.3 | (1.3) | 41.2 | (0.5) | 42.0 | (1.1) | 39.8 | (2.0) | 29.2 | (0.7) |
| Women | 65.7 | (1.3) | 58.8 | (0.5) | 58.0 | (1.1) | 60.2 | (2.0) | 70.8 | (0.7) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 23.7 | (3.5) | 11.0 | (1.0) | 6.0 | (0.4) | 5.7 | (0.6) | 3.3 | (0.4) |
| Non-Hispanic white | 37.2 | (4.0) | 70.0 | (2.5) | 83.5 | (1.2) | 72.4 | (2.1) | 84.4 | (2.0) |
| Non-Hispanic black | 14.6 | (2.0) | 11.6 | (1.2) | 6.1 | (0.7) | 10.0 | (1.3) | 2.6 | (0.3) |
| Non-Hispanic other | 24.6 | (4.5) | 7.4 | (0.6) | 4.4 | (0.3) | 11.3 | (1.7) | 9.6 | (2.1) |
| Used Medicaid for long-term care services (percent distribution) | 63.1 | (4.4) | 3.0 | (0.4) | --- | --- | 55.7 | (3.6) | 12.4 | (1.6) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 35.2 | (3.3) | 27.3 | (0.9) | 32.8 | (3.4) | 36.8 | (2.6) | 40.5 | (2.4) |
| Diagnosed with depression | 13.2 | (2.1) | 35.9 | (0.6) | 15.4 | (1.1) | 36.7 | (2.0) | 18.7 | (1.6) |
| Diagnosed with diabetes | 25.3 | (2.9) | 45.4 | (1.3) | 20.8 | (1.5) | 30.1 | (1.0) | 11.8 | (1.0) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 23.6 | (3.7) | 60.7 | (3.1) | --- | --- | 58.5 | (4.1) | 19.1 | (1.5) |
| Bathing | 25.9 | (4.2) | 94.6 | (2.0) | --- | --- | 96.4 | (0.6) | 63.7 | (2.9) |
| Dressing | 40.0 | (5.8) | 86.9 | (3.3) | --- | --- | 92.1 | (1.3) | 47.8 | (2.4) |
| Toileting | 51.4 | (5.2) | 72.5 | (4.7) | --- | --- | 90.1 | (1.3) | 42.0 | (2.4) |
| Transferring in and out of a chair or bed | 20.7 | (2.5) | 85.6 | (3.0) | --- | --- | 87.8 | (1.6) | 32.8 | (2.9) |
| Walking | 36.0 | (4.3) | 92.0 | (2.5) | --- | --- | 93.0 | (1.1) | 34.2 | (3.1) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 4.3 | (0.6) | 16.1 | (0.7) | --- | --- | --- | --- | 7.0 | (0.5) |

Table 29. Providers and Users of Long-Term Care Services in Nevada, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 6.1 | (0.8) | 13.4 | (1.0) | --- | --- | --- | --- | 9.8 | (0.9) |
| Falls | 6.1 | (1.2) | 0.3 | (0.1) | --- | --- | 13.9 | (1.1) | 12.8 | (1.3) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 30. Providers and Users of Long-Term Care Services in New Hampshire, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 10 | (0.0) | 40 | (6) | 20 | (5) | 80 | (9) | 100 | (2) |
| Number of beds or licensed maximum capacity[2] | 500 | (100) | ... | ... | ... | ... | 7,500 | (1,000) | 4,800 | (200) |
| Average capacity | 37 | (5.7) | --- | --- | --- | --- | 99 | (6.6) | 39 | (1.2) |
| Average number of people served | 22 | (3.3) | --- | --- | --- | --- | 89 | (6.2) | 28 | (0.8) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | * | * | 58.3 | (8.2) | 47.8 | (10.4) | 52.6 | (5.7) | 58.4 | (3.3) |
| Micropolitan or neither | * | * | 41.7 | (8.2) | 52.2 | (10.4) | 47.4 | (5.7) | 41.6 | (3.3) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | * | * | 41.7 | (8.2) | 26.1 | (9.2) | 60.5 | (5.6) | 66.9 | (3.2) |
| Not-for-profit, government, or other | * | * | 58.3 | (8.2) | 73.9 | (9.2) | 39.5 | (5.6) | 33.1 | (3.2) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 13.9 | (5.8) | 36.4 | (10.3) | 6.6 | (2.8) | * | * |
| Category 2 | * | * | 19.4 | (6.6) | 31.8 | (9.9) | 67.1 | (5.4) | * | * |
| Category 3 | - | - | 50.0 | (8.3) | 31.8 | (9.9) | 26.3 | (5.1) | * | * |
| Missing | ... | ... | 16.7 | (6.2) | ... | ... | ... | ... | ... | ... |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 94.7 | (2.6) | … | … |
| Medicaid-certified | † | (†) | 94.4 | (3.9) | --- | --- | 97.4 | (1.8) | 65.8 | (3.2) |
| Chain-affiliated (percentage) | * | * | --- | --- | --- | --- | 57.9 | (5.7) | 41.7 | (3.5) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 80 | (12) | 831 | (172) | 319 | (89) | 4,861 | (634) | 1,756 | (86) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 19.8 | (2.8) | 48.5 | (4.4) | 53.6 | (2.0) | 16.2 | (0.8) | 9.0 | (0.5) |
| Licensed practical nurse or licensed vocational nurse | 6.9 | (1.5) | 10.5 | (2.4) | 4.9 | (1.5) | 17.5 | (0.7) | 15.2 | (1.1) |
| Aide | 71.5 | (4.4) | 37.7 | (5.2) | 32.2 | (2.7) | 64.2 | (1.0) | 74.9 | (1.4) |
| Social worker | 1.8 | (1.0) | 3.3 | (0.6) | 9.3 | (0.8) | 2.1 | (0.1) | 0.9 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 64.3 | (2.9) |
| Licensed practical nurse or licensed vocational nurse | * | * | 75.0 | (7.2) | 43.5 | (10.3) | † | (†) | 56.2 | (2.7) |

Table 30. Providers and Users of Long-Term Care Services in New Hampshire, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Aide | 100.0 | (0.0) | † | (†) | † | (†) | 100.0 | (0.0) | 88.5 | (2.3) |
| Social worker | * | * | 69.4 | (7.7) | † | (†) | 84.2 | (4.2) | 16.1 | (2.4) |
| Activities staff | † | (†) | --- | --- | --- | --- | † | (†) | 76.7 | (2.6) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 1.1 | (0.4) | --- | --- | --- | --- | 0.8 | (0.2) | 0.3 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 0.4 | (0.0) |
| Aide | 3.2 | (1.3) | --- | --- | --- | --- | 2.5 | (0.2) | 2.1 | (0.1) |
| Social worker | 0.0 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | 2.5 | (0.9) | --- | --- | --- | --- | 0.2 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | * | * | 80.6 | (6.6) | 100.0 | (0.0) | 92.1 | (3.1) | 48.2 | (3.6) |
| Mental health or counseling (percentage) | * | * | --- | --- | † | (†) | † | (†) | 70.2 | (3.3) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | 86.1 | (5.8) | 100.0 | (0.0) | 100.0 | (0.0) | 86.9 | (2.5) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 67.6 | (3.4) |
| Pharmacy or pharmacist (percentage) | * | * | * | * | --- | --- | † | (†) | † | (†) |
| Hospice (percentage) | – | – | * | * | … | … | 73.7 | (5.1) | 67.1 | (3.4) |
| Dental (percentage) | * | * | --- | --- | --- | --- | † | (†) | 63.1 | (3.4) |
| Podiatrist (percentage) | * | * | --- | --- | --- | --- | † | (†) | 94.0 | (1.6) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | † | (†) | 100.0 | (0.0) | --- | --- | --- | --- | 88.6 | (2.4) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 25.0 | (5.0) | 14.2 | (2.4) |

Table 30. Providers and Users of Long-Term Care Services in New Hampshire, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 600 | (100) | 24,000 | (6,700) | 5,100 | (1,400) | 6,800 | (900) | 3,500 | (100) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 17.6 | (1.5) | 15.4 | (0.7) | 5.0 | (0.4) | 7.5 | (0.9) | 5.2 | (0.7) |
| 65 and over | 82.6 | (1.5) | 84.6 | (0.7) | 95.0 | (0.4) | 92.5 | (0.9) | 94.8 | (0.7) |
| 65–74 | 21.1 | (2.9) | 25.6 | (0.7) | 16.6 | (1.0) | 12.7 | (0.9) | 6.8 | (0.5) |
| 75–84 | 38.8 | (2.9) | 32.1 | (0.6) | 29.5 | (0.8) | 28.7 | (0.6) | 33.6 | (2.7) |
| 85 and over | 22.8 | (1.6) | 26.9 | (1.0) | 48.9 | (1.6) | 51.1 | (1.6) | 54.4 | (2.9) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 37.7 | (2.4) | 38.6 | (0.7) | 39.9 | (1.2) | 27.4 | (1.0) | 28.3 | (1.6) |
| Women | 62.3 | (2.4) | 61.4 | (0.7) | 60.1 | (1.2) | 72.6 | (1.0) | 71.7 | (1.6) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 1.1 | (0.4) | 0.9 | (0.1) | 0.5 | (0.1) | 0.3 | (0.1) | 0.3 | (0.1) |
| Non-Hispanic white | 98.5 | (0.5) | 97.4 | (0.2) | 98.5 | (0.2) | 98.4 | (0.2) | 87.3 | (3.1) |
| Non-Hispanic black | 0.0 | (0.0) | 0.5 | (0.1) | 0.3 | (0.1) | 0.3 | (0.1) | 0.1 | (0.0) |
| Non-Hispanic other | 0.4 | (0.1) | 1.2 | (0.1) | 0.8 | (0.1) | 1.0 | (0.2) | 12.3 | (3.1) |
| Used Medicaid for long-term care services (percent distribution) | 35.6 | (2.7) | 6.2 | (0.6) | --- | --- | 65.6 | (1.9) | 16.8 | (1.5) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 63.7 | (2.8) | 25.3 | (1.3) | 50.4 | (3.3) | 57.6 | (1.6) | 45.4 | (2.7) |
| Diagnosed with depression | 28.5 | (2.6) | 39.0 | (0.9) | 33.7 | (1.5) | 53.3 | (1.3) | 34.4 | (2.1) |
| Diagnosed with diabetes | 22.4 | (2.3) | 36.9 | (0.6) | 29.1 | (0.7) | 29.0 | (0.8) | 16.7 | (1.0) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 25.6 | (2.9) | 45.9 | (3.2) | --- | --- | 45.3 | (3.0) | 15.0 | (1.4) |
| Bathing | 28.0 | (7.0) | 97.6 | (0.4) | --- | --- | 96.4 | (0.5) | 56.5 | (2.4) |
| Dressing | 29.7 | (6.5) | 86.1 | (1.9) | --- | --- | 91.7 | (0.8) | 37.6 | (2.3) |
| Toileting | 48.2 | (4.8) | 66.0 | (3.6) | --- | --- | 84.7 | (1.2) | 30.4 | (2.4) |
| Transferring in and out of a chair or bed | 30.1 | (4.0) | 85.3 | (2.2) | --- | --- | 78.8 | (1.4) | 18.9 | (1.9) |
| Walking | 36.9 | (4.1) | 95.2 | (0.7) | --- | --- | 87.4 | (1.7) | 17.3 | (1.3) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 3.3 | (0.8) | 12.9 | (0.5) | --- | --- | --- | --- | 8.4 | (0.9) |

Table 30. Providers and Users of Long-Term Care Services in New Hampshire, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 4.2 | (1.1) | 14.4 | (0.8) | --- | --- | --- | --- | 9.9 | (0.5) |
| Falls | 5.7 | (1.3) | 0.1 | (0.0) | --- | --- | 21.5 | (0.9) | 20.1 | (1.2) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 31. Providers and Users of Long-Term Care Services in New Jersey, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 100 | (1) | 50 | (7) | 60 | (7) | 400 | (19) | 200 | (3) |
| Number of beds or licensed maximum capacity[2] | 16,100 | (700) | ... | ... | ... | ... | 52,100 | (3,100) | 21,300 | (500) |
| Average capacity | 117 | (4.7) | --- | --- | --- | --- | 144 | (4.1) | 97 | (2.2) |
| Average number of people served | 86 | (3.4) | --- | --- | --- | --- | 125 | (3.8) | 83 | (2.1) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) |
| Micropolitan or neither | – | – | – | – | – | – | – | – | – | – |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 69.5 | (3.0) | 25.0 | (6.3) | 39.3 | (6.5) | 71.3 | (2.4) | 64.6 | (2.8) |
| Not-for-profit, government, or other | 30.5 | (3.0) | 75.0 | (6.3) | 60.7 | (6.5) | 28.7 | (2.4) | 35.4 | (2.8) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 10.0 | (2.0) | * | * | 13.2 | (4.7) | 3.9 | (1.0) | 7.5 | (1.2) |
| Category 2 | 56.3 | (3.2) | * | * | 26.4 | (6.1) | 32.8 | (2.5) | 64.6 | (2.7) |
| Category 3 | 33.7 | (3.1) | † | (†) | 60.4 | (6.7) | 63.4 | (2.5) | 27.9 | (2.6) |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 100.0 | (0.0) | … | … |
| Medicaid-certified | † | (†) | 93.8 | (3.5) | --- | --- | 91.7 | (1.4) | 85.5 | (2.1) |
| Chain-affiliated (percentage) | 50.1 | (3.3) | --- | --- | --- | --- | 36.1 | (2.5) | 68.3 | (2.7) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 1,027 | (49) | 1,637 | (275) | 1,661 | (315) | 30,534 | (1,744) | 7,377 | (321) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 29.1 | (1.1) | 66.4 | (2.4) | 48.0 | (2.7) | 15.5 | (0.3) | 11.4 | (1.3) |
| Licensed practical nurse or licensed vocational nurse | 7.8 | (0.7) | 7.8 | (1.7) | 6.4 | (1.0) | 21.4 | (0.4) | 14.7 | (0.7) |
| Aide | 43.8 | (1.8) | 21.9 | (1.9) | 35.5 | (3.3) | 60.9 | (0.4) | 72.7 | (1.4) |
| Social worker | 19.2 | (0.7) | 3.9 | (0.4) | 10.1 | (0.6) | 2.1 | (0.0) | 1.2 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 93.9 | (1.5) | † | (†) | 100.0 | (0.0) | † | (†) | † | (†) |
| Licensed practical nurse or licensed vocational nurse | 50.7 | (3.4) | 64.6 | (6.9) | 42.9 | (6.6) | 97.2 | (0.9) | 94.5 | (1.3) |
| Aide | 82.4 | (2.6) | 87.5 | (4.8) | † | (†) | † | (†) | † | (†) |
| Social worker | 91.5 | (1.8) | † | (†) | † | (†) | 96.7 | (0.9) | 40.7 | (2.9) |

Table 31. Providers and Users of Long-Term Care Services in New Jersey, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Activities staff | † | (†) | --- | --- | --- | --- | 97.8 | (0.8) | 95.7 | (1.3) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.0 | (0.0) | --- | --- | --- | --- | 0.8 | (0.0) | 0.3 | (0.0) |
| Aide | 0.3 | (0.0) | --- | --- | --- | --- | 2.2 | (0.0) | 1.6 | (0.1) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Activities staff | 0.5 | (0.0) | --- | --- | --- | --- | 0.2 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 92.8 | (1.7) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 70.4 | (2.8) |
| Mental health or counseling (percentage) | 45.6 | (3.5) | --- | --- | † | (†) | 97.0 | (0.9) | 76.4 | (2.7) |
| Therapy (physical, occupational, or speech) (percentage) | 64.1 | (3.3) | 100.0 | (0.0) | † | (†) | 100.0 | (0.0) | 93.7 | (1.6) |
| Skilled nursing or nursing (percentage) | † | (†) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 79.9 | (2.5) |
| Pharmacy or pharmacist (percentage) | 68.5 | (3.2) | * | * | --- | --- | † | (†) | † | (†) |
| Hospice (percentage) | 22.2 | (2.9) | 18.8 | (5.6) | … | … | 83.7 | (1.9) | 86.8 | (2.2) |
| Dental (percentage) | 50.2 | (3.5) | --- | --- | --- | --- | 97.2 | (0.9) | 81.2 | (2.4) |
| Podiatrist (percentage) | 77.3 | (2.9) | --- | --- | --- | --- | 98.3 | (0.7) | 91.3 | (1.8) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 85.0 | (2.4) | † | (†) | --- | --- | --- | --- | 89.2 | (2.0) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 7.2 | (1.4) | 67.5 | (2.6) |

Table 31. Providers and Users of Long-Term Care Services in New Jersey, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 18,300 | (800) | 122,400 | (24,100) | 33,300 | (6,300) | 45,400 | (2,700) | 18,100 | (500) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 28.7 | (1.6) | 12.2 | (1.0) | 3.8 | (0.2) | 15.3 | (0.9) | 2.2 | (0.4) |
| 65 and over | 71.3 | (1.6) | 87.8 | (1.0) | 96.2 | (0.2) | 84.7 | (0.9) | 97.8 | (0.4) |
| 65–74 | 24.1 | (0.9) | 23.2 | (0.5) | 13.4 | (0.5) | 15.6 | (0.5) | 6.7 | (0.5) |
| 75–84 | 32.3 | (1.4) | 33.2 | (0.5) | 28.1 | (0.5) | 25.7 | (0.4) | 26.8 | (1.3) |
| 85 and over | 14.8 | (0.8) | 31.4 | (0.9) | 54.8 | (1.1) | 43.4 | (1.2) | 64.3 | (1.6) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 39.3 | (0.7) | 37.8 | (0.4) | 38.1 | (0.9) | 33.8 | (0.9) | 25.2 | (0.9) |
| Women | 60.7 | (0.7) | 62.2 | (0.4) | 61.9 | (0.9) | 66.2 | (0.9) | 74.8 | (0.9) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 23.1 | (2.2) | 6.0 | (1.0) | 4.4 | (0.5) | 7.3 | (0.7) | 1.9 | (0.3) |
| Non-Hispanic white | 28.3 | (2.5) | 80.0 | (2.0) | 86.1 | (1.3) | 69.4 | (1.5) | 88.0 | (1.8) |
| Non-Hispanic black | 18.4 | (1.5) | 11.1 | (1.4) | 7.6 | (0.9) | 16.6 | (1.1) | 2.6 | (0.3) |
| Non-Hispanic other | 30.2 | (2.7) | 2.8 | (0.2) | 1.9 | (0.2) | 6.7 | (0.6) | 7.5 | (1.8) |
| Used Medicaid for long-term care services (percent distribution) | 73.4 | (2.7) | 4.6 | (0.7) | --- | --- | 61.9 | (1.4) | 17.3 | (1.3) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 28.6 | (2.0) | 32.7 | (0.7) | 54.9 | (2.1) | 47.6 | (0.8) | 37.8 | (1.3) |
| Diagnosed with depression | 30.3 | (2.3) | 32.8 | (0.5) | 26.7 | (0.7) | 41.5 | (0.8) | 22.9 | (1.7) |
| Diagnosed with diabetes | 41.6 | (1.7) | 48.7 | (1.0) | 34.3 | (0.5) | 31.0 | (0.5) | 17.6 | (1.4) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 25.6 | (2.3) | 57.1 | (3.0) | --- | --- | 56.4 | (1.3) | 17.5 | (1.1) |
| Bathing | 35.5 | (2.9) | 97.6 | (0.4) | --- | --- | 95.4 | (0.4) | 61.0 | (1.7) |
| Dressing | 39.3 | (2.9) | 92.1 | (1.2) | --- | --- | 91.2 | (0.6) | 50.6 | (1.8) |
| Toileting | 48.9 | (2.7) | 80.0 | (2.6) | --- | --- | 86.3 | (0.7) | 38.0 | (1.5) |
| Transferring in and out of a chair or bed | 49.2 | (3.1) | 90.1 | (1.1) | --- | --- | 83.9 | (0.8) | 29.9 | (1.6) |
| Walking | 60.7 | (2.7) | 95.6 | (0.7) | --- | --- | 90.9 | (0.6) | 32.9 | (1.6) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 6.6 | (0.5) | 13.6 | (0.5) | --- | --- | --- | --- | 10.0 | (0.6) |
| Emergency department visit | 8.3 | (0.5) | 12.6 | (0.6) | --- | --- | --- | --- | 12.9 | (0.7) |

Table 31. Providers and Users of Long-Term Care Services in New Jersey, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 7.8 | (0.8) | 0.0 | (0.0) | --- | --- | 13.0 | (0.3) | 32.9 | (1.6) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 32. Providers and Users of Long-Term Care Services in New Mexico, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 20 | (0.0) | 70 | (9) | 40 | (6) | 70 | (8) | 100 | (2) |
| Number of beds or licensed maximum capacity[2] | 400 | (100) | ... | ... | ... | ... | 6,800 | (900) | 4,200 | (200) |
| Average capacity | 23 | (2.9) | --- | --- | --- | --- | 96 | (6.0) | 28 | (1.2) |
| Average number of people served | 13 | (2.1) | --- | --- | --- | --- | 78 | (5.4) | 23 | (1.2) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | * | * | 48.6 | (5.8) | 50.0 | (7.7) | 45.1 | (5.9) | 73.3 | (3.2) |
| Micropolitan or neither | * | * | 51.4 | (5.8) | 50.0 | (7.7) | 54.9 | (5.9) | 26.7 | (3.2) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | * | * | 70.3 | (5.3) | 57.1 | (7.6) | 70.4 | (5.4) | 80.9 | (2.7) |
| Not-for-profit, government, or other | * | * | 29.7 | (5.3) | 42.9 | (7.6) | 29.6 | (5.4) | 19.1 | (2.7) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 20.8 | (4.8) | 55.0 | (7.9) | * | * | * | * |
| Category 2 | * | * | 40.3 | (5.8) | 25.0 | (6.8) | * | * | * | * |
| Category 3 | - | - | 38.9 | (5.7) | 20.0 | (6.3) | * | * | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 97.2 | (2.0) | … | … |
| Medicaid-certified | * | * | 90.5 | (3.4) | --- | --- | 93.0 | (3.1) | 37.5 | (3.9) |
| Chain-affiliated (percentage) | * | * | --- | --- | --- | --- | 54.9 | (5.9) | 60.4 | (4.0) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 54 | (20) | 706 | (105) | 618 | (153) | 3,512 | (480) | 1,709 | (90) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 9.5 | (3.1) | 59.1 | (2.5) | 53.7 | (1.4) | 13.9 | (0.8) | 5.9 | (0.7) |
| Licensed practical nurse or licensed vocational nurse | 4.8 | (4.4) | 11.4 | (1.5) | 6.0 | (1.4) | 16.5 | (1.4) | 4.8 | (0.8) |
| Aide | 59.5 | (7.4) | 24.1 | (2.0) | 29.2 | (2.3) | 67.8 | (1.7) | 88.7 | (1.3) |
| Social worker | 26.2 | (5.6) | 5.4 | (0.5) | 11.1 | (0.7) | 1.9 | (0.2) | 0.6 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | * | * | † | (†) | 100.0 | (0.0) | † | (†) | 51.7 | (4.0) |
| Licensed practical nurse or licensed vocational nurse | * | * | 62.2 | (5.6) | 47.6 | (7.7) | † | (†) | 32.3 | (3.2) |
| Aide | * | * | 100.0 | (0.0) | † | (†) | † | (†) | 90.0 | (2.4) |

Table 32. Providers and Users of Long-Term Care Services in New Mexico, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | * | * | 75.7 | (5.0) | † | (†) | 71.8 | (5.3) | 8.7 | (2.1) |
| Activities staff | 100.0 | (0.0) | --- | --- | --- | --- | † | (†) | 75.1 | (3.5) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.1 | (0.1) | --- | --- | --- | --- | 0.6 | (0.1) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.1) | --- | --- | --- | --- | 0.6 | (0.1) | 0.1 | (0.0) |
| Aide | 0.6 | (0.3) | --- | --- | --- | --- | 2.2 | (0.1) | 3.1 | (0.2) |
| Social worker | 0.3 | (0.1) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | 1.6 | (0.3) | --- | --- | --- | --- | 0.2 | (0.0) | 0.3 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | * | * | 78.4 | (4.8) | 100.0 | (0.0) | 84.5 | (4.3) | 52.8 | (3.8) |
| Missing | * | * | ... | ... | ... | ... | ... | ... | ... | ... |
| Mental health or counseling (percentage) | * | * | --- | --- | † | (†) | 85.9 | (4.1) | 50.7 | (3.6) |
| Missing | * | * | ... | ... | ... | ... | ... | ... | ... | ... |
| Therapy (physical, occupational, or speech) (percentage) | * | * | † | (†) | † | (†) | † | (†) | 70.1 | (3.6) |
| Missing | * | * | ... | ... | ... | ... | ... | ... | ... | ... |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 63.4 | (3.9) |
| Missing | * | * | ... | ... | ... | ... | ... | ... | ... | ... |
| Pharmacy or pharmacist (percentage) | * | * | * | * | --- | --- | † | (†) | 85.6 | (2.6) |
| Missing | * | * | ... | ... | ... | ... | ... | ... | ... | ... |
| Hospice (percentage) | * | * | 14.9 | (4.1) | … | … | 64.8 | (5.7) | 65.9 | (3.6) |
| Missing | * | * | ... | ... | ... | ... | ... | ... | ... | ... |
| Dental (percentage) | * | * | --- | --- | --- | --- | 76.1 | (5.1) | 52.7 | (4.1) |
| Missing | * | * | ... | ... | ... | ... | ... | ... | ... | ... |
| Podiatrist (percentage) | * | * | --- | --- | --- | --- | 85.9 | (4.1) | 71.6 | (3.5) |
| Missing | * | * | ... | ... | ... | ... | ... | ... | ... | ... |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | * | * | 93.1 | (3.0) | --- | --- | --- | --- | 87.4 | (2.4) |
| Missing | * | * | ... | ... | ... | ... | ... | ... | ... | ... |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 28.2 | (5.3) | 18.9 | (2.6) |

Table 32. Providers and Users of Long-Term Care Services in New Mexico, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 500 | (100) | 24,300 | (4,800) | 9,100 | (2,400) | 5,500 | (800) | 3,300 | (200) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 32.0 | (10.2) | 16.8 | (0.8) | 5.9 | (0.3) | 15.6 | (1.4) | 4.7 | (0.7) |
| 65 and over | 68.0 | (10.2) | 83.2 | (0.8) | 94.1 | (0.3) | 84.4 | (1.4) | 95.4 | (0.7) |
| 65–74 | 15.7 | (1.6) | 25.1 | (0.4) | 17.2 | (0.8) | 16.3 | (0.8) | 12.8 | (1.9) |
| 75–84 | 27.0 | (6.5) | 32.7 | (0.4) | 30.1 | (0.6) | 29.3 | (0.8) | 33.3 | (1.4) |
| 85 and over | 25.3 | (5.6) | 25.3 | (0.9) | 46.9 | (1.4) | 38.8 | (1.7) | 49.3 | (2.9) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 44.9 | (3.6) | 39.2 | (0.6) | 42.6 | (0.7) | 37.5 | (1.6) | 30.2 | (1.3) |
| Women | 55.1 | (3.6) | 60.8 | (0.6) | 57.4 | (0.7) | 62.5 | (1.6) | 69.8 | (1.3) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 37.1 | (5.6) | 31.3 | (1.7) | 27.5 | (1.1) | 31.1 | (2.1) | 16.5 | (2.8) |
| Non-Hispanic white | 43.8 | (7.1) | 61.1 | (1.7) | 67.0 | (1.4) | 54.7 | (2.3) | 70.0 | (3.5) |
| Non-Hispanic black | 1.7 | (1.0) | 1.9 | (0.2) | 1.9 | (0.2) | 2.1 | (0.3) | 1.1 | (0.2) |
| Non-Hispanic other | 17.4 | (9.0) | 5.7 | (1.2) | 3.7 | (0.7) | 11.9 | (2.4) | 12.3 | (2.6) |
| Used Medicaid for long-term care services (percent distribution) | 49.9 | (17.5) | 6.1 | (0.7) | --- | --- | 64.1 | (2.9) | 5.5 | (0.9) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 33.8 | (12.2) | 30.8 | (0.8) | 38.1 | (2.9) | 47.1 | (2.1) | 38.2 | (2.6) |
| Diagnosed with depression | 8.4 | (3.5) | 38.0 | (1.0) | 19.6 | (1.2) | 48.0 | (2.1) | 27.7 | (2.9) |
| Diagnosed with diabetes | 18.0 | (8.0) | 41.9 | (0.9) | 21.7 | (1.3) | 31.1 | (0.9) | 12.8 | (1.4) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 23.6 | (5.5) | 57.4 | (3.7) | --- | --- | 66.1 | (3.4) | 21.8 | (2.1) |
| Bathing | 41.6 | (5.1) | 93.3 | (1.7) | --- | --- | 98.1 | (0.6) | 71.3 | (2.9) |
| Dressing | 25.3 | (4.9) | 83.4 | (2.9) | --- | --- | 93.0 | (1.0) | 52.1 | (2.1) |
| Toileting | 19.7 | (3.1) | 69.0 | (3.9) | --- | --- | 88.6 | (1.3) | 49.9 | (2.9) |
| Transferring in and out of a chair or bed | 15.2 | (3.6) | 83.7 | (2.6) | --- | --- | 85.9 | (1.5) | 43.3 | (2.8) |
| Walking | 32.6 | (8.5) | 92.0 | (1.2) | --- | --- | 89.9 | (1.4) | 36.4 | (2.7) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 6.6 | (1.9) | 16.0 | (1.1) | --- | --- | --- | --- | 9.4 | (0.8) |

Table 32. Providers and Users of Long-Term Care Services in New Mexico, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 4.9 | (2.6) | 16.2 | (0.9) | --- | --- | --- | --- | 13.0 | (1.8) |
| Falls | 12.3 | (2.1) | 0.3 | (0.0) | --- | --- | 22.7 | (1.3) | 22.3 | (3.6) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 33. Providers and Users of Long-Term Care Services in New York, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Number or percent (standard error) | | | | | | | | | |
| **Organization** | | | | | | | | | | |
| Number of providers[1] | 300 | (1) | 200 | (13) | 50 | (7) | 600 | (25) | 500 | (6) |
| Number of beds or licensed maximum capacity[2] | 11,500 | (500) | ... | ... | ... | ... | 116,400 | (5,600) | 35,500 | (1,400) |
| Average capacity | 45 | (2.0) | --- | --- | --- | --- | 185 | (5.2) | 79 | (3.0) |
| Average number of people served | 30 | (1.0) | --- | --- | --- | --- | 169 | (4.6) | 66 | (3.0) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 86.5 | (1.6) | 88.2 | (2.5) | 75.0 | (6.3) | 86.6 | (1.4) | 81.2 | (3.6) |
| Micropolitan or neither | 13.5 | (1.6) | 11.8 | (2.5) | 25.0 | (6.3) | 13.4 | (1.4) | * | * |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 24.1 | (2.0) | 28.6 | (3.6) | * | * | 56.5 | (2.0) | 61.8 | (4.7) |
| Not-for-profit, government, or other | 75.9 | (2.0) | 71.4 | (3.6) | † | (†) | 43.5 | (2.0) | 38.2 | (4.7) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 19.9 | (3.2) | * | * | 2.1 | (0.6) | * | * |
| Category 2 | * | * | 18.5 | (3.2) | * | * | 26.1 | (1.8) | 59.6 | (3.4) |
| Category 3 | * | * | 61.6 | (4.0) | * | * | 71.8 | (1.8) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 99.7 | (0.2) | … | … |
| Medicaid-certified | 93.4 | (1.2) | 98.8 | (0.9) | --- | --- | 98.7 | (0.4) | * | * |
| Chain-affiliated (percentage) | 38.1 | (2.3) | --- | --- | --- | --- | 12.4 | (1.3) | 51.8 | (5.0) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 1,417 | (50) | 3,480 | (362) | 1,891 | (358) | 59,767 | (2,574) | 7,906 | (680) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 22.5 | (0.7) | 71.1 | (2.0) | 47.7 | (2.7) | 12.3 | (0.2) | *8.3 | (3.2) |
| Licensed practical nurse or licensed vocational nurse | 7.4 | (0.5) | 10.8 | (1.4) | 13.5 | (2.0) | 22.3 | (0.3) | 16.4 | (1.6) |
| Aide | 55.2 | (1.0) | 14.4 | (1.8) | 26.3 | (3.0) | 63.5 | (0.3) | 73.1 | (3.1) |
| Social worker | 14.9 | (0.5) | 3.7 | (0.3) | 12.5 | (1.1) | 1.9 | (0.0) | 2.2 | (0.4) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 75.7 | (2.0) | † | (†) | 100.0 | (0.0) | 97.6 | (0.6) | 58.2 | (5.1) |
| Licensed practical nurse or licensed vocational nurse | 38.1 | (2.3) | 48.4 | (3.9) | 75.0 | (6.3) | 97.9 | (0.6) | 61.8 | (5.0) |
| Aide | 87.8 | (1.6) | 43.5 | (3.9) | 66.7 | (6.8) | 98.9 | (0.4) | 87.5 | (3.3) |
| Social worker | 81.9 | (1.8) | 87.0 | (2.7) | 100.0 | (0.0) | 93.6 | (1.0) | * | * |

Table 33. Providers and Users of Long-Term Care Services in New York, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Activities staff | 86.7 | (1.6) | --- | --- | --- | --- | 96.2 | (0.8) | 89.3 | (3.0) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.4 | (0.0) | --- | --- | --- | --- | 0.5 | (0.0) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.8 | (0.0) | 0.3 | (0.0) |
| Aide | 1.1 | (0.1) | --- | --- | --- | --- | 2.1 | (0.1) | 1.3 | (0.1) |
| Social worker | 0.3 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | 0.5 | (0.0) | --- | --- | --- | --- | 0.2 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 83.1 | (1.8) | † | (†) | 100.0 | (0.0) | 98.9 | (0.4) | 57.8 | (5.1) |
| Mental health or counseling (percentage) | 55.0 | (2.4) | --- | --- | 100.0 | (0.0) | 92.5 | (1.1) | 62.7 | (4.7) |
| Therapy (physical, occupational, or speech) (percentage) | 77.2 | (2.0) | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | * | * |
| Skilled nursing or nursing (percentage) | 77.6 | (2.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Pharmacy or pharmacist (percentage) | 57.7 | (2.4) | 7.5 | (2.1) | --- | --- | 90.3 | (1.2) | * | * |
| Hospice (percentage) | 13.0 | (1.6) | * | * | … | … | 54.3 | (2.0) | 46.1 | (5.1) |
| Dental (percentage) | 41.3 | (2.4) | --- | --- | --- | --- | 97.9 | (0.6) | 58.8 | (5.0) |
| Podiatrist (percentage) | 60.5 | (2.4) | --- | --- | --- | --- | 94.9 | (0.9) | * | * |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 86.3 | (1.7) | 96.0 | (1.6) | --- | --- | --- | --- | 79.9 | (4.1) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 13.4 | (1.4) | * | * |

Table 33. Providers and Users of Long-Term Care Services in New York, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 15,200 | (1,000) | 303,000 | (72,200) | 46,200 | (10,300) | 106,000 | (5,100) | 29,800 | (1,400) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 26.5 | (1.1) | 18.2 | (1.1) | 4.9 | (0.2) | 14.5 | (0.8) | 12.6 | (3.2) |
| 65 and over | 73.5 | (1.1) | 81.8 | (1.1) | 95.1 | (0.2) | 85.5 | (0.8) | 87.4 | (3.3) |
| 65–74 | 23.3 | (0.6) | 22.7 | (0.4) | 17.0 | (0.4) | 15.6 | (0.3) | 12.1 | (1.4) |
| 75–84 | 31.6 | (1.1) | 30.7 | (0.6) | 29.4 | (0.4) | 26.4 | (0.3) | 26.2 | (2.1) |
| 85 and over | 18.6 | (0.8) | 28.4 | (0.8) | 48.7 | (0.8) | 43.6 | (0.9) | 49.1 | (3.5) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 37.2 | (0.8) | 37.6 | (0.3) | 40.6 | (0.5) | 34.9 | (0.7) | 36.9 | (2.8) |
| Women | 62.8 | (0.8) | 62.4 | (0.3) | 59.4 | (0.5) | 65.1 | (0.7) | 63.1 | (2.8) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 10.2 | (1.1) | 8.5 | (1.8) | 6.5 | (1.7) | 8.8 | (0.6) | 1.9 | (0.5) |
| Non-Hispanic white | 58.7 | (1.8) | 74.4 | (4.1) | 81.3 | (3.9) | 67.9 | (1.6) | 92.3 | (2.1) |
| Non-Hispanic black | 22.1 | (1.8) | 12.0 | (1.5) | 8.9 | (1.6) | 18.3 | (1.1) | *4.0 | (1.4) |
| Non-Hispanic other | 9.0 | (1.2) | 5.1 | (0.9) | 3.2 | (0.7) | 5.0 | (0.5) | *1.8 | (1.1) |
| Used Medicaid for long-term care services (percent distribution) | 80.9 | (5.4) | 22.4 | (2.4) | --- | --- | 69.6 | (0.7) | 14.6 | (3.5) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 27.7 | (2.2) | 31.9 | (1.1) | 38.4 | (1.8) | 54.6 | (0.6) | 28.6 | (3.3) |
| Diagnosed with depression | 25.5 | (1.7) | 33.4 | (0.7) | 19.4 | (0.6) | 42.1 | (0.6) | 15.0 | (1.9) |
| Diagnosed with diabetes | 32.0 | (0.9) | 50.1 | (1.1) | 27.6 | (1.6) | 32.0 | (0.4) | 15.4 | (1.7) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 24.2 | (1.8) | 62.1 | (2.7) | --- | --- | 65.8 | (1.1) | 8.7 | (2.0) |
| Bathing | 30.8 | (2.5) | 95.9 | (0.5) | --- | --- | 96.4 | (0.4) | 59.7 | (3.9) |
| Dressing | 28.5 | (2.3) | 89.8 | (1.2) | --- | --- | 93.2 | (0.5) | 37.4 | (3.7) |
| Toileting | 30.1 | (2.1) | 73.6 | (1.6) | --- | --- | 90.0 | (0.5) | 25.3 | (3.7) |
| Transferring in and out of a chair or bed | 25.4 | (2.0) | 87.1 | (0.8) | --- | --- | 87.0 | (0.6) | 10.1 | (2.7) |
| Walking | 27.8 | (2.2) | 93.6 | (0.6) | --- | --- | 91.7 | (0.5) | 10.8 | (2.2) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 6.5 | (0.6) | 16.7 | (0.6) | --- | --- | --- | --- | 9.6 | (1.0) |
| Emergency department visit | 6.7 | (0.5) | 14.6 | (0.5) | --- | --- | --- | --- | 17.5 | (2.0) |

Table 33. Providers and Users of Long-Term Care Services in New York, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 6.5 | (0.4) | 0.0 | (0.0) | --- | --- | 13.6 | (0.3) | 21.6 | (2.7) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 34. Providers and Users of Long-Term Care Services in North Carolina, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 100 | (0.0) | 200 | (13) | 80 | (9) | 400 | (20) | 900 | (12) |
| Number of beds or licensed maximum capacity[2] | 4,800 | (200) | ... | ... | ... | ... | 44,200 | (2,300) | 39,000 | (1,300) |
| Average capacity | 50 | (2.2) | --- | --- | --- | --- | 105 | (2.1) | 45 | (1.4) |
| Average number of people served | 26 | (1.0) | --- | --- | --- | --- | 88 | (1.8) | 35 | (1.3) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 71.9 | (2.3) | 65.5 | (3.6) | 54.8 | (5.4) | 70.0 | (2.2) | 73.7 | (4.0) |
| Micropolitan or neither | 28.1 | (2.3) | 34.5 | (3.6) | 45.2 | (5.4) | 30.0 | (2.2) | 26.3 | (4.0) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 12.8 | (1.7) | 47.5 | (3.8) | 34.5 | (5.2) | 78.6 | (2.0) | 89.7 | (3.0) |
| Not-for-profit, government, or other | 87.2 | (1.7) | 52.5 | (3.8) | 65.5 | (5.2) | 21.4 | (2.0) | * | * |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 5.7 | (1.7) | 16.5 | (4.2) | 5.5 | (1.1) | 46.4 | (1.8) |
| Category 2 | * | * | 17.0 | (2.8) | 35.4 | (5.4) | 59.3 | (2.4) | 49.3 | (2.2) |
| Category 3 | * | * | 77.3 | (3.2) | 48.1 | (5.6) | 35.2 | (2.3) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 99.5 | (0.3) | … | … |
| Medicaid-certified | 64.1 | (2.4) | 98.3 | (1.0) | --- | --- | 95.7 | (1.0) | * | * |
| Chain-affiliated (percentage) | 22.1 | (2.2) | --- | --- | --- | --- | 75.0 | (2.1) | 63.0 | (4.2) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 484 | (29) | 2,512 | (252) | 2,330 | (369) | 27,566 | (1,441) | 13,465 | (1,024) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 15.1 | (0.7) | 71.8 | (1.1) | 50.2 | (2.2) | 11.1 | (0.3) | 3.2 | (0.5) |
| Licensed practical nurse or licensed vocational nurse | 10.0 | (0.7) | 7.4 | (0.8) | 4.8 | (1.0) | 23.1 | (0.3) | 2.7 | (0.7) |
| Aide | 67.3 | (1.0) | 16.7 | (1.0) | 32.0 | (1.6) | 63.8 | (0.3) | 93.9 | (0.9) |
| Social worker | 7.6 | (0.5) | 4.1 | (0.3) | 13.1 | (0.9) | 1.9 | (0.0) | *0.1 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 52.0 | (2.6) | † | (†) | 100.0 | (0.0) | † | (†) | 48.1 | (4.3) |
| Licensed practical nurse or licensed vocational nurse | 44.0 | (2.6) | 52.0 | (3.8) | 57.1 | (5.4) | † | (†) | * | * |
| Aide | 78.6 | (2.1) | 95.5 | (1.6) | † | (†) | † | (†) | 87.5 | (3.2) |

Table 34. Providers and Users of Long-Term Care Services in North Carolina, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 36.5 | (2.5) | 84.2 | (2.7) | 100.0 | (0.0) | 91.9 | (1.3) | * | * |
| Activities staff | 86.7 | (1.8) | --- | --- | --- | --- | 96.9 | (0.8) | 91.2 | (2.7) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.6 | (0.1) | *0.2 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 1.1 | (0.1) | *0.1 | (0.0) |
| Aide | 0.8 | (0.0) | --- | --- | --- | --- | 2.7 | (0.1) | 2.5 | (0.3) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Activities staff | 0.5 | (0.0) | --- | --- | --- | --- | 0.2 | (0.0) | 0.5 | (0.1) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 36.0 | (2.7) | 90.4 | (2.2) | 100.0 | (0.0) | 95.0 | (1.1) | 42.0 | (4.7) |
| Mental health or counseling (percentage) | 21.3 | (2.3) | --- | --- | † | (†) | 94.5 | (1.1) | 58.0 | (4.7) |
| Therapy (physical, occupational, or speech) (percentage) | 32.0 | (2.6) | † | (†) | † | (†) | 100.0 | (0.0) | * | * |
| Skilled nursing or nursing (percentage) | 66.7 | (2.6) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 44.7 | (4.8) |
| Pharmacy or pharmacist (percentage) | 14.7 | (2.0) | 6.2 | (1.8) | --- | --- | † | (†) | * | * |
| Hospice (percentage) | 16.0 | (2.0) | 19.2 | (3.0) | … | … | 80.5 | (1.9) | 57.6 | (4.5) |
| Dental (percentage) | 16.0 | (2.0) | --- | --- | --- | --- | 90.2 | (1.4) | 56.0 | (4.8) |
| Podiatrist (percentage) | 24.0 | (2.4) | --- | --- | --- | --- | 94.3 | (1.1) | * | * |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 86.8 | (1.7) | 95.5 | (1.6) | --- | --- | --- | --- | 86.4 | (3.2) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 16.0 | (1.8) | * | * |

Table 34. Providers and Users of Long-Term Care Services in North Carolina, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 4,000 | (200) | 161,400 | (18,000) | 43,000 | (7,100) | 37,100 | (1,900) | 29,900 | (1,200) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 26.3 | (1.1) | 20.9 | (0.5) | 7.2 | (0.2) | 14.2 | (0.6) | 17.9 | (2.7) |
| 65 and over | 73.7 | (1.1) | 79.1 | (0.5) | 92.8 | (0.2) | 85.8 | (0.6) | 82.1 | (2.7) |
| 65–74 | 23.2 | (0.7) | 27.9 | (0.4) | 20.2 | (0.4) | 17.4 | (0.4) | 14.7 | (1.3) |
| 75–84 | 31.7 | (0.9) | 29.8 | (0.2) | 31.4 | (0.4) | 29.0 | (0.3) | 30.3 | (2.1) |
| 85 and over | 18.8 | (0.7) | 21.3 | (0.6) | 41.2 | (0.6) | 39.5 | (0.8) | 37.1 | (2.7) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 39.6 | (0.9) | 36.9 | (0.3) | 42.0 | (0.4) | 31.4 | (0.6) | 32.2 | (2.1) |
| Women | 60.4 | (0.9) | 63.1 | (0.3) | 58.0 | (0.4) | 68.6 | (0.6) | 67.8 | (2.1) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 2.6 | (0.4) | 0.9 | (0.1) | 0.7 | (0.1) | 0.5 | (0.0) | 0.3 | (0.1) |
| Non-Hispanic white | 53.6 | (1.7) | 76.8 | (1.3) | 83.2 | (1.2) | 71.3 | (1.1) | 78.8 | (2.8) |
| Non-Hispanic black | 41.5 | (1.6) | 20.5 | (1.2) | 14.5 | (1.1) | 25.2 | (1.0) | 17.4 | (2.2) |
| Non-Hispanic other | 2.2 | (0.2) | 1.8 | (0.2) | 1.5 | (0.2) | 3.0 | (0.4) | *3.5 | (1.5) |
| Used Medicaid for long-term care services (percent distribution) | 29.4 | (2.9) | 13.1 | (0.7) | --- | --- | 65.0 | (0.8) | 44.0 | (3.6) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 51.8 | (1.6) | 30.6 | (0.8) | 45.3 | (1.1) | 46.5 | (0.7) | 39.5 | (3.0) |
| Diagnosed with depression | 23.2 | (2.0) | 35.7 | (0.5) | 23.0 | (0.5) | 46.5 | (0.6) | 23.4 | (2.5) |
| Diagnosed with diabetes | 29.2 | (1.4) | 45.0 | (0.6) | 31.1 | (0.8) | 34.2 | (0.5) | 22.1 | (1.5) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 30.5 | (2.0) | 50.1 | (1.6) | --- | --- | 64.2 | (1.3) | 23.9 | (3.5) |
| Bathing | 52.1 | (1.7) | 96.2 | (0.3) | --- | --- | 96.6 | (0.3) | 72.9 | (2.6) |
| Dressing | 47.6 | (1.5) | 85.4 | (0.8) | --- | --- | 94.7 | (0.3) | 56.6 | (3.0) |
| Toileting | 43.9 | (1.4) | 66.2 | (1.5) | --- | --- | 92.7 | (0.4) | 52.6 | (3.1) |
| Transferring in and out of a chair or bed | 33.5 | (1.6) | 85.0 | (0.7) | --- | --- | 90.8 | (0.4) | 34.2 | (3.5) |
| Walking | 40.3 | (1.7) | 93.0 | (0.4) | --- | --- | 94.4 | (0.4) | 34.2 | (3.4) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 8.3 | (0.6) | 16.6 | (0.6) | --- | --- | --- | --- | 7.7 | (0.8) |

Table 34. Providers and Users of Long-Term Care Services in North Carolina, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 8.8 | (0.5) | 16.1 | (0.5) | --- | --- | --- | --- | 15.4 | (1.2) |
| Falls | 12.8 | (1.2) | 0.1 | (0.0) | --- | --- | 16.7 | (0.4) | 22.8 | (3.1) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 35. Providers and Users of Long-Term Care Services in North Dakota, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 10 | (0.0) | 20 | (4) | 10 | (3) | 80 | (9) | 100 | (2) |
| Number of beds or licensed maximum capacity[2] | 100 | (0) | ... | ... | ... | ... | 6,100 | (800) | 5,300 | (300) |
| Average capacity | 13 | (3.9) | --- | --- | --- | --- | 76 | (5.4) | 47 | (2.3) |
| Average number of people served | 25 | (10.1) | --- | --- | --- | --- | 70 | (5.3) | 39 | (1.7) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 100.0 | (0.0) | 41.2 | (11.9) | * | * | 28.4 | (5.0) | 41.3 | (2.9) |
| Micropolitan or neither | - | - | 58.8 | (11.9) | * | * | 71.6 | (5.0) | 58.7 | (2.9) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | - | - | * | * | * | * | * | * | 34.9 | (2.5) |
| Not-for-profit, government, or other | 100.0 | (0.0) | † | (†) | * | * | † | (†) | 65.1 | (2.5) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 35.3 | (11.6) | * | * | 6.2 | (2.7) | * | * |
| Category 2 | * | * | 35.3 | (11.6) | * | * | 74.1 | (4.9) | * | * |
| Category 3 | - | - | 29.4 | (11.1) | * | * | 19.8 | (4.4) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 100.0 | (0.0) | … | … |
| Medicaid-certified | 100.0 | (0.0) | 100.0 | (0.0) | --- | --- | 98.8 | (1.2) | 55.5 | (2.8) |
| Chain-affiliated (percentage) | * | * | --- | --- | --- | --- | 46.9 | (5.6) | 55.0 | (2.6) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 62 | (10) | 194 | (64) | 136 | (87) | 4,269 | (573) | 1,836 | (88) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 22.7 | (9.9) | 72.9 | (3.5) | 51.6 | (3.5) | 11.6 | (0.6) | 9.8 | (0.6) |
| Licensed practical nurse or licensed vocational nurse | 5.6 | (1.9) | 5.4 | (2.1) | 5.1 | (1.3) | 15.9 | (0.7) | 12.0 | (0.7) |
| Aide | 61.1 | (11.4) | 18.4 | (4.0) | 27.1 | (3.6) | 70.4 | (0.9) | 76.6 | (1.0) |
| Social worker | 10.7 | (2.0) | 3.2 | (0.9) | 16.1 | (1.4) | 2.1 | (0.1) | 1.6 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 86.2 | (2.0) |
| Licensed practical nurse or licensed vocational nurse | * | * | 41.2 | (11.9) | 54.5 | (15.0) | 100.0 | (0.0) | 81.5 | (2.3) |
| Aide | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) |

Table 35. Providers and Users of Long-Term Care Services in North Dakota, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 100.0 | (0.0) | 64.7 | (11.6) | 100.0 | (0.0) | 76.5 | (4.7) | 31.1 | (2.7) |
| Activities staff | * | * | --- | --- | --- | --- | † | (†) | 86.4 | (2.0) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.7 | (0.2) | --- | --- | --- | --- | 0.4 | (0.0) | 0.3 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.3 | (0.1) | --- | --- | --- | --- | 0.6 | (0.0) | 0.3 | (0.0) |
| Aide | 5.1 | (1.8) | --- | --- | --- | --- | 2.6 | (0.1) | 2.1 | (0.1) |
| Social worker | 0.7 | (0.2) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Activities staff | 0.6 | (0.2) | --- | --- | --- | --- | 0.3 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | * | * | 70.6 | (11.1) | 100.0 | (0.0) | † | (†) | 45.8 | (3.0) |
| Mental health or counseling (percentage) | * | * | --- | --- | 100.0 | (0.0) | † | (†) | 45.0 | (3.1) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 64.0 | (2.9) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 67.5 | (2.8) |
| Pharmacy or pharmacist (percentage) | * | * | * | * | --- | --- | † | (†) | 75.6 | (2.8) |
| Hospice (percentage) | * | * | 47.1 | (12.1) | … | … | 50.6 | (5.6) | 37.0 | (2.9) |
| Dental (percentage) | * | * | --- | --- | --- | --- | 90.1 | (3.3) | 50.2 | (3.0) |
| Podiatrist (percentage) | * | * | --- | --- | --- | --- | 92.6 | (2.9) | 59.6 | (3.1) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | * | * | 100.0 | (0.0) | --- | --- | --- | --- | 89.0 | (1.7) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 29.6 | (5.1) | 16.9 | (2.4) |

Table 35. Providers and Users of Long-Term Care Services in North Dakota, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 300 | (100) | 4,900 | (1,900) | 2,400 | (1,400) | 5,700 | (800) | 4,400 | (200) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 41.2 | (14.7) | 11.5 | (0.8) | 4.8 | (0.3) | 8.1 | (0.8) | 4.7 | (0.5) |
| 65 and over | 58.8 | (14.7) | 88.5 | (0.8) | 95.2 | (0.3) | 91.9 | (0.8) | 95.3 | (0.5) |
| 65–74 | 23.5 | (0.8) | 23.5 | (0.8) | 15.4 | (1.4) | 10.2 | (0.6) | 9.0 | (0.6) |
| 75–84 | 15.0 | (5.7) | 35.7 | (1.1) | 28.9 | (0.7) | 24.8 | (0.5) | 31.9 | (1.1) |
| 85 and over | 20.3 | (9.2) | 29.2 | (1.5) | 50.9 | (1.6) | 56.9 | (1.2) | 54.5 | (1.5) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 55.1 | (9.6) | 37.8 | (0.9) | 41.1 | (1.1) | 30.3 | (0.9) | 29.5 | (0.6) |
| Women | 44.9 | (9.6) | 62.2 | (0.9) | 58.9 | (1.1) | 69.7 | (0.9) | 70.5 | (0.6) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 0.0 | (0.0) | 0.5 | (0.2) | 0.3 | (0.1) | 0.1 | (0.0) | 0.2 | (0.0) |
| Non-Hispanic white | 93.0 | (0.6) | 96.6 | (0.6) | 97.7 | (0.2) | 96.9 | (0.5) | 85.5 | (3.1) |
| Non-Hispanic black | 1.1 | (0.6) | 0.2 | (0.1) | 0.2 | (0.0) | 0.1 | (0.1) | 0.0 | (0.0) |
| Non-Hispanic other | 5.9 | (0.6) | 2.7 | (0.5) | 1.8 | (0.2) | 2.9 | (0.5) | 14.4 | (3.1) |
| Used Medicaid for long-term care services (percent distribution) | 85.6 | (7.9) | 5.6 | (0.9) | --- | --- | 52.3 | (1.1) | 24.2 | (1.9) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 24.1 | (9.1) | 18.4 | (1.5) | 42.3 | (1.8) | 54.7 | (1.4) | 29.0 | (1.4) |
| Diagnosed with depression | 3.7 | (2.1) | 36.9 | (1.4) | 29.4 | (1.2) | 56.0 | (0.9) | 31.0 | (1.2) |
| Diagnosed with diabetes | 2.7 | (1.6) | 35.5 | (0.7) | 26.6 | (1.8) | 28.3 | (0.8) | 19.9 | (1.0) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 69.3 | (8.0) | 33.5 | (3.9) | --- | --- | 43.6 | (2.4) | 9.0 | (0.9) |
| Bathing | 12.3 | (4.6) | 96.6 | (0.7) | --- | --- | 98.2 | (0.4) | 62.0 | (2.2) |
| Dressing | 8.8 | (2.6) | 78.3 | (3.0) | --- | --- | 90.6 | (0.7) | 37.3 | (1.7) |
| Toileting | 23.7 | (2.1) | 53.1 | (4.3) | --- | --- | 84.5 | (1.0) | 19.0 | (1.5) |
| Transferring in and out of a chair or bed | 8.8 | (4.3) | 84.8 | (2.7) | --- | --- | 78.8 | (1.3) | 14.9 | (1.6) |
| Walking | 7.9 | (4.0) | 92.5 | (1.0) | --- | --- | 90.5 | (0.9) | 16.8 | (1.6) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 5.9 | (3.0) | 13.3 | (0.9) | --- | --- | --- | --- | 9.6 | (0.7) |

Table 35. Providers and Users of Long-Term Care Services in North Dakota, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 12.8 | (6.3) | 13.2 | (1.5) | --- | --- | --- | --- | 10.3 | (0.8) |
| Falls | 4.8 | (1.6) | 0.3 | (0.1) | --- | --- | 27.6 | (0.9) | 21.6 | (1.0) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 36. Providers and Users of Long-Term Care Services in Ohio, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Number or percent (standard error) | | | | | | | | | |
| **Organization** | | | | | | | | | | |
| Number of providers[1] | 100 | (1) | 800 | (27) | 100 | (12) | 1,000 | (30) | 600 | (7) |
| Number of beds or licensed maximum capacity[2] | 5,500 | (400) | ... | ... | ... | ... | 90,400 | (3,200) | 42,800 | (1,900) |
| Average capacity | 46 | (3.2) | --- | --- | --- | --- | 95 | (1.4) | 73 | (3.0) |
| Average number of people served | 25 | (2.2) | --- | --- | --- | --- | 80 | (1.3) | 57 | (2.6) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 84.4 | (2.6) | 85.0 | (1.3) | 75.4 | (3.7) | 72.1 | (1.5) | 78.5 | (3.8) |
| Micropolitan or neither | 15.6 | (2.6) | 15.0 | (1.3) | 24.6 | (3.7) | 27.9 | (1.5) | * | * |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 28.0 | (3.4) | 82.6 | (1.4) | 40.6 | (4.2) | 79.4 | (1.3) | 71.0 | (4.3) |
| Not-for-profit, government, or other | 72.0 | (3.4) | 17.4 | (1.4) | 59.4 | (4.2) | 20.6 | (1.3) | * | * |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 48.5 | (1.8) | 23.3 | (3.7) | 6.3 | (0.8) | * | * |
| Category 2 | * | * | 15.4 | (1.3) | 31.0 | (4.1) | 70.0 | (1.5) | 63.3 | (3.9) |
| Category 3 | * | * | 20.7 | (1.4) | 45.7 | (4.4) | 23.7 | (1.4) | * | * |
| Missing | ... | ... | 15.4 | (1.3) | ... | ... | ... | ... | ... | ... |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 100.0 | (0.0) | … | … |
| Medicaid-certified | 90.5 | (2.2) | 91.5 | (1.0) | --- | --- | 97.3 | (0.5) | 52.9 | (4.9) |
| Chain-affiliated (percentage) | 37.2 | (3.6) | --- | --- | --- | --- | 64.9 | (1.5) | * | * |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 664 | (41) | 12,444 | (638) | 3,507 | (435) | 55,015 | (1,946) | 13,057 | (851) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 17.8 | (1.3) | 33.2 | (1.3) | 47.5 | (1.4) | 12.3 | (0.2) | 5.5 | (0.8) |
| Licensed practical nurse or licensed vocational nurse | 9.7 | (1.0) | 16.0 | (0.8) | 10.0 | (0.9) | 24.4 | (0.2) | 26.2 | (1.3) |
| Aide | 64.1 | (1.8) | 49.6 | (1.5) | 31.2 | (1.5) | 61.5 | (0.3) | 66.9 | (1.6) |
| Social worker | 8.4 | (1.2) | 1.2 | (0.1) | 11.3 | (0.6) | 1.8 | (0.0) | 1.4 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 81.9 | (2.9) | † | (†) | † | (†) | † | (†) | 67.9 | (4.6) |
| Licensed practical nurse or licensed vocational nurse | 47.2 | (3.8) | 69.6 | (1.6) | 64.5 | (4.1) | 99.4 | (0.3) | 93.5 | (2.4) |
| Aide | 91.6 | (2.1) | 97.1 | (0.6) | † | (†) | 99.3 | (0.3) | † | (†) |

Table 36. Providers and Users of Long-Term Care Services in Ohio, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 43.2 | (3.7) | 31.0 | (1.6) | † | (†) | 76.2 | (1.4) | 34.9 | (4.7) |
| Activities staff | † | (†) | --- | --- | --- | --- | 98.2 | (0.4) | 95.8 | (1.9) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.5 | (0.1) | --- | --- | --- | --- | 0.6 | (0.0) | 0.2 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 1.0 | (0.1) | 0.6 | (0.0) |
| Aide | 1.7 | (0.2) | --- | --- | --- | --- | 2.5 | (0.1) | 1.6 | (0.2) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.1 | (0.0) |
| Activities staff | 0.8 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.3 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 60.8 | (3.6) | 57.1 | (1.8) | 100.0 | (0.0) | 87.0 | (1.1) | 58.5 | (4.9) |
| Mental health or counseling (percentage) | 31.3 | (3.5) | --- | --- | 96.4 | (1.6) | 94.3 | (0.8) | 62.3 | (4.7) |
| Therapy (physical, occupational, or speech) (percentage) | 60.6 | (3.6) | 92.9 | (0.9) | † | (†) | 100.0 | (0.0) | † | (†) |
| Skilled nursing or nursing (percentage) | 81.8 | (2.9) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Pharmacy or pharmacist (percentage) | 20.0 | (3.1) | 2.3 | (0.5) | --- | --- | 98.0 | (0.5) | † | (†) |
| Hospice (percentage) | 26.2 | (3.3) | 4.2 | (0.7) | … | … | 89.8 | (1.0) | * | * |
| Dental (percentage) | 18.2 | (3.0) | --- | --- | --- | --- | 95.3 | (0.7) | 62.5 | (4.6) |
| Podiatrist (percentage) | 39.8 | (3.7) | --- | --- | --- | --- | 97.4 | (0.5) | † | (†) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 74.9 | (3.2) | 87.7 | (1.3) | --- | --- | --- | --- | 86.8 | (3.5) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 11.6 | (1.0) | 45.1 | (4.6) |

Table 36. Providers and Users of Long-Term Care Services in Ohio, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 5,500 | (500) | 217,000 | (24,500) | 65,900 | (10,600) | 76,200 | (2,700) | 33,100 | (1,600) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 24.7 | (3.0) | 21.0 | (0.7) | 5.7 | (0.2) | 18.0 | (0.6) | 2.7 | (0.5) |
| 65 and over | 75.4 | (3.0) | 79.0 | (0.7) | 94.3 | (0.2) | 82.0 | (0.6) | 97.3 | (0.5) |
| 65–74 | 26.3 | (1.2) | 24.7 | (0.4) | 16.4 | (0.4) | 16.7 | (0.2) | 9.5 | (1.3) |
| 75–84 | 29.5 | (1.8) | 29.9 | (0.3) | 29.9 | (0.3) | 26.6 | (0.3) | 33.2 | (2.0) |
| 85 and over | 19.6 | (1.6) | 24.4 | (0.6) | 48.0 | (0.8) | 38.7 | (0.7) | 54.6 | (2.6) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 37.2 | (1.3) | 36.6 | (0.3) | 39.7 | (0.5) | 33.1 | (0.6) | 27.2 | (1.0) |
| Women | 62.8 | (1.3) | 63.4 | (0.3) | 60.3 | (0.5) | 66.9 | (0.6) | 72.8 | (1.0) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 1.2 | (0.2) | 1.0 | (0.1) | 0.8 | (0.1) | 0.8 | (0.1) | 0.4 | (0.1) |
| Non-Hispanic white | 66.0 | (3.7) | 84.7 | (0.9) | 90.4 | (0.8) | 82.4 | (0.8) | 89.3 | (2.6) |
| Non-Hispanic black | 30.0 | (3.8) | 13.0 | (0.9) | 7.9 | (0.8) | 13.8 | (0.8) | 5.0 | (1.3) |
| Non-Hispanic other | 2.7 | (0.7) | 1.3 | (0.1) | 0.9 | (0.1) | 3.0 | (0.2) | *5.3 | (2.4) |
| Used Medicaid for long-term care services (percent distribution) | 53.1 | (4.0) | 13.8 | (0.7) | --- | --- | 63.0 | (0.7) | 14.3 | (2.1) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 45.9 | (3.8) | 29.2 | (0.8) | 44.6 | (1.5) | 50.8 | (0.5) | 45.4 | (2.7) |
| Diagnosed with depression | 23.5 | (2.6) | 41.5 | (0.5) | 24.2 | (0.6) | 55.7 | (0.4) | 28.8 | (2.6) |
| Diagnosed with diabetes | 25.6 | (2.0) | 45.7 | (0.4) | 27.7 | (0.4) | 34.7 | (0.3) | 18.5 | (1.3) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 40.7 | (3.8) | 50.1 | (2.0) | --- | --- | 60.5 | (1.1) | 17.6 | (2.6) |
| Bathing | 41.2 | (4.6) | 94.7 | (0.5) | --- | --- | 96.5 | (0.2) | 62.0 | (3.3) |
| Dressing | 38.8 | (2.7) | 81.9 | (1.5) | --- | --- | 92.9 | (0.3) | 48.2 | (3.1) |
| Toileting | 45.5 | (2.2) | 63.7 | (2.3) | --- | --- | 89.9 | (0.4) | 41.3 | (3.5) |
| Transferring in and out of a chair or bed | 29.6 | (2.2) | 83.2 | (1.1) | --- | --- | 87.6 | (0.5) | 36.0 | (3.5) |
| Walking | 36.3 | (3.1) | 91.0 | (0.6) | --- | --- | 89.3 | (0.5) | 29.3 | (3.3) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 6.9 | (0.9) | 17.9 | (0.6) | --- | --- | --- | --- | 11.9 | (2.4) |
| Emergency department visit | 7.4 | (0.7) | 17.0 | (0.5) | --- | --- | --- | --- | 13.7 | (1.4) |

Table 36. Providers and Users of Long-Term Care Services in Ohio, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 11.1 | (0.8) | 0.3 | (0.0) | --- | --- | 15.9 | (0.2) | 30.1 | (3.0) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 37. Providers and Users of Long-Term Care Services in Oklahoma, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 40 | (0.0) | 300 | (16) | 100 | (11) | 300 | (17) | 200 | (2) |
| Number of beds or licensed maximum capacity[2] | 1,900 | (100) | ... | ... | ... | ... | 28,700 | (1,700) | 10,500 | (300) |
| Average capacity | 51 | (2.8) | --- | --- | --- | --- | 93 | (2.1) | 61 | (1.8) |
| Average number of people served | 25 | (1.6) | --- | --- | --- | --- | 62 | (1.6) | 44 | (1.3) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 62.3 | (4.2) | 53.7 | (3.0) | 59.7 | (4.3) | 46.6 | (2.8) | 64.0 | (3.0) |
| Micropolitan or neither | 37.7 | (4.2) | 46.3 | (3.0) | 40.3 | (4.3) | 53.4 | (2.8) | 36.0 | (3.0) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 20.8 | (3.5) | 82.8 | (2.3) | 77.5 | (3.7) | 85.8 | (2.0) | 78.6 | (2.7) |
| Not-for-profit, government, or other | 79.2 | (3.5) | 17.2 | (2.3) | 22.5 | (3.7) | 14.2 | (2.0) | 21.4 | (2.7) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 61.9 | (4.2) | 37.5 | (3.0) | 39.0 | (4.5) | 4.2 | (1.1) | 32.2 | (1.9) |
| Category 2 | 38.1 | (4.2) | 33.6 | (2.9) | 46.6 | (4.6) | 88.0 | (1.8) | 62.0 | (2.5) |
| Category 3 | - | - | 29.0 | (2.8) | 14.4 | (3.2) | 7.8 | (1.5) | 5.8 | (1.6) |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 95.5 | (1.2) | … | … |
| Medicaid-certified | 82.7 | (3.3) | 80.2 | (2.4) | --- | --- | 95.5 | (1.2) | 12.1 | (2.0) |
| Chain-affiliated (percentage) | 31.0 | (4.0) | --- | --- | --- | --- | 33.3 | (2.7) | 65.3 | (3.1) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 198 | (14) | 3,639 | (313) | 1,615 | (197) | 13,608 | (851) | 3,673 | (172) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 9.6 | (1.6) | 48.4 | (1.4) | 41.0 | (1.2) | 5.2 | (0.3) | 7.3 | (0.9) |
| Licensed practical nurse or licensed vocational nurse | 12.8 | (1.0) | 27.2 | (1.2) | 15.8 | (1.3) | 23.5 | (0.4) | 13.3 | (0.9) |
| Aide | 71.9 | (2.2) | 22.9 | (1.6) | 31.7 | (1.2) | 70.4 | (0.5) | 78.5 | (1.2) |
| Social worker | 5.8 | (0.7) | 1.5 | (0.2) | 11.4 | (0.5) | 0.9 | (0.1) | 0.9 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 34.4 | (4.1) | † | (†) | 100.0 | (0.0) | 97.1 | (1.0) | 72.3 | (2.8) |
| Licensed practical nurse or licensed vocational nurse | 55.3 | (4.3) | 87.3 | (2.0) | 81.4 | (3.4) | † | (†) | 83.2 | (2.1) |
| Aide | † | (†) | 94.8 | (1.4) | † | (†) | 100.0 | (0.0) | † | (†) |

Table 37. Providers and Users of Long-Term Care Services in Oklahoma, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 31.0 | (4.0) | 34.0 | (2.9) | 95.3 | (1.9) | 41.4 | (2.8) | 16.8 | (2.4) |
| Activities staff | † | (†) | --- | --- | --- | --- | 96.8 | (1.0) | 87.5 | (1.9) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.3 | (0.0) | --- | --- | --- | --- | 0.9 | (0.0) | 0.3 | (0.0) |
| Aide | 1.5 | (0.2) | --- | --- | --- | --- | 2.5 | (0.0) | 2.4 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.0 | (0.0) | 0.0 | (0.0) |
| Activities staff | 0.8 | (0.1) | --- | --- | --- | --- | 0.1 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 51.7 | (4.3) | 69.4 | (2.8) | 100.0 | (0.0) | 51.1 | (2.8) | 42.9 | (3.2) |
| Mental health or counseling (percentage) | 27.6 | (3.9) | --- | --- | † | (†) | 78.3 | (2.3) | 49.1 | (3.2) |
| Therapy (physical, occupational, or speech) (percentage) | 51.8 | (4.3) | 100.0 | (0.0) | † | (†) | 98.1 | (0.8) | 77.4 | (2.6) |
| Skilled nursing or nursing (percentage) | 64.3 | (4.5) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 63.4 | (3.2) |
| Pharmacy or pharmacist (percentage) | * | * | 3.7 | (1.2) | --- | --- | 98.4 | (0.7) | 87.4 | (2.1) |
| Hospice (percentage) | 20.7 | (3.5) | * | * | … | … | 92.6 | (1.5) | 62.3 | (3.2) |
| Dental (percentage) | * | * | --- | --- | --- | --- | 90.6 | (1.7) | 43.7 | (3.3) |
| Podiatrist (percentage) | 24.0 | (3.7) | --- | --- | --- | --- | 89.0 | (1.8) | 61.4 | (3.2) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 82.8 | (3.3) | 95.0 | (1.4) | --- | --- | --- | --- | 76.0 | (2.8) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 4.5 | (1.2) | 33.5 | (3.1) |

Table 37. Providers and Users of Long-Term Care Services in Oklahoma, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 1,400 | (100) | 72,500 | (7,700) | 20,500 | (2,600) | 19,200 | (1,200) | 7,500 | (200) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 50.0 | (3.5) | 19.7 | (0.6) | 6.6 | (0.2) | 17.6 | (0.8) | 2.1 | (0.3) |
| 65 and over | 50.1 | (3.5) | 80.3 | (0.6) | 93.4 | (0.2) | 82.4 | (0.8) | 98.0 | (0.3) |
| 65–74 | 17.9 | (1.2) | 28.0 | (0.4) | 18.7 | (0.4) | 18.0 | (0.5) | 6.6 | (0.5) |
| 75–84 | 19.7 | (1.6) | 31.2 | (0.4) | 31.3 | (0.3) | 28.2 | (0.5) | 34.9 | (1.9) |
| 85 and over | 12.5 | (1.5) | 21.1 | (0.5) | 43.4 | (0.7) | 36.2 | (0.9) | 56.5 | (2.2) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 43.6 | (1.0) | 36.8 | (0.3) | 40.0 | (0.6) | 30.5 | (0.7) | 26.3 | (0.7) |
| Women | 56.4 | (1.0) | 63.2 | (0.3) | 60.0 | (0.6) | 69.5 | (0.7) | 73.7 | (0.7) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 2.5 | (0.3) | 1.6 | (0.1) | 1.1 | (0.1) | 1.1 | (0.1) | 0.6 | (0.1) |
| Non-Hispanic white | 65.3 | (2.1) | 81.6 | (0.6) | 86.5 | (0.5) | 85.3 | (0.7) | 87.3 | (2.1) |
| Non-Hispanic black | 16.2 | (1.7) | 6.7 | (0.4) | 4.8 | (0.3) | 7.2 | (0.7) | 1.3 | (0.2) |
| Non-Hispanic other | 16.0 | (2.2) | 10.0 | (0.6) | 7.6 | (0.5) | 6.4 | (0.4) | 10.7 | (2.1) |
| Used Medicaid for long-term care services (percent distribution) | 38.7 | (4.6) | 5.7 | (0.5) | --- | --- | 65.7 | (1.1) | 6.1 | (1.4) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 35.1 | (2.7) | 29.2 | (0.6) | 51.8 | (1.4) | 43.8 | (0.8) | 42.8 | (2.0) |
| Diagnosed with depression | 18.9 | (2.7) | 45.8 | (0.8) | 31.5 | (0.8) | 56.8 | (0.7) | 27.1 | (2.1) |
| Diagnosed with diabetes | 18.5 | (1.2) | 43.4 | (0.4) | 30.3 | (0.6) | 32.2 | (0.5) | 15.0 | (0.7) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 21.0 | (1.5) | 54.2 | (2.4) | --- | --- | 47.2 | (1.7) | 14.3 | (1.5) |
| Bathing | 18.7 | (2.6) | 96.5 | (0.3) | --- | --- | 94.8 | (0.5) | 53.9 | (2.3) |
| Dressing | 26.9 | (2.9) | 87.2 | (1.2) | --- | --- | 83.2 | (0.7) | 37.7 | (2.2) |
| Toileting | 36.8 | (1.9) | 71.4 | (2.0) | --- | --- | 76.6 | (0.8) | 32.3 | (2.3) |
| Transferring in and out of a chair or bed | 21.7 | (1.4) | 88.3 | (0.9) | --- | --- | 73.0 | (0.9) | 22.9 | (2.2) |
| Walking | 23.6 | (1.4) | 94.5 | (0.5) | --- | --- | 86.2 | (0.7) | 25.8 | (2.5) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 4.9 | (0.6) | 26.4 | (1.1) | --- | --- | --- | --- | 9.7 | (1.3) |

Table 37. Providers and Users of Long-Term Care Services in Oklahoma, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 6.2 | (0.6) | 21.1 | (0.8) | --- | --- | --- | --- | 13.3 | (0.8) |
| Falls | 10.7 | (1.9) | 0.4 | (0.0) | --- | --- | 23.1 | (0.5) | 27.6 | (2.0) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 38. Providers and Users of Long-Term Care Services in Oregon, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Number or percent (standard error) | | | | | | | | | |
| **Organization** | | | | | | | | | | |
| Number of providers[1] | 10 | (0.0) | 60 | (8) | 50 | (7) | 100 | (12) | 1,500 | (19) |
| Number of beds or licensed maximum capacity[2] | 300 | (0) | ... | ... | ... | ... | 12,000 | (1,100) | 31,500 | (1,500) |
| Average capacity | 32 | (3.0) | --- | --- | --- | --- | 88 | (3.3) | 21 | (1.0) |
| Average number of people served | 23 | (2.7) | --- | --- | --- | --- | 54 | (2.1) | 19 | (1.0) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | * | * | 58.6 | (6.5) | 57.4 | (7.2) | 80.1 | (3.4) | 78.6 | (3.5) |
| Micropolitan or neither | * | * | 41.4 | (6.5) | 42.6 | (7.2) | 19.9 | (3.4) | 21.4 | (3.5) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | * | * | 43.1 | (6.5) | 44.7 | (7.3) | 80.9 | (3.4) | 86.9 | (2.9) |
| Not-for-profit, government, or other | * | * | 56.9 | (6.5) | 55.3 | (7.3) | 19.1 | (3.4) | * | * |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 17.5 | (5.0) | 19.1 | (5.7) | 8.8 | (2.4) | 76.7 | (1.1) |
| Category 2 | * | * | 28.1 | (6.0) | 38.3 | (7.1) | 86.8 | (2.9) | 21.8 | (1.3) |
| Category 3 | - | - | 54.4 | (6.6) | 42.6 | (7.2) | 4.4 | (1.8) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 90.4 | (2.5) | … | … |
| Medicaid-certified | 100.0 | (0.0) | 94.8 | (2.9) | --- | --- | 94.9 | (1.9) | * | * |
| Chain-affiliated (percentage) | * | * | --- | --- | --- | --- | 72.8 | (3.8) | 42.8 | (4.4) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 29 | (4) | 664 | (115) | 891 | (196) | 6,275 | (584) | 12,557 | (1,136) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 13.6 | (2.2) | 69.3 | (2.5) | 58.8 | (1.4) | 12.9 | (0.5) | 8.5 | (2.2) |
| Licensed practical nurse or licensed vocational nurse | 4.5 | (2.6) | 12.5 | (2.7) | 3.0 | (0.6) | 14.8 | (0.6) | 2.6 | (0.7) |
| Aide | 77.3 | (6.0) | 12.4 | (1.3) | 22.2 | (1.2) | 70.3 | (0.6) | 88.7 | (2.3) |
| Social worker | 4.6 | (2.9) | 5.7 | (0.4) | 15.9 | (0.8) | 1.9 | (0.1) | *0.2 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 37.8 | (3.3) |
| Licensed practical nurse or licensed vocational nurse | * | * | 44.8 | (6.5) | 34.0 | (6.9) | † | (†) | * | * |
| Aide | * | * | † | (†) | 100.0 | (0.0) | 100.0 | (0.0) | 61.0 | (4.3) |
| Social worker | * | * | 82.8 | (5.0) | 100.0 | (0.0) | 69.9 | (3.9) | * | * |

Table 38. Providers and Users of Long-Term Care Services in Oregon, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Activities staff | 100.0 | (0.0) | --- | --- | --- | --- | 94.9 | (1.9) | 49.1 | (3.8) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.4 | (0.2) | --- | --- | --- | --- | 0.6 | (0.0) | *0.2 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.3 | (0.2) | --- | --- | --- | --- | 0.6 | (0.0) | *0.1 | (0.1) |
| Aide | 0.9 | (0.2) | --- | --- | --- | --- | 3.1 | (0.0) | 1.7 | (0.2) |
| Social worker | 0.0 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Activities staff | 0.7 | (0.2) | --- | --- | --- | --- | 0.2 | (0.0) | 0.4 | (0.1) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | * | * | 87.9 | (4.3) | 100.0 | (0.0) | 89.7 | (2.6) | 44.6 | (4.6) |
| Mental health or counseling (percentage) | * | * | --- | --- | 87.2 | (4.9) | 74.3 | (3.7) | 45.8 | (4.6) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | † | (†) | † | (†) | † | (†) | 56.3 | (4.5) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 62.6 | (4.5) |
| Pharmacy or pharmacist (percentage) | * | * | 13.8 | (4.5) | --- | --- | † | (†) | * | * |
| Hospice (percentage) | * | * | 29.3 | (6.0) | … | … | 72.8 | (3.8) | 64.4 | (4.5) |
| Dental (percentage) | – | – | --- | --- | --- | --- | 77.9 | (3.6) | 48.7 | (4.6) |
| Podiatrist (percentage) | * | * | --- | --- | --- | --- | 75.7 | (3.7) | 56.5 | (4.7) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | * | * | † | (†) | --- | --- | --- | --- | 81.4 | (3.6) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 8.8 | (2.4) | * | * |

Table 38. Providers and Users of Long-Term Care Services in Oregon, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 500 | (100) | 40,500 | (10,400) | 19,700 | (4,400) | 7,300 | (700) | 28,500 | (1,500) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 16.0 | (2.0) | 13.2 | (0.7) | 4.6 | (0.2) | 18.2 | (1.3) | 6.8 | (1.0) |
| 65 and over | 84.0 | (2.0) | 86.8 | (0.7) | 95.4 | (0.2) | 81.8 | (1.3) | 93.3 | (1.0) |
| 65–74 | 26.1 | (2.2) | 23.0 | (0.8) | 16.8 | (0.5) | 19.8 | (0.7) | 10.8 | (1.4) |
| 75–84 | 32.4 | (3.5) | 30.3 | (0.6) | 28.0 | (0.4) | 27.2 | (0.7) | 27.3 | (2.1) |
| 85 and over | 25.5 | (2.3) | 33.5 | (0.8) | 50.6 | (0.8) | 34.8 | (1.5) | 55.3 | (2.8) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 35.1 | (1.1) | 38.7 | (1.1) | 41.6 | (0.7) | 37.9 | (1.2) | 31.7 | (1.6) |
| Women | 64.9 | (1.1) | 61.3 | (1.1) | 58.4 | (0.7) | 62.1 | (1.2) | 68.3 | (1.6) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 1.8 | (0.4) | 2.2 | (0.2) | 1.6 | (0.1) | 1.6 | (0.2) | 2.2 | (0.6) |
| Non-Hispanic white | 81.1 | (4.2) | 93.3 | (0.8) | 94.8 | (0.4) | 88.9 | (1.1) | 82.1 | (4.1) |
| Non-Hispanic black | 9.5 | (4.3) | 1.2 | (0.3) | 0.9 | (0.2) | 2.3 | (0.5) | *1.3 | (0.4) |
| Non-Hispanic other | 7.6 | (0.9) | 3.3 | (0.4) | 2.7 | (0.3) | 7.0 | (0.9) | 14.3 | (4.0) |
| Used Medicaid for long-term care services (percent distribution) | 35.9 | (7.4) | 5.2 | (0.6) | --- | --- | 57.5 | (1.6) | 39.5 | (3.4) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 54.3 | (4.5) | 34.7 | (0.9) | 29.5 | (2.0) | 36.3 | (1.4) | 46.7 | (4.2) |
| Diagnosed with depression | 44.5 | (5.4) | 37.4 | (0.7) | 12.1 | (0.8) | 46.6 | (1.0) | 26.5 | (3.2) |
| Diagnosed with diabetes | 26.3 | (4.7) | 37.2 | (0.7) | 15.8 | (0.9) | 32.7 | (0.7) | 18.4 | (2.1) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 35.8 | (4.7) | 55.8 | (2.5) | --- | --- | 45.9 | (2.1) | 29.9 | (3.7) |
| Bathing | 51.3 | (7.1) | 96.7 | (0.4) | --- | --- | 97.4 | (0.4) | 62.8 | (4.1) |
| Dressing | 42.6 | (7.0) | 84.0 | (2.0) | --- | --- | 93.9 | (0.6) | 51.1 | (3.8) |
| Toileting | 53.1 | (4.2) | 69.6 | (2.8) | --- | --- | 90.9 | (0.7) | 47.4 | (3.8) |
| Transferring in and out of a chair or bed | 40.2 | (6.1) | 87.0 | (1.3) | --- | --- | 88.6 | (1.0) | 37.6 | (3.4) |
| Walking | 56.7 | (4.7) | 95.4 | (0.5) | --- | --- | 93.5 | (0.8) | 30.0 | (2.8) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 5.3 | (0.8) | 11.6 | (0.4) | --- | --- | --- | --- | 6.5 | (1.0) |
| Emergency department visit | 10.3 | (1.5) | 15.6 | (0.3) | --- | --- | --- | --- | 11.1 | (1.1) |

Table 38. Providers and Users of Long-Term Care Services in Oregon, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 6.8 | (1.1) | 0.1 | (0.0) | --- | --- | 15.9 | (0.8) | 23.4 | (2.2) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 39. Providers and Users of Long-Term Care Services in Pennsylvania, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Number or percent (standard error) | | | | | | | | | |
| **Organization** | | | | | | | | | | |
| Number of providers[1] | 300 | (1) | 400 | (20) | 200 | (13) | 700 | (26) | 1,000 | (13) |
| Number of beds or licensed maximum capacity[2] | 15,200 | (600) | ... | ... | ... | ... | 88,100 | (4,000) | 62,900 | (3,100) |
| Average capacity | 62 | (2.4) | --- | --- | --- | --- | 126 | (3.2) | 64 | (3.1) |
| Average number of people served | 33 | (1.6) | --- | --- | --- | --- | 114 | (3.0) | 55 | (4.3) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 85.7 | (1.6) | 87.5 | (1.6) | 87.3 | (2.4) | 83.3 | (1.4) | 83.1 | (3.4) |
| Micropolitan or neither | 14.3 | (1.6) | 12.5 | (1.6) | 12.7 | (2.4) | 16.7 | (1.4) | * | * |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 18.9 | (1.8) | 73.5 | (2.1) | 56.1 | (3.6) | 54.2 | (1.9) | 60.0 | (4.6) |
| Not-for-profit, government, or other | 81.1 | (1.8) | 26.5 | (2.1) | 43.9 | (3.6) | 45.8 | (1.9) | 40.0 | (4.6) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 60.7 | (2.3) | 28.4 | (2.2) | 25.5 | (3.2) | 4.6 | (0.8) | 32.9 | (3.7) |
| Category 2 | 34.8 | (2.2) | 15.4 | (1.8) | 38.3 | (3.5) | 41.5 | (1.9) | 57.8 | (4.0) |
| Category 3 | 4.6 | (1.0) | 38.1 | (2.4) | 36.2 | (3.5) | 53.9 | (1.9) | * | * |
| Missing | ... | ... | 18.2 | (1.9) | ... | ... | ... | ... | ... | ... |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 99.0 | (0.4) | … | … |
| Medicaid-certified | 70.8 | (2.1) | 87.5 | (1.6) | --- | --- | 89.3 | (1.2) | * | * |
| Chain-affiliated (percentage) | 47.4 | (2.4) | --- | --- | --- | --- | 59.7 | (1.9) | 50.6 | (4.4) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 1,413 | (92) | 7,887 | (546) | 3,943 | (432) | 52,976 | (2,185) | 20,988 | (1,957) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 16.4 | (0.8) | 49.7 | (2.1) | 48.4 | (1.6) | 15.0 | (0.3) | 5.8 | (1.0) |
| Licensed practical nurse or licensed vocational nurse | 11.5 | (0.8) | 16.5 | (1.3) | 6.3 | (0.6) | 22.7 | (0.3) | 18.0 | (1.5) |
| Aide | 62.3 | (1.4) | 31.8 | (1.8) | 35.0 | (1.5) | 60.3 | (0.3) | 75.1 | (2.2) |
| Social worker | 9.7 | (0.7) | 2.0 | (0.2) | 10.3 | (0.4) | 2.0 | (0.0) | 1.1 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 61.6 | (2.3) | † | (†) | 100.0 | (0.0) | † | (†) | 34.5 | (4.3) |
| Licensed practical nurse or licensed vocational nurse | 48.1 | (2.3) | 64.8 | (2.3) | 55.6 | (3.6) | 98.4 | (0.5) | 72.1 | (4.0) |
| Aide | 63.6 | (2.3) | 91.5 | (1.4) | † | (†) | 99.0 | (0.4) | † | (†) |

Table 39. Providers and Users of Long-Term Care Services in Pennsylvania, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 28.8 | (2.1) | 50.6 | (2.4) | † | (†) | 92.7 | (1.0) | * | * |
| Activities staff | 90.9 | (1.3) | --- | --- | --- | --- | 98.1 | (0.5) | 80.0 | (3.7) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.0) | --- | --- | --- | --- | 0.7 | (0.1) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.9 | (0.0) | 0.4 | (0.1) |
| Aide | 1.1 | (0.1) | --- | --- | --- | --- | 2.2 | (0.0) | 1.6 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | 1.0 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 42.6 | (2.3) | 67.8 | (2.3) | † | (†) | 97.6 | (0.6) | 58.0 | (4.7) |
| Mental health or counseling (percentage) | 30.2 | (2.2) | --- | --- | † | (†) | 92.8 | (1.0) | * | * |
| Therapy (physical, occupational, or speech) (percentage) | 51.9 | (2.3) | 82.3 | (1.9) | † | (†) | 100.0 | (0.0) | * | * |
| Skilled nursing or nursing (percentage) | 71.3 | (2.1) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 60.0 | (4.7) |
| Pharmacy or pharmacist (percentage) | 18.8 | (1.9) | 2.4 | (0.7) | --- | --- | 98.0 | (0.5) | † | (†) |
| Hospice (percentage) | 16.6 | (1.7) | 18.0 | (1.9) | … | … | 86.4 | (1.3) | 72.7 | (4.1) |
| Dental (percentage) | 16.8 | (1.8) | --- | --- | --- | --- | 94.3 | (0.9) | 69.8 | (4.4) |
| Podiatrist (percentage) | 45.8 | (2.4) | --- | --- | --- | --- | 97.4 | (0.6) | * | * |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 79.0 | (1.9) | 88.6 | (1.7) | --- | --- | --- | --- | 76.7 | (4.0) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 25.0 | (1.6) | 29.2 | (3.8) |

Table 39. Providers and Users of Long-Term Care Services in Pennsylvania, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 12,700 | (700) | 295,000 | (39,600) | 67,400 | (7,600) | 79,700 | (3,600) | 53,400 | (4,200) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 36.2 | (2.5) | 18.3 | (0.9) | 4.4 | (0.2) | 11.5 | (0.5) | 7.7 | (1.8) |
| 65 and over | 63.8 | (2.5) | 81.7 | (0.9) | 95.6 | (0.2) | 88.5 | (0.5) | 92.3 | (1.8) |
| 65–74 | 22.1 | (0.9) | 23.8 | (0.4) | 14.6 | (0.5) | 13.9 | (0.3) | 9.1 | (1.0) |
| 75–84 | 24.3 | (1.2) | 30.8 | (0.4) | 29.2 | (0.3) | 27.1 | (0.2) | 26.5 | (1.7) |
| 85 and over | 17.4 | (1.0) | 27.1 | (0.8) | 51.9 | (0.9) | 47.5 | (0.7) | 56.7 | (2.5) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 39.9 | (0.9) | 38.9 | (0.2) | 39.3 | (0.5) | 30.3 | (0.5) | 31.1 | (2.7) |
| Women | 60.1 | (0.9) | 61.1 | (0.2) | 60.7 | (0.5) | 69.7 | (0.5) | 68.9 | (2.7) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 1.7 | (0.2) | 1.8 | (0.2) | 1.3 | (0.2) | 1.3 | (0.1) | 0.4 | (0.1) |
| Non-Hispanic white | 66.8 | (3.0) | 87.8 | (1.4) | 91.2 | (1.4) | 85.9 | (1.0) | 96.2 | (0.9) |
| Non-Hispanic black | 26.5 | (3.0) | 8.8 | (1.3) | 6.4 | (1.2) | 10.0 | (0.9) | 1.9 | (0.4) |
| Non-Hispanic other | 5.0 | (1.2) | 1.6 | (0.1) | 1.1 | (0.1) | 2.7 | (0.3) | *1.5 | (0.8) |
| Used Medicaid for long-term care services (percent distribution) | 57.2 | (2.9) | 8.0 | (0.8) | --- | --- | 62.3 | (0.9) | *5.2 | (1.9) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 34.3 | (1.7) | 27.5 | (0.9) | 42.2 | (1.4) | 50.2 | (0.7) | 37.3 | (2.4) |
| Diagnosed with depression | 19.0 | (1.4) | 36.7 | (0.5) | 22.5 | (0.6) | 52.0 | (0.5) | 26.9 | (2.3) |
| Diagnosed with diabetes | 24.3 | (1.8) | 43.1 | (0.4) | 25.0 | (0.5) | 30.8 | (0.3) | 21.8 | (1.6) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 42.5 | (2.2) | 46.5 | (1.9) | --- | --- | 57.0 | (1.0) | 21.1 | (3.1) |
| Bathing | 54.6 | (2.0) | 94.5 | (0.6) | --- | --- | 96.1 | (0.2) | 59.1 | (4.4) |
| Dressing | 49.0 | (2.0) | 83.3 | (1.7) | --- | --- | 93.5 | (0.3) | 44.9 | (4.0) |
| Toileting | 55.7 | (2.0) | 63.0 | (2.7) | --- | --- | 90.2 | (0.4) | 35.7 | (3.6) |
| Transferring in/out of chair | 39.5 | (2.2) | 82.5 | (1.6) | --- | --- | 87.8 | (0.5) | 26.7 | (3.2) |
| Walking | 45.7 | (2.1) | 90.5 | (1.1) | --- | --- | 92.9 | (0.3) | 27.8 | (3.6) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 8.4 | (0.8) | 14.1 | (0.4) | --- | --- | --- | --- | 9.5 | (1.2) |
| Emergency department visit | 9.6 | (0.9) | 13.9 | (0.5) | --- | --- | --- | --- | 13.9 | (1.3) |

Table 39. Providers and Users of Long-Term Care Services in Pennsylvania, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 10.9 | (0.7) | 0.1 | (0.0) | --- | --- | 17.1 | (0.3) | 27.3 | (3.0) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

… Category not applicable.

--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 40. Providers and Users of Long-Term Care Services in Rhode Island, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 20 | (0.0) | 30 | (5) | 10 | (3) | 80 | (9) | 50 | (1) |
| Number of beds or licensed maximum capacity[2] | 900 | (100) | ... | ... | ... | ... | 8,700 | (1,100) | 3,900 | (200) |
| Average capacity | 42 | (3.5) | --- | --- | --- | --- | 104 | (5.5) | 74 | (2.8) |
| Average number of people served | 25 | (2.8) | --- | --- | --- | --- | 95 | (5.1) | 62 | (2.6) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) |
| Micropolitan or neither | – | – | – | – | – | – | – | – | – | – |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | * | * | 65.5 | (8.8) | * | * | 78.6 | (4.5) | 73.3 | (3.8) |
| Not-for-profit, government, or other | * | * | 34.5 | (8.8) | * | * | 21.4 | (4.5) | 26.7 | (3.8) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | * | * | * | * | * | * | 16.1 | (2.0) |
| Category 2 | * | * | * | * | * | * | * | * | 68.9 | (3.9) |
| Category 3 | - | - | * | * | * | * | * | * | 15.0 | (3.5) |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 100.0 | (0.0) | … | … |
| Medicaid-certified | † | (†) | 82.8 | (7.1) | --- | --- | 98.8 | (1.2) | 57.2 | (4.6) |
| Chain-affiliated (percentage) | 52.8 | (7.7) | --- | --- | --- | --- | 39.3 | (5.4) | 73.3 | (3.8) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 106 | (6) | 693 | (161) | 237 | (132) | 5,647 | (688) | 1,061 | (53) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 24.9 | (1.7) | 50.5 | (6.2) | 45.6 | (5.1) | 18.7 | (0.7) | 8.7 | (0.6) |
| Licensed practical nurse or licensed vocational nurse | 4.1 | (1.0) | 6.8 | (1.3) | 8.5 | (5.9) | 9.6 | (0.5) | 8.3 | (0.7) |
| Aide | 62.8 | (2.4) | 39.8 | (7.0) | 30.7 | (9.9) | 69.9 | (0.8) | 82.6 | (1.0) |
| Social worker | 8.2 | (1.2) | 2.9 | (0.5) | 15.2 | (4.1) | 1.8 | (0.1) | 0.5 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | † | (†) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 32.1 | (7.1) | 62.1 | (9.0) | * | * | 89.3 | (3.4) | 66.1 | (4.0) |
| Aide | 100.0 | (0.0) | † | (†) | * | * | 100.0 | (0.0) | 100.0 | (0.0) |
| Social worker | 52.8 | (7.7) | 82.8 | (7.0) | 100.0 | (0.0) | 88.1 | (3.5) | 13.7 | (3.0) |

Table 40. Providers and Users of Long-Term Care Services in Rhode Island, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Activities staff | 100.0 | (0.0) | --- | --- | --- | --- | † | (†) | 100.0 | (0.0) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.5 | (0.1) | --- | --- | --- | --- | 0.7 | (0.0) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.3 | (0.0) | 0.1 | (0.0) |
| Aide | 1.2 | (0.2) | --- | --- | --- | --- | 2.5 | (0.1) | 1.5 | (0.1) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | 0.5 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 58.5 | (7.6) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 48.7 | (4.4) |
| Mental health or counseling (percentage) | 33.3 | (7.3) | --- | --- | 100.0 | (0.0) | † | (†) | 63.1 | (4.7) |
| Therapy (physical, occupational, or speech) (percentage) | 65.4 | (7.4) | † | (†) | 100.0 | (0.0) | 100.0 | (0.0) | 77.5 | (4.2) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 64.2 | (4.5) |
| Pharmacy or pharmacist (percentage) | * | * | * | * | --- | --- | † | (†) | 85.5 | (3.6) |
| Hospice (percentage) | * | * | * | * | … | … | 90.5 | (3.2) | 74.9 | (4.3) |
| Dental (percentage) | * | * | --- | --- | --- | --- | 94.0 | (2.6) | 66.8 | (4.4) |
| Podiatrist (percentage) | 54.1 | (7.7) | --- | --- | --- | --- | † | (†) | 80.2 | (4.0) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | † | (†) | 100.0 | (0.0) | --- | --- | --- | --- | † | (†) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 34.5 | (5.2) | 54.6 | (3.9) |

Table 40. Providers and Users of Long-Term Care Services in Rhode Island, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 1,100 | (100) | 24,000 | (6,600) | 5,900 | (3,600) | 8,000 | (1,000) | 3,300 | (100) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 19.9 | (4.3) | 14.6 | (1.3) | 5.1 | (0.5) | 9.0 | (1.2) | 3.4 | (0.7) |
| 65 and over | 80.2 | (4.3) | 85.4 | (1.3) | 94.9 | (0.5) | 91.0 | (1.2) | 96.6 | (0.7) |
| 65–74 | 20.8 | (3.2) | 22.7 | (0.8) | 13.7 | (1.8) | 11.6 | (0.8) | 7.3 | (0.8) |
| 75–84 | 25.8 | (3.1) | 30.6 | (0.6) | 25.5 | (0.8) | 24.8 | (0.7) | 37.0 | (2.4) |
| 85 and over | 33.6 | (5.4) | 32.1 | (1.5) | 55.7 | (3.1) | 54.6 | (2.0) | 52.3 | (2.5) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 30.0 | (1.5) | 37.0 | (0.9) | 38.5 | (2.6) | 28.0 | (1.3) | 27.6 | (0.9) |
| Women | 70.0 | (1.5) | 63.0 | (0.9) | 61.5 | (2.6) | 72.0 | (1.3) | 72.4 | (0.9) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 27.7 | (11.5) | 6.5 | (1.6) | 2.7 | (0.3) | 2.1 | (0.4) | 1.0 | (0.2) |
| Non-Hispanic white | 67.7 | (11.2) | 87.0 | (2.4) | 94.1 | (0.4) | 91.4 | (1.2) | 80.3 | (4.6) |
| Non-Hispanic black | 2.1 | (0.4) | 3.6 | (0.6) | 2.0 | (0.2) | 3.7 | (0.6) | 1.1 | (0.2) |
| Non-Hispanic other | 2.5 | (0.6) | 2.9 | (0.5) | 1.3 | (0.1) | 2.7 | (0.7) | 17.6 | (4.7) |
| Used Medicaid for long-term care services (percent distribution) | 36.5 | (5.5) | 7.6 | (1.7) | --- | --- | 63.7 | (2.2) | 13.4 | (1.8) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 60.1 | (5.6) | 26.2 | (1.9) | 44.2 | (6.9) | 53.6 | (1.7) | 35.7 | (2.6) |
| Diagnosed with depression | 38.1 | (5.1) | 40.8 | (1.2) | 22.4 | (0.6) | 43.8 | (1.8) | 16.9 | (1.4) |
| Diagnosed with diabetes | 36.4 | (7.8) | 41.6 | (1.2) | 23.0 | (0.6) | 27.6 | (0.8) | 13.2 | (1.1) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 42.6 | (7.0) | 47.0 | (4.1) | --- | --- | 43.1 | (2.1) | 10.6 | (1.4) |
| Bathing | 43.6 | (4.6) | 94.4 | (1.8) | --- | --- | 95.6 | (0.5) | 52.7 | (2.8) |
| Dressing | 36.7 | (4.9) | 83.0 | (3.8) | --- | --- | 91.8 | (0.7) | 37.5 | (2.6) |
| Toileting | 42.7 | (6.4) | 63.3 | (5.5) | --- | --- | 85.4 | (1.1) | 21.4 | (1.8) |
| Transferring in and out of a chair or bed | 32.0 | (3.3) | 82.2 | (3.5) | --- | --- | 79.9 | (1.4) | 13.9 | (2.5) |
| Walking | 40.7 | (5.9) | 91.5 | (2.2) | --- | --- | 87.9 | (1.1) | 16.3 | (2.5) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 9.8 | (1.3) | 14.3 | (0.5) | --- | --- | --- | --- | 10.5 | (1.3) |

Table 40. Providers and Users of Long-Term Care Services in Rhode Island, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 9.6 | (0.8) | 14.5 | (0.6) | --- | --- | --- | --- | 18.9 | (1.6) |
| Falls | 8.0 | (1.3) | 0.1 | (0.0) | --- | --- | 20.5 | (0.8) | 26.5 | (2.6) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 41. Providers and Users of Long-Term Care Services in South Carolina, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 90 | (1) | 70 | (8) | 100 | (10) | 200 | (14) | 300 | (4) |
| Number of beds or licensed maximum capacity[2] | 3,600 | (200) | ... | ... | ... | ... | 19,300 | (1,600) | 12,300 | (700) |
| Average capacity | 42 | (2.1) | --- | --- | --- | --- | 103 | (3.9) | 45 | (2.2) |
| Average number of people served | 27 | (1.8) | --- | --- | --- | --- | 89 | (3.5) | 42 | (5.5) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 71.7 | (3.5) | 80.6 | (4.8) | 91.0 | (2.9) | 79.8 | (2.9) | 70.9 | (4.0) |
| Micropolitan or neither | 28.3 | (3.5) | 19.4 | (4.8) | 9.0 | (2.9) | 20.2 | (2.9) | * | * |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 71.8 | (3.5) | 59.7 | (6.0) | 75.0 | (4.3) | 76.6 | (3.1) | 75.7 | (4.0) |
| Not-for-profit, government, or other | 28.2 | (3.5) | 40.3 | (6.0) | 25.0 | (4.3) | 23.4 | (3.1) | * | * |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 60.5 | (3.8) | 7.8 | (3.4) | 30.2 | (4.7) | 10.6 | (2.2) | 45.8 | (2.6) |
| Category 2 | 39.5 | (3.8) | 7.8 | (3.4) | 37.5 | (4.9) | 52.1 | (3.6) | 51.6 | (2.7) |
| Category 3 | - | - | 84.4 | (4.5) | 32.3 | (4.8) | 37.2 | (3.5) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 100.0 | (0.0) | … | … |
| Medicaid-certified | 90.6 | (2.3) | 94.0 | (2.9) | --- | --- | 81.9 | (2.8) | 49.1 | (4.2) |
| Chain-affiliated (percentage) | 47.2 | (3.9) | --- | --- | --- | --- | 73.9 | (3.2) | 53.8 | (4.2) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 444 | (29) | 1,229 | (196) | 1,884 | (287) | 12,481 | (1,019) | 4,443 | (343) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 23.0 | (1.6) | 74.0 | (1.6) | 47.3 | (1.7) | 11.0 | (0.5) | 6.1 | (1.6) |
| Licensed practical nurse or licensed vocational nurse | 7.7 | (1.2) | 10.6 | (1.6) | 4.9 | (0.9) | 23.7 | (0.5) | 5.6 | (1.2) |
| Aide | 64.6 | (2.0) | 10.3 | (0.8) | 35.6 | (1.9) | 63.4 | (0.4) | 87.8 | (2.5) |
| Social worker | 4.7 | (0.7) | 5.1 | (0.4) | 12.3 | (0.7) | 1.8 | (0.1) | *0.6 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 83.1 | (3.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Licensed practical nurse or licensed vocational nurse | 38.4 | (3.9) | 50.7 | (6.1) | 36.0 | (4.8) | † | (†) | 38.7 | (4.3) |
| Aide | 90.8 | (2.3) | † | (†) | † | (†) | † | (†) | 86.0 | (3.3) |
| Social worker | 22.6 | (3.4) | 89.6 | (3.7) | † | (†) | 81.9 | (2.8) | * | * |

Table 41. Providers and Users of Long-Term Care Services in South Carolina, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Activities staff | 77.3 | (3.3) | --- | --- | --- | --- | † | (†) | 88.3 | (2.9) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.4 | (0.0) | --- | --- | --- | --- | 0.6 | (0.1) | *0.2 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.4 | (0.1) | --- | --- | --- | --- | 0.9 | (0.0) | *0.2 | (0.1) |
| Aide | 1.6 | (0.3) | --- | --- | --- | --- | 2.5 | (0.1) | 2.1 | (0.2) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Activities staff | 0.5 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.3 | (0.1) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 28.2 | (3.6) | 92.5 | (3.2) | 100.0 | (0.0) | 84.6 | (2.6) | 38.3 | (4.6) |
| Mental health or counseling (percentage) | 13.6 | (2.6) | --- | --- | 95.0 | (2.2) | 73.9 | (3.2) | 57.9 | (4.6) |
| Therapy (physical, occupational, or speech) (percentage) | 45.9 | (3.9) | 100.0 | (0.0) | † | (†) | 100.0 | (0.0) | * | * |
| Skilled nursing or nursing (percentage) | 85.3 | (2.9) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 40.1 | (4.4) |
| Pharmacy or pharmacist (percentage) | 18.5 | (3.0) | 13.4 | (4.2) | --- | --- | 100.0 | (0.0) | * | * |
| Hospice (percentage) | 9.2 | (2.3) | * | * | … | … | 83.5 | (2.7) | 59.2 | (4.3) |
| Dental (percentage) | 8.6 | (2.2) | --- | --- | --- | --- | 87.2 | (2.4) | 60.1 | (4.6) |
| Podiatrist (percentage) | 26.1 | (3.4) | --- | --- | --- | --- | 97.3 | (1.2) | * | * |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 76.2 | (3.4) | † | (†) | --- | --- | --- | --- | 83.3 | (3.4) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | * | * | * | * |

Table 41. Providers and Users of Long-Term Care Services in South Carolina, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 3,100 | (200) | 78,000 | (14,000) | 29,000 | (4,500) | 16,800 | (1,400) | 11,500 | (1,600) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 43.7 | (2.7) | 20.5 | (0.6) | 7.1 | (0.3) | 12.5 | (0.8) | 10.3 | (2.2) |
| 65 and over | 56.3 | (2.7) | 79.5 | (0.6) | 92.9 | (0.3) | 87.5 | (0.8) | 89.8 | (2.2) |
| 65–74 | 15.0 | (0.9) | 29.3 | (0.5) | 19.4 | (0.5) | 18.6 | (0.5) | 12.7 | (1.2) |
| 75–84 | 23.9 | (1.9) | 30.3 | (0.3) | 32.2 | (0.3) | 30.2 | (0.5) | 33.6 | (2.0) |
| 85 and over | 17.4 | (1.5) | 20.0 | (0.6) | 41.3 | (0.8) | 38.7 | (1.0) | 43.5 | (2.8) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 40.9 | (1.1) | 38.4 | (0.4) | 41.2 | (0.7) | 31.5 | (1.5) | 30.7 | (1.6) |
| Women | 59.1 | (1.1) | 61.6 | (0.4) | 58.8 | (0.7) | 68.5 | (1.5) | 69.3 | (1.6) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 1.4 | (0.2) | 0.7 | (0.1) | 0.6 | (0.1) | 0.3 | (0.0) | *0.7 | (0.2) |
| Non-Hispanic white | 29.5 | (2.3) | 75.6 | (1.8) | 78.7 | (1.1) | 67.4 | (1.6) | 87.8 | (2.3) |
| Non-Hispanic black | 67.6 | (2.3) | 22.7 | (1.8) | 20.1 | (1.1) | 31.3 | (1.6) | 10.0 | (1.9) |
| Non-Hispanic other | 1.4 | (0.4) | 1.0 | (0.1) | 0.6 | (0.0) | 0.9 | (0.1) | *1.5 | (0.6) |
| Used Medicaid for long-term care services (percent distribution) | 81.5 | (2.3) | 8.2 | (0.7) | --- | --- | 61.2 | (1.8) | 14.0 | (3.3) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 40.7 | (3.1) | 30.0 | (0.9) | 50.9 | (1.5) | 56.5 | (1.1) | 36.4 | (4.2) |
| Diagnosed with depression | 13.7 | (1.4) | 33.4 | (0.8) | 21.4 | (0.6) | 48.1 | (0.9) | 19.0 | (3.0) |
| Diagnosed with diabetes | 28.7 | (2.5) | 44.4 | (0.6) | 31.8 | (0.5) | 35.3 | (0.6) | 15.0 | (1.1) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 54.6 | (3.3) | 63.2 | (3.7) | --- | --- | 62.1 | (1.8) | 14.8 | (1.4) |
| Bathing | 69.1 | (2.7) | 97.6 | (0.5) | --- | --- | 98.9 | (0.2) | 53.3 | (5.0) |
| Dressing | 63.9 | (3.1) | 92.4 | (1.4) | --- | --- | 97.6 | (0.3) | 39.7 | (3.3) |
| Toileting | 63.2 | (2.4) | 79.3 | (3.1) | --- | --- | 95.4 | (0.4) | 32.1 | (3.5) |
| Transferring in and out of a chair or bed | 47.7 | (2.7) | 91.3 | (1.5) | --- | --- | 93.8 | (0.6) | 22.0 | (2.5) |
| Walking | 50.6 | (2.8) | 95.7 | (0.8) | --- | --- | 96.0 | (0.5) | 17.8 | (2.1) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 5.2 | (0.5) | 17.1 | (1.2) | --- | --- | --- | --- | 6.4 | (0.7) |
| Emergency department visit | 6.7 | (1.0) | 14.9 | (0.8) | --- | --- | --- | --- | 12.9 | (1.0) |

Table 41. Providers and Users of Long-Term Care Services in South Carolina, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 6.6 | (1.0) | 0.1 | (0.0) | --- | --- | 16.9 | (0.6) | 19.7 | (2.7) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 42. Providers and Users of Long-Term Care Services in South Dakota, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 20 | (0.0) | 40 | (6) | 20 | (4) | 100 | (11) | 100 | (2) |
| Number of beds or licensed maximum capacity[2] | 400 | (100) | ... | ... | ... | ... | 6,900 | (700) | 4,600 | (100) |
| Average capacity | 23 | (4.1) | --- | --- | --- | --- | 62 | (2.9) | 33 | (0.6) |
| Average number of people served | 33 | (11.9) | --- | --- | --- | --- | 58 | (2.8) | 30 | (0.9) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | * | * | 28.6 | (7.6) | 33.3 | (12.2) | 29.7 | (4.3) | 37.7 | (2.5) |
| Micropolitan or neither | * | * | 71.4 | (7.6) | 66.7 | (12.2) | 70.3 | (4.3) | 62.3 | (2.5) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | * | * | 34.3 | (8.0) | * | * | 36.0 | (4.6) | 61.6 | (2.7) |
| Not-for-profit, government, or other | * | * | 65.7 | (8.0) | * | * | 64.0 | (4.6) | 38.4 | (2.7) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 60.0 | (8.3) | * | * | * | * | * | * |
| Category 2 | * | * | 22.9 | (7.1) | * | * | † | (†) | * | * |
| Category 3 | * | * | 17.1 | (6.4) | * | * | * | * | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 97.1 | (2.9) | --- | --- | 87.4 | (3.2) | … | … |
| Medicaid-certified | * | * | 94.3 | (4.0) | --- | --- | 99.1 | (0.9) | 78.7 | (2.2) |
| Chain-affiliated (percentage) | 58.0 | (8.5) | --- | --- | --- | --- | 60.4 | (4.7) | 51.0 | (2.8) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 108 | (25) | 254 | (67) | 170 | (65) | 4,090 | (441) | 2,009 | (70) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 18.4 | (2.5) | 48.9 | (8.1) | 54.7 | (6.3) | 17.4 | (0.6) | 13.4 | (0.9) |
| Licensed practical nurse or licensed vocational nurse | 16.5 | (3.8) | 16.1 | (5.5) | 3.8 | (2.7) | 10.7 | (0.6) | 6.6 | (0.4) |
| Aide | 61.4 | (2.5) | 33.0 | (9.0) | 28.3 | (3.2) | 69.9 | (0.8) | 78.6 | (1.0) |
| Social worker | 3.7 | (1.0) | 1.9 | (0.8) | 13.2 | (2.0) | 2.0 | (0.2) | 1.4 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | * | * | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | 84.6 | (1.9) |
| Licensed practical nurse or licensed vocational nurse | * | * | 54.3 | (8.4) | * | * | † | (†) | 53.1 | (2.6) |
| Aide | * | * | † | (†) | † | (†) | 100.0 | (0.0) | 95.1 | (1.2) |

Table 42. Providers and Users of Long-Term Care Services in South Dakota, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | * | * | 25.7 | (7.4) | 100.0 | (0.0) | 63.1 | (4.6) | 22.0 | (2.2) |
| Activities staff | † | (†) | --- | --- | --- | --- | † | (†) | 63.3 | (2.5) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 1.5 | (0.6) | --- | --- | --- | --- | 0.6 | (0.1) | 1.0 | (0.2) |
| Licensed practical nurse or licensed vocational nurse | 3.0 | (1.0) | --- | --- | --- | --- | 0.4 | (0.0) | 0.5 | (0.1) |
| Aide | 4.8 | (1.5) | --- | --- | --- | --- | 2.3 | (0.1) | 2.9 | (0.2) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.2 | (0.0) |
| Activities staff | 3.6 | (0.9) | --- | --- | --- | --- | 0.2 | (0.0) | 0.5 | (0.1) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | * | * | 42.9 | (8.4) | 100.0 | (0.0) | 94.6 | (2.1) | 41.7 | (2.6) |
| Mental health or counseling (percentage) | * | * | --- | --- | * | * | 86.5 | (3.2) | 46.8 | (2.7) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | † | (†) | 100.0 | (0.0) | † | (†) | 78.3 | (2.3) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | 67.7 | (2.6) |
| Pharmacy or pharmacist (percentage) | * | * | * | * | --- | --- | † | (†) | 90.0 | (1.6) |
| Hospice (percentage) | * | * | 31.4 | (7.8) | … | … | 55.9 | (4.7) | 42.1 | (2.7) |
| Dental (percentage) | * | * | --- | --- | --- | --- | 74.8 | (4.1) | 50.0 | (2.8) |
| Podiatrist (percentage) | 40.9 | (8.5) | --- | --- | --- | --- | 85.6 | (3.3) | 65.7 | (2.6) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | † | (†) | † | (†) | --- | --- | --- | --- | 91.5 | (1.3) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 22.5 | (4.0) | 14.8 | (1.9) |

Table 42. Providers and Users of Long-Term Care Services in South Dakota, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 400 | (100) | 4,700 | (1,100) | 2,800 | (900) | 6,400 | (700) | 4,300 | (100) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 14.8 | (2.4) | 10.0 | (0.9) | 5.1 | (0.6) | 8.2 | (0.7) | 5.4 | (0.7) |
| 65 and over | 85.2 | (2.4) | 90.0 | (0.9) | 94.9 | (0.6) | 91.8 | (0.7) | 94.6 | (0.7) |
| 65–74 | 11.1 | (2.9) | 20.4 | (0.8) | 15.8 | (1.5) | 10.6 | (0.6) | 8.4 | (1.9) |
| 75–84 | 52.0 | (7.0) | 35.2 | (0.7) | 30.9 | (1.0) | 25.5 | (0.7) | 24.7 | (1.5) |
| 85 and over | 22.1 | (6.6) | 34.5 | (1.4) | 48.2 | (2.8) | 55.8 | (1.4) | 61.5 | (2.5) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 50.2 | (3.0) | 35.0 | (1.0) | 42.8 | (1.3) | 31.7 | (1.1) | 29.2 | (1.1) |
| Women | 49.8 | (3.0) | 65.0 | (1.0) | 57.2 | (1.3) | 68.3 | (1.1) | 70.8 | (1.1) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 1.2 | (0.3) | 0.4 | (0.1) | 0.3 | (0.1) | 0.2 | (0.1) | 0.3 | (0.1) |
| Non-Hispanic white | 95.4 | (0.8) | 94.8 | (1.3) | 96.9 | (0.6) | 92.9 | (1.1) | 94.8 | (0.8) |
| Non-Hispanic black | 1.2 | (0.4) | 0.3 | (0.2) | 0.4 | (0.1) | 0.2 | (0.1) | 0.3 | (0.1) |
| Non-Hispanic other | 2.2 | (0.5) | 4.4 | (1.3) | 2.4 | (0.5) | 6.6 | (1.1) | 4.6 | (0.8) |
| Used Medicaid for long-term care services (percent distribution) | 18.9 | (6.1) | 3.3 | (0.6) | --- | --- | 52.5 | (1.3) | 24.0 | (2.8) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 67.5 | (2.0) | 23.0 | (1.2) | 39.2 | (4.5) | 50.8 | (1.4) | 28.2 | (1.3) |
| Diagnosed with depression | 8.3 | (3.1) | 35.6 | (1.4) | 28.1 | (2.1) | 50.8 | (1.2) | 26.8 | (2.4) |
| Diagnosed with diabetes | 17.0 | (2.6) | 36.2 | (0.9) | 27.9 | (0.5) | 27.5 | (0.9) | 17.1 | (1.0) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 37.1 | (7.7) | 33.2 | (4.6) | --- | --- | 48.9 | (2.4) | 8.6 | (0.7) |
| Bathing | 55.5 | (11.6) | 95.1 | (1.2) | --- | --- | 98.3 | (0.4) | 57.1 | (2.5) |
| Dressing | 41.7 | (7.9) | 73.5 | (3.5) | --- | --- | 87.4 | (0.9) | 27.3 | (2.0) |
| Toileting | 49.5 | (8.2) | 50.2 | (5.0) | --- | --- | 82.9 | (1.1) | 15.2 | (1.5) |
| Transferring in and out of a chair or bed | 32.7 | (6.7) | 77.6 | (3.0) | --- | --- | 78.9 | (1.4) | 12.6 | (1.4) |
| Walking | 45.2 | (8.2) | 92.1 | (1.3) | --- | --- | 87.3 | (1.2) | 16.4 | (2.7) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 9.7 | (0.9) | 11.5 | (1.0) | --- | --- | --- | --- | 8.8 | (0.6) |

Table 42. Providers and Users of Long-Term Care Services in South Dakota, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 13.5 | (2.5) | 13.7 | (1.1) | --- | --- | --- | --- | 8.8 | (0.7) |
| Falls | 12.0 | (2.2) | 0.7 | (0.1) | --- | --- | 27.8 | (0.8) | 17.6 | (1.2) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 43. Providers and Users of Long-Term Care Services in Tennessee, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 50 | (1) | 100 | (12) | 60 | (8) | 300 | (18) | 300 | (4) |
| Number of beds or licensed maximum capacity[2] | 1,600 | (200) | ... | ... | ... | ... | 37,000 | (2,300) | 17,400 | (400) |
| Average capacity | 33 | (3.2) | --- | --- | --- | --- | 115 | (3.0) | 54 | (1.2) |
| Average number of people served | 17 | (1.3) | --- | --- | --- | --- | 91 | (2.5) | 43 | (1.2) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | † | (†) | 69.7 | (3.8) | 73.7 | (5.8) | 62.6 | (2.7) | 78.3 | (1.8) |
| Micropolitan or neither | * | * | 30.3 | (3.8) | 26.3 | (5.8) | 37.4 | (2.7) | 21.7 | (1.8) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 29.1 | (4.9) | 77.2 | (3.5) | 61.4 | (6.4) | 79.1 | (2.3) | 82.7 | (1.9) |
| Not-for-profit, government, or other | 70.9 | (4.9) | 22.8 | (3.5) | 38.6 | (6.4) | 20.9 | (2.3) | 17.3 | (1.9) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 77.8 | (4.2) | 9.7 | (2.5) | 21.1 | (5.4) | 5.0 | (1.2) | 35.5 | (1.6) |
| Category 2 | 22.2 | (4.2) | 17.4 | (3.2) | 31.6 | (6.2) | 60.7 | (2.7) | 59.4 | (1.9) |
| Category 3 | - | - | 72.9 | (3.7) | 47.4 | (6.6) | 34.3 | (2.6) | 5.1 | (1.1) |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 96.6 | (1.0) | … | … |
| Medicaid-certified | 73.5 | (4.6) | 71.0 | (3.8) | --- | --- | 91.9 | (1.5) | 26.9 | (2.0) |
| Chain-affiliated (percentage) | * | * | --- | --- | --- | --- | 66.0 | (2.6) | 68.8 | (2.2) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 199 | (22) | 3,286 | (359) | 1,227 | (233) | 20,606 | (1,258) | 6,029 | (203) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 10.6 | (2.0) | 51.6 | (1.9) | 49.0 | (2.7) | 8.6 | (0.3) | 3.1 | (0.4) |
| Licensed practical nurse or licensed vocational nurse | 10.5 | (2.1) | 19.0 | (1.1) | 7.3 | (0.7) | 27.7 | (0.3) | 20.6 | (0.6) |
| Aide | 66.8 | (4.2) | 25.9 | (2.1) | 30.5 | (2.3) | 61.8 | (0.4) | 75.5 | (0.7) |
| Social worker | 12.2 | (1.8) | 3.5 | (0.3) | 13.1 | (0.7) | 1.8 | (0.1) | 0.8 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 35.7 | (5.0) | † | (†) | 100.0 | (0.0) | † | (†) | 33.1 | (2.3) |
| Licensed practical nurse or licensed vocational nurse | 26.8 | (4.6) | 86.2 | (2.9) | 68.4 | (6.2) | † | (†) | 81.0 | (1.3) |
| Aide | 65.7 | (5.0) | 92.4 | (2.2) | 100.0 | (0.0) | 100.0 | (0.0) | 92.9 | (1.3) |

Table 43. Providers and Users of Long-Term Care Services in Tennessee, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 53.3 | (5.3) | 77.9 | (3.4) | 100.0 | (0.0) | 82.9 | (2.1) | 14.7 | (1.7) |
| Activities staff | † | (†) | --- | --- | --- | --- | 96.6 | (1.0) | 86.1 | (1.5) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.2 | (0.1) | --- | --- | --- | --- | 0.4 | (0.0) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.3 | (0.1) | --- | --- | --- | --- | 1.1 | (0.0) | 0.4 | (0.0) |
| Aide | 1.1 | (0.1) | --- | --- | --- | --- | 2.4 | (0.1) | 1.9 | (0.1) |
| Social worker | 0.4 | (0.1) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | 1.1 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 56.1 | (5.5) | 87.6 | (2.7) | 100.0 | (0.0) | 88.2 | (1.8) | 53.9 | (2.5) |
| Mental health or counseling (percentage) | 28.4 | (5.0) | --- | --- | † | (†) | 93.5 | (1.4) | 58.4 | (2.4) |
| Therapy (physical, occupational, or speech) (percentage) | 34.3 | (5.2) | 96.6 | (1.5) | † | (†) | 100.0 | (0.0) | 68.3 | (2.2) |
| Skilled nursing or nursing (percentage) | 44.2 | (5.5) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 48.5 | (2.5) |
| Pharmacy or pharmacist (percentage) | * | * | 3.4 | (1.5) | --- | --- | 95.3 | (1.2) | 85.5 | (1.7) |
| Hospice (percentage) | 15.5 | (4.1) | 7.6 | (2.2) | … | … | 76.3 | (2.4) | 62.3 | (2.3) |
| Dental (percentage) | 18.4 | (4.2) | --- | --- | --- | --- | 89.7 | (1.7) | 45.7 | (2.4) |
| Podiatrist (percentage) | 27.7 | (4.9) | --- | --- | --- | --- | 88.8 | (1.8) | 69.4 | (2.2) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 83.6 | (4.0) | 92.3 | (2.2) | --- | --- | --- | --- | 82.3 | (1.9) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | * | * | 37.1 | (2.1) |

Table 43. Providers and Users of Long-Term Care Services in Tennessee, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 1,400 | (100) | 124,400 | (13,900) | 28,300 | (5,500) | 29,300 | (1,800) | 13,700 | (400) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 38.9 | (5.1) | 18.7 | (0.7) | 8.1 | (0.2) | 14.1 | (0.7) | 2.6 | (0.2) |
| 65 and over | 61.1 | (5.1) | 81.3 | (0.7) | 91.9 | (0.2) | 85.9 | (0.7) | 97.4 | (0.2) |
| 65–74 | 18.2 | (1.9) | 25.9 | (0.4) | 21.6 | (0.6) | 17.6 | (0.4) | 8.5 | (0.5) |
| 75–84 | 24.7 | (2.6) | 31.3 | (0.3) | 31.2 | (0.4) | 30.2 | (0.4) | 35.3 | (1.2) |
| 85 and over | 18.3 | (2.1) | 24.1 | (0.6) | 39.1 | (0.9) | 38.1 | (0.8) | 53.7 | (1.4) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 42.8 | (2.1) | 35.6 | (0.3) | 41.3 | (0.6) | 30.7 | (0.7) | 24.6 | (0.5) |
| Women | 57.2 | (2.1) | 64.4 | (0.3) | 58.7 | (0.6) | 69.3 | (0.7) | 75.4 | (0.5) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 1.0 | (0.2) | 0.5 | (0.0) | 0.4 | (0.1) | 0.3 | (0.0) | 0.5 | (0.1) |
| Non-Hispanic white | 60.4 | (3.8) | 86.4 | (1.5) | 89.2 | (1.9) | 81.9 | (1.5) | 93.3 | (1.4) |
| Non-Hispanic black | 37.4 | (3.9) | 12.4 | (1.5) | 9.7 | (1.9) | 15.7 | (1.5) | 3.4 | (0.4) |
| Non-Hispanic other | 1.2 | (0.4) | 0.8 | (0.0) | 0.7 | (0.1) | 2.1 | (0.4) | 2.8 | (1.4) |
| Used Medicaid for long-term care services (percent distribution) | 29.9 | (5.4) | 5.1 | (0.7) | --- | --- | 61.6 | (1.1) | 5.4 | (0.6) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 44.6 | (4.8) | 36.0 | (0.7) | 43.8 | (2.0) | 58.2 | (0.9) | 45.0 | (1.3) |
| Diagnosed with depression | 20.0 | (2.6) | 40.1 | (0.8) | 22.1 | (0.9) | 56.0 | (0.9) | 20.5 | (1.3) |
| Diagnosed with diabetes | 19.3 | (2.5) | 44.7 | (0.4) | 28.6 | (0.7) | 34.2 | (0.4) | 16.5 | (0.7) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 43.5 | (4.7) | 64.5 | (1.5) | --- | --- | 67.0 | (1.4) | 15.1 | (1.0) |
| Bathing | 32.3 | (3.7) | 98.2 | (0.2) | --- | --- | 98.2 | (0.2) | 59.7 | (1.4) |
| Dressing | 36.6 | (4.0) | 93.6 | (0.7) | --- | --- | 96.2 | (0.3) | 46.0 | (1.3) |
| Toileting | 39.3 | (3.7) | 83.1 | (1.4) | --- | --- | 93.7 | (0.4) | 33.2 | (1.4) |
| Transferring in and out of a chair or bed | 30.3 | (3.0) | 93.0 | (0.6) | --- | --- | 92.2 | (0.5) | 18.5 | (1.3) |
| Walking | 25.5 | (2.9) | 96.7 | (0.4) | --- | --- | 94.1 | (0.4) | 16.8 | (1.3) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 6.0 | (0.9) | 20.0 | (0.6) | --- | --- | --- | --- | 11.0 | (0.7) |
| Emergency department visit | 6.6 | (0.9) | 17.4 | (0.6) | --- | --- | --- | --- | 13.7 | (0.6) |

Table 43. Providers and Users of Long-Term Care Services in Tennessee, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 7.2 | (0.8) | 0.1 | (0.0) | --- | --- | 16.6 | (0.4) | 26.0 | (1.3) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 44. Providers and Users of Long-Term Care Services in Texas, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 500 | (1) | 2,700 | (46) | 500 | (20) | 1,200 | (33) | 1,300 | (17) |
| Number of beds or licensed maximum capacity[2] | 40,100 | (900) | ... | ... | ... | ... | 131,200 | (3,900) | 48,700 | (2,800) |
| Average capacity | 90 | (1.9) | --- | --- | --- | --- | 109 | (1.2) | 38 | (2.2) |
| Average number of people served | 63 | (1.7) | --- | --- | --- | --- | 77 | (1.0) | 29 | (1.5) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 89.4 | (1.3) | 91.3 | (0.5) | 85.4 | (1.6) | 70.3 | (1.3) | 88.0 | (2.8) |
| Micropolitan or neither | 10.6 | (1.3) | 8.7 | (0.5) | 14.6 | (1.6) | 29.7 | (1.3) | * | * |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 77.7 | (1.8) | 94.6 | (0.4) | 81.3 | (1.8) | 86.8 | (1.0) | 87.7 | (3.1) |
| Not-for-profit, government, or other | 22.3 | (1.8) | 5.4 | (0.4) | 18.7 | (1.8) | 13.2 | (1.0) | * | * |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 11.9 | (1.4) | 63.8 | (1.0) | 37.2 | (2.2) | 5.5 | (0.7) | 60.4 | (3.2) |
| Category 2 | 77.8 | (1.8) | 23.8 | (0.8) | 28.2 | (2.1) | 70.0 | (1.3) | 39.0 | (3.2) |
| Category 3 | 10.3 | (1.3) | 12.4 | (0.7) | 23.1 | (1.9) | 24.5 | (1.2) | * | * |
| Missing | ... | ... | ... | ... | 11.5 | (1.5) | ... | ... | ... | ... |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 97.5 | (0.4) | … | … |
| Medicaid-certified | 90.6 | (1.3) | 69.3 | (0.9) | --- | --- | 94.3 | (0.7) | * | * |
| Chain-affiliated (percentage) | 41.3 | (2.2) | --- | --- | --- | --- | 63.9 | (1.4) | 65.9 | (4.4) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 1,945 | (84) | 21,916 | (615) | 7,100 | (523) | 62,851 | (1,960) | 13,946 | (1,158) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 15.0 | (1.0) | 47.4 | (0.6) | 42.8 | (0.6) | 6.7 | (0.2) | 4.9 | (1.4) |
| Licensed practical nurse or licensed vocational nurse | 24.2 | (1.1) | 32.3 | (0.5) | 11.3 | (0.7) | 26.8 | (0.2) | 6.8 | (1.1) |
| Aide | 57.2 | (1.7) | 19.0 | (0.5) | 35.0 | (0.7) | 64.8 | (0.2) | 88.1 | (1.8) |
| Social worker | 3.6 | (0.5) | 1.3 | (0.1) | 10.9 | (0.3) | 1.7 | (0.0) | *0.2 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 62.0 | (2.2) | 99.8 | (0.1) | † | (†) | 97.6 | (0.4) | 34.9 | (4.7) |
| Licensed practical nurse or licensed vocational nurse | 88.0 | (1.5) | 80.5 | (0.8) | 60.1 | (2.3) | 97.6 | (0.4) | 44.2 | (4.3) |
| Aide | 59.2 | (2.2) | 85.5 | (0.7) | 98.3 | (0.6) | 99.4 | (0.2) | 78.3 | (3.9) |

Table 44. Providers and Users of Long-Term Care Services in Texas, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | 14.3 | (1.6) | 18.3 | (0.7) | † | (†) | 84.5 | (1.0) | * | * |
| Activities staff | 95.6 | (0.9) | --- | --- | --- | --- | 94.0 | (0.7) | 66.6 | (4.1) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.4 | (0.0) | *0.2 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 1.0 | (0.0) | *0.2 | (0.1) |
| Aide | 0.3 | (0.0) | --- | --- | --- | --- | 2.3 | (0.0) | 2.0 | (0.2) |
| Social worker | 0.0 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Activities staff | 0.2 | (0.0) | --- | --- | --- | --- | 0.2 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 23.4 | (1.9) | 91.5 | (0.5) | 100.0 | (0.0) | 98.7 | (0.3) | 43.2 | (4.9) |
| Mental health or counseling (percentage) | 20.9 | (1.8) | --- | --- | 97.2 | (0.8) | 93.6 | (0.7) | 50.9 | (4.9) |
| Therapy (physical, occupational, or speech) (percentage) | 24.6 | (2.0) | 99.1 | (0.2) | 97.0 | (0.8) | 99.4 | (0.2) | 65.9 | (4.7) |
| Skilled nursing or nursing (percentage) | 79.0 | (1.9) | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | 55.8 | (4.8) |
| Pharmacy or pharmacist (percentage) | 42.1 | (2.3) | 1.7 | (0.3) | --- | --- | 98.0 | (0.4) | * | * |
| Hospice (percentage) | 8.1 | (1.2) | 0.6 | (0.2) | … | … | 92.0 | (0.8) | 59.5 | (4.8) |
| Dental (percentage) | 12.4 | (1.5) | --- | --- | --- | --- | 91.1 | (0.8) | 42.4 | (4.9) |
| Podiatrist (percentage) | 27.4 | (2.1) | --- | --- | --- | --- | 93.5 | (0.7) | 69.0 | (4.5) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 83.3 | (1.7) | 90.5 | (0.6) | --- | --- | --- | --- | 82.7 | (3.7) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 7.0 | (0.7) | 28.1 | (4.1) |

Table 44. Providers and Users of Long-Term Care Services in Texas, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 34,200 | (900) | 378,700 | (15,500) | 102,000 | (8,400) | 93,000 | (2,900) | 36,300 | (2,000) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 43.8 | (1.4) | 19.2 | (0.3) | 6.4 | (0.1) | 15.9 | (0.4) | 6.0 | (1.7) |
| 65 and over | 56.2 | (1.4) | 80.8 | (0.3) | 93.6 | (0.1) | 84.1 | (0.4) | 94.1 | (1.7) |
| 65–74 | 23.8 | (0.6) | 27.7 | (0.2) | 18.2 | (0.3) | 17.7 | (0.2) | 11.7 | (3.0) |
| 75–84 | 22.7 | (0.8) | 31.4 | (0.2) | 31.5 | (0.2) | 29.1 | (0.2) | 27.7 | (2.3) |
| 85 and over | 9.7 | (0.6) | 21.7 | (0.3) | 43.9 | (0.4) | 37.3 | (0.4) | 54.7 | (3.2) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 41.5 | (0.5) | 37.5 | (0.2) | 40.7 | (0.3) | 34.1 | (0.4) | 27.7 | (1.5) |
| Women | 58.5 | (0.5) | 62.5 | (0.2) | 59.3 | (0.3) | 65.9 | (0.4) | 72.3 | (1.5) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 73.6 | (1.9) | 22.8 | (0.8) | 16.2 | (1.3) | 17.0 | (0.8) | 3.9 | (0.6) |
| Non-Hispanic white | 9.6 | (0.9) | 57.1 | (0.9) | 73.7 | (1.2) | 65.9 | (0.8) | 88.6 | (2.1) |
| Non-Hispanic black | 8.8 | (0.9) | 17.7 | (0.5) | 8.7 | (0.5) | 13.3 | (0.5) | *4.4 | (1.4) |
| Non-Hispanic other | 7.9 | (1.5) | 2.5 | (0.2) | 1.5 | (0.1) | 3.8 | (0.2) | *3.1 | (1.3) |
| Used Medicaid for long-term care services (percent distribution) | 72.8 | (1.8) | 4.0 | (0.3) | --- | --- | 62.0 | (0.6) | *4.4 | (1.4) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 14.7 | (0.9) | 33.4 | (0.3) | 52.5 | (0.9) | 59.2 | (0.5) | 43.6 | (3.1) |
| Diagnosed with depression | 23.1 | (1.1) | 41.3 | (0.3) | 27.2 | (0.5) | 52.5 | (0.4) | 18.3 | (2.2) |
| Diagnosed with diabetes | 42.1 | (1.2) | 49.7 | (0.3) | 32.9 | (0.4) | 34.4 | (0.3) | 16.1 | (3.0) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 9.4 | (0.7) | 63.7 | (0.8) | --- | --- | 66.6 | (0.8) | 19.5 | (2.9) |
| Bathing | 14.9 | (1.2) | 97.6 | (0.2) | --- | --- | 97.0 | (0.2) | 62.6 | (3.4) |
| Dressing | 13.9 | (1.1) | 92.6 | (0.3) | --- | --- | 91.6 | (0.3) | 48.9 | (3.8) |
| Toileting | 12.7 | (0.8) | 80.2 | (0.7) | --- | --- | 88.0 | (0.4) | 42.3 | (3.8) |
| Transferring in and out of a chair or bed | 12.2 | (0.8) | 91.8 | (0.3) | --- | --- | 85.8 | (0.4) | 31.8 | (4.3) |
| Walking | 17.2 | (1.1) | 95.9 | (0.2) | --- | --- | 91.1 | (0.3) | 29.8 | (4.5) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 4.0 | (0.2) | 23.5 | (0.4) | --- | --- | --- | --- | 8.4 | (1.2) |
| Emergency department visit | 5.3 | (0.3) | 16.7 | (0.3) | --- | --- | --- | --- | 8.8 | (0.9) |

Table 44. Providers and Users of Long-Term Care Services in Texas, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 4.1 | (0.3) | 0.7 | (0.0) | --- | --- | 15.8 | (0.2) | 21.6 | (2.8) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 45. Providers and Users of Long-Term Care Services in Utah, by Provider Type and Selected Characteristics, 2013 - 2014

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | |
| Number of providers[1] | 100 | (10) | 90 | (9) | 100 | (10) | 200 | (2) |
| Number of beds or licensed maximum capacity[2] | ... | ... | ... | ... | 8,600 | (1,000) | 7,100 | (200) |
| Average capacity | --- | --- | --- | --- | 86 | (4.7) | 42 | (1.3) |
| Average number of people served | --- | --- | --- | --- | 55 | (3.0) | 37 | (1.1) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | |
| Metropolitan | 93.3 | (2.4) | 91.8 | (3.0) | 85.9 | (3.5) | 88.5 | (2.1) |
| Micropolitan or neither | 6.7 | (2.4) | 8.2 | (3.0) | 14.1 | (3.5) | 11.5 | (2.1) |
| Ownership (percent distribution): | | | | | | | | |
| For-profit | 83.8 | (3.6) | 78.8 | (4.4) | 82.8 | (3.8) | 92.0 | (1.9) |
| Not-for-profit, government, or other | 16.2 | (3.6) | 21.2 | (4.4) | 17.2 | (3.8) | 8.0 | (1.9) |
| Number of people served (percent distribution):[3] | | | | | | | | |
| Category 1 | 35.0 | (4.8) | 53.8 | (5.6) | 9.1 | (2.9) | 57.9 | (1.9) |
| Category 2 | 38.0 | (4.9) | 36.3 | (5.4) | 81.8 | (3.9) | 34.5 | (2.5) |
| Category 3 | 27.0 | (4.4) | 10.0 | (3.4) | 9.1 | (2.9) | 7.6 | (1.5) |
| Certification (percentage): | | | | | | | | |
| Medicare-certified | 100.0 | (0.0) | --- | --- | 92.9 | (2.6) | … | … |
| Medicaid-certified | 89.5 | (3.0) | --- | --- | 83.8 | (3.7) | 89.9 | (2.3) |
| Chain-affiliated (percentage) | --- | --- | --- | --- | 71.7 | (4.5) | 62.1 | (3.4) |
| **Staffing[4]** | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 1,431 | (217) | 889 | (163) | 4,243 | (484) | 2,302 | (141) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | |
| Registered nurse | 52.4 | (2.8) | 42.5 | (1.6) | 20.0 | (0.8) | 10.5 | (3.8) |
| Licensed practical nurse or licensed vocational nurse | 7.7 | (1.7) | 5.3 | (0.9) | 11.5 | (0.6) | 0.8 | (0.2) |
| Aide | 36.4 | (2.6) | 40.2 | (1.6) | 66.5 | (0.7) | 88.6 | (3.8) |
| Social worker | 3.5 | (0.4) | 12.0 | (0.7) | 1.9 | (0.2) | 0.2 | (0.1) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | |
| Registered nurse | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 68.5 | (3.2) |
| Licensed practical nurse or licensed vocational nurse | 46.7 | (4.9) | 42.4 | (5.4) | † | (†) | 15.1 | (2.7) |

Table 45. Providers and Users of Long-Term Care Services in Utah, by Provider Type and Selected Characteristics, 2013 - 2014

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| Aide | 100.0 | (0.0) | † | (†) | 100.0 | (0.0) | † | (†) |
| Social worker | 82.9 | (3.7) | † | (†) | 66.7 | (4.7) | * | * |
| Activities staff | --- | --- | --- | --- | 88.9 | (3.2) | 89.8 | (2.0) |
| Employee hours per resident or participant per day: | | | | | | | | |
| Registered nurse | --- | --- | --- | --- | 1.1 | (0.1) | 0.2 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | --- | --- | --- | --- | 0.5 | (0.0) | 0.0 | (0.0) |
| Aide | --- | --- | --- | --- | 2.8 | (0.1) | 2.2 | (0.1) |
| Social worker | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | --- | --- | --- | --- | 0.2 | (0.0) | 0.3 | (0.0) |
| **Service provided** | | | | | | | | |
| Social work (percentage) | † | (†) | 100.0 | (0.0) | † | (†) | 52.4 | (3.7) |
| Mental health or counseling (percentage) | --- | --- | † | (†) | 89.9 | (3.0) | 46.1 | (3.7) |
| Therapy (physical, occupational, or speech) (percentage) | 100.0 | (0.0) | † | (†) | 100.0 | (0.0) | 73.9 | (3.2) |
| Skilled nursing or nursing (percentage) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 70.2 | (3.4) |
| Pharmacy or pharmacist (percentage) | 21.9 | (4.0) | --- | --- | † | (†) | 86.6 | (2.6) |
| Hospice (percentage) | 46.7 | (4.9) | … | … | 80.8 | (4.0) | 75.6 | (3.2) |
| Dental (percentage) | --- | --- | --- | --- | 87.9 | (3.3) | 60.2 | (3.6) |
| Podiatrist (percentage) | --- | --- | --- | --- | 92.9 | (2.6) | 86.4 | (2.5) |
| **Practices** | | | | | | | | |
| Depression screening (percentage) | † | (†) | --- | --- | --- | --- | 72.7 | (3.2) |
| **Special care** | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | 15.2 | (3.6) | 24.2 | (2.6) |

Table 45. Providers and Users of Long-Term Care Services in Utah, by Provider Type and Selected Characteristics, 2013 - 2014

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | |
| Number of users[2] | 30,400 | (5,500) | 11,200 | (1,900) | 5,400 | (600) | 6,200 | (200) |
| Age in years (percent distribution): | | | | | | | | |
| Under 65 | 14.4 | (1.6) | 4.5 | (0.4) | 24.4 | (1.9) | 6.8 | (0.8) |
| 65 and over | 85.6 | (1.6) | 95.5 | (0.4) | 75.6 | (1.9) | 93.1 | (0.8) |
| 65–74 | 27.2 | (0.9) | 13.9 | (0.7) | 19.8 | (0.7) | 8.8 | (0.7) |
| 75–84 | 32.4 | (0.9) | 30.2 | (0.5) | 26.9 | (0.9) | 36.0 | (2.2) |
| 85 and over | 26.0 | (1.5) | 51.4 | (1.3) | 28.9 | (1.6) | 48.4 | (2.6) |
| Sex (percent distribution): | | | | | | | | |
| Men | 36.4 | (0.7) | 41.3 | (0.8) | 39.0 | (2.1) | 28.7 | (1.0) |
| Women | 63.6 | (0.7) | 58.7 | (0.8) | 61.0 | (2.1) | 71.3 | (1.0) |
| Race and ethnicity (percent distribution): | | | | | | | | |
| Hispanic | 3.8 | (0.2) | 3.2 | (0.2) | 4.2 | (0.4) | 2.4 | (0.3) |
| Non-Hispanic white | 92.9 | (0.4) | 94.4 | (0.3) | 86.4 | (1.6) | 86.7 | (3.5) |
| Non-Hispanic black | 0.6 | (0.1) | 0.4 | (0.1) | 1.3 | (0.2) | 0.4 | (0.1) |
| Non-Hispanic other | 2.7 | (0.2) | 2.0 | (0.1) | 7.9 | (1.5) | 10.4 | (3.6) |
| Used Medicaid for long-term care services (percent distribution) | 6.3 | (1.5) | --- | --- | 52.8 | (2.4) | 17.5 | (1.2) |
| Conditions (percentage): | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 30.5 | (1.5) | 40.4 | (2.0) | 37.9 | (1.9) | 29.8 | (1.6) |
| Diagnosed with depression | 41.5 | (0.9) | 18.8 | (0.7) | 35.6 | (1.9) | 15.4 | (1.9) |
| Diagnosed with diabetes | 38.3 | (0.6) | 22.6 | (0.6) | 31.9 | (1.0) | 17.2 | (1.4) |
| Need assistance in physical functioning (percentage): | | | | | | | | |
| Eating | 52.4 | (2.9) | --- | --- | 69.8 | (3.3) | 12.1 | (1.2) |
| Bathing | 96.5 | (0.9) | --- | --- | 97.4 | (0.5) | 51.8 | (2.7) |
| Dressing | 88.5 | (2.2) | --- | --- | 95.5 | (0.7) | 37.4 | (2.2) |
| Toileting | 69.7 | (4.5) | --- | --- | 93.2 | (0.9) | 30.9 | (2.3) |
| Transferring in and out of a chair or bed | 89.4 | (2.1) | --- | --- | 91.3 | (1.1) | 22.9 | (1.9) |
| Walking | 95.0 | (1.1) | --- | --- | 92.2 | (1.2) | 20.9 | (1.7) |
| Adverse events (percentage): | | | | | | | | |

Table 45. Providers and Users of Long-Term Care Services in Utah, by Provider Type and Selected Characteristics, 2013 - 2014

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| Overnight hospital stay | 10.8 | (0.6) | --- | --- | --- | --- | 5.6 | (0.4) |
| Emergency department visit | 12.0 | (0.6) | --- | --- | --- | --- | 8.9 | (0.6) |
| Falls | 0.3 | (0.1) | --- | --- | 21.8 | (1.1) | 22.9 | (2.0) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For nursing homes and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.
[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

Estimates for adult day services centers are not presented because these estimates do not meet reliability or confidentiality standards.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 46. Providers and Users of Long-Term Care Services in Vermont, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | | | |
| Number of providers[1] | 20 | (0.0) | 10 | (4) | 10 | (3) | 40 | (6) | 90 | (1) |
| Number of beds or licensed maximum capacity[2] | 700 | (0) | ... | ... | ... | ... | 3,200 | (600) | 2,400 | (100) |
| Average capacity | 46 | (3.4) | --- | --- | --- | --- | 86 | (7.2) | 28 | (0.7) |
| Average number of people served | 29 | (2.9) | --- | --- | --- | --- | 73 | (5.9) | 24 | (0.7) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | * | * | * | * | * | * | 21.6 | (6.8) | 20.2 | (2.7) |
| Micropolitan or neither | * | * | * | * | * | * | 78.4 | (6.8) | 79.8 | (2.7) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | * | * | * | * | * | * | 64.9 | (7.8) | 52.5 | (3.8) |
| Not-for-profit, government, or other | † | (†) | † | (†) | * | * | 35.1 | (7.8) | 47.5 | (3.8) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | - | - | * | * | * | * | 61.2 | (1.5) |
| Category 2 | * | * | * | * | * | * | * | * | 38.8 | (1.5) |
| Category 3 | - | - | † | (†) | * | * | * | * | - | - |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 100.0 | (0.0) | … | … |
| Medicaid-certified | 100.0 | (0.0) | 100.0 | (0.0) | --- | --- | 97.3 | (2.7) | 86.5 | (2.4) |
| Chain-affiliated (percentage) | * | * | --- | --- | --- | --- | 40.5 | (8.2) | 43.6 | (3.9) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 95 | (8) | 445 | (145) | 215 | (95) | 2,069 | (376) | 1,171 | (53) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 16.5 | (2.4) | 58.9 | (4.2) | 55.3 | (3.2) | 15.8 | (0.9) | 11.0 | (0.8) |
| Licensed practical nurse or licensed vocational nurse | 13.6 | (1.7) | 9.7 | (3.0) | 8.4 | (2.0) | 19.3 | (1.0) | 8.0 | (0.7) |
| Aide | 63.2 | (2.3) | 27.2 | (4.3) | 29.0 | (3.3) | 63.1 | (0.8) | 79.9 | (1.1) |
| Social worker | 6.7 | (2.0) | 4.2 | (0.6) | 7.3 | (1.9) | 1.7 | (0.2) | 1.0 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 85.9 | (2.7) |
| Licensed practical nurse or licensed vocational nurse | * | * | † | (†) | * | * | 100.0 | (0.0) | 58.1 | (3.2) |
| Aide | † | (†) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) |

Table 46. Providers and Users of Long-Term Care Services in Vermont, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Social worker | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 73.0 | (7.3) | 19.1 | (3.1) |
| Activities staff | 100.0 | (0.0) | --- | --- | --- | --- | † | (†) | 71.6 | (3.1) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.3 | (0.1) | --- | --- | --- | --- | 0.6 | (0.0) | 0.3 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.8 | (0.0) | 0.2 | (0.0) |
| Aide | 1.1 | (0.1) | --- | --- | --- | --- | 2.6 | (0.1) | 2.6 | (0.2) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | 0.8 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 73.0 | (7.3) | 64.0 | (3.6) |
| Mental health or counseling (percentage) | 45.9 | (9.4) | --- | --- | * | * | 83.8 | (6.1) | 59.0 | (3.8) |
| Therapy (physical, occupational, or speech) (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 73.4 | (3.4) |
| Skilled nursing or nursing (percentage) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 81.4 | (3.0) |
| Pharmacy or pharmacist (percentage) | * | * | * | * | --- | --- | 100.0 | (0.0) | 87.2 | (2.7) |
| Hospice (percentage) | * | * | 100.0 | (0.0) | … | … | 43.2 | (8.1) | 68.1 | (3.4) |
| Dental (percentage) | * | * | --- | --- | --- | --- | 75.7 | (7.1) | 75.1 | (3.4) |
| Podiatrist (percentage) | 47.9 | (9.5) | --- | --- | --- | --- | 83.8 | (6.1) | 77.0 | (3.3) |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 100.0 | (0.0) | 100.0 | (0.0) | --- | --- | --- | --- | 81.6 | (3.1) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 18.9 | (6.4) | 20.4 | (2.9) |

Table 46. Providers and Users of Long-Term Care Services in Vermont, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 800 | (100) | 12,500 | (4,400) | 2,200 | (800) | 2,700 | (500) | 2,100 | (100) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 23.0 | (3.4) | 19.9 | (0.7) | 5.1 | (0.5) | 8.2 | (1.0) | 6.3 | (0.9) |
| 65 and over | 76.8 | (3.5) | 80.1 | (0.7) | 94.9 | (0.5) | 91.8 | (1.0) | 93.7 | (0.9) |
| 65–74 | 20.7 | (1.9) | 24.1 | (0.6) | 18.8 | (1.6) | 14.0 | (1.0) | 10.9 | (1.1) |
| 75–84 | 23.6 | (2.3) | 29.9 | (0.5) | 28.3 | (0.6) | 29.4 | (1.1) | 30.6 | (1.3) |
| 85 and over | 32.5 | (2.8) | 26.0 | (0.6) | 47.8 | (1.9) | 48.4 | (2.0) | 52.2 | (2.1) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 31.3 | (2.1) | 40.7 | (0.7) | 41.3 | (1.1) | 33.4 | (2.5) | 25.8 | (0.8) |
| Women | 68.7 | (2.1) | 59.3 | (0.7) | 58.7 | (1.1) | 66.6 | (2.5) | 74.2 | (0.8) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 0.5 | (0.2) | 0.5 | (0.1) | 0.6 | (0.1) | 0.3 | (0.1) | 0.1 | (0.0) |
| Non-Hispanic white | 97.4 | (0.4) | 97.6 | (0.3) | 98.1 | (0.3) | 96.9 | (0.7) | 89.7 | (2.8) |
| Non-Hispanic black | 0.6 | (0.2) | 0.5 | (0.1) | 0.4 | (0.1) | 0.3 | (0.2) | 0.2 | (0.1) |
| Non-Hispanic other | 1.5 | (0.4) | 1.3 | (0.1) | 0.9 | (0.2) | 2.4 | (0.7) | 10.1 | (2.8) |
| Used Medicaid for long-term care services (percent distribution) | 69.1 | (2.7) | 18.9 | (2.2) | --- | --- | 63.8 | (2.0) | 39.2 | (2.6) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 46.1 | (5.6) | 22.4 | (0.9) | 39.7 | (2.5) | 56.8 | (2.2) | 36.8 | (2.3) |
| Diagnosed with depression | 30.0 | (2.1) | 39.2 | (0.9) | 26.8 | (1.2) | 54.2 | (1.4) | 33.1 | (1.8) |
| Diagnosed with diabetes | 29.3 | (1.5) | 35.5 | (0.8) | 24.1 | (0.9) | 28.2 | (1.2) | 15.9 | (0.7) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 18.1 | (1.9) | 51.5 | (4.6) | --- | --- | 49.7 | (3.7) | 21.0 | (2.3) |
| Bathing | 46.2 | (6.8) | 96.5 | (0.7) | --- | --- | 96.6 | (0.8) | 72.3 | (1.9) |
| Dressing | 40.1 | (2.9) | 85.9 | (2.8) | --- | --- | 93.3 | (1.0) | 44.6 | (2.2) |
| Toileting | 40.6 | (3.7) | 66.9 | (3.9) | --- | --- | 89.8 | (1.4) | 33.9 | (2.2) |
| Transferring in and out of a chair or bed | 42.8 | (6.6) | 85.8 | (2.2) | --- | --- | 84.0 | (1.9) | 21.2 | (2.3) |
| Walking | 36.7 | (3.9) | 94.4 | (1.0) | --- | --- | 88.1 | (1.3) | 27.5 | (2.5) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 11.3 | (1.5) | 14.8 | (0.6) | --- | --- | --- | --- | 8.0 | (0.7) |

Table 46. Providers and Users of Long-Term Care Services in Vermont, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Emergency department visit | 8.6 | (1.6) | 16.6 | (0.9) | --- | --- | --- | --- | 12.1 | (0.8) |
| Falls | 9.9 | (0.9) | 0.1 | (0.0) | --- | --- | 21.2 | (1.5) | 18.6 | (0.8) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 47. Providers and Users of Long-Term Care Services in Virginia, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Number or percent (standard error) | | | | | | | | | |
| **Organization** | | | | | | | | | | |
| Number of providers[1] | 80 | (1) | 200 | (15) | 90 | (9) | 300 | (17) | 400 | (6) |
| Number of beds or licensed maximum capacity[2] | 3,800 | (300) | ... | ... | ... | ... | 32,200 | (2,100) | 26,400 | (1,500) |
| Average capacity | 49 | (3.2) | --- | --- | --- | --- | 112 | (3.5) | 65 | (3.5) |
| Average number of people served | 40 | (6.1) | --- | --- | --- | --- | 99 | (3.1) | 50 | (2.0) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 87.1 | (2.7) | 79.0 | (2.7) | 72.4 | (4.8) | 74.3 | (2.6) | 83.1 | (3.2) |
| Micropolitan or neither | 12.9 | (2.7) | 21.0 | (2.7) | 27.6 | (4.8) | 25.7 | (2.6) | * | * |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 24.0 | (3.6) | 81.5 | (2.5) | 58.6 | (5.3) | 68.8 | (2.7) | 73.7 | (4.3) |
| Not-for-profit, government, or other | 76.0 | (3.6) | 18.5 | (2.5) | 41.4 | (5.3) | 31.3 | (2.7) | * | * |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 25.5 | (3.0) | 27.6 | (4.8) | 4.9 | (1.3) | * | * |
| Category 2 | * | * | 22.6 | (2.9) | 39.1 | (5.2) | 44.8 | (2.9) | 59.1 | (3.2) |
| Category 3 | * | * | 51.9 | (3.4) | 33.3 | (5.1) | 50.3 | (2.9) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 95.1 | (1.3) | … | … |
| Medicaid-certified | † | (†) | 100.0 | (0.0) | --- | --- | 94.4 | (1.4) | * | * |
| Chain-affiliated (percentage) | 32.3 | (4.0) | --- | --- | --- | --- | 71.9 | (2.7) | 59.1 | (4.8) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 543 | (41) | 2,959 | (277) | 1,450 | (222) | 20,364 | (1,332) | 8,197 | (614) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 21.8 | (1.2) | 56.4 | (2.2) | 49.2 | (1.5) | 10.0 | (0.3) | 2.8 | (0.5) |
| Licensed practical nurse or licensed vocational nurse | 5.6 | (0.8) | 16.8 | (1.2) | 7.8 | (1.5) | 27.3 | (0.4) | 13.0 | (1.0) |
| Aide | 66.0 | (1.6) | 23.9 | (2.4) | 29.6 | (1.4) | 60.8 | (0.5) | 83.7 | (1.2) |
| Social worker | 6.6 | (0.7) | 2.9 | (0.2) | 13.3 | (0.7) | 2.0 | (0.1) | *0.5 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 90.1 | (2.5) | † | (†) | 100.0 | (0.0) | † | (†) | 39.8 | (4.8) |
| Licensed practical nurse or licensed vocational nurse | 29.3 | (3.9) | 71.2 | (3.0) | 54.0 | (5.3) | † | (†) | 74.5 | (3.9) |
| Aide | † | (†) | 91.4 | (1.8) | 100.0 | (0.0) | 97.9 | (0.8) | † | (†) |
| Social worker | 36.2 | (4.2) | 59.2 | (3.2) | 100.0 | (0.0) | 90.3 | (1.7) | * | * |

Table 47. Providers and Users of Long-Term Care Services in Virginia, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Activities staff | 85.8 | (3.0) | --- | --- | --- | --- | 95.8 | (1.2) | 82.0 | (3.6) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.5 | (0.0) | --- | --- | --- | --- | 0.6 | (0.1) | 0.1 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.1) | --- | --- | --- | --- | 1.1 | (0.1) | 0.3 | (0.0) |
| Aide | 1.3 | (0.1) | --- | --- | --- | --- | 2.3 | (0.0) | 1.9 | (0.1) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | 0.5 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 47.6 | (4.3) | 76.0 | (2.8) | 100.0 | (0.0) | 96.2 | (1.1) | 39.5 | (4.9) |
| Mental health or counseling (percentage) | 37.1 | (4.2) | --- | --- | † | (†) | 90.3 | (1.7) | * | * |
| Therapy (physical, occupational, or speech) (percentage) | 45.6 | (4.3) | † | (†) | † | (†) | 100.0 | (0.0) | * | * |
| Skilled nursing or nursing (percentage) | 76.4 | (3.8) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 53.0 | (5.1) |
| Pharmacy or pharmacist (percentage) | 28.5 | (3.9) | 2.6 | (1.0) | --- | --- | † | (†) | * | * |
| Hospice (percentage) | 24.4 | (3.9) | 9.4 | (1.9) | … | … | 76.0 | (2.5) | 59.5 | (4.8) |
| Dental (percentage) | 24.9 | (3.8) | --- | --- | --- | --- | 83.0 | (2.2) | 52.7 | (4.9) |
| Podiatrist (percentage) | 31.2 | (4.0) | --- | --- | --- | --- | 95.5 | (1.2) | * | * |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 87.3 | (2.7) | 91.5 | (1.9) | --- | --- | --- | --- | 85.6 | (3.5) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 12.2 | (1.9) | * | * |

Table 47. Providers and Users of Long-Term Care Services in Virginia, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 3,100 | (200) | 118,300 | (14,000) | 28,400 | (5,300) | 28,500 | (1,900) | 20,200 | (900) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 24.2 | (3.4) | 17.1 | (0.8) | 5.7 | (0.4) | 14.6 | (0.7) | 13.0 | (2.6) |
| 65 and over | 75.8 | (3.4) | 82.9 | (0.8) | 94.3 | (0.4) | 85.4 | (0.7) | 87.0 | (2.6) |
| 65–74 | 19.6 | (1.1) | 27.7 | (0.6) | 17.9 | (0.5) | 17.0 | (0.4) | 10.4 | (1.0) |
| 75–84 | 32.8 | (1.8) | 31.3 | (0.3) | 30.7 | (0.3) | 28.4 | (0.4) | 32.2 | (2.3) |
| 85 and over | 23.3 | (1.6) | 23.9 | (0.7) | 45.6 | (0.9) | 40.0 | (0.9) | 44.4 | (3.2) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 34.6 | (2.1) | 37.8 | (0.4) | 40.2 | (0.5) | 31.8 | (0.8) | 32.2 | (1.6) |
| Women | 65.4 | (2.1) | 62.2 | (0.4) | 59.8 | (0.5) | 68.2 | (0.8) | 67.8 | (1.6) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 1.9 | (0.3) | 1.5 | (0.2) | 1.1 | (0.2) | 0.9 | (0.1) | 1.2 | (0.3) |
| Non-Hispanic white | 48.6 | (3.1) | 76.2 | (1.2) | 82.6 | (1.3) | 71.0 | (1.4) | 83.4 | (3.0) |
| Non-Hispanic black | 35.5 | (2.8) | 19.6 | (1.3) | 14.1 | (1.5) | 24.3 | (1.3) | 10.1 | (1.9) |
| Non-Hispanic other | 14.0 | (3.7) | 2.8 | (0.4) | 2.2 | (0.6) | 3.8 | (0.7) | *5.2 | (2.5) |
| Used Medicaid for long-term care services (percent distribution) | 47.8 | (4.2) | 7.9 | (0.8) | --- | --- | 60.3 | (1.2) | *9.6 | (3.1) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 47.7 | (2.5) | 30.9 | (0.9) | 50.1 | (1.2) | 49.2 | (0.9) | 38.2 | (3.0) |
| Diagnosed with depression | 24.4 | (2.6) | 34.7 | (0.6) | 23.2 | (0.5) | 48.3 | (0.8) | 30.2 | (2.9) |
| Diagnosed with diabetes | 28.8 | (2.6) | 43.7 | (0.5) | 30.9 | (0.5) | 33.2 | (0.5) | 19.5 | (1.8) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 39.7 | (3.2) | 58.8 | (2.1) | --- | --- | 64.3 | (1.6) | 13.5 | (1.3) |
| Bathing | 50.0 | (2.7) | 96.9 | (0.4) | --- | --- | 96.5 | (0.4) | 63.5 | (3.1) |
| Dressing | 48.0 | (2.8) | 89.5 | (0.9) | --- | --- | 93.0 | (0.5) | 48.7 | (3.2) |
| Toileting | 55.7 | (2.9) | 73.6 | (2.1) | --- | --- | 90.0 | (0.6) | 42.2 | (3.5) |
| Transferring in and out of a chair or bed | 42.4 | (4.2) | 89.3 | (0.9) | --- | --- | 87.6 | (0.7) | 32.7 | (3.5) |
| Walking | 46.0 | (3.5) | 94.9 | (0.5) | --- | --- | 93.5 | (0.4) | 37.2 | (4.3) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 10.2 | (0.9) | 15.6 | (0.6) | --- | --- | --- | --- | 7.5 | (0.8) |
| Emergency department visit | 11.5 | (1.1) | 14.4 | (0.5) | --- | --- | --- | --- | 11.2 | (1.2) |

Table 47. Providers and Users of Long-Term Care Services in Virginia, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 16.0 | (1.6) | 0.2 | (0.0) | --- | --- | 16.9 | (0.4) | 19.5 | (2.2) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 48. Providers and Users of Long-Term Care Services in Washington, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Number or percent (standard error) | | | | | | | | | |
| **Organization** | | | | | | | | | | |
| Number of providers[1] | 30 | (0.0) | 60 | (8) | 30 | (6) | 200 | (15) | 2,000 | (25) |
| Number of beds or licensed maximum capacity[2] | 1,300 | (100) | ... | ... | ... | ... | 21,200 | (1,500) | 41,500 | (1,500) |
| Average capacity | 47 | (4.2) | --- | --- | --- | --- | 96 | (2.8) | 20 | (0.7) |
| Average number of people served | 35 | (3.4) | --- | --- | --- | --- | 77 | (2.4) | 22 | (1.7) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | † | (†) | 85.5 | (4.5) | 75.8 | (7.5) | 86.0 | (2.3) | 90.2 | (2.8) |
| Micropolitan or neither | * | * | 14.5 | (4.5) | 24.2 | (7.5) | 14.0 | (2.3) | * | * |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | * | * | 53.2 | (6.3) | 27.3 | (7.8) | 73.4 | (3.0) | 89.0 | (3.0) |
| Not-for-profit, government, or other | † | (†) | 46.8 | (6.3) | 72.7 | (7.8) | 26.6 | (3.0) | * | * |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | 46.3 | (6.2) | 8.1 | (3.5) | * | * | 5.4 | (1.5) | 79.6 | (1.1) |
| Category 2 | 53.7 | (6.2) | 14.5 | (4.5) | * | * | 73.9 | (2.9) | * | * |
| Category 3 | - | - | 77.4 | (5.3) | * | * | 20.7 | (2.7) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 97.7 | (1.0) | … | … |
| Medicaid-certified | 100.0 | (0.0) | 93.5 | (3.1) | --- | --- | 96.8 | (1.2) | * | * |
| Chain-affiliated (percentage) | 47.1 | (6.2) | --- | --- | --- | --- | 65.3 | (3.2) | 52.0 | (4.9) |
| **Staffing[4]** | | | --- | --- | | | | | | |
| Number of nursing and social work staff employee FTEs | 153 | (19) | 928 | (170) | 1,226 | (296) | 13,336 | (984) | 15,288 | (1,389) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 16.7 | (1.3) | 70.1 | (2.4) | 56.7 | (1.3) | 16.9 | (0.5) | 6.4 | (0.9) |
| Licensed practical nurse or licensed vocational nurse | 11.4 | (1.3) | 12.9 | (2.1) | 3.3 | (0.9) | 16.7 | (0.5) | *8.8 | (3.9) |
| Aide | 56.6 | (3.3) | 12.1 | (0.6) | 25.8 | (1.4) | 64.2 | (0.5) | 84.3 | (3.7) |
| Social worker | 15.4 | (2.1) | 4.9 | (0.6) | 14.2 | (1.5) | 2.1 | (0.1) | *0.5 | (0.2) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 62.2 | (6.2) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 35.6 | (4.4) |
| Licensed practical nurse or licensed vocational nurse | 52.0 | (6.4) | 64.5 | (6.1) | 39.4 | (8.5) | 96.4 | (1.3) | * | * |
| Aide | 74.6 | (5.4) | 91.9 | (3.5) | 100.0 | (0.0) | 100.0 | (0.0) | 87.4 | (3.6) |
| Social worker | 54.5 | (6.2) | 85.5 | (4.5) | 100.0 | (0.0) | 84.2 | (2.4) | * | * |

Table 48. Providers and Users of Long-Term Care Services in Washington, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Activities staff | 100.0 | (0.0) | --- | --- | --- | --- | 96.4 | (1.3) | 43.3 | (4.2) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.7 | (0.0) | 0.2 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.2 | (0.0) | --- | --- | --- | --- | 0.6 | (0.0) | *0.1 | (0.0) |
| Aide | 0.6 | (0.1) | --- | --- | --- | --- | 2.6 | (0.0) | 2.3 | (0.2) |
| Social worker | 0.2 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.0 | (0.0) |
| Activities staff | 0.9 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.2 | (0.1) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | * | * | † | (†) | 100.0 | (0.0) | 89.6 | (2.0) | 46.0 | (5.2) |
| Mental health or counseling (percentage) | 40.3 | (6.1) | --- | --- | † | (†) | 87.4 | (2.2) | 52.9 | (5.1) |
| Therapy (physical, occupational, or speech) (percentage) | 73.3 | (6.0) | † | (†) | 100.0 | (0.0) | 100.0 | (0.0) | 64.9 | (5.0) |
| Skilled nursing or nursing (percentage) | * | * | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 64.5 | (5.0) |
| Pharmacy or pharmacist (percentage) | 28.5 | (3.9) | * | * | --- | --- | 97.7 | (1.0) | * | * |
| Hospice (percentage) | * | * | 29.0 | (5.8) | … | … | 62.6 | (3.2) | 65.1 | (5.0) |
| Dental (percentage) | * | * | --- | --- | --- | --- | 79.3 | (2.7) | 53.9 | (5.2) |
| Podiatrist (percentage) | 29.8 | (5.7) | --- | --- | --- | --- | 85.1 | (2.4) | * | * |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | * | * | † | (†) | --- | --- | --- | --- | 90.6 | (3.0) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 12.2 | (2.2) | * | * |

Table 48. Providers and Users of Long-Term Care Services in Washington, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 2,500 | (300) | 65,100 | (11,900) | 23,900 | (5,900) | 17,100 | (1,300) | 45,300 | (3,500) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 36.0 | (3.4) | 12.4 | (0.9) | 4.9 | (0.3) | 15.2 | (1.1) | 8.9 | (2.4) |
| 65 and over | 64.0 | (3.4) | 87.6 | (0.9) | 95.1 | (0.3) | 84.8 | (1.1) | 91.1 | (2.4) |
| 65–74 | 19.7 | (1.3) | 23.2 | (0.6) | 16.8 | (0.6) | 17.3 | (0.5) | 9.7 | (1.4) |
| 75–84 | 26.3 | (2.1) | 30.8 | (0.3) | 28.2 | (0.5) | 26.9 | (0.5) | 29.9 | (2.7) |
| 85 and over | 18.0 | (1.6) | 33.5 | (1.3) | 50.2 | (1.2) | 40.6 | (1.3) | 51.5 | (3.6) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 44.2 | (1.1) | 37.2 | (0.4) | 41.2 | (0.5) | 35.5 | (1.1) | 32.5 | (2.1) |
| Women | 55.8 | (1.1) | 62.8 | (0.4) | 58.8 | (0.5) | 64.5 | (1.1) | 67.5 | (2.1) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 5.3 | (0.5) | 2.3 | (0.3) | 1.8 | (0.3) | 2.3 | (0.3) | 0.8 | (0.2) |
| Non-Hispanic white | 66.3 | (3.8) | 89.9 | (0.8) | 91.9 | (1.1) | 85.6 | (1.4) | 81.1 | (4.7) |
| Non-Hispanic black | 10.6 | (2.0) | 2.5 | (0.4) | 1.8 | (0.5) | 3.8 | (0.6) | 1.4 | (0.4) |
| Non-Hispanic other | 17.7 | (3.6) | 5.2 | (0.4) | 4.5 | (0.6) | 8.3 | (1.1) | 16.6 | (4.8) |
| Used Medicaid for long-term care services (percent distribution) | 70.2 | (3.4) | 6.4 | (1.1) | --- | --- | 58.3 | (1.3) | 23.2 | (4.0) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 35.8 | (3.7) | 34.9 | (1.3) | 39.1 | (2.4) | 44.2 | (1.3) | 33.6 | (4.3) |
| Diagnosed with depression | 30.5 | (3.4) | 36.5 | (0.6) | 17.0 | (1.0) | 46.9 | (1.0) | 21.8 | (2.9) |
| Diagnosed with diabetes | 24.6 | (1.2) | 36.3 | (0.9) | 20.8 | (1.1) | 31.2 | (0.7) | 14.8 | (1.6) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 30.3 | (2.5) | 53.9 | (2.0) | --- | --- | 55.4 | (1.7) | 21.2 | (2.4) |
| Bathing | 54.4 | (5.7) | 97.6 | (0.4) | --- | --- | 97.2 | (0.4) | 54.6 | (4.3) |
| Dressing | 48.7 | (5.2) | 86.7 | (1.3) | --- | --- | 92.9 | (0.5) | 42.2 | (3.5) |
| Toileting | 49.5 | (3.8) | 70.9 | (2.2) | --- | --- | 90.3 | (0.7) | 35.8 | (3.2) |
| Transferring in and out of a chair or bed | 42.7 | (4.3) | 89.1 | (1.1) | --- | --- | 88.4 | (0.7) | 29.0 | (2.8) |
| Walking | 36.4 | (2.2) | 96.5 | (0.4) | --- | --- | 93.0 | (0.5) | 31.6 | (3.2) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 6.9 | (0.6) | 14.4 | (0.8) | --- | --- | --- | --- | 6.8 | (0.8) |
| Emergency department visit | 8.5 | (1.1) | 15.6 | (0.6) | --- | --- | --- | --- | 10.7 | (1.1) |

Table 48. Providers and Users of Long-Term Care Services in Washington, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 9.8 | (0.7) | 0.1 | (0.0) | --- | --- | 17.2 | (0.5) | 15.6 | (2.1) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 49. Providers and Users of Long-Term Care Services in West Virginia, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | |
| Number of providers[1] | 60 | (8) | 20 | (5) | 130 | (11) | 50 | (2) |
| Number of beds or licensed maximum capacity[2] | ... | ... | ... | ... | 10,900 | (1,100) | 3,600 | (300) |
| Average capacity | --- | --- | --- | --- | 85.7 | (3.6) | 38 | (2.2) |
| Average number of people served | --- | --- | --- | --- | 74.9 | (3.1) | 29 | (1.4) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | |
| Metropolitan | 56.9 | (6.5) | 55.0 | (11.1) | 51.2 | (4.4) | 51.2 | (5.4) |
| Micropolitan or neither | 43.1 | (6.5) | 45.0 | (11.1) | 48.8 | (4.4) | 48.8 | (5.4) |
| Ownership (percent distribution): | | | | | | | | |
| For-profit | 62.1 | (6.4) | 40.0 | (11.0) | 73.2 | (3.9) | 80.1 | (4.2) |
| Not-for-profit, government, or other | 37.9 | (6.4) | 60.0 | (11.0) | 26.8 | (3.9) | 19.9 | (4.2) |
| Number of people served (percent distribution):[3] | | | | | | | | |
| Category 1 | 8.9 | (3.8) | * | * | 9.4 | (2.6) | 55.6 | (3.0) |
| Category 2 | 21.4 | (5.5) | * | * | 69.3 | (4.1) | 44.4 | (3.0) |
| Category 3 | 69.6 | (6.1) | * | * | 21.3 | (3.6) | - | - |
| Certification (percentage): | | | | | | | | |
| Medicare-certified | 100.0 | (0.0) | --- | --- | 92.1 | (2.4) | … | … |
| Medicaid-certified | 93.1 | (3.4) | --- | --- | 94.5 | (2.0) | 15.2 | (3.8) |
| Chain-affiliated (percentage) | --- | --- | --- | --- | 58.3 | (4.4) | 39.6 | (5.0) |
| **Staffing[4]** | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 596 | (94) | 587 | (177) | 6,515 | (631) | 1,866 | (154) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | |
| Registered nurse | 66.1 | (1.9) | 46.2 | (3.8) | 11.7 | (0.5) | 7.2 | (0.6) |
| Licensed practical nurse or licensed vocational nurse | 19.5 | (2.2) | 14.1 | (3.5) | 25.7 | (0.7) | 17.0 | (1.3) |
| Aide | 11.3 | (1.0) | 29.5 | (2.9) | 60.0 | (0.8) | 74.8 | (1.6) |
| Social worker | 3.0 | (0.5) | 10.1 | (0.6) | 2.6 | (0.1) | 1.0 | (0.3) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | |
| Registered nurse | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | 88.5 | (3.5) |
| Licensed practical nurse or licensed vocational nurse | 75.9 | (5.6) | 75.0 | (9.7) | 100.0 | (0.0) | 64.8 | (4.6) |

Table 49. Providers and Users of Long-Term Care Services in West Virginia, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| Aide | † | (†) | 100.0 | (0.0) | † | (†) | 100.0 | (0.0) |
| Social worker | 60.3 | (6.4) | 100.0 | (0.0) | 96.1 | (1.7) | 17.0 | (4.1) |
| Activities staff | --- | --- | --- | --- | † | (†) | 72.4 | (4.4) |
| Employee hours per resident or participant per day: | | | | | | | | |
| Registered nurse | --- | --- | --- | --- | 0.5 | (0.1) | 0.4 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | --- | --- | --- | --- | 0.9 | (0.0) | 0.4 | (0.1) |
| Aide | --- | --- | --- | --- | 2.2 | (0.1) | 3.2 | (0.3) |
| Social worker | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | --- | --- | --- | --- | 0.2 | (0.0) | 0.3 | (0.1) |
| **Service provided** | | | | | | | | |
| Social work (percentage) | 69.0 | (6.1) | 100.0 | (0.0) | † | (†) | 47.0 | (5.4) |
| Mental health or counseling (percentage) | --- | --- | 100.0 | (0.0) | 66.1 | (4.2) | 38.0 | (5.1) |
| Therapy (physical, occupational, or speech) (percentage) | 100.0 | (0.0) | 100.0 | (0.0) | 96.1 | (1.7) | 74.9 | (4.7) |
| Skilled nursing or nursing (percentage) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 79.7 | (4.4) |
| Pharmacy or pharmacist (percentage) | * | * | --- | --- | 88.2 | (2.9) | 89.2 | (3.4) |
| Hospice (percentage) | * | * | … | … | 64.6 | (4.2) | 58.5 | (5.0) |
| Dental (percentage) | --- | --- | --- | --- | 63.8 | (4.3) | 47.6 | (5.5) |
| Podiatrist (percentage) | --- | --- | --- | --- | 74.0 | (3.9) | 77.1 | (4.5) |
| **Practices** | | | | | | | | |
| Depression screening (percentage) | † | (†) | --- | --- | --- | --- | 82.1 | (4.3) |
| **Special care** | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | 5.5 | (2.0) | * | * |

Table 49. Providers and Users of Long-Term Care Services in West Virginia, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | |
| Number of users[2] | 34,800 | (6,000) | 9,100 | (3,000) | 9,500 | (900) | 2,800 | (200) |
| Age in years (percent distribution): | | | | | | | | |
| Under 65 | 22.1 | (0.8) | 7.5 | (0.4) | 13.9 | (0.9) | 3.1 | (0.6) |
| 65 and over | 77.9 | (0.8) | 92.5 | (0.4) | 86.1 | (0.9) | 96.9 | (0.6) |
| 65–74 | 25.5 | (0.5) | 20.9 | (0.6) | 16.4 | (0.6) | 6.3 | (0.7) |
| 75–84 | 30.5 | (0.4) | 31.4 | (0.5) | 29.9 | (0.6) | 30.9 | (2.8) |
| 85 and over | 21.9 | (0.6) | 40.2 | (1.0) | 39.8 | (1.3) | 59.7 | (2.9) |
| Sex (percent distribution): | | | | | | | | |
| Men | 37.9 | (0.4) | 42.1 | (0.7) | 28.9 | (0.9) | 25.7 | (1.3) |
| Women | 62.1 | (0.4) | 57.9 | (0.7) | 71.1 | (0.9) | 74.3 | (1.3) |
| Race and ethnicity (percent distribution): | | | | | | | | |
| Hispanic | 0.3 | (0.0) | 0.3 | (0.0) | 0.2 | (0.0) | 0.0 | (0.0) |
| Non-Hispanic white | 95.9 | (0.4) | 96.9 | (0.4) | 93.3 | (0.9) | 97.1 | (0.6) |
| Non-Hispanic black | 3.2 | (0.4) | 2.1 | (0.3) | 3.1 | (0.4) | 1.6 | (0.3) |
| Non-Hispanic other | 0.6 | (0.0) | 0.7 | (0.1) | 3.5 | (0.9) | 1.3 | (0.6) |
| Used Medicaid for long-term care services (percent distribution) | 11.0 | (0.9) | --- | --- | 75.4 | (1.0) | 1.7 | (0.7) |
| Conditions (percentage): | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 30.0 | (1.0) | 41.7 | (1.1) | 58.8 | (1.4) | 46.4 | (3.2) |
| Diagnosed with depression | 39.3 | (0.6) | 23.2 | (0.8) | 57.3 | (1.1) | 29.4 | (3.5) |
| Diagnosed with diabetes | 48.6 | (0.5) | 31.2 | (0.6) | 35.4 | (0.8) | 20.7 | (1.8) |
| Need assistance in physical functioning (percentage): | | | | | | | | |
| Eating | 62.5 | (2.8) | --- | --- | 55.2 | (2.2) | 23.8 | (3.0) |
| Bathing | 97.3 | (0.5) | --- | --- | 96.4 | (0.5) | 76.4 | (3.5) |
| Dressing | 91.2 | (1.5) | --- | --- | 91.7 | (0.7) | 57.1 | (3.6) |
| Toileting | 80.2 | (2.6) | --- | --- | 88.2 | (0.9) | 49.1 | (3.3) |
| Transferring in and out of a chair or bed | 91.5 | (1.4) | --- | --- | 84.5 | (1.1) | 38.9 | (3.6) |
| Walking | 95.7 | (0.8) | --- | --- | 89.2 | (0.8) | 38.5 | (4.1) |
| Adverse events (percentage): | | | | | | | | |

Table 49. Providers and Users of Long-Term Care Services in West Virginia, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| Overnight hospital stay | 21.7 | (1.5) | --- | --- | --- | --- | 7.6 | (0.7) |
| Emergency department visit | 19.1 | (0.9) | --- | --- | --- | --- | 13.7 | (1.7) |
| Falls | 0.2 | (0.0) | --- | --- | 20.3 | (0.6) | 23.5 | (2.9) |

'– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For nursing homes and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

Estimates for adult day services centers are not presented because these estimates do not meet reliability or confidentiality standards.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 50. Providers and Users of Long-Term Care Services in Wisconsin, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Number or percent (standard error) | | | | | | | | | |
| **Organization** | | | | | | | | | | |
| Number of providers[1] | 100 | (2) | 100 | (11) | 70 | (8) | 400 | (20) | 1,500 | (23) |
| Number of beds or licensed maximum capacity[2] | 3,600 | (200) | ... | ... | ... | ... | 34,100 | (1,900) | 36,100 | (2,300) |
| Average capacity | 31 | (1.7) | --- | --- | --- | --- | 87 | (2.2) | 24 | (1.4) |
| Average number of people served | 20 | (1.3) | --- | --- | --- | --- | 71 | (2.0) | 21 | (1.3) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | | | |
| Metropolitan | 63.4 | (3.7) | 67.8 | (4.3) | 72.5 | (5.4) | 58.7 | (2.5) | 67.5 | (4.4) |
| Micropolitan or neither | 36.6 | (3.7) | 32.2 | (4.3) | 27.5 | (5.4) | 41.3 | (2.5) | 32.5 | (4.4) |
| Ownership (percent distribution): | | | | | | | | | | |
| For-profit | 28.3 | (3.7) | 48.3 | (4.6) | 37.7 | (5.8) | 52.6 | (2.5) | 79.6 | (3.4) |
| Not-for-profit, government, or other | 71.7 | (3.7) | 51.7 | (4.6) | 62.3 | (5.8) | 47.4 | (2.5) | 20.4 | (3.4) |
| Number of people served (percent distribution):[3] | | | | | | | | | | |
| Category 1 | * | * | 34.2 | (4.4) | 18.8 | (4.7) | 5.4 | (1.1) | 76.0 | (2.3) |
| Category 2 | * | * | 33.3 | (4.4) | 39.1 | (5.9) | 75.4 | (2.2) | 22.5 | (2.4) |
| Category 3 | * | * | 32.5 | (4.4) | 42.0 | (5.9) | 19.2 | (2.0) | * | * |
| Certification (percentage): | | | | | | | | | | |
| Medicare-certified | … | … | 100.0 | (0.0) | --- | --- | 96.4 | (0.9) | … | … |
| Medicaid-certified | 50.4 | (4.0) | 99.2 | (0.8) | --- | --- | 97.4 | (0.8) | 56.0 | (4.7) |
| Chain-affiliated (percentage) | 37.0 | (3.8) | --- | --- | --- | --- | 49.0 | (2.5) | 74.6 | (4.2) |
| **Staffing[4]** | | | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 411 | (40) | 1,735 | (219) | 1,614 | (274) | 21,183 | (1,211) | 17,350 | (1,201) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | | | |
| Registered nurse | 7.8 | (0.8) | 56.8 | (2.9) | 48.7 | (1.5) | 17.1 | (0.3) | 7.3 | (1.3) |
| Licensed practical nurse or licensed vocational nurse | 5.4 | (0.8) | 7.4 | (1.1) | 7.1 | (1.3) | 13.6 | (0.3) | 4.1 | (0.7) |
| Aide | 79.3 | (2.0) | 33.5 | (2.7) | 33.4 | (1.5) | 66.9 | (0.4) | 87.6 | (1.6) |
| Social worker | 7.5 | (1.1) | 2.2 | (0.4) | 10.8 | (0.8) | 2.4 | (0.1) | *1.0 | (0.3) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | | | |
| Registered nurse | 40.7 | (3.9) | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | 63.3 | (4.4) |
| Licensed practical nurse or licensed vocational nurse | 22.9 | (3.3) | 47.5 | (4.6) | 49.3 | (6.0) | † | (†) | 30.7 | (4.4) |
| Aide | 78.5 | (3.4) | 100.0 | (0.0) | † | (†) | 100.0 | (0.0) | 96.2 | (1.6) |
| Social worker | 31.4 | (3.7) | 51.7 | (4.6) | 100.0 | (0.0) | 90.0 | (1.5) | * | * |

Table 50. Providers and Users of Long-Term Care Services in Wisconsin, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Activities staff | 79.8 | (3.1) | --- | --- | --- | --- | 97.2 | (0.8) | 58.1 | (4.5) |
| Employee hours per resident or participant per day: | | | | | | | | | | |
| Registered nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.7 | (0.0) | 0.3 | (0.1) |
| Licensed practical nurse or licensed vocational nurse | 0.1 | (0.0) | --- | --- | --- | --- | 0.5 | (0.0) | *0.2 | (0.1) |
| Aide | 1.1 | (0.1) | --- | --- | --- | --- | 2.6 | (0.0) | 3.9 | (0.4) |
| Social worker | 0.1 | (0.0) | --- | --- | --- | --- | 0.1 | (0.0) | *0.1 | (0.0) |
| Activities staff | 0.8 | (0.1) | --- | --- | --- | --- | 0.2 | (0.0) | 0.3 | (0.1) |
| **Service provided** | | | | | | | | | | |
| Social work (percentage) | 32.7 | (3.8) | 57.6 | (4.5) | 100.0 | (0.0) | 96.4 | (0.9) | 60.8 | (4.8) |
| Mental health or counseling (percentage) | 15.8 | (3.0) | --- | --- | 100.0 | (0.0) | 78.2 | (2.1) | 66.6 | (4.4) |
| Therapy (physical, occupational, or speech) (percentage) | 34.8 | (3.9) | 87.3 | (3.1) | † | (†) | 100.0 | (0.0) | 76.6 | (4.1) |
| Skilled nursing or nursing (percentage) | 38.2 | (4.0) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | 66.2 | (4.7) |
| Pharmacy or pharmacist (percentage) | 13.2 | (2.8) | 9.3 | (2.7) | --- | --- | 96.4 | (0.9) | * | * |
| Hospice (percentage) | 15.0 | (2.9) | 24.6 | (4.0) | … | … | 75.9 | (2.2) | 67.5 | (4.7) |
| Dental (percentage) | * | * | --- | --- | --- | --- | 91.8 | (1.4) | 71.3 | (4.2) |
| Podiatrist (percentage) | 33.1 | (3.8) | --- | --- | --- | --- | 94.1 | (1.2) | * | * |
| **Practices** | | | | | | | | | | |
| Depression screening (percentage) | 70.3 | (3.7) | 92.1 | (2.5) | --- | --- | --- | --- | 90.0 | (2.6) |
| **Special care** | | | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | --- | --- | 23.8 | (2.2) | * | * |

Table 50. Providers and Users of Long-Term Care Services in Wisconsin, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | | | |
| Number of users[2] | 3,900 | (300) | 54,500 | (12,000) | 27,500 | (4,800) | 27,600 | (1,600) | 31,000 | (2,100) |
| Age in years (percent distribution): | | | | | | | | | | |
| Under 65 | 37.7 | (3.1) | 17.3 | (1.3) | 4.9 | (0.2) | 9.0 | (0.6) | 13.9 | (2.4) |
| 65 and over | 62.4 | (3.1) | 82.7 | (1.3) | 95.1 | (0.2) | 91.0 | (0.6) | 86.1 | (2.4) |
| 65–74 | 22.0 | (1.2) | 22.9 | (0.5) | 15.4 | (0.6) | 12.7 | (0.4) | 12.2 | (1.9) |
| 75–84 | 26.3 | (1.8) | 31.1 | (0.5) | 29.2 | (0.5) | 26.7 | (0.3) | 29.4 | (3.1) |
| 85 and over | 14.1 | (1.2) | 28.7 | (1.3) | 50.5 | (1.1) | 51.5 | (0.9) | 44.5 | (3.5) |
| Sex (percent distribution): | | | | | | | | | | |
| Men | 43.2 | (1.3) | 38.1 | (0.4) | 41.2 | (0.7) | 32.9 | (0.9) | 32.0 | (2.0) |
| Women | 56.8 | (1.3) | 61.9 | (0.4) | 58.8 | (0.7) | 67.1 | (0.9) | 68.1 | (2.0) |
| Race and ethnicity (percent distribution): | | | | | | | | | | |
| Hispanic | 5.4 | (2.3) | 1.5 | (0.3) | 0.9 | (0.1) | 0.8 | (0.1) | *1.0 | (0.3) |
| Non-Hispanic white | 73.0 | (3.0) | 91.6 | (1.6) | 94.4 | (0.9) | 92.9 | (0.8) | 93.7 | (1.6) |
| Non-Hispanic black | 15.7 | (2.3) | 5.0 | (1.4) | 3.1 | (0.8) | 3.6 | (0.7) | *1.9 | (0.9) |
| Non-Hispanic other | 5.9 | (1.2) | 1.9 | (0.1) | 1.6 | (0.1) | 2.7 | (0.3) | *3.4 | (1.1) |
| Used Medicaid for long-term care services (percent distribution) | 19.6 | (3.0) | 12.6 | (1.9) | --- | --- | 57.6 | (0.9) | 21.4 | (3.5) |
| Conditions (percentage): | | | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 38.7 | (2.8) | 27.8 | (1.2) | 41.5 | (2.1) | 50.5 | (0.7) | 38.0 | (3.6) |
| Diagnosed with depression | 16.4 | (1.8) | 37.2 | (0.6) | 20.4 | (0.7) | 50.1 | (0.6) | 30.3 | (4.0) |
| Diagnosed with diabetes | 26.6 | (2.1) | 39.0 | (0.7) | 23.8 | (0.5) | 30.7 | (0.5) | 19.3 | (1.6) |
| Need assistance in physical functioning (percentage): | | | | | | | | | | |
| Eating | 31.7 | (2.9) | 41.5 | (3.3) | --- | --- | 43.7 | (1.2) | 19.9 | (2.3) |
| Bathing | 33.7 | (2.7) | 95.0 | (0.7) | --- | --- | 97.4 | (0.3) | 69.2 | (4.1) |
| Dressing | 34.3 | (2.5) | 79.6 | (2.4) | --- | --- | 91.7 | (0.4) | 45.9 | (3.1) |
| Toileting | 49.6 | (2.4) | 60.2 | (4.5) | --- | --- | 86.6 | (0.6) | 35.7 | (2.8) |
| Transferring in and out of a chair or bed | 31.3 | (2.7) | 81.7 | (2.1) | --- | --- | 82.9 | (0.7) | 30.0 | (2.6) |
| Walking | 32.8 | (2.0) | 91.2 | (1.3) | --- | --- | 92.1 | (0.4) | 22.9 | (2.6) |
| Adverse events (percentage): | | | | | | | | | | |
| Overnight hospital stay | 5.2 | (0.5) | 14.3 | (0.5) | --- | --- | --- | --- | 7.3 | (0.8) |
| Emergency department visit | 6.0 | (0.5) | 16.0 | (0.5) | --- | --- | --- | --- | 11.3 | (1.1) |

Table 50. Providers and Users of Long-Term Care Services in Wisconsin, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Adult day services center | | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|---|---|
| Falls | 7.5 | (0.7) | 0.2 | (0.0) | --- | --- | 19.4 | (0.4) | 17.0 | (2.5) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards. Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For adult day services centers, nursing homes, and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.

Table 51. Providers and Users of Long-Term Care Services in Wyoming, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| **Organization** | Number or percent (standard error) | | | | | | | |
| Number of providers[1] | 30 | (5) | 20 | (4) | 40 | (6) | 20 | (1) |
| Number of beds or licensed maximum capacity[2] | ... | ... | ... | ... | 3,000 | (500) | 800 | (100) |
| Average capacity | --- | --- | --- | --- | 76 | (6.8) | 41 | (2.4) |
| Average number of people served | --- | --- | --- | --- | 61 | (5.6) | 31 | (2.4) |
| Metropolitan statistical area status (percent distribution): | | | | | | | | |
| Metropolitan | 22.2 | (8.0) | * | * | 20.5 | (6.5) | * | * |
| Micropolitan or neither | 77.8 | (8.0) | * | * | 79.5 | (6.5) | * | * |
| Ownership (percent distribution): | | | | | | | | |
| For-profit | 48.1 | (9.6) | * | * | 41.0 | (7.9) | * | * |
| Not-for-profit, government, or other | 51.9 | (9.6) | * | * | 59.0 | (7.9) | * | * |
| Number of people served (percent distribution):[3] | | | | | | | | |
| Category 1 | * | * | * | * | 17.9 | (6.1) | 45.5 | (4.4) |
| Category 2 | * | * | * | * | 69.2 | (7.4) | 54.5 | (4.4) |
| Category 3 | * | * | - | - | 12.8 | (5.4) | - | - |
| Certification (percentage): | | | | | | | | |
| Medicare-certified | 100.0 | (0.0) | --- | --- | 89.7 | (4.9) | … | … |
| Medicaid-certified | 100.0 | (0.0) | --- | --- | 94.9 | (3.6) | 60.3 | (4.4) |
| Chain-affiliated (percentage) | --- | --- | --- | --- | 43.6 | (8.0) | 54.3 | (6.1) |
| **Staffing[4]** | | | | | | | | |
| Number of nursing and social work staff employee FTEs | 270 | (67) | 155 | (43) | 1,612 | (295) | 258 | (30) |
| Nursing and social work employee FTEs (percent distribution): | | | | | | | | |
| Registered nurse | 45.3 | (2.9) | 56.1 | (2.5) | 19.8 | (1.2) | 13.4 | (0.6) |
| Licensed practical nurse or licensed vocational nurse | 5.4 | (1.4) | 3.2 | (2.1) | 12.7 | (1.1) | 11.2 | (1.0) |
| Aide | 45.5 | (2.3) | 31.6 | (2.8) | 65.6 | (1.1) | 75.3 | (1.3) |
| Social worker | 3.8 | (0.7) | 9.1 | (0.9) | 2.0 | (0.2) | 0.0 | (0.0) |
| Providers with one or more employee FTEs (percentage): | | | | | | | | |
| Registered nurse | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Licensed practical nurse or licensed vocational nurse | 37.0 | (9.3) | * | * | † | (†) | * | * |

Table 51. Providers and Users of Long-Term Care Services in Wyoming, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| Aide | 100.0 | (0.0) | 100.0 | (0.0) | † | (†) | 100.0 | (0.0) |
| Social worker | 66.7 | (9.1) | 100.0 | (0.0) | 74.4 | (7.0) | - | - |
| Activities staff | --- | --- | --- | --- | † | (†) | * | * |
| Employee hours per resident or participant per day: | | | | | | | | |
| Registered nurse | --- | --- | --- | --- | 0.9 | (0.2) | 0.3 | (0.0) |
| Licensed practical nurse or licensed vocational nurse | --- | --- | --- | --- | 0.4 | (0.0) | 0.2 | (0.0) |
| Aide | --- | --- | --- | --- | 2.2 | (0.1) | 1.8 | (0.1) |
| Social worker | --- | --- | --- | --- | 0.1 | (0.0) | 0.0 | (0.0) |
| Activities staff | --- | --- | --- | --- | 0.3 | (0.0) | 0.2 | (0.0) |
| **Service provided** | | | | | | | | |
| Social work (percentage) | 77.8 | (8.0) | 100.0 | (0.0) | † | (†) | * | * |
| Mental health or counseling (percentage) | --- | --- | * | * | * | * | 40.4 | (6.3) |
| Therapy (physical, occupational, or speech) (percentage) | 100.0 | (0.0) | † | (†) | † | (†) | * | * |
| Skilled nursing or nursing (percentage) | 100.0 | (0.0) | 100.0 | (0.0) | 100.0 | (0.0) | * | * |
| Pharmacy or pharmacist (percentage) | * | * | --- | --- | † | (†) | * | * |
| Hospice (percentage) | 33.3 | (9.1) | … | … | 23.1 | (6.7) | 67.2 | (6.6) |
| Dental (percentage) | --- | --- | --- | --- | * | * | 54.3 | (6.8) |
| Podiatrist (percentage) | --- | --- | --- | --- | * | * | * | * |
| **Practices** | | | | | | | | |
| Depression screening (percentage) | † | (†) | --- | --- | --- | --- | † | (†) |
| **Special care** | | | | | | | | |
| Serves only residents with dementia or having a dementia special care unit (percentage) | --- | --- | --- | --- | 35.9 | (7.7) | 33.9 | (6.6) |

Table 51. Providers and Users of Long-Term Care Services in Wyoming, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| **Service users** | | | | | | | | |
| Number of users[2] | 3,800 | (1,000) | 1,200 | (400) | 2,400 | (400) | 600 | (100) |
| Age in years (percent distribution): | | | | | | | | |
| Under 65 | 14.4 | (1.3) | 5.8 | (0.5) | 9.7 | (1.2) | 2.0 | (0.6) |
| 65 and over | 85.6 | (1.3) | 94.2 | (0.5) | 90.3 | (1.2) | 98.0 | (0.6) |
| 65–74 | 25.7 | (1.1) | 23.5 | (1.1) | 14.3 | (0.9) | 6.1 | (1.0) |
| 75–84 | 31.1 | (1.1) | 31.5 | (1.1) | 29.0 | (1.1) | 30.7 | (3.3) |
| 85 and over | 28.8 | (1.4) | 39.3 | (1.6) | 47.0 | (2.1) | 61.2 | (3.4) |
| Sex (percent distribution): | | | | | | | | |
| Men | 36.6 | (0.9) | 44.9 | (1.7) | 30.2 | (1.3) | 25.4 | (1.1) |
| Women | 63.4 | (0.9) | 55.1 | (1.7) | 69.8 | (1.3) | 74.6 | (1.1) |
| Race and ethnicity (percent distribution): | | | | | | | | |
| Hispanic | 4.1 | (0.6) | 2.5 | (0.9) | 3.2 | (0.7) | 0.7 | (0.2) |
| Non-Hispanic white | 92.7 | (1.0) | 94.1 | (1.6) | 92.0 | (1.5) | 90.6 | (3.9) |
| Non-Hispanic black | 0.6 | (0.2) | 0.2 | (0.2) | 0.8 | (0.3) | 0.2 | (0.1) |
| Non-Hispanic other | 2.6 | (0.8) | 3.1 | (1.3) | 4.0 | (1.5) | 8.5 | (3.9) |
| Used Medicaid for long-term care services (percent distribution) | 8.0 | (1.6) | --- | --- | 61.0 | (1.9) | 13.5 | (2.0) |
| Conditions (percentage): | | | | | | | | |
| Diagnosed with Alzheimer's disease or other dementias | 25.3 | (1.4) | 34.7 | (2.3) | 52.8 | (1.8) | 37.4 | (4.3) |
| Diagnosed with depression | 34.9 | (1.3) | 25.3 | (1.8) | 51.7 | (1.9) | 29.0 | (4.7) |
| Diagnosed with diabetes | 34.0 | (0.9) | 24.4 | (1.3) | 27.0 | (1.3) | 11.4 | (1.2) |
| Need assistance in physical functioning (percentage): | | | | | | | | |
| Eating | 44.4 | (5.6) | --- | --- | 51.0 | (5.6) | 8.7 | (1.6) |
| Bathing | 94.2 | (1.1) | --- | --- | 97.4 | (0.6) | 50.1 | (3.3) |
| Dressing | 80.2 | (3.6) | --- | --- | 87.7 | (1.8) | 30.8 | (2.7) |
| Toileting | 59.6 | (5.8) | --- | --- | 83.4 | (2.4) | 11.3 | (2.3) |
| Transferring in and out of a chair or bed | 81.7 | (3.5) | --- | --- | 77.4 | (3.0) | 10.1 | (3.3) |
| Walking | 92.0 | (1.4) | --- | --- | 88.0 | (1.9) | 10.5 | (3.9) |
| Adverse events (percentage): | | | | | | | | |

Table 51. Providers and Users of Long-Term Care Services in Wyoming, by Sector and Selected Characteristics, 2013 - 2014.

| Selected characteristic | Home health agency | | Hospice | | Nursing home | | Residential care community | |
|---|---|---|---|---|---|---|---|---|
| Overnight hospital stay | 14.3 | (1.1) | --- | --- | --- | --- | 9.3 | (1.3) |
| Emergency department visit | 17.0 | (1.3) | --- | --- | --- | --- | 11.8 | (1.2) |
| Falls | 0.7 | (0.1) | --- | --- | 25.8 | (1.5) | 27.6 | (3.3) |

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.
… Category not applicable.
--- Data not available.

*Estimate is not presented because estimate does not meet the standard of reliability or precision (the sample size is less than 30) or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

[1]Number of providers is rounded to the nearest 10 if less than 100, and to the nearest 100 if more than 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[2]Number of beds or licensed maximum capacity and number of users are rounded to the nearest 100. This rounding scheme may exaggerate differences between 2012 and 2014, particularly if an estimate is less than 1,000.

[3]For nursing homes and residential care communities, number of people served daily is based on current users on any given day in 2014 and is grouped into one of three categories: 1–25, 26–100, and 101 or more. For home health agencies and hospices, number of people served annually is based on number of patients in 2013 and is grouped into one of three categories: 1–100, 101–300, and 301 or more. Home health patients are patients who received and ended care anytime in 2013. Hospice patients are patients who received care anytime in 2013.

[4] FTE is full time equivalent.

NOTES: Estimates may not add to 100 because of rounding; estimates are based on the unrounded numbers. Cases with missing data were excluded on a variable-by-variable basis, if the cases with missing data were 10% or less of the weighted total. For variables where cases with missing data were more than 10% of the weighted total, the percent of cases with missing data is presented as a separate category.

Estimates for adult day services centers are not presented because these estimates do not meet reliability or confidentiality standards.

The methodology used to compute the tables is described in Appendix A of the Long-Term Care Providers and Services Users in the United States: Data From the National Study of Long-Term Care Providers, 2013-2014. (available from: http://www.cdc.gov/nchs/data/series/sr_03/sr03_038.pdf).

For each characteristic in the table, percent distribution indicates that the categories presented are intended to total to 100%; while percentage indicates that the category presented represents a part of a whole that can be expressed in hundredths.

SOURCE: NCHS, National Study of Long-Term Care Providers, 2014.