

Table 1: State estimates for NCHS Data Brief No. 170, Operating Characteristics of Residential Care Communities by Community Bed Size: United States, 2012

State	4-25 beds	More than 25 beds	Chain-affiliated	For-profit ownership	In operation for 10 or more years
All RCCs ¹	57	43	59	78	61
Alabama	43	57	63	75	82
Alaska	92	8	45	82	32
Arizona	81	*	45	93	46
Arkansas	34	66	45	81	71
California	76	24	68	88	49
Colorado	62	38	64	80	55
Connecticut	44	56	29	53	†
Delaware	*	90	74	48	68
D.C.	*	72	54	*	†
Florida	65	35	47	90	46
Georgia	68	*	52	88	60
Hawaii	91	*	*	73	69
Idaho	57	43	72	93	58
Illinois	*	77	70	59	60
Indiana	6	94	74	66	71
Iowa	39	61	28	30	†
Kansas	41	59	64	72	64
Kentucky	24	76	58	55	79
Louisiana	32	68	62	85	64
Maine	51	49	59	62	77
Maryland	76	*	64	79	56
Massachusetts	18	82	52	62	87
Michigan	71	*	57	69	64
Minnesota	53	47	63	68	48
Mississippi	36	64	54	80	62
Missouri	30	70	60	63	84
Montana	74	26	46	77	53
Nebraska	40	60	59	52	81
Nevada	73	27	62	95	43
New Hampshire	48	52	32	63	77
New Jersey	6	94	60	59	77
New Mexico	65	35	54	82	68
New York	*	87	48	54	84
North Carolina	52	48	66	89	71
North Dakota	34	66	56	32	66
Ohio	*	86	74	68	79
Oklahoma	23	77	61	79	65
Oregon	57	43	48	85	75
Pennsylvania	*	77	61	61	84
Rhode Island	*	88	67	69	75
South Carolina	*	67	64	81	88
South Dakota	59	41	63	51	75
Tennessee	21	79	66	78	75
Texas	47	53	66	79	60
Utah	48	52	59	†	61
Vermont	51	49	34	53	74
Virginia	*	78	57	64	74
Washington State	78	22	51	†	52
West Virginia	59	41	28	87	83
Wisconsin	67	33	72	71	58
Wyoming	35	65	50	80	67

See footnotes at end of table.

Table 1: State estimates for NCHS Data Brief No. 170, Operating Characteristics of Residential Care Communities by Community Bed Size: United States, 2012 (cont.)

State	Exclusively served residents with dementia or had a dementia special care unit	Screened for cognitive impairment	Provided Alzheimer's disease or other dementias programs	Screened for depression	Provided depression disease-specific programs
	Percent				
All RCCs ¹	26	68	68	19	57
Alabama	43	92	58	44	56
Alaska	21	39	60	14	49
Arizona	*	53	69	*	61
Arkansas	13	52	28	*	26
California	21	66	75	*	59
Colorado	*	73	66	*	58
Connecticut	*	25	25	*	36
Delaware	64	83	†	28	78
D.C.	*	†	72	*	72
Florida	27	62	59	*	44
Georgia	*	57	71	*	46
Hawaii	*	55	73	*	71
Idaho	30	72	75	8	60
Illinois	45	80	68	31	50
Indiana	35	87	76	48	67
Iowa	15	51	59	26	67
Kansas	19	89	65	36	59
Kentucky	20	64	61	27	55
Louisiana	37	71	66	*	31
Maine	20	56	56	19	51
Maryland	*	81	66	*	54
Massachusetts	40	70	66	12	47
Michigan	37	56	67	*	60
Minnesota	32	79	68	34	58
Mississippi	24	44	68	*	57
Missouri	*	66	59	*	58
Montana	21	78	70	23	65
Nebraska	21	77	56	28	50
Nevada	33	72	51	7	47
New Hampshire	23	79	54	20	47
New Jersey	55	90	81	42	73
New Mexico	32	61	72	8	48
New York	29	47	55	*	41
North Carolina	*	54	58	*	51
North Dakota	22	68	52	35	46
Ohio	35	75	68	30	56
Oklahoma	30	80	60	22	55
Oregon	*	74	71	*	69
Pennsylvania	23	69	67	*	54
Rhode Island	52	†	69	16	50
South Carolina	*	63	66	*	49
South Dakota	15	86	52	38	49
Tennessee	39	74	78	23	61
Texas	*	74	76	*	65
Utah	35	66	70	8	53
Vermont	27	57	67	21	59
Virginia	45	80	78	*	59
Washington State	28	82	82	30	73
West Virginia	17	43	72	14	61
Wisconsin	22	65	58	*	50
Wyoming	*	80	58	*	42

See footnotes at end of table.

Table 1: State estimates for NCHS Data Brief No. 170, Operating Characteristics of Residential Care Communities by Community Bed Size: United States, 2012 (cont.)

State	Provided therapeutic services	Provided hospice services	Provided skilled nursing services	Provided mental health services	Provided dental services
	Percent				
All RCCs ¹	89	89	76	78	67
Alabama	92	93	75	70	58
Alaska	79	74	77	62	69
Arizona	90	†	83	80	69
Arkansas	85	76	65	80	60
California	84	91	65	65	59
Colorado	†	91	83	81	71
Connecticut	81	58	68	81	70
Delaware	79	85	58	79	64
D.C.	†	72	63	†	72
Florida	87	87	83	77	62
Georgia	80	73	70	68	56
Hawaii	75	62	67	60	66
Idaho	93	92	81	81	58
Illinois	95	94	62	72	71
Indiana	93	96	70	92	86
Iowa	†	†	67	†	88
Kansas	89	91	77	75	69
Kentucky	91	83	66	84	78
Louisiana	78	83	72	74	60
Maine	89	92	71	89	78
Maryland	92	89	81	87	66
Massachusetts	91	87	80	83	66
Michigan	87	95	75	81	79
Minnesota	89	93	82	85	66
Mississippi	92	88	73	73	61
Missouri	91	86	56	80	72
Montana	92	95	83	66	59
Nebraska	92	91	66	75	73
Nevada	83	91	69	66	66
New Hampshire	†	90	75	79	56
New Jersey	†	†	80	†	90
New Mexico	94	†	79	77	61
New York	94	80	78	85	67
North Carolina	87	81	75	82	74
North Dakota	86	78	65	79	72
Ohio	†	96	89	92	74
Oklahoma	90	83	62	64	58
Oregon	†	93	83	87	61
Pennsylvania	92	93	67	84	73
Rhode Island	†	82	81	†	67
South Carolina	88	91	75	77	71
South Dakota	86	55	70	63	51
Tennessee	94	87	69	83	57
Texas	95	88	88	80	73
Utah	†	†	94	80	79
Vermont	92	91	79	86	64
Virginia	†	95	74	93	68
Washington State	86	92	87	82	68
West Virginia	†	†	87	72	65
Wisconsin	83	88	74	72	64
Wyoming	83	89	88	72	50

*Estimate is not presented because estimate does not meet NCHS standards of reliability or precision or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹ RCC is residential care community

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012

Table 2: Standard errors for state estimates for NCHS Data Brief No. 170, Operating Characteristics of Residential Care Communities by Community Bed Size: United States, 2012

State	4-25 beds	More than 25 beds	Chain-affiliated Standard Error	For-profit ownership	In operation for 10 or more years
All RCCs ¹	0.23	0.23	1.00	0.70	1.00
Alabama	1.42	1.42	3.21	2.83	2.51
Alaska	1.21	1.21	3.53	2.37	2.95
Arizona	0.63	*	5.73	2.76	5.46
Arkansas	1.30	1.30	3.18	2.46	2.89
California	0.01	0.01	3.65	2.18	3.81
Colorado	0.74	0.74	3.71	3.19	3.94
Connecticut	2.20	2.20	4.05	4.43	†
Delaware	*	0.29	6.81	6.68	7.33
D.C.	*	1.68	7.42	*	†
Florida	0.03	0.03	4.57	2.60	4.71
Georgia	0.89	*	5.02	3.55	4.82
Hawaii	0.08	*	*	3.78	4.27
Idaho	0.91	0.91	2.80	1.61	3.17
Illinois	*	1.87	3.88	4.08	4.19
Indiana	0.65	0.65	2.32	2.41	2.38
Iowa	1.51	1.51	3.07	3.33	†
Kansas	0.80	0.80	1.63	1.60	1.74
Kentucky	2.37	2.37	3.60	3.83	3.02
Louisiana	0.86	0.86	4.45	3.34	4.12
Maine	0.38	0.38	2.26	2.24	1.90
Maryland	2.06	*	5.06	4.64	4.90
Massachusetts	2.10	2.10	3.16	3.24	2.24
Michigan	2.53	*	6.88	6.36	6.54
Minnesota	2.84	2.84	4.19	3.58	3.95
Mississippi	2.25	2.25	3.66	3.13	3.93
Missouri	1.39	1.39	4.22	4.13	3.14
Montana	0.96	0.96	2.75	2.57	2.98
Nebraska	0.99	0.99	1.84	1.89	1.55
Nevada	1.08	1.08	3.36	†	3.63
New Hampshire	1.06	1.06	3.07	3.22	2.86
New Jersey	0.00	0.00	2.89	2.89	2.61
New Mexico	1.39	1.39	3.50	2.52	3.26
New York	*	0.79	4.00	3.94	2.99
North Carolina	0.39	0.39	4.77	3.49	5.00
North Dakota	1.87	1.87	2.87	2.42	2.74
Ohio	*	1.19	3.41	3.64	3.19
Oklahoma	0.21	0.21	3.19	2.87	3.25
Oregon	1.25	1.25	5.25	3.95	4.46
Pennsylvania	*	1.24	4.26	4.34	3.16
Rhode Island	*	2.45	4.82	4.90	4.88
South Carolina	*	0.25	4.30	3.53	2.98
South Dakota	0.89	0.89	2.24	2.41	2.07
Tennessee	0.86	0.86	1.95	1.80	1.90
Texas	1.69	1.69	4.07	4.25	4.70
Utah	0.63	0.63	2.88	†	3.12
Vermont	1.19	1.19	3.44	3.71	3.30
Virginia	*	1.27	4.17	4.33	3.86
Washington State	0.88	0.88	5.13	†	5.08
West Virginia	1.01	1.01	4.09	3.06	3.64
Wisconsin	1.92	1.92	4.27	4.09	4.69
Wyoming	0.66	0.66	4.59	3.92	4.54

See footnotes at end of table.

Table 2: Standard errors for state estimates for NCHS Data Brief No. 170, Operating Characteristics of Residential Care Communities by Community Bed Size: United States, 2012 (cont.)

State	Exclusively serves dementia or has a dementia special care unit	Screened for cognitive impairment	Provided Alzheimer's disease or other dementias programs	Screened for depression	Provided depression programs
	Standard Error				
All RCCs ¹	0.83	1.03	0.98	0.80	1.06
Alabama	3.24	1.74	3.29	3.32	3.30
Alaska	2.63	3.38	3.50	2.52	3.60
Arizona	*	6.20	5.57	*	5.74
Arkansas	2.11	3.31	2.97	*	2.90
California	2.76	3.89	3.41	*	3.93
Colorado	*	3.68	3.82	*	4.08
Connecticut	*	3.48	3.87	*	4.31
Delaware	6.47	3.91	†	6.68	7.00
D.C.	*	†	9.76	*	9.76
Florida	4.01	5.21	5.14	*	5.29
Georgia	*	5.74	4.96	*	5.79
Hawaii	*	4.74	4.21	*	4.29
Idaho	2.99	2.81	2.82	1.76	3.18
Illinois	4.07	3.54	3.92	4.03	4.28
Indiana	2.49	1.82	2.29	2.63	2.48
Iowa	2.60	3.46	3.44	3.01	3.20
Kansas	1.45	1.18	1.73	1.78	1.84
Kentucky	3.08	3.74	3.78	3.40	3.87
Louisiana	4.40	4.13	4.19	*	4.43
Maine	1.84	2.27	2.24	1.75	2.25
Maryland	*	4.58	5.48	*	5.73
Massachusetts	3.06	3.12	3.12	2.07	3.35
Michigan	5.71	7.41	6.72	*	6.99
Minnesota	3.99	3.40	4.09	4.18	4.10
Mississippi	3.36	4.13	3.72	*	4.00
Missouri	*	4.07	4.38	*	4.35
Montana	2.46	2.53	2.80	2.52	2.91
Nebraska	1.61	1.64	1.87	1.74	1.95
Nevada	3.42	3.32	3.67	1.83	3.81
New Hampshire	2.77	2.56	3.21	2.63	3.20
New Jersey	2.85	1.85	2.39	3.15	2.72
New Mexico	3.34	3.53	3.17	1.95	3.55
New York	3.59	4.15	4.12	*	4.04
North Carolina	*	5.49	4.51	*	5.64
North Dakota	2.35	2.73	2.90	2.66	2.83
Ohio	3.61	3.49	3.64	3.66	3.89
Oklahoma	3.21	2.69	3.19	3.06	3.67
Oregon	*	5.08	5.02	*	5.16
Pennsylvania	3.19	4.20	4.19	*	4.49
Rhode Island	4.97	†	4.55	3.86	5.34
South Carolina	*	4.40	4.13	*	4.50
South Dakota	1.56	1.60	2.33	2.30	2.38
Tennessee	1.95	1.83	1.78	1.86	2.14
Texas	*	4.52	4.23	*	4.68
Utah	2.62	2.82	2.95	1.80	3.17
Vermont	3.41	3.66	3.57	3.07	3.53
Virginia	4.05	3.74	3.74	*	4.48
Washington State	4.53	4.20	4.19	4.90	4.84
West Virginia	3.60	4.66	4.19	3.26	4.61
Wisconsin	3.44	4.71	4.62	*	4.77
Wyoming	*	3.69	4.95	*	5.03

See footnotes at end of table.

Table 2: Standard errors for state estimates for NCHS Data Brief No. 170, Operating Characteristics of Residential Care Communities by Community Bed Size: United States, 2012 (cont.)

State	Provided therapeutic services	Provided hospice services	Provided skilled nursing services	Provided mental health services	Provided dental services
	Standard Errors				
All RCCs ¹	0.75	0.65	0.90	0.93	1.02
Alabama	1.79	1.65	2.87	3.04	3.26
Alaska	2.90	3.10	2.99	3.45	3.29
Arizona	3.65	†	4.60	4.84	5.61
Arkansas	2.33	2.79	3.10	2.60	3.16
California	3.00	2.34	3.81	3.81	3.89
Colorado	†	2.30	3.15	3.26	3.78
Connecticut	3.59	4.24	4.08	3.50	4.03
Delaware	6.31	5.60	8.14	6.08	7.95
D.C.	†	1.68	11.62	†	9.24
Florida	3.81	3.72	4.00	4.57	5.13
Georgia	4.74	5.17	5.24	5.36	5.76
Hawaii	3.96	4.53	4.45	4.69	4.49
Idaho	1.60	1.75	2.54	2.49	3.17
Illinois	1.80	1.76	4.12	3.79	3.71
Indiana	1.41	1.11	2.44	1.39	1.83
Iowa	†	†	3.45	†	2.42
Kansas	1.16	1.08	1.50	1.61	1.72
Kentucky	2.11	2.80	3.73	2.84	2.98
Louisiana	3.74	3.25	4.24	4.08	4.50
Maine	1.37	1.30	2.08	1.40	1.85
Maryland	3.18	3.53	4.41	3.85	5.31
Massachusetts	1.87	2.27	2.64	2.47	3.07
Michigan	4.97	1.86	6.18	5.76	4.65
Minnesota	2.70	2.30	3.41	3.05	4.20
Mississippi	2.16	2.64	3.56	3.57	3.92
Missouri	2.39	2.93	4.38	3.44	3.88
Montana	1.65	1.26	2.11	2.84	2.93
Nebraska	1.11	1.14	1.87	1.70	1.74
Nevada	2.77	2.17	3.57	3.58	3.61
New Hampshire	†	1.82	2.99	2.64	3.30
New Jersey	†	†	2.47	†	1.82
New Mexico	1.62	†	2.89	3.06	3.54
New York	1.89	3.13	3.28	2.84	3.65
North Carolina	3.71	3.87	4.86	4.27	4.94
North Dakota	2.01	2.39	2.80	2.38	2.59
Ohio	†	1.60	2.37	2.10	3.44
Oklahoma	2.17	2.60	3.60	3.52	3.60
Oregon	†	2.64	3.94	3.58	5.29
Pennsylvania	2.60	2.14	4.21	3.32	3.97
Rhode Island	†	3.43	4.26	†	5.04
South Carolina	2.85	2.44	3.93	3.78	4.17
South Dakota	1.62	2.33	2.18	2.27	2.34
Tennessee	1.05	1.42	2.02	1.56	2.16
Texas	2.20	3.10	3.27	3.99	4.51
Utah	†	†	1.45	2.53	2.60
Vermont	2.08	2.00	3.05	2.62	3.56
Virginia	†	1.94	3.97	2.26	4.17
Washington State	3.70	3.08	3.21	4.08	4.96
West Virginia	†	†	3.23	4.14	4.38
Wisconsin	3.61	3.28	4.16	4.32	4.54
Wyoming	3.69	3.00	3.19	4.27	4.96

*Estimate is not presented because estimate does not meet NCHS standards of reliability or precision or does not meet NCHS confidentiality standards.

†Percentage is 90% or higher but estimate is not displayed as it may pose a disclosure risk.

¹RCC is residential care community

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2012