2014 National Study of Long-Term Care Providers
Web Tables of State Estimates about Residential Care Community Residents
Supplement to:

Sengupta, M., Harris-Kojetin L, and Caffrey C. Variation in Residential Care Community Resident Characteristics, by Size of Community: United States, 2014. NCHS data brief no 223. Hyattsville, MD: National Center for Health Statistics. 2015.
http://www.cdc.gov/nchs/data/databriefs/db223.htm

About the 2014 State Estimate Web Tables Supplement to Data Brief 223

The Long-Term Care Statistics Branch is pleased to release residential care community resident-specific state estimate web tables, using data from the second wave of the National Study of Long-Term Care Providers (NSLTCP) conducted in 2014 by the National Center for Health Statistics (NCHS).

These residential care community resident-specific state web tables complement Data Brief #223. Table 1 provides state estimates of the characteristics presented in Data Brief #223 and Table 2 provides the standard errors for those estimates.

Estimates are presented as percentages. Data are presented in the state web tables only if they meet NCHS' confidentiality and reliability standards. Footnotes are included in the state web tables to indicate if estimates do not meet NCHS' confidentiality or reliability standards. The data sources and methodology used to develop the state web tables are the same as that used for *NCHS Data Brief #223*. For more information on the data source and methodology, please see the "Data source and methods" section in Data Brief #223.

About NSLTCP

NSLTCP provides reliable, accurate, relevant and timely statistical information to support and inform long-term care services policy, research, and practice. The main goals of NSLTCP are to: (1) estimate the supply, provision and use of paid, regulated long-term care services in five major sectors; (2) estimate key policy-relevant characteristics of providers and service users, and provider practices; (3) produce national and state-level estimates, where feasible; (4) compare estimates among sectors; and (5) monitor trends over time. **Information on NSLTCP and additional products is available at: http://www.cdc.gov/nchs/nsltcp.htm**.

NSLTCP comprises two components: (1) survey data collected by NCHS on assisted living and similar residential care communities and residents, and adult day services centers and participants; and (2) administrative data on nursing homes and residents, home health agencies and patients, and hospices and patients obtained from the Centers for Medicare & Medicaid Services. The restricted 2014 survey data files for the residential care community and adult day services center sectors are available through NCHS' Research Data Center (http://www.cdc.gov/nchs/nsltcp/nsltcp_rdc.htm).

The residential care community survey was conducted between June 2014 and January 2015. NSLTCP uses a multi-mode survey protocol with mail, web, and computer-assisted telephone follow-up for nonresponse. The questionnaires included survey items on provider characteristics such as ownership, size, number of years in operation, services offered, selected practices, and staffing in addition to aggregate service user characteristics, such as age, sex, race, and the number of residents needing assistance with activities of daily living. Survey data were collected by RTI International under contract to NCHS. The 2014 residential care community mail questionnaire and survey documentation are available at: http://www.cdc.gov/nchs/nsltcp/nsltcp_questionnaires.htm.

The residential care community sampling frame was constructed from lists of licensed residential care communities acquired from the licensing agencies in each of the 50 states and the District of Columbia. A sample of 11,618 residential care communities was selected from the sampling frame of 40,583 communities. Of the 9,232 in-scope and presumed in-scope residential care communities, 5,035 of them completed the survey questionnaire, for a weighted response rate (for differential probabilities of selection) of 49.6% (this is calculated by using AAPOR's Response Rate 4).

If you have any questions, please contact the Long-Term Care Statistics Branch at ltcsbfeedback@cdc.gov or (301) 458-4747.

Table 1: State estimates for NCHS Data Brief No. 223, Characteristics of Residents Living in Residential Care Communities by Community Bed Size: United States, 2014

State	Under 65 years of age	65-74 years of age	75-84 years of age	85 years and over	Female	Non-Hispanic white
	Percent					
All RCC residents[1]	7	10	30	53	70	84
Alabama	2	8	35	54	74	94
Alaska	14	18	31	38	64	74
Arizona	7	11	33	49	69	86
Arkansas	13	14	29	44	68	93
California	4	12	30	53	70	71
Colorado	8	10	25	57	70	81
Connecticut	33	16	18	34	64	72
Delaware	4	8	40	48	64	94
D.C.	1	9	37	52	76	54
Florida	4	9	31	55	71	76
Georgia	6	11	31	52	73	88
Hawaii	*5	8	22	65	68	21
Idaho	6	12	29	53	72	82
Illinois	3	8	30	59	74	92
Indiana	4	11	31	55	69	89
Iowa	23	14	18	45	61	96
Kansas	5	11	34	50	75	97
Kentucky	11	11	29	49	73	87
Louisiana	4	7	36	54	75	93
Maine	6	14	31	49	70	94
Maryland	5	8	33	54	72	79
Massachusetts	5	10	26	59	74	85
Michigan	11	9	29	51	69	88
Minnesota	6	8	27	58	71	86
Mississippi	11	10	37	42	72	89
Missouri	18	13	26	43	69	87
Montana	6	11	29	53	73	79
Nebraska	5	9	33	53	72	90
Nevada	5	11	28	56	71	84
New Hampshire	5	7	34	54	72	87
New Jersey	2	7	27	64	75	88
New Mexico	5	13	33	49	70	70
New York	13	12	26	49	63	92
North Carolina	18	15	30	37	68	79
North Dakota	5	9	32	54	71	85
Ohio	3	9	33	55	73	89
Oklahoma	2	7	35	57	74	87
Oregon	7	11	27	55	68	82
Pennsylvania	8	9	26	57	69	96
Rhode Island	3	7	37	52	72	80
South Carolina	10	13	34	43	69	88
South Dakota	5	8	25	62	71	95
Tennessee	3	8	35	54	75	93
Texas	6	12	28	55	72	89
Utah	7	9	36	48	71	87
Vermont	6	11	31	52	74	90
Virginia	13	10	32	44	68	83
Washington State	9	10	30	52	68	81
West Virginia	3	6	31	60	74	97
Wisconsin	14	12	29	44	68	94
Wyoming	2	6	31	61	75	91

See footnotes at end of table.

Table 1: State estimates for NCHS Data Brief No. 223, Characteristics of Residents Living in Residential Care Communities by Community Bed Size: United States, 2014

State	Long-term care in the past 30 days was paid by Medicaid	Diagnosed with Alzheimer's disease or other dementias	Diagnosed with depression	Diagnosed with cardiovascular disease	Diagnosed with diabetes
	Percent				
All RCC residents[1]	15	40	23	46	17
Alabama	4	42	26	52	19
Alaska	43	46	21	30	18
Arizona	16	46	24	47	16
Arkansas	27	38	24	49	17
California	3	40	20	39	14
Colorado	21	43	28	50	15
Connecticut	79	22	30	35	24
Delaware	12	43	28	52	17
D.C.	7	38	18	31	11
Florida	14	40	16	46	15
Georgia	11	42	15	39	16
Hawaii	*9	39	11	28	15
Idaho	28	46	29	40	15
Illinois	*8	38	21	51	18
Indiana	13	38	29	50	19
Iowa	28	18	24	40	16
Kansas	23	43	32	52	19
Kentucky	19	31	22	42	16
Louisiana	0	25	17	52	16
Maine	56	41	37	57	25
Maryland	5	53	26	53	17
Massachusetts	17	39	20	45	14
Michigan	11	49	29	46	16
Minnesota	20	39	28	47	14
Mississippi	11	35	19	53	16
Missouri	27	29	28	47	20
Montana	16	36	20	37	15
Nebraska	24	34	24	47	18
Nevada	12	40	19	37	12
New Hampshire	17	45	34	51	17
New Jersey	17	38	23	51	18
New Mexico	6	38	28	51	13
New York	15	29	15	48	15
North Carolina	44	40	23	41	22
North Dakota	24	29	31	53	20
Ohio	14	45	29	49	18
Oklahoma	6	43	27	54	15
Oregon	40	47	26	43	18
Pennsylvania	*5	37	27	54	22
Rhode Island	13	36	17	47	13
South Carolina	14	36	19	37	15
South Dakota	24	28	27	44	17
Tennessee	5	45	20	50	16
Texas	*4	44	18	49	16
Utah	17	30	15	31	17
Vermont	39	37	33	52	16
Virginia	*10	38	30	51	19
Washington State	23	34	22	33	15
West Virginia	2	46	29	51	21
Wisconsin	21	38	30	47	19
Wyoming	13	37	29	33	11

See footnotes at end of table.

Table 1: State estimates for NCHS Data Brief No. 223, Characteristics of Residents Living in Residential Care Communities by Community Bed Size: United States, 2014

State	Needed assistance with bathing	Needed assistance with walking	Needed assistance with dressing	Needed assistance with toileting	Needed assistance with transferring to and from a bed	Needed assistance with eating
	Percent					
All RCC residents[1]	62	29	47	39	30	20
Alabama	63	35	50	33	24	17
Alaska	70	42	59	57	40	45
Arizona	67	33	56	47	38	25
Arkansas	52	18	31	21	13	11
California	69	38	57	51	38	24
Colorado	63	23	47	32	19	18
Connecticut	38	19	13	12	9	8
Delaware	50	15	37	32	21	19
D.C.	69	26	61	38	29	21
Florida	62	36	49	41	33	17
Georgia	56	16	41	32	19	12
Hawaii	48	33	36	36	32	19
Idaho	69	29	54	47	39	23
Illinois	59	31	46	39	36	21
Indiana	48	22	37	26	25	14
Iowa	60	7	16	10	7	4
Kansas	68	32	52	45	35	25
Kentucky	54	27	39	29	25	17
Louisiana	36	19	31	21	17	10
Maine	74	26	51	42	24	24
Maryland	68	36	53	47	35	29
Massachusetts	61	18	45	27	15	13
Michigan	73	36	58	54	44	32
Minnesota	60	26	43	37	26	24
Mississippi	60	29	48	36	28	15
Missouri	53	12	27	17	*7	9
Montana	60	28	42	31	26	19
Nebraska	68	21	36	25	20	14
Nevada	64	34	48	42	33	19
New Hampshire	56	17	38	30	19	15
New Jersey	61	33	51	38	30	18
New Mexico	71	36	52	50	43	22
New York	60	11	37	25	10	9
North Carolina	73	34	57	53	34	24
North Dakota	62	17	37	19	15	9
Ohio	62	29	48	41	36	18
Oklahoma	54	26	38	32	23	14
Oregon	63	30	51	47	38	30
Pennsylvania	59	28	45	36	27	21
Rhode Island	53	16	37	21	14	11
South Carolina	53	18	40	32	22	15
South Dakota	57	16	27	15	13	9
Tennessee	60	17	46	33	18	15
Texas	63	30	49	42	32	19
Utah	52	21	37	31	23	12
Vermont	72	27	45	34	21	21
Virginia	64	37	49	42	33	13
Washington State	55	32	42	36	29	21
West Virginia	76	39	57	49	39	24
Wisconsin	69	23	46	36	30	20
Wyoming	50	10	31	11	10	9

See footnotes at end of table.

Table 1: State estimates for NCHS Data Brief No. 223, Characteristics of Residents Living in Residential Care Communities by Community Bed Size: United States, 2014

State	Had a hospital emergency department visit in the last 90 days	Discharged from overnight hospital stay in last 90 days	Had any falls in the last 90 days
	Percent		
All RCC residents[1]	12	8	21
Alabama	11	9	24
Alaska	14	10	19
Arizona	12	8	24
Arkansas	13	9	20
California	13	7	13
Colorado	12	8	22
Connecticut	16	11	10
Delaware	15	9	34
D.C.	14	10	15
Florida	13	7	17
Georgia	13	8	24
Hawaii	10	8	14
Idaho	10	7	29
Illinois	9	9	25
Indiana	11	8	26
Iowa	5	6	16
Kansas	11	11	27
Kentucky	11	9	18
Louisiana	10	7	18
Maine	13	8	28
Maryland	15	11	26
Massachusetts	16	12	25
Michigan	13	7	21
Minnesota	10	9	18
Mississippi	11	10	15
Missouri	10	8	17
Montana	10	6	23
Nebraska	9	8	21
Nevada	10	7	13
New Hampshire	10	8	20
New Jersey	13	10	33
New Mexico	13	9	22
New York	17	10	22
North Carolina	15	8	23
North Dakota	10	10	22
Ohio	14	12	30
Oklahoma	13	10	28
Oregon	11	7	23
Pennsylvania	14	10	27
Rhode Island	19	11	26
South Carolina	13	6	20
South Dakota	9	9	18
Tennessee	14	11	26
Texas	9	8	22
Utah	9	6	23
Vermont	12	8	19
Virginia	11	8	19
Washington State	11	7	16
West Virginia	14	8	24
Wisconsin	11	7	17
Wyoming	12	9	28

[1] RCC is residential care community

* Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

NOTE: Estimates for age may not add to 100 because of rounding; estimates are based on the unrounded numbers.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2014

Table 2: Standard errors for state estimates for NCHS Data Brief No. 171, Characteristics of Residents Living in Residential Care Communities by Community Bed Size: United States, 2012

State	Under 65 years of age	65-74 years of age	75-84 years of age	85 years and over	Female	Non-Hispanic white
	Standard Error					
All RCC residents[1]	0.31	0.29	0.47	0.60	0.34	0.68
Alabama	0.28	0.85	1.59	1.87	1.44	0.74
Alaska	2.79	2.64	2.34	5.55	3.18	2.57
Arizona	1.96	1.84	2.97	3.82	1.65	3.17
Arkansas	2.09	1.03	1.13	1.59	1.19	0.81
California	0.63	1.18	1.73	2.30	1.16	3.03
Colorado	1.67	1.33	2.55	3.16	1.15	4.25
Connecticut	4.39	1.55	1.97	4.21	2.67	5.71
Delaware	1.22	1.54	4.48	4.87	4.17	1.10
D.C.	0.34	1.71	8.34	8.25	1.57	8.44
Florida	0.69	1.22	2.96	3.05	1.26	3.87
Georgia	0.86	1.16	2.46	3.08	1.32	1.86
Hawaii	*1.69	1.03	3.56	2.63	2.37	4.29
Idaho	0.90	1.75	1.68	2.41	0.92	3.30
Illinois	0.84	1.03	1.98	3.00	1.16	1.87
Indiana	0.64	0.95	0.83	1.53	0.94	1.87
Iowa	3.17	2.12	1.42	5.10	3.68	0.51
Kansas	1.12	1.55	1.86	2.88	1.13	0.52
Kentucky	1.54	0.84	1.65	2.02	0.84	3.25
Louisiana	0.62	0.53	1.90	1.78	0.71	1.63
Maine	0.60	0.80	1.10	1.33	1.18	1.73
Maryland	0.86	0.83	2.75	2.74	1.55	4.68
Massachusetts	0.86	0.83	1.16	1.70	0.81	2.50
Michigan	1.24	1.02	2.41	2.66	1.24	3.20
Minnesota	1.63	0.99	2.32	3.24	1.63	4.94
Mississippi	2.01	0.86	2.84	3.18	1.69	1.77
Missouri	2.63	1.45	2.17	3.28	1.57	4.02
Montana	0.75	1.26	1.77	2.35	1.00	4.63
Nebraska	0.78	0.54	1.32	1.51	0.91	1.42
Nevada	0.68	1.04	1.17	1.73	0.73	2.02
New Hampshire	0.70	0.51	2.69	2.88	1.59	3.11
New Jersey	0.43	0.52	1.28	1.65	0.91	1.82
New Mexico	0.72	1.93	1.44	2.91	1.26	3.49
New York	3.25	1.38	2.09	3.51	2.85	2.14
North Carolina	2.73	1.28	2.06	2.70	2.06	2.84
North Dakota	0.49	0.63	1.09	1.52	0.58	3.06
Ohio	0.50	1.32	1.99	2.55	0.99	2.63
Oklahoma	0.31	0.55	1.90	2.17	0.70	2.07
Oregon	1.00	1.36	2.08	2.79	1.57	4.09
Pennsylvania	1.82	0.97	1.69	2.48	2.65	0.94
Rhode Island	0.67	0.81	2.43	2.46	0.89	4.63
South Carolina	2.20	1.16	1.98	2.77	1.59	2.34
South Dakota	0.67	1.91	1.46	2.53	1.11	0.82
Tennessee	0.19	0.49	1.19	1.42	0.49	1.42
Texas	1.68	2.99	2.29	3.22	1.47	2.05
Utah	0.82	0.70	2.17	2.62	1.03	3.50
Vermont	0.89	1.09	1.30	2.07	0.81	2.82
Virginia	2.62	1.02	2.30	3.16	1.62	2.99
Washington State	2.42	1.36	2.67	3.63	2.07	4.75
West Virginia	0.60	0.72	2.76	2.89	1.28	0.65
Wisconsin	2.38	1.94	3.15	3.48	2.01	1.58
Wyoming	0.60	0.99	3.35	3.36	1.12	3.89

See footnotes at end of table.

Table 2: Standard errors for state estimates for NCHS Data Brief No. 171, Characteristics of Residents Living in Residential Care Communities by Community Bed Size: United States, 2012

State	Long-term care in the past 30 days was paid by Medicaid	Diagnosed with Alzheimer's disease or other dementias	Diagnosed with depression	Diagnosed with cardiovascular disease	Diagnosed with diabetes
	Standard Error				
All RCC residents[1]	0.47	0.72	0.53	0.72	0.33
Alabama	1.97	2.81	2.40	2.66	1.47
Alaska	4.80	3.73	2.37	3.30	1.86
Arizona	3.00	4.11	3.12	3.94	1.52
Arkansas	1.96	2.08	1.16	2.39	0.63
California	0.96	3.17	2.27	2.68	1.07
Colorado	3.25	3.97	3.64	3.95	1.75
Connecticut	4.04	3.31	2.76	3.50	1.81
Delaware	2.29	3.85	2.74	5.50	2.77
D.C.	2.90	8.41	5.54	2.96	2.09
Florida	1.82	3.68	1.78	3.39	1.45
Georgia	1.66	3.65	2.57	3.81	0.98
Hawaii	*2.79	5.99	2.65	5.29	3.83
Idaho	2.12	2.76	2.26	2.66	0.82
Illinois	*2.57	3.03	2.11	3.37	2.47
Indiana	1.71	1.87	1.80	2.25	1.15
Iowa	2.69	1.67	2.13	4.73	1.85
Kansas	2.47	3.18	2.92	3.29	1.80
Kentucky	2.21	1.86	1.65	2.61	1.01
Louisiana	0.00	2.46	1.63	2.60	1.41
Maine	2.79	1.67	1.62	2.23	1.01
Maryland	1.10	4.15	2.80	3.87	1.40
Massachusetts	1.81	1.78	1.33	2.51	0.97
Michigan	1.95	3.25	2.52	3.14	1.21
Minnesota	3.22	4.67	3.61	4.62	1.35
Mississippi	3.39	2.61	2.16	3.34	1.58
Missouri	3.38	3.64	2.36	4.21	1.68
Montana	2.49	2.66	1.61	2.03	1.32
Nebraska	1.65	1.83	1.75	2.07	0.89
Nevada	1.65	2.43	1.66	3.00	0.99
New Hampshire	1.49	2.89	2.17	3.08	1.04
New Jersey	1.36	1.33	1.79	2.23	1.47
New Mexico	0.92	2.73	3.03	3.20	1.46
New York	3.54	3.31	1.87	4.20	1.74
North Carolina	3.62	3.05	2.49	3.44	1.55
North Dakota	1.96	1.54	1.29	1.91	1.08
Ohio	2.11	2.73	2.57	3.27	1.30
Oklahoma	1.40	2.08	2.19	2.19	0.74
Oregon	3.41	4.22	3.23	4.54	2.15
Pennsylvania	*1.87	2.42	2.33	3.11	1.64
Rhode Island	1.83	2.56	1.42	3.70	1.08
South Carolina	3.30	4.21	2.97	5.04	1.09
South Dakota	2.84	1.36	2.37	3.15	1.06
Tennessee	0.65	1.36	1.31	1.76	0.74
Texas	*1.38	3.12	2.19	3.75	3.03
Utah	1.20	1.65	1.93	3.04	1.36
Vermont	2.56	2.36	1.92	2.49	0.72
Virginia	*3.12	3.08	2.93	3.46	1.86
Washington State	3.97	4.32	2.87	3.98	1.59
West Virginia	0.67	3.27	3.60	4.37	1.83
Wisconsin	3.46	3.61	4.00	3.12	1.62
Wyoming	1.98	4.27	4.67	4.93	1.20

See footnotes at end of table.

Table 2: Standard errors for state estimates for NCHS Data Brief No. 171, Characteristics of Residents Living in Residential Care Communities by Community Bed Size: United States, 2012

State	Needed assistance with bathing	Needed assistance with walking	Needed assistance with dressing	Needed assistance with toileting	Needed assistance with transferring to and from a bed	Needed assistance with eating
	Standard Error					
All RCC residents[1]	0.73	0.64	0.70	0.68	0.62	0.51
Alabama	2.35	3.22	2.66	3.09	2.71	2.43
Alaska	5.12	4.88	4.57	4.57	3.06	4.04
Arizona	4.09	3.75	4.19	3.86	2.90	2.80
Arkansas	2.31	1.75	2.13	2.03	1.40	1.72
California	2.23	2.26	2.55	2.46	2.13	1.87
Colorado	4.39	3.56	4.37	4.04	3.32	2.54
Connecticut	4.33	4.71	4.30	4.16	4.36	2.92
Delaware	3.65	2.43	4.50	3.90	3.16	4.13
D.C.	6.92	8.41	7.39	12.78	8.32	6.75
Florida	3.76	3.07	3.58	3.43	3.19	1.98
Georgia	3.50	3.13	3.34	3.19	2.22	1.73
Hawaii	6.72	4.34	4.06	4.86	3.86	2.60
Idaho	2.25	1.75	2.18	2.42	2.27	1.68
Illinois	4.07	3.79	3.80	3.85	3.49	2.60
Indiana	2.13	1.92	1.93	1.82	1.89	1.33
Iowa	4.91	0.81	1.51	1.29	1.12	0.53
Kansas	3.19	3.64	3.43	4.07	3.33	3.44
Kentucky	2.65	2.43	2.23	2.16	2.16	1.56
Louisiana	2.29	2.50	2.11	2.44	2.23	1.23
Maine	2.11	2.04	1.82	1.98	1.42	1.35
Maryland	5.06	4.34	4.18	4.34	4.21	4.53
Massachusetts	1.68	1.54	1.84	1.72	1.44	1.15
Michigan	2.64	2.98	2.35	2.93	2.91	2.88
Minnesota	4.00	3.82	4.02	4.14	3.73	2.86
Mississippi	3.44	3.90	4.40	3.47	4.41	2.46
Missouri	3.08	2.82	2.61	2.09	*2.10	1.76
Montana	2.38	3.27	2.93	2.34	3.11	1.59
Nebraska	2.18	1.91	1.66	1.68	1.48	1.24
Nevada	3.01	3.45	2.48	2.30	3.18	1.40
New Hampshire	2.11	1.22	2.23	2.51	1.93	1.42
New Jersey	1.76	1.66	1.80	1.52	1.60	1.09
New Mexico	3.01	2.80	2.22	2.98	2.96	2.18
New York	3.88	2.19	3.77	3.69	2.76	1.99
North Carolina	2.57	3.40	3.04	3.08	3.52	3.48
North Dakota	2.53	1.80	1.91	1.62	1.72	0.97
Ohio	3.36	3.29	3.15	3.49	3.54	2.58
Oklahoma	2.35	2.60	2.30	2.40	2.21	1.50
Oregon	4.14	2.78	3.79	3.78	3.46	3.73
Pennsylvania	4.47	3.63	4.02	3.66	3.25	3.08
Rhode Island	2.80	2.50	2.63	1.78	2.51	1.41
South Carolina	5.05	2.09	3.32	3.47	2.50	1.45
South Dakota	2.60	2.76	2.06	1.58	1.51	0.80
Tennessee	1.44	1.35	1.32	1.41	1.30	0.97
Texas	3.40	4.52	3.85	3.86	4.37	2.93
Utah	2.80	1.79	2.27	2.39	1.93	1.23
Vermont	1.93	2.56	2.23	2.25	2.34	2.32
Virginia	3.15	4.41	3.20	3.51	3.60	1.30
Washington State	4.28	3.19	3.51	3.23	2.79	2.38
West Virginia	3.59	4.16	3.66	3.39	3.61	3.02
Wisconsin	4.08	2.61	3.12	2.85	2.60	2.23
Wyoming	3.29	3.93	2.71	2.34	3.31	1.60

See footnotes at end of table.

Table 2: Standard errors for state estimates for NCHS Data Brief No. 171, Characteristics of Residents Living in Residential Care Communities by Community Bed Size: United States, 2012

State	Had a hospital emergency department visit in the last 90 days	Discharged from overnight hospital stay in last 90 days	Had any falls in the last 90 days
	Standard Error		
All RCC residents[1]	0.27	0.22	0.47
Alabama	1.12	0.71	1.78
Alaska	0.92	0.86	2.78
Arizona	1.74	1.19	2.66
Arkansas	0.67	0.53	1.13
California	1.06	0.60	1.21
Colorado	1.17	0.83	2.51
Connecticut	1.59	1.42	1.57
Delaware	1.80	1.08	4.24
D.C.	0.42	1.69	3.63
Florida	1.68	0.91	1.99
Georgia	1.60	1.07	2.89
Hawaii	2.26	0.80	2.27
Idaho	0.65	1.32	2.35
Illinois	0.89	1.67	2.76
Indiana	1.14	0.64	1.58
Iowa	0.68	0.53	1.64
Kansas	0.78	1.95	2.74
Kentucky	0.62	0.67	1.21
Louisiana	0.78	0.40	1.53
Maine	0.53	0.45	2.10
Maryland	1.42	1.01	5.14
Massachusetts	1.17	1.06	1.61
Michigan	1.07	0.82	2.18
Minnesota	1.17	1.57	1.83
Mississippi	1.04	0.91	1.31
Missouri	0.86	0.91	1.48
Montana	0.90	0.64	1.84
Nebraska	0.39	0.43	0.97
Nevada	1.01	0.52	1.46
New Hampshire	0.52	0.94	1.26
New Jersey	0.73	0.61	1.63
New Mexico	1.88	0.89	3.58
New York	1.99	1.04	2.76
North Carolina	1.21	0.77	3.13
North Dakota	0.91	0.75	1.12
Ohio	1.40	2.44	2.97
Oklahoma	0.82	1.35	2.10
Oregon	1.08	0.96	2.24
Pennsylvania	1.36	1.21	3.05
Rhode Island	1.65	1.34	2.59
South Carolina	1.04	0.69	2.74
South Dakota	0.70	0.65	1.22
Tennessee	0.62	0.67	1.32
Texas	0.93	1.25	2.79
Utah	0.65	0.39	2.05
Vermont	0.77	0.67	0.85
Virginia	1.26	0.83	2.22
Washington State	1.09	0.76	2.09
West Virginia	1.77	0.69	3.03
Wisconsin	1.09	0.82	2.47
Wyoming	1.37	1.56	3.91

[1] RCC is residential care community

* Estimates with an asterisk have a sample size greater than 30 but a relative standard error greater than 30%.

SOURCE: CDC/NCHS, National Study of Long-Term Care Providers, 2014