

Deaths: Final Data for 2009

Supplemental tables

Table I-1. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by race and sex: United States, 1999–2009

Table I-2. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2009

Table I-3. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by race and sex: United States, 1999–2009

Table I-4. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2009

Table I-5. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by race and sex: United States, 1999–2009

Table I-6. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2009

Table I-7. Number of deaths, death rates, and age-adjusted death rates for ages 15 and over, by marital status and sex: United States, 2009

Table I-8. Number of deaths, death rates, and age-adjusted death rates for ages 25–64, by educational attainment and sex: Total of 28 reporting states and the District of Columbia using the 2003 version of the U.S. Standard Certificate of Death and total of 20 reporting states using the 1989 version of the U.S. Standard Certificate of Death, 2009

Table I-9. Number of deaths, death rates, and age-adjusted death rates for injury at work for ages 15 and over, by race and sex: United States, 2009

Table I-10. Number of deaths, death rates, and age-adjusted death rates for injury at work, by race and sex: United States, 1993–2009

Table I-1. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by race and sex: United States, 1999–2009

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see "Technical Notes." Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years; see "Technical Notes." Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see "Technical Notes." A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10), Second Edition codes included in this table can be found in the note at the bottom of the table]

Year	All races			White ¹			Black ¹			American Indian or Alaska Native ^{1,2}			Asian or Pacific Islander ^{1,3}		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Number															
2009	31,347	26,921	4,426	23,163	19,623	3,540	7,455	6,700	755	291	241	50	438	357	81
2008	31,593	27,336	4,257	23,065	19,679	3,386	7,847	7,088	759	279	233	46	402	336	66
2007	31,224	27,047	4,177	22,296	19,020	3,276	8,242	7,430	812	246	213	33	440	384	56
2006	30,896	26,712	4,184	21,721	18,496	3,225	8,409	7,563	846	291	253	38	475	400	75
2005	30,694	26,657	4,037	21,958	18,788	3,170	7,984	7,226	758	305	264	41	447	379	68
2004	29,569	25,498	4,071	21,442	18,223	3,219	7,448	6,709	739	281	236	45	398	330	68
2003	30,136	26,124	4,012	21,763	18,647	3,116	7,659	6,882	777	269	229	40	445	366	79
2002	30,242	26,098	4,144	21,902	18,714	3,188	7,623	6,798	825	287	235	52	430	351	79
2001	29,573	25,480	4,093	21,760	18,527	3,233	7,184	6,438	746	240	196	44	389	319	70
2000	28,663	24,582	4,081	20,945	17,750	3,195	7,054	6,284	770	240	196	44	424	352	72
1999	28,874	24,700	4,174	21,143	17,942	3,201	7,017	6,184	833	268	228	40	446	346	100
Rate															
2009	10.2	17.8	2.8	9.4	16.0	2.8	18.2	34.2	3.5	8.3	13.8	2.9	2.8	4.7	1.0
2008	10.4	18.2	2.8	9.4	16.2	2.7	19.4	36.7	3.6	8.2	13.6	2.7	2.7	4.6	0.9
2007	10.4	18.2	2.7	9.2	15.8	2.7	20.6	38.9	3.9	7.6	13.2	2.0	3.0	5.3	0.7
2006	10.3	18.1	2.8	9.0	15.4	2.6	21.3	40.0	4.1	9.1	15.8	2.4	3.3	5.7	1.0
2005	10.4	18.3	2.7	9.1	15.8	2.6	20.4	38.7	3.7	9.6	16.7	2.6	3.2	5.5	0.9
2004	10.1	17.6	2.7	9.0	15.5	2.7	19.3	36.4	3.7	8.9	15.0	2.9	2.9	5.0	1.0
2003	10.4	18.3	2.7	9.2	16.0	2.6	20.1	37.8	3.9	8.6	14.7	2.6	3.4	5.7	1.2
2002	10.5	18.4	2.8	9.3	16.1	2.7	20.2	37.8	4.2	9.3	15.3	3.4	3.4	5.7	1.2
2001	10.4	18.2	2.8	9.4	16.2	2.7	19.3	36.4	3.8	7.9	12.9	2.9	3.2	5.4	1.1
2000	10.2	17.8	2.8	9.1	15.6	2.7	19.3	36.1	4.0	8.0	13.2	2.9	3.6	6.2	1.2
1999	10.3	18.1	2.9	9.2	15.9	2.8	19.4	36.0	4.4	9.5	16.2	2.8	3.9	6.3	1.7
Age-adjusted rate ⁴															
2009	10.1	17.7	2.8	9.1	15.8	2.8	17.3	32.1	3.4	8.2	13.5	2.9	2.8	4.7	1.0
2008	10.3	18.2	2.7	9.1	15.9	2.7	18.4	34.4	3.5	8.0	13.3	2.7	2.6	4.5	0.8
2007	10.2	18.2	2.7	8.9	15.6	2.6	19.5	36.2	3.8	7.3	12.4	2.0	2.9	5.2	0.7
2006	10.2	18.1	2.7	8.7	15.3	2.6	20.1	37.4	4.0	8.5	14.7	2.4	3.1	5.4	1.0
2005	10.2	18.3	2.7	8.9	15.7	2.6	19.4	36.4	3.6	9.0	15.7	2.4	3.0	5.3	0.9
2004	10.0	17.7	2.7	8.8	15.4	2.7	18.4	34.5	3.6	8.5	14.2	2.7	2.8	4.8	0.9
2003	10.3	18.4	2.7	9.0	16.0	2.6	19.0	35.6	3.8	8.2	14.1	2.4	3.2	5.4	1.1
2002	10.4	18.6	2.8	9.2	16.2	2.7	19.3	36.0	4.1	8.9	14.8	3.1	3.2	5.5	1.1
2001	10.3	18.5	2.8	9.2	16.3	2.7	18.4	34.5	3.8	7.8	13.0	2.8	3.0	5.2	1.0
2000	10.2	18.1	2.8	9.0	15.9	2.7	18.4	34.2	3.9	7.9	13.1	2.9	3.4	6.0	1.1
1999	10.3	18.4	2.9	9.1	16.2	2.7	18.4	34.1	4.3	9.3	16.1	2.6	3.7	5.9	1.6

¹Multiple-race data were reported by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see "Technical Notes." The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see "Technical Notes."

²Includes Aleuts and Eskimos.

³Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander persons.

⁴For method of computation; see "Technical Notes."

NOTES: Causes of death attributable to injury by firearms include ICD-10 codes *U01.4, W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0.

Table I-2. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2009

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see "Technical Notes." Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years; see "Technical Notes." Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see "Technical Notes." Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10), Second Edition codes included in this table can be found in the note at the bottom of the table]

Year	All origins ¹			Hispanic			Non-Hispanic ²			Non-Hispanic white ³			Non-Hispanic black ³		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Number														
2009	31,347	26,921	4,426	3,202	2,867	335	27,981	23,908	4,073	19,955	16,752	3,203	7,345	6,604	741
2008	31,593	27,336	4,257	3,256	2,912	344	28,252	24,351	3,901	19,873	16,822	3,051	7,741	6,997	744
2007	31,224	27,047	4,177	3,492	3,155	337	27,641	23,809	3,832	18,861	15,925	2,936	8,133	7,326	807
2006	30,896	26,712	4,184	3,464	3,142	322	27,329	23,482	3,847	18,312	15,411	2,901	8,294	7,460	834
2005	30,694	26,657	4,037	3,469	3,144	325	27,103	23,406	3,697	18,521	15,672	2,849	7,865	7,122	743
2004	29,569	25,498	4,071	3,278	2,973	305	26,189	22,436	3,753	18,200	15,283	2,917	7,347	6,620	727
2003	30,136	26,124	4,012	3,319	2,998	321	26,710	23,036	3,674	18,457	15,670	2,787	7,566	6,794	772
2002	30,242	26,098	4,144	3,143	2,834	309	26,944	23,127	3,817	18,762	15,881	2,881	7,494	6,681	813
2001	29,573	25,480	4,093	3,087	2,774	313	26,341	22,573	3,768	18,676	15,760	2,916	7,063	6,323	740
2000	28,663	24,582	4,081	2,891	2,582	309	25,637	21,881	3,756	18,042	15,160	2,882	6,958	6,193	765
1999	28,874	24,700	4,174	2,878	2,549	329	25,877	22,050	3,827	18,260	15,384	2,876	6,933	6,114	819
	Rate														
2009	10.2	17.8	2.8	6.6	11.4	1.4	10.8	18.9	3.1	9.9	16.9	3.1	18.9	35.6	3.6
2008	10.4	18.2	2.8	6.9	12.0	1.5	11.0	19.4	3.0	9.9	17.0	3.0	20.2	38.3	3.7
2007	10.4	18.2	2.7	7.7	13.4	1.5	10.8	19.0	2.9	9.4	16.1	2.9	21.3	40.3	4.0
2006	10.3	18.1	2.8	7.8	13.7	1.5	10.7	18.8	2.9	9.1	15.6	2.8	22.0	41.4	4.2
2005	10.4	18.3	2.7	8.1	14.2	1.6	10.7	18.9	2.8	9.2	15.9	2.8	21.1	40.0	3.8
2004	10.1	17.6	2.7	7.9	13.9	1.5	10.4	18.2	2.9	9.1	15.6	2.9	19.9	37.6	3.8
2003	10.4	18.3	2.7	8.3	14.6	1.7	10.6	18.8	2.9	9.3	16.0	2.7	20.7	39.1	4.0
2002	10.5	18.4	2.8	8.1	14.2	1.6	10.8	19.0	3.0	9.4	16.3	2.8	20.7	38.9	4.3
2001	10.4	18.2	2.8	8.3	14.6	1.7	10.6	18.7	3.0	9.4	16.3	2.9	19.8	37.3	4.0
2000	10.2	17.8	2.8	8.2	14.2	1.8	10.4	18.3	3.0	9.1	15.7	2.9	19.8	37.1	4.2
1999	10.3	18.1	2.9	8.5	14.6	2.0	10.6	18.5	3.0	9.3	15.9	2.9	20.0	37.1	4.5
	Age-adjusted rate ⁴														
2009	10.1	17.7	2.8	6.6	11.5	1.5	10.5	18.6	3.0	9.2	16.0	3.0	17.9	33.4	3.6
2008	10.3	18.2	2.7	6.8	11.8	1.5	10.7	19.0	2.9	9.2	16.1	2.9	19.1	35.7	3.6
2007	10.2	18.2	2.7	7.4	12.9	1.5	10.6	18.8	2.9	8.8	15.4	2.8	20.2	37.6	4.0
2006	10.2	18.1	2.7	7.3	12.7	1.5	10.5	18.7	2.9	8.6	15.0	2.7	20.8	38.8	4.1
2005	10.2	18.3	2.7	7.6	13.3	1.6	10.5	18.8	2.8	8.8	15.3	2.7	20.0	37.7	3.7
2004	10.0	17.7	2.7	7.5	13.1	1.5	10.2	18.2	2.9	8.7	15.1	2.8	19.0	35.7	3.7
2003	10.3	18.4	2.7	7.8	13.6	1.6	10.5	18.8	2.8	8.8	15.6	2.7	19.7	36.8	3.9
2002	10.4	18.6	2.8	7.6	13.4	1.6	10.7	19.1	3.0	9.0	16.0	2.8	19.8	37.0	4.2
2001	10.3	18.5	2.8	7.8	13.7	1.7	10.5	18.8	3.0	9.1	16.0	2.8	18.9	35.4	3.9
2000	10.2	18.1	2.8	7.8	13.6	1.8	10.3	18.4	3.0	8.8	15.5	2.8	18.9	35.2	4.1
1999	10.3	18.4	2.9	8.2	14.2	2.0	10.5	18.7	3.0	8.9	15.8	2.8	19.0	35.2	4.4

¹Figures for origin not stated are included in "All origins" but not distributed among specified origins.

²Includes races other than white and black.

³Multiple-race data were reported by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see "Technical Notes." The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see "Technical Notes."

⁴For method of computation; see "Technical Notes."

NOTES: Causes of death attributable to injury by firearms include ICD-10 codes "U01.4, W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0.

Table I-3. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by race and sex: United States, 1999-2009

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see "Technical Notes." Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years; see "Technical Notes." Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see "Technical Notes." A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10), Second Edition codes included in this table can be found in the note at the bottom of the table]

Year	All races			White ¹			Black ¹			American Indian or Alaska Native ^{1,2}			Asian or Pacific Islander ^{1,3}		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Number														
2009	39,147	24,015	15,132	34,633	21,162	13,471	3,660	2,322	1,338	495	292	203	359	239	120
2008	38,649	23,928	14,721	34,237	21,093	13,144	3,662	2,381	1,281	451	273	178	299	181	118
2007	38,371	23,883	14,488	33,480	20,795	12,685	4,194	2,708	1,486	388	205	183	309	175	134
2006	38,396	24,507	13,889	32,866	20,786	12,080	4,790	3,261	1,529	407	253	154	333	207	126
2005	33,541	21,208	12,333	28,804	18,152	10,652	4,098	2,677	1,421	362	205	157	277	174	103
2004	30,711	19,362	11,349	26,474	16,634	9,840	3,633	2,352	1,281	354	212	142	250	164	86
2003	28,723	18,426	10,297	24,683	15,824	8,859	3,527	2,303	1,224	295	168	127	218	131	87
2002	26,040	16,734	9,306	22,146	14,170	7,976	3,463	2,307	1,156	230	136	94	201	121	80
2001	21,705	14,253	7,452	18,195	11,882	6,313	3,165	2,163	1,002	184	100	84	161	108	53
2000	19,720	13,137	6,583	16,388	10,857	5,531	3,034	2,094	940	160	99	61	138	87	51
1999	19,128	12,885	6,243	15,714	10,506	5,208	3,100	2,191	909	164	96	68	150	92	58
	Rate														
2009	12.8	15.9	9.7	14.0	17.3	10.8	8.9	11.8	6.3	14.1	16.7	11.6	2.3	3.2	1.5
2008	12.7	16.0	9.6	14.0	17.3	10.6	9.1	12.3	6.1	13.2	16.0	10.4	2.0	2.5	1.5
2007	12.7	16.1	9.5	13.7	17.2	10.3	10.5	14.2	7.1	12.0	12.7	11.3	2.1	2.4	1.8
2006	12.8	16.6	9.1	13.6	17.3	9.9	12.1	17.3	7.4	12.7	15.8	9.6	2.3	2.9	1.7
2005	11.3	14.5	8.2	12.0	15.3	8.8	10.5	14.3	7.0	11.5	13.0	9.9	2.0	2.5	1.4
2004	10.5	13.4	7.6	11.1	14.1	8.2	9.4	12.8	6.3	11.2	13.5	9.0	1.8	2.5	1.2
2003	9.9	12.9	7.0	10.4	13.5	7.4	9.2	12.7	6.1	9.5	10.8	8.2	1.7	2.0	1.3
2002	9.0	11.8	6.3	9.4	12.2	6.7	9.2	12.8	5.8	7.5	8.9	6.1	1.6	2.0	1.2
2001	7.6	10.2	5.1	7.8	10.4	5.4	8.5	12.2	5.1	6.0	6.6	5.5	1.3	1.8	0.8
2000	7.0	9.5	4.6	7.1	9.6	4.7	8.3	12.0	4.9	5.4	6.7	4.1	1.2	1.5	0.8
1999	6.9	9.4	4.4	6.9	9.3	4.5	8.6	12.7	4.8	5.8	6.8	4.8	1.3	1.7	1.0
	Age-adjusted rate ⁴														
2009	12.6	15.6	9.6	13.9	17.0	10.7	9.3	12.8	6.4	15.0	17.5	12.4	2.3	3.1	1.5
2008	12.6	15.7	9.4	13.8	17.1	10.5	9.5	13.4	6.2	13.7	16.5	10.9	1.9	2.4	1.5
2007	12.6	15.8	9.3	13.6	16.9	10.2	11.0	15.4	7.3	12.1	12.6	11.5	2.0	2.3	1.7
2006	12.7	16.4	9.0	13.5	17.1	9.8	12.9	18.9	7.7	13.4	16.3	10.5	2.3	3.0	1.7
2005	11.3	14.4	8.1	11.9	15.1	8.7	11.2	15.8	7.2	11.9	13.4	10.4	1.9	2.6	1.4
2004	10.4	13.3	7.6	11.1	13.9	8.1	10.1	14.3	6.6	11.6	13.8	9.4	1.8	2.5	1.2
2003	9.9	12.8	7.0	10.4	13.4	7.4	9.9	14.1	6.4	9.9	11.2	8.6	1.6	1.9	1.3
2002	9.0	11.7	6.3	9.4	12.1	6.7	9.9	14.2	6.1	7.8	9.0	6.4	1.6	2.1	1.2
2001	7.6	10.1	5.1	7.8	10.2	5.3	9.2	13.6	5.4	6.6	7.3	5.8	1.3	1.8	0.8
2000	7.0	9.5	4.6	7.1	9.4	4.7	9.0	13.5	5.2	5.6	6.9	4.3	1.1	1.5	0.8
1999	6.8	9.4	4.4	6.8	9.2	4.4	9.3	14.3	5.1	6.1	7.2	5.0	1.4	1.7	1.0

¹Multiple-race data were reported by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see "Technical Notes." The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see "Technical Notes."

²Includes Aleuts and Eskimos.

³Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander persons.

⁴For method of computation; see "Technical Notes."

NOTES: Causes of death attributable to drug-induced mortality include ICD-10 codes D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.1-F11.5, F11.7-F11.9, F12.1-F12.5, F12.7-F12.9, F13.1-F13.5, F13.7-F13.9, F14.1-F14.5, F14.7-F14.9, F15.1-F15.5, F15.7-F15.9, F16.1-F16.5, F16.7-F16.9, F17.3-F17.5, F17.7-F17.9, F18.1-F18.5, F18.7-F18.9, F19.1-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, K85.3, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R50.2, R78.1-R78.5, X40-X44, X60-X64, X85, and Y10-Y14. In 2006, the list of drug-induced codes was modified to include two new ICD-10 codes, Drug-induced acute pancreatitis (ICD-10 code K85.3) and Drug-induced fever (ICD-10 code R50.2); see "Technical Notes."

Table I-4. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2009

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see "Technical Notes." Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years; see "Technical Notes." Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see "Technical Notes." Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10), Second Edition codes included in this table can be found in the note at the bottom of the table]

Year	All origins ¹			Hispanic			Non-Hispanic ²			Non-Hispanic white ³			Non-Hispanic black ³		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Number														
2009	39,147	24,015	15,132	2,811	2,013	798	36,124	21,864	14,260	31,749	19,107	12,642	3,588	2,274	1,314
2008	38,649	23,928	14,721	2,761	2,033	728	35,735	21,791	13,944	31,448	19,044	12,404	3,589	2,326	1,263
2007	38,371	23,883	14,488	2,723	2,045	678	35,532	21,771	13,761	30,755	18,760	11,995	4,126	2,662	1,464
2006	38,396	24,507	13,889	2,871	2,135	736	35,379	22,262	13,117	29,970	18,634	11,336	4,722	3,212	1,510
2005	33,541	21,208	12,333	2,596	1,969	627	30,809	19,140	11,669	26,186	16,170	10,016	4,019	2,612	1,407
2004	30,711	19,362	11,349	2,257	1,671	586	28,339	17,605	10,734	24,201	14,952	9,249	3,577	2,309	1,268
2003	28,723	18,426	10,297	2,358	1,800	558	26,199	16,497	9,702	22,245	13,959	8,286	3,466	2,256	1,210
2002	26,040	16,734	9,306	2,137	1,647	490	23,756	14,978	8,778	19,949	12,478	7,471	3,404	2,264	1,140
2001	21,705	14,253	7,452	1,731	1,335	396	19,799	12,778	7,021	16,367	10,465	5,902	3,099	2,113	986
2000	19,720	13,137	6,583	1,700	1,348	352	17,835	11,656	6,179	14,585	9,439	5,146	2,977	2,050	927
1999	19,128	12,885	6,243	1,965	1,605	360	16,966	11,136	5,830	13,644	8,831	4,813	3,030	2,134	896
	Rate														
2009	12.8	15.9	9.7	5.8	8.0	3.4	14.0	17.3	10.8	15.7	19.2	12.3	9.2	12.3	6.5
2008	12.7	16.0	9.6	5.9	8.4	3.2	13.9	17.3	10.6	15.6	19.2	12.1	9.4	12.7	6.3
2007	12.7	16.1	9.5	6.0	8.7	3.1	13.9	17.4	10.5	15.3	19.0	11.7	10.8	14.6	7.3
2006	12.8	16.6	9.1	6.5	9.3	3.4	13.9	17.9	10.1	14.9	18.9	11.1	12.5	17.8	7.6
2005	11.3	14.5	8.2	6.1	8.9	3.0	12.1	15.4	9.0	13.1	16.4	9.8	10.8	14.7	7.2
2004	10.5	13.4	7.6	5.5	7.8	2.9	11.2	14.3	8.3	12.1	15.3	9.1	9.7	13.1	6.6
2003	9.9	12.9	7.0	5.9	8.7	2.9	10.4	13.5	7.6	11.2	14.3	8.2	9.5	13.0	6.3
2002	9.0	11.8	6.3	5.5	8.2	2.6	9.5	12.3	6.9	10.0	12.8	7.4	9.4	13.2	6.0
2001	7.6	10.2	5.1	4.7	7.0	2.2	8.0	10.6	5.5	8.3	10.8	5.8	8.7	12.5	5.3
2000	7.0	9.5	4.6	4.8	7.4	2.1	7.2	9.7	4.9	7.4	9.8	5.1	8.5	12.3	5.0
1999	6.9	9.4	4.4	5.8	9.2	2.2	6.9	9.3	4.6	6.9	9.2	4.8	8.7	12.9	4.9
	Age-adjusted rate ⁴														
2009	12.6	15.6	9.6	6.5	8.9	3.9	13.7	16.9	10.5	15.5	19.0	12.0	9.6	13.1	6.5
2008	12.6	15.7	9.4	6.5	9.1	3.7	13.6	16.9	10.3	15.4	18.9	11.7	9.7	13.7	6.4
2007	12.6	15.8	9.3	6.5	9.5	3.4	13.6	17.0	10.2	15.1	18.7	11.4	11.4	15.8	7.5
2006	12.7	16.4	9.0	7.2	10.3	3.9	13.6	17.5	9.8	14.7	18.6	10.8	13.2	19.4	7.9
2005	11.3	14.4	8.1	6.8	10.0	3.5	11.9	15.2	8.8	12.8	16.2	9.6	11.4	16.1	7.4
2004	10.4	13.3	7.6	6.2	8.9	3.4	11.1	14.1	8.2	12.0	15.0	8.9	10.4	14.6	6.8
2003	9.9	12.8	7.0	6.7	9.9	3.3	10.3	13.3	7.4	11.0	14.1	8.0	10.1	14.4	6.6
2002	9.0	11.7	6.3	6.2	9.3	3.0	9.4	12.1	6.8	9.9	12.6	7.2	10.1	14.5	6.3
2001	7.6	10.1	5.1	5.3	8.0	2.5	7.9	10.4	5.4	8.1	10.6	5.7	9.3	13.8	5.5
2000	7.0	9.5	4.6	5.4	8.3	2.4	7.1	9.5	4.8	7.2	9.6	4.9	9.1	13.6	5.3
1999	6.8	9.4	4.4	6.4	10.3	2.5	6.8	9.2	4.6	6.8	8.9	4.6	9.4	14.4	5.2

¹Figures for origin not stated are included in "All origins" but not distributed among specified origins.

²Includes races other than white and black.

³Multiple-race data were reported by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see "Technical Notes." The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see "Technical Notes."

⁴For method of computation; see "Technical Notes."

NOTES: Causes of death attributable to drug-induced mortality include ICD-10 codes D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.1–F11.5, F11.7–F11.9, F12.1–F12.5, F12.7–F12.9, F13.1–F13.5, F13.7–F13.9, F14.1–F14.5, F14.7–F14.9, F15.1–F15.5, F15.7–F15.9, F16.1–F16.5, F16.7–F16.9, F17.3–F17.5, F17.7–F17.9, F18.1–F18.5, F18.7–F18.9, F19.1–F19.5, F19.7–F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2–J70.4, K85.3, L10.5, L27.0–L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R50.2, R78.1–R78.5, X40–X44, X60–X64, X85, and Y10–Y14. In 2006, the list of drug-induced codes was modified to include two new ICD-10 codes, Drug-induced acute pancreatitis (ICD-10 code K85.3) and Drug-induced fever (ICD-10 code R50.2).

Table I-5. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by race and sex: United States, 1999–2009

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see "Technical Notes." Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years; see "Technical Notes." Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see "Technical Notes." A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10), Second Edition codes included in this table can be found in the note at the bottom of the table]

Year	All races			White ¹			Black ¹			American Indian or Alaska Native ^{1,2}			Asian or Pacific Islander ^{1,3}		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Number														
2009	24,518	18,088	6,430	21,066	15,629	5,437	2,340	1,721	619	830	511	319	282	227	55
2008	24,189	18,152	6,037	20,783	15,689	5,094	2,279	1,692	587	853	542	311	274	229	45
2007	23,199	17,428	5,771	19,921	15,027	4,894	2,248	1,703	545	774	495	279	256	203	53
2006	22,073	16,472	5,601	18,917	14,186	4,731	2,172	1,599	573	717	458	259	267	229	38
2005	21,634	16,238	5,396	18,432	13,917	4,515	2,316	1,698	618	655	432	223	231	191	40
2004	21,081	15,906	5,175	17,875	13,525	4,350	2,351	1,784	567	645	417	228	210	180	30
2003	20,687	15,630	5,057	17,437	13,218	4,219	2,406	1,824	582	664	431	233	180	157	23
2002	20,218	15,272	4,946	16,988	12,926	4,062	2,434	1,798	636	597	387	210	199	161	38
2001	20,114	15,149	4,965	16,640	12,588	4,052	2,723	2,048	675	591	387	204	160	126	34
2000	19,643	14,993	4,650	16,223	12,509	3,714	2,712	1,993	719	537	353	184	171	138	33
1999	19,469	14,894	4,575	15,903	12,277	3,626	2,832	2,100	732	589	397	192	145	120	25
	Rate														
2009	8.0	11.9	4.1	8.5	12.8	4.4	5.7	8.8	2.9	23.7	29.2	18.2	1.8	3.0	0.7
2008	8.0	12.1	3.9	8.5	12.9	4.1	5.6	8.8	2.8	24.9	31.7	18.2	1.8	3.1	0.6
2007	7.7	11.7	3.8	8.2	12.4	4.0	5.6	8.9	2.6	23.9	30.6	17.2	1.7	2.8	0.7
2006	7.4	11.2	3.7	7.8	11.8	3.9	5.5	8.5	2.8	22.4	28.6	16.2	1.8	3.2	0.5
2005	7.3	11.1	3.6	7.7	11.7	3.7	5.9	9.1	3.0	20.7	27.4	14.1	1.6	2.8	0.6
2004	7.2	11.0	3.5	7.5	11.5	3.6	6.1	9.7	2.8	20.5	26.5	14.5	1.5	2.7	0.4
2003	7.1	10.9	3.4	7.4	11.3	3.5	6.3	10.0	2.9	21.3	27.8	15.0	1.4	2.4	0.3
2002	7.0	10.8	3.4	7.2	11.1	3.4	6.4	10.0	3.2	19.4	25.2	13.6	1.6	2.6	0.6
2001	7.1	10.8	3.4	7.2	11.0	3.4	7.3	11.6	3.5	19.3	25.4	13.3	1.3	2.1	0.5
2000	7.0	10.9	3.2	7.1	11.0	3.2	7.4	11.4	3.7	18.0	23.7	12.3	1.5	2.4	0.5
1999	7.0	10.9	3.2	7.0	10.9	3.1	7.8	12.2	3.9	20.8	28.1	13.5	1.3	2.2	0.4
	Age-adjusted rate ⁴														
2009	7.4	11.4	3.8	7.7	11.7	3.9	6.2	10.4	3.0	26.7	33.3	20.4	1.8	3.2	0.7
2008	7.4	11.6	3.6	7.7	11.9	3.7	6.2	10.6	2.9	28.5	37.2	20.4	1.8	3.3	0.6
2007	7.3	11.3	3.5	7.5	11.6	3.6	6.3	11.0	2.7	26.3	35.1	18.2	1.8	3.0	0.7
2006	7.0	10.9	3.4	7.2	11.2	3.5	6.2	10.4	3.0	25.2	33.3	17.8	1.9	3.5	0.5
2005	7.0	11.0	3.4	7.2	11.1	3.4	6.8	11.4	3.3	23.7	32.5	15.6	1.7	3.1	0.6
2004	7.0	11.0	3.3	7.1	11.0	3.3	7.2	12.3	3.1	23.8	32.4	16.1	1.7	3.2	0.5
2003	7.0	11.0	3.3	7.0	11.0	3.3	7.4	12.8	3.3	25.1	34.0	16.9	1.5	2.8	0.4
2002	6.9	11.0	3.3	6.9	10.9	3.2	7.8	13.1	3.6	23.2	31.5	15.6	1.8	3.2	0.6
2001	7.0	11.2	3.3	6.9	10.9	3.3	8.9	15.1	3.9	23.6	33.0	15.4	1.5	2.6	0.6
2000	7.0	11.4	3.2	6.9	11.1	3.0	9.1	15.3	4.3	22.7	31.4	14.9	1.7	2.9	0.7
1999	7.1	11.5	3.2	6.8	11.0	3.0	9.8	16.7	4.5	26.7	38.8	16.2	1.6	2.8	0.5

¹Multiple-race data were reported by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see "Technical Notes." The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see "Technical Notes."

²Includes Aleuts and Eskimos.

³Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander persons.

⁴For method of computation; see "Technical Notes."

NOTES: Causes of death attributable to alcohol-induced mortality include ICD-10 codes E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. In 2006, the list of alcohol-induced codes was modified to include a new ICD-10 code, Alcohol-induced acute pancreatitis (ICD-10 code K85.2); see "Technical Notes."

Table I-6. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2009

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see "Technical Notes." Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years; see "Technical Notes." Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see "Technical Notes." Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10), Second Edition codes included in this table can be found in the note at the bottom of the table]

Year	All origins ¹			Hispanic			Non-Hispanic ²			Non-Hispanic white ³			Non-Hispanic black ³		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Number														
2009	24,518	18,088	6,430	3,139	2,618	521	21,265	15,375	5,890	17,902	12,986	4,916	2,299	1,688	611
2008	24,189	18,152	6,037	3,021	2,522	499	21,085	15,561	5,524	17,759	13,160	4,599	2,240	1,660	580
2007	23,199	17,428	5,771	2,977	2,539	438	20,130	14,811	5,319	16,935	12,474	4,461	2,210	1,674	536
2006	22,073	16,472	5,601	2,804	2,341	463	19,187	14,055	5,132	16,114	11,837	4,277	2,128	1,561	567
2005	21,634	16,238	5,396	2,658	2,265	393	18,877	13,890	4,987	15,729	11,610	4,119	2,282	1,670	612
2004	21,081	15,906	5,175	2,406	2,056	350	18,567	13,761	4,806	15,418	11,428	3,990	2,318	1,754	564
2003	20,687	15,630	5,057	2,422	2,048	374	18,160	13,490	4,670	14,977	11,133	3,844	2,367	1,787	580
2002	20,218	15,272	4,946	2,408	2,065	343	17,661	13,078	4,583	14,494	10,783	3,711	2,396	1,768	628
2001	20,114	15,149	4,965	2,381	2,026	355	17,593	13,009	4,584	14,186	10,497	3,689	2,677	2,016	661
2000	19,643	14,993	4,650	2,323	2,024	299	17,177	12,843	4,334	13,815	10,408	3,407	2,672	1,959	713
1999	19,469	14,894	4,575	2,184	1,864	320	17,143	12,905	4,238	13,633	10,337	3,296	2,794	2,066	728
	Rate														
2009	8.0	11.9	4.1	6.5	10.4	2.2	8.2	12.2	4.5	8.9	13.1	4.8	5.9	9.1	3.0
2008	8.0	12.1	3.9	6.4	10.4	2.2	8.2	12.4	4.2	8.8	13.3	4.5	5.8	9.1	2.9
2007	7.7	11.7	3.8	6.5	10.8	2.0	7.9	11.8	4.1	8.4	12.6	4.4	5.8	9.2	2.7
2006	7.4	11.2	3.7	6.3	10.2	2.2	7.5	11.3	3.9	8.0	12.0	4.2	5.6	8.7	2.9
2005	7.3	11.1	3.6	6.2	10.3	1.9	7.4	11.2	3.8	7.9	11.8	4.0	6.1	9.4	3.1
2004	7.2	11.0	3.5	5.8	9.6	1.8	7.4	11.2	3.7	7.7	11.7	3.9	6.3	10.0	2.9
2003	7.1	10.9	3.4	6.1	9.9	1.9	7.2	11.0	3.6	7.5	11.4	3.8	6.5	10.3	3.0
2002	7.0	10.8	3.4	6.2	10.3	1.8	7.1	10.7	3.6	7.3	11.1	3.7	6.6	10.3	3.3
2001	7.1	10.8	3.4	6.4	10.7	2.0	7.1	10.8	3.6	7.2	10.8	3.6	7.5	11.9	3.5
2000	7.0	10.9	3.2	6.6	11.1	1.7	7.0	10.7	3.4	7.0	10.8	3.4	7.6	11.7	3.9
1999	7.0	10.9	3.2	6.4	10.7	1.9	7.0	10.8	3.4	6.9	10.7	3.3	8.0	12.5	4.0
	Age-adjusted rate ⁴														
2009	7.4	11.4	3.8	9.0	15.4	3.0	7.2	10.9	3.9	7.5	11.1	4.1	6.4	10.6	3.1
2008	7.4	11.6	3.6	8.8	15.1	2.9	7.2	11.1	3.7	7.5	11.4	3.8	6.4	10.8	3.0
2007	7.3	11.3	3.5	9.3	16.4	2.7	7.0	10.8	3.6	7.2	10.9	3.8	6.5	11.2	2.8
2006	7.0	10.9	3.4	9.1	15.7	3.0	6.8	10.4	3.5	6.9	10.5	3.6	6.3	10.5	3.0
2005	7.0	11.0	3.4	9.1	16.2	2.6	6.8	10.4	3.5	6.8	10.4	3.5	7.0	11.6	3.4
2004	7.0	11.0	3.3	8.6	15.1	2.5	6.8	10.6	3.4	6.8	10.5	3.4	7.3	12.5	3.2
2003	7.0	11.0	3.3	9.2	16.2	2.8	6.8	10.5	3.3	6.7	10.4	3.4	7.6	12.9	3.3
2002	6.9	11.0	3.3	9.5	17.0	2.7	6.7	10.4	3.3	6.6	10.2	3.3	7.9	13.3	3.7
2001	7.0	11.2	3.3	10.1	18.1	2.9	6.7	10.5	3.4	6.5	10.1	3.3	9.0	15.4	4.0
2000	7.0	11.4	3.2	10.5	19.4	2.6	6.7	10.6	3.2	6.4	10.1	3.1	9.3	15.5	4.4
1999	7.1	11.5	3.2	10.3	18.6	3.0	6.8	10.8	3.2	6.4	10.2	3.0	10.0	16.9	4.6

¹Figures for origin not stated are included in "All origins" but not distributed among specified origins.

²Includes races other than white and black.

³Multiple-race data were reported by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see "Technical Notes." The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see "Technical Notes."

⁴For method of computation; see "Technical Notes."

NOTES: Causes of death attributable to alcohol-induced mortality include ICD-10 codes E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. In 2006, the list of alcohol-induced codes was modified to include a new ICD-10 code, Alcohol-induced acute pancreatitis (ICD-10 code K85.2).

Table I-7. Number of deaths, death rates, and age-adjusted death rates for ages 15 and over, by marital status and sex: United States, 2009

[Rates are per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see "Technical Notes." Population estimates used for computing death rates are based on the Current Population Survey adjusted to July 1, 2009 resident population control totals for 49 states and the District of Columbia; see "Technical Notes"]

Marital status and sex	15 years and over ¹	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75 years and over	Age-adjusted rate ²
Number									
Both sexes	2,400,395	30,416	42,502	74,665	187,568	303,307	401,032	1,360,905	...
Never married ³	255,706	27,505	25,308	25,900	45,259	41,314	28,296	62,124	...
Ever married ³	2,062,626	1,889	15,390	45,236	133,525	248,210	357,237	1,261,139	...
Married ³	897,903	1,621	11,361	28,941	77,958	145,551	204,293	428,178	...
Widowed ³	844,752	28	222	1,169	6,716	24,061	77,343	735,213	...
Divorced ³	319,971	240	3,807	15,126	48,851	78,598	75,601	97,748	...
Not stated	82,063	1,022	1,804	3,529	8,784	13,783	15,499	37,642	...
Male	1,196,636	22,312	29,199	46,555	114,820	184,142	225,794	573,814	...
Never married ³	157,940	20,420	18,506	17,872	30,924	27,110	17,267	25,841	...
Ever married ³	995,161	1,154	9,492	26,441	78,397	148,084	199,226	532,367	...
Married ³	603,413	995	7,091	16,816	45,675	91,245	134,603	306,988	...
Widowed ³	219,357	13	107	474	2,490	8,017	22,898	185,358	...
Divorced ³	172,391	146	2,294	9,151	30,232	48,822	41,725	40,021	...
Not stated	43,535	738	1,201	2,242	5,499	8,948	9,301	15,606	...
Female	1,203,759	8,104	13,303	28,110	72,748	119,165	175,238	787,091	...
Never married ³	97,766	7,085	6,802	8,028	14,335	14,204	11,029	36,283	...
Ever married ³	1,067,465	735	5,898	18,795	55,128	100,126	158,011	728,772	...
Married ³	294,490	626	4,270	12,125	32,283	54,306	69,690	121,190	...
Widowed ³	625,395	15	115	695	4,226	16,044	54,445	549,855	...
Divorced ³	147,580	94	1,513	5,975	18,619	29,776	33,876	57,727	...
Not stated	38,528	284	603	1,287	3,285	4,835	6,198	22,036	...
Rate ⁴									
Both sexes	979.3	70.6	102.3	179.8	420.6	871.9	1,928.8	7,247.1	1,145.3
Never married ³	343.7	70.7	140.9	346.4	791.2	1,546.3	2,974.6	8,616.2	1,598.1
Ever married ³	1,208.2	45.2	65.2	132.8	343.5	772.9	1,800.5	6,984.0	1,058.6
Married ³	680.9	42.0	53.5	100.2	252.4	588.5	1,473.2	5,089.7	793.9
Widowed ³	5,562.9	*	203.0	343.5	665.4	1,284.2	2,337.0	8,648.7	1,486.7
Divorced ³	1,351.6	87.8	168.3	312.5	699.9	1,426.6	2,837.8	8,545.0	1,539.5
Male	998.8	100.8	137.6	223.2	522.5	1,097.3	2,353.6	7,936.4	1,323.0
Never married ³	387.9	99.3	177.6	409.4	947.6	1,951.6	3,858.3	9,703.7	1,900.7
Ever married ³	1,258.4	73.4	87.8	160.3	419.0	962.1	2,178.3	7,644.7	1,211.8
Married ³	914.6	67.9	72.1	118.3	297.9	721.6	1,780.7	6,232.5	967.8
Widowed ³	7,358.1	*	*	616.8	979.0	2,003.0	3,905.3	11,365.8	2,193.9
Divorced ³	1,703.0	151.9	241.1	416.2	968.6	2,079.6	4,169.5	9,822.4	1,980.2
Female	960.6	38.7	65.4	136.0	321.6	661.8	1,564.8	6,815.6	1,000.1
Never married ³	290.3	38.7	90.2	258.0	583.5	1,107.4	2,189.5	7,979.3	1,323.1
Ever married ³	1,164.8	28.2	46.1	107.0	273.4	598.7	1,477.4	6,569.3	938.3
Married ³	447.0	26.1	37.4	82.7	207.6	449.3	1,104.7	3,475.4	569.7
Widowed ³	5,124.4	*	130.8	263.8	559.7	1,088.9	1,999.4	8,003.6	1,308.5
Divorced ³	1,089.1	53.1	115.5	226.1	482.5	941.8	2,036.6	7,838.3	1,248.2

... Category not applicable.

* Figure does not meet standards of reliability or precision; see "Technical Notes."

¹Excludes figures for age not stated.

²Calculated based on ages 25 and over. For method of computation; see "Technical Notes."

³Specified marital status detail was not available for Georgia's records in 2009; therefore, data by specified marital status should be interpreted with caution.

⁴Figures for marital status not stated are included in totals for "Both sexes," "Male," and "Female" but are not distributed among specified marital status groups.

Table I-8. Number of deaths, death rates, and age-adjusted death rates for ages 25-64, by educational attainment and sex: Total of 28 reporting states and the District of Columbia using the 2003 version of the U.S. Standard Certificate of Death and total of 20 reporting states using the 1989 version of the U.S. Standard Certificate of Death, 2009

[Rates are per 100,000 in specified group; age-adjusted rates are per 100,000 U.S. standard population; see "Technical Notes." Population estimates used for computing death rates are based on the Current Population Survey adjusted to July 1, 2009, resident population control totals for reporting areas]

28 reporting states and the District of Columbia ¹ using the 2003 version of the Standard Certificate of Death							20 reporting states ² using the 1989 version of the Standard Certificate of Death						
Education level and sex	25-64 years ³	25-34 years	35-44 years	45-54 years	55-64 years	Age-adjusted rate ⁴	Years of school completed ⁵ and sex	25-64 years ³	25-34 years	35-44 years	45-54 years	55-64 years	Age-adjusted rate ⁴
	Number						Number						
Both sexes	370,165	25,867	45,256	114,334	184,708	...	Both sexes	214,696	14,935	26,410	66,029	107,322	...
Less than high school diploma or GED	68,293	5,661	9,025	21,890	31,717	...	Less than 12 years	42,430	3,131	5,138	13,333	20,828	...
High school diploma or GED	153,381	10,712	19,180	49,310	74,179	...	12 years	94,617	6,739	12,034	30,307	45,537	...
Some college or collegiate degree	132,945	8,396	15,193	38,258	71,098	...	13 years or more	68,584	4,346	8,043	19,586	36,609	...
Not stated ⁶	15,546	1,098	1,858	4,876	7,714	...	Not stated ⁷	9,065	719	1,195	2,803	4,348	...
Male	228,505	17,841	28,358	70,174	112,132	...	Male	132,104	10,220	16,329	40,378	65,177	...
Less than high school diploma or GED	43,728	4,086	5,946	14,279	19,417	...	Less than 12 years	27,679	2,264	3,377	8,870	13,168	...
High school diploma or GED	95,833	7,755	12,532	31,263	44,283	...	12 years	59,122	4,876	7,822	19,105	27,319	...
Some college or collegiate degree	78,159	5,225	8,639	21,244	43,051	...	13 years or more	39,228	2,595	4,353	10,510	21,770	...
Not stated ⁶	10,785	775	1,241	3,388	5,381	...	Not stated ⁷	6,075	485	777	1,893	2,920	...
Female	141,660	8,026	16,898	44,160	72,576	...	Female	82,592	4,715	10,081	25,651	42,145	...
Less than high school diploma or GED	24,565	1,575	3,079	7,611	12,300	...	Less than 12 years	14,751	867	1,761	4,463	7,660	...
High school diploma or GED	57,548	2,957	6,648	18,047	29,896	...	12 years	35,495	1,863	4,212	11,202	18,218	...
Some college or collegiate degree	54,786	3,171	6,554	17,014	28,047	...	13 years or more	29,356	1,751	3,690	9,076	14,839	...
Not stated ⁶	4,761	323	617	1,488	2,333	...	Not stated ⁷	2,990	234	418	910	1,428	...
	Rate ⁸						Rate ⁸						
Both sexes	359.5	96.8	171.6	407.4	846.6	326.4	Both sexes	400.4	112.3	193.4	444.6	907.8	357.2
Less than high school diploma or GED	556.0	169.4	271.0	686.0	1,311.5	526.6	Less than 12 years	785.8	234.0	375.2	907.4	1,703.1	699.0
High school diploma or GED	515.6	147.0	259.8	566.8	1,162.8	461.4	12 years	555.3	175.4	295.2	582.0	1,164.2	484.0
Some college or collegiate degree	218.2	52.2	97.0	236.6	546.1	196.8	13 years or more	219.9	53.6	98.0	239.6	547.5	198.5
Male	444.1	130.0	212.4	505.9	1,067.6	410.4	Male	498.6	152.5	241.1	554.0	1,137.2	449.4
Less than high school diploma or GED	663.3	212.2	328.4	850.2	1,649.4	654.9	Less than 12 years	921.9	302.5	429.6	1,076.9	2,043.5	834.9
High school diploma or GED	614.2	183.7	311.2	697.8	1,540.3	584.3	12 years	661.9	218.6	355.0	702.6	1,535.0	607.4
Some college or collegiate degree	267.2	68.9	115.0	275.5	667.3	237.2	13 years or more	269.4	69.7	115.0	280.6	658.2	237.2
Female	275.0	61.8	129.8	311.2	641.5	244.9	Female	304.5	71.5	146.5	339.2	692.0	268.4
Less than high school diploma or GED	431.7	111.1	202.6	503.5	990.9	388.9	Less than 12 years	615.4	147.1	301.9	691.3	1,323.9	533.9
High school diploma or GED	406.9	96.5	198.2	427.8	853.1	341.0	12 years	437.9	115.5	224.8	450.3	854.6	360.4
Some college or collegiate degree	172.9	37.3	80.4	201.1	427.0	158.6	13 years or more	176.6	39.9	83.4	204.9	439.1	163.2

... Category not applicable.

¹Includes data for Arkansas, California, Connecticut, Delaware, District of Columbia, Florida, Idaho, Illinois, Indiana, Kansas, Michigan, Montana, Nebraska, Nevada, New Hampshire, New Jersey, New Mexico, New York, North Dakota, Ohio, Oklahoma, Oregon, South Carolina, South Dakota, Texas, Utah, Vermont, Washington, and Wyoming; see "Technical Notes."²Includes data for Alabama, Alaska, Arizona, Colorado, Hawaii, Iowa, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Minnesota, Mississippi, Missouri, North Carolina, Pennsylvania, Tennessee, Virginia, West Virginia, and Wisconsin; see "Technical Notes."³Excludes figures for age not stated.⁴Calculated based on ages 25-64. For method of computation; see "Technical Notes."⁵For rates, the definition of educational attainment differs for the numerator and denominator; see "Technical Notes."⁶Includes deaths that occurred in states that reported the unrevised education attainment item on the death certificate and in states that did not have an education item on the death certificate.⁷Includes deaths that occurred in states that reported the revised education attainment item on the death certificate and in states that did not have an education item on the death certificate.⁸Figures for education not stated are included in totals for "Both sexes," "Male," and "Female" but are not distributed among specified years of education.

Table I-9. Number of deaths, death rates, and age-adjusted death rates for injury at work for ages 15 and over, by race and sex: United States, 2009

[Rates are per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see "Technical Notes." Rates are based on populations estimated as of July 1, 2009; see "Technical Notes." For a discussion of injury at work; see "Technical Notes." Excludes data for Wyoming; see "Technical Notes"]

Race and sex	15 years and over ¹	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65 years and over	Age-adjusted rate ²
	Number							
All races ³ , both sexes	3,919	303	595	777	1,008	731	505	...
Male	3,601	280	564	717	931	663	446	...
Female	318	23	31	60	77	68	59	...
White ⁴ , both sexes	3,341	250	505	645	848	629	464	...
Male	3,087	236	480	597	789	575	410	...
Female	254	14	25	48	59	54	54	...
Black ⁴ , both sexes	427	42	69	95	124	68	29	...
Male	375	35	65	85	108	57	25	...
Female	52	7	4	10	16	11	4	...
	Rate							
All races ³ , both sexes	1.6	0.7	1.4	1.9	2.3	2.1	1.3	1.6
Male	3.0	1.3	2.7	3.4	4.2	4.0	2.7	3.0
Female	0.3	0.1	0.2	0.3	0.3	0.4	0.3	0.3
White ⁴ , both sexes	1.7	0.7	1.6	2.0	2.3	2.1	1.3	1.7
Male	3.1	1.4	2.9	3.6	4.3	4.0	2.8	3.1
Female	0.3	*	0.2	0.3	0.3	0.4	0.3	0.3
Black ⁴ , both sexes	1.4	0.6	1.2	1.7	2.3	1.8	0.8	1.4
Male	2.6	1.0	2.2	3.3	4.3	3.5	1.9	2.7
Female	0.3	*	*	*	*	*	*	0.3

... Category not applicable.

* Figure does not meet standards of reliability or precision; see "Technical Notes."

¹Excludes figures for age not stated.

²Calculated based on ages 15 and over. For method of computation; see "Technical Notes."

³Includes races other than white and black.

⁴Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. This table includes multiple-race data for 34 states and the District of Columbia; see "Technical Notes." The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see "Technical Notes."

Table I-10. Number of deaths, death rates, and age-adjusted death rates for injury at work, by race and sex: United States, 1993-2009

[Includes ages 15 and over; excludes figures for age not stated. Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see "Technical Notes." Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years; see "Technical Notes." Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. For a discussion of injury at work; see "Technical Notes"]

Year	All other ¹											
	All races			White ¹			Total ¹			Black ¹		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Number											
2009 ²	3,919	3,601	318	3,341	3,087	254	578	514	64	427	375	52
2008	4,690	4,317	373	4,018	3,709	309	672	608	64	505	458	47
2007	5,025	4,606	419	4,257	3,914	343	768	692	76	579	521	58
2006	5,298	4,869	429	4,562	4,200	362	736	669	67	565	513	52
2005	5,113	4,670	443	4,351	3,991	360	762	679	83	573	512	61
2004	5,157	4,729	428	4,458	4,111	347	699	618	81	545	482	63
2003	5,025	4,609	416	4,272	3,929	343	753	680	73	577	530	47
2002	5,305	4,859	446	4,568	4,199	369	737	660	77	559	500	59
2001 ³	8,303	7,181	1,122	7,093	6,211	882	1,210	970	240	849	680	169
2000	5,430	4,969	461	4,657	4,270	387	773	699	74	591	536	55
1999	5,651	5,152	499	4,805	4,385	420	846	767	79	659	598	61
1998	5,543	5,036	507	4,804	4,366	438	739	670	69	587	535	52
1997	5,666	5,144	522	4,785	4,352	433	881	792	89	684	626	58
1996	5,778	5,280	498	4,940	4,535	405	838	745	93	649	582	67
1995	5,872	5,334	538	5,007	4,550	457	865	784	81	692	627	65
1994	5,987	5,425	562	5,103	4,642	461	884	783	101	710	632	78
1993	5,847	5,352	495	4,979	4,581	398	868	771	97	677	608	69
	Rate											
2009 ²	1.6	3.0	0.3	1.7	3.1	0.3	1.3	2.4	0.3	1.4	2.6	0.3
2008	1.9	3.6	0.3	2.0	3.8	0.3	1.5	2.9	0.3	1.7	3.2	0.3
2007	2.1	3.9	0.3	2.2	4.1	0.3	1.7	3.3	0.3	1.9	3.7	0.4
2006	2.2	4.2	0.4	2.3	4.4	0.4	1.7	3.2	0.3	1.9	3.7	0.3
2005	2.2	4.1	0.4	2.3	4.2	0.4	1.8	3.4	0.4	2.0	3.8	0.4
2004	2.2	4.2	0.4	2.3	4.4	0.4	1.7	3.1	0.4	1.9	3.6	0.4
2003	2.2	4.1	0.4	2.3	4.2	0.4	1.8	3.5	0.3	2.1	4.0	0.3
2002	2.3	4.4	0.4	2.4	4.6	0.4	1.8	3.5	0.4	2.0	3.9	0.4
2001 ³	3.7	6.6	1.0	3.8	6.9	0.9	3.1	5.3	1.2	3.1	5.4	1.2
2000	2.5	4.6	0.4	2.5	4.8	0.4	2.0	3.7	0.4	2.2	4.3	0.4
1999	2.6	4.9	0.4	2.6	4.9	0.5	2.3	4.4	0.4	2.5	4.9	0.4
1998	2.6	4.8	0.5	2.7	5.0	0.5	2.0	3.9	0.4	2.3	4.5	0.4
1997	2.7	5.0	0.5	2.7	5.0	0.5	2.5	4.8	0.5	2.7	5.3	0.4
1996	2.7	5.2	0.5	2.8	5.3	0.4	2.4	4.6	0.5	2.6	5.1	0.5
1995	2.8	5.3	0.5	2.9	5.4	0.5	2.6	5.0	0.5	2.8	5.5	0.5
1994	2.9	5.5	0.5	3.0	5.5	0.5	2.7	5.1	0.6	3.0	5.7	0.6
1993	2.9	5.5	0.5	2.9	5.5	0.5	2.7	5.2	0.6	2.9	5.6	0.5
	Age-adjusted rate ⁴											
2009 ²	1.6	3.0	0.3	1.7	3.1	0.3	1.3	2.4	0.3	1.4	2.7	0.3
2008	1.9	3.6	0.3	2.0	3.8	0.3	1.5	2.9	0.3	1.7	3.3	0.3
2007	2.1	3.9	0.3	2.1	4.0	0.3	1.7	3.3	0.3	2.0	3.8	0.4
2006	2.2	4.2	0.3	2.3	4.3	0.3	1.7	3.3	0.3	2.0	3.8	0.4
2005	2.1	4.1	0.4	2.3	4.2	0.4	1.8	3.5	0.4	2.0	4.0	0.4
2004	2.2	4.2	0.4	2.3	4.4	0.3	1.7	3.3	0.4	2.0	3.8	0.4
2003	2.2	4.1	0.3	2.2	4.2	0.3	1.9	3.7	0.4	2.1	4.3	0.3
2002	2.3	4.4	0.4	2.4	4.5	0.4	1.9	3.7	0.4	2.1	4.1	0.4
2001 ³	3.7	6.6	1.0	3.8	6.8	0.9	3.1	5.3	1.1	3.1	5.5	1.1
2000	2.5	4.6	0.4	2.5	4.8	0.4	2.1	3.9	0.4	2.3	4.6	0.4
1999	2.6	4.9	0.4	2.6	4.9	0.4	2.3	4.5	0.4	2.6	5.1	0.4
1998	2.6	4.8	0.5	2.7	5.0	0.5	2.1	4.1	0.4	2.3	4.7	0.4
1997	2.7	5.0	0.5	2.7	5.0	0.5	2.6	5.0	0.5	2.8	5.5	0.4
1996	2.8	5.2	0.5	2.8	5.3	0.4	2.5	4.8	0.5	2.6	5.3	0.5

See footnotes at end of table.

Table I-10. Number of deaths, death rates, and age-adjusted death rates for injury at work, by race and sex: United States, 1993-2009—Con.

[Includes ages 15 and over; excludes figures for age not stated. Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see "Technical Notes." Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years; see "Technical Notes." Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. For a discussion of injury at work; see "Technical Notes"]

Year	All other ¹											
	All races			White ¹			Total ¹			Black ¹		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Age-adjusted rate ⁴											
1995	2.8	5.3	0.5	2.9	5.4	0.5	2.7	5.3	0.5	3.0	6.0	0.5
1994	2.9	5.5	0.5	3.0	5.6	0.5	2.8	5.4	0.6	3.1	6.0	0.6
1993	2.9	5.5	0.5	2.9	5.5	0.5	2.8	5.4	0.6	3.0	6.0	0.5

¹Includes multiple-race data for 34 states and the District of Columbia in 2008 and 2009, for 27 states and the District of Columbia in 2007, for 25 states and the District of Columbia in 2006, for 21 states and the District of Columbia in 2005, for 15 states in 2004, and for 7 states in 2003; see "Technical Notes." The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see "Technical Notes."

²Excludes data for Wyoming; see "Technical Notes."

³Figures include September 11, 2001, terrorism-related deaths for which death certificates were filed as of October 24, 2002; see "Technical Notes" from *National Vital Statistics Reports*, "Deaths: Final data for 2001," Volume 52, Number 3.

⁴For method of computation, see "Technical Notes."