

Deaths: Final Data for 2010

Supplemental tables

Table I-1. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by race and sex: United States, 1999–2010

Table I-2. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2010

Table I-3. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by race and sex: United States, 1999–2010

Table I-4. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2010

Table I-5. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by race and sex: United States, 1999–2010

Table I-6. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2010

Table I-7. Number of deaths, death rates, and age-adjusted death rates for ages 15 and over, by marital status and sex: United States, 2010

Table I-8. Number of deaths, death rates, and age-adjusted death rates for ages 25–64, by educational attainment and sex: Total of 31 reporting states and District of Columbia using 2003 version of U.S. Standard Certificate of Death, and total of 16 reporting states using 1989 version of U.S. Standard Certificate of Death, 2010

Table I-9. Number of deaths, death rates, and age-adjusted death rates for injury at work, by age, race, and sex: United States, 2010

Table I-10. Number of deaths, death rates, and age-adjusted death rates for injury at work, by race and sex: United States, 1993–2010

Table I-1. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by race and sex: United States, 1999–2010

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10), Second Edition codes included in this table can be found in the note at the bottom of the table]

Year	All races			White ¹			Black ¹			American Indian or Alaska Native ^{1,2}			Asian or Pacific Islander ^{1,3}		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Number														
2010	31,672	27,356	4,316	23,490	20,014	3,476	7,454	6,721	733	317	267	50	411	354	57
2009	31,347	26,921	4,426	23,163	19,623	3,540	7,455	6,700	755	291	241	50	438	357	81
2008	31,593	27,336	4,257	23,065	19,679	3,386	7,847	7,088	759	279	233	46	402	336	66
2007	31,224	27,047	4,177	22,296	19,020	3,276	8,242	7,430	812	246	213	33	440	384	56
2006	30,896	26,712	4,184	21,721	18,496	3,225	8,409	7,563	846	291	253	38	475	400	75
2005	30,694	26,657	4,037	21,958	18,788	3,170	7,984	7,226	758	305	264	41	447	379	68
2004	29,569	25,498	4,071	21,442	18,223	3,219	7,448	6,709	739	281	236	45	398	330	68
2003	30,136	26,124	4,012	21,763	18,647	3,116	7,659	6,882	777	269	229	40	445	366	79
2002	30,242	26,098	4,144	21,902	18,714	3,188	7,623	6,798	825	287	235	52	430	351	79
2001	29,573	25,480	4,093	21,760	18,527	3,233	7,184	6,438	746	240	196	44	389	319	70
2000	28,663	24,582	4,081	20,945	17,750	3,195	7,054	6,284	770	240	196	44	424	352	72
1999	28,874	24,700	4,174	21,143	17,942	3,201	7,017	6,184	833	268	228	40	446	346	100
	Rate														
2010	10.3	18.0	2.7	9.6	16.5	2.8	17.7	33.4	3.3	7.4	12.5	2.4	2.4	4.4	0.6
2009 ⁴	10.2	17.9	2.8	9.5	16.2	2.9	17.9	33.7	3.5	7.0	11.6	2.4	2.6	4.5	0.9
2008 ⁴	10.4	18.3	2.8	9.5	16.4	2.8	19.1	36.2	3.5	7.0	11.7	2.3	2.5	4.4	0.8
2007 ⁴	10.4	18.3	2.7	9.2	15.9	2.7	20.4	38.5	3.8	6.4	11.1	1.7	2.8	5.1	0.7
2006 ⁴	10.4	18.2	2.8	9.1	15.6	2.7	21.1	39.8	4.1	7.9	13.7	2.1	3.2	5.5	1.0
2005 ⁴	10.4	18.4	2.7	9.2	16.0	2.6	20.3	38.6	3.7	8.6	14.9	2.3	3.1	5.4	0.9
2004 ⁴	10.1	17.7	2.7	9.1	15.6	2.7	19.2	36.3	3.6	8.2	13.8	2.6	2.8	4.9	0.9
2003 ⁴	10.4	18.3	2.7	9.3	16.1	2.6	20.0	37.8	3.9	8.1	13.9	2.4	3.3	5.6	1.1
2002 ⁴	10.5	18.5	2.8	9.4	16.2	2.7	20.2	37.8	4.2	9.0	14.7	3.2	3.3	5.6	1.2
2001 ⁴	10.4	18.2	2.8	9.4	16.2	2.7	19.3	36.3	3.8	7.7	12.7	2.8	3.1	5.3	1.1
2000	10.2	17.8	2.8	9.1	15.6	2.7	19.3	36.1	4.0	8.0	13.2	2.9	3.6	6.2	1.2
1999	10.3	18.1	2.9	9.2	15.9	2.8	19.4	36.0	4.4	9.5	16.2	2.8	3.9	6.3	1.7
	Age-adjusted rate ⁵														
2010	10.1	17.9	2.7	9.2	16.1	2.7	16.9	31.8	3.3	7.3	11.7	2.6	2.3	4.2	0.6
2009 ⁴	10.1	17.8	2.8	9.1	15.9	2.8	17.2	32.3	3.4	7.0	11.4	2.5	2.5	4.4	0.9
2008 ⁴	10.3	18.3	2.7	9.2	16.1	2.7	18.2	34.3	3.4	6.9	11.7	2.3	2.4	4.2	0.7
2007 ⁴	10.3	18.3	2.7	9.0	15.8	2.6	19.4	36.2	3.8	6.3	11.0	1.8	2.7	5.0	0.7
2006 ⁴	10.3	18.2	2.7	8.8	15.5	2.6	20.0	37.6	3.9	7.6	13.3	2.1	3.0	5.2	0.9
2005 ⁴	10.3	18.5	2.7	9.0	15.9	2.6	19.4	36.7	3.6	8.3	14.4	2.2	2.9	5.1	0.9
2004 ⁴	10.0	17.9	2.7	8.9	15.6	2.7	18.3	34.7	3.6	7.9	13.4	2.6	2.7	4.7	0.9
2003 ⁴	10.3	18.5	2.7	9.1	16.1	2.6	19.1	35.8	3.8	7.9	13.6	2.3	3.1	5.4	1.1
2002 ⁴	10.5	18.7	2.8	9.2	16.3	2.7	19.3	36.1	4.1	8.6	14.4	3.0	3.2	5.4	1.1
2001 ⁴	10.3	18.5	2.8	9.2	16.3	2.7	18.4	34.5	3.8	7.7	12.9	2.7	3.0	5.1	1.0
2000	10.2	18.1	2.8	9.0	15.9	2.7	18.4	34.2	3.9	7.9	13.1	2.9	3.4	6.0	1.1
1999	10.3	18.4	2.9	9.1	16.2	2.7	18.4	34.1	4.3	9.3	16.1	2.6	3.7	5.9	1.6

¹Multiple-race data were reported by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

²Includes Aleuts and Eskimos.

³Includes Chinese, Filipino, Hawaiian, Japanese, and other Asian or Pacific Islander persons.

⁴Rates are revised using updated intercensal population estimates and may differ from rates previously published; see Technical Notes.

⁵For method of computation, see Technical Notes.

NOTE: Causes of death attributable to injury by firearms include ICD-10 codes *U01.4, W32–W34, X72–X74, X93–X95, Y22–Y24, and Y35.0.

Table I-2. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2010

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10), Second Edition codes included in this table can be found in the note at the bottom of the table]

Year	All origins ¹			Hispanic			Non-Hispanic ²			Non-Hispanic white ³			Non-Hispanic black ³		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Number														
2010	31,672	27,356	4,316	3,008	2,694	314	28,519	24,532	3,987	20,513	17,350	3,163	7,330	6,607	723
2009	31,347	26,921	4,426	3,202	2,867	335	27,981	23,908	4,073	19,955	16,752	3,203	7,345	6,604	741
2008	31,593	27,336	4,257	3,256	2,912	344	28,252	24,351	3,901	19,873	16,822	3,051	7,741	6,997	744
2007	31,224	27,047	4,177	3,492	3,155	337	27,641	23,809	3,832	18,861	15,925	2,936	8,133	7,326	807
2006	30,896	26,712	4,184	3,464	3,142	322	27,329	23,482	3,847	18,312	15,411	2,901	8,294	7,460	834
2005	30,694	26,657	4,037	3,469	3,144	325	27,103	23,406	3,697	18,521	15,672	2,849	7,865	7,122	743
2004	29,569	25,498	4,071	3,278	2,973	305	26,189	22,436	3,753	18,200	15,283	2,917	7,347	6,620	727
2003	30,136	26,124	4,012	3,319	2,998	321	26,710	23,036	3,674	18,457	15,670	2,787	7,566	6,794	772
2002	30,242	26,098	4,144	3,143	2,834	309	26,944	23,127	3,817	18,762	15,881	2,881	7,494	6,681	813
2001	29,573	25,480	4,093	3,087	2,774	313	26,341	22,573	3,768	18,676	15,760	2,916	7,063	6,323	740
2000	28,663	24,582	4,081	2,891	2,582	309	25,637	21,881	3,756	18,042	15,160	2,882	6,958	6,193	765
1999	28,874	24,700	4,174	2,878	2,549	329	25,877	22,050	3,827	18,260	15,384	2,876	6,933	6,114	819
	Rate														
2010	10.3	18.0	2.7	6.0	10.5	1.3	11.0	19.4	3.0	10.2	17.6	3.1	18.6	35.1	3.5
2009 ⁴	10.2	17.9	2.8	6.5	11.4	1.4	10.9	19.0	3.1	10.0	17.0	3.1	18.8	35.4	3.6
2008 ⁴	10.4	18.3	2.8	6.8	12.0	1.5	11.0	19.5	3.0	9.9	17.1	3.0	20.0	38.0	3.7
2007 ⁴	10.4	18.3	2.7	7.6	13.4	1.5	10.8	19.1	2.9	9.5	16.3	2.9	21.3	40.3	4.0
2006 ⁴	10.4	18.2	2.8	7.8	13.8	1.5	10.8	19.0	3.0	9.2	15.8	2.9	22.0	41.5	4.2
2005 ⁴	10.4	18.4	2.7	8.1	14.3	1.5	10.7	19.0	2.9	9.3	16.1	2.8	21.1	40.1	3.8
2004 ⁴	10.1	17.7	2.7	7.9	14.0	1.5	10.4	18.3	2.9	9.2	15.7	2.9	19.9	37.7	3.8
2003 ⁴	10.4	18.3	2.7	8.3	14.6	1.6	10.7	18.9	2.9	9.3	16.1	2.8	20.8	39.2	4.0
2002 ⁴	10.5	18.5	2.8	8.1	14.3	1.6	10.8	19.0	3.0	9.5	16.4	2.9	20.8	39.0	4.3
2001 ⁴	10.4	18.2	2.8	8.3	14.5	1.7	10.6	18.7	3.0	9.4	16.3	2.9	19.8	37.3	4.0
2000	10.2	17.8	2.8	8.2	14.2	1.8	10.4	18.3	3.0	9.1	15.7	2.9	19.8	37.1	4.2
1999	10.3	18.1	2.9	8.5	14.6	2.0	10.6	18.5	3.0	9.3	15.9	2.9	20.0	37.1	4.5
	Age-adjusted rate ⁵														
2010	10.1	17.9	2.7	5.9	10.5	1.3	10.7	19.1	2.9	9.5	16.6	3.0	17.8	33.4	3.4
2009 ⁴	10.1	17.8	2.8	6.4	11.4	1.4	10.6	18.7	3.0	9.3	16.1	3.0	18.1	34.0	3.5
2008 ⁴	10.3	18.3	2.7	6.6	11.7	1.5	10.8	19.2	2.9	9.3	16.2	2.9	19.1	36.2	3.6
2007 ⁴	10.3	18.3	2.7	7.2	12.9	1.5	10.6	19.0	2.9	8.9	15.5	2.8	20.3	38.0	4.0
2006 ⁴	10.3	18.2	2.7	7.3	12.8	1.4	10.6	18.8	2.9	8.7	15.1	2.7	20.9	39.4	4.1
2005 ⁴	10.3	18.5	2.7	7.6	13.4	1.5	10.6	18.9	2.8	8.8	15.5	2.7	20.1	38.2	3.7
2004 ⁴	10.0	17.9	2.7	7.5	13.2	1.5	10.3	18.3	2.9	8.7	15.2	2.8	19.1	36.2	3.7
2003 ⁴	10.3	18.5	2.7	7.8	13.7	1.6	10.5	18.9	2.8	8.8	15.7	2.7	19.8	37.3	4.0
2002 ⁴	10.5	18.7	2.8	7.7	13.6	1.6	10.7	19.1	3.0	9.0	16.0	2.8	19.9	37.2	4.2
2001 ⁴	10.3	18.5	2.8	7.8	13.7	1.7	10.5	18.8	2.9	9.1	16.0	2.8	18.9	35.4	3.9
2000	10.2	18.1	2.8	7.8	13.6	1.8	10.3	18.4	3.0	8.8	15.5	2.8	18.9	35.2	4.1
1999	10.3	18.4	2.9	8.2	14.2	2.0	10.5	18.7	3.0	8.9	15.8	2.8	19.0	35.2	4.4

¹Figures for origin not stated are included in "All origins" but are not distributed among specified origins.

²Includes races other than white and black.

³Multiple-race data were reported by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

⁴Rates are revised using updated intercensal population estimates and may differ from rates previously published; see Technical Notes.

⁵For method of computation, see Technical Notes.

NOTE: Causes of death attributable to injury by firearms include ICD-10 codes *U01.4, W32–W34, X72–X74, X93–X95, Y22–Y24, and Y35.0.

Table I-3. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by race and sex: United States, 1999–2010

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10), Second Edition codes included in this table can be found in the note at the bottom of the table]

Year	All races			White ¹			Black ¹			American Indian or Alaska Native ^{1,2}			Asian or Pacific Islander ^{1,3}		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Number														
2010	40,393	24,376	16,017	36,020	21,697	14,323	3,561	2,210	1,351	458	250	208	354	219	135
2009	39,147	24,015	15,132	34,633	21,162	13,471	3,660	2,322	1,338	495	292	203	359	239	120
2008	38,649	23,928	14,721	34,237	21,093	13,144	3,662	2,381	1,281	451	273	178	299	181	118
2007	38,371	23,883	14,488	33,480	20,795	12,685	4,194	2,708	1,486	388	205	183	309	175	134
2006	38,396	24,507	13,889	32,866	20,786	12,080	4,790	3,261	1,529	407	253	154	333	207	126
2005	33,541	21,208	12,333	28,804	18,152	10,652	4,098	2,677	1,421	362	205	157	277	174	103
2004	30,711	19,362	11,349	26,474	16,634	9,840	3,633	2,352	1,281	354	212	142	250	164	86
2003	28,723	18,426	10,297	24,683	15,824	8,859	3,527	2,303	1,224	295	168	127	218	131	87
2002	26,040	16,734	9,306	22,146	14,170	7,976	3,463	2,307	1,156	230	136	94	201	121	80
2001	21,705	14,253	7,452	18,195	11,882	6,313	3,165	2,163	1,002	184	100	84	161	108	53
2000	19,720	13,137	6,583	16,388	10,857	5,531	3,034	2,094	940	160	99	61	138	87	51
1999	19,128	12,885	6,243	15,714	10,506	5,208	3,100	2,191	909	164	96	68	150	92	58
	Rate														
2010	13.1	16.1	10.2	14.7	17.9	11.5	8.5	11.0	6.2	10.7	11.7	9.8	2.1	2.7	1.5
2009 ⁴	12.8	15.9	9.7	14.2	17.5	10.9	8.8	11.7	6.2	12.0	14.0	9.8	2.2	3.0	1.4
2008 ⁴	12.7	16.0	9.5	14.1	17.6	10.7	8.9	12.1	6.0	11.3	13.7	9.0	1.9	2.3	1.4
2007 ⁴	12.7	16.1	9.5	13.9	17.4	10.4	10.4	14.0	7.0	10.1	10.7	9.6	2.0	2.3	1.7
2006 ⁴	12.9	16.7	9.2	13.7	17.5	10.0	12.0	17.1	7.3	11.0	13.7	8.4	2.2	2.9	1.6
2005 ⁴	11.3	14.6	8.2	12.1	15.4	8.8	10.4	14.3	6.9	10.2	11.5	8.8	1.9	2.5	1.4
2004 ⁴	10.5	13.5	7.6	11.2	14.2	8.2	9.4	12.7	6.3	10.3	12.4	8.3	1.8	2.4	1.2
2003 ⁴	9.9	12.9	7.0	10.5	13.6	7.4	9.2	12.7	6.1	8.9	10.2	7.7	1.6	2.0	1.3
2002 ⁴	9.1	11.8	6.4	9.5	12.3	6.7	9.2	12.8	5.8	7.2	8.5	5.9	1.6	1.9	1.2
2001 ⁴	7.6	10.2	5.1	7.8	10.4	5.4	8.5	12.2	5.1	5.9	6.5	5.4	1.3	1.8	0.8
2000	7.0	9.5	4.6	7.1	9.6	4.7	8.3	12.0	4.9	5.4	6.7	4.1	1.2	1.5	0.8
1999	6.9	9.4	4.4	6.9	9.3	4.5	8.6	12.7	4.8	5.8	6.8	4.8	1.3	1.7	1.0
	Age-adjusted rate ⁵														
2010	12.9	15.9	10.0	14.6	17.7	11.4	8.7	11.6	6.2	11.4	12.3	10.4	2.0	2.7	1.5
2009 ⁴	12.6	15.7	9.5	14.0	17.3	10.7	9.1	12.4	6.3	12.6	14.7	10.4	2.1	3.0	1.4
2008 ⁴	12.6	15.8	9.4	14.0	17.4	10.5	9.3	13.0	6.1	11.7	14.2	9.3	1.8	2.3	1.3
2007 ⁴	12.6	16.0	9.3	13.8	17.3	10.2	10.9	15.0	7.2	10.8	11.1	10.3	1.9	2.3	1.6
2006 ⁴	12.8	16.6	9.1	13.6	17.4	9.8	12.7	18.6	7.6	12.3	14.9	9.6	2.3	3.0	1.6
2005 ⁴	11.3	14.5	8.1	12.0	15.3	8.7	11.1	15.6	7.2	11.0	12.4	9.6	1.9	2.6	1.4
2004 ⁴	10.5	13.4	7.6	11.2	14.1	8.2	10.0	14.1	6.6	10.9	13.0	8.8	1.8	2.5	1.2
2003 ⁴	9.9	12.9	7.0	10.5	13.5	7.4	9.9	14.0	6.4	9.4	10.7	8.2	1.6	2.0	1.2
2002 ⁴	9.1	11.8	6.3	9.5	12.2	6.7	9.9	14.2	6.1	7.6	8.8	6.2	1.6	2.1	1.2
2001 ⁴	7.6	10.1	5.1	7.8	10.2	5.3	9.2	13.6	5.4	6.5	7.3	5.7	1.3	1.8	0.8
2000	7.0	9.5	4.6	7.1	9.4	4.7	9.0	13.5	5.2	5.6	6.9	4.3	1.1	1.5	0.8
1999	6.8	9.4	4.4	6.8	9.2	4.4	9.3	14.3	5.1	6.1	7.2	5.0	1.4	1.7	1.0

¹Multiple-race data were reported by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

²Includes Aleuts and Eskimos.

³Includes Chinese, Filipino, Hawaiian, Japanese, and other Asian or Pacific Islander persons.

⁴Rates are revised using updated intercensal population estimates and may differ from rates previously published; see Technical Notes.

⁵For method of computation, see Technical Notes.

NOTE: Causes of death attributable to drug-induced mortality include ICD-10 codes D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.1–F11.5, F11.7–F11.9, F12.1–F12.5, F12.7–F12.9, F13.1–F13.5, F13.7–F13.9, F14.1–F14.5, F14.7–F14.9, F15.1–F15.5, F15.7–F15.9, F16.1–F16.5, F16.7–F16.9, F17.3–F17.5, F17.7–F17.9, F18.1–F18.5, F18.7–F18.9, F19.1–F19.5, F19.7–F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2–J70.4, K85.3, L10.5, L27.0–L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R50.2, R78.1–R78.5, X40–X44, X60–X64, X85, and Y10–Y14. In 2006, the list of drug-induced codes was modified to include two new ICD-10 codes, Drug-induced acute pancreatitis (K85.3) and Drug-induced fever (R50.2).

Table I-4. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2010

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10), Second Edition codes included in this table can be found in the note at the bottom of the table]

Year	All origins ¹			Hispanic			Non-Hispanic ²			Non-Hispanic white ³			Non-Hispanic black ³		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Number														
2010	40,393	24,376	16,017	2,788	1,944	844	37,420	22,303	15,117	33,145	19,689	13,456	3,502	2,170	1,332
2009	39,147	24,015	15,132	2,811	2,013	798	36,124	21,864	14,260	31,749	19,107	12,642	3,588	2,274	1,314
2008	38,649	23,928	14,721	2,761	2,033	728	35,735	21,791	13,944	31,448	19,044	12,404	3,589	2,326	1,263
2007	38,371	23,883	14,488	2,723	2,045	678	35,532	21,771	13,761	30,755	18,760	11,995	4,126	2,662	1,464
2006	38,396	24,507	13,889	2,871	2,135	736	35,379	22,262	13,117	29,970	18,634	11,336	4,722	3,212	1,510
2005	33,541	21,208	12,333	2,596	1,969	627	30,809	19,140	11,669	26,186	16,170	10,016	4,019	2,612	1,407
2004	30,711	19,362	11,349	2,257	1,671	586	28,339	17,605	10,734	24,201	14,952	9,249	3,577	2,309	1,268
2003	28,723	18,426	10,297	2,358	1,800	558	26,199	16,497	9,702	22,245	13,959	8,286	3,466	2,256	1,210
2002	26,040	16,734	9,306	2,137	1,647	490	23,756	14,978	8,778	19,949	12,478	7,471	3,404	2,264	1,140
2001	21,705	14,253	7,452	1,731	1,335	396	19,799	12,778	7,021	16,367	10,465	5,902	3,099	2,113	986
2000	19,720	13,137	6,583	1,700	1,348	352	17,835	11,656	6,179	14,585	9,439	5,146	2,977	2,050	927
1999	19,128	12,885	6,243	1,965	1,605	360	16,966	11,136	5,830	13,644	8,831	4,813	3,030	2,134	896
	Rate														
2010	13.1	16.1	10.2	5.5	7.6	3.4	14.5	17.7	11.4	16.6	20.0	13.2	8.9	11.5	6.5
2009 ⁴	12.8	15.9	9.7	5.7	8.0	3.3	14.0	17.4	10.8	15.9	19.4	12.4	9.2	12.2	6.4
2008 ⁴	12.7	16.0	9.5	5.8	8.4	3.1	13.9	17.4	10.6	15.7	19.4	12.2	9.3	12.6	6.2
2007 ⁴	12.7	16.1	9.5	5.9	8.7	3.0	13.9	17.5	10.5	15.4	19.1	11.8	10.8	14.6	7.3
2006 ⁴	12.9	16.7	9.2	6.4	9.4	3.4	13.9	18.0	10.1	15.0	19.1	11.2	12.5	17.9	7.6
2005 ⁴	11.3	14.6	8.2	6.0	9.0	3.0	12.2	15.5	9.0	13.2	16.6	9.9	10.8	14.7	7.2
2004 ⁴	10.5	13.5	7.6	5.4	7.9	2.9	11.3	14.4	8.3	12.2	15.4	9.1	9.7	13.2	6.6
2003 ⁴	9.9	12.9	7.0	5.9	8.8	2.9	10.5	13.5	7.6	11.2	14.4	8.2	9.5	13.0	6.3
2002 ⁴	9.1	11.8	6.4	5.5	8.3	2.6	9.5	12.3	6.9	10.1	12.9	7.4	9.4	13.2	6.0
2001 ⁴	7.6	10.2	5.1	4.7	7.0	2.2	8.0	10.6	5.5	8.3	10.8	5.8	8.7	12.5	5.3
2000	7.0	9.5	4.6	4.8	7.4	2.1	7.2	9.7	4.9	7.4	9.8	5.1	8.5	12.3	5.0
1999	6.9	9.4	4.4	5.8	9.2	2.2	6.9	9.3	4.6	6.9	9.2	4.8	8.7	12.9	4.9
	Age-adjusted rate ⁵														
2010	12.9	15.9	10.0	6.1	8.4	3.8	14.2	17.3	11.1	16.4	19.8	12.9	9.0	11.9	6.5
2009 ⁴	12.6	15.7	9.5	6.4	8.9	3.7	13.7	17.1	10.5	15.7	19.2	12.1	9.4	12.8	6.5
2008 ⁴	12.6	15.8	9.4	6.4	9.3	3.5	13.7	17.1	10.3	15.6	19.2	11.9	9.6	13.3	6.3
2007 ⁴	12.6	16.0	9.3	6.6	9.7	3.4	13.7	17.2	10.2	15.2	19.0	11.5	11.2	15.5	7.5
2006 ⁴	12.8	16.6	9.1	7.3	10.6	3.9	13.7	17.7	9.8	14.9	18.9	10.9	13.1	19.2	7.9
2005 ⁴	11.3	14.5	8.1	6.9	10.2	3.5	12.0	15.3	8.8	13.0	16.3	9.6	11.3	15.9	7.4
2004 ⁴	10.5	13.4	7.6	6.3	9.1	3.4	11.1	14.2	8.2	12.1	15.2	8.9	10.3	14.5	6.8
2003 ⁴	9.9	12.9	7.0	6.7	10.1	3.3	10.4	13.4	7.4	11.1	14.2	8.0	10.1	14.3	6.6
2002 ⁴	9.1	11.8	6.3	6.3	9.5	3.0	9.4	12.1	6.8	9.9	12.6	7.2	10.1	14.5	6.3
2001 ⁴	7.6	10.1	5.1	5.3	8.0	2.5	7.9	10.4	5.4	8.1	10.5	5.7	9.3	13.8	5.5
2000	7.0	9.5	4.6	5.4	8.3	2.4	7.1	9.5	4.8	7.2	9.6	4.9	9.1	13.6	5.3
1999	6.8	9.4	4.4	6.4	10.3	2.5	6.8	9.2	4.6	6.8	8.9	4.6	9.4	14.4	5.2

¹Figures for origin not stated are included in "All origins" but are not distributed among specified origins.

²Includes races other than white and black.

³Multiple-race data were reported by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

⁴Rates are revised using updated intercensal population estimates and may differ from rates previously published; see Technical Notes.

⁵For method of computation, see Technical Notes.

NOTE: Causes of death attributable to drug-induced mortality include ICD-10 codes D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.1–F11.5, F11.7–F11.9, F12.1–F12.5, F12.7–F12.9, F13.1–F13.5, F13.7–F13.9, F14.1–F14.5, F14.7–F14.9, F15.1–F15.5, F15.7–F15.9, F16.1–F16.5, F16.7–F16.9, F17.3–F17.5, F17.7–F17.9, F18.1–F18.5, F18.7–F18.9, F19.1–F19.5, F19.7–F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2–J70.4, K85.3, L10.5, L27.0–L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R50.2, R78.1–R78.5, X40–X44, X60–X64, X85, and Y10–Y14. In 2006, the list of drug-induced codes was modified to include two new ICD-10 codes, Drug-induced acute pancreatitis (K85.3) and Drug-induced fever (R50.2).

Table I-5. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by race and sex: United States, 1999–2010

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10), Second Edition codes included in this table can be found in the note at the bottom of the table]

Year	All races			White ¹			Black ¹			American Indian or Alaska Native ^{1,2}			Asian or Pacific Islander ^{1,3}		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Number														
2010	25,692	19,038	6,654	22,167	16,527	5,640	2,330	1,686	644	931	611	320	264	214	50
2009	24,518	18,088	6,430	21,066	15,629	5,437	2,340	1,721	619	830	511	319	282	227	55
2008	24,189	18,152	6,037	20,783	15,689	5,094	2,279	1,692	587	853	542	311	274	229	45
2007	23,199	17,428	5,771	19,921	15,027	4,894	2,248	1,703	545	774	495	279	256	203	53
2006	22,073	16,472	5,601	18,917	14,186	4,731	2,172	1,599	573	717	458	259	267	229	38
2005	21,634	16,238	5,396	18,432	13,917	4,515	2,316	1,698	618	655	432	223	231	191	40
2004	21,081	15,906	5,175	17,875	13,525	4,350	2,351	1,784	567	645	417	228	210	180	30
2003	20,687	15,630	5,057	17,437	13,218	4,219	2,406	1,824	582	664	431	233	180	157	23
2002	20,218	15,272	4,946	16,988	12,926	4,062	2,434	1,798	636	597	387	210	199	161	38
2001	20,114	15,149	4,965	16,640	12,588	4,052	2,723	2,048	675	591	387	204	160	126	34
2000	19,643	14,993	4,650	16,223	12,509	3,714	2,712	1,993	719	537	353	184	171	138	33
1999	19,469	14,894	4,575	15,903	12,277	3,626	2,832	2,100	732	589	397	192	145	120	25
	Rate														
2010	8.3	12.5	4.2	9.0	13.6	4.5	5.5	8.4	2.9	21.8	28.5	15.1	1.6	2.6	0.6
2009 ⁴	8.0	12.0	4.1	8.6	12.9	4.4	5.6	8.7	2.8	20.0	24.6	15.5	1.7	2.9	0.6
2008 ⁴	8.0	12.1	3.9	8.6	13.1	4.1	5.6	8.6	2.7	21.4	27.1	15.7	1.7	3.0	0.5
2007 ⁴	7.7	11.8	3.8	8.3	12.6	4.0	5.6	8.8	2.6	20.2	25.8	14.6	1.6	2.7	0.7
2006 ⁴	7.4	11.2	3.7	7.9	12.0	3.9	5.4	8.4	2.7	19.4	24.8	14.1	1.8	3.2	0.5
2005 ⁴	7.3	11.2	3.6	7.7	11.8	3.7	5.9	9.1	3.0	18.4	24.3	12.5	1.6	2.7	0.5
2004 ⁴	7.2	11.1	3.5	7.6	11.6	3.6	6.1	9.7	2.8	18.8	24.3	13.3	1.5	2.7	0.4
2003 ⁴	7.1	11.0	3.4	7.4	11.4	3.5	6.3	10.0	2.9	20.0	26.1	14.0	1.3	2.4	0.3
2002 ⁴	7.0	10.8	3.4	7.3	11.2	3.4	6.4	10.0	3.2	18.6	24.2	13.1	1.5	2.6	0.6
2001 ⁴	7.1	10.8	3.4	7.2	11.0	3.4	7.3	11.5	3.5	19.1	25.0	13.1	1.3	2.1	0.5
2000	7.0	10.9	3.2	7.1	11.0	3.2	7.4	11.4	3.7	18.0	23.7	12.3	1.5	2.4	0.5
1999	7.0	10.9	3.2	7.0	10.9	3.1	7.8	12.2	3.9	20.8	28.1	13.5	1.3	2.2	0.4
	Age-adjusted rate ⁵														
2010	7.6	11.7	3.9	8.0	12.2	4.0	5.9	9.6	3.0	25.4	34.9	16.7	1.6	2.8	0.5
2009 ⁴	7.4	11.3	3.8	7.7	11.7	3.9	6.1	10.0	2.9	23.4	29.1	17.8	1.8	3.1	0.6
2008 ⁴	7.4	11.5	3.6	7.7	11.9	3.7	6.1	10.2	2.8	25.5	33.7	18.1	1.8	3.2	0.6
2007 ⁴	7.2	11.3	3.5	7.5	11.6	3.6	6.2	10.6	2.7	23.9	32.1	16.4	1.7	3.0	0.7
2006 ⁴	7.0	10.9	3.4	7.2	11.2	3.5	6.1	10.1	2.9	23.4	31.0	16.4	1.9	3.5	0.5
2005 ⁴	7.0	11.0	3.4	7.2	11.1	3.4	6.7	11.1	3.3	22.3	30.8	14.6	1.7	3.1	0.6
2004 ⁴	7.0	11.0	3.3	7.1	11.1	3.3	7.0	12.0	3.1	23.0	31.6	15.3	1.7	3.2	0.5
2003 ⁴	7.0	11.0	3.3	7.0	11.0	3.3	7.4	12.6	3.2	24.4	33.3	16.4	1.5	2.8	0.4
2002 ⁴	6.9	11.0	3.3	7.0	11.0	3.2	7.7	13.0	3.6	23.0	31.4	15.3	1.8	3.2	0.6
2001 ⁴	7.0	11.2	3.3	6.9	10.9	3.3	8.8	15.0	3.9	23.7	33.3	15.3	1.5	2.6	0.6
2000	7.0	11.4	3.2	6.9	11.1	3.0	9.1	15.3	4.3	22.7	31.4	14.9	1.7	2.9	0.7
1999	7.1	11.5	3.2	6.8	11.0	3.0	9.8	16.7	4.5	26.7	38.8	16.2	1.6	2.8	0.5

¹Multiple-race data were reported by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

²Includes Aleuts and Eskimos.

³Includes Chinese, Filipino, Hawaiian, Japanese, and other Asian or Pacific Islander persons.

⁴Rates are revised using updated intercensal population estimates and may differ from rates previously published; see Technical Notes.

⁵For method of computation, see Technical Notes.

NOTE: Causes of death attributable to alcohol-induced mortality include ICD-10 codes E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. In 2006, the list of alcohol-induced codes was modified to include a new ICD-10 code, Alcohol-induced acute pancreatitis (K85.2).

Table I-6. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2010

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10), Second Edition codes included in this table can be found in the note at the bottom of the table]

Year	All origins ¹			Hispanic			Non-Hispanic ²			Non-Hispanic white ³			Non-Hispanic black ³		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Number															
2010	25,692	19,038	6,654	3,326	2,759	567	22,242	16,178	6,064	18,806	13,735	5,071	2,296	1,661	635
2009	24,518	18,088	6,430	3,139	2,618	521	21,265	15,375	5,890	17,902	12,986	4,916	2,299	1,688	611
2008	24,189	18,152	6,037	3,021	2,522	499	21,085	15,561	5,524	17,759	13,160	4,599	2,240	1,660	580
2007	23,199	17,428	5,771	2,977	2,539	438	20,130	14,811	5,319	16,935	12,474	4,461	2,210	1,674	536
2006	22,073	16,472	5,601	2,804	2,341	463	19,187	14,055	5,132	16,114	11,837	4,277	2,128	1,561	567
2005	21,634	16,238	5,396	2,658	2,265	393	18,877	13,890	4,987	15,729	11,610	4,119	2,282	1,670	612
2004	21,081	15,906	5,175	2,406	2,056	350	18,567	13,761	4,806	15,418	11,428	3,990	2,318	1,754	564
2003	20,687	15,630	5,057	2,422	2,048	374	18,160	13,490	4,670	14,977	11,133	3,844	2,367	1,787	580
2002	20,218	15,272	4,946	2,408	2,065	343	17,661	13,078	4,583	14,494	10,783	3,711	2,396	1,768	628
2001	20,114	15,149	4,965	2,381	2,026	355	17,593	13,009	4,584	14,186	10,497	3,689	2,677	2,016	661
2000	19,643	14,993	4,650	2,323	2,024	299	17,177	12,843	4,334	13,815	10,408	3,407	2,672	1,959	713
1999	19,469	14,894	4,575	2,184	1,864	320	17,143	12,905	4,238	13,633	10,337	3,296	2,794	2,066	728
Rate															
2010	8.3	12.5	4.2	6.6	10.8	2.3	8.6	12.8	4.6	9.4	14.0	5.0	5.8	8.8	3.1
2009 ⁴	8.0	12.0	4.1	6.4	10.4	2.1	8.3	12.2	4.5	9.0	13.2	4.8	5.9	9.1	3.0
2008 ⁴	8.0	12.1	3.9	6.3	10.4	2.1	8.2	12.4	4.2	8.9	13.4	4.5	5.8	9.0	2.9
2007 ⁴	7.7	11.8	3.8	6.4	10.8	1.9	7.9	11.9	4.1	8.5	12.7	4.4	5.8	9.2	2.7
2006 ⁴	7.4	11.2	3.7	6.3	10.3	2.1	7.6	11.3	4.0	8.1	12.1	4.2	5.6	8.7	2.9
2005 ⁴	7.3	11.2	3.6	6.2	10.3	1.9	7.5	11.3	3.9	7.9	11.9	4.1	6.1	9.4	3.1
2004 ⁴	7.2	11.1	3.5	5.8	9.7	1.7	7.4	11.2	3.7	7.8	11.7	3.9	6.3	10.0	2.9
2003 ⁴	7.1	11.0	3.4	6.0	10.0	1.9	7.3	11.1	3.6	7.6	11.5	3.8	6.5	10.3	3.0
2002 ⁴	7.0	10.8	3.4	6.2	10.4	1.8	7.1	10.8	3.6	7.3	11.1	3.7	6.6	10.3	3.3
2001 ⁴	7.1	10.8	3.4	6.4	10.6	2.0	7.1	10.8	3.6	7.2	10.8	3.7	7.5	11.9	3.5
2000	7.0	10.9	3.2	6.6	11.1	1.7	7.0	10.7	3.4	7.0	10.8	3.4	7.6	11.7	3.9
1999	7.0	10.9	3.2	6.4	10.7	1.9	7.0	10.8	3.4	6.9	10.7	3.3	8.0	12.5	4.0
Age-adjusted rate ⁵															
2010	7.6	11.7	3.9	9.1	16.0	3.0	7.4	11.2	4.0	7.8	11.6	4.2	6.1	9.8	3.1
2009 ⁴	7.4	11.3	3.8	8.9	15.6	2.9	7.2	10.8	3.9	7.5	11.1	4.1	6.2	10.2	3.0
2008 ⁴	7.4	11.5	3.6	8.9	15.5	2.8	7.2	11.1	3.7	7.5	11.4	3.9	6.2	10.4	2.9
2007 ⁴	7.2	11.3	3.5	9.4	16.8	2.7	7.0	10.7	3.6	7.2	10.9	3.8	6.3	10.9	2.8
2006 ⁴	7.0	10.9	3.4	9.2	16.2	3.0	6.8	10.3	3.5	6.9	10.5	3.6	6.2	10.2	3.0
2005 ⁴	7.0	11.0	3.4	9.1	16.5	2.6	6.7	10.4	3.5	6.8	10.4	3.5	6.9	11.3	3.3
2004 ⁴	7.0	11.0	3.3	8.6	15.4	2.5	6.8	10.5	3.4	6.8	10.5	3.5	7.2	12.2	3.2
2003 ⁴	7.0	11.0	3.3	9.2	16.4	2.8	6.7	10.5	3.3	6.7	10.4	3.4	7.5	12.8	3.3
2002 ⁴	6.9	11.0	3.3	9.7	17.4	2.7	6.7	10.4	3.3	6.6	10.2	3.3	7.9	13.2	3.7
2001 ⁴	7.0	11.2	3.3	10.1	18.2	2.9	6.7	10.5	3.4	6.5	10.0	3.3	9.0	15.3	4.0
2000	7.0	11.4	3.2	10.5	19.4	2.6	6.7	10.6	3.2	6.4	10.1	3.1	9.3	15.5	4.4
1999	7.1	11.5	3.2	10.3	18.6	3.0	6.8	10.8	3.2	6.4	10.2	3.0	10.0	16.9	4.6

¹Figures for origin not stated are included in "All origins" but are not distributed among specified origins.

²Includes races other than white and black.

³Multiple-race data were reported by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

⁴Rates are revised using updated intercensal population estimates and may differ from rates previously published; see Technical Notes.

⁵For method of computation, see Technical Notes.

NOTE: Causes of death attributable to alcohol-induced mortality include ICD-10 codes E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. In 2006, the list of alcohol-induced codes was modified to include a new ICD-10 code, Alcohol-induced acute pancreatitis (K85.2).

Table I-7. Number of deaths, death rates, and age-adjusted death rates for ages 15 and over, by marital status and sex: United States, 2010

[Rates are per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Population estimates used for computing death rates are based on the American Community Survey adjusted to postcensal July 1, 2010 resident population control totals for the United States; see Technical Notes]

Marital status and sex	Age group (years)								Age-adjusted rate ²
	15 and over ¹	15-24	25-34	35-44	45-54	55-64	65-74	75 and over	
	Number								
Both sexes	2,434,128	29,551	42,259	70,033	183,207	310,802	407,151	1,391,125	...
Never married	264,768	27,638	26,669	25,463	46,327	45,353	30,084	63,234	...
Ever married	2,156,019	1,859	15,349	43,943	134,596	261,932	374,062	1,324,278	...
Married	933,090	1,587	11,290	28,046	77,919	152,574	213,657	448,017	...
Widowed	880,238	26	211	1,038	6,691	24,723	78,549	769,000	...
Divorced	342,691	246	3,848	14,859	49,986	84,635	81,856	107,261	...
Not stated	13,341	54	241	627	2,284	3,517	3,005	3,613	...
Male	1,213,129	21,790	29,192	43,434	112,018	189,295	229,704	587,696	...
Never married	163,919	20,617	19,587	17,458	31,661	29,892	18,257	26,447	...
Ever married	1,039,711	1,136	9,428	25,554	78,694	156,662	209,131	559,106	...
Married	627,565	983	7,036	16,410	45,349	96,001	140,648	321,138	...
Widowed	228,852	14	96	390	2,447	8,261	23,213	194,431	...
Divorced	183,294	139	2,296	8,754	30,898	52,400	45,270	43,537	...
Not stated	9,499	37	177	422	1,663	2,741	2,316	2,143	...
Female	1,220,999	7,761	13,067	26,599	71,189	121,507	177,447	803,429	...
Never married	100,849	7,021	7,082	8,005	14,666	15,461	11,827	36,787	...
Ever married	1,116,308	723	5,921	18,389	55,902	105,270	164,931	765,172	...
Married	305,525	604	4,254	11,636	32,570	56,573	73,009	126,879	...
Widowed	651,386	12	115	648	4,244	16,462	55,336	574,569	...
Divorced	159,397	107	1,552	6,105	19,088	32,235	36,586	63,724	...
Not stated	3,842	17	64	205	621	776	689	1,470	...
	Rate ³								
Both sexes	981.3	67.5	103.1	170.0	407.8	845.4	1,863.0	7,487.4	1,152.5
Never married	332.5	68.2	138.3	299.5	741.1	1,435.8	2,697.4	7,908.6	1,466.1
Ever married	1,280.2	57.3	70.8	134.4	348.0	779.5	1,803.7	7,448.2	1,105.7
Married	737.9	52.6	59.0	103.6	260.6	612.1	1,503.4	5,475.2	839.8
Widowed	5,890.1	131.1	228.0	357.1	725.7	1,213.1	2,284.1	9,444.4	1,567.2
Divorced	1,268.0	119.8	157.0	278.3	636.7	1,275.2	2,650.6	7,372.8	1,366.5
Male	1,004.7	97.1	142.0	211.9	506.9	1,068.1	2,261.8	8,074.9	1,317.4
Never married	383.5	97.1	181.6	365.0	907.9	1,837.7	3,442.7	8,950.7	1,754.0
Ever married	1,332.9	94.3	96.5	162.6	422.8	973.3	2,172.7	8,007.2	1,249.7
Married	991.5	87.2	80.8	124.0	305.5	750.8	1,825.3	6,564.4	1,012.1
Widowed	7,438.7	*	382.9	480.9	1,086.3	1,844.0	3,338.1	12,190.6	2,155.1
Divorced	1,575.6	194.9	221.3	365.1	871.8	1,830.4	3,697.6	8,786.7	1,764.6
Female	959.1	36.4	64.0	128.5	311.8	638.2	1,516.8	7,109.1	1,015.2
Never married	273.3	36.4	83.3	215.3	530.6	1,009.0	2,021.8	7,297.8	1,205.9
Ever married	1,234.7	35.5	49.7	108.3	278.6	601.3	1,484.1	7,086.7	989.8
Married	483.8	32.0	40.8	84.1	216.2	465.9	1,122.2	3,855.8	612.1
Widowed	5,488.7	*	170.5	309.2	609.2	1,035.3	2,016.9	8,775.4	1,405.1
Divorced	1,035.6	79.9	109.8	207.6	443.2	854.1	1,962.9	6,642.5	1,103.2

... Category not applicable.

* Figure does not meet standards of reliability or precision; see Technical Notes.

¹Excludes figures for age not stated.

²Calculated based on ages 25 and over. For method of computation, see Technical Notes.

³Figures for marital status not stated are included in totals for "Both sexes," "Male," and "Female" but are not distributed among specified marital status groups.

Table I-8. Number of deaths, death rates, and age-adjusted death rates for ages 25–64, by educational attainment and sex: Total of 31 reporting states and District of Columbia using 2003 version of U.S. Standard Certificate of Death, and total of 16 reporting states using 1989 version of U.S. Standard Certificate of Death, 2010

[Rates are per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Population estimates used for computing death rates are based on the American Community Survey adjusted to postcensal July 1, 2010, resident population control totals for reporting areas; see Technical Notes]

31 reporting states and District of Columbia ¹ using 2003 version of U.S. Standard Certificate of Death							16 reporting states ² using 1989 version of U.S. Standard Certificate of Death						
Education level and sex	Age group (years)					Age- adjusted rate ⁴	Years of school completed ⁵ and sex	Age group (years)					Age- adjusted rate ⁴
	25–64 ³	25–34	35–44	45–54	55–64			25–64 ³	25–34	35–44	45–54	55–64	
	Number						Number						
Both sexes	415,322	29,064	47,914	125,243	213,101	...	Both sexes	174,575	12,078	20,234	52,940	89,323	...
Less than high school diploma or GED	76,065	6,351	9,696	24,103	35,915	...	Under 12 years	33,182	2,438	3,853	10,363	16,528	...
High school diploma or GED	172,301	12,222	19,848	54,654	85,577	...	12 years	77,751	5,405	9,127	24,690	38,529	...
Some college or collegiate degree	151,236	9,557	16,738	41,709	83,232	...	13 years or more	56,565	3,633	6,383	15,757	30,792	...
Not stated ⁶	15,720	934	1,632	4,777	8,377	...	Not stated ⁷	7,077	602	871	2,130	3,474	...
Male	256,301	20,166	29,778	76,515	129,842	...	Male	107,621	8,285	12,491	32,403	54,442	...
Less than high school diploma or GED	48,532	4,699	6,278	15,441	22,114	...	Under 12 years	21,735	1,763	2,519	6,888	10,565	...
High school diploma or GED	108,098	8,803	12,913	34,649	51,733	...	12 years	48,609	3,862	5,880	15,547	23,320	...
Some college or collegiate degree	88,823	6,006	9,496	23,167	50,154	...	13 years or more	32,474	2,216	3,512	8,515	18,231	...
Not stated ⁶	10,848	658	1,091	3,258	5,841	...	Not stated ⁷	4,803	444	580	1,453	2,326	...
Female	159,021	8,898	18,136	48,728	83,259	...	Female	66,954	3,793	7,743	20,537	34,881	...
Less than high school diploma or GED	27,533	1,652	3,418	8,662	13,801	...	Under 12 years	11,447	675	1,334	3,475	5,963	...
High school diploma or GED	64,203	3,419	6,935	20,005	33,844	...	12 years	29,142	1,543	3,247	9,143	15,209	...
Some college or collegiate degree	62,413	3,551	7,242	18,542	33,078	...	13 years or more	24,091	1,417	2,871	7,242	12,561	...
Not stated ⁶	4,872	276	541	1,519	2,536	...	Not stated ⁷	2,274	158	291	677	1,148	...
	Rate ⁸						Rate ⁸						
Both sexes	360.4	99.5	164.5	398.9	835.2	320.8	Both sexes	388.0	110.6	181.0	422.9	860.5	339.3
Less than high school diploma or GED	498.2	160.3	244.0	585.3	1,117.0	457.0	Under 12 years	693.1	201.6	340.2	791.2	1,454.6	607.8
High school diploma or GED	570.2	173.6	270.4	611.0	1,241.9	496.4	12 years	600.2	198.0	301.6	619.3	1,200.0	507.6
Some college or collegiate degree	216.8	52.5	94.0	227.5	540.2	192.6	13 years or more	207.6	52.1	90.9	218.2	510.3	184.1
Male	450.1	137.3	205.3	494.9	1,057.0	405.5	Male	485.7	152.0	225.2	527.7	1,084.4	428.6
Less than high school diploma or GED	587.4	205.2	287.5	690.8	1,424.1	561.2	Under 12 years	806.7	250.2	383.2	922.3	1,804.4	726.6
High school diploma or GED	687.3	220.3	323.4	749.4	1,661.6	631.4	12 years	711.4	242.7	353.0	743.1	1,571.3	629.7
Some college or collegiate degree	269.6	71.5	114.0	269.3	658.4	234.5	13 years or more	257.1	70.2	108.9	257.9	617.9	222.8
Female	272.7	61.2	124.0	305.9	629.3	239.5	Female	293.2	69.4	137.5	322.0	650.7	253.6
Less than high school diploma or GED	393.0	98.9	190.9	460.1	830.1	343.9	Under 12 years	546.8	133.8	280.7	617.3	1,082.7	464.1
High school diploma or GED	443.0	112.3	207.1	463.0	896.0	364.2	12 years	476.1	135.5	238.7	482.6	880.9	382.7
Some college or collegiate degree	169.5	36.2	76.4	190.6	424.6	153.9	13 years or more	164.8	37.1	75.6	184.8	407.4	149.5

... Category not applicable.

¹Includes data for Arizona, Arkansas, California, Connecticut, Delaware, District of Columbia, Florida, Georgia, Idaho, Illinois, Indiana, Kansas, Michigan, Missouri, Montana, Nebraska, Nevada, New Hampshire, New Jersey, New Mexico, New York, North Dakota, Ohio, Oklahoma, Oregon, South Carolina, South Dakota, Texas, Utah, Vermont, Washington, and Wyoming; see Technical Notes.

²Includes data for Alabama, Alaska, Colorado, Hawaii, Iowa, Louisiana, Maryland, Massachusetts, Minnesota, Mississippi, North Carolina, Pennsylvania, Tennessee, Virginia, West Virginia, and Wisconsin; see Technical Notes.

³Excludes figures for age not stated.

⁴Calculated based on ages 25–64. For method of computation, see Technical Notes.

⁵For rates, the definition of educational attainment differs for the numerator and denominator; see Technical Notes.

⁶Includes deaths that occurred in states that reported the unrevised education attainment item on the death certificate and in states that did not have an education item on the death certificate.

⁷Includes deaths that occurred in states that reported the revised education attainment item on the death certificate and in states that did not have an education item on the death certificate.

⁸Figures for education not stated are included in totals for "Both sexes," "Male," and "Female" but are not distributed among specified years of education.

NOTE: GED is General Educational Development high school equivalency diploma.

Table I-9. Number of deaths, death rates, and age-adjusted death rates for injury at work, by age, race, and sex: United States, 2010

[Rates are per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated in the 2010 census as of April 1; see Technical Notes. For a discussion of injury at work, see Technical Notes]

Race and sex	Age group (years)							Age-adjusted rate ²
	15 and over ¹	15-24	25-34	35-44	45-54	55-64	65 and over	
	Number							
All races ³ , both sexes	4,157	284	694	741	1,050	821	567	...
Male	3,829	262	640	691	956	771	509	...
Female	328	22	54	50	94	50	58	...
White ⁴ , both sexes	3,589	241	590	632	907	705	514	...
Male	3,324	224	551	591	833	662	463	...
Female	265	17	39	41	74	43	51	...
Black ⁴ , both sexes	405	25	80	79	109	77	35	...
Male	359	22	68	73	93	74	29	...
Female	46	3	12	6	16	3	6	...
	Rate							
All races ³ , both sexes	1.7	0.7	1.7	1.8	2.3	2.3	1.4	1.7
Male	3.2	1.2	3.1	3.4	4.3	4.4	2.9	3.1
Female	0.3	0.1	0.3	0.2	0.4	0.3	0.3	0.3
White ⁴ , both sexes	1.8	0.7	1.9	2.0	2.5	2.3	1.5	1.8
Male	3.4	1.3	3.4	3.6	4.6	4.5	3.0	3.3
Female	0.3	*	0.3	0.3	0.4	0.3	0.3	0.3
Black ⁴ , both sexes	1.3	0.3	1.4	1.4	1.9	1.9	1.0	1.3
Male	2.4	0.6	2.4	2.8	3.4	4.0	2.1	2.5
Female	0.3	*	*	*	*	*	*	0.3

... Category not applicable.

* Figure does not meet standards of reliability or precision; see Technical Notes.

¹Excludes figures for age not stated.

²Calculated based on ages 15 and over. For method of computation, see Technical Notes.

³Includes races other than white and black.

⁴Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. This table includes multiple-race data for 37 states and the District of Columbia; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

Table I-10. Number of deaths, death rates, and age-adjusted death rates for injury at work, by race and sex: United States, 1993-2010

[Includes ages 15 and over; excludes figures for age not stated. Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. For a discussion of injury at work, see Technical Notes]

Year	All other ¹											
	All races			White ¹			Total ¹			Black ¹		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Number												
2010	4,157	3,829	328	3,589	3,324	265	568	505	63	405	359	46
2009	3,919	3,601	318	3,341	3,087	254	578	514	64	427	375	52
2008	4,690	4,317	373	4,018	3,709	309	672	608	64	505	458	47
2007	5,025	4,606	419	4,257	3,914	343	768	692	76	579	521	58
2006	5,298	4,869	429	4,562	4,200	362	736	669	67	565	513	52
2005	5,113	4,670	443	4,351	3,991	360	762	679	83	573	512	61
2004	5,157	4,729	428	4,458	4,111	347	699	618	81	545	482	63
2003	5,025	4,609	416	4,272	3,929	343	753	680	73	577	530	47
2002	5,305	4,859	446	4,568	4,199	369	737	660	77	559	500	59
2001 ²	8,303	7,181	1,122	7,093	6,211	882	1,210	970	240	849	680	169
2000	5,430	4,969	461	4,657	4,270	387	773	699	74	591	536	55
1999	5,651	5,152	499	4,805	4,385	420	846	767	79	659	598	61
1998	5,543	5,036	507	4,804	4,366	438	739	670	69	587	535	52
1997	5,666	5,144	522	4,785	4,352	433	881	792	89	684	626	58
1996	5,778	5,280	498	4,940	4,535	405	838	745	93	649	582	67
1995	5,872	5,334	538	5,007	4,550	457	865	784	81	692	627	65
1994	5,987	5,425	562	5,103	4,642	461	884	783	101	710	632	78
1993	5,847	5,352	495	4,979	4,581	398	868	771	97	677	608	69
Rate												
2010	1.7	3.2	0.3	1.8	3.4	0.3	1.2	2.2	0.2	1.3	2.4	0.3
2009 ³	1.6	3.0	0.3	1.7	3.2	0.3	1.2	2.3	0.3	1.4	2.5	0.3
2008 ³	1.9	3.6	0.3	2.0	3.9	0.3	1.4	2.8	0.3	1.6	3.2	0.3
2007 ³	2.1	3.9	0.3	2.2	4.1	0.3	1.7	3.2	0.3	1.9	3.7	0.4
2006 ³	2.2	4.2	0.4	2.4	4.4	0.4	1.7	3.2	0.3	1.9	3.7	0.3
2005 ³	2.2	4.1	0.4	2.3	4.3	0.4	1.8	3.3	0.4	2.0	3.7	0.4
2004 ³	2.2	4.2	0.4	2.3	4.4	0.4	1.7	3.1	0.4	1.9	3.6	0.4
2003 ³	2.2	4.1	0.4	2.3	4.3	0.4	1.8	3.5	0.3	2.0	4.0	0.3
2002 ³	2.3	4.4	0.4	2.4	4.6	0.4	1.8	3.5	0.4	2.0	3.9	0.4
2001 ^{2,3}	3.7	6.6	1.0	3.8	6.9	0.9	3.1	5.3	1.2	3.1	5.4	1.2
2000	2.5	4.6	0.4	2.5	4.8	0.4	2.0	3.7	0.4	2.2	4.3	0.4
1999	2.6	4.9	0.4	2.6	4.9	0.5	2.3	4.4	0.4	2.5	4.9	0.4
1998	2.6	4.8	0.5	2.7	5.0	0.5	2.0	3.9	0.4	2.3	4.5	0.4
1997	2.7	5.0	0.5	2.7	5.0	0.5	2.5	4.8	0.5	2.7	5.3	0.4
1996	2.7	5.2	0.5	2.8	5.3	0.4	2.4	4.6	0.5	2.6	5.1	0.5
1995	2.8	5.3	0.5	2.9	5.4	0.5	2.6	5.0	0.5	2.8	5.5	0.5
1994	2.9	5.5	0.5	3.0	5.5	0.5	2.7	5.1	0.6	3.0	5.7	0.6
1993	2.9	5.5	0.5	2.9	5.5	0.5	2.7	5.2	0.6	2.9	5.6	0.5
Age-adjusted rate ⁴												
2010	1.7	3.1	0.3	1.8	3.3	0.3	1.2	2.3	0.2	1.3	2.5	0.3
2009 ³	1.6	3.0	0.3	1.7	3.1	0.3	1.2	2.3	0.3	1.4	2.6	0.3
2008 ³	1.9	3.6	0.3	2.0	3.8	0.3	1.5	2.8	0.2	1.6	3.3	0.3
2007 ³	2.1	3.9	0.3	2.2	4.0	0.3	1.7	3.3	0.3	1.9	3.8	0.4
2006 ³	2.2	4.2	0.3	2.3	4.4	0.3	1.7	3.3	0.3	1.9	3.8	0.3
2005 ³	2.2	4.1	0.4	2.3	4.2	0.4	1.8	3.4	0.4	2.0	3.9	0.4
2004 ³	2.2	4.2	0.4	2.3	4.4	0.3	1.7	3.2	0.4	2.0	3.8	0.4
2003 ³	2.2	4.1	0.3	2.3	4.2	0.3	1.9	3.6	0.3	2.1	4.2	0.3
2002 ³	2.4	4.4	0.4	2.4	4.6	0.4	1.9	3.7	0.4	2.1	4.1	0.4
2001 ^{2,3}	3.7	6.6	1.0	3.8	6.8	0.9	3.1	5.3	1.1	3.1	5.5	1.1
2000	2.5	4.6	0.4	2.5	4.8	0.4	2.1	3.9	0.4	2.3	4.6	0.4
1999	2.6	4.9	0.4	2.6	4.9	0.4	2.3	4.5	0.4	2.6	5.1	0.4
1998	2.6	4.8	0.5	2.7	5.0	0.5	2.1	4.1	0.4	2.3	4.7	0.4

See footnotes at end of table.

Table I-10. Number of deaths, death rates, and age-adjusted death rates for injury at work, by race and sex: United States, 1993-2010—Con.

[Includes ages 15 and over; excludes figures for age not stated. Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. For a discussion of injury at work, see Technical Notes]

Year	All races			White ¹			All other ¹					
	Both sexes	Male	Female	Both sexes	Male	Female	Total ¹			Black ¹		
							Both sexes	Male	Female	Both sexes	Male	Female
	Age-adjusted rate ⁴											
1997	2.7	5.0	0.5	2.7	5.0	0.5	2.6	5.0	0.5	2.8	5.5	0.4
1996	2.8	5.2	0.5	2.8	5.3	0.4	2.5	4.8	0.5	2.6	5.3	0.5
1995	2.8	5.3	0.5	2.9	5.4	0.5	2.7	5.3	0.5	3.0	6.0	0.5
1994	2.9	5.5	0.5	3.0	5.6	0.5	2.8	5.4	0.6	3.1	6.0	0.6
1993	2.9	5.5	0.5	2.9	5.5	0.5	2.8	5.4	0.6	3.0	6.0	0.5

¹Includes multiple-race data for 37 states and the District of Columbia in 2010, 34 states and the District of Columbia in 2008 and 2009, 27 states and the District of Columbia in 2007, 25 states and the District of Columbia in 2006, 21 states and the District of Columbia in 2005, 15 states in 2004, and 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

²Figures include September 11, 2001, terrorism-related deaths for which death certificates were filed as of October 24, 2002; see Technical Notes from National Vital Statistics Reports, "Deaths: Final data for 2001," Volume 52, Number 3.

³Rates are revised using updated intercensal population estimates and may differ from rates previously published; see Technical Notes.

⁴For method of computation, see Technical Notes.