

# Deaths: Final Data for 2014

## Supplemental tables

Table I-1. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by race and sex: United States, 1999–2014

Table I-2. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2014

Table I-3. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by race and sex: United States, 1999–2014

Table I-4. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2014

Table I-5. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by race and sex: United States, 1999–2014

Table I-6. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2014

Table I-7. Number of deaths, death rates, and age-adjusted death rates for ages 15 and over, by marital status and sex: United States, 2014

Table I-8. Number of deaths, death rates, and age-adjusted death rates for ages 25–64, by educational attainment and sex: Total of 43 reporting states and District of Columbia using the 2003 version of the U.S. Standard Certificate of Death and total of 4 reporting states using the 1989 version of the U.S. Standard Certificate of Death, 2014

Table I-9. Number of deaths, death rates, and age-adjusted death rates for injury at work for ages 15 and over, by race and sex: United States, 2014

Table I-10. Number of deaths, death rates, and age-adjusted death rates for injury at work, by race and sex: United States, 1993–2014

**Table I-1. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by race and sex: United States, 1999–2014**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All races			White <sup>1</sup>			Black <sup>1</sup>			American Indian or Alaska Native <sup>1,2</sup>			Asian or Pacific Islander <sup>1,3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Number															
2014	33,599	28,717	4,882	25,092	21,093	3,999	7,737	6,987	750	335	282	53	435	355	80
2013	33,636	28,794	4,842	25,044	21,116	3,928	7,797	7,016	781	326	281	45	469	381	88
2012	33,563	28,838	4,725	24,727	20,955	3,772	8,021	7,191	830	337	297	40	478	395	83
2011	32,351	27,738	4,613	24,092	20,363	3,729	7,525	6,775	750	305	255	50	429	345	84
2010	31,672	27,356	4,316	23,490	20,014	3,476	7,454	6,721	733	317	267	50	411	354	57
2009	31,347	26,921	4,426	23,163	19,623	3,540	7,455	6,700	755	291	241	50	438	357	81
2008	31,593	27,336	4,257	23,065	19,679	3,386	7,847	7,088	759	279	233	46	402	336	66
2007	31,224	27,047	4,177	22,296	19,020	3,276	8,242	7,430	812	246	213	33	440	384	56
2006	30,896	26,712	4,184	21,721	18,496	3,225	8,409	7,563	846	291	253	38	475	400	75
2005	30,694	26,657	4,037	21,958	18,788	3,170	7,984	7,226	758	305	264	41	447	379	68
2004	29,569	25,498	4,071	21,442	18,223	3,219	7,448	6,709	739	281	236	45	398	330	68
2003	30,136	26,124	4,012	21,763	18,647	3,116	7,659	6,882	777	269	229	40	445	366	79
2002	30,242	26,098	4,144	21,902	18,714	3,188	7,623	6,798	825	287	235	52	430	351	79
2001	29,573	25,480	4,093	21,760	18,527	3,233	7,184	6,438	746	240	196	44	389	319	70
2000	28,663	24,582	4,081	20,945	17,750	3,195	7,054	6,284	770	240	196	44	424	352	72
1999	28,874	24,700	4,174	21,143	17,942	3,201	7,017	6,184	833	268	228	40	446	346	100
Rate															
2014	10.5	18.3	3.0	10.0	17.0	3.2	17.5	32.9	3.3	7.4	12.4	2.4	2.2	3.8	0.8
2013	10.6	18.5	3.0	10.0	17.1	3.1	17.8	33.5	3.4	7.3	12.5	2.0	2.5	4.3	0.9
2012	10.7	18.7	3.0	10.0	17.0	3.0	18.6	34.8	3.7	7.7	13.4	1.8	2.6	4.6	0.9
2011	10.4	18.1	2.9	9.8	16.6	3.0	17.6	33.2	3.4	7.0	11.7	2.3	2.5	4.1	0.9
2010	10.3	18.0	2.7	9.6	16.5	2.8	17.7	33.4	3.3	7.4	12.5	2.4	2.4	4.4	0.6
2009	10.2	17.9	2.8	9.5	16.2	2.9	17.9	33.7	3.5	7.0	11.6	2.4	2.6	4.5	0.9
2008	10.4	18.3	2.8	9.5	16.4	2.8	19.1	36.2	3.5	7.0	11.7	2.3	2.5	4.4	0.8
2007	10.4	18.3	2.7	9.2	15.9	2.7	20.4	38.5	3.8	6.4	11.1	1.7	2.8	5.1	0.7
2006	10.4	18.2	2.8	9.1	15.6	2.7	21.1	39.8	4.1	7.9	13.7	2.1	3.2	5.5	1.0
2005	10.4	18.4	2.7	9.2	16.0	2.6	20.3	38.6	3.7	8.6	14.9	2.3	3.1	5.4	0.9
2004	10.1	17.7	2.7	9.1	15.6	2.7	19.2	36.3	3.6	8.2	13.8	2.6	2.8	4.9	0.9
2003	10.4	18.3	2.7	9.3	16.1	2.6	20.0	37.8	3.9	8.1	13.9	2.4	3.3	5.6	1.1
2002	10.5	18.5	2.8	9.4	16.2	2.7	20.2	37.8	4.2	9.0	14.7	3.2	3.3	5.6	1.2
2001	10.4	18.2	2.8	9.4	16.2	2.7	19.3	36.3	3.8	7.7	12.7	2.8	3.1	5.3	1.1
2000	10.2	17.8	2.8	9.1	15.6	2.7	19.3	36.1	4.0	8.0	13.2	2.9	3.6	6.2	1.2
1999	10.3	18.1	2.9	9.2	15.9	2.8	19.4	36.0	4.4	9.5	16.2	2.8	3.9	6.3	1.7
Age-adjusted rate <sup>4</sup>															
2014	10.3	18.0	3.0	9.5	16.3	3.1	16.9	31.5	3.2	7.6	12.9	2.4	2.2	3.7	0.7
2013	10.4	18.3	3.0	9.6	16.5	3.0	17.2	32.1	3.4	7.4	12.9	2.0	2.4	4.1	0.9
2012	10.5	18.5	3.0	9.5	16.5	2.9	17.9	33.4	3.6	7.6	13.5	1.8	2.5	4.4	0.9
2011	10.2	18.0	2.9	9.4	16.2	2.9	16.9	31.7	3.3	7.1	11.9	2.4	2.4	4.0	0.8
2010	10.1	17.9	2.7	9.2	16.1	2.7	16.9	31.8	3.3	7.3	11.7	2.6	2.3	4.2	0.6
2009	10.1	17.8	2.8	9.1	15.9	2.8	17.2	32.3	3.4	7.0	11.4	2.5	2.5	4.4	0.9
2008	10.3	18.3	2.7	9.2	16.1	2.7	18.2	34.3	3.4	6.9	11.7	2.3	2.4	4.2	0.7
2007	10.3	18.3	2.7	9.0	15.8	2.6	19.4	36.2	3.8	6.3	11.0	1.8	2.7	5.0	0.7
2006	10.3	18.2	2.7	8.8	15.5	2.6	20.0	37.6	3.9	7.6	13.3	2.1	3.0	5.2	0.9
2005	10.3	18.5	2.7	9.0	15.9	2.6	19.4	36.7	3.6	8.3	14.4	2.2	2.9	5.1	0.9
2004	10.0	17.9	2.7	8.9	15.6	2.7	18.3	34.7	3.6	7.9	13.4	2.6	2.7	4.7	0.9
2003	10.3	18.5	2.7	9.1	16.1	2.6	19.1	35.8	3.8	7.9	13.6	2.3	3.1	5.4	1.1

See footnotes at end of table.

**Table I-1. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by race and sex: United States, 1999–2014—Con.**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All races			White <sup>1</sup>			Black <sup>1</sup>			American Indian or Alaska Native <sup>1,2</sup>			Asian or Pacific Islander <sup>1,3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Age-adjusted rate <sup>4</sup>														
2002 . . . . .	10.5	18.7	2.8	9.2	16.3	2.7	19.3	36.1	4.1	8.6	14.4	3.0	3.2	5.4	1.1
2001 . . . . .	10.3	18.5	2.8	9.2	16.3	2.7	18.4	34.5	3.8	7.7	12.9	2.7	3.0	5.1	1.0
2000 . . . . .	10.2	18.1	2.8	9.0	15.9	2.7	18.4	34.2	3.9	7.9	13.1	2.9	3.4	6.0	1.1
1999 . . . . .	10.3	18.4	2.9	9.1	16.2	2.7	18.4	34.1	4.3	9.3	16.1	2.6	3.7	5.9	1.6

<sup>1</sup>Multiple-race data were reported by 46 states and the District of Columbia in 2014, by 42 states and the District of Columbia in 2012 and 2013, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

<sup>2</sup>Includes Aleut and Eskimo persons.

<sup>3</sup>Includes Chinese, Filipino, Hawaiian, Japanese, and other Asian or Pacific Islander persons.

<sup>4</sup>For method of computation, see Technical Notes.

NOTE: Causes of death attributable to injury by firearms include ICD-10 codes \*U01.4, W32–W34, X72–X74, X93–X95, Y22–Y24, and Y35.0.

SOURCE: NCHS, National Vital Statistics System, Mortality.

**Table I-2. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2014**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision (ICD-10)* codes included in this table can be found in the note at the bottom of the table]

Year	All origins <sup>1</sup>			Hispanic			Non-Hispanic <sup>2</sup>			Non-Hispanic white <sup>3</sup>			Non-Hispanic black <sup>3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Number															
2014	33,599	28,717	4,882	3,010	2,630	380	30,476	25,991	4,485	22,144	18,516	3,628	7,603	6,874	729
2013	33,636	28,794	4,842	2,951	2,595	356	30,595	26,117	4,478	22,149	18,558	3,591	7,697	6,934	763
2012	33,563	28,838	4,725	3,061	2,724	337	30,396	26,021	4,375	21,716	18,273	3,443	7,922	7,107	815
2011	32,351	27,738	4,613	2,947	2,608	339	29,300	25,042	4,258	21,174	17,785	3,389	7,436	6,696	740
2010	31,672	27,356	4,316	3,008	2,694	314	28,519	24,532	3,987	20,513	17,350	3,163	7,330	6,607	723
2009	31,347	26,921	4,426	3,202	2,867	335	27,981	23,908	4,073	19,955	16,752	3,203	7,345	6,604	741
2008	31,593	27,336	4,257	3,256	2,912	344	28,252	24,351	3,901	19,873	16,822	3,051	7,741	6,997	744
2007	31,224	27,047	4,177	3,492	3,155	337	27,641	23,809	3,832	18,861	15,925	2,936	8,133	7,326	807
2006	30,896	26,712	4,184	3,464	3,142	322	27,329	23,482	3,847	18,312	15,411	2,901	8,294	7,460	834
2005	30,694	26,657	4,037	3,469	3,144	325	27,103	23,406	3,697	18,521	15,672	2,849	7,865	7,122	743
2004	29,569	25,498	4,071	3,278	2,973	305	26,189	22,436	3,753	18,200	15,283	2,917	7,347	6,620	727
2003	30,136	26,124	4,012	3,319	2,998	321	26,710	23,036	3,674	18,457	15,670	2,787	7,566	6,794	772
2002	30,242	26,098	4,144	3,143	2,834	309	26,944	23,127	3,817	18,762	15,881	2,881	7,494	6,681	813
2001	29,573	25,480	4,093	3,087	2,774	313	26,341	22,573	3,768	18,676	15,760	2,916	7,063	6,323	740
2000	28,663	24,582	4,081	2,891	2,582	309	25,637	21,881	3,756	18,042	15,160	2,882	6,958	6,193	765
1999	28,874	24,700	4,174	2,878	2,549	329	25,877	22,050	3,827	18,260	15,384	2,876	6,933	6,114	819
Rate															
2014	10.5	18.3	3.0	5.4	9.4	1.4	11.6	20.2	3.3	11.0	18.7	3.6	18.4	34.8	3.4
2013	10.6	18.5	3.0	5.5	9.4	1.3	11.7	20.4	3.3	11.0	18.8	3.5	18.9	35.5	3.6
2012	10.7	18.7	3.0	5.8	10.1	1.3	11.7	20.4	3.3	10.8	18.5	3.4	19.6	36.8	3.9
2011	10.4	18.1	2.9	5.7	9.9	1.3	11.3	19.7	3.2	10.6	18.0	3.3	18.6	35.1	3.5
2010	10.3	18.0	2.7	6.0	10.5	1.3	11.0	19.4	3.0	10.2	17.6	3.1	18.6	35.1	3.5
2009	10.2	17.9	2.8	6.5	11.4	1.4	10.9	19.0	3.1	10.0	17.0	3.1	18.8	35.4	3.6
2008	10.4	18.3	2.8	6.8	12.0	1.5	11.0	19.5	3.0	9.9	17.1	3.0	20.0	38.0	3.7
2007	10.4	18.3	2.7	7.6	13.4	1.5	10.8	19.1	2.9	9.5	16.3	2.9	21.3	40.3	4.0
2006	10.4	18.2	2.8	7.8	13.8	1.5	10.8	19.0	3.0	9.2	15.8	2.9	22.0	41.5	4.2
2005	10.4	18.4	2.7	8.1	14.3	1.5	10.7	19.0	2.9	9.3	16.1	2.8	21.1	40.1	3.8
2004	10.1	17.7	2.7	7.9	14.0	1.5	10.4	18.3	2.9	9.2	15.7	2.9	19.9	37.7	3.8
2003	10.4	18.3	2.7	8.3	14.6	1.6	10.7	18.9	2.9	9.3	16.1	2.8	20.8	39.2	4.0
2002	10.5	18.5	2.8	8.1	14.3	1.6	10.8	19.0	3.0	9.5	16.4	2.9	20.8	39.0	4.3
2001	10.4	18.2	2.8	8.3	14.5	1.7	10.6	18.7	3.0	9.4	16.3	2.9	19.8	37.3	4.0
2000	10.2	17.8	2.8	8.2	14.2	1.8	10.4	18.3	3.0	9.1	15.7	2.9	19.8	37.1	4.2
1999	10.3	18.1	2.9	8.5	14.6	2.0	10.6	18.5	3.0	9.3	15.9	2.9	20.0	37.1	4.5
Age-adjusted rate <sup>4</sup>															
2014	10.3	18.0	3.0	5.4	9.4	1.4	11.2	19.6	3.3	10.1	17.3	3.4	17.8	33.3	3.4
2013	10.4	18.3	3.0	5.4	9.4	1.3	11.3	19.9	3.2	10.2	17.5	3.3	18.2	34.0	3.6
2012	10.5	18.5	3.0	5.7	10.1	1.3	11.3	19.9	3.2	10.0	17.2	3.3	19.0	35.3	3.8
2011	10.2	18.0	2.9	5.6	9.8	1.3	11.0	19.3	3.1	9.8	16.9	3.2	17.9	33.5	3.5
2010	10.1	17.9	2.7	5.9	10.5	1.3	10.7	19.1	2.9	9.5	16.6	3.0	17.8	33.4	3.4
2009	10.1	17.8	2.8	6.4	11.4	1.4	10.6	18.7	3.0	9.3	16.1	3.0	18.1	34.0	3.5
2008	10.3	18.3	2.7	6.6	11.7	1.5	10.8	19.2	2.9	9.3	16.2	2.9	19.1	36.2	3.6
2007	10.3	18.3	2.7	7.2	12.9	1.5	10.6	19.0	2.9	8.9	15.5	2.8	20.3	38.0	4.0
2006	10.3	18.2	2.7	7.3	12.8	1.4	10.6	18.8	2.9	8.7	15.1	2.7	20.9	39.4	4.1
2005	10.3	18.5	2.7	7.6	13.4	1.5	10.6	18.9	2.8	8.8	15.5	2.7	20.1	38.2	3.7
2004	10.0	17.9	2.7	7.5	13.2	1.5	10.3	18.3	2.9	8.7	15.2	2.8	19.1	36.2	3.7
2003	10.3	18.5	2.7	7.8	13.7	1.6	10.5	18.9	2.8	8.8	15.7	2.7	19.8	37.3	4.0

See footnotes at end of table.

**Table I-2. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2014—Con.**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All origins <sup>1</sup>			Hispanic			Non-Hispanic <sup>2</sup>			Non-Hispanic white <sup>3</sup>			Non-Hispanic black <sup>3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Age-adjusted rate <sup>4</sup>														
2002 . . . . .	10.5	18.7	2.8	7.7	13.6	1.6	10.7	19.1	3.0	9.0	16.0	2.8	19.9	37.2	4.2
2001 . . . . .	10.3	18.5	2.8	7.8	13.7	1.7	10.5	18.8	2.9	9.1	16.0	2.8	18.9	35.4	3.9
2000 . . . . .	10.2	18.1	2.8	7.8	13.6	1.8	10.3	18.4	3.0	8.8	15.5	2.8	18.9	35.2	4.1
1999 . . . . .	10.3	18.4	2.9	8.2	14.2	2.0	10.5	18.7	3.0	8.9	15.8	2.8	19.0	35.2	4.4

<sup>1</sup>Figures for origin not stated are included in "All origins" but are not distributed among specified origins.

<sup>2</sup>Includes races other than white and black.

<sup>3</sup>Multiple-race data were reported by 46 states and the District of Columbia in 2014, by 42 states and the District of Columbia in 2012 and 2013, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

<sup>4</sup>For method of computation, see Technical Notes.

NOTE: Causes of death attributable to injury by firearms include ICD-10 codes \*U01.4, W32–W34, X72–X74, X93–X95, Y22–Y24, and Y35.0.

SOURCE: NCHS, National Vital Statistics System, Mortality.

**Table I-3. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by race and sex: United States, 1999–2014**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All races			White <sup>1</sup>			Black <sup>1</sup>			American Indian or Alaska Native <sup>1,2</sup>			Asian or Pacific Islander <sup>1,3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Number															
2014	49,714	30,510	19,204	43,688	26,672	17,016	4,861	3,115	1,746	635	380	255	530	343	187
2013	46,471	28,381	18,090	41,053	24,934	16,119	4,376	2,828	1,548	559	301	258	483	318	165
2012	43,819	26,594	17,225	38,890	23,540	15,350	3,940	2,473	1,467	562	294	268	427	287	140
2011	43,544	26,444	17,100	38,719	23,443	15,276	3,852	2,418	1,434	519	289	230	454	294	160
2010	40,393	24,376	16,017	36,020	21,697	14,323	3,561	2,210	1,351	458	250	208	354	219	135
2009	39,147	24,015	15,132	34,633	21,162	13,471	3,660	2,322	1,338	495	292	203	359	239	120
2008	38,649	23,928	14,721	34,237	21,093	13,144	3,662	2,381	1,281	451	273	178	299	181	118
2007	38,371	23,883	14,488	33,480	20,795	12,685	4,194	2,708	1,486	388	205	183	309	175	134
2006	38,396	24,507	13,889	32,866	20,786	12,080	4,790	3,261	1,529	407	253	154	333	207	126
2005	33,541	21,208	12,333	28,804	18,152	10,652	4,098	2,677	1,421	362	205	157	277	174	103
2004	30,711	19,362	11,349	26,474	16,634	9,840	3,633	2,352	1,281	354	212	142	250	164	86
2003	28,723	18,426	10,297	24,683	15,824	8,859	3,527	2,303	1,224	295	168	127	218	131	87
2002	26,040	16,734	9,306	22,146	14,170	7,976	3,463	2,307	1,156	230	136	94	201	121	80
2001	21,705	14,253	7,452	18,195	11,882	6,313	3,165	2,163	1,002	184	100	84	161	108	53
2000	19,720	13,137	6,583	16,388	10,857	5,531	3,034	2,094	940	160	99	61	138	87	51
1999	19,128	12,885	6,243	15,714	10,506	5,208	3,100	2,191	909	164	96	68	150	92	58
Rate															
2014	15.6	19.4	11.9	17.4	21.5	13.5	11.0	14.7	7.6	14.1	16.7	11.3	2.7	3.7	1.8
2013	14.7	18.2	11.3	16.5	20.2	12.8	10.0	13.5	6.8	12.5	13.4	11.6	2.6	3.6	1.7
2012	14.0	17.2	10.8	15.7	19.1	12.3	9.1	12.0	6.5	12.8	13.3	12.2	2.4	3.3	1.5
2011	14.0	17.3	10.8	15.7	19.2	12.2	9.0	11.8	6.4	11.9	13.2	10.6	2.6	3.5	1.8
2010	13.1	16.1	10.2	14.7	17.9	11.5	8.5	11.0	6.2	10.7	11.7	9.8	2.1	2.7	1.5
2009	12.8	15.9	9.7	14.2	17.5	10.9	8.8	11.7	6.2	12.0	14.0	9.8	2.2	3.0	1.4
2008	12.7	16.0	9.5	14.1	17.6	10.7	8.9	12.1	6.0	11.3	13.7	9.0	1.9	2.3	1.4
2007	12.7	16.1	9.5	13.9	17.4	10.4	10.4	14.0	7.0	10.1	10.7	9.6	2.0	2.3	1.7
2006	12.9	16.7	9.2	13.7	17.5	10.0	12.0	17.1	7.3	11.0	13.7	8.4	2.2	2.9	1.6
2005	11.3	14.6	8.2	12.1	15.4	8.8	10.4	14.3	6.9	10.2	11.5	8.8	1.9	2.5	1.4
2004	10.5	13.5	7.6	11.2	14.2	8.2	9.4	12.7	6.3	10.3	12.4	8.3	1.8	2.4	1.2
2003	9.9	12.9	7.0	10.5	13.6	7.4	9.2	12.7	6.1	8.9	10.2	7.7	1.6	2.0	1.3
2002	9.1	11.8	6.4	9.5	12.3	6.7	9.2	12.8	5.8	7.2	8.5	5.9	1.6	1.9	1.2
2001	7.6	10.2	5.1	7.8	10.4	5.4	8.5	12.2	5.1	5.9	6.5	5.4	1.3	1.8	0.8
2000	7.0	9.5	4.6	7.1	9.6	4.7	8.3	12.0	4.9	5.4	6.7	4.1	1.2	1.5	0.8
1999	6.9	9.4	4.4	6.9	9.3	4.5	8.6	12.7	4.8	5.8	6.8	4.8	1.3	1.7	1.0
Age-adjusted rate <sup>4</sup>															
2014	15.5	19.3	11.7	17.4	21.5	13.3	11.1	15.2	7.6	14.6	17.2	12.1	2.6	3.6	1.7
2013	14.6	18.0	11.1	16.4	20.0	12.7	10.2	14.0	6.8	13.2	13.8	12.5	2.5	3.5	1.6
2012	13.8	17.0	10.7	15.6	19.0	12.1	9.3	12.5	6.6	13.4	13.8	13.0	2.3	3.2	1.4
2011	13.9	17.0	10.7	15.6	19.0	12.1	9.2	12.4	6.5	12.6	13.9	11.3	2.5	3.3	1.7
2010	12.9	15.9	10.0	14.6	17.7	11.4	8.7	11.6	6.2	11.4	12.3	10.4	2.0	2.7	1.5
2009	12.6	15.7	9.5	14.0	17.3	10.7	9.1	12.4	6.3	12.6	14.7	10.4	2.1	3.0	1.4
2008	12.6	15.8	9.4	14.0	17.4	10.5	9.3	13.0	6.1	11.7	14.2	9.3	1.8	2.3	1.3
2007	12.6	16.0	9.3	13.8	17.3	10.2	10.9	15.0	7.2	10.8	11.1	10.3	1.9	2.3	1.6
2006	12.8	16.6	9.1	13.6	17.4	9.8	12.7	18.6	7.6	12.3	14.9	9.6	2.3	3.0	1.6
2005	11.3	14.5	8.1	12.0	15.3	8.7	11.1	15.6	7.2	11.0	12.4	9.6	1.9	2.6	1.4
2004	10.5	13.4	7.6	11.2	14.1	8.2	10.0	14.1	6.6	10.9	13.0	8.8	1.8	2.5	1.2
2003	9.9	12.9	7.0	10.5	13.5	7.4	9.9	14.0	6.4	9.4	10.7	8.2	1.6	2.0	1.2

See footnotes at end of table.

**Table I-3. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by race and sex: United States, 1999–2014—Con.**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All races			White <sup>1</sup>			Black <sup>1</sup>			American Indian or Alaska Native <sup>1,2</sup>			Asian or Pacific Islander <sup>1,3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Age-adjusted rate <sup>4</sup>														
2002 . . . . .	9.1	11.8	6.3	9.5	12.2	6.7	9.9	14.2	6.1	7.6	8.8	6.2	1.6	2.1	1.2
2001 . . . . .	7.6	10.1	5.1	7.8	10.2	5.3	9.2	13.6	5.4	6.5	7.3	5.7	1.3	1.8	0.8
2000 . . . . .	7.0	9.5	4.6	7.1	9.4	4.7	9.0	13.5	5.2	5.6	6.9	4.3	1.1	1.5	0.8
1999 . . . . .	6.8	9.4	4.4	6.8	9.2	4.4	9.3	14.3	5.1	6.1	7.2	5.0	1.4	1.7	1.0

<sup>1</sup>Multiple-race data were reported by 46 states and the District of Columbia in 2014, by 42 states and the District of Columbia in 2012 and 2013, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

<sup>2</sup>Includes Aleut and Eskimo persons.

<sup>3</sup>Includes Chinese, Filipino, Hawaiian, Japanese, and other Asian or Pacific Islander persons.

<sup>4</sup>For method of computation, see Technical Notes.

NOTE: Causes of death attributable to drug-induced mortality include ICD-10 codes D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.1–F11.5, F11.7–F11.9, F12.1–F12.5, F12.7–F12.9, F13.1–F13.5, F13.7–F13.9, F14.1–F14.5, F14.7–F14.9, F15.1–F15.5, F15.7–F15.9, F16.1–F16.5, F16.7–F16.9, F17.3–F17.5, F17.7–F17.9, F18.1–F18.5, F18.7–F18.9, F19.1–F19.5, F19.7–F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2–J70.4, K85.3, L10.5, L27.0–L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R50.2, R78.1–R78.5, X40–X44, X60–X64, X85, and Y10–Y14. In 2006, the list of drug-induced codes was modified to include two new ICD-10 codes, Drug-induced acute pancreatitis (K85.3) and Drug-induced fever (R50.2).

SOURCE: NCHS, National Vital Statistics System, Mortality.

**Table I-4. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2014**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All origins <sup>1</sup>			Hispanic			Non-Hispanic <sup>2</sup>			Non-Hispanic white <sup>3</sup>			Non-Hispanic black <sup>3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Number															
2014	49,714	30,510	19,204	3,790	2,687	1,103	45,617	27,624	17,993	39,820	23,949	15,871	4,730	3,019	1,711
2013	46,471	28,381	18,090	3,616	2,546	1,070	42,606	25,665	16,941	37,359	22,332	15,027	4,282	2,766	1,516
2012	43,819	26,594	17,225	3,272	2,283	989	40,271	24,130	16,141	35,497	21,175	14,322	3,842	2,402	1,440
2011	43,544	26,444	17,100	3,152	2,175	977	40,178	24,121	16,057	35,510	21,233	14,277	3,766	2,355	1,411
2010	40,393	24,376	16,017	2,788	1,944	844	37,420	22,303	15,117	33,145	19,689	13,456	3,502	2,170	1,332
2009	39,147	24,015	15,132	2,811	2,013	798	36,124	21,864	14,260	31,749	19,107	12,642	3,588	2,274	1,314
2008	38,649	23,928	14,721	2,761	2,033	728	35,735	21,791	13,944	31,448	19,044	12,404	3,589	2,326	1,263
2007	38,371	23,883	14,488	2,723	2,045	678	35,532	21,771	13,761	30,755	18,760	11,995	4,126	2,662	1,464
2006	38,396	24,507	13,889	2,871	2,135	736	35,379	22,262	13,117	29,970	18,634	11,336	4,722	3,212	1,510
2005	33,541	21,208	12,333	2,596	1,969	627	30,809	19,140	11,669	26,186	16,170	10,016	4,019	2,612	1,407
2004	30,711	19,362	11,349	2,257	1,671	586	28,339	17,605	10,734	24,201	14,952	9,249	3,577	2,309	1,268
2003	28,723	18,426	10,297	2,358	1,800	558	26,199	16,497	9,702	22,245	13,959	8,286	3,466	2,256	1,210
2002	26,040	16,734	9,306	2,137	1,647	490	23,756	14,978	8,778	19,949	12,478	7,471	3,404	2,264	1,140
2001	21,705	14,253	7,452	1,731	1,335	396	19,799	12,778	7,021	16,367	10,465	5,902	3,099	2,113	986
2000	19,720	13,137	6,583	1,700	1,348	352	17,835	11,656	6,179	14,585	9,439	5,146	2,977	2,050	927
1999	19,128	12,885	6,243	1,965	1,605	360	16,966	11,136	5,830	13,644	8,831	4,813	3,030	2,134	896
Rate															
2014	15.6	19.4	11.9	6.8	9.6	4.0	17.3	21.4	13.4	19.8	24.2	15.6	11.4	15.3	7.9
2013	14.7	18.2	11.3	6.7	9.3	4.0	16.3	20.0	12.7	18.6	22.6	14.7	10.5	14.2	7.1
2012	14.0	17.2	10.8	6.2	8.5	3.8	15.4	18.9	12.1	17.7	21.4	14.1	9.5	12.4	6.8
2011	14.0	17.3	10.8	6.1	8.2	3.8	15.5	19.0	12.1	17.7	21.5	14.0	9.4	12.3	6.8
2010	13.1	16.1	10.2	5.5	7.6	3.4	14.5	17.7	11.4	16.6	20.0	13.2	8.9	11.5	6.5
2009	12.8	15.9	9.7	5.7	8.0	3.3	14.0	17.4	10.8	15.9	19.4	12.4	9.2	12.2	6.4
2008	12.7	16.0	9.5	5.8	8.4	3.1	13.9	17.4	10.6	15.7	19.4	12.2	9.3	12.6	6.2
2007	12.7	16.1	9.5	5.9	8.7	3.0	13.9	17.5	10.5	15.4	19.1	11.8	10.8	14.6	7.3
2006	12.9	16.7	9.2	6.4	9.4	3.4	13.9	18.0	10.1	15.0	19.1	11.2	12.5	17.9	7.6
2005	11.3	14.6	8.2	6.0	9.0	3.0	12.2	15.5	9.0	13.2	16.6	9.9	10.8	14.7	7.2
2004	10.5	13.5	7.6	5.4	7.9	2.9	11.3	14.4	8.3	12.2	15.4	9.1	9.7	13.2	6.6
2003	9.9	12.9	7.0	5.9	8.8	2.9	10.5	13.5	7.6	11.2	14.4	8.2	9.5	13.0	6.3
2002	9.1	11.8	6.4	5.5	8.3	2.6	9.5	12.3	6.9	10.1	12.9	7.4	9.4	13.2	6.0
2001	7.6	10.2	5.1	4.7	7.0	2.2	8.0	10.6	5.5	8.3	10.8	5.8	8.7	12.5	5.3
2000	7.0	9.5	4.6	4.8	7.4	2.1	7.2	9.7	4.9	7.4	9.8	5.1	8.5	12.3	5.0
1999	6.9	9.4	4.4	5.8	9.2	2.2	6.9	9.3	4.6	6.9	9.2	4.8	8.7	12.9	4.9
Age-adjusted rate <sup>4</sup>															
2014	15.5	19.3	11.7	7.3	10.3	4.4	17.1	21.2	13.0	19.8	24.3	15.3	11.5	15.6	7.9
2013	14.6	18.0	11.1	7.3	10.0	4.4	16.0	19.7	12.3	18.5	22.5	14.5	10.5	14.5	7.1
2012	13.8	17.0	10.7	6.8	9.3	4.2	15.2	18.7	11.8	17.6	21.4	13.8	9.6	12.8	6.8
2011	13.9	17.0	10.7	6.6	8.9	4.3	15.2	18.7	11.8	17.6	21.4	13.8	9.5	12.7	6.8
2010	12.9	15.9	10.0	6.1	8.4	3.8	14.2	17.3	11.1	16.4	19.8	12.9	9.0	11.9	6.5
2009	12.6	15.7	9.5	6.4	8.9	3.7	13.7	17.1	10.5	15.7	19.2	12.1	9.4	12.8	6.5
2008	12.6	15.8	9.4	6.4	9.3	3.5	13.7	17.1	10.3	15.6	19.2	11.9	9.6	13.3	6.3
2007	12.6	16.0	9.3	6.6	9.7	3.4	13.7	17.2	10.2	15.2	19.0	11.5	11.2	15.5	7.5
2006	12.8	16.6	9.1	7.3	10.6	3.9	13.7	17.7	9.8	14.9	18.9	10.9	13.1	19.2	7.9
2005	11.3	14.5	8.1	6.9	10.2	3.5	12.0	15.3	8.8	13.0	16.3	9.6	11.3	15.9	7.4
2004	10.5	13.4	7.6	6.3	9.1	3.4	11.1	14.2	8.2	12.1	15.2	8.9	10.3	14.5	6.8
2003	9.9	12.9	7.0	6.7	10.1	3.3	10.4	13.4	7.4	11.1	14.2	8.0	10.1	14.3	6.6

See footnotes at end of table.



**Table I-4. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2014—Con.**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All origins <sup>1</sup>			Hispanic			Non-Hispanic <sup>2</sup>			Non-Hispanic white <sup>3</sup>			Non-Hispanic black <sup>3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Age-adjusted rate <sup>4</sup>														
2002 . . . . .	9.1	11.8	6.3	6.3	9.5	3.0	9.4	12.1	6.8	9.9	12.6	7.2	10.1	14.5	6.3
2001 . . . . .	7.6	10.1	5.1	5.3	8.0	2.5	7.9	10.4	5.4	8.1	10.5	5.7	9.3	13.8	5.5
2000 . . . . .	7.0	9.5	4.6	5.4	8.3	2.4	7.1	9.5	4.8	7.2	9.6	4.9	9.1	13.6	5.3
1999 . . . . .	6.8	9.4	4.4	6.4	10.3	2.5	6.8	9.2	4.6	6.8	8.9	4.6	9.4	14.4	5.2

<sup>1</sup>Figures for origin not stated are included in "All origins" but are not distributed among specified origins.

<sup>2</sup>Includes races other than white and black.

<sup>3</sup>Multiple-race data were reported by 46 states and the District of Columbia in 2014, by 42 states and the District of Columbia in 2012 and 2013, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

<sup>4</sup>For method of computation, see Technical Notes.

NOTE: Causes of death attributable to drug-induced mortality include ICD-10 codes D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.1-F11.5, F11.7-F11.9, F12.1-F12.5, F12.7-F12.9, F13.1-F13.5, F13.7-F13.9, F14.1-F14.5, F14.7-F14.9, F15.1-F15.5, F15.7-F15.9, F16.1-F16.5, F16.7-F16.9, F17.3-F17.5, F17.7-F17.9, F18.1-F18.5, F18.7-F18.9, F19.1-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, K85.3, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R50.2, R78.1-R78.5, X40-X44, X60-X64, X85, and Y10-Y14. In 2006, the list of drug-induced codes was modified to include two new ICD-10 codes, Drug-induced acute pancreatitis (K85.3) and Drug-induced fever (R50.2).

SOURCE: NCHS, National Vital Statistics System, Mortality.

**Table I-5. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by race and sex: United States, 1999–2014**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All races			White <sup>1</sup>			Black <sup>1</sup>			American Indian or Alaska Native <sup>1,2</sup>			Asian or Pacific Islander <sup>1,3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Number															
2014	30,722	22,389	8,333	26,480	19,448	7,032	2,722	1,933	789	1,120	685	435	400	323	77
2013	29,001	21,361	7,640	25,036	18,509	6,527	2,570	1,897	673	1,063	694	369	332	261	71
2012	27,762	20,418	7,344	23,961	17,713	6,248	2,434	1,762	672	1,045	672	373	322	271	51
2011	26,654	19,492	7,162	22,940	16,894	6,046	2,430	1,736	694	946	585	361	338	277	61
2010	25,692	19,038	6,654	22,167	16,527	5,640	2,330	1,686	644	931	611	320	264	214	50
2009	24,518	18,088	6,430	21,066	15,629	5,437	2,340	1,721	619	830	511	319	282	227	55
2008	24,189	18,152	6,037	20,783	15,689	5,094	2,279	1,692	587	853	542	311	274	229	45
2007	23,199	17,428	5,771	19,921	15,027	4,894	2,248	1,703	545	774	495	279	256	203	53
2006	22,073	16,472	5,601	18,917	14,186	4,731	2,172	1,599	573	717	458	259	267	229	38
2005	21,634	16,238	5,396	18,432	13,917	4,515	2,316	1,698	618	655	432	223	231	191	40
2004	21,081	15,906	5,175	17,875	13,525	4,350	2,351	1,784	567	645	417	228	210	180	30
2003	20,687	15,630	5,057	17,437	13,218	4,219	2,406	1,824	582	664	431	233	180	157	23
2002	20,218	15,272	4,946	16,988	12,926	4,062	2,434	1,798	636	597	387	210	199	161	38
2001	20,114	15,149	4,965	16,640	12,588	4,052	2,723	2,048	675	591	387	204	160	126	34
2000	19,643	14,993	4,650	16,223	12,509	3,714	2,712	1,993	719	537	353	184	171	138	33
1999	19,469	14,894	4,575	15,903	12,277	3,626	2,832	2,100	732	589	397	192	145	120	25
Rate															
2014	9.6	14.3	5.1	10.6	15.7	5.6	6.1	9.1	3.4	24.8	30.2	19.3	2.1	3.5	0.8
2013	9.2	13.7	4.8	10.0	15.0	5.2	5.9	9.1	3.0	23.8	31.0	16.6	1.8	2.9	0.7
2012	8.8	13.2	4.6	9.7	14.4	5.0	5.6	8.5	3.0	23.8	30.4	17.0	1.8	3.1	0.5
2011	8.6	12.7	4.5	9.3	13.8	4.8	5.7	8.5	3.1	21.8	26.8	16.7	1.9	3.3	0.7
2010	8.3	12.5	4.2	9.0	13.6	4.5	5.5	8.4	2.9	21.8	28.5	15.1	1.6	2.6	0.6
2009	8.0	12.0	4.1	8.6	12.9	4.4	5.6	8.7	2.8	20.0	24.6	15.5	1.7	2.9	0.6
2008	8.0	12.1	3.9	8.6	13.1	4.1	5.6	8.6	2.7	21.4	27.1	15.7	1.7	3.0	0.5
2007	7.7	11.8	3.8	8.3	12.6	4.0	5.6	8.8	2.6	20.2	25.8	14.6	1.6	2.7	0.7
2006	7.4	11.2	3.7	7.9	12.0	3.9	5.4	8.4	2.7	19.4	24.8	14.1	1.8	3.2	0.5
2005	7.3	11.2	3.6	7.7	11.8	3.7	5.9	9.1	3.0	18.4	24.3	12.5	1.6	2.7	0.5
2004	7.2	11.1	3.5	7.6	11.6	3.6	6.1	9.7	2.8	18.8	24.3	13.3	1.5	2.7	0.4
2003	7.1	11.0	3.4	7.4	11.4	3.5	6.3	10.0	2.9	20.0	26.1	14.0	1.3	2.4	0.3
2002	7.0	10.8	3.4	7.3	11.2	3.4	6.4	10.0	3.2	18.6	24.2	13.1	1.5	2.6	0.6
2001	7.1	10.8	3.4	7.2	11.0	3.4	7.3	11.5	3.5	19.1	25.0	13.1	1.3	2.1	0.5
2000	7.0	10.9	3.2	7.1	11.0	3.2	7.4	11.4	3.7	18.0	23.7	12.3	1.5	2.4	0.5
1999	7.0	10.9	3.2	7.0	10.9	3.1	7.8	12.2	3.9	20.8	28.1	13.5	1.3	2.2	0.4
Age-adjusted rate <sup>4</sup>															
2014	8.5	12.9	4.6	9.1	13.6	4.9	6.2	9.9	3.3	27.4	34.0	21.2	2.1	3.6	0.8
2013	8.2	12.5	4.3	8.7	13.1	4.5	6.0	9.9	2.9	26.8	35.6	18.3	1.8	3.0	0.7
2012	8.0	12.1	4.2	8.4	12.7	4.4	5.9	9.5	3.0	27.4	36.1	19.2	1.8	3.3	0.5
2011	7.7	11.7	4.1	8.2	12.3	4.3	5.9	9.4	3.1	24.9	32.2	18.3	1.9	3.5	0.7
2010	7.6	11.7	3.9	8.0	12.2	4.0	5.9	9.6	3.0	25.4	34.9	16.7	1.6	2.8	0.5
2009	7.4	11.3	3.8	7.7	11.7	3.9	6.1	10.0	2.9	23.4	29.1	17.8	1.8	3.1	0.6
2008	7.4	11.5	3.6	7.7	11.9	3.7	6.1	10.2	2.8	25.5	33.7	18.1	1.8	3.2	0.6
2007	7.2	11.3	3.5	7.5	11.6	3.6	6.2	10.6	2.7	23.9	32.1	16.4	1.7	3.0	0.7
2006	7.0	10.9	3.4	7.2	11.2	3.5	6.1	10.1	2.9	23.4	31.0	16.4	1.9	3.5	0.5
2005	7.0	11.0	3.4	7.2	11.1	3.4	6.7	11.1	3.3	22.3	30.8	14.6	1.7	3.1	0.6
2004	7.0	11.0	3.3	7.1	11.1	3.3	7.0	12.0	3.1	23.0	31.6	15.3	1.7	3.2	0.5

See footnotes at end of table.

**Table I-5. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by race and sex: United States, 1999–2014—Con.**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All races			White <sup>1</sup>			Black <sup>1</sup>			American Indian or Alaska Native <sup>1,2</sup>			Asian or Pacific Islander <sup>1,3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Age-adjusted rate <sup>4</sup>														
2003 . . . . .	7.0	11.0	3.3	7.0	11.0	3.3	7.4	12.6	3.2	24.4	33.3	16.4	1.5	2.8	0.4
2002 . . . . .	6.9	11.0	3.3	7.0	11.0	3.2	7.7	13.0	3.6	23.0	31.4	15.3	1.8	3.2	0.6
2001 . . . . .	7.0	11.2	3.3	6.9	10.9	3.3	8.8	15.0	3.9	23.7	33.3	15.3	1.5	2.6	0.6
2000 . . . . .	7.0	11.4	3.2	6.9	11.1	3.0	9.1	15.3	4.3	22.7	31.4	14.9	1.7	2.9	0.7
1999 . . . . .	7.1	11.5	3.2	6.8	11.0	3.0	9.8	16.7	4.5	26.7	38.8	16.2	1.6	2.8	0.5

<sup>1</sup>Multiple-race data were reported by 46 states and the District of Columbia in 2014, by 42 states and the District of Columbia in 2012 and 2013, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

<sup>2</sup>Includes Aleut and Eskimo persons.

<sup>3</sup>Includes Chinese, Filipino, Hawaiian, Japanese, and other Asian or Pacific Islander persons.

<sup>4</sup>For method of computation, see Technical Notes.

NOTE: Causes of death attributable to alcohol-induced mortality include ICD-10 codes E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. In 2006, the list of alcohol-induced codes was modified to include a new ICD-10 code, Alcohol-induced acute pancreatitis (K85.2).

SOURCE: NCHS, National Vital Statistics System, Mortality.

**Table I-6. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2014**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision (ICD-10)* codes included in this table can be found in the note at the bottom of the table]

Year	All origins <sup>1</sup>			Hispanic			Non-Hispanic <sup>2</sup>			Non-Hispanic white <sup>3</sup>			Non-Hispanic black <sup>3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Number															
2014	30,722	22,389	8,333	4,127	3,393	734	26,395	18,836	7,559	22,298	15,996	6,302	2,637	1,868	769
2013	29,001	21,361	7,640	3,698	3,034	664	25,113	18,173	6,940	21,260	15,401	5,859	2,519	1,862	657
2012	27,762	20,418	7,344	3,513	2,903	610	24,080	17,381	6,699	20,384	14,754	5,630	2,385	1,726	659
2011	26,654	19,492	7,162	3,445	2,842	603	23,084	16,546	6,538	19,471	14,026	5,445	2,392	1,706	686
2010	25,692	19,038	6,654	3,326	2,759	567	22,242	16,178	6,064	18,806	13,735	5,071	2,296	1,661	635
2009	24,518	18,088	6,430	3,139	2,618	521	21,265	15,375	5,890	17,902	12,986	4,916	2,299	1,688	611
2008	24,189	18,152	6,037	3,021	2,522	499	21,085	15,561	5,524	17,759	13,160	4,599	2,240	1,660	580
2007	23,199	17,428	5,771	2,977	2,539	438	20,130	14,811	5,319	16,935	12,474	4,461	2,210	1,674	536
2006	22,073	16,472	5,601	2,804	2,341	463	19,187	14,055	5,132	16,114	11,837	4,277	2,128	1,561	567
2005	21,634	16,238	5,396	2,658	2,265	393	18,877	13,890	4,987	15,729	11,610	4,119	2,282	1,670	612
2004	21,081	15,906	5,175	2,406	2,056	350	18,567	13,761	4,806	15,418	11,428	3,990	2,318	1,754	564
2003	20,687	15,630	5,057	2,422	2,048	374	18,160	13,490	4,670	14,977	11,133	3,844	2,367	1,787	580
2002	20,218	15,272	4,946	2,408	2,065	343	17,661	13,078	4,583	14,494	10,783	3,711	2,396	1,768	628
2001	20,114	15,149	4,965	2,381	2,026	355	17,593	13,009	4,584	14,186	10,497	3,689	2,677	2,016	661
2000	19,643	14,993	4,650	2,323	2,024	299	17,177	12,843	4,334	13,815	10,408	3,407	2,672	1,959	713
1999	19,469	14,894	4,575	2,184	1,864	320	17,143	12,905	4,238	13,633	10,337	3,296	2,794	2,066	728
Rate															
2014	9.6	14.3	5.1	7.5	12.1	2.7	10.0	14.6	5.6	11.1	16.2	6.2	6.4	9.5	3.6
2013	9.2	13.7	4.8	6.8	11.0	2.5	9.6	14.2	5.2	10.6	15.6	5.7	6.2	9.5	3.1
2012	8.8	13.2	4.6	6.6	10.8	2.3	9.2	13.6	5.0	10.2	14.9	5.5	5.9	8.9	3.1
2011	8.6	12.7	4.5	6.6	10.7	2.4	8.9	13.0	4.9	9.7	14.2	5.3	6.0	8.9	3.3
2010	8.3	12.5	4.2	6.6	10.8	2.3	8.6	12.8	4.6	9.4	14.0	5.0	5.8	8.8	3.1
2009	8.0	12.0	4.1	6.4	10.4	2.1	8.3	12.2	4.5	9.0	13.2	4.8	5.9	9.1	3.0
2008	8.0	12.1	3.9	6.3	10.4	2.1	8.2	12.4	4.2	8.9	13.4	4.5	5.8	9.0	2.9
2007	7.7	11.8	3.8	6.4	10.8	1.9	7.9	11.9	4.1	8.5	12.7	4.4	5.8	9.2	2.7
2006	7.4	11.2	3.7	6.3	10.3	2.1	7.6	11.3	4.0	8.1	12.1	4.2	5.6	8.7	2.9
2005	7.3	11.2	3.6	6.2	10.3	1.9	7.5	11.3	3.9	7.9	11.9	4.1	6.1	9.4	3.1
2004	7.2	11.1	3.5	5.8	9.7	1.7	7.4	11.2	3.7	7.8	11.7	3.9	6.3	10.0	2.9
2003	7.1	11.0	3.4	6.0	10.0	1.9	7.3	11.1	3.6	7.6	11.5	3.8	6.5	10.3	3.0
2002	7.0	10.8	3.4	6.2	10.4	1.8	7.1	10.8	3.6	7.3	11.1	3.7	6.6	10.3	3.3
2001	7.1	10.8	3.4	6.4	10.6	2.0	7.1	10.8	3.6	7.2	10.8	3.7	7.5	11.9	3.5
2000	7.0	10.9	3.2	6.6	11.1	1.7	7.0	10.7	3.4	7.0	10.8	3.4	7.6	11.7	3.9
1999	7.0	10.9	3.2	6.4	10.7	1.9	7.0	10.8	3.4	6.9	10.7	3.3	8.0	12.5	4.0
Age-adjusted rate <sup>4</sup>															
2014	8.5	12.9	4.6	9.5	16.4	3.3	8.4	12.4	4.8	9.0	13.0	5.1	6.3	10.0	3.4
2013	8.2	12.5	4.3	9.0	15.3	3.1	8.1	12.1	4.5	8.6	12.6	4.8	6.2	10.2	3.0
2012	8.0	12.1	4.2	8.8	15.2	3.0	7.8	11.7	4.3	8.3	12.2	4.6	6.0	9.7	3.1
2011	7.7	11.7	4.1	9.0	15.6	3.0	7.6	11.3	4.3	8.0	11.7	4.5	6.1	9.7	3.2
2010	7.6	11.7	3.9	9.1	16.0	3.0	7.4	11.2	4.0	7.8	11.6	4.2	6.1	9.8	3.1
2009	7.4	11.3	3.8	8.9	15.6	2.9	7.2	10.8	3.9	7.5	11.1	4.1	6.2	10.2	3.0
2008	7.4	11.5	3.6	8.9	15.5	2.8	7.2	11.1	3.7	7.5	11.4	3.9	6.2	10.4	2.9
2007	7.2	11.3	3.5	9.4	16.8	2.7	7.0	10.7	3.6	7.2	10.9	3.8	6.3	10.9	2.8
2006	7.0	10.9	3.4	9.2	16.2	3.0	6.8	10.3	3.5	6.9	10.5	3.6	6.2	10.2	3.0
2005	7.0	11.0	3.4	9.1	16.5	2.6	6.7	10.4	3.5	6.8	10.4	3.5	6.9	11.3	3.3
2004	7.0	11.0	3.3	8.6	15.4	2.5	6.8	10.5	3.4	6.8	10.5	3.5	7.2	12.2	3.2
2003	7.0	11.0	3.3	9.2	16.4	2.8	6.7	10.5	3.3	6.7	10.4	3.4	7.5	12.8	3.3

See footnotes at end of table.

**Table I-6. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2014—Con.**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All origins <sup>1</sup>			Hispanic			Non-Hispanic <sup>2</sup>			Non-Hispanic white <sup>3</sup>			Non-Hispanic black <sup>3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Age-adjusted rate <sup>4</sup>														
2002 . . . . .	6.9	11.0	3.3	9.7	17.4	2.7	6.7	10.4	3.3	6.6	10.2	3.3	7.9	13.2	3.7
2001 . . . . .	7.0	11.2	3.3	10.1	18.2	2.9	6.7	10.5	3.4	6.5	10.0	3.3	9.0	15.3	4.0
2000 . . . . .	7.0	11.4	3.2	10.5	19.4	2.6	6.7	10.6	3.2	6.4	10.1	3.1	9.3	15.5	4.4
1999 . . . . .	7.1	11.5	3.2	10.3	18.6	3.0	6.8	10.8	3.2	6.4	10.2	3.0	10.0	16.9	4.6

<sup>1</sup>Figures for origin not stated are included in "All origins" but are not distributed among specified origins.

<sup>2</sup>Includes races other than white and black.

<sup>3</sup>Multiple-race data were reported by 46 states and the District of Columbia in 2014, by 42 states and the District of Columbia in 2012 and 2013, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

<sup>4</sup>For method of computation, see Technical Notes.

NOTE: Causes of death attributable to alcohol-induced mortality include ICD-10 codes E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. In 2006, the list of alcohol-induced codes was modified to include a new ICD-10 code, Alcohol-induced acute pancreatitis (K85.2).

SOURCE: NCHS, National Vital Statistics System, Mortality.

**Table I-7. Number of deaths, death rates, and age-adjusted death rates for ages 15 and over, by marital status and sex: United States, 2014**

[Rates are per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Population estimates used for computing death rates are based on the American Community Survey adjusted to postcensal July 1, 2014, resident population control totals for the United States; see Technical Notes]

Marital status and sex	Age group (years)								Age-adjusted rate <sup>2</sup>
	15 and over <sup>1</sup>	15-24	25-34	35-44	45-54	55-64	65-74	75 and over	
	Number								
Both sexes . . . . .	2,593,960	28,791	47,177	70,996	175,917	348,808	471,541	1,450,730	...
Never married . . . . .	299,838	27,198	32,305	27,775	47,844	60,560	40,579	63,577	...
Ever married . . . . .	2,276,512	1,534	14,583	42,531	125,590	283,205	426,560	1,382,509	...
Married . . . . .	978,204	1,288	10,455	26,803	71,781	158,241	238,937	470,699	...
Widowed . . . . .	897,813	31	242	1,057	6,272	27,102	81,809	781,300	...
Divorced . . . . .	400,495	215	3,886	14,671	47,537	97,862	105,814	130,510	...
Not stated . . . . .	17,610	59	289	690	2,483	5,043	4,402	4,644	...
Male . . . . .	1,309,945	21,117	32,697	43,693	106,377	212,198	268,648	625,215	...
Never married . . . . .	187,347	20,131	23,558	18,948	32,521	40,240	24,608	27,341	...
Ever married . . . . .	1,110,233	938	8,935	24,286	72,087	168,110	240,740	595,137	...
Married . . . . .	654,359	793	6,444	15,364	41,168	97,670	156,547	336,373	...
Widowed . . . . .	243,019	15	104	407	2,261	9,459	25,613	205,160	...
Divorced . . . . .	212,855	130	2,387	8,515	28,658	60,981	58,580	53,604	...
Not stated . . . . .	12,365	48	204	459	1,769	3,848	3,300	2,737	...
Female . . . . .	1,284,015	7,674	14,480	27,303	69,540	136,610	202,893	825,515	...
Never married . . . . .	112,491	7,067	8,747	8,827	15,323	20,320	15,971	36,236	...
Ever married . . . . .	1,166,279	596	5,648	18,245	53,503	115,095	185,820	787,372	...
Married . . . . .	323,845	495	4,011	11,439	30,613	60,571	82,390	134,326	...
Widowed . . . . .	654,794	16	138	650	4,011	17,643	56,196	576,140	...
Divorced . . . . .	187,640	85	1,499	6,156	18,879	36,881	47,234	76,906	...
Not stated . . . . .	5,245	11	85	231	714	1,195	1,102	1,907	...
	Rate <sup>3</sup>								
Both sexes . . . . .	1,006.3	65.4	108.9	174.2	405.8	870.2	1,784.9	7,328.1	1,134.8
Never married . . . . .	349.4	66.0	144.5	301.1	735.2	1,471.9	2,642.8	7,483.2	1,426.2
Ever married . . . . .	1,323.8	54.3	69.6	134.9	340.9	787.4	1,714.3	7,296.7	1,081.9
Married . . . . .	761.6	49.0	56.2	102.5	252.4	595.7	1,400.5	5,239.5	802.6
Widowed . . . . .	5,937.6	150.2	243.9	388.9	737.2	1,299.6	2,222.5	9,631.3	1,603.8
Divorced . . . . .	1,409.9	121.4	171.4	287.6	629.6	1,337.4	2,555.0	7,049.4	1,338.8
Male . . . . .	1,042.4	93.6	149.7	215.5	498.0	1,098.4	2,174.8	7,855.0	1,292.8
Never married . . . . .	408.5	93.7	189.9	370.6	898.2	1,846.2	3,337.7	8,385.8	1,692.8
Ever married . . . . .	1,391.3	86.8	94.7	160.2	406.4	980.8	2,072.5	7,796.4	1,216.5
Married . . . . .	1,016.2	78.7	76.3	119.8	291.9	725.8	1,705.1	6,258.5	963.1
Widowed . . . . .	7,475.9	*	330.8	576.3	969.4	1,951.7	3,273.9	12,505.4	2,181.1
Divorced . . . . .	1,751.2	199.8	250.5	375.7	842.2	1,906.8	3,546.0	8,670.7	1,751.2
Female . . . . .	972.0	35.7	67.4	133.3	316.2	657.9	1,442.5	6,973.9	1,000.5
Never married . . . . .	281.6	35.8	87.9	214.6	530.7	1,050.3	2,000.9	6,921.1	1,175.0
Ever married . . . . .	1,265.5	34.2	49.0	111.5	280.0	611.3	1,400.6	6,959.5	971.7
Married . . . . .	505.7	30.6	39.5	85.8	213.5	462.1	1,045.7	3,722.0	590.9
Widowed . . . . .	5,516.3	*	203.6	323.1	649.5	1,102.2	1,938.7	8,902.7	1,436.9
Divorced . . . . .	1,154.7	75.9	114.1	217.1	455.2	895.3	1,897.4	6,236.5	1,070.0

... Category not applicable.

\* Figure does not meet standards of reliability or precision; see Technical Notes.

<sup>1</sup>Excludes figures for age not stated.

<sup>2</sup>Calculated based on ages 25 and over. For method of computation, see Technical Notes.

<sup>3</sup>Figures for marital status not stated are included in totals for "Both sexes," "Male," and "Female" but are not distributed among specified marital status groups.

SOURCE: NCHS, National Vital Statistics System, Mortality.

**Table I-8. Number of deaths, death rates, and age-adjusted death rates for ages 25–64, by educational attainment and sex: Total of 43 reporting states and District of Columbia using the 2003 version of the U.S. Standard Certificate of Death and total of 4 reporting states using the 1989 version of the U.S. Standard Certificate of Death, 2014**

[Rates are per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Population estimates used for computing death rates are based on the American Community Survey adjusted to postcensal July 1, 2014, resident population control totals for reporting areas; see Technical Notes]

43 reporting states and District of Columbia <sup>1</sup> using the 2003 version of the U.S. Standard Certificate of Death							4 reporting states <sup>2</sup> using the 1989 version of the U.S. Standard Certificate of Death						
Education level and sex	Age group (years)					Age-adjusted rate <sup>4</sup>	Years of school completed <sup>5</sup> and sex	Age group (years)					Age-adjusted rate <sup>4</sup>
	25–64 <sup>3</sup>	25–34	35–44	45–54	55–64			25–64 <sup>3</sup>	25–34	35–44	45–54	55–64	
Number							Number						
Both sexes . . . . .	572,930	41,823	62,957	156,748	311,402	...	Both sexes . . . . .	40,797	3,132	4,911	11,022	21,732	...
Less than high school diploma or GED . . . . .	103,865	8,039	11,966	30,289	53,571	...	Less than 12 years . . . . .	7,164	553	831	2,117	3,663	...
High school diploma or GED . . . . .	246,661	18,123	26,384	69,380	132,774	...	12 years . . . . .	17,428	1,345	2,016	4,833	9,234	...
Some college or collegiate degree . . . . .	208,374	14,979	23,394	53,286	116,715	...	13 years or more . . . . .	13,333	986	1,710	3,303	7,334	...
Not stated <sup>6</sup> . . . . .	14,030	682	1,213	3,793	8,342	...	Not stated <sup>7</sup> . . . . .	2,872	248	354	769	1,501	...
Male . . . . .	352,146	28,955	38,746	94,914	189,531	...	Male . . . . .	24,885	2,149	3,038	6,518	13,180	...
Less than high school diploma or GED . . . . .	67,279	5,834	7,846	19,541	34,058	...	Less than 12 years . . . . .	4,623	400	551	1,312	2,360	...
High school diploma or GED . . . . .	156,120	13,087	17,288	43,795	81,950	...	12 years . . . . .	10,906	955	1,293	2,952	5,706	...
Some college or collegiate degree . . . . .	118,847	9,559	12,814	28,919	67,555	...	13 years or more . . . . .	7,486	622	963	1,754	4,147	...
Not stated <sup>6</sup> . . . . .	9,900	475	798	2,659	5,968	...	Not stated <sup>7</sup> . . . . .	1,870	172	231	500	967	...
Female . . . . .	220,784	12,868	24,211	61,834	121,871	...	Female . . . . .	15,912	983	1,873	4,504	8,552	...
Less than high school diploma or GED . . . . .	36,586	2,205	4,120	10,748	19,513	...	Less than 12 years . . . . .	2,541	153	280	805	1,303	...
High school diploma or GED . . . . .	90,541	5,036	9,096	25,585	50,824	...	12 years . . . . .	6,522	390	723	1,881	3,528	...
Some college or collegiate degree . . . . .	89,527	5,420	10,580	24,367	49,160	...	13 years or more . . . . .	5,847	364	747	1,549	3,187	...
Not stated <sup>6</sup> . . . . .	4,130	207	415	1,134	2,374	...	Not stated <sup>7</sup> . . . . .	1,002	76	123	269	534	...
Rate <sup>8</sup>							Rate <sup>8</sup>						
Both sexes . . . . .	384.0	108.3	173.2	406.6	872.7	334.1	Both sexes . . . . .	423.9	127.2	210.2	442.6	931.0	369.7
Less than high school diploma or GED . . . . .	582.2	188.8	263.2	628.0	1,272.2	507.6	Less than 12 years . . . . .	714.2	208.1	338.2	821.5	1,565.7	635.4
High school diploma or GED . . . . .	623.8	194.8	297.4	631.4	1,279.6	521.9	12 years . . . . .	684.2	227.3	357.3	680.5	1,355.9	574.6
Some college or collegiate degree . . . . .	226.9	59.8	102.0	234.3	553.3	201.0	13 years or more . . . . .	219.6	61.5	112.0	216.9	516.8	193.9
Male . . . . .	477.1	148.6	214.1	499.2	1,101.2	419.7	Male . . . . .	526.0	174.0	261.6	535.8	1,179.1	463.7
Less than high school diploma or GED . . . . .	691.1	237.4	311.5	746.1	1,591.6	619.5	Less than 12 years . . . . .	816.0	254.7	388.2	915.3	1,899.4	743.4
High school diploma or GED . . . . .	737.0	242.7	348.4	754.9	1,630.7	641.2	12 years . . . . .	806.7	284.4	412.6	784.3	1,748.8	699.6
Some college or collegiate degree . . . . .	277.1	82.2	120.7	273.0	672.5	242.7	13 years or more . . . . .	266.2	83.8	136.4	251.7	621.5	233.9
Female . . . . .	292.8	67.2	132.6	316.5	659.8	251.6	Female . . . . .	325.2	80.1	159.4	353.5	703.0	280.2
Less than high school diploma or GED . . . . .	451.5	122.5	203.1	487.6	942.2	379.8	Less than 12 years . . . . .	582.1	140.7	269.9	703.9	1,187.8	502.6
High school diploma or GED . . . . .	493.2	128.8	232.8	493.2	949.9	393.4	12 years . . . . .	545.6	152.4	288.2	563.5	994.5	442.6
Some college or collegiate degree . . . . .	182.9	40.3	85.9	200.6	444.9	163.9	13 years or more . . . . .	179.3	42.2	91.0	187.6	423.8	159.1

... Category not applicable.

<sup>1</sup>Includes data for Alaska, Arizona, Arkansas, California, Connecticut, Delaware, District of Columbia, Florida, Georgia, Hawaii, Idaho, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Michigan, Minnesota, Mississippi, Missouri, Montana, Nebraska, Nevada, New Hampshire, New Jersey, New Mexico, New York, North Carolina, North Dakota, Ohio, Oklahoma, Oregon, Pennsylvania, South Carolina, South Dakota, Tennessee, Texas, Utah, Vermont, Washington, Wisconsin, and Wyoming; see Technical Notes.

<sup>2</sup>Includes data for Alabama, Colorado, Maryland, and West Virginia; see Technical Notes.

<sup>3</sup>Excludes figures for age not stated.

<sup>4</sup>Calculated based on ages 25–64. For method of computation, see Technical Notes.

<sup>5</sup>For rates, the definition of educational attainment differs for the numerator and denominator; see Technical Notes.

<sup>6</sup>Includes deaths that occurred in states that reported the unrevised education attainment item on the death certificate and in states that did not have an education item on the death certificate.

<sup>7</sup>Includes deaths that occurred in states that reported the revised education attainment item on the death certificate and in states that did not have an education item on the death certificate.

<sup>8</sup>Figures for education not stated are included in totals for "Both sexes," "Male," and "Female" but are not distributed among specified years of education.

NOTE: GED is General Educational Development high school equivalency diploma.

SOURCE: NCHS, National Vital Statistics System, Mortality.

**Table I-9. Number of deaths, death rates, and age-adjusted death rates for injury at work for ages 15 and over, by race and sex: United States, 2014**

[Rates are per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Populations used for computing death rates are postcensal estimates based on the 2010 census estimated as of July 1, 2014; see Technical Notes. For a discussion of injury at work, see Technical Notes]

Race and sex	Age group (years)							Age-adjusted rate <sup>2</sup>
	15 and over <sup>1</sup>	15-24	25-34	35-44	45-54	55-64	65 and over	
	Number							
All races <sup>3</sup> : both sexes . . . . .	4,348	308	661	749	973	890	767	...
Male . . . . .	3,916	277	617	700	889	817	616	...
Female . . . . .	432	31	44	49	84	73	151	...
White <sup>4</sup> : both sexes . . . . .	3,779	266	559	638	828	766	722	...
Male . . . . .	3,413	241	522	597	763	709	581	...
Female . . . . .	366	25	37	41	65	57	141	...
Black <sup>4</sup> : both sexes . . . . .	407	31	74	84	104	82	32	...
Male . . . . .	362	25	69	77	91	74	26	...
Female . . . . .	45	6	5	7	13	8	6	...
	Rate							
All races <sup>3</sup> : both sexes . . . . .	1.7	0.7	1.5	1.8	2.2	2.2	1.7	1.7
Male . . . . .	3.1	1.2	2.8	3.5	4.1	4.2	3.0	3.1
Female . . . . .	0.3	0.1	0.2	0.2	0.4	0.4	0.6	0.3
White <sup>4</sup> : both sexes . . . . .	1.8	0.8	1.7	2.0	2.4	2.3	1.8	1.8
Male . . . . .	3.4	1.4	3.1	3.8	4.4	4.4	3.3	3.3
Female . . . . .	0.4	0.2	0.2	0.3	0.4	0.3	0.6	0.3
Black <sup>4</sup> : both sexes . . . . .	1.2	0.4	1.2	1.5	1.8	1.7	0.8	1.2
Male . . . . .	2.3	0.7	2.2	2.9	3.4	3.4	1.5	2.3
Female . . . . .	0.2	*	*	*	*	*	*	0.2

... Category not applicable.

\* Figure does not meet standards of reliability or precision; see Technical Notes.

<sup>1</sup>Excludes figures for age not stated.

<sup>2</sup>Calculated based on ages 15 years and over. For method of computation, see Technical Notes.

<sup>3</sup>Includes races other than white and black.

<sup>4</sup>Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. This table includes multiple-race data for 46 states and the District of Columbia; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

SOURCE: NCHS, National Vital Statistics System, Mortality.



**Table I-10. Number of deaths, death rates, and age-adjusted death rates for injury at work, by race and sex: United States, 1993-2014**

[Includes ages 15 years and over; excludes figures for age not stated. Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. For a discussion of injury at work, see Technical Notes]

Year	All races						All other <sup>1</sup>					
	All races			White <sup>1</sup>			Total <sup>1</sup>			Black <sup>1</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Number												
2014	4,348	3,916	432	3,779	3,413	366	569	503	66	407	362	45
2013	4,268	3,882	386	3,683	3,351	332	585	531	54	438	399	39
2012	4,106	3,743	363	3,479	3,190	289	627	553	74	453	403	50
2011	4,097	3,736	361	3,535	3,227	308	562	509	53	403	367	36
2010	4,157	3,829	328	3,589	3,324	265	568	505	63	405	359	46
2009	3,919	3,601	318	3,341	3,087	254	578	514	64	427	375	52
2008	4,690	4,317	373	4,018	3,709	309	672	608	64	505	458	47
2007	5,025	4,606	419	4,257	3,914	343	768	692	76	579	521	58
2006	5,298	4,869	429	4,562	4,200	362	736	669	67	565	513	52
2005	5,113	4,670	443	4,351	3,991	360	762	679	83	573	512	61
2004	5,157	4,729	428	4,458	4,111	347	699	618	81	545	482	63
2003	5,025	4,609	416	4,272	3,929	343	753	680	73	577	530	47
2002	5,305	4,859	446	4,568	4,199	369	737	660	77	559	500	59
2001 <sup>2</sup>	8,303	7,181	1,122	7,093	6,211	882	1,210	970	240	849	680	169
2000	5,430	4,969	461	4,657	4,270	387	773	699	74	591	536	55
1999	5,651	5,152	499	4,805	4,385	420	846	767	79	659	598	61
1998	5,543	5,036	507	4,804	4,366	438	739	670	69	587	535	52
1997	5,666	5,144	522	4,785	4,352	433	881	792	89	684	626	58
1996	5,778	5,280	498	4,940	4,535	405	838	745	93	649	582	67
1995	5,872	5,334	538	5,007	4,550	457	865	784	81	692	627	65
1994	5,987	5,425	562	5,103	4,642	461	884	783	101	710	632	78
1993	5,847	5,352	495	4,979	4,581	398	868	771	97	677	608	69
Rate												
2014	1.7	3.1	0.3	1.8	3.4	0.4	1.1	2.0	0.2	1.2	2.3	0.2
2013	1.7	3.1	0.3	1.8	3.4	0.3	1.1	2.2	0.2	1.3	2.5	0.2
2012	1.6	3.0	0.3	1.7	3.2	0.3	1.2	2.3	0.3	1.4	2.6	0.3
2011	1.6	3.1	0.3	1.8	3.3	0.3	1.1	2.2	0.2	1.2	2.4	0.2
2010	1.7	3.2	0.3	1.8	3.4	0.3	1.2	2.2	0.2	1.3	2.4	0.3
2009	1.6	3.0	0.3	1.7	3.2	0.3	1.2	2.3	0.3	1.4	2.5	0.3
2008	1.9	3.6	0.3	2.0	3.9	0.3	1.4	2.8	0.3	1.6	3.2	0.3
2007	2.1	3.9	0.3	2.2	4.1	0.3	1.7	3.2	0.3	1.9	3.7	0.4
2006	2.2	4.2	0.4	2.4	4.4	0.4	1.7	3.2	0.3	1.9	3.7	0.3
2005	2.2	4.1	0.4	2.3	4.3	0.4	1.8	3.3	0.4	2.0	3.7	0.4
2004	2.2	4.2	0.4	2.3	4.4	0.4	1.7	3.1	0.4	1.9	3.6	0.4
2003	2.2	4.1	0.4	2.3	4.3	0.4	1.8	3.5	0.3	2.0	4.0	0.3
2002	2.3	4.4	0.4	2.4	4.6	0.4	1.8	3.5	0.4	2.0	3.9	0.4
2001 <sup>2</sup>	3.7	6.6	1.0	3.8	6.9	0.9	3.1	5.3	1.2	3.1	5.4	1.2
2000	2.5	4.6	0.4	2.5	4.8	0.4	2.0	3.7	0.4	2.2	4.3	0.4
1999	2.6	4.9	0.4	2.6	4.9	0.5	2.3	4.4	0.4	2.5	4.9	0.4
1998	2.6	4.8	0.5	2.7	5.0	0.5	2.0	3.9	0.4	2.3	4.5	0.4
1997	2.7	5.0	0.5	2.7	5.0	0.5	2.5	4.8	0.5	2.7	5.3	0.4
1996	2.7	5.2	0.5	2.8	5.3	0.4	2.4	4.6	0.5	2.6	5.1	0.5
1995	2.8	5.3	0.5	2.9	5.4	0.5	2.6	5.0	0.5	2.8	5.5	0.5
1994	2.9	5.5	0.5	3.0	5.5	0.5	2.7	5.1	0.6	3.0	5.7	0.6
1993	2.9	5.5	0.5	2.9	5.5	0.5	2.7	5.2	0.6	2.9	5.6	0.5
Age-adjusted rate <sup>3</sup>												
2014	1.7	3.1	0.3	1.8	3.3	0.3	1.1	2.0	0.2	1.2	2.3	0.2
2013	1.7	3.1	0.3	1.8	3.3	0.3	1.2	2.2	0.2	1.3	2.6	0.2
2012	1.6	3.0	0.3	1.7	3.2	0.3	1.3	2.4	0.3	1.4	2.7	0.3
2011	1.6	3.0	0.3	1.7	3.2	0.3	1.1	2.3	0.2	1.3	2.5	0.2
2010	1.7	3.1	0.3	1.8	3.3	0.3	1.2	2.3	0.2	1.3	2.5	0.3
2009	1.6	3.0	0.3	1.7	3.1	0.3	1.2	2.3	0.3	1.4	2.6	0.3
2008	1.9	3.6	0.3	2.0	3.8	0.3	1.5	2.8	0.2	1.6	3.3	0.3
2007	2.1	3.9	0.3	2.2	4.0	0.3	1.7	3.3	0.3	1.9	3.8	0.4
2006	2.2	4.2	0.3	2.3	4.4	0.3	1.7	3.3	0.3	1.9	3.8	0.3
2005	2.2	4.1	0.4	2.3	4.2	0.4	1.8	3.4	0.4	2.0	3.9	0.4

See footnotes at end of table.

**Table I-10. Number of deaths, death rates, and age-adjusted death rates for injury at work, by race and sex: United States, 1993-2014—Con.**

[Includes ages 15 years and over; excludes figures for age not stated. Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. For a discussion of injury at work, see Technical Notes]

Year	All races						All other <sup>1</sup>					
	All races			White <sup>1</sup>			Total <sup>1</sup>			Black <sup>1</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Age-adjusted rate <sup>3</sup>											
2004 . . . . .	2.2	4.2	0.4	2.3	4.4	0.3	1.7	3.2	0.4	2.0	3.8	0.4
2003 . . . . .	2.2	4.1	0.3	2.3	4.2	0.3	1.9	3.6	0.3	2.1	4.2	0.3
2002 . . . . .	2.4	4.4	0.4	2.4	4.6	0.4	1.9	3.7	0.4	2.1	4.1	0.4
2001 <sup>2</sup> . . . . .	3.7	6.6	1.0	3.8	6.8	0.9	3.1	5.3	1.1	3.1	5.5	1.1
2000 . . . . .	2.5	4.6	0.4	2.5	4.8	0.4	2.1	3.9	0.4	2.3	4.6	0.4
1999 . . . . .	2.6	4.9	0.4	2.6	4.9	0.4	2.3	4.5	0.4	2.6	5.1	0.4
1998 . . . . .	2.6	4.8	0.5	2.7	5.0	0.5	2.1	4.1	0.4	2.3	4.7	0.4
1997 . . . . .	2.7	5.0	0.5	2.7	5.0	0.5	2.6	5.0	0.5	2.8	5.5	0.4
1996 . . . . .	2.8	5.2	0.5	2.8	5.3	0.4	2.5	4.8	0.5	2.6	5.3	0.5
1995 . . . . .	2.8	5.3	0.5	2.9	5.4	0.5	2.7	5.3	0.5	3.0	6.0	0.5
1994 . . . . .	2.9	5.5	0.5	3.0	5.6	0.5	2.8	5.4	0.6	3.1	6.0	0.6
1993 . . . . .	2.9	5.5	0.5	2.9	5.5	0.5	2.8	5.4	0.6	3.0	6.0	0.5

<sup>1</sup>Includes multiple-race data for 46 states and the District of Columbia in 2014, 42 states and the District of Columbia in 2012 and 2013, 38 states and the District of Columbia in 2011, 37 states and the District of Columbia in 2010, 34 states and the District of Columbia in 2008 and 2009, 27 states and the District of Columbia in 2007, 25 states and the District of Columbia in 2006, 21 states and the District of Columbia in 2005, 15 states in 2004, and 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

<sup>2</sup>Figures include September 11, 2001, terrorism-related deaths for which death certificates were filed as of October 24, 2002; see Technical Notes from *National Vital Statistics Report*, "Deaths: Final data for 2001," Volume 52, Number 3.

<sup>3</sup>For method of computation, see Technical Notes.

SOURCE: NCHS, National Vital Statistics System, Mortality.