NATIONAL CENTER Series 14 For HEALTH STATISTICS Number 2

VITAL and HEALTH STATISTICS DATA ON NATIONAL HEALTH RESOURCES

Pharmacy Manpower

United States - 1966

PROPERTY OF THE PUBLICATIONS CRANCH EDITORIAL LIBRARY

Statistics on the geographic location, age, sex, education, place and type of principal activity, and source of remuneration of registered pharmacists in the United States. Based on data collected by the National Association of Boards of Pharmacy in cooperation with the National Center for Health Statistics through the State licensing boards of pharmacy in the 50 States and the District of Columbia during the period from October 1965 through March 1968.

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE Public Health Service Health Services and Mental Health Administration

Washington, D.C.

August 1969



Public Health Service Publication No. 1000-Series 14-No. 2

For sale by the Superintendent of Documents, U.S. Government Printing Office Washington, D.C., 20402 - Price **40** cents

NATIONAL CENTER FOR HEALTH STATISTICS

THEODORE D. WOOLSEY, Director

PHILIP S. LAWRENCE, Sc.D., Associate Director

OSWALD K. SAGEN, PH.D., Assistant Director for Health Statistics Development WALT R. SIMMONS, M.A., Assistant Director for Research and Scientific Development ALICE M. WATERHOUSE, M.D., Medical Consultant JAMES E. KELLY, D.D.S., Dental Advisor EDWARD E. MINTY, Executive Officer

MARGERY R. CUNNINGHAM, Information Officer

DIVISION OF HEALTH RESOURCES STATISTICS

SIEGFRIED A. HOERMANN, Director PETER L. HURLEY, Chief, Health Facilities Statistics Branch JACQUELINE GLEASON, M.A., Chief, Health Manpower Statistics Branch EDYTHE GRAY, M.A., Chief, Hospital Discharge Survey Branch NOAH SHERMAN, Chief, Family Planning Statistics Branch

> Public Health Service Publication No. 1000-Series 14-No. 2 Library of Congress Catalog Card Number 70-601419

PREFACE

This report is one of a series on health manpower and facilities published by the National Center for Health Statistics. The series is intended to provide information useful to persons and organizations concerned with the provision of health services. Statistics in this report are based on a survey of pharmacists conducted by the National Association of Boards of Pharmacy, in cooperation with the Health Manpower Statistics Branch, Division of Health Resources Statistics.

Appreciation and thanks for their participation and assistance in conducting and processing this survey are extended to Mr. Fred T. Mahaffey, Executive Director of the National Association of Boards of Pharmacy, and to Mrs. Maryland Y. Pennell, former chief of the Health Manpower Statistics Branch, Division of Health Resources Statistics.

SYMBOLS

Data not available	
Category not applicable	
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

CONTENTS

Page

Introduction	1
Background and Purpose of the Survey	1
Schedule of Data Collection	1
Survey Coverage	1
Geographic Location and Ratio of Active Pharmacists to Population	3
Age and Sex of Active Pharmacists	7
Professional Education of Active Pharmacists	8
Number of Years of Undergraduate Education in Pharmacy	8
First Professional Degree Earned	10
Place and Type of Principal Activity of Active Pharmacists	10
Place of Principal Activity	10
Type of Principal Activity	11
Source of Remuneration	12
Evaluation of Methodology	13
Detailed Tables	15
Appendix I. Questionnaire	25
Appendix II. Definitions of Certain Terms Used in This Report	26
Terms Relating to Pharmacy	26
Demographic Terms	26
Appendix III. Data Collection	27
Schedule of Data Collection	27
Survey Coverage	28

IN THIS REPORT statistics are presented on the location and characteristics of registered pharmacists in the United States. The data were collected by the National Association of Boards of Pharmacy in cooperation with the National Center for Health Statistics, Public Health Service.

The questionnaires were mailed to pharmacists with the State board license renewal forms. Between October 1965 and March 1968, about 170,000 questionnaires were mailed by the State boards of pharmacy in the 50 States and the District of Columbia. The completed questionnaires provided data on 115,583 pharmacists of whom 103,287 were active in pharmacy. Of the active pharmacists:

The median age was 45 years – 46 years for males and 39 years for females.

Eight percent were females.

The median number of years of undergraduate education in pharmacy was 4.3 years.

Eighty-three percent worked in community pharmacies—69 percent in independent community pharmacies, and 14 percent in chain pharmacies. Eight percent worked in hospital pharmacies.

Eighty-nine percent listed dispensing of prescriptions and providing of health care items as their major activity.

Forty percent owned or were partners or stockholders in the establishments in which they worked; 53 percent were employees.

PHARMACY MANPOWER

George R. Reinhart, Division of Health Resources Statistics

INTRODUCTION

This report is based on a pharmacy manpower survey which was conducted by the National Association of Boards of Pharmacy (NABP) in cooperation with the National Center for Health Statistics (NCHS) between October 1965 and March 1968. It provides information on the characteristics of registered pharmacists in the United States.

The NABP acted as the coordinating agent by distributing the questionnaires to the 51 boards of pharmacy. The boards of pharmacy in the 50 States and the District of Columbia then distributed the questionnaires to all licensed pharmacists. In many States they were attached physically to the renewal notice; in most other cases they were sent with the license renewal forms. The completed questionnaires were returned with the license renewal forms and were then sent by the State boards to the NABP for processing.

The questionnaire gathered data on geographic location, States of licensure, age, sex, professional education, place and type of activity, and source of remuneration. This report presents the findings of the survey in summary tables in the text and in detailed tables 1 through 9. A copy of the questionnaire appears in appendix I. Terms relating to pharmacy and the demographic terms used in this report appear in appendix II.

Background and Purpose of the Survey

Statistics on pharmacists have been published annually by the NABP since 1942 and appear in the *Proceedings of the National Association of* Boards of Pharmacy Licensure Statistics and Census of Pharmacy. These statistics are based on data collected by the NABP from the State licensing boards. Inadequacies in the data reported by the boards have long been recognized by NABP. Methods of data collection, types of data collected, and terminology vary from State to State; these problems limit interstate comparisons and affect the accuracy of regional and national totals.

The pharmacy manpower survey was developed to overcome these limitations and, thus, provide uniform data from each State on the characteristics of pharmacists. The survey was also developed to determine the feasibility of using license renewal as a mechanism for conducting a survey of pharmacists.

Schedule of Data Collection

The date for collection of data varied from State to State because the questionnaire mailout was linked to license renewal and the renewal dates varied from State to State. Twelve States were surveyed in 1965, 33 States and the District of Columbia in 1966, and five States in 1967. The followup mailout to pharmacists who had not responded to the initial questionnaire was completed in March 1968. Table A shows the distribution of license renewal dates. Appendix III contains more detail on the schedule of data collection.

Survey Coverage

For this survey the total number of pharmacists was defined as all persons holding a license

Month of license	Freq	uency of l renewal	icense
renewal	Annual	Biennial	Triennial
Total-	42	8	1
January February March April June July July September October November December Variable ¹	16 1 3 1 1 3 16 - 1 - - 1 -	4 - - 1 1 - 1 - -	- - - - - - - - - - - - - - - - - - -

Table A. State licensing boards of pharmacy, by month and frequency of license renewal: United States, 1966

¹Based on date of original license.

in pharmacy. In order to insure complete coverage of the estimated 132,000 licensed pharmacists, both active and inactive, in the United States, NCHS and NABP agreed that the best method for conducting the survey would be to include the questionnaire with the license renewal form used by each State board of pharmacy. Every pharmacist whose name appeared on a State list of registered pharmacists was sent a questionnaire. Since pharmacists may be licensed in several States, some pharmacists were sent several questionnaires.

Of the 170,044 questionnaires sent in the initial mailout, 142,182 were returned, yielding an initial questionnaire response rate of 84 percent. Followup questionnaires were sent to all nonrespondents in States in which the response rate was below 90 percent or in which there were more than 500 nonrespondents. Followup questionnaires were sent to nonrespondents in 27 licensing jurisdictions.

The total number of questionnaires returned in both the initial and followup mailouts was 155,758, yielding a total questionnaire response

	Pharma	cists in 1 196	nanpower s 56	survey,	NABE phare	'estimate acists, J	s of numbe anuary 1,	er of 1967
Geographic region	Tot pharma	al cists	Active pharmacists		Total pharmacists		Active pharmacists	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
All regions	115,583	100.0	103,287	100.0	131,961	100.0	121,482	100.0
Northeast North Central South West	33,577 33,675 30,662 17,669	29.1 29.1 26.5 15.3	29,939 30,032 27,609 15,707	29.0 29.1 26.7 15.2	38,270 35,895 35,563 22,233	29.0 27.2 26.9 16.8	35,964 32,282 33,221 20,015	29.6 26.6 27.3 16.5

Table B. Number and percent of pharmacists, by geographic region: United States

Source: National Association of Boards of Pharmacy: <u>1967 Proceedings of the National</u> <u>Association of Boards of Pharmacy Licensure Statistics and Census of Phar</u>macy. Chicago, 1967. rate of 92 percent. The questionnaires were edited, coded, punched, and put on computer tape. As a result of the editing and coding procedures, 1,648 illegible or incomplete questionnaires were deleted from the analysis. The remaining 154,110 questionnaires were then unduplicated so that each pharmacist was counted only once. That is, in the cases where a respondent returned two or more questionnaires, only the questionnaire from the State in which he was employed or residing was used in the survey. After unduplication, the survey included 115,583 individual pharmacists, of whom 103,287 were active in pharmacy. Appendix III contains additional information on the survey coverage.

GEOGRAPHIC LOCATION AND RATIO OF ACTIVE PHARMACISTS TO POPULATION

Table B shows the regional distribution of pharmacists who responded to the pharmacy manpower survey, and the corresponding NABP estimates of the number of pharmacists for January 1, 1967. In the survey the percentage distribution of pharmacists by geographic region is consistent with the distribution of pharmacists according to the NABP estimates. However, because there was some nonresponse in the pharmacy manpower survey, the survey totals cannot be used for presenting figures on the ratio of active pharmacists to population. The resulting ratios would understate the actual ratios. Therefore, the NABP estimates of the number of pharmacists were used to determine the following ratios of active pharmacists to population.

According to NABP estimates the number of active pharmacists has increased during the last 10 years from 110,688 in 1957 to 121,482 at the time of the survey. At the same time, the ratio of pharmacists to population has decreased. In 1957 there were 66 active pharmacists per 100,000 population; by 1967 this ratio had dropped to 62 for the Nation (table C). The decrease in the ratio of active pharmacists to population is due to the more rapid growth of the population of the United States than to the number of pharmacists. While the number of pharmacists has increased 10 percent since 1957, the Nation's population has risen by 16 percent during the same period. Table C. Number of active pharmacists, population, and number of active pharmacists per 100,000 population, by year: United States, January 1, 1957-72

Year	Number of active phar- macists ¹	Civilian resident popula- tion ² in thousands	Phar- macists per 100,000 popula- tion
$\begin{array}{c} 1972\\ 1971\\ 1970\\ 1969\\ 1968\\ 1967\\ 1965\\ 1965\\ 1964\\ 1963\\ 1963\\ 1963\\ 1963\\ 1963\\ 1963\\ 1963\\ 1963\\ 1959^3\\ 1958^3\\ 1957^3\end{array}$	128,560 126,590 124,460 122,590 120,463 121,482 120,162 117,432 120,445 120,196 117,377 116,954 113,757 111,938 110,688	205,698 202,756 199,448 198,791 196,799 194,729 192,956 190,772 188,145 185,428 182,482 179,780 176,850 173,831 170,862 167,750	$\begin{array}{c} 62.5\\ 62.4\\ 62.4\\ 61.7\\ 61.2\\ 62.4\\ 62.3\\ 61.6\\ 64.0\\ 64.8\\ 64.3\\ 65.1\\ 66.1\\ 65.5\\ 66.0\end{array}$

¹Data for 1969-72 estimated by NCHS.

²Data for 1970-72 interpolated to January 1 from Census Bureau estimates for July 1.

³Excludes data for Hawaii and Alaska.

Sources: National Association of Boards of Pharmacy: <u>NABP Proceedings</u> <u>Licensure Statistics and Cen-</u> <u>sus of Pharmacy</u>. Chicago, 1967.

> U.S. Bureau of the Census: Population Estimates.<u>Current</u> <u>Population Reports.</u> Series <u>P-25, No. 381, December 1967,</u> and No. 417, February 1969.

The NABP estimated that there were 120,463 active pharmacists in the United States as of January 1, 1968. Relating this estimate to population produces a ratio of 61 active pharmacists per 100,000 population for the Nation as a whole.

NCHS estimates of future pharmacy manpower show an expected increase of about 8,000 active pharmacists by 1972, if the relationship between total and active pharmacists remains at its 1968 level. This is an increase of 7 percent in the number of active pharmacists, raising the number of active pharmacists to an estimated 128,560. By Jan. 1, 1972, the population of the

Table D. Number of active pharmacists and number of active pharmacists per 100,000 population for selected years, by geographic region: United States, 1957-67

Geographic region	1957	1959	1961	1963	1965 ¹	1967	
	Number of active pharmacists						
All regions	110,688	113,757	116,974	120,196	117,432	121,482	
Northeast North Central South West ²	34,329 31,441 27,924 16,994	34,814 32,150 27,974 18,819	35,568 32,454 29,683 19,269	37,438 33,202 29,461 20,095	34,620 31,441 31,514 19,857	35,964 32,282 33,221 20,015	
	Number o	of active	pharmacis	ts per 10	0,000 pop	ulation ³	
All regions	66.2	65.7	65.0	64.7	61.4	62.0	
Northeast North Central South West ²	81.3 63.6 54.1 71.0	80.3 62.9 52.2 74.5	79.4 62.8 53.8 68.2	81.5 63.2 51.3 66.9	73.5 58.7 53.2 63.1	75.0 59.0 54.6 61.5	

¹The decrease in number of active pharmacists since 1963 may be attributed mainly to the use of more efficient record keeping and changes in methods of counting licenses where renewal is not required.

²Excludes Hawaii and Alaska for 1957 and 1959.

³Civilian resident population, July 1.

Sources: National Association of Boards of Pharmacy: 1957, 1959, 1961, 1963, 1965, and 1967 Proceedingsof the National Association of Boards of Pharmacy Licensure Statistics and Census of Pharmacy. Chicago.

U.S. Bureau of the Census: Current Population Reports. Series P-25, No. 196, 1956; No. 210, 1958; No. 380, 1960-1966.

United States will reach an estimated 205,698,000, an increase of 6 percent from 1967. The statistics in table C show that the ratio of pharmacists per 100,000 population is expected to remain at nearly the 1967 level.

Table D shows the regional distribution of pharmacists from 1957 to 1967. In 1967 the Northeast had the highest ratio of pharmacists to population with 75 active pharmacists per 100,000 population. The South had the lowest ratio with 55 pharmacists per 100,000 population. Fifty-six percent of the active pharmacists were located in the Northeast and North Central States where slightly over half (53 percent) of the Nation's population resided.

There have been marked differences in the population growth among the four geographic regions. In addition, the methods of estimating numbers of pharmacists have varied. This variation in methods of estimation may partially invalidate year-by-year comparisons. However, some long-term trends may be observed. The West, the region with the greatest decrease in the ratio of pharmacists to population, had the greatest population growth during the 1956 to 1966 decade, 31 percent. The South was the only region in which the increase of pharmacists, 17 percent, was greater than the population increase, 15 percent, thus, it was also the only region in which the ratio of pharmacists to population increased. Both the Northeast and North Central States showed only modest increases in both number of pharmacists and population.

Table E shows that the States with the largest populations seemed to have the largest number of active pharmacists. However, these States did

Table E. Number of active pharmacists, population, and number of active pharmacists per 100,000 population, by State: United States, January 1, 1967

State of registration	Pharma- cists	Popula- tion in thou- sands ¹	Active pharma- cists per 100,000 popula- tion	State of registration	Pharma- cists	Popula- tion thou- sands ¹	Active pharma- cists per 100,000 popula- tion
United States	121,482	195,936	62.0	Montana Nebraska	397 1,007 316	702 1,439 431	56.6 70.0 73.3
Alabama Alaska	1,613 86 992	3,511 · 265	45.9	New Hampshire New Jersey	361 4,198	676 6,899	53.4 60.8
Arkansas California	946 946 10,720	1,956 18,802	48.4 57.0	New Mexico New York	566 13,723	1,002 18,205	56.5 75.4
Colorado Connecticut Delaware	1,616 2,498 234	1,955 2,878 513	82.7 86.8 45.6	North Dakota Ohio	340 6,474	643 10,364	52.9 62.5
Columbia Florida	862 4,697	806 5,893	106.9 79.7	Oklahoma Oregon	1,972 1,509	2,477 1,973	79.6 76.5
Georgia Hawaii Idaho Illinois Indiana	2,405 200 450 5,889 2,978	4,445 727 697 10,786 4,951	54.1 27.5 64.6 54.6 60.1	Pennsylvania Rhode Island South Carolina-	8,216 717 1,250	11,601 898 2,589	70.8 79.8 48.3
Iowa Kansas Kentucky Louisiana Maine	1,621 1,326 1,560 2,000 434	2,760 2,275 3,181 3,617 978	58.7 58.3 49.0 55.3 44.4	South Dakota Tennessee Texas Utah Vermont	480 2,388 5,783 601 201	679 3,866 10,747 1,007 411	70.7 61.8 53.8 59.7 48.9
Maryland Massachusetts Michigan Minnesota Mississippi Missouri	2,109 5,616 5,175 2,126 1,037 2,609	3,611 5,403 8,468 3,572 2,337 4,564	58.4 103.9 61.1 59.5 44.4 57.2	Virginia Washington West Virginia Wisconsin Wyoming	1,783 2,285 706 2,257 277	4,465 3,040 1,809 4,167 319	39.9 75.2 39.0 54.2 86.8

¹Civilian resident population, July 1, 1966.

Sources: National Association of Boards of Pharmacy: <u>1967</u> Proceedings of the National Association of Boards of Pharmacy Licensure Statistics and Census of Pharmacy. Chicago, 1967.

U.S. Bureau of the Census: Population estimates. <u>Current Population Reports. Series P-25</u>, No. 380, Nov. 1967.

not necessarily have the highest ratios of pharmacists to population (fig. 1).

In figure 2, three geographical patterns in the States' ratios of pharmacists to population can be seen. First, there are the high concentrations of pharmacists in the six Northeastern contiguous States-Massachusetts, Rhode Island, Connecticut, New York, New Jersey, and Pennsylvania, and second, the low concentrations of pharmacists per 100,000 population in the South,

POPULATION RANK	STATE	NUMBER OF ACT	IVE PHARMACISTS PE	R 100,000 POPULA	rion ¹
		25	50	75	100
40					
40	DISTRICT OF COLUMBIA	· · · · ·			
50	WYOMING	· · · · · · · · · · · · · · · · · · ·			
24	GONNECTICUT		·		
32	COLORADO				
39	RHODE ISLAND				
9	FLORIDA				
27	OKLAHOMA				
30	OREGON			· · · ·	
23	WASHINGTON				
2	NEW YORK	·			
48	NEVADA				1
43	SOUTH DAKOTA				
3	PENNSYLVANIA	······································			· · · · ·
35	NEBRASKA				
41	IDAHO		i i i i i i i i i i i i i i i i i i i		•
54	ARIZONA	· ·			. 1
17	THURSDAFE	······································		4 C	4
	IENNESDEE		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NATIONAL AVERA	GE 62.0
8	NEW JERSEY				
7	MICHIGAN	······································			
, i	INDIANA		· · · · · · · · · · · · · · · · · · ·	*	
36	UTAH				
19	MINNESOTA			•	
20	MARYLAND				
29	KANSAS				
25	IOWA			· .	
L I	CALIFORNIA				
13	MISSOURI	······	<u> </u>		
37	NEW MEXICO				
42	MONTANA				
18	LOUISIANA				
14	GEORGIA				
4	ILLINOIS				5.
5	TEXAS	······			
16	WISCONSIN	- · · · · · · · · · · · · · · · · · · ·			• •
46	NEW HAMPCHIPE				· · · · · · · · · · · · · · · · · · ·
26		· · · · · · · · · · · · · · · · · · ·			
22	KENTUCKY	·····			· · · · ·
49	VERMONT				
31	ARKANSAS				
21	ALABAMA	. с.			
47	DELAWARE				
38	MAINE				
28	MISSISSIPPI			•	
15	VIRGINIA				
33	WEST VIRGINIA		· · · ·	s. 3	
12	NORTH GAROLINA				
51	ALASKA	·····			
44	HAWAII				
¹ Civilian resi	ident population, July 1, 1966.				
Sources: National Action	onal Association of Boards of Ph <u>Census of Pharmacy</u> . Chicago, 3	armacy: <u>1967 Proceedings of the N</u> 1967.	ational Association of B	oards of Pharmacy Li	censure Statistics
u.s.	Bureau of the Census; Current I	Population Reports. Series P-25, N	o. 380, Nov. 1967.		

Figure 1. Number of active pharmacists per 100,000 population, by State and population rank.





Figure 2. Ratio of active pharmacists to population, by State.

especially in the States of Virginia, West Virginia, and North Carolina. Finally, figure 2 shows the relatively high numbers of pharmacists per 100,000 population in the Western States. Even though the number of pharmacists was low in some of these States, the populations were correspondingly low; thus, the ratio of pharmacists to population was high.

AGE AND SEX OF ACTIVE PHARMACISTS

The median age of active pharmacists in the survey was 45 years, however, the male pharmacists were older than the females. The median age for males was 46 years, while for females it was 39 years. Females accounted for 8 percent of the active pharmacists. Table F shows the median age of pharmacists distributed by geographic region. The South had the lowest median age, 42 years, while the Northeast had the highest, 48 years. Also shown in table F is the percent of females distributed by geographic region; this shows that the West had the highest percentage of female pharmacists.

There has been a marked increase in the number of female pharmacists in the profession, especially in the last 10 to 15 years.¹ This increase is reflected in a comparison of the age distribution of active pharmacists. Figure 3 shows that there are relatively more female pharmacists in the younger age groups. Fifty-three

¹National Association of Boards of Pharmacy: Proceedings of the National Association of Boards of Pharmacy Licensure Statistics and Census of Pharmacy. Chicago, 1957 and 1961.

Table F. Median age and sex of active pharmacists and percent female, by geographic region: United States, 1966

Geographic region	Both sexes	Male	Fe- male	Fe- male
	Medi	an age years	in	Percent
All regions-	45.1	45.7	38.7	7.8
Northeast- North Central South West	48.2 45.2 42.2 45.1	48.8 45.8 42.8 45.6	40.3 38.7 35.8 40.7	6.9 8.2 7.5 9.7

percent of all female pharmacists were under the age of 40 compared with only 38 percent of the males. Conversely, only 12 percent of the female pharmacists were age 60 and over compared with 21 percent of the males.

PROFESSIONAL EDUCATION OF

Number of Years of Undergraduate Education in Pharmacy

Current licensing regulations in the United States require a minimum of 5 years of college education; of these, at least 3 must be in a college of pharmacy accredited by the American Council on Pharmaceutical Education.² The two most frequently used curriculum patterns for pharmacy education are 1 year of preprofessional education followed by 4 years of professional education, and 2 years of professional education.³ In 1960 nearly 30 percent of the active pharmacists had



Figure 3. Percent distribution of active pharmacists, by age and sex.

2 years or less of professional education.⁴ The pharmacy manpower survey showed that 6 years later, in 1966, the percent of active pharmacists with 2 years or less professional education had decreased to 17 percent. More than 74 percent of the active pharmacists reported having 3 or more years of professional undergraduate education in pharmacy.

In table G, the percent of pharmacists by number of years of undergraduate education in pharmacy is shown by geographic region. The Northeast had a high percent of pharmacists with 2 or 3 years of undergraduate education in pharmacy—34 percent compared with 22 percent for the Nation as a whole—and a correspondingly low percent of pharmacists with 5 or 6 years. In the West, 22 percent of the active pharmacists had 5 or 6 years of undergraduate education in pharmacy compared with 11 percent for the Nation and 4 percent for the Northeast. However, the median number of years of undergraduate education in pharmacy for each region was nearly identical, at about 4 years.

²The only exception is Hamden College of Pharmacy in Williamsett, Massachusetts.

⁸National Center for Health Statistics: State Licensing of Health Occupations. PHS Pub. No. 1758. Public Health Service. Washington. U.S. Government Printing Office, 1968.

⁴National Association of Boards of Pharmacy: Proceedings of the National Association of Boards of Pharmacy Licensure Statistics and Census of Pharmacy. Chicago, 1961.

Table G. Percent distribution of active pharmacists, by number of years of undergraduate education in pharmacy and median number of years of education according to geographic region: United States, 1966

			Years	of un	dergra	duate	educat	ion i	n pharma	су
Geographic region	Total	Less than 1	1	2	3	.4	5	6	No report	Median number of years
		Percent distribution								
All regions	100.0	5.0	1.7	10.8	11.3	52.6	9.0	1.8	7.9	4.3
Northeast North Central South West	100.0 100.0 100.0 100.0	3.1 5.1 5.2 7.9	0.6 2.2 2.2 1.8	15.5 10.1 7.7 8.8	18.2 9.2 7.1 9.4	51.7 53.9 56.6 44.9	3.6 9.9 10.8 14.4	0.3 0.9 0.7 8.1	7.0 8.7 9.8 4.7	4.2 4.4 4.4 4.4

Table H. Percent distribution of active pharmacists, by type of first professional degree received according to geographic region: United States, 1966

				Туре	of degree			
Geographic region	Total	None	Bachelor of Science in Pharmacy	Graduate in Pharmacy	Bachelor of Pharmacy	Pharma- ceutical Chemist	Doctor of Pharmacy	Other or no report ¹
			-	Percent	distributi	on		
All regions-	100.0	16.7	56.6	14.9	4.6	2.8	1.1	3.2
Northeast	100.0	12.5	50.4	30.0	3.2	1.0	0.2	2.7
North Central South West	$100.0 \\ 100.0 \\ 100.0 \\ 100.0$	18.8 18.8 17.2	58.2 62.5 54.9	8.2 8.6 10.1	5.5 5.0 5.0	5.2 1.5 4.0	0.2 0.2 6.3	3.8 3.4 2.6

¹Includes the Doctor of Pharmacy which was granted prior to 1940.

Table J. Percent distribution of active pharmacists, by place of principal activity according to geographic region: United States, 1966

Geographic region	Total	Community ph	narmacy	Hospital	Clinic non-	Industry	Other
Geographic region	IOCAI	Independent	Chain	pharmacy	hospital pharmacy	maustry	report
			Perce	ent distrib	oution		······································
All regions	100.0	68.5	14.0	8.0	1.6	3.9	4.0
Northeast North Central South West	100.0 100.0 100.0 100.0	73.1 66.1 69.1 63.3	8.3 15.3 16.2 18.3	7.5 8.7 7.1 9.2	0.3 2.3 1.4 3.1	6.0 3.7 2.6 2.4	4.8 3.9 3.6 3.7

First Professional Degree Earned

The Bachelor of Science in Pharmacy was most frequently reported by active pharmacists as the first professional degree earned in pharmacy, 57 percent (table H). The Graduate in Pharmacy degree was next, reported by 15 percent of the pharmacists. Nearly 17 percent of the pharmacists indicated that they did not have a degree in pharmacy.

Table H shows that a relatively high percentage of pharmacists in the West received the Doctor of Pharmacy as their first professional degree. This is a 6-year degree, and is the only first professional degree in pharmacy offered by the University of California and the University of Southern California. It is also offered as an optional program by the University of Michigan and the University of the Pacific. The pharmacy student bodies of the former two schools account for about 30 percent of the pharmacy students in all colleges of pharmacy in the Western States.⁵ Also noteworthy is the high percentage of Graduate in Pharmacy degrees in the Northeast. The Graduate in Pharmacy degree was the first pharmacy degree to be offered. It was first awarded by the Philadelphia College of Pharmacy to three graduates in 1826. Although the degree

⁵Sprowls, J. B.: Report on enrollment in schools and colleges of pharmacy first semester, term, or quarter. Am. J. Pharm. Ed. 27(1), 1965; 29(1), 1966; 31(1), 1967.

is no longer conferred, it was the most frequently awarded degree to graduates of pharmacy institutions for more than a century.⁶

PLACE AND TYPE OF PRINCIPAL ACTIVITY OF ACTIVE PHARMACISTS

Place of Principal Activity

The pharmacy manpower survey shows that 83 percent of the active pharmacists were practicing in community pharmacies, 8 percent in hospital pharmacies, 2 percent in clinics not associated with hospitals, and 4 percent in industry.

When these figures were divided into regions (table J), the Northeast, with the largest number of pharmacists and the most urban population, had the smallest percent of pharmacists practicing in chain pharmacies. In addition, the Northeast had the smallest percent of pharmacists practicing in hospital or clinic settings. The vast majority of pharmacists in the Northeast, nearly three-fourths, practiced in independent community pharmacies. The West, with the smallest number of active pharmacists, had the highest

⁶Office of Education: *Academic Degrees*. OE-54008A, Bulletin 1960, No. 28. Washington. U.S. Government Printing Office, 1961.

percent of pharmacists practicing in both chain pharmacies and hospital or clinic settings.

Since 1957 the percent of pharmacists in community pharmacies has decreased (table K). Correspondingly, there has been an increase in the percentage of pharmacists in the field of hospital pharmacy. The percent of pharmacists in industry has remained fairly constant during the last 10 years.

Type of Principal Activity

The survey shows that 89 percent of all active pharmacists considered dispensing pre-

scriptions and providing other health care items as their type of principal activity. An additional 3 percent of the pharmacists reported sales as their type of principal activity, and less than 2 percent reported their major activity to be in the fields of teaching and/or research. The regional distribution (table L) shows that this pattern was relatively consistent throughout the four regions. The Northeast, however, had a slightly smaller percentage of pharmacists who indicated dispensing as their major activity (86 percent) and a slightly larger percentage who indicated sales, teaching, or research as their major activity (6 percent).

Table K. Percent distribution of active pharmacists in community and hospital pharmacies and industry, by selected years: United States, 1966

Year ¹	Total	Community pharmacies	Hospital pharmacies	Industry	Other or no report
1966 1965 1963 1961 1959 1957	100.0 100.0 100.0 100.0 100.0 100.0	Percer 82.5 88.3 86.5 88.6 89.9 90.5	nt distributi 8.0 4.8 4.4 3.6 3.9 3.4	on 3.9 3.5 3.9 4.4 4.4 4.5	5.6 3.4 5.2 3.4 1.8 1.6

¹Data for 1957-65 from the National Association of Boards of Pharmacy.

Table L. Percent distribution of active pharmacists, by type of principal activityaccording to geographic region: United States, 1966

		Type of	E pr	incipal	. activity	
Geographic region	Total	Dispens	ing	Sales	Teaching and/or research	Other activity or no report
		Perc	ent	: distri	bution	<u> </u>
All regions	100.0	89	9.0	3.0	1.4	6.5
Northeast North Central South West	100.0 100.0 100.0 100.0	86 89 47 90 92	5.0 9.0 0.7 2.1	4.0 2.8 2.6 2.4	2.0 1.3 1.0 0.9	8.0 6.9 5.6 4.6

	Geographic region							
of activity	All regions	North- east	North Central	South	West			
		Percent	distribut	ion				
Total	100.0	100.0	100.0	100.0	100.0			
Owner, partner, or stockholder: Independent community pharmacy Chain community pharmacy Other pharmaceutical activity	37.6 1.2 1.4	39.8 0.6 1.1	35.8 1.2 1.5	39.2 1.6 1.3	33.8 1.7 1.9			
Employee: Independent community pharmacy Chain community pharmacy Other pharmaceutical activity	27.9 11.9 10.0	30.2 7.0 11.3	27.1 13.0 10.9	26.3 13.7 7.4	27.7 16.1 10.6			
State or local government Federal government	2.5 0.9	2.3 0.8	2.4 0.8	2.7 1.2	3.0 0,9			
Other source or no report	6.5	6.7	7.3	6.7	4.4			

Table M. Percent distribution of active pharmacists, by source of remuneration and place of activity according to geographic region: United States, 1966

Source of Remuneration

An additional insight into the structure of the pharmacy profession is obtained from examining the sources of remuneration of active pharmacists. Approximately 40 percent of the active pharmacists were owners, partners, or stockholders in the establishments in which they practiced and 53 percent were employees.

Table M shows that the Northeast and South had the highest percent of owners, partners, or stockholders for independent community pharmacies. The Northeast, followed by the West and North Central, had the highest percent of employees in independent community pharmacies. The West and the South had the highest percent of owners and of employees in chain pharmacies. These same two regions had the highest percent of government-employed pharmacists-both approximately 4 percent.

{

Table N shows that approximately half of the pharmacists who practiced in community pharmacies indicated that they were owners, partners, or stockholders in the establishment in which they practiced. However, when community pharmacies were divided into independent and chain community pharmacies, different patterns were observed. Of the pharmacists who practiced in independent community pharmacies, 57 percent were owners or partners, while of those pharmacists who practiced in chain community pharmacies, only 9 percent were owners or partners. The four geographic regions had similar patterns for the percent of pharmacists who owned the establishments in which they practiced.

	Geographic region							
Type of community pharmacy	All regions	North- east	North Central	South	West			
All community pharmacies			Number	· · · ·				
All pharmacists	81,137	23,236	23,157	22,302	12,442			
		•	Percent	·				
Owners, partners, or stockholders Employees	49.4 50.6	52.1 47.9	48.0 52.0	50.5 49.5	44.8 55.2			
Independent community pharmacies		,	Number					
All pharmacists	67,603	20,955	18,906	18,092	9,650			
			Percent		·			
Owners, partners, or stockholders Employees	57.4 42.6	56.9 .43.1	56.9 43.1	59.9 40.1	54.9 45.1			
Chain community pharmacies			Number					
All pharmacists	13,534	2,281	4,251	4,210	2,792			
			Percent					
Owners, partners, or stockholders Employees	9.2 90.8	8.2 91.8	8.3 91.7	10.4 89.6	9.6 90.4			

Table N. Number and percent of owners and employees in community pharmacies, by geographic region and type of community pharmacy: United States, 1966

EVALUATION OF METHODOLOGY

The primary purpose of the pharmacy manpower survey was to collect uniform data on characteristics of pharmacists. This purpose was achieved through the use of a standardized questionnaire.

A second purpose of the survey was to determine the feasibility of using license renewal as a mechanism for surveying pharmacists. The use of this procedure contributed to the high questionnaire response rate obtained in the survey. The questionnaire was an integral part of the renewal form in about half of the States. In most of the remaining States the questionnaire card was enclosed with the license renewal form.

However, the license renewal survey procedure had some limitations. Since licenses are renewed on different dates and over different time periods, the data could not be collected to reflect an accurate count of pharmacists in the United States at any one point in time. To correct this problem the questionnaires should all be mailed at the same time. This would mean that either the questionnaire cannot accompany the license renewal form or the State licensing boards would have to establish a uniform date for license renewal. If no uniform renewal date could be established, the questionnaire could still be mailed through the State licensing boards. While the response rate from an initial mailout of such a survey might be lower than the rate obtained from the initial mailout by the pharmacy manpower survey, rigorous followup procedure, including certified mail and telephone followups, should result in a satisfactory response rate.

Another limitation of the license renewal mechanism was the problem of duplicate licenses. Since a pharmacist may have a license in more than one State, the licensing lists sometimes contain the same pharmacist more than once.

In the present survey the licensing lists were not unduplicated before the first mailing of the questionnaires. Duplicates were identified only after the questionnaires were received in the NABP office. As a result, not all nonrespondents could be identified. Therefore, it was impossible to followup all nonrespondents or to measure the nonresponse rate accurately. In order to identify the nonrespondents, the lists of licenses maintained by the 51 State boards should be unduplicated before questionnaires are sent out. This procedure would allow the development of an unduplicated master list of pharmacists, which would enable a more complete followup of nonrespondents and an accurate measure of the nonresponse rate.

In conclusion, the results of the survey were sufficiently good to warrant the continued use of the State licensing boards for data collection in any future pharmacy manpower surveys, providing the problems of timing and duplication are overcome.

-000-----

DETAILED TABLES

Table	1.	Number of pharmacists, by activity status and State of registration: United States, 1966	16
	2.	Number of active pharmacists, by age and State of practice: United States, 1966-	17
	3.	Number of active male pharmacists, by age and State of practice: United States, 1966	18
	4.	Number of active female pharmacists, by age and State of practice:United States, 1966	19
	5.	Number of active pharmacists, by years of undergraduate education in pharmacy and State of practice: United States, 1966	20
	6.	Number of active pharmacists, by type of first professional pharmacy degree and State of practice: United States, 1966	21
	7.	Number of active pharmacists, by place of principal activity and State of practice: United States, 1966	22
	8.	Number of active pharmacists, by type of principal activity and State of practice: United States, 1966	23
	9.	Number of active pharmacists, by source of remuneration, place of activity and	24

15

Page

Table 1. Number of pharmacists, by activity status and State of registration: United States, 1966

=

		Activity status								
State of registration	Question-	Activ	ve in	Not act	ive in	Activity	status			
	naires	phar	macy	phar	macy	not re	ported			
		Resides in State	Resides out of State	Resides in State	Resides out of State	Resides in State	Resides out of State			
		· · · · · · · · · · · · · · · · · · ·	Number o	of pharmac	ists					
United States	154,110	103,287	32,255	10,606	5,466	1,690	806			
Alabama Alaska Arizona Arkansas California	1,820 140 2,164 1,414 8,610	1,208 75 1,144 877 7,033	498 52 780 330 744	60 4 118 127 701	. 46 8 86 69 96	7 16 5 32	1 1 20 6 4			
Colorado Connecticut Delaware District of Columbia Florida	3,225 3,001 443 1,436 5,471	1,560 2,094 232 526 3,224	1,100 503 165 720 1,734	301 233 22 52 246	244 102 23 124 164	11 56 - 74	9 13 1 8 29			
Georgia	3,117	2,048	747	171	88	49	14			
Hawaii	228	161	44	15	5	3	-			
Idaho	1,208	410	652	43	75	13	15			
Illinois	9,462	6,382	1,786	720	439	92	43			
Indiana	4,793	2,929	1,185	211	300	27	141			
Iowa	2,477	1,324	769	156	171	31	26			
Kansas	2,059	1,263	516	135	95	34	16			
Kentucky	1,853	1,347	338	104	55	7	2			
Louisiana	2,320	1,573	386	167	37	133	24			
Maine	824	462	260	49	48	4	1			
Maryland	2,609	1,806	522	189	86	4	2			
Massachusetts	4,478	3,138	843	307	135	37	18			
Michigan	5,278	4,488	348	328	52	57	5			
Minnesota	3,069	2,052	556	313	128	13	7			
Mississippi	1,295	966	247	44	12	21	5			
Missouri	4,090	2,600	888	257	180	118	47			
Montana	794	451	204	63	64	8	4			
Nebraska	1,871	948	562	162	158	20	21			
Nevada	1,925	342	1,458	12	103	1	9			
New Hampshire	461	291	130	19	17	-	4			
New Jersey	4,066	2,922	669	285	150	25	15			
New Mexico	1,055	550	354	56	57	14	24			
New York	17,331	13,200	2,045	1,507	390	158	31			
North Carolina	2,225	1,776	260	135	50	3	1			
North Dakota	959	359	498	45	51	-	6			
Ohio	7,086	4,883	1,295	597	261	37	13			
Oklahoma	2,747	1,616	733	192	125	56	25			
Oregon	2,028	1,213	497	143	90	57	28			
Pennsylvania	10,173	7,033	1,977	708	267	154	34			
Rhode Island	1,000	656	208	61	41	25	9			
South Carolina	1,231	962	167	66	12	24	-			
South Dakota	915	444	349	44	59	10	9			
Tennessee	2,598	1,805	521	179	75	15	3			
Texas	7,147	5,364	968	538	128	123	26			
Utah	996	557	369	31	32	4	3			
Vermont Virginia Washington West Virginia Wisconsin	526 2,192 3,036 1,048 3,099 717	143 1,645 1,944 634 2,360 267	337 320 644 259 389 329	10 127 263 56 208 26	35 72 153 46 98 64	- 21 22 30 28 5	1 7 10 23 16 26			

Table 2. Number of active pharmacists, by age and State of practice: United States, 1966

State of practice	Total active pharmacists	Under 30 years	30-39 years	40-49 years	50-59 years	60-64 years	65 years and over	No report
· · · · ·			Number (of active	e pharmac	eists		
United States	103,287	14,273	26,014	20,394	19,642	10,473	10,602	1,889
Alabama	1,208	270	463	336	65	30	29	15
Alaska	75	9	20	13	13	10	8	2
Arizona	1,144	68	234	267	287	152	114	22
Arkansas	877	122	244	194	87	83	123	24
California	7,033	910	2,014	1,332	1,317	653	716	91
Colorado	1,560	98	341	387	416	157	139	22
Connecticut	2,094	318	501	382	485	171	195	42
Delaware	232	24	73	40	50	20	23	2
District of Columbia	526	70	123	107	128	56	37	5
Florida	3,224	369	996	729	501	250	263	116
Georgia	2,048	412	613	439	267	120	137	60
Hawaii	161	5	60	38	33	12	9	4
Idaho	410	32	123	132	55	28	30	10
Illinois	6,382	1,132	1,409	1,043	1,317	651	734	96
Indiana	2,929	526	729	668	481	248	265	12
Iowa	1,324	218	316	· 259	246	118	147	20
Kansas	1,263	151	261	243	230	163	178	37
Kentucky	1,347	179	386	317	200	103	130	32
Louisiana	1,573	262	398	280	224	166	166	77
Maine	462	42	90	82	100	46	90	12
Maryland	1,806	279	483	362	394	153	118	17
Massachusetts	3,138	-478	781	648	745	240	209	37
Michigan	4,488	504	1,200	928	836	477	456	87
Minnesota	2,052	326	550	425	343	184	206	18
Mississippi	966	165	245	211	133	65	100	47
Missouri	2,600	270	500	405	610	347	363	105
Montana	451	50	115	120	85	31	45	5
Nebraska	948	93	214	179	157	133'	142	30
Nevada	342	41	78	76	92	31	20	4
New Hampshire	291	32	67	38	63	43	42	6
New Jersey	2,922	322	821	515	646	292	302	24
New Mexico	550	47	109	121	143	56	.46	28
New York	13,200	1,517	2,734	2,007	3,302	1,975	1,529	136
North Carolina	1,776	250	533	442	218	108	207	18
North Dakota	359	74	107	77	51	20	23	7
Ohio	4,883	784	1,339	988	857	470	398	47
Oklahoma	1,616	243	325	329	292	173	207	47
Oregon	1,213	139	327	264	209	123	136	15
Pennsylvania	7,033	919	1,616	1,352	1,394	844	800	108
Rhode Island	656	. 51	175	137	128	72	79	14
South Carolina	962	142	300	216	118	70	103	13
South Dakota	444	51	132	87	67	40	60	7
Tennessee	1,805	359	494	351	249	150	156	46
Texas	5,364	983	1,332	1,107	755	448	562	177
Utah	557	58	182	165	64	24	46	18
Vermont	143	21	32	25	33	15	13	4
Virginia	1,645	226	474	382	260	112	168	23
Washington	1,944	219	540	545	325	154	131	30
West Virginia	634	84	167	138	88	51	92	14
Wisconsin	2,360	295	581	417	421	309	290	47
Wyoming	267	34	67	49	62	26	20	9

Table 3. Number of active male pharmacists, by age and State of practice: United States, 1966

State of practice	Total male	Under 30 years	30 - 39 years	40 - 49 years	50 - 59 years	60-64 years	65 years and over	No report
		N	umber of	active	male pha	rmacist	S	
United States	95,184	12,305	23,706	18,762	18,564	9,999	10,129	1,719
Alabama	1,096	235	416	313	64	27	28	13
Alaska	67	7	17	12	13	9	7	2
Arizona	1,070	61	217	237	275	147	112	21
Arkansas	844	113	240	189	82	81	116	23
California	6,512	804	1,847	1,226	1,245	623	687	80
Colorado Connecticut Delaware District of Columbia Florida	1,398 1,900 216 467 3,016	78 274 22 50 315	292 442 67 108 913	343 333 37 97 691	386 462 45 120 487	146 163 20 54 244	133 187 23 36 257	20 39 2 109
Georgia	1,911	370	563	417	253	117	134	57
Hawaii	135	4	46	30	30	12	9	_4
Idaho	370	26	116	116	50	26	28	_8
Illinois	5,908	996	1,307	963	1,238	610	707	87
Indiana	2,668	429	662	608	461	241	255	_12
Iowa Kansas Kentucky Louisiana Maine	1,216 1,179 1,271 1,392 432	198 134 154 235 40	285 238 365 352 80	237 227 301 254 75	232 216 193 194 95	113 159 101 153 43	133 171 127 144 88	18 34 30 60
Maryland	1,705	250	447	343	385	150	113	17
Massachusetts	2,912	424	721	601	706	224	202	34
Michigan	4,099	401	1,070	856	791	463	434	84
Minnesota	1,881	277	521	389	311	173	192	18
Mississippi	911	150	234	195	126	64	97	45
Missouri	2,455	245	471	385	579	332	344	99
Montana	401	43	106	102	76	29	41	4
Nebraska	881	83	202	167	146	126	130	27
Nevada	326	38	72	73	89	31	20	3
New Hampshire	265	25	64	32	58	43	37	6
New Jersey	2,751	284	768	476	626	285	290	22
New Mexico	509	39	97	112	136	53	45	27
New York	12,555	1,393	2,563	1,912	3,192	1,899	1,472	124
North Carolina	1,646	203	492	412	210	107	205	17
North Dakota	325	63	103	64	47	19	23	6
Ohio	4,417	651	1,202	887	799	451	387	40
Oklahoma	1,471	205	290	302	273	159	199	43
Oregon	1,063	111	288	231	181	115	125	12
Pennsylvania	6,351	765	1,436	1,226	1,299	779	754	92
Rhode Island	568	42	145	114	110	68	.75	14
South Carolina	906	122	277	212	115	69	100	11
South Dakota	387	41	116	75	62	34	53	6
Tennessee	1,681	306	461	333	244	146	149	42
Texas	4,923	837	1,197	1,030	716	439	540	164
Utah	512	46	170	155	59	23	43	16
Vermont Virginia Washington West Virginia Wisconsin	134 1,496 1,599 589 2,168 229	19 180 156 72 262 27	31 421 442 152 517 57	22 353 448 126 382 41	33 250 272 86 391 55	14 108 140 50 295 22	12 162 117 91 276 19	3 22 24 12 45 8

Table 4. Number of active female pharmacists, by age and State of practice: United States, 1966

State of practice	Total female	Under 30 years	30-39 years	40-49 years	50-59 years	60-64 years	65 years and over	No report
		Nu	ber of	active	female	pharmac	ists	
United States	8,103	1,968	2,308	1,632	1,078	474	473	170
Alabama Alaska Arizona Arkansas California	112 8 74 33 521	35 2 7 9 106	47 3 17 4 167	23 1 30 . 5 106	1 12 5. 72	3 1 5 2 30	1 1 2 7 29	2 1 1 11
Colorado Comecticut Delaware District of Columbia Florida	162 194 16 59 208	20 44 20 54	49 59 6 15 83	44 49 3 10 38	30 23 5 8 14	11 8 - 2 6	6 8 - 1 6	2 3 - 3 7
Georgia Hawaii Idaho Illinois Indiana	137 26 40 474 261	42 1 6 136 97	50 14 7 102 67	22 8 16 80 . 60	14 3 5 79 20	3 - 2 41 7	3 2 27 10	3 2 9 -
Iowa Kansas Kentucky Louisiana Maine	108 84 76 181 30	20 17 25 27 2	31 23 21 46 10	22 16 16 26 7	14 14 7 30 5	5 4 2 13 3	14 7 3 22 2	2 3 2 17 1
Maryland Massachusetts Michigan Minnesota Mississippi	101 226 389 171 55	29 54 103 49 15	36 60 130 29 11	19 47 72 36 16	9 39 45 32 7	3 16 14 11 1	5 7 22 14 3	- 3 3 - 2
Missouri Montana Nebraska Nevada New Hampshire	145 50 67 16 26	25 7 10 3 7	29 9 12 6 3	20 18 12 3 6	31 9 11 3 5	15 2 7 - -	19 4 12 5	6 1 3 1 -
New Jersey New Mexico New York North Carolina North Dakota	171 41 645 130 34	38 8 124 47 11	53 12 171 41 4	39 9 95 30 13	20 7 110 8 4	7 3 76 1 1	12 1 57 2 -	2 1 12 1 1
Ohio Oklahoma Oregon Pennsylvania Rhode Island	466 145 150 682 88	133 38 28 154 9	137 35 39 180 30	101 27 33 126 23	58 19 28 95 18	19 14 8 65 4	11 8 11 46 4	7 4 3 16 -
South Carolina South Dakota Tennessee Texas Utah	56 57 124 441 45	20 10 53 146 12	23 16 33 135 12	4 12 18 77 10	3 5 39 5	1 6 9 1	3 7 7 22 3	2 1 4 13 2
Vermont Virginia Washington West Virginia Wisconsin Wyoming	9 149 345 45 192 38	2 46 63 12 33 7	1 53 98 15 64 10	3 29 97 12 35 8	10 53 2 30 7	1 4 14 14 4	1 6 14 1 14 1	1 6 2 1

,							·····		
			Years	of under	graduate	educati	.on in p	harmacy	
State of practice	Total active pharmacists	Less than 1	1	2	3	4	5	. 6	No report
			Numbe	r of act	ive phar	macists	'n		
United States	103,287	5,128	1,725	11,165	11,667	54,335	9,306	1,814	8,147
Alabama Alaska Arizona Arkansas California	1,208 75 1,144 877 7,033	20 1 90 85 399	3 4 37 29 88	25 9 138 97 721	17 11 117 38 811	959 28 469 432 2,857	152 11 145 148 950	2 1 18 - 1,119	30 10 130 48 88
Colorado Connecticut Delaware District of Columbia Florida	1,560 2,094 232 526 3,224	481 154 38 14 96	61 38 2 6 57	155 212 19 36 260	92 256 28 84 216	569 1,115 138 315 1,854	139 153 4 37 365	17 15 6 28	46 151 3 28 348
Georgia Hawaii Idaho Illinois Indiana	2,048 161 410 6,382 2,929	111 16 11 298 71	58 2 1 134 38	114 7 14 721 257	96 14 20 857 229	1,135 107 291 3,051 1,972	263 10 56 587 283	13 3 2 68 16	258 2 15 666 63
Iowa Kansas Kentucky Louisiana Maine	1,324 1,263 1,347 1,573 462	25 167 29 115 151	14 49 17 19 19	138 104 155 120 29	124 77 127 129 25	703 583 856 627 169	132 132 129 237 6	18 11 28 -	170 140 33 298 63
Maryland Massachusetts Michigan Minnesota Mississippi	1,806 3,138 4,488 2,052 966	34 167 225 118 49	7 54 130 16 16	. 133 209 570 86 66	283 514 266 169 71	1,144 1,759 2,543 1,286 465	128 190 312 327 121	6 13 34 7 10	71 232 408 43 168
Missouri Montana Nebraska Nevada New Hampshire	2,600 451 948 342 291	251 17 17 41 59	78 3 29 19 11	298 37 101 57 20	244 37 106 29 33	1,083 187 428 99 141	170 125 109 36 9	19 4 13 31 1	457 41 145 30 17
New Jersey New Mexico New York North Carolina North Dakota	2,922 550 13,200 1,776 359	29 93 209 75 7	9 21 24 36 1	430 65 2,888 170 19	573 36 2,799 144 31	1,823 252 5,996 1,225 276	28 29 365 81 22	3 1 24 7 -	27 53 895 38
Ohio Oklahoma Oregon Pennsylvania Rhode Island	4,883 1,616 1,213 7,033 656	70 159 19 121 15	68 65 7 . 30	541 120 70 819 11	508 99 110 1,093 145	2,745 641 643 4,054 357	692 169 255 273 32	52 24 18 26 5	207 339 91 617 91
South Carolina South Dakota Tennessee Texas Utah	962 444 1,805 5,364 557	31 12 131 338 17	11 2 43 177 12	67 30 157 399 . 18	73 23 137 196 23	577 276 1,012 2,735 316	65 35 215 789 99	6 1 9 48 11	132 65 101 682 61
Vermont Virginia Washington West Virginia Wisconsin Wyoming	143 1,645 1,944 634 2,360 267	36 76 24 21 269 26	3 32 18 20 94 13	11 120 77 63 163 19	19 180 153 53 136 16	64 1,082 1,103 422 1,233 138	9 56 387 31 186 22	- 6 41 1 24 3	93 141 25 255 30

Table 5. Number of active pharmacists, by years of undergraduate education in pharmacy and State of practice: United States, 1966

Table 6. Number of active pharmacists, by type of first professional pharmacy degree and State of practice: United States, 1966

					Ту	pe of degre	e			
State of practice	Total active pharmacists	None	Bachelor of Science in Pharmacy	Bachelor of Pharmacy	Doctor of Pharmacy	Doctor in Pharmacy (prior to 1940)	Graduate in Pharmacy	Pharma- ceutical Chemist	Other pharmacy degree	No report
				Number	of active	pharmacist	s			
United States-	103,287	17,285	58,431	4,741	1,157	845	15,412	2,926	449	2,041
Alabama Alaska Arizona Arkansas California	1,208 75 1,144 877 7,033	59 19 301 193 747	1,010 40 561 553 3,571	99 3 51 35 316	1 - 937	1 	18 4 124 65 1,080	7 5 62 21 282	1 - - 13	12 4 33 4 17
Colorado Connecticut Delaware	1,560 2,094 232	698 412 48	596 1,150 139	108 100 2	5 3 1	25 13 6	79 361 34	26 9 2	6 9 -	17 37 -
District of Columbia Florida	526 3,224	57 536	313 1,956	21 214	3 3	8 8	. 90 . 308	12 45	6 47	16 107
Georgia Hawaii Idaho Illinois Indiana	2,048 161 410 6,382 2,929	455 24 36 1,336 181	1,330 111 327 3,315 2,199	132 3 12 253 63	1 3 2 14 6	20 1 42 15	74 10 18 623 247	7 7 9 601 187	3 1 48 3	26 1 5 150 28
Iowa Kansas Kentucky Louisiana Maine	1,324 1,263 1,347 1,573 462	- 267 401 90 457 248	708 647 923 819 170	103 56 69 80 3	5 3 1 3 -	14 7 24 7 3	141 75 189 124 29	34 23 45 15 2	4 4 15 -	48 47 4 53 7
Maryland Massachusetts Michigan Minnesota Mississippi	1,806 3,138 4,488 2,052 966	123 791 993 190 242	1,199 1,707 2,529 1,565 490	45 68 299 58 104	5 8 12 3 4	20 22 73 14 3	379 405 283 102 47	3 7 99 109 34	4 28 19 2 6	28 102 181 9 36
Missouri Montana Nebraska Nevada New Hampshire	2,600 451 948 342 291	890 78 230 116 111	1,157 280 449 125 146	94 36 80 13	3 2 2 34 1	41 2 8 5 -	302 20 84 38 32	21 16 40 5 -	15 4 8 -	77 13 47 6 1
New Jersey New Mexico New York North Carolina North Dakota	2,922 550 13,200 1,776 359	81 204 1,141 174 14	1,819 275 5,700 1,239 291	38 7 468 53 6	- - 16 4	21 10 72 7 4	914 34 5,365 244 34	36 9 221 21 7	8 - 29 7 -	5 11 188 27 2
Ohio Oklahoma Oregon Pennsylvania Rhode Island	4,883 1,616 1,213 7,033 656	356 623 129 792 108	3,015 739 846 3,959 372	514 69 40 266 . 7	11 5 1 13 4	46 15 7 62 5	430 57 60 1,724 146	419 40 89 23 1	30 11 2 29 -	62 57 39 165 13
South Carolina South Dakota Tennessee Texas Utah	962 444 1,805 5,364 557	181 90 313 1,342 90	609 292 1,213 3,177 411	39 8 55 297 17	- 1 3 17 -	4 4 24 42 3	109 26 98 264 14	7 14 74 30 2	1 - 26 3	12 9 23 169 17
Vermont Virginia Washington West Virginia Wisconsin Wyoming	143 1,645 1,944 634 2,360 267	54 222 185 70 706 81	61 1,099 1,326 445 1,310 148	5 44 163 9 107	- 2 5 - 8	1 12 8 3 24 4	18 217 92 59 115 7	3 20 108 43 22 2	1 13 20 1 14 1	- 16 37 4 54 15

				Pla	ce of princ	ipal employm	lent		
State of practice	Total active pharmacists	Community pr	armacy	Hospital	Clinic, non-	College or	Industry	Association	Other or no
		Independent	Chain	pnarmacy	pharmacy	university	,	organization	report
				Number of	active pha	rmacists			
United States-	103,287	70,771	14,413	8,285	1,653	1,069	3,982	233	2,881
Alabama Alaska Arizona Arkansas California	1,208 75 1,144 877 7,033	906 51 608 728 4,404	114 12 299 32 1,396	103 4 128 65 710	12 7 37 22 184	8 14 13 60	43 1 29 14 125	1 - 4 1 24	21 25 2 130
Colorado Connecticut Delaware District of	1,560 2,094 232	995 1,613 152	244 174 47	140 138 22	65 4 -	14 23 -	52 61 9	4 3 1	46 78 1
Columbia Florida	526 3,224	198 2,124	177 627	53 231	14 34	9 25	14 81	21 12	40 90
Georgia Hawaii Idaho Illinois Indiana	2,048 161 410 6,382 2,929	1,485 73 322 4,168 1,739	268 41 36 1,055 585	145 20 21 562 192	9 10 9 162 66	27 3 56 41	78 11 15 211 205	4 1 15 1	32 5 4 153 100
Iowa Kansas Kentucky Louisiana Maine	1,324 1,263 1,347 1,573 462	926 913 967 1,076 393	161 153 205 226 28	94 80 83 110 25	50 36 21 22 2	18 10 12 27 3	20 32 37 45 7	1 3 3 6 -	54 36 19 61 4
Maryland Massachusetts Michigan Minnesota Mississippi	1,806 3,138 4,488 2,052 966	1,059 2,325 3,026 1,395 793	499 209 594 274 67	115 245 505 200 48	9 11 40 38 6	18 45 32 28 12	46 165 161 71 17	2 1 11 5 2	58 137 119 41 21
Missouri Montana Nebraska Nevada New Hampshire	2,600 451 948 342 291	1,711 323 761 189 253	387 53 33 92 4	228 36 60 33 21	48 10 18 6 3	27 8 13 1	129 5 . 30 9 6	3 1 3 1 -	67 15 30 12 3
New Jersey New Mexico New York North Carolina North Dakota	2,922 550 13,200 1,776 359	2,371 432 9,467 1,389 223	195 48 1,051 217 47	173 28 1,005 103 30	4 10 54 12 28	23 6 108 10 7	125 17 918 25 9	1 2. 39 2 2	30 7 558 18 13
Ohio Oklahoma Oregon Pennsylvania Rhode Island	4,883 1,616 1,213 7,033 656	3,032 1,121 823 4,844 493	1,018 225 184 751 51	416 91 86 594 48	43 79 43 19 5	36 15 17 106 13	180 42 25 480 27	6 4 5 18- -	152 39 30 221 19
South Carolina South Dakota Tennessee Texas Utah	962 444 1,805 5,364 557	780 314 1,314 3,502 325	74 46 224 947 104	50 24 150 451 47	9 31 13 111 14	10 10 20 54 12	14 7 66 138 27	- 2 8 1	25 12 16 153 27
Vermont Virginia Washington West Virginia Wisconsin	1431,6451,9446342,360267	121 1,005 1,203 482 1,652 202	7 454 337 82 228 31	8 99 179 40 233 13	- 5 94 4 120 -	1 11 23 9 27 4	2 27 50 14 56 4	- 3 4 2 -	4 54 3 42 13

Table 7. Number of active pharmacists, by place of principal activity and State of practice: United States, 1966

-

Table 8. Number of active pharmacists, by type of principal activity and State of practice: United States, 1966

••

		Type of principal activity										
State of practice	Total active pharmacists	Dis- pensing prescrip- tions and providing health care items	Sales	Produc- tion	Adminis- tration	Teach- ing	Research	Teaching and research	Other pharma- ceutical activity	No report		
				Number	of active	pharmaci	sts					
United States-	103,287	91,966	3,138	509	1,962	449	686	296	1,374	2,907		
Alabama Alaska Arizona Arkansas California	1,208 75 1,144 877 7,033	1,113 70 1,012 814 6,662	46 2 30 13 106	1 - - 3 18	18 14 10 96	7 - 5 12 13	1 1 3 24	1 7 1 24	7 12 5 55	14 2 61 16 35		
Colorado Connecticut Delaware District of	1,560 2,094 232	1,422 1,852 214	57 60 7	1 3 -	31 42 7	5 12 -	1 16 1	5 2 -	17 33 3	21 74 -		
Columbia Florida	526 3,224	429 2,893	16 90	1 5	39 55	2 10	2 7	2 7	14 39	21 118		
Georgia Hawaii Idaho Illinois Indiana	2,048 161 410 6,382 2,929	1,814 141 376 5,708 2,499	78 15 15 152 76	4 - 26 36	33 3 5 140 74	13 - 12 18	4 2 59 65	9 - 15 11	13 2 1 92 61	80 11 178 89		
Iowa Kansas Kentucky Louisiana Maine	1,324 1,263 1,347 1,573 462	1,189 1,132 1,251 1,382 - 434	35 30 40 55 9	4 3 2 1 -	16 9 25 17 5	4 1 8 15 1	4 7 1 -	9 3 1 7 -	16 11 6 19 5	47 67 14 76 8		
Maryland Massachusetts Michigan Minnesota Mississippi	1,806 3,138 4,488 2,052 966	1,630 2,648 3,979 1,840 878	48 147 135 59 24	6 11 20 8 -	41 73 102 60 9	2 40 15 6 6	18 30 23 6 3	5 12 4 8 3	37 42 55 17 6	19 135 155 48 37		
Missouri Montana Nebraska Nevada New Hampshire	2,600 451 948 342 291	2,244 406 839 298 273	98 11 27 8 5	21 	49 3 13 9 3	11 2 5 -	11 2 1	5 5 4 -	35 4 12 4 2	126 20 42 22 7		
New Jersey New Mexico New York North Carolina North Dakota	2,922 550 13,200 1,776 359	2,679 494 11,229 1,700 327	51 18 648 25 11	15 136 1	45 11 332 20 9	8 2 66 66 6	41 134 2 1	6 3 27 3 1	22 2 311 11 2	55 19 317 8 2		
Ohio Oklahoma Oregon Pennsylvania Rhode Island	4,883 1,616 1,213 7,033 656	4,407 1,455 1,100 5,932 567	159 46 24 247 22	25 1 3 109 -	105 19 19 147 8	13 10 7 35 3	29 1 2 129 4	7 - 4 31 7	69 11 15 132 4	69 73 39 271 41		
South Carolina South Dakota Tennessee Texas Utah	962 444 1,805 5,364 557	884 391 1,652 4,846 480	17 11 59 136 29	- - 9 14 1	11 9 41 67 8	6 4 28 1	- 5 16 1	3 3 9 15 7	10 5 11 66 7	31 21 15 176 23		
Vermont Virginia Washington West Virginia Wisconsin Wyoming	143 1,645 1,944 634 2,360 267	133 1,507 1,771 583 2,159 228	1 18 54 11 54 3	- 6 4 - 3 -	4 30 31 12 25 8	1 4 5 3 10 2	- 9 6 13 -	- 3 9 2 5 1	4 17 21 23 4	51 43 21 68 21		

		Source of remuneration and place of activity												
State of	Total active	Owner, stoc	partner kholder	, or	Privat	Gove emp	rnment loýee	Member						
practice	pharmacists	Community ph	armacy	Other	Community ph	Other	State		of reli-	Other source	No report			
		'Independent	Chain	ceutical employ- ment	Independent	Chain	ceutical employ- ment	or local	Federal	order				
				. N	Number of acti	mber of active pharmacists								
United States	103,287	38,820	1,244	1,461	28,783	12,290	10,363	2,625	955	180	1,642	4,924		
Alabama Alaska Arizona Arkansas California	1,208 75 1,144 877 7,033	541 24 298 445 2,357	20 2 10 4 132	18 4 20 20 115	352 26 261 255 2,015	93 9 270 28 1,247	100 6 122 54 782	34 38 32 227	15 20 7 38	1 2 1 1	11 14 1 75	23 2 90 30 44		
Colorado Connecticut Delaware	1,560 2,094 232	491 782 81	23 11 4	40 17 2	489 762 70	218 152 43	182 174 24	43 45 4	27 17 1	71	25 26 1	22 101 1		
Columbia Florida	526 3,224	94 1,076	6 54	7 31	90 866	158 523	77 208	14 110	29 30	1	16 66	34 260		
Georgia Hawaii Idaho Illinois Indiana	2,048 161 410 6,382 2,929	839 41 192 2,124 910	35 5 74 48	19 4 99 39	534 32 114 1,865 768	213 35 29 895 497	151 38 26 691 352	73 3 6 122 87	23 2 4 45 18	2 1 26	16 4 121 67	143 21 320 143		
Iowa Kansas Kentucky Louisiana Maine	1,324 1,263 1,347 1,573 462	543 517 597 609 214	7 8 17 21 1	15 17 17 18 3	329 328 353 369 165	142 129 183 183 26	132 97 111 125 27	30 24 30 45 2	13 14 8 18 5	1 7 1 2 -	18 23 7 47 3	94 99 23 136 16		
Maryland Massachusetts Michigan Minnesota Mississippi	1,806 3,138 4,488 2,052 966	579 1,131 1,570 802 475	18 24 51 15 17	17 29 81 26 9	460 1,087 1,296 525 257	462 171 487 252 46	123 353 478 245 46	42 82 154 63 26	34 40 23 21 8	3 2 3 7 2	34 45 86 10 15	34 174 259 86 65		
Missouri Montana Nebraska Nevada New Hampshire	2,600 451 948 342 291	916 202 410 88 135	35 7 7 7 2	37 8 11 6 2	661 109 293 89 106	307 44 21 74 2	294 34 88 23 23	50 12 18 11 1	20 3 8 3 4	19 3 - -	48 1 17 6 2	213 28 73 35 14		
New Jersey New Mexico New York North Carolina- North Dakota	2,922 550 13,200 1,776 359	1,370 244 5,345 838 155	20 8 78 42 3	29 6 184 16 9	941 158 3,785 542 66	165 38 926 173 44	246 37 1,642 101 58	43 12 393 39 12	5 6 99 6 6	3 1 16 1	19 2 212 8 1	81 38 520 11 4		
Ohio Oklahoma Oregon Pennsylvania Rhode Island	4,883 1,616 1,213 7,033 656	1,722 631 422 2,652 232	73 30 18 49	49 42 27 74 5	1,264 427 364 1,901 226	909 173 158 607 40	515 126 118 878 46	105 27 29 101 20	40 18 7 74 8	9 4 13	104 25 15 208 16	93 113 55 476 63		
South Carolina- South Dakota Tennessee Texas Utah	962 444 1,805 5,364 557	460 200 800 1,924 176	8 5 28 92 13	6 17 23 86 14	272 89 495 1,351 126	60 33 192 786 85	38 43 155 488 58	31 7 53 132 16	12 6 21 76 12	2 2 2 4 1	12 6 12 78 13	61 36 24 347 43		
Vermont Virginia Washington West Virginia Wisconsin Wyoming	143 1,645 1,944 634 2,360 267	61 579 657 265 894 110	1 36 32 7 26 4	14 50 10 58 3	60 367 495 199 659 70	6 381 294 74 183 24	9 88 226 31 268 6	2 31 61 17 56 10	1 20 18 2 16 4	- 4 1 20 1	1 39 24 3 36 3	2 90 83 25 144 32		

Table 9. Number of active pharmacists, by source of remuneration, place of activity, and State of practice: United States, 1966

APPENDIX I. QUESTIONNAIRE

STATE OF Board of Pharmacy

Executive Secretary

Survey of registrations as licentiates in	Social Se	_ Social Security number						
			(for this survey only)					
Pharmacist's namefirst	initial last							
Malling address								
number and street	city	state	21p					
PLEASE PRINT OR T	YPE INFORMATION REQUES	TED OR CIRCLE APPROPRIA	TE CODE NUMBERS					
A Piace of principal activity (circle one) 1 Community pharmacy—inde- pendent 2 Community pharmacy—unit of chain of 4 or more 3 Hospital (or health-related insti- tution) pharmacy 4 Clinic (non-hospital) pharmacy 5 College or university 6 Industry	C Type of principal activity (circle one) 1 Dispensing prescriptions and providing health care items 2 Sales (manufacturer, wholesaler, etc.) 3 Production 4 Administration 5 Teaching 6 Research 7 Teaching and research 8 Other pharmaceutical activity (please specify)	E Undergraduate education in phar- macy (circle one) 1 One year 6 Six years 2 Two years 7 Less than 3 Three years one year 4 Four years 8 None 5 First professional degree in phar- macy (circle one) 1 None 2 B.S. 3 B.Pharm. 4 Pharm.D. (prior to 1940) 6 Ph.G.	H Graduate degree 1 Yes 2 No If yes, please specify degree(s) Vear of birth J Sex 1 Male 2 Female K Are you currently licensed and in ood standing in more than one every					
7 Association or organization 8 Other place (please specify) 9 Retired or engaged in other than pharmaceutical activity (if code 9, please skip items B, C and D, Answer all others).	D Source of remuneration (circle one) 1 Private, as owner, partner or stockholder 2 Private, as employee 3 Government, state or local 4 Government, federal 5 Other (please specify)	8 Other (please specify) 6 College or university from which you graduated 1 Name 2 State	This information is requested as					
Employed in state of	· · · · · · · · · · · · · · · · · · ·	3 Year undergraduate degree received	part of a cooperative study with PHS-NABP. It is not part of the application for renewal of license.					

APPENDIX II

DEFINITIONS OF CERTAIN TERMS USED IN THIS REPORT

-000---

Terms Relating to Pharmacy

Active pharmacist.—An active pharmacist is an individual who is licensed to practice pharmacy and is actually engaged in dispensing, sales, production, administration, teaching, research, or other pharmaceutical activity.

Licensed pharmacist.—A licensed pharmacist is an individual who has met the legal requirements for the practice of pharmacy as defined by one of the 51 licensing jurisdictions and has received a license to practice. All States and the District of Columbia require that pharmacists be licensed to practice. While current requirements for licensure vary among the 51 jurisdictions, generally speaking, they are: 5 years of undergraduate education, of which at least 3 must be in an accredited college of pharmacy; at least 1 year of experience; and an examination consisting of written, oral, and practical parts.

Registered pharmacist.—The term registered pharmacist is used interchangeably with the term licensed pharmacist throughout this report. All States and the District of Columbia license pharmacists under the title of "registered pharmacist" (R.Ph.).

Dispensing.—The term dispensing refers to the sale of drugs and other health care items from a prescription. In dispensing, the pharmacist is legally responsible for determining the validity of the prescription, selecting the medication, determining the proper dosage, and providing directions for use.

Community pharmacy.—A community pharmacy dispenses pharmaceutical supplies to the general public through either a chain or independent pharmacy.

Chain pharmacy.—A chain pharmacy is a community pharmacy which is part of a chain of four or more pharmacies operated by the same firm.

Independent pharmacy.—An independent pharmacy is a community pharmacy which is not part of a chain of four or more pharmacies.

Hospital or clinic pharmacy.—A hospital or clinic pharmacy dispenses pharmaceutical supplies, but serves only the hospital or clinic.

Demographic Terms

Age.—Age refers to the respondent's age in 1966. In all cases it is calculated as the difference between 1966 and the respondent's year of birth.

Geographic region.—The regions of the United States are divided as follows:

Region	States Included							
Northeast	Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut, New York, New Jersey, Pennsylvania							
North Central	Michigan, Ohio, Illinois, Indiana, Wisconsin, Minnesota, Iowa, Missouri, North Dakota, South Dakota, Nebraska, Kansas							
South	Delaware, Maryland, District of Columbia, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida, Kentucky, Tennessee, Alabama, Mississippi, Arkansas, Louisiana, Oklahoma, Texas							
West	Montana, Idaho, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada, Washington, Oregon, California,							

United States.—The 50 States and the District of Columbia.

Hawaii, Alaska

APPENDIX III. DATA COLLECTION

Schedule of Data Collection

The collection of data by the pharmacy manpower survey was extended over a period of time because the license renewal dates from the State boards of pharmacy vary. Table I shows the usual mailing dates of license renewal forms and the mailing dates of the survey. Of the eight States which renewed licenses biennially, two States, California and Vermont, renewed in odd years and were surveyed late in 1965. Five of them—Indiana, Maryland, Massachusetts, New York, and Pennsylvania—renewed in even years and were surveyed in 1966. The remaining State, Washington, renewed half its licenses in odd years and half in even years, and was therefore surveyed in both 1966 and

Table I.	Mailing date,	renewal period	of license,	and date	surveyed,	by	State:	United	States,
	0,	-	1965-67			-			

State	Usual mailing date of license renewal forms	Renewal period (years)	Mailing date for question- naires	State	Usual mailing date of license renewal forms	Renewal period (years)	Mailing date for question- naires
Alabama Alaska Arizona Arkansas California	December April May December September	1 1 1 12	12/65 4/66 5/66 12/65 ² 10/65	Montana Nebraska Nevada New Hampshire New Jersey	June November May December November	1 1 1 1	5/66 11/65 9/67 12/65 11/65
Colorado Connecticut Delaware District of Columbia Florida	May February October December April	1 1 1 1	5/66 2/67 10/65 1/66 4/66	New Mexico New York North Carolina- North Dakota Ohio	April October November February 1 month prior to date of	1 32 1 1 3	4/66 9/66 11/65 2/66 ² 6/66
Georgia Hawaii Idaho Illinois Indiana	December November May November May	1 1 1 32	12/66 11/65 5/66 1/66 5/66	Oklahoma Oregon Pennsylvania Rhode Island South Carolina-	issuance May April July June June	1 1 32 1 1	5/66 4/66 7/66 6/66 6/66
Kansas Kentucky Louisiana Maine	April June December December June		4/66 6/66 12/65 12/65 6/66	South Dakota Tennessee Texas Utah Vermont	September November November September December	1 1 1 1 1 2	9/66 12/65-2/66 11/66 9/66 12/65-8/67
Maryland Massachusetts Michigan Minnesota Mississippi Missouri	July October May February March June	32 32 1 1 1	7/66 9/67 5/66 2/66 3/66 6/66	Virginia Washington West Virginia Wisconsin Wyoming	November April May March November	42 1 1 1	11/65 (4) 5/66 4/66 11/66

¹Renews in odd years.

²Special mailout for California and Ohio.

³Renews in even years.

⁴M-Z in April 1966, A-L in April 1967.

1967. Georgia was scheduled to be surveyed in December 1965; however, the board office was moving to a new location at that time and was unable to undertake the job of distributing the questionnaires. It was surveyed 1 year later in December 1966, Because Ohio renewed licenses triennially from the original date of issuance, a special mailout was conducted in June 1966. All pharmacists except those in California, Massachusetts, Nevada, Ohio, and nonresident pharmacists in Vermont were sent questionnaires with the license renewal forms,

In September 1967 the initial mailout for all States was completed. The followup mailout started in August 1967. Followup questionnaires were mailed to nonrespondents in 27 States (table II). The NABP office handled all aspects of the followup mailout, including determining nonrespondents and printing and mailing questionnaires and cover letters. The followup was completed in March 1968.

Survey Coverage

Table II shows the survey coverage of registered pharmacists by State. Using the NABP January 1, 1967 estimate of 131,961 registered pharmacists as an estimate of the number of active and inactive pharmacists, the survey's return of questionnaires from 115,583 registered pharmacists yielded a coverage rate of 88 percent.

In some States there were more pharmacists covered by the survey than were shown in the 1966 NABP estimate. These differences can be explained as follows: first, the NABP numbers are estimates made from data collected over a 1-year span and may not be precise counts, and second, in order to do the followups, the NABP obtained lists of registered pharmacists from the State boards in 1967. These lists included some of the 1966 and 1967 graduates not covered in the first mailout or in the NABP estimates.

Tabl	.e I]	I. (Coverage	of	registered	p)	harmacists	by	pharmacy	manpower	survey, b)y	State:	United	States,
								104	5.67						

		170	J-01		
State	Number of registered pharmacists January 1, 1967 ¹	Number of registered pharmacists in the pharmacy manpower survey 1965-1967	State	Number of registered pharmacists January 1, 1967 ¹	Number of registered pharmacists in the pharmacy manpower survey 1965-1967
United States	131,961	115,583	Missouri	3,069	2,975
Alabama ² Alaska ² Arizona Arkansas ² California ²	1,751 86 1,164 1,149 11,790	1,275 79 1,278 1,009 7,766	Montana ² Nebraska Nevada ² New Hampshire New Jersey ²	512 1,168 328 364 4,784	522 1,130 355 310 3,232
Colorado Connecticut ² Delaware District of	1,862 2,575 258	1,872 2,429 254	New Mexico New York ² North Carolina North Dakota	598 15,256 2,019 408	620 14,865 1,914 404
Columbia ² Florida ²	954 4,805	584 3,544	Ohio ²	6,841 2,001	5,517
Georgia ² Hawaii Idaho Illinois ² Indiana	2,651 200 518 6,714 3,376	2,267 179 466 7,194 3,167	Oregon Pennsylvania ² Rhode Island ² South Carolina	1,667 8,216 816 1,287	1,413 7,895 742 1.052
Iowa Kansas Kentucky ² Louisiana	1,789 1,501 1,658 2,030 434	1,511 1,432 1,458 1,837 515	South Dakota Tennessee ² Texas ² Utah ²	480 2,388 6,495 601	498 1,999 6,025 592
Maryland Massachusetts ² Michigan ² Minnesota ² Mississipp1 ²	2,368 5,616 5,603 2,379 1,076	1,999 3,482 4,873 2,378 1,031	Vermont ² Virginia Washington ² West Virginia Wisconsin Wyoming	209 1,967 2,611 706 2,567 296	153 1,793 2,229 720 2,596 298

¹Data for calendar year 1966 estimated by NABP.

²Followup mailout conducted in 1967.

Source: National Association of Boards of Pharmacy: 1967 Proceedings of the National Association of Boards of Pharmacy Licensure Statistics and Census of Pharmacy. Chicago, 1967.

* U. S. GOVERNMENT PRINTING OFFICE - 1969 - 396-234 / 3

OUTLINE OF REPORT SERIES FOR VITAL AND HEALTH STATISTICS

Public Health Service Publication No. 1000

- Series 1. Programs and collection procedures.—Reports which describe the general programs of the National Center for Health Statistics and its offices and divisions, data collection methods used, definitions, and other material necessary for understanding the data.
- Series 2. Data evaluation and methods research.—Studies of new statistical methodology including: experimental tests of new survey methods, studies of vital statistics collection methods, new analytical techniques, objective evaluations of reliability of collected data, contributions to statistical theory.
- Series 3. Analytical studies.—Reports presenting analytical or interpretive studies based on vital and health statistics, carrying the analysis further than the expository types of reports in the other series.
- Series 4. Documents and committee reports.—Final reports of major committees concerned with vital and health statistics, and documents such as recommended model vital registration laws and revised birth and death certificates.
- Series 10. Data from the Health Interview Survey.-Statistics on illness, accidental injuries, disability, use of hospital, medical, dental, and other services, and other health-relayed topics, based on data collected in a continuing national household interview survey.
- Series 11. Data from the Health Examination Survey.—Data from direct examination, testing, and measurement of national samples of the population provide the basis for two types of reports: (1) estimates of the medically defined prevalence of specific diseases in the United States and the distributions of the population with respect to physical, physiological, and psychological characteristics; and (2) analysis of relationships among the various measurements without reference to an explicit finite universe of persons.
- Series 12. Data from the Institutional Population Surveys.—Statistics relating to the health characteristics of persons in institutions, and on medical, nursing, and personal care received, based on national samples of establishments providing these services and samples of the residents or patients.
- Series 13. Data from the Hospital Discharge Survey.—Statistics relating to discharged patients in short-stay hospitals, based on a sample of patient records in a national sample of hospitals.
- Series 14. Data on health resources: manpower and facilities.—Statistics on the numbers, geographic distribution, and characteristics of health resources including physicians, dentists, nurses, other health manpower occupations, hospitals, nursing homes, and outpatient and other inpatient facilities.
- Series 20. Data on mortality.—Various statistics on mortality other than as included in annual or monthly reports—special analyses by cause of death, age, and other demographic variables, also geographic and time series analyses.
- Series 21. Data on natality, marriage, and divorce. Various statistics on natality, marriage, and divorce other than as included in annual or monthly reports—special analyses by demographic variables, also geographic and time series analyses, studies of fertility.
- Series 22. Data from the National Natality and Mortality Surveys. —Statistics on characteristics of births and deaths not available from the vital records, based on sample surveys stemming from these records, including such topics as mortality by socioeconomic class, medical experience in the last year of life, characteristics of pregnancy, etc.

For a list of titles of reports published in these series, write to: Office of Information

National Center for Health Statistics U.S. Public Health Service Washington, D.C. 20201