

96/03/19

DEATHS FROM HUMAN IMMUNODEFICIENCY VIRUS INFECTION AND DETAILED SUBCATEGORIES,
BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1994

PAGE 1 PLATE A

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

| CAUSE OF DEATH, RACE AND SEX | ALL AGES | UNDER 1 YEAR | 1 YEAR | 2 YEARS | 3 YEARS | 4 YEARS | 5 YEARS | UNDER 5 YEARS | 5-9 YEARS | 10-14 YEARS | 15-19 YEARS | 20-24 YEARS | 25-29 YEARS | 30-34 YEARS |
|--|-------------|-----------------|-----------|------------|------------|------------|------------|------------------|--------------|----------------|----------------|----------------|----------------|----------------|
| HUMAN IMMUNODEFICIENCY VIRUS INFECTION (*042-*044) | | | | | | | | | | | | | | |
| TOTAL, BOTH SEXES | 42,114 | 95 | 61 | 55 | 43 | 40 | 294 | 110 | 72 | 77 | 564 | 3,444 | 8,673 | |
| TOTAL, MALE | 35,641 | 41 | 30 | 31 | 19 | 18 | 139 | 52 | 44 | 42 | 378 | 2,742 | 7,293 | |
| TOTAL, FEMALE | 6,473 | 54 | 31 | 24 | 24 | 22 | 155 | 58 | 28 | 35 | 186 | 702 | 1,380 | |
| WHITE, BOTH SEXES | 25,578 | 34 | 18 | 21 | 21 | 15 | 109 | 46 | 42 | 42 | 241 | 1,964 | 5,424 | |
| WHITE MALE | 22,993 | 16 | 8 | 14 | 6 | 8 | 52 | 24 | 29 | 29 | 188 | 1,668 | 4,821 | |
| WHITE FEMALE | 2,585 | 18 | 10 | 7 | 15 | 7 | 57 | 22 | 13 | 13 | 53 | 296 | 603 | |
| ALL OTHER, BOTH SEXES | 16,536 | 61 | 43 | 34 | 22 | 25 | 185 | 64 | 30 | 35 | 323 | 1,480 | 3,249 | |
| ALL OTHER MALE | 12,648 | 25 | 22 | 17 | 13 | 10 | 87 | 28 | 15 | 13 | 190 | 1,074 | 2,472 | |
| ALL OTHER FEMALE | 3,888 | 36 | 21 | 17 | 9 | 15 | 98 | 36 | 15 | 22 | 133 | 406 | 777 | |
| BLACK, BOTH SEXES | 16,079 | 59 | 42 | 33 | 21 | 25 | 180 | 64 | 27 | 32 | 318 | 1,432 | 3,134 | |
| BLACK MALE | 12,245 | 25 | 22 | 17 | 12 | 10 | 86 | 28 | 12 | 10 | 185 | 1,037 | 2,371 | |
| BLACK FEMALE | 3,834 | 34 | 20 | 16 | 9 | 15 | 94 | 36 | 15 | 22 | 133 | 395 | 763 | |

96/03/19

DEATHS FROM HUMAN IMMUNODEFICIENCY VIRUS INFECTION AND DETAILED SUBCATEGORIES,
 BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1994

PAGE 2 PLATE A

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

| CAUSE OF DEATH, RACE AND SEX | ALL AGES | UNDER 1 YEAR | 1 YEAR | 2 YEARS | 3 YEARS | 4 YEARS | UNDER 5 YEARS | 5-9 YEARS | 10-14 YEARS | 15-19 YEARS | 20-24 YEARS | 25-29 YEARS | 30-34 YEARS |
|---|-------------|-----------------|-----------|------------|------------|------------|------------------|--------------|----------------|----------------|----------------|----------------|----------------|
| HUMAN IMMUNODEFICIENCY VIRUS INFECTION WITH SPECIFIED CONDITIONS (*042) | | | | | | | | | | | | | |
| TOTAL, BOTH SEXES | 40,300 | 81 | 53 | 50 | 39 | 36 | 259 | 99 | 64 | 72 | 544 | 3,299 | 8,325 |
| TOTAL, MALE | 34,131 | 33 | 27 | 27 | 17 | 17 | 121 | 46 | 37 | 38 | 363 | 2,627 | 7,010 |
| TOTAL, FEMALE | 6,169 | 48 | 26 | 23 | 22 | 19 | 138 | 53 | 27 | 34 | 181 | 672 | 1,315 |
| WHITE, BOTH SEXES | 24,621 | 30 | 17 | 20 | 19 | 13 | 99 | 43 | 37 | 37 | 233 | 1,896 | 5,238 |
| WHITE MALE | 22,145 | 15 | 7 | 13 | 5 | 7 | 47 | 22 | 24 | 25 | 181 | 1,611 | 4,662 |
| WHITE FEMALE | 2,476 | 15 | 10 | 7 | 14 | 6 | 52 | 21 | 13 | 12 | 52 | 285 | 576 |
| ALL OTHER, BOTH SEXES | 15,679 | 51 | 36 | 30 | 20 | 23 | 160 | 56 | 27 | 35 | 311 | 1,403 | 3,087 |
| ALL OTHER MALE | 11,986 | 18 | 20 | 14 | 12 | 10 | 74 | 24 | 13 | 13 | 182 | 1,016 | 2,348 |
| ALL OTHER FEMALE | 3,693 | 33 | 16 | 16 | 8 | 13 | 86 | 32 | 14 | 22 | 129 | 387 | 739 |
| BLACK, BOTH SEXES | 15,232 | 49 | 35 | 29 | 19 | 23 | 155 | 56 | 25 | 32 | 306 | 1,357 | 2,974 |
| BLACK MALE | 11,592 | 18 | 20 | 14 | 11 | 10 | 73 | 24 | 11 | 10 | 177 | 980 | 2,249 |
| BLACK FEMALE | 3,640 | 31 | 15 | 15 | 8 | 13 | 82 | 32 | 14 | 22 | 129 | 377 | 725 |

96/03/19

DEATHS FROM HUMAN IMMUNODEFICIENCY VIRUS INFECTION AND DETAILED SUBCATEGORIES,
 BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1994

PAGE 3 PLATE A

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

| CAUSE OF DEATH, RACE AND SEX | ALL AGES | UNDER 1 YEAR | 1 YEAR | 2 YEARS | 3 YEARS | 4 YEARS | 5 YEARS | UNDER 5 YEARS | 5-9 YEARS | 10-14 YEARS | 15-19 YEARS | 20-24 YEARS | 25-29 YEARS | 30-34 YEARS |
|--|-------------|-----------------|-----------|------------|------------|------------|------------|------------------|--------------|----------------|----------------|----------------|----------------|----------------|
| HUMAN IMMUNODEFICIENCY VIRUS INFECTION CAUSING OTHER SPECIFIED CONDITIONS (*043) | | | | | | | | | | | | | | |
| TOTAL, BOTH SEXES | 326 | 1 | 1 | - | 2 | 2 | 6 | 3 | 2 | 2 | 2 | 2 | 24 | 65 |
| TOTAL, MALE | 281 | - | - | - | 1 | - | 1 | 2 | 2 | 2 | 1 | 1 | 20 | 57 |
| TOTAL, FEMALE | 45 | 1 | 1 | - | 1 | 2 | 5 | 1 | - | 1 | 1 | 1 | 4 | 8 |
| WHITE, BOTH SEXES | 209 | 1 | - | - | 1 | 1 | 3 | 1 | 1 | 1 | 2 | 2 | 14 | 47 |
| WHITE MALE | 190 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | 12 | 44 |
| WHITE FEMALE | 19 | 1 | - | - | 1 | 1 | 3 | - | - | 1 | 1 | 1 | 2 | 3 |
| ALL OTHER, BOTH SEXES | 117 | - | 1 | - | 1 | 1 | 3 | 2 | 1 | 1 | - | - | 10 | 18 |
| ALL OTHER MALE | 91 | - | - | - | 1 | - | 1 | 1 | 1 | 1 | - | - | 8 | 13 |
| ALL OTHER FEMALE | 26 | - | 1 | - | - | 1 | 2 | 1 | - | - | - | - | 2 | 5 |
| BLACK, BOTH SEXES | 114 | - | 1 | - | 1 | 1 | 3 | 2 | - | - | - | - | 10 | 18 |
| BLACK MALE | 88 | - | - | - | 1 | - | 1 | 1 | - | - | - | - | 8 | 13 |
| BLACK FEMALE | 26 | - | 1 | - | - | 1 | 2 | 1 | - | - | - | - | 2 | 5 |

96/03/19

DEATHS FROM HUMAN IMMUNODEFICIENCY VIRUS INFECTION AND DETAILED SUBCATEGORIES,
BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1994

PAGE 4 PLATE A

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

| CAUSE OF DEATH, RACE AND SEX | ALL AGES | UNDER 1 YEAR | 1 YEAR | 2 YEARS | 3 YEARS | 4 YEARS | 5 YEARS | UNDER 5 YEARS | 5-9 YEARS | 10-14 YEARS | 15-19 YEARS | 20-24 YEARS | 25-29 YEARS | 30-34 YEARS |
|---|-------------|-----------------|-----------|------------|------------|------------|------------|------------------|--------------|----------------|----------------|----------------|----------------|----------------|
| OTHER HUMAN IMMUNODEFICIENCY INFECTION (*044) | | | | | | | | | | | | | | |
| TOTAL, BOTH SEXES | 1,488 | 13 | 7 | 5 | 2 | 2 | 29 | 8 | 6 | 3 | 18 | 121 | 283 | |
| TOTAL, MALE | 1,229 | 8 | 3 | 4 | 1 | 1 | 17 | 4 | 5 | 3 | 14 | 95 | 226 | |
| TOTAL, FEMALE | 259 | 5 | 4 | 1 | 1 | 1 | 12 | 4 | 1 | - | 4 | 26 | 57 | |
| WHITE, BOTH SEXES | 748 | 3 | 1 | 1 | 1 | 1 | 7 | 2 | 4 | 3 | 6 | 54 | 139 | |
| WHITE MALE | 658 | 1 | 1 | 1 | 1 | 1 | 5 | 1 | 4 | 3 | 6 | 45 | 115 | |
| WHITE FEMALE | 90 | 2 | - | - | - | - | 2 | 1 | - | - | - | 9 | 24 | |
| ALL OTHER, BOTH SEXES | 740 | 10 | 6 | 4 | 1 | 1 | 22 | 6 | 2 | - | 12 | 67 | 144 | |
| ALL OTHER MALE | 571 | 7 | 2 | 3 | - | - | 12 | 3 | 1 | - | 8 | 50 | 111 | |
| ALL OTHER FEMALE | 169 | 3 | 4 | 1 | 1 | 1 | 10 | 3 | 1 | - | 4 | 17 | 33 | |
| BLACK, BOTH SEXES | 733 | 10 | 6 | 4 | 1 | 1 | 22 | 6 | 2 | - | 12 | 65 | 142 | |
| BLACK MALE | 565 | 7 | 2 | 3 | - | - | 12 | 3 | 1 | - | 8 | 49 | 109 | |
| BLACK FEMALE | 168 | 3 | 4 | 1 | 1 | 1 | 10 | 3 | 1 | - | 4 | 16 | 33 | |

96/03/19

DEATHS FROM HUMAN IMMUNODEFICIENCY VIRUS INFECTION AND DETAILED SUBCATEGORIES,
 BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1994

PAGE 1 PLATE B

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

| CAUSE OF DEATH, RACE AND SEX | 35-39 YEARS | 40-44 YEARS | 45-49 YEARS | 50-54 YEARS | 55-59 YEARS | 60-64 YEARS | 65-69 YEARS | 70-74 YEARS | 75-79 YEARS | 80-84 YEARS | 85+ YEARS | NOT STATED |
|--|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------------|---------------|
| HUMAN IMMUNODEFICIENCY VIRUS INFECTION (*042-*044) | | | | | | | | | | | | |
| TOTAL, BOTH SEXES | 9,971 | 8,388 | 4,949 | 2,687 | 1,426 | 760 | 403 | 184 | 77 | 18 | 11 | 6 |
| TOTAL, MALE | 8,474 | 7,264 | 4,372 | 2,383 | 1,239 | 665 | 340 | 144 | 46 | 12 | 6 | 6 |
| TOTAL, FEMALE | 1,497 | 1,124 | 577 | 304 | 187 | 95 | 63 | 40 | 31 | 6 | 5 | - |
| WHITE, BOTH SEXES | 6,187 | 5,027 | 3,086 | 1,692 | 864 | 458 | 228 | 98 | 47 | 10 | 9 | 4 |
| WHITE MALE | 5,590 | 4,630 | 2,862 | 1,567 | 795 | 413 | 202 | 79 | 27 | 8 | 5 | 4 |
| WHITE FEMALE | 597 | 397 | 224 | 125 | 69 | 45 | 26 | 19 | 20 | 2 | 4 | - |
| ALL OTHER, BOTH SEXES | 3,784 | 3,361 | 1,863 | 995 | 562 | 302 | 175 | 86 | 30 | 8 | 2 | 2 |
| ALL OTHER MALE | 2,884 | 2,634 | 1,510 | 816 | 444 | 252 | 138 | 65 | 19 | 4 | 1 | 2 |
| ALL OTHER FEMALE | 900 | 727 | 353 | 179 | 118 | 50 | 37 | 21 | 11 | 4 | 1 | - |
| BLACK, BOTH SEXES | 3,690 | 3,288 | 1,816 | 963 | 547 | 294 | 170 | 84 | 29 | 7 | 2 | 2 |
| BLACK MALE | 2,800 | 2,565 | 1,466 | 789 | 429 | 246 | 134 | 63 | 18 | 3 | 1 | 2 |
| BLACK FEMALE | 890 | 723 | 350 | 174 | 118 | 48 | 36 | 21 | 11 | 4 | 1 | - |

96/03/19

DEATHS FROM HUMAN IMMUNODEFICIENCY VIRUS INFECTION AND DETAILED SUBCATEGORIES,
 BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1994

PAGE 2 PLATE B

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

| CAUSE OF DEATH, RACE AND SEX | 35-39 YEARS | 40-44 YEARS | 45-49 YEARS | 50-54 YEARS | 55-59 YEARS | 60-64 YEARS | 65-69 YEARS | 70-74 YEARS | 75-79 YEARS | 80-84 YEARS | 85+ YEARS | NOT STATED |
|---|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------------|---------------|
| HUMAN IMMUNODEFICIENCY VIRUS INFECTION WITH SPECIFIED CONDITIONS (*042) | | | | | | | | | | | | |
| TOTAL, BOTH SEXES | 9,598 | 8,015 | 4,729 | 2,564 | 1,358 | 716 | 378 | 175 | 73 | 17 | 9 | 6 |
| TOTAL, MALE | 8,157 | 6,948 | 4,182 | 2,271 | 1,183 | 626 | 320 | 138 | 43 | 11 | 4 | 6 |
| TOTAL, FEMALE | 1,441 | 1,067 | 547 | 293 | 175 | 90 | 58 | 37 | 30 | 6 | 5 | - |
| WHITE, BOTH SEXES | 5,997 | 4,821 | 2,958 | 1,627 | 828 | 434 | 214 | 92 | 45 | 10 | 8 | 4 |
| WHITE MALE | 5,422 | 4,444 | 2,742 | 1,504 | 761 | 392 | 191 | 75 | 26 | 8 | 4 | 4 |
| WHITE FEMALE | 575 | 377 | 216 | 123 | 67 | 42 | 23 | 17 | 19 | 2 | 4 | - |
| ALL OTHER, BOTH SEXES | 3,601 | 3,194 | 1,771 | 937 | 530 | 282 | 164 | 83 | 28 | 7 | 1 | 2 |
| ALL OTHER MALE | 2,735 | 2,504 | 1,440 | 767 | 422 | 234 | 129 | 63 | 17 | 3 | - | 2 |
| ALL OTHER FEMALE | 866 | 690 | 331 | 170 | 108 | 48 | 35 | 20 | 11 | 4 | 1 | - |
| BLACK, BOTH SEXES | 3,509 | 3,122 | 1,725 | 906 | 515 | 274 | 159 | 81 | 27 | 6 | 1 | 2 |
| BLACK MALE | 2,653 | 2,436 | 1,397 | 741 | 407 | 228 | 125 | 61 | 16 | 2 | - | 2 |
| BLACK FEMALE | 856 | 686 | 328 | 165 | 108 | 46 | 34 | 20 | 11 | 4 | 1 | - |

96/03/19

DEATHS FROM HUMAN IMMUNODEFICIENCY VIRUS INFECTION AND DETAILED SUBCATEGORIES,
 BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1994

PAGE 3 PLATE B

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

| CAUSE OF DEATH, RACE AND SEX | 35-39 YEARS | 40-44 YEARS | 45-49 YEARS | 50-54 YEARS | 55-59 YEARS | 60-64 YEARS | 65-69 YEARS | 70-74 YEARS | 75-79 YEARS | 80-84 YEARS | 85+ YEARS | NOT STATED |
|--|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------------|---------------|
| HUMAN IMMUNODEFICIENCY VIRUS INFECTION CAUSING OTHER SPECIFIED CONDITIONS (*043) | | | | | | | | | | | | |
| TOTAL, BOTH SEXES | 65 | 50 | 46 | 25 | 13 | 13 | 8 | - | 2 | - | - | - |
| TOTAL, MALE | 55 | 46 | 40 | 25 | 11 | 12 | 7 | - | 1 | - | - | - |
| TOTAL, FEMALE | 10 | 4 | 6 | - | 2 | 1 | 1 | - | 1 | - | - | - |
| WHITE, BOTH SEXES | 33 | 33 | 32 | 18 | 8 | 9 | 5 | - | 1 | - | - | - |
| WHITE MALE | 30 | 33 | 29 | 18 | 7 | 9 | 4 | - | - | - | - | - |
| WHITE FEMALE | 3 | - | 3 | - | 1 | - | 1 | - | 1 | - | - | - |
| ALL OTHER, BOTH SEXES | 32 | 17 | 14 | 7 | 5 | 4 | 3 | - | 1 | - | - | - |
| ALL OTHER MALE | 25 | 13 | 11 | 7 | 4 | 3 | 3 | - | 1 | - | - | - |
| ALL OTHER FEMALE | 7 | 4 | 3 | - | 1 | 1 | - | - | - | - | - | - |
| BLACK, BOTH SEXES | 32 | 17 | 13 | 6 | 5 | 4 | 3 | - | 1 | - | - | - |
| BLACK MALE | 25 | 13 | 10 | 6 | 4 | 3 | 3 | - | 1 | - | - | - |
| BLACK FEMALE | 7 | 4 | 3 | - | 1 | 1 | - | - | - | - | - | - |

6/03/19

DEATHS FROM HUMAN IMMUNODEFICIENCY VIRUS INFECTION AND DETAILED SUBCATEGORIES,
BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1994

PAGE 4 PLATE B

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

| CAUSE OF DEATH, RACE AND SEX | 35-39 YEARS | 40-44 YEARS | 45-49 YEARS | 50-54 YEARS | 55-59 YEARS | 60-64 YEARS | 65-69 YEARS | 70-74 YEARS | 75-79 YEARS | 80-84 YEARS | 85+ YEARS | NOT STATED |
|---|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------------|---------------|
| OTHER HUMAN IMMUNODEFICIENCY INFECTION (*044) | | | | | | | | | | | | |
| TOTAL, BOTH SEXES | 308 | 323 | 174 | 98 | 55 | 31 | 17 | 9 | 2 | 1 | 2 | - |
| TOTAL, MALE | 262 | 270 | 150 | 87 | 45 | 27 | 13 | 6 | 2 | 1 | 2 | - |
| TOTAL, FEMALE | 46 | 53 | 24 | 11 | 10 | 4 | 4 | 3 | - | - | - | - |
| WHITE, BOTH SEXES | 157 | 173 | 96 | 47 | 28 | 15 | 9 | 6 | 1 | - | 1 | - |
| WHITE MALE | 138 | 153 | 91 | 45 | 27 | 12 | 7 | 4 | 1 | - | 1 | - |
| WHITE FEMALE | 19 | 20 | 5 | 2 | 1 | 3 | 2 | 2 | - | - | - | - |
| ALL OTHER, BOTH SEXES | 151 | 150 | 78 | 51 | 27 | 16 | 8 | 3 | 1 | 1 | 1 | - |
| ALL OTHER MALE | 124 | 117 | 59 | 42 | 18 | 15 | 6 | 2 | 1 | 1 | 1 | - |
| ALL OTHER FEMALE | 27 | 33 | 19 | 9 | 9 | 1 | 2 | 1 | - | - | - | - |
| BLACK, BOTH SEXES | 149 | 149 | 78 | 51 | 27 | 16 | 8 | 3 | 1 | 1 | 1 | - |
| BLACK MALE | 122 | 116 | 59 | 42 | 18 | 15 | 6 | 2 | 1 | 1 | 1 | - |
| BLACK FEMALE | 27 | 33 | 19 | 9 | 9 | 1 | 2 | 1 | - | - | - | - |