

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)											
TOTAL, FEMALE											
1998.....	4,285	29	8	-	3	5	6	9	6	14	26
1997.....	4,078	28	7	1	4	2	4	6	8	20	30
1996.....	4,076	33	9	5	3	1	8	8	14	22	32
1995.....	3,908	35	10	1	1	5	3	9	8	22	26
1994.....	3,858	25	4	7	7	4	4	2	11	10	20
1993.....	3,722	22	10	4	8	3	-	8	11	19	14
1992.....	3,832	37	6	3	6	5	7	7	10	15	24
1991.....	3,862	27	10	2	1	2	3	11	6	20	21
1990.....	3,706	28	7	7	3	2	5	6	7	21	25
1989.....	3,483	31	10	5	3	2	1	14	12	26	25
1988.....	3,558	41	10	2	4	2	6	8	11	9	18
1987.....	3,456	36	11	6	-	3	7	14	16	15	15
1986.....	3,373	39	11	10	3	6	4	6	9	18	18
1985.....	3,321	38	8	6	5	2	4	10	14	12	17
1984.....	3,271	33	11	3	6	4	13	7	11	17	11
1983.....	3,003	43	7	4	3	4	5	7	9	8	21
1982.....	3,089	48	8	2	3	7	9	7	12	13	18
1981.....	3,203	46	12	7	6	3	10	7	12	13	23
1980.....	3,268	53	11	6	3	12	9	8	18	24	36
1979.....	3,203	67	11	7	1	9	12	9	11	19	22
WHITE, BOTH SEXES											
1998.....	5,815	41	14	9	5	5	9	14	13	28	49
1997.....	5,729	50	10	6	9	5	6	9	17	31	42
1996.....	5,585	44	12	9	6	6	9	10	18	26	48
1995.....	5,376	47	21	7	10	12	6	15	16	39	38
1994.....	5,318	45	11	7	6	8	9	8	23	20	34
1993.....	5,168	49	18	3	11	7	4	14	17	23	36
1992.....	5,291	47	16	10	7	11	13	15	18	34	33
1991.....	5,296	56	19	5	2	9	7	21	15	31	37
1990.....	5,089	59	19	13	8	6	12	8	10	27	33
1989.....	4,791	57	19	6	10	5	5	15	17	33	32
1988.....	4,866	49	17	7	5	4	9	6	21	22	30
1987.....	4,867	50	21	9	3	7	7	20	17	28	26
1986.....	4,725	71	25	14	6	12	7	10	18	18	29
1985.....	4,683	61	13	10	6	6	11	12	19	28	28
1984.....	4,659	79	13	5	5	10	14	13	21	25	26
1983.....	4,416	74	23	8	6	5	9	9	20	17	30
1982.....	4,416	88	20	6	7	10	18	15	17	24	29
1981.....	4,605	93	21	15	7	6	15	16	15	16	32
1980.....	4,757	93	14	10	9	15	17	15	23	31	41
1979.....	4,675	123	20	9	4	10	22	22	20	19	32

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)											
WHITE MALE											
1998.....	2,005	22	8	9	3	1	4	6	8	15	30
1997.....	2,064	31	6	5	5	3	3	6	11	16	19
1996.....	2,000	23	7	5	3	5	4	8	11	10	22
1995.....	1,918	21	12	6	9	8	4	9	9	22	17
1994.....	1,904	26	9	3	2	4	5	7	16	10	22
1993.....	1,846	34	11	1	5	5	4	9	10	9	25
1992.....	1,879	23	11	7	2	6	8	11	11	22	14
1991.....	1,868	39	12	3	2	8	4	11	12	17	19
1990.....	1,787	40	14	7	5	5	8	6	6	13	16
1989.....	1,711	35	12	3	9	3	4	7	11	14	16
1988.....	1,706	23	9	6	3	3	4	2	13	17	19
1987.....	1,749	27	13	4	3	5	4	9	7	18	17
1986.....	1,744	46	18	7	3	6	5	5	12	5	16
1985.....	1,711	32	8	7	2	5	8	6	9	19	14
1984.....	1,731	55	7	4	2	8	7	7	11	14	20
1983.....	1,732	43	16	6	4	4	5	5	12	10	14
1982.....	1,617	53	16	4	4	4	9	10	6	14	17
1981.....	1,734	57	14	8	4	3	7	11	5	8	18
1980.....	1,806	55	8	7	6	7	9	9	10	14	17
1979.....	1,801	77	11	3	4	5	15	16	14	11	16
WHITE FEMALE											
1998.....	3,810	19	6	-	2	4	5	8	5	13	19
1997.....	3,665	19	4	1	4	2	3	3	6	15	23
1996.....	3,585	21	5	4	3	1	5	2	7	16	26
1995.....	3,458	26	9	1	1	4	2	6	7	17	21
1994.....	3,414	19	2	4	4	4	4	1	7	10	12
1993.....	3,322	15	7	2	6	2	-	5	7	14	11
1992.....	3,412	24	5	3	5	5	5	4	7	12	19
1991.....	3,428	17	7	2	-	1	3	10	3	14	18
1990.....	3,302	19	5	6	3	1	4	2	4	14	17
1989.....	3,080	22	7	3	1	2	1	8	6	19	16
1988.....	3,160	26	8	1	2	1	5	4	8	5	11
1987.....	3,118	23	8	5	-	2	3	11	10	10	9
1986.....	2,981	25	7	7	3	6	2	5	6	13	13
1985.....	2,972	29	5	3	4	1	3	6	10	9	14
1984.....	2,928	24	6	1	3	2	7	6	10	11	6
1983.....	2,684	31	7	2	2	1	4	4	8	7	16
1982.....	2,799	35	4	2	3	6	9	5	11	10	12
1981.....	2,871	36	7	7	3	3	8	5	10	8	14
1980.....	2,951	38	6	3	3	8	8	6	13	17	24
1979.....	2,874	46	9	6	-	5	7	6	6	8	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)											
ALL OTHER, BOTH SEXES											
1998.....	820	28	6	3	2	4	6	3	3	7	11
1997.....	769	27	5	1	1	5	4	6	5	12	19
1996.....	891	25	12	6	1	3	6	11	11	15	15
1995.....	812	27	4	5	2	3	2	7	7	14	13
1994.....	824	17	10	4	5	1	2	4	8	13	16
1993.....	751	20	8	5	4	6	-	3	9	11	8
1992.....	782	30	5	3	2	1	2	9	7	11	12
1991.....	810	32	12	1	2	2	2	4	8	13	9
1990.....	749	28	4	4	2	1	3	9	5	16	21
1989.....	739	31	7	6	2	4	-	9	13	16	14
1988.....	733	28	8	4	3	2	4	7	5	10	13
1987.....	680	44	12	4	1	4	7	3	17	12	9
1986.....	720	33	6	3	2	3	5	4	7	9	16
1985.....	678	20	10	4	1	2	5	8	9	9	9
1984.....	641	26	8	3	4	3	6	5	4	12	8
1983.....	678	31	5	3	4	4	6	8	5	12	13
1982.....	638	42	9	-	2	7	3	4	7	11	10
1981.....	677	33	9	3	4	2	6	4	4	13	15
1980.....	658	38	13	5	1	8	7	5	7	12	19
1979.....	674	48	5	5	2	4	10	4	14	17	17
ALL OTHER MALE											
1998.....	345	18	4	3	1	3	5	2	2	6	4
1997.....	356	18	2	1	1	5	3	3	3	7	12
1996.....	400	13	8	5	1	3	3	5	4	9	9
1995.....	362	18	3	5	2	2	1	4	6	9	8
1994.....	380	11	8	1	2	1	2	3	4	13	8
1993.....	351	13	5	3	2	5	-	-	5	6	5
1992.....	362	17	4	3	1	1	-	6	4	8	7
1991.....	376	22	9	1	1	1	2	3	5	7	6
1990.....	345	19	2	3	2	-	2	5	2	9	13
1989.....	336	22	4	4	-	4	-	3	7	9	5
1988.....	335	13	6	3	1	1	3	3	2	6	6
1987.....	342	31	9	3	1	3	3	-	11	7	3
1986.....	328	19	2	-	2	3	3	3	4	4	11
1985.....	329	11	7	1	-	1	4	4	5	6	6
1984.....	298	17	3	1	1	1	-	4	3	6	3
1983.....	359	19	5	1	3	1	5	5	4	11	8
1982.....	348	29	5	-	2	6	3	2	6	8	4
1981.....	345	23	4	3	1	2	4	2	2	8	6
1980.....	341	23	8	2	1	4	6	3	2	5	7
1979.....	345	27	3	4	1	-	5	1	9	6	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)											
ALL OTHER FEMALE											
1998.....	475	10	2	-	1	1	1	1	1	1	7
1997.....	413	9	3	-	-	-	1	3	2	5	7
1996.....	491	12	4	1	-	-	3	6	7	6	6
1995.....	450	9	1	-	-	1	1	3	1	5	5
1994.....	444	6	2	3	3	-	-	1	4	-	8
1993.....	400	7	3	2	2	1	-	3	4	5	3
1992.....	420	13	1	-	1	-	2	3	3	3	5
1991.....	434	10	3	-	1	1	-	1	3	6	3
1990.....	404	9	2	1	-	1	1	4	3	7	8
1989.....	403	9	3	2	2	-	-	6	6	7	9
1988.....	398	15	2	1	2	1	1	4	3	4	7
1987.....	338	13	3	1	-	1	4	3	6	5	6
1986.....	392	14	4	3	-	-	2	1	3	5	5
1985.....	349	9	3	3	1	1	1	4	4	3	3
1984.....	343	9	5	2	3	2	6	1	1	6	5
1983.....	319	12	-	2	1	3	1	3	1	1	5
1982.....	290	13	4	-	-	1	-	2	1	3	6
1981.....	332	10	5	-	3	-	2	2	2	5	9
1980.....	317	15	5	3	-	4	1	2	5	7	12
1979.....	329	21	2	1	1	4	5	3	5	11	6
BLACK, BOTH SEXES											
1998.....	750	24	6	3	1	3	6	3	3	6	11
1997.....	706	25	4	1	1	4	3	6	3	12	19
1996.....	823	21	10	5	1	3	6	8	10	12	15
1995.....	755	23	3	5	2	3	2	7	6	13	11
1994.....	764	14	8	4	5	1	2	4	8	11	14
1993.....	693	18	7	4	3	5	-	3	8	11	8
1992.....	724	25	5	3	2	-	2	8	6	10	12
1991.....	753	29	10	-	-	2	2	4	8	11	7
1990.....	697	26	4	3	2	1	2	9	5	15	20
1989.....	683	27	5	4	2	3	-	9	13	14	11
1988.....	695	27	8	4	3	2	4	7	4	9	13
1987.....	635	38	9	4	1	4	7	2	15	12	9
1986.....	673	27	6	3	2	3	5	4	5	9	16
1985.....	637	18	10	4	1	2	3	8	8	9	9
1984.....	602	24	7	3	4	3	6	3	4	12	7
1983.....	635	30	5	3	3	4	5	8	5	11	13
1982.....	607	41	9	-	2	7	3	4	7	11	10
1981.....	643	28	9	3	4	2	6	3	4	13	15
1980.....	618	30	12	5	1	7	6	4	7	12	19
1979.....	641	40	5	5	1	4	10	3	14	17	17

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

BLACK MALE

1998.....	310	16	4	3	1	3	5	2	2	5	4
1997.....	321	16	1	1	1	4	2	3	1	7	12
1996.....	369	10	6	5	1	3	3	4	3	8	9
1995.....	333	17	2	5	2	2	1	4	5	8	7
1994.....	352	9	7	1	2	1	2	3	4	11	7
1993.....	325	12	5	2	2	4	-	-	4	6	5
1992.....	326	14	4	3	1	-	-	5	4	7	7
1991.....	347	19	8	-	-	1	2	3	5	6	6
1990.....	319	17	2	2	2	-	2	5	2	9	13
1989.....	315	20	3	3	-	3	-	3	7	9	4
1988.....	312	13	6	3	1	13	3	3	1	5	6
1987.....	322	27	8	3	1	3	3	-	9	7	3
1986.....	306	17	2	-	2	3	3	3	3	4	11
1985.....	306	9	7	1	-	1	3	4	4	6	6
1984.....	274	15	3	1	1	1	-	3	3	6	3
1983.....	334	18	5	1	2	1	5	5	4	10	8
1982.....	324	28	5	-	2	6	3	2	6	8	4
1981.....	324	19	4	3	1	2	4	2	2	8	6
1980.....	319	21	8	2	1	3	5	2	2	5	7
1979.....	332	22	3	4	1	-	5	1	9	6	11

BLACK FEMALE

1998.....	440	8	2	-	-	-	1	1	1	1	7
1997.....	385	9	3	-	-	-	1	3	2	5	7
1996.....	454	11	4	-	-	-	3	4	7	4	6
1995.....	422	6	1	-	-	1	1	3	1	5	4
1994.....	412	5	1	3	3	-	-	1	4	-	7
1993.....	368	6	2	2	1	1	-	3	4	5	3
1992.....	398	11	1	-	1	-	2	3	2	3	5
1991.....	406	10	2	-	-	1	-	1	3	5	1
1990.....	378	9	2	1	-	1	-	4	3	6	7
1989.....	368	7	2	1	2	-	-	6	6	5	7
1988.....	383	14	2	1	2	1	1	4	3	4	7
1987.....	313	11	1	1	-	1	4	2	6	5	6
1986.....	367	10	4	3	-	-	2	1	2	5	5
1985.....	331	9	3	3	1	1	-	4	4	3	3
1984.....	328	9	4	2	3	2	6	-	1	6	4
1983.....	301	12	-	2	1	3	-	3	1	1	5
1982.....	283	13	4	-	-	1	-	2	1	3	6
1981.....	319	9	5	-	3	-	2	1	2	5	9
1980.....	299	9	4	3	-	4	1	2	5	7	12
1979.....	309	18	2	1	-	4	5	2	5	11	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)											
TOTAL, BOTH SEXES											
1998.....	934	2	2	2	5	3	4	6	12	18	26
1997.....	989	3	1	2	3	3	14	5	16	21	40
1996.....	879	1	2	2	1	5	4	4	21	23	27
1995.....	839	5	2	3	1	2	3	9	10	16	36
1994.....	803	6	5	2	1	2	7	8	18	24	26
1993.....	775	3	4	1	3	2	7	7	8	18	20
1992.....	770	5	1	-	2	4	8	10	15	16	25
1991.....	744	1	1	1	4	2	5	11	12	20	27
1990.....	681	2	1	-	-	3	3	10	14	13	26
1989.....	636	2	2	3	2	1	4	8	16	13	19
1988.....	687	1	1	-	-	3	8	14	15	21	18
1987.....	614	4	1	1	1	3	5	12	12	17	24
1986.....	610	3	3	-	2	1	5	13	13	22	10
1985.....	628	4	1	-	1	5	7	13	10	28	16
1984.....	660	1	1	-	3	4	8	17	15	14	11
1983.....	669	-	4	1	-	6	10	18	21	25	24
1982.....	685	2	2	-	3	5	8	17	10	19	18
1981.....	663	3	2	-	-	11	13	13	14	20	24
1980.....	759	6	1	1	-	7	17	18	33	23	19
1979.....	753	6	-	4	1	6	18	22	19	28	35
TOTAL, MALE											
1998.....	421	2	2	-	3	1	3	5	4	12	17
1997.....	421	3	-	-	1	-	10	3	5	11	22
1996.....	363	-	2	2	-	2	4	3	11	11	16
1995.....	336	4	2	3	1	1	1	6	5	10	19
1994.....	349	5	1	1	1	1	4	3	13	14	11
1993.....	330	-	1	-	2	1	2	1	3	12	11
1992.....	306	2	-	-	1	1	2	6	8	10	12
1991.....	319	1	1	1	2	2	4	7	7	7	12
1990.....	264	-	1	-	-	-	1	5	6	10	18
1989.....	276	2	2	2	-	1	1	4	9	7	12
1988.....	281	1	1	-	-	1	4	6	8	14	8
1987.....	250	4	1	-	-	2	3	5	5	9	10
1986.....	245	3	2	-	1	1	3	8	3	13	6
1985.....	264	4	1	-	1	3	3	5	8	16	7
1984.....	276	1	1	-	3	1	5	9	8	6	7
1983.....	277	-	-	-	-	2	5	10	13	10	13
1982.....	294	2	2	-	3	3	5	7	4	11	11
1981.....	278	2	2	-	-	6	6	7	9	8	12
1980.....	312	3	-	1	-	1	10	10	13	12	6
1979.....	324	5	-	1	-	2	11	12	11	11	13

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)											
TOTAL, FEMALE											
1998.....	513	-	-	2	2	2	1	1	8	6	9
1997.....	568	-	1	2	2	3	4	2	11	10	18
1996.....	516	1	-	-	1	3	-	1	10	12	11
1995.....	503	1	-	-	-	1	2	3	5	6	17
1994.....	454	1	4	1	-	1	3	5	5	10	15
1993.....	445	3	3	1	1	1	5	6	5	6	9
1992.....	464	3	1	-	1	3	6	4	7	6	13
1991.....	425	-	-	-	2	-	1	4	5	13	15
1990.....	417	2	-	-	-	3	2	5	8	3	8
1989.....	360	-	-	1	2	-	3	4	7	6	7
1988.....	406	-	-	-	-	2	4	8	7	7	10
1987.....	364	-	-	1	1	1	2	7	7	8	14
1986.....	365	-	1	-	1	-	2	5	10	9	4
1985.....	364	-	-	-	-	2	4	8	2	12	9
1984.....	384	-	-	-	-	3	3	8	7	8	4
1983.....	392	-	4	1	-	4	5	8	8	15	11
1982.....	391	-	-	-	-	2	3	10	6	8	7
1981.....	385	1	-	-	-	5	7	6	5	12	12
1980.....	447	3	1	-	-	6	7	8	20	11	13
1979.....	429	1	-	3	1	4	7	10	8	17	22
WHITE, BOTH SEXES											
1998.....	859	2	1	1	5	1	3	6	10	15	22
1997.....	908	1	-	2	2	3	11	3	15	17	33
1996.....	797	1	-	1	1	4	2	3	15	19	24
1995.....	771	2	1	3	-	1	3	9	10	12	30
1994.....	739	4	3	-	-	1	6	7	14	19	20
1993.....	713	1	3	-	-	1	6	6	8	14	17
1992.....	702	5	1	-	1	3	8	5	11	14	19
1991.....	682	-	1	1	3	1	4	10	7	15	22
1990.....	637	1	1	-	-	3	3	10	10	8	21
1989.....	600	2	1	2	2	1	3	8	13	12	18
1988.....	639	1	1	-	-	2	5	11	14	21	17
1987.....	581	4	1	1	-	2	5	10	11	15	23
1986.....	561	1	2	-	1	-	5	11	12	18	8
1985.....	577	4	-	-	1	5	5	10	7	26	12
1984.....	606	1	-	-	3	1	6	15	14	14	10
1983.....	632	-	4	1	-	6	8	13	17	20	22
1982.....	640	1	-	-	2	4	7	11	8	16	16
1981.....	606	1	1	-	-	10	11	12	9	17	22
1980.....	704	2	1	1	-	5	12	15	27	22	17
1979.....	707	4	-	2	-	6	15	19	17	26	32

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)											
WHITE MALE											
1998.....	388	2	1	-	3	1	3	5	4	9	14
1997.....	381	1	-	-	1	-	10	2	5	9	18
1996.....	331	-	-	1	-	2	2	3	8	10	14
1995.....	307	2	1	3	-	1	1	6	5	7	15
1994.....	319	4	1	-	-	1	3	3	11	12	9
1993.....	299	-	1	-	-	-	2	1	3	10	9
1992.....	276	2	-	-	1	-	2	3	5	10	10
1991.....	291	-	1	1	2	1	3	6	3	6	9
1990.....	242	-	1	-	-	-	1	5	4	6	14
1989.....	259	2	1	1	-	1	1	4	8	7	12
1988.....	257	1	1	-	-	1	3	5	8	14	7
1987.....	240	4	1	-	-	2	3	4	5	8	10
1986.....	219	1	1	-	1	-	3	6	2	10	4
1985.....	238	4	-	-	1	3	2	4	5	15	6
1984.....	261	1	-	-	3	-	4	9	8	6	6
1983.....	265	-	-	-	-	2	3	6	11	9	13
1982.....	271	1	-	-	2	3	4	4	3	9	11
1981.....	252	1	1	-	-	5	5	6	6	8	12
1980.....	290	1	-	1	-	-	7	9	11	12	6
1979.....	309	3	-	1	-	2	10	10	11	11	11
WHITE FEMALE											
1998.....	471	-	-	1	2	-	-	1	6	6	8
1997.....	527	-	-	2	1	3	1	1	10	8	15
1996.....	466	1	-	-	1	2	-	-	7	9	10
1995.....	464	-	-	-	-	-	2	3	5	5	15
1994.....	420	-	2	-	-	-	3	4	3	7	11
1993.....	414	1	2	-	-	1	4	5	5	4	8
1992.....	426	3	1	-	-	3	6	2	6	4	9
1991.....	391	-	-	-	1	-	1	4	4	9	13
1990.....	395	1	-	-	-	3	2	5	6	2	7
1989.....	341	-	-	1	2	-	2	4	5	5	6
1988.....	382	-	-	-	-	1	2	6	6	7	10
1987.....	341	-	-	1	-	-	2	6	6	7	13
1986.....	342	-	1	-	-	-	2	5	10	8	4
1985.....	339	-	-	-	-	2	3	6	2	11	6
1984.....	345	-	-	-	-	1	2	6	6	8	4
1983.....	367	-	4	1	-	4	5	7	6	11	9
1982.....	369	-	-	-	-	1	3	7	5	7	5
1981.....	354	-	-	-	-	5	6	6	3	9	10
1980.....	414	1	1	-	-	5	5	6	16	10	11
1979.....	398	1	-	1	-	4	5	9	6	15	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)											
ALL OTHER, BOTH SEXES											
1998.....	75	-	1	1	-	2	1	-	2	3	4
1997.....	81	2	1	-	1	-	3	2	1	4	7
1996.....	82	-	2	1	-	1	2	1	6	4	3
1995.....	68	3	1	-	1	1	-	-	-	4	6
1994.....	64	2	2	2	1	1	1	1	4	5	6
1993.....	62	2	1	1	3	1	1	1	-	4	3
1992.....	68	-	-	-	1	1	-	5	4	2	6
1991.....	62	1	-	-	1	1	1	1	5	5	5
1990.....	44	1	-	-	-	-	-	-	4	5	5
1989.....	36	-	1	1	-	-	1	-	3	1	1
1988.....	48	-	-	-	-	1	3	3	1	-	1
1987.....	33	-	-	-	1	1	-	2	1	2	1
1986.....	49	2	1	-	1	1	-	2	1	4	2
1985.....	51	-	1	-	-	-	2	3	3	2	4
1984.....	54	-	1	-	-	3	2	2	1	-	1
1983.....	37	-	-	-	-	-	2	5	4	5	2
1982.....	45	1	2	-	1	1	1	6	2	3	2
1981.....	57	2	1	-	-	1	2	1	5	3	2
1980.....	55	4	-	-	-	2	5	3	6	1	2
1979.....	46	2	-	2	1	-	3	3	2	2	3
ALL OTHER MALE											
1998.....	33	-	1	-	-	-	-	-	-	3	3
1997.....	40	2	-	-	-	-	-	1	-	2	4
1996.....	32	-	2	1	-	-	2	-	3	1	2
1995.....	29	2	1	-	1	-	-	-	-	3	4
1994.....	30	1	-	1	1	-	1	-	2	2	2
1993.....	31	-	-	-	2	1	-	-	-	2	2
1992.....	30	-	-	-	-	1	-	3	3	-	2
1991.....	28	1	-	-	-	1	1	1	4	1	3
1990.....	22	-	-	-	-	-	-	-	2	4	4
1989.....	17	-	1	1	-	-	-	-	1	-	-
1988.....	24	-	-	-	-	-	1	1	-	-	1
1987.....	10	-	-	-	-	-	-	1	-	1	-
1986.....	26	2	1	-	-	1	-	2	1	3	2
1985.....	26	-	1	-	-	-	1	1	3	1	1
1984.....	15	-	1	-	-	1	1	-	-	-	1
1983.....	12	-	-	-	-	-	2	4	2	1	-
1982.....	23	1	2	-	1	-	1	3	1	2	-
1981.....	26	1	1	-	-	1	1	1	3	-	-
1980.....	22	2	-	-	-	1	3	1	2	-	-
1979.....	15	2	-	-	-	-	1	2	-	-	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)											
ALL OTHER FEMALE											
1998.....	42	-	-	1	-	2	1	-	2	-	1
1997.....	41	-	1	-	1	-	3	1	1	2	3
1996.....	50	-	-	-	-	1	-	1	3	3	1
1995.....	39	1	-	-	-	1	-	-	-	1	2
1994.....	34	1	2	1	-	1	-	1	2	3	4
1993.....	31	2	1	1	1	-	1	1	-	2	1
1992.....	38	-	-	-	1	-	-	2	1	2	4
1991.....	34	-	-	-	1	-	-	-	1	4	2
1990.....	22	1	-	-	-	-	-	-	2	1	1
1989.....	19	-	-	-	-	-	1	-	2	1	1
1988.....	24	-	-	-	-	1	2	2	1	-	-
1987.....	23	-	-	-	1	1	-	1	1	1	1
1986.....	23	-	-	-	1	-	-	-	-	1	-
1985.....	25	-	-	-	-	-	1	2	-	1	3
1984.....	39	-	-	-	-	2	1	2	1	-	-
1983.....	25	-	-	-	-	-	-	1	2	4	2
1982.....	22	-	-	-	-	1	-	3	1	1	2
1981.....	31	1	-	-	-	-	1	-	2	3	2
1980.....	33	2	-	-	-	1	2	2	4	1	2
1979.....	31	-	-	2	1	-	2	1	2	2	1
BLACK, BOTH SEXES											
1998.....	70	-	1	1	-	2	1	-	2	3	4
1997.....	73	1	1	-	-	-	3	1	1	4	6
1996.....	76	-	2	-	-	1	2	1	6	4	3
1995.....	66	3	1	-	1	1	-	-	-	4	6
1994.....	61	2	1	2	1	1	1	1	4	5	6
1993.....	59	2	1	1	3	1	1	1	-	4	3
1992.....	64	-	-	-	1	1	-	5	4	2	5
1991.....	56	1	-	-	1	1	1	1	4	4	4
1990.....	42	1	-	-	-	-	-	-	4	5	4
1989.....	31	-	-	1	-	-	1	-	3	1	-
1988.....	45	-	-	-	-	1	3	3	1	-	1
1987.....	31	-	-	-	1	-	-	2	1	2	1
1986.....	44	2	1	-	1	1	-	1	1	4	2
1985.....	47	-	1	-	-	-	2	2	3	2	4
1984.....	53	-	1	-	-	3	2	2	1	-	1
1983.....	35	-	-	-	-	-	2	5	3	4	2
1982.....	41	1	2	-	1	1	1	6	2	3	2
1981.....	54	2	1	-	-	1	2	1	4	3	2
1980.....	53	4	-	-	-	2	5	3	6	1	2
1979.....	43	1	-	2	1	-	3	3	2	1	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)											
BLACK MALE											
1998.....	30	-	1	-	-	-	-	-	-	3	3
1997.....	36	1	-	-	-	-	-	-	-	2	3
1996.....	30	-	2	-	-	-	2	-	3	1	2
1995.....	28	2	1	-	1	-	-	-	-	3	4
1994.....	29	1	-	1	1	-	1	-	2	2	2
1993.....	29	-	-	-	2	1	-	-	-	2	2
1992.....	27	-	-	-	-	1	-	3	3	-	1
1991.....	23	1	-	-	-	1	1	1	3	1	2
1990.....	21	-	-	-	-	-	-	-	2	4	3
1989.....	15	-	-	1	-	-	-	-	1	-	-
1988.....	21	-	-	-	-	-	1	1	-	-	1
1987.....	10	-	-	-	-	-	-	1	-	1	-
1986.....	24	2	1	-	-	1	-	1	1	3	2
1985.....	24	-	1	-	-	-	1	-	3	1	1
1984.....	15	-	1	-	-	1	1	-	-	-	1
1983.....	11	-	-	-	-	-	2	4	1	1	-
1982.....	20	1	2	-	1	-	1	3	1	2	-
1981.....	24	1	1	-	-	1	1	1	2	-	-
1980.....	21	2	-	-	-	1	3	1	2	-	-
1979.....	14	1	-	-	-	-	1	2	-	-	2
BLACK FEMALE											
1998.....	40	-	-	1	-	2	1	-	2	-	1
1997.....	37	-	1	-	-	-	3	1	1	2	3
1996.....	46	-	-	-	-	1	-	1	3	3	1
1995.....	38	1	-	-	-	1	-	-	-	1	2
1994.....	32	1	1	1	-	1	-	1	2	3	4
1993.....	30	2	1	1	1	-	1	1	-	2	1
1992.....	37	-	-	-	1	-	-	2	1	2	4
1991.....	33	-	-	-	1	-	-	-	1	3	2
1990.....	21	1	-	-	-	-	-	-	2	1	1
1989.....	16	-	-	-	-	-	1	-	2	1	-
1988.....	24	-	-	-	-	1	2	2	1	-	-
1987.....	21	-	-	-	1	-	-	1	1	1	1
1986.....	20	-	-	-	1	-	-	-	-	1	-
1985.....	23	-	-	-	-	-	1	2	-	1	3
1984.....	38	-	-	-	-	2	1	2	1	-	-
1983.....	24	-	-	-	-	-	-	1	2	3	2
1982.....	21	-	-	-	-	1	-	3	1	1	2
1981.....	30	1	-	-	-	-	1	-	2	3	2
1980.....	32	2	-	-	-	1	2	2	4	1	2
1979.....	29	-	-	2	1	-	2	1	2	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)											
TOTAL, BOTH SEXES											
1998.....	9,760	73	31	9	6	8	14	16	25	46	76
1997.....	9,663	73	34	7	7	9	9	11	26	53	75
1996.....	9,369	81	37	12	4	4	14	18	23	49	92
1995.....	9,100	66	42	8	10	3	7	14	26	49	72
1994.....	8,925	64	18	4	11	7	10	13	32	42	73
1993.....	8,782	77	36	6	8	8	6	16	24	40	83
1992.....	8,533	98	36	5	8	7	12	16	30	58	89
1991.....	8,308	121	35	8	1	3	8	21	30	38	75
1990.....	8,143	123	26	6	4	10	3	15	30	38	54
1989.....	8,098	97	30	3	6	9	13	15	21	41	57
1988.....	7,904	100	30	8	2	3	10	16	27	39	53
1987.....	7,640	103	27	5	5	12	20	20	27	43	53
1986.....	7,125	83	29	4	1	6	8	15	28	44	46
1985.....	6,993	98	24	6	6	3	13	23	24	39	46
1984.....	6,837	122	37	9	5	6	18	26	29	35	54
1983.....	6,543	135	43	2	7	8	8	20	22	32	44
1982.....	6,366	138	45	12	6	6	11	14	20	25	45
1981.....	6,192	146	39	8	6	8	14	19	21	22	48
1980.....	6,014	174	46	9	7	16	13	18	38	33	52
1979.....	5,719	224	53	6	6	8	16	14	26	32	43
TOTAL, MALE											
1998.....	3,318	41	14	6	3	6	9	9	13	25	41
1997.....	3,389	52	19	4	6	7	7	6	14	28	37
1996.....	3,227	48	22	7	3	2	9	10	13	26	52
1995.....	3,182	41	27	6	2	1	3	7	16	27	39
1994.....	3,169	32	11	4	9	5	5	9	17	25	33
1993.....	3,115	42	20	3	5	5	4	9	12	23	50
1992.....	2,972	49	24	1	6	5	8	10	17	31	44
1991.....	2,977	62	17	6	1	3	4	10	17	21	42
1990.....	2,827	72	15	6	3	4	-	9	21	19	34
1989.....	2,881	54	16	-	2	5	9	9	9	27	33
1988.....	2,907	57	14	5	2	1	4	10	13	21	28
1987.....	2,749	49	18	1	4	7	8	12	13	28	24
1986.....	2,630	58	15	1	1	4	7	11	14	24	19
1985.....	2,676	56	15	3	2	2	9	17	14	23	30
1984.....	2,666	80	21	4	3	4	5	14	15	22	29
1983.....	2,581	66	24	2	4	7	4	11	13	16	20
1982.....	2,462	79	22	3	5	3	7	7	13	8	24
1981.....	2,371	86	22	3	3	4	6	9	11	11	24
1980.....	2,404	109	18	8	4	9	6	10	21	13	33
1979.....	2,363	121	30	3	2	3	9	5	12	18	28

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)											
TOTAL, FEMALE											
1998.....	6,442	32	17	3	3	2	5	7	12	21	35
1997.....	6,274	21	15	3	1	2	2	5	12	25	38
1996.....	6,142	33	15	5	1	2	5	8	10	23	40
1995.....	5,918	25	15	2	8	2	4	7	10	22	33
1994.....	5,756	32	7	-	2	2	5	4	15	17	40
1993.....	5,667	35	16	3	3	3	2	7	12	17	33
1992.....	5,561	49	12	4	2	2	4	6	13	27	45
1991.....	5,331	59	18	2	-	-	4	11	13	17	33
1990.....	5,316	51	11	-	1	6	3	6	9	19	20
1989.....	5,217	43	14	3	4	4	4	6	12	14	24
1988.....	4,997	43	16	3	-	2	6	6	14	18	25
1987.....	4,891	54	9	4	1	5	12	8	14	15	29
1986.....	4,495	25	14	3	-	2	1	4	14	20	27
1985.....	4,317	42	9	3	4	1	4	6	10	16	16
1984.....	4,171	42	16	5	2	2	13	12	14	13	25
1983.....	3,962	69	19	-	3	1	4	9	9	16	24
1982.....	3,904	59	23	9	1	3	4	7	7	17	21
1981.....	3,821	60	17	5	3	4	8	10	10	11	24
1980.....	3,610	65	28	1	3	7	7	8	17	20	19
1979.....	3,356	103	23	3	4	5	7	9	14	14	15
WHITE, BOTH SEXES											
1998.....	8,657	41	19	7	3	5	12	11	17	26	49
1997.....	8,609	47	24	7	6	8	2	8	20	40	58
1996.....	8,381	51	25	9	2	4	8	15	18	37	70
1995.....	8,189	39	36	6	9	2	7	10	16	36	59
1994.....	8,026	41	14	2	11	7	4	11	24	33	52
1993.....	7,866	44	26	6	5	6	5	13	18	30	64
1992.....	7,611	55	30	4	7	3	9	12	23	40	68
1991.....	7,424	67	22	5	1	2	4	15	21	30	53
1990.....	7,300	68	17	5	2	7	3	8	24	30	41
1989.....	7,265	45	18	1	5	6	9	10	15	28	40
1988.....	7,088	56	23	6	2	2	6	11	15	30	41
1987.....	6,883	56	20	4	4	12	13	16	20	32	44
1986.....	6,434	47	20	3	1	4	7	9	22	33	34
1985.....	6,327	50	22	4	6	2	9	18	17	32	40
1984.....	6,134	65	27	8	4	6	14	16	21	29	46
1983.....	5,937	75	28	2	5	4	7	16	17	25	33
1982.....	5,784	84	41	10	5	3	8	11	17	17	38
1981.....	5,634	77	23	4	4	6	11	17	15	18	37
1980.....	5,438	91	33	5	6	14	9	17	25	25	40
1979.....	5,124	125	41	3	4	6	10	13	20	22	34

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)											
WHITE MALE											
1998.....	2,879	25	7	6	-	3	8	7	8	13	26
1997.....	2,949	29	14	4	5	6	2	5	10	24	30
1996.....	2,852	31	17	7	1	2	7	7	11	22	37
1995.....	2,798	23	23	6	1	-	3	4	10	20	32
1994.....	2,815	22	9	2	9	5	2	8	13	19	25
1993.....	2,729	25	15	3	3	4	3	8	8	18	40
1992.....	2,599	26	22	1	5	2	6	7	13	23	35
1991.....	2,603	32	11	3	1	2	1	8	12	17	33
1990.....	2,467	42	9	5	2	3	-	4	16	14	26
1989.....	2,538	30	10	-	2	4	7	7	8	20	20
1988.....	2,527	31	12	3	2	1	2	6	10	14	19
1987.....	2,422	26	13	1	3	7	4	12	8	20	22
1986.....	2,341	34	12	1	1	2	6	7	12	19	13
1985.....	2,362	28	14	1	2	1	6	13	9	18	26
1984.....	2,353	46	17	3	2	4	4	8	11	16	24
1983.....	2,305	39	17	2	3	4	4	8	10	13	17
1982.....	2,184	45	21	3	4	2	5	5	10	6	19
1981.....	2,123	47	14	1	2	3	5	8	7	9	16
1980.....	2,129	60	14	5	4	8	3	10	14	9	27
1979.....	2,070	71	25	1	2	3	5	5	9	15	21
WHITE FEMALE											
1998.....	5,778	16	12	1	3	2	4	4	9	13	23
1997.....	5,660	18	10	3	1	2	-	3	10	16	28
1996.....	5,529	20	8	2	1	2	1	8	7	15	33
1995.....	5,391	16	13	-	8	2	4	6	6	16	27
1994.....	5,211	19	5	-	2	2	2	3	11	14	27
1993.....	5,137	19	11	3	2	2	2	5	10	12	24
1992.....	5,012	29	8	3	2	1	3	5	10	17	33
1991.....	4,821	35	11	2	-	-	3	7	9	13	20
1990.....	4,833	26	8	-	-	4	3	4	8	16	15
1989.....	4,727	15	8	1	3	2	2	3	7	8	20
1988.....	4,561	25	11	3	-	1	4	5	5	16	22
1987.....	4,461	30	7	3	1	5	9	4	12	12	22
1986.....	4,093	13	8	2	-	2	1	2	10	14	21
1985.....	3,965	22	8	3	4	1	3	5	8	14	14
1984.....	3,781	19	10	5	2	2	10	8	10	13	22
1983.....	3,632	36	11	-	2	-	3	8	7	12	16
1982.....	3,600	39	20	7	1	1	3	6	7	11	19
1981.....	3,511	30	9	3	2	3	6	9	8	9	21
1980.....	3,309	31	19	-	2	6	6	7	11	16	13
1979.....	3,054	54	16	2	2	3	5	8	11	7	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)											
ALL OTHER, BOTH SEXES											
1998.....	1,103	32	12	2	3	3	2	5	8	20	27
1997.....	1,054	26	10	-	1	1	7	3	6	13	17
1996.....	988	30	12	3	2	-	6	3	5	12	22
1995.....	911	27	6	2	1	1	-	4	10	13	13
1994.....	899	23	4	2	-	-	6	2	8	9	21
1993.....	916	33	10	-	3	2	1	3	6	10	19
1992.....	922	43	6	1	1	4	3	4	7	18	21
1991.....	884	54	13	3	-	1	4	6	9	8	22
1990.....	843	55	9	1	2	3	-	7	6	8	13
1989.....	833	52	12	2	1	3	4	5	6	13	17
1988.....	816	44	7	2	-	1	4	5	12	9	12
1987.....	757	47	7	1	1	-	7	4	7	11	9
1986.....	691	36	9	1	-	2	1	6	6	11	12
1985.....	666	48	2	2	-	1	4	5	7	7	6
1984.....	703	57	10	1	1	-	4	10	8	6	8
1983.....	606	60	15	-	2	4	1	4	5	7	11
1982.....	582	54	4	2	1	3	3	3	3	8	7
1981.....	558	69	16	4	2	2	3	2	6	4	11
1980.....	576	83	13	4	1	2	4	1	13	8	12
1979.....	595	99	12	3	2	2	6	1	6	10	9
ALL OTHER MALE											
1998.....	439	16	7	-	3	3	1	2	5	12	15
1997.....	440	23	5	-	1	1	5	1	4	4	7
1996.....	375	17	5	-	2	-	2	3	2	4	15
1995.....	384	18	4	-	1	1	-	3	6	7	7
1994.....	354	10	2	2	-	-	3	1	4	6	8
1993.....	386	17	5	-	2	1	1	1	4	5	10
1992.....	373	23	2	-	1	3	2	3	4	8	9
1991.....	374	30	6	3	-	1	3	2	5	4	9
1990.....	360	30	6	1	1	1	-	5	5	5	8
1989.....	343	24	6	-	-	1	2	2	1	7	13
1988.....	380	26	2	2	-	-	2	4	3	7	9
1987.....	327	23	5	-	1	-	4	-	5	8	2
1986.....	289	24	3	-	-	2	1	4	2	5	6
1985.....	314	28	1	2	-	1	3	4	5	5	4
1984.....	313	34	4	1	1	-	1	6	4	6	5
1983.....	276	27	7	-	1	3	-	3	3	3	3
1982.....	278	34	1	-	1	1	2	2	3	2	5
1981.....	248	39	8	2	1	1	1	1	4	2	8
1980.....	275	49	4	3	-	1	3	-	7	4	6
1979.....	293	50	5	2	-	-	4	-	3	3	7

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)											
ALL OTHER FEMALE											
1998.....	664	16	5	2	-	-	1	3	3	8	12
1997.....	614	3	5	-	-	-	2	2	2	9	10
1996.....	613	13	7	3	-	-	4	-	3	8	7
1995.....	527	9	2	2	-	-	-	1	4	6	6
1994.....	545	13	2	-	-	-	3	1	4	3	13
1993.....	530	16	5	-	1	1	-	2	2	5	9
1992.....	549	20	4	1	-	1	1	1	3	10	12
1991.....	510	24	7	-	-	-	1	4	4	4	13
1990.....	483	25	3	-	1	2	-	2	1	3	5
1989.....	490	28	6	2	1	2	2	3	5	6	4
1988.....	436	18	5	-	-	1	2	1	9	2	3
1987.....	430	24	2	1	-	-	3	4	2	3	7
1986.....	402	12	6	1	-	-	-	2	4	6	6
1985.....	352	20	1	-	-	-	1	1	2	2	2
1984.....	390	23	6	-	-	-	3	4	4	-	3
1983.....	330	33	8	-	1	1	1	1	2	4	8
1982.....	304	20	3	2	-	2	1	1	-	6	2
1981.....	310	30	8	2	1	1	2	1	2	2	3
1980.....	301	34	9	1	1	1	1	1	6	4	6
1979.....	302	49	7	1	2	2	2	1	3	7	2
BLACK, BOTH SEXES											
1998.....	963	28	11	2	3	2	2	5	8	18	25
1997.....	897	25	8	-	1	-	6	3	6	12	16
1996.....	867	28	9	1	2	-	4	3	4	12	20
1995.....	783	24	6	2	1	1	-	3	8	13	10
1994.....	797	19	3	2	-	-	6	2	6	9	20
1993.....	808	30	10	-	3	2	1	2	6	10	19
1992.....	821	39	6	1	1	3	2	3	7	18	18
1991.....	789	51	10	3	-	1	4	6	9	8	20
1990.....	748	47	9	1	2	2	-	7	6	8	11
1989.....	764	51	10	2	1	2	4	4	6	12	17
1988.....	727	40	5	2	-	1	3	5	11	6	11
1987.....	687	45	5	1	1	-	5	4	7	11	9
1986.....	619	29	6	-	-	1	1	6	6	10	10
1985.....	607	43	1	2	-	-	4	5	7	6	6
1984.....	630	47	8	1	1	-	4	9	8	4	7
1983.....	547	52	11	-	2	4	1	4	4	7	11
1982.....	537	49	3	2	1	3	3	3	3	5	6
1981.....	521	61	14	3	2	2	3	2	6	4	10
1980.....	521	73	11	3	1	2	4	1	13	8	9
1979.....	535	87	9	3	2	2	6	1	6	10	9

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)											
BLACK MALE											
1998.....	381	14	7	-	3	2	1	2	5	11	15
1997.....	366	22	3	-	1	-	4	1	4	4	7
1996.....	327	16	4	-	2	-	2	3	1	4	14
1995.....	327	16	4	-	1	1	-	3	5	7	6
1994.....	308	8	1	2	-	-	3	1	4	6	8
1993.....	330	15	5	-	2	1	1	-	4	5	10
1992.....	317	19	2	-	1	2	2	3	4	8	8
1991.....	324	29	5	3	-	1	3	2	5	4	9
1990.....	317	26	6	1	1	-	-	5	5	5	7
1989.....	314	23	6	-	-	1	2	2	1	7	13
1988.....	337	24	1	2	-	-	1	4	3	6	9
1987.....	297	22	3	-	1	-	4	-	5	8	2
1986.....	254	19	3	-	-	1	1	4	2	5	5
1985.....	278	27	-	2	-	-	3	4	5	4	4
1984.....	281	28	4	1	1	-	1	5	4	4	4
1983.....	250	22	4	-	1	3	-	3	2	3	3
1982.....	256	32	1	-	1	1	2	2	3	-	4
1981.....	229	34	7	2	1	1	1	1	4	2	7
1980.....	250	46	4	2	-	1	3	-	7	4	4
1979.....	257	45	4	2	-	-	4	-	3	3	7
BLACK FEMALE											
1998.....	582	14	4	2	-	-	1	3	3	7	10
1997.....	531	3	5	-	-	-	2	2	2	8	9
1996.....	540	12	5	1	-	-	2	-	3	8	6
1995.....	456	8	2	2	-	-	-	-	3	6	4
1994.....	489	11	2	-	-	-	3	1	2	3	12
1993.....	478	15	5	-	1	1	-	2	2	5	9
1992.....	504	20	4	1	-	1	-	-	3	10	10
1991.....	465	22	5	-	-	-	1	4	4	4	11
1990.....	431	21	3	-	1	2	-	2	1	3	4
1989.....	450	28	4	2	1	1	2	2	5	5	4
1988.....	390	16	4	-	-	1	2	1	8	-	2
1987.....	390	23	2	1	-	-	1	4	2	3	7
1986.....	365	10	3	-	-	-	-	2	4	5	5
1985.....	329	16	1	-	-	-	1	1	2	2	2
1984.....	349	19	4	-	-	-	3	4	4	-	3
1983.....	297	30	7	-	1	1	1	1	2	4	8
1982.....	281	17	2	2	-	2	1	1	-	5	2
1981.....	292	27	7	1	1	1	2	1	2	2	3
1980.....	271	27	7	1	1	1	1	1	6	4	5
1979.....	278	42	5	1	2	2	2	1	3	7	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DIVERTICULA OF INTESTINE (562)											
TOTAL, BOTH SEXES											
1998.....	3,441	-	-	-	-	-	1	1	2	12	17
1997.....	3,237	-	-	1	-	-	2	1	2	10	19
1996.....	3,137	-	-	1	-	-	2	1	3	9	7
1995.....	3,067	-	-	-	-	1	-	1	4	10	11
1994.....	3,205	-	-	-	-	-	-	1	5	12	21
1993.....	3,228	-	-	-	-	-	1	1	7	12	13
1992.....	3,190	-	-	-	-	-	-	1	1	7	14
1991.....	3,128	-	1	-	-	-	-	4	3	12	18
1990.....	3,092	-	-	-	-	-	1	1	4	8	14
1989.....	3,089	-	-	-	-	-	-	-	2	7	15
1988.....	3,010	-	-	-	-	-	2	1	2	8	13
1987.....	3,012	-	-	-	-	-	-	-	2	5	18
1986.....	3,012	-	-	-	-	-	-	2	9	3	13
1985.....	2,933	-	1	-	-	-	-	-	1	5	7
1984.....	2,920	-	-	-	-	-	1	2	3	10	15
1983.....	3,001	1	-	-	-	-	-	1	3	7	14
1982.....	2,987	-	-	-	1	-	-	2	2	6	11
1981.....	2,958	-	-	-	-	-	1	2	1	6	22
1980.....	3,135	-	-	-	-	2	-	-	6	4	15
1979.....	2,924	1	-	-	-	-	1	-	3	8	10
TOTAL, MALE											
1998.....	1,022	-	-	-	-	-	1	-	1	7	10
1997.....	1,015	-	-	1	-	-	1	1	-	7	13
1996.....	1,000	-	-	-	-	-	2	1	2	4	6
1995.....	974	-	-	-	-	1	-	1	2	7	9
1994.....	1,029	-	-	-	-	-	-	-	5	9	14
1993.....	970	-	-	-	-	-	1	1	6	8	8
1992.....	984	-	-	-	-	-	-	-	1	6	8
1991.....	1,007	-	-	-	-	-	-	4	2	8	14
1990.....	950	-	-	-	-	-	1	-	3	3	10
1989.....	954	-	-	-	-	-	-	-	1	3	13
1988.....	940	-	-	-	-	-	1	1	1	5	7
1987.....	921	-	-	-	-	-	-	-	2	4	8
1986.....	917	-	-	-	-	-	-	2	4	3	7
1985.....	913	-	1	-	-	-	-	-	-	4	4
1984.....	913	-	-	-	-	-	1	2	2	5	8
1983.....	984	1	-	-	-	-	-	1	3	6	10
1982.....	938	-	-	-	-	-	-	1	1	2	2
1981.....	954	-	-	-	-	-	1	1	1	5	14
1980.....	986	-	-	-	-	-	-	-	2	2	9
1979.....	937	1	-	-	-	-	1	-	2	8	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 DIVERTICULA OF INTESTINE (562)												
TOTAL, FEMALE												
1998.....	2,419	-	-	-	-	-	-	1	1	5	7	
1997.....	2,222	-	-	-	-	-	1	-	2	3	6	
1996.....	2,137	-	-	1	-	-	-	-	1	5	1	
1995.....	2,093	-	-	-	-	-	-	-	2	3	2	
1994.....	2,176	-	-	-	-	-	-	1	-	3	7	
1993.....	2,258	-	-	-	-	-	-	-	1	4	5	
1992.....	2,206	-	-	-	-	-	-	1	-	1	6	
1991.....	2,121	-	1	-	-	-	-	-	1	4	4	
1990.....	2,142	-	-	-	-	-	-	1	1	5	4	
1989.....	2,135	-	-	-	-	-	-	-	1	4	2	
1988.....	2,070	-	-	-	-	-	1	-	1	3	6	
1987.....	2,091	-	-	-	-	-	-	-	-	1	10	
1986.....	2,095	-	-	-	-	-	-	-	5	-	6	
1985.....	2,020	-	-	-	-	-	-	-	1	1	3	
1984.....	2,007	-	-	-	-	-	-	-	1	5	7	
1983.....	2,017	-	-	-	-	-	-	-	-	1	4	
1982.....	2,049	-	-	-	1	-	-	1	1	4	9	
1981.....	2,004	-	-	-	-	-	-	1	-	1	8	
1980.....	2,149	-	-	-	-	2	-	-	4	2	6	
1979.....	1,987	-	-	-	-	-	-	-	1	-	5	
WHITE, BOTH SEXES												
1998.....	3,145	-	-	-	-	-	1	1	-	9	15	
1997.....	2,958	-	-	1	-	-	2	1	1	8	13	
1996.....	2,870	-	-	1	-	-	1	1	3	7	6	
1995.....	2,832	-	-	-	-	1	-	1	3	10	8	
1994.....	2,956	-	-	-	-	-	-	-	4	7	15	
1993.....	2,962	-	-	-	-	-	1	1	6	9	8	
1992.....	2,946	-	-	-	-	-	-	1	-	5	13	
1991.....	2,867	-	1	-	-	-	-	4	1	10	14	
1990.....	2,878	-	-	-	-	-	1	-	4	4	8	
1989.....	2,836	-	-	-	-	-	-	-	2	3	11	
1988.....	2,774	-	-	-	-	-	2	1	2	8	11	
1987.....	2,756	-	-	-	-	-	-	-	1	4	15	
1986.....	2,769	-	-	-	-	-	-	1	7	3	10	
1985.....	2,692	-	-	-	-	-	-	-	1	5	6	
1984.....	2,694	-	-	-	-	-	1	2	3	9	8	
1983.....	2,778	1	-	-	-	-	-	1	2	6	9	
1982.....	2,788	-	-	-	-	-	-	2	1	6	8	
1981.....	2,724	-	-	-	-	-	1	2	1	3	17	
1980.....	2,868	-	-	-	-	2	-	-	6	2	12	
1979.....	2,704	1	-	-	-	-	1	-	2	7	9	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DIVERTICULA OF INTESTINE (562)											
WHITE MALE											
1998.....	933	-	-	-	-	-	1	-	-	6	10
1997.....	931	-	-	1	-	-	1	1	-	6	10
1996.....	900	-	-	-	-	-	1	1	2	3	5
1995.....	896	-	-	-	-	1	-	1	2	7	6
1994.....	951	-	-	-	-	-	-	-	4	6	9
1993.....	881	-	-	-	-	-	1	1	5	6	7
1992.....	900	-	-	-	-	-	-	-	-	5	7
1991.....	923	-	-	-	-	-	-	4	-	7	11
1990.....	888	-	-	-	-	-	1	-	3	2	7
1989.....	867	-	-	-	-	-	-	-	1	1	9
1988.....	866	-	-	-	-	-	1	1	1	5	5
1987.....	844	-	-	-	-	-	-	-	1	3	7
1986.....	839	-	-	-	-	-	-	1	3	3	6
1985.....	834	-	-	-	-	-	-	-	-	4	3
1984.....	845	-	-	-	-	-	1	2	2	5	4
1983.....	908	1	-	-	-	-	-	1	2	5	5
1982.....	886	-	-	-	-	-	-	1	1	2	2
1981.....	868	-	-	-	-	-	1	1	1	2	12
1980.....	890	-	-	-	-	-	-	-	2	2	7
1979.....	872	1	-	-	-	-	1	-	1	7	4
WHITE FEMALE											
1998.....	2,212	-	-	-	-	-	-	1	-	3	5
1997.....	2,027	-	-	-	-	-	1	-	1	2	3
1996.....	1,970	-	-	1	-	-	-	-	1	4	1
1995.....	1,936	-	-	-	-	-	-	-	1	3	2
1994.....	2,005	-	-	-	-	-	-	-	-	1	6
1993.....	2,081	-	-	-	-	-	-	-	1	3	1
1992.....	2,046	-	-	-	-	-	-	1	-	-	6
1991.....	1,944	-	1	-	-	-	-	-	1	3	3
1990.....	1,990	-	-	-	-	-	-	-	1	2	1
1989.....	1,969	-	-	-	-	-	-	-	1	2	2
1988.....	1,908	-	-	-	-	-	1	-	1	3	6
1987.....	1,912	-	-	-	-	-	-	-	-	1	8
1986.....	1,930	-	-	-	-	-	-	-	4	-	4
1985.....	1,858	-	-	-	-	-	-	-	1	1	3
1984.....	1,849	-	-	-	-	-	-	-	1	4	4
1983.....	1,870	-	-	-	-	-	-	-	-	1	4
1982.....	1,902	-	-	-	-	-	-	1	-	4	6
1981.....	1,856	-	-	-	-	-	-	1	-	1	5
1980.....	1,978	-	-	-	-	2	-	-	4	-	5
1979.....	1,832	-	-	-	-	-	-	-	1	-	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DIVERTICULA OF INTESTINE (562)											
ALL OTHER, BOTH SEXES											
1998.....	296	-	-	-	-	-	-	-	2	3	2
1997.....	279	-	-	-	-	-	-	-	1	2	6
1996.....	267	-	-	-	-	-	1	-	-	2	1
1995.....	235	-	-	-	-	-	-	-	1	-	3
1994.....	249	-	-	-	-	-	-	1	1	5	6
1993.....	266	-	-	-	-	-	-	-	1	3	5
1992.....	244	-	-	-	-	-	-	-	1	2	1
1991.....	261	-	-	-	-	-	-	-	2	2	4
1990.....	214	-	-	-	-	-	-	1	-	4	6
1989.....	253	-	-	-	-	-	-	-	-	4	4
1988.....	236	-	-	-	-	-	-	-	-	-	2
1987.....	256	-	-	-	-	-	-	-	1	1	3
1986.....	243	-	-	-	-	-	-	1	2	-	3
1985.....	241	-	1	-	-	-	-	-	-	-	1
1984.....	226	-	-	-	-	-	-	-	-	1	7
1983.....	223	-	-	-	-	-	-	-	1	1	5
1982.....	199	-	-	-	1	-	-	-	1	-	3
1981.....	234	-	-	-	-	-	-	-	-	3	5
1980.....	267	-	-	-	-	-	-	-	-	2	3
1979.....	220	-	-	-	-	-	-	-	1	1	1
ALL OTHER MALE											
1998.....	89	-	-	-	-	-	-	-	1	1	-
1997.....	84	-	-	-	-	-	-	-	-	1	3
1996.....	100	-	-	-	-	-	1	-	-	1	1
1995.....	78	-	-	-	-	-	-	-	-	-	3
1994.....	78	-	-	-	-	-	-	-	1	3	5
1993.....	89	-	-	-	-	-	-	-	1	2	1
1992.....	84	-	-	-	-	-	-	-	1	1	1
1991.....	84	-	-	-	-	-	-	-	2	1	3
1990.....	62	-	-	-	-	-	-	-	-	1	3
1989.....	87	-	-	-	-	-	-	-	-	2	4
1988.....	74	-	-	-	-	-	-	-	-	-	2
1987.....	77	-	-	-	-	-	-	-	1	1	1
1986.....	78	-	-	-	-	-	-	1	1	-	1
1985.....	79	-	1	-	-	-	-	-	-	-	1
1984.....	68	-	-	-	-	-	-	-	-	-	4
1983.....	76	-	-	-	-	-	-	-	1	1	5
1982.....	52	-	-	-	-	-	-	-	-	-	-
1981.....	86	-	-	-	-	-	-	-	-	3	2
1980.....	96	-	-	-	-	-	-	-	-	-	2
1979.....	65	-	-	-	-	-	-	-	1	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)											
TOTAL, BOTH SEXES											
1998.....	25,192	16	1	3	1	3	19	97	409	1,110	2,260
1997.....	25,175	15	4	-	2	7	18	91	425	1,186	2,322
1996.....	25,047	17	5	4	1	4	16	121	449	1,295	2,345
1995.....	25,222	23	6	3	4	8	25	134	470	1,341	2,364
1994.....	25,406	19	7	3	2	3	23	135	598	1,390	2,308
1993.....	25,209	19	11	4	4	9	30	166	555	1,469	2,287
1992.....	25,263	24	9	1	2	8	24	157	608	1,448	2,160
1991.....	25,429	15	4	3	3	8	30	191	667	1,452	2,139
1990.....	25,815	16	7	3	4	10	34	196	693	1,575	2,041
1989.....	26,694	18	6	4	3	9	48	211	770	1,586	2,017
1988.....	26,409	21	6	1	1	17	36	258	799	1,559	2,004
1987.....	26,201	16	4	4	6	14	57	261	879	1,543	1,879
1986.....	26,159	20	10	1	3	12	57	274	908	1,429	1,759
1985.....	26,767	13	15	2	-	10	55	283	961	1,370	1,744
1984.....	27,317	23	12	11	11	13	53	303	859	1,291	1,781
1983.....	27,266	23	13	5	8	16	50	339	869	1,192	1,759
1982.....	27,690	31	10	8	7	12	75	373	829	1,288	1,719
1981.....	29,308	28	12	8	6	14	87	388	802	1,359	1,873
1980.....	30,583	33	12	6	5	28	94	404	888	1,426	2,064
1979.....	29,720	34	10	5	10	22	72	409	815	1,412	2,078
TOTAL, MALE											
1998.....	16,343	11	-	1	-	3	13	67	265	714	1,624
1997.....	16,260	6	2	-	2	3	12	59	278	800	1,663
1996.....	16,311	12	2	1	1	2	10	82	278	897	1,739
1995.....	16,525	14	2	3	2	4	22	92	322	924	1,781
1994.....	16,513	11	2	1	2	1	12	90	396	971	1,715
1993.....	16,276	15	6	1	1	5	17	114	365	1,027	1,705
1992.....	16,487	14	4	-	2	3	15	97	404	1,042	1,661
1991.....	16,269	10	2	1	1	5	18	118	424	1,029	1,564
1990.....	16,627	8	2	1	1	7	16	125	432	1,134	1,511
1989.....	17,310	11	3	3	3	3	25	140	532	1,201	1,515
1988.....	17,196	12	3	-	1	9	21	142	567	1,137	1,460
1987.....	17,051	8	3	3	3	7	35	159	600	1,110	1,358
1986.....	16,797	9	4	1	3	8	35	172	621	1,062	1,219
1985.....	17,244	8	6	1	-	5	38	182	645	960	1,246
1984.....	17,558	15	4	9	6	9	31	190	604	939	1,233
1983.....	17,530	13	9	3	-	7	20	219	600	825	1,233
1982.....	17,917	21	4	3	5	3	44	240	580	918	1,172
1981.....	18,894	14	8	3	1	7	48	252	562	910	1,302
1980.....	19,768	19	7	2	3	14	55	259	608	964	1,369
1979.....	19,369	19	7	2	4	9	47	279	568	961	1,404

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
TOTAL, FEMALE												
1998.....	8,849	5	1	2	1	-	6	30	144	396	636	
1997.....	8,915	9	2	-	-	4	6	32	147	386	659	
1996.....	8,736	5	3	3	-	2	6	39	171	398	606	
1995.....	8,697	9	4	-	2	4	3	42	148	417	583	
1994.....	8,893	8	5	2	-	2	11	45	202	419	593	
1993.....	8,933	4	5	3	3	4	13	52	190	442	582	
1992.....	8,776	10	5	1	-	5	9	60	204	406	499	
1991.....	9,160	5	2	2	2	3	12	73	243	423	575	
1990.....	9,188	8	5	2	3	3	18	71	261	441	530	
1989.....	9,384	7	3	1	-	6	23	71	238	385	502	
1988.....	9,213	9	3	1	-	8	15	116	232	422	544	
1987.....	9,150	8	1	1	3	7	22	102	279	433	521	
1986.....	9,362	11	6	-	-	4	22	102	287	367	540	
1985.....	9,523	5	9	1	-	5	17	101	316	410	498	
1984.....	9,759	8	8	2	5	4	22	113	255	352	548	
1983.....	9,736	10	4	2	8	9	30	120	269	367	526	
1982.....	9,773	10	6	5	2	9	31	133	249	370	547	
1981.....	10,414	14	4	5	5	7	39	136	240	449	571	
1980.....	10,815	14	5	4	2	14	39	145	280	462	695	
1979.....	10,351	15	3	3	6	13	25	130	247	451	674	
WHITE, BOTH SEXES												
1998.....	21,771	11	-	2	1	2	15	76	325	892	1,845	
1997.....	21,683	9	3	-	2	5	13	73	328	956	1,916	
1996.....	21,422	16	4	4	1	4	13	91	361	992	1,868	
1995.....	21,432	15	3	3	3	3	12	104	361	1,030	1,863	
1994.....	21,476	13	7	2	1	2	15	94	454	1,080	1,789	
1993.....	21,348	14	7	2	1	7	20	120	416	1,095	1,701	
1992.....	21,286	19	8	1	2	7	13	109	439	1,091	1,636	
1991.....	21,386	9	4	2	3	4	18	133	477	1,065	1,574	
1990.....	21,478	13	4	2	3	8	23	132	470	1,103	1,482	
1989.....	22,211	9	3	2	3	5	31	132	517	1,079	1,457	
1988.....	21,924	15	3	1	1	12	23	168	533	1,052	1,450	
1987.....	21,766	8	2	4	3	13	38	172	564	1,014	1,320	
1986.....	21,916	12	8	1	2	10	37	166	565	969	1,242	
1985.....	22,192	5	13	2	-	7	42	173	604	875	1,204	
1984.....	22,909	11	11	10	7	8	36	172	531	852	1,270	
1983.....	22,927	18	11	3	3	9	27	216	534	771	1,258	
1982.....	23,409	19	7	7	5	7	44	217	512	856	1,248	
1981.....	24,465	19	10	6	2	10	60	232	468	871	1,303	
1980.....	25,240	22	9	4	4	21	54	219	505	901	1,402	
1979.....	24,639	25	7	5	5	18	47	229	467	895	1,483	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)											
WHITE MALE											
1998.....	14,096	8	-	1	-	2	12	55	214	586	1,359
1997.....	14,045	4	1	-	2	3	10	50	226	664	1,405
1996.....	13,992	11	2	1	1	2	10	61	227	711	1,427
1995.....	14,100	11	1	3	2	2	10	73	256	720	1,434
1994.....	14,015	7	2	1	1	1	7	71	319	791	1,362
1993.....	13,821	10	4	-	-	5	12	86	286	803	1,296
1992.....	13,910	11	4	-	2	3	7	72	303	813	1,288
1991.....	13,789	6	2	1	1	2	11	88	324	804	1,189
1990.....	13,889	6	2	1	1	6	13	86	314	828	1,138
1989.....	14,414	7	1	2	3	2	16	89	376	848	1,124
1988.....	14,381	7	1	-	1	6	15	102	392	801	1,089
1987.....	14,175	3	2	3	3	7	27	110	404	761	969
1986.....	14,099	4	3	1	2	6	26	111	407	750	872
1985.....	14,321	2	4	1	-	3	30	119	433	647	859
1984.....	14,783	6	4	8	3	7	24	118	402	644	904
1983.....	14,823	10	7	2	-	5	13	154	393	556	902
1982.....	15,249	13	3	3	4	3	29	158	380	638	873
1981.....	15,868	10	7	3	-	5	34	163	359	618	907
1980.....	16,407	15	7	1	3	10	38	157	363	621	948
1979.....	16,104	13	4	2	2	8	29	173	343	636	1,018
WHITE FEMALE											
1998.....	7,675	3	-	1	1	-	3	21	111	306	486
1997.....	7,638	5	2	-	-	2	3	23	102	292	511
1996.....	7,430	5	2	3	-	2	3	30	134	281	441
1995.....	7,332	4	2	-	1	1	2	31	105	310	429
1994.....	7,461	6	5	1	-	1	8	23	135	289	427
1993.....	7,527	4	3	2	1	2	8	34	130	292	405
1992.....	7,376	8	4	1	-	4	6	37	136	278	348
1991.....	7,597	3	2	1	2	2	7	45	153	261	385
1990.....	7,589	7	2	1	2	2	10	46	156	275	344
1989.....	7,797	2	2	-	-	3	15	43	141	231	333
1988.....	7,543	8	2	1	-	6	8	66	141	251	361
1987.....	7,591	5	-	1	-	6	11	62	160	253	351
1986.....	7,817	8	5	-	-	4	11	55	158	219	370
1985.....	7,871	3	9	1	-	4	12	54	171	228	345
1984.....	8,126	5	7	2	4	1	12	54	129	208	366
1983.....	8,104	8	4	1	3	4	14	62	141	215	356
1982.....	8,160	6	4	4	1	4	15	59	132	218	375
1981.....	8,597	9	3	3	2	5	26	69	109	253	396
1980.....	8,833	7	2	3	1	11	16	62	142	280	454
1979.....	8,535	12	3	3	3	10	18	56	124	259	465

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)											
ALL OTHER, BOTH SEXES											
1998.....	3,421	5	1	1	-	1	4	21	84	218	415
1997.....	3,492	6	1	-	-	2	5	18	97	230	406
1996.....	3,625	1	1	-	-	-	3	30	88	303	477
1995.....	3,790	8	3	-	1	5	13	30	109	311	501
1994.....	3,930	6	-	1	1	1	8	41	144	310	519
1993.....	3,861	5	4	2	3	2	10	46	139	374	586
1992.....	3,977	5	1	-	-	1	11	48	169	357	524
1991.....	4,043	6	-	1	-	4	12	58	190	387	565
1990.....	4,337	3	3	1	1	2	11	64	223	472	559
1989.....	4,483	9	3	2	-	4	17	79	253	507	560
1988.....	4,485	6	3	-	-	5	13	90	266	507	554
1987.....	4,435	8	2	-	3	1	19	89	315	529	559
1986.....	4,243	8	2	-	1	2	20	108	343	460	517
1985.....	4,575	8	2	-	-	3	13	110	357	495	540
1984.....	4,408	12	1	1	4	5	17	131	328	439	511
1983.....	4,339	5	2	2	5	7	23	123	335	421	501
1982.....	4,281	12	3	1	2	5	31	156	317	432	471
1981.....	4,843	9	2	2	4	4	27	156	334	488	570
1980.....	5,343	11	3	2	1	7	40	185	383	525	662
1979.....	5,081	9	3	-	5	4	25	180	348	517	595
ALL OTHER MALE											
1998.....	2,247	3	-	-	-	1	1	12	51	128	265
1997.....	2,215	2	1	-	-	-	2	9	52	136	258
1996.....	2,319	1	-	-	-	-	-	21	51	186	312
1995.....	2,425	3	1	-	-	2	12	19	66	204	347
1994.....	2,498	4	-	-	1	-	5	19	77	180	353
1993.....	2,455	5	2	1	1	-	5	28	79	224	409
1992.....	2,577	3	-	-	-	-	8	25	101	229	373
1991.....	2,480	4	-	-	-	3	7	30	100	225	375
1990.....	2,738	2	-	-	-	1	3	39	118	306	373
1989.....	2,896	4	2	1	-	1	9	51	156	353	391
1988.....	2,815	5	2	-	-	3	6	40	175	336	371
1987.....	2,876	5	1	-	-	-	8	49	196	349	389
1986.....	2,698	5	1	-	1	2	9	61	214	312	347
1985.....	2,923	6	2	-	-	2	8	63	212	313	387
1984.....	2,775	9	-	1	3	2	7	72	202	295	329
1983.....	2,707	3	2	1	-	2	7	65	207	269	331
1982.....	2,668	8	1	-	1	-	15	82	200	280	299
1981.....	3,026	4	1	-	1	2	14	89	203	292	395
1980.....	3,361	4	-	1	-	4	17	102	245	343	421
1979.....	3,265	6	3	-	2	1	18	106	225	325	386

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)											
ALL OTHER FEMALE											
1998.....	1,174	2	1	1	-	-	3	9	33	90	150
1997.....	1,277	4	-	-	-	2	3	9	45	94	148
1996.....	1,306	-	1	-	-	-	3	9	37	117	165
1995.....	1,365	5	2	-	1	3	1	11	43	107	154
1994.....	1,432	2	-	1	-	1	3	22	67	130	166
1993.....	1,406	-	2	1	2	2	5	18	60	150	177
1992.....	1,400	2	1	-	-	1	3	23	68	128	151
1991.....	1,563	2	-	1	-	1	5	28	90	162	190
1990.....	1,599	1	3	1	1	1	8	25	105	166	186
1989.....	1,587	5	1	1	-	3	8	28	97	154	169
1988.....	1,670	1	1	-	-	2	7	50	91	171	183
1987.....	1,559	3	1	-	3	1	11	40	119	180	170
1986.....	1,545	3	1	-	-	-	11	47	129	148	170
1985.....	1,652	2	-	-	-	1	5	47	145	182	153
1984.....	1,633	3	1	-	1	3	10	59	126	144	182
1983.....	1,632	2	-	1	5	5	16	58	128	152	170
1982.....	1,613	4	2	1	1	5	16	74	117	152	172
1981.....	1,817	5	1	2	3	2	13	67	131	196	175
1980.....	1,982	7	3	1	1	3	23	83	138	182	241
1979.....	1,816	3	-	-	3	3	7	74	123	192	209
BLACK, BOTH SEXES											
1998.....	2,697	5	1	1	-	1	2	10	49	159	328
1997.....	2,820	5	1	-	-	2	4	13	54	168	325
1996.....	2,950	1	1	-	-	-	2	20	54	241	393
1995.....	3,073	5	1	-	1	5	9	17	77	243	411
1994.....	3,245	6	-	1	1	1	7	28	103	243	449
1993.....	3,228	4	4	2	2	2	8	37	110	300	495
1992.....	3,315	5	1	-	-	1	7	31	131	296	469
1991.....	3,464	6	-	1	-	4	9	44	159	338	504
1990.....	3,753	3	3	1	1	2	8	51	186	420	499
1989.....	3,851	7	3	2	-	3	15	67	210	444	492
1988.....	3,903	6	2	-	-	4	11	70	237	452	505
1987.....	3,916	7	1	-	3	1	13	76	290	492	508
1986.....	3,745	7	2	-	1	2	16	98	304	414	473
1985.....	4,055	5	2	-	-	3	12	96	321	449	485
1984.....	3,901	11	1	1	4	5	15	119	289	389	449
1983.....	3,883	3	2	1	4	6	20	108	304	390	445
1982.....	3,839	12	2	1	2	5	28	136	282	396	425
1981.....	4,349	7	2	2	4	4	22	134	300	439	512
1980.....	4,790	10	3	2	1	7	38	168	333	459	592
1979.....	4,567	6	2	-	5	3	23	154	300	474	527

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)											
BLACK MALE											
1998.....	1,804	3	-	-	-	1	-	7	28	94	217
1997.....	1,818	1	1	-	-	-	2	6	30	98	206
1996.....	1,923	1	-	-	-	-	-	16	27	153	261
1995.....	1,999	2	1	-	-	2	8	10	42	158	282
1994.....	2,097	4	-	-	1	-	5	15	56	146	309
1993.....	2,100	4	2	1	-	-	5	24	63	181	353
1992.....	2,181	3	-	-	-	-	6	15	81	193	334
1991.....	2,137	4	-	-	-	3	6	23	82	199	333
1990.....	2,393	2	-	-	-	1	2	34	103	272	330
1989.....	2,517	4	2	1	-	-	8	44	132	314	346
1988.....	2,476	5	2	-	-	2	6	33	160	304	336
1987.....	2,574	4	1	-	-	-	6	41	181	326	358
1986.....	2,404	4	1	-	1	2	6	54	195	285	319
1985.....	2,616	4	2	-	-	2	7	54	192	292	352
1984.....	2,458	8	-	1	3	2	5	62	179	265	296
1983.....	2,429	3	2	-	-	2	7	56	184	251	293
1982.....	2,408	8	1	-	1	-	13	73	176	259	272
1981.....	2,740	3	1	-	1	2	13	82	181	263	357
1980.....	3,020	4	-	1	-	4	16	91	219	302	380
1979.....	2,954	4	2	-	2	1	16	90	200	304	344
BLACK FEMALE											
1998.....	893	2	1	1	-	-	2	3	21	65	111
1997.....	1,002	4	-	-	-	2	2	7	24	70	119
1996.....	1,027	-	1	-	-	-	2	4	27	88	132
1995.....	1,074	3	-	-	1	3	1	7	35	85	129
1994.....	1,148	2	-	1	-	1	2	13	47	97	140
1993.....	1,128	-	2	1	2	2	3	13	47	119	142
1992.....	1,134	2	1	-	-	1	1	16	50	103	135
1991.....	1,327	2	-	1	-	1	3	21	77	139	171
1990.....	1,360	1	3	1	1	1	6	17	83	148	169
1989.....	1,334	3	1	1	-	3	7	23	78	130	146
1988.....	1,427	1	-	-	-	2	5	37	77	148	169
1987.....	1,342	3	-	-	3	1	7	35	109	166	150
1986.....	1,341	3	1	-	-	-	10	44	109	129	154
1985.....	1,439	1	-	-	-	1	5	42	129	157	133
1984.....	1,443	3	1	-	1	3	10	57	110	124	153
1983.....	1,454	-	-	1	4	4	13	52	120	139	152
1982.....	1,431	4	1	1	1	5	15	63	106	137	153
1981.....	1,609	4	1	2	3	2	9	52	119	176	155
1980.....	1,770	6	3	1	1	3	22	77	114	157	212
1979.....	1,613	2	-	-	3	2	7	64	100	170	183

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)											
TOTAL, BOTH SEXES											
1998.....	11,798	-	-	-	-	-	11	57	275	732	1,485
1997.....	11,945	-	-	-	-	-	6	60	302	811	1,534
1996.....	12,079	-	-	-	-	-	5	86	308	859	1,567
1995.....	12,211	1	-	-	-	1	11	89	327	880	1,596
1994.....	12,241	-	-	-	-	-	13	82	417	928	1,521
1993.....	11,653	-	-	-	-	-	13	98	357	973	1,453
1992.....	11,868	-	-	-	-	1	11	102	412	984	1,399
1991.....	11,688	1	-	-	-	-	12	118	424	982	1,396
1990.....	11,985	1	-	-	-	1	17	118	462	1,067	1,314
1989.....	12,308	-	-	-	-	-	23	132	518	1,042	1,260
1988.....	11,792	1	-	-	-	1	15	148	517	937	1,226
1987.....	11,265	-	-	-	-	-	27	148	517	937	1,096
1986.....	11,060	1	-	-	-	2	27	157	551	848	1,018
1985.....	11,288	-	-	-	-	-	17	164	561	822	995
1984.....	11,386	1	1	3	-	1	19	143	497	763	1,028
1983.....	11,076	1	-	2	-	2	17	181	472	654	971
1982.....	11,293	2	-	-	-	-	26	208	445	709	960
1981.....	12,085	1	-	1	-	1	32	202	428	756	1,016
1980.....	12,938	2	1	-	-	3	30	218	476	789	1,153
1979.....	12,547	1	-	-	-	4	23	211	441	770	1,097
TOTAL, MALE											
1998.....	8,708	-	-	-	-	-	9	39	180	472	1,053
1997.....	8,742	-	-	-	-	-	5	38	194	537	1,092
1996.....	8,853	-	-	-	-	-	4	59	192	585	1,160
1995.....	9,032	1	-	-	-	1	11	62	216	598	1,213
1994.....	8,988	-	-	-	-	-	8	53	289	642	1,135
1993.....	8,552	-	-	-	-	-	8	62	233	709	1,074
1992.....	8,777	-	-	-	-	1	7	65	276	701	1,091
1991.....	8,487	-	-	-	-	-	6	73	277	697	1,026
1990.....	8,676	1	-	-	-	1	12	77	290	768	977
1989.....	9,012	-	-	-	-	-	15	90	365	780	951
1988.....	8,530	-	-	-	-	1	10	86	356	675	894
1987.....	8,221	-	-	-	-	-	11	89	351	692	812
1986.....	7,931	1	-	-	-	2	19	102	380	630	723
1985.....	8,129	-	-	-	-	-	11	108	379	591	725
1984.....	8,107	1	-	3	-	1	14	95	353	564	742
1983.....	7,828	1	-	1	-	2	7	126	337	454	695
1982.....	7,997	2	-	-	-	-	19	129	310	515	681
1981.....	8,478	1	-	-	-	-	18	141	301	514	739
1980.....	9,088	-	-	-	-	-	18	139	334	558	795
1979.....	8,793	1	-	-	-	2	19	155	318	532	757

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)											
TOTAL, FEMALE											
1998.....	3,090	-	-	-	-	-	2	18	95	260	432
1997.....	3,203	-	-	-	-	-	1	22	108	274	442
1996.....	3,226	-	-	-	-	-	1	27	116	274	407
1995.....	3,179	-	-	-	-	-	-	27	111	282	383
1994.....	3,253	-	-	-	-	-	5	29	128	286	386
1993.....	3,101	-	-	-	-	-	5	36	124	264	379
1992.....	3,091	-	-	-	-	-	4	37	136	283	308
1991.....	3,201	1	-	-	-	-	6	45	147	285	370
1990.....	3,309	-	-	-	-	-	5	41	172	299	337
1989.....	3,296	-	-	-	-	-	8	42	153	262	309
1988.....	3,262	1	-	-	-	-	5	62	161	262	332
1987.....	3,044	-	-	-	-	-	16	59	166	245	284
1986.....	3,129	-	-	-	-	-	8	55	171	218	295
1985.....	3,159	-	-	-	-	-	6	56	182	231	270
1984.....	3,279	-	1	-	-	-	5	48	144	199	286
1983.....	3,248	-	-	1	-	-	10	55	135	200	276
1982.....	3,296	-	-	-	-	-	7	79	135	194	279
1981.....	3,607	-	-	1	-	1	14	61	127	242	277
1980.....	3,850	2	1	-	-	3	12	79	142	231	358
1979.....	3,754	-	-	-	-	2	4	56	123	238	340
WHITE, BOTH SEXES											
1998.....	9,947	-	-	-	-	-	8	47	225	592	1,218
1997.....	10,061	-	-	-	-	-	5	48	235	664	1,260
1996.....	10,048	-	-	-	-	-	4	61	252	658	1,263
1995.....	10,067	1	-	-	-	1	4	70	249	684	1,272
1994.....	9,991	-	-	-	-	-	8	59	312	738	1,191
1993.....	9,560	-	-	-	-	-	10	77	269	720	1,085
1992.....	9,593	-	-	-	-	1	8	66	299	740	1,046
1991.....	9,393	-	-	-	-	-	7	82	312	704	1,016
1990.....	9,482	1	-	-	-	1	14	75	311	733	952
1989.....	9,689	-	-	-	-	-	13	76	351	692	878
1988.....	9,236	1	-	-	-	1	11	97	341	600	852
1987.....	8,852	-	-	-	-	-	14	94	322	602	752
1986.....	8,774	1	-	-	-	2	18	86	340	559	711
1985.....	8,821	-	-	-	-	-	13	98	326	498	674
1984.....	9,078	-	1	3	-	1	13	74	289	485	710
1983.....	8,937	1	-	1	-	-	8	112	280	410	684
1982.....	9,159	-	-	-	-	-	18	115	275	462	685
1981.....	9,657	1	-	1	-	1	19	113	247	483	687
1980.....	10,222	-	-	-	-	2	12	115	267	495	774
1979.....	9,967	-	-	-	-	3	12	104	245	489	767

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)											
WHITE MALE											
1998.....	7,417	-	-	-	-	-	8	34	150	390	885
1997.....	7,485	-	-	-	-	-	5	32	158	455	925
1996.....	7,484	-	-	-	-	-	4	40	158	458	967
1995.....	7,569	1	-	-	-	1	4	50	171	476	987
1994.....	7,464	-	-	-	-	-	5	46	229	536	909
1993.....	7,112	-	-	-	-	-	6	53	188	549	817
1992.....	7,211	-	-	-	-	1	5	47	209	545	836
1991.....	6,985	-	-	-	-	-	4	54	214	534	776
1990.....	7,001	1	-	-	-	1	10	50	210	557	735
1989.....	7,225	-	-	-	-	-	9	54	259	544	682
1988.....	6,806	-	-	-	-	1	7	60	246	454	644
1987.....	6,540	-	-	-	-	-	7	61	223	462	562
1986.....	6,369	1	-	-	-	2	14	61	245	437	510
1985.....	6,455	-	-	-	-	-	10	69	237	378	492
1984.....	6,579	-	-	3	-	1	11	57	229	370	531
1983.....	6,421	1	-	1	-	-	5	82	216	303	495
1982.....	6,593	-	-	-	-	-	14	84	204	356	499
1981.....	6,868	1	-	-	-	-	11	87	194	346	497
1980.....	7,285	-	-	-	-	-	8	80	200	351	539
1979.....	7,080	-	-	-	-	2	10	88	190	356	543
WHITE FEMALE											
1998.....	2,530	-	-	-	-	-	-	13	75	202	333
1997.....	2,576	-	-	-	-	-	-	16	77	209	335
1996.....	2,564	-	-	-	-	-	-	21	94	200	296
1995.....	2,498	-	-	-	-	-	-	20	78	208	285
1994.....	2,527	-	-	-	-	-	3	13	83	202	282
1993.....	2,448	-	-	-	-	-	4	24	81	171	268
1992.....	2,382	-	-	-	-	-	3	19	90	195	210
1991.....	2,408	-	-	-	-	-	3	28	98	170	240
1990.....	2,481	-	-	-	-	-	4	25	101	176	217
1989.....	2,464	-	-	-	-	-	4	22	92	148	196
1988.....	2,430	1	-	-	-	-	4	37	95	146	208
1987.....	2,312	-	-	-	-	-	7	33	99	140	190
1986.....	2,405	-	-	-	-	-	4	25	95	122	201
1985.....	2,366	-	-	-	-	-	3	29	89	120	182
1984.....	2,499	-	1	-	-	-	2	17	60	115	179
1983.....	2,516	-	-	-	-	-	3	30	64	107	189
1982.....	2,566	-	-	-	-	-	4	31	71	106	186
1981.....	2,789	-	-	1	-	1	8	26	53	137	190
1980.....	2,937	-	-	-	-	2	4	35	67	144	235
1979.....	2,887	-	-	-	-	1	2	16	55	133	224

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)											
ALL OTHER, BOTH SEXES											
1998.....	1,851	-	-	-	-	-	3	10	50	140	267
1997.....	1,884	-	-	-	-	-	1	12	67	147	274
1996.....	2,031	-	-	-	-	-	1	25	56	201	304
1995.....	2,144	-	-	-	-	-	7	19	78	196	324
1994.....	2,250	-	-	-	-	-	5	23	105	190	330
1993.....	2,093	-	-	-	-	-	3	21	88	253	368
1992.....	2,275	-	-	-	-	-	3	36	113	244	353
1991.....	2,295	1	-	-	-	-	5	36	112	278	380
1990.....	2,503	-	-	-	-	-	3	43	151	334	362
1989.....	2,619	-	-	-	-	-	10	56	167	350	382
1988.....	2,556	-	-	-	-	-	4	51	176	337	374
1987.....	2,413	-	-	-	-	-	13	54	195	335	344
1986.....	2,286	-	-	-	-	-	9	71	211	289	307
1985.....	2,467	-	-	-	-	-	4	66	235	324	321
1984.....	2,308	1	-	-	-	-	6	69	208	278	318
1983.....	2,139	-	-	1	-	2	9	69	192	244	287
1982.....	2,134	2	-	-	-	-	8	93	170	247	275
1981.....	2,428	-	-	-	-	-	13	89	181	273	329
1980.....	2,716	2	1	-	-	1	18	103	209	294	379
1979.....	2,580	1	-	-	-	1	11	107	196	281	330
ALL OTHER MALE											
1998.....	1,291	-	-	-	-	-	1	5	30	82	168
1997.....	1,257	-	-	-	-	-	-	6	36	82	167
1996.....	1,369	-	-	-	-	-	-	19	34	127	193
1995.....	1,463	-	-	-	-	-	7	12	45	122	226
1994.....	1,524	-	-	-	-	-	3	7	60	106	226
1993.....	1,440	-	-	-	-	-	2	9	45	160	257
1992.....	1,566	-	-	-	-	-	2	18	67	156	255
1991.....	1,502	-	-	-	-	-	2	19	63	163	250
1990.....	1,675	-	-	-	-	-	2	27	80	211	242
1989.....	1,787	-	-	-	-	-	6	36	106	236	269
1988.....	1,724	-	-	-	-	-	3	26	110	221	250
1987.....	1,681	-	-	-	-	-	4	28	128	230	250
1986.....	1,562	-	-	-	-	-	5	41	135	193	213
1985.....	1,674	-	-	-	-	-	1	39	142	213	233
1984.....	1,528	1	-	-	-	-	3	38	124	194	211
1983.....	1,407	-	-	-	-	2	2	44	121	151	200
1982.....	1,404	2	-	-	-	-	5	45	106	159	182
1981.....	1,610	-	-	-	-	-	7	54	107	168	242
1980.....	1,803	-	-	-	-	-	10	59	134	207	256
1979.....	1,713	1	-	-	-	-	9	67	128	176	214

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)											
ALL OTHER FEMALE											
1998.....	560	-	-	-	-	-	2	5	20	58	99
1997.....	627	-	-	-	-	-	1	6	31	65	107
1996.....	662	-	-	-	-	-	1	6	22	74	111
1995.....	681	-	-	-	-	-	-	7	33	74	98
1994.....	726	-	-	-	-	-	2	16	45	84	104
1993.....	653	-	-	-	-	-	1	12	43	93	111
1992.....	709	-	-	-	-	-	1	18	46	88	98
1991.....	793	1	-	-	-	-	3	17	49	115	130
1990.....	828	-	-	-	-	-	1	16	71	123	120
1989.....	832	-	-	-	-	-	4	20	61	114	113
1988.....	832	-	-	-	-	-	1	25	66	116	124
1987.....	732	-	-	-	-	-	9	26	67	105	94
1986.....	724	-	-	-	-	-	4	30	76	96	94
1985.....	793	-	-	-	-	-	3	27	93	111	88
1984.....	780	-	-	-	-	-	3	31	84	84	107
1983.....	732	-	-	1	-	-	7	25	71	93	87
1982.....	730	-	-	-	-	-	3	48	64	88	93
1981.....	818	-	-	-	-	-	6	35	74	105	87
1980.....	913	2	1	-	-	1	8	44	75	87	123
1979.....	867	-	-	-	-	1	2	40	68	105	116
BLACK, BOTH SEXES											
1998.....	1,410	-	-	-	-	-	1	3	21	95	202
1997.....	1,501	-	-	-	-	-	-	7	28	106	215
1996.....	1,644	-	-	-	-	-	1	16	26	151	243
1995.....	1,733	-	-	-	-	-	6	8	51	145	262
1994.....	1,867	-	-	-	-	-	4	13	70	138	280
1993.....	1,770	-	-	-	-	-	2	16	67	199	306
1992.....	1,917	-	-	-	-	-	1	21	83	193	316
1991.....	1,977	1	-	-	-	-	3	27	89	241	332
1990.....	2,202	-	-	-	-	-	1	32	122	291	324
1989.....	2,254	-	-	-	-	-	9	47	131	302	329
1988.....	2,238	-	-	-	-	-	3	37	153	297	333
1987.....	2,176	-	-	-	-	-	10	46	176	308	315
1986.....	2,058	-	-	-	-	-	7	63	180	255	288
1985.....	2,226	-	-	-	-	-	4	54	209	290	288
1984.....	2,051	-	-	-	-	-	5	63	180	242	276
1983.....	1,904	-	-	1	-	2	7	60	166	221	253
1982.....	1,903	2	-	-	-	-	7	78	143	221	244
1981.....	2,158	-	-	-	-	-	8	73	160	237	288
1980.....	2,406	2	1	-	-	1	17	91	173	248	331
1979.....	2,295	1	-	-	-	-	10	85	159	251	288

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)											
BLACK MALE											
1998.....	1,003	-	-	-	-	-	-	2	12	58	132
1997.....	1,013	-	-	-	-	-	-	3	16	59	129
1996.....	1,119	-	-	-	-	-	-	14	13	98	155
1995.....	1,188	-	-	-	-	-	6	4	25	90	182
1994.....	1,289	-	-	-	-	-	3	5	42	81	194
1993.....	1,239	-	-	-	-	-	2	8	34	126	221
1992.....	1,333	-	-	-	-	-	1	9	52	127	227
1991.....	1,299	-	-	-	-	-	1	16	50	144	218
1990.....	1,493	-	-	-	-	-	1	24	68	182	216
1989.....	1,566	-	-	-	-	-	6	31	85	209	233
1988.....	1,527	-	-	-	-	-	3	20	101	199	223
1987.....	1,531	-	-	-	-	-	4	23	117	211	230
1986.....	1,412	-	-	-	-	-	4	35	119	173	199
1985.....	1,524	-	-	-	-	-	1	32	128	194	211
1984.....	1,365	-	-	-	-	-	2	33	109	173	189
1983.....	1,253	-	-	-	-	2	2	38	101	136	178
1982.....	1,256	2	-	-	-	-	4	39	88	144	162
1981.....	1,448	-	-	-	-	-	6	48	91	146	218
1980.....	1,601	-	-	-	-	-	9	50	115	176	227
1979.....	1,541	1	-	-	-	-	8	53	107	162	190
BLACK FEMALE											
1998.....	407	-	-	-	-	-	1	1	9	37	70
1997.....	488	-	-	-	-	-	-	4	12	47	86
1996.....	525	-	-	-	-	-	1	2	13	53	88
1995.....	545	-	-	-	-	-	-	4	26	55	80
1994.....	578	-	-	-	-	-	1	8	28	57	86
1993.....	531	-	-	-	-	-	-	8	33	73	85
1992.....	584	-	-	-	-	-	-	12	31	66	89
1991.....	678	1	-	-	-	-	2	11	39	97	114
1990.....	709	-	-	-	-	-	-	8	54	109	108
1989.....	688	-	-	-	-	-	3	16	46	93	96
1988.....	711	-	-	-	-	-	-	17	52	98	110
1987.....	645	-	-	-	-	-	6	23	59	97	85
1986.....	646	-	-	-	-	-	3	28	61	82	89
1985.....	702	-	-	-	-	-	3	22	81	96	77
1984.....	686	-	-	-	-	-	3	30	71	69	87
1983.....	651	-	-	1	-	-	5	22	65	85	75
1982.....	647	-	-	-	-	-	3	39	55	77	82
1981.....	710	-	-	-	-	-	2	25	69	91	70
1980.....	805	2	1	-	-	1	8	41	58	72	104
1979.....	754	-	-	-	-	-	2	32	52	89	98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)											
TOTAL, BOTH SEXES											
1998.....	707	-	-	-	-	-	-	-	4	19	24
1997.....	715	-	-	-	-	-	1	-	1	8	15
1996.....	750	2	-	-	1	-	-	2	4	16	26
1995.....	819	2	1	-	1	3	2	5	5	16	36
1994.....	812	1	1	-	-	1	1	4	8	15	24
1993.....	997	1	-	2	-	4	2	9	7	24	37
1992.....	1,163	-	2	-	1	3	3	5	16	44	51
1991.....	1,137	-	-	1	1	2	3	13	16	31	36
1990.....	1,150	-	2	-	-	5	6	11	17	25	43
1989.....	1,180	1	2	1	-	4	2	7	19	43	54
1988.....	1,205	4	1	1	-	3	2	18	28	49	50
1987.....	1,359	2	1	1	1	3	3	18	29	51	51
1986.....	1,232	-	4	-	1	2	9	17	23	41	44
1985.....	1,311	3	2	2	-	3	8	16	32	35	48
1984.....	1,377	4	6	1	4	7	10	26	33	40	60
1983.....	1,263	4	1	-	1	5	7	21	32	40	53
1982.....	1,287	4	4	2	2	5	5	21	29	38	47
1981.....	1,177	2	-	3	2	3	17	26	21	39	35
1980.....	1,243	5	2	1	2	11	12	17	36	43	44
1979.....	1,137	4	1	2	3	5	15	28	23	23	45
TOTAL, MALE											
1998.....	167	-	-	-	-	-	-	-	-	8	15
1997.....	166	-	-	-	-	-	1	-	-	5	8
1996.....	188	1	-	-	1	-	-	2	-	12	15
1995.....	220	1	-	-	-	1	2	3	5	13	19
1994.....	220	-	-	-	-	-	-	3	3	10	18
1993.....	320	1	-	1	-	3	1	8	4	15	20
1992.....	394	-	1	-	1	1	2	2	5	34	34
1991.....	380	-	-	-	-	-	2	10	7	19	19
1990.....	381	-	-	-	-	3	1	8	10	15	34
1989.....	425	1	1	1	-	-	2	5	12	31	36
1988.....	438	3	-	-	-	2	-	6	22	37	33
1987.....	512	2	1	1	-	3	2	9	19	27	27
1986.....	434	-	2	-	1	-	4	9	14	30	26
1985.....	458	2	-	1	-	2	3	6	23	15	26
1984.....	503	2	1	-	2	4	4	14	21	27	36
1983.....	451	2	1	-	-	2	1	13	16	24	28
1982.....	457	3	2	-	1	1	2	13	13	18	23
1981.....	428	1	-	1	1	2	5	13	11	25	11
1980.....	460	3	-	-	1	5	7	13	18	21	16
1979.....	416	2	-	2	1	2	8	12	11	16	20

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)											
TOTAL, FEMALE											
1998.....	540	-	-	-	-	-	-	-	4	11	9
1997.....	549	-	-	-	-	-	-	-	1	3	7
1996.....	562	1	-	-	-	-	-	-	4	4	11
1995.....	599	1	1	-	1	2	-	2	-	3	17
1994.....	592	1	1	-	-	1	1	1	5	5	6
1993.....	677	-	-	1	-	1	1	1	3	9	17
1992.....	769	-	1	-	-	2	1	3	11	10	17
1991.....	757	-	-	1	1	2	1	3	9	12	17
1990.....	769	-	2	-	-	2	5	3	7	10	9
1989.....	755	-	1	-	-	4	-	2	7	12	18
1988.....	767	1	1	1	-	1	2	12	6	12	17
1987.....	847	-	-	-	1	-	1	9	10	24	24
1986.....	798	-	2	-	-	2	5	8	9	11	18
1985.....	853	1	2	1	-	1	5	10	9	20	22
1984.....	874	2	5	1	2	3	6	12	12	13	24
1983.....	812	2	-	-	1	3	6	8	16	16	25
1982.....	830	1	2	2	1	4	3	8	16	20	24
1981.....	749	1	-	2	1	1	12	13	10	14	24
1980.....	783	2	2	1	1	6	5	4	18	22	28
1979.....	721	2	1	-	2	3	7	16	12	7	25
WHITE, BOTH SEXES											
1998.....	661	-	-	-	-	-	-	-	4	15	19
1997.....	643	-	-	-	-	-	-	-	-	6	11
1996.....	665	2	-	-	1	-	-	2	3	12	23
1995.....	735	1	-	-	-	1	1	4	5	14	30
1994.....	717	1	1	-	-	-	1	4	7	11	18
1993.....	909	1	-	-	-	4	1	7	6	20	27
1992.....	1,011	-	2	-	1	2	-	5	10	35	35
1991.....	1,012	-	-	-	1	1	2	11	10	24	29
1990.....	1,014	-	1	-	-	5	3	8	12	21	29
1989.....	1,047	1	1	-	-	2	2	7	11	31	42
1988.....	1,061	2	1	1	-	2	-	13	21	36	41
1987.....	1,211	1	-	1	-	3	3	15	23	41	38
1986.....	1,089	-	4	-	1	2	4	9	18	31	38
1985.....	1,179	-	2	2	-	2	8	12	29	30	41
1984.....	1,233	3	5	1	3	5	6	16	28	33	52
1983.....	1,122	3	1	-	1	3	4	18	26	32	41
1982.....	1,174	3	2	2	2	3	1	14	25	30	41
1981.....	1,063	1	-	2	1	2	15	18	15	38	27
1980.....	1,123	2	-	1	1	8	8	13	27	32	37
1979.....	1,027	3	1	2	1	4	13	25	21	14	38

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)											
WHITE MALE											
1998.....	150	-	-	-	-	-	-	-	-	7	12
1997.....	139	-	-	-	-	-	-	-	-	4	6
1996.....	156	1	-	-	1	-	-	2	-	10	14
1995.....	199	1	-	-	-	-	1	2	5	11	16
1994.....	188	-	-	-	-	-	-	3	3	8	12
1993.....	287	1	-	-	-	3	1	6	3	12	15
1992.....	333	-	1	-	1	1	-	2	4	27	28
1991.....	332	-	-	-	-	-	1	9	6	15	14
1990.....	320	-	-	-	-	3	-	5	7	14	21
1989.....	360	1	-	-	-	-	2	5	8	21	27
1988.....	379	1	-	-	-	1	-	5	17	27	29
1987.....	451	1	-	1	-	3	2	7	16	23	20
1986.....	385	-	2	-	1	-	3	6	13	24	21
1985.....	404	-	-	1	-	1	3	5	20	14	22
1984.....	450	1	1	-	2	4	3	8	18	25	30
1983.....	406	2	1	-	-	2	-	13	14	21	23
1982.....	410	2	1	-	1	1	-	10	11	15	20
1981.....	387	-	-	1	-	1	5	10	8	24	7
1980.....	416	2	-	-	1	3	6	10	15	18	15
1979.....	374	2	-	2	-	2	7	12	11	8	17
WHITE FEMALE											
1998.....	511	-	-	-	-	-	-	-	4	8	7
1997.....	504	-	-	-	-	-	-	-	-	2	5
1996.....	509	1	-	-	-	-	-	-	3	2	9
1995.....	536	-	-	-	-	1	-	2	-	3	14
1994.....	529	1	1	-	-	-	1	1	4	3	6
1993.....	622	-	-	-	-	1	-	1	3	8	12
1992.....	678	-	1	-	-	1	-	3	6	8	7
1991.....	680	-	-	-	1	1	1	2	4	9	15
1990.....	694	-	1	-	-	2	3	3	5	7	8
1989.....	687	-	1	-	-	2	-	2	3	10	15
1988.....	682	1	1	1	-	1	-	8	4	9	12
1987.....	760	-	-	-	-	-	1	8	7	18	18
1986.....	704	-	2	-	-	2	1	3	5	7	17
1985.....	775	-	2	1	-	1	5	7	9	16	19
1984.....	783	2	4	1	1	1	3	8	10	8	22
1983.....	716	1	-	-	1	1	4	5	12	11	18
1982.....	764	1	1	2	1	2	1	4	14	15	21
1981.....	676	1	-	1	1	1	10	8	7	14	20
1980.....	707	-	-	1	-	5	2	3	12	14	22
1979.....	653	1	1	-	1	2	6	13	10	6	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)											
ALL OTHER, BOTH SEXES											
1998.....	46	-	-	-	-	-	-	-	-	4	5
1997.....	72	-	-	-	-	-	1	-	1	2	4
1996.....	85	-	-	-	-	-	-	-	1	4	3
1995.....	84	1	1	-	1	2	1	1	-	2	6
1994.....	95	-	-	-	-	1	-	-	1	4	6
1993.....	88	-	-	2	-	-	1	2	1	4	10
1992.....	152	-	-	-	-	1	3	-	6	9	16
1991.....	125	-	-	1	-	1	1	2	6	7	7
1990.....	136	-	1	-	-	-	3	3	5	4	14
1989.....	133	-	1	1	-	2	-	-	8	12	12
1988.....	144	2	-	-	-	1	2	5	7	13	9
1987.....	148	1	1	-	1	-	-	3	6	10	13
1986.....	143	-	-	-	-	-	5	8	5	10	6
1985.....	132	3	-	-	-	1	-	4	3	5	7
1984.....	144	1	1	-	1	2	4	10	5	7	8
1983.....	141	1	-	-	-	2	3	3	6	8	12
1982.....	113	1	2	-	-	2	4	7	4	8	6
1981.....	114	1	-	1	1	1	2	8	6	1	8
1980.....	120	3	2	-	1	3	4	4	9	11	7
1979.....	110	1	-	-	2	1	2	3	2	9	7
ALL OTHER MALE											
1998.....	17	-	-	-	-	-	-	-	-	1	3
1997.....	27	-	-	-	-	-	1	-	-	1	2
1996.....	32	-	-	-	-	-	-	-	-	2	1
1995.....	21	-	-	-	-	1	1	1	-	2	3
1994.....	32	-	-	-	-	-	-	-	-	2	6
1993.....	33	-	-	1	-	-	-	2	1	3	5
1992.....	61	-	-	-	-	-	2	-	1	7	6
1991.....	48	-	-	-	-	-	1	1	1	4	5
1990.....	61	-	-	-	-	-	1	3	3	1	13
1989.....	65	-	1	1	-	-	-	-	4	10	9
1988.....	59	2	-	-	-	1	-	1	5	10	4
1987.....	61	1	1	-	-	-	-	2	3	4	7
1986.....	49	-	-	-	-	-	1	3	1	6	5
1985.....	54	2	-	-	-	1	-	1	3	1	4
1984.....	53	1	-	-	-	-	1	6	3	2	6
1983.....	45	-	-	-	-	-	1	-	2	3	5
1982.....	47	1	1	-	-	-	2	3	2	3	3
1981.....	41	1	-	-	1	1	-	3	3	1	4
1980.....	44	1	-	-	-	2	1	3	3	3	1
1979.....	42	-	-	-	1	-	1	-	-	8	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)											
ALL OTHER FEMALE											
1998.....	29	-	-	-	-	-	-	-	-	3	2
1997.....	45	-	-	-	-	-	-	-	1	1	2
1996.....	53	-	-	-	-	-	-	-	1	2	2
1995.....	63	1	1	-	1	1	-	-	-	-	3
1994.....	63	-	-	-	-	1	-	-	1	2	-
1993.....	55	-	-	1	-	-	1	-	-	1	5
1992.....	91	-	-	-	-	1	1	-	5	2	10
1991.....	77	-	-	1	-	1	-	1	5	3	2
1990.....	75	-	1	-	-	-	2	-	2	3	1
1989.....	68	-	-	-	-	2	-	-	4	2	3
1988.....	85	-	-	-	-	-	2	4	2	3	5
1987.....	87	-	-	-	1	-	-	1	3	6	6
1986.....	94	-	-	-	-	-	4	5	4	4	1
1985.....	78	1	-	-	-	-	-	3	-	4	3
1984.....	91	-	1	-	1	2	3	4	2	5	2
1983.....	96	1	-	-	-	2	2	3	4	5	7
1982.....	66	-	1	-	-	2	2	4	2	5	3
1981.....	73	-	-	1	-	-	2	5	3	-	4
1980.....	76	2	2	-	1	1	3	1	6	8	6
1979.....	68	1	-	-	1	1	1	3	2	1	4
BLACK, BOTH SEXES											
1998.....	34	-	-	-	-	-	-	-	-	4	3
1997.....	48	-	-	-	-	-	1	-	1	2	2
1996.....	55	-	-	-	-	-	-	-	1	3	2
1995.....	55	1	-	-	1	2	-	1	-	2	3
1994.....	58	-	-	-	-	1	-	-	1	3	5
1993.....	61	-	-	2	-	-	1	2	-	4	7
1992.....	104	-	-	-	-	1	3	-	6	6	12
1991.....	86	-	-	1	-	1	1	1	6	5	6
1990.....	96	-	1	-	-	-	3	2	5	4	10
1989.....	92	-	1	1	-	2	-	-	8	10	11
1988.....	97	2	-	-	-	1	1	5	6	12	8
1987.....	101	1	1	-	1	-	-	1	5	10	10
1986.....	101	-	-	-	-	-	4	7	5	9	3
1985.....	99	3	-	-	-	1	-	4	3	4	7
1984.....	112	1	1	-	1	2	4	8	5	5	4
1983.....	110	-	-	-	-	2	3	3	6	7	10
1982.....	87	1	2	-	-	2	4	6	4	8	4
1981.....	89	-	-	1	1	1	2	8	5	1	6
1980.....	96	2	2	-	1	3	4	4	9	9	4
1979.....	91	1	-	-	2	1	2	3	1	6	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)											
BLACK MALE											
1998.....	14	-	-	-	-	-	-	-	-	1	2
1997.....	20	-	-	-	-	-	1	-	-	1	2
1996.....	21	-	-	-	-	-	-	-	-	1	1
1995.....	13	-	-	-	-	1	-	1	-	2	2
1994.....	19	-	-	-	-	-	-	-	-	2	5
1993.....	24	-	-	1	-	-	-	2	-	3	3
1992.....	39	-	-	-	-	-	2	-	1	5	4
1991.....	31	-	-	-	-	-	1	-	1	3	4
1990.....	40	-	-	-	-	-	1	2	3	1	9
1989.....	43	-	1	1	-	-	-	-	4	8	8
1988.....	35	2	-	-	-	1	-	1	4	9	3
1987.....	41	1	1	-	-	-	-	1	2	4	7
1986.....	30	-	-	-	-	-	-	3	1	5	3
1985.....	43	2	-	-	-	1	-	1	3	1	4
1984.....	35	1	-	-	-	-	1	4	3	1	3
1983.....	32	-	-	-	-	-	1	-	2	3	4
1982.....	34	1	1	-	-	-	2	2	2	3	2
1981.....	30	-	-	-	1	1	-	3	3	1	2
1980.....	36	1	-	-	-	2	1	3	3	2	1
1979.....	33	-	-	-	1	-	1	-	-	5	2
BLACK FEMALE											
1998.....	20	-	-	-	-	-	-	-	-	3	1
1997.....	28	-	-	-	-	-	-	-	1	1	-
1996.....	34	-	-	-	-	-	-	-	1	2	1
1995.....	42	1	-	-	1	1	-	-	-	-	1
1994.....	39	-	-	-	-	1	-	-	1	1	-
1993.....	37	-	-	1	-	-	1	-	-	1	4
1992.....	65	-	-	-	-	1	1	-	5	1	8
1991.....	55	-	-	1	-	1	-	1	5	2	2
1990.....	56	-	1	-	-	-	2	-	2	3	1
1989.....	49	-	-	-	-	2	-	-	4	2	3
1988.....	62	-	-	-	-	-	1	4	2	3	5
1987.....	60	-	-	-	1	-	-	-	3	6	3
1986.....	71	-	-	-	-	-	4	4	4	4	-
1985.....	56	1	-	-	-	-	-	3	-	3	3
1984.....	77	-	1	-	1	2	3	4	2	4	1
1983.....	78	-	-	-	-	2	2	3	4	4	6
1982.....	53	-	1	-	-	2	2	4	2	5	2
1981.....	59	-	-	1	-	-	2	5	2	-	4
1980.....	60	1	2	-	1	1	3	1	6	7	3
1979.....	58	1	-	-	1	1	1	3	1	1	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)											
TOTAL, BOTH SEXES											
1998.....	12,687	16	1	3	1	3	8	40	130	359	751
1997.....	12,515	15	4	-	2	7	11	31	122	367	773
1996.....	12,218	15	5	4	-	4	11	33	137	420	752
1995.....	12,192	20	5	3	3	4	12	40	138	445	732
1994.....	12,353	18	6	3	2	2	9	49	173	447	763
1993.....	12,559	18	11	2	4	5	15	59	191	472	797
1992.....	12,232	24	7	1	1	4	10	50	180	420	710
1991.....	12,604	14	4	2	2	6	15	60	227	439	707
1990.....	12,680	15	5	3	4	4	11	67	214	483	684
1989.....	13,206	17	4	3	3	5	23	72	233	501	703
1988.....	13,412	16	5	-	1	13	19	92	254	573	728
1987.....	13,577	14	3	3	5	11	27	95	333	555	732
1986.....	13,867	19	6	1	2	8	21	100	334	540	697
1985.....	14,168	10	13	-	-	7	30	103	368	513	701
1984.....	14,554	18	5	7	7	5	24	134	329	488	693
1983.....	14,927	18	12	3	7	9	26	137	365	498	735
1982.....	15,110	25	6	6	5	7	44	144	355	541	712
1981.....	16,046	25	12	4	4	10	38	160	353	564	822
1980.....	16,402	26	9	5	3	14	52	169	376	594	867
1979.....	16,036	29	9	3	7	13	34	170	351	619	936
TOTAL, MALE											
1998.....	7,468	11	-	1	-	3	4	28	85	234	556
1997.....	7,352	6	2	-	2	3	6	21	84	258	563
1996.....	7,270	11	2	1	-	2	6	21	86	300	564
1995.....	7,273	12	2	3	2	2	9	27	101	313	549
1994.....	7,305	11	2	1	2	1	4	34	104	319	562
1993.....	7,404	14	6	-	1	2	8	44	128	303	611
1992.....	7,316	14	3	-	1	1	6	30	123	307	536
1991.....	7,402	10	2	1	1	5	10	35	140	313	519
1990.....	7,570	7	2	1	1	3	3	40	132	351	500
1989.....	7,873	10	2	2	3	3	8	45	155	390	528
1988.....	8,228	9	3	-	1	6	11	50	189	425	533
1987.....	8,318	6	2	2	3	4	22	61	230	391	519
1986.....	8,432	8	2	1	2	6	12	61	227	402	470
1985.....	8,657	6	6	-	-	3	24	68	243	354	495
1984.....	8,948	12	3	6	4	4	13	81	230	348	455
1983.....	9,251	10	8	2	-	3	12	80	247	347	510
1982.....	9,463	16	2	3	4	2	23	98	257	385	468
1981.....	9,988	12	8	2	-	5	25	98	250	371	552
1980.....	10,220	16	7	2	2	9	30	107	256	385	558
1979.....	10,160	16	7	-	3	5	20	112	239	413	627

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)											
TOTAL, FEMALE											
1998.....	5,219	5	1	2	1	-	4	12	45	125	195
1997.....	5,163	9	2	-	-	4	5	10	38	109	210
1996.....	4,948	4	3	3	-	2	5	12	51	120	188
1995.....	4,919	8	3	-	1	2	3	13	37	132	183
1994.....	5,048	7	4	2	-	1	5	15	69	128	201
1993.....	5,155	4	5	2	3	3	7	15	63	169	186
1992.....	4,916	10	4	1	-	3	4	20	57	113	174
1991.....	5,202	4	2	1	1	1	5	25	87	126	188
1990.....	5,110	8	3	2	3	1	8	27	82	132	184
1989.....	5,333	7	2	1	-	2	15	27	78	111	175
1988.....	5,184	7	2	-	-	7	8	42	65	148	195
1987.....	5,259	8	1	1	2	7	5	34	103	164	213
1986.....	5,435	11	4	-	-	2	9	39	107	138	227
1985.....	5,511	4	7	-	-	4	6	35	125	159	206
1984.....	5,606	6	2	1	3	1	11	53	99	140	238
1983.....	5,676	8	4	1	7	6	14	57	118	151	225
1982.....	5,647	9	4	3	1	5	21	46	98	156	244
1981.....	6,058	13	4	2	4	5	13	62	103	193	270
1980.....	6,182	10	2	3	1	5	22	62	120	209	309
1979.....	5,876	13	2	3	4	8	14	58	112	206	309
WHITE, BOTH SEXES											
1998.....	11,163	11	-	2	1	2	7	29	96	285	608
1997.....	10,979	9	3	-	2	5	8	25	93	286	645
1996.....	10,709	14	4	4	-	4	9	28	106	322	582
1995.....	10,630	13	3	3	3	1	7	30	107	332	561
1994.....	10,768	12	6	2	1	2	6	31	135	331	580
1993.....	10,879	13	7	2	1	3	9	36	141	355	589
1992.....	10,682	19	6	1	1	4	5	38	130	316	555
1991.....	10,981	9	4	2	2	3	9	40	155	337	529
1990.....	10,982	12	3	2	3	2	6	49	147	349	501
1989.....	11,475	8	2	2	3	3	16	49	155	356	537
1988.....	11,627	12	2	-	1	9	12	58	171	416	557
1987.....	11,703	7	2	3	3	10	21	63	219	371	530
1986.....	12,053	11	4	1	1	6	15	71	207	379	493
1985.....	12,192	5	11	-	-	5	21	63	249	347	489
1984.....	12,598	8	5	6	4	2	17	82	214	334	508
1983.....	12,868	14	10	2	2	6	15	86	228	329	533
1982.....	13,076	16	5	5	3	4	25	88	212	364	522
1981.....	13,745	17	10	3	1	7	26	101	206	350	589
1980.....	13,895	20	9	3	3	11	34	91	211	374	591
1979.....	13,645	22	6	3	4	11	22	100	201	392	678

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)											
WHITE MALE											
1998.....	6,529	8	-	1	-	2	4	21	64	189	462
1997.....	6,421	4	1	-	2	3	5	18	68	205	474
1996.....	6,352	10	2	1	-	2	6	19	69	243	446
1995.....	6,332	9	1	3	2	1	5	21	80	233	431
1994.....	6,363	7	2	1	1	1	2	22	87	247	441
1993.....	6,422	9	4	-	-	2	5	27	95	242	464
1992.....	6,366	11	3	-	1	1	2	23	90	241	424
1991.....	6,472	6	2	1	1	2	6	25	104	255	399
1990.....	6,568	5	2	1	1	2	3	31	97	257	382
1989.....	6,829	6	1	2	3	2	5	30	109	283	415
1988.....	7,196	6	1	-	1	4	8	37	129	320	416
1987.....	7,184	2	2	2	3	4	18	42	165	276	387
1986.....	7,345	3	1	1	1	4	9	44	149	289	341
1985.....	7,462	2	4	-	-	2	17	45	176	255	345
1984.....	7,754	5	3	5	1	2	10	53	155	249	343
1983.....	7,996	7	6	1	-	3	8	59	163	232	384
1982.....	8,246	11	2	3	3	2	15	64	165	267	354
1981.....	8,613	9	7	2	-	4	18	66	157	248	403
1980.....	8,706	13	7	1	2	7	24	67	148	252	394
1979.....	8,650	11	4	-	2	4	12	73	142	272	458
WHITE FEMALE											
1998.....	4,634	3	-	1	1	-	3	8	32	96	146
1997.....	4,558	5	2	-	-	2	3	7	25	81	171
1996.....	4,357	4	2	3	-	2	3	9	37	79	136
1995.....	4,298	4	2	-	1	-	2	9	27	99	130
1994.....	4,405	5	4	1	-	1	4	9	48	84	139
1993.....	4,457	4	3	2	1	1	4	9	46	113	125
1992.....	4,316	8	3	1	-	3	3	15	40	75	131
1991.....	4,509	3	2	1	1	1	3	15	51	82	130
1990.....	4,414	7	1	1	2	-	3	18	50	92	119
1989.....	4,646	2	1	-	-	1	11	19	46	73	122
1988.....	4,431	6	1	-	-	5	4	21	42	96	141
1987.....	4,519	5	-	1	-	6	3	21	54	95	143
1986.....	4,708	8	3	-	-	2	6	27	58	90	152
1985.....	4,730	3	7	-	-	3	4	18	73	92	144
1984.....	4,844	3	2	1	3	-	7	29	59	85	165
1983.....	4,872	7	4	1	2	3	7	27	65	97	149
1982.....	4,830	5	3	2	-	2	10	24	47	97	168
1981.....	5,132	8	3	1	1	3	8	35	49	102	186
1980.....	5,189	7	2	2	1	4	10	24	63	122	197
1979.....	4,995	11	2	3	2	7	10	27	59	120	220

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)											
ALL OTHER, BOTH SEXES											
1998.....	1,524	5	1	1	-	1	1	11	34	74	143
1997.....	1,536	6	1	-	-	2	3	6	29	81	128
1996.....	1,509	1	1	-	-	-	2	5	31	98	170
1995.....	1,562	7	2	-	-	3	5	10	31	113	171
1994.....	1,585	6	-	1	1	-	3	18	38	116	183
1993.....	1,680	5	4	-	3	2	6	23	50	117	208
1992.....	1,550	5	1	-	-	-	5	12	50	104	155
1991.....	1,623	5	-	-	-	3	6	20	72	102	178
1990.....	1,698	3	2	1	1	2	5	18	67	134	183
1989.....	1,731	9	2	1	-	2	7	23	78	145	166
1988.....	1,785	4	3	-	-	4	7	34	83	157	171
1987.....	1,874	7	1	-	2	1	6	32	114	184	202
1986.....	1,814	8	2	-	1	2	6	29	127	161	204
1985.....	1,976	5	2	-	-	2	9	40	119	166	212
1984.....	1,956	10	-	1	3	3	7	52	115	154	185
1983.....	2,059	4	2	1	5	3	11	51	137	169	202
1982.....	2,034	9	1	1	2	3	19	56	143	177	190
1981.....	2,301	8	2	1	3	3	12	59	147	214	233
1980.....	2,507	6	-	2	-	3	18	78	165	220	276
1979.....	2,391	7	3	-	3	2	12	70	150	227	258
ALL OTHER MALE											
1998.....	939	3	-	-	-	1	-	7	21	45	94
1997.....	931	2	1	-	-	-	1	3	16	53	89
1996.....	918	1	-	-	-	-	-	2	17	57	118
1995.....	941	3	1	-	-	1	4	6	21	80	118
1994.....	942	4	-	-	1	-	2	12	17	72	121
1993.....	982	5	2	-	1	-	3	17	33	61	147
1992.....	950	3	-	-	-	-	4	7	33	66	112
1991.....	930	4	-	-	-	3	4	10	36	58	120
1990.....	1,002	2	-	-	-	1	-	9	35	94	118
1989.....	1,044	4	1	-	-	1	3	15	46	107	113
1988.....	1,032	3	2	-	-	2	3	13	60	105	117
1987.....	1,134	4	-	-	-	-	4	19	65	115	132
1986.....	1,087	5	1	-	1	2	3	17	78	113	129
1985.....	1,195	4	2	-	-	1	7	23	67	99	150
1984.....	1,194	7	-	1	3	2	3	28	75	99	112
1983.....	1,255	3	2	1	-	-	4	21	84	115	126
1982.....	1,217	5	-	-	1	-	8	34	92	118	114
1981.....	1,375	3	1	-	-	1	7	32	93	123	149
1980.....	1,514	3	-	1	-	2	6	40	108	133	164
1979.....	1,510	5	3	-	1	1	8	39	97	141	169

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)											
ALL OTHER FEMALE											
1998.....	585	2	1	1	-	-	1	4	13	29	49
1997.....	605	4	-	-	-	2	2	3	13	28	39
1996.....	591	-	1	-	-	-	2	3	14	41	52
1995.....	621	4	1	-	-	2	1	4	10	33	53
1994.....	643	2	-	1	-	-	1	6	21	44	62
1993.....	698	-	2	-	2	2	3	6	17	56	61
1992.....	600	2	1	-	-	-	1	5	17	38	43
1991.....	693	1	-	-	-	-	2	10	36	44	58
1990.....	696	1	2	1	1	1	5	9	32	40	65
1989.....	687	5	1	1	-	1	4	8	32	38	53
1988.....	753	1	1	-	-	2	4	21	23	52	54
1987.....	740	3	1	-	2	1	2	13	49	69	70
1986.....	727	3	1	-	-	-	3	12	49	48	75
1985.....	781	1	-	-	-	1	2	17	52	67	62
1984.....	762	3	-	-	-	1	4	24	40	55	73
1983.....	804	1	-	-	5	3	7	30	53	54	76
1982.....	817	4	1	1	1	3	11	22	51	59	76
1981.....	926	5	1	1	3	2	5	27	54	91	84
1980.....	993	3	-	1	-	1	12	38	57	87	112
1979.....	881	2	-	-	2	1	4	31	53	86	89
BLACK, BOTH SEXES											
1998.....	1,253	5	1	1	-	1	1	7	28	60	123
1997.....	1,271	5	1	-	-	2	3	6	25	60	108
1996.....	1,251	1	1	-	-	-	1	4	27	87	148
1995.....	1,285	4	1	-	-	3	3	8	26	96	146
1994.....	1,320	6	-	1	1	-	3	15	32	102	164
1993.....	1,397	4	4	-	2	2	5	19	43	97	182
1992.....	1,294	5	1	-	-	-	3	10	42	97	141
1991.....	1,401	5	-	-	-	3	5	16	64	92	166
1990.....	1,455	3	2	1	1	2	4	17	59	125	165
1989.....	1,505	7	2	1	-	1	6	20	71	132	152
1988.....	1,568	4	2	-	-	3	7	28	78	143	164
1987.....	1,639	6	-	-	2	1	3	29	109	174	183
1986.....	1,586	7	2	-	1	2	5	28	119	150	182
1985.....	1,730	2	2	-	-	2	8	38	109	155	190
1984.....	1,738	10	-	1	3	3	6	48	104	142	169
1983.....	1,869	3	2	-	4	2	10	45	132	162	182
1982.....	1,849	9	-	1	2	3	17	52	135	167	177
1981.....	2,102	7	2	1	3	3	12	53	135	201	218
1980.....	2,288	6	-	2	-	3	17	73	151	202	257
1979.....	2,181	4	2	-	3	2	11	66	140	217	233

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)											
BLACK MALE											
1998.....	787	3	-	-	-	1	-	5	16	35	83
1997.....	785	1	1	-	-	-	1	3	14	38	75
1996.....	783	1	-	-	-	-	-	2	14	54	105
1995.....	798	2	1	-	-	1	2	5	17	66	98
1994.....	789	4	-	-	1	-	2	10	14	63	110
1993.....	837	4	2	-	-	-	3	14	29	52	129
1992.....	809	3	-	-	-	-	3	6	28	61	103
1991.....	807	4	-	-	-	3	4	7	31	52	111
1990.....	860	2	-	-	-	1	-	8	32	89	105
1989.....	908	4	1	-	-	-	2	13	43	97	105
1988.....	914	3	2	-	-	1	3	12	55	96	110
1987.....	1,002	3	-	-	-	-	2	17	62	111	121
1986.....	962	4	1	-	1	2	2	16	75	107	117
1985.....	1,049	2	2	-	-	1	6	21	61	97	137
1984.....	1,058	7	-	1	3	2	2	25	67	91	104
1983.....	1,144	3	2	-	-	-	4	18	81	112	111
1982.....	1,118	5	-	-	1	-	7	32	86	112	108
1981.....	1,262	3	1	-	-	1	7	31	87	116	137
1980.....	1,383	3	-	1	-	2	6	38	101	124	152
1979.....	1,380	3	2	-	1	1	7	37	93	137	152
BLACK FEMALE											
1998.....	466	2	1	1	-	-	1	2	12	25	40
1997.....	486	4	-	-	-	2	2	3	11	22	33
1996.....	468	-	1	-	-	-	1	2	13	33	43
1995.....	487	2	-	-	-	2	1	3	9	30	48
1994.....	531	2	-	1	-	-	1	5	18	39	54
1993.....	560	-	2	-	2	2	2	5	14	45	53
1992.....	485	2	1	-	-	-	-	4	14	36	38
1991.....	594	1	-	-	-	-	1	9	33	40	55
1990.....	595	1	2	1	1	1	4	9	27	36	60
1989.....	597	3	1	1	-	1	4	7	28	35	47
1988.....	654	1	-	-	-	2	4	16	23	47	54
1987.....	637	3	-	-	2	1	1	12	47	63	62
1986.....	624	3	1	-	-	-	3	12	44	43	65
1985.....	681	-	-	-	-	1	2	17	48	58	53
1984.....	680	3	-	-	-	1	4	23	37	51	65
1983.....	725	-	-	-	4	2	6	27	51	50	71
1982.....	731	4	-	1	1	3	10	20	49	55	69
1981.....	840	4	1	1	3	2	5	22	48	85	81
1980.....	905	3	-	1	-	1	11	35	50	78	105
1979.....	801	1	-	-	2	1	4	29	47	80	81

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)											
TOTAL, BOTH SEXES											
1998.....	2,822	2	5	1	-	2	6	11	18	23	33
1997.....	2,757	1	2	-	1	3	6	4	18	18	35
1996.....	2,816	4	1	3	-	2	5	7	15	24	25
1995.....	2,751	6	-	1	-	2	4	7	11	20	31
1994.....	2,855	9	4	-	1	2	6	4	18	21	38
1993.....	2,752	5	1	-	-	-	5	9	8	18	27
1992.....	2,915	2	-	1	1	2	3	11	11	18	32
1991.....	2,881	2	1	-	-	3	10	5	16	19	27
1990.....	3,022	3	-	-	1	1	4	10	12	24	19
1989.....	3,048	3	2	-	-	1	3	9	11	20	28
1988.....	3,115	4	1	-	1	1	4	15	8	15	32
1987.....	3,032	1	-	-	-	3	3	7	12	15	12
1986.....	2,956	4	1	1	1	4	3	9	7	10	23
1985.....	2,975	2	1	-	-	4	4	9	14	15	31
1984.....	3,023	4	-	-	-	1	6	5	15	18	28
1983.....	2,989	3	3	-	-	-	6	7	20	17	25
1982.....	2,941	2	-	2	1	2	6	5	10	16	26
1981.....	3,084	1	-	-	3	4	6	7	12	17	20
1980.....	3,285	1	-	-	-	-	13	13	18	27	22
1979.....	3,139	5	1	-	-	-	5	16	11	19	21
TOTAL, MALE											
1998.....	1,216	1	3	-	-	1	2	6	10	11	18
1997.....	1,239	-	1	-	1	1	1	1	7	9	22
1996.....	1,213	2	1	1	-	1	1	4	6	10	15
1995.....	1,215	4	-	-	-	1	3	2	4	9	16
1994.....	1,245	5	-	-	1	-	2	1	7	8	29
1993.....	1,207	2	1	-	-	-	-	3	4	10	16
1992.....	1,252	2	-	1	-	1	2	4	7	7	18
1991.....	1,246	1	-	-	-	-	2	2	10	11	14
1990.....	1,280	2	-	-	1	-	3	3	6	16	8
1989.....	1,336	3	2	-	-	-	-	5	7	9	14
1988.....	1,385	4	-	-	-	1	2	5	6	5	18
1987.....	1,297	1	-	-	-	1	2	3	5	6	6
1986.....	1,344	1	-	-	1	2	-	2	3	4	10
1985.....	1,368	2	-	-	-	2	1	1	5	11	19
1984.....	1,387	4	-	-	-	-	-	1	3	11	14
1983.....	1,385	-	2	-	-	-	1	3	12	11	16
1982.....	1,289	1	-	1	1	1	5	1	5	5	9
1981.....	1,345	1	-	-	1	-	-	1	4	8	8
1980.....	1,475	-	-	-	-	-	4	6	6	16	9
1979.....	1,383	5	-	-	-	-	-	7	2	8	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)											
TOTAL, FEMALE											
1998.....	1,606	1	2	1	-	1	4	5	8	12	15
1997.....	1,518	1	1	-	-	2	5	3	11	9	13
1996.....	1,603	2	-	2	-	1	4	3	9	14	10
1995.....	1,536	2	-	1	-	1	1	5	7	11	15
1994.....	1,610	4	4	-	-	2	4	3	11	13	9
1993.....	1,545	3	-	-	-	-	5	6	4	8	11
1992.....	1,663	-	-	-	1	1	1	7	4	11	14
1991.....	1,635	1	1	-	-	3	8	3	6	8	13
1990.....	1,742	1	-	-	-	1	1	7	6	8	11
1989.....	1,712	-	-	-	-	1	3	4	4	11	14
1988.....	1,730	-	1	-	1	-	2	10	2	10	14
1987.....	1,735	-	-	-	-	2	1	4	7	9	6
1986.....	1,612	3	1	1	-	2	3	7	4	6	13
1985.....	1,607	-	1	-	-	2	3	8	9	4	12
1984.....	1,636	-	-	-	-	1	6	4	12	7	14
1983.....	1,604	3	1	-	-	-	5	4	8	6	9
1982.....	1,652	1	-	1	-	1	1	4	5	11	17
1981.....	1,739	-	-	-	2	4	6	6	8	9	12
1980.....	1,810	1	-	-	-	-	9	7	12	11	13
1979.....	1,756	-	1	-	-	-	5	9	9	11	13
WHITE, BOTH SEXES											
1998.....	2,474	-	1	1	-	1	5	7	15	16	24
1997.....	2,413	1	2	-	-	2	5	2	12	16	27
1996.....	2,440	2	1	2	-	1	5	6	12	15	15
1995.....	2,416	4	-	1	-	2	3	5	4	13	23
1994.....	2,525	6	2	-	1	1	5	3	12	11	29
1993.....	2,417	4	1	-	-	-	4	6	8	16	21
1992.....	2,589	2	-	-	1	-	3	7	9	11	24
1991.....	2,562	1	-	-	-	3	7	2	13	13	22
1990.....	2,722	3	-	-	-	-	3	8	10	16	14
1989.....	2,738	2	1	-	-	1	2	7	7	13	18
1988.....	2,789	4	1	-	1	1	1	12	7	12	21
1987.....	2,721	-	-	-	-	3	2	7	8	11	11
1986.....	2,673	2	-	-	-	2	3	6	4	9	18
1985.....	2,660	1	1	-	-	4	2	5	13	12	27
1984.....	2,752	3	-	-	-	1	6	4	12	13	22
1983.....	2,684	2	2	-	-	-	6	5	12	15	21
1982.....	2,663	1	-	1	1	1	3	3	8	11	16
1981.....	2,811	1	-	-	3	4	3	6	11	13	15
1980.....	2,995	1	-	-	-	-	5	9	12	18	16
1979.....	2,867	4	1	-	-	-	4	8	9	15	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)											
WHITE MALE											
1998.....	1,074	-	1	-	-	-	2	3	8	8	12
1997.....	1,085	-	1	-	-	1	1	1	5	7	17
1996.....	1,064	1	1	1	-	-	1	3	5	7	9
1995.....	1,080	2	-	-	-	1	2	2	2	6	13
1994.....	1,109	3	-	-	1	-	2	1	4	5	23
1993.....	1,067	1	1	-	-	-	-	2	4	9	14
1992.....	1,140	2	-	-	-	-	2	4	6	6	16
1991.....	1,122	-	-	-	-	-	2	-	9	8	12
1990.....	1,156	2	-	-	-	-	2	2	5	10	5
1989.....	1,210	2	1	-	-	-	-	3	5	6	9
1988.....	1,243	4	-	-	-	1	-	4	5	4	13
1987.....	1,181	-	-	-	-	1	1	3	3	2	6
1986.....	1,224	-	-	-	-	1	-	2	3	4	10
1985.....	1,229	1	-	-	-	2	1	-	5	9	16
1984.....	1,272	3	-	-	-	-	-	1	3	8	11
1983.....	1,255	-	1	-	-	-	1	2	7	9	14
1982.....	1,177	1	-	-	1	-	2	1	3	4	6
1981.....	1,255	1	-	-	1	-	-	1	3	7	5
1980.....	1,356	-	-	-	-	-	2	4	3	8	7
1979.....	1,266	4	-	-	-	-	-	4	2	6	6
WHITE FEMALE											
1998.....	1,400	-	-	1	-	1	3	4	7	8	12
1997.....	1,328	1	1	-	-	1	4	1	7	9	10
1996.....	1,376	1	-	1	-	1	4	3	7	8	6
1995.....	1,336	2	-	1	-	1	1	3	2	7	10
1994.....	1,416	3	2	-	-	1	3	2	8	6	6
1993.....	1,350	3	-	-	-	-	4	4	4	7	7
1992.....	1,449	-	-	-	1	-	1	3	3	5	8
1991.....	1,440	1	-	-	-	3	5	2	4	5	10
1990.....	1,566	1	-	-	-	-	1	6	5	6	9
1989.....	1,528	-	-	-	-	1	2	4	2	7	9
1988.....	1,546	-	1	-	1	-	1	8	2	8	8
1987.....	1,540	-	-	-	-	2	1	4	5	9	5
1986.....	1,449	2	-	-	-	1	3	4	1	5	8
1985.....	1,431	-	1	-	-	2	1	5	8	3	11
1984.....	1,480	-	-	-	-	1	6	3	9	5	11
1983.....	1,429	2	1	-	-	-	5	3	5	6	7
1982.....	1,486	-	-	1	-	1	1	2	5	7	10
1981.....	1,556	-	-	-	2	4	3	5	8	6	10
1980.....	1,639	1	-	-	-	-	3	5	9	10	9
1979.....	1,601	-	1	-	-	-	4	4	7	9	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)											
ALL OTHER, BOTH SEXES											
1998.....	348	2	4	-	-	1	1	4	3	7	9
1997.....	344	-	-	-	1	1	1	2	6	2	8
1996.....	376	2	-	1	-	1	-	1	3	9	10
1995.....	335	2	-	-	-	-	1	2	7	7	8
1994.....	330	3	2	-	-	1	1	1	6	10	9
1993.....	335	1	-	-	-	-	1	3	-	2	6
1992.....	326	-	-	1	-	2	-	4	2	7	8
1991.....	319	1	1	-	-	-	3	3	3	6	5
1990.....	300	-	-	-	1	1	1	2	2	8	5
1989.....	310	1	1	-	-	-	1	2	4	7	10
1988.....	326	-	-	-	-	-	3	3	1	3	11
1987.....	311	1	-	-	-	-	1	-	4	4	1
1986.....	283	2	1	1	1	2	-	3	3	1	5
1985.....	315	1	-	-	-	-	2	4	1	3	4
1984.....	271	1	-	-	-	-	-	1	3	5	6
1983.....	305	1	1	-	-	-	-	2	8	2	4
1982.....	278	1	-	1	-	1	3	2	2	5	10
1981.....	273	-	-	-	-	-	3	1	1	4	5
1980.....	290	-	-	-	-	-	8	4	6	9	6
1979.....	272	1	-	-	-	-	1	8	2	4	7
ALL OTHER MALE											
1998.....	142	1	2	-	-	1	-	3	2	3	6
1997.....	154	-	-	-	1	-	-	-	2	2	5
1996.....	149	1	-	-	-	1	-	1	1	3	6
1995.....	135	2	-	-	-	-	1	-	2	3	3
1994.....	136	2	-	-	-	-	-	-	3	3	6
1993.....	140	1	-	-	-	-	-	1	-	1	2
1992.....	112	-	-	1	-	1	-	-	1	1	2
1991.....	124	1	-	-	-	-	-	2	1	3	2
1990.....	124	-	-	-	1	-	1	1	1	6	3
1989.....	126	1	1	-	-	-	-	2	2	3	5
1988.....	142	-	-	-	-	-	2	1	1	1	5
1987.....	116	1	-	-	-	-	1	-	2	4	-
1986.....	120	1	-	-	1	1	-	-	-	-	-
1985.....	139	1	-	-	-	-	-	1	-	2	3
1984.....	115	1	-	-	-	-	-	-	-	3	3
1983.....	130	-	1	-	-	-	-	1	5	2	2
1982.....	112	-	-	1	-	1	3	-	2	1	3
1981.....	90	-	-	-	-	-	-	-	1	1	3
1980.....	119	-	-	-	-	-	2	2	3	8	2
1979.....	117	1	-	-	-	-	-	3	-	2	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)											
ALL OTHER FEMALE											
1998.....	206	1	2	-	-	-	1	1	1	4	3
1997.....	190	-	-	-	-	1	1	2	4	-	3
1996.....	227	1	-	1	-	-	-	-	2	6	4
1995.....	200	-	-	-	-	-	-	2	5	4	5
1994.....	194	1	2	-	-	1	1	1	3	7	3
1993.....	195	-	-	-	-	-	1	2	-	1	4
1992.....	214	-	-	-	-	1	-	4	1	6	6
1991.....	195	-	1	-	-	-	3	1	2	3	3
1990.....	176	-	-	-	-	1	-	1	1	2	2
1989.....	184	-	-	-	-	-	1	-	2	4	5
1988.....	184	-	-	-	-	-	1	2	-	2	6
1987.....	195	-	-	-	-	-	-	-	2	-	1
1986.....	163	1	1	1	-	1	-	3	3	1	5
1985.....	176	-	-	-	-	-	2	3	1	1	1
1984.....	156	-	-	-	-	-	-	1	3	2	3
1983.....	175	1	-	-	-	-	-	1	3	-	2
1982.....	166	1	-	-	-	-	-	2	-	4	7
1981.....	183	-	-	-	-	-	3	1	-	3	2
1980.....	171	-	-	-	-	-	6	2	3	1	4
1979.....	155	-	-	-	-	-	1	5	2	2	5
BLACK, BOTH SEXES											
1998.....	282	2	4	-	-	1	1	2	3	6	8
1997.....	272	-	-	-	1	1	-	2	6	1	6
1996.....	304	2	-	-	-	1	-	1	3	8	8
1995.....	268	1	-	-	-	-	1	2	7	5	5
1994.....	275	3	2	-	-	1	1	1	5	9	8
1993.....	272	1	-	-	-	-	1	2	-	2	6
1992.....	275	-	-	1	-	2	-	3	2	6	8
1991.....	260	1	-	-	-	-	3	2	2	5	5
1990.....	244	-	-	-	1	1	1	2	2	6	5
1989.....	255	1	1	-	-	-	1	2	4	6	8
1988.....	264	-	-	-	-	-	3	3	1	3	11
1987.....	263	1	-	-	-	-	1	-	4	4	1
1986.....	230	2	1	1	1	2	-	3	2	1	5
1985.....	270	1	-	-	-	-	2	4	1	3	3
1984.....	228	-	-	-	-	-	-	1	2	5	6
1983.....	262	1	1	-	-	-	-	1	8	2	4
1982.....	230	1	-	1	-	1	3	2	2	5	10
1981.....	215	-	-	-	-	-	1	1	-	4	4
1980.....	235	-	-	-	-	-	8	4	6	9	6
1979.....	226	1	-	-	-	-	1	8	2	4	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)											
BLACK MALE											
1998.....	109	1	2	-	-	1	-	2	2	3	5
1997.....	119	-	-	-	1	-	-	-	2	1	4
1996.....	122	1	-	-	-	1	-	1	1	2	5
1995.....	100	1	-	-	-	-	1	-	2	3	2
1994.....	111	2	-	-	-	-	-	-	2	2	6
1993.....	103	1	-	-	-	-	-	1	-	1	2
1992.....	92	-	-	1	-	1	-	-	1	-	2
1991.....	92	1	-	-	-	-	-	1	1	2	2
1990.....	96	-	-	-	1	-	1	1	1	5	3
1989.....	102	1	1	-	-	-	-	2	2	3	5
1988.....	107	-	-	-	-	-	2	1	1	1	5
1987.....	90	1	-	-	-	-	1	-	2	4	-
1986.....	92	1	-	-	1	1	-	-	-	-	-
1985.....	118	1	-	-	-	-	-	1	-	2	2
1984.....	89	-	-	-	-	-	-	-	-	3	3
1983.....	103	-	1	-	-	-	-	-	5	2	2
1982.....	87	-	-	1	-	1	3	-	2	1	3
1981.....	65	-	-	-	-	-	-	-	-	1	2
1980.....	89	-	-	-	-	-	2	2	3	8	2
1979.....	91	1	-	-	-	-	-	3	-	2	1
BLACK FEMALE											
1998.....	173	1	2	-	-	-	1	-	1	3	3
1997.....	153	-	-	-	-	1	-	2	4	-	2
1996.....	182	1	-	-	-	-	-	-	2	6	3
1995.....	168	-	-	-	-	-	-	2	5	2	3
1994.....	164	1	2	-	-	1	1	1	3	7	2
1993.....	169	-	-	-	-	-	1	1	-	1	4
1992.....	183	-	-	-	-	1	-	3	1	6	6
1991.....	168	-	-	-	-	-	3	1	1	3	3
1990.....	148	-	-	-	-	1	-	1	1	1	2
1989.....	153	-	-	-	-	-	1	-	2	3	3
1988.....	157	-	-	-	-	-	1	2	-	2	6
1987.....	173	-	-	-	-	-	-	-	2	-	1
1986.....	138	1	1	1	-	1	-	3	2	1	5
1985.....	152	-	-	-	-	-	2	3	1	1	1
1984.....	139	-	-	-	-	-	-	1	2	2	3
1983.....	159	1	-	-	-	-	-	1	3	-	2
1982.....	143	1	-	-	-	-	-	2	-	4	7
1981.....	150	-	-	-	-	-	1	1	-	3	2
1980.....	146	-	-	-	-	-	6	2	3	1	4
1979.....	135	-	-	-	-	-	1	5	2	2	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)											
TOTAL, BOTH SEXES											
1998.....	24,837	154	64	19	28	47	65	123	233	491	815
1997.....	24,652	159	71	27	20	55	67	113	229	514	811
1996.....	23,592	168	78	37	19	38	80	132	248	457	755
1995.....	23,166	140	63	30	34	43	75	125	251	521	781
1994.....	22,918	186	91	25	35	46	71	132	275	492	733
1993.....	23,093	156	82	31	33	40	68	148	286	542	722
1992.....	21,972	155	85	25	21	47	71	156	277	521	694
1991.....	21,667	152	80	23	35	41	80	159	315	522	705
1990.....	21,171	151	74	30	14	35	81	153	288	490	661
1989.....	21,349	136	74	29	28	49	89	174	309	473	634
1988.....	21,970	156	69	33	23	45	90	196	310	523	596
1987.....	21,743	151	89	34	13	43	96	164	329	461	572
1986.....	21,299	165	59	25	23	57	89	176	337	481	595
1985.....	21,258	189	75	22	24	66	95	157	327	518	545
1984.....	19,961	163	70	24	23	65	86	176	282	446	561
1983.....	19,408	173	59	27	19	56	94	170	276	387	501
1982.....	18,914	161	74	34	18	43	99	173	250	368	497
1981.....	18,755	159	61	31	35	53	95	159	304	393	534
1980.....	18,428	195	41	23	29	70	97	180	316	406	536
1979.....	17,193	187	69	17	29	57	99	197	303	376	523
TOTAL, MALE											
1998.....	12,000	82	39	11	11	26	26	71	131	309	528
1997.....	11,707	98	37	15	12	24	33	61	146	302	526
1996.....	11,397	99	40	20	13	25	40	75	160	279	519
1995.....	11,311	75	37	20	14	29	42	67	170	355	526
1994.....	11,208	112	53	17	20	19	35	73	174	319	509
1993.....	11,234	95	38	14	18	20	37	85	165	335	489
1992.....	10,726	95	46	17	12	29	36	94	175	330	452
1991.....	10,760	99	35	11	16	24	42	107	200	347	494
1990.....	10,509	90	47	18	5	20	44	84	200	325	443
1989.....	10,695	84	40	6	15	23	55	97	204	313	421
1988.....	11,067	94	40	17	14	25	49	118	197	377	400
1987.....	10,960	93	51	18	6	29	60	103	205	296	366
1986.....	10,861	95	26	14	9	34	48	100	223	319	373
1985.....	10,867	101	39	17	13	29	50	92	215	317	375
1984.....	10,231	94	37	16	8	33	52	106	201	299	352
1983.....	10,087	93	28	14	11	27	61	94	174	257	309
1982.....	9,792	100	34	17	10	25	49	105	168	232	314
1981.....	9,777	84	29	18	14	29	49	85	193	273	337
1980.....	9,782	109	29	10	18	37	43	115	198	253	338
1979.....	9,115	114	39	8	10	24	48	111	187	233	319

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)											
TOTAL, FEMALE											
1998.....	12,837	72	25	8	17	21	39	52	102	182	287
1997.....	12,945	61	34	12	8	31	34	52	83	212	285
1996.....	12,195	69	38	17	6	13	40	57	88	178	236
1995.....	11,855	65	26	10	20	14	33	58	81	166	255
1994.....	11,710	74	38	8	15	27	36	59	101	173	224
1993.....	11,859	61	44	17	15	20	31	63	121	207	233
1992.....	11,246	60	39	8	9	18	35	62	102	191	242
1991.....	10,907	53	45	12	19	17	38	52	115	175	211
1990.....	10,662	61	27	12	9	15	37	69	88	165	218
1989.....	10,654	52	34	23	13	26	34	77	105	160	213
1988.....	10,903	62	29	16	9	20	41	78	113	146	196
1987.....	10,783	58	38	16	7	14	36	61	124	165	206
1986.....	10,438	70	33	11	14	23	41	76	114	162	222
1985.....	10,391	88	36	5	11	37	45	65	112	201	170
1984.....	9,730	69	33	8	15	32	34	70	81	147	209
1983.....	9,321	80	31	13	8	29	33	76	102	130	192
1982.....	9,122	61	40	17	8	18	50	68	82	136	183
1981.....	8,978	75	32	13	21	24	46	74	111	120	197
1980.....	8,646	86	12	13	11	33	54	65	118	153	198
1979.....	8,078	73	30	9	19	33	51	86	116	143	204
WHITE, BOTH SEXES											
1998.....	21,204	109	45	15	18	32	42	81	157	350	612
1997.....	21,045	112	53	16	14	38	47	73	154	354	598
1996.....	20,135	115	57	27	14	27	53	98	175	318	506
1995.....	19,765	97	42	18	25	34	45	93	181	358	544
1994.....	19,543	114	57	20	28	32	40	79	177	339	518
1993.....	19,642	102	52	21	23	32	40	93	192	364	517
1992.....	18,613	94	50	11	15	33	44	107	182	364	473
1991.....	18,355	100	57	18	27	27	48	105	192	373	471
1990.....	17,863	100	51	24	9	27	53	99	183	310	440
1989.....	18,065	78	60	18	19	32	56	112	189	306	424
1988.....	18,593	102	52	18	14	28	55	131	193	343	398
1987.....	18,421	100	71	22	10	33	60	113	196	317	376
1986.....	18,026	114	49	21	17	44	63	114	207	308	408
1985.....	18,024	122	49	19	18	49	66	100	195	344	369
1984.....	17,045	108	49	19	14	55	66	124	183	281	381
1983.....	16,627	124	49	21	15	40	61	121	158	259	368
1982.....	16,180	106	56	25	15	34	72	100	166	234	335
1981.....	15,885	105	42	22	27	39	61	109	188	255	364
1980.....	15,621	135	30	17	22	52	68	119	196	275	378
1979.....	14,607	133	49	14	22	40	73	122	185	239	339

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)											
WHITE MALE											
1998.....	10,134	62	27	10	8	20	19	42	97	234	409
1997.....	9,870	73	28	11	10	17	21	40	101	217	395
1996.....	9,589	67	31	14	10	19	28	55	117	192	365
1995.....	9,482	53	25	11	11	24	25	53	124	249	379
1994.....	9,393	69	31	13	17	12	20	50	114	227	350
1993.....	9,398	61	24	9	14	16	21	56	117	239	363
1992.....	8,966	61	24	7	10	21	23	68	121	237	306
1991.....	8,974	61	26	10	12	15	25	69	130	254	328
1990.....	8,724	58	34	13	5	15	32	53	127	207	299
1989.....	8,988	45	35	4	11	17	36	73	137	207	290
1988.....	9,233	59	33	11	8	16	32	88	121	257	269
1987.....	9,184	57	40	10	4	22	36	71	127	202	251
1986.....	9,059	65	21	12	6	26	36	65	137	203	252
1985.....	9,134	63	25	15	9	22	32	59	133	213	254
1984.....	8,598	63	26	14	5	30	43	76	136	184	240
1983.....	8,568	69	21	11	8	23	39	70	102	177	227
1982.....	8,239	64	23	10	9	20	37	63	112	146	212
1981.....	8,188	57	21	13	11	21	34	55	122	178	228
1980.....	8,223	78	20	8	15	30	31	82	130	175	237
1979.....	7,681	80	30	8	7	16	34	66	107	147	209
WHITE FEMALE											
1998.....	11,070	47	18	5	10	12	23	39	60	116	203
1997.....	11,175	39	25	5	4	21	26	33	53	137	203
1996.....	10,546	48	26	13	4	8	25	43	58	126	141
1995.....	10,283	44	17	7	14	10	20	40	57	109	165
1994.....	10,150	45	26	7	11	20	29	63	112	168	
1993.....	10,244	41	28	12	9	16	19	37	75	125	154
1992.....	9,647	33	26	4	5	12	21	39	61	127	167
1991.....	9,381	39	31	8	15	12	23	36	62	119	143
1990.....	9,139	42	17	11	4	12	21	46	56	103	141
1989.....	9,077	33	25	14	8	15	20	39	52	99	134
1988.....	9,360	43	19	7	6	12	23	43	72	86	129
1987.....	9,237	43	31	12	6	11	24	42	69	115	125
1986.....	8,967	49	28	9	11	18	27	49	70	105	156
1985.....	8,890	59	24	4	9	27	34	41	62	131	115
1984.....	8,447	45	23	5	9	25	23	48	47	97	141
1983.....	8,059	55	28	10	7	17	22	51	56	82	141
1982.....	7,941	42	33	15	6	14	35	37	54	88	123
1981.....	7,697	48	21	9	16	18	27	54	66	77	136
1980.....	7,398	57	10	9	7	22	37	37	66	100	141
1979.....	6,926	53	19	6	15	24	39	56	78	92	130

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)											
ALL OTHER, BOTH SEXES											
1998.....	3,633	45	19	4	10	15	23	42	76	141	203
1997.....	3,607	47	18	11	6	17	20	40	75	160	213
1996.....	3,457	53	21	10	5	11	27	34	73	139	249
1995.....	3,401	43	21	12	9	9	30	32	70	163	237
1994.....	3,375	72	34	5	7	14	31	53	98	153	215
1993.....	3,451	54	30	10	10	8	28	55	94	178	205
1992.....	3,359	61	35	14	6	14	27	49	95	157	221
1991.....	3,312	52	23	5	8	14	32	54	123	149	234
1990.....	3,308	51	23	6	5	8	28	54	105	180	221
1989.....	3,284	58	14	11	9	17	33	62	120	167	210
1988.....	3,377	54	17	15	9	17	35	65	117	180	198
1987.....	3,322	51	18	12	3	10	36	51	133	144	196
1986.....	3,273	51	10	4	6	13	26	62	130	173	187
1985.....	3,234	67	26	3	6	17	29	57	132	174	176
1984.....	2,916	55	21	5	9	10	20	52	99	165	180
1983.....	2,781	49	10	6	4	16	33	49	118	128	133
1982.....	2,734	55	18	9	3	9	27	73	84	134	162
1981.....	2,870	54	19	9	8	14	34	50	116	138	170
1980.....	2,807	60	11	6	7	18	29	61	120	131	158
1979.....	2,586	54	20	3	7	17	26	75	118	137	184
ALL OTHER MALE											
1998.....	1,866	20	12	1	3	6	7	29	34	75	119
1997.....	1,837	25	9	4	2	7	12	21	45	85	131
1996.....	1,808	32	9	6	3	6	12	20	43	87	154
1995.....	1,829	22	12	9	3	5	17	14	46	106	147
1994.....	1,815	43	22	4	3	7	15	23	60	92	159
1993.....	1,836	34	14	5	4	4	16	29	48	96	126
1992.....	1,760	34	22	10	2	8	13	26	54	93	146
1991.....	1,786	38	9	1	4	9	17	38	70	93	166
1990.....	1,785	32	13	5	-	5	12	31	73	118	144
1989.....	1,707	39	5	2	4	6	19	24	67	106	131
1988.....	1,834	35	7	6	6	9	17	30	76	120	131
1987.....	1,776	36	11	8	2	7	24	32	78	94	115
1986.....	1,802	30	5	2	3	8	12	35	86	116	121
1985.....	1,733	38	14	2	4	7	18	33	82	104	121
1984.....	1,633	31	11	2	3	3	9	30	65	115	112
1983.....	1,519	24	7	3	3	4	22	24	72	80	82
1982.....	1,553	36	11	7	1	5	12	42	56	86	102
1981.....	1,589	27	8	5	3	8	15	30	71	95	109
1980.....	1,559	31	9	2	3	7	12	33	68	78	101
1979.....	1,434	34	9	-	3	8	14	45	80	86	110

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)											
ALL OTHER FEMALE											
1998.....	1,767	25	7	3	7	9	16	13	42	66	84
1997.....	1,770	22	9	7	4	10	8	19	30	75	82
1996.....	1,649	21	12	4	2	5	15	14	30	52	95
1995.....	1,572	21	9	3	6	4	13	18	24	57	90
1994.....	1,560	29	12	1	4	7	16	30	38	61	56
1993.....	1,615	20	16	5	6	4	12	26	46	82	79
1992.....	1,599	27	13	4	4	6	14	23	41	64	75
1991.....	1,526	14	14	4	4	5	15	16	53	56	68
1990.....	1,523	19	10	1	5	3	16	23	32	62	77
1989.....	1,577	19	9	9	5	11	14	38	53	61	79
1988.....	1,543	19	10	9	3	8	18	35	41	60	67
1987.....	1,546	15	7	4	1	3	12	19	55	50	81
1986.....	1,471	21	5	2	3	5	14	27	44	57	66
1985.....	1,501	29	12	1	2	10	11	24	50	70	55
1984.....	1,283	24	10	3	6	7	11	22	34	50	68
1983.....	1,262	25	3	3	1	12	11	25	46	48	51
1982.....	1,181	19	7	2	2	4	15	31	28	48	60
1981.....	1,281	27	11	4	5	6	19	20	45	43	61
1980.....	1,248	29	2	4	4	11	17	28	52	53	57
1979.....	1,152	20	11	3	4	9	12	30	38	51	74
BLACK, BOTH SEXES											
1998.....	3,134	44	15	3	9	13	18	39	66	127	173
1997.....	3,125	38	15	11	5	14	17	34	69	148	192
1996.....	3,030	46	14	8	4	11	26	29	69	125	223
1995.....	2,986	38	19	11	7	8	27	31	65	147	215
1994.....	2,936	60	30	4	4	13	26	48	82	141	196
1993.....	3,032	51	27	10	9	4	23	48	85	160	187
1992.....	2,967	58	30	13	4	14	23	44	84	141	202
1991.....	2,969	50	20	5	7	14	31	50	116	140	213
1990.....	2,958	49	20	5	5	8	25	49	99	169	205
1989.....	2,961	54	13	8	9	13	31	58	110	160	200
1988.....	3,018	49	13	12	8	14	33	61	114	168	178
1987.....	3,013	45	17	8	3	9	32	49	126	138	183
1986.....	3,008	48	9	4	4	12	25	57	127	160	170
1985.....	2,963	58	20	2	6	11	27	54	122	163	160
1984.....	2,637	51	19	3	6	8	18	42	94	154	163
1983.....	2,510	43	8	6	4	14	31	43	102	121	121
1982.....	2,500	49	14	8	3	8	23	66	77	121	154
1981.....	2,617	48	17	8	8	9	30	47	106	124	158
1980.....	2,574	56	8	6	7	17	25	60	109	125	145
1979.....	2,393	51	17	2	6	14	23	72	108	129	169

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)											
BLACK MALE											
1998.....	1,601	19	10	1	2	5	5	27	27	65	102
1997.....	1,578	21	9	4	1	5	11	19	42	77	123
1996.....	1,592	27	6	5	2	6	12	17	39	75	136
1995.....	1,604	17	12	8	2	5	15	14	44	94	132
1994.....	1,580	37	19	4	2	6	14	22	53	83	145
1993.....	1,613	33	14	5	4	2	14	24	42	87	114
1992.....	1,562	31	18	9	1	8	13	24	48	80	131
1991.....	1,600	37	9	1	4	9	16	34	66	86	150
1990.....	1,578	30	11	4	-	5	11	28	69	109	132
1989.....	1,521	36	4	2	4	4	17	23	62	99	124
1988.....	1,621	31	6	4	5	8	16	28	75	112	120
1987.....	1,599	31	10	5	2	7	20	30	73	88	106
1986.....	1,649	29	4	2	2	7	11	32	83	107	115
1985.....	1,569	32	11	1	4	6	17	31	77	96	109
1984.....	1,469	28	11	1	2	3	7	25	61	112	104
1983.....	1,360	21	5	3	3	4	21	20	63	75	76
1982.....	1,419	32	8	6	1	5	9	36	52	77	99
1981.....	1,454	25	8	5	3	4	14	29	65	87	103
1980.....	1,430	30	6	2	3	6	11	32	63	76	95
1979.....	1,323	33	9	-	2	7	13	44	78	82	100
BLACK FEMALE											
1998.....	1,533	25	5	2	7	8	13	12	39	62	71
1997.....	1,547	17	6	7	4	9	6	15	27	71	69
1996.....	1,438	19	8	3	2	5	14	12	30	50	87
1995.....	1,382	21	7	3	5	3	12	17	21	53	83
1994.....	1,356	23	11	-	2	7	12	26	29	58	51
1993.....	1,419	18	13	5	5	2	9	24	43	73	73
1992.....	1,405	27	12	4	3	6	10	20	36	61	71
1991.....	1,369	13	11	4	3	5	15	16	50	54	63
1990.....	1,380	19	9	1	5	3	14	21	30	60	73
1989.....	1,440	18	9	6	5	9	14	35	48	61	76
1988.....	1,397	18	7	8	3	6	17	33	39	56	58
1987.....	1,414	14	7	3	1	2	12	19	53	50	77
1986.....	1,359	19	5	2	2	5	14	25	44	53	55
1985.....	1,394	26	9	1	2	5	10	23	45	67	51
1984.....	1,168	23	8	2	4	5	11	17	33	42	59
1983.....	1,150	22	3	3	1	10	10	23	39	46	45
1982.....	1,081	17	6	2	2	3	14	30	25	44	55
1981.....	1,163	23	9	3	5	5	16	18	41	37	55
1980.....	1,144	26	2	4	4	11	14	28	46	49	50
1979.....	1,070	18	8	2	4	7	10	28	30	47	69

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)											
TOTAL, BOTH SEXES											
1998.....	48,377	161	22	13	11	30	51	103	176	312	478
1997.....	46,353	156	25	7	16	32	52	121	207	338	494
1996.....	44,538	171	26	21	16	32	73	114	171	316	489
1995.....	43,356	173	25	16	18	29	67	130	225	349	493
1994.....	42,253	195	17	11	18	37	44	114	199	307	414
1993.....	42,305	206	31	22	15	33	56	119	215	332	457
1992.....	40,427	211	27	16	17	22	74	130	225	358	435
1991.....	39,533	219	28	20	16	44	69	140	220	382	426
1990.....	38,637	178	29	11	15	32	76	124	231	372	448
1989.....	39,292	221	26	15	23	38	78	146	291	333	397
1988.....	40,654	243	29	12	17	43	82	158	258	330	423
1987.....	39,959	253	33	20	15	37	90	135	264	341	326
1986.....	38,682	277	43	18	24	29	88	138	232	295	372
1985.....	36,888	299	33	20	26	45	82	145	205	299	327
1984.....	34,785	299	30	24	27	44	89	159	199	288	314
1983.....	32,505	253	32	26	10	54	79	159	206	232	307
1982.....	30,833	298	33	20	22	34	86	134	218	249	312
1981.....	29,600	279	31	27	14	58	112	160	196	259	290
1980.....	29,082	253	30	19	21	50	101	160	214	228	308
1979.....	27,453	250	35	27	41	79	112	174	209	243	326
TOTAL, MALE											
1998.....	20,983	80	14	7	6	17	20	50	88	165	292
1997.....	20,241	93	11	5	7	17	32	73	97	188	293
1996.....	19,467	107	13	12	7	14	36	63	87	178	289
1995.....	18,932	100	14	6	8	17	33	70	120	207	291
1994.....	18,274	112	8	4	7	16	17	56	107	188	246
1993.....	18,615	118	24	14	5	17	31	66	129	189	258
1992.....	18,032	109	11	9	9	10	36	75	143	223	267
1991.....	17,506	137	18	12	6	16	37	74	126	243	275
1990.....	17,061	100	17	8	7	16	44	76	130	241	263
1989.....	17,575	132	15	5	11	22	33	85	174	217	250
1988.....	18,168	129	14	4	8	25	41	96	149	213	250
1987.....	18,237	138	21	10	10	19	41	79	149	214	182
1986.....	17,999	163	22	6	11	19	48	69	125	175	197
1985.....	17,250	172	18	8	13	24	53	82	117	186	199
1984.....	16,447	181	16	14	9	16	43	86	112	162	176
1983.....	15,410	132	20	10	5	23	38	91	107	121	160
1982.....	14,906	182	11	14	9	14	42	68	115	144	166
1981.....	14,550	158	13	17	10	28	65	94	105	150	151
1980.....	14,562	144	14	4	13	23	50	87	114	130	166
1979.....	14,107	142	22	19	21	38	59	98	108	115	180

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)											
TOTAL, FEMALE											
1998.....	27,394	81	8	6	5	13	31	53	88	147	186
1997.....	26,112	63	14	2	9	15	20	48	110	150	201
1996.....	25,071	64	13	9	9	18	37	51	84	138	200
1995.....	24,424	73	11	10	10	12	34	60	105	142	202
1994.....	23,979	83	9	7	11	21	27	58	92	119	168
1993.....	23,690	88	7	8	10	16	25	53	86	143	199
1992.....	22,395	102	16	7	8	12	38	55	82	135	168
1991.....	22,027	82	10	8	10	28	32	66	94	139	151
1990.....	21,576	78	12	3	8	16	32	48	101	131	185
1989.....	21,717	89	11	10	12	16	45	61	117	116	147
1988.....	22,486	114	15	8	9	18	41	62	109	117	173
1987.....	21,722	115	12	10	5	18	49	56	115	127	144
1986.....	20,683	114	21	12	13	10	40	69	107	120	175
1985.....	19,638	127	15	12	13	21	29	63	88	113	128
1984.....	18,338	118	14	10	18	28	46	73	87	126	138
1983.....	17,095	121	12	16	5	31	41	68	99	111	147
1982.....	15,927	116	22	6	13	20	44	66	103	105	146
1981.....	15,050	121	18	10	4	30	47	66	91	109	139
1980.....	14,520	109	16	15	8	27	51	73	100	98	142
1979.....	13,346	108	13	8	20	41	53	76	101	128	146
WHITE, BOTH SEXES											
1998.....	39,410	105	13	10	10	15	32	58	105	174	258
1997.....	37,837	110	21	5	11	23	37	69	120	187	281
1996.....	36,200	106	22	16	10	21	42	67	96	170	286
1995.....	35,149	101	17	12	10	19	37	78	133	194	253
1994.....	34,532	115	12	10	8	25	31	68	88	170	216
1993.....	34,383	130	25	17	10	25	35	63	104	162	251
1992.....	32,937	142	21	12	11	12	44	67	111	182	221
1991.....	32,115	147	21	14	12	27	33	79	117	186	239
1990.....	31,369	106	19	8	8	22	52	65	127	198	253
1989.....	31,552	147	19	8	12	27	48	83	137	173	212
1988.....	33,132	166	25	10	9	23	44	89	147	160	254
1987.....	32,648	151	23	14	10	24	54	88	137	183	209
1986.....	31,543	184	30	15	19	17	58	78	142	156	220
1985.....	30,137	203	26	17	20	37	48	93	115	163	204
1984.....	28,521	198	25	17	15	31	60	108	120	166	194
1983.....	26,660	172	25	20	7	37	53	97	134	131	193
1982.....	25,203	202	26	15	20	23	55	86	133	153	200
1981.....	24,162	200	26	25	10	41	84	91	122	160	167
1980.....	23,500	176	26	18	13	36	61	92	123	148	187
1979.....	22,503	180	29	20	30	58	73	115	143	155	204

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)											
WHITE MALE											
1998.....	17,120	52	9	6	5	9	12	28	51	92	154
1997.....	16,449	60	9	3	4	10	23	38	55	101	157
1996.....	15,796	66	10	11	3	10	21	34	50	91	159
1995.....	15,301	58	8	5	5	10	16	43	66	112	145
1994.....	14,888	62	5	3	3	8	9	29	43	100	116
1993.....	15,070	75	19	10	2	12	20	36	58	92	132
1992.....	14,556	78	7	7	5	7	23	40	71	104	130
1991.....	14,044	93	14	7	3	11	20	38	65	118	153
1990.....	13,688	61	9	6	4	11	32	43	73	136	142
1989.....	13,919	87	11	3	6	17	20	52	80	111	126
1988.....	14,716	94	13	4	5	14	20	55	83	101	152
1987.....	14,765	86	14	8	6	10	24	47	70	108	113
1986.....	14,603	109	16	4	10	10	31	37	75	83	116
1985.....	14,046	122	13	7	13	18	31	54	58	97	118
1984.....	13,452	120	15	10	4	12	30	55	71	95	105
1983.....	12,607	95	16	7	3	15	31	56	66	65	96
1982.....	12,198	127	8	10	8	9	29	45	71	89	112
1981.....	11,870	111	10	16	8	24	50	58	64	97	89
1980.....	11,780	102	12	4	10	18	34	51	69	82	98
1979.....	11,521	96	17	14	15	24	41	69	74	72	114
WHITE FEMALE											
1998.....	22,290	53	4	4	5	6	20	30	54	82	104
1997.....	21,388	50	12	2	7	13	14	31	65	86	124
1996.....	20,404	40	12	5	7	11	21	33	46	79	127
1995.....	19,848	43	9	7	5	9	21	35	67	82	108
1994.....	19,644	53	7	7	5	17	22	39	45	70	100
1993.....	19,313	55	6	7	8	13	15	27	46	70	119
1992.....	18,381	64	14	5	6	5	21	27	40	78	91
1991.....	18,071	54	7	7	9	16	13	41	52	68	86
1990.....	17,681	45	10	2	4	11	20	22	54	62	111
1989.....	17,633	60	8	5	6	10	28	31	57	62	86
1988.....	18,416	72	12	6	4	9	24	34	64	59	102
1987.....	17,883	65	9	6	4	14	30	41	67	75	96
1986.....	16,940	75	14	11	9	7	27	41	67	73	104
1985.....	16,091	81	13	10	7	19	17	39	57	66	86
1984.....	15,069	78	10	7	11	19	30	53	49	71	89
1983.....	14,053	77	9	13	4	22	22	41	68	66	97
1982.....	13,005	75	18	5	12	14	26	41	62	64	88
1981.....	12,292	89	16	9	2	17	34	33	58	63	78
1980.....	11,720	74	14	14	3	18	27	41	54	66	89
1979.....	10,982	84	12	6	15	34	32	46	69	83	90

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)											
ALL OTHER, BOTH SEXES											
1998.....	8,967	56	9	3	1	15	19	45	71	138	220
1997.....	8,516	46	4	2	5	9	15	52	87	151	213
1996.....	8,338	65	4	5	6	11	31	47	75	146	203
1995.....	8,207	72	8	4	8	10	30	52	92	155	240
1994.....	7,721	80	5	1	10	12	13	46	111	137	198
1993.....	7,922	76	6	5	5	8	21	56	111	170	206
1992.....	7,490	69	6	4	6	10	30	63	114	176	214
1991.....	7,418	72	7	6	4	17	36	61	103	196	187
1990.....	7,268	72	10	3	7	10	24	59	104	174	195
1989.....	7,740	74	7	7	11	11	30	63	154	160	185
1988.....	7,522	77	4	2	8	20	38	69	111	170	169
1987.....	7,311	102	10	6	5	13	36	47	127	158	117
1986.....	7,139	93	13	3	5	12	30	60	90	139	152
1985.....	6,751	96	7	3	6	8	34	52	90	136	123
1984.....	6,264	101	5	7	12	13	29	51	79	122	120
1983.....	5,845	81	7	6	3	17	26	62	72	101	114
1982.....	5,630	96	7	5	2	11	31	48	85	96	112
1981.....	5,438	79	5	2	4	17	28	69	74	99	123
1980.....	5,582	77	4	1	8	14	40	68	91	80	121
1979.....	4,950	70	6	7	11	21	39	59	66	88	122
ALL OTHER MALE											
1998.....	3,863	28	5	1	1	8	8	22	37	73	138
1997.....	3,792	33	2	2	3	7	9	35	42	87	136
1996.....	3,671	41	3	1	4	4	15	29	37	87	130
1995.....	3,631	42	6	1	3	7	17	27	54	95	146
1994.....	3,386	50	3	1	4	8	8	27	64	88	130
1993.....	3,545	43	5	4	3	5	11	30	71	97	126
1992.....	3,476	31	4	2	4	3	13	35	72	119	137
1991.....	3,462	44	4	5	3	5	17	36	61	125	122
1990.....	3,373	39	8	2	3	5	12	33	57	105	121
1989.....	3,656	45	4	2	5	5	13	33	94	106	124
1988.....	3,452	35	1	-	3	11	21	41	66	112	98
1987.....	3,472	52	7	2	4	9	17	32	79	106	69
1986.....	3,396	54	6	2	1	9	17	32	50	92	81
1985.....	3,204	50	5	1	-	6	22	28	59	89	81
1984.....	2,995	61	1	4	5	4	13	31	41	67	71
1983.....	2,803	37	4	3	2	8	7	35	41	56	64
1982.....	2,708	55	3	4	1	5	13	23	44	55	54
1981.....	2,680	47	3	1	2	4	15	36	41	53	62
1980.....	2,782	42	2	-	3	5	16	36	45	48	68
1979.....	2,586	46	5	5	6	14	18	29	34	43	66

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)											
ALL OTHER FEMALE											
1998.....	5,104	28	4	2	-	7	11	23	34	65	82
1997.....	4,724	13	2	-	2	2	6	17	45	64	77
1996.....	4,667	24	1	4	2	7	16	18	38	59	73
1995.....	4,576	30	2	3	5	3	13	25	38	60	94
1994.....	4,335	30	2	-	6	4	5	19	47	49	68
1993.....	4,377	33	1	1	2	3	10	26	40	73	80
1992.....	4,014	38	2	2	2	7	17	28	42	57	77
1991.....	3,956	28	3	1	1	12	19	25	42	71	65
1990.....	3,895	33	2	1	4	5	12	26	47	69	74
1989.....	4,084	29	3	5	6	6	17	30	60	54	61
1988.....	4,070	42	3	2	5	9	17	28	45	58	71
1987.....	3,839	50	3	4	1	4	19	15	48	52	48
1986.....	3,743	39	7	1	4	3	13	28	40	47	71
1985.....	3,547	46	2	2	6	2	12	24	31	47	42
1984.....	3,269	40	4	3	7	9	16	20	38	55	49
1983.....	3,042	44	3	3	1	9	19	27	31	45	50
1982.....	2,922	41	4	1	1	6	18	25	41	41	58
1981.....	2,758	32	2	1	2	13	13	33	33	46	61
1980.....	2,800	35	2	1	5	9	24	32	46	32	53
1979.....	2,364	24	1	2	5	7	21	30	32	45	56
BLACK, BOTH SEXES											
1998.....	8,127	49	9	3	1	15	17	39	65	131	206
1997.....	7,749	41	3	1	5	8	13	50	77	145	197
1996.....	7,559	62	4	5	6	9	26	42	68	137	193
1995.....	7,520	66	6	4	5	9	28	48	89	148	224
1994.....	7,094	74	3	1	9	12	13	44	105	132	187
1993.....	7,265	73	6	5	5	7	20	50	105	165	194
1992.....	6,874	62	5	4	6	10	25	60	103	167	200
1991.....	6,837	69	6	5	4	14	35	57	98	190	179
1990.....	6,688	64	10	3	7	9	24	55	98	165	180
1989.....	7,185	71	6	6	9	10	27	59	149	155	176
1988.....	6,983	70	4	2	7	18	35	64	105	167	156
1987.....	6,814	93	8	4	4	13	31	43	118	151	109
1986.....	6,641	83	11	3	4	12	27	57	78	134	145
1985.....	6,345	86	7	2	5	7	32	50	86	132	121
1984.....	5,882	96	4	6	9	12	26	48	74	113	114
1983.....	5,467	77	6	6	3	15	22	60	67	93	101
1982.....	5,279	93	6	4	2	10	24	43	77	92	103
1981.....	5,152	74	4	2	3	15	28	65	70	97	113
1980.....	5,278	74	3	1	7	12	36	66	84	75	112
1979.....	4,678	65	6	7	10	20	34	56	66	83	117

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)											
BLACK MALE											
1998.....	3,495	27	5	1	1	8	7	20	35	69	130
1997.....	3,455	29	2	1	3	7	8	33	39	85	128
1996.....	3,308	40	3	1	4	3	12	27	34	82	124
1995.....	3,320	41	5	1	2	7	16	26	54	90	139
1994.....	3,093	46	2	1	3	8	8	26	62	86	125
1993.....	3,219	42	5	4	3	5	11	26	68	94	118
1992.....	3,175	27	3	2	4	3	12	34	71	112	129
1991.....	3,183	42	3	4	3	4	16	34	59	124	118
1990.....	3,081	34	8	2	3	4	12	29	55	99	113
1989.....	3,365	44	3	2	3	5	12	31	91	104	119
1988.....	3,165	33	1	-	3	9	20	40	63	110	94
1987.....	3,226	48	5	2	3	9	15	30	75	100	67
1986.....	3,147	47	5	2	1	9	15	30	43	87	79
1985.....	3,006	45	5	1	-	6	20	28	55	86	79
1984.....	2,797	59	1	3	5	4	11	30	41	65	68
1983.....	2,615	35	4	3	2	8	5	34	39	54	60
1982.....	2,536	53	3	4	1	5	10	20	41	53	49
1981.....	2,523	45	2	1	2	3	15	32	39	53	56
1980.....	2,625	41	2	-	3	5	14	35	42	48	61
1979.....	2,427	43	5	5	6	14	16	27	34	42	64
BLACK FEMALE											
1998.....	4,632	22	4	2	-	7	10	19	30	62	76
1997.....	4,294	12	1	-	2	1	5	17	38	60	69
1996.....	4,251	22	1	4	2	6	14	15	34	55	69
1995.....	4,200	25	1	3	3	2	12	22	35	58	85
1994.....	4,001	28	1	-	6	4	5	18	43	46	62
1993.....	4,046	31	1	1	2	2	9	24	37	71	76
1992.....	3,699	35	2	2	2	7	13	26	32	55	71
1991.....	3,654	27	3	1	1	10	19	23	39	66	61
1990.....	3,607	30	2	1	4	5	12	26	43	66	67
1989.....	3,820	27	3	4	6	5	15	28	58	51	57
1988.....	3,818	37	3	2	4	9	15	24	42	57	62
1987.....	3,588	45	3	2	1	4	16	13	43	51	42
1986.....	3,494	36	6	1	3	3	12	27	35	47	66
1985.....	3,339	41	2	1	5	1	12	22	31	46	42
1984.....	3,085	37	3	3	4	8	15	18	33	48	46
1983.....	2,852	42	2	3	1	7	17	26	28	39	41
1982.....	2,743	40	3	-	1	5	14	23	36	39	54
1981.....	2,629	29	2	1	1	12	13	33	31	44	57
1980.....	2,653	33	1	1	4	7	22	31	42	27	51
1979.....	2,251	22	1	2	4	6	18	29	32	41	53

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF URINARY SYSTEM (580-599)											
TOTAL, BOTH SEXES											
1998.....	47,446	159	22	13	11	30	49	99	166	303	459
1997.....	45,437	152	25	7	16	30	48	117	199	321	484
1996.....	43,558	166	25	21	16	29	70	109	163	304	474
1995.....	42,441	173	25	16	18	28	63	123	206	336	474
1994.....	41,356	192	17	10	18	31	43	108	187	294	400
1993.....	41,378	204	31	22	15	29	52	113	210	322	439
1992.....	39,528	211	27	16	17	20	70	127	218	343	417
1991.....	38,575	218	28	20	16	42	65	134	210	370	412
1990.....	37,642	177	29	11	15	32	73	120	220	358	436
1989.....	38,300	220	26	14	21	38	74	142	275	318	381
1988.....	39,648	241	29	12	17	41	80	155	247	321	403
1987.....	38,923	252	33	19	15	34	83	132	252	327	308
1986.....	37,541	277	42	18	24	26	86	123	222	281	356
1985.....	35,835	297	32	20	25	41	79	135	194	286	317
1984.....	33,644	296	30	24	26	40	81	152	194	270	303
1983.....	31,316	253	32	26	10	50	72	151	199	220	287
1982.....	29,582	297	33	20	21	31	77	125	201	232	297
1981.....	28,253	278	31	27	14	57	108	149	182	237	272
1980.....	27,586	251	30	19	21	48	98	150	200	212	299
1979.....	25,987	249	35	27	40	76	110	164	197	224	308
TOTAL, MALE											
1998.....	20,368	80	14	7	6	17	20	49	85	165	287
1997.....	19,634	92	11	5	7	17	32	72	96	187	289
1996.....	18,810	105	13	12	7	14	36	63	87	174	287
1995.....	18,329	100	14	6	8	17	33	68	118	204	290
1994.....	17,675	112	8	4	7	16	17	55	107	183	242
1993.....	17,984	118	24	14	5	16	30	65	128	188	255
1992.....	17,413	109	11	9	9	10	36	75	142	223	265
1991.....	16,834	137	18	12	6	16	37	74	124	243	272
1990.....	16,360	99	17	8	7	16	43	75	129	237	259
1989.....	16,885	132	15	5	10	22	33	84	169	215	243
1988.....	17,459	128	14	4	8	25	41	95	147	212	246
1987.....	17,493	138	21	9	10	19	41	79	145	209	176
1986.....	17,188	163	22	6	11	19	48	69	122	173	196
1985.....	16,502	171	17	8	13	24	53	81	115	184	197
1984.....	15,602	181	16	14	9	15	43	85	112	159	174
1983.....	14,539	132	20	10	5	23	38	90	107	120	158
1982.....	13,959	182	11	14	9	14	39	67	113	140	162
1981.....	13,527	157	13	17	10	28	65	93	104	145	150
1980.....	13,407	143	14	4	13	23	50	87	114	129	166
1979.....	12,957	142	22	19	21	38	59	98	105	114	179

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
DISEASES OF URINARY SYSTEM (580-599)												
TOTAL, FEMALE												
1998.....	27,078	79	8	6	5	13	29	50	81	138	172	
1997.....	25,803	60	14	2	9	13	16	45	103	134	195	
1996.....	24,748	61	12	9	9	15	34	46	76	130	187	
1995.....	24,112	73	11	10	10	11	30	55	88	132	184	
1994.....	23,681	80	9	6	11	15	26	53	80	111	158	
1993.....	23,394	86	7	8	10	13	22	48	82	134	184	
1992.....	22,115	102	16	7	8	10	34	52	76	120	152	
1991.....	21,741	81	10	8	10	26	28	60	86	127	140	
1990.....	21,282	78	12	3	8	16	30	45	91	121	177	
1989.....	21,415	88	11	9	11	16	41	58	106	103	138	
1988.....	22,189	113	15	8	9	16	39	60	100	109	157	
1987.....	21,430	114	12	10	5	15	42	53	107	118	132	
1986.....	20,353	114	20	12	13	7	38	54	100	108	160	
1985.....	19,333	126	15	12	12	17	26	54	79	102	120	
1984.....	18,042	115	14	10	17	25	38	67	82	111	129	
1983.....	16,777	121	12	16	5	27	34	61	92	100	129	
1982.....	15,623	115	22	6	12	17	38	58	88	92	135	
1981.....	14,726	121	18	10	4	29	43	56	78	92	122	
1980.....	14,179	108	16	15	8	25	48	63	86	83	133	
1979.....	13,030	107	13	8	19	38	51	66	92	110	129	
WHITE, BOTH SEXES												
1998.....	38,636	104	13	10	10	15	31	56	99	169	247	
1997.....	37,075	107	21	5	11	23	35	68	117	180	274	
1996.....	35,365	102	21	16	10	20	40	62	92	163	277	
1995.....	34,387	101	17	12	10	19	35	76	123	185	244	
1994.....	33,787	114	12	9	8	21	30	63	84	163	211	
1993.....	33,635	128	25	17	10	23	33	61	102	159	239	
1992.....	32,181	142	21	12	11	12	43	66	108	176	211	
1991.....	31,324	146	21	14	12	27	31	76	112	181	231	
1990.....	30,523	106	19	8	8	22	51	63	121	188	246	
1989.....	30,746	146	19	8	11	27	47	82	130	168	205	
1988.....	32,300	165	25	10	9	23	43	87	140	155	241	
1987.....	31,778	150	23	13	10	21	50	85	128	176	199	
1986.....	30,596	184	30	15	19	15	56	70	135	149	211	
1985.....	29,245	201	25	17	19	33	45	84	109	155	198	
1984.....	27,557	195	25	17	14	30	55	103	118	156	187	
1983.....	25,658	172	25	20	7	34	51	92	131	124	179	
1982.....	24,151	201	26	15	19	20	47	82	128	139	191	
1981.....	23,038	199	26	25	10	41	82	87	115	147	160	
1980.....	22,233	174	26	18	13	34	59	86	119	137	183	
1979.....	21,265	179	29	20	29	56	72	110	138	148	190	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR DISEASES OF URINARY SYSTEM (580-599)	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	16,604	52	9	6	5	9	12	27	49	92	152
1997.....	15,930	59	9	3	4	10	23	37	54	101	154
1996.....	15,225	65	10	11	3	10	21	34	50	89	158
1995.....	14,784	58	8	5	5	10	16	43	65	110	144
1994.....	14,369	62	5	3	3	8	9	28	43	97	114
1993.....	14,547	75	19	10	2	12	19	35	58	91	129
1992.....	14,021	78	7	7	5	7	23	40	70	104	128
1991.....	13,477	93	14	7	3	11	20	38	64	118	151
1990.....	13,079	61	9	6	4	11	31	43	73	133	140
1989.....	13,346	87	11	3	5	17	20	52	79	111	124
1988.....	14,112	93	13	4	5	14	20	54	81	100	150
1987.....	14,126	86	14	7	6	10	24	47	67	104	110
1986.....	13,908	109	16	4	10	10	31	37	73	81	115
1985.....	13,406	121	12	7	13	18	31	53	57	96	117
1984.....	12,719	120	15	10	4	11	30	54	71	93	104
1983.....	11,860	95	16	7	3	15	31	55	66	64	94
1982.....	11,387	127	8	10	8	9	26	44	71	85	110
1981.....	10,992	110	10	16	8	24	50	57	64	95	88
1980.....	10,780	101	12	4	10	18	34	51	69	82	98
1979.....	10,532	96	17	14	15	24	41	69	73	71	114
WHITE FEMALE											
1998.....	22,032	52	4	4	5	6	19	29	50	77	95
1997.....	21,145	48	12	2	7	13	12	31	63	79	120
1996.....	20,140	37	11	5	7	10	19	28	42	74	119
1995.....	19,603	43	9	7	5	9	19	33	58	75	100
1994.....	19,418	52	7	6	5	13	21	35	41	66	97
1993.....	19,088	53	6	7	8	11	14	26	44	68	110
1992.....	18,160	64	14	5	6	5	20	26	38	72	83
1991.....	17,847	53	7	7	9	16	11	38	48	63	80
1990.....	17,444	45	10	2	4	11	20	20	48	55	106
1989.....	17,400	59	8	5	6	10	27	30	51	57	81
1988.....	18,188	72	12	6	4	9	23	33	59	55	91
1987.....	17,652	64	9	6	4	11	26	38	61	72	89
1986.....	16,688	75	14	11	9	5	25	33	62	68	96
1985.....	15,839	80	13	10	6	15	14	31	52	59	81
1984.....	14,838	75	10	7	10	19	25	49	47	63	83
1983.....	13,798	77	9	13	4	19	20	37	65	60	85
1982.....	12,764	74	18	5	11	11	21	38	57	54	81
1981.....	12,046	89	16	9	2	17	32	30	51	52	72
1980.....	11,453	73	14	14	3	16	25	35	50	55	85
1979.....	10,733	83	12	6	14	32	31	41	65	77	76

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF URINARY SYSTEM (580-599)											
ALL OTHER, BOTH SEXES											
1998.....	8,810	55	9	3	1	15	18	43	67	134	212
1997.....	8,362	45	4	2	5	7	13	49	82	141	210
1996.....	8,193	64	4	5	6	9	30	47	71	141	197
1995.....	8,054	72	8	4	8	9	28	47	83	151	230
1994.....	7,569	78	5	1	10	10	13	45	103	131	189
1993.....	7,743	76	6	5	5	6	19	52	108	163	200
1992.....	7,347	69	6	4	6	8	27	61	110	167	206
1991.....	7,251	72	7	6	4	15	34	58	98	189	181
1990.....	7,119	71	10	3	7	10	22	57	99	170	190
1989.....	7,554	74	7	6	10	11	27	60	145	150	176
1988.....	7,348	76	4	2	8	18	37	68	107	166	162
1987.....	7,145	102	10	6	5	13	33	47	124	151	109
1986.....	6,945	93	12	3	5	11	30	53	87	132	145
1985.....	6,590	96	7	3	6	8	34	51	85	131	119
1984.....	6,087	101	5	7	12	10	26	49	76	114	116
1983.....	5,658	81	7	6	3	16	21	59	68	96	108
1982.....	5,431	96	7	5	2	11	30	43	73	93	106
1981.....	5,215	79	5	2	4	16	26	62	67	90	112
1980.....	5,353	77	4	1	8	14	39	64	81	75	116
1979.....	4,722	70	6	7	11	20	38	54	59	76	118
ALL OTHER MALE											
1998.....	3,764	28	5	1	1	8	8	22	36	73	135
1997.....	3,704	33	2	2	3	7	9	35	42	86	135
1996.....	3,585	40	3	1	4	4	15	29	37	85	129
1995.....	3,545	42	6	1	3	7	17	25	53	94	146
1994.....	3,306	50	3	1	4	8	8	27	64	86	128
1993.....	3,437	43	5	4	3	4	11	30	70	97	126
1992.....	3,392	31	4	2	4	3	13	35	72	119	137
1991.....	3,357	44	4	5	3	5	17	36	60	125	121
1990.....	3,281	38	8	2	3	5	12	32	56	104	119
1989.....	3,539	45	4	2	5	5	13	32	90	104	119
1988.....	3,347	35	1	-	3	11	21	41	66	112	96
1987.....	3,367	52	7	2	4	9	17	32	78	105	66
1986.....	3,280	54	6	2	1	9	17	32	49	92	81
1985.....	3,096	50	5	1	-	6	22	28	58	88	80
1984.....	2,883	61	1	4	5	4	13	31	41	66	70
1983.....	2,679	37	4	3	2	8	7	35	41	56	64
1982.....	2,572	55	3	4	1	5	13	23	42	55	52
1981.....	2,535	47	3	1	2	4	15	36	40	50	62
1980.....	2,627	42	2	-	3	5	16	36	45	47	68
1979.....	2,425	46	5	5	6	14	18	29	32	43	65

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF URINARY SYSTEM (580-599)											
ALL OTHER FEMALE											
1998.....	5,046	27	4	2	-	7	10	21	31	61	77
1997.....	4,658	12	2	-	2	-	4	14	40	55	75
1996.....	4,608	24	1	4	2	5	15	18	34	56	68
1995.....	4,509	30	2	3	5	2	11	22	30	57	84
1994.....	4,263	28	2	-	6	2	5	18	39	45	61
1993.....	4,306	33	1	1	2	2	8	22	38	66	74
1992.....	3,955	38	2	2	2	5	14	26	38	48	69
1991.....	3,894	28	3	1	1	10	17	22	38	64	60
1990.....	3,838	33	2	1	4	5	10	25	43	66	71
1989.....	4,015	29	3	4	5	6	14	28	55	46	57
1988.....	4,001	41	3	2	5	7	16	27	41	54	66
1987.....	3,778	50	3	4	1	4	16	15	46	46	43
1986.....	3,665	39	6	1	4	2	13	21	38	40	64
1985.....	3,494	46	2	2	6	2	12	23	27	43	39
1984.....	3,204	40	4	3	7	6	13	18	35	48	46
1983.....	2,979	44	3	3	1	8	14	24	27	40	44
1982.....	2,859	41	4	1	1	6	17	20	31	38	54
1981.....	2,680	32	2	1	2	12	11	26	27	40	50
1980.....	2,726	35	2	1	5	9	23	28	36	28	48
1979.....	2,297	24	1	2	5	6	20	25	27	33	53
BLACK, BOTH SEXES											
1998.....	7,989	48	9	3	1	15	16	37	62	127	198
1997.....	7,611	40	3	1	5	7	12	47	73	136	194
1996.....	7,427	61	4	5	6	7	25	42	65	132	189
1995.....	7,387	66	6	4	5	9	26	44	81	144	216
1994.....	6,953	72	3	1	9	10	13	43	98	126	179
1993.....	7,099	73	6	5	5	5	18	46	103	158	188
1992.....	6,742	62	5	4	6	8	23	58	101	158	192
1991.....	6,682	69	6	5	4	12	33	55	94	183	173
1990.....	6,547	63	10	3	7	9	22	54	93	161	176
1989.....	7,008	71	6	5	8	10	24	56	140	145	167
1988.....	6,826	69	4	2	7	16	34	63	101	163	149
1987.....	6,659	93	8	4	4	13	29	43	115	144	101
1986.....	6,460	83	11	3	4	11	27	51	76	127	138
1985.....	6,190	86	7	2	5	7	32	49	81	127	117
1984.....	5,711	96	4	6	9	10	24	46	72	106	110
1983.....	5,287	77	6	6	3	15	17	57	63	89	96
1982.....	5,090	93	6	4	2	10	23	38	66	89	97
1981.....	4,941	74	4	2	3	14	26	58	63	88	102
1980.....	5,064	74	3	1	7	12	35	62	75	70	107
1979.....	4,458	65	6	7	10	19	33	51	59	72	113

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF URINARY SYSTEM (580-599)											
BLACK MALE											
1998.....	3,407	27	5	1	1	8	7	20	34	69	127
1997.....	3,374	29	2	1	3	7	8	33	39	84	127
1996.....	3,231	39	3	1	4	3	12	27	34	80	124
1995.....	3,244	41	5	1	2	7	16	25	53	89	139
1994.....	3,021	46	2	1	3	8	8	26	62	84	123
1993.....	3,120	42	5	4	3	4	11	26	67	94	118
1992.....	3,097	27	3	2	4	3	12	34	71	112	129
1991.....	3,087	42	3	4	3	4	16	34	58	124	117
1990.....	2,997	33	8	2	3	4	12	29	54	98	112
1989.....	3,254	44	3	2	3	5	12	30	87	102	114
1988.....	3,073	33	1	-	3	9	20	40	63	110	92
1987.....	3,131	48	5	2	3	9	15	30	74	99	64
1986.....	3,040	47	5	2	1	9	15	30	43	87	79
1985.....	2,903	45	5	1	-	6	20	28	54	85	78
1984.....	2,686	59	1	3	5	4	11	30	41	64	67
1983.....	2,493	35	4	3	2	8	5	34	39	54	60
1982.....	2,407	53	3	4	1	5	10	20	39	53	47
1981.....	2,388	45	2	1	2	3	15	32	38	50	56
1980.....	2,483	41	2	-	3	5	14	35	42	47	61
1979.....	2,272	43	5	5	6	14	16	27	32	42	63
BLACK FEMALE											
1998.....	4,582	21	4	2	-	7	9	17	28	58	71
1997.....	4,237	11	1	-	2	-	4	14	34	52	67
1996.....	4,196	22	1	4	2	4	13	15	31	52	65
1995.....	4,143	25	1	3	3	2	10	19	28	55	77
1994.....	3,932	26	1	-	6	2	5	17	36	42	56
1993.....	3,979	31	1	1	2	1	7	20	36	64	70
1992.....	3,645	35	2	2	2	5	11	24	30	46	63
1991.....	3,595	27	3	1	1	8	17	21	36	59	56
1990.....	3,550	30	2	1	4	5	10	25	39	63	64
1989.....	3,754	27	3	3	5	5	12	26	53	43	53
1988.....	3,753	36	3	2	4	7	14	23	38	53	57
1987.....	3,528	45	3	2	1	4	14	13	41	45	37
1986.....	3,420	36	6	1	3	2	12	21	33	40	59
1985.....	3,287	41	2	1	5	1	12	21	27	42	39
1984.....	3,025	37	3	3	4	6	13	16	31	42	43
1983.....	2,794	42	2	3	1	7	12	23	24	35	36
1982.....	2,683	40	3	-	1	5	13	18	27	36	50
1981.....	2,553	29	2	1	1	11	11	26	25	38	46
1980.....	2,581	33	1	1	4	7	21	27	33	23	46
1979.....	2,186	22	1	2	4	5	17	24	27	30	50

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)											
TOTAL, BOTH SEXES											
1998.....	26,182	138	12	12	8	17	26	52	97	177	259
1997.....	25,331	136	11	6	12	23	30	64	115	183	265
1996.....	24,304	144	16	14	13	17	42	65	88	188	288
1995.....	23,676	155	19	11	12	16	38	78	120	210	284
1994.....	22,976	175	10	5	9	21	26	63	124	189	241
1993.....	23,317	183	21	18	10	19	29	69	151	198	260
1992.....	22,162	189	17	9	11	14	42	84	152	234	246
1991.....	21,360	189	16	14	11	27	35	89	134	240	266
1990.....	20,764	151	24	9	11	17	40	75	140	252	279
1989.....	21,118	198	15	10	10	19	51	85	173	227	238
1988.....	22,392	218	21	10	10	31	52	96	175	219	260
1987.....	22,052	220	21	16	9	18	56	88	177	214	191
1986.....	21,767	251	28	13	20	16	63	79	162	195	240
1985.....	21,349	277	23	15	13	27	49	101	140	209	224
1984.....	20,126	273	22	21	19	29	54	115	132	188	204
1983.....	18,998	232	20	20	8	36	53	106	138	154	189
1982.....	18,102	260	28	16	16	26	55	85	140	161	204
1981.....	17,277	258	26	22	14	36	75	105	122	171	186
1980.....	16,753	225	26	12	19	39	72	103	143	159	203
1979.....	15,729	219	29	21	33	55	78	122	145	153	226
TOTAL, MALE											
1998.....	12,561	69	7	7	4	13	8	31	52	101	175
1997.....	12,140	81	4	4	6	11	21	42	59	100	168
1996.....	11,642	91	8	9	5	10	24	46	49	113	174
1995.....	11,389	90	12	4	5	10	21	43	73	128	184
1994.....	10,866	104	5	1	6	12	11	34	75	119	154
1993.....	11,210	102	17	11	4	11	18	40	95	125	158
1992.....	10,816	94	6	5	7	8	23	53	100	155	167
1991.....	10,418	118	13	9	5	13	20	50	85	167	179
1990.....	10,005	82	14	6	4	8	27	48	92	165	178
1989.....	10,320	118	10	3	7	9	24	56	110	167	154
1988.....	10,880	113	9	4	7	20	23	58	109	150	161
1987.....	10,872	111	13	7	7	12	28	58	102	142	117
1986.....	10,863	150	14	4	9	11	35	48	89	123	139
1985.....	10,551	157	14	7	6	16	33	64	87	139	144
1984.....	10,051	163	11	11	7	11	35	65	83	114	124
1983.....	9,312	121	11	7	5	16	28	62	75	86	98
1982.....	9,165	157	11	11	8	12	32	47	82	93	123
1981.....	8,720	144	10	14	10	20	40	67	73	108	100
1980.....	8,638	128	12	4	13	16	36	61	90	99	125
1979.....	8,260	123	18	16	18	31	41	76	81	84	138

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)											
TOTAL, FEMALE											
1998.....	13,621	69	5	5	4	4	18	21	45	76	84
1997.....	13,191	55	7	2	6	12	9	22	56	83	97
1996.....	12,662	53	8	5	8	7	18	19	39	75	114
1995.....	12,287	65	7	7	7	6	17	35	47	82	100
1994.....	12,110	71	5	4	3	9	15	29	49	70	87
1993.....	12,107	81	4	7	6	8	11	29	56	73	102
1992.....	11,346	95	11	4	4	6	19	31	52	79	79
1991.....	10,942	71	3	5	6	14	15	39	49	73	87
1990.....	10,759	69	10	3	7	9	13	27	48	87	101
1989.....	10,798	80	5	7	3	10	27	29	63	60	84
1988.....	11,512	105	12	6	3	11	29	38	66	69	99
1987.....	11,180	109	8	9	2	6	28	30	75	72	74
1986.....	10,904	101	14	9	11	5	28	31	73	72	101
1985.....	10,798	120	9	8	7	11	16	37	53	70	80
1984.....	10,075	110	11	10	12	18	19	50	49	74	80
1983.....	9,686	111	9	13	3	20	25	44	63	68	91
1982.....	8,937	103	17	5	8	14	23	38	58	68	81
1981.....	8,557	114	16	8	4	16	35	38	49	63	86
1980.....	8,115	97	14	8	6	23	36	42	53	60	78
1979.....	7,469	96	11	5	15	24	37	46	64	69	88
WHITE, BOTH SEXES											
1998.....	21,369	89	7	9	7	8	19	28	61	98	152
1997.....	20,678	96	9	4	8	18	23	41	64	109	164
1996.....	19,696	83	14	10	8	12	22	39	48	101	169
1995.....	19,117	92	12	8	6	10	21	51	71	116	146
1994.....	18,639	100	6	4	2	13	19	36	57	103	119
1993.....	18,795	113	16	14	7	15	20	32	69	97	143
1992.....	17,903	127	14	7	7	9	25	44	80	127	130
1991.....	17,165	126	13	9	7	17	14	45	72	114	158
1990.....	16,571	90	15	7	6	11	24	37	80	135	155
1989.....	16,607	130	10	6	4	12	29	54	80	116	121
1988.....	17,915	148	18	8	7	19	27	52	99	108	161
1987.....	17,764	126	14	10	5	11	32	57	88	113	132
1986.....	17,446	164	19	11	15	9	41	43	95	105	139
1985.....	17,046	185	18	14	8	21	28	58	70	106	147
1984.....	16,198	178	17	15	11	21	38	80	80	113	126
1983.....	15,334	157	16	16	6	25	38	64	89	85	117
1982.....	14,453	174	21	11	15	17	35	52	90	104	130
1981.....	13,828	184	21	20	10	29	55	63	79	106	111
1980.....	13,137	155	22	11	13	27	40	55	89	103	125
1979.....	12,534	158	25	15	25	39	47	79	99	95	140

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)											
WHITE MALE											
1998.....	10,406	45	5	6	3	6	6	16	32	55	99
1997.....	10,002	52	4	2	4	6	17	24	32	56	99
1996.....	9,549	53	6	8	2	8	14	25	26	59	95
1995.....	9,288	53	6	4	2	5	10	27	40	67	94
1994.....	8,901	56	2	-	2	6	6	16	33	62	68
1993.....	9,110	62	13	8	2	9	12	17	38	60	81
1992.....	8,784	68	5	4	4	6	16	30	52	77	83
1991.....	8,403	82	11	5	2	10	9	23	38	79	112
1990.....	8,021	50	7	5	2	5	19	27	51	99	96
1989.....	8,093	78	7	2	3	6	12	37	49	84	75
1988.....	8,786	82	9	4	5	12	9	33	60	73	103
1987.....	8,800	66	9	5	4	7	16	36	48	68	79
1986.....	8,754	101	10	2	8	6	22	25	50	59	80
1985.....	8,482	111	10	6	6	12	20	40	37	70	89
1984.....	8,174	107	10	8	3	8	26	42	52	71	77
1983.....	7,548	86	8	5	3	11	23	37	46	46	56
1982.....	7,405	108	8	7	7	8	21	28	54	61	86
1981.....	7,018	101	7	13	8	19	30	43	46	73	58
1980.....	6,848	93	10	4	10	12	23	32	56	63	72
1979.....	6,630	83	15	11	13	19	25	52	56	48	87
WHITE FEMALE											
1998.....	10,963	44	2	3	4	2	13	12	29	43	53
1997.....	10,676	44	5	2	4	12	6	17	32	53	65
1996.....	10,147	30	8	2	6	4	8	14	22	42	74
1995.....	9,829	39	6	4	4	5	11	24	31	49	52
1994.....	9,738	44	4	4	-	7	13	20	24	41	51
1993.....	9,685	51	3	6	5	6	8	15	31	37	62
1992.....	9,119	59	9	3	3	3	9	14	28	50	47
1991.....	8,762	44	2	4	5	7	5	22	34	35	46
1990.....	8,550	40	8	2	4	6	5	10	29	36	59
1989.....	8,514	52	3	4	1	6	17	17	31	32	46
1988.....	9,129	66	9	4	2	7	18	19	39	35	58
1987.....	8,964	60	5	5	1	4	16	21	40	45	53
1986.....	8,692	63	9	9	7	3	19	18	45	46	59
1985.....	8,564	74	8	8	2	9	8	18	33	36	58
1984.....	8,024	71	7	7	8	13	12	38	28	42	49
1983.....	7,786	71	8	11	3	14	15	27	43	39	61
1982.....	7,048	66	13	4	8	9	14	24	36	43	44
1981.....	6,810	83	14	7	2	10	25	20	33	33	53
1980.....	6,289	62	12	7	3	15	17	23	33	40	53
1979.....	5,904	75	10	4	12	20	22	27	43	47	53

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)											
ALL OTHER, BOTH SEXES											
1998.....	4,813	49	5	3	1	9	7	24	36	79	107
1997.....	4,653	40	2	2	4	5	7	23	51	74	101
1996.....	4,608	61	2	4	5	5	20	26	40	87	119
1995.....	4,559	63	7	3	6	6	17	27	49	94	138
1994.....	4,337	75	4	1	7	8	7	27	67	86	122
1993.....	4,522	70	5	4	3	4	9	37	82	101	117
1992.....	4,259	62	3	2	4	5	17	40	72	107	116
1991.....	4,195	63	3	5	4	10	21	44	62	126	108
1990.....	4,193	61	9	2	5	6	16	38	60	117	124
1989.....	4,511	68	5	4	6	7	22	31	93	111	117
1988.....	4,477	70	3	2	3	12	25	44	76	111	99
1987.....	4,288	94	7	6	4	7	24	31	89	101	59
1986.....	4,321	87	9	2	5	7	22	36	67	90	101
1985.....	4,303	92	5	1	5	6	21	43	70	103	77
1984.....	3,928	95	5	6	8	8	16	35	52	75	78
1983.....	3,664	75	4	4	2	11	15	42	49	69	72
1982.....	3,649	86	7	5	1	9	20	33	50	57	74
1981.....	3,449	74	5	2	4	7	20	42	43	65	75
1980.....	3,616	70	4	1	6	12	32	48	54	56	78
1979.....	3,195	61	4	6	8	16	31	43	46	58	86
ALL OTHER MALE											
1998.....	2,155	24	2	1	1	7	2	15	20	46	76
1997.....	2,138	29	-	2	2	5	4	18	27	44	69
1996.....	2,093	38	2	1	3	2	10	21	23	54	79
1995.....	2,101	37	6	-	3	5	11	16	33	61	90
1994.....	1,965	48	3	1	4	6	5	18	42	57	86
1993.....	2,100	40	4	3	2	2	6	23	57	65	77
1992.....	2,032	26	1	1	3	2	7	23	48	78	84
1991.....	2,015	36	2	4	3	3	11	27	47	88	67
1990.....	1,984	32	7	1	2	3	8	21	41	66	82
1989.....	2,227	40	3	1	4	3	12	19	61	83	79
1988.....	2,094	31	-	-	2	8	14	25	49	77	58
1987.....	2,072	45	4	2	3	5	12	22	54	74	38
1986.....	2,109	49	4	2	1	5	13	23	39	64	59
1985.....	2,069	46	4	1	-	4	13	24	50	69	55
1984.....	1,877	56	1	3	4	3	9	23	31	43	47
1983.....	1,764	35	3	2	2	5	5	25	29	40	42
1982.....	1,760	49	3	4	1	4	11	19	28	32	37
1981.....	1,702	43	3	1	2	1	10	24	27	35	42
1980.....	1,790	35	2	-	3	4	13	29	34	36	53
1979.....	1,630	40	3	5	5	12	16	24	25	36	51

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)											
ALL OTHER FEMALE											
1998.....	2,658	25	3	2	-	2	5	9	16	33	31
1997.....	2,515	11	2	-	2	-	3	5	24	30	32
1996.....	2,515	23	-	3	2	3	10	5	17	33	40
1995.....	2,458	26	1	3	3	1	6	11	16	33	48
1994.....	2,372	27	1	-	3	2	2	9	25	29	36
1993.....	2,422	30	1	1	1	2	3	14	25	36	40
1992.....	2,227	36	2	1	1	3	10	17	24	29	32
1991.....	2,180	27	1	1	1	7	10	17	15	38	41
1990.....	2,209	29	2	1	3	3	8	17	19	51	42
1989.....	2,284	28	2	3	2	4	10	12	32	28	38
1988.....	2,383	39	3	2	1	4	11	19	27	34	41
1987.....	2,216	49	3	4	1	2	12	9	35	27	21
1986.....	2,212	38	5	-	4	2	9	13	28	26	42
1985.....	2,234	46	1	-	5	2	8	19	20	34	22
1984.....	2,051	39	4	3	4	5	7	12	21	32	31
1983.....	1,900	40	1	2	-	6	10	17	20	29	30
1982.....	1,889	37	4	1	-	5	9	14	22	25	37
1981.....	1,747	31	2	1	2	6	10	18	16	30	33
1980.....	1,826	35	2	1	3	8	19	19	20	20	25
1979.....	1,565	21	1	1	3	4	15	19	21	22	35
BLACK, BOTH SEXES											
1998.....	4,329	42	5	3	1	9	6	22	34	74	101
1997.....	4,236	35	1	1	4	5	6	22	46	71	95
1996.....	4,144	59	2	4	5	4	17	23	36	80	115
1995.....	4,159	59	6	3	3	6	15	25	49	90	131
1994.....	3,980	69	3	1	6	8	7	27	66	83	113
1993.....	4,107	67	5	4	3	3	9	32	78	97	108
1992.....	3,889	56	3	2	4	5	13	37	67	104	107
1991.....	3,866	61	2	4	4	8	20	43	59	121	104
1990.....	3,855	54	9	2	5	5	16	37	56	113	116
1989.....	4,166	65	4	3	4	6	20	29	89	107	110
1988.....	4,157	64	3	2	3	11	23	39	73	109	91
1987.....	3,975	85	6	4	3	7	23	28	82	95	53
1986.....	4,020	82	8	2	4	7	19	35	60	88	95
1985.....	4,044	82	5	1	4	5	20	43	68	101	76
1984.....	3,666	91	4	5	7	8	14	32	49	68	73
1983.....	3,426	71	4	4	2	10	13	41	44	63	63
1982.....	3,417	84	6	4	1	8	15	28	45	53	66
1981.....	3,262	69	4	2	3	7	20	40	40	64	69
1980.....	3,416	67	3	1	5	10	28	47	49	51	72
1979.....	3,018	58	4	6	7	15	28	40	46	57	84

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)											
BLACK MALE											
1998.....	1,929	23	2	1	1	7	1	14	20	43	71
1997.....	1,941	25	-	1	2	5	3	17	27	43	67
1996.....	1,873	38	2	1	3	2	8	19	22	50	76
1995.....	1,916	37	5	-	2	5	10	16	33	58	86
1994.....	1,794	44	2	1	3	6	5	18	42	55	81
1993.....	1,879	39	4	3	2	2	6	20	55	62	71
1992.....	1,850	23	1	1	3	2	6	22	47	76	78
1991.....	1,849	35	1	3	3	2	10	26	45	87	65
1990.....	1,806	28	7	1	2	2	8	20	39	64	77
1989.....	2,047	39	2	1	2	3	11	18	59	82	75
1988.....	1,908	29	-	-	2	7	14	24	47	75	55
1987.....	1,905	41	3	2	2	5	12	21	51	68	36
1986.....	1,963	46	3	2	1	5	11	22	35	62	58
1985.....	1,935	41	4	1	-	4	12	24	48	68	54
1984.....	1,731	54	1	2	4	3	7	22	31	41	45
1983.....	1,648	33	3	2	2	5	5	24	27	38	39
1982.....	1,650	47	3	4	1	4	8	16	25	30	33
1981.....	1,609	41	2	1	2	1	10	22	26	35	40
1980.....	1,694	34	2	-	3	4	11	28	31	36	48
1979.....	1,525	38	3	5	5	12	14	22	25	36	50
BLACK FEMALE											
1998.....	2,400	19	3	2	-	2	5	8	14	31	30
1997.....	2,295	10	1	-	2	-	3	5	19	28	28
1996.....	2,271	21	-	3	2	2	9	4	14	30	39
1995.....	2,243	22	1	3	1	1	5	9	16	32	45
1994.....	2,186	25	1	-	3	2	2	9	24	28	32
1993.....	2,228	28	1	1	1	1	3	12	23	35	37
1992.....	2,039	33	2	1	1	3	7	15	20	28	29
1991.....	2,017	26	1	1	1	6	10	17	14	34	39
1990.....	2,049	26	2	1	3	3	8	17	17	49	39
1989.....	2,119	26	2	2	2	3	9	11	30	25	35
1988.....	2,249	35	3	2	1	4	9	15	26	34	36
1987.....	2,070	44	3	2	1	2	11	7	31	27	17
1986.....	2,057	36	5	-	3	2	8	13	25	26	37
1985.....	2,109	41	1	-	4	1	8	19	20	33	22
1984.....	1,935	37	3	3	3	5	7	10	18	27	28
1983.....	1,778	38	1	2	-	5	8	17	17	25	24
1982.....	1,767	37	3	-	-	4	7	12	20	23	33
1981.....	1,653	28	2	1	1	6	10	18	14	29	29
1980.....	1,722	33	1	1	2	6	17	19	18	15	24
1979.....	1,493	20	1	1	2	3	14	18	21	21	34

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACUTE GLOMERULONEPHRITIS (580)											
TOTAL, BOTH SEXES											
1998.....	130	-	-	-	-	-	-	-	1	1	-
1997.....	117	-	-	-	-	-	-	2	-	-	1
1996.....	94	-	1	-	-	-	-	-	1	1	2
1995.....	110	-	-	1	-	-	-	-	-	1	1
1994.....	116	-	-	-	-	-	-	-	-	3	1
1993.....	79	1	-	1	-	-	-	-	-	2	2
1992.....	95	-	-	-	-	-	2	-	3	1	2
1991.....	85	-	-	-	-	-	-	-	2	2	1
1990.....	90	2	-	-	-	-	-	-	1	4	-
1989.....	109	-	-	-	-	-	-	1	2	2	1
1988.....	108	-	-	-	-	-	2	-	-	4	-
1987.....	89	-	-	-	-	-	-	1	1	2	1
1986.....	100	-	-	-	-	1	-	3	1	1	2
1985.....	121	2	-	-	-	-	-	2	1	2	1
1984.....	115	-	-	1	-	-	-	-	1	2	3
1983.....	132	-	-	-	-	1	-	-	1	1	1
1982.....	90	-	-	1	-	-	1	-	1	1	1
1981.....	113	1	1	-	-	1	1	-	1	1	3
1980.....	117	-	-	-	-	1	-	-	2	6	-
1979.....	133	3	1	-	1	1	1	1	-	2	2
TOTAL, MALE											
1998.....	67	-	-	-	-	-	-	-	1	1	-
1997.....	56	-	-	-	-	-	-	2	-	-	1
1996.....	50	-	1	-	-	-	-	-	1	1	1
1995.....	47	-	-	-	-	-	-	-	-	-	-
1994.....	53	-	-	-	-	-	-	-	-	3	1
1993.....	33	1	-	-	-	-	-	-	-	2	-
1992.....	49	-	-	-	-	-	1	-	2	-	-
1991.....	45	-	-	-	-	-	-	-	1	1	1
1990.....	46	1	-	-	-	-	-	-	1	2	-
1989.....	61	-	-	-	-	-	-	-	1	1	1
1988.....	53	-	-	-	-	-	1	-	-	3	-
1987.....	50	-	-	-	-	-	-	-	1	2	-
1986.....	51	-	-	-	-	-	-	1	1	1	2
1985.....	56	1	-	-	-	-	-	2	-	2	1
1984.....	51	-	-	-	-	-	-	-	1	-	1
1983.....	58	-	-	-	-	1	-	-	-	-	1
1982.....	50	-	-	1	-	-	1	-	1	1	-
1981.....	58	-	-	-	-	1	-	-	1	1	2
1980.....	58	-	-	-	-	-	-	-	1	3	-
1979.....	73	3	1	-	-	1	1	-	-	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACUTE GLOMERULONEPHRITIS (580)											
TOTAL, FEMALE											
1998.....	63	-	-	-	-	-	-	-	-	-	-
1997.....	61	-	-	-	-	-	-	-	-	-	-
1996.....	44	-	-	-	-	-	-	-	-	-	1
1995.....	63	-	-	1	-	-	-	-	-	1	1
1994.....	63	-	-	-	-	-	-	-	-	-	-
1993.....	46	-	-	1	-	-	-	-	-	-	2
1992.....	46	-	-	-	-	-	1	-	1	1	2
1991.....	40	-	-	-	-	-	-	-	1	1	-
1990.....	44	1	-	-	-	-	-	-	-	2	-
1989.....	48	-	-	-	-	-	-	1	1	1	-
1988.....	55	-	-	-	-	-	1	-	-	1	-
1987.....	39	-	-	-	-	-	-	1	-	-	1
1986.....	49	-	-	-	-	1	-	2	-	-	-
1985.....	65	1	-	-	-	-	-	-	1	-	-
1984.....	64	-	-	1	-	-	-	-	-	2	2
1983.....	74	-	-	-	-	-	-	-	1	1	-
1982.....	40	-	-	-	-	-	-	-	-	-	1
1981.....	55	1	1	-	-	-	1	-	-	-	1
1980.....	59	-	-	-	-	1	-	-	1	3	-
1979.....	60	-	-	-	1	-	-	1	-	1	1
WHITE, BOTH SEXES											
1998.....	106	-	-	-	-	-	-	-	-	1	-
1997.....	94	-	-	-	-	-	-	1	-	-	-
1996.....	76	-	1	-	-	-	-	-	1	-	1
1995.....	91	-	-	-	-	-	-	-	-	-	1
1994.....	98	-	-	-	-	-	-	-	-	1	1
1993.....	66	-	-	1	-	-	-	-	-	2	1
1992.....	78	-	-	-	-	-	2	-	1	-	1
1991.....	77	-	-	-	-	-	-	-	1	1	1
1990.....	78	2	-	-	-	-	-	-	1	4	-
1989.....	92	-	-	-	-	-	-	1	-	1	1
1988.....	84	-	-	-	-	-	1	-	-	1	-
1987.....	75	-	-	-	-	-	-	1	1	2	1
1986.....	78	-	-	-	-	-	-	1	-	-	-
1985.....	105	1	-	-	-	-	-	1	-	1	-
1984.....	102	-	-	-	-	-	-	-	1	-	-
1983.....	116	-	-	-	-	1	-	-	1	-	-
1982.....	73	-	-	-	-	-	1	-	-	-	-
1981.....	93	1	-	-	-	1	-	-	-	1	3
1980.....	93	-	-	-	-	1	-	-	-	5	-
1979.....	113	1	-	-	-	1	-	1	-	2	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACUTE GLOMERULONEPHRITIS (580)											
WHITE MALE											
1998.....	54	-	-	-	-	-	-	-	-	1	-
1997.....	43	-	-	-	-	-	-	1	-	-	-
1996.....	42	-	1	-	-	-	-	-	1	-	-
1995.....	43	-	-	-	-	-	-	-	-	-	-
1994.....	41	-	-	-	-	-	-	-	-	1	1
1993.....	30	-	-	-	-	-	-	-	-	2	-
1992.....	40	-	-	-	-	-	1	-	1	-	-
1991.....	39	-	-	-	-	-	-	-	-	-	1
1990.....	38	1	-	-	-	-	-	-	1	2	-
1989.....	53	-	-	-	-	-	-	-	-	-	1
1988.....	40	-	-	-	-	-	-	-	-	1	-
1987.....	40	-	-	-	-	-	-	-	1	2	-
1986.....	38	-	-	-	-	-	-	-	-	-	-
1985.....	48	1	-	-	-	-	-	1	-	1	-
1984.....	47	-	-	-	-	-	-	-	1	-	-
1983.....	51	-	-	-	-	1	-	-	-	-	-
1982.....	37	-	-	-	-	-	1	-	-	-	-
1981.....	48	-	-	-	-	1	-	-	-	1	2
1980.....	45	-	-	-	-	-	-	-	-	2	-
1979.....	62	1	-	-	-	1	-	-	-	1	1
WHITE FEMALE											
1998.....	52	-	-	-	-	-	-	-	-	-	-
1997.....	51	-	-	-	-	-	-	-	-	-	-
1996.....	34	-	-	-	-	-	-	-	-	-	1
1995.....	48	-	-	-	-	-	-	-	-	-	1
1994.....	57	-	-	-	-	-	-	-	-	-	-
1993.....	36	-	-	1	-	-	-	-	-	-	1
1992.....	38	-	-	-	-	-	1	-	-	-	1
1991.....	38	-	-	-	-	-	-	-	1	1	-
1990.....	40	1	-	-	-	-	-	-	-	2	-
1989.....	39	-	-	-	-	-	-	1	-	1	-
1988.....	44	-	-	-	-	-	1	-	-	-	-
1987.....	35	-	-	-	-	-	-	1	-	-	1
1986.....	40	-	-	-	-	-	-	1	-	-	-
1985.....	57	-	-	-	-	-	-	-	-	-	-
1984.....	55	-	-	-	-	-	-	-	-	-	-
1983.....	65	-	-	-	-	-	-	-	1	-	-
1982.....	36	-	-	-	-	-	-	-	-	-	-
1981.....	45	1	-	-	-	-	-	-	-	-	1
1980.....	48	-	-	-	-	1	-	-	-	3	-
1979.....	51	-	-	-	-	-	-	1	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACUTE GLOMERULONEPHRITIS (580)											
ALL OTHER, BOTH SEXES											
1998.....	24	-	-	-	-	-	-	-	1	-	-
1997.....	23	-	-	-	-	-	-	1	-	-	1
1996.....	18	-	-	-	-	-	-	-	-	1	1
1995.....	19	-	-	1	-	-	-	-	-	1	-
1994.....	18	-	-	-	-	-	-	-	-	2	-
1993.....	13	1	-	-	-	-	-	-	-	-	1
1992.....	17	-	-	-	-	-	-	-	2	1	1
1991.....	8	-	-	-	-	-	-	-	1	1	-
1990.....	12	-	-	-	-	-	-	-	-	-	-
1989.....	17	-	-	-	-	-	-	-	2	1	-
1988.....	24	-	-	-	-	-	1	-	-	3	-
1987.....	14	-	-	-	-	-	-	-	-	-	-
1986.....	22	-	-	-	-	1	-	2	1	1	2
1985.....	16	1	-	-	-	-	-	1	1	1	1
1984.....	13	-	-	1	-	-	-	-	-	2	3
1983.....	16	-	-	-	-	-	-	-	-	1	1
1982.....	17	-	-	1	-	-	-	-	1	1	1
1981.....	20	-	1	-	-	-	1	-	1	-	-
1980.....	24	-	-	-	-	-	-	-	2	1	-
1979.....	20	2	1	-	1	-	1	-	-	-	1
ALL OTHER MALE											
1998.....	13	-	-	-	-	-	-	-	1	-	-
1997.....	13	-	-	-	-	-	-	1	-	-	1
1996.....	8	-	-	-	-	-	-	-	-	1	1
1995.....	4	-	-	-	-	-	-	-	-	-	-
1994.....	12	-	-	-	-	-	-	-	-	2	-
1993.....	3	1	-	-	-	-	-	-	-	-	-
1992.....	9	-	-	-	-	-	-	-	1	-	-
1991.....	6	-	-	-	-	-	-	-	1	1	-
1990.....	8	-	-	-	-	-	-	-	-	-	-
1989.....	8	-	-	-	-	-	-	-	1	1	-
1988.....	13	-	-	-	-	-	1	-	-	2	-
1987.....	10	-	-	-	-	-	-	-	-	-	-
1986.....	13	-	-	-	-	-	-	1	1	1	2
1985.....	8	-	-	-	-	-	-	1	-	1	1
1984.....	4	-	-	-	-	-	-	-	-	-	1
1983.....	7	-	-	-	-	-	-	-	-	-	1
1982.....	13	-	-	1	-	-	-	-	1	1	-
1981.....	10	-	-	-	-	-	-	-	1	-	-
1980.....	13	-	-	-	-	-	-	-	1	1	-
1979.....	11	2	1	-	-	-	1	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 ACUTE GLOMERULONEPHRITIS (580)												
ALL OTHER FEMALE												
1998.....	11	-	-	-	-	-	-	-	-	-	-	
1997.....	10	-	-	-	-	-	-	-	-	-	-	
1996.....	10	-	-	-	-	-	-	-	-	-	-	
1995.....	15	-	-	1	-	-	-	-	-	1	-	
1994.....	6	-	-	-	-	-	-	-	-	-	-	
1993.....	10	-	-	-	-	-	-	-	-	-	1	
1992.....	8	-	-	-	-	-	-	-	1	1	1	
1991.....	2	-	-	-	-	-	-	-	-	-	-	
1990.....	4	-	-	-	-	-	-	-	-	-	-	
1989.....	9	-	-	-	-	-	-	-	1	-	-	
1988.....	11	-	-	-	-	-	-	-	-	1	-	
1987.....	4	-	-	-	-	-	-	-	-	-	-	
1986.....	9	-	-	-	-	1	-	1	-	-	-	
1985.....	8	1	-	-	-	-	-	-	1	-	-	
1984.....	9	-	-	1	-	-	-	-	-	2	2	
1983.....	9	-	-	-	-	-	-	-	-	1	-	
1982.....	4	-	-	-	-	-	-	-	-	-	1	
1981.....	10	-	1	-	-	-	1	-	-	-	-	
1980.....	11	-	-	-	-	-	-	-	1	-	-	
1979.....	9	-	-	-	1	-	-	-	-	-	1	
BLACK, BOTH SEXES												
1998.....	21	-	-	-	-	-	-	-	1	-	-	
1997.....	21	-	-	-	-	-	-	1	-	-	1	
1996.....	18	-	-	-	-	-	-	-	-	1	1	
1995.....	19	-	-	1	-	-	-	-	-	1	-	
1994.....	17	-	-	-	-	-	-	-	-	2	-	
1993.....	13	1	-	-	-	-	-	-	-	-	1	
1992.....	14	-	-	-	-	-	-	-	2	1	1	
1991.....	8	-	-	-	-	-	-	-	1	1	-	
1990.....	8	-	-	-	-	-	-	-	-	-	-	
1989.....	16	-	-	-	-	-	-	-	1	1	-	
1988.....	23	-	-	-	-	-	1	-	-	3	-	
1987.....	12	-	-	-	-	-	-	-	-	-	-	
1986.....	21	-	-	-	-	1	-	2	1	1	2	
1985.....	13	1	-	-	-	-	-	1	1	1	1	
1984.....	13	-	-	1	-	-	-	-	-	2	3	
1983.....	14	-	-	-	-	-	-	-	-	-	1	
1982.....	16	-	-	1	-	-	-	-	1	1	1	
1981.....	20	-	1	-	-	-	1	-	1	-	-	
1980.....	24	-	-	-	-	-	-	-	2	1	-	
1979.....	19	2	1	-	1	-	1	-	-	-	1	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 ACUTE GLOMERULONEPHRITIS (580)												
BLACK MALE												
1998.....	11	-	-	-	-	-	-	-	1	-	-	
1997.....	11	-	-	-	-	-	-	1	-	-	1	
1996.....	8	-	-	-	-	-	-	-	-	1	1	
1995.....	4	-	-	-	-	-	-	-	-	-	-	
1994.....	11	-	-	-	-	-	-	-	-	2	-	
1993.....	3	1	-	-	-	-	-	-	-	-	-	
1992.....	6	-	-	-	-	-	-	-	1	-	-	
1991.....	6	-	-	-	-	-	-	-	1	1	-	
1990.....	5	-	-	-	-	-	-	-	-	-	-	
1989.....	8	-	-	-	-	-	-	-	1	1	-	
1988.....	13	-	-	-	-	-	1	-	-	2	-	
1987.....	8	-	-	-	-	-	-	-	-	-	-	
1986.....	12	-	-	-	-	-	-	1	1	1	2	
1985.....	6	-	-	-	-	-	-	1	-	1	1	
1984.....	4	-	-	-	-	-	-	-	-	-	1	
1983.....	6	-	-	-	-	-	-	-	-	-	1	
1982.....	13	-	-	1	-	-	-	-	1	1	-	
1981.....	10	-	-	-	-	-	-	-	1	-	-	
1980.....	13	-	-	-	-	-	-	-	1	1	-	
1979.....	11	2	1	-	-	-	1	-	-	-	-	
BLACK FEMALE												
1998.....	10	-	-	-	-	-	-	-	-	-	-	
1997.....	10	-	-	-	-	-	-	-	-	-	-	
1996.....	10	-	-	-	-	-	-	-	-	-	-	
1995.....	15	-	-	1	-	-	-	-	-	1	-	
1994.....	6	-	-	-	-	-	-	-	-	-	-	
1993.....	10	-	-	-	-	-	-	-	-	-	1	
1992.....	8	-	-	-	-	-	-	-	1	1	1	
1991.....	2	-	-	-	-	-	-	-	-	-	-	
1990.....	3	-	-	-	-	-	-	-	-	-	-	
1989.....	8	-	-	-	-	-	-	-	-	-	-	
1988.....	10	-	-	-	-	-	-	-	-	1	-	
1987.....	4	-	-	-	-	-	-	-	-	-	-	
1986.....	9	-	-	-	-	1	-	1	-	-	-	
1985.....	7	1	-	-	-	-	-	-	1	-	-	
1984.....	9	-	-	1	-	-	-	-	-	2	2	
1983.....	8	-	-	-	-	-	-	-	-	-	-	
1982.....	3	-	-	-	-	-	-	-	-	-	1	
1981.....	10	-	1	-	-	-	1	-	-	-	-	
1980.....	11	-	-	-	-	-	-	-	1	-	-	
1979.....	8	-	-	-	1	-	-	-	-	-	1	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEPHROTIC SYNDROME (581)											
TOTAL, BOTH SEXES											
1998.....	195	11	2	3	1	1	-	2	-	1	5
1997.....	207	8	-	1	2	3	-	2	3	3	5
1996.....	227	8	4	3	-	1	4	1	3	2	2
1995.....	182	6	7	3	1	1	3	1	2	3	4
1994.....	189	7	2	-	-	1	2	2	1	3	1
1993.....	213	6	4	4	-	1	2	1	2	4	2
1992.....	209	5	5	1	3	3	1	-	2	3	2
1991.....	235	5	5	2	-	-	3	2	3	5	7
1990.....	206	8	5	2	1	-	3	2	4	5	2
1989.....	201	8	3	-	4	1	3	-	4	6	5
1988.....	202	4	4	-	1	2	-	-	4	2	3
1987.....	188	9	3	4	1	1	1	2	3	4	2
1986.....	193	8	5	1	-	-	5	2	2	6	3
1985.....	227	7	5	1	-	2	2	3	6	-	6
1984.....	201	5	6	1	-	-	2	5	3	1	2
1983.....	222	8	2	3	-	2	2	1	5	5	2
1982.....	219	8	3	1	2	-	-	3	2	2	2
1981.....	189	8	5	3	1	-	1	1	3	3	3
1980.....	211	7	5	2	2	2	3	5	3	-	5
1979.....	205	4	8	1	1	8	-	1	1	4	3
TOTAL, MALE											
1998.....	87	3	1	3	1	1	-	-	-	-	4
1997.....	98	2	-	1	1	2	-	1	1	-	4
1996.....	103	3	4	3	-	-	3	-	1	1	2
1995.....	86	4	5	1	-	-	1	1	1	1	4
1994.....	89	4	2	-	-	1	2	-	-	3	-
1993.....	91	2	4	3	-	-	2	1	1	2	2
1992.....	94	4	2	1	3	2	-	-	2	2	1
1991.....	109	2	3	1	-	-	3	-	3	2	2
1990.....	99	3	2	2	-	-	2	2	4	5	1
1989.....	99	3	-	-	4	1	2	-	3	5	4
1988.....	105	2	2	-	-	-	-	-	2	2	2
1987.....	83	2	2	1	-	1	-	2	2	2	1
1986.....	82	6	2	-	-	-	2	2	-	3	2
1985.....	103	3	3	1	-	1	2	2	3	-	3
1984.....	96	4	2	1	-	-	-	2	3	1	-
1983.....	113	4	1	1	-	1	2	1	3	4	1
1982.....	101	4	2	1	1	-	-	1	1	2	1
1981.....	84	5	3	1	-	-	1	1	-	1	2
1980.....	104	5	2	-	2	-	1	1	1	-	3
1979.....	109	3	4	1	1	7	-	1	1	4	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEPHROTIC SYNDROME (581)											
TOTAL, FEMALE											
1998.....	108	8	1	-	-	-	-	2	-	1	1
1997.....	109	6	-	-	1	1	-	1	2	3	1
1996.....	124	5	-	-	-	1	1	1	2	1	-
1995.....	96	2	2	2	1	1	2	-	1	2	-
1994.....	100	3	-	-	-	-	-	2	1	-	1
1993.....	122	4	-	1	-	1	-	-	1	2	-
1992.....	115	1	3	-	-	1	1	-	-	1	1
1991.....	126	3	2	1	-	-	-	2	-	3	5
1990.....	107	5	3	-	1	-	1	-	-	-	1
1989.....	102	5	3	-	-	-	1	-	1	1	1
1988.....	97	2	2	-	1	2	-	-	2	-	1
1987.....	105	7	1	3	1	-	1	-	1	2	1
1986.....	111	2	3	1	-	-	3	-	2	3	1
1985.....	124	4	2	-	-	1	-	1	3	-	3
1984.....	105	1	4	-	-	-	2	3	-	-	2
1983.....	109	4	1	2	-	1	-	-	2	1	1
1982.....	118	4	1	-	1	-	-	2	1	-	1
1981.....	105	3	2	2	1	-	-	-	3	2	1
1980.....	107	2	3	2	-	2	2	4	2	-	2
1979.....	96	1	4	-	-	1	-	-	-	-	-
WHITE, BOTH SEXES											
1998.....	166	10	2	2	1	1	-	-	-	-	3
1997.....	176	8	-	-	2	2	-	2	3	2	3
1996.....	181	7	3	3	-	1	2	1	1	-	2
1995.....	153	4	5	3	-	1	2	1	2	1	3
1994.....	150	5	1	-	-	1	-	2	-	2	-
1993.....	166	6	3	2	-	1	-	-	-	3	1
1992.....	174	4	4	1	2	1	-	-	1	-	2
1991.....	182	3	3	2	-	-	-	2	1	2	3
1990.....	171	6	2	1	1	-	3	1	1	4	-
1989.....	149	7	3	-	1	-	1	-	1	2	3
1988.....	165	4	3	-	-	2	-	-	2	2	2
1987.....	146	7	2	1	-	-	1	2	1	-	1
1986.....	165	8	2	1	-	-	2	2	1	3	3
1985.....	181	5	5	-	-	1	-	1	2	-	5
1984.....	160	4	5	1	-	-	2	4	1	1	-
1983.....	185	7	2	3	-	1	1	-	3	3	2
1982.....	174	4	2	1	2	-	-	1	1	2	1
1981.....	158	7	4	2	-	-	1	-	3	1	2
1980.....	177	7	5	2	1	1	2	3	-	-	4
1979.....	178	3	7	-	-	4	-	-	1	3	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEPHROTIC SYNDROME (581)											
WHITE MALE											
1998.....	79	3	1	2	1	1	-	-	-	-	2
1997.....	82	2	-	-	1	1	-	1	1	-	3
1996.....	83	2	3	3	-	-	2	-	-	-	2
1995.....	72	3	3	1	-	-	1	1	1	-	3
1994.....	67	2	1	-	-	1	-	-	-	2	-
1993.....	68	2	3	2	-	-	-	-	-	2	1
1992.....	79	4	2	1	2	1	-	-	1	-	1
1991.....	90	2	2	1	-	-	-	-	1	1	1
1990.....	80	2	-	1	-	-	2	1	1	4	-
1989.....	73	3	-	-	1	-	1	-	-	2	3
1988.....	91	2	2	-	-	-	-	-	1	2	1
1987.....	63	1	1	-	-	-	-	2	-	-	1
1986.....	69	6	1	-	-	-	1	2	-	1	2
1985.....	82	2	3	-	-	-	-	1	1	-	3
1984.....	78	4	2	1	-	-	-	2	1	1	-
1983.....	92	3	1	1	-	-	1	-	2	3	1
1982.....	83	1	1	1	1	-	-	-	1	2	1
1981.....	71	5	2	1	-	-	1	-	-	-	1
1980.....	86	5	2	-	1	-	1	-	-	-	2
1979.....	95	2	3	-	-	3	-	-	1	3	2
WHITE FEMALE											
1998.....	87	7	1	-	-	-	-	-	-	-	1
1997.....	94	6	-	-	1	1	-	1	2	2	-
1996.....	98	5	-	-	-	1	-	1	1	-	-
1995.....	81	1	2	2	-	1	1	-	1	1	-
1994.....	83	3	-	-	-	-	-	2	-	-	-
1993.....	98	4	-	-	-	1	-	-	-	1	-
1992.....	95	-	2	-	-	-	-	-	-	-	1
1991.....	92	1	1	1	-	-	-	2	-	1	2
1990.....	91	4	2	-	1	-	1	-	-	-	-
1989.....	76	4	3	-	-	-	-	-	1	-	-
1988.....	74	2	1	-	-	2	-	-	1	-	1
1987.....	83	6	1	1	-	-	1	-	1	-	-
1986.....	96	2	1	1	-	-	1	-	1	2	1
1985.....	99	3	2	-	-	1	-	-	1	-	2
1984.....	82	-	3	-	-	-	2	2	-	-	-
1983.....	93	4	1	2	-	1	-	-	1	-	1
1982.....	91	3	1	-	1	-	-	1	-	-	-
1981.....	87	2	2	1	-	-	-	-	3	1	1
1980.....	91	2	3	2	-	1	1	3	-	-	2
1979.....	83	1	4	-	-	1	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEPHROTIC SYNDROME (581)											
ALL OTHER, BOTH SEXES											
1998.....	29	1	-	1	-	-	-	2	-	1	2
1997.....	31	-	-	1	-	1	-	-	-	1	2
1996.....	46	1	1	-	-	-	2	-	2	2	-
1995.....	29	2	2	-	1	-	1	-	-	2	1
1994.....	39	2	1	-	-	-	2	-	1	1	1
1993.....	47	-	1	2	-	-	2	1	2	1	1
1992.....	35	1	1	-	1	3	1	-	1	3	-
1991.....	53	2	2	-	-	-	3	-	2	3	4
1990.....	35	2	3	1	-	-	-	1	3	1	2
1989.....	52	1	-	-	3	1	2	-	3	4	2
1988.....	37	-	1	-	1	-	-	-	2	-	1
1987.....	42	2	1	3	1	1	-	-	2	4	1
1986.....	28	-	3	-	-	-	3	-	1	3	-
1985.....	46	2	-	1	-	1	2	2	4	-	1
1984.....	41	1	1	-	-	-	-	1	2	-	2
1983.....	37	1	-	-	-	1	1	1	2	2	-
1982.....	45	4	1	-	-	-	-	2	1	-	1
1981.....	31	1	1	1	1	-	-	1	-	2	1
1980.....	34	-	-	-	1	1	1	2	3	-	1
1979.....	27	1	1	1	1	4	-	1	-	1	1
ALL OTHER MALE											
1998.....	8	-	-	1	-	-	-	-	-	-	2
1997.....	16	-	-	1	-	1	-	-	-	-	1
1996.....	20	1	1	-	-	-	1	-	1	1	-
1995.....	14	1	2	-	-	-	-	-	-	1	1
1994.....	22	2	1	-	-	-	2	-	-	1	-
1993.....	23	-	1	1	-	-	2	1	1	-	1
1992.....	15	-	-	-	1	1	-	-	1	2	-
1991.....	19	-	1	-	-	-	3	-	2	1	1
1990.....	19	1	2	1	-	-	-	1	3	1	1
1989.....	26	-	-	-	3	1	1	-	3	3	1
1988.....	14	-	-	-	-	-	-	-	1	-	1
1987.....	20	1	1	1	-	1	-	-	2	2	-
1986.....	13	-	1	-	-	-	1	-	-	2	-
1985.....	21	1	-	1	-	1	2	1	2	-	-
1984.....	18	-	-	-	-	-	-	-	2	-	-
1983.....	21	1	-	-	-	1	1	1	1	1	-
1982.....	18	3	1	-	-	-	-	1	-	-	-
1981.....	13	-	1	-	-	-	-	1	-	1	1
1980.....	18	-	-	-	1	-	-	1	1	-	1
1979.....	14	1	1	1	1	4	-	1	-	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEPHROTIC SYNDROME (581)											
ALL OTHER FEMALE											
1998.....	21	1	-	-	-	-	-	2	-	1	-
1997.....	15	-	-	-	-	-	-	-	-	1	1
1996.....	26	-	-	-	-	-	1	-	1	1	-
1995.....	15	1	-	-	1	-	1	-	-	1	-
1994.....	17	-	-	-	-	-	-	-	1	-	1
1993.....	24	-	-	1	-	-	-	-	1	1	-
1992.....	20	1	1	-	-	1	1	-	-	1	-
1991.....	34	2	1	-	-	-	-	-	-	2	3
1990.....	16	1	1	-	-	-	-	-	-	-	1
1989.....	26	1	-	-	-	-	1	-	-	1	1
1988.....	23	-	1	-	1	-	-	-	1	-	-
1987.....	22	1	-	2	1	-	-	-	-	2	1
1986.....	15	-	2	-	-	-	2	-	1	1	-
1985.....	25	1	-	-	-	-	-	1	2	-	1
1984.....	23	1	1	-	-	-	-	1	-	-	2
1983.....	16	-	-	-	-	-	-	-	1	1	-
1982.....	27	1	-	-	-	-	-	1	1	-	1
1981.....	18	1	-	1	1	-	-	-	-	1	-
1980.....	16	-	-	-	-	1	1	1	2	-	-
1979.....	13	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES											
1998.....	24	-	-	1	-	-	-	1	-	1	2
1997.....	28	-	-	1	-	1	-	-	-	1	2
1996.....	42	1	1	-	-	-	2	-	2	1	-
1995.....	26	1	2	-	-	-	1	-	-	2	1
1994.....	33	1	1	-	-	-	2	-	1	1	-
1993.....	42	-	1	2	-	-	2	1	2	1	1
1992.....	30	1	1	-	1	2	-	-	1	3	-
1991.....	51	2	2	-	-	-	3	-	2	2	3
1990.....	34	1	3	1	-	-	-	1	3	1	2
1989.....	50	1	-	-	2	1	2	-	3	3	2
1988.....	36	-	1	-	1	-	-	-	2	-	1
1987.....	36	1	-	1	1	1	-	-	1	4	-
1986.....	28	-	3	-	-	-	3	-	1	3	-
1985.....	45	1	-	1	-	1	2	2	4	-	1
1984.....	38	1	-	-	-	-	-	1	2	-	2
1983.....	35	1	-	-	-	1	1	1	2	2	-
1982.....	43	4	1	-	-	-	-	1	1	-	1
1981.....	27	-	-	1	-	-	-	1	-	2	1
1980.....	31	-	-	-	1	1	1	2	3	-	-
1979.....	25	1	1	1	1	4	-	1	-	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

TOTAL, BOTH SEXES											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	1,715	1	1	-	3	3	5	4	18	19	28
1997	1,652	4	-	-	5	6	7	11	22	27	35
1996	1,638	3	2	3	2	4	8	10	7	16	30
1995	1,504	4	2	1	4	2	7	16	16	23	34
1994	1,546	-	-	-	4	4	5	8	17	24	20
1993	1,588	3	2	1	1	4	7	7	21	28	22
1992	1,503	3	2	1	1	3	4	12	20	28	24
1991	1,512	6	2	2	3	10	7	6	13	32	29
1990	1,521	1	4	3	3	3	8	12	19	39	33
1989	1,517	4	3	1	3	4	9	20	16	28	29
1988	1,521	2	4	1	1	5	6	20	23	28	27
1987	1,509	4	-	3	2	3	13	4	19	35	18
1986	1,505	2	2	4	4	5	7	9	23	25	22
1985	1,565	1	1	4	1	4	6	19	15	23	29
1984	1,824	3	-	5	2	1	17	31	20	35	36
1983	1,887	6	4	3	1	9	14	23	20	29	23
1982	1,946	7	4	1	3	7	12	18	30	24	32
1981	2,055	5	2	2	3	5	22	25	22	30	34
1980	2,245	-	2	2	3	12	18	27	19	31	34
1979	2,363	6	2	4	9	11	21	35	32	31	45
TOTAL, MALE											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	831	1	1	-	2	2	1	3	8	10	19
1997	807	3	-	-	1	2	5	6	8	13	22
1996	800	2	-	-	-	2	3	8	2	9	19
1995	753	4	-	1	2	2	4	6	9	12	19
1994	728	-	-	-	4	3	2	5	8	15	14
1993	806	2	2	1	1	2	4	6	13	18	14
1992	776	3	1	-	1	3	3	7	14	15	16
1991	758	3	2	1	2	3	4	4	6	22	14
1990	763	1	-	1	1	1	5	10	14	27	22
1989	733	3	2	-	3	3	4	15	7	23	16
1988	793	1	2	-	-	4	2	12	16	19	14
1987	741	3	-	1	1	2	6	2	14	27	7
1986	785	2	2	2	1	5	5	6	14	20	12
1985	770	1	1	1	-	3	6	16	10	16	21
1984	911	2	-	4	-	1	10	22	11	25	17
1983	882	3	1	1	-	5	6	10	13	12	14
1982	984	4	2	-	-	-	8	13	19	14	26
1981	963	3	1	1	3	4	14	16	13	14	15
1980	1,138	-	2	1	3	2	12	15	13	16	21
1979	1,244	4	2	3	6	6	13	27	12	15	30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

TOTAL, FEMALE											
Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
1998	884	-	-	-	1	1	4	1	10	9	9
1997	845	1	-	-	4	4	2	5	14	14	13
1996	838	1	2	3	2	2	5	2	5	7	11
1995	751	-	2	-	2	-	3	10	7	11	15
1994	818	-	-	-	-	1	3	3	9	9	6
1993	782	1	-	-	-	2	3	1	8	10	8
1992	727	-	1	1	-	-	1	5	6	13	8
1991	754	3	-	1	1	7	3	2	7	10	15
1990	758	-	4	2	2	2	3	2	5	12	11
1989	784	1	1	1	-	1	5	5	9	5	13
1988	728	1	2	1	1	1	4	8	7	9	13
1987	768	1	-	2	1	1	7	2	5	8	11
1986	720	-	-	2	3	-	2	3	9	5	10
1985	795	-	-	3	1	1	-	3	5	7	8
1984	913	1	-	1	2	-	7	9	9	10	19
1983	1,005	3	3	2	1	4	8	13	7	17	9
1982	962	3	2	1	3	7	4	5	11	10	6
1981	1,092	2	1	1	-	1	8	9	9	16	19
1980	1,107	-	-	1	-	10	6	12	6	15	13
1979	1,119	2	-	1	3	5	8	8	20	16	15
WHITE, BOTH SEXES											
Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
1998	1,369	-	1	-	2	3	2	2	14	11	20
1997	1,343	2	-	-	2	6	4	7	13	14	27
1996	1,308	2	2	-	2	3	4	7	6	10	16
1995	1,206	2	2	1	2	1	3	10	12	13	17
1994	1,211	-	-	-	1	2	4	4	8	15	10
1993	1,251	3	1	1	1	3	2	3	10	12	16
1992	1,200	2	1	1	1	3	4	7	12	15	13
1991	1,199	3	1	-	2	5	4	2	9	23	20
1990	1,191	1	4	2	3	3	3	8	9	28	18
1989	1,201	4	1	1	2	3	7	13	9	19	17
1988	1,250	2	4	1	1	2	4	13	15	12	22
1987	1,204	-	-	3	1	3	8	2	10	15	12
1986	1,180	2	-	3	2	1	5	4	16	11	15
1985	1,256	-	-	4	-	3	-	9	10	12	21
1984	1,472	2	-	4	1	1	10	18	13	23	24
1983	1,497	2	4	2	1	4	12	11	10	20	14
1982	1,558	4	3	-	3	5	9	10	16	14	20
1981	1,670	5	1	2	2	4	17	18	13	18	16
1980	1,717	-	1	2	2	9	12	13	8	22	23
1979	1,847	5	2	4	7	6	12	19	22	16	32

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	664	-	1	-	1	2	-	1	6	6	14
1997.....	657	2	-	-	-	2	4	3	4	7	15
1996.....	642	1	-	-	-	2	1	5	2	6	9
1995.....	599	2	-	1	1	1	2	4	8	5	9
1994.....	578	-	-	-	1	2	1	3	4	9	6
1993.....	639	2	1	1	1	2	1	2	6	9	10
1992.....	611	2	-	-	1	3	3	3	8	8	8
1991.....	605	1	1	-	1	2	3	1	3	17	9
1990.....	590	1	-	1	1	1	3	6	7	19	11
1989.....	590	3	1	-	2	2	3	11	5	15	8
1988.....	644	1	2	-	-	2	1	9	10	7	10
1987.....	587	-	-	1	-	2	3	1	7	10	4
1986.....	610	2	-	1	-	1	3	2	8	8	8
1985.....	607	-	-	1	-	2	2	7	6	9	15
1984.....	741	1	-	3	-	1	6	13	6	17	13
1983.....	675	1	1	-	-	2	5	4	6	7	7
1982.....	798	2	2	-	-	-	6	8	11	6	17
1981.....	785	3	-	1	2	4	10	12	7	10	8
1980.....	878	-	1	1	2	1	9	8	6	12	13
1979.....	972	3	2	3	5	3	9	15	10	6	20
WHITE FEMALE											
1998.....	705	-	-	-	1	1	2	1	8	5	6
1997.....	686	-	-	-	2	4	-	4	9	7	12
1996.....	666	1	2	-	2	1	3	2	4	4	7
1995.....	607	-	2	-	1	-	1	6	4	8	8
1994.....	633	-	-	-	-	-	3	1	4	6	4
1993.....	612	1	-	-	-	1	1	1	4	3	6
1992.....	589	-	1	1	-	-	1	4	4	7	5
1991.....	594	2	-	-	1	3	1	1	6	6	11
1990.....	601	-	4	1	2	2	-	2	2	9	7
1989.....	611	1	-	1	-	1	4	2	4	4	9
1988.....	606	1	2	1	1	-	3	4	5	5	12
1987.....	617	-	-	2	1	1	5	1	3	5	8
1986.....	570	-	-	2	2	-	2	2	8	3	7
1985.....	649	-	-	3	-	1	-	2	4	3	6
1984.....	731	1	-	1	1	-	4	5	7	6	11
1983.....	822	1	3	2	1	2	7	7	4	13	7
1982.....	760	2	1	-	3	5	3	2	5	8	3
1981.....	885	2	1	1	-	-	7	6	6	8	8
1980.....	839	-	-	1	-	8	3	5	2	10	10
1979.....	875	2	-	1	2	3	3	4	12	10	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

ALL OTHER, BOTH SEXES

1998.....	346	1	-	-	1	-	3	2	4	8	8
1997.....	309	2	-	-	3	-	3	4	9	13	8
1996.....	330	1	-	3	-	1	4	3	1	6	14
1995.....	298	2	-	-	2	1	4	6	4	10	17
1994.....	335	-	-	-	3	2	1	4	9	9	10
1993.....	337	-	1	-	-	1	5	4	11	16	6
1992.....	303	1	1	-	-	-	-	5	8	13	11
1991.....	313	3	1	2	1	5	3	4	4	9	9
1990.....	330	-	-	1	-	-	5	4	10	11	15
1989.....	316	-	2	-	1	1	2	7	7	9	12
1988.....	271	-	-	-	-	3	2	7	8	16	5
1987.....	305	4	-	-	1	-	5	2	9	20	6
1986.....	325	-	2	1	2	4	2	5	7	14	7
1985.....	309	1	1	-	1	1	4	10	5	11	8
1984.....	352	1	-	1	1	-	7	13	7	12	12
1983.....	390	4	-	1	-	5	2	12	10	9	9
1982.....	388	3	1	1	-	2	3	8	14	10	12
1981.....	385	-	1	-	1	1	5	7	9	12	18
1980.....	528	-	1	-	1	3	6	14	11	9	11
1979.....	516	1	-	-	2	5	9	16	10	15	13

ALL OTHER MALE

1998.....	167	1	-	-	1	-	1	2	2	4	5
1997.....	150	1	-	-	1	-	1	3	4	6	7
1996.....	158	1	-	-	-	-	2	3	-	3	10
1995.....	154	2	-	-	1	1	2	2	1	7	10
1994.....	150	-	-	-	3	1	1	2	4	6	8
1993.....	167	-	1	-	-	-	3	4	7	9	4
1992.....	165	1	1	-	-	-	-	4	6	7	8
1991.....	153	2	1	1	1	1	1	3	3	5	5
1990.....	173	-	-	-	-	-	2	4	7	8	11
1989.....	143	-	1	-	1	1	1	4	2	8	8
1988.....	149	-	-	-	-	2	1	3	6	12	4
1987.....	154	3	-	-	1	-	3	1	7	17	3
1986.....	175	-	2	1	1	4	2	4	6	12	4
1985.....	163	1	1	-	-	1	4	9	4	7	6
1984.....	170	1	-	1	-	-	4	9	5	8	4
1983.....	207	2	-	1	-	3	1	6	7	5	7
1982.....	186	2	-	-	-	-	2	5	8	8	9
1981.....	178	-	1	-	1	-	4	4	6	4	7
1980.....	260	-	1	-	1	1	3	7	7	4	8
1979.....	272	1	-	-	1	3	4	12	2	9	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)											
ALL OTHER FEMALE											
1998.....	179	-	-	-	-	-	2	-	2	4	3
1997.....	159	1	-	-	2	-	2	1	5	7	1
1996.....	172	-	-	3	-	-	2	-	1	3	4
1995.....	144	-	-	-	1	-	2	4	3	3	7
1994.....	185	-	-	-	-	1	-	2	5	3	2
1993.....	170	-	-	-	-	1	2	-	4	7	2
1992.....	138	-	-	-	-	-	-	1	2	6	3
1991.....	160	1	-	1	-	4	2	1	1	4	4
1990.....	157	-	-	1	-	-	3	-	3	3	4
1989.....	173	-	1	-	-	-	1	3	5	1	4
1988.....	122	-	-	-	-	1	1	4	2	4	1
1987.....	151	1	-	-	-	-	2	1	2	3	3
1986.....	150	-	-	-	1	-	-	1	1	2	3
1985.....	146	-	-	-	1	-	-	1	1	4	2
1984.....	182	-	-	-	1	-	3	4	2	4	8
1983.....	183	2	-	-	-	2	1	6	3	4	2
1982.....	202	1	1	1	-	2	1	3	6	2	3
1981.....	207	-	-	-	-	1	1	3	3	8	11
1980.....	268	-	-	-	-	2	3	7	4	5	3
1979.....	244	-	-	-	1	2	5	4	8	6	3
BLACK, BOTH SEXES											
1998.....	310	1	-	-	1	-	3	2	3	7	6
1997.....	276	2	-	-	3	-	3	4	8	13	8
1996.....	292	1	-	3	-	-	2	1	1	5	14
1995.....	266	2	-	-	1	1	3	4	4	9	15
1994.....	306	-	-	-	2	2	1	4	9	9	9
1993.....	309	-	1	-	-	-	5	4	9	15	6
1992.....	279	1	1	-	-	-	-	4	7	13	11
1991.....	285	2	-	2	1	4	3	4	3	9	9
1990.....	300	-	-	1	-	-	5	4	9	10	15
1989.....	295	-	1	-	-	1	2	7	6	9	11
1988.....	241	-	-	-	-	3	2	4	8	16	4
1987.....	277	4	-	-	-	-	5	2	9	17	6
1986.....	299	-	1	1	1	4	2	5	6	14	7
1985.....	288	1	1	-	1	1	3	10	5	9	8
1984.....	324	1	-	1	-	-	6	12	7	12	9
1983.....	366	4	-	1	-	5	2	11	10	9	5
1982.....	353	3	1	-	-	2	2	5	12	10	10
1981.....	359	-	1	-	1	1	5	7	8	12	15
1980.....	498	-	1	-	1	2	4	14	10	8	10
1979.....	484	-	-	-	2	4	7	14	10	15	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

BLACK MALE

1998.....	153	1	-	-	1	-	1	2	2	4	3
1997.....	135	1	-	-	1	-	1	3	4	6	7
1996.....	144	1	-	-	-	-	1	1	-	3	10
1995.....	139	2	-	-	1	1	1	2	1	6	8
1994.....	138	-	-	-	2	1	1	2	4	6	7
1993.....	153	-	1	-	-	-	3	4	7	8	4
1992.....	152	1	1	-	-	-	-	4	6	7	8
1991.....	136	1	-	1	1	-	1	3	2	5	5
1990.....	156	-	-	-	-	-	2	4	7	7	11
1989.....	137	-	-	-	-	1	1	4	2	8	8
1988.....	133	-	-	-	-	2	1	3	6	12	4
1987.....	139	3	-	-	-	-	3	1	7	14	3
1986.....	166	-	1	1	1	4	2	4	5	12	4
1985.....	155	1	1	-	-	1	3	9	4	6	6
1984.....	155	1	-	1	-	-	3	8	5	8	4
1983.....	194	2	-	1	-	3	1	5	7	5	5
1982.....	172	2	-	-	-	-	2	3	7	8	8
1981.....	166	-	1	-	1	-	4	4	5	4	6
1980.....	243	-	1	-	1	1	1	7	7	4	7
1979.....	252	-	-	-	1	3	3	10	2	9	9

BLACK FEMALE

1998.....	157	-	-	-	-	-	2	-	1	3	3
1997.....	141	1	-	-	2	-	2	1	4	7	1
1996.....	148	-	-	3	-	-	1	-	1	2	4
1995.....	127	-	-	-	-	-	2	2	3	3	7
1994.....	168	-	-	-	-	1	-	2	5	3	2
1993.....	156	-	-	-	-	-	2	-	2	7	2
1992.....	127	-	-	-	-	-	-	-	1	6	3
1991.....	149	1	-	1	-	4	2	1	1	4	4
1990.....	144	-	-	1	-	-	3	-	2	3	4
1989.....	158	-	1	-	-	-	1	3	4	1	3
1988.....	108	-	-	-	-	1	1	1	2	4	-
1987.....	138	1	-	-	-	-	2	1	2	3	3
1986.....	133	-	-	-	-	-	-	1	1	2	3
1985.....	133	-	-	-	1	-	-	1	1	3	2
1984.....	169	-	-	-	-	-	3	4	2	4	5
1983.....	172	2	-	-	-	2	1	6	3	4	-
1982.....	181	1	1	-	-	2	-	2	5	2	2
1981.....	193	-	-	-	-	1	1	3	3	8	9
1980.....	255	-	-	-	-	1	3	7	3	4	3
1979.....	232	-	-	-	1	1	4	4	8	6	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)											
TOTAL, BOTH SEXES											
1998.....	24,142	126	9	9	4	13	21	46	78	156	226
1997.....	23,355	124	11	5	5	14	23	49	90	153	224
1996.....	22,345	133	9	8	11	12	30	54	77	169	254
1995.....	21,880	145	10	6	7	13	28	61	102	183	245
1994.....	21,125	168	8	5	5	16	19	53	106	159	219
1993.....	21,437	173	15	12	9	14	20	61	128	164	234
1992.....	20,355	181	10	7	7	8	35	72	127	202	218
1991.....	19,528	178	9	10	8	17	25	81	116	201	229
1990.....	18,947	140	15	4	7	14	29	61	116	204	244
1989.....	19,291	186	9	9	3	14	39	64	151	191	203
1988.....	20,561	212	13	9	8	24	44	76	148	185	230
1987.....	20,266	207	18	9	6	14	42	81	154	173	170
1986.....	19,969	241	21	8	16	10	51	65	136	163	213
1985.....	19,436	267	17	10	12	21	41	77	118	184	188
1984.....	17,986	265	16	14	17	28	35	79	108	150	163
1983.....	16,757	218	14	14	7	24	37	82	112	119	163
1982.....	15,847	245	21	13	11	19	42	64	107	134	169
1981.....	14,920	244	18	17	10	30	51	79	96	137	146
1980.....	14,180	218	19	8	14	24	51	71	119	122	164
1979.....	13,028	206	18	16	22	35	56	85	112	116	176
TOTAL, MALE											
1998.....	11,576	65	5	4	1	10	7	28	43	90	152
1997.....	11,179	76	4	3	4	7	16	33	50	87	141
1996.....	10,689	86	3	6	5	8	18	38	45	102	152
1995.....	10,503	82	7	2	3	8	16	36	63	115	161
1994.....	9,996	100	3	1	2	8	7	29	67	98	139
1993.....	10,280	97	11	7	3	9	12	33	81	103	142
1992.....	9,897	87	3	4	3	3	19	46	82	138	150
1991.....	9,506	113	8	7	3	10	13	46	75	142	162
1990.....	9,097	77	12	3	3	7	20	36	73	131	155
1989.....	9,427	112	8	3	-	5	18	41	99	138	133
1988.....	9,929	110	5	4	7	16	20	46	91	126	145
1987.....	9,998	106	11	5	6	9	22	54	85	111	109
1986.....	9,945	142	10	2	8	6	28	39	74	99	123
1985.....	9,622	152	10	5	6	12	25	44	74	121	119
1984.....	8,993	157	9	6	7	10	25	41	68	88	106
1983.....	8,259	114	9	5	5	9	20	51	59	70	82
1982.....	8,030	149	7	9	7	12	23	33	61	76	96
1981.....	7,615	136	6	12	7	15	25	50	59	92	81
1980.....	7,338	123	8	3	8	14	23	45	75	80	101
1979.....	6,834	113	11	12	11	17	27	48	68	64	104

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)											
TOTAL, FEMALE											
1998.....	12,566	61	4	5	3	3	14	18	35	66	74
1997.....	12,176	48	7	2	1	7	7	16	40	66	83
1996.....	11,656	47	6	2	6	4	12	16	32	67	102
1995.....	11,377	63	3	4	4	5	12	25	39	68	84
1994.....	11,129	68	5	4	3	8	12	24	39	61	80
1993.....	11,157	76	4	5	6	5	8	28	47	61	92
1992.....	10,458	94	7	3	4	5	16	26	45	64	68
1991.....	10,022	65	1	3	5	7	12	35	41	59	67
1990.....	9,850	63	3	1	4	7	9	25	43	73	89
1989.....	9,864	74	1	6	3	9	21	23	52	53	70
1988.....	10,632	102	8	5	1	8	24	30	57	59	85
1987.....	10,268	101	7	4	-	5	20	27	69	62	61
1986.....	10,024	99	11	6	8	4	23	26	62	64	90
1985.....	9,814	115	7	5	6	9	16	33	44	63	69
1984.....	8,993	108	7	8	10	18	10	38	40	62	57
1983.....	8,498	104	5	9	2	15	17	31	53	49	81
1982.....	7,817	96	14	4	4	7	19	31	46	58	73
1981.....	7,305	108	12	5	3	15	26	29	37	45	65
1980.....	6,842	95	11	5	6	10	28	26	44	42	63
1979.....	6,194	93	7	4	11	18	29	37	44	52	72
WHITE, BOTH SEXES											
1998.....	19,728	79	4	7	4	4	17	26	47	86	129
1997.....	19,065	86	9	4	4	10	19	31	48	93	134
1996.....	18,131	74	8	7	6	8	16	31	40	91	150
1995.....	17,667	86	5	4	4	8	16	40	57	102	125
1994.....	17,180	95	5	4	1	10	15	30	49	85	108
1993.....	17,312	104	12	10	6	11	18	29	59	80	125
1992.....	16,451	121	9	5	4	5	19	37	66	112	114
1991.....	15,707	120	9	7	5	12	10	41	61	88	134
1990.....	15,131	81	9	4	2	8	18	28	69	99	137
1989.....	15,165	119	6	5	1	9	21	40	70	94	100
1988.....	16,416	142	11	7	6	15	22	39	82	93	137
1987.....	16,339	119	12	6	4	8	23	52	76	96	118
1986.....	16,023	154	17	7	13	8	34	36	78	91	121
1985.....	15,504	179	13	10	8	17	26	47	58	93	121
1984.....	14,464	172	12	10	10	20	26	58	65	89	102
1983.....	13,536	148	10	11	5	19	25	53	75	62	101
1982.....	12,648	166	16	10	10	12	25	41	73	88	109
1981.....	11,907	171	16	16	8	24	37	45	63	86	90
1980.....	11,150	148	16	7	10	16	26	39	81	76	98
1979.....	10,396	149	16	11	18	28	35	59	76	74	105

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)											
WHITE MALE											
1998.....	9,609	42	3	4	1	3	6	15	26	48	83
1997.....	9,220	48	4	2	3	3	13	19	27	49	81
1996.....	8,782	50	2	5	2	6	11	20	23	53	84
1995.....	8,574	48	3	2	1	4	7	22	31	62	82
1994.....	8,215	54	1	-	1	3	5	13	29	50	61
1993.....	8,373	58	9	5	1	7	11	15	32	47	70
1992.....	8,054	62	3	3	1	2	12	27	42	69	74
1991.....	7,669	79	8	4	1	8	6	22	34	61	101
1990.....	7,313	46	7	3	1	4	14	20	42	74	85
1989.....	7,377	72	6	2	-	4	8	26	44	67	63
1988.....	8,011	79	5	4	5	10	8	24	49	63	92
1987.....	8,110	65	8	4	4	5	13	33	40	56	74
1986.....	8,037	93	9	1	8	5	18	21	42	50	70
1985.....	7,745	108	7	5	6	10	18	31	30	60	71
1984.....	7,308	102	8	4	3	7	20	27	44	53	64
1983.....	6,730	82	6	4	3	8	17	33	38	36	48
1982.....	6,487	105	5	6	6	8	14	20	42	53	68
1981.....	6,114	93	5	11	6	14	19	31	39	62	47
1980.....	5,839	88	7	3	7	11	13	24	50	49	57
1979.....	5,501	77	10	8	8	12	16	37	45	38	64
WHITE FEMALE											
1998.....	10,119	37	1	3	3	1	11	11	21	38	46
1997.....	9,845	38	5	2	1	7	6	12	21	44	53
1996.....	9,349	24	6	2	4	2	5	11	17	38	66
1995.....	9,093	38	2	2	3	4	9	18	26	40	43
1994.....	8,965	41	4	4	-	7	10	17	20	35	47
1993.....	8,939	46	3	5	5	4	7	14	27	33	55
1992.....	8,397	59	6	2	3	3	7	10	24	43	40
1991.....	8,038	41	1	3	4	4	4	19	27	27	33
1990.....	7,818	35	2	1	1	4	4	8	27	25	52
1989.....	7,788	47	-	3	1	5	13	14	26	27	37
1988.....	8,405	63	6	3	1	5	14	15	33	30	45
1987.....	8,229	54	4	2	-	3	10	19	36	40	44
1986.....	7,986	61	8	6	5	3	16	15	36	41	51
1985.....	7,759	71	6	5	2	7	8	16	28	33	50
1984.....	7,156	70	4	6	7	13	6	31	21	36	38
1983.....	6,806	66	4	7	2	11	8	20	37	26	53
1982.....	6,161	61	11	4	4	4	11	21	31	35	41
1981.....	5,793	78	11	5	2	10	18	14	24	24	43
1980.....	5,311	60	9	4	3	5	13	15	31	27	41
1979.....	4,895	72	6	3	10	16	19	22	31	36	41

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)											
ALL OTHER, BOTH SEXES											
1998.....	4,414	47	5	2	-	9	4	20	31	70	97
1997.....	4,290	38	2	1	1	4	4	18	42	60	90
1996.....	4,214	59	1	1	5	4	14	23	37	78	104
1995.....	4,213	59	5	2	3	5	12	21	45	81	120
1994.....	3,945	73	3	1	4	6	4	23	57	74	111
1993.....	4,125	69	3	2	3	3	2	32	69	84	109
1992.....	3,904	60	1	2	3	3	16	35	61	90	104
1991.....	3,821	58	-	3	3	5	15	40	55	113	95
1990.....	3,816	59	6	-	5	6	11	33	47	105	107
1989.....	4,126	67	3	4	2	5	18	24	81	97	103
1988.....	4,145	70	2	2	2	9	22	37	66	92	93
1987.....	3,927	88	6	3	2	6	19	29	78	77	52
1986.....	3,946	87	4	1	3	2	17	29	58	72	92
1985.....	3,932	88	4	-	4	4	15	30	60	91	67
1984.....	3,522	93	4	4	7	8	9	21	43	61	61
1983.....	3,221	70	4	3	2	5	12	29	37	57	62
1982.....	3,199	79	5	3	1	7	17	23	34	46	60
1981.....	3,013	73	2	1	2	6	14	34	33	51	56
1980.....	3,030	70	3	1	4	8	25	32	38	46	66
1979.....	2,632	57	2	5	4	7	21	26	36	42	71
ALL OTHER MALE											
1998.....	1,967	23	2	-	-	7	1	13	17	42	69
1997.....	1,959	28	-	1	1	4	3	14	23	38	60
1996.....	1,907	36	1	1	3	2	7	18	22	49	68
1995.....	1,929	34	4	-	2	4	9	14	32	53	79
1994.....	1,781	46	2	1	1	5	2	16	38	48	78
1993.....	1,907	39	2	2	2	2	1	18	49	56	72
1992.....	1,843	25	-	1	2	1	7	19	40	69	76
1991.....	1,837	34	-	3	2	2	7	24	41	81	61
1990.....	1,784	31	5	-	2	3	6	16	31	57	70
1989.....	2,050	40	2	1	-	1	10	15	55	71	70
1988.....	1,918	31	-	-	2	6	12	22	42	63	53
1987.....	1,888	41	3	1	2	4	9	21	45	55	35
1986.....	1,908	49	1	1	-	1	10	18	32	49	53
1985.....	1,877	44	3	-	-	2	7	13	44	61	48
1984.....	1,685	55	1	2	4	3	5	14	24	35	42
1983.....	1,529	32	3	1	2	1	3	18	21	34	34
1982.....	1,543	44	2	3	1	4	9	13	19	23	28
1981.....	1,501	43	1	1	1	1	6	19	20	30	34
1980.....	1,499	35	1	-	1	3	10	21	25	31	44
1979.....	1,333	36	1	4	3	5	11	11	23	26	40

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)											
ALL OTHER FEMALE											
1998.....	2,447	24	3	2	-	2	3	7	14	28	28
1997.....	2,331	10	2	-	-	-	1	4	19	22	30
1996.....	2,307	23	-	-	2	2	7	5	15	29	36
1995.....	2,284	25	1	2	1	1	3	7	13	28	41
1994.....	2,164	27	1	-	3	1	2	7	19	26	33
1993.....	2,218	30	1	-	1	1	1	14	20	28	37
1992.....	2,061	35	1	1	1	2	9	16	21	21	28
1991.....	1,984	24	-	-	1	3	8	16	14	32	34
1990.....	2,032	28	1	-	3	3	5	17	16	48	37
1989.....	2,076	27	1	3	2	4	8	9	26	26	33
1988.....	2,227	39	2	2	-	3	10	15	24	29	40
1987.....	2,039	47	3	2	-	2	10	8	33	22	17
1986.....	2,038	38	3	-	3	1	7	11	26	23	39
1985.....	2,055	44	1	-	4	2	8	17	16	30	19
1984.....	1,837	38	3	2	3	5	4	7	19	26	19
1983.....	1,692	38	1	2	-	4	9	11	16	23	28
1982.....	1,656	35	3	-	-	3	8	10	15	23	32
1981.....	1,512	30	1	-	1	5	8	15	13	21	22
1980.....	1,531	35	2	1	3	5	15	11	13	15	22
1979.....	1,299	21	1	1	1	2	10	15	13	16	31
BLACK, BOTH SEXES											
1998.....	3,974	41	5	2	-	9	3	19	30	66	93
1997.....	3,911	33	1	-	1	4	3	17	38	57	84
1996.....	3,792	57	1	1	5	4	13	22	33	73	100
1995.....	3,848	56	4	2	2	5	11	21	45	78	115
1994.....	3,624	68	2	1	4	6	4	23	56	71	104
1993.....	3,743	66	3	2	3	3	2	27	67	81	100
1992.....	3,566	54	1	2	3	3	13	33	57	87	95
1991.....	3,522	57	-	2	3	4	14	39	53	109	92
1990.....	3,513	53	6	-	5	5	11	32	44	102	99
1989.....	3,805	64	3	3	2	4	16	22	79	94	97
1988.....	3,857	64	2	2	2	8	20	35	63	90	86
1987.....	3,650	80	6	3	2	6	18	26	72	74	47
1986.....	3,672	82	4	1	3	2	14	28	52	70	86
1985.....	3,698	79	4	-	3	3	15	30	58	91	66
1984.....	3,291	89	4	3	7	8	8	19	40	54	59
1983.....	3,011	66	4	3	2	4	10	29	32	52	57
1982.....	3,005	77	4	3	1	6	13	22	31	42	54
1981.....	2,856	69	2	1	2	6	14	32	31	50	53
1980.....	2,863	67	2	1	3	7	23	31	34	42	62
1979.....	2,490	55	2	5	3	7	20	25	36	41	70

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
 0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

BLACK MALE

Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	1,757	22	2	-	-	7	-	12	17	39	66
1997	1,782	24	-	-	1	4	2	13	23	37	58
1996	1,703	36	1	1	3	2	6	18	21	46	65
1995	1,759	34	3	-	1	4	9	14	32	51	77
1994	1,626	43	1	1	1	5	2	16	38	46	74
1993	1,703	38	2	2	2	2	1	15	47	54	66
1992	1,680	22	-	1	2	1	6	18	39	67	70
1991	1,688	34	-	2	2	2	6	23	40	80	59
1990	1,626	27	5	-	2	2	6	15	29	56	65
1989	1,877	39	2	1	-	1	9	14	53	70	66
1988	1,748	29	-	-	2	5	12	21	40	61	50
1987	1,740	37	3	1	2	4	9	20	43	52	33
1986	1,772	46	1	1	-	1	8	17	29	47	52
1985	1,753	39	3	-	-	2	7	13	42	61	47
1984	1,555	53	1	1	4	3	4	14	24	33	40
1983	1,428	30	3	1	2	1	3	18	19	32	33
1982	1,448	42	2	3	1	4	6	12	17	21	25
1981	1,421	41	1	1	1	1	6	17	20	30	33
1980	1,423	34	1	-	1	3	10	20	22	31	41
1979	1,249	35	1	4	3	5	10	11	23	26	40

BLACK FEMALE

Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	2,217	19	3	2	-	2	3	7	13	27	27
1997	2,129	9	1	-	-	-	1	4	15	20	26
1996	2,089	21	-	-	2	2	7	4	12	27	35
1995	2,089	22	1	2	1	1	2	7	13	27	38
1994	1,998	25	1	-	3	1	2	7	18	25	30
1993	2,040	28	1	-	1	1	1	12	20	27	34
1992	1,886	32	1	1	1	2	7	15	18	20	25
1991	1,834	23	-	-	1	2	8	16	13	29	33
1990	1,887	26	1	-	3	3	5	17	15	46	34
1989	1,928	25	1	2	2	3	7	8	26	24	31
1988	2,109	35	2	2	-	3	8	14	23	29	36
1987	1,910	43	3	2	-	2	9	6	29	22	14
1986	1,900	36	3	-	3	1	6	11	23	23	34
1985	1,945	40	1	-	3	1	8	17	16	30	19
1984	1,736	36	3	2	3	5	4	5	16	21	19
1983	1,583	36	1	2	-	3	7	11	13	20	24
1982	1,557	35	2	-	-	2	7	10	14	21	29
1981	1,435	28	1	-	1	5	8	15	11	20	20
1980	1,440	33	1	1	2	4	13	11	12	11	21
1979	1,241	20	1	1	-	2	10	14	13	15	30

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFECTIONS OF KIDNEY (590)											
TOTAL, BOTH SEXES											
1998.....	828	5	-	-	-	-	2	5	2	14	17
1997.....	831	1	2	-	-	1	3	6	5	5	16
1996.....	896	6	4	1	-	1	4	8	7	9	16
1995.....	918	2	3	-	1	-	2	5	7	13	15
1994.....	973	6	1	-	1	1	2	5	7	8	16
1993.....	1,023	1	1	-	-	1	6	2	7	13	16
1992.....	1,083	1	1	-	2	-	2	4	8	14	21
1991.....	1,219	8	5	1	-	2	7	8	9	15	18
1990.....	1,296	6	1	-	-	1	8	3	5	15	19
1989.....	1,414	6	-	-	-	4	6	13	12	13	21
1988.....	1,610	5	3	-	2	-	6	8	10	12	25
1987.....	1,742	7	3	-	-	1	3	9	5	12	17
1986.....	1,870	4	3	1	-	1	3	8	10	16	12
1985.....	1,982	4	3	-	1	2	4	11	11	12	10
1984.....	2,077	5	1	-	1	4	9	10	11	14	23
1983.....	2,089	3	3	1	-	3	5	8	16	8	16
1982.....	2,218	8	1	2	1	2	5	8	14	12	15
1981.....	2,305	3	1	1	-	1	9	12	11	10	22
1980.....	2,732	6	-	4	-	2	4	13	15	12	30
1979.....	2,868	9	1	1	1	9	9	12	11	18	23
TOTAL, MALE											
1998.....	214	2	-	-	-	-	1	2	1	7	7
1997.....	241	-	1	-	-	1	2	4	-	2	5
1996.....	255	3	3	-	-	-	2	1	1	5	5
1995.....	241	-	1	-	1	-	-	2	3	4	5
1994.....	261	1	-	-	-	-	-	1	-	3	6
1993.....	276	1	-	-	-	-	1	-	4	5	2
1992.....	327	1	1	-	1	-	1	1	5	4	8
1991.....	327	6	1	1	-	1	4	3	3	6	7
1990.....	404	5	-	-	-	-	2	1	4	6	5
1989.....	435	4	-	-	-	3	1	4	4	4	9
1988.....	496	3	1	-	-	-	2	3	4	3	12
1987.....	536	6	2	-	-	-	-	3	1	5	6
1986.....	562	1	-	-	-	1	1	2	5	4	3
1985.....	691	2	2	-	1	-	2	4	4	4	2
1984.....	713	3	-	-	1	2	1	3	6	6	7
1983.....	715	1	3	1	-	-	2	4	6	1	5
1982.....	733	5	-	1	-	-	-	1	3	7	3
1981.....	838	3	-	1	-	1	6	6	3	3	7
1980.....	960	2	-	-	-	1	2	6	5	4	11
1979.....	1,095	5	1	-	1	2	4	6	3	5	9

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFECTIONS OF KIDNEY (590)											
TOTAL, FEMALE											
1998.....	614	3	-	-	-	-	1	3	1	7	10
1997.....	590	1	1	-	-	-	1	2	5	3	11
1996.....	641	3	1	1	-	-	2	7	6	4	11
1995.....	677	2	2	-	-	-	2	3	4	9	10
1994.....	712	5	1	-	1	1	2	4	7	5	10
1993.....	747	-	1	-	-	1	5	2	3	8	14
1992.....	756	-	-	-	-	-	1	3	3	10	13
1991.....	892	2	4	-	-	1	3	5	6	9	11
1990.....	892	1	1	-	-	1	6	2	1	9	14
1989.....	979	2	-	-	-	1	5	9	8	9	12
1988.....	1,114	2	2	-	2	-	4	5	6	9	13
1987.....	1,206	1	1	-	-	1	3	6	4	7	11
1986.....	1,308	3	3	1	-	-	2	6	5	12	9
1985.....	1,291	2	1	-	-	2	2	7	7	8	8
1984.....	1,364	2	1	-	-	2	8	7	5	8	16
1983.....	1,374	2	-	-	-	3	3	4	10	7	11
1982.....	1,485	3	1	1	1	2	5	7	11	5	12
1981.....	1,467	-	1	-	-	-	3	6	8	7	15
1980.....	1,772	4	-	4	-	1	2	7	10	8	19
1979.....	1,773	4	-	1	-	7	5	6	8	13	14
WHITE, BOTH SEXES											
1998.....	704	4	-	-	-	-	-	3	2	12	12
1997.....	725	-	2	-	-	1	3	5	4	3	10
1996.....	778	4	4	1	-	1	3	3	5	6	12
1995.....	783	1	3	-	1	-	1	2	4	10	12
1994.....	830	5	-	-	1	1	1	5	2	7	9
1993.....	881	1	1	-	-	1	4	1	3	11	12
1992.....	946	-	-	-	1	-	1	4	3	8	11
1991.....	1,041	4	3	1	-	1	5	7	5	10	12
1990.....	1,134	3	1	-	-	1	7	2	4	12	13
1989.....	1,203	3	-	-	-	3	3	7	8	6	16
1988.....	1,415	5	2	-	-	-	3	7	4	7	15
1987.....	1,526	5	2	-	-	-	1	7	3	10	9
1986.....	1,623	3	3	-	-	1	2	5	7	8	9
1985.....	1,708	3	2	-	1	2	3	7	7	10	4
1984.....	1,805	5	1	-	1	3	8	7	7	8	12
1983.....	1,821	2	3	1	-	3	3	5	9	5	9
1982.....	1,953	6	1	2	1	2	2	4	12	7	10
1981.....	2,022	2	1	1	-	1	8	7	7	7	16
1980.....	2,365	4	-	4	-	2	3	10	10	10	20
1979.....	2,493	6	1	1	1	8	6	10	8	13	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFECTIONS OF KIDNEY (590)											
WHITE MALE											
1998.....	173	1	-	-	-	-	-	1	1	6	5
1997.....	203	-	1	-	-	1	2	3	-	2	2
1996.....	222	2	3	-	-	-	1	-	1	4	3
1995.....	201	-	1	-	1	-	-	1	1	3	4
1994.....	215	1	-	-	-	-	-	1	-	3	4
1993.....	226	1	-	-	-	-	1	-	2	4	2
1992.....	277	-	-	-	1	-	-	1	3	3	4
1991.....	274	2	-	1	-	-	3	3	3	5	4
1990.....	339	2	-	-	-	-	2	1	4	3	3
1989.....	358	1	-	-	-	3	1	2	3	2	7
1988.....	414	3	-	-	-	-	1	3	2	1	8
1987.....	458	4	1	-	-	-	-	2	-	5	4
1986.....	479	-	-	-	-	1	1	2	4	3	1
1985.....	582	1	1	-	1	-	1	4	3	3	1
1984.....	597	3	-	-	1	2	1	3	4	4	3
1983.....	613	1	3	1	-	-	2	3	3	1	4
1982.....	629	4	-	1	-	-	-	1	3	5	2
1981.....	741	2	-	1	-	1	5	3	1	3	6
1980.....	813	-	-	-	-	1	2	6	5	3	8
1979.....	935	3	1	-	1	2	4	5	2	5	6
WHITE FEMALE											
1998.....	531	3	-	-	-	-	-	2	1	6	7
1997.....	522	-	1	-	-	-	1	2	4	1	8
1996.....	556	2	1	1	-	1	2	3	4	2	9
1995.....	582	1	2	-	-	-	1	1	3	7	8
1994.....	615	4	-	-	1	1	1	4	2	4	5
1993.....	655	-	1	-	-	1	3	1	1	7	10
1992.....	669	-	-	-	-	-	1	3	-	5	7
1991.....	767	2	3	-	-	1	2	4	2	5	8
1990.....	795	1	1	-	-	1	5	1	-	9	10
1989.....	845	2	-	-	-	-	2	5	5	4	9
1988.....	1,001	2	2	-	-	-	2	4	2	6	7
1987.....	1,068	1	1	-	-	-	1	5	3	5	5
1986.....	1,144	3	3	-	-	-	1	3	3	5	8
1985.....	1,126	2	1	-	-	2	2	3	4	7	3
1984.....	1,208	2	1	-	-	1	7	4	3	4	9
1983.....	1,208	1	-	-	-	3	1	2	6	4	5
1982.....	1,324	2	1	1	1	2	2	3	9	2	8
1981.....	1,281	-	1	-	-	-	3	4	6	4	10
1980.....	1,552	4	-	4	-	1	1	4	5	7	12
1979.....	1,558	3	-	1	-	6	2	5	6	8	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFECTIONS OF KIDNEY (590)											
ALL OTHER, BOTH SEXES											
1998.....	124	1	-	-	-	-	2	2	-	2	5
1997.....	106	1	-	-	-	-	-	1	1	2	6
1996.....	118	2	-	-	-	-	1	5	2	3	4
1995.....	135	1	-	-	-	-	1	3	3	3	3
1994.....	143	1	1	-	-	-	1	-	5	1	7
1993.....	142	-	-	-	-	-	2	1	4	2	4
1992.....	137	1	1	-	1	-	1	-	5	6	10
1991.....	178	4	2	-	-	1	2	1	4	5	6
1990.....	162	3	-	-	-	-	1	1	1	3	6
1989.....	211	3	-	-	-	1	3	6	4	7	5
1988.....	195	-	1	-	2	-	3	1	6	5	10
1987.....	216	2	1	-	-	1	2	2	2	2	8
1986.....	247	1	-	1	-	-	1	3	3	8	3
1985.....	274	1	1	-	-	-	1	4	4	2	6
1984.....	272	-	-	-	-	1	1	3	4	6	11
1983.....	268	1	-	-	-	-	2	3	7	3	7
1982.....	265	2	-	-	-	-	3	4	2	5	5
1981.....	283	1	-	-	-	-	1	5	4	3	6
1980.....	367	2	-	-	-	-	1	3	5	2	10
1979.....	375	3	-	-	-	1	3	2	3	5	11
ALL OTHER MALE											
1998.....	41	1	-	-	-	-	1	1	-	1	2
1997.....	38	-	-	-	-	-	-	1	-	-	3
1996.....	33	1	-	-	-	-	1	1	-	1	2
1995.....	40	-	-	-	-	-	-	1	2	1	1
1994.....	46	-	-	-	-	-	-	-	-	-	2
1993.....	50	-	-	-	-	-	-	-	2	1	-
1992.....	50	1	1	-	-	-	1	-	2	1	4
1991.....	53	4	1	-	-	1	1	-	-	1	3
1990.....	65	3	-	-	-	-	-	-	-	3	2
1989.....	77	3	-	-	-	-	-	2	1	2	2
1988.....	82	-	1	-	-	-	1	-	2	2	4
1987.....	78	2	1	-	-	-	-	1	1	-	2
1986.....	83	1	-	-	-	-	-	-	1	1	2
1985.....	109	1	1	-	-	-	1	-	1	1	1
1984.....	116	-	-	-	-	-	-	-	2	2	4
1983.....	102	-	-	-	-	-	-	1	3	-	1
1982.....	104	1	-	-	-	-	-	-	-	2	1
1981.....	97	1	-	-	-	-	1	3	2	-	1
1980.....	147	2	-	-	-	-	-	-	-	1	3
1979.....	160	2	-	-	-	-	-	1	1	-	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFECTIONS OF KIDNEY (590)											
ALL OTHER FEMALE											
1998.....	83	-	-	-	-	-	1	1	-	1	3
1997.....	68	1	-	-	-	-	-	-	1	2	3
1996.....	85	1	-	-	-	-	-	4	2	2	2
1995.....	95	1	-	-	-	-	1	2	1	2	2
1994.....	97	1	1	-	-	-	1	-	5	1	5
1993.....	92	-	-	-	-	-	2	1	2	1	4
1992.....	87	-	-	-	1	-	-	-	3	5	6
1991.....	125	-	1	-	-	-	1	1	4	4	3
1990.....	97	-	-	-	-	-	1	1	1	-	4
1989.....	134	-	-	-	-	1	3	4	3	5	3
1988.....	113	-	-	-	2	-	2	1	4	3	6
1987.....	138	-	-	-	-	1	2	1	1	2	6
1986.....	164	-	-	1	-	-	1	3	2	7	1
1985.....	165	-	-	-	-	-	-	4	3	1	5
1984.....	156	-	-	-	-	1	1	3	2	4	7
1983.....	166	1	-	-	-	-	2	2	4	3	6
1982.....	161	1	-	-	-	-	3	4	2	3	4
1981.....	186	-	-	-	-	-	-	2	2	3	5
1980.....	220	-	-	-	-	-	1	3	5	1	7
1979.....	215	1	-	-	-	1	3	1	2	5	8
BLACK, BOTH SEXES											
1998.....	102	1	-	-	-	-	2	-	-	2	4
1997.....	91	1	-	-	-	-	-	1	-	1	5
1996.....	106	1	-	-	-	-	-	3	2	3	4
1995.....	111	1	-	-	-	-	1	2	2	3	2
1994.....	125	1	-	-	-	-	1	-	4	1	6
1993.....	127	-	-	-	-	-	2	1	4	1	4
1992.....	119	1	-	-	1	-	1	-	3	4	9
1991.....	161	3	2	-	-	1	2	1	4	5	5
1990.....	138	3	-	-	-	-	1	1	1	2	4
1989.....	194	3	-	-	-	1	2	6	4	7	4
1988.....	175	-	1	-	2	-	3	1	4	5	8
1987.....	196	2	-	-	-	1	1	2	2	2	7
1986.....	223	-	-	1	-	-	1	3	2	8	3
1985.....	249	1	1	-	-	-	1	2	4	2	6
1984.....	248	-	-	-	-	1	1	3	4	6	11
1983.....	254	1	-	-	-	-	2	3	7	3	6
1982.....	249	1	-	-	-	-	2	4	2	5	5
1981.....	267	1	-	-	-	-	1	3	4	3	6
1980.....	350	2	-	-	-	-	1	3	5	2	10
1979.....	350	3	-	-	-	1	1	2	3	4	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFECTIONS OF KIDNEY (590)											
BLACK MALE											
1998.....	33	1	-	-	-	-	1	-	-	1	1
1997.....	33	-	-	-	-	-	-	1	-	-	3
1996.....	30	-	-	-	-	-	-	1	-	1	2
1995.....	36	-	-	-	-	-	-	1	2	1	1
1994.....	42	-	-	-	-	-	-	-	-	-	2
1993.....	44	-	-	-	-	-	-	-	2	1	-
1992.....	44	1	-	-	-	-	1	-	2	-	4
1991.....	50	3	1	-	-	1	1	-	-	1	2
1990.....	57	3	-	-	-	-	-	-	-	2	2
1989.....	68	3	-	-	-	-	-	2	1	2	1
1988.....	74	-	1	-	-	-	1	-	1	2	4
1987.....	74	2	-	-	-	-	-	1	1	-	2
1986.....	76	-	-	-	-	-	-	-	-	1	2
1985.....	103	1	1	-	-	-	1	-	1	1	1
1984.....	107	-	-	-	-	-	-	-	2	2	4
1983.....	96	-	-	-	-	-	-	1	3	-	1
1982.....	98	1	-	-	-	-	-	-	-	2	1
1981.....	93	1	-	-	-	-	1	1	2	-	1
1980.....	138	2	-	-	-	-	-	-	-	1	3
1979.....	153	2	-	-	-	-	-	1	1	-	3
BLACK FEMALE											
1998.....	69	-	-	-	-	-	1	-	-	1	3
1997.....	58	1	-	-	-	-	-	-	-	1	2
1996.....	76	1	-	-	-	-	-	2	2	2	2
1995.....	75	1	-	-	-	-	1	1	-	2	1
1994.....	83	1	-	-	-	-	1	-	4	1	4
1993.....	83	-	-	-	-	-	2	1	2	-	4
1992.....	75	-	-	-	1	-	-	-	1	4	5
1991.....	111	-	1	-	-	-	1	1	4	4	3
1990.....	81	-	-	-	-	-	1	1	1	-	2
1989.....	126	-	-	-	-	1	2	4	3	5	3
1988.....	101	-	-	-	2	-	2	1	3	3	4
1987.....	122	-	-	-	-	1	1	1	1	2	5
1986.....	147	-	-	1	-	-	1	3	2	7	1
1985.....	146	-	-	-	-	-	-	2	3	1	5
1984.....	141	-	-	-	-	1	1	3	2	4	7
1983.....	158	1	-	-	-	-	2	2	4	3	5
1982.....	151	-	-	-	-	-	2	4	2	3	4
1981.....	174	-	-	-	-	-	-	2	2	3	5
1980.....	212	-	-	-	-	-	1	3	5	1	7
1979.....	197	1	-	-	-	1	1	1	2	4	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 URINARY CALCULUS (592,594)											
TOTAL, BOTH SEXES											
1998.....	221	-	-	-	-	-	-	1	2	4	3
1997.....	271	-	1	1	1	-	-	2	2	4	3
1996.....	235	-	-	-	-	1	3	2	2	-	4
1995.....	270	-	-	-	-	-	-	1	6	3	4
1994.....	244	-	-	-	-	2	2	1	-	-	-
1993.....	296	-	-	-	-	-	1	-	3	3	5
1992.....	293	-	-	-	-	-	-	1	1	3	4
1991.....	292	-	-	-	-	-	1	2	3	2	4
1990.....	309	-	-	-	-	-	1	-	3	1	3
1989.....	315	-	-	-	-	1	1	-	3	-	5
1988.....	363	-	-	-	-	-	-	-	2	3	2
1987.....	381	-	-	-	-	1	-	1	2	5	4
1986.....	404	-	-	-	-	1	4	3	1	2	5
1985.....	400	-	1	-	1	3	2	1	3	4	5
1984.....	443	-	-	-	-	2	1	2	3	4	5
1983.....	450	-	-	-	1	1	-	2	5	7	4
1982.....	427	-	-	-	-	-	1	3	3	6	3
1981.....	466	1	-	-	-	-	4	2	-	3	5
1980.....	492	-	-	1	-	-	2	2	4	2	5
1979.....	502	-	-	-	-	-	1	2	5	5	6
TOTAL, MALE											
1998.....	94	-	-	-	-	-	-	-	1	2	1
1997.....	111	-	1	1	-	-	-	-	-	2	2
1996.....	93	-	-	-	-	-	1	-	1	-	3
1995.....	106	-	-	-	-	-	-	-	3	2	2
1994.....	81	-	-	-	-	-	-	-	-	-	-
1993.....	120	-	-	-	-	-	-	-	2	2	4
1992.....	112	-	-	-	-	-	-	-	-	1	2
1991.....	90	-	-	-	-	-	-	1	2	-	1
1990.....	118	-	-	-	-	-	-	-	2	1	2
1989.....	123	-	-	-	-	1	1	-	1	-	4
1988.....	138	-	-	-	-	-	-	-	1	3	1
1987.....	141	-	-	-	-	-	-	-	1	4	3
1986.....	169	-	-	-	-	-	2	1	1	1	3
1985.....	159	-	-	-	-	1	1	-	1	1	3
1984.....	181	-	-	-	-	-	-	2	1	2	4
1983.....	199	-	-	-	-	1	-	1	3	5	2
1982.....	163	-	-	-	-	-	-	3	1	5	1
1981.....	231	-	-	-	-	-	4	2	-	3	3
1980.....	228	-	-	-	-	-	1	2	3	2	2
1979.....	211	-	-	-	-	-	-	1	3	4	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 URINARY CALCULUS (592,594)											
TOTAL, FEMALE											
1998.....	127	-	-	-	-	-	-	1	1	2	2
1997.....	160	-	-	-	1	-	-	2	2	2	1
1996.....	142	-	-	-	-	1	2	2	1	-	1
1995.....	164	-	-	-	-	-	-	1	3	1	2
1994.....	163	-	-	-	-	2	2	1	-	-	-
1993.....	176	-	-	-	-	-	1	-	1	1	1
1992.....	181	-	-	-	-	-	-	1	1	2	2
1991.....	202	-	-	-	-	-	1	1	1	2	3
1990.....	191	-	-	-	-	-	1	-	1	-	1
1989.....	192	-	-	-	-	-	-	-	2	-	1
1988.....	225	-	-	-	-	-	-	-	1	-	1
1987.....	240	-	-	-	-	1	-	1	1	1	1
1986.....	235	-	-	-	-	1	2	2	-	1	2
1985.....	241	-	1	-	1	2	1	1	2	3	2
1984.....	262	-	-	-	-	2	1	-	2	2	1
1983.....	251	-	-	-	1	-	-	1	2	2	2
1982.....	264	-	-	-	-	-	1	-	2	1	2
1981.....	235	1	-	-	-	-	-	-	-	-	2
1980.....	264	-	-	1	-	-	1	-	1	-	3
1979.....	291	-	-	-	-	-	1	1	2	1	4
WHITE, BOTH SEXES											
1998.....	207	-	-	-	-	-	-	-	2	4	3
1997.....	246	-	-	1	1	-	-	2	2	3	3
1996.....	208	-	-	-	-	1	3	2	2	-	2
1995.....	235	-	-	-	-	-	-	1	6	3	3
1994.....	217	-	-	-	-	2	2	1	-	-	-
1993.....	260	-	-	-	-	-	1	-	3	3	3
1992.....	261	-	-	-	-	-	-	1	1	2	2
1991.....	257	-	-	-	-	-	-	2	2	2	3
1990.....	275	-	-	-	-	-	1	-	3	1	3
1989.....	279	-	-	-	-	1	1	-	1	-	5
1988.....	320	-	-	-	-	-	-	-	2	3	2
1987.....	325	-	-	-	-	1	-	1	1	5	3
1986.....	354	-	-	-	-	1	2	2	1	2	4
1985.....	340	-	1	-	1	3	2	1	3	4	3
1984.....	391	-	-	-	-	2	1	1	3	2	3
1983.....	393	-	-	-	-	1	-	1	4	5	4
1982.....	379	-	-	-	-	-	-	3	2	5	3
1981.....	408	1	-	-	-	-	4	2	-	2	4
1980.....	430	-	-	1	-	-	1	2	2	2	4
1979.....	446	-	-	-	-	-	1	2	5	5	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 URINARY CALCULUS (592,594)											
WHITE MALE											
1998.....	87	-	-	-	-	-	-	-	1	2	1
1997.....	100	-	-	1	-	-	-	-	-	2	2
1996.....	83	-	-	-	-	-	1	-	1	-	2
1995.....	92	-	-	-	-	-	-	-	3	2	2
1994.....	71	-	-	-	-	-	-	-	-	-	-
1993.....	103	-	-	-	-	-	-	-	2	2	2
1992.....	98	-	-	-	-	-	-	-	-	-	1
1991.....	74	-	-	-	-	-	-	1	2	-	1
1990.....	105	-	-	-	-	-	-	-	2	1	2
1989.....	106	-	-	-	-	1	1	-	-	-	4
1988.....	117	-	-	-	-	-	-	-	1	3	1
1987.....	117	-	-	-	-	-	-	-	-	4	2
1986.....	145	-	-	-	-	-	-	-	1	1	2
1985.....	130	-	-	-	-	1	1	-	1	1	1
1984.....	162	-	-	-	-	-	-	1	1	1	3
1983.....	173	-	-	-	-	1	-	-	2	3	2
1982.....	151	-	-	-	-	-	-	3	1	4	1
1981.....	205	-	-	-	-	-	4	2	-	2	3
1980.....	200	-	-	-	-	-	-	2	2	2	2
1979.....	187	-	-	-	-	-	-	1	3	4	2
WHITE FEMALE											
1998.....	120	-	-	-	-	-	-	-	1	2	2
1997.....	146	-	-	-	1	-	-	2	2	1	1
1996.....	125	-	-	-	-	1	2	2	1	-	-
1995.....	143	-	-	-	-	-	-	1	3	1	1
1994.....	146	-	-	-	-	2	2	1	-	-	-
1993.....	157	-	-	-	-	-	1	-	1	1	1
1992.....	163	-	-	-	-	-	-	1	1	2	1
1991.....	183	-	-	-	-	-	-	1	-	2	2
1990.....	170	-	-	-	-	-	1	-	1	-	1
1989.....	173	-	-	-	-	-	-	-	1	-	1
1988.....	203	-	-	-	-	-	-	-	1	-	1
1987.....	208	-	-	-	-	1	-	1	1	1	1
1986.....	209	-	-	-	-	1	2	2	-	1	2
1985.....	210	-	1	-	1	2	1	1	2	3	2
1984.....	229	-	-	-	-	2	1	-	2	1	-
1983.....	220	-	-	-	-	-	-	1	2	2	2
1982.....	228	-	-	-	-	-	-	-	1	1	2
1981.....	203	1	-	-	-	-	-	-	-	-	1
1980.....	230	-	-	1	-	-	1	-	-	-	2
1979.....	259	-	-	-	-	-	1	1	2	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)											
TOTAL, BOTH SEXES											
1998.....	20,215	16	10	1	3	13	21	41	65	108	180
1997.....	19,004	15	11	-	3	6	15	45	77	129	200
1996.....	18,123	16	5	6	3	10	21	34	66	107	166
1995.....	17,577	16	3	5	5	12	23	39	73	110	171
1994.....	17,163	11	6	5	8	7	13	39	56	97	143
1993.....	16,742	20	9	4	5	9	16	42	49	108	158
1992.....	15,990	21	9	7	4	6	26	38	57	92	146
1991.....	15,704	21	7	5	5	13	22	35	64	113	124
1990.....	15,273	20	4	2	4	14	24	42	72	90	135
1989.....	15,453	16	11	4	11	14	16	44	87	78	117
1988.....	15,283	18	5	2	5	10	22	51	60	87	116
1987.....	14,748	25	9	3	6	14	24	34	68	96	96
1986.....	13,500	22	11	4	4	8	16	33	49	68	99
1985.....	12,104	16	5	5	10	9	24	22	40	61	78
1984.....	10,998	18	7	3	6	5	17	25	48	64	71
1983.....	9,779	18	9	5	1	10	14	35	40	51	78
1982.....	8,835	29	4	2	4	3	16	29	44	53	75
1981.....	8,205	16	4	4	-	20	20	30	49	53	59
1980.....	7,609	20	4	2	2	7	20	32	38	39	61
1979.....	6,888	21	5	5	6	12	22	28	36	48	53
TOTAL, MALE											
1998.....	7,499	9	7	-	2	4	11	16	31	55	104
1997.....	7,142	11	5	-	1	5	9	26	37	83	114
1996.....	6,820	11	2	3	2	4	9	16	36	56	105
1995.....	6,593	10	1	2	2	7	12	23	39	70	99
1994.....	6,467	7	3	3	1	4	6	20	32	61	82
1993.....	6,378	15	7	3	1	5	11	25	27	56	91
1992.....	6,158	14	4	4	1	2	12	21	37	63	88
1991.....	5,999	13	4	2	1	2	13	20	34	70	85
1990.....	5,833	12	3	2	3	8	14	26	31	65	74
1989.....	6,007	10	5	2	3	9	7	24	54	44	76
1988.....	5,945	12	4	-	1	5	16	34	33	56	72
1987.....	5,944	21	6	2	3	7	13	18	41	58	50
1986.....	5,594	12	8	2	2	7	10	18	27	45	51
1985.....	5,101	12	1	1	6	7	17	13	23	40	48
1984.....	4,657	15	5	3	1	2	7	15	22	37	39
1983.....	4,313	10	6	2	-	6	8	23	23	28	53
1982.....	3,898	20	-	2	1	2	7	16	27	35	35
1981.....	3,738	10	3	2	-	7	15	18	28	31	40
1980.....	3,581	13	2	-	-	6	11	18	16	24	28
1979.....	3,391	14	3	3	2	5	14	15	18	21	30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)											
TOTAL, FEMALE											
1998.....	12,716	7	3	1	1	9	10	25	34	53	76
1997.....	11,862	4	6	-	2	1	6	19	40	46	86
1996.....	11,303	5	3	3	1	6	12	18	30	51	61
1995.....	10,984	6	2	3	3	5	11	16	34	40	72
1994.....	10,696	4	3	2	7	3	7	19	24	36	61
1993.....	10,364	5	2	1	4	4	5	17	22	52	67
1992.....	9,832	7	5	3	3	4	14	17	20	29	58
1991.....	9,705	8	3	3	4	11	9	15	30	43	39
1990.....	9,440	8	1	-	1	6	10	16	41	25	61
1989.....	9,446	6	6	2	8	5	9	20	33	34	41
1988.....	9,338	6	1	2	4	5	6	17	27	31	44
1987.....	8,804	4	3	1	3	7	11	16	27	38	46
1986.....	7,906	10	3	2	2	1	6	15	22	23	48
1985.....	7,003	4	4	4	4	2	7	9	17	21	30
1984.....	6,341	3	2	-	5	3	10	10	26	27	32
1983.....	5,466	8	3	3	1	4	6	12	17	23	25
1982.....	4,937	9	4	-	3	1	9	13	17	18	40
1981.....	4,467	6	1	2	-	13	5	12	21	22	19
1980.....	4,028	7	2	2	2	1	9	14	22	15	33
1979.....	3,497	7	2	2	4	7	8	13	18	27	23
WHITE, BOTH SEXES											
1998.....	16,356	11	6	1	3	7	12	25	34	55	80
1997.....	15,426	11	10	-	2	4	9	20	47	65	97
1996.....	14,683	15	3	5	2	6	12	18	37	56	94
1995.....	14,252	8	2	4	3	9	13	22	42	56	83
1994.....	14,101	9	6	5	5	5	8	21	25	53	83
1993.....	13,699	14	8	3	3	7	8	28	27	48	81
1992.....	13,071	15	7	5	3	3	17	17	24	39	68
1991.....	12,861	16	5	4	5	9	12	22	33	55	58
1990.....	12,543	13	3	1	2	10	19	24	34	40	75
1989.....	12,657	13	9	2	7	11	14	21	41	46	63
1988.....	12,650	12	5	2	2	4	13	28	35	37	63
1987.....	12,163	19	7	3	5	9	17	20	36	48	55
1986.....	11,173	17	8	4	4	4	11	20	32	34	59
1985.....	10,151	13	4	3	9	7	12	18	29	35	44
1984.....	9,163	12	7	2	2	4	8	15	28	33	46
1983.....	8,110	13	6	3	1	5	10	22	29	29	49
1982.....	7,366	21	4	2	3	1	10	23	24	23	48
1981.....	6,780	12	4	4	-	11	15	15	29	32	29
1980.....	6,301	15	4	2	-	5	15	19	18	22	34
1979.....	5,792	15	3	4	3	9	18	19	26	35	35

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)											
WHITE MALE											
1998.....	5,938	6	4	-	2	3	6	10	15	29	47
1997.....	5,625	7	4	-	-	3	4	10	22	41	51
1996.....	5,371	10	1	3	1	2	5	9	22	26	58
1995.....	5,203	5	1	1	2	5	6	15	21	38	44
1994.....	5,182	5	3	3	1	2	3	11	10	32	42
1993.....	5,108	12	6	2	-	3	6	18	16	25	44
1992.....	4,862	10	2	3	-	1	7	9	15	24	40
1991.....	4,726	9	3	1	1	1	8	11	21	34	34
1990.....	4,614	9	2	1	2	6	10	15	16	30	39
1989.....	4,789	8	4	1	2	7	6	13	27	25	38
1988.....	4,795	8	4	-	-	2	10	18	18	23	38
1987.....	4,751	16	4	2	2	3	8	9	19	27	25
1986.....	4,530	8	6	2	2	3	8	10	18	18	32
1985.....	4,212	9	1	1	6	5	9	9	16	22	26
1984.....	3,786	10	5	2	-	1	3	8	14	17	21
1983.....	3,526	8	5	1	-	3	6	15	15	14	32
1982.....	3,202	15	-	2	1	1	5	12	13	15	21
1981.....	3,028	7	3	2	-	4	11	9	17	17	21
1980.....	2,919	8	2	-	-	5	9	11	6	14	16
1979.....	2,780	10	1	3	1	3	12	11	12	14	19
WHITE FEMALE											
1998.....	10,418	5	2	1	1	4	6	15	19	26	33
1997.....	9,801	4	6	-	2	1	5	10	25	24	46
1996.....	9,312	5	2	2	1	4	7	9	15	30	36
1995.....	9,049	3	1	3	1	4	7	7	21	18	39
1994.....	8,919	4	3	2	4	3	5	10	15	21	41
1993.....	8,591	2	2	1	3	4	2	10	11	23	37
1992.....	8,209	5	5	2	3	2	10	8	9	15	28
1991.....	8,135	7	2	3	4	8	4	11	12	21	24
1990.....	7,929	4	1	-	-	4	9	9	18	10	36
1989.....	7,868	5	5	1	5	4	8	8	14	21	25
1988.....	7,855	4	1	2	2	2	3	10	17	14	25
1987.....	7,412	3	3	1	3	6	9	11	17	21	30
1986.....	6,643	9	2	2	2	1	3	10	14	16	27
1985.....	5,939	4	3	2	3	2	3	9	13	13	18
1984.....	5,377	2	2	-	2	3	5	7	14	16	25
1983.....	4,584	5	1	2	1	2	4	7	14	15	17
1982.....	4,164	6	4	-	2	-	5	11	11	8	27
1981.....	3,752	5	1	2	-	7	4	6	12	15	8
1980.....	3,382	7	2	2	-	-	6	8	12	8	18
1979.....	3,012	5	2	1	2	6	6	8	14	21	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)											
ALL OTHER, BOTH SEXES											
1998.....	3,859	5	4	-	-	6	9	16	31	53	100
1997.....	3,578	4	1	-	1	2	6	25	30	64	103
1996.....	3,440	1	2	1	1	4	9	16	29	51	72
1995.....	3,325	8	1	1	2	3	10	17	31	54	88
1994.....	3,062	2	-	-	3	2	5	18	31	44	60
1993.....	3,043	6	1	1	2	2	8	14	22	60	77
1992.....	2,919	6	2	2	1	3	9	21	33	53	78
1991.....	2,843	5	2	1	-	4	10	13	31	58	66
1990.....	2,730	7	1	1	2	4	5	18	38	50	60
1989.....	2,796	3	2	2	4	3	2	23	46	32	54
1988.....	2,633	6	-	-	3	6	9	23	25	50	53
1987.....	2,585	6	2	-	1	5	7	14	32	48	41
1986.....	2,327	5	3	-	-	4	5	13	17	34	40
1985.....	1,953	3	1	2	1	2	12	4	11	26	34
1984.....	1,835	6	-	1	4	1	9	10	20	31	25
1983.....	1,669	5	3	2	-	5	4	13	11	22	29
1982.....	1,469	8	-	-	1	2	6	6	20	30	27
1981.....	1,425	4	-	-	-	9	5	15	20	21	30
1980.....	1,308	5	-	-	2	2	5	13	20	17	27
1979.....	1,096	6	2	1	3	3	4	9	10	13	18
ALL OTHER MALE											
1998.....	1,561	3	3	-	-	1	5	6	16	26	57
1997.....	1,517	4	1	-	1	2	5	16	15	42	63
1996.....	1,449	1	1	-	1	2	4	7	14	30	47
1995.....	1,390	5	-	1	-	2	6	8	18	32	55
1994.....	1,285	2	-	-	-	2	3	9	22	29	40
1993.....	1,270	3	1	1	1	2	5	7	11	31	47
1992.....	1,296	4	2	1	1	1	5	12	22	39	48
1991.....	1,273	4	1	1	-	1	5	9	13	36	51
1990.....	1,219	3	1	1	1	2	4	11	15	35	35
1989.....	1,218	2	1	1	1	2	1	11	27	19	38
1988.....	1,150	4	-	-	1	3	6	16	15	33	34
1987.....	1,193	5	2	-	1	4	5	9	22	31	25
1986.....	1,064	4	2	-	-	4	2	8	9	27	19
1985.....	889	3	-	-	-	2	8	4	7	18	22
1984.....	871	5	-	1	1	1	4	7	8	20	18
1983.....	787	2	1	1	-	3	2	8	8	14	21
1982.....	696	5	-	-	-	1	2	4	14	20	14
1981.....	710	3	-	-	-	3	4	9	11	14	19
1980.....	662	5	-	-	-	1	2	7	10	10	12
1979.....	611	4	2	-	1	2	2	4	6	7	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)											
ALL OTHER FEMALE											
1998.....	2,298	2	1	-	-	5	4	10	15	27	43
1997.....	2,061	-	-	-	-	-	1	9	15	22	40
1996.....	1,991	-	1	1	-	2	5	9	15	21	25
1995.....	1,935	3	1	-	2	1	4	9	13	22	33
1994.....	1,777	-	-	-	3	-	2	9	9	15	20
1993.....	1,773	3	-	-	1	-	3	7	11	29	30
1992.....	1,623	2	-	1	-	2	4	9	11	14	30
1991.....	1,570	1	1	-	-	3	5	4	18	22	15
1990.....	1,511	4	-	-	1	2	1	7	23	15	25
1989.....	1,578	1	1	1	3	1	1	12	19	13	16
1988.....	1,483	2	-	-	2	3	3	7	10	17	19
1987.....	1,392	1	-	-	-	1	2	5	10	17	16
1986.....	1,263	1	1	-	-	-	3	5	8	7	21
1985.....	1,064	-	1	2	1	-	4	-	4	8	12
1984.....	964	1	-	-	3	-	5	3	12	11	7
1983.....	882	3	2	1	-	2	2	5	3	8	8
1982.....	773	3	-	-	1	1	4	2	6	10	13
1981.....	715	1	-	-	-	6	1	6	9	7	11
1980.....	646	-	-	-	2	1	3	6	10	7	15
1979.....	485	2	-	1	2	1	2	5	4	6	7
BLACK, BOTH SEXES											
1998.....	3,548	5	4	-	-	6	8	14	28	51	93
1997.....	3,262	4	1	-	1	2	6	24	27	63	94
1996.....	3,153	1	2	1	1	3	8	16	27	49	68
1995.....	3,089	6	-	1	2	3	10	17	30	51	82
1994.....	2,826	2	-	-	3	2	5	16	28	42	60
1993.....	2,834	6	1	1	2	2	7	13	21	60	74
1992.....	2,711	5	2	2	1	3	9	21	31	49	75
1991.....	2,626	5	2	1	-	3	10	11	30	57	63
1990.....	2,523	6	1	1	2	4	5	16	36	46	56
1989.....	2,614	3	2	2	4	3	2	21	45	31	53
1988.....	2,455	5	-	-	2	5	8	23	24	49	50
1987.....	2,435	6	2	-	1	5	5	13	30	47	40
1986.....	2,169	1	3	-	-	4	5	12	14	31	39
1985.....	1,847	3	1	1	1	2	11	4	9	24	34
1984.....	1,748	5	-	1	2	1	9	10	19	30	24
1983.....	1,557	5	2	2	-	5	2	12	11	21	27
1982.....	1,384	8	-	-	1	2	5	6	19	30	26
1981.....	1,359	4	-	-	-	7	5	15	19	20	26
1980.....	1,244	5	-	-	2	2	5	12	20	17	24
1979.....	1,037	4	2	1	3	3	4	9	10	11	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)											
BLACK MALE											
1998.....	1,441	3	3	-	-	1	5	6	14	25	55
1997.....	1,391	4	1	-	1	2	5	15	12	41	57
1996.....	1,319	1	1	-	1	1	4	7	12	29	45
1995.....	1,281	4	-	1	-	2	6	8	18	30	52
1994.....	1,177	2	-	-	-	2	3	8	20	29	40
1993.....	1,183	3	1	1	1	2	5	6	10	31	45
1992.....	1,195	3	2	1	1	1	5	12	22	35	46
1991.....	1,177	4	1	1	-	1	5	8	13	36	50
1990.....	1,122	2	1	1	1	2	4	9	15	32	33
1989.....	1,123	2	1	1	1	2	1	10	26	18	38
1988.....	1,072	4	-	-	1	2	5	16	15	33	33
1987.....	1,129	5	2	-	1	4	3	8	21	31	25
1986.....	979	1	2	-	-	4	2	7	8	24	18
1985.....	843	3	-	-	-	2	7	4	5	16	22
1984.....	830	5	-	1	1	1	4	7	8	20	17
1983.....	727	2	1	1	-	3	-	8	8	14	20
1982.....	648	5	-	-	-	1	2	4	14	20	13
1981.....	664	3	-	-	-	2	4	9	10	14	15
1980.....	627	5	-	-	-	1	2	7	10	10	10
1979.....	572	3	2	-	1	2	2	4	6	6	10
BLACK FEMALE											
1998.....	2,107	2	1	-	-	5	3	8	14	26	38
1997.....	1,871	-	-	-	-	-	1	9	15	22	37
1996.....	1,834	-	1	1	-	2	4	9	15	20	23
1995.....	1,808	2	-	-	2	1	4	9	12	21	30
1994.....	1,649	-	-	-	3	-	2	8	8	13	20
1993.....	1,651	3	-	-	1	-	2	7	11	29	29
1992.....	1,516	2	-	1	-	2	4	9	9	14	29
1991.....	1,449	1	1	-	-	2	5	3	17	21	13
1990.....	1,401	4	-	-	1	2	1	7	21	14	23
1989.....	1,491	1	1	1	3	1	1	11	19	13	15
1988.....	1,383	1	-	-	1	3	3	7	9	16	17
1987.....	1,306	1	-	-	-	1	2	5	9	16	15
1986.....	1,190	-	1	-	-	-	3	5	6	7	21
1985.....	1,004	-	1	1	1	-	4	-	4	8	12
1984.....	918	-	-	-	1	-	5	3	11	10	7
1983.....	830	3	1	1	-	2	2	4	3	7	7
1982.....	736	3	-	-	1	1	3	2	5	10	13
1981.....	695	1	-	-	-	5	1	6	9	6	11
1980.....	617	-	-	-	2	1	3	5	10	7	14
1979.....	465	1	-	1	2	1	2	5	4	5	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
DISEASES OF MALE GENITAL ORGANS (600-608)												
TOTAL, BOTH SEXES												
1998.....	614	-	-	-	-	-	-	1	3	-	5	
1997.....	607	1	-	-	-	-	-	1	1	1	4	
1996.....	655	1	-	-	-	-	-	-	-	4	2	
1995.....	602	-	-	-	-	-	-	2	2	3	1	
1994.....	599	-	-	-	-	-	-	1	-	5	4	
1993.....	630	-	-	-	-	1	1	1	1	1	3	
1992.....	618	-	-	-	-	-	-	-	1	-	2	
1991.....	671	-	-	-	-	-	-	-	2	-	3	
1990.....	701	1	-	-	-	-	1	1	1	4	4	
1989.....	690	-	-	-	1	-	-	1	5	2	7	
1988.....	708	1	-	-	-	-	-	1	2	1	4	
1987.....	744	-	-	1	-	-	-	-	4	5	6	
1986.....	809	-	-	-	-	-	-	-	3	2	1	
1985.....	748	1	1	-	-	-	-	1	2	2	2	
1984.....	845	-	-	-	-	1	-	1	-	3	2	
1983.....	869	-	-	-	-	-	-	1	-	1	2	
1982.....	947	-	-	-	-	-	3	1	2	4	4	
1981.....	1,023	1	-	-	-	-	-	1	1	5	1	
1980.....	1,153	1	-	-	-	-	-	-	-	1	-	
1979.....	1,145	-	-	-	-	-	-	-	2	1	1	
TOTAL, MALE												
1998.....	614	-	-	-	-	-	-	1	3	-	5	
1997.....	607	1	-	-	-	-	-	1	1	1	4	
1996.....	655	1	-	-	-	-	-	-	-	4	2	
1995.....	602	-	-	-	-	-	-	2	2	3	1	
1994.....	599	-	-	-	-	-	-	1	-	5	4	
1993.....	630	-	-	-	-	1	1	1	1	1	3	
1992.....	618	-	-	-	-	-	-	-	1	-	2	
1991.....	671	-	-	-	-	-	-	-	2	-	3	
1990.....	701	1	-	-	-	-	1	1	1	4	4	
1989.....	690	-	-	-	1	-	-	1	5	2	7	
1988.....	708	1	-	-	-	-	-	1	2	1	4	
1987.....	744	-	-	1	-	-	-	-	4	5	6	
1986.....	809	-	-	-	-	-	-	-	3	2	1	
1985.....	748	1	1	-	-	-	-	1	2	2	2	
1984.....	845	-	-	-	-	1	-	1	-	3	2	
1983.....	869	-	-	-	-	-	-	1	-	1	2	
1982.....	947	-	-	-	-	-	3	1	2	4	4	
1981.....	1,023	1	-	-	-	-	-	1	1	5	1	
1980.....	1,153	1	-	-	-	-	-	-	-	1	-	
1979.....	1,145	-	-	-	-	-	-	-	2	1	1	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

DISEASES OF MALE GENITAL ORGANS (600-608)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE, BOTH SEXES											
1998.....	515	-	-	-	-	-	-	1	2	-	2
1997.....	519	1	-	-	-	-	-	1	1	-	3
1996.....	570	1	-	-	-	-	-	-	-	2	1
1995.....	516	-	-	-	-	-	-	-	1	2	1
1994.....	519	-	-	-	-	-	-	1	-	3	2
1993.....	523	-	-	-	-	-	1	1	-	1	3
1992.....	534	-	-	-	-	-	-	-	1	-	2
1991.....	566	-	-	-	-	-	-	-	1	-	2
1990.....	609	-	-	-	-	-	1	-	-	3	2
1989.....	573	-	-	-	1	-	-	-	1	-	2
1988.....	603	1	-	-	-	-	-	1	2	1	2
1987.....	639	-	-	1	-	-	-	-	3	4	3
1986.....	693	-	-	-	-	-	-	-	2	2	1
1985.....	640	1	1	-	-	-	-	1	1	1	1
1984.....	733	-	-	-	-	1	-	1	-	2	1
1983.....	746	-	-	-	-	-	-	1	-	1	2
1982.....	811	-	-	-	-	-	3	1	-	4	2
1981.....	878	1	-	-	-	-	-	1	-	2	1
1980.....	998	1	-	-	-	-	-	-	-	-	-
1979.....	986	-	-	-	-	-	-	-	1	1	-
WHITE MALE											
1998.....	515	-	-	-	-	-	-	1	2	-	2
1997.....	519	1	-	-	-	-	-	1	1	-	3
1996.....	570	1	-	-	-	-	-	-	-	2	1
1995.....	516	-	-	-	-	-	-	-	1	2	1
1994.....	519	-	-	-	-	-	-	1	-	3	2
1993.....	523	-	-	-	-	-	1	1	-	1	3
1992.....	534	-	-	-	-	-	-	-	1	-	2
1991.....	566	-	-	-	-	-	-	-	1	-	2
1990.....	609	-	-	-	-	-	1	-	-	3	2
1989.....	573	-	-	-	1	-	-	-	1	-	2
1988.....	603	1	-	-	-	-	-	1	2	1	2
1987.....	639	-	-	1	-	-	-	-	3	4	3
1986.....	693	-	-	-	-	-	-	-	2	2	1
1985.....	640	1	1	-	-	-	-	1	1	1	1
1984.....	733	-	-	-	-	1	-	1	-	2	1
1983.....	746	-	-	-	-	-	-	1	-	1	2
1982.....	811	-	-	-	-	-	3	1	-	4	2
1981.....	878	1	-	-	-	-	-	1	-	2	1
1980.....	998	1	-	-	-	-	-	-	-	-	-
1979.....	986	-	-	-	-	-	-	-	1	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF MALE GENITAL ORGANS (600-608)											
ALL OTHER, BOTH SEXES											
1998.....	99	-	-	-	-	-	-	-	1	-	3
1997.....	88	-	-	-	-	-	-	-	-	1	1
1996.....	85	-	-	-	-	-	-	-	-	2	1
1995.....	86	-	-	-	-	-	-	2	1	1	-
1994.....	80	-	-	-	-	-	-	-	-	2	2
1993.....	107	-	-	-	-	1	-	-	1	-	-
1992.....	84	-	-	-	-	-	-	-	-	-	-
1991.....	105	-	-	-	-	-	-	-	1	-	1
1990.....	92	1	-	-	-	-	-	1	1	1	2
1989.....	117	-	-	-	-	-	-	1	4	2	5
1988.....	105	-	-	-	-	-	-	-	-	-	2
1987.....	105	-	-	-	-	-	-	-	1	1	3
1986.....	116	-	-	-	-	-	-	-	1	-	-
1985.....	108	-	-	-	-	-	-	-	1	1	1
1984.....	112	-	-	-	-	-	-	-	-	1	1
1983.....	123	-	-	-	-	-	-	-	-	-	-
1982.....	136	-	-	-	-	-	-	-	2	-	2
1981.....	145	-	-	-	-	-	-	-	1	3	-
1980.....	155	-	-	-	-	-	-	-	-	1	-
1979.....	159	-	-	-	-	-	-	-	1	-	1
ALL OTHER MALE											
1998.....	99	-	-	-	-	-	-	-	1	-	3
1997.....	88	-	-	-	-	-	-	-	-	1	1
1996.....	85	-	-	-	-	-	-	-	-	2	1
1995.....	86	-	-	-	-	-	-	2	1	1	-
1994.....	80	-	-	-	-	-	-	-	-	2	2
1993.....	107	-	-	-	-	1	-	-	1	-	-
1992.....	84	-	-	-	-	-	-	-	-	-	-
1991.....	105	-	-	-	-	-	-	-	1	-	1
1990.....	92	1	-	-	-	-	-	1	1	1	2
1989.....	117	-	-	-	-	-	-	1	4	2	5
1988.....	105	-	-	-	-	-	-	-	-	-	2
1987.....	105	-	-	-	-	-	-	-	1	1	3
1986.....	116	-	-	-	-	-	-	-	1	-	-
1985.....	108	-	-	-	-	-	-	-	1	1	1
1984.....	112	-	-	-	-	-	-	-	-	1	1
1983.....	123	-	-	-	-	-	-	-	-	-	-
1982.....	136	-	-	-	-	-	-	-	2	-	2
1981.....	145	-	-	-	-	-	-	-	1	3	-
1980.....	155	-	-	-	-	-	-	-	-	1	-
1979.....	159	-	-	-	-	-	-	-	1	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
DISEASES OF MALE GENITAL ORGANS (600-608)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK, BOTH SEXES											
1998.....	88	-	-	-	-	-	-	-	1	-	3
1997.....	81	-	-	-	-	-	-	-	-	1	1
1996.....	76	-	-	-	-	-	-	-	-	2	-
1995.....	76	-	-	-	-	-	-	1	1	1	-
1994.....	72	-	-	-	-	-	-	-	-	2	2
1993.....	98	-	-	-	-	1	-	-	1	-	-
1992.....	78	-	-	-	-	-	-	-	-	-	-
1991.....	96	-	-	-	-	-	-	-	1	-	1
1990.....	84	1	-	-	-	-	-	-	1	1	1
1989.....	111	-	-	-	-	-	-	1	4	2	5
1988.....	92	-	-	-	-	-	-	-	-	-	2
1987.....	95	-	-	-	-	-	-	-	1	1	3
1986.....	107	-	-	-	-	-	-	-	-	-	-
1985.....	103	-	-	-	-	-	-	-	1	1	1
1984.....	111	-	-	-	-	-	-	-	-	1	1
1983.....	121	-	-	-	-	-	-	-	-	-	-
1982.....	129	-	-	-	-	-	-	-	2	-	2
1981.....	135	-	-	-	-	-	-	-	1	3	-
1980.....	142	-	-	-	-	-	-	-	-	1	-
1979.....	153	-	-	-	-	-	-	-	1	-	1
BLACK MALE											
1998.....	88	-	-	-	-	-	-	-	1	-	3
1997.....	81	-	-	-	-	-	-	-	-	1	1
1996.....	76	-	-	-	-	-	-	-	-	2	-
1995.....	76	-	-	-	-	-	-	1	1	1	-
1994.....	72	-	-	-	-	-	-	-	-	2	2
1993.....	98	-	-	-	-	1	-	-	1	-	-
1992.....	78	-	-	-	-	-	-	-	-	-	-
1991.....	96	-	-	-	-	-	-	-	1	-	1
1990.....	84	1	-	-	-	-	-	-	1	1	1
1989.....	111	-	-	-	-	-	-	1	4	2	5
1988.....	92	-	-	-	-	-	-	-	-	-	2
1987.....	95	-	-	-	-	-	-	-	1	1	3
1986.....	107	-	-	-	-	-	-	-	-	-	-
1985.....	103	-	-	-	-	-	-	-	1	1	1
1984.....	111	-	-	-	-	-	-	-	-	1	1
1983.....	121	-	-	-	-	-	-	-	-	-	-
1982.....	129	-	-	-	-	-	-	-	2	-	2
1981.....	135	-	-	-	-	-	-	-	1	3	-
1980.....	142	-	-	-	-	-	-	-	-	1	-
1979.....	153	-	-	-	-	-	-	-	1	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)											
TOTAL, BOTH SEXES											
1998.....	204	-	-	-	-	-	-	1	3	-	5
1997.....	187	1	-	-	-	-	-	1	1	1	4
1996.....	198	1	-	-	-	-	-	-	-	4	2
1995.....	196	-	-	-	-	-	-	2	2	3	1
1994.....	186	-	-	-	-	-	-	1	-	3	3
1993.....	220	-	-	-	-	1	1	-	1	1	3
1992.....	221	-	-	-	-	-	-	-	1	-	2
1991.....	243	-	-	-	-	-	-	-	2	-	3
1990.....	246	1	-	-	-	-	1	1	1	4	4
1989.....	241	-	-	-	1	-	-	1	5	1	5
1988.....	254	1	-	-	-	-	-	1	2	1	4
1987.....	283	-	-	1	-	-	-	-	4	5	6
1986.....	301	-	-	-	-	-	-	-	3	2	1
1985.....	269	1	1	-	-	-	-	1	2	2	2
1984.....	309	-	-	-	-	1	-	1	-	3	2
1983.....	297	-	-	-	-	-	-	1	-	1	2
1982.....	292	-	-	-	-	-	3	1	2	4	4
1981.....	330	1	-	-	-	-	-	1	1	5	1
1980.....	399	1	-	-	-	-	-	-	-	1	-
1979.....	335	-	-	-	-	-	-	-	2	1	1
TOTAL, MALE											
1998.....	204	-	-	-	-	-	-	1	3	-	5
1997.....	187	1	-	-	-	-	-	1	1	1	4
1996.....	198	1	-	-	-	-	-	-	-	4	2
1995.....	196	-	-	-	-	-	-	2	2	3	1
1994.....	186	-	-	-	-	-	-	1	-	3	3
1993.....	220	-	-	-	-	1	1	-	1	1	3
1992.....	221	-	-	-	-	-	-	-	1	-	2
1991.....	243	-	-	-	-	-	-	-	2	-	3
1990.....	246	1	-	-	-	-	1	1	1	4	4
1989.....	241	-	-	-	1	-	-	1	5	1	5
1988.....	254	1	-	-	-	-	-	1	2	1	4
1987.....	283	-	-	1	-	-	-	-	4	5	6
1986.....	301	-	-	-	-	-	-	-	3	2	1
1985.....	269	1	1	-	-	-	-	1	2	2	2
1984.....	309	-	-	-	-	1	-	1	-	3	2
1983.....	297	-	-	-	-	-	-	1	-	1	2
1982.....	292	-	-	-	-	-	3	1	2	4	4
1981.....	330	1	-	-	-	-	-	1	1	5	1
1980.....	399	1	-	-	-	-	-	-	-	1	-
1979.....	335	-	-	-	-	-	-	-	2	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)											
WHITE, BOTH SEXES											
1998.....	159	-	-	-	-	-	-	1	2	-	2
1997.....	149	1	-	-	-	-	-	1	1	-	3
1996.....	162	1	-	-	-	-	-	-	-	2	1
1995.....	152	-	-	-	-	-	-	-	1	2	1
1994.....	147	-	-	-	-	-	-	1	-	3	1
1993.....	173	-	-	-	-	-	1	-	-	1	3
1992.....	176	-	-	-	-	-	-	-	1	-	2
1991.....	194	-	-	-	-	-	-	-	1	-	2
1990.....	207	-	-	-	-	-	1	-	-	3	2
1989.....	198	-	-	-	1	-	-	-	1	-	2
1988.....	212	1	-	-	-	-	-	1	2	1	2
1987.....	233	-	-	1	-	-	-	-	3	4	3
1986.....	254	-	-	-	-	-	-	-	2	2	1
1985.....	218	1	1	-	-	-	-	1	1	1	1
1984.....	259	-	-	-	-	1	-	1	-	2	1
1983.....	245	-	-	-	-	-	-	1	-	1	2
1982.....	246	-	-	-	-	-	3	1	-	4	2
1981.....	278	1	-	-	-	-	-	1	-	2	1
1980.....	344	1	-	-	-	-	-	-	-	-	-
1979.....	283	-	-	-	-	-	-	-	1	1	-
WHITE MALE											
1998.....	159	-	-	-	-	-	-	1	2	-	2
1997.....	149	1	-	-	-	-	-	1	1	-	3
1996.....	162	1	-	-	-	-	-	-	-	2	1
1995.....	152	-	-	-	-	-	-	-	1	2	1
1994.....	147	-	-	-	-	-	-	1	-	3	1
1993.....	173	-	-	-	-	-	1	-	-	1	3
1992.....	176	-	-	-	-	-	-	-	1	-	2
1991.....	194	-	-	-	-	-	-	-	1	-	2
1990.....	207	-	-	-	-	-	1	-	-	3	2
1989.....	198	-	-	-	1	-	-	-	1	-	2
1988.....	212	1	-	-	-	-	-	1	2	1	2
1987.....	233	-	-	1	-	-	-	-	3	4	3
1986.....	254	-	-	-	-	-	-	-	2	2	1
1985.....	218	1	1	-	-	-	-	1	1	1	1
1984.....	259	-	-	-	-	1	-	1	-	2	1
1983.....	245	-	-	-	-	-	-	1	-	1	2
1982.....	246	-	-	-	-	-	3	1	-	4	2
1981.....	278	1	-	-	-	-	-	1	-	2	1
1980.....	344	1	-	-	-	-	-	-	-	-	-
1979.....	283	-	-	-	-	-	-	-	1	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)											
ALL OTHER, BOTH SEXES											
1998.....	45	-	-	-	-	-	-	-	1	-	3
1997.....	38	-	-	-	-	-	-	-	-	1	1
1996.....	36	-	-	-	-	-	-	-	-	2	1
1995.....	44	-	-	-	-	-	-	2	1	1	-
1994.....	39	-	-	-	-	-	-	-	-	-	2
1993.....	47	-	-	-	-	1	-	-	1	-	-
1992.....	45	-	-	-	-	-	-	-	-	-	-
1991.....	49	-	-	-	-	-	-	-	1	-	1
1990.....	39	1	-	-	-	-	-	1	1	1	2
1989.....	43	-	-	-	-	-	-	1	4	1	3
1988.....	42	-	-	-	-	-	-	-	-	-	2
1987.....	50	-	-	-	-	-	-	-	1	1	3
1986.....	47	-	-	-	-	-	-	-	1	-	-
1985.....	51	-	-	-	-	-	-	-	1	1	1
1984.....	50	-	-	-	-	-	-	-	-	1	1
1983.....	52	-	-	-	-	-	-	-	-	-	-
1982.....	46	-	-	-	-	-	-	-	2	-	2
1981.....	52	-	-	-	-	-	-	-	1	3	-
1980.....	55	-	-	-	-	-	-	-	-	1	-
1979.....	52	-	-	-	-	-	-	-	1	-	1
ALL OTHER MALE											
1998.....	45	-	-	-	-	-	-	-	1	-	3
1997.....	38	-	-	-	-	-	-	-	-	1	1
1996.....	36	-	-	-	-	-	-	-	-	2	1
1995.....	44	-	-	-	-	-	-	2	1	1	-
1994.....	39	-	-	-	-	-	-	-	-	-	2
1993.....	47	-	-	-	-	1	-	-	1	-	-
1992.....	45	-	-	-	-	-	-	-	-	-	-
1991.....	49	-	-	-	-	-	-	-	1	-	1
1990.....	39	1	-	-	-	-	-	1	1	1	2
1989.....	43	-	-	-	-	-	-	1	4	1	3
1988.....	42	-	-	-	-	-	-	-	-	-	2
1987.....	50	-	-	-	-	-	-	-	1	1	3
1986.....	47	-	-	-	-	-	-	-	1	-	-
1985.....	51	-	-	-	-	-	-	-	1	1	1
1984.....	50	-	-	-	-	-	-	-	-	1	1
1983.....	52	-	-	-	-	-	-	-	-	-	-
1982.....	46	-	-	-	-	-	-	-	2	-	2
1981.....	52	-	-	-	-	-	-	-	1	3	-
1980.....	55	-	-	-	-	-	-	-	-	1	-
1979.....	52	-	-	-	-	-	-	-	1	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)											
BLACK, BOTH SEXES											
1998.....	43	-	-	-	-	-	-	-	1	-	3
1997.....	35	-	-	-	-	-	-	-	-	1	1
1996.....	33	-	-	-	-	-	-	-	-	2	-
1995.....	40	-	-	-	-	-	-	1	1	1	-
1994.....	36	-	-	-	-	-	-	-	-	-	2
1993.....	45	-	-	-	-	1	-	-	1	-	-
1992.....	42	-	-	-	-	-	-	-	-	-	-
1991.....	46	-	-	-	-	-	-	-	1	-	1
1990.....	36	1	-	-	-	-	-	-	1	1	1
1989.....	41	-	-	-	-	-	-	1	4	1	3
1988.....	34	-	-	-	-	-	-	-	-	-	2
1987.....	45	-	-	-	-	-	-	-	1	1	3
1986.....	42	-	-	-	-	-	-	-	-	-	-
1985.....	48	-	-	-	-	-	-	-	1	1	1
1984.....	50	-	-	-	-	-	-	-	-	1	1
1983.....	52	-	-	-	-	-	-	-	-	-	-
1982.....	42	-	-	-	-	-	-	-	2	-	2
1981.....	47	-	-	-	-	-	-	-	1	3	-
1980.....	51	-	-	-	-	-	-	-	-	1	-
1979.....	50	-	-	-	-	-	-	-	1	-	1
BLACK MALE											
1998.....	43	-	-	-	-	-	-	-	1	-	3
1997.....	35	-	-	-	-	-	-	-	-	1	1
1996.....	33	-	-	-	-	-	-	-	-	2	-
1995.....	40	-	-	-	-	-	-	1	1	1	-
1994.....	36	-	-	-	-	-	-	-	-	-	2
1993.....	45	-	-	-	-	1	-	-	1	-	-
1992.....	42	-	-	-	-	-	-	-	-	-	-
1991.....	46	-	-	-	-	-	-	-	1	-	1
1990.....	36	1	-	-	-	-	-	-	1	1	1
1989.....	41	-	-	-	-	-	-	1	4	1	3
1988.....	34	-	-	-	-	-	-	-	-	-	2
1987.....	45	-	-	-	-	-	-	-	1	1	3
1986.....	42	-	-	-	-	-	-	-	-	-	-
1985.....	48	-	-	-	-	-	-	-	1	1	1
1984.....	50	-	-	-	-	-	-	-	-	1	1
1983.....	52	-	-	-	-	-	-	-	-	-	-
1982.....	42	-	-	-	-	-	-	-	2	-	2
1981.....	47	-	-	-	-	-	-	-	1	3	-
1980.....	51	-	-	-	-	-	-	-	-	1	-
1979.....	50	-	-	-	-	-	-	-	1	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISORDERS OF BREAST (610-611)											
TOTAL, BOTH SEXES											
1998.....	39	-	-	-	-	-	-	-	-	-	-
1997.....	39	-	-	-	-	-	-	-	-	1	2
1996.....	46	1	-	-	-	-	-	1	-	-	1
1995.....	40	-	-	-	-	-	1	1	-	2	2
1994.....	31	-	-	-	-	-	-	1	1	-	-
1993.....	42	-	-	-	-	-	1	-	-	-	3
1992.....	34	-	-	-	-	-	-	1	-	-	2
1991.....	37	-	-	-	-	-	1	-	1	2	1
1990.....	32	-	-	-	-	-	-	-	1	-	-
1989.....	36	-	-	-	-	-	-	-	1	-	1
1988.....	35	-	-	-	-	-	-	-	1	2	-
1987.....	39	-	-	-	-	-	-	-	-	1	-
1986.....	31	-	-	-	-	-	1	1	-	2	-
1985.....	40	-	-	-	-	-	-	-	-	1	2
1984.....	38	-	-	-	-	-	1	-	-	2	-
1983.....	32	-	-	-	-	-	-	-	-	1	-
1982.....	19	-	-	-	-	-	-	-	-	-	-
1981.....	30	-	-	-	-	-	-	-	-	-	-
1980.....	37	-	-	-	-	-	-	-	-	-	-
1979.....	37	-	-	-	-	-	-	-	1	1	2
TOTAL, MALE											
1998.....	1	-	-	-	-	-	-	-	-	-	-
1996.....	2	1	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1986.....	2	-	-	-	-	-	-	-	-	-	-
1983.....	2	-	-	-	-	-	-	-	-	-	-
1980.....	2	-	-	-	-	-	-	-	-	-	-
1979.....	5	-	-	-	-	-	-	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISORDERS OF BREAST (610-611)											
ALL OTHER, BOTH SEXES											
1998.....	5	-	-	-	-	-	-	-	-	-	-
1997.....	5	-	-	-	-	-	-	-	-	1	-
1996.....	12	1	-	-	-	-	-	-	-	-	-
1995.....	6	-	-	-	-	-	-	-	-	1	-
1994.....	8	-	-	-	-	-	-	-	1	-	-
1993.....	11	-	-	-	-	-	1	-	-	-	1
1992.....	3	-	-	-	-	-	-	-	-	-	1
1991.....	6	-	-	-	-	-	1	-	-	1	1
1990.....	9	-	-	-	-	-	-	-	-	-	-
1989.....	9	-	-	-	-	-	-	-	1	-	1
1988.....	5	-	-	-	-	-	-	-	-	-	-
1987.....	4	-	-	-	-	-	-	-	-	-	-
1986.....	2	-	-	-	-	-	-	-	-	-	-
1985.....	7	-	-	-	-	-	-	-	-	-	-
1984.....	9	-	-	-	-	-	-	-	-	2	-
1983.....	6	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	7	-	-	-	-	-	-	-	-	-	-
1980.....	1	-	-	-	-	-	-	-	-	-	-
1979.....	8	-	-	-	-	-	-	-	1	1	-
ALL OTHER MALE											
1996.....	1	1	-	-	-	-	-	-	-	-	-
1993.....	1	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	-	-	-	-	-	-	-	-	-
1979.....	2	-	-	-	-	-	-	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISORDERS OF BREAST (610-611)											
ALL OTHER FEMALE											
1998.....	5	-	-	-	-	-	-	-	-	-	-
1997.....	5	-	-	-	-	-	-	-	-	1	-
1996.....	11	-	-	-	-	-	-	-	-	-	-
1995.....	6	-	-	-	-	-	-	-	-	1	-
1994.....	8	-	-	-	-	-	-	-	1	-	-
1993.....	10	-	-	-	-	-	1	-	-	-	1
1992.....	3	-	-	-	-	-	-	-	-	-	1
1991.....	6	-	-	-	-	-	1	-	-	1	1
1990.....	9	-	-	-	-	-	-	-	-	-	-
1989.....	9	-	-	-	-	-	-	-	1	-	1
1988.....	5	-	-	-	-	-	-	-	-	-	-
1987.....	4	-	-	-	-	-	-	-	-	-	-
1986.....	2	-	-	-	-	-	-	-	-	-	-
1985.....	7	-	-	-	-	-	-	-	-	-	-
1984.....	9	-	-	-	-	-	-	-	-	2	-
1983.....	5	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	7	-	-	-	-	-	-	-	-	-	-
1980.....	1	-	-	-	-	-	-	-	-	-	-
1979.....	6	-	-	-	-	-	-	-	-	1	-
BLACK, BOTH SEXES											
1998.....	5	-	-	-	-	-	-	-	-	-	-
1997.....	5	-	-	-	-	-	-	-	-	1	-
1996.....	12	1	-	-	-	-	-	-	-	-	-
1995.....	6	-	-	-	-	-	-	-	-	1	-
1994.....	8	-	-	-	-	-	-	-	1	-	-
1993.....	11	-	-	-	-	-	1	-	-	-	1
1992.....	3	-	-	-	-	-	-	-	-	-	1
1991.....	6	-	-	-	-	-	1	-	-	1	1
1990.....	9	-	-	-	-	-	-	-	-	-	-
1989.....	9	-	-	-	-	-	-	-	1	-	1
1988.....	5	-	-	-	-	-	-	-	-	-	-
1987.....	4	-	-	-	-	-	-	-	-	-	-
1986.....	2	-	-	-	-	-	-	-	-	-	-
1985.....	7	-	-	-	-	-	-	-	-	-	-
1984.....	9	-	-	-	-	-	-	-	-	2	-
1983.....	6	-	-	-	-	-	-	-	-	-	-
1981.....	7	-	-	-	-	-	-	-	-	-	-
1980.....	1	-	-	-	-	-	-	-	-	-	-
1979.....	8	-	-	-	-	-	-	-	1	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)											
TOTAL, BOTH SEXES											
1998.....	278	2	-	-	-	-	2	3	7	9	14
1997.....	270	3	-	-	-	2	4	3	7	15	4
1996.....	279	3	1	-	-	3	3	4	8	8	12
1995.....	273	-	-	-	-	1	3	4	17	8	16
1994.....	267	3	-	1	-	6	1	4	11	8	10
1993.....	255	2	-	-	-	3	2	5	4	9	12
1992.....	247	-	-	-	-	2	4	2	6	15	14
1991.....	250	1	-	-	-	2	3	6	7	10	10
1990.....	262	-	-	-	-	-	2	3	9	10	8
1989.....	266	1	-	1	1	-	4	3	10	13	8
1988.....	263	1	-	-	-	2	2	2	8	6	16
1987.....	253	1	-	-	-	3	7	3	8	8	12
1986.....	301	-	1	-	-	3	1	14	7	10	15
1985.....	265	1	-	-	1	4	3	9	9	10	6
1984.....	258	3	-	-	1	3	7	6	5	13	9
1983.....	288	-	-	-	-	4	7	7	7	10	18
1982.....	285	1	-	-	1	3	6	8	15	13	11
1981.....	294	-	-	-	-	1	4	10	13	17	17
1980.....	306	1	-	-	-	2	3	10	14	15	9
1979.....	284	1	-	-	1	3	2	10	9	17	15
TOTAL, FEMALE											
1998.....	278	2	-	-	-	-	2	3	7	9	14
1997.....	270	3	-	-	-	2	4	3	7	15	4
1996.....	279	3	1	-	-	3	3	4	8	8	12
1995.....	273	-	-	-	-	1	3	4	17	8	16
1994.....	267	3	-	1	-	6	1	4	11	8	10
1993.....	255	2	-	-	-	3	2	5	4	9	12
1992.....	247	-	-	-	-	2	4	2	6	15	14
1991.....	250	1	-	-	-	2	3	6	7	10	10
1990.....	262	-	-	-	-	-	2	3	9	10	8
1989.....	266	1	-	1	1	-	4	3	10	13	8
1988.....	263	1	-	-	-	2	2	2	8	6	16
1987.....	253	1	-	-	-	3	7	3	8	8	12
1986.....	301	-	1	-	-	3	1	14	7	10	15
1985.....	265	1	-	-	1	4	3	9	9	10	6
1984.....	258	3	-	-	1	3	7	6	5	13	9
1983.....	288	-	-	-	-	4	7	7	7	10	18
1982.....	285	1	-	-	1	3	6	8	15	13	11
1981.....	294	-	-	-	-	1	4	10	13	17	17
1980.....	306	1	-	-	-	2	3	10	14	15	9
1979.....	284	1	-	-	1	3	2	10	9	17	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
 YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)

WHITE, BOTH SEXES											
1998.....	225	1	-	-	-	-	1	1	4	5	9
1997.....	209	2	-	-	-	-	2	-	2	7	2
1996.....	231	3	1	-	-	-	2	4	4	5	7
1995.....	212	-	-	-	-	-	1	1	9	6	6
1994.....	203	1	-	1	-	4	1	3	4	4	3
1993.....	194	2	-	-	-	2	1	1	2	2	7
1992.....	191	-	-	-	-	-	1	-	2	6	7
1991.....	194	1	-	-	-	-	2	3	3	4	6
1990.....	214	-	-	-	-	-	-	2	5	7	5
1989.....	206	1	-	-	-	-	1	1	6	5	5
1988.....	199	-	-	-	-	-	1	1	4	2	11
1987.....	196	1	-	-	-	3	4	3	6	2	7
1986.....	225	-	-	-	-	2	1	7	5	3	8
1985.....	219	1	-	-	1	4	3	8	5	6	3
1984.....	202	3	-	-	1	-	4	4	2	8	6
1983.....	230	-	-	-	-	3	2	4	3	5	12
1982.....	223	1	-	-	1	3	5	3	5	10	7
1981.....	223	-	-	-	-	-	2	3	7	11	6
1980.....	233	1	-	-	-	2	2	6	4	11	4
1979.....	223	1	-	-	1	2	1	5	4	6	12
WHITE FEMALE											
1998.....	225	1	-	-	-	-	1	1	4	5	9
1997.....	209	2	-	-	-	-	2	-	2	7	2
1996.....	231	3	1	-	-	1	2	4	4	5	7
1995.....	212	-	-	-	-	-	1	1	9	6	6
1994.....	203	1	-	1	-	4	1	3	4	4	3
1993.....	194	2	-	-	-	2	1	1	2	2	7
1992.....	191	-	-	-	-	-	1	-	2	6	7
1991.....	194	1	-	-	-	-	2	3	3	4	6
1990.....	214	-	-	-	-	-	-	2	5	7	5
1989.....	206	1	-	-	-	-	1	1	6	5	5
1988.....	199	-	-	-	-	-	1	1	4	2	11
1987.....	196	1	-	-	-	3	4	3	6	2	7
1986.....	225	-	-	-	-	2	1	7	5	3	8
1985.....	219	1	-	-	1	4	3	8	5	6	3
1984.....	202	3	-	-	1	-	4	4	2	8	6
1983.....	230	-	-	-	-	3	2	4	3	5	12
1982.....	223	1	-	-	1	3	5	3	5	10	7
1981.....	223	-	-	-	-	-	2	3	7	11	6
1980.....	233	1	-	-	-	2	2	6	4	11	4
1979.....	223	1	-	-	1	2	1	5	4	6	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)												
ALL OTHER, BOTH SEXES												
1998.....	53	1	-	-	-	-	1	2	3	4	5	
1997.....	61	1	-	-	-	2	2	3	5	8	2	
1996.....	48	-	-	-	-	2	1	-	4	3	5	
1995.....	61	-	-	-	-	1	2	3	8	2	10	
1994.....	64	2	-	-	-	2	-	1	7	4	7	
1993.....	61	-	-	-	-	1	1	4	2	7	5	
1992.....	56	-	-	-	-	2	3	2	4	9	7	
1991.....	56	-	-	-	-	2	1	3	4	6	4	
1990.....	48	-	-	-	-	-	2	1	4	3	3	
1989.....	60	-	-	1	1	-	3	2	4	8	3	
1988.....	64	1	-	-	-	2	1	1	4	4	5	
1987.....	57	-	-	-	-	-	3	-	2	6	5	
1986.....	76	-	1	-	-	1	-	7	2	7	7	
1985.....	46	-	-	-	-	-	-	1	4	4	3	
1984.....	56	-	-	-	-	3	3	2	3	5	3	
1983.....	58	-	-	-	-	1	5	3	4	5	6	
1982.....	62	-	-	-	-	-	1	5	10	3	4	
1981.....	71	-	-	-	-	1	2	7	6	6	11	
1980.....	73	-	-	-	-	-	1	4	10	4	5	
1979.....	61	-	-	-	-	1	1	5	5	11	3	
ALL OTHER FEMALE												
1998.....	53	1	-	-	-	-	1	2	3	4	5	
1997.....	61	1	-	-	-	2	2	3	5	8	2	
1996.....	48	-	-	-	-	2	1	-	4	3	5	
1995.....	61	-	-	-	-	1	2	3	8	2	10	
1994.....	64	2	-	-	-	2	-	1	7	4	7	
1993.....	61	-	-	-	-	1	1	4	2	7	5	
1992.....	56	-	-	-	-	2	3	2	4	9	7	
1991.....	56	-	-	-	-	2	1	3	4	6	4	
1990.....	48	-	-	-	-	-	2	1	4	3	3	
1989.....	60	-	-	1	1	-	3	2	4	8	3	
1988.....	64	1	-	-	-	2	1	1	4	4	5	
1987.....	57	-	-	-	-	-	3	-	2	6	5	
1986.....	76	-	1	-	-	1	-	7	2	7	7	
1985.....	46	-	-	-	-	-	-	1	4	4	3	
1984.....	56	-	-	-	-	3	3	2	3	5	3	
1983.....	58	-	-	-	-	1	5	3	4	5	6	
1982.....	62	-	-	-	-	-	1	5	10	3	4	
1981.....	71	-	-	-	-	1	2	7	6	6	11	
1980.....	73	-	-	-	-	-	1	4	10	4	5	
1979.....	61	-	-	-	-	1	1	5	5	11	3	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
 DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
BLACK, BOTH SEXES											
1998.....	45	1	-	-	-	-	1	2	2	4	5
1997.....	52	1	-	-	-	1	1	3	4	7	2
1996.....	44	-	-	-	-	2	1	-	3	3	4
1995.....	51	-	-	-	-	-	2	3	7	2	8
1994.....	61	2	-	-	-	2	-	1	6	4	6
1993.....	57	-	-	-	-	1	1	4	1	7	5
1992.....	51	-	-	-	-	2	2	2	2	9	7
1991.....	53	-	-	-	-	2	1	2	3	6	4
1990.....	48	-	-	-	-	-	2	1	4	3	3
1989.....	57	-	-	1	1	-	3	2	4	8	3
1988.....	60	1	-	-	-	2	1	1	4	4	5
1987.....	56	-	-	-	-	-	2	-	2	6	5
1986.....	72	-	-	-	-	1	-	6	2	7	7
1985.....	45	-	-	-	-	-	-	1	4	4	3
1984.....	51	-	-	-	-	2	2	2	2	4	3
1983.....	53	-	-	-	-	-	5	3	4	4	5
1982.....	60	-	-	-	-	-	1	5	9	3	4
1981.....	69	-	-	-	-	1	2	7	6	6	11
1980.....	71	-	-	-	-	-	1	4	9	4	5
1979.....	59	-	-	-	-	1	1	5	5	10	3
BLACK FEMALE											
1998.....	45	1	-	-	-	-	1	2	2	4	5
1997.....	52	1	-	-	-	1	1	3	4	7	2
1996.....	44	-	-	-	-	2	1	-	3	3	4
1995.....	51	-	-	-	-	-	2	3	7	2	8
1994.....	61	2	-	-	-	2	-	1	6	4	6
1993.....	57	-	-	-	-	1	1	4	1	7	5
1992.....	51	-	-	-	-	2	2	2	2	9	7
1991.....	53	-	-	-	-	2	1	2	3	6	4
1990.....	48	-	-	-	-	-	2	1	4	3	3
1989.....	57	-	-	1	1	-	3	2	4	8	3
1988.....	60	1	-	-	-	2	1	1	4	4	5
1987.....	56	-	-	-	-	-	2	-	2	6	5
1986.....	72	-	-	-	-	1	-	6	2	7	7
1985.....	45	-	-	-	-	-	-	1	4	4	3
1984.....	51	-	-	-	-	2	2	2	2	4	3
1983.....	53	-	-	-	-	-	5	3	4	4	5
1982.....	60	-	-	-	-	-	1	5	9	3	4
1981.....	69	-	-	-	-	1	2	7	6	6	11
1980.....	71	-	-	-	-	-	1	4	9	4	5
1979.....	59	-	-	-	-	1	1	5	5	10	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)											
TOTAL, BOTH SEXES											
1998.....	281	-	19	48	73	67	53	20
1997.....	327	3	25	62	84	74	52	22
1996.....	294	-	18	47	71	68	67	21
1995.....	277	1	19	55	64	66	50	21
1994.....	328	-	36	76	77	59	57	22
1993.....	302	1	22	61	67	69	64	18
1992.....	318	1	36	74	57	82	52	15
1991.....	323	3	33	64	72	78	51	17
1990.....	343	-	40	67	76	84	52	21
1989.....	320	-	30	69	85	84	39	11
1988.....	330	-	34	77	76	75	52	14
1987.....	251	1	23	52	64	68	32	10
1986.....	272	-	28	63	69	56	44	11
1985.....	295	2	31	62	77	62	42	16
1984.....	285	1	29	49	81	76	39	8
1983.....	290	-	27	87	76	57	36	7
1982.....	292	2	32	54	88	69	31	14
1981.....	309	1	40	79	74	66	33	15
1980.....	334	-	43	71	85	75	44	14
1979.....	336	2	33	89	81	66	45	15
TOTAL, FEMALE											
1998.....	281	-	19	48	73	67	53	20
1997.....	327	3	25	62	84	74	52	22
1996.....	294	-	18	47	71	68	67	21
1995.....	277	1	19	55	64	66	50	21
1994.....	328	-	36	76	77	59	57	22
1993.....	302	1	22	61	67	69	64	18
1992.....	318	1	36	74	57	82	52	15
1991.....	323	3	33	64	72	78	51	17
1990.....	343	-	40	67	76	84	52	21
1989.....	320	-	30	69	85	84	39	11
1988.....	330	-	34	77	76	75	52	14
1987.....	251	1	23	52	64	68	32	10
1986.....	272	-	28	63	69	56	44	11
1985.....	295	2	31	62	77	62	42	16
1984.....	285	1	29	49	81	76	39	8
1983.....	290	-	27	87	76	57	36	7
1982.....	292	2	32	54	88	69	31	14
1981.....	309	1	40	79	74	66	33	15
1980.....	334	-	43	71	85	75	44	14
1979.....	336	2	33	89	81	66	45	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)											
WHITE, BOTH SEXES											
1998.....	158	-	10	23	43	36	33	13
1997.....	179	-	16	30	47	40	32	10
1996.....	159	-	10	19	35	37	40	16
1995.....	129	-	4	26	35	30	25	9
1994.....	193	-	22	36	54	38	31	12
1993.....	152	1	9	28	33	41	31	9
1992.....	161	-	15	38	30	47	24	7
1991.....	187	2	13	32	42	53	32	10
1990.....	177	-	19	33	50	37	28	9
1989.....	180	-	18	40	50	45	23	4
1988.....	180	-	12	44	46	47	23	8
1987.....	153	1	16	32	39	38	20	6
1986.....	146	-	13	32	36	31	26	8
1985.....	156	1	13	30	47	30	28	6
1984.....	159	-	14	18	55	43	24	4
1983.....	170	-	15	45	50	31	23	6
1982.....	171	-	15	30	53	46	19	7
1981.....	184	-	16	51	48	42	19	8
1980.....	193	-	23	42	51	43	24	9
1979.....	180	1	12	43	52	38	26	6
WHITE FEMALE											
1998.....	158	-	10	23	43	36	33	13
1997.....	179	-	16	30	47	40	32	10
1996.....	159	-	10	19	35	37	40	16
1995.....	129	-	4	26	35	30	25	9
1994.....	193	-	22	36	54	38	31	12
1993.....	152	1	9	28	33	41	31	9
1992.....	161	-	15	38	30	47	24	7
1991.....	187	2	13	32	42	53	32	10
1990.....	177	-	19	33	50	37	28	9
1989.....	180	-	18	40	50	45	23	4
1988.....	180	-	12	44	46	47	23	8
1987.....	153	1	16	32	39	38	20	6
1986.....	146	-	13	32	36	31	26	8
1985.....	156	1	13	30	47	30	28	6
1984.....	159	-	14	18	55	43	24	4
1983.....	170	-	15	45	50	31	23	6
1982.....	171	-	15	30	53	46	19	7
1981.....	184	-	16	51	48	42	19	8
1980.....	193	-	23	42	51	43	24	9
1979.....	180	1	12	43	52	38	26	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)											
ALL OTHER, BOTH SEXES											
1998.....	123	-	9	25	30	31	20	7
1997.....	148	3	9	32	37	34	20	12
1996.....	135	-	8	28	36	31	27	5
1995.....	148	1	15	29	29	36	25	12
1994.....	135	-	14	40	23	21	26	10
1993.....	150	-	13	33	34	28	33	9
1992.....	157	1	21	36	27	35	28	8
1991.....	136	1	20	32	30	25	19	7
1990.....	166	-	21	34	26	47	24	12
1989.....	140	-	12	29	35	39	16	7
1988.....	150	-	22	33	30	28	29	6
1987.....	98	-	7	20	25	30	12	4
1986.....	126	-	15	31	33	25	18	3
1985.....	139	1	18	32	30	32	14	10
1984.....	126	1	15	31	26	33	15	4
1983.....	120	-	12	42	26	26	13	1
1982.....	121	2	17	24	35	23	12	7
1981.....	125	1	24	28	26	24	14	7
1980.....	141	-	20	29	34	32	20	5
1979.....	156	1	21	46	29	28	19	9
ALL OTHER FEMALE											
1998.....	123	-	9	25	30	31	20	7
1997.....	148	3	9	32	37	34	20	12
1996.....	135	-	8	28	36	31	27	5
1995.....	148	1	15	29	29	36	25	12
1994.....	135	-	14	40	23	21	26	10
1993.....	150	-	13	33	34	28	33	9
1992.....	157	1	21	36	27	35	28	8
1991.....	136	1	20	32	30	25	19	7
1990.....	166	-	21	34	26	47	24	12
1989.....	140	-	12	29	35	39	16	7
1988.....	150	-	22	33	30	28	29	6
1987.....	98	-	7	20	25	30	12	4
1986.....	126	-	15	31	33	25	18	3
1985.....	139	1	18	32	30	32	14	10
1984.....	126	1	15	31	26	33	15	4
1983.....	120	-	12	42	26	26	13	1
1982.....	121	2	17	24	35	23	12	7
1981.....	125	1	24	28	26	24	14	7
1980.....	141	-	20	29	34	32	20	5
1979.....	156	1	21	46	29	28	19	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)											
BLACK, BOTH SEXES											
1998.....	104	-	9	24	24	26	15	5
1997.....	125	3	8	28	33	31	13	8
1996.....	121	-	7	27	34	27	22	4
1995.....	133	1	15	28	28	30	22	8
1994.....	118	-	14	36	19	17	24	7
1993.....	135	-	13	30	32	26	26	8
1992.....	140	1	20	33	25	31	22	7
1991.....	125	1	18	29	27	23	19	6
1990.....	153	-	19	32	25	44	20	11
1989.....	124	-	11	29	30	32	14	6
1988.....	131	-	18	32	24	25	26	4
1987.....	91	-	6	20	23	27	11	4
1986.....	117	-	15	29	30	24	16	2
1985.....	124	1	16	29	28	28	12	9
1984.....	117	1	15	31	23	28	14	4
1983.....	107	-	10	41	23	22	10	1
1982.....	108	2	16	24	32	16	11	6
1981.....	120	1	24	27	25	23	13	6
1980.....	127	-	20	28	29	27	18	4
1979.....	145	1	21	46	26	26	17	5
BLACK FEMALE											
1998.....	104	-	9	24	24	26	15	5
1997.....	125	3	8	28	33	31	13	8
1996.....	121	-	7	27	34	27	22	4
1995.....	133	1	15	28	28	30	22	8
1994.....	118	-	14	36	19	17	24	7
1993.....	135	-	13	30	32	26	26	8
1992.....	140	1	20	33	25	31	22	7
1991.....	125	1	18	29	27	23	19	6
1990.....	153	-	19	32	25	44	20	11
1989.....	124	-	11	29	30	32	14	6
1988.....	131	-	18	32	24	25	26	4
1987.....	91	-	6	20	23	27	11	4
1986.....	117	-	15	29	30	24	16	2
1985.....	124	1	16	29	28	28	12	9
1984.....	117	1	15	31	23	28	14	4
1983.....	107	-	10	41	23	22	10	1
1982.....	108	2	16	24	32	16	11	6
1981.....	120	1	24	27	25	23	13	6
1980.....	127	-	20	28	29	27	18	4
1979.....	145	1	21	46	26	26	17	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
PREGNANCY WITH ABORTIVE OUTCOME (630-638)											
TOTAL, BOTH SEXES											
1998.....	32	-	4	5	8	7	6	2
1997.....	41	1	5	7	8	11	7	2
1996.....	39	-	4	10	9	6	8	2
1995.....	28	-	3	11	5	4	5	-
1994.....	41	-	4	9	11	9	6	2
1993.....	47	-	5	14	9	13	5	1
1992.....	52	1	5	10	13	11	11	1
1991.....	54	1	7	13	13	5	10	4
1990.....	57	-	8	11	8	18	9	2
1989.....	50	-	6	13	15	10	4	2
1988.....	61	-	8	15	12	13	9	4
1987.....	44	-	3	9	13	16	2	1
1986.....	51	-	7	13	11	7	11	2
1985.....	49	1	8	12	12	10	5	1
1984.....	57	1	7	14	13	9	8	4
1983.....	50	-	6	12	15	11	5	1
1982.....	55	-	5	14	14	13	6	2
1981.....	47	-	6	11	11	12	5	2
1980.....	62	-	3	17	19	14	9	-
1979.....	61	-	5	21	16	12	7	-
TOTAL, FEMALE											
1998.....	32	-	4	5	8	7	6	2
1997.....	41	1	5	7	8	11	7	2
1996.....	39	-	4	10	9	6	8	2
1995.....	28	-	3	11	5	4	5	-
1994.....	41	-	4	9	11	9	6	2
1993.....	47	-	5	14	9	13	5	1
1992.....	52	1	5	10	13	11	11	1
1991.....	54	1	7	13	13	5	10	4
1990.....	57	-	8	11	8	18	9	2
1989.....	50	-	6	13	15	10	4	2
1988.....	61	-	8	15	12	13	9	4
1987.....	44	-	3	9	13	16	2	1
1986.....	51	-	7	13	11	7	11	2
1985.....	49	1	8	12	12	10	5	1
1984.....	57	1	7	14	13	9	8	4
1983.....	50	-	6	12	15	11	5	1
1982.....	55	-	5	14	14	13	6	2
1981.....	47	-	6	11	11	12	5	2
1980.....	62	-	3	17	19	14	9	-
1979.....	61	-	5	21	16	12	7	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
PREGNANCY WITH ABORTIVE OUTCOME (630-638)											
WHITE, BOTH SEXES											
1998.....	15	-	2	2	3	5	3	-
1997.....	18	-	4	1	4	7	2	-
1996.....	24	-	4	6	3	3	6	2
1995.....	7	-	-	-	1	1	5	-
1994.....	24	-	4	2	6	6	4	2
1993.....	21	-	3	7	3	7	1	-
1992.....	25	-	1	6	5	6	6	1
1991.....	25	1	2	6	5	3	5	2
1990.....	23	-	4	4	4	6	5	-
1989.....	21	-	3	5	7	6	-	-
1988.....	23	-	1	8	5	6	2	1
1987.....	25	-	3	5	7	8	1	1
1986.....	24	-	2	9	6	1	5	1
1985.....	19	1	2	2	6	6	2	-
1984.....	25	-	2	5	7	5	3	2
1983.....	23	-	4	5	9	4	-	1
1982.....	27	-	2	7	7	6	3	1
1981.....	24	-	1	7	7	5	3	1
1980.....	27	-	1	9	10	4	3	-
1979.....	27	-	-	11	9	5	2	-
WHITE FEMALE											
1998.....	15	-	2	2	3	5	3	-
1997.....	18	-	4	1	4	7	2	-
1996.....	24	-	4	6	3	3	6	2
1995.....	7	-	-	-	1	1	5	-
1994.....	24	-	4	2	6	6	4	2
1993.....	21	-	3	7	3	7	1	-
1992.....	25	-	1	6	5	6	6	1
1991.....	25	1	2	6	5	3	5	2
1990.....	23	-	4	4	4	6	5	-
1989.....	21	-	3	5	7	6	-	-
1988.....	23	-	1	8	5	6	2	1
1987.....	25	-	3	5	7	8	1	1
1986.....	24	-	2	9	6	1	5	1
1985.....	19	1	2	2	6	6	2	-
1984.....	25	-	2	5	7	5	3	2
1983.....	23	-	4	5	9	4	-	1
1982.....	27	-	2	7	7	6	3	1
1981.....	24	-	1	7	7	5	3	1
1980.....	27	-	1	9	10	4	3	-
1979.....	27	-	-	11	9	5	2	-

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
PREGNANCY WITH ABORTIVE OUTCOME (630-638)											
ALL OTHER, BOTH SEXES											
1998.....	17	-	2	3	5	2	3	2
1997.....	23	1	1	6	4	4	5	2
1996.....	15	-	-	4	6	3	2	-
1995.....	21	-	3	11	4	3	-	-
1994.....	17	-	-	7	5	3	2	-
1993.....	26	-	2	7	6	6	4	1
1992.....	27	1	4	4	8	5	5	-
1991.....	29	-	5	7	8	2	5	2
1990.....	34	-	4	7	4	12	4	2
1989.....	29	-	3	8	8	4	4	2
1988.....	38	-	7	7	7	7	7	3
1987.....	19	-	-	4	6	8	1	-
1986.....	27	-	5	4	5	6	6	1
1985.....	30	-	6	10	6	4	3	1
1984.....	32	1	5	9	6	4	5	2
1983.....	27	-	2	7	6	7	5	-
1982.....	28	-	3	7	7	7	3	1
1981.....	23	-	5	4	4	7	2	1
1980.....	35	-	2	8	9	10	6	-
1979.....	34	-	5	10	7	7	5	-
ALL OTHER FEMALE											
1998.....	17	-	2	3	5	2	3	2
1997.....	23	1	1	6	4	4	5	2
1996.....	15	-	-	4	6	3	2	-
1995.....	21	-	3	11	4	3	-	-
1994.....	17	-	-	7	5	3	2	-
1993.....	26	-	2	7	6	6	4	1
1992.....	27	1	4	4	8	5	5	-
1991.....	29	-	5	7	8	2	5	2
1990.....	34	-	4	7	4	12	4	2
1989.....	29	-	3	8	8	4	4	2
1988.....	38	-	7	7	7	7	7	3
1987.....	19	-	-	4	6	8	1	-
1986.....	27	-	5	4	5	6	6	1
1985.....	30	-	6	10	6	4	3	1
1984.....	32	1	5	9	6	4	5	2
1983.....	27	-	2	7	6	7	5	-
1982.....	28	-	3	7	7	7	3	1
1981.....	23	-	5	4	4	7	2	1
1980.....	35	-	2	8	9	10	6	-
1979.....	34	-	5	10	7	7	5	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
 YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 PREGNANCY WITH ABORTIVE OUTCOME (630-638)

BLACK, BOTH SEXES

1998.....	14	-	2	3	2	2	3	2
1997.....	21	1	1	6	4	4	3	2
1996.....	14	-	-	4	5	3	2	-
1995.....	21	-	3	11	4	3	-	-
1994.....	17	-	-	7	5	3	2	-
1993.....	25	-	2	7	6	6	4	-
1992.....	26	1	4	4	8	5	4	-
1991.....	27	-	4	7	7	2	5	2
1990.....	33	-	4	7	3	12	4	2
1989.....	26	-	3	8	6	3	4	2
1988.....	35	-	5	7	7	6	7	3
1987.....	18	-	-	4	5	8	1	-
1986.....	26	-	5	4	5	6	6	-
1985.....	28	-	5	10	6	4	2	1
1984.....	30	1	5	9	6	3	4	2
1983.....	26	-	2	7	6	7	4	-
1982.....	23	-	2	7	6	5	2	1
1981.....	22	-	5	4	4	7	1	1
1980.....	31	-	2	7	8	9	5	-
1979.....	30	-	5	10	5	6	4	-

BLACK FEMALE

1998.....	14	-	2	3	2	2	3	2
1997.....	21	1	1	6	4	4	3	2
1996.....	14	-	-	4	5	3	2	-
1995.....	21	-	3	11	4	3	-	-
1994.....	17	-	-	7	5	3	2	-
1993.....	25	-	2	7	6	6	4	-
1992.....	26	1	4	4	8	5	4	-
1991.....	27	-	4	7	7	2	5	2
1990.....	33	-	4	7	3	12	4	2
1989.....	26	-	3	8	6	3	4	2
1988.....	35	-	5	7	7	6	7	3
1987.....	18	-	-	4	5	8	1	-
1986.....	26	-	5	4	5	6	6	-
1985.....	28	-	5	10	6	4	2	1
1984.....	30	1	5	9	6	3	4	2
1983.....	26	-	2	7	6	7	4	-
1982.....	23	-	2	7	6	5	2	1
1981.....	22	-	5	4	4	7	1	1
1980.....	31	-	2	7	8	9	5	-
1979.....	30	-	5	10	5	6	4	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ECTOPIC PREGNANCY (633)											
TOTAL, BOTH SEXES											
1998.....	19	-	2	2	6	3	4	2
1997.....	25	1	2	3	4	10	4	1
1996.....	24	-	2	5	5	4	6	2
1995.....	20	-	2	9	3	2	4	-
1994.....	24	-	1	6	7	8	1	1
1993.....	34	-	3	9	8	9	4	1
1992.....	28	-	2	5	7	7	7	-
1991.....	33	-	2	8	9	4	5	4
1990.....	41	-	4	8	7	13	6	2
1989.....	34	-	4	9	11	6	2	2
1988.....	44	-	4	10	11	10	6	3
1987.....	30	-	2	5	9	13	1	-
1986.....	36	-	4	8	8	5	10	1
1985.....	33	-	5	7	10	9	1	1
1984.....	39	-	4	13	7	5	7	3
1983.....	37	-	5	9	12	7	4	-
1982.....	43	-	2	11	12	12	4	2
1981.....	34	-	4	8	9	9	3	1
1980.....	46	-	2	13	15	10	6	-
1979.....	45	-	4	14	12	9	6	-
TOTAL, FEMALE											
1998.....	19	-	2	2	6	3	4	2
1997.....	25	1	2	3	4	10	4	1
1996.....	24	-	2	5	5	4	6	2
1995.....	20	-	2	9	3	2	4	-
1994.....	24	-	1	6	7	8	1	1
1993.....	34	-	3	9	8	9	4	1
1992.....	28	-	2	5	7	7	7	-
1991.....	33	-	2	8	9	4	5	4
1990.....	41	-	4	8	7	13	6	2
1989.....	34	-	4	9	11	6	2	2
1988.....	44	-	4	10	11	10	6	3
1987.....	30	-	2	5	9	13	1	-
1986.....	36	-	4	8	8	5	10	1
1985.....	33	-	5	7	10	9	1	1
1984.....	39	-	4	13	7	5	7	3
1983.....	37	-	5	9	12	7	4	-
1982.....	43	-	2	11	12	12	4	2
1981.....	34	-	4	8	9	9	3	1
1980.....	46	-	2	13	15	10	6	-
1979.....	45	-	4	14	12	9	6	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ECTOPIC PREGNANCY (633)											
WHITE, BOTH SEXES											
1998.....	7	-	1	-	2	2	2	-
1997.....	11	-	2	-	2	6	1	-
1996.....	12	-	2	2	1	1	4	2
1995.....	4	-	-	-	-	-	4	-
1994.....	10	-	1	1	2	5	-	1
1993.....	12	-	1	4	2	4	1	-
1992.....	13	-	-	4	2	4	3	-
1991.....	17	-	1	5	4	2	2	2
1990.....	14	-	1	2	3	4	4	-
1989.....	14	-	1	4	5	4	-	-
1988.....	18	-	-	7	5	4	1	1
1987.....	16	-	2	2	5	6	1	-
1986.....	16	-	-	7	4	1	4	-
1985.....	11	-	1	1	4	5	-	-
1984.....	14	-	2	4	2	2	3	1
1983.....	17	-	4	3	7	3	-	-
1982.....	19	-	-	6	6	5	1	1
1981.....	15	-	1	5	6	2	1	-
1980.....	22	-	1	8	8	3	2	-
1979.....	20	-	-	6	8	4	2	-
WHITE FEMALE											
1998.....	7	-	1	-	2	2	2	-
1997.....	11	-	2	-	2	6	1	-
1996.....	12	-	2	2	1	1	4	2
1995.....	4	-	-	-	-	-	4	-
1994.....	10	-	1	1	2	5	-	1
1993.....	12	-	1	4	2	4	1	-
1992.....	13	-	-	4	2	4	3	-
1991.....	17	-	1	5	4	2	2	2
1990.....	14	-	1	2	3	4	4	-
1989.....	14	-	1	4	5	4	-	-
1988.....	18	-	-	7	5	4	1	1
1987.....	16	-	2	2	5	6	1	-
1986.....	16	-	-	7	4	1	4	-
1985.....	11	-	1	1	4	5	-	-
1984.....	14	-	2	4	2	2	3	1
1983.....	17	-	4	3	7	3	-	-
1982.....	19	-	-	6	6	5	1	1
1981.....	15	-	1	5	6	2	1	-
1980.....	22	-	1	8	8	3	2	-
1979.....	20	-	-	6	8	4	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ECTOPIC PREGNANCY (633)											
ALL OTHER, BOTH SEXES											
1998.....	12	-	1	2	4	1	2	2
1997.....	14	1	-	3	2	4	3	1
1996.....	12	-	-	3	4	3	2	-
1995.....	16	-	2	9	3	2	-	-
1994.....	14	-	-	5	5	3	1	-
1993.....	22	-	2	5	6	5	3	1
1992.....	15	-	2	1	5	3	4	-
1991.....	16	-	1	3	5	2	3	2
1990.....	27	-	3	6	4	9	2	2
1989.....	20	-	3	5	6	2	2	2
1988.....	26	-	4	3	6	6	5	2
1987.....	14	-	-	3	4	7	-	-
1986.....	20	-	4	1	4	4	6	1
1985.....	22	-	4	6	6	4	1	1
1984.....	25	-	2	9	5	3	4	2
1983.....	20	-	1	6	5	4	4	-
1982.....	24	-	2	5	6	7	3	1
1981.....	19	-	3	3	3	7	2	1
1980.....	24	-	1	5	7	7	4	-
1979.....	25	-	4	8	4	5	4	-
ALL OTHER FEMALE											
1998.....	12	-	1	2	4	1	2	2
1997.....	14	1	-	3	2	4	3	1
1996.....	12	-	-	3	4	3	2	-
1995.....	16	-	2	9	3	2	-	-
1994.....	14	-	-	5	5	3	1	-
1993.....	22	-	2	5	6	5	3	1
1992.....	15	-	2	1	5	3	4	-
1991.....	16	-	1	3	5	2	3	2
1990.....	27	-	3	6	4	9	2	2
1989.....	20	-	3	5	6	2	2	2
1988.....	26	-	4	3	6	6	5	2
1987.....	14	-	-	3	4	7	-	-
1986.....	20	-	4	1	4	4	6	1
1985.....	22	-	4	6	6	4	1	1
1984.....	25	-	2	9	5	3	4	2
1983.....	20	-	1	6	5	4	4	-
1982.....	24	-	2	5	6	7	3	1
1981.....	19	-	3	3	3	7	2	1
1980.....	24	-	1	5	7	7	4	-
1979.....	25	-	4	8	4	5	4	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ECTOPIC PREGNANCY (633)											
BLACK, BOTH SEXES											
1998.....	9	-	1	2	1	1	2	2
1997.....	13	1	-	3	2	4	2	1
1996.....	11	-	-	3	3	3	2	-
1995.....	16	-	2	9	3	2	-	-
1994.....	14	-	-	5	5	3	1	-
1993.....	21	-	2	5	6	5	3	-
1992.....	14	-	2	1	5	3	3	-
1991.....	15	-	1	3	4	2	3	2
1990.....	26	-	3	6	3	9	2	2
1989.....	19	-	3	5	5	2	2	2
1988.....	24	-	3	3	6	5	5	2
1987.....	13	-	-	3	3	7	-	-
1986.....	19	-	4	1	4	4	6	-
1985.....	21	-	4	6	6	4	-	1
1984.....	24	-	2	9	5	3	3	2
1983.....	20	-	1	6	5	4	4	-
1982.....	20	-	2	5	5	5	2	1
1981.....	18	-	3	3	3	7	1	1
1980.....	20	-	1	4	6	6	3	-
1979.....	22	-	4	8	3	4	3	-
BLACK FEMALE											
1998.....	9	-	1	2	1	1	2	2
1997.....	13	1	-	3	2	4	2	1
1996.....	11	-	-	3	3	3	2	-
1995.....	16	-	2	9	3	2	-	-
1994.....	14	-	-	5	5	3	1	-
1993.....	21	-	2	5	6	5	3	-
1992.....	14	-	2	1	5	3	3	-
1991.....	15	-	1	3	4	2	3	2
1990.....	26	-	3	6	3	9	2	2
1989.....	19	-	3	5	5	2	2	2
1988.....	24	-	3	3	6	5	5	2
1987.....	13	-	-	3	3	7	-	-
1986.....	19	-	4	1	4	4	6	-
1985.....	21	-	4	6	6	4	-	1
1984.....	24	-	2	9	5	3	3	2
1983.....	20	-	1	6	5	4	4	-
1982.....	20	-	2	5	5	5	2	1
1981.....	18	-	3	3	3	7	1	1
1980.....	20	-	1	4	6	6	3	-
1979.....	22	-	4	8	3	4	3	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SPONTANEOUS ABORTION (634)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	2	-	-	1	-	-	1	-
1997.....	5	-	1	1	1	-	1	1
1996.....	1	-	1	-	-	-	-	-
1994.....	2	-	-	-	1	-	1	-
1993.....	4	-	1	2	-	1	-	-
1992.....	9	-	1	1	1	3	3	-
1991.....	8	1	-	1	3	-	3	-
1990.....	6	-	2	2	-	1	1	-
1989.....	3	-	-	-	1	2	-	-
1988.....	3	-	-	2	-	-	1	-
1987.....	5	-	-	1	1	2	-	1
1986.....	2	-	1	-	-	1	-	-
1984.....	4	-	2	-	1	-	1	-
1983.....	4	-	-	1	-	2	1	-
1982.....	3	-	-	-	1	1	1	-
1981.....	4	-	-	1	2	1	-	-
1980.....	3	-	1	1	1	-	-	-
1979.....	2	-	-	2	-	-	-	-
TOTAL, FEMALE											
1998.....	2	-	-	1	-	-	1	-
1997.....	5	-	1	1	1	-	1	1
1996.....	1	-	1	-	-	-	-	-
1994.....	2	-	-	-	1	-	1	-
1993.....	4	-	1	2	-	1	-	-
1992.....	9	-	1	1	1	3	3	-
1991.....	8	1	-	1	3	-	3	-
1990.....	6	-	2	2	-	1	1	-
1989.....	3	-	-	-	1	2	-	-
1988.....	3	-	-	2	-	-	1	-
1987.....	5	-	-	1	1	2	-	1
1986.....	2	-	1	-	-	1	-	-
1984.....	4	-	2	-	1	-	1	-
1983.....	4	-	-	1	-	2	1	-
1982.....	3	-	-	-	1	1	1	-
1981.....	4	-	-	1	2	1	-	-
1980.....	3	-	1	1	1	-	-	-
1979.....	2	-	-	2	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SPONTANEOUS ABORTION (634)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE, BOTH SEXES											
1998.....	2	-	-	1	-	-	1	-
1997.....	2	-	1	-	1	-	-	-
1996.....	1	-	1	-	-	-	-	-
1994.....	2	-	-	-	1	-	1	-
1993.....	3	-	1	2	-	-	-	-
1992.....	6	-	-	1	1	1	3	-
1991.....	4	1	-	-	1	-	2	-
1990.....	4	-	2	1	-	-	1	-
1989.....	1	-	-	-	-	1	-	-
1988.....	1	-	-	1	-	-	-	-
1987.....	5	-	-	1	1	2	-	1
1986.....	1	-	1	-	-	-	-	-
1984.....	1	-	-	-	1	-	-	-
1983.....	2	-	-	1	-	1	-	-
1982.....	3	-	-	-	1	1	1	-
1981.....	3	-	-	1	1	1	-	-
1980.....	1	-	-	-	1	-	-	-
1979.....	2	-	-	2	-	-	-	-
WHITE FEMALE											
1998.....	2	-	-	1	-	-	1	-
1997.....	2	-	1	-	1	-	-	-
1996.....	1	-	1	-	-	-	-	-
1994.....	2	-	-	-	1	-	1	-
1993.....	3	-	1	2	-	-	-	-
1992.....	6	-	-	1	1	1	3	-
1991.....	4	1	-	-	1	-	2	-
1990.....	4	-	2	1	-	-	1	-
1989.....	1	-	-	-	-	1	-	-
1988.....	1	-	-	1	-	-	-	-
1987.....	5	-	-	1	1	2	-	1
1986.....	1	-	1	-	-	-	-	-
1984.....	1	-	-	-	1	-	-	-
1983.....	2	-	-	1	-	1	-	-
1982.....	3	-	-	-	1	1	1	-
1981.....	3	-	-	1	1	1	-	-
1980.....	1	-	-	-	1	-	-	-
1979.....	2	-	-	2	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SPONTANEOUS ABORTION (634)											
ALL OTHER, BOTH SEXES											
1997.....	3	-	-	1	-	-	1	1
1993.....	1	-	-	-	-	1	-	-
1992.....	3	-	1	-	-	2	-	-
1991.....	4	-	-	1	2	-	1	-
1990.....	2	-	-	1	-	1	-	-
1989.....	2	-	-	-	1	1	-	-
1988.....	2	-	-	1	-	-	1	-
1986.....	1	-	-	-	-	1	-	-
1984.....	3	-	2	-	-	-	1	-
1983.....	2	-	-	-	-	1	1	-
1981.....	1	-	-	-	1	-	-	-
1980.....	2	-	1	1	-	-	-	-
ALL OTHER FEMALE											
1997.....	3	-	-	1	-	-	1	1
1993.....	1	-	-	-	-	1	-	-
1992.....	3	-	1	-	-	2	-	-
1991.....	4	-	-	1	2	-	1	-
1990.....	2	-	-	1	-	1	-	-
1989.....	2	-	-	-	1	1	-	-
1988.....	2	-	-	1	-	-	1	-
1986.....	1	-	-	-	-	1	-	-
1984.....	3	-	2	-	-	-	1	-
1983.....	2	-	-	-	-	1	1	-
1981.....	1	-	-	-	1	-	-	-
1980.....	2	-	1	1	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SPONTANEOUS ABORTION (634)											
BLACK, BOTH SEXES											
1997.....	2	-	-	1	-	-	-	1
1993.....	1	-	-	-	-	1	-	-
1992.....	3	-	1	-	-	2	-	-
1991.....	4	-	-	1	2	-	1	-
1990.....	2	-	-	1	-	1	-	-
1988.....	2	-	-	1	-	-	1	-
1986.....	1	-	-	-	-	1	-	-
1984.....	3	-	2	-	-	-	1	-
1983.....	1	-	-	-	-	1	-	-
1981.....	1	-	-	-	1	-	-	-
1980.....	2	-	1	1	-	-	-	-
BLACK FEMALE											
1997.....	2	-	-	1	-	-	-	1
1993.....	1	-	-	-	-	1	-	-
1992.....	3	-	1	-	-	2	-	-
1991.....	4	-	-	1	2	-	1	-
1990.....	2	-	-	1	-	1	-	-
1988.....	2	-	-	1	-	-	1	-
1986.....	1	-	-	-	-	1	-	-
1984.....	3	-	2	-	-	-	1	-
1983.....	1	-	-	-	-	1	-	-
1981.....	1	-	-	-	1	-	-	-
1980.....	2	-	1	1	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEGALLY INDUCED ABORTION (635)											
TOTAL, BOTH SEXES											
1998.....	6	-	-	2	1	2	1	-
1997.....	3	-	-	1	-	1	1	-
1996.....	5	-	-	2	1	1	1	-
1995.....	3	-	-	1	1	-	1	-
1994.....	4	-	1	1	1	-	1	-
1993.....	4	-	-	1	-	2	1	-
1992.....	5	-	-	2	2	1	-	-
1991.....	5	-	-	3	1	1	-	-
1990.....	1	-	1	-	-	-	-	-
1989.....	3	-	1	1	1	-	-	-
1988.....	5	-	2	1	-	1	1	-
1987.....	3	-	-	2	1	-	-	-
1986.....	3	-	1	2	-	-	-	-
1985.....	2	-	-	1	-	-	1	-
1984.....	4	-	-	-	3	-	-	1
1983.....	7	-	1	2	2	2	-	-
1982.....	3	-	-	1	1	-	1	-
1981.....	1	-	1	-	-	-	-	-
1980.....	5	-	-	2	1	1	1	-
1979.....	1	-	1	-	-	-	-	-
TOTAL, FEMALE											
1998.....	6	-	-	2	1	2	1	-
1997.....	3	-	-	1	-	1	1	-
1996.....	5	-	-	2	1	1	1	-
1995.....	3	-	-	1	1	-	1	-
1994.....	4	-	1	1	1	-	1	-
1993.....	4	-	-	1	-	2	1	-
1992.....	5	-	-	2	2	1	-	-
1991.....	5	-	-	3	1	1	-	-
1990.....	1	-	1	-	-	-	-	-
1989.....	3	-	1	1	1	-	-	-
1988.....	5	-	2	1	-	1	1	-
1987.....	3	-	-	2	1	-	-	-
1986.....	3	-	1	2	-	-	-	-
1985.....	2	-	-	1	-	-	1	-
1984.....	4	-	-	-	3	-	-	1
1983.....	7	-	1	2	2	2	-	-
1982.....	3	-	-	1	1	-	1	-
1981.....	1	-	1	-	-	-	-	-
1980.....	5	-	-	2	1	1	1	-
1979.....	1	-	1	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEGALLY INDUCED ABORTION (635)											
WHITE, BOTH SEXES											
1998.....	3	-	-	1	-	2	-	-
1997.....	2	-	-	-	-	1	1	-
1996.....	4	-	-	2	-	1	1	-
1995.....	2	-	-	-	1	-	1	-
1994.....	2	-	1	-	1	-	-	-
1993.....	2	-	-	-	-	2	-	-
1992.....	3	-	-	1	1	1	-	-
1991.....	1	-	-	-	-	1	-	-
1989.....	1	-	1	-	-	-	-	-
1988.....	1	-	-	-	-	-	1	-
1987.....	1	-	-	1	-	-	-	-
1986.....	2	-	-	2	-	-	-	-
1984.....	4	-	-	-	3	-	-	1
1983.....	2	-	-	1	1	-	-	-
1982.....	1	-	-	-	-	-	1	-
1980.....	1	-	-	-	1	-	-	-
WHITE FEMALE											
1998.....	3	-	-	1	-	2	-	-
1997.....	2	-	-	-	-	1	1	-
1996.....	4	-	-	2	-	1	1	-
1995.....	2	-	-	-	1	-	1	-
1994.....	2	-	1	-	1	-	-	-
1993.....	2	-	-	-	-	2	-	-
1992.....	3	-	-	1	1	1	-	-
1991.....	1	-	-	-	-	1	-	-
1989.....	1	-	1	-	-	-	-	-
1988.....	1	-	-	-	-	-	1	-
1987.....	1	-	-	1	-	-	-	-
1986.....	2	-	-	2	-	-	-	-
1984.....	4	-	-	-	3	-	-	1
1983.....	2	-	-	1	1	-	-	-
1982.....	1	-	-	-	-	-	1	-
1980.....	1	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEGALLY INDUCED ABORTION (635)											
ALL OTHER, BOTH SEXES											
1998.....	3	-	-	1	1	-	1	-
1997.....	1	-	-	1	-	-	-	-
1996.....	1	-	-	-	1	-	-	-
1995.....	1	-	-	1	-	-	-	-
1994.....	2	-	-	1	-	-	1	-
1993.....	2	-	-	1	-	-	1	-
1992.....	2	-	-	1	1	-	-	-
1991.....	4	-	-	3	1	-	-	-
1990.....	1	-	1	-	-	-	-	-
1989.....	2	-	-	1	1	-	-	-
1988.....	4	-	2	1	-	1	-	-
1987.....	2	-	-	1	1	-	-	-
1986.....	1	-	1	-	-	-	-	-
1985.....	2	-	-	1	-	-	1	-
1983.....	5	-	1	1	1	2	-	-
1982.....	2	-	-	1	1	-	-	-
1981.....	1	-	1	-	-	-	-	-
1980.....	4	-	-	2	-	1	1	-
1979.....	1	-	1	-	-	-	-	-
ALL OTHER FEMALE											
1998.....	3	-	-	1	1	-	1	-
1997.....	1	-	-	1	-	-	-	-
1996.....	1	-	-	-	1	-	-	-
1995.....	1	-	-	1	-	-	-	-
1994.....	2	-	-	1	-	-	1	-
1993.....	2	-	-	1	-	-	1	-
1992.....	2	-	-	1	1	-	-	-
1991.....	4	-	-	3	1	-	-	-
1990.....	1	-	1	-	-	-	-	-
1989.....	2	-	-	1	1	-	-	-
1988.....	4	-	2	1	-	1	-	-
1987.....	2	-	-	1	1	-	-	-
1986.....	1	-	1	-	-	-	-	-
1985.....	2	-	-	1	-	-	1	-
1983.....	5	-	1	1	1	2	-	-
1982.....	2	-	-	1	1	-	-	-
1981.....	1	-	1	-	-	-	-	-
1980.....	4	-	-	2	-	1	1	-
1979.....	1	-	1	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEGALLY INDUCED ABORTION (635)											
BLACK, BOTH SEXES											
1998.....	3	-	-	1	1	-	1	-
1997.....	1	-	-	1	-	-	-	-
1996.....	1	-	-	-	1	-	-	-
1995.....	1	-	-	1	-	-	-	-
1994.....	2	-	-	1	-	-	1	-
1993.....	2	-	-	1	-	-	1	-
1992.....	2	-	-	1	1	-	-	-
1991.....	4	-	-	3	1	-	-	-
1990.....	1	-	1	-	-	-	-	-
1989.....	2	-	-	1	1	-	-	-
1988.....	3	-	1	1	-	1	-	-
1987.....	2	-	-	1	1	-	-	-
1986.....	1	-	1	-	-	-	-	-
1985.....	2	-	-	1	-	-	1	-
1983.....	5	-	1	1	1	2	-	-
1982.....	2	-	-	1	1	-	-	-
1981.....	1	-	1	-	-	-	-	-
1980.....	4	-	-	2	-	1	1	-
1979.....	1	-	1	-	-	-	-	-
BLACK FEMALE											
1998.....	3	-	-	1	1	-	1	-
1997.....	1	-	-	1	-	-	-	-
1996.....	1	-	-	-	1	-	-	-
1995.....	1	-	-	1	-	-	-	-
1994.....	2	-	-	1	-	-	1	-
1993.....	2	-	-	1	-	-	1	-
1992.....	2	-	-	1	1	-	-	-
1991.....	4	-	-	3	1	-	-	-
1990.....	1	-	1	-	-	-	-	-
1989.....	2	-	-	1	1	-	-	-
1988.....	3	-	1	1	-	1	-	-
1987.....	2	-	-	1	1	-	-	-
1986.....	1	-	1	-	-	-	-	-
1985.....	2	-	-	1	-	-	1	-
1983.....	5	-	1	1	1	2	-	-
1982.....	2	-	-	1	1	-	-	-
1981.....	1	-	1	-	-	-	-	-
1980.....	4	-	-	2	-	1	1	-
1979.....	1	-	1	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ILLEGALLY INDUCED ABORTION (636)											
TOTAL, BOTH SEXES											
1994.....	1	-	-	1	-	-	-	-
1992.....	2	-	-	-	2	-	-	-
1991.....	1	-	-	-	-	-	1	-
1990.....	1	-	-	-	-	1	-	-
1986.....	2	-	-	-	2	-	-	-
1985.....	1	-	-	-	-	-	1	-
1982.....	1	-	1	-	-	-	-	-
1980.....	1	-	-	-	1	-	-	-
1979.....	1	-	-	-	-	1	-	-
TOTAL, FEMALE											
1994.....	1	-	-	1	-	-	-	-
1992.....	2	-	-	-	2	-	-	-
1991.....	1	-	-	-	-	-	1	-
1990.....	1	-	-	-	-	1	-	-
1986.....	2	-	-	-	2	-	-	-
1985.....	1	-	-	-	-	-	1	-
1982.....	1	-	1	-	-	-	-	-
1980.....	1	-	-	-	1	-	-	-
1979.....	1	-	-	-	-	1	-	-
WHITE, BOTH SEXES											
1992.....	1	-	-	-	1	-	-	-
1990.....	1	-	-	-	-	1	-	-
1986.....	1	-	-	-	1	-	-	-
1985.....	1	-	-	-	-	-	1	-
1982.....	1	-	1	-	-	-	-	-
1979.....	1	-	-	-	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ILLEGALLY INDUCED ABORTION (636)											
WHITE FEMALE											
1992.....	1	-	-	-	1	-	-	-
1990.....	1	-	-	-	-	1	-	-
1986.....	1	-	-	-	1	-	-	-
1985.....	1	-	-	-	-	-	1	-
1982.....	1	-	1	-	-	-	-	-
1979.....	1	-	-	-	-	1	-	-
ALL OTHER, BOTH SEXES											
1994.....	1	-	-	1	-	-	-	-
1992.....	1	-	-	-	1	-	-	-
1991.....	1	-	-	-	-	-	1	-
1986.....	1	-	-	-	1	-	-	-
1980.....	1	-	-	-	1	-	-	-
ALL OTHER FEMALE											
1994.....	1	-	-	1	-	-	-	-
1992.....	1	-	-	-	1	-	-	-
1991.....	1	-	-	-	-	-	1	-
1986.....	1	-	-	-	1	-	-	-
1980.....	1	-	-	-	1	-	-	-
BLACK, BOTH SEXES											
1994.....	1	-	-	1	-	-	-	-
1992.....	1	-	-	-	1	-	-	-
1991.....	1	-	-	-	-	-	1	-
1986.....	1	-	-	-	1	-	-	-
1980.....	1	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ILLEGALLY INDUCED ABORTION (636)											
BLACK FEMALE											
1994.....	1	-	-	1	-	-	-	-
1992.....	1	-	-	-	1	-	-	-
1991.....	1	-	-	-	-	-	1	-
1986.....	1	-	-	-	1	-	-	-
1980.....	1	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER PREGNANCY WITH ABORTIVE OUTCOME (630-632,637-638)											
TOTAL, BOTH SEXES											
1998.....	5	-	2	-	1	2	-	-
1997.....	8	-	2	2	3	-	1	-
1996.....	9	-	1	3	3	1	1	-
1995.....	5	-	1	1	1	2	-	-
1994.....	10	-	2	1	2	1	3	1
1993.....	5	-	1	2	1	1	-	-
1992.....	8	1	2	2	1	-	1	1
1991.....	7	-	5	1	-	-	1	-
1990.....	8	-	1	1	1	3	2	-
1989.....	10	-	1	3	2	2	2	-
1988.....	9	-	2	2	1	2	1	1
1987.....	6	-	1	1	2	1	1	-
1986.....	8	-	1	3	1	1	1	1
1985.....	13	1	3	4	2	1	2	-
1984.....	10	1	1	1	2	4	-	-
1983.....	2	-	-	-	1	-	-	1
1982.....	5	-	2	2	-	-	-	-
1981.....	8	-	1	2	-	2	2	1
1980.....	7	-	-	1	1	3	2	-
1979.....	12	-	-	5	4	2	1	-
TOTAL, FEMALE											
1998.....	5	-	2	-	1	2	-	-
1997.....	8	-	2	2	3	-	1	-
1996.....	9	-	1	3	3	1	1	-
1995.....	5	-	1	1	1	2	-	-
1994.....	10	-	2	1	2	1	3	1
1993.....	5	-	1	2	1	1	-	-
1992.....	8	1	2	2	1	-	1	1
1991.....	7	-	5	1	-	-	1	-
1990.....	8	-	1	1	1	3	2	-
1989.....	10	-	1	3	2	2	2	-
1988.....	9	-	2	2	1	2	1	1
1987.....	6	-	1	1	2	1	1	-
1986.....	8	-	1	3	1	1	1	1
1985.....	13	1	3	4	2	1	2	-
1984.....	10	1	1	1	2	4	-	-
1983.....	2	-	-	-	1	-	-	1
1982.....	5	-	2	2	-	-	-	-
1981.....	8	-	1	2	-	2	2	1
1980.....	7	-	-	1	1	3	2	-
1979.....	12	-	-	5	4	2	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER PREGNANCY WITH ABORTIVE OUTCOME (630-632,637-638)											
WHITE, BOTH SEXES											
1998.....	3	-	1	-	1	1	-	-
1997.....	3	-	1	1	1	-	-	-
1996.....	7	-	1	2	2	1	1	-
1995.....	1	-	-	-	-	1	-	-
1994.....	10	-	2	1	2	1	3	1
1993.....	4	-	1	1	1	1	-	-
1992.....	2	-	1	-	-	-	-	1
1991.....	3	-	1	1	-	-	1	-
1990.....	4	-	1	1	1	1	-	-
1989.....	5	-	1	1	2	1	-	-
1988.....	3	-	1	-	-	2	-	-
1987.....	3	-	1	1	1	-	-	-
1986.....	4	-	1	-	1	-	1	1
1985.....	7	1	1	1	2	1	1	-
1984.....	6	-	-	1	1	3	-	-
1983.....	2	-	-	-	1	-	-	1
1982.....	3	-	1	1	-	-	-	-
1981.....	6	-	-	1	-	2	2	1
1980.....	3	-	-	1	-	1	1	-
1979.....	4	-	-	3	1	-	-	-
WHITE FEMALE											
1998.....	3	-	1	-	1	1	-	-
1997.....	3	-	1	1	1	-	-	-
1996.....	7	-	1	2	2	1	1	-
1995.....	1	-	-	-	-	1	-	-
1994.....	10	-	2	1	2	1	3	1
1993.....	4	-	1	1	1	1	-	-
1992.....	2	-	1	-	-	-	-	1
1991.....	3	-	1	1	-	-	1	-
1990.....	4	-	1	1	1	1	-	-
1989.....	5	-	1	1	2	1	-	-
1988.....	3	-	1	-	-	2	-	-
1987.....	3	-	1	1	1	-	-	-
1986.....	4	-	1	-	1	-	1	1
1985.....	7	1	1	1	2	1	1	-
1984.....	6	-	-	1	1	3	-	-
1983.....	2	-	-	-	1	-	-	1
1982.....	3	-	1	1	-	-	-	-
1981.....	6	-	-	1	-	2	2	1
1980.....	3	-	-	1	-	1	1	-
1979.....	4	-	-	3	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER PREGNANCY WITH ABORTIVE OUTCOME (630-632,637-638)											
ALL OTHER, BOTH SEXES											
1998.....	2	-	1	-	-	1	-	-
1997.....	5	-	1	1	2	-	1	-
1996.....	2	-	-	1	1	-	-	-
1995.....	4	-	1	1	1	1	-	-
1993.....	1	-	-	1	-	-	-	-
1992.....	6	1	1	2	1	-	1	-
1991.....	4	-	4	-	-	-	-	-
1990.....	4	-	-	-	-	2	2	-
1989.....	5	-	-	2	-	1	2	-
1988.....	6	-	1	2	1	-	1	1
1987.....	3	-	-	-	1	1	1	-
1986.....	4	-	-	3	-	1	-	-
1985.....	6	-	2	3	-	-	1	-
1984.....	4	1	1	-	1	1	-	-
1982.....	2	-	1	1	-	-	-	-
1981.....	2	-	1	1	-	-	-	-
1980.....	4	-	-	-	1	2	1	-
1979.....	8	-	-	2	3	2	1	-
ALL OTHER FEMALE											
1998.....	2	-	1	-	-	1	-	-
1997.....	5	-	1	1	2	-	1	-
1996.....	2	-	-	1	1	-	-	-
1995.....	4	-	1	1	1	1	-	-
1993.....	1	-	-	1	-	-	-	-
1992.....	6	1	1	2	1	-	1	-
1991.....	4	-	4	-	-	-	-	-
1990.....	4	-	-	-	-	2	2	-
1989.....	5	-	-	2	-	1	2	-
1988.....	6	-	1	2	1	-	1	1
1987.....	3	-	-	-	1	1	1	-
1986.....	4	-	-	3	-	1	-	-
1985.....	6	-	2	3	-	-	1	-
1984.....	4	1	1	-	1	1	-	-
1982.....	2	-	1	1	-	-	-	-
1981.....	2	-	1	1	-	-	-	-
1980.....	4	-	-	-	1	2	1	-
1979.....	8	-	-	2	3	2	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER PREGNANCY WITH ABORTIVE OUTCOME (630-632,637-638)											
BLACK, BOTH SEXES											
1998.....	2	-	1	-	-	1	-	-
1997.....	5	-	1	1	2	-	1	-
1996.....	2	-	-	1	1	-	-	-
1995.....	4	-	1	1	1	1	-	-
1993.....	1	-	-	1	-	-	-	-
1992.....	6	1	1	2	1	-	1	-
1991.....	3	-	3	-	-	-	-	-
1990.....	4	-	-	-	-	2	2	-
1989.....	5	-	-	2	-	1	2	-
1988.....	6	-	1	2	1	-	1	1
1987.....	3	-	-	-	1	1	1	-
1986.....	4	-	-	3	-	1	-	-
1985.....	5	-	1	3	-	-	1	-
1984.....	3	1	1	-	1	-	-	-
1982.....	1	-	-	1	-	-	-	-
1981.....	2	-	1	1	-	-	-	-
1980.....	4	-	-	-	1	2	1	-
1979.....	7	-	-	2	2	2	1	-
BLACK FEMALE											
1998.....	2	-	1	-	-	1	-	-
1997.....	5	-	1	1	2	-	1	-
1996.....	2	-	-	1	1	-	-	-
1995.....	4	-	1	1	1	1	-	-
1993.....	1	-	-	1	-	-	-	-
1992.....	6	1	1	2	1	-	1	-
1991.....	3	-	3	-	-	-	-	-
1990.....	4	-	-	-	-	2	2	-
1989.....	5	-	-	2	-	1	2	-
1988.....	6	-	1	2	1	-	1	1
1987.....	3	-	-	-	1	1	1	-
1986.....	4	-	-	3	-	1	-	-
1985.....	5	-	1	3	-	-	1	-
1984.....	3	1	1	-	1	-	-	-
1982.....	1	-	-	1	-	-	-	-
1981.....	2	-	1	1	-	-	-	-
1980.....	4	-	-	-	1	2	1	-
1979.....	7	-	-	2	2	2	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DIRECT OBSTETRIC CAUSES (640-646,651-676)											
TOTAL, BOTH SEXES											
1998.....	229	-	12	40	60	54	45	17
1997.....	278	2	19	54	74	62	43	20
1996.....	237	-	12	33	58	57	58	17
1995.....	230	1	15	41	54	57	40	21
1994.....	267	-	29	63	60	47	47	20
1993.....	241	1	16	43	55	52	57	17
1992.....	249	-	31	59	41	65	38	14
1991.....	253	2	25	48	54	68	41	13
1990.....	265	-	31	54	62	57	41	18
1989.....	241	-	22	51	60	67	32	7
1988.....	252	-	25	57	62	58	39	10
1987.....	192	1	18	39	48	48	28	9
1986.....	200	-	18	45	50	44	33	9
1985.....	232	1	21	47	61	51	35	13
1984.....	223	-	22	34	67	65	31	3
1983.....	232	-	19	75	58	44	30	6
1982.....	224	2	25	37	69	54	24	12
1981.....	247	-	34	63	60	50	27	12
1980.....	261	-	39	50	65	59	33	13
1979.....	264	2	27	67	63	49	37	14
TOTAL, FEMALE											
1998.....	229	-	12	40	60	54	45	17
1997.....	278	2	19	54	74	62	43	20
1996.....	237	-	12	33	58	57	58	17
1995.....	230	1	15	41	54	57	40	21
1994.....	267	-	29	63	60	47	47	20
1993.....	241	1	16	43	55	52	57	17
1992.....	249	-	31	59	41	65	38	14
1991.....	253	2	25	48	54	68	41	13
1990.....	265	-	31	54	62	57	41	18
1989.....	241	-	22	51	60	67	32	7
1988.....	252	-	25	57	62	58	39	10
1987.....	192	1	18	39	48	48	28	9
1986.....	200	-	18	45	50	44	33	9
1985.....	232	1	21	47	61	51	35	13
1984.....	223	-	22	34	67	65	31	3
1983.....	232	-	19	75	58	44	30	6
1982.....	224	2	25	37	69	54	24	12
1981.....	247	-	34	63	60	50	27	12
1980.....	261	-	39	50	65	59	33	13
1979.....	264	2	27	67	63	49	37	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DIRECT OBSTETRIC CAUSES (640-646,651-676)											
WHITE, BOTH SEXES											
1998.....	129	-	6	19	36	28	28	12
1997.....	155	-	11	28	43	32	28	10
1996.....	126	-	5	12	29	32	33	13
1995.....	113	-	4	24	30	27	19	9
1994.....	157	-	16	31	43	32	25	10
1993.....	124	1	6	19	29	31	29	9
1992.....	126	-	14	28	24	38	16	6
1991.....	155	1	10	24	36	48	27	8
1990.....	140	-	14	27	42	26	22	8
1989.....	144	-	14	33	37	34	22	4
1988.....	149	-	11	34	41	39	17	7
1987.....	119	1	12	25	29	28	18	5
1986.....	116	-	8	22	29	29	21	7
1985.....	127	-	10	25	38	23	25	5
1984.....	131	-	12	12	47	37	21	2
1983.....	141	-	9	40	38	27	22	5
1982.....	137	-	13	21	43	39	15	6
1981.....	150	-	15	42	38	34	15	6
1980.....	161	-	22	31	40	38	20	9
1979.....	149	1	11	31	43	32	24	5
WHITE FEMALE											
1998.....	129	-	6	19	36	28	28	12
1997.....	155	-	11	28	43	32	28	10
1996.....	126	-	5	12	29	32	33	13
1995.....	113	-	4	24	30	27	19	9
1994.....	157	-	16	31	43	32	25	10
1993.....	124	1	6	19	29	31	29	9
1992.....	126	-	14	28	24	38	16	6
1991.....	155	1	10	24	36	48	27	8
1990.....	140	-	14	27	42	26	22	8
1989.....	144	-	14	33	37	34	22	4
1988.....	149	-	11	34	41	39	17	7
1987.....	119	1	12	25	29	28	18	5
1986.....	116	-	8	22	29	29	21	7
1985.....	127	-	10	25	38	23	25	5
1984.....	131	-	12	12	47	37	21	2
1983.....	141	-	9	40	38	27	22	5
1982.....	137	-	13	21	43	39	15	6
1981.....	150	-	15	42	38	34	15	6
1980.....	161	-	22	31	40	38	20	9
1979.....	149	1	11	31	43	32	24	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DIRECT OBSTETRIC CAUSES (640-646,651-676)											
ALL OTHER, BOTH SEXES											
1998.....	100	-	6	21	24	26	17	5
1997.....	123	2	8	26	31	30	15	10
1996.....	111	-	7	21	29	25	25	4
1995.....	117	1	11	17	24	30	21	12
1994.....	110	-	13	32	17	15	22	10
1993.....	117	-	10	24	26	21	28	8
1992.....	123	-	17	31	17	27	22	8
1991.....	98	1	15	24	18	20	14	5
1990.....	125	-	17	27	20	31	19	10
1989.....	97	-	8	18	23	33	10	3
1988.....	103	-	14	23	21	19	22	3
1987.....	73	-	6	14	19	20	10	4
1986.....	84	-	10	23	21	15	12	2
1985.....	105	1	11	22	23	28	10	8
1984.....	92	-	10	22	20	28	10	1
1983.....	91	-	10	35	20	17	8	1
1982.....	87	2	12	16	26	15	9	6
1981.....	97	-	19	21	22	16	12	6
1980.....	100	-	17	19	25	21	13	4
1979.....	115	1	16	36	20	17	13	9
ALL OTHER FEMALE											
1998.....	100	-	6	21	24	26	17	5
1997.....	123	2	8	26	31	30	15	10
1996.....	111	-	7	21	29	25	25	4
1995.....	117	1	11	17	24	30	21	12
1994.....	110	-	13	32	17	15	22	10
1993.....	117	-	10	24	26	21	28	8
1992.....	123	-	17	31	17	27	22	8
1991.....	98	1	15	24	18	20	14	5
1990.....	125	-	17	27	20	31	19	10
1989.....	97	-	8	18	23	33	10	3
1988.....	103	-	14	23	21	19	22	3
1987.....	73	-	6	14	19	20	10	4
1986.....	84	-	10	23	21	15	12	2
1985.....	105	1	11	22	23	28	10	8
1984.....	92	-	10	22	20	28	10	1
1983.....	91	-	10	35	20	17	8	1
1982.....	87	2	12	16	26	15	9	6
1981.....	97	-	19	21	22	16	12	6
1980.....	100	-	17	19	25	21	13	4
1979.....	115	1	16	36	20	17	13	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR		RACE, AND SEX: UNITED STATES, 1979-98										
		TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
		YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
DIRECT OBSTETRIC CAUSES (640-646,651-676)												
BLACK, BOTH SEXES												
1998.....	85	-	6	20	21	22	12	3	
1997.....	102	2	7	22	27	27	10	6	
1996.....	98	-	6	20	28	21	20	3	
1995.....	103	1	11	16	23	25	18	8	
1994.....	94	-	13	28	13	12	20	7	
1993.....	104	-	10	21	24	20	21	8	
1992.....	107	-	16	28	15	23	17	7	
1991.....	89	1	14	21	16	18	14	4	
1990.....	113	-	15	25	20	28	15	9	
1989.....	85	-	7	18	21	27	8	2	
1988.....	87	-	12	22	15	17	19	1	
1987.....	67	-	5	14	18	17	9	4	
1986.....	79	-	10	22	19	15	10	2	
1985.....	92	1	10	19	21	24	9	7	
1984.....	85	-	10	22	17	24	10	1	
1983.....	79	-	8	34	17	13	6	1	
1982.....	79	2	12	16	24	10	9	5	
1981.....	93	-	19	20	21	15	12	5	
1980.....	90	-	17	19	21	17	12	3	
1979.....	108	1	16	36	19	16	12	5	
BLACK FEMALE												
1998.....	85	-	6	20	21	22	12	3	
1997.....	102	2	7	22	27	27	10	6	
1996.....	98	-	6	20	28	21	20	3	
1995.....	103	1	11	16	23	25	18	8	
1994.....	94	-	13	28	13	12	20	7	
1993.....	104	-	10	21	24	20	21	8	
1992.....	107	-	16	28	15	23	17	7	
1991.....	89	1	14	21	16	18	14	4	
1990.....	113	-	15	25	20	28	15	9	
1989.....	85	-	7	18	21	27	8	2	
1988.....	87	-	12	22	15	17	19	1	
1987.....	67	-	5	14	18	17	9	4	
1986.....	79	-	10	22	19	15	10	2	
1985.....	92	1	10	19	21	24	9	7	
1984.....	85	-	10	22	17	24	10	1	
1983.....	79	-	8	34	17	13	6	1	
1982.....	79	2	12	16	24	10	9	5	
1981.....	93	-	19	20	21	15	12	5	
1980.....	90	-	17	19	21	17	12	3	
1979.....	108	1	16	36	19	16	12	5	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEMORRHAGE OF PREGNANCY AND CHILD BIRTH (640-641,666)											
TOTAL, BOTH SEXES											
1998.....	24	-	-	5	6	3	6	4
1997.....	44	-	3	9	13	10	6	2
1996.....	38	-	1	4	11	16	3	3
1995.....	36	-	2	2	10	10	5	7
1994.....	46	-	4	9	9	9	10	5
1993.....	40	-	2	5	12	6	8	7
1992.....	39	-	6	8	5	10	6	4
1991.....	36	-	1	8	2	13	8	4
1990.....	44	-	4	7	13	12	5	3
1989.....	43	-	2	9	12	12	7	1
1988.....	35	-	2	6	16	6	4	1
1987.....	33	-	1	4	5	15	6	2
1986.....	27	-	1	5	9	6	6	-
1985.....	40	-	3	6	5	10	13	2
1984.....	40	-	3	6	10	13	6	2
1983.....	30	-	3	9	5	7	6	-
1982.....	37	-	4	8	12	9	4	-
1981.....	48	-	6	12	12	14	2	2
1980.....	44	-	2	10	9	13	6	4
1979.....	47	-	4	10	14	11	6	2
TOTAL, FEMALE											
1998.....	24	-	-	5	6	3	6	4
1997.....	44	-	3	9	13	10	6	2
1996.....	38	-	1	4	11	16	3	3
1995.....	36	-	2	2	10	10	5	7
1994.....	46	-	4	9	9	9	10	5
1993.....	40	-	2	5	12	6	8	7
1992.....	39	-	6	8	5	10	6	4
1991.....	36	-	1	8	2	13	8	4
1990.....	44	-	4	7	13	12	5	3
1989.....	43	-	2	9	12	12	7	1
1988.....	35	-	2	6	16	6	4	1
1987.....	33	-	1	4	5	15	6	2
1986.....	27	-	1	5	9	6	6	-
1985.....	40	-	3	6	5	10	13	2
1984.....	40	-	3	6	10	13	6	2
1983.....	30	-	3	9	5	7	6	-
1982.....	37	-	4	8	12	9	4	-
1981.....	48	-	6	12	12	14	2	2
1980.....	44	-	2	10	9	13	6	4
1979.....	47	-	4	10	14	11	6	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEMORRHAGE OF PREGNANCY AND CHILD BIRTH (640-641,666)											
WHITE, BOTH SEXES											
1998.....	16	-	-	3	4	2	4	3
1997.....	25	-	2	4	6	6	5	2
1996.....	22	-	-	2	8	10	-	2
1995.....	17	-	-	-	7	5	3	2
1994.....	26	-	3	3	6	7	5	2
1993.....	17	-	-	3	3	3	6	2
1992.....	16	-	2	5	2	1	3	3
1991.....	22	-	-	3	2	8	6	3
1990.....	26	-	2	4	9	5	3	3
1989.....	30	-	1	7	10	6	6	-
1988.....	19	-	1	3	8	5	2	-
1987.....	21	-	-	2	4	10	4	1
1986.....	16	-	1	1	7	5	2	-
1985.....	21	-	1	4	3	5	8	-
1984.....	26	-	1	1	7	10	6	1
1983.....	17	-	2	3	3	3	6	-
1982.....	26	-	2	6	8	6	4	-
1981.....	31	-	2	10	10	8	-	1
1980.....	27	-	1	7	3	8	6	2
1979.....	30	-	2	8	10	6	3	1
WHITE FEMALE											
1998.....	16	-	-	3	4	2	4	3
1997.....	25	-	2	4	6	6	5	2
1996.....	22	-	-	2	8	10	-	2
1995.....	17	-	-	-	7	5	3	2
1994.....	26	-	3	3	6	7	5	2
1993.....	17	-	-	3	3	3	6	2
1992.....	16	-	2	5	2	1	3	3
1991.....	22	-	-	3	2	8	6	3
1990.....	26	-	2	4	9	5	3	3
1989.....	30	-	1	7	10	6	6	-
1988.....	19	-	1	3	8	5	2	-
1987.....	21	-	-	2	4	10	4	1
1986.....	16	-	1	1	7	5	2	-
1985.....	21	-	1	4	3	5	8	-
1984.....	26	-	1	1	7	10	6	1
1983.....	17	-	2	3	3	3	6	-
1982.....	26	-	2	6	8	6	4	-
1981.....	31	-	2	10	10	8	-	1
1980.....	27	-	1	7	3	8	6	2
1979.....	30	-	2	8	10	6	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEMORRHAGE OF PREGNANCY AND CHILD BIRTH (640-641,666)											
ALL OTHER, BOTH SEXES											
1998.....	8	-	-	2	2	1	2	1
1997.....	19	-	1	5	7	4	1	-
1996.....	16	-	1	2	3	6	3	1
1995.....	19	-	2	2	3	5	2	5
1994.....	20	-	1	6	3	2	5	3
1993.....	23	-	2	2	9	3	2	5
1992.....	23	-	4	3	3	9	3	1
1991.....	14	-	1	5	-	5	2	1
1990.....	18	-	2	3	4	7	2	-
1989.....	13	-	1	2	2	6	1	1
1988.....	16	-	1	3	8	1	2	1
1987.....	12	-	1	2	1	5	2	1
1986.....	11	-	-	4	2	1	4	-
1985.....	19	-	2	2	2	5	5	2
1984.....	14	-	2	5	3	3	-	1
1983.....	13	-	1	6	2	4	-	-
1982.....	11	-	2	2	4	3	-	-
1981.....	17	-	4	2	2	6	2	1
1980.....	17	-	1	3	6	5	-	2
1979.....	17	-	2	2	4	5	3	1
ALL OTHER FEMALE											
1998.....	8	-	-	2	2	1	2	1
1997.....	19	-	1	5	7	4	1	-
1996.....	16	-	1	2	3	6	3	1
1995.....	19	-	2	2	3	5	2	5
1994.....	20	-	1	6	3	2	5	3
1993.....	23	-	2	2	9	3	2	5
1992.....	23	-	4	3	3	9	3	1
1991.....	14	-	1	5	-	5	2	1
1990.....	18	-	2	3	4	7	2	-
1989.....	13	-	1	2	2	6	1	1
1988.....	16	-	1	3	8	1	2	1
1987.....	12	-	1	2	1	5	2	1
1986.....	11	-	-	4	2	1	4	-
1985.....	19	-	2	2	2	5	5	2
1984.....	14	-	2	5	3	3	-	1
1983.....	13	-	1	6	2	4	-	-
1982.....	11	-	2	2	4	3	-	-
1981.....	17	-	4	2	2	6	2	1
1980.....	17	-	1	3	6	5	-	2
1979.....	17	-	2	2	4	5	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEMORRHAGE OF PREGNANCY AND CHILD BIRTH (640-641,666)											
BLACK, BOTH SEXES											
1998.....	5	-	-	1	2	-	1	1
1997.....	17	-	1	4	7	3	1	-
1996.....	14	-	1	2	2	5	3	1
1995.....	15	-	2	2	2	4	2	3
1994.....	14	-	1	4	3	1	4	1
1993.....	21	-	2	2	8	3	1	5
1992.....	18	-	3	2	2	8	2	1
1991.....	13	-	1	5	-	4	2	1
1990.....	17	-	2	3	4	6	2	-
1989.....	10	-	1	2	1	5	1	-
1988.....	8	-	-	2	4	-	2	-
1987.....	10	-	1	2	1	4	1	1
1986.....	9	-	-	4	1	1	3	-
1985.....	15	-	2	1	1	4	4	2
1984.....	14	-	2	5	3	3	-	1
1983.....	10	-	1	6	2	1	-	-
1982.....	9	-	2	2	4	1	-	-
1981.....	15	-	4	2	2	5	2	-
1980.....	12	-	1	3	5	2	-	1
1979.....	15	-	2	2	4	4	3	-
BLACK FEMALE											
1998.....	5	-	-	1	2	-	1	1
1997.....	17	-	1	4	7	3	1	-
1996.....	14	-	1	2	2	5	3	1
1995.....	15	-	2	2	2	4	2	3
1994.....	14	-	1	4	3	1	4	1
1993.....	21	-	2	2	8	3	1	5
1992.....	18	-	3	2	2	8	2	1
1991.....	13	-	1	5	-	4	2	1
1990.....	17	-	2	3	4	6	2	-
1989.....	10	-	1	2	1	5	1	-
1988.....	8	-	-	2	4	-	2	-
1987.....	10	-	1	2	1	4	1	1
1986.....	9	-	-	4	1	1	3	-
1985.....	15	-	2	1	1	4	4	2
1984.....	14	-	2	5	3	3	-	1
1983.....	10	-	1	6	2	1	-	-
1982.....	9	-	2	2	4	1	-	-
1981.....	15	-	4	2	2	5	2	-
1980.....	12	-	1	3	5	2	-	1
1979.....	15	-	2	2	4	4	3	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TOXEMIA OF PREGNANCY (642.4-642.9,643)											
TOTAL, BOTH SEXES											
1998.....	47	-	4	10	12	7	11	3
1997.....	64	1	4	16	16	15	8	4
1996.....	40	-	3	3	10	13	10	1
1995.....	46	-	3	13	7	9	9	5
1994.....	66	-	9	18	18	12	7	2
1993.....	53	-	4	13	9	14	10	3
1992.....	53	-	7	10	9	13	12	2
1991.....	65	-	11	12	17	11	12	2
1990.....	64	-	11	17	11	15	7	3
1989.....	58	-	6	14	8	16	9	4
1988.....	58	-	6	13	14	15	10	-
1987.....	34	1	6	3	9	11	3	-
1986.....	40	-	7	10	11	7	5	-
1985.....	33	1	6	5	8	6	5	2
1984.....	38	-	6	6	8	14	4	-
1983.....	40	-	2	9	13	7	6	3
1982.....	59	-	9	6	24	10	4	6
1981.....	73	-	13	20	19	11	9	1
1980.....	60	-	12	11	14	16	4	2
1979.....	49	-	5	15	9	12	4	2
TOTAL, FEMALE											
1998.....	47	-	4	10	12	7	11	3
1997.....	64	1	4	16	16	15	8	4
1996.....	40	-	3	3	10	13	10	1
1995.....	46	-	3	13	7	9	9	5
1994.....	66	-	9	18	18	12	7	2
1993.....	53	-	4	13	9	14	10	3
1992.....	53	-	7	10	9	13	12	2
1991.....	65	-	11	12	17	11	12	2
1990.....	64	-	11	17	11	15	7	3
1989.....	58	-	6	14	8	16	9	4
1988.....	58	-	6	13	14	15	10	-
1987.....	34	1	6	3	9	11	3	-
1986.....	40	-	7	10	11	7	5	-
1985.....	33	1	6	5	8	6	5	2
1984.....	38	-	6	6	8	14	4	-
1983.....	40	-	2	9	13	7	6	3
1982.....	59	-	9	6	24	10	4	6
1981.....	73	-	13	20	19	11	9	1
1980.....	60	-	12	11	14	16	4	2
1979.....	49	-	5	15	9	12	4	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TOXEMIA OF PREGNANCY (642.4-642.9,643)											
WHITE, BOTH SEXES											
1998.....	23	-	2	5	6	3	5	2
1997.....	33	-	1	7	10	8	5	2
1996.....	25	-	3	-	4	10	7	1
1995.....	24	-	1	9	4	4	2	4
1994.....	38	-	5	9	12	8	4	-
1993.....	35	-	2	6	7	11	7	2
1992.....	24	-	2	5	5	8	4	-
1991.....	35	-	4	7	9	7	7	1
1990.....	34	-	5	7	7	10	3	2
1989.....	29	-	3	5	6	7	6	2
1988.....	36	-	2	6	12	11	5	-
1987.....	21	1	5	2	5	6	1	-
1986.....	19	-	-	6	7	2	4	-
1985.....	16	-	3	1	3	3	5	1
1984.....	20	-	3	2	7	5	3	-
1983.....	27	-	1	7	9	4	3	3
1982.....	35	-	5	5	13	6	2	4
1981.....	44	-	7	14	11	6	6	-
1980.....	36	-	7	4	9	10	3	2
1979.....	29	-	3	5	6	10	3	1
WHITE FEMALE											
1998.....	23	-	2	5	6	3	5	2
1997.....	33	-	1	7	10	8	5	2
1996.....	25	-	3	-	4	10	7	1
1995.....	24	-	1	9	4	4	2	4
1994.....	38	-	5	9	12	8	4	-
1993.....	35	-	2	6	7	11	7	2
1992.....	24	-	2	5	5	8	4	-
1991.....	35	-	4	7	9	7	7	1
1990.....	34	-	5	7	7	10	3	2
1989.....	29	-	3	5	6	7	6	2
1988.....	36	-	2	6	12	11	5	-
1987.....	21	1	5	2	5	6	1	-
1986.....	19	-	-	6	7	2	4	-
1985.....	16	-	3	1	3	3	5	1
1984.....	20	-	3	2	7	5	3	-
1983.....	27	-	1	7	9	4	3	3
1982.....	35	-	5	5	13	6	2	4
1981.....	44	-	7	14	11	6	6	-
1980.....	36	-	7	4	9	10	3	2
1979.....	29	-	3	5	6	10	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TOXEMIA OF PREGNANCY (642.4-642.9,643)											
ALL OTHER, BOTH SEXES											
1998.....	24	-	2	5	6	4	6	1
1997.....	31	1	3	9	6	7	3	2
1996.....	15	-	-	3	6	3	3	-
1995.....	22	-	2	4	3	5	7	1
1994.....	28	-	4	9	6	4	3	2
1993.....	18	-	2	7	2	3	3	1
1992.....	29	-	5	5	4	5	8	2
1991.....	30	-	7	5	8	4	5	1
1990.....	30	-	6	10	4	5	4	1
1989.....	29	-	3	9	2	9	3	2
1988.....	22	-	4	7	2	4	5	-
1987.....	13	-	1	1	4	5	2	-
1986.....	21	-	7	4	4	5	1	-
1985.....	17	1	3	4	5	3	-	1
1984.....	18	-	3	4	1	9	1	-
1983.....	13	-	1	2	4	3	3	-
1982.....	24	-	4	1	11	4	2	2
1981.....	29	-	6	6	8	5	3	1
1980.....	24	-	5	7	5	6	1	-
1979.....	20	-	2	10	3	2	1	1
ALL OTHER FEMALE											
1998.....	24	-	2	5	6	4	6	1
1997.....	31	1	3	9	6	7	3	2
1996.....	15	-	-	3	6	3	3	-
1995.....	22	-	2	4	3	5	7	1
1994.....	28	-	4	9	6	4	3	2
1993.....	18	-	2	7	2	3	3	1
1992.....	29	-	5	5	4	5	8	2
1991.....	30	-	7	5	8	4	5	1
1990.....	30	-	6	10	4	5	4	1
1989.....	29	-	3	9	2	9	3	2
1988.....	22	-	4	7	2	4	5	-
1987.....	13	-	1	1	4	5	2	-
1986.....	21	-	7	4	4	5	1	-
1985.....	17	1	3	4	5	3	-	1
1984.....	18	-	3	4	1	9	1	-
1983.....	13	-	1	2	4	3	3	-
1982.....	24	-	4	1	11	4	2	2
1981.....	29	-	6	6	8	5	3	1
1980.....	24	-	5	7	5	6	1	-
1979.....	20	-	2	10	3	2	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TOXEMIA OF PREGNANCY (642.4-642.9,643)											
BLACK, BOTH SEXES											
1998.....	22	-	2	5	6	4	4	1
1997.....	27	1	2	8	4	7	3	2
1996.....	13	-	-	3	6	2	2	-
1995.....	21	-	2	4	3	5	6	1
1994.....	24	-	4	8	4	3	3	2
1993.....	16	-	2	7	2	3	1	1
1992.....	28	-	5	5	4	5	7	2
1991.....	27	-	6	5	6	4	5	1
1990.....	27	-	5	9	4	5	3	1
1989.....	27	-	2	9	2	9	2	2
1988.....	21	-	3	7	2	4	5	-
1987.....	12	-	-	1	4	5	2	-
1986.....	21	-	7	4	4	5	1	-
1985.....	15	1	3	4	5	2	-	-
1984.....	16	-	3	4	1	7	1	-
1983.....	9	-	-	2	3	2	2	-
1982.....	22	-	4	1	9	4	2	2
1981.....	28	-	6	5	8	5	3	1
1980.....	23	-	5	7	5	5	1	-
1979.....	19	-	2	10	3	2	1	-
BLACK FEMALE											
1998.....	22	-	2	5	6	4	4	1
1997.....	27	1	2	8	4	7	3	2
1996.....	13	-	-	3	6	2	2	-
1995.....	21	-	2	4	3	5	6	1
1994.....	24	-	4	8	4	3	3	2
1993.....	16	-	2	7	2	3	1	1
1992.....	28	-	5	5	4	5	7	2
1991.....	27	-	6	5	6	4	5	1
1990.....	27	-	5	9	4	5	3	1
1989.....	27	-	2	9	2	9	2	2
1988.....	21	-	3	7	2	4	5	-
1987.....	12	-	-	1	4	5	2	-
1986.....	21	-	7	4	4	5	1	-
1985.....	15	1	3	4	5	2	-	-
1984.....	16	-	3	4	1	7	1	-
1983.....	9	-	-	2	3	2	2	-
1982.....	22	-	4	1	9	4	2	2
1981.....	28	-	6	5	8	5	3	1
1980.....	23	-	5	7	5	5	1	-
1979.....	19	-	2	10	3	2	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OBSTRUCTED LABOR (660)											
TOTAL, BOTH SEXES											
1986.....	1	-	-	-	1	-	-	-
1979.....	1	-	-	1	-	-	-	-
TOTAL, FEMALE											
1986.....	1	-	-	-	1	-	-	-
1979.....	1	-	-	1	-	-	-	-
ALL OTHER, BOTH SEXES											
1986.....	1	-	-	-	1	-	-	-
1979.....	1	-	-	1	-	-	-	-
ALL OTHER FEMALE											
1986.....	1	-	-	-	1	-	-	-
1979.....	1	-	-	1	-	-	-	-
BLACK, BOTH SEXES											
1986.....	1	-	-	-	1	-	-	-
1979.....	1	-	-	1	-	-	-	-
BLACK FEMALE											
1986.....	1	-	-	-	1	-	-	-
1979.....	1	-	-	1	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 COMPLICATIONS OF THE PUERPERIUM (670-676)											
TOTAL, BOTH SEXES											
1998.....	99	-	5	16	26	26	17	8
1997.....	125	1	9	20	35	26	25	7
1996.....	103	-	5	14	26	22	27	8
1995.....	94	1	6	16	24	24	18	4
1994.....	103	-	12	20	21	21	19	9
1993.....	101	1	4	21	21	21	27	6
1992.....	95	-	4	30	18	23	12	7
1991.....	99	2	10	17	23	27	12	6
1990.....	99	-	13	19	23	16	18	9
1989.....	89	-	9	19	24	23	11	2
1988.....	110	-	11	25	24	24	19	6
1987.....	84	-	8	21	19	19	13	4
1986.....	75	-	6	22	15	14	12	5
1985.....	91	-	5	22	29	20	10	3
1984.....	80	-	8	8	34	17	13	-
1983.....	84	-	7	29	22	16	8	2
1982.....	67	1	7	7	16	22	12	2
1981.....	75	-	8	23	17	13	10	4
1980.....	93	-	16	13	27	20	12	4
1979.....	96	1	10	24	19	14	18	7
TOTAL, FEMALE											
1998.....	99	-	5	16	26	26	17	8
1997.....	125	1	9	20	35	26	25	7
1996.....	103	-	5	14	26	22	27	8
1995.....	94	1	6	16	24	24	18	4
1994.....	103	-	12	20	21	21	19	9
1993.....	101	1	4	21	21	21	27	6
1992.....	95	-	4	30	18	23	12	7
1991.....	99	2	10	17	23	27	12	6
1990.....	99	-	13	19	23	16	18	9
1989.....	89	-	9	19	24	23	11	2
1988.....	110	-	11	25	24	24	19	6
1987.....	84	-	8	21	19	19	13	4
1986.....	75	-	6	22	15	14	12	5
1985.....	91	-	5	22	29	20	10	3
1984.....	80	-	8	8	34	17	13	-
1983.....	84	-	7	29	22	16	8	2
1982.....	67	1	7	7	16	22	12	2
1981.....	75	-	8	23	17	13	10	4
1980.....	93	-	16	13	27	20	12	4
1979.....	96	1	10	24	19	14	18	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 COMPLICATIONS OF THE PUERPERIUM (670-676)											
WHITE, BOTH SEXES											
1998.....	60	-	2	8	18	16	11	5
1997.....	73	-	6	10	22	14	16	3
1996.....	50	-	2	6	12	11	12	6
1995.....	47	-	2	10	11	13	9	2
1994.....	61	-	6	9	16	13	10	7
1993.....	48	1	3	9	11	10	10	4
1992.....	49	-	2	13	9	18	5	2
1991.....	65	1	5	10	18	19	8	3
1990.....	51	-	7	10	15	6	11	2
1989.....	60	-	7	14	15	14	8	2
1988.....	64	-	5	16	15	15	9	4
1987.....	57	-	6	14	14	11	10	2
1986.....	42	-	3	10	7	9	10	3
1985.....	55	-	4	12	21	8	8	1
1984.....	50	-	5	4	24	10	7	-
1983.....	49	-	3	15	14	11	5	1
1982.....	39	-	2	2	11	16	7	1
1981.....	44	-	4	15	8	10	5	2
1980.....	62	-	8	9	19	16	8	2
1979.....	56	1	4	12	12	8	15	3
WHITE FEMALE											
1998.....	60	-	2	8	18	16	11	5
1997.....	73	-	6	10	22	14	16	3
1996.....	50	-	2	6	12	11	12	6
1995.....	47	-	2	10	11	13	9	2
1994.....	61	-	6	9	16	13	10	7
1993.....	48	1	3	9	11	10	10	4
1992.....	49	-	2	13	9	18	5	2
1991.....	65	1	5	10	18	19	8	3
1990.....	51	-	7	10	15	6	11	2
1989.....	60	-	7	14	15	14	8	2
1988.....	64	-	5	16	15	15	9	4
1987.....	57	-	6	14	14	11	10	2
1986.....	42	-	3	10	7	9	10	3
1985.....	55	-	4	12	21	8	8	1
1984.....	50	-	5	4	24	10	7	-
1983.....	49	-	3	15	14	11	5	1
1982.....	39	-	2	2	11	16	7	1
1981.....	44	-	4	15	8	10	5	2
1980.....	62	-	8	9	19	16	8	2
1979.....	56	1	4	12	12	8	15	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 COMPLICATIONS OF THE PUERPERIUM (670-676)											
ALL OTHER, BOTH SEXES											
1998.....	39	-	3	8	8	10	6	3
1997.....	52	1	3	10	13	12	9	4
1996.....	53	-	3	8	14	11	15	2
1995.....	47	1	4	6	13	11	9	2
1994.....	42	-	6	11	5	8	9	2
1993.....	53	-	1	12	10	11	17	2
1992.....	46	-	2	17	9	5	7	5
1991.....	34	1	5	7	5	8	4	3
1990.....	48	-	6	9	8	10	7	7
1989.....	29	-	2	5	9	9	3	-
1988.....	46	-	6	9	9	9	10	2
1987.....	27	-	2	7	5	8	3	2
1986.....	33	-	3	12	8	5	2	2
1985.....	36	-	1	10	8	12	2	2
1984.....	30	-	3	4	10	7	6	-
1983.....	35	-	4	14	8	5	3	1
1982.....	28	1	5	5	5	6	5	1
1981.....	31	-	4	8	9	3	5	2
1980.....	31	-	8	4	8	4	4	2
1979.....	40	-	6	12	7	6	3	4
ALL OTHER FEMALE											
1998.....	39	-	3	8	8	10	6	3
1997.....	52	1	3	10	13	12	9	4
1996.....	53	-	3	8	14	11	15	2
1995.....	47	1	4	6	13	11	9	2
1994.....	42	-	6	11	5	8	9	2
1993.....	53	-	1	12	10	11	17	2
1992.....	46	-	2	17	9	5	7	5
1991.....	34	1	5	7	5	8	4	3
1990.....	48	-	6	9	8	10	7	7
1989.....	29	-	2	5	9	9	3	-
1988.....	46	-	6	9	9	9	10	2
1987.....	27	-	2	7	5	8	3	2
1986.....	33	-	3	12	8	5	2	2
1985.....	36	-	1	10	8	12	2	2
1984.....	30	-	3	4	10	7	6	-
1983.....	35	-	4	14	8	5	3	1
1982.....	28	1	5	5	5	6	5	1
1981.....	31	-	4	8	9	3	5	2
1980.....	31	-	8	4	8	4	4	2
1979.....	40	-	6	12	7	6	3	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

0 COMPLICATIONS OF THE PUERPERIUM (670-676)

BLACK, BOTH SEXES

1998.....	35	-	3	8	7	9	6	1
1997.....	39	1	3	8	11	10	4	2
1996.....	48	-	3	7	14	10	13	1
1995.....	43	1	4	6	13	9	7	2
1994.....	38	-	6	10	4	7	8	2
1993.....	46	-	1	9	10	11	13	2
1992.....	40	-	2	16	8	3	6	4
1991.....	30	1	5	5	5	7	4	2
1990.....	43	-	5	8	8	9	5	7
1989.....	26	-	2	5	8	8	2	-
1988.....	41	-	6	9	7	9	8	1
1987.....	26	-	2	7	5	7	3	2
1986.....	31	-	3	11	7	5	2	2
1985.....	32	-	1	9	8	10	2	2
1984.....	29	-	3	4	10	6	6	-
1983.....	33	-	3	14	7	5	3	1
1982.....	25	1	5	5	5	3	5	1
1981.....	30	-	4	8	8	3	5	2
1980.....	30	-	8	4	7	4	4	2
1979.....	38	-	6	12	7	6	2	3

BLACK FEMALE

1998.....	35	-	3	8	7	9	6	1
1997.....	39	1	3	8	11	10	4	2
1996.....	48	-	3	7	14	10	13	1
1995.....	43	1	4	6	13	9	7	2
1994.....	38	-	6	10	4	7	8	2
1993.....	46	-	1	9	10	11	13	2
1992.....	40	-	2	16	8	3	6	4
1991.....	30	1	5	5	5	7	4	2
1990.....	43	-	5	8	8	9	5	7
1989.....	26	-	2	5	8	8	2	-
1988.....	41	-	6	9	7	9	8	1
1987.....	26	-	2	7	5	7	3	2
1986.....	31	-	3	11	7	5	2	2
1985.....	32	-	1	9	8	10	2	2
1984.....	29	-	3	4	10	6	6	-
1983.....	33	-	3	14	7	5	3	1
1982.....	25	1	5	5	5	3	5	1
1981.....	30	-	4	8	8	3	5	2
1980.....	30	-	8	4	7	4	4	2
1979.....	38	-	6	12	7	6	2	3

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

0 OTHER DIRECT OBSTETRIC CAUSES (642.0-642.3,644-646,651-659,661-665,667-669)

TOTAL, BOTH SEXES											
1998.....	59	-	3	9	16	18	11	2
1997.....	45	-	3	9	10	11	4	7
1996.....	56	-	3	12	11	6	18	5
1995.....	54	-	4	10	13	14	8	5
1994.....	52	-	4	16	12	5	11	4
1993.....	47	-	6	4	13	11	12	1
1992.....	62	-	14	11	9	19	8	1
1991.....	53	-	3	11	12	17	9	1
1990.....	58	-	3	11	15	14	11	3
1989.....	51	-	5	9	16	16	5	-
1988.....	49	-	6	13	8	13	6	3
1987.....	41	-	3	11	15	3	6	3
1986.....	57	-	4	8	14	17	10	4
1985.....	68	-	7	14	19	15	7	6
1984.....	65	-	5	14	15	21	8	1
1983.....	78	-	7	28	18	14	10	1
1982.....	61	1	5	16	17	13	4	4
1981.....	51	-	7	8	12	12	6	5
1980.....	64	-	9	16	15	10	11	3
1979.....	71	1	8	17	21	12	9	3
TOTAL, FEMALE											
1998.....	59	-	3	9	16	18	11	2
1997.....	45	-	3	9	10	11	4	7
1996.....	56	-	3	12	11	6	18	5
1995.....	54	-	4	10	13	14	8	5
1994.....	52	-	4	16	12	5	11	4
1993.....	47	-	6	4	13	11	12	1
1992.....	62	-	14	11	9	19	8	1
1991.....	53	-	3	11	12	17	9	1
1990.....	58	-	3	11	15	14	11	3
1989.....	51	-	5	9	16	16	5	-
1988.....	49	-	6	13	8	13	6	3
1987.....	41	-	3	11	15	3	6	3
1986.....	57	-	4	8	14	17	10	4
1985.....	68	-	7	14	19	15	7	6
1984.....	65	-	5	14	15	21	8	1
1983.....	78	-	7	28	18	14	10	1
1982.....	61	1	5	16	17	13	4	4
1981.....	51	-	7	8	12	12	6	5
1980.....	64	-	9	16	15	10	11	3
1979.....	71	1	8	17	21	12	9	3

RACE, AND SEX: UNITED STATES, 1979-98
 CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
 YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

0 OTHER DIRECT OBSTETRIC CAUSES (642.0-642.3,644-646,651-659,661-665,667-669)

WHITE, BOTH SEXES

1998.....	30	-	2	3	8	7	8	2
1997.....	24	-	2	7	5	4	2	3
1996.....	29	-	-	4	5	1	14	4
1995.....	25	-	1	5	8	5	5	1
1994.....	32	-	2	10	9	4	6	1
1993.....	24	-	1	1	8	7	6	1
1992.....	37	-	8	5	8	11	4	1
1991.....	33	-	1	4	7	14	6	1
1990.....	29	-	-	6	11	5	5	1
1989.....	25	-	3	7	6	7	2	-
1988.....	30	-	3	9	6	8	1	3
1987.....	20	-	1	7	6	1	3	2
1986.....	39	-	4	5	8	13	5	4
1985.....	35	-	2	8	11	7	4	3
1984.....	35	-	3	5	9	12	5	1
1983.....	48	-	3	15	12	9	8	1
1982.....	37	-	4	8	11	11	2	1
1981.....	31	-	2	3	9	10	4	3
1980.....	36	-	6	11	9	4	3	3
1979.....	34	-	2	6	15	8	3	-

WHITE FEMALE

1998.....	30	-	2	3	8	7	8	2
1997.....	24	-	2	7	5	4	2	3
1996.....	29	-	-	4	5	1	14	4
1995.....	25	-	1	5	8	5	5	1
1994.....	32	-	2	10	9	4	6	1
1993.....	24	-	1	1	8	7	6	1
1992.....	37	-	8	5	8	11	4	1
1991.....	33	-	1	4	7	14	6	1
1990.....	29	-	-	6	11	5	5	1
1989.....	25	-	3	7	6	7	2	-
1988.....	30	-	3	9	6	8	1	3
1987.....	20	-	1	7	6	1	3	2
1986.....	39	-	4	5	8	13	5	4
1985.....	35	-	2	8	11	7	4	3
1984.....	35	-	3	5	9	12	5	1
1983.....	48	-	3	15	12	9	8	1
1982.....	37	-	4	8	11	11	2	1
1981.....	31	-	2	3	9	10	4	3
1980.....	36	-	6	11	9	4	3	3
1979.....	34	-	2	6	15	8	3	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
 0 OTHER DIRECT OBSTETRIC CAUSES (642.0-642.3,644-646,651-659,661-665,667-669)

ALL OTHER, BOTH SEXES

1998.....	29	-	1	6	8	11	3	-
1997.....	21	-	1	2	5	7	2	4
1996.....	27	-	3	8	6	5	4	1
1995.....	29	-	3	5	5	9	3	4
1994.....	20	-	2	6	3	1	5	3
1993.....	23	-	5	3	5	4	6	-
1992.....	25	-	6	6	1	8	4	-
1991.....	20	-	2	7	5	3	3	-
1990.....	29	-	3	5	4	9	6	2
1989.....	26	-	2	2	10	9	3	-
1988.....	19	-	3	4	2	5	5	-
1987.....	21	-	2	4	9	2	3	1
1986.....	18	-	-	3	6	4	5	-
1985.....	33	-	5	6	8	8	3	3
1984.....	30	-	2	9	6	9	3	-
1983.....	30	-	4	13	6	5	2	-
1982.....	24	1	1	8	6	2	2	3
1981.....	20	-	5	5	3	2	2	2
1980.....	28	-	3	5	6	6	8	-
1979.....	37	1	6	11	6	4	6	3

ALL OTHER FEMALE

1998.....	29	-	1	6	8	11	3	-
1997.....	21	-	1	2	5	7	2	4
1996.....	27	-	3	8	6	5	4	1
1995.....	29	-	3	5	5	9	3	4
1994.....	20	-	2	6	3	1	5	3
1993.....	23	-	5	3	5	4	6	-
1992.....	25	-	6	6	1	8	4	-
1991.....	20	-	2	7	5	3	3	-
1990.....	29	-	3	5	4	9	6	2
1989.....	26	-	2	2	10	9	3	-
1988.....	19	-	3	4	2	5	5	-
1987.....	21	-	2	4	9	2	3	1
1986.....	18	-	-	3	6	4	5	-
1985.....	33	-	5	6	8	8	3	3
1984.....	30	-	2	9	6	9	3	-
1983.....	30	-	4	13	6	5	2	-
1982.....	24	1	1	8	6	2	2	3
1981.....	20	-	5	5	3	2	2	2
1980.....	28	-	3	5	6	6	8	-
1979.....	37	1	6	11	6	4	6	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

0 OTHER DIRECT OBSTETRIC CAUSES (642.0-642.3,644-646,651-659,661-665,667-669)

BLACK, BOTH SEXES

1998.....	23	-	1	6	6	9	1	-
1997.....	19	-	1	2	5	7	2	2
1996.....	23	-	2	8	6	4	2	1
1995.....	24	-	3	4	5	7	3	2
1994.....	18	-	2	6	2	1	5	2
1993.....	21	-	5	3	4	3	6	-
1992.....	21	-	6	5	1	7	2	-
1991.....	19	-	2	6	5	3	3	-
1990.....	26	-	3	5	4	8	5	1
1989.....	22	-	2	2	10	5	3	-
1988.....	17	-	3	4	2	4	4	-
1987.....	19	-	2	4	8	1	3	1
1986.....	17	-	-	3	6	4	4	-
1985.....	30	-	4	5	7	8	3	3
1984.....	26	-	2	9	3	8	3	-
1983.....	27	-	4	12	5	5	1	-
1982.....	23	1	1	8	6	2	2	2
1981.....	20	-	5	5	3	2	2	2
1980.....	25	-	3	5	4	6	7	-
1979.....	35	1	6	11	5	4	6	2

BLACK FEMALE

1998.....	23	-	1	6	6	9	1	-
1997.....	19	-	1	2	5	7	2	2
1996.....	23	-	2	8	6	4	2	1
1995.....	24	-	3	4	5	7	3	2
1994.....	18	-	2	6	2	1	5	2
1993.....	21	-	5	3	4	3	6	-
1992.....	21	-	6	5	1	7	2	-
1991.....	19	-	2	6	5	3	3	-
1990.....	26	-	3	5	4	8	5	1
1989.....	22	-	2	2	10	5	3	-
1988.....	17	-	3	4	2	4	4	-
1987.....	19	-	2	4	8	1	3	1
1986.....	17	-	-	3	6	4	4	-
1985.....	30	-	4	5	7	8	3	3
1984.....	26	-	2	9	3	8	3	-
1983.....	27	-	4	12	5	5	1	-
1982.....	23	1	1	8	6	2	2	2
1981.....	20	-	5	5	3	2	2	2
1980.....	25	-	3	5	4	6	7	-
1979.....	35	1	6	11	5	4	6	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INDIRECT OBSTETRIC CAUSES (647-648)											
TOTAL, BOTH SEXES											
1998.....	20	-	3	3	5	6	2	1
1997.....	8	-	1	1	2	1	2	-
1996.....	18	-	2	4	4	5	1	2
1995.....	19	-	1	3	5	5	5	-
1994.....	20	-	3	4	6	3	4	-
1993.....	14	-	1	4	3	4	2	-
1992.....	17	-	-	5	3	6	3	-
1991.....	16	-	1	3	5	5	-	-
1990.....	21	-	1	2	6	9	2	1
1989.....	29	-	2	5	10	7	3	2
1988.....	16	-	1	5	2	3	4	-
1987.....	15	-	2	4	3	4	2	-
1986.....	20	-	3	5	7	5	-	-
1985.....	14	-	2	3	4	1	2	2
1984.....	5	-	-	1	1	2	-	1
1983.....	8	-	2	-	3	2	1	-
1982.....	13	-	2	3	5	2	1	-
1981.....	15	1	-	5	3	4	1	1
1980.....	11	-	1	4	1	2	2	1
1979.....	10	-	1	1	2	4	1	1
TOTAL, FEMALE											
1998.....	20	-	3	3	5	6	2	1
1997.....	8	-	1	1	2	1	2	-
1996.....	18	-	2	4	4	5	1	2
1995.....	19	-	1	3	5	5	5	-
1994.....	20	-	3	4	6	3	4	-
1993.....	14	-	1	4	3	4	2	-
1992.....	17	-	-	5	3	6	3	-
1991.....	16	-	1	3	5	5	-	-
1990.....	21	-	1	2	6	9	2	1
1989.....	29	-	2	5	10	7	3	2
1988.....	16	-	1	5	2	3	4	-
1987.....	15	-	2	4	3	4	2	-
1986.....	20	-	3	5	7	5	-	-
1985.....	14	-	2	3	4	1	2	2
1984.....	5	-	-	1	1	2	-	1
1983.....	8	-	2	-	3	2	1	-
1982.....	13	-	2	3	5	2	1	-
1981.....	15	1	-	5	3	4	1	1
1980.....	11	-	1	4	1	2	2	1
1979.....	10	-	1	1	2	4	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INDIRECT OBSTETRIC CAUSES (647-648)											
WHITE, BOTH SEXES											
1998.....	14	-	2	2	4	3	2	1
1997.....	6	-	1	1	-	1	2	-
1996.....	9	-	1	1	3	2	1	1
1995.....	9	-	-	2	4	2	1	-
1994.....	12	-	2	3	5	-	2	-
1993.....	7	-	-	2	1	3	1	-
1992.....	10	-	-	4	1	3	2	-
1991.....	7	-	1	2	1	2	-	-
1990.....	14	-	1	2	4	5	1	1
1989.....	15	-	1	2	6	5	1	-
1988.....	7	-	-	2	-	1	4	-
1987.....	9	-	1	2	3	2	1	-
1986.....	6	-	3	1	1	1	-	-
1985.....	10	-	1	3	3	1	1	1
1984.....	3	-	-	1	1	1	-	-
1983.....	6	-	2	-	3	-	1	-
1982.....	7	-	-	2	3	1	1	-
1981.....	10	-	-	2	3	3	1	1
1980.....	5	-	-	2	1	1	1	-
1979.....	3	-	1	1	-	-	-	1
WHITE FEMALE											
1998.....	14	-	2	2	4	3	2	1
1997.....	6	-	1	1	-	1	2	-
1996.....	9	-	1	1	3	2	1	1
1995.....	9	-	-	2	4	2	1	-
1994.....	12	-	2	3	5	-	2	-
1993.....	7	-	-	2	1	3	1	-
1992.....	10	-	-	4	1	3	2	-
1991.....	7	-	1	2	1	2	-	-
1990.....	14	-	1	2	4	5	1	1
1989.....	15	-	1	2	6	5	1	-
1988.....	7	-	-	2	-	1	4	-
1987.....	9	-	1	2	3	2	1	-
1986.....	6	-	3	1	1	1	-	-
1985.....	10	-	1	3	3	1	1	1
1984.....	3	-	-	1	1	1	-	-
1983.....	6	-	2	-	3	-	1	-
1982.....	7	-	-	2	3	1	1	-
1981.....	10	-	-	2	3	3	1	1
1980.....	5	-	-	2	1	1	1	-
1979.....	3	-	1	1	-	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INDIRECT OBSTETRIC CAUSES (647-648)											
ALL OTHER, BOTH SEXES											
1998.....	6	-	1	1	1	3	-	-
1997.....	2	-	-	-	2	-	-	-
1996.....	9	-	1	3	1	3	-	1
1995.....	10	-	1	1	1	3	4	-
1994.....	8	-	1	1	1	3	2	-
1993.....	7	-	1	2	2	1	1	-
1992.....	7	-	-	1	2	3	1	-
1991.....	9	-	-	1	4	3	-	-
1990.....	7	-	-	-	2	4	1	-
1989.....	14	-	1	3	4	2	2	2
1988.....	9	-	1	3	2	2	-	-
1987.....	6	-	1	2	-	2	1	-
1986.....	14	-	-	4	6	4	-	-
1985.....	4	-	1	-	1	-	1	1
1984.....	2	-	-	-	-	1	-	1
1983.....	2	-	-	-	-	2	-	-
1982.....	6	-	2	1	2	1	-	-
1981.....	5	1	-	3	-	1	-	-
1980.....	6	-	1	2	-	1	1	1
1979.....	7	-	-	-	2	4	1	-
ALL OTHER FEMALE											
1998.....	6	-	1	1	1	3	-	-
1997.....	2	-	-	-	2	-	-	-
1996.....	9	-	1	3	1	3	-	1
1995.....	10	-	1	1	1	3	4	-
1994.....	8	-	1	1	1	3	2	-
1993.....	7	-	1	2	2	1	1	-
1992.....	7	-	-	1	2	3	1	-
1991.....	9	-	-	1	4	3	-	-
1990.....	7	-	-	-	2	4	1	-
1989.....	14	-	1	3	4	2	2	2
1988.....	9	-	1	3	2	2	-	-
1987.....	6	-	1	2	-	2	1	-
1986.....	14	-	-	4	6	4	-	-
1985.....	4	-	1	-	1	-	1	1
1984.....	2	-	-	-	-	1	-	1
1983.....	2	-	-	-	-	2	-	-
1982.....	6	-	2	1	2	1	-	-
1981.....	5	1	-	3	-	1	-	-
1980.....	6	-	1	2	-	1	1	1
1979.....	7	-	-	-	2	4	1	-

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
INDIRECT OBSTETRIC CAUSES (647-648) YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK, BOTH SEXES											
1998.....	5	-	1	1	1	2	-	-
1997.....	2	-	-	-	2	-	-	-
1996.....	9	-	1	3	1	3	-	1
1995.....	9	-	1	1	1	2	4	-
1994.....	7	-	1	1	1	2	2	-
1993.....	6	-	1	2	2	-	1	-
1992.....	7	-	-	1	2	3	1	-
1991.....	9	-	-	1	4	3	-	-
1990.....	7	-	-	-	2	4	1	-
1989.....	13	-	1	3	3	2	2	2
1988.....	9	-	1	3	2	2	-	-
1987.....	6	-	1	2	-	2	1	-
1986.....	12	-	-	3	6	3	-	-
1985.....	4	-	1	-	1	-	1	1
1984.....	2	-	-	-	-	1	-	1
1983.....	2	-	-	-	-	2	-	-
1982.....	6	-	2	1	2	1	-	-
1981.....	5	1	-	3	-	1	-	-
1980.....	6	-	1	2	-	1	1	1
1979.....	7	-	-	-	2	4	1	-
BLACK FEMALE											
1998.....	5	-	1	1	1	2	-	-
1997.....	2	-	-	-	2	-	-	-
1996.....	9	-	1	3	1	3	-	1
1995.....	9	-	1	1	1	2	4	-
1994.....	7	-	1	1	1	2	2	-
1993.....	6	-	1	2	2	-	1	-
1992.....	7	-	-	1	2	3	1	-
1991.....	9	-	-	1	4	3	-	-
1990.....	7	-	-	-	2	4	1	-
1989.....	13	-	1	3	3	2	2	2
1988.....	9	-	1	3	2	2	-	-
1987.....	6	-	1	2	-	2	1	-
1986.....	12	-	-	3	6	3	-	-
1985.....	4	-	1	-	1	-	1	1
1984.....	2	-	-	-	-	1	-	1
1983.....	2	-	-	-	-	2	-	-
1982.....	6	-	2	1	2	1	-	-
1981.....	5	1	-	3	-	1	-	-
1980.....	6	-	1	2	-	1	1	1
1979.....	7	-	-	-	2	4	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DELIVERY IN A COMPLETELY NORMAL CASE (650)											
TOTAL, BOTH SEXES											
1988.....	1	-	-	-	-	1	-	-
1986.....	1	-	-	-	1	-	-	-
1979.....	1	-	-	-	-	1	-	-
TOTAL, FEMALE											
1988.....	1	-	-	-	-	1	-	-
1986.....	1	-	-	-	1	-	-	-
1979.....	1	-	-	-	-	1	-	-
WHITE, BOTH SEXES											
1988.....	1	-	-	-	-	1	-	-
1979.....	1	-	-	-	-	1	-	-
WHITE FEMALE											
1988.....	1	-	-	-	-	1	-	-
1979.....	1	-	-	-	-	1	-	-
ALL OTHER, BOTH SEXES											
1986.....	1	-	-	-	1	-	-	-
ALL OTHER FEMALE											
1986.....	1	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)											
TOTAL, BOTH SEXES											
1998.....	3,222	4	-	1	5	5	11	11	20	44	53
1997.....	3,109	6	2	4	6	-	7	10	16	28	43
1996.....	3,171	7	4	-	2	14	3	11	24	28	45
1995.....	3,231	5	6	3	1	5	9	14	22	32	42
1994.....	3,330	4	5	3	4	5	4	14	32	48	44
1993.....	3,222	4	6	2	2	8	4	19	29	30	57
1992.....	3,122	2	4	1	1	4	8	14	19	20	48
1991.....	3,282	8	4	2	2	7	11	11	27	24	33
1990.....	3,557	8	3	2	3	6	10	15	23	23	28
1989.....	3,806	7	5	2	3	2	8	13	28	27	41
1988.....	3,830	6	4	2	2	2	8	16	25	41	28
1987.....	3,880	1	3	-	3	4	8	10	21	25	38
1986.....	3,843	13	3	2	5	3	7	15	18	23	29
1985.....	3,852	9	3	3	1	5	8	14	16	27	31
1984.....	3,598	7	3	2	3	6	8	19	17	26	26
1983.....	3,297	9	8	4	1	4	10	11	14	20	26
1982.....	3,090	11	5	1	2	6	9	19	20	27	20
1981.....	2,937	15	6	2	2	6	9	19	18	26	24
1980.....	2,855	14	6	3	4	13	6	17	21	21	21
1979.....	2,761	12	7	5	-	5	12	11	23	17	36
TOTAL, MALE											
1998.....	1,173	-	-	1	4	2	3	5	12	23	32
1997.....	1,087	2	1	3	2	-	1	6	7	10	27
1996.....	1,155	5	2	-	1	6	3	7	8	15	27
1995.....	1,209	4	3	3	1	3	5	10	8	16	25
1994.....	1,232	3	2	2	4	2	1	6	14	26	18
1993.....	1,181	3	2	1	1	2	2	6	10	15	37
1992.....	1,170	-	3	1	-	-	4	6	5	11	24
1991.....	1,168	5	2	2	-	2	3	8	15	8	19
1990.....	1,295	4	3	1	1	-	2	5	13	10	14
1989.....	1,429	5	4	2	2	2	5	5	12	16	22
1988.....	1,395	2	3	-	2	-	3	5	15	23	13
1987.....	1,417	-	1	-	1	4	5	3	11	10	21
1986.....	1,471	9	2	1	3	-	2	5	14	10	15
1985.....	1,442	3	3	1	-	4	3	6	10	10	20
1984.....	1,352	5	2	2	-	4	3	8	8	15	9
1983.....	1,252	6	3	2	1	-	4	5	8	14	14
1982.....	1,142	6	3	-	-	3	3	8	6	10	11
1981.....	1,100	7	2	2	1	3	3	8	5	11	14
1980.....	1,071	6	5	1	1	5	4	5	10	5	10
1979.....	1,033	6	4	2	-	2	6	4	15	7	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)											
TOTAL, FEMALE											
1998.....	2,049	4	-	-	1	3	8	6	8	21	21
1997.....	2,022	4	1	1	4	-	6	4	9	18	16
1996.....	2,016	2	2	-	1	8	-	4	16	13	18
1995.....	2,022	1	3	-	-	2	4	4	14	16	17
1994.....	2,098	1	3	1	-	3	3	8	18	22	26
1993.....	2,041	1	4	1	1	6	2	13	19	15	20
1992.....	1,952	2	1	-	1	4	4	8	14	9	24
1991.....	2,114	3	2	-	2	5	8	3	12	16	14
1990.....	2,262	4	-	1	2	6	8	10	10	13	14
1989.....	2,377	2	1	-	1	-	3	8	16	11	19
1988.....	2,435	4	1	2	-	2	5	11	10	18	15
1987.....	2,463	1	2	-	2	-	3	7	10	15	17
1986.....	2,372	4	1	1	2	3	5	10	4	13	14
1985.....	2,410	6	-	2	1	1	5	8	6	17	11
1984.....	2,246	2	1	-	3	2	5	11	9	11	17
1983.....	2,045	3	5	2	-	4	6	6	6	6	12
1982.....	1,948	5	2	1	2	3	6	11	14	17	9
1981.....	1,837	8	4	-	1	3	6	11	13	15	10
1980.....	1,784	8	1	2	3	8	2	12	11	16	11
1979.....	1,728	6	3	3	-	3	6	7	8	10	20
WHITE, BOTH SEXES											
1998.....	2,445	3	-	-	4	4	7	6	8	28	27
1997.....	2,311	5	1	2	4	-	4	5	10	14	24
1996.....	2,342	4	3	-	2	8	-	4	12	17	29
1995.....	2,390	4	2	2	1	3	6	6	16	17	27
1994.....	2,463	3	4	1	2	5	2	7	16	32	27
1993.....	2,302	2	5	1	1	3	1	10	18	15	35
1992.....	2,277	1	3	1	-	1	4	5	11	10	25
1991.....	2,374	4	2	1	2	4	4	8	15	15	17
1990.....	2,528	4	-	1	3	2	1	7	15	9	14
1989.....	2,739	4	2	2	2	2	4	6	14	12	19
1988.....	2,733	5	2	1	2	1	4	7	15	25	18
1987.....	2,805	1	2	-	1	3	5	8	10	15	23
1986.....	2,758	6	1	1	2	1	3	7	7	8	14
1985.....	2,821	5	1	3	1	2	6	7	9	17	18
1984.....	2,567	5	1	2	2	3	4	9	11	15	12
1983.....	2,394	5	6	3	1	3	4	3	7	11	14
1982.....	2,233	7	5	1	2	4	5	14	11	15	13
1981.....	2,140	9	3	1	2	-	6	13	11	16	16
1980.....	2,129	6	4	2	1	9	3	7	12	13	11
1979.....	2,060	7	5	3	-	2	8	5	13	13	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)											
WHITE MALE											
1998.....	894	-	-	-	3	2	3	2	6	17	17
1997.....	813	1	1	2	1	-	-	3	5	5	15
1996.....	835	4	2	-	1	2	-	3	4	8	20
1995.....	877	3	1	2	1	2	4	5	7	8	16
1994.....	885	3	1	1	2	2	-	4	9	21	10
1993.....	832	2	2	1	-	1	1	2	6	8	24
1992.....	839	-	3	1	-	-	2	2	4	6	13
1991.....	857	3	1	1	-	-	1	6	11	5	12
1990.....	912	3	-	1	1	-	-	1	7	4	7
1989.....	1,023	2	2	2	1	2	3	2	7	7	11
1988.....	994	2	1	-	2	-	1	3	9	16	7
1987.....	1,001	-	1	-	-	3	3	2	5	5	14
1986.....	1,044	6	1	1	1	-	1	4	7	2	8
1985.....	1,052	2	1	1	-	2	3	4	5	6	12
1984.....	967	4	-	2	-	3	2	4	2	9	3
1983.....	899	5	2	1	1	-	1	2	5	7	7
1982.....	839	2	3	-	-	2	2	7	4	9	9
1981.....	818	6	2	1	1	-	3	5	5	5	10
1980.....	797	2	3	1	-	4	2	1	7	3	5
1979.....	772	4	3	1	-	-	5	3	10	4	8
WHITE FEMALE											
1998.....	1,551	3	-	-	1	2	4	4	2	11	10
1997.....	1,498	4	-	-	3	-	4	2	5	9	9
1996.....	1,507	-	1	-	1	6	-	1	8	9	9
1995.....	1,513	1	1	-	-	1	2	1	9	9	11
1994.....	1,578	-	3	-	-	3	2	3	7	11	17
1993.....	1,470	-	3	-	1	2	-	8	12	7	11
1992.....	1,438	1	-	-	-	1	2	3	7	4	12
1991.....	1,517	1	1	-	2	4	3	2	4	10	5
1990.....	1,616	1	-	-	2	2	1	6	8	5	7
1989.....	1,716	2	-	-	1	-	1	4	7	5	8
1988.....	1,739	3	1	1	-	1	3	4	6	9	11
1987.....	1,804	1	1	-	1	-	2	6	5	10	9
1986.....	1,714	-	-	-	1	1	2	3	-	6	6
1985.....	1,769	3	-	2	1	-	3	3	4	11	6
1984.....	1,600	1	1	-	2	-	2	5	9	6	9
1983.....	1,495	-	4	2	-	3	3	1	2	4	7
1982.....	1,394	5	2	1	2	2	3	7	7	6	4
1981.....	1,322	3	1	-	1	-	3	8	6	11	6
1980.....	1,332	4	1	1	1	5	1	6	5	10	6
1979.....	1,288	3	2	2	-	2	3	2	3	9	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)											
ALL OTHER, BOTH SEXES											
1998.....	777	1	-	1	1	1	4	5	12	16	26
1997.....	798	1	1	2	2	-	3	5	6	14	19
1996.....	829	3	1	-	-	6	3	7	12	11	16
1995.....	841	1	4	1	-	2	3	8	6	15	15
1994.....	867	1	1	2	2	-	2	7	16	16	17
1993.....	920	2	1	1	1	5	3	9	11	15	22
1992.....	845	1	1	-	1	3	4	9	8	10	23
1991.....	908	4	2	1	-	3	7	3	12	9	16
1990.....	1,029	4	3	1	-	4	9	8	8	14	14
1989.....	1,067	3	3	-	1	-	4	7	14	15	22
1988.....	1,097	1	2	1	-	1	4	9	10	16	10
1987.....	1,075	-	1	-	2	1	3	2	11	10	15
1986.....	1,085	7	2	1	3	2	4	8	11	15	15
1985.....	1,031	4	2	-	-	3	2	7	7	10	13
1984.....	1,031	2	2	-	1	3	4	10	6	11	14
1983.....	903	4	2	1	-	1	6	8	7	9	12
1982.....	857	4	-	-	-	2	4	5	9	12	7
1981.....	797	6	3	1	-	6	3	6	7	10	8
1980.....	726	8	2	1	3	4	3	10	9	8	10
1979.....	701	5	2	2	-	3	4	6	10	4	15
ALL OTHER MALE											
1998.....	279	-	-	1	1	-	-	3	6	6	15
1997.....	274	1	-	1	1	-	1	3	2	5	12
1996.....	320	1	-	-	-	4	3	4	4	7	7
1995.....	332	1	2	1	-	1	1	5	1	8	9
1994.....	347	-	1	1	2	-	1	2	5	5	8
1993.....	349	1	-	-	1	1	1	4	4	7	13
1992.....	331	-	-	-	-	-	2	4	1	5	11
1991.....	311	2	1	1	-	2	2	2	4	3	7
1990.....	383	1	3	-	-	-	2	4	6	6	7
1989.....	406	3	2	-	1	-	2	3	5	9	11
1988.....	401	-	2	-	-	-	2	2	6	7	6
1987.....	416	-	-	-	1	1	2	1	6	5	7
1986.....	427	3	1	-	2	-	1	1	7	8	7
1985.....	390	1	2	-	-	2	-	2	5	4	8
1984.....	385	1	2	-	-	1	1	4	6	6	6
1983.....	353	1	1	1	-	-	3	3	3	7	7
1982.....	303	4	-	-	-	1	1	1	2	1	2
1981.....	282	1	-	1	-	3	-	3	-	6	4
1980.....	274	4	2	-	1	1	2	4	3	2	5
1979.....	261	2	1	1	-	2	1	1	5	3	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)											
ALL OTHER FEMALE											
1998.....	498	1	-	-	-	1	4	2	6	10	11
1997.....	524	-	1	1	1	-	2	2	4	9	7
1996.....	509	2	1	-	-	2	-	3	8	4	9
1995.....	509	-	2	-	-	1	2	3	5	7	6
1994.....	520	1	-	1	-	-	1	5	11	11	9
1993.....	571	1	1	1	-	4	2	5	7	8	9
1992.....	514	1	1	-	1	3	2	5	7	5	12
1991.....	597	2	1	-	-	1	5	1	8	6	9
1990.....	646	3	-	1	-	4	7	4	2	8	7
1989.....	661	-	1	-	-	-	2	4	9	6	11
1988.....	696	1	-	1	-	1	2	7	4	9	4
1987.....	659	-	1	-	1	-	1	1	5	5	8
1986.....	658	4	1	1	1	2	3	7	4	7	8
1985.....	641	3	-	-	-	1	2	5	2	6	5
1984.....	646	1	-	-	1	2	3	6	-	5	8
1983.....	550	3	1	-	-	1	3	5	4	2	5
1982.....	554	-	-	-	-	1	3	4	7	11	5
1981.....	515	5	3	-	-	3	3	3	7	4	4
1980.....	452	4	-	1	2	3	1	6	6	6	5
1979.....	440	3	1	1	-	1	3	5	5	1	7
BLACK, BOTH SEXES											
1998.....	723	1	-	1	-	-	4	5	10	16	26
1997.....	748	1	1	2	1	-	3	5	5	14	16
1996.....	770	2	1	-	-	6	3	6	11	10	16
1995.....	794	1	4	1	-	2	2	8	5	14	13
1994.....	811	1	1	1	1	-	2	5	13	14	15
1993.....	875	2	-	1	1	5	2	9	11	14	20
1992.....	806	1	1	-	1	3	4	9	8	9	22
1991.....	881	4	2	1	-	2	7	3	11	9	15
1990.....	983	3	3	1	-	4	9	6	8	14	13
1989.....	1,019	3	2	-	1	-	3	7	13	14	20
1988.....	1,059	1	2	-	-	1	4	9	10	15	9
1987.....	1,039	-	1	-	2	1	3	2	11	10	15
1986.....	1,049	6	2	-	2	2	4	8	10	14	14
1985.....	990	4	1	-	-	3	2	6	6	10	12
1984.....	995	2	1	-	1	3	4	9	6	11	14
1983.....	877	3	1	1	-	-	6	7	7	9	12
1982.....	837	4	-	-	-	2	4	5	8	12	6
1981.....	772	5	2	1	-	6	3	6	7	10	8
1980.....	702	8	2	1	3	4	3	10	9	8	9
1979.....	677	4	1	2	-	3	4	6	10	4	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)											
BLACK MALE											
1998.....	255	-	-	1	-	-	-	3	4	6	15
1997.....	252	1	-	1	-	-	1	3	1	5	10
1996.....	300	1	-	-	-	4	3	3	4	7	7
1995.....	304	1	2	1	-	1	-	5	-	8	7
1994.....	327	-	1	1	1	-	1	2	3	5	7
1993.....	329	1	-	-	1	1	1	4	4	6	12
1992.....	311	-	-	-	-	-	2	4	1	5	10
1991.....	300	2	1	1	-	2	2	2	4	3	6
1990.....	358	1	3	-	-	-	2	3	6	6	6
1989.....	379	3	1	-	1	-	1	3	5	9	9
1988.....	384	-	2	-	-	-	2	2	6	6	6
1987.....	405	-	-	-	1	1	2	1	6	5	7
1986.....	411	3	1	-	1	-	1	1	6	7	7
1985.....	374	1	1	-	-	2	-	2	5	4	8
1984.....	372	1	1	-	-	1	1	4	6	6	6
1983.....	342	1	-	1	-	-	3	2	3	7	7
1982.....	296	4	-	-	-	1	1	1	2	1	2
1981.....	272	1	-	1	-	3	-	3	-	6	4
1980.....	260	4	2	-	1	1	2	4	3	2	5
1979.....	249	1	-	1	-	2	1	1	5	3	8
BLACK FEMALE											
1998.....	468	1	-	-	-	-	4	2	6	10	11
1997.....	496	-	1	1	1	-	2	2	4	9	6
1996.....	470	1	1	-	-	2	-	3	7	3	9
1995.....	490	-	2	-	-	1	2	3	5	6	6
1994.....	484	1	-	-	-	-	1	3	10	9	8
1993.....	546	1	-	1	-	4	1	5	7	8	8
1992.....	495	1	1	-	1	3	2	5	7	4	12
1991.....	581	2	1	-	-	-	5	1	7	6	9
1990.....	625	2	-	1	-	4	7	3	2	8	7
1989.....	640	-	1	-	-	-	2	4	8	5	11
1988.....	675	1	-	-	-	1	2	7	4	9	3
1987.....	634	-	1	-	1	-	1	1	5	5	8
1986.....	638	3	1	-	1	2	3	7	4	7	7
1985.....	616	3	-	-	-	1	2	4	1	6	4
1984.....	623	1	-	-	1	2	3	5	-	5	8
1983.....	535	2	1	-	-	-	3	5	4	2	5
1982.....	541	-	-	-	-	1	3	4	6	11	4
1981.....	500	4	2	-	-	3	3	3	7	4	4
1980.....	442	4	-	1	2	3	1	6	6	6	4
1979.....	428	3	1	1	-	1	3	5	5	1	6

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)											
TOTAL, BOTH SEXES											
1998.....	987	2	-	-	1	1	2	2	5	20	25
1997.....	870	4	-	-	1	-	1	5	8	7	18
1996.....	902	1	-	-	-	3	-	4	9	15	25
1995.....	864	1	-	1	1	-	1	5	11	11	19
1994.....	857	-	1	1	2	2	1	8	12	29	22
1993.....	778	1	2	2	1	2	2	7	10	11	27
1992.....	749	1	1	-	-	1	2	5	6	12	26
1991.....	747	2	-	-	-	2	4	6	10	13	15
1990.....	771	1	-	1	-	-	5	5	11	7	7
1989.....	812	2	-	-	-	2	1	6	10	10	20
1988.....	791	2	1	-	2	1	1	4	10	19	14
1987.....	835	-	2	-	1	4	3	5	7	11	19
1986.....	706	5	-	1	-	1	1	5	5	6	14
1985.....	772	1	2	-	1	1	-	5	11	10	18
1984.....	736	5	-	2	-	4	-	5	9	10	6
1983.....	570	2	1	1	-	-	1	2	7	10	14
1982.....	637	3	1	1	-	2	1	7	8	12	10
1981.....	578	4	2	1	1	2	2	9	5	11	11
1980.....	581	3	2	-	-	4	2	9	6	5	10
1979.....	582	5	2	3	-	1	2	2	10	6	19
TOTAL, MALE											
1998.....	434	-	-	-	1	-	1	2	5	9	21
1997.....	344	1	-	-	-	-	-	3	4	2	12
1996.....	400	-	-	-	-	2	-	3	2	7	15
1995.....	342	1	-	1	1	-	1	4	5	5	11
1994.....	335	-	1	1	2	1	-	3	3	16	9
1993.....	307	-	1	1	1	1	-	1	4	7	18
1992.....	333	-	1	-	-	-	1	2	2	9	17
1991.....	285	2	-	-	-	2	2	3	7	6	10
1990.....	315	-	-	1	-	-	2	3	8	5	5
1989.....	338	2	-	-	-	2	1	2	6	7	11
1988.....	318	1	1	-	2	-	-	1	6	11	8
1987.....	334	-	1	-	1	4	1	2	5	2	13
1986.....	314	4	-	1	-	-	1	3	4	3	8
1985.....	309	1	2	-	-	1	-	4	7	5	11
1984.....	303	3	-	2	-	3	-	2	5	7	2
1983.....	245	2	1	1	-	-	1	1	5	7	8
1982.....	257	1	1	-	-	2	1	5	3	4	7
1981.....	245	1	1	1	-	1	1	5	1	7	8
1980.....	268	1	2	-	-	3	2	5	4	2	5
1979.....	251	2	1	1	-	-	2	2	7	3	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)											
TOTAL, FEMALE											
1998.....	553	2	-	-	-	1	1	-	-	11	4
1997.....	526	3	-	-	1	-	1	2	4	5	6
1996.....	502	1	-	-	-	1	-	1	7	8	10
1995.....	522	-	-	-	-	-	-	1	6	6	8
1994.....	522	-	-	-	-	1	1	5	9	13	13
1993.....	471	1	1	1	-	1	2	6	6	4	9
1992.....	416	1	-	-	-	1	1	3	4	3	9
1991.....	462	-	-	-	-	-	2	3	3	7	5
1990.....	456	1	-	-	-	-	3	2	3	2	2
1989.....	474	-	-	-	-	-	-	4	4	3	9
1988.....	473	1	-	-	-	1	1	3	4	8	6
1987.....	501	-	1	-	-	-	2	3	2	9	6
1986.....	392	1	-	-	-	1	-	2	1	3	6
1985.....	463	-	-	-	1	-	-	1	4	5	7
1984.....	433	2	-	-	-	1	-	3	4	3	4
1983.....	325	-	-	-	-	-	-	1	2	3	6
1982.....	380	2	-	1	-	-	-	2	5	8	3
1981.....	333	3	1	-	1	1	1	4	4	4	3
1980.....	313	2	-	-	-	1	-	4	2	3	5
1979.....	331	3	1	2	-	1	-	-	3	3	10
WHITE, BOTH SEXES											
1998.....	835	1	-	-	1	1	1	1	2	12	12
1997.....	754	3	-	-	-	-	1	3	6	3	10
1996.....	754	-	-	-	-	-	-	1	7	8	18
1995.....	737	1	-	1	1	-	1	1	8	8	15
1994.....	719	-	1	-	1	2	1	4	7	22	14
1993.....	646	-	2	1	-	1	-	5	8	7	19
1992.....	632	1	1	-	-	-	2	4	5	5	15
1991.....	623	1	-	-	-	-	2	3	7	8	8
1990.....	628	-	-	1	-	-	-	3	6	3	5
1989.....	671	-	-	-	-	2	1	3	5	5	9
1988.....	666	2	-	-	2	1	1	1	7	14	8
1987.....	701	-	2	-	-	3	2	4	5	7	15
1986.....	580	3	-	1	-	-	1	2	3	3	7
1985.....	638	-	1	-	1	1	-	4	5	4	11
1984.....	602	3	-	2	-	3	-	4	5	5	4
1983.....	472	2	-	1	-	-	1	1	2	6	9
1982.....	532	3	1	1	-	2	-	6	4	8	8
1981.....	462	2	1	-	1	-	1	6	2	6	7
1980.....	472	2	1	-	-	4	1	4	5	3	7
1979.....	479	3	1	1	-	1	2	2	6	3	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)											
WHITE MALE											
1998.....	367	-	-	-	1	-	1	1	2	7	10
1997.....	295	-	-	-	-	-	-	1	3	-	7
1996.....	334	-	-	-	-	-	-	1	2	2	13
1995.....	291	1	-	1	1	-	1	1	4	4	8
1994.....	275	-	1	-	1	1	-	2	2	14	6
1993.....	259	-	1	1	-	1	-	-	4	3	12
1992.....	279	-	1	-	-	-	1	1	2	4	9
1991.....	241	1	-	-	-	-	1	1	6	5	6
1990.....	250	-	-	1	-	-	-	1	4	2	4
1989.....	274	-	-	-	-	2	1	1	3	3	6
1988.....	268	1	-	-	2	-	-	1	5	10	3
1987.....	282	-	1	-	-	3	-	1	4	1	10
1986.....	255	3	-	1	-	-	1	2	3	-	4
1985.....	244	-	1	-	-	1	-	3	3	2	6
1984.....	253	2	-	2	-	3	-	2	1	3	1
1983.....	203	2	-	1	-	-	1	1	2	4	6
1982.....	219	1	1	-	-	2	-	4	2	4	7
1981.....	195	1	1	-	-	-	1	3	1	3	6
1980.....	211	1	1	-	-	3	1	1	3	1	4
1979.....	202	1	1	-	-	-	2	2	5	1	4
WHITE FEMALE											
1998.....	468	1	-	-	-	1	-	-	-	5	2
1997.....	459	3	-	-	-	-	1	2	3	3	3
1996.....	420	-	-	-	-	-	-	-	5	6	5
1995.....	446	-	-	-	-	-	-	-	4	4	7
1994.....	444	-	-	-	-	1	1	2	5	8	8
1993.....	387	-	1	-	-	-	-	5	4	4	7
1992.....	353	1	-	-	-	-	1	3	3	1	6
1991.....	382	-	-	-	-	-	1	2	1	3	2
1990.....	378	-	-	-	-	-	-	2	2	1	1
1989.....	397	-	-	-	-	-	-	2	2	2	3
1988.....	398	1	-	-	-	1	1	-	2	4	5
1987.....	419	-	1	-	-	-	2	3	1	6	5
1986.....	325	-	-	-	-	-	-	-	-	3	3
1985.....	394	-	-	-	1	-	-	1	2	2	5
1984.....	349	1	-	-	-	-	-	2	4	2	3
1983.....	269	-	-	-	-	-	-	-	-	2	3
1982.....	313	2	-	1	-	-	-	2	2	4	1
1981.....	267	1	-	-	1	-	-	3	1	3	1
1980.....	261	1	-	-	-	1	-	3	2	2	3
1979.....	277	2	-	1	-	1	-	-	1	2	6

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)											
ALL OTHER, BOTH SEXES											
1998.....	152	1	-	-	-	-	1	1	3	8	13
1997.....	116	1	-	-	1	-	-	2	2	4	8
1996.....	148	1	-	-	-	3	-	3	2	7	7
1995.....	127	-	-	-	-	-	-	4	3	3	4
1994.....	138	-	-	1	1	-	-	4	5	7	8
1993.....	132	1	-	1	1	1	2	2	2	4	8
1992.....	117	-	-	-	-	1	-	1	1	7	11
1991.....	124	1	-	-	-	2	2	3	3	5	7
1990.....	143	1	-	-	-	-	5	2	5	4	2
1989.....	141	2	-	-	-	-	-	3	5	5	11
1988.....	125	-	1	-	-	-	-	3	3	5	6
1987.....	134	-	-	-	1	1	1	1	2	4	4
1986.....	126	2	-	-	-	1	-	3	2	3	7
1985.....	134	1	1	-	-	-	-	1	6	6	7
1984.....	134	2	-	-	-	1	-	1	4	5	2
1983.....	98	-	1	-	-	-	-	1	5	4	5
1982.....	105	-	-	-	-	-	1	1	4	4	2
1981.....	116	2	1	1	-	2	1	3	3	5	4
1980.....	109	1	1	-	1	-	1	5	1	2	3
1979.....	103	2	1	2	-	-	-	-	4	3	9
ALL OTHER MALE											
1998.....	67	-	-	-	-	-	-	1	3	2	11
1997.....	49	1	-	-	-	-	-	2	1	2	5
1996.....	66	-	-	-	-	2	-	2	-	5	2
1995.....	51	-	-	-	-	-	-	3	1	1	3
1994.....	60	-	-	1	1	-	-	1	1	2	3
1993.....	48	-	-	-	1	-	-	1	-	4	6
1992.....	54	-	-	-	-	-	-	1	-	5	8
1991.....	44	1	-	-	-	2	1	2	1	1	4
1990.....	65	-	-	-	-	-	2	2	4	3	1
1989.....	64	2	-	-	-	-	-	1	3	4	5
1988.....	50	-	1	-	-	-	-	-	1	1	5
1987.....	52	-	-	-	1	1	1	1	1	1	3
1986.....	59	1	-	-	-	-	-	1	1	3	4
1985.....	65	1	1	-	-	-	-	1	4	3	5
1984.....	50	1	-	-	-	-	-	-	4	4	1
1983.....	42	-	1	-	-	-	-	-	3	3	2
1982.....	38	-	-	-	-	-	1	1	1	-	-
1981.....	50	-	-	1	-	1	-	2	-	4	2
1980.....	57	-	1	-	-	-	1	4	1	1	1
1979.....	49	1	-	1	-	-	-	-	2	2	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)											
ALL OTHER FEMALE											
1998.....	85	1	-	-	-	-	1	-	-	6	2
1997.....	67	-	-	-	1	-	-	-	1	2	3
1996.....	82	1	-	-	-	1	-	1	2	2	5
1995.....	76	-	-	-	-	-	-	1	2	2	1
1994.....	78	-	-	-	-	-	-	3	4	5	5
1993.....	84	1	-	1	-	1	2	1	2	-	2
1992.....	63	-	-	-	-	1	-	-	1	2	3
1991.....	80	-	-	-	-	-	1	1	2	4	3
1990.....	78	1	-	-	-	-	3	-	1	1	1
1989.....	77	-	-	-	-	-	-	2	2	1	6
1988.....	75	-	-	-	-	-	-	3	2	4	1
1987.....	82	-	-	-	-	-	-	-	1	3	1
1986.....	67	1	-	-	-	1	-	2	1	-	3
1985.....	69	-	-	-	-	-	-	-	2	3	2
1984.....	84	1	-	-	-	1	-	1	-	1	1
1983.....	56	-	-	-	-	-	-	1	2	1	3
1982.....	67	-	-	-	-	-	-	-	3	4	2
1981.....	66	2	1	-	-	1	1	1	3	1	2
1980.....	52	1	-	-	-	-	-	1	-	1	2
1979.....	54	1	1	1	-	-	-	-	2	1	4
BLACK, BOTH SEXES											
1998.....	138	1	-	-	-	-	1	1	2	8	13
1997.....	102	1	-	-	1	-	-	2	1	4	6
1996.....	128	-	-	-	-	3	-	2	2	6	7
1995.....	110	-	-	-	-	-	-	4	2	3	3
1994.....	116	-	-	1	-	-	-	3	5	6	6
1993.....	116	1	-	1	1	1	1	2	2	3	7
1992.....	101	-	-	-	-	1	-	1	1	7	11
1991.....	120	1	-	-	-	2	2	3	3	5	7
1990.....	129	-	-	-	-	-	5	2	5	4	2
1989.....	128	2	-	-	-	-	-	3	4	5	10
1988.....	119	-	1	-	-	-	-	3	3	5	5
1987.....	122	-	-	-	1	1	1	1	2	4	4
1986.....	115	2	-	-	-	1	-	3	2	2	7
1985.....	124	1	-	-	-	-	-	1	5	6	6
1984.....	125	2	-	-	-	1	-	1	4	5	2
1983.....	85	-	-	-	-	-	-	1	5	4	5
1982.....	98	-	-	-	-	-	1	1	3	4	2
1981.....	105	1	1	1	-	2	1	3	3	5	4
1980.....	103	1	1	-	-	-	1	5	1	2	3
1979.....	95	2	1	2	-	-	-	-	4	3	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)

BLACK MALE

1998.....	63	-	-	-	-	-	-	1	2	2	11
1997.....	39	1	-	-	-	-	-	2	-	2	3
1996.....	59	-	-	-	-	2	-	1	-	5	2
1995.....	41	-	-	-	-	-	-	3	-	1	2
1994.....	51	-	-	1	-	-	-	1	1	2	2
1993.....	43	-	-	-	1	-	-	1	-	3	5
1992.....	45	-	-	-	-	-	-	1	-	5	8
1991.....	41	1	-	-	-	2	1	2	1	1	4
1990.....	59	-	-	-	-	-	2	2	4	3	1
1989.....	55	2	-	-	-	-	-	1	3	4	4
1988.....	49	-	1	-	-	-	-	-	1	1	5
1987.....	50	-	-	-	1	1	1	1	1	1	3
1986.....	53	1	-	-	-	-	-	1	1	2	4
1985.....	57	1	-	-	-	-	-	1	4	3	5
1984.....	48	1	-	-	-	-	-	-	4	4	1
1983.....	38	-	-	-	-	-	-	-	3	3	2
1982.....	35	-	-	-	-	-	1	1	1	-	-
1981.....	45	-	-	1	-	-	-	2	-	4	2
1980.....	51	-	1	-	-	-	1	4	1	1	1
1979.....	45	1	-	1	-	-	-	-	2	2	5

BLACK FEMALE

1998.....	75	1	-	-	-	-	1	-	-	6	2
1997.....	63	-	-	-	1	-	-	-	1	2	3
1996.....	69	-	-	-	-	1	-	1	2	1	5
1995.....	69	-	-	-	-	-	-	1	2	2	1
1994.....	65	-	-	-	-	-	-	2	4	4	4
1993.....	73	1	-	1	-	1	1	1	2	-	2
1992.....	56	-	-	-	-	1	-	-	1	2	3
1991.....	79	-	-	-	-	-	1	1	2	4	3
1990.....	70	-	-	-	-	-	3	-	1	1	1
1989.....	73	-	-	-	-	-	-	2	1	1	6
1988.....	70	-	-	-	-	-	-	3	2	4	-
1987.....	72	-	-	-	-	-	-	-	1	3	1
1986.....	62	1	-	-	-	1	-	2	1	-	3
1985.....	67	-	-	-	-	-	-	-	1	3	1
1984.....	77	1	-	-	-	1	-	1	-	1	1
1983.....	47	-	-	-	-	-	-	1	2	1	3
1982.....	63	-	-	-	-	-	-	-	2	4	2
1981.....	60	1	1	-	-	1	1	1	3	1	2
1980.....	52	1	-	-	-	-	-	1	-	1	2
1979.....	50	1	1	1	-	-	-	-	2	1	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)											
TOTAL, BOTH SEXES											
1998.....	2,235	2	-	1	4	4	9	9	15	24	28
1997.....	2,239	2	2	4	5	-	6	5	8	21	25
1996.....	2,269	6	4	-	2	11	3	7	15	13	20
1995.....	2,367	4	6	2	-	5	8	9	11	21	23
1994.....	2,473	4	4	2	2	3	3	6	20	19	22
1993.....	2,444	3	4	-	1	6	2	12	19	19	30
1992.....	2,373	1	3	1	1	3	6	9	13	8	22
1991.....	2,535	6	4	2	2	5	7	5	17	11	18
1990.....	2,786	7	3	1	3	6	5	10	12	16	21
1989.....	2,994	5	5	2	3	-	7	7	18	17	21
1988.....	3,039	4	3	2	-	1	7	12	15	22	14
1987.....	3,045	1	1	-	2	-	5	5	14	14	19
1986.....	3,137	8	3	1	5	2	6	10	13	17	15
1985.....	3,080	8	1	3	-	4	8	9	5	17	13
1984.....	2,862	2	3	-	3	2	8	14	8	16	20
1983.....	2,727	7	7	3	1	4	9	9	7	10	12
1982.....	2,453	8	4	-	2	4	8	12	12	15	10
1981.....	2,359	11	4	1	1	4	7	10	13	15	13
1980.....	2,274	11	4	3	4	9	4	8	15	16	11
1979.....	2,179	7	5	2	-	4	10	9	13	11	17
TOTAL, MALE											
1998.....	739	-	-	1	3	2	2	3	7	14	11
1997.....	743	1	1	3	2	-	1	3	3	8	15
1996.....	755	5	2	-	1	4	3	4	6	8	12
1995.....	867	3	3	2	-	3	4	6	3	11	14
1994.....	897	3	1	1	2	1	1	3	11	10	9
1993.....	874	3	1	-	-	1	2	5	6	8	19
1992.....	837	-	2	1	-	-	3	4	3	2	7
1991.....	883	3	2	2	-	-	1	5	8	2	9
1990.....	980	4	3	-	1	-	-	2	5	5	9
1989.....	1,091	3	4	2	2	-	4	3	6	9	11
1988.....	1,077	1	2	-	-	-	3	4	9	12	5
1987.....	1,083	-	-	-	-	-	4	1	6	8	8
1986.....	1,157	5	2	-	3	-	1	2	10	7	7
1985.....	1,133	2	1	1	-	3	3	2	3	5	9
1984.....	1,049	2	2	-	-	1	3	6	3	8	7
1983.....	1,007	4	2	1	1	-	3	4	3	7	6
1982.....	885	5	2	-	-	1	2	3	3	6	4
1981.....	855	6	1	1	1	2	2	3	4	4	6
1980.....	803	5	3	1	1	2	2	-	6	3	5
1979.....	782	4	3	1	-	2	4	2	8	4	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)											
TOTAL, FEMALE											
1998.....	1,496	2	-	-	1	2	7	6	8	10	17
1997.....	1,496	1	1	1	3	-	5	2	5	13	10
1996.....	1,514	1	2	-	1	7	-	3	9	5	8
1995.....	1,500	1	3	-	-	2	4	3	8	10	9
1994.....	1,576	1	3	1	-	2	2	3	9	9	13
1993.....	1,570	-	3	-	1	5	-	7	13	11	11
1992.....	1,536	1	1	-	1	3	3	5	10	6	15
1991.....	1,652	3	2	-	2	5	6	-	9	9	9
1990.....	1,806	3	-	1	2	6	5	8	7	11	12
1989.....	1,903	2	1	-	1	-	3	4	12	8	10
1988.....	1,962	3	1	2	-	1	4	8	6	10	9
1987.....	1,962	1	1	-	2	-	1	4	8	6	11
1986.....	1,980	3	1	1	2	2	5	8	3	10	8
1985.....	1,947	6	-	2	-	1	5	7	2	12	4
1984.....	1,813	-	1	-	3	1	5	8	5	8	13
1983.....	1,720	3	5	2	-	4	6	5	4	3	6
1982.....	1,568	3	2	-	2	3	6	9	9	9	6
1981.....	1,504	5	3	-	-	2	5	7	9	11	7
1980.....	1,471	6	1	2	3	7	2	8	9	13	6
1979.....	1,397	3	2	1	-	2	6	7	5	7	10
WHITE, BOTH SEXES											
1998.....	1,610	2	-	-	3	3	6	5	6	16	15
1997.....	1,557	2	1	2	4	-	3	2	4	11	14
1996.....	1,588	4	3	-	2	8	-	3	5	9	11
1995.....	1,653	3	2	1	-	3	5	5	8	9	12
1994.....	1,744	3	3	1	1	3	1	3	9	10	13
1993.....	1,656	2	3	-	1	2	1	5	10	8	16
1992.....	1,645	-	2	1	-	1	2	1	6	5	10
1991.....	1,751	3	2	1	2	4	2	5	8	7	9
1990.....	1,900	4	-	-	3	2	1	4	9	6	9
1989.....	2,068	4	2	2	2	-	3	3	9	7	10
1988.....	2,067	3	2	1	-	-	3	6	8	11	10
1987.....	2,104	1	-	-	1	-	3	4	5	8	8
1986.....	2,178	3	1	-	2	1	2	5	4	5	7
1985.....	2,183	5	-	3	-	1	6	3	4	13	7
1984.....	1,965	2	1	-	2	-	4	5	6	10	8
1983.....	1,922	3	6	2	1	3	3	2	5	5	5
1982.....	1,701	4	4	-	2	2	5	8	7	7	5
1981.....	1,678	7	2	1	1	-	5	7	9	10	9
1980.....	1,657	4	3	2	1	5	2	3	7	10	4
1979.....	1,581	4	4	2	-	1	6	3	7	10	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)

WHITE MALE

1998.....	527	-	-	-	2	2	2	1	4	10	7
1997.....	518	1	1	2	1	-	-	2	2	5	8
1996.....	501	4	2	-	1	2	-	2	2	6	7
1995.....	586	2	1	1	-	2	3	4	3	4	8
1994.....	610	3	-	1	1	1	-	2	7	7	4
1993.....	573	2	1	-	-	-	1	2	2	5	12
1992.....	560	-	2	1	-	-	1	1	2	2	4
1991.....	616	2	1	1	-	-	-	5	5	-	6
1990.....	662	3	-	-	1	-	-	-	3	2	3
1989.....	749	2	2	2	1	-	2	1	4	4	5
1988.....	726	1	1	-	-	-	1	2	4	6	4
1987.....	719	-	-	-	-	-	3	1	1	4	4
1986.....	789	3	1	-	1	-	-	2	4	2	4
1985.....	808	2	-	1	-	1	3	1	2	4	6
1984.....	714	2	-	-	-	-	2	2	1	6	2
1983.....	696	3	2	-	1	-	-	1	3	3	1
1982.....	620	1	2	-	-	-	2	3	2	5	2
1981.....	623	5	1	1	1	-	2	2	4	2	4
1980.....	586	1	2	1	-	1	1	-	4	2	1
1979.....	570	3	2	1	-	-	3	1	5	3	4

WHITE FEMALE

1998.....	1,083	2	-	-	1	1	4	4	2	6	8
1997.....	1,039	1	-	-	3	-	3	-	2	6	6
1996.....	1,087	-	1	-	1	6	-	1	3	3	4
1995.....	1,067	1	1	-	-	1	2	1	5	5	4
1994.....	1,134	-	3	-	-	2	1	1	2	3	9
1993.....	1,083	-	2	-	1	2	-	3	8	3	4
1992.....	1,085	-	-	-	-	1	1	-	4	3	6
1991.....	1,135	1	1	-	2	4	2	-	3	7	3
1990.....	1,238	1	-	-	2	2	1	4	6	4	6
1989.....	1,319	2	-	-	1	-	1	2	5	3	5
1988.....	1,341	2	1	1	-	-	2	4	4	5	6
1987.....	1,385	1	-	-	1	-	-	3	4	4	4
1986.....	1,389	-	-	-	1	1	2	3	-	3	3
1985.....	1,375	3	-	2	-	-	3	2	2	9	1
1984.....	1,251	-	1	-	2	-	2	3	5	4	6
1983.....	1,226	-	4	2	-	3	3	1	2	2	4
1982.....	1,081	3	2	-	2	2	3	5	5	2	3
1981.....	1,055	2	1	-	-	-	3	5	5	8	5
1980.....	1,071	3	1	1	1	4	1	3	3	8	3
1979.....	1,011	1	2	1	-	1	3	2	2	7	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)											
ALL OTHER, BOTH SEXES											
1998.....	625	-	-	1	1	1	3	4	9	8	13
1997.....	682	-	1	2	1	-	3	3	4	10	11
1996.....	681	2	1	-	-	3	3	4	10	4	9
1995.....	714	1	4	1	-	2	3	4	3	12	11
1994.....	729	1	1	1	1	-	2	3	11	9	9
1993.....	788	1	1	-	-	4	1	7	9	11	14
1992.....	728	1	1	-	1	2	4	8	7	3	12
1991.....	784	3	2	1	-	1	5	-	9	4	9
1990.....	886	3	3	1	-	4	4	6	3	10	12
1989.....	926	1	3	-	1	-	4	4	9	10	11
1988.....	972	1	1	1	-	1	4	6	7	11	4
1987.....	941	-	1	-	1	-	2	1	9	6	11
1986.....	959	5	2	1	3	1	4	5	9	12	8
1985.....	897	3	1	-	-	3	2	6	1	4	6
1984.....	897	-	2	-	1	2	4	9	2	6	12
1983.....	805	4	1	1	-	1	6	7	2	5	7
1982.....	752	4	-	-	-	2	3	4	5	8	5
1981.....	681	4	2	-	-	4	2	3	4	5	4
1980.....	617	7	1	1	3	4	2	5	8	6	7
1979.....	598	3	1	-	-	3	4	6	6	1	6
ALL OTHER MALE											
1998.....	212	-	-	1	1	-	-	2	3	4	4
1997.....	225	-	-	1	1	-	1	1	1	3	7
1996.....	254	1	-	-	-	2	3	2	4	2	5
1995.....	281	1	2	1	-	1	1	2	-	7	6
1994.....	287	-	1	-	1	-	1	1	4	3	5
1993.....	301	1	-	-	-	1	1	3	4	3	7
1992.....	277	-	-	-	-	-	2	3	1	-	3
1991.....	267	1	1	1	-	-	1	-	3	2	3
1990.....	318	1	3	-	-	-	-	2	2	3	6
1989.....	342	1	2	-	1	-	2	2	2	5	6
1988.....	351	-	1	-	-	-	2	2	5	6	1
1987.....	364	-	-	-	-	-	1	-	5	4	4
1986.....	368	2	1	-	2	-	1	-	6	5	3
1985.....	325	-	1	-	-	2	-	1	1	1	3
1984.....	335	-	2	-	-	1	1	4	2	2	5
1983.....	311	1	-	1	-	-	3	3	-	4	5
1982.....	265	4	-	-	-	1	-	-	1	1	2
1981.....	232	1	-	-	-	2	-	1	-	2	2
1980.....	217	4	1	-	1	1	1	-	2	1	4
1979.....	212	1	1	-	-	2	1	1	3	1	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)											
ALL OTHER FEMALE											
1998.....	413	-	-	-	-	1	3	2	6	4	9
1997.....	457	-	1	1	-	-	2	2	3	7	4
1996.....	427	1	1	-	-	1	-	2	6	2	4
1995.....	433	-	2	-	-	1	2	2	3	5	5
1994.....	442	1	-	1	-	-	1	2	7	6	4
1993.....	487	-	1	-	-	3	-	4	5	8	7
1992.....	451	1	1	-	1	2	2	5	6	3	9
1991.....	517	2	1	-	-	1	4	-	6	2	6
1990.....	568	2	-	1	-	4	4	4	1	7	6
1989.....	584	-	1	-	-	-	2	2	7	5	5
1988.....	621	1	-	1	-	1	2	4	2	5	3
1987.....	577	-	1	-	1	-	1	1	4	2	7
1986.....	591	3	1	1	1	1	3	5	3	7	5
1985.....	572	3	-	-	-	1	2	5	-	3	3
1984.....	562	-	-	-	1	1	3	5	-	4	7
1983.....	494	3	1	-	-	1	3	4	2	1	2
1982.....	487	-	-	-	-	1	3	4	4	7	3
1981.....	449	3	2	-	-	2	2	2	4	3	2
1980.....	400	3	-	1	2	3	1	5	6	5	3
1979.....	386	2	-	-	-	1	3	5	3	-	3
BLACK, BOTH SEXES											
1998.....	585	-	-	1	-	-	3	4	8	8	13
1997.....	646	-	1	2	-	-	3	3	4	10	10
1996.....	642	2	1	-	-	3	3	4	9	4	9
1995.....	684	1	4	1	-	2	2	4	3	11	10
1994.....	695	1	1	-	1	-	2	2	8	8	9
1993.....	759	1	-	-	-	4	1	7	9	11	13
1992.....	705	1	1	-	1	2	4	8	7	2	11
1991.....	761	3	2	1	-	-	5	-	8	4	8
1990.....	854	3	3	1	-	4	4	4	3	10	11
1989.....	891	1	2	-	1	-	3	4	9	9	10
1988.....	940	1	1	-	-	1	4	6	7	10	4
1987.....	917	-	1	-	1	-	2	1	9	6	11
1986.....	934	4	2	-	2	1	4	5	8	12	7
1985.....	866	3	1	-	-	3	2	5	1	4	6
1984.....	870	-	1	-	1	2	4	8	2	6	12
1983.....	792	3	1	1	-	-	6	6	2	5	7
1982.....	739	4	-	-	-	2	3	4	5	8	4
1981.....	667	4	1	-	-	4	2	3	4	5	4
1980.....	599	7	1	1	3	4	2	5	8	6	6
1979.....	582	2	-	-	-	3	4	6	6	1	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)

BLACK MALE

1998.....	192	-	-	1	-	-	-	2	2	4	4
1997.....	213	-	-	1	-	-	1	1	1	3	7
1996.....	241	1	-	-	-	2	3	2	4	2	5
1995.....	263	1	2	1	-	1	-	2	-	7	5
1994.....	276	-	1	-	1	-	1	1	2	3	5
1993.....	286	1	-	-	-	1	1	3	4	3	7
1992.....	266	-	-	-	-	-	2	3	1	-	2
1991.....	259	1	1	1	-	-	1	-	3	2	2
1990.....	299	1	3	-	-	-	-	1	2	3	5
1989.....	324	1	1	-	1	-	1	2	2	5	5
1988.....	335	-	1	-	-	-	2	2	5	5	1
1987.....	355	-	-	-	-	-	1	-	5	4	4
1986.....	358	2	1	-	1	-	1	-	5	5	3
1985.....	317	-	1	-	-	2	-	1	1	1	3
1984.....	324	-	1	-	-	1	1	4	2	2	5
1983.....	304	1	-	1	-	-	3	2	-	4	5
1982.....	261	4	-	-	-	1	-	-	1	1	2
1981.....	227	1	-	-	-	2	-	1	-	2	2
1980.....	209	4	1	-	1	1	1	-	2	1	4
1979.....	204	-	-	-	-	2	1	1	3	1	3

BLACK FEMALE

1998.....	393	-	-	-	-	-	3	2	6	4	9
1997.....	433	-	1	1	-	-	2	2	3	7	3
1996.....	401	1	1	-	-	1	-	2	5	2	4
1995.....	421	-	2	-	-	1	2	2	3	4	5
1994.....	419	1	-	-	-	-	1	1	6	5	4
1993.....	473	-	-	-	-	3	-	4	5	8	6
1992.....	439	1	1	-	1	2	2	5	6	2	9
1991.....	502	2	1	-	-	-	4	-	5	2	6
1990.....	555	2	-	1	-	4	4	3	1	7	6
1989.....	567	-	1	-	-	-	2	2	7	4	5
1988.....	605	1	-	-	-	1	2	4	2	5	3
1987.....	562	-	1	-	1	-	1	1	4	2	7
1986.....	576	2	1	-	1	1	3	5	3	7	4
1985.....	549	3	-	-	-	1	2	4	-	3	3
1984.....	546	-	-	-	1	1	3	4	-	4	7
1983.....	488	2	1	-	-	-	3	4	2	1	2
1982.....	478	-	-	-	-	1	3	4	4	7	2
1981.....	440	3	1	-	-	2	2	2	4	3	2
1980.....	390	3	-	1	2	3	1	5	6	5	2
1979.....	378	2	-	-	-	1	3	5	3	-	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)											
TOTAL, BOTH SEXES											
1998.....	10,166	12	7	5	25	49	70	98	155	199	308
1997.....	10,035	14	8	3	21	49	79	116	165	232	276
1996.....	9,508	9	6	11	33	43	86	110	138	220	258
1995.....	9,164	16	5	5	28	38	76	114	143	208	259
1994.....	8,744	13	4	9	22	46	66	109	142	198	224
1993.....	8,223	8	5	5	16	40	73	95	133	185	216
1992.....	7,550	14	10	16	17	45	79	84	149	200	237
1991.....	7,655	10	8	11	16	54	73	108	130	169	209
1990.....	7,679	12	5	9	22	33	77	115	137	175	201
1989.....	7,598	10	6	5	25	44	100	115	140	164	242
1988.....	6,863	10	9	7	19	38	85	122	139	136	190
1987.....	6,409	9	5	8	21	47	84	116	102	139	175
1986.....	6,231	12	3	5	30	48	85	106	120	175	161
1985.....	6,256	4	4	8	18	55	83	114	122	141	174
1984.....	6,200	7	5	3	20	56	89	102	118	148	166
1983.....	6,035	7	6	12	22	59	82	104	121	145	171
1982.....	5,783	13	10	12	28	50	85	94	146	130	138
1981.....	5,643	8	7	7	23	64	91	101	122	125	153
1980.....	5,533	16	1	11	21	56	100	107	125	125	161
1979.....	5,189	11	6	5	28	64	91	115	133	115	118
TOTAL, MALE											
1998.....	2,735	5	-	3	9	15	17	20	49	55	89
1997.....	2,760	8	3	1	9	13	12	24	24	69	76
1996.....	2,610	5	4	3	15	20	22	27	30	63	72
1995.....	2,509	9	1	2	8	14	16	34	28	55	74
1994.....	2,457	10	4	6	8	15	15	21	30	59	63
1993.....	2,246	5	1	1	4	13	20	29	35	45	57
1992.....	2,212	10	3	6	4	13	13	16	31	53	57
1991.....	2,219	6	6	1	3	21	24	29	22	46	44
1990.....	2,178	5	1	3	4	8	15	22	27	42	67
1989.....	2,236	7	3	1	7	16	24	27	38	49	69
1988.....	1,977	8	6	2	5	11	19	27	31	36	50
1987.....	1,844	4	2	5	5	15	20	22	19	36	44
1986.....	1,815	4	-	3	14	19	24	25	25	49	43
1985.....	1,849	-	1	2	4	14	22	19	22	36	53
1984.....	1,789	6	1	-	6	12	17	24	17	35	35
1983.....	1,844	4	3	5	7	15	20	22	29	36	47
1982.....	1,692	7	2	4	6	10	15	16	33	36	35
1981.....	1,652	5	2	1	6	15	20	21	26	31	41
1980.....	1,695	7	-	3	10	14	15	29	24	25	50
1979.....	1,658	6	4	1	9	17	12	17	23	29	31

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)											
TOTAL, FEMALE											
1998.....	7,431	7	7	2	16	34	53	78	106	144	219
1997.....	7,275	6	5	2	12	36	67	92	141	163	200
1996.....	6,898	4	2	8	18	23	64	83	108	157	186
1995.....	6,655	7	4	3	20	24	60	80	115	153	185
1994.....	6,287	3	-	3	14	31	51	88	112	139	161
1993.....	5,977	3	4	4	12	27	53	66	98	140	159
1992.....	5,338	4	7	10	13	32	66	68	118	147	180
1991.....	5,436	4	2	10	13	33	49	79	108	123	165
1990.....	5,501	7	4	6	18	25	62	93	110	133	134
1989.....	5,362	3	3	4	18	28	76	88	102	115	173
1988.....	4,886	2	3	5	14	27	66	95	108	100	140
1987.....	4,565	5	3	3	16	32	64	94	83	103	131
1986.....	4,416	8	3	2	16	29	61	81	95	126	118
1985.....	4,407	4	3	6	14	41	61	95	100	105	121
1984.....	4,411	1	4	3	14	44	72	78	101	113	131
1983.....	4,191	3	3	7	15	44	62	82	92	109	124
1982.....	4,091	6	8	8	22	40	70	78	113	94	103
1981.....	3,991	3	5	6	17	49	71	80	96	94	112
1980.....	3,838	9	1	8	11	42	85	78	101	100	111
1979.....	3,531	5	2	4	19	47	79	98	110	86	87
WHITE, BOTH SEXES											
1998.....	8,565	11	5	5	16	25	34	42	85	110	175
1997.....	8,432	8	4	2	13	29	39	57	78	121	152
1996.....	8,004	5	3	6	23	28	37	52	72	113	160
1995.....	7,715	13	5	4	14	22	39	48	75	120	145
1994.....	7,355	10	2	8	13	28	26	61	73	114	131
1993.....	6,938	7	4	2	13	24	30	41	77	108	112
1992.....	6,317	10	9	10	9	28	41	45	81	110	135
1991.....	6,407	7	6	6	14	32	37	52	52	91	113
1990.....	6,420	8	3	7	14	17	35	57	57	91	127
1989.....	6,327	7	5	3	17	15	45	63	67	79	153
1988.....	5,710	7	6	4	12	14	35	54	80	73	119
1987.....	5,392	8	4	6	19	33	34	56	54	66	103
1986.....	5,191	7	3	5	18	25	37	56	56	90	96
1985.....	5,245	3	3	6	10	29	40	51	73	78	115
1984.....	5,225	6	3	3	15	29	42	51	55	88	107
1983.....	5,051	6	6	9	15	33	44	57	66	79	109
1982.....	4,875	11	7	6	14	28	42	50	68	79	85
1981.....	4,765	8	7	5	12	41	48	50	71	68	101
1980.....	4,688	12	1	8	16	33	56	54	77	74	97
1979.....	4,374	10	4	3	13	42	51	64	82	74	78

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)											
WHITE MALE											
1998.....	2,289	5	-	3	7	11	9	10	32	40	58
1997.....	2,321	4	2	1	6	10	8	12	16	46	49
1996.....	2,169	2	3	-	12	13	15	17	19	40	50
1995.....	2,096	6	1	1	5	7	11	17	18	34	49
1994.....	2,060	8	2	6	5	11	4	12	22	38	40
1993.....	1,886	5	1	1	2	10	10	15	23	30	34
1992.....	1,860	8	2	5	1	9	6	13	25	40	38
1991.....	1,871	3	5	-	3	15	15	13	11	31	23
1990.....	1,837	3	1	2	3	7	9	14	10	22	47
1989.....	1,832	4	3	1	6	7	13	13	21	24	52
1988.....	1,634	5	3	2	4	6	10	19	20	20	38
1987.....	1,550	3	2	4	4	12	11	16	10	16	27
1986.....	1,515	1	-	3	10	12	15	17	14	28	29
1985.....	1,555	-	-	1	2	7	10	12	16	27	37
1984.....	1,521	5	1	-	5	7	11	14	8	25	25
1983.....	1,558	3	3	5	6	10	10	10	19	24	34
1982.....	1,451	7	2	2	3	9	10	10	23	22	24
1981.....	1,427	5	2	-	4	13	13	13	19	21	32
1980.....	1,466	6	-	2	8	10	8	17	14	17	34
1979.....	1,409	5	4	1	6	11	9	11	13	19	23
WHITE FEMALE											
1998.....	6,276	6	5	2	9	14	25	32	53	70	117
1997.....	6,111	4	2	1	7	19	31	45	62	75	103
1996.....	5,835	3	-	6	11	15	22	35	53	73	110
1995.....	5,619	7	4	3	9	15	28	31	57	86	96
1994.....	5,295	2	-	2	8	17	22	49	51	76	91
1993.....	5,052	2	3	1	11	14	20	26	54	78	78
1992.....	4,457	2	7	5	8	19	35	32	56	70	97
1991.....	4,536	4	1	6	11	17	22	39	41	60	90
1990.....	4,583	5	2	5	11	10	26	43	47	69	80
1989.....	4,495	3	2	2	11	8	32	50	46	55	101
1988.....	4,076	2	3	2	8	8	25	35	60	53	81
1987.....	3,842	5	2	2	15	21	23	40	44	50	76
1986.....	3,676	6	3	2	8	13	22	39	42	62	67
1985.....	3,690	3	3	5	8	22	30	39	57	51	78
1984.....	3,704	1	2	3	10	22	31	37	47	63	82
1983.....	3,493	3	3	4	9	23	34	47	47	55	75
1982.....	3,424	4	5	4	11	19	32	40	45	57	61
1981.....	3,338	3	5	5	8	28	35	37	52	47	69
1980.....	3,222	6	1	6	8	23	48	37	63	57	63
1979.....	2,965	5	-	2	7	31	42	53	69	55	55

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)											
ALL OTHER, BOTH SEXES											
1998.....	1,601	1	2	-	9	24	36	56	70	89	133
1997.....	1,603	6	4	1	8	20	40	59	87	111	124
1996.....	1,504	4	3	5	10	15	49	58	66	107	98
1995.....	1,449	3	-	1	14	16	37	66	68	88	114
1994.....	1,389	3	2	1	9	18	40	48	69	84	93
1993.....	1,285	1	1	3	3	16	43	54	56	77	104
1992.....	1,233	4	1	6	8	17	38	39	68	90	102
1991.....	1,248	3	2	5	2	22	36	56	78	78	96
1990.....	1,259	4	2	2	8	16	42	58	80	84	74
1989.....	1,271	3	1	2	8	29	55	52	73	85	89
1988.....	1,153	3	3	3	7	24	50	68	59	63	71
1987.....	1,017	1	1	2	2	14	50	60	48	73	72
1986.....	1,040	5	-	-	12	23	48	50	64	85	65
1985.....	1,011	1	1	2	8	26	43	63	49	63	59
1984.....	975	1	2	-	5	27	47	51	63	60	59
1983.....	984	1	-	3	7	26	38	47	55	66	62
1982.....	908	2	3	6	14	22	43	44	78	51	53
1981.....	878	-	-	2	11	23	43	51	51	57	52
1980.....	845	4	-	3	5	23	44	53	48	51	64
1979.....	815	1	2	2	15	22	40	51	51	41	40
ALL OTHER MALE											
1998.....	446	-	-	-	2	4	8	10	17	15	31
1997.....	439	4	1	-	3	3	4	12	8	23	27
1996.....	441	3	1	3	3	7	7	10	11	23	22
1995.....	413	3	-	1	3	7	5	17	10	21	25
1994.....	397	2	2	-	3	4	11	9	8	21	23
1993.....	360	-	-	-	2	3	10	14	12	15	23
1992.....	352	2	1	1	3	4	7	3	6	13	19
1991.....	348	3	1	1	-	6	9	16	11	15	21
1990.....	341	2	-	1	1	1	6	8	17	20	20
1989.....	404	3	-	-	1	9	11	14	17	25	17
1988.....	343	3	3	-	1	5	9	8	11	16	12
1987.....	294	1	-	1	1	3	9	6	9	20	17
1986.....	300	3	-	-	4	7	9	8	11	21	14
1985.....	294	-	1	1	2	7	12	7	6	9	16
1984.....	268	1	-	-	1	5	6	10	9	10	10
1983.....	286	1	-	-	1	5	10	12	10	12	13
1982.....	241	-	-	2	3	1	5	6	10	14	11
1981.....	225	-	-	1	2	2	7	8	7	10	9
1980.....	229	1	-	1	2	4	7	12	10	8	16
1979.....	249	1	-	-	3	6	3	6	10	10	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)											
ALL OTHER FEMALE											
1998.....	1,155	1	2	-	7	20	28	46	53	74	102
1997.....	1,164	2	3	1	5	17	36	47	79	88	97
1996.....	1,063	1	2	2	7	8	42	48	55	84	76
1995.....	1,036	-	-	-	11	9	32	49	58	67	89
1994.....	992	1	-	1	6	14	29	39	61	63	70
1993.....	925	1	1	3	1	13	33	40	44	62	81
1992.....	881	2	-	5	5	13	31	36	62	77	83
1991.....	900	-	1	4	2	16	27	40	67	63	75
1990.....	918	2	2	1	7	15	36	50	63	64	54
1989.....	867	-	1	2	7	20	44	38	56	60	72
1988.....	810	-	-	3	6	19	41	60	48	47	59
1987.....	723	-	1	1	1	11	41	54	39	53	55
1986.....	740	2	-	-	8	16	39	42	53	64	51
1985.....	717	1	-	1	6	19	31	56	43	54	43
1984.....	707	-	2	-	4	22	41	-	54	50	49
1983.....	698	-	-	3	6	21	28	35	45	54	49
1982.....	667	2	3	4	11	21	38	38	68	37	42
1981.....	653	-	-	1	9	21	36	43	44	47	43
1980.....	616	3	-	2	3	19	37	41	38	43	48
1979.....	566	-	2	2	12	16	37	45	41	31	32
BLACK, BOTH SEXES											
1998.....	1,407	1	2	-	8	23	33	52	61	81	123
1997.....	1,395	6	2	-	8	19	31	55	74	100	115
1996.....	1,322	3	2	4	9	12	43	52	58	99	87
1995.....	1,289	2	-	1	9	15	32	57	65	79	106
1994.....	1,239	3	2	1	7	18	38	44	60	81	80
1993.....	1,132	1	1	3	1	13	35	50	51	71	90
1992.....	1,090	4	1	5	8	14	33	37	60	81	90
1991.....	1,123	3	2	5	2	18	33	53	73	71	89
1990.....	1,117	3	2	1	7	14	35	54	71	78	66
1989.....	1,144	3	1	2	8	24	51	49	64	80	80
1988.....	1,039	3	3	3	7	23	41	63	51	58	66
1987.....	926	-	1	1	2	13	48	57	45	67	68
1986.....	947	5	-	-	12	18	47	46	57	80	61
1985.....	910	1	-	2	8	26	40	60	45	55	51
1984.....	892	1	1	-	4	24	42	44	58	55	56
1983.....	886	1	-	2	6	25	38	46	50	60	55
1982.....	838	1	3	6	10	19	41	42	75	49	48
1981.....	813	-	-	2	11	22	40	45	46	53	49
1980.....	778	4	-	3	4	23	39	47	44	47	56
1979.....	742	1	2	2	14	21	38	48	47	37	38

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)											
BLACK MALE											
1998.....	385	-	-	-	2	4	8	10	15	13	29
1997.....	386	4	1	-	3	3	2	12	7	20	25
1996.....	383	2	-	3	3	5	7	10	7	21	19
1995.....	370	2	-	1	2	7	4	15	9	18	23
1994.....	359	2	2	-	3	4	10	9	4	21	21
1993.....	332	-	-	-	1	2	9	11	12	15	21
1992.....	311	2	1	-	3	3	7	3	4	13	18
1991.....	314	3	1	1	-	6	8	15	11	13	20
1990.....	308	1	-	1	1	1	6	8	17	18	18
1989.....	363	3	-	-	1	7	9	14	14	23	17
1988.....	307	3	3	-	1	5	8	7	11	15	11
1987.....	274	-	-	1	1	3	9	6	8	17	17
1986.....	273	3	-	-	4	5	9	7	11	21	14
1985.....	268	-	-	1	2	7	11	6	6	8	12
1984.....	247	1	-	-	1	3	6	9	8	8	9
1983.....	262	1	-	-	-	4	10	12	8	12	13
1982.....	221	-	-	2	1	1	5	6	10	14	10
1981.....	206	-	-	1	2	2	6	6	5	10	9
1980.....	213	1	-	1	1	4	7	12	10	7	14
1979.....	224	1	-	-	3	6	3	6	10	8	8
BLACK FEMALE											
1998.....	1,022	1	2	-	6	19	25	42	46	68	94
1997.....	1,009	2	1	-	5	16	29	43	67	80	90
1996.....	939	1	2	1	6	7	36	42	51	78	68
1995.....	919	-	-	-	7	8	28	42	56	61	83
1994.....	880	1	-	1	4	14	28	35	56	60	59
1993.....	800	1	1	3	-	11	26	39	39	56	69
1992.....	779	2	-	5	5	11	26	34	56	68	72
1991.....	809	-	1	4	2	12	25	38	62	58	69
1990.....	809	2	2	-	6	13	29	46	54	60	48
1989.....	781	-	1	2	7	17	42	35	50	57	63
1988.....	732	-	-	3	6	18	33	56	40	43	55
1987.....	652	-	1	-	1	10	39	51	37	50	51
1986.....	674	2	-	-	8	13	38	39	46	59	47
1985.....	642	1	-	1	6	19	29	54	39	47	39
1984.....	645	-	1	-	3	21	36	35	50	47	47
1983.....	624	-	-	2	6	21	28	34	42	48	42
1982.....	617	1	3	4	9	18	36	36	65	35	38
1981.....	607	-	-	1	9	20	34	39	41	43	40
1980.....	565	3	-	2	3	19	32	35	34	40	42
1979.....	518	-	2	2	11	15	35	42	37	29	30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)											
TOTAL, FEMALE											
1998.....	1,535	-	2	-	-	1	1	1	1	3	7
1997.....	1,561	-	1	-	-	1	3	2	4	3	5
1996.....	1,537	-	-	-	1	-	-	2	5	5	10
1995.....	1,517	-	-	-	2	1	-	1	3	4	9
1994.....	1,463	-	-	1	-	-	1	2	3	6	9
1993.....	1,431	-	-	-	-	3	3	3	4	1	3
1992.....	1,222	-	-	-	2	-	2	1	4	2	11
1991.....	1,341	-	-	1	1	-	-	-	4	4	10
1990.....	1,337	-	1	1	-	-	-	2	4	5	4
1989.....	1,305	-	1	-	-	2	1	1	-	1	17
1988.....	1,122	-	-	-	-	1	1	1	4	1	3
1987.....	1,056	-	1	-	-	-	3	2	4	2	2
1986.....	1,045	-	-	-	-	-	2	-	1	3	6
1985.....	1,057	-	-	1	3	3	1	-	1	3	7
1984.....	1,099	-	-	1	-	1	1	1	1	4	4
1983.....	1,049	-	1	-	1	1	-	2	2	3	8
1982.....	1,094	-	-	-	1	-	-	-	1	3	13
1981.....	999	-	2	-	1	1	3	1	4	2	12
1980.....	1,025	-	1	1	1	-	2	3	1	3	8
1979.....	924	-	1	-	-	-	3	-	4	4	5
WHITE, BOTH SEXES											
1998.....	1,860	-	-	-	-	3	1	2	3	6	7
1997.....	1,906	1	2	-	-	1	3	3	5	4	7
1996.....	1,866	-	-	-	1	1	-	3	3	8	10
1995.....	1,880	1	-	-	1	-	-	1	4	4	7
1994.....	1,831	-	1	-	1	-	1	3	4	9	7
1993.....	1,755	-	-	-	-	4	-	3	5	1	4
1992.....	1,601	-	-	-	2	-	2	1	5	3	9
1991.....	1,716	-	-	1	1	-	-	1	3	4	7
1990.....	1,694	-	1	1	-	-	1	2	4	5	4
1989.....	1,654	-	-	-	-	1	1	3	-	3	17
1988.....	1,431	1	-	1	-	-	1	2	4	4	3
1987.....	1,351	-	1	-	1	-	1	2	2	4	4
1986.....	1,308	-	-	-	-	-	1	1	1	4	5
1985.....	1,409	-	-	1	2	4	1	2	2	4	10
1984.....	1,464	-	-	1	2	1	1	1	1	7	5
1983.....	1,398	-	1	-	1	-	-	2	4	4	11
1982.....	1,447	-	-	-	1	-	-	1	2	5	14
1981.....	1,316	-	2	-	-	1	1	1	5	3	13
1980.....	1,380	-	1	1	1	-	2	3	5	4	10
1979.....	1,256	-	-	-	-	-	1	-	4	7	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES (714)											
WHITE MALE											
1998.....	443	-	-	-	-	2	-	1	2	4	3
1997.....	458	1	1	-	-	-	-	1	1	2	4
1996.....	448	-	-	-	-	1	-	1	-	3	1
1995.....	472	1	-	-	-	-	-	-	1	-	1
1994.....	485	-	1	-	1	-	1	1	1	4	-
1993.....	443	-	-	-	-	2	-	-	1	-	1
1992.....	470	-	-	-	-	-	-	-	1	1	3
1991.....	466	-	-	-	-	-	-	1	-	1	1
1990.....	461	-	-	-	-	-	1	-	1	-	2
1989.....	436	-	-	-	-	-	-	2	-	2	2
1988.....	389	1	-	1	-	-	-	1	1	4	1
1987.....	379	-	1	-	1	-	-	-	-	2	2
1986.....	327	-	-	-	-	-	-	1	-	2	2
1985.....	407	-	-	-	-	1	-	2	1	2	5
1984.....	433	-	-	-	2	-	-	-	-	3	4
1983.....	431	-	-	-	-	-	-	1	2	2	6
1982.....	414	-	-	-	-	-	-	1	2	3	3
1981.....	388	-	-	-	-	-	-	-	2	2	5
1980.....	416	-	-	-	-	-	-	1	4	2	4
1979.....	382	-	-	-	-	-	-	-	-	3	-
WHITE FEMALE											
1998.....	1,417	-	-	-	-	1	1	1	1	2	4
1997.....	1,448	-	1	-	-	1	3	2	4	2	3
1996.....	1,418	-	-	-	1	-	-	2	3	5	9
1995.....	1,408	-	-	-	1	-	-	1	3	4	6
1994.....	1,346	-	-	-	-	-	-	2	3	5	7
1993.....	1,312	-	-	-	-	2	-	3	4	1	3
1992.....	1,131	-	-	-	2	-	2	1	4	2	6
1991.....	1,250	-	-	1	1	-	-	-	3	3	6
1990.....	1,233	-	1	1	-	-	-	2	3	5	2
1989.....	1,218	-	-	-	-	1	1	1	-	1	15
1988.....	1,042	-	-	-	-	-	1	1	3	-	2
1987.....	972	-	-	-	-	-	1	2	2	2	2
1986.....	981	-	-	-	-	-	-	1	1	2	3
1985.....	1,002	-	-	1	2	3	1	-	1	2	5
1984.....	1,031	-	-	1	-	1	1	1	1	4	1
1983.....	967	-	1	-	1	-	-	1	2	2	5
1982.....	1,033	-	-	-	1	-	-	-	-	2	11
1981.....	928	-	2	-	-	1	1	1	3	1	8
1980.....	964	-	1	1	1	-	2	2	1	2	6
1979.....	874	-	-	-	-	-	1	-	4	4	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES (714)											
ALL OTHER FEMALE											
1998.....	118	-	2	-	-	-	-	-	-	1	3
1997.....	113	-	-	-	-	-	-	-	-	1	2
1996.....	119	-	-	-	-	-	-	-	2	-	1
1995.....	109	-	-	-	1	1	-	-	-	-	3
1994.....	117	-	-	1	-	-	1	-	-	1	2
1993.....	119	-	-	-	-	1	3	-	-	-	-
1992.....	91	-	-	-	-	-	-	-	-	-	5
1991.....	91	-	-	-	-	-	-	-	1	1	4
1990.....	104	-	-	-	-	-	-	-	1	-	2
1989.....	87	-	1	-	-	1	-	-	-	-	2
1988.....	80	-	-	-	-	1	-	-	1	1	1
1987.....	84	-	1	-	-	-	2	-	2	-	-
1986.....	64	-	-	-	-	-	1	-	-	1	3
1985.....	55	-	-	-	1	-	-	-	-	1	2
1984.....	68	-	-	-	-	-	-	-	-	-	3
1983.....	82	-	-	-	-	1	-	1	-	1	3
1982.....	61	-	-	-	-	-	-	-	1	1	2
1981.....	71	-	-	-	1	-	2	-	1	1	4
1980.....	61	-	-	-	-	-	-	1	-	1	2
1979.....	50	-	1	-	-	-	2	-	-	-	1
BLACK, BOTH SEXES											
1998.....	120	-	2	-	-	-	-	-	-	1	3
1997.....	122	-	-	-	-	-	-	1	-	1	2
1996.....	115	-	-	-	-	1	-	-	1	-	1
1995.....	131	-	-	-	1	1	-	-	-	-	4
1994.....	125	-	-	1	-	-	1	-	-	-	2
1993.....	125	-	-	-	-	1	2	-	-	-	1
1992.....	102	-	1	-	-	-	1	-	-	-	3
1991.....	99	-	-	-	-	-	-	-	-	1	5
1990.....	102	-	-	-	-	-	-	-	1	-	3
1989.....	99	1	1	-	-	1	-	-	-	1	2
1988.....	89	-	-	-	-	1	-	-	1	1	1
1987.....	86	-	1	-	-	-	2	-	2	-	1
1986.....	77	-	-	-	-	-	1	-	-	1	3
1985.....	72	-	-	1	1	-	-	-	-	1	2
1984.....	83	-	-	-	1	-	-	-	-	-	2
1983.....	88	-	-	-	-	1	1	1	-	1	2
1982.....	72	-	-	1	-	-	1	-	1	1	3
1981.....	83	-	-	-	1	-	2	-	1	1	4
1980.....	80	-	-	-	-	-	-	2	1	1	-
1979.....	66	-	1	-	-	-	2	-	-	-	2

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES (714)

BLACK MALE

1998.....	31	-	-	-	-	-	-	-	-	-	-
1997.....	32	-	-	-	-	-	-	1	-	-	-
1996.....	24	-	-	-	-	1	-	-	-	-	-
1995.....	37	-	-	-	-	-	-	-	-	-	1
1994.....	29	-	-	-	-	-	-	-	-	-	1
1993.....	32	-	-	-	-	-	-	-	-	-	1
1992.....	30	-	1	-	-	-	1	-	-	-	-
1991.....	27	-	-	-	-	-	-	-	-	-	1
1990.....	21	-	-	-	-	-	-	-	-	-	2
1989.....	30	1	-	-	-	-	-	-	-	1	-
1988.....	18	-	-	-	-	-	-	-	1	-	-
1987.....	18	-	-	-	-	-	-	-	-	-	1
1986.....	18	-	-	-	-	-	-	-	-	-	-
1985.....	28	-	-	1	-	-	-	-	-	-	-
1984.....	26	-	-	-	1	-	-	-	-	-	-
1983.....	21	-	-	-	-	-	1	-	-	-	-
1982.....	18	-	-	1	-	-	1	-	-	-	1
1981.....	23	-	-	-	-	-	-	-	-	-	1
1980.....	29	-	-	-	-	-	-	1	1	-	-
1979.....	22	-	-	-	-	-	-	-	-	-	1

BLACK FEMALE

1998.....	89	-	2	-	-	-	-	-	-	1	3
1997.....	90	-	-	-	-	-	-	-	-	1	2
1996.....	91	-	-	-	-	-	-	-	1	-	1
1995.....	94	-	-	-	1	1	-	-	-	-	3
1994.....	96	-	-	1	-	-	1	-	-	-	1
1993.....	93	-	-	-	-	1	2	-	-	-	-
1992.....	72	-	-	-	-	-	-	-	-	-	3
1991.....	72	-	-	-	-	-	-	-	-	1	4
1990.....	81	-	-	-	-	-	-	-	1	-	1
1989.....	69	-	1	-	-	1	-	-	-	-	2
1988.....	71	-	-	-	-	1	-	-	-	1	1
1987.....	68	-	1	-	-	-	2	-	2	-	-
1986.....	59	-	-	-	-	-	1	-	-	1	3
1985.....	44	-	-	-	1	-	-	-	-	1	2
1984.....	57	-	-	-	-	-	-	-	-	-	2
1983.....	67	-	-	-	-	1	-	1	-	1	2
1982.....	54	-	-	-	-	-	-	-	1	1	2
1981.....	60	-	-	-	1	-	2	-	1	1	3
1980.....	51	-	-	-	-	-	-	1	-	1	-
1979.....	44	-	1	-	-	-	2	-	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)											
TOTAL, BOTH SEXES											
1998.....	4,290	-	2	1	17	34	57	82	127	135	223
1997.....	4,287	-	-	3	11	31	66	99	136	184	206
1996.....	4,022	2	-	4	9	28	70	88	114	175	185
1995.....	4,029	3	1	3	16	29	61	88	120	154	190
1994.....	3,842	2	-	-	14	25	60	95	110	149	160
1993.....	3,615	2	1	3	10	21	57	74	107	149	166
1992.....	3,419	2	2	10	8	32	62	74	124	156	181
1991.....	3,401	1	3	5	7	39	58	90	112	129	160
1990.....	3,538	3	-	3	14	23	63	93	108	136	145
1989.....	3,507	2	2	2	17	32	76	101	111	133	179
1988.....	3,216	1	1	4	9	28	71	106	111	108	148
1987.....	3,024	-	-	-	9	29	66	95	86	112	138
1986.....	2,971	1	-	3	18	34	71	87	103	139	130
1985.....	2,999	1	-	3	9	32	62	97	102	116	134
1984.....	2,976	1	1	2	12	39	76	83	100	121	136
1983.....	2,983	-	2	7	10	48	60	90	99	126	126
1982.....	2,815	2	2	8	19	39	74	82	126	106	98
1981.....	2,866	-	1	4	16	47	78	87	107	103	110
1980.....	2,747	1	-	4	10	41	88	87	107	101	119
1979.....	2,570	-	1	1	19	50	79	95	110	97	95
TOTAL, MALE											
1998.....	871	-	-	1	5	5	9	12	28	12	39
1997.....	918	-	-	1	4	5	4	14	10	38	36
1996.....	887	1	-	3	-	9	12	13	20	37	35
1995.....	889	1	1	2	3	10	8	18	16	29	32
1994.....	879	2	-	-	5	4	13	13	12	30	29
1993.....	814	2	-	-	4	3	13	18	20	25	27
1992.....	798	1	1	2	3	4	8	12	21	25	27
1991.....	830	1	2	1	1	9	14	18	16	25	23
1990.....	834	3	-	3	1	1	8	12	14	20	32
1989.....	864	1	-	-	3	7	10	21	18	30	41
1988.....	747	1	1	-	1	5	13	15	16	17	23
1987.....	704	-	-	-	1	4	9	8	14	17	23
1986.....	720	-	-	1	5	9	16	11	14	29	26
1985.....	755	-	-	-	2	6	11	10	14	22	30
1984.....	703	1	-	-	2	7	9	11	11	18	21
1983.....	785	-	1	2	2	10	9	17	17	26	17
1982.....	690	-	-	2	5	3	7	8	21	22	18
1981.....	712	-	-	1	3	7	13	13	18	18	22
1980.....	673	-	-	2	4	7	9	16	12	13	26
1979.....	682	-	-	-	4	7	7	11	13	21	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)											
TOTAL, FEMALE											
1998.....	3,419	-	2	-	12	29	48	70	99	123	184
1997.....	3,369	-	-	2	7	26	62	85	126	146	170
1996.....	3,135	1	-	1	9	19	58	75	94	138	150
1995.....	3,140	2	-	1	13	19	53	70	104	125	158
1994.....	2,963	-	-	-	9	21	47	82	98	119	131
1993.....	2,801	-	1	3	6	18	44	56	87	124	139
1992.....	2,621	1	1	8	5	28	54	62	103	131	154
1991.....	2,571	-	1	4	6	30	44	72	96	104	137
1990.....	2,704	-	-	-	13	22	55	81	94	116	113
1989.....	2,643	1	2	2	14	25	66	80	93	103	138
1988.....	2,469	-	-	4	8	23	58	91	95	91	125
1987.....	2,320	-	-	-	8	25	57	87	72	95	115
1986.....	2,251	1	-	2	13	25	55	76	89	110	104
1985.....	2,244	1	-	3	7	26	51	87	88	94	104
1984.....	2,273	-	1	2	10	32	67	72	89	103	115
1983.....	2,198	-	1	5	8	38	51	73	82	100	109
1982.....	2,125	2	2	6	14	36	67	74	105	84	80
1981.....	2,154	-	1	3	13	40	65	74	89	85	88
1980.....	2,074	1	-	2	6	34	79	71	95	88	93
1979.....	1,888	-	1	1	15	43	72	84	97	76	76
WHITE, BOTH SEXES											
1998.....	3,336	-	2	1	11	12	23	31	65	62	116
1997.....	3,284	-	-	2	4	12	29	48	55	83	98
1996.....	3,133	2	-	1	3	16	25	36	57	80	102
1995.....	3,117	3	1	2	4	14	25	29	56	79	95
1994.....	2,987	1	-	-	7	13	21	52	45	77	91
1993.....	2,857	2	1	-	8	9	20	26	57	81	79
1992.....	2,622	1	2	5	2	20	27	36	59	75	96
1991.....	2,602	-	2	1	6	18	25	39	43	62	82
1990.....	2,763	2	-	2	7	9	25	43	39	64	87
1989.....	2,696	2	2	-	11	9	29	52	48	60	107
1988.....	2,484	-	1	1	3	9	27	43	59	54	86
1987.....	2,384	-	-	-	7	18	23	39	44	49	82
1986.....	2,291	1	-	3	8	15	25	41	45	69	75
1985.....	2,335	1	-	2	3	12	25	37	55	59	83
1984.....	2,357	-	-	2	8	17	31	39	45	68	84
1983.....	2,327	-	2	4	5	24	28	48	49	65	77
1982.....	2,198	1	1	5	6	17	33	42	55	57	56
1981.....	2,272	-	1	2	7	25	42	39	61	53	71
1980.....	2,175	1	-	1	6	20	47	40	63	56	68
1979.....	2,004	-	-	-	6	30	42	47	62	60	61

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)											
WHITE MALE											
1998.....	691	-	-	1	4	2	2	5	17	7	22
1997.....	719	-	-	1	2	2	1	8	4	19	18
1996.....	717	1	-	-	-	5	6	7	11	21	24
1995.....	708	1	1	1	-	3	3	5	8	16	17
1994.....	699	1	-	-	2	3	2	6	6	17	20
1993.....	662	2	-	-	2	1	4	8	11	16	14
1992.....	640	1	1	2	1	3	3	10	17	17	15
1991.....	671	-	2	-	1	4	5	6	9	15	11
1990.....	686	2	-	2	1	1	5	7	4	10	22
1989.....	666	1	-	-	3	3	5	8	8	13	34
1988.....	609	-	1	-	-	3	6	10	9	9	17
1987.....	576	-	-	-	-	3	4	5	8	6	15
1986.....	581	-	-	1	2	4	8	7	7	17	15
1985.....	608	-	-	-	1	2	3	5	9	16	19
1984.....	586	-	-	-	2	4	4	5	6	13	13
1983.....	638	-	1	2	2	6	3	8	10	16	13
1982.....	570	-	-	2	2	2	4	5	13	9	13
1981.....	591	-	-	-	1	6	9	7	14	11	18
1980.....	565	-	-	1	3	4	5	8	6	8	15
1979.....	552	-	-	-	2	2	5	6	6	13	15
WHITE FEMALE											
1998.....	2,645	-	2	-	7	10	21	26	48	55	94
1997.....	2,565	-	-	1	2	10	28	40	51	64	80
1996.....	2,416	1	-	1	3	11	19	29	46	59	78
1995.....	2,409	2	-	1	4	11	22	24	48	63	78
1994.....	2,288	-	-	-	5	10	19	46	39	60	71
1993.....	2,195	-	1	-	6	8	16	18	46	65	65
1992.....	1,982	-	1	3	1	17	24	26	42	58	81
1991.....	1,931	-	-	1	5	14	20	33	34	47	71
1990.....	2,077	-	-	-	6	8	20	36	35	54	65
1989.....	2,030	1	2	-	8	6	24	44	40	47	73
1988.....	1,875	-	-	1	3	6	21	33	50	45	69
1987.....	1,808	-	-	-	7	15	19	34	36	43	67
1986.....	1,710	1	-	2	6	11	17	34	38	52	60
1985.....	1,727	1	-	2	2	10	22	32	46	43	64
1984.....	1,771	-	-	2	6	13	27	34	39	55	71
1983.....	1,689	-	1	2	3	18	25	40	39	49	64
1982.....	1,628	1	1	3	4	15	29	37	42	48	43
1981.....	1,681	-	1	2	6	19	33	32	47	42	53
1980.....	1,610	1	-	-	3	16	42	32	57	48	53
1979.....	1,452	-	-	-	4	28	37	41	56	47	46

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)											
ALL OTHER, BOTH SEXES											
1998.....	954	-	-	-	6	22	34	51	62	73	107
1997.....	1,003	-	-	1	7	19	37	51	81	101	108
1996.....	889	-	-	3	6	12	45	52	57	95	83
1995.....	912	-	-	1	12	15	36	59	64	75	95
1994.....	855	1	-	-	7	12	39	43	65	72	69
1993.....	758	-	-	3	2	12	37	48	50	68	87
1992.....	797	1	-	5	6	12	35	38	65	81	85
1991.....	799	1	1	4	1	21	33	51	69	67	78
1990.....	775	1	-	1	7	14	38	50	69	72	58
1989.....	811	-	-	2	6	23	47	49	63	73	72
1988.....	732	1	-	3	6	19	44	63	52	54	62
1987.....	640	-	-	-	2	11	43	56	42	63	56
1986.....	680	-	-	-	10	19	46	46	58	70	55
1985.....	664	-	-	1	6	20	37	60	47	57	51
1984.....	619	1	1	-	4	22	45	44	55	53	52
1983.....	656	-	-	3	5	24	32	42	50	61	49
1982.....	617	1	1	3	13	22	41	40	71	49	42
1981.....	594	-	-	2	9	22	36	48	46	50	39
1980.....	572	-	-	3	4	21	41	47	44	45	51
1979.....	566	-	1	1	13	20	37	48	48	37	34
ALL OTHER MALE											
1998.....	180	-	-	-	1	3	7	7	11	5	17
1997.....	199	-	-	-	2	3	3	6	6	19	18
1996.....	170	-	-	3	-	4	6	6	9	16	11
1995.....	181	-	-	1	3	7	5	13	8	13	15
1994.....	180	1	-	-	3	1	11	7	6	13	9
1993.....	152	-	-	-	2	2	9	10	9	9	13
1992.....	158	-	-	-	2	1	5	2	4	8	12
1991.....	159	1	-	1	-	5	9	12	7	10	12
1990.....	148	1	-	1	-	-	3	5	10	10	10
1989.....	198	-	-	-	-	4	5	13	10	17	7
1988.....	138	1	-	-	1	2	7	5	7	8	6
1987.....	128	-	-	-	1	1	5	3	6	11	8
1986.....	139	-	-	-	3	5	8	4	7	12	11
1985.....	147	-	-	-	1	4	8	5	5	6	11
1984.....	117	1	-	-	-	3	5	6	5	5	8
1983.....	147	-	-	-	-	4	6	9	7	10	4
1982.....	120	-	-	-	3	1	3	3	8	13	5
1981.....	121	-	-	1	2	1	4	6	4	7	4
1980.....	108	-	-	1	1	3	4	8	6	5	11
1979.....	130	-	-	-	2	5	2	5	7	8	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)											
ALL OTHER FEMALE											
1998.....	774	-	-	-	5	19	27	44	51	68	90
1997.....	804	-	-	1	5	16	34	45	75	82	90
1996.....	719	-	-	-	6	8	39	46	48	79	72
1995.....	731	-	-	-	9	8	31	46	56	62	80
1994.....	675	-	-	-	4	11	28	36	59	59	60
1993.....	606	-	-	3	-	10	28	38	41	59	74
1992.....	639	1	-	5	4	11	30	36	61	73	73
1991.....	640	-	1	3	1	16	24	39	62	57	66
1990.....	627	-	-	-	7	14	35	45	59	62	48
1989.....	613	-	-	2	6	19	42	36	53	56	65
1988.....	594	-	-	3	5	17	37	58	45	46	56
1987.....	512	-	-	-	1	10	38	53	36	52	48
1986.....	541	-	-	-	7	14	38	42	51	58	44
1985.....	517	-	-	1	5	16	29	55	42	51	40
1984.....	502	-	1	-	4	19	40	38	50	48	44
1983.....	509	-	-	3	5	20	26	33	43	51	45
1982.....	497	1	1	3	10	21	38	37	63	36	37
1981.....	473	-	-	1	7	21	32	42	42	43	35
1980.....	464	-	-	2	3	18	37	39	38	40	40
1979.....	436	-	1	1	11	15	35	43	41	29	30
BLACK, BOTH SEXES											
1998.....	854	-	-	-	6	21	31	47	53	67	99
1997.....	879	-	-	-	7	18	29	47	70	91	101
1996.....	798	-	-	3	5	9	39	46	50	88	74
1995.....	809	-	-	1	7	14	31	51	61	68	87
1994.....	763	1	-	-	5	12	37	39	56	70	58
1993.....	678	-	-	3	1	9	31	45	45	63	76
1992.....	711	1	-	5	6	10	30	36	58	72	75
1991.....	728	1	1	4	1	17	30	49	65	60	74
1990.....	694	1	-	1	6	12	31	46	60	67	51
1989.....	735	-	-	2	6	20	44	46	55	69	64
1988.....	658	1	-	3	6	18	37	58	45	50	58
1987.....	591	-	-	-	2	10	41	53	40	58	52
1986.....	619	-	-	-	10	15	45	42	51	65	51
1985.....	598	-	-	1	6	20	34	58	43	50	45
1984.....	574	1	1	-	3	20	40	38	51	49	50
1983.....	600	-	-	2	5	23	32	41	47	55	44
1982.....	577	-	1	3	10	19	39	38	68	47	38
1981.....	550	-	-	2	9	21	34	42	41	46	37
1980.....	529	-	-	3	3	21	36	41	40	41	45
1979.....	525	-	1	1	12	19	35	45	44	34	32

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)

BLACK MALE

1998.....	154	-	-	-	1	3	7	7	9	5	16
1997.....	172	-	-	-	2	3	1	6	6	16	18
1996.....	154	-	-	3	-	2	6	6	5	15	10
1995.....	162	-	-	1	2	7	4	11	7	12	13
1994.....	160	1	-	-	3	1	10	7	2	13	8
1993.....	138	-	-	-	1	1	8	7	9	9	13
1992.....	145	-	-	-	2	1	5	2	3	8	11
1991.....	142	1	-	1	-	5	8	12	7	8	12
1990.....	134	1	-	1	-	-	3	5	10	9	8
1989.....	180	-	-	-	-	4	4	13	8	16	7
1988.....	124	1	-	-	1	2	6	4	7	8	6
1987.....	121	-	-	-	1	1	5	3	6	9	8
1986.....	126	-	-	-	3	4	8	3	7	12	11
1985.....	132	-	-	-	1	4	7	5	5	5	9
1984.....	111	1	-	-	-	2	5	6	5	4	7
1983.....	140	-	-	-	-	3	6	9	7	10	4
1982.....	113	-	-	-	1	1	3	3	8	13	5
1981.....	109	-	-	1	2	1	4	4	2	7	4
1980.....	101	-	-	1	-	3	4	8	6	4	9
1979.....	122	-	-	-	2	5	2	5	7	7	4

BLACK FEMALE

1998.....	700	-	-	-	5	18	24	40	44	62	83
1997.....	707	-	-	-	5	15	28	41	64	75	83
1996.....	644	-	-	-	5	7	33	40	45	73	64
1995.....	647	-	-	-	5	7	27	40	54	56	74
1994.....	603	-	-	-	2	11	27	32	54	57	50
1993.....	540	-	-	3	-	8	23	38	36	54	63
1992.....	566	1	-	5	4	9	25	34	55	64	64
1991.....	586	-	1	3	1	12	22	37	58	52	62
1990.....	560	-	-	-	6	12	28	41	50	58	43
1989.....	555	-	-	2	6	16	40	33	47	53	57
1988.....	534	-	-	3	5	16	31	54	38	42	52
1987.....	470	-	-	-	1	9	36	50	34	49	44
1986.....	493	-	-	-	7	11	37	39	44	53	40
1985.....	466	-	-	1	5	16	27	53	38	45	36
1984.....	463	-	1	-	3	18	35	32	46	45	43
1983.....	460	-	-	2	5	20	26	32	40	45	40
1982.....	464	-	1	3	9	18	36	35	60	34	33
1981.....	441	-	-	1	7	20	30	38	39	39	33
1980.....	428	-	-	2	3	18	32	33	34	37	36
1979.....	403	-	1	1	10	14	33	40	37	27	28

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR
DORSOPATHIES (720-724)

TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

TOTAL, BOTH SEXES

1998.....	321	-	-	-	-	-	-	-	1	1	5
1997.....	304	-	-	-	-	-	-	-	-	2	6
1996.....	294	-	-	-	-	-	-	1	1	3	2
1995.....	271	-	-	-	1	-	1	-	1	5	6
1994.....	271	-	-	-	-	-	1	-	6	9	3
1993.....	268	-	-	-	-	-	-	1	1	6	6
1992.....	235	-	-	-	-	-	-	-	1	4	1
1991.....	207	1	-	-	-	-	-	1	-	3	2
1990.....	199	-	-	1	-	-	-	3	-	2	6
1989.....	224	-	-	-	-	1	-	1	1	4	4
1988.....	207	-	-	-	-	-	-	1	1	1	2
1987.....	165	-	-	-	-	-	-	-	-	2	4
1986.....	178	1	-	-	-	-	-	1	1	3	2
1985.....	167	-	-	-	-	-	-	1	3	2	3
1984.....	175	-	-	-	-	-	-	1	1	3	6
1983.....	193	-	-	-	-	-	1	1	3	2	3
1982.....	157	-	1	-	-	-	1	-	1	5	3
1981.....	174	-	-	-	-	-	1	1	-	3	3
1980.....	181	-	-	-	1	1	1	-	-	2	7
1979.....	177	-	-	-	-	-	-	1	1	1	-

TOTAL, MALE

1998.....	196	-	-	-	-	-	-	-	-	1	4
1997.....	171	-	-	-	-	-	-	-	-	2	5
1996.....	175	-	-	-	-	-	-	-	1	2	-
1995.....	145	-	-	-	-	-	-	-	-	3	5
1994.....	154	-	-	-	-	-	1	-	6	5	2
1993.....	152	-	-	-	-	-	-	1	1	4	4
1992.....	143	-	-	-	-	-	-	-	1	2	1
1991.....	112	1	-	-	-	-	-	-	-	2	2
1990.....	112	-	-	-	-	-	-	2	-	1	4
1989.....	136	-	-	-	-	1	-	-	1	2	2
1988.....	133	-	-	-	-	-	-	1	-	1	2
1987.....	99	-	-	-	-	-	-	-	-	2	3
1986.....	114	-	-	-	-	-	-	1	-	1	1
1985.....	105	-	-	-	-	-	-	1	1	2	2
1984.....	101	-	-	-	-	-	-	1	-	-	5
1983.....	124	-	-	-	-	-	-	-	3	2	3
1982.....	96	-	-	-	-	-	1	-	1	5	3
1981.....	107	-	-	-	-	-	-	1	1	-	2
1980.....	116	-	-	-	1	1	-	-	-	2	5
1979.....	123	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR
DORSOPATHIES (720-724)

TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

TOTAL, FEMALE

1998.....	125	-	-	-	-	-	-	-	1	-	1
1997.....	133	-	-	-	-	-	-	-	-	-	1
1996.....	119	-	-	-	-	-	-	1	-	1	2
1995.....	126	-	-	-	1	-	1	-	1	2	1
1994.....	117	-	-	-	-	-	-	-	-	4	1
1993.....	116	-	-	-	-	-	-	-	-	2	2
1992.....	92	-	-	-	-	-	-	-	-	2	-
1991.....	95	-	-	-	-	-	-	1	-	1	-
1990.....	87	-	-	1	-	-	-	1	-	1	2
1989.....	88	-	-	-	-	-	-	1	-	2	2
1988.....	74	-	-	-	-	-	-	-	1	-	-
1987.....	66	-	-	-	-	-	-	-	-	-	1
1986.....	64	1	-	-	-	-	-	-	1	2	1
1985.....	62	-	-	-	-	-	-	-	2	-	1
1984.....	74	-	-	-	-	-	-	-	1	3	1
1983.....	69	-	-	-	-	-	1	1	-	-	-
1982.....	61	-	1	-	-	-	-	-	-	-	-
1981.....	67	-	-	-	-	-	-	-	-	2	1
1980.....	65	-	-	-	-	-	1	-	-	-	2
1979.....	54	-	-	-	-	-	-	-	1	1	-

WHITE, BOTH SEXES

1998.....	278	-	-	-	-	-	-	-	-	1	4
1997.....	269	-	-	-	-	-	-	-	-	1	5
1996.....	253	-	-	-	-	-	-	1	-	2	1
1995.....	241	-	-	-	1	-	1	-	1	4	5
1994.....	245	-	-	-	-	-	1	-	6	7	1
1993.....	217	-	-	-	-	-	-	-	1	6	4
1992.....	206	-	-	-	-	-	-	-	-	4	1
1991.....	182	1	-	-	-	-	-	1	-	2	1
1990.....	174	-	-	-	-	-	-	3	-	2	6
1989.....	186	-	-	-	-	-	-	1	1	2	3
1988.....	166	-	-	-	-	-	-	-	1	-	1
1987.....	140	-	-	-	-	-	-	-	-	2	2
1986.....	151	1	-	-	-	-	-	1	-	3	1
1985.....	147	-	-	-	-	-	-	1	3	1	3
1984.....	148	-	-	-	-	-	-	1	-	2	6
1983.....	169	-	-	-	-	-	1	1	3	1	3
1982.....	131	-	-	-	-	-	-	-	1	5	1
1981.....	144	-	-	-	-	-	1	1	-	2	1
1980.....	153	-	-	-	1	1	1	-	-	2	4
1979.....	147	-	-	-	-	-	-	1	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DORSOPATHIES (720-724)											
WHITE MALE											
1998.....	165	-	-	-	-	-	-	-	-	1	3
1997.....	149	-	-	-	-	-	-	-	-	1	4
1996.....	149	-	-	-	-	-	-	-	-	2	-
1995.....	127	-	-	-	-	-	-	-	-	2	5
1994.....	138	-	-	-	-	-	1	-	6	3	-
1993.....	124	-	-	-	-	-	-	-	1	4	3
1992.....	127	-	-	-	-	-	-	-	-	2	1
1991.....	99	1	-	-	-	-	-	-	-	2	1
1990.....	99	-	-	-	-	-	-	2	-	1	4
1989.....	111	-	-	-	-	-	-	-	1	1	1
1988.....	103	-	-	-	-	-	-	-	-	-	1
1987.....	84	-	-	-	-	-	-	-	-	2	2
1986.....	95	-	-	-	-	-	-	1	-	1	1
1985.....	93	-	-	-	-	-	-	1	1	1	2
1984.....	87	-	-	-	-	-	-	1	-	-	5
1983.....	105	-	-	-	-	-	-	-	3	1	3
1982.....	81	-	-	-	-	-	-	-	1	5	1
1981.....	88	-	-	-	-	-	1	1	-	1	1
1980.....	99	-	-	-	1	1	-	-	-	2	4
1979.....	100	-	-	-	-	-	-	1	-	-	-
WHITE FEMALE											
1998.....	113	-	-	-	-	-	-	-	-	-	1
1997.....	120	-	-	-	-	-	-	-	-	-	1
1996.....	104	-	-	-	-	-	-	1	-	-	1
1995.....	114	-	-	-	1	-	1	-	1	2	-
1994.....	107	-	-	-	-	-	-	-	-	4	1
1993.....	93	-	-	-	-	-	-	-	-	2	1
1992.....	79	-	-	-	-	-	-	-	-	2	-
1991.....	83	-	-	-	-	-	-	1	-	-	-
1990.....	75	-	-	-	-	-	-	1	-	1	2
1989.....	75	-	-	-	-	-	-	1	-	1	2
1988.....	63	-	-	-	-	-	-	-	1	-	-
1987.....	56	-	-	-	-	-	-	-	-	-	-
1986.....	56	1	-	-	-	-	-	-	-	2	-
1985.....	54	-	-	-	-	-	-	-	2	-	1
1984.....	61	-	-	-	-	-	-	-	-	2	1
1983.....	64	-	-	-	-	-	1	1	-	-	-
1982.....	50	-	-	-	-	-	-	-	-	-	-
1981.....	56	-	-	-	-	-	-	-	-	1	-
1980.....	54	-	-	-	-	-	1	-	-	-	-
1979.....	47	-	-	-	-	-	-	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
RHEUMATISM, EXCLUDING THE BACK (725-729)											
TOTAL, BOTH SEXES											
1998.....	875	11	2	1	1	3	6	10	17	35	43
1997.....	854	9	3	-	4	4	4	8	14	31	30
1996.....	787	7	3	4	6	7	6	8	13	21	37
1995.....	717	8	4	1	2	3	5	12	16	31	34
1994.....	637	7	2	2	2	5	2	7	11	21	25
1993.....	551	6	3	2	2	4	3	8	7	16	24
1992.....	501	7	3	3	1	3	7	3	6	18	21
1991.....	522	5	4	-	2	2	3	5	7	17	19
1990.....	538	7	4	1	1	4	5	10	13	16	16
1989.....	528	4	3	-	1	4	8	3	16	7	13
1988.....	443	5	6	1	2	3	5	8	10	9	14
1987.....	444	7	2	1	2	4	4	9	4	7	10
1986.....	419	5	2	1	1	3	1	7	5	14	9
1985.....	383	1	2	-	-	4	6	7	5	7	11
1984.....	373	6	2	-	-	3	7	6	8	5	7
1983.....	299	4	1	2	1	1	2	4	6	2	13
1982.....	261	6	1	-	1	1	1	4	5	9	8
1981.....	259	8	3	3	-	2	2	4	3	8	9
1980.....	243	12	-	1	3	3	4	3	3	8	9
1979.....	228	6	3	-	2	4	2	5	9	5	6
TOTAL, MALE											
1998.....	431	5	-	1	-	2	2	6	16	28	28
1997.....	430	5	1	-	2	3	3	4	9	21	17
1996.....	400	4	3	-	5	5	5	6	6	13	20
1995.....	356	4	-	-	2	1	4	9	10	17	23
1994.....	332	6	2	-	2	4	-	5	8	16	17
1993.....	272	3	-	1	-	3	1	6	5	9	16
1992.....	252	5	-	2	-	2	3	1	3	14	15
1991.....	264	2	4	-	1	2	2	4	5	11	11
1990.....	269	2	1	-	-	3	4	4	9	13	12
1989.....	289	2	3	-	1	4	7	2	10	6	11
1988.....	232	5	4	-	1	2	1	7	8	8	12
1987.....	233	3	1	1	-	3	3	7	2	6	7
1986.....	199	1	-	1	1	3	-	3	4	8	7
1985.....	160	-	-	-	-	3	5	4	1	4	4
1984.....	181	5	-	-	-	2	6	5	2	4	4
1983.....	142	2	1	1	-	1	1	1	3	1	11
1982.....	134	4	-	-	-	1	1	4	3	5	4
1981.....	118	5	2	-	-	1	1	2	2	5	4
1980.....	124	6	-	-	2	2	2	2	3	5	6
1979.....	116	3	3	-	1	4	1	2	6	2	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
RHEUMATISM, EXCLUDING THE BACK (725-729)											
TOTAL, FEMALE											
1998.....	444	6	2	-	1	1	4	4	1	7	15
1997.....	424	4	2	-	2	1	1	4	5	10	13
1996.....	387	3	-	4	1	2	1	2	7	8	17
1995.....	361	4	4	1	-	2	1	3	6	14	11
1994.....	305	1	-	2	-	1	2	2	3	5	8
1993.....	279	3	3	1	2	1	2	2	2	7	8
1992.....	249	2	3	1	1	1	4	2	3	4	6
1991.....	258	3	-	-	1	-	1	1	2	6	8
1990.....	269	5	3	1	1	1	1	6	4	3	4
1989.....	239	2	-	-	-	-	1	1	6	1	2
1988.....	211	-	2	1	1	1	4	1	2	1	2
1987.....	211	4	1	-	2	1	1	2	2	1	3
1986.....	220	4	2	-	-	-	1	4	1	6	2
1985.....	223	1	2	-	-	1	1	3	4	3	7
1984.....	192	1	2	-	-	1	1	1	6	1	3
1983.....	157	2	-	1	1	-	1	3	3	1	2
1982.....	127	2	1	-	1	-	-	-	2	4	4
1981.....	141	3	1	3	-	1	1	2	1	3	5
1980.....	119	6	-	1	1	1	2	1	-	3	3
1979.....	112	3	-	-	1	-	1	3	3	3	1
WHITE, BOTH SEXES											
1998.....	700	11	2	1	-	3	5	5	11	25	28
1997.....	684	5	2	-	3	4	3	3	10	25	23
1996.....	598	3	2	2	5	5	4	4	8	14	31
1995.....	563	7	4	1	2	3	5	9	12	23	22
1994.....	503	7	1	2	2	3	2	4	9	13	13
1993.....	442	5	2	2	2	3	1	4	3	12	17
1992.....	384	5	3	2	1	1	7	2	5	13	11
1991.....	394	3	3	-	2	2	2	2	1	10	13
1990.....	401	5	2	1	1	3	3	4	6	8	11
1989.....	409	3	3	-	1	1	4	2	11	4	7
1988.....	319	3	4	1	2	-	3	6	7	3	9
1987.....	337	6	2	-	2	3	1	6	2	2	5
1986.....	315	2	2	1	1	3	1	5	2	4	5
1985.....	276	1	2	-	-	2	3	4	4	4	9
1984.....	267	6	1	-	-	2	6	2	5	2	5
1983.....	226	4	1	2	1	-	2	2	2	1	8
1982.....	190	6	1	-	1	1	1	1	3	8	2
1981.....	185	8	3	3	-	2	1	3	2	4	3
1980.....	179	8	-	1	3	2	2	2	-	5	5
1979.....	169	5	3	-	1	4	1	5	8	2	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
RHEUMATISM, EXCLUDING THE BACK (725-729)											
WHITE MALE											
1998.....	339	5	-	1	-	2	2	3	11	19	18
1997.....	344	2	1	-	1	3	3	-	8	19	14
1996.....	297	1	2	-	4	3	4	3	5	8	15
1995.....	273	3	-	-	2	1	4	6	8	12	16
1994.....	252	6	1	-	2	2	-	3	6	11	9
1993.....	218	3	-	1	-	3	-	4	2	7	11
1992.....	190	4	-	1	-	1	3	-	2	11	8
1991.....	195	-	3	-	1	2	2	1	1	6	7
1990.....	190	1	1	-	-	3	2	2	3	5	7
1989.....	222	1	3	-	1	1	3	1	6	4	6
1988.....	162	3	2	-	1	-	1	6	6	2	8
1987.....	172	2	1	-	-	2	1	5	1	1	4
1986.....	146	-	-	1	1	3	-	1	2	2	5
1985.....	119	-	-	-	-	2	3	2	1	3	3
1984.....	130	5	-	-	-	1	5	2	1	2	2
1983.....	103	2	1	1	-	-	1	-	1	-	7
1982.....	96	4	-	-	-	1	1	1	3	4	1
1981.....	90	5	2	-	-	1	1	2	2	2	1
1980.....	89	5	-	-	2	1	-	1	-	3	3
1979.....	87	2	3	-	-	4	-	2	5	-	3
WHITE FEMALE											
1998.....	361	6	2	-	-	1	3	2	-	6	10
1997.....	340	3	1	-	2	1	-	3	2	6	9
1996.....	301	2	-	2	1	2	-	1	3	6	16
1995.....	290	4	4	1	-	2	1	3	4	11	6
1994.....	251	1	-	2	-	1	2	1	3	2	4
1993.....	224	2	2	1	2	-	1	-	1	5	6
1992.....	194	1	3	1	1	-	4	2	3	2	3
1991.....	199	3	-	-	1	-	-	1	-	4	6
1990.....	211	4	1	1	1	-	1	2	3	3	4
1989.....	187	2	-	-	-	-	1	1	5	-	1
1988.....	157	-	2	1	1	-	2	-	1	1	1
1987.....	165	4	1	-	2	1	-	1	1	1	1
1986.....	169	2	2	-	-	-	1	4	-	2	-
1985.....	157	1	2	-	-	-	-	2	3	1	6
1984.....	137	1	1	-	-	1	1	-	4	-	3
1983.....	123	2	-	1	1	-	1	2	1	1	1
1982.....	94	2	1	-	1	-	-	-	-	4	1
1981.....	95	3	1	3	-	1	-	1	-	2	2
1980.....	90	3	-	1	1	1	2	1	-	2	2
1979.....	82	3	-	-	1	-	1	3	3	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
RHEUMATISM, EXCLUDING THE BACK (725-729)											
ALL OTHER, BOTH SEXES											
1998.....	175	-	-	-	1	-	1	5	6	10	15
1997.....	170	4	1	-	1	-	1	5	4	6	7
1996.....	189	4	1	2	1	2	2	4	5	7	6
1995.....	154	1	-	-	-	-	-	3	4	8	12
1994.....	134	-	1	-	-	2	-	3	2	8	12
1993.....	109	1	1	-	-	1	2	4	4	4	7
1992.....	117	2	-	1	-	2	-	1	1	5	10
1991.....	128	2	1	-	-	-	1	3	6	7	6
1990.....	137	2	2	-	-	1	2	6	7	8	5
1989.....	119	1	-	-	-	3	4	1	5	3	6
1988.....	124	2	2	-	-	3	2	2	3	6	5
1987.....	107	1	-	1	-	1	3	3	2	5	5
1986.....	104	3	-	-	-	-	-	2	3	10	4
1985.....	107	-	-	-	-	2	3	3	1	3	2
1984.....	106	-	1	-	-	1	1	4	3	3	2
1983.....	73	-	-	-	-	1	-	2	4	1	5
1982.....	71	-	-	-	-	-	-	3	2	1	6
1981.....	74	-	-	-	-	-	1	1	1	4	6
1980.....	64	4	-	-	-	1	2	1	3	3	4
1979.....	59	1	-	-	1	-	1	-	1	3	3
ALL OTHER MALE											
1998.....	92	-	-	-	-	-	-	3	5	9	10
1997.....	86	3	-	-	1	-	-	4	1	2	3
1996.....	103	3	1	-	1	2	1	3	1	5	5
1995.....	83	1	-	-	-	-	-	3	2	5	7
1994.....	80	-	1	-	-	2	-	2	2	5	8
1993.....	54	-	-	-	-	-	1	2	3	2	5
1992.....	62	1	-	1	-	1	-	1	1	3	7
1991.....	69	2	1	-	-	-	-	3	4	5	4
1990.....	79	1	-	-	-	-	2	2	6	8	5
1989.....	67	1	-	-	-	3	4	1	4	2	5
1988.....	70	2	2	-	-	2	-	1	2	6	4
1987.....	61	1	-	1	-	1	2	2	1	5	3
1986.....	53	1	-	-	-	-	-	2	2	6	2
1985.....	41	-	-	-	-	1	2	2	-	1	1
1984.....	51	-	-	-	-	1	1	3	1	2	2
1983.....	39	-	-	-	-	1	-	1	2	1	4
1982.....	38	-	-	-	-	-	-	3	-	1	3
1981.....	28	-	-	-	-	-	-	-	-	3	3
1980.....	35	1	-	-	-	1	2	1	3	2	3
1979.....	29	1	-	-	1	-	1	-	1	2	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
RHEUMATISM, EXCLUDING THE BACK (725-729)											
ALL OTHER FEMALE											
1998.....	83	-	-	-	1	-	1	2	1	1	5
1997.....	84	1	1	-	-	-	1	1	3	4	4
1996.....	86	1	-	2	-	-	1	1	4	2	1
1995.....	71	-	-	-	-	-	-	-	2	3	5
1994.....	54	-	-	-	-	-	-	1	-	3	4
1993.....	55	1	1	-	-	1	1	2	1	2	2
1992.....	55	1	-	-	-	1	-	-	-	2	3
1991.....	59	-	-	-	-	-	1	-	2	2	2
1990.....	58	1	2	-	-	1	-	4	1	-	-
1989.....	52	-	-	-	-	-	-	-	1	1	1
1988.....	54	-	-	-	-	1	2	1	1	-	1
1987.....	46	-	-	-	-	-	1	1	1	-	2
1986.....	51	2	-	-	-	-	-	-	1	4	2
1985.....	66	-	-	-	-	1	1	1	1	2	1
1984.....	55	-	1	-	-	-	-	1	2	1	-
1983.....	34	-	-	-	-	-	-	1	2	-	1
1982.....	33	-	-	-	-	-	-	-	2	-	3
1981.....	46	-	-	-	-	-	1	1	1	1	3
1980.....	29	3	-	-	-	-	-	-	-	1	1
1979.....	30	-	-	-	-	-	-	-	-	1	1
BLACK, BOTH SEXES											
1998.....	155	-	-	-	1	-	1	5	6	9	13
1997.....	154	4	-	-	1	-	-	5	3	5	7
1996.....	168	3	-	1	1	2	2	4	5	7	5
1995.....	141	-	-	-	-	-	-	3	4	8	12
1994.....	124	-	1	-	-	2	-	3	2	8	11
1993.....	103	1	1	-	-	1	2	3	4	3	7
1992.....	107	2	-	-	-	2	-	1	1	5	10
1991.....	116	2	1	-	-	-	1	3	6	7	4
1990.....	124	1	2	-	-	1	2	6	7	7	5
1989.....	112	1	-	-	-	3	4	1	5	3	6
1988.....	110	2	2	-	-	3	1	2	3	5	4
1987.....	98	-	-	1	-	1	3	3	2	4	5
1986.....	102	3	-	-	-	-	-	2	3	10	4
1985.....	102	-	-	-	-	2	3	2	1	2	2
1984.....	98	-	-	-	-	-	1	4	3	3	2
1983.....	66	-	-	-	-	1	-	2	3	1	4
1982.....	64	-	-	-	-	-	-	3	2	1	5
1981.....	73	-	-	-	-	-	-	1	1	4	6
1980.....	59	4	-	-	-	1	2	1	3	3	4
1979.....	49	1	-	-	1	-	1	-	1	2	3

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

TOTAL, BOTH SEXES											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	2,665	1	1	3	7	9	6	4	7	21	27
1997	2,527	4	3	-	6	13	6	5	10	10	25
1996	2,387	-	3	3	17	6	10	10	5	13	23
1995	2,113	4	-	1	7	5	9	13	2	14	18
1994	2,012	4	1	6	5	16	1	4	11	9	26
1993	1,878	-	1	-	4	10	10	9	13	13	14
1992	1,663	5	4	3	6	10	7	6	13	19	20
1991	1,689	3	1	5	6	13	12	11	7	15	16
1990	1,582	2	-	3	7	6	8	7	11	16	26
1989	1,559	3	-	3	7	5	15	7	11	15	27
1988	1,463	3	2	1	8	6	8	5	11	13	22
1987	1,321	2	1	7	9	14	11	10	8	14	18
1986	1,269	5	1	1	11	11	11	10	10	14	12
1985	1,210	2	2	3	6	15	14	7	10	11	12
1984	1,115	-	2	-	5	13	5	11	8	12	9
1983	1,053	3	2	3	10	9	18	6	9	10	15
1982	1,017	5	6	3	7	10	8	7	11	4	12
1981	932	-	1	-	6	14	7	8	6	7	13
1980	888	3	-	5	6	11	5	12	9	9	14
1979	879	5	1	4	7	10	7	14	9	5	11
TOTAL, MALE											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	757	-	-	1	4	6	6	1	3	10	15
1997	739	2	1	-	3	5	5	4	4	6	14
1996	667	-	1	-	10	4	5	7	3	8	16
1995	602	3	-	-	3	3	4	7	1	6	12
1994	573	2	1	6	-	7	-	2	3	4	14
1993	528	-	1	-	-	5	6	4	8	7	7
1992	509	4	1	2	1	7	1	3	5	11	11
1991	518	2	-	-	1	10	8	6	1	7	6
1990	478	-	-	-	3	4	2	4	3	8	15
1989	472	3	-	1	3	4	7	2	8	7	13
1988	453	1	1	1	3	4	5	3	5	6	12
1987	409	1	-	4	3	8	8	7	3	9	8
1986	433	3	-	1	8	7	8	9	7	9	7
1985	389	-	1	1	2	4	6	2	5	6	10
1984	342	-	1	-	1	3	2	7	4	10	1
1983	335	2	1	2	5	4	9	3	4	5	10
1982	333	3	2	1	1	6	5	3	6	1	6
1981	302	-	-	-	3	7	5	5	4	5	7
1980	333	1	-	1	3	4	4	9	4	3	9
1979	326	3	1	1	4	6	4	3	4	3	6

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

TOTAL, FEMALE											
1998.....	1,908	1	1	2	3	3	-	3	4	11	12
1997.....	1,788	2	2	-	3	8	1	1	6	4	11
1996.....	1,720	-	2	3	7	2	5	3	2	5	7
1995.....	1,511	1	-	1	4	2	5	6	1	8	6
1994.....	1,439	2	-	-	5	9	1	2	8	5	12
1993.....	1,350	-	-	-	4	5	4	5	5	6	7
1992.....	1,154	1	3	1	5	3	6	3	8	8	9
1991.....	1,171	1	1	5	5	3	4	5	6	8	10
1990.....	1,104	2	-	3	4	2	6	3	8	8	11
1989.....	1,087	-	-	2	4	1	8	5	3	8	14
1988.....	1,010	2	1	-	5	2	3	2	6	7	10
1987.....	912	1	1	3	6	6	3	3	5	5	10
1986.....	836	2	1	-	3	4	3	1	3	5	5
1985.....	821	2	1	2	4	11	8	5	5	5	2
1984.....	773	-	1	-	4	10	3	4	4	2	8
1983.....	718	1	1	1	5	5	9	3	5	5	5
1982.....	684	2	4	2	6	4	3	4	5	3	6
1981.....	630	-	1	-	3	7	2	3	2	2	6
1980.....	555	2	-	4	3	7	1	3	5	6	5
1979.....	553	2	-	3	3	4	3	11	5	2	5
WHITE, BOTH SEXES											
1998.....	2,391	-	1	3	5	7	5	4	6	16	20
1997.....	2,289	2	-	-	6	12	4	3	8	8	19
1996.....	2,154	-	1	3	14	6	8	8	4	9	16
1995.....	1,914	2	-	1	6	5	8	9	2	10	16
1994.....	1,789	2	-	6	3	12	1	2	9	8	19
1993.....	1,667	-	1	-	3	8	9	8	11	8	8
1992.....	1,504	4	4	3	4	7	5	6	12	15	18
1991.....	1,513	3	1	4	5	12	10	9	5	13	10
1990.....	1,388	1	-	3	6	5	6	5	8	12	19
1989.....	1,382	2	-	3	5	4	11	5	7	10	19
1988.....	1,310	3	1	1	7	5	4	3	9	12	20
1987.....	1,180	2	1	6	9	12	9	9	6	9	10
1986.....	1,126	3	1	1	9	7	10	8	8	10	10
1985.....	1,078	1	1	3	5	11	11	7	9	10	10
1984.....	989	-	2	-	5	9	4	8	4	9	7
1983.....	931	2	2	3	8	9	13	4	8	8	10
1982.....	909	4	5	1	6	10	8	6	7	4	12
1981.....	848	-	1	-	5	13	3	6	3	6	13
1980.....	801	3	-	5	5	10	4	9	9	7	10
1979.....	798	5	1	3	6	8	7	11	7	5	10

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

WHITE MALE

1998.....	651	-	-	1	3	5	5	1	2	9	12
1997.....	651	1	-	-	3	5	4	3	3	5	9
1996.....	558	-	1	-	8	4	5	6	3	6	10
1995.....	516	1	-	-	3	3	4	6	1	4	10
1994.....	486	1	-	6	-	6	-	2	3	3	11
1993.....	439	-	1	-	-	4	6	3	8	3	5
1992.....	433	3	1	2	-	5	-	3	5	9	11
1991.....	440	2	-	-	1	9	8	5	1	7	3
1990.....	401	-	-	-	2	3	1	3	2	6	12
1989.....	397	2	-	1	2	3	5	2	6	4	9
1988.....	371	1	-	1	3	3	3	2	4	5	11
1987.....	339	1	-	4	3	7	6	6	1	5	4
1986.....	366	1	-	1	7	5	7	7	5	6	6
1985.....	328	-	-	1	1	2	4	2	4	5	8
1984.....	285	-	1	-	1	2	2	6	1	7	1
1983.....	281	1	1	2	4	4	6	1	3	5	5
1982.....	290	3	2	-	1	6	5	3	4	1	6
1981.....	270	-	-	-	3	6	2	3	1	5	7
1980.....	297	1	-	1	2	4	3	7	4	2	8
1979.....	288	3	1	1	4	5	4	2	2	3	5

WHITE FEMALE

1998.....	1,740	-	1	2	2	2	-	3	4	7	8
1997.....	1,638	1	-	-	3	7	-	-	5	3	10
1996.....	1,596	-	-	3	6	2	3	2	1	3	6
1995.....	1,398	1	-	1	3	2	4	3	1	6	6
1994.....	1,303	1	-	-	3	6	1	-	6	5	8
1993.....	1,228	-	-	-	3	4	3	5	3	5	3
1992.....	1,071	1	3	1	4	2	5	3	7	6	7
1991.....	1,073	1	1	4	4	3	2	4	4	6	7
1990.....	987	1	-	3	4	2	5	2	6	6	7
1989.....	985	-	-	2	3	1	6	3	1	6	10
1988.....	939	2	1	-	4	2	1	1	5	7	9
1987.....	841	1	1	2	6	5	3	3	5	4	6
1986.....	760	2	1	-	2	2	3	1	3	4	4
1985.....	750	1	1	2	4	9	7	5	5	5	2
1984.....	704	-	1	-	4	7	2	2	3	2	6
1983.....	650	1	1	1	4	5	7	3	5	3	5
1982.....	619	1	3	1	5	4	3	3	3	3	6
1981.....	578	-	1	-	2	7	1	3	2	1	6
1980.....	504	2	-	4	3	6	1	2	5	5	2
1979.....	510	2	-	2	2	3	3	9	5	2	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)												
ALL OTHER, BOTH SEXES												
1998.....	274	1	-	-	2	2	1	-	1	5	7	
1997.....	238	2	3	-	-	1	2	2	2	2	6	
1996.....	233	-	2	-	3	-	2	2	1	4	7	
1995.....	199	2	-	-	1	-	1	4	-	4	2	
1994.....	223	2	1	-	2	4	-	2	2	1	7	
1993.....	211	-	-	-	1	2	1	1	2	5	6	
1992.....	159	1	-	-	2	3	2	-	1	4	2	
1991.....	176	-	-	1	1	1	2	2	2	2	6	
1990.....	194	1	-	-	1	1	2	2	3	4	7	
1989.....	177	1	-	-	2	1	4	2	4	5	8	
1988.....	153	-	1	-	1	1	4	2	2	1	2	
1987.....	141	-	-	1	-	2	2	1	2	5	8	
1986.....	143	2	-	-	2	4	1	2	2	4	2	
1985.....	132	1	1	-	1	4	3	-	1	1	2	
1984.....	126	-	-	-	-	4	1	3	4	3	2	
1983.....	122	1	-	-	2	-	5	2	1	2	5	
1982.....	108	1	1	2	1	-	-	1	4	-	-	
1981.....	84	-	-	-	1	1	4	2	3	1	-	
1980.....	87	-	-	-	1	1	1	3	-	2	4	
1979.....	81	-	-	1	1	2	-	3	2	-	1	
ALL OTHER MALE												
1998.....	106	-	-	-	1	1	1	-	1	1	3	
1997.....	88	1	1	-	-	-	1	1	1	1	5	
1996.....	109	-	-	-	2	-	-	1	-	2	6	
1995.....	86	2	-	-	-	-	-	1	-	2	2	
1994.....	87	1	1	-	-	1	-	-	-	1	3	
1993.....	89	-	-	-	-	1	-	1	-	4	2	
1992.....	76	1	-	-	1	2	1	-	-	2	-	
1991.....	78	-	-	-	-	1	-	1	-	-	3	
1990.....	77	-	-	-	1	1	1	1	1	2	3	
1989.....	75	1	-	-	1	1	2	-	2	3	4	
1988.....	82	-	1	-	-	1	2	1	1	1	1	
1987.....	70	-	-	-	-	1	2	1	2	4	4	
1986.....	67	2	-	-	1	2	1	2	2	3	1	
1985.....	61	-	1	-	1	2	2	-	1	1	2	
1984.....	57	-	-	-	-	1	-	1	3	3	-	
1983.....	54	1	-	-	1	-	3	2	1	-	5	
1982.....	43	-	-	1	-	-	-	-	2	-	-	
1981.....	32	-	-	-	-	1	3	2	3	-	-	
1980.....	36	-	-	-	1	-	1	2	-	1	1	
1979.....	38	-	-	-	-	1	-	1	2	-	1	

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ALL OTHER FEMALE											
1998.....	168	1	-	-	1	1	-	-	-	4	4
1997.....	150	1	2	-	-	1	1	1	1	1	1
1996.....	124	-	2	-	1	-	2	1	1	2	1
1995.....	113	-	-	-	1	-	1	3	-	2	-
1994.....	136	1	-	-	2	3	-	2	2	-	4
1993.....	122	-	-	-	1	1	1	-	2	1	4
1992.....	83	-	-	-	1	1	1	-	1	2	2
1991.....	98	-	-	1	1	-	2	1	2	2	3
1990.....	117	1	-	-	-	-	1	1	2	2	4
1989.....	102	-	-	-	1	-	2	2	2	2	4
1988.....	71	-	-	-	1	-	2	1	1	-	1
1987.....	71	-	-	1	-	1	-	-	-	1	4
1986.....	76	-	-	-	1	2	-	-	-	1	1
1985.....	71	1	-	-	-	2	1	-	-	-	-
1984.....	69	-	-	-	-	3	1	2	1	-	2
1983.....	68	-	-	-	1	-	2	-	-	2	-
1982.....	65	1	1	1	1	-	-	1	2	-	-
1981.....	52	-	-	-	1	-	1	-	-	1	-
1980.....	51	-	-	-	-	1	-	1	-	1	3
1979.....	43	-	-	1	1	1	-	2	-	-	-
BLACK, BOTH SEXES											
1998.....	243	1	-	-	1	2	1	-	1	4	7
1997.....	207	2	2	-	-	1	2	2	1	2	4
1996.....	205	-	2	-	3	-	2	2	1	3	6
1995.....	181	2	-	-	1	-	1	3	-	3	2
1994.....	201	2	1	-	2	4	-	2	2	1	7
1993.....	183	-	-	-	-	2	-	1	2	5	5
1992.....	144	1	-	-	2	2	2	-	1	4	2
1991.....	156	-	-	1	1	1	2	1	2	2	5
1990.....	174	1	-	-	1	1	2	2	3	4	7
1989.....	164	1	-	-	2	-	3	2	4	5	7
1988.....	144	-	1	-	1	1	3	2	2	1	2
1987.....	128	-	-	-	-	2	2	1	1	5	8
1986.....	125	2	-	-	2	3	1	2	2	4	2
1985.....	120	1	-	-	1	4	3	-	1	1	2
1984.....	111	-	-	-	-	4	1	2	3	2	2
1983.....	109	1	-	-	1	-	5	2	-	2	5
1982.....	99	1	1	2	-	-	-	1	4	-	-
1981.....	80	-	-	-	1	1	3	2	3	1	-
1980.....	83	-	-	-	1	1	1	3	-	2	4
1979.....	74	-	-	1	1	2	-	3	2	-	1

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

BLACK MALE

1998.....	94	-	-	-	1	1	1	-	1	-	3
1997.....	82	1	1	-	-	-	1	1	-	1	3
1996.....	96	-	-	-	2	-	-	1	-	1	5
1995.....	81	2	-	-	-	-	-	1	-	1	2
1994.....	79	1	1	-	-	1	-	-	-	1	3
1993.....	84	-	-	-	-	1	-	1	-	4	1
1992.....	69	1	-	-	1	1	1	-	-	2	-
1991.....	72	-	-	-	-	1	-	-	-	-	3
1990.....	71	-	-	-	1	1	1	1	1	2	3
1989.....	69	1	-	-	1	-	1	-	2	3	4
1988.....	75	-	1	-	-	1	2	1	1	1	1
1987.....	64	-	-	-	-	1	2	1	1	4	4
1986.....	59	2	-	-	1	1	1	2	2	3	1
1985.....	56	-	-	-	1	2	2	-	1	1	2
1984.....	49	-	-	-	-	1	-	-	2	2	-
1983.....	49	1	-	-	-	-	3	2	-	-	5
1982.....	40	-	-	1	-	-	-	-	2	-	-
1981.....	29	-	-	-	-	1	2	2	3	-	-
1980.....	35	-	-	-	1	-	1	2	-	1	1
1979.....	35	-	-	-	-	1	-	1	2	-	1

BLACK FEMALE

1998.....	149	1	-	-	-	1	-	-	-	4	4
1997.....	125	1	1	-	-	1	1	1	1	1	1
1996.....	109	-	2	-	1	-	2	1	1	2	1
1995.....	100	-	-	-	1	-	1	2	-	2	-
1994.....	122	1	-	-	2	3	-	2	2	-	4
1993.....	99	-	-	-	-	1	-	-	2	1	4
1992.....	75	-	-	-	1	1	1	-	1	2	2
1991.....	84	-	-	1	1	-	2	1	2	2	2
1990.....	103	1	-	-	-	-	1	1	2	2	4
1989.....	95	-	-	-	1	-	2	2	2	2	3
1988.....	69	-	-	-	1	-	1	1	1	-	1
1987.....	64	-	-	-	-	1	-	-	-	1	4
1986.....	66	-	-	-	1	2	-	-	-	1	1
1985.....	64	1	-	-	-	2	1	-	-	-	-
1984.....	62	-	-	-	-	3	1	2	1	-	2
1983.....	60	-	-	-	1	-	2	-	-	2	-
1982.....	59	1	1	1	-	-	-	1	2	-	-
1981.....	51	-	-	-	1	-	1	-	-	1	-
1980.....	48	-	-	-	-	1	-	1	-	1	3
1979.....	39	-	-	1	1	1	-	2	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
XIV. CONGENITAL ANOMALIES (740-759)											
TOTAL, BOTH SEXES											
1998.....	11,934	6,212	564	198	173	216	234	223	229	276	269
1997.....	11,912	6,178	589	223	224	217	203	228	226	258	276
1996.....	11,836	6,381	638	241	216	191	191	194	198	255	279
1995.....	11,891	6,554	695	242	207	251	201	233	241	254	273
1994.....	12,030	6,854	714	241	193	217	246	218	238	237	258
1993.....	12,444	7,129	804	274	211	232	240	249	227	232	237
1992.....	12,491	7,449	856	245	203	224	226	230	236	263	216
1991.....	12,599	7,685	871	279	208	231	218	224	243	224	228
1990.....	13,085	8,239	896	286	182	224	267	236	237	236	218
1989.....	12,897	8,120	928	267	213	240	234	269	214	234	168
1988.....	12,753	8,141	913	281	218	237	237	246	219	220	191
1987.....	12,333	7,884	924	263	185	243	256	225	223	216	171
1986.....	12,638	8,244	879	259	194	259	252	195	203	203	180
1985.....	12,783	8,561	840	272	197	231	235	213	197	184	179
1984.....	13,039	8,548	946	242	242	239	277	232	213	178	170
1983.....	13,173	8,732	913	246	225	272	282	261	192	192	165
1982.....	13,604	9,024	1,028	288	265	279	281	248	205	186	145
1981.....	13,527	8,914	1,018	284	258	300	294	282	213	183	142
1980.....	13,938	9,220	1,026	303	258	287	313	245	237	182	153
1979.....	13,526	8,923	1,021	289	289	300	276	239	176	196	163
TOTAL, MALE											
1998.....	6,199	3,282	287	107	90	124	132	129	127	148	132
1997.....	6,261	3,266	317	119	113	134	107	127	132	151	136
1996.....	6,238	3,452	325	146	127	120	111	108	108	132	147
1995.....	6,243	3,585	374	126	104	143	115	122	124	131	137
1994.....	6,209	3,590	354	120	112	130	142	108	132	119	133
1993.....	6,610	3,886	388	139	125	136	141	132	140	125	130
1992.....	6,625	4,034	460	125	113	145	135	133	120	150	118
1991.....	6,800	4,202	469	147	116	134	124	126	124	136	126
1990.....	7,050	4,520	473	155	90	145	156	135	133	144	120
1989.....	6,812	4,387	436	144	112	142	139	160	121	130	80
1988.....	6,775	4,384	511	160	126	135	132	129	121	134	100
1987.....	6,604	4,232	492	159	106	154	151	135	129	124	89
1986.....	6,744	4,459	464	145	106	161	138	103	129	116	102
1985.....	6,895	4,709	451	142	104	138	150	116	107	102	91
1984.....	6,925	4,576	489	131	125	141	172	140	122	97	94
1983.....	7,013	4,711	487	136	118	158	154	146	111	102	88
1982.....	7,157	4,806	524	159	133	166	158	139	119	89	82
1981.....	7,128	4,769	527	141	137	183	172	164	119	98	72
1980.....	7,496	4,968	555	166	132	164	181	142	142	99	84
1979.....	7,309	4,903	551	152	155	195	183	136	99	100	80

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 XIV. CONGENITAL ANOMALIES (740-759)											
TOTAL, FEMALE											
1998.....	5,735	2,930	277	91	83	92	102	94	102	128	137
1997.....	5,651	2,912	272	104	111	83	96	101	94	107	140
1996.....	5,598	2,929	313	95	89	71	80	86	90	123	132
1995.....	5,648	2,969	321	116	103	108	86	111	117	123	136
1994.....	5,821	3,264	360	121	81	87	104	110	106	118	125
1993.....	5,834	3,243	416	135	86	96	99	117	87	107	107
1992.....	5,866	3,415	396	120	90	79	91	97	116	113	98
1991.....	5,799	3,483	402	132	92	97	94	98	119	88	102
1990.....	6,035	3,719	423	131	92	79	111	101	104	92	98
1989.....	6,085	3,733	492	123	101	98	95	109	93	104	88
1988.....	5,978	3,757	402	121	92	102	105	117	98	86	91
1987.....	5,729	3,652	432	104	79	89	105	90	94	92	82
1986.....	5,894	3,785	415	114	88	98	114	92	74	87	78
1985.....	5,888	3,852	389	130	93	93	85	97	90	82	88
1984.....	6,114	3,972	457	111	117	98	105	92	91	81	76
1983.....	6,160	4,021	426	110	107	114	128	115	81	90	77
1982.....	6,447	4,218	504	129	132	113	123	109	86	97	63
1981.....	6,399	4,145	491	143	121	117	122	118	94	85	70
1980.....	6,442	4,252	471	137	126	123	132	103	95	83	69
1979.....	6,217	4,020	470	137	134	105	93	103	77	96	83
WHITE, BOTH SEXES											
1998.....	9,651	4,794	406	141	134	158	166	177	182	220	220
1997.....	9,719	4,803	439	162	174	158	149	197	184	215	233
1996.....	9,556	4,951	456	179	159	151	151	150	169	204	223
1995.....	9,614	5,095	504	188	159	196	160	185	197	213	229
1994.....	9,660	5,304	515	185	153	164	196	183	190	200	214
1993.....	9,934	5,449	597	225	168	178	202	205	180	186	205
1992.....	9,890	5,666	613	190	153	183	186	192	187	214	188
1991.....	9,978	5,864	650	211	165	188	176	187	202	175	192
1990.....	10,502	6,418	686	226	146	176	206	197	197	205	183
1989.....	10,291	6,312	703	217	165	182	196	225	169	190	142
1988.....	10,334	6,442	727	213	180	187	206	206	176	173	160
1987.....	9,910	6,172	719	198	138	203	202	183	190	182	148
1986.....	10,188	6,519	684	204	155	204	199	155	158	165	152
1985.....	10,437	6,898	665	201	159	182	201	186	150	154	150
1984.....	10,662	6,875	771	187	205	193	229	175	169	155	149
1983.....	10,747	7,026	726	192	178	221	237	208	158	161	132
1982.....	11,129	7,281	810	227	226	231	229	203	163	151	114
1981.....	11,145	7,224	797	242	218	248	255	235	177	163	120
1980.....	11,471	7,442	819	251	212	240	256	205	192	158	132
1979.....	11,222	7,288	824	228	244	253	230	201	149	168	141

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 XIV. CONGENITAL ANOMALIES (740-759)											
WHITE MALE											
1998.....	5,001	2,547	205	71	68	88	91	108	104	117	107
1997.....	5,123	2,567	237	90	89	97	78	104	106	123	114
1996.....	5,066	2,706	243	109	93	96	90	82	95	106	121
1995.....	5,047	2,809	273	94	80	109	94	102	100	111	116
1994.....	4,993	2,793	254	91	91	102	111	87	105	102	108
1993.....	5,281	2,987	293	109	98	104	118	107	111	102	115
1992.....	5,254	3,084	339	91	88	114	114	112	91	125	103
1991.....	5,378	3,220	343	111	91	107	100	106	104	111	101
1990.....	5,667	3,545	353	121	74	113	115	114	116	131	104
1989.....	5,444	3,437	333	114	89	100	116	131	96	105	66
1988.....	5,491	3,474	417	117	108	99	111	113	100	107	83
1987.....	5,364	3,370	392	120	78	125	121	112	108	105	75
1986.....	5,444	3,561	353	116	88	125	106	78	100	97	88
1985.....	5,674	3,836	359	100	83	108	126	104	86	84	83
1984.....	5,703	3,727	403	105	112	109	137	106	95	83	79
1983.....	5,718	3,803	381	107	91	127	135	116	93	86	72
1982.....	5,883	3,902	424	126	119	135	127	118	94	72	64
1981.....	5,906	3,902	419	123	121	151	147	138	97	87	63
1980.....	6,188	4,034	441	140	109	134	149	123	115	87	74
1979.....	6,106	4,025	459	124	134	163	153	121	85	88	71
WHITE FEMALE											
1998.....	4,650	2,247	201	70	66	70	75	69	78	103	113
1997.....	4,596	2,236	202	72	85	61	71	93	78	92	119
1996.....	4,490	2,245	213	70	66	55	61	68	74	98	102
1995.....	4,567	2,286	231	94	79	87	66	83	97	102	113
1994.....	4,667	2,511	261	94	62	62	85	96	85	98	106
1993.....	4,653	2,462	304	116	70	74	84	98	69	84	90
1992.....	4,636	2,582	274	99	65	69	72	80	96	89	85
1991.....	4,600	2,644	307	100	74	81	76	81	98	64	91
1990.....	4,835	2,873	333	105	72	63	91	83	81	74	79
1989.....	4,847	2,875	370	103	76	82	80	94	73	85	76
1988.....	4,843	2,968	310	96	72	88	95	93	76	66	77
1987.....	4,546	2,802	327	78	60	78	81	71	82	77	73
1986.....	4,744	2,958	331	88	67	79	93	77	58	68	64
1985.....	4,763	3,062	306	101	76	74	75	82	64	70	67
1984.....	4,959	3,148	368	82	93	84	92	69	74	72	70
1983.....	5,029	3,223	345	85	87	94	102	92	65	75	60
1982.....	5,246	3,379	386	101	107	96	102	85	69	79	50
1981.....	5,239	3,322	378	119	97	97	108	97	80	76	57
1980.....	5,283	3,408	378	111	103	106	107	82	77	71	58
1979.....	5,116	3,263	365	104	110	90	77	80	64	80	70

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 XIV. CONGENITAL ANOMALIES (740-759)											
ALL OTHER, BOTH SEXES											
1998.....	2,283	1,418	158	57	39	58	68	46	47	56	49
1997.....	2,193	1,375	150	61	50	59	54	31	42	43	43
1996.....	2,280	1,430	182	62	57	40	40	44	29	51	56
1995.....	2,277	1,459	191	54	48	55	41	48	44	41	44
1994.....	2,370	1,550	199	56	40	53	50	35	48	37	44
1993.....	2,510	1,680	207	49	43	54	38	44	47	46	32
1992.....	2,601	1,783	243	55	50	41	40	38	49	49	28
1991.....	2,621	1,821	221	68	43	43	42	37	41	49	36
1990.....	2,583	1,821	210	60	36	48	61	39	40	31	35
1989.....	2,606	1,808	225	50	48	58	38	44	45	44	26
1988.....	2,419	1,699	186	68	38	50	31	40	43	47	31
1987.....	2,423	1,712	205	65	47	40	54	42	33	34	23
1986.....	2,450	1,725	195	55	39	55	53	40	45	38	28
1985.....	2,346	1,663	175	71	38	49	34	27	47	30	29
1984.....	2,377	1,673	175	55	37	46	48	57	44	23	21
1983.....	2,426	1,706	187	54	47	51	45	53	34	31	33
1982.....	2,475	1,743	218	61	39	48	52	45	42	35	31
1981.....	2,382	1,690	221	42	40	52	39	47	36	20	22
1980.....	2,467	1,778	207	52	46	47	57	40	45	24	21
1979.....	2,304	1,635	197	61	45	47	46	38	27	28	22
ALL OTHER MALE											
1998.....	1,198	735	82	36	22	36	41	21	23	31	25
1997.....	1,138	699	80	29	24	37	29	23	26	28	22
1996.....	1,172	746	82	37	34	24	21	26	13	26	26
1995.....	1,196	776	101	32	24	34	21	20	24	20	21
1994.....	1,216	797	100	29	21	28	31	21	27	17	25
1993.....	1,329	899	95	30	27	32	23	25	29	23	15
1992.....	1,371	950	121	34	25	31	21	21	29	25	15
1991.....	1,422	982	126	36	25	27	24	20	20	25	25
1990.....	1,383	975	120	34	16	32	41	21	17	13	16
1989.....	1,368	950	103	30	23	42	23	29	25	25	14
1988.....	1,284	910	94	43	18	36	21	16	21	27	17
1987.....	1,240	862	100	39	28	29	30	23	21	19	14
1986.....	1,300	898	111	29	18	36	32	25	29	19	14
1985.....	1,221	873	92	42	21	30	24	12	21	18	8
1984.....	1,222	849	86	26	13	32	35	34	27	14	15
1983.....	1,295	908	106	29	27	31	19	30	18	16	16
1982.....	1,274	904	100	33	14	31	31	21	25	17	18
1981.....	1,222	867	108	18	16	32	25	26	22	11	9
1980.....	1,308	934	114	26	23	30	32	19	27	12	10
1979.....	1,203	878	92	28	21	32	30	15	14	12	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
XIV. CONGENITAL ANOMALIES (740-759)											
ALL OTHER FEMALE											
1998.....	1,085	683	76	21	17	22	27	25	24	25	24
1997.....	1,055	676	70	32	26	22	25	8	16	15	21
1996.....	1,108	684	100	25	23	16	19	18	16	25	30
1995.....	1,081	683	90	22	24	21	20	28	20	21	23
1994.....	1,154	753	99	27	19	25	19	14	21	20	19
1993.....	1,181	781	112	19	16	22	15	19	18	23	17
1992.....	1,230	833	122	21	25	10	19	17	20	24	13
1991.....	1,199	839	95	32	18	16	18	17	21	24	11
1990.....	1,200	846	90	26	20	16	20	18	23	18	19
1989.....	1,238	858	122	20	25	16	15	15	20	19	12
1988.....	1,135	789	92	25	20	14	10	24	22	20	14
1987.....	1,183	850	105	26	19	11	24	19	12	15	9
1986.....	1,150	827	84	26	21	19	21	15	16	19	14
1985.....	1,125	790	83	29	17	19	10	15	26	12	21
1984.....	1,155	824	89	29	24	14	13	23	17	9	6
1983.....	1,131	798	81	25	20	20	26	23	16	15	17
1982.....	1,201	839	118	28	25	17	21	24	17	18	13
1981.....	1,160	823	113	24	24	20	14	21	14	9	13
1980.....	1,159	844	93	26	23	17	25	21	18	12	11
1979.....	1,101	757	105	33	24	15	16	23	13	16	13
BLACK, BOTH SEXES											
1998.....	1,885	1,161	125	50	30	51	56	36	42	43	47
1997.....	1,797	1,125	111	54	41	54	42	25	34	33	38
1996.....	1,905	1,189	152	50	50	32	32	35	23	45	49
1995.....	1,887	1,204	168	39	39	50	31	36	36	37	35
1994.....	1,961	1,266	174	51	30	46	44	29	41	32	39
1993.....	2,104	1,403	174	42	32	48	27	41	39	44	25
1992.....	2,167	1,477	208	45	46	37	33	33	43	36	24
1991.....	2,202	1,524	181	55	34	36	33	31	37	43	34
1990.....	2,177	1,530	176	48	31	43	56	36	33	26	31
1989.....	2,179	1,498	191	42	35	48	32	39	42	39	24
1988.....	2,019	1,410	148	54	34	43	26	38	38	43	28
1987.....	2,076	1,453	173	56	43	37	50	38	31	28	21
1986.....	2,061	1,442	165	44	36	51	45	37	41	31	21
1985.....	2,008	1,419	144	60	33	44	32	25	45	26	23
1984.....	1,983	1,389	140	45	32	41	41	47	39	20	17
1983.....	2,088	1,443	159	49	43	47	41	48	32	28	29
1982.....	2,141	1,488	190	54	38	44	46	39	39	30	29
1981.....	2,064	1,443	193	40	36	47	34	44	33	16	21
1980.....	2,168	1,544	184	48	42	45	49	32	43	23	20
1979.....	2,040	1,434	180	57	41	42	39	31	26	26	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 XIV. CONGENITAL ANOMALIES (740-759)											
BLACK MALE											
1998.....	994	604	69	30	16	32	35	17	20	21	24
1997.....	921	567	59	26	19	32	23	18	22	20	18
1996.....	971	615	71	30	31	19	17	18	9	22	22
1995.....	996	643	87	26	19	31	14	15	22	17	17
1994.....	1,014	654	90	28	14	25	27	18	23	14	23
1993.....	1,116	743	84	24	21	28	16	22	24	23	13
1992.....	1,152	796	102	27	23	27	17	18	26	21	11
1991.....	1,206	833	101	30	21	23	20	17	19	21	23
1990.....	1,174	823	99	28	14	29	39	19	15	12	15
1989.....	1,143	789	83	27	17	34	20	25	24	23	12
1988.....	1,069	747	79	35	17	32	17	15	18	25	15
1987.....	1,087	751	83	36	26	26	29	20	19	16	13
1986.....	1,096	753	92	22	17	32	28	23	26	15	11
1985.....	1,046	745	75	38	19	28	23	11	20	15	6
1984.....	1,023	705	70	20	11	30	32	28	23	14	11
1983.....	1,108	770	86	26	25	28	17	27	17	14	12
1982.....	1,092	764	87	28	14	28	29	18	23	14	18
1981.....	1,064	748	94	18	13	28	22	23	19	9	9
1980.....	1,160	817	103	23	22	30	26	16	27	11	9
1979.....	1,068	770	83	27	20	30	26	11	14	12	8
BLACK FEMALE											
1998.....	891	557	56	20	14	19	21	19	22	22	23
1997.....	876	558	52	28	22	22	19	7	12	13	20
1996.....	934	574	81	20	19	13	15	17	14	23	27
1995.....	891	561	81	13	20	19	17	21	14	20	18
1994.....	947	612	84	23	16	21	17	11	18	18	16
1993.....	988	660	90	18	11	20	11	19	15	21	12
1992.....	1,015	681	106	18	23	10	16	15	17	15	13
1991.....	996	691	80	25	13	13	13	14	18	22	11
1990.....	1,003	707	77	20	17	14	17	17	18	14	16
1989.....	1,036	709	108	15	18	14	12	14	18	16	12
1988.....	950	663	69	19	17	11	9	23	20	18	13
1987.....	989	702	90	20	17	11	21	18	12	12	8
1986.....	965	689	73	22	19	19	17	14	15	16	10
1985.....	962	674	69	22	14	16	9	14	25	11	17
1984.....	960	684	70	25	21	11	9	19	16	6	6
1983.....	980	673	73	23	18	19	24	21	15	14	17
1982.....	1,049	724	103	26	24	16	17	21	16	16	11
1981.....	1,000	695	99	22	23	19	12	21	14	7	12
1980.....	1,008	727	81	25	20	15	23	16	16	12	11
1979.....	972	664	97	30	21	12	13	20	12	14	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SPINA BIFIDA (741)											
TOTAL, BOTH SEXES											
1998.....	139	41	11	12	8	9	9	10	8	11	2
1997.....	172	48	12	12	15	5	11	13	13	13	9
1996.....	171	63	10	14	16	6	5	12	13	4	4
1995.....	163	57	15	10	12	8	11	14	10	2	5
1994.....	156	56	19	9	7	9	11	5	7	8	4
1993.....	154	63	15	10	12	8	13	8	5	3	3
1992.....	162	54	24	13	6	9	8	8	9	10	4
1991.....	153	52	21	12	15	9	9	4	7	5	5
1990.....	178	80	22	14	8	8	5	9	4	7	5
1989.....	157	73	21	6	10	10	9	4	4	5	3
1988.....	167	69	28	9	9	10	9	9	5	5	3
1987.....	155	77	29	12	5	9	5	4	1	3	-
1986.....	166	84	21	12	7	5	10	10	2	2	2
1985.....	187	95	23	3	12	12	13	5	7	3	1
1984.....	172	95	33	8	7	8	3	3	6	2	2
1983.....	197	122	25	9	6	8	6	5	5	6	1
1982.....	284	196	25	6	17	7	8	6	-	4	4
1981.....	303	208	23	14	14	6	10	8	5	2	1
1980.....	357	257	36	11	9	9	6	3	9	3	2
1979.....	358	270	24	17	17	4	1	5	3	5	6
TOTAL, MALE											
1998.....	66	23	2	5	5	5	4	2	5	5	2
1997.....	74	23	6	4	4	5	3	2	7	8	5
1996.....	81	29	5	12	11	4	-	4	5	3	2
1995.....	57	20	3	4	4	4	5	4	3	1	3
1994.....	70	20	10	2	6	4	8	2	4	4	2
1993.....	80	32	7	6	6	4	6	5	3	2	2
1992.....	77	27	11	6	3	1	7	3	5	3	3
1991.....	83	27	12	5	9	7	5	3	2	4	1
1990.....	87	39	10	8	4	3	4	5	1	5	3
1989.....	67	33	7	1	6	5	4	2	1	2	1
1988.....	75	27	14	7	3	4	5	4	1	3	3
1987.....	71	36	14	7	1	2	4	3	-	1	-
1986.....	68	30	8	8	1	4	3	2	1	2	-
1985.....	97	48	13	-	6	8	7	4	4	-	-
1984.....	67	39	7	1	5	4	1	2	2	-	2
1983.....	91	58	12	1	2	4	4	2	2	3	1
1982.....	133	89	11	3	6	4	3	5	-	1	4
1981.....	142	94	17	3	5	3	6	4	2	2	-
1980.....	173	122	20	5	4	6	2	2	5	1	2
1979.....	177	133	12	7	7	1	1	5	2	3	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SPINA BIFIDA (741)											
TOTAL, FEMALE											
1998.....	73	18	9	7	3	4	5	8	3	6	-
1997.....	98	25	6	8	11	-	8	11	6	5	4
1996.....	90	34	5	2	5	2	5	8	8	1	2
1995.....	106	37	12	6	8	4	6	10	7	1	2
1994.....	86	36	9	7	1	5	3	3	3	4	2
1993.....	74	31	8	4	6	4	7	3	2	1	1
1992.....	85	27	13	7	3	8	1	5	4	7	1
1991.....	70	25	9	7	6	2	4	1	5	1	4
1990.....	91	41	12	6	4	5	1	4	3	2	2
1989.....	90	40	14	5	4	5	5	2	3	3	2
1988.....	92	42	14	2	6	6	4	5	4	2	-
1987.....	84	41	15	5	4	7	1	1	1	2	-
1986.....	98	54	13	4	6	1	7	8	1	-	2
1985.....	90	47	10	3	6	4	6	1	3	3	1
1984.....	105	56	26	7	2	4	2	1	4	2	-
1983.....	106	64	13	8	4	4	2	3	3	3	-
1982.....	151	107	14	3	11	3	5	1	-	3	-
1981.....	161	114	6	11	9	3	4	4	3	-	1
1980.....	184	135	16	6	5	3	4	1	4	2	-
1979.....	181	137	12	10	10	3	-	-	1	2	4
WHITE, BOTH SEXES											
1998.....	125	39	9	12	8	6	7	8	8	9	2
1997.....	149	43	12	8	10	4	9	12	11	12	9
1996.....	149	54	10	12	13	5	5	9	11	4	4
1995.....	147	52	13	9	12	6	9	13	8	2	4
1994.....	128	43	15	9	7	8	9	4	7	6	4
1993.....	133	57	13	8	9	7	12	6	4	3	2
1992.....	145	46	20	13	6	9	8	7	8	9	4
1991.....	127	43	16	11	12	8	8	4	5	3	4
1990.....	148	65	19	13	7	8	2	8	4	7	2
1989.....	139	63	18	6	10	10	6	3	4	5	3
1988.....	142	54	24	6	9	10	9	8	5	4	3
1987.....	130	62	27	11	5	6	4	4	-	2	-
1986.....	149	74	21	10	7	4	8	9	2	2	2
1985.....	162	82	20	2	11	11	13	4	5	3	1
1984.....	151	81	31	8	7	7	2	2	5	2	2
1983.....	176	107	22	9	3	8	6	5	5	6	1
1982.....	251	173	22	6	17	6	6	5	-	4	3
1981.....	276	190	20	13	13	6	9	8	5	2	-
1980.....	317	229	29	11	9	8	5	3	8	3	2
1979.....	304	232	21	16	12	3	-	5	2	5	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SPINA BIFIDA (741)											
WHITE MALE											
1998.....	59	23	2	5	5	2	3	1	5	3	2
1997.....	65	20	6	4	2	4	3	2	6	7	5
1996.....	71	28	5	10	8	3	-	2	4	3	2
1995.....	51	17	3	4	4	4	4	3	2	1	3
1994.....	56	16	7	2	6	4	6	1	4	3	2
1993.....	66	29	5	4	4	4	5	4	2	2	2
1992.....	66	22	9	6	3	1	7	2	4	2	3
1991.....	67	20	10	5	8	6	4	3	1	2	1
1990.....	68	28	9	7	4	3	1	5	1	5	1
1989.....	58	28	6	1	6	5	2	2	1	2	1
1988.....	60	19	11	4	3	4	5	4	1	2	3
1987.....	59	28	13	6	1	1	3	3	-	1	-
1986.....	58	25	8	7	1	3	1	2	1	2	-
1985.....	81	38	11	-	5	8	7	3	3	-	-
1984.....	52	29	6	1	5	3	-	1	2	-	2
1983.....	77	47	10	1	1	4	4	2	2	3	1
1982.....	110	75	9	3	6	3	1	4	-	1	3
1981.....	129	85	15	2	5	3	6	4	2	2	-
1980.....	150	105	15	5	4	5	2	2	5	1	2
1979.....	151	114	10	7	6	1	-	5	1	3	2
WHITE FEMALE											
1998.....	66	16	7	7	3	4	4	7	3	6	-
1997.....	84	23	6	4	8	-	6	10	5	5	4
1996.....	78	26	5	2	5	2	5	7	7	1	2
1995.....	96	35	10	5	8	2	5	10	6	1	1
1994.....	72	27	8	7	1	4	3	3	3	3	2
1993.....	67	28	8	4	5	3	7	2	2	1	-
1992.....	79	24	11	7	3	8	1	5	4	7	1
1991.....	60	23	6	6	4	2	4	1	4	1	3
1990.....	80	37	10	6	3	5	1	3	3	2	1
1989.....	81	35	12	5	4	5	4	1	3	3	2
1988.....	82	35	13	2	6	6	4	4	4	2	-
1987.....	71	34	14	5	4	5	1	1	-	1	-
1986.....	91	49	13	3	6	1	7	7	1	-	2
1985.....	81	44	9	2	6	3	6	1	2	3	1
1984.....	99	52	25	7	2	4	2	1	3	2	-
1983.....	99	60	12	8	2	4	2	3	3	3	-
1982.....	141	98	13	3	11	3	5	1	-	3	-
1981.....	147	105	5	11	8	3	3	4	3	-	-
1980.....	167	124	14	6	5	3	3	1	3	2	-
1979.....	153	118	11	9	6	2	-	-	1	2	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SPINA BIFIDA (741)											
ALL OTHER, BOTH SEXES											
1998.....	14	2	2	-	-	3	2	2	-	2	-
1997.....	23	5	-	4	5	1	2	1	2	1	-
1996.....	22	9	-	2	3	1	-	3	2	-	-
1995.....	16	5	2	1	-	2	2	1	2	-	1
1994.....	28	13	4	-	-	1	2	1	-	2	-
1993.....	21	6	2	2	3	1	1	2	1	-	1
1992.....	17	8	4	-	-	-	-	1	1	1	-
1991.....	26	9	5	1	3	1	1	-	2	2	1
1990.....	30	15	3	1	1	-	3	1	-	-	3
1989.....	18	10	3	-	-	-	3	1	-	-	-
1988.....	25	15	4	3	-	-	-	1	-	1	-
1987.....	25	15	2	1	-	3	1	-	1	1	-
1986.....	17	10	-	2	-	1	2	1	-	-	-
1985.....	25	13	3	1	1	1	-	1	2	-	-
1984.....	21	14	2	-	-	14	1	1	1	-	-
1983.....	21	15	3	-	3	-	-	-	-	-	-
1982.....	33	23	3	-	-	1	2	1	-	-	1
1981.....	27	18	3	1	1	-	1	-	-	-	1
1980.....	40	28	7	-	-	1	1	-	1	-	-
1979.....	54	38	3	1	5	1	1	-	1	-	2
ALL OTHER MALE											
1998.....	7	-	-	-	-	3	1	1	-	2	-
1997.....	9	3	-	-	2	1	-	-	1	1	-
1996.....	10	1	-	2	3	1	-	2	1	-	-
1995.....	6	3	-	-	-	-	1	1	1	-	-
1994.....	14	4	3	-	-	-	2	1	-	1	-
1993.....	14	3	2	2	2	-	1	1	1	-	-
1992.....	11	5	2	-	-	-	-	1	1	1	-
1991.....	16	7	2	-	1	1	1	-	1	2	-
1990.....	19	11	1	1	-	-	3	-	-	-	2
1989.....	9	5	1	-	-	-	2	-	-	-	-
1988.....	15	8	3	3	-	-	-	-	-	1	-
1987.....	12	8	1	1	-	1	1	-	-	-	-
1986.....	10	5	-	1	-	1	2	-	-	-	-
1985.....	16	10	2	-	1	-	-	1	1	-	-
1984.....	15	10	1	-	-	1	1	1	-	-	-
1983.....	14	11	2	-	1	-	-	-	-	-	-
1982.....	23	14	2	-	-	1	2	1	-	-	1
1981.....	13	9	2	1	-	-	-	-	-	-	-
1980.....	23	17	5	-	-	1	-	-	-	-	-
1979.....	26	19	2	-	1	-	1	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SPINA BIFIDA (741)											
ALL OTHER FEMALE											
1998.....	7	2	2	-	-	-	1	1	-	-	-
1997.....	14	2	-	4	3	-	2	1	1	-	-
1996.....	12	8	-	-	-	-	-	1	1	-	-
1995.....	10	2	2	1	-	2	1	-	1	-	1
1994.....	14	9	1	-	-	1	-	-	-	1	-
1993.....	7	3	-	-	1	1	-	1	-	-	1
1992.....	6	3	2	-	-	-	-	-	-	-	-
1991.....	10	2	3	1	2	-	-	-	1	-	1
1990.....	11	4	2	-	1	-	-	1	-	-	1
1989.....	9	5	2	-	-	-	1	1	-	-	-
1988.....	10	7	1	-	-	-	1	1	-	-	-
1987.....	13	7	1	-	-	2	-	-	1	1	-
1986.....	7	5	-	1	-	-	-	1	-	-	-
1985.....	9	3	1	1	-	1	-	-	1	-	-
1984.....	6	4	1	-	-	-	-	-	1	-	-
1983.....	7	4	1	-	2	-	-	-	-	-	-
1982.....	10	9	1	-	-	-	-	-	-	-	-
1981.....	14	9	1	-	1	-	1	-	-	-	1
1980.....	17	11	2	-	-	-	1	-	1	-	-
1979.....	28	19	1	1	4	1	-	-	-	-	2
BLACK, BOTH SEXES											
1998.....	10	2	1	-	-	2	2	1	-	1	-
1997.....	21	5	-	4	5	1	2	1	1	1	-
1996.....	19	8	-	2	3	-	-	3	1	-	-
1995.....	16	5	2	1	-	2	2	1	2	-	1
1994.....	26	13	3	-	-	1	1	1	-	2	-
1993.....	19	5	2	2	2	1	1	2	1	-	1
1992.....	13	6	3	-	-	-	-	1	1	1	-
1991.....	23	8	4	1	3	-	1	-	2	2	1
1990.....	27	13	3	-	1	-	3	1	-	-	3
1989.....	13	7	2	-	-	-	2	1	-	-	-
1988.....	24	14	4	3	-	-	-	1	-	1	-
1987.....	23	13	2	1	-	3	1	-	1	1	-
1986.....	16	9	-	2	-	1	2	1	-	-	-
1985.....	24	13	3	1	1	1	-	1	2	-	-
1984.....	18	11	2	-	-	1	1	1	1	-	-
1983.....	19	13	3	-	3	-	-	-	-	-	-
1982.....	29	19	3	-	-	1	2	1	-	-	1
1981.....	25	16	3	1	1	-	1	-	-	-	1
1980.....	36	25	7	-	-	1	1	-	1	-	-
1979.....	43	29	3	-	4	1	1	-	1	-	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SPINA BIFIDA (741)											
BLACK MALE											
1998.....	5	-	-	-	-	2	1	1	-	1	-
1997.....	8	3	-	-	2	1	-	-	1	1	-
1996.....	8	1	-	2	3	-	-	2	-	-	-
1995.....	6	3	-	-	-	-	1	1	1	-	-
1994.....	13	4	3	-	-	-	1	1	-	1	-
1993.....	13	3	2	2	1	-	1	1	1	-	-
1992.....	8	3	1	-	-	-	-	1	1	1	-
1991.....	13	6	1	-	1	-	1	-	1	2	-
1990.....	17	10	1	-	-	-	3	-	-	-	2
1989.....	7	4	1	-	-	-	1	-	-	-	-
1988.....	14	7	3	3	-	-	-	-	-	1	-
1987.....	12	8	1	1	-	1	1	-	-	-	-
1986.....	10	5	-	1	-	1	2	-	-	-	-
1985.....	16	10	2	-	1	-	-	1	1	-	-
1984.....	12	7	1	-	-	1	1	1	-	-	-
1983.....	12	9	2	-	1	-	-	-	-	-	-
1982.....	20	11	2	-	-	1	2	1	-	-	1
1981.....	12	8	2	1	-	-	-	-	-	-	-
1980.....	22	16	5	-	-	1	-	-	-	-	-
1979.....	20	13	2	-	1	-	1	-	1	-	-
BLACK FEMALE											
1998.....	5	2	1	-	-	-	1	-	-	-	-
1997.....	13	2	-	4	3	-	2	1	-	-	-
1996.....	11	7	-	-	-	-	-	1	1	-	-
1995.....	10	2	2	1	-	2	1	-	1	-	1
1994.....	13	9	-	-	-	1	-	-	-	1	-
1993.....	6	2	-	-	1	1	-	1	-	-	1
1992.....	5	3	2	-	-	-	-	-	-	-	-
1991.....	10	2	3	1	2	-	-	-	1	-	1
1990.....	10	3	2	-	1	-	-	1	-	-	1
1989.....	6	3	1	-	-	-	1	1	-	-	-
1988.....	10	7	1	-	-	-	-	1	-	-	-
1987.....	11	5	1	-	-	2	-	-	1	1	-
1986.....	6	4	-	1	-	-	-	1	-	-	-
1985.....	8	3	1	1	-	1	-	-	1	-	-
1984.....	6	4	1	-	-	-	-	-	1	-	-
1983.....	7	4	1	-	2	-	-	-	-	-	-
1982.....	9	8	1	-	-	-	-	-	-	-	-
1981.....	13	8	1	-	1	-	1	-	-	-	1
1980.....	14	9	2	-	-	-	1	-	1	-	-
1979.....	23	16	1	-	3	1	-	-	-	-	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)

TOTAL, BOTH SEXES											
1998.....	2,269	716	117	50	47	37	21	17	12	19	16
1997.....	2,197	780	123	48	37	30	23	23	14	15	19
1996.....	2,081	796	124	66	38	21	19	20	9	14	16
1995.....	1,811	798	139	64	46	33	18	15	9	14	14
1994.....	1,770	838	141	62	37	30	20	17	14	14	16
1993.....	1,754	837	153	71	36	28	18	18	14	12	13
1992.....	1,745	960	168	78	37	22	17	7	20	14	22
1991.....	1,633	988	157	71	37	27	12	14	17	14	11
1990.....	1,625	1,016	145	72	21	27	21	20	12	14	13
1989.....	1,566	940	157	57	39	39	23	25	16	10	14
1988.....	1,551	1,035	143	54	42	24	23	18	14	12	8
1987.....	1,527	1,035	151	49	26	23	28	15	19	13	8
1986.....	1,546	1,112	129	46	36	22	24	15	14	11	6
1985.....	1,572	1,161	114	50	28	24	18	17	11	9	6
1984.....	1,633	1,200	161	48	33	26	17	17	15	7	3
1983.....	1,695	1,246	148	48	32	31	29	27	16	8	8
1982.....	1,770	1,289	154	66	53	32	35	17	19	9	9
1981.....	1,899	1,445	168	57	49	40	17	22	15	6	5
1980.....	1,869	1,431	161	67	43	38	30	17	16	6	3
1979.....	1,810	1,398	142	50	49	30	27	15	13	8	11
TOTAL, MALE											
1998.....	1,122	319	55	22	16	18	7	11	7	10	5
1997.....	1,118	331	63	27	14	13	10	10	9	8	11
1996.....	1,106	384	63	43	24	11	13	12	3	7	11
1995.....	883	345	72	28	28	20	6	9	8	5	4
1994.....	850	366	67	32	19	18	8	6	8	6	7
1993.....	839	355	68	28	20	16	9	8	7	7	5
1992.....	904	464	93	40	24	10	7	4	10	10	12
1991.....	834	469	92	32	21	10	4	7	7	12	6
1990.....	805	466	80	35	8	16	9	10	5	7	6
1989.....	733	414	64	30	12	22	13	12	10	6	7
1988.....	736	462	73	27	28	9	14	12	7	5	6
1987.....	772	488	79	30	15	14	18	9	6	8	4
1986.....	735	509	67	23	18	13	13	8	6	7	6
1985.....	745	530	54	22	14	16	12	8	2	5	2
1984.....	806	569	87	24	14	12	11	10	9	2	2
1983.....	802	565	79	23	18	16	14	11	9	2	6
1982.....	862	604	83	40	24	19	17	9	12	5	6
1981.....	884	653	82	25	27	21	12	10	8	3	4
1980.....	896	679	77	35	22	14	21	8	8	1	2
1979.....	847	634	74	27	32	15	15	4	4	2	5

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)

TOTAL, FEMALE											
1998.....	1,147	397	62	28	31	19	14	6	5	9	11
1997.....	1,079	449	60	21	23	17	13	13	5	7	8
1996.....	975	412	61	23	14	10	6	8	6	7	5
1995.....	928	453	67	36	18	13	12	6	1	9	10
1994.....	920	472	74	30	18	12	12	11	6	8	9
1993.....	915	482	85	43	16	12	9	10	7	5	8
1992.....	841	496	75	38	13	12	10	3	10	4	10
1991.....	799	519	65	39	16	17	8	7	10	2	5
1990.....	820	550	65	37	13	11	12	10	7	7	7
1989.....	833	526	93	27	27	17	10	13	6	4	7
1988.....	815	573	70	27	14	15	9	6	7	7	2
1987.....	755	547	72	19	11	9	10	6	13	5	4
1986.....	811	603	62	23	18	9	11	7	8	4	-
1985.....	827	631	60	28	14	8	6	9	9	4	4
1984.....	827	631	74	24	19	14	6	7	6	5	1
1983.....	893	681	69	25	14	15	15	16	7	6	2
1982.....	908	685	71	26	29	13	18	8	7	4	3
1981.....	1,015	792	86	32	22	19	5	12	7	3	1
1980.....	973	752	84	32	21	24	9	9	8	5	1
1979.....	963	764	68	23	17	15	12	11	9	6	6
WHITE, BOTH SEXES											
1998.....	1,949	554	86	30	38	30	16	16	9	13	12
1997.....	1,872	596	89	33	30	23	18	20	12	9	16
1996.....	1,764	625	92	51	27	13	12	14	9	10	7
1995.....	1,523	632	95	52	34	24	14	11	6	12	13
1994.....	1,501	684	104	53	30	26	11	14	11	12	8
1993.....	1,461	661	115	59	28	24	12	12	11	8	12
1992.....	1,451	775	116	63	29	21	14	6	18	13	17
1991.....	1,311	764	113	56	32	23	12	11	14	12	11
1990.....	1,310	788	113	56	16	22	16	19	11	12	10
1989.....	1,261	745	109	46	33	32	19	19	11	7	11
1988.....	1,278	842	110	38	35	21	17	17	12	8	6
1987.....	1,223	829	118	29	21	16	20	10	16	10	8
1986.....	1,240	896	93	33	25	17	17	12	11	7	6
1985.....	1,314	970	93	40	21	15	15	16	7	9	3
1984.....	1,312	982	124	33	29	19	10	7	9	6	3
1983.....	1,403	1,037	111	36	27	26	25	22	14	8	7
1982.....	1,462	1,082	118	51	40	21	26	14	14	8	7
1981.....	1,575	1,208	133	48	39	30	13	14	13	6	4
1980.....	1,541	1,178	125	53	37	31	23	15	15	6	3
1979.....	1,532	1,194	115	34	43	24	24	13	10	8	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)

WHITE MALE

1998.....	967	242	38	11	12	15	4	10	6	8	3
1997.....	961	249	45	20	11	10	9	7	7	6	9
1996.....	944	310	46	34	15	9	9	6	3	6	6
1995.....	756	281	49	19	22	15	6	9	5	4	4
1994.....	723	300	47	27	15	16	2	4	6	5	2
1993.....	705	273	51	22	15	14	5	5	7	5	5
1992.....	758	374	68	31	19	10	5	3	8	9	10
1991.....	679	362	66	25	19	9	4	6	5	11	6
1990.....	660	362	65	26	6	15	7	9	5	7	5
1989.....	594	325	45	23	12	18	12	8	8	5	4
1988.....	601	373	58	17	23	7	9	11	6	2	4
1987.....	617	387	61	20	12	8	13	6	6	6	4
1986.....	587	406	49	18	13	8	9	7	5	5	6
1985.....	611	432	44	16	11	9	10	8	2	5	1
1984.....	645	462	67	17	13	9	7	5	4	2	2
1983.....	656	460	58	19	15	13	13	9	9	2	6
1982.....	705	503	63	31	19	11	12	7	9	5	5
1981.....	745	555	68	23	23	16	9	5	6	3	3
1980.....	750	567	62	29	18	11	17	8	7	1	2
1979.....	730	546	67	19	28	11	14	3	4	2	4

WHITE FEMALE

1998.....	982	312	48	19	26	15	12	6	3	5	9
1997.....	911	347	44	13	19	13	9	13	5	3	7
1996.....	820	315	46	17	12	4	3	8	6	4	1
1995.....	767	351	46	33	12	9	8	2	1	8	9
1994.....	778	384	57	26	15	10	9	10	5	7	6
1993.....	756	388	64	37	13	10	7	7	4	3	7
1992.....	693	401	48	32	10	11	9	3	10	4	7
1991.....	632	402	47	31	13	14	8	5	9	1	5
1990.....	650	426	48	30	10	7	9	10	6	5	5
1989.....	667	420	64	23	21	14	7	11	3	2	7
1988.....	677	469	52	21	12	14	8	6	6	6	2
1987.....	606	442	57	9	9	8	7	4	10	4	4
1986.....	653	490	44	15	12	9	8	5	6	2	-
1985.....	703	538	49	24	10	6	5	8	5	4	2
1984.....	667	520	57	16	16	10	3	2	5	4	1
1983.....	747	577	53	17	12	13	12	13	5	6	1
1982.....	757	579	55	20	21	10	14	7	5	3	2
1981.....	830	653	65	25	16	14	4	9	7	3	1
1980.....	791	611	63	24	19	20	6	7	8	5	1
1979.....	802	648	48	15	15	13	10	10	6	6	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)											
ALL OTHER, BOTH SEXES											
1998.....	320	162	31	20	9	7	5	1	3	6	4
1997.....	325	184	34	15	7	7	5	3	2	6	3
1996.....	317	171	32	15	11	8	7	6	-	4	9
1995.....	288	166	44	12	12	9	4	4	3	2	1
1994.....	269	154	37	9	7	4	9	3	3	2	8
1993.....	293	176	38	12	8	4	6	6	3	4	1
1992.....	294	185	52	15	8	1	3	1	2	1	5
1991.....	322	224	44	15	5	4	-	3	3	2	-
1990.....	315	228	32	16	5	5	5	1	1	2	3
1989.....	305	195	48	11	6	7	4	6	5	3	3
1988.....	273	193	33	16	7	3	6	1	2	4	2
1987.....	304	206	33	20	5	7	8	5	3	3	-
1986.....	306	216	36	13	11	5	7	3	3	4	-
1985.....	258	191	21	10	7	9	3	1	4	-	3
1984.....	321	218	37	15	4	7	7	10	6	1	-
1983.....	292	209	37	12	5	5	4	5	2	-	1
1982.....	308	207	36	15	13	11	9	3	5	1	2
1981.....	324	237	35	9	10	10	4	8	2	-	1
1980.....	328	253	36	14	6	7	7	2	1	-	-
1979.....	278	204	27	16	6	6	3	2	3	-	1
ALL OTHER MALE											
1998.....	155	77	17	11	4	3	3	1	1	2	2
1997.....	157	82	18	7	3	3	1	3	2	2	2
1996.....	162	74	17	9	9	2	4	6	-	1	5
1995.....	127	64	23	9	6	5	-	-	3	1	-
1994.....	127	66	20	5	4	2	6	2	2	1	5
1993.....	134	82	17	6	5	2	4	3	-	2	-
1992.....	146	90	25	9	5	-	2	1	2	1	2
1991.....	155	107	26	7	2	1	-	1	2	1	-
1990.....	145	104	15	9	2	1	2	1	-	-	1
1989.....	139	89	19	7	-	4	1	4	2	1	3
1988.....	135	89	15	10	5	2	5	1	1	3	2
1987.....	155	101	18	10	3	6	5	3	-	2	-
1986.....	148	103	18	5	5	5	4	1	1	2	-
1985.....	134	98	10	6	3	7	2	-	-	-	1
1984.....	161	107	20	7	1	3	4	5	5	-	-
1983.....	146	105	21	4	3	3	1	2	-	-	-
1982.....	157	101	20	9	5	8	5	2	3	-	1
1981.....	139	98	14	2	4	5	3	5	2	-	1
1980.....	146	112	15	6	4	3	4	-	1	-	-
1979.....	117	88	7	8	4	4	1	1	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	165	85	14	9	5	4	2	-	2	4	2
1997.....	168	102	16	8	4	4	4	-	-	4	1
1996.....	155	97	15	6	2	6	3	-	-	3	4
1995.....	161	102	21	3	6	4	4	4	-	1	1
1994.....	142	88	17	4	3	2	3	1	1	1	3
1993.....	159	94	21	6	3	2	2	3	3	2	1
1992.....	148	95	27	6	3	1	1	-	-	-	3
1991.....	167	117	18	8	3	3	-	2	1	1	-
1990.....	170	124	17	7	3	4	3	-	1	2	2
1989.....	166	106	29	4	6	3	3	2	3	2	-
1988.....	138	104	18	6	2	1	1	-	1	1	-
1987.....	149	105	15	10	2	1	3	2	3	1	-
1986.....	158	113	18	8	6	-	3	2	2	2	-
1985.....	124	93	11	4	4	2	1	1	4	-	2
1984.....	160	111	17	8	3	4	3	5	1	1	-
1983.....	146	104	16	8	2	2	3	3	2	-	1
1982.....	151	106	16	6	8	3	4	1	2	1	1
1981.....	185	139	21	7	6	5	1	3	-	-	-
1980.....	182	141	21	8	2	4	3	2	-	-	-
1979.....	161	116	20	8	2	2	2	1	3	-	-
BLACK, BOTH SEXES											
1998.....	254	119	27	17	7	6	4	1	3	5	4
1997.....	249	136	25	13	6	7	4	2	1	5	2
1996.....	256	130	26	12	10	8	6	5	-	3	9
1995.....	241	130	41	9	11	9	4	4	2	2	1
1994.....	225	129	31	9	7	2	8	2	3	2	8
1993.....	240	141	32	11	6	4	5	5	2	4	1
1992.....	241	146	46	13	8	1	2	1	2	-	4
1991.....	265	178	38	13	4	4	-	3	3	2	-
1990.....	255	183	26	15	4	4	4	1	-	2	3
1989.....	250	154	43	10	5	6	3	5	5	2	3
1988.....	221	153	26	12	7	3	5	1	2	4	2
1987.....	260	176	26	16	5	7	8	4	3	2	-
1986.....	254	174	30	12	10	4	7	3	3	4	-
1985.....	209	147	20	8	7	9	3	1	4	-	2
1984.....	259	174	27	13	3	7	6	8	5	-	-
1983.....	241	169	32	11	5	4	4	3	2	-	1
1982.....	252	164	30	13	12	10	8	3	5	1	2
1981.....	267	188	31	8	9	9	4	8	2	-	1
1980.....	290	218	34	14	6	7	6	2	1	-	-
1979.....	243	175	23	16	5	6	2	2	3	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
 YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)

BLACK MALE

1998.....	117	54	14	8	3	3	3	1	1	2	2
1997.....	118	56	14	7	3	3	1	2	1	1	1
1996.....	133	55	16	6	8	2	4	5	-	-	5
1995.....	105	49	21	8	5	5	-	-	2	1	-
1994.....	106	55	18	5	4	1	6	1	2	1	5
1993.....	105	62	13	5	3	2	3	2	-	2	-
1992.....	123	75	22	7	5	-	1	2	2	-	1
1991.....	127	84	22	7	2	1	-	1	2	1	-
1990.....	114	81	12	8	1	1	2	1	-	-	1
1989.....	115	68	17	7	-	4	1	4	2	1	3
1988.....	107	67	12	8	5	2	4	1	1	3	2
1987.....	129	84	12	9	3	6	5	2	-	2	-
1986.....	120	80	16	4	4	4	4	1	1	2	-
1985.....	109	74	10	6	3	7	2	-	-	-	-
1984.....	136	88	16	6	1	3	4	5	4	-	-
1983.....	113	81	16	3	3	2	1	1	-	-	-
1982.....	123	75	16	8	5	7	5	2	3	-	1
1981.....	115	79	11	2	3	4	3	5	2	-	1
1980.....	130	98	14	6	4	3	3	-	1	-	-
1979.....	101	74	5	8	4	4	1	1	-	-	1

BLACK FEMALE

1998.....	137	65	13	9	4	3	1	-	2	3	2
1997.....	131	80	11	6	3	4	3	-	-	4	1
1996.....	123	75	10	6	2	6	2	-	-	3	4
1995.....	136	81	20	1	6	4	4	4	-	1	1
1994.....	119	74	13	4	3	1	2	1	1	1	3
1993.....	135	79	19	6	3	2	2	3	2	2	1
1992.....	118	71	24	6	3	1	1	-	-	-	3
1991.....	138	94	16	6	2	3	-	2	1	1	-
1990.....	141	102	14	7	3	3	2	-	-	2	2
1989.....	135	86	26	3	5	2	2	1	3	1	-
1988.....	114	86	14	4	2	1	1	-	1	1	-
1987.....	131	92	14	7	2	1	3	2	3	-	-
1986.....	134	94	14	8	6	-	3	2	2	2	-
1985.....	100	73	10	2	4	2	1	1	4	-	2
1984.....	123	86	11	7	2	4	2	3	1	-	-
1983.....	128	88	16	8	2	2	3	2	2	-	1
1982.....	129	89	14	5	7	3	3	1	2	1	1
1981.....	152	109	20	6	6	5	1	3	-	-	-
1980.....	160	120	20	8	2	4	3	2	-	-	-
1979.....	142	101	18	8	1	2	1	1	3	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CONGENITAL ANOMALIES OF HEART (745-746)											
TOTAL, BOTH SEXES											
1998.....	3,629	1,769	210	70	65	99	122	112	111	145	144
1997.....	3,700	1,760	238	85	88	128	108	104	114	137	126
1996.....	3,782	1,921	262	77	87	87	106	99	107	131	126
1995.....	3,939	1,979	309	83	90	129	114	124	133	132	110
1994.....	4,022	2,151	309	84	81	99	133	113	126	110	99
1993.....	4,254	2,219	362	113	86	128	129	126	121	114	96
1992.....	4,339	2,337	382	92	100	128	124	111	98	128	92
1991.....	4,413	2,384	434	107	84	125	117	112	106	114	104
1990.....	4,641	2,601	445	128	98	115	139	110	123	125	112
1989.....	4,593	2,559	480	126	104	118	126	129	108	122	82
1988.....	4,570	2,582	464	143	111	124	128	125	112	95	84
1987.....	4,366	2,381	488	128	86	150	129	111	108	102	78
1986.....	4,380	2,443	452	136	97	142	124	96	100	100	84
1985.....	4,432	2,585	451	138	100	113	117	109	92	91	78
1984.....	4,567	2,557	473	123	139	140	162	111	100	96	79
1983.....	4,590	2,570	492	120	124	149	163	121	93	88	87
1982.....	4,847	2,804	531	128	124	147	128	118	98	95	55
1981.....	4,700	2,656	526	133	124	159	141	140	97	101	62
1980.....	5,034	2,874	539	148	124	163	167	135	117	92	63
1979.....	4,964	2,867	562	134	130	161	146	123	83	92	73
TOTAL, MALE											
1998.....	1,945	976	116	40	40	64	78	68	61	80	76
1997.....	1,953	961	129	49	46	84	63	65	70	69	61
1996.....	2,005	1,071	129	44	56	62	64	58	65	74	68
1995.....	2,145	1,154	176	51	49	77	71	69	70	65	64
1994.....	2,134	1,183	163	44	48	70	85	62	66	55	53
1993.....	2,282	1,239	189	65	62	83	80	66	71	60	54
1992.....	2,320	1,284	210	50	56	91	77	69	47	73	50
1991.....	2,379	1,329	230	63	49	80	68	60	55	64	57
1990.....	2,504	1,438	241	74	51	84	75	64	68	79	68
1989.....	2,448	1,392	248	72	63	77	77	81	65	65	42
1988.....	2,487	1,422	260	85	67	76	71	71	64	56	40
1987.....	2,349	1,286	267	86	51	103	77	63	68	61	39
1986.....	2,380	1,349	250	79	58	88	69	50	73	58	43
1985.....	2,464	1,487	247	81	55	65	76	54	54	50	44
1984.....	2,469	1,405	243	77	75	89	97	66	58	48	41
1983.....	2,484	1,416	270	74	67	91	87	73	55	47	47
1982.....	2,592	1,565	274	77	65	85	76	58	56	47	32
1981.....	2,531	1,472	271	68	68	103	85	85	62	51	26
1980.....	2,827	1,621	300	87	68	107	99	85	74	51	39
1979.....	2,764	1,626	308	74	68	108	104	76	51	48	34

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CONGENITAL ANOMALIES OF HEART (745-746)											
TOTAL, FEMALE											
1998.....	1,684	793	94	30	25	35	44	44	50	65	68
1997.....	1,747	799	109	36	42	44	45	39	44	68	65
1996.....	1,777	850	133	33	31	25	42	41	42	57	58
1995.....	1,794	825	133	32	41	52	43	55	63	67	46
1994.....	1,888	968	146	40	33	29	48	51	60	55	46
1993.....	1,972	980	173	48	24	45	49	60	50	54	42
1992.....	2,019	1,053	172	42	44	37	47	42	51	55	42
1991.....	2,034	1,055	204	44	35	45	49	52	51	50	47
1990.....	2,137	1,163	204	54	47	31	64	46	55	46	44
1989.....	2,145	1,167	232	54	41	41	49	48	43	57	40
1988.....	2,083	1,160	204	58	44	48	57	54	48	39	44
1987.....	2,017	1,095	221	42	35	47	52	48	40	41	39
1986.....	2,000	1,094	202	57	39	54	55	46	27	42	41
1985.....	1,968	1,098	204	57	45	48	41	55	38	41	34
1984.....	2,098	1,152	230	46	64	51	65	45	42	48	38
1983.....	2,106	1,154	222	46	57	58	76	48	38	41	40
1982.....	2,255	1,239	257	51	59	62	52	60	42	48	23
1981.....	2,169	1,184	255	65	56	56	56	55	35	50	36
1980.....	2,207	1,253	239	61	56	56	68	50	43	41	24
1979.....	2,200	1,241	254	60	62	53	42	47	32	44	39
WHITE, BOTH SEXES											
1998.....	2,921	1,387	149	49	45	71	82	86	88	119	126
1997.....	3,001	1,389	173	61	62	90	78	86	91	120	104
1996.....	3,052	1,505	175	54	60	72	83	78	96	115	106
1995.....	3,175	1,553	227	60	66	96	91	102	113	111	92
1994.....	3,237	1,667	216	60	67	72	112	98	104	95	84
1993.....	3,436	1,715	271	97	70	101	111	109	96	93	89
1992.....	3,414	1,762	280	66	69	98	104	93	76	107	85
1991.....	3,501	1,826	328	75	64	94	95	93	91	86	91
1990.....	3,720	2,018	342	99	80	84	107	92	100	109	98
1989.....	3,671	1,983	377	101	78	88	104	113	85	100	77
1988.....	3,737	2,062	370	114	91	97	109	100	92	80	73
1987.....	3,510	1,854	377	97	65	127	102	86	92	86	67
1986.....	3,588	1,934	365	113	79	112	106	79	78	90	74
1985.....	3,612	2,069	359	98	84	87	100	94	73	77	69
1984.....	3,749	2,040	390	97	119	115	137	91	80	85	69
1983.....	3,747	2,042	408	93	99	120	131	95	78	74	78
1982.....	4,015	2,269	427	101	108	127	107	97	80	79	49
1981.....	3,901	2,157	418	113	106	132	119	120	76	91	52
1980.....	4,188	2,329	436	125	100	139	142	115	95	80	54
1979.....	4,165	2,341	462	111	111	142	123	104	70	83	67

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CONGENITAL ANOMALIES OF HEART (745-746)											
WHITE MALE											
1998.....	1,575	783	84	28	26	45	53	58	52	65	66
1997.....	1,580	765	97	37	34	58	44	52	55	58	53
1996.....	1,644	866	95	31	39	51	51	47	59	62	59
1995.....	1,734	920	128	37	35	56	59	59	60	57	56
1994.....	1,743	941	122	32	40	51	71	53	55	46	44
1993.....	1,861	977	145	53	51	65	68	56	56	51	51
1992.....	1,847	993	159	32	41	67	68	58	35	61	48
1991.....	1,884	1,033	171	43	35	59	56	50	48	51	47
1990.....	2,012	1,134	179	57	42	62	53	53	57	72	61
1989.....	1,981	1,111	196	57	50	54	63	70	51	53	40
1988.....	2,037	1,140	214	66	57	55	59	60	53	48	35
1987.....	1,922	1,032	213	64	41	85	62	51	58	52	33
1986.....	1,952	1,083	199	66	49	68	58	40	55	53	38
1985.....	2,040	1,221	201	58	47	48	61	47	45	41	40
1984.....	2,050	1,144	206	64	67	69	79	51	46	44	35
1983.....	2,037	1,134	219	56	52	72	76	56	50	41	44
1982.....	2,173	1,283	233	59	62	73	64	50	45	37	29
1981.....	2,106	1,206	214	58	61	83	69	76	51	45	22
1980.....	2,372	1,336	239	75	54	91	90	75	57	45	34
1979.....	2,337	1,334	258	63	58	94	89	68	43	45	31
WHITE FEMALE											
1998.....	1,346	604	65	21	19	26	29	28	36	54	60
1997.....	1,421	624	76	24	28	32	34	34	36	62	51
1996.....	1,408	639	80	23	21	21	32	31	37	53	47
1995.....	1,441	633	99	23	31	40	32	43	53	54	36
1994.....	1,494	726	94	28	27	21	41	45	49	49	40
1993.....	1,575	738	126	44	19	36	43	53	40	42	38
1992.....	1,567	769	121	34	28	31	36	35	41	46	37
1991.....	1,617	793	157	32	29	35	39	43	43	35	44
1990.....	1,708	884	163	42	38	22	54	39	43	37	37
1989.....	1,690	872	181	44	28	34	41	43	34	47	37
1988.....	1,700	922	156	48	34	42	50	40	39	32	38
1987.....	1,588	822	164	33	24	42	40	35	34	34	34
1986.....	1,636	851	166	47	30	44	48	39	23	37	36
1985.....	1,572	848	158	40	37	39	39	47	28	36	29
1984.....	1,699	896	184	33	52	46	58	40	34	41	34
1983.....	1,710	908	189	37	47	48	55	39	28	33	34
1982.....	1,842	986	194	42	46	54	43	47	35	42	20
1981.....	1,795	951	204	55	45	49	50	44	25	46	30
1980.....	1,816	993	197	50	46	48	52	40	38	35	20
1979.....	1,828	1,007	204	48	53	48	34	36	27	38	36

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CONGENITAL ANOMALIES OF HEART (745-746)											
ALL OTHER, BOTH SEXES											
1998.....	708	382	61	21	20	28	40	26	23	26	18
1997.....	699	371	65	24	26	38	30	18	23	17	22
1996.....	730	416	87	23	27	15	23	21	11	16	20
1995.....	764	426	82	23	24	33	23	22	20	21	18
1994.....	785	484	93	24	14	27	21	15	22	15	15
1993.....	818	504	91	16	16	27	18	17	25	21	7
1992.....	925	575	102	26	31	30	20	18	22	21	7
1991.....	912	558	106	32	20	31	22	19	15	28	13
1990.....	921	583	103	29	18	31	32	18	23	16	14
1989.....	922	576	103	25	26	30	22	16	23	22	5
1988.....	833	520	94	29	20	27	19	25	20	15	11
1987.....	856	527	111	31	21	23	27	25	16	16	11
1986.....	792	509	87	23	18	30	18	17	22	10	10
1985.....	820	516	92	40	16	26	17	15	19	14	9
1984.....	818	517	83	26	20	25	25	20	20	11	10
1983.....	843	528	84	27	25	29	32	26	15	14	9
1982.....	832	535	104	27	16	20	21	21	18	16	6
1981.....	799	499	108	20	18	27	22	20	21	10	10
1980.....	846	545	103	23	24	24	25	20	22	12	9
1979.....	799	526	100	23	19	19	23	19	13	9	6
ALL OTHER MALE											
1998.....	370	193	32	12	14	19	25	10	9	15	10
1997.....	373	196	32	12	12	26	19	13	15	11	8
1996.....	361	205	34	13	17	11	13	11	6	12	9
1995.....	411	234	48	14	14	21	12	10	10	8	8
1994.....	391	242	41	12	8	19	14	9	11	9	9
1993.....	421	262	44	12	11	18	12	10	15	9	3
1992.....	473	291	51	18	15	24	9	11	12	12	2
1991.....	495	296	59	20	14	21	12	10	7	13	10
1990.....	492	304	62	17	9	22	22	11	11	7	7
1989.....	467	281	52	15	13	23	14	11	14	12	2
1988.....	450	282	46	19	10	21	12	11	11	8	5
1987.....	427	254	54	22	10	18	15	12	10	9	6
1986.....	428	266	51	13	9	20	11	10	18	5	5
1985.....	424	266	46	23	8	17	15	7	9	9	4
1984.....	419	261	37	13	8	20	18	15	12	4	6
1983.....	447	282	51	18	15	19	11	17	5	6	3
1982.....	419	282	41	18	3	12	12	8	11	10	3
1981.....	425	266	57	10	7	20	16	9	11	6	4
1980.....	455	285	61	12	14	16	9	10	17	6	5
1979.....	427	292	50	11	10	14	15	8	8	3	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CONGENITAL ANOMALIES OF HEART (745-746)											
ALL OTHER FEMALE											
1998.....	338	189	29	9	6	9	15	16	14	11	8
1997.....	326	175	33	12	14	12	11	5	8	6	14
1996.....	369	211	53	10	10	4	10	10	5	4	11
1995.....	353	192	34	9	10	12	11	12	10	13	10
1994.....	394	242	52	12	6	8	7	6	11	6	6
1993.....	397	242	47	4	5	9	6	7	10	12	4
1992.....	452	284	51	8	16	6	11	7	10	9	5
1991.....	417	262	47	12	6	10	10	9	8	15	3
1990.....	429	279	41	12	9	9	10	7	12	9	7
1989.....	455	295	51	10	13	7	8	5	9	10	3
1988.....	383	238	48	10	10	6	7	14	9	7	6
1987.....	429	273	57	9	11	5	12	13	6	7	5
1986.....	364	243	36	10	9	10	7	7	4	5	5
1985.....	396	250	46	17	8	9	2	8	10	5	5
1984.....	399	256	46	13	12	5	7	5	8	7	4
1983.....	396	246	33	9	10	10	21	9	10	8	6
1982.....	413	253	63	9	13	8	9	13	7	6	3
1981.....	374	233	51	10	11	7	6	11	10	4	6
1980.....	391	260	42	11	10	8	16	10	5	6	4
1979.....	372	234	50	12	9	5	8	11	5	6	3
BLACK, BOTH SEXES											
1998.....	584	313	50	20	16	24	32	20	21	20	16
1997.....	574	308	49	20	19	34	24	14	19	15	20
1996.....	617	348	72	20	25	14	19	16	11	16	17
1995.....	624	353	67	18	21	29	17	15	15	18	14
1994.....	663	395	81	24	11	26	19	15	19	12	14
1993.....	691	426	81	11	13	24	11	16	22	21	4
1992.....	776	484	86	21	27	28	15	16	18	17	7
1991.....	768	480	84	24	17	25	16	16	14	23	13
1990.....	781	494	88	24	14	29	29	16	21	12	12
1989.....	764	479	81	21	19	26	20	15	20	21	5
1988.....	686	434	70	20	17	23	15	24	18	13	11
1987.....	746	458	96	28	19	20	24	24	15	13	10
1986.....	664	430	69	18	17	28	15	17	19	8	7
1985.....	698	442	74	34	12	22	15	15	18	13	7
1984.....	702	444	68	20	19	22	21	15	20	10	9
1983.....	714	434	67	23	24	26	29	24	15	14	9
1982.....	715	454	90	25	16	17	19	20	15	12	4
1981.....	695	433	93	20	16	24	18	18	19	8	10
1980.....	729	465	87	20	23	22	21	16	21	12	8
1979.....	710	464	93	21	18	17	22	14	13	7	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CONGENITAL ANOMALIES OF HEART (745-746)											
BLACK MALE											
1998.....	305	155	28	12	10	16	20	8	8	10	9
1997.....	307	169	23	9	7	22	16	9	13	10	6
1996.....	297	165	29	12	16	10	11	6	6	12	7
1995.....	337	193	37	11	12	19	8	8	9	6	6
1994.....	335	202	36	12	6	19	12	9	10	7	8
1993.....	355	215	42	8	10	17	8	9	14	9	2
1992.....	399	247	41	15	13	22	6	10	10	12	2
1991.....	413	250	46	15	12	18	9	8	7	10	10
1990.....	424	260	52	15	8	21	21	9	11	6	6
1989.....	380	230	36	13	9	20	13	10	13	12	2
1988.....	363	227	37	13	9	19	9	10	10	7	5
1987.....	385	232	47	20	8	15	15	11	9	7	5
1986.....	350	218	39	11	9	18	9	10	15	3	3
1985.....	353	221	34	20	7	15	14	7	9	8	3
1984.....	362	225	31	9	8	18	17	11	12	4	5
1983.....	373	228	39	16	15	17	10	16	5	6	3
1982.....	359	239	36	16	3	10	11	8	9	7	3
1981.....	363	228	49	10	6	17	13	7	9	5	4
1980.....	390	235	53	10	14	16	7	9	17	6	4
1979.....	379	257	46	10	9	14	14	4	8	3	3
BLACK FEMALE											
1998.....	279	158	22	8	6	8	12	12	13	10	7
1997.....	267	139	26	11	12	12	8	5	6	5	14
1996.....	320	183	43	8	9	4	8	10	5	4	10
1995.....	287	160	30	7	9	10	9	7	6	12	8
1994.....	328	193	45	12	5	7	7	6	9	5	6
1993.....	336	211	39	3	3	7	3	7	8	12	2
1992.....	377	237	45	6	14	6	9	6	8	5	5
1991.....	355	230	38	9	5	7	7	8	7	13	3
1990.....	357	234	36	9	6	8	8	7	10	6	6
1989.....	384	249	45	8	10	6	7	5	7	9	3
1988.....	323	207	33	7	8	4	6	14	8	6	6
1987.....	361	226	49	8	11	5	9	13	6	6	5
1986.....	314	212	30	7	8	10	6	7	4	5	4
1985.....	345	221	40	14	5	7	1	8	9	5	4
1984.....	340	219	37	11	11	4	4	4	8	6	4
1983.....	341	206	28	7	9	9	19	8	10	8	6
1982.....	356	215	54	9	13	7	8	12	6	5	1
1981.....	332	205	44	10	10	7	5	11	10	3	6
1980.....	339	230	34	10	9	6	14	7	4	6	4
1979.....	331	207	47	11	9	3	8	10	5	4	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)											
TOTAL, BOTH SEXES											
1998.....	1,028	315	21	21	12	22	19	30	27	37	40
1997.....	998	332	41	12	19	12	17	29	29	31	38
1996.....	1,038	350	37	22	25	25	17	15	25	30	47
1995.....	1,062	313	36	21	20	35	21	28	24	46	54
1994.....	1,157	418	34	20	25	24	27	28	31	38	56
1993.....	1,134	417	29	16	27	21	20	35	23	41	42
1992.....	1,169	439	47	18	28	22	22	33	46	56	44
1991.....	1,166	492	41	24	31	26	19	29	40	31	44
1990.....	1,193	509	58	16	21	17	33	23	38	37	41
1989.....	1,145	491	42	19	17	32	28	34	35	39	36
1988.....	1,249	584	47	25	23	26	23	35	33	52	50
1987.....	1,245	597	50	21	32	15	29	37	40	44	45
1986.....	1,249	618	38	15	19	28	42	31	38	46	36
1985.....	1,320	689	38	19	19	28	37	38	35	34	47
1984.....	1,462	822	49	18	30	22	36	47	46	25	39
1983.....	1,559	923	30	16	23	36	30	47	43	48	41
1982.....	1,543	901	60	29	27	28	44	49	41	33	33
1981.....	1,535	910	40	22	26	36	49	54	50	33	36
1980.....	1,594	937	43	24	27	31	47	39	45	33	40
1979.....	1,527	854	47	27	39	38	49	43	40	42	38
TOTAL, MALE											
1998.....	526	173	10	10	6	10	7	18	16	23	18
1997.....	532	188	23	6	10	6	5	16	14	25	17
1996.....	531	199	17	13	8	14	10	8	15	11	29
1995.....	555	185	17	12	10	18	11	9	12	27	27
1994.....	622	221	15	7	18	10	15	12	20	20	29
1993.....	577	232	14	8	10	9	12	19	14	21	27
1992.....	627	275	22	7	14	12	12	18	21	36	21
1991.....	650	276	27	10	18	14	10	17	21	18	24
1990.....	633	284	27	8	11	14	22	11	27	20	18
1989.....	608	264	17	12	8	19	16	22	18	25	14
1988.....	640	323	25	17	11	17	12	9	17	33	28
1987.....	683	325	27	14	19	9	13	23	25	27	23
1986.....	668	343	21	9	10	17	21	16	18	27	18
1985.....	728	405	24	12	11	17	23	19	19	18	21
1984.....	811	445	27	9	14	18	26	29	28	16	22
1983.....	829	501	15	6	7	18	17	23	27	32	23
1982.....	802	489	26	15	10	15	23	29	20	15	17
1981.....	832	513	28	9	12	23	28	30	24	17	21
1980.....	852	514	25	11	13	10	24	20	24	19	18
1979.....	826	479	25	17	18	29	28	24	21	17	20

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)											
TOTAL, FEMALE											
1998.....	502	142	11	11	6	12	12	12	11	14	22
1997.....	466	144	18	6	9	6	12	13	15	6	21
1996.....	507	151	20	9	17	11	7	7	10	19	18
1995.....	507	128	19	9	10	17	10	19	12	19	27
1994.....	535	197	19	13	7	14	12	16	11	18	27
1993.....	557	185	15	8	17	12	8	16	9	20	15
1992.....	542	164	25	11	14	10	10	15	25	20	23
1991.....	516	216	14	14	13	12	9	12	19	13	20
1990.....	560	225	31	8	10	3	11	12	11	17	23
1989.....	537	227	25	7	9	13	12	12	17	14	22
1988.....	609	261	22	8	12	9	11	26	16	19	22
1987.....	562	272	23	7	13	6	16	14	15	17	22
1986.....	581	275	17	6	9	11	21	15	20	19	18
1985.....	592	284	14	7	8	11	14	19	16	16	26
1984.....	651	377	22	9	16	4	10	18	18	9	17
1983.....	730	422	15	10	16	18	13	24	16	16	18
1982.....	741	412	34	14	17	13	21	20	21	18	16
1981.....	703	397	12	13	14	13	21	24	26	16	15
1980.....	742	423	18	13	14	21	23	19	21	14	22
1979.....	701	375	22	10	21	9	21	19	19	25	18
WHITE, BOTH SEXES											
1998.....	801	224	14	18	8	15	11	22	20	27	25
1997.....	791	242	25	9	18	8	11	29	23	26	31
1996.....	807	264	27	12	18	17	15	10	17	19	31
1995.....	848	240	20	14	16	31	16	18	22	36	41
1994.....	897	297	26	14	16	19	20	22	22	29	44
1993.....	888	301	20	12	24	16	14	29	16	32	33
1992.....	922	322	30	13	23	20	15	25	34	46	34
1991.....	910	346	30	19	24	22	11	23	32	23	35
1990.....	939	376	43	12	19	14	27	18	30	31	33
1989.....	896	354	34	17	10	22	24	25	28	29	26
1988.....	971	425	36	22	20	19	21	28	22	38	37
1987.....	974	433	42	18	23	13	21	31	35	33	39
1986.....	942	430	28	9	14	25	28	22	27	34	27
1985.....	1,048	520	30	18	14	21	31	33	23	26	36
1984.....	1,129	593	41	14	23	20	29	32	37	19	30
1983.....	1,202	686	21	14	19	30	25	37	29	36	24
1982.....	1,174	637	52	23	24	24	35	38	32	28	22
1981.....	1,193	660	28	20	23	33	41	43	43	29	35
1980.....	1,269	709	38	18	19	25	33	29	35	26	35
1979.....	1,206	640	37	24	33	31	38	35	32	33	30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)											
WHITE MALE											
1998.....	398	121	8	7	5	6	4	13	11	19	10
1997.....	423	143	12	4	10	4	2	16	13	22	13
1996.....	404	142	11	8	7	7	9	5	11	7	19
1995.....	435	139	10	8	8	15	8	6	11	19	21
1994.....	489	160	12	5	14	8	10	10	15	18	22
1993.....	450	171	10	6	8	6	10	17	10	16	22
1992.....	495	209	14	5	11	11	8	14	14	32	16
1991.....	505	189	20	9	14	12	5	13	16	15	17
1990.....	503	215	17	7	11	12	18	8	23	18	15
1989.....	472	193	14	10	4	12	13	15	16	17	9
1988.....	498	236	20	15	10	12	10	8	12	26	20
1987.....	540	243	25	11	12	8	8	19	21	21	19
1986.....	499	240	15	5	9	15	14	10	13	21	14
1985.....	589	313	20	11	7	14	21	18	11	14	20
1984.....	634	327	22	7	12	16	19	22	23	11	15
1983.....	621	366	12	5	5	14	13	17	17	24	13
1982.....	605	341	22	13	8	13	18	25	17	14	10
1981.....	647	381	18	9	10	21	24	22	20	15	21
1980.....	680	395	22	7	10	7	13	15	20	16	17
1979.....	647	357	20	15	17	24	21	20	18	14	16
WHITE FEMALE											
1998.....	403	103	6	11	3	9	7	9	9	8	15
1997.....	368	99	13	5	8	4	9	13	10	4	18
1996.....	403	122	16	4	11	10	6	5	6	12	12
1995.....	413	101	10	6	8	16	8	12	11	17	20
1994.....	408	137	14	9	2	11	10	12	7	11	22
1993.....	438	130	10	6	16	10	4	12	6	16	11
1992.....	427	113	16	8	12	9	7	11	20	14	18
1991.....	405	157	10	10	10	10	6	10	16	8	18
1990.....	436	161	26	5	8	2	9	10	7	13	18
1989.....	424	161	20	7	6	10	11	10	12	12	17
1988.....	473	189	16	7	10	7	11	20	10	12	17
1987.....	434	190	17	7	11	5	13	12	14	12	20
1986.....	443	190	13	4	5	10	14	12	14	13	13
1985.....	459	207	10	7	7	7	10	15	12	12	16
1984.....	495	266	19	7	11	4	10	10	14	8	15
1983.....	581	320	9	9	14	16	12	20	12	12	11
1982.....	569	296	30	10	16	11	17	13	15	14	12
1981.....	546	279	10	11	13	12	17	21	23	14	14
1980.....	589	314	16	11	9	18	20	14	15	10	18
1979.....	559	283	17	9	16	7	17	15	14	19	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)											
ALL OTHER, BOTH SEXES											
1998.....	227	91	7	3	4	7	8	8	7	10	15
1997.....	207	90	16	3	1	4	6	-	6	5	7
1996.....	231	86	10	10	7	8	2	5	8	11	16
1995.....	214	73	16	7	4	4	5	10	2	10	13
1994.....	260	121	8	6	9	5	7	6	9	9	12
1993.....	246	116	9	4	3	5	6	6	7	9	9
1992.....	247	117	17	5	5	2	7	8	12	10	10
1991.....	256	146	11	5	7	4	8	6	8	8	9
1990.....	254	133	15	4	2	3	6	5	8	6	8
1989.....	249	137	8	2	7	10	4	9	7	10	10
1988.....	278	159	11	3	3	7	2	7	11	14	13
1987.....	271	164	8	3	9	2	8	6	5	11	6
1986.....	307	188	10	6	5	3	14	9	11	12	9
1985.....	272	169	8	1	5	7	6	5	12	8	11
1984.....	333	229	8	4	7	2	7	15	9	6	9
1983.....	357	237	9	2	4	6	5	10	14	12	17
1982.....	369	264	8	6	3	4	9	11	9	5	11
1981.....	342	250	12	2	3	3	8	11	7	4	1
1980.....	325	228	5	6	8	6	14	10	10	7	5
1979.....	321	214	10	3	6	7	11	8	8	9	8
ALL OTHER MALE											
1998.....	128	52	2	3	1	4	3	5	5	4	8
1997.....	109	45	11	2	-	2	3	-	1	3	4
1996.....	127	57	6	5	1	7	1	3	4	4	10
1995.....	120	46	7	4	2	3	3	3	1	8	6
1994.....	133	61	3	2	4	2	5	2	5	2	7
1993.....	127	61	4	2	2	3	2	2	4	5	5
1992.....	132	66	8	2	3	1	4	4	7	4	5
1991.....	145	87	7	1	4	2	5	4	5	3	7
1990.....	130	69	10	1	-	2	4	3	4	2	3
1989.....	136	71	3	2	4	7	3	7	2	8	5
1988.....	142	87	5	2	1	5	2	1	5	7	8
1987.....	143	82	2	3	7	1	5	4	4	6	4
1986.....	169	103	6	4	1	2	7	6	5	6	4
1985.....	139	92	4	1	4	3	2	1	8	4	1
1984.....	177	118	5	2	2	2	7	7	5	5	7
1983.....	208	135	3	1	2	4	4	6	10	8	10
1982.....	197	148	4	2	2	2	5	4	3	1	7
1981.....	185	132	10	-	2	2	4	8	4	2	-
1980.....	172	119	3	4	3	3	11	5	4	3	1
1979.....	179	122	5	2	1	5	7	4	3	3	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)											
ALL OTHER FEMALE											
1998.....	99	39	5	-	3	3	5	3	2	6	7
1997.....	98	45	5	1	1	2	3	-	5	2	3
1996.....	104	29	4	5	6	1	1	2	4	7	6
1995.....	94	27	9	3	2	1	2	7	1	2	7
1994.....	127	60	5	4	5	3	2	4	4	7	5
1993.....	119	55	5	2	1	2	4	4	3	4	4
1992.....	115	51	9	3	2	1	3	4	5	6	5
1991.....	111	59	4	4	3	2	3	2	3	5	2
1990.....	124	64	5	3	2	1	2	2	4	4	5
1989.....	113	66	5	-	3	3	1	2	5	2	5
1988.....	136	72	6	1	2	2	-	6	6	7	5
1987.....	128	82	6	-	2	1	3	2	1	5	2
1986.....	138	85	4	2	4	1	7	3	6	6	5
1985.....	133	77	4	-	1	4	4	4	4	4	10
1984.....	156	111	3	2	5	-	-	8	4	1	2
1983.....	149	102	6	1	2	2	1	4	4	4	7
1982.....	172	116	4	4	1	2	4	7	6	4	4
1981.....	157	118	2	2	1	1	4	3	3	2	1
1980.....	153	109	2	2	5	3	3	5	6	4	4
1979.....	142	92	5	1	5	2	4	4	5	6	4
BLACK, BOTH SEXES											
1998.....	190	75	7	1	2	7	6	6	7	7	15
1997.....	163	68	9	3	1	3	6	-	5	4	7
1996.....	177	68	8	7	3	4	-	4	4	8	12
1995.....	173	61	15	4	-	3	3	7	2	10	10
1994.....	209	102	7	4	6	3	7	3	8	8	9
1993.....	201	96	6	4	2	4	5	5	6	7	6
1992.....	209	103	16	4	5	1	7	6	11	5	9
1991.....	212	121	8	3	6	4	5	4	7	7	8
1990.....	215	114	13	1	2	3	6	5	4	5	6
1989.....	223	124	7	2	4	9	4	7	7	8	9
1988.....	234	138	8	2	3	6	2	6	8	12	10
1987.....	229	139	6	3	8	2	7	4	4	9	5
1986.....	259	158	9	5	4	3	10	8	11	9	7
1985.....	247	156	7	-	4	6	6	4	11	8	9
1984.....	276	190	6	3	7	2	5	14	6	5	7
1983.....	322	216	7	2	2	6	5	9	13	10	14
1982.....	325	235	6	3	3	4	7	7	9	4	11
1981.....	305	222	11	2	3	3	7	11	6	2	1
1980.....	291	203	4	5	8	6	13	8	10	6	5
1979.....	285	188	10	3	5	7	7	8	7	9	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)											
BLACK MALE											
1998.....	102	40	2	1	-	4	3	3	5	2	8
1997.....	82	31	6	2	-	1	3	-	1	3	4
1996.....	100	46	5	4	-	4	-	2	2	2	8
1995.....	96	38	7	3	-	2	1	1	1	8	5
1994.....	105	48	2	2	2	1	5	1	5	2	6
1993.....	106	49	4	2	1	2	1	1	3	5	4
1992.....	114	58	7	1	3	-	4	3	7	2	4
1991.....	123	75	4	1	4	2	4	4	5	2	6
1990.....	112	59	8	-	-	2	4	3	2	2	3
1989.....	122	66	2	2	3	6	3	5	2	6	4
1988.....	123	76	5	2	1	4	2	1	3	6	6
1987.....	125	70	2	3	7	1	4	3	3	5	4
1986.....	143	84	5	4	1	2	6	5	5	4	4
1985.....	127	87	3	-	3	3	2	1	7	4	1
1984.....	140	92	4	2	2	2	5	6	3	5	5
1983.....	185	121	2	1	-	4	4	5	10	7	7
1982.....	171	129	4	-	2	2	4	2	3	1	7
1981.....	167	118	9	-	2	2	4	8	3	1	-
1980.....	151	106	2	3	3	3	10	3	4	2	1
1979.....	161	109	5	2	1	5	5	4	3	3	3
BLACK FEMALE											
1998.....	88	35	5	-	2	3	3	3	2	5	7
1997.....	81	37	3	1	1	2	3	-	4	1	3
1996.....	77	22	3	3	3	-	-	2	2	6	4
1995.....	77	23	8	1	-	1	2	6	1	2	5
1994.....	104	54	5	2	4	2	2	2	3	6	3
1993.....	95	47	2	2	1	2	4	4	3	2	2
1992.....	95	45	9	3	2	1	3	3	4	3	5
1991.....	89	46	4	2	2	2	1	-	2	5	2
1990.....	103	55	5	1	2	1	2	2	2	3	3
1989.....	101	58	5	-	1	3	1	2	5	2	5
1988.....	111	62	3	-	2	2	-	5	5	6	4
1987.....	104	69	4	-	1	1	3	1	1	4	1
1986.....	116	74	4	1	3	1	4	3	6	5	3
1985.....	120	69	4	-	1	3	4	3	4	4	8
1984.....	136	98	2	1	5	-	-	8	3	-	2
1983.....	137	95	5	1	2	2	1	4	3	3	7
1982.....	154	106	2	3	1	2	3	5	6	3	4
1981.....	138	104	2	2	1	1	3	3	3	1	1
1980.....	140	97	2	2	5	3	3	5	6	4	4
1979.....	124	79	5	1	4	2	2	4	4	6	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)											
TOTAL, BOTH SEXES											
1998.....	4,869	3,371	205	45	41	49	63	54	71	64	67
1997.....	4,845	3,258	175	66	65	42	44	59	56	62	84
1996.....	4,764	3,251	205	62	50	52	44	48	44	76	86
1995.....	4,916	3,407	196	64	39	46	37	52	65	60	90
1994.....	4,925	3,391	211	66	43	55	55	55	60	67	83
1993.....	5,148	3,593	245	64	50	47	60	62	64	62	83
1992.....	5,076	3,659	235	44	32	43	55	71	63	55	54
1991.....	5,234	3,769	218	65	41	44	61	65	73	60	64
1990.....	5,448	4,033	226	56	34	57	69	74	60	53	47
1989.....	5,436	4,057	228	59	43	41	48	77	51	58	33
1988.....	5,216	3,871	231	50	33	53	54	59	55	56	46
1987.....	5,040	3,794	206	53	36	46	65	58	55	54	40
1986.....	5,297	3,987	239	50	35	62	52	43	49	44	52
1985.....	5,272	4,031	214	62	38	54	50	44	52	47	47
1984.....	5,205	3,874	230	45	33	43	59	54	46	48	47
1983.....	5,132	3,871	218	53	40	48	54	61	35	42	28
1982.....	5,160	3,834	258	59	44	65	66	58	47	45	44
1981.....	5,090	3,695	261	58	45	59	77	58	46	41	38
1980.....	5,084	3,721	247	53	55	46	63	51	50	48	45
1979.....	4,867	3,534	246	61	54	67	53	53	37	49	35
TOTAL, MALE											
1998.....	2,540	1,791	104	30	23	27	36	30	38	30	31
1997.....	2,584	1,763	96	33	39	26	26	34	32	41	42
1996.....	2,515	1,769	111	34	28	29	24	26	20	37	37
1995.....	2,603	1,881	106	31	13	24	22	31	31	33	39
1994.....	2,533	1,800	99	35	21	28	26	26	34	34	42
1993.....	2,832	2,028	110	32	27	24	34	34	45	35	42
1992.....	2,697	1,984	124	22	16	31	32	39	37	28	32
1991.....	2,854	2,101	108	37	19	23	37	39	39	38	38
1990.....	3,021	2,293	115	30	16	28	46	45	32	33	25
1989.....	2,956	2,284	100	29	23	19	29	43	27	32	16
1988.....	2,837	2,150	139	24	17	29	30	33	32	37	23
1987.....	2,729	2,097	105	22	20	26	39	37	30	27	23
1986.....	2,893	2,228	118	26	19	39	32	27	31	22	35
1985.....	2,861	2,239	113	27	18	32	32	31	28	29	24
1984.....	2,772	2,118	125	20	17	18	37	33	25	31	27
1983.....	2,807	2,171	111	32	24	29	32	37	18	18	11
1982.....	2,768	2,059	130	24	28	43	39	38	31	21	23
1981.....	2,739	2,037	129	36	25	33	41	35	23	25	21
1980.....	2,748	2,032	133	28	25	27	35	27	31	27	23
1979.....	2,695	2,031	132	27	30	42	35	27	21	30	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)											
TOTAL, FEMALE											
1998.....	2,329	1,580	101	15	18	22	27	24	33	34	36
1997.....	2,261	1,495	79	33	26	16	18	25	24	21	42
1996.....	2,249	1,482	94	28	22	23	20	22	24	39	49
1995.....	2,313	1,526	90	33	26	22	15	21	34	27	51
1994.....	2,392	1,591	112	31	22	27	29	29	26	33	41
1993.....	2,316	1,565	135	32	23	23	26	28	19	27	41
1992.....	2,379	1,675	111	22	16	12	23	32	26	27	22
1991.....	2,380	1,668	110	28	22	21	24	26	34	22	26
1990.....	2,427	1,740	111	26	18	29	23	29	28	20	22
1989.....	2,480	1,773	128	30	20	22	19	34	24	26	17
1988.....	2,379	1,721	92	26	16	24	24	26	23	19	23
1987.....	2,311	1,697	101	31	16	20	26	21	25	27	17
1986.....	2,404	1,759	121	24	16	23	20	16	18	22	17
1985.....	2,411	1,792	101	35	20	22	18	13	24	18	23
1984.....	2,433	1,756	105	25	16	25	22	21	21	17	20
1983.....	2,325	1,700	107	21	16	19	22	24	17	24	17
1982.....	2,392	1,775	128	35	16	22	27	20	16	24	21
1981.....	2,351	1,658	132	22	20	26	36	23	23	16	17
1980.....	2,336	1,689	114	25	30	19	28	24	19	21	22
1979.....	2,172	1,503	114	34	24	25	18	26	16	19	16
WHITE, BOTH SEXES											
1998.....	3,855	2,590	148	32	35	36	50	45	57	52	55
1997.....	3,906	2,533	140	51	54	33	33	50	47	48	73
1996.....	3,784	2,503	152	50	41	44	36	39	36	56	75
1995.....	3,921	2,618	149	53	31	39	30	41	48	52	79
1994.....	3,897	2,613	154	49	33	39	44	45	46	58	74
1993.....	4,016	2,715	178	49	37	30	53	49	53	50	69
1992.....	3,958	2,761	167	35	26	35	45	61	51	39	48
1991.....	4,129	2,885	163	50	33	41	50	56	60	51	51
1990.....	4,385	3,171	169	46	24	48	54	60	52	46	40
1989.....	4,324	3,167	165	47	34	30	43	65	41	49	25
1988.....	4,206	3,059	187	33	25	40	50	53	45	43	41
1987.....	4,073	2,994	155	43	24	41	55	52	47	51	34
1986.....	4,269	3,185	177	39	30	46	40	33	40	32	43
1985.....	4,301	3,257	163	43	29	48	42	39	42	39	41
1984.....	4,321	3,179	185	35	27	32	51	43	38	43	45
1983.....	4,219	3,154	164	40	30	37	50	49	32	37	22
1982.....	4,227	3,120	191	46	37	53	55	49	37	32	33
1981.....	4,200	3,009	198	48	37	47	73	50	40	35	29
1980.....	4,156	2,997	191	44	47	37	53	43	39	43	38
1979.....	4,015	2,881	189	43	45	53	45	44	35	39	30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)											
WHITE MALE											
1998.....	2,002	1,378	73	20	20	20	27	26	30	22	26
1997.....	2,094	1,390	77	25	32	21	20	27	25	30	34
1996.....	2,003	1,360	86	26	24	26	21	22	18	28	35
1995.....	2,071	1,452	83	26	11	19	17	25	22	30	32
1994.....	1,982	1,376	66	25	16	23	22	19	25	30	38
1993.....	2,199	1,537	82	24	20	15	30	25	36	28	35
1992.....	2,088	1,486	89	17	14	25	26	35	30	21	26
1991.....	2,243	1,616	76	29	15	21	31	34	34	32	30
1990.....	2,424	1,806	83	24	11	21	36	39	30	29	22
1989.....	2,339	1,780	72	23	17	11	26	36	20	28	12
1988.....	2,295	1,706	114	15	15	21	28	30	28	29	21
1987.....	2,226	1,680	80	19	12	23	35	33	23	25	19
1986.....	2,348	1,807	82	20	16	31	24	19	26	16	30
1985.....	2,353	1,832	83	15	13	29	27	28	25	24	22
1984.....	2,322	1,765	102	16	15	12	32	27	20	26	25
1983.....	2,327	1,796	82	26	18	24	29	32	15	16	8
1982.....	2,290	1,700	97	20	24	35	32	32	23	15	17
1981.....	2,279	1,675	104	31	22	28	39	31	18	22	17
1980.....	2,236	1,631	103	24	23	20	27	23	26	24	19
1979.....	2,241	1,674	104	20	25	33	29	25	19	24	18
WHITE FEMALE											
1998.....	1,853	1,212	75	12	15	16	23	19	27	30	29
1997.....	1,812	1,143	63	26	22	12	13	23	22	18	39
1996.....	1,781	1,143	66	24	17	18	15	17	18	28	40
1995.....	1,850	1,166	66	27	20	20	13	16	26	22	47
1994.....	1,915	1,237	88	24	17	16	22	26	21	28	36
1993.....	1,817	1,178	96	25	17	15	23	24	17	22	34
1992.....	1,870	1,275	78	18	12	10	19	26	21	18	22
1991.....	1,886	1,269	87	21	18	20	19	22	26	19	21
1990.....	1,961	1,365	86	22	13	27	18	21	22	17	18
1989.....	1,985	1,387	93	24	17	19	17	29	21	21	13
1988.....	1,911	1,353	73	18	10	19	22	23	17	14	20
1987.....	1,847	1,314	75	24	12	18	20	19	24	26	15
1986.....	1,921	1,378	95	19	14	15	16	14	14	16	13
1985.....	1,948	1,425	80	28	16	19	15	11	17	15	19
1984.....	1,999	1,414	83	19	12	20	19	16	18	17	20
1983.....	1,892	1,358	82	14	12	13	21	17	17	21	14
1982.....	1,937	1,420	94	26	13	18	23	17	14	17	16
1981.....	1,921	1,334	94	17	15	19	34	19	22	13	12
1980.....	1,920	1,366	88	20	24	17	26	20	13	19	19
1979.....	1,774	1,207	85	23	20	20	16	19	16	15	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)											
ALL OTHER, BOTH SEXES											
1998.....	1,014	781	57	13	6	13	13	9	14	12	12
1997.....	939	725	35	15	11	9	11	9	9	14	11
1996.....	980	748	53	12	9	8	8	9	8	20	11
1995.....	995	789	47	11	8	7	7	11	17	8	11
1994.....	1,028	778	57	17	10	16	11	10	14	9	9
1993.....	1,132	878	67	15	13	17	7	13	11	12	14
1992.....	1,118	898	68	9	6	8	10	10	12	16	6
1991.....	1,105	884	55	15	8	3	11	9	13	9	13
1990.....	1,063	862	57	10	10	9	15	14	8	7	7
1989.....	1,112	890	63	12	9	11	5	12	10	9	8
1988.....	1,010	812	44	17	8	13	4	6	10	13	5
1987.....	967	800	51	10	12	5	10	6	8	3	6
1986.....	1,028	802	62	11	5	16	12	10	9	12	9
1985.....	971	774	51	19	9	6	8	5	10	8	6
1984.....	884	695	45	10	6	11	8	11	8	5	2
1983.....	913	717	54	13	10	11	4	12	3	5	6
1982.....	933	714	67	13	7	12	11	9	10	13	11
1981.....	890	686	63	10	8	12	4	8	6	6	9
1980.....	928	724	56	9	8	9	10	8	11	5	7
1979.....	852	653	57	18	9	14	8	9	2	10	5
ALL OTHER MALE											
1998.....	538	413	31	10	3	7	9	4	8	8	5
1997.....	490	373	19	8	7	5	6	7	7	11	8
1996.....	512	409	25	8	4	3	3	4	2	9	2
1995.....	532	429	23	5	2	5	5	6	9	3	7
1994.....	551	424	33	10	5	5	4	7	9	4	4
1993.....	633	491	28	8	7	9	4	9	9	7	7
1992.....	609	498	35	5	2	6	6	4	7	7	6
1991.....	611	485	32	8	4	2	6	5	5	6	8
1990.....	597	487	32	6	5	7	10	6	2	4	3
1989.....	617	504	28	6	6	8	3	7	7	4	4
1988.....	542	444	25	9	2	8	2	3	4	8	2
1987.....	503	417	25	3	8	3	4	4	7	2	4
1986.....	545	421	36	6	3	8	8	8	5	6	5
1985.....	508	407	30	12	5	3	5	3	3	5	2
1984.....	450	353	23	4	2	6	5	6	5	5	2
1983.....	480	375	29	6	6	5	3	5	3	2	3
1982.....	478	359	33	4	4	8	7	6	8	6	6
1981.....	460	362	25	5	3	5	2	4	5	3	4
1980.....	512	401	30	4	2	7	8	4	5	3	4
1979.....	454	357	28	7	5	9	6	2	2	6	1

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)

ALL OTHER FEMALE

1998.....	476	368	26	3	3	6	4	5	6	4	7
1997.....	449	352	16	7	4	4	5	2	2	3	3
1996.....	468	339	28	4	5	5	5	5	6	11	9
1995.....	463	360	24	6	6	2	2	5	8	5	4
1994.....	477	354	24	7	5	11	7	3	5	5	5
1993.....	499	387	39	7	6	8	3	4	2	5	7
1992.....	509	400	33	4	4	2	4	6	5	9	-
1991.....	494	399	23	7	4	1	5	4	8	3	5
1990.....	466	375	25	4	5	2	5	8	6	3	4
1989.....	495	386	35	6	3	3	2	5	3	5	4
1988.....	468	368	19	8	6	5	2	3	6	5	3
1987.....	464	383	26	7	4	2	6	2	1	1	2
1986.....	483	381	26	5	2	8	4	2	4	6	4
1985.....	463	367	21	7	4	3	3	2	7	3	4
1984.....	434	342	22	6	4	5	3	5	3	-	-
1983.....	433	342	25	7	4	6	1	7	-	3	3
1982.....	455	355	34	9	3	4	4	3	2	7	5
1981.....	430	324	38	5	5	7	2	4	1	3	5
1980.....	416	323	26	5	6	2	2	4	6	2	3
1979.....	398	296	29	11	4	5	2	7	-	4	4

BLACK, BOTH SEXES

1998.....	847	652	40	12	5	12	12	8	11	10	12
1997.....	790	608	28	14	10	9	6	8	8	8	9
1996.....	836	635	46	9	9	6	7	7	7	18	11
1995.....	833	655	43	7	7	7	5	9	15	7	9
1994.....	838	627	52	14	6	14	9	8	11	8	8
1993.....	953	735	53	14	9	15	5	13	8	12	13
1992.....	928	738	57	7	6	7	9	9	11	13	4
1991.....	934	737	47	14	4	3	11	8	11	9	12
1990.....	899	726	46	8	10	7	14	13	8	7	7
1989.....	929	734	58	9	7	7	3	11	10	8	7
1988.....	854	671	40	17	7	11	4	6	10	13	5
1987.....	818	667	43	8	11	5	10	6	8	3	6
1986.....	868	671	57	7	5	15	11	8	8	10	7
1985.....	830	661	40	17	9	6	8	4	10	5	5
1984.....	728	570	37	9	3	9	8	9	7	5	1
1983.....	792	611	50	13	9	11	3	12	2	4	5
1982.....	820	616	61	13	7	12	10	8	10	13	11
1981.....	772	584	55	9	7	11	4	7	6	6	8
1980.....	822	633	52	9	5	9	8	6	10	5	7
1979.....	759	578	51	17	9	11	7	7	2	10	5

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)

BLACK MALE

1998.....	465	355	25	9	3	7	8	4	6	6	5
1997.....	406	308	16	8	7	5	3	7	6	5	7
1996.....	433	348	21	6	4	3	2	3	1	8	2
1995.....	452	360	22	4	2	5	4	5	9	2	6
1994.....	455	345	31	9	2	4	3	6	6	3	4
1993.....	537	414	23	7	6	7	3	9	6	7	7
1992.....	508	413	31	4	2	5	6	3	6	6	4
1991.....	530	418	28	7	2	2	6	4	4	6	7
1990.....	507	413	26	5	5	5	9	6	2	4	3
1989.....	519	421	27	5	5	4	2	6	7	4	3
1988.....	462	370	22	9	2	7	2	3	4	8	2
1987.....	436	357	21	3	8	3	4	4	7	2	4
1986.....	473	366	32	2	3	7	7	7	5	6	4
1985.....	441	353	26	12	5	3	5	2	3	3	2
1984.....	373	293	18	3	-	6	5	5	4	5	1
1983.....	425	331	27	6	6	5	2	5	2	1	2
1982.....	419	310	29	4	4	8	7	5	8	6	6
1981.....	407	315	23	5	2	5	2	3	5	3	4
1980.....	467	362	29	4	1	7	6	4	5	3	4
1979.....	407	317	25	7	5	7	5	2	2	6	1

BLACK FEMALE

1998.....	382	297	15	3	2	5	4	4	5	4	7
1997.....	384	300	12	6	3	4	3	1	2	3	2
1996.....	403	287	25	3	5	3	5	4	6	10	9
1995.....	381	295	21	3	5	2	1	4	6	5	3
1994.....	383	282	21	5	4	10	6	2	5	5	4
1993.....	416	321	30	7	3	8	2	4	2	5	6
1992.....	420	325	26	3	4	2	3	6	5	7	-
1991.....	404	319	19	7	2	1	5	4	7	3	5
1990.....	392	313	20	3	5	2	5	7	6	3	4
1989.....	410	313	31	4	2	3	1	5	3	4	4
1988.....	392	301	18	8	5	4	2	3	6	5	3
1987.....	382	310	22	5	3	2	6	2	1	1	2
1986.....	395	305	25	5	2	8	4	1	3	4	3
1985.....	389	308	14	5	4	3	3	2	7	2	3
1984.....	355	277	19	6	3	3	3	4	3	-	-
1983.....	367	280	23	7	3	6	1	7	-	3	3
1982.....	401	306	32	9	3	4	3	3	2	7	5
1981.....	365	269	32	4	5	6	2	4	1	3	4
1980.....	355	271	23	5	4	2	2	2	5	2	3
1979.....	352	261	26	10	4	4	2	5	-	4	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 XV. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)											
TOTAL, BOTH SEXES											
1998.....	13,428	13,294	75	16	10	4	2	2	6	6	2
1997.....	13,092	12,935	75	27	10	11	7	2	5	5	1
1996.....	13,069	12,955	60	16	8	6	2	2	2	6	1
1995.....	13,471	13,328	87	22	9	3	2	5	2	3	1
1994.....	14,487	14,315	114	21	7	5	3	4	5	2	-
1993.....	15,097	14,946	100	11	9	5	1	4	4	1	4
1992.....	15,730	15,562	113	17	14	2	-	2	3	5	2
1991.....	16,781	16,591	140	18	9	4	6	1	2	1	4
1990.....	17,674	17,482	134	25	4	5	-	4	2	2	-
1989.....	18,752	18,564	134	17	6	5	2	4	2	4	2
1988.....	18,220	18,036	129	17	5	5	4	5	4	2	-
1987.....	18,222	18,070	121	12	2	5	1	1	1	3	1
1986.....	18,391	18,226	132	8	5	5	1	5	2	-	1
1985.....	19,246	19,068	139	9	4	5	5	5	2	2	1
1984.....	18,881	18,682	144	21	5	7	2	4	1	1	1
1983.....	19,310	19,157	112	9	4	3	4	4	3	-	2
1982.....	20,794	20,685	77	5	2	7	2	3	2	1	1
1981.....	21,626	21,510	77	13	4	4	2	1	1	-	-
1980.....	22,866	22,745	84	10	2	4	6	1	2	-	1
1979.....	23,448	23,322	75	5	3	3	4	2	1	4	1
TOTAL, MALE											
1998.....	7,496	7,429	37	4	7	4	1	1	2	3	1
1997.....	7,398	7,308	46	16	4	6	5	1	1	4	1
1996.....	7,303	7,230	44	8	5	3	2	1	2	3	1
1995.....	7,600	7,516	45	16	6	3	1	5	1	2	1
1994.....	8,156	8,057	67	10	5	4	3	1	3	1	-
1993.....	8,472	8,374	68	7	6	2	1	-	1	1	3
1992.....	8,817	8,727	62	12	8	-	-	-	1	-	2
1991.....	9,561	9,450	84	10	4	2	4	-	1	-	3
1990.....	10,056	9,936	91	12	2	2	-	3	-	-	-
1989.....	10,511	10,387	89	11	4	4	-	4	1	2	2
1988.....	10,393	10,280	79	13	3	4	2	1	3	-	-
1987.....	10,442	10,348	72	12	2	1	1	-	1	2	1
1986.....	10,563	10,465	83	3	-	3	1	4	2	-	-
1985.....	11,094	10,979	95	3	2	3	3	1	2	1	1
1984.....	10,659	10,547	84	12	2	3	-	3	1	1	-
1983.....	11,036	10,948	72	3	1	1	1	3	1	-	-
1982.....	11,876	11,811	47	3	1	4	1	1	2	-	-
1981.....	12,302	12,228	48	9	4	2	1	-	1	-	-
1980.....	13,051	12,984	46	4	2	4	4	-	1	-	-
1979.....	13,350	13,278	46	3	1	2	3	1	-	2	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
XV. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)											
TOTAL, FEMALE											
1998.....	5,932	5,865	38	12	3	-	1	1	4	3	1
1997.....	5,694	5,627	29	11	6	5	2	1	4	1	-
1996.....	5,766	5,725	16	8	3	3	-	1	-	3	-
1995.....	5,871	5,812	42	6	3	-	1	-	1	1	-
1994.....	6,331	6,258	47	11	2	1	-	3	2	1	-
1993.....	6,625	6,572	32	4	3	3	-	4	3	-	1
1992.....	6,913	6,835	51	5	6	2	-	2	2	5	-
1991.....	7,220	7,141	56	8	5	2	2	1	1	1	1
1990.....	7,618	7,546	43	13	2	3	-	1	2	2	-
1989.....	8,241	8,177	45	6	2	1	2	-	1	2	-
1988.....	7,827	7,756	50	4	2	1	2	4	1	2	-
1987.....	7,780	7,722	49	-	-	4	-	1	-	1	-
1986.....	7,828	7,761	49	5	5	2	-	1	-	-	1
1985.....	8,152	8,089	44	6	2	2	2	4	-	1	-
1984.....	8,222	8,135	60	9	3	4	2	1	-	-	1
1983.....	8,274	8,209	40	6	3	2	3	1	2	-	2
1982.....	8,918	8,874	30	2	1	3	1	2	-	1	1
1981.....	9,324	9,282	29	4	-	2	1	1	-	-	-
1980.....	9,815	9,761	38	6	-	-	2	1	1	-	1
1979.....	10,098	10,044	29	2	2	1	1	1	1	2	-
WHITE, BOTH SEXES											
1998.....	8,129	8,043	48	10	5	1	1	2	3	5	2
1997.....	7,981	7,877	40	16	8	10	5	2	5	4	1
1996.....	7,964	7,890	33	12	6	5	2	1	1	5	1
1995.....	8,155	8,065	47	14	7	3	1	5	1	3	1
1994.....	8,562	8,459	61	13	6	2	3	2	4	2	-
1993.....	8,831	8,732	58	9	8	3	1	4	4	-	4
1992.....	9,168	9,058	64	16	11	2	-	2	2	3	2
1991.....	9,889	9,771	88	7	7	3	2	-	2	1	3
1990.....	10,506	10,378	81	17	4	5	-	3	2	2	-
1989.....	11,306	11,181	85	12	2	5	1	4	1	4	2
1988.....	11,192	11,060	86	15	4	5	2	5	4	2	-
1987.....	11,412	11,300	86	10	1	4	1	1	1	3	1
1986.....	11,814	11,691	95	7	5	5	1	3	1	-	1
1985.....	12,634	12,520	85	7	1	4	5	5	1	2	1
1984.....	12,471	12,331	94	17	3	5	2	4	1	1	1
1983.....	12,816	12,715	73	5	4	-	4	4	3	-	2
1982.....	13,932	13,848	57	4	2	7	2	3	2	1	1
1981.....	14,551	14,472	49	10	4	4	2	1	-	-	-
1980.....	15,457	15,367	60	8	1	4	6	-	2	-	1
1979.....	16,034	15,933	59	4	3	1	4	2	1	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
XV. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)											
WHITE MALE											
1998.....	4,523	4,481	25	2	4	1	-	1	1	2	1
1997.....	4,538	4,479	22	11	4	5	4	1	1	4	1
1996.....	4,446	4,401	23	6	3	3	2	-	1	3	1
1995.....	4,676	4,624	23	9	4	3	1	5	-	2	1
1994.....	4,829	4,769	38	6	4	1	3	-	3	1	-
1993.....	4,956	4,891	39	7	6	1	1	-	1	-	3
1992.....	5,128	5,068	36	11	7	-	-	-	1	-	2
1991.....	5,654	5,587	51	5	3	1	1	-	1	-	2
1990.....	6,055	5,975	55	10	2	2	-	2	-	-	-
1989.....	6,426	6,339	60	8	2	4	-	4	-	2	2
1988.....	6,485	6,407	48	12	2	4	2	1	3	-	-
1987.....	6,560	6,491	50	10	1	1	1	-	1	2	1
1986.....	6,815	6,743	60	3	-	3	1	3	1	-	-
1985.....	7,404	7,329	61	3	1	2	3	1	1	1	1
1984.....	7,135	7,055	55	10	2	2	-	3	1	1	-
1983.....	7,417	7,358	47	3	1	-	1	3	1	-	-
1982.....	8,003	7,959	31	2	1	4	1	1	2	-	-
1981.....	8,380	8,326	34	7	4	2	1	-	-	-	-
1980.....	8,945	8,895	31	4	1	4	4	-	1	-	-
1979.....	9,262	9,203	38	2	1	1	3	1	-	2	1
WHITE FEMALE											
1998.....	3,606	3,562	23	8	1	-	1	1	2	3	1
1997.....	3,443	3,398	18	5	4	5	1	1	4	-	-
1996.....	3,518	3,489	10	6	3	2	-	1	-	2	-
1995.....	3,479	3,441	24	5	3	-	-	-	1	1	-
1994.....	3,733	3,690	23	7	2	1	-	2	1	1	-
1993.....	3,875	3,841	19	2	2	2	-	4	3	-	1
1992.....	4,040	3,990	28	5	4	2	-	2	1	3	-
1991.....	4,235	4,184	37	2	4	2	1	-	1	1	1
1990.....	4,451	4,403	26	7	2	3	-	1	2	2	-
1989.....	4,880	4,842	25	4	-	1	1	-	1	2	-
1988.....	4,707	4,653	38	3	2	1	-	4	1	2	-
1987.....	4,852	4,809	36	-	-	3	-	1	-	1	-
1986.....	4,999	4,948	35	4	5	2	-	-	-	-	1
1985.....	5,230	5,191	24	4	-	2	2	4	-	1	-
1984.....	5,336	5,276	39	7	1	3	2	1	-	-	1
1983.....	5,399	5,357	26	2	3	-	3	1	2	-	2
1982.....	5,929	5,889	26	2	1	3	1	2	-	1	1
1981.....	6,171	6,146	15	3	-	2	1	1	-	-	-
1980.....	6,512	6,472	29	4	-	-	2	-	1	-	1
1979.....	6,772	6,730	21	2	2	-	1	1	1	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
XV. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)											
ALL OTHER, BOTH SEXES											
1998.....	5,299	5,251	27	6	5	3	1	-	3	1	-
1997.....	5,111	5,058	35	11	2	1	2	-	-	1	-
1996.....	5,105	5,065	27	4	2	1	-	1	1	1	-
1995.....	5,316	5,263	40	8	2	-	1	-	1	-	-
1994.....	5,925	5,856	53	8	1	3	-	2	1	-	-
1993.....	6,266	6,214	42	2	1	2	-	-	-	1	-
1992.....	6,562	6,504	49	1	3	-	-	-	1	2	-
1991.....	6,892	6,820	52	11	2	1	4	1	-	-	1
1990.....	7,168	7,104	53	8	-	-	-	1	-	-	-
1989.....	7,446	7,383	49	5	4	-	1	-	1	-	-
1988.....	7,028	6,976	43	2	1	-	2	-	-	-	-
1987.....	6,810	6,770	35	2	1	1	-	-	-	-	-
1986.....	6,577	6,535	37	1	-	-	-	2	1	-	-
1985.....	6,612	6,548	54	2	3	1	-	-	1	-	-
1984.....	6,410	6,351	50	4	2	2	-	-	-	-	-
1983.....	6,494	6,442	39	4	-	3	-	-	-	-	-
1982.....	6,862	6,837	20	1	-	-	-	-	-	-	-
1981.....	7,075	7,038	28	3	-	-	-	-	1	-	-
1980.....	7,409	7,378	24	2	1	-	-	1	-	-	-
1979.....	7,414	7,389	16	1	-	2	-	-	-	1	-
ALL OTHER MALE											
1998.....	2,973	2,948	12	2	3	3	1	-	1	1	-
1997.....	2,860	2,829	24	5	-	1	1	-	-	-	-
1996.....	2,857	2,829	21	2	2	-	-	1	1	-	-
1995.....	2,924	2,892	22	7	2	-	-	-	1	-	-
1994.....	3,327	3,288	29	4	1	3	-	1	-	-	-
1993.....	3,516	3,483	29	-	-	1	-	-	-	1	-
1992.....	3,689	3,659	26	1	1	-	-	-	-	-	-
1991.....	3,907	3,863	33	5	1	1	3	-	-	-	1
1990.....	4,001	3,961	36	2	-	-	-	1	-	-	-
1989.....	4,085	4,048	29	3	2	-	-	-	1	-	-
1988.....	3,908	3,873	31	1	1	-	-	-	-	-	-
1987.....	3,882	3,857	22	2	1	-	-	-	-	-	-
1986.....	3,748	3,722	23	-	-	-	-	1	1	-	-
1985.....	3,690	3,650	34	-	1	1	-	-	1	-	-
1984.....	3,524	3,492	29	2	-	1	-	-	-	-	-
1983.....	3,619	3,590	25	-	-	1	-	-	-	-	-
1982.....	3,873	3,852	16	1	-	-	-	-	-	-	-
1981.....	3,922	3,902	14	2	-	-	-	-	1	-	-
1980.....	4,106	4,089	15	-	1	-	-	-	-	-	-
1979.....	4,088	4,075	8	1	-	1	-	-	-	-	-

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

0 XV. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ALL OTHER FEMALE											
1998.....	2,326	2,303	15	4	2	-	-	-	2	-	-
1997.....	2,251	2,229	11	6	2	-	1	-	-	1	-
1996.....	2,248	2,236	6	2	-	1	-	-	-	1	-
1995.....	2,392	2,371	18	1	-	-	1	-	-	-	-
1994.....	2,598	2,568	24	4	-	-	-	1	1	-	-
1993.....	2,750	2,731	13	2	1	1	-	-	-	-	-
1992.....	2,873	2,845	23	-	2	-	-	-	1	2	-
1991.....	2,985	2,957	19	6	1	-	1	1	-	-	-
1990.....	3,167	3,143	17	6	-	-	-	-	-	-	-
1989.....	3,361	3,335	20	2	2	-	1	-	-	-	-
1988.....	3,120	3,103	12	1	-	-	2	-	-	-	-
1987.....	2,928	2,913	13	-	-	1	-	-	-	-	-
1986.....	2,829	2,813	14	1	-	-	-	1	-	-	-
1985.....	2,922	2,898	20	2	2	-	-	-	-	-	-
1984.....	2,886	2,859	21	2	2	1	-	-	-	-	-
1983.....	2,875	2,852	14	4	-	2	-	-	-	-	-
1982.....	2,989	2,985	4	-	-	-	-	-	-	-	-
1981.....	3,153	3,136	14	1	-	-	-	-	-	-	-
1980.....	3,303	3,289	9	2	-	-	-	1	-	-	-
1979.....	3,326	3,314	8	-	-	1	-	-	-	1	-
BLACK, BOTH SEXES											
1998.....	4,841	4,796	26	6	4	2	1	-	3	1	-
1997.....	4,714	4,664	34	9	2	1	2	-	-	1	-
1996.....	4,711	4,679	22	3	1	-	-	1	1	1	-
1995.....	4,952	4,905	35	8	2	-	1	-	1	-	-
1994.....	5,515	5,455	46	6	1	3	-	2	1	-	-
1993.....	5,891	5,844	38	2	1	1	-	-	-	1	-
1992.....	6,176	6,125	43	1	3	-	-	-	1	1	-
1991.....	6,512	6,447	50	8	1	-	4	1	-	-	1
1990.....	6,744	6,688	48	7	-	-	-	-	-	-	-
1989.....	6,965	6,907	47	3	3	-	1	-	1	-	-
1988.....	6,614	6,566	39	2	1	-	2	-	-	-	-
1987.....	6,373	6,336	34	2	-	1	-	-	-	-	-
1986.....	6,149	6,109	35	1	-	-	-	2	1	-	-
1985.....	6,196	6,140	46	2	3	1	-	-	1	-	-
1984.....	6,002	5,950	44	4	2	1	-	-	-	-	-
1983.....	6,100	6,051	37	3	-	3	-	-	-	-	-
1982.....	6,464	6,443	18	1	-	-	-	-	-	-	-
1981.....	6,658	6,623	27	3	-	-	-	-	1	-	-
1980.....	6,961	6,933	23	2	-	-	-	1	-	-	-
1979.....	7,024	7,002	14	1	-	1	-	-	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	201	194	2	-	-	2	-	-	-	-	-
1997.....	195	185	3	2	2	1	-	-	1	1	-
1996.....	170	166	1	-	-	2	1	-	-	-	-
1995.....	205	201	2	2	-	-	-	-	-	-	-
1994.....	234	228	1	1	1	-	-	-	1	-	-
1993.....	229	216	6	1	1	1	-	-	1	-	-
1992.....	218	207	2	2	2	-	-	-	2	2	-
1991.....	215	204	5	3	-	2	-	-	1	-	-
1990.....	214	207	1	3	-	1	-	1	-	-	-
1989.....	230	222	1	2	-	1	-	1	-	1	1
1988.....	226	216	1	2	1	1	-	1	2	1	-
1987.....	259	248	3	4	-	2	-	1	-	1	-
1986.....	270	266	3	-	-	-	-	1	-	-	-
1985.....	334	329	1	1	-	-	-	2	1	-	-
1984.....	388	376	6	2	1	1	-	1	-	-	-
1983.....	456	445	5	1	1	-	1	2	-	-	1
1982.....	627	617	3	-	-	-	-	2	-	1	1
1981.....	932	918	5	3	1	2	-	1	-	-	-
1980.....	1,065	1,058	2	2	1	-	-	-	-	-	-
1979.....	1,145	1,129	2	3	1	2	2	2	-	1	1
TOTAL, MALE											
1998.....	113	108	1	-	-	2	-	-	-	-	-
1997.....	118	114	-	1	1	-	-	-	1	1	-
1996.....	102	100	-	-	-	1	1	-	-	-	-
1995.....	123	121	-	2	-	-	-	-	-	-	-
1994.....	151	148	1	-	1	-	-	-	-	-	-
1993.....	128	121	4	-	-	-	-	-	-	-	-
1992.....	124	119	1	1	2	-	-	-	1	-	-
1991.....	125	120	2	1	-	1	-	-	1	-	-
1990.....	135	130	1	2	-	-	-	1	-	-	-
1989.....	132	126	1	1	-	-	-	1	-	1	1
1988.....	130	123	-	2	-	1	-	1	2	-	-
1987.....	136	132	-	4	-	-	-	-	-	-	-
1986.....	148	145	2	-	-	-	-	1	-	-	-
1985.....	198	195	1	-	-	-	-	1	1	-	-
1984.....	235	226	5	1	-	1	-	1	-	-	-
1983.....	273	266	4	1	-	-	1	1	-	-	-
1982.....	373	369	2	-	-	-	-	1	-	-	-
1981.....	528	519	5	2	1	1	-	-	-	-	-
1980.....	619	613	2	2	1	-	-	-	-	-	-
1979.....	667	658	1	2	-	2	1	1	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BIRTH TRAUMA (767)											
TOTAL, FEMALE											
1998.....	88	86	1	-	-	-	-	-	-	-	-
1997.....	77	71	3	1	1	1	-	-	-	-	-
1996.....	68	66	1	-	-	1	-	-	-	-	-
1995.....	82	80	2	-	-	-	-	-	-	-	-
1994.....	83	80	-	1	-	-	-	-	1	-	-
1993.....	101	95	2	1	1	1	-	-	1	-	-
1992.....	94	88	1	1	-	-	-	-	1	2	-
1991.....	90	84	3	2	-	1	-	-	-	-	-
1990.....	79	77	-	1	-	1	-	-	-	-	-
1989.....	98	96	-	1	-	1	-	-	-	-	-
1988.....	96	93	1	-	1	-	-	-	-	1	-
1987.....	123	116	3	-	-	2	-	1	-	1	-
1986.....	122	121	1	-	-	-	-	-	-	-	-
1985.....	136	134	-	1	-	-	-	1	-	-	-
1984.....	153	150	1	1	1	-	-	-	-	-	-
1983.....	183	179	1	-	1	-	-	1	-	-	1
1982.....	254	248	1	-	-	-	-	1	-	1	1
1981.....	404	399	-	1	-	1	-	1	-	-	-
1980.....	446	445	-	-	-	-	-	-	-	-	-
1979.....	478	471	1	1	1	-	1	1	-	1	-
WHITE, BOTH SEXES											
1998.....	142	139	1	-	-	-	-	-	-	-	-
1997.....	145	138	2	1	1	1	-	-	1	1	-
1996.....	125	122	-	-	-	2	1	-	-	-	-
1995.....	145	144	-	1	-	-	-	-	-	-	-
1994.....	168	163	1	-	1	-	-	-	1	-	-
1993.....	166	156	4	1	1	1	-	-	1	-	-
1992.....	150	142	1	2	2	-	-	-	1	1	-
1991.....	138	132	2	2	-	1	-	-	1	-	-
1990.....	159	152	1	3	-	1	-	1	-	-	-
1989.....	154	147	-	2	-	1	-	1	-	1	1
1988.....	158	148	1	2	1	1	-	1	2	1	-
1987.....	167	159	2	3	-	1	-	1	-	1	-
1986.....	192	188	3	-	-	-	-	1	-	-	-
1985.....	226	222	-	1	-	-	-	2	1	-	-
1984.....	279	268	5	2	1	1	-	1	-	-	-
1983.....	345	337	2	1	1	-	1	2	-	-	1
1982.....	452	444	2	-	-	-	-	2	-	1	1
1981.....	671	661	3	1	1	2	-	1	-	-	-
1980.....	769	763	1	2	1	-	-	-	-	-	-
1979.....	824	810	2	3	1	1	2	2	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BIRTH TRAUMA (767)											
WHITE MALE											
1998.....	71	69	1	-	-	-	-	-	-	-	-
1997.....	86	82	-	1	1	-	-	-	1	1	-
1996.....	77	75	-	-	-	1	1	-	-	-	-
1995.....	83	82	-	1	-	-	-	-	-	-	-
1994.....	111	108	1	-	1	-	-	-	-	-	-
1993.....	93	87	4	-	-	-	-	-	-	-	-
1992.....	91	87	-	1	2	-	-	-	1	-	-
1991.....	76	73	1	1	-	-	-	-	1	-	-
1990.....	100	95	1	2	-	-	-	1	-	-	-
1989.....	92	87	-	1	-	-	-	1	-	1	1
1988.....	87	80	-	2	-	1	-	1	2	-	-
1987.....	90	87	-	3	-	-	-	-	-	-	-
1986.....	109	106	2	-	-	-	-	1	-	-	-
1985.....	131	129	-	-	-	-	-	1	1	-	-
1984.....	175	167	4	1	-	1	-	1	-	-	-
1983.....	209	204	2	1	-	-	1	1	-	-	-
1982.....	264	262	1	-	-	-	-	1	-	-	-
1981.....	385	379	3	1	1	1	-	-	-	-	-
1980.....	461	456	1	2	1	-	-	-	-	-	-
1979.....	479	471	1	2	-	1	1	1	-	-	1
WHITE FEMALE											
1998.....	71	70	-	-	-	-	-	-	-	-	-
1997.....	59	56	2	-	-	1	-	-	-	-	-
1996.....	48	47	-	-	-	1	-	-	-	-	-
1995.....	62	62	-	-	-	-	-	-	-	-	-
1994.....	57	55	-	-	-	-	-	-	1	-	-
1993.....	73	69	-	1	1	1	-	-	1	-	-
1992.....	59	55	1	1	-	-	-	-	-	1	-
1991.....	62	59	1	1	-	1	-	-	-	-	-
1990.....	59	57	-	1	-	1	-	-	-	-	-
1989.....	62	60	-	1	-	1	-	-	-	-	-
1988.....	71	68	1	-	1	-	-	-	-	1	-
1987.....	77	72	2	-	-	1	-	1	-	1	-
1986.....	83	82	1	-	-	-	-	-	-	-	-
1985.....	95	93	-	1	-	-	-	1	-	-	-
1984.....	104	101	1	1	1	-	-	-	-	-	-
1983.....	136	133	-	-	1	-	-	1	-	-	1
1982.....	188	182	1	-	-	-	-	1	-	1	1
1981.....	286	282	-	-	-	1	-	1	-	-	-
1980.....	308	307	-	-	-	-	-	-	-	-	-
1979.....	345	339	1	1	1	-	1	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BIRTH TRAUMA (767)											
ALL OTHER, BOTH SEXES											
1998.....	59	55	1	-	-	2	-	-	-	-	-
1997.....	50	47	1	1	1	-	-	-	-	-	-
1996.....	45	44	1	-	-	-	-	-	-	-	-
1995.....	60	57	2	1	-	-	-	-	-	-	-
1994.....	66	65	-	1	-	-	-	-	-	-	-
1993.....	63	60	2	-	-	-	-	-	-	-	-
1992.....	68	65	1	-	-	-	-	-	1	1	-
1991.....	77	72	3	1	-	1	-	-	-	-	-
1990.....	55	55	-	-	-	-	-	-	-	-	-
1989.....	76	75	1	-	-	-	-	-	-	-	-
1988.....	68	68	-	-	-	-	-	-	-	-	-
1987.....	92	89	1	1	-	1	-	-	-	-	-
1986.....	78	78	-	-	-	-	-	-	-	-	-
1985.....	108	107	1	-	-	-	-	-	-	-	-
1984.....	109	108	1	-	-	-	-	-	-	-	-
1983.....	111	108	3	-	-	-	-	-	-	-	-
1982.....	175	173	1	-	-	-	-	-	-	-	-
1981.....	261	257	2	2	-	-	-	-	-	-	-
1980.....	296	295	1	-	-	-	-	-	-	-	-
1979.....	321	319	-	-	-	1	-	-	-	1	-
ALL OTHER MALE											
1998.....	42	39	-	-	-	2	-	-	-	-	-
1997.....	32	32	-	-	-	-	-	-	-	-	-
1996.....	25	25	-	-	-	-	-	-	-	-	-
1995.....	40	39	-	1	-	-	-	-	-	-	-
1994.....	40	40	-	-	-	-	-	-	-	-	-
1993.....	35	34	-	-	-	-	-	-	-	-	-
1992.....	33	32	1	-	-	-	-	-	-	-	-
1991.....	49	47	1	-	-	1	-	-	-	-	-
1990.....	35	35	-	-	-	-	-	-	-	-	-
1989.....	40	39	1	-	-	-	-	-	-	-	-
1988.....	43	43	-	-	-	-	-	-	-	-	-
1987.....	46	45	-	1	-	-	-	-	-	-	-
1986.....	39	39	-	-	-	-	-	-	-	-	-
1985.....	67	66	1	-	-	-	-	-	-	-	-
1984.....	60	59	1	-	-	-	-	-	-	-	-
1983.....	64	62	2	-	-	-	-	-	-	-	-
1982.....	109	107	1	-	-	-	-	-	-	-	-
1981.....	143	140	2	1	-	-	-	-	-	-	-
1980.....	158	157	1	-	-	-	-	-	-	-	-
1979.....	188	187	-	-	-	1	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BIRTH TRAUMA (767)											
ALL OTHER FEMALE											
1998.....	17	16	1	-	-	-	-	-	-	-	-
1997.....	18	15	1	1	1	-	-	-	-	-	-
1996.....	20	19	1	-	-	-	-	-	-	-	-
1995.....	20	18	2	-	-	-	-	-	-	-	-
1994.....	26	25	-	1	-	-	-	-	-	-	-
1993.....	28	26	2	-	-	-	-	-	-	-	-
1992.....	35	33	-	-	-	-	-	-	1	1	-
1991.....	28	25	2	1	-	-	-	-	-	-	-
1990.....	20	20	-	-	-	-	-	-	-	-	-
1989.....	36	36	-	-	-	-	-	-	-	-	-
1988.....	25	25	-	-	-	-	-	-	-	-	-
1987.....	46	44	1	-	-	1	-	-	-	-	-
1986.....	39	39	-	-	-	-	-	-	-	-	-
1985.....	41	41	-	-	-	-	-	-	-	-	-
1984.....	49	49	-	-	-	-	-	-	-	-	-
1983.....	47	46	1	-	-	-	-	-	-	-	-
1982.....	66	66	-	-	-	-	-	-	-	-	-
1981.....	118	117	-	1	-	-	-	-	-	-	-
1980.....	138	138	-	-	-	-	-	-	-	-	-
1979.....	133	132	-	-	-	-	-	-	-	1	-
BLACK, BOTH SEXES											
1998.....	50	46	1	-	-	2	-	-	-	-	-
1997.....	44	41	1	1	1	-	-	-	-	-	-
1996.....	42	41	1	-	-	-	-	-	-	-	-
1995.....	52	49	2	1	-	-	-	-	-	-	-
1994.....	59	58	-	1	-	-	-	-	-	-	-
1993.....	58	56	1	-	-	-	-	-	-	-	-
1992.....	62	60	1	-	-	-	-	-	1	-	-
1991.....	70	67	3	-	-	-	-	-	-	-	-
1990.....	52	52	-	-	-	-	-	-	-	-	-
1989.....	71	70	1	-	-	-	-	-	-	-	-
1988.....	59	59	-	-	-	-	-	-	-	-	-
1987.....	85	82	1	1	-	1	-	-	-	-	-
1986.....	75	75	-	-	-	-	-	-	-	-	-
1985.....	100	99	1	-	-	-	-	-	-	-	-
1984.....	102	101	1	-	-	-	-	-	-	-	-
1983.....	102	99	3	-	-	-	-	-	-	-	-
1982.....	163	161	1	-	-	-	-	-	-	-	-
1981.....	241	237	2	2	-	-	-	-	-	-	-
1980.....	273	272	1	-	-	-	-	-	-	-	-
1979.....	298	296	-	-	-	1	-	-	-	1	-

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (768-769)

TOTAL, BOTH SEXES											
1998.....	1,796	1,756	25	5	6	-	1	-	-	-	1
1997.....	1,795	1,753	20	6	3	4	3	1	1	2	-
1996.....	1,823	1,790	14	7	4	1	-	2	-	3	-
1995.....	1,963	1,929	18	7	6	1	-	1	-	-	-
1994.....	2,144	2,104	21	5	2	4	2	2	1	1	-
1993.....	2,389	2,364	15	2	3	-	-	-	1	1	2
1992.....	2,711	2,676	23	4	4	2	-	-	-	1	-
1991.....	3,202	3,168	23	4	3	1	2	-	-	-	1
1990.....	3,657	3,612	27	12	1	2	-	1	1	1	-
1989.....	4,401	4,356	30	3	4	2	1	2	1	1	-
1988.....	3,996	3,958	28	5	1	1	2	-	-	-	-
1987.....	4,095	4,074	14	1	2	3	-	-	-	1	-
1986.....	4,423	4,386	25	4	4	2	-	1	-	-	-
1985.....	4,891	4,849	31	1	1	3	2	3	-	1	-
1984.....	4,775	4,727	30	12	3	2	-	-	-	-	-
1983.....	4,915	4,881	28	1	1	1	1	1	1	-	-
1982.....	5,556	5,527	21	1	1	2	1	1	2	-	-
1981.....	5,745	5,724	15	4	-	2	-	-	-	-	-
1980.....	6,515	6,486	24	4	-	1	-	-	-	-	-
1979.....	6,872	6,851	18	-	1	-	1	-	-	-	-
TOTAL, MALE											
1998.....	1,018	1,003	9	-	3	-	1	-	-	-	-
1997.....	1,027	999	13	5	1	3	3	1	-	2	-
1996.....	1,079	1,061	7	3	3	1	-	1	-	2	-
1995.....	1,158	1,137	10	5	4	1	-	1	-	-	-
1994.....	1,263	1,235	14	4	2	4	2	-	1	-	-
1993.....	1,395	1,379	9	1	2	-	-	-	-	1	2
1992.....	1,575	1,554	14	3	3	-	-	-	-	-	-
1991.....	1,934	1,917	12	2	1	1	1	-	-	-	-
1990.....	2,176	2,152	18	4	-	1	-	1	-	-	-
1989.....	2,671	2,642	20	1	3	2	-	2	-	-	-
1988.....	2,378	2,355	14	5	1	1	1	-	-	-	-
1987.....	2,522	2,509	8	1	2	1	-	-	-	1	-
1986.....	2,643	2,627	13	1	-	1	-	1	-	-	-
1985.....	2,980	2,954	22	-	-	2	2	-	-	-	-
1984.....	2,836	2,813	15	7	1	-	-	-	-	-	-
1983.....	2,951	2,928	20	1	1	-	-	1	-	-	-
1982.....	3,322	3,304	12	1	1	1	1	-	2	-	-
1981.....	3,481	3,467	10	3	-	1	-	-	-	-	-
1980.....	3,884	3,869	13	1	-	1	-	-	-	-	-
1979.....	4,100	4,086	12	-	-	-	1	-	-	-	-

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (768-769)

TOTAL, FEMALE											
1998.....	778	753	16	5	3	-	-	-	-	-	1
1997.....	768	754	7	1	2	1	-	-	1	-	-
1996.....	744	729	7	4	1	-	-	1	-	1	-
1995.....	805	792	8	2	2	-	-	-	-	-	-
1994.....	881	869	7	1	-	-	-	2	-	1	-
1993.....	994	985	6	1	1	-	-	-	1	-	-
1992.....	1,136	1,122	9	1	1	2	-	-	-	1	-
1991.....	1,268	1,251	11	2	2	-	1	-	-	-	1
1990.....	1,481	1,460	9	8	1	1	-	-	1	1	-
1989.....	1,730	1,714	10	2	1	-	1	-	1	1	-
1988.....	1,618	1,603	14	-	-	-	1	-	-	-	-
1987.....	1,573	1,565	6	-	-	2	-	-	-	-	-
1986.....	1,780	1,759	12	3	4	1	-	-	-	-	-
1985.....	1,911	1,895	9	1	1	1	-	3	-	1	-
1984.....	1,939	1,914	15	5	2	2	-	-	-	-	-
1983.....	1,964	1,953	8	-	-	1	1	-	1	-	-
1982.....	2,234	2,223	9	-	-	1	-	1	-	-	-
1981.....	2,264	2,257	5	1	-	1	-	-	-	-	-
1980.....	2,631	2,617	11	3	-	-	-	-	-	-	-
1979.....	2,772	2,765	6	-	1	-	-	-	-	-	-
WHITE, BOTH SEXES											
1998.....	1,181	1,153	18	4	3	-	-	-	-	-	1
1997.....	1,172	1,138	14	5	3	4	3	1	1	2	-
1996.....	1,185	1,158	11	5	4	1	-	1	-	3	-
1995.....	1,266	1,243	11	4	5	1	-	1	-	-	-
1994.....	1,388	1,362	14	3	1	1	2	1	1	1	-
1993.....	1,486	1,469	9	2	2	-	-	-	1	-	2
1992.....	1,748	1,725	12	4	3	2	-	-	-	1	-
1991.....	2,044	2,019	17	2	2	1	2	-	-	-	1
1990.....	2,339	2,303	22	8	1	2	-	1	1	1	-
1989.....	2,883	2,850	21	2	2	2	1	2	1	1	-
1988.....	2,703	2,675	20	5	1	1	1	-	-	-	-
1987.....	2,807	2,793	8	1	1	3	-	-	-	1	-
1986.....	3,111	3,080	20	3	4	2	-	1	-	-	-
1985.....	3,521	3,488	25	-	-	2	2	3	-	1	-
1984.....	3,421	3,388	21	9	1	1	-	-	-	-	-
1983.....	3,540	3,516	19	1	1	-	1	1	1	-	-
1982.....	4,033	4,008	17	1	1	2	1	1	2	-	-
1981.....	4,163	4,148	10	3	-	2	-	-	-	-	-
1980.....	4,734	4,710	19	4	-	1	-	-	-	-	-
1979.....	4,980	4,961	16	-	1	-	1	-	-	-	-

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (768-769)

WHITE MALE

1998.....	675	664	7	-	2	-	-	-	-	-	-
1997.....	681	659	8	4	1	3	3	1	-	2	-
1996.....	708	693	5	3	3	1	-	-	-	2	-
1995.....	752	738	6	3	3	1	-	1	-	-	-
1994.....	813	796	9	2	1	1	2	-	1	-	-
1993.....	866	856	4	1	2	-	-	-	-	-	2
1992.....	1,007	994	6	3	3	-	-	-	-	-	-
1991.....	1,258	1,244	9	2	1	1	1	-	-	-	-
1990.....	1,387	1,366	15	4	-	1	-	1	-	-	-
1989.....	1,752	1,730	14	1	2	2	-	2	-	-	-
1988.....	1,660	1,644	8	5	1	1	1	-	-	-	-
1987.....	1,760	1,751	5	1	1	1	-	-	-	1	-
1986.....	1,843	1,830	10	1	-	1	-	1	-	-	-
1985.....	2,170	2,148	19	-	-	1	2	-	-	-	-
1984.....	2,059	2,043	10	5	1	-	-	-	-	-	-
1983.....	2,174	2,157	14	1	1	-	-	1	-	-	-
1982.....	2,412	2,395	11	1	1	1	1	-	2	-	-
1981.....	2,535	2,525	7	2	-	1	-	-	-	-	-
1980.....	2,875	2,864	9	1	-	1	-	-	-	-	-
1979.....	3,009	2,997	10	-	-	-	1	-	-	-	-

WHITE FEMALE

1998.....	506	489	11	4	1	-	-	-	-	-	1
1997.....	491	479	6	1	2	1	-	-	1	-	-
1996.....	477	465	6	2	1	-	-	1	-	1	-
1995.....	514	505	5	1	2	-	-	-	-	-	-
1994.....	575	566	5	1	-	-	-	1	-	1	-
1993.....	620	613	5	1	-	-	-	-	1	-	-
1992.....	741	731	6	1	-	2	-	-	-	1	-
1991.....	786	775	8	-	1	-	1	-	-	-	1
1990.....	952	937	7	4	1	1	-	-	1	1	-
1989.....	1,131	1,120	7	1	-	-	1	-	1	1	-
1988.....	1,043	1,031	12	-	-	-	-	-	-	-	-
1987.....	1,047	1,042	3	-	-	2	-	-	-	-	-
1986.....	1,268	1,250	10	2	4	1	-	-	-	-	-
1985.....	1,351	1,340	6	-	-	1	-	3	-	1	-
1984.....	1,362	1,345	11	4	-	1	-	-	-	-	-
1983.....	1,366	1,359	5	-	-	-	1	-	1	-	-
1982.....	1,621	1,613	6	-	-	1	-	1	-	-	-
1981.....	1,628	1,623	3	1	-	1	-	-	-	-	-
1980.....	1,859	1,846	10	3	-	-	-	-	-	-	-
1979.....	1,971	1,964	6	-	1	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)											
TOTAL, BOTH SEXES											
1998.....	11,431	11,344	48	11	4	2	1	2	6	6	1
1997.....	11,102	10,997	52	19	5	6	4	1	3	2	1
1996.....	11,076	10,999	45	9	4	3	1	-	2	3	1
1995.....	11,303	11,198	67	13	3	2	2	4	2	3	1
1994.....	12,109	11,983	92	15	4	1	1	2	3	1	-
1993.....	12,479	12,366	79	8	5	4	1	4	2	-	2
1992.....	12,801	12,679	88	11	8	-	-	2	1	2	2
1991.....	13,364	13,219	112	11	6	1	4	1	1	1	3
1990.....	13,803	13,663	106	10	3	2	-	2	1	1	-
1989.....	14,121	13,986	103	12	2	2	1	1	1	2	1
1988.....	13,998	13,862	100	10	3	3	2	4	2	1	-
1987.....	13,868	13,748	104	7	-	-	1	-	1	1	1
1986.....	13,698	13,574	104	4	1	3	1	3	2	-	1
1985.....	14,021	13,890	107	7	3	2	3	-	1	1	1
1984.....	13,718	13,579	108	7	1	4	2	3	1	1	1
1983.....	13,939	13,831	79	7	2	2	2	1	2	-	1
1982.....	14,611	14,541	53	4	1	5	1	-	-	-	-
1981.....	14,949	14,868	57	6	3	-	2	-	1	-	-
1980.....	15,286	15,201	58	4	1	3	6	1	2	-	1
1979.....	15,431	15,342	55	2	1	1	1	-	1	3	-
TOTAL, MALE											
1998.....	6,365	6,318	27	4	4	2	-	1	2	3	1
1997.....	6,253	6,195	33	10	2	3	2	-	-	1	1
1996.....	6,122	6,069	37	5	2	1	1	-	2	1	1
1995.....	6,319	6,258	35	9	2	2	1	4	1	2	1
1994.....	6,742	6,674	52	6	2	-	1	1	2	1	-
1993.....	6,949	6,874	55	6	4	2	1	-	1	-	1
1992.....	7,118	7,054	47	8	3	-	-	-	-	-	2
1991.....	7,502	7,413	70	7	3	-	3	-	-	-	3
1990.....	7,745	7,654	72	6	2	1	-	1	-	-	-
1989.....	7,708	7,619	68	9	1	2	-	1	1	1	1
1988.....	7,885	7,802	65	6	2	2	1	-	1	-	-
1987.....	7,784	7,707	64	7	-	-	1	-	1	1	1
1986.....	7,772	7,693	68	2	-	2	1	2	2	-	-
1985.....	7,916	7,830	72	3	2	1	1	-	1	1	1
1984.....	7,588	7,508	64	4	1	2	-	2	1	1	-
1983.....	7,812	7,754	48	1	-	1	-	1	1	-	-
1982.....	8,181	8,138	33	2	-	3	-	-	-	-	-
1981.....	8,293	8,242	33	4	3	-	1	-	1	-	-
1980.....	8,548	8,502	31	1	1	3	4	-	1	-	-
1979.....	8,583	8,534	33	1	1	-	1	-	-	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)											
TOTAL, FEMALE											
1998.....	5,066	5,026	21	7	-	-	1	1	4	3	-
1997.....	4,849	4,802	19	9	3	3	2	1	3	1	-
1996.....	4,954	4,930	8	4	2	2	-	-	-	2	-
1995.....	4,984	4,940	32	4	1	-	1	-	1	1	-
1994.....	5,367	5,309	40	9	2	1	-	1	1	-	-
1993.....	5,530	5,492	24	2	1	2	-	4	1	-	1
1992.....	5,683	5,625	41	3	5	-	-	2	1	2	-
1991.....	5,862	5,806	42	4	3	1	1	1	1	1	-
1990.....	6,058	6,009	34	4	1	1	-	1	1	1	-
1989.....	6,413	6,367	35	3	1	-	1	-	-	1	-
1988.....	6,113	6,060	35	4	1	1	1	4	1	1	-
1987.....	6,084	6,041	40	-	-	-	-	-	-	-	-
1986.....	5,926	5,881	36	2	1	1	-	1	-	-	1
1985.....	6,105	6,060	35	4	1	1	2	-	-	-	-
1984.....	6,130	6,071	44	3	-	2	4	1	-	-	1
1983.....	6,127	6,077	31	6	2	1	2	-	1	-	1
1982.....	6,430	6,403	20	2	1	2	1	-	-	-	-
1981.....	6,656	6,626	24	2	-	-	1	-	-	-	-
1980.....	6,738	6,699	27	3	-	-	2	1	1	-	1
1979.....	6,848	6,808	22	1	-	1	-	-	1	1	-
WHITE, BOTH SEXES											
1998.....	6,806	6,751	29	6	2	1	1	2	3	5	1
1997.....	6,664	6,601	24	10	4	5	2	1	3	1	1
1996.....	6,654	6,610	22	7	2	2	1	-	1	2	1
1995.....	6,744	6,678	36	9	2	2	1	4	1	3	1
1994.....	7,006	6,934	46	10	4	1	1	1	2	1	-
1993.....	7,179	7,107	45	6	5	2	1	4	2	-	2
1992.....	7,270	7,191	51	10	6	-	-	2	1	1	2
1991.....	7,707	7,620	69	3	5	1	-	-	1	1	2
1990.....	8,008	7,923	58	6	3	2	-	1	1	1	-
1989.....	8,269	8,184	64	8	-	2	-	1	-	2	1
1988.....	8,331	8,237	65	8	2	3	1	4	2	1	-
1987.....	8,438	8,348	76	6	-	-	1	-	1	1	1
1986.....	8,511	8,423	72	4	1	3	1	1	1	-	1
1985.....	8,887	8,810	60	6	1	2	3	-	-	1	1
1984.....	8,771	8,675	68	6	1	3	2	3	1	1	1
1983.....	8,931	8,862	52	3	2	-	2	1	2	-	1
1982.....	9,447	9,396	38	3	1	5	1	-	-	-	-
1981.....	9,717	9,663	36	6	3	-	2	-	-	-	-
1980.....	9,954	9,894	40	2	-	3	6	-	2	-	1
1979.....	10,230	10,162	41	1	1	-	1	-	1	3	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)											
WHITE MALE											
1998.....	3,777	3,748	17	2	2	1	-	1	1	2	1
1997.....	3,771	3,738	14	6	2	2	1	-	-	1	1
1996.....	3,661	3,633	18	3	-	1	1	-	1	1	1
1995.....	3,841	3,804	17	5	1	2	1	4	-	2	1
1994.....	3,905	3,865	28	4	2	-	1	-	2	1	-
1993.....	3,997	3,948	31	6	4	1	1	-	1	-	1
1992.....	4,030	3,987	30	7	2	-	-	-	-	-	2
1991.....	4,320	4,270	41	2	2	-	-	-	-	-	2
1990.....	4,568	4,514	39	4	2	1	-	-	-	-	-
1989.....	4,582	4,522	46	6	-	2	-	1	-	1	1
1988.....	4,738	4,683	40	5	1	2	1	-	1	-	-
1987.....	4,710	4,653	45	6	-	-	1	-	1	1	1
1986.....	4,863	4,807	48	2	-	2	1	1	1	-	-
1985.....	5,103	5,052	42	3	1	1	1	-	-	1	1
1984.....	4,901	4,845	41	4	1	1	-	2	1	1	-
1983.....	5,034	4,997	31	1	-	-	-	1	1	-	-
1982.....	5,327	5,302	19	1	-	3	-	-	-	-	-
1981.....	5,460	5,422	24	4	3	-	1	-	-	-	-
1980.....	5,609	5,575	21	1	-	3	4	-	1	-	-
1979.....	5,774	5,735	27	-	1	-	1	-	-	2	-
WHITE FEMALE											
1998.....	3,029	3,003	12	4	-	-	1	1	2	3	-
1997.....	2,893	2,863	10	4	2	3	1	1	3	-	-
1996.....	2,993	2,977	4	4	2	1	-	-	-	1	-
1995.....	2,903	2,874	19	4	1	-	-	-	1	1	-
1994.....	3,101	3,069	18	6	2	1	-	1	-	-	-
1993.....	3,182	3,159	14	-	1	1	-	4	1	-	1
1992.....	3,240	3,204	21	3	4	-	-	2	1	1	-
1991.....	3,387	3,350	28	1	3	1	-	-	1	1	-
1990.....	3,440	3,409	19	2	1	1	-	1	1	1	-
1989.....	3,687	3,662	18	2	-	-	-	-	-	1	-
1988.....	3,593	3,554	25	3	1	1	-	4	1	1	-
1987.....	3,728	3,695	31	-	-	-	-	-	-	-	-
1986.....	3,648	3,616	24	2	1	1	-	-	-	-	1
1985.....	3,784	3,758	18	3	-	1	2	-	-	-	-
1984.....	3,870	3,830	27	2	-	2	2	1	-	-	1
1983.....	3,897	3,865	21	2	2	-	2	-	1	-	1
1982.....	4,120	4,094	19	2	1	2	1	-	-	-	-
1981.....	4,257	4,241	12	2	-	-	1	-	-	-	-
1980.....	4,345	4,319	19	1	-	-	2	-	1	-	1
1979.....	4,456	4,427	14	1	-	-	-	-	1	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)											
ALL OTHER, BOTH SEXES											
1998.....	4,625	4,593	19	5	2	1	-	-	3	1	-
1997.....	4,438	4,396	28	9	1	1	2	-	-	1	-
1996.....	4,422	4,389	23	2	2	1	-	-	1	1	-
1995.....	4,559	4,520	31	4	1	-	1	-	1	-	-
1994.....	5,103	5,049	46	5	-	-	-	1	1	-	-
1993.....	5,300	5,259	34	2	-	2	-	-	-	-	-
1992.....	5,531	5,488	37	1	2	-	-	-	-	1	-
1991.....	5,657	5,599	43	8	1	-	4	1	-	-	1
1990.....	5,795	5,740	48	4	-	-	-	1	-	-	-
1989.....	5,852	5,802	39	4	2	-	1	-	1	-	-
1988.....	5,667	5,625	35	2	1	-	1	-	-	-	-
1987.....	5,430	5,400	28	1	-	-	-	-	-	-	-
1986.....	5,187	5,151	32	-	-	-	-	2	1	-	-
1985.....	5,134	5,080	47	1	2	-	-	-	1	-	-
1984.....	4,947	4,904	40	1	-	1	-	-	-	-	-
1983.....	5,008	4,969	27	4	-	2	-	-	-	-	-
1982.....	5,164	5,145	15	1	-	-	-	-	-	-	-
1981.....	5,232	5,205	21	-	-	-	-	-	1	-	-
1980.....	5,332	5,307	18	2	1	-	-	1	-	-	-
1979.....	5,201	5,180	14	1	-	1	-	-	-	-	-
ALL OTHER MALE											
1998.....	2,588	2,570	10	2	2	1	-	-	1	1	-
1997.....	2,482	2,457	19	4	-	1	1	-	-	-	-
1996.....	2,461	2,436	19	2	2	-	-	-	1	-	-
1995.....	2,478	2,454	18	4	1	-	-	-	1	-	-
1994.....	2,837	2,809	24	2	-	-	-	1	-	-	-
1993.....	2,952	2,926	24	-	-	1	-	-	-	-	-
1992.....	3,088	3,067	17	1	1	-	-	-	-	-	-
1991.....	3,182	3,143	29	5	1	-	3	-	-	-	1
1990.....	3,177	3,140	33	2	-	-	-	1	-	-	-
1989.....	3,126	3,097	22	3	1	-	-	-	1	-	-
1988.....	3,147	3,119	25	1	1	-	-	-	-	-	-
1987.....	3,074	3,054	19	1	-	-	-	-	-	-	-
1986.....	2,909	2,886	20	-	-	-	-	1	1	-	-
1985.....	2,813	2,778	30	-	1	-	-	-	1	-	-
1984.....	2,687	2,663	23	-	-	1	-	-	-	-	-
1983.....	2,778	2,757	17	-	-	1	-	-	-	-	-
1982.....	2,854	2,836	14	1	-	-	-	-	-	-	-
1981.....	2,833	2,820	9	-	-	-	-	-	1	-	-
1980.....	2,939	2,927	10	-	1	-	-	-	-	-	-
1979.....	2,809	2,799	6	1	-	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)											
ALL OTHER FEMALE											
1998.....	2,037	2,023	9	3	-	-	-	-	2	-	-
1997.....	1,956	1,939	9	5	1	-	1	-	-	1	-
1996.....	1,961	1,953	4	-	-	1	-	-	-	1	-
1995.....	2,081	2,066	13	-	-	-	1	-	-	-	-
1994.....	2,266	2,240	22	3	-	-	-	-	1	-	-
1993.....	2,348	2,333	10	2	-	1	-	-	-	-	-
1992.....	2,443	2,421	20	-	1	-	-	-	-	1	-
1991.....	2,475	2,456	14	3	-	-	1	1	-	-	-
1990.....	2,618	2,600	15	2	-	-	-	-	-	-	-
1989.....	2,726	2,705	17	1	1	-	1	-	-	-	-
1988.....	2,520	2,506	10	1	-	-	1	-	-	-	-
1987.....	2,356	2,346	9	-	-	-	-	-	-	-	-
1986.....	2,278	2,265	12	-	-	-	-	1	-	-	-
1985.....	2,321	2,302	17	1	1	-	-	-	-	-	-
1984.....	2,260	2,241	17	1	-	-	-	-	-	-	-
1983.....	2,230	2,212	10	4	-	1	-	-	-	-	-
1982.....	2,310	2,309	1	-	-	-	-	-	-	-	-
1981.....	2,399	2,385	12	-	-	-	-	-	-	-	-
1980.....	2,393	2,380	8	2	-	-	-	1	-	-	-
1979.....	2,392	2,381	8	-	-	1	-	-	-	-	-
BLACK, BOTH SEXES											
1998.....	4,226	4,197	18	5	1	-	-	-	3	1	-
1997.....	4,100	4,061	27	7	1	1	2	-	-	1	-
1996.....	4,093	4,067	19	1	1	-	-	-	1	1	-
1995.....	4,265	4,232	26	4	1	-	1	-	1	-	-
1994.....	4,749	4,702	41	3	-	-	-	1	1	-	-
1993.....	4,982	4,944	32	2	-	1	-	-	-	-	-
1992.....	5,216	5,175	35	1	2	-	-	-	-	1	-
1991.....	5,345	5,292	41	6	-	-	4	1	-	-	1
1990.....	5,468	5,421	43	3	-	-	-	-	-	-	-
1989.....	5,498	5,451	37	3	2	-	1	-	1	-	-
1988.....	5,358	5,318	33	2	1	-	1	-	-	-	-
1987.....	5,079	5,051	27	1	-	-	-	-	-	-	-
1986.....	4,877	4,842	31	-	-	-	-	2	1	-	-
1985.....	4,823	4,776	40	1	2	-	-	-	1	-	-
1984.....	4,656	4,618	35	1	-	1	-	-	-	-	-
1983.....	4,726	4,690	25	3	-	2	-	-	-	-	-
1982.....	4,882	4,866	14	1	-	-	-	-	-	-	-
1981.....	4,946	4,920	21	-	-	-	-	-	1	-	-
1980.....	5,024	5,002	17	2	-	-	-	1	-	-	-
1979.....	4,957	4,939	12	1	-	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)											
TOTAL, BOTH SEXES											
1998.....	25,992	3,658	219	74	82	234	324	423	635	914	1,052
1997.....	25,752	3,773	241	79	92	280	371	488	659	955	1,099
1996.....	26,190	3,883	283	72	100	264	423	514	756	1,022	1,128
1995.....	27,283	4,381	315	102	105	295	463	643	957	1,219	1,327
1994.....	25,245	4,942	268	75	79	226	411	519	794	1,042	1,000
1993.....	26,540	5,659	297	93	101	208	408	569	921	1,106	1,064
1992.....	23,430	5,838	258	51	77	210	424	576	857	926	838
1991.....	24,342	6,268	336	66	76	225	434	705	912	1,039	934
1990.....	24,137	6,409	270	50	73	239	472	736	957	1,091	924
1989.....	26,988	6,627	285	90	91	244	492	857	1,112	1,211	1,020
1988.....	30,951	6,486	298	84	84	290	562	943	1,174	1,242	956
1987.....	31,261	6,137	305	87	72	264	616	976	1,254	1,227	939
1986.....	31,390	6,038	317	59	87	282	588	795	1,050	976	787
1985.....	30,960	5,945	277	56	60	266	484	774	881	805	685
1984.....	29,721	5,874	259	47	55	246	477	634	809	666	639
1983.....	29,628	5,927	290	64	64	258	515	723	704	645	619
1982.....	29,814	5,933	269	67	80	338	623	821	824	680	712
1981.....	29,472	5,954	280	75	85	312	604	763	738	630	626
1980.....	28,808	6,088	288	71	80	303	578	657	609	531	609
1979.....	27,578	5,899	259	56	67	322	563	607	608	532	609
TOTAL, MALE											
1998.....	12,766	2,193	119	36	44	158	238	290	421	608	688
1997.....	13,065	2,268	146	46	45	197	260	347	437	649	750
1996.....	13,348	2,308	159	37	57	172	298	339	501	682	768
1995.....	14,244	2,578	168	60	68	209	332	449	654	819	918
1994.....	13,182	2,973	159	51	44	160	273	350	549	714	695
1993.....	14,179	3,463	162	40	63	124	285	405	644	783	759
1992.....	12,580	3,507	144	27	47	134	303	399	607	637	580
1991.....	13,407	3,823	195	35	38	147	311	467	659	752	651
1990.....	13,533	3,910	144	28	50	162	323	514	665	778	664
1989.....	15,205	4,025	155	51	50	151	344	580	806	891	721
1988.....	16,969	3,861	169	47	54	192	382	649	856	858	632
1987.....	17,440	3,685	161	54	42	170	433	678	876	859	645
1986.....	17,587	3,652	175	43	54	171	393	549	770	684	547
1985.....	17,470	3,643	166	33	30	156	318	537	596	588	453
1984.....	16,711	3,554	138	25	36	151	312	449	545	460	430
1983.....	16,666	3,483	162	43	40	166	349	480	475	435	403
1982.....	17,060	3,541	153	43	54	212	415	559	597	456	451
1981.....	17,127	3,553	168	48	49	191	383	523	492	412	407
1980.....	16,465	3,579	170	34	45	194	389	458	409	336	374
1979.....	16,012	3,517	131	30	40	201	387	440	384	332	384

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)											
TOTAL, FEMALE											
1998.....	13,226	1,465	100	38	38	76	86	133	214	306	364
1997.....	12,687	1,505	95	33	47	83	111	141	222	306	349
1996.....	12,842	1,575	124	35	43	92	125	175	255	340	360
1995.....	13,039	1,803	147	42	37	86	131	194	303	400	409
1994.....	12,063	1,969	109	24	35	66	138	169	245	328	305
1993.....	12,361	2,196	135	53	38	84	123	164	277	323	305
1992.....	10,850	2,331	114	24	30	76	121	177	250	289	258
1991.....	10,935	2,445	141	31	38	78	123	238	253	287	283
1990.....	10,604	2,499	126	22	23	77	149	222	292	313	260
1989.....	11,783	2,602	130	39	41	93	148	277	306	320	299
1988.....	13,982	2,625	129	37	30	98	180	294	318	384	324
1987.....	13,821	2,452	144	33	30	94	183	298	378	368	294
1986.....	13,803	2,386	142	16	33	111	195	246	280	292	240
1985.....	13,490	2,302	111	23	30	110	166	237	285	217	232
1984.....	13,010	2,320	121	22	19	95	165	185	264	206	209
1983.....	12,962	2,444	128	21	24	92	166	243	229	210	216
1982.....	12,754	2,392	116	24	26	126	208	262	227	224	261
1981.....	12,345	2,401	112	27	36	121	221	240	246	218	219
1980.....	12,343	2,509	118	37	35	109	189	199	200	195	235
1979.....	11,566	2,382	128	26	27	121	176	167	224	200	225
WHITE, BOTH SEXES											
1998.....	21,041	2,315	141	53	54	168	234	301	467	685	788
1997.....	20,790	2,428	159	48	71	210	268	341	482	705	822
1996.....	21,126	2,466	195	49	73	185	296	390	549	753	803
1995.....	21,837	2,859	211	73	76	200	337	471	710	917	977
1994.....	19,835	3,170	168	52	52	139	273	365	564	741	669
1993.....	20,529	3,652	185	66	69	137	277	398	632	755	694
1992.....	17,959	3,778	168	31	50	133	286	375	590	628	577
1991.....	18,499	4,075	225	43	52	158	276	462	619	693	616
1990.....	18,058	4,161	168	35	42	174	330	485	636	675	625
1989.....	20,597	4,323	173	51	63	170	349	584	744	795	709
1988.....	24,060	4,342	207	49	57	209	402	662	772	766	654
1987.....	24,184	4,168	195	59	48	192	424	674	819	788	681
1986.....	24,304	4,138	209	40	59	208	449	562	720	648	515
1985.....	23,836	4,118	179	38	41	196	364	526	587	548	469
1984.....	22,796	4,053	173	33	38	185	350	449	567	429	439
1983.....	22,387	3,981	177	53	38	200	381	550	490	442	414
1982.....	22,376	4,026	182	39	55	256	453	603	553	454	468
1981.....	22,036	4,089	165	47	60	247	449	557	474	418	417
1980.....	20,902	4,070	206	40	54	241	423	455	432	329	371
1979.....	19,898	3,835	174	42	49	248	400	409	404	343	392

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)											
WHITE MALE											
1998.....	10,045	1,409	73	27	30	114	174	212	320	461	523
1997.....	10,244	1,500	101	27	37	145	191	248	320	481	556
1996.....	10,516	1,490	114	23	42	125	217	263	364	516	554
1995.....	11,126	1,711	104	40	50	140	242	342	497	631	684
1994.....	10,022	1,932	102	38	30	94	183	250	398	523	458
1993.....	10,631	2,260	102	30	45	79	200	293	454	548	494
1992.....	9,424	2,335	94	16	32	83	206	265	431	442	402
1991.....	10,069	2,623	129	23	29	98	204	304	453	508	433
1990.....	9,951	2,620	96	18	30	120	221	344	456	501	431
1989.....	11,361	2,685	96	24	35	113	250	409	543	579	502
1988.....	12,947	2,680	119	24	35	145	288	463	579	544	427
1987.....	13,322	2,559	103	41	30	125	306	477	591	560	460
1986.....	13,465	2,566	118	29	37	136	311	398	543	455	350
1985.....	13,340	2,608	109	24	22	116	246	387	404	409	303
1984.....	12,682	2,541	88	19	26	114	237	322	392	295	295
1983.....	12,525	2,393	100	32	25	134	259	366	328	291	271
1982.....	12,753	2,462	112	27	38	170	312	417	400	295	296
1981.....	12,786	2,516	95	28	35	157	286	391	318	274	266
1980.....	11,992	2,468	126	19	31	154	289	323	282	213	222
1979.....	11,599	2,364	94	25	30	154	280	296	251	206	250
WHITE FEMALE											
1998.....	10,996	906	68	26	24	54	60	89	147	224	265
1997.....	10,546	928	58	21	34	65	77	93	162	224	266
1996.....	10,610	976	81	26	31	60	79	127	185	237	249
1995.....	10,711	1,148	107	33	26	60	95	129	213	286	293
1994.....	9,813	1,238	66	14	22	45	90	115	166	218	211
1993.....	9,898	1,392	83	36	24	58	77	105	178	207	200
1992.....	8,535	1,443	74	15	18	50	80	110	159	186	175
1991.....	8,430	1,452	96	20	23	60	72	158	166	185	183
1990.....	8,107	1,541	72	17	12	54	109	141	180	174	194
1989.....	9,236	1,638	77	27	28	57	99	175	201	216	207
1988.....	11,113	1,662	88	25	22	64	114	199	193	222	227
1987.....	10,862	1,609	92	18	18	67	118	197	228	228	221
1986.....	10,839	1,572	91	11	22	72	138	164	177	193	165
1985.....	10,496	1,510	70	14	19	80	118	139	183	139	166
1984.....	10,114	1,512	85	14	12	71	113	127	175	134	144
1983.....	9,862	1,588	77	21	13	66	122	184	162	151	143
1982.....	9,623	1,564	70	12	17	86	141	186	153	159	172
1981.....	9,250	1,573	70	19	25	90	163	166	156	144	151
1980.....	8,910	1,602	80	21	23	87	134	132	150	116	149
1979.....	8,299	1,471	80	17	19	94	120	113	153	137	142

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)											
ALL OTHER, BOTH SEXES											
1998.....	4,951	1,343	78	21	28	66	90	122	168	229	264
1997.....	4,962	1,345	82	31	21	70	103	147	177	250	277
1996.....	5,064	1,417	88	23	27	79	127	124	207	269	325
1995.....	5,446	1,522	104	29	29	95	126	172	247	302	350
1994.....	5,410	1,772	100	23	27	87	138	154	230	301	331
1993.....	6,011	2,007	112	27	32	71	131	171	289	351	370
1992.....	5,471	2,060	90	20	27	77	138	201	267	298	261
1991.....	5,843	2,193	111	23	24	67	158	243	293	346	318
1990.....	6,079	2,248	102	15	31	65	142	251	321	416	299
1989.....	6,391	2,304	112	39	28	74	143	273	368	416	311
1988.....	6,891	2,144	91	35	27	81	160	281	402	476	302
1987.....	7,077	1,969	110	28	24	72	192	302	435	439	258
1986.....	7,086	1,900	108	19	28	74	139	233	330	328	272
1985.....	7,124	1,827	98	18	19	70	120	248	294	257	216
1984.....	6,925	1,821	86	14	17	61	127	185	242	237	200
1983.....	7,241	1,946	113	11	26	58	134	173	214	203	205
1982.....	7,438	1,907	87	28	25	82	170	218	271	226	244
1981.....	7,436	1,865	115	28	25	65	155	206	264	212	209
1980.....	7,906	2,018	82	31	26	62	155	202	177	202	238
1979.....	7,680	2,064	85	14	18	74	163	198	204	189	217
ALL OTHER MALE											
1998.....	2,721	784	46	9	14	44	64	78	101	147	165
1997.....	2,821	768	45	19	8	52	69	99	117	168	194
1996.....	2,832	818	45	14	15	47	81	76	137	166	214
1995.....	3,118	867	64	20	18	69	90	107	157	188	234
1994.....	3,160	1,041	57	13	14	66	90	100	151	191	237
1993.....	3,548	1,203	60	10	18	45	85	112	190	235	265
1992.....	3,156	1,172	50	11	15	51	97	134	176	195	178
1991.....	3,338	1,200	66	12	9	49	107	163	206	244	218
1990.....	3,582	1,290	48	10	20	42	102	170	209	277	233
1989.....	3,844	1,340	59	27	15	38	94	171	263	312	219
1988.....	4,022	1,181	50	23	19	47	94	186	277	314	205
1987.....	4,118	1,126	58	13	12	45	127	201	285	299	185
1986.....	4,122	1,086	57	14	17	35	82	151	227	229	197
1985.....	4,130	1,035	57	9	8	40	72	150	192	179	150
1984.....	4,029	1,013	50	6	10	37	75	127	153	165	135
1983.....	4,141	1,090	62	11	15	32	90	114	147	144	132
1982.....	4,307	1,079	41	16	16	42	103	142	197	161	155
1981.....	4,341	1,037	73	20	14	34	97	132	174	138	141
1980.....	4,473	1,111	44	15	14	40	100	135	127	123	152
1979.....	4,413	1,153	37	5	10	47	107	144	133	126	134

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)											
ALL OTHER FEMALE											
1998.....	2,230	559	32	12	14	22	26	44	67	82	99
1997.....	2,141	577	37	12	13	18	34	48	60	82	83
1996.....	2,232	599	43	9	12	32	46	48	70	103	111
1995.....	2,328	655	40	9	11	26	36	65	90	114	116
1994.....	2,250	731	43	10	13	21	48	54	79	110	94
1993.....	2,463	804	52	17	14	26	46	59	99	116	105
1992.....	2,315	888	40	9	12	26	41	67	91	103	83
1991.....	2,505	993	45	11	15	18	51	80	87	102	100
1990.....	2,497	958	54	5	11	23	40	81	112	139	66
1989.....	2,547	964	53	12	13	36	49	102	105	104	92
1988.....	2,869	963	41	12	8	34	66	95	125	162	97
1987.....	2,959	843	52	15	12	27	65	101	150	140	73
1986.....	2,964	814	51	5	11	39	57	82	103	99	75
1985.....	2,994	792	41	9	11	30	48	98	102	78	66
1984.....	2,896	808	36	8	7	24	52	58	89	72	65
1983.....	3,100	856	51	-	11	26	44	59	67	59	73
1982.....	3,131	828	46	12	9	40	67	76	74	65	89
1981.....	3,095	828	42	8	11	31	58	74	90	74	68
1980.....	3,433	907	38	16	12	22	55	67	50	79	86
1979.....	3,267	911	48	9	8	27	56	54	71	63	83
BLACK, BOTH SEXES											
1998.....	4,481	1,198	66	18	28	63	79	108	146	205	244
1997.....	4,505	1,206	77	26	20	65	91	133	154	230	257
1996.....	4,607	1,267	80	20	26	68	109	109	190	250	307
1995.....	4,958	1,377	91	26	24	82	110	158	225	274	326
1994.....	4,895	1,558	90	20	23	80	124	136	205	279	308
1993.....	5,499	1,802	105	24	28	66	117	151	265	321	345
1992.....	4,976	1,837	77	18	26	69	125	179	252	278	247
1991.....	5,306	1,963	100	17	23	59	138	217	275	328	290
1990.....	5,505	2,014	91	12	30	57	123	221	284	387	273
1989.....	5,835	2,017	98	33	25	61	130	247	340	385	299
1988.....	6,353	1,918	80	32	22	69	145	257	363	458	280
1987.....	6,562	1,762	99	22	19	64	171	270	412	413	247
1986.....	6,642	1,711	98	19	24	68	128	217	314	310	259
1985.....	6,626	1,606	84	16	19	64	113	232	280	238	204
1984.....	6,511	1,657	73	13	15	54	121	164	226	224	189
1983.....	6,787	1,748	100	9	21	49	121	169	197	189	194
1982.....	6,938	1,713	83	23	22	71	159	193	253	212	229
1981.....	6,886	1,686	106	19	22	48	131	184	231	195	196
1980.....	7,461	1,852	76	24	20	59	141	186	167	191	229
1979.....	7,242	1,879	77	12	18	63	154	178	194	176	207

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)											
BLACK MALE											
1998.....	2,451	697	39	8	14	43	56	67	83	132	151
1997.....	2,560	694	43	15	7	47	64	91	100	152	183
1996.....	2,564	722	43	14	14	41	68	64	125	153	200
1995.....	2,839	788	59	18	15	63	80	94	139	171	220
1994.....	2,839	919	50	12	11	62	81	86	132	177	219
1993.....	3,235	1,081	56	10	17	43	74	97	170	216	247
1992.....	2,856	1,040	44	10	15	45	84	117	163	182	168
1991.....	3,020	1,067	59	9	9	45	94	142	191	228	200
1990.....	3,215	1,140	45	8	19	36	88	142	187	256	214
1989.....	3,496	1,160	52	22	12	35	85	154	240	293	210
1988.....	3,692	1,050	47	22	16	42	83	170	248	303	191
1987.....	3,817	1,004	53	11	11	40	112	178	269	285	178
1986.....	3,865	974	54	14	13	32	75	140	216	216	188
1985.....	3,829	913	48	8	8	35	65	137	183	167	140
1984.....	3,784	925	41	5	10	32	72	111	141	159	127
1983.....	3,879	988	55	9	13	27	79	111	135	135	126
1982.....	4,014	967	41	13	14	34	95	126	183	150	146
1981.....	3,982	929	67	13	12	21	77	118	149	128	130
1980.....	4,214	1,020	40	11	10	37	89	123	120	118	147
1979.....	4,163	1,059	32	5	10	40	102	129	125	115	128
BLACK FEMALE											
1998.....	2,030	501	27	10	14	20	23	41	63	73	93
1997.....	1,945	512	34	11	13	18	27	42	54	78	74
1996.....	2,043	545	37	6	12	27	41	45	65	97	107
1995.....	2,119	589	32	8	9	19	30	64	86	103	106
1994.....	2,056	639	40	8	12	18	43	50	73	102	89
1993.....	2,264	721	49	14	11	23	43	54	95	105	98
1992.....	2,120	797	33	8	11	24	41	62	89	96	79
1991.....	2,286	896	41	8	14	14	44	75	84	100	90
1990.....	2,290	874	46	4	11	21	35	79	97	131	59
1989.....	2,339	857	46	11	13	26	45	93	100	92	89
1988.....	2,661	868	33	10	6	27	62	87	115	155	89
1987.....	2,745	758	46	11	8	24	59	92	143	128	69
1986.....	2,777	737	44	5	11	36	53	77	98	94	71
1985.....	2,797	693	36	8	11	29	48	95	97	71	64
1984.....	2,727	732	32	8	5	22	49	53	85	65	62
1983.....	2,908	760	45	-	8	22	42	58	62	54	68
1982.....	2,924	746	42	10	8	37	64	67	70	62	83
1981.....	2,904	757	39	6	10	27	54	66	82	67	66
1980.....	3,247	832	36	13	10	22	52	63	47	73	82
1979.....	3,079	820	45	7	8	23	52	49	69	61	79

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	22,994	3,658	219	74	82	234	324	423	635	914	1,052
1997.....	23,025	3,773	241	79	92	280	371	488	659	954	1,099
1996.....	23,552	3,883	283	72	100	264	423	514	756	1,022	1,128
1995.....	24,958	4,381	315	102	105	295	463	643	957	1,219	1,327
1994.....	23,065	4,942	268	75	79	226	411	519	794	1,042	1,000
1993.....	24,586	5,659	297	93	101	208	408	569	921	1,106	1,064
1992.....	21,839	5,838	258	51	77	210	424	576	857	926	838
1991.....	22,928	6,268	336	66	76	225	434	705	912	1,039	934
1990.....	22,829	6,409	270	50	73	239	472	736	957	1,091	924
1989.....	25,714	6,627	285	90	91	244	492	857	1,112	1,211	1,020
1988.....	29,537	6,486	298	84	84	290	562	943	1,174	1,242	956
1987.....	30,068	6,137	305	87	72	264	616	976	1,254	1,227	939
1986.....	30,102	6,038	317	59	87	282	588	795	1,050	976	787
1985.....	29,611	5,945	277	56	60	266	484	774	881	805	685
1984.....	28,457	5,874	259	47	55	246	477	634	809	666	639
1983.....	28,358	5,927	290	64	64	258	515	723	704	645	619
1982.....	28,627	5,933	269	67	80	338	623	821	824	680	712
1981.....	28,405	5,954	280	75	85	312	604	763	738	630	626
1980.....	27,575	6,088	288	71	80	303	578	657	609	531	609
1979.....	26,340	5,899	259	56	67	322	563	607	608	532	609
TOTAL, MALE											
1998.....	11,927	2,193	119	36	44	158	238	290	421	608	688
1997.....	12,328	2,268	146	46	45	197	260	347	437	648	750
1996.....	12,629	2,308	159	37	57	172	298	339	501	682	768
1995.....	13,598	2,578	168	60	68	209	332	449	654	819	918
1994.....	12,572	2,973	159	51	44	160	273	350	549	714	695
1993.....	13,630	3,463	162	40	63	124	285	405	644	783	759
1992.....	12,105	3,507	144	27	47	134	303	399	607	637	580
1991.....	13,013	3,823	195	35	38	147	311	467	659	752	651
1990.....	13,197	3,910	144	28	50	162	323	514	665	778	664
1989.....	14,860	4,025	155	51	50	151	344	580	806	891	721
1988.....	16,572	3,861	169	47	54	192	382	649	856	858	632
1987.....	17,111	3,685	161	54	42	170	433	678	876	859	645
1986.....	17,226	3,652	175	43	54	171	393	549	770	684	547
1985.....	17,056	3,643	166	33	30	156	318	537	596	588	453
1984.....	16,344	3,554	138	25	36	151	312	449	545	460	430
1983.....	16,309	3,483	162	43	40	166	349	480	475	435	403
1982.....	16,704	3,541	153	43	54	212	415	559	597	456	451
1981.....	16,787	3,553	168	48	49	191	383	523	492	412	407
1980.....	16,040	3,579	170	34	45	194	389	458	409	336	374
1979.....	15,618	3,517	131	30	40	201	387	440	384	332	384

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	11,067	1,465	100	38	38	76	86	133	214	306	364
1997.....	10,697	1,505	95	33	47	83	111	141	222	306	349
1996.....	10,923	1,575	124	35	43	92	125	175	255	340	360
1995.....	11,360	1,803	147	42	37	86	131	194	303	400	409
1994.....	10,493	1,969	109	24	35	66	138	169	245	328	305
1993.....	10,956	2,196	135	53	38	84	123	164	277	323	305
1992.....	9,734	2,331	114	24	30	76	121	177	250	289	258
1991.....	9,915	2,445	141	31	38	78	123	238	253	287	283
1990.....	9,632	2,499	126	22	23	77	149	222	292	313	260
1989.....	10,854	2,602	130	39	41	93	148	277	306	320	299
1988.....	12,965	2,625	129	37	30	98	180	294	318	384	324
1987.....	12,957	2,452	144	33	30	94	183	298	378	368	294
1986.....	12,876	2,386	142	16	33	111	195	246	280	292	240
1985.....	12,555	2,302	111	23	30	110	166	237	285	217	232
1984.....	12,113	2,320	121	22	19	95	165	185	264	206	209
1983.....	12,049	2,444	128	21	24	92	166	243	229	210	216
1982.....	11,923	2,392	116	24	26	126	208	262	227	224	261
1981.....	11,618	2,401	112	27	36	121	221	240	246	218	219
1980.....	11,535	2,509	118	37	35	109	189	199	200	195	235
1979.....	10,722	2,382	128	26	27	121	176	167	224	200	225
WHITE, BOTH SEXES											
1998.....	18,265	2,315	141	53	54	168	234	301	467	685	788
1997.....	18,279	2,428	159	48	71	210	268	341	482	705	822
1996.....	18,683	2,466	195	49	73	185	296	390	549	753	803
1995.....	19,703	2,859	211	73	76	200	337	471	710	917	977
1994.....	17,812	3,170	168	52	52	139	273	365	564	741	669
1993.....	18,748	3,652	185	66	69	137	277	398	632	755	694
1992.....	16,522	3,778	168	31	50	133	286	375	590	628	577
1991.....	17,260	4,075	225	43	52	158	276	462	619	693	616
1990.....	16,908	4,161	168	35	42	174	330	485	636	675	625
1989.....	19,489	4,323	173	51	63	170	349	584	744	795	709
1988.....	22,805	4,342	207	49	57	209	402	662	772	766	654
1987.....	23,123	4,168	195	59	48	192	424	674	819	788	681
1986.....	23,163	4,138	209	40	59	208	449	562	720	648	515
1985.....	22,664	4,118	179	38	41	196	364	526	587	548	469
1984.....	21,696	4,053	173	33	38	185	350	449	567	429	439
1983.....	21,293	3,981	177	53	38	200	381	550	490	442	414
1982.....	21,378	4,026	182	39	55	256	453	603	553	454	468
1981.....	21,141	4,089	165	47	60	247	449	557	474	418	417
1980.....	19,925	4,070	206	40	54	241	423	455	432	329	371
1979.....	18,876	3,835	174	42	49	248	400	409	404	343	392

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	9,264	1,409	73	27	30	114	174	212	320	461	523
1997.....	9,574	1,500	101	27	37	145	191	248	320	481	556
1996.....	9,847	1,490	114	23	42	125	217	263	364	516	554
1995.....	10,542	1,711	104	40	50	140	242	342	497	631	684
1994.....	9,465	1,932	102	38	30	94	183	250	398	523	458
1993.....	10,137	2,260	102	30	45	79	200	293	454	548	494
1992.....	9,003	2,335	94	16	32	83	206	265	431	442	402
1991.....	9,727	2,623	129	23	29	98	204	304	453	508	433
1990.....	9,666	2,620	96	18	30	120	221	344	456	501	431
1989.....	11,071	2,685	96	24	35	113	250	409	543	579	502
1988.....	12,612	2,680	119	24	35	145	288	463	579	544	427
1987.....	13,037	2,559	103	41	30	125	306	477	591	560	460
1986.....	13,152	2,566	118	29	37	136	311	398	543	455	350
1985.....	13,007	2,608	109	24	22	116	246	387	404	409	303
1984.....	12,371	2,541	88	19	26	114	237	322	392	295	295
1983.....	12,233	2,393	100	32	25	134	259	366	328	291	271
1982.....	12,478	2,462	112	27	38	170	312	417	400	295	296
1981.....	12,525	2,516	95	28	35	157	286	391	318	274	266
1980.....	11,666	2,468	126	19	31	154	289	323	282	213	222
1979.....	11,298	2,364	94	25	30	154	280	296	251	206	250
WHITE FEMALE											
1998.....	9,001	906	68	26	24	54	60	89	147	224	265
1997.....	8,705	928	58	21	34	65	77	93	162	224	266
1996.....	8,836	976	81	26	31	60	79	127	185	237	249
1995.....	9,161	1,148	107	33	26	60	95	129	213	286	293
1994.....	8,347	1,238	66	14	22	45	90	115	166	218	211
1993.....	8,611	1,392	83	36	24	58	77	105	178	207	200
1992.....	7,519	1,443	74	15	18	50	80	110	159	186	175
1991.....	7,533	1,452	96	20	23	60	72	158	166	185	183
1990.....	7,242	1,541	72	17	12	54	109	141	180	174	194
1989.....	8,418	1,638	77	27	28	57	99	175	201	216	207
1988.....	10,193	1,662	88	25	22	64	114	199	193	222	227
1987.....	10,086	1,609	92	18	18	67	118	197	228	228	221
1986.....	10,011	1,572	91	11	22	72	138	164	177	193	165
1985.....	9,657	1,510	70	14	19	80	118	139	183	139	166
1984.....	9,325	1,512	85	14	12	71	113	127	175	134	144
1983.....	9,060	1,588	77	21	13	66	122	184	162	151	143
1982.....	8,900	1,564	70	12	17	86	141	186	153	159	172
1981.....	8,616	1,573	70	19	25	90	163	166	156	144	151
1980.....	8,259	1,602	80	21	23	87	134	132	150	116	149
1979.....	7,578	1,471	80	17	19	94	120	113	153	137	142

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	4,729	1,343	78	21	28	66	90	122	168	229	264
1997.....	4,746	1,345	82	31	21	70	103	147	177	249	277
1996.....	4,869	1,417	88	23	27	79	127	124	207	269	325
1995.....	5,255	1,522	104	29	29	95	126	172	247	302	350
1994.....	5,253	1,772	100	23	27	87	138	154	230	301	331
1993.....	5,838	2,007	112	27	32	71	131	171	289	351	370
1992.....	5,317	2,060	90	20	27	77	138	201	267	298	261
1991.....	5,668	2,193	111	23	24	67	158	243	293	346	318
1990.....	5,921	2,248	102	15	31	65	142	251	321	416	299
1989.....	6,225	2,304	112	39	28	74	143	273	368	416	311
1988.....	6,732	2,144	91	35	27	81	160	281	402	476	302
1987.....	6,945	1,969	110	28	24	72	192	302	435	439	258
1986.....	6,939	1,900	108	19	28	74	139	233	330	328	272
1985.....	6,947	1,827	98	18	19	70	120	248	294	257	216
1984.....	6,761	1,821	86	14	17	61	127	185	242	237	200
1983.....	7,065	1,946	113	11	26	58	134	173	214	203	205
1982.....	7,249	1,907	87	28	25	82	170	218	271	226	244
1981.....	7,264	1,865	115	28	25	65	155	206	264	212	209
1980.....	7,650	2,018	82	31	26	62	155	202	177	202	238
1979.....	7,464	2,064	85	14	18	74	163	198	204	189	217
ALL OTHER MALE											
1998.....	2,663	784	46	9	14	44	64	78	101	147	165
1997.....	2,754	768	45	19	8	52	69	99	117	167	194
1996.....	2,782	818	45	14	15	47	81	76	137	166	214
1995.....	3,056	867	64	20	18	69	90	107	157	188	234
1994.....	3,107	1,041	57	13	14	66	90	100	151	191	237
1993.....	3,493	1,203	60	10	18	45	85	112	190	235	265
1992.....	3,102	1,172	50	11	15	51	97	134	176	195	178
1991.....	3,286	1,200	66	12	9	49	107	163	206	244	218
1990.....	3,531	1,290	48	10	20	42	102	170	209	277	233
1989.....	3,789	1,340	59	27	15	38	94	171	263	312	219
1988.....	3,960	1,181	50	23	19	47	94	186	277	314	205
1987.....	4,074	1,126	58	13	12	45	127	201	285	299	185
1986.....	4,074	1,086	57	14	17	35	82	151	227	229	197
1985.....	4,049	1,035	57	9	8	40	72	150	192	179	150
1984.....	3,973	1,013	50	6	10	37	75	127	153	165	135
1983.....	4,076	1,090	62	11	15	32	90	114	147	144	132
1982.....	4,226	1,079	41	16	16	42	103	142	197	161	155
1981.....	4,262	1,037	73	20	14	34	97	132	174	138	141
1980.....	4,374	1,111	44	15	14	40	100	135	127	123	152
1979.....	4,320	1,153	37	5	10	47	107	144	133	126	134

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	2,066	559	32	12	14	22	26	44	67	82	99
1997.....	1,992	577	37	12	13	18	34	48	60	82	83
1996.....	2,087	599	43	9	12	32	46	48	70	103	111
1995.....	2,199	655	40	9	11	26	36	65	90	114	116
1994.....	2,146	731	43	10	13	21	48	54	79	110	94
1993.....	2,345	804	52	17	14	26	46	59	99	116	105
1992.....	2,215	888	40	9	12	26	41	67	91	103	83
1991.....	2,382	993	45	11	15	18	51	80	87	102	100
1990.....	2,390	958	54	5	11	23	40	81	112	139	66
1989.....	2,436	964	53	12	13	36	49	102	105	104	92
1988.....	2,772	963	41	12	8	34	66	95	125	162	97
1987.....	2,871	843	52	15	12	27	65	101	150	140	73
1986.....	2,865	814	51	5	11	39	57	82	103	99	75
1985.....	2,898	792	41	9	11	30	48	98	102	78	66
1984.....	2,788	808	36	8	7	24	52	58	89	72	65
1983.....	2,989	856	51	-	11	26	44	59	67	59	73
1982.....	3,023	828	46	12	9	40	67	76	74	65	89
1981.....	3,002	828	42	8	11	31	58	74	90	74	68
1980.....	3,276	907	38	16	12	22	55	67	50	79	86
1979.....	3,144	911	48	9	8	27	56	54	71	63	83
BLACK, BOTH SEXES											
1998.....	4,284	1,198	66	18	28	63	79	108	146	205	244
1997.....	4,316	1,206	77	26	20	65	91	133	154	229	257
1996.....	4,428	1,267	80	20	26	68	109	109	190	250	307
1995.....	4,783	1,377	91	26	24	82	110	158	225	274	326
1994.....	4,750	1,558	90	20	23	80	124	136	205	279	308
1993.....	5,342	1,802	105	24	28	66	117	151	265	321	345
1992.....	4,836	1,837	77	18	26	69	125	179	252	278	247
1991.....	5,143	1,963	100	17	23	59	138	217	275	328	290
1990.....	5,356	2,014	91	12	30	57	123	221	284	387	273
1989.....	5,682	2,017	98	33	25	61	130	247	340	385	299
1988.....	6,207	1,918	80	32	22	69	145	257	363	458	280
1987.....	6,447	1,762	99	22	19	64	171	270	412	413	247
1986.....	6,513	1,711	98	19	24	68	128	217	314	310	259
1985.....	6,465	1,606	84	16	19	64	113	232	280	238	204
1984.....	6,367	1,657	73	13	15	54	121	164	226	224	189
1983.....	6,629	1,748	100	9	21	49	121	169	197	189	194
1982.....	6,767	1,713	83	23	22	71	159	193	253	212	229
1981.....	6,726	1,686	106	19	22	48	131	184	231	195	196
1980.....	7,239	1,852	76	24	20	59	141	186	167	191	229
1979.....	7,056	1,879	77	12	18	63	154	178	194	176	207

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

BLACK MALE

1998.....	2,401	697	39	8	14	43	56	67	83	132	151
1997.....	2,501	694	43	15	7	47	64	91	100	151	183
1996.....	2,519	722	43	14	14	41	68	64	125	153	200
1995.....	2,782	788	59	18	15	63	80	94	139	171	220
1994.....	2,791	919	50	12	11	62	81	86	132	177	219
1993.....	3,187	1,081	56	10	17	43	74	97	170	216	247
1992.....	2,806	1,040	44	10	15	45	84	117	163	182	168
1991.....	2,972	1,067	59	9	9	45	94	142	191	228	200
1990.....	3,167	1,140	45	8	19	36	88	142	187	256	214
1989.....	3,444	1,160	52	22	12	35	85	154	240	293	210
1988.....	3,637	1,050	47	22	16	42	83	170	248	303	191
1987.....	3,779	1,004	53	11	11	40	112	178	269	285	178
1986.....	3,821	974	54	14	13	32	75	140	216	216	188
1985.....	3,755	913	48	8	8	35	65	137	183	167	140
1984.....	3,738	925	41	5	10	32	72	111	141	159	127
1983.....	3,822	988	55	9	13	27	79	111	135	135	126
1982.....	3,940	967	41	13	14	34	95	126	183	150	146
1981.....	3,909	929	67	13	12	21	77	118	149	128	130
1980.....	4,130	1,020	40	11	10	37	89	123	120	118	147
1979.....	4,083	1,059	32	5	10	40	102	129	125	115	128

BLACK FEMALE

1998.....	1,883	501	27	10	14	20	23	41	63	73	93
1997.....	1,815	512	34	11	13	18	27	42	54	78	74
1996.....	1,909	545	37	6	12	27	41	45	65	97	107
1995.....	2,001	589	32	8	9	19	30	64	86	103	106
1994.....	1,959	639	40	8	12	18	43	50	73	102	89
1993.....	2,155	721	49	14	11	23	43	54	95	105	98
1992.....	2,030	797	33	8	11	24	41	62	89	96	79
1991.....	2,171	896	41	8	14	14	44	75	84	100	90
1990.....	2,189	874	46	4	11	21	35	79	97	131	59
1989.....	2,238	857	46	11	13	26	45	93	100	92	89
1988.....	2,570	868	33	10	6	27	62	87	115	155	89
1987.....	2,668	758	46	11	8	24	59	92	143	128	69
1986.....	2,692	737	44	5	11	36	53	77	98	94	71
1985.....	2,710	693	36	8	11	29	48	95	97	71	64
1984.....	2,629	732	32	8	5	22	49	53	85	65	62
1983.....	2,807	760	45	-	8	22	42	58	62	54	68
1982.....	2,827	746	42	10	8	37	64	67	70	62	83
1981.....	2,817	757	39	6	10	27	54	66	82	67	66
1980.....	3,109	832	36	13	10	22	52	63	47	73	82
1979.....	2,973	820	45	7	8	23	52	49	69	61	79

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)											
TOTAL, BOTH SEXES											
1998.....	150,445	1,151	2,377	1,736	2,368	10,777	12,555	11,250	11,459	13,543	13,274
1997.....	149,691	1,139	2,420	1,728	2,455	11,169	12,890	11,860	12,201	13,474	12,762
1996.....	150,298	1,194	2,621	1,794	2,503	11,663	13,419	12,180	12,697	13,699	12,366
1995.....	150,809	1,155	2,777	1,787	2,702	11,960	14,314	12,761	13,908	13,767	12,174
1994.....	150,940	1,249	3,037	1,777	2,696	12,257	15,136	13,212	14,301	13,829	11,698
1993.....	151,061	1,303	3,093	1,816	2,686	12,047	15,612	13,610	14,881	13,639	11,340
1992.....	145,655	1,186	2,931	1,796	2,538	11,520	15,195	13,827	14,248	12,901	10,487
1991.....	149,187	1,389	3,134	1,889	2,606	12,349	16,162	14,834	14,890	12,530	10,232
1990.....	150,211	1,315	2,975	1,951	2,528	12,707	16,067	15,921	14,869	12,638	9,791
1989.....	150,869	1,382	3,223	2,256	2,633	12,476	15,662	16,162	14,872	12,233	9,640
1988.....	152,572	1,293	3,294	2,309	2,681	12,849	16,807	16,426	14,902	11,995	9,231
1987.....	149,942	1,280	3,331	2,231	2,688	12,417	16,973	16,421	14,276	11,677	8,681
1986.....	151,032	1,238	3,369	2,133	2,776	12,895	18,187	17,000	14,385	11,503	8,205
1985.....	145,648	1,144	3,275	2,184	2,821	11,786	17,665	15,980	13,274	10,572	8,211
1984.....	145,012	1,135	3,211	2,102	2,832	11,876	18,266	16,087	13,103	10,234	7,878
1983.....	144,091	1,205	3,434	2,167	2,791	12,058	18,092	16,084	12,931	9,794	7,821
1982.....	147,894	1,340	3,528	2,286	2,884	13,217	19,368	16,682	13,221	10,040	7,695
1981.....	155,576	1,280	3,574	2,427	3,117	14,619	20,958	17,796	14,058	9,978	8,014
1980.....	160,551	1,444	3,732	2,630	3,233	16,559	22,235	17,809	13,434	9,823	8,073
1979.....	158,945	1,335	3,758	2,901	3,434	16,951	21,803	17,117	12,607	9,685	7,971
TOTAL, MALE											
1998.....	104,217	658	1,405	1,057	1,580	8,113	10,297	8,923	8,755	10,030	9,864
1997.....	104,569	649	1,420	1,041	1,633	8,422	10,519	9,439	9,438	10,149	9,604
1996.....	105,392	645	1,530	1,077	1,679	8,903	11,057	9,633	9,772	10,346	9,353
1995.....	106,980	625	1,635	1,114	1,845	9,166	11,811	10,196	10,771	10,555	9,263
1994.....	107,914	708	1,804	1,100	1,847	9,643	12,456	10,545	11,228	10,565	9,056
1993.....	107,935	735	1,841	1,099	1,835	9,420	12,842	10,784	11,665	10,576	8,704
1992.....	104,549	668	1,773	1,151	1,772	8,988	12,482	11,074	11,184	10,028	8,047
1991.....	107,032	790	1,817	1,201	1,868	9,596	13,179	11,874	11,733	9,685	7,846
1990.....	107,999	717	1,802	1,216	1,736	9,884	13,217	12,731	11,682	9,874	7,517
1989.....	107,656	737	1,923	1,412	1,823	9,444	12,705	12,812	11,611	9,510	7,263
1988.....	108,819	709	1,971	1,460	1,839	9,765	13,582	12,979	11,671	9,379	6,963
1987.....	107,139	711	2,004	1,438	1,965	9,343	13,603	12,963	11,221	9,083	6,506
1986.....	108,661	674	2,000	1,380	1,985	9,785	14,657	13,649	11,431	8,960	6,147
1985.....	104,408	617	1,984	1,376	2,002	8,901	14,216	12,815	10,545	8,170	6,187
1984.....	103,954	619	1,937	1,366	1,962	8,978	14,540	12,935	10,361	7,900	5,911
1983.....	103,395	669	2,074	1,402	1,974	9,225	14,442	12,829	10,285	7,589	5,906
1982.....	107,003	784	2,100	1,446	2,020	10,253	15,648	13,421	10,544	7,735	5,790
1981.....	112,811	684	2,146	1,583	2,205	11,227	16,932	14,357	11,193	7,723	6,050
1980.....	116,416	817	2,237	1,680	2,268	12,795	18,064	14,436	10,686	7,612	6,083
1979.....	114,975	754	2,211	1,908	2,431	13,062	17,613	13,799	10,021	7,418	5,967

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)											
TOTAL, FEMALE											
1998.....	46,228	493	972	679	788	2,664	2,258	2,327	2,704	3,513	3,410
1997.....	45,122	490	1,000	687	822	2,747	2,371	2,421	2,763	3,325	3,158
1996.....	44,906	549	1,091	717	824	2,760	2,362	2,547	2,925	3,353	3,013
1995.....	43,829	530	1,142	673	857	2,794	2,503	2,565	3,137	3,212	2,911
1994.....	43,026	541	1,233	677	849	2,614	2,680	2,667	3,073	3,264	2,642
1993.....	43,126	568	1,252	717	851	2,627	2,770	2,826	3,216	3,063	2,636
1992.....	41,106	518	1,158	645	766	2,532	2,713	2,753	3,064	2,873	2,440
1991.....	42,155	599	1,317	688	738	2,753	2,983	2,960	3,157	2,845	2,386
1990.....	42,212	598	1,173	735	792	2,823	2,850	3,190	3,187	2,764	2,274
1989.....	43,213	645	1,300	844	810	3,032	2,957	3,350	3,261	2,723	2,377
1988.....	43,753	584	1,323	849	842	3,084	3,225	3,447	3,231	2,616	2,268
1987.....	42,803	569	1,327	793	723	3,074	3,370	3,458	3,055	2,594	2,175
1986.....	42,371	564	1,369	753	791	3,110	3,530	3,351	2,954	2,543	2,058
1985.....	41,240	527	1,291	808	819	2,885	3,449	3,165	2,729	2,402	2,024
1984.....	41,058	516	1,274	736	870	2,898	3,726	3,152	2,742	2,334	1,967
1983.....	40,696	536	1,360	765	817	2,833	3,650	3,255	2,646	2,205	1,915
1982.....	40,891	556	1,428	840	864	2,964	3,720	3,261	2,677	2,305	1,905
1981.....	42,765	596	1,428	844	912	3,392	4,026	3,439	2,865	2,255	1,964
1980.....	44,135	627	1,495	950	965	3,764	4,171	3,373	2,748	2,211	1,990
1979.....	43,970	581	1,547	993	1,003	3,889	4,190	3,318	2,586	2,267	2,004
WHITE, BOTH SEXES											
1998.....	122,035	752	1,615	1,154	1,770	8,136	9,000	8,168	8,828	10,851	10,671
1997.....	120,194	742	1,672	1,155	1,833	8,245	9,050	8,597	9,379	10,624	10,108
1996.....	120,271	785	1,771	1,243	1,874	8,444	9,395	8,824	9,634	10,778	9,881
1995.....	119,783	741	1,916	1,275	2,016	8,604	10,158	9,263	10,560	10,676	9,574
1994.....	118,480	780	2,044	1,204	1,958	8,592	10,462	9,510	10,719	10,583	9,145
1993.....	118,120	827	2,064	1,239	1,935	8,436	10,608	9,712	11,164	10,405	8,744
1992.....	114,710	744	2,037	1,253	1,844	8,174	10,637	9,993	10,652	9,873	8,211
1991.....	117,142	872	2,197	1,357	1,929	8,880	11,520	10,625	11,060	9,463	7,945
1990.....	118,993	812	2,064	1,393	1,883	9,434	11,771	11,636	11,067	9,618	7,713
1989.....	119,844	817	2,272	1,613	1,982	9,679	11,505	11,995	11,142	9,236	7,596
1988.....	122,197	840	2,328	1,655	2,022	10,175	12,715	12,272	11,165	9,150	7,317
1987.....	121,349	846	2,409	1,633	2,061	10,070	13,113	12,530	10,887	8,991	6,828
1986.....	122,768	789	2,408	1,482	2,161	10,744	14,397	12,962	10,961	8,890	6,601
1985.....	119,426	773	2,382	1,554	2,241	9,798	14,240	12,508	10,175	8,292	6,583
1984.....	119,627	755	2,304	1,521	2,247	10,037	14,883	12,622	10,192	8,097	6,310
1983.....	118,326	791	2,497	1,591	2,225	10,167	14,569	12,653	10,033	7,776	6,261
1982.....	121,363	891	2,567	1,664	2,320	11,162	15,768	13,009	10,066	7,914	6,169
1981.....	127,691	873	2,585	1,795	2,491	12,501	17,065	13,952	10,824	7,833	6,310
1980.....	131,314	982	2,735	1,916	2,603	14,236	18,039	13,811	10,334	7,667	6,342
1979.....	130,506	881	2,716	2,113	2,798	14,601	17,784	13,261	9,674	7,521	6,243

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)											
WHITE MALE											
1998.....	83,283	441	952	701	1,151	5,920	7,318	6,422	6,722	8,066	7,946
1997.....	82,827	431	996	709	1,229	6,002	7,258	6,787	7,262	8,031	7,627
1996.....	83,115	423	1,060	738	1,236	6,233	7,631	6,910	7,445	8,202	7,493
1995.....	83,701	418	1,125	797	1,370	6,376	8,264	7,369	8,220	8,239	7,287
1994.....	83,350	449	1,219	745	1,334	6,494	8,491	7,557	8,483	8,124	7,057
1993.....	82,975	464	1,249	775	1,317	6,334	8,622	7,685	8,811	8,065	6,663
1992.....	81,063	438	1,278	811	1,274	6,122	8,621	8,006	8,420	7,677	6,301
1991.....	82,611	498	1,292	864	1,360	6,627	9,263	8,485	8,726	7,315	6,081
1990.....	84,258	449	1,263	877	1,289	7,138	9,565	9,294	8,695	7,480	5,873
1989.....	84,300	437	1,366	1,017	1,359	7,088	9,256	9,518	8,672	7,180	5,676
1988.....	86,029	462	1,404	1,055	1,405	7,565	10,228	9,716	8,771	7,117	5,508
1987.....	85,669	472	1,471	1,055	1,497	7,445	10,466	9,883	8,563	6,935	5,050
1986.....	87,384	424	1,443	986	1,530	8,072	11,546	10,409	8,737	6,845	4,922
1985.....	84,782	414	1,457	995	1,586	7,317	11,428	10,041	8,101	6,377	4,908
1984.....	84,910	406	1,414	984	1,556	7,533	11,837	10,160	8,039	6,187	4,685
1983.....	84,160	437	1,531	1,053	1,574	7,748	11,653	10,107	7,950	5,994	4,672
1982.....	86,817	524	1,544	1,066	1,619	8,633	12,723	10,453	7,971	6,052	4,589
1981.....	91,505	472	1,554	1,178	1,761	9,526	13,786	11,226	8,616	6,002	4,696
1980.....	94,231	551	1,660	1,215	1,841	10,935	14,635	11,217	8,180	5,887	4,717
1979.....	93,372	520	1,616	1,387	1,963	11,250	14,402	10,648	7,650	5,684	4,575
WHITE FEMALE											
1998.....	38,752	311	663	453	619	2,216	1,682	1,746	2,106	2,785	2,725
1997.....	37,367	311	676	446	604	2,243	1,792	1,810	2,117	2,593	2,481
1996.....	37,156	362	711	505	638	2,211	1,764	1,914	2,189	2,576	2,388
1995.....	36,082	323	791	478	646	2,228	1,894	1,894	2,340	2,437	2,287
1994.....	35,130	331	825	459	624	2,098	1,971	1,953	2,236	2,459	2,088
1993.....	35,145	363	815	464	618	2,102	1,986	2,027	2,353	2,340	2,081
1992.....	33,647	306	759	442	570	2,052	2,016	1,987	2,232	2,196	1,910
1991.....	34,531	374	905	493	569	2,253	2,257	2,140	2,334	2,148	1,864
1990.....	34,735	363	801	516	594	2,296	2,206	2,342	2,372	2,138	1,840
1989.....	35,544	380	906	596	623	2,591	2,249	2,477	2,470	2,056	1,920
1988.....	36,168	378	924	600	617	2,610	2,487	2,556	2,394	2,033	1,809
1987.....	35,680	374	938	578	564	2,625	2,647	2,647	2,324	2,056	1,778
1986.....	35,384	365	965	496	631	2,672	2,851	2,553	2,224	2,045	1,679
1985.....	34,644	359	925	559	655	2,481	2,812	2,467	2,074	1,915	1,675
1984.....	34,717	349	890	537	691	2,504	3,046	2,462	2,153	1,910	1,625
1983.....	34,166	354	966	538	651	2,419	2,916	2,546	2,083	1,782	1,589
1982.....	34,546	367	1,023	598	701	2,529	3,045	2,556	2,095	1,862	1,580
1981.....	36,186	401	1,031	617	730	2,975	3,279	2,726	2,208	1,831	1,614
1980.....	37,083	431	1,075	701	762	3,301	3,404	2,594	2,154	1,780	1,625
1979.....	37,134	361	1,100	726	835	3,351	3,382	2,613	2,024	1,837	1,668

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)											
ALL OTHER, BOTH SEXES											
1998.....	28,410	399	762	582	598	2,641	3,555	3,082	2,631	2,692	2,603
1997.....	29,497	397	748	573	622	2,924	3,840	3,263	2,822	2,850	2,654
1996.....	30,027	409	850	551	629	3,219	4,024	3,356	3,063	2,921	2,485
1995.....	31,026	414	861	512	686	3,356	4,156	3,498	3,348	3,091	2,600
1994.....	32,460	469	993	573	738	3,665	4,674	3,702	3,582	3,246	2,553
1993.....	32,941	476	1,029	577	751	3,611	5,004	3,898	3,717	3,234	2,596
1992.....	30,945	442	894	543	694	3,346	4,558	3,834	3,596	3,028	2,276
1991.....	32,045	517	937	532	677	3,469	4,642	4,209	3,830	3,067	2,287
1990.....	31,218	503	911	558	645	3,273	4,296	4,285	3,802	3,020	2,078
1989.....	31,025	565	951	643	651	2,797	4,157	4,167	3,730	2,997	2,044
1988.....	30,375	453	966	654	659	2,674	4,092	4,154	3,737	2,845	1,914
1987.....	28,593	434	922	598	627	2,347	3,860	3,891	3,389	2,686	1,853
1986.....	28,264	449	961	651	615	2,151	3,790	4,038	3,424	2,613	1,604
1985.....	26,222	371	893	630	580	1,988	3,425	3,472	3,099	2,280	1,628
1984.....	25,385	380	907	581	585	1,839	3,383	3,465	2,911	2,137	1,568
1983.....	25,765	414	937	576	566	1,891	3,523	3,431	2,898	2,018	1,560
1982.....	26,531	449	961	622	564	2,055	3,600	3,673	3,155	2,126	1,526
1981.....	27,885	407	989	632	626	2,118	3,893	3,844	3,234	2,145	1,704
1980.....	29,237	462	997	714	630	2,323	4,196	3,998	3,100	2,156	1,731
1979.....	28,439	454	1,042	788	636	2,350	4,019	3,856	2,933	2,164	1,728
ALL OTHER MALE											
1998.....	20,934	217	453	356	429	2,193	2,979	2,501	2,033	1,964	1,918
1997.....	21,742	218	424	332	404	2,420	3,261	2,652	2,176	2,118	1,977
1996.....	22,277	222	470	339	443	2,670	3,426	2,723	2,327	2,144	1,860
1995.....	23,279	207	510	317	475	2,790	3,547	2,827	2,551	2,316	1,976
1994.....	24,564	259	585	355	513	3,149	3,965	2,988	2,745	2,441	1,999
1993.....	24,960	271	592	324	518	3,086	4,220	3,099	2,854	2,511	2,041
1992.....	23,486	230	495	340	498	2,866	3,861	3,068	2,764	2,351	1,746
1991.....	24,421	292	525	337	508	2,969	3,916	3,389	3,007	2,370	1,765
1990.....	23,741	268	539	339	447	2,746	3,652	3,437	2,987	2,394	1,644
1989.....	23,356	300	557	395	464	2,356	3,449	3,294	2,939	2,330	1,587
1988.....	22,790	247	567	405	434	2,200	3,354	3,263	2,900	2,262	1,455
1987.....	21,470	239	533	383	468	1,898	3,137	3,080	2,658	2,148	1,456
1986.....	21,277	250	557	394	455	1,713	3,111	3,240	2,694	2,115	1,225
1985.....	19,626	203	527	381	416	1,584	2,788	2,774	2,444	1,793	1,279
1984.....	19,044	213	523	382	406	1,445	2,703	2,775	2,322	1,713	1,226
1983.....	19,235	232	543	349	400	1,477	2,789	2,722	2,335	1,595	1,234
1982.....	20,186	260	556	380	401	1,620	2,925	2,968	2,573	1,683	1,201
1981.....	21,306	212	592	405	444	1,701	3,146	3,131	2,577	1,721	1,354
1980.....	22,185	266	577	465	427	1,860	3,429	3,219	2,506	1,725	1,366
1979.....	21,603	234	595	521	468	1,812	3,211	3,151	2,371	1,734	1,392

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)											
ALL OTHER FEMALE											
1998.....	7,476	182	309	226	169	448	576	581	598	728	685
1997.....	7,755	179	324	241	218	504	579	611	646	732	677
1996.....	7,750	187	380	212	186	549	598	633	736	777	625
1995.....	7,747	207	351	195	211	566	609	671	797	775	624
1994.....	7,896	210	408	218	225	516	709	714	837	805	554
1993.....	7,981	205	437	253	233	525	784	799	863	723	555
1992.....	7,459	212	399	203	196	480	697	766	832	677	530
1991.....	7,624	225	412	195	169	500	726	820	823	697	522
1990.....	7,477	235	372	219	198	527	644	848	815	626	434
1989.....	7,669	265	394	248	187	441	708	873	791	667	457
1988.....	7,585	206	399	249	225	474	738	891	837	583	459
1987.....	7,123	195	389	215	159	449	723	811	731	538	397
1986.....	6,987	199	404	257	160	438	679	798	730	498	379
1985.....	6,596	168	366	249	164	404	637	698	655	487	349
1984.....	6,341	167	384	199	179	394	680	690	589	424	342
1983.....	6,530	182	394	227	166	414	734	709	563	423	326
1982.....	6,345	189	405	242	163	435	675	705	582	443	325
1981.....	6,579	195	397	227	182	417	747	713	657	424	350
1980.....	7,052	196	420	249	203	463	767	779	594	431	365
1979.....	6,836	220	447	267	168	538	808	705	562	430	336
BLACK, BOTH SEXES											
1998.....	23,907	362	672	493	479	2,226	3,073	2,592	2,189	2,314	2,217
1997.....	24,751	345	619	477	507	2,490	3,330	2,750	2,415	2,432	2,251
1996.....	25,515	363	725	470	499	2,761	3,501	2,850	2,617	2,521	2,162
1995.....	26,491	377	725	425	567	2,907	3,542	3,002	2,876	2,696	2,261
1994.....	27,964	417	859	483	635	3,212	4,091	3,216	3,109	2,810	2,265
1993.....	28,654	420	894	486	636	3,167	4,442	3,406	3,255	2,876	2,289
1992.....	26,880	396	774	456	589	2,916	4,009	3,380	3,161	2,667	2,012
1991.....	28,035	454	836	462	594	3,065	4,144	3,704	3,380	2,701	2,000
1990.....	27,168	459	776	468	554	2,802	3,753	3,806	3,386	2,661	1,801
1989.....	27,183	501	799	555	551	2,397	3,621	3,672	3,347	2,648	1,791
1988.....	26,627	427	841	569	559	2,272	3,562	3,685	3,336	2,544	1,664
1987.....	24,981	398	815	517	525	2,006	3,341	3,444	3,034	2,380	1,602
1986.....	24,656	405	832	560	510	1,823	3,230	3,558	3,051	2,296	1,395
1985.....	22,884	328	760	529	496	1,651	2,913	3,045	2,759	2,020	1,422
1984.....	22,348	347	774	519	521	1,518	2,922	3,104	2,625	1,895	1,372
1983.....	22,699	382	841	494	500	1,597	3,029	3,030	2,596	1,786	1,375
1982.....	23,520	400	848	562	491	1,734	3,135	3,302	2,840	1,911	1,361
1981.....	24,902	361	891	556	544	1,801	3,445	3,482	2,891	1,925	1,501
1980.....	26,167	426	890	633	549	1,965	3,733	3,565	2,812	1,924	1,554
1979.....	25,491	420	923	716	565	2,013	3,514	3,457	2,672	1,949	1,561

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)											
BLACK MALE											
1998.....	17,870	194	400	309	350	1,886	2,620	2,144	1,715	1,694	1,642
1997.....	18,503	188	360	272	336	2,096	2,878	2,261	1,879	1,814	1,699
1996.....	19,196	195	405	286	354	2,323	3,015	2,333	2,005	1,858	1,638
1995.....	20,119	189	428	267	400	2,454	3,080	2,452	2,198	2,034	1,736
1994.....	21,393	227	505	301	443	2,797	3,513	2,611	2,397	2,124	1,796
1993.....	22,009	240	516	271	440	2,750	3,789	2,751	2,522	2,246	1,815
1992.....	20,632	201	423	283	419	2,544	3,439	2,713	2,449	2,090	1,559
1991.....	21,591	257	469	291	449	2,669	3,530	2,992	2,674	2,112	1,576
1990.....	20,835	241	449	279	387	2,387	3,216	3,067	2,684	2,124	1,438
1989.....	20,654	264	475	343	398	2,059	3,022	2,906	2,659	2,091	1,415
1988.....	20,114	232	495	358	366	1,906	2,926	2,899	2,608	2,044	1,290
1987.....	18,882	216	469	331	394	1,633	2,729	2,734	2,386	1,928	1,273
1986.....	18,716	225	473	333	379	1,463	2,669	2,880	2,430	1,894	1,082
1985.....	17,283	178	444	319	367	1,337	2,375	2,448	2,205	1,613	1,132
1984.....	16,880	194	445	336	366	1,199	2,338	2,491	2,124	1,534	1,085
1983.....	17,020	216	486	303	352	1,253	2,395	2,422	2,109	1,433	1,098
1982.....	18,045	231	497	343	350	1,370	2,578	2,691	2,344	1,527	1,089
1981.....	19,224	189	529	356	387	1,466	2,817	2,876	2,341	1,574	1,210
1980.....	19,979	245	514	417	383	1,581	3,059	2,902	2,305	1,557	1,240
1979.....	19,463	217	522	474	415	1,564	2,815	2,840	2,174	1,578	1,270
BLACK FEMALE											
1998.....	6,037	168	272	184	129	340	453	448	474	620	575
1997.....	6,248	157	259	205	171	394	452	489	536	618	552
1996.....	6,319	168	320	184	145	438	486	517	612	663	524
1995.....	6,372	188	297	158	167	453	462	550	678	662	525
1994.....	6,571	190	354	182	192	415	578	605	712	686	469
1993.....	6,645	180	378	215	196	417	653	655	733	630	474
1992.....	6,248	195	351	173	170	372	570	667	712	577	453
1991.....	6,444	197	367	171	145	396	614	712	706	589	424
1990.....	6,333	218	327	189	167	415	537	739	702	537	363
1989.....	6,529	237	324	212	153	338	599	766	688	557	376
1988.....	6,513	195	346	211	193	366	636	786	728	500	374
1987.....	6,099	182	346	186	131	373	612	710	648	452	329
1986.....	5,940	180	359	227	131	360	561	678	621	402	313
1985.....	5,601	150	316	210	129	314	538	597	554	407	290
1984.....	5,468	153	329	183	155	319	584	613	501	361	287
1983.....	5,679	166	355	191	148	344	634	608	487	353	277
1982.....	5,475	169	351	219	141	364	557	611	496	384	272
1981.....	5,678	172	362	200	157	335	628	606	550	351	291
1980.....	6,188	181	376	216	166	384	674	663	507	367	314
1979.....	6,028	203	401	242	150	449	699	617	498	371	291

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTS AND ADVERSE EFFECTS (E800-E949)	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	97,835	754	1,935	1,544	1,710	6,590	6,759	5,798	6,247	7,534	7,593
1997.....	95,644	765	2,005	1,534	1,837	6,603	6,764	6,141	6,457	7,341	7,190
1996.....	94,948	804	2,147	1,588	1,845	6,756	7,053	6,208	6,617	7,359	6,908
1995.....	93,320	787	2,280	1,612	1,932	6,623	7,219	6,376	7,059	7,501	6,724
1994.....	91,437	889	2,517	1,595	1,913	6,565	7,333	6,252	7,200	7,155	6,405
1993.....	90,523	898	2,590	1,599	1,867	6,437	7,529	6,501	7,521	7,175	6,080
1992.....	86,777	819	2,467	1,628	1,760	6,234	7,428	6,719	7,079	6,625	5,385
1991.....	89,347	961	2,665	1,739	1,921	6,935	8,343	7,330	7,444	6,350	5,402
1990.....	91,983	930	2,566	1,771	1,879	7,561	8,680	8,264	7,686	6,580	5,133
1989.....	95,028	996	2,774	2,064	2,026	7,899	8,839	8,660	7,914	6,541	5,314
1988.....	97,100	936	2,858	2,102	2,113	8,498	10,009	8,823	7,905	6,426	5,125
1987.....	95,020	950	2,921	2,068	2,130	8,528	10,167	9,058	7,564	6,242	4,620
1986.....	95,277	909	2,934	1,983	2,243	8,988	10,987	9,351	7,555	5,991	4,304
1985.....	93,457	890	2,856	1,995	2,257	8,202	10,959	8,845	7,051	5,612	4,432
1984.....	92,911	838	2,814	1,915	2,283	8,466	11,335	8,884	7,083	5,346	4,185
1983.....	92,488	956	3,043	1,987	2,334	8,575	11,181	8,843	6,826	5,226	4,101
1982.....	94,082	1,024	3,084	2,095	2,409	9,364	11,942	9,023	6,918	5,204	3,990
1981.....	100,704	981	3,149	2,244	2,622	10,537	13,045	9,959	7,537	5,210	4,222
1980.....	105,718	1,166	3,313	2,440	2,784	12,259	13,947	9,956	7,205	5,147	4,414
1979.....	105,312	1,080	3,349	2,707	2,982	12,689	13,885	9,639	6,813	5,274	4,371
TOTAL, MALE											
1998.....	63,042	433	1,155	957	1,129	4,567	5,320	4,469	4,685	5,513	5,565
1997.....	61,963	430	1,192	934	1,176	4,580	5,211	4,703	4,887	5,439	5,383
1996.....	61,589	448	1,290	965	1,218	4,755	5,518	4,705	4,953	5,448	5,167
1995.....	61,401	422	1,354	1,012	1,276	4,640	5,673	4,941	5,376	5,698	5,081
1994.....	60,509	505	1,518	1,009	1,296	4,721	5,696	4,822	5,570	5,421	4,916
1993.....	60,117	504	1,545	981	1,266	4,659	5,942	5,033	5,841	5,534	4,660
1992.....	57,862	463	1,513	1,058	1,222	4,450	5,803	5,245	5,501	5,089	4,146
1991.....	59,730	555	1,566	1,125	1,368	4,990	6,544	5,755	5,819	4,848	4,139
1990.....	61,938	509	1,574	1,129	1,289	5,558	6,912	6,452	6,027	5,122	3,890
1989.....	63,912	542	1,675	1,318	1,400	5,661	6,986	6,759	6,102	5,053	3,975
1988.....	65,821	530	1,728	1,342	1,450	6,231	7,964	6,935	6,167	5,003	3,868
1987.....	64,816	524	1,799	1,346	1,567	6,263	8,050	7,113	5,978	4,863	3,476
1986.....	65,570	492	1,744	1,304	1,610	6,680	8,786	7,515	5,996	4,675	3,257
1985.....	64,160	481	1,757	1,279	1,610	6,050	8,741	7,107	5,648	4,345	3,338
1984.....	64,053	449	1,737	1,275	1,603	6,315	9,014	7,145	5,584	4,144	3,157
1983.....	63,902	550	1,847	1,301	1,647	6,476	8,896	7,103	5,422	4,099	3,105
1982.....	65,754	602	1,852	1,343	1,702	7,204	9,652	7,280	5,557	4,067	3,028
1981.....	70,881	542	1,916	1,478	1,896	8,016	10,551	8,082	6,032	4,052	3,218
1980.....	74,180	659	1,997	1,580	1,971	9,379	11,340	8,090	5,771	4,041	3,340
1979.....	74,403	614	2,000	1,796	2,136	9,721	11,291	7,814	5,483	4,119	3,320

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)											
TOTAL, FEMALE											
1998.....	34,793	321	780	587	581	2,023	1,439	1,329	1,562	2,021	2,028
1997.....	33,681	335	813	600	661	2,023	1,553	1,438	1,570	1,902	1,807
1996.....	33,359	356	857	623	627	2,001	1,535	1,503	1,664	1,911	1,741
1995.....	31,919	365	926	600	656	1,983	1,546	1,435	1,683	1,803	1,643
1994.....	30,928	384	999	586	617	1,844	1,637	1,430	1,630	1,734	1,489
1993.....	30,406	394	1,045	618	601	1,778	1,587	1,468	1,680	1,641	1,420
1992.....	28,915	356	954	570	538	1,784	1,625	1,474	1,578	1,536	1,239
1991.....	29,617	406	1,099	614	553	1,945	1,799	1,575	1,625	1,502	1,263
1990.....	30,045	421	992	642	590	2,003	1,768	1,812	1,659	1,458	1,243
1989.....	31,116	454	1,099	746	626	2,238	1,853	1,901	1,812	1,488	1,339
1988.....	31,279	406	1,130	760	663	2,267	2,045	1,888	1,738	1,423	1,257
1987.....	30,204	426	1,122	722	563	2,265	2,117	1,945	1,586	1,379	1,144
1986.....	29,707	417	1,190	679	633	2,308	2,201	1,836	1,559	1,316	1,047
1985.....	29,297	409	1,099	716	647	2,152	2,218	1,738	1,403	1,267	1,094
1984.....	28,858	389	1,077	640	680	2,151	2,321	1,739	1,499	1,202	1,028
1983.....	28,586	406	1,196	686	687	2,099	2,285	1,740	1,404	1,127	996
1982.....	28,328	422	1,232	752	707	2,160	2,290	1,743	1,361	1,137	962
1981.....	29,823	439	1,233	766	726	2,521	2,494	1,877	1,505	1,158	1,004
1980.....	31,538	507	1,316	860	813	2,880	2,607	1,866	1,434	1,106	1,074
1979.....	30,909	466	1,349	911	846	2,968	2,594	1,825	1,330	1,155	1,051
WHITE, BOTH SEXES											
1998.....	82,178	511	1,388	1,039	1,297	5,583	5,587	4,661	5,084	6,150	6,131
1997.....	79,922	515	1,438	1,045	1,404	5,553	5,602	4,890	5,267	5,955	5,688
1996.....	79,405	545	1,513	1,112	1,424	5,662	5,739	5,047	5,344	5,978	5,579
1995.....	77,748	523	1,648	1,168	1,484	5,555	5,969	5,157	5,765	6,025	5,295
1994.....	75,894	583	1,749	1,100	1,457	5,528	6,008	5,133	5,819	5,734	5,073
1993.....	75,218	599	1,821	1,105	1,422	5,421	6,141	5,354	6,117	5,737	4,757
1992.....	72,392	533	1,794	1,162	1,339	5,243	6,207	5,550	5,759	5,274	4,291
1991.....	74,413	638	1,943	1,270	1,477	5,880	7,043	5,960	6,017	4,970	4,226
1990.....	76,934	609	1,861	1,290	1,457	6,470	7,357	6,828	6,209	5,277	4,099
1989.....	79,139	614	2,030	1,510	1,581	6,903	7,387	7,177	6,426	5,150	4,257
1988.....	81,091	638	2,078	1,528	1,648	7,421	8,468	7,315	6,392	5,101	4,094
1987.....	79,810	650	2,177	1,537	1,674	7,497	8,670	7,531	6,159	5,010	3,669
1986.....	80,315	602	2,195	1,405	1,766	7,996	9,479	7,782	6,141	4,823	3,494
1985.....	79,011	626	2,136	1,445	1,805	7,278	9,507	7,433	5,759	4,564	3,592
1984.....	79,222	588	2,066	1,420	1,844	7,556	9,897	7,579	5,852	4,393	3,418
1983.....	78,607	667	2,293	1,472	1,892	7,715	9,756	7,507	5,644	4,323	3,354
1982.....	80,392	707	2,326	1,546	1,974	8,389	10,550	7,708	5,704	4,304	3,280
1981.....	86,432	689	2,352	1,682	2,130	9,546	11,554	8,565	6,320	4,331	3,442
1980.....	90,122	817	2,500	1,797	2,264	11,083	12,314	8,501	6,014	4,250	3,599
1979.....	90,310	744	2,487	1,993	2,459	11,514	12,295	8,232	5,664	4,355	3,551

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)											
WHITE MALE											
1998.....	52,398	304	833	646	822	3,798	4,441	3,594	3,815	4,535	4,535
1997.....	51,396	285	866	649	908	3,803	4,331	3,755	4,017	4,457	4,286
1996.....	51,061	302	921	665	920	3,950	4,504	3,825	4,045	4,492	4,214
1995.....	50,670	292	978	735	977	3,840	4,707	4,012	4,432	4,615	4,020
1994.....	49,809	339	1,061	698	978	3,922	4,678	3,980	4,576	4,397	3,913
1993.....	49,515	334	1,099	705	965	3,862	4,872	4,171	4,815	4,448	3,647
1992.....	47,879	320	1,136	763	917	3,691	4,855	4,345	4,535	4,079	3,335
1991.....	49,212	361	1,149	820	1,032	4,170	5,523	4,686	4,728	3,813	3,252
1990.....	51,348	333	1,146	828	990	4,721	5,855	5,360	4,892	4,100	3,103
1989.....	52,691	334	1,228	970	1,079	4,879	5,831	5,634	4,978	3,998	3,182
1988.....	54,435	360	1,259	984	1,140	5,404	6,743	5,764	5,040	3,989	3,094
1987.....	53,936	354	1,341	999	1,226	5,445	6,841	5,938	4,898	3,906	2,737
1986.....	54,864	324	1,313	943	1,257	5,898	7,566	6,276	4,918	3,746	2,651
1985.....	53,856	342	1,322	936	1,283	5,331	7,577	6,000	4,661	3,525	2,694
1984.....	54,227	310	1,288	933	1,283	5,605	7,873	6,113	4,636	3,390	2,565
1983.....	54,074	378	1,411	987	1,331	5,818	7,788	6,074	4,494	3,384	2,526
1982.....	55,896	417	1,412	1,004	1,397	6,451	8,541	6,268	4,584	3,379	2,480
1981.....	60,491	381	1,437	1,117	1,542	7,221	9,354	6,994	5,087	3,365	2,607
1980.....	62,963	460	1,519	1,151	1,614	8,442	10,004	6,945	4,829	3,328	2,724
1979.....	63,460	442	1,491	1,317	1,745	8,830	10,012	6,682	4,570	3,388	2,675
WHITE FEMALE											
1998.....	29,780	207	555	393	475	1,785	1,146	1,067	1,269	1,615	1,596
1997.....	28,526	230	572	396	496	1,750	1,271	1,135	1,250	1,498	1,402
1996.....	28,344	243	592	447	504	1,712	1,235	1,222	1,299	1,486	1,365
1995.....	27,078	231	670	433	507	1,715	1,262	1,145	1,333	1,410	1,275
1994.....	26,085	244	688	402	479	1,606	1,330	1,153	1,243	1,337	1,160
1993.....	25,703	265	722	400	457	1,559	1,269	1,183	1,302	1,289	1,110
1992.....	24,513	213	658	399	422	1,552	1,352	1,205	1,224	1,195	956
1991.....	25,201	277	794	450	445	1,710	1,520	1,274	1,289	1,157	974
1990.....	25,586	276	715	462	467	1,749	1,502	1,468	1,317	1,177	996
1989.....	26,448	280	802	540	502	2,024	1,556	1,543	1,448	1,152	1,075
1988.....	26,656	278	819	544	508	2,017	1,725	1,551	1,352	1,112	1,000
1987.....	25,874	296	836	538	448	2,052	1,829	1,593	1,261	1,104	932
1986.....	25,451	278	882	462	509	2,098	1,913	1,506	1,223	1,077	843
1985.....	25,155	284	814	509	522	1,947	1,930	1,433	1,098	1,039	898
1984.....	24,995	278	778	487	561	1,951	2,024	1,466	1,216	1,003	853
1983.....	24,533	289	882	485	561	1,897	1,968	1,433	1,150	939	828
1982.....	24,496	290	914	542	577	1,938	2,009	1,440	1,120	925	800
1981.....	25,941	308	915	565	588	2,325	2,200	1,571	1,233	966	835
1980.....	27,159	357	981	646	650	2,641	2,310	1,556	1,185	922	875
1979.....	26,850	302	996	676	714	2,684	2,283	1,550	1,094	967	876

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)											
ALL OTHER, BOTH SEXES											
1998.....	15,657	243	547	505	413	1,007	1,172	1,137	1,163	1,384	1,462
1997.....	15,722	250	567	489	433	1,050	1,162	1,251	1,190	1,386	1,502
1996.....	15,543	259	634	476	421	1,094	1,314	1,161	1,273	1,381	1,329
1995.....	15,572	264	632	444	448	1,068	1,250	1,219	1,294	1,476	1,429
1994.....	15,543	306	768	495	456	1,037	1,325	1,119	1,381	1,421	1,332
1993.....	15,305	299	769	494	445	1,016	1,388	1,147	1,404	1,438	1,323
1992.....	14,385	286	673	466	421	991	1,221	1,169	1,320	1,351	1,094
1991.....	14,934	323	722	469	444	1,055	1,300	1,370	1,427	1,380	1,176
1990.....	15,049	321	705	481	422	1,091	1,323	1,436	1,477	1,303	1,034
1989.....	15,889	382	744	554	445	996	1,452	1,483	1,488	1,391	1,057
1988.....	16,009	298	780	574	465	1,077	1,541	1,508	1,513	1,325	1,031
1987.....	15,210	300	744	531	456	1,031	1,497	1,527	1,405	1,232	951
1986.....	14,962	307	739	578	477	992	1,508	1,569	1,414	1,168	810
1985.....	14,446	264	720	550	452	924	1,452	1,412	1,292	1,048	840
1984.....	13,689	250	748	495	439	910	1,438	1,305	1,231	953	767
1983.....	13,881	289	750	515	442	860	1,425	1,336	1,182	903	747
1982.....	13,690	317	758	549	435	975	1,392	1,315	1,214	900	710
1981.....	14,272	292	797	562	492	991	1,491	1,394	1,217	879	780
1980.....	15,596	349	813	643	520	1,176	1,633	1,455	1,191	897	815
1979.....	15,002	336	862	714	523	1,175	1,590	1,407	1,149	919	820
ALL OTHER MALE											
1998.....	10,644	129	322	311	307	769	879	875	870	978	1,030
1997.....	10,567	145	326	285	268	777	880	948	870	982	1,097
1996.....	10,528	146	369	300	298	805	1,014	880	908	956	953
1995.....	10,731	130	376	277	299	800	966	929	944	1,083	1,061
1994.....	10,700	166	457	311	318	799	1,018	842	994	1,024	1,003
1993.....	10,602	170	446	276	301	797	1,070	862	1,026	1,086	1,013
1992.....	9,983	143	377	295	305	759	948	900	966	1,010	811
1991.....	10,518	194	417	305	336	820	1,021	1,069	1,091	1,035	887
1990.....	10,590	176	428	301	299	837	1,057	1,092	1,135	1,022	787
1989.....	11,221	208	447	348	321	782	1,155	1,125	1,124	1,055	793
1988.....	11,386	170	469	358	310	827	1,221	1,171	1,127	1,014	774
1987.....	10,880	170	458	347	341	818	1,209	1,175	1,080	957	739
1986.....	10,706	168	431	361	353	782	1,220	1,239	1,078	929	606
1985.....	10,304	139	435	343	327	719	1,164	1,107	987	820	644
1984.....	9,826	139	449	342	320	710	1,141	1,032	948	754	592
1983.....	9,828	172	436	314	316	658	1,108	1,029	928	715	579
1982.....	9,858	185	440	339	305	753	1,111	1,012	973	688	548
1981.....	10,390	161	479	361	354	795	1,197	1,088	945	687	611
1980.....	11,217	199	478	429	357	937	1,336	1,145	942	713	616
1979.....	10,943	172	509	479	391	891	1,279	1,132	913	731	645

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)											
ALL OTHER FEMALE											
1998.....	5,013	114	225	194	106	238	293	262	293	406	432
1997.....	5,155	105	241	204	165	273	282	303	320	404	405
1996.....	5,015	113	265	176	123	289	300	281	365	425	376
1995.....	4,841	134	256	167	149	268	284	290	350	393	368
1994.....	4,843	140	311	184	138	238	307	277	387	397	329
1993.....	4,703	129	323	218	144	219	318	285	378	352	310
1992.....	4,402	143	296	171	116	232	273	269	354	341	283
1991.....	4,416	129	305	164	108	235	279	301	336	345	289
1990.....	4,459	145	277	180	123	254	266	344	342	281	247
1989.....	4,668	174	297	206	124	214	297	358	364	336	264
1988.....	4,623	128	311	216	155	250	320	337	386	311	257
1987.....	4,330	130	286	184	115	213	288	352	325	275	212
1986.....	4,256	139	308	217	124	210	288	330	336	239	204
1985.....	4,142	125	285	207	125	205	288	305	305	228	196
1984.....	3,863	111	299	153	119	200	297	273	283	199	175
1983.....	4,053	117	314	201	126	202	317	307	254	188	168
1982.....	3,832	132	318	210	130	222	281	303	241	212	162
1981.....	3,882	131	318	201	138	196	294	306	272	192	169
1980.....	4,379	150	335	214	163	239	297	310	249	184	199
1979.....	4,059	164	353	235	132	284	311	275	236	188	175
BLACK, BOTH SEXES											
1998.....	12,801	223	470	430	331	769	885	903	907	1,158	1,242
1997.....	12,665	221	455	406	347	802	886	950	944	1,153	1,248
1996.....	12,655	223	532	403	327	838	1,000	898	1,023	1,138	1,146
1995.....	12,748	238	515	366	367	830	919	948	1,043	1,244	1,222
1994.....	12,767	271	657	416	385	818	1,007	880	1,114	1,178	1,168
1993.....	12,707	259	660	413	364	777	1,088	902	1,158	1,239	1,167
1992.....	11,820	251	574	395	343	748	936	908	1,070	1,138	949
1991.....	12,472	276	641	406	377	836	1,030	1,108	1,179	1,170	1,000
1990.....	12,419	289	591	397	348	805	1,023	1,152	1,242	1,091	859
1989.....	13,404	335	611	484	368	748	1,138	1,207	1,271	1,186	898
1988.....	13,487	281	666	497	387	819	1,190	1,227	1,303	1,147	874
1987.....	12,777	272	647	457	377	802	1,175	1,256	1,172	1,051	805
1986.....	12,585	268	625	495	392	777	1,171	1,283	1,201	985	682
1985.....	12,207	227	599	461	388	710	1,139	1,154	1,086	895	707
1984.....	11,687	222	625	441	394	689	1,155	1,097	1,063	814	644
1983.....	11,883	267	670	440	388	682	1,110	1,115	1,002	766	632
1982.....	11,688	281	663	493	379	747	1,121	1,099	1,027	768	614
1981.....	12,310	259	707	491	422	784	1,219	1,161	1,009	759	661
1980.....	13,480	316	713	567	445	916	1,340	1,196	1,015	759	691
1979.....	13,000	309	750	646	462	938	1,269	1,169	995	782	713

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTS AND ADVERSE EFFECTS (E800-E949)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	8,788	119	279	271	250	606	680	714	690	812	875
1997.....	8,582	128	269	235	222	606	682	725	693	822	927
1996.....	8,642	122	313	250	236	618	773	676	736	787	836
1995.....	8,834	118	306	232	251	644	723	728	755	911	912
1994.....	8,832	145	390	261	269	643	777	663	812	853	891
1993.....	8,900	148	385	230	250	627	849	691	851	939	904
1992.....	8,238	120	319	248	249	591	737	692	789	855	710
1991.....	8,821	168	368	262	290	673	826	861	901	885	767
1990.....	8,756	157	351	245	251	627	828	877	961	859	660
1989.....	9,503	179	374	304	273	600	909	907	967	917	685
1988.....	9,608	160	400	315	263	646	946	944	976	885	666
1987.....	9,159	152	399	300	281	640	953	970	900	827	629
1986.....	9,035	146	354	304	293	618	953	1,024	925	805	517
1985.....	8,752	118	356	286	288	563	911	920	838	718	554
1984.....	8,399	124	377	302	291	539	920	871	827	646	499
1983.....	8,385	160	388	271	276	524	861	856	799	613	493
1982.....	8,449	162	392	302	267	577	913	854	831	596	483
1981.....	9,014	143	421	315	304	644	991	926	801	604	523
1980.....	9,701	178	419	383	317	735	1,100	954	816	610	529
1979.....	9,489	160	438	436	346	722	1,021	940	794	635	566
BLACK FEMALE											
1998.....	4,013	104	191	159	81	163	205	189	217	346	367
1997.....	4,083	93	186	171	125	196	204	225	251	331	321
1996.....	4,013	101	219	153	91	220	227	222	287	351	310
1995.....	3,914	120	209	134	116	186	196	220	288	333	310
1994.....	3,935	126	267	155	116	175	230	217	302	325	277
1993.....	3,807	111	275	183	114	150	239	211	307	300	263
1992.....	3,582	131	255	147	94	157	199	216	281	283	239
1991.....	3,651	108	273	144	87	163	204	247	278	285	233
1990.....	3,663	132	240	152	97	178	195	275	281	232	199
1989.....	3,901	156	237	180	95	148	229	300	304	269	213
1988.....	3,879	121	266	182	124	173	244	283	327	262	208
1987.....	3,618	120	248	157	96	162	222	286	272	224	176
1986.....	3,550	122	271	191	99	159	218	259	276	180	165
1985.....	3,455	109	243	175	100	147	228	234	248	177	153
1984.....	3,288	98	248	139	103	150	235	226	236	168	145
1983.....	3,498	107	282	169	112	158	249	259	203	153	139
1982.....	3,239	119	271	191	112	170	208	245	196	172	131
1981.....	3,296	116	286	176	118	140	228	235	208	155	138
1980.....	3,779	138	294	184	128	181	240	242	199	149	162
1979.....	3,511	149	312	210	116	216	248	229	201	147	147

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TRANSPORT ACCIDENTS (E800-E848)											
TOTAL, BOTH SEXES											
1998.....	45,774	164	766	867	1,094	5,295	5,040	3,904	3,601	3,913	3,513
1997.....	45,798	167	780	881	1,177	5,341	5,154	4,160	3,799	3,789	3,393
1996.....	46,224	216	838	913	1,172	5,473	5,442	4,292	3,922	3,957	3,385
1995.....	45,805	180	845	946	1,228	5,310	5,630	4,372	4,206	3,881	3,226
1994.....	45,189	191	977	938	1,217	5,308	5,683	4,207	4,173	3,734	3,086
1993.....	44,409	194	916	925	1,162	5,094	5,769	4,389	4,405	3,670	2,947
1992.....	43,811	165	898	949	1,075	4,976	5,743	4,606	4,330	3,582	2,885
1991.....	46,297	174	930	978	1,164	5,537	6,587	5,115	4,608	3,630	2,957
1990.....	49,606	198	949	1,012	1,164	6,087	6,963	5,945	4,904	3,922	2,994
1989.....	50,436	220	1,032	1,172	1,227	6,418	6,956	6,050	4,901	3,751	3,118
1988.....	51,855	218	1,031	1,225	1,323	6,958	7,917	6,209	4,915	3,732	2,991
1987.....	51,388	208	1,025	1,186	1,339	7,021	7,984	6,435	4,793	3,798	2,793
1986.....	50,925	184	1,033	1,119	1,360	7,209	8,574	6,413	4,686	3,617	2,503
1985.....	49,249	183	1,054	1,116	1,361	6,514	8,414	6,047	4,375	3,428	2,659
1984.....	49,421	162	1,017	1,064	1,346	6,669	8,682	6,106	4,481	3,270	2,514
1983.....	47,859	195	1,070	1,083	1,307	6,629	8,312	6,007	4,300	3,191	2,389
1982.....	49,488	214	1,141	1,110	1,375	7,213	8,847	6,052	4,394	3,319	2,360
1981.....	55,002	224	1,067	1,248	1,514	8,224	9,895	7,017	5,040	3,387	2,539
1980.....	56,995	252	1,220	1,338	1,606	9,440	10,478	6,936	4,885	3,292	2,691
1979.....	57,577	224	1,271	1,546	1,651	9,864	10,353	6,784	4,621	3,371	2,614
TOTAL, MALE											
1998.....	30,865	89	421	512	686	3,512	3,862	2,919	2,605	2,730	2,445
1997.....	30,750	86	424	516	696	3,523	3,872	3,096	2,756	2,694	2,406
1996.....	31,194	109	466	518	731	3,681	4,156	3,153	2,816	2,796	2,408
1995.....	31,240	96	465	580	751	3,521	4,357	3,298	3,084	2,803	2,291
1994.....	30,874	97	544	586	759	3,639	4,303	3,153	3,105	2,712	2,228
1993.....	30,625	100	504	547	730	3,545	4,445	3,278	3,313	2,705	2,125
1992.....	30,395	94	512	600	709	3,384	4,411	3,483	3,297	2,610	2,097
1991.....	32,303	92	513	614	778	3,784	5,057	3,911	3,490	2,671	2,151
1990.....	34,804	101	531	628	724	4,305	5,433	4,553	3,744	2,926	2,166
1989.....	35,111	116	563	718	797	4,405	5,375	4,603	3,661	2,754	2,234
1988.....	36,656	120	561	766	860	4,911	6,189	4,797	3,715	2,821	2,171
1987.....	36,528	101	586	748	930	4,978	6,215	4,941	3,685	2,843	2,046
1986.....	36,712	95	588	721	906	5,179	6,757	5,062	3,639	2,749	1,845
1985.....	35,264	98	625	699	899	4,631	6,592	4,783	3,422	2,569	1,913
1984.....	35,675	80	609	678	866	4,822	6,806	4,833	3,451	2,434	1,862
1983.....	34,845	103	633	708	874	4,829	6,523	4,778	3,348	2,458	1,749
1982.....	36,367	115	643	685	908	5,357	7,038	4,807	3,449	2,562	1,784
1981.....	40,669	116	591	815	1,034	6,038	7,849	5,625	3,979	2,619	1,922
1980.....	42,089	135	694	842	1,067	7,004	8,373	5,529	3,878	2,538	2,009
1979.....	42,725	121	692	988	1,108	7,345	8,318	5,431	3,687	2,602	1,944

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TRANSPORT ACCIDENTS (E800-E848)											
TOTAL, FEMALE											
1998.....	14,909	75	345	355	408	1,783	1,178	985	996	1,183	1,068
1997.....	15,048	81	356	365	481	1,818	1,282	1,064	1,043	1,095	987
1996.....	15,030	107	372	395	441	1,792	1,286	1,139	1,106	1,161	977
1995.....	14,565	84	380	366	477	1,789	1,273	1,074	1,122	1,078	935
1994.....	14,315	94	433	352	458	1,669	1,380	1,054	1,068	1,022	858
1993.....	13,784	94	412	378	432	1,549	1,324	1,111	1,092	965	822
1992.....	13,416	71	386	349	366	1,592	1,332	1,123	1,033	972	788
1991.....	13,994	82	417	364	386	1,753	1,530	1,204	1,118	959	806
1990.....	14,802	97	418	384	440	1,782	1,530	1,392	1,160	996	828
1989.....	15,325	104	469	454	430	2,013	1,581	1,447	1,240	997	884
1988.....	15,199	98	470	459	463	2,047	1,728	1,412	1,200	911	820
1987.....	14,860	107	439	438	409	2,043	1,769	1,494	1,108	955	747
1986.....	14,213	89	445	398	454	2,030	1,817	1,351	1,047	868	658
1985.....	13,985	85	429	417	462	1,883	1,822	1,264	953	859	746
1984.....	13,746	82	408	386	480	1,847	1,876	1,273	1,030	836	652
1983.....	13,014	92	437	375	433	1,800	1,789	1,229	952	733	640
1982.....	13,121	99	498	425	467	1,856	1,809	1,245	945	757	576
1981.....	14,333	108	476	433	480	2,186	2,046	1,392	1,061	768	617
1980.....	14,906	117	526	496	539	2,436	2,105	1,407	1,007	754	682
1979.....	14,852	103	579	558	543	2,519	2,035	1,353	934	769	670
WHITE, BOTH SEXES											
1998.....	38,173	120	541	609	869	4,568	4,180	3,087	2,905	3,217	2,863
1997.....	38,102	122	550	644	941	4,545	4,300	3,277	3,079	3,099	2,753
1996.....	38,725	166	602	678	976	4,667	4,441	3,487	3,154	3,261	2,822
1995.....	38,381	133	622	710	992	4,544	4,677	3,532	3,459	3,162	2,642
1994.....	37,954	127	703	687	991	4,581	4,698	3,496	3,449	3,078	2,587
1993.....	37,390	140	654	687	926	4,435	4,778	3,662	3,682	3,030	2,409
1992.....	36,939	116	663	698	866	4,308	4,867	3,870	3,585	2,929	2,376
1991.....	39,267	120	708	746	935	4,827	5,670	4,238	3,821	2,980	2,424
1990.....	42,096	150	686	771	957	5,336	5,984	4,985	4,070	3,238	2,477
1989.....	42,999	156	788	900	1,029	5,732	5,919	5,111	4,087	3,063	2,598
1988.....	44,387	175	792	945	1,091	6,205	6,820	5,270	4,112	3,097	2,498
1987.....	44,277	160	795	919	1,132	6,325	6,930	5,457	4,050	3,204	2,323
1986.....	43,883	134	785	829	1,150	6,563	7,528	5,445	3,907	3,001	2,116
1985.....	42,665	130	809	868	1,155	5,924	7,401	5,174	3,666	2,891	2,258
1984.....	43,219	125	780	839	1,164	6,097	7,720	5,300	3,831	2,791	2,125
1983.....	41,907	162	836	833	1,130	6,118	7,387	5,252	3,684	2,750	2,032
1982.....	43,479	171	896	854	1,188	6,618	7,958	5,293	3,770	2,872	2,009
1981.....	48,692	185	842	975	1,321	7,645	8,935	6,214	4,391	2,944	2,154
1980.....	50,241	207	947	1,041	1,374	8,749	9,466	6,073	4,221	2,848	2,290
1979.....	50,903	194	1,002	1,209	1,451	9,150	9,362	5,976	4,004	2,891	2,225

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TRANSPORT ACCIDENTS (E800-E848)											
WHITE MALE											
1998.....	25,619	71	296	353	525	2,979	3,239	2,294	2,096	2,243	2,002
1997.....	25,534	59	298	389	558	2,955	3,245	2,449	2,235	2,211	1,958
1996.....	26,032	81	334	375	594	3,113	3,406	2,548	2,277	2,316	2,014
1995.....	26,025	66	337	437	603	2,981	3,625	2,663	2,550	2,283	1,873
1994.....	25,889	68	390	431	618	3,108	3,567	2,631	2,604	2,253	1,864
1993.....	25,688	71	355	419	582	3,054	3,702	2,744	2,793	2,239	1,732
1992.....	25,534	71	403	442	558	2,894	3,731	2,929	2,753	2,135	1,738
1991.....	27,243	65	378	470	612	3,262	4,349	3,238	2,901	2,192	1,762
1990.....	29,376	78	378	469	589	3,751	4,657	3,820	3,102	2,413	1,784
1989.....	29,709	82	429	548	657	3,886	4,563	3,899	3,067	2,241	1,853
1988.....	31,198	94	432	597	711	4,361	5,322	4,063	3,129	2,331	1,817
1987.....	31,279	72	451	579	781	4,445	5,376	4,182	3,135	2,392	1,686
1986.....	31,471	65	434	540	753	4,687	5,922	4,309	3,040	2,276	1,559
1985.....	30,394	72	471	545	755	4,189	5,790	4,099	2,881	2,156	1,623
1984.....	31,001	61	469	523	749	4,391	6,034	4,196	2,948	2,068	1,552
1983.....	30,392	90	495	549	747	4,456	5,803	4,171	2,858	2,108	1,475
1982.....	31,878	91	501	529	784	4,921	6,331	4,228	2,959	2,219	1,514
1981.....	35,891	91	468	641	908	5,598	7,088	4,989	3,469	2,266	1,619
1980.....	36,950	107	533	644	918	6,466	7,551	4,867	3,359	2,180	1,703
1979.....	37,647	108	534	768	964	6,824	7,520	4,774	3,190	2,217	1,642
WHITE FEMALE											
1998.....	12,554	49	245	256	344	1,589	941	793	809	974	861
1997.....	12,568	63	252	255	383	1,590	1,055	828	844	888	795
1996.....	12,693	85	268	303	382	1,554	1,035	939	877	945	808
1995.....	12,356	67	285	273	389	1,563	1,052	869	909	879	769
1994.....	12,065	59	313	256	373	1,473	1,131	865	845	825	723
1993.....	11,702	69	299	268	344	1,381	1,076	918	889	791	677
1992.....	11,405	45	260	256	308	1,414	1,136	941	832	794	638
1991.....	12,024	55	330	276	323	1,565	1,321	1,000	920	788	662
1990.....	12,720	72	308	302	368	1,585	1,327	1,165	968	825	693
1989.....	13,290	74	359	352	372	1,846	1,356	1,212	1,020	822	745
1988.....	13,189	81	360	348	380	1,844	1,498	1,207	983	766	681
1987.....	12,998	88	344	340	351	1,880	1,554	1,275	915	812	637
1986.....	12,412	69	351	289	397	1,876	1,606	1,136	867	725	557
1985.....	12,271	58	338	323	400	1,735	1,611	1,075	785	735	635
1984.....	12,218	64	311	316	415	1,706	1,686	1,104	883	723	573
1983.....	11,515	72	341	284	383	1,662	1,584	1,081	826	642	557
1982.....	11,601	80	395	325	404	1,697	1,627	1,065	811	653	495
1981.....	12,801	94	374	334	413	2,047	1,847	1,225	922	678	535
1980.....	13,291	100	414	397	456	2,283	1,915	1,206	862	668	587
1979.....	13,256	86	468	441	487	2,326	1,842	1,202	814	674	583

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TRANSPORT ACCIDENTS (E800-E848)											
ALL OTHER, BOTH SEXES											
1998.....	7,601	44	225	258	225	727	860	817	696	696	650
1997.....	7,696	45	230	237	236	796	854	883	720	690	640
1996.....	7,499	50	236	235	196	806	1,001	805	768	696	563
1995.....	7,424	47	223	236	236	766	953	840	747	719	584
1994.....	7,235	64	274	251	226	727	985	711	724	656	499
1993.....	7,019	54	262	238	236	659	991	727	723	640	538
1992.....	6,872	49	235	251	209	668	876	736	745	653	509
1991.....	7,030	54	222	232	229	710	917	877	787	650	533
1990.....	7,510	48	263	241	207	751	979	960	834	684	517
1989.....	7,437	64	244	272	198	686	1,037	939	814	688	520
1988.....	7,468	43	239	280	232	753	1,097	939	803	635	493
1987.....	7,111	48	230	267	207	696	1,054	978	743	594	470
1986.....	7,042	50	248	290	210	646	1,046	968	779	616	387
1985.....	6,584	53	245	248	206	590	1,013	873	709	537	401
1984.....	6,202	37	237	225	182	572	962	806	650	479	389
1983.....	5,952	33	234	250	177	511	925	755	616	441	357
1982.....	6,009	43	245	256	187	595	889	759	624	447	351
1981.....	6,310	39	225	273	193	579	960	803	649	443	385
1980.....	6,754	45	273	297	232	691	1,012	863	664	444	401
1979.....	6,674	30	269	337	200	714	991	808	617	480	389
ALL OTHER MALE											
1998.....	5,246	18	125	159	161	533	623	625	509	487	443
1997.....	5,216	27	126	127	138	568	627	647	521	483	448
1996.....	5,162	28	132	143	137	568	750	605	539	480	394
1995.....	5,215	30	128	143	148	540	732	635	534	520	418
1994.....	4,985	29	154	155	141	531	736	522	501	459	364
1993.....	4,937	29	149	128	148	491	743	534	520	466	393
1992.....	4,861	23	109	158	151	490	680	554	544	475	359
1991.....	5,060	27	135	144	166	522	708	673	589	479	389
1990.....	5,428	23	153	159	135	554	776	733	642	513	382
1989.....	5,402	34	134	170	140	519	812	704	594	513	381
1988.....	5,458	26	129	169	149	550	867	734	586	490	354
1987.....	5,249	29	135	169	149	533	839	759	550	451	360
1986.....	5,241	30	154	181	153	492	835	753	599	473	286
1985.....	4,870	26	154	154	144	442	802	684	541	413	290
1984.....	4,674	19	140	155	117	431	772	637	503	366	310
1983.....	4,453	13	138	159	127	373	720	607	490	350	274
1982.....	4,489	24	142	156	124	436	707	579	490	343	270
1981.....	4,778	25	123	174	126	440	761	636	510	353	303
1980.....	5,139	28	161	198	149	538	822	662	519	358	306
1979.....	5,078	13	158	220	144	521	798	657	497	385	302

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TRANSPORT ACCIDENTS (E800-E848)											
ALL OTHER FEMALE											
1998.....	2,355	26	100	99	64	194	237	192	187	209	207
1997.....	2,480	18	104	110	98	228	227	236	199	207	192
1996.....	2,337	22	104	92	59	238	251	200	229	216	169
1995.....	2,209	17	95	93	88	226	221	205	213	199	166
1994.....	2,250	35	120	96	85	196	249	189	223	197	135
1993.....	2,082	25	113	110	88	168	248	193	203	174	145
1992.....	2,011	26	126	93	58	178	196	182	201	178	150
1991.....	1,970	27	87	88	63	188	209	204	198	171	144
1990.....	2,082	25	110	82	72	197	203	227	192	171	135
1989.....	2,035	30	110	102	58	167	225	235	220	175	139
1988.....	2,010	17	110	111	83	203	230	205	217	145	139
1987.....	1,862	19	95	98	58	163	215	219	193	143	110
1986.....	1,801	20	94	109	57	154	211	215	180	143	101
1985.....	1,714	27	91	94	62	148	211	189	168	124	111
1984.....	1,528	18	97	70	65	141	190	169	147	113	79
1983.....	1,499	20	96	91	50	138	205	148	126	91	83
1982.....	1,520	19	103	100	63	159	182	180	134	104	81
1981.....	1,532	14	102	99	67	139	199	167	139	90	82
1980.....	1,615	17	112	99	83	153	190	201	145	86	95
1979.....	1,596	17	111	117	56	193	193	151	120	95	87
BLACK, BOTH SEXES											
1998.....	5,882	41	187	219	170	547	638	636	526	566	504
1997.....	5,890	37	183	199	187	596	645	661	548	546	502
1996.....	5,759	42	186	197	149	612	759	607	589	533	446
1995.....	5,659	40	181	194	180	573	682	629	578	571	471
1994.....	5,581	56	222	214	187	561	729	549	553	507	402
1993.....	5,453	43	213	196	191	482	752	555	572	513	440
1992.....	5,306	42	193	206	175	479	668	550	575	518	409
1991.....	5,484	42	187	197	186	532	708	675	611	510	430
1990.....	5,822	40	206	190	162	537	735	740	671	551	395
1989.....	5,874	49	175	233	154	491	808	740	659	539	421
1988.....	5,905	39	186	240	187	557	819	730	654	519	396
1987.....	5,596	40	193	228	158	513	796	787	583	466	372
1986.....	5,563	38	192	234	160	488	795	765	634	488	305
1985.....	5,195	39	190	198	169	432	781	667	564	435	314
1984.....	5,023	30	184	196	159	411	767	651	536	388	317
1983.....	4,759	24	200	204	142	384	700	592	488	354	293
1982.....	4,847	29	203	232	156	442	691	611	516	362	285
1981.....	5,097	28	189	233	159	415	759	637	518	358	302
1980.....	5,446	36	225	257	182	497	793	678	540	356	324
1979.....	5,444	25	216	299	166	532	758	643	516	377	311

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TRANSPORT ACCIDENTS (E800-E848)											
BLACK MALE											
1998.....	4,165	15	108	139	123	417	473	508	400	394	344
1997.....	4,096	22	109	107	116	441	484	489	398	384	368
1996.....	4,060	21	106	120	106	431	570	453	426	375	328
1995.....	4,078	26	103	120	119	422	538	487	414	419	348
1994.....	3,911	25	128	132	117	420	550	403	394	360	303
1993.....	3,968	24	122	107	122	374	574	425	423	380	333
1992.....	3,821	16	86	128	126	358	531	414	427	385	291
1991.....	4,008	18	111	118	137	409	556	516	459	388	323
1990.....	4,280	18	117	125	110	405	596	565	521	422	297
1989.....	4,361	24	104	145	116	383	636	553	491	421	313
1988.....	4,389	23	105	149	125	419	652	567	483	408	296
1987.....	4,191	24	112	147	113	397	638	620	430	362	287
1986.....	4,221	23	119	149	119	375	642	605	496	392	231
1985.....	3,909	17	119	124	126	328	618	536	439	345	233
1984.....	3,841	16	110	132	106	312	621	518	423	299	254
1983.....	3,609	10	117	128	103	281	548	482	401	289	231
1982.....	3,700	15	122	140	101	327	570	473	416	287	231
1981.....	3,962	18	102	151	105	325	616	525	429	297	242
1980.....	4,235	21	135	175	124	393	651	535	433	294	259
1979.....	4,202	10	126	197	121	398	614	525	424	315	248
BLACK FEMALE											
1998.....	1,717	26	79	80	47	130	165	128	126	172	160
1997.....	1,794	15	74	92	71	155	161	172	150	162	134
1996.....	1,699	21	80	77	43	181	189	154	163	158	118
1995.....	1,581	14	78	74	61	151	144	142	164	152	123
1994.....	1,670	31	94	82	70	141	179	146	159	147	99
1993.....	1,485	19	91	89	69	108	178	130	149	133	107
1992.....	1,485	26	107	78	49	121	137	136	148	133	118
1991.....	1,476	24	76	79	49	123	152	159	152	122	107
1990.....	1,542	22	89	65	52	132	139	175	150	129	98
1989.....	1,513	25	71	88	38	108	172	187	168	118	108
1988.....	1,516	16	81	91	62	138	167	163	171	111	100
1987.....	1,405	16	81	81	45	116	158	167	153	104	85
1986.....	1,342	15	73	85	41	113	153	160	138	96	74
1985.....	1,286	22	71	74	43	104	163	131	125	90	81
1984.....	1,182	14	74	64	53	99	146	133	113	89	63
1983.....	1,150	14	83	76	39	103	152	110	87	65	62
1982.....	1,147	14	81	92	55	115	121	138	100	75	54
1981.....	1,135	10	87	82	54	90	143	112	89	61	60
1980.....	1,211	15	90	82	58	104	142	143	107	62	65
1979.....	1,242	15	90	102	45	134	144	118	92	62	63

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 RAILWAY ACCIDENTS (E800-E807)											
TOTAL, BOTH SEXES											
1998.....	515	-	4	5	14	53	58	61	54	67	49
1997.....	527	-	5	4	18	48	49	50	61	72	62
1996.....	565	-	3	1	16	57	59	43	67	88	69
1995.....	569	1	2	3	21	56	56	49	77	85	73
1994.....	635	2	3	7	29	66	51	56	84	96	78
1993.....	670	1	5	4	19	69	75	70	87	71	80
1992.....	642	1	7	11	24	56	75	80	118	59	69
1991.....	651	-	7	9	28	67	84	76	93	75	54
1990.....	663	-	6	7	19	62	99	105	75	68	71
1989.....	608	1	8	8	18	55	83	81	69	58	56
1988.....	571	-	6	5	16	60	70	75	82	61	44
1987.....	624	-	5	4	23	73	87	91	74	79	46
1986.....	556	-	3	5	12	63	87	75	74	67	33
1985.....	551	-	4	5	13	73	79	88	61	39	39
1984.....	570	-	6	9	22	38	106	76	65	52	40
1983.....	544	-	3	5	18	51	83	77	66	45	38
1982.....	545	-	5	9	17	65	88	63	46	51	34
1981.....	580	-	2	4	28	67	91	70	51	41	25
1980.....	632	-	4	6	31	70	89	76	74	41	39
1979.....	551	-	4	9	22	59	77	64	48	42	31
TOTAL, MALE											
1998.....	441	-	2	4	9	46	53	56	48	58	43
1997.....	464	-	3	3	10	44	40	44	58	64	56
1996.....	494	-	2	1	13	49	51	40	65	78	62
1995.....	499	-	2	2	15	45	49	48	70	78	66
1994.....	549	1	3	4	21	51	49	50	79	86	67
1993.....	556	1	1	4	12	57	69	63	74	66	72
1992.....	564	1	4	7	17	50	67	74	106	54	65
1991.....	569	-	7	6	22	52	79	67	84	68	48
1990.....	585	-	5	6	16	50	92	98	71	59	65
1989.....	547	-	6	8	16	50	73	79	67	53	52
1988.....	514	-	5	4	12	54	66	69	75	56	41
1987.....	556	-	4	4	16	65	79	80	70	75	41
1986.....	498	-	2	5	10	54	79	71	62	66	30
1985.....	480	-	2	5	11	66	71	82	56	34	36
1984.....	515	-	5	7	14	30	103	70	63	51	37
1983.....	465	-	1	3	13	43	73	67	62	41	33
1982.....	492	-	3	7	12	58	83	60	41	45	33
1981.....	517	-	2	3	25	59	85	63	48	39	24
1980.....	556	-	3	5	22	59	82	70	70	34	39
1979.....	480	-	1	8	18	50	71	57	44	38	28

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 RAILWAY ACCIDENTS (E800-E807)											
TOTAL, FEMALE											
1998.....	74	-	2	1	5	7	5	5	6	9	6
1997.....	63	-	2	1	8	4	9	6	3	8	6
1996.....	71	-	1	-	3	8	8	3	2	10	7
1995.....	70	1	-	1	6	11	7	1	7	7	7
1994.....	86	1	-	3	8	15	2	6	5	10	11
1993.....	114	-	4	-	7	12	6	7	13	5	8
1992.....	78	-	3	4	7	6	8	6	12	5	4
1991.....	82	-	-	3	6	15	5	9	9	7	6
1990.....	78	-	1	1	3	12	7	7	4	9	6
1989.....	61	1	2	-	2	5	10	2	2	5	4
1988.....	57	-	1	1	4	6	4	6	7	5	3
1987.....	68	-	1	-	7	8	8	11	4	4	5
1986.....	58	-	1	-	2	9	8	4	12	1	3
1985.....	71	-	2	-	2	7	8	6	5	5	3
1984.....	55	-	1	2	8	8	3	6	2	1	3
1983.....	79	-	2	2	5	8	10	10	4	4	5
1982.....	53	-	2	2	5	7	5	3	5	6	1
1981.....	63	-	-	1	3	8	6	7	3	2	1
1980.....	76	-	1	1	9	11	7	6	4	7	-
1979.....	71	-	3	1	4	9	6	7	4	4	3
WHITE, BOTH SEXES											
1998.....	398	-	3	3	10	40	48	48	44	55	34
1997.....	390	-	3	3	15	40	45	42	42	57	41
1996.....	446	-	2	1	12	41	49	35	50	72	58
1995.....	419	1	1	2	17	48	43	30	52	60	51
1994.....	486	1	2	5	21	56	45	46	65	66	55
1993.....	527	1	3	2	17	57	61	58	69	54	55
1992.....	502	1	7	5	17	45	62	65	96	40	50
1991.....	498	-	5	8	18	55	66	55	70	54	36
1990.....	506	-	5	4	15	51	87	86	55	36	46
1989.....	476	-	5	6	11	42	70	67	54	36	47
1988.....	426	-	5	3	8	50	59	61	58	42	27
1987.....	476	-	4	2	19	60	72	68	56	54	31
1986.....	427	-	2	5	7	57	68	55	57	47	19
1985.....	431	-	3	4	11	62	58	65	47	31	28
1984.....	443	-	5	7	21	33	87	56	50	32	27
1983.....	418	-	2	4	15	42	73	52	45	38	24
1982.....	424	-	3	6	11	55	68	50	32	37	22
1981.....	455	-	2	3	24	61	68	55	31	31	19
1980.....	486	-	3	5	26	55	72	63	52	25	28
1979.....	445	-	4	6	19	46	66	55	39	26	24

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 RAILWAY ACCIDENTS (E800-E807)											
WHITE MALE											
1998.....	339	-	2	3	6	34	43	44	39	46	29
1997.....	340	-	1	2	8	36	37	37	41	52	35
1996.....	394	-	1	1	9	37	42	33	50	63	52
1995.....	367	-	1	1	12	40	36	29	49	56	46
1994.....	417	1	2	3	15	43	44	40	62	56	49
1993.....	431	1	-	2	10	47	56	52	59	49	50
1992.....	443	1	4	2	11	41	55	62	86	38	46
1991.....	442	-	5	6	14	44	62	50	64	51	32
1990.....	452	-	5	4	13	40	82	81	51	32	44
1989.....	427	-	4	6	9	37	61	66	53	31	43
1988.....	382	-	4	2	6	44	56	56	56	38	24
1987.....	419	-	3	2	12	53	66	58	52	51	27
1986.....	384	-	1	5	5	49	63	54	50	47	16
1985.....	371	-	1	4	9	56	52	60	43	29	25
1984.....	397	-	4	6	13	26	84	50	50	32	25
1983.....	357	-	1	3	12	37	64	45	42	34	21
1982.....	385	-	1	5	8	49	65	47	30	33	21
1981.....	403	-	2	2	21	54	62	50	28	30	19
1980.....	426	-	2	4	18	48	66	57	49	19	28
1979.....	390	-	1	6	16	39	62	48	37	23	22
WHITE FEMALE											
1998.....	59	-	1	-	4	6	5	4	5	9	5
1997.....	50	-	2	1	7	4	8	5	1	5	6
1996.....	52	-	1	-	3	4	7	2	-	9	6
1995.....	52	1	-	1	5	8	7	1	3	4	5
1994.....	69	-	-	2	6	13	1	6	3	10	6
1993.....	96	-	3	-	7	10	5	6	10	5	5
1992.....	59	-	3	3	6	4	7	3	10	2	4
1991.....	56	-	-	2	4	11	4	5	6	3	4
1990.....	54	-	-	-	2	11	5	5	4	4	2
1989.....	49	-	1	-	2	5	9	1	1	5	4
1988.....	44	-	1	1	2	6	3	5	2	4	3
1987.....	57	-	1	-	7	7	6	10	4	3	4
1986.....	43	-	1	-	2	8	5	1	7	-	3
1985.....	60	-	2	-	2	6	6	5	4	2	3
1984.....	46	-	1	1	8	7	3	6	-	-	2
1983.....	61	-	1	1	3	5	9	7	3	4	3
1982.....	39	-	2	1	3	6	3	3	2	4	1
1981.....	52	-	-	1	3	7	6	5	3	1	-
1980.....	60	-	1	1	8	7	6	6	3	6	-
1979.....	55	-	3	-	3	7	4	7	2	3	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 RAILWAY ACCIDENTS (E800-E807)											
ALL OTHER, BOTH SEXES											
1998.....	117	-	1	2	4	13	10	13	10	12	15
1997.....	137	-	2	1	3	8	4	8	19	15	21
1996.....	119	-	1	-	4	16	10	8	17	16	11
1995.....	150	-	1	1	4	8	13	19	25	25	22
1994.....	149	1	1	2	8	10	6	10	19	30	23
1993.....	143	-	2	2	2	12	14	12	18	17	25
1992.....	140	-	-	6	7	11	13	15	22	19	19
1991.....	153	-	2	1	10	12	18	21	23	21	18
1990.....	157	-	1	3	4	11	12	19	20	32	25
1989.....	132	1	3	2	7	13	13	14	15	22	9
1988.....	145	-	1	2	8	10	11	14	24	19	17
1987.....	148	-	1	2	4	13	15	23	18	25	15
1986.....	129	-	1	-	5	6	19	20	17	20	14
1985.....	120	-	1	1	2	11	21	23	14	8	11
1984.....	127	-	1	2	1	5	19	20	15	20	13
1983.....	126	-	1	1	3	9	10	25	21	7	14
1982.....	121	-	2	3	6	10	20	13	14	14	12
1981.....	125	-	-	1	4	6	23	15	20	10	6
1980.....	146	-	1	1	5	15	17	13	22	16	11
1979.....	106	-	-	3	3	13	11	9	9	16	7
ALL OTHER MALE											
1998.....	102	-	-	1	3	12	10	12	9	12	14
1997.....	124	-	2	1	2	8	3	7	17	12	21
1996.....	100	-	1	-	4	12	9	7	15	15	10
1995.....	132	-	1	1	3	5	13	19	21	22	20
1994.....	132	-	1	1	6	8	5	10	17	30	18
1993.....	125	-	1	2	2	10	13	11	15	17	22
1992.....	121	-	-	5	6	9	12	12	20	16	19
1991.....	127	-	2	-	8	8	17	17	20	17	16
1990.....	133	-	-	2	3	10	10	17	20	27	21
1989.....	120	-	2	2	7	13	12	13	14	22	9
1988.....	132	-	1	2	6	10	10	13	19	18	17
1987.....	137	-	1	2	4	12	13	22	18	24	14
1986.....	114	-	1	-	5	5	16	17	12	19	14
1985.....	109	-	1	1	2	10	19	22	13	5	11
1984.....	118	-	1	1	1	4	19	20	13	19	12
1983.....	108	-	-	-	1	6	9	22	20	7	12
1982.....	107	-	2	2	4	9	18	13	11	12	12
1981.....	114	-	-	1	4	5	23	13	20	9	5
1980.....	130	-	1	1	4	11	16	13	21	15	11
1979.....	90	-	-	2	2	11	9	9	7	15	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 RAILWAY ACCIDENTS (E800-E807)											
ALL OTHER FEMALE											
1998.....	15	-	1	1	1	1	-	1	1	-	1
1997.....	13	-	-	-	1	-	1	1	2	3	-
1996.....	19	-	-	-	-	4	1	1	2	1	1
1995.....	18	-	-	-	1	3	-	-	4	3	2
1994.....	17	1	-	1	2	2	1	-	2	-	5
1993.....	18	-	1	-	-	2	1	1	3	-	3
1992.....	19	-	-	1	1	2	1	3	2	3	-
1991.....	26	-	-	1	2	4	1	4	3	4	2
1990.....	24	-	1	1	1	1	2	2	-	5	4
1989.....	12	1	1	-	-	-	1	1	1	-	-
1988.....	13	-	-	-	2	-	1	1	5	1	-
1987.....	11	-	-	-	-	1	2	1	-	1	1
1986.....	15	-	-	-	-	1	3	3	5	1	-
1985.....	11	-	-	-	-	1	2	1	1	3	-
1984.....	9	-	-	1	-	1	-	-	2	1	1
1983.....	18	-	1	1	2	3	1	3	1	-	2
1982.....	14	-	-	1	2	1	2	-	3	2	-
1981.....	11	-	-	-	-	1	-	2	-	1	1
1980.....	16	-	-	-	1	4	1	-	1	1	-
1979.....	16	-	-	1	1	2	2	-	2	1	1
BLACK, BOTH SEXES											
1998.....	92	-	1	2	4	11	6	10	7	9	9
1997.....	109	-	2	1	3	5	1	4	15	13	19
1996.....	94	-	1	-	3	13	6	6	12	14	9
1995.....	122	-	1	1	3	5	8	14	20	21	19
1994.....	120	1	1	2	7	6	4	6	15	25	20
1993.....	120	-	-	1	2	6	11	12	17	16	21
1992.....	112	-	-	6	6	6	11	10	18	17	18
1991.....	140	-	-	1	10	11	16	18	23	20	15
1990.....	137	-	1	2	4	7	11	16	18	26	23
1989.....	112	1	3	2	7	10	11	12	14	19	5
1988.....	120	-	1	2	6	8	9	11	19	16	16
1987.....	128	-	1	2	4	10	12	22	13	22	12
1986.....	106	-	1	-	4	6	13	16	15	15	12
1985.....	105	-	1	1	2	9	16	19	14	7	10
1984.....	103	-	1	2	-	4	14	17	13	15	10
1983.....	103	-	-	1	3	6	8	17	15	6	13
1982.....	113	-	2	3	6	9	20	11	14	13	11
1981.....	106	-	-	-	4	5	19	12	17	9	5
1980.....	124	-	1	1	5	11	13	11	21	9	8
1979.....	89	-	-	2	3	12	8	9	7	13	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 RAILWAY ACCIDENTS (E800-E807)											
BLACK MALE											
1998.....	80	-	-	1	3	10	6	9	7	9	9
1997.....	100	-	2	1	2	5	1	3	14	11	19
1996.....	81	-	1	-	3	10	6	5	10	14	9
1995.....	109	-	1	1	3	3	8	14	16	19	18
1994.....	110	-	1	1	5	6	4	6	13	25	18
1993.....	107	-	-	1	2	6	10	11	14	16	19
1992.....	98	-	-	5	6	4	10	9	16	14	18
1991.....	115	-	-	-	8	7	15	14	20	16	14
1990.....	116	-	-	1	3	6	10	15	18	21	19
1989.....	101	-	2	2	7	10	10	11	13	19	5
1988.....	108	-	1	2	4	8	8	10	14	15	16
1987.....	117	-	1	2	4	9	10	21	13	21	11
1986.....	94	-	1	-	4	5	10	14	11	15	12
1985.....	97	-	1	1	2	9	15	18	13	4	10
1984.....	96	-	1	1	-	4	14	17	12	14	9
1983.....	88	-	-	-	1	4	7	15	14	6	11
1982.....	99	-	2	2	4	8	18	11	11	11	11
1981.....	95	-	-	-	4	4	19	10	17	8	4
1980.....	112	-	1	1	4	10	12	11	20	8	8
1979.....	75	-	-	2	2	10	6	9	5	13	4
BLACK FEMALE											
1998.....	12	-	1	1	1	1	-	1	-	-	-
1997.....	9	-	-	-	1	-	-	1	1	2	-
1996.....	13	-	-	-	-	3	-	1	2	-	-
1995.....	13	-	-	-	-	2	-	-	4	2	1
1994.....	10	1	-	1	2	-	-	-	2	-	2
1993.....	13	-	-	-	-	-	1	1	3	-	2
1992.....	14	-	-	1	-	2	1	1	2	3	-
1991.....	25	-	-	1	2	4	1	4	3	4	1
1990.....	21	-	1	1	1	1	1	1	-	5	4
1989.....	11	1	1	-	-	-	1	1	1	-	-
1988.....	12	-	-	-	2	-	1	1	5	1	-
1987.....	11	-	-	-	-	1	2	1	-	1	1
1986.....	12	-	-	-	-	1	3	2	4	-	-
1985.....	8	-	-	-	-	-	1	1	1	3	-
1984.....	7	-	-	1	-	-	-	-	1	1	1
1983.....	15	-	-	1	2	2	1	2	1	-	2
1982.....	14	-	-	1	2	1	2	-	3	2	-
1981.....	11	-	-	-	-	1	-	2	-	1	1
1980.....	12	-	-	-	1	1	1	-	1	1	-
1979.....	14	-	-	-	1	2	2	-	2	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE ACCIDENTS (E810-E825)											
TOTAL, BOTH SEXES											
1998.....	43,501	162	759	834	1,034	5,161	4,865	3,724	3,408	3,682	3,281
1997.....	43,458	165	768	850	1,117	5,213	4,995	3,943	3,557	3,527	3,140
1996.....	43,649	215	820	879	1,101	5,329	5,247	4,063	3,666	3,654	3,099
1995.....	43,363	179	825	907	1,148	5,168	5,432	4,154	3,923	3,581	2,960
1994.....	42,524	187	952	893	1,133	5,160	5,500	3,937	3,843	3,404	2,782
1993.....	41,893	190	891	879	1,084	4,940	5,560	4,127	4,085	3,398	2,673
1992.....	40,982	160	860	907	997	4,818	5,487	4,275	3,954	3,274	2,568
1991.....	43,536	174	902	935	1,076	5,369	6,295	4,827	4,266	3,323	2,666
1990.....	46,814	195	928	970	1,089	5,918	6,689	5,606	4,564	3,608	2,710
1989.....	47,575	216	1,005	1,123	1,143	6,242	6,699	5,730	4,539	3,469	2,833
1988.....	49,078	215	1,005	1,176	1,247	6,785	7,621	5,872	4,561	3,441	2,706
1987.....	48,290	201	989	1,141	1,256	6,805	7,642	6,032	4,435	3,437	2,501
1986.....	47,865	183	1,005	1,069	1,281	6,997	8,230	6,030	4,328	3,243	2,243
1985.....	45,901	179	1,016	1,063	1,256	6,282	7,995	5,612	3,977	3,097	2,348
1984.....	46,263	161	977	1,016	1,247	6,495	8,243	5,693	4,122	2,966	2,255
1983.....	44,452	190	1,043	1,026	1,215	6,399	7,890	5,528	3,867	2,823	2,105
1982.....	45,779	210	1,090	1,032	1,269	6,940	8,384	5,556	3,935	2,913	2,065
1981.....	51,385	220	1,036	1,183	1,392	7,948	9,415	6,519	4,597	3,028	2,303
1980.....	53,172	247	1,179	1,276	1,471	9,100	9,940	6,397	4,388	2,960	2,388
1979.....	53,524	222	1,239	1,445	1,507	9,519	9,850	6,237	4,135	2,967	2,319
TOTAL, MALE											
1998.....	28,990	88	416	490	654	3,401	3,708	2,760	2,443	2,536	2,255
1997.....	28,770	84	419	493	661	3,421	3,746	2,902	2,545	2,464	2,178
1996.....	29,123	109	455	501	687	3,582	3,991	2,971	2,591	2,544	2,156
1995.....	29,164	96	454	555	700	3,406	4,188	3,109	2,832	2,543	2,063
1994.....	28,635	96	532	558	702	3,517	4,147	2,915	2,817	2,431	1,978
1993.....	28,531	97	489	516	686	3,424	4,263	3,058	3,028	2,468	1,889
1992.....	27,982	90	487	575	655	3,252	4,186	3,191	2,972	2,343	1,821
1991.....	29,947	92	491	586	713	3,656	4,812	3,654	3,186	2,407	1,895
1990.....	32,406	100	523	595	665	4,172	5,189	4,254	3,442	2,651	1,917
1989.....	32,704	114	548	682	739	4,262	5,167	4,313	3,344	2,523	1,989
1988.....	34,258	118	543	735	803	4,767	5,922	4,504	3,405	2,563	1,924
1987.....	33,904	97	561	716	873	4,798	5,921	4,603	3,370	2,532	1,790
1986.....	34,088	94	572	689	852	5,004	6,459	4,724	3,337	2,415	1,627
1985.....	32,443	95	601	657	824	4,441	6,239	4,407	3,068	2,282	1,646
1984.....	32,949	79	578	645	801	4,684	6,423	4,473	3,139	2,155	1,636
1983.....	31,907	100	619	666	807	4,638	6,169	4,356	2,964	2,130	1,504
1982.....	33,191	112	608	633	832	5,127	6,637	4,369	3,063	2,201	1,521
1981.....	37,533	116	571	771	935	5,802	7,435	5,181	3,591	2,304	1,717
1980.....	38,861	132	671	801	975	6,731	7,925	5,066	3,443	2,247	1,739
1979.....	39,309	120	675	924	1,003	7,070	7,879	4,963	3,268	2,251	1,693

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE ACCIDENTS (E810-E825)											
TOTAL, FEMALE											
1998.....	14,511	74	343	344	380	1,760	1,157	964	965	1,146	1,026
1997.....	14,688	81	349	357	456	1,792	1,249	1,041	1,012	1,063	962
1996.....	14,526	106	365	378	414	1,747	1,256	1,092	1,075	1,110	943
1995.....	14,199	83	371	352	448	1,762	1,244	1,045	1,091	1,038	897
1994.....	13,889	91	420	335	431	1,643	1,353	1,022	1,026	973	804
1993.....	13,362	93	402	363	398	1,516	1,297	1,069	1,057	930	784
1992.....	13,000	70	373	332	342	1,566	1,301	1,084	982	931	747
1991.....	13,589	82	411	349	363	1,713	1,483	1,173	1,080	916	771
1990.....	14,408	95	405	375	424	1,746	1,500	1,352	1,122	957	793
1989.....	14,871	102	457	441	404	1,980	1,532	1,417	1,195	946	844
1988.....	14,820	97	462	441	444	2,018	1,699	1,368	1,156	878	782
1987.....	14,386	104	428	425	383	2,007	1,721	1,429	1,065	905	711
1986.....	13,777	89	433	380	429	1,993	1,771	1,306	991	828	616
1985.....	13,458	84	415	406	432	1,841	1,756	1,205	909	815	702
1984.....	13,314	82	399	371	446	1,811	1,820	1,220	983	811	619
1983.....	12,545	90	424	360	408	1,761	1,721	1,172	903	693	601
1982.....	12,588	98	482	399	437	1,813	1,747	1,187	872	712	544
1981.....	13,852	104	465	412	457	2,146	1,980	1,338	1,006	724	586
1980.....	14,311	115	508	475	496	2,369	2,015	1,331	945	713	649
1979.....	14,215	102	564	521	504	2,449	1,971	1,274	867	716	626
WHITE, BOTH SEXES											
1998.....	36,182	118	535	582	819	4,458	4,027	2,935	2,737	3,017	2,664
1997.....	36,094	120	544	618	892	4,437	4,154	3,091	2,879	2,878	2,546
1996.....	36,452	165	588	646	913	4,549	4,269	3,289	2,939	2,992	2,563
1995.....	36,255	132	604	675	923	4,417	4,509	3,350	3,226	2,912	2,417
1994.....	35,619	125	681	651	919	4,460	4,526	3,262	3,167	2,801	2,323
1993.....	35,194	137	634	651	854	4,304	4,599	3,428	3,397	2,801	2,176
1992.....	34,439	112	627	666	806	4,173	4,638	3,579	3,254	2,664	2,100
1991.....	36,851	120	684	710	867	4,683	5,413	3,997	3,529	2,716	2,176
1990.....	39,651	148	668	736	893	5,187	5,745	4,686	3,777	2,979	2,234
1989.....	40,491	153	765	858	966	5,594	5,701	4,831	3,757	2,818	2,341
1988.....	41,974	172	770	903	1,035	6,051	6,569	4,974	3,810	2,845	2,241
1987.....	41,581	154	764	881	1,065	6,134	6,633	5,114	3,741	2,894	2,067
1986.....	41,189	133	762	784	1,086	6,376	7,227	5,115	3,594	2,680	1,889
1985.....	39,689	127	776	823	1,070	5,721	7,039	4,801	3,308	2,596	1,977
1984.....	40,429	124	747	794	1,077	5,939	7,331	4,939	3,518	2,535	1,901
1983.....	38,864	157	812	785	1,047	5,905	7,005	4,821	3,310	2,419	1,778
1982.....	40,191	167	852	789	1,103	6,381	7,547	4,862	3,364	2,508	1,749
1981.....	45,424	182	816	921	1,215	7,397	8,509	5,765	3,994	2,606	1,936
1980.....	46,863	204	910	988	1,264	8,451	8,989	5,582	3,792	2,546	2,020
1979.....	47,248	192	972	1,127	1,327	8,845	8,893	5,478	3,567	2,528	1,965

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE ACCIDENTS (E810-E825)											
WHITE MALE											
1998.....	23,985	70	291	334	501	2,889	3,106	2,158	1,958	2,080	1,839
1997.....	23,834	57	295	368	529	2,869	3,128	2,281	2,059	2,017	1,775
1996.....	24,214	81	327	359	558	3,032	3,262	2,393	2,088	2,093	1,786
1995.....	24,229	66	328	415	559	2,878	3,484	2,509	2,343	2,065	1,684
1994.....	23,932	67	379	407	571	3,010	3,419	2,426	2,358	2,023	1,646
1993.....	23,874	69	343	396	541	2,952	3,547	2,547	2,539	2,044	1,533
1992.....	23,415	68	379	425	521	2,782	3,531	2,672	2,470	1,906	1,502
1991.....	25,183	65	360	445	563	3,152	4,135	3,023	2,642	1,965	1,545
1990.....	27,288	77	371	441	539	3,637	4,445	3,558	2,846	2,185	1,570
1989.....	27,621	80	417	517	618	3,777	4,391	3,645	2,778	2,046	1,635
1988.....	29,127	92	417	570	670	4,235	5,094	3,810	2,861	2,111	1,598
1987.....	29,017	68	430	554	735	4,287	5,123	3,900	2,867	2,128	1,463
1986.....	29,163	64	420	511	713	4,532	5,662	4,016	2,773	1,991	1,370
1985.....	27,894	70	452	509	692	4,024	5,484	3,779	2,564	1,900	1,384
1984.....	28,614	60	444	492	694	4,266	5,698	3,883	2,677	1,834	1,359
1983.....	27,781	87	482	514	686	4,279	5,485	3,793	2,528	1,814	1,258
1982.....	29,073	88	472	486	726	4,724	5,977	3,846	2,614	1,895	1,284
1981.....	33,067	91	452	605	824	5,387	6,723	4,587	3,124	1,971	1,430
1980.....	34,109	104	514	610	845	6,228	7,153	4,444	2,988	1,916	1,465
1979.....	34,579	107	518	716	872	6,585	7,113	4,354	2,811	1,905	1,422
WHITE FEMALE											
1998.....	12,197	48	244	248	318	1,569	921	777	779	937	825
1997.....	12,260	63	249	250	363	1,568	1,026	810	820	861	771
1996.....	12,238	84	261	287	355	1,517	1,007	896	851	899	777
1995.....	12,026	66	276	260	364	1,539	1,025	841	883	847	733
1994.....	11,687	58	302	244	348	1,450	1,107	836	809	778	677
1993.....	11,320	68	291	255	313	1,352	1,052	881	858	757	643
1992.....	11,024	44	248	241	285	1,391	1,107	907	784	758	598
1991.....	11,668	55	324	265	304	1,531	1,278	974	887	751	631
1990.....	12,363	71	297	295	354	1,550	1,300	1,128	931	794	664
1989.....	12,870	73	348	341	348	1,817	1,310	1,186	979	772	706
1988.....	12,847	80	353	333	365	1,816	1,475	1,164	949	734	643
1987.....	12,564	86	334	327	330	1,847	1,510	1,214	874	766	604
1986.....	12,026	69	342	273	373	1,844	1,565	1,099	821	689	519
1985.....	11,795	57	324	314	378	1,697	1,555	1,022	744	696	593
1984.....	11,815	64	303	302	383	1,673	1,633	1,056	841	701	542
1983.....	11,083	70	330	271	361	1,626	1,520	1,028	782	605	520
1982.....	11,118	79	380	303	377	1,657	1,570	1,016	750	613	465
1981.....	12,357	91	364	316	391	2,010	1,786	1,178	870	635	506
1980.....	12,754	100	396	378	419	2,223	1,836	1,138	804	630	555
1979.....	12,669	85	454	411	455	2,260	1,780	1,124	756	623	543

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE ACCIDENTS (E810-E825)											
ALL OTHER, BOTH SEXES											
1998.....	7,319	44	224	252	215	703	838	789	671	665	617
1997.....	7,364	45	224	232	225	776	841	852	678	649	594
1996.....	7,197	50	232	233	188	780	978	774	727	662	536
1995.....	7,108	47	221	232	225	751	923	804	697	669	543
1994.....	6,905	62	271	242	214	700	974	675	676	603	459
1993.....	6,699	53	257	228	230	636	961	699	688	597	497
1992.....	6,543	48	233	241	191	645	849	696	700	610	468
1991.....	6,685	54	218	225	209	686	882	830	737	607	490
1990.....	7,163	47	260	234	196	731	944	920	787	629	476
1989.....	7,084	63	240	265	177	648	998	899	782	651	492
1988.....	7,104	43	235	273	212	734	1,052	898	751	596	465
1987.....	6,709	47	225	260	191	671	1,009	918	694	543	434
1986.....	6,676	50	243	285	195	621	1,003	915	734	563	354
1985.....	6,212	52	240	240	186	561	956	811	669	501	371
1984.....	5,834	37	230	222	170	556	912	754	604	431	354
1983.....	5,588	33	231	241	168	494	885	707	557	404	327
1982.....	5,588	43	238	243	166	559	837	694	571	405	316
1981.....	5,961	38	220	262	177	551	906	754	603	422	367
1980.....	6,309	43	269	288	207	649	951	815	596	414	368
1979.....	6,276	30	267	318	180	674	957	759	568	439	354
ALL OTHER MALE											
1998.....	5,005	18	125	156	153	512	602	602	485	456	416
1997.....	4,936	27	124	125	132	552	618	621	486	447	403
1996.....	4,909	28	128	142	129	550	729	578	503	451	370
1995.....	4,935	30	126	140	141	528	704	600	489	478	379
1994.....	4,703	29	153	151	131	507	728	489	459	408	332
1993.....	4,657	28	146	120	145	472	716	511	489	424	356
1992.....	4,567	22	108	150	134	470	655	519	502	437	319
1991.....	4,764	27	131	141	150	504	677	631	544	442	350
1990.....	5,118	23	152	154	126	535	744	696	596	466	347
1989.....	5,083	34	131	165	121	485	776	668	566	477	354
1988.....	5,131	26	126	165	133	532	828	694	544	452	326
1987.....	4,887	29	131	162	138	511	798	703	503	404	327
1986.....	4,925	30	152	178	139	472	797	708	564	424	257
1985.....	4,549	25	149	148	132	417	755	628	504	382	262
1984.....	4,335	19	134	153	107	418	725	590	462	321	277
1983.....	4,126	13	137	152	121	359	684	563	436	316	246
1982.....	4,118	24	136	147	106	403	660	523	449	306	237
1981.....	4,466	25	119	166	111	415	712	594	467	333	287
1980.....	4,752	28	157	191	130	503	772	622	455	331	274
1979.....	4,730	13	157	208	131	485	766	609	457	346	271

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE ACCIDENTS (E810-E825)											
ALL OTHER FEMALE											
1998.....	2,314	26	99	96	62	191	236	187	186	209	201
1997.....	2,428	18	100	107	93	224	223	231	192	202	191
1996.....	2,288	22	104	91	59	230	249	196	224	211	166
1995.....	2,173	17	95	92	84	223	219	204	208	191	164
1994.....	2,202	33	118	91	83	193	246	186	217	195	127
1993.....	2,042	25	111	108	85	164	245	188	199	173	141
1992.....	1,976	26	125	91	57	175	194	177	198	173	149
1991.....	1,921	27	87	84	59	182	205	199	193	165	140
1990.....	2,045	24	108	80	70	196	200	224	191	163	129
1989.....	2,001	29	109	100	56	163	222	231	216	174	138
1988.....	1,973	17	109	108	79	202	224	204	207	144	139
1987.....	1,822	18	94	98	53	160	211	215	191	139	107
1986.....	1,751	20	91	107	56	149	206	207	170	139	97
1985.....	1,663	27	91	92	54	144	201	183	165	119	109
1984.....	1,499	18	96	69	63	138	187	164	142	110	77
1983.....	1,462	20	94	89	47	135	201	144	121	88	81
1982.....	1,470	19	102	96	60	156	177	171	122	99	79
1981.....	1,495	13	101	96	66	136	194	160	136	89	80
1980.....	1,557	15	112	97	77	146	179	193	141	83	94
1979.....	1,546	17	110	110	49	189	191	150	111	93	83
BLACK, BOTH SEXES											
1998.....	5,686	41	186	215	163	526	625	617	508	547	483
1997.....	5,666	37	181	197	180	584	642	646	518	519	462
1996.....	5,528	42	183	195	144	593	742	585	559	509	424
1995.....	5,423	40	180	191	173	564	663	602	543	532	437
1994.....	5,341	54	219	205	178	541	721	527	525	463	370
1993.....	5,217	42	211	193	187	469	732	531	545	479	408
1992.....	5,071	42	191	197	159	469	648	528	544	485	375
1991.....	5,205	42	185	190	166	513	680	643	569	476	393
1990.....	5,560	40	205	186	155	524	707	710	637	510	363
1989.....	5,611	48	172	227	137	473	781	713	634	510	401
1988.....	5,623	39	184	235	172	544	784	700	620	487	370
1987.....	5,287	39	189	224	146	495	765	736	554	425	344
1986.....	5,287	38	190	231	150	468	766	727	600	448	277
1985.....	4,916	39	187	194	156	408	739	622	532	410	292
1984.....	4,721	30	179	193	149	397	733	611	496	350	289
1983.....	4,472	24	199	198	134	373	671	557	445	325	266
1982.....	4,493	29	199	221	139	417	649	558	468	327	252
1981.....	4,809	27	185	224	146	391	714	601	481	340	287
1980.....	5,081	35	223	248	160	467	747	643	482	337	296
1979.....	5,132	25	214	284	146	497	735	606	480	344	287

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE ACCIDENTS (E810-E825)											
BLACK MALE											
1998.....	3,996	15	108	137	118	399	461	491	382	375	327
1997.....	3,895	22	107	106	111	432	481	476	372	359	328
1996.....	3,862	21	103	119	101	416	554	433	400	354	307
1995.....	3,863	26	102	118	113	415	520	460	384	383	315
1994.....	3,703	25	127	128	110	401	544	381	371	318	276
1993.....	3,752	23	121	104	119	361	555	403	399	347	303
1992.....	3,607	16	85	121	110	350	512	394	398	356	257
1991.....	3,771	18	109	115	121	395	532	488	422	358	288
1990.....	4,046	18	117	122	105	393	570	536	488	387	271
1989.....	4,120	24	102	141	100	365	612	528	468	393	293
1988.....	4,139	23	103	146	113	407	623	538	458	377	270
1987.....	3,913	24	109	143	104	382	610	573	401	323	262
1986.....	3,974	23	117	146	110	358	617	570	468	353	206
1985.....	3,659	17	116	121	117	305	582	493	409	324	212
1984.....	3,556	16	106	130	98	299	588	481	386	262	227
1983.....	3,349	10	116	124	98	272	521	449	363	263	206
1982.....	3,387	15	118	132	87	305	532	428	379	255	199
1981.....	3,702	18	98	145	93	304	574	492	394	280	229
1980.....	3,912	21	133	168	107	366	614	505	379	277	232
1979.....	3,929	10	125	186	108	367	593	488	394	283	227
BLACK FEMALE											
1998.....	1,690	26	78	78	45	127	164	126	126	172	156
1997.....	1,771	15	74	91	69	152	161	170	146	160	134
1996.....	1,666	21	80	76	43	177	188	152	159	155	117
1995.....	1,560	14	78	73	60	149	143	142	159	149	122
1994.....	1,638	29	92	77	68	140	177	146	154	145	94
1993.....	1,465	19	90	89	68	108	177	128	146	132	105
1992.....	1,464	26	106	76	49	119	136	134	146	129	118
1991.....	1,434	24	76	75	45	118	148	155	147	118	105
1990.....	1,514	22	88	64	50	131	137	174	149	123	92
1989.....	1,491	24	70	86	37	108	169	185	166	117	108
1988.....	1,484	16	81	89	59	137	161	162	162	110	100
1987.....	1,374	15	80	81	42	113	155	163	153	102	82
1986.....	1,313	15	73	85	40	110	149	157	132	95	71
1985.....	1,257	22	71	73	39	103	157	129	123	86	80
1984.....	1,165	14	73	63	51	98	145	130	110	88	62
1983.....	1,123	14	83	74	36	101	150	108	82	62	60
1982.....	1,106	14	81	89	52	112	117	130	89	72	53
1981.....	1,107	9	87	79	53	87	140	109	87	60	58
1980.....	1,169	14	90	80	53	101	133	138	103	60	64
1979.....	1,203	15	89	98	38	130	142	118	86	61	60

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)											
TOTAL, BOTH SEXES											
1998.....	42,191	158	627	794	987	5,060	4,768	3,632	3,312	3,592	3,190
1997.....	42,340	160	657	808	1,056	5,133	4,894	3,875	3,476	3,436	3,051
1996.....	42,522	206	690	828	1,051	5,250	5,177	3,986	3,584	3,570	3,029
1995.....	42,331	172	703	854	1,102	5,094	5,349	4,080	3,844	3,495	2,904
1994.....	41,507	181	797	857	1,095	5,096	5,425	3,864	3,758	3,323	2,726
1993.....	40,899	183	756	838	1,046	4,876	5,470	4,031	3,999	3,349	2,608
1992.....	39,985	156	721	856	956	4,742	5,402	4,186	3,870	3,216	2,518
1991.....	42,621	170	753	889	1,037	5,306	6,208	4,745	4,182	3,287	2,627
1990.....	45,827	190	783	932	1,043	5,846	6,590	5,512	4,502	3,548	2,650
1989.....	46,586	213	850	1,082	1,101	6,156	6,600	5,648	4,464	3,406	2,784
1988.....	48,024	210	837	1,129	1,193	6,694	7,506	5,777	4,505	3,378	2,654
1987.....	47,297	195	832	1,088	1,202	6,715	7,538	5,945	4,366	3,378	2,460
1986.....	46,867	171	862	996	1,208	6,911	8,127	5,939	4,262	3,194	2,201
1985.....	44,822	170	832	1,019	1,193	6,188	7,862	5,528	3,922	3,037	2,304
1984.....	45,208	156	794	971	1,202	6,410	8,108	5,620	4,058	2,915	2,195
1983.....	43,428	179	846	981	1,166	6,310	7,757	5,428	3,815	2,779	2,068
1982.....	44,713	201	866	990	1,231	6,836	8,262	5,487	3,871	2,855	2,030
1981.....	50,196	211	843	1,134	1,319	7,827	9,285	6,418	4,516	2,966	2,268
1980.....	51,930	232	952	1,224	1,410	8,950	9,806	6,294	4,312	2,910	2,344
1979.....	52,253	216	1,002	1,391	1,453	9,366	9,720	6,148	4,064	2,908	2,269
TOTAL, MALE											
1998.....	28,002	86	334	463	622	3,326	3,626	2,681	2,359	2,460	2,176
1997.....	27,913	82	356	456	615	3,357	3,654	2,846	2,477	2,389	2,106
1996.....	28,280	104	385	469	647	3,520	3,927	2,900	2,519	2,472	2,098
1995.....	28,397	91	383	518	666	3,351	4,115	3,040	2,763	2,472	2,016
1994.....	27,882	95	438	532	669	3,465	4,084	2,859	2,744	2,364	1,933
1993.....	27,767	93	414	491	653	3,371	4,181	2,970	2,956	2,425	1,830
1992.....	27,221	90	408	535	617	3,191	4,107	3,108	2,896	2,295	1,780
1991.....	29,259	89	407	554	684	3,606	4,738	3,588	3,106	2,378	1,862
1990.....	31,647	97	430	568	628	4,115	5,103	4,166	3,388	2,605	1,863
1989.....	31,955	113	466	659	703	4,188	5,078	4,238	3,278	2,471	1,949
1988.....	33,461	113	463	696	759	4,689	5,822	4,422	3,357	2,508	1,881
1987.....	33,148	95	469	680	829	4,726	5,832	4,525	3,308	2,478	1,757
1986.....	33,315	87	483	641	793	4,931	6,369	4,644	3,277	2,371	1,594
1985.....	31,592	89	485	629	769	4,363	6,118	4,328	3,018	2,228	1,609
1984.....	32,152	78	470	612	761	4,616	6,305	4,414	3,081	2,111	1,585
1983.....	31,129	94	510	628	768	4,563	6,048	4,266	2,920	2,090	1,474
1982.....	32,383	109	484	605	801	5,033	6,527	4,306	3,006	2,151	1,497
1981.....	36,627	113	457	734	875	5,702	7,317	5,094	3,525	2,254	1,689
1980.....	37,955	124	549	762	931	6,606	7,803	4,982	3,382	2,206	1,705
1979.....	38,344	118	550	888	959	6,941	7,758	4,888	3,207	2,201	1,647

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)											
TOTAL, FEMALE											
1998.....	14,189	72	293	331	365	1,734	1,142	951	953	1,132	1,014
1997.....	14,427	78	301	352	441	1,776	1,240	1,029	999	1,047	945
1996.....	14,242	102	305	359	404	1,730	1,250	1,086	1,065	1,098	931
1995.....	13,934	81	320	336	436	1,743	1,234	1,040	1,081	1,023	888
1994.....	13,625	86	359	325	426	1,631	1,341	1,005	1,014	959	793
1993.....	13,132	90	342	347	393	1,505	1,289	1,061	1,043	924	778
1992.....	12,764	66	313	321	339	1,551	1,295	1,078	974	921	738
1991.....	13,362	81	346	335	353	1,700	1,470	1,157	1,076	909	765
1990.....	14,180	93	353	364	415	1,731	1,487	1,346	1,114	943	787
1989.....	14,631	100	384	423	398	1,968	1,522	1,410	1,186	935	835
1988.....	14,563	97	374	433	434	2,005	1,684	1,355	1,148	870	773
1987.....	14,149	100	363	408	373	1,989	1,706	1,420	1,058	900	703
1986.....	13,552	84	379	355	415	1,980	1,758	1,295	985	823	607
1985.....	13,230	81	347	390	424	1,825	1,744	1,200	904	809	695
1984.....	13,056	78	324	359	441	1,794	1,803	1,206	977	804	610
1983.....	12,299	85	336	353	398	1,747	1,709	1,162	895	689	594
1982.....	12,330	92	382	385	430	1,803	1,735	1,181	865	704	533
1981.....	13,569	98	386	400	444	2,125	1,968	1,324	991	712	579
1980.....	13,975	108	403	462	479	2,344	2,003	1,312	930	704	639
1979.....	13,909	98	452	503	494	2,425	1,962	1,260	857	707	622
WHITE, BOTH SEXES											
1998.....	35,056	114	443	550	775	4,366	3,945	2,854	2,655	2,935	2,585
1997.....	35,117	118	459	582	835	4,362	4,064	3,035	2,810	2,796	2,470
1996.....	35,462	158	489	602	869	4,478	4,206	3,222	2,865	2,923	2,499
1995.....	35,326	126	503	628	881	4,350	4,431	3,285	3,155	2,837	2,364
1994.....	34,703	119	545	618	883	4,402	4,461	3,194	3,090	2,728	2,270
1993.....	34,304	130	526	615	816	4,245	4,517	3,344	3,315	2,755	2,124
1992.....	33,586	110	531	620	772	4,102	4,565	3,498	3,180	2,614	2,053
1991.....	36,036	116	565	669	834	4,627	5,336	3,924	3,450	2,682	2,141
1990.....	38,770	145	555	702	849	5,120	5,653	4,600	3,725	2,923	2,185
1989.....	39,620	150	639	827	924	5,519	5,612	4,754	3,692	2,763	2,299
1988.....	41,034	168	637	857	985	5,966	6,467	4,887	3,756	2,793	2,195
1987.....	40,695	148	633	830	1,016	6,049	6,542	5,035	3,681	2,841	2,029
1986.....	40,300	124	643	720	1,015	6,297	7,133	5,036	3,537	2,637	1,850
1985.....	38,713	121	622	781	1,010	5,631	6,919	4,723	3,257	2,543	1,936
1984.....	39,493	119	601	752	1,035	5,857	7,209	4,873	3,462	2,490	1,853
1983.....	37,947	149	643	742	999	5,821	6,880	4,733	3,260	2,384	1,747
1982.....	39,236	159	668	755	1,067	6,285	7,436	4,798	3,305	2,456	1,717
1981.....	44,359	175	657	878	1,144	7,280	8,386	5,669	3,924	2,555	1,909
1980.....	45,748	191	724	941	1,209	8,310	8,866	5,489	3,721	2,504	1,978
1979.....	46,111	187	779	1,078	1,280	8,702	8,776	5,395	3,501	2,475	1,921

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)											
WHITE MALE											
1998.....	23,122	68	230	314	470	2,822	3,037	2,086	1,886	2,011	1,768
1997.....	23,074	57	246	335	485	2,807	3,045	2,234	1,999	1,950	1,714
1996.....	23,460	77	272	331	524	2,976	3,203	2,332	2,022	2,034	1,732
1995.....	23,534	62	267	383	528	2,827	3,416	2,448	2,281	2,003	1,640
1994.....	23,255	66	296	384	540	2,964	3,362	2,374	2,292	1,964	1,603
1993.....	23,189	65	284	374	508	2,903	3,473	2,470	2,471	2,004	1,486
1992.....	22,752	68	325	386	490	2,724	3,461	2,594	2,400	1,866	1,464
1991.....	24,571	62	295	417	538	3,106	4,070	2,963	2,567	1,938	1,514
1990.....	26,609	75	299	416	503	3,584	4,365	3,478	2,799	2,142	1,526
1989.....	26,953	79	351	498	582	3,712	4,312	3,574	2,720	1,998	1,598
1988.....	28,418	88	355	532	629	4,161	5,006	3,736	2,815	2,066	1,561
1987.....	28,344	66	351	519	696	4,220	5,044	3,828	2,813	2,079	1,433
1986.....	28,471	58	347	467	656	4,466	5,580	3,947	2,721	1,952	1,338
1985.....	27,119	66	355	482	639	3,949	5,373	3,706	2,517	1,852	1,349
1984.....	27,902	59	353	461	657	4,199	5,590	3,830	2,626	1,796	1,320
1983.....	27,081	82	386	477	647	4,209	5,372	3,713	2,486	1,782	1,233
1982.....	28,340	85	367	463	696	4,637	5,878	3,788	2,561	1,851	1,261
1981.....	32,255	88	359	572	766	5,291	6,612	4,505	3,067	1,931	1,409
1980.....	33,295	97	417	575	805	6,108	7,041	4,367	2,932	1,882	1,433
1979.....	33,716	105	420	684	834	6,465	7,005	4,283	2,755	1,860	1,382
WHITE FEMALE											
1998.....	11,934	46	213	236	305	1,544	908	768	769	924	817
1997.....	12,043	61	213	247	350	1,555	1,019	801	811	846	756
1996.....	12,002	81	217	271	345	1,502	1,003	890	843	889	767
1995.....	11,792	64	236	245	353	1,523	1,015	837	874	834	724
1994.....	11,448	53	249	234	343	1,438	1,099	820	798	764	667
1993.....	11,115	65	242	241	308	1,342	1,044	874	844	751	638
1992.....	10,834	42	206	234	282	1,378	1,104	904	780	748	589
1991.....	11,465	54	270	252	296	1,521	1,266	961	883	744	627
1990.....	12,161	70	256	286	346	1,536	1,288	1,122	926	781	659
1989.....	12,667	71	288	329	342	1,807	1,300	1,180	972	765	701
1988.....	12,616	80	282	325	356	1,805	1,461	1,151	941	727	634
1987.....	12,351	82	282	311	320	1,829	1,498	1,207	868	762	596
1986.....	11,829	66	296	253	359	1,831	1,553	1,089	816	685	512
1985.....	11,594	55	267	299	371	1,682	1,546	1,017	740	691	587
1984.....	11,591	60	248	291	378	1,658	1,619	1,043	836	694	533
1983.....	10,866	67	257	265	352	1,612	1,508	1,020	774	602	514
1982.....	10,896	74	301	292	371	1,648	1,558	1,010	744	605	456
1981.....	12,104	87	298	306	378	1,989	1,774	1,164	857	624	500
1980.....	12,453	94	307	366	404	2,202	1,825	1,122	789	622	545
1979.....	12,395	82	359	394	446	2,237	1,771	1,112	746	615	539

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)											
ALL OTHER, BOTH SEXES											
1998.....	7,135	44	184	244	212	694	823	778	657	657	605
1997.....	7,223	42	198	226	221	771	830	840	666	640	581
1996.....	7,060	48	201	226	182	772	971	764	719	647	530
1995.....	7,005	46	200	226	221	744	918	795	689	658	540
1994.....	6,804	62	252	239	212	694	964	670	668	595	456
1993.....	6,595	53	230	223	230	631	953	687	684	594	484
1992.....	6,399	46	190	236	184	640	837	688	690	602	465
1991.....	6,585	54	188	220	203	679	872	821	732	605	486
1990.....	7,057	45	228	230	194	726	937	912	777	625	465
1989.....	6,966	63	211	255	177	637	988	894	772	643	485
1988.....	6,990	42	200	272	208	728	1,039	890	749	585	459
1987.....	6,602	47	199	258	186	666	996	910	685	537	431
1986.....	6,567	47	219	276	193	614	994	903	725	557	351
1985.....	6,109	49	210	238	183	557	943	805	665	494	368
1984.....	5,715	37	193	219	167	553	899	747	596	425	342
1983.....	5,481	30	203	239	167	489	877	695	555	395	321
1982.....	5,477	42	198	235	164	551	826	689	566	399	313
1981.....	5,837	36	186	256	175	547	899	749	592	411	359
1980.....	6,182	41	228	283	201	640	940	805	591	406	366
1979.....	6,142	29	223	313	173	664	944	753	563	433	348
ALL OTHER MALE											
1998.....	4,880	18	104	149	152	504	589	595	473	449	408
1997.....	4,839	25	110	121	130	550	609	612	478	439	392
1996.....	4,820	27	113	138	123	544	724	568	497	438	366
1995.....	4,863	29	116	135	138	524	699	592	482	469	376
1994.....	4,627	29	142	148	129	501	722	485	452	400	330
1993.....	4,578	28	130	117	145	468	708	500	485	421	344
1992.....	4,469	22	83	149	127	467	646	514	496	429	316
1991.....	4,688	27	112	137	146	500	668	625	539	440	348
1990.....	5,038	22	131	152	125	531	738	688	589	463	337
1989.....	5,002	34	115	161	121	476	766	664	558	473	351
1988.....	5,043	25	108	164	130	528	816	686	542	442	320
1987.....	4,804	29	118	161	133	506	788	697	495	399	324
1986.....	4,844	29	136	174	137	465	789	697	556	419	256
1985.....	4,473	23	130	147	130	414	745	622	501	376	260
1984.....	4,250	19	117	151	104	417	715	584	455	315	265
1983.....	4,048	12	124	151	121	354	676	553	434	308	241
1982.....	4,043	24	117	142	105	396	649	518	445	300	236
1981.....	4,372	25	98	162	109	411	705	589	458	323	280
1980.....	4,660	27	132	187	126	498	762	615	450	324	272
1979.....	4,628	13	130	204	125	476	753	605	452	341	265

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)											
ALL OTHER FEMALE											
1998.....	2,255	26	80	95	60	190	234	183	184	208	197
1997.....	2,384	17	88	105	91	221	221	228	188	201	189
1996.....	2,240	21	88	88	59	228	247	196	222	209	164
1995.....	2,142	17	84	91	83	220	219	203	207	189	164
1994.....	2,177	33	110	91	83	193	242	185	216	195	126
1993.....	2,017	25	100	106	85	163	245	187	199	173	140
1992.....	1,930	24	107	87	57	173	191	174	194	173	149
1991.....	1,897	27	76	83	57	179	204	196	193	165	138
1990.....	2,019	23	97	78	69	195	199	224	188	162	128
1989.....	1,964	29	96	94	56	161	222	230	214	170	134
1988.....	1,947	17	92	108	78	200	223	204	207	143	139
1987.....	1,798	18	81	97	53	160	208	213	190	138	107
1986.....	1,723	18	83	102	56	149	205	206	169	138	95
1985.....	1,636	26	80	91	53	143	198	183	164	118	108
1984.....	1,465	18	76	68	63	136	184	163	141	110	77
1983.....	1,433	18	79	88	46	135	201	142	121	87	80
1982.....	1,434	18	81	93	59	155	177	171	121	99	77
1981.....	1,465	11	88	94	66	136	194	160	134	88	79
1980.....	1,522	14	96	96	75	142	178	190	141	82	94
1979.....	1,514	16	93	109	48	188	191	148	111	92	83
BLACK, BOTH SEXES											
1998.....	5,552	41	162	209	161	517	615	609	496	542	473
1997.....	5,575	34	164	192	177	580	636	638	510	514	455
1996.....	5,430	41	166	190	140	588	735	578	552	497	419
1995.....	5,362	40	170	185	172	562	661	598	536	525	434
1994.....	5,268	54	206	203	177	537	714	525	519	456	369
1993.....	5,149	42	192	190	187	466	728	524	542	478	397
1992.....	4,962	40	155	193	155	466	640	525	537	479	373
1991.....	5,134	42	166	187	161	508	671	637	567	474	389
1990.....	5,482	38	183	182	153	521	704	703	629	507	354
1989.....	5,541	48	158	220	137	467	774	711	631	505	395
1988.....	5,558	38	164	235	169	540	781	696	619	483	367
1987.....	5,214	39	169	223	145	493	758	731	547	421	341
1986.....	5,212	36	178	224	149	461	758	720	595	444	276
1985.....	4,841	38	163	193	154	406	730	620	529	405	291
1984.....	4,633	30	156	190	146	395	724	604	489	344	281
1983.....	4,386	24	178	197	133	369	664	545	443	318	261
1982.....	4,416	28	168	216	138	413	642	556	465	322	250
1981.....	4,709	26	156	220	145	387	708	598	471	331	281
1980.....	4,997	33	197	244	157	463	740	637	479	332	294
1979.....	5,036	24	185	281	141	490	729	602	475	342	283

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)											
BLACK MALE											
1998.....	3,899	15	93	131	117	391	453	485	372	371	319
1997.....	3,830	20	95	102	109	430	476	471	366	355	322
1996.....	3,797	21	94	115	97	413	549	426	395	344	304
1995.....	3,817	26	99	113	112	413	518	456	377	377	312
1994.....	3,643	25	117	126	109	397	538	380	365	311	275
1993.....	3,699	23	111	102	119	358	551	397	396	346	293
1992.....	3,531	16	64	120	106	348	506	392	393	350	255
1991.....	3,717	18	97	113	117	392	524	484	420	356	286
1990.....	3,989	17	102	120	104	391	568	529	482	385	263
1989.....	4,076	24	95	140	100	360	605	527	466	390	291
1988.....	4,086	22	92	146	110	404	620	534	457	373	267
1987.....	3,853	24	97	143	103	380	604	570	394	319	259
1986.....	3,916	22	109	143	109	351	610	564	464	349	206
1985.....	3,602	17	100	120	115	303	575	491	406	320	211
1984.....	3,492	16	95	128	95	298	582	475	380	256	219
1983.....	3,286	10	107	124	98	268	514	439	361	257	202
1982.....	3,334	15	101	129	87	301	525	426	376	250	198
1981.....	3,624	18	80	143	92	300	568	489	386	271	224
1980.....	3,849	20	117	165	105	364	608	500	376	272	230
1979.....	3,860	10	110	183	104	361	587	486	389	281	223
BLACK FEMALE											
1998.....	1,653	26	69	78	44	126	162	124	124	171	154
1997.....	1,745	14	69	90	68	150	160	167	144	159	133
1996.....	1,633	20	72	75	43	175	186	152	157	153	115
1995.....	1,545	14	71	72	60	149	143	142	159	148	122
1994.....	1,625	29	89	77	68	140	176	145	154	145	94
1993.....	1,450	19	81	88	68	108	177	127	146	132	104
1992.....	1,431	24	91	73	49	118	134	133	144	129	118
1991.....	1,417	24	69	74	44	116	147	153	147	118	103
1990.....	1,493	21	81	62	49	130	136	174	147	122	91
1989.....	1,465	24	63	80	37	107	169	184	165	115	104
1988.....	1,472	16	72	89	59	136	161	162	162	110	100
1987.....	1,361	15	72	80	42	113	154	161	153	102	82
1986.....	1,296	14	69	81	40	110	148	156	131	95	70
1985.....	1,239	21	63	73	39	103	155	129	123	85	80
1984.....	1,141	14	61	62	51	97	142	129	109	88	62
1983.....	1,100	14	71	73	35	101	150	106	82	61	59
1982.....	1,082	13	67	87	51	112	117	130	89	72	52
1981.....	1,085	8	76	77	53	87	140	109	85	60	57
1980.....	1,148	13	80	79	52	99	132	137	103	60	64
1979.....	1,176	14	75	98	37	129	142	116	86	61	60

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH TRAIN (E810)											
TOTAL, BOTH SEXES											
1998.....	309	1	5	6	7	31	38	30	23	26	26
1997.....	371	2	7	4	8	55	32	34	26	40	28
1996.....	373	1	7	8	5	40	44	29	32	33	35
1995.....	514	2	10	12	18	73	52	47	51	29	44
1994.....	549	2	9	9	18	96	58	47	56	38	30
1993.....	553	4	10	7	16	71	73	43	53	34	53
1992.....	521	4	10	11	17	69	67	50	56	38	37
1991.....	541	3	12	19	17	82	71	66	62	33	27
1990.....	623	3	16	17	18	93	83	65	57	48	30
1989.....	720	3	13	16	14	103	108	95	73	54	46
1988.....	638	4	20	18	13	87	81	82	64	51	34
1987.....	554	2	8	12	9	100	101	59	46	43	32
1986.....	574	7	12	13	19	103	87	72	54	40	30
1985.....	538	2	12	9	19	83	91	66	54	33	37
1984.....	602	2	9	12	15	95	118	82	51	40	25
1983.....	520	4	10	6	8	81	102	70	56	34	34
1982.....	554	3	12	7	12	109	96	71	40	28	26
1981.....	668	5	16	9	9	143	115	74	56	35	27
1980.....	739	3	10	9	12	136	102	84	52	65	43
1979.....	826	7	17	26	22	139	124	103	69	51	33
TOTAL, MALE											
1998.....	222	1	2	4	6	21	27	20	18	22	18
1997.....	246	2	3	3	5	35	22	21	22	30	20
1996.....	252	1	3	3	3	25	34	26	21	18	26
1995.....	346	1	7	8	11	42	33	37	37	22	33
1994.....	376	1	3	3	8	59	41	32	47	34	20
1993.....	378	2	6	4	12	48	49	31	43	24	35
1992.....	355	1	5	3	9	40	48	37	45	26	25
1991.....	360	2	7	7	7	51	56	52	43	19	18
1990.....	420	2	7	5	8	65	64	45	36	36	19
1989.....	471	2	7	5	10	60	75	64	52	38	32
1988.....	441	2	11	11	7	56	64	56	42	42	27
1987.....	376	-	3	7	6	59	67	44	37	28	24
1986.....	389	2	4	6	11	65	68	55	38	27	20
1985.....	373	-	6	7	3	55	69	55	38	24	25
1984.....	425	1	6	9	7	71	88	60	37	26	16
1983.....	362	1	9	2	7	53	80	53	40	21	23
1982.....	424	2	6	6	9	83	75	54	33	22	23
1981.....	480	4	7	4	5	93	92	53	43	24	18
1980.....	545	-	6	8	4	101	80	70	33	46	36
1979.....	589	5	9	9	14	102	102	81	48	40	23

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH TRAIN (E810)											
TOTAL, FEMALE											
1998.....	87	-	3	2	1	10	11	10	5	4	8
1997.....	125	-	4	1	3	20	10	13	4	10	8
1996.....	121	-	4	5	2	15	10	3	11	15	9
1995.....	168	1	3	4	7	31	19	10	14	7	11
1994.....	173	1	6	6	10	37	17	15	9	4	10
1993.....	175	2	4	3	4	23	24	12	10	10	18
1992.....	166	3	5	8	8	29	19	13	11	12	12
1991.....	181	1	5	12	10	31	15	14	19	14	9
1990.....	203	1	9	12	10	28	19	20	21	12	11
1989.....	249	1	6	11	4	43	33	31	21	16	14
1988.....	197	2	9	7	6	31	17	26	22	9	7
1987.....	178	2	5	5	3	41	34	15	9	15	8
1986.....	185	5	8	7	8	38	19	17	16	13	10
1985.....	165	2	6	2	16	28	22	11	16	9	12
1984.....	177	1	3	3	8	24	30	22	14	14	9
1983.....	158	3	1	4	1	28	22	17	16	13	11
1982.....	130	1	6	1	3	26	21	17	7	6	3
1981.....	188	1	9	5	4	50	23	21	13	11	9
1980.....	194	3	4	1	8	35	22	14	19	19	7
1979.....	237	2	8	17	8	37	22	22	21	11	10
WHITE, BOTH SEXES											
1998.....	247	1	2	5	5	27	29	22	17	22	19
1997.....	317	2	4	3	5	48	25	27	21	35	19
1996.....	322	-	6	7	5	36	36	25	28	24	31
1995.....	435	2	6	10	16	64	45	37	44	25	34
1994.....	478	2	7	7	16	87	49	42	45	32	23
1993.....	460	2	5	6	16	65	58	36	45	27	43
1992.....	456	3	9	10	13	62	58	44	48	32	31
1991.....	470	3	9	14	13	78	62	59	50	29	22
1990.....	555	2	13	13	15	83	77	59	49	44	28
1989.....	648	2	11	15	13	102	99	84	61	46	40
1988.....	574	4	19	17	12	85	71	72	59	44	29
1987.....	504	2	8	11	8	97	94	52	38	38	31
1986.....	505	7	10	10	18	97	75	63	44	32	25
1985.....	480	1	11	6	18	80	82	58	43	30	32
1984.....	544	1	9	11	15	92	107	71	43	36	22
1983.....	478	4	8	6	8	75	96	60	50	32	33
1982.....	503	3	8	1	12	105	93	67	38	28	22
1981.....	610	4	16	7	8	132	107	70	49	31	26
1980.....	647	3	8	8	10	121	87	74	43	58	38
1979.....	737	5	15	20	19	133	110	94	59	42	30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH TRAIN (E810)											
WHITE MALE											
1998.....	179	1	-	3	5	18	21	17	14	20	12
1997.....	213	2	1	2	3	31	19	16	17	28	14
1996.....	217	-	3	3	3	23	28	22	18	12	22
1995.....	293	1	4	7	11	36	29	31	32	20	24
1994.....	334	1	2	2	7	55	35	28	41	28	17
1993.....	316	1	3	4	12	46	41	26	36	20	27
1992.....	319	1	5	3	7	36	44	33	42	21	22
1991.....	313	2	4	5	6	48	48	46	36	16	16
1990.....	374	1	5	3	6	57	59	41	31	34	18
1989.....	420	1	6	5	10	60	70	57	44	30	27
1988.....	394	2	11	11	6	54	56	49	40	35	23
1987.....	341	-	3	6	5	57	62	38	33	24	23
1986.....	340	2	2	6	11	61	58	48	33	21	16
1985.....	330	-	5	4	3	54	60	50	31	21	22
1984.....	384	-	6	8	7	68	82	52	31	23	14
1983.....	334	1	7	2	7	50	76	45	35	20	22
1982.....	387	2	3	1	9	81	72	51	31	22	20
1981.....	441	3	7	3	4	87	88	50	38	21	18
1980.....	468	-	4	7	4	90	68	61	27	40	31
1979.....	530	3	8	7	11	100	90	75	42	32	20
WHITE FEMALE											
1998.....	68	-	2	2	-	9	8	5	3	2	7
1997.....	104	-	3	1	2	17	6	11	4	7	5
1996.....	105	-	3	4	2	13	8	3	10	12	9
1995.....	142	1	2	3	5	28	16	6	12	5	10
1994.....	144	1	5	5	9	32	14	14	4	4	6
1993.....	144	1	2	2	4	19	17	10	9	7	16
1992.....	137	2	4	7	6	26	14	11	6	11	9
1991.....	157	1	5	9	7	30	14	13	14	13	6
1990.....	181	1	8	10	9	26	18	18	18	10	10
1989.....	228	1	5	10	3	42	29	27	17	16	13
1988.....	180	2	8	6	6	31	15	23	19	9	6
1987.....	163	2	5	5	3	40	32	14	5	14	8
1986.....	165	5	8	4	7	36	17	15	11	11	9
1985.....	150	1	6	2	15	26	22	8	12	9	10
1984.....	160	1	3	3	8	24	25	19	12	13	8
1983.....	144	3	1	4	1	25	20	15	15	12	11
1982.....	116	1	5	-	3	24	21	16	7	6	2
1981.....	169	1	9	4	4	45	19	20	11	10	8
1980.....	179	3	4	1	6	31	19	13	16	18	7
1979.....	207	2	7	13	8	33	20	19	17	10	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH TRAIN (E810)											
ALL OTHER, BOTH SEXES											
1998.....	62	-	3	1	2	4	9	8	6	4	7
1997.....	54	-	3	1	3	7	7	7	5	5	9
1996.....	51	1	1	1	-	4	8	4	4	9	4
1995.....	79	-	4	2	2	9	7	10	7	4	10
1994.....	71	-	2	2	2	9	9	5	11	6	7
1993.....	93	2	5	1	-	6	15	7	8	7	10
1992.....	65	1	1	1	4	7	9	6	8	6	6
1991.....	71	-	3	5	4	4	9	7	12	4	5
1990.....	68	1	3	4	3	10	6	6	8	4	2
1989.....	72	1	2	1	1	1	9	11	12	8	6
1988.....	64	-	1	1	1	2	10	10	5	7	5
1987.....	50	-	-	1	1	3	7	7	8	5	1
1986.....	69	-	2	3	1	6	12	9	10	8	5
1985.....	58	1	1	3	1	3	9	8	11	3	5
1984.....	58	1	-	1	-	3	11	11	8	4	3
1983.....	42	-	2	-	-	6	6	10	6	2	1
1982.....	51	-	4	6	-	4	3	4	2	-	4
1981.....	58	1	-	2	1	11	8	4	7	4	1
1980.....	92	-	2	1	2	15	15	10	9	7	5
1979.....	89	2	2	6	3	6	14	9	10	9	3
ALL OTHER MALE											
1998.....	43	-	2	1	1	3	6	3	4	2	6
1997.....	33	-	2	1	2	4	3	5	5	2	6
1996.....	35	1	-	-	-	2	6	4	3	6	4
1995.....	53	-	3	1	-	6	4	6	5	2	9
1994.....	42	-	1	1	1	4	6	4	6	6	3
1993.....	62	1	3	-	-	2	8	5	7	4	8
1992.....	36	-	-	-	2	4	4	4	3	5	3
1991.....	47	-	3	2	1	3	8	6	7	3	2
1990.....	46	1	2	2	2	8	5	4	5	2	1
1989.....	51	1	1	-	-	-	5	7	8	8	5
1988.....	47	-	-	-	1	2	8	7	2	7	4
1987.....	35	-	-	1	1	2	5	6	4	4	1
1986.....	49	-	2	-	-	4	10	7	5	6	4
1985.....	43	-	1	3	-	1	9	5	7	3	3
1984.....	41	1	-	1	-	3	6	8	6	3	2
1983.....	28	-	2	-	-	3	4	8	5	1	1
1982.....	37	-	3	5	-	2	3	3	2	-	3
1981.....	39	1	-	1	1	6	4	3	5	3	-
1980.....	77	-	2	1	-	11	12	9	6	6	5
1979.....	59	2	1	2	3	2	12	6	6	8	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH TRAIN (E810)											
ALL OTHER FEMALE											
1998.....	19	-	1	-	1	1	3	5	2	2	1
1997.....	21	-	1	-	1	3	4	2	-	3	3
1996.....	16	-	1	1	-	2	2	-	1	3	-
1995.....	26	-	1	1	2	3	3	4	2	2	1
1994.....	29	-	1	1	1	5	3	1	5	-	4
1993.....	31	1	2	1	-	4	7	2	1	3	2
1992.....	29	1	1	1	2	3	5	2	5	1	3
1991.....	24	-	-	3	3	1	1	1	5	1	3
1990.....	22	-	1	2	1	2	1	2	3	2	1
1989.....	21	-	1	1	1	1	4	4	4	-	1
1988.....	17	-	1	1	-	-	2	3	3	-	1
1987.....	15	-	-	-	-	1	2	1	4	1	-
1986.....	20	-	-	3	1	2	2	2	5	2	1
1985.....	15	1	-	-	1	2	-	3	4	-	2
1984.....	17	-	-	-	-	-	5	3	2	1	1
1983.....	14	-	-	-	-	3	2	2	1	1	-
1982.....	14	-	1	1	-	2	-	1	-	-	1
1981.....	19	-	-	1	-	5	4	1	2	1	1
1980.....	15	-	-	-	2	4	3	1	3	1	-
1979.....	30	-	1	4	-	4	2	3	4	1	-
BLACK, BOTH SEXES											
1998.....	59	-	3	1	2	4	9	7	6	4	7
1997.....	49	-	3	1	3	7	7	7	3	5	8
1996.....	40	1	1	1	-	4	5	3	3	8	3
1995.....	63	-	4	2	2	4	4	8	5	4	10
1994.....	63	-	2	2	2	6	8	5	8	6	7
1993.....	76	2	5	1	-	4	13	6	6	5	9
1992.....	57	1	1	1	4	4	7	5	8	6	5
1991.....	60	-	3	5	3	3	9	4	10	3	4
1990.....	53	-	2	2	3	6	6	4	8	4	1
1989.....	68	1	2	1	-	1	9	10	11	8	6
1988.....	56	-	1	1	1	1	9	8	5	6	4
1987.....	39	-	-	-	-	1	5	6	7	5	1
1986.....	53	-	2	3	1	3	8	7	7	7	3
1985.....	48	1	1	2	1	3	8	6	9	2	4
1984.....	52	1	-	1	-	3	9	10	7	4	3
1983.....	36	-	1	-	-	5	6	9	5	1	1
1982.....	44	-	4	6	-	2	3	3	2	-	4
1981.....	53	1	-	2	1	10	8	3	6	3	1
1980.....	87	-	1	1	2	14	15	9	8	6	5
1979.....	79	2	2	6	3	5	12	9	9	7	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH TRAIN (E810)											
BLACK MALE											
1998.....	43	-	2	1	1	3	6	3	4	2	6
1997.....	30	-	2	1	2	4	3	5	3	2	5
1996.....	25	1	-	-	-	2	3	3	2	5	3
1995.....	42	-	3	1	-	3	2	4	4	2	9
1994.....	37	-	1	1	1	3	5	4	4	6	3
1993.....	54	1	3	-	-	2	6	4	6	3	8
1992.....	31	-	-	-	2	2	2	3	3	5	3
1991.....	39	-	3	2	1	2	8	4	5	2	2
1990.....	35	-	1	-	2	4	5	3	5	2	1
1989.....	48	1	1	-	-	-	5	6	7	8	5
1988.....	42	-	-	-	1	1	7	6	2	6	3
1987.....	27	-	-	-	-	1	4	5	4	4	1
1986.....	37	-	2	-	-	1	7	5	3	6	3
1985.....	35	-	1	2	-	1	8	3	6	2	2
1984.....	38	1	-	1	-	3	6	7	5	3	2
1983.....	23	-	1	-	-	2	4	7	4	1	1
1982.....	31	-	3	5	-	-	3	2	2	-	3
1981.....	38	1	-	1	1	6	4	2	5	3	-
1980.....	72	-	1	1	-	10	12	8	5	5	5
1979.....	54	2	1	2	3	2	10	6	6	6	2
BLACK FEMALE											
1998.....	16	-	1	-	1	1	3	4	2	2	1
1997.....	19	-	1	-	1	3	4	2	-	3	3
1996.....	15	-	1	1	-	2	2	-	1	3	-
1995.....	21	-	1	1	2	1	2	4	1	2	1
1994.....	26	-	1	1	1	3	3	1	4	-	4
1993.....	22	1	2	1	-	2	7	2	-	2	1
1992.....	26	1	1	1	2	2	5	2	5	1	2
1991.....	21	-	-	3	2	1	1	-	5	1	2
1990.....	18	-	1	2	1	2	1	1	3	2	-
1989.....	20	-	1	1	-	1	4	4	4	-	1
1988.....	14	-	1	1	-	-	2	2	3	-	1
1987.....	12	-	-	-	-	-	1	1	3	1	-
1986.....	16	-	-	3	1	2	1	2	4	1	-
1985.....	13	1	-	-	1	2	-	3	3	-	2
1984.....	14	-	-	-	-	-	3	3	2	1	1
1983.....	13	-	-	-	-	3	2	2	1	-	-
1982.....	13	-	1	1	-	2	-	1	-	-	1
1981.....	15	-	-	1	-	4	4	1	1	-	1
1980.....	15	-	-	-	2	4	3	1	3	1	-
1979.....	25	-	1	4	-	3	2	3	3	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)											
TOTAL, BOTH SEXES											
1998.....	16,130	82	214	270	330	1,699	1,584	1,293	1,117	1,269	1,120
1997.....	16,300	81	249	267	314	1,744	1,690	1,322	1,221	1,210	1,038
1996.....	16,448	101	245	261	351	1,787	1,768	1,484	1,225	1,246	1,071
1995.....	15,762	75	240	249	321	1,688	1,782	1,320	1,309	1,148	1,059
1994.....	15,968	99	283	262	317	1,734	1,959	1,339	1,365	1,207	983
1993.....	15,648	93	243	239	303	1,656	1,939	1,454	1,356	1,173	967
1992.....	15,008	84	239	249	262	1,583	1,890	1,455	1,351	1,131	883
1991.....	15,900	86	235	253	278	1,736	2,147	1,603	1,419	1,165	965
1990.....	17,297	88	240	251	288	1,975	2,278	1,970	1,544	1,243	1,018
1989.....	17,822	105	277	289	315	2,134	2,247	2,005	1,627	1,307	1,090
1988.....	18,333	126	266	267	355	2,349	2,632	2,132	1,633	1,255	1,036
1987.....	18,015	95	241	284	330	2,375	2,600	2,165	1,626	1,249	960
1986.....	17,686	79	255	234	301	2,252	2,860	2,110	1,604	1,241	898
1985.....	16,924	92	231	235	371	2,047	2,792	1,978	1,436	1,188	936
1984.....	16,873	80	230	239	322	2,188	2,799	2,050	1,542	1,142	849
1983.....	15,995	88	232	208	299	2,045	2,688	2,014	1,336	1,074	777
1982.....	16,444	108	243	210	364	2,262	2,831	2,002	1,468	1,102	799
1981.....	18,521	103	222	233	372	2,592	3,248	2,449	1,696	1,112	886
1980.....	18,759	117	261	244	394	2,893	3,447	2,321	1,597	1,116	934
1979.....	19,433	110	263	285	363	3,237	3,529	2,309	1,580	1,204	898
TOTAL, MALE											
1998.....	9,735	49	112	136	197	1,049	1,103	887	746	798	700
1997.....	9,781	40	124	132	165	1,066	1,178	912	811	771	655
1996.....	9,920	51	118	125	201	1,110	1,225	994	813	802	662
1995.....	9,557	39	125	126	177	1,042	1,282	899	868	740	667
1994.....	9,762	53	140	147	162	1,130	1,353	924	923	778	624
1993.....	9,650	41	121	111	182	1,064	1,382	1,010	921	782	608
1992.....	9,297	46	131	131	150	1,028	1,330	977	933	724	532
1991.....	9,854	43	111	126	166	1,071	1,545	1,123	968	754	614
1990.....	10,875	46	117	124	144	1,328	1,650	1,399	1,073	822	641
1989.....	11,094	54	140	162	173	1,366	1,595	1,389	1,119	864	674
1988.....	11,611	66	133	138	199	1,539	1,904	1,527	1,088	833	639
1987.....	11,598	44	116	147	216	1,599	1,875	1,544	1,149	840	617
1986.....	11,600	39	115	128	197	1,544	2,120	1,526	1,149	854	598
1985.....	10,991	49	127	115	231	1,364	2,047	1,419	1,028	797	594
1984.....	11,051	39	127	118	196	1,488	2,051	1,512	1,062	743	562
1983.....	10,607	41	125	98	187	1,400	1,959	1,499	932	774	477
1982.....	11,068	48	111	107	222	1,613	2,110	1,478	1,067	778	553
1981.....	12,646	51	116	139	240	1,818	2,390	1,866	1,216	803	618
1980.....	12,904	65	139	128	251	2,086	2,610	1,711	1,187	779	632
1979.....	13,501	54	123	157	236	2,336	2,660	1,734	1,185	860	609

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)											
TOTAL, FEMALE											
1998.....	6,395	33	102	134	133	650	481	406	371	471	420
1997.....	6,519	41	125	135	149	678	512	410	410	439	383
1996.....	6,528	50	127	136	150	677	543	490	412	444	409
1995.....	6,205	36	115	123	144	646	500	421	441	408	392
1994.....	6,206	46	143	115	155	604	606	415	442	429	359
1993.....	5,998	52	122	128	121	592	557	444	435	391	359
1992.....	5,711	38	108	118	112	555	560	478	418	407	351
1991.....	6,046	43	124	127	112	665	602	480	451	411	351
1990.....	6,422	42	123	127	144	647	628	571	471	421	377
1989.....	6,728	51	137	127	142	768	652	616	508	443	416
1988.....	6,722	60	133	129	156	810	728	605	545	422	397
1987.....	6,417	51	125	137	114	776	725	621	477	409	343
1986.....	6,086	40	140	106	104	708	740	584	455	387	300
1985.....	5,933	43	104	120	140	683	745	559	408	391	342
1984.....	5,822	41	103	121	126	700	748	538	480	399	287
1983.....	5,388	47	107	110	112	645	729	515	404	300	300
1982.....	5,376	60	132	103	142	649	721	524	401	324	246
1981.....	5,875	52	106	94	132	774	858	583	480	309	268
1980.....	5,855	52	122	116	143	807	837	610	410	337	302
1979.....	5,932	56	140	128	127	901	869	575	395	344	289
WHITE, BOTH SEXES											
1998.....	13,771	61	157	206	270	1,494	1,309	1,033	915	1,052	925
1997.....	13,955	61	194	202	261	1,509	1,414	1,051	1,020	1,020	887
1996.....	14,143	83	192	214	302	1,541	1,448	1,196	1,006	1,068	902
1995.....	13,473	57	186	209	254	1,473	1,447	1,067	1,094	944	891
1994.....	13,679	66	202	204	259	1,507	1,592	1,121	1,151	997	848
1993.....	13,566	70	172	181	238	1,483	1,615	1,235	1,149	992	826
1992.....	12,953	61	175	199	220	1,386	1,619	1,232	1,136	949	749
1991.....	13,857	64	201	215	239	1,530	1,844	1,324	1,190	1,001	815
1990.....	15,133	73	187	213	241	1,753	1,968	1,689	1,313	1,065	862
1989.....	15,626	76	223	245	271	1,919	1,935	1,727	1,391	1,085	927
1988.....	16,120	99	208	229	308	2,111	2,294	1,818	1,405	1,075	888
1987.....	15,883	75	200	239	280	2,150	2,245	1,872	1,401	1,057	816
1986.....	15,584	59	203	193	261	2,062	2,528	1,805	1,380	1,044	767
1985.....	15,062	63	193	206	317	1,871	2,468	1,758	1,232	1,029	809
1984.....	15,123	63	196	214	287	1,985	2,516	1,813	1,334	993	745
1983.....	14,345	75	196	164	265	1,912	2,403	1,781	1,172	937	675
1982.....	14,830	88	212	179	323	2,091	2,577	1,795	1,295	973	705
1981.....	16,787	84	187	205	323	2,459	2,948	2,205	1,497	981	783
1980.....	17,000	101	213	210	336	2,715	3,168	2,095	1,412	987	820
1979.....	17,614	99	227	243	334	3,049	3,225	2,054	1,398	1,050	788

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)											
WHITE MALE											
1998.....	8,271	41	82	104	160	908	919	697	604	660	584
1997.....	8,333	28	93	103	137	898	990	724	671	655	572
1996.....	8,456	40	95	100	169	940	999	788	675	691	562
1995.....	8,100	25	100	110	134	901	1,045	719	737	605	561
1994.....	8,337	40	102	117	131	968	1,105	779	783	649	537
1993.....	8,329	32	87	85	142	935	1,159	863	782	668	511
1992.....	7,972	33	104	104	120	885	1,132	825	798	609	454
1991.....	8,521	31	94	110	145	926	1,317	929	811	648	520
1990.....	9,428	39	92	102	126	1,156	1,413	1,198	909	702	536
1989.....	9,653	37	114	141	149	1,200	1,367	1,206	957	712	582
1988.....	10,158	47	104	115	175	1,375	1,660	1,300	950	711	556
1987.....	10,164	31	95	126	184	1,432	1,609	1,338	998	718	522
1986.....	10,152	28	94	108	171	1,397	1,872	1,313	990	713	507
1985.....	9,724	35	106	99	196	1,245	1,805	1,259	890	681	511
1984.....	9,845	32	106	106	180	1,345	1,831	1,339	920	647	485
1983.....	9,465	36	107	76	160	1,307	1,752	1,322	813	667	413
1982.....	9,947	40	96	91	201	1,490	1,916	1,334	937	689	486
1981.....	11,415	38	100	125	213	1,726	2,166	1,686	1,068	706	540
1980.....	11,647	55	112	110	218	1,947	2,396	1,549	1,045	686	553
1979.....	12,190	50	104	131	214	2,200	2,429	1,547	1,045	744	534
WHITE FEMALE											
1998.....	5,500	20	75	102	110	586	390	336	311	392	341
1997.....	5,622	33	101	99	124	611	424	327	349	365	315
1996.....	5,687	43	97	114	133	601	449	408	331	377	340
1995.....	5,373	32	86	99	120	572	402	348	357	339	330
1994.....	5,342	26	100	87	128	539	487	342	368	348	311
1993.....	5,237	38	85	96	96	548	456	372	367	324	315
1992.....	4,981	28	71	95	100	501	487	407	338	340	295
1991.....	5,336	33	107	105	94	604	527	395	379	353	295
1990.....	5,705	34	95	111	115	597	555	491	404	363	326
1989.....	5,973	39	109	104	122	719	568	521	434	373	345
1988.....	5,962	52	104	114	133	736	634	518	455	364	332
1987.....	5,719	44	105	113	96	718	636	534	403	339	294
1986.....	5,432	31	109	85	90	665	656	492	390	331	260
1985.....	5,338	28	87	107	121	626	663	499	342	348	298
1984.....	5,278	31	90	108	107	640	685	474	414	346	260
1983.....	4,880	39	89	88	105	605	651	459	359	270	262
1982.....	4,883	48	116	88	122	601	661	461	358	284	219
1981.....	5,372	46	87	80	110	733	782	519	429	275	243
1980.....	5,353	46	101	100	118	768	772	546	367	301	267
1979.....	5,424	49	123	112	120	849	796	507	353	306	254

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)											
ALL OTHER, BOTH SEXES											
1998.....	2,359	21	57	64	60	205	275	260	202	217	195
1997.....	2,345	20	55	65	53	235	276	271	201	190	151
1996.....	2,305	18	53	47	49	246	320	288	219	178	169
1995.....	2,289	18	54	40	67	215	335	253	215	204	168
1994.....	2,289	33	81	58	58	227	367	218	214	210	135
1993.....	2,082	23	71	58	65	173	324	219	207	181	141
1992.....	2,055	23	64	50	42	197	271	223	215	182	134
1991.....	2,043	22	34	38	39	206	303	279	229	164	150
1990.....	2,164	15	53	38	47	222	310	281	231	178	156
1989.....	2,196	29	54	44	44	215	312	278	236	222	163
1988.....	2,213	27	58	38	47	238	338	314	228	180	148
1987.....	2,132	20	41	45	50	225	355	293	225	192	144
1986.....	2,102	20	52	41	40	190	332	305	224	197	131
1985.....	1,862	29	38	29	54	176	324	220	204	159	127
1984.....	1,750	17	34	25	35	203	283	237	208	149	104
1983.....	1,650	13	36	44	34	133	285	233	164	137	102
1982.....	1,614	20	31	31	41	171	254	207	173	129	94
1981.....	1,734	19	35	28	49	133	300	244	199	131	103
1980.....	1,759	16	48	34	58	178	279	226	185	129	114
1979.....	1,819	11	36	42	29	188	304	255	182	154	110
ALL OTHER MALE											
1998.....	1,464	8	30	32	37	141	184	190	142	138	116
1997.....	1,448	12	31	29	28	168	188	188	140	116	83
1996.....	1,464	11	23	25	32	170	226	206	138	111	100
1995.....	1,457	14	25	16	43	141	237	180	131	135	106
1994.....	1,425	13	38	30	31	162	248	145	140	129	87
1993.....	1,321	9	34	26	40	129	223	147	139	114	97
1992.....	1,325	13	27	27	30	143	198	152	135	115	78
1991.....	1,333	12	17	16	21	145	228	194	157	106	94
1990.....	1,447	7	25	22	18	172	237	201	164	120	105
1989.....	1,441	17	26	21	24	166	228	183	162	152	92
1988.....	1,453	19	29	23	24	164	244	227	138	122	83
1987.....	1,434	13	21	21	32	167	266	206	151	122	95
1986.....	1,448	11	21	20	26	147	248	213	159	141	91
1985.....	1,267	14	21	16	35	119	242	160	138	116	83
1984.....	1,206	7	21	12	16	143	220	173	142	96	77
1983.....	1,142	5	18	22	27	93	207	177	119	107	64
1982.....	1,121	8	15	16	21	123	194	144	130	89	67
1981.....	1,231	13	16	14	27	92	224	180	148	97	78
1980.....	1,257	10	27	18	33	139	214	162	142	93	79
1979.....	1,311	4	19	26	22	136	231	187	140	116	75

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)											
ALL OTHER FEMALE											
1998.....	895	13	27	32	23	64	91	70	60	79	79
1997.....	897	8	24	36	25	67	88	83	61	74	68
1996.....	841	7	30	22	17	76	94	82	81	67	69
1995.....	832	4	29	24	24	74	98	73	84	69	62
1994.....	864	20	43	28	27	65	119	73	74	81	48
1993.....	761	14	37	32	25	44	101	72	68	67	44
1992.....	730	10	37	23	12	54	73	71	80	67	56
1991.....	710	10	17	22	18	61	75	85	72	58	56
1990.....	717	8	28	16	29	50	73	80	67	58	51
1989.....	755	12	28	23	20	49	84	95	74	70	71
1988.....	760	8	29	15	23	74	94	87	90	58	65
1987.....	698	7	20	24	18	58	89	87	74	70	49
1986.....	654	9	31	21	14	43	84	92	65	56	40
1985.....	595	15	17	13	19	57	82	60	66	43	44
1984.....	544	10	13	13	19	60	63	64	66	53	27
1983.....	508	8	18	22	7	40	78	56	45	30	38
1982.....	493	12	16	15	20	48	60	63	43	40	27
1981.....	503	6	19	14	22	41	76	64	51	34	25
1980.....	502	6	21	16	25	39	65	64	43	36	35
1979.....	508	7	17	16	7	52	73	68	42	38	35
BLACK, BOTH SEXES											
1998.....	1,819	20	49	51	46	162	219	197	148	184	142
1997.....	1,781	17	43	48	39	177	208	213	156	153	108
1996.....	1,796	15	48	39	37	192	259	222	165	134	134
1995.....	1,775	16	50	34	45	162	260	199	169	159	125
1994.....	1,748	30	68	49	49	165	262	166	168	156	101
1993.....	1,642	19	60	48	51	127	256	173	165	145	114
1992.....	1,599	18	53	41	35	137	209	179	164	142	111
1991.....	1,619	18	30	32	29	159	244	228	185	129	124
1990.....	1,676	12	49	30	34	179	234	209	184	140	113
1989.....	1,720	20	34	36	35	153	242	224	192	169	124
1988.....	1,721	23	48	33	39	168	256	239	178	148	109
1987.....	1,700	17	33	37	39	176	274	243	185	155	106
1986.....	1,706	17	41	30	33	150	259	255	185	161	99
1985.....	1,496	22	32	23	42	130	262	171	163	136	98
1984.....	1,399	11	30	23	32	148	223	184	159	123	88
1983.....	1,308	10	30	28	23	100	233	179	128	109	80
1982.....	1,289	15	26	28	32	138	204	171	136	94	77
1981.....	1,396	14	25	25	43	96	250	197	156	98	79
1980.....	1,419	14	39	26	39	144	228	175	149	104	88
1979.....	1,493	10	28	33	21	141	236	206	153	124	91

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)											
BLACK MALE											
1998.....	1,150	7	24	27	30	116	151	148	108	116	87
1997.....	1,122	9	28	18	22	132	145	149	107	92	64
1996.....	1,163	8	19	21	25	129	184	157	106	89	84
1995.....	1,162	13	22	14	29	116	189	145	104	107	80
1994.....	1,095	12	34	24	27	125	173	109	112	97	68
1993.....	1,068	8	30	21	33	95	178	121	113	93	81
1992.....	1,048	8	20	22	25	106	154	119	105	94	63
1991.....	1,076	10	15	13	16	118	185	156	127	86	81
1990.....	1,140	5	23	17	14	140	184	149	135	96	77
1989.....	1,148	12	19	18	21	124	180	143	132	116	72
1988.....	1,146	16	26	23	20	119	187	170	106	106	65
1987.....	1,146	11	17	19	24	133	201	168	125	99	69
1986.....	1,196	9	16	15	20	114	194	182	137	119	70
1985.....	1,024	10	15	13	28	86	194	131	111	103	65
1984.....	972	4	18	11	15	101	175	133	111	78	66
1983.....	921	5	16	14	19	71	168	136	96	89	51
1982.....	914	5	13	14	16	98	158	118	104	69	55
1981.....	1,021	9	13	12	23	68	189	147	127	75	64
1980.....	1,043	8	24	14	24	110	176	128	117	78	67
1979.....	1,094	3	15	22	15	105	178	151	121	95	68
BLACK FEMALE											
1998.....	669	13	25	24	16	46	68	49	40	68	55
1997.....	659	8	15	30	17	45	63	64	49	61	44
1996.....	633	7	29	18	12	63	75	65	59	45	50
1995.....	613	3	28	20	16	46	71	54	65	52	45
1994.....	653	18	34	25	22	40	89	57	56	59	33
1993.....	574	11	30	27	18	32	78	52	52	52	33
1992.....	551	10	33	19	10	31	55	60	59	48	48
1991.....	543	8	15	19	13	41	59	72	58	43	43
1990.....	536	7	26	13	20	39	50	60	49	44	36
1989.....	572	8	15	18	14	29	62	81	60	53	52
1988.....	575	7	22	10	19	49	69	69	72	42	44
1987.....	554	6	16	18	15	43	73	75	60	56	37
1986.....	510	8	25	15	13	36	65	73	48	42	29
1985.....	472	12	17	10	14	44	68	40	52	33	33
1984.....	427	7	12	12	17	47	48	51	48	45	22
1983.....	387	5	14	14	4	29	65	43	32	20	29
1982.....	375	10	13	14	16	40	46	53	32	25	22
1981.....	375	5	12	13	20	28	61	50	29	23	15
1980.....	376	6	15	12	15	34	52	47	32	26	21
1979.....	399	7	13	11	6	36	58	55	32	29	23

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)											
TOTAL, BOTH SEXES											
1998.....	5,354	5	186	207	175	285	315	316	375	505	483
1997.....	5,483	5	198	256	212	283	319	337	416	477	472
1996.....	5,641	9	216	263	230	277	355	330	436	496	477
1995.....	5,876	9	233	281	258	308	361	388	456	504	465
1994.....	5,746	1	276	315	258	271	344	367	483	508	433
1993.....	5,923	11	289	306	246	272	355	423	547	524	427
1992.....	5,852	12	265	325	207	311	370	408	510	491	412
1991.....	6,180	9	291	337	252	350	457	462	581	470	402
1990.....	6,800	15	310	386	241	333	478	573	584	538	412
1989.....	6,957	6	316	432	243	333	502	589	601	539	436
1988.....	7,193	10	317	506	295	394	554	578	599	470	441
1987.....	7,044	2	317	485	293	415	588	588	506	458	425
1986.....	7,014	21	349	468	273	491	646	644	498	441	336
1985.....	7,157	9	392	485	266	491	666	571	491	436	364
1984.....	7,196	9	349	467	320	515	697	614	507	402	345
1983.....	7,051	9	358	464	324	550	725	600	484	365	331
1982.....	7,449	15	378	488	328	650	820	623	503	450	330
1981.....	7,984	10	373	593	356	695	790	675	542	365	352
1980.....	8,208	12	434	618	377	751	835	606	483	371	343
1979.....	8,327	7	466	707	382	781	806	610	421	354	359
TOTAL, MALE											
1998.....	3,649	3	110	129	111	191	243	241	273	347	340
1997.....	3,751	5	119	152	126	182	246	265	313	337	348
1996.....	3,879	4	137	169	150	199	275	237	308	354	351
1995.....	4,067	6	146	189	159	207	278	298	333	372	334
1994.....	3,930	1	176	220	168	190	265	280	369	375	335
1993.....	4,116	6	180	198	157	188	280	325	427	392	322
1992.....	4,085	6	172	223	144	214	294	323	406	367	306
1991.....	4,251	6	173	231	173	240	343	353	438	365	291
1990.....	4,705	7	197	266	163	239	380	442	447	407	304
1989.....	4,881	1	186	267	168	226	400	467	434	407	338
1988.....	4,987	6	203	325	186	277	435	446	463	367	340
1987.....	4,975	1	196	321	196	299	469	446	388	345	336
1986.....	4,922	10	228	316	166	338	528	506	391	336	259
1985.....	4,931	7	259	304	163	338	520	454	372	316	276
1984.....	5,134	2	220	301	205	372	539	503	400	311	270
1983.....	4,935	6	225	310	209	407	570	459	366	275	248
1982.....	5,232	9	232	306	213	462	628	473	376	330	259
1981.....	5,602	6	223	390	218	499	607	533	425	282	251
1980.....	5,726	8	269	415	238	549	650	474	363	286	249
1979.....	5,816	4	286	467	229	564	649	471	322	259	267

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)											
TOTAL, FEMALE											
1998.....	1,705	2	76	78	64	94	72	75	102	158	143
1997.....	1,732	-	79	104	86	101	73	72	103	140	124
1996.....	1,762	5	79	94	80	78	80	93	128	142	126
1995.....	1,809	3	87	92	99	101	83	90	123	132	131
1994.....	1,816	-	100	95	90	81	79	87	114	133	98
1993.....	1,807	5	109	108	89	84	75	98	120	132	105
1992.....	1,767	6	93	102	63	97	76	85	104	124	106
1991.....	1,929	3	118	106	79	110	114	109	143	105	111
1990.....	2,095	8	113	120	78	94	98	131	137	131	108
1989.....	2,076	5	130	165	75	107	102	122	167	132	98
1988.....	2,206	4	114	181	109	117	119	132	136	103	101
1987.....	2,069	1	121	164	97	116	119	142	118	113	89
1986.....	2,092	11	121	152	107	153	118	138	107	105	77
1985.....	2,226	2	133	181	103	153	146	117	119	120	88
1984.....	2,062	7	129	166	115	143	158	111	107	91	75
1983.....	2,116	3	133	154	115	143	155	141	118	90	83
1982.....	2,217	6	146	182	115	188	192	150	127	120	71
1981.....	2,382	4	150	203	138	196	183	142	117	83	101
1980.....	2,482	4	165	203	139	202	185	132	120	85	94
1979.....	2,511	3	180	240	153	217	157	139	99	95	92
WHITE, BOTH SEXES											
1998.....	4,002	5	122	119	126	223	258	224	272	349	336
1997.....	4,087	4	124	163	161	220	246	251	287	340	342
1996.....	4,262	7	140	165	192	209	266	243	299	347	348
1995.....	4,439	7	145	180	187	243	285	284	315	373	325
1994.....	4,310	-	176	199	200	215	266	279	342	373	317
1993.....	4,469	10	194	206	187	216	267	315	388	370	302
1992.....	4,417	7	203	213	167	245	282	312	347	326	283
1991.....	4,633	7	195	232	178	274	366	320	423	306	268
1990.....	5,164	7	201	264	184	262	381	411	415	372	294
1989.....	5,292	5	223	297	181	275	397	447	426	354	312
1988.....	5,534	9	224	349	226	315	429	431	429	326	340
1987.....	5,409	2	214	332	230	346	470	420	369	348	293
1986.....	5,338	11	235	301	214	410	526	475	345	310	249
1985.....	5,518	6	269	336	223	420	538	408	338	311	267
1984.....	5,610	6	236	311	254	448	561	464	374	290	252
1983.....	5,462	9	241	323	259	457	568	452	374	263	247
1982.....	5,859	12	265	342	267	562	652	468	375	328	240
1981.....	6,346	6	269	428	298	602	657	514	406	278	261
1980.....	6,473	7	296	434	319	638	672	481	355	271	248
1979.....	6,627	7	334	501	323	669	674	458	299	268	270

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)											
WHITE MALE											
1998.....	2,697	3	74	73	74	148	201	171	199	235	239
1997.....	2,811	4	79	94	97	142	189	200	226	246	249
1996.....	2,925	4	86	105	121	154	211	178	210	256	250
1995.....	3,043	5	83	122	115	165	221	223	226	280	234
1994.....	2,912	-	110	140	133	152	203	215	260	282	240
1993.....	3,075	6	120	143	123	150	210	242	308	273	226
1992.....	3,059	6	137	148	117	169	225	250	282	240	215
1991.....	3,113	5	114	158	116	186	269	243	322	236	186
1990.....	3,528	3	125	185	119	186	304	322	319	282	216
1989.....	3,654	1	130	180	123	191	319	358	306	269	236
1988.....	3,763	5	146	233	143	223	331	331	328	253	258
1987.....	3,761	1	135	220	154	253	368	316	280	255	233
1986.....	3,704	4	150	207	127	286	432	388	270	233	191
1985.....	3,748	6	176	218	134	287	421	322	255	226	203
1984.....	3,927	2	151	190	157	325	428	377	294	221	195
1983.....	3,777	6	151	219	160	341	460	348	283	197	176
1982.....	4,053	7	160	220	174	405	506	355	275	230	190
1981.....	4,407	3	161	285	189	436	506	409	321	210	181
1980.....	4,445	4	189	287	202	465	524	383	267	200	176
1979.....	4,551	4	202	329	192	483	544	348	221	190	196
WHITE FEMALE											
1998.....	1,305	2	48	46	52	75	57	53	73	114	97
1997.....	1,276	-	45	69	64	78	57	51	61	94	93
1996.....	1,337	3	54	60	71	55	55	65	89	91	98
1995.....	1,396	2	62	58	72	78	64	61	89	93	91
1994.....	1,398	-	66	59	67	63	63	64	82	91	77
1993.....	1,394	4	74	63	64	66	57	73	80	97	76
1992.....	1,358	1	66	65	50	76	57	62	65	86	68
1991.....	1,520	2	81	74	62	88	97	77	101	70	82
1990.....	1,636	4	76	79	65	76	77	89	96	90	78
1989.....	1,638	4	93	117	58	84	78	89	120	85	76
1988.....	1,771	4	78	116	83	92	98	100	101	73	82
1987.....	1,648	1	79	112	76	93	102	104	89	93	60
1986.....	1,634	7	85	94	87	124	94	87	75	77	58
1985.....	1,770	-	93	118	89	133	117	86	83	85	64
1984.....	1,683	4	85	121	97	123	133	87	80	69	57
1983.....	1,685	3	90	104	99	116	108	104	91	66	71
1982.....	1,806	5	105	122	93	157	146	113	100	98	50
1981.....	1,939	3	108	143	109	166	151	105	85	68	80
1980.....	2,028	3	107	147	117	173	148	98	88	71	72
1979.....	2,076	3	132	172	131	186	130	110	78	78	74

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)											
ALL OTHER, BOTH SEXES											
1998.....	1,352	-	64	88	49	62	57	92	103	156	147
1997.....	1,396	1	74	93	51	63	73	86	129	137	130
1996.....	1,379	2	76	98	38	68	89	87	137	149	129
1995.....	1,437	2	88	101	71	65	76	104	141	131	140
1994.....	1,436	1	100	116	58	56	78	88	141	135	116
1993.....	1,454	1	95	100	59	56	88	108	159	154	125
1992.....	1,435	5	62	112	40	66	88	96	163	165	129
1991.....	1,547	2	96	105	74	76	91	142	158	164	134
1990.....	1,636	8	109	122	57	71	97	162	169	166	118
1989.....	1,665	1	93	135	62	58	105	142	175	185	124
1988.....	1,659	1	93	157	69	79	125	147	170	144	101
1987.....	1,635	-	103	153	63	69	118	168	137	110	132
1986.....	1,676	10	114	167	59	81	120	169	153	131	87
1985.....	1,639	3	123	149	43	71	128	163	153	125	97
1984.....	1,586	3	113	156	66	67	136	150	133	112	93
1983.....	1,589	-	117	141	65	93	157	148	110	102	84
1982.....	1,590	3	113	146	61	88	168	155	128	122	90
1981.....	1,638	4	104	165	58	93	133	161	136	87	91
1980.....	1,735	5	138	184	58	113	163	125	128	100	95
1979.....	1,700	-	132	206	59	112	132	152	122	86	89
ALL OTHER MALE											
1998.....	952	-	36	56	37	43	42	70	74	112	101
1997.....	940	1	40	58	29	40	57	65	87	91	99
1996.....	954	-	51	64	29	45	64	59	98	98	101
1995.....	1,024	1	63	67	44	42	57	75	107	92	100
1994.....	1,018	1	66	80	35	38	62	65	109	93	95
1993.....	1,041	-	60	55	34	38	70	83	119	119	96
1992.....	1,026	-	35	75	27	45	69	73	124	127	91
1991.....	1,138	1	59	73	57	54	74	110	116	129	105
1990.....	1,177	4	72	81	44	53	76	120	128	125	88
1989.....	1,227	-	56	87	45	35	81	109	128	138	102
1988.....	1,224	1	57	92	43	54	104	115	135	114	82
1987.....	1,214	-	61	101	42	46	101	130	108	90	103
1986.....	1,218	6	78	109	39	52	96	118	121	103	68
1985.....	1,183	1	83	86	29	51	99	132	117	90	73
1984.....	1,207	-	69	111	48	47	111	126	106	90	75
1983.....	1,158	-	74	91	49	66	110	111	83	78	72
1982.....	1,179	2	72	86	39	57	122	118	101	100	69
1981.....	1,195	3	62	105	29	63	101	124	104	72	70
1980.....	1,281	4	80	128	36	84	126	91	96	86	73
1979.....	1,265	-	84	138	37	81	105	123	101	69	71

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)											
ALL OTHER FEMALE											
1998.....	400	-	28	32	12	19	15	22	29	44	46
1997.....	456	-	34	35	22	23	16	21	42	46	31
1996.....	425	2	25	34	9	23	25	28	39	51	28
1995.....	413	1	25	34	27	23	19	29	34	39	40
1994.....	418	-	34	36	23	18	16	23	32	42	21
1993.....	413	1	35	45	25	18	18	25	40	35	29
1992.....	409	5	27	37	13	21	19	23	39	38	38
1991.....	409	1	37	32	17	22	17	32	42	35	29
1990.....	459	4	37	41	13	18	21	42	41	41	30
1989.....	438	1	37	48	17	23	24	33	47	47	22
1988.....	435	-	36	65	26	25	21	32	35	30	19
1987.....	421	-	42	52	21	23	17	38	29	20	29
1986.....	458	4	36	58	20	29	24	51	32	28	19
1985.....	456	2	40	63	14	20	29	31	36	35	24
1984.....	379	3	44	45	18	20	25	24	27	22	18
1983.....	431	-	43	50	16	27	47	37	27	24	12
1982.....	411	1	41	60	22	31	46	37	27	22	21
1981.....	443	1	42	60	29	30	32	37	32	15	21
1980.....	454	1	58	56	22	29	37	34	32	14	22
1979.....	435	-	48	68	22	31	27	29	21	17	18
BLACK, BOTH SEXES											
1998.....	1,086	-	57	82	42	50	41	69	82	136	122
1997.....	1,093	1	64	85	45	51	54	58	97	119	106
1996.....	1,065	2	60	88	31	48	63	71	112	123	113
1995.....	1,101	2	75	82	61	54	48	78	112	119	116
1994.....	1,125	1	80	101	50	44	53	70	119	115	105
1993.....	1,146	1	78	88	51	36	64	84	134	126	111
1992.....	1,139	5	53	102	39	48	61	74	136	136	106
1991.....	1,242	1	82	92	63	58	66	114	130	141	114
1990.....	1,322	8	85	102	49	52	80	132	142	142	97
1989.....	1,352	1	76	120	56	34	79	124	150	146	106
1988.....	1,357	1	76	140	57	62	88	125	151	125	88
1987.....	1,321	-	89	136	52	51	89	135	113	88	110
1986.....	1,348	6	94	144	47	55	93	140	126	109	69
1985.....	1,319	3	97	125	40	51	99	128	127	102	86
1984.....	1,311	3	94	133	59	51	111	129	116	85	73
1983.....	1,320	-	107	126	57	75	122	123	90	86	72
1982.....	1,307	2	98	133	53	72	128	121	103	104	70
1981.....	1,360	1	90	145	48	63	98	134	114	82	76
1980.....	1,445	4	126	169	50	77	133	94	106	86	74
1979.....	1,417	-	113	191	54	80	101	114	104	65	74

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)											
BLACK MALE											
1998.....	783	-	33	52	33	34	28	54	57	101	82
1997.....	749	1	34	54	27	33	41	43	60	78	84
1996.....	760	-	44	58	24	28	45	48	83	80	89
1995.....	806	1	55	56	38	35	36	59	84	81	85
1994.....	822	1	53	71	32	29	44	51	96	78	85
1993.....	849	-	50	48	30	28	51	64	101	96	88
1992.....	832	-	29	68	27	32	49	53	103	106	79
1991.....	927	-	48	63	49	42	55	90	96	111	91
1990.....	973	4	58	66	38	39	64	100	107	109	73
1989.....	1,018	-	47	77	42	17	57	96	111	117	87
1988.....	1,015	1	46	81	35	41	72	96	121	99	74
1987.....	992	-	49	90	35	30	76	107	86	74	86
1986.....	1,002	4	62	96	32	37	78	98	98	88	57
1985.....	969	1	65	72	28	35	77	107	97	76	64
1984.....	1,005	-	59	91	45	34	90	109	92	69	59
1983.....	968	-	66	79	43	54	85	92	71	69	62
1982.....	986	2	63	78	32	49	95	98	84	85	57
1981.....	1,014	1	51	95	26	44	74	109	92	67	60
1980.....	1,077	3	74	118	32	55	105	71	82	74	60
1979.....	1,054	-	72	125	34	59	81	92	85	55	59
BLACK FEMALE											
1998.....	303	-	24	30	9	16	13	15	25	35	40
1997.....	344	-	30	31	18	18	13	15	37	41	22
1996.....	305	2	16	30	7	20	18	23	29	43	24
1995.....	295	1	20	26	23	19	12	19	28	38	31
1994.....	303	-	27	30	18	15	9	19	23	37	20
1993.....	297	1	28	40	21	8	13	20	33	30	23
1992.....	307	5	24	34	12	16	12	21	33	30	27
1991.....	315	1	34	29	14	16	11	24	34	30	23
1990.....	349	4	27	36	11	13	16	32	35	33	24
1989.....	334	1	29	43	14	17	22	28	39	29	19
1988.....	342	-	30	59	22	21	16	29	30	26	14
1987.....	329	-	40	46	17	21	13	28	27	14	24
1986.....	346	2	32	48	15	18	15	42	28	21	12
1985.....	350	2	32	53	12	16	22	21	30	26	22
1984.....	306	3	35	42	14	17	21	20	24	16	14
1983.....	352	-	41	47	14	21	37	31	19	17	10
1982.....	321	-	35	55	21	23	33	23	19	19	13
1981.....	346	-	39	50	22	19	24	25	22	15	16
1980.....	368	1	52	51	18	22	28	23	24	12	14
1979.....	363	-	41	66	20	21	20	22	19	10	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)											
TOTAL, BOTH SEXES											
1998.....	6,152	18	47	108	190	916	921	650	560	525	464
1997.....	6,256	19	35	111	205	986	960	710	586	532	472
1996.....	6,461	10	46	118	198	1,056	1,025	747	606	600	447
1995.....	6,530	11	38	129	215	1,018	1,094	810	665	595	432
1994.....	6,244	13	54	124	223	1,006	1,083	724	605	490	394
1993.....	6,378	23	45	125	224	1,031	1,102	785	661	554	363
1992.....	6,439	12	34	119	234	967	1,120	817	675	538	402
1991.....	7,206	16	45	128	249	1,194	1,327	975	744	560	414
1990.....	7,370	20	57	138	221	1,311	1,309	1,069	805	589	374
1989.....	7,293	26	46	165	261	1,319	1,373	1,042	744	526	400
1988.....	7,584	22	41	184	274	1,414	1,522	1,014	739	541	379
1987.....	7,362	15	56	177	309	1,370	1,481	1,080	755	537	317
1986.....	7,711	15	61	161	323	1,518	1,683	1,176	732	457	310
1985.....	6,929	14	33	153	281	1,327	1,583	1,013	632	451	294
1984.....	7,479	19	43	128	300	1,376	1,742	1,061	689	458	327
1983.....	7,179	21	47	161	288	1,390	1,611	1,011	687	431	299
1982.....	7,387	22	58	153	274	1,440	1,704	999	690	464	288
1981.....	8,296	28	62	152	325	1,650	1,949	1,143	778	487	330
1980.....	8,857	24	56	186	312	1,999	2,076	1,200	756	455	357
1979.....	7,904	20	53	199	367	1,857	1,814	1,009	664	381	299
TOTAL, MALE											
1998.....	4,639	9	24	76	151	667	760	520	424	402	350
1997.....	4,701	12	23	85	160	719	787	553	455	404	360
1996.....	4,854	3	25	77	135	797	838	608	463	463	346
1995.....	4,929	5	16	88	150	731	883	666	535	475	314
1994.....	4,764	6	34	83	164	733	899	585	487	377	312
1993.....	4,830	13	23	85	158	777	914	616	508	417	285
1992.....	4,911	8	19	95	173	689	915	661	550	418	333
1991.....	5,600	6	27	95	186	896	1,082	796	603	453	335
1990.....	5,728	9	28	95	169	1,011	1,080	853	669	468	295
1989.....	5,598	18	32	127	195	986	1,132	831	581	424	303
1988.....	5,952	14	22	143	218	1,077	1,264	828	605	433	310
1987.....	5,787	9	39	136	246	1,057	1,239	883	611	438	245
1986.....	6,076	7	38	125	235	1,173	1,387	971	617	368	248
1985.....	5,498	7	16	114	215	1,039	1,308	849	540	378	224
1984.....	5,848	8	20	105	215	1,086	1,434	880	572	375	250
1983.....	5,683	16	29	136	212	1,075	1,340	847	565	341	230
1982.....	5,927	14	31	118	208	1,147	1,453	839	570	378	222
1981.....	6,593	13	30	120	247	1,289	1,635	940	647	391	267
1980.....	7,121	11	38	131	231	1,555	1,765	1,027	637	370	282
1979.....	6,344	14	24	150	275	1,461	1,537	854	571	306	230

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)											
TOTAL, FEMALE											
1998.....	1,513	9	23	32	39	249	161	130	136	123	114
1997.....	1,555	7	12	26	45	267	173	157	131	128	112
1996.....	1,607	7	21	41	63	259	187	139	143	137	101
1995.....	1,601	6	22	41	65	287	211	144	130	120	118
1994.....	1,480	7	20	41	59	273	184	139	118	113	82
1993.....	1,548	10	22	40	66	254	188	169	153	137	78
1992.....	1,528	4	15	24	61	278	205	156	125	120	69
1991.....	1,606	10	18	33	63	298	245	179	141	107	79
1990.....	1,642	11	29	43	52	300	229	216	136	121	79
1989.....	1,695	8	14	38	66	333	241	211	163	102	97
1988.....	1,632	8	19	41	56	337	258	186	134	108	69
1987.....	1,575	6	17	41	63	313	242	197	144	99	72
1986.....	1,635	8	23	36	88	345	296	205	115	89	62
1985.....	1,431	7	17	39	66	288	275	164	92	73	70
1984.....	1,631	11	23	23	85	290	308	181	117	83	77
1983.....	1,496	5	18	25	76	315	271	164	122	90	69
1982.....	1,460	8	27	35	66	293	251	160	120	86	66
1981.....	1,703	15	32	32	78	361	314	203	131	96	63
1980.....	1,736	13	18	55	81	444	311	173	119	85	75
1979.....	1,560	6	29	49	92	396	277	155	93	75	69
WHITE, BOTH SEXES											
1998.....	5,080	10	32	80	145	763	771	503	452	450	386
1997.....	5,175	14	23	84	156	835	794	552	480	441	375
1996.....	5,413	7	36	83	157	885	837	622	500	498	388
1995.....	5,557	8	29	91	185	866	931	667	567	498	375
1994.....	5,298	7	38	94	181	871	921	608	515	423	330
1993.....	5,338	14	30	91	181	875	924	664	561	457	294
1992.....	5,465	8	27	93	189	835	948	690	571	451	340
1991.....	6,193	11	33	101	198	1,035	1,158	846	628	469	348
1990.....	6,237	11	39	100	181	1,155	1,127	905	687	490	314
1989.....	6,254	18	34	126	226	1,181	1,167	889	637	446	318
1988.....	6,512	13	35	138	228	1,258	1,314	894	625	452	309
1987.....	6,417	10	46	139	278	1,236	1,291	934	658	463	267
1986.....	6,693	13	48	129	268	1,374	1,485	1,014	611	380	260
1985.....	6,076	12	29	124	226	1,198	1,419	882	543	388	251
1984.....	6,647	15	40	111	263	1,276	1,566	938	601	398	281
1983.....	6,423	17	39	129	250	1,300	1,459	907	593	384	255
1982.....	6,581	17	48	133	243	1,332	1,554	870	597	406	246
1981.....	7,448	25	52	130	290	1,539	1,788	1,019	696	416	274
1980.....	7,949	17	45	156	272	1,874	1,880	1,044	662	410	314
1979.....	7,126	17	42	171	315	1,734	1,662	906	585	339	265

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)											
WHITE MALE											
1998.....	3,802	5	16	52	112	548	638	400	337	349	292
1997.....	3,870	8	16	65	121	601	650	431	373	332	285
1996.....	4,055	3	19	54	105	665	690	503	382	393	301
1995.....	4,174	3	14	62	133	618	748	546	455	392	270
1994.....	4,047	5	25	62	133	628	762	490	425	329	264
1993.....	4,033	7	14	62	125	657	768	518	429	346	236
1992.....	4,145	6	14	73	136	595	774	554	463	354	282
1991.....	4,804	5	19	75	147	775	946	688	509	379	282
1990.....	4,851	7	22	66	135	890	927	722	574	386	248
1989.....	4,790	12	26	98	168	874	962	708	504	361	239
1988.....	5,087	9	17	106	182	955	1,091	725	515	360	253
1987.....	5,027	6	30	107	217	940	1,079	766	536	375	205
1986.....	5,238	6	29	97	189	1,047	1,219	827	519	309	208
1985.....	4,808	6	13	92	170	935	1,166	746	464	325	192
1984.....	5,188	5	18	91	190	999	1,292	781	499	326	214
1983.....	5,071	13	24	109	181	1,004	1,213	754	487	305	197
1982.....	5,283	10	26	104	185	1,055	1,323	731	496	337	191
1981.....	5,897	12	25	99	216	1,200	1,500	838	576	331	221
1980.....	6,375	6	30	105	199	1,458	1,593	901	559	333	246
1979.....	5,714	13	20	129	230	1,369	1,411	763	506	270	202
WHITE FEMALE											
1998.....	1,278	5	16	28	33	215	133	103	115	101	94
1997.....	1,305	6	7	19	35	234	144	121	107	109	90
1996.....	1,358	4	17	29	52	220	147	119	118	105	87
1995.....	1,383	5	15	29	52	248	183	121	112	106	105
1994.....	1,251	2	13	32	48	243	159	118	90	94	66
1993.....	1,305	7	16	29	56	218	156	146	132	111	58
1992.....	1,320	2	13	20	53	240	174	136	108	97	58
1991.....	1,389	6	14	26	51	260	212	158	119	90	66
1990.....	1,386	4	17	34	46	265	200	183	113	104	66
1989.....	1,464	6	8	28	58	307	205	181	133	85	79
1988.....	1,425	4	18	32	46	303	223	169	110	92	56
1987.....	1,390	4	16	32	61	296	212	168	122	88	62
1986.....	1,455	7	19	32	79	327	266	187	92	71	52
1985.....	1,268	6	16	32	56	263	253	136	79	63	59
1984.....	1,459	10	22	20	73	277	274	157	102	72	67
1983.....	1,352	4	15	20	69	296	246	153	106	79	58
1982.....	1,298	7	22	29	58	277	231	139	101	69	55
1981.....	1,551	13	27	31	74	339	288	181	120	85	53
1980.....	1,574	11	15	51	73	416	287	143	103	77	68
1979.....	1,412	4	22	42	85	365	251	143	79	69	63

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)											
ALL OTHER, BOTH SEXES											
1998.....	1,072	8	15	28	45	153	150	147	108	75	78
1997.....	1,081	5	12	27	49	151	166	158	106	91	97
1996.....	1,048	3	10	35	41	171	188	125	106	102	59
1995.....	973	3	9	38	30	152	163	143	98	97	57
1994.....	946	6	16	30	42	135	162	116	90	67	64
1993.....	1,040	9	15	34	43	156	178	121	100	97	69
1992.....	974	4	7	26	45	132	172	127	104	87	62
1991.....	1,013	5	12	27	51	159	169	129	116	91	66
1990.....	1,133	9	18	38	40	156	182	164	118	99	60
1989.....	1,039	8	12	39	35	138	206	153	107	80	82
1988.....	1,072	9	6	46	46	156	208	120	114	89	70
1987.....	945	5	10	38	31	134	190	146	97	74	50
1986.....	1,018	2	13	32	55	144	198	162	121	77	50
1985.....	853	2	4	29	55	129	164	131	89	63	43
1984.....	832	4	3	17	37	100	176	123	88	60	46
1983.....	756	4	8	32	38	90	152	104	94	47	44
1982.....	806	5	10	20	31	108	150	129	93	58	42
1981.....	848	3	10	22	35	111	161	124	82	71	56
1980.....	908	7	11	30	40	125	196	156	94	45	43
1979.....	778	3	11	28	52	123	152	103	79	42	34
ALL OTHER MALE											
1998.....	837	4	8	24	39	119	122	120	87	53	58
1997.....	831	4	7	20	39	118	137	122	82	72	75
1996.....	799	-	6	23	30	132	148	105	81	70	45
1995.....	755	2	2	26	17	113	135	120	80	83	44
1994.....	717	1	9	21	31	105	137	95	62	48	48
1993.....	797	6	9	23	33	120	146	98	79	71	49
1992.....	766	2	5	22	37	94	141	107	87	64	51
1991.....	796	1	8	20	39	121	136	108	94	74	53
1990.....	877	2	6	29	34	121	153	131	95	82	47
1989.....	808	6	6	29	27	112	170	123	77	63	64
1988.....	865	5	5	37	36	122	173	103	90	73	57
1987.....	760	3	9	29	29	117	160	117	75	63	40
1986.....	838	1	9	28	46	126	168	144	98	59	40
1985.....	690	1	3	22	45	104	142	103	76	53	32
1984.....	660	3	2	14	25	87	142	99	73	49	36
1983.....	612	3	5	27	31	71	127	93	78	36	33
1982.....	644	4	5	14	23	92	130	108	74	41	31
1981.....	696	1	5	21	31	89	135	102	71	60	46
1980.....	746	5	8	26	32	97	172	126	78	37	36
1979.....	630	1	4	21	45	92	126	91	65	36	28

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)											
ALL OTHER FEMALE											
1998.....	235	4	7	4	6	34	28	27	21	22	20
1997.....	250	1	5	7	10	33	29	36	24	19	22
1996.....	249	3	4	12	11	39	40	20	25	32	14
1995.....	218	1	7	12	13	39	28	23	18	14	13
1994.....	229	5	7	9	11	30	25	21	28	19	16
1993.....	243	3	6	11	10	36	32	23	21	26	20
1992.....	208	2	2	4	8	38	31	20	17	23	11
1991.....	217	4	4	7	12	38	33	21	22	17	13
1990.....	256	7	12	9	6	35	29	33	23	17	13
1989.....	231	2	6	10	8	26	36	30	30	17	18
1988.....	207	4	1	9	10	34	35	17	24	16	13
1987.....	185	2	1	9	2	17	30	29	22	11	10
1986.....	180	1	4	4	9	18	30	18	23	18	10
1985.....	163	1	1	7	10	25	22	28	13	10	11
1984.....	172	1	1	3	12	13	34	24	15	11	10
1983.....	144	1	3	5	7	19	25	11	16	11	11
1982.....	162	1	5	6	8	16	20	21	19	17	11
1981.....	152	2	5	1	4	22	26	22	11	11	10
1980.....	162	2	3	4	8	28	24	30	16	8	7
1979.....	148	2	7	7	7	31	26	12	14	6	6
BLACK, BOTH SEXES											
1998.....	863	7	14	26	33	124	115	123	84	60	66
1997.....	861	4	10	25	44	116	135	118	85	73	79
1996.....	841	3	9	27	32	140	146	101	85	78	46
1995.....	755	3	8	31	25	119	118	104	73	83	49
1994.....	765	5	13	28	37	114	131	100	66	48	54
1993.....	835	7	12	30	35	125	139	88	79	85	54
1992.....	771	4	5	19	37	106	140	94	81	73	44
1991.....	805	5	11	23	43	124	134	103	89	73	49
1990.....	910	9	14	31	36	112	140	136	102	82	46
1989.....	881	7	10	36	29	111	171	131	94	66	68
1988.....	889	9	5	41	40	123	166	94	100	75	62
1987.....	788	4	10	33	26	115	157	121	78	59	47
1986.....	843	2	12	22	45	116	162	131	108	62	44
1985.....	686	2	4	22	47	102	132	105	67	52	30
1984.....	709	3	3	16	35	81	153	105	74	51	35
1983.....	633	2	7	27	32	78	120	92	77	42	34
1982.....	670	4	8	19	26	87	123	104	78	50	35
1981.....	707	2	8	19	28	86	134	105	66	59	49
1980.....	783	5	10	27	34	101	162	139	80	43	40
1979.....	671	2	9	24	46	103	123	94	70	39	27

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)											
BLACK MALE											
1998.....	686	3	8	23	29	97	95	101	73	42	48
1997.....	680	4	6	18	35	98	111	93	68	60	62
1996.....	651	-	6	18	24	106	118	86	67	54	37
1995.....	592	2	2	21	14	89	98	88	60	71	41
1994.....	590	1	7	20	27	88	111	80	51	37	41
1993.....	669	5	8	21	25	102	117	76	65	66	41
1992.....	607	2	3	17	30	74	115	82	71	54	34
1991.....	645	1	7	16	33	97	110	86	74	63	41
1990.....	717	2	4	25	30	87	123	108	83	70	38
1989.....	699	5	6	28	23	93	142	105	71	56	53
1988.....	730	5	5	34	32	99	142	83	78	62	50
1987.....	637	2	9	26	24	100	134	99	61	51	37
1986.....	699	1	9	19	38	100	141	119	88	50	35
1985.....	559	1	3	16	41	80	110	84	58	45	26
1984.....	568	3	2	13	25	72	123	85	62	44	27
1983.....	523	1	4	23	25	60	101	85	68	32	29
1982.....	540	3	4	13	19	73	109	89	65	35	27
1981.....	594	1	4	18	25	72	114	91	58	53	41
1980.....	655	4	7	23	28	83	144	112	68	36	33
1979.....	560	1	4	20	40	78	108	82	59	34	23
BLACK FEMALE											
1998.....	177	4	6	3	4	27	20	22	11	18	18
1997.....	181	-	4	7	9	18	24	25	17	13	17
1996.....	190	3	3	9	8	34	28	15	18	24	9
1995.....	163	1	6	10	11	30	20	16	13	12	8
1994.....	175	4	6	8	10	26	20	20	15	11	13
1993.....	166	2	4	9	10	23	22	12	14	19	13
1992.....	164	2	2	2	7	32	25	12	10	19	10
1991.....	160	4	4	7	10	27	24	17	15	10	8
1990.....	193	7	10	6	6	25	17	28	19	12	8
1989.....	182	2	4	8	6	18	29	26	23	10	15
1988.....	159	4	-	7	8	24	24	11	22	13	12
1987.....	151	2	1	7	2	15	23	22	17	8	10
1986.....	144	1	3	3	7	16	21	12	20	12	9
1985.....	127	1	1	6	6	22	22	21	9	7	4
1984.....	141	-	1	3	10	9	30	20	12	7	8
1983.....	110	1	3	4	7	18	19	7	9	10	5
1982.....	130	1	4	6	7	14	14	15	13	15	8
1981.....	113	1	4	1	3	14	20	14	8	6	8
1980.....	128	1	3	4	6	18	18	27	12	7	7
1979.....	111	1	5	4	6	25	15	12	11	5	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)											
TOTAL, BOTH SEXES											
1998.....	7,530	27	88	107	171	1,227	1,148	761	708	713	595
1997.....	7,366	26	95	96	182	1,211	1,055	825	731	688	592
1996.....	7,696	44	78	88	166	1,332	1,221	847	782	735	614
1995.....	7,252	31	86	86	166	1,157	1,195	890	801	711	526
1994.....	7,317	41	102	77	183	1,218	1,193	847	781	650	521
1993.....	7,155	27	97	83	160	1,144	1,266	812	848	706	483
1992.....	7,139	20	88	84	149	1,142	1,209	929	792	654	474
1991.....	7,917	33	123	90	160	1,272	1,435	1,099	916	679	532
1990.....	8,592	43	103	86	191	1,397	1,605	1,218	1,003	758	541
1989.....	8,870	43	131	112	184	1,550	1,603	1,332	961	670	545
1988.....	9,128	29	132	89	167	1,671	1,839	1,339	997	727	508
1987.....	8,940	51	134	76	180	1,618	1,836	1,338	954	726	485
1986.....	8,930	32	119	71	206	1,730	1,910	1,324	937	682	421
1985.....	8,060	32	115	78	160	1,466	1,741	1,227	825	602	414
1984.....	8,092	20	101	64	155	1,450	1,797	1,215	839	569	401
1983.....	7,981	28	139	79	153	1,464	1,704	1,109	834	574	427
1982.....	8,203	23	123	70	153	1,560	1,895	1,222	776	540	382
1981.....	9,472	31	109	84	181	1,880	2,153	1,357	973	633	436
1980.....	9,800	43	129	105	194	2,125	2,206	1,378	939	602	455
1979.....	9,463	36	116	102	187	2,127	2,139	1,323	853	567	430
TOTAL, MALE											
1998.....	5,395	10	42	60	86	820	925	595	528	508	428
1997.....	5,179	8	45	41	88	820	805	615	530	514	411
1996.....	5,484	28	45	50	103	902	971	649	560	514	434
1995.....	5,287	18	42	51	98	756	976	679	602	530	398
1994.....	5,257	18	49	47	117	821	931	637	577	488	389
1993.....	5,281	13	50	46	86	807	998	620	662	543	365
1992.....	5,178	13	39	46	86	758	953	704	610	499	359
1991.....	5,858	20	60	59	100	886	1,118	854	702	521	408
1990.....	6,382	22	55	47	99	970	1,271	961	789	599	400
1989.....	6,605	25	62	61	112	1,066	1,282	1,059	755	513	416
1988.....	6,934	13	72	46	102	1,217	1,466	1,085	807	583	383
1987.....	6,688	25	78	42	110	1,145	1,467	1,064	758	565	362
1986.....	6,778	19	60	34	129	1,239	1,523	1,087	759	529	324
1985.....	6,115	16	57	50	94	1,019	1,405	1,019	658	487	306
1984.....	6,203	14	63	36	88	1,029	1,446	993	696	442	318
1983.....	6,132	17	83	43	92	1,068	1,389	904	693	448	350
1982.....	6,329	15	71	37	91	1,133	1,522	1,010	656	432	294
1981.....	7,451	19	55	47	112	1,387	1,770	1,119	815	510	354
1980.....	7,613	27	66	46	136	1,561	1,796	1,139	779	489	356
1979.....	7,431	19	64	66	116	1,588	1,750	1,107	716	468	326

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)											
TOTAL, FEMALE											
1998.....	2,135	17	46	47	85	407	223	166	180	205	167
1997.....	2,187	18	50	55	94	391	250	210	201	174	181
1996.....	2,212	16	33	38	63	430	250	198	222	221	180
1995.....	1,965	13	44	35	68	401	219	211	199	181	128
1994.....	2,060	23	53	30	66	397	262	210	204	162	132
1993.....	1,874	14	47	37	74	337	268	192	186	163	118
1992.....	1,961	7	49	38	63	384	256	225	182	155	115
1991.....	2,059	13	63	31	60	386	317	245	214	158	124
1990.....	2,210	21	48	39	92	427	334	257	214	159	141
1989.....	2,265	18	69	51	72	484	321	273	206	157	129
1988.....	2,194	16	60	43	65	454	373	254	190	144	125
1987.....	2,252	26	56	34	70	473	369	274	196	161	123
1986.....	2,152	13	59	37	77	491	387	237	178	153	97
1985.....	1,945	16	58	28	66	447	336	208	167	115	108
1984.....	1,889	6	38	28	67	421	351	222	143	127	83
1983.....	1,849	11	56	36	61	396	315	205	141	126	77
1982.....	1,874	8	52	33	62	427	373	212	120	108	88
1981.....	2,021	12	54	37	69	493	383	238	158	123	82
1980.....	2,187	16	63	59	58	564	410	239	160	113	99
1979.....	2,032	17	52	36	71	539	389	216	137	99	104
WHITE, BOTH SEXES											
1998.....	6,268	17	64	70	140	1,074	938	614	573	593	499
1997.....	6,150	22	66	67	142	1,030	888	664	613	566	485
1996.....	6,438	30	55	65	132	1,158	1,008	695	635	603	513
1995.....	6,092	21	64	67	136	997	1,014	722	678	589	440
1994.....	6,152	31	76	60	153	1,055	984	699	660	550	447
1993.....	6,022	20	68	71	121	994	1,046	676	722	608	397
1992.....	6,031	14	57	66	118	990	1,018	789	662	553	406
1991.....	6,779	19	93	62	142	1,126	1,253	931	778	570	450
1990.....	7,361	36	69	69	157	1,222	1,399	1,029	842	650	462
1989.....	7,597	28	100	89	156	1,397	1,365	1,127	807	575	474
1988.....	7,903	25	107	71	141	1,510	1,602	1,143	828	621	428
1987.....	7,776	41	102	66	155	1,462	1,610	1,147	807	625	410
1986.....	7,893	24	98	52	179	1,611	1,706	1,150	796	588	367
1985.....	7,052	24	85	65	141	1,342	1,550	1,050	694	507	361
1984.....	7,199	16	77	52	139	1,335	1,616	1,081	737	506	337
1983.....	7,096	21	111	68	134	1,366	1,538	1,002	706	502	364
1982.....	7,323	14	93	55	139	1,447	1,724	1,093	665	483	331
1981.....	8,485	25	87	63	163	1,740	1,962	1,231	862	552	355
1980.....	8,803	34	111	83	173	1,991	2,046	1,214	819	521	381
1979.....	8,490	28	105	87	172	1,981	1,933	1,186	757	494	367

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)											
WHITE MALE											
1998.....	4,496	6	29	40	66	712	772	477	424	423	358
1997.....	4,344	7	33	32	68	687	687	495	442	423	336
1996.....	4,577	18	33	37	83	775	809	529	459	413	364
1995.....	4,438	12	29	41	81	638	829	555	509	437	342
1994.....	4,450	12	34	37	99	703	778	530	503	416	331
1993.....	4,482	10	34	40	65	692	836	525	579	469	307
1992.....	4,379	10	28	39	68	647	799	597	510	421	313
1991.....	5,009	11	43	42	86	776	984	720	595	441	345
1990.....	5,473	18	38	39	78	856	1,109	808	657	516	341
1989.....	5,647	17	49	45	94	950	1,095	898	636	441	358
1988.....	5,999	13	58	37	84	1,095	1,273	934	675	496	323
1987.....	5,801	19	59	37	91	1,029	1,288	903	645	491	300
1986.....	5,990	14	45	26	111	1,156	1,363	941	642	457	289
1985.....	5,337	12	40	40	80	923	1,251	876	560	409	268
1984.....	5,504	11	48	29	77	946	1,297	888	612	391	267
1983.....	5,458	15	68	39	85	996	1,248	818	589	391	302
1982.....	5,663	9	54	27	81	1,054	1,389	916	563	385	251
1981.....	6,685	14	47	37	101	1,277	1,616	1,017	724	448	289
1980.....	6,835	20	57	41	123	1,456	1,659	1,012	687	421	303
1979.....	6,666	16	61	57	108	1,484	1,582	991	633	408	280
WHITE FEMALE											
1998.....	1,772	11	35	30	74	362	166	137	149	170	141
1997.....	1,806	15	33	35	74	343	201	169	171	143	149
1996.....	1,861	12	22	28	49	383	199	166	176	190	149
1995.....	1,654	9	35	26	55	359	185	167	169	152	98
1994.....	1,702	19	42	23	54	352	206	169	157	134	116
1993.....	1,540	10	34	31	56	302	210	151	143	139	90
1992.....	1,652	4	29	27	50	343	219	192	152	132	93
1991.....	1,770	8	50	20	56	350	269	211	183	129	105
1990.....	1,888	18	31	30	79	366	290	221	185	134	121
1989.....	1,950	11	51	44	62	447	270	229	171	134	116
1988.....	1,904	12	49	34	57	415	329	209	153	125	105
1987.....	1,975	22	43	29	64	433	322	244	162	134	110
1986.....	1,903	10	53	26	68	455	343	209	154	131	78
1985.....	1,715	12	45	25	61	419	299	174	134	98	93
1984.....	1,695	5	29	23	62	389	319	193	125	115	70
1983.....	1,638	6	43	29	49	370	290	184	117	111	62
1982.....	1,660	5	39	28	58	393	335	177	102	98	80
1981.....	1,800	11	40	26	62	463	346	214	138	104	66
1980.....	1,968	14	54	42	50	535	387	202	132	100	78
1979.....	1,824	12	44	30	64	497	351	195	124	86	87

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)											
ALL OTHER, BOTH SEXES											
1998.....	1,262	10	24	37	31	153	210	147	135	120	96
1997.....	1,216	4	29	29	40	181	167	161	118	122	107
1996.....	1,258	14	23	23	34	174	213	152	147	132	101
1995.....	1,160	10	22	19	30	160	181	168	123	122	86
1994.....	1,165	10	26	17	30	163	209	148	121	100	74
1993.....	1,133	7	29	12	39	150	220	136	126	98	86
1992.....	1,108	6	31	18	31	152	191	140	130	101	68
1991.....	1,138	14	30	28	18	146	182	168	138	109	82
1990.....	1,231	7	34	17	34	175	206	189	161	108	79
1989.....	1,273	15	31	23	28	153	238	205	154	95	71
1988.....	1,225	4	25	18	26	161	237	196	169	106	80
1987.....	1,164	10	32	10	25	156	226	191	147	101	75
1986.....	1,037	8	21	19	27	119	204	174	141	94	54
1985.....	1,008	8	30	13	19	124	191	177	131	95	53
1984.....	893	4	24	12	16	115	181	134	102	63	64
1983.....	885	7	28	11	19	98	166	107	128	72	63
1982.....	880	9	30	15	14	113	171	129	111	57	51
1981.....	987	6	22	21	18	140	191	126	111	81	81
1980.....	997	9	18	22	21	134	160	164	120	81	74
1979.....	973	8	11	15	15	146	206	137	96	73	63
ALL OTHER MALE											
1998.....	899	4	13	20	20	108	153	118	104	85	70
1997.....	835	1	12	9	20	133	118	120	88	91	75
1996.....	907	10	12	13	20	127	162	120	101	101	70
1995.....	849	6	13	10	17	118	147	124	93	93	56
1994.....	807	6	15	10	18	118	153	107	74	72	58
1993.....	799	3	16	6	21	115	162	95	83	74	58
1992.....	799	3	11	7	18	111	154	107	100	78	46
1991.....	849	9	17	17	14	110	134	134	107	80	63
1990.....	909	4	17	8	21	114	162	153	132	83	59
1989.....	958	8	13	16	18	116	187	161	119	72	58
1988.....	935	-	14	9	18	122	193	151	132	87	60
1987.....	887	6	19	5	19	116	179	161	113	74	62
1986.....	788	5	15	8	18	83	160	146	117	72	35
1985.....	778	4	17	10	14	96	154	143	98	78	38
1984.....	699	3	15	7	11	83	149	105	84	51	51
1983.....	674	2	15	4	7	72	141	86	104	57	48
1982.....	666	6	17	10	10	79	133	94	93	47	43
1981.....	766	5	8	10	11	110	154	102	91	62	65
1980.....	778	7	9	5	13	105	137	127	92	68	53
1979.....	765	3	3	9	8	104	168	116	83	60	46

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)											
ALL OTHER FEMALE											
1998.....	363	6	11	17	11	45	57	29	31	35	26
1997.....	381	3	17	20	20	48	49	41	30	31	32
1996.....	351	4	11	10	14	47	51	32	46	31	31
1995.....	311	4	9	9	13	42	34	44	30	29	30
1994.....	358	4	11	7	12	45	56	41	47	28	16
1993.....	334	4	13	6	18	35	58	41	43	24	28
1992.....	309	3	20	11	13	41	37	33	30	23	22
1991.....	289	5	13	11	4	36	48	34	31	29	19
1990.....	322	3	17	9	13	61	44	36	29	25	20
1989.....	315	7	18	7	10	37	51	44	35	23	13
1988.....	290	4	11	9	8	39	44	45	37	19	20
1987.....	277	4	13	5	6	40	47	30	34	27	13
1986.....	249	3	6	11	9	36	44	28	24	22	19
1985.....	230	4	13	3	5	28	37	34	33	17	15
1984.....	194	1	9	5	5	32	32	29	18	12	13
1983.....	211	5	13	7	12	26	25	21	24	15	15
1982.....	214	3	13	5	4	34	38	35	18	10	8
1981.....	221	1	14	11	7	30	37	24	20	19	16
1980.....	219	2	9	17	8	29	23	37	28	13	21
1979.....	208	5	8	6	7	42	38	21	13	13	17
BLACK, BOTH SEXES											
1998.....	894	9	18	27	21	88	138	106	93	91	72
1997.....	849	2	24	24	25	121	117	106	77	86	76
1996.....	866	11	16	16	25	118	140	97	97	91	67
1995.....	796	9	16	11	21	104	118	110	92	81	62
1994.....	839	7	21	12	21	120	146	108	89	68	53
1993.....	809	5	24	9	29	102	152	100	92	65	63
1992.....	785	6	22	7	24	97	142	98	95	75	49
1991.....	784	9	27	19	9	92	131	114	92	76	55
1990.....	862	5	25	9	23	103	135	136	119	77	57
1989.....	914	12	20	16	11	103	177	141	110	71	54
1988.....	914	4	21	10	15	121	168	146	130	82	56
1987.....	850	6	25	9	18	97	160	148	110	68	55
1986.....	741	5	16	14	18	78	134	119	106	73	45
1985.....	742	5	16	11	17	81	131	130	99	71	39
1984.....	679	4	13	9	11	69	143	104	83	48	52
1983.....	623	7	24	6	12	59	94	65	101	54	49
1982.....	646	3	23	14	13	63	117	99	95	45	39
1981.....	709	6	20	14	13	85	131	85	82	61	55
1980.....	708	6	11	11	14	78	105	123	87	56	58
1979.....	753	8	8	12	7	95	154	108	79	53	49

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)											
BLACK MALE											
1998.....	669	3	11	14	13	69	108	93	76	65	51
1997.....	609	-	10	8	14	91	88	83	61	68	58
1996.....	648	8	7	7	16	92	104	76	71	71	50
1995.....	605	6	10	6	15	80	98	86	70	66	42
1994.....	599	3	12	6	12	89	110	81	56	51	46
1993.....	586	2	12	5	15	79	115	72	63	51	43
1992.....	590	3	8	1	12	75	121	80	76	60	33
1991.....	599	4	16	11	7	73	97	90	76	59	45
1990.....	658	3	10	5	15	70	109	109	99	65	44
1989.....	721	5	9	11	8	81	143	116	90	58	45
1988.....	717	-	12	5	14	97	140	112	107	69	43
1987.....	680	4	14	5	14	78	132	132	84	52	48
1986.....	582	3	12	5	14	57	107	101	90	60	29
1985.....	607	2	12	9	13	71	112	108	78	62	29
1984.....	549	3	8	6	7	52	119	85	71	39	43
1983.....	489	2	12	2	5	46	84	54	88	46	37
1982.....	518	2	14	9	10	49	100	73	82	39	36
1981.....	570	5	7	8	7	69	114	73	70	48	43
1980.....	586	4	6	2	11	66	94	101	72	49	44
1979.....	614	3	2	7	5	70	127	92	71	49	37
BLACK FEMALE											
1998.....	225	6	7	13	8	19	30	13	17	26	21
1997.....	240	2	14	16	11	30	29	23	16	18	18
1996.....	218	3	9	9	9	26	36	21	26	20	17
1995.....	191	3	6	5	6	24	20	24	22	15	20
1994.....	240	4	9	6	9	31	36	27	33	17	7
1993.....	223	3	12	4	14	23	37	28	29	14	20
1992.....	195	3	14	6	12	22	21	18	19	15	16
1991.....	185	5	11	8	2	19	34	24	16	17	10
1990.....	204	2	15	4	8	33	26	27	20	12	13
1989.....	193	7	11	5	3	22	34	25	20	13	9
1988.....	197	4	9	5	1	24	28	34	23	13	13
1987.....	170	2	11	4	4	19	28	16	26	16	7
1986.....	159	2	4	9	4	21	27	18	16	13	16
1985.....	135	3	4	2	4	10	19	22	21	9	10
1984.....	130	1	5	3	4	17	24	19	12	9	9
1983.....	134	5	12	4	7	13	10	11	13	8	12
1982.....	128	1	9	5	3	14	17	26	13	6	3
1981.....	139	1	13	6	6	16	17	12	12	13	12
1980.....	122	2	5	9	3	12	11	22	15	7	14
1979.....	139	5	6	5	2	25	27	16	8	4	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)											
TOTAL, BOTH SEXES											
1998.....	6,716	25	87	96	114	902	762	582	529	554	502
1997.....	6,564	27	73	74	135	854	838	647	496	489	449
1996.....	5,903	41	98	90	101	758	764	549	503	460	385
1995.....	6,397	44	96	97	124	850	865	625	562	508	378
1994.....	5,683	25	73	70	96	771	788	540	468	430	365
1993.....	5,242	25	72	78	97	702	735	514	534	358	315
1992.....	5,026	24	85	68	87	670	746	527	486	364	310
1991.....	4,877	23	47	62	81	672	771	540	460	380	287
1990.....	5,145	21	57	54	84	737	837	617	509	372	275
1989.....	4,924	30	67	68	84	717	767	585	458	310	267
1988.....	5,148	19	61	65	89	779	878	632	473	334	256
1987.....	5,382	30	76	54	81	837	932	715	479	365	241
1986.....	4,952	17	66	49	86	817	941	613	437	333	206
1985.....	5,214	21	49	59	96	774	989	673	484	327	259
1984.....	4,966	26	62	61	90	786	955	598	430	304	248
1983.....	4,702	29	60	63	94	780	927	624	418	301	200
1982.....	4,676	30	52	62	100	815	916	570	394	271	205
1981.....	5,255	34	61	63	76	867	1,030	720	471	334	237
1980.....	5,567	33	62	62	121	1,046	1,140	705	485	301	212
1979.....	6,300	36	87	72	132	1,225	1,308	794	477	351	250
TOTAL, MALE											
1998.....	4,362	14	44	58	71	578	568	418	370	383	340
1997.....	4,255	15	42	43	71	535	616	480	346	333	312
1996.....	3,891	17	57	45	55	487	584	386	354	321	279
1995.....	4,211	22	47	56	71	573	663	461	388	333	270
1994.....	3,793	16	36	32	50	532	595	401	341	312	253
1993.....	3,512	18	34	47	58	487	558	368	395	267	215
1992.....	3,395	16	42	37	55	462	567	406	352	261	225
1991.....	3,336	12	29	36	52	462	594	410	352	266	196
1990.....	3,537	11	26	31	45	502	658	466	374	273	204
1989.....	3,306	13	39	37	45	484	594	428	337	225	186
1988.....	3,536	12	22	33	47	523	689	480	352	250	182
1987.....	3,724	16	37	27	55	567	715	544	365	262	173
1986.....	3,550	10	38	32	55	572	743	499	323	257	145
1985.....	3,684	10	20	39	63	548	769	532	382	226	184
1984.....	3,491	14	34	43	50	570	747	466	314	214	169
1983.....	3,410	13	39	39	61	560	710	504	324	231	146
1982.....	3,403	21	33	31	58	595	739	452	304	211	146
1981.....	3,855	20	26	34	53	616	823	583	379	244	181
1980.....	4,046	13	31	34	71	754	902	561	383	236	150
1979.....	4,663	22	44	39	89	890	1,060	641	365	268	192

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)											
TOTAL, FEMALE											
1998.....	2,354	11	43	38	43	324	194	164	159	171	162
1997.....	2,309	12	31	31	64	319	222	167	150	156	137
1996.....	2,012	24	41	45	46	271	180	163	149	139	106
1995.....	2,186	22	49	41	53	277	202	164	174	175	108
1994.....	1,890	9	37	38	46	239	193	139	127	118	112
1993.....	1,730	7	38	31	39	215	177	146	139	91	100
1992.....	1,631	8	43	31	32	208	179	121	134	103	85
1991.....	1,541	11	18	26	29	210	177	130	108	114	91
1990.....	1,608	10	31	23	39	235	179	151	135	99	71
1989.....	1,618	17	28	31	39	233	173	157	121	85	81
1988.....	1,612	7	39	32	42	256	189	152	121	84	74
1987.....	1,658	14	39	27	26	270	217	171	114	103	68
1986.....	1,402	7	28	17	31	245	198	114	114	76	61
1985.....	1,530	11	29	20	33	226	220	141	102	101	75
1984.....	1,475	12	28	18	40	216	208	132	116	90	79
1983.....	1,292	16	21	24	33	220	217	120	94	70	54
1982.....	1,273	9	19	31	42	220	177	118	90	60	59
1981.....	1,400	14	35	29	23	251	207	137	92	90	56
1980.....	1,521	20	31	28	50	292	238	144	102	65	62
1979.....	1,637	14	43	33	43	335	248	153	112	83	58
WHITE, BOTH SEXES											
1998.....	5,688	20	66	70	89	785	640	458	426	469	420
1997.....	5,433	15	48	63	110	720	697	490	389	394	362
1996.....	4,884	31	60	68	81	649	611	441	397	383	317
1995.....	5,330	31	73	71	103	707	709	508	457	408	299
1994.....	4,786	13	46	54	74	667	649	445	377	353	305
1993.....	4,449	14	57	60	73	612	607	418	450	301	262
1992.....	4,264	17	60	39	65	584	640	431	416	303	244
1991.....	4,104	12	34	45	64	584	653	444	381	307	238
1990.....	4,320	16	46	43	71	645	701	507	419	302	225
1989.....	4,203	21	48	55	77	645	649	480	370	257	228
1988.....	4,391	18	44	53	70	687	757	529	410	275	201
1987.....	4,706	18	63	43	65	758	832	610	408	310	212
1986.....	4,287	10	49	35	75	743	813	529	361	283	182
1985.....	4,525	15	35	44	85	720	862	567	407	278	216
1984.....	4,370	18	43	53	77	721	843	506	373	267	216
1983.....	4,143	23	48	52	83	711	816	531	365	266	173
1982.....	4,140	25	42	45	83	748	836	505	335	238	173
1981.....	4,683	31	46	45	62	808	924	630	414	297	210
1980.....	4,876	29	51	50	99	971	1,013	581	430	257	177
1979.....	5,517	31	56	56	117	1,136	1,172	697	403	282	201

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)											
WHITE MALE											
1998.....	3,677	12	29	42	53	488	486	324	308	324	283
1997.....	3,503	8	24	39	59	448	510	368	270	266	258
1996.....	3,230	12	36	32	43	419	466	312	278	269	233
1995.....	3,486	16	37	41	54	469	544	374	322	269	209
1994.....	3,175	8	23	26	37	458	479	332	280	260	214
1993.....	2,954	9	26	40	41	423	459	296	337	228	179
1992.....	2,878	12	37	19	42	392	487	335	305	221	178
1991.....	2,811	8	21	27	38	395	506	337	294	218	165
1990.....	2,955	7	17	21	39	439	553	387	309	222	167
1989.....	2,789	11	26	29	38	437	499	347	273	185	156
1988.....	3,017	12	19	30	39	459	595	397	307	211	148
1987.....	3,250	9	29	23	45	509	638	467	321	216	150
1986.....	3,047	4	27	23	47	519	636	430	267	219	127
1985.....	3,172	7	15	29	56	505	670	453	317	190	153
1984.....	3,054	9	24	37	46	516	660	393	270	188	145
1983.....	2,976	11	29	32	54	511	623	426	279	202	123
1982.....	3,007	17	28	20	46	552	672	401	259	188	123
1981.....	3,410	18	19	23	43	565	736	505	340	215	160
1980.....	3,525	12	25	25	59	692	801	461	347	202	124
1979.....	4,065	19	25	31	79	829	949	559	308	216	150
WHITE FEMALE											
1998.....	2,011	8	37	28	36	297	154	134	118	145	137
1997.....	1,930	7	24	24	51	272	187	122	119	128	104
1996.....	1,654	19	24	36	38	230	145	129	119	114	84
1995.....	1,844	15	36	30	49	238	165	134	135	139	90
1994.....	1,611	5	23	28	37	209	170	113	97	93	91
1993.....	1,495	5	31	20	32	189	148	122	113	73	83
1992.....	1,386	5	23	20	23	192	153	96	111	82	66
1991.....	1,293	4	13	18	26	189	147	107	87	89	73
1990.....	1,365	9	29	22	32	206	148	120	110	80	58
1989.....	1,414	10	22	26	39	208	150	133	97	72	72
1988.....	1,374	6	25	23	31	228	162	132	103	64	53
1987.....	1,456	9	34	20	20	249	194	143	87	94	62
1986.....	1,240	6	22	12	28	224	177	99	94	64	55
1985.....	1,353	8	20	15	29	215	192	114	90	88	63
1984.....	1,316	9	19	16	31	205	183	113	103	79	71
1983.....	1,167	12	19	20	29	200	193	105	86	64	50
1982.....	1,133	8	14	25	37	196	164	104	76	50	50
1981.....	1,273	13	27	22	19	243	188	125	74	82	50
1980.....	1,351	17	26	25	40	279	212	120	83	55	53
1979.....	1,452	12	31	25	38	307	223	138	95	66	51

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)											
ALL OTHER, BOTH SEXES											
1998.....	1,028	5	21	26	25	117	122	124	103	85	82
1997.....	1,131	12	25	11	25	134	141	157	107	95	87
1996.....	1,019	10	38	22	20	109	153	108	106	77	68
1995.....	1,067	13	23	26	21	143	156	117	105	100	79
1994.....	897	12	27	16	22	104	139	95	91	77	60
1993.....	793	11	15	18	24	90	128	96	84	57	53
1992.....	762	7	25	29	22	86	106	96	70	61	66
1991.....	773	11	13	17	17	88	118	96	79	73	49
1990.....	825	5	11	11	13	92	136	110	90	70	50
1989.....	721	9	19	13	7	72	118	105	88	53	39
1988.....	757	1	17	12	19	92	121	103	63	59	55
1987.....	676	12	13	11	16	79	100	105	71	55	29
1986.....	665	7	17	14	11	74	128	84	76	50	24
1985.....	689	6	14	15	11	54	127	106	77	49	43
1984.....	596	8	19	8	13	65	112	92	57	37	32
1983.....	559	6	12	11	11	69	111	93	53	35	27
1982.....	536	5	10	17	17	67	80	65	59	33	32
1981.....	572	3	15	18	14	59	106	90	57	37	27
1980.....	691	4	11	12	22	75	127	124	55	44	35
1979.....	783	5	31	16	15	89	136	97	74	69	49
ALL OTHER MALE											
1998.....	685	2	15	16	18	90	82	94	62	59	57
1997.....	752	7	18	4	12	87	106	112	76	67	54
1996.....	661	5	21	13	12	68	118	74	76	52	46
1995.....	725	6	10	15	17	104	119	87	66	64	61
1994.....	618	8	13	6	13	74	116	69	61	52	39
1993.....	558	9	8	7	17	64	99	72	58	39	36
1992.....	517	4	5	18	13	70	80	71	47	40	47
1991.....	525	4	8	9	14	67	88	73	58	48	31
1990.....	582	4	9	10	6	63	105	79	65	51	37
1989.....	517	2	13	8	7	47	95	81	64	40	30
1988.....	519	-	3	3	8	64	94	83	45	39	34
1987.....	474	7	8	4	10	58	77	77	44	46	23
1986.....	503	6	11	9	8	53	107	69	56	38	18
1985.....	512	3	5	10	7	43	99	79	65	36	31
1984.....	437	5	10	6	4	54	87	73	44	26	24
1983.....	434	2	10	7	7	49	87	78	45	29	23
1982.....	396	4	5	11	12	43	67	51	45	23	23
1981.....	445	2	7	11	10	51	87	78	39	29	21
1980.....	521	1	6	9	12	62	101	100	36	34	26
1979.....	598	3	19	8	10	61	111	82	57	52	42

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)											
ALL OTHER FEMALE											
1998.....	343	3	6	10	7	27	40	30	41	26	25
1997.....	379	5	7	7	13	47	35	45	31	28	33
1996.....	358	5	17	9	8	41	35	34	30	25	22
1995.....	342	7	13	11	4	39	37	30	39	36	18
1994.....	279	4	14	10	9	30	23	26	30	25	21
1993.....	235	2	7	11	7	26	29	24	26	18	17
1992.....	245	3	20	11	9	16	26	25	23	21	19
1991.....	248	7	5	8	3	21	30	23	21	25	18
1990.....	243	1	2	1	7	29	31	31	25	19	13
1989.....	204	7	6	5	-	25	23	24	24	13	9
1988.....	238	1	14	9	11	28	27	20	18	20	21
1987.....	202	5	5	7	6	21	23	28	27	9	6
1986.....	162	1	6	5	3	21	21	15	20	12	6
1985.....	177	3	9	5	4	11	28	27	12	13	12
1984.....	159	3	9	2	9	11	25	19	13	11	8
1983.....	125	4	2	4	4	20	24	15	8	6	4
1982.....	140	1	5	6	5	24	13	14	14	10	9
1981.....	127	1	8	7	4	8	19	12	18	8	6
1980.....	170	3	5	3	10	13	26	24	19	10	9
1979.....	185	2	12	8	5	28	25	15	17	17	7
BLACK, BOTH SEXES											
1998.....	831	5	21	22	17	89	93	107	83	67	64
1997.....	942	10	20	9	21	108	115	136	92	78	78
1996.....	822	9	32	19	15	86	122	84	90	63	56
1995.....	872	10	17	25	18	119	113	99	85	79	72
1994.....	728	11	22	11	18	88	114	76	69	63	49
1993.....	641	8	13	14	21	72	104	73	66	52	46
1992.....	611	6	21	23	16	74	81	75	53	47	58
1991.....	624	9	13	16	14	72	87	74	61	52	43
1990.....	659	4	8	8	8	69	109	86	74	62	40
1989.....	606	7	16	11	6	65	96	81	74	45	37
1988.....	621	1	13	10	17	65	94	84	55	47	48
1987.....	516	12	12	8	10	53	73	78	54	46	22
1986.....	521	6	13	11	5	59	102	68	63	32	16
1985.....	550	5	13	10	7	39	98	80	64	42	34
1984.....	483	8	16	8	9	43	85	72	50	33	30
1983.....	466	5	9	10	9	52	89	77	42	26	25
1982.....	460	4	9	16	14	51	67	58	51	29	25
1981.....	484	2	13	15	12	47	87	74	47	28	21
1980.....	555	4	10	10	18	49	97	97	49	37	29
1979.....	623	2	25	15	10	66	103	71	60	54	40

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)											
BLACK MALE											
1998.....	568	2	15	14	11	72	65	86	54	45	45
1997.....	640	6	15	3	9	72	88	98	67	55	49
1996.....	550	4	18	11	8	56	95	56	66	45	41
1995.....	610	4	7	15	16	90	95	74	55	50	55
1994.....	500	8	10	4	10	63	95	55	46	42	32
1993.....	473	7	8	7	16	52	84	60	48	37	32
1992.....	423	3	4	12	10	59	65	55	35	31	43
1991.....	431	3	8	8	11	60	69	58	42	35	26
1990.....	466	3	6	7	5	51	83	60	53	43	30
1989.....	442	1	13	6	6	45	78	61	55	35	29
1988.....	436	-	3	3	8	47	72	67	43	31	32
1987.....	371	7	8	3	6	38	57	59	34	39	18
1986.....	400	5	8	8	5	42	83	59	48	26	12
1985.....	408	3	4	8	5	30	74	58	56	32	25
1984.....	360	5	8	6	3	36	69	56	39	23	22
1983.....	362	2	8	6	6	35	72	65	34	20	22
1982.....	345	3	4	10	10	32	60	46	39	22	20
1981.....	387	1	5	9	10	41	73	67	34	25	16
1980.....	416	1	5	7	10	40	77	80	32	30	21
1979.....	484	1	16	7	7	47	83	63	47	42	34
BLACK FEMALE											
1998.....	263	3	6	8	6	17	28	21	29	22	19
1997.....	302	4	5	6	12	36	27	38	25	23	29
1996.....	272	5	14	8	7	30	27	28	24	18	15
1995.....	262	6	10	10	2	29	18	25	30	29	17
1994.....	228	3	12	7	8	25	19	21	23	21	17
1993.....	168	1	5	7	5	20	20	13	18	15	14
1992.....	188	3	17	11	6	15	16	20	18	16	15
1991.....	193	6	5	8	3	12	18	16	19	17	17
1990.....	193	1	2	1	3	18	26	26	21	19	10
1989.....	164	6	3	5	-	20	18	20	19	10	8
1988.....	185	1	10	7	9	18	22	17	12	16	16
1987.....	145	5	4	5	4	15	16	19	20	7	4
1986.....	121	1	5	3	-	17	19	9	15	6	4
1985.....	142	2	9	2	2	9	24	22	8	10	9
1984.....	123	3	8	2	6	7	16	16	11	10	8
1983.....	104	3	1	4	3	17	17	12	8	6	3
1982.....	115	1	5	6	4	19	7	12	12	7	5
1981.....	97	1	8	6	2	6	14	7	13	3	5
1980.....	139	3	5	3	8	9	20	17	17	7	8
1979.....	139	1	9	8	3	19	20	8	13	12	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)											
TOTAL, BOTH SEXES											
1998.....	1,310	4	132	40	47	101	97	92	96	90	91
1997.....	1,118	5	111	42	61	80	101	68	81	91	89
1996.....	1,127	9	130	51	50	79	70	77	82	84	70
1995.....	1,032	7	122	53	46	74	83	74	79	86	56
1994.....	1,017	6	155	36	38	64	75	73	85	81	56
1993.....	994	7	135	41	38	64	90	96	86	49	65
1992.....	997	4	139	51	41	76	85	89	84	58	50
1991.....	915	4	149	46	39	63	87	82	84	36	39
1990.....	987	5	145	38	46	72	99	94	62	60	60
1989.....	989	3	155	41	42	86	99	82	75	63	49
1988.....	1,054	5	168	47	54	91	115	95	56	63	52
1987.....	993	6	157	53	54	90	104	87	69	59	41
1986.....	998	12	143	73	73	86	103	91	66	49	42
1985.....	1,079	9	184	44	63	94	133	84	55	60	44
1984.....	1,055	5	183	45	45	85	135	73	64	51	60
1983.....	1,024	11	197	45	49	89	133	100	52	44	37
1982.....	1,066	9	224	42	38	104	122	69	64	58	35
1981.....	1,189	9	193	49	73	121	130	101	81	62	35
1980.....	1,242	15	227	52	61	150	134	103	76	50	44
1979.....	1,271	6	237	54	54	153	130	89	71	59	50
TOTAL, MALE											
1998.....	988	2	82	27	32	75	82	79	84	76	79
1997.....	857	2	63	37	46	64	92	56	68	75	72
1996.....	843	5	70	32	40	62	64	71	72	72	58
1995.....	767	5	71	37	34	55	73	69	69	71	47
1994.....	753	1	94	26	33	52	63	56	73	67	45
1993.....	764	4	75	25	33	53	82	88	72	43	59
1992.....	761	-	79	40	38	61	79	83	76	48	41
1991.....	688	3	84	32	29	50	74	66	80	29	33
1990.....	759	3	93	27	37	57	86	88	54	46	54
1989.....	749	1	82	23	36	74	89	75	66	52	40
1988.....	797	5	80	39	44	78	100	82	48	55	43
1987.....	756	2	92	36	44	72	89	78	62	54	33
1986.....	773	7	89	48	59	73	90	80	60	44	33
1985.....	851	6	116	28	55	78	121	79	50	54	37
1984.....	797	1	108	33	40	68	118	59	58	44	51
1983.....	778	6	109	38	39	75	121	90	44	40	30
1982.....	808	3	124	28	31	94	110	63	57	50	24
1981.....	906	3	114	37	60	100	118	87	66	50	28
1980.....	906	8	122	39	44	125	122	84	61	41	34
1979.....	965	2	125	36	44	129	121	75	61	50	46

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)											
TOTAL, FEMALE											
1998.....	322	2	50	13	15	26	15	13	12	14	12
1997.....	261	3	48	5	15	16	9	12	13	16	17
1996.....	284	4	60	19	10	17	6	6	10	12	12
1995.....	265	2	51	16	12	19	10	5	10	15	9
1994.....	264	5	61	10	5	12	12	17	12	14	11
1993.....	230	3	60	16	5	11	8	8	14	6	6
1992.....	236	4	60	11	3	15	6	6	8	10	9
1991.....	227	1	65	14	10	13	13	16	4	7	6
1990.....	228	2	52	11	9	15	13	6	8	14	6
1989.....	240	2	73	18	6	12	10	7	9	11	9
1988.....	257	-	88	8	10	13	15	13	8	8	9
1987.....	237	4	65	17	10	18	15	9	7	5	8
1986.....	225	5	54	25	14	13	13	11	6	5	9
1985.....	228	3	68	16	8	16	12	5	5	6	7
1984.....	258	4	75	12	5	17	17	14	6	7	9
1983.....	246	5	88	7	10	14	12	10	8	4	7
1982.....	258	6	100	14	7	10	12	6	7	8	11
1981.....	283	6	79	12	13	21	12	14	15	12	7
1980.....	336	7	105	13	17	25	12	19	15	9	10
1979.....	306	4	112	18	10	24	9	14	10	9	4
WHITE, BOTH SEXES											
1998.....	1,126	4	92	32	44	92	82	81	82	82	79
1997.....	977	2	85	36	57	75	90	56	69	82	76
1996.....	990	7	99	44	44	71	63	67	74	69	64
1995.....	929	6	101	47	42	67	78	65	71	75	53
1994.....	916	6	136	33	36	58	65	68	77	73	53
1993.....	890	7	108	36	38	59	82	84	82	46	52
1992.....	853	2	96	46	34	71	73	81	74	50	47
1991.....	815	4	119	41	33	56	77	73	79	34	35
1990.....	881	3	113	34	44	67	92	86	52	56	49
1989.....	871	3	126	31	42	75	89	77	65	55	42
1988.....	940	4	133	46	50	85	102	87	54	52	46
1987.....	886	6	131	51	49	85	91	79	60	53	38
1986.....	889	9	119	64	71	79	94	79	57	43	39
1985.....	976	6	154	42	60	90	120	78	51	53	41
1984.....	936	5	146	42	42	82	122	66	56	45	48
1983.....	917	8	169	43	48	84	125	88	50	35	31
1982.....	955	8	184	34	36	96	111	64	59	52	32
1981.....	1,065	7	159	43	71	117	123	96	70	51	27
1980.....	1,115	13	186	47	55	141	123	93	71	42	42
1979.....	1,137	5	193	49	47	143	117	83	66	53	44

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)											
WHITE MALE											
1998.....	863	2	61	20	31	67	69	72	72	69	71
1997.....	760	-	49	33	44	62	83	47	60	67	61
1996.....	754	4	55	28	34	56	59	61	66	59	54
1995.....	695	4	61	32	31	51	68	61	62	62	44
1994.....	677	1	83	23	31	46	57	52	66	59	43
1993.....	685	4	59	22	33	49	74	77	68	40	47
1992.....	663	-	54	39	31	58	70	78	70	40	38
1991.....	612	3	65	28	25	46	65	60	75	27	31
1990.....	679	2	72	25	36	53	80	80	47	43	44
1989.....	668	1	66	19	36	65	79	71	58	48	37
1988.....	709	4	62	38	41	74	88	74	46	45	37
1987.....	673	2	79	35	39	67	79	72	54	49	30
1986.....	692	6	73	44	57	66	82	69	52	39	32
1985.....	775	4	97	27	53	75	111	73	47	48	35
1984.....	712	1	91	31	37	67	108	53	51	38	39
1983.....	700	5	96	37	39	70	113	80	42	32	25
1982.....	733	3	105	23	30	87	99	58	53	44	23
1981.....	812	3	93	33	58	96	111	82	57	40	21
1980.....	814	7	97	35	40	120	112	77	56	34	32
1979.....	863	2	98	32	38	120	108	71	56	45	40
WHITE FEMALE											
1998.....	263	2	31	12	13	25	13	9	10	13	8
1997.....	217	2	36	3	13	13	7	9	9	15	15
1996.....	236	3	44	16	10	15	4	6	8	10	10
1995.....	234	2	40	15	11	16	10	4	9	13	9
1994.....	239	5	53	10	5	12	8	16	11	14	10
1993.....	205	3	49	14	5	10	8	7	14	6	5
1992.....	190	2	42	7	3	13	3	3	4	10	9
1991.....	203	1	54	13	8	10	12	13	4	7	4
1990.....	202	1	41	9	8	14	12	6	5	13	5
1989.....	203	2	60	12	6	10	10	6	7	7	5
1988.....	231	-	71	8	9	11	14	13	8	7	9
1987.....	213	4	52	16	10	18	12	7	6	4	8
1986.....	197	3	46	20	14	13	12	10	5	4	7
1985.....	201	2	57	15	7	15	9	5	4	5	6
1984.....	224	4	55	11	5	15	14	13	5	7	9
1983.....	217	3	73	6	9	14	12	8	8	3	6
1982.....	222	5	79	11	6	9	12	6	6	8	9
1981.....	253	4	66	10	13	21	12	14	13	11	6
1980.....	301	6	89	12	15	21	11	16	15	8	10
1979.....	274	3	95	17	9	23	9	12	10	8	4

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)											
ALL OTHER, BOTH SEXES											
1998.....	184	-	40	8	3	9	15	11	14	8	12
1997.....	141	3	26	6	4	5	11	12	12	9	13
1996.....	137	2	31	7	6	8	7	10	8	15	6
1995.....	103	1	21	6	4	7	5	9	8	11	3
1994.....	101	-	19	3	2	6	10	5	8	8	3
1993.....	104	-	27	5	-	5	8	12	4	3	13
1992.....	144	2	43	5	7	5	12	8	10	8	3
1991.....	100	-	30	5	6	7	10	9	5	2	4
1990.....	106	2	32	4	2	5	7	8	10	4	11
1989.....	118	-	29	10	-	11	10	5	10	8	7
1988.....	114	1	35	1	4	6	13	8	2	11	6
1987.....	107	-	26	2	5	5	13	8	9	6	3
1986.....	109	3	24	9	2	7	9	12	9	6	3
1985.....	103	3	30	2	3	4	13	6	4	7	3
1984.....	119	-	37	3	3	3	13	7	8	6	12
1983.....	107	3	28	2	1	5	8	12	2	9	6
1982.....	111	1	40	8	2	8	11	5	5	6	3
1981.....	124	2	34	6	2	4	7	5	11	11	8
1980.....	127	2	41	5	6	9	11	10	5	8	2
1979.....	134	1	44	5	7	10	13	6	5	6	6
ALL OTHER MALE											
1998.....	125	-	21	7	1	8	13	7	12	7	8
1997.....	97	2	14	4	2	2	9	9	8	8	11
1996.....	89	1	15	4	6	6	5	10	6	13	4
1995.....	72	1	10	5	3	4	5	8	7	9	3
1994.....	76	-	11	3	2	6	6	4	7	8	2
1993.....	79	-	16	3	-	4	8	11	4	3	12
1992.....	98	-	25	1	7	3	9	5	6	8	3
1991.....	76	-	19	4	4	4	9	6	5	2	2
1990.....	80	1	21	2	1	4	6	8	7	3	10
1989.....	81	-	16	4	-	9	10	4	8	4	3
1988.....	88	1	18	1	3	4	12	8	2	10	6
1987.....	83	-	13	1	5	5	10	6	8	5	3
1986.....	81	1	16	4	2	7	8	11	8	5	1
1985.....	76	2	19	1	2	3	10	6	3	6	2
1984.....	85	-	17	2	3	1	10	6	7	6	12
1983.....	78	1	13	1	-	5	8	10	2	8	5
1982.....	75	-	19	5	1	7	11	5	4	6	1
1981.....	94	-	21	4	2	4	7	5	9	10	7
1980.....	92	1	25	4	4	5	10	7	5	7	2
1979.....	102	-	27	4	6	9	13	4	5	5	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)											
ALL OTHER FEMALE											
1998.....	59	-	19	1	2	1	2	4	2	1	4
1997.....	44	1	12	2	2	3	2	3	4	1	2
1996.....	48	1	16	3	-	2	2	-	2	2	2
1995.....	31	-	11	1	1	3	-	1	1	2	-
1994.....	25	-	8	-	-	-	4	1	1	-	1
1993.....	25	-	11	2	-	1	-	1	-	-	1
1992.....	46	2	18	4	-	2	3	3	4	-	-
1991.....	24	-	11	1	2	3	1	3	-	-	2
1990.....	26	1	11	2	1	1	1	-	3	1	1
1989.....	37	-	13	6	-	2	-	1	2	4	4
1988.....	26	-	17	-	1	2	1	-	-	1	-
1987.....	24	-	13	1	-	-	3	2	1	1	-
1986.....	28	2	8	5	-	-	1	1	1	1	2
1985.....	27	1	11	1	1	1	3	-	1	1	1
1984.....	34	-	20	1	-	2	3	1	1	-	-
1983.....	29	2	15	1	1	-	-	2	-	1	1
1982.....	36	1	21	3	1	1	-	-	1	-	2
1981.....	30	2	13	2	-	-	-	-	2	1	1
1980.....	35	1	16	1	2	4	1	3	-	1	-
1979.....	32	1	17	1	1	1	-	2	-	1	-
BLACK, BOTH SEXES											
1998.....	134	-	24	6	2	9	10	8	12	5	10
1997.....	91	3	17	5	3	4	6	8	8	5	7
1996.....	98	1	17	5	4	5	7	7	7	12	5
1995.....	61	-	10	6	1	2	2	4	7	7	3
1994.....	73	-	13	2	1	4	7	2	6	7	1
1993.....	68	-	19	3	-	3	4	7	3	1	11
1992.....	109	2	36	4	4	3	8	3	7	6	2
1991.....	71	-	19	3	5	5	9	6	2	2	4
1990.....	78	2	22	4	2	3	3	7	8	3	9
1989.....	70	-	14	7	-	6	7	2	3	5	6
1988.....	65	1	20	-	3	4	3	4	1	4	3
1987.....	73	-	20	1	1	2	7	5	7	4	3
1986.....	75	2	12	7	1	7	8	7	5	4	1
1985.....	75	1	24	1	2	2	9	2	3	5	1
1984.....	88	-	23	3	3	2	9	7	7	6	8
1983.....	86	-	21	1	1	4	7	12	2	7	5
1982.....	77	1	31	5	1	4	7	2	3	5	2
1981.....	100	1	29	4	1	4	6	3	10	9	6
1980.....	84	2	26	4	3	4	7	6	3	5	2
1979.....	96	1	29	3	5	7	6	4	5	2	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)											
BLACK MALE											
1998.....	97	-	15	6	1	8	8	6	10	4	8
1997.....	65	2	12	4	2	2	5	5	6	4	6
1996.....	65	-	9	4	4	3	5	7	5	10	3
1995.....	46	-	3	5	1	2	2	4	7	6	3
1994.....	60	-	10	2	1	4	6	1	6	7	1
1993.....	53	-	10	2	-	3	4	6	3	1	10
1992.....	76	-	21	1	4	2	6	2	5	6	2
1991.....	54	-	12	2	4	3	8	4	2	2	2
1990.....	57	1	15	2	1	2	2	7	6	2	8
1989.....	44	-	7	1	-	5	7	1	2	3	2
1988.....	53	1	11	-	3	3	3	4	1	4	3
1987.....	60	-	12	-	1	2	6	3	7	4	3
1986.....	58	1	8	3	1	7	7	6	4	4	-
1985.....	57	-	16	1	2	2	7	2	3	4	1
1984.....	64	-	11	2	3	1	6	6	6	6	8
1983.....	63	-	9	-	-	4	7	10	2	6	4
1982.....	53	-	17	3	-	4	7	2	3	5	1
1981.....	78	-	18	2	1	4	6	3	8	9	5
1980.....	63	1	16	3	2	2	6	5	3	5	2
1979.....	69	-	15	3	4	6	6	2	5	2	4
BLACK FEMALE											
1998.....	37	-	9	-	1	1	2	2	2	1	2
1997.....	26	1	5	1	1	2	1	3	2	1	1
1996.....	33	1	8	1	-	2	2	-	2	2	2
1995.....	15	-	7	1	-	-	-	-	-	1	-
1994.....	13	-	3	-	-	-	1	1	-	-	-
1993.....	15	-	9	1	-	-	-	1	-	-	1
1992.....	33	2	15	3	-	1	2	1	2	-	-
1991.....	17	-	7	1	1	2	1	2	-	-	2
1990.....	21	1	7	2	1	1	1	-	2	1	1
1989.....	26	-	7	6	-	1	-	1	1	2	4
1988.....	12	-	9	-	-	1	-	-	-	-	-
1987.....	13	-	8	1	-	-	1	2	-	-	-
1986.....	17	1	4	4	-	-	1	1	1	-	1
1985.....	18	1	8	-	-	-	2	-	-	1	-
1984.....	24	-	12	1	-	1	3	1	1	-	-
1983.....	23	-	12	1	1	-	-	2	-	1	1
1982.....	24	1	14	2	1	-	-	-	-	-	1
1981.....	22	1	11	2	-	-	-	-	2	-	1
1980.....	21	1	10	1	1	2	1	1	-	-	-
1979.....	27	1	14	-	1	1	-	2	-	-	-

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ROAD VEHICLE ACCIDENTS (E826-E829)											
TOTAL, BOTH SEXES											
1998.....	235	-	-	11	19	7	8	9	23	24	25
1997.....	220	-	3	8	21	7	9	7	22	23	22
1996.....	202	-	4	4	18	8	5	15	15	19	18
1995.....	211	-	4	11	14	11	6	11	16	26	19
1994.....	195	-	7	7	20	12	9	10	16	17	19
1993.....	183	1	4	14	17	16	8	12	14	16	16
1992.....	223	-	6	13	23	12	14	11	19	23	24
1991.....	215	-	6	13	16	7	22	8	18	20	14
1990.....	220	-	5	15	16	15	10	21	18	23	23
1989.....	219	-	5	14	16	14	13	20	18	30	9
1988.....	191	1	5	14	17	19	10	15	21	15	17
1987.....	231	1	5	9	12	11	22	27	19	15	15
1986.....	234	-	3	12	22	23	17	15	16	24	14
1985.....	231	-	3	14	32	23	22	12	15	18	14
1984.....	190	-	8	15	23	13	25	16	17	11	7
1983.....	214	-	5	20	15	24	21	17	14	15	10
1982.....	182	-	3	16	23	15	11	15	17	6	11
1981.....	211	-	8	13	32	19	14	16	14	13	3
1980.....	232	-	6	13	25	33	20	28	20	18	8
1979.....	263	1	6	24	37	36	24	19	23	9	10
TOTAL, MALE											
1998.....	166	-	-	7	9	4	8	6	16	13	14
1997.....	171	-	2	4	12	4	6	6	18	19	20
1996.....	142	-	1	1	12	6	4	11	12	12	14
1995.....	155	-	2	9	8	9	6	7	10	20	12
1994.....	142	-	5	7	10	9	4	7	12	12	10
1993.....	125	-	3	8	7	9	7	9	12	9	13
1992.....	159	-	4	6	8	9	13	6	14	17	13
1991.....	151	-	3	7	12	5	13	5	11	13	9
1990.....	140	-	1	9	10	8	8	10	11	12	15
1989.....	149	-	1	9	8	8	8	13	12	20	5
1988.....	120	1	3	8	9	9	10	9	10	11	10
1987.....	159	1	3	6	4	7	15	15	15	9	8
1986.....	156	-	2	6	8	17	12	9	8	17	10
1985.....	164	-	3	12	19	14	17	6	6	13	10
1984.....	120	-	6	10	10	4	17	10	13	4	4
1983.....	151	-	3	14	9	16	11	9	10	12	6
1982.....	119	-	3	11	12	9	7	11	9	3	6
1981.....	145	-	6	8	21	12	7	10	7	9	2
1980.....	133	-	3	8	13	15	8	15	10	12	5
1979.....	153	1	3	13	18	20	14	10	13	4	6

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ROAD VEHICLE ACCIDENTS (E826-E829)											
TOTAL, FEMALE											
1998.....	69	-	-	4	10	3	-	3	7	11	11
1997.....	49	-	1	4	9	3	3	1	4	4	2
1996.....	60	-	3	3	6	2	1	4	3	7	4
1995.....	56	-	2	2	6	2	-	4	6	6	7
1994.....	53	-	2	-	10	3	5	3	4	5	9
1993.....	58	1	1	6	10	7	1	3	2	7	3
1992.....	64	-	2	7	5	3	1	5	5	6	11
1991.....	64	-	3	6	4	2	9	3	7	7	5
1990.....	80	-	4	6	6	7	2	11	7	11	8
1989.....	70	-	4	5	8	6	5	7	6	10	4
1988.....	71	-	2	6	8	10	-	6	11	4	7
1987.....	72	-	2	3	8	4	7	12	4	6	7
1986.....	78	-	1	6	14	6	5	6	8	7	4
1985.....	67	-	-	2	13	9	5	6	9	5	4
1984.....	70	-	2	5	13	9	8	6	4	7	3
1983.....	63	-	2	6	6	8	10	8	4	3	4
1982.....	63	-	-	5	11	6	4	4	8	3	5
1981.....	66	-	2	5	11	7	7	6	7	4	1
1980.....	99	-	3	5	12	18	12	13	10	6	3
1979.....	110	-	3	11	19	16	10	9	10	5	4
WHITE, BOTH SEXES											
1998.....	212	-	-	10	16	7	6	8	21	21	23
1997.....	199	-	2	7	18	7	9	7	18	20	19
1996.....	188	-	3	4	16	7	4	14	14	18	17
1995.....	187	-	4	10	14	8	5	8	14	23	16
1994.....	180	-	7	5	19	11	9	8	16	17	19
1993.....	154	1	4	12	13	15	5	11	11	12	13
1992.....	206	-	6	12	11	12	12	11	16	22	23
1991.....	192	-	6	11	10	5	21	7	16	17	13
1990.....	196	-	5	12	14	12	10	19	17	20	21
1989.....	200	-	5	12	15	11	11	18	16	28	8
1988.....	178	1	5	13	15	18	9	14	18	13	17
1987.....	210	1	4	9	11	11	21	24	17	13	14
1986.....	207	-	3	9	19	20	15	11	15	21	13
1985.....	205	-	2	12	29	19	18	10	14	16	11
1984.....	170	-	6	14	21	11	23	14	16	8	6
1983.....	194	-	4	18	14	24	20	17	12	13	9
1982.....	163	-	1	15	22	12	10	14	16	5	9
1981.....	189	-	6	13	29	18	12	13	13	13	3
1980.....	213	-	5	12	22	33	17	26	18	17	8
1979.....	241	1	6	21	33	32	22	19	21	9	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ROAD VEHICLE ACCIDENTS (E826-E829)											
WHITE MALE											
1998.....	146	-	-	6	6	4	6	6	14	10	13
1997.....	153	-	2	4	10	4	6	6	14	16	17
1996.....	129	-	-	1	10	5	3	11	11	11	13
1995.....	132	-	2	8	8	6	5	4	8	17	9
1994.....	130	-	5	5	9	9	4	5	12	12	10
1993.....	104	-	3	7	6	9	5	8	9	5	10
1992.....	143	-	4	5	6	9	11	6	11	16	12
1991.....	134	-	3	6	7	4	12	5	10	11	8
1990.....	118	-	1	6	8	5	8	8	10	10	13
1989.....	133	-	1	7	7	5	6	11	11	18	4
1988.....	108	1	3	7	7	8	9	8	8	9	10
1987.....	142	1	3	6	4	7	14	12	13	7	8
1986.....	134	-	2	4	6	14	11	6	7	14	9
1985.....	140	-	2	10	17	10	13	4	6	11	7
1984.....	106	-	5	9	9	3	15	8	12	3	3
1983.....	134	-	3	12	9	16	10	9	8	11	5
1982.....	105	-	1	11	11	8	6	10	9	2	5
1981.....	127	-	4	8	18	11	5	9	6	9	2
1980.....	121	-	2	8	10	15	7	13	8	12	5
1979.....	137	1	3	12	16	17	12	10	11	4	5
WHITE FEMALE											
1998.....	66	-	-	4	10	3	-	2	7	11	10
1997.....	46	-	-	3	8	3	3	1	4	4	2
1996.....	59	-	3	3	6	2	1	3	3	7	4
1995.....	55	-	2	2	6	2	-	4	6	6	7
1994.....	50	-	2	-	10	2	5	3	4	5	9
1993.....	50	1	1	5	7	6	-	3	2	7	3
1992.....	63	-	2	7	5	3	1	5	5	6	11
1991.....	58	-	3	5	3	1	9	2	6	6	5
1990.....	78	-	4	6	6	7	2	11	7	10	8
1989.....	67	-	4	5	8	6	5	7	5	10	4
1988.....	70	-	2	6	8	10	-	6	10	4	7
1987.....	68	-	1	3	7	4	7	12	4	6	6
1986.....	73	-	1	5	13	6	4	5	8	7	4
1985.....	65	-	-	2	12	9	5	6	8	5	4
1984.....	64	-	1	5	12	8	8	6	4	5	3
1983.....	60	-	1	6	5	8	10	8	4	2	4
1982.....	58	-	-	4	11	4	4	4	7	3	4
1981.....	62	-	2	5	11	7	7	4	7	4	1
1980.....	92	-	3	4	12	18	10	13	10	5	3
1979.....	104	-	3	9	17	15	10	9	10	5	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ROAD VEHICLE ACCIDENTS (E826-E829)											
ALL OTHER, BOTH SEXES											
1998.....	23	-	-	1	3	-	2	1	2	3	2
1997.....	21	-	1	1	3	-	-	-	4	3	3
1996.....	14	-	1	-	2	1	1	1	1	1	1
1995.....	24	-	-	1	-	3	1	3	2	3	3
1994.....	15	-	-	2	1	1	-	2	-	-	-
1993.....	29	-	-	2	4	1	3	1	3	4	3
1992.....	17	-	-	1	2	-	2	-	3	1	1
1991.....	23	-	-	2	6	2	1	1	2	3	1
1990.....	24	-	-	3	2	3	-	2	1	3	2
1989.....	19	-	-	2	1	3	2	2	2	2	1
1988.....	13	-	-	1	2	1	1	1	3	2	-
1987.....	21	-	1	-	1	-	1	3	2	2	1
1986.....	27	-	-	3	3	3	2	4	1	3	1
1985.....	26	-	1	2	3	4	4	2	1	2	3
1984.....	20	-	2	1	2	2	2	2	1	3	1
1983.....	20	-	1	2	1	-	1	-	2	2	1
1982.....	19	-	2	1	1	3	1	1	1	1	2
1981.....	22	-	2	-	3	1	2	3	1	-	-
1980.....	19	-	1	1	3	-	3	2	2	1	-
1979.....	22	-	-	3	4	4	2	-	2	-	1
ALL OTHER MALE											
1998.....	20	-	-	1	3	-	2	-	2	3	1
1997.....	18	-	-	-	2	-	-	-	4	3	3
1996.....	13	-	1	-	2	1	1	-	1	1	1
1995.....	23	-	-	1	-	3	1	3	2	3	3
1994.....	12	-	-	2	1	-	-	2	-	-	-
1993.....	21	-	-	1	1	-	2	1	3	4	3
1992.....	16	-	-	1	2	-	2	-	3	1	1
1991.....	17	-	-	1	5	1	1	-	1	2	1
1990.....	22	-	-	3	2	3	-	2	1	2	2
1989.....	16	-	-	2	1	3	2	2	1	2	1
1988.....	12	-	-	1	2	1	1	1	2	2	-
1987.....	17	-	-	-	-	-	1	3	2	2	-
1986.....	22	-	-	2	2	3	1	3	1	3	1
1985.....	24	-	1	2	2	4	4	2	-	2	3
1984.....	14	-	1	1	1	1	2	2	1	1	1
1983.....	17	-	-	2	-	-	1	-	2	1	1
1982.....	14	-	2	-	1	1	1	1	-	1	1
1981.....	18	-	2	-	3	1	2	1	1	-	-
1980.....	12	-	1	-	3	-	1	2	2	-	-
1979.....	16	-	-	1	2	3	2	-	2	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ROAD VEHICLE ACCIDENTS (E826-E829)											
ALL OTHER FEMALE											
1998.....	3	-	-	-	-	-	-	1	-	-	1
1997.....	3	-	1	1	1	-	-	-	-	-	-
1996.....	1	-	-	-	-	-	-	1	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	3	-	-	-	-	1	-	-	-	-	-
1993.....	8	-	-	1	3	1	1	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1991.....	6	-	-	1	1	1	-	1	1	1	-
1990.....	2	-	-	-	-	-	-	-	-	1	-
1989.....	3	-	-	-	-	-	-	-	1	-	-
1988.....	1	-	-	-	-	-	-	-	1	-	-
1987.....	4	-	1	-	1	-	-	-	-	-	1
1986.....	5	-	-	1	1	-	1	1	-	-	-
1985.....	2	-	-	-	1	-	-	-	1	-	-
1984.....	6	-	1	-	1	1	-	-	-	2	-
1983.....	3	-	1	-	1	-	-	-	-	1	-
1982.....	5	-	-	1	-	2	-	-	1	-	1
1981.....	4	-	-	-	-	-	-	2	-	-	-
1980.....	7	-	-	1	-	-	2	-	-	1	-
1979.....	6	-	-	2	2	1	-	-	-	-	-
BLACK, BOTH SEXES											
1998.....	14	-	-	1	2	-	2	-	1	2	1
1997.....	12	-	-	1	2	-	-	-	3	2	3
1996.....	9	-	1	-	1	1	1	-	-	1	1
1995.....	18	-	-	1	-	2	-	3	2	3	2
1994.....	8	-	-	2	1	1	-	1	-	-	-
1993.....	15	-	-	-	2	-	2	1	2	3	3
1992.....	13	-	-	1	2	-	2	-	3	-	1
1991.....	15	-	-	2	6	1	1	-	2	1	1
1990.....	18	-	-	2	1	3	-	2	1	3	-
1989.....	9	-	-	1	1	-	-	1	-	2	1
1988.....	7	-	-	1	2	1	1	-	1	1	-
1987.....	15	-	1	-	1	-	-	3	1	2	1
1986.....	17	-	-	2	3	2	2	2	1	1	1
1985.....	20	-	1	2	3	4	3	1	-	2	1
1984.....	16	-	2	1	2	2	2	2	1	1	1
1983.....	14	-	-	-	1	-	-	-	2	2	1
1982.....	12	-	1	1	1	2	-	1	-	1	1
1981.....	15	-	2	-	1	-	2	1	-	-	-
1980.....	12	-	-	1	3	-	2	1	2	-	-
1979.....	14	-	-	2	4	3	2	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ROAD VEHICLE ACCIDENTS (E826-E829)											
BLACK MALE											
1998.....	13	-	-	1	2	-	2	-	1	2	-
1997.....	10	-	-	-	1	-	-	-	3	2	3
1996.....	9	-	1	-	1	1	1	-	-	1	1
1995.....	18	-	-	1	-	2	-	3	2	3	2
1994.....	7	-	-	2	1	-	-	1	-	-	-
1993.....	14	-	-	-	1	-	2	1	2	3	3
1992.....	13	-	-	1	2	-	2	-	3	-	1
1991.....	12	-	-	1	5	1	1	-	1	1	1
1990.....	16	-	-	2	1	3	-	2	1	2	-
1989.....	8	-	-	1	1	-	-	1	-	2	1
1988.....	6	-	-	1	2	1	1	-	-	1	-
1987.....	11	-	-	-	-	-	-	3	1	2	-
1986.....	14	-	-	2	2	2	1	2	1	1	1
1985.....	19	-	1	2	2	4	3	1	-	2	1
1984.....	13	-	1	1	1	1	2	2	1	1	1
1983.....	12	-	-	-	-	-	-	-	2	1	1
1982.....	9	-	1	-	1	-	-	1	-	1	1
1981.....	13	-	2	-	1	-	2	1	-	-	-
1980.....	8	-	-	-	3	-	-	1	2	-	-
1979.....	10	-	-	1	2	2	2	-	1	-	-
BLACK FEMALE											
1998.....	1	-	-	-	-	-	-	-	-	-	1
1997.....	2	-	-	1	1	-	-	-	-	-	-
1994.....	1	-	-	-	-	1	-	-	-	-	-
1993.....	1	-	-	-	1	-	-	-	-	-	-
1991.....	3	-	-	1	1	-	-	-	1	-	-
1990.....	2	-	-	-	-	-	-	-	-	1	-
1989.....	1	-	-	-	-	-	-	-	-	-	-
1988.....	1	-	-	-	-	-	-	-	1	-	-
1987.....	4	-	1	-	1	-	-	-	-	-	1
1986.....	3	-	-	-	1	-	1	-	-	-	-
1985.....	1	-	-	-	1	-	-	-	-	-	-
1984.....	3	-	1	-	1	1	-	-	-	-	-
1983.....	2	-	-	-	1	-	-	-	-	1	-
1982.....	3	-	-	1	-	2	-	-	-	-	-
1981.....	2	-	-	-	-	-	-	-	-	-	-
1980.....	4	-	-	1	-	-	2	-	-	-	-
1979.....	4	-	-	1	2	1	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WATER TRANSPORT ACCIDENTS (E830-E838)											
TOTAL, BOTH SEXES											
1998.....	692	2	3	8	16	52	75	60	66	70	72
1997.....	758	-	2	13	14	47	59	83	86	94	85
1996.....	675	1	4	14	13	35	56	71	74	74	84
1995.....	762	-	10	15	30	52	83	78	98	84	72
1994.....	723	-	10	15	19	50	63	80	81	91	70
1993.....	763	1	14	22	22	46	77	82	107	75	67
1992.....	837	3	14	11	28	64	82	98	104	88	80
1991.....	851	-	11	13	32	59	102	98	114	84	81
1990.....	923	-	7	13	26	57	105	120	132	99	77
1989.....	866	2	7	17	21	67	77	106	100	80	82
1988.....	979	-	9	15	25	63	130	127	108	100	82
1987.....	949	2	13	14	25	87	128	117	115	92	80
1986.....	1,102	-	12	20	29	90	139	150	107	125	81
1985.....	1,111	2	18	19	32	90	173	157	127	96	76
1984.....	1,131	-	14	14	36	88	174	158	128	94	82
1983.....	1,316	-	8	24	37	102	182	192	152	129	103
1982.....	1,297	-	14	25	40	127	192	202	153	106	84
1981.....	1,219	2	9	28	39	129	192	173	134	95	62
1980.....	1,429	2	20	29	46	168	255	185	155	99	92
1979.....	1,438	1	10	41	54	164	211	186	159	125	85
TOTAL, MALE											
1998.....	615	1	3	6	10	44	67	54	55	65	63
1997.....	689	-	-	12	11	40	54	79	75	87	78
1996.....	592	-	4	10	6	24	50	59	68	65	79
1995.....	667	-	6	9	19	44	69	67	90	73	66
1994.....	643	-	2	9	15	46	55	75	76	77	64
1993.....	677	1	10	16	14	39	68	70	102	69	60
1992.....	757	3	11	8	21	56	72	94	94	77	73
1991.....	772	-	10	9	24	50	90	90	108	78	76
1990.....	824	-	1	12	20	48	92	107	117	94	73
1989.....	775	1	3	11	19	58	64	99	91	69	73
1988.....	887	-	7	10	21	55	115	116	99	92	78
1987.....	853	2	9	12	21	76	111	109	103	90	73
1986.....	992	-	6	14	25	78	127	138	95	118	70
1985.....	1,012	1	13	14	26	77	162	145	121	88	75
1984.....	1,033	-	11	12	30	82	151	143	115	90	78
1983.....	1,192	-	5	19	33	91	159	176	136	121	94
1982.....	1,192	-	12	17	35	118	172	187	135	99	81
1981.....	1,112	-	6	21	37	113	175	162	119	88	58
1980.....	1,272	1	13	21	37	148	220	165	142	90	86
1979.....	1,301	-	6	29	45	147	198	172	146	116	71

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WATER TRANSPORT ACCIDENTS (E830-E838)											
TOTAL, FEMALE											
1998.....	77	1	-	2	6	8	8	6	11	5	9
1997.....	69	-	2	1	3	7	5	4	11	7	7
1996.....	83	1	-	4	7	11	6	12	6	9	5
1995.....	95	-	4	6	11	8	14	11	8	11	6
1994.....	80	-	8	6	4	4	8	5	5	14	6
1993.....	86	-	4	6	8	7	9	12	5	6	7
1992.....	80	-	3	3	7	8	10	4	10	11	7
1991.....	79	-	1	4	8	9	12	8	6	6	5
1990.....	99	-	6	1	6	9	13	13	15	5	4
1989.....	91	1	4	6	2	9	13	7	9	11	9
1988.....	92	-	2	5	4	8	15	11	9	8	4
1987.....	96	-	4	2	4	11	17	8	12	2	7
1986.....	110	-	6	6	4	12	12	12	12	7	11
1985.....	99	1	5	5	6	13	11	12	6	8	1
1984.....	98	-	3	2	6	6	23	15	13	4	4
1983.....	124	-	3	5	4	11	23	16	16	8	9
1982.....	105	-	2	8	5	9	20	15	18	7	3
1981.....	107	2	3	7	2	16	17	11	15	7	4
1980.....	157	1	7	8	9	20	35	20	13	9	6
1979.....	137	1	4	12	9	17	13	14	13	9	14
WHITE, BOTH SEXES											
1998.....	589	2	3	6	14	42	66	52	54	58	60
1997.....	639	-	-	13	12	42	52	67	70	80	68
1996.....	571	1	3	13	11	29	50	58	61	67	74
1995.....	659	-	10	13	23	48	69	68	83	69	62
1994.....	621	-	9	13	18	36	59	70	65	75	60
1993.....	656	1	13	18	22	38	69	75	94	63	57
1992.....	705	2	14	10	19	54	74	78	91	70	64
1991.....	709	-	10	9	28	49	87	83	91	67	62
1990.....	793	-	7	13	24	51	86	107	112	84	66
1989.....	711	2	7	14	10	50	61	93	92	69	69
1988.....	799	-	6	11	16	57	102	104	84	83	73
1987.....	762	2	11	11	17	77	107	92	90	74	62
1986.....	929	-	9	19	24	76	121	126	85	100	66
1985.....	941	1	16	15	23	79	151	127	109	75	64
1984.....	942	-	11	14	27	80	150	134	102	74	63
1983.....	1,126	-	7	18	32	94	154	174	123	107	90
1982.....	1,072	-	12	18	26	105	171	161	125	88	69
1981.....	1,045	1	6	18	30	109	170	148	116	85	51
1980.....	1,201	1	18	23	34	144	222	165	121	89	74
1979.....	1,228	1	9	30	42	143	195	156	135	105	64

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WATER TRANSPORT ACCIDENTS (E830-E838)											
WHITE MALE											
1998.....	521	1	3	5	9	36	59	47	43	53	53
1997.....	580	-	-	12	9	35	48	63	62	74	61
1996.....	492	-	3	9	4	20	44	46	55	59	69
1995.....	573	-	6	8	15	40	57	57	75	60	56
1994.....	550	-	2	9	14	32	52	67	60	61	55
1993.....	572	1	9	12	14	31	60	64	89	58	50
1992.....	630	2	11	7	12	46	65	75	81	59	57
1991.....	643	-	9	7	21	41	77	75	86	62	58
1990.....	699	-	1	12	19	42	74	94	98	80	63
1989.....	628	1	3	10	10	42	48	86	83	59	60
1988.....	728	-	5	9	14	50	92	93	78	75	69
1987.....	678	2	7	9	14	68	92	85	80	72	56
1986.....	834	-	5	13	20	66	109	116	75	94	58
1985.....	854	-	11	12	19	67	142	117	103	67	64
1984.....	855	-	8	12	22	75	130	122	91	70	60
1983.....	1,013	-	4	14	28	83	134	159	109	100	81
1982.....	983	-	10	12	22	96	152	153	111	81	67
1981.....	953	-	4	14	29	95	155	138	103	78	48
1980.....	1,065	1	11	16	26	126	193	149	110	81	69
1979.....	1,109	-	6	21	37	127	182	142	125	96	53
WHITE FEMALE											
1998.....	68	1	-	1	5	6	7	5	11	5	7
1997.....	59	-	-	1	3	7	4	4	8	6	7
1996.....	79	1	-	4	7	9	6	12	6	8	5
1995.....	86	-	4	5	8	8	12	11	8	9	6
1994.....	71	-	7	4	4	4	7	3	5	14	5
1993.....	84	-	4	6	8	7	9	11	5	5	7
1992.....	75	-	3	3	7	8	9	3	10	11	7
1991.....	66	-	1	2	7	8	10	8	5	5	4
1990.....	94	-	6	1	5	9	12	13	14	4	3
1989.....	83	1	4	4	-	8	13	7	9	10	9
1988.....	71	-	1	2	2	7	10	11	6	8	4
1987.....	84	-	4	2	3	9	15	7	10	2	6
1986.....	95	-	4	6	4	10	12	10	10	6	8
1985.....	87	1	5	3	4	12	9	10	6	8	-
1984.....	87	-	3	2	5	5	20	12	11	4	3
1983.....	113	-	3	4	4	11	20	15	14	7	9
1982.....	89	-	2	6	4	9	19	8	14	7	2
1981.....	92	1	2	4	1	14	15	10	13	7	3
1980.....	136	-	7	7	8	18	29	16	11	8	5
1979.....	119	1	3	9	5	16	13	14	10	9	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WATER TRANSPORT ACCIDENTS (E830-E838)											
ALL OTHER, BOTH SEXES											
1998.....	103	-	-	2	2	10	9	8	12	12	12
1997.....	119	-	2	-	2	5	7	16	16	14	17
1996.....	104	-	1	1	2	6	6	13	13	7	10
1995.....	103	-	-	2	7	4	14	10	15	15	10
1994.....	102	-	1	2	1	14	4	10	16	16	10
1993.....	107	-	1	4	-	8	8	7	13	12	10
1992.....	132	1	-	1	9	10	8	20	13	18	16
1991.....	142	-	1	4	4	10	15	15	23	17	19
1990.....	130	-	-	-	2	6	19	13	20	15	11
1989.....	155	-	-	3	11	17	16	13	8	11	13
1988.....	180	-	3	4	9	6	28	23	24	17	9
1987.....	187	-	2	3	8	10	21	25	25	18	18
1986.....	173	-	3	1	5	14	18	24	22	25	15
1985.....	170	1	2	4	9	11	22	30	18	21	12
1984.....	189	-	3	-	9	8	24	24	26	20	19
1983.....	190	-	1	6	5	8	28	18	29	22	13
1982.....	225	-	2	7	14	22	21	41	28	18	15
1981.....	174	1	3	10	9	20	22	25	18	10	11
1980.....	228	1	2	6	12	24	33	20	34	10	18
1979.....	210	-	1	11	12	21	16	30	24	20	21
ALL OTHER MALE											
1998.....	94	-	-	1	1	8	8	7	12	12	10
1997.....	109	-	-	-	2	5	6	16	13	13	17
1996.....	100	-	1	1	2	4	6	13	13	6	10
1995.....	94	-	-	1	4	4	12	10	15	13	10
1994.....	93	-	-	-	1	14	3	8	16	16	9
1993.....	105	-	1	4	-	8	8	6	13	11	10
1992.....	127	1	-	1	9	10	7	19	13	18	16
1991.....	129	-	1	2	3	9	13	15	22	16	18
1990.....	125	-	-	-	1	6	18	13	19	14	10
1989.....	147	-	-	1	9	16	16	13	8	10	13
1988.....	159	-	2	1	7	5	23	23	21	17	9
1987.....	175	-	2	3	7	8	19	24	23	18	17
1986.....	158	-	1	1	5	12	18	22	20	24	12
1985.....	158	1	2	2	7	10	20	28	18	21	11
1984.....	178	-	3	-	8	7	21	21	24	20	18
1983.....	179	-	1	5	5	8	25	17	27	21	13
1982.....	209	-	2	5	13	22	20	34	24	18	14
1981.....	159	-	2	7	8	18	20	24	16	10	10
1980.....	207	-	2	5	11	22	27	16	32	9	17
1979.....	192	-	-	8	8	20	16	30	21	20	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WATER TRANSPORT ACCIDENTS (E830-E838)											
ALL OTHER FEMALE											
1998.....	9	-	-	1	1	2	1	1	-	-	2
1997.....	10	-	2	-	-	-	1	-	3	1	-
1996.....	4	-	-	-	-	2	-	-	-	1	-
1995.....	9	-	-	1	3	-	2	-	-	2	-
1994.....	9	-	1	2	-	-	1	2	-	-	1
1993.....	2	-	-	-	-	-	-	1	-	1	-
1992.....	5	-	-	-	-	-	1	1	-	-	-
1991.....	13	-	-	2	1	1	2	-	1	1	1
1990.....	5	-	-	-	1	-	1	-	1	1	1
1989.....	8	-	-	2	2	1	-	-	-	1	-
1988.....	21	-	1	3	2	1	5	-	3	-	-
1987.....	12	-	-	-	1	2	2	1	2	-	1
1986.....	15	-	2	-	-	2	-	2	2	1	3
1985.....	12	-	-	2	2	1	2	2	-	-	1
1984.....	11	-	-	-	1	1	3	3	2	-	1
1983.....	11	-	-	1	-	-	3	1	2	1	-
1982.....	16	-	-	2	1	-	1	7	4	-	1
1981.....	15	1	1	3	1	2	2	1	2	-	1
1980.....	21	1	-	1	1	2	6	4	2	1	1
1979.....	18	-	1	3	4	1	-	-	3	-	3
BLACK, BOTH SEXES											
1998.....	71	-	-	1	1	9	4	6	9	6	9
1997.....	81	-	-	-	2	2	2	9	10	8	15
1996.....	81	-	1	1	1	3	4	10	10	4	8
1995.....	76	-	-	1	4	2	9	8	9	13	9
1994.....	75	-	1	2	1	12	3	7	8	13	8
1993.....	81	-	1	2	-	6	6	7	8	7	8
1992.....	89	-	-	-	8	4	5	10	9	13	11
1991.....	108	-	1	4	4	7	10	9	16	13	18
1990.....	92	-	-	-	1	3	14	8	11	12	8
1989.....	123	-	-	3	9	7	12	10	7	7	12
1988.....	139	-	1	2	7	3	22	18	13	15	9
1987.....	138	-	1	2	5	7	13	19	13	14	14
1986.....	139	-	1	1	3	12	12	18	16	22	14
1985.....	123	-	1	1	6	11	16	21	13	13	10
1984.....	159	-	2	-	8	7	13	17	25	18	15
1983.....	155	-	1	5	4	5	21	16	22	16	13
1982.....	187	-	1	6	10	13	16	34	24	15	15
1981.....	155	1	2	9	8	18	19	21	17	9	10
1980.....	204	1	1	6	10	19	29	18	29	8	17
1979.....	177	-	1	11	12	19	11	21	22	16	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WATER TRANSPORT ACCIDENTS (E830-E838)											
BLACK MALE											
1998.....	64	-	-	-	-	7	3	5	9	6	8
1997.....	77	-	-	-	2	2	2	9	9	8	15
1996.....	80	-	1	1	1	3	4	10	10	4	8
1995.....	71	-	-	-	3	2	8	8	9	12	9
1994.....	68	-	-	-	1	12	2	7	8	13	7
1993.....	79	-	1	2	-	6	6	6	8	6	8
1992.....	87	-	-	-	8	4	5	9	9	13	11
1991.....	97	-	1	2	3	6	8	9	15	13	17
1990.....	88	-	-	-	-	3	13	8	10	12	7
1989.....	117	-	-	1	8	7	12	10	7	6	12
1988.....	122	-	1	-	6	2	17	18	11	15	9
1987.....	130	-	1	2	5	5	12	18	13	14	13
1986.....	129	-	1	1	3	10	12	17	15	21	12
1985.....	119	-	1	-	5	10	16	21	13	13	10
1984.....	152	-	2	-	7	7	12	14	23	18	15
1983.....	148	-	1	4	4	5	20	16	20	15	13
1982.....	173	-	1	5	9	13	16	27	20	15	14
1981.....	142	-	2	6	7	16	18	20	15	9	9
1980.....	183	-	1	5	9	17	23	14	27	7	16
1979.....	161	-	-	8	8	18	11	21	20	16	14
BLACK FEMALE											
1998.....	7	-	-	1	1	2	1	1	-	-	1
1997.....	4	-	-	-	-	-	-	-	1	-	-
1996.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	5	-	-	1	1	-	1	-	-	1	-
1994.....	7	-	1	2	-	-	1	-	-	-	1
1993.....	2	-	-	-	-	-	-	1	-	1	-
1992.....	2	-	-	-	-	-	-	1	-	-	-
1991.....	11	-	-	2	1	1	2	-	1	-	1
1990.....	4	-	-	-	1	-	1	-	1	-	1
1989.....	6	-	-	2	1	-	-	-	-	1	-
1988.....	17	-	-	2	1	1	5	-	2	-	-
1987.....	8	-	-	-	-	2	1	1	-	-	1
1986.....	10	-	-	-	-	2	-	1	1	1	2
1985.....	4	-	-	1	1	1	-	-	-	-	-
1984.....	7	-	-	-	1	-	1	3	2	-	-
1983.....	7	-	-	1	-	-	1	-	2	1	-
1982.....	14	-	-	1	1	-	-	7	4	-	1
1981.....	13	1	-	3	1	2	1	1	2	-	1
1980.....	21	1	-	1	1	2	6	4	2	1	1
1979.....	16	-	1	3	4	1	-	-	2	-	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)											
TOTAL, BOTH SEXES											
1998.....	692	-	-	7	10	19	32	48	49	67	83
1997.....	734	2	2	4	7	21	39	75	72	73	83
1996.....	1,061	-	6	14	19	41	73	96	98	121	112
1995.....	851	-	3	6	14	21	49	78	92	101	100
1994.....	1,075	2	5	13	14	18	54	123	146	126	137
1993.....	859	1	1	6	15	20	43	96	110	108	110
1992.....	1,094	1	11	5	12	24	83	141	133	138	140
1991.....	1,000	-	3	7	8	34	80	102	114	127	140
1990.....	941	3	3	6	11	28	58	87	112	123	111
1989.....	1,123	1	7	9	25	35	82	112	172	112	135
1988.....	1,012	2	6	15	15	28	86	117	142	114	139
1987.....	1,263	4	13	15	21	42	102	168	147	175	149
1986.....	1,148	1	10	13	14	30	99	142	161	156	130
1985.....	1,428	2	13	14	26	42	141	176	192	176	179
1984.....	1,234	1	11	8	17	30	129	162	147	145	128
1983.....	1,312	5	10	8	21	52	135	189	200	177	133
1982.....	1,664	4	28	28	26	64	171	215	237	241	165
1981.....	1,575	2	11	17	23	59	178	235	240	207	145
1980.....	1,494	3	11	13	32	66	168	242	245	172	160
1979.....	1,764	-	10	26	27	84	189	271	253	226	168
TOTAL, MALE											
1998.....	589	-	-	4	3	15	24	41	42	56	69
1997.....	603	2	-	2	2	10	24	63	59	60	73
1996.....	802	-	3	4	8	17	58	68	79	96	94
1995.....	727	-	-	3	9	15	42	65	82	86	82
1994.....	879	-	2	8	9	14	42	105	118	106	109
1993.....	708	1	-	3	8	13	32	77	95	91	90
1992.....	912	-	6	2	7	16	71	117	109	119	122
1991.....	837	-	1	5	5	20	61	91	99	104	121
1990.....	812	1	1	5	10	20	50	78	100	109	94
1989.....	907	1	5	7	12	23	61	98	145	87	112
1988.....	858	1	3	9	12	24	76	97	126	98	115
1987.....	1,032	1	9	10	14	29	86	134	124	137	132
1986.....	960	1	6	7	9	20	78	119	137	131	106
1985.....	1,141	2	6	10	17	29	99	141	169	150	143
1984.....	1,027	1	8	2	10	17	107	136	119	132	106
1983.....	1,112	3	4	6	12	40	110	166	175	152	112
1982.....	1,357	3	17	17	17	43	138	179	195	213	142
1981.....	1,333	-	5	11	16	50	142	205	210	176	120
1980.....	1,238	2	4	6	20	48	133	206	210	153	138
1979.....	1,449	-	6	14	21	56	154	222	213	191	145

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)											
TOTAL, FEMALE											
1998.....	103	-	-	3	7	4	8	7	7	11	14
1997.....	131	-	2	2	5	11	15	12	13	13	10
1996.....	259	-	3	10	11	24	15	28	19	25	18
1995.....	124	-	3	3	5	6	7	13	10	15	18
1994.....	196	2	3	5	5	4	12	18	28	20	28
1993.....	151	-	1	3	7	7	11	19	15	17	20
1992.....	182	1	5	3	5	8	12	24	24	19	18
1991.....	163	-	2	2	3	14	19	11	15	23	19
1990.....	129	2	2	1	1	8	8	9	12	14	17
1989.....	216	-	2	2	13	12	21	14	27	25	23
1988.....	154	1	3	6	3	4	10	20	16	16	24
1987.....	231	3	4	5	7	13	16	34	23	38	17
1986.....	188	-	4	6	5	10	21	23	24	25	24
1985.....	287	-	7	4	9	13	42	35	23	26	36
1984.....	207	-	3	6	7	13	22	26	28	13	22
1983.....	200	2	6	2	9	12	25	23	25	25	21
1982.....	307	1	11	11	9	21	33	36	42	28	23
1981.....	242	2	6	6	7	9	36	30	30	31	25
1980.....	256	1	7	7	12	18	35	36	35	19	22
1979.....	315	-	4	12	6	28	35	49	40	35	23
WHITE, BOTH SEXES											
1998.....	668	-	-	6	9	18	32	42	48	63	80
1997.....	688	2	1	1	4	14	37	68	69	64	78
1996.....	1,001	-	6	13	19	38	67	87	88	111	108
1995.....	818	-	3	6	14	21	48	75	84	94	94
1994.....	1,013	1	4	11	13	16	53	109	133	119	130
1993.....	822	-	-	4	15	19	38	88	109	98	107
1992.....	1,056	1	9	4	12	22	79	136	126	133	136
1991.....	975	-	3	7	8	34	79	93	112	125	135
1990.....	908	2	1	5	9	28	54	82	106	118	108
1989.....	1,079	1	6	9	23	30	74	101	165	110	132
1988.....	987	2	6	15	15	26	81	114	141	113	137
1987.....	1,218	3	12	13	18	41	94	159	143	169	147
1986.....	1,112	1	9	12	12	28	95	137	156	151	127
1985.....	1,374	2	12	13	20	39	131	170	185	171	175
1984.....	1,205	1	10	8	17	29	125	157	143	140	126
1983.....	1,288	5	10	8	21	52	134	184	193	171	131
1982.....	1,610	4	27	26	26	63	161	205	228	233	159
1981.....	1,548	2	11	17	23	58	171	229	233	206	145
1980.....	1,445	2	11	12	27	63	160	230	236	169	157
1979.....	1,709	-	10	24	26	82	184	261	240	221	163

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)											
WHITE MALE											
1998.....	571	-	-	4	2	14	24	37	41	52	68
1997.....	579	2	-	1	2	7	24	60	58	52	69
1996.....	766	-	3	4	8	16	53	61	72	89	92
1995.....	700	-	-	3	9	15	41	63	75	82	76
1994.....	835	-	2	7	8	12	42	92	109	101	104
1993.....	682	-	-	2	8	13	28	72	95	81	88
1992.....	883	-	5	2	7	15	67	113	103	116	118
1991.....	816	-	1	5	5	20	61	82	97	102	117
1990.....	785	1	-	5	8	20	46	74	94	105	92
1989.....	874	1	4	7	10	21	55	90	140	85	110
1988.....	835	1	3	9	12	22	71	94	126	97	113
1987.....	1,000	1	8	8	14	28	78	127	120	134	130
1986.....	939	1	6	7	7	20	75	116	135	128	104
1985.....	1,112	2	5	9	16	28	95	138	163	147	140
1984.....	1,001	1	7	2	10	16	103	133	116	127	104
1983.....	1,092	3	4	6	12	40	109	161	170	147	110
1982.....	1,318	3	17	15	17	42	130	171	190	208	136
1981.....	1,313	-	5	11	16	49	138	201	204	175	120
1980.....	1,203	2	4	5	19	46	127	198	202	150	135
1979.....	1,404	-	6	13	20	54	149	213	204	187	140
WHITE FEMALE											
1998.....	97	-	-	2	7	4	8	5	7	11	12
1997.....	109	-	1	-	2	7	13	8	11	12	9
1996.....	235	-	3	9	11	22	14	26	16	22	16
1995.....	118	-	3	3	5	6	7	12	9	12	18
1994.....	178	1	2	4	5	4	11	17	24	18	26
1993.....	140	-	-	2	7	6	10	16	14	17	19
1992.....	173	1	4	2	5	7	12	23	23	17	18
1991.....	159	-	2	2	3	14	18	11	15	23	18
1990.....	123	1	1	-	1	8	8	8	12	13	16
1989.....	205	-	2	2	13	9	19	11	25	25	22
1988.....	152	1	3	6	3	4	10	20	15	16	24
1987.....	218	2	4	5	4	13	16	32	23	35	17
1986.....	173	-	3	5	5	8	20	21	21	23	23
1985.....	262	-	7	4	4	11	36	32	22	24	35
1984.....	204	-	3	6	7	13	22	24	27	13	22
1983.....	196	2	6	2	9	12	25	23	23	24	21
1982.....	292	1	10	11	9	21	31	34	38	25	23
1981.....	235	2	6	6	7	9	33	28	29	31	25
1980.....	242	-	7	7	8	17	33	32	34	19	22
1979.....	305	-	4	11	6	28	35	48	36	34	23

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)											
ALL OTHER, BOTH SEXES											
1998.....	24	-	-	1	1	1	-	6	1	4	3
1997.....	46	-	1	3	3	7	2	7	3	9	5
1996.....	60	-	-	1	-	3	6	9	10	10	4
1995.....	33	-	-	-	-	-	1	3	8	7	6
1994.....	62	1	1	2	1	2	1	14	13	7	7
1993.....	37	1	1	2	-	1	5	8	1	10	3
1992.....	38	-	2	1	-	2	4	5	7	5	4
1991.....	25	-	-	-	-	-	1	9	2	2	5
1990.....	33	1	2	1	2	-	4	5	6	5	3
1989.....	44	-	1	-	2	5	8	11	7	2	3
1988.....	25	-	-	-	-	2	5	3	1	1	2
1987.....	45	1	1	2	3	1	8	9	4	6	2
1986.....	36	-	1	1	2	2	4	5	5	5	3
1985.....	54	-	1	1	6	3	10	6	7	5	4
1984.....	29	-	1	-	-	1	4	5	4	5	2
1983.....	24	-	-	-	-	-	1	5	7	6	2
1982.....	54	-	1	2	-	1	10	10	9	8	6
1981.....	27	-	-	-	-	1	7	6	7	1	-
1980.....	49	1	-	1	5	3	8	12	9	3	3
1979.....	55	-	-	2	1	2	5	10	13	5	5
ALL OTHER MALE											
1998.....	18	-	-	-	1	1	-	4	1	4	1
1997.....	24	-	-	1	-	3	-	3	1	8	4
1996.....	36	-	-	-	-	1	5	7	7	7	2
1995.....	27	-	-	-	-	-	1	2	7	4	6
1994.....	44	-	-	1	1	2	-	13	9	5	5
1993.....	26	1	-	1	-	-	4	5	-	10	2
1992.....	29	-	1	-	-	1	4	4	6	3	4
1991.....	21	-	-	-	-	-	-	9	2	2	4
1990.....	27	-	1	-	2	-	4	4	6	4	2
1989.....	33	-	1	-	2	2	6	8	5	2	2
1988.....	23	-	-	-	-	2	5	3	-	1	2
1987.....	32	-	1	2	-	1	8	7	4	3	2
1986.....	21	-	-	-	2	-	3	3	2	3	2
1985.....	29	-	1	1	1	1	4	3	6	3	3
1984.....	26	-	1	-	-	1	4	3	3	5	2
1983.....	20	-	-	-	-	-	1	5	5	5	2
1982.....	39	-	-	2	-	1	8	8	5	5	6
1981.....	20	-	-	-	-	1	4	4	6	1	-
1980.....	35	-	-	1	1	2	6	8	8	3	3
1979.....	45	-	-	1	1	2	5	9	9	4	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)											
ALL OTHER FEMALE											
1998.....	6	-	-	1	-	-	-	2	-	-	2
1997.....	22	-	1	2	3	4	2	4	2	1	1
1996.....	24	-	-	1	-	2	1	2	3	3	2
1995.....	6	-	-	-	-	-	-	1	1	3	-
1994.....	18	1	1	1	-	-	1	1	4	2	2
1993.....	11	-	1	1	-	1	1	3	1	-	1
1992.....	9	-	1	1	-	1	-	1	1	2	-
1991.....	4	-	-	-	-	-	1	-	-	-	1
1990.....	6	1	1	1	-	-	-	1	-	1	1
1989.....	11	-	-	-	-	3	2	3	2	-	1
1988.....	2	-	-	-	-	-	-	-	1	-	-
1987.....	13	1	-	-	3	-	-	2	-	3	-
1986.....	15	-	1	1	-	2	1	2	3	2	1
1985.....	25	-	-	-	5	2	6	3	1	2	1
1984.....	3	-	-	-	-	-	-	2	1	-	-
1983.....	4	-	-	-	-	-	-	-	2	1	-
1982.....	15	-	1	-	-	-	2	2	4	3	-
1981.....	7	-	-	-	-	-	3	2	1	-	-
1980.....	14	1	-	-	4	1	2	4	1	-	-
1979.....	10	-	-	1	-	-	-	1	4	1	-
BLACK, BOTH SEXES											
1998.....	11	-	-	-	-	1	-	3	1	2	2
1997.....	18	-	-	-	-	5	-	2	2	4	3
1996.....	44	-	-	1	-	2	6	6	8	5	3
1995.....	16	-	-	-	-	-	1	1	4	2	4
1994.....	36	1	1	2	-	1	1	8	5	6	4
1993.....	18	1	1	-	-	-	1	4	-	8	-
1992.....	20	-	2	1	-	-	2	2	1	3	4
1991.....	15	-	-	-	-	-	1	5	1	-	3
1990.....	12	-	-	-	-	-	3	3	4	-	1
1989.....	17	-	-	-	-	1	4	4	4	1	-
1988.....	16	-	-	-	-	1	3	1	1	-	1
1987.....	28	1	1	-	2	1	6	7	2	3	1
1986.....	14	-	-	-	-	-	2	2	2	2	1
1985.....	30	-	-	-	2	-	7	4	5	3	1
1984.....	21	-	-	-	-	1	4	3	1	4	2
1983.....	13	-	-	-	-	-	-	2	4	5	-
1982.....	40	-	-	1	-	1	6	7	9	5	6
1981.....	12	-	-	-	-	1	5	2	3	-	-
1980.....	22	-	-	1	4	-	2	4	5	2	2
1979.....	28	-	-	-	1	1	2	7	6	4	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)											
BLACK MALE											
1998.....	9	-	-	-	-	1	-	3	1	2	-
1997.....	11	-	-	-	-	2	-	1	-	4	3
1996.....	26	-	-	-	-	1	5	5	6	2	2
1995.....	15	-	-	-	-	-	1	1	3	2	4
1994.....	23	-	-	1	-	1	-	8	2	4	2
1993.....	15	1	-	-	-	-	1	4	-	8	-
1992.....	15	-	1	-	-	-	2	2	1	2	4
1991.....	12	-	-	-	-	-	-	5	1	-	3
1990.....	11	-	-	-	-	-	3	3	4	-	-
1989.....	13	-	-	-	-	1	2	3	3	1	-
1988.....	14	-	-	-	-	1	3	1	-	-	1
1987.....	20	-	1	-	-	1	6	5	2	2	1
1986.....	10	-	-	-	-	-	2	2	1	2	-
1985.....	15	-	-	-	-	-	2	3	4	2	-
1984.....	21	-	-	-	-	1	4	3	1	4	2
1983.....	10	-	-	-	-	-	-	2	2	4	-
1982.....	30	-	-	1	-	1	4	6	5	4	6
1981.....	10	-	-	-	-	1	3	2	3	-	-
1980.....	17	-	-	1	1	-	2	3	4	2	2
1979.....	23	-	-	-	1	1	2	7	4	3	2
BLACK FEMALE											
1998.....	2	-	-	-	-	-	-	-	-	-	2
1997.....	7	-	-	-	-	3	-	1	2	-	-
1996.....	18	-	-	1	-	1	1	1	2	3	1
1995.....	1	-	-	-	-	-	-	-	1	-	-
1994.....	13	1	1	1	-	-	1	-	3	2	2
1993.....	3	-	1	-	-	-	-	-	-	-	-
1992.....	5	-	1	1	-	-	-	-	-	1	-
1991.....	3	-	-	-	-	-	1	-	-	-	-
1990.....	1	-	-	-	-	-	-	-	-	-	1
1989.....	4	-	-	-	-	-	2	1	1	-	-
1988.....	2	-	-	-	-	-	-	-	1	-	-
1987.....	8	1	-	-	2	-	-	2	-	1	-
1986.....	4	-	-	-	-	-	-	-	1	-	1
1985.....	15	-	-	-	2	-	5	1	1	1	1
1983.....	3	-	-	-	-	-	-	-	2	1	-
1982.....	10	-	-	-	-	-	2	1	4	1	-
1981.....	2	-	-	-	-	-	2	-	-	-	-
1980.....	5	-	-	-	3	-	-	1	1	-	-
1979.....	5	-	-	-	-	-	-	-	2	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE (E846-E848)											
TOTAL, BOTH SEXES											
1998.....	139	-	-	2	1	3	2	2	1	3	3
1997.....	101	-	-	2	-	5	3	2	1	-	1
1996.....	72	-	1	1	5	3	2	4	2	1	3
1995.....	49	-	1	4	1	2	4	2	-	4	2
1994.....	37	-	-	3	2	2	6	1	3	-	-
1993.....	41	-	1	-	5	3	6	2	2	2	1
1992.....	33	-	-	2	1	2	2	1	2	-	4
1991.....	44	-	1	1	4	1	4	4	3	1	2
1990.....	45	-	-	1	3	7	2	6	3	1	2
1989.....	45	-	-	1	4	5	2	1	3	2	3
1988.....	24	-	-	-	3	3	-	3	1	1	3
1987.....	31	-	-	3	2	3	3	-	3	-	2
1986.....	20	-	-	-	2	6	2	1	-	2	2
1985.....	27	-	-	1	2	4	4	2	3	2	3
1984.....	33	-	1	2	1	5	5	1	2	2	2
1983.....	21	-	1	-	1	1	1	4	1	2	-
1982.....	21	-	1	-	-	2	1	1	6	2	1
1981.....	32	-	1	3	-	2	5	4	4	3	1
1980.....	36	-	-	1	1	3	6	8	3	2	4
1979.....	37	-	2	1	4	2	2	7	3	2	1
TOTAL, MALE											
1998.....	64	-	-	1	1	2	2	2	1	2	1
1997.....	53	-	-	2	-	4	2	2	1	-	1
1996.....	41	-	1	1	5	3	2	4	1	1	3
1995.....	28	-	1	2	-	2	3	2	-	3	2
1994.....	26	-	-	-	2	2	6	1	3	-	-
1993.....	28	-	1	-	3	3	6	1	2	2	1
1992.....	21	-	-	2	1	1	2	1	2	-	3
1991.....	27	-	1	1	2	1	2	4	2	1	2
1990.....	37	-	-	1	3	7	2	6	3	1	2
1989.....	29	-	-	1	3	4	2	1	2	2	3
1988.....	19	-	-	-	3	2	-	2	-	1	3
1987.....	24	-	-	-	2	3	3	-	3	-	2
1986.....	18	-	-	-	2	6	2	1	-	2	2
1985.....	24	-	-	1	2	4	4	2	2	2	3
1984.....	31	-	1	2	1	5	5	1	2	2	1
1983.....	18	-	1	-	-	1	1	4	1	2	-
1982.....	16	-	-	-	-	2	1	1	6	1	1
1981.....	29	-	1	1	-	2	5	4	4	3	1
1980.....	29	-	-	1	-	3	5	7	3	2	2
1979.....	33	-	1	-	3	2	2	7	3	2	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE (E846-E848)											
TOTAL, FEMALE											
1998.....	75	-	-	1	-	1	-	-	-	1	2
1997.....	48	-	-	-	-	1	1	-	-	-	-
1996.....	31	-	-	-	-	-	-	-	1	-	-
1995.....	21	-	-	2	1	-	1	-	-	1	-
1994.....	11	-	-	3	-	-	-	-	-	-	-
1993.....	13	-	-	-	2	-	-	1	-	-	-
1992.....	12	-	-	-	-	1	-	-	-	-	1
1991.....	17	-	-	-	2	-	2	-	1	-	-
1990.....	8	-	-	-	-	-	-	-	-	-	-
1989.....	16	-	-	-	1	1	-	-	1	-	-
1988.....	5	-	-	-	-	1	-	1	1	-	-
1987.....	7	-	-	3	-	-	-	-	-	-	-
1986.....	2	-	-	-	-	-	-	-	-	-	-
1985.....	3	-	-	-	-	-	-	-	1	-	-
1984.....	2	-	-	-	-	-	-	-	-	-	1
1983.....	3	-	-	-	1	-	-	-	-	-	-
1982.....	5	-	1	-	-	-	-	-	-	1	-
1981.....	3	-	-	2	-	-	-	-	-	-	-
1980.....	7	-	-	-	1	-	1	1	-	-	2
1979.....	4	-	1	1	1	-	-	-	-	-	-
WHITE, BOTH SEXES											
1998.....	124	-	-	2	1	3	1	2	1	3	2
1997.....	92	-	-	2	-	5	3	2	1	-	1
1996.....	67	-	-	1	5	3	2	4	2	1	2
1995.....	43	-	-	4	1	2	3	1	-	4	2
1994.....	35	-	-	2	1	2	6	1	3	-	-
1993.....	37	-	-	-	5	2	6	2	2	2	1
1992.....	31	-	-	1	1	2	2	1	2	-	3
1991.....	42	-	-	1	4	1	4	3	3	1	2
1990.....	42	-	-	1	2	7	2	5	3	1	2
1989.....	42	-	-	1	4	5	2	1	3	2	1
1988.....	23	-	-	-	2	3	-	3	1	1	3
1987.....	30	-	-	3	2	2	3	-	3	-	2
1986.....	19	-	-	-	2	6	2	1	-	2	2
1985.....	25	-	-	1	2	4	4	1	3	2	3
1984.....	30	-	1	2	1	5	4	-	2	2	2
1983.....	17	-	1	-	1	1	1	4	1	2	-
1982.....	19	-	1	-	-	2	1	1	5	1	1
1981.....	31	-	1	3	-	2	5	4	4	3	-
1980.....	33	-	-	1	1	3	6	7	2	2	3
1979.....	32	-	1	1	4	2	2	7	2	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE (E846-E848)											
WHITE MALE											
1998.....	57	-	-	1	1	2	1	2	1	2	-
1997.....	48	-	-	2	-	4	2	2	1	-	1
1996.....	37	-	-	1	5	3	2	4	1	1	2
1995.....	24	-	-	2	-	2	2	1	-	3	2
1994.....	25	-	-	-	1	2	6	1	3	-	-
1993.....	25	-	-	-	3	2	6	1	2	2	1
1992.....	20	-	-	1	1	1	2	1	2	-	3
1991.....	25	-	-	1	2	1	2	3	2	1	2
1990.....	34	-	-	1	2	7	2	5	3	1	2
1989.....	26	-	-	1	3	4	2	1	2	2	1
1988.....	18	-	-	-	2	2	-	2	-	1	3
1987.....	23	-	-	-	2	2	3	-	3	-	2
1986.....	17	-	-	-	2	6	2	1	-	2	2
1985.....	23	-	-	1	2	4	4	1	2	2	3
1984.....	28	-	1	2	1	5	4	-	2	2	1
1983.....	15	-	1	-	-	1	1	4	1	2	-
1982.....	14	-	-	-	-	2	1	1	5	-	1
1981.....	28	-	1	1	-	2	5	4	4	3	-
1980.....	26	-	-	1	-	3	5	6	2	2	1
1979.....	28	-	-	-	3	2	2	7	2	2	-
WHITE FEMALE											
1998.....	67	-	-	1	-	1	-	-	-	1	2
1997.....	44	-	-	-	-	1	1	-	-	-	-
1996.....	30	-	-	-	-	-	-	-	1	-	-
1995.....	19	-	-	2	1	-	1	-	-	1	-
1994.....	10	-	-	2	-	-	-	-	-	-	-
1993.....	12	-	-	-	2	-	-	1	-	-	-
1992.....	11	-	-	-	-	1	-	-	-	-	-
1991.....	17	-	-	-	2	-	2	-	1	-	-
1990.....	8	-	-	-	-	-	-	-	-	-	-
1989.....	16	-	-	-	1	1	-	-	1	-	-
1988.....	5	-	-	-	-	1	-	1	1	-	-
1987.....	7	-	-	3	-	-	-	-	-	-	-
1986.....	2	-	-	-	-	-	-	-	-	-	-
1985.....	2	-	-	-	-	-	-	-	1	-	-
1984.....	2	-	-	-	-	-	-	-	-	-	1
1983.....	2	-	-	-	1	-	-	-	-	-	-
1982.....	5	-	1	-	-	-	-	-	-	1	-
1981.....	3	-	-	2	-	-	-	-	-	-	-
1980.....	7	-	-	-	1	-	1	1	-	-	2
1979.....	4	-	1	1	1	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE (E846-E848)											
ALL OTHER, BOTH SEXES											
1998.....	15	-	-	-	-	-	1	-	-	-	1
1997.....	9	-	-	-	-	-	-	-	-	-	-
1996.....	5	-	1	-	-	-	-	-	-	-	1
1995.....	6	-	1	-	-	-	1	1	-	-	-
1994.....	2	-	-	1	1	-	-	-	-	-	-
1993.....	4	-	1	-	-	1	-	-	-	-	-
1992.....	2	-	-	1	-	-	-	-	-	-	1
1991.....	2	-	1	-	-	-	-	1	-	-	-
1990.....	3	-	-	-	1	-	-	1	-	-	-
1989.....	3	-	-	-	-	-	-	-	-	-	2
1988.....	1	-	-	-	1	-	-	-	-	-	-
1987.....	1	-	-	-	-	1	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	-	-	-
1985.....	2	-	-	-	-	-	-	1	-	-	-
1984.....	3	-	-	-	-	-	1	1	-	-	-
1983.....	4	-	-	-	-	-	-	-	-	-	-
1982.....	2	-	-	-	-	-	-	-	1	1	-
1981.....	1	-	-	-	-	-	-	-	-	-	1
1980.....	3	-	-	-	-	-	-	1	1	-	1
1979.....	5	-	1	-	-	-	-	-	1	-	1
ALL OTHER MALE											
1998.....	7	-	-	-	-	-	1	-	-	-	1
1997.....	5	-	-	-	-	-	-	-	-	-	-
1996.....	4	-	1	-	-	-	-	-	-	-	1
1995.....	4	-	1	-	-	-	1	1	-	-	-
1994.....	1	-	-	-	1	-	-	-	-	-	-
1993.....	3	-	1	-	-	1	-	-	-	-	-
1992.....	1	-	-	1	-	-	-	-	-	-	-
1991.....	2	-	1	-	-	-	-	1	-	-	-
1990.....	3	-	-	-	1	-	-	1	-	-	-
1989.....	3	-	-	-	-	-	-	-	-	-	2
1988.....	1	-	-	-	1	-	-	-	-	-	-
1987.....	1	-	-	-	-	1	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	1	-	-	-
1984.....	3	-	-	-	-	-	1	1	-	-	-
1983.....	3	-	-	-	-	-	-	-	-	-	-
1982.....	2	-	-	-	-	-	-	-	1	1	-
1981.....	1	-	-	-	-	-	-	-	-	-	1
1980.....	3	-	-	-	-	-	-	1	1	-	1
1979.....	5	-	1	-	-	-	-	-	1	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTAL POISONING (E850-E869)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	10,801	9	27	11	22	261	599	817	1,335	2,003	2,238
1997.....	10,163	6	33	19	23	249	481	851	1,336	1,960	2,024
1996.....	9,510	15	42	18	34	190	448	796	1,296	1,825	1,808
1995.....	9,072	7	31	14	28	178	456	805	1,337	1,828	1,778
1994.....	8,994	13	39	20	35	148	414	813	1,504	1,809	1,664
1993.....	8,537	20	59	22	27	148	386	825	1,443	1,859	1,553
1992.....	7,082	12	41	15	21	155	403	752	1,211	1,484	1,081
1991.....	6,434	20	56	14	42	175	386	720	1,153	1,166	909
1990.....	5,803	15	54	12	32	191	328	692	1,033	1,061	696
1989.....	6,524	22	55	17	27	202	435	850	1,196	1,153	692
1988.....	6,226	17	61	21	32	191	425	871	1,198	999	595
1987.....	5,315	15	38	21	26	188	425	753	928	834	442
1986.....	5,740	24	69	24	30	219	454	927	1,036	792	473
1985.....	5,170	18	62	21	31	167	463	820	912	659	370
1984.....	4,911	21	77	22	34	184	505	815	840	524	337
1983.....	4,633	23	65	19	37	214	509	715	687	452	314
1982.....	4,733	20	84	21	26	217	569	775	676	424	294
1981.....	4,523	18	75	29	47	248	522	677	598	362	298
1980.....	4,331	22	83	23	29	293	549	673	514	314	288
1979.....	4,637	26	79	25	50	341	660	688	478	347	276
TOTAL, MALE											
1998.....	7,907	5	15	6	13	198	494	642	1,011	1,475	1,683
1997.....	7,622	6	22	9	13	199	386	667	1,055	1,511	1,567
1996.....	7,014	8	28	12	23	148	369	613	993	1,401	1,389
1995.....	6,885	5	21	7	17	138	362	646	1,060	1,440	1,410
1994.....	6,759	7	19	10	21	115	321	652	1,196	1,406	1,346
1993.....	6,476	13	31	13	12	105	313	660	1,150	1,476	1,240
1992.....	5,346	9	24	12	14	110	309	605	946	1,193	889
1991.....	4,690	16	36	8	25	143	310	576	916	912	721
1990.....	4,199	7	32	6	23	144	259	507	813	851	553
1989.....	4,767	11	34	12	16	151	337	665	928	936	544
1988.....	4,461	11	39	8	21	141	318	661	967	791	442
1987.....	3,782	9	21	11	19	132	308	595	738	673	325
1986.....	4,105	11	40	14	21	154	334	743	825	623	346
1985.....	3,659	5	42	11	22	113	332	653	738	533	268
1984.....	3,420	14	46	10	25	120	370	632	658	416	236
1983.....	3,088	10	44	9	19	140	354	533	537	342	207
1982.....	3,225	10	47	10	18	143	443	609	536	310	187
1981.....	3,053	8	44	20	35	177	408	528	466	262	188
1980.....	2,890	12	51	13	17	200	404	526	389	220	196
1979.....	3,060	14	34	16	32	233	503	522	355	238	173

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTAL POISONING (E850-E869)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	2,894	4	12	5	9	63	105	175	324	528	555
1997.....	2,541	-	11	10	10	50	95	184	281	449	457
1996.....	2,496	7	14	6	11	42	79	183	303	424	419
1995.....	2,187	2	10	7	11	40	94	159	277	388	368
1994.....	2,235	6	20	10	14	33	93	161	308	403	318
1993.....	2,061	7	28	9	15	43	73	165	293	383	313
1992.....	1,736	3	17	3	7	45	94	147	265	291	192
1991.....	1,744	4	20	6	17	32	76	144	237	254	188
1990.....	1,604	8	22	6	9	47	69	185	220	210	143
1989.....	1,757	11	21	5	11	51	98	185	268	217	148
1988.....	1,765	6	22	13	11	50	107	210	231	208	153
1987.....	1,533	6	17	10	7	56	117	158	190	161	117
1986.....	1,635	13	29	10	9	65	120	184	211	169	127
1985.....	1,511	13	20	10	9	54	131	167	174	126	102
1984.....	1,491	7	31	12	9	64	135	183	182	108	101
1983.....	1,545	13	21	10	18	74	155	182	150	110	107
1982.....	1,508	10	37	11	8	74	126	166	140	114	107
1981.....	1,470	10	31	9	12	71	114	149	132	100	110
1980.....	1,441	10	32	10	12	93	145	147	125	94	92
1979.....	1,577	12	45	9	18	108	157	166	123	109	103
WHITE, BOTH SEXES											
1998.....	8,685	6	22	9	20	231	513	687	1,106	1,619	1,802
1997.....	8,057	4	21	8	16	223	410	711	1,132	1,569	1,552
1996.....	7,491	11	21	15	27	166	367	649	1,079	1,450	1,387
1995.....	7,015	4	16	14	22	154	384	652	1,091	1,409	1,301
1994.....	6,853	6	22	12	24	126	329	659	1,175	1,410	1,199
1993.....	6,563	13	37	15	23	121	303	673	1,130	1,411	1,141
1992.....	5,473	7	21	11	15	126	326	585	946	1,134	787
1991.....	4,825	12	23	10	32	147	296	555	892	823	635
1990.....	4,542	13	31	9	26	154	257	549	792	815	509
1989.....	5,043	9	33	14	20	170	341	670	946	841	503
1988.....	4,764	11	33	13	26	152	329	672	931	715	432
1987.....	4,125	8	24	11	19	162	353	588	722	582	316
1986.....	4,659	19	51	19	27	188	387	780	817	608	360
1985.....	4,190	14	40	19	28	144	403	683	720	500	284
1984.....	3,974	14	45	17	31	160	428	681	641	389	263
1983.....	3,811	14	43	13	31	191	439	583	564	355	237
1982.....	3,861	9	53	17	23	196	496	639	516	323	228
1981.....	3,682	10	46	18	41	218	462	555	472	264	220
1980.....	3,589	16	53	19	22	252	470	555	420	248	229
1979.....	3,794	15	48	18	35	305	569	543	364	265	217

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTAL POISONING (E850-E869)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	6,389	4	11	6	11	176	427	550	844	1,210	1,374
1997.....	6,089	4	13	4	10	182	333	555	905	1,237	1,225
1996.....	5,584	6	12	11	20	132	303	511	843	1,150	1,088
1995.....	5,369	3	12	7	15	118	312	541	881	1,133	1,049
1994.....	5,204	4	13	6	16	102	256	537	956	1,122	1,001
1993.....	5,013	6	22	8	12	84	248	554	932	1,139	920
1992.....	4,159	5	15	9	11	90	256	482	757	932	661
1991.....	3,555	9	17	5	19	121	244	452	723	665	515
1990.....	3,304	6	20	4	19	120	213	417	646	655	409
1989.....	3,699	4	23	11	13	126	264	538	746	711	398
1988.....	3,425	9	17	6	17	116	259	522	775	578	321
1987.....	2,951	6	12	4	15	118	261	485	583	479	229
1986.....	3,337	9	28	11	19	133	289	635	668	476	269
1985.....	2,998	5	28	11	20	101	292	554	603	412	203
1984.....	2,773	9	23	8	23	110	324	539	515	302	182
1983.....	2,579	5	30	8	14	128	312	456	464	267	157
1982.....	2,637	3	27	8	16	135	399	516	415	238	138
1981.....	2,508	5	33	15	31	157	366	446	377	193	139
1980.....	2,401	9	34	12	14	178	347	446	322	173	158
1979.....	2,503	8	17	12	22	216	442	418	281	179	135
WHITE FEMALE											
1998.....	2,296	2	11	3	9	55	86	137	262	409	428
1997.....	1,968	-	8	4	6	41	77	156	227	332	327
1996.....	1,907	5	9	4	7	34	64	138	236	300	299
1995.....	1,646	1	4	7	7	36	72	111	210	276	252
1994.....	1,649	2	9	6	8	24	73	122	219	288	198
1993.....	1,550	7	15	7	11	37	55	119	198	272	221
1992.....	1,314	2	6	2	4	36	70	103	189	202	126
1991.....	1,270	3	6	5	13	26	52	103	169	158	120
1990.....	1,238	7	11	5	7	34	44	132	146	160	100
1989.....	1,344	5	10	3	7	44	77	132	200	130	105
1988.....	1,339	2	16	7	9	36	70	150	156	137	111
1987.....	1,174	2	12	7	4	44	92	103	139	103	87
1986.....	1,322	10	23	8	8	55	98	145	149	132	91
1985.....	1,192	9	12	8	8	43	111	129	117	88	81
1984.....	1,201	5	22	9	8	50	104	142	126	87	81
1983.....	1,232	9	13	5	17	63	127	127	100	88	80
1982.....	1,224	6	26	9	7	61	97	123	101	85	90
1981.....	1,174	5	13	3	10	61	96	109	95	71	81
1980.....	1,188	7	19	7	8	74	123	109	98	75	71
1979.....	1,291	7	31	6	13	89	127	125	83	86	82

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTAL POISONING (E850-E869)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	2,116	3	5	2	2	30	86	130	229	384	436
1997.....	2,106	2	12	11	7	26	71	140	204	391	472
1996.....	2,019	4	21	3	7	24	81	147	217	375	421
1995.....	2,057	3	15	-	6	24	72	153	246	419	477
1994.....	2,141	7	17	8	11	22	85	154	329	399	465
1993.....	1,974	7	22	7	4	27	83	152	313	448	412
1992.....	1,609	5	20	4	6	29	77	167	265	350	294
1991.....	1,609	8	33	4	10	28	90	165	261	343	274
1990.....	1,261	2	23	3	6	37	71	143	241	246	187
1989.....	1,481	13	22	3	7	32	94	180	250	312	189
1988.....	1,462	6	28	8	6	39	96	199	267	284	163
1987.....	1,190	7	14	10	7	26	72	165	206	252	126
1986.....	1,081	5	18	5	3	31	67	147	219	184	113
1985.....	980	4	22	2	3	23	60	137	192	159	86
1984.....	937	7	32	5	3	24	77	134	199	135	74
1983.....	822	9	22	6	6	23	70	132	123	97	77
1982.....	872	11	31	4	3	21	73	136	160	101	66
1981.....	841	8	29	11	6	30	60	122	126	98	78
1980.....	742	6	30	4	7	41	79	118	94	66	59
1979.....	843	11	31	7	15	36	91	145	114	82	59
ALL OTHER MALE											
1998.....	1,518	1	4	-	2	22	67	92	167	265	309
1997.....	1,533	2	9	5	3	17	53	112	150	274	342
1996.....	1,430	2	16	1	3	16	66	102	150	251	301
1995.....	1,516	2	9	-	2	20	50	105	179	307	361
1994.....	1,555	3	6	4	5	13	65	115	240	284	345
1993.....	1,463	7	9	5	-	21	65	106	218	337	320
1992.....	1,187	4	9	3	3	20	53	123	189	261	228
1991.....	1,135	7	19	3	6	22	66	124	193	247	206
1990.....	895	1	12	2	4	24	46	90	167	196	144
1989.....	1,068	7	11	1	3	25	73	127	182	225	146
1988.....	1,036	2	22	2	4	25	59	139	192	213	121
1987.....	831	3	9	7	4	14	47	110	155	194	96
1986.....	768	2	12	3	2	21	45	108	157	147	77
1985.....	661	-	14	-	2	12	40	99	135	121	65
1984.....	647	5	23	2	2	10	46	93	143	114	54
1983.....	509	5	14	1	5	12	42	77	73	75	50
1982.....	588	7	20	2	2	8	44	93	121	72	49
1981.....	545	3	11	5	4	20	42	82	89	69	49
1980.....	489	3	17	1	3	22	57	80	67	47	38
1979.....	557	6	17	4	10	17	61	104	74	59	38

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACCIDENTAL POISONING (E850-E869)											
ALL OTHER FEMALE											
1998.....	598	2	1	2	-	8	19	38	62	119	127
1997.....	573	-	3	6	4	9	18	28	54	117	130
1996.....	589	2	5	2	4	8	15	45	67	124	120
1995.....	541	1	6	-	4	4	22	48	67	112	116
1994.....	586	4	11	4	6	9	20	39	89	115	120
1993.....	511	-	13	2	4	6	18	46	95	111	92
1992.....	422	1	11	1	3	9	24	44	76	89	66
1991.....	474	1	14	1	4	6	24	41	68	96	68
1990.....	366	1	11	1	2	13	25	53	74	50	43
1989.....	413	6	11	2	4	7	21	53	68	87	43
1988.....	426	4	6	6	2	14	37	60	75	71	42
1987.....	359	4	5	3	3	12	25	55	51	58	30
1986.....	313	3	6	2	1	10	22	39	62	37	36
1985.....	319	4	8	2	1	11	20	38	57	38	21
1984.....	290	2	9	3	1	14	31	41	56	21	20
1983.....	313	4	8	5	1	11	28	55	50	22	27
1982.....	284	4	11	2	1	13	29	43	39	29	17
1981.....	296	5	18	6	2	10	18	40	37	29	29
1980.....	253	3	13	3	4	19	22	38	27	19	21
1979.....	286	5	14	3	5	19	30	41	40	23	21
BLACK, BOTH SEXES											
1998.....	1,901	3	4	2	1	19	65	109	190	345	413
1997.....	1,898	1	12	10	7	19	59	119	179	354	428
1996.....	1,837	4	21	3	6	17	67	128	191	348	396
1995.....	1,884	3	14	-	5	21	63	139	220	378	441
1994.....	1,970	6	15	6	7	19	77	136	298	368	442
1993.....	1,855	6	20	6	3	23	78	137	285	427	398
1992.....	1,491	5	17	4	3	21	69	155	240	329	283
1991.....	1,488	7	31	2	5	27	76	154	243	323	264
1990.....	1,156	2	20	3	3	31	64	131	221	229	179
1989.....	1,390	12	20	3	4	27	85	166	242	302	180
1988.....	1,364	6	26	7	4	32	84	183	257	270	155
1987.....	1,086	6	12	9	4	22	68	139	191	242	119
1986.....	994	5	17	4	3	21	59	135	201	176	99
1985.....	904	3	22	2	1	15	52	130	179	153	76
1984.....	867	6	30	5	2	19	65	128	184	127	70
1983.....	757	7	20	6	1	19	59	128	119	90	69
1982.....	794	9	29	4	3	18	69	126	141	95	63
1981.....	793	6	27	10	4	29	51	115	119	94	75
1980.....	694	5	26	3	5	38	72	111	88	61	58
1979.....	775	9	28	6	12	33	79	132	105	79	55

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ACCIDENTAL POISONING (E850-E869)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	1,363	1	3	-	1	13	55	75	135	238	292
1997.....	1,386	1	9	4	3	13	44	93	130	251	311
1996.....	1,299	2	16	1	2	12	56	89	129	230	282
1995.....	1,380	2	9	-	1	17	43	92	160	269	335
1994.....	1,436	2	4	3	3	12	58	103	217	264	329
1993.....	1,369	6	7	4	-	17	63	93	198	318	307
1992.....	1,108	4	8	3	2	15	49	115	171	246	220
1991.....	1,056	6	18	2	3	22	59	116	179	231	198
1990.....	821	1	9	2	2	21	41	83	155	180	137
1989.....	1,008	6	10	1	2	22	66	115	176	218	141
1988.....	967	2	20	2	2	23	52	127	183	202	115
1987.....	759	3	8	6	1	12	44	91	144	187	90
1986.....	706	2	11	2	2	13	39	100	145	140	69
1985.....	612	-	14	-	1	8	33	95	126	118	59
1984.....	598	4	21	2	1	7	37	90	130	107	53
1983.....	468	3	14	1	1	9	36	76	70	69	45
1982.....	537	6	18	2	2	6	41	89	104	69	46
1981.....	514	3	9	4	3	19	36	77	83	68	46
1980.....	455	3	15	1	2	19	51	74	61	45	37
1979.....	511	5	16	3	8	15	54	92	68	57	35
BLACK FEMALE											
1998.....	538	2	1	2	-	6	10	34	55	107	121
1997.....	512	-	3	6	4	6	15	26	49	103	117
1996.....	538	2	5	2	4	5	11	39	62	118	114
1995.....	504	1	5	-	4	4	20	47	60	109	106
1994.....	534	4	11	3	4	7	19	33	81	104	113
1993.....	486	-	13	2	3	6	15	44	87	109	91
1992.....	383	1	9	1	1	6	20	40	69	83	63
1991.....	432	1	13	-	2	5	17	38	64	92	66
1990.....	335	1	11	1	1	10	23	48	66	49	42
1989.....	382	6	10	2	2	5	19	51	66	84	39
1988.....	397	4	6	5	2	9	32	56	74	68	40
1987.....	327	3	4	3	3	10	24	48	47	55	29
1986.....	288	3	6	2	1	8	20	35	56	36	30
1985.....	292	3	8	2	-	7	19	35	53	35	17
1984.....	269	2	9	3	1	12	28	38	54	20	17
1983.....	289	4	6	5	-	10	23	52	49	21	24
1982.....	257	3	11	2	1	12	28	37	37	26	17
1981.....	279	3	18	6	1	10	15	38	36	26	29
1980.....	239	2	11	2	3	19	21	37	27	16	21
1979.....	264	4	12	3	4	18	25	40	37	22	20

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)											
TOTAL, BOTH SEXES											
1998.....	9,838	7	15	7	8	196	538	772	1,257	1,906	2,112
1997.....	9,099	4	7	6	10	185	428	781	1,248	1,858	1,888
1996.....	8,431	14	21	7	13	134	386	720	1,209	1,714	1,697
1995.....	8,000	7	18	4	6	104	392	742	1,241	1,716	1,636
1994.....	7,828	9	19	6	11	84	347	749	1,385	1,686	1,537
1993.....	7,382	15	25	12	8	74	324	739	1,321	1,723	1,429
1992.....	5,951	10	19	3	7	71	327	672	1,096	1,363	960
1991.....	5,215	14	34	6	10	68	289	626	1,025	1,053	797
1990.....	4,506	10	28	6	7	73	244	603	888	901	555
1989.....	5,035	19	24	5	8	98	341	707	1,034	1,024	554
1988.....	4,865	7	22	7	6	87	331	738	1,059	883	483
1987.....	3,907	6	16	9	2	75	304	632	804	681	338
1986.....	4,187	11	31	6	6	92	333	780	893	650	345
1985.....	3,612	11	21	5	6	77	303	677	771	530	249
1984.....	3,266	12	26	2	5	80	356	649	694	375	217
1983.....	2,866	11	28	1	8	71	309	542	518	319	193
1982.....	2,862	11	30	7	6	87	356	594	517	279	154
1981.....	2,668	9	29	7	14	95	310	504	430	229	178
1980.....	2,492	15	30	9	6	112	334	484	354	198	159
1979.....	2,544	13	36	8	8	123	402	481	324	197	136
TOTAL, MALE											
1998.....	7,180	3	8	3	5	146	442	605	949	1,396	1,582
1997.....	6,809	4	6	3	4	145	340	606	980	1,429	1,461
1996.....	6,186	8	15	5	8	97	316	546	921	1,305	1,294
1995.....	6,076	5	12	4	2	80	311	596	983	1,347	1,302
1994.....	5,866	6	8	5	7	61	264	598	1,090	1,312	1,235
1993.....	5,581	10	11	9	3	52	262	586	1,047	1,365	1,135
1992.....	4,452	8	11	2	4	43	248	532	854	1,096	788
1991.....	3,744	12	22	3	4	53	228	499	806	818	628
1990.....	3,161	4	12	2	3	43	186	434	694	723	430
1989.....	3,634	11	14	4	3	72	261	544	799	832	432
1988.....	3,441	6	14	1	2	61	249	562	855	701	359
1987.....	2,712	4	9	5	1	50	212	490	637	541	238
1986.....	2,906	4	19	3	4	57	244	615	704	502	246
1985.....	2,509	5	11	1	3	51	218	536	619	423	169
1984.....	2,191	8	14	1	4	45	254	496	535	302	142
1983.....	1,778	3	16	-	3	47	203	392	401	231	110
1982.....	1,837	8	14	3	4	52	275	457	406	192	78
1981.....	1,674	4	17	5	12	61	233	385	329	155	98
1980.....	1,512	8	16	6	1	77	237	368	254	129	100
1979.....	1,493	6	13	6	5	85	296	347	224	112	67

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)											
TOTAL, FEMALE											
1998.....	2,658	4	7	4	3	50	96	167	308	510	530
1997.....	2,290	-	1	3	6	40	88	175	268	429	427
1996.....	2,245	6	6	2	5	37	70	174	288	409	403
1995.....	1,924	2	6	-	4	24	81	146	258	369	334
1994.....	1,962	3	11	1	4	23	83	151	295	374	302
1993.....	1,801	5	14	3	5	22	62	153	274	358	294
1992.....	1,499	2	8	1	3	28	79	140	242	267	172
1991.....	1,471	2	12	3	6	15	61	127	219	235	169
1990.....	1,345	6	16	4	4	30	58	169	194	178	125
1989.....	1,401	8	10	1	5	26	80	163	235	192	122
1988.....	1,424	1	8	6	4	26	82	176	204	182	124
1987.....	1,195	2	7	4	1	25	92	142	167	140	100
1986.....	1,281	7	12	3	2	35	89	165	189	148	99
1985.....	1,103	6	10	4	3	26	85	141	152	107	80
1984.....	1,075	4	12	1	1	35	102	153	159	73	75
1983.....	1,088	8	12	1	5	24	106	150	117	88	83
1982.....	1,025	3	16	4	2	35	81	137	111	87	76
1981.....	994	5	12	2	2	34	77	119	101	74	80
1980.....	980	7	14	3	5	35	97	116	100	69	59
1979.....	1,051	7	23	2	3	38	106	134	100	85	69
WHITE, BOTH SEXES											
1998.....	7,896	4	13	5	8	176	463	650	1,047	1,544	1,697
1997.....	7,206	2	4	2	5	168	366	654	1,060	1,480	1,451
1996.....	6,627	10	10	6	10	117	315	589	1,009	1,357	1,295
1995.....	6,147	4	8	4	4	90	328	602	1,012	1,322	1,189
1994.....	5,922	4	12	3	9	66	271	608	1,074	1,309	1,096
1993.....	5,621	10	19	7	7	52	249	599	1,031	1,301	1,047
1992.....	4,550	6	10	1	5	49	262	515	851	1,036	692
1991.....	3,840	8	12	6	8	47	212	483	782	738	543
1990.....	3,477	8	18	4	5	46	186	471	677	678	400
1989.....	3,862	8	15	5	6	73	259	560	810	744	398
1988.....	3,740	5	11	4	6	58	255	571	829	634	349
1987.....	3,019	3	8	5	2	64	251	500	620	470	239
1986.....	3,408	9	22	4	6	73	283	658	702	497	269
1985.....	2,984	10	11	4	6	67	270	567	609	404	202
1984.....	2,643	9	20	1	5	65	304	538	528	271	168
1983.....	2,401	6	23	1	8	65	270	444	426	256	144
1982.....	2,369	4	19	7	5	76	312	492	394	219	125
1981.....	2,195	6	21	5	13	84	273	408	338	162	138
1980.....	2,105	11	18	7	4	97	297	403	287	163	125
1979.....	2,160	7	23	7	6	113	353	392	256	155	116

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)											
WHITE MALE											
1998.....	5,795	2	6	3	5	133	383	520	796	1,151	1,290
1997.....	5,439	2	3	1	2	135	294	506	845	1,164	1,145
1996.....	4,900	6	5	4	7	88	258	457	784	1,066	1,010
1995.....	4,706	3	5	4	2	69	267	500	815	1,061	962
1994.....	4,469	4	6	2	7	50	208	491	864	1,040	909
1993.....	4,278	5	11	4	3	34	201	489	848	1,050	841
1992.....	3,405	5	7	1	3	26	201	417	679	851	580
1991.....	2,778	6	9	3	2	35	169	394	626	597	439
1990.....	2,437	3	9	1	2	25	149	352	548	545	315
1989.....	2,789	4	9	4	3	52	197	443	640	629	310
1988.....	2,642	5	5	1	2	41	198	446	688	517	257
1987.....	2,098	3	3	2	1	45	179	404	498	379	163
1986.....	2,373	3	14	2	4	46	210	527	569	383	196
1985.....	2,090	5	7	1	3	46	193	458	510	329	133
1984.....	1,779	7	10	1	4	40	223	418	421	215	108
1983.....	1,524	1	15	-	3	43	181	342	354	184	82
1982.....	1,525	2	7	3	3	47	248	388	315	154	59
1981.....	1,378	3	14	4	11	56	209	321	265	108	74
1980.....	1,280	6	11	5	1	68	211	313	209	107	80
1979.....	1,269	3	7	5	4	79	263	287	187	85	57
WHITE FEMALE											
1998.....	2,101	2	7	2	3	43	80	130	251	393	407
1997.....	1,767	-	1	1	3	33	72	148	215	316	306
1996.....	1,727	4	5	2	3	29	57	132	225	291	285
1995.....	1,441	1	3	-	2	21	61	102	197	261	227
1994.....	1,453	-	6	1	2	16	63	117	210	269	187
1993.....	1,343	5	8	3	4	18	48	110	183	251	206
1992.....	1,145	1	3	-	2	23	61	98	172	185	112
1991.....	1,062	2	3	3	6	12	43	89	156	141	104
1990.....	1,040	5	9	3	3	21	37	119	129	133	85
1989.....	1,073	4	6	1	3	21	62	117	170	115	88
1988.....	1,098	-	6	3	4	17	57	125	141	117	92
1987.....	921	-	5	3	1	19	72	96	122	91	76
1986.....	1,035	6	8	2	2	27	73	131	133	114	73
1985.....	894	5	4	3	3	21	77	109	99	75	69
1984.....	864	2	10	-	1	25	81	120	107	56	60
1983.....	877	5	8	1	5	22	89	102	72	72	62
1982.....	844	2	12	4	2	29	64	104	79	65	66
1981.....	817	3	7	1	2	28	64	87	73	54	64
1980.....	825	5	7	2	3	29	86	90	78	56	45
1979.....	891	4	16	2	2	34	90	105	69	70	59

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)											
ALL OTHER, BOTH SEXES											
1998.....	1,942	3	2	2	-	20	75	122	210	362	415
1997.....	1,893	2	3	4	5	17	62	127	188	378	437
1996.....	1,804	4	11	1	3	17	71	131	200	357	402
1995.....	1,853	3	10	-	2	14	64	140	229	394	447
1994.....	1,906	5	7	3	2	18	76	141	311	377	441
1993.....	1,761	5	6	5	1	22	75	140	290	422	382
1992.....	1,401	4	9	2	2	22	65	157	245	327	268
1991.....	1,375	6	22	-	2	21	77	143	243	315	254
1990.....	1,029	2	10	2	2	27	58	132	211	223	155
1989.....	1,173	11	9	-	2	25	82	147	224	280	156
1988.....	1,125	2	11	3	-	29	76	167	230	249	134
1987.....	888	3	8	4	-	11	53	132	184	211	99
1986.....	779	2	9	2	-	19	50	122	191	153	76
1985.....	628	1	10	1	-	10	33	110	162	126	47
1984.....	623	3	6	1	-	15	52	111	166	104	49
1983.....	465	5	5	-	-	6	39	98	92	63	49
1982.....	493	7	11	-	1	11	44	102	123	60	29
1981.....	473	3	8	2	1	11	37	96	92	67	40
1980.....	387	4	12	2	2	15	37	81	67	35	34
1979.....	384	6	13	1	2	10	49	89	68	42	20
ALL OTHER MALE											
1998.....	1,385	1	2	-	-	13	59	85	153	245	292
1997.....	1,370	2	3	2	2	10	46	100	135	265	316
1996.....	1,286	2	10	1	1	9	58	89	137	239	284
1995.....	1,370	2	7	-	-	11	44	96	168	286	340
1994.....	1,397	2	2	3	-	11	56	107	226	272	326
1993.....	1,303	5	-	5	-	18	61	97	199	315	294
1992.....	1,047	3	4	1	1	17	47	115	175	245	208
1991.....	966	6	13	-	2	18	59	105	180	221	189
1990.....	724	1	3	1	1	18	37	82	146	178	115
1989.....	845	7	5	-	-	20	64	101	159	203	122
1988.....	799	1	9	-	-	20	51	116	167	184	102
1987.....	614	1	6	3	-	5	33	86	139	162	75
1986.....	533	1	5	1	-	11	34	88	135	119	50
1985.....	419	-	4	-	-	5	25	78	109	94	36
1984.....	412	1	4	-	-	5	31	78	114	87	34
1983.....	254	2	1	-	-	4	22	50	47	47	28
1982.....	312	6	7	-	1	5	27	69	91	38	19
1981.....	296	1	3	1	1	5	24	64	64	47	24
1980.....	232	2	5	1	-	9	26	55	45	22	20
1979.....	224	3	6	1	1	6	33	60	37	27	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)											
ALL OTHER FEMALE											
1998.....	557	2	-	2	-	7	16	37	57	117	123
1997.....	523	-	-	2	3	7	16	27	53	113	121
1996.....	518	2	1	-	2	8	13	42	63	118	118
1995.....	483	1	3	-	2	3	20	44	61	108	107
1994.....	509	3	5	-	2	7	20	34	85	105	115
1993.....	458	-	6	-	1	4	14	43	91	107	88
1992.....	354	1	5	1	1	5	18	42	70	82	60
1991.....	409	-	9	-	-	3	18	38	63	94	65
1990.....	305	1	7	1	1	9	21	50	65	45	40
1989.....	328	4	4	-	2	5	18	46	65	77	34
1988.....	326	1	2	3	-	9	25	51	63	65	32
1987.....	274	2	2	1	-	6	20	46	45	49	24
1986.....	246	1	4	1	-	8	16	34	56	34	26
1985.....	209	1	6	1	-	5	8	32	53	32	11
1984.....	211	2	2	1	-	10	21	33	52	17	15
1983.....	211	3	4	-	-	2	17	48	45	16	21
1982.....	181	1	4	-	-	6	17	33	32	22	10
1981.....	177	2	5	1	-	6	13	32	28	20	16
1980.....	155	2	7	1	2	6	11	26	22	13	14
1979.....	160	3	7	-	1	4	16	29	31	15	10
BLACK, BOTH SEXES											
1998.....	1,779	3	1	2	-	12	60	106	179	331	399
1997.....	1,741	1	3	3	5	16	54	111	168	344	403
1996.....	1,675	4	11	1	3	13	62	119	178	338	379
1995.....	1,726	3	10	-	2	13	59	129	210	361	417
1994.....	1,780	5	5	2	2	16	71	126	286	350	421
1993.....	1,679	4	6	4	1	20	73	126	272	405	373
1992.....	1,325	4	7	2	2	18	59	147	225	314	262
1991.....	1,312	5	20	-	2	20	72	138	233	304	246
1990.....	959	2	10	2	1	23	52	122	197	210	151
1989.....	1,117	10	8	-	1	22	78	138	218	273	151
1988.....	1,072	2	11	2	-	25	70	156	224	240	130
1987.....	826	3	6	3	-	10	51	114	173	205	95
1986.....	735	2	9	2	-	17	45	114	178	150	70
1985.....	580	-	10	1	-	6	27	104	151	122	41
1984.....	587	3	6	1	-	13	47	108	155	101	48
1983.....	431	4	3	-	-	5	34	95	91	58	42
1982.....	451	6	11	-	1	10	43	97	111	57	27
1981.....	450	3	7	1	1	11	34	92	86	65	39
1980.....	362	3	9	2	1	14	35	76	66	31	33
1979.....	354	5	13	-	2	9	45	82	60	41	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)											
BLACK MALE											
1998.....	1,269	1	1	-	-	7	51	72	127	225	280
1997.....	1,262	1	3	1	2	10	40	86	119	242	291
1996.....	1,192	2	10	1	1	8	51	81	119	224	267
1995.....	1,263	2	7	-	-	10	40	86	153	256	317
1994.....	1,308	2	-	2	-	11	52	97	208	253	311
1993.....	1,239	4	-	4	-	16	60	85	187	300	285
1992.....	995	3	3	1	1	15	44	108	160	235	204
1991.....	929	5	12	-	2	18	56	102	172	212	183
1990.....	675	1	3	1	-	16	33	75	137	166	111
1989.....	809	6	5	-	-	19	61	93	154	197	119
1988.....	760	1	9	-	-	18	46	107	161	177	99
1987.....	573	1	5	2	-	5	32	73	130	158	72
1986.....	506	1	5	1	-	10	31	84	125	117	48
1985.....	388	-	4	-	-	3	20	75	102	91	32
1984.....	390	1	4	-	-	4	28	77	104	85	34
1983.....	237	1	1	-	-	3	20	49	47	43	24
1982.....	285	5	7	-	1	4	26	67	80	38	17
1981.....	281	1	2	-	1	5	22	61	59	46	23
1980.....	218	2	4	1	-	8	24	51	44	20	19
1979.....	206	3	6	-	1	6	30	54	32	27	9
BLACK FEMALE											
1998.....	510	2	-	2	-	5	9	34	52	106	119
1997.....	479	-	-	2	3	6	14	25	49	102	112
1996.....	483	2	1	-	2	5	11	38	59	114	112
1995.....	463	1	3	-	2	3	19	43	57	105	100
1994.....	472	3	5	-	2	5	19	29	78	97	110
1993.....	440	-	6	-	1	4	13	41	85	105	88
1992.....	330	1	4	1	1	3	15	39	65	79	58
1991.....	383	-	8	-	-	2	16	36	61	92	63
1990.....	284	1	7	1	1	7	19	47	60	44	40
1989.....	308	4	3	-	1	3	17	45	64	76	32
1988.....	312	1	2	2	-	7	24	49	63	63	31
1987.....	253	2	1	1	-	5	19	41	43	47	23
1986.....	229	1	4	1	-	7	14	30	53	33	22
1985.....	192	-	6	1	-	3	7	29	49	31	9
1984.....	197	2	2	1	-	9	19	31	51	16	14
1983.....	194	3	2	-	-	2	14	46	44	15	18
1982.....	166	1	4	-	-	6	17	30	31	19	10
1981.....	169	2	5	1	-	6	12	31	27	19	16
1980.....	144	1	5	1	1	6	11	25	22	11	14
1979.....	148	2	7	-	1	3	15	28	28	14	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)											
TOTAL, BOTH SEXES											
1998.....	417	1	3	-	5	24	21	14	35	52	76
1997.....	488	2	9	1	2	28	17	27	46	58	66
1996.....	441	-	11	2	3	19	19	29	46	54	55
1995.....	461	-	4	3	6	26	18	16	46	60	82
1994.....	481	1	5	1	9	21	19	25	53	65	68
1993.....	495	1	13	1	2	20	16	37	56	69	73
1992.....	498	-	13	2	6	30	26	27	53	69	61
1991.....	483	4	10	-	11	29	28	37	53	56	47
1990.....	549	1	10	1	10	43	28	30	79	76	72
1989.....	568	1	11	1	5	26	22	36	78	56	58
1988.....	488	2	11	1	10	25	19	36	45	52	48
1987.....	508	4	5	4	6	31	22	39	52	58	45
1986.....	544	5	12	4	10	30	18	42	49	65	61
1985.....	479	3	20	3	9	22	25	35	33	48	42
1984.....	542	3	23	1	15	29	33	49	50	39	38
1983.....	516	4	12	2	11	28	30	41	37	46	47
1982.....	612	1	25	-	3	33	38	60	56	46	59
1981.....	575	1	18	5	10	30	36	41	53	53	45
1980.....	597	4	24	7	11	38	38	51	42	43	41
1979.....	621	6	23	3	12	39	39	47	37	43	58
TOTAL, MALE											
1998.....	317	1	3	-	3	19	20	10	26	40	59
1997.....	367	2	5	1	2	23	15	25	37	45	44
1996.....	341	-	7	1	3	17	16	24	41	44	49
1995.....	351	-	3	2	6	18	15	12	37	50	63
1994.....	372	-	3	-	7	19	16	21	47	50	57
1993.....	409	1	9	-	1	16	13	35	47	59	64
1992.....	395	-	8	2	5	24	24	24	44	54	52
1991.....	381	2	7	-	6	27	26	33	44	45	41
1990.....	427	1	9	1	6	35	22	24	65	57	62
1989.....	435	-	7	1	3	24	19	32	64	45	45
1988.....	370	1	7	1	10	21	13	27	37	40	39
1987.....	407	4	3	4	5	25	19	35	45	52	36
1986.....	435	4	10	4	10	26	14	36	43	56	46
1985.....	363	-	17	2	7	19	20	30	26	42	36
1984.....	404	2	14	-	12	26	24	40	44	25	27
1983.....	415	3	11	1	8	24	28	35	31	40	37
1982.....	474	-	18	-	3	30	32	52	46	38	46
1981.....	424	1	8	5	7	26	31	36	46	40	35
1980.....	441	2	18	3	7	31	28	43	35	31	30
1979.....	471	2	12	3	10	35	32	39	33	34	43

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)											
TOTAL, FEMALE											
1998.....	100	-	-	-	2	5	1	4	9	12	17
1997.....	121	-	4	-	-	5	2	2	9	13	22
1996.....	100	-	4	1	-	2	3	5	5	10	6
1995.....	110	-	1	1	-	8	3	4	9	10	19
1994.....	109	1	2	1	2	2	3	4	6	15	11
1993.....	86	-	4	1	1	4	3	2	9	10	9
1992.....	103	-	5	-	1	6	2	3	9	15	9
1991.....	102	2	3	-	5	2	2	4	9	11	6
1990.....	122	-	1	-	4	8	6	6	14	19	10
1989.....	133	1	4	-	2	2	3	4	14	11	13
1988.....	118	1	4	-	-	4	6	9	8	12	9
1987.....	101	-	2	-	1	6	3	4	7	6	9
1986.....	109	1	2	-	-	4	4	6	6	9	15
1985.....	116	3	3	1	2	3	5	5	7	6	6
1984.....	138	1	9	1	3	3	9	9	6	14	11
1983.....	101	1	1	1	3	4	2	6	6	6	10
1982.....	138	1	7	-	-	3	6	8	10	8	13
1981.....	151	-	10	-	3	4	5	5	7	13	10
1980.....	156	2	6	4	4	7	10	8	7	12	11
1979.....	150	4	11	-	2	4	7	8	4	9	15
WHITE, BOTH SEXES											
1998.....	316	1	2	-	5	21	17	10	21	36	59
1997.....	370	2	6	1	2	22	15	19	33	49	47
1996.....	327	-	4	1	3	14	14	19	37	42	44
1995.....	352	-	4	3	5	24	16	12	34	43	63
1994.....	360	1	1	1	5	21	18	18	43	53	49
1993.....	367	-	5	1	2	17	12	33	37	48	49
1992.....	392	-	6	2	4	27	22	24	42	58	47
1991.....	364	2	5	-	7	29	24	26	42	42	34
1990.....	430	1	5	1	8	40	22	26	61	61	53
1989.....	416	-	6	-	3	25	16	26	60	41	43
1988.....	333	1	4	-	8	23	14	24	29	35	33
1987.....	359	2	4	2	6	26	16	24	44	37	27
1986.....	375	3	5	3	9	24	15	29	35	39	42
1985.....	319	1	11	3	8	19	19	29	21	25	25
1984.....	399	2	10	-	14	25	26	41	37	22	28
1983.....	360	1	7	1	7	23	23	25	30	31	31
1982.....	430	1	15	-	3	29	31	45	33	28	39
1981.....	421	-	9	4	8	27	29	35	39	39	25
1980.....	430	3	13	5	7	34	33	36	28	20	29
1979.....	420	2	10	3	9	35	31	24	20	25	32

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)											
WHITE MALE											
1998.....	240	1	2	-	3	16	16	7	16	26	46
1997.....	273	2	2	1	2	18	13	18	25	38	31
1996.....	261	-	2	1	3	12	12	17	32	37	39
1995.....	263	-	3	2	5	16	13	8	30	34	49
1994.....	281	-	-	-	4	19	15	16	39	43	42
1993.....	305	-	4	-	1	14	11	32	31	42	43
1992.....	322	-	4	2	4	22	21	22	35	47	42
1991.....	289	1	3	-	5	27	23	23	35	32	30
1990.....	339	1	4	1	5	34	19	22	51	45	44
1989.....	320	-	4	-	1	23	14	23	48	35	33
1988.....	255	1	1	-	8	20	12	19	25	26	27
1987.....	287	2	2	2	5	21	13	23	38	34	22
1986.....	298	3	4	3	9	21	11	26	30	33	32
1985.....	248	-	10	2	6	17	16	24	17	23	22
1984.....	297	1	6	-	11	23	20	33	32	12	20
1983.....	292	1	7	1	4	21	22	21	24	26	25
1982.....	330	-	12	-	3	27	26	40	26	24	30
1981.....	314	-	6	4	6	23	25	31	34	28	22
1980.....	318	2	10	3	5	28	25	31	23	12	21
1979.....	322	-	4	3	8	32	26	22	19	21	26
WHITE FEMALE											
1998.....	76	-	-	-	2	5	1	3	5	10	13
1997.....	97	-	4	-	-	4	2	1	8	11	16
1996.....	66	-	2	-	-	2	2	2	5	5	5
1995.....	89	-	1	1	-	8	3	4	4	9	14
1994.....	79	1	1	1	1	2	3	2	4	10	7
1993.....	62	-	1	1	1	3	1	1	6	6	6
1992.....	70	-	2	-	-	5	1	2	7	11	5
1991.....	75	1	2	-	2	2	1	3	7	10	4
1990.....	91	-	1	-	3	6	3	4	10	16	9
1989.....	96	-	2	-	2	2	2	3	12	6	10
1988.....	78	-	3	-	-	3	2	5	4	9	6
1987.....	72	-	2	-	1	5	3	1	6	3	5
1986.....	77	-	1	-	-	3	4	3	5	6	10
1985.....	71	1	1	1	2	2	3	5	4	2	3
1984.....	102	1	4	-	3	2	6	8	5	10	8
1983.....	68	-	-	-	3	2	1	4	6	5	6
1982.....	100	1	3	-	-	2	5	5	7	4	9
1981.....	107	-	3	-	2	4	4	4	5	11	3
1980.....	112	1	3	2	2	6	8	5	5	8	8
1979.....	98	2	6	-	1	3	5	2	1	4	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)											
ALL OTHER, BOTH SEXES											
1998.....	101	-	1	-	-	3	4	4	14	16	17
1997.....	118	-	3	-	-	6	2	8	13	9	19
1996.....	114	-	7	1	-	5	5	10	9	12	11
1995.....	109	-	-	-	1	2	2	4	12	17	19
1994.....	121	-	4	-	4	-	1	7	10	12	19
1993.....	128	1	8	-	-	3	4	4	19	21	24
1992.....	106	-	7	-	2	3	4	3	11	11	14
1991.....	119	2	5	-	4	-	4	11	11	14	13
1990.....	119	-	5	-	2	3	6	4	18	15	19
1989.....	152	1	5	1	2	1	6	10	18	15	15
1988.....	155	1	7	1	2	2	5	12	16	17	15
1987.....	149	2	1	2	-	5	6	15	8	21	18
1986.....	169	2	7	1	1	6	3	13	14	26	19
1985.....	160	2	9	-	1	3	6	6	12	23	17
1984.....	143	1	13	1	1	4	7	8	13	17	10
1983.....	156	3	5	1	4	5	7	16	7	15	16
1982.....	182	-	10	-	-	4	7	15	23	18	20
1981.....	154	1	9	1	2	3	7	6	14	14	20
1980.....	167	1	11	2	4	4	5	15	14	23	12
1979.....	201	4	13	-	3	4	8	23	17	18	26
ALL OTHER MALE											
1998.....	77	-	1	-	-	3	4	3	10	14	13
1997.....	94	-	3	-	-	5	2	7	12	7	13
1996.....	80	-	5	-	-	5	4	7	9	7	10
1995.....	88	-	-	-	1	2	2	4	7	16	14
1994.....	91	-	3	-	3	-	1	5	8	7	15
1993.....	104	1	5	-	-	2	2	3	16	17	21
1992.....	73	-	4	-	1	2	3	2	9	7	10
1991.....	92	1	4	-	1	-	3	10	9	13	11
1990.....	88	-	5	-	1	1	3	2	14	12	18
1989.....	115	-	3	1	2	1	5	9	16	10	12
1988.....	115	-	6	1	2	1	1	8	12	14	12
1987.....	120	2	1	2	-	4	6	12	7	18	14
1986.....	137	1	6	1	1	5	3	10	13	23	14
1985.....	115	-	7	-	1	2	4	6	9	19	14
1984.....	107	1	8	-	1	3	4	7	12	13	7
1983.....	123	2	4	-	4	3	6	14	7	14	12
1982.....	144	-	6	-	-	3	6	12	20	14	16
1981.....	110	1	2	1	1	3	6	5	12	12	13
1980.....	123	-	8	-	2	3	3	12	12	19	9
1979.....	149	2	8	-	2	3	6	17	14	13	17

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)											
ALL OTHER FEMALE											
1998.....	24	-	-	-	-	-	-	1	4	2	4
1997.....	24	-	-	-	-	1	-	1	1	2	6
1996.....	34	-	2	1	-	-	1	3	-	5	1
1995.....	21	-	-	-	-	-	-	-	5	1	5
1994.....	30	-	1	-	1	-	-	2	2	5	4
1993.....	24	-	3	-	-	1	2	1	3	4	3
1992.....	33	-	3	-	1	1	1	1	2	4	4
1991.....	27	1	1	-	3	-	1	1	2	1	2
1990.....	31	-	-	-	1	2	3	2	4	3	1
1989.....	37	1	2	-	-	-	1	1	2	5	3
1988.....	40	1	1	-	-	1	4	4	4	3	3
1987.....	29	-	-	-	-	1	-	3	1	3	4
1986.....	32	1	1	-	-	1	-	3	1	3	5
1985.....	45	2	2	-	-	1	2	-	3	4	3
1984.....	36	-	5	1	-	-	3	1	1	4	3
1983.....	33	1	1	1	-	2	1	2	-	1	4
1982.....	38	-	4	-	-	1	1	3	3	4	4
1981.....	44	-	7	-	1	-	1	1	2	2	7
1980.....	44	1	3	2	2	1	2	3	2	4	3
1979.....	52	2	5	-	1	1	2	6	3	5	9
BLACK, BOTH SEXES											
1998.....	66	-	1	-	-	2	-	-	9	11	10
1997.....	79	-	3	-	-	1	2	3	8	8	10
1996.....	79	-	7	1	-	2	2	6	6	4	9
1995.....	78	-	-	-	-	2	1	2	6	10	14
1994.....	96	-	4	-	3	-	-	4	5	11	18
1993.....	101	1	6	-	-	1	3	4	11	17	20
1992.....	78	-	7	-	-	1	3	2	6	4	11
1991.....	87	2	5	-	1	-	2	8	4	8	13
1990.....	99	-	4	-	1	2	5	2	14	12	18
1989.....	136	1	5	1	1	-	2	10	16	14	14
1988.....	124	1	7	1	-	1	2	8	13	14	11
1987.....	130	2	1	2	-	2	5	10	7	19	18
1986.....	145	2	7	-	1	-	1	12	11	22	16
1985.....	144	2	9	-	-	1	4	5	10	22	15
1984.....	125	-	12	1	-	1	2	7	13	15	9
1983.....	137	2	5	1	1	3	4	15	6	13	16
1982.....	162	-	10	-	-	2	5	13	17	17	19
1981.....	145	1	9	1	-	3	5	4	13	13	20
1980.....	152	1	10	1	3	2	4	14	9	22	12
1979.....	189	4	11	-	2	3	7	21	17	17	26

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

0 ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)

BLACK MALE

1998.....	51	-	1	-	-	2	-	-	7	10	8
1997.....	66	-	3	-	-	1	2	2	8	7	8
1996.....	55	-	5	-	-	2	2	5	6	1	8
1995.....	66	-	-	-	-	2	1	2	3	9	11
1994.....	72	-	3	-	2	-	-	3	4	7	15
1993.....	80	1	3	-	-	-	2	3	9	13	18
1992.....	54	-	4	-	-	-	2	2	6	3	7
1991.....	68	1	4	-	-	-	1	8	4	8	11
1990.....	73	-	4	-	1	-	2	2	11	9	18
1989.....	103	-	3	1	1	-	2	9	15	10	11
1988.....	93	-	6	1	-	1	-	6	10	11	9
1987.....	106	2	1	2	-	2	5	8	7	16	14
1986.....	118	1	6	-	1	-	1	9	11	19	13
1985.....	104	-	7	-	-	1	2	5	7	19	13
1984.....	92	-	7	-	-	1	-	6	12	11	7
1983.....	107	1	4	-	1	2	3	14	6	12	12
1982.....	130	-	6	-	-	2	5	11	15	13	15
1981.....	106	1	2	1	-	3	5	4	11	12	13
1980.....	110	-	7	-	1	1	2	11	7	19	9
1979.....	139	2	7	-	1	2	5	15	14	12	17

BLACK FEMALE

1998.....	15	-	-	-	-	-	-	-	2	1	2
1997.....	13	-	-	-	-	-	-	1	-	1	2
1996.....	24	-	2	1	-	-	-	1	-	3	1
1995.....	12	-	-	-	-	-	-	-	3	1	3
1994.....	24	-	1	-	1	-	-	1	1	4	3
1993.....	21	-	3	-	-	1	1	1	2	4	2
1992.....	24	-	3	-	-	1	1	-	-	1	4
1991.....	19	1	1	-	1	-	1	-	-	-	2
1990.....	26	-	-	-	-	2	3	-	3	3	-
1989.....	33	1	2	-	-	-	-	1	1	4	3
1988.....	31	1	1	-	-	-	2	2	3	3	2
1987.....	24	-	-	-	-	-	-	2	-	3	4
1986.....	27	1	1	-	-	-	-	3	-	3	3
1985.....	40	2	2	-	-	-	2	-	3	3	2
1984.....	33	-	5	1	-	-	2	1	1	4	2
1983.....	30	1	1	1	-	1	1	1	-	1	4
1982.....	32	-	4	-	-	-	-	2	2	4	4
1981.....	39	-	7	-	-	-	-	-	2	1	7
1980.....	42	1	3	1	2	1	2	3	2	3	3
1979.....	50	2	4	-	1	1	2	6	3	5	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)											
TOTAL, BOTH SEXES											
1998.....	546	1	9	4	9	41	40	31	43	45	50
1997.....	576	-	17	12	11	36	36	43	42	44	70
1996.....	638	1	10	9	18	37	43	47	41	57	56
1995.....	611	-	9	7	16	48	46	47	50	52	60
1994.....	685	3	15	13	15	43	48	39	66	58	59
1993.....	660	4	21	9	17	54	46	49	66	67	51
1992.....	633	2	9	10	8	54	50	53	62	52	60
1991.....	736	2	12	8	21	78	69	57	75	57	65
1990.....	748	4	16	5	15	75	56	59	66	84	69
1989.....	921	2	20	11	14	78	72	107	84	73	80
1988.....	873	8	28	13	16	79	75	97	94	64	64
1987.....	900	5	17	8	18	82	99	82	72	95	59
1986.....	1,009	8	26	14	14	97	103	105	94	77	67
1985.....	1,079	4	21	13	16	68	135	108	108	81	79
1984.....	1,103	6	28	19	14	75	116	117	96	110	82
1983.....	1,251	8	25	16	18	115	170	132	132	87	74
1982.....	1,259	8	29	14	17	97	175	121	103	99	81
1981.....	1,280	8	28	17	23	123	176	132	115	80	75
1980.....	1,242	3	29	7	12	143	177	138	118	73	88
1979.....	1,472	7	20	14	30	179	219	160	117	107	82
TOTAL, MALE											
1998.....	410	1	4	3	5	33	32	27	36	39	42
1997.....	446	-	11	5	7	31	31	36	38	37	62
1996.....	487	-	6	6	12	34	37	43	31	52	46
1995.....	458	-	6	1	9	40	36	38	40	43	45
1994.....	521	1	8	5	7	35	41	33	59	44	54
1993.....	486	2	11	4	8	37	38	39	56	52	41
1992.....	499	1	5	8	5	43	37	49	48	43	49
1991.....	565	2	7	5	15	63	56	44	66	49	52
1990.....	611	2	11	3	14	66	51	49	54	71	61
1989.....	698	-	13	7	10	55	57	89	65	59	67
1988.....	650	4	18	6	9	59	56	72	75	50	44
1987.....	663	1	9	2	13	57	77	70	56	80	51
1986.....	764	3	11	7	7	71	76	92	78	65	54
1985.....	787	-	14	8	12	43	94	87	93	68	63
1984.....	825	4	18	9	9	49	92	96	79	89	67
1983.....	895	4	17	8	8	69	123	106	105	71	60
1982.....	914	2	15	7	11	61	136	100	84	80	63
1981.....	955	3	19	10	16	90	144	107	91	67	55
1980.....	937	2	17	4	9	92	139	115	100	60	66
1979.....	1,096	6	9	7	17	113	175	136	98	92	63

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)											
TOTAL, FEMALE											
1998.....	136	-	5	1	4	8	8	4	7	6	8
1997.....	130	-	6	7	4	5	5	7	4	7	8
1996.....	151	1	4	3	6	3	6	4	10	5	10
1995.....	153	-	3	6	7	8	10	9	10	9	15
1994.....	164	2	7	8	8	8	7	6	7	14	5
1993.....	174	2	10	5	9	17	8	10	10	15	10
1992.....	134	1	4	2	3	11	13	4	14	9	11
1991.....	171	-	5	3	6	15	13	13	9	8	13
1990.....	137	2	5	2	1	9	5	10	12	13	8
1989.....	223	2	7	4	4	23	15	18	19	14	13
1988.....	223	4	10	7	7	20	19	25	19	14	20
1987.....	237	4	8	6	5	25	22	12	16	15	8
1986.....	245	5	15	7	7	26	27	13	16	12	13
1985.....	292	4	7	5	4	25	41	21	15	13	16
1984.....	278	2	10	10	5	26	24	21	17	21	15
1983.....	356	4	8	8	10	46	47	26	27	16	14
1982.....	345	6	14	7	6	36	39	21	19	19	18
1981.....	325	5	9	7	7	33	32	25	24	13	20
1980.....	305	1	12	3	3	51	38	23	18	13	22
1979.....	376	1	11	7	13	66	44	24	19	15	19
WHITE, BOTH SEXES											
1998.....	473	1	7	4	7	34	33	27	38	39	46
1997.....	481	-	11	5	9	33	29	38	39	40	54
1996.....	537	1	7	8	14	35	38	41	33	51	48
1995.....	516	-	4	7	13	40	40	38	45	44	49
1994.....	571	1	9	8	10	39	40	33	58	48	54
1993.....	575	3	13	7	14	52	42	41	62	62	45
1992.....	531	1	5	8	6	50	42	46	53	40	48
1991.....	621	2	6	4	17	71	60	46	68	43	58
1990.....	635	4	8	4	13	68	49	52	54	76	56
1989.....	765	1	12	9	11	72	66	84	76	56	62
1988.....	691	5	18	9	12	71	60	77	73	46	50
1987.....	747	3	12	4	11	72	86	64	58	75	50
1986.....	876	7	24	12	12	91	89	93	80	72	49
1985.....	887	3	18	12	14	58	114	87	90	71	57
1984.....	932	3	15	16	12	70	98	102	76	96	67
1983.....	1,050	7	13	11	16	103	146	114	108	68	62
1982.....	1,062	4	19	10	15	91	153	102	89	76	64
1981.....	1,066	4	16	9	20	107	160	112	95	63	57
1980.....	1,054	2	22	7	11	121	140	116	105	65	75
1979.....	1,214	6	15	8	20	157	185	127	88	85	69

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)											
WHITE MALE											
1998.....	354	1	3	3	3	27	28	23	32	33	38
1997.....	377	-	8	2	6	29	26	31	35	35	49
1996.....	423	-	5	6	10	32	33	37	27	47	39
1995.....	400	-	4	1	8	33	32	33	36	38	38
1994.....	454	-	7	4	5	33	33	30	53	39	50
1993.....	430	1	7	4	8	36	36	33	53	47	36
1992.....	432	-	4	6	4	42	34	43	43	34	39
1991.....	488	2	5	2	12	59	52	35	62	36	46
1990.....	528	2	7	2	12	61	45	43	47	65	50
1989.....	590	-	10	7	9	51	53	72	58	47	55
1988.....	528	3	11	5	7	55	49	57	62	35	37
1987.....	566	1	7	-	9	52	69	58	47	66	44
1986.....	666	3	10	6	6	66	68	82	69	60	41
1985.....	660	-	11	8	11	38	83	72	76	60	48
1984.....	697	1	7	7	8	47	81	88	62	75	54
1983.....	763	3	8	7	7	64	109	93	86	57	50
1982.....	782	1	8	5	10	61	125	88	74	60	49
1981.....	816	2	13	7	14	78	132	94	78	57	43
1980.....	803	1	13	4	8	82	111	102	90	54	57
1979.....	912	5	6	4	10	105	153	109	75	73	52
WHITE FEMALE											
1998.....	119	-	4	1	4	7	5	4	6	6	8
1997.....	104	-	3	3	3	4	3	7	4	5	5
1996.....	114	1	2	2	4	3	5	4	6	4	9
1995.....	116	-	-	6	5	7	8	5	9	6	11
1994.....	117	1	2	4	5	6	7	3	5	9	4
1993.....	145	2	6	3	6	16	6	8	9	15	9
1992.....	99	1	1	2	2	8	8	3	10	6	9
1991.....	133	-	1	2	5	12	8	11	6	7	12
1990.....	107	2	1	2	1	7	4	9	7	11	6
1989.....	175	1	2	2	2	21	13	12	18	9	7
1988.....	163	2	7	4	5	16	11	20	11	11	13
1987.....	181	2	5	4	2	20	17	6	11	9	6
1986.....	210	4	14	6	6	25	21	11	11	12	8
1985.....	227	3	7	4	3	20	31	15	14	11	9
1984.....	235	2	8	9	4	23	17	14	14	21	13
1983.....	287	4	5	4	9	39	37	21	22	11	12
1982.....	280	3	11	5	5	30	28	14	15	16	15
1981.....	250	2	3	2	6	29	28	18	17	6	14
1980.....	251	1	9	3	3	39	29	14	15	11	18
1979.....	302	1	9	4	10	52	32	18	13	12	17

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)											
ALL OTHER, BOTH SEXES											
1998.....	73	-	2	-	2	7	7	4	5	6	4
1997.....	95	-	6	7	2	3	7	5	3	4	16
1996.....	101	-	3	1	4	2	5	6	8	6	8
1995.....	95	-	5	-	3	8	6	9	5	8	11
1994.....	114	2	6	5	5	4	8	6	8	10	5
1993.....	85	1	8	2	3	2	4	8	4	5	6
1992.....	102	1	4	2	2	4	8	7	9	12	12
1991.....	115	-	6	4	4	7	9	11	7	14	7
1990.....	113	-	8	1	2	7	7	7	12	8	13
1989.....	156	1	8	2	3	6	6	23	8	17	18
1988.....	182	3	10	4	4	8	15	20	21	18	14
1987.....	153	2	5	4	7	10	13	18	14	20	9
1986.....	133	1	2	2	2	6	14	12	14	5	18
1985.....	192	1	3	1	2	10	21	21	18	10	22
1984.....	171	3	13	3	2	5	18	15	20	14	15
1983.....	201	1	12	5	2	12	24	18	24	19	12
1982.....	197	4	10	4	2	6	22	19	14	23	17
1981.....	214	4	12	8	3	16	16	20	20	17	18
1980.....	188	1	7	-	1	22	37	22	13	8	13
1979.....	258	1	5	6	10	22	34	33	29	22	13
ALL OTHER MALE											
1998.....	56	-	1	-	2	6	4	4	4	6	4
1997.....	69	-	3	3	1	2	5	5	3	2	13
1996.....	64	-	1	-	2	2	4	6	4	5	7
1995.....	58	-	2	-	1	7	4	5	4	5	7
1994.....	67	1	1	1	2	2	8	3	6	5	4
1993.....	56	1	4	-	-	1	2	6	3	5	5
1992.....	67	1	1	2	1	1	3	6	5	9	10
1991.....	77	-	2	3	3	4	4	9	4	13	6
1990.....	83	-	4	1	2	5	6	6	7	6	11
1989.....	108	-	3	-	1	4	4	17	7	12	12
1988.....	122	1	7	1	2	4	7	15	13	15	7
1987.....	97	-	2	2	4	5	8	12	9	14	7
1986.....	98	-	1	1	1	5	8	10	9	5	13
1985.....	127	-	3	-	1	5	11	15	17	8	15
1984.....	128	3	11	2	1	2	11	8	17	14	13
1983.....	132	1	9	1	1	5	14	13	19	14	10
1982.....	132	1	7	2	1	-	11	12	10	20	14
1981.....	139	1	6	3	2	12	12	13	13	10	12
1980.....	134	1	4	-	1	10	28	13	10	6	9
1979.....	184	1	3	3	7	8	22	27	23	19	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)											
ALL OTHER FEMALE											
1998.....	17	-	1	-	-	1	3	-	1	-	-
1997.....	26	-	3	4	1	1	2	-	-	2	3
1996.....	37	-	2	1	2	-	1	-	4	1	1
1995.....	37	-	3	-	2	1	2	4	1	3	4
1994.....	47	1	5	4	3	2	-	3	2	5	1
1993.....	29	-	4	2	3	1	2	2	1	-	1
1992.....	35	-	3	-	1	3	5	1	4	3	2
1991.....	38	-	4	1	1	3	5	2	3	1	1
1990.....	30	-	4	-	-	2	1	1	5	2	2
1989.....	48	1	5	2	2	2	2	6	1	5	6
1988.....	60	2	3	3	2	4	8	5	8	3	7
1987.....	56	2	3	2	3	5	5	6	5	6	2
1986.....	35	1	1	1	1	1	6	2	5	-	5
1985.....	65	1	-	1	1	5	10	6	1	2	7
1984.....	43	-	2	1	1	3	7	7	3	-	2
1983.....	69	-	3	4	1	7	10	5	5	5	2
1982.....	65	3	3	2	1	6	11	7	4	3	3
1981.....	75	3	6	5	1	4	4	7	7	7	6
1980.....	54	-	3	-	-	12	9	9	3	2	4
1979.....	74	-	2	3	3	14	12	6	6	3	2
BLACK, BOTH SEXES											
1998.....	56	-	2	-	1	5	5	3	2	3	4
1997.....	78	-	6	7	2	2	3	5	3	2	15
1996.....	83	-	3	1	3	2	3	3	7	6	8
1995.....	80	-	4	-	3	6	3	8	4	7	10
1994.....	94	1	6	4	2	3	6	6	7	7	3
1993.....	75	1	8	2	2	2	2	7	2	5	5
1992.....	88	1	3	2	1	2	7	6	9	11	10
1991.....	89	-	6	2	2	7	2	8	6	11	5
1990.....	98	-	6	1	1	6	7	7	10	7	10
1989.....	137	1	7	2	2	5	5	18	8	15	15
1988.....	168	3	8	4	4	6	12	19	20	16	14
1987.....	130	1	5	4	4	10	12	15	11	18	6
1986.....	114	1	1	2	2	4	13	9	12	4	13
1985.....	180	1	3	1	1	8	21	21	18	9	20
1984.....	155	3	12	3	2	5	16	13	16	11	13
1983.....	189	1	12	5	-	11	21	18	22	19	11
1982.....	181	3	8	4	2	6	21	16	13	21	17
1981.....	198	2	11	8	3	15	12	19	20	16	16
1980.....	180	1	7	-	1	22	33	21	13	8	13
1979.....	232	-	4	6	8	21	27	29	28	21	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)											
BLACK MALE											
1998.....	43	-	1	-	1	4	4	3	1	3	4
1997.....	58	-	3	3	1	2	2	5	3	2	12
1996.....	52	-	1	-	1	2	3	3	4	5	7
1995.....	51	-	2	-	1	5	2	4	4	4	7
1994.....	56	-	1	1	1	1	6	3	5	4	3
1993.....	50	1	4	-	-	1	1	5	2	5	4
1992.....	59	1	1	2	1	-	3	5	5	8	9
1991.....	59	-	2	2	1	4	2	6	3	11	4
1990.....	73	-	2	1	1	5	6	6	7	5	8
1989.....	96	-	2	-	1	3	3	13	7	11	11
1988.....	114	1	5	1	2	4	6	14	12	14	7
1987.....	80	-	2	2	1	5	7	10	7	13	4
1986.....	82	-	-	1	1	3	7	7	9	4	8
1985.....	120	-	3	-	1	4	11	15	17	8	14
1984.....	116	3	10	2	1	2	9	7	14	11	12
1983.....	124	1	9	1	-	4	13	13	17	14	9
1982.....	122	1	5	2	1	-	10	11	9	18	14
1981.....	127	1	5	3	2	11	9	12	13	10	10
1980.....	127	1	4	-	1	10	25	12	10	6	9
1979.....	166	-	3	3	6	7	19	23	22	18	9
BLACK FEMALE											
1998.....	13	-	1	-	-	1	1	-	1	-	-
1997.....	20	-	3	4	1	-	1	-	-	-	3
1996.....	31	-	2	1	2	-	-	-	3	1	1
1995.....	29	-	2	-	2	1	1	4	-	3	3
1994.....	38	1	5	3	1	2	-	3	2	3	-
1993.....	25	-	4	2	2	1	1	2	-	-	1
1992.....	29	-	2	-	-	2	4	1	4	3	1
1991.....	30	-	4	-	1	3	-	2	3	-	1
1990.....	25	-	4	-	-	1	1	1	3	2	2
1989.....	41	1	5	2	1	2	2	5	1	4	4
1988.....	54	2	3	3	2	2	6	5	8	2	7
1987.....	50	1	3	2	3	5	5	5	4	5	2
1986.....	32	1	1	1	1	1	6	2	3	-	5
1985.....	60	1	-	1	-	4	10	6	1	1	6
1984.....	39	-	2	1	1	3	7	6	2	-	1
1983.....	65	-	3	4	-	7	8	5	5	5	2
1982.....	59	2	3	2	1	6	11	5	4	3	3
1981.....	71	1	6	5	1	4	3	7	7	6	6
1980.....	53	-	3	-	-	12	8	9	3	2	4
1979.....	66	-	1	3	2	14	8	6	6	3	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)											
TOTAL, BOTH SEXES											
1998.....	3,228	33	31	12	16	19	22	27	44	49	81
1997.....	3,043	27	37	16	12	16	21	28	31	73	71
1996.....	2,919	24	28	23	19	16	20	14	41	78	92
1995.....	2,712	25	31	12	12	21	17	28	53	62	75
1994.....	2,616	29	22	9	14	16	15	20	43	61	75
1993.....	2,724	34	26	23	16	14	15	30	45	47	68
1992.....	2,669	37	27	17	20	14	20	23	47	52	73
1991.....	2,473	41	22	20	12	15	22	26	28	53	52
1990.....	2,669	23	27	21	13	11	14	20	35	48	59
1989.....	2,850	49	25	16	12	22	17	27	40	56	75
1988.....	2,858	36	30	13	12	12	18	30	43	53	54
1987.....	2,881	32	34	12	3	10	25	36	44	49	47
1986.....	2,873	34	29	12	5	10	15	29	41	45	62
1985.....	2,674	37	16	21	13	10	18	34	37	53	52
1984.....	2,463	40	31	11	9	11	18	25	35	46	55
1983.....	2,491	36	27	9	10	13	31	32	39	39	50
1982.....	2,387	36	29	11	10	12	15	30	39	31	48
1981.....	2,325	26	19	17	3	15	19	35	43	38	62
1980.....	2,282	32	23	15	18	19	25	34	40	49	45
1979.....	2,485	28	21	16	14	17	34	25	35	42	51
TOTAL, MALE											
1998.....	1,499	18	17	6	10	10	12	14	20	23	29
1997.....	1,447	12	22	9	7	11	13	17	13	35	34
1996.....	1,345	14	13	16	12	9	13	9	16	41	52
1995.....	1,224	16	17	6	4	12	8	11	21	27	41
1994.....	1,177	19	13	8	6	7	8	9	18	30	40
1993.....	1,248	23	12	9	9	5	6	14	19	22	40
1992.....	1,236	18	18	8	11	11	10	13	17	23	35
1991.....	1,082	21	8	13	3	6	13	16	11	25	25
1990.....	1,252	12	16	11	5	6	6	9	18	30	28
1989.....	1,355	29	17	8	7	13	12	16	22	26	35
1988.....	1,359	22	20	7	6	9	7	14	23	21	28
1987.....	1,388	18	24	8	1	8	9	25	22	24	22
1986.....	1,347	17	15	5	3	3	5	13	18	22	29
1985.....	1,310	18	12	10	8	6	10	13	16	27	28
1984.....	1,191	20	24	9	5	4	7	11	15	17	29
1983.....	1,209	24	11	6	7	5	13	14	20	16	21
1982.....	1,210	22	17	6	4	5	9	13	16	15	18
1981.....	1,148	16	9	4	2	5	6	15	12	12	33
1980.....	1,160	18	14	7	10	13	12	12	13	22	22
1979.....	1,279	18	13	8	4	9	18	9	16	18	19

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98
 CAUSE-OF-DEATH CODE,
 RACE, SEX, AND YEAR
 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	1,729	15	14	6	6	9	10	13	24	26	52
1997.....	1,596	15	15	7	5	5	8	11	18	38	37
1996.....	1,574	10	15	7	7	7	7	5	25	37	40
1995.....	1,488	9	14	6	8	9	9	17	32	35	34
1994.....	1,439	10	9	1	8	9	7	11	25	31	35
1993.....	1,476	11	14	14	7	9	9	16	26	25	28
1992.....	1,433	19	9	9	9	3	10	10	30	29	38
1991.....	1,391	20	14	7	9	9	9	10	17	28	27
1990.....	1,417	11	11	10	8	5	8	11	17	18	31
1989.....	1,495	20	8	8	5	9	5	11	18	30	40
1988.....	1,499	14	10	6	6	3	11	16	20	32	26
1987.....	1,493	14	10	4	2	2	16	11	22	25	25
1986.....	1,526	17	14	7	2	7	10	16	23	23	33
1985.....	1,364	19	4	11	5	4	8	21	21	26	24
1984.....	1,272	20	7	2	4	7	11	14	20	29	26
1983.....	1,282	12	16	3	3	8	18	18	19	23	29
1982.....	1,177	14	12	5	6	7	6	17	23	16	30
1981.....	1,177	10	10	13	1	10	13	20	31	26	29
1980.....	1,122	14	9	8	8	6	13	22	27	27	23
1979.....	1,206	10	8	8	10	8	16	16	19	24	32
WHITE, BOTH SEXES											
1998.....	2,664	22	20	9	10	19	14	22	36	37	59
1997.....	2,527	22	25	12	9	10	15	18	24	52	53
1996.....	2,391	13	21	17	16	13	16	10	27	60	65
1995.....	2,253	15	20	9	10	15	12	20	36	46	58
1994.....	2,139	21	17	6	11	12	6	15	30	34	50
1993.....	2,254	21	16	16	10	9	10	23	35	32	52
1992.....	2,196	27	20	13	19	7	13	13	32	29	48
1991.....	2,057	31	13	17	10	12	14	21	20	38	35
1990.....	2,245	16	17	19	10	7	12	15	21	32	42
1989.....	2,354	30	21	12	10	16	10	21	25	38	57
1988.....	2,367	31	19	12	9	8	12	24	32	39	37
1987.....	2,388	20	25	9	2	8	16	23	31	26	31
1986.....	2,390	26	23	8	3	10	11	18	23	34	43
1985.....	2,235	25	8	13	8	9	14	24	25	36	36
1984.....	2,051	30	22	10	6	11	13	17	24	34	36
1983.....	2,084	23	18	8	6	10	22	19	28	24	36
1982.....	1,982	22	25	8	6	10	13	19	27	22	30
1981.....	1,949	19	13	13	1	11	15	22	25	22	45
1980.....	1,932	21	20	11	14	17	19	22	29	33	33
1979.....	2,070	22	18	13	13	8	25	14	26	32	35

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98
 CAUSE-OF-DEATH CODE,
 RACE, SEX, AND YEAR TOTAL
 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	1,258	12	10	4	6	10	7	11	17	19	22
1997.....	1,208	9	15	5	5	7	9	11	10	25	27
1996.....	1,109	10	11	13	10	7	10	7	13	34	39
1995.....	1,020	12	10	5	4	8	4	6	17	19	36
1994.....	964	14	10	5	4	4	5	7	14	19	24
1993.....	1,054	12	7	7	7	3	4	13	16	17	31
1992.....	1,008	12	12	7	10	5	7	7	11	13	26
1991.....	915	14	6	11	1	6	8	14	8	19	20
1990.....	1,054	9	10	10	4	3	6	7	10	23	20
1989.....	1,117	17	16	6	5	9	9	13	13	17	29
1988.....	1,132	20	14	6	5	7	3	13	18	16	20
1987.....	1,163	12	18	6	1	6	5	15	14	15	14
1986.....	1,109	12	10	4	2	3	3	6	13	15	20
1985.....	1,084	13	6	8	4	5	7	9	12	18	20
1984.....	998	15	17	8	3	4	4	8	9	12	20
1983.....	1,012	16	6	5	5	5	11	8	13	10	17
1982.....	1,000	12	14	5	4	5	8	10	12	10	12
1981.....	950	11	4	4	-	4	5	10	8	8	21
1980.....	977	11	12	5	7	11	9	7	10	15	19
1979.....	1,075	18	12	7	4	5	13	4	12	14	13
WHITE FEMALE											
1998.....	1,406	10	10	5	4	9	7	11	19	18	37
1997.....	1,319	13	10	7	4	3	6	7	14	27	26
1996.....	1,282	3	10	4	6	6	6	3	14	26	26
1995.....	1,233	3	10	4	6	7	8	14	19	27	22
1994.....	1,175	7	7	1	7	8	1	8	16	15	26
1993.....	1,200	9	9	9	3	6	6	10	19	15	21
1992.....	1,188	15	8	6	9	2	6	6	21	16	22
1991.....	1,142	17	7	6	9	6	6	7	12	19	15
1990.....	1,191	7	7	9	6	4	6	8	11	9	22
1989.....	1,237	13	5	6	5	7	1	8	12	21	28
1988.....	1,235	11	5	6	4	1	9	11	14	23	17
1987.....	1,225	8	7	3	1	2	11	8	17	11	17
1986.....	1,281	14	13	4	1	7	8	12	10	19	23
1985.....	1,151	12	2	5	4	4	7	15	13	18	16
1984.....	1,053	15	5	2	3	7	9	9	15	22	16
1983.....	1,072	7	12	3	1	5	11	11	15	14	19
1982.....	982	10	11	3	2	5	5	9	15	12	18
1981.....	999	8	9	9	1	7	10	12	17	14	24
1980.....	955	10	8	6	7	6	10	15	19	18	14
1979.....	995	4	6	6	9	3	12	10	14	18	22

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)											
ALL OTHER, BOTH SEXES											
1998.....	564	11	11	3	6	-	8	5	8	12	22
1997.....	516	5	12	4	3	6	6	10	7	21	18
1996.....	528	11	7	6	3	3	4	4	14	18	27
1995.....	459	10	11	3	2	6	5	8	17	16	17
1994.....	477	8	5	3	3	4	9	5	13	27	25
1993.....	470	13	10	7	6	5	5	7	10	15	16
1992.....	473	10	7	4	1	7	7	10	15	23	25
1991.....	416	10	9	3	2	3	8	5	8	15	17
1990.....	424	7	10	2	3	4	2	5	14	16	17
1989.....	496	19	4	4	2	6	7	6	15	18	18
1988.....	491	5	11	1	3	4	6	6	11	14	17
1987.....	493	12	9	3	1	2	9	13	13	23	16
1986.....	483	8	6	4	2	-	4	11	18	11	19
1985.....	439	12	8	8	5	1	4	10	12	17	16
1984.....	412	10	9	1	3	-	5	8	11	12	19
1983.....	407	13	9	1	4	3	9	13	11	15	14
1982.....	405	14	4	3	4	2	2	11	12	9	18
1981.....	376	7	6	4	2	4	4	13	18	16	17
1980.....	350	11	3	4	4	2	6	12	11	16	12
1979.....	415	6	3	3	1	9	9	11	9	10	16
ALL OTHER MALE											
1998.....	241	6	7	2	4	-	5	3	3	4	7
1997.....	239	3	7	4	2	4	4	6	3	10	7
1996.....	236	4	2	3	2	2	3	2	3	7	13
1995.....	204	4	7	1	-	4	4	5	4	8	5
1994.....	213	5	3	3	2	3	3	2	4	11	16
1993.....	194	11	5	2	2	2	2	1	3	5	9
1992.....	228	6	6	1	1	6	3	6	6	10	9
1991.....	167	7	2	2	2	-	5	2	3	6	5
1990.....	198	3	6	1	1	3	-	2	8	7	8
1989.....	238	12	1	2	2	4	3	3	9	9	6
1988.....	227	2	6	1	1	2	4	1	5	5	8
1987.....	225	6	6	2	-	2	4	10	8	9	8
1986.....	238	5	5	1	1	-	2	7	5	7	9
1985.....	226	5	6	2	4	1	3	4	4	9	8
1984.....	193	5	7	1	2	-	3	3	6	5	9
1983.....	197	8	5	1	2	-	2	6	7	6	4
1982.....	210	10	3	1	-	-	1	3	4	5	6
1981.....	198	5	5	-	2	1	1	5	4	4	12
1980.....	183	7	2	2	3	2	3	5	3	7	3
1979.....	204	-	1	1	-	4	5	5	4	4	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)											
ALL OTHER FEMALE											
1998.....	323	5	4	1	2	-	3	2	5	8	15
1997.....	277	2	5	-	1	2	2	4	4	11	11
1996.....	292	7	5	3	1	1	1	2	11	11	14
1995.....	255	6	4	2	2	2	1	3	13	8	12
1994.....	264	3	2	-	1	1	6	3	9	16	9
1993.....	276	2	5	5	4	3	3	6	7	10	7
1992.....	245	4	1	3	-	1	4	4	9	13	16
1991.....	249	3	7	1	-	3	3	3	5	9	12
1990.....	226	4	4	1	2	1	2	3	6	9	9
1989.....	258	7	3	2	-	2	4	3	6	9	12
1988.....	264	3	5	-	2	2	2	5	6	9	9
1987.....	268	6	3	1	1	-	5	3	5	14	8
1986.....	245	3	1	3	1	-	2	4	13	4	10
1985.....	213	7	2	6	1	-	1	6	8	8	8
1984.....	219	5	2	-	1	-	2	5	5	7	10
1983.....	210	5	4	-	2	3	7	7	4	9	10
1982.....	195	4	1	2	4	2	1	8	8	4	12
1981.....	178	2	1	4	-	3	3	8	14	12	5
1980.....	167	4	1	2	1	-	3	7	8	9	9
1979.....	211	6	2	2	1	5	4	6	5	6	10
BLACK, BOTH SEXES											
1998.....	510	11	10	3	4	-	8	5	6	12	22
1997.....	460	4	10	2	2	4	4	9	7	21	16
1996.....	474	8	6	5	2	-	4	4	13	17	27
1995.....	418	9	9	3	2	6	4	8	15	15	17
1994.....	423	8	5	3	1	3	9	1	12	21	23
1993.....	416	8	8	6	4	4	4	7	8	14	12
1992.....	436	10	7	4	1	6	7	9	14	20	24
1991.....	379	10	9	3	-	3	7	4	8	13	14
1990.....	389	6	9	2	3	3	2	5	13	14	16
1989.....	469	15	4	4	2	5	7	6	15	18	16
1988.....	453	4	7	1	3	4	5	6	9	14	15
1987.....	460	11	9	3	1	1	7	13	11	21	15
1986.....	440	7	5	4	2	-	4	11	16	10	18
1985.....	398	10	7	8	5	1	3	10	12	14	14
1984.....	385	10	9	1	2	-	4	7	11	12	17
1983.....	381	12	8	1	4	3	8	13	10	15	14
1982.....	382	13	4	3	3	2	2	11	12	9	16
1981.....	343	7	6	4	1	4	4	12	16	15	16
1980.....	325	11	3	4	4	2	6	11	9	16	11
1979.....	388	5	3	3	1	9	7	10	9	10	14

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98
 CAUSE-OF-DEATH CODE,
 RACE, SEX, AND YEAR TOTAL
 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	216	6	7	2	2	-	5	3	1	4	7
1997.....	204	2	5	2	1	2	2	5	3	10	6
1996.....	209	3	2	2	2	-	3	2	2	7	13
1995.....	181	4	6	1	-	4	3	5	4	7	5
1994.....	187	5	3	3	1	2	3	-	4	9	15
1993.....	167	6	4	1	1	1	1	1	2	5	7
1992.....	209	6	6	1	1	5	3	5	6	9	9
1991.....	154	7	2	2	-	-	5	2	3	5	4
1990.....	176	2	5	1	1	2	-	2	7	5	7
1989.....	225	10	1	2	2	3	3	3	9	9	6
1988.....	212	2	2	1	1	2	3	1	5	5	7
1987.....	207	6	6	2	-	1	4	10	6	8	8
1986.....	214	5	4	1	1	-	2	7	5	7	8
1985.....	203	3	5	2	4	1	2	4	4	8	7
1984.....	178	5	7	1	1	-	2	3	6	5	9
1983.....	177	7	5	1	2	-	2	6	6	6	4
1982.....	198	10	3	1	-	-	1	3	4	5	5
1981.....	179	5	5	-	1	1	1	4	4	4	11
1980.....	167	7	2	2	3	2	3	5	3	7	3
1979.....	188	-	1	1	-	4	3	5	4	4	5
BLACK FEMALE											
1998.....	294	5	3	1	2	-	3	2	5	8	15
1997.....	256	2	5	-	1	2	2	4	4	11	10
1996.....	265	5	4	3	-	-	1	2	11	10	14
1995.....	237	5	3	2	2	2	1	3	11	8	12
1994.....	236	3	2	-	-	1	6	1	8	12	8
1993.....	249	2	4	5	3	3	3	6	6	9	5
1992.....	227	4	1	3	-	1	4	4	8	11	15
1991.....	225	3	7	1	-	3	2	2	5	8	10
1990.....	213	4	4	1	2	1	2	3	6	9	9
1989.....	244	5	3	2	-	2	4	3	6	9	10
1988.....	241	2	5	-	2	2	2	5	4	9	8
1987.....	253	5	3	1	1	-	3	3	5	13	7
1986.....	226	2	1	3	1	-	2	4	11	3	10
1985.....	195	7	2	6	1	-	1	6	8	6	7
1984.....	207	5	2	-	1	-	2	4	5	7	8
1983.....	204	5	3	-	2	3	6	7	4	9	10
1982.....	184	3	1	2	3	2	1	8	8	4	11
1981.....	164	2	1	4	-	3	3	8	12	11	5
1980.....	158	4	1	2	1	-	3	6	6	9	8
1979.....	200	5	2	2	1	5	4	5	5	6	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACCIDENTAL FALLS (E880-E888)											
TOTAL, BOTH SEXES											
1998.....	16,274	20	46	26	29	94	142	159	192	293	402
1997.....	15,447	13	49	28	25	106	163	153	213	282	374
1996.....	14,986	11	46	32	22	97	138	160	234	273	357
1995.....	13,986	22	42	28	35	104	141	176	234	332	340
1994.....	13,450	19	62	26	30	100	130	178	210	279	374
1993.....	13,141	17	68	26	28	107	146	158	250	302	314
1992.....	12,646	26	63	21	30	93	149	169	229	263	259
1991.....	12,662	28	83	21	48	84	149	213	253	301	326
1990.....	12,313	25	85	18	24	123	169	236	304	263	291
1989.....	12,151	22	64	22	32	95	144	225	275	298	282
1988.....	12,096	39	65	27	31	103	219	218	277	305	268
1987.....	11,733	32	68	25	32	93	219	269	288	285	296
1986.....	11,444	35	82	22	33	150	249	245	273	273	244
1985.....	12,001	45	80	28	43	132	260	264	259	266	268
1984.....	11,937	28	86	27	41	146	253	252	254	223	234
1983.....	12,024	52	110	28	42	143	263	260	275	243	243
1982.....	12,077	54	83	45	58	180	273	248	286	227	215
1981.....	12,628	57	110	31	43	155	301	259	263	231	255
1980.....	13,294	44	111	48	41	209	306	300	231	245	290
1979.....	13,216	57	104	56	65	211	278	255	220	247	270
TOTAL, MALE											
1998.....	8,035	15	35	19	25	74	119	140	155	250	324
1997.....	7,705	8	30	15	20	88	143	136	179	233	297
1996.....	7,429	8	25	26	19	80	121	140	188	224	297
1995.....	7,026	13	27	21	27	86	126	151	198	281	281
1994.....	6,889	17	42	21	21	86	120	152	182	236	307
1993.....	6,620	12	40	19	20	86	136	143	221	261	270
1992.....	6,315	21	40	16	22	75	128	141	189	213	209
1991.....	6,376	14	48	15	36	72	138	183	219	241	283
1990.....	6,311	17	55	13	17	105	156	212	254	220	253
1989.....	6,302	9	42	16	27	83	128	198	236	254	229
1988.....	6,303	24	40	20	26	84	197	190	232	257	222
1987.....	6,203	19	43	21	29	83	197	224	256	239	241
1986.....	6,043	25	52	19	29	130	213	210	234	223	194
1985.....	6,392	29	56	21	36	114	237	235	218	231	222
1984.....	6,210	15	57	22	32	122	226	221	224	199	184
1983.....	6,279	31	57	18	34	124	228	223	236	197	195
1982.....	6,354	34	44	33	40	156	239	206	252	191	179
1981.....	6,627	32	75	23	30	134	275	236	236	193	207
1980.....	7,036	27	63	26	33	185	276	272	207	197	228
1979.....	6,928	33	67	38	54	187	257	232	190	202	210

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACCIDENTAL FALLS (E880-E888)											
TOTAL, FEMALE											
1998.....	8,239	5	11	7	4	20	23	19	37	43	78
1997.....	7,742	5	19	13	5	18	20	17	34	49	77
1996.....	7,557	3	21	6	3	17	17	20	46	49	60
1995.....	6,960	9	15	7	8	18	15	25	36	51	59
1994.....	6,561	2	20	5	9	14	10	26	28	43	67
1993.....	6,521	5	28	7	8	21	10	15	29	41	44
1992.....	6,331	5	23	5	8	18	21	28	40	50	50
1991.....	6,286	14	35	6	12	12	11	30	34	60	43
1990.....	6,002	8	30	5	7	18	13	24	50	43	38
1989.....	5,849	13	22	6	5	12	16	27	39	44	53
1988.....	5,793	15	25	7	5	19	22	28	45	48	46
1987.....	5,530	13	25	4	3	10	22	45	32	46	55
1986.....	5,401	10	30	3	4	20	36	35	39	50	50
1985.....	5,609	16	24	7	7	18	23	29	41	35	46
1984.....	5,727	13	29	5	9	24	27	31	30	24	50
1983.....	5,745	21	53	10	8	19	35	37	39	46	48
1982.....	5,723	20	39	12	18	24	34	42	34	36	36
1981.....	6,001	25	35	8	13	21	26	23	27	38	48
1980.....	6,258	17	48	22	8	24	30	28	24	48	62
1979.....	6,288	24	37	18	11	24	21	23	30	45	60
WHITE, BOTH SEXES											
1998.....	15,037	14	35	20	22	86	126	142	162	239	329
1997.....	14,277	8	37	19	22	93	144	133	180	237	293
1996.....	13,849	6	33	27	20	88	121	139	191	228	287
1995.....	12,850	12	36	19	26	93	124	154	194	268	262
1994.....	12,342	14	34	17	25	91	118	148	169	216	289
1993.....	12,014	10	45	14	24	100	128	122	198	233	243
1992.....	11,560	21	43	15	26	81	125	147	195	190	208
1991.....	11,556	18	59	15	40	78	131	188	201	225	242
1990.....	11,131	19	59	12	20	117	149	190	232	203	225
1989.....	10,961	14	45	14	27	87	128	190	204	216	212
1988.....	10,886	28	44	22	28	81	180	177	201	236	199
1987.....	10,532	21	47	21	27	84	188	216	210	219	218
1986.....	10,368	19	64	16	24	130	215	205	218	202	172
1985.....	10,798	27	49	17	35	121	225	218	199	199	195
1984.....	10,829	22	54	23	39	134	217	214	193	169	169
1983.....	10,877	33	73	20	30	136	231	214	209	184	193
1982.....	10,930	29	55	38	49	169	248	201	210	166	172
1981.....	11,417	35	63	21	37	142	265	215	206	179	192
1980.....	12,016	30	74	38	36	190	265	253	173	179	208
1979.....	11,999	40	67	39	60	196	247	213	153	182	188

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACCIDENTAL FALLS (E880-E888)											
WHITE MALE											
1998.....	7,264	10	26	15	20	68	108	127	130	208	264
1997.....	6,977	5	22	10	17	76	126	119	149	200	225
1996.....	6,711	3	17	21	17	73	105	121	151	190	239
1995.....	6,308	9	23	14	19	77	110	130	166	229	215
1994.....	6,148	13	24	13	19	78	108	126	149	184	237
1993.....	5,885	7	26	10	18	79	119	112	179	201	208
1992.....	5,646	17	28	11	19	65	107	124	164	156	170
1991.....	5,671	10	36	13	29	66	122	162	175	179	209
1990.....	5,565	15	34	11	15	102	138	174	198	168	194
1989.....	5,524	5	29	12	22	75	116	167	169	188	172
1988.....	5,498	17	27	16	23	65	164	161	170	206	168
1987.....	5,391	13	28	17	24	76	170	186	187	180	175
1986.....	5,317	15	39	13	21	115	186	177	190	162	136
1985.....	5,579	16	37	13	31	106	207	195	165	171	165
1984.....	5,484	11	33	19	30	110	194	190	171	156	137
1983.....	5,529	19	37	13	24	120	202	192	181	148	152
1982.....	5,587	19	29	27	35	146	220	175	186	142	143
1981.....	5,786	21	42	16	27	121	242	197	187	150	151
1980.....	6,147	17	38	20	30	169	239	232	154	143	163
1979.....	6,112	22	45	25	51	175	227	195	134	153	147
WHITE FEMALE											
1998.....	7,773	4	9	5	2	18	18	15	32	31	65
1997.....	7,300	3	15	9	5	17	18	14	31	37	68
1996.....	7,138	3	16	6	3	15	16	18	40	38	48
1995.....	6,542	3	13	5	7	16	14	24	28	39	47
1994.....	6,194	1	10	4	6	13	10	22	20	32	52
1993.....	6,129	3	19	4	6	21	9	10	19	32	35
1992.....	5,914	4	15	4	7	16	18	23	31	34	38
1991.....	5,885	8	23	2	11	12	9	26	26	46	33
1990.....	5,566	4	25	1	5	15	11	16	34	35	31
1989.....	5,437	9	16	2	5	12	12	23	35	28	40
1988.....	5,388	11	17	6	5	16	16	16	31	30	31
1987.....	5,141	8	19	4	3	8	18	30	23	39	43
1986.....	5,051	4	25	3	3	15	29	28	28	40	36
1985.....	5,219	11	12	4	4	15	18	23	34	28	30
1984.....	5,345	11	21	4	9	24	23	24	22	13	32
1983.....	5,348	14	36	7	6	16	29	22	28	36	41
1982.....	5,343	10	26	11	14	23	28	26	24	24	29
1981.....	5,631	14	21	5	10	21	23	18	19	29	41
1980.....	5,869	13	36	18	6	21	26	21	19	36	45
1979.....	5,887	18	22	14	9	21	20	18	19	29	41

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACCIDENTAL FALLS (E880-E888)											
ALL OTHER, BOTH SEXES											
1998.....	1,237	6	11	6	7	8	16	17	30	54	73
1997.....	1,170	5	12	9	3	13	19	20	33	45	81
1996.....	1,137	5	13	5	2	9	17	21	43	45	70
1995.....	1,136	10	6	9	9	11	17	22	40	64	78
1994.....	1,108	5	28	9	5	9	12	30	41	63	85
1993.....	1,127	7	23	12	4	7	18	36	52	69	71
1992.....	1,086	5	20	6	4	12	24	22	34	73	51
1991.....	1,106	10	24	6	8	6	18	25	52	76	84
1990.....	1,182	6	26	6	4	6	20	46	72	60	66
1989.....	1,190	8	19	8	5	8	16	35	71	82	70
1988.....	1,210	11	21	5	3	22	39	41	76	69	69
1987.....	1,201	11	21	4	5	9	31	53	78	66	78
1986.....	1,076	16	18	6	9	20	34	40	55	71	72
1985.....	1,203	18	31	11	8	11	35	46	60	67	73
1984.....	1,108	6	32	4	2	12	36	38	61	54	65
1983.....	1,147	19	37	8	12	7	32	46	66	59	50
1982.....	1,147	25	28	7	9	11	25	47	76	61	43
1981.....	1,211	22	47	10	6	13	36	44	57	52	63
1980.....	1,278	14	37	10	5	19	41	47	58	66	82
1979.....	1,217	17	37	17	5	15	31	42	67	65	82
ALL OTHER MALE											
1998.....	771	5	9	4	5	6	11	13	25	42	60
1997.....	728	3	8	5	3	12	17	17	30	33	72
1996.....	718	5	8	5	2	7	16	19	37	34	58
1995.....	718	4	4	7	8	9	16	21	32	52	66
1994.....	741	4	18	8	2	8	12	26	33	52	70
1993.....	735	5	14	9	2	7	17	31	42	60	62
1992.....	669	4	12	5	3	10	21	17	25	57	39
1991.....	705	4	12	2	7	6	16	21	44	62	74
1990.....	746	2	21	2	2	3	18	38	56	52	59
1989.....	778	4	13	4	5	8	12	31	67	66	57
1988.....	805	7	13	4	3	19	33	29	62	51	54
1987.....	812	6	15	4	5	7	27	38	69	59	66
1986.....	726	10	13	6	8	15	27	33	44	61	58
1985.....	813	13	19	8	5	8	30	40	53	60	57
1984.....	726	4	24	3	2	12	32	31	53	43	47
1983.....	750	12	20	5	10	4	26	31	55	49	43
1982.....	767	15	15	6	5	10	19	31	66	49	36
1981.....	841	11	33	7	3	13	33	39	49	43	56
1980.....	889	10	25	6	3	16	37	40	53	54	65
1979.....	816	11	22	13	3	12	30	37	56	49	63

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACCIDENTAL FALLS (E880-E888)											
ALL OTHER FEMALE											
1998.....	466	1	2	2	2	2	5	4	5	12	13
1997.....	442	2	4	4	-	1	2	3	3	12	9
1996.....	419	-	5	-	-	2	1	2	6	11	12
1995.....	418	6	2	2	1	2	1	1	8	12	12
1994.....	367	1	10	1	3	1	-	4	8	11	15
1993.....	392	2	9	3	2	-	1	5	10	9	9
1992.....	417	1	8	1	1	2	3	5	9	16	12
1991.....	401	6	12	4	1	-	2	4	8	14	10
1990.....	436	4	5	4	2	3	2	8	16	8	7
1989.....	412	4	6	4	-	-	4	4	4	16	13
1988.....	405	4	8	1	-	3	6	12	14	18	15
1987.....	389	5	6	-	-	2	4	15	9	7	12
1986.....	350	6	5	-	1	5	7	7	11	10	14
1985.....	390	5	12	3	3	3	5	6	7	7	16
1984.....	382	2	8	1	-	-	4	7	8	11	18
1983.....	397	7	17	3	2	3	6	15	11	10	7
1982.....	380	10	13	1	4	1	6	16	10	12	7
1981.....	370	11	14	3	3	-	3	5	8	9	7
1980.....	389	4	12	4	2	3	4	7	5	12	17
1979.....	401	6	15	4	2	3	1	5	11	16	19
BLACK, BOTH SEXES											
1998.....	929	5	10	3	6	3	9	9	24	44	62
1997.....	868	3	10	6	2	10	14	14	27	34	68
1996.....	892	3	12	4	2	2	11	16	33	40	61
1995.....	877	8	4	8	6	7	10	14	30	54	68
1994.....	871	3	26	7	3	5	9	23	30	53	73
1993.....	908	6	17	11	4	6	11	30	42	64	60
1992.....	875	3	17	5	3	8	14	19	26	67	47
1991.....	927	10	20	5	6	3	17	20	43	71	69
1990.....	1,005	5	24	6	4	5	17	41	64	53	59
1989.....	1,009	7	14	5	5	4	14	27	62	72	64
1988.....	1,017	10	19	3	2	12	28	37	68	65	64
1987.....	1,029	10	18	2	4	6	23	50	73	61	70
1986.....	922	15	14	6	6	13	25	37	52	62	66
1985.....	1,048	13	26	8	6	6	26	41	58	61	71
1984.....	976	6	26	3	2	11	30	33	55	48	55
1983.....	1,018	19	32	7	12	6	27	41	60	56	43
1982.....	1,027	23	23	6	6	9	23	41	70	57	40
1981.....	1,074	18	42	5	5	11	31	40	47	49	55
1980.....	1,124	12	32	8	5	13	36	40	54	59	71
1979.....	1,110	17	33	13	4	12	28	36	58	62	79

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACCIDENTAL FALLS (E880-E888)											
BLACK MALE											
1998.....	578	5	9	2	5	3	5	6	19	35	51
1997.....	542	1	7	3	2	9	13	13	25	25	59
1996.....	571	3	8	4	2	1	10	14	28	30	50
1995.....	544	3	3	7	5	5	9	13	22	43	56
1994.....	571	2	17	7	1	5	9	19	22	43	58
1993.....	595	4	10	8	2	6	10	27	33	57	52
1992.....	535	2	10	4	2	8	12	14	19	51	36
1991.....	586	4	11	1	6	3	15	17	39	57	62
1990.....	629	1	19	2	2	2	15	34	51	45	53
1989.....	659	3	9	3	5	4	10	24	58	58	53
1988.....	678	6	12	2	2	11	24	27	55	49	52
1987.....	706	5	14	2	4	6	20	35	66	54	62
1986.....	632	9	9	6	6	11	19	31	43	55	53
1985.....	711	10	15	5	3	4	21	35	51	54	56
1984.....	642	4	22	2	2	11	26	27	50	38	38
1983.....	665	12	19	5	10	4	22	26	50	47	36
1982.....	680	13	13	5	4	8	17	26	61	46	34
1981.....	750	9	29	4	3	11	29	36	41	40	51
1980.....	776	9	20	4	3	11	32	34	49	48	56
1979.....	739	11	18	10	3	9	27	32	47	47	60
BLACK FEMALE											
1998.....	351	-	1	1	1	-	4	3	5	9	11
1997.....	326	2	3	3	-	1	1	1	2	9	9
1996.....	321	-	4	-	-	1	1	2	5	10	11
1995.....	333	5	1	1	1	2	1	1	8	11	12
1994.....	300	1	9	-	2	-	-	4	8	10	15
1993.....	313	2	7	3	2	-	1	3	9	7	8
1992.....	340	1	7	1	1	-	2	5	7	16	11
1991.....	341	6	9	4	-	-	2	3	4	14	7
1990.....	376	4	5	4	2	3	2	7	13	8	6
1989.....	350	4	5	2	-	-	4	3	4	14	11
1988.....	339	4	7	1	-	1	4	10	13	16	12
1987.....	323	5	4	-	-	-	3	15	7	7	8
1986.....	290	6	5	-	-	2	6	6	9	7	13
1985.....	337	3	11	3	3	2	5	6	7	7	15
1984.....	334	2	4	1	-	-	4	6	5	10	17
1983.....	353	7	13	2	2	2	5	15	10	9	7
1982.....	347	10	10	1	2	1	6	15	9	11	6
1981.....	324	9	13	1	2	-	2	4	6	9	4
1980.....	348	3	12	4	2	2	4	6	5	11	15
1979.....	371	6	15	3	1	3	1	4	11	15	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)											
TOTAL, BOTH SEXES											
1998.....	3,573	15	34	15	16	64	101	106	110	164	204
1997.....	3,388	11	34	21	13	72	108	96	131	150	193
1996.....	3,269	4	30	20	10	60	102	108	130	134	166
1995.....	3,299	11	33	15	21	67	97	120	151	184	170
1994.....	3,126	12	44	18	20	74	99	127	138	158	174
1993.....	3,160	7	59	19	16	80	106	109	169	159	133
1992.....	3,091	13	54	13	23	66	114	113	145	130	133
1991.....	3,291	21	61	16	33	68	114	153	176	175	163
1990.....	3,194	17	66	13	16	95	133	158	197	148	153
1989.....	3,062	15	49	16	23	77	113	173	172	172	128
1988.....	3,317	25	52	20	19	85	171	168	171	173	150
1987.....	3,362	22	54	17	22	72	180	210	181	179	151
1986.....	3,234	21	60	12	22	118	193	174	180	151	123
1985.....	3,365	29	62	14	30	100	203	195	160	146	145
1984.....	3,269	14	57	20	35	117	204	185	166	125	123
1983.....	3,372	36	86	19	29	113	204	177	170	132	142
1982.....	3,471	31	50	28	38	139	216	174	186	121	112
1981.....	3,540	32	81	22	32	125	236	191	163	127	136
1980.....	3,743	24	84	35	34	165	233	208	140	124	152
1979.....	3,616	33	69	38	45	160	216	192	141	129	118
TOTAL, MALE											
1998.....	2,407	11	25	12	15	49	88	100	100	150	178
1997.....	2,320	7	22	13	8	61	93	89	121	131	166
1996.....	2,231	2	18	17	9	54	93	100	111	116	146
1995.....	2,289	8	23	10	17	56	90	110	135	165	153
1994.....	2,231	10	29	16	15	65	94	110	122	144	149
1993.....	2,143	4	36	14	11	64	100	102	156	143	120
1992.....	2,068	11	35	11	17	55	95	101	123	116	112
1991.....	2,286	10	39	11	24	58	109	133	154	149	152
1990.....	2,273	11	43	8	12	81	123	145	169	138	140
1989.....	2,167	6	35	11	19	67	103	155	152	151	111
1988.....	2,376	15	31	17	18	68	159	149	149	153	127
1987.....	2,420	16	34	15	20	65	162	181	165	154	131
1986.....	2,274	15	40	11	19	103	168	154	156	127	100
1985.....	2,406	21	44	13	26	90	190	176	138	130	124
1984.....	2,311	9	41	17	26	99	186	169	153	109	100
1983.....	2,361	21	41	13	25	103	178	158	151	112	123
1982.....	2,392	20	28	17	26	120	193	154	169	105	99
1981.....	2,506	18	55	16	23	110	215	174	147	107	113
1980.....	2,671	12	48	20	28	148	215	192	130	109	127
1979.....	2,594	21	47	27	37	148	203	181	122	115	102

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)											
TOTAL, FEMALE											
1998.....	1,166	4	9	3	1	15	13	6	10	14	26
1997.....	1,068	4	12	8	5	11	15	7	10	19	27
1996.....	1,038	2	12	3	1	6	9	8	19	18	20
1995.....	1,010	3	10	5	4	11	7	10	16	19	17
1994.....	895	2	15	2	5	9	5	17	16	14	25
1993.....	1,017	3	23	5	5	16	6	7	13	16	13
1992.....	1,023	2	19	2	6	11	19	12	22	14	21
1991.....	1,005	11	22	5	9	10	5	20	22	26	11
1990.....	921	6	23	5	4	14	10	13	28	10	13
1989.....	895	9	14	5	4	10	10	18	20	21	17
1988.....	941	10	21	3	1	17	12	19	22	20	23
1987.....	942	6	20	2	2	7	18	29	16	25	20
1986.....	960	6	20	1	3	15	25	20	24	24	23
1985.....	959	8	18	1	4	10	13	19	22	16	21
1984.....	958	5	16	3	9	18	18	16	13	16	23
1983.....	1,011	15	45	6	4	10	26	19	19	20	19
1982.....	1,079	11	22	11	12	19	23	20	17	16	13
1981.....	1,034	14	26	6	9	15	21	17	16	20	23
1980.....	1,072	12	36	15	6	17	18	16	10	15	25
1979.....	1,022	12	22	11	8	12	13	11	19	14	16
WHITE, BOTH SEXES											
1998.....	3,222	10	26	13	10	59	93	96	94	140	178
1997.....	3,055	6	26	13	13	62	99	83	111	128	153
1996.....	2,939	3	20	17	8	54	90	98	105	117	138
1995.....	2,938	7	27	10	14	59	86	104	131	153	134
1994.....	2,755	10	24	12	17	67	91	107	116	127	142
1993.....	2,812	4	38	12	14	76	94	87	140	121	114
1992.....	2,706	9	35	8	19	57	96	100	128	98	106
1991.....	2,923	11	40	11	30	63	103	136	148	140	129
1990.....	2,808	12	42	8	13	90	116	134	158	121	129
1989.....	2,692	10	33	11	19	72	101	149	135	141	103
1988.....	2,855	18	34	16	16	67	144	137	132	146	116
1987.....	2,888	14	38	13	18	65	156	171	138	144	122
1986.....	2,830	13	49	8	18	100	168	148	148	116	93
1985.....	2,954	17	36	9	24	93	179	163	127	121	118
1984.....	2,878	12	35	16	34	110	181	164	132	102	94
1983.....	2,961	22	59	15	21	107	184	146	141	108	119
1982.....	3,072	18	35	22	30	131	200	146	151	100	93
1981.....	3,112	21	51	15	29	112	212	161	134	110	110
1980.....	3,291	19	54	27	30	150	209	183	116	100	112
1979.....	3,185	23	41	24	42	151	196	164	105	105	90

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)											
WHITE MALE											
1998.....	2,146	7	18	10	10	46	82	91	85	129	154
1997.....	2,064	4	16	8	8	51	85	78	103	114	129
1996.....	1,966	1	11	14	7	49	81	90	88	100	120
1995.....	2,014	6	19	6	11	48	80	94	119	138	120
1994.....	1,947	9	17	10	14	59	86	92	105	116	123
1993.....	1,873	2	23	8	10	60	89	83	131	111	101
1992.....	1,799	8	23	7	14	48	80	91	109	89	91
1991.....	2,006	6	28	9	21	53	99	118	132	119	119
1990.....	1,973	9	24	7	10	79	108	123	139	112	119
1989.....	1,879	4	23	9	15	62	94	133	117	126	88
1988.....	2,010	10	20	13	15	53	135	126	116	133	97
1987.....	2,053	11	23	11	16	60	141	152	126	122	107
1986.....	1,969	10	30	7	16	90	149	133	131	97	76
1985.....	2,085	13	26	9	22	83	171	146	109	107	104
1984.....	2,008	7	25	14	25	92	165	150	123	92	80
1983.....	2,059	12	27	10	17	99	163	135	126	93	102
1982.....	2,087	12	21	12	22	113	180	130	139	89	81
1981.....	2,171	12	34	10	22	97	194	147	122	92	91
1980.....	2,311	9	28	16	25	134	193	170	106	86	93
1979.....	2,252	14	29	16	35	139	184	156	91	96	78
WHITE FEMALE											
1998.....	1,076	3	8	3	-	13	11	5	9	11	24
1997.....	991	2	10	5	5	11	14	5	8	14	24
1996.....	973	2	9	3	1	5	9	8	17	17	18
1995.....	924	1	8	4	3	11	6	10	12	15	14
1994.....	808	1	7	2	3	8	5	15	11	11	19
1993.....	939	2	15	4	4	16	5	4	9	10	13
1992.....	907	1	12	1	5	9	16	9	19	9	15
1991.....	917	5	12	2	9	10	4	18	16	21	10
1990.....	835	3	18	1	3	11	8	11	19	9	10
1989.....	813	6	10	2	4	10	7	16	18	15	15
1988.....	845	8	14	3	1	14	9	11	16	13	19
1987.....	835	3	15	2	2	5	15	19	12	22	15
1986.....	861	3	19	1	2	10	19	15	17	19	17
1985.....	869	4	10	-	2	10	8	17	18	14	14
1984.....	870	5	10	2	9	18	16	14	9	10	14
1983.....	902	10	32	5	4	8	21	11	15	15	17
1982.....	985	6	14	10	8	18	20	16	12	11	12
1981.....	941	9	17	5	7	15	18	14	12	18	19
1980.....	980	10	26	11	5	16	16	13	10	14	19
1979.....	933	9	12	8	7	12	12	8	14	9	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)											
ALL OTHER, BOTH SEXES											
1998.....	351	5	8	2	6	5	8	10	16	24	26
1997.....	333	5	8	8	-	10	9	13	20	22	40
1996.....	330	1	10	3	2	6	12	10	25	17	28
1995.....	361	4	6	5	7	8	11	16	20	31	36
1994.....	371	2	20	6	3	7	8	20	22	31	32
1993.....	348	3	21	7	2	4	12	22	29	38	19
1992.....	385	4	19	5	4	9	18	13	17	32	27
1991.....	368	10	21	5	3	5	11	17	28	35	34
1990.....	386	5	24	5	3	5	17	24	39	27	24
1989.....	370	5	16	5	4	5	12	24	37	31	25
1988.....	462	7	18	4	3	18	27	31	39	27	34
1987.....	474	8	16	4	4	7	24	39	43	35	29
1986.....	404	8	11	4	4	18	25	26	32	35	30
1985.....	411	12	26	5	6	7	24	32	33	25	27
1984.....	391	2	22	4	1	7	23	21	34	23	29
1983.....	411	14	27	4	8	6	20	31	29	24	23
1982.....	399	13	15	6	8	8	16	28	35	21	19
1981.....	428	11	30	7	3	13	24	30	29	17	26
1980.....	452	5	30	8	4	15	24	25	24	24	40
1979.....	431	10	28	14	3	9	20	28	36	24	28
ALL OTHER MALE											
1998.....	261	4	7	2	5	3	6	9	15	21	24
1997.....	256	3	6	5	-	10	8	11	18	17	37
1996.....	265	1	7	3	2	5	12	10	23	16	26
1995.....	275	2	4	4	6	8	10	16	16	27	33
1994.....	284	1	12	6	1	6	8	18	17	28	26
1993.....	270	2	13	6	1	4	11	19	25	32	19
1992.....	269	3	12	4	3	7	15	10	14	27	21
1991.....	280	4	11	2	3	5	10	15	22	30	33
1990.....	300	2	19	1	2	2	15	22	30	26	21
1989.....	288	2	12	2	4	5	9	22	35	25	23
1988.....	366	5	11	4	3	15	24	23	33	20	30
1987.....	367	5	11	4	4	5	21	29	39	32	24
1986.....	305	5	10	4	3	13	19	21	25	30	24
1985.....	321	8	18	4	4	7	19	30	29	23	20
1984.....	303	2	16	3	1	7	21	19	30	17	20
1983.....	302	9	14	3	8	4	15	23	25	19	21
1982.....	305	8	7	5	4	7	13	24	30	16	18
1981.....	335	6	21	6	1	13	21	27	25	15	22
1980.....	360	3	20	4	3	14	22	22	24	23	34
1979.....	342	7	18	11	2	9	19	25	31	19	24

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)											
ALL OTHER FEMALE											
1998.....	90	1	1	-	1	2	2	1	1	3	2
1997.....	77	2	2	3	-	-	1	2	2	5	3
1996.....	65	-	3	-	-	1	-	-	2	1	2
1995.....	86	2	2	1	1	-	1	-	4	4	3
1994.....	87	1	8	-	2	1	-	2	5	3	6
1993.....	78	1	8	1	1	-	1	3	4	6	-
1992.....	116	1	7	1	1	2	3	3	3	5	6
1991.....	88	6	10	3	-	-	1	2	6	5	1
1990.....	86	3	5	4	1	3	2	2	9	1	3
1989.....	82	3	4	3	-	-	3	2	2	6	2
1988.....	96	2	7	-	-	3	3	8	6	7	4
1987.....	107	3	5	-	-	2	3	10	4	3	5
1986.....	99	3	1	-	1	5	6	5	7	5	6
1985.....	90	4	8	1	2	-	5	2	4	2	7
1984.....	88	-	6	1	-	-	2	2	4	6	9
1983.....	109	5	13	1	-	2	5	8	4	5	2
1982.....	94	5	8	1	4	1	3	4	5	5	1
1981.....	93	5	9	1	2	-	3	3	4	2	4
1980.....	92	2	10	4	1	1	2	3	-	1	6
1979.....	89	3	10	3	1	-	1	3	5	5	4
BLACK, BOTH SEXES											
1998.....	252	4	8	1	5	2	4	6	13	19	21
1997.....	238	3	6	5	-	8	8	9	16	16	33
1996.....	268	-	10	2	2	-	8	8	20	17	23
1995.....	276	4	4	4	4	4	7	10	17	24	32
1994.....	293	1	20	5	2	4	6	15	17	25	28
1993.....	269	3	16	6	2	3	8	17	23	34	16
1992.....	306	2	16	4	3	6	10	10	10	29	25
1991.....	300	10	18	4	3	2	10	13	22	33	23
1990.....	327	4	22	5	3	4	14	20	34	22	19
1989.....	313	4	11	4	4	3	11	17	30	24	20
1988.....	376	6	16	2	2	8	17	27	33	26	33
1987.....	410	7	14	2	4	4	16	37	39	31	27
1986.....	355	8	7	4	1	11	19	23	31	32	29
1985.....	355	9	21	3	4	4	17	28	31	20	27
1984.....	344	2	18	3	1	6	18	17	31	20	25
1983.....	356	14	22	4	8	5	16	28	23	23	18
1982.....	348	12	12	5	5	6	14	23	30	18	18
1981.....	371	8	25	4	2	11	19	26	23	15	23
1980.....	395	4	27	8	4	11	22	20	23	24	34
1979.....	379	10	25	11	2	6	19	23	29	22	26

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)											
BLACK MALE											
1998.....	191	4	7	1	5	2	3	5	12	17	20
1997.....	185	1	5	3	-	8	7	9	15	12	30
1996.....	213	-	7	2	2	-	8	8	18	16	21
1995.....	207	2	3	4	3	4	6	10	13	20	29
1994.....	224	-	12	5	-	4	6	13	12	23	22
1993.....	212	2	10	5	1	3	7	16	19	30	16
1992.....	214	1	10	3	2	6	8	7	8	24	20
1991.....	228	4	10	1	3	2	9	11	20	28	23
1990.....	254	1	17	1	2	1	12	18	27	21	17
1989.....	244	1	8	2	4	3	8	16	28	19	19
1988.....	300	4	10	2	2	7	16	21	27	20	29
1987.....	324	4	11	2	4	4	14	27	36	28	23
1986.....	275	5	6	4	1	9	14	19	25	29	23
1985.....	276	7	14	2	2	4	12	26	27	18	20
1984.....	270	2	14	2	1	6	16	16	29	14	17
1983.....	260	9	13	3	8	4	12	20	20	18	16
1982.....	269	7	6	4	3	5	11	20	26	14	17
1981.....	298	5	17	4	1	11	17	24	21	13	21
1980.....	311	2	17	4	3	10	20	18	23	23	28
1979.....	301	7	15	8	2	6	18	20	24	18	22
BLACK FEMALE											
1998.....	61	-	1	-	-	-	1	1	1	2	1
1997.....	53	2	1	2	-	-	1	-	1	4	3
1996.....	55	-	3	-	-	-	-	-	2	1	2
1995.....	69	2	1	-	1	-	1	-	4	4	3
1994.....	69	1	8	-	2	-	-	2	5	2	6
1993.....	57	1	6	1	1	-	1	1	4	4	-
1992.....	92	1	6	1	1	-	2	3	2	5	5
1991.....	72	6	8	3	-	-	1	2	2	5	-
1990.....	73	3	5	4	1	3	2	2	7	1	2
1989.....	69	3	3	2	-	-	3	1	2	5	1
1988.....	76	2	6	-	-	1	1	6	6	6	4
1987.....	86	3	3	-	-	-	2	10	3	3	4
1986.....	80	3	1	-	-	2	5	4	6	3	6
1985.....	79	2	7	1	2	-	5	2	4	2	7
1984.....	74	-	4	1	-	-	2	1	2	6	8
1983.....	96	5	9	1	-	1	4	8	3	5	2
1982.....	79	5	6	1	2	1	3	3	4	4	1
1981.....	73	3	8	-	1	-	2	2	2	2	2
1980.....	84	2	10	4	1	1	2	2	-	1	6
1979.....	78	3	10	3	-	-	1	3	5	4	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FALL ON SAME LEVEL (E885-E886)											
TOTAL, BOTH SEXES											
1998.....	746	-	-	-	2	2	8	5	6	6	15
1997.....	730	-	3	4	3	-	5	9	7	10	9
1996.....	691	-	4	3	5	5	3	6	8	5	18
1995.....	499	-	-	1	3	7	-	4	8	9	6
1994.....	604	2	-	2	3	6	5	7	2	7	9
1993.....	529	-	-	1	1	6	3	5	3	9	10
1992.....	483	-	1	-	1	1	3	5	4	4	1
1991.....	474	1	-	-	3	2	2	2	3	3	5
1990.....	499	-	1	-	1	8	5	3	5	3	5
1989.....	476	-	2	-	3	5	3	6	6	9	9
1988.....	433	-	1	-	4	3	7	7	3	9	4
1987.....	404	-	-	2	2	-	3	1	6	5	10
1986.....	394	1	4	1	3	6	5	3	3	6	5
1985.....	411	1	2	1	4	6	7	5	7	5	1
1984.....	436	-	1	-	1	3	5	5	6	6	3
1983.....	432	-	1	2	2	4	7	8	4	3	2
1982.....	420	-	-	2	3	4	10	-	-	4	7
1981.....	417	-	2	2	1	3	2	1	6	3	1
1980.....	415	-	-	2	-	4	7	2	7	5	6
1979.....	465	1	-	-	1	5	8	5	5	3	8
TOTAL, MALE											
1998.....	376	-	-	-	2	2	7	4	5	6	11
1997.....	367	-	3	1	3	-	4	6	5	7	7
1996.....	337	-	2	2	5	2	2	3	4	5	16
1995.....	256	-	-	1	1	5	-	4	7	5	4
1994.....	303	2	-	1	1	5	5	6	1	5	6
1993.....	240	-	-	-	1	4	3	2	2	6	7
1992.....	196	-	1	-	1	1	3	5	4	2	1
1991.....	235	-	-	-	3	2	2	2	2	1	5
1990.....	243	-	1	-	-	6	4	3	4	3	4
1989.....	253	-	2	-	2	4	2	4	3	8	6
1988.....	212	-	1	-	4	3	5	6	2	6	3
1987.....	191	-	-	1	2	-	3	1	5	3	6
1986.....	198	-	3	1	3	6	4	2	2	6	4
1985.....	210	-	-	-	3	6	7	5	5	2	1
1984.....	218	-	1	-	1	1	5	4	3	6	2
1983.....	203	-	1	1	1	4	6	7	4	1	1
1982.....	208	-	-	2	2	4	6	-	-	4	7
1981.....	176	-	1	1	1	3	2	1	5	3	1
1980.....	181	-	-	1	-	3	5	2	5	4	4
1979.....	239	-	-	-	-	3	7	4	5	3	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FALL ON SAME LEVEL (E885-E886)											
TOTAL, FEMALE											
1998.....	370	-	-	-	-	-	1	1	1	-	4
1997.....	363	-	-	3	-	-	1	3	2	3	2
1996.....	354	-	2	1	-	3	1	3	4	-	2
1995.....	243	-	-	-	2	2	-	-	1	4	2
1994.....	301	-	-	1	2	1	-	1	1	2	3
1993.....	289	-	-	1	-	2	-	3	1	3	3
1992.....	287	-	-	-	-	-	-	-	-	2	-
1991.....	239	1	-	-	-	-	-	-	1	2	-
1990.....	256	-	-	-	1	2	1	-	1	-	1
1989.....	223	-	-	-	1	1	1	2	3	1	3
1988.....	221	-	-	-	-	-	2	1	1	3	1
1987.....	213	-	-	1	-	-	-	-	1	2	4
1986.....	196	1	1	-	-	-	1	1	1	-	1
1985.....	201	1	2	1	1	-	-	-	2	3	-
1984.....	218	-	-	-	-	2	-	1	3	-	1
1983.....	229	-	-	1	1	-	1	1	-	2	1
1982.....	212	-	-	-	1	-	4	-	-	-	-
1981.....	241	-	1	1	-	-	-	-	1	-	-
1980.....	234	-	-	1	-	1	2	-	2	1	2
1979.....	226	1	-	-	1	2	1	1	-	-	4
WHITE, BOTH SEXES											
1998.....	709	-	-	-	2	2	7	3	6	4	11
1997.....	690	-	2	3	3	-	5	8	7	10	9
1996.....	653	-	2	2	5	5	3	4	7	5	16
1995.....	469	-	-	1	3	7	-	4	8	8	4
1994.....	566	2	-	2	3	6	5	4	1	4	5
1993.....	495	-	-	-	1	5	3	4	3	9	10
1992.....	452	-	1	-	1	1	3	5	4	3	1
1991.....	437	1	-	-	2	2	2	2	3	1	4
1990.....	476	-	1	-	1	8	5	3	4	3	5
1989.....	444	-	2	-	3	5	3	6	5	6	5
1988.....	408	-	1	-	4	3	7	6	3	6	3
1987.....	378	-	-	2	2	-	2	-	4	4	7
1986.....	374	1	2	1	3	6	5	3	3	5	3
1985.....	381	1	1	-	4	5	5	4	5	5	1
1984.....	410	-	1	-	-	3	4	4	5	3	3
1983.....	408	-	1	1	2	4	6	8	4	2	2
1982.....	390	-	-	2	3	2	10	-	-	3	5
1981.....	398	-	2	1	1	3	2	1	6	2	1
1980.....	386	-	-	2	-	4	7	1	6	4	4
1979.....	438	1	-	-	1	4	7	5	4	3	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FALL ON SAME LEVEL (E885-E886)											
WHITE MALE											
1998.....	350	-	-	-	2	2	6	3	5	4	7
1997.....	344	-	2	1	3	-	4	5	5	7	7
1996.....	320	-	1	1	5	2	2	2	4	5	15
1995.....	236	-	-	1	1	5	-	4	7	5	2
1994.....	280	2	-	1	1	5	5	4	-	3	4
1993.....	223	-	-	-	1	3	3	2	2	6	7
1992.....	181	-	1	-	1	1	3	5	4	2	1
1991.....	219	-	-	-	2	2	2	2	2	1	4
1990.....	229	-	1	-	-	6	4	3	3	3	4
1989.....	230	-	2	-	2	4	2	4	2	5	3
1988.....	204	-	1	-	4	3	5	6	2	6	2
1987.....	176	-	-	1	2	-	2	-	4	2	3
1986.....	189	-	2	1	3	6	4	2	2	5	2
1985.....	195	-	-	-	3	5	5	4	3	2	1
1984.....	207	-	1	-	-	1	4	3	3	3	2
1983.....	193	-	1	1	1	4	5	7	4	-	1
1982.....	186	-	-	2	2	2	6	-	-	3	5
1981.....	167	-	1	1	1	3	2	1	5	2	1
1980.....	163	-	-	1	-	3	5	1	4	3	2
1979.....	224	-	-	-	-	3	6	4	4	3	4
WHITE FEMALE											
1998.....	359	-	-	-	-	-	1	-	1	-	4
1997.....	346	-	-	2	-	-	1	3	2	3	2
1996.....	333	-	1	1	-	3	1	2	3	-	1
1995.....	233	-	-	-	2	2	-	-	1	3	2
1994.....	286	-	-	1	2	1	-	-	1	1	1
1993.....	272	-	-	-	-	2	-	2	1	3	3
1992.....	271	-	-	-	-	-	-	-	-	1	-
1991.....	218	1	-	-	-	-	-	-	1	-	-
1990.....	247	-	-	-	1	2	1	-	1	-	1
1989.....	214	-	-	-	1	1	1	2	3	1	2
1988.....	204	-	-	-	-	-	2	-	1	-	1
1987.....	202	-	-	1	-	-	-	-	-	2	4
1986.....	185	1	-	-	-	-	1	1	1	-	1
1985.....	186	1	1	-	1	-	-	-	2	3	-
1984.....	203	-	-	-	-	2	-	1	2	-	1
1983.....	215	-	-	-	1	-	1	1	-	2	1
1982.....	204	-	-	-	1	-	4	-	-	-	-
1981.....	231	-	1	-	-	-	-	-	1	-	-
1980.....	223	-	-	1	-	1	2	-	2	1	2
1979.....	214	1	-	-	1	1	1	1	-	-	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FALL ON SAME LEVEL (E885-E886)											
ALL OTHER, BOTH SEXES											
1998.....	37	-	-	-	-	-	1	2	-	2	4
1997.....	40	-	1	1	-	-	-	1	-	-	-
1996.....	38	-	2	1	-	-	-	2	1	-	2
1995.....	30	-	-	-	-	-	-	-	-	1	2
1994.....	38	-	-	-	-	-	-	3	1	3	4
1993.....	34	-	-	1	-	1	-	1	-	-	-
1992.....	31	-	-	-	-	-	-	-	-	1	-
1991.....	37	-	-	-	1	-	-	-	-	2	1
1990.....	23	-	-	-	-	-	-	-	1	-	-
1989.....	32	-	-	-	-	-	-	-	1	3	4
1988.....	25	-	-	-	-	-	-	1	-	3	1
1987.....	26	-	-	-	-	-	1	1	2	1	3
1986.....	20	-	2	-	-	-	-	-	-	1	2
1985.....	30	-	1	1	-	1	2	1	2	-	-
1984.....	26	-	-	-	1	-	1	1	1	3	-
1983.....	24	-	-	1	-	-	1	-	-	1	-
1982.....	30	-	-	-	-	2	-	-	-	1	2
1981.....	19	-	-	1	-	-	-	-	-	1	-
1980.....	29	-	-	-	-	-	-	1	1	1	2
1979.....	27	-	-	-	-	1	1	-	1	-	1
ALL OTHER MALE											
1998.....	26	-	-	-	-	-	1	1	-	2	4
1997.....	23	-	1	-	-	-	-	1	-	-	-
1996.....	17	-	1	1	-	-	-	1	-	-	1
1995.....	20	-	-	-	-	-	-	-	-	-	2
1994.....	23	-	-	-	-	-	-	2	1	2	2
1993.....	17	-	-	-	-	1	-	-	-	-	-
1992.....	15	-	-	-	-	-	-	-	-	-	-
1991.....	16	-	-	-	1	-	-	-	-	-	1
1990.....	14	-	-	-	-	-	-	-	1	-	-
1989.....	23	-	-	-	-	-	-	-	1	3	3
1988.....	8	-	-	-	-	-	-	-	-	-	1
1987.....	15	-	-	-	-	-	1	1	1	1	3
1986.....	9	-	1	-	-	-	-	-	-	1	2
1985.....	15	-	-	-	-	1	2	1	2	-	-
1984.....	11	-	-	-	1	-	1	1	-	3	-
1983.....	10	-	-	-	-	-	1	-	-	1	-
1982.....	22	-	-	-	-	2	-	-	-	1	2
1981.....	9	-	-	-	-	-	-	-	-	1	-
1980.....	18	-	-	-	-	-	-	1	1	1	2
1979.....	15	-	-	-	-	-	1	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FALL ON SAME LEVEL (E885-E886)											
ALL OTHER FEMALE											
1998.....	11	-	-	-	-	-	-	1	-	-	-
1997.....	17	-	-	1	-	-	-	-	-	-	-
1996.....	21	-	1	-	-	-	-	1	1	-	1
1995.....	10	-	-	-	-	-	-	-	-	1	-
1994.....	15	-	-	-	-	-	-	1	-	1	2
1993.....	17	-	-	1	-	-	-	1	-	-	-
1992.....	16	-	-	-	-	-	-	-	-	1	-
1991.....	21	-	-	-	-	-	-	-	-	2	-
1990.....	9	-	-	-	-	-	-	-	-	-	-
1989.....	9	-	-	-	-	-	-	-	-	-	1
1988.....	17	-	-	-	-	-	-	1	-	3	-
1987.....	11	-	-	-	-	-	-	-	1	-	-
1986.....	11	-	1	-	-	-	-	-	-	-	-
1985.....	15	-	1	1	-	-	-	-	-	-	-
1984.....	15	-	-	-	-	-	-	-	1	-	-
1983.....	14	-	-	1	-	-	-	-	-	-	-
1982.....	8	-	-	-	-	-	-	-	-	-	-
1981.....	10	-	-	1	-	-	-	-	-	-	-
1980.....	11	-	-	-	-	-	-	-	-	-	-
1979.....	12	-	-	-	-	1	-	-	-	-	1
BLACK, BOTH SEXES											
1998.....	23	-	-	-	-	-	-	1	-	1	3
1997.....	26	-	1	1	-	-	-	1	-	-	-
1996.....	27	-	1	1	-	-	-	2	-	-	2
1995.....	22	-	-	-	-	-	-	-	-	1	2
1994.....	28	-	-	-	-	-	-	3	1	2	3
1993.....	25	-	-	1	-	1	-	1	-	-	-
1992.....	23	-	-	-	-	-	-	-	-	1	-
1991.....	28	-	-	-	-	-	-	-	-	2	1
1990.....	16	-	-	-	-	-	-	-	1	-	-
1989.....	26	-	-	-	-	-	-	-	1	2	4
1988.....	23	-	-	-	-	-	-	1	-	3	1
1987.....	24	-	-	-	-	-	1	-	2	1	3
1986.....	16	-	2	-	-	-	-	-	-	1	2
1985.....	25	-	1	1	-	-	2	1	2	-	-
1984.....	23	-	-	-	1	-	1	-	1	3	-
1983.....	18	-	-	-	-	-	-	-	-	1	-
1982.....	29	-	-	-	-	2	-	-	-	1	2
1981.....	18	-	-	1	-	-	-	-	-	1	-
1980.....	24	-	-	-	-	-	-	1	1	1	1
1979.....	23	-	-	-	-	1	1	-	1	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FALL ON SAME LEVEL (E885-E886)											
BLACK MALE											
1998.....	14	-	-	-	-	-	-	-	-	1	3
1997.....	14	-	1	-	-	-	-	1	-	-	-
1996.....	14	-	1	1	-	-	-	1	-	-	1
1995.....	13	-	-	-	-	-	-	-	-	-	2
1994.....	15	-	-	-	-	-	-	2	1	1	1
1993.....	11	-	-	-	-	1	-	-	-	-	-
1992.....	11	-	-	-	-	-	-	-	-	-	-
1991.....	11	-	-	-	-	-	-	-	-	-	1
1990.....	8	-	-	-	-	-	-	-	1	-	-
1989.....	17	-	-	-	-	-	-	-	1	2	3
1988.....	7	-	-	-	-	-	-	-	-	-	1
1987.....	14	-	-	-	-	-	1	-	1	1	3
1986.....	6	-	1	-	-	-	-	-	-	1	2
1985.....	12	-	-	-	-	-	2	1	2	-	-
1984.....	8	-	-	-	1	-	1	-	-	3	-
1983.....	7	-	-	-	-	-	-	-	-	1	-
1982.....	22	-	-	-	-	2	-	-	-	1	2
1981.....	9	-	-	-	-	-	-	-	-	1	-
1980.....	15	-	-	-	-	-	-	1	1	1	1
1979.....	13	-	-	-	-	-	1	-	1	-	-
BLACK FEMALE											
1998.....	9	-	-	-	-	-	-	1	-	-	-
1997.....	12	-	-	1	-	-	-	-	-	-	-
1996.....	13	-	-	-	-	-	-	1	-	-	1
1995.....	9	-	-	-	-	-	-	-	-	1	-
1994.....	13	-	-	-	-	-	-	1	-	1	2
1993.....	14	-	-	1	-	-	-	1	-	-	-
1992.....	12	-	-	-	-	-	-	-	-	1	-
1991.....	17	-	-	-	-	-	-	-	-	2	-
1990.....	8	-	-	-	-	-	-	-	-	-	-
1989.....	9	-	-	-	-	-	-	-	-	-	1
1988.....	16	-	-	-	-	-	-	1	-	3	-
1987.....	10	-	-	-	-	-	-	-	1	-	-
1986.....	10	-	1	-	-	-	-	-	-	-	-
1985.....	13	-	1	1	-	-	-	-	-	-	-
1984.....	15	-	-	-	-	-	-	-	1	-	-
1983.....	11	-	-	-	-	-	-	-	-	-	-
1982.....	7	-	-	-	-	-	-	-	-	-	-
1981.....	9	-	-	1	-	-	-	-	-	-	-
1980.....	9	-	-	-	-	-	-	-	-	-	-
1979.....	10	-	-	-	-	1	-	-	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)											
TOTAL, BOTH SEXES											
1998.....	11,955	5	12	11	11	28	33	48	76	123	183
1997.....	11,329	2	12	3	9	34	50	48	75	122	172
1996.....	11,026	7	12	9	7	32	33	46	96	134	173
1995.....	10,188	11	9	12	11	30	44	52	75	139	164
1994.....	9,720	5	18	6	7	20	26	44	70	114	191
1993.....	9,452	10	9	6	11	21	37	44	78	134	171
1992.....	9,072	13	8	8	6	26	32	51	80	129	125
1991.....	8,897	6	22	5	12	14	33	58	74	123	158
1990.....	8,620	8	18	5	7	20	31	75	102	112	133
1989.....	8,613	7	13	6	6	13	28	46	97	117	145
1988.....	8,346	14	12	7	8	15	41	43	103	123	114
1987.....	7,967	10	14	6	8	21	36	58	101	101	135
1986.....	7,816	13	18	9	8	26	51	68	90	116	116
1985.....	8,225	15	16	13	9	26	50	64	92	115	122
1984.....	8,232	14	28	7	5	26	44	62	82	92	108
1983.....	8,220	16	23	7	11	26	52	75	101	108	99
1982.....	8,186	23	33	15	17	37	47	74	100	102	96
1981.....	8,671	25	27	7	10	27	63	67	94	101	118
1980.....	9,136	20	27	11	7	40	66	90	84	116	132
1979.....	9,135	23	35	18	19	46	54	58	74	115	144
TOTAL, MALE											
1998.....	5,252	4	10	7	8	23	24	36	50	94	135
1997.....	5,018	1	5	1	9	27	46	41	53	95	124
1996.....	4,861	6	5	7	5	24	26	37	73	103	135
1995.....	4,481	5	4	10	9	25	36	37	56	111	124
1994.....	4,355	5	13	4	5	16	21	36	59	87	152
1993.....	4,237	8	4	5	8	18	33	39	63	112	143
1992.....	4,051	10	4	5	4	19	30	35	62	95	96
1991.....	3,855	4	9	4	9	12	27	48	63	91	126
1990.....	3,795	6	11	5	5	18	29	64	81	79	109
1989.....	3,882	3	5	5	6	12	23	39	81	95	112
1988.....	3,715	9	8	3	4	13	33	35	81	98	92
1987.....	3,592	3	9	5	7	18	32	42	86	82	104
1986.....	3,571	10	9	7	7	21	41	54	76	90	90
1985.....	3,776	8	12	8	7	18	40	54	75	99	97
1984.....	3,681	6	15	5	5	22	35	48	68	84	82
1983.....	3,715	10	15	4	8	17	44	58	81	84	71
1982.....	3,754	14	16	14	12	32	40	52	83	82	73
1981.....	3,945	14	19	6	6	21	58	61	84	83	93
1980.....	4,184	15	15	5	5	34	56	78	72	84	97
1979.....	4,095	12	20	11	17	36	47	47	63	84	104

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)											
TOTAL, FEMALE											
1998.....	6,703	1	2	4	3	5	9	12	26	29	48
1997.....	6,311	1	7	2	-	7	4	7	22	27	48
1996.....	6,165	1	7	2	2	8	7	9	23	31	38
1995.....	5,707	6	5	2	2	5	8	15	19	28	40
1994.....	5,365	-	5	2	2	4	5	8	11	27	39
1993.....	5,215	2	5	1	3	3	4	5	15	22	28
1992.....	5,021	3	4	3	2	7	2	16	18	34	29
1991.....	5,042	2	13	1	3	2	6	10	11	32	32
1990.....	4,825	2	7	-	2	2	2	11	21	33	24
1989.....	4,731	4	8	1	-	1	5	7	16	22	33
1988.....	4,631	5	4	4	4	2	8	8	22	25	22
1987.....	4,375	7	5	1	1	3	4	16	15	19	31
1986.....	4,245	3	9	2	1	5	10	14	14	26	26
1985.....	4,449	7	4	5	2	8	10	10	17	16	25
1984.....	4,551	8	13	2	-	4	9	14	14	8	26
1983.....	4,505	6	8	3	3	9	8	17	20	24	28
1982.....	4,432	9	17	1	5	5	7	22	17	20	23
1981.....	4,726	11	8	1	4	6	5	6	10	18	25
1980.....	4,952	5	12	6	2	6	10	12	12	32	35
1979.....	5,040	11	15	7	2	10	7	11	11	31	40
WHITE, BOTH SEXES											
1998.....	11,106	4	9	7	10	25	26	43	62	95	140
1997.....	10,532	2	9	3	6	31	40	42	62	99	131
1996.....	10,257	3	11	8	7	29	28	37	79	106	133
1995.....	9,443	5	9	8	9	27	38	46	55	107	124
1994.....	9,021	2	10	3	5	18	22	37	52	85	142
1993.....	8,707	6	7	2	9	19	31	31	55	103	119
1992.....	8,402	12	7	7	6	23	26	42	63	89	101
1991.....	8,196	6	19	4	8	13	26	50	50	84	109
1990.....	7,847	7	16	4	6	19	28	53	70	79	91
1989.....	7,825	4	10	3	5	10	24	35	64	69	104
1988.....	7,623	10	9	6	8	11	29	34	66	84	80
1987.....	7,266	7	9	6	7	19	30	45	68	71	89
1986.....	7,164	5	13	7	3	24	42	54	67	81	76
1985.....	7,463	9	12	8	7	23	41	51	67	73	76
1984.....	7,541	10	18	7	5	21	32	46	56	64	72
1983.....	7,508	11	13	4	7	25	41	60	64	74	72
1982.....	7,468	11	20	14	16	36	38	55	59	63	74
1981.....	7,907	14	10	5	7	27	51	53	66	67	81
1980.....	8,339	11	20	9	6	36	49	69	51	75	92
1979.....	8,376	16	26	15	17	41	44	44	44	74	91

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)											
WHITE MALE											
1998.....	4,768	3	8	5	8	20	20	33	40	75	103
1997.....	4,569	1	4	1	6	25	37	36	41	79	89
1996.....	4,425	2	5	6	5	22	22	29	59	85	104
1995.....	4,058	3	4	7	7	24	30	32	40	86	93
1994.....	3,921	2	7	2	4	14	17	30	44	65	110
1993.....	3,789	5	3	2	7	16	27	27	46	84	100
1992.....	3,666	9	4	4	4	16	24	28	51	65	78
1991.....	3,446	4	8	4	6	11	21	42	41	59	86
1990.....	3,363	6	9	4	5	17	26	48	56	53	71
1989.....	3,415	1	4	3	5	9	20	30	50	57	81
1988.....	3,284	7	6	3	4	9	24	29	52	67	69
1987.....	3,162	2	5	5	6	16	27	34	57	56	65
1986.....	3,159	5	7	5	2	19	33	42	57	60	58
1985.....	3,299	3	11	4	6	18	31	45	53	62	60
1984.....	3,269	4	7	5	5	17	25	37	45	61	55
1983.....	3,277	7	9	2	6	17	34	50	51	55	49
1982.....	3,314	7	8	13	11	31	34	45	47	50	57
1981.....	3,448	9	7	5	4	21	46	49	60	56	59
1980.....	3,673	8	10	3	5	32	41	61	44	54	68
1979.....	3,636	8	16	9	16	33	37	35	39	54	65
WHITE FEMALE											
1998.....	6,338	1	1	2	2	5	6	10	22	20	37
1997.....	5,963	1	5	2	-	6	3	6	21	20	42
1996.....	5,832	1	6	2	2	7	6	8	20	21	29
1995.....	5,385	2	5	1	2	3	8	14	15	21	31
1994.....	5,100	-	3	1	1	4	5	7	8	20	32
1993.....	4,918	1	4	-	2	3	4	4	9	19	19
1992.....	4,736	3	3	3	2	7	2	14	12	24	23
1991.....	4,750	2	11	-	2	2	5	8	9	25	23
1990.....	4,484	1	7	-	1	2	2	5	14	26	20
1989.....	4,410	3	6	-	-	1	4	5	14	12	23
1988.....	4,339	3	3	3	4	2	5	5	14	17	11
1987.....	4,104	5	4	1	1	3	3	11	11	15	24
1986.....	4,005	-	6	2	1	5	9	12	10	21	18
1985.....	4,164	6	1	4	1	5	10	6	14	11	16
1984.....	4,272	6	11	2	-	4	7	9	11	3	17
1983.....	4,231	4	4	2	1	8	7	10	13	19	23
1982.....	4,154	4	12	1	5	5	4	10	12	13	17
1981.....	4,459	5	3	-	3	6	5	4	6	11	22
1980.....	4,666	3	10	6	1	4	8	8	7	21	24
1979.....	4,740	8	10	6	1	8	7	9	5	20	26

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)											
ALL OTHER, BOTH SEXES											
1998.....	849	1	3	4	1	3	7	5	14	28	43
1997.....	797	-	3	-	3	3	10	6	13	23	41
1996.....	769	4	1	1	-	3	5	9	17	28	40
1995.....	745	6	-	4	2	3	6	6	20	32	40
1994.....	699	3	8	3	2	2	4	7	18	29	49
1993.....	745	4	2	4	2	2	6	13	23	31	52
1992.....	670	1	1	1	-	3	6	9	17	40	24
1991.....	701	-	3	1	4	1	7	8	24	39	49
1990.....	773	1	2	1	1	1	3	22	32	33	42
1989.....	788	3	3	3	1	3	4	11	33	48	41
1988.....	723	4	3	1	-	4	12	9	37	39	34
1987.....	701	3	5	-	1	2	6	13	33	30	46
1986.....	652	8	5	2	5	2	9	14	23	35	40
1985.....	762	6	4	5	2	3	9	13	25	42	46
1984.....	691	4	10	-	-	5	12	16	26	28	36
1983.....	712	5	10	3	4	1	11	15	37	34	27
1982.....	718	12	13	1	1	1	9	19	41	39	22
1981.....	764	11	17	2	3	-	12	14	28	34	37
1980.....	797	9	7	2	1	4	17	21	33	41	40
1979.....	759	7	9	3	2	5	10	14	30	41	53
ALL OTHER MALE											
1998.....	484	1	2	2	-	3	4	3	10	19	32
1997.....	449	-	1	-	3	2	9	5	12	16	35
1996.....	436	4	-	1	-	2	4	8	14	18	31
1995.....	423	2	-	3	2	1	6	5	16	25	31
1994.....	434	3	6	2	1	2	4	6	15	22	42
1993.....	448	3	1	3	1	2	6	12	17	28	43
1992.....	385	1	-	1	-	3	6	7	11	30	18
1991.....	409	-	1	-	3	1	6	6	22	32	40
1990.....	432	-	2	1	-	1	3	16	25	26	38
1989.....	467	2	1	2	1	3	3	9	31	38	31
1988.....	431	2	2	-	-	4	9	6	29	31	23
1987.....	430	1	4	-	1	2	5	8	29	26	39
1986.....	412	5	2	2	5	2	8	12	19	30	32
1985.....	477	5	1	4	1	-	9	9	22	37	37
1984.....	412	2	8	-	-	5	10	11	23	23	27
1983.....	438	3	6	2	2	-	10	8	30	29	22
1982.....	440	7	8	1	1	1	6	7	36	32	16
1981.....	497	5	12	1	2	-	12	12	24	27	34
1980.....	511	7	5	2	-	2	15	17	28	30	29
1979.....	459	4	4	2	1	3	10	12	24	30	39

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)											
ALL OTHER FEMALE											
1998.....	365	-	1	2	1	-	3	2	4	9	11
1997.....	348	-	2	-	-	1	1	1	1	7	6
1996.....	333	-	1	-	-	1	1	1	3	10	9
1995.....	322	4	-	1	-	2	-	1	4	7	9
1994.....	265	-	2	1	1	-	-	1	3	7	7
1993.....	297	1	1	1	1	-	-	1	6	3	9
1992.....	285	-	1	-	-	-	-	2	6	10	6
1991.....	292	-	2	1	1	-	1	2	2	7	9
1990.....	341	1	-	-	1	-	-	6	7	7	4
1989.....	321	1	2	1	-	-	1	2	2	10	10
1988.....	292	2	1	1	-	-	3	3	8	8	11
1987.....	271	2	1	-	-	-	1	5	4	4	7
1986.....	240	3	3	-	-	-	1	2	4	5	8
1985.....	285	1	3	1	1	3	-	4	3	5	9
1984.....	279	2	2	-	-	-	2	5	3	5	9
1983.....	274	2	4	1	2	1	1	7	7	5	5
1982.....	278	5	5	-	-	-	3	12	5	7	6
1981.....	267	6	5	1	1	1	-	2	4	7	3
1980.....	286	2	2	-	1	2	2	4	5	11	11
1979.....	300	3	5	1	1	2	-	2	6	11	14
BLACK, BOTH SEXES											
1998.....	654	1	2	2	1	1	5	2	11	24	38
1997.....	604	-	3	-	2	2	6	4	11	18	35
1996.....	597	3	1	1	-	2	3	6	13	23	36
1995.....	579	4	-	4	2	3	3	4	13	29	34
1994.....	550	2	6	2	1	1	3	5	12	26	42
1993.....	614	3	1	4	2	2	3	12	19	30	44
1992.....	546	1	1	1	-	2	4	9	16	37	22
1991.....	599	-	2	1	3	1	7	7	21	36	45
1990.....	662	1	2	1	1	1	3	21	29	31	40
1989.....	670	3	3	1	1	1	3	10	31	46	40
1988.....	618	4	3	1	-	4	11	9	35	36	30
1987.....	595	3	4	-	-	2	6	13	32	29	40
1986.....	551	7	5	2	5	2	6	14	21	29	35
1985.....	668	4	4	4	2	2	7	12	25	41	44
1984.....	609	4	8	-	-	5	11	16	23	25	30
1983.....	644	5	10	3	4	1	11	13	37	32	25
1982.....	650	11	11	1	1	1	9	18	40	38	20
1981.....	685	10	17	-	3	-	12	14	24	33	32
1980.....	705	8	5	-	1	2	14	19	30	34	36
1979.....	708	7	8	2	2	5	8	13	28	40	52

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)											
BLACK MALE											
1998.....	373	1	2	1	-	1	2	1	7	17	28
1997.....	343	-	1	-	2	1	6	3	10	13	29
1996.....	344	3	-	1	-	1	2	5	10	14	28
1995.....	324	1	-	3	2	1	3	3	9	23	25
1994.....	332	2	5	2	1	1	3	4	9	19	35
1993.....	372	2	-	3	1	2	3	11	14	27	36
1992.....	310	1	-	1	-	2	4	7	11	27	16
1991.....	347	-	1	-	3	1	6	6	19	29	38
1990.....	367	-	2	1	-	1	3	16	23	24	36
1989.....	398	2	1	1	1	1	2	8	29	37	31
1988.....	371	2	2	-	-	4	8	6	28	29	22
1987.....	368	1	3	-	-	2	5	8	29	25	36
1986.....	351	4	2	2	5	2	5	12	18	25	28
1985.....	423	3	1	3	1	-	7	8	22	36	36
1984.....	364	2	8	-	-	5	9	11	21	21	21
1983.....	398	3	6	2	2	-	10	6	30	28	20
1982.....	389	6	7	1	1	1	6	6	35	31	15
1981.....	443	4	12	-	2	-	12	12	20	26	30
1980.....	450	7	3	-	-	1	12	15	25	24	27
1979.....	425	4	3	2	1	3	8	12	22	29	38
BLACK FEMALE											
1998.....	281	-	-	1	1	-	3	1	4	7	10
1997.....	261	-	2	-	-	1	-	1	1	5	6
1996.....	253	-	1	-	-	1	1	1	3	9	8
1995.....	255	3	-	1	-	2	-	1	4	6	9
1994.....	218	-	1	-	-	-	-	1	3	7	7
1993.....	242	1	1	1	1	-	-	1	5	3	8
1992.....	236	-	1	-	-	-	-	2	5	10	6
1991.....	252	-	1	1	-	-	1	1	2	7	7
1990.....	295	1	-	-	1	-	-	5	6	7	4
1989.....	272	1	2	-	-	-	1	2	2	9	9
1988.....	247	2	1	1	-	-	3	3	7	7	8
1987.....	227	2	1	-	-	-	1	5	3	4	4
1986.....	200	3	3	-	-	-	1	2	3	4	7
1985.....	245	1	3	1	1	2	-	4	3	5	8
1984.....	245	2	-	-	-	-	2	5	2	4	9
1983.....	246	2	4	1	2	1	1	7	7	4	5
1982.....	261	5	4	-	-	-	3	12	5	7	5
1981.....	242	6	5	-	1	-	-	2	4	7	2
1980.....	255	1	2	-	1	1	2	4	5	10	9
1979.....	283	3	5	-	1	2	-	1	6	11	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)											
TOTAL, BOTH SEXES											
1998.....	3,255	41	258	196	104	86	108	114	140	186	235
1997.....	3,490	51	348	178	99	86	111	124	164	187	222
1996.....	3,741	56	408	196	101	79	136	122	178	212	241
1995.....	3,761	64	446	224	99	68	130	149	187	223	213
1994.....	3,986	93	601	246	99	87	161	185	214	200	221
1993.....	3,900	117	584	224	90	90	141	163	233	216	198
1992.....	3,958	98	571	211	104	95	138	176	223	225	172
1991.....	4,120	114	608	263	119	104	152	197	260	219	208
1990.....	4,175	111	545	225	91	113	181	212	258	231	192
1989.....	4,716	108	608	298	169	126	183	265	276	241	220
1988.....	4,965	120	651	287	133	126	229	254	269	258	215
1987.....	4,710	116	704	278	114	119	216	226	249	219	205
1986.....	4,835	120	648	290	144	152	243	300	281	238	184
1985.....	4,938	111	613	303	150	134	246	267	262	212	188
1984.....	5,010	136	606	313	153	169	274	282	251	238	209
1983.....	5,028	114	638	262	160	143	267	302	269	241	175
1982.....	5,210	141	637	317	165	162	304	310	244	197	190
1981.....	5,697	135	728	312	169	175	331	321	263	212	212
1980.....	5,822	161	685	304	174	211	353	300	267	219	231
1979.....	5,991	134	693	348	204	222	381	290	255	237	220
TOTAL, MALE											
1998.....	1,941	24	148	108	56	48	77	79	98	130	167
1997.....	2,086	28	196	96	54	55	77	84	112	122	164
1996.....	2,230	28	241	113	44	43	90	74	128	139	172
1995.....	2,232	28	268	117	56	44	68	100	124	151	146
1994.....	2,443	46	382	139	56	55	101	123	154	137	177
1993.....	2,326	61	354	120	47	52	89	111	168	159	135
1992.....	2,507	50	374	117	55	61	87	128	159	166	133
1991.....	2,511	59	356	149	66	70	102	129	175	152	144
1990.....	2,571	59	336	122	51	65	135	155	182	172	130
1989.....	2,817	45	355	170	82	81	123	174	181	172	163
1988.....	3,067	62	395	150	75	88	156	171	193	186	154
1987.....	2,863	59	427	161	66	73	153	156	170	163	144
1986.....	2,984	54	369	168	87	89	161	216	193	169	132
1985.....	3,008	61	353	166	79	85	159	179	194	140	131
1984.....	3,141	75	349	192	84	110	191	222	181	172	150
1983.....	3,066	63	361	133	82	87	159	217	196	172	121
1982.....	3,180	78	374	174	86	110	204	230	189	142	124
1981.....	3,493	67	424	164	90	112	227	211	186	138	142
1980.....	3,565	72	406	157	88	122	244	223	183	159	163
1979.....	3,712	71	408	201	105	134	242	224	184	172	158

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)											
TOTAL, FEMALE											
1998.....	1,314	17	110	88	48	38	31	35	42	56	68
1997.....	1,404	23	152	82	45	31	34	40	52	65	58
1996.....	1,511	28	167	83	57	36	46	48	50	73	69
1995.....	1,529	36	178	107	43	24	62	49	63	72	67
1994.....	1,543	47	219	107	43	32	60	62	60	63	44
1993.....	1,574	56	230	104	43	38	52	52	65	57	63
1992.....	1,451	48	197	94	49	34	51	48	64	59	39
1991.....	1,609	55	252	114	53	34	50	68	85	67	64
1990.....	1,604	52	209	103	40	48	46	57	76	59	62
1989.....	1,899	63	253	128	87	45	60	91	95	69	57
1988.....	1,898	58	256	137	58	38	73	83	76	72	61
1987.....	1,847	57	277	117	48	46	63	70	79	56	61
1986.....	1,851	66	279	122	57	63	82	84	88	69	52
1985.....	1,930	50	260	137	71	49	87	88	68	72	57
1984.....	1,869	61	257	121	69	59	83	60	70	66	59
1983.....	1,962	51	277	129	78	56	108	85	73	69	54
1982.....	2,030	63	263	143	79	52	100	80	55	55	66
1981.....	2,204	68	304	148	79	63	104	110	77	74	70
1980.....	2,257	89	279	147	86	89	109	77	84	60	68
1979.....	2,279	63	285	147	99	88	139	66	71	65	62
WHITE, BOTH SEXES											
1998.....	2,316	22	132	104	73	63	80	91	105	133	177
1997.....	2,405	32	202	96	60	64	86	88	121	133	151
1996.....	2,602	32	225	114	60	57	107	90	128	159	177
1995.....	2,524	36	253	137	54	43	94	100	138	160	155
1994.....	2,686	60	349	138	57	63	129	140	160	133	157
1993.....	2,568	70	327	110	53	63	101	120	153	156	137
1992.....	2,696	66	357	119	67	70	110	133	156	157	124
1991.....	2,796	66	365	168	78	72	122	134	177	142	145
1990.....	2,848	64	315	127	60	79	148	153	182	153	128
1989.....	3,159	50	357	191	108	100	137	186	186	163	148
1988.....	3,305	72	356	158	73	95	166	193	184	189	149
1987.....	3,158	61	413	171	63	82	170	168	169	152	135
1986.....	3,289	60	387	175	94	109	180	206	196	157	132
1985.....	3,461	63	365	168	98	98	198	204	185	159	122
1984.....	3,436	79	349	180	100	125	216	215	182	170	147
1983.....	3,408	61	367	149	103	102	210	220	175	161	123
1982.....	3,659	73	359	192	109	131	237	249	179	133	135
1981.....	3,946	86	423	190	111	152	249	233	180	148	146
1980.....	4,155	94	397	163	127	169	286	236	200	155	157
1979.....	4,182	61	384	196	138	182	307	226	179	171	160

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)											
WHITE MALE											
1998.....	1,383	14	81	61	41	38	59	63	74	98	127
1997.....	1,459	19	123	52	33	43	61	57	86	92	112
1996.....	1,568	16	141	68	27	32	73	54	94	107	130
1995.....	1,509	16	151	75	34	28	50	68	96	114	108
1994.....	1,670	29	230	82	34	44	83	95	122	97	129
1993.....	1,547	38	205	66	31	34	66	81	113	115	98
1992.....	1,715	35	237	70	34	46	69	95	116	118	97
1991.....	1,710	32	217	97	41	50	84	92	127	102	103
1990.....	1,765	34	204	76	35	46	113	111	129	113	83
1989.....	1,903	24	216	107	54	70	93	122	126	118	108
1988.....	2,025	36	219	79	43	66	112	138	135	142	102
1987.....	1,911	32	248	101	37	52	122	118	119	113	91
1986.....	2,048	31	232	108	58	65	119	146	138	108	95
1985.....	2,135	34	220	93	52	64	129	143	141	106	82
1984.....	2,186	46	206	108	52	87	160	168	136	128	103
1983.....	2,138	32	216	80	63	67	133	163	127	116	84
1982.....	2,246	39	223	112	59	88	156	185	138	97	88
1981.....	2,417	41	246	98	58	100	175	156	132	93	97
1980.....	2,556	38	246	76	67	100	203	181	136	119	106
1979.....	2,608	35	235	113	73	108	204	179	131	122	111
WHITE FEMALE											
1998.....	933	8	51	43	32	25	21	28	31	35	50
1997.....	946	13	79	44	27	21	25	31	35	41	39
1996.....	1,034	16	84	46	33	25	34	36	34	52	47
1995.....	1,015	20	102	62	20	15	44	32	42	46	47
1994.....	1,016	31	119	56	23	19	46	45	38	36	28
1993.....	1,021	32	122	44	22	29	35	39	40	41	39
1992.....	981	31	120	49	33	24	41	38	40	39	27
1991.....	1,086	34	148	71	37	22	38	42	50	40	42
1990.....	1,083	30	111	51	25	33	35	42	53	40	45
1989.....	1,256	26	141	84	54	30	44	64	60	45	40
1988.....	1,280	36	137	79	30	29	54	55	49	47	47
1987.....	1,247	29	165	70	26	30	48	50	50	39	44
1986.....	1,241	29	155	67	36	44	61	60	58	49	37
1985.....	1,326	29	145	75	46	34	69	61	44	53	40
1984.....	1,250	33	143	72	48	38	56	47	46	42	44
1983.....	1,270	29	151	69	40	35	77	57	48	45	39
1982.....	1,413	34	136	80	50	43	81	64	41	36	47
1981.....	1,529	45	177	92	53	52	74	77	48	55	49
1980.....	1,599	56	151	87	60	69	83	55	64	36	51
1979.....	1,574	26	149	83	65	74	103	47	48	49	49

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)											
ALL OTHER, BOTH SEXES											
1998.....	939	19	126	92	31	23	28	23	35	53	58
1997.....	1,085	19	146	82	39	22	25	36	43	54	71
1996.....	1,139	24	183	82	41	22	29	32	50	53	64
1995.....	1,237	28	193	87	45	25	36	49	49	63	58
1994.....	1,300	33	252	108	42	24	32	45	54	67	64
1993.....	1,332	47	257	114	37	27	40	43	80	60	61
1992.....	1,262	32	214	92	37	25	28	43	67	68	48
1991.....	1,324	48	243	95	41	32	30	63	83	77	63
1990.....	1,327	47	230	98	31	34	33	59	76	78	64
1989.....	1,557	58	251	107	61	26	46	79	90	78	72
1988.....	1,660	48	295	129	60	31	63	61	85	69	66
1987.....	1,552	55	291	107	51	37	46	58	80	67	70
1986.....	1,546	60	261	115	50	43	63	94	85	81	52
1985.....	1,477	48	248	135	52	36	48	63	77	53	66
1984.....	1,574	57	257	133	53	44	58	67	69	68	62
1983.....	1,620	53	271	113	57	41	57	82	94	80	52
1982.....	1,551	68	278	125	56	31	67	61	65	64	55
1981.....	1,751	49	305	122	58	23	82	88	83	64	66
1980.....	1,667	67	288	141	47	42	67	64	67	64	74
1979.....	1,809	73	309	152	66	40	74	64	76	66	60
ALL OTHER MALE											
1998.....	558	10	67	47	15	10	18	16	24	32	40
1997.....	627	9	73	44	21	12	16	27	26	30	52
1996.....	662	12	100	45	17	11	17	20	34	32	42
1995.....	723	12	117	42	22	16	18	32	28	37	38
1994.....	773	17	152	57	22	11	18	28	32	40	48
1993.....	779	23	149	54	16	18	23	30	55	44	37
1992.....	792	15	137	47	21	15	18	33	43	48	36
1991.....	801	27	139	52	25	20	18	37	48	50	41
1990.....	806	25	132	46	16	19	22	44	53	59	47
1989.....	914	21	139	63	28	11	30	52	55	54	55
1988.....	1,042	26	176	71	32	22	44	33	58	44	52
1987.....	952	27	179	60	29	21	31	38	51	50	53
1986.....	936	23	137	60	29	24	42	70	55	61	37
1985.....	873	27	133	73	27	21	30	36	53	34	49
1984.....	955	29	143	84	32	23	31	54	45	44	47
1983.....	928	31	145	53	19	20	26	54	69	56	37
1982.....	934	39	151	62	27	22	48	45	51	45	36
1981.....	1,076	26	178	66	32	12	52	55	54	45	45
1980.....	1,009	34	160	81	21	22	41	42	47	40	57
1979.....	1,104	36	173	88	32	26	38	45	53	50	47

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)											
ALL OTHER FEMALE											
1998.....	381	9	59	45	16	13	10	7	11	21	18
1997.....	458	10	73	38	18	10	9	9	17	24	19
1996.....	477	12	83	37	24	11	12	12	16	21	22
1995.....	514	16	76	45	23	9	18	17	21	26	20
1994.....	527	16	100	51	20	13	14	17	22	27	16
1993.....	553	24	108	60	21	9	17	13	25	16	24
1992.....	470	17	77	45	16	10	10	10	24	20	12
1991.....	523	21	104	43	16	12	12	26	35	27	22
1990.....	521	22	98	52	15	15	11	15	23	19	17
1989.....	643	37	112	44	33	15	16	27	35	24	17
1988.....	618	22	119	58	28	9	19	28	27	25	14
1987.....	600	28	112	47	22	16	15	20	29	17	17
1986.....	610	37	124	55	21	19	21	24	30	20	15
1985.....	604	21	115	62	25	15	18	27	24	19	17
1984.....	619	28	114	49	21	21	27	13	24	24	15
1983.....	692	22	126	60	38	21	31	28	25	24	15
1982.....	617	29	127	63	29	9	19	16	14	19	19
1981.....	675	23	127	56	26	11	30	33	29	19	21
1980.....	658	33	128	60	26	20	26	22	20	24	17
1979.....	705	37	136	64	34	14	36	19	23	16	13
BLACK, BOTH SEXES											
1998.....	874	19	121	89	28	21	23	18	33	44	51
1997.....	972	18	130	72	33	20	19	25	37	47	61
1996.....	1,051	21	164	75	34	21	26	29	48	43	62
1995.....	1,131	27	169	83	44	20	30	42	45	57	50
1994.....	1,195	31	229	97	39	22	25	38	49	59	60
1993.....	1,235	45	239	108	30	23	36	35	74	56	56
1992.....	1,172	31	198	86	35	20	19	36	63	63	47
1991.....	1,252	44	232	88	40	29	23	56	77	73	60
1990.....	1,254	44	217	94	29	31	31	53	72	72	59
1989.....	1,467	55	227	102	56	24	37	73	85	77	65
1988.....	1,582	46	283	123	56	27	56	55	80	66	63
1987.....	1,455	53	273	97	49	33	41	53	74	61	62
1986.....	1,449	56	249	109	45	36	52	85	80	76	48
1985.....	1,400	46	232	132	51	32	40	59	72	44	63
1984.....	1,464	53	234	125	47	36	50	64	65	61	53
1983.....	1,530	52	258	110	55	37	50	79	88	70	47
1982.....	1,463	67	262	120	52	25	62	53	59	60	53
1981.....	1,678	47	296	119	55	23	76	76	73	61	64
1980.....	1,583	63	275	130	45	38	63	58	56	63	70
1979.....	1,719	69	287	145	64	36	66	60	73	61	59

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)											
BLACK MALE											
1998.....	510	10	62	46	13	8	13	13	23	24	36
1997.....	551	9	64	39	15	10	12	18	24	26	46
1996.....	616	9	89	40	15	11	16	19	33	25	41
1995.....	661	12	104	42	22	12	16	28	24	33	31
1994.....	712	15	136	53	21	10	15	23	29	33	47
1993.....	717	22	139	52	14	15	20	24	50	41	33
1992.....	731	14	125	44	20	11	11	26	41	45	36
1991.....	759	24	130	50	25	18	14	33	44	49	40
1990.....	755	24	121	42	16	18	21	38	51	53	42
1989.....	858	18	126	59	26	11	25	46	51	53	51
1988.....	986	24	165	69	30	19	39	30	54	43	49
1987.....	882	25	167	53	28	17	29	34	48	46	47
1986.....	870	22	128	55	25	19	34	64	51	58	35
1985.....	825	26	120	72	27	18	26	33	50	30	47
1984.....	885	26	131	79	29	18	26	52	42	39	41
1983.....	870	31	134	52	18	18	22	51	66	49	33
1982.....	883	38	144	58	25	19	44	40	47	44	35
1981.....	1,026	25	174	64	30	12	49	48	45	43	44
1980.....	953	33	151	73	19	19	38	39	40	40	53
1979.....	1,045	34	158	83	31	22	33	43	50	47	46
BLACK FEMALE											
1998.....	364	9	59	43	15	13	10	5	10	20	15
1997.....	421	9	66	33	18	10	7	7	13	21	15
1996.....	435	12	75	35	19	10	10	10	15	18	21
1995.....	470	15	65	41	22	8	14	14	21	24	19
1994.....	483	16	93	44	18	12	10	15	20	26	13
1993.....	518	23	100	56	16	8	16	11	24	15	23
1992.....	441	17	73	42	15	9	8	10	22	18	11
1991.....	493	20	102	38	15	11	9	23	33	24	20
1990.....	499	20	96	52	13	13	10	15	21	19	17
1989.....	609	37	101	43	30	13	12	27	34	24	14
1988.....	596	22	118	54	26	8	17	25	26	23	14
1987.....	573	28	106	44	21	16	12	19	26	15	15
1986.....	579	34	121	54	20	17	18	21	29	18	13
1985.....	575	20	112	60	24	14	14	26	22	14	16
1984.....	579	27	103	46	18	18	24	12	23	22	12
1983.....	660	21	124	58	37	19	28	28	22	21	14
1982.....	580	29	118	62	27	6	18	13	12	16	18
1981.....	652	22	122	55	25	11	27	28	28	18	20
1980.....	630	30	124	57	26	19	25	19	16	23	17
1979.....	674	35	129	62	33	14	33	17	23	14	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)											
TOTAL, BOTH SEXES											
1998.....	18,227	486	807	432	443	832	842	770	918	1,066	1,103
1997.....	17,455	499	758	408	500	799	828	817	902	1,030	1,082
1996.....	17,315	479	784	405	495	896	858	808	931	999	1,006
1995.....	17,778	488	885	386	526	938	841	842	1,029	1,160	1,075
1994.....	17,030	543	812	353	516	905	923	843	1,050	1,063	978
1993.....	17,611	516	935	379	543	981	1,061	929	1,127	1,066	988
1992.....	16,455	478	866	413	509	896	973	985	1,027	1,008	909
1991.....	17,198	580	966	443	534	1,017	1,044	1,054	1,134	972	935
1990.....	17,251	557	904	482	554	1,033	1,021	1,152	1,141	1,047	889
1989.....	18,209	575	989	538	557	1,033	1,100	1,237	1,221	1,035	920
1988.....	18,920	506	1,017	528	581	1,106	1,197	1,232	1,192	1,060	988
1987.....	18,842	547	1,051	545	616	1,094	1,295	1,326	1,249	1,043	830
1986.....	19,264	511	1,072	515	665	1,244	1,441	1,432	1,231	1,016	828
1985.....	19,247	494	1,030	502	654	1,241	1,551	1,406	1,190	987	888
1984.....	19,004	448	995	478	698	1,282	1,596	1,396	1,214	1,038	827
1983.....	20,284	534	1,126	586	776	1,428	1,794	1,521	1,250	1,052	921
1982.....	19,989	558	1,110	590	772	1,579	1,927	1,598	1,271	998	878
1981.....	20,305	520	1,148	607	844	1,714	1,969	1,638	1,314	968	848
1980.....	22,839	652	1,190	708	916	2,077	2,231	1,708	1,263	1,023	861
1979.....	21,249	609	1,180	715	996	2,026	2,169	1,591	1,197	1,020	930
TOTAL, MALE											
1998.....	12,651	281	519	306	338	724	751	672	787	888	905
1997.....	12,241	288	498	288	386	702	716	700	764	833	905
1996.....	12,260	279	517	280	388	790	762	709	802	844	838
1995.....	12,683	264	556	280	417	836	749	732	879	986	902
1994.....	12,285	318	517	244	431	818	839	729	913	896	817
1993.....	12,726	295	603	273	447	865	947	823	957	900	844
1992.....	11,991	270	544	304	411	806	858	870	887	876	782
1991.....	12,698	350	605	326	458	914	923	936	1,002	842	809
1990.....	12,721	312	603	348	468	932	921	1,011	1,013	919	754
1989.....	13,483	332	663	394	471	927	1,008	1,098	1,072	907	767
1988.....	13,880	291	670	390	462	997	1,094	1,095	1,032	913	843
1987.....	13,966	318	697	397	522	987	1,165	1,165	1,098	912	695
1986.....	14,289	290	680	376	560	1,125	1,313	1,269	1,082	882	705
1985.....	14,432	269	669	371	564	1,099	1,407	1,238	1,051	843	772
1984.....	14,330	243	651	364	590	1,135	1,410	1,223	1,050	900	690
1983.....	15,327	317	739	427	630	1,290	1,616	1,334	1,082	909	807
1982.....	15,324	342	727	434	644	1,433	1,714	1,411	1,111	842	735
1981.....	15,784	303	772	452	705	1,546	1,783	1,459	1,142	821	723
1980.....	17,365	393	768	532	756	1,848	2,028	1,524	1,098	903	719
1979.....	16,623	356	786	544	831	1,810	1,949	1,394	1,046	882	812

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)											
TOTAL, FEMALE											
1998.....	5,576	205	288	126	105	108	91	98	131	178	198
1997.....	5,214	211	260	120	114	97	112	117	138	197	177
1996.....	5,055	200	267	125	107	106	96	99	129	155	168
1995.....	5,095	224	329	106	109	102	92	110	150	174	173
1994.....	4,745	225	295	109	85	87	84	114	137	167	161
1993.....	4,885	221	332	106	96	116	114	106	170	166	144
1992.....	4,464	208	322	109	98	90	115	115	140	132	127
1991.....	4,500	230	361	117	76	103	121	118	132	130	126
1990.....	4,530	245	301	134	86	101	100	141	128	128	135
1989.....	4,726	243	326	144	86	106	92	139	149	128	153
1988.....	5,040	215	347	138	119	109	103	137	160	147	145
1987.....	4,876	229	354	148	94	107	130	161	151	131	135
1986.....	4,975	221	392	139	105	119	128	163	149	134	123
1985.....	4,815	225	361	131	90	142	144	168	139	144	116
1984.....	4,674	205	344	114	108	147	186	173	164	138	137
1983.....	4,957	217	387	159	146	138	178	187	168	143	114
1982.....	4,665	216	383	156	128	146	213	187	160	156	143
1981.....	4,521	217	376	155	139	168	186	179	172	147	125
1980.....	5,474	259	422	176	160	229	203	184	165	120	142
1979.....	4,626	253	394	171	165	216	220	197	151	138	118
WHITE, BOTH SEXES											
1998.....	15,086	326	638	288	301	614	668	627	760	883	883
1997.....	14,351	325	603	263	356	614	643	658	723	851	868
1996.....	14,151	315	611	260	323	666	679	660	754	811	826
1995.....	14,556	322	701	278	377	702	676	696	834	968	863
1994.....	13,776	355	621	237	348	654	723	671	832	855	784
1993.....	14,277	345	742	263	385	690	813	749	909	863	765
1992.....	13,404	295	689	306	345	648	765	797	836	825	744
1991.....	13,779	388	775	314	380	741	807	820	898	755	735
1990.....	13,941	346	751	351	384	775	805	931	901	829	711
1989.....	14,510	355	786	378	385	796	849	993	974	826	733
1988.....	15,232	321	831	377	420	878	957	971	926	812	768
1987.....	15,207	380	872	405	431	834	1,011	1,069	968	817	640
1986.....	15,563	343	884	357	464	992	1,149	1,125	974	815	664
1985.....	15,514	365	864	357	476	978	1,262	1,124	956	774	691
1984.....	15,572	315	814	351	502	1,026	1,298	1,144	974	835	669
1983.....	16,389	372	951	449	590	1,157	1,464	1,213	978	845	729
1982.....	16,320	402	938	437	597	1,264	1,594	1,302	998	780	704
1981.....	16,573	354	963	465	619	1,374	1,624	1,316	1,035	765	681
1980.....	18,068	448	1,008	522	691	1,699	1,803	1,359	967	783	677
1979.....	17,238	412	967	517	760	1,668	1,777	1,256	935	807	717

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)											
WHITE MALE											
1998.....	10,371	192	409	207	218	527	596	547	649	741	736
1997.....	10,037	187	395	188	285	538	555	561	627	685	730
1996.....	9,968	184	406	177	251	589	602	580	659	693	695
1995.....	10,344	186	445	197	299	625	604	602	712	828	732
1994.....	9,865	211	393	160	286	585	656	582	729	718	657
1993.....	10,254	200	484	195	314	607	728	664	773	729	653
1992.....	9,756	180	440	224	285	589	685	705	728	717	642
1991.....	10,056	229	495	224	328	664	715	724	788	652	638
1990.....	10,225	190	499	257	328	699	727	827	804	725	608
1989.....	10,676	202	515	286	328	713	784	890	855	721	619
1988.....	11,080	184	547	279	341	788	880	861	811	708	659
1987.....	11,170	219	583	292	368	747	905	946	855	719	540
1986.....	11,505	192	570	266	401	895	1,044	1,001	865	705	568
1985.....	11,585	201	560	265	419	864	1,150	995	854	660	597
1984.....	11,709	166	539	267	425	901	1,154	1,009	852	720	565
1983.....	12,354	214	626	332	477	1,042	1,324	1,080	848	732	639
1982.....	12,472	252	618	323	497	1,156	1,424	1,152	872	668	585
1981.....	12,847	212	643	343	518	1,238	1,475	1,188	906	649	579
1980.....	13,875	277	655	392	578	1,513	1,652	1,209	845	697	573
1979.....	13,453	251	648	391	629	1,499	1,604	1,111	819	698	623
WHITE FEMALE											
1998.....	4,715	134	229	81	83	87	72	80	111	142	147
1997.....	4,314	138	208	75	71	76	88	97	96	166	138
1996.....	4,183	131	205	83	72	77	77	80	95	118	131
1995.....	4,212	136	256	81	78	77	72	94	122	140	131
1994.....	3,911	144	228	77	62	69	67	89	103	137	127
1993.....	4,023	145	258	68	71	83	85	85	136	134	112
1992.....	3,648	115	249	82	60	59	80	92	108	108	102
1991.....	3,723	159	280	90	52	77	92	96	110	103	97
1990.....	3,716	156	252	94	56	76	78	104	97	104	103
1989.....	3,834	153	271	92	57	83	65	103	119	105	114
1988.....	4,152	137	284	98	79	90	77	110	115	104	109
1987.....	4,037	161	289	113	63	87	106	123	113	98	100
1986.....	4,058	151	314	91	63	97	105	124	109	110	96
1985.....	3,929	164	304	92	57	114	112	129	102	114	94
1984.....	3,863	149	275	84	77	125	144	135	122	115	104
1983.....	4,035	158	325	117	113	115	140	133	130	113	90
1982.....	3,848	150	320	114	100	108	170	150	126	112	119
1981.....	3,726	142	320	122	101	136	149	128	129	116	102
1980.....	4,193	171	353	130	113	186	151	150	122	86	104
1979.....	3,785	161	319	126	131	169	173	145	116	109	94

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)											
ALL OTHER, BOTH SEXES											
1998.....	3,141	160	169	144	142	218	174	143	158	183	220
1997.....	3,104	174	155	145	144	185	185	159	179	179	214
1996.....	3,164	164	173	145	172	230	179	148	177	188	180
1995.....	3,222	166	184	108	149	236	165	146	195	192	212
1994.....	3,254	188	191	116	168	251	200	172	218	208	194
1993.....	3,334	171	193	116	158	291	248	180	218	203	223
1992.....	3,051	183	177	107	164	248	208	188	191	183	165
1991.....	3,419	192	191	129	154	276	237	234	236	217	200
1990.....	3,310	211	153	131	170	258	216	221	240	218	178
1989.....	3,699	220	203	160	172	237	251	244	247	209	187
1988.....	3,688	185	186	151	161	228	240	261	266	248	220
1987.....	3,635	167	179	140	185	260	284	257	281	226	190
1986.....	3,701	168	188	158	201	252	292	307	257	201	164
1985.....	3,733	129	166	145	178	263	289	282	234	213	197
1984.....	3,432	133	181	127	196	256	298	252	240	203	158
1983.....	3,895	162	175	137	186	271	330	308	272	207	192
1982.....	3,669	156	172	153	175	315	333	296	273	218	174
1981.....	3,732	166	185	142	225	340	345	322	279	203	167
1980.....	4,771	204	182	186	225	378	428	349	296	240	184
1979.....	4,011	197	213	198	236	358	392	335	262	213	213
ALL OTHER MALE											
1998.....	2,280	89	110	99	120	197	155	125	138	147	169
1997.....	2,204	101	103	100	101	164	161	139	137	148	175
1996.....	2,292	95	111	103	137	201	160	129	143	151	143
1995.....	2,339	78	111	83	118	211	145	130	167	158	170
1994.....	2,420	107	124	84	145	233	183	147	184	178	160
1993.....	2,472	95	119	78	133	258	219	159	184	171	191
1992.....	2,235	90	104	80	126	217	173	165	159	159	140
1991.....	2,642	121	110	102	130	250	208	212	214	190	171
1990.....	2,496	122	104	91	140	233	194	184	209	194	146
1989.....	2,807	130	148	108	143	214	224	208	217	186	148
1988.....	2,800	107	123	111	121	209	214	234	221	205	184
1987.....	2,796	99	114	105	154	240	260	219	243	193	155
1986.....	2,784	98	110	110	159	230	269	268	217	177	137
1985.....	2,847	68	109	106	145	235	257	243	197	183	175
1984.....	2,621	77	112	97	165	234	256	214	198	180	125
1983.....	2,973	103	113	95	153	248	292	254	234	177	168
1982.....	2,852	90	109	111	147	277	290	259	239	174	150
1981.....	2,937	91	129	109	187	308	308	271	236	172	144
1980.....	3,490	116	113	140	178	335	376	315	253	206	146
1979.....	3,170	105	138	153	202	311	345	283	227	184	189

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)											
ALL OTHER FEMALE											
1998.....	861	71	59	45	22	21	19	18	20	36	51
1997.....	900	73	52	45	43	21	24	20	42	31	39
1996.....	872	69	62	42	35	29	19	19	34	37	37
1995.....	883	88	73	25	31	25	20	16	28	34	42
1994.....	834	81	67	32	23	18	17	25	34	30	34
1993.....	862	76	74	38	25	33	29	21	34	32	32
1992.....	816	93	73	27	38	31	35	23	32	24	25
1991.....	777	71	81	27	24	26	29	22	22	27	29
1990.....	814	89	49	40	30	25	22	37	31	24	32
1989.....	892	90	55	52	29	23	27	36	30	23	39
1988.....	888	78	63	40	40	19	26	27	45	43	36
1987.....	839	68	65	35	31	20	24	38	38	33	35
1986.....	917	70	78	48	42	22	23	39	40	24	27
1985.....	886	61	57	39	33	28	32	39	37	30	22
1984.....	811	56	69	30	31	22	42	38	42	23	33
1983.....	922	59	62	42	33	23	38	54	38	30	24
1982.....	817	66	63	42	28	38	43	37	34	44	24
1981.....	795	75	56	33	38	32	37	51	43	31	23
1980.....	1,281	88	69	46	47	43	52	34	43	34	38
1979.....	841	92	75	45	34	47	47	52	35	29	24
BLACK, BOTH SEXES											
1998.....	2,651	144	138	114	122	178	142	124	122	145	187
1997.....	2,533	158	110	116	115	151	143	119	142	145	167
1996.....	2,592	145	142	119	134	186	130	111	145	151	151
1995.....	2,745	151	138	77	129	203	128	115	155	166	172
1994.....	2,699	166	159	89	147	208	156	131	170	169	168
1993.....	2,795	151	161	86	132	239	204	136	169	162	199
1992.....	2,511	158	142	88	126	212	158	136	149	140	137
1991.....	2,915	162	162	111	140	242	199	198	197	178	159
1990.....	2,761	192	115	102	146	197	172	181	201	171	146
1989.....	3,167	197	171	137	147	196	186	195	207	174	151
1988.....	3,139	176	145	123	135	187	198	215	230	207	178
1987.....	3,126	152	142	118	161	226	239	211	236	196	166
1986.....	3,186	147	148	138	174	219	234	248	217	169	143
1985.....	3,232	116	122	112	156	224	234	246	193	186	168
1984.....	2,948	117	142	111	182	210	237	214	211	176	132
1983.....	3,405	153	150	112	174	230	265	262	237	177	162
1982.....	3,140	140	142	127	158	251	272	252	225	185	154
1981.....	3,277	152	147	120	197	300	294	279	231	179	145
1980.....	4,274	187	152	164	204	325	370	296	267	203	154
1979.....	3,534	182	183	180	215	313	329	286	231	191	194

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)											
BLACK MALE											
1998.....	1,928	82	90	82	106	164	129	108	108	116	143
1997.....	1,784	93	75	80	85	131	125	107	110	122	136
1996.....	1,863	84	92	83	109	163	116	96	116	119	121
1995.....	1,976	71	81	61	103	184	113	102	131	139	134
1994.....	2,002	95	102	63	125	194	141	113	146	144	139
1993.....	2,065	86	102	58	111	214	180	120	141	135	171
1992.....	1,826	77	84	67	98	193	131	116	125	119	118
1991.....	2,250	108	96	89	119	221	177	177	177	154	139
1990.....	2,076	111	80	73	119	178	154	154	176	153	123
1989.....	2,379	118	124	94	122	176	168	166	182	156	121
1988.....	2,361	103	96	92	103	172	176	191	193	172	146
1987.....	2,400	89	92	90	135	206	217	179	202	169	134
1986.....	2,379	85	83	91	139	200	217	217	184	150	119
1985.....	2,478	62	83	83	127	204	209	216	164	163	152
1984.....	2,245	69	86	86	152	191	207	181	176	156	104
1983.....	2,580	97	98	84	142	211	231	215	206	151	141
1982.....	2,435	80	92	95	135	217	239	221	197	145	131
1981.....	2,568	83	102	92	162	275	260	236	196	151	127
1980.....	3,097	104	96	127	166	289	325	266	230	175	120
1979.....	2,791	99	119	142	183	274	288	242	200	165	172
BLACK FEMALE											
1998.....	723	62	48	32	16	14	13	16	14	29	44
1997.....	749	65	35	36	30	20	18	12	32	23	31
1996.....	729	61	50	36	25	23	14	15	29	32	30
1995.....	769	80	57	16	26	19	15	13	24	27	38
1994.....	697	71	57	26	22	14	15	18	24	25	29
1993.....	730	65	59	28	21	25	24	16	28	27	28
1992.....	685	81	58	21	28	19	27	20	24	21	19
1991.....	665	54	66	22	21	21	22	21	20	24	20
1990.....	685	81	35	29	27	19	18	27	25	18	23
1989.....	788	79	47	43	25	20	18	29	25	18	30
1988.....	778	73	49	31	32	15	22	24	37	35	32
1987.....	726	63	50	28	26	20	22	32	34	27	32
1986.....	807	62	65	47	35	19	17	31	33	19	24
1985.....	754	54	39	29	29	20	25	30	29	23	16
1984.....	703	48	56	25	30	19	30	33	35	20	28
1983.....	825	56	52	28	32	19	34	47	31	26	21
1982.....	705	60	50	32	23	34	33	31	28	40	23
1981.....	709	69	45	28	35	25	34	43	35	28	18
1980.....	1,177	83	56	37	38	36	45	30	37	28	34
1979.....	743	83	64	38	32	39	41	44	31	26	22

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LIGHTNING (E907)											
TOTAL, BOTH SEXES											
1998.....	63	-	-	2	3	5	6	7	6	14	4
1997.....	58	-	-	3	2	8	8	3	4	8	6
1996.....	63	-	-	1	3	10	5	11	10	4	4
1995.....	76	-	-	-	7	8	7	7	9	10	7
1994.....	84	-	-	-	7	4	11	8	17	9	8
1993.....	57	-	-	-	2	8	4	4	10	5	8
1992.....	53	-	1	1	2	5	5	5	8	9	4
1991.....	75	1	-	3	7	10	10	8	7	7	6
1990.....	89	-	-	-	7	8	11	12	17	13	2
1989.....	75	-	-	1	4	8	5	13	9	12	8
1988.....	82	-	1	3	6	14	6	9	9	6	9
1987.....	99	-	-	1	7	14	17	16	13	12	6
1986.....	78	-	-	3	3	9	22	4	9	5	3
1985.....	85	-	1	1	6	13	13	17	6	5	9
1984.....	91	-	1	1	5	17	9	11	9	8	12
1983.....	93	-	-	4	4	17	10	11	5	7	6
1982.....	100	-	-	-	7	26	16	12	8	6	9
1981.....	87	-	-	4	4	13	15	7	8	8	7
1980.....	94	-	1	3	15	17	9	8	5	5	3
1979.....	87	-	-	4	8	13	3	13	14	13	4
TOTAL, MALE											
1998.....	53	-	-	1	1	5	5	7	5	13	4
1997.....	53	-	-	3	2	7	7	3	3	6	6
1996.....	50	-	-	1	2	6	5	10	9	3	4
1995.....	67	-	-	-	6	7	7	4	8	9	6
1994.....	70	-	-	-	5	4	10	6	15	8	6
1993.....	49	-	-	-	2	7	2	3	7	5	7
1992.....	46	-	-	-	2	4	5	5	7	9	4
1991.....	63	-	-	3	6	8	10	7	6	6	3
1990.....	81	-	-	-	6	7	10	10	15	13	2
1989.....	65	-	-	1	3	6	5	12	9	10	8
1988.....	66	-	-	2	3	11	5	9	7	6	8
1987.....	85	-	-	1	6	10	15	14	13	9	6
1986.....	69	-	-	2	3	7	19	4	7	5	3
1985.....	77	-	1	1	6	11	12	17	6	5	6
1984.....	77	-	-	1	4	14	9	9	8	7	9
1983.....	76	-	-	4	2	14	7	9	4	7	6
1982.....	88	-	-	-	5	25	13	10	7	5	8
1981.....	73	-	-	3	4	12	12	6	7	8	5
1980.....	73	-	-	2	11	15	8	6	4	4	3
1979.....	76	-	-	3	7	11	3	11	13	13	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LIGHTNING (E907)											
TOTAL, FEMALE											
1998.....	10	-	-	1	2	-	1	-	1	1	-
1997.....	5	-	-	-	-	1	1	-	1	2	-
1996.....	13	-	-	-	1	4	-	1	1	1	-
1995.....	9	-	-	-	1	1	-	3	1	1	1
1994.....	14	-	-	-	2	-	1	2	2	1	2
1993.....	8	-	-	-	-	1	2	1	3	-	1
1992.....	7	-	1	1	-	1	-	-	1	-	-
1991.....	12	1	-	-	1	2	-	1	1	1	3
1990.....	8	-	-	-	1	1	1	2	2	-	-
1989.....	10	-	-	-	1	2	-	1	-	2	-
1988.....	16	-	1	1	3	3	1	-	2	-	1
1987.....	14	-	-	-	1	4	2	2	-	3	-
1986.....	9	-	-	1	-	2	3	-	2	-	-
1985.....	8	-	-	-	-	2	1	-	-	-	3
1984.....	14	-	1	-	1	3	-	2	1	1	3
1983.....	17	-	-	-	2	3	3	2	1	-	-
1982.....	12	-	-	-	2	1	3	2	1	1	1
1981.....	14	-	-	1	-	1	3	1	1	-	2
1980.....	21	-	1	1	4	2	1	2	1	1	-
1979.....	11	-	-	1	1	2	-	2	1	-	-
WHITE, BOTH SEXES											
1998.....	59	-	-	1	3	4	5	7	6	14	3
1997.....	50	-	-	2	1	8	7	3	4	7	4
1996.....	53	-	-	1	3	7	3	9	9	4	2
1995.....	69	-	-	-	7	8	6	7	9	8	7
1994.....	76	-	-	-	7	4	9	8	17	7	6
1993.....	48	-	-	-	2	6	3	4	9	4	6
1992.....	47	-	1	1	2	5	5	4	7	8	4
1991.....	63	1	-	3	5	9	10	6	4	7	6
1990.....	75	-	-	-	6	4	11	10	14	11	2
1989.....	70	-	-	1	4	8	2	13	9	12	7
1988.....	71	-	1	1	5	13	6	8	7	6	9
1987.....	81	-	-	-	4	14	14	11	11	11	5
1986.....	64	-	-	1	3	7	17	4	8	5	2
1985.....	72	-	1	1	6	11	11	15	3	5	8
1984.....	78	-	1	1	3	15	9	9	6	8	9
1983.....	84	-	-	4	4	16	9	11	4	7	6
1982.....	86	-	-	-	6	24	14	10	6	5	9
1981.....	76	-	-	4	3	11	12	6	7	7	6
1980.....	82	-	1	3	12	14	8	8	5	5	2
1979.....	77	-	-	2	8	11	3	12	13	12	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LIGHTNING (E907)											
WHITE MALE											
1998.....	50	-	-	1	1	4	4	7	5	13	3
1997.....	46	-	-	2	1	7	7	3	3	5	4
1996.....	42	-	-	1	2	3	3	9	9	3	2
1995.....	60	-	-	-	6	7	6	4	8	7	6
1994.....	63	-	-	-	5	4	8	6	15	6	4
1993.....	42	-	-	-	2	6	2	3	6	4	5
1992.....	40	-	-	-	2	4	5	4	6	8	4
1991.....	52	-	-	3	4	7	10	6	3	6	3
1990.....	70	-	-	-	5	4	10	9	13	11	2
1989.....	60	-	-	1	3	6	2	12	9	10	7
1988.....	59	-	-	-	2	11	5	8	5	6	8
1987.....	71	-	-	-	4	10	12	11	11	8	5
1986.....	56	-	-	1	3	5	14	4	6	5	2
1985.....	66	-	1	1	6	9	11	15	3	5	6
1984.....	67	-	-	1	2	13	9	7	6	7	7
1983.....	70	-	-	4	2	13	6	9	3	7	6
1982.....	75	-	-	-	4	23	11	8	5	5	8
1981.....	65	-	-	3	3	10	10	5	7	7	5
1980.....	62	-	-	2	8	12	7	6	4	4	2
1979.....	67	-	-	1	7	9	3	10	12	12	3
WHITE FEMALE											
1998.....	9	-	-	-	2	-	1	-	1	1	-
1997.....	4	-	-	-	-	1	-	-	1	2	-
1996.....	11	-	-	-	1	4	-	-	-	1	-
1995.....	9	-	-	-	1	1	-	3	1	1	1
1994.....	13	-	-	-	2	-	1	2	2	1	2
1993.....	6	-	-	-	-	-	1	1	3	-	1
1992.....	7	-	1	1	-	1	-	-	1	-	-
1991.....	11	1	-	-	1	2	-	-	1	1	3
1990.....	5	-	-	-	1	-	1	1	1	-	-
1989.....	10	-	-	-	1	2	-	1	-	2	-
1988.....	12	-	1	1	3	2	1	-	2	-	1
1987.....	10	-	-	-	-	4	2	-	-	3	-
1986.....	8	-	-	-	-	2	3	-	2	-	-
1985.....	6	-	-	-	-	2	-	-	-	-	2
1984.....	11	-	1	-	1	2	-	2	-	1	2
1983.....	14	-	-	-	2	3	3	2	1	-	-
1982.....	11	-	-	-	2	1	3	2	1	-	1
1981.....	11	-	-	1	-	1	2	1	-	-	1
1980.....	20	-	1	1	4	2	1	2	1	1	-
1979.....	10	-	-	1	1	2	-	2	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LIGHTNING (E907)											
ALL OTHER, BOTH SEXES											
1998.....	4	-	-	1	-	1	1	-	-	-	1
1997.....	8	-	-	1	1	-	1	-	-	1	2
1996.....	10	-	-	-	-	3	2	2	1	-	2
1995.....	7	-	-	-	-	-	1	-	-	2	-
1994.....	8	-	-	-	-	-	2	-	-	2	2
1993.....	9	-	-	-	-	2	1	-	1	1	2
1992.....	6	-	-	-	-	-	-	1	1	1	-
1991.....	12	-	-	-	2	1	-	2	3	-	-
1990.....	14	-	-	-	1	4	-	2	3	2	-
1989.....	5	-	-	-	-	-	3	-	-	-	1
1988.....	11	-	-	2	1	1	-	1	2	-	-
1987.....	18	-	-	1	3	-	3	5	2	1	1
1986.....	14	-	-	2	-	2	5	-	1	-	1
1985.....	13	-	-	-	-	2	2	2	3	-	1
1984.....	13	-	-	-	2	2	-	2	3	-	3
1983.....	9	-	-	-	-	1	1	-	1	-	-
1982.....	14	-	-	-	1	2	2	2	2	1	-
1981.....	11	-	-	-	1	2	3	1	1	1	1
1980.....	12	-	-	-	3	3	1	-	-	-	1
1979.....	10	-	-	2	-	2	-	1	1	1	1
ALL OTHER MALE											
1998.....	3	-	-	-	-	1	1	-	-	-	1
1997.....	7	-	-	1	1	-	-	-	-	1	2
1996.....	8	-	-	-	-	3	2	1	-	-	2
1995.....	7	-	-	-	-	-	1	-	-	2	-
1994.....	7	-	-	-	-	-	2	-	-	2	2
1993.....	7	-	-	-	-	1	-	-	1	1	2
1992.....	6	-	-	-	-	-	-	1	1	1	-
1991.....	11	-	-	-	2	1	-	1	3	-	-
1990.....	11	-	-	-	1	3	-	1	2	2	-
1989.....	5	-	-	-	-	-	3	-	-	-	1
1988.....	7	-	-	2	1	-	-	1	2	-	-
1987.....	14	-	-	1	2	-	3	3	2	1	1
1986.....	13	-	-	1	-	2	5	-	1	-	1
1985.....	11	-	-	-	-	2	1	2	3	-	-
1984.....	10	-	-	-	2	1	-	2	2	-	2
1983.....	6	-	-	-	-	1	1	-	1	-	-
1982.....	13	-	-	-	1	2	2	2	2	-	-
1981.....	8	-	-	-	1	2	2	1	-	1	-
1980.....	11	-	-	-	3	3	1	-	-	-	1
1979.....	9	-	-	2	-	2	-	1	1	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LIGHTNING (E907)											
ALL OTHER FEMALE											
1998.....	1	-	-	1	-	-	-	-	-	-	-
1997.....	1	-	-	-	-	-	1	-	-	-	-
1996.....	2	-	-	-	-	-	-	1	1	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	2	-	-	-	-	1	1	-	-	-	-
1991.....	1	-	-	-	-	-	-	1	-	-	-
1990.....	3	-	-	-	-	1	-	1	1	-	-
1988.....	4	-	-	-	-	1	-	-	-	-	-
1987.....	4	-	-	-	1	-	-	2	-	-	-
1986.....	1	-	-	1	-	-	-	-	-	-	-
1985.....	2	-	-	-	-	-	1	-	-	-	1
1984.....	3	-	-	-	-	1	-	-	1	-	1
1983.....	3	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	-	1	-
1981.....	3	-	-	-	-	-	1	-	1	-	1
1980.....	1	-	-	-	-	-	-	-	-	-	-
1979.....	1	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES											
1998.....	4	-	-	1	-	1	1	-	-	-	1
1997.....	7	-	-	1	1	-	1	-	-	1	1
1996.....	8	-	-	-	-	2	1	2	1	-	2
1995.....	3	-	-	-	-	-	-	-	-	1	-
1994.....	6	-	-	-	-	-	1	-	-	2	1
1993.....	9	-	-	-	-	2	1	-	1	1	2
1992.....	1	-	-	-	-	-	-	-	1	-	-
1991.....	11	-	-	-	2	1	-	2	3	-	-
1990.....	14	-	-	-	1	4	-	2	3	2	-
1989.....	3	-	-	-	-	-	2	-	-	-	-
1988.....	9	-	-	2	1	-	-	1	2	-	-
1987.....	13	-	-	1	2	-	2	4	2	1	1
1986.....	10	-	-	1	-	2	4	-	1	-	1
1985.....	10	-	-	-	-	1	1	2	3	-	1
1984.....	9	-	-	-	2	2	-	2	2	-	1
1983.....	6	-	-	-	-	1	1	-	1	-	-
1982.....	13	-	-	-	-	2	2	2	2	1	-
1981.....	7	-	-	-	1	2	2	-	-	1	-
1980.....	8	-	-	-	2	2	-	-	-	-	1
1979.....	10	-	-	2	-	2	-	1	1	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)											
TOTAL, BOTH SEXES											
1998.....	3,964	62	495	239	195	411	333	266	290	307	285
1997.....	3,561	60	454	226	210	319	277	252	277	248	245
1996.....	3,488	64	466	218	218	364	292	240	247	252	226
1995.....	3,790	59	530	212	223	402	291	244	308	297	260
1994.....	3,404	71	470	179	212	319	269	240	298	257	216
1993.....	3,807	76	546	176	225	387	343	306	331	278	230
1992.....	3,524	86	519	188	199	348	310	290	257	242	201
1991.....	3,967	105	573	221	205	408	382	352	372	251	201
1990.....	3,979	76	560	238	242	435	360	349	329	279	206
1989.....	4,015	93	583	259	222	402	383	354	340	263	189
1988.....	4,199	88	611	273	221	446	427	401	329	286	203
1987.....	4,360	104	652	294	268	484	466	432	351	246	174
1986.....	4,777	94	648	311	300	590	572	494	361	263	161
1985.....	4,407	88	587	257	275	554	581	438	333	225	175
1984.....	4,444	70	556	229	265	553	582	449	366	217	139
1983.....	5,254	85	660	317	350	680	740	551	402	273	186
1982.....	5,258	93	645	321	338	737	747	526	367	247	177
1981.....	5,233	73	672	329	367	774	734	526	377	226	169
1980.....	6,043	91	693	397	398	1,012	919	603	381	241	183
1979.....	5,678	76	680	383	440	932	790	514	294	258	203
TOTAL, MALE											
1998.....	3,161	37	325	173	156	366	299	234	250	264	234
1997.....	2,800	34	306	163	151	290	243	221	250	199	204
1996.....	2,771	34	315	164	162	325	257	210	218	213	183
1995.....	3,028	24	343	163	165	363	266	217	272	255	220
1994.....	2,688	38	301	136	172	287	251	217	264	219	172
1993.....	3,039	44	366	127	181	353	307	274	282	228	199
1992.....	2,791	51	324	140	145	321	280	257	225	209	169
1991.....	3,242	62	380	167	163	375	341	322	334	220	176
1990.....	3,203	44	376	166	193	400	330	314	289	248	174
1989.....	3,249	64	400	190	186	371	355	307	294	232	158
1988.....	3,346	51	417	194	167	403	387	357	282	252	171
1987.....	3,529	61	444	220	225	441	419	386	299	213	141
1986.....	3,856	47	433	229	246	548	524	436	320	227	142
1985.....	3,565	49	385	196	221	497	536	387	291	193	156
1984.....	3,543	31	370	175	217	496	512	391	307	194	113
1983.....	4,330	46	445	241	280	618	678	485	357	237	167
1982.....	4,274	58	432	244	283	669	667	468	318	204	145
1981.....	4,364	46	465	259	303	711	685	480	326	200	138
1980.....	5,012	63	458	320	322	912	846	544	324	203	151
1979.....	4,682	38	466	313	353	840	712	446	254	221	174

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)											
TOTAL, FEMALE											
1998.....	803	25	170	66	39	45	34	32	40	43	51
1997.....	761	26	148	63	59	29	34	31	27	49	41
1996.....	717	30	151	54	56	39	35	30	29	39	43
1995.....	762	35	187	49	58	39	25	27	36	42	40
1994.....	716	33	169	43	40	32	18	23	34	38	44
1993.....	768	32	180	49	44	34	36	32	49	50	31
1992.....	733	35	195	48	54	27	30	33	32	33	32
1991.....	725	43	193	54	42	33	41	30	38	31	25
1990.....	776	32	184	72	49	35	30	35	40	31	32
1989.....	766	29	183	69	36	31	28	47	46	31	31
1988.....	853	37	194	79	54	43	40	44	47	34	32
1987.....	831	43	208	74	43	43	47	46	52	33	33
1986.....	921	47	215	82	54	42	48	58	41	36	19
1985.....	842	39	202	61	54	57	45	51	42	32	19
1984.....	901	39	186	54	48	57	70	58	59	23	26
1983.....	924	39	215	76	70	62	62	66	45	36	19
1982.....	984	35	213	77	55	68	80	58	49	43	32
1981.....	869	27	207	70	64	63	49	46	51	26	31
1980.....	1,031	28	235	77	76	100	73	59	57	38	32
1979.....	996	38	214	70	87	92	78	68	40	37	29
WHITE, BOTH SEXES											
1998.....	3,007	47	407	140	100	275	247	193	232	251	215
1997.....	2,723	45	383	126	123	233	196	182	204	192	194
1996.....	2,615	43	383	123	106	257	228	186	194	196	174
1995.....	2,901	39	439	137	123	291	229	191	220	235	203
1994.....	2,520	50	387	101	97	217	200	183	211	200	163
1993.....	2,874	51	448	111	125	268	250	227	250	216	164
1992.....	2,685	61	436	129	93	243	221	213	206	194	156
1991.....	2,939	76	490	138	116	275	285	249	272	176	147
1990.....	3,006	49	480	157	132	311	263	256	239	212	161
1989.....	3,046	67	495	159	113	288	291	261	250	201	151
1988.....	3,187	58	528	171	121	328	308	287	243	216	152
1987.....	3,242	80	566	194	143	324	325	323	250	177	135
1986.....	3,564	67	563	195	158	413	428	354	255	207	118
1985.....	3,331	70	514	164	146	407	426	323	254	157	128
1984.....	3,369	51	477	140	138	401	432	340	269	159	100
1983.....	4,052	72	583	222	207	501	568	412	297	210	140
1982.....	4,002	70	569	223	203	550	571	391	247	175	136
1981.....	3,958	51	585	238	219	559	553	371	277	159	121
1980.....	4,610	72	618	261	238	778	691	457	261	174	140
1979.....	4,302	54	579	253	280	711	587	375	207	196	137

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)											
WHITE MALE											
1998.....	2,361	29	264	105	75	240	219	167	196	213	177
1997.....	2,126	25	257	92	89	212	170	156	186	157	158
1996.....	2,057	20	262	94	73	227	199	162	172	165	139
1995.....	2,300	16	288	103	87	265	211	166	190	201	171
1994.....	1,968	28	246	76	75	191	186	164	186	168	129
1993.....	2,275	29	301	82	99	246	221	200	212	172	139
1992.....	2,126	38	279	96	70	231	201	185	182	163	127
1991.....	2,360	48	329	103	89	249	249	224	240	151	127
1990.....	2,390	28	315	111	106	285	238	231	207	183	133
1989.....	2,434	44	332	124	91	265	270	226	214	175	127
1988.....	2,507	29	357	124	95	290	280	254	209	192	126
1987.....	2,587	46	389	145	122	290	287	289	214	154	108
1986.....	2,845	31	381	148	130	382	387	311	227	174	103
1985.....	2,660	36	340	123	119	362	393	283	220	132	113
1984.....	2,636	18	317	105	111	352	379	290	221	141	83
1983.....	3,287	36	392	170	163	450	524	364	258	182	124
1982.....	3,217	44	381	170	167	503	507	344	211	145	110
1981.....	3,241	35	401	182	176	507	515	342	235	137	99
1980.....	3,782	47	406	208	196	699	637	409	218	148	113
1979.....	3,512	28	400	208	216	645	524	326	178	166	112
WHITE FEMALE											
1998.....	646	18	143	35	25	35	28	26	36	38	38
1997.....	597	20	126	34	34	21	26	26	18	35	36
1996.....	558	23	121	29	33	30	29	24	22	31	35
1995.....	601	23	151	34	36	26	18	25	30	34	32
1994.....	552	22	141	25	22	26	14	19	25	32	34
1993.....	599	22	147	29	26	22	29	27	38	44	25
1992.....	559	23	157	33	23	12	20	28	24	31	29
1991.....	579	28	161	35	27	26	36	25	32	25	20
1990.....	616	21	165	46	26	26	25	25	32	29	28
1989.....	612	23	163	35	22	23	21	35	36	26	24
1988.....	680	29	171	47	26	38	28	33	34	24	26
1987.....	655	34	177	49	21	34	38	34	36	23	27
1986.....	719	36	182	47	28	31	41	43	28	33	15
1985.....	671	34	174	41	27	45	33	40	34	25	15
1984.....	733	33	160	35	27	49	53	50	48	18	17
1983.....	765	36	191	52	44	51	44	48	39	28	16
1982.....	785	26	188	53	36	47	64	47	36	30	26
1981.....	717	16	184	56	43	52	38	29	42	22	22
1980.....	828	25	212	53	42	79	54	48	43	26	27
1979.....	790	26	179	45	64	66	63	49	29	30	25

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)											
ALL OTHER, BOTH SEXES											
1998.....	957	15	88	99	95	136	86	73	58	56	70
1997.....	838	15	71	100	87	86	81	70	73	56	51
1996.....	873	21	83	95	112	107	64	54	53	56	52
1995.....	889	20	91	75	100	111	62	53	88	62	57
1994.....	884	21	83	78	115	102	69	57	87	57	53
1993.....	933	25	98	65	100	119	93	79	81	62	66
1992.....	839	25	83	59	106	105	89	77	51	48	45
1991.....	1,028	29	83	83	89	133	97	103	100	75	54
1990.....	973	27	80	81	110	124	97	93	90	67	45
1989.....	969	26	88	100	109	114	92	93	90	62	38
1988.....	1,012	30	83	102	100	118	119	114	86	70	51
1987.....	1,118	24	86	100	125	160	141	109	101	69	39
1986.....	1,213	27	85	116	142	177	144	140	106	56	43
1985.....	1,076	18	73	93	129	147	155	115	79	68	47
1984.....	1,075	19	79	89	127	152	150	109	97	58	39
1983.....	1,202	13	77	95	143	179	172	139	105	63	46
1982.....	1,256	23	76	98	135	187	176	135	120	72	41
1981.....	1,275	22	87	91	148	215	181	155	100	67	48
1980.....	1,433	19	75	136	160	234	228	146	120	67	43
1979.....	1,376	22	101	130	160	221	203	139	87	62	66
ALL OTHER MALE											
1998.....	800	8	61	68	81	126	80	67	54	51	57
1997.....	674	9	49	71	62	78	73	65	64	42	46
1996.....	714	14	53	70	89	98	58	48	46	48	44
1995.....	728	8	55	60	78	98	55	51	82	54	49
1994.....	720	10	55	60	97	96	65	53	78	51	43
1993.....	764	15	65	45	82	107	86	74	70	56	60
1992.....	665	13	45	44	75	90	79	72	43	46	42
1991.....	882	14	51	64	74	126	92	98	94	69	49
1990.....	813	16	61	55	87	115	92	83	82	65	41
1989.....	815	20	68	66	95	106	85	81	80	57	31
1988.....	839	22	60	70	72	113	107	103	73	60	45
1987.....	942	15	55	75	103	151	132	97	85	59	33
1986.....	1,011	16	52	81	116	166	137	125	93	53	39
1985.....	905	13	45	73	102	135	143	104	71	61	43
1984.....	907	13	53	70	106	144	133	101	86	53	30
1983.....	1,043	10	53	71	117	168	154	121	99	55	43
1982.....	1,057	14	51	74	116	166	160	124	107	59	35
1981.....	1,123	11	64	77	127	204	170	138	91	63	39
1980.....	1,230	16	52	112	126	213	209	135	106	55	38
1979.....	1,170	10	66	105	137	195	188	120	76	55	62

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)											
ALL OTHER FEMALE											
1998.....	157	7	27	31	14	10	6	6	4	5	13
1997.....	164	6	22	29	25	8	8	5	9	14	5
1996.....	159	7	30	25	23	9	6	6	7	8	8
1995.....	161	12	36	15	22	13	7	2	6	8	8
1994.....	164	11	28	18	18	6	4	4	9	6	10
1993.....	169	10	33	20	18	12	7	5	11	6	6
1992.....	174	12	38	15	31	15	10	5	8	2	3
1991.....	146	15	32	19	15	7	5	5	6	6	5
1990.....	160	11	19	26	23	9	5	10	8	2	4
1989.....	154	6	20	34	14	8	7	12	10	5	7
1988.....	173	8	23	32	28	5	12	11	13	10	6
1987.....	176	9	31	25	22	9	9	12	16	10	6
1986.....	202	11	33	35	26	11	7	15	13	3	4
1985.....	171	5	28	20	27	12	12	11	8	7	4
1984.....	168	6	26	19	21	8	17	8	11	5	9
1983.....	159	3	24	24	26	11	18	18	6	8	3
1982.....	199	9	25	24	19	21	16	11	13	13	6
1981.....	152	11	23	14	21	11	11	17	9	4	9
1980.....	203	3	23	24	34	21	19	11	14	12	5
1979.....	206	12	35	25	23	26	15	19	11	7	4
BLACK, BOTH SEXES											
1998.....	758	13	68	80	81	107	70	62	45	40	51
1997.....	623	12	48	79	73	67	55	47	55	43	38
1996.....	648	18	61	75	85	80	42	39	42	45	38
1995.....	708	20	64	56	88	95	43	41	68	52	39
1994.....	685	19	66	59	101	83	50	41	65	45	44
1993.....	710	21	75	47	84	85	74	55	59	45	54
1992.....	655	23	61	49	81	87	68	58	42	37	37
1991.....	877	24	71	74	85	122	81	93	82	62	39
1990.....	777	25	57	65	94	91	80	76	76	46	40
1989.....	797	24	66	88	93	94	69	72	83	48	30
1988.....	821	30	64	80	82	99	97	91	73	50	43
1987.....	950	23	68	85	111	141	123	90	85	59	30
1986.....	1,004	21	58	104	128	154	117	112	90	44	37
1985.....	911	16	43	74	116	133	131	105	67	60	38
1984.....	898	14	56	82	122	134	122	89	83	47	30
1983.....	1,028	11	64	78	138	157	145	115	92	51	40
1982.....	1,074	19	59	81	123	165	152	121	98	60	35
1981.....	1,102	21	62	77	131	197	160	135	82	60	38
1980.....	1,247	17	56	122	150	202	199	123	107	55	37
1979.....	1,205	20	79	118	149	197	176	119	75	55	64

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)											
BLACK MALE											
1998.....	651	7	48	57	72	102	67	58	42	37	42
1997.....	507	6	36	56	55	60	50	45	51	33	33
1996.....	549	12	41	54	71	74	40	35	37	40	36
1995.....	582	8	37	46	70	84	37	39	63	47	33
1994.....	558	9	42	44	83	78	47	39	60	40	36
1993.....	586	14	53	33	70	77	69	51	50	39	50
1992.....	533	12	35	38	59	79	62	53	37	36	35
1991.....	761	13	47	59	72	116	76	88	76	57	35
1990.....	655	15	47	44	72	84	76	71	70	45	38
1989.....	664	19	50	59	79	86	64	62	73	44	24
1988.....	685	22	46	57	61	96	88	81	61	44	38
1987.....	808	15	45	65	93	132	115	81	71	52	25
1986.....	836	13	31	69	106	144	110	101	79	41	33
1985.....	776	12	28	58	93	122	121	96	61	54	35
1984.....	767	9	39	65	102	126	108	83	76	44	24
1983.....	895	8	45	62	113	146	128	101	86	47	38
1982.....	914	12	42	63	109	147	139	111	87	48	30
1981.....	971	10	46	65	111	187	149	119	75	56	32
1980.....	1,083	14	40	102	121	186	184	114	96	45	32
1979.....	1,034	9	53	97	128	176	163	103	66	50	60
BLACK FEMALE											
1998.....	107	6	20	23	9	5	3	4	3	3	9
1997.....	116	6	12	23	18	7	5	2	4	10	5
1996.....	99	6	20	21	14	6	2	4	5	5	2
1995.....	126	12	27	10	18	11	6	2	5	5	6
1994.....	127	10	24	15	18	5	3	2	5	5	8
1993.....	124	7	22	14	14	8	5	4	9	6	4
1992.....	122	11	26	11	22	8	6	5	5	1	2
1991.....	116	11	24	15	13	6	5	5	6	5	4
1990.....	122	10	10	21	22	7	4	5	6	1	2
1989.....	133	5	16	29	14	8	5	10	10	4	6
1988.....	136	8	18	23	21	3	9	10	12	6	5
1987.....	142	8	23	20	18	9	8	9	14	7	5
1986.....	168	8	27	35	22	10	7	11	11	3	4
1985.....	135	4	15	16	23	11	10	9	6	6	3
1984.....	131	5	17	17	20	8	14	6	7	3	6
1983.....	133	3	19	16	25	11	17	14	6	4	2
1982.....	160	7	17	18	14	18	13	10	11	12	5
1981.....	131	11	16	12	20	10	11	16	7	4	6
1980.....	164	3	16	20	29	16	15	9	11	10	5
1979.....	171	11	26	21	21	21	13	16	9	5	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)											
TOTAL, BOTH SEXES											
1998.....	3,515	64	78	24	18	12	24	33	57	73	107
1997.....	3,275	76	71	19	19	16	26	50	47	72	93
1996.....	3,206	73	94	25	19	13	32	42	47	54	79
1995.....	3,185	81	86	32	14	22	22	35	47	67	68
1994.....	3,065	90	86	25	16	16	28	31	56	76	86
1993.....	3,160	86	101	22	14	29	27	31	57	64	78
1992.....	3,128	103	95	23	16	21	28	35	52	81	91
1991.....	3,240	130	118	19	11	14	32	29	49	75	87
1990.....	3,303	165	96	24	16	28	34	49	61	78	76
1989.....	3,578	162	105	36	11	31	34	55	71	78	78
1988.....	3,805	145	94	35	14	35	38	45	68	84	88
1987.....	3,688	159	118	22	18	35	43	64	64	85	99
1986.....	3,692	157	123	21	28	28	46	71	78	81	90
1985.....	3,551	170	102	26	25	28	45	71	74	84	80
1984.....	3,541	153	118	17	28	43	54	65	72	78	78
1983.....	3,387	189	112	28	26	34	66	65	92	98	103
1982.....	3,254	222	119	34	25	50	75	87	81	87	103
1981.....	3,331	209	132	32	37	58	73	80	107	91	110
1980.....	3,249	271	136	31	27	47	80	69	84	96	91
1979.....	3,243	256	155	27	24	64	78	76	89	98	107
TOTAL, MALE											
1998.....	1,735	34	51	17	10	8	19	18	37	41	69
1997.....	1,676	48	43	15	10	9	16	31	32	46	62
1996.....	1,636	45	55	12	13	9	24	26	26	32	51
1995.....	1,668	52	53	20	7	15	13	27	35	44	50
1994.....	1,587	50	51	13	9	12	18	21	38	53	55
1993.....	1,694	57	56	13	11	15	21	23	38	38	55
1992.....	1,648	65	52	15	10	15	20	19	33	58	65
1991.....	1,691	85	69	13	7	8	17	17	28	54	57
1990.....	1,651	92	62	17	10	17	26	38	46	50	45
1989.....	1,862	91	69	19	8	16	26	38	46	55	47
1988.....	1,992	89	48	18	6	20	26	32	50	55	58
1987.....	1,977	95	76	12	8	20	25	48	42	63	62
1986.....	2,003	96	73	14	18	19	33	44	52	59	60
1985.....	1,981	95	65	14	18	17	29	49	56	58	58
1984.....	1,994	94	71	9	16	27	33	47	50	50	46
1983.....	1,931	115	68	17	17	22	42	45	71	69	67
1982.....	1,859	135	72	22	12	35	55	66	56	55	65
1981.....	1,932	123	85	16	21	37	46	52	72	52	72
1980.....	1,889	158	79	15	17	33	54	51	58	71	53
1979.....	1,924	152	101	17	16	43	54	47	63	70	76

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)											
TOTAL, FEMALE											
1998.....	1,780	30	27	7	8	4	5	15	20	32	38
1997.....	1,599	28	28	4	9	7	10	19	15	26	31
1996.....	1,570	28	39	13	6	4	8	16	21	22	28
1995.....	1,517	29	33	12	7	7	9	8	12	23	18
1994.....	1,478	40	35	12	7	4	10	10	18	23	31
1993.....	1,466	29	45	9	3	14	6	8	19	26	23
1992.....	1,480	38	43	8	6	6	8	16	19	23	26
1991.....	1,549	45	49	6	4	6	15	12	21	21	30
1990.....	1,652	73	34	7	6	11	8	11	15	28	31
1989.....	1,716	71	36	17	3	15	8	17	25	23	31
1988.....	1,813	56	46	17	8	15	12	13	18	29	30
1987.....	1,711	64	42	10	10	15	18	16	22	22	37
1986.....	1,689	61	50	7	10	9	13	27	26	22	30
1985.....	1,570	75	37	12	7	11	16	22	18	26	22
1984.....	1,547	59	47	8	12	16	21	18	22	28	32
1983.....	1,456	74	44	11	9	12	24	20	21	29	36
1982.....	1,395	87	47	12	13	15	20	21	25	32	38
1981.....	1,399	86	47	16	16	21	27	28	35	39	38
1980.....	1,360	113	57	16	10	14	26	18	26	25	38
1979.....	1,319	104	54	10	8	21	24	29	26	28	31
WHITE, BOTH SEXES											
1998.....	2,992	47	52	18	16	10	20	26	49	58	81
1997.....	2,728	49	44	12	11	10	17	43	38	60	64
1996.....	2,664	42	62	10	11	11	26	32	32	39	63
1995.....	2,649	53	53	22	8	16	15	28	39	49	54
1994.....	2,541	60	50	16	11	14	21	26	47	57	67
1993.....	2,684	56	73	14	10	24	19	25	42	48	61
1992.....	2,612	63	58	17	14	17	23	25	38	63	69
1991.....	2,662	89	65	13	7	8	22	20	38	58	70
1990.....	2,741	107	65	19	11	20	28	37	41	58	57
1989.....	2,903	99	58	23	5	27	21	40	57	56	60
1988.....	3,169	95	66	30	9	26	35	31	51	62	67
1987.....	3,082	110	80	16	14	29	35	52	52	68	74
1986.....	3,075	104	82	14	18	21	30	51	59	60	76
1985.....	2,909	112	68	16	17	24	35	51	57	72	58
1984.....	2,929	104	76	14	15	31	41	56	55	57	64
1983.....	2,787	130	74	15	21	22	55	49	75	73	81
1982.....	2,710	159	85	23	19	39	58	77	60	61	81
1981.....	2,786	146	102	25	26	52	58	61	73	68	87
1980.....	2,687	180	100	22	18	35	61	61	63	71	74
1979.....	2,685	168	108	18	19	53	67	59	67	69	88

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)											
WHITE MALE											
1998.....	1,455	26	33	11	8	6	16	15	33	34	53
1997.....	1,407	31	26	11	7	6	11	27	27	37	46
1996.....	1,336	25	38	5	8	7	20	20	20	26	43
1995.....	1,355	34	31	14	4	11	8	22	29	32	41
1994.....	1,288	37	29	9	5	11	12	18	32	39	43
1993.....	1,422	39	42	9	7	12	15	18	27	28	42
1992.....	1,368	45	33	10	8	11	18	14	25	47	53
1991.....	1,374	57	37	8	4	5	15	11	23	43	46
1990.....	1,345	57	44	12	7	12	20	30	36	36	32
1989.....	1,472	54	37	13	4	14	17	26	37	38	39
1988.....	1,622	60	31	16	4	15	24	20	35	39	43
1987.....	1,616	64	48	7	6	17	21	40	34	49	44
1986.....	1,637	60	46	10	10	15	21	30	41	44	52
1985.....	1,603	70	41	9	13	15	24	33	46	50	43
1984.....	1,635	62	45	7	8	19	25	41	41	37	39
1983.....	1,546	79	42	10	13	16	34	38	61	52	55
1982.....	1,522	97	51	14	8	28	45	58	42	40	48
1981.....	1,618	87	66	12	16	34	35	39	52	40	57
1980.....	1,558	110	61	10	12	24	44	44	45	55	45
1979.....	1,576	104	69	11	11	36	50	39	45	51	64
WHITE FEMALE											
1998.....	1,537	21	19	7	8	4	4	11	16	24	28
1997.....	1,321	18	18	1	4	4	6	16	11	23	18
1996.....	1,328	17	24	5	3	4	6	12	12	13	20
1995.....	1,294	19	22	8	4	5	7	6	10	17	13
1994.....	1,253	23	21	7	6	3	9	8	15	18	24
1993.....	1,262	17	31	5	3	12	4	7	15	20	19
1992.....	1,244	18	25	7	6	6	5	11	13	16	16
1991.....	1,288	32	28	5	3	3	7	9	15	15	24
1990.....	1,396	50	21	7	4	8	8	7	5	22	25
1989.....	1,431	45	21	10	1	13	4	14	20	18	21
1988.....	1,547	35	35	14	5	11	11	11	16	23	24
1987.....	1,466	46	32	9	8	12	14	12	18	19	30
1986.....	1,438	44	36	4	8	6	9	21	18	16	24
1985.....	1,306	42	27	7	4	9	11	18	11	22	15
1984.....	1,294	42	31	7	7	12	16	15	14	20	25
1983.....	1,241	51	32	5	8	6	21	11	14	21	26
1982.....	1,188	62	34	9	11	11	13	19	18	21	33
1981.....	1,168	59	36	13	10	18	23	22	21	28	30
1980.....	1,129	70	39	12	6	11	17	17	18	16	29
1979.....	1,109	64	39	7	8	17	17	20	22	18	24

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)											
ALL OTHER, BOTH SEXES											
1998.....	523	17	26	6	2	2	4	7	8	15	26
1997.....	547	27	27	7	8	6	9	7	9	12	29
1996.....	542	31	32	15	8	2	6	10	15	15	16
1995.....	536	28	33	10	6	6	7	7	8	18	14
1994.....	524	30	36	9	5	2	7	5	9	19	19
1993.....	476	30	28	8	4	5	8	6	15	16	17
1992.....	516	40	37	6	2	4	5	10	14	18	22
1991.....	578	41	53	6	4	6	10	9	11	17	17
1990.....	562	58	31	5	5	8	6	12	20	20	19
1989.....	675	63	47	13	6	4	13	15	14	22	18
1988.....	636	50	28	5	5	9	3	14	17	22	21
1987.....	606	49	38	6	4	6	8	12	12	17	25
1986.....	617	53	41	7	10	7	16	20	19	21	14
1985.....	642	58	34	10	8	4	10	20	17	12	22
1984.....	612	49	42	3	13	12	13	9	17	21	14
1983.....	600	59	38	13	5	12	11	16	17	25	22
1982.....	544	63	34	11	6	11	17	10	21	26	22
1981.....	545	63	30	7	11	6	15	19	34	23	23
1980.....	562	91	36	9	9	12	19	8	21	25	17
1979.....	558	88	47	9	5	11	11	17	22	29	19
ALL OTHER MALE											
1998.....	280	8	18	6	2	2	3	3	4	7	16
1997.....	269	17	17	4	3	3	5	4	5	9	16
1996.....	300	20	17	7	5	2	4	6	6	6	8
1995.....	313	18	22	6	3	4	5	5	6	12	9
1994.....	299	13	22	4	4	1	6	3	6	14	12
1993.....	272	18	14	4	4	3	6	5	11	10	13
1992.....	280	20	19	5	2	4	2	5	8	11	12
1991.....	317	28	32	5	3	3	2	6	5	11	11
1990.....	306	35	18	5	3	5	6	8	10	14	13
1989.....	390	37	32	6	4	2	9	12	9	17	8
1988.....	370	29	17	2	2	5	2	12	15	16	15
1987.....	361	31	28	5	2	3	4	8	8	14	18
1986.....	366	36	27	4	8	4	12	14	11	15	8
1985.....	378	25	24	5	5	2	5	16	10	8	15
1984.....	359	32	26	2	8	8	8	6	9	13	7
1983.....	385	36	26	7	4	6	8	7	10	17	12
1982.....	337	38	21	8	4	7	10	8	14	15	17
1981.....	314	36	19	4	5	3	11	13	20	12	15
1980.....	331	48	18	5	5	9	10	7	13	16	8
1979.....	348	48	32	6	5	7	4	8	18	19	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)											
ALL OTHER FEMALE											
1998.....	243	9	8	-	-	-	1	4	4	8	10
1997.....	278	10	10	3	5	3	4	3	4	3	13
1996.....	242	11	15	8	3	-	2	4	9	9	8
1995.....	223	10	11	4	3	2	2	2	2	6	5
1994.....	225	17	14	5	1	1	1	2	3	5	7
1993.....	204	12	14	4	-	2	2	1	4	6	4
1992.....	236	20	18	1	-	-	3	5	6	7	10
1991.....	261	13	21	1	1	3	8	3	6	6	6
1990.....	256	23	13	-	2	3	-	4	10	6	6
1989.....	285	26	15	7	2	2	4	3	5	5	10
1988.....	266	21	11	3	3	4	1	2	2	6	6
1987.....	245	18	10	1	2	3	4	4	4	3	7
1986.....	251	17	14	3	2	3	4	6	8	6	6
1985.....	264	33	10	5	3	2	5	4	7	4	7
1984.....	253	17	16	1	5	4	5	3	8	8	7
1983.....	215	23	12	6	1	6	3	9	7	8	10
1982.....	207	25	13	3	2	4	7	2	7	11	5
1981.....	231	27	11	3	6	3	4	6	14	11	8
1980.....	231	43	18	4	4	3	9	1	8	9	9
1979.....	210	40	15	3	-	4	7	9	4	10	7
BLACK, BOTH SEXES											
1998.....	470	16	22	6	2	2	4	7	8	12	26
1997.....	489	26	22	6	8	5	8	6	7	11	27
1996.....	482	28	29	15	6	1	6	5	14	13	14
1995.....	483	25	24	10	6	6	7	7	5	18	14
1994.....	461	26	33	6	5	2	5	4	9	14	17
1993.....	424	24	25	6	2	5	7	6	12	15	16
1992.....	462	39	33	5	2	4	5	8	9	15	18
1991.....	518	33	48	5	4	6	8	7	11	14	14
1990.....	502	50	28	5	4	7	4	10	20	15	14
1989.....	617	57	44	13	6	4	12	13	10	19	14
1988.....	570	48	23	5	5	9	3	13	15	21	18
1987.....	538	45	32	5	4	4	8	11	10	15	23
1986.....	556	43	37	5	8	7	14	18	17	17	13
1985.....	573	50	31	9	7	3	9	19	11	11	22
1984.....	549	44	36	2	12	12	11	8	16	20	12
1983.....	542	53	37	11	5	10	10	15	15	24	19
1982.....	489	58	30	9	6	8	16	8	18	25	22
1981.....	491	56	26	6	9	4	14	19	28	22	23
1980.....	516	84	35	9	7	12	18	8	18	23	15
1979.....	517	83	44	9	4	10	10	16	20	27	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)											
BLACK MALE											
1998.....	244	7	15	6	2	2	3	3	4	6	16
1997.....	242	17	14	4	3	2	5	4	4	8	14
1996.....	262	18	15	7	3	1	4	3	6	4	6
1995.....	279	16	15	6	3	4	5	5	4	12	9
1994.....	259	10	20	2	4	1	4	3	6	9	10
1993.....	238	14	13	2	2	3	6	5	8	10	12
1992.....	240	19	15	4	2	4	2	3	3	8	10
1991.....	277	23	27	4	3	3	2	4	5	8	9
1990.....	269	30	16	5	3	5	4	7	10	9	10
1989.....	351	34	31	6	4	2	8	10	6	15	5
1988.....	329	28	14	2	2	5	2	11	13	15	13
1987.....	315	29	24	4	2	1	4	7	6	12	17
1986.....	324	28	25	3	7	4	11	12	10	11	8
1985.....	334	21	23	5	4	2	5	15	6	7	15
1984.....	313	30	21	1	7	8	6	5	9	12	5
1983.....	346	33	25	7	4	5	7	6	9	16	10
1982.....	302	33	17	8	4	4	10	7	12	14	17
1981.....	278	32	16	4	4	3	10	13	15	11	15
1980.....	294	42	17	5	4	9	9	7	11	15	7
1979.....	319	46	29	6	4	7	4	7	16	17	12
BLACK FEMALE											
1998.....	226	9	7	-	-	-	1	4	4	6	10
1997.....	247	9	8	2	5	3	3	2	3	3	13
1996.....	220	10	14	8	3	-	2	2	8	9	8
1995.....	204	9	9	4	3	2	2	2	1	6	5
1994.....	202	16	13	4	1	1	1	1	3	5	7
1993.....	186	10	12	4	-	2	1	1	4	5	4
1992.....	222	20	18	1	-	-	3	5	6	7	8
1991.....	241	10	21	1	1	3	6	3	6	6	5
1990.....	233	20	12	-	1	2	-	3	10	6	4
1989.....	266	23	13	7	2	2	4	3	4	4	9
1988.....	241	20	9	3	3	4	1	2	2	6	5
1987.....	223	16	8	1	2	3	4	4	4	3	6
1986.....	232	15	12	2	1	3	3	6	7	6	5
1985.....	239	29	8	4	3	1	4	4	5	4	7
1984.....	236	14	15	1	5	4	5	3	7	8	7
1983.....	196	20	12	4	1	5	3	9	6	8	9
1982.....	187	25	13	1	2	4	6	1	6	11	5
1981.....	213	24	10	2	5	1	4	6	13	11	8
1980.....	222	42	18	4	3	3	9	1	7	8	8
1979.....	198	37	15	3	-	3	6	9	4	10	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY HANDGUN (E922.0)											
TOTAL, BOTH SEXES											
1998.....	140	-	3	3	20	30	34	10	7	9	6
1997.....	161	-	3	2	16	34	29	21	16	12	9
1996.....	187	-	4	4	21	51	34	20	12	9	9
1995.....	233	-	4	5	33	66	41	19	16	11	11
1994.....	233	-	5	4	23	81	38	15	20	12	6
1993.....	260	-	6	6	26	83	62	20	16	11	9
1992.....	233	-	6	6	24	68	54	18	21	7	8
1991.....	255	1	4	8	31	78	52	15	14	13	9
1990.....	241	2	11	11	31	67	44	23	17	13	6
1989.....	231	1	9	7	29	58	34	28	16	11	5
1988.....	202	-	10	4	16	50	37	25	17	12	12
1987.....	206	-	5	13	22	44	45	23	20	10	5
1986.....	183	-	8	5	23	39	36	22	17	7	5
1985.....	190	-	4	7	27	37	46	17	13	13	3
1984.....	225	-	3	11	27	42	37	19	31	19	8
1983.....	209	1	7	6	21	31	46	22	19	16	13
1982.....	219	-	8	8	15	41	46	26	22	13	8
1981.....	224	1	8	10	16	42	46	33	18	10	3
1980.....	288	1	12	17	25	57	47	34	38	17	4
1979.....	311	1	6	16	32	60	57	39	33	7	11
TOTAL, MALE											
1998.....	131	-	2	3	18	29	34	8	6	7	6
1997.....	137	-	1	2	14	34	26	19	11	11	7
1996.....	173	-	4	4	21	51	33	16	10	9	7
1995.....	209	-	2	4	28	65	35	18	13	11	11
1994.....	214	-	4	2	21	79	36	12	19	12	3
1993.....	234	-	5	4	24	78	60	20	12	6	6
1992.....	214	-	5	4	18	66	52	17	20	7	8
1991.....	235	1	3	4	31	76	48	14	12	12	9
1990.....	212	1	7	8	27	65	42	20	16	12	5
1989.....	207	1	5	5	26	55	31	26	14	11	4
1988.....	172	-	5	4	12	48	34	22	14	9	9
1987.....	185	-	4	10	20	42	41	20	18	10	4
1986.....	156	-	7	3	21	36	34	19	11	6	2
1985.....	167	-	3	5	25	36	39	16	10	11	3
1984.....	195	-	1	9	25	41	34	27	14	12	5
1983.....	184	1	5	6	17	31	42	21	15	14	10
1982.....	185	-	6	5	14	37	41	18	20	11	7
1981.....	193	1	6	9	15	38	38	31	16	6	3
1980.....	243	-	8	12	21	51	42	32	32	14	3
1979.....	271	-	4	13	28	55	55	35	30	5	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY HANDGUN (E922.0)											
TOTAL, FEMALE											
1998.....	9	-	1	-	2	1	-	2	1	2	-
1997.....	24	-	2	-	2	-	3	2	5	1	2
1996.....	14	-	-	-	-	-	1	4	2	-	2
1995.....	24	-	2	1	5	1	6	1	3	-	-
1994.....	19	-	1	2	2	2	2	3	1	-	3
1993.....	26	-	1	2	2	5	2	-	4	5	3
1992.....	19	-	1	2	6	2	2	1	1	-	-
1991.....	20	-	1	4	-	2	4	1	2	1	-
1990.....	29	1	4	3	4	2	2	3	1	1	1
1989.....	24	-	4	2	3	3	3	2	2	-	1
1988.....	30	-	5	-	4	2	3	3	3	3	3
1987.....	21	-	1	3	2	2	4	3	2	-	1
1986.....	27	-	1	2	2	3	2	3	6	1	3
1985.....	23	-	1	2	2	1	7	1	3	2	-
1984.....	30	-	2	2	2	1	3	4	5	4	3
1983.....	25	-	2	-	4	-	4	1	4	2	3
1982.....	34	-	2	3	1	4	5	8	2	2	1
1981.....	31	-	2	1	1	4	8	2	2	4	-
1980.....	45	1	4	5	4	6	5	2	6	3	1
1979.....	40	1	2	3	4	5	2	4	3	2	2
WHITE, BOTH SEXES											
1998.....	112	-	2	3	15	23	24	7	7	8	6
1997.....	127	-	1	1	12	24	21	18	15	11	7
1996.....	140	-	1	2	17	31	26	19	8	8	8
1995.....	183	-	3	3	26	46	32	14	13	11	10
1994.....	177	-	3	2	19	56	26	12	16	12	6
1993.....	173	-	3	3	20	45	42	14	13	8	7
1992.....	160	-	3	1	17	39	39	12	18	7	5
1991.....	188	1	3	7	22	44	38	14	11	11	8
1990.....	187	2	9	8	23	47	32	20	15	13	5
1989.....	195	1	8	4	25	46	26	24	16	10	3
1988.....	160	-	7	3	11	39	30	20	15	7	11
1987.....	154	-	3	8	17	29	37	21	16	8	2
1986.....	150	-	6	4	21	32	29	16	14	4	5
1985.....	164	-	4	6	26	29	39	15	9	13	3
1984.....	190	-	3	8	23	32	32	26	16	15	8
1983.....	169	-	7	6	17	23	38	15	16	15	9
1982.....	164	-	5	5	15	31	37	21	15	7	6
1981.....	173	-	5	9	12	32	40	25	12	5	3
1980.....	220	1	10	15	22	46	37	24	21	11	3
1979.....	227	1	2	12	26	46	45	24	22	6	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY HANDGUN (E922.0)											
WHITE MALE											
1998.....	105	-	1	3	14	22	24	6	6	6	6
1997.....	105	-	-	1	10	24	18	16	10	10	6
1996.....	130	-	1	2	17	31	25	16	8	8	6
1995.....	164	-	2	2	21	45	27	14	10	11	10
1994.....	160	-	2	-	17	55	24	9	15	12	3
1993.....	154	-	2	2	19	42	40	14	10	5	4
1992.....	144	-	2	-	12	38	37	11	17	7	5
1991.....	169	1	2	3	22	42	34	13	9	11	8
1990.....	164	1	5	5	20	46	31	19	14	12	4
1989.....	173	1	5	3	22	43	23	22	14	10	2
1988.....	137	-	3	3	8	38	28	17	13	6	8
1987.....	137	-	2	5	15	27	34	18	14	8	2
1986.....	131	-	5	3	20	29	28	14	11	3	2
1985.....	145	-	3	4	24	28	33	15	7	11	3
1984.....	166	-	1	7	22	31	29	23	11	11	5
1983.....	150	-	5	6	16	23	34	14	12	14	7
1982.....	137	-	3	3	14	30	33	13	13	6	5
1981.....	149	-	3	8	11	29	36	23	11	2	3
1980.....	184	-	6	11	18	40	34	22	18	8	2
1979.....	200	-	1	11	24	41	44	24	19	4	7
WHITE FEMALE											
1998.....	7	-	1	-	1	1	-	1	1	2	-
1997.....	22	-	1	-	2	-	3	2	5	1	1
1996.....	10	-	-	-	-	-	1	3	-	-	2
1995.....	19	-	1	1	5	1	5	-	3	-	-
1994.....	17	-	1	2	2	1	2	3	1	-	3
1993.....	19	-	1	1	1	3	2	-	3	3	3
1992.....	16	-	1	1	5	1	2	1	1	-	-
1991.....	19	-	1	4	-	2	4	1	2	-	-
1990.....	23	1	4	3	3	1	1	1	1	1	1
1989.....	22	-	3	1	3	3	3	2	2	-	1
1988.....	23	-	4	-	3	1	2	3	2	1	3
1987.....	17	-	1	3	2	2	3	3	2	-	-
1986.....	19	-	1	1	1	3	1	2	3	1	3
1985.....	19	-	1	2	2	1	6	-	2	2	-
1984.....	24	-	2	1	1	1	3	3	5	4	3
1983.....	19	-	2	-	1	-	4	1	4	1	2
1982.....	27	-	2	2	1	1	4	8	2	1	1
1981.....	24	-	2	1	1	3	4	2	1	3	-
1980.....	36	1	4	4	4	6	3	2	3	3	1
1979.....	27	1	1	1	2	5	1	-	3	2	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY HANDGUN (E922.0)											
ALL OTHER, BOTH SEXES											
1998.....	28	-	1	-	5	7	10	3	-	1	-
1997.....	34	-	2	1	4	10	8	3	1	1	2
1996.....	47	-	3	2	4	20	8	1	4	1	1
1995.....	50	-	1	2	7	20	9	5	3	-	1
1994.....	56	-	2	2	4	25	12	3	4	-	-
1993.....	87	-	3	3	6	38	20	6	3	3	2
1992.....	73	-	3	5	7	29	15	6	3	-	3
1991.....	67	-	1	1	9	34	14	1	3	2	1
1990.....	54	-	2	3	8	20	12	3	2	-	1
1989.....	36	-	1	3	4	12	8	4	-	1	2
1988.....	42	-	3	1	5	11	7	5	2	5	1
1987.....	52	-	2	5	5	15	8	2	4	2	3
1986.....	33	-	2	1	2	7	7	6	3	3	-
1985.....	26	-	-	1	1	8	7	2	4	-	-
1984.....	35	-	-	3	4	10	5	5	3	1	-
1983.....	40	1	-	-	4	8	8	7	3	1	4
1982.....	55	-	3	3	-	10	9	5	7	6	2
1981.....	51	1	3	1	4	10	6	8	6	5	-
1980.....	68	-	2	2	3	11	10	10	17	6	1
1979.....	84	-	4	4	6	14	12	15	11	1	2
ALL OTHER MALE											
1998.....	26	-	1	-	4	7	10	2	-	1	-
1997.....	32	-	1	1	4	10	8	3	1	1	1
1996.....	43	-	3	2	4	20	8	-	2	1	1
1995.....	45	-	-	2	7	20	8	4	3	-	1
1994.....	54	-	2	2	4	24	12	3	4	-	-
1993.....	80	-	3	2	5	36	20	6	2	1	2
1992.....	70	-	3	4	6	28	15	6	3	-	3
1991.....	66	-	1	1	9	34	14	1	3	1	1
1990.....	48	-	2	3	7	19	11	1	2	-	1
1989.....	34	-	-	2	4	12	8	4	-	1	2
1988.....	35	-	2	1	4	10	6	5	1	3	1
1987.....	48	-	2	5	5	15	7	2	4	2	2
1986.....	25	-	2	-	1	7	6	5	-	3	-
1985.....	22	-	-	1	1	8	6	1	3	-	-
1984.....	29	-	-	2	3	10	5	4	3	1	-
1983.....	34	1	-	-	1	8	8	7	3	-	3
1982.....	48	-	3	2	-	7	8	5	7	5	2
1981.....	44	1	3	1	4	9	2	8	5	4	-
1980.....	59	-	2	1	3	11	8	10	14	6	1
1979.....	71	-	3	2	4	14	11	11	11	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY HANDGUN (E922.0)											
ALL OTHER FEMALE											
1998.....	2	-	-	-	1	-	-	1	-	-	-
1997.....	2	-	1	-	-	-	-	-	-	-	1
1996.....	4	-	-	-	-	-	-	1	2	-	-
1995.....	5	-	1	-	-	-	1	1	-	-	-
1994.....	2	-	-	-	-	1	-	-	-	-	-
1993.....	7	-	-	1	1	2	-	-	1	2	-
1992.....	3	-	-	1	1	1	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	1	-
1990.....	6	-	-	-	1	1	1	2	-	-	-
1989.....	2	-	1	1	-	-	-	-	-	-	-
1988.....	7	-	1	-	1	1	1	-	1	2	-
1987.....	4	-	-	-	-	-	1	-	-	-	1
1986.....	8	-	-	1	1	-	1	1	3	-	-
1985.....	4	-	-	-	-	-	1	1	1	-	-
1984.....	6	-	-	1	1	-	-	1	-	-	-
1983.....	6	-	-	-	3	-	-	-	-	1	1
1982.....	7	-	-	1	-	3	1	-	-	1	-
1981.....	7	-	-	-	-	1	4	-	1	1	-
1980.....	9	-	-	1	-	-	2	-	3	-	-
1979.....	13	-	1	2	2	-	1	4	-	-	-
BLACK, BOTH SEXES											
1998.....	26	-	1	-	4	7	9	3	-	1	-
1997.....	31	-	2	1	3	10	7	3	1	1	1
1996.....	43	-	3	2	4	18	6	1	4	1	1
1995.....	44	-	1	1	7	17	9	4	2	-	1
1994.....	44	-	2	2	3	20	9	1	4	-	-
1993.....	76	-	3	2	5	36	19	3	1	3	2
1992.....	67	-	3	5	7	26	13	6	3	-	2
1991.....	61	-	1	1	8	31	13	1	2	2	1
1990.....	46	-	2	2	8	17	10	2	2	-	1
1989.....	31	-	1	2	4	10	6	4	-	1	2
1988.....	35	-	2	1	5	9	6	3	1	5	1
1987.....	46	-	1	5	3	15	6	2	3	2	3
1986.....	31	-	2	1	2	6	6	6	3	3	-
1985.....	25	-	-	1	1	8	6	2	4	-	-
1984.....	31	-	-	3	3	8	5	4	3	1	-
1983.....	39	1	-	-	4	8	7	7	3	1	4
1982.....	52	-	3	3	-	10	7	5	6	6	2
1981.....	50	1	3	1	4	10	6	8	5	5	-
1980.....	65	-	2	2	3	10	10	9	16	6	1
1979.....	79	-	4	3	6	13	11	15	11	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY HANDGUN (E922.0)											
BLACK MALE											
1998.....	25	-	1	-	4	7	9	2	-	1	-
1997.....	29	-	1	1	3	10	7	3	1	1	-
1996.....	39	-	3	2	4	18	6	-	2	1	1
1995.....	39	-	-	1	7	17	8	3	2	-	1
1994.....	42	-	2	2	3	19	9	1	4	-	-
1993.....	71	-	3	2	4	34	19	3	1	1	2
1992.....	64	-	3	4	6	25	13	6	3	-	2
1991.....	60	-	1	1	8	31	13	1	2	1	1
1990.....	41	-	2	2	7	16	9	1	2	-	1
1989.....	29	-	-	1	4	10	6	4	-	1	2
1988.....	29	-	2	1	4	8	5	3	-	3	1
1987.....	42	-	1	5	3	15	5	2	3	2	2
1986.....	23	-	2	-	1	6	5	5	-	3	-
1985.....	21	-	-	1	1	8	5	1	3	-	-
1984.....	25	-	-	2	2	8	5	3	3	1	-
1983.....	33	1	-	-	1	8	7	7	3	-	3
1982.....	45	-	3	2	-	7	6	5	6	5	2
1981.....	44	1	3	1	4	9	2	8	5	4	-
1980.....	56	-	2	1	3	10	8	9	13	6	1
1979.....	67	-	3	2	4	13	10	11	11	1	2
BLACK FEMALE											
1998.....	1	-	-	-	-	-	-	1	-	-	-
1997.....	2	-	1	-	-	-	-	-	-	-	1
1996.....	4	-	-	-	-	-	-	1	2	-	-
1995.....	5	-	1	-	-	-	1	1	-	-	-
1994.....	2	-	-	-	-	1	-	-	-	-	-
1993.....	5	-	-	-	1	2	-	-	-	2	-
1992.....	3	-	-	1	1	1	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	1	-
1990.....	5	-	-	-	1	1	1	1	-	-	-
1989.....	2	-	1	1	-	-	-	-	-	-	-
1988.....	6	-	-	-	1	1	1	-	1	2	-
1987.....	4	-	-	-	-	-	1	-	-	-	1
1986.....	8	-	-	1	1	-	1	1	3	-	-
1985.....	4	-	-	-	-	-	1	1	1	-	-
1984.....	6	-	-	1	1	-	-	1	-	-	-
1983.....	6	-	-	-	3	-	-	-	-	1	1
1982.....	7	-	-	1	-	3	1	-	-	1	-
1981.....	6	-	-	-	-	1	4	-	-	1	-
1980.....	9	-	-	1	-	-	2	-	3	-	-
1979.....	12	-	1	1	2	-	1	4	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTS CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)											
TOTAL, BOTH SEXES											
1998.....	726	-	16	31	48	111	85	59	61	74	54
1997.....	820	-	17	26	78	130	107	61	67	56	53
1996.....	947	2	11	23	73	187	129	85	66	67	64
1995.....	992	-	16	27	96	193	123	101	86	85	57
1994.....	1,123	2	27	21	103	246	175	106	102	72	65
1993.....	1,261	-	24	32	111	238	212	116	103	110	63
1992.....	1,176	1	29	42	108	217	180	110	108	82	59
1991.....	1,186	1	18	33	131	246	166	118	96	75	47
1990.....	1,175	1	20	45	115	238	151	131	108	72	72
1989.....	1,258	3	29	52	143	236	188	115	115	79	52
1988.....	1,299	-	31	47	169	216	163	117	105	101	88
1987.....	1,234	1	31	53	122	176	168	137	111	92	65
1986.....	1,269	3	23	52	120	199	169	143	117	85	75
1985.....	1,459	2	37	51	150	204	192	167	142	102	97
1984.....	1,443	-	31	55	160	223	213	154	125	97	64
1983.....	1,486	2	30	39	137	230	237	172	134	103	83
1982.....	1,537	1	35	73	139	230	226	197	141	93	88
1981.....	1,647	1	41	54	167	264	278	184	144	88	85
1980.....	1,667	2	30	60	169	316	282	207	136	90	78
1979.....	1,693	3	47	71	196	294	257	168	118	95	76
TOTAL, MALE											
1998.....	631	-	13	20	40	101	79	54	55	60	46
1997.....	719	-	10	19	72	125	97	55	56	45	48
1996.....	831	1	6	16	67	168	118	76	56	58	56
1995.....	846	-	12	18	86	182	110	88	67	65	40
1994.....	978	-	19	13	95	230	159	90	84	55	58
1993.....	1,094	-	23	26	102	213	190	95	89	93	50
1992.....	1,024	1	16	35	98	199	159	95	94	70	53
1991.....	1,069	-	9	27	121	229	154	109	86	63	46
1990.....	1,043	1	15	36	109	220	130	108	94	66	64
1989.....	1,110	3	18	44	128	213	172	101	102	65	43
1988.....	1,132	-	23	41	143	202	153	98	91	83	72
1987.....	1,064	1	22	37	109	162	151	112	94	79	59
1986.....	1,098	2	13	37	104	174	149	129	105	78	57
1985.....	1,248	-	23	35	139	181	174	145	115	82	78
1984.....	1,266	-	24	45	142	201	181	139	105	86	52
1983.....	1,281	1	17	26	121	213	208	146	107	89	74
1982.....	1,339	-	31	58	116	213	193	171	127	77	80
1981.....	1,399	1	27	37	148	236	238	159	112	66	78
1980.....	1,443	1	17	46	149	277	248	180	119	76	68
1979.....	1,444	1	38	48	175	266	213	147	98	82	69

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTS CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)											
TOTAL, FEMALE											
1998.....	95	-	3	11	8	10	6	5	6	14	8
1997.....	101	-	7	7	6	5	10	6	11	11	5
1996.....	116	1	5	7	6	19	11	9	10	9	8
1995.....	146	-	4	9	10	11	13	13	19	20	17
1994.....	145	2	8	8	8	16	16	16	18	17	7
1993.....	167	-	1	6	9	25	22	21	14	17	13
1992.....	152	-	13	7	10	18	21	15	14	12	6
1991.....	117	1	9	6	10	17	12	9	10	12	1
1990.....	132	-	5	9	6	18	21	23	14	6	8
1989.....	148	-	11	8	15	23	16	14	13	14	9
1988.....	167	-	8	6	26	14	10	19	14	18	16
1987.....	170	-	9	16	13	14	17	25	17	13	6
1986.....	171	1	10	15	16	25	20	14	12	7	18
1985.....	211	2	14	16	11	23	18	22	27	20	19
1984.....	177	-	7	10	18	22	32	15	20	11	12
1983.....	205	1	13	13	16	17	29	26	27	14	9
1982.....	198	1	4	15	23	17	33	26	14	16	8
1981.....	248	-	14	17	19	28	40	25	32	22	7
1980.....	224	1	13	14	20	39	34	27	17	14	10
1979.....	249	2	9	23	21	28	44	21	20	13	7
WHITE, BOTH SEXES											
1998.....	560	-	10	16	38	79	57	43	48	60	46
1997.....	655	-	12	15	60	93	79	52	55	47	43
1996.....	728	-	7	15	53	122	89	65	53	54	54
1995.....	763	-	9	19	79	129	83	74	70	77	46
1994.....	821	1	9	13	76	156	115	77	78	58	56
1993.....	948	-	13	21	82	146	149	88	86	87	53
1992.....	911	1	18	26	85	141	135	85	87	69	50
1991.....	915	1	10	21	102	180	110	84	78	57	40
1990.....	926	1	13	33	92	179	112	101	85	60	60
1989.....	958	1	16	40	116	169	121	90	86	60	40
1988.....	1,028	-	21	33	134	166	124	86	83	79	70
1987.....	1,004	1	21	43	106	142	127	112	83	74	53
1986.....	1,060	2	15	36	106	169	136	114	97	68	59
1985.....	1,182	1	24	40	131	154	157	134	113	80	77
1984.....	1,211	-	23	47	144	187	163	123	99	80	54
1983.....	1,224	-	23	31	124	199	189	122	101	85	74
1982.....	1,293	1	26	60	130	184	189	159	113	78	72
1981.....	1,350	-	24	38	134	221	231	150	116	74	72
1980.....	1,362	2	20	42	148	269	226	161	107	69	67
1979.....	1,378	2	29	54	171	249	207	133	84	77	60

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTS CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)											
WHITE MALE											
1998.....	489	-	9	12	32	71	54	38	44	49	39
1997.....	575	-	6	11	57	90	70	48	48	37	38
1996.....	634	-	4	9	48	112	80	57	44	46	47
1995.....	637	-	5	13	69	119	72	62	55	59	33
1994.....	716	-	8	7	69	144	105	65	65	43	50
1993.....	824	-	12	19	76	128	134	74	75	74	43
1992.....	792	1	7	21	78	130	119	75	74	61	45
1991.....	819	-	7	16	95	166	98	77	69	46	39
1990.....	833	1	11	29	88	166	98	85	76	54	53
1989.....	850	1	9	36	105	152	110	79	75	50	34
1988.....	904	-	17	29	115	156	118	70	75	65	60
1987.....	870	1	15	30	96	133	114	93	71	62	49
1986.....	922	1	9	27	95	147	120	101	87	63	43
1985.....	1,015	-	12	29	121	138	142	116	94	65	59
1984.....	1,064	-	18	38	128	168	139	113	80	70	45
1983.....	1,058	-	12	20	108	185	166	106	82	73	66
1982.....	1,129	-	22	48	109	173	162	139	102	66	64
1981.....	1,167	-	17	27	121	199	201	136	89	57	66
1980.....	1,190	1	10	33	132	240	201	140	95	57	60
1979.....	1,190	1	22	36	154	229	172	117	71	67	53
WHITE FEMALE											
1998.....	71	-	1	4	6	8	3	5	4	11	7
1997.....	80	-	6	4	3	3	9	4	7	10	5
1996.....	94	-	3	6	5	10	9	8	9	8	7
1995.....	126	-	4	6	10	10	11	12	15	18	13
1994.....	105	1	1	6	7	12	10	12	13	15	6
1993.....	124	-	1	2	6	18	15	14	11	13	10
1992.....	119	-	11	5	7	11	16	10	13	8	5
1991.....	96	1	3	5	7	14	12	7	9	11	1
1990.....	93	-	2	4	4	13	14	16	9	6	7
1989.....	108	-	7	4	11	17	11	11	11	10	6
1988.....	124	-	4	4	19	10	6	16	8	14	10
1987.....	134	-	6	13	10	9	13	19	12	12	4
1986.....	138	1	6	9	11	22	16	13	10	5	16
1985.....	167	1	12	11	10	16	15	18	19	15	18
1984.....	147	-	5	9	16	19	24	10	19	10	9
1983.....	166	-	11	11	16	14	23	16	19	12	8
1982.....	164	1	4	12	21	11	27	20	11	12	8
1981.....	183	-	7	11	13	22	30	14	27	17	6
1980.....	172	1	10	9	16	29	25	21	12	12	7
1979.....	188	1	7	18	17	20	35	16	13	10	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTS CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)											
ALL OTHER, BOTH SEXES											
1998.....	166	-	6	15	10	32	28	16	13	14	8
1997.....	165	-	5	11	18	37	28	9	12	9	10
1996.....	219	2	4	8	20	65	40	20	13	13	10
1995.....	229	-	7	8	17	64	40	27	16	8	11
1994.....	302	1	18	8	27	90	60	29	24	14	9
1993.....	313	-	11	11	29	92	63	28	17	23	10
1992.....	265	-	11	16	23	76	45	25	21	13	9
1991.....	271	-	8	12	29	66	56	34	18	18	7
1990.....	249	-	7	12	23	59	39	30	23	12	12
1989.....	300	2	13	12	27	67	67	25	29	19	12
1988.....	271	-	10	14	35	50	39	31	22	22	18
1987.....	230	-	10	10	16	34	41	25	28	18	12
1986.....	209	1	8	16	14	30	33	29	20	17	16
1985.....	277	1	13	11	19	50	35	33	29	22	20
1984.....	232	-	8	8	16	36	50	31	26	17	10
1983.....	262	2	7	8	13	31	48	50	33	18	9
1982.....	244	-	9	13	9	46	37	38	28	15	16
1981.....	297	1	17	16	33	43	47	34	28	14	13
1980.....	305	-	10	18	21	47	56	46	29	21	11
1979.....	315	1	18	17	25	45	50	35	34	18	16
ALL OTHER MALE											
1998.....	142	-	4	8	8	30	25	16	11	11	7
1997.....	144	-	4	8	15	35	27	7	8	8	10
1996.....	197	1	2	7	19	56	38	19	12	12	9
1995.....	209	-	7	5	17	63	38	26	12	6	7
1994.....	262	-	11	6	26	86	54	25	19	12	8
1993.....	270	-	11	7	26	85	56	21	14	19	7
1992.....	232	-	9	14	20	69	40	20	20	9	8
1991.....	250	-	2	11	26	63	56	32	17	17	7
1990.....	210	-	4	7	21	54	32	23	18	12	11
1989.....	260	2	9	8	23	61	62	22	27	15	9
1988.....	228	-	6	12	28	46	35	28	16	18	12
1987.....	194	-	7	7	13	29	37	19	23	17	10
1986.....	176	1	4	10	9	27	29	28	18	15	14
1985.....	233	-	11	6	18	43	32	29	21	17	19
1984.....	202	-	6	7	14	33	42	26	25	16	7
1983.....	223	1	5	6	13	28	42	40	25	16	8
1982.....	210	-	9	10	7	40	31	32	25	11	16
1981.....	232	1	10	10	27	37	37	23	23	9	12
1980.....	253	-	7	13	17	37	47	40	24	19	8
1979.....	254	-	16	12	21	37	41	30	27	15	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENTS CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)											
ALL OTHER FEMALE											
1998.....	24	-	2	7	2	2	3	-	2	3	1
1997.....	21	-	1	3	3	2	1	2	4	1	-
1996.....	22	1	2	1	1	9	2	1	1	1	1
1995.....	20	-	-	3	-	1	2	1	4	2	4
1994.....	40	1	7	2	1	4	6	4	5	2	1
1993.....	43	-	-	4	3	7	7	7	3	4	3
1992.....	33	-	2	2	3	7	5	5	1	4	1
1991.....	21	-	6	1	3	3	-	2	1	1	-
1990.....	39	-	3	5	2	5	7	7	5	-	1
1989.....	40	-	4	4	4	6	5	3	2	4	3
1988.....	43	-	4	2	7	4	4	3	6	4	6
1987.....	36	-	3	3	3	5	4	6	5	1	2
1986.....	33	-	4	6	5	3	4	1	2	2	2
1985.....	44	1	2	5	1	7	3	4	8	5	1
1984.....	30	-	2	1	2	3	8	5	1	1	3
1983.....	39	1	2	2	-	3	6	10	8	2	1
1982.....	34	-	-	3	2	6	6	6	3	4	-
1981.....	65	-	7	6	6	6	10	11	5	5	1
1980.....	52	-	3	5	4	10	9	6	5	2	3
1979.....	61	1	2	5	4	8	9	5	7	3	-
BLACK, BOTH SEXES											
1998.....	148	-	5	12	8	31	26	15	8	13	8
1997.....	142	-	5	8	14	31	26	9	11	7	9
1996.....	201	2	4	8	19	60	37	16	12	12	10
1995.....	201	-	7	3	14	57	37	26	12	6	10
1994.....	269	1	16	7	24	79	51	26	22	13	9
1993.....	284	-	10	7	27	84	58	27	16	17	10
1992.....	233	-	11	15	19	71	39	20	16	11	7
1991.....	229	-	7	9	23	57	49	30	14	14	6
1990.....	213	-	6	9	20	56	33	24	19	9	9
1989.....	245	2	11	8	23	57	52	18	24	15	10
1988.....	231	-	9	12	31	44	31	26	19	20	14
1987.....	201	-	8	8	15	31	36	18	25	17	11
1986.....	180	1	7	14	11	27	25	22	18	16	14
1985.....	226	1	13	7	16	42	23	25	25	18	16
1984.....	196	-	8	5	15	27	36	27	26	16	9
1983.....	216	2	7	7	11	22	32	45	29	16	7
1982.....	196	-	8	12	7	33	27	31	24	14	12
1981.....	255	1	15	15	31	34	35	31	22	13	11
1980.....	270	-	9	14	19	44	47	39	25	19	11
1979.....	275	1	17	16	22	37	40	30	29	15	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

0 ACCIDENTS CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	129	-	4	7	6	29	23	15	7	10	7
1997.....	123	-	4	6	12	29	25	7	7	6	9
1996.....	180	1	2	7	18	52	35	15	11	11	9
1995.....	186	-	7	3	14	57	36	25	8	4	6
1994.....	232	-	10	5	23	76	45	23	17	11	8
1993.....	246	-	10	5	24	78	52	20	13	14	7
1992.....	203	-	9	13	16	65	34	15	15	8	6
1991.....	210	-	2	8	20	54	49	28	13	13	6
1990.....	180	-	3	5	19	51	26	18	16	9	8
1989.....	217	2	8	6	19	53	49	16	23	12	8
1988.....	194	-	6	10	24	40	27	24	14	17	8
1987.....	172	-	7	6	12	26	32	13	20	17	10
1986.....	149	1	3	8	7	24	22	21	16	14	12
1985.....	192	-	11	3	15	37	22	22	18	14	16
1984.....	171	-	6	4	13	25	31	23	25	15	6
1983.....	182	1	5	5	11	20	28	36	21	14	6
1982.....	163	-	8	9	5	27	22	25	21	10	12
1981.....	201	1	10	10	26	29	27	21	18	8	10
1980.....	225	-	7	11	15	34	39	34	21	17	8
1979.....	216	-	15	11	18	30	31	25	23	12	16
BLACK FEMALE											
1998.....	19	-	1	5	2	2	3	-	1	3	1
1997.....	19	-	1	2	2	2	1	2	4	1	-
1996.....	21	1	2	1	1	8	2	1	1	1	1
1995.....	15	-	-	-	-	-	1	1	4	2	4
1994.....	37	1	6	2	1	3	6	3	5	2	1
1993.....	38	-	-	2	3	6	6	7	3	3	3
1992.....	30	-	2	2	3	6	5	5	1	3	1
1991.....	19	-	5	1	3	3	-	2	1	1	-
1990.....	33	-	3	4	1	5	7	6	3	-	1
1989.....	28	-	3	2	4	4	3	2	1	3	2
1988.....	37	-	3	2	7	4	4	2	5	3	6
1987.....	29	-	1	2	3	5	4	5	5	-	1
1986.....	31	-	4	6	4	3	3	1	2	2	2
1985.....	34	1	2	4	1	5	1	3	7	4	-
1984.....	25	-	2	1	2	2	5	4	1	1	3
1983.....	34	1	2	2	-	2	4	9	8	2	1
1982.....	33	-	-	3	2	6	5	6	3	4	-
1981.....	54	-	5	5	5	5	8	10	4	5	1
1980.....	45	-	2	3	4	10	8	5	4	2	3
1979.....	59	1	2	5	4	7	9	5	6	3	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL (E923)											
TOTAL, BOTH SEXES											
1998.....	155	-	1	2	3	7	8	14	11	11	25
1997.....	149	-	1	3	4	10	11	10	17	16	17
1996.....	130	1	-	1	5	4	7	13	11	18	15
1995.....	170	-	-	1	15	4	13	10	16	17	23
1994.....	158	-	3	1	2	7	12	16	17	25	14
1993.....	178	-	6	3	4	15	14	12	23	25	16
1992.....	189	-	-	3	4	8	8	17	22	28	27
1991.....	182	-	5	4	4	6	13	18	14	17	18
1990.....	202	-	1	7	4	8	18	26	24	23	15
1989.....	238	-	-	3	4	8	12	31	40	26	27
1988.....	193	-	2	2	6	20	14	16	25	22	21
1987.....	216	-	2	1	6	13	21	20	20	19	13
1986.....	242	1	7	4	5	10	12	31	24	25	16
1985.....	296	2	4	3	4	10	33	35	32	23	29
1984.....	247	-	5	3	3	9	30	25	33	17	21
1983.....	264	1	2	8	4	16	20	25	32	38	26
1982.....	278	-	3	6	3	14	29	33	34	27	25
1981.....	351	2	8	4	6	17	47	57	37	31	22
1980.....	339	1	5	6	13	24	40	35	32	22	23
1979.....	345	2	7	3	9	29	47	45	36	28	16
TOTAL, MALE											
1998.....	136	-	1	1	3	7	8	14	9	10	22
1997.....	124	-	-	3	3	7	8	9	14	14	15
1996.....	108	-	-	-	3	2	7	12	10	18	14
1995.....	141	-	-	-	11	2	11	9	15	16	20
1994.....	147	-	2	1	2	7	11	15	17	23	13
1993.....	153	-	2	3	2	14	13	11	23	24	15
1992.....	161	-	-	1	3	8	5	16	18	28	24
1991.....	155	-	1	3	4	6	11	16	13	16	16
1990.....	185	-	1	5	4	8	18	26	21	22	13
1989.....	215	-	-	1	2	8	11	30	39	24	26
1988.....	172	-	2	2	4	20	13	15	22	22	19
1987.....	189	-	1	-	5	12	19	19	19	19	11
1986.....	203	-	3	2	4	8	12	28	21	23	16
1985.....	245	-	2	2	4	7	30	32	31	16	27
1984.....	224	-	5	3	3	7	29	25	30	15	20
1983.....	218	1	1	5	2	13	18	20	28	35	23
1982.....	236	-	1	3	1	13	27	31	31	26	21
1981.....	316	2	6	2	6	16	47	54	36	29	21
1980.....	282	-	2	6	10	20	33	32	29	21	20
1979.....	300	1	5	2	8	26	43	44	31	25	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL (E923)											
TOTAL, FEMALE											
1998.....	19	-	-	1	-	-	-	-	2	1	3
1997.....	25	-	1	-	1	3	3	1	3	2	2
1996.....	22	1	-	1	2	2	-	1	1	-	1
1995.....	29	-	-	1	4	2	2	1	1	1	3
1994.....	11	-	1	-	-	-	1	1	-	2	1
1993.....	25	-	4	-	2	1	1	1	-	1	1
1992.....	28	-	-	2	1	-	3	1	4	-	3
1991.....	27	-	4	1	-	-	2	2	1	1	2
1990.....	17	-	-	2	-	-	-	-	3	1	2
1989.....	23	-	-	2	2	-	1	1	1	2	1
1988.....	21	-	-	-	2	-	1	1	3	-	2
1987.....	27	-	1	1	1	1	2	1	1	-	2
1986.....	39	1	4	2	1	2	-	3	3	2	-
1985.....	51	2	2	1	-	3	3	3	1	7	2
1984.....	23	-	-	-	-	2	1	-	3	2	1
1983.....	46	-	1	3	2	3	2	5	4	3	3
1982.....	42	-	2	3	2	1	2	2	3	1	4
1981.....	35	-	2	2	-	1	-	3	1	2	1
1980.....	57	1	3	-	3	4	7	3	3	1	3
1979.....	45	1	2	1	1	3	4	1	5	3	-
WHITE, BOTH SEXES											
1998.....	142	-	1	2	3	7	8	14	10	9	23
1997.....	129	-	1	3	4	8	10	9	13	12	15
1996.....	117	1	-	1	5	4	5	13	11	16	14
1995.....	148	-	-	1	15	3	10	9	14	17	19
1994.....	142	-	3	1	2	7	12	16	15	24	10
1993.....	152	-	5	2	4	15	12	10	20	20	14
1992.....	163	-	-	2	4	7	7	16	21	22	23
1991.....	162	-	4	4	4	5	13	17	13	16	15
1990.....	177	-	1	4	2	7	17	23	22	17	15
1989.....	216	-	-	3	3	8	10	30	38	22	23
1988.....	169	-	2	2	6	19	12	16	18	20	19
1987.....	175	-	1	1	6	11	17	15	15	16	9
1986.....	207	-	6	4	4	10	11	29	20	21	14
1985.....	257	2	4	3	4	8	31	30	27	19	24
1984.....	211	-	3	2	3	9	25	22	29	16	19
1983.....	240	1	1	8	3	16	18	20	29	37	23
1982.....	221	-	3	1	1	13	24	29	28	23	22
1981.....	310	1	7	2	6	15	42	51	33	29	21
1980.....	265	-	4	5	11	19	33	27	25	18	17
1979.....	286	2	4	3	8	25	35	37	29	22	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL (E923)											
WHITE MALE											
1998.....	124	-	1	1	3	7	8	14	8	8	20
1997.....	106	-	-	3	3	6	7	8	10	10	14
1996.....	96	-	-	-	3	2	5	12	10	16	13
1995.....	123	-	-	-	11	2	9	8	13	16	16
1994.....	133	-	2	1	2	7	11	15	15	22	9
1993.....	131	-	2	2	2	14	12	9	20	20	13
1992.....	142	-	-	1	3	7	5	15	18	22	20
1991.....	139	-	1	3	4	5	11	15	12	15	15
1990.....	162	-	1	3	2	7	17	23	19	17	13
1989.....	198	-	-	1	2	8	10	30	37	20	23
1988.....	151	-	2	2	4	19	11	15	16	20	17
1987.....	154	-	-	-	5	10	15	15	14	16	9
1986.....	175	-	3	2	4	8	11	26	17	19	14
1985.....	209	-	2	2	4	6	28	27	26	12	23
1984.....	192	-	3	2	3	7	24	22	26	14	19
1983.....	197	1	1	5	1	13	16	16	25	34	20
1982.....	190	-	1	1	-	12	22	27	25	23	19
1981.....	280	1	5	1	6	15	42	48	32	27	20
1980.....	223	-	2	5	8	17	29	25	23	17	15
1979.....	252	1	4	2	7	23	32	37	26	19	14
WHITE FEMALE											
1998.....	18	-	-	1	-	-	-	-	2	1	3
1997.....	23	-	1	-	1	2	3	1	3	2	1
1996.....	21	1	-	1	2	2	-	1	1	-	1
1995.....	25	-	-	1	4	1	1	1	1	1	3
1994.....	9	-	1	-	-	-	1	1	-	2	1
1993.....	21	-	3	-	2	1	-	1	-	-	1
1992.....	21	-	-	1	1	-	2	1	3	-	3
1991.....	23	-	3	1	-	-	2	2	1	1	-
1990.....	15	-	-	1	-	-	-	-	3	-	2
1989.....	18	-	-	2	1	-	-	-	1	2	-
1988.....	18	-	-	-	2	-	1	1	2	-	2
1987.....	21	-	1	1	1	1	2	-	1	-	-
1986.....	32	-	3	2	-	2	-	3	3	2	-
1985.....	48	2	2	1	-	2	3	3	1	7	1
1984.....	19	-	-	-	-	2	1	-	3	2	-
1983.....	43	-	-	3	2	3	2	4	4	3	3
1982.....	31	-	2	-	1	1	2	2	3	-	3
1981.....	30	-	2	1	-	-	-	3	1	2	1
1980.....	42	-	2	-	3	2	4	2	2	1	2
1979.....	34	1	-	1	1	2	3	-	3	3	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL (E923)											
ALL OTHER, BOTH SEXES											
1998.....	13	-	-	-	-	-	-	-	1	2	2
1997.....	20	-	-	-	-	2	1	1	4	4	2
1996.....	13	-	-	-	-	-	2	-	-	2	1
1995.....	22	-	-	-	-	1	3	1	2	-	4
1994.....	16	-	-	-	-	-	-	-	2	1	4
1993.....	26	-	1	1	-	-	2	2	3	5	2
1992.....	26	-	-	1	-	1	1	1	1	6	4
1991.....	20	-	1	-	-	1	-	1	1	1	3
1990.....	25	-	-	3	2	1	1	3	2	6	-
1989.....	22	-	-	-	1	-	2	1	2	4	4
1988.....	24	-	-	-	-	1	2	-	7	2	2
1987.....	41	-	1	-	-	2	4	5	5	3	4
1986.....	35	1	1	-	1	-	1	2	4	4	2
1985.....	39	-	-	-	-	2	2	5	5	4	5
1984.....	36	-	2	1	-	-	5	3	4	1	2
1983.....	24	-	1	-	1	-	2	5	3	1	3
1982.....	57	-	-	5	2	1	5	4	6	4	3
1981.....	41	1	1	2	-	2	5	6	4	2	1
1980.....	74	1	1	1	2	5	7	8	7	4	6
1979.....	59	-	3	-	1	4	12	8	7	6	2
ALL OTHER MALE											
1998.....	12	-	-	-	-	-	-	-	1	2	2
1997.....	18	-	-	-	-	1	1	1	4	4	1
1996.....	12	-	-	-	-	-	2	-	-	2	1
1995.....	18	-	-	-	-	-	2	1	2	-	4
1994.....	14	-	-	-	-	-	-	-	2	1	4
1993.....	22	-	-	1	-	-	1	2	3	4	2
1992.....	19	-	-	-	-	1	-	1	-	6	4
1991.....	16	-	-	-	-	1	-	1	1	1	1
1990.....	23	-	-	2	2	1	1	3	2	5	-
1989.....	17	-	-	-	-	-	1	-	2	4	3
1988.....	21	-	-	-	-	1	2	-	6	2	2
1987.....	35	-	1	-	-	2	4	4	5	3	2
1986.....	28	-	-	-	-	-	1	2	4	4	2
1985.....	36	-	-	-	-	1	2	5	5	4	4
1984.....	32	-	2	1	-	-	5	3	4	1	1
1983.....	21	-	-	-	1	-	2	4	3	1	3
1982.....	46	-	-	2	1	1	5	4	6	3	2
1981.....	36	1	1	1	-	1	5	6	4	2	1
1980.....	59	-	-	1	2	3	4	7	6	4	5
1979.....	48	-	1	-	1	3	11	7	5	6	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL (E923)											
ALL OTHER FEMALE											
1998.....	1	-	-	-	-	-	-	-	-	-	-
1997.....	2	-	-	-	-	1	-	-	-	-	1
1996.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	4	-	-	-	-	1	1	-	-	-	-
1994.....	2	-	-	-	-	-	-	-	-	-	-
1993.....	4	-	1	-	-	-	1	-	-	1	-
1992.....	7	-	-	1	-	-	1	-	1	-	-
1991.....	4	-	1	-	-	-	-	-	-	-	2
1990.....	2	-	-	1	-	-	-	-	-	1	-
1989.....	5	-	-	-	1	-	1	1	-	-	1
1988.....	3	-	-	-	-	-	-	-	1	-	-
1987.....	6	-	-	-	-	-	-	1	-	-	2
1986.....	7	1	1	-	1	-	-	-	-	-	-
1985.....	3	-	-	-	-	1	-	-	-	-	1
1984.....	4	-	-	-	-	-	-	-	-	-	1
1983.....	3	-	1	-	-	-	-	1	-	-	-
1982.....	11	-	-	3	1	-	-	-	-	1	1
1981.....	5	-	-	1	-	1	-	-	-	-	-
1980.....	15	1	1	-	-	2	3	1	1	-	1
1979.....	11	-	2	-	-	1	1	1	2	-	-
BLACK, BOTH SEXES											
1998.....	12	-	-	-	-	-	-	-	1	2	2
1997.....	15	-	-	-	-	2	-	-	4	3	1
1996.....	12	-	-	-	-	-	2	-	-	2	1
1995.....	17	-	-	-	-	-	1	1	2	-	4
1994.....	15	-	-	-	-	-	-	-	1	1	4
1993.....	24	-	1	1	-	-	2	1	3	5	2
1992.....	23	-	-	1	-	1	-	1	1	4	4
1991.....	17	-	1	-	-	-	-	1	1	1	2
1990.....	23	-	-	3	1	1	1	3	1	6	-
1989.....	19	-	-	-	-	-	2	1	2	3	3
1988.....	22	-	-	-	-	1	2	-	7	1	2
1987.....	37	-	1	-	-	1	4	5	5	3	4
1986.....	33	1	1	-	1	-	1	2	3	4	1
1985.....	33	-	-	-	-	-	2	5	5	3	3
1984.....	35	-	2	1	-	-	5	3	4	1	2
1983.....	21	-	1	-	-	-	2	4	3	1	3
1982.....	47	-	-	2	2	-	4	3	4	4	2
1981.....	38	1	1	2	-	2	4	5	4	2	1
1980.....	61	-	-	1	1	5	5	6	7	4	3
1979.....	54	-	3	-	1	4	10	7	7	6	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL (E923)											
BLACK MALE											
1998.....	11	-	-	-	-	-	-	-	1	2	2
1997.....	13	-	-	-	-	1	-	-	4	3	-
1996.....	12	-	-	-	-	-	2	-	-	2	1
1995.....	15	-	-	-	-	-	1	1	2	-	4
1994.....	13	-	-	-	-	-	-	-	1	1	4
1993.....	20	-	-	1	-	-	1	1	3	4	2
1992.....	17	-	-	-	-	1	-	1	-	4	4
1991.....	14	-	-	-	-	-	-	1	1	1	1
1990.....	21	-	-	2	1	1	1	3	1	5	-
1989.....	16	-	-	-	-	-	1	-	2	3	3
1988.....	19	-	-	-	-	1	2	-	6	1	2
1987.....	32	-	1	-	-	1	4	4	5	3	2
1986.....	26	-	-	-	-	-	1	2	3	4	1
1985.....	32	-	-	-	-	-	2	5	5	3	3
1984.....	31	-	2	1	-	-	5	3	4	1	1
1983.....	19	-	-	-	-	-	2	4	3	1	3
1982.....	38	-	-	1	1	-	4	3	4	3	1
1981.....	33	1	1	1	-	1	4	5	4	2	1
1980.....	48	-	-	1	1	3	2	5	6	4	2
1979.....	45	-	1	-	1	3	10	7	5	6	2
BLACK FEMALE											
1998.....	1	-	-	-	-	-	-	-	-	-	-
1997.....	2	-	-	-	-	1	-	-	-	-	1
1995.....	2	-	-	-	-	-	-	-	-	-	-
1994.....	2	-	-	-	-	-	-	-	-	-	-
1993.....	4	-	1	-	-	-	1	-	-	1	-
1992.....	6	-	-	1	-	-	-	-	1	-	-
1991.....	3	-	1	-	-	-	-	-	-	-	1
1990.....	2	-	-	1	-	-	-	-	-	1	-
1989.....	3	-	-	-	-	-	1	1	-	-	-
1988.....	3	-	-	-	-	-	-	-	1	-	-
1987.....	5	-	-	-	-	-	-	1	-	-	2
1986.....	7	1	1	-	1	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	4	-	-	-	-	-	-	-	-	-	1
1983.....	2	-	1	-	-	-	-	-	-	-	-
1982.....	9	-	-	1	1	-	-	-	-	1	1
1981.....	5	-	-	1	-	1	-	-	-	-	-
1980.....	13	-	-	-	-	2	3	1	1	-	1
1979.....	9	-	2	-	-	1	-	-	2	-	-

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
0 ACCIDENT CAUSED BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATERIAL, STEAM, AND EXPOSURE TO RADIATION (E924,E926)

TOTAL, BOTH SEXES											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	108	2	6	1	-	1	-	-	6	3	2
1997	111	2	6	-	-	3	-	2	2	8	6
1996	104	3	6	-	-	-	3	1	3	6	6
1995	97	2	9	1	-	-	1	1	-	2	3
1994	107	5	13	1	-	2	-	3	1	5	6
1993	130	4	16	-	1	1	-	2	2	3	3
1992	131	5	8	-	1	-	2	3	3	7	6
1991	125	6	12	-	-	2	1	2	2	7	6
1990	131	4	9	1	-	1	2	-	-	6	1
1989	142	6	13	2	-	1	1	7	5	-	4
1988	122	7	16	1	-	-	2	2	3	1	6
1987	137	11	10	-	-	-	1	2	7	5	5
1986	134	12	13	2	-	1	6	4	2	4	5
1985	176	6	22	-	-	1	4	5	9	3	4
1984	142	2	16	1	-	2	2	3	3	4	2
1983	139	13	16	-	2	-	2	3	3	8	1
1982	156	9	20	-	1	1	6	6	5	3	2
1981	194	9	19	-	-	-	6	5	7	8	5
1980	196	9	28	1	-	3	2	2	5	10	4
1979	192	7	17	2	1	2	7	7	11	6	4
TOTAL, MALE											
Year	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998	58	1	3	1	-	1	-	-	5	3	1
1997	74	2	5	-	-	2	-	2	2	7	5
1996	56	2	4	-	-	-	1	1	2	5	5
1995	47	-	3	-	-	-	1	1	-	1	3
1994	60	3	9	-	-	1	-	2	1	4	5
1993	62	3	8	-	-	-	-	2	2	3	3
1992	71	1	4	-	1	-	1	3	3	6	6
1991	61	3	6	-	-	-	1	-	1	6	6
1990	67	3	4	-	-	1	2	-	-	5	1
1989	77	3	7	1	-	1	1	4	3	-	3
1988	65	5	6	-	-	-	2	2	3	1	5
1987	71	7	4	-	-	-	1	1	5	3	4
1986	71	5	7	1	-	1	6	2	2	3	3
1985	98	3	13	-	-	-	4	4	7	3	3
1984	74	2	10	1	-	1	2	2	3	3	1
1983	71	10	8	-	1	-	2	2	2	4	1
1982	85	6	11	-	-	1	4	3	5	2	2
1981	95	3	11	-	-	-	4	4	5	6	3
1980	109	6	15	-	-	2	2	2	5	10	4
1979	112	2	9	-	1	2	6	6	9	6	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATERIAL, STEAM, AND EXPOSURE TO RADIATION (E924,E926)											
TOTAL, FEMALE											
1998.....	50	1	3	-	-	-	-	-	1	-	1
1997.....	37	-	1	-	-	1	-	-	-	1	1
1996.....	48	1	2	-	-	-	2	-	1	1	1
1995.....	50	2	6	1	-	-	-	-	-	1	-
1994.....	47	2	4	1	-	1	-	1	-	1	1
1993.....	68	1	8	-	1	1	-	-	-	-	-
1992.....	60	4	4	-	-	4	1	-	-	1	-
1991.....	64	3	6	-	-	-	2	-	2	1	-
1990.....	64	1	5	1	-	-	-	-	-	1	-
1989.....	65	3	6	1	-	-	-	3	2	-	1
1988.....	57	2	10	1	-	-	-	-	-	-	1
1987.....	66	4	6	-	-	-	-	1	2	2	1
1986.....	63	7	6	1	-	-	-	2	-	1	2
1985.....	78	3	9	-	-	1	-	1	2	-	1
1984.....	68	-	6	-	-	1	-	1	-	1	1
1983.....	68	3	8	-	1	-	-	1	1	4	-
1982.....	71	3	9	-	1	-	2	3	-	1	-
1981.....	99	6	8	-	-	-	2	1	2	2	2
1980.....	87	3	13	1	-	1	-	-	-	-	-
1979.....	80	5	8	2	-	-	1	1	2	-	1
WHITE, BOTH SEXES											
1998.....	80	1	2	-	-	1	-	-	4	2	2
1997.....	74	2	3	-	-	2	-	2	1	5	4
1996.....	73	2	2	-	-	-	3	1	2	3	5
1995.....	74	1	5	1	-	-	1	1	-	2	3
1994.....	75	3	5	1	-	1	-	3	1	4	5
1993.....	87	2	7	-	1	1	-	2	1	3	1
1992.....	97	3	5	-	1	-	1	2	2	6	4
1991.....	94	6	6	-	-	1	1	-	2	7	5
1990.....	91	2	5	1	-	1	1	-	-	4	1
1989.....	112	5	8	2	-	1	1	6	5	-	2
1988.....	92	3	9	1	-	-	1	1	3	1	6
1987.....	100	6	7	-	-	-	1	2	4	3	5
1986.....	102	7	9	1	-	1	4	4	1	3	3
1985.....	121	4	8	-	-	1	4	5	7	3	4
1984.....	109	2	8	1	-	2	2	1	2	3	2
1983.....	96	9	8	-	2	-	2	3	2	7	1
1982.....	111	7	10	-	1	1	3	5	4	-	2
1981.....	143	5	9	-	-	-	4	1	6	4	4
1980.....	141	5	16	1	-	3	1	2	4	5	3
1979.....	141	3	13	2	1	2	2	3	7	4	4

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
0 ACCIDENT CAUSED BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATERIAL, STEAM, AND EXPOSURE TO RADIATION (E924,E926)

	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
WHITE MALE											
1998.....	42	1	1	-	-	1	-	-	3	2	1
1997.....	48	2	2	-	-	1	-	2	1	4	3
1996.....	38	1	1	-	-	-	1	1	1	3	4
1995.....	39	-	3	-	-	-	1	1	-	1	3
1994.....	43	3	3	-	-	1	-	2	1	3	4
1993.....	42	1	5	-	-	-	-	2	1	3	1
1992.....	50	1	2	-	1	-	-	2	2	5	4
1991.....	45	3	3	-	-	-	1	-	1	6	5
1990.....	43	2	3	-	-	1	1	-	-	3	1
1989.....	62	2	5	1	-	1	1	4	3	-	2
1988.....	51	2	4	-	-	-	1	1	3	1	5
1987.....	51	3	2	-	-	-	1	1	2	3	4
1986.....	54	4	4	-	-	1	4	2	1	3	2
1985.....	68	2	5	-	-	-	4	4	6	3	3
1984.....	56	2	7	1	-	1	2	1	2	2	1
1983.....	49	7	4	-	1	-	2	2	2	3	1
1982.....	61	4	7	-	-	1	3	3	4	-	2
1981.....	69	2	3	-	-	-	3	1	4	3	2
1980.....	77	3	10	-	-	2	1	2	4	5	3
1979.....	77	1	8	-	1	2	2	2	6	4	3
WHITE FEMALE											
1998.....	38	-	1	-	-	-	-	-	1	-	1
1997.....	26	-	1	-	-	1	-	-	-	1	1
1996.....	35	1	1	-	-	-	2	-	1	-	1
1995.....	35	1	2	1	-	-	-	-	-	1	-
1994.....	32	-	2	1	-	-	-	1	-	1	1
1993.....	45	1	2	-	1	1	-	-	-	-	-
1992.....	47	2	3	-	-	-	1	-	-	1	-
1991.....	49	3	3	-	-	1	-	-	1	1	-
1990.....	48	-	2	1	-	-	-	-	-	1	-
1989.....	50	3	3	1	-	-	-	2	2	-	-
1988.....	41	1	5	1	-	-	-	-	-	-	1
1987.....	49	3	5	-	-	-	-	1	2	-	1
1986.....	48	3	5	1	-	-	-	2	-	-	1
1985.....	53	2	3	-	-	1	-	1	1	-	1
1984.....	53	-	1	-	-	1	-	-	-	1	1
1983.....	47	2	4	-	1	-	-	1	-	4	-
1982.....	50	3	3	-	1	-	-	2	-	-	-
1981.....	74	3	6	-	-	-	1	-	2	1	2
1980.....	64	2	6	1	-	1	-	-	-	-	-
1979.....	64	2	5	2	-	-	-	1	1	-	1

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
0 ACCIDENT CAUSED BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATERIAL, STEAM, AND EXPOSURE TO RADIATION (E924,E926)

ALL OTHER, BOTH SEXES

1998.....	28	1	4	1	-	-	-	-	2	1	-
1997.....	37	-	3	-	-	1	-	-	1	3	2
1996.....	31	1	4	-	-	-	-	-	1	3	1
1995.....	23	1	4	-	-	-	-	-	-	-	-
1994.....	32	2	8	-	-	1	-	-	-	1	1
1993.....	43	2	9	-	-	-	-	-	1	-	2
1992.....	34	2	3	-	-	-	1	1	1	1	2
1991.....	31	-	6	-	-	1	-	2	-	-	1
1990.....	40	2	4	-	-	-	1	-	-	2	-
1989.....	30	1	5	-	-	-	-	1	-	-	2
1988.....	30	4	7	-	-	-	1	1	-	-	-
1987.....	37	5	3	-	-	-	-	-	3	2	-
1986.....	32	5	4	1	-	-	2	-	1	1	2
1985.....	55	2	14	-	-	-	-	-	2	-	-
1984.....	33	-	8	-	-	-	-	2	1	1	-
1983.....	43	4	8	-	-	-	-	-	1	1	-
1982.....	45	2	10	-	-	-	3	1	1	3	-
1981.....	51	4	10	-	-	-	2	4	1	4	1
1980.....	55	4	12	-	-	-	1	-	1	5	1
1979.....	51	4	4	-	-	-	5	4	4	2	-

ALL OTHER MALE

1998.....	16	-	2	1	-	-	-	-	2	1	-
1997.....	26	-	3	-	-	1	-	-	1	3	2
1996.....	18	1	3	-	-	-	-	-	1	2	1
1995.....	8	-	-	-	-	-	-	-	-	-	-
1994.....	17	-	6	-	-	-	-	-	-	1	1
1993.....	20	2	3	-	-	-	-	-	1	-	2
1992.....	21	-	2	-	-	-	1	1	1	1	2
1991.....	16	-	3	-	-	-	-	-	-	-	1
1990.....	24	1	1	-	-	-	1	-	-	2	-
1989.....	15	1	2	-	-	-	-	-	-	-	1
1988.....	14	3	2	-	-	-	1	1	-	-	-
1987.....	20	4	2	-	-	-	-	-	3	-	-
1986.....	17	1	3	1	-	-	2	-	1	-	1
1985.....	30	1	8	-	-	-	-	-	1	-	-
1984.....	18	-	3	-	-	-	-	1	1	1	-
1983.....	22	3	4	-	-	-	-	-	-	1	-
1982.....	24	2	4	-	-	-	1	-	1	2	-
1981.....	26	1	8	-	-	-	1	3	1	3	1
1980.....	32	3	5	-	-	-	1	-	1	5	1
1979.....	35	1	1	-	-	-	4	4	3	2	-

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
0 ACCIDENT CAUSED BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATERIAL, STEAM, AND EXPOSURE TO RADIATION (E924,E926)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	12	1	2	-	-	-	-	-	-	-	-
1997.....	11	-	-	-	-	-	-	-	-	-	-
1996.....	13	-	1	-	-	-	-	-	-	1	-
1995.....	15	1	4	-	-	-	-	-	-	-	-
1994.....	15	2	2	-	-	1	-	-	-	-	-
1993.....	23	-	6	-	-	-	-	-	-	-	-
1992.....	13	2	1	-	-	-	1	-	-	-	-
1991.....	15	-	3	-	-	1	-	2	-	-	-
1990.....	16	1	3	-	-	-	-	-	-	-	-
1989.....	15	-	3	-	-	-	-	1	-	-	1
1988.....	16	1	5	-	-	-	-	-	-	-	-
1987.....	17	1	1	-	-	-	-	-	-	2	-
1986.....	15	4	1	-	-	-	-	-	-	1	1
1985.....	25	1	6	-	-	-	-	-	1	-	-
1984.....	15	-	5	-	-	-	-	1	-	-	-
1983.....	21	1	4	-	-	-	-	-	1	-	-
1982.....	21	-	6	-	-	-	2	1	-	1	-
1981.....	25	3	2	-	-	-	1	1	-	1	-
1980.....	23	1	7	-	-	-	-	-	-	-	-
1979.....	16	3	3	-	-	-	1	-	1	-	-
BLACK, BOTH SEXES											
1998.....	22	1	2	1	-	-	-	-	2	1	-
1997.....	31	-	2	-	-	1	-	-	-	2	2
1996.....	27	1	4	-	-	-	-	-	1	2	1
1995.....	21	-	4	-	-	-	-	-	-	-	-
1994.....	27	2	7	-	-	1	-	-	-	1	1
1993.....	40	2	9	-	-	-	-	-	1	-	2
1992.....	31	2	2	-	-	-	1	1	1	-	2
1991.....	27	-	5	-	-	1	-	2	-	-	1
1990.....	38	2	4	-	-	-	1	-	-	2	-
1989.....	27	1	5	-	-	-	-	-	-	-	2
1988.....	28	3	7	-	-	-	1	1	-	-	-
1987.....	34	5	3	-	-	-	-	-	3	2	-
1986.....	31	5	4	1	-	-	2	-	1	1	2
1985.....	51	1	12	-	-	-	-	-	2	-	-
1984.....	31	-	8	-	-	-	-	2	1	1	-
1983.....	40	4	7	-	-	-	-	-	1	1	-
1982.....	42	2	9	-	-	-	3	1	1	3	-
1981.....	48	4	9	-	-	-	2	3	1	4	1
1980.....	51	4	11	-	-	-	1	-	1	4	1
1979.....	50	4	4	-	-	-	5	4	4	2	-

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
0 ACCIDENT CAUSED BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATERIAL, STEAM, AND EXPOSURE TO RADIATION (E924,E926)

	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
BLACK MALE											
1998.....	13	-	1	1	-	-	-	-	2	1	-
1997.....	23	-	2	-	-	1	-	-	-	2	2
1996.....	16	1	3	-	-	-	-	-	1	1	1
1995.....	8	-	-	-	-	-	-	-	-	-	-
1994.....	14	-	5	-	-	-	-	-	-	1	1
1993.....	19	2	3	-	-	-	-	-	1	-	2
1992.....	19	-	1	-	-	-	1	1	1	-	2
1991.....	15	-	3	-	-	-	-	-	-	-	1
1990.....	23	1	1	-	-	-	1	-	-	2	-
1989.....	14	1	2	-	-	-	-	-	-	-	1
1988.....	13	3	2	-	-	-	1	1	-	-	-
1987.....	19	4	2	-	-	-	-	-	3	-	-
1986.....	17	1	3	1	-	-	2	-	1	-	1
1985.....	28	-	7	-	-	-	-	-	1	-	-
1984.....	17	-	3	-	-	-	-	1	1	1	-
1983.....	21	3	4	-	-	-	-	-	-	1	-
1982.....	22	2	4	-	-	-	1	-	1	2	-
1981.....	24	1	7	-	-	-	1	2	1	3	1
1980.....	30	3	5	-	-	-	1	-	1	4	1
1979.....	35	1	1	-	-	-	4	4	3	2	-
BLACK FEMALE											
1998.....	9	1	1	-	-	-	-	-	-	-	-
1997.....	8	-	-	-	-	-	-	-	-	-	-
1996.....	11	-	1	-	-	-	-	-	-	1	-
1995.....	13	-	4	-	-	-	-	-	-	-	-
1994.....	13	2	2	-	-	1	-	-	-	-	-
1993.....	21	-	6	-	-	-	-	-	-	-	-
1992.....	12	2	1	-	-	-	-	-	-	-	-
1991.....	12	-	2	-	-	1	-	2	-	-	-
1990.....	15	1	3	-	-	-	-	-	-	-	-
1989.....	13	-	3	-	-	-	-	-	-	-	1
1988.....	15	-	5	-	-	-	-	-	-	-	-
1987.....	15	1	1	-	-	-	-	-	-	2	-
1986.....	14	4	1	-	-	-	-	-	-	1	1
1985.....	23	1	5	-	-	-	-	-	1	-	-
1984.....	14	-	5	-	-	-	-	1	-	-	-
1983.....	19	1	3	-	-	-	-	-	1	-	-
1982.....	20	-	5	-	-	-	2	1	-	1	-
1981.....	24	3	2	-	-	-	1	1	-	1	-
1980.....	21	1	6	-	-	-	-	-	-	-	-
1979.....	15	3	3	-	-	-	1	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY ELECTRIC CURRENT (E925)											
TOTAL, BOTH SEXES											
1998.....	548	1	10	6	11	30	44	52	81	69	67
1997.....	488	5	4	5	12	23	47	58	70	59	55
1996.....	482	1	3	11	9	27	48	64	67	67	59
1995.....	559	1	7	6	8	30	51	81	86	82	57
1994.....	561	2	4	6	16	31	73	69	87	66	53
1993.....	548	3	7	5	17	33	62	64	96	55	55
1992.....	525	1	9	13	12	32	71	86	74	57	60
1991.....	626	2	14	7	12	32	67	99	100	72	68
1990.....	670	5	8	13	12	43	81	120	111	72	56
1989.....	702	5	19	17	15	52	88	105	111	82	52
1988.....	714	4	17	14	19	48	102	115	104	74	74
1987.....	760	4	17	16	23	65	115	124	113	79	45
1986.....	854	4	19	11	24	86	128	141	113	89	61
1985.....	802	6	24	12	22	80	136	127	97	75	56
1984.....	888	1	19	11	30	89	153	126	115	88	77
1983.....	872	5	22	16	33	87	153	132	97	81	62
1982.....	979	8	21	10	43	116	192	148	101	78	64
1981.....	1,008	3	23	18	26	115	187	171	116	78	57
1980.....	1,095	7	22	20	36	134	216	180	102	102	68
1979.....	1,024	6	22	24	31	133	216	143	114	81	52
TOTAL, MALE											
1998.....	502	1	9	3	10	29	41	50	77	67	62
1997.....	446	2	3	2	10	20	46	56	64	55	53
1996.....	451	1	3	8	6	25	45	63	67	63	56
1995.....	534	1	2	5	6	28	50	80	85	81	54
1994.....	528	-	3	5	15	30	71	68	84	64	49
1993.....	514	1	5	4	15	30	61	63	89	55	53
1992.....	499	-	8	8	10	32	70	83	72	54	56
1991.....	594	2	11	5	12	32	62	96	97	67	65
1990.....	635	3	3	10	11	40	76	113	111	71	54
1989.....	656	2	10	11	13	51	83	102	110	77	50
1988.....	673	3	10	12	19	44	99	113	97	71	73
1987.....	720	3	10	14	21	60	111	120	110	77	44
1986.....	805	2	10	10	18	81	126	136	111	83	59
1985.....	742	1	13	7	19	75	131	123	92	70	53
1984.....	839	1	12	8	24	81	145	121	113	85	76
1983.....	819	3	15	13	27	82	149	127	92	75	61
1982.....	925	7	15	9	38	109	185	144	92	74	63
1981.....	962	2	14	11	25	108	183	167	115	77	55
1980.....	1,031	4	10	13	32	128	209	177	99	101	66
1979.....	957	6	13	17	27	127	208	132	106	79	52

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY ELECTRIC CURRENT (E925)											
TOTAL, FEMALE											
1998.....	46	-	1	3	1	1	3	2	4	2	5
1997.....	42	3	1	3	2	3	1	2	6	4	2
1996.....	31	-	-	3	3	2	3	1	-	4	3
1995.....	25	-	5	1	2	2	1	1	1	1	3
1994.....	33	2	1	1	1	1	2	1	3	2	4
1993.....	34	2	2	1	2	3	1	1	7	-	2
1992.....	26	1	1	5	2	-	1	3	2	3	4
1991.....	32	-	3	2	-	-	5	3	3	5	3
1990.....	35	2	5	3	1	3	5	7	-	1	2
1989.....	46	3	9	6	2	1	5	3	1	5	2
1988.....	41	1	7	2	-	4	3	2	7	3	1
1987.....	40	1	7	2	2	5	4	4	3	2	1
1986.....	49	2	9	1	6	5	2	5	2	6	2
1985.....	60	5	11	5	3	5	5	4	5	5	3
1984.....	49	-	7	3	6	8	8	5	2	3	1
1983.....	53	2	7	3	6	5	4	5	5	6	1
1982.....	54	1	6	1	5	7	7	4	9	4	1
1981.....	46	1	9	7	1	7	4	4	1	1	2
1980.....	64	3	12	7	4	6	7	3	3	1	2
1979.....	67	-	9	7	4	6	8	11	8	2	-
WHITE, BOTH SEXES											
1998.....	497	1	7	6	10	28	42	52	74	63	56
1997.....	437	3	4	5	10	20	45	55	65	50	49
1996.....	426	1	3	10	9	26	45	55	61	57	51
1995.....	490	1	7	5	7	25	46	78	75	70	47
1994.....	519	1	4	5	12	31	70	65	82	56	48
1993.....	491	1	6	5	16	31	55	60	82	48	51
1992.....	468	-	9	10	11	28	63	80	68	50	53
1991.....	558	1	14	6	9	31	61	90	89	55	61
1990.....	606	3	6	11	12	39	70	112	104	63	51
1989.....	622	4	16	15	11	48	76	97	99	73	47
1988.....	656	4	14	11	17	46	97	109	95	67	69
1987.....	682	4	17	14	16	58	102	112	99	72	40
1986.....	774	4	16	10	19	80	122	125	107	77	54
1985.....	719	3	23	8	21	73	127	109	89	67	49
1984.....	813	-	17	11	27	82	147	115	106	80	72
1983.....	798	1	21	15	30	84	136	123	88	74	53
1982.....	894	6	19	9	40	110	175	140	94	70	57
1981.....	923	1	23	15	23	105	173	157	106	70	51
1980.....	996	5	20	17	31	123	205	163	93	92	61
1979.....	949	5	21	18	30	124	207	130	105	75	47

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY ELECTRIC CURRENT (E925)											
WHITE MALE											
1998.....	454	1	6	3	9	27	39	50	71	61	53
1997.....	401	2	3	2	8	17	44	53	59	47	48
1996.....	397	1	3	8	6	24	42	54	61	54	48
1995.....	470	1	2	4	6	24	45	77	74	69	45
1994.....	489	-	3	5	12	30	68	64	79	54	44
1993.....	461	-	5	4	14	28	54	59	76	48	49
1992.....	447	-	8	6	10	28	62	77	66	48	49
1991.....	531	1	11	4	9	31	58	87	86	52	58
1990.....	577	2	3	8	11	37	66	106	104	62	49
1989.....	579	1	8	9	10	47	72	94	98	68	45
1988.....	620	3	8	9	17	43	94	108	89	64	68
1987.....	647	3	10	12	15	54	98	109	96	70	39
1986.....	734	2	7	9	16	76	120	121	105	73	52
1985.....	671	-	12	6	18	68	123	107	85	62	47
1984.....	769	-	12	8	21	75	139	111	104	77	71
1983.....	754	1	15	12	24	79	135	118	84	68	53
1982.....	847	5	13	9	36	105	169	137	86	66	56
1981.....	881	1	14	8	22	100	169	153	105	69	49
1980.....	941	3	9	11	29	118	198	160	90	91	60
1979.....	891	5	13	14	26	121	199	119	99	73	47
WHITE FEMALE											
1998.....	43	-	1	3	1	1	3	2	3	2	3
1997.....	36	1	1	3	2	3	1	2	6	3	1
1996.....	29	-	-	2	3	2	3	1	-	3	3
1995.....	20	-	5	1	1	1	1	1	1	1	2
1994.....	30	1	1	-	-	1	2	1	3	2	4
1993.....	30	1	1	1	2	3	1	1	6	-	2
1992.....	21	-	1	4	1	-	1	3	2	2	4
1991.....	27	-	3	2	-	-	3	3	3	3	3
1990.....	29	1	3	3	1	2	4	6	-	1	2
1989.....	43	3	8	6	1	1	4	3	1	5	2
1988.....	36	1	6	2	-	3	3	1	6	3	1
1987.....	35	1	7	2	1	4	4	3	3	2	1
1986.....	40	2	9	1	3	4	2	4	2	4	2
1985.....	48	3	11	2	3	5	4	2	4	5	2
1984.....	44	-	5	3	6	7	8	4	2	3	1
1983.....	44	-	6	3	6	5	1	5	4	6	-
1982.....	47	1	6	-	4	5	6	3	8	4	1
1981.....	42	-	9	7	1	5	4	4	1	1	2
1980.....	55	2	11	6	2	5	7	3	3	1	1
1979.....	58	-	8	4	4	3	8	11	6	2	-

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY ELECTRIC CURRENT (E925)											
ALL OTHER, BOTH SEXES											
1998.....	51	-	3	-	1	2	2	-	7	6	11
1997.....	51	2	-	-	2	3	2	3	5	9	6
1996.....	56	-	-	1	-	1	3	9	6	10	8
1995.....	69	-	-	1	1	5	5	3	11	12	10
1994.....	42	1	-	1	4	-	3	4	5	10	5
1993.....	57	2	1	-	1	2	7	4	14	7	4
1992.....	57	1	-	3	1	4	8	6	6	7	7
1991.....	68	1	-	1	3	1	6	9	11	17	7
1990.....	64	2	2	2	-	4	11	8	7	9	5
1989.....	80	1	3	2	4	4	12	8	12	9	5
1988.....	58	-	3	3	2	2	5	6	9	7	5
1987.....	78	-	-	2	7	7	13	12	14	7	5
1986.....	80	-	3	1	5	6	6	16	6	12	7
1985.....	83	3	1	4	1	7	9	18	8	8	7
1984.....	75	1	2	-	3	7	6	11	9	8	5
1983.....	74	4	1	1	3	3	17	9	9	7	9
1982.....	85	2	2	1	3	6	17	8	7	8	7
1981.....	85	2	-	3	3	10	14	14	10	8	6
1980.....	99	2	2	3	5	11	11	17	9	10	7
1979.....	75	1	1	6	1	9	9	13	9	6	5
ALL OTHER MALE											
1998.....	48	-	3	-	1	2	2	-	6	6	9
1997.....	45	-	-	-	2	3	2	3	5	8	5
1996.....	54	-	-	-	-	1	3	9	6	9	8
1995.....	64	-	-	1	-	4	5	3	11	12	9
1994.....	39	-	-	-	3	-	3	4	5	10	5
1993.....	53	1	-	-	1	2	7	4	13	7	4
1992.....	52	-	-	2	-	4	8	6	6	6	7
1991.....	63	1	-	1	3	1	4	9	11	15	7
1990.....	58	1	-	2	-	3	10	7	7	9	5
1989.....	77	1	2	2	3	4	11	8	12	9	5
1988.....	53	-	2	3	2	1	5	5	8	7	5
1987.....	73	-	-	2	6	6	13	11	14	7	5
1986.....	71	-	3	1	2	5	6	15	6	10	7
1985.....	71	1	1	1	1	7	8	16	7	8	6
1984.....	70	1	-	-	3	6	6	10	9	8	5
1983.....	65	2	-	1	3	3	14	9	8	7	8
1982.....	78	2	2	-	2	4	16	7	6	8	7
1981.....	81	1	-	3	3	8	14	14	10	8	6
1980.....	90	1	1	2	3	10	11	17	9	10	6
1979.....	66	1	-	3	1	6	9	13	7	6	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY ELECTRIC CURRENT (E925)											
ALL OTHER FEMALE											
1998.....	3	-	-	-	-	-	-	-	1	-	2
1997.....	6	2	-	-	-	-	-	-	-	1	1
1996.....	2	-	-	1	-	-	-	-	-	1	-
1995.....	5	-	-	-	1	1	-	-	-	-	1
1994.....	3	1	-	1	1	-	-	-	-	-	-
1993.....	4	1	1	-	-	-	-	-	1	-	-
1992.....	5	1	-	1	1	-	-	-	-	1	-
1991.....	5	-	-	-	-	-	2	-	-	2	-
1990.....	6	1	2	-	-	1	1	1	-	-	-
1989.....	3	-	1	-	1	-	1	-	-	-	-
1988.....	5	-	1	-	-	1	-	1	1	-	-
1987.....	5	-	-	-	1	1	-	1	-	-	-
1986.....	9	-	-	-	3	1	-	1	-	2	-
1985.....	12	2	-	3	-	-	1	2	1	-	1
1984.....	5	-	2	-	-	1	-	1	-	-	-
1983.....	9	2	1	-	-	-	3	-	1	-	1
1982.....	7	-	-	1	1	2	1	1	1	-	-
1981.....	4	1	-	-	-	2	-	-	-	-	-
1980.....	9	1	1	1	2	1	-	-	-	-	1
1979.....	9	-	1	3	-	3	-	-	2	-	-
BLACK, BOTH SEXES											
1998.....	44	-	3	-	1	1	2	-	6	6	9
1997.....	44	1	-	-	1	3	2	3	5	8	4
1996.....	47	-	-	1	-	1	2	6	5	10	6
1995.....	59	-	-	1	1	4	4	1	9	11	10
1994.....	41	1	-	1	4	-	2	4	5	10	5
1993.....	49	2	1	-	1	2	5	3	11	7	4
1992.....	47	-	-	2	1	4	6	5	5	6	6
1991.....	63	1	-	1	3	1	6	9	9	16	6
1990.....	57	2	2	2	-	3	8	8	7	9	3
1989.....	70	1	2	2	4	3	8	7	11	9	5
1988.....	50	-	1	3	2	1	4	4	9	7	4
1987.....	68	-	-	2	7	7	9	11	12	4	5
1986.....	75	-	3	1	3	6	6	15	6	12	7
1985.....	71	3	1	1	1	6	9	13	7	7	7
1984.....	70	1	2	-	2	7	6	10	9	8	5
1983.....	69	4	1	1	3	3	14	9	9	6	9
1982.....	78	2	2	1	3	5	14	6	7	8	7
1981.....	75	2	-	2	3	9	10	12	10	8	6
1980.....	89	2	2	3	3	9	11	15	9	9	7
1979.....	69	1	1	6	1	7	9	11	9	6	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ACCIDENT CAUSED BY ELECTRIC CURRENT (E925)											
BLACK MALE											
1998.....	42	-	3	-	1	1	2	-	5	6	8
1997.....	39	-	-	-	1	3	2	3	5	7	3
1996.....	45	-	-	-	-	1	2	6	5	9	6
1995.....	55	-	-	1	-	3	4	1	9	11	9
1994.....	38	-	-	-	3	-	2	4	5	10	5
1993.....	46	1	-	-	1	2	5	3	10	7	4
1992.....	43	-	-	1	-	4	6	5	5	5	6
1991.....	58	1	-	1	3	1	4	9	9	14	6
1990.....	52	1	-	2	-	2	8	7	7	9	3
1989.....	68	1	2	2	3	3	7	7	11	9	5
1988.....	45	-	-	3	2	-	4	3	8	7	4
1987.....	63	-	-	2	6	6	9	10	12	4	5
1986.....	67	-	3	1	1	5	6	14	6	10	7
1985.....	62	1	1	-	1	6	8	11	6	7	6
1984.....	65	1	-	-	2	6	6	9	9	8	5
1983.....	61	2	-	1	3	3	12	9	8	6	8
1982.....	71	2	2	-	2	3	13	5	6	8	7
1981.....	71	1	-	2	3	7	10	12	10	8	6
1980.....	81	1	1	2	2	8	11	15	9	9	6
1979.....	61	1	-	3	1	5	9	11	7	6	4
BLACK FEMALE											
1998.....	2	-	-	-	-	-	-	-	1	-	1
1997.....	5	1	-	-	-	-	-	-	-	1	1
1996.....	2	-	-	1	-	-	-	-	-	1	-
1995.....	4	-	-	-	1	1	-	-	-	-	1
1994.....	3	1	-	1	1	-	-	-	-	-	-
1993.....	3	1	1	-	-	-	-	-	1	-	-
1992.....	4	-	-	1	1	-	-	-	-	1	-
1991.....	5	-	-	-	-	-	2	-	-	2	-
1990.....	5	1	2	-	-	1	-	1	-	-	-
1989.....	2	-	-	-	1	-	1	-	-	-	-
1988.....	5	-	1	-	-	1	-	1	1	-	-
1987.....	5	-	-	-	1	1	-	1	-	-	-
1986.....	8	-	-	-	2	1	-	1	-	2	-
1985.....	9	2	-	1	-	-	1	2	1	-	1
1984.....	5	-	2	-	-	1	-	1	-	-	-
1983.....	8	2	1	-	-	-	2	-	1	-	1
1982.....	7	-	-	1	1	2	1	1	1	-	-
1981.....	4	1	-	-	-	2	-	-	-	-	-
1980.....	8	1	1	1	1	1	-	-	-	-	1
1979.....	8	-	1	3	-	2	-	-	2	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906, E908-E909, E913-E921, E927-E929)											
TOTAL, BOTH SEXES											
1998.....	9,008	357	198	124	145	225	308	329	399	506	553
1997.....	8,832	356	202	124	159	256	323	360	402	551	598
1996.....	8,708	335	200	122	147	240	308	332	468	522	544
1995.....	8,676	345	233	102	130	213	292	344	461	589	589
1994.....	8,295	373	204	116	137	199	317	355	452	541	524
1993.....	8,210	347	229	135	143	187	337	374	489	515	526
1992.....	7,496	282	199	137	143	197	315	421	482	495	453
1991.....	7,542	334	222	148	133	221	321	413	480	455	493
1990.....	7,461	304	199	143	127	205	320	442	474	491	455
1989.....	7,970	305	231	161	129	237	355	529	514	484	505
1988.....	8,304	262	235	149	130	277	408	502	532	474	487
1987.....	8,142	268	216	145	150	263	419	508	550	495	418
1986.....	8,035	240	231	106	162	282	450	522	510	457	412
1985.....	8,281	220	249	145	145	314	501	529	484	457	435
1984.....	7,983	222	246	150	180	304	516	532	472	513	426
1983.....	8,580	238	277	168	199	333	520	540	466	428	441
1982.....	8,208	225	259	138	201	364	590	563	512	444	402
1981.....	8,230	222	245	156	221	431	583	575	500	428	390
1980.....	9,868	270	263	173	233	467	636	570	480	440	407
1979.....	8,676	258	246	185	255	499	714	586	488	434	457
TOTAL, MALE											
1998.....	6,244	208	115	87	100	178	266	287	343	423	461
1997.....	6,212	202	130	81	124	208	273	304	332	450	505
1996.....	6,184	196	130	75	114	204	272	295	404	443	462
1995.....	6,143	187	141	70	108	174	256	288	384	504	498
1994.....	6,013	227	128	74	112	168	283	298	391	458	456
1993.....	5,887	190	138	96	110	155	293	332	415	448	456
1992.....	5,537	152	135	101	124	161	266	375	415	435	397
1991.....	5,588	197	126	104	114	180	279	355	425	398	431
1990.....	5,644	168	135	106	108	174	287	382	421	432	396
1989.....	6,042	168	154	122	105	206	324	478	455	433	428
1988.....	6,262	143	159	117	108	249	375	447	466	414	428
1987.....	6,146	151	136	103	128	240	383	445	498	439	364
1986.....	6,028	138	134	78	146	251	410	471	453	398	363
1985.....	6,309	121	164	111	132	275	452	465	443	405	388
1984.....	6,118	115	158	113	159	267	465	462	420	448	368
1983.....	6,417	140	180	115	163	297	470	479	406	379	398
1982.....	6,333	136	159	93	175	331	529	500	455	388	344
1981.....	6,450	125	158	115	183	388	530	506	453	377	348
1980.....	7,283	161	179	118	194	410	586	500	428	403	351
1979.....	6,857	156	150	131	216	440	655	526	442	381	409

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906, E908-E909, E913-E921, E927-E929)											
TOTAL, FEMALE											
1998.....	2,764	149	83	37	45	47	42	42	56	83	92
1997.....	2,620	154	72	43	35	48	50	56	70	101	93
1996.....	2,524	139	70	47	33	36	36	37	64	79	82
1995.....	2,533	158	92	32	22	39	36	56	77	85	91
1994.....	2,282	146	76	42	25	31	34	57	61	83	68
1993.....	2,323	157	91	39	33	32	44	42	74	67	70
1992.....	1,959	130	64	36	19	36	49	46	67	60	56
1991.....	1,954	137	96	44	19	41	42	58	55	57	62
1990.....	1,817	136	64	37	19	31	33	60	53	59	59
1989.....	1,928	137	77	39	24	31	31	51	59	51	77
1988.....	2,042	119	76	32	22	28	33	55	66	60	59
1987.....	1,996	117	80	42	22	23	36	63	52	56	54
1986.....	2,007	102	97	28	16	31	40	51	57	59	49
1985.....	1,972	99	85	34	13	39	49	64	41	52	47
1984.....	1,865	107	88	37	21	37	51	70	52	65	58
1983.....	2,163	98	97	53	36	36	50	61	60	49	43
1982.....	1,875	89	100	45	26	33	61	63	57	56	58
1981.....	1,780	97	87	41	38	43	53	69	47	51	42
1980.....	2,585	109	84	55	39	57	50	70	52	37	56
1979.....	1,819	102	96	54	39	59	59	60	46	53	48
WHITE, BOTH SEXES											
1998.....	7,637	230	157	102	116	187	265	285	330	418	451
1997.....	7,428	226	155	99	135	216	268	294	328	467	488
1996.....	7,335	226	153	98	119	208	254	280	384	434	455
1995.....	7,279	228	185	90	112	184	254	294	394	499	474
1994.....	6,905	240	160	98	124	168	270	281	365	437	423
1993.....	6,820	235	187	107	125	154	283	319	406	429	408
1992.....	6,261	167	159	120	118	168	271	360	389	406	380
1991.....	6,198	213	183	122	115	188	267	340	391	368	383
1990.....	6,132	182	172	118	106	167	271	372	381	391	359
1989.....	6,388	178	185	131	108	201	301	432	414	392	400
1988.....	6,700	161	183	125	117	241	344	413	411	354	365
1987.....	6,687	179	177	129	125	227	353	421	438	388	317
1986.....	6,567	159	187	92	135	259	372	428	413	370	333
1985.....	6,759	173	218	119	125	271	432	442	397	358	340
1984.....	6,662	158	206	127	149	267	447	452	392	417	341
1983.....	6,939	159	234	148	182	296	449	458	366	337	342
1982.....	6,839	159	221	116	182	312	523	470	431	361	319
1981.....	6,854	150	208	134	196	379	511	494	405	349	316
1980.....	7,705	183	219	156	211	412	541	456	388	338	310
1979.....	7,193	177	211	155	217	447	624	483	401	346	355

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906, E908-E909, E913-E921, E927-E929)											
WHITE MALE											
1998.....	5,291	135	94	71	76	149	232	250	283	355	384
1997.....	5,223	127	101	66	110	175	228	248	283	378	413
1996.....	5,238	137	97	58	94	183	227	249	334	372	393
1995.....	5,196	135	114	61	95	152	225	248	333	432	407
1994.....	5,005	143	100	62	101	142	242	239	321	371	371
1993.....	4,903	131	115	77	95	131	250	285	346	375	357
1992.....	4,647	95	109	90	101	140	238	322	338	356	335
1991.....	4,567	119	105	84	101	159	239	291	345	322	337
1990.....	4,641	99	117	89	89	141	246	324	335	347	321
1989.....	4,848	99	119	98	91	177	279	397	368	350	340
1988.....	5,029	90	125	96	96	216	319	368	366	315	324
1987.....	5,037	102	117	93	105	206	323	370	399	349	280
1986.....	4,951	94	115	66	123	232	339	392	370	321	298
1985.....	5,148	93	144	91	114	238	392	395	367	320	300
1984.....	5,124	84	136	98	130	235	408	401	361	361	295
1983.....	5,243	90	155	105	149	263	407	413	321	299	307
1982.....	5,294	102	140	78	159	281	472	423	384	317	273
1981.....	5,377	86	134	102	163	344	464	441	371	307	278
1980.....	5,858	113	151	112	175	361	501	401	348	312	273
1979.....	5,688	111	131	108	183	393	578	437	363	302	320
WHITE FEMALE											
1998.....	2,346	95	63	31	40	38	33	35	47	63	67
1997.....	2,205	99	54	33	25	41	40	46	45	89	75
1996.....	2,097	89	56	40	25	25	27	31	50	62	62
1995.....	2,083	93	71	29	17	32	29	46	61	67	67
1994.....	1,900	97	60	36	23	26	28	42	44	66	52
1993.....	1,917	104	72	30	30	23	33	34	60	54	51
1992.....	1,614	72	50	30	17	28	33	38	51	50	45
1991.....	1,631	94	78	38	14	29	28	49	46	46	46
1990.....	1,491	83	55	29	17	26	25	48	46	44	38
1989.....	1,540	79	66	33	17	24	22	35	46	42	60
1988.....	1,671	71	58	29	21	25	25	45	45	39	41
1987.....	1,650	77	60	36	20	21	30	51	39	39	37
1986.....	1,616	65	72	26	12	27	33	36	43	49	35
1985.....	1,611	80	74	28	11	33	40	47	30	38	40
1984.....	1,538	74	70	29	19	32	39	51	31	56	46
1983.....	1,696	69	79	43	33	33	42	45	45	38	35
1982.....	1,545	57	81	38	23	31	51	47	47	44	46
1981.....	1,477	64	74	32	33	35	47	53	34	42	38
1980.....	1,847	70	68	44	36	51	40	55	40	26	37
1979.....	1,505	66	80	47	34	54	46	46	38	44	35

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906, E908-E909, E913-E921, E927-E929)											
ALL OTHER, BOTH SEXES											
1998.....	1,371	127	41	22	29	38	43	44	69	88	102
1997.....	1,404	130	47	25	24	40	55	66	74	84	110
1996.....	1,373	109	47	24	28	32	54	52	84	88	89
1995.....	1,397	117	48	12	18	29	38	50	67	90	115
1994.....	1,390	133	44	18	13	31	47	74	87	104	101
1993.....	1,390	112	42	28	18	33	54	55	83	86	118
1992.....	1,235	115	40	17	25	29	44	61	93	89	73
1991.....	1,344	121	39	26	18	33	54	73	89	87	110
1990.....	1,329	122	27	25	21	38	49	70	93	100	96
1989.....	1,582	127	46	30	21	36	54	97	100	92	105
1988.....	1,604	101	52	24	13	36	64	89	121	120	122
1987.....	1,455	89	39	16	25	36	66	87	112	107	101
1986.....	1,468	81	44	14	27	23	78	94	97	87	79
1985.....	1,522	47	31	26	20	43	69	87	87	99	95
1984.....	1,321	64	40	23	31	37	69	80	80	96	85
1983.....	1,641	79	43	20	17	37	71	82	100	91	99
1982.....	1,369	66	38	22	19	52	67	93	81	83	83
1981.....	1,376	72	37	22	25	52	72	81	95	79	74
1980.....	2,163	87	44	17	22	55	95	114	92	102	97
1979.....	1,483	81	35	30	38	52	90	103	87	88	102
ALL OTHER MALE											
1998.....	953	73	21	16	24	29	34	37	60	68	77
1997.....	989	75	29	15	14	33	45	56	49	72	92
1996.....	946	59	33	17	20	21	45	46	70	71	69
1995.....	947	52	27	9	13	22	31	40	51	72	91
1994.....	1,008	84	28	12	11	26	41	59	70	87	85
1993.....	984	59	23	19	15	24	43	47	69	73	99
1992.....	890	57	26	11	23	21	28	53	77	79	62
1991.....	1,021	78	21	20	13	21	40	64	80	76	94
1990.....	1,003	69	18	17	19	33	41	58	86	85	75
1989.....	1,194	69	35	24	14	29	45	81	87	83	88
1988.....	1,233	53	34	21	12	33	56	79	100	99	104
1987.....	1,109	49	19	10	23	34	60	75	99	90	84
1986.....	1,077	44	19	12	23	19	71	79	83	77	65
1985.....	1,161	28	20	20	18	37	60	70	76	85	88
1984.....	994	31	22	15	29	32	57	61	59	87	73
1983.....	1,174	50	25	10	14	34	63	66	85	80	91
1982.....	1,039	34	19	15	16	50	57	77	71	71	71
1981.....	1,073	39	24	13	20	44	66	65	82	70	70
1980.....	1,425	48	28	6	19	49	85	99	80	91	78
1979.....	1,169	45	19	23	33	47	77	89	79	79	89

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906, E908-E909, E913-E921, E927-E929)											
ALL OTHER FEMALE											
1998.....	418	54	20	6	5	9	9	7	9	20	25
1997.....	415	55	18	10	10	7	10	10	25	12	18
1996.....	427	50	14	7	8	11	9	6	14	17	20
1995.....	450	65	21	3	5	7	7	10	16	18	24
1994.....	382	49	16	6	2	5	6	15	17	17	16
1993.....	406	53	19	9	3	9	11	8	14	13	19
1992.....	345	58	14	6	2	8	16	8	16	10	11
1991.....	323	43	18	6	5	12	14	9	9	11	16
1990.....	326	53	9	8	2	5	8	12	7	15	21
1989.....	388	58	11	6	7	7	9	16	13	9	17
1988.....	371	48	18	3	1	3	8	10	21	21	18
1987.....	346	40	20	6	2	2	6	12	13	17	17
1986.....	391	37	25	2	4	4	7	15	14	10	14
1985.....	361	19	11	6	2	6	9	17	11	14	7
1984.....	327	33	18	8	2	5	12	19	21	9	12
1983.....	467	29	18	10	3	3	8	16	15	11	8
1982.....	330	32	19	7	3	2	10	16	10	12	12
1981.....	303	33	13	9	5	8	6	16	13	9	4
1980.....	738	39	16	11	3	6	10	15	12	11	19
1979.....	314	36	16	7	5	5	13	14	8	9	13
BLACK, BOTH SEXES											
1998.....	1,167	114	37	14	26	29	30	37	52	70	90
1997.....	1,151	119	31	21	15	32	44	51	59	69	84
1996.....	1,124	96	41	18	20	24	34	42	66	66	78
1995.....	1,209	106	38	6	13	24	27	35	57	78	94
1994.....	1,151	117	35	14	10	23	38	55	64	83	87
1993.....	1,179	102	37	23	13	25	38	41	65	69	107
1992.....	992	94	32	11	16	19	26	37	71	67	61
1991.....	1,112	104	29	21	15	23	42	53	75	69	90
1990.....	1,091	113	16	16	18	18	35	56	73	82	79
1989.....	1,358	112	42	24	17	28	35	80	77	79	85
1988.....	1,373	95	39	20	9	24	54	76	104	103	96
1987.....	1,239	79	29	12	19	27	51	70	91	93	89
1986.....	1,266	76	36	11	21	17	59	73	78	72	68
1985.....	1,332	45	22	20	15	31	53	75	69	87	81
1984.....	1,129	58	30	18	26	20	52	69	67	82	73
1983.....	1,444	78	33	15	13	29	54	67	84	77	80
1982.....	1,149	59	31	19	17	28	47	75	65	64	74
1981.....	1,211	66	31	17	18	42	61	66	79	64	65
1980.....	1,967	80	37	13	19	41	79	96	84	83	78
1979.....	1,275	73	31	26	32	43	68	83	75	78	86

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906, E908-E909, E913-E921, E927-E929)											
BLACK MALE											
1998.....	810	68	18	11	21	22	24	30	47	53	67
1997.....	802	70	18	12	10	25	36	45	38	61	74
1996.....	754	52	28	13	13	15	26	36	54	51	59
1995.....	809	47	22	4	9	19	22	28	43	64	72
1994.....	841	76	23	10	9	20	33	43	53	70	74
1993.....	832	55	20	15	10	19	28	37	54	59	90
1992.....	706	46	21	7	15	15	13	32	60	58	53
1991.....	845	71	16	16	11	15	33	45	68	60	80
1990.....	824	64	11	13	16	16	29	46	68	72	63
1989.....	1,017	61	31	20	13	22	31	67	67	72	73
1988.....	1,041	50	26	17	9	22	47	67	89	85	80
1987.....	938	41	12	7	18	25	46	59	80	78	72
1986.....	928	42	16	9	17	15	56	62	68	67	56
1985.....	1,024	28	13	16	13	28	45	64	61	78	77
1984.....	848	29	15	13	24	17	46	52	47	74	62
1983.....	1,018	49	19	9	10	28	46	52	75	66	73
1982.....	868	31	16	12	14	27	42	63	58	55	62
1981.....	940	36	19	9	13	37	56	56	68	58	62
1980.....	1,273	44	24	5	18	37	71	82	73	75	62
1979.....	1,005	42	17	21	27	38	57	73	68	70	75
BLACK FEMALE											
1998.....	357	46	19	3	5	7	6	7	5	17	23
1997.....	349	49	13	9	5	7	8	6	21	8	10
1996.....	370	44	13	5	7	9	8	6	12	15	19
1995.....	400	59	16	2	4	5	5	7	14	14	22
1994.....	310	41	12	4	1	3	5	12	11	13	13
1993.....	347	47	17	8	3	6	10	4	11	10	17
1992.....	286	48	11	4	1	4	13	5	11	9	8
1991.....	267	33	13	5	4	8	9	8	7	9	10
1990.....	267	49	5	3	2	2	6	10	5	10	16
1989.....	341	51	11	4	4	6	4	13	10	7	12
1988.....	332	45	13	3	-	2	7	9	15	18	16
1987.....	301	38	17	5	1	2	5	11	11	15	17
1986.....	338	34	20	2	4	2	3	11	10	5	12
1985.....	308	17	9	4	2	3	8	11	8	9	4
1984.....	281	29	15	5	2	3	6	17	20	8	11
1983.....	426	29	14	6	3	1	8	15	9	11	7
1982.....	281	28	15	7	3	1	5	12	7	9	12
1981.....	271	30	12	8	5	5	5	10	11	6	3
1980.....	694	36	13	8	1	4	8	14	11	8	16
1979.....	270	31	14	5	5	5	11	10	7	8	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)											
TOTAL, BOTH SEXES											
1998.....	276	1	-	-	2	3	6	7	17	24	21
1997.....	248	2	-	4	1	6	6	8	12	20	24
1996.....	253	3	1	1	2	5	11	16	15	15	19
1995.....	206	1	-	2	4	4	4	4	13	15	17
1994.....	172	1	4	3	2	1	7	6	6	9	7
1993.....	201	-	2	-	1	3	11	7	18	15	12
1992.....	156	3	1	2	1	5	2	8	12	11	6
1991.....	163	4	-	-	2	3	3	5	8	9	15
1990.....	166	1	2	1	1	3	4	7	11	8	12
1989.....	142	-	1	1	2	3	4	6	5	7	7
1988.....	180	-	3	1	1	2	4	9	11	19	14
1987.....	151	-	1	1	-	3	3	13	13	14	7
1986.....	196	1	1	1	6	4	11	5	7	10	10
1985.....	178	2	1	4	5	4	7	7	16	7	7
1984.....	165	3	2	-	2	5	7	8	8	7	9
1983.....	169	2	7	-	2	5	5	6	6	8	9
1982.....	198	1	-	1	3	1	7	10	8	8	5
1981.....	224	1	2	-	2	6	8	12	16	12	8
1980.....	155	3	1	4	-	10	5	5	5	5	8
1979.....	157	2	1	1	2	8	10	6	7	10	10
TOTAL, MALE											
1998.....	144	1	-	-	1	1	5	3	9	17	12
1997.....	112	2	-	1	-	2	4	3	8	11	10
1996.....	117	2	-	-	1	4	7	7	10	3	11
1995.....	111	-	-	1	4	3	3	3	10	10	10
1994.....	82	1	1	1	2	1	4	4	2	4	1
1993.....	96	-	1	-	1	1	6	4	13	11	6
1992.....	72	1	1	1	-	3	-	5	6	8	1
1991.....	70	3	-	-	2	1	1	4	6	5	6
1990.....	80	1	1	1	1	1	2	5	3	4	6
1989.....	77	-	1	-	-	1	3	5	2	4	3
1988.....	95	-	3	1	-	1	3	7	5	14	8
1987.....	86	-	1	-	-	2	3	7	9	9	3
1986.....	90	-	-	1	4	-	3	2	5	7	6
1985.....	95	1	-	1	2	2	4	6	9	2	4
1984.....	86	2	1	-	1	2	4	3	5	6	6
1983.....	88	2	2	-	1	1	3	4	3	5	5
1982.....	94	1	-	1	2	-	5	4	4	5	1
1981.....	107	-	1	-	-	4	3	8	11	7	3
1980.....	75	2	1	3	-	7	3	4	3	2	3
1979.....	76	1	-	1	2	3	4	2	5	5	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)											
TOTAL, FEMALE											
1998.....	132	-	-	-	1	2	1	4	8	7	9
1997.....	136	-	-	3	1	4	2	5	4	9	14
1996.....	136	1	1	1	1	1	4	9	5	12	8
1995.....	95	1	-	1	-	1	1	1	3	5	7
1994.....	90	-	3	2	-	-	3	2	4	5	6
1993.....	105	-	1	-	-	2	5	3	5	4	6
1992.....	84	2	-	1	1	2	2	3	6	3	5
1991.....	93	1	-	-	-	2	2	1	2	4	9
1990.....	86	-	1	-	-	2	2	2	8	4	6
1989.....	65	-	-	1	2	2	1	1	3	3	4
1988.....	85	-	-	-	1	1	1	2	6	5	6
1987.....	65	-	-	1	-	1	-	6	4	5	4
1986.....	106	1	1	-	2	4	8	3	2	3	4
1985.....	83	1	1	3	3	2	3	1	7	5	3
1984.....	79	1	1	-	1	3	3	5	3	1	3
1983.....	81	-	5	-	1	4	2	2	3	3	4
1982.....	104	-	-	-	1	1	2	6	4	3	4
1981.....	117	1	1	-	2	2	5	4	5	5	5
1980.....	80	1	-	1	-	3	2	1	2	3	5
1979.....	81	1	1	-	-	5	6	4	2	5	6
WHITE, BOTH SEXES											
1998.....	217	1	-	-	2	2	6	5	10	22	18
1997.....	203	2	-	3	-	4	4	5	8	14	18
1996.....	196	2	-	1	2	5	8	12	11	9	15
1995.....	169	1	-	1	3	4	2	3	13	12	14
1994.....	144	-	3	3	1	1	5	4	4	8	7
1993.....	152	-	-	-	1	3	8	5	10	12	10
1992.....	124	1	1	-	1	3	1	5	9	10	4
1991.....	133	3	-	-	2	3	3	4	8	7	10
1990.....	131	1	2	1	-	2	2	5	11	7	7
1989.....	113	-	-	1	2	2	3	6	4	3	6
1988.....	150	-	3	1	1	2	4	8	6	13	11
1987.....	123	-	1	1	-	2	2	10	9	10	6
1986.....	163	1	1	1	4	4	9	3	6	6	7
1985.....	148	2	1	3	5	4	4	6	8	5	6
1984.....	141	3	2	-	2	3	5	8	7	5	9
1983.....	131	2	5	-	2	1	3	6	6	4	4
1982.....	161	1	-	-	2	1	4	5	4	8	2
1981.....	173	-	2	-	-	4	4	10	11	9	4
1980.....	121	1	1	3	-	7	5	3	4	4	5
1979.....	124	-	1	1	2	5	8	4	3	7	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)											
WHITE MALE											
1998.....	114	1	-	-	1	-	5	2	5	16	10
1997.....	92	2	-	1	-	2	2	3	5	7	9
1996.....	89	2	-	-	1	4	5	4	8	2	9
1995.....	95	-	-	-	3	3	2	2	10	9	7
1994.....	69	-	1	1	1	1	3	2	2	4	1
1993.....	74	-	-	-	1	1	5	3	9	8	5
1992.....	61	-	1	-	-	2	-	3	6	8	1
1991.....	62	2	-	-	2	1	1	4	6	4	5
1990.....	59	1	1	1	-	-	1	4	3	3	5
1989.....	63	-	-	-	-	-	2	5	2	2	3
1988.....	77	-	3	1	-	1	3	6	2	8	7
1987.....	71	-	1	-	-	1	2	6	5	8	2
1986.....	77	-	-	1	3	-	3	2	4	4	4
1985.....	81	1	-	1	2	2	2	5	5	2	4
1984.....	76	2	1	-	1	2	3	3	5	4	6
1983.....	70	2	1	-	1	-	3	4	3	3	2
1982.....	76	1	-	-	2	-	3	2	2	5	-
1981.....	92	-	1	-	-	3	3	8	8	6	1
1980.....	57	1	1	2	-	5	3	3	3	1	2
1979.....	62	-	-	1	2	3	2	1	3	5	4
WHITE FEMALE											
1998.....	103	-	-	-	1	2	1	3	5	6	8
1997.....	111	-	-	2	-	2	2	2	3	7	9
1996.....	107	-	-	1	1	1	3	8	3	7	6
1995.....	74	1	-	1	-	1	-	1	3	3	7
1994.....	75	-	2	2	-	-	2	2	2	4	6
1993.....	78	-	-	-	-	2	3	2	1	4	5
1992.....	63	1	-	-	1	1	1	2	3	2	3
1991.....	71	1	-	-	-	2	2	-	2	3	5
1990.....	72	-	1	-	-	2	1	1	8	4	2
1989.....	50	-	-	1	2	2	1	1	2	1	3
1988.....	73	-	-	-	1	1	1	2	4	5	4
1987.....	52	-	-	1	-	1	-	4	4	2	4
1986.....	86	1	1	-	1	4	6	1	2	2	3
1985.....	67	1	1	2	3	2	2	1	3	3	2
1984.....	65	1	1	-	1	1	2	5	2	1	3
1983.....	61	-	4	-	1	1	-	2	3	1	2
1982.....	85	-	-	-	-	1	1	3	2	3	2
1981.....	81	-	1	-	-	1	1	2	3	3	3
1980.....	64	-	-	1	-	2	2	-	1	3	3
1979.....	62	-	1	-	-	2	6	3	-	2	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)											
ALL OTHER, BOTH SEXES											
1998.....	59	-	-	-	-	1	-	2	7	2	3
1997.....	45	-	-	1	1	2	2	3	4	6	6
1996.....	57	1	1	-	-	-	3	4	4	6	4
1995.....	37	-	-	1	1	-	2	1	-	3	3
1994.....	28	1	1	-	1	-	2	2	2	1	-
1993.....	49	-	2	-	-	-	3	2	8	3	2
1992.....	32	2	-	2	-	2	1	3	3	1	2
1991.....	30	1	-	-	-	-	-	1	-	2	5
1990.....	35	-	-	-	1	1	2	2	-	1	5
1989.....	29	-	1	-	-	1	1	-	1	4	1
1988.....	30	-	-	-	-	-	-	1	5	6	3
1987.....	28	-	-	-	-	1	1	3	4	4	1
1986.....	33	-	-	-	2	-	2	2	1	4	3
1985.....	30	-	-	1	-	-	3	1	8	2	1
1984.....	24	-	-	-	-	2	2	-	1	2	-
1983.....	38	-	2	-	-	4	2	-	-	4	5
1982.....	37	-	-	1	1	-	3	5	4	-	3
1981.....	51	1	-	-	2	2	4	2	5	3	4
1980.....	34	2	-	1	-	3	-	2	1	1	3
1979.....	33	2	-	-	-	3	2	2	4	3	1
ALL OTHER MALE											
1998.....	30	-	-	-	-	1	-	1	4	1	2
1997.....	20	-	-	-	-	-	2	-	3	4	1
1996.....	28	-	-	-	-	-	2	3	2	1	2
1995.....	16	-	-	1	1	-	1	1	-	1	3
1994.....	13	1	-	-	1	-	1	2	-	-	-
1993.....	22	-	1	-	-	-	1	1	4	3	1
1992.....	11	1	-	1	-	1	-	2	-	-	-
1991.....	8	1	-	-	-	-	-	-	-	1	1
1990.....	21	-	-	-	1	1	1	1	-	1	1
1989.....	14	-	1	-	-	1	1	-	-	2	-
1988.....	18	-	-	-	-	-	-	1	3	6	1
1987.....	15	-	-	-	-	1	1	1	4	1	1
1986.....	13	-	-	-	1	-	-	-	1	3	2
1985.....	14	-	-	-	-	-	2	1	4	-	-
1984.....	10	-	-	-	-	-	1	-	-	2	-
1983.....	18	-	1	-	-	1	-	-	-	2	3
1982.....	18	-	-	1	-	-	2	2	2	-	1
1981.....	15	-	-	-	-	1	-	-	3	1	2
1980.....	18	1	-	1	-	2	-	1	-	1	1
1979.....	14	1	-	-	-	-	2	1	2	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)												
ALL OTHER FEMALE												
1998.....	29	-	-	-	-	-	-	1	3	1	1	
1997.....	25	-	-	1	1	2	-	3	1	2	5	
1996.....	29	1	1	-	-	-	1	1	2	5	2	
1995.....	21	-	-	-	-	-	1	-	-	2	-	
1994.....	15	-	1	-	-	-	1	-	2	1	-	
1993.....	27	-	1	-	-	-	2	1	4	-	1	
1992.....	21	1	-	1	-	1	1	1	3	1	2	
1991.....	22	-	-	-	-	-	-	1	-	1	4	
1990.....	14	-	-	-	-	-	1	1	-	-	4	
1989.....	15	-	-	-	-	-	-	-	1	2	1	
1988.....	12	-	-	-	-	-	-	-	2	-	2	
1987.....	13	-	-	-	-	-	-	2	-	3	-	
1986.....	20	-	-	-	1	-	2	2	-	1	1	
1985.....	16	-	-	1	-	-	1	-	4	2	1	
1984.....	14	-	-	-	-	2	1	-	1	-	-	
1983.....	20	-	1	-	-	3	2	-	-	2	2	
1982.....	19	-	-	-	1	-	1	3	2	-	2	
1981.....	36	1	-	-	2	1	4	2	2	2	2	
1980.....	16	1	-	-	-	1	-	1	1	-	2	
1979.....	19	1	-	-	-	3	-	1	2	3	1	
BLACK, BOTH SEXES												
1998.....	54	-	-	-	-	1	-	2	6	2	3	
1997.....	44	-	-	1	1	2	2	3	4	6	6	
1996.....	50	-	1	-	-	-	3	3	4	6	3	
1995.....	34	-	-	1	1	-	2	1	-	3	3	
1994.....	28	1	1	-	1	-	2	2	2	1	-	
1993.....	45	-	2	-	-	-	3	2	8	3	2	
1992.....	29	2	-	2	-	2	1	3	3	1	2	
1991.....	27	1	-	-	-	-	-	1	-	2	4	
1990.....	32	-	-	-	1	1	2	1	-	1	5	
1989.....	28	-	-	-	-	1	1	-	1	4	1	
1988.....	27	-	-	-	-	-	-	1	5	6	3	
1987.....	25	-	-	-	-	1	1	3	4	4	1	
1986.....	31	-	-	-	2	-	2	2	1	4	3	
1985.....	30	-	-	1	-	-	3	1	8	2	1	
1984.....	24	-	-	-	-	2	2	-	1	2	-	
1983.....	33	-	2	-	-	3	1	-	-	4	4	
1982.....	35	-	-	1	1	-	2	5	4	-	3	
1981.....	48	1	-	-	1	2	4	2	5	3	4	
1980.....	34	2	-	1	-	3	-	2	1	1	3	
1979.....	30	2	-	-	-	3	2	2	3	2	1	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)											
BLACK MALE											
1998.....	28	-	-	-	-	1	-	1	4	1	2
1997.....	19	-	-	-	-	-	2	-	3	4	1
1996.....	24	-	-	-	-	-	2	3	2	1	1
1995.....	14	-	-	1	1	-	1	1	-	1	3
1994.....	13	1	-	-	1	-	1	2	-	-	-
1993.....	19	-	1	-	-	-	1	1	4	3	1
1992.....	8	1	-	1	-	1	-	2	-	-	-
1991.....	8	1	-	-	-	-	-	-	-	1	1
1990.....	19	-	-	-	1	1	1	1	-	1	1
1989.....	13	-	-	-	-	1	1	-	-	2	-
1988.....	15	-	-	-	-	-	-	1	3	6	1
1987.....	14	-	-	-	-	1	1	1	4	1	1
1986.....	13	-	-	-	1	-	-	-	1	3	2
1985.....	14	-	-	-	-	-	2	1	4	-	-
1984.....	10	-	-	-	-	-	1	-	-	2	-
1983.....	16	-	1	-	-	1	-	-	-	2	3
1982.....	16	-	-	1	-	-	1	2	2	-	1
1981.....	15	-	-	-	-	1	-	-	3	1	2
1980.....	18	1	-	1	-	2	-	1	-	1	1
1979.....	13	1	-	-	-	-	2	1	1	-	-
BLACK FEMALE											
1998.....	26	-	-	-	-	-	-	1	2	1	1
1997.....	25	-	-	1	1	2	-	3	1	2	5
1996.....	26	-	1	-	-	-	1	-	2	5	2
1995.....	20	-	-	-	-	-	1	-	-	2	-
1994.....	15	-	1	-	-	-	1	-	2	1	-
1993.....	26	-	1	-	-	-	2	1	4	-	1
1992.....	21	1	-	1	-	1	1	1	3	1	2
1991.....	19	-	-	-	-	-	-	1	-	1	3
1990.....	13	-	-	-	-	-	1	-	-	-	4
1989.....	15	-	-	-	-	-	-	-	1	2	1
1988.....	12	-	-	-	-	-	-	-	2	-	2
1987.....	11	-	-	-	-	-	-	2	-	3	-
1986.....	18	-	-	-	1	-	2	2	-	1	1
1985.....	16	-	-	1	-	-	1	-	4	2	1
1984.....	14	-	-	-	-	2	1	-	1	-	-
1983.....	17	-	1	-	-	2	1	-	-	2	1
1982.....	19	-	-	-	1	-	1	3	2	-	2
1981.....	33	1	-	-	1	1	4	2	2	2	2
1980.....	16	1	-	-	-	1	-	1	1	-	2
1979.....	17	1	-	-	-	3	-	1	2	2	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	30,575	7	317	1,737	2,398	2,608	2,757	3,439	3,398
1997.....	30,535	4	303	1,802	2,384	2,709	2,963	3,407	3,323
1996.....	30,903	4	298	1,817	2,541	2,816	3,045	3,476	3,265
1995.....	31,284	7	330	1,890	2,894	2,880	3,412	3,332	3,135
1994.....	31,142	4	318	1,948	3,008	3,026	3,328	3,397	2,978
1993.....	31,102	6	315	1,884	2,965	2,979	3,328	3,248	2,922
1992.....	30,484	10	304	1,847	2,846	2,864	3,308	3,177	2,832
1991.....	30,810	1	265	1,899	2,852	3,086	3,428	3,089	2,678
1990.....	30,906	6	258	1,979	2,890	3,192	3,358	3,098	2,619
1989.....	30,232	4	236	2,009	2,861	3,299	3,266	2,937	2,394
1988.....	30,407	6	237	2,059	2,870	3,355	3,355	2,909	2,296
1987.....	30,796	1	250	1,902	3,022	3,372	3,283	2,799	2,333
1986.....	30,904	5	250	1,896	3,224	3,429	3,282	2,852	2,161
1985.....	29,453	3	275	1,849	3,272	3,364	3,012	2,528	2,098
1984.....	29,286	7	225	1,692	3,334	3,380	3,012	2,560	2,042
1983.....	28,295	10	195	1,677	3,168	3,365	2,973	2,328	1,978
1982.....	28,242	2	198	1,730	3,295	3,444	2,872	2,373	1,942
1981.....	27,596	4	163	1,770	3,391	3,435	2,908	2,279	1,928
1980.....	26,869	3	139	1,797	3,442	3,228	2,692	2,150	1,785
1979.....	27,206	1	151	1,788	3,458	3,271	2,586	2,095	1,781
TOTAL, MALE											
1998.....	24,538	7	234	1,463	2,069	2,182	2,222	2,663	2,633
1997.....	24,492	3	230	1,490	2,069	2,263	2,421	2,673	2,550
1996.....	24,998	3	222	1,496	2,228	2,361	2,487	2,781	2,519
1995.....	25,369	7	253	1,616	2,516	2,449	2,785	2,647	2,433
1994.....	25,174	4	230	1,649	2,653	2,555	2,740	2,662	2,308
1993.....	25,007	3	230	1,561	2,558	2,500	2,718	2,569	2,273
1992.....	24,457	8	224	1,560	2,484	2,435	2,667	2,522	2,158
1991.....	24,769	1	207	1,588	2,485	2,563	2,798	2,418	2,057
1990.....	24,724	4	191	1,656	2,504	2,667	2,672	2,413	2,011
1989.....	24,102	3	181	1,637	2,469	2,742	2,597	2,301	1,802
1988.....	24,078	5	176	1,668	2,475	2,779	2,684	2,279	1,696
1987.....	24,272	1	198	1,525	2,584	2,779	2,591	2,166	1,711
1986.....	24,226	3	196	1,552	2,724	2,825	2,625	2,190	1,552
1985.....	23,145	3	202	1,509	2,758	2,759	2,375	1,943	1,538
1984.....	22,689	6	171	1,365	2,784	2,767	2,358	1,931	1,470
1983.....	21,786	7	145	1,370	2,611	2,677	2,340	1,736	1,433
1982.....	21,625	1	159	1,422	2,739	2,749	2,190	1,716	1,391
1981.....	20,809	4	115	1,413	2,788	2,677	2,229	1,659	1,348
1980.....	20,505	3	113	1,483	2,853	2,589	2,009	1,572	1,252
1979.....	20,256	1	103	1,452	2,793	2,587	1,918	1,457	1,223

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	6,037	-	83	274	329	426	535	776	765
1997.....	6,043	1	73	312	315	446	542	734	773
1996.....	5,905	1	76	321	313	455	558	695	746
1995.....	5,915	-	77	274	378	431	627	685	702
1994.....	5,968	-	88	299	355	471	588	735	670
1993.....	6,095	3	85	323	407	479	610	679	649
1992.....	6,027	2	80	287	362	429	641	655	674
1991.....	6,041	-	58	311	367	523	630	671	621
1990.....	6,182	2	67	323	386	525	686	685	608
1989.....	6,130	1	55	372	392	557	669	636	592
1988.....	6,329	1	61	391	395	576	671	630	600
1987.....	6,524	-	52	377	438	593	692	633	622
1986.....	6,678	2	54	344	500	604	657	662	609
1985.....	6,308	-	73	340	514	605	637	585	560
1984.....	6,597	1	54	327	550	613	654	629	572
1983.....	6,509	3	50	307	557	688	633	592	545
1982.....	6,617	1	39	308	556	695	682	657	551
1981.....	6,787	-	48	357	603	758	679	620	580
1980.....	6,364	-	26	314	589	639	683	578	533
1979.....	6,950	-	48	336	665	684	668	638	558
WHITE, BOTH SEXES											
1998.....	27,648	5	269	1,448	1,986	2,182	2,377	3,158	3,120
1997.....	27,513	3	252	1,509	1,947	2,306	2,581	3,066	3,043
1996.....	27,856	4	244	1,522	2,117	2,369	2,640	3,123	2,979
1995.....	28,187	5	284	1,587	2,416	2,443	2,977	2,985	2,857
1994.....	27,976	2	269	1,588	2,490	2,557	2,933	3,003	2,719
1993.....	28,035	4	258	1,594	2,443	2,504	2,940	2,902	2,665
1992.....	27,611	6	265	1,531	2,404	2,464	2,895	2,845	2,582
1991.....	27,996	-	228	1,628	2,450	2,629	3,045	2,799	2,470
1990.....	28,086	4	219	1,701	2,481	2,731	2,952	2,779	2,404
1989.....	27,424	2	196	1,743	2,399	2,847	2,850	2,628	2,189
1988.....	27,790	6	195	1,819	2,489	2,940	2,904	2,626	2,124
1987.....	28,217	1	218	1,679	2,649	2,940	2,910	2,517	2,157
1986.....	28,437	2	212	1,716	2,875	3,004	2,915	2,572	2,012
1985.....	27,087	3	243	1,643	2,866	2,985	2,674	2,316	1,948
1984.....	27,002	7	197	1,528	2,961	2,979	2,702	2,335	1,895
1983.....	26,157	9	161	1,491	2,800	3,016	2,682	2,131	1,844
1982.....	26,141	2	169	1,573	2,927	3,060	2,571	2,170	1,812
1981.....	25,452	3	153	1,607	3,024	3,056	2,585	2,080	1,779
1980.....	24,829	2	130	1,635	3,057	2,876	2,391	1,979	1,639
1979.....	24,945	-	139	1,602	3,000	2,865	2,292	1,904	1,646

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	22,174	5	200	1,222	1,712	1,819	1,915	2,445	2,415
1997.....	22,042	2	192	1,252	1,689	1,923	2,103	2,393	2,327
1996.....	22,547	3	179	1,249	1,860	1,996	2,150	2,492	2,297
1995.....	22,853	5	218	1,360	2,099	2,084	2,430	2,370	2,214
1994.....	22,581	2	194	1,347	2,203	2,156	2,414	2,338	2,097
1993.....	22,524	3	183	1,313	2,120	2,104	2,402	2,293	2,061
1992.....	22,126	5	191	1,289	2,103	2,097	2,332	2,251	1,968
1991.....	22,452	-	175	1,351	2,125	2,191	2,472	2,190	1,895
1990.....	22,448	3	162	1,422	2,147	2,279	2,346	2,164	1,844
1989.....	21,858	1	151	1,424	2,074	2,368	2,254	2,062	1,647
1988.....	21,980	5	146	1,473	2,145	2,438	2,308	2,048	1,581
1987.....	22,188	1	173	1,352	2,265	2,419	2,291	1,940	1,573
1986.....	22,270	2	166	1,414	2,427	2,471	2,336	1,953	1,441
1985.....	21,256	3	180	1,339	2,414	2,436	2,099	1,782	1,427
1984.....	20,882	6	152	1,240	2,473	2,429	2,108	1,753	1,357
1983.....	20,097	6	129	1,219	2,311	2,388	2,095	1,587	1,339
1982.....	19,965	1	133	1,297	2,440	2,426	1,956	1,562	1,293
1981.....	19,166	3	110	1,288	2,487	2,373	1,988	1,510	1,247
1980.....	18,901	2	106	1,352	2,529	2,303	1,779	1,444	1,147
1979.....	18,504	-	94	1,305	2,422	2,260	1,691	1,309	1,121
WHITE FEMALE											
1998.....	5,474	-	69	226	274	363	462	713	705
1997.....	5,471	1	60	257	258	383	478	673	716
1996.....	5,309	1	65	273	257	373	490	631	682
1995.....	5,334	-	66	227	317	359	547	615	643
1994.....	5,395	-	75	241	287	401	519	665	622
1993.....	5,511	1	75	281	323	400	538	609	604
1992.....	5,485	1	74	242	301	367	563	594	614
1991.....	5,544	-	53	277	325	438	573	609	575
1990.....	5,638	1	57	279	334	452	606	615	560
1989.....	5,566	1	45	319	325	479	596	566	542
1988.....	5,810	1	49	346	344	502	596	578	543
1987.....	6,029	-	45	327	384	521	619	577	584
1986.....	6,167	-	46	302	448	533	579	619	571
1985.....	5,831	-	63	304	452	549	575	534	521
1984.....	6,120	1	45	288	488	550	594	582	538
1983.....	6,060	3	32	272	489	628	587	544	505
1982.....	6,176	1	36	276	487	634	615	608	519
1981.....	6,286	-	43	319	537	683	597	570	532
1980.....	5,928	-	24	283	528	573	612	535	492
1979.....	6,441	-	45	297	578	605	601	595	525

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	2,927	2	48	289	412	426	380	281	278
1997.....	3,022	1	51	293	437	403	382	341	280
1996.....	3,047	-	54	295	424	447	405	353	286
1995.....	3,097	2	46	303	478	437	435	347	278
1994.....	3,166	2	49	360	518	469	395	394	259
1993.....	3,067	2	57	290	522	475	388	346	257
1992.....	2,873	4	39	316	442	400	413	332	250
1991.....	2,814	1	37	271	402	457	383	290	208
1990.....	2,820	2	39	278	409	461	406	319	215
1989.....	2,808	2	40	266	462	452	416	309	205
1988.....	2,617	-	42	240	381	415	451	283	172
1987.....	2,579	-	32	223	373	432	373	282	176
1986.....	2,467	3	38	180	349	425	367	280	149
1985.....	2,366	-	32	206	406	379	338	212	150
1984.....	2,284	-	28	164	373	401	310	225	147
1983.....	2,138	1	34	186	368	349	291	197	134
1982.....	2,101	-	29	157	368	384	301	203	130
1981.....	2,144	1	10	163	367	379	323	199	149
1980.....	2,040	1	9	162	385	352	301	171	146
1979.....	2,261	1	12	186	458	406	294	191	135
ALL OTHER MALE											
1998.....	2,364	2	34	241	357	363	307	218	218
1997.....	2,450	1	38	238	380	340	318	280	223
1996.....	2,451	-	43	247	368	365	337	289	222
1995.....	2,516	2	35	256	417	365	355	277	219
1994.....	2,593	2	36	302	450	399	326	324	211
1993.....	2,483	-	47	248	438	396	316	276	212
1992.....	2,331	3	33	271	381	338	335	271	190
1991.....	2,317	1	32	237	360	372	326	228	162
1990.....	2,276	1	29	234	357	388	326	249	167
1989.....	2,244	2	30	213	395	374	343	239	155
1988.....	2,098	-	30	195	330	341	376	231	115
1987.....	2,084	-	25	173	319	360	300	226	138
1986.....	1,956	1	30	138	297	354	289	237	111
1985.....	1,889	-	22	170	344	323	276	161	111
1984.....	1,807	-	19	125	311	338	250	178	113
1983.....	1,689	1	16	151	300	289	245	149	94
1982.....	1,660	-	26	125	299	323	234	154	98
1981.....	1,643	1	5	125	301	304	241	149	101
1980.....	1,604	1	7	131	324	286	230	128	105
1979.....	1,752	1	9	147	371	327	227	148	102

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	563	-	14	48	55	63	73	63	60
1997.....	572	-	13	55	57	63	64	61	57
1996.....	596	-	11	48	56	82	68	64	64
1995.....	581	-	11	47	61	72	80	70	59
1994.....	573	-	13	58	68	70	69	70	48
1993.....	584	2	10	42	84	79	72	70	45
1992.....	542	1	6	45	61	62	78	61	60
1991.....	497	-	5	34	42	85	57	62	46
1990.....	544	1	10	44	52	73	80	70	48
1989.....	564	-	10	53	67	78	73	70	50
1988.....	519	-	12	45	51	74	75	52	57
1987.....	495	-	7	50	54	72	73	56	38
1986.....	511	2	8	42	52	71	78	43	38
1985.....	477	-	10	36	62	56	62	51	39
1984.....	477	-	9	39	62	63	60	47	34
1983.....	449	-	18	35	68	60	46	48	40
1982.....	441	-	3	32	69	61	67	49	32
1981.....	501	-	5	38	66	75	82	50	48
1980.....	436	-	2	31	61	66	71	43	41
1979.....	509	-	3	39	87	79	67	43	33
BLACK, BOTH SEXES											
1998.....	1,977	2	29	191	297	273	273	202	186
1997.....	2,103	-	40	211	302	278	289	245	208
1996.....	2,164	-	36	195	328	301	289	267	209
1995.....	2,231	1	30	229	323	321	312	266	218
1994.....	2,271	2	39	263	366	325	282	296	201
1993.....	2,259	2	39	213	395	353	296	265	183
1992.....	2,143	1	33	223	313	303	331	257	194
1991.....	2,097	1	31	183	296	344	301	237	153
1990.....	2,111	2	29	183	282	357	318	252	171
1989.....	2,153	2	32	175	350	340	349	244	168
1988.....	2,022	-	29	167	298	325	360	226	131
1987.....	1,963	-	25	162	263	341	311	225	129
1986.....	1,892	2	25	128	252	332	303	218	113
1985.....	1,795	-	22	135	289	294	262	175	115
1984.....	1,760	-	19	107	273	322	259	179	116
1983.....	1,623	-	27	119	280	271	234	145	108
1982.....	1,639	-	22	113	270	305	235	169	105
1981.....	1,658	1	6	105	282	315	253	151	110
1980.....	1,607	1	9	108	307	278	245	133	128
1979.....	1,812	1	7	132	354	336	251	150	115

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR
SUICIDE (E950-E959)

TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

BLACK MALE

1998.....	1,659	2	21	164	261	240	228	159	154
1997.....	1,764	-	28	171	276	243	249	201	172
1996.....	1,820	-	28	169	292	258	245	227	170
1995.....	1,878	1	24	197	295	273	262	218	173
1994.....	1,922	2	31	230	326	284	237	249	164
1993.....	1,905	-	33	194	342	308	251	216	153
1992.....	1,803	1	28	198	280	265	274	216	153
1991.....	1,782	1	27	164	271	283	266	193	126
1990.....	1,737	1	21	157	247	300	267	199	133
1989.....	1,771	2	23	144	303	285	294	196	132
1988.....	1,648	-	17	136	258	270	304	190	95
1987.....	1,635	-	21	125	229	286	253	190	107
1986.....	1,537	1	20	99	217	284	245	191	87
1985.....	1,481	-	17	114	253	254	221	135	90
1984.....	1,432	-	14	83	228	273	215	146	93
1983.....	1,321	-	12	94	227	230	201	118	77
1982.....	1,327	-	20	91	226	260	187	127	82
1981.....	1,315	1	4	81	235	260	197	119	78
1980.....	1,297	1	7	84	262	235	194	102	91
1979.....	1,428	1	4	100	289	271	198	116	89

BLACK FEMALE

1998.....	318	-	8	27	36	33	45	43	32
1997.....	339	-	12	40	26	35	40	44	36
1996.....	344	-	8	26	36	43	44	40	39
1995.....	353	-	6	32	28	48	50	48	45
1994.....	349	-	8	33	40	41	45	47	37
1993.....	354	2	6	19	53	45	45	49	30
1992.....	340	-	5	25	33	38	57	41	41
1991.....	315	-	4	19	25	61	35	44	27
1990.....	374	1	8	26	35	57	51	53	38
1989.....	382	-	9	31	47	55	55	48	36
1988.....	374	-	12	31	40	55	56	36	36
1987.....	328	-	4	37	34	55	58	35	22
1986.....	355	1	5	29	35	48	58	27	26
1985.....	314	-	5	21	36	40	41	40	25
1984.....	328	-	5	24	45	49	44	33	23
1983.....	302	-	15	25	53	41	33	27	31
1982.....	312	-	2	22	44	45	48	42	23
1981.....	343	-	2	24	47	55	56	32	32
1980.....	310	-	2	24	45	43	51	31	37
1979.....	384	-	3	32	65	65	53	34	26

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)											
TOTAL, BOTH SEXES											
1998.....	3,138	-	7	53	106	184	300	458	555
1997.....	3,108	-	13	53	130	221	310	457	486
1996.....	2,896	-	8	71	124	196	321	404	504
1995.....	2,874	2	12	66	125	204	350	448	471
1994.....	3,022	-	17	80	152	228	353	434	483
1993.....	2,975	1	19	109	191	217	317	450	462
1992.....	3,215	-	25	115	146	262	417	485	450
1991.....	3,095	-	16	110	173	259	387	461	417
1990.....	2,920	1	16	97	153	246	361	419	396
1989.....	2,988	1	21	164	155	297	394	394	350
1988.....	2,910	-	16	137	185	283	375	397	339
1987.....	2,891	-	12	120	175	282	386	357	296
1986.....	2,796	-	10	117	186	282	357	402	254
1985.....	2,668	-	26	98	195	287	351	302	284
1984.....	2,690	1	9	99	181	302	344	318	268
1983.....	2,812	3	16	91	217	344	382	304	271
1982.....	2,685	-	5	88	208	346	345	303	241
1981.....	2,730	-	13	102	230	327	363	289	231
1980.....	2,761	-	3	100	251	345	344	278	263
1979.....	3,034	-	8	124	284	399	360	287	272
TOTAL, MALE											
1998.....	1,561	-	1	23	61	93	173	248	285
1997.....	1,498	-	2	16	78	122	173	235	239
1996.....	1,430	-	1	32	64	112	185	214	270
1995.....	1,376	2	5	25	64	113	174	235	238
1994.....	1,443	-	5	28	99	119	214	224	251
1993.....	1,410	1	4	46	99	130	181	229	245
1992.....	1,541	-	7	50	83	162	220	274	220
1991.....	1,462	-	7	42	88	147	225	250	199
1990.....	1,315	1	2	43	70	136	200	214	192
1989.....	1,364	-	5	64	90	156	190	220	161
1988.....	1,267	-	5	48	92	153	197	212	138
1987.....	1,260	-	6	42	90	159	190	185	120
1986.....	1,197	-	3	50	99	172	184	207	94
1985.....	1,123	-	5	44	97	146	173	153	118
1984.....	1,127	-	3	35	91	177	173	148	115
1983.....	1,164	-	2	38	112	186	196	127	109
1982.....	1,063	-	2	39	104	168	178	117	97
1981.....	1,029	-	1	32	122	151	168	115	82
1980.....	1,142	-	-	51	130	180	154	120	97
1979.....	1,202	-	-	49	142	217	163	101	106

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	1,577	-	6	30	45	91	127	210	270
1997.....	1,610	-	11	37	52	99	137	222	247
1996.....	1,466	-	7	39	60	84	136	190	234
1995.....	1,498	-	7	41	61	91	176	213	233
1994.....	1,579	-	12	52	53	109	139	210	232
1993.....	1,565	-	15	63	92	87	136	221	217
1992.....	1,674	-	18	65	63	100	197	211	230
1991.....	1,633	-	9	68	85	112	162	211	218
1990.....	1,605	-	14	54	83	110	161	205	204
1989.....	1,624	1	16	100	65	141	204	174	189
1988.....	1,643	-	11	89	93	130	178	185	201
1987.....	1,631	-	6	78	85	123	196	172	176
1986.....	1,599	-	7	67	87	110	173	195	160
1985.....	1,545	-	21	54	98	141	178	149	166
1984.....	1,563	1	6	64	90	125	171	170	153
1983.....	1,648	3	14	53	105	158	186	177	162
1982.....	1,622	-	3	49	104	178	167	186	144
1981.....	1,701	-	12	70	108	176	195	174	149
1980.....	1,619	-	3	49	121	165	190	158	166
1979.....	1,832	-	8	75	142	182	197	186	166
WHITE, BOTH SEXES											
1998.....	2,927	-	7	46	92	162	269	422	525
1997.....	2,857	-	12	42	113	190	278	420	447
1996.....	2,690	-	7	62	103	167	291	370	468
1995.....	2,643	1	9	58	105	183	311	403	441
1994.....	2,756	-	14	70	125	190	315	388	441
1993.....	2,742	1	18	89	156	191	286	411	426
1992.....	2,979	-	25	96	122	232	384	444	420
1991.....	2,894	-	13	94	149	230	356	431	392
1990.....	2,703	1	13	83	131	210	324	391	372
1989.....	2,774	1	18	144	127	261	358	366	327
1988.....	2,694	-	13	122	160	253	338	365	310
1987.....	2,676	-	11	98	151	245	347	327	280
1986.....	2,633	-	8	105	173	256	323	378	236
1985.....	2,503	-	19	88	172	263	323	278	269
1984.....	2,526	1	8	85	158	273	311	297	256
1983.....	2,626	3	8	73	198	323	357	273	250
1982.....	2,523	-	4	75	184	324	313	278	229
1981.....	2,568	-	12	89	211	295	332	267	212
1980.....	2,620	-	3	87	237	318	315	266	249
1979.....	2,840	-	6	108	249	358	329	266	259

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	1,451	-	1	21	52	80	159	229	266
1997.....	1,387	-	2	13	69	107	157	220	225
1996.....	1,334	-	-	29	55	95	171	198	254
1995.....	1,260	1	3	23	53	102	159	209	224
1994.....	1,301	-	4	27	84	99	187	197	226
1993.....	1,298	1	3	37	83	112	165	212	223
1992.....	1,440	-	7	44	73	147	205	256	207
1991.....	1,367	-	5	35	76	134	203	237	187
1990.....	1,221	1	2	37	59	116	181	203	183
1989.....	1,275	-	4	61	72	140	175	204	151
1988.....	1,172	-	5	47	82	139	179	190	129
1987.....	1,162	-	6	32	80	139	171	174	115
1986.....	1,138	-	3	45	96	158	171	196	90
1985.....	1,049	-	4	41	84	133	160	140	114
1984.....	1,050	-	3	32	79	160	156	137	108
1983.....	1,106	-	2	35	106	178	184	119	106
1982.....	993	-	2	37	91	152	163	109	91
1981.....	975	-	1	27	115	139	162	105	76
1980.....	1,085	-	-	45	121	169	145	117	92
1979.....	1,118	-	-	44	127	196	149	92	100
WHITE FEMALE											
1998.....	1,476	-	6	25	40	82	110	193	259
1997.....	1,470	-	10	29	44	83	121	200	222
1996.....	1,356	-	7	33	48	72	120	172	214
1995.....	1,383	-	6	35	52	81	152	194	217
1994.....	1,455	-	10	43	41	91	128	191	215
1993.....	1,444	-	15	52	73	79	121	199	203
1992.....	1,539	-	18	52	49	85	179	188	213
1991.....	1,527	-	8	59	73	96	153	194	205
1990.....	1,482	-	11	46	72	94	143	188	189
1989.....	1,499	1	14	83	55	121	183	162	176
1988.....	1,522	-	8	75	78	114	159	175	181
1987.....	1,514	-	5	66	71	106	176	153	165
1986.....	1,495	-	5	60	77	98	152	182	146
1985.....	1,454	-	15	47	88	130	163	138	155
1984.....	1,476	1	5	53	79	113	155	160	148
1983.....	1,520	3	6	38	92	145	173	154	144
1982.....	1,530	-	2	38	93	172	150	169	138
1981.....	1,593	-	11	62	96	156	170	162	136
1980.....	1,535	-	3	42	116	149	170	149	157
1979.....	1,722	-	6	64	122	162	180	174	159

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	211	-	-	7	14	22	31	36	30
1997.....	251	-	1	11	17	31	32	37	39
1996.....	206	-	1	9	21	29	30	34	36
1995.....	231	1	3	8	20	21	39	45	30
1994.....	266	-	3	10	27	38	38	46	42
1993.....	233	-	1	20	35	26	31	39	36
1992.....	236	-	-	19	24	30	33	41	30
1991.....	201	-	3	16	24	29	31	30	25
1990.....	217	-	3	14	22	36	37	28	24
1989.....	214	-	3	20	28	36	36	28	23
1988.....	216	-	3	15	25	30	37	32	29
1987.....	215	-	1	22	24	37	39	30	16
1986.....	163	-	2	12	13	26	34	24	18
1985.....	165	-	7	10	23	24	28	24	15
1984.....	164	-	1	14	23	29	33	21	12
1983.....	186	-	8	18	19	21	25	31	21
1982.....	162	-	1	13	24	22	32	25	12
1981.....	162	-	1	13	19	32	31	22	19
1980.....	141	-	-	13	14	27	29	12	14
1979.....	194	-	2	16	35	41	31	21	13
ALL OTHER MALE											
1998.....	110	-	-	2	9	13	14	19	19
1997.....	111	-	-	3	9	15	16	15	14
1996.....	96	-	1	3	9	17	14	16	16
1995.....	116	1	2	2	11	11	15	26	14
1994.....	142	-	1	1	15	20	27	27	25
1993.....	112	-	1	9	16	18	16	17	22
1992.....	101	-	-	6	10	15	15	18	13
1991.....	95	-	2	7	12	13	22	13	12
1990.....	94	-	-	6	11	20	19	11	9
1989.....	89	-	1	3	18	16	15	16	10
1988.....	95	-	-	1	10	14	18	22	9
1987.....	98	-	-	10	10	20	19	11	5
1986.....	59	-	-	5	3	14	13	11	4
1985.....	74	-	1	3	13	13	13	13	4
1984.....	77	-	-	3	12	17	17	11	7
1983.....	58	-	-	3	6	8	12	8	3
1982.....	70	-	-	2	13	16	15	8	6
1981.....	54	-	-	5	7	12	6	10	6
1980.....	57	-	-	6	9	11	9	3	5
1979.....	84	-	-	5	15	21	14	9	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)											
ALL OTHER FEMALE											
1998.....	101	-	-	5	5	9	17	17	11
1997.....	140	-	1	8	8	16	16	22	25
1996.....	110	-	-	6	12	12	16	18	20
1995.....	115	-	1	6	9	10	24	19	16
1994.....	124	-	2	9	12	18	11	19	17
1993.....	121	-	-	11	19	8	15	22	14
1992.....	135	-	-	13	14	15	18	23	17
1991.....	106	-	1	9	12	16	9	17	13
1990.....	123	-	3	8	11	16	18	17	15
1989.....	125	-	2	17	10	20	21	12	13
1988.....	121	-	3	14	15	16	19	10	20
1987.....	117	-	1	12	14	17	20	19	11
1986.....	104	-	2	7	10	12	21	13	14
1985.....	91	-	6	7	10	11	15	11	11
1984.....	87	-	1	11	11	12	16	10	5
1983.....	128	-	8	15	13	13	13	23	18
1982.....	92	-	1	11	11	6	17	17	6
1981.....	108	-	1	8	12	20	25	12	13
1980.....	84	-	-	7	5	16	20	9	9
1979.....	110	-	2	11	20	20	17	12	7
BLACK, BOTH SEXES											
1998.....	135	-	-	4	8	8	19	27	22
1997.....	166	-	1	8	9	15	20	32	28
1996.....	134	-	-	4	16	15	21	23	25
1995.....	157	1	1	4	11	14	25	35	24
1994.....	188	-	2	4	18	24	29	41	32
1993.....	164	-	1	12	24	18	25	30	25
1992.....	160	-	-	8	17	21	26	30	22
1991.....	144	-	2	9	18	22	22	25	19
1990.....	159	-	2	8	16	29	25	22	21
1989.....	164	-	3	13	20	28	32	22	18
1988.....	167	-	3	9	20	24	28	26	23
1987.....	158	-	1	17	17	29	32	22	11
1986.....	123	-	2	8	8	19	29	20	13
1985.....	120	-	4	7	13	21	21	21	10
1984.....	118	-	-	9	15	25	26	11	8
1983.....	132	-	6	11	14	17	20	18	15
1982.....	115	-	-	8	15	17	24	19	9
1981.....	115	-	1	6	11	25	23	18	11
1980.....	106	-	-	9	13	24	19	12	13
1979.....	148	-	2	12	23	33	24	20	12

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98
 CAUSE-OF-DEATH CODE,
 RACE, SEX, AND YEAR
 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
B BLACK MALE												
1998.....	71	-	-	-	5	4	9	14	15	
1997.....	80	-	-	2	7	9	11	12	12	
1996.....	65	-	-	2	7	12	10	10	12	
1995.....	82	1	1	1	7	8	11	20	12	
1994.....	104	-	1	-	10	12	20	25	17	
1993.....	79	-	1	6	11	13	12	13	15	
1992.....	71	-	-	3	7	10	12	15	9	
1991.....	70	-	1	4	9	10	16	13	10	
1990.....	68	-	-	4	8	17	14	7	8	
1989.....	70	-	1	2	13	13	13	13	7	
1988.....	71	-	-	-	7	10	14	18	9	
1987.....	76	-	-	7	8	17	16	10	3	
1986.....	47	-	-	5	3	11	11	10	3	
1985.....	55	-	-	2	7	13	9	11	3	
1984.....	56	-	-	2	7	14	15	5	6	
1983.....	45	-	-	2	4	8	10	6	3	
1982.....	51	-	-	-	8	12	12	7	5	
1981.....	39	-	-	4	4	8	4	9	3	
1980.....	45	-	-	3	8	11	8	3	5	
1979.....	69	-	-	3	12	18	11	9	5	
BLACK FEMALE												
1998.....	64	-	-	4	3	4	10	13	7	
1997.....	86	-	1	6	2	6	9	20	16	
1996.....	69	-	-	2	9	3	11	13	13	
1995.....	75	-	-	3	4	6	14	15	12	
1994.....	84	-	1	4	8	12	9	16	15	
1993.....	85	-	-	6	13	5	13	17	10	
1992.....	89	-	-	5	10	11	14	15	13	
1991.....	74	-	1	5	9	12	6	12	9	
1990.....	91	-	2	4	8	12	11	15	13	
1989.....	94	-	2	11	7	15	19	9	11	
1988.....	96	-	3	9	13	14	14	8	14	
1987.....	82	-	1	10	9	12	16	12	8	
1986.....	76	-	2	3	5	8	18	10	10	
1985.....	65	-	4	5	6	8	12	10	7	
1984.....	62	-	-	7	8	11	11	6	2	
1983.....	87	-	6	9	10	9	10	12	12	
1982.....	64	-	-	8	7	5	12	12	4	
1981.....	76	-	1	2	7	17	19	9	8	
1980.....	61	-	-	6	5	13	11	9	8	
1979.....	79	-	2	9	11	15	13	11	7	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY OTHER SOLID OR LIQUID SUBSTANCES (E950.6-E950.9)											
TOTAL, BOTH SEXES											
1998.....	208	-	1	4	7	20	17	26	30
1997.....	202	-	-	2	7	16	19	31	29
1996.....	177	-	-	3	11	14	25	15	26
1995.....	178	-	1	2	8	15	19	20	24
1994.....	207	-	1	3	8	14	27	29	32
1993.....	204	-	1	5	7	25	22	31	25
1992.....	223	-	1	6	19	18	28	23	24
1991.....	219	-	-	3	13	28	27	26	29
1990.....	223	-	-	5	13	30	27	35	25
1989.....	227	-	1	8	13	23	26	33	26
1988.....	223	-	-	10	16	24	32	22	15
1987.....	215	-	-	3	20	26	28	25	20
1986.....	274	-	-	6	17	40	39	33	24
1985.....	269	-	1	13	23	40	24	34	21
1984.....	291	-	-	10	28	33	37	32	19
1983.....	257	-	-	10	21	26	33	28	23
1982.....	258	-	1	9	20	43	34	15	13
1981.....	248	-	-	9	27	31	31	25	17
1980.....	274	-	-	12	34	42	40	15	15
1979.....	310	-	1	10	39	43	23	25	15
TOTAL, MALE											
1998.....	148	-	-	4	6	17	14	17	18
1997.....	126	-	-	1	6	9	15	21	20
1996.....	134	-	-	3	10	11	21	11	19
1995.....	125	-	1	1	5	11	15	17	17
1994.....	161	-	1	3	7	12	23	22	26
1993.....	142	-	-	3	7	18	14	22	21
1992.....	155	-	1	4	12	14	21	21	15
1991.....	146	-	-	3	9	19	21	19	21
1990.....	164	-	-	4	11	21	25	29	17
1989.....	159	-	-	6	11	19	21	24	19
1988.....	157	-	-	9	13	24	20	18	13
1987.....	151	-	-	2	18	20	21	18	16
1986.....	186	-	-	4	15	30	30	22	16
1985.....	170	-	-	10	20	32	15	23	14
1984.....	182	-	-	5	17	28	23	26	15
1983.....	173	-	-	6	15	20	25	24	14
1982.....	163	-	-	5	18	32	19	8	9
1981.....	158	-	-	8	22	19	24	17	9
1980.....	183	-	-	7	28	30	29	13	7
1979.....	182	-	1	7	27	33	15	14	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
SUICIDE BY OTHER SOLID OR LIQUID SUBSTANCES (E950.6-E950.9)												
TOTAL, FEMALE												
1998.....	60	-	1	-	1	3	3	9	12	
1997.....	76	-	-	1	1	7	4	10	9	
1996.....	43	-	-	-	1	3	4	4	7	
1995.....	53	-	-	1	3	4	4	3	7	
1994.....	46	-	-	-	1	2	4	7	6	
1993.....	62	-	1	2	-	7	8	9	4	
1992.....	68	-	-	2	7	4	7	2	9	
1991.....	73	-	-	-	4	9	6	7	8	
1990.....	59	-	-	1	2	9	2	6	8	
1989.....	68	-	1	2	2	4	5	9	7	
1988.....	66	-	-	1	3	-	12	4	2	
1987.....	64	-	-	1	2	6	7	7	4	
1986.....	88	-	-	2	2	10	9	11	8	
1985.....	99	-	1	3	3	8	9	11	7	
1984.....	109	-	-	5	11	5	14	6	4	
1983.....	84	-	-	4	6	6	8	4	9	
1982.....	95	-	1	4	2	11	15	7	4	
1981.....	90	-	-	1	5	12	7	8	8	
1980.....	91	-	-	5	6	12	11	2	8	
1979.....	128	-	-	3	12	10	8	11	9	
WHITE, BOTH SEXES												
1998.....	180	-	1	4	7	15	11	21	29	
1997.....	170	-	-	2	5	13	16	27	23	
1996.....	160	-	-	3	11	12	17	13	26	
1995.....	153	-	1	1	6	11	16	20	19	
1994.....	171	-	1	3	4	11	26	19	28	
1993.....	180	-	1	5	7	21	17	29	23	
1992.....	194	-	1	5	15	16	23	22	21	
1991.....	195	-	-	3	11	21	27	23	26	
1990.....	190	-	-	4	12	22	21	30	21	
1989.....	195	-	-	6	13	18	18	28	24	
1988.....	200	-	-	9	12	23	25	18	14	
1987.....	187	-	-	3	19	20	22	22	19	
1986.....	232	-	-	6	14	33	29	30	21	
1985.....	234	-	1	12	17	36	21	32	20	
1984.....	252	-	-	9	24	26	32	26	15	
1983.....	228	-	-	10	19	20	29	25	19	
1982.....	223	-	1	9	16	35	26	15	13	
1981.....	226	-	-	8	24	24	27	22	17	
1980.....	246	-	-	9	32	38	33	14	13	
1979.....	280	-	1	9	36	35	21	21	13	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY OTHER SOLID OR LIQUID SUBSTANCES (E950.6-E950.9)											
WHITE MALE											
1998.....	125	-	-	4	6	12	8	14	17
1997.....	102	-	-	1	5	7	13	17	14
1996.....	121	-	-	3	10	10	14	9	19
1995.....	109	-	1	-	5	8	13	17	14
1994.....	136	-	1	3	4	10	22	14	23
1993.....	126	-	-	3	7	16	10	21	20
1992.....	137	-	1	3	11	12	17	20	13
1991.....	129	-	-	3	7	13	21	17	19
1990.....	138	-	-	3	10	15	19	25	14
1989.....	135	-	-	5	11	14	16	20	17
1988.....	139	-	-	9	9	23	16	14	12
1987.....	129	-	-	2	17	14	17	15	15
1986.....	154	-	-	4	12	26	21	19	13
1985.....	151	-	-	9	15	29	14	22	13
1984.....	157	-	-	5	15	22	19	22	13
1983.....	155	-	-	6	13	16	22	21	12
1982.....	139	-	-	5	15	25	14	8	9
1981.....	141	-	-	7	20	15	20	14	9
1980.....	164	-	-	5	26	28	24	12	7
1979.....	164	-	1	6	25	29	13	11	4
WHITE FEMALE											
1998.....	55	-	1	-	1	3	3	7	12
1997.....	68	-	-	1	-	6	3	10	9
1996.....	39	-	-	-	1	2	3	4	7
1995.....	44	-	-	1	1	3	3	3	5
1994.....	35	-	-	-	-	1	4	5	5
1993.....	54	-	1	2	-	5	7	8	3
1992.....	57	-	-	2	4	4	6	2	8
1991.....	66	-	-	-	4	8	6	6	7
1990.....	52	-	-	1	2	7	2	5	7
1989.....	60	-	-	1	2	4	2	8	7
1988.....	61	-	-	-	3	-	9	4	2
1987.....	58	-	-	1	2	6	5	7	4
1986.....	78	-	-	2	2	7	8	11	8
1985.....	83	-	1	3	2	7	7	10	7
1984.....	95	-	-	4	9	4	13	4	2
1983.....	73	-	-	4	6	4	7	4	7
1982.....	84	-	1	4	1	10	12	7	4
1981.....	85	-	-	1	4	9	7	8	8
1980.....	82	-	-	4	6	10	9	2	6
1979.....	116	-	-	3	11	6	8	10	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY OTHER SOLID OR LIQUID SUBSTANCES (E950.6-E950.9)											
ALL OTHER, BOTH SEXES											
1998.....	28	-	-	-	-	5	6	5	1
1997.....	32	-	-	-	2	3	3	4	6
1996.....	17	-	-	-	-	2	8	2	-
1995.....	25	-	-	1	2	4	3	-	5
1994.....	36	-	-	-	4	3	1	10	4
1993.....	24	-	-	-	-	4	5	2	2
1992.....	29	-	-	1	4	2	5	1	3
1991.....	24	-	-	-	2	7	-	3	3
1990.....	33	-	-	1	1	8	6	5	4
1989.....	32	-	1	2	-	5	8	5	2
1988.....	23	-	-	1	4	1	7	4	1
1987.....	28	-	-	-	1	6	6	3	1
1986.....	42	-	-	-	3	7	10	3	3
1985.....	35	-	-	1	6	4	3	2	1
1984.....	39	-	-	1	4	7	5	6	4
1983.....	29	-	-	-	2	6	4	3	4
1982.....	35	-	-	-	4	8	8	-	-
1981.....	22	-	-	1	3	7	4	3	-
1980.....	28	-	-	3	2	4	7	1	2
1979.....	30	-	-	1	3	8	2	4	2
ALL OTHER MALE											
1998.....	23	-	-	-	-	5	6	3	1
1997.....	24	-	-	-	1	2	2	4	6
1996.....	13	-	-	-	-	1	7	2	-
1995.....	16	-	-	1	-	3	2	-	3
1994.....	25	-	-	-	3	2	1	8	3
1993.....	16	-	-	-	-	2	4	1	1
1992.....	18	-	-	1	1	2	4	1	2
1991.....	17	-	-	-	2	6	-	2	2
1990.....	26	-	-	1	1	6	6	4	3
1989.....	24	-	-	1	-	5	5	4	2
1988.....	18	-	-	-	4	1	4	4	1
1987.....	22	-	-	-	1	6	4	3	1
1986.....	32	-	-	-	3	4	9	3	3
1985.....	19	-	-	1	5	3	1	1	1
1984.....	25	-	-	-	2	6	4	4	2
1983.....	18	-	-	-	2	4	3	3	2
1982.....	24	-	-	-	3	7	5	-	-
1981.....	17	-	-	1	2	4	4	3	-
1980.....	19	-	-	2	2	2	5	1	-
1979.....	18	-	-	1	2	4	2	3	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY OTHER SOLID OR LIQUID SUBSTANCES (E950.6-E950.9)											
ALL OTHER FEMALE											
1998.....	5	-	-	-	-	-	-	2	-
1997.....	8	-	-	-	1	1	1	-	-
1996.....	4	-	-	-	-	1	1	-	-
1995.....	9	-	-	-	2	1	1	-	2
1994.....	11	-	-	-	1	1	-	2	1
1993.....	8	-	-	-	-	2	1	1	1
1992.....	11	-	-	-	3	-	1	-	1
1991.....	7	-	-	-	-	1	-	1	1
1990.....	7	-	-	-	-	2	-	1	1
1989.....	8	-	1	1	-	-	3	1	-
1988.....	5	-	-	1	-	-	3	-	-
1987.....	6	-	-	-	-	-	2	-	-
1986.....	10	-	-	-	-	3	1	-	-
1985.....	16	-	-	-	1	1	2	1	-
1984.....	14	-	-	1	2	1	1	2	2
1983.....	11	-	-	-	-	2	1	-	2
1982.....	11	-	-	-	1	1	3	-	-
1981.....	5	-	-	-	1	3	-	-	-
1980.....	9	-	-	1	-	2	2	-	2
1979.....	12	-	-	-	1	4	-	1	-
BLACK, BOTH SEXES											
1998.....	19	-	-	-	-	1	6	4	1
1997.....	20	-	-	-	-	-	1	4	5
1996.....	10	-	-	-	-	1	6	1	-
1995.....	13	-	-	1	-	2	2	-	3
1994.....	24	-	-	-	2	-	1	8	4
1993.....	14	-	-	-	-	2	1	2	2
1992.....	12	-	-	-	-	2	1	1	3
1991.....	14	-	-	-	-	6	-	1	3
1990.....	22	-	-	-	-	5	4	4	3
1989.....	23	-	1	1	-	3	5	5	1
1988.....	15	-	-	-	4	1	4	3	1
1987.....	20	-	-	-	-	5	6	1	1
1986.....	27	-	-	-	2	4	8	2	2
1985.....	26	-	-	1	4	4	3	2	-
1984.....	25	-	-	1	2	3	4	6	3
1983.....	17	-	-	-	2	2	3	3	3
1982.....	20	-	-	-	1	4	4	-	-
1981.....	16	-	-	-	2	4	3	3	-
1980.....	17	-	-	3	1	2	2	-	2
1979.....	23	-	-	-	3	7	2	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
SUICIDE BY OTHER SOLID OR LIQUID SUBSTANCES (E950.6-E950.9)												
BLACK MALE												
1998.....	15	-	-	-	-	1	6	2	1	
1997.....	17	-	-	-	-	-	1	4	5	
1996.....	9	-	-	-	-	1	5	1	-	
1995.....	11	-	-	1	-	1	2	-	2	
1994.....	18	-	-	-	2	-	1	6	3	
1993.....	8	-	-	-	-	1	1	1	1	
1992.....	8	-	-	-	-	2	1	1	2	
1991.....	11	-	-	-	-	6	-	1	2	
1990.....	16	-	-	-	-	3	4	3	3	
1989.....	19	-	-	1	-	3	4	4	1	
1988.....	12	-	-	-	4	1	1	3	1	
1987.....	16	-	-	-	-	5	4	1	1	
1986.....	21	-	-	-	2	3	7	2	2	
1985.....	14	-	-	1	3	3	1	1	-	
1984.....	18	-	-	-	2	3	4	4	1	
1983.....	13	-	-	-	2	2	2	3	1	
1982.....	13	-	-	-	-	3	3	-	-	
1981.....	13	-	-	-	1	3	3	3	-	
1980.....	11	-	-	2	1	1	2	-	-	
1979.....	14	-	-	-	2	3	2	3	1	
BLACK FEMALE												
1998.....	4	-	-	-	-	-	-	2	-	
1997.....	3	-	-	-	-	-	-	-	-	
1996.....	1	-	-	-	-	-	1	-	-	
1995.....	2	-	-	-	-	1	-	-	1	
1994.....	6	-	-	-	-	-	-	2	1	
1993.....	6	-	-	-	-	1	-	1	1	
1992.....	4	-	-	-	-	-	-	-	1	
1991.....	3	-	-	-	-	-	-	-	1	
1990.....	6	-	-	-	-	2	-	1	-	
1989.....	4	-	1	-	-	-	1	1	-	
1988.....	3	-	-	-	-	-	3	-	-	
1987.....	4	-	-	-	-	-	2	-	-	
1986.....	6	-	-	-	-	1	1	-	-	
1985.....	12	-	-	-	1	1	2	1	-	
1984.....	7	-	-	1	-	-	-	2	2	
1983.....	4	-	-	-	-	-	1	-	2	
1982.....	7	-	-	-	1	1	1	-	-	
1981.....	3	-	-	-	1	1	-	-	-	
1980.....	6	-	-	1	-	1	-	-	2	
1979.....	9	-	-	-	1	4	-	-	-	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE BY GASES AND VAPORS (E951-E952)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	1,726	-	-	46	84	127	181	230	246
1997.....	1,818	-	1	40	92	145	189	244	307
1996.....	2,007	-	-	59	105	175	204	285	286
1995.....	2,095	-	1	67	137	180	248	282	296
1994.....	2,044	-	2	49	133	172	239	298	275
1993.....	2,092	-	2	64	133	166	238	293	275
1992.....	2,057	2	4	71	137	165	247	292	267
1991.....	2,230	-	-	91	165	209	263	292	267
1990.....	2,281	-	-	111	177	187	272	299	276
1989.....	2,228	-	1	128	160	231	243	280	231
1988.....	2,692	-	5	183	202	276	314	330	264
1987.....	3,215	-	5	213	293	339	397	387	320
1986.....	2,966	-	2	185	263	332	356	371	292
1985.....	2,767	-	7	187	257	326	311	346	255
1984.....	2,628	1	2	144	253	282	318	328	270
1983.....	2,548	2	-	115	236	290	299	268	243
1982.....	2,416	1	1	108	205	282	295	263	227
1981.....	2,453	-	1	133	213	303	275	268	253
1980.....	2,418	-	-	96	238	285	283	255	229
1979.....	2,384	-	1	106	231	297	257	236	188
TOTAL, MALE											
1998.....	1,322	-	-	39	72	106	137	179	186
1997.....	1,401	-	1	34	79	122	154	193	229
1996.....	1,595	-	-	51	89	139	170	233	213
1995.....	1,638	-	-	54	114	151	200	224	234
1994.....	1,604	-	2	37	112	145	199	234	208
1993.....	1,609	-	-	51	109	138	191	236	211
1992.....	1,566	2	2	52	111	134	204	228	196
1991.....	1,708	-	-	67	149	174	219	218	210
1990.....	1,742	-	-	89	154	147	209	243	204
1989.....	1,688	-	1	97	134	192	204	211	170
1988.....	1,979	-	1	130	165	226	246	253	184
1987.....	2,379	-	2	159	244	279	299	295	238
1986.....	2,133	-	1	130	221	273	280	264	198
1985.....	2,026	-	2	133	205	261	244	255	178
1984.....	1,894	1	1	115	212	222	252	245	177
1983.....	1,811	2	-	89	194	229	229	188	171
1982.....	1,701	-	-	92	179	228	207	166	152
1981.....	1,735	-	1	107	178	237	215	194	163
1980.....	1,672	-	-	73	190	229	209	173	145
1979.....	1,590	-	-	90	185	233	171	139	112

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE BY GASES AND VAPORS (E951-E952)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	404	-	-	7	12	21	44	51	60
1997.....	417	-	-	6	13	23	35	51	78
1996.....	412	-	-	8	16	36	34	52	73
1995.....	457	-	1	13	23	29	48	58	62
1994.....	440	-	-	12	21	27	40	64	67
1993.....	483	-	2	13	24	28	47	57	64
1992.....	491	-	2	19	26	31	43	64	71
1991.....	522	-	-	24	16	35	44	74	57
1990.....	539	-	-	22	23	40	63	56	72
1989.....	540	-	-	31	26	39	39	69	61
1988.....	713	-	4	53	37	50	68	77	80
1987.....	836	-	3	54	49	60	98	92	82
1986.....	833	-	1	55	42	59	76	107	94
1985.....	741	-	5	54	52	65	67	91	77
1984.....	734	-	1	29	41	60	66	83	93
1983.....	737	-	-	26	42	61	70	80	72
1982.....	715	1	1	16	26	54	88	97	75
1981.....	718	-	-	26	35	66	60	74	90
1980.....	746	-	-	23	48	56	74	82	84
1979.....	794	-	1	16	46	64	86	97	76
WHITE, BOTH SEXES											
1998.....	1,668	-	-	39	79	124	171	224	238
1997.....	1,770	-	-	39	88	136	186	237	300
1996.....	1,946	-	-	56	101	167	195	279	277
1995.....	2,018	-	1	64	128	167	238	268	286
1994.....	1,987	-	2	46	128	164	229	288	270
1993.....	2,017	-	2	58	129	158	229	282	265
1992.....	1,994	1	4	70	131	157	236	280	264
1991.....	2,172	-	-	85	160	203	254	281	260
1990.....	2,227	-	-	106	173	175	265	296	261
1989.....	2,154	-	1	117	154	219	232	268	224
1988.....	2,623	-	2	178	197	270	303	313	257
1987.....	3,122	-	4	208	285	326	380	377	306
1986.....	2,891	-	1	179	254	319	347	357	288
1985.....	2,713	-	7	181	254	315	301	338	252
1984.....	2,562	1	2	138	242	277	309	315	263
1983.....	2,500	2	-	110	229	282	293	264	241
1982.....	2,362	1	1	103	202	267	284	257	223
1981.....	2,407	-	1	130	209	293	266	264	252
1980.....	2,375	-	-	95	233	282	272	246	226
1979.....	2,343	-	-	104	226	289	251	231	183

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE BY GASES AND VAPORS (E951-E952)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	1,276	-	-	32	69	103	130	173	181
1997.....	1,364	-	-	34	76	114	152	188	224
1996.....	1,550	-	-	49	88	132	161	227	209
1995.....	1,580	-	-	52	105	142	192	214	228
1994.....	1,559	-	2	34	108	137	192	226	204
1993.....	1,553	-	-	48	107	131	186	226	203
1992.....	1,514	1	2	51	106	129	195	217	193
1991.....	1,660	-	-	64	144	169	212	208	206
1990.....	1,702	-	-	85	153	137	202	241	195
1989.....	1,632	-	1	90	130	182	194	201	164
1988.....	1,930	-	-	128	161	220	238	239	181
1987.....	2,308	-	1	154	239	269	289	288	226
1986.....	2,070	-	-	127	213	260	273	252	194
1985.....	1,985	-	2	128	203	254	235	249	177
1984.....	1,841	1	1	112	203	219	243	235	173
1983.....	1,772	2	-	85	190	221	224	184	170
1982.....	1,661	-	-	89	177	215	201	161	150
1981.....	1,697	-	1	104	175	230	207	191	162
1980.....	1,642	-	-	72	187	227	202	166	143
1979.....	1,560	-	-	88	181	227	165	136	108
WHITE FEMALE											
1998.....	392	-	-	7	10	21	41	51	57
1997.....	406	-	-	5	12	22	34	49	76
1996.....	396	-	-	7	13	35	34	52	68
1995.....	438	-	1	12	23	25	46	54	58
1994.....	428	-	-	12	20	27	37	62	66
1993.....	464	-	2	10	22	27	43	56	62
1992.....	480	-	2	19	25	28	41	63	71
1991.....	512	-	-	21	16	34	42	73	54
1990.....	525	-	-	21	20	38	63	55	66
1989.....	522	-	-	27	24	37	38	67	60
1988.....	693	-	2	50	36	50	65	74	76
1987.....	814	-	3	54	46	57	91	89	80
1986.....	821	-	1	52	41	59	74	105	94
1985.....	728	-	5	53	51	61	66	89	75
1984.....	721	-	1	26	39	58	66	80	90
1983.....	728	-	-	25	39	61	69	80	71
1982.....	701	1	1	14	25	52	83	96	73
1981.....	710	-	-	26	34	63	59	73	90
1980.....	733	-	-	23	46	55	70	80	83
1979.....	783	-	-	16	45	62	86	95	75

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE BY GASES AND VAPORS (E951-E952)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	58	-	-	7	5	3	10	6	8
1997.....	48	-	1	1	4	9	3	7	7
1996.....	61	-	-	3	4	8	9	6	9
1995.....	77	-	-	3	9	13	10	14	10
1994.....	57	-	-	3	5	8	10	10	5
1993.....	75	-	-	6	4	8	9	11	10
1992.....	63	1	-	1	6	8	11	12	3
1991.....	58	-	-	6	5	6	9	11	7
1990.....	54	-	-	5	4	12	7	3	15
1989.....	74	-	-	11	6	12	11	12	7
1988.....	69	-	3	5	5	6	11	17	7
1987.....	93	-	1	5	8	13	17	10	14
1986.....	75	-	1	6	9	13	9	14	4
1985.....	54	-	-	6	3	11	10	8	3
1984.....	66	-	-	6	11	5	9	13	7
1983.....	48	-	-	5	7	8	6	4	2
1982.....	54	-	-	5	3	15	11	6	4
1981.....	46	-	-	3	4	10	9	4	1
1980.....	43	-	-	1	5	3	11	9	3
1979.....	41	-	1	2	5	8	6	5	5
ALL OTHER MALE											
1998.....	46	-	-	7	3	3	7	6	5
1997.....	37	-	1	-	3	8	2	5	5
1996.....	45	-	-	2	1	7	9	6	4
1995.....	58	-	-	2	9	9	8	10	6
1994.....	45	-	-	3	4	8	7	8	4
1993.....	56	-	-	3	2	7	5	10	8
1992.....	52	1	-	1	5	5	9	11	3
1991.....	48	-	-	3	5	5	7	10	4
1990.....	40	-	-	4	1	10	7	2	9
1989.....	56	-	-	7	4	10	10	10	6
1988.....	49	-	1	2	4	6	8	14	3
1987.....	71	-	1	5	5	10	10	7	12
1986.....	63	-	1	3	8	13	7	12	4
1985.....	41	-	-	5	2	7	9	6	1
1984.....	53	-	-	3	9	3	9	10	4
1983.....	39	-	-	4	4	8	5	4	1
1982.....	40	-	-	3	2	13	6	5	2
1981.....	38	-	-	3	3	7	8	3	1
1980.....	30	-	-	1	3	2	7	7	2
1979.....	30	-	-	2	4	6	6	3	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE BY GASES AND VAPORS (E951-E952)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	12	-	-	-	2	-	3	-	3
1997.....	11	-	-	1	1	1	1	2	2
1996.....	16	-	-	1	3	1	-	-	5
1995.....	19	-	-	1	-	4	2	4	4
1994.....	12	-	-	-	1	-	3	2	1
1993.....	19	-	-	3	2	1	4	1	2
1992.....	11	-	-	-	1	3	2	1	-
1991.....	10	-	-	3	-	1	2	1	3
1990.....	14	-	-	1	3	2	-	1	6
1989.....	18	-	-	4	2	2	1	2	1
1988.....	20	-	2	3	1	-	3	3	4
1987.....	22	-	-	-	3	3	7	3	2
1986.....	12	-	-	3	1	-	2	2	-
1985.....	13	-	-	1	1	4	1	2	2
1984.....	13	-	-	3	2	2	-	3	3
1983.....	9	-	-	1	3	-	1	-	1
1982.....	14	-	-	2	1	2	5	1	2
1981.....	8	-	-	-	1	3	1	1	-
1980.....	13	-	-	-	2	1	4	2	1
1979.....	11	-	1	-	1	2	-	2	1
BLACK, BOTH SEXES											
1998.....	41	-	-	4	1	3	8	5	5
1997.....	34	-	1	1	-	8	3	4	6
1996.....	39	-	-	1	2	3	6	5	5
1995.....	57	-	-	2	6	11	5	13	9
1994.....	33	-	-	1	2	5	5	8	3
1993.....	49	-	-	2	4	5	5	6	6
1992.....	46	-	-	-	3	4	10	11	2
1991.....	44	-	-	3	4	4	8	10	6
1990.....	30	-	-	2	2	6	6	1	9
1989.....	53	-	-	3	3	9	9	11	7
1988.....	52	-	2	2	5	4	8	13	6
1987.....	67	-	1	3	6	11	11	7	9
1986.....	58	-	1	3	7	10	6	13	3
1985.....	39	-	-	3	2	7	9	7	1
1984.....	49	-	-	5	4	3	9	11	6
1983.....	28	-	-	4	2	4	4	3	-
1982.....	40	-	-	3	1	12	7	5	4
1981.....	39	-	-	1	4	9	7	3	1
1980.....	29	-	-	1	5	1	6	7	3
1979.....	35	-	1	2	4	7	6	5	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE BY GASES AND VAPORS (E951-E952)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	35	-	-	4	-	3	6	5	3
1997.....	26	-	1	-	-	7	2	2	5
1996.....	31	-	-	1	-	2	6	5	3
1995.....	43	-	-	2	6	7	4	9	6
1994.....	28	-	-	1	1	5	4	7	3
1993.....	39	-	-	1	2	5	3	5	5
1992.....	40	-	-	-	3	4	9	10	2
1991.....	38	-	-	2	4	4	6	9	4
1990.....	21	-	-	2	-	4	6	1	5
1989.....	42	-	-	1	2	8	8	10	6
1988.....	38	-	-	-	4	4	6	12	3
1987.....	54	-	1	3	4	9	7	5	8
1986.....	50	-	1	1	6	10	6	12	3
1985.....	33	-	-	3	2	5	8	5	-
1984.....	40	-	-	3	4	2	9	8	3
1983.....	23	-	-	3	-	4	4	3	-
1982.....	29	-	-	1	1	10	3	4	2
1981.....	33	-	-	1	3	7	6	3	1
1980.....	22	-	-	1	3	1	5	5	2
1979.....	29	-	-	2	4	6	6	3	3
BLACK FEMALE											
1998.....	6	-	-	-	1	-	2	-	2
1997.....	8	-	-	1	-	1	1	2	1
1996.....	8	-	-	-	2	1	-	-	2
1995.....	14	-	-	-	-	4	1	4	3
1994.....	5	-	-	-	1	-	1	1	-
1993.....	10	-	-	1	2	-	2	1	1
1992.....	6	-	-	-	-	-	1	1	-
1991.....	6	-	-	1	-	-	2	1	2
1990.....	9	-	-	-	2	2	-	-	4
1989.....	11	-	-	2	1	1	1	1	1
1988.....	14	-	2	2	1	-	2	1	3
1987.....	13	-	-	-	2	2	4	2	1
1986.....	8	-	-	2	1	-	-	1	-
1985.....	6	-	-	-	-	2	1	2	1
1984.....	9	-	-	2	-	1	-	3	3
1983.....	5	-	-	1	2	-	-	-	-
1982.....	11	-	-	2	-	2	4	1	2
1981.....	6	-	-	-	1	2	1	-	-
1980.....	7	-	-	-	2	-	1	2	1
1979.....	6	-	1	-	-	1	-	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)											
TOTAL, BOTH SEXES											
1998.....	5,726	6	148	442	607	653	667	757	646
1997.....	5,413	2	154	473	535	660	624	675	580
1996.....	5,330	2	121	434	550	640	689	707	541
1995.....	5,217	3	123	371	627	638	723	605	519
1994.....	4,745	3	103	344	550	634	648	592	415
1993.....	4,627	3	92	340	532	589	643	532	397
1992.....	4,678	4	96	333	547	583	637	510	394
1991.....	4,561	-	84	330	491	589	652	483	329
1990.....	4,444	3	93	365	546	592	565	492	297
1989.....	4,484	2	73	392	571	631	573	438	293
1988.....	4,375	5	85	398	549	616	586	420	263
1987.....	4,235	-	76	353	562	584	501	352	263
1986.....	4,606	3	93	368	625	643	538	388	253
1985.....	4,264	3	95	354	616	586	495	328	226
1984.....	4,341	3	97	356	658	581	432	332	239
1983.....	3,931	4	72	334	560	525	416	294	226
1982.....	4,061	1	73	339	563	561	437	276	219
1981.....	3,755	2	55	306	528	509	397	271	224
1980.....	3,691	1	55	359	524	480	335	243	172
1979.....	3,525	-	56	294	512	440	306	230	151
TOTAL, MALE											
1998.....	4,713	6	114	364	530	573	571	632	547
1997.....	4,505	2	122	383	458	584	553	583	510
1996.....	4,350	2	90	340	488	564	586	620	449
1995.....	4,373	3	104	320	555	572	639	528	451
1994.....	3,953	3	77	300	494	561	585	524	364
1993.....	3,824	1	75	287	477	516	560	479	342
1992.....	3,822	3	75	281	492	522	557	449	322
1991.....	3,751	-	71	280	442	515	572	427	278
1990.....	3,688	2	80	317	506	548	484	419	256
1989.....	3,708	2	61	336	510	564	505	369	251
1988.....	3,588	4	69	343	507	538	517	367	216
1987.....	3,478	-	67	304	514	508	445	299	202
1986.....	3,761	2	77	324	561	569	477	332	195
1985.....	3,532	3	78	309	555	524	434	278	180
1984.....	3,478	3	81	311	584	498	373	274	193
1983.....	3,222	4	60	298	505	461	355	254	174
1982.....	3,314	1	65	306	508	493	370	229	172
1981.....	3,033	2	50	274	470	450	329	218	179
1980.....	2,997	1	52	324	468	415	280	199	133
1979.....	2,783	-	49	255	458	388	259	181	112

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)											
TOTAL, FEMALE											
1998.....	1,013	-	34	78	77	80	96	125	99
1997.....	908	-	32	90	77	76	71	92	70
1996.....	980	-	31	94	62	76	103	87	92
1995.....	844	-	19	51	72	66	84	77	68
1994.....	792	-	26	44	56	73	63	68	51
1993.....	803	2	17	53	55	73	83	53	55
1992.....	856	1	21	52	55	61	80	61	72
1991.....	810	-	13	50	49	74	80	56	51
1990.....	756	1	13	48	40	44	81	73	41
1989.....	776	-	12	56	61	67	68	69	42
1988.....	787	1	16	55	42	78	69	53	47
1987.....	757	-	9	49	48	76	56	53	61
1986.....	845	1	16	44	64	74	61	56	58
1985.....	732	-	17	45	61	62	61	50	46
1984.....	863	-	16	45	74	83	59	58	46
1983.....	709	-	12	36	55	64	61	40	52
1982.....	747	-	8	33	55	68	67	47	47
1981.....	722	-	5	32	58	59	68	53	45
1980.....	694	-	3	35	56	65	55	44	39
1979.....	742	-	7	39	54	52	47	49	39
WHITE, BOTH SEXES											
1998.....	4,945	5	123	368	493	536	571	671	563
1997.....	4,666	1	127	408	431	565	529	572	501
1996.....	4,584	2	99	368	474	530	551	614	477
1995.....	4,493	2	104	318	519	531	601	520	444
1994.....	4,063	2	83	287	431	520	549	502	364
1993.....	3,943	2	72	289	423	471	540	454	334
1992.....	4,050	2	83	281	454	471	529	427	339
1991.....	3,945	-	68	270	406	487	553	420	277
1990.....	3,812	1	80	299	454	480	465	415	257
1989.....	3,853	1	54	328	458	522	473	366	258
1988.....	3,807	5	67	334	465	513	488	353	236
1987.....	3,667	-	57	305	454	495	416	296	227
1986.....	4,059	1	75	319	529	541	447	326	227
1985.....	3,712	3	80	299	510	470	411	284	204
1984.....	3,846	3	77	312	558	500	361	294	215
1983.....	3,436	3	58	271	471	434	345	252	204
1982.....	3,615	1	60	289	481	482	373	235	198
1981.....	3,345	1	51	269	450	435	336	237	196
1980.....	3,288	-	51	321	433	411	274	223	151
1979.....	3,129	-	50	248	423	364	257	199	132

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	4,086	5	95	311	433	473	489	560	482
1997.....	3,881	1	101	333	370	498	467	492	438
1996.....	3,743	2	72	294	420	468	470	538	391
1995.....	3,778	2	90	274	464	480	531	456	386
1994.....	3,380	2	64	256	390	461	496	442	319
1993.....	3,253	1	58	244	384	416	474	409	282
1992.....	3,298	2	64	238	410	425	465	372	281
1991.....	3,243	-	57	228	365	431	488	371	236
1990.....	3,163	1	69	263	421	445	400	356	221
1989.....	3,181	1	46	282	411	463	412	310	222
1988.....	3,115	4	53	289	427	450	429	308	198
1987.....	3,010	-	51	264	418	431	368	250	176
1986.....	3,302	1	61	284	478	478	393	278	174
1985.....	3,073	3	66	261	461	415	362	245	162
1984.....	3,077	3	66	271	496	424	316	241	174
1983.....	2,805	3	50	241	422	381	290	216	156
1982.....	2,942	1	52	261	436	426	315	193	156
1981.....	2,698	1	47	240	400	384	280	191	158
1980.....	2,666	-	48	289	388	354	228	183	117
1979.....	2,447	-	43	212	377	315	218	156	97
WHITE FEMALE											
1998.....	859	-	28	57	60	63	82	111	81
1997.....	785	-	26	75	61	67	62	80	63
1996.....	841	-	27	74	54	62	81	76	86
1995.....	715	-	14	44	55	51	70	64	58
1994.....	683	-	19	31	41	59	53	60	45
1993.....	690	1	14	45	39	55	66	45	52
1992.....	752	-	19	43	44	46	64	55	58
1991.....	702	-	11	42	41	56	65	49	41
1990.....	649	-	11	36	33	35	65	59	36
1989.....	672	-	8	46	47	59	61	56	36
1988.....	692	1	14	45	38	63	59	45	38
1987.....	657	-	6	41	36	64	48	46	51
1986.....	757	-	14	35	51	63	54	48	53
1985.....	639	-	14	38	49	55	49	39	42
1984.....	769	-	11	41	62	76	45	53	41
1983.....	631	-	8	30	49	53	55	36	48
1982.....	673	-	8	28	45	56	58	42	42
1981.....	647	-	4	29	50	51	56	46	38
1980.....	622	-	3	32	45	57	46	40	34
1979.....	682	-	7	36	46	49	39	43	35

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)											
ALL OTHER, BOTH SEXES											
1998.....	781	1	25	74	114	117	96	86	83
1997.....	747	1	27	65	104	95	95	103	79
1996.....	746	-	22	66	76	110	138	93	64
1995.....	724	1	19	53	108	107	122	85	75
1994.....	682	1	20	57	119	114	99	90	51
1993.....	684	1	20	51	109	118	103	78	63
1992.....	628	2	13	52	93	112	108	83	55
1991.....	616	-	16	60	85	102	99	63	52
1990.....	632	2	13	66	92	112	100	77	40
1989.....	631	1	19	64	113	109	100	72	35
1988.....	568	-	18	64	84	103	98	67	27
1987.....	568	-	19	48	108	89	85	56	36
1986.....	547	2	18	49	96	102	91	62	26
1985.....	552	-	15	55	106	116	84	44	22
1984.....	495	-	20	44	100	81	71	38	24
1983.....	495	1	14	63	89	91	71	42	22
1982.....	446	-	13	50	82	79	64	41	21
1981.....	410	1	4	37	78	74	61	34	28
1980.....	403	1	4	38	91	69	61	20	21
1979.....	396	-	6	46	89	76	49	31	19
ALL OTHER MALE											
1998.....	627	1	19	53	97	100	82	72	65
1997.....	624	1	21	50	88	86	86	91	72
1996.....	607	-	18	46	68	96	116	82	58
1995.....	595	1	14	46	91	92	108	72	65
1994.....	573	1	13	44	104	100	89	82	45
1993.....	571	-	17	43	93	100	86	70	60
1992.....	524	1	11	43	82	97	92	77	41
1991.....	508	-	14	52	77	84	84	56	42
1990.....	525	1	11	54	85	103	84	63	35
1989.....	527	1	15	54	99	101	93	59	29
1988.....	473	-	16	54	80	88	88	59	18
1987.....	468	-	16	40	96	77	77	49	26
1986.....	459	1	16	40	83	91	84	54	21
1985.....	459	-	12	48	94	109	72	33	18
1984.....	401	-	15	40	88	74	57	33	19
1983.....	417	1	10	57	83	80	65	38	18
1982.....	372	-	13	45	72	67	55	36	16
1981.....	335	1	3	34	70	66	49	27	21
1980.....	331	1	4	35	80	61	52	16	16
1979.....	336	-	6	43	81	73	41	25	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)											
ALL OTHER FEMALE											
1998.....	154	-	6	21	17	17	14	14	18
1997.....	123	-	6	15	16	9	9	12	7
1996.....	139	-	4	20	8	14	22	11	6
1995.....	129	-	5	7	17	15	14	13	10
1994.....	109	-	7	13	15	14	10	8	6
1993.....	113	1	3	8	16	18	17	8	3
1992.....	104	1	2	9	11	15	16	6	14
1991.....	108	-	2	8	8	18	15	7	10
1990.....	107	1	2	12	7	9	16	14	5
1989.....	104	-	4	10	14	8	7	13	6
1988.....	95	-	2	10	4	15	10	8	9
1987.....	100	-	3	8	12	12	8	7	10
1986.....	88	1	2	9	13	11	7	8	5
1985.....	93	-	3	7	12	7	12	11	4
1984.....	94	-	5	4	12	7	14	5	5
1983.....	78	-	4	6	6	11	6	4	4
1982.....	74	-	-	5	10	12	9	5	5
1981.....	75	-	1	3	8	8	12	7	7
1980.....	72	-	-	3	11	8	9	4	5
1979.....	60	-	-	3	8	3	8	6	4
BLACK, BOTH SEXES											
1998.....	409	1	14	37	72	59	54	48	50
1997.....	417	-	19	35	61	58	66	67	52
1996.....	409	-	12	32	48	62	87	63	38
1995.....	406	-	11	33	52	67	79	57	52
1994.....	394	1	16	28	68	66	60	64	39
1993.....	418	1	14	28	61	84	70	58	43
1992.....	379	-	12	25	51	71	74	60	39
1991.....	375	-	12	33	57	67	77	45	32
1990.....	374	2	7	33	51	77	66	58	27
1989.....	408	1	14	35	76	82	82	54	23
1988.....	376	-	10	42	60	73	78	50	11
1987.....	350	-	15	29	68	64	68	40	19
1986.....	350	1	8	29	60	75	76	45	13
1985.....	334	-	11	27	68	81	54	30	15
1984.....	320	-	14	26	73	58	58	24	12
1983.....	316	-	12	35	58	69	50	29	16
1982.....	293	-	9	35	59	51	46	32	12
1981.....	257	1	3	19	58	61	44	17	12
1980.....	263	1	4	22	67	50	49	9	15
1979.....	275	-	2	31	68	58	39	19	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)											
BLACK MALE											
1998.....	354	1	11	30	61	53	47	41	45
1997.....	376	-	13	26	56	54	64	64	48
1996.....	363	-	11	24	44	57	73	59	37
1995.....	371	-	9	31	49	62	72	52	46
1994.....	356	1	11	27	62	62	55	60	37
1993.....	375	-	12	25	56	72	64	54	42
1992.....	350	-	10	23	49	66	69	59	32
1991.....	337	-	10	30	54	55	72	42	30
1990.....	329	1	6	28	48	71	57	50	24
1989.....	366	1	11	31	66	77	79	47	21
1988.....	346	-	8	36	60	70	72	46	10
1987.....	312	-	14	23	62	57	61	38	17
1986.....	315	1	8	24	52	66	73	42	13
1985.....	308	-	10	25	62	79	53	26	13
1984.....	287	-	11	25	67	55	51	24	11
1983.....	281	-	8	30	54	62	48	27	13
1982.....	264	-	9	32	56	46	42	28	10
1981.....	233	1	2	19	56	54	40	16	11
1980.....	230	1	4	21	61	46	41	8	12
1979.....	248	-	2	29	63	55	35	15	13
BLACK FEMALE											
1998.....	55	-	3	7	11	6	7	7	5
1997.....	41	-	6	9	5	4	2	3	4
1996.....	46	-	1	8	4	5	14	4	1
1995.....	35	-	2	2	3	5	7	5	6
1994.....	38	-	5	1	6	4	5	4	2
1993.....	43	1	2	3	5	12	6	4	1
1992.....	29	-	2	2	2	5	5	1	7
1991.....	38	-	2	3	3	12	5	3	2
1990.....	45	1	1	5	3	6	9	8	3
1989.....	42	-	3	4	10	5	3	7	2
1988.....	30	-	2	6	-	3	6	4	1
1987.....	38	-	1	6	6	7	7	2	2
1986.....	35	-	-	5	8	9	3	3	-
1985.....	26	-	1	2	6	2	1	4	2
1984.....	33	-	3	1	6	3	7	-	1
1983.....	35	-	4	5	4	7	2	2	3
1982.....	29	-	-	3	3	5	4	4	2
1981.....	24	-	1	-	2	7	4	1	1
1980.....	33	-	-	1	6	4	8	1	3
1979.....	27	-	-	2	5	3	4	4	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE BY HANDGUN (E955.0)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	3,541	-	34	195	236	289	246	310	305
1997.....	3,519	-	32	179	262	278	281	322	321
1996.....	3,675	1	26	179	270	335	305	335	312
1995.....	3,700	-	34	223	316	328	340	298	318
1994.....	3,706	-	35	230	363	323	340	310	311
1993.....	3,586	-	38	195	338	349	314	307	306
1992.....	3,455	-	40	186	323	296	284	306	322
1991.....	3,619	-	34	217	319	329	357	284	279
1990.....	3,464	1	29	213	304	356	318	283	266
1989.....	3,120	1	18	163	271	295	317	267	241
1988.....	3,197	-	23	198	247	321	295	268	249
1987.....	3,295	-	22	145	288	323	295	304	242
1986.....	3,319	-	27	169	286	296	320	304	233
1985.....	2,981	-	18	149	293	294	286	257	249
1984.....	3,006	-	18	125	303	293	331	234	219
1983.....	2,766	1	22	139	264	302	265	223	165
1982.....	2,535	-	19	123	259	276	235	201	176
1981.....	2,365	-	15	114	257	288	235	162	160
1980.....	2,109	1	9	108	248	250	198	190	124
1979.....	2,377	-	10	129	292	274	216	188	149
TOTAL, MALE											
1998.....	2,962	-	25	169	202	242	195	243	252
1997.....	2,944	-	22	145	243	230	231	243	244
1996.....	3,072	1	20	144	246	280	249	252	253
1995.....	3,077	-	25	184	272	285	277	238	253
1994.....	3,085	-	26	192	324	276	275	233	241
1993.....	2,982	-	25	162	296	290	251	245	245
1992.....	2,897	-	30	161	280	250	241	248	253
1991.....	3,046	-	27	183	279	279	299	222	217
1990.....	2,843	1	20	167	260	298	261	218	202
1989.....	2,544	1	15	125	231	247	254	200	182
1988.....	2,650	-	19	165	209	265	242	207	196
1987.....	2,697	-	15	117	242	269	237	244	194
1986.....	2,714	-	20	144	234	235	257	248	186
1985.....	2,373	-	12	108	230	236	224	198	197
1984.....	2,414	-	11	89	239	240	270	179	165
1983.....	2,220	1	17	112	216	236	220	162	118
1982.....	1,952	-	13	96	193	210	181	155	129
1981.....	1,843	-	8	77	199	232	176	127	121
1980.....	1,633	1	7	83	197	204	144	131	94
1979.....	1,835	-	2	96	221	215	171	149	112

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE BY HANDGUN (E955.0)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	579	-	9	26	34	47	51	67	53
1997.....	575	-	10	34	19	48	50	79	77
1996.....	603	-	6	35	24	55	56	83	59
1995.....	623	-	9	39	44	43	63	60	65
1994.....	621	-	9	38	39	47	65	77	70
1993.....	604	-	13	33	42	59	63	62	61
1992.....	558	-	10	25	43	46	43	58	69
1991.....	573	-	7	34	40	50	58	62	62
1990.....	621	-	9	46	44	58	57	65	64
1989.....	576	-	3	38	40	48	63	67	59
1988.....	547	-	4	33	38	56	53	61	53
1987.....	598	-	7	28	46	54	58	60	48
1986.....	605	-	7	25	52	61	63	56	47
1985.....	608	-	6	41	63	58	62	59	52
1984.....	592	-	7	36	64	53	61	55	54
1983.....	546	-	5	27	48	66	45	61	47
1982.....	583	-	6	27	66	66	54	46	47
1981.....	522	-	7	37	58	56	59	35	39
1980.....	476	-	2	25	51	46	54	59	30
1979.....	542	-	8	33	71	59	45	39	37
WHITE, BOTH SEXES											
1998.....	3,255	-	31	165	184	244	216	285	290
1997.....	3,244	-	25	151	213	231	246	300	304
1996.....	3,393	1	22	139	220	293	272	314	284
1995.....	3,392	-	31	180	258	281	304	274	299
1994.....	3,404	-	35	181	308	274	302	278	289
1993.....	3,304	-	33	163	285	301	279	280	289
1992.....	3,194	-	34	149	283	261	249	277	311
1991.....	3,348	-	31	181	270	271	328	271	260
1990.....	3,218	1	26	177	266	312	285	259	252
1989.....	2,904	-	16	151	236	260	279	243	228
1988.....	2,962	-	20	175	221	275	258	247	226
1987.....	3,067	-	21	125	255	274	272	284	225
1986.....	3,117	-	23	152	262	271	288	280	224
1985.....	2,802	-	18	135	261	275	265	242	228
1984.....	2,798	-	17	113	273	245	299	215	211
1983.....	2,602	1	20	121	237	281	244	208	157
1982.....	2,375	-	17	116	234	242	214	186	163
1981.....	2,209	-	15	106	228	257	215	148	150
1980.....	1,940	1	7	97	224	222	162	168	114
1979.....	2,175	-	10	112	252	236	196	171	141

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE BY HANDGUN (E955.0)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	2,728	-	23	142	154	202	172	225	240
1997.....	2,706	-	18	122	195	189	202	224	231
1996.....	2,828	1	18	108	203	247	217	235	229
1995.....	2,810	-	23	146	223	242	248	216	236
1994.....	2,830	-	26	152	273	234	245	210	220
1993.....	2,743	-	22	134	249	253	221	222	232
1992.....	2,673	-	25	129	245	220	211	221	246
1991.....	2,811	-	24	152	233	232	272	210	199
1990.....	2,645	1	17	138	228	257	232	202	191
1989.....	2,362	-	13	114	199	215	223	185	172
1988.....	2,449	-	16	146	187	226	212	190	176
1987.....	2,506	-	14	104	214	227	220	226	179
1986.....	2,549	-	18	130	212	213	233	227	178
1985.....	2,229	-	12	97	206	222	204	188	181
1984.....	2,242	-	11	78	214	194	246	163	160
1983.....	2,086	1	17	98	195	219	200	150	111
1982.....	1,818	-	11	89	174	182	161	141	120
1981.....	1,718	-	8	73	174	205	161	117	114
1980.....	1,500	1	5	74	177	180	115	118	86
1979.....	1,678	-	2	84	193	184	155	136	105
WHITE FEMALE											
1998.....	527	-	8	23	30	42	44	60	50
1997.....	538	-	7	29	18	42	44	76	73
1996.....	565	-	4	31	17	46	55	79	55
1995.....	582	-	8	34	35	39	56	58	63
1994.....	574	-	9	29	35	40	57	68	69
1993.....	561	-	11	29	36	48	58	58	57
1992.....	521	-	9	20	38	41	38	56	65
1991.....	537	-	7	29	37	39	56	61	61
1990.....	573	-	9	39	38	55	53	57	61
1989.....	542	-	3	37	37	45	56	58	56
1988.....	513	-	4	29	34	49	46	57	50
1987.....	561	-	7	21	41	47	52	58	46
1986.....	568	-	5	22	50	58	55	53	46
1985.....	573	-	6	38	55	53	61	54	47
1984.....	556	-	6	35	59	51	53	52	51
1983.....	516	-	3	23	42	62	44	58	46
1982.....	557	-	6	27	60	60	53	45	43
1981.....	491	-	7	33	54	52	54	31	36
1980.....	440	-	2	23	47	42	47	50	28
1979.....	497	-	8	28	59	52	41	35	36

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE BY HANDGUN (E955.0)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	286	-	3	30	52	45	30	25	15
1997.....	275	-	7	28	49	47	35	22	17
1996.....	282	-	4	40	50	42	33	21	28
1995.....	308	-	3	43	58	47	36	24	19
1994.....	302	-	-	49	55	49	38	32	22
1993.....	282	-	5	32	53	48	35	27	17
1992.....	261	-	6	37	40	35	35	29	11
1991.....	271	-	3	36	49	58	29	13	19
1990.....	246	-	3	36	38	44	33	24	14
1989.....	216	1	2	12	35	35	38	24	13
1988.....	235	-	3	23	26	46	37	21	23
1987.....	228	-	1	20	33	49	23	20	17
1986.....	202	-	4	17	24	25	32	24	9
1985.....	179	-	-	14	32	19	21	15	21
1984.....	208	-	1	12	30	48	32	19	8
1983.....	164	-	2	18	27	21	21	15	8
1982.....	160	-	2	7	25	34	21	15	13
1981.....	156	-	-	8	29	31	20	14	10
1980.....	169	-	2	11	24	28	36	22	10
1979.....	202	-	-	17	40	38	20	17	8
ALL OTHER MALE											
1998.....	234	-	2	27	48	40	23	18	12
1997.....	238	-	4	23	48	41	29	19	13
1996.....	244	-	2	36	43	33	32	17	24
1995.....	267	-	2	38	49	43	29	22	17
1994.....	255	-	-	40	51	42	30	23	21
1993.....	239	-	3	28	47	37	30	23	13
1992.....	224	-	5	32	35	30	30	27	7
1991.....	235	-	3	31	46	47	27	12	18
1990.....	198	-	3	29	32	41	29	16	11
1989.....	182	1	2	11	32	31	31	15	10
1988.....	201	-	3	19	22	39	30	17	20
1987.....	191	-	1	13	28	42	17	18	15
1986.....	165	-	2	14	22	22	24	21	8
1985.....	144	-	-	11	24	14	20	10	16
1984.....	172	-	-	11	25	46	24	16	5
1983.....	134	-	-	14	21	17	20	12	7
1982.....	134	-	2	7	19	28	20	14	9
1981.....	125	-	-	4	25	27	15	10	7
1980.....	133	-	2	9	20	24	29	13	8
1979.....	157	-	-	12	28	31	16	13	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE BY HANDGUN (E955.0)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	52	-	1	3	4	5	7	7	3
1997.....	37	-	3	5	1	6	6	3	4
1996.....	38	-	2	4	7	9	1	4	4
1995.....	41	-	1	5	9	4	7	2	2
1994.....	47	-	-	9	4	7	8	9	1
1993.....	43	-	2	4	6	11	5	4	4
1992.....	37	-	1	5	5	5	5	2	4
1991.....	36	-	-	5	3	11	2	1	1
1990.....	48	-	-	7	6	3	4	8	3
1989.....	34	-	-	1	3	3	7	9	3
1988.....	34	-	-	4	4	7	7	4	3
1987.....	37	-	-	7	5	7	6	2	2
1986.....	37	-	2	3	2	3	8	3	1
1985.....	35	-	-	3	8	5	1	5	5
1984.....	36	-	1	1	5	2	8	3	3
1983.....	30	-	2	4	6	4	1	3	1
1982.....	26	-	-	-	6	6	1	1	4
1981.....	31	-	-	4	4	4	5	4	3
1980.....	36	-	-	2	4	4	7	9	2
1979.....	45	-	-	5	12	7	4	4	1
BLACK, BOTH SEXES											
1998.....	187	-	1	20	34	29	20	18	6
1997.....	188	-	6	21	32	32	28	14	11
1996.....	205	-	3	24	39	27	27	14	24
1995.....	213	-	2	32	36	33	22	19	14
1994.....	201	-	-	36	36	34	23	16	17
1993.....	205	-	3	26	43	32	26	20	10
1992.....	185	-	6	24	25	29	28	19	6
1991.....	191	-	3	25	37	37	21	11	14
1990.....	178	-	2	23	24	33	21	21	11
1989.....	171	1	1	8	28	21	33	17	10
1988.....	176	-	2	17	20	30	26	18	17
1987.....	184	-	1	16	26	37	18	16	12
1986.....	156	-	2	11	21	21	25	17	5
1985.....	146	-	-	9	24	15	18	13	18
1984.....	168	-	1	5	20	40	25	15	8
1983.....	137	-	2	14	20	16	19	13	8
1982.....	139	-	2	4	22	30	16	14	11
1981.....	123	-	-	8	21	24	13	11	6
1980.....	151	-	2	9	19	21	36	19	9
1979.....	169	-	-	13	32	31	18	11	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE BY HANDGUN (E955.0)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	159	-	1	18	32	27	17	15	5
1997.....	160	-	3	16	31	27	24	13	9
1996.....	182	-	1	21	35	20	27	13	20
1995.....	188	-	1	29	31	31	18	19	13
1994.....	177	-	-	28	35	31	21	13	16
1993.....	184	-	3	24	39	28	22	17	8
1992.....	157	-	5	20	23	24	23	17	4
1991.....	167	-	3	21	36	29	20	10	14
1990.....	144	-	2	18	20	32	19	14	8
1989.....	148	1	1	8	26	19	28	12	8
1988.....	151	-	2	13	17	25	23	15	15
1987.....	157	-	1	11	23	31	14	15	11
1986.....	131	-	1	10	20	19	20	16	4
1985.....	118	-	-	8	18	12	17	8	14
1984.....	139	-	-	5	16	39	18	13	5
1983.....	115	-	-	11	16	14	18	10	7
1982.....	118	-	2	4	17	25	15	13	9
1981.....	97	-	-	4	18	20	8	9	5
1980.....	120	-	2	7	16	18	29	12	8
1979.....	132	-	-	8	23	26	15	8	6
BLACK FEMALE											
1998.....	28	-	-	2	2	2	3	3	1
1997.....	28	-	3	5	1	5	4	1	2
1996.....	23	-	2	3	4	7	-	1	4
1995.....	25	-	1	3	5	2	4	-	1
1994.....	24	-	-	8	1	3	2	3	1
1993.....	21	-	-	2	4	4	4	3	2
1992.....	28	-	1	4	2	5	5	2	2
1991.....	24	-	-	4	1	8	1	1	-
1990.....	34	-	-	5	4	1	2	7	3
1989.....	23	-	-	-	2	2	5	5	2
1988.....	25	-	-	4	3	5	3	3	2
1987.....	27	-	-	5	3	6	4	1	1
1986.....	25	-	1	1	1	2	5	1	1
1985.....	28	-	-	1	6	3	1	5	4
1984.....	29	-	1	-	4	1	7	2	3
1983.....	22	-	2	3	4	2	1	3	1
1982.....	21	-	-	-	5	5	1	1	2
1981.....	26	-	-	4	3	4	5	2	1
1980.....	31	-	-	2	3	3	7	7	1
1979.....	37	-	-	5	9	5	3	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)											
TOTAL, BOTH SEXES											
1998.....	13,883	1	119	892	1,187	1,129	1,125	1,373	1,341
1997.....	14,047	1	94	956	1,190	1,199	1,252	1,384	1,294
1996.....	14,491	-	135	968	1,307	1,245	1,235	1,435	1,335
1995.....	14,803	1	149	1,043	1,486	1,299	1,428	1,400	1,262
1994.....	15,059	1	152	1,147	1,604	1,427	1,442	1,423	1,220
1993.....	15,354	1	148	1,078	1,602	1,422	1,526	1,364	1,217
1992.....	14,714	3	132	1,065	1,499	1,343	1,435	1,318	1,133
1991.....	14,907	-	122	1,063	1,510	1,450	1,464	1,320	1,144
1990.....	15,421	1	113	1,119	1,529	1,564	1,535	1,328	1,168
1989.....	15,058	-	120	1,078	1,504	1,561	1,459	1,285	1,090
1988.....	14,972	1	102	1,063	1,507	1,597	1,493	1,276	1,015
1987.....	14,841	1	129	984	1,505	1,577	1,434	1,190	1,003
1986.....	14,834	1	114	982	1,660	1,584	1,427	1,170	972
1985.....	14,382	-	121	968	1,671	1,624	1,305	1,072	910
1984.....	14,107	2	97	872	1,667	1,635	1,308	1,112	914
1983.....	13,834	-	81	907	1,671	1,609	1,347	1,039	904
1982.....	14,025	-	94	971	1,786	1,664	1,277	1,131	921
1981.....	13,774	2	76	1,006	1,870	1,682	1,367	1,063	901
1980.....	13,287	1	69	1,026	1,874	1,549	1,238	1,012	830
1979.....	13,166	-	74	1,007	1,788	1,515	1,176	957	842
TOTAL, MALE											
1998.....	12,142	1	92	780	1,068	984	969	1,142	1,135
1997.....	12,250	1	76	830	1,066	1,051	1,066	1,175	1,077
1996.....	12,736	-	108	848	1,186	1,091	1,075	1,231	1,118
1995.....	12,983	1	111	936	1,337	1,150	1,228	1,194	1,061
1994.....	13,202	1	113	1,012	1,460	1,255	1,231	1,191	1,034
1993.....	13,399	1	120	941	1,447	1,240	1,310	1,139	1,023
1992.....	12,905	2	105	954	1,361	1,191	1,222	1,124	963
1991.....	13,074	-	98	943	1,381	1,260	1,250	1,105	975
1990.....	13,442	-	85	984	1,367	1,348	1,292	1,107	995
1989.....	13,136	-	98	952	1,340	1,372	1,228	1,105	897
1988.....	13,006	1	78	918	1,366	1,389	1,260	1,074	842
1987.....	12,842	1	107	847	1,322	1,347	1,211	996	821
1986.....	12,804	1	94	852	1,448	1,349	1,208	979	784
1985.....	12,436	-	99	843	1,469	1,385	1,104	906	747
1984.....	12,090	2	74	746	1,443	1,404	1,094	914	731
1983.....	11,739	-	63	766	1,409	1,342	1,145	856	742
1982.....	11,920	-	74	822	1,534	1,403	1,051	915	740
1981.....	11,535	2	53	840	1,593	1,372	1,134	857	705
1980.....	11,304	1	53	876	1,626	1,316	1,010	831	671
1979.....	11,071	-	51	869	1,519	1,263	967	762	672

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)											
TOTAL, FEMALE											
1998.....	1,741	-	27	112	119	145	156	231	206
1997.....	1,797	-	18	126	124	148	186	209	217
1996.....	1,755	-	27	120	121	154	160	204	217
1995.....	1,820	-	38	107	149	149	200	206	201
1994.....	1,857	-	39	135	144	172	211	232	186
1993.....	1,955	-	28	137	155	182	216	225	194
1992.....	1,809	1	27	111	138	152	213	194	170
1991.....	1,833	-	24	120	129	190	214	215	169
1990.....	1,979	1	28	135	162	216	243	221	173
1989.....	1,922	-	22	126	164	189	231	180	193
1988.....	1,966	-	24	145	141	208	233	202	173
1987.....	1,999	-	22	137	183	230	223	194	182
1986.....	2,030	-	20	130	212	235	219	191	188
1985.....	1,946	-	22	125	202	239	201	166	163
1984.....	2,017	-	23	126	224	231	214	198	183
1983.....	2,095	-	18	141	262	267	202	183	162
1982.....	2,105	-	20	149	252	261	226	216	181
1981.....	2,239	-	23	166	277	310	233	206	196
1980.....	1,983	-	16	150	248	233	228	181	159
1979.....	2,095	-	23	138	269	252	209	195	170
WHITE, BOTH SEXES											
1998.....	12,713	-	100	742	998	953	977	1,294	1,243
1997.....	12,770	1	80	794	962	1,018	1,101	1,271	1,209
1996.....	13,130	-	111	807	1,073	1,041	1,105	1,287	1,231
1995.....	13,468	1	129	869	1,246	1,114	1,253	1,267	1,176
1994.....	13,603	-	128	924	1,342	1,210	1,289	1,281	1,115
1993.....	13,967	1	118	913	1,317	1,207	1,375	1,234	1,124
1992.....	13,412	2	114	866	1,261	1,180	1,268	1,195	1,038
1991.....	13,626	-	108	924	1,302	1,249	1,312	1,199	1,071
1990.....	14,126	1	93	970	1,314	1,368	1,377	1,198	1,083
1989.....	13,767	-	105	937	1,266	1,383	1,291	1,153	994
1988.....	13,763	1	87	942	1,303	1,434	1,296	1,163	946
1987.....	13,686	1	120	866	1,337	1,396	1,278	1,062	932
1986.....	13,719	1	102	897	1,488	1,397	1,281	1,058	906
1985.....	13,318	-	113	865	1,484	1,463	1,162	986	847
1984.....	13,130	2	92	797	1,517	1,463	1,189	1,021	845
1983.....	12,906	-	72	831	1,501	1,461	1,216	965	847
1982.....	13,114	-	83	906	1,621	1,507	1,153	1,043	856
1981.....	12,766	2	72	920	1,687	1,515	1,217	979	832
1980.....	12,346	1	66	948	1,688	1,380	1,122	934	762
1979.....	12,103	-	71	922	1,570	1,336	1,042	875	780

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)											
WHITE MALE											
1998.....	11,108	-	79	647	897	831	834	1,072	1,051
1997.....	11,114	1	65	690	856	891	927	1,072	1,000
1996.....	11,555	-	87	701	971	915	960	1,107	1,033
1995.....	11,803	1	95	783	1,115	984	1,075	1,079	985
1994.....	11,921	-	92	812	1,223	1,060	1,103	1,067	944
1993.....	12,176	1	95	788	1,190	1,049	1,175	1,031	943
1992.....	11,735	1	89	772	1,142	1,041	1,075	1,012	878
1991.....	11,923	-	86	812	1,186	1,084	1,109	1,004	912
1990.....	12,304	-	70	849	1,171	1,178	1,158	995	920
1989.....	12,016	-	86	827	1,132	1,213	1,081	993	819
1988.....	11,957	1	68	808	1,183	1,244	1,084	981	785
1987.....	11,827	1	100	746	1,172	1,190	1,076	884	758
1986.....	11,855	1	84	781	1,294	1,190	1,087	879	729
1985.....	11,521	-	91	753	1,305	1,246	982	831	694
1984.....	11,257	2	70	687	1,312	1,259	988	837	674
1983.....	10,932	-	57	698	1,268	1,214	1,028	794	692
1982.....	11,140	-	65	765	1,393	1,266	950	841	685
1981.....	10,691	2	51	773	1,436	1,229	1,012	786	649
1980.....	10,491	1	52	806	1,465	1,168	912	763	617
1979.....	10,181	-	48	799	1,332	1,115	854	692	620
WHITE FEMALE											
1998.....	1,605	-	21	95	101	122	143	222	192
1997.....	1,656	-	15	104	106	127	174	199	209
1996.....	1,575	-	24	106	102	126	145	180	198
1995.....	1,665	-	34	86	131	130	178	188	191
1994.....	1,682	-	36	112	119	150	186	214	171
1993.....	1,791	-	23	125	127	158	200	203	181
1992.....	1,677	1	25	94	119	139	193	183	160
1991.....	1,703	-	22	112	116	165	203	195	159
1990.....	1,822	1	23	121	143	190	219	203	163
1989.....	1,751	-	19	110	134	170	210	160	175
1988.....	1,806	-	19	134	120	190	212	182	161
1987.....	1,859	-	20	120	165	206	202	178	174
1986.....	1,864	-	18	116	194	207	194	179	177
1985.....	1,797	-	22	112	179	217	180	155	153
1984.....	1,873	-	22	110	205	204	201	184	171
1983.....	1,974	-	15	133	233	247	188	171	155
1982.....	1,974	-	18	141	228	241	203	202	171
1981.....	2,075	-	21	147	251	286	205	193	183
1980.....	1,855	-	14	142	223	212	210	171	145
1979.....	1,922	-	23	123	238	221	188	183	160

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98
 CAUSE-OF-DEATH CODE,
 RACE, SEX, AND YEAR
 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	1,170	1	19	150	189	176	148	79	98
1997.....	1,277	-	14	162	228	181	151	113	85
1996.....	1,361	-	24	161	234	204	130	148	104
1995.....	1,335	-	20	174	240	185	175	133	86
1994.....	1,456	1	24	223	262	217	153	142	105
1993.....	1,387	-	30	165	285	215	151	130	93
1992.....	1,302	1	18	199	238	163	167	123	95
1991.....	1,281	-	14	139	208	201	152	121	73
1990.....	1,295	-	20	149	215	196	158	130	85
1989.....	1,291	-	15	141	238	178	168	132	96
1988.....	1,209	-	15	121	204	163	197	113	69
1987.....	1,155	-	9	118	168	181	156	128	71
1986.....	1,115	-	12	85	172	187	146	112	66
1985.....	1,064	-	8	103	187	161	143	86	63
1984.....	977	-	5	75	150	172	119	91	69
1983.....	928	-	9	76	170	148	131	74	57
1982.....	911	-	11	65	165	157	124	88	65
1981.....	1,008	-	4	86	183	167	150	84	69
1980.....	941	-	3	78	186	169	116	78	68
1979.....	1,063	-	3	85	218	179	134	82	62
ALL OTHER MALE											
1998.....	1,034	1	13	133	171	153	135	70	84
1997.....	1,136	-	11	140	210	160	139	103	77
1996.....	1,181	-	21	147	215	176	115	124	85
1995.....	1,180	-	16	153	222	166	153	115	76
1994.....	1,281	1	21	200	237	195	128	124	90
1993.....	1,223	-	25	153	257	191	135	108	80
1992.....	1,170	1	16	182	219	150	147	112	85
1991.....	1,151	-	12	131	195	176	141	101	63
1990.....	1,138	-	15	135	196	170	134	112	75
1989.....	1,120	-	12	125	208	159	147	112	78
1988.....	1,049	-	10	110	183	145	176	93	57
1987.....	1,015	-	7	101	150	157	135	112	63
1986.....	949	-	10	71	154	159	121	100	55
1985.....	915	-	8	90	164	139	122	75	53
1984.....	833	-	4	59	131	145	106	77	57
1983.....	807	-	6	68	141	128	117	62	50
1982.....	780	-	9	57	141	137	101	74	55
1981.....	844	-	2	67	157	143	122	71	56
1980.....	813	-	1	70	161	148	98	68	54
1979.....	890	-	3	70	187	148	113	70	52

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)											
ALL OTHER FEMALE											
1998.....	136	-	6	17	18	23	13	9	14
1997.....	141	-	3	22	18	21	12	10	8
1996.....	180	-	3	14	19	28	15	24	19
1995.....	155	-	4	21	18	19	22	18	10
1994.....	175	-	3	23	25	22	25	18	15
1993.....	164	-	5	12	28	24	16	22	13
1992.....	132	-	2	17	19	13	20	11	10
1991.....	130	-	2	8	13	25	11	20	10
1990.....	157	-	5	14	19	26	24	18	10
1989.....	171	-	3	16	30	19	21	20	18
1988.....	160	-	5	11	21	18	21	20	12
1987.....	140	-	2	17	18	24	21	16	8
1986.....	166	-	2	14	18	28	25	12	11
1985.....	149	-	-	13	23	22	21	11	10
1984.....	144	-	1	16	19	27	13	14	12
1983.....	121	-	3	8	29	20	14	12	7
1982.....	131	-	2	8	24	20	23	14	10
1981.....	164	-	2	19	26	24	28	13	13
1980.....	128	-	2	8	25	21	18	10	14
1979.....	173	-	-	15	31	31	21	12	10
BLACK, BOTH SEXES											
1998.....	923	1	13	111	153	143	122	64	72
1997.....	1,021	-	13	127	182	142	122	85	68
1996.....	1,120	-	19	126	195	159	104	124	84
1995.....	1,091	-	15	143	189	148	142	103	71
1994.....	1,192	1	21	183	213	171	121	112	85
1993.....	1,160	-	20	138	243	176	129	102	78
1992.....	1,096	1	13	161	194	138	146	106	76
1991.....	1,062	-	13	105	161	166	125	103	56
1990.....	1,085	-	18	114	165	164	140	107	72
1989.....	1,070	-	13	102	189	139	141	108	85
1988.....	1,006	-	12	91	161	137	166	93	62
1987.....	959	-	6	91	126	146	136	110	59
1986.....	925	-	11	68	129	154	122	89	56
1985.....	886	-	6	74	142	133	119	74	54
1984.....	826	-	4	54	117	145	106	81	58
1983.....	769	-	6	50	135	122	111	58	50
1982.....	753	-	9	48	117	128	103	75	57
1981.....	837	-	2	57	143	143	126	68	62
1980.....	795	-	3	51	150	139	102	65	61
1979.....	884	-	2	57	167	151	116	65	55

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)											
BLACK MALE											
1998.....	824	1	9	98	139	127	112	57	62
1997.....	910	-	11	110	168	127	112	76	62
1996.....	980	-	16	115	181	140	93	106	70
1995.....	965	-	12	123	177	131	125	90	62
1994.....	1,049	1	19	165	194	153	101	98	71
1993.....	1,033	-	16	131	221	160	117	87	67
1992.....	988	1	12	148	179	130	128	96	70
1991.....	956	-	12	99	152	147	115	86	49
1990.....	958	-	13	102	151	142	124	92	64
1989.....	930	-	10	92	166	123	126	91	70
1988.....	864	-	7	82	143	119	148	78	51
1987.....	845	-	5	78	113	126	117	98	53
1986.....	788	-	9	55	116	134	103	80	46
1985.....	763	-	6	66	128	115	101	63	46
1984.....	701	-	3	43	99	121	93	69	49
1983.....	670	-	4	43	112	103	100	51	44
1982.....	645	-	7	43	101	113	84	62	48
1981.....	703	-	2	43	120	124	104	58	51
1980.....	693	-	1	44	133	125	87	59	47
1979.....	736	-	2	46	138	125	98	56	47
BLACK FEMALE											
1998.....	99	-	4	13	14	16	10	7	10
1997.....	111	-	2	17	14	15	10	9	6
1996.....	140	-	3	11	14	19	11	18	14
1995.....	126	-	3	20	12	17	17	13	9
1994.....	143	-	2	18	19	18	20	14	14
1993.....	127	-	4	7	22	16	12	15	11
1992.....	108	-	1	13	15	8	18	10	6
1991.....	106	-	1	6	9	19	10	17	7
1990.....	127	-	5	12	14	22	16	15	8
1989.....	140	-	3	10	23	16	15	17	15
1988.....	142	-	5	9	18	18	18	15	11
1987.....	114	-	1	13	13	20	19	12	6
1986.....	137	-	2	13	13	20	19	9	10
1985.....	123	-	-	8	14	18	18	11	8
1984.....	125	-	1	11	18	24	13	12	9
1983.....	99	-	2	7	23	19	11	7	6
1982.....	108	-	2	5	16	15	19	13	9
1981.....	134	-	-	14	23	19	22	10	11
1980.....	102	-	2	7	17	14	15	6	14
1979.....	148	-	-	11	29	26	18	9	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)											
TOTAL, BOTH SEXES											
1998.....	2,353	-	8	105	171	206	221	285	275
1997.....	2,428	1	9	99	168	190	288	294	306
1996.....	2,327	1	8	103	174	211	266	295	261
1995.....	2,417	1	10	118	195	216	304	279	245
1994.....	2,359	-	8	95	198	228	279	311	242
1993.....	2,264	1	15	93	162	211	268	271	240
1992.....	2,142	1	6	71	175	197	260	243	242
1991.....	2,179	1	9	85	181	222	278	223	213
1990.....	2,153	-	7	69	168	217	280	242	191
1989.....	2,127	-	2	76	187	261	254	240	163
1988.....	2,038	-	6	70	164	238	260	196	151
1987.....	2,104	-	6	84	179	241	242	184	189
1986.....	2,109	1	4	69	187	252	245	184	133
1985.....	2,122	-	7	80	217	207	240	189	153
1984.....	2,223	-	2	86	244	254	242	204	113
1983.....	2,147	-	4	81	199	269	231	172	146
1982.....	2,262	-	5	92	254	272	249	184	145
1981.....	2,271	-	3	100	266	295	240	201	142
1980.....	2,329	-	3	96	273	277	254	157	152
1979.....	2,410	1	1	118	312	303	248	172	164
TOTAL, MALE											
1998.....	1,690	-	2	84	130	167	163	202	210
1997.....	1,768	-	7	81	139	145	229	223	231
1996.....	1,681	-	3	78	145	164	201	220	197
1995.....	1,797	1	7	96	169	167	252	211	179
1994.....	1,726	-	6	77	157	187	213	234	184
1993.....	1,641	-	6	71	123	168	211	219	186
1992.....	1,571	1	4	58	145	162	202	178	189
1991.....	1,582	1	4	70	137	169	212	177	157
1990.....	1,530	-	4	52	136	169	201	183	145
1989.....	1,503	-	1	57	153	192	195	172	122
1988.....	1,431	-	4	55	123	184	202	148	107
1987.....	1,465	-	1	54	154	197	188	129	120
1986.....	1,431	-	1	48	146	197	189	138	79
1985.....	1,485	-	6	62	182	175	181	130	104
1984.....	1,504	-	1	64	198	198	173	145	74
1983.....	1,457	-	3	61	160	203	170	125	105
1982.....	1,512	-	5	62	203	215	184	126	92
1981.....	1,476	-	2	75	204	216	183	131	89
1980.....	1,574	-	1	69	214	215	183	105	105
1979.....	1,593	1	-	86	241	238	172	111	103

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)											
TOTAL, FEMALE											
1998.....	663	-	6	21	41	39	58	83	65
1997.....	660	1	2	18	29	45	59	71	75
1996.....	646	1	5	25	29	47	65	75	64
1995.....	620	-	3	22	26	49	52	68	66
1994.....	633	-	2	18	41	41	66	77	58
1993.....	623	1	9	22	39	43	57	52	54
1992.....	571	-	2	13	30	35	58	65	53
1991.....	597	-	5	15	44	53	66	46	56
1990.....	623	-	3	17	32	48	79	59	46
1989.....	624	-	1	19	34	69	59	68	41
1988.....	607	-	2	15	41	54	58	48	44
1987.....	639	-	5	30	25	44	54	55	69
1986.....	678	1	3	21	41	55	56	46	54
1985.....	637	-	1	18	35	32	59	59	49
1984.....	719	-	1	22	46	56	69	59	39
1983.....	690	-	1	20	39	66	61	47	41
1982.....	750	-	-	30	51	57	65	58	53
1981.....	795	-	1	25	62	79	57	70	53
1980.....	755	-	2	27	59	62	71	52	47
1979.....	817	-	1	32	71	65	76	61	61
WHITE, BOTH SEXES											
1998.....	1,960	-	7	84	133	148	162	241	232
1997.....	2,036	1	8	73	135	153	225	239	259
1996.....	1,953	1	5	87	135	159	209	246	216
1995.....	2,020	1	9	97	154	156	254	233	192
1994.....	1,992	-	6	77	152	188	223	247	212
1993.....	1,882	-	14	77	126	155	214	212	204
1992.....	1,788	1	4	64	138	147	206	200	189
1991.....	1,816	-	8	71	152	168	215	174	184
1990.....	1,810	-	7	62	131	164	215	190	158
1989.....	1,777	-	2	60	145	184	199	204	134
1988.....	1,741	-	6	59	131	172	196	167	135
1987.....	1,812	-	5	74	148	184	195	149	168
1986.....	1,786	-	3	58	155	187	200	143	110
1985.....	1,805	-	5	63	168	163	191	156	128
1984.....	1,888	-	1	74	189	195	201	167	90
1983.....	1,859	-	3	75	145	215	198	144	126
1982.....	1,929	-	3	75	189	203	208	156	130
1981.....	1,931	-	2	85	215	237	192	163	120
1980.....	2,014	-	3	78	210	225	213	128	124
1979.....	2,075	-	1	99	244	247	196	141	138

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)											
WHITE MALE											
1998.....	1,400	-	2	65	101	118	123	172	178
1997.....	1,488	-	6	59	118	117	185	180	195
1996.....	1,416	-	2	65	113	129	157	178	162
1995.....	1,513	1	6	82	134	126	212	179	141
1994.....	1,454	-	5	63	121	155	169	182	161
1993.....	1,375	-	5	59	100	127	171	172	158
1992.....	1,329	1	3	52	116	123	164	153	150
1991.....	1,319	-	3	57	114	128	167	143	136
1990.....	1,275	-	4	47	105	131	154	142	120
1989.....	1,257	-	1	45	119	141	153	149	102
1988.....	1,218	-	4	46	96	136	150	126	100
1987.....	1,246	-	1	50	125	149	150	103	104
1986.....	1,202	-	-	43	122	146	158	102	63
1985.....	1,248	-	5	50	140	137	142	107	86
1984.....	1,258	-	1	55	154	151	140	118	55
1983.....	1,241	-	3	56	117	159	147	103	92
1982.....	1,272	-	3	51	154	160	152	109	82
1981.....	1,246	-	2	64	167	171	146	106	79
1980.....	1,353	-	1	61	165	177	153	85	85
1979.....	1,356	-	-	72	187	194	137	86	87
WHITE FEMALE											
1998.....	560	-	5	19	32	30	39	69	54
1997.....	548	1	2	14	17	36	40	59	64
1996.....	537	1	3	22	22	30	52	68	54
1995.....	507	-	3	15	20	30	42	54	51
1994.....	538	-	1	14	31	33	54	65	51
1993.....	507	-	9	18	26	28	43	40	46
1992.....	459	-	1	12	22	24	42	47	39
1991.....	497	-	5	14	38	40	48	31	48
1990.....	535	-	3	15	26	33	61	48	38
1989.....	520	-	1	15	26	43	46	55	32
1988.....	523	-	2	13	35	36	46	41	35
1987.....	566	-	4	24	23	35	45	46	64
1986.....	584	-	3	15	33	41	42	41	47
1985.....	557	-	-	13	28	26	49	49	42
1984.....	630	-	-	19	35	44	61	49	35
1983.....	618	-	-	19	28	56	51	41	34
1982.....	657	-	-	24	35	43	56	47	48
1981.....	685	-	-	21	48	66	46	57	41
1980.....	661	-	2	17	45	48	60	43	39
1979.....	719	-	1	27	57	53	59	55	51

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)											
ALL OTHER, BOTH SEXES											
1998.....	393	-	1	21	38	58	59	44	43
1997.....	392	-	1	26	33	37	63	55	47
1996.....	374	-	3	16	39	52	57	49	45
1995.....	397	-	1	21	41	60	50	46	53
1994.....	367	-	2	18	46	40	56	64	30
1993.....	382	1	1	16	36	56	54	59	36
1992.....	354	-	2	7	37	50	54	43	53
1991.....	363	1	1	14	29	54	63	49	29
1990.....	343	-	-	7	37	53	65	52	33
1989.....	350	-	-	16	42	77	55	36	29
1988.....	297	-	-	11	33	66	64	29	16
1987.....	292	-	1	10	31	57	47	35	21
1986.....	323	1	1	11	32	65	45	41	23
1985.....	317	-	2	17	49	44	49	33	25
1984.....	335	-	1	12	55	59	41	37	23
1983.....	288	-	1	6	54	54	33	28	20
1982.....	333	-	2	17	65	69	41	28	15
1981.....	340	-	1	15	51	58	48	38	22
1980.....	315	-	-	18	63	52	41	29	28
1979.....	335	1	-	19	68	56	52	31	26
ALL OTHER MALE											
1998.....	290	-	-	19	29	49	40	30	32
1997.....	280	-	1	22	21	28	44	43	36
1996.....	265	-	1	13	32	35	44	42	35
1995.....	284	-	1	14	35	41	40	32	38
1994.....	272	-	1	14	36	32	44	52	23
1993.....	266	-	1	12	23	41	40	47	28
1992.....	242	-	1	6	29	39	38	25	39
1991.....	263	1	1	13	23	41	45	34	21
1990.....	255	-	-	5	31	38	47	41	25
1989.....	246	-	-	12	34	51	42	23	20
1988.....	213	-	-	9	27	48	52	22	7
1987.....	219	-	-	4	29	48	38	26	16
1986.....	229	-	1	5	24	51	31	36	16
1985.....	237	-	1	12	42	38	39	23	18
1984.....	246	-	-	9	44	47	33	27	19
1983.....	216	-	-	5	43	44	23	22	13
1982.....	240	-	2	11	49	55	32	17	10
1981.....	230	-	-	11	37	45	37	25	10
1980.....	221	-	-	8	49	38	30	20	20
1979.....	237	1	-	14	54	44	35	25	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)											
ALL OTHER FEMALE											
1998.....	103	-	1	2	9	9	19	14	11
1997.....	112	-	-	4	12	9	19	12	11
1996.....	109	-	2	3	7	17	13	7	10
1995.....	113	-	-	7	6	19	10	14	15
1994.....	95	-	1	4	10	8	12	12	7
1993.....	116	1	-	4	13	15	14	12	8
1992.....	112	-	1	1	8	11	16	18	14
1991.....	100	-	-	1	6	13	18	15	8
1990.....	88	-	-	2	6	15	18	11	8
1989.....	104	-	-	4	8	26	13	13	9
1988.....	84	-	-	2	6	18	12	7	9
1987.....	73	-	1	6	2	9	9	9	5
1986.....	94	1	-	6	8	14	14	5	7
1985.....	80	-	1	5	7	6	10	10	7
1984.....	89	-	1	3	11	12	8	10	4
1983.....	72	-	1	1	11	10	10	6	7
1982.....	93	-	-	6	16	14	9	11	5
1981.....	110	-	1	4	14	13	11	13	12
1980.....	94	-	-	10	14	14	11	9	8
1979.....	98	-	-	5	14	12	17	6	10
BLACK, BOTH SEXES											
1998.....	263	-	1	15	29	30	44	36	30
1997.....	257	-	-	19	18	23	49	39	38
1996.....	247	-	2	8	28	34	38	37	33
1995.....	294	-	1	14	29	46	37	39	45
1994.....	239	-	-	11	27	25	43	47	21
1993.....	249	1	1	7	20	36	40	47	19
1992.....	265	-	2	5	23	38	46	30	46
1991.....	267	1	1	8	19	42	48	42	23
1990.....	263	-	-	3	24	43	56	39	28
1989.....	264	-	-	13	34	58	47	27	24
1988.....	230	-	-	6	28	56	50	23	11
1987.....	225	-	1	6	20	49	40	29	18
1986.....	253	1	1	9	25	49	37	32	21
1985.....	244	-	1	14	36	33	38	28	17
1984.....	254	-	-	7	42	48	31	31	21
1983.....	224	-	1	5	49	41	27	21	16
1982.....	279	-	2	15	55	63	35	24	12
1981.....	271	-	-	14	43	49	37	31	18
1980.....	246	-	-	13	52	41	31	21	25
1979.....	278	1	-	17	57	49	46	27	22

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)											
BLACK MALE											
1998.....	201	-	-	14	24	25	31	25	23
1997.....	195	-	-	17	14	19	35	30	31
1996.....	190	-	-	6	25	26	31	33	28
1995.....	218	-	1	10	25	33	30	28	32
1994.....	190	-	-	9	22	21	35	40	17
1993.....	187	-	1	7	13	29	32	39	15
1992.....	189	-	1	4	19	29	32	18	34
1991.....	203	1	1	8	16	32	37	32	17
1990.....	201	-	-	3	20	31	43	32	21
1989.....	196	-	-	9	30	42	36	19	19
1988.....	166	-	-	5	23	41	40	18	6
1987.....	175	-	-	3	19	41	34	23	14
1986.....	185	-	1	4	18	41	25	29	16
1985.....	190	-	1	9	33	27	32	21	14
1984.....	191	-	-	5	33	39	25	23	18
1983.....	174	-	-	5	39	37	19	18	9
1982.....	207	-	2	11	43	51	28	13	8
1981.....	197	-	-	10	33	44	32	21	7
1980.....	176	-	-	6	40	33	22	15	17
1979.....	200	1	-	12	47	38	31	22	14
BLACK FEMALE											
1998.....	62	-	1	1	5	5	13	11	7
1997.....	62	-	-	2	4	4	14	9	7
1996.....	57	-	2	2	3	8	7	4	5
1995.....	76	-	-	4	4	13	7	11	13
1994.....	49	-	-	2	5	4	8	7	4
1993.....	62	1	-	-	7	7	8	8	4
1992.....	76	-	1	1	4	9	14	12	12
1991.....	64	-	-	-	3	10	11	10	6
1990.....	62	-	-	-	4	12	13	7	7
1989.....	68	-	-	4	4	16	11	8	5
1988.....	64	-	-	1	5	15	10	5	5
1987.....	50	-	1	3	1	8	6	6	4
1986.....	68	1	-	5	7	8	12	3	5
1985.....	54	-	-	5	3	6	6	7	3
1984.....	63	-	-	2	9	9	6	8	3
1983.....	50	-	1	-	10	4	8	3	7
1982.....	72	-	-	4	12	12	7	11	4
1981.....	74	-	-	4	10	5	5	10	11
1980.....	70	-	-	7	12	8	9	6	8
1979.....	78	-	-	5	10	11	15	5	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)											
TOTAL, BOTH SEXES											
1998.....	18,272	322	399	170	290	2,311	3,195	2,537	2,028	1,932	1,635
1997.....	19,846	317	375	174	283	2,618	3,528	2,747	2,328	2,067	1,610
1996.....	20,971	332	420	179	335	2,924	3,624	2,890	2,538	2,246	1,648
1995.....	22,895	311	452	157	405	3,292	3,992	3,227	2,935	2,313	1,805
1994.....	24,926	313	473	156	416	3,569	4,547	3,607	3,281	2,698	1,833
1993.....	26,009	344	464	194	462	3,576	4,848	3,811	3,467	2,668	1,869
1992.....	25,488	326	430	146	441	3,302	4,717	3,916	3,427	2,596	1,864
1991.....	26,513	380	428	138	381	3,365	4,794	4,157	3,644	2,691	1,880
1990.....	24,932	332	378	156	356	3,042	4,312	4,180	3,463	2,633	1,784
1989.....	22,909	335	393	181	329	2,442	3,743	3,864	3,271	2,357	1,662
1988.....	22,032	315	381	179	280	2,135	3,636	3,834	3,158	2,273	1,561
1987.....	21,103	273	334	141	266	1,838	3,516	3,582	2,964	2,245	1,477
1986.....	21,731	278	382	134	245	1,862	3,660	3,813	3,091	2,282	1,501
1985.....	19,893	200	348	167	250	1,602	3,170	3,385	2,805	2,106	1,475
1984.....	19,796	237	341	155	274	1,564	3,255	3,414	2,640	2,027	1,436
1983.....	20,191	193	320	144	213	1,642	3,395	3,453	2,748	1,965	1,512
1982.....	22,358	243	377	166	237	1,937	3,758	3,784	3,029	2,149	1,580
1981.....	23,646	218	341	156	284	2,071	4,101	3,966	3,213	2,185	1,632
1980.....	24,278	210	319	153	262	2,253	4,394	4,117	3,150	2,248	1,621
1979.....	22,550	170	314	165	229	2,191	3,965	3,715	2,830	2,026	1,559
TOTAL, MALE											
1998.....	14,023	172	223	84	173	1,971	2,749	2,058	1,553	1,402	1,197
1997.....	15,449	182	209	95	200	2,236	3,066	2,273	1,795	1,535	1,200
1996.....	16,269	168	214	94	217	2,509	3,146	2,369	1,953	1,665	1,248
1995.....	17,740	175	253	87	287	2,776	3,448	2,600	2,240	1,715	1,355
1994.....	19,707	179	265	75	282	3,118	3,906	2,926	2,559	2,044	1,458
1993.....	20,290	193	274	105	303	3,079	4,127	3,010	2,676	2,057	1,419
1992.....	20,115	181	242	78	297	2,865	4,026	3,140	2,692	2,038	1,441
1991.....	20,768	206	235	71	266	2,901	4,022	3,363	2,836	2,110	1,461
1990.....	19,604	178	208	70	229	2,571	3,651	3,392	2,704	2,090	1,426
1989.....	17,686	165	215	89	211	2,039	3,073	3,065	2,583	1,850	1,299
1988.....	16,712	151	217	98	170	1,743	2,925	2,957	2,440	1,790	1,222
1987.....	15,855	155	164	79	167	1,442	2,781	2,764	2,281	1,751	1,135
1986.....	16,595	152	223	68	147	1,432	2,909	2,990	2,475	1,810	1,165
1985.....	15,066	106	184	84	161	1,245	2,522	2,652	2,197	1,638	1,159
1984.....	15,038	134	173	71	149	1,172	2,490	2,706	2,124	1,613	1,126
1983.....	15,514	92	181	80	140	1,255	2,683	2,731	2,226	1,564	1,202
1982.....	17,315	139	208	87	126	1,488	2,979	3,046	2,492	1,718	1,242
1981.....	18,572	106	183	88	159	1,612	3,276	3,261	2,622	1,796	1,325
1980.....	19,088	114	180	76	145	1,741	3,514	3,358	2,609	1,804	1,321
1979.....	17,628	104	154	91	145	1,681	3,143	3,028	2,343	1,646	1,253

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)											
TOTAL, FEMALE											
1998.....	4,249	150	176	86	117	340	446	479	475	530	438
1997.....	4,397	135	166	79	83	382	462	474	533	532	410
1996.....	4,702	164	206	85	118	415	478	521	585	581	400
1995.....	5,155	136	199	70	118	516	544	627	695	598	450
1994.....	5,219	134	208	81	134	451	641	681	722	654	375
1993.....	5,719	151	190	89	159	497	721	801	791	611	450
1992.....	5,373	145	188	68	144	437	691	776	735	558	423
1991.....	5,745	174	193	67	115	464	772	794	808	581	419
1990.....	5,328	154	170	86	127	471	661	788	759	543	358
1989.....	5,223	170	178	92	118	403	670	799	688	507	363
1988.....	5,320	164	164	81	110	392	711	877	718	483	339
1987.....	5,248	118	170	62	99	396	735	818	683	494	342
1986.....	5,136	126	159	66	98	430	751	823	616	472	336
1985.....	4,827	94	164	83	89	357	648	733	608	468	316
1984.....	4,758	103	168	84	125	392	765	708	516	414	310
1983.....	4,677	101	139	64	73	387	712	722	522	401	310
1982.....	5,043	104	169	79	111	449	779	738	537	431	338
1981.....	5,074	112	158	68	125	459	825	705	591	389	307
1980.....	5,190	96	139	77	117	512	880	759	541	444	300
1979.....	4,922	66	160	74	84	510	822	687	487	380	306
WHITE, BOTH SEXES											
1998.....	9,241	188	199	98	169	997	1,265	1,080	1,030	1,036	925
1997.....	9,913	189	212	98	149	1,080	1,348	1,206	1,176	1,080	876
1996.....	10,317	201	225	112	184	1,150	1,396	1,197	1,274	1,194	899
1995.....	11,364	184	242	94	222	1,359	1,626	1,450	1,425	1,191	1,037
1994.....	11,976	170	266	91	199	1,349	1,772	1,565	1,590	1,392	987
1993.....	12,286	198	223	118	224	1,315	1,813	1,623	1,675	1,367	978
1992.....	12,468	189	224	79	216	1,308	1,871	1,721	1,667	1,375	1,024
1991.....	12,782	207	226	81	196	1,265	1,901	1,835	1,711	1,385	1,034
1990.....	12,153	181	190	88	179	1,170	1,795	1,864	1,629	1,308	1,011
1989.....	11,308	178	202	97	168	936	1,553	1,740	1,560	1,198	949
1988.....	11,066	180	221	108	139	824	1,549	1,737	1,512	1,141	910
1987.....	11,128	156	195	86	134	781	1,603	1,773	1,487	1,206	820
1986.....	11,690	160	194	68	155	919	1,797	1,866	1,578	1,221	916
1985.....	11,163	121	204	95	164	768	1,659	1,790	1,455	1,175	886
1984.....	11,127	133	208	80	170	829	1,751	1,770	1,382	1,153	840
1983.....	11,235	104	166	95	136	833	1,760	1,817	1,420	1,117	894
1982.....	12,439	146	203	103	150	1,044	2,013	1,932	1,506	1,208	962
1981.....	13,066	137	188	94	170	1,156	2,168	1,987	1,646	1,201	933
1980.....	13,558	125	181	100	172	1,323	2,303	2,048	1,648	1,234	934
1979.....	12,334	96	177	105	145	1,274	2,116	1,811	1,437	1,052	853

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)											
WHITE MALE											
1998.....	6,707	102	104	44	98	815	1,043	836	758	737	651
1997.....	7,343	121	119	52	105	869	1,115	961	879	783	651
1996.....	7,570	101	122	60	117	940	1,151	935	968	867	656
1995.....	8,336	110	133	51	152	1,086	1,335	1,114	1,063	869	760
1994.....	9,055	94	147	39	135	1,114	1,456	1,237	1,213	1,049	762
1993.....	9,054	110	138	60	141	1,074	1,461	1,235	1,265	1,020	702
1992.....	9,456	104	133	40	145	1,068	1,536	1,362	1,306	1,063	765
1991.....	9,581	121	131	43	134	1,022	1,521	1,458	1,314	1,068	780
1990.....	9,147	103	109	37	117	922	1,453	1,484	1,240	1,022	785
1989.....	8,337	91	115	45	101	704	1,217	1,341	1,202	919	712
1988.....	7,994	89	131	56	86	606	1,178	1,302	1,144	862	699
1987.....	7,979	94	107	47	71	563	1,223	1,318	1,111	888	614
1986.....	8,567	84	115	38	84	670	1,364	1,421	1,243	941	699
1985.....	8,122	58	111	49	101	567	1,283	1,372	1,106	892	671
1984.....	8,171	75	115	35	90	587	1,287	1,388	1,091	893	654
1983.....	8,355	50	97	52	83	611	1,368	1,408	1,140	877	691
1982.....	9,260	86	108	51	68	766	1,537	1,508	1,216	937	742
1981.....	9,941	69	90	50	82	864	1,711	1,597	1,326	976	737
1980.....	10,381	64	106	50	88	986	1,814	1,660	1,355	980	732
1979.....	9,392	58	93	58	89	957	1,665	1,439	1,183	851	653
WHITE FEMALE											
1998.....	2,534	86	95	54	71	182	222	244	272	299	274
1997.....	2,570	68	93	46	44	211	233	245	297	297	225
1996.....	2,747	100	103	52	67	210	245	262	306	327	243
1995.....	3,028	74	109	43	70	273	291	336	362	322	277
1994.....	2,921	76	119	52	64	235	316	328	377	343	225
1993.....	3,232	88	85	58	83	241	352	388	410	347	276
1992.....	3,012	85	91	39	71	240	335	359	361	312	259
1991.....	3,201	86	95	38	62	243	380	377	397	317	254
1990.....	3,006	78	81	51	62	248	342	380	389	286	226
1989.....	2,971	87	87	52	67	232	336	399	358	279	237
1988.....	3,072	91	90	52	53	218	371	435	368	279	211
1987.....	3,149	62	88	39	63	218	380	455	376	318	206
1986.....	3,123	76	79	30	71	249	433	445	335	280	217
1985.....	3,041	63	93	46	63	201	376	418	349	283	215
1984.....	2,956	58	93	45	80	242	464	382	291	260	186
1983.....	2,880	54	69	43	53	222	392	409	280	240	203
1982.....	3,179	60	95	52	82	278	476	424	290	271	220
1981.....	3,125	68	98	44	88	292	457	390	320	225	196
1980.....	3,177	61	75	50	84	337	489	388	293	254	202
1979.....	2,942	38	84	47	56	317	451	372	254	201	200

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)											
ALL OTHER, BOTH SEXES											
1998.....	9,031	134	200	72	121	1,314	1,930	1,457	998	896	710
1997.....	9,933	128	163	76	134	1,538	2,180	1,541	1,152	987	734
1996.....	10,654	131	195	67	151	1,774	2,228	1,693	1,264	1,052	749
1995.....	11,531	127	210	63	183	1,933	2,366	1,777	1,510	1,122	768
1994.....	12,950	143	207	65	217	2,220	2,775	2,042	1,691	1,306	846
1993.....	13,723	146	241	76	238	2,261	3,035	2,188	1,792	1,301	891
1992.....	13,020	137	206	67	225	1,994	2,846	2,195	1,760	1,221	840
1991.....	13,731	173	202	57	185	2,100	2,893	2,322	1,933	1,306	846
1990.....	12,779	151	188	68	177	1,872	2,517	2,316	1,834	1,325	773
1989.....	11,601	157	191	84	161	1,506	2,190	2,124	1,711	1,159	713
1988.....	10,966	135	160	71	141	1,311	2,087	2,097	1,646	1,132	651
1987.....	9,975	117	139	55	132	1,057	1,913	1,809	1,477	1,039	657
1986.....	10,041	118	188	66	90	943	1,863	1,947	1,513	1,061	585
1985.....	8,730	79	144	72	86	834	1,511	1,595	1,350	931	589
1984.....	8,669	104	133	75	104	735	1,504	1,644	1,258	874	596
1983.....	8,956	89	154	49	77	809	1,635	1,636	1,328	848	618
1982.....	9,919	97	174	63	87	893	1,745	1,852	1,523	941	618
1981.....	10,580	81	153	62	114	915	1,933	1,979	1,567	984	699
1980.....	10,720	85	138	53	90	930	2,091	2,069	1,502	1,014	687
1979.....	10,216	74	137	60	84	917	1,849	1,904	1,393	974	706
ALL OTHER MALE											
1998.....	7,316	70	119	40	75	1,156	1,706	1,222	795	665	546
1997.....	8,106	61	90	43	95	1,367	1,951	1,312	916	752	549
1996.....	8,699	67	92	34	100	1,569	1,995	1,434	985	798	592
1995.....	9,404	65	120	36	135	1,690	2,113	1,486	1,177	846	595
1994.....	10,652	85	118	36	147	2,004	2,450	1,689	1,346	995	696
1993.....	11,236	83	136	45	162	2,005	2,666	1,775	1,411	1,037	717
1992.....	10,659	77	109	38	152	1,797	2,490	1,778	1,386	975	676
1991.....	11,187	85	104	28	132	1,879	2,501	1,905	1,522	1,042	681
1990.....	10,457	75	99	33	112	1,649	2,198	1,908	1,464	1,068	641
1989.....	9,349	74	100	44	110	1,335	1,856	1,724	1,381	931	587
1988.....	8,718	62	86	42	84	1,137	1,747	1,655	1,296	928	523
1987.....	7,876	61	57	32	96	879	1,558	1,446	1,170	863	521
1986.....	8,028	68	108	30	63	762	1,545	1,569	1,232	869	466
1985.....	6,944	48	73	35	60	678	1,239	1,280	1,091	746	488
1984.....	6,867	59	58	36	59	585	1,203	1,318	1,033	720	472
1983.....	7,159	42	84	28	57	644	1,315	1,323	1,086	687	511
1982.....	8,055	53	100	36	58	722	1,442	1,538	1,276	781	500
1981.....	8,631	37	93	38	77	748	1,565	1,664	1,296	820	588
1980.....	8,707	50	74	26	57	755	1,700	1,698	1,254	824	589
1979.....	8,236	46	61	33	56	724	1,478	1,589	1,160	795	600

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)											
ALL OTHER FEMALE											
1998.....	1,715	64	81	32	46	158	224	235	203	231	164
1997.....	1,827	67	73	33	39	171	229	229	236	235	185
1996.....	1,955	64	103	33	51	205	233	259	279	254	157
1995.....	2,127	62	90	27	48	243	253	291	333	276	173
1994.....	2,298	58	89	29	70	216	325	353	345	311	150
1993.....	2,487	63	105	31	76	256	369	413	381	264	174
1992.....	2,361	60	97	29	73	197	356	417	374	246	164
1991.....	2,544	88	98	29	53	221	392	417	411	264	165
1990.....	2,322	76	89	35	65	223	319	408	370	257	132
1989.....	2,252	83	91	40	51	171	334	400	330	228	126
1988.....	2,248	73	74	29	57	174	340	442	350	204	128
1987.....	2,099	56	82	23	36	178	355	363	307	176	136
1986.....	2,013	50	80	36	27	181	318	378	281	192	119
1985.....	1,786	31	71	37	26	156	272	315	259	185	101
1984.....	1,802	45	75	39	45	150	301	326	225	154	124
1983.....	1,797	47	70	21	20	165	320	313	242	161	107
1982.....	1,864	44	74	27	29	171	303	314	247	160	118
1981.....	1,949	44	60	24	37	167	368	315	271	164	111
1980.....	2,013	35	64	27	33	175	391	371	248	190	98
1979.....	1,980	28	76	27	28	193	371	315	233	179	106
BLACK, BOTH SEXES											
1998.....	8,420	123	187	58	105	1,238	1,857	1,369	927	838	648
1997.....	9,253	110	147	64	116	1,438	2,091	1,462	1,088	911	672
1996.....	9,983	121	174	60	134	1,673	2,122	1,600	1,195	990	697
1995.....	10,783	120	192	55	161	1,809	2,251	1,677	1,419	1,051	709
1994.....	12,207	128	185	54	197	2,084	2,674	1,948	1,607	1,224	784
1993.....	12,937	132	217	68	224	2,143	2,909	2,073	1,687	1,232	822
1992.....	12,318	128	185	55	205	1,906	2,719	2,108	1,667	1,155	783
1991.....	12,958	159	184	50	176	2,006	2,779	2,202	1,819	1,209	795
1990.....	12,144	141	170	62	170	1,794	2,407	2,237	1,747	1,251	718
1989.....	10,962	142	172	66	148	1,451	2,090	2,026	1,618	1,089	660
1988.....	10,403	127	152	64	132	1,248	1,999	2,009	1,558	1,074	603
1987.....	9,487	109	130	49	120	1,010	1,835	1,737	1,425	982	608
1986.....	9,495	113	174	60	86	889	1,755	1,865	1,435	1,001	546
1985.....	8,282	75	136	60	77	787	1,443	1,526	1,301	870	554
1984.....	8,240	101	125	69	96	696	1,441	1,583	1,197	823	559
1983.....	8,494	81	142	43	73	765	1,561	1,547	1,274	812	582
1982.....	9,473	87	159	60	77	849	1,667	1,794	1,470	900	581
1981.....	10,137	71	147	57	106	874	1,856	1,919	1,515	938	661
1980.....	10,283	84	131	49	85	897	2,007	1,983	1,456	967	658
1979.....	9,812	70	132	56	82	881	1,779	1,833	1,335	943	674

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)											
BLACK MALE											
1998.....	6,873	62	109	33	67	1,092	1,647	1,160	740	630	501
1997.....	7,601	51	84	34	83	1,284	1,876	1,247	868	696	505
1996.....	8,183	64	84	32	89	1,488	1,905	1,359	935	747	546
1995.....	8,847	61	109	32	119	1,581	2,021	1,412	1,110	799	558
1994.....	10,083	75	106	32	132	1,880	2,372	1,614	1,277	933	655
1993.....	10,640	76	122	39	151	1,901	2,560	1,695	1,334	986	663
1992.....	10,131	72	95	31	135	1,720	2,387	1,710	1,318	930	632
1991.....	10,628	77	97	25	125	1,802	2,406	1,810	1,443	974	650
1990.....	9,981	69	88	29	108	1,585	2,107	1,851	1,399	1,015	599
1989.....	8,888	69	91	36	100	1,292	1,776	1,651	1,312	880	549
1988.....	8,314	58	84	38	76	1,089	1,673	1,594	1,233	887	488
1987.....	7,518	56	53	28	89	844	1,502	1,389	1,133	817	486
1986.....	7,634	65	102	26	60	721	1,463	1,511	1,177	825	440
1985.....	6,616	46	70	30	55	645	1,180	1,223	1,062	701	455
1984.....	6,563	56	54	31	54	554	1,156	1,271	993	684	447
1983.....	6,822	39	77	26	54	615	1,255	1,264	1,043	662	484
1982.....	7,730	48	92	36	51	687	1,379	1,496	1,243	749	474
1981.....	8,312	33	90	35	71	714	1,517	1,617	1,260	790	559
1980.....	8,385	50	70	24	53	731	1,634	1,633	1,221	793	569
1979.....	7,938	43	60	29	55	699	1,430	1,537	1,116	772	574
BLACK FEMALE											
1998.....	1,547	61	78	25	38	146	210	209	187	208	147
1997.....	1,652	59	63	30	33	154	215	215	220	215	167
1996.....	1,800	57	90	28	45	185	217	241	260	243	151
1995.....	1,936	59	83	23	42	228	230	265	309	252	151
1994.....	2,124	53	79	22	65	204	302	334	330	291	129
1993.....	2,297	56	95	29	73	242	349	378	353	246	159
1992.....	2,187	56	90	24	70	186	332	398	349	225	151
1991.....	2,330	82	87	25	51	204	373	392	376	235	145
1990.....	2,163	72	82	33	62	209	300	386	348	236	119
1989.....	2,074	73	81	30	48	159	314	375	306	209	111
1988.....	2,089	69	68	26	56	159	326	415	325	187	115
1987.....	1,969	53	77	21	31	166	333	348	292	165	122
1986.....	1,861	48	72	34	26	168	292	354	258	176	106
1985.....	1,666	29	66	30	22	142	263	303	239	169	99
1984.....	1,677	45	71	38	42	142	285	312	204	139	112
1983.....	1,672	42	65	17	19	150	306	283	231	150	98
1982.....	1,743	39	67	24	26	162	288	298	227	151	107
1981.....	1,825	38	57	22	35	160	339	302	255	148	102
1980.....	1,898	34	61	25	32	166	373	350	235	174	89
1979.....	1,874	27	72	27	27	182	349	296	219	171	100

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ASSAULT BY HANDGUN (E965.0)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	1,047	3	11	10	21	163	192	168	121	121	89
1997.....	1,307	-	7	9	24	213	286	203	182	118	74
1996.....	1,256	3	4	13	24	195	217	188	174	134	99
1995.....	1,405	1	10	6	32	232	286	213	195	138	105
1994.....	1,384	1	8	6	36	229	287	189	202	135	97
1993.....	1,457	2	11	14	26	208	324	217	198	148	122
1992.....	1,314	1	4	7	27	207	281	213	172	123	91
1991.....	1,397	1	7	10	32	215	292	214	184	155	99
1990.....	1,337	2	5	9	32	181	224	248	190	126	105
1989.....	1,194	3	9	5	20	129	212	217	181	122	95
1988.....	1,055	3	9	14	16	85	190	188	151	129	76
1987.....	1,041	1	3	12	17	84	162	183	163	133	73
1986.....	1,088	-	7	1	12	98	181	200	172	132	81
1985.....	903	-	3	7	7	62	137	161	141	112	84
1984.....	938	2	10	9	12	74	150	159	133	110	71
1983.....	980	3	5	10	13	68	170	183	136	112	84
1982.....	1,090	2	6	7	13	84	173	195	148	132	69
1981.....	1,070	2	5	4	6	74	182	185	165	114	83
1980.....	982	4	5	3	5	85	161	170	165	102	74
1979.....	1,103	1	2	3	7	81	205	187	145	121	93
TOTAL, MALE											
1998.....	821	2	7	2	16	137	168	140	101	87	67
1997.....	1,107	-	4	5	17	191	261	185	151	92	58
1996.....	978	2	4	7	12	170	191	163	132	103	72
1995.....	1,154	-	6	6	27	202	263	186	157	105	70
1994.....	1,096	1	5	2	25	194	247	153	163	108	74
1993.....	1,169	1	8	6	22	182	286	182	152	113	87
1992.....	1,053	1	2	3	21	183	241	173	134	97	63
1991.....	1,116	1	3	4	22	189	249	182	149	115	71
1990.....	1,046	1	3	4	27	155	194	198	147	92	79
1989.....	931	2	4	4	18	110	173	175	140	95	69
1988.....	813	1	6	7	10	71	162	148	123	98	62
1987.....	772	-	1	8	13	70	125	142	120	107	45
1986.....	862	-	2	-	9	75	150	172	136	105	64
1985.....	691	-	2	6	6	52	118	127	109	77	65
1984.....	718	-	5	4	7	61	119	124	101	88	57
1983.....	758	1	2	7	8	51	130	152	109	87	67
1982.....	860	1	4	3	7	68	147	156	117	103	48
1981.....	819	1	2	3	3	60	131	154	130	94	64
1980.....	743	1	2	1	2	61	125	138	135	77	57
1979.....	861	1	1	3	6	61	163	152	116	93	69

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY HANDGUN (E965.0)											
TOTAL, FEMALE											
1998.....	226	1	4	8	5	26	24	28	20	34	22
1997.....	200	-	3	4	7	22	25	18	31	26	16
1996.....	278	1	-	6	12	25	26	25	42	31	27
1995.....	251	1	4	-	5	30	23	27	38	33	35
1994.....	288	-	3	4	11	35	40	36	39	27	23
1993.....	288	1	3	8	4	26	38	35	46	35	35
1992.....	261	-	2	4	6	24	40	40	38	26	28
1991.....	281	-	4	6	10	26	43	32	35	40	28
1990.....	291	1	2	5	5	26	30	50	43	34	26
1989.....	263	1	5	1	2	19	39	42	41	27	26
1988.....	242	2	3	7	6	14	28	40	28	31	14
1987.....	269	1	2	4	4	14	37	41	43	26	28
1986.....	226	-	5	1	3	23	31	28	36	27	17
1985.....	212	-	1	1	1	10	19	34	32	35	19
1984.....	220	2	5	5	5	13	31	35	32	22	14
1983.....	222	2	3	3	5	17	40	31	27	25	17
1982.....	230	1	2	4	6	16	26	39	31	29	21
1981.....	251	1	3	1	3	14	51	31	35	20	19
1980.....	239	3	3	2	3	24	36	32	30	25	17
1979.....	242	-	1	-	1	20	42	35	29	28	24
WHITE, BOTH SEXES											
1998.....	567	3	8	7	13	79	76	71	66	76	46
1997.....	647	-	5	5	11	98	116	83	84	66	47
1996.....	680	1	2	9	18	94	102	83	92	77	59
1995.....	713	-	8	3	23	111	119	93	101	77	59
1994.....	705	-	4	5	21	88	131	90	103	79	50
1993.....	745	1	6	11	18	95	128	100	98	88	69
1992.....	670	1	2	7	10	94	108	92	95	75	51
1991.....	728	1	3	7	21	88	122	100	96	94	60
1990.....	714	2	2	3	18	88	101	125	98	68	63
1989.....	597	2	7	3	6	48	96	93	86	69	58
1988.....	578	3	6	8	8	35	91	94	81	72	46
1987.....	576	1	2	8	10	39	83	85	88	68	48
1986.....	604	-	4	1	8	52	88	100	84	81	53
1985.....	500	-	3	6	4	30	65	76	73	66	52
1984.....	529	2	9	4	6	46	77	84	74	55	43
1983.....	570	3	2	9	9	40	98	97	75	66	54
1982.....	524	-	5	6	7	36	76	82	67	73	41
1981.....	560	1	2	3	4	46	93	80	78	66	44
1980.....	496	2	5	2	4	47	69	73	83	55	42
1979.....	540	-	1	2	3	33	95	91	67	59	53

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY HANDGUN (E965.0)											
WHITE MALE											
1998.....	405	2	4	1	10	63	60	56	53	54	30
1997.....	518	-	3	3	7	87	102	73	63	52	34
1996.....	501	-	2	6	9	83	85	72	68	57	41
1995.....	560	-	5	3	20	99	103	78	79	59	39
1994.....	507	-	1	2	14	70	111	61	78	58	36
1993.....	558	-	4	4	14	81	108	80	75	64	44
1992.....	509	1	1	3	8	79	93	75	73	52	36
1991.....	542	1	1	2	14	74	95	77	76	69	43
1990.....	528	1	2	-	16	73	86	97	70	52	43
1989.....	433	1	4	2	4	39	76	70	66	51	39
1988.....	415	1	4	5	6	29	71	67	64	51	36
1987.....	405	-	1	5	7	30	66	65	57	51	29
1986.....	448	-	2	-	5	37	67	83	67	63	38
1985.....	353	-	2	5	3	24	57	54	52	40	38
1984.....	377	-	5	2	3	36	57	69	50	37	32
1983.....	412	1	1	6	6	27	68	81	56	52	41
1982.....	391	-	3	3	4	30	63	63	49	54	26
1981.....	405	-	1	2	2	35	64	65	57	54	31
1980.....	347	1	2	-	2	31	51	57	66	42	29
1979.....	400	-	-	2	3	25	77	69	51	43	38
WHITE FEMALE											
1998.....	162	1	4	6	3	16	16	15	13	22	16
1997.....	129	-	2	2	4	11	14	10	21	14	13
1996.....	179	1	-	3	9	11	17	11	24	20	18
1995.....	153	-	3	-	3	12	16	15	22	18	20
1994.....	198	-	3	3	7	18	20	29	25	21	14
1993.....	187	1	2	7	4	14	20	20	23	24	25
1992.....	161	-	1	4	2	15	15	17	22	23	15
1991.....	186	-	2	5	7	14	27	23	20	25	17
1990.....	186	1	-	3	2	15	15	28	28	16	20
1989.....	164	1	3	1	2	9	20	23	20	18	19
1988.....	163	2	2	3	2	6	20	27	17	21	10
1987.....	171	1	1	3	3	9	17	20	31	17	19
1986.....	156	-	2	1	3	15	21	17	17	18	15
1985.....	147	-	1	1	1	6	8	22	21	26	14
1984.....	152	2	4	2	3	10	20	15	24	18	11
1983.....	158	2	1	3	3	13	30	16	19	14	13
1982.....	133	-	2	3	3	6	13	19	18	19	15
1981.....	155	1	1	1	2	11	29	15	21	12	13
1980.....	149	1	3	2	2	16	18	16	17	13	13
1979.....	140	-	1	-	-	8	18	22	16	16	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY HANDGUN (E965.0)											
ALL OTHER, BOTH SEXES											
1998.....	480	-	3	3	8	84	116	97	55	45	43
1997.....	660	-	2	4	13	115	170	120	98	52	27
1996.....	576	2	2	4	6	101	115	105	82	57	40
1995.....	692	1	2	3	9	121	167	120	94	61	46
1994.....	679	1	4	1	15	141	156	99	99	56	47
1993.....	712	1	5	3	8	113	196	117	100	60	53
1992.....	644	-	2	-	17	113	173	121	77	48	40
1991.....	669	-	4	3	11	127	170	114	88	61	39
1990.....	623	-	3	6	14	93	123	123	92	58	42
1989.....	597	1	2	2	14	81	116	124	95	53	37
1988.....	477	-	3	6	8	50	99	94	70	57	30
1987.....	465	-	1	4	7	45	79	98	75	65	25
1986.....	484	-	3	-	4	46	93	100	88	51	28
1985.....	403	-	-	1	3	32	72	85	68	46	32
1984.....	409	-	1	5	6	28	73	75	59	55	28
1983.....	410	-	3	1	4	28	72	86	61	46	30
1982.....	566	2	1	1	6	48	97	113	81	59	28
1981.....	510	1	3	1	2	28	89	105	87	48	39
1980.....	486	2	-	1	1	38	92	97	82	47	32
1979.....	563	1	1	1	4	48	110	96	78	62	40
ALL OTHER MALE											
1998.....	416	-	3	1	6	74	108	84	48	33	37
1997.....	589	-	1	2	10	104	159	112	88	40	24
1996.....	477	2	2	1	3	87	106	91	64	46	31
1995.....	594	-	1	3	7	103	160	108	78	46	31
1994.....	589	1	4	-	11	124	136	92	85	50	38
1993.....	611	1	4	2	8	101	178	102	77	49	43
1992.....	544	-	1	-	13	104	148	98	61	45	27
1991.....	574	-	2	2	8	115	154	105	73	46	28
1990.....	518	-	1	4	11	82	108	101	77	40	36
1989.....	498	1	-	2	14	71	97	105	74	44	30
1988.....	398	-	2	2	4	42	91	81	59	47	26
1987.....	367	-	-	3	6	40	59	77	63	56	16
1986.....	414	-	-	-	4	38	83	89	69	42	26
1985.....	338	-	-	1	3	28	61	73	57	37	27
1984.....	341	-	-	2	4	25	62	55	51	51	25
1983.....	346	-	1	1	2	24	62	71	53	35	26
1982.....	469	1	1	-	3	38	84	93	68	49	22
1981.....	414	1	1	1	1	25	67	89	73	40	33
1980.....	396	-	-	1	-	30	74	81	69	35	28
1979.....	461	1	1	1	3	36	86	83	65	50	31

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY HANDGUN (E965.0)											
ALL OTHER FEMALE											
1998.....	64	-	-	2	2	10	8	13	7	12	6
1997.....	71	-	1	2	3	11	11	8	10	12	3
1996.....	99	-	-	3	3	14	9	14	18	11	9
1995.....	98	1	1	-	2	18	7	12	16	15	15
1994.....	90	-	-	1	4	17	20	7	14	6	9
1993.....	101	-	1	1	-	12	18	15	23	11	10
1992.....	100	-	1	-	4	9	25	23	16	3	13
1991.....	95	-	2	1	3	12	16	9	15	15	11
1990.....	105	-	2	2	3	11	15	22	15	18	6
1989.....	99	-	2	-	-	10	19	19	21	9	7
1988.....	79	-	1	4	4	8	8	13	11	10	4
1987.....	98	-	1	1	1	5	20	21	12	9	9
1986.....	70	-	3	-	-	8	10	11	19	9	2
1985.....	65	-	-	-	-	4	11	12	11	9	5
1984.....	68	-	1	3	2	3	11	20	8	4	3
1983.....	64	-	2	-	2	4	10	15	8	11	4
1982.....	97	1	-	1	3	10	13	20	13	10	6
1981.....	96	-	2	-	1	3	22	16	14	8	6
1980.....	90	2	-	-	1	8	18	16	13	12	4
1979.....	102	-	-	-	1	12	24	13	13	12	9
BLACK, BOTH SEXES											
1998.....	450	-	2	3	8	79	112	92	50	42	39
1997.....	610	-	2	2	10	106	162	116	93	46	23
1996.....	532	2	2	2	6	95	109	99	74	51	35
1995.....	626	1	2	2	6	110	156	111	86	57	41
1994.....	635	1	4	1	13	128	148	96	95	55	44
1993.....	658	1	4	2	8	100	184	109	92	56	49
1992.....	613	-	2	-	14	106	167	116	76	47	39
1991.....	616	-	2	3	11	116	162	107	81	51	35
1990.....	584	-	2	5	14	87	115	116	83	55	40
1989.....	558	1	1	1	14	78	108	116	90	49	33
1988.....	448	-	2	5	8	47	93	90	66	54	28
1987.....	447	-	1	3	6	43	75	95	72	62	25
1986.....	470	-	2	-	4	44	90	98	87	50	27
1985.....	387	-	-	1	3	31	70	82	66	43	30
1984.....	397	-	1	5	6	28	70	75	55	52	28
1983.....	390	-	3	1	4	26	70	81	56	44	29
1982.....	549	2	1	1	6	44	94	112	79	59	26
1981.....	497	1	3	1	2	27	86	102	86	47	37
1980.....	478	2	-	1	1	37	90	94	81	47	32
1979.....	557	1	1	1	4	48	108	94	78	62	40

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY HANDGUN (E965.0)											
BLACK MALE											
1998.....	394	-	2	1	6	70	106	80	45	31	34
1997.....	549	-	1	-	7	96	153	108	83	36	21
1996.....	442	2	2	1	3	81	101	86	59	41	26
1995.....	539	-	1	2	4	93	150	101	72	43	28
1994.....	556	1	4	-	9	112	131	89	82	49	36
1993.....	566	1	3	1	8	89	166	94	74	47	40
1992.....	520	-	1	-	11	97	144	94	61	44	26
1991.....	535	-	1	2	8	105	146	99	69	38	27
1990.....	487	-	1	3	11	76	101	95	70	38	34
1989.....	473	1	-	1	14	68	92	102	70	41	27
1988.....	380	-	2	2	4	41	86	78	56	46	24
1987.....	351	-	-	2	5	38	56	75	60	53	16
1986.....	403	-	-	-	4	36	80	88	68	41	25
1985.....	324	-	-	1	3	27	59	70	55	36	25
1984.....	331	-	-	2	4	25	61	55	47	48	25
1983.....	331	-	1	1	2	23	60	67	49	34	25
1982.....	456	1	1	-	3	35	82	93	66	49	20
1981.....	405	1	1	1	1	24	65	87	73	39	32
1980.....	392	-	-	1	-	30	73	79	69	35	28
1979.....	456	1	1	1	3	36	85	81	65	50	31
BLACK FEMALE											
1998.....	56	-	-	2	2	9	6	12	5	11	5
1997.....	61	-	1	2	3	10	9	8	10	10	2
1996.....	90	-	-	1	3	14	8	13	15	10	9
1995.....	87	1	1	-	2	17	6	10	14	14	13
1994.....	79	-	-	1	4	16	17	7	13	6	8
1993.....	92	-	1	1	-	11	18	15	18	9	9
1992.....	93	-	1	-	3	9	23	22	15	3	13
1991.....	81	-	1	1	3	11	16	8	12	13	8
1990.....	97	-	1	2	3	11	14	21	13	17	6
1989.....	85	-	1	-	-	10	16	14	20	8	6
1988.....	68	-	-	3	4	6	7	12	10	8	4
1987.....	96	-	1	1	1	5	19	20	12	9	9
1986.....	67	-	2	-	-	8	10	10	19	9	2
1985.....	63	-	-	-	-	4	11	12	11	7	5
1984.....	66	-	1	3	2	3	9	20	8	4	3
1983.....	59	-	2	-	2	3	10	14	7	10	4
1982.....	93	1	-	1	3	9	12	19	13	10	6
1981.....	92	-	2	-	1	3	21	15	13	8	5
1980.....	86	2	-	-	1	7	17	15	12	12	4
1979.....	101	-	-	-	1	12	23	13	13	12	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)											
TOTAL, BOTH SEXES											
1998.....	10,751	2	47	50	170	1,707	2,422	1,725	1,217	1,031	839
1997.....	11,945	9	46	68	183	2,003	2,608	1,890	1,431	1,151	874
1996.....	12,781	6	55	53	221	2,262	2,754	2,028	1,528	1,254	865
1995.....	14,146	7	64	64	278	2,555	2,971	2,226	1,814	1,299	1,005
1994.....	16,143	10	52	67	286	2,884	3,481	2,554	2,114	1,628	1,098
1993.....	16,796	12	60	85	333	2,874	3,699	2,663	2,217	1,642	1,078
1992.....	16,174	10	65	49	319	2,647	3,566	2,674	2,176	1,557	1,079
1991.....	16,349	9	64	42	255	2,612	3,523	2,769	2,269	1,585	1,075
1990.....	14,881	11	51	54	226	2,281	2,993	2,667	2,061	1,532	1,022
1989.....	13,270	9	58	72	207	1,855	2,533	2,404	1,914	1,346	946
1988.....	12,590	6	41	57	166	1,556	2,368	2,419	1,872	1,329	890
1987.....	11,616	6	38	43	156	1,213	2,289	2,144	1,703	1,304	814
1986.....	11,941	8	44	51	140	1,152	2,285	2,302	1,827	1,302	862
1985.....	10,933	6	50	51	134	1,002	1,916	2,057	1,635	1,212	850
1984.....	10,877	13	43	46	132	948	1,972	2,028	1,576	1,218	832
1983.....	11,060	4	29	50	96	960	1,992	2,053	1,690	1,173	884
1982.....	12,740	12	49	51	113	1,161	2,285	2,349	1,951	1,336	967
1981.....	14,019	11	43	51	144	1,320	2,637	2,581	2,058	1,367	1,016
1980.....	14,518	9	41	46	143	1,402	2,832	2,730	1,999	1,431	1,051
1979.....	13,388	6	40	64	112	1,335	2,505	2,398	1,849	1,289	967
TOTAL, MALE											
1998.....	8,950	-	27	21	113	1,525	2,166	1,488	1,003	804	657
1997.....	10,040	3	24	38	143	1,782	2,352	1,646	1,191	926	673
1996.....	10,757	3	28	28	168	2,011	2,495	1,757	1,272	986	670
1995.....	11,867	2	39	35	217	2,248	2,671	1,916	1,487	1,037	802
1994.....	13,670	6	26	34	213	2,596	3,104	2,207	1,745	1,311	911
1993.....	14,059	7	29	49	242	2,554	3,265	2,234	1,841	1,345	849
1992.....	13,694	6	37	36	234	2,373	3,178	2,272	1,836	1,279	874
1991.....	13,810	6	34	28	197	2,338	3,121	2,390	1,870	1,319	872
1990.....	12,583	6	29	26	161	2,022	2,675	2,299	1,723	1,297	837
1989.....	11,087	3	36	35	156	1,629	2,218	2,028	1,610	1,124	770
1988.....	10,321	4	23	32	114	1,369	2,046	1,999	1,545	1,079	703
1987.....	9,430	5	21	30	113	1,037	1,955	1,769	1,386	1,052	654
1986.....	9,794	3	27	32	102	968	1,943	1,904	1,539	1,071	690
1985.....	8,841	2	29	25	99	851	1,616	1,694	1,328	990	688
1984.....	8,897	11	24	25	91	772	1,634	1,716	1,321	1,002	671
1983.....	9,105	2	18	26	75	799	1,699	1,714	1,417	962	730
1982.....	10,542	9	28	30	74	981	1,919	1,995	1,662	1,112	770
1981.....	11,729	5	24	31	93	1,110	2,231	2,204	1,759	1,148	850
1980.....	12,135	7	28	32	98	1,178	2,407	2,334	1,714	1,179	871
1979.....	11,153	1	18	39	85	1,096	2,111	2,051	1,590	1,078	800

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)											
TOTAL, FEMALE											
1998.....	1,801	2	20	29	57	182	256	237	214	227	182
1997.....	1,905	6	22	30	40	221	256	244	240	225	201
1996.....	2,024	3	27	25	53	251	259	271	256	268	195
1995.....	2,279	5	25	29	61	307	300	310	327	262	203
1994.....	2,473	4	26	33	73	288	377	347	369	317	187
1993.....	2,737	5	31	36	91	320	434	429	376	297	229
1992.....	2,480	4	28	13	85	274	388	402	340	278	205
1991.....	2,539	3	30	14	58	274	402	379	399	266	203
1990.....	2,298	5	22	28	65	259	318	368	338	235	185
1989.....	2,183	6	22	37	51	226	315	376	304	222	176
1988.....	2,269	2	18	25	52	187	322	420	327	250	187
1987.....	2,186	1	17	13	43	176	334	375	317	252	160
1986.....	2,147	5	17	19	38	184	342	398	288	231	172
1985.....	2,092	4	21	26	35	151	300	363	307	222	162
1984.....	1,980	2	19	21	41	176	338	312	255	216	161
1983.....	1,955	2	11	24	21	161	293	339	273	211	154
1982.....	2,198	3	21	21	39	180	366	354	289	224	197
1981.....	2,290	6	19	20	51	210	406	377	299	219	166
1980.....	2,383	2	13	14	45	224	425	396	285	252	180
1979.....	2,235	5	22	25	27	239	394	347	259	211	167
WHITE, BOTH SEXES											
1998.....	4,845	1	24	39	97	653	852	663	562	511	475
1997.....	5,378	3	31	44	94	754	866	747	691	590	476
1996.....	5,560	3	28	29	115	795	928	747	719	645	458
1995.....	6,431	4	33	43	131	952	1,090	934	855	660	581
1994.....	7,069	4	29	40	127	1,011	1,201	1,011	993	819	599
1993.....	7,173	5	33	47	142	946	1,216	1,049	1,043	784	558
1992.....	7,257	4	25	24	152	967	1,278	1,096	1,011	808	593
1991.....	7,216	6	37	25	112	881	1,257	1,131	1,032	802	574
1990.....	6,662	5	33	30	104	743	1,072	1,106	974	753	574
1989.....	6,121	5	35	44	100	622	937	1,038	894	686	551
1988.....	5,897	2	23	32	75	515	898	1,054	872	654	526
1987.....	5,798	5	22	30	73	440	941	1,042	842	708	460
1986.....	6,135	5	23	30	88	504	1,050	1,079	924	698	520
1985.....	5,991	4	29	34	85	440	976	1,078	843	700	515
1984.....	5,989	7	35	27	84	468	1,012	1,029	826	698	494
1983.....	5,997	3	22	36	55	449	972	1,066	888	666	527
1982.....	6,992	9	32	37	74	600	1,185	1,193	982	767	615
1981.....	7,493	7	31	35	78	683	1,323	1,270	1,061	751	600
1980.....	7,771	7	23	32	85	752	1,418	1,309	1,037	800	611
1979.....	7,117	4	25	41	67	737	1,278	1,163	931	694	530

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)											
WHITE MALE											
1998.....	3,812	-	13	14	66	568	745	548	441	376	359
1997.....	4,265	1	17	25	76	644	751	624	557	443	353
1996.....	4,428	2	18	14	87	686	813	612	592	484	336
1995.....	5,114	2	18	22	101	809	947	770	674	510	446
1994.....	5,724	2	15	16	99	864	1,031	848	795	654	481
1993.....	5,675	3	15	25	100	811	1,024	841	835	621	417
1992.....	5,900	3	16	18	112	827	1,099	916	837	652	464
1991.....	5,808	4	19	17	87	752	1,076	962	831	647	440
1990.....	5,366	3	20	13	78	622	915	938	783	620	458
1989.....	4,882	1	23	20	75	508	792	845	730	562	435
1988.....	4,599	2	13	15	52	424	738	849	699	520	409
1987.....	4,502	5	11	21	48	362	770	835	667	545	357
1986.....	4,847	1	11	21	62	410	864	871	761	564	410
1985.....	4,652	1	17	20	60	358	795	870	661	558	404
1984.....	4,751	7	21	12	61	364	806	859	681	559	397
1983.....	4,781	2	15	19	40	357	820	864	738	535	428
1982.....	5,564	6	16	20	41	491	957	978	823	622	484
1981.....	6,123	4	16	20	47	560	1,112	1,050	885	620	492
1980.....	6,382	5	17	22	53	619	1,202	1,121	889	641	485
1979.....	5,801	1	13	26	54	595	1,062	972	794	574	418
WHITE FEMALE											
1998.....	1,033	1	11	25	31	85	107	115	121	135	116
1997.....	1,113	2	14	19	18	110	115	123	134	147	123
1996.....	1,132	1	10	15	28	109	115	135	127	161	122
1995.....	1,317	2	15	21	30	143	143	164	181	150	135
1994.....	1,345	2	14	24	28	147	170	163	198	165	118
1993.....	1,498	2	18	22	42	135	192	208	208	163	141
1992.....	1,357	1	9	6	40	140	179	180	174	156	129
1991.....	1,408	2	18	8	25	129	181	169	201	155	134
1990.....	1,296	2	13	17	26	121	157	168	191	133	116
1989.....	1,239	4	12	24	25	114	145	193	164	124	116
1988.....	1,298	-	10	17	23	91	160	205	173	134	117
1987.....	1,296	-	11	9	25	78	171	207	175	163	103
1986.....	1,288	4	12	9	26	94	186	208	163	134	110
1985.....	1,339	3	12	14	25	82	181	208	182	142	111
1984.....	1,238	-	14	15	23	104	206	170	145	139	97
1983.....	1,216	1	7	17	15	92	152	202	150	131	99
1982.....	1,428	3	16	17	33	109	228	215	159	145	131
1981.....	1,370	3	15	15	31	123	211	220	176	131	108
1980.....	1,389	2	6	10	32	133	216	188	148	159	126
1979.....	1,316	3	12	15	13	142	216	191	137	120	112

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)											
ALL OTHER, BOTH SEXES											
1998.....	5,906	1	23	11	73	1,054	1,570	1,062	655	520	364
1997.....	6,567	6	15	24	89	1,249	1,742	1,143	740	561	398
1996.....	7,221	3	27	24	106	1,467	1,826	1,281	809	609	407
1995.....	7,715	3	31	21	147	1,603	1,881	1,292	959	639	424
1994.....	9,074	6	23	27	159	1,873	2,280	1,543	1,121	809	499
1993.....	9,623	7	27	38	191	1,928	2,483	1,614	1,174	858	520
1992.....	8,917	6	40	25	167	1,680	2,288	1,578	1,165	749	486
1991.....	9,133	3	27	17	143	1,731	2,266	1,638	1,237	783	501
1990.....	8,219	6	18	24	122	1,538	1,921	1,561	1,087	779	448
1989.....	7,149	4	23	28	107	1,233	1,596	1,366	1,020	660	395
1988.....	6,693	4	18	25	91	1,041	1,470	1,365	1,000	675	364
1987.....	5,818	1	16	13	83	773	1,348	1,102	861	596	354
1986.....	5,806	3	21	21	52	648	1,235	1,223	903	604	342
1985.....	4,942	2	21	17	49	562	940	979	792	512	335
1984.....	4,888	6	8	19	48	480	960	999	750	520	338
1983.....	5,063	1	7	14	41	511	1,020	987	802	507	357
1982.....	5,748	3	17	14	39	561	1,100	1,156	969	569	352
1981.....	6,526	4	12	16	66	637	1,314	1,311	997	616	416
1980.....	6,747	2	18	14	58	650	1,414	1,421	962	631	440
1979.....	6,271	2	15	23	45	598	1,227	1,235	918	595	437
ALL OTHER MALE											
1998.....	5,138	-	14	7	47	957	1,421	940	562	428	298
1997.....	5,775	2	7	13	67	1,138	1,601	1,022	634	483	320
1996.....	6,329	1	10	14	81	1,325	1,682	1,145	680	502	334
1995.....	6,753	-	21	13	116	1,439	1,724	1,146	813	527	356
1994.....	7,946	4	11	18	114	1,732	2,073	1,359	950	657	430
1993.....	8,384	4	14	24	142	1,743	2,241	1,393	1,006	724	432
1992.....	7,794	3	21	18	122	1,546	2,079	1,356	999	627	410
1991.....	8,002	2	15	11	110	1,586	2,045	1,428	1,039	672	432
1990.....	7,217	3	9	13	83	1,400	1,760	1,361	940	677	379
1989.....	6,205	2	13	15	81	1,121	1,426	1,183	880	562	335
1988.....	5,722	2	10	17	62	945	1,308	1,150	846	559	294
1987.....	4,928	-	10	9	65	675	1,185	934	719	507	297
1986.....	4,947	2	16	11	40	558	1,079	1,033	778	507	280
1985.....	4,189	1	12	5	39	493	821	824	667	432	284
1984.....	4,146	4	3	13	30	408	828	857	640	443	274
1983.....	4,324	-	3	7	35	442	879	850	679	427	302
1982.....	4,978	3	12	10	33	490	962	1,017	839	490	286
1981.....	5,606	1	8	11	46	550	1,119	1,154	874	528	358
1980.....	5,753	2	11	10	45	559	1,205	1,213	825	538	386
1979.....	5,352	-	5	13	31	501	1,049	1,079	796	504	382

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)											
ALL OTHER FEMALE											
1998.....	768	1	9	4	26	97	149	122	93	92	66
1997.....	792	4	8	11	22	111	141	121	106	78	78
1996.....	892	2	17	10	25	142	144	136	129	107	73
1995.....	962	3	10	8	31	164	157	146	146	112	68
1994.....	1,128	2	12	9	45	141	207	184	171	152	69
1993.....	1,239	3	13	14	49	185	242	221	168	134	88
1992.....	1,123	3	19	7	45	134	209	222	166	122	76
1991.....	1,131	1	12	6	33	145	221	210	198	111	69
1990.....	1,002	3	9	11	39	138	161	200	147	102	69
1989.....	944	2	10	13	26	112	170	183	140	98	60
1988.....	971	2	8	8	29	96	162	215	154	116	70
1987.....	890	1	6	4	18	98	163	168	142	89	57
1986.....	859	1	5	10	12	90	156	190	125	97	62
1985.....	753	1	9	12	10	69	119	155	125	80	51
1984.....	742	2	5	6	18	72	132	142	110	77	64
1983.....	739	1	4	7	6	69	141	137	123	80	55
1982.....	770	-	5	4	6	71	138	139	130	79	66
1981.....	920	3	4	5	20	87	195	157	123	88	58
1980.....	994	-	7	4	13	91	209	208	137	93	54
1979.....	919	2	10	10	14	97	178	156	122	91	55
BLACK, BOTH SEXES											
1998.....	5,603	1	22	8	60	996	1,525	1,018	619	495	338
1997.....	6,231	6	13	23	78	1,176	1,693	1,100	712	527	370
1996.....	6,871	3	23	20	96	1,398	1,757	1,235	779	577	383
1995.....	7,309	3	27	18	130	1,515	1,811	1,232	912	607	392
1994.....	8,667	6	22	25	146	1,775	2,220	1,486	1,077	765	465
1993.....	9,166	6	22	35	179	1,846	2,400	1,549	1,115	815	486
1992.....	8,538	6	39	22	152	1,620	2,203	1,532	1,118	714	451
1991.....	8,711	3	25	15	138	1,671	2,200	1,565	1,166	740	473
1990.....	7,913	6	17	21	119	1,484	1,857	1,525	1,053	751	419
1989.....	6,856	3	19	22	98	1,202	1,549	1,310	982	629	367
1988.....	6,427	4	17	21	84	1,006	1,425	1,322	956	643	345
1987.....	5,607	1	15	12	75	749	1,307	1,068	839	568	336
1986.....	5,570	3	19	18	51	622	1,190	1,186	858	580	321
1985.....	4,755	2	19	17	45	543	914	947	772	484	312
1984.....	4,688	5	8	15	42	463	932	970	718	497	318
1983.....	4,855	-	7	11	39	498	983	950	771	488	340
1982.....	5,533	3	14	14	34	541	1,059	1,121	944	545	331
1981.....	6,319	3	11	15	64	614	1,280	1,276	969	595	398
1980.....	6,550	2	18	14	55	632	1,375	1,377	935	616	424
1979.....	6,076	2	14	20	43	576	1,195	1,206	886	583	423

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)											
BLACK MALE											
1998.....	4,904	-	13	4	40	906	1,383	904	534	413	277
1997.....	5,508	2	6	13	59	1,077	1,560	985	610	454	301
1996.....	6,042	1	9	12	73	1,271	1,623	1,108	656	475	312
1995.....	6,439	-	19	12	104	1,361	1,668	1,099	777	505	337
1994.....	7,615	4	11	17	103	1,641	2,024	1,315	911	622	406
1993.....	8,012	3	12	21	133	1,669	2,169	1,345	954	692	403
1992.....	7,485	3	21	17	108	1,492	2,003	1,319	962	602	383
1991.....	7,663	2	13	10	105	1,536	1,987	1,366	985	639	413
1990.....	6,966	3	8	11	81	1,355	1,703	1,333	913	653	355
1989.....	5,977	1	11	13	75	1,095	1,385	1,140	852	535	314
1988.....	5,513	2	10	14	56	914	1,266	1,123	812	537	278
1987.....	4,761	-	9	8	62	654	1,153	905	703	484	281
1986.....	4,773	2	15	8	39	539	1,046	1,009	743	489	265
1985.....	4,039	1	12	5	37	479	796	797	654	409	262
1984.....	3,994	3	3	9	25	393	806	833	618	424	261
1983.....	4,160	-	3	5	33	433	847	826	653	412	289
1982.....	4,803	3	9	10	29	473	928	988	823	469	270
1981.....	5,444	-	7	11	45	531	1,095	1,125	851	512	345
1980.....	5,597	2	11	10	43	545	1,174	1,178	801	526	375
1979.....	5,193	-	5	10	30	484	1,026	1,055	770	495	370
BLACK FEMALE											
1998.....	699	1	9	4	20	90	142	114	85	82	61
1997.....	723	4	7	10	19	99	133	115	102	73	69
1996.....	829	2	14	8	23	127	134	127	123	102	71
1995.....	870	3	8	6	26	154	143	133	135	102	55
1994.....	1,052	2	11	8	43	134	196	171	166	143	59
1993.....	1,154	3	10	14	46	177	231	204	161	123	83
1992.....	1,053	3	18	5	44	128	200	213	156	112	68
1991.....	1,048	1	12	5	33	135	213	199	181	101	60
1990.....	947	3	9	10	38	129	154	192	140	98	64
1989.....	879	2	8	9	23	107	164	170	130	94	53
1988.....	914	2	7	7	28	92	159	199	144	106	67
1987.....	846	1	6	4	13	95	154	163	136	84	55
1986.....	797	1	4	10	12	83	144	177	115	91	56
1985.....	716	1	7	12	8	64	118	150	118	75	50
1984.....	694	2	5	6	17	70	126	137	100	73	57
1983.....	695	-	4	6	6	65	136	124	118	76	51
1982.....	730	-	5	4	5	68	131	133	121	76	61
1981.....	875	3	4	4	19	83	185	151	118	83	53
1980.....	953	-	7	4	12	87	201	199	134	90	49
1979.....	883	2	9	10	13	92	169	151	116	88	53

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)											
TOTAL, BOTH SEXES											
1998.....	2,087	1	10	12	19	202	266	288	270	293	250
1997.....	2,246	2	7	14	22	170	297	287	288	321	256
1996.....	2,619	8	13	18	28	220	331	315	377	386	281
1995.....	2,780	4	15	6	33	245	363	404	425	386	253
1994.....	3,026	6	21	18	43	245	402	417	465	416	262
1993.....	3,204	3	13	16	41	252	420	501	510	407	312
1992.....	3,528	6	19	15	37	258	485	543	565	438	332
1991.....	4,030	6	14	21	42	314	559	660	634	475	345
1990.....	4,101	3	14	21	31	321	651	746	668	504	311
1989.....	3,980	8	16	26	36	244	610	719	655	456	304
1988.....	3,939	9	12	17	35	289	632	729	604	419	310
1987.....	4,099	10	16	17	33	308	640	742	634	423	322
1986.....	4,342	6	20	14	30	352	755	809	629	468	285
1985.....	3,994	11	21	22	45	321	698	709	610	434	278
1984.....	4,015	6	19	23	40	317	731	759	548	398	291
1983.....	4,173	3	23	10	40	373	790	773	554	369	303
1982.....	4,365	7	19	16	32	419	818	771	577	392	278
1981.....	4,312	9	15	15	46	382	805	771	592	403	284
1980.....	4,354	2	19	21	43	422	844	758	573	395	255
1979.....	4,077	5	16	26	30	476	778	676	499	367	290
TOTAL, MALE											
1998.....	1,515	-	6	8	10	156	204	215	195	216	167
1997.....	1,590	-	4	7	10	131	234	230	193	223	184
1996.....	1,890	4	5	9	11	176	245	246	270	276	215
1995.....	1,981	3	7	1	16	185	286	286	312	265	188
1994.....	2,214	5	8	10	24	187	307	307	336	305	209
1993.....	2,300	2	10	9	16	194	323	353	373	293	239
1992.....	2,597	4	7	7	15	196	383	409	416	332	249
1991.....	2,987	3	8	9	23	249	410	494	476	366	260
1990.....	3,158	1	11	8	15	247	516	600	502	396	250
1989.....	3,011	3	5	15	11	192	475	561	508	344	240
1988.....	2,946	3	7	10	21	220	483	537	446	339	249
1987.....	3,061	3	4	11	19	226	483	553	482	336	257
1986.....	3,308	3	11	8	13	258	587	608	511	366	224
1985.....	3,068	7	9	11	21	237	557	550	507	340	224
1984.....	3,090	6	5	10	18	234	540	603	454	317	234
1983.....	3,278	1	16	7	32	291	621	619	446	302	237
1982.....	3,380	5	13	9	18	309	642	615	476	306	221
1981.....	3,469	4	9	10	26	307	667	641	480	340	235
1980.....	3,461	1	11	8	18	339	665	608	485	322	211
1979.....	3,196	3	8	12	15	381	608	545	407	303	236

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)											
TOTAL, FEMALE											
1998.....	572	1	4	4	9	46	62	73	75	77	83
1997.....	656	2	3	7	12	39	63	57	95	98	72
1996.....	729	4	8	9	17	44	86	69	107	110	66
1995.....	799	1	8	5	17	60	77	118	113	121	65
1994.....	812	1	13	8	19	58	95	110	129	111	53
1993.....	904	1	3	7	25	58	97	148	137	114	73
1992.....	931	2	12	8	22	62	102	134	149	106	83
1991.....	1,043	3	6	12	19	65	149	166	158	109	85
1990.....	943	2	3	13	16	74	135	146	166	108	61
1989.....	969	5	11	11	25	52	135	158	147	112	64
1988.....	993	6	5	7	14	69	149	192	158	80	61
1987.....	1,038	7	12	6	14	82	157	189	152	87	65
1986.....	1,034	3	9	6	17	94	168	201	118	102	61
1985.....	926	4	12	11	24	84	141	159	103	94	54
1984.....	925	-	14	13	22	83	191	156	94	81	57
1983.....	895	2	7	3	8	82	169	154	108	67	66
1982.....	985	2	6	7	14	110	176	156	101	86	57
1981.....	843	5	6	5	20	75	138	130	112	63	49
1980.....	893	1	8	13	25	83	179	150	88	73	44
1979.....	881	2	8	14	15	95	170	131	92	64	54
WHITE, BOTH SEXES											
1998.....	1,119	1	4	6	10	118	148	131	144	152	113
1997.....	1,195	1	4	8	12	86	174	148	156	150	109
1996.....	1,377	4	7	10	17	119	174	167	179	174	143
1995.....	1,424	3	11	2	23	137	190	190	200	174	126
1994.....	1,545	3	16	9	19	127	203	216	210	184	120
1993.....	1,608	2	5	8	20	126	231	239	231	197	152
1992.....	1,764	3	10	7	15	134	254	268	258	206	157
1991.....	1,981	4	6	11	22	163	280	304	284	221	164
1990.....	1,984	2	9	12	13	169	340	320	269	226	158
1989.....	1,906	3	11	13	21	127	302	317	287	192	145
1988.....	1,890	5	8	13	20	144	307	306	266	182	149
1987.....	2,016	5	9	6	18	147	323	352	279	192	156
1986.....	2,209	3	15	6	19	190	383	375	290	228	156
1985.....	2,045	6	12	8	31	165	351	359	294	205	143
1984.....	2,082	4	11	11	25	174	395	369	258	206	147
1983.....	2,122	1	15	6	21	206	425	363	233	184	148
1982.....	2,253	6	12	10	14	235	433	364	265	183	145
1981.....	2,222	5	8	10	25	218	438	374	279	199	126
1980.....	2,335	2	14	17	29	278	461	383	265	177	115
1979.....	2,147	4	12	19	17	295	441	300	252	159	133

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)											
WHITE MALE											
1998.....	795	-	3	3	4	91	114	100	99	111	69
1997.....	839	-	3	2	4	61	142	123	106	104	84
1996.....	986	3	3	4	5	95	130	134	130	129	110
1995.....	990	2	4	-	12	103	146	130	152	124	91
1994.....	1,138	3	7	5	11	100	157	174	152	133	89
1993.....	1,156	1	5	5	10	100	184	176	172	145	109
1992.....	1,293	2	4	3	6	103	207	202	201	154	104
1991.....	1,488	3	3	5	14	132	211	237	219	172	123
1990.....	1,517	1	7	4	8	133	273	260	203	176	120
1989.....	1,412	-	4	8	5	95	225	251	219	146	108
1988.....	1,370	1	3	7	11	108	228	222	202	135	118
1987.....	1,455	3	2	3	8	105	240	253	208	137	124
1986.....	1,626	2	7	3	6	139	292	277	231	170	119
1985.....	1,516	3	5	2	15	120	282	270	242	158	105
1984.....	1,586	4	2	4	10	130	290	302	218	164	121
1983.....	1,637	-	12	4	16	162	338	296	185	149	111
1982.....	1,689	4	8	5	9	166	333	288	215	134	113
1981.....	1,770	4	5	6	12	179	364	319	232	169	98
1980.....	1,797	1	8	6	12	221	354	299	217	146	94
1979.....	1,663	3	5	9	8	233	359	239	205	138	102
WHITE FEMALE											
1998.....	324	1	1	3	6	27	34	31	45	41	44
1997.....	356	1	1	6	8	25	32	25	50	46	25
1996.....	391	1	4	6	12	24	44	33	49	45	33
1995.....	434	1	7	2	11	34	44	60	48	50	35
1994.....	407	-	9	4	8	27	46	42	58	51	31
1993.....	452	1	-	3	10	26	47	63	59	52	43
1992.....	471	1	6	4	9	31	47	66	57	52	53
1991.....	493	1	3	6	8	31	69	67	65	49	41
1990.....	467	1	2	8	5	36	67	60	66	50	38
1989.....	494	3	7	5	16	32	77	66	68	46	37
1988.....	520	4	5	6	9	36	79	84	64	47	31
1987.....	561	2	7	3	10	42	83	99	71	55	32
1986.....	583	1	8	3	13	51	91	98	59	58	37
1985.....	529	3	7	6	16	45	69	89	52	47	38
1984.....	496	-	9	7	15	44	105	67	40	42	26
1983.....	485	1	3	2	5	44	87	67	48	35	37
1982.....	564	2	4	5	5	69	100	76	50	49	32
1981.....	452	1	3	4	13	39	74	55	47	30	28
1980.....	538	1	6	11	17	57	107	84	48	31	21
1979.....	484	1	7	10	9	62	82	61	47	21	31

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)											
ALL OTHER, BOTH SEXES											
1998.....	968	-	6	6	9	84	118	157	126	141	137
1997.....	1,051	1	3	6	10	84	123	139	132	171	147
1996.....	1,242	4	6	8	11	101	157	148	198	212	138
1995.....	1,356	1	4	4	10	108	173	214	225	212	127
1994.....	1,481	3	5	9	24	118	199	201	255	232	142
1993.....	1,596	1	8	8	21	126	189	262	279	210	160
1992.....	1,764	3	9	8	22	124	231	275	307	232	175
1991.....	2,049	2	8	10	20	151	279	356	350	254	181
1990.....	2,117	1	5	9	18	152	311	426	399	278	153
1989.....	2,074	5	5	13	15	117	308	402	368	264	159
1988.....	2,049	4	4	4	15	145	325	423	338	237	161
1987.....	2,083	5	7	11	15	161	317	390	355	231	166
1986.....	2,133	3	5	8	11	162	372	434	339	240	129
1985.....	1,949	5	9	14	14	156	347	350	316	229	135
1984.....	1,933	2	8	12	15	143	336	390	290	192	144
1983.....	2,051	2	8	4	19	167	365	410	321	185	155
1982.....	2,112	1	7	6	18	184	385	407	312	209	133
1981.....	2,090	4	7	5	21	164	367	397	313	204	158
1980.....	2,019	-	5	4	14	144	383	375	308	218	140
1979.....	1,930	1	4	7	13	181	337	376	247	208	157
ALL OTHER MALE											
1998.....	720	-	3	5	6	65	90	115	96	105	98
1997.....	751	-	1	5	6	70	92	107	87	119	100
1996.....	904	1	2	5	6	81	115	112	140	147	105
1995.....	991	1	3	1	4	82	140	156	160	141	97
1994.....	1,076	2	1	5	13	87	150	133	184	172	120
1993.....	1,144	1	5	4	6	94	139	177	201	148	130
1992.....	1,304	2	3	4	9	93	176	207	215	178	145
1991.....	1,499	-	5	4	9	117	199	257	257	194	137
1990.....	1,641	-	4	4	7	114	243	340	299	220	130
1989.....	1,599	3	1	7	6	97	250	310	289	198	132
1988.....	1,576	2	4	3	10	112	255	315	244	204	131
1987.....	1,606	-	2	8	11	121	243	300	274	199	133
1986.....	1,682	1	4	5	7	119	295	331	280	196	105
1985.....	1,552	4	4	9	6	117	275	280	265	182	119
1984.....	1,504	2	3	6	8	104	250	301	236	153	113
1983.....	1,641	1	4	3	16	129	283	323	261	153	126
1982.....	1,691	1	5	4	9	143	309	327	261	172	108
1981.....	1,699	-	4	4	14	128	303	322	248	171	137
1980.....	1,664	-	3	2	6	118	311	309	268	176	117
1979.....	1,533	-	3	3	7	148	249	306	202	165	134

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)											
ALL OTHER FEMALE											
1998.....	248	-	3	1	3	19	28	42	30	36	39
1997.....	300	1	2	1	4	14	31	32	45	52	47
1996.....	338	3	4	3	5	20	42	36	58	65	33
1995.....	365	-	1	3	6	26	33	58	65	71	30
1994.....	405	1	4	4	11	31	49	68	71	60	22
1993.....	452	-	3	4	15	32	50	85	78	62	30
1992.....	460	1	6	4	13	31	55	68	92	54	30
1991.....	550	2	3	6	11	34	80	99	93	60	44
1990.....	476	1	1	5	11	38	68	86	100	58	23
1989.....	475	2	4	6	9	20	58	92	79	66	27
1988.....	473	2	-	1	5	33	70	108	94	33	30
1987.....	477	5	5	3	4	40	74	90	81	32	33
1986.....	451	2	1	3	4	43	77	103	59	44	24
1985.....	397	1	5	5	8	39	72	70	51	47	16
1984.....	429	-	5	6	7	39	86	89	54	39	31
1983.....	410	1	4	1	3	38	82	87	60	32	29
1982.....	421	-	2	2	9	41	76	80	51	37	25
1981.....	391	4	3	1	7	36	64	75	65	33	21
1980.....	355	-	2	2	8	26	72	66	40	42	23
1979.....	397	1	1	4	6	33	88	70	45	43	23
BLACK, BOTH SEXES											
1998.....	894	-	4	6	9	82	107	141	113	134	122
1997.....	954	1	2	5	8	76	108	124	118	160	136
1996.....	1,125	4	6	7	9	88	138	129	182	196	130
1995.....	1,240	1	3	2	10	96	154	196	210	192	117
1994.....	1,367	3	4	4	22	105	182	183	238	221	131
1993.....	1,482	1	3	6	21	115	176	241	259	200	148
1992.....	1,632	3	9	7	20	111	214	254	280	223	164
1991.....	1,914	2	5	8	19	140	256	331	334	232	171
1990.....	1,998	1	5	9	18	143	294	404	377	260	139
1989.....	1,935	5	5	12	13	103	279	386	334	251	150
1988.....	1,945	4	4	4	14	129	311	401	326	227	149
1987.....	1,966	5	5	9	14	147	300	373	341	220	152
1986.....	1,997	3	5	7	11	149	341	404	322	224	123
1985.....	1,824	3	9	11	13	138	323	325	306	216	127
1984.....	1,836	2	7	12	15	136	319	372	277	181	136
1983.....	1,935	1	5	4	18	152	340	383	310	181	143
1982.....	2,012	1	7	6	18	171	362	394	299	200	126
1981.....	1,990	4	5	5	17	154	340	384	300	197	151
1980.....	1,904	-	4	3	13	137	355	351	301	203	134
1979.....	1,845	-	3	6	13	172	324	359	234	199	149

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)											
BLACK MALE											
1998.....	667	-	2	5	6	63	80	106	85	99	89
1997.....	678	-	1	5	5	64	77	94	80	111	90
1996.....	810	1	2	5	4	69	98	94	131	135	98
1995.....	908	1	2	-	4	71	125	142	150	129	90
1994.....	986	2	-	3	13	76	133	118	170	163	114
1993.....	1,069	1	3	3	6	85	128	164	188	142	121
1992.....	1,207	2	3	3	8	84	165	188	194	172	134
1991.....	1,411	-	3	3	9	108	179	242	248	180	130
1990.....	1,549	-	4	4	7	106	228	322	285	207	118
1989.....	1,490	3	1	6	4	85	226	296	262	190	126
1988.....	1,503	2	4	3	9	99	244	298	239	195	125
1987.....	1,522	-	1	6	10	113	229	287	265	190	122
1986.....	1,575	1	4	5	7	109	267	305	269	185	103
1985.....	1,456	2	4	6	5	103	255	261	257	174	111
1984.....	1,434	2	2	6	8	99	236	286	229	143	109
1983.....	1,545	1	2	3	15	117	261	301	253	150	117
1982.....	1,612	1	5	4	9	133	290	318	250	163	104
1981.....	1,621	-	3	4	11	118	282	312	240	166	130
1980.....	1,578	-	2	2	5	112	288	290	264	167	113
1979.....	1,470	-	3	2	7	142	238	293	192	158	128
BLACK FEMALE											
1998.....	227	-	2	1	3	19	27	35	28	35	33
1997.....	276	1	1	-	3	12	31	30	38	49	46
1996.....	315	3	4	2	5	19	40	35	51	61	32
1995.....	332	-	1	2	6	25	29	54	60	63	27
1994.....	381	1	4	1	9	29	49	65	68	58	17
1993.....	413	-	-	3	15	30	48	77	71	58	27
1992.....	425	1	6	4	12	27	49	66	86	51	30
1991.....	503	2	2	5	10	32	77	89	86	52	41
1990.....	449	1	1	5	11	37	66	82	92	53	21
1989.....	445	2	4	6	9	18	53	90	72	61	24
1988.....	442	2	-	1	5	30	67	103	87	32	24
1987.....	444	5	4	3	4	34	71	86	76	30	30
1986.....	422	2	1	2	4	40	74	99	53	39	20
1985.....	368	1	5	5	8	35	68	64	49	42	16
1984.....	402	-	5	6	7	37	83	86	48	38	27
1983.....	390	-	3	1	3	35	79	82	57	31	26
1982.....	400	-	2	2	9	38	72	76	49	37	22
1981.....	369	4	2	1	6	36	58	72	60	31	21
1980.....	326	-	2	1	8	25	67	61	37	36	21
1979.....	375	-	-	4	6	30	86	66	42	41	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)											
TOTAL, BOTH SEXES											
1998.....	4,008	316	331	98	77	211	268	302	356	429	397
1997.....	3,993	306	315	83	53	215	291	319	361	410	365
1996.....	3,978	315	348	95	61	217	280	307	400	423	360
1995.....	4,221	299	363	81	61	230	322	348	438	438	391
1994.....	3,994	296	392	65	48	174	311	388	425	462	349
1993.....	4,196	327	380	79	62	206	333	380	477	412	329
1992.....	4,128	309	341	75	56	163	327	428	464	422	330
1991.....	4,478	364	343	65	51	198	374	463	508	448	336
1990.....	4,295	316	307	72	67	237	386	457	483	432	311
1989.....	4,134	315	310	78	64	187	347	456	459	395	281
1988.....	4,200	297	319	91	62	189	409	447	478	358	272
1987.....	4,056	256	277	69	59	218	377	443	403	339	252
1986.....	4,091	264	311	68	63	236	393	451	414	345	258
1985.....	3,798	183	274	87	64	194	363	395	382	315	247
1984.....	3,680	216	269	77	90	197	353	413	334	262	220
1983.....	3,709	183	263	74	64	222	394	394	318	280	215
1982.....	3,878	222	303	92	79	245	417	404	307	264	243
1981.....	3,960	196	278	86	87	270	417	370	347	264	234
1980.....	4,113	195	254	83	71	313	478	408	356	287	229
1979.....	3,634	158	256	72	80	252	396	376	286	220	196
TOTAL, MALE											
1998.....	2,366	170	183	53	33	126	164	161	190	239	246
1997.....	2,370	179	177	45	29	116	174	167	197	229	244
1996.....	2,320	159	177	50	25	123	174	152	221	253	250
1995.....	2,406	170	201	45	26	111	179	176	222	257	246
1994.....	2,362	167	226	29	17	105	183	202	243	266	237
1993.....	2,417	183	227	41	23	113	182	192	247	252	216
1992.....	2,435	170	196	32	25	86	168	228	258	274	224
1991.....	2,605	196	190	30	23	100	196	247	294	282	237
1990.....	2,511	170	165	32	26	125	210	237	273	267	225
1989.....	2,337	157	170	35	24	81	167	236	265	250	186
1988.....	2,392	143	181	49	24	67	199	225	275	237	195
1987.....	2,308	147	138	30	21	94	172	231	233	212	164
1986.....	2,368	146	183	28	23	107	183	256	240	234	172
1985.....	2,206	97	144	42	35	83	175	219	216	199	166
1984.....	2,054	117	139	32	33	77	150	208	199	169	142
1983.....	2,112	88	145	40	25	95	186	196	207	183	142
1982.....	2,253	124	163	45	27	102	206	219	191	173	180
1981.....	2,271	96	148	44	36	110	187	204	202	177	161
1980.....	2,440	105	139	35	27	132	239	228	218	193	170
1979.....	2,078	99	127	37	39	96	180	204	180	144	136

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)											
TOTAL, FEMALE											
1998.....	1,642	146	148	45	44	85	104	141	166	190	151
1997.....	1,623	127	138	38	24	99	117	152	164	181	121
1996.....	1,658	156	171	45	36	94	106	155	179	170	110
1995.....	1,815	129	162	36	35	119	143	172	216	181	145
1994.....	1,632	129	166	36	31	69	128	186	182	196	112
1993.....	1,779	144	153	38	39	93	151	188	230	160	113
1992.....	1,693	139	145	43	31	77	159	200	206	148	106
1991.....	1,873	168	153	35	28	98	178	216	214	166	99
1990.....	1,784	146	142	40	41	112	176	220	210	165	86
1989.....	1,797	158	140	43	40	106	180	220	194	145	95
1988.....	1,808	154	138	42	38	122	210	222	203	121	77
1987.....	1,748	109	139	39	38	124	205	212	170	127	88
1986.....	1,723	118	128	40	40	129	210	195	174	111	86
1985.....	1,592	86	130	45	29	111	188	176	166	116	81
1984.....	1,626	99	130	45	57	120	203	205	135	93	78
1983.....	1,597	95	118	34	39	127	208	198	111	97	73
1982.....	1,625	98	140	47	52	143	211	185	116	91	63
1981.....	1,689	100	130	42	51	160	230	166	145	87	73
1980.....	1,673	90	115	48	44	181	239	180	138	94	59
1979.....	1,556	59	129	35	41	156	216	172	106	76	60
WHITE, BOTH SEXES											
1998.....	2,477	183	163	46	48	136	175	184	213	259	242
1997.....	2,456	185	172	41	32	128	167	196	206	230	216
1996.....	2,471	193	188	64	33	128	166	173	237	257	212
1995.....	2,562	177	190	46	45	143	199	205	231	240	237
1994.....	2,399	163	217	37	31	103	193	212	234	264	198
1993.....	2,543	190	179	52	44	132	197	211	258	257	182
1992.....	2,542	181	186	41	37	101	196	226	268	247	199
1991.....	2,706	196	180	38	40	123	218	273	269	250	220
1990.....	2,593	172	145	43	44	158	252	279	244	236	189
1989.....	2,468	168	149	37	40	125	194	251	257	225	169
1988.....	2,537	170	184	55	35	122	231	246	266	205	177
1987.....	2,560	145	162	42	32	145	228	260	241	208	145
1986.....	2,580	152	152	31	40	162	243	280	257	191	176
1985.....	2,467	111	160	47	44	122	234	243	221	187	164
1984.....	2,352	120	153	38	55	124	236	258	197	170	140
1983.....	2,386	97	127	44	51	130	238	260	195	182	146
1982.....	2,503	131	154	50	55	162	274	259	161	170	151
1981.....	2,629	124	147	46	62	193	276	234	202	164	155
1980.....	2,758	114	139	49	54	232	307	252	229	176	159
1979.....	2,345	88	139	43	58	179	259	217	159	126	132

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)											
WHITE MALE											
1998.....	1,467	100	84	26	18	82	110	101	120	160	144
1997.....	1,496	120	96	22	18	64	96	112	117	141	152
1996.....	1,436	96	99	36	15	63	98	90	132	157	144
1995.....	1,445	106	106	26	19	59	111	108	121	136	151
1994.....	1,441	89	124	16	10	61	114	120	141	161	136
1993.....	1,456	106	114	26	17	66	104	114	140	153	115
1992.....	1,526	98	112	16	17	47	103	130	162	166	138
1991.....	1,599	113	108	19	18	55	115	156	160	162	160
1990.....	1,543	98	80	20	15	82	150	159	140	149	137
1989.....	1,400	89	84	15	16	48	101	135	152	135	105
1988.....	1,453	85	111	29	16	37	121	130	154	128	124
1987.....	1,442	86	93	18	7	56	120	131	142	126	94
1986.....	1,488	81	95	14	11	73	108	159	161	122	121
1985.....	1,442	54	87	22	23	54	116	144	127	119	112
1984.....	1,286	64	87	17	16	40	104	128	115	110	88
1983.....	1,368	47	69	23	21	57	116	136	132	122	92
1982.....	1,453	76	81	23	14	68	139	148	98	113	109
1981.....	1,481	61	68	22	20	74	133	134	126	112	108
1980.....	1,659	57	79	22	21	101	160	153	149	125	117
1979.....	1,346	54	75	21	24	74	124	120	105	82	90
WHITE FEMALE											
1998.....	1,010	83	79	20	30	54	65	83	93	99	98
1997.....	960	65	76	19	14	64	71	84	89	89	64
1996.....	1,035	97	89	28	18	65	68	83	105	100	68
1995.....	1,117	71	84	20	26	84	88	97	110	104	86
1994.....	958	74	93	21	21	42	79	92	93	103	62
1993.....	1,087	84	65	26	27	66	93	97	118	104	67
1992.....	1,016	83	74	25	20	54	93	96	106	81	61
1991.....	1,107	83	72	19	22	68	103	117	109	88	60
1990.....	1,050	74	65	23	29	76	102	120	104	87	52
1989.....	1,068	79	65	22	24	77	93	116	105	90	64
1988.....	1,084	85	73	26	19	85	110	116	112	77	53
1987.....	1,118	59	69	24	25	89	108	129	99	82	51
1986.....	1,092	71	57	17	29	89	135	121	96	69	55
1985.....	1,025	57	73	25	21	68	118	99	94	68	52
1984.....	1,066	56	66	21	39	84	132	130	82	60	52
1983.....	1,018	50	58	21	30	73	122	124	63	60	54
1982.....	1,050	55	73	27	41	94	135	111	63	57	42
1981.....	1,148	63	79	24	42	119	143	100	76	52	47
1980.....	1,099	57	60	27	33	131	147	99	80	51	42
1979.....	999	34	64	22	34	105	135	97	54	44	42

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)											
ALL OTHER, BOTH SEXES											
1998.....	1,531	133	168	52	29	75	93	118	143	170	155
1997.....	1,537	121	143	42	21	87	124	123	155	180	149
1996.....	1,507	122	160	31	28	89	114	134	163	166	148
1995.....	1,659	122	173	35	16	87	123	143	207	198	154
1994.....	1,595	133	175	28	17	71	118	176	191	198	151
1993.....	1,653	137	201	27	18	74	136	169	219	155	147
1992.....	1,586	128	155	34	19	62	131	202	196	175	131
1991.....	1,772	168	163	27	11	75	156	190	239	198	116
1990.....	1,702	144	162	29	23	79	134	178	239	196	122
1989.....	1,666	147	161	41	24	62	153	205	202	170	112
1988.....	1,663	127	135	36	27	67	178	201	212	153	95
1987.....	1,496	111	115	27	27	73	149	183	162	131	107
1986.....	1,511	112	159	37	23	74	150	171	157	154	82
1985.....	1,331	72	114	40	20	72	129	152	161	128	83
1984.....	1,328	96	116	39	35	73	117	155	137	92	80
1983.....	1,323	86	136	30	13	92	156	134	123	98	69
1982.....	1,375	91	149	42	24	83	143	145	146	94	92
1981.....	1,331	72	131	40	25	77	141	136	145	100	79
1980.....	1,355	81	115	34	17	81	171	156	127	111	70
1979.....	1,289	70	117	29	22	73	137	159	127	94	64
ALL OTHER MALE											
1998.....	899	70	99	27	15	44	54	60	70	79	102
1997.....	874	59	81	23	11	52	78	55	80	88	92
1996.....	884	63	78	14	10	60	76	62	89	96	106
1995.....	961	64	95	19	7	52	68	68	101	121	95
1994.....	921	78	102	13	7	44	69	82	102	105	101
1993.....	961	77	113	15	6	47	78	78	107	99	101
1992.....	909	72	84	16	8	39	65	98	96	108	86
1991.....	1,006	83	82	11	5	45	81	91	134	120	77
1990.....	968	72	85	12	11	43	60	78	133	118	88
1989.....	937	68	86	20	8	33	66	101	113	115	81
1988.....	939	58	70	20	8	30	78	95	121	109	71
1987.....	866	61	45	12	14	38	52	100	91	86	70
1986.....	880	65	88	14	12	34	75	97	79	112	51
1985.....	764	43	57	20	12	29	59	75	89	80	54
1984.....	768	53	52	15	17	37	46	80	84	59	54
1983.....	744	41	76	17	4	38	70	60	75	61	50
1982.....	800	48	82	22	13	34	67	71	93	60	71
1981.....	790	35	80	22	16	36	54	70	76	65	53
1980.....	781	48	60	13	6	31	79	75	69	68	53
1979.....	732	45	52	16	15	22	56	84	75	62	46

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)											
ALL OTHER FEMALE											
1998.....	632	63	69	25	14	31	39	58	73	91	53
1997.....	663	62	62	19	10	35	46	68	75	92	57
1996.....	623	59	82	17	18	29	38	72	74	70	42
1995.....	698	58	78	16	9	35	55	75	106	77	59
1994.....	674	55	73	15	10	27	49	94	89	93	50
1993.....	692	60	88	12	12	27	58	91	112	56	46
1992.....	677	56	71	18	11	23	66	104	100	67	45
1991.....	766	85	81	16	6	30	75	99	105	78	39
1990.....	734	72	77	17	12	36	74	100	106	78	34
1989.....	729	79	75	21	16	29	87	104	89	55	31
1988.....	724	69	65	16	19	37	100	106	91	44	24
1987.....	630	50	70	15	13	35	97	83	71	45	37
1986.....	631	47	71	23	11	40	75	74	78	42	31
1985.....	567	29	57	20	8	43	70	77	72	48	29
1984.....	560	43	64	24	18	36	71	75	53	33	26
1983.....	579	45	60	13	9	54	86	74	48	37	19
1982.....	575	43	67	20	11	49	76	74	53	34	21
1981.....	541	37	51	18	9	41	87	66	69	35	26
1980.....	574	33	55	21	11	50	92	81	58	43	17
1979.....	557	25	65	13	7	51	81	75	52	32	18
BLACK, BOTH SEXES											
1998.....	1,346	122	159	41	26	65	84	97	128	151	141
1997.....	1,352	103	130	34	19	77	110	107	139	156	134
1996.....	1,358	112	143	31	23	78	103	115	149	159	133
1995.....	1,514	115	160	33	14	75	111	131	190	185	144
1994.....	1,423	118	155	24	15	60	102	160	174	174	137
1993.....	1,505	124	188	25	16	64	121	152	203	145	128
1992.....	1,437	119	135	26	19	55	113	188	180	157	122
1991.....	1,618	154	152	24	8	65	142	177	219	176	108
1990.....	1,540	134	146	27	19	70	119	165	217	172	112
1989.....	1,509	133	147	31	23	55	140	191	189	148	100
1988.....	1,507	119	129	34	26	58	157	184	187	140	80
1987.....	1,363	103	109	25	25	66	133	168	150	119	91
1986.....	1,358	107	148	35	20	63	122	159	143	137	71
1985.....	1,223	70	108	31	16	63	116	145	145	116	81
1984.....	1,214	94	109	37	33	59	104	141	126	79	71
1983.....	1,207	80	127	27	12	79	147	114	116	87	63
1982.....	1,263	81	137	39	19	77	133	136	133	86	85
1981.....	1,213	63	128	36	23	70	128	128	136	84	69
1980.....	1,240	80	109	31	16	74	157	142	116	94	63
1979.....	1,178	67	114	29	22	69	116	137	115	85	55

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)											
BLACK MALE											
1998.....	784	62	92	23	14	38	49	49	59	71	93
1997.....	761	49	76	16	11	44	68	45	69	74	84
1996.....	795	60	71	14	9	53	68	50	78	90	94
1995.....	871	60	87	18	6	43	60	63	90	113	89
1994.....	812	68	91	12	6	35	62	69	91	90	92
1993.....	869	71	104	14	4	40	69	71	100	90	88
1992.....	822	67	70	11	8	33	54	91	88	98	82
1991.....	922	75	80	10	3	39	75	81	122	107	74
1990.....	874	66	75	11	9	38	53	74	116	105	84
1989.....	849	64	79	16	7	31	59	92	106	102	73
1988.....	843	54	68	19	7	27	64	83	103	100	60
1987.....	784	56	43	12	12	34	45	90	83	78	63
1986.....	785	62	83	13	10	26	58	91	72	100	43
1985.....	708	43	54	18	10	25	50	69	84	72	53
1984.....	701	51	49	14	17	27	38	72	78	56	46
1983.....	684	38	71	17	4	32	67	51	70	55	46
1982.....	744	43	77	22	10	30	60	67	89	58	67
1981.....	725	32	79	19	14	32	53	65	72	58	46
1980.....	707	48	57	11	5	27	69	67	64	58	48
1979.....	668	42	51	16	15	21	45	72	68	56	39
BLACK FEMALE											
1998.....	562	60	67	18	12	27	35	48	69	80	48
1997.....	591	54	54	18	8	33	42	62	70	82	50
1996.....	563	52	72	17	14	25	35	65	71	69	39
1995.....	643	55	73	15	8	32	51	68	100	72	55
1994.....	611	50	64	12	9	25	40	91	83	84	45
1993.....	636	53	84	11	12	24	52	81	103	55	40
1992.....	615	52	65	15	11	22	59	97	92	59	40
1991.....	696	79	72	14	5	26	67	96	97	69	34
1990.....	666	68	71	16	10	32	66	91	101	67	28
1989.....	660	69	68	15	16	24	81	99	83	46	27
1988.....	664	65	61	15	19	31	93	101	84	40	20
1987.....	579	47	66	13	13	32	88	78	67	41	28
1986.....	573	45	65	22	10	37	64	68	71	37	28
1985.....	515	27	54	13	6	38	66	76	61	44	28
1984.....	513	43	60	23	16	32	66	69	48	23	25
1983.....	523	42	56	10	8	47	80	63	46	32	17
1982.....	519	38	60	17	9	47	73	69	44	28	18
1981.....	488	31	49	17	9	38	75	63	64	26	23
1980.....	533	32	52	20	11	47	88	75	52	36	15
1979.....	510	25	63	13	7	48	71	65	47	29	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEGAL EXECUTION (E978)											
TOTAL, BOTH SEXES											
1998.....	62	-	-	-	-	-	-	5	12	12	22
1997.....	70	-	-	-	-	-	1	4	14	19	15
1996.....	30	-	-	-	-	-	-	-	3	7	10
1995.....	49	-	-	-	-	-	-	2	11	8	17
1994.....	30	-	-	-	-	-	-	1	6	9	5
1993.....	30	-	-	-	-	-	-	3	9	9	2
1992.....	30	-	-	-	-	-	-	4	8	9	5
1991.....	13	-	-	-	-	-	-	-	3	3	2
1990.....	21	-	-	-	-	-	-	2	4	5	6
1989.....	16	-	-	-	-	-	-	4	4	-	7
1988.....	11	-	-	-	-	-	-	2	4	4	-
1987.....	26	-	-	-	-	-	-	8	10	4	4
1986.....	17	-	-	-	-	-	1	5	3	4	2
1985.....	17	-	-	-	-	-	1	5	5	2	3
1984.....	21	-	-	-	-	-	-	3	6	6	-
1983.....	4	-	-	-	-	-	-	-	3	1	-
1982.....	2	-	-	-	-	-	-	-	-	1	1
1981.....	1	-	-	-	-	-	1	-	-	-	-
1979.....	3	-	-	-	-	-	-	-	1	-	-
TOTAL, MALE											
1998.....	60	-	-	-	-	-	-	5	12	11	22
1997.....	70	-	-	-	-	-	1	4	14	19	15
1996.....	30	-	-	-	-	-	-	-	3	7	10
1995.....	49	-	-	-	-	-	-	2	11	8	17
1994.....	30	-	-	-	-	-	-	1	6	9	5
1993.....	30	-	-	-	-	-	-	3	9	9	2
1992.....	30	-	-	-	-	-	-	4	8	9	5
1991.....	13	-	-	-	-	-	-	-	3	3	2
1990.....	21	-	-	-	-	-	-	2	4	5	6
1989.....	16	-	-	-	-	-	-	4	4	-	7
1988.....	11	-	-	-	-	-	-	2	4	4	-
1987.....	26	-	-	-	-	-	-	8	10	4	4
1986.....	17	-	-	-	-	-	1	5	3	4	2
1985.....	17	-	-	-	-	-	1	5	5	2	3
1984.....	20	-	-	-	-	-	-	3	6	6	-
1983.....	4	-	-	-	-	-	-	-	3	1	-
1982.....	2	-	-	-	-	-	-	-	-	1	1
1981.....	1	-	-	-	-	-	1	-	-	-	-
1979.....	3	-	-	-	-	-	-	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEGAL EXECUTION (E978)											
TOTAL, FEMALE											
1998.....	2	-	-	-	-	-	-	-	-	1	-
1984.....	1	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES											
1998.....	44	-	-	-	-	-	-	2	7	8	18
1997.....	43	-	-	-	-	-	1	3	5	12	9
1996.....	22	-	-	-	-	-	-	-	2	7	5
1995.....	29	-	-	-	-	-	-	2	6	4	9
1994.....	20	-	-	-	-	-	-	1	3	8	2
1993.....	18	-	-	-	-	-	-	1	3	7	1
1992.....	19	-	-	-	-	-	-	3	6	3	4
1991.....	7	-	-	-	-	-	-	-	2	1	-
1990.....	14	-	-	-	-	-	-	2	3	2	5
1989.....	8	-	-	-	-	-	-	2	1	-	4
1988.....	6	-	-	-	-	-	-	2	2	2	-
1987.....	13	-	-	-	-	-	-	3	6	2	2
1986.....	10	-	-	-	-	-	1	5	-	2	1
1985.....	10	-	-	-	-	-	1	2	3	1	2
1984.....	13	-	-	-	-	-	-	2	2	4	-
1983.....	3	-	-	-	-	-	-	-	2	1	-
1982.....	1	-	-	-	-	-	-	-	-	1	-
1981.....	1	-	-	-	-	-	1	-	-	-	-
1979.....	2	-	-	-	-	-	-	-	1	-	-
WHITE MALE											
1998.....	42	-	-	-	-	-	-	2	7	7	18
1997.....	43	-	-	-	-	-	1	3	5	12	9
1996.....	22	-	-	-	-	-	-	-	2	7	5
1995.....	29	-	-	-	-	-	-	2	6	4	9
1994.....	20	-	-	-	-	-	-	1	3	8	2
1993.....	18	-	-	-	-	-	-	1	3	7	1
1992.....	19	-	-	-	-	-	-	3	6	3	4
1991.....	7	-	-	-	-	-	-	-	2	1	-
1990.....	14	-	-	-	-	-	-	2	3	2	5
1989.....	8	-	-	-	-	-	-	2	1	-	4
1988.....	6	-	-	-	-	-	-	2	2	2	-
1987.....	13	-	-	-	-	-	-	3	6	2	2
1986.....	10	-	-	-	-	-	1	5	-	2	1
1985.....	10	-	-	-	-	-	1	2	3	1	2
1984.....	12	-	-	-	-	-	-	2	2	4	-
1983.....	3	-	-	-	-	-	-	-	2	1	-
1982.....	1	-	-	-	-	-	-	-	-	1	-
1981.....	1	-	-	-	-	-	1	-	-	-	-
1979.....	2	-	-	-	-	-	-	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER LEGAL INTERVENTION AND LATE EFFECTS OF INJURY DUE TO LEGAL INTERVENTION (E970-E977)											
TOTAL, BOTH SEXES											
1998.....	317	-	-	-	3	28	47	49	52	46	38
1997.....	285	-	-	-	1	17	45	44	52	48	26
1996.....	307	-	-	-	1	30	42	52	56	42	33
1995.....	294	-	-	-	1	30	50	34	52	44	34
1994.....	349	-	-	-	3	37	66	58	69	48	22
1993.....	326	-	-	-	-	36	72	47	56	50	26
1992.....	314	-	1	-	2	27	58	54	42	47	27
1991.....	246	-	-	-	1	26	46	51	46	25	23
1990.....	297	-	1	-	-	22	58	60	57	34	29
1989.....	315	-	-	-	2	27	41	64	58	38	29
1988.....	237	-	-	-	1	16	37	49	49	34	13
1987.....	265	-	-	-	1	15	48	62	51	42	12
1986.....	252	-	-	-	-	24	45	46	46	31	13
1985.....	248	-	-	-	-	23	55	58	32	31	13
1984.....	265	-	-	-	-	28	49	52	43	33	22
1983.....	265	-	-	-	-	19	49	50	47	30	26
1982.....	283	-	-	-	-	28	65	65	46	24	22
1981.....	284	-	-	-	1	25	59	59	51	37	15
1980.....	311	-	-	-	-	31	79	51	57	33	12
1979.....	345	-	-	-	-	47	81	78	50	29	13
TOTAL, MALE											
1998.....	311	-	-	-	1	27	47	49	52	45	38
1997.....	272	-	-	-	1	16	44	41	49	46	26
1996.....	294	-	-	-	1	29	41	51	55	40	31
1995.....	283	-	-	-	1	30	49	34	51	43	32
1994.....	335	-	-	-	3	36	65	56	66	45	22
1993.....	315	-	-	-	-	36	71	46	54	45	26
1992.....	306	-	-	-	2	27	56	54	40	47	26
1991.....	237	-	-	-	1	25	46	50	44	25	19
1990.....	285	-	-	-	-	22	56	56	55	33	29
1989.....	304	-	-	-	2	27	40	61	56	37	27
1988.....	229	-	-	-	1	16	35	46	47	33	13
1987.....	258	-	-	-	1	15	46	61	50	40	11
1986.....	246	-	-	-	-	24	45	45	46	30	13
1985.....	243	-	-	-	-	22	55	57	32	30	13
1984.....	259	-	-	-	-	28	47	52	43	31	22
1983.....	257	-	-	-	-	19	47	50	44	29	26
1982.....	278	-	-	-	-	28	65	61	46	23	22
1981.....	283	-	-	-	1	25	59	58	51	37	15
1980.....	309	-	-	-	-	31	78	50	57	33	12
1979.....	337	-	-	-	-	47	81	76	49	28	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER LEGAL INTERVENTION AND LATE EFFECTS OF INJURY DUE TO LEGAL INTERVENTION (E970-E977)											
TOTAL, FEMALE											
1998.....	6	-	-	-	2	1	-	-	-	1	-
1997.....	13	-	-	-	-	1	1	3	3	2	-
1996.....	13	-	-	-	-	1	1	1	1	2	2
1995.....	11	-	-	-	-	-	1	-	1	1	2
1994.....	14	-	-	-	-	1	1	2	3	3	-
1993.....	11	-	-	-	-	-	1	1	2	5	-
1992.....	8	-	1	-	-	-	2	-	2	-	1
1991.....	9	-	-	-	-	1	-	1	2	-	4
1990.....	12	-	1	-	-	-	2	4	2	1	-
1989.....	11	-	-	-	-	-	1	3	2	1	2
1988.....	8	-	-	-	-	-	2	3	2	1	-
1987.....	7	-	-	-	-	-	2	1	1	2	1
1986.....	6	-	-	-	-	-	-	1	-	1	-
1985.....	5	-	-	-	-	1	-	1	-	1	-
1984.....	6	-	-	-	-	-	2	-	-	2	-
1983.....	8	-	-	-	-	-	2	-	3	1	-
1982.....	5	-	-	-	-	-	-	4	-	1	-
1981.....	1	-	-	-	-	-	-	1	-	-	-
1980.....	2	-	-	-	-	-	1	1	-	-	-
1979.....	8	-	-	-	-	-	-	2	1	1	1
WHITE, BOTH SEXES											
1998.....	189	-	-	-	1	11	14	29	38	30	31
1997.....	194	-	-	-	-	14	24	29	34	32	19
1996.....	207	-	-	-	1	14	26	27	45	34	22
1995.....	205	-	-	-	-	16	28	26	32	36	25
1994.....	238	-	-	-	1	20	44	35	47	38	18
1993.....	199	-	-	-	-	16	41	23	42	34	16
1992.....	216	-	1	-	2	12	35	36	29	36	20
1991.....	144	-	-	-	1	10	24	27	28	17	16
1990.....	186	-	1	-	-	12	30	32	41	23	22
1989.....	208	-	-	-	1	14	24	39	35	26	22
1988.....	158	-	-	-	1	8	22	35	25	26	12
1987.....	165	-	-	-	1	10	28	31	31	28	9
1986.....	152	-	-	-	-	11	32	27	23	21	10
1985.....	150	-	-	-	-	11	32	32	21	16	10
1984.....	162	-	-	-	-	17	31	28	25	20	16
1983.....	157	-	-	-	-	8	27	31	27	18	19
1982.....	166	-	-	-	-	11	45	34	31	14	10
1981.....	161	-	-	-	1	16	37	29	26	21	8
1980.....	198	-	-	-	-	14	48	31	34	26	7
1979.....	183	-	-	-	-	30	43	40	27	14	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER LEGAL INTERVENTION AND LATE EFFECTS OF INJURY DUE TO LEGAL INTERVENTION (E970-E977)											
WHITE MALE											
1998.....	186	-	-	-	-	11	14	29	38	29	31
1997.....	182	-	-	-	-	13	23	26	31	31	19
1996.....	197	-	-	-	1	13	25	27	44	33	20
1995.....	198	-	-	-	-	16	28	26	31	36	24
1994.....	225	-	-	-	1	19	43	33	44	35	18
1993.....	191	-	-	-	-	16	41	23	40	30	16
1992.....	209	-	-	-	2	12	34	36	27	36	19
1991.....	137	-	-	-	1	9	24	26	26	17	14
1990.....	179	-	-	-	-	12	29	28	41	23	22
1989.....	202	-	-	-	1	14	23	38	34	25	21
1988.....	151	-	-	-	1	8	20	32	23	26	12
1987.....	162	-	-	-	1	10	27	31	31	27	8
1986.....	148	-	-	-	-	11	32	26	23	20	10
1985.....	149	-	-	-	-	11	32	32	21	16	10
1984.....	159	-	-	-	-	17	30	28	25	19	16
1983.....	154	-	-	-	-	8	26	31	27	18	19
1982.....	162	-	-	-	-	11	45	31	31	13	10
1981.....	161	-	-	-	1	16	37	29	26	21	8
1980.....	196	-	-	-	-	14	47	30	34	26	7
1979.....	180	-	-	-	-	30	43	39	27	14	5
WHITE FEMALE											
1998.....	3	-	-	-	1	-	-	-	-	1	-
1997.....	12	-	-	-	-	1	1	3	3	1	-
1996.....	10	-	-	-	-	1	1	-	1	1	2
1995.....	7	-	-	-	-	-	-	-	1	-	1
1994.....	13	-	-	-	-	1	1	2	3	3	-
1993.....	8	-	-	-	-	-	-	-	2	4	-
1992.....	7	-	1	-	-	-	1	-	2	-	1
1991.....	7	-	-	-	-	1	-	1	2	-	2
1990.....	7	-	1	-	-	-	1	4	-	-	-
1989.....	6	-	-	-	-	-	1	1	1	1	1
1988.....	7	-	-	-	-	-	2	3	2	-	-
1987.....	3	-	-	-	-	-	1	-	-	1	1
1986.....	4	-	-	-	-	-	-	1	-	1	-
1985.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	3	-	-	-	-	-	1	-	-	1	-
1983.....	3	-	-	-	-	-	1	-	-	-	-
1982.....	4	-	-	-	-	-	-	3	-	1	-
1980.....	2	-	-	-	-	-	-	1	-	-	-
1979.....	3	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER LEGAL INTERVENTION AND LATE EFFECTS OF INJURY DUE TO LEGAL INTERVENTION (E970-E977)											
ALL OTHER, BOTH SEXES											
1998.....	128	-	-	-	2	17	33	20	14	16	7
1997.....	91	-	-	-	1	3	21	15	18	16	7
1996.....	100	-	-	-	-	16	16	25	11	8	11
1995.....	89	-	-	-	1	14	22	8	20	8	9
1994.....	111	-	-	-	2	17	22	23	22	10	4
1993.....	127	-	-	-	-	20	31	24	14	16	10
1992.....	98	-	-	-	-	15	23	18	13	11	7
1991.....	102	-	-	-	-	16	22	24	18	8	7
1990.....	111	-	-	-	-	10	28	28	16	11	7
1989.....	107	-	-	-	1	13	17	25	23	12	7
1988.....	79	-	-	-	-	8	15	14	24	8	1
1987.....	100	-	-	-	-	5	20	31	20	14	3
1986.....	100	-	-	-	-	13	13	19	23	10	3
1985.....	98	-	-	-	-	12	23	26	11	15	3
1984.....	103	-	-	-	-	11	18	24	18	13	6
1983.....	108	-	-	-	-	11	22	19	20	12	7
1982.....	117	-	-	-	-	17	20	31	15	10	12
1981.....	123	-	-	-	-	9	22	30	25	16	7
1980.....	113	-	-	-	-	17	31	20	23	7	5
1979.....	162	-	-	-	-	17	38	38	23	15	8
ALL OTHER MALE											
1998.....	125	-	-	-	1	16	33	20	14	16	7
1997.....	90	-	-	-	1	3	21	15	18	15	7
1996.....	97	-	-	-	-	16	16	24	11	7	11
1995.....	85	-	-	-	1	14	21	8	20	7	8
1994.....	110	-	-	-	2	17	22	23	22	10	4
1993.....	124	-	-	-	-	20	30	23	14	15	10
1992.....	97	-	-	-	-	15	22	18	13	11	7
1991.....	100	-	-	-	-	16	22	24	18	8	5
1990.....	106	-	-	-	-	10	27	28	14	10	7
1989.....	102	-	-	-	1	13	17	23	22	12	6
1988.....	78	-	-	-	-	8	15	14	24	7	1
1987.....	96	-	-	-	-	5	19	30	19	13	3
1986.....	98	-	-	-	-	13	13	19	23	10	3
1985.....	94	-	-	-	-	11	23	25	11	14	3
1984.....	100	-	-	-	-	11	17	24	18	12	6
1983.....	103	-	-	-	-	11	21	19	17	11	7
1982.....	116	-	-	-	-	17	20	30	15	10	12
1981.....	122	-	-	-	-	9	22	29	25	16	7
1980.....	113	-	-	-	-	17	31	20	23	7	5
1979.....	157	-	-	-	-	17	38	37	22	14	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER LEGAL INTERVENTION AND LATE EFFECTS OF INJURY DUE TO LEGAL INTERVENTION (E970-E977)											
ALL OTHER FEMALE											
1998.....	3	-	-	-	1	1	-	-	-	-	-
1997.....	1	-	-	-	-	-	-	-	-	1	-
1996.....	3	-	-	-	-	-	-	1	-	1	-
1995.....	4	-	-	-	-	-	1	-	-	1	1
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	3	-	-	-	-	-	1	1	-	1	-
1992.....	1	-	-	-	-	-	1	-	-	-	-
1991.....	2	-	-	-	-	-	-	-	-	-	2
1990.....	5	-	-	-	-	-	1	-	2	1	-
1989.....	5	-	-	-	-	-	-	2	1	-	1
1988.....	1	-	-	-	-	-	-	-	-	1	-
1987.....	4	-	-	-	-	-	1	1	1	1	-
1986.....	2	-	-	-	-	-	-	-	-	-	-
1985.....	4	-	-	-	-	1	-	1	-	1	-
1984.....	3	-	-	-	-	-	1	-	-	1	-
1983.....	5	-	-	-	-	-	1	-	3	1	-
1982.....	1	-	-	-	-	-	-	1	-	-	-
1981.....	1	-	-	-	-	-	-	1	-	-	-
1979.....	5	-	-	-	-	-	-	1	1	1	1
BLACK, BOTH SEXES											
1998.....	111	-	-	-	2	16	29	18	12	13	5
1997.....	80	-	-	-	1	3	18	14	17	15	4
1996.....	89	-	-	-	-	14	15	22	10	7	11
1995.....	75	-	-	-	1	13	19	7	16	6	8
1994.....	105	-	-	-	1	16	22	23	20	8	4
1993.....	115	-	-	-	-	18	28	20	12	15	10
1992.....	87	-	-	-	-	14	22	17	11	8	6
1991.....	93	-	-	-	-	14	19	22	18	8	6
1990.....	102	-	-	-	-	10	22	27	16	10	7
1989.....	96	-	-	-	-	13	14	21	20	12	7
1988.....	71	-	-	-	-	8	13	12	21	8	1
1987.....	91	-	-	-	-	5	20	28	19	11	2
1986.....	93	-	-	-	-	11	12	18	22	8	3
1985.....	86	-	-	-	-	12	20	24	10	10	3
1984.....	97	-	-	-	-	10	16	24	17	12	6
1983.....	106	-	-	-	-	10	21	19	20	12	7
1982.....	115	-	-	-	-	16	19	31	15	10	12
1981.....	118	-	-	-	-	9	22	29	24	15	6
1980.....	111	-	-	-	-	17	30	19	23	7	5
1979.....	155	-	-	-	-	16	36	37	22	14	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER LEGAL INTERVENTION AND LATE EFFECTS OF INJURY DUE TO LEGAL INTERVENTION (E970-E977)											
BLACK MALE											
1998.....	108	-	-	-	1	15	29	18	12	13	5
1997.....	79	-	-	-	1	3	18	14	17	14	4
1996.....	86	-	-	-	-	14	15	21	10	6	11
1995.....	71	-	-	-	1	13	18	7	16	5	7
1994.....	104	-	-	-	1	16	22	23	20	8	4
1993.....	113	-	-	-	-	18	28	19	12	14	10
1992.....	86	-	-	-	-	14	21	17	11	8	6
1991.....	91	-	-	-	-	14	19	22	18	8	4
1990.....	98	-	-	-	-	10	22	27	14	9	7
1989.....	91	-	-	-	-	13	14	19	19	12	6
1988.....	70	-	-	-	-	8	13	12	21	7	1
1987.....	87	-	-	-	-	5	19	27	18	10	2
1986.....	91	-	-	-	-	11	12	18	22	8	3
1985.....	82	-	-	-	-	11	20	23	10	9	3
1984.....	95	-	-	-	-	10	15	24	17	11	6
1983.....	101	-	-	-	-	10	20	19	17	11	7
1982.....	114	-	-	-	-	16	19	30	15	10	12
1981.....	117	-	-	-	-	9	22	28	24	15	6
1980.....	111	-	-	-	-	17	30	19	23	7	5
1979.....	150	-	-	-	-	16	36	36	21	13	6
BLACK FEMALE											
1998.....	3	-	-	-	1	1	-	-	-	-	-
1997.....	1	-	-	-	-	-	-	-	-	1	-
1996.....	3	-	-	-	-	-	-	1	-	1	-
1995.....	4	-	-	-	-	-	1	-	-	1	1
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	2	-	-	-	-	-	-	1	-	1	-
1992.....	1	-	-	-	-	-	1	-	-	-	-
1991.....	2	-	-	-	-	-	-	-	-	-	2
1990.....	4	-	-	-	-	-	-	-	2	1	-
1989.....	5	-	-	-	-	-	-	2	1	-	1
1988.....	1	-	-	-	-	-	-	-	-	1	-
1987.....	4	-	-	-	-	-	1	1	1	1	-
1986.....	2	-	-	-	-	-	-	-	-	-	-
1985.....	4	-	-	-	-	1	-	1	-	1	-
1984.....	2	-	-	-	-	-	1	-	-	1	-
1983.....	5	-	-	-	-	-	1	-	3	1	-
1982.....	1	-	-	-	-	-	-	1	-	-	-
1981.....	1	-	-	-	-	-	-	1	-	-	-
1979.....	5	-	-	-	-	-	-	1	1	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)											
TOTAL, BOTH SEXES											
1998.....	3,746	75	43	15	51	139	203	307	427	638	648
1997.....	3,657	57	40	16	32	146	214	263	453	659	638
1996.....	3,463	58	54	23	25	166	201	266	497	618	545
1995.....	3,301	57	45	11	35	154	209	278	502	621	510
1994.....	3,419	47	47	22	49	175	248	327	492	579	482
1993.....	3,419	61	39	17	42	150	270	319	565	548	469
1992.....	2,895	41	34	12	33	137	204	328	434	503	406
1991.....	2,507	48	41	11	39	150	173	261	373	400	271
1990.....	2,376	53	31	18	35	125	185	285	362	327	253
1989.....	2,686	51	56	7	42	126	219	339	421	396	269
1988.....	3,018	42	55	22	51	157	292	414	483	387	246
1987.....	3,011	57	76	21	42	149	266	409	465	390	249
1986.....	3,108	51	53	11	38	149	316	407	457	375	237
1985.....	2,826	54	71	19	38	133	264	386	406	322	206
1984.....	2,996	60	56	25	50	154	341	409	367	297	215
1983.....	3,104	56	71	26	49	164	347	423	383	273	229
1982.....	3,201	73	67	23	40	186	373	431	402	312	183
1981.....	3,614	81	84	23	48	241	421	436	398	301	232
1980.....	3,663	68	100	34	48	250	452	508	386	278	252
1979.....	3,860	85	95	28	72	283	495	492	375	289	259
TOTAL, MALE											
1998.....	2,597	53	27	9	44	112	159	214	295	452	469
1997.....	2,656	37	19	9	27	116	173	200	335	502	470
1996.....	2,523	29	26	15	22	143	165	198	379	452	419
1995.....	2,461	28	28	8	29	133	174	206	370	495	394
1994.....	2,508	24	21	12	39	155	201	242	359	438	374
1993.....	2,513	38	22	10	36	121	215	241	430	416	352
1992.....	2,105	24	18	7	29	113	169	254	324	379	302
1991.....	1,755	29	16	4	27	117	128	193	279	309	188
1990.....	1,719	30	20	13	27	99	150	220	279	249	188
1989.....	1,942	30	33	2	31	107	177	246	329	304	186
1988.....	2,193	28	26	15	43	123	218	308	379	307	174
1987.....	2,186	32	41	12	33	113	188	307	371	302	182
1986.....	2,258	30	33	5	32	121	238	319	335	282	171
1985.....	2,019	30	43	10	28	97	195	297	325	240	152
1984.....	2,151	36	27	14	39	126	251	317	294	208	158
1983.....	2,180	27	46	14	42	124	251	318	296	188	165
1982.....	2,298	43	40	15	33	139	278	346	305	232	129
1981.....	2,533	36	47	13	35	186	317	337	308	213	159
1980.....	2,620	44	60	21	39	192	357	399	296	195	169
1979.....	2,671	36	57	20	47	208	386	370	274	195	170

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)											
TOTAL, FEMALE											
1998.....	1,149	22	16	6	7	27	44	93	132	186	179
1997.....	1,001	20	21	7	5	30	41	63	118	157	168
1996.....	940	29	28	8	3	23	36	68	118	166	126
1995.....	840	29	17	3	6	21	35	72	132	126	116
1994.....	911	23	26	10	10	20	47	85	133	141	108
1993.....	906	23	17	7	6	29	55	78	135	132	117
1992.....	790	17	16	5	4	24	35	74	110	124	104
1991.....	752	19	25	7	12	33	45	68	94	91	83
1990.....	657	23	11	5	8	26	35	65	83	78	65
1989.....	744	21	23	5	11	19	42	93	92	92	83
1988.....	825	14	29	7	8	34	74	106	104	80	72
1987.....	825	25	35	9	9	36	78	102	94	88	67
1986.....	850	21	20	6	6	28	78	88	122	93	66
1985.....	807	24	28	9	10	36	69	89	81	82	54
1984.....	845	24	29	11	11	28	90	92	73	89	57
1983.....	924	29	25	12	7	40	96	105	87	85	64
1982.....	903	30	27	8	7	47	95	85	97	80	54
1981.....	1,081	45	37	10	13	55	104	99	90	88	73
1980.....	1,043	24	40	13	9	58	95	109	90	83	83
1979.....	1,189	49	38	8	25	75	109	122	101	94	89
WHITE, BOTH SEXES											
1998.....	2,952	53	28	12	35	108	162	245	337	507	495
1997.....	2,839	38	22	9	28	103	153	195	355	523	501
1996.....	2,680	39	33	15	22	110	143	211	376	483	424
1995.....	2,475	34	26	8	26	102	147	213	393	475	385
1994.....	2,620	27	29	11	33	127	192	255	377	454	366
1993.....	2,575	30	20	12	31	106	211	231	432	399	344
1992.....	2,229	22	19	6	24	92	155	258	331	379	314
1991.....	1,942	27	28	6	28	107	126	201	287	309	214
1990.....	1,808	22	13	11	28	93	138	213	277	254	197
1989.....	1,961	25	40	4	37	97	166	231	306	258	200
1988.....	2,237	22	29	13	40	111	209	280	357	282	186
1987.....	2,185	40	37	9	35	113	191	286	331	258	180
1986.....	2,315	27	19	7	28	113	246	310	327	271	178
1985.....	2,148	26	42	11	29	109	208	300	287	233	157
1984.....	2,254	34	30	14	36	124	273	294	255	213	157
1983.....	2,316	20	38	15	36	128	253	313	286	204	168
1982.....	2,382	38	38	13	27	156	278	309	285	232	115
1981.....	2,727	47	45	16	38	192	319	344	272	219	156
1980.....	2,785	40	54	17	37	195	365	386	281	204	169
1979.....	2,902	41	52	15	55	211	373	353	279	210	192

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)

WHITE MALE

1998.....	1,988	35	15	6	31	85	122	173	234	349	345
1997.....	2,039	25	11	6	24	78	123	148	263	398	363
1996.....	1,924	20	17	10	20	94	116	154	282	351	326
1995.....	1,833	16	14	6	23	89	123	159	295	385	293
1994.....	1,891	16	11	6	27	111	154	184	280	340	285
1993.....	1,876	20	12	7	28	85	169	175	329	304	253
1992.....	1,593	14	9	3	21	74	127	202	247	284	233
1991.....	1,357	16	12	1	19	84	94	150	212	244	153
1990.....	1,303	13	8	9	20	73	110	171	217	194	139
1989.....	1,402	12	23	1	28	81	134	175	238	199	134
1988.....	1,607	13	14	10	33	82	162	212	279	218	131
1987.....	1,557	24	23	8	27	85	137	208	263	201	124
1986.....	1,672	16	15	3	23	90	189	241	240	202	130
1985.....	1,532	14	24	7	22	80	154	233	235	174	116
1984.....	1,608	21	11	10	31	101	203	230	203	148	109
1983.....	1,623	9	23	8	31	100	186	237	220	145	115
1982.....	1,687	21	24	10	21	119	205	251	215	174	74
1981.....	1,893	22	27	8	27	153	234	262	214	149	105
1980.....	1,966	27	35	12	33	155	288	309	217	135	113
1979.....	2,001	20	32	12	35	158	303	267	204	136	125

WHITE FEMALE

1998.....	964	18	13	6	4	23	40	72	103	158	150
1997.....	800	13	11	3	4	25	30	47	92	125	138
1996.....	756	19	16	5	2	16	27	57	94	132	98
1995.....	642	18	12	2	3	13	24	54	98	90	92
1994.....	729	11	18	5	6	16	38	71	97	114	81
1993.....	699	10	8	5	3	21	42	56	103	95	91
1992.....	636	8	10	3	3	18	28	56	84	95	81
1991.....	585	11	16	5	9	23	32	51	75	65	61
1990.....	505	9	5	2	8	20	28	42	60	60	58
1989.....	559	13	17	3	9	16	32	56	68	59	66
1988.....	630	9	15	3	7	29	47	68	78	64	55
1987.....	628	16	14	1	8	28	54	78	68	57	56
1986.....	643	11	4	4	5	23	57	69	87	69	48
1985.....	616	12	18	4	7	29	54	67	52	59	41
1984.....	646	13	19	4	5	23	70	64	52	65	48
1983.....	693	11	15	7	5	28	67	76	66	59	53
1982.....	695	17	14	3	6	37	73	58	70	58	41
1981.....	834	25	18	8	11	39	85	82	58	70	51
1980.....	819	13	19	5	4	40	77	77	64	69	56
1979.....	901	21	20	3	20	53	70	86	75	74	67

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)											
ALL OTHER, BOTH SEXES											
1998.....	794	22	15	3	16	31	41	62	90	131	153
1997.....	818	19	18	7	4	43	61	68	98	136	137
1996.....	783	19	21	8	3	56	58	55	121	135	121
1995.....	826	23	19	3	9	52	62	65	109	146	125
1994.....	799	20	18	11	16	48	56	72	115	125	116
1993.....	844	31	19	5	11	44	59	88	133	149	125
1992.....	666	19	15	6	9	45	49	70	103	124	92
1991.....	565	21	13	5	11	43	47	60	86	91	57
1990.....	568	31	18	7	7	32	47	72	85	73	56
1989.....	725	26	16	3	5	29	53	108	115	138	69
1988.....	781	20	26	9	11	46	83	134	126	105	60
1987.....	826	17	39	12	7	36	75	123	134	132	69
1986.....	793	24	34	4	10	36	70	97	130	104	59
1985.....	678	28	29	8	9	24	56	86	119	89	49
1984.....	742	26	26	11	14	30	68	115	112	84	58
1983.....	788	36	33	11	13	36	94	110	97	69	61
1982.....	819	35	29	10	13	30	95	122	117	80	68
1981.....	887	34	39	7	10	49	102	92	126	82	76
1980.....	878	28	46	17	11	55	87	122	105	74	83
1979.....	958	44	43	13	17	72	122	139	96	79	67
ALL OTHER MALE											
1998.....	609	18	12	3	13	27	37	41	61	103	124
1997.....	617	12	8	3	3	38	50	52	72	104	107
1996.....	599	9	9	5	2	49	49	44	97	101	93
1995.....	628	12	14	2	6	44	51	47	75	110	101
1994.....	617	8	10	6	12	44	47	58	79	98	89
1993.....	637	18	10	3	8	36	46	66	101	112	99
1992.....	512	10	9	4	8	39	42	52	77	95	69
1991.....	398	13	4	3	8	33	34	43	67	65	35
1990.....	416	17	12	4	7	26	40	49	62	55	49
1989.....	540	18	10	1	3	26	43	71	91	105	52
1988.....	586	15	12	5	10	41	56	96	100	89	43
1987.....	629	8	18	4	6	28	51	99	108	101	58
1986.....	586	14	18	2	9	31	49	78	95	80	41
1985.....	487	16	19	3	6	17	41	64	90	66	36
1984.....	543	15	16	4	8	25	48	87	91	60	49
1983.....	557	18	23	6	11	24	65	81	76	43	50
1982.....	611	22	16	5	12	20	73	95	90	58	55
1981.....	640	14	20	5	8	33	83	75	94	64	54
1980.....	654	17	25	9	6	37	69	90	79	60	56
1979.....	670	16	25	8	12	50	83	103	70	59	45

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	185	4	3	-	3	4	4	21	29	28	29
1997.....	201	7	10	4	1	5	11	16	26	32	30
1996.....	184	10	12	3	1	7	9	11	24	34	28
1995.....	198	11	5	1	3	8	11	18	34	36	24
1994.....	182	12	8	5	4	4	9	14	36	27	27
1993.....	207	13	9	2	3	8	13	22	32	37	26
1992.....	154	9	6	2	1	6	7	18	26	29	23
1991.....	167	8	9	2	3	10	13	17	19	26	22
1990.....	152	14	6	3	-	6	7	23	23	18	7
1989.....	185	8	6	2	2	3	10	37	24	33	17
1988.....	195	5	14	4	1	5	27	38	26	16	17
1987.....	197	9	21	8	1	8	24	24	26	31	11
1986.....	207	10	16	2	1	5	21	19	35	24	18
1985.....	191	12	10	5	3	7	15	22	29	23	13
1984.....	199	11	10	7	6	5	20	28	21	24	9
1983.....	231	18	10	5	2	12	29	29	21	26	11
1982.....	208	13	13	5	1	10	22	27	27	22	13
1981.....	247	20	19	2	2	16	19	17	32	18	22
1980.....	224	11	21	8	5	18	18	32	26	14	27
1979.....	288	28	18	5	5	22	39	36	26	20	22
BLACK, BOTH SEXES											
1998.....	708	16	15	3	14	28	34	47	82	116	141
1997.....	730	14	17	7	4	39	51	60	94	123	123
1996.....	713	19	19	7	2	55	51	51	110	126	110
1995.....	729	19	18	3	9	39	49	56	102	135	112
1994.....	718	18	17	11	14	47	44	63	106	112	112
1993.....	749	29	17	3	9	34	50	78	114	140	117
1992.....	598	17	15	5	8	39	41	61	93	117	86
1991.....	507	19	11	5	10	40	39	50	80	85	52
1990.....	492	29	15	7	7	20	41	60	79	67	53
1989.....	662	24	16	3	3	23	43	99	109	129	65
1988.....	713	19	23	8	11	38	75	124	114	97	56
1987.....	751	17	38	11	3	32	66	110	126	121	60
1986.....	683	24	33	3	7	29	52	78	112	92	53
1985.....	598	26	25	8	8	19	42	71	110	80	46
1984.....	660	24	24	9	12	26	53	102	106	78	53
1983.....	697	34	29	11	12	31	77	97	86	62	53
1982.....	718	32	26	9	13	25	77	104	108	72	61
1981.....	795	31	37	7	10	38	88	87	113	76	69
1980.....	795	26	46	16	10	44	79	108	95	65	77
1979.....	865	41	41	13	14	62	112	119	90	73	59

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)

BLACK MALE

1998.....	549	13	12	3	12	24	32	30	57	93	112
1997.....	556	9	7	3	3	35	44	46	69	95	95
1996.....	551	9	8	4	1	48	45	40	89	97	86
1995.....	560	10	13	2	6	32	41	39	71	106	93
1994.....	555	7	9	6	11	44	38	50	71	89	86
1993.....	562	16	9	2	6	28	38	57	86	105	95
1992.....	459	9	9	3	7	35	35	46	68	89	64
1991.....	359	12	4	3	7	30	27	38	63	60	33
1990.....	359	15	10	4	7	18	34	39	57	51	46
1989.....	490	16	10	1	2	23	34	63	86	98	49
1988.....	542	14	11	5	10	35	49	91	94	82	41
1987.....	569	8	17	3	3	24	45	89	100	93	51
1986.....	509	14	17	2	6	25	36	61	83	73	37
1985.....	432	14	18	3	6	15	31	51	84	59	33
1984.....	485	14	14	3	7	23	34	76	89	57	46
1983.....	490	17	21	6	10	20	51	72	66	39	44
1982.....	537	21	13	5	12	15	60	81	83	53	50
1981.....	581	13	18	5	8	27	74	73	82	60	50
1980.....	594	17	25	9	6	31	63	80	73	52	51
1979.....	606	14	24	8	10	43	75	92	65	54	41

BLACK FEMALE

1998.....	159	3	3	-	2	4	2	17	25	23	29
1997.....	174	5	10	4	1	4	7	14	25	28	28
1996.....	162	10	11	3	1	7	6	11	21	29	24
1995.....	169	9	5	1	3	7	8	17	31	29	19
1994.....	163	11	8	5	3	3	6	13	35	23	26
1993.....	187	13	8	1	3	6	12	21	28	35	22
1992.....	139	8	6	2	1	4	6	15	25	28	22
1991.....	148	7	7	2	3	10	12	12	17	25	19
1990.....	133	14	5	3	-	2	7	21	22	16	7
1989.....	172	8	6	2	1	-	9	36	23	31	16
1988.....	171	5	12	3	1	3	26	33	20	15	15
1987.....	182	9	21	8	-	8	21	21	26	28	9
1986.....	174	10	16	1	1	4	16	17	29	19	16
1985.....	166	12	7	5	2	4	11	20	26	21	13
1984.....	175	10	10	6	5	3	19	26	17	21	7
1983.....	207	17	8	5	2	11	26	25	20	23	9
1982.....	181	11	13	4	1	10	17	23	25	19	11
1981.....	214	18	19	2	2	11	14	14	31	16	19
1980.....	201	9	21	7	4	13	16	28	22	13	26
1979.....	259	27	17	5	4	19	37	27	25	19	18

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98
 CAUSE-OF-DEATH CODE,
 RACE, SEX, AND YEAR
 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	2,298	4	5	1	2	47	110	207	315	468	491
1997.....	2,200	2	3	3	4	48	106	152	324	508	457
1996.....	1,864	4	7	5	-	44	89	156	335	415	377
1995.....	1,878	8	7	-	1	32	82	185	347	457	372
1994.....	1,834	10	7	2	7	28	83	205	327	420	337
1993.....	1,742	10	4	4	1	28	85	177	366	384	322
1992.....	1,401	5	5	1	2	30	73	157	281	331	236
1991.....	1,049	3	1	-	3	21	59	126	216	242	149
1990.....	955	2	1	-	4	25	43	124	216	186	138
1989.....	1,236	10	2	3	5	22	77	202	253	249	162
1988.....	1,228	2	1	-	4	31	106	211	298	229	127
1987.....	1,100	3	5	-	1	34	87	192	257	215	111
1986.....	956	1	2	1	-	22	85	152	219	173	79
1985.....	778	2	3	-	2	18	66	135	162	122	63
1984.....	754	1	-	-	1	17	87	145	146	106	71
1983.....	750	-	3	2	3	23	85	139	139	76	69
1982.....	735	2	2	1	1	34	65	154	141	98	44
1981.....	798	3	4	3	6	31	90	147	125	83	63
1980.....	826	-	-	1	-	40	120	164	122	80	75
1979.....	868	3	5	-	7	44	130	187	104	73	69
TOTAL, MALE											
1998.....	1,547	4	4	-	1	32	85	139	217	331	345
1997.....	1,572	1	2	-	4	30	81	112	234	391	337
1996.....	1,318	3	3	3	-	35	68	111	245	296	287
1995.....	1,390	3	2	-	1	23	66	138	254	370	287
1994.....	1,286	5	4	-	3	21	61	137	230	310	258
1993.....	1,221	9	3	1	-	15	54	130	270	295	247
1992.....	952	2	2	-	1	16	61	112	198	244	170
1991.....	665	3	-	-	-	7	34	86	158	176	94
1990.....	634	2	1	-	2	16	30	96	163	137	93
1989.....	845	5	-	1	3	14	55	143	198	185	111
1988.....	850	2	1	-	1	18	73	156	236	179	85
1987.....	721	-	4	-	-	19	57	134	194	156	74
1986.....	591	-	2	-	-	13	54	109	162	117	46
1985.....	481	1	1	-	1	9	42	97	122	89	38
1984.....	442	1	-	-	-	11	50	101	111	61	36
1983.....	408	-	1	-	1	10	54	97	96	41	36
1982.....	432	2	1	-	1	18	36	124	102	59	20
1981.....	443	1	3	1	3	17	54	108	93	50	31
1980.....	465	-	-	-	-	19	84	122	84	35	36
1979.....	475	1	3	-	2	27	89	132	66	33	31

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	751	-	1	1	1	15	25	68	98	137	146
1997.....	628	1	1	3	-	18	25	40	90	117	120
1996.....	546	1	4	2	-	9	21	45	90	119	90
1995.....	488	5	5	-	-	9	16	47	93	87	85
1994.....	548	5	3	2	4	7	22	68	97	110	79
1993.....	521	1	1	3	1	13	31	47	96	89	75
1992.....	449	3	3	1	1	14	12	45	83	87	66
1991.....	384	-	1	-	3	14	25	40	58	66	55
1990.....	321	-	-	-	2	9	13	28	53	49	45
1989.....	391	5	2	2	2	8	22	59	55	64	51
1988.....	378	-	-	-	3	13	33	55	62	50	42
1987.....	379	3	1	-	1	15	30	58	63	59	37
1986.....	365	1	-	1	-	9	31	43	57	56	33
1985.....	297	1	2	-	1	9	24	38	40	33	25
1984.....	312	-	-	-	1	6	37	44	35	45	35
1983.....	342	-	2	2	2	13	31	42	43	35	33
1982.....	303	-	1	1	-	16	29	30	39	39	24
1981.....	355	2	1	2	3	14	36	39	32	33	32
1980.....	361	-	-	1	-	21	36	42	38	45	39
1979.....	393	2	2	-	5	17	41	55	38	40	38
WHITE, BOTH SEXES											
1998.....	1,863	3	2	1	2	42	97	171	254	376	387
1997.....	1,755	1	2	2	4	44	90	114	260	405	363
1996.....	1,492	3	3	3	-	36	72	132	262	325	298
1995.....	1,466	5	4	-	1	27	66	147	281	359	281
1994.....	1,438	5	4	-	3	24	75	163	251	333	265
1993.....	1,319	4	-	2	-	24	68	128	282	273	245
1992.....	1,122	2	3	-	2	24	63	131	222	251	183
1991.....	869	1	-	-	3	19	46	106	173	200	123
1990.....	778	1	-	-	4	19	30	100	178	150	110
1989.....	879	2	1	1	2	20	55	135	177	157	120
1988.....	937	1	1	-	3	23	74	153	228	171	94
1987.....	833	2	3	-	1	24	68	149	183	139	93
1986.....	773	1	1	1	-	18	66	129	175	134	60
1985.....	654	2	2	-	2	17	61	120	125	91	53
1984.....	583	1	-	-	-	16	73	108	98	77	57
1983.....	632	-	2	2	1	18	63	124	117	59	54
1982.....	603	1	1	-	-	28	61	124	111	70	30
1981.....	666	3	4	3	4	24	80	122	91	67	46
1980.....	671	-	-	-	-	29	101	125	97	68	48
1979.....	736	2	4	-	4	35	99	151	85	59	66

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98
 CAUSE-OF-DEATH CODE,
 RACE, SEX, AND YEAR
 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	1,219	3	1	-	1	28	72	117	177	257	263
1997.....	1,236	1	1	-	4	28	71	83	186	311	259
1996.....	1,042	3	1	3	-	29	55	95	191	231	227
1995.....	1,079	2	1	-	1	21	54	112	208	293	213
1994.....	1,003	3	2	-	1	18	55	107	183	246	206
1993.....	905	4	-	1	-	14	44	92	208	208	184
1992.....	757	1	1	-	1	11	54	97	159	186	130
1991.....	557	1	-	-	-	6	28	75	128	151	79
1990.....	511	1	-	-	2	12	20	82	137	111	68
1989.....	579	-	-	-	2	12	37	100	135	115	80
1988.....	631	1	1	-	-	11	55	114	179	129	64
1987.....	519	-	2	-	-	12	46	97	137	100	60
1986.....	469	-	1	-	-	12	45	91	129	91	34
1985.....	407	1	1	-	1	8	38	87	98	70	32
1984.....	331	1	-	-	-	11	44	77	72	45	25
1983.....	342	-	-	-	-	9	44	87	81	35	26
1982.....	351	1	1	-	-	18	34	100	81	42	12
1981.....	358	1	3	1	1	14	50	87	68	37	21
1980.....	380	-	-	-	-	16	72	97	71	28	20
1979.....	400	-	2	-	1	22	75	106	56	24	30
WHITE FEMALE											
1998.....	644	-	1	1	1	14	25	54	77	119	124
1997.....	519	-	1	2	-	16	19	31	74	94	104
1996.....	450	-	2	-	-	7	17	37	71	94	71
1995.....	387	3	3	-	-	6	12	35	73	66	68
1994.....	435	2	2	-	2	6	20	56	68	87	59
1993.....	414	-	-	1	-	10	24	36	74	65	61
1992.....	365	1	2	-	1	13	9	34	63	65	53
1991.....	312	-	-	-	3	13	18	31	45	49	44
1990.....	267	-	-	-	2	7	10	18	41	39	42
1989.....	300	2	1	1	-	8	18	35	42	42	40
1988.....	306	-	-	-	3	12	19	39	49	42	30
1987.....	314	2	1	-	1	12	22	52	46	39	33
1986.....	304	1	-	1	-	6	21	38	46	43	26
1985.....	247	1	1	-	1	9	23	33	27	21	21
1984.....	252	-	-	-	-	5	29	31	26	32	32
1983.....	290	-	2	2	1	9	19	37	36	24	28
1982.....	252	-	-	-	-	10	27	24	30	28	18
1981.....	308	2	1	2	3	10	30	35	23	30	25
1980.....	291	-	-	-	-	13	29	28	26	40	28
1979.....	336	2	2	-	3	13	24	45	29	35	36

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98
 CAUSE-OF-DEATH CODE,
 RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)

ALL OTHER, BOTH SEXES

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
1998.....	435	1	3	-	-	5	13	36	61	92	104
1997.....	445	1	1	1	-	4	16	38	64	103	94
1996.....	372	1	4	2	-	8	17	24	73	90	79
1995.....	412	3	3	-	-	5	16	38	66	98	91
1994.....	396	5	3	2	4	4	8	42	76	87	72
1993.....	423	6	4	2	1	4	17	49	84	111	77
1992.....	279	3	2	1	-	6	10	26	59	80	53
1991.....	180	2	1	-	-	2	13	20	43	42	26
1990.....	177	1	1	-	-	6	13	24	38	36	28
1989.....	357	8	1	2	3	2	22	67	76	92	42
1988.....	291	1	-	-	1	8	32	58	70	58	33
1987.....	267	1	2	-	-	10	19	43	74	76	18
1986.....	183	-	1	-	-	4	19	23	44	39	19
1985.....	124	-	1	-	-	1	5	15	37	31	10
1984.....	171	-	-	-	1	1	14	37	48	29	14
1983.....	118	-	1	-	2	5	22	15	22	17	15
1982.....	132	1	1	1	1	6	4	30	30	28	14
1981.....	132	-	-	-	2	7	10	25	34	16	17
1980.....	155	-	-	1	-	11	19	39	25	12	27
1979.....	132	1	1	-	3	9	31	36	19	14	3

ALL OTHER MALE

1998.....	328	1	3	-	-	4	13	22	40	74	82
1997.....	336	-	1	-	-	2	10	29	48	80	78
1996.....	276	-	2	-	-	6	13	16	54	65	60
1995.....	311	1	1	-	-	2	12	26	46	77	74
1994.....	283	2	2	-	2	3	6	30	47	64	52
1993.....	316	5	3	-	-	1	10	38	62	87	63
1992.....	195	1	1	-	-	5	7	15	39	58	40
1991.....	108	2	-	-	-	1	6	11	30	25	15
1990.....	123	1	1	-	-	4	10	14	26	26	25
1989.....	266	5	-	1	1	2	18	43	63	70	31
1988.....	219	1	-	-	1	7	18	42	57	50	21
1987.....	202	-	2	-	-	7	11	37	57	56	14
1986.....	122	-	1	-	-	1	9	18	33	26	12
1985.....	74	-	-	-	-	1	4	10	24	19	6
1984.....	111	-	-	-	-	-	6	24	39	16	11
1983.....	66	-	1	-	1	1	10	10	15	6	10
1982.....	81	1	-	-	1	-	2	24	21	17	8
1981.....	85	-	-	-	2	3	4	21	25	13	10
1980.....	85	-	-	-	-	3	12	25	13	7	16
1979.....	75	1	1	-	1	5	14	26	10	9	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
ALL OTHER FEMALE												
1998.....	107	-	-	-	-	1	-	14	21	18	22	
1997.....	109	1	-	1	-	2	6	9	16	23	16	
1996.....	96	1	2	2	-	2	4	8	19	25	19	
1995.....	101	2	2	-	-	3	4	12	20	21	17	
1994.....	113	3	1	2	2	1	2	12	29	23	20	
1993.....	107	1	1	2	1	3	7	11	22	24	14	
1992.....	84	2	1	1	-	1	3	11	20	22	13	
1991.....	72	-	1	-	-	1	7	9	13	17	11	
1990.....	54	-	-	-	-	2	3	10	12	10	3	
1989.....	91	3	1	1	2	-	4	24	13	22	11	
1988.....	72	-	-	-	-	1	14	16	13	8	12	
1987.....	65	1	-	-	-	3	8	6	17	20	4	
1986.....	61	-	-	-	-	3	10	5	11	13	7	
1985.....	50	-	1	-	-	-	1	5	13	12	4	
1984.....	60	-	-	-	1	1	8	13	9	13	3	
1983.....	52	-	-	-	1	4	12	5	7	11	5	
1982.....	51	-	1	1	-	6	2	6	9	11	6	
1981.....	47	-	-	-	-	4	6	4	9	3	7	
1980.....	70	-	-	1	-	8	7	14	12	5	11	
1979.....	57	-	-	-	2	4	17	10	9	5	2	
BLACK, BOTH SEXES												
1998.....	412	1	3	-	-	4	12	30	58	89	98	
1997.....	417	1	1	1	-	3	15	34	61	96	91	
1996.....	345	1	3	2	-	8	15	23	69	86	74	
1995.....	386	2	3	-	-	4	11	34	65	94	84	
1994.....	370	5	3	2	4	4	7	36	74	81	72	
1993.....	396	6	4	1	1	2	16	47	76	106	74	
1992.....	258	2	2	1	-	4	9	24	54	76	50	
1991.....	168	2	1	-	-	2	11	18	42	41	25	
1990.....	158	1	1	-	-	3	11	20	35	34	27	
1989.....	342	8	1	2	2	2	21	65	72	88	42	
1988.....	285	1	-	-	1	7	32	57	69	56	33	
1987.....	251	1	2	-	-	9	16	37	73	74	16	
1986.....	161	-	1	-	-	4	16	20	40	33	19	
1985.....	110	-	-	-	-	-	3	14	34	28	10	
1984.....	159	-	-	-	-	1	14	34	47	28	12	
1983.....	100	-	1	-	2	4	18	12	20	17	11	
1982.....	117	1	1	1	1	6	4	27	27	26	11	
1981.....	115	-	-	-	2	4	9	24	31	15	15	
1980.....	143	-	-	1	-	8	18	38	22	11	25	
1979.....	122	1	1	-	3	8	29	32	18	14	3	

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98
 CAUSE-OF-DEATH CODE,
 RACE, SEX, AND YEAR
 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	310	1	3	-	-	3	12	18	38	72	76
1997.....	316	-	1	-	-	1	10	26	46	75	75
1996.....	263	-	2	-	-	6	12	15	52	64	57
1995.....	298	1	1	-	-	2	8	23	46	76	71
1994.....	265	2	2	-	2	3	6	25	46	60	52
1993.....	297	5	3	-	-	-	9	36	56	82	62
1992.....	180	1	1	-	-	3	6	14	35	55	37
1991.....	102	2	-	-	-	1	4	11	30	24	15
1990.....	110	1	1	-	-	2	8	11	24	25	24
1989.....	255	5	-	1	1	2	18	41	59	67	31
1988.....	216	1	-	-	1	6	18	42	56	49	21
1987.....	193	-	2	-	-	6	10	32	56	56	13
1986.....	109	-	1	-	-	1	8	16	29	23	12
1985.....	67	-	-	-	-	-	3	9	23	16	6
1984.....	104	-	-	-	-	-	6	21	39	15	10
1983.....	54	-	1	-	1	-	7	8	13	6	8
1982.....	73	1	-	-	1	-	2	21	19	15	7
1981.....	76	-	-	-	2	1	4	21	22	12	9
1980.....	82	-	-	-	-	3	12	25	13	6	15
1979.....	70	1	1	-	1	4	13	24	9	9	1
BLACK FEMALE											
1998.....	102	-	-	-	-	1	-	12	20	17	22
1997.....	101	1	-	1	-	2	5	8	15	21	16
1996.....	82	1	1	2	-	2	3	8	17	22	17
1995.....	88	1	2	-	-	2	3	11	19	18	13
1994.....	105	3	1	2	2	1	1	11	28	21	20
1993.....	99	1	1	1	1	2	7	11	20	24	12
1992.....	78	1	1	1	-	1	3	10	19	21	13
1991.....	66	-	1	-	-	1	7	7	12	17	10
1990.....	48	-	-	-	-	1	3	9	11	9	3
1989.....	87	3	1	1	1	-	3	24	13	21	11
1988.....	69	-	-	-	-	1	14	15	13	7	12
1987.....	58	1	-	-	-	3	6	5	17	18	3
1986.....	52	-	-	-	-	3	8	4	11	10	7
1985.....	43	-	-	-	-	-	-	5	11	12	4
1984.....	55	-	-	-	-	1	8	13	8	13	2
1983.....	46	-	-	-	1	4	11	4	7	11	3
1982.....	44	-	1	1	-	6	2	6	8	11	4
1981.....	39	-	-	-	-	3	5	3	9	3	6
1980.....	61	-	-	1	-	5	6	13	9	5	10
1979.....	52	-	-	-	2	4	16	8	9	5	2

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
FROM POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E980.6-E980.9)											
TOTAL, BOTH SEXES											
1998.....	53	-	-	-	-	1	1	6	5	8	6
1997.....	54	-	-	-	-	2	-	3	2	12	13
1996.....	46	-	1	-	-	-	2	5	11	10	5
1995.....	53	-	-	-	-	-	-	1	7	13	9
1994.....	39	1	1	-	2	1	2	2	8	3	2
1993.....	54	-	1	-	-	1	5	3	2	5	13
1992.....	75	-	-	-	-	3	1	6	15	15	15
1991.....	48	-	-	-	1	3	4	2	6	10	3
1990.....	51	-	-	-	-	4	1	5	8	9	6
1989.....	50	-	1	1	1	4	3	6	5	10	7
1988.....	57	-	-	-	-	5	5	10	9	7	4
1987.....	46	1	-	-	1	4	2	5	5	5	8
1986.....	77	-	2	-	1	7	5	8	12	12	6
1985.....	54	-	-	-	1	1	1	4	5	11	8
1984.....	56	-	-	-	2	2	6	7	9	3	5
1983.....	51	-	-	-	-	3	3	8	7	6	3
1982.....	52	-	-	-	1	2	5	4	5	5	5
1981.....	64	-	1	-	1	3	5	2	9	14	3
1980.....	67	-	-	-	3	1	7	8	9	5	4
1979.....	92	-	3	-	-	11	10	12	5	7	10
TOTAL, MALE											
1998.....	42	-	-	-	-	1	1	4	4	6	5
1997.....	41	-	-	-	-	-	-	2	2	11	10
1996.....	32	-	-	-	-	-	2	5	9	6	4
1995.....	37	-	-	-	-	-	-	1	5	10	8
1994.....	29	-	1	-	1	1	2	2	6	3	2
1993.....	46	-	1	-	-	1	3	3	2	4	10
1992.....	57	-	-	-	-	3	-	5	13	13	11
1991.....	31	-	-	-	-	1	4	-	4	7	3
1990.....	43	-	-	-	-	3	1	4	7	9	5
1989.....	38	-	1	-	-	2	2	4	5	7	6
1988.....	47	-	-	-	-	4	5	8	7	6	4
1987.....	37	-	-	-	1	4	2	4	5	5	6
1986.....	57	-	1	-	1	6	5	6	10	10	4
1985.....	36	-	-	-	-	1	-	4	4	10	6
1984.....	43	-	-	-	1	2	6	6	8	3	4
1983.....	36	-	-	-	-	2	2	6	6	4	1
1982.....	36	-	-	-	-	2	2	4	4	4	4
1981.....	43	-	-	-	1	2	5	1	8	9	3
1980.....	48	-	-	-	1	1	7	7	7	4	2
1979.....	62	-	1	-	-	8	6	7	3	4	8

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
FROM POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E980.6-E980.9)												
TOTAL, FEMALE												
1998.....	11	-	-	-	-	-	-	2	1	2	1	
1997.....	13	-	-	-	-	2	-	1	-	1	3	
1996.....	14	-	1	-	-	-	-	-	2	4	1	
1995.....	16	-	-	-	-	-	-	-	2	3	1	
1994.....	10	1	-	-	1	-	-	-	2	-	-	
1993.....	8	-	-	-	-	-	2	-	-	1	3	
1992.....	18	-	-	-	-	-	1	1	2	2	4	
1991.....	17	-	-	-	1	2	-	2	2	3	-	
1990.....	8	-	-	-	-	1	-	1	1	-	1	
1989.....	12	-	-	1	1	2	1	2	-	3	1	
1988.....	10	-	-	-	-	1	-	2	2	1	-	
1987.....	9	1	-	-	-	-	-	1	-	-	2	
1986.....	20	-	1	-	-	1	-	2	2	2	2	
1985.....	18	-	-	-	1	-	1	-	1	1	2	
1984.....	13	-	-	-	1	-	-	1	1	-	1	
1983.....	15	-	-	-	-	1	1	2	1	2	2	
1982.....	16	-	-	-	1	-	3	-	1	1	1	
1981.....	21	-	1	-	-	1	-	1	1	5	-	
1980.....	19	-	-	-	2	-	-	1	2	1	2	
1979.....	30	-	2	-	-	3	4	5	2	3	2	
WHITE, BOTH SEXES												
1998.....	42	-	-	-	-	1	-	3	5	8	3	
1997.....	47	-	-	-	-	-	-	2	2	10	12	
1996.....	41	-	1	-	-	-	2	5	9	9	4	
1995.....	45	-	-	-	-	-	-	1	6	10	9	
1994.....	30	-	-	-	1	1	2	2	7	3	1	
1993.....	42	-	1	-	-	1	5	3	2	3	8	
1992.....	53	-	-	-	-	1	1	4	12	11	9	
1991.....	37	-	-	-	1	3	2	2	5	8	2	
1990.....	38	-	-	-	-	2	1	4	4	9	4	
1989.....	38	-	-	1	1	1	2	5	4	7	6	
1988.....	45	-	-	-	-	5	3	6	7	6	4	
1987.....	39	-	-	-	1	4	2	5	4	5	7	
1986.....	61	-	1	-	1	5	3	6	9	11	6	
1985.....	48	-	-	-	1	1	-	3	4	10	7	
1984.....	42	-	-	-	1	2	5	5	7	3	4	
1983.....	42	-	-	-	-	3	3	7	5	5	3	
1982.....	40	-	-	-	1	1	4	3	4	5	4	
1981.....	54	-	-	-	1	3	4	2	8	10	2	
1980.....	50	-	-	-	2	1	6	7	6	3	3	
1979.....	71	-	1	-	-	10	9	8	5	4	6	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
FROM POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E980.6-E980.9)											
WHITE MALE											
1998.....	32	-	-	-	-	1	-	2	4	6	2
1997.....	36	-	-	-	-	-	-	1	2	9	9
1996.....	29	-	-	-	-	-	2	5	8	5	3
1995.....	32	-	-	-	-	-	-	1	4	9	8
1994.....	22	-	-	-	1	1	2	2	5	3	1
1993.....	36	-	1	-	-	1	3	3	2	3	5
1992.....	38	-	-	-	-	1	-	4	10	9	6
1991.....	22	-	-	-	-	1	2	-	3	6	2
1990.....	32	-	-	-	-	2	1	4	3	9	3
1989.....	30	-	-	-	-	1	1	3	4	6	5
1988.....	38	-	-	-	-	4	3	5	6	5	4
1987.....	32	-	-	-	1	4	2	4	4	5	5
1986.....	47	-	1	-	1	4	3	6	8	9	4
1985.....	33	-	-	-	-	1	-	3	3	9	6
1984.....	33	-	-	-	1	2	5	4	6	3	3
1983.....	29	-	-	-	-	2	2	6	4	3	1
1982.....	26	-	-	-	-	1	2	3	3	4	3
1981.....	37	-	-	-	1	2	4	1	7	6	2
1980.....	37	-	-	-	1	1	6	6	5	2	2
1979.....	48	-	-	-	-	8	6	4	3	2	5
WHITE FEMALE											
1998.....	10	-	-	-	-	-	-	1	1	2	1
1997.....	11	-	-	-	-	-	-	1	-	1	3
1996.....	12	-	1	-	-	-	-	-	1	4	1
1995.....	13	-	-	-	-	-	-	-	2	1	1
1994.....	8	-	-	-	-	-	-	-	2	-	-
1993.....	6	-	-	-	-	-	2	-	-	-	3
1992.....	15	-	-	-	-	-	1	-	2	2	3
1991.....	15	-	-	-	1	2	-	2	2	2	-
1990.....	6	-	-	-	-	-	-	-	1	-	1
1989.....	8	-	-	1	1	-	1	2	-	1	1
1988.....	7	-	-	-	-	1	-	1	1	1	-
1987.....	7	-	-	-	-	-	-	1	-	-	2
1986.....	14	-	-	-	-	1	-	-	1	2	2
1985.....	15	-	-	-	1	-	-	-	1	1	1
1984.....	9	-	-	-	-	-	-	1	1	-	1
1983.....	13	-	-	-	-	1	1	1	1	2	2
1982.....	14	-	-	-	1	-	2	-	1	1	1
1981.....	17	-	-	-	-	1	-	1	1	4	-
1980.....	13	-	-	-	1	-	-	1	1	1	1
1979.....	23	-	1	-	-	2	3	4	2	2	1

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
FROM POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E980.6-E980.9)											
ALL OTHER, BOTH SEXES											
1998.....	11	-	-	-	-	-	1	3	-	-	3
1997.....	7	-	-	-	-	2	-	1	-	2	1
1996.....	5	-	-	-	-	-	-	-	2	1	1
1995.....	8	-	-	-	-	-	-	-	1	3	-
1994.....	9	1	1	-	1	-	-	-	1	-	1
1993.....	12	-	-	-	-	-	-	-	-	2	5
1992.....	22	-	-	-	-	2	-	2	3	4	6
1991.....	11	-	-	-	-	-	2	-	1	2	1
1990.....	13	-	-	-	-	2	-	1	4	-	2
1989.....	12	-	1	-	-	3	1	1	1	3	1
1988.....	12	-	-	-	-	-	2	4	2	1	-
1987.....	7	1	-	-	-	-	-	-	1	-	1
1986.....	16	-	1	-	-	2	2	2	3	1	-
1985.....	6	-	-	-	-	-	1	1	1	1	1
1984.....	14	-	-	-	1	-	1	2	2	-	1
1983.....	9	-	-	-	-	-	-	1	2	1	-
1982.....	12	-	-	-	-	1	1	1	1	-	1
1981.....	10	-	1	-	-	-	1	-	1	4	1
1980.....	17	-	-	-	1	-	1	1	3	2	1
1979.....	21	-	2	-	-	1	1	4	-	3	4
ALL OTHER MALE											
1998.....	10	-	-	-	-	-	1	2	-	-	3
1997.....	5	-	-	-	-	-	-	1	-	2	1
1996.....	3	-	-	-	-	-	-	-	1	1	1
1995.....	5	-	-	-	-	-	-	-	1	1	-
1994.....	7	-	1	-	-	-	-	-	1	-	1
1993.....	10	-	-	-	-	-	-	-	-	1	5
1992.....	19	-	-	-	-	2	-	1	3	4	5
1991.....	9	-	-	-	-	-	2	-	1	1	1
1990.....	11	-	-	-	-	1	-	-	4	-	2
1989.....	8	-	1	-	-	1	1	1	1	1	1
1988.....	9	-	-	-	-	-	2	3	1	1	-
1987.....	5	-	-	-	-	-	-	-	1	-	1
1986.....	10	-	-	-	-	2	2	-	2	1	-
1985.....	3	-	-	-	-	-	-	1	1	1	-
1984.....	10	-	-	-	-	-	1	2	2	-	1
1983.....	7	-	-	-	-	-	-	-	2	1	-
1982.....	10	-	-	-	-	1	-	1	1	-	1
1981.....	6	-	-	-	-	-	1	-	1	3	1
1980.....	11	-	-	-	-	-	1	1	2	2	-
1979.....	14	-	1	-	-	-	-	3	-	2	3

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
FROM POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E980.6-E980.9)												
ALL OTHER FEMALE												
1998.....	1	-	-	-	-	-	-	1	-	-	-	
1997.....	2	-	-	-	-	2	-	-	-	-	-	
1996.....	2	-	-	-	-	-	-	-	1	-	-	
1995.....	3	-	-	-	-	-	-	-	-	2	-	
1994.....	2	1	-	-	1	-	-	-	-	-	-	
1993.....	2	-	-	-	-	-	-	-	-	1	-	
1992.....	3	-	-	-	-	-	-	1	-	-	1	
1991.....	2	-	-	-	-	-	-	-	-	1	-	
1990.....	2	-	-	-	-	1	-	1	-	-	-	
1989.....	4	-	-	-	-	2	-	-	-	2	-	
1988.....	3	-	-	-	-	-	-	1	1	-	-	
1987.....	2	1	-	-	-	-	-	-	-	-	-	
1986.....	6	-	1	-	-	-	-	2	1	-	-	
1985.....	3	-	-	-	-	-	1	-	-	-	1	
1984.....	4	-	-	-	1	-	-	-	-	-	-	
1983.....	2	-	-	-	-	-	-	1	-	-	-	
1982.....	2	-	-	-	-	-	1	-	-	-	-	
1981.....	4	-	1	-	-	-	-	-	-	1	-	
1980.....	6	-	-	-	1	-	-	-	1	-	1	
1979.....	7	-	1	-	-	1	1	1	-	1	1	
BLACK, BOTH SEXES												
1998.....	9	-	-	-	-	-	1	2	-	-	3	
1997.....	5	-	-	-	-	1	-	1	-	2	-	
1996.....	4	-	-	-	-	-	-	-	1	1	1	
1995.....	7	-	-	-	-	-	-	-	1	2	-	
1994.....	5	1	1	-	-	-	-	-	-	-	-	
1993.....	12	-	-	-	-	-	-	-	-	2	5	
1992.....	21	-	-	-	-	2	-	2	3	4	5	
1991.....	9	-	-	-	-	-	1	-	1	2	-	
1990.....	8	-	-	-	-	-	-	1	3	-	2	
1989.....	6	-	1	-	-	1	-	1	1	2	-	
1988.....	10	-	-	-	-	-	1	4	1	1	-	
1987.....	7	1	-	-	-	-	-	-	1	-	1	
1986.....	8	-	1	-	-	-	-	2	-	1	-	
1985.....	5	-	-	-	-	-	-	1	1	1	1	
1984.....	11	-	-	-	1	-	-	-	2	-	1	
1983.....	8	-	-	-	-	-	-	1	1	1	-	
1982.....	8	-	-	-	-	-	-	1	-	-	1	
1981.....	10	-	1	-	-	-	1	-	1	4	1	
1980.....	14	-	-	-	-	-	1	-	3	2	1	
1979.....	20	-	2	-	-	1	1	3	-	3	4	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
FROM POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E980.6-E980.9)												
BLACK MALE												
1998.....	8	-	-	-	-	-	1	1	-	-	3	
1997.....	4	-	-	-	-	-	-	1	-	2	-	
1996.....	3	-	-	-	-	-	-	-	1	1	1	
1995.....	5	-	-	-	-	-	-	-	1	1	-	
1994.....	4	-	1	-	-	-	-	-	-	-	-	
1993.....	10	-	-	-	-	-	-	-	-	1	5	
1992.....	18	-	-	-	-	2	-	1	3	4	4	
1991.....	7	-	-	-	-	-	1	-	1	1	-	
1990.....	7	-	-	-	-	-	-	-	3	-	2	
1989.....	5	-	1	-	-	1	-	1	1	1	-	
1988.....	8	-	-	-	-	-	1	3	1	1	-	
1987.....	5	-	-	-	-	-	-	-	1	-	1	
1986.....	3	-	-	-	-	-	-	-	-	1	-	
1985.....	3	-	-	-	-	-	-	1	1	1	-	
1984.....	7	-	-	-	-	-	-	-	2	-	1	
1983.....	6	-	-	-	-	-	-	-	1	1	-	
1982.....	8	-	-	-	-	-	-	1	-	-	1	
1981.....	6	-	-	-	-	-	1	-	1	3	1	
1980.....	9	-	-	-	-	-	1	-	2	2	-	
1979.....	14	-	1	-	-	-	-	3	-	2	3	
BLACK FEMALE												
1998.....	1	-	-	-	-	-	-	1	-	-	-	
1997.....	1	-	-	-	-	1	-	-	-	-	-	
1996.....	1	-	-	-	-	-	-	-	-	-	-	
1995.....	2	-	-	-	-	-	-	-	-	1	-	
1994.....	1	1	-	-	-	-	-	-	-	-	-	
1993.....	2	-	-	-	-	-	-	-	-	1	-	
1992.....	3	-	-	-	-	-	-	1	-	-	1	
1991.....	2	-	-	-	-	-	-	-	-	1	-	
1990.....	1	-	-	-	-	-	-	1	-	-	-	
1989.....	1	-	-	-	-	-	-	-	-	1	-	
1988.....	2	-	-	-	-	-	-	1	-	-	-	
1987.....	2	1	-	-	-	-	-	-	-	-	-	
1986.....	5	-	1	-	-	-	-	2	-	-	-	
1985.....	2	-	-	-	-	-	-	-	-	-	1	
1984.....	4	-	-	-	1	-	-	-	-	-	-	
1983.....	2	-	-	-	-	-	-	1	-	-	-	
1981.....	4	-	1	-	-	-	-	-	-	1	-	
1980.....	5	-	-	-	-	-	-	-	1	-	1	
1979.....	6	-	1	-	-	1	1	-	-	1	1	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR FROM INJURY BY HANDGUN (E985.0)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	50	-	-	-	2	11	8	-	3	3	5
1997.....	73	-	1	-	3	16	9	7	5	9	3
1996.....	66	-	-	-	2	12	17	3	6	6	4
1995.....	85	-	1	-	4	29	17	10	8	2	3
1994.....	102	-	-	2	5	23	13	14	12	12	4
1993.....	113	-	-	-	3	19	23	5	19	13	3
1992.....	77	-	-	-	3	11	15	12	6	11	9
1991.....	77	-	-	-	2	22	12	10	4	6	7
1990.....	53	-	-	-	2	11	11	8	4	8	4
1989.....	59	-	-	-	5	10	8	8	7	6	2
1988.....	58	-	-	-	4	4	8	5	11	8	3
1987.....	52	-	-	1	2	6	11	6	9	6	2
1986.....	62	-	-	-	3	8	8	10	8	7	4
1985.....	65	-	-	1	2	10	10	10	4	5	4
1984.....	55	-	-	-	2	7	12	10	5	4	2
1983.....	51	-	-	-	-	6	13	15	8	2	3
1982.....	68	-	1	-	2	9	14	11	5	7	4
1981.....	95	1	-	-	3	10	18	18	13	6	11
1980.....	60	-	-	-	-	6	18	5	8	5	2
1979.....	43	-	-	-	-	5	8	5	5	-	1
TOTAL, MALE											
1998.....	44	-	-	-	2	9	8	-	3	2	5
1997.....	59	-	1	-	3	15	9	5	3	4	2
1996.....	60	-	-	-	2	11	15	3	6	6	4
1995.....	69	-	1	-	4	25	15	7	6	2	1
1994.....	89	-	-	2	5	23	11	12	10	10	4
1993.....	100	-	-	-	3	17	22	5	15	11	2
1992.....	64	-	-	-	3	10	14	11	5	8	4
1991.....	63	-	-	-	2	21	8	7	3	6	6
1990.....	41	-	-	-	2	9	9	7	3	4	4
1989.....	47	-	-	-	4	10	7	5	4	5	1
1988.....	40	-	-	-	4	4	7	3	5	6	3
1987.....	41	-	-	1	1	6	8	4	8	5	2
1986.....	50	-	-	-	3	7	6	8	6	7	4
1985.....	53	-	-	1	1	7	8	8	2	4	3
1984.....	45	-	-	-	2	6	7	9	4	3	2
1983.....	38	-	-	-	-	6	9	12	5	2	1
1982.....	51	-	1	-	2	8	11	7	3	5	3
1981.....	73	-	-	-	3	10	13	13	12	4	8
1980.....	42	-	-	-	-	4	14	3	4	4	2
1979.....	35	-	-	-	-	4	8	4	4	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR FROM INJURY BY HANDGUN (E985.0)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	6	-	-	-	-	2	-	-	-	1	-
1997.....	14	-	-	-	-	1	-	2	2	5	1
1996.....	6	-	-	-	-	1	2	-	-	-	-
1995.....	16	-	-	-	-	4	2	3	2	-	2
1994.....	13	-	-	-	-	-	2	2	2	2	-
1993.....	13	-	-	-	-	2	1	-	4	2	1
1992.....	13	-	-	-	-	1	1	1	1	3	5
1991.....	14	-	-	-	-	1	4	3	1	-	1
1990.....	12	-	-	-	-	2	2	1	1	4	-
1989.....	12	-	-	-	1	-	1	3	3	1	1
1988.....	18	-	-	-	-	-	1	2	6	2	-
1987.....	11	-	-	-	1	-	3	2	1	1	-
1986.....	12	-	-	-	-	1	2	2	2	-	-
1985.....	12	-	-	-	1	3	2	2	2	1	1
1984.....	10	-	-	-	-	1	5	1	1	1	-
1983.....	13	-	-	-	-	-	4	3	3	-	2
1982.....	17	-	-	-	-	1	3	4	2	2	1
1981.....	22	1	-	-	-	-	5	5	1	2	3
1980.....	18	-	-	-	-	2	4	2	4	1	-
1979.....	8	-	-	-	-	1	-	1	1	-	-
WHITE, BOTH SEXES											
1998.....	41	-	-	-	2	8	6	-	3	3	4
1997.....	56	-	-	-	2	13	5	3	3	8	3
1996.....	55	-	-	-	1	8	12	3	6	5	4
1995.....	61	-	-	-	2	16	12	8	8	2	3
1994.....	86	-	-	-	3	19	10	13	10	10	4
1993.....	92	-	-	-	2	15	15	4	17	10	3
1992.....	65	-	-	-	3	7	13	11	6	7	8
1991.....	60	-	-	-	1	15	8	7	4	6	7
1990.....	39	-	-	-	1	9	6	7	2	5	4
1989.....	51	-	-	-	5	7	7	6	7	5	2
1988.....	49	-	-	-	4	2	5	5	10	7	3
1987.....	43	-	-	1	2	6	9	4	8	4	1
1986.....	48	-	-	-	3	5	4	8	6	6	3
1985.....	61	-	-	1	2	10	9	10	4	3	4
1984.....	47	-	-	-	2	7	10	9	5	3	1
1983.....	42	-	-	-	-	3	11	12	8	2	3
1982.....	51	-	-	-	2	6	11	7	4	6	3
1981.....	67	-	-	-	2	8	13	15	9	2	6
1980.....	51	-	-	-	-	5	16	4	7	5	2
1979.....	35	-	-	-	-	3	6	5	4	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR FROM INJURY BY HANDGUN (E985.0)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	36	-	-	-	2	7	6	-	3	2	4
1997.....	45	-	-	-	2	12	5	3	1	4	2
1996.....	49	-	-	-	1	7	10	3	6	5	4
1995.....	48	-	-	-	2	13	12	5	6	2	1
1994.....	73	-	-	-	3	19	8	11	8	8	4
1993.....	81	-	-	-	2	13	15	4	14	8	2
1992.....	54	-	-	-	3	6	12	10	5	5	4
1991.....	48	-	-	-	1	14	5	5	3	6	6
1990.....	30	-	-	-	1	7	5	6	2	2	4
1989.....	40	-	-	-	4	7	7	3	4	4	1
1988.....	32	-	-	-	4	2	4	3	4	5	3
1987.....	36	-	-	1	1	6	8	2	7	4	1
1986.....	40	-	-	-	3	4	3	7	5	6	3
1985.....	49	-	-	1	1	7	7	8	2	2	3
1984.....	38	-	-	-	2	6	6	8	4	2	1
1983.....	30	-	-	-	-	3	8	9	5	2	1
1982.....	36	-	-	-	2	5	8	4	2	5	2
1981.....	49	-	-	-	2	8	8	11	8	1	4
1980.....	36	-	-	-	-	3	13	2	4	4	2
1979.....	29	-	-	-	-	2	6	4	3	-	1
WHITE FEMALE											
1998.....	5	-	-	-	-	1	-	-	-	1	-
1997.....	11	-	-	-	-	1	-	-	2	4	1
1996.....	6	-	-	-	-	1	2	-	-	-	-
1995.....	13	-	-	-	-	3	-	3	2	-	2
1994.....	13	-	-	-	-	-	2	2	2	2	-
1993.....	11	-	-	-	-	2	-	-	3	2	1
1992.....	11	-	-	-	-	1	1	1	1	2	4
1991.....	12	-	-	-	-	1	3	2	1	-	1
1990.....	9	-	-	-	-	2	1	1	-	3	-
1989.....	11	-	-	-	1	-	-	3	3	1	1
1988.....	17	-	-	-	-	-	1	2	6	2	-
1987.....	7	-	-	-	1	-	1	2	1	-	-
1986.....	8	-	-	-	-	1	1	1	1	-	-
1985.....	12	-	-	-	1	3	2	2	2	1	1
1984.....	9	-	-	-	-	1	4	1	1	1	-
1983.....	12	-	-	-	-	-	3	3	3	-	2
1982.....	15	-	-	-	-	1	3	3	2	1	1
1981.....	18	-	-	-	-	-	5	4	1	1	2
1980.....	15	-	-	-	-	2	3	2	3	1	-
1979.....	6	-	-	-	-	1	-	1	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR FROM INJURY BY HANDGUN (E985.0)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	9	-	-	-	-	3	2	-	-	-	1
1997.....	17	-	1	-	1	3	4	4	2	1	-
1996.....	11	-	-	-	1	4	5	-	-	1	-
1995.....	24	-	1	-	2	13	5	2	-	-	-
1994.....	16	-	-	2	2	4	3	1	2	2	-
1993.....	21	-	-	-	1	4	8	1	2	3	-
1992.....	12	-	-	-	-	4	2	1	-	4	1
1991.....	17	-	-	-	1	7	4	3	-	-	-
1990.....	14	-	-	-	1	2	5	1	2	3	-
1989.....	8	-	-	-	-	3	1	2	-	1	-
1988.....	9	-	-	-	-	2	3	-	1	1	-
1987.....	9	-	-	-	-	-	2	2	1	2	1
1986.....	14	-	-	-	-	3	4	2	2	1	1
1985.....	4	-	-	-	-	-	1	-	-	2	-
1984.....	8	-	-	-	-	-	2	1	-	1	1
1983.....	9	-	-	-	-	3	2	3	-	-	-
1982.....	17	-	1	-	-	3	3	4	1	1	1
1981.....	28	1	-	-	1	2	5	3	4	4	5
1980.....	9	-	-	-	-	1	2	1	1	-	-
1979.....	8	-	-	-	-	2	2	-	1	-	-
ALL OTHER MALE											
1998.....	8	-	-	-	-	2	2	-	-	-	1
1997.....	14	-	1	-	1	3	4	2	2	-	-
1996.....	11	-	-	-	1	4	5	-	-	1	-
1995.....	21	-	1	-	2	12	3	2	-	-	-
1994.....	16	-	-	2	2	4	3	1	2	2	-
1993.....	19	-	-	-	1	4	7	1	1	3	-
1992.....	10	-	-	-	-	4	2	1	-	3	-
1991.....	15	-	-	-	1	7	3	2	-	-	-
1990.....	11	-	-	-	1	2	4	1	1	2	-
1989.....	7	-	-	-	-	3	-	2	-	1	-
1988.....	8	-	-	-	-	2	3	-	1	1	-
1987.....	5	-	-	-	-	-	-	2	1	1	1
1986.....	10	-	-	-	-	3	3	1	1	1	1
1985.....	4	-	-	-	-	-	1	-	-	2	-
1984.....	7	-	-	-	-	-	1	1	-	1	1
1983.....	8	-	-	-	-	3	1	3	-	-	-
1982.....	15	-	1	-	-	3	3	3	1	-	1
1981.....	24	-	-	-	1	2	5	2	4	3	4
1980.....	6	-	-	-	-	1	1	1	-	-	-
1979.....	6	-	-	-	-	2	2	-	1	-	-

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR FROM INJURY BY HANDGUN (E985.0)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	1	-	-	-	-	1	-	-	-	-	-
1997.....	3	-	-	-	-	-	-	2	-	1	-
1995.....	3	-	-	-	-	1	2	-	-	-	-
1993.....	2	-	-	-	-	-	1	-	1	-	-
1992.....	2	-	-	-	-	-	-	-	-	1	1
1991.....	2	-	-	-	-	-	1	1	-	-	-
1990.....	3	-	-	-	-	-	1	-	1	1	-
1989.....	1	-	-	-	-	-	1	-	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	4	-	-	-	-	-	2	-	-	1	-
1986.....	4	-	-	-	-	-	1	1	1	-	-
1984.....	1	-	-	-	-	-	1	-	-	-	-
1983.....	1	-	-	-	-	-	1	-	-	-	-
1982.....	2	-	-	-	-	-	-	1	-	1	-
1981.....	4	1	-	-	-	-	-	1	-	1	1
1980.....	3	-	-	-	-	-	1	-	1	-	-
1979.....	2	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES											
1998.....	8	-	-	-	-	3	1	-	-	-	1
1997.....	14	-	1	-	1	3	2	4	2	-	-
1996.....	10	-	-	-	-	4	5	-	-	1	-
1995.....	18	-	1	-	2	8	5	1	-	-	-
1994.....	14	-	-	2	2	4	1	1	2	2	-
1993.....	18	-	-	-	1	3	8	-	1	3	-
1992.....	11	-	-	-	-	4	1	1	-	4	1
1991.....	16	-	-	-	1	6	4	3	-	-	-
1990.....	13	-	-	-	1	2	4	1	2	3	-
1989.....	7	-	-	-	-	3	1	2	-	1	-
1988.....	9	-	-	-	-	2	3	-	1	1	-
1987.....	9	-	-	-	-	-	2	2	1	2	1
1986.....	12	-	-	-	-	3	2	2	2	1	1
1985.....	2	-	-	-	-	-	-	-	-	2	-
1984.....	8	-	-	-	-	-	2	1	-	1	1
1983.....	8	-	-	-	-	3	2	2	-	-	-
1982.....	17	-	1	-	-	3	3	4	1	1	1
1981.....	27	1	-	-	1	2	5	3	3	4	5
1980.....	8	-	-	-	-	1	2	1	1	-	-
1979.....	7	-	-	-	-	2	1	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR FROM INJURY BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	266	-	1	1	16	43	29	27	24	32	17
1997.....	294	-	1	1	8	45	45	33	31	25	26
1996.....	347	-	3	1	7	67	48	34	36	37	27
1995.....	309	-	2	4	14	61	57	32	26	27	23
1994.....	416	-	2	4	17	84	69	41	49	33	26
1993.....	450	-	1	3	15	63	78	52	53	39	22
1992.....	331	-	1	4	12	59	47	57	37	29	32
1991.....	287	-	-	1	6	64	39	35	34	21	24
1990.....	294	-	-	-	12	41	56	41	27	18	19
1989.....	281	-	-	1	13	41	47	29	33	20	18
1988.....	384	1	-	1	27	54	59	53	37	21	24
1987.....	353	-	-	3	14	53	47	51	38	29	17
1986.....	430	-	-	-	14	46	79	62	57	31	23
1985.....	411	-	2	3	11	43	61	64	43	49	21
1984.....	427	-	1	1	21	43	77	54	39	26	34
1983.....	456	1	1	2	9	51	82	66	54	44	25
1982.....	467	-	-	3	7	55	92	61	61	44	21
1981.....	584	-	2	2	11	83	98	82	65	45	31
1980.....	566	-	2	3	15	77	99	117	56	33	30
1979.....	597	1	2	3	16	86	126	80	59	45	44
TOTAL, MALE											
1998.....	210	-	-	1	16	40	19	21	17	22	13
1997.....	243	-	-	1	6	40	37	31	27	17	18
1996.....	297	-	1	1	7	61	47	29	31	26	22
1995.....	243	-	1	3	10	57	49	20	22	17	16
1994.....	360	-	1	3	16	80	62	37	40	29	22
1993.....	366	-	-	3	14	56	68	38	41	27	18
1992.....	279	-	-	3	10	57	40	50	30	19	26
1991.....	238	-	-	-	6	55	32	30	25	17	18
1990.....	248	-	-	-	10	34	49	31	21	15	17
1989.....	239	-	-	1	11	39	43	24	25	19	13
1988.....	315	-	-	-	24	51	49	38	28	18	14
1987.....	286	-	-	2	10	47	29	41	34	22	13
1986.....	365	-	-	-	13	40	66	54	38	26	17
1985.....	335	-	2	3	8	36	49	51	37	36	20
1984.....	356	-	1	1	18	37	59	46	31	24	30
1983.....	371	-	1	-	9	41	60	57	42	32	24
1982.....	397	-	-	2	6	45	76	54	57	34	17
1981.....	481	-	2	1	10	70	80	66	50	37	22
1980.....	477	-	1	2	13	70	85	98	42	28	21
1979.....	473	-	1	3	11	70	102	64	48	33	31

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR FROM INJURY BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	56	-	1	-	-	3	10	6	7	10	4
1997.....	51	-	1	-	2	5	8	2	4	8	8
1996.....	50	-	2	-	-	6	1	5	5	11	5
1995.....	66	-	1	1	4	4	8	12	4	10	7
1994.....	56	-	1	1	1	4	7	4	9	4	4
1993.....	84	-	1	-	1	7	10	14	12	12	4
1992.....	52	-	1	1	2	2	7	7	7	10	6
1991.....	49	-	-	1	-	9	7	5	9	4	6
1990.....	46	-	-	-	2	7	7	10	6	3	2
1989.....	42	-	-	-	2	2	4	5	8	1	5
1988.....	69	1	-	1	3	3	10	15	9	3	10
1987.....	67	-	-	1	4	6	18	10	4	7	4
1986.....	65	-	-	-	1	6	13	8	19	5	6
1985.....	76	-	-	-	3	7	12	13	6	13	1
1984.....	71	-	-	-	3	6	18	8	8	2	4
1983.....	85	1	-	2	-	10	22	9	12	12	1
1982.....	70	-	-	1	1	10	16	7	4	10	4
1981.....	103	-	-	1	1	13	18	16	15	8	9
1980.....	89	-	1	1	2	7	14	19	14	5	9
1979.....	124	1	1	-	5	16	24	16	11	12	13
WHITE, BOTH SEXES											
1998.....	204	-	1	-	13	25	18	21	16	27	14
1997.....	207	-	-	-	6	22	25	21	24	21	22
1996.....	233	-	2	1	7	34	26	17	23	29	23
1995.....	229	-	1	3	9	35	37	24	24	22	17
1994.....	308	-	2	3	13	52	43	29	40	26	18
1993.....	352	-	-	2	8	33	60	43	40	33	19
1992.....	244	-	1	1	6	34	29	46	29	25	24
1991.....	233	-	-	1	4	41	29	29	30	18	24
1990.....	245	-	-	-	10	30	45	33	22	18	15
1989.....	228	-	-	1	13	30	35	21	30	15	12
1988.....	301	-	-	1	19	33	46	36	31	18	21
1987.....	298	-	-	1	12	44	39	40	32	21	16
1986.....	358	-	-	-	10	38	66	50	45	22	20
1985.....	340	-	1	2	10	34	50	51	33	41	17
1984.....	371	-	-	-	17	36	68	46	32	23	28
1983.....	375	-	1	1	6	41	63	49	48	41	21
1982.....	396	-	-	2	6	49	71	45	51	38	17
1981.....	464	-	-	2	9	68	69	65	47	39	25
1980.....	473	-	2	2	14	62	83	97	45	28	26
1979.....	477	-	1	3	10	63	103	60	49	34	39

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR FROM INJURY BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	156	-	-	-	13	23	11	16	10	17	10
1997.....	171	-	-	-	5	18	19	19	21	15	17
1996.....	199	-	1	1	7	32	25	13	19	20	19
1995.....	180	-	-	3	8	33	30	14	21	15	11
1994.....	258	-	1	2	12	49	37	26	32	22	14
1993.....	282	-	-	2	8	30	52	31	29	22	15
1992.....	200	-	-	-	5	33	24	39	23	16	20
1991.....	194	-	-	-	4	39	23	26	21	14	18
1990.....	203	-	-	-	8	23	38	25	18	15	13
1989.....	196	-	-	1	11	28	34	17	24	15	8
1988.....	243	-	-	-	17	31	38	24	23	16	11
1987.....	244	-	-	1	8	40	25	31	31	16	12
1986.....	304	-	-	-	10	32	56	43	31	18	14
1985.....	277	-	1	2	7	29	38	41	28	30	16
1984.....	309	-	-	-	14	31	51	41	25	21	25
1983.....	312	-	1	-	6	35	46	43	37	31	20
1982.....	337	-	-	2	5	41	58	40	47	29	14
1981.....	389	-	-	1	9	58	55	54	37	34	19
1980.....	395	-	1	2	13	55	69	81	32	23	19
1979.....	381	-	1	3	6	49	84	49	41	24	27
WHITE FEMALE											
1998.....	48	-	1	-	-	2	7	5	6	10	4
1997.....	36	-	-	-	1	4	6	2	3	6	5
1996.....	34	-	1	-	-	2	1	4	4	9	4
1995.....	49	-	1	-	1	2	7	10	3	7	6
1994.....	50	-	1	1	1	3	6	3	8	4	4
1993.....	70	-	-	-	-	3	8	12	11	11	4
1992.....	44	-	1	1	1	1	5	7	6	9	4
1991.....	39	-	-	1	-	2	6	3	9	4	6
1990.....	42	-	-	-	2	7	7	8	4	3	2
1989.....	32	-	-	-	2	2	1	4	6	-	4
1988.....	58	-	-	1	2	2	8	12	8	2	10
1987.....	54	-	-	-	4	4	14	9	1	5	4
1986.....	54	-	-	-	-	6	10	7	14	4	6
1985.....	63	-	-	-	3	5	12	10	5	11	1
1984.....	62	-	-	-	3	5	17	5	7	2	3
1983.....	63	-	-	1	-	6	17	6	11	10	1
1982.....	59	-	-	-	1	8	13	5	4	9	3
1981.....	75	-	-	1	-	10	14	11	10	5	6
1980.....	78	-	1	-	1	7	14	16	13	5	7
1979.....	96	-	-	-	4	14	19	11	8	10	12

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR FROM INJURY BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	62	-	-	1	3	18	11	6	8	5	3
1997.....	87	-	1	1	2	23	20	12	7	4	4
1996.....	114	-	1	-	-	33	22	17	13	8	4
1995.....	80	-	1	1	5	26	20	8	2	5	6
1994.....	108	-	-	1	4	32	26	12	9	7	8
1993.....	98	-	1	1	7	30	18	9	13	6	3
1992.....	87	-	-	3	6	25	18	11	8	4	8
1991.....	54	-	-	-	2	23	10	6	4	3	-
1990.....	49	-	-	-	2	11	11	8	5	-	4
1989.....	53	-	-	-	-	11	12	8	3	5	6
1988.....	83	1	-	-	8	21	13	17	6	3	3
1987.....	55	-	-	2	2	9	8	11	6	8	1
1986.....	72	-	-	-	4	8	13	12	12	9	3
1985.....	71	-	1	1	1	9	11	13	10	8	4
1984.....	56	-	1	1	4	7	9	8	7	3	6
1983.....	81	1	-	1	3	10	19	17	6	3	4
1982.....	71	-	-	1	1	6	21	16	10	6	4
1981.....	120	-	2	-	2	15	29	17	18	6	6
1980.....	93	-	-	1	1	15	16	20	11	5	4
1979.....	120	1	1	-	6	23	23	20	10	11	5
ALL OTHER MALE											
1998.....	54	-	-	1	3	17	8	5	7	5	3
1997.....	72	-	-	1	1	22	18	12	6	2	1
1996.....	98	-	-	-	-	29	22	16	12	6	3
1995.....	63	-	1	-	2	24	19	6	1	2	5
1994.....	102	-	-	1	4	31	25	11	8	7	8
1993.....	84	-	-	1	6	26	16	7	12	5	3
1992.....	79	-	-	3	5	24	16	11	7	3	6
1991.....	44	-	-	-	2	16	9	4	4	3	-
1990.....	45	-	-	-	2	11	11	6	3	-	4
1989.....	43	-	-	-	-	11	9	7	1	4	5
1988.....	72	-	-	-	7	20	11	14	5	2	3
1987.....	42	-	-	1	2	7	4	10	3	6	1
1986.....	61	-	-	-	3	8	10	11	7	8	3
1985.....	58	-	1	1	1	7	11	10	9	6	4
1984.....	47	-	1	1	4	6	8	5	6	3	5
1983.....	59	-	-	-	3	6	14	14	5	1	4
1982.....	60	-	-	-	1	4	18	14	10	5	3
1981.....	92	-	2	-	1	12	25	12	13	3	3
1980.....	82	-	-	-	-	15	16	17	10	5	2
1979.....	92	-	-	-	5	21	18	15	7	9	4

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR FROM INJURY BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
ALL OTHER FEMALE												
1998.....	8	-	-	-	-	1	3	1	1	-	-	
1997.....	15	-	1	-	1	1	2	-	1	2	3	
1996.....	16	-	1	-	-	4	-	1	1	2	1	
1995.....	17	-	-	1	3	2	1	2	1	3	1	
1994.....	6	-	-	-	-	1	1	1	1	-	-	
1993.....	14	-	1	-	1	4	2	2	1	1	-	
1992.....	8	-	-	-	1	1	2	-	1	1	2	
1991.....	10	-	-	-	-	7	1	2	-	-	-	
1990.....	4	-	-	-	-	-	-	2	2	-	-	
1989.....	10	-	-	-	-	-	3	1	2	1	1	
1988.....	11	1	-	-	1	1	2	3	1	1	-	
1987.....	13	-	-	1	-	2	4	1	3	2	-	
1986.....	11	-	-	-	1	-	3	1	5	1	-	
1985.....	13	-	-	-	-	2	-	3	1	2	-	
1984.....	9	-	-	-	-	1	1	3	1	-	1	
1983.....	22	1	-	1	-	4	5	3	1	2	-	
1982.....	11	-	-	1	-	2	3	2	-	1	1	
1981.....	28	-	-	-	1	3	4	5	5	3	3	
1980.....	11	-	-	1	1	-	-	3	1	-	2	
1979.....	28	1	1	-	1	2	5	5	3	2	1	
BLACK, BOTH SEXES												
1998.....	54	-	-	1	3	16	10	4	7	5	2	
1997.....	79	-	1	1	2	21	18	12	7	4	3	
1996.....	109	-	1	-	-	32	22	16	13	7	3	
1995.....	69	-	1	1	5	22	18	8	1	4	6	
1994.....	98	-	-	1	3	31	23	12	8	4	8	
1993.....	84	-	1	1	5	25	16	8	11	5	3	
1992.....	79	-	-	2	6	24	17	8	8	4	6	
1991.....	49	-	-	-	1	22	9	4	4	3	-	
1990.....	45	-	-	-	2	10	10	7	5	-	3	
1989.....	46	-	-	-	-	9	11	6	3	4	6	
1988.....	73	1	-	-	8	18	11	15	6	3	2	
1987.....	47	-	-	2	2	8	7	10	5	5	1	
1986.....	58	-	-	-	3	6	7	11	11	9	2	
1985.....	56	-	1	1	1	8	8	8	8	6	3	
1984.....	42	-	-	-	3	7	5	5	7	2	6	
1983.....	73	-	-	1	3	9	16	17	4	3	4	
1982.....	64	-	-	1	1	6	18	14	9	6	4	
1981.....	104	-	2	-	2	13	22	16	15	6	5	
1980.....	77	-	-	1	1	11	13	15	9	5	3	
1979.....	105	1	1	-	5	19	21	16	9	10	4	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR FROM INJURY BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
BLACK MALE												
1998.....	49	-	-	1	3	15	8	4	6	5	2	
1997.....	67	-	-	1	1	20	17	12	6	2	1	
1996.....	94	-	-	-	-	28	22	15	12	5	3	
1995.....	55	-	1	-	2	20	17	6	1	1	5	
1994.....	93	-	-	1	3	31	22	11	7	4	8	
1993.....	71	-	-	1	4	22	14	6	10	4	3	
1992.....	72	-	-	2	5	23	15	8	7	3	5	
1991.....	40	-	-	-	1	15	8	3	4	3	-	
1990.....	42	-	-	-	2	10	10	6	3	-	3	
1989.....	36	-	-	-	-	9	8	5	1	3	5	
1988.....	64	-	-	-	7	18	9	13	5	2	2	
1987.....	35	-	-	1	2	6	4	9	2	3	1	
1986.....	48	-	-	-	2	6	5	10	6	8	2	
1985.....	46	-	1	1	1	7	8	5	7	5	3	
1984.....	35	-	-	-	3	6	4	4	6	2	5	
1983.....	52	-	-	-	3	5	11	14	3	1	4	
1982.....	54	-	-	-	1	4	15	13	9	5	3	
1981.....	81	-	2	-	1	11	20	12	10	3	3	
1980.....	66	-	-	-	-	11	13	12	8	5	1	
1979.....	79	-	-	-	4	17	16	12	7	8	3	
BLACK FEMALE												
1998.....	5	-	-	-	-	1	2	-	1	-	-	
1997.....	12	-	1	-	1	1	1	-	1	2	2	
1996.....	15	-	1	-	-	4	-	1	1	2	-	
1995.....	14	-	-	1	3	2	1	2	-	3	1	
1994.....	5	-	-	-	-	-	1	1	1	-	-	
1993.....	13	-	1	-	1	3	2	2	1	1	-	
1992.....	7	-	-	-	1	1	2	-	1	1	1	
1991.....	9	-	-	-	-	7	1	1	-	-	-	
1990.....	3	-	-	-	-	-	-	1	2	-	-	
1989.....	10	-	-	-	-	-	3	1	2	1	1	
1988.....	9	1	-	-	1	-	2	2	1	1	-	
1987.....	12	-	-	1	-	2	3	1	3	2	-	
1986.....	10	-	-	-	1	-	2	1	5	1	-	
1985.....	10	-	-	-	-	1	-	3	1	1	-	
1984.....	7	-	-	-	-	1	1	1	1	-	1	
1983.....	21	-	-	1	-	4	5	3	1	2	-	
1982.....	10	-	-	1	-	2	3	1	-	1	1	
1981.....	23	-	-	-	1	2	2	4	5	3	2	
1980.....	11	-	-	1	1	-	-	3	1	-	2	
1979.....	26	1	1	-	1	2	5	4	2	2	1	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	1,079	71	37	13	31	37	55	67	80	127	129
1997.....	1,036	55	35	12	17	35	54	68	91	105	139
1996.....	1,140	54	43	17	16	43	45	68	109	150	132
1995.....	976	49	35	7	16	32	53	50	114	122	103
1994.....	1,028	36	37	14	18	39	81	65	96	111	113
1993.....	1,060	51	33	10	23	39	79	82	125	107	109
1992.....	1,011	36	28	7	16	34	68	96	95	117	114
1991.....	1,046	45	40	10	27	40	59	88	113	121	88
1990.....	1,023	51	30	18	17	44	74	107	107	106	86
1989.....	1,060	41	53	2	18	49	84	94	123	111	80
1988.....	1,291	39	54	21	16	63	114	135	128	122	88
1987.....	1,460	53	71	17	24	52	119	155	156	135	111
1986.....	1,583	50	49	10	20	66	139	175	161	152	125
1985.....	1,518	52	66	15	22	61	126	173	192	135	110
1984.....	1,704	59	55	24	24	85	159	193	168	158	103
1983.....	1,796	55	67	22	37	81	164	195	175	145	129
1982.....	1,879	71	64	19	29	86	197	201	190	158	109
1981.....	2,073	77	77	18	27	114	210	187	186	153	124
1980.....	2,144	68	98	30	30	126	208	214	191	155	141
1979.....	2,260	81	85	25	49	137	221	208	202	164	135
TOTAL, MALE											
1998.....	754	49	23	8	25	30	46	50	54	91	101
1997.....	741	36	16	8	14	31	46	50	69	79	103
1996.....	816	26	22	11	13	36	33	50	88	118	102
1995.....	722	25	24	5	14	28	44	40	83	96	82
1994.....	744	19	15	7	14	30	65	54	73	86	88
1993.....	780	29	18	6	19	32	68	65	102	79	75
1992.....	753	22	16	4	15	27	54	76	78	95	91
1991.....	758	26	16	4	19	33	50	70	89	103	67
1990.....	753	28	19	13	13	37	61	82	85	84	69
1989.....	773	25	32	-	13	42	70	70	97	88	55
1988.....	941	26	25	15	14	46	84	103	103	98	68
1987.....	1,101	32	37	9	21	37	92	124	130	114	87
1986.....	1,195	30	30	5	15	55	107	142	119	122	100
1985.....	1,114	29	40	6	18	44	96	137	160	101	85
1984.....	1,265	35	26	13	18	70	129	155	140	117	86
1983.....	1,327	27	44	14	32	65	126	146	147	109	103
1982.....	1,382	41	38	13	24	66	153	157	139	130	85
1981.....	1,493	35	42	11	18	87	165	149	145	113	95
1980.....	1,588	44	59	19	25	98	167	169	159	124	108
1979.....	1,626	35	52	17	34	99	181	163	153	125	99

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)											
TOTAL, FEMALE											
1998.....	325	22	14	5	6	7	9	17	26	36	28
1997.....	295	19	19	4	3	4	8	18	22	26	36
1996.....	324	28	21	6	3	7	12	18	21	32	30
1995.....	254	24	11	2	2	4	9	10	31	26	21
1994.....	284	17	22	7	4	9	16	11	23	25	25
1993.....	280	22	15	4	4	7	11	17	23	28	34
1992.....	258	14	12	3	1	7	14	20	17	22	23
1991.....	288	19	24	6	8	7	9	18	24	18	21
1990.....	270	23	11	5	4	7	13	25	22	22	17
1989.....	287	16	21	2	5	7	14	24	26	23	25
1988.....	350	13	29	6	2	17	30	32	25	24	20
1987.....	359	21	34	8	3	15	27	31	26	21	24
1986.....	388	20	19	5	5	11	32	33	42	30	25
1985.....	404	23	26	9	4	17	30	36	32	34	25
1984.....	439	24	29	11	6	15	30	38	28	41	17
1983.....	469	28	23	8	5	16	38	49	28	36	26
1982.....	497	30	26	6	5	20	44	44	51	28	24
1981.....	580	42	35	7	9	27	45	38	41	40	29
1980.....	556	24	39	11	5	28	41	45	32	31	33
1979.....	634	46	33	8	15	38	40	45	49	39	36
WHITE, BOTH SEXES											
1998.....	802	50	25	11	18	32	41	50	59	93	87
1997.....	774	37	20	7	16	24	33	55	66	79	101
1996.....	859	36	27	11	14	32	31	54	76	115	95
1995.....	674	29	21	5	14	24	32	33	74	82	75
1994.....	758	22	23	8	13	31	62	48	69	82	78
1993.....	770	26	19	8	21	33	63	53	91	80	69
1992.....	745	20	15	5	13	26	49	66	62	85	90
1991.....	743	26	28	5	19	29	41	57	75	77	58
1990.....	708	21	13	11	13	33	56	69	71	72	64
1989.....	765	23	39	1	16	39	67	64	88	74	60
1988.....	905	21	28	12	14	48	81	80	81	80	64
1987.....	972	38	34	7	19	35	73	88	104	89	63
1986.....	1,075	26	17	6	14	47	107	117	92	98	89
1985.....	1,045	24	39	8	14	47	88	116	121	88	76
1984.....	1,211	33	30	14	16	63	117	126	113	107	67
1983.....	1,225	20	35	12	29	63	113	121	108	97	87
1982.....	1,292	37	37	11	18	72	131	130	115	113	61
1981.....	1,476	44	41	11	22	89	153	140	117	101	77
1980.....	1,540	40	52	15	21	98	159	153	126	100	90
1979.....	1,583	39	46	12	41	100	156	129	136	113	80

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)											
WHITE MALE											
1998.....	545	32	14	6	15	26	33	38	40	67	66
1997.....	551	24	10	6	13	20	28	42	53	59	76
1996.....	605	17	15	6	12	26	24	38	58	90	73
1995.....	494	14	13	3	12	22	27	27	56	66	60
1994.....	535	13	8	4	10	24	52	38	52	61	60
1993.....	572	16	11	4	18	27	55	45	76	63	47
1992.....	544	13	8	3	12	23	37	52	50	68	73
1991.....	536	15	12	1	14	24	36	44	57	67	48
1990.....	527	12	8	9	9	29	46	54	57	57	51
1989.....	557	12	23	-	11	33	55	52	71	59	40
1988.....	663	12	13	10	12	34	62	66	67	63	49
1987.....	726	24	21	6	17	23	56	74	84	76	46
1986.....	812	16	13	3	9	38	82	94	67	78	75
1985.....	766	13	22	4	13	35	71	94	104	63	59
1984.....	897	20	11	10	14	51	97	100	96	77	55
1983.....	910	9	22	8	25	51	86	92	93	74	67
1982.....	937	20	23	8	14	54	103	104	82	94	43
1981.....	1,060	21	24	6	14	71	117	109	94	71	59
1980.....	1,118	27	34	10	19	80	128	123	105	78	70
1979.....	1,143	20	29	9	28	77	132	104	101	86	62
WHITE FEMALE											
1998.....	257	18	11	5	3	6	8	12	19	26	21
1997.....	223	13	10	1	3	4	5	13	13	20	25
1996.....	254	19	12	5	2	6	7	16	18	25	22
1995.....	180	15	8	2	2	2	5	6	18	16	15
1994.....	223	9	15	4	3	7	10	10	17	21	18
1993.....	198	10	8	4	3	6	8	8	15	17	22
1992.....	201	7	7	2	1	3	12	14	12	17	17
1991.....	207	11	16	4	5	5	5	13	18	10	10
1990.....	181	9	5	2	4	4	10	15	14	15	13
1989.....	208	11	16	1	5	6	12	12	17	15	20
1988.....	242	9	15	2	2	14	19	14	14	17	15
1987.....	246	14	13	1	2	12	17	14	20	13	17
1986.....	263	10	4	3	5	9	25	23	25	20	14
1985.....	279	11	17	4	1	12	17	22	17	25	17
1984.....	314	13	19	4	2	12	20	26	17	30	12
1983.....	315	11	13	4	4	12	27	29	15	23	20
1982.....	355	17	14	3	4	18	28	26	33	19	18
1981.....	416	23	17	5	8	18	36	31	23	30	18
1980.....	422	13	18	5	2	18	31	30	21	22	20
1979.....	440	19	17	3	13	23	24	25	35	27	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)											
ALL OTHER, BOTH SEXES											
1998.....	277	21	12	2	13	5	14	17	21	34	42
1997.....	262	18	15	5	1	11	21	13	25	26	38
1996.....	281	18	16	6	2	11	14	14	33	35	37
1995.....	302	20	14	2	2	8	21	17	40	40	28
1994.....	270	14	14	6	5	8	19	17	27	29	35
1993.....	290	25	14	2	2	6	16	29	34	27	40
1992.....	266	16	13	2	3	8	19	30	33	32	24
1991.....	303	19	12	5	8	11	18	31	38	44	30
1990.....	315	30	17	7	4	11	18	38	36	34	22
1989.....	295	18	14	1	2	10	17	30	35	37	20
1988.....	386	18	26	9	2	15	33	55	47	42	24
1987.....	488	15	37	10	5	17	46	67	52	46	48
1986.....	508	24	32	4	6	19	32	58	69	54	36
1985.....	473	28	27	7	8	14	38	57	71	47	34
1984.....	493	26	25	10	8	22	42	67	55	51	36
1983.....	571	35	32	10	8	18	51	74	67	48	42
1982.....	587	34	27	8	11	14	66	71	75	45	48
1981.....	597	33	36	7	5	25	57	47	69	52	47
1980.....	604	28	46	15	9	28	49	61	65	55	51
1979.....	677	42	39	13	8	37	65	79	66	51	55
ALL OTHER MALE											
1998.....	209	17	9	2	10	4	13	12	14	24	35
1997.....	190	12	6	2	1	11	18	8	16	20	27
1996.....	211	9	7	5	1	10	9	12	30	28	29
1995.....	228	11	11	2	2	6	17	13	27	30	22
1994.....	209	6	7	3	4	6	13	16	21	25	28
1993.....	208	13	7	2	1	5	13	20	26	16	28
1992.....	209	9	8	1	3	4	17	24	28	27	18
1991.....	222	11	4	3	5	9	14	26	32	36	19
1990.....	226	16	11	4	4	8	15	28	28	27	18
1989.....	216	13	9	-	2	9	15	18	26	29	15
1988.....	278	14	12	5	2	12	22	37	36	35	19
1987.....	375	8	16	3	4	14	36	50	46	38	41
1986.....	383	14	17	2	6	17	25	48	52	44	25
1985.....	348	16	18	2	5	9	25	43	56	38	26
1984.....	368	15	15	3	4	19	32	55	44	40	31
1983.....	417	18	22	6	7	14	40	54	54	35	36
1982.....	445	21	15	5	10	12	50	53	57	36	42
1981.....	433	14	18	5	4	16	48	40	51	42	36
1980.....	470	17	25	9	6	18	39	46	54	46	38
1979.....	483	15	23	8	6	22	49	59	52	39	37

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)											
ALL OTHER FEMALE											
1998.....	68	4	3	-	3	1	1	5	7	10	7
1997.....	72	6	9	3	-	-	3	5	9	6	11
1996.....	70	9	9	1	1	1	5	2	3	7	8
1995.....	74	9	3	-	-	2	4	4	13	10	6
1994.....	61	8	7	3	1	2	6	1	6	4	7
1993.....	82	12	7	-	1	1	3	9	8	11	12
1992.....	57	7	5	1	-	4	2	6	5	5	6
1991.....	81	8	8	2	3	2	4	5	6	8	11
1990.....	89	14	6	3	-	3	3	10	8	7	4
1989.....	79	5	5	1	-	1	2	12	9	8	5
1988.....	108	4	14	4	-	3	11	18	11	7	5
1987.....	113	7	21	7	1	3	10	17	6	8	7
1986.....	125	10	15	2	-	2	7	10	17	10	11
1985.....	125	12	9	5	3	5	13	14	15	9	8
1984.....	125	11	10	7	4	3	10	12	11	11	5
1983.....	154	17	10	4	1	4	11	20	13	13	6
1982.....	142	13	12	3	1	2	16	18	18	9	6
1981.....	164	19	18	2	1	9	9	7	18	10	11
1980.....	134	11	21	6	3	10	10	15	11	9	13
1979.....	194	27	16	5	2	15	16	20	14	12	18
BLACK, BOTH SEXES											
1998.....	225	15	12	2	11	5	10	11	17	22	37
1997.....	215	13	14	5	1	11	16	9	24	21	29
1996.....	245	18	15	5	2	11	9	12	27	31	32
1995.....	249	17	13	2	2	5	15	13	35	35	22
1994.....	231	12	13	6	5	8	13	14	22	25	32
1993.....	239	23	12	1	2	4	10	23	26	24	35
1992.....	229	15	13	2	2	5	14	26	28	29	24
1991.....	265	17	10	5	8	10	14	25	33	39	27
1990.....	268	28	14	7	4	5	16	31	34	30	21
1989.....	261	16	14	1	1	8	10	25	33	34	17
1988.....	336	17	23	8	2	11	28	48	37	36	21
1987.....	437	15	36	9	1	15	41	61	46	40	41
1986.....	444	24	31	3	4	16	27	43	59	48	31
1985.....	425	26	24	7	7	11	31	48	67	43	32
1984.....	440	24	24	9	8	18	32	62	50	47	33
1983.....	508	34	28	10	7	15	41	65	61	41	38
1982.....	512	31	24	7	11	10	52	58	71	39	44
1981.....	539	30	34	7	5	19	51	44	63	47	43
1980.....	553	26	46	14	9	24	45	54	60	47	48
1979.....	611	39	37	13	6	32	60	68	62	46	48

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)											
BLACK MALE											
1998.....	175	12	9	2	9	4	10	7	13	16	30
1997.....	157	9	5	2	1	11	15	5	15	16	19
1996.....	181	9	6	4	1	10	6	10	24	26	25
1995.....	187	9	10	2	2	3	13	9	23	28	17
1994.....	179	5	6	3	4	6	9	13	16	23	26
1993.....	167	11	6	1	1	3	8	15	19	15	25
1992.....	180	8	8	1	2	3	13	22	23	24	18
1991.....	196	10	4	3	5	8	11	22	28	32	18
1990.....	190	14	9	4	4	4	13	21	26	24	17
1989.....	188	11	9	-	1	8	8	14	25	26	13
1988.....	246	13	11	5	2	9	18	33	31	29	18
1987.....	331	8	15	2	1	12	31	46	40	33	35
1986.....	341	14	16	2	4	15	22	34	47	40	22
1985.....	314	14	17	2	5	8	20	36	53	35	24
1984.....	332	14	14	3	4	17	23	50	42	39	29
1983.....	371	17	20	6	6	12	32	48	49	31	32
1982.....	387	20	12	5	10	8	40	43	54	33	38
1981.....	395	13	16	5	4	13	44	38	46	39	33
1980.....	432	17	25	9	6	16	36	42	50	39	35
1979.....	438	13	22	8	5	20	45	53	48	35	34
BLACK FEMALE											
1998.....	50	3	3	-	2	1	-	4	4	6	7
1997.....	58	4	9	3	-	-	1	4	9	5	10
1996.....	64	9	9	1	1	1	3	2	3	5	7
1995.....	62	8	3	-	-	2	2	4	12	7	5
1994.....	52	7	7	3	1	2	4	1	6	2	6
1993.....	72	12	6	-	1	1	2	8	7	9	10
1992.....	49	7	5	1	-	2	1	4	5	5	6
1991.....	69	7	6	2	3	2	3	3	5	7	9
1990.....	78	14	5	3	-	1	3	10	8	6	4
1989.....	73	5	5	1	-	-	2	11	8	8	4
1988.....	90	4	12	3	-	2	10	15	6	7	3
1987.....	106	7	21	7	-	3	10	15	6	7	6
1986.....	103	10	15	1	-	1	5	9	12	8	9
1985.....	111	12	7	5	2	3	11	12	14	8	8
1984.....	108	10	10	6	4	1	9	12	8	8	4
1983.....	137	17	8	4	1	3	9	17	12	10	6
1982.....	125	11	12	2	1	2	12	15	17	6	6
1981.....	144	17	18	2	1	6	7	6	17	8	10
1980.....	121	9	21	5	3	8	9	12	10	8	13
1979.....	173	26	15	5	1	12	15	15	14	11	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
INJURY RESULTING FROM OPERATIONS OF WAR (E990-E999)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	17	-	-	-	-	-	-	-	-	-	-
1997.....	9	-	-	-	-	-	-	-	-	-	1
1996.....	13	-	-	-	-	-	-	-	-	-	-
1995.....	9	-	-	-	-	1	-	-	-	-	-
1994.....	16	-	-	-	-	-	-	-	-	-	-
1993.....	8	-	-	-	-	-	-	-	-	-	-
1992.....	11	-	-	-	-	-	-	-	-	-	-
1991.....	10	-	-	-	-	-	-	-	1	-	1
1990.....	14	-	-	-	-	-	-	-	-	-	2
1989.....	14	-	-	-	-	-	-	-	-	2	1
1988.....	15	-	-	-	-	-	-	-	1	-	3
1987.....	12	-	-	-	-	-	2	-	-	1	2
1986.....	12	-	-	-	-	-	-	-	-	3	2
1985.....	19	-	-	-	1	-	-	-	-	4	-
1984.....	23	-	-	-	-	-	1	-	1	4	-
1983.....	13	-	-	-	-	-	1	-	1	2	1
1982.....	11	-	-	-	-	-	-	-	-	2	-
1981.....	16	-	-	-	-	-	-	-	2	3	-
1980.....	23	-	-	-	-	-	-	-	1	-	1
1979.....	17	-	-	-	-	-	-	-	3	1	1
TOTAL, MALE											
1998.....	17	-	-	-	-	-	-	-	-	-	-
1997.....	9	-	-	-	-	-	-	-	-	-	1
1996.....	13	-	-	-	-	-	-	-	-	-	-
1995.....	9	-	-	-	-	1	-	-	-	-	-
1994.....	16	-	-	-	-	-	-	-	-	-	-
1993.....	8	-	-	-	-	-	-	-	-	-	-
1992.....	10	-	-	-	-	-	-	-	-	-	-
1991.....	10	-	-	-	-	-	-	-	1	-	1
1990.....	14	-	-	-	-	-	-	-	-	-	2
1989.....	14	-	-	-	-	-	-	-	-	2	1
1988.....	15	-	-	-	-	-	-	-	1	-	3
1987.....	10	-	-	-	-	-	-	-	-	1	2
1986.....	12	-	-	-	-	-	-	-	-	3	2
1985.....	18	-	-	-	1	-	-	-	-	4	-
1984.....	23	-	-	-	-	-	1	-	1	4	-
1983.....	13	-	-	-	-	-	1	-	1	2	1
1982.....	11	-	-	-	-	-	-	-	-	2	-
1981.....	16	-	-	-	-	-	-	-	2	3	-
1980.....	23	-	-	-	-	-	-	-	1	-	1
1979.....	17	-	-	-	-	-	-	-	3	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INJURY RESULTING FROM OPERATIONS OF WAR (E990-E999)											
TOTAL, FEMALE											
1992.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	2	-	-	-	-	-	2	-	-	-	-
1985.....	1	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES											
1998.....	16	-	-	-	-	-	-	-	-	-	-
1997.....	7	-	-	-	-	-	-	-	-	-	-
1996.....	13	-	-	-	-	-	-	-	-	-	-
1995.....	9	-	-	-	-	1	-	-	-	-	-
1994.....	14	-	-	-	-	-	-	-	-	-	-
1993.....	6	-	-	-	-	-	-	-	-	-	-
1992.....	10	-	-	-	-	-	-	-	-	-	-
1991.....	9	-	-	-	-	-	-	-	-	-	1
1990.....	12	-	-	-	-	-	-	-	-	-	2
1989.....	12	-	-	-	-	-	-	-	-	2	1
1988.....	13	-	-	-	-	-	-	-	-	-	3
1987.....	9	-	-	-	-	-	-	-	-	-	2
1986.....	11	-	-	-	-	-	-	-	-	3	1
1985.....	17	-	-	-	-	-	-	-	-	4	-
1984.....	22	-	-	-	-	-	1	-	1	3	-
1983.....	11	-	-	-	-	-	-	-	1	1	1
1982.....	9	-	-	-	-	-	-	-	-	-	-
1981.....	14	-	-	-	-	-	-	-	1	2	-
1980.....	20	-	-	-	-	-	-	-	-	-	1
1979.....	15	-	-	-	-	-	-	-	2	-	1
WHITE MALE											
1998.....	16	-	-	-	-	-	-	-	-	-	-
1997.....	7	-	-	-	-	-	-	-	-	-	-
1996.....	13	-	-	-	-	-	-	-	-	-	-
1995.....	9	-	-	-	-	1	-	-	-	-	-
1994.....	14	-	-	-	-	-	-	-	-	-	-
1993.....	6	-	-	-	-	-	-	-	-	-	-
1992.....	9	-	-	-	-	-	-	-	-	-	-
1991.....	9	-	-	-	-	-	-	-	-	-	1
1990.....	12	-	-	-	-	-	-	-	-	-	2
1989.....	12	-	-	-	-	-	-	-	-	2	1
1988.....	13	-	-	-	-	-	-	-	-	-	3
1987.....	9	-	-	-	-	-	-	-	-	-	2
1986.....	11	-	-	-	-	-	-	-	-	3	1
1985.....	16	-	-	-	-	-	-	-	-	4	-
1984.....	22	-	-	-	-	-	1	-	1	3	-
1983.....	11	-	-	-	-	-	-	-	1	1	1
1982.....	9	-	-	-	-	-	-	-	-	-	-
1981.....	14	-	-	-	-	-	-	-	1	2	-
1980.....	20	-	-	-	-	-	-	-	-	-	1
1979.....	15	-	-	-	-	-	-	-	2	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INJURY RESULTING FROM OPERATIONS OF WAR (E990-E999)											
WHITE FEMALE											
1992.....	1	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER, BOTH SEXES											
1998.....	1	-	-	-	-	-	-	-	-	-	-
1997.....	2	-	-	-	-	-	-	-	-	-	1
1994.....	2	-	-	-	-	-	-	-	-	-	-
1993.....	2	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	1	-	-
1990.....	2	-	-	-	-	-	-	-	-	-	-
1989.....	2	-	-	-	-	-	-	-	-	-	-
1988.....	2	-	-	-	-	-	-	-	1	-	-
1987.....	3	-	-	-	-	-	2	-	-	1	-
1986.....	1	-	-	-	-	-	-	-	-	-	1
1985.....	2	-	-	-	1	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	1	-
1983.....	2	-	-	-	-	-	1	-	-	1	-
1982.....	2	-	-	-	-	-	-	-	-	2	-
1981.....	2	-	-	-	-	-	-	-	1	1	-
1980.....	3	-	-	-	-	-	-	-	1	-	-
1979.....	2	-	-	-	-	-	-	-	1	1	-
ALL OTHER MALE											
1998.....	1	-	-	-	-	-	-	-	-	-	-
1997.....	2	-	-	-	-	-	-	-	-	-	1
1994.....	2	-	-	-	-	-	-	-	-	-	-
1993.....	2	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	1	-	-
1990.....	2	-	-	-	-	-	-	-	-	-	-
1989.....	2	-	-	-	-	-	-	-	-	-	-
1988.....	2	-	-	-	-	-	-	-	1	-	-
1987.....	1	-	-	-	-	-	-	-	-	1	-
1986.....	1	-	-	-	-	-	-	-	-	-	1
1985.....	2	-	-	-	1	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	1	-
1983.....	2	-	-	-	-	-	1	-	-	1	-
1982.....	2	-	-	-	-	-	-	-	-	2	-
1981.....	2	-	-	-	-	-	-	-	1	1	-
1980.....	3	-	-	-	-	-	-	-	1	-	-
1979.....	2	-	-	-	-	-	-	-	1	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INJURY RESULTING FROM OPERATIONS OF WAR (E990-E999)											
ALL OTHER FEMALE											
1987.....	2	-	-	-	-	-	2	-	-	-	-
BLACK, BOTH SEXES											
1998.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	2	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	1	-	-
1990.....	2	-	-	-	-	-	-	-	-	-	-
1989.....	2	-	-	-	-	-	-	-	-	-	-
1988.....	2	-	-	-	-	-	-	-	1	-	-
1987.....	3	-	-	-	-	-	2	-	-	1	-
1986.....	1	-	-	-	-	-	-	-	-	-	1
1985.....	2	-	-	-	1	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	1	-
1983.....	2	-	-	-	-	-	1	-	-	1	-
1982.....	2	-	-	-	-	-	-	-	-	2	-
1981.....	2	-	-	-	-	-	-	-	1	1	-
1980.....	2	-	-	-	-	-	-	-	1	-	-
1979.....	2	-	-	-	-	-	-	-	1	1	-
BLACK MALE											
1998.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	2	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	1	-	-
1990.....	2	-	-	-	-	-	-	-	-	-	-
1989.....	2	-	-	-	-	-	-	-	-	-	-
1988.....	2	-	-	-	-	-	-	-	1	-	-
1987.....	1	-	-	-	-	-	-	-	-	1	-
1986.....	1	-	-	-	-	-	-	-	-	-	1
1985.....	2	-	-	-	1	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	1	-
1983.....	2	-	-	-	-	-	1	-	-	1	-
1982.....	2	-	-	-	-	-	-	-	-	2	-
1981.....	2	-	-	-	-	-	-	-	1	1	-
1980.....	2	-	-	-	-	-	-	-	1	-	-
1979.....	2	-	-	-	-	-	-	-	1	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INJURY RESULTING FROM OPERATIONS OF WAR (E990-E999)											
BLACK FEMALE											
1987.....	2	-	-	-	-	-	2	-	-	-	-