

CAUSES-OF-DEATH CODE, RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)
 RACE, SEX, AND YEAR YEARS 40-44 YEARS 45-49 YEARS 50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85 + YEARS
 0 DISEASES OF THYMUS GLAND (254)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
WHITE MALE										
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.0	-	-	-	-	-
1979.....	-	-	-	-	-	-	0.0	-	-	-
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.0	-	-	-	-	-
1979.....	-	0.0	0.0	-	-	-	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF THYMUS GLAND (254)										
ALL OTHER FEMALE										
1996.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	-	-	-	-	-	-	-	0.4	-	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	-	-	-	-	-	-	-	0.3	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF THYMUS GLAND (254)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
BLACK FEMALE										
1996.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	-	-	-	-	-	-	-	0.4	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISORDERS OF ADRENAL GLANDS (255)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	0.3	0.5	0.7	1.0
1997.....	*	*	*	*	*	0.2	0.2	0.5	0.6	0.9
1996.....	*	*	*	*	*	*	0.3	0.4	0.5	1.1
1995.....	*	*	*	*	*	*	0.3	0.3	0.5	0.8
1994.....	*	*	*	*	*	*	0.3	0.5	0.7	1.0
1993.....	*	*	*	*	*	0.2	0.3	0.6	0.7	1.0
1992.....	*	*	*	*	*	0.2	0.3	0.4	0.7	1.1
1991.....	*	*	*	*	0.2	*	*	0.5	0.6	0.9
1990.....	*	*	*	*	*	0.2	*	0.5	0.6	0.9
1989.....	*	*	*	*	*	0.2	0.3	0.5	0.5	0.8
1988.....	*	*	*	*	*	0.2	0.4	0.5	0.8	*
1987.....	*	*	*	*	*	0.2	0.4	0.6	0.7	0.8
1986.....	*	*	*	*	*	0.4	0.4	0.7	0.6	1.4
1985.....	*	*	*	*	*	0.2	0.3	0.5	0.6	*
1984.....	*	*	*	0.2	*	0.3	0.4	0.5	1.0	1.0
1983.....	*	*	*	*	0.2	0.4	0.5	0.6	*	1.3
1982.....	*	*	*	*	0.2	0.3	0.6	0.6	0.7	*
1981.....	*	*	*	*	0.3	0.3	0.5	0.5	*	0.9
1980.....	0.1	0.1	0.1	0.2	0.2	0.3	0.5	0.7	0.7	0.9
1979.....	0.1	0.1	0.1	0.3	0.2	0.4	0.5	0.6	0.8	0.9
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	0.5	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.0	0.1	0.1	0.1	0.3	0.6	0.6	0.4	0.7
1979.....	0.1	0.1	0.1	0.2	0.2	0.4	0.5	0.9	0.8	0.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISORDERS OF ADRENAL GLANDS (255)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	0.5	0.9	1.0
1997.....	*	*	*	*	*	*	*	0.6	*	0.8
1996.....	*	*	*	*	*	*	*	0.5	*	1.2
1995.....	*	*	*	*	*	*	*	*	*	0.8
1994.....	*	*	*	*	*	*	*	0.5	0.7	0.8
1993.....	*	*	*	*	*	*	*	0.6	*	1.1
1992.....	*	*	*	*	*	*	*	0.5	*	1.0
1991.....	*	*	*	*	*	*	*	0.7	*	0.9
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	0.6	*	*
1987.....	*	*	*	*	*	*	*	0.7	*	*
1986.....	*	*	*	*	*	*	0.5	0.8	*	1.3
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	1.1	*
1983.....	*	*	*	*	*	0.5	0.5	*	*	1.4
1982.....	*	*	*	*	*	*	0.6	*	*	*
1981.....	*	*	*	*	*	*	0.5	*	*	*
1980.....	0.1	0.1	0.1	0.3	0.3	0.4	0.4	0.7	0.9	1.0
1979.....	0.1	0.2	0.1	0.3	0.3	0.5	0.5	0.4	0.9	0.9
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	0.3	0.5	0.7	1.0
1997.....	*	*	*	*	*	0.2	*	0.5	0.6	0.9
1996.....	*	*	*	*	*	*	0.3	0.4	0.5	1.2
1995.....	*	*	*	*	*	*	0.3	0.3	0.5	0.8
1994.....	*	*	*	*	*	*	0.3	0.5	0.7	1.0
1993.....	*	*	*	*	*	0.2	0.3	0.5	0.7	1.0
1992.....	*	*	*	*	*	0.2	0.3	0.5	0.8	1.2
1991.....	*	*	*	*	0.2	*	*	0.5	0.7	0.9
1990.....	*	*	*	*	*	*	*	0.5	0.6	0.8
1989.....	*	*	*	*	*	0.2	0.3	0.5	*	0.8
1988.....	*	*	*	*	*	0.3	0.4	0.5	0.8	*
1987.....	*	*	*	*	*	*	0.4	0.6	0.7	0.8
1986.....	*	*	*	*	*	0.4	0.4	0.6	*	1.3
1985.....	*	*	*	*	*	*	0.4	0.5	*	*
1984.....	*	*	*	*	*	0.3	0.4	0.5	0.9	1.0
1983.....	*	*	*	*	*	0.4	0.5	0.6	*	1.4
1982.....	*	*	*	*	0.2	0.3	0.6	0.5	*	*
1981.....	*	*	*	*	0.3	0.3	0.5	0.5	*	1.0
1980.....	0.0	0.1	0.1	0.2	0.2	0.3	0.5	0.8	0.7	0.9
1979.....	0.1	0.1	0.1	0.3	0.2	0.4	0.5	0.6	0.8	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISORDERS OF ADRENAL GLANDS (255)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.1	0.1	0.2	0.3	0.6	0.7	0.4	0.6
1979.....	0.0	0.0	0.0	0.2	0.2	0.3	0.5	0.7	0.8	1.0
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	0.6	0.9	1.0
1997.....	*	*	*	*	*	*	*	0.6	*	0.9
1996.....	*	*	*	*	*	*	*	*	*	1.3
1995.....	*	*	*	*	*	*	*	*	*	0.9
1994.....	*	*	*	*	*	*	*	0.6	*	*
1993.....	*	*	*	*	*	*	*	0.6	*	1.2
1992.....	*	*	*	*	*	*	*	*	*	1.1
1991.....	*	*	*	*	*	*	*	0.6	*	1.0
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	0.7	*	*
1986.....	*	*	*	*	*	*	*	0.8	*	1.2
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	1.1	*
1983.....	*	*	*	*	*	0.5	*	*	*	1.5
1982.....	*	*	*	*	*	*	0.7	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.1	0.3	0.2	0.4	0.4	0.8	0.9	1.0
1979.....	0.1	0.2	0.2	0.3	0.3	0.4	0.5	0.5	0.9	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISORDERS OF ADRENAL GLANDS (255)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.1	0.2	0.2	0.3	0.5	-	0.4	1.1
1979.....	0.1	0.1	0.1	0.2	0.1	0.6	0.5	0.9	0.9	-
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.2	0.2	-	0.3	0.7	-	-	1.6
1979.....	0.3	0.2	0.2	-	-	0.5	0.4	2.2	1.2	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 DISORDERS OF ADRENAL GLANDS (255)

ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.1	0.3	0.4	0.4	0.3	-	0.7	0.8
1979.....	-	0.1	-	0.3	0.2	0.6	0.6	-	0.7	-

BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.2	0.2	0.2	0.4	0.5	-	0.5	-
1979.....	0.2	0.2	0.1	0.2	0.1	0.6	0.6	0.8	1.0	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 DISORDERS OF ADRENAL GLANDS (255)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.2	0.2	-	0.3	0.9	-	-	-
1979.....	0.4	0.2	0.2	-	-	0.6	0.4	1.9	1.3	-

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	0.2	0.2	0.4	0.4	0.3	-	0.8	-
1979.....	-	0.2	-	0.3	0.2	0.7	0.6	-	0.8	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CYSTIC FIBROSIS (277.0)										
TOTAL, BOTH SEXES										
1998.....	0.1	*	*	*	*	*	*	*	*	*
1997.....	0.2	0.1	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1979.....	0.0	0.0	0.0	-	-	0.0	0.0	0.0	-	-
TOTAL, MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	0.0	0.0	0.0	-	0.1	0.1	-
1979.....	-	-	-	-	-	0.0	0.0	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CYSTIC FIBROSIS (277.0)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.0	-	0.0	0.0	0.0	-	-	-
1979.....	0.0	0.0	0.0	-	-	-	0.0	0.1	-	-
WHITE, BOTH SEXES										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	0.2	0.1	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
1979.....	0.0	0.0	0.0	-	-	0.0	0.0	0.0	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CYSTIC FIBROSIS (277.0)										
WHITE MALE										
1998.....	0.2	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	0.0	0.0	0.0	-	0.1	0.1	-
1979.....	-	-	-	-	-	0.0	0.0	-	-	-
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.0	-	0.0	0.0	0.0	-	-	-
1979.....	0.0	0.0	0.0	-	-	-	0.0	0.0	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CYSTIC FIBROSIS (277.0)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	-	-	-	-	-	-	-	0.4	-	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	-	-	-	-	-	-	-	0.3	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CYSTIC FIBROSIS (277.0)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	-	-	-	-	-	-	-	-	-	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	-	-	-	-
1979.....	-	-	-	-	-	-	-	0.4	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OBESITY (278.0)										
TOTAL, BOTH SEXES										
1998.....	1.1	1.3	1.8	1.9	2.4	2.1	2.0	1.8	1.2	1.2
1997.....	1.0	1.4	1.5	1.9	2.0	2.0	1.9	2.1	1.5	1.4
1996.....	0.9	1.3	1.7	1.6	2.2	1.8	1.7	1.8	1.8	1.5
1995.....	0.9	1.2	1.3	1.8	1.6	1.8	2.2	1.7	1.8	1.4
1994.....	0.9	1.1	1.3	1.6	1.9	1.9	1.8	1.7	1.3	1.3
1993.....	0.8	1.3	1.3	1.4	1.7	1.9	1.6	1.5	1.5	1.3
1992.....	0.7	1.0	1.3	1.4	1.5	1.4	1.6	1.4	1.3	1.3
1991.....	0.7	1.0	1.0	1.4	1.6	1.3	1.7	1.5	1.4	0.9
1990.....	0.6	0.8	0.9	1.2	1.5	1.5	1.6	1.9	1.6	1.3
1989.....	0.6	1.0	1.3	1.5	1.3	1.6	1.7	1.6	1.3	1.4
1988.....	0.6	0.7	1.1	1.0	1.3	1.4	1.5	1.2	1.5	1.0
1987.....	0.5	0.8	0.9	1.0	1.3	1.4	1.1	1.3	1.2	0.8
1986.....	0.5	0.8	0.9	0.9	1.3	1.5	1.2	1.2	1.2	1.3
1985.....	0.5	0.7	0.8	1.2	1.2	1.1	1.6	1.1	1.1	0.9
1984.....	0.5	0.6	0.8	1.0	1.0	1.3	1.3	1.3	1.1	1.2
1983.....	0.5	0.7	0.7	1.1	1.2	1.4	1.2	1.5	1.3	1.2
1982.....	0.7	0.6	0.8	0.9	1.1	1.3	1.2	1.4	1.0	1.4
1981.....	0.5	0.6	0.9	1.0	1.2	1.3	1.2	1.4	1.1	1.8
1980.....	0.7	0.8	1.0	1.2	1.3	1.3	1.5	1.5	1.6	1.9
1979.....	0.5	0.8	1.0	0.8	1.3	1.3	1.5	1.5	1.6	1.4
TOTAL, MALE										
1998.....	1.2	1.4	2.1	1.7	2.3	2.2	1.3	1.2	*	*
1997.....	1.0	1.6	1.7	1.7	1.7	1.7	1.9	1.5	*	*
1996.....	1.1	1.4	1.7	1.6	2.2	1.6	1.5	1.3	1.3	*
1995.....	0.9	1.3	1.4	1.8	1.4	1.7	1.6	1.0	*	*
1994.....	0.9	1.2	1.4	1.6	1.6	1.6	1.4	1.2	*	*
1993.....	0.9	1.3	1.5	1.3	1.7	1.5	1.2	1.3	1.7	*
1992.....	0.8	1.2	1.4	1.2	1.5	1.3	1.4	1.3	*	*
1991.....	0.8	1.0	0.9	1.4	1.4	1.1	1.3	1.1	*	*
1990.....	0.5	0.8	0.9	1.4	1.5	1.4	1.3	1.0	*	*
1989.....	0.6	1.1	1.3	1.4	1.2	1.4	1.1	1.4	*	*
1988.....	0.6	0.8	1.2	1.0	1.2	1.3	1.1	*	*	*
1987.....	0.4	0.7	0.9	1.1	0.8	1.2	0.6	0.9	*	*
1986.....	0.5	0.8	0.9	0.9	1.1	1.1	0.9	1.0	*	*
1985.....	0.6	0.7	0.9	1.2	0.9	0.8	1.2	*	*	*
1984.....	0.5	0.6	0.7	0.9	0.6	1.4	1.0	*	*	*
1983.....	0.4	0.7	0.8	1.1	1.1	1.0	0.8	*	*	*
1982.....	0.8	0.7	0.9	0.8	1.0	1.2	0.9	1.1	*	*
1981.....	0.4	0.5	1.0	0.7	0.8	1.0	1.0	*	*	*
1980.....	0.6	0.6	0.9	1.0	1.0	1.1	1.3	1.0	1.2	0.9
1979.....	0.4	0.8	1.0	0.7	1.2	1.3	0.9	0.9	1.2	0.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OBESITY (278.0)										
TOTAL, FEMALE										
1998.....	0.9	1.3	1.5	2.0	2.5	2.1	2.6	2.3	1.5	1.3
1997.....	0.9	1.2	1.4	2.0	2.4	2.2	1.9	2.5	1.8	1.8
1996.....	0.7	1.3	1.8	1.6	2.3	2.0	1.9	2.2	2.2	1.7
1995.....	0.8	1.0	1.3	1.7	1.8	2.0	2.5	2.2	2.2	1.5
1994.....	0.9	1.0	1.3	1.5	2.1	2.1	2.0	2.0	1.5	1.5
1993.....	0.8	1.3	1.1	1.5	1.7	2.1	2.0	1.6	1.4	1.3
1992.....	0.6	0.9	1.2	1.5	1.4	1.6	1.7	1.4	1.6	1.5
1991.....	0.6	1.0	1.0	1.4	1.8	1.5	2.0	1.7	1.7	1.2
1990.....	0.6	0.8	0.9	1.1	1.5	1.6	1.8	2.4	1.9	1.7
1989.....	0.6	0.9	1.2	1.7	1.3	1.7	2.2	1.8	1.6	1.7
1988.....	0.5	0.7	1.1	1.0	1.4	1.4	1.9	1.4	1.6	1.2
1987.....	0.6	0.8	0.8	0.9	1.7	1.5	1.4	1.5	1.5	1.0
1986.....	0.4	0.8	0.9	0.9	1.5	1.8	1.4	1.3	1.4	1.6
1985.....	0.4	0.7	0.7	1.1	1.5	1.4	1.9	1.5	1.5	1.2
1984.....	0.6	0.6	1.0	1.1	1.4	1.2	1.5	1.5	1.4	1.4
1983.....	0.6	0.8	0.7	1.0	1.4	1.7	1.5	1.9	1.7	1.6
1982.....	0.6	0.6	0.8	1.0	1.3	1.3	1.5	1.5	1.1	1.7
1981.....	0.6	0.7	0.9	1.2	1.5	1.6	1.4	1.8	1.2	2.1
1980.....	0.8	0.9	1.1	1.3	1.6	1.5	1.7	1.8	1.8	2.4
1979.....	0.6	0.8	0.9	1.0	1.4	1.3	1.9	1.9	1.9	1.7
WHITE, BOTH SEXES										
1998.....	0.9	1.2	1.7	1.8	2.3	1.9	2.0	1.7	1.3	1.0
1997.....	0.9	1.3	1.3	1.8	1.9	1.9	1.6	1.9	1.4	1.5
1996.....	0.7	1.2	1.6	1.5	2.0	1.7	1.6	1.8	1.8	1.6
1995.....	0.8	1.0	1.2	1.6	1.5	1.8	2.0	1.6	1.6	1.2
1994.....	0.8	0.9	1.2	1.4	1.8	1.7	1.6	1.6	1.2	1.2
1993.....	0.8	1.1	1.1	1.3	1.5	1.6	1.5	1.5	1.3	1.2
1992.....	0.6	0.9	1.1	1.2	1.3	1.4	1.5	1.2	1.2	1.4
1991.....	0.6	0.9	0.8	1.3	1.4	1.2	1.6	1.3	1.3	1.0
1990.....	0.5	0.6	0.7	1.1	1.4	1.4	1.4	1.8	1.5	1.3
1989.....	0.5	0.8	1.1	1.4	1.2	1.5	1.6	1.5	1.1	1.4
1988.....	0.4	0.6	0.9	0.9	1.2	1.2	1.4	1.1	1.5	0.9
1987.....	0.5	0.7	0.7	0.9	1.2	1.2	0.9	1.1	1.0	0.9
1986.....	0.4	0.7	0.8	0.8	1.1	1.4	1.2	1.1	1.1	1.4
1985.....	0.4	0.6	0.8	1.1	1.1	1.0	1.6	1.1	1.1	0.9
1984.....	0.5	0.5	0.7	0.8	0.9	1.2	1.2	1.2	1.0	1.2
1983.....	0.5	0.5	0.7	1.0	1.1	1.2	1.1	1.4	1.3	1.3
1982.....	0.6	0.5	0.8	0.8	1.0	1.2	1.1	1.3	1.0	1.4
1981.....	0.5	0.5	0.9	0.8	1.1	1.2	1.0	1.4	1.1	1.9
1980.....	0.5	0.7	0.9	1.0	1.2	1.3	1.4	1.4	1.5	2.0
1979.....	0.4	0.7	0.9	0.7	1.2	1.2	1.4	1.5	1.5	1.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OBESITY (278.0)										
WHITE MALE										
1998.....	1.0	1.3	2.1	1.8	2.3	2.0	1.3	1.0	*	*
1997.....	1.0	1.6	1.6	1.8	1.7	1.7	1.8	1.4	*	*
1996.....	0.9	1.4	1.7	1.6	2.2	1.6	1.4	1.3	1.3	*
1995.....	0.9	1.2	1.3	1.9	1.4	1.8	1.7	1.0	*	*
1994.....	1.0	1.2	1.4	1.6	1.7	1.6	1.5	1.3	*	*
1993.....	0.8	1.2	1.5	1.2	1.7	1.5	1.1	1.4	1.7	*
1992.....	0.8	1.0	1.4	1.2	1.5	1.3	1.5	1.3	*	*
1991.....	0.8	1.0	0.9	1.5	1.4	1.1	1.3	1.1	*	*
1990.....	0.5	0.7	0.8	1.2	1.5	1.4	1.2	1.1	*	*
1989.....	0.6	1.0	1.2	1.4	1.2	1.4	1.2	1.4	*	*
1988.....	0.4	0.8	1.0	1.0	1.1	1.2	1.1	*	*	*
1987.....	0.4	0.7	0.9	1.0	0.8	1.3	*	*	*	*
1986.....	0.5	0.8	0.9	0.8	1.0	1.2	1.0	*	*	*
1985.....	0.6	0.6	1.0	1.2	0.8	0.7	1.3	*	*	*
1984.....	0.4	0.5	0.6	0.9	0.6	1.3	1.0	*	*	*
1983.....	0.4	0.5	0.8	1.2	1.1	1.0	0.8	*	*	*
1982.....	0.8	0.7	0.9	0.7	1.0	1.1	0.8	*	*	*
1981.....	0.4	0.5	1.0	0.6	0.8	1.0	0.9	*	*	*
1980.....	0.5	0.6	0.9	1.0	1.0	1.2	1.3	1.0	1.3	1.0
1979.....	0.3	0.8	1.1	0.7	1.3	1.3	0.9	1.0	1.1	0.8
WHITE FEMALE										
1998.....	0.7	1.0	1.4	1.8	2.3	1.8	2.6	2.2	1.5	1.1
1997.....	0.7	1.0	1.1	1.9	2.2	2.2	1.5	2.2	1.7	1.8
1996.....	0.5	0.9	1.5	1.4	1.9	1.8	1.8	2.1	2.1	1.7
1995.....	0.6	0.8	1.1	1.4	1.7	1.8	2.3	2.0	2.0	1.3
1994.....	0.7	0.7	1.0	1.2	1.9	1.8	1.7	1.8	1.3	1.5
1993.....	0.7	1.0	0.8	1.3	1.3	1.7	1.7	1.5	1.2	1.2
1992.....	0.5	0.8	0.9	1.2	1.2	1.5	1.5	1.1	1.4	1.7
1991.....	0.5	0.8	0.8	1.1	1.4	1.3	1.8	1.5	1.5	1.2
1990.....	0.4	0.6	0.7	1.0	1.3	1.4	1.6	2.2	1.8	1.7
1989.....	0.4	0.6	1.0	1.3	1.2	1.6	1.9	1.6	1.3	1.7
1988.....	0.4	0.5	0.9	0.9	1.3	1.1	1.6	1.3	1.5	1.1
1987.....	0.5	0.6	0.5	0.8	1.5	1.2	1.1	1.2	1.3	*
1986.....	0.3	0.6	0.7	0.7	1.2	1.6	1.3	1.1	1.2	1.7
1985.....	*	0.6	0.6	1.0	1.3	1.2	1.8	1.4	1.5	*
1984.....	0.5	0.4	0.8	0.8	1.1	1.2	1.4	1.5	1.5	1.4
1983.....	0.5	0.5	0.5	0.9	1.2	1.3	1.3	1.7	1.8	1.6
1982.....	0.4	*	0.7	0.9	1.0	1.3	1.4	1.4	1.1	1.7
1981.....	0.6	0.6	0.7	0.9	1.3	1.4	1.1	1.7	1.2	2.2
1980.....	0.5	0.7	0.9	1.0	1.4	1.4	1.5	1.6	1.6	2.4
1979.....	0.6	0.6	0.8	0.7	1.1	1.1	1.8	1.9	1.8	1.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OBESITY (278.0)										
ALL OTHER, BOTH SEXES										
1998.....	1.9	2.2	2.2	2.5	3.2	3.6	2.0	3.1	*	*
1997.....	1.5	2.1	2.8	2.2	2.8	2.3	4.0	3.7	*	*
1996.....	1.6	2.2	2.7	2.3	3.4	2.7	3.0	*	*	*
1995.....	1.4	1.9	2.0	2.7	2.3	2.2	3.4	*	*	*
1994.....	1.3	1.9	2.1	2.9	2.5	3.3	3.0	*	*	*
1993.....	1.2	2.3	2.1	2.1	3.1	3.6	3.1	*	*	*
1992.....	1.2	1.9	2.5	2.6	2.6	1.9	2.4	3.2	*	*
1991.....	1.1	1.7	1.8	2.1	3.1	2.2	2.4	*	*	*
1990.....	1.2	1.8	2.0	2.3	2.4	2.5	3.0	*	*	*
1989.....	1.4	2.0	2.3	2.5	1.8	2.1	3.3	*	*	*
1988.....	1.4	1.4	2.4	1.8	2.1	3.0	2.9	*	*	*
1987.....	0.9	1.4	1.9	1.6	2.0	2.5	2.8	*	*	*
1986.....	*	1.5	1.5	2.1	3.0	2.2	*	*	*	*
1985.....	*	1.3	*	1.8	2.8	2.3	*	*	*	*
1984.....	*	1.5	2.0	2.5	1.9	*	*	*	*	*
1983.....	*	2.1	*	*	2.1	3.1	*	*	*	*
1982.....	*	1.6	*	2.0	2.1	*	*	*	*	*
1981.....	*	*	1.5	2.4	2.2	2.3	3.0	*	*	*
1980.....	1.8	1.6	1.6	2.5	2.2	1.3	2.5	2.7	2.6	1.1
1979.....	0.7	1.4	1.4	1.7	2.5	1.9	2.3	1.6	2.7	-
ALL OTHER MALE										
1998.....	1.9	1.8	2.1	*	*	*	*	*	*	*
1997.....	1.2	2.1	2.3	*	*	*	*	*	*	*
1996.....	1.8	*	*	*	*	*	*	*	*	*
1995.....	*	1.8	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	2.2	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.1	0.5	0.5	1.1	0.7	0.3	1.1	1.1	-	-
1979.....	0.4	0.5	0.7	0.2	0.5	1.0	1.1	-	2.3	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OBESITY (278.0)										
ALL OTHER FEMALE										
1998.....	1.9	2.6	2.3	3.2	3.9	3.6	*	*	*	*
1997.....	1.8	2.1	3.2	2.6	3.6	2.8	4.8	5.0	*	*
1996.....	1.5	2.9	3.3	2.8	4.7	3.6	*	*	*	*
1995.....	1.5	2.0	2.1	3.4	2.9	3.2	4.8	*	*	*
1994.....	1.6	2.4	2.7	3.6	3.4	4.4	4.7	*	*	*
1993.....	1.3	2.9	2.5	2.5	4.3	5.0	4.2	*	*	*
1992.....	1.5	*	2.9	3.6	3.0	*	*	*	*	*
1991.....	*	2.0	*	2.7	4.3	3.1	*	*	*	*
1990.....	1.8	2.1	2.4	*	3.1	3.4	*	*	*	*
1989.....	1.8	2.4	2.7	3.6	*	*	5.0	*	*	*
1988.....	*	*	2.5	*	*	3.5	*	*	*	*
1987.....	*	*	2.9	*	3.4	3.6	*	*	*	*
1986.....	*	*	*	*	3.9	*	*	*	*	*
1985.....	*	*	*	*	3.5	*	*	*	*	*
1984.....	*	*	2.6	3.8	3.2	*	*	*	*	*
1983.....	*	2.7	*	*	*	4.3	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	3.6	*	*	*	*	*	*
1980.....	2.4	2.5	2.6	3.8	3.4	2.2	3.5	3.8	4.2	1.7
1979.....	0.9	2.2	1.9	3.0	4.2	2.6	3.2	2.7	2.9	-
BLACK, BOTH SEXES										
1998.....	2.5	3.0	2.9	3.4	4.2	4.7	2.7	4.0	*	*
1997.....	2.1	2.8	3.9	2.7	3.7	3.0	5.3	4.8	*	*
1996.....	2.1	2.7	3.7	3.1	4.6	3.3	4.0	*	*	*
1995.....	1.8	2.6	2.8	3.5	2.9	2.7	4.3	*	*	*
1994.....	1.6	2.6	2.9	4.0	3.4	4.1	3.5	*	*	*
1993.....	1.6	3.1	2.8	2.8	3.9	4.6	3.9	*	*	*
1992.....	1.7	2.7	3.3	3.2	3.3	2.5	*	4.0	*	*
1991.....	1.5	2.3	2.2	2.8	3.7	2.6	3.0	*	*	*
1990.....	1.5	2.3	2.5	3.0	2.9	3.1	3.6	*	*	*
1989.....	1.9	2.6	2.9	3.0	2.3	2.5	3.9	*	*	*
1988.....	1.9	1.8	2.9	2.2	2.5	3.7	3.5	*	*	*
1987.....	*	1.7	2.4	2.0	2.5	3.0	3.4	*	*	*
1986.....	*	1.9	1.9	2.5	3.7	2.6	*	*	*	*
1985.....	*	1.7	*	2.2	3.5	2.6	*	*	*	*
1984.....	*	1.9	2.4	2.9	2.4	*	*	*	*	*
1983.....	*	2.5	*	*	2.4	3.4	*	*	*	*
1982.....	*	2.1	*	2.4	2.4	*	*	*	*	*
1981.....	*	*	1.9	2.9	2.5	2.5	*	*	*	*
1980.....	2.2	1.9	1.9	3.0	2.5	1.5	2.7	2.8	3.0	1.3
1979.....	0.8	1.6	1.6	2.0	2.9	2.2	2.6	1.8	2.5	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OBESITY (278.0)										
BLACK MALE										
1998.....	2.6	2.5	*	*	*	*	*	*	*	*
1997.....	*	2.8	3.1	*	*	*	*	*	*	*
1996.....	2.3	*	*	*	*	*	*	*	*	*
1995.....	*	2.5	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	3.1	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.4	0.6	0.6	1.3	0.8	0.3	1.3	1.3	-	-
1979.....	0.5	0.6	0.8	0.2	0.5	1.2	1.3	-	2.6	-
BLACK FEMALE										
1998.....	2.5	3.4	3.2	4.4	5.1	4.8	*	*	*	*
1997.....	2.5	2.7	4.5	3.2	4.9	3.7	6.4	6.4	*	*
1996.....	2.0	3.7	4.6	3.7	6.3	4.5	*	*	*	*
1995.....	2.0	2.8	2.9	4.5	3.7	3.8	6.2	*	*	*
1994.....	2.1	3.4	3.7	4.8	4.5	5.6	5.5	*	*	*
1993.....	1.8	3.9	3.4	3.3	5.5	6.4	5.3	*	*	*
1992.....	2.0	*	3.9	4.2	3.8	*	*	*	*	*
1991.....	*	2.8	*	3.6	5.2	*	*	*	*	*
1990.....	2.3	2.9	3.1	*	3.8	4.2	*	*	*	*
1989.....	2.3	2.9	3.3	4.5	*	*	5.8	*	*	*
1988.....	*	*	3.2	*	*	4.3	*	*	*	*
1987.....	*	*	3.6	*	4.2	4.4	*	*	*	*
1986.....	*	*	*	*	4.8	*	*	*	*	*
1985.....	*	*	*	*	4.3	*	*	*	*	*
1984.....	*	*	3.3	4.4	3.8	*	*	*	*	*
1983.....	*	3.4	*	*	*	4.6	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	4.3	*	*	*	*	*	*
1980.....	2.9	3.0	3.0	4.4	3.9	2.5	3.6	3.8	4.8	1.9
1979.....	1.0	2.5	2.3	3.5	4.7	2.9	3.5	3.0	2.4	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)										

TOTAL, BOTH SEXES

1998.....	1.2	2.0	3.0	4.6	6.9	10.5	16.7	24.8	44.7	120.9
1997.....	1.2	1.9	2.9	4.3	6.6	10.1	16.2	24.6	44.7	116.9
1996.....	1.6	1.9	2.5	4.2	6.6	9.5	15.0	23.4	40.8	109.3
1995.....	1.7	2.2	3.0	4.1	6.1	8.9	13.7	22.6	39.2	108.3
1994.....	1.8	2.1	2.7	3.9	6.0	9.3	13.7	22.0	39.0	101.9
1993.....	1.5	2.2	2.6	4.3	5.5	9.2	13.5	20.7	37.9	99.1
1992.....	1.7	2.1	3.0	4.1	5.9	8.4	12.7	19.2	36.2	92.5
1991.....	1.6	1.9	2.9	4.1	6.2	8.4	12.7	19.7	34.3	91.3
1990.....	1.3	1.9	2.6	3.8	5.3	7.9	12.6	18.5	33.6	90.2
1989.....	1.5	1.9	2.3	3.7	5.2	8.0	11.6	19.9	34.9	89.3
1988.....	1.3	1.6	2.5	3.6	5.1	7.5	11.0	18.0	35.0	90.0
1987.....	1.1	1.7	2.3	3.0	4.6	6.5	10.7	17.6	32.4	80.8
1986.....	6.9	6.2	4.9	4.6	5.7	7.2	10.8	17.6	32.2	81.2
1985.....	4.1	3.8	3.4	4.1	5.0	6.5	10.7	17.0	32.1	76.4
1984.....	2.2	2.6	2.7	3.2	4.6	6.3	9.8	16.2	29.2	70.7
1983.....	1.6	1.8	2.3	3.2	4.0	6.1	10.0	15.7	27.1	66.0
1982.....	1.0	1.5	2.1	2.9	3.9	5.8	9.5	15.5	26.0	58.9
1981.....	0.8	1.5	1.7	2.8	3.7	6.1	9.3	15.1	25.6	58.9
1980.....	0.9	1.5	2.1	3.0	3.8	6.5	9.1	15.4	28.8	60.1
1979.....	0.8	1.4	2.2	2.8	4.0	5.7	8.9	13.6	23.2	50.3

TOTAL, MALE

1998.....	1.6	2.8	4.0	6.2	9.1	13.0	19.5	28.5	46.8	105.3
1997.....	1.6	2.6	3.7	5.9	8.5	12.6	19.6	28.1	48.3	109.7
1996.....	2.3	2.7	3.6	5.6	8.6	11.6	17.1	25.7	46.0	103.3
1995.....	2.5	3.1	4.0	5.4	8.2	10.3	16.2	24.7	41.0	103.7
1994.....	2.6	3.1	3.8	5.0	8.1	11.3	16.2	24.2	43.5	97.4
1993.....	2.2	3.0	3.7	5.5	7.0	10.8	15.5	25.4	40.8	101.1
1992.....	2.6	3.1	4.2	5.1	7.2	10.3	15.2	21.7	38.7	94.1
1991.....	2.4	2.6	4.1	5.5	7.8	10.5	15.0	23.0	40.5	91.3
1990.....	1.9	2.5	3.4	4.6	6.2	9.7	14.7	22.6	37.4	95.1
1989.....	2.0	2.4	2.9	4.9	6.4	9.8	13.7	23.9	40.2	96.9
1988.....	1.8	2.0	3.1	4.3	6.3	9.0	13.0	21.1	40.9	94.6
1987.....	1.5	2.4	2.8	4.1	5.5	8.2	13.2	21.5	39.9	88.0
1986.....	12.7	11.1	8.3	6.7	7.5	9.4	13.3	21.6	36.7	91.5
1985.....	7.3	6.5	5.5	5.8	6.5	7.8	12.8	20.9	36.8	88.2
1984.....	3.8	3.9	3.7	4.4	5.4	8.0	12.4	20.5	32.6	76.4
1983.....	2.5	2.3	2.9	4.3	4.8	7.8	12.8	18.3	32.3	74.6
1982.....	1.1	1.9	2.6	3.7	4.8	6.8	11.6	18.5	30.3	71.8
1981.....	0.9	1.6	1.9	3.4	4.0	7.7	11.5	18.1	29.1	68.3
1980.....	1.2	1.9	2.7	3.7	4.3	8.4	10.2	19.0	37.3	70.4
1979.....	1.0	1.8	2.8	3.5	4.9	6.7	10.8	16.2	28.2	57.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)										
TOTAL, FEMALE										
1998.....	0.9	1.2	2.1	3.1	5.1	8.4	14.4	22.2	43.5	127.4
1997.....	0.9	1.2	2.1	2.8	4.9	7.9	13.6	22.2	42.6	119.8
1996.....	1.0	1.0	1.6	2.8	4.8	7.8	13.4	21.8	37.8	111.7
1995.....	0.9	1.4	2.1	3.0	4.2	7.8	11.9	21.1	38.2	110.1
1994.....	1.0	1.0	1.6	2.8	4.2	7.7	11.8	20.5	36.6	103.7
1993.....	0.9	1.5	1.7	3.1	4.1	8.0	11.9	17.6	36.3	98.3
1992.....	0.9	1.1	1.8	3.3	4.8	6.8	10.8	17.5	34.8	91.9
1991.....	0.8	1.2	1.9	2.7	4.8	6.7	11.0	17.6	30.9	91.4
1990.....	0.7	1.2	1.8	3.0	4.5	6.5	11.0	15.8	31.6	88.2
1989.....	1.0	1.4	1.8	2.7	4.1	6.5	10.0	17.3	32.1	86.3
1988.....	0.8	1.2	2.0	2.9	4.1	6.4	9.5	16.0	31.9	88.2
1987.....	0.8	1.0	1.8	2.0	3.8	5.1	8.9	15.2	28.5	78.0
1986.....	1.2	1.5	1.8	2.7	4.1	5.4	9.0	15.0	29.9	77.1
1985.....	1.0	1.3	1.4	2.5	3.7	5.4	9.2	14.6	29.6	71.7
1984.....	0.7	1.4	1.9	2.2	3.9	5.0	7.9	13.5	27.4	68.3
1983.....	0.7	1.3	1.7	2.2	3.3	4.8	8.0	14.1	24.4	62.5
1982.....	1.0	1.1	1.6	2.3	3.2	4.9	8.0	13.6	23.8	53.5
1981.....	0.7	1.3	1.5	2.3	3.5	4.8	7.8	13.2	23.7	54.9
1980.....	0.7	1.2	1.5	2.3	3.4	5.0	8.3	13.1	24.3	55.6
1979.....	0.7	1.0	1.6	2.1	3.3	4.8	7.6	11.9	20.6	47.3
WHITE, BOTH SEXES										
1998.....	1.0	1.8	2.8	4.4	6.6	10.0	16.1	24.5	43.7	121.4
1997.....	1.0	1.6	2.7	4.1	6.5	10.0	15.9	23.9	44.1	115.9
1996.....	1.3	1.6	2.3	4.0	6.4	9.4	14.4	22.9	39.3	107.8
1995.....	1.3	1.9	2.7	4.0	5.8	8.7	13.3	22.1	37.5	107.3
1994.....	1.4	1.8	2.4	3.6	5.6	9.1	12.9	20.5	38.2	99.6
1993.....	1.2	1.9	2.4	3.8	5.3	9.0	13.1	20.0	36.3	96.6
1992.....	1.5	1.9	2.7	3.9	5.6	8.0	11.9	18.2	34.6	90.3
1991.....	1.4	1.7	2.8	3.8	5.7	8.0	11.8	18.6	32.5	87.2
1990.....	1.1	1.6	2.2	3.4	5.1	7.4	11.7	17.0	31.8	86.3
1989.....	1.2	1.7	2.1	3.4	4.6	7.4	10.4	18.4	33.3	84.8
1988.....	1.1	1.5	2.3	3.2	4.6	6.8	10.1	16.8	32.8	87.4
1987.....	0.9	1.4	2.0	2.7	4.0	5.8	10.0	15.7	29.6	76.6
1986.....	6.0	5.3	4.2	4.2	5.1	6.6	9.7	16.0	30.1	77.6
1985.....	3.4	3.4	3.0	3.8	4.6	6.0	9.8	15.7	29.8	72.1
1984.....	2.1	2.3	2.5	2.8	4.1	5.9	9.1	14.6	26.8	68.2
1983.....	1.4	1.6	2.0	2.7	3.6	5.5	9.1	13.9	25.0	63.4
1982.....	0.9	1.3	2.0	2.8	3.7	5.1	8.4	13.7	24.1	56.3
1981.....	0.7	1.3	1.4	2.5	3.2	5.7	8.4	13.8	23.4	56.2
1980.....	0.9	1.4	1.8	2.6	3.5	5.8	7.8	13.9	26.6	57.4
1979.....	0.7	1.2	2.0	2.4	3.5	5.2	7.9	11.5	21.4	47.0

RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)										
WHITE MALE										
1998.....	1.3	2.5	3.7	6.0	8.6	12.8	18.9	28.2	45.0	104.5
1997.....	1.3	2.3	3.5	5.7	8.4	12.7	19.2	27.0	47.2	108.1
1996.....	1.8	2.2	3.2	5.3	8.6	11.4	16.6	25.2	44.0	101.1
1995.....	2.0	2.6	3.6	5.2	7.8	9.8	15.6	24.0	38.5	100.9
1994.....	2.1	2.6	3.5	4.8	7.3	11.1	15.1	22.5	41.8	93.7
1993.....	1.7	2.6	3.4	5.1	6.8	10.5	15.1	24.4	38.3	96.9
1992.....	2.3	2.8	3.6	4.8	6.9	9.7	14.4	20.4	36.1	90.3
1991.....	2.2	2.3	4.0	5.2	7.3	10.2	14.0	21.5	39.1	87.3
1990.....	1.6	2.3	2.9	4.3	5.9	9.3	13.4	20.7	34.8	89.8
1989.....	1.7	2.3	2.6	4.5	5.8	9.2	12.0	21.8	38.6	90.3
1988.....	1.5	1.9	2.8	3.9	5.7	7.9	12.0	19.6	38.6	92.7
1987.....	1.3	2.1	2.5	3.7	4.9	7.5	12.4	19.0	36.9	82.1
1986.....	11.2	9.5	7.1	6.0	6.5	8.7	12.1	19.0	33.9	88.4
1985.....	6.1	5.7	4.9	5.3	5.9	7.2	11.7	18.9	33.9	84.9
1984.....	3.6	3.6	3.5	3.9	4.9	7.4	11.6	18.8	29.1	75.1
1983.....	2.2	2.1	2.6	3.6	4.2	7.0	11.4	15.9	29.8	74.8
1982.....	0.9	1.7	2.4	3.6	4.7	6.1	10.2	17.4	26.7	68.9
1981.....	0.8	1.4	1.6	2.9	3.2	7.1	10.4	16.9	26.8	65.9
1980.....	1.0	1.6	2.3	3.2	4.1	7.4	8.7	17.4	34.5	66.4
1979.....	0.8	1.6	2.6	3.1	4.3	6.3	9.3	13.4	26.0	52.0
WHITE FEMALE										
1998.....	0.6	1.0	1.9	3.0	4.8	7.7	13.9	21.9	42.9	128.3
1997.....	0.8	0.9	2.0	2.6	4.7	7.7	13.2	21.7	42.2	119.1
1996.....	0.8	0.9	1.5	2.7	4.5	7.6	12.6	21.3	36.6	110.4
1995.....	0.6	1.2	1.9	2.8	4.0	7.7	11.6	20.7	36.8	109.8
1994.....	0.7	1.0	1.5	2.4	4.0	7.5	11.3	19.1	36.2	101.9
1993.....	0.8	1.2	1.3	2.6	4.0	7.7	11.5	17.0	35.2	96.5
1992.....	0.6	1.0	1.7	3.0	4.5	6.6	10.0	16.7	33.8	90.4
1991.....	0.7	1.1	1.6	2.4	4.4	6.2	10.2	16.7	29.0	87.2
1990.....	0.7	1.0	1.5	2.6	4.4	5.9	10.4	14.6	30.2	85.0
1989.....	0.7	1.2	1.7	2.4	3.6	5.9	9.2	16.2	30.6	82.7
1988.....	0.7	1.0	1.8	2.6	3.5	5.8	8.7	15.0	29.7	85.3
1987.....	0.6	0.8	1.5	1.8	3.2	4.5	8.2	13.6	25.9	74.5
1986.....	0.8	1.2	1.4	2.6	3.8	4.8	8.0	14.1	28.1	73.4
1985.....	0.7	1.2	1.2	2.3	3.4	5.0	8.3	13.7	27.7	67.0
1984.....	0.6	1.1	1.6	1.8	3.5	4.7	7.2	12.0	25.6	65.4
1983.....	0.7	1.0	1.5	1.9	3.1	4.3	7.4	12.7	22.5	58.8
1982.....	0.9	0.9	1.5	2.0	2.8	4.3	7.2	11.5	22.7	51.1
1981.....	0.6	1.2	1.3	2.0	3.1	4.6	7.0	11.9	21.7	52.2
1980.....	0.7	1.1	1.4	2.0	2.9	4.5	7.1	11.7	22.4	53.5
1979.....	0.6	0.8	1.4	1.8	2.8	4.4	6.9	10.3	19.0	44.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)										
ALL OTHER, BOTH SEXES										
1998.....	2.5	2.9	4.4	5.3	9.0	13.3	21.1	27.1	55.2	116.0
1997.....	2.2	3.5	4.1	5.5	7.4	10.3	19.5	31.1	51.4	125.9
1996.....	3.3	3.5	4.0	5.3	7.6	10.5	20.5	28.3	55.5	123.8
1995.....	3.5	4.1	4.9	5.3	7.8	11.0	17.2	27.2	57.3	117.9
1994.....	3.8	3.5	4.1	5.5	9.2	10.9	20.2	36.5	47.8	125.4
1993.....	3.2	4.3	4.4	7.0	6.8	11.4	16.6	28.1	54.1	124.7
1992.....	3.2	3.3	4.9	5.7	7.9	11.2	20.1	28.6	52.2	115.2
1991.....	2.6	3.1	4.1	5.8	9.4	12.1	20.5	30.7	52.7	135.0
1990.....	2.3	3.2	4.7	6.1	6.8	12.5	20.4	32.0	52.5	130.9
1989.....	3.2	2.8	3.3	6.2	9.2	12.5	22.6	34.0	51.4	136.7
1988.....	2.3	2.7	4.1	5.8	9.3	14.2	18.9	29.6	58.8	118.1
1987.....	2.3	3.2	3.9	4.8	9.2	12.5	17.3	35.6	62.0	125.8
1986.....	12.4	11.9	9.9	7.5	10.7	12.3	21.2	32.7	55.2	120.3
1985.....	8.5	6.3	6.2	6.5	8.5	10.6	19.5	29.6	56.1	123.7
1984.....	3.3	4.6	4.5	6.6	8.6	10.2	16.3	31.6	55.3	98.2
1983.....	2.8	3.3	4.0	6.7	7.4	11.8	18.6	32.6	50.8	94.7
1982.....	1.8	2.9	3.3	4.3	6.3	11.4	19.6	32.4	48.2	88.9
1981.....	1.8	2.7	3.3	5.6	8.5	9.8	17.9	27.5	50.6	89.5
1980.....	1.4	2.6	3.9	6.1	6.8	13.0	21.3	29.9	54.5	92.0
1979.....	1.6	2.5	3.7	5.8	8.7	9.6	19.5	33.9	44.6	89.1
ALL OTHER MALE										
1998.....	3.2	3.9	6.2	7.4	11.8	14.0	25.0	31.2	65.4	111.8
1997.....	3.3	4.7	5.4	7.5	8.9	11.9	23.3	38.1	59.4	124.1
1996.....	4.6	5.8	6.2	7.4	8.9	13.0	21.9	30.2	67.0	122.3
1995.....	5.1	6.2	7.0	6.5	11.1	14.2	21.1	30.8	67.2	129.4
1994.....	5.3	5.9	6.1	6.4	13.7	13.2	26.8	41.5	60.9	131.2
1993.....	5.1	5.6	5.3	8.2	8.9	13.5	19.0	35.8	66.8	140.8
1992.....	4.6	5.2	7.8	7.0	9.3	15.0	22.7	34.4	64.5	129.7
1991.....	4.0	4.6	4.5	7.6	12.2	13.1	24.3	37.4	55.0	127.9
1990.....	3.5	4.2	6.5	7.0	8.4	13.5	26.6	41.5	63.1	145.0
1989.....	4.1	3.4	4.6	8.0	10.9	14.3	30.1	44.6	56.2	158.0
1988.....	3.2	3.1	5.0	6.9	11.2	18.8	21.9	36.1	64.1	111.4
1987.....	2.9	4.4	4.7	6.7	10.1	14.9	20.2	44.7	70.5	142.9
1986.....	22.5	21.7	16.7	12.2	16.1	15.7	25.3	46.7	64.8	121.3
1985.....	15.4	11.4	10.1	9.9	11.8	13.1	22.7	38.8	65.7	119.2
1984.....	5.6	6.6	5.4	8.3	10.4	13.1	20.2	36.1	68.3	88.9
1983.....	4.8	3.6	5.3	9.4	10.5	15.1	26.3	40.1	58.8	71.4
1982.....	*	3.6	4.4	4.6	5.7	12.9	25.6	29.2	67.0	100.0
1981.....	*	3.5	3.8	7.6	10.8	13.6	22.3	29.0	53.8	92.2
1980.....	2.2	3.8	6.0	7.8	6.0	17.6	24.0	34.0	66.5	111.9
1979.....	2.3	3.0	5.1	6.7	10.3	10.9	25.4	41.2	51.2	108.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)										
ALL OTHER FEMALE										
1998.....	1.9	2.0	2.9	3.6	6.8	12.7	18.4	24.4	49.4	118.0
1997.....	1.3	2.5	3.0	3.8	6.3	9.0	16.8	26.5	46.9	126.7
1996.....	2.1	1.5	2.1	3.6	6.7	8.7	19.5	27.1	49.1	124.5
1995.....	2.0	2.2	3.2	4.3	5.2	8.6	14.5	25.0	51.8	112.9
1994.....	2.4	*	2.5	4.8	5.7	9.2	15.6	33.3	40.7	122.9
1993.....	1.5	3.2	3.6	6.1	5.3	10.0	15.0	23.3	47.0	117.6
1992.....	2.0	1.7	2.4	4.7	6.7	8.5	18.3	25.0	45.3	108.7
1991.....	1.4	*	3.7	4.4	7.2	11.3	17.9	26.5	51.1	137.6
1990.....	*	2.3	3.2	5.4	5.7	11.7	16.2	26.1	46.5	124.5
1989.....	2.5	2.3	*	4.8	8.0	11.1	17.5	27.3	48.6	126.9
1988.....	*	2.4	3.3	4.8	7.8	10.8	16.9	25.4	55.4	121.3
1987.....	1.8	2.2	3.2	3.3	8.4	10.7	15.3	29.8	57.1	117.8
1986.....	3.8	3.5	4.3	3.7	6.5	9.8	18.3	23.7	50.0	119.9
1985.....	2.6	*	3.0	3.7	5.8	8.7	17.2	23.6	50.6	126.7
1984.....	*	3.0	3.8	5.2	7.3	8.0	13.6	28.6	47.4	102.8
1983.....	*	3.0	3.0	4.5	5.0	9.4	13.3	27.6	46.1	106.5
1982.....	*	*	*	4.0	6.7	10.3	15.2	34.4	36.9	82.7
1981.....	*	*	2.9	3.9	6.6	7.0	14.7	26.5	48.7	88.1
1980.....	0.7	1.6	2.2	4.7	7.5	9.5	19.2	27.0	47.2	81.8
1979.....	1.0	2.1	2.6	5.0	7.4	8.6	15.0	28.7	40.9	79.8
BLACK, BOTH SEXES										
1998.....	3.2	3.9	5.3	6.2	10.7	15.9	24.8	32.5	64.2	131.0
1997.....	2.9	4.8	5.1	7.0	8.9	12.2	22.9	34.5	58.5	146.0
1996.....	4.4	4.4	5.4	6.8	9.2	12.3	25.4	33.5	64.7	139.4
1995.....	4.6	5.1	6.3	6.7	9.6	12.5	19.7	30.8	63.8	125.2
1994.....	5.1	4.7	4.9	6.7	11.4	12.0	24.5	41.9	53.7	135.7
1993.....	4.0	5.6	5.4	8.1	7.9	13.7	19.3	32.2	60.1	134.0
1992.....	4.2	4.0	6.2	7.1	9.3	13.1	23.9	32.1	59.5	126.1
1991.....	3.3	4.1	5.0	7.3	10.9	14.1	23.7	35.6	59.3	146.6
1990.....	3.0	4.2	6.1	7.1	7.8	14.5	24.0	37.2	57.2	140.1
1989.....	4.1	3.4	3.9	6.7	11.0	15.2	27.1	39.2	56.4	150.5
1988.....	3.0	3.4	4.9	6.7	10.5	17.0	21.8	33.2	65.8	129.0
1987.....	2.8	4.0	5.0	5.7	10.9	14.8	20.0	40.1	68.4	135.6
1986.....	16.3	15.0	12.0	8.6	12.5	14.1	23.8	36.4	59.6	127.9
1985.....	11.1	8.0	7.5	7.4	9.4	12.0	22.2	32.1	62.4	135.4
1984.....	4.2	5.5	5.5	7.5	9.9	11.5	18.6	35.1	60.6	103.2
1983.....	3.4	3.8	4.9	7.8	8.7	13.4	20.7	35.9	56.4	101.6
1982.....	2.2	3.3	3.9	4.8	7.1	12.7	22.6	34.9	50.5	92.6
1981.....	2.1	3.1	4.0	6.1	9.6	11.0	20.0	29.1	55.5	94.0
1980.....	1.5	2.9	4.5	6.7	7.4	14.0	23.4	33.3	60.4	99.3
1979.....	1.9	2.8	4.4	6.4	9.5	10.5	21.3	36.4	43.8	92.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)										

BLACK MALE

1998.....	4.0	5.4	7.9	9.1	15.0	16.5	29.4	37.5	79.1	128.0
1997.....	4.2	6.4	6.8	9.6	10.0	14.3	26.5	42.7	68.6	150.7
1996.....	6.2	7.0	8.4	9.4	10.3	14.8	28.8	36.6	78.1	142.8
1995.....	6.8	7.8	9.0	8.0	14.3	17.0	24.2	35.5	79.2	137.6
1994.....	7.2	7.8	7.5	7.8	17.2	14.0	33.4	46.3	71.2	145.3
1993.....	6.6	7.4	7.2	9.9	10.8	16.9	21.6	43.1	80.0	149.2
1992.....	6.3	6.7	10.1	9.0	10.6	17.8	27.9	40.3	78.0	147.9
1991.....	5.3	6.2	5.7	9.5	14.2	15.3	28.0	45.3	65.3	143.5
1990.....	4.7	5.6	8.5	8.3	9.8	15.3	31.2	49.2	71.2	164.5
1989.....	5.2	3.9	5.4	8.7	12.6	17.9	37.3	51.7	61.9	177.3
1988.....	4.2	3.9	5.8	8.2	12.7	23.0	26.4	40.7	76.6	127.7
1987.....	3.3	5.5	6.1	7.9	12.5	17.9	23.7	53.1	76.1	154.7
1986.....	29.8	28.1	20.7	14.0	19.3	18.4	28.6	53.5	67.8	133.3
1985.....	20.6	14.6	12.4	11.4	13.3	15.0	26.4	42.9	72.4	130.6
1984.....	7.2	8.1	6.8	9.5	12.3	15.4	22.9	40.7	75.0	95.1
1983.....	5.8	3.9	6.5	10.9	12.2	16.7	29.1	45.5	65.9	81.7
1982.....	*	4.5	5.1	5.5	6.5	14.7	30.6	31.1	71.3	112.1
1981.....	*	4.2	4.5	8.7	12.2	15.0	25.1	29.1	58.4	100.0
1980.....	2.3	4.1	7.1	8.8	7.0	19.3	26.8	39.2	76.0	118.8
1979.....	2.8	3.4	6.0	7.2	11.6	12.1	28.3	44.1	46.8	109.6

BLACK FEMALE

1998.....	2.5	2.6	3.2	3.8	7.5	15.5	21.6	29.3	56.4	132.2
1997.....	1.8	3.4	3.6	4.9	8.0	10.7	20.3	29.4	53.3	144.0
1996.....	2.7	2.1	2.9	4.7	8.5	10.3	23.1	31.5	57.8	138.0
1995.....	2.7	2.8	4.1	5.6	6.0	9.1	16.6	27.9	56.0	120.1
1994.....	3.2	*	2.7	5.8	7.0	10.6	18.5	39.2	44.9	131.8
1993.....	1.7	4.2	3.9	6.8	5.7	11.3	17.7	25.8	49.9	127.8
1992.....	2.4	*	3.0	5.6	8.2	9.7	21.3	27.4	50.0	117.1
1991.....	*	*	4.4	5.6	8.4	13.2	20.8	29.9	56.1	147.9
1990.....	*	3.1	4.2	6.2	6.3	14.0	19.2	30.2	50.0	129.8
1989.....	3.2	2.9	*	5.2	9.8	13.2	20.4	31.9	53.5	139.9
1988.....	*	3.0	4.1	5.5	8.9	12.6	18.7	28.7	60.1	129.5
1987.....	2.4	2.8	4.1	3.9	9.7	12.6	17.5	32.2	64.3	127.1
1986.....	4.9	4.1	4.9	4.3	7.4	10.9	20.5	26.0	55.2	125.4
1985.....	3.1	*	3.6	4.3	6.4	9.7	19.4	25.3	57.0	137.6
1984.....	*	3.3	4.4	6.0	8.2	8.5	15.8	31.6	52.6	107.0
1983.....	*	3.7	3.5	5.3	6.0	11.0	15.0	29.7	51.0	111.3
1982.....	*	*	*	4.3	7.5	11.3	17.0	37.5	38.4	83.1
1981.....	*	*	3.5	4.0	7.4	8.0	16.4	29.1	53.8	90.3
1980.....	0.9	1.9	2.4	5.1	7.8	10.1	20.9	29.4	51.1	89.6
1979.....	1.2	2.4	3.1	5.7	7.9	9.3	16.2	30.9	41.9	83.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
NUTRITIONAL DEFICIENCIES (260-269)										
TOTAL, BOTH SEXES										
1998.....	0.1	0.1	0.2	0.4	0.7	1.4	2.4	6.3	15.1	57.0
1997.....	0.1	0.2	0.3	0.4	0.7	1.4	2.6	5.8	14.7	56.6
1996.....	*	0.2	0.3	0.4	0.6	1.2	2.8	6.2	13.2	55.2
1995.....	*	0.2	0.2	0.5	0.7	1.2	2.7	5.6	14.1	54.0
1994.....	*	0.2	0.2	0.4	0.7	1.3	2.6	5.8	13.6	53.3
1993.....	*	0.2	0.2	0.4	0.6	1.4	2.6	5.9	14.8	53.3
1992.....	0.1	0.2	0.3	0.4	0.6	1.2	2.5	5.4	13.3	50.5
1991.....	*	0.2	*	0.4	0.6	1.1	2.5	5.9	13.7	48.2
1990.....	*	0.2	0.2	0.5	0.7	1.4	2.4	6.2	13.6	50.7
1989.....	0.1	0.2	*	0.5	0.6	1.4	2.6	6.1	14.8	51.4
1988.....	0.1	*	*	0.4	0.8	1.4	2.8	6.0	14.9	50.9
1987.....	*	*	0.3	0.4	0.6	1.2	2.9	6.2	14.9	49.9
1986.....	0.2	*	0.2	0.4	0.8	1.4	3.4	6.1	13.8	50.2
1985.....	*	0.2	0.3	0.5	0.7	1.6	3.0	6.1	16.1	50.7
1984.....	*	*	0.2	0.4	0.7	1.4	3.2	6.0	13.9	47.1
1983.....	*	*	0.2	0.4	0.9	1.4	3.3	6.3	15.4	47.6
1982.....	*	*	0.2	0.5	0.7	1.5	3.2	6.8	14.2	41.6
1981.....	0.2	*	0.3	0.5	0.9	1.7	3.1	5.8	13.1	42.2
1980.....	0.1	0.3	0.2	0.5	0.9	1.7	3.3	6.5	14.2	42.9
1979.....	0.2	0.2	0.4	0.5	1.1	1.4	3.2	6.6	13.4	37.6
TOTAL, MALE										
1998.....	*	*	*	0.4	0.8	1.6	2.5	6.4	13.6	45.8
1997.....	*	*	*	0.5	0.8	1.5	2.9	5.9	12.8	46.7
1996.....	*	*	0.3	0.5	0.7	1.5	2.8	6.3	12.3	50.3
1995.....	*	*	*	0.6	0.8	1.2	2.7	5.1	14.7	50.2
1994.....	*	*	*	0.5	0.9	1.4	2.9	6.0	14.2	49.5
1993.....	*	*	*	0.4	0.6	2.2	3.1	6.5	16.5	52.9
1992.....	*	*	0.4	0.4	0.7	1.5	2.7	5.7	14.5	46.9
1991.....	*	*	*	0.4	0.6	1.1	2.9	6.4	15.8	48.4
1990.....	*	*	*	0.4	0.7	1.6	2.7	6.9	15.5	52.9
1989.....	*	*	*	0.6	0.7	1.5	2.8	6.4	16.2	52.9
1988.....	*	*	*	0.4	0.8	1.7	3.3	6.0	17.7	50.0
1987.....	*	*	*	0.5	0.8	1.7	3.0	7.6	17.4	51.8
1986.....	*	*	*	0.5	0.9	1.8	4.2	7.3	16.2	50.6
1985.....	*	*	*	0.6	0.9	1.7	3.6	6.9	18.2	51.9
1984.....	*	*	*	0.5	0.8	1.9	3.9	6.6	14.4	47.1
1983.....	*	*	*	0.4	1.1	1.8	4.4	7.6	16.4	51.1
1982.....	*	*	*	0.6	0.9	1.7	4.1	8.2	17.0	44.4
1981.....	*	*	0.4	0.5	1.0	2.1	3.4	7.1	15.4	43.9
1980.....	0.1	0.2	0.3	0.5	0.9	2.3	3.8	7.8	15.3	45.8
1979.....	0.2	0.2	0.5	0.4	1.2	1.9	3.1	7.9	16.2	40.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

NUTRITIONAL DEFICIENCIES (260-269)

TOTAL, FEMALE										
1998.....	*	*	*	0.4	0.5	1.3	2.3	6.2	16.0	61.6
1997.....	*	*	0.3	0.4	0.7	1.4	2.4	5.7	15.9	60.6
1996.....	*	*	*	0.4	0.5	1.0	2.7	6.1	13.7	57.2
1995.....	*	*	*	0.4	0.6	1.3	2.7	5.9	13.8	55.6
1994.....	*	*	*	*	0.5	1.1	2.3	5.7	13.3	54.8
1993.....	*	*	*	*	0.6	0.9	2.2	5.6	13.8	53.4
1992.....	*	*	*	*	0.6	0.9	2.4	5.2	12.7	51.9
1991.....	*	*	*	0.4	0.5	1.0	2.2	5.6	12.6	48.2
1990.....	*	*	*	0.5	0.7	1.2	2.2	5.7	12.6	49.9
1989.....	*	*	*	0.4	0.5	1.2	2.4	5.9	14.1	50.8
1988.....	*	*	*	*	0.7	1.1	2.5	6.0	13.4	51.2
1987.....	*	*	*	*	0.5	0.9	2.9	5.3	13.6	49.1
1986.....	*	*	*	0.4	0.7	1.2	2.9	5.4	12.6	50.1
1985.....	*	*	0.4	0.4	0.5	1.4	2.5	5.6	14.9	50.2
1984.....	*	*	*	0.3	0.6	1.1	2.7	5.7	13.6	47.1
1983.....	*	*	*	0.3	0.6	1.1	2.5	5.4	14.9	46.1
1982.....	*	*	*	0.4	0.6	1.2	2.6	5.9	12.8	40.5
1981.....	*	*	*	0.5	0.8	1.4	2.9	5.0	11.8	41.4
1980.....	0.1	0.3	0.2	0.5	0.9	1.2	2.9	5.6	13.6	41.6
1979.....	0.2	0.3	0.3	0.7	1.0	1.0	3.3	5.8	11.8	36.2
WHITE, BOTH SEXES										
1998.....	*	*	0.2	0.4	0.6	1.3	2.2	6.1	14.2	55.9
1997.....	0.1	0.1	0.2	0.4	0.6	1.3	2.4	5.6	14.4	56.8
1996.....	*	0.1	0.2	0.4	0.6	1.0	2.6	6.0	12.7	55.4
1995.....	*	0.2	0.2	0.4	0.6	1.1	2.6	5.1	13.4	53.8
1994.....	*	*	*	0.3	0.6	1.2	2.5	5.5	13.0	52.8
1993.....	*	0.1	0.2	0.3	0.4	1.2	2.4	5.6	14.1	53.3
1992.....	*	*	0.2	0.3	0.5	1.0	2.2	4.8	12.3	49.3
1991.....	*	0.2	*	0.4	0.5	0.9	2.2	5.7	13.2	46.1
1990.....	*	*	*	0.3	0.6	1.2	2.0	5.8	12.4	49.6
1989.....	0.1	0.2	*	0.4	0.5	1.2	2.3	5.5	13.9	49.6
1988.....	*	*	*	0.2	0.6	1.2	2.4	5.7	14.2	49.3
1987.....	*	*	*	0.3	0.5	1.1	2.7	5.9	14.2	49.2
1986.....	*	*	*	0.3	0.8	1.2	3.2	5.4	12.9	49.5
1985.....	*	*	0.3	0.5	0.6	1.3	2.6	5.8	15.2	50.9
1984.....	*	*	0.2	0.3	0.5	1.3	2.8	5.2	13.2	47.0
1983.....	*	*	0.2	0.3	0.7	1.3	2.8	5.8	14.5	46.8
1982.....	*	*	*	0.4	0.6	1.3	2.8	6.2	13.4	40.5
1981.....	*	*	*	0.4	0.8	1.6	2.7	5.5	12.5	40.8
1980.....	0.1	0.2	0.2	0.4	0.8	1.5	3.1	5.9	13.5	42.2
1979.....	0.1	0.2	0.3	0.4	1.0	1.1	2.9	6.3	12.6	37.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
NUTRITIONAL DEFICIENCIES (260-269)										
WHITE MALE										
1998.....	*	*	*	*	0.8	1.4	2.2	6.0	12.2	44.4
1997.....	*	*	*	*	0.6	1.2	2.5	5.5	12.0	45.2
1996.....	*	*	*	*	0.7	1.1	2.6	6.0	11.7	49.2
1995.....	*	*	*	*	0.7	1.0	2.6	4.7	13.3	49.2
1994.....	*	*	*	0.5	0.8	1.3	3.0	5.5	13.4	48.1
1993.....	*	*	*	*	*	1.9	2.7	5.7	16.0	52.6
1992.....	*	*	*	*	0.6	1.3	2.2	5.1	13.0	44.9
1991.....	*	*	*	*	0.5	0.8	2.5	6.1	14.5	42.9
1990.....	*	*	*	*	0.5	1.4	2.3	6.4	14.0	50.3
1989.....	*	*	*	0.5	0.5	1.1	2.5	5.7	15.1	50.4
1988.....	*	*	*	*	0.6	1.4	2.8	5.6	17.1	47.1
1987.....	*	*	*	*	0.6	1.4	2.6	6.9	16.6	49.8
1986.....	*	*	*	0.4	0.8	1.6	3.7	6.2	14.8	48.6
1985.....	*	*	*	0.5	0.8	1.6	3.0	6.4	17.1	52.8
1984.....	*	*	*	*	0.6	1.8	3.4	5.4	13.4	45.5
1983.....	*	*	*	*	0.9	1.6	3.7	6.5	15.1	49.9
1982.....	*	*	*	0.5	0.8	1.6	3.6	7.1	15.9	42.9
1981.....	*	*	*	0.5	0.8	1.9	2.9	6.4	15.2	43.0
1980.....	0.1	0.1	0.2	0.3	0.7	1.9	3.4	7.4	14.2	44.5
1979.....	0.1	0.1	0.4	0.3	1.1	1.4	2.8	7.5	14.7	39.9
WHITE FEMALE										
1998.....	*	*	*	0.4	0.5	1.2	2.2	6.2	15.4	60.6
1997.....	*	*	*	0.4	0.7	1.3	2.2	5.7	15.8	61.4
1996.....	*	*	*	0.4	0.5	0.9	2.6	6.0	13.3	57.8
1995.....	*	*	*	0.4	0.6	1.2	2.5	5.3	13.4	55.6
1994.....	*	*	*	*	0.5	1.1	2.1	5.5	12.8	54.6
1993.....	*	*	*	*	0.5	0.7	2.1	5.5	13.1	53.6
1992.....	*	*	*	*	0.5	0.8	2.2	4.6	12.0	51.0
1991.....	*	*	*	*	0.5	0.9	1.9	5.4	12.5	47.3
1990.....	*	*	*	*	0.6	1.0	1.8	5.3	11.6	49.3
1989.....	*	*	*	*	0.5	1.2	2.1	5.4	13.2	49.3
1988.....	*	*	*	*	0.6	1.0	2.2	5.8	12.7	50.1
1987.....	*	*	*	*	0.4	0.8	2.7	5.2	12.9	49.0
1986.....	*	*	*	*	0.8	0.9	2.8	4.8	11.9	49.8
1985.....	*	*	*	0.4	0.5	1.2	2.3	5.4	14.2	50.1
1984.....	*	*	*	*	0.5	0.9	2.3	5.1	13.1	47.6
1983.....	*	*	*	*	0.6	1.1	2.1	5.3	14.2	45.5
1982.....	*	*	*	*	0.5	1.0	2.2	5.7	12.1	39.4
1981.....	*	*	*	0.4	0.8	1.3	2.6	4.9	11.1	39.9
1980.....	0.1	0.3	0.2	0.4	0.9	1.1	2.9	5.0	13.2	41.2
1979.....	0.1	0.2	0.3	0.5	0.9	0.8	3.0	5.5	11.4	35.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
NUTRITIONAL DEFICIENCIES (260-269)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	2.4	3.8	7.7	24.2	67.6
1997.....	*	*	*	*	*	2.7	4.4	7.0	18.2	55.0
1996.....	*	*	*	*	*	2.6	4.1	7.6	17.7	54.0
1995.....	*	*	*	*	*	2.3	3.9	10.6	21.3	56.3
1994.....	*	*	*	*	*	2.0	3.0	8.6	19.5	58.5
1993.....	*	*	*	*	*	3.1	4.9	9.6	21.7	52.4
1992.....	*	*	*	*	*	2.5	5.3	11.2	23.5	62.9
1991.....	*	*	*	*	*	2.5	5.9	8.3	18.5	70.8
1990.....	*	*	*	*	1.7	2.9	6.1	10.1	25.4	62.6
1989.....	*	*	*	*	*	2.9	5.4	11.8	24.6	70.7
1988.....	*	*	*	*	1.9	2.9	6.3	8.7	22.2	68.1
1987.....	*	*	*	*	*	2.5	5.4	9.4	22.4	57.1
1986.....	*	*	*	*	*	3.2	5.9	13.3	23.6	58.4
1985.....	*	*	*	*	*	3.4	6.1	9.2	25.6	48.7
1984.....	*	*	*	*	2.3	2.7	6.9	13.6	20.9	48.4
1983.....	*	*	*	*	2.2	2.7	8.1	11.0	25.6	56.0
1982.....	*	*	*	*	*	3.0	7.1	12.6	23.9	55.3
1981.....	*	*	*	*	*	2.9	6.6	8.7	19.5	57.9
1980.....	0.3	0.6	0.6	1.4	2.1	3.4	5.3	12.0	22.3	50.7
1979.....	0.6	0.7	0.9	1.4	1.6	4.2	6.9	10.2	22.8	44.8
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	10.3	28.5	58.3
1997.....	*	*	*	*	*	*	5.6	9.4	20.7	59.4
1996.....	*	*	*	*	*	4.4	*	8.7	18.4	59.8
1995.....	*	*	*	*	*	*	*	9.2	28.6	59.1
1994.....	*	*	*	*	*	*	*	11.2	22.5	62.4
1993.....	*	*	*	*	*	4.3	6.6	14.1	22.3	55.7
1992.....	*	*	*	*	*	*	6.8	11.9	29.6	64.9
1991.....	*	*	*	*	*	*	7.1	10.0	28.7	98.8
1990.....	*	*	*	*	*	*	6.6	12.1	29.9	77.4
1989.....	*	*	*	*	*	4.6	*	13.5	27.3	76.5
1988.....	*	*	*	*	*	*	8.1	10.0	23.9	77.2
1987.....	*	*	*	*	*	*	7.2	14.4	25.0	70.1
1986.....	*	*	*	*	*	*	8.6	17.6	30.6	69.3
1985.....	*	*	*	*	*	*	9.3	11.2	29.5	43.8
1984.....	*	*	*	*	*	*	8.1	17.3	24.8	62.5
1983.....	*	*	*	*	*	*	11.9	17.8	29.9	61.4
1982.....	*	*	*	*	*	*	8.7	19.3	28.7	58.2
1981.....	*	*	*	*	*	*	7.4	13.4	*	53.1
1980.....	0.6	1.1	1.0	1.8	3.3	5.4	7.3	12.3	27.5	59.2
1979.....	0.6	0.6	1.7	1.1	1.9	5.9	6.8	12.1	32.6	49.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

NUTRITIONAL DEFICIENCIES (260-269)

ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	5.9	21.7	71.8
1997.....	*	*	*	*	*	*	3.6	5.4	16.9	53.0
1996.....	*	*	*	*	*	*	3.6	6.8	17.3	51.4
1995.....	*	*	*	*	*	*	4.3	11.5	17.3	55.1
1994.....	*	*	*	*	*	*	*	7.0	17.9	56.9
1993.....	*	*	*	*	*	*	*	6.9	21.5	50.9
1992.....	*	*	*	*	*	*	4.3	10.8	20.1	62.0
1991.....	*	*	*	*	*	*	5.1	7.3	12.7	57.7
1990.....	*	*	*	*	*	*	5.8	8.9	22.8	55.8
1989.....	*	*	*	*	*	*	5.4	10.7	23.1	68.0
1988.....	*	*	*	*	*	*	5.1	7.8	21.1	63.9
1987.....	*	*	*	*	*	*	*	6.3	20.9	50.9
1986.....	*	*	*	*	*	*	*	10.5	19.7	53.2
1985.....	*	*	*	*	*	3.6	*	8.0	23.3	51.3
1984.....	*	*	*	*	*	*	6.1	11.2	18.5	41.4
1983.....	*	*	*	*	*	*	5.3	*	23.0	53.2
1982.....	*	*	*	*	*	*	6.0	8.1	21.0	53.4
1981.....	*	*	*	*	*	*	5.9	*	20.7	60.3
1980.....	0.1	0.1	0.3	1.1	1.1	1.8	3.8	11.8	19.0	46.4
1979.....	0.6	0.7	0.3	1.7	1.3	2.8	6.9	8.9	16.8	43.0

BLACK, BOTH SEXES

1998.....	*	*	*	*	*	3.1	4.7	9.2	28.7	72.8
1997.....	*	*	*	*	*	3.3	5.2	8.7	20.0	60.9
1996.....	*	*	*	*	*	3.2	4.7	9.7	19.7	56.6
1995.....	*	*	*	*	*	2.9	4.9	12.0	23.6	56.6
1994.....	*	*	*	*	*	2.3	3.9	10.4	22.8	61.6
1993.....	*	*	*	*	*	3.8	6.1	10.7	24.6	53.8
1992.....	*	*	*	*	*	3.0	5.9	12.8	24.3	66.2
1991.....	*	*	*	*	*	3.1	6.3	9.4	20.5	74.1
1990.....	*	*	*	*	2.1	3.4	7.1	11.6	27.1	66.0
1989.....	*	*	*	*	*	3.4	6.5	13.4	26.6	75.9
1988.....	*	*	*	*	2.4	3.3	7.0	9.3	23.2	72.4
1987.....	*	*	*	*	*	2.8	6.1	10.1	25.9	60.6
1986.....	*	*	*	*	*	3.7	6.4	14.6	25.5	58.7
1985.....	*	*	*	*	*	4.0	6.5	9.7	25.7	50.8
1984.....	*	*	*	*	2.7	3.0	7.5	14.3	23.3	47.4
1983.....	*	*	*	*	2.6	3.2	8.4	12.1	28.6	53.3
1982.....	*	*	*	*	*	3.4	8.1	14.0	23.4	52.8
1981.....	*	*	*	*	*	2.9	7.2	9.0	20.6	54.8
1980.....	0.4	0.6	0.7	1.6	2.3	3.7	5.7	12.6	21.5	54.1
1979.....	0.6	0.8	1.1	1.4	1.7	4.3	7.6	10.6	22.9	47.4

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
NUTRITIONAL DEFICIENCIES (260-269)

BLACK MALE

1998.....	*	*	*	*	*	*	*	12.5	33.8	64.5
1997.....	*	*	*	*	*	*	*	12.0	25.3	64.3
1996.....	*	*	*	*	*	5.5	*	11.4	22.0	63.6
1995.....	*	*	*	*	*	*	*	10.3	32.6	63.1
1994.....	*	*	*	*	*	*	*	13.3	28.1	66.8
1993.....	*	*	*	*	*	5.3	8.3	15.3	27.6	59.1
1992.....	*	*	*	*	*	*	7.3	14.7	31.2	71.8
1991.....	*	*	*	*	*	*	*	11.0	32.7	108.7
1990.....	*	*	*	*	*	*	8.3	14.0	33.6	81.5
1989.....	*	*	*	*	*	*	*	16.3	30.9	83.3
1988.....	*	*	*	*	*	*	9.6	11.9	26.6	86.2
1987.....	*	*	*	*	*	*	8.0	17.7	29.3	78.1
1986.....	*	*	*	*	*	*	9.3	20.3	35.6	69.8
1985.....	*	*	*	*	*	*	10.2	12.4	28.7	40.3
1984.....	*	*	*	*	*	*	9.0	18.0	27.4	62.3
1983.....	*	*	*	*	*	*	13.1	19.4	34.1	63.3
1982.....	*	*	*	*	*	*	9.9	22.4	25.0	55.2
1981.....	*	*	*	*	*	*	*	13.9	*	46.4
1980.....	0.7	1.2	1.2	2.1	3.9	6.0	8.1	13.7	26.7	62.3
1979.....	0.5	0.8	2.0	1.3	2.2	6.2	7.5	13.0	32.5	53.8

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	7.1	26.1	76.3
1997.....	*	*	*	*	*	*	*	6.7	17.3	59.5
1996.....	*	*	*	*	*	*	*	8.6	18.5	53.7
1995.....	*	*	*	*	*	*	5.3	13.0	19.0	53.9
1994.....	*	*	*	*	*	*	*	8.7	20.0	59.5
1993.....	*	*	*	*	*	*	*	8.1	23.0	51.6
1992.....	*	*	*	*	*	*	4.9	11.8	20.7	63.9
1991.....	*	*	*	*	*	*	5.8	8.4	14.3	59.5
1990.....	*	*	*	*	*	*	6.2	10.2	23.7	59.5
1989.....	*	*	*	*	*	*	6.5	11.6	24.3	73.2
1988.....	*	*	*	*	*	*	5.3	7.8	21.3	66.4
1987.....	*	*	*	*	*	*	*	*	24.0	52.8
1986.....	*	*	*	*	*	*	*	11.0	20.0	53.6
1985.....	*	*	*	*	*	*	*	8.1	24.1	55.6
1984.....	*	*	*	*	*	*	6.5	12.0	21.1	40.3
1983.....	*	*	*	*	*	*	*	*	25.5	48.4
1982.....	*	*	*	*	*	*	6.8	8.8	22.5	51.7
1981.....	*	*	*	*	*	*	6.7	*	22.0	58.4
1980.....	0.1	0.2	0.3	1.2	1.0	2.0	3.9	11.9	18.4	50.0
1979.....	0.7	0.8	0.3	1.6	1.3	2.9	7.6	8.9	16.9	44.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NUTRITIONAL MARASMUS (261)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	0.5	0.9	2.4
1997.....	*	*	*	*	*	0.2	0.3	0.6	1.1	3.4
1996.....	*	*	*	*	*	*	0.3	0.5	0.9	2.7
1995.....	*	*	*	*	*	*	0.3	0.5	0.8	2.1
1994.....	*	*	*	*	*	*	0.3	0.4	1.1	3.2
1993.....	*	*	*	*	*	0.2	*	0.4	1.2	3.3
1992.....	*	*	*	*	*	*	*	0.5	1.5	2.7
1991.....	*	*	*	*	*	*	0.3	0.6	1.0	2.8
1990.....	*	*	*	*	*	*	0.3	0.5	1.2	3.2
1989.....	*	*	*	*	*	*	0.4	0.7	1.4	3.6
1988.....	*	*	*	*	*	*	0.3	0.6	2.1	3.5
1987.....	*	*	*	*	*	0.3	0.4	0.8	1.3	3.9
1986.....	*	*	*	*	*	0.3	0.6	0.7	1.4	3.8
1985.....	*	*	*	*	*	0.3	0.3	0.7	1.5	3.5
1984.....	*	*	*	*	*	0.2	0.3	0.7	1.7	3.0
1983.....	*	*	*	*	*	0.2	0.4	0.8	1.8	4.6
1982.....	*	*	*	*	*	0.2	0.4	0.6	1.2	3.0
1981.....	*	*	*	*	*	0.3	0.4	0.7	0.8	3.4
1980.....	0.0	0.1	0.0	0.1	0.2	0.3	0.4	1.0	1.7	3.4
1979.....	0.0	0.0	0.1	0.1	0.2	0.1	0.4	0.9	1.4	3.8
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	1.2	2.6
1996.....	*	*	*	*	*	*	*	*	*	3.0
1995.....	*	*	*	*	*	*	*	*	1.4	2.5
1994.....	*	*	*	*	*	*	*	*	*	3.7
1993.....	*	*	*	*	*	*	*	*	1.4	3.3
1992.....	*	*	*	*	*	*	*	*	*	2.9
1991.....	*	*	*	*	*	*	*	*	*	3.4
1990.....	*	*	*	*	*	*	*	*	*	3.7
1989.....	*	*	*	*	*	*	*	0.9	1.7	5.3
1988.....	*	*	*	*	*	*	*	*	2.3	4.0
1987.....	*	*	*	*	*	*	*	*	2.0	5.1
1986.....	*	*	*	*	*	*	0.7	1.0	1.7	4.9
1985.....	*	*	*	*	*	*	*	*	1.8	4.2
1984.....	*	*	*	*	*	*	*	*	2.1	3.1
1983.....	*	*	*	*	*	*	*	*	2.4	5.6
1982.....	*	*	*	*	*	*	*	*	*	3.2
1981.....	*	*	*	*	*	*	*	*	*	4.1
1980.....	-	0.1	0.1	0.2	0.2	0.4	0.5	0.9	2.3	3.7
1979.....	0.0	0.0	0.1	0.1	0.2	0.2	0.3	0.9	1.9	4.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NUTRITIONAL MARASMUS (261)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	0.8	2.8
1997.....	*	*	*	*	*	*	*	0.6	1.1	3.7
1996.....	*	*	*	*	*	*	*	0.5	0.8	2.6
1995.....	*	*	*	*	*	*	*	0.5	*	2.0
1994.....	*	*	*	*	*	*	*	*	1.0	3.0
1993.....	*	*	*	*	*	*	*	*	1.1	3.3
1992.....	*	*	*	*	*	*	*	*	1.6	2.6
1991.....	*	*	*	*	*	*	*	*	1.0	2.6
1990.....	*	*	*	*	*	*	*	*	1.0	3.0
1989.....	*	*	*	*	*	*	*	0.6	1.2	3.0
1988.....	*	*	*	*	*	*	*	0.6	1.9	3.4
1987.....	*	*	*	*	*	*	*	0.8	0.8	3.4
1986.....	*	*	*	*	*	*	0.5	*	1.2	3.4
1985.....	*	*	*	*	*	*	*	0.6	1.3	3.3
1984.....	*	*	*	*	*	*	*	0.7	1.5	3.0
1983.....	*	*	*	*	*	*	*	0.7	1.5	4.2
1982.....	*	*	*	*	*	*	*	*	1.0	2.8
1981.....	*	*	*	*	*	*	*	*	*	3.1
1980.....	0.1	0.1	-	0.1	0.1	0.2	0.4	1.0	1.5	3.3
1979.....	0.1	0.1	0.0	0.1	0.2	0.1	0.5	0.8	1.1	3.6
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	0.4	0.7	2.3
1997.....	*	*	*	*	*	*	*	0.5	1.0	3.4
1996.....	*	*	*	*	*	*	*	0.5	0.9	2.6
1995.....	*	*	*	*	*	*	0.3	0.4	0.7	2.1
1994.....	*	*	*	*	*	*	0.3	*	1.1	3.0
1993.....	*	*	*	*	*	*	*	*	1.1	3.3
1992.....	*	*	*	*	*	*	*	0.4	1.3	2.5
1991.....	*	*	*	*	*	*	*	0.5	1.0	2.7
1990.....	*	*	*	*	*	*	*	0.4	1.1	3.2
1989.....	*	*	*	*	*	*	0.4	0.6	1.1	3.4
1988.....	*	*	*	*	*	*	*	0.6	1.9	3.0
1987.....	*	*	*	*	*	0.2	0.4	0.7	1.2	3.3
1986.....	*	*	*	*	*	*	0.5	0.6	1.3	3.7
1985.....	*	*	*	*	*	*	*	0.8	1.4	3.4
1984.....	*	*	*	*	*	0.3	0.3	0.6	1.5	2.9
1983.....	*	*	*	*	*	*	0.4	0.8	1.6	4.5
1982.....	*	*	*	*	*	*	0.4	0.5	1.3	2.7
1981.....	*	*	*	*	*	*	*	0.6	0.8	3.2
1980.....	0.0	0.0	0.0	0.1	0.1	0.2	0.4	0.8	1.6	3.1
1979.....	0.0	0.1	0.1	0.1	0.2	0.1	0.4	0.8	1.3	3.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NUTRITIONAL MARASMUS (261)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	2.4
1996.....	*	*	*	*	*	*	*	*	*	2.7
1995.....	*	*	*	*	*	*	*	*	*	2.3
1994.....	*	*	*	*	*	*	*	*	*	3.5
1993.....	*	*	*	*	*	*	*	*	*	3.2
1992.....	*	*	*	*	*	*	*	*	*	2.7
1991.....	*	*	*	*	*	*	*	*	*	3.1
1990.....	*	*	*	*	*	*	*	*	*	3.8
1989.....	*	*	*	*	*	*	*	*	*	5.2
1988.....	*	*	*	*	*	*	*	*	2.3	3.7
1987.....	*	*	*	*	*	*	*	*	2.0	4.2
1986.....	*	*	*	*	*	*	*	*	*	5.0
1985.....	*	*	*	*	*	*	*	*	*	4.2
1984.....	*	*	*	*	*	*	*	*	2.0	*
1983.....	*	*	*	*	*	*	*	*	2.0	5.4
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	3.9
1980.....	-	0.0	0.0	0.1	0.1	0.3	0.4	0.7	1.9	3.1
1979.....	0.0	0.0	0.1	0.1	0.2	0.1	0.3	0.9	1.7	4.7
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	2.7
1997.....	*	*	*	*	*	*	*	0.6	1.1	3.8
1996.....	*	*	*	*	*	*	*	*	0.8	2.5
1995.....	*	*	*	*	*	*	*	*	*	2.0
1994.....	*	*	*	*	*	*	*	*	1.1	2.8
1993.....	*	*	*	*	*	*	*	*	1.0	3.4
1992.....	*	*	*	*	*	*	*	*	1.4	2.4
1991.....	*	*	*	*	*	*	*	*	1.0	2.6
1990.....	*	*	*	*	*	*	*	*	1.0	2.9
1989.....	*	*	*	*	*	*	*	*	1.0	2.7
1988.....	*	*	*	*	*	*	*	*	1.7	2.8
1987.....	*	*	*	*	*	*	*	0.7	*	3.0
1986.....	*	*	*	*	*	*	*	*	1.2	3.2
1985.....	*	*	*	*	*	*	*	*	1.2	3.0
1984.....	*	*	*	*	*	*	*	0.7	1.3	2.9
1983.....	*	*	*	*	*	*	*	0.7	1.4	4.1
1982.....	*	*	*	*	*	*	*	*	*	2.6
1981.....	*	*	*	*	*	*	*	*	*	3.0
1980.....	0.1	0.1	-	0.1	0.1	0.2	0.4	0.9	1.4	3.1
1979.....	0.0	0.1	0.1	0.1	0.1	0.0	0.4	0.8	1.0	3.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NUTRITIONAL MARASMUS (261)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	8.9
1987.....	*	*	*	*	*	*	*	*	*	10.0
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.1	0.4	0.5	0.6	0.8	2.7	3.9	6.7
1979.....	0.1	-	0.2	0.3	0.2	0.7	1.0	1.6	2.7	3.4
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.3	0.2	0.7	1.1	1.0	1.5	3.3	5.7	9.9
1979.....	0.1	-	0.3	0.2	0.2	0.5	-	1.6	3.5	1.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NUTRITIONAL MARASMUS (261)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	0.2	-	0.2	0.3	2.3	2.8	5.1
1979.....	0.1	-	-	0.5	0.2	0.8	1.7	1.6	2.2	4.4
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	9.8
1987.....	*	*	*	*	*	*	*	*	*	11.1
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.2	0.1	0.5	0.6	0.6	0.7	2.8	3.5	6.9
1979.....	0.2	-	0.2	0.4	0.2	0.6	1.1	1.3	3.0	3.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 NUTRITIONAL MARASMUS (261)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.4	0.2	0.9	1.3	1.2	1.7	3.9	4.0	9.4
1979.....	0.2	-	0.4	0.2	0.3	0.6	-	1.9	3.9	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	0.2	-	0.2	-	2.1	3.2	5.7
1979.....	0.1	-	-	0.5	0.2	0.7	1.9	0.8	2.4	4.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)										
TOTAL, BOTH SEXES										
1998.....	*	*	0.2	0.4	0.4	1.1	2.1	5.1	13.1	51.0
1997.....	0.1	*	0.2	0.3	0.6	1.1	2.0	4.7	12.7	49.5
1996.....	*	*	0.2	0.3	0.5	1.0	2.3	5.2	11.2	49.2
1995.....	*	0.1	0.2	0.3	0.5	1.0	2.3	4.8	12.6	49.1
1994.....	*	0.1	*	0.3	0.5	1.0	2.0	4.8	11.3	46.7
1993.....	*	*	0.2	0.3	0.4	1.1	2.1	5.1	12.4	46.9
1992.....	*	0.2	0.2	0.3	0.5	1.0	2.2	4.6	11.1	44.7
1991.....	*	*	*	0.3	0.4	0.9	2.1	4.8	11.6	42.8
1990.....	*	0.2	*	0.4	0.6	1.0	1.8	5.2	11.6	44.3
1989.....	*	*	*	0.4	0.4	1.0	2.0	5.0	12.5	44.5
1988.....	*	*	*	0.2	0.5	1.1	2.4	4.8	12.1	44.9
1987.....	*	*	0.2	0.3	0.4	0.9	2.3	5.1	12.8	43.1
1986.....	*	*	*	0.3	0.6	1.0	2.5	5.1	11.5	43.4
1985.....	*	*	0.2	0.4	0.4	1.2	2.4	5.0	13.7	44.5
1984.....	*	*	*	0.3	0.6	1.1	2.5	4.9	11.6	41.5
1983.....	*	*	*	0.2	0.7	1.1	2.6	5.1	13.0	40.5
1982.....	*	*	0.2	0.3	0.6	1.1	2.6	5.9	12.3	36.9
1981.....	*	*	0.2	0.4	0.7	1.3	2.5	4.8	11.4	36.9
1980.....	0.1	0.1	0.2	0.3	0.7	1.3	2.6	5.3	12.0	38.0
1979.....	0.1	0.2	0.3	0.4	0.8	1.2	2.6	5.3	11.4	32.8
TOTAL, MALE										
1998.....	*	*	*	0.4	0.6	1.3	2.1	5.4	12.1	41.4
1997.....	*	*	*	0.4	0.6	1.1	2.3	5.1	10.8	41.0
1996.....	*	*	*	0.4	0.6	1.2	2.2	5.1	10.4	43.8
1995.....	*	*	*	0.4	0.7	1.0	2.2	4.6	12.4	44.4
1994.....	*	*	*	0.4	0.7	1.2	2.1	4.7	11.9	42.7
1993.....	*	*	*	*	*	1.6	2.4	5.8	13.3	46.3
1992.....	*	*	*	*	0.6	1.3	2.3	4.7	12.2	41.4
1991.....	*	*	*	*	0.5	0.9	2.4	5.1	13.4	42.7
1990.....	*	*	*	*	0.5	1.1	2.1	5.7	13.3	45.6
1989.....	*	*	*	0.5	0.5	1.1	2.2	5.0	13.5	44.3
1988.....	*	*	*	*	0.6	1.4	2.7	5.0	14.2	43.8
1987.....	*	*	*	0.4	0.6	1.1	2.3	6.5	14.5	44.6
1986.....	*	*	*	*	0.7	1.2	3.1	5.8	13.4	42.6
1985.....	*	*	*	0.5	0.6	1.3	2.8	5.4	15.8	44.7
1984.....	*	*	*	0.4	0.6	1.4	3.1	5.4	11.6	41.8
1983.....	*	*	*	*	0.9	1.3	3.4	6.1	13.4	42.6
1982.....	*	*	*	0.4	0.6	1.3	3.3	7.3	14.3	40.0
1981.....	*	*	*	0.4	0.7	1.6	2.7	5.9	12.7	38.2
1980.....	0.1	0.1	0.2	0.3	0.6	1.8	2.9	6.8	13.0	41.1
1979.....	0.1	0.1	0.3	0.3	0.9	1.5	2.6	6.3	13.6	35.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)										
TOTAL, FEMALE										
1998.....	*	*	*	0.4	*	0.9	2.0	4.9	13.7	55.0
1997.....	*	*	*	*	0.6	1.0	1.8	4.4	13.9	52.9
1996.....	*	*	*	*	0.4	0.8	2.3	5.3	11.7	51.3
1995.....	*	*	*	*	0.5	1.1	2.4	5.0	12.7	51.0
1994.....	*	*	*	*	0.4	0.9	1.8	4.8	11.0	48.2
1993.....	*	*	*	*	0.4	0.7	1.9	4.7	11.9	47.1
1992.....	*	*	*	*	0.5	0.7	2.0	4.5	10.6	46.0
1991.....	*	*	*	*	0.4	0.9	1.8	4.7	10.7	42.9
1990.....	*	*	*	0.5	0.6	1.0	1.6	4.9	10.7	43.8
1989.....	*	*	*	*	*	1.0	1.9	5.0	12.0	44.6
1988.....	*	*	*	*	0.5	0.9	2.1	4.7	11.0	45.3
1987.....	*	*	*	*	0.3	0.7	2.2	4.2	11.9	42.5
1986.....	*	*	*	*	0.5	0.9	2.2	4.7	10.4	43.7
1985.....	*	*	*	0.4	*	1.0	2.1	4.8	12.5	44.5
1984.....	*	*	*	*	0.5	0.9	2.2	4.5	11.6	41.5
1983.....	*	*	*	*	0.5	0.9	2.0	4.4	12.7	39.6
1982.....	*	*	*	*	0.5	1.0	2.1	5.1	11.2	35.6
1981.....	*	*	*	0.4	0.6	1.0	2.4	4.2	10.7	36.3
1980.....	0.1	0.1	0.2	0.4	0.7	1.0	2.4	4.3	11.5	36.7
1979.....	0.1	0.2	0.2	0.4	0.7	0.9	2.6	4.7	10.2	31.6
WHITE, BOTH SEXES										
1998.....	*	*	0.2	0.3	0.4	1.0	1.9	5.0	12.4	50.0
1997.....	*	*	*	0.3	0.5	0.9	2.0	4.6	12.5	49.7
1996.....	*	*	0.2	0.2	0.5	0.8	2.2	5.0	10.9	49.5
1995.....	*	*	*	0.2	0.5	0.9	2.2	4.4	12.1	48.9
1994.....	*	*	*	0.3	0.5	1.0	1.9	4.6	10.8	46.5
1993.....	*	*	*	*	0.3	0.9	2.0	4.9	11.8	47.1
1992.....	*	*	*	*	0.4	0.9	1.9	4.1	10.4	43.9
1991.....	*	*	*	0.3	0.4	0.7	1.7	4.6	11.3	40.9
1990.....	*	*	*	0.3	0.4	0.9	1.5	4.9	10.6	43.4
1989.....	*	*	*	0.3	0.3	0.9	1.8	4.6	11.9	43.1
1988.....	*	*	*	*	0.4	1.0	2.0	4.5	11.7	43.6
1987.....	*	*	*	0.2	0.3	0.8	2.0	4.9	12.3	43.0
1986.....	*	*	*	0.2	0.6	0.9	2.4	4.5	10.8	42.8
1985.....	*	*	*	0.4	0.4	1.0	2.2	4.7	12.9	44.7
1984.....	*	*	*	0.3	0.4	0.9	2.2	4.1	11.2	41.4
1983.....	*	*	*	0.2	0.6	1.0	2.1	4.6	12.3	39.9
1982.....	*	*	*	0.3	0.5	1.0	2.2	5.4	11.5	36.0
1981.....	*	*	*	0.3	0.6	1.2	2.3	4.6	10.9	35.8
1980.....	0.1	0.1	0.2	0.3	0.6	1.2	2.5	4.9	11.5	37.8
1979.....	0.0	0.1	0.2	0.3	0.7	0.9	2.2	5.1	10.7	32.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)										
WHITE MALE										
1998.....	*	*	*	*	0.6	1.2	1.9	5.1	10.9	40.3
1997.....	*	*	*	*	*	0.9	2.1	4.8	10.4	39.9
1996.....	*	*	*	*	0.5	0.8	2.0	4.8	9.9	43.4
1995.....	*	*	*	*	0.6	0.8	2.1	4.3	11.4	43.5
1994.....	*	*	*	*	0.6	1.1	2.1	4.3	11.1	41.5
1993.....	*	*	*	*	*	1.4	2.2	5.1	13.0	46.3
1992.....	*	*	*	*	0.5	1.2	1.9	4.2	11.1	39.8
1991.....	*	*	*	*	*	0.6	2.1	5.0	12.1	37.5
1990.....	*	*	*	*	*	1.1	1.9	5.2	12.2	43.3
1989.....	*	*	*	*	*	0.8	2.0	4.5	12.7	41.9
1988.....	*	*	*	*	0.4	1.1	2.3	4.5	13.7	41.0
1987.....	*	*	*	*	*	1.0	1.9	6.0	13.8	43.6
1986.....	*	*	*	*	0.6	1.1	2.8	4.9	12.5	40.6
1985.....	*	*	*	0.4	0.5	1.2	2.4	5.0	14.7	45.3
1984.....	*	*	*	*	0.4	1.3	2.7	4.4	10.8	40.3
1983.....	*	*	*	*	0.7	1.3	2.7	5.1	12.4	41.6
1982.....	*	*	*	*	0.6	1.3	2.9	6.2	13.2	38.9
1981.....	*	*	*	*	0.6	1.5	2.3	5.3	12.2	37.5
1980.....	0.1	0.1	0.2	0.2	0.5	1.5	2.6	6.5	12.1	40.8
1979.....	0.0	0.1	0.2	0.2	0.8	1.1	2.2	6.0	12.2	34.4
WHITE FEMALE										
1998.....	*	*	*	0.4	*	0.9	1.9	4.9	13.3	54.0
1997.....	*	*	*	*	0.6	1.0	1.8	4.5	13.7	53.5
1996.....	*	*	*	*	*	0.7	2.3	5.2	11.4	51.9
1995.....	*	*	*	*	*	1.0	2.2	4.5	12.5	50.9
1994.....	*	*	*	*	0.4	0.9	1.7	4.7	10.6	48.4
1993.....	*	*	*	*	*	0.6	1.8	4.7	11.1	47.4
1992.....	*	*	*	*	0.4	0.7	1.8	4.0	10.1	45.4
1991.....	*	*	*	*	*	0.8	1.5	4.4	10.8	42.2
1990.....	*	*	*	*	0.5	0.8	1.2	4.7	9.8	43.4
1989.....	*	*	*	*	*	1.0	1.6	4.6	11.5	43.5
1988.....	*	*	*	*	0.5	0.9	1.8	4.5	10.7	44.6
1987.....	*	*	*	*	*	0.6	2.1	4.2	11.5	42.7
1986.....	*	*	*	*	0.5	0.7	2.0	4.2	9.9	43.7
1985.....	*	*	*	*	*	0.9	2.0	4.5	11.9	44.5
1984.....	*	*	*	*	0.4	0.6	1.8	4.0	11.4	41.8
1983.....	*	*	*	*	0.4	0.8	1.7	4.3	12.2	39.2
1982.....	*	*	*	*	0.4	0.8	1.7	4.8	10.6	34.8
1981.....	*	*	*	*	0.6	1.0	2.2	4.2	10.2	35.2
1980.....	0.1	0.1	0.2	0.3	0.7	0.9	2.3	3.9	11.2	36.5
1979.....	0.1	0.1	0.2	0.3	0.7	0.8	2.3	4.5	9.9	31.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	1.7	3.3	6.2	20.4	61.1
1997.....	*	*	*	*	*	1.9	2.7	5.4	14.9	48.2
1996.....	*	*	*	*	*	2.5	2.9	6.7	15.0	46.2
1995.....	*	*	*	*	*	2.0	3.3	8.7	18.0	52.0
1994.....	*	*	*	*	*	*	2.4	6.7	16.7	48.9
1993.....	*	*	*	*	*	2.3	3.5	7.7	18.8	45.1
1992.....	*	*	*	*	*	*	4.6	9.3	18.0	53.7
1991.....	*	*	*	*	*	2.1	4.9	6.7	15.7	63.5
1990.....	*	*	*	*	*	2.1	4.8	8.6	22.2	54.5
1989.....	*	*	*	*	*	2.3	4.1	9.0	18.6	60.2
1988.....	*	*	*	*	*	2.4	5.4	7.6	16.3	57.7
1987.....	*	*	*	*	*	*	4.8	7.6	18.5	44.6
1986.....	*	*	*	*	*	2.3	4.3	10.8	18.5	49.8
1985.....	*	*	*	*	*	2.3	4.5	7.9	22.5	42.4
1984.....	*	*	*	*	1.8	2.5	5.8	11.9	15.8	43.3
1983.....	*	*	*	*	1.8	*	6.9	9.6	21.0	47.4
1982.....	*	*	*	*	*	*	6.4	11.3	21.1	47.2
1981.....	*	*	*	*	*	*	4.8	6.9	17.0	48.9
1980.....	0.2	0.4	0.4	1.0	1.5	2.6	4.3	8.8	17.9	40.7
1979.....	0.5	0.6	0.8	1.1	1.4	3.1	5.7	7.7	19.6	40.8
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	8.2	24.6	51.8
1997.....	*	*	*	*	*	*	*	8.0	14.7	50.7
1996.....	*	*	*	*	*	4.0	*	7.9	15.7	48.0
1995.....	*	*	*	*	*	*	*	*	22.9	52.0
1994.....	*	*	*	*	*	*	*	9.1	20.3	54.0
1993.....	*	*	*	*	*	*	*	12.8	17.1	45.9
1992.....	*	*	*	*	*	*	6.0	9.4	22.8	55.8
1991.....	*	*	*	*	*	*	5.9	*	26.4	90.7
1990.....	*	*	*	*	*	*	*	10.7	25.1	67.6
1989.....	*	*	*	*	*	*	*	9.5	20.7	66.7
1988.....	*	*	*	*	*	*	6.5	9.1	19.7	69.6
1987.....	*	*	*	*	*	*	6.5	11.6	21.4	54.5
1986.....	*	*	*	*	*	*	*	14.3	23.1	61.3
1985.....	*	*	*	*	*	*	*	*	26.7	38.4
1984.....	*	*	*	*	*	*	*	14.4	19.8	55.6
1983.....	*	*	*	*	*	*	10.2	15.7	23.7	51.4
1982.....	*	*	*	*	*	*	7.6	17.2	26.6	50.7
1981.....	*	*	*	*	*	*	*	10.8	*	45.3
1980.....	0.4	0.6	0.8	1.1	2.2	4.2	5.4	8.9	21.8	44.4
1979.....	0.4	0.6	1.4	0.9	1.6	4.9	6.4	8.8	29.1	47.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	4.8	18.1	65.4
1997.....	*	*	*	*	*	*	*	*	15.0	47.1
1996.....	*	*	*	*	*	*	*	5.9	14.6	45.3
1995.....	*	*	*	*	*	*	3.9	9.4	15.3	52.1
1994.....	*	*	*	*	*	*	*	5.2	14.8	46.8
1993.....	*	*	*	*	*	*	*	*	19.8	44.8
1992.....	*	*	*	*	*	*	*	9.2	15.4	52.8
1991.....	*	*	*	*	*	*	4.3	6.8	9.6	50.8
1990.....	*	*	*	*	*	*	4.9	7.2	20.5	48.6
1989.....	*	*	*	*	*	*	4.3	8.7	17.5	57.1
1988.....	*	*	*	*	*	*	4.6	6.6	14.2	52.1
1987.....	*	*	*	*	*	*	*	*	16.8	39.9
1986.....	*	*	*	*	*	*	*	8.6	16.0	44.2
1985.....	*	*	*	*	*	*	*	7.0	20.0	44.7
1984.....	*	*	*	*	*	*	5.4	10.2	13.3	37.2
1983.....	*	*	*	*	*	*	*	*	19.4	45.3
1982.....	*	*	*	*	*	*	5.5	7.4	17.8	45.1
1981.....	*	*	*	*	*	*	*	*	16.7	50.8
1980.....	-	0.1	0.1	0.9	0.9	1.4	3.5	8.7	15.5	38.8
1979.....	0.5	0.5	0.3	1.2	1.1	1.8	5.2	7.0	13.9	37.7
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	2.2	4.0	7.6	24.2	66.0
1997.....	*	*	*	*	*	2.4	3.2	6.9	16.0	54.7
1996.....	*	*	*	*	*	3.0	3.4	8.6	16.6	48.2
1995.....	*	*	*	*	*	2.5	4.0	9.8	20.4	52.5
1994.....	*	*	*	*	*	*	3.2	8.0	19.3	51.4
1993.....	*	*	*	*	*	2.8	4.3	8.5	21.3	46.4
1992.....	*	*	*	*	*	*	5.1	10.4	18.6	56.5
1991.....	*	*	*	*	*	2.5	5.4	7.4	17.2	65.9
1990.....	*	*	*	*	*	2.4	5.5	9.9	23.6	57.0
1989.....	*	*	*	*	*	2.8	5.0	10.0	20.6	64.1
1988.....	*	*	*	*	*	2.9	6.0	8.2	16.5	60.7
1987.....	*	*	*	*	*	*	5.6	8.0	21.3	47.1
1986.....	*	*	*	*	*	2.7	4.5	11.7	19.6	50.2
1985.....	*	*	*	*	*	2.7	4.7	8.6	22.9	44.1
1984.....	*	*	*	*	*	2.9	6.4	12.7	17.4	43.2
1983.....	*	*	*	*	2.2	*	7.3	10.4	23.3	45.1
1982.....	*	*	*	*	*	*	7.4	12.6	20.2	46.0
1981.....	*	*	*	*	*	*	5.2	7.5	17.7	46.4
1980.....	0.2	0.3	0.5	1.2	1.7	2.8	4.8	9.3	17.5	44.6
1979.....	0.5	0.7	0.9	1.0	1.4	3.4	6.3	8.6	19.4	43.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	10.2	29.3	55.6
1997.....	*	*	*	*	*	*	*	10.6	*	57.2
1996.....	*	*	*	*	*	5.0	*	10.4	19.3	51.6
1995.....	*	*	*	*	*	*	*	*	28.0	55.6
1994.....	*	*	*	*	*	*	*	10.6	25.3	57.6
1993.....	*	*	*	*	*	*	*	13.6	20.9	48.4
1992.....	*	*	*	*	*	*	*	11.4	23.4	61.7
1991.....	*	*	*	*	*	*	*	*	29.7	98.6
1990.....	*	*	*	*	*	*	*	12.3	27.5	70.9
1989.....	*	*	*	*	*	*	*	11.2	22.7	71.2
1988.....	*	*	*	*	*	*	*	*	21.3	78.5
1987.....	*	*	*	*	*	*	*	14.3	25.0	59.4
1986.....	*	*	*	*	*	*	*	16.3	26.7	65.1
1985.....	*	*	*	*	*	*	*	*	26.4	35.5
1984.....	*	*	*	*	*	*	*	15.6	*	57.4
1983.....	*	*	*	*	*	*	11.1	17.0	26.8	53.3
1982.....	*	*	*	*	*	*	9.1	19.9	*	48.3
1981.....	*	*	*	*	*	*	*	*	*	39.3
1980.....	0.5	0.6	1.0	1.3	2.6	4.5	6.0	9.8	22.7	49.0
1979.....	0.4	0.8	1.6	1.1	1.9	5.3	7.1	9.9	28.6	53.8
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	5.9	21.4	70.3
1997.....	*	*	*	*	*	*	*	*	15.4	53.7
1996.....	*	*	*	*	*	*	*	7.4	15.2	46.8
1995.....	*	*	*	*	*	*	4.8	10.8	16.6	51.3
1994.....	*	*	*	*	*	*	*	6.4	16.2	48.9
1993.....	*	*	*	*	*	*	*	*	21.5	45.5
1992.....	*	*	*	*	*	*	*	9.9	16.2	54.3
1991.....	*	*	*	*	*	*	*	7.8	10.7	52.1
1990.....	*	*	*	*	*	*	5.2	8.5	21.6	51.2
1989.....	*	*	*	*	*	*	5.2	9.3	19.5	61.4
1988.....	*	*	*	*	*	*	*	6.8	14.0	53.0
1987.....	*	*	*	*	*	*	*	*	19.3	41.7
1986.....	*	*	*	*	*	*	*	8.9	15.8	43.5
1985.....	*	*	*	*	*	*	*	7.3	20.9	48.1
1984.....	*	*	*	*	*	*	5.7	10.9	15.1	36.4
1983.....	*	*	*	*	*	*	*	*	21.4	41.1
1982.....	*	*	*	*	*	*	6.3	8.0	18.8	44.9
1981.....	*	*	*	*	*	*	*	*	17.4	49.6
1980.....	-	0.2	0.2	1.0	1.0	1.6	3.9	8.9	14.4	42.4
1979.....	0.6	0.6	0.3	1.0	1.1	2.0	5.7	7.6	13.7	38.5

TREND C TABLE 292A. DEATH RATES FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	0.7	1.1	3.6
1997.....	*	*	*	*	*	*	0.3	0.5	0.9	3.7
1996.....	*	*	*	*	*	*	*	0.5	1.0	3.3
1995.....	*	*	*	*	*	*	*	0.3	0.6	2.8
1994.....	*	*	*	*	*	*	0.3	0.6	1.2	3.4
1993.....	*	*	*	*	*	*	0.3	0.4	1.2	3.0
1992.....	*	*	*	*	*	*	*	0.4	0.7	3.1
1991.....	*	*	*	*	*	*	*	0.5	1.0	2.6
1990.....	*	*	*	*	*	*	0.3	0.5	0.8	3.2
1989.....	*	*	*	*	*	*	*	0.4	0.9	3.2
1988.....	*	*	*	*	*	*	*	0.6	0.7	2.5
1987.....	*	*	*	*	*	*	0.3	*	0.8	2.9
1986.....	*	*	*	*	*	*	0.3	0.4	1.0	3.0
1985.....	*	*	*	*	*	*	0.3	0.4	0.9	2.6
1984.....	*	*	*	*	*	*	0.3	0.5	*	2.5
1983.....	*	*	*	*	*	*	0.3	0.4	0.6	2.5
1982.....	*	*	*	*	*	*	*	*	0.7	1.8
1981.....	*	*	*	*	*	*	*	*	0.8	1.9
1980.....	0.0	0.1	0.0	0.0	0.1	0.1	0.2	0.3	0.4	1.4
1979.....	0.0	0.0	0.0	0.1	0.1	0.1	0.3	0.5	0.6	1.0
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	2.9
1997.....	*	*	*	*	*	*	*	*	*	3.1
1996.....	*	*	*	*	*	*	*	0.8	*	3.5
1995.....	*	*	*	*	*	*	*	*	*	3.3
1994.....	*	*	*	*	*	*	*	0.9	*	3.2
1993.....	*	*	*	*	*	*	*	*	1.8	3.4
1992.....	*	*	*	*	*	*	*	*	*	2.6
1991.....	*	*	*	*	*	*	*	*	*	2.3
1990.....	*	*	*	*	*	*	*	*	*	3.6
1989.....	*	*	*	*	*	*	*	*	*	3.4
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	3.1
1985.....	*	*	*	*	*	*	*	*	*	3.0
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	2.9
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	-	-	0.1	0.1	0.4	0.2	0.1	1.0
1979.....	0.0	0.0	0.1	0.0	0.1	0.2	0.3	0.7	0.7	0.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	0.8	1.4	3.9
1997.....	*	*	*	*	*	*	*	0.6	1.0	4.0
1996.....	*	*	*	*	*	*	*	*	1.1	3.3
1995.....	*	*	*	*	*	*	*	*	*	2.6
1994.....	*	*	*	*	*	*	*	*	1.3	3.5
1993.....	*	*	*	*	*	*	*	0.6	0.9	2.9
1992.....	*	*	*	*	*	*	*	*	*	3.3
1991.....	*	*	*	*	*	*	*	*	0.9	2.7
1990.....	*	*	*	*	*	*	*	*	0.9	3.1
1989.....	*	*	*	*	*	*	*	*	0.8	3.2
1988.....	*	*	*	*	*	*	*	0.7	*	2.6
1987.....	*	*	*	*	*	*	*	*	*	3.3
1986.....	*	*	*	*	*	*	*	*	0.9	3.0
1985.....	*	*	*	*	*	*	*	*	1.1	2.5
1984.....	*	*	*	*	*	*	*	*	*	2.7
1983.....	*	*	*	*	*	*	*	*	*	2.3
1982.....	*	*	*	*	*	*	*	*	*	2.0
1981.....	*	*	*	*	*	*	*	*	*	2.0
1980.....	-	0.1	0.0	0.0	0.1	0.1	0.2	0.3	0.6	1.6
1979.....	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.3	0.5	1.1
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	0.7	1.1	3.6
1997.....	*	*	*	*	*	*	*	0.5	0.9	3.7
1996.....	*	*	*	*	*	*	*	0.5	0.9	3.3
1995.....	*	*	*	*	*	*	*	*	0.6	2.9
1994.....	*	*	*	*	*	*	0.3	0.7	1.2	3.4
1993.....	*	*	*	*	*	*	*	0.4	1.2	2.9
1992.....	*	*	*	*	*	*	*	*	0.6	3.0
1991.....	*	*	*	*	*	*	*	0.5	1.0	2.5
1990.....	*	*	*	*	*	*	0.3	0.5	0.8	3.1
1989.....	*	*	*	*	*	*	*	*	0.9	3.1
1988.....	*	*	*	*	*	*	*	0.6	0.6	2.6
1987.....	*	*	*	*	*	*	0.3	*	0.8	2.9
1986.....	*	*	*	*	*	*	0.4	*	0.8	2.9
1985.....	*	*	*	*	*	*	*	*	0.9	2.8
1984.....	*	*	*	*	*	*	*	0.5	*	2.7
1983.....	*	*	*	*	*	*	*	*	*	2.4
1982.....	*	*	*	*	*	*	*	*	*	1.7
1981.....	*	*	*	*	*	*	*	*	0.8	1.7
1980.....	0.0	0.1	0.0	0.0	0.1	0.1	0.2	0.2	0.4	1.3
1979.....	0.0	0.0	0.0	0.1	0.1	0.1	0.3	0.4	0.6	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	2.8
1997.....	*	*	*	*	*	*	*	*	*	2.9
1996.....	*	*	*	*	*	*	*	0.9	*	3.1
1995.....	*	*	*	*	*	*	*	*	*	3.4
1994.....	*	*	*	*	*	*	*	1.0	*	3.2
1993.....	*	*	*	*	*	*	*	*	1.8	3.2
1992.....	*	*	*	*	*	*	*	*	*	2.4
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	3.2
1989.....	*	*	*	*	*	*	*	*	*	3.3
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	3.0
1985.....	*	*	*	*	*	*	*	*	*	3.2
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	-	-	0.1	0.1	0.3	0.2	0.1	0.6
1979.....	0.0	0.0	0.1	0.0	0.1	0.2	0.3	0.6	0.8	0.8
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	0.8	1.4	4.0
1997.....	*	*	*	*	*	*	*	0.6	0.9	4.0
1996.....	*	*	*	*	*	*	*	*	1.1	3.4
1995.....	*	*	*	*	*	*	*	*	*	2.7
1994.....	*	*	*	*	*	*	*	*	1.2	3.5
1993.....	*	*	*	*	*	*	*	*	0.9	2.8
1992.....	*	*	*	*	*	*	*	*	*	3.2
1991.....	*	*	*	*	*	*	*	*	*	2.5
1990.....	*	*	*	*	*	*	*	*	0.9	3.0
1989.....	*	*	*	*	*	*	*	*	*	3.1
1988.....	*	*	*	*	*	*	*	0.8	*	2.7
1987.....	*	*	*	*	*	*	*	*	*	3.3
1986.....	*	*	*	*	*	*	*	*	*	2.9
1985.....	*	*	*	*	*	*	*	*	1.1	2.6
1984.....	*	*	*	*	*	*	*	*	*	2.8
1983.....	*	*	*	*	*	*	*	*	*	2.2
1982.....	*	*	*	*	*	*	*	*	*	2.0
1981.....	*	*	*	*	*	*	*	*	*	1.8
1980.....	-	0.1	0.0	0.1	0.1	0.0	0.2	0.3	0.6	1.5
1979.....	0.0	-	0.0	0.1	0.1	0.0	0.2	0.3	0.5	1.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.1	-	0.1	0.2	0.2	0.5	0.4	3.3
1979.....	-	0.1	-	-	-	0.3	0.2	0.9	0.4	0.6
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.2	-	-	-	0.3	0.4	-	-	4.9
1979.....	-	-	-	-	-	0.5	0.4	1.6	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)

ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	-	0.2	0.2	-	0.8	0.7	2.5
1979.....	-	0.1	-	-	-	0.2	-	0.4	0.7	0.9

BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.1	-	-	0.3	0.2	0.5	0.5	2.5
1979.....	-	0.1	-	-	-	0.3	0.2	0.8	0.5	0.6

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.2	-	-	-	0.3	0.4	-	-	3.8	
1979.....	-	-	-	-	-	0.3	0.4	1.2	-	-	-

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.2	-	-	0.2	-	0.9	0.8	1.9	
1979.....	-	0.2	-	-	-	0.2	-	0.4	0.8	1.0	

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)										
TOTAL, BOTH SEXES										
1998.....	1.0	1.4	1.8	2.8	4.4	7.4	13.0	22.4	37.0	74.4
1997.....	1.1	1.5	1.8	2.5	4.4	7.3	13.0	21.3	36.4	75.1
1996.....	1.1	1.5	1.8	2.8	4.6	7.5	13.0	20.5	35.1	73.0
1995.....	1.3	1.4	1.9	2.7	4.4	7.5	12.7	21.9	36.8	76.6
1994.....	1.3	1.5	1.8	2.7	4.9	7.1	12.5	21.1	35.0	71.6
1993.....	1.1	1.4	1.8	2.9	4.5	7.3	12.6	21.5	36.3	74.4
1992.....	1.2	1.3	2.0	2.7	4.3	7.8	13.7	21.5	33.9	70.3
1991.....	1.2	1.6	2.0	2.8	4.6	7.6	13.0	21.5	35.9	72.4
1990.....	1.1	1.4	2.2	2.9	5.0	7.4	13.2	21.4	34.4	71.4
1989.....	1.1	1.5	1.8	2.9	4.5	8.0	12.5	19.8	34.7	66.2
1988.....	1.0	1.5	1.9	3.2	4.7	7.7	12.6	21.5	32.7	65.4
1987.....	1.0	1.3	1.9	2.7	5.0	7.1	13.2	21.4	31.8	65.2
1986.....	1.0	1.4	1.7	2.6	4.5	7.6	12.6	20.1	32.6	62.8
1985.....	1.0	1.4	1.9	3.1	4.8	7.1	12.6	20.4	34.1	61.4
1984.....	1.0	1.2	1.8	3.0	4.7	8.1	11.9	19.8	31.1	57.6
1983.....	1.0	1.4	1.8	3.0	4.8	7.6	11.7	20.8	30.9	55.1
1982.....	0.9	1.2	1.7	2.7	4.7	7.4	11.3	18.0	30.1	51.0
1981.....	1.0	1.5	1.7	2.7	4.4	7.3	11.5	18.4	27.4	50.9
1980.....	0.9	1.3	2.0	2.5	4.7	7.1	11.4	18.5	30.0	50.8
1979.....	1.0	1.3	1.9	3.0	4.4	6.7	11.6	16.8	29.4	48.1
TOTAL, MALE										
1998.....	1.0	1.5	2.0	3.3	4.9	8.6	16.5	27.7	47.6	87.5
1997.....	1.2	1.7	1.6	2.8	5.0	8.5	16.3	27.0	46.2	88.4
1996.....	1.3	1.5	1.8	3.5	5.3	9.3	16.7	25.7	48.1	85.5
1995.....	1.4	1.6	2.0	3.2	4.8	9.6	16.3	26.7	46.7	93.6
1994.....	1.5	1.8	2.1	2.9	6.1	8.5	15.7	26.4	45.2	93.6
1993.....	1.3	1.4	2.0	3.3	5.3	9.0	16.3	28.0	45.5	90.6
1992.....	1.4	1.6	2.0	2.9	5.3	9.7	17.8	27.1	43.4	88.0
1991.....	1.4	1.8	2.3	3.2	5.4	9.0	16.2	27.6	46.6	93.9
1990.....	1.3	1.4	2.4	3.3	5.6	9.4	18.2	29.6	44.8	90.6
1989.....	1.4	1.8	2.0	3.5	5.1	9.9	15.8	25.5	46.6	81.2
1988.....	1.1	1.7	2.2	3.5	5.4	9.2	16.9	27.7	40.3	78.4
1987.....	1.1	1.4	1.9	3.2	6.2	8.5	17.8	28.6	40.7	74.7
1986.....	1.2	1.7	1.8	2.9	5.2	9.1	15.8	26.0	41.7	78.4
1985.....	1.1	1.6	1.8	3.5	5.8	8.4	16.4	25.9	44.7	77.0
1984.....	0.9	1.1	2.0	3.1	5.7	10.3	14.5	25.3	42.0	71.0
1983.....	1.1	1.4	2.0	3.4	5.6	9.3	13.7	26.9	38.9	71.9
1982.....	0.9	1.2	1.9	2.8	5.5	8.6	13.5	22.9	39.4	60.7
1981.....	1.0	1.4	1.8	3.3	5.7	8.4	14.7	24.1	34.9	63.6
1980.....	0.8	1.1	2.1	2.7	5.6	8.3	13.6	22.8	37.2	61.9
1979.....	1.1	1.3	2.0	3.4	5.2	8.3	14.8	21.1	37.5	60.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)										
TOTAL, FEMALE										
1998.....	1.0	1.3	1.6	2.3	3.9	6.3	10.2	18.7	30.8	68.9
1997.....	0.9	1.3	1.9	2.2	3.9	6.4	10.4	17.3	30.7	69.8
1996.....	0.9	1.4	1.7	2.2	3.9	5.9	10.2	16.9	27.6	68.0
1995.....	1.2	1.1	1.9	2.3	4.1	5.7	9.9	18.7	31.3	69.9
1994.....	1.1	1.2	1.6	2.5	3.8	5.9	10.0	17.5	29.3	63.1
1993.....	0.9	1.4	1.7	2.6	3.8	5.9	9.9	17.2	31.2	68.2
1992.....	1.0	1.1	1.9	2.6	3.4	6.4	10.6	17.7	28.8	63.5
1991.....	1.0	1.5	1.8	2.5	3.8	6.5	10.6	17.5	30.2	64.2
1990.....	0.8	1.3	1.9	2.4	4.5	5.9	9.5	16.0	28.9	63.9
1989.....	0.9	1.3	1.7	2.4	4.0	6.5	9.9	16.1	28.4	60.3
1988.....	0.8	1.3	1.6	2.9	4.1	6.5	9.4	17.6	28.7	60.4
1987.....	0.9	1.2	1.9	2.3	3.9	6.1	9.9	16.9	27.1	61.5
1986.....	0.8	1.0	1.6	2.4	4.0	6.3	10.2	16.4	27.8	56.6
1985.....	0.9	1.2	1.9	2.8	3.9	6.0	9.8	16.9	28.5	55.1
1984.....	1.1	1.3	1.5	2.9	3.8	6.4	10.0	16.3	25.4	52.2
1983.....	0.8	1.3	1.6	2.7	4.1	6.2	10.1	16.9	26.7	48.2
1982.....	0.9	1.1	1.6	2.6	4.0	6.4	9.7	14.9	25.2	47.0
1981.....	1.1	1.6	1.6	2.2	3.3	6.4	9.3	14.8	23.4	45.5
1980.....	0.9	1.4	1.9	2.3	4.0	6.0	9.9	15.8	26.2	45.9
1979.....	1.0	1.3	1.9	2.7	3.7	5.5	9.4	14.1	25.0	42.3
WHITE, BOTH SEXES										
1998.....	0.6	1.1	1.4	2.4	4.0	7.1	12.7	22.1	37.2	74.6
1997.....	0.7	1.0	1.5	2.2	4.1	7.0	12.6	21.3	36.2	75.8
1996.....	0.7	1.0	1.4	2.5	4.2	7.4	13.0	20.4	34.7	73.6
1995.....	0.9	1.0	1.6	2.4	4.0	7.3	12.3	21.3	36.5	77.1
1994.....	0.8	1.0	1.5	2.5	4.4	6.9	12.1	21.2	34.9	71.8
1993.....	0.6	1.0	1.4	2.6	4.1	6.9	12.5	21.2	36.3	74.6
1992.....	0.8	1.0	1.6	2.5	4.2	7.6	13.5	21.1	33.9	71.2
1991.....	0.8	1.1	1.7	2.5	4.2	7.1	12.9	21.6	36.1	72.4
1990.....	0.7	1.0	1.7	2.6	4.7	7.1	12.9	20.8	34.7	71.8
1989.....	0.8	1.1	1.3	2.6	3.9	7.8	12.3	19.6	34.9	65.7
1988.....	0.7	1.2	1.6	2.7	4.5	7.5	12.5	21.3	32.6	65.7
1987.....	0.7	1.1	1.6	2.5	4.7	6.9	13.0	21.7	31.9	66.4
1986.....	0.7	1.1	1.5	2.3	4.4	7.3	12.7	19.8	32.8	62.8
1985.....	0.7	1.0	1.6	2.8	4.4	6.9	12.2	20.2	34.1	62.3
1984.....	0.7	0.8	1.6	2.9	4.3	7.9	11.5	19.8	31.2	58.2
1983.....	0.7	1.1	1.6	2.8	4.3	7.5	11.7	21.0	31.0	56.0
1982.....	0.7	0.8	1.5	2.5	4.5	7.1	11.2	17.9	29.8	51.2
1981.....	0.7	1.3	1.4	2.4	4.2	7.1	11.3	18.4	27.7	51.7
1980.....	0.5	0.9	1.8	2.2	4.4	6.8	11.1	18.4	30.2	51.5
1979.....	0.6	1.0	1.6	2.8	4.2	6.5	11.4	16.7	29.3	48.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)										
WHITE MALE										
1998.....	0.7	1.2	1.6	2.8	4.4	8.3	16.3	27.6	48.4	88.6
1997.....	0.9	1.3	1.4	2.6	4.5	8.3	16.2	26.9	46.2	89.7
1996.....	0.8	1.0	1.5	3.0	4.8	9.3	16.8	25.7	48.5	87.9
1995.....	1.0	1.3	1.7	2.9	4.7	9.4	15.9	26.3	46.6	96.9
1994.....	0.9	1.4	1.7	2.7	5.7	8.4	15.1	26.8	45.5	95.4
1993.....	0.8	0.9	1.5	3.0	5.0	8.6	16.2	28.0	46.3	93.0
1992.....	0.9	1.2	1.6	2.7	5.3	9.2	17.7	26.9	44.0	90.7
1991.....	1.0	1.3	2.0	2.8	4.9	8.8	16.3	27.7	46.9	95.1
1990.....	0.9	1.0	1.9	2.9	5.2	9.0	18.0	28.5	45.0	91.2
1989.....	0.9	1.3	1.4	3.1	4.6	9.7	15.7	25.6	47.0	81.2
1988.....	0.8	1.4	1.8	3.0	5.3	9.1	17.3	27.8	40.4	79.6
1987.....	0.7	1.2	1.7	3.0	5.9	8.2	17.7	28.8	40.8	76.6
1986.....	0.8	1.4	1.6	2.8	5.2	8.9	16.3	25.9	42.7	79.3
1985.....	0.8	1.2	1.6	3.1	5.5	8.3	16.3	25.9	44.9	79.7
1984.....	0.6	0.8	1.8	3.1	5.3	10.0	14.1	25.9	42.1	72.4
1983.....	0.8	1.1	1.7	3.3	5.0	9.3	13.9	27.1	38.6	74.5
1982.....	0.6	0.9	1.7	2.7	5.3	8.4	13.6	22.7	40.1	62.3
1981.....	0.6	1.2	1.6	3.0	5.4	8.2	14.4	24.3	34.8	65.8
1980.....	0.4	0.8	2.0	2.3	5.2	8.0	13.1	22.8	37.4	64.3
1979.....	0.7	1.1	1.7	3.3	5.1	8.1	14.7	21.5	38.0	62.1
WHITE FEMALE										
1998.....	0.6	1.0	1.2	2.0	3.5	6.0	9.9	18.1	30.6	68.9
1997.....	0.4	0.7	1.6	1.8	3.7	5.9	9.9	17.3	30.4	70.2
1996.....	0.6	1.0	1.3	2.0	3.5	5.7	10.1	16.7	26.7	68.0
1995.....	0.8	0.8	1.5	2.0	3.4	5.5	9.5	17.9	30.8	69.4
1994.....	0.6	0.7	1.3	2.3	3.3	5.7	9.7	17.4	29.0	62.8
1993.....	0.5	1.0	1.4	2.1	3.3	5.5	9.7	16.5	30.8	67.6
1992.....	0.6	0.8	1.6	2.2	3.2	6.2	10.2	17.2	28.4	63.7
1991.....	0.7	1.0	1.4	2.2	3.5	5.8	10.4	17.6	30.4	63.8
1990.....	0.5	1.1	1.4	2.3	4.2	5.4	9.1	15.9	29.2	64.4
1989.....	0.6	0.8	1.2	2.2	3.3	6.2	9.7	15.7	28.6	59.9
1988.....	0.6	0.9	1.4	2.5	3.8	6.2	8.9	17.2	28.6	60.3
1987.....	0.6	1.0	1.5	2.1	3.6	5.9	9.6	17.1	27.3	62.5
1986.....	0.6	0.8	1.3	1.9	3.7	6.1	10.1	16.0	27.6	56.4
1985.....	0.6	0.8	1.7	2.5	3.4	5.7	9.3	16.6	28.4	55.5
1984.....	0.9	0.8	1.3	2.8	3.5	6.3	9.7	16.0	25.6	52.6
1983.....	0.6	1.0	1.4	2.3	3.8	6.0	10.0	17.2	27.1	48.6
1982.....	0.7	0.8	1.3	2.4	3.8	6.1	9.5	15.0	24.4	46.7
1981.....	0.8	1.4	1.2	1.9	3.2	6.2	9.1	14.8	23.9	45.9
1980.....	0.6	1.1	1.6	2.0	3.7	5.9	9.7	15.7	26.3	46.0
1979.....	0.6	1.0	1.5	2.3	3.4	5.3	9.1	13.7	24.7	42.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)										
ALL OTHER, BOTH SEXES										
1998.....	2.9	3.0	4.4	5.2	6.9	9.5	15.1	25.5	35.0	71.7
1997.....	3.1	3.9	3.5	4.4	6.6	9.6	16.0	21.4	38.2	68.9
1996.....	3.3	3.9	3.8	5.1	7.1	8.2	13.0	21.8	39.3	67.5
1995.....	3.4	3.2	3.9	4.7	7.2	9.2	16.1	27.7	40.0	71.4
1994.....	4.0	4.2	4.2	3.8	7.6	8.6	15.9	20.0	36.0	69.1
1993.....	3.5	3.7	4.3	5.2	6.9	10.3	13.6	25.0	36.3	72.6
1992.....	3.3	3.2	4.4	4.5	4.9	10.0	15.8	25.2	34.2	61.8
1991.....	3.6	4.5	4.1	4.8	7.6	11.6	14.0	20.5	33.6	73.0
1990.....	3.1	3.4	5.0	4.6	7.9	10.6	15.7	26.2	31.5	67.2
1989.....	3.5	4.3	5.3	5.1	8.8	9.9	14.0	21.7	32.1	70.7
1988.....	2.5	3.5	3.8	6.5	6.7	9.6	13.3	23.5	33.8	62.9
1987.....	2.9	2.7	3.8	4.4	7.2	9.0	15.3	19.2	30.8	52.9
1986.....	2.7	2.9	3.1	4.8	5.7	9.6	11.4	22.8	30.6	62.8
1985.....	3.0	3.9	3.6	5.7	8.0	9.0	15.6	21.9	34.4	51.3
1984.....	2.7	3.5	2.9	3.8	7.8	9.7	15.1	19.2	29.7	50.7
1983.....	2.8	3.3	3.7	5.2	8.4	8.6	11.6	18.5	29.8	44.5
1982.....	2.2	3.4	3.5	3.9	6.5	9.5	12.3	18.7	33.5	49.2
1981.....	2.9	2.9	4.0	5.4	5.8	8.8	13.8	17.6	24.5	41.6
1980.....	3.2	3.4	3.8	5.2	7.7	9.3	14.1	19.0	28.4	42.4
1979.....	3.6	3.1	4.9	5.2	6.2	8.5	13.7	18.4	30.4	42.5
ALL OTHER MALE										
1998.....	3.0	3.2	5.0	6.4	8.3	11.2	18.3	28.5	38.9	78.1
1997.....	3.2	3.9	3.5	4.4	8.4	9.7	17.6	28.0	46.1	76.9
1996.....	4.4	4.4	4.2	7.0	8.5	9.6	15.4	26.5	43.7	65.2
1995.....	3.6	4.0	4.3	4.9	5.7	11.5	20.3	30.4	47.2	63.2
1994.....	4.6	4.7	5.1	4.0	8.6	9.8	20.6	22.0	42.0	76.2
1993.....	3.8	4.0	5.1	4.9	7.1	12.0	16.5	28.1	37.8	67.7
1992.....	4.1	3.6	5.0	3.8	5.2	13.1	19.3	29.3	37.2	62.6
1991.....	4.3	4.7	4.5	5.7	9.7	11.2	15.4	26.5	43.4	82.6
1990.....	3.9	4.3	5.7	6.1	8.9	12.6	20.3	41.1	42.1	84.8
1989.....	4.4	4.7	5.8	6.7	8.6	11.9	16.8	23.9	42.1	81.5
1988.....	3.1	4.0	4.6	7.4	7.0	10.4	13.2	26.9	39.3	67.1
1987.....	3.5	2.7	3.8	4.7	8.6	11.2	18.9	26.0	40.2	57.1
1986.....	3.6	4.0	3.1	3.9	5.2	11.4	11.5	26.7	31.5	70.7
1985.....	2.9	4.4	3.9	6.8	8.8	9.5	17.3	25.7	41.9	52.1
1984.....	3.1	2.9	3.5	3.6	9.8	13.1	18.5	19.8	40.6	56.9
1983.....	3.5	3.9	4.3	4.9	10.7	9.8	12.3	25.4	42.3	45.7
1982.....	2.7	3.7	3.6	3.9	7.8	10.4	12.8	24.5	31.9	44.8
1981.....	3.3	3.2	3.4	5.5	8.4	10.0	17.3	22.0	36.3	42.2
1980.....	4.1	3.3	3.3	5.8	8.7	11.4	17.8	22.3	34.4	37.9
1979.....	3.9	2.7	4.3	5.1	6.1	10.3	15.5	17.6	32.6	49.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)										
ALL OTHER FEMALE										
1998.....	2.9	2.9	3.9	4.2	5.9	8.2	12.9	23.5	32.8	68.8
1997.....	3.0	3.9	3.6	4.5	5.2	9.6	14.8	17.0	33.7	65.3
1996.....	2.4	3.5	3.5	3.5	5.9	7.1	11.3	18.8	36.8	68.6
1995.....	3.2	2.6	3.7	4.5	8.3	7.4	13.2	26.0	36.1	75.0
1994.....	3.4	3.9	3.4	3.6	6.9	7.7	12.6	18.7	32.7	66.0
1993.....	3.2	3.5	3.6	5.4	6.8	9.0	11.5	23.0	35.5	74.7
1992.....	2.5	2.8	3.9	5.0	4.7	7.7	13.4	22.6	32.5	61.5
1991.....	3.1	4.3	3.7	4.0	6.0	11.9	13.0	16.8	27.9	68.3
1990.....	2.5	2.7	4.5	3.3	7.1	9.2	12.6	16.9	25.6	59.2
1989.....	2.7	3.9	4.8	3.9	8.9	8.4	12.1	20.3	26.4	65.7
1988.....	1.9	3.1	3.2	5.8	6.4	8.9	13.4	21.4	30.4	60.9
1987.....	2.4	2.6	3.8	4.1	6.2	7.5	12.9	14.9	25.5	50.9
1986.....	2.0	*	3.1	5.5	6.0	8.2	11.3	20.3	30.3	59.0
1985.....	3.2	3.5	3.4	4.8	7.4	8.6	14.5	19.4	30.0	51.3
1984.....	2.3	3.9	*	3.9	6.2	7.1	12.7	18.8	23.1	47.6
1983.....	2.2	2.8	3.2	5.5	6.7	7.7	11.1	13.9	22.4	43.9
1982.....	*	3.2	3.4	3.9	5.5	8.8	12.0	14.7	34.4	51.1
1981.....	2.6	2.7	4.5	5.3	3.6	7.9	11.1	14.5	17.3	41.3
1980.....	2.4	3.5	4.2	4.7	7.0	7.7	11.4	16.7	24.7	44.7
1979.....	3.3	3.4	5.4	5.3	6.2	7.2	12.4	19.0	29.2	39.5
BLACK, BOTH SEXES										
1998.....	3.8	3.9	5.8	6.2	8.5	10.4	16.9	28.7	38.8	78.7
1997.....	4.1	5.2	4.4	5.3	8.0	11.3	18.1	22.5	40.3	77.6
1996.....	4.5	5.2	5.0	6.3	8.4	8.5	15.1	23.6	42.2	74.0
1995.....	4.6	4.2	5.2	5.5	8.6	10.2	17.8	31.0	39.9	77.0
1994.....	5.4	5.5	5.6	4.9	8.5	10.4	17.2	23.0	38.6	72.9
1993.....	4.6	4.8	5.5	6.2	7.8	11.7	14.6	26.6	38.8	77.1
1992.....	4.3	4.2	5.6	5.3	5.8	10.9	17.6	28.3	38.2	64.9
1991.....	4.7	6.0	5.0	5.3	8.2	13.6	15.1	21.5	38.0	78.9
1990.....	4.2	4.1	6.2	5.0	8.5	12.2	17.4	27.5	34.0	70.5
1989.....	4.7	5.2	6.6	6.3	10.0	10.9	15.3	23.4	35.5	73.2
1988.....	3.1	4.5	4.8	7.8	7.3	10.6	14.5	23.5	36.0	66.4
1987.....	4.0	3.3	4.5	4.8	8.3	10.4	17.4	20.7	31.6	52.9
1986.....	3.5	3.7	3.9	5.7	6.2	10.6	12.2	22.7	31.4	61.2
1985.....	3.8	4.8	4.3	6.4	8.6	10.0	16.5	23.7	35.9	53.3
1984.....	3.4	4.3	3.4	4.2	8.4	9.8	16.2	19.6	31.8	51.6
1983.....	3.5	3.8	4.4	6.0	9.4	9.6	12.7	18.7	33.0	45.7
1982.....	2.6	4.1	4.1	4.3	7.6	10.3	12.6	19.1	35.3	50.0
1981.....	3.2	3.5	4.5	5.7	6.4	9.8	14.3	19.4	26.3	42.3
1980.....	3.8	3.9	4.4	5.6	8.6	9.5	15.1	18.8	29.5	45.9
1979.....	4.2	3.4	5.3	5.9	6.5	8.7	14.3	19.2	31.8	42.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)										
BLACK MALE										
1998.....	3.7	4.1	6.6	7.9	10.5	12.0	20.0	32.4	41.8	85.7
1997.....	4.1	5.5	4.5	5.9	9.8	12.0	20.3	30.7	50.5	90.0
1996.....	5.9	5.9	5.7	8.8	10.1	10.3	18.6	30.7	50.5	66.0
1995.....	4.9	5.1	5.5	5.8	6.8	12.2	23.2	35.0	45.7	60.6
1994.....	6.3	6.1	6.8	5.3	9.7	11.4	22.6	25.0	47.8	81.2
1993.....	5.2	5.1	6.7	5.9	8.7	13.0	17.3	30.0	40.0	67.2
1992.....	5.6	4.8	6.4	4.3	6.9	14.8	23.1	32.1	42.9	66.0
1991.....	5.6	6.2	5.7	6.9	11.1	12.5	16.7	28.2	50.5	87.0
1990.....	5.3	5.3	7.0	6.5	9.8	14.1	22.5	44.8	44.7	92.0
1989.....	6.1	5.8	7.3	8.2	10.3	13.2	18.3	26.4	49.5	89.4
1988.....	4.0	5.0	5.8	8.6	7.9	11.1	14.8	25.4	43.6	69.2
1987.....	4.8	3.7	5.0	4.9	9.8	13.3	21.3	28.0	39.1	54.7
1986.....	4.7	5.2	4.0	4.4	6.3	13.1	11.7	27.3	31.1	68.3
1985.....	3.9	5.8	4.8	7.4	10.4	11.5	19.1	28.2	44.8	50.0
1984.....	4.0	3.6	4.2	4.2	10.3	13.6	20.0	18.6	42.9	55.7
1983.....	4.4	4.6	5.0	5.7	11.7	10.7	14.3	24.2	50.0	46.7
1982.....	3.3	4.5	4.0	4.4	9.1	11.1	13.6	24.2	35.0	39.7
1981.....	3.7	3.8	4.1	5.5	9.7	11.1	18.0	24.1	39.0	42.9
1980.....	4.9	3.9	3.9	6.2	9.8	11.1	18.8	21.6	34.7	39.6
1979.....	4.8	3.1	4.6	5.9	6.5	11.2	16.8	18.0	31.2	48.1
BLACK FEMALE										
1998.....	3.9	3.8	5.1	5.0	7.0	9.1	14.6	26.4	37.3	75.8
1997.....	4.0	5.0	4.3	4.9	6.6	10.8	16.6	17.3	35.1	72.5
1996.....	3.2	4.5	4.4	4.3	7.2	7.1	12.6	19.1	37.9	77.4
1995.....	4.3	3.4	5.0	5.3	9.9	8.7	14.2	28.5	37.0	83.6
1994.....	4.6	5.1	4.6	4.5	7.7	9.6	13.5	21.8	33.9	69.6
1993.....	4.1	4.5	4.5	6.4	7.1	10.7	12.9	24.5	38.2	81.2
1992.....	3.3	3.7	4.9	6.1	5.0	8.1	14.0	26.1	35.8	64.5
1991.....	4.0	5.8	4.4	4.1	5.9	14.4	14.0	17.5	31.6	75.5
1990.....	3.3	3.1	5.6	3.8	7.6	10.8	14.0	17.4	28.4	61.4
1989.....	3.5	4.6	6.1	4.8	9.8	9.3	13.4	21.6	28.1	66.7
1988.....	2.3	4.1	4.0	7.2	6.9	10.3	14.2	22.3	32.0	65.1
1987.....	3.3	2.9	4.2	4.8	7.1	8.4	14.8	16.3	27.5	52.1
1986.....	2.5	*	3.9	6.6	6.1	8.8	12.5	19.9	31.5	58.0
1985.....	3.8	3.9	3.9	5.6	7.3	8.9	14.8	20.9	31.0	54.9
1984.....	3.0	4.9	*	4.3	7.0	7.0	13.6	20.3	25.7	49.6
1983.....	2.6	3.2	3.9	6.3	7.7	8.8	11.7	15.1	23.4	45.2
1982.....	*	3.8	4.2	4.3	6.5	9.7	11.9	15.9	35.5	55.1
1981.....	*	3.3	4.8	5.9	*	8.9	11.7	16.4	18.9	41.6
1980.....	2.9	4.0	4.8	5.1	7.6	8.3	12.4	17.0	26.4	49.0
1979.....	3.7	3.6	5.8	5.9	6.6	6.9	12.4	19.9	32.3	40.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ANEMIAS (280-285)										
TOTAL, BOTH SEXES										
1998.....	0.5	0.5	0.6	0.7	1.4	2.2	4.1	7.7	14.9	41.8
1997.....	0.5	0.5	0.6	0.7	1.4	2.1	4.1	7.5	15.6	43.6
1996.....	0.5	0.6	0.7	1.0	1.4	2.1	4.3	7.3	14.6	40.7
1995.....	0.5	0.5	0.6	0.9	1.5	2.3	4.2	7.9	15.9	44.8
1994.....	0.6	0.6	0.8	0.8	1.5	2.1	4.3	8.2	15.2	41.3
1993.....	0.4	0.5	0.7	1.0	1.3	2.2	4.0	7.9	16.1	43.8
1992.....	0.6	0.6	0.7	0.9	1.3	2.4	4.5	8.1	14.8	42.4
1991.....	0.5	0.6	0.7	0.9	1.5	2.3	4.2	8.8	15.9	42.1
1990.....	0.5	0.4	0.8	0.9	1.6	2.5	4.4	8.1	16.1	43.0
1989.....	0.4	0.6	0.7	0.9	1.6	2.8	4.6	7.8	16.8	40.7
1988.....	0.4	0.6	0.5	1.1	1.3	2.3	4.5	9.0	16.1	41.1
1987.....	0.4	0.5	0.7	1.0	1.4	2.4	4.7	8.7	15.9	41.1
1986.....	0.3	0.5	0.6	0.9	1.3	2.3	4.6	8.8	18.0	40.1
1985.....	0.5	0.5	0.7	1.1	1.6	2.5	4.8	9.2	17.3	39.3
1984.....	0.4	0.5	0.6	0.8	1.5	2.9	4.6	8.8	16.3	38.1
1983.....	0.4	0.5	0.6	1.2	1.7	2.8	4.7	9.1	16.2	35.7
1982.....	0.5	0.4	0.5	0.8	1.6	2.8	4.6	8.6	16.9	34.1
1981.....	0.5	0.6	0.6	1.0	1.5	3.2	5.1	8.8	15.6	34.7
1980.....	0.4	0.5	0.7	0.9	1.8	2.8	5.0	9.3	16.2	33.7
1979.....	0.6	0.5	0.7	1.0	1.6	2.5	5.3	8.2	16.8	33.1
TOTAL, MALE										
1998.....	0.5	0.6	0.7	0.9	1.5	2.4	5.0	8.0	17.3	41.9
1997.....	0.5	0.5	0.6	0.8	1.5	2.1	4.3	9.1	17.2	44.3
1996.....	0.5	0.6	0.7	1.4	1.5	2.3	5.3	8.5	18.1	40.0
1995.....	0.5	0.5	0.6	0.9	1.3	2.8	4.7	8.2	18.5	46.8
1994.....	0.6	0.6	0.9	0.7	1.6	2.3	5.2	9.6	17.2	49.7
1993.....	0.4	0.4	0.7	1.0	1.5	2.4	4.3	9.6	17.1	48.9
1992.....	0.6	0.6	0.7	0.8	1.3	2.5	5.3	8.8	17.0	50.2
1991.....	0.5	0.6	0.6	1.0	1.5	2.5	4.7	9.5	18.7	51.3
1990.....	0.6	0.5	0.9	1.0	1.5	2.5	5.5	9.9	18.4	49.0
1989.....	0.5	0.8	0.7	0.9	1.7	2.8	5.0	8.7	20.5	45.2
1988.....	0.5	0.7	0.6	1.1	1.5	2.6	5.8	10.6	17.5	42.8
1987.....	0.5	0.5	0.7	1.2	1.8	2.3	6.3	10.5	19.2	43.6
1986.....	0.4	0.6	0.6	0.9	1.3	2.5	5.3	10.8	21.6	49.3
1985.....	0.5	0.5	0.7	1.0	1.9	2.6	5.6	10.9	22.2	45.3
1984.....	*	0.4	0.8	0.8	1.8	3.4	5.3	10.7	20.3	43.2
1983.....	0.4	0.5	0.7	1.2	1.9	3.1	5.6	10.8	18.7	44.1
1982.....	0.5	0.4	0.5	0.8	1.9	3.1	5.1	10.8	19.9	37.8
1981.....	0.6	0.6	0.6	1.0	2.0	3.3	6.1	11.4	20.4	40.4
1980.....	0.4	0.5	0.7	1.0	1.8	3.3	5.5	10.0	19.7	37.7
1979.....	0.6	0.5	0.7	1.1	1.7	3.2	6.4	9.7	21.2	38.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ANEMIAS (280-285)										
TOTAL, FEMALE										
1998.....	0.6	0.5	0.6	0.6	1.3	2.1	3.3	7.4	13.5	41.7
1997.....	0.4	0.5	0.6	0.7	1.3	2.2	3.9	6.4	14.7	43.3
1996.....	0.5	0.6	0.6	0.8	1.3	2.0	3.5	6.4	12.6	41.0
1995.....	0.5	0.4	0.6	0.9	1.6	1.9	3.8	7.8	14.4	44.1
1994.....	0.6	0.6	0.6	0.8	1.3	2.0	3.7	7.2	14.1	38.1
1993.....	0.5	0.6	0.7	0.9	1.1	2.1	3.7	6.9	15.5	41.9
1992.....	0.5	0.5	0.7	1.0	1.2	2.2	3.9	7.6	13.6	39.3
1991.....	0.4	0.6	0.7	0.8	1.5	2.2	3.8	8.3	14.4	38.6
1990.....	0.4	0.4	0.7	0.9	1.8	2.5	3.6	7.0	14.8	40.7
1989.....	0.4	0.5	0.8	0.9	1.4	2.8	4.3	7.1	14.8	38.9
1988.....	0.3	0.5	0.5	1.1	1.2	2.0	3.6	8.0	15.3	40.4
1987.....	0.4	0.4	0.6	0.9	1.1	2.5	3.6	7.6	14.2	40.1
1986.....	0.3	*	0.5	0.9	1.4	2.1	4.2	7.5	16.1	36.5
1985.....	0.4	0.5	0.7	1.2	1.2	2.5	4.2	8.1	14.8	36.8
1984.....	0.4	0.6	0.5	0.9	1.3	2.5	4.1	7.7	14.2	36.0
1983.....	0.3	0.5	0.5	1.1	1.5	2.6	4.0	8.1	14.9	32.2
1982.....	0.5	0.4	0.6	0.8	1.4	2.6	4.2	7.2	15.4	32.6
1981.....	0.4	0.6	0.7	1.0	1.2	3.1	4.4	7.3	13.1	32.3
1980.....	0.4	0.5	0.7	0.8	1.7	2.5	4.7	8.9	14.4	31.9
1979.....	0.5	0.5	0.7	0.9	1.4	1.9	4.6	7.3	14.5	30.9
WHITE, BOTH SEXES										
1998.....	0.2	0.3	0.4	0.5	1.1	2.0	3.8	7.4	14.7	41.4
1997.....	0.2	0.2	0.4	0.4	1.2	1.8	3.8	7.5	15.4	43.3
1996.....	0.2	0.3	0.4	0.8	1.2	2.0	4.2	7.0	14.2	40.4
1995.....	0.2	0.2	0.4	0.7	1.1	2.2	3.8	7.3	15.3	44.3
1994.....	0.2	0.3	0.5	0.6	1.2	1.9	4.0	8.0	14.8	41.0
1993.....	*	0.2	0.4	0.7	1.1	2.0	3.7	7.5	16.0	43.3
1992.....	0.2	0.3	0.5	0.7	1.2	2.2	4.1	7.5	14.6	42.4
1991.....	0.2	0.2	0.5	0.7	1.4	2.0	3.9	8.5	15.6	41.5
1990.....	0.2	0.2	0.5	0.7	1.5	2.2	4.2	7.6	16.0	42.8
1989.....	0.2	0.4	0.4	0.8	1.2	2.6	4.4	7.5	16.7	40.3
1988.....	0.2	0.3	0.4	0.9	1.2	2.1	4.5	8.7	15.8	41.1
1987.....	0.2	0.3	0.5	0.9	1.3	2.2	4.5	8.6	16.0	41.6
1986.....	*	0.3	0.4	0.8	1.2	2.2	4.7	8.4	17.8	40.1
1985.....	0.2	0.3	0.5	1.0	1.3	2.3	4.5	8.9	17.1	39.4
1984.....	0.2	0.2	0.5	0.7	1.4	2.7	4.4	8.7	16.4	38.4
1983.....	0.2	0.3	0.4	0.9	1.6	2.6	4.5	9.2	16.1	36.2
1982.....	0.3	0.2	0.4	0.7	1.5	2.6	4.5	8.4	16.5	34.2
1981.....	0.3	0.4	0.5	0.9	1.4	3.0	5.0	8.8	15.5	35.4
1980.....	0.2	0.3	0.6	0.7	1.5	2.6	4.6	9.3	15.9	34.1
1979.....	0.3	0.4	0.6	0.8	1.4	2.3	5.1	8.0	16.6	33.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ANEMIAS (280-285)										
WHITE MALE										
1998.....	*	0.4	0.4	0.6	1.2	2.2	4.5	7.7	17.3	41.8
1997.....	*	*	0.4	0.5	1.3	1.9	4.2	9.0	17.1	44.0
1996.....	*	0.3	0.4	1.1	1.3	2.3	5.2	8.1	18.0	40.5
1995.....	*	0.3	0.4	0.8	1.2	2.8	4.1	7.6	18.2	47.1
1994.....	0.3	0.3	0.6	0.6	1.4	2.0	4.7	9.4	16.9	50.1
1993.....	*	*	*	0.8	1.4	2.2	4.0	9.2	17.3	49.6
1992.....	*	0.4	0.5	0.6	1.4	2.3	4.9	8.2	17.1	51.4
1991.....	*	*	0.4	0.7	1.4	2.3	4.4	8.9	17.9	51.8
1990.....	0.3	*	0.6	0.7	1.2	2.3	5.0	8.8	18.2	49.0
1989.....	*	0.5	0.4	0.7	1.4	2.6	4.7	8.7	20.2	45.3
1988.....	*	0.4	*	1.0	1.4	2.3	5.9	10.2	17.2	43.2
1987.....	*	*	0.7	1.0	1.7	2.0	6.1	10.5	18.9	44.5
1986.....	*	0.4	0.5	0.8	1.2	2.4	5.4	10.5	21.7	49.4
1985.....	*	*	0.5	0.8	1.7	2.4	5.5	10.8	22.1	46.2
1984.....	*	*	0.7	0.8	1.6	3.1	5.0	10.7	20.5	44.0
1983.....	*	*	0.4	1.0	1.7	2.9	5.4	10.8	18.5	45.9
1982.....	*	*	0.4	0.7	1.8	2.9	5.1	10.6	20.1	38.3
1981.....	*	0.4	0.5	0.9	1.8	3.2	6.1	11.2	19.7	41.1
1980.....	0.1	0.3	0.6	0.8	1.6	3.0	5.1	10.2	19.4	38.8
1979.....	0.4	0.4	0.6	1.0	1.6	3.1	6.2	9.9	21.7	38.7
WHITE FEMALE										
1998.....	*	0.3	0.4	0.4	1.1	1.8	3.2	7.1	13.2	41.3
1997.....	*	*	0.5	*	1.1	1.8	3.5	6.4	14.5	43.1
1996.....	*	0.3	0.4	0.5	1.0	1.8	3.4	6.2	12.0	40.4
1995.....	*	*	0.4	0.7	1.1	1.8	3.5	7.1	13.6	43.3
1994.....	*	*	0.4	0.7	1.1	1.7	3.5	7.0	13.6	37.5
1993.....	*	*	0.5	0.6	0.9	1.9	3.5	6.3	15.2	40.9
1992.....	0.3	*	0.5	0.7	1.1	2.1	3.5	7.0	13.3	39.0
1991.....	*	*	0.6	0.6	1.3	1.7	3.5	8.2	14.5	37.6
1990.....	*	*	0.5	0.7	1.6	2.1	3.5	6.8	14.9	40.5
1989.....	*	*	0.4	0.8	1.1	2.5	4.1	6.8	14.8	38.4
1988.....	*	*	0.4	0.8	1.1	1.9	3.4	7.8	15.0	40.2
1987.....	*	*	0.4	0.8	0.9	2.3	3.4	7.4	14.5	40.4
1986.....	*	*	*	0.8	1.2	2.0	4.1	7.0	15.8	36.4
1985.....	*	*	0.5	1.1	1.0	2.3	3.8	7.8	14.5	36.8
1984.....	0.3	*	0.4	0.7	1.2	2.3	3.9	7.5	14.3	36.2
1983.....	*	*	*	0.8	1.4	2.4	3.9	8.3	14.9	32.3
1982.....	*	*	0.4	0.7	1.3	2.3	4.1	7.1	14.6	32.6
1981.....	*	0.5	0.5	0.9	1.1	2.9	4.3	7.3	13.2	33.0
1980.....	0.3	0.3	0.5	0.7	1.5	2.4	4.3	8.6	14.1	32.0
1979.....	0.3	0.4	0.6	0.7	1.2	1.7	4.3	6.8	13.9	30.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ANEMIAS (280-285)										
ALL OTHER, BOTH SEXES										
1998.....	2.1	1.7	2.3	2.1	3.0	4.1	6.3	10.4	16.7	44.9
1997.....	2.0	2.3	1.6	2.3	2.3	4.2	6.5	8.0	17.8	45.8
1996.....	2.2	2.3	2.2	2.7	3.0	3.0	5.1	9.8	18.2	43.6
1995.....	2.2	1.9	2.2	2.1	3.5	3.0	7.9	13.7	22.3	49.9
1994.....	2.5	2.6	2.4	1.5	3.1	4.2	6.8	10.2	19.3	44.8
1993.....	2.2	2.1	2.3	2.8	2.5	3.7	6.2	12.2	17.0	49.7
1992.....	2.4	1.9	2.1	2.1	1.8	3.8	7.8	13.8	17.0	41.7
1991.....	1.9	2.9	1.8	2.2	2.8	5.1	6.6	11.8	18.8	48.9
1990.....	1.9	1.8	2.7	2.2	3.0	5.0	7.0	13.3	16.6	44.9
1989.....	2.0	2.3	2.5	2.0	4.3	4.5	6.9	10.2	18.0	44.1
1988.....	1.5	2.2	1.5	2.8	2.1	4.2	5.0	12.0	19.4	41.5
1987.....	1.8	1.7	1.5	2.2	2.3	4.4	6.7	9.6	14.9	36.3
1986.....	1.4	1.6	1.4	1.7	2.4	3.6	4.6	12.5	20.2	40.7
1985.....	2.0	2.1	1.8	2.1	3.6	4.1	7.3	11.5	20.0	37.1
1984.....	1.2	2.0	*	1.6	2.8	4.8	6.9	10.1	15.0	35.0
1983.....	1.3	1.7	2.0	3.1	3.0	4.5	5.8	8.4	17.2	29.7
1982.....	1.6	1.6	*	1.7	2.5	5.0	5.7	10.3	22.3	33.2
1981.....	2.1	1.8	2.0	2.0	2.8	5.0	5.7	9.5	17.8	26.8
1980.....	1.9	1.7	1.9	2.4	3.7	4.6	8.4	9.7	19.6	29.0
1979.....	2.1	1.5	2.0	2.5	3.1	4.0	7.7	10.5	19.6	32.2
ALL OTHER MALE										
1998.....	1.9	1.6	2.5	3.0	4.2	4.1	8.9	11.0	17.5	42.7
1997.....	2.0	2.1	2.1	*	*	*	5.4	10.2	18.0	47.2
1996.....	2.3	2.5	2.3	3.3	*	*	6.0	12.1	19.1	35.3
1995.....	2.4	2.3	*	*	*	*	10.4	14.4	21.4	43.8
1994.....	2.4	2.4	2.6	*	*	4.6	9.2	11.2	20.3	45.5
1993.....	2.1	1.9	2.8	*	*	4.5	7.2	13.2	*	42.6
1992.....	3.1	*	*	*	*	4.8	8.8	14.9	16.7	38.7
1991.....	2.2	2.9	*	*	*	4.4	7.1	15.2	27.1	46.5
1990.....	2.2	*	3.1	*	*	4.3	10.0	20.1	21.0	49.1
1989.....	2.2	2.5	*	*	4.7	*	7.3	9.5	23.1	44.4
1988.....	*	2.4	*	*	*	5.2	*	14.6	20.5	39.2
1987.....	2.2	*	*	*	*	4.7	8.1	10.7	22.3	35.1
1986.....	*	*	*	*	*	*	*	13.3	21.3	48.0
1985.....	*	2.7	*	*	4.1	*	7.0	11.7	22.9	37.0
1984.....	*	*	*	*	*	6.4	8.1	10.9	*	36.1
1983.....	*	*	*	*	*	5.0	6.8	11.2	20.6	*
1982.....	*	*	*	*	*	*	*	12.5	*	32.8
1981.....	2.7	*	*	*	*	*	*	12.9	27.5	32.8
1980.....	2.4	1.6	1.0	2.9	3.3	6.0	9.1	7.8	22.9	26.3
1979.....	2.0	1.4	2.2	2.0	3.0	4.1	8.0	8.2	16.3	32.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ANEMIAS (280-285)										
ALL OTHER FEMALE										
1998.....	2.3	1.8	2.1	*	*	4.0	4.5	10.0	16.2	45.8
1997.....	2.1	2.5	*	2.3	*	4.7	7.3	6.6	17.6	45.1
1996.....	2.0	2.2	2.0	*	2.8	3.3	4.5	8.3	17.6	47.4
1995.....	2.0	1.6	2.3	*	4.4	2.9	6.1	13.3	22.8	52.5
1994.....	2.6	2.7	2.2	*	3.0	3.8	5.1	9.6	18.7	44.5
1993.....	2.3	2.3	*	2.9	2.7	3.2	5.6	11.6	18.6	52.8
1992.....	1.8	1.9	2.2	*	*	3.1	7.1	13.2	17.1	43.1
1991.....	1.6	2.8	*	*	*	5.6	6.3	9.7	14.0	49.7
1990.....	1.7	*	2.4	*	*	5.5	4.9	9.1	14.1	43.0
1989.....	1.9	2.1	2.8	*	4.0	4.9	6.7	10.7	15.1	44.0
1988.....	*	*	*	3.1	*	3.4	5.5	10.4	18.6	42.6
1987.....	*	*	*	*	*	4.2	5.8	8.9	10.7	36.8
1986.....	*	*	*	*	*	*	5.0	12.0	19.7	37.2
1985.....	2.0	*	*	*	3.2	3.8	7.6	11.5	18.3	37.3
1984.....	*	*	*	*	*	*	6.1	9.5	12.7	34.5
1983.....	*	*	*	3.3	*	4.1	5.1	*	15.2	30.9
1982.....	*	*	*	*	*	5.1	6.0	8.8	24.8	33.1
1981.....	*	*	*	*	*	5.0	5.4	7.3	*	23.8
1980.....	1.4	1.8	2.7	2.0	3.9	3.6	7.9	11.0	17.6	30.3
1979.....	2.2	1.6	1.8	2.9	3.2	4.0	7.5	12.0	21.9	32.5
BLACK, BOTH SEXES										
1998.....	2.8	2.3	3.1	2.7	4.0	4.5	6.3	12.3	18.7	51.0
1997.....	2.8	3.2	2.3	2.9	3.0	5.1	7.6	9.1	20.0	52.0
1996.....	3.0	3.1	2.9	3.4	3.8	3.3	6.1	11.0	21.2	49.2
1995.....	3.0	2.5	3.0	2.7	4.1	3.6	8.8	14.9	22.9	54.0
1994.....	3.4	3.3	3.3	2.0	3.8	5.3	7.6	12.2	21.5	46.9
1993.....	3.0	2.8	3.2	3.4	3.0	4.4	7.0	14.2	18.8	53.4
1992.....	3.3	2.7	2.5	2.5	2.2	4.2	9.3	15.9	19.6	44.7
1991.....	2.5	3.9	2.3	2.5	2.9	6.3	7.5	13.5	21.2	54.3
1990.....	2.6	2.3	3.4	2.3	3.5	5.7	7.7	14.7	18.7	47.6
1989.....	2.7	2.9	3.3	2.4	5.0	5.3	7.2	11.3	19.9	48.2
1988.....	2.0	2.9	1.9	3.4	2.7	4.5	5.4	12.9	21.0	43.5
1987.....	2.5	2.2	1.9	2.5	2.5	5.2	7.5	10.6	15.2	37.0
1986.....	1.9	2.0	1.8	2.2	2.7	4.1	5.0	12.6	21.2	41.3
1985.....	2.5	2.7	2.2	2.3	4.2	4.5	8.1	12.6	20.8	37.4
1984.....	1.5	2.5	*	1.9	3.0	4.9	7.4	10.6	16.9	37.9
1983.....	1.7	1.9	2.4	3.7	3.5	4.9	6.3	9.0	18.9	30.4
1982.....	1.9	2.0	*	*	3.0	5.3	5.6	11.1	23.4	33.5
1981.....	2.3	2.2	2.4	2.0	3.0	5.5	6.4	10.7	19.1	28.6
1980.....	2.3	2.0	2.3	2.7	4.1	4.5	9.4	9.8	21.0	31.4
1979.....	2.5	1.5	2.3	2.9	3.5	4.4	8.3	11.4	21.4	32.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ANEMIAS (280-285)										
BLACK MALE										
1998.....	2.6	2.0	3.5	3.8	5.5	*	8.7	13.0	19.6	49.0
1997.....	2.7	3.0	3.0	*	*	*	*	12.5	21.7	56.1
1996.....	3.2	3.3	3.2	4.1	*	*	7.0	13.9	24.8	38.4
1995.....	3.3	3.0	*	*	*	*	11.4	16.5	22.4	41.7
1994.....	3.4	3.0	3.7	*	*	5.7	11.1	13.3	23.4	47.1
1993.....	2.9	*	3.9	*	*	*	8.3	16.9	*	43.0
1992.....	4.2	*	*	*	*	5.7	10.7	16.3	19.5	40.2
1991.....	3.1	4.1	*	*	*	*	8.0	17.7	31.7	52.2
1990.....	3.0	*	4.0	*	*	*	11.5	22.9	23.4	52.8
1989.....	3.0	3.3	*	*	5.7	*	*	*	26.8	53.0
1988.....	*	3.2	*	*	*	*	*	14.7	23.4	40.0
1987.....	3.0	*	*	*	*	5.8	8.8	12.0	23.9	34.4
1986.....	*	*	*	*	*	*	*	13.4	22.2	49.2
1985.....	*	3.5	*	*	4.8	*	*	12.9	23.0	33.9
1984.....	*	*	*	*	*	6.5	9.0	*	*	37.7
1983.....	*	*	*	*	*	*	*	12.1	24.4	*
1982.....	*	*	*	*	*	*	*	13.7	*	*
1981.....	*	*	*	*	*	*	*	14.6	29.9	35.7
1980.....	3.0	1.9	1.2	3.2	3.9	5.7	10.7	7.2	25.3	26.4
1979.....	2.5	1.5	2.6	2.3	3.2	4.7	8.8	9.3	16.9	32.7
BLACK FEMALE										
1998.....	3.1	2.5	2.7	*	*	5.0	4.6	11.8	18.2	51.8
1997.....	2.8	3.4	*	*	*	5.6	8.3	7.0	19.2	50.3
1996.....	2.8	3.0	2.7	*	3.5	*	5.5	9.3	19.4	53.7
1995.....	2.7	2.2	3.2	*	5.1	*	7.0	13.9	23.2	59.0
1994.....	3.5	3.6	3.0	*	3.6	5.0	5.3	11.6	20.5	46.8
1993.....	3.0	2.9	*	3.5	*	4.1	6.1	12.6	20.6	57.6
1992.....	2.5	2.6	*	*	*	*	8.3	15.6	19.7	46.6
1991.....	2.1	3.8	*	*	*	7.1	7.3	11.0	15.8	55.2
1990.....	2.3	*	*	*	*	6.2	5.2	9.8	16.3	45.4
1989.....	2.5	2.6	3.6	*	4.5	5.9	7.3	11.6	16.2	46.4
1988.....	*	*	*	3.9	*	4.1	5.8	11.8	19.7	45.0
1987.....	*	*	*	*	*	4.8	6.6	9.7	*	38.2
1986.....	*	*	*	*	*	*	5.6	12.1	20.6	37.7
1985.....	2.5	*	*	*	3.7	*	8.3	12.5	19.6	39.1
1984.....	*	*	*	*	*	*	6.3	10.5	14.5	38.0
1983.....	*	*	*	3.8	*	4.6	*	*	15.9	32.3
1982.....	*	*	*	*	*	5.7	6.0	9.6	25.4	35.6
1981.....	*	*	*	*	*	5.5	6.1	8.2	*	24.8
1980.....	1.7	2.1	3.2	2.3	4.3	3.6	8.5	11.5	18.4	33.9
1979.....	2.5	1.4	2.1	3.3	3.6	4.2	8.0	12.7	24.2	32.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DEFICIENCY ANEMIAS (280-281)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	0.4	1.0	4.1
1997.....	*	*	*	*	*	*	*	0.3	1.0	4.9
1996.....	*	*	*	*	*	*	0.2	0.3	0.9	4.5
1995.....	*	*	*	*	*	*	*	0.4	1.1	4.5
1994.....	*	*	*	*	*	*	*	0.3	0.9	4.4
1993.....	*	*	*	*	*	*	0.2	0.4	1.2	4.6
1992.....	*	*	*	*	*	*	0.2	0.6	1.1	4.5
1991.....	*	*	*	*	*	*	*	0.6	1.1	5.1
1990.....	*	*	*	*	*	*	0.3	0.6	1.0	4.9
1989.....	*	*	*	*	*	*	*	0.6	1.5	4.6
1988.....	*	*	*	*	*	*	0.3	0.7	1.3	5.0
1987.....	*	*	*	*	*	*	*	0.7	1.3	4.7
1986.....	*	*	*	*	*	*	0.3	0.6	1.5	4.2
1985.....	*	*	*	*	*	*	0.3	0.7	1.9	4.8
1984.....	*	*	*	*	*	*	0.3	0.8	1.6	4.8
1983.....	*	*	*	*	*	*	0.3	0.7	1.5	5.3
1982.....	*	*	*	*	*	*	*	0.8	1.8	5.4
1981.....	*	*	*	*	*	*	0.4	1.0	1.6	5.7
1980.....	-	0.0	0.1	0.0	0.1	0.2	0.4	0.7	2.0	5.5
1979.....	0.0	0.0	0.0	0.1	0.1	0.1	0.4	1.0	2.3	5.9
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	1.2	3.9
1997.....	*	*	*	*	*	*	*	*	*	4.4
1996.....	*	*	*	*	*	*	*	*	*	4.2
1995.....	*	*	*	*	*	*	*	*	*	4.5
1994.....	*	*	*	*	*	*	*	*	*	4.8
1993.....	*	*	*	*	*	*	*	*	1.3	5.2
1992.....	*	*	*	*	*	*	*	*	*	4.0
1991.....	*	*	*	*	*	*	*	*	*	5.4
1990.....	*	*	*	*	*	*	*	*	*	5.5
1989.....	*	*	*	*	*	*	*	*	*	4.7
1988.....	*	*	*	*	*	*	*	1.0	*	4.9
1987.....	*	*	*	*	*	*	*	*	*	4.0
1986.....	*	*	*	*	*	*	*	*	*	5.0
1985.....	*	*	*	*	*	*	*	*	2.4	5.0
1984.....	*	*	*	*	*	*	*	*	2.0	6.2
1983.....	*	*	*	*	*	*	*	*	*	5.9
1982.....	*	*	*	*	*	*	*	1.1	2.0	5.9
1981.....	*	*	*	*	*	*	*	1.2	1.9	5.6
1980.....	-	-	0.0	0.0	0.1	0.3	0.3	0.5	2.1	5.1
1979.....	-	0.0	0.0	0.1	0.2	0.2	0.5	0.7	2.9	5.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DEFICIENCY ANEMIAS (280-281)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	0.8	4.3
1997.....	*	*	*	*	*	*	*	*	1.1	5.1
1996.....	*	*	*	*	*	*	*	*	0.9	4.7
1995.....	*	*	*	*	*	*	*	*	1.1	4.5
1994.....	*	*	*	*	*	*	*	*	0.7	4.2
1993.....	*	*	*	*	*	*	*	*	1.2	4.4
1992.....	*	*	*	*	*	*	*	0.6	1.1	4.7
1991.....	*	*	*	*	*	*	*	0.6	1.1	5.0
1990.....	*	*	*	*	*	*	*	*	1.1	4.7
1989.....	*	*	*	*	*	*	*	0.6	1.6	4.5
1988.....	*	*	*	*	*	*	*	0.6	1.5	5.0
1987.....	*	*	*	*	*	*	*	0.7	1.2	5.0
1986.....	*	*	*	*	*	*	*	*	1.6	3.9
1985.....	*	*	*	*	*	*	*	*	1.6	4.7
1984.....	*	*	*	*	*	*	*	0.8	1.3	4.3
1983.....	*	*	*	*	*	*	*	0.8	1.5	5.1
1982.....	*	*	*	*	*	*	*	*	1.7	5.2
1981.....	*	*	*	*	*	*	*	0.9	1.4	5.8
1980.....	-	0.0	0.1	0.0	0.1	0.2	0.5	0.8	2.0	5.7
1979.....	0.0	-	0.0	0.1	0.1	0.1	0.4	1.1	2.0	5.9
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	0.4	1.0	4.1
1997.....	*	*	*	*	*	*	*	0.4	1.0	5.0
1996.....	*	*	*	*	*	*	0.3	0.3	0.9	4.8
1995.....	*	*	*	*	*	*	*	0.4	1.1	4.3
1994.....	*	*	*	*	*	*	*	*	0.9	4.4
1993.....	*	*	*	*	*	*	*	0.4	1.2	4.7
1992.....	*	*	*	*	*	*	*	0.6	1.2	4.7
1991.....	*	*	*	*	*	*	*	0.5	1.1	5.1
1990.....	*	*	*	*	*	*	*	0.5	1.1	4.8
1989.....	*	*	*	*	*	*	*	0.5	1.5	4.6
1988.....	*	*	*	*	*	*	0.3	0.7	1.4	5.0
1987.....	*	*	*	*	*	*	*	0.7	1.3	4.7
1986.....	*	*	*	*	*	*	0.3	0.6	1.6	4.4
1985.....	*	*	*	*	*	*	*	0.7	1.8	4.9
1984.....	*	*	*	*	*	*	0.3	0.8	1.6	4.8
1983.....	*	*	*	*	*	*	*	0.6	1.5	5.6
1982.....	*	*	*	*	*	*	*	0.8	1.6	5.6
1981.....	*	*	*	*	*	*	0.4	1.0	1.5	5.8
1980.....	-	0.0	0.0	0.0	0.1	0.2	0.3	0.8	2.0	5.4
1979.....	0.0	0.0	0.0	0.1	0.1	0.1	0.5	1.0	2.3	6.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DEFICIENCY ANEMIAS (280-281)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	1.2	3.6
1997.....	*	*	*	*	*	*	*	*	*	4.3
1996.....	*	*	*	*	*	*	*	*	*	4.4
1995.....	*	*	*	*	*	*	*	*	*	4.2
1994.....	*	*	*	*	*	*	*	*	*	4.9
1993.....	*	*	*	*	*	*	*	*	1.5	5.5
1992.....	*	*	*	*	*	*	*	*	*	4.3
1991.....	*	*	*	*	*	*	*	*	*	5.5
1990.....	*	*	*	*	*	*	*	*	*	5.0
1989.....	*	*	*	*	*	*	*	*	*	4.8
1988.....	*	*	*	*	*	*	*	*	*	5.1
1987.....	*	*	*	*	*	*	*	*	*	3.9
1986.....	*	*	*	*	*	*	*	*	*	5.3
1985.....	*	*	*	*	*	*	*	*	2.3	5.2
1984.....	*	*	*	*	*	*	*	*	1.9	6.1
1983.....	*	*	*	*	*	*	*	*	*	6.5
1982.....	*	*	*	*	*	*	*	1.2	*	6.2
1981.....	*	*	*	*	*	*	*	*	*	5.8
1980.....	-	-	0.0	0.0	0.1	0.3	0.2	0.5	1.7	5.5
1979.....	-	0.0	0.0	0.1	0.1	0.1	0.6	0.8	2.9	5.7
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	0.9	4.3
1997.....	*	*	*	*	*	*	*	*	1.1	5.2
1996.....	*	*	*	*	*	*	*	*	1.0	4.9
1995.....	*	*	*	*	*	*	*	*	1.1	4.3
1994.....	*	*	*	*	*	*	*	*	*	4.2
1993.....	*	*	*	*	*	*	*	*	1.1	4.3
1992.....	*	*	*	*	*	*	*	0.6	1.2	4.9
1991.....	*	*	*	*	*	*	*	*	1.1	4.9
1990.....	*	*	*	*	*	*	*	*	1.2	4.7
1989.....	*	*	*	*	*	*	*	*	1.7	4.5
1988.....	*	*	*	*	*	*	*	*	1.5	5.0
1987.....	*	*	*	*	*	*	*	0.6	1.2	5.0
1986.....	*	*	*	*	*	*	*	*	1.7	4.1
1985.....	*	*	*	*	*	*	*	*	1.6	4.7
1984.....	*	*	*	*	*	*	*	0.9	1.4	4.2
1983.....	*	*	*	*	*	*	*	0.8	1.5	5.3
1982.....	*	*	*	*	*	*	*	*	1.4	5.4
1981.....	*	*	*	*	*	*	*	0.9	1.3	5.8
1980.....	-	0.0	0.1	0.0	0.1	0.1	0.4	0.9	2.1	5.3
1979.....	0.0	-	0.0	0.1	0.1	0.1	0.4	1.1	1.9	6.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DEFICIENCY ANEMIAS (280-281)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	6.5
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	0.1	-	0.1	0.4	0.9	0.2	3.1	7.2
1979.....	-	-	-	0.1	0.2	0.4	0.2	0.5	2.7	4.6
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.2	0.5	0.7	-	5.7	1.6
1979.....	-	-	-	-	0.5	0.5	-	-	2.3	8.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DEFICIENCY ANEMIAS (280-281)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	0.3	-	-	0.4	1.1	0.4	1.4	10.1
1979.....	-	-	-	0.2	-	0.4	0.3	0.8	2.9	2.6
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.2	-	0.1	0.5	1.1	0.3	3.5	8.2
1979.....	-	-	-	0.1	0.2	0.5	0.2	0.5	2.5	4.5

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 DEFICIENCY ANEMIAS (280-281)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.3	0.6	0.9	-	6.7	1.9	
1979.....	-	-	-	-	0.5	0.6	-	-	1.3	9.6	

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.3	-	-	0.4	1.2	0.4	1.6	11.3	
1979.....	-	-	-	0.2	-	0.4	0.3	0.8	3.2	1.9	

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HEMOLYTIC ANEMIAS (282-283)										
TOTAL, BOTH SEXES										
1998.....	0.3	0.3	0.2	0.2	0.3	0.4	0.5	0.6	1.2	2.2
1997.....	0.3	0.3	0.3	0.2	0.4	0.3	0.4	0.7	1.1	2.3
1996.....	0.4	0.3	0.3	0.3	0.3	0.3	0.8	0.6	1.1	2.0
1995.....	0.3	0.3	0.3	0.3	0.4	0.3	0.5	1.0	1.1	2.2
1994.....	0.4	0.3	0.3	*	0.3	0.4	0.5	0.8	1.6	2.1
1993.....	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.8	1.3	2.2
1992.....	0.4	0.3	0.3	0.3	0.2	0.4	0.6	0.8	1.3	2.5
1991.....	0.3	0.4	0.3	0.3	0.2	0.4	0.6	0.9	1.5	2.5
1990.....	0.3	0.2	0.2	0.3	0.3	0.4	0.6	0.7	1.3	2.5
1989.....	0.2	0.3	0.3	0.2	0.3	0.5	0.5	1.1	1.5	2.3
1988.....	0.2	0.2	0.2	0.3	0.3	0.4	0.6	1.0	1.6	1.9
1987.....	0.3	0.2	0.3	0.3	0.3	0.3	0.6	0.9	1.8	2.6
1986.....	0.2	0.2	*	0.2	0.3	0.3	0.7	1.2	1.9	3.0
1985.....	0.2	0.2	0.3	0.2	0.3	0.5	0.7	1.0	1.5	2.8
1984.....	*	0.3	*	0.2	0.3	0.4	0.7	1.0	1.8	3.3
1983.....	0.2	0.2	*	0.3	0.4	0.4	0.6	1.1	1.6	2.9
1982.....	0.2	0.2	*	0.2	0.2	0.6	0.5	1.1	1.8	2.3
1981.....	0.2	0.3	0.2	0.2	0.3	0.3	0.7	0.9	1.9	2.6
1980.....	0.2	0.2	0.2	0.2	0.3	0.4	0.7	0.9	1.7	2.4
1979.....	0.3	0.2	0.2	0.2	0.3	0.3	0.7	0.9	1.3	3.0
TOTAL, MALE										
1998.....	0.3	0.3	*	*	*	*	0.5	*	1.5	2.0
1997.....	0.3	0.3	*	*	*	*	*	0.8	*	3.1
1996.....	0.3	0.3	0.3	*	*	*	0.6	*	*	*
1995.....	0.3	0.3	*	*	*	*	*	0.8	1.2	*
1994.....	0.3	0.3	*	*	*	*	*	0.8	1.6	2.6
1993.....	0.3	*	*	*	*	*	*	1.1	*	*
1992.....	0.4	0.3	*	*	*	*	*	*	*	2.5
1991.....	0.3	0.4	*	*	*	0.5	0.6	*	1.6	3.1
1990.....	0.3	*	*	*	*	*	0.6	*	*	3.1
1989.....	*	*	*	*	*	*	*	1.0	1.7	3.2
1988.....	*	*	*	*	*	*	*	1.0	1.6	*
1987.....	0.3	*	*	*	*	*	*	*	1.6	*
1986.....	*	*	*	*	*	*	0.8	1.3	2.1	3.9
1985.....	*	*	*	*	*	*	*	1.1	1.8	2.9
1984.....	*	*	*	*	*	*	*	1.2	2.0	3.3
1983.....	*	*	*	*	*	*	0.7	1.2	*	3.3
1982.....	*	*	*	*	*	0.5	*	1.0	*	2.9
1981.....	*	*	*	*	*	*	*	*	1.9	2.9
1980.....	0.2	0.1	0.2	0.2	0.2	0.4	0.7	1.0	2.6	2.3
1979.....	0.2	0.2	0.2	0.2	0.3	0.4	0.8	1.3	1.4	3.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HEMOLYTIC ANEMIAS (282-283)										
TOTAL, FEMALE										
1998.....	0.4	0.3	*	*	*	0.5	0.5	0.6	1.0	2.3
1997.....	0.3	0.4	0.3	*	0.4	*	0.5	0.7	1.3	2.0
1996.....	0.4	0.3	*	*	*	*	0.9	0.7	1.2	2.2
1995.....	0.4	0.3	0.3	*	0.4	*	0.6	1.1	0.9	2.3
1994.....	0.4	0.4	*	*	*	0.4	0.6	0.8	1.5	1.9
1993.....	0.3	0.3	0.4	0.4	0.4	*	*	0.7	1.6	2.4
1992.....	0.3	0.3	0.3	*	*	0.4	0.7	0.9	1.3	2.5
1991.....	0.3	0.3	*	*	*	*	0.7	0.9	1.4	2.2
1990.....	0.3	*	*	*	0.4	0.4	0.7	0.7	1.4	2.2
1989.....	0.3	0.3	*	*	*	0.6	0.7	1.1	1.4	1.9
1988.....	*	*	*	*	*	*	0.6	1.0	1.6	2.0
1987.....	*	*	*	*	*	0.4	0.6	0.9	1.9	2.7
1986.....	*	*	*	*	0.3	0.4	0.6	1.1	1.8	2.6
1985.....	*	*	*	*	*	0.5	0.7	1.0	1.3	2.8
1984.....	*	*	*	*	*	*	0.8	0.9	1.7	3.2
1983.....	*	*	*	0.3	0.4	0.5	0.5	1.0	1.6	2.8
1982.....	*	*	*	*	*	0.6	0.6	1.2	1.8	2.0
1981.....	*	*	*	*	*	*	0.8	1.0	1.8	2.5
1980.....	0.2	0.2	0.3	0.3	0.4	0.3	0.6	0.7	1.3	2.4
1979.....	0.3	0.2	0.2	0.3	0.2	0.3	0.7	0.7	1.2	3.0
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	0.3	0.5	0.6	1.3	2.3
1997.....	*	*	*	*	0.3	*	0.4	0.8	1.2	2.3
1996.....	*	*	*	*	*	*	0.8	0.6	1.1	2.1
1995.....	*	*	*	*	0.2	0.3	0.5	1.0	1.1	2.3
1994.....	*	*	*	*	*	0.3	0.5	0.8	1.5	2.2
1993.....	*	*	*	*	*	0.3	0.4	0.9	1.4	2.1
1992.....	*	*	*	*	*	0.3	0.6	0.8	1.3	2.5
1991.....	*	*	*	*	*	0.3	0.6	0.8	1.4	2.5
1990.....	*	*	*	*	0.3	0.3	0.6	0.7	1.2	2.5
1989.....	*	*	*	*	*	0.5	0.5	1.1	1.5	2.3
1988.....	*	*	*	*	0.2	0.3	0.6	1.0	1.6	1.9
1987.....	*	*	*	*	0.2	0.2	0.5	0.9	1.9	2.7
1986.....	*	*	*	*	0.2	0.3	0.7	1.2	2.0	3.1
1985.....	*	*	*	*	*	0.4	0.6	1.0	1.5	2.8
1984.....	*	*	*	*	0.2	0.3	0.6	1.0	1.8	3.4
1983.....	*	*	*	*	0.3	0.4	0.5	1.1	1.5	3.1
1982.....	*	*	*	*	*	0.5	0.5	1.1	1.8	2.1
1981.....	*	*	*	*	0.2	0.3	0.7	0.8	1.9	2.8
1980.....	0.0	0.0	0.1	0.1	0.2	0.3	0.6	0.8	1.8	2.5
1979.....	0.0	0.1	0.0	0.1	0.2	0.3	0.7	1.0	1.3	3.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HEMOLYTIC ANEMIAS (282-283)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	1.7	2.2
1997.....	*	*	*	*	*	*	*	0.8	*	3.1
1996.....	*	*	*	*	*	*	0.6	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	1.6	2.7
1993.....	*	*	*	*	*	*	*	1.1	*	*
1992.....	*	*	*	*	*	*	*	*	*	2.6
1991.....	*	*	*	*	*	*	0.6	*	1.6	3.1
1990.....	*	*	*	*	*	*	*	*	*	3.3
1989.....	*	*	*	*	*	*	*	1.1	1.7	3.1
1988.....	*	*	*	*	*	*	*	1.0	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	0.9	1.3	2.2	4.1
1985.....	*	*	*	*	*	*	*	1.1	1.9	*
1984.....	*	*	*	*	*	*	*	1.2	1.9	3.6
1983.....	*	*	*	*	*	*	0.7	1.2	*	3.6
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.1	-	0.2	0.3	0.6	1.0	2.7	2.4
1979.....	0.0	0.1	0.0	0.1	0.2	0.3	0.7	1.4	1.5	3.4
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	0.6	1.0	2.4
1997.....	*	*	*	*	*	*	0.5	0.7	1.4	2.0
1996.....	*	*	*	*	*	*	0.9	0.8	1.1	2.3
1995.....	*	*	*	*	*	*	0.6	1.2	0.9	2.5
1994.....	*	*	*	*	*	*	0.6	0.8	1.5	2.1
1993.....	*	*	*	*	*	*	*	0.7	1.6	2.3
1992.....	*	*	*	*	*	*	0.7	0.9	1.3	2.5
1991.....	*	*	*	*	*	*	0.5	0.9	1.4	2.3
1990.....	*	*	*	*	*	*	0.6	0.7	1.3	2.2
1989.....	*	*	*	*	*	0.6	0.7	1.1	1.4	2.0
1988.....	*	*	*	*	*	*	0.5	1.0	1.6	2.1
1987.....	*	*	*	*	*	*	0.5	0.9	2.0	2.9
1986.....	*	*	*	*	*	*	0.6	1.1	1.9	2.7
1985.....	*	*	*	*	*	0.4	0.7	0.9	1.3	2.8
1984.....	*	*	*	*	*	*	0.7	0.9	1.7	3.4
1983.....	*	*	*	*	*	0.4	*	1.1	1.6	2.9
1982.....	*	*	*	*	*	0.5	0.6	1.2	1.9	1.9
1981.....	*	*	*	*	*	*	0.8	1.0	1.9	2.7
1980.....	0.1	0.0	0.1	0.2	0.2	0.3	0.6	0.7	1.4	2.5
1979.....	0.1	0.0	0.0	0.2	0.1	0.3	0.6	0.7	1.2	2.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HEMOLYTIC ANEMIAS (282-283)										
ALL OTHER, BOTH SEXES										
1998.....	1.7	1.4	1.3	1.2	*	*	*	*	*	*
1997.....	1.7	1.9	1.1	1.2	*	*	*	*	*	*
1996.....	1.9	1.8	1.4	1.8	*	*	*	*	*	*
1995.....	1.9	1.5	1.6	*	*	*	*	*	*	*
1994.....	2.0	1.9	1.5	*	*	*	*	*	*	*
1993.....	1.7	1.5	1.6	*	*	*	*	*	*	*
1992.....	2.1	1.5	1.5	*	*	*	*	*	*	*
1991.....	1.5	2.2	1.2	*	*	*	*	*	*	*
1990.....	1.7	*	*	*	*	*	*	*	*	*
1989.....	1.6	1.8	1.4	*	*	*	*	*	*	*
1988.....	1.1	1.3	*	*	*	*	*	*	*	*
1987.....	1.5	1.2	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	1.4	*	*	*	*	*	*	*	*	*
1984.....	*	1.6	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	1.4	1.5	*	*	*	*	*	*	*	*
1980.....	1.2	1.2	1.1	1.3	1.0	0.7	1.4	1.4	0.9	1.1
1979.....	1.6	1.0	1.3	0.9	1.1	0.4	1.3	0.7	0.9	2.9
ALL OTHER MALE										
1998.....	1.6	*	*	*	*	*	*	*	*	*
1997.....	1.7	1.7	*	*	*	*	*	*	*	*
1996.....	2.0	1.9	*	*	*	*	*	*	*	*
1995.....	2.0	*	*	*	*	*	*	*	*	*
1994.....	1.8	*	*	*	*	*	*	*	*	*
1993.....	1.8	*	*	*	*	*	*	*	*	*
1992.....	2.7	*	*	*	*	*	*	*	*	*
1991.....	1.8	2.4	*	*	*	*	*	*	*	*
1990.....	1.7	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.5	1.0	0.8	1.6	0.7	0.8	1.8	1.7	1.1	1.6
1979.....	1.6	1.1	1.4	0.7	1.2	0.5	1.5	0.5	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HEMOLYTIC ANEMIAS (282-283)										
ALL OTHER FEMALE										
1998.....	1.8	1.5	*	*	*	*	*	*	*	*
1997.....	1.6	2.0	*	*	*	*	*	*	*	*
1996.....	1.8	1.7	*	*	*	*	*	*	*	*
1995.....	1.8	1.4	*	*	*	*	*	*	*	*
1994.....	2.3	2.4	*	*	*	*	*	*	*	*
1993.....	1.6	1.8	*	*	*	*	*	*	*	*
1992.....	1.5	*	*	*	*	*	*	*	*	*
1991.....	*	2.0	*	*	*	*	*	*	*	*
1990.....	1.7	*	*	*	*	*	*	*	*	*
1989.....	1.6	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.0	1.4	1.3	1.1	1.3	0.6	1.1	1.1	0.7	0.8
1979.....	1.6	0.9	1.2	1.1	1.1	0.4	1.2	0.8	1.5	4.4
BLACK, BOTH SEXES										
1998.....	2.4	1.9	1.8	*	*	*	*	*	*	*
1997.....	2.3	2.6	1.5	1.7	*	*	*	*	*	*
1996.....	2.6	2.6	1.8	2.3	*	*	*	*	*	*
1995.....	2.6	2.1	2.2	*	*	*	*	*	*	*
1994.....	2.8	2.6	2.0	*	*	*	*	*	*	*
1993.....	2.4	2.0	2.2	*	*	*	*	*	*	*
1992.....	2.9	2.1	2.0	*	*	*	*	*	*	*
1991.....	2.0	3.0	1.7	*	*	*	*	*	*	*
1990.....	2.3	*	*	*	*	*	*	*	*	*
1989.....	2.1	2.4	1.8	*	*	*	*	*	*	*
1988.....	1.6	1.8	*	*	*	*	*	*	*	*
1987.....	2.1	1.6	*	*	*	*	*	*	*	*
1986.....	1.3	*	*	*	*	*	*	*	*	*
1985.....	1.9	*	*	*	*	*	*	*	*	*
1984.....	*	2.0	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	1.7	1.8	*	*	*	*	*	*	*	*
1980.....	1.5	1.5	1.3	1.5	1.1	0.6	1.6	1.5	1.0	1.3
1979.....	1.9	1.1	1.5	1.0	1.2	0.5	1.5	0.8	1.0	3.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HEMOLYTIC ANEMIAS (282-283)										
BLACK MALE										
1998.....	2.2	*	*	*	*	*	*	*	*	*
1997.....	2.4	2.4	*	*	*	*	*	*	*	*
1996.....	2.8	2.7	*	*	*	*	*	*	*	*
1995.....	2.7	*	*	*	*	*	*	*	*	*
1994.....	2.4	*	*	*	*	*	*	*	*	*
1993.....	2.5	*	*	*	*	*	*	*	*	*
1992.....	3.7	*	*	*	*	*	*	*	*	*
1991.....	2.5	3.3	*	*	*	*	*	*	*	*
1990.....	2.3	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.9	1.2	1.0	1.9	0.8	0.6	2.1	2.0	1.3	1.9
1979.....	2.0	1.3	1.6	0.8	1.1	0.6	1.8	0.6	-	-
BLACK FEMALE										
1998.....	2.5	2.1	*	*	*	*	*	*	*	*
1997.....	2.2	2.7	*	*	*	*	*	*	*	*
1996.....	2.4	2.4	*	*	*	*	*	*	*	*
1995.....	2.4	2.0	*	*	*	*	*	*	*	*
1994.....	3.1	3.2	*	*	*	*	*	*	*	*
1993.....	2.3	2.4	*	*	*	*	*	*	*	*
1992.....	2.1	*	*	*	*	*	*	*	*	*
1991.....	*	2.8	*	*	*	*	*	*	*	*
1990.....	2.3	*	*	*	*	*	*	*	*	*
1989.....	2.2	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.2	1.7	1.6	1.2	1.4	0.7	1.2	1.3	0.8	0.9
1979.....	1.9	0.9	1.5	1.2	1.3	0.4	1.3	0.8	1.6	4.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 APLASTIC ANEMIA (284)										
TOTAL, BOTH SEXES										
1998.....	0.1	0.1	0.2	0.2	0.6	1.0	1.7	3.0	4.8	9.9
1997.....	*	0.1	0.2	0.3	0.6	0.9	1.7	3.0	5.3	9.8
1996.....	*	0.1	0.2	0.4	0.6	1.0	1.5	2.8	5.3	10.4
1995.....	*	0.1	0.2	0.3	0.6	1.0	1.7	2.9	5.2	11.7
1994.....	0.1	0.2	0.3	0.3	0.6	0.9	1.9	3.1	4.8	10.1
1993.....	*	0.2	0.2	0.3	0.4	1.1	1.6	3.2	5.8	10.5
1992.....	0.1	0.2	0.2	0.3	0.4	0.9	1.7	3.2	5.0	10.9
1991.....	0.1	*	0.2	0.3	0.7	1.0	1.7	3.2	5.2	10.4
1990.....	0.1	*	0.3	0.4	0.7	0.9	1.8	3.1	5.7	11.0
1989.....	0.1	0.2	0.2	0.4	0.7	1.2	2.2	2.8	5.7	10.1
1988.....	*	0.2	0.2	0.5	0.6	1.1	1.8	3.5	5.6	11.0
1987.....	*	*	0.2	0.5	0.5	1.1	2.3	3.3	5.6	10.4
1986.....	*	0.2	0.2	0.4	0.6	1.2	1.9	3.5	6.1	10.4
1985.....	*	*	0.2	0.6	0.8	1.1	2.1	3.6	5.8	10.4
1984.....	0.2	*	0.3	0.4	0.7	1.4	1.9	4.0	5.8	9.9
1983.....	0.2	*	0.2	0.4	0.7	1.4	2.2	3.9	6.4	9.3
1982.....	*	*	0.2	0.3	0.9	1.3	1.8	3.6	5.7	9.8
1981.....	0.2	*	0.3	0.5	0.7	1.6	2.0	3.3	5.5	8.1
1980.....	0.1	0.2	0.3	0.3	0.9	1.3	2.0	3.8	5.2	8.4
1979.....	0.2	0.2	0.4	0.4	0.7	1.0	2.4	3.0	5.5	9.1
TOTAL, MALE										
1998.....	*	*	*	*	0.7	1.2	2.0	3.5	6.2	13.3
1997.....	*	*	*	0.4	0.8	0.9	2.1	3.9	6.9	12.8
1996.....	*	*	*	0.6	0.6	1.3	2.0	3.4	7.5	12.3
1995.....	*	*	*	0.4	0.5	1.1	1.9	3.4	7.1	14.8
1994.....	*	*	0.3	*	0.8	1.1	2.5	4.4	6.1	13.6
1993.....	*	*	*	0.4	0.6	1.2	2.0	4.1	6.9	13.6
1992.....	*	*	*	*	0.5	1.0	2.0	4.4	6.8	14.4
1991.....	*	*	*	*	0.7	1.2	1.6	4.0	7.1	15.2
1990.....	*	*	0.4	0.4	0.7	1.0	2.4	4.0	6.9	14.5
1989.....	*	*	*	0.4	0.8	1.4	2.4	3.7	8.2	12.9
1988.....	*	*	*	0.6	0.7	1.3	2.5	4.4	7.1	12.8
1987.....	*	*	*	0.5	0.7	1.1	3.4	4.0	8.1	13.5
1986.....	*	*	*	0.5	0.5	1.4	2.3	4.1	8.3	13.2
1985.....	*	*	*	0.5	1.1	1.1	2.7	5.3	7.4	13.7
1984.....	*	*	0.4	0.4	0.8	1.7	2.4	5.4	8.2	11.2
1983.....	*	*	*	0.5	0.9	1.6	2.9	5.0	8.5	13.0
1982.....	*	*	*	0.4	1.1	1.4	2.2	5.0	8.2	11.3
1981.....	*	*	*	0.5	0.9	1.7	2.7	4.3	8.0	11.3
1980.....	0.1	0.3	0.3	0.4	1.0	1.6	2.3	4.6	6.6	11.4
1979.....	0.3	0.1	0.4	0.6	0.9	1.4	3.0	3.9	7.2	13.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 APLASTIC ANEMIA (284)										
TOTAL, FEMALE										
1998.....	*	*	0.3	*	0.4	0.7	1.5	2.7	4.0	8.5
1997.....	*	*	0.3	*	0.4	0.9	1.3	2.4	4.4	8.7
1996.....	*	*	*	*	0.5	0.8	1.1	2.4	4.1	9.7
1995.....	*	*	*	*	0.7	0.9	1.5	2.7	4.2	10.6
1994.....	*	*	*	*	0.4	0.7	1.4	2.3	4.1	8.7
1993.....	*	*	*	*	*	1.0	1.2	2.6	5.1	9.3
1992.....	*	*	*	0.4	0.4	0.9	1.4	2.4	4.1	9.5
1991.....	*	*	*	*	0.6	0.8	1.7	2.7	4.2	8.5
1990.....	*	*	*	*	0.8	0.8	1.4	2.5	5.1	9.7
1989.....	*	*	*	0.4	0.6	1.1	2.0	2.2	4.4	9.0
1988.....	*	*	*	0.5	0.6	0.9	1.4	3.0	4.7	10.3
1987.....	*	*	*	0.5	0.4	1.1	1.6	2.8	4.2	9.2
1986.....	*	*	*	*	0.6	1.0	1.7	3.2	5.0	9.3
1985.....	*	*	*	0.6	0.5	1.1	1.7	2.6	5.0	9.1
1984.....	*	*	*	0.4	0.6	1.2	1.6	3.1	4.6	9.3
1983.....	*	*	*	0.3	0.6	1.2	1.7	3.1	5.2	7.7
1982.....	*	*	*	*	0.7	1.2	1.6	2.7	4.4	9.2
1981.....	*	*	0.3	0.5	0.5	1.5	1.4	2.7	4.1	6.7
1980.....	0.2	0.2	0.2	0.2	0.8	1.0	1.8	3.4	4.5	7.1
1979.....	0.1	0.2	0.3	0.3	0.5	0.7	1.9	2.4	4.6	7.2
WHITE, BOTH SEXES										
1998.....	*	0.1	0.2	0.2	0.6	0.9	1.7	3.1	4.9	10.2
1997.....	*	*	0.2	0.3	0.6	0.9	1.7	3.0	5.4	10.0
1996.....	*	*	0.2	0.4	0.6	1.1	1.5	2.9	5.4	10.8
1995.....	*	*	*	0.3	0.5	1.1	1.7	2.9	5.2	12.0
1994.....	*	0.2	0.3	0.3	0.6	0.9	1.9	3.3	4.8	10.5
1993.....	*	*	0.2	0.3	0.4	1.1	1.6	3.2	5.9	10.9
1992.....	0.1	0.2	0.2	0.3	0.5	0.9	1.7	3.1	5.2	11.3
1991.....	*	*	0.2	0.3	0.6	0.9	1.7	3.2	5.2	10.5
1990.....	*	*	0.3	0.3	0.6	0.9	1.8	3.1	6.0	11.5
1989.....	*	*	*	0.4	0.7	1.2	2.2	2.8	5.8	10.4
1988.....	*	0.2	0.2	0.5	0.6	1.0	1.9	3.6	5.6	11.6
1987.....	*	*	0.2	0.5	0.5	1.0	2.3	3.4	5.8	10.8
1986.....	*	*	0.2	0.4	0.6	1.2	2.0	3.5	6.2	10.8
1985.....	*	*	0.3	0.6	0.8	1.0	2.1	3.7	5.9	11.0
1984.....	0.2	*	0.3	0.4	0.7	1.5	1.9	4.1	6.0	10.3
1983.....	0.2	*	*	0.4	0.7	1.4	2.2	4.1	6.7	9.4
1982.....	*	*	0.3	0.3	0.9	1.3	1.9	3.7	5.9	10.1
1981.....	*	*	0.3	0.5	0.7	1.7	2.0	3.4	5.4	8.6
1980.....	0.1	0.2	0.3	0.3	0.8	1.3	2.1	4.0	5.4	8.8
1979.....	0.2	0.2	0.4	0.4	0.8	1.1	2.4	3.1	5.8	9.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 APLASTIC ANEMIA (284)										
WHITE MALE										
1998.....	*	*	*	*	0.7	1.2	1.9	3.5	6.3	13.9
1997.....	*	*	*	*	0.8	0.9	2.2	3.9	7.1	12.9
1996.....	*	*	*	0.5	0.6	1.4	2.0	3.6	7.7	13.4
1995.....	*	*	*	*	0.5	1.2	1.9	3.3	7.1	15.3
1994.....	*	*	*	*	0.7	1.1	2.5	4.6	6.2	14.3
1993.....	*	*	*	*	0.6	1.1	2.0	4.3	7.2	14.4
1992.....	*	*	*	*	0.6	1.0	2.1	4.4	6.9	15.3
1991.....	*	*	*	*	0.6	1.1	1.7	4.0	7.0	16.1
1990.....	*	*	*	*	0.6	1.1	2.3	4.0	7.1	15.0
1989.....	*	*	*	*	0.8	1.4	2.4	3.8	8.5	13.2
1988.....	*	*	*	0.6	0.7	1.3	2.5	4.5	7.3	13.8
1987.....	*	*	*	0.5	0.7	1.1	3.4	4.2	8.4	14.0
1986.....	*	*	*	0.5	0.5	1.4	2.4	4.2	8.4	13.4
1985.....	*	*	*	0.4	1.1	1.0	2.7	5.4	7.6	14.2
1984.....	*	*	*	*	0.8	1.7	2.5	5.6	8.5	11.7
1983.....	*	*	*	0.5	0.9	1.6	3.0	5.4	8.9	13.0
1982.....	*	*	*	*	1.1	1.4	2.3	5.1	8.7	11.8
1981.....	*	*	*	0.5	0.9	1.8	2.8	4.5	7.9	12.2
1980.....	0.1	0.2	0.4	0.4	0.9	1.5	2.4	4.9	7.1	12.1
1979.....	0.2	0.1	0.4	0.6	1.0	1.5	3.0	4.2	7.6	14.1
WHITE FEMALE										
1998.....	*	*	*	*	0.5	0.7	1.5	2.8	4.0	8.7
1997.....	*	*	*	*	0.5	0.8	1.3	2.4	4.4	8.8
1996.....	*	*	*	*	0.5	0.8	1.1	2.4	4.1	9.7
1995.....	*	*	*	*	0.6	0.9	1.4	2.6	4.1	10.8
1994.....	*	*	*	*	0.4	0.8	1.4	2.4	4.1	9.0
1993.....	*	*	*	*	*	1.1	1.3	2.5	5.2	9.6
1992.....	*	*	*	0.4	*	0.9	1.4	2.2	4.2	9.8
1991.....	*	*	*	*	0.5	0.7	1.8	2.7	4.2	8.4
1990.....	*	*	*	*	0.7	0.8	1.4	2.6	5.4	10.2
1989.....	*	*	*	0.4	0.6	1.1	2.0	2.3	4.5	9.3
1988.....	*	*	*	0.4	0.5	0.8	1.4	3.1	4.6	10.8
1987.....	*	*	*	0.5	*	1.0	1.6	3.0	4.4	9.5
1986.....	*	*	*	*	0.6	1.1	1.7	3.1	5.1	9.7
1985.....	*	*	*	0.7	0.5	1.0	1.6	2.7	5.1	9.7
1984.....	*	*	*	0.4	0.6	1.3	1.6	3.1	4.6	9.8
1983.....	*	*	*	*	0.5	1.3	1.7	3.4	5.5	8.0
1982.....	*	*	*	*	0.7	1.2	1.7	2.8	4.4	9.3
1981.....	*	*	*	0.5	0.5	1.6	1.5	2.8	4.1	7.1
1980.....	0.2	0.2	0.2	0.3	0.7	1.1	1.9	3.4	4.6	7.4
1979.....	0.1	0.2	0.4	0.3	0.6	0.8	2.0	2.3	4.8	7.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 APLASTIC ANEMIA (284)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	2.0	*	*	7.0
1997.....	*	*	*	*	*	*	*	2.9	*	8.7
1996.....	*	*	*	*	*	*	*	*	*	7.3
1995.....	*	*	*	*	*	*	*	3.6	5.8	8.6
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	6.6
1992.....	*	*	*	*	*	*	*	4.4	*	*
1991.....	*	*	*	*	*	*	*	*	*	8.8
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	3.7	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.2	0.1	0.1	1.4	1.2	1.6	2.7	3.1	3.3
1979.....	0.3	0.1	0.3	0.4	0.1	0.4	2.3	2.7	2.7	4.0
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.5	-	0.2	1.1	2.1	2.2	2.2	1.1	4.9
1979.....	0.4	0.2	0.5	0.4	-	0.5	3.0	1.6	2.3	3.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 APLASTIC ANEMIA (284)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	9.4
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.3	-	1.6	0.6	1.1	3.0	4.2	2.5
1979.....	0.1	-	0.1	0.5	0.2	0.4	1.7	3.5	2.9	4.4
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	9.6
1996.....	*	*	*	*	*	*	*	*	*	8.4
1995.....	*	*	*	*	*	*	*	*	*	8.4
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	4.6	*	*
1991.....	*	*	*	*	*	*	*	*	*	9.5
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.3	0.2	0.1	1.5	0.8	1.8	2.3	3.0	3.8
1979.....	0.3	-	0.4	0.5	0.1	0.4	2.4	3.0	3.0	3.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 APLASTIC ANEMIA (284)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.6	-	0.2	1.3	1.5	2.6	1.3	1.3	5.7
1979.....	0.5	-	0.6	0.4	-	0.6	3.1	1.9	2.6	1.9
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	10.8
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.3	-	1.6	0.2	1.2	3.0	4.0	2.8
1979.....	0.1	-	0.2	0.5	0.2	0.2	1.9	3.8	3.2	4.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND UNSPECIFIED ANEMIAS (285)										
TOTAL, BOTH SEXES										
1998.....	*	0.1	0.2	0.2	0.5	0.8	1.7	3.6	7.9	25.5
1997.....	*	*	*	0.2	0.4	0.9	1.8	3.5	8.2	26.6
1996.....	*	0.1	0.2	0.3	0.5	0.7	1.8	3.5	7.2	23.7
1995.....	*	*	0.2	0.3	0.4	0.9	1.9	3.6	8.5	26.4
1994.....	0.1	*	0.2	0.3	0.5	0.7	1.7	3.9	8.0	24.8
1993.....	*	*	0.2	0.3	0.5	0.8	1.7	3.5	7.7	26.5
1992.....	*	*	0.2	0.2	0.6	1.0	1.9	3.4	7.4	24.5
1991.....	*	*	0.2	0.3	0.6	0.8	1.7	4.1	8.1	24.1
1990.....	*	*	0.2	0.3	0.6	1.0	1.7	3.7	8.0	24.6
1989.....	*	0.2	0.2	0.3	0.5	0.9	1.7	3.3	8.0	23.7
1988.....	*	*	*	0.3	0.4	0.8	1.9	3.8	7.5	23.3
1987.....	*	*	*	0.3	0.5	0.9	1.6	3.8	7.3	23.3
1986.....	*	*	*	0.2	0.4	0.7	1.7	3.4	8.4	22.5
1985.....	*	*	*	0.2	0.4	0.9	1.7	3.8	8.2	21.2
1984.....	*	*	*	0.2	0.5	1.0	1.7	3.1	7.1	20.2
1983.....	*	*	0.2	0.4	0.5	0.8	1.6	3.5	6.8	18.1
1982.....	*	*	*	0.2	0.5	0.9	2.0	3.1	7.7	16.7
1981.....	*	*	*	0.2	0.5	1.1	2.0	3.6	6.8	18.3
1980.....	0.1	0.1	0.2	0.3	0.5	1.0	1.9	3.9	7.2	17.4
1979.....	0.1	0.2	0.1	0.3	0.5	1.0	1.8	3.3	7.8	15.1
TOTAL, MALE										
1998.....	*	*	*	*	0.4	0.8	2.2	3.5	8.4	22.7
1997.....	*	*	*	*	*	0.8	1.7	3.9	8.6	24.1
1996.....	*	*	*	0.4	0.6	0.8	2.4	4.4	8.7	21.8
1995.....	*	*	*	*	0.4	1.2	2.2	3.7	9.1	25.8
1994.....	*	*	*	*	0.6	0.8	2.0	4.1	8.3	28.8
1993.....	*	*	*	*	0.6	0.9	1.6	3.9	7.9	28.5
1992.....	*	*	*	*	0.6	1.1	2.5	3.1	7.8	29.3
1991.....	*	*	*	*	0.6	0.7	2.2	4.1	8.7	27.6
1990.....	*	*	0.4	0.4	0.6	1.0	2.0	4.4	9.6	25.9
1989.....	*	*	*	*	0.5	0.9	2.1	3.6	9.2	24.4
1988.....	*	*	*	*	0.4	0.8	2.4	4.2	7.8	23.6
1987.....	*	*	*	0.4	0.7	0.9	2.0	4.8	8.1	23.7
1986.....	*	*	*	*	0.5	0.8	1.8	4.5	9.8	27.2
1985.....	*	*	*	*	0.4	1.0	2.0	3.6	10.6	23.8
1984.....	*	*	*	*	0.6	1.2	2.1	3.5	8.0	22.5
1983.....	*	*	*	0.4	0.6	1.0	1.8	4.1	7.4	22.0
1982.....	*	*	*	*	0.6	1.1	2.2	3.6	8.1	17.7
1981.....	*	*	*	*	0.7	1.1	2.4	5.1	8.6	20.7
1980.....	0.1	0.1	0.2	0.4	0.5	1.1	2.1	3.9	8.5	18.8
1979.....	0.1	0.1	0.1	0.2	0.4	1.3	2.0	3.7	9.8	16.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND UNSPECIFIED ANEMIAS (285)										
TOTAL, FEMALE										
1998.....	*	*	*	*	0.5	0.8	1.3	3.7	7.6	26.7
1997.....	*	*	*	*	0.4	0.9	1.8	3.1	8.0	27.6
1996.....	*	*	*	*	*	0.7	1.4	2.9	6.3	24.4
1995.....	*	*	*	*	0.4	0.6	1.6	3.6	8.2	26.7
1994.....	*	*	*	*	0.5	0.7	1.5	3.8	7.8	23.2
1993.....	*	*	*	*	0.4	0.7	1.8	3.2	7.6	25.7
1992.....	*	*	*	*	0.5	0.9	1.5	3.7	7.1	22.6
1991.....	*	*	*	*	0.6	0.9	1.3	4.1	7.8	22.8
1990.....	*	*	*	*	0.6	1.0	1.4	3.3	7.1	24.1
1989.....	*	*	*	*	0.5	0.9	1.5	3.2	7.4	23.4
1988.....	*	*	*	0.4	*	0.7	1.4	3.5	7.4	23.1
1987.....	*	*	*	*	0.4	0.9	1.3	3.2	6.9	23.2
1986.....	*	*	*	*	0.3	0.6	1.7	2.7	7.7	20.7
1985.....	*	*	*	*	0.5	0.8	1.6	3.9	6.9	20.2
1984.....	*	*	*	*	0.4	0.8	1.4	2.8	6.6	19.2
1983.....	*	*	*	0.4	0.4	0.7	1.5	3.1	6.5	16.6
1982.....	*	*	*	*	0.4	0.8	1.8	2.7	7.4	16.2
1981.....	*	*	*	*	0.4	1.2	1.7	2.7	5.8	17.2
1980.....	0.1	0.1	0.2	0.3	0.4	0.9	1.8	3.9	6.5	16.7
1979.....	0.1	0.2	0.2	0.3	0.6	0.8	1.6	3.0	6.7	14.7
WHITE, BOTH SEXES										
1998.....	*	*	*	0.2	0.4	0.7	1.5	3.3	7.6	24.9
1997.....	*	*	*	*	0.3	0.7	1.5	3.3	7.8	26.1
1996.....	*	*	*	0.2	0.4	0.6	1.7	3.2	6.8	22.7
1995.....	*	*	*	0.2	0.4	0.8	1.5	3.1	7.9	25.7
1994.....	*	*	*	0.2	0.4	0.5	1.5	3.6	7.6	23.9
1993.....	*	*	*	*	0.4	0.6	1.5	3.0	7.5	25.6
1992.....	*	*	0.2	*	0.5	0.9	1.6	3.0	6.9	23.9
1991.....	*	*	*	0.2	0.6	0.6	1.4	3.9	7.9	23.3
1990.....	*	*	*	0.2	0.5	0.8	1.5	3.3	7.8	24.0
1989.....	*	*	*	*	0.3	0.7	1.5	3.1	7.9	23.0
1988.....	*	*	*	*	0.4	0.7	1.8	3.4	7.3	22.5
1987.....	*	*	*	*	0.5	0.8	1.5	3.6	7.1	23.4
1986.....	*	*	*	*	0.3	0.6	1.7	3.0	8.0	21.8
1985.....	*	*	*	*	0.3	0.8	1.5	3.5	7.9	20.8
1984.....	*	*	*	*	0.4	0.8	1.5	2.8	7.1	19.8
1983.....	*	*	*	0.3	0.5	0.7	1.5	3.4	6.5	18.1
1982.....	*	*	*	*	0.4	0.8	1.9	2.8	7.2	16.5
1981.....	*	*	*	*	0.4	0.9	1.9	3.5	6.6	18.2
1980.....	0.0	0.1	0.1	0.2	0.4	0.8	1.6	3.7	6.7	17.4
1979.....	0.1	0.1	0.1	0.2	0.4	0.8	1.5	3.0	7.3	14.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND UNSPECIFIED ANEMIAS (285)										
WHITE MALE										
1998.....	*	*	*	*	*	0.6	1.9	3.3	8.1	22.2
1997.....	*	*	*	*	*	0.7	1.6	3.8	8.2	23.7
1996.....	*	*	*	*	*	0.7	2.3	3.9	8.4	21.0
1995.....	*	*	*	*	*	1.2	1.8	3.3	8.6	25.9
1994.....	*	*	*	*	*	0.6	1.6	3.9	8.1	28.2
1993.....	*	*	*	*	0.6	0.8	1.4	3.4	7.8	28.2
1992.....	*	*	*	*	0.6	0.9	2.2	2.5	7.7	29.2
1991.....	*	*	*	*	0.6	0.6	1.8	3.6	8.1	27.0
1990.....	*	*	*	*	0.5	0.8	1.8	3.6	9.3	25.7
1989.....	*	*	*	*	*	0.8	1.8	3.4	8.9	24.3
1988.....	*	*	*	*	*	0.6	2.5	3.8	7.3	23.0
1987.....	*	*	*	*	0.7	0.8	1.9	4.5	7.5	24.3
1986.....	*	*	*	*	*	0.7	1.7	4.2	9.5	26.7
1985.....	*	*	*	*	*	0.9	1.9	3.4	10.3	24.0
1984.....	*	*	*	*	0.5	1.0	1.8	3.3	8.1	22.7
1983.....	*	*	*	*	0.5	0.9	1.6	3.8	6.8	22.8
1982.....	*	*	*	*	0.5	1.0	2.2	3.2	7.9	17.5
1981.....	*	*	*	*	0.5	0.9	2.3	5.0	7.8	20.1
1980.....	0.0	0.1	0.2	0.3	0.5	0.9	1.9	3.9	7.9	18.8
1979.....	0.1	0.1	0.1	0.1	0.3	1.1	1.9	3.5	9.6	15.6
WHITE FEMALE										
1998.....	*	*	*	*	*	0.7	1.1	3.3	7.3	25.9
1997.....	*	*	*	*	*	0.7	1.4	3.0	7.6	27.1
1996.....	*	*	*	*	*	0.6	1.2	2.7	5.9	23.4
1995.....	*	*	*	*	*	0.5	1.4	2.9	7.5	25.7
1994.....	*	*	*	*	*	0.5	1.4	3.5	7.3	22.2
1993.....	*	*	*	*	*	0.5	1.6	2.6	7.3	24.6
1992.....	*	*	*	*	*	0.8	1.2	3.3	6.5	21.8
1991.....	*	*	*	*	0.5	0.6	1.1	4.1	7.8	21.9
1990.....	*	*	*	*	0.6	0.8	1.4	3.1	7.0	23.3
1989.....	*	*	*	*	*	0.7	1.2	2.9	7.3	22.6
1988.....	*	*	*	*	*	0.7	1.2	3.2	7.2	22.4
1987.....	*	*	*	*	*	0.8	1.1	3.0	6.8	23.0
1986.....	*	*	*	*	*	0.4	1.6	2.3	7.2	19.9
1985.....	*	*	*	*	*	0.8	1.3	3.7	6.6	19.5
1984.....	*	*	*	*	*	0.6	1.3	2.5	6.6	18.7
1983.....	*	*	*	*	0.4	0.6	1.4	3.0	6.3	16.2
1982.....	*	*	*	*	*	0.6	1.6	2.6	6.9	16.0
1981.....	*	*	*	*	*	0.9	1.6	2.6	5.9	17.3
1980.....	0.0	0.0	0.1	0.2	0.4	0.8	1.5	3.7	6.1	16.7
1979.....	0.1	0.1	0.1	0.2	0.4	0.5	1.3	2.7	6.1	14.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND UNSPECIFIED ANEMIAS (285)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	3.3	6.7	11.3	32.0
1997.....	*	*	*	*	*	1.8	4.1	4.6	12.7	30.8
1996.....	*	*	*	*	*	*	3.0	7.0	11.5	32.9
1995.....	*	*	*	*	*	*	4.7	8.9	14.4	33.6
1994.....	*	*	*	*	*	2.2	3.7	6.6	12.1	33.9
1993.....	*	*	*	*	*	1.9	3.6	8.5	10.3	35.8
1992.....	*	*	*	*	*	1.8	4.8	7.6	11.8	30.7
1991.....	*	*	*	*	*	2.2	3.7	6.7	10.6	32.8
1990.....	*	*	*	*	*	2.7	2.9	8.0	9.9	31.1
1989.....	*	*	*	*	2.1	2.3	4.1	5.9	9.9	30.5
1988.....	*	*	*	*	*	*	2.7	6.9	10.3	31.0
1987.....	*	*	*	*	*	*	3.0	6.2	9.7	22.9
1986.....	*	*	*	*	*	*	*	7.1	13.5	30.7
1985.....	*	*	*	*	*	*	3.5	6.3	11.9	25.9
1984.....	*	*	*	*	*	2.4	3.7	5.5	*	23.5
1983.....	*	*	*	*	*	*	2.8	5.1	10.7	19.1
1982.....	*	*	*	*	*	*	3.2	5.7	12.7	19.1
1981.....	*	*	*	*	*	3.3	3.3	4.3	9.1	19.5
1980.....	0.4	0.2	0.5	1.0	1.2	2.2	4.5	5.4	12.7	17.3
1979.....	0.3	0.4	0.4	1.1	1.7	2.7	3.9	6.6	13.4	20.7
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	27.1
1997.....	*	*	*	*	*	*	*	*	*	28.0
1996.....	*	*	*	*	*	*	*	9.4	*	29.0
1995.....	*	*	*	*	*	*	6.4	8.4	*	24.4
1994.....	*	*	*	*	*	*	5.4	*	*	33.9
1993.....	*	*	*	*	*	*	*	8.5	*	31.7
1992.....	*	*	*	*	*	*	5.7	*	*	29.6
1991.....	*	*	*	*	*	*	*	10.0	15.5	32.6
1990.....	*	*	*	*	*	*	*	12.1	*	28.3
1989.....	*	*	*	*	*	*	*	*	*	25.9
1988.....	*	*	*	*	*	*	*	*	*	29.1
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	32.0
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.2	0.2	1.1	1.3	2.6	4.4	3.9	14.9	18.1
1979.....	-	0.2	0.3	0.9	1.4	2.6	3.4	6.0	11.6	20.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND UNSPECIFIED ANEMIAS (285)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	7.3	11.1	34.2
1997.....	*	*	*	*	*	*	4.8	*	12.7	32.1
1996.....	*	*	*	*	*	*	*	5.4	11.1	34.7
1995.....	*	*	*	*	*	*	*	9.2	14.9	37.5
1994.....	*	*	*	*	*	*	*	6.8	12.8	33.9
1993.....	*	*	*	*	*	*	*	8.5	11.6	37.6
1992.....	*	*	*	*	*	*	4.1	7.4	13.7	31.3
1991.....	*	*	*	*	*	*	*	*	*	32.8
1990.....	*	*	*	*	*	*	*	5.5	*	32.4
1989.....	*	*	*	*	*	*	*	6.2	*	32.6
1988.....	*	*	*	*	*	*	*	6.4	*	32.0
1987.....	*	*	*	*	*	*	*	*	*	25.2
1986.....	*	*	*	*	*	*	*	6.5	13.8	30.1
1985.....	*	*	*	*	*	*	*	6.7	11.1	28.0
1984.....	*	*	*	*	*	*	*	*	*	24.8
1983.....	*	*	*	*	*	*	*	*	*	21.6
1982.....	*	*	*	*	*	*	*	*	14.0	18.8
1981.....	*	*	*	*	*	*	*	*	*	15.9
1980.....	0.4	0.3	0.8	0.9	1.1	2.0	4.6	6.5	11.3	16.9
1979.....	0.5	0.7	0.4	1.2	1.9	2.8	4.3	7.0	14.6	21.1
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	3.8	7.9	12.2	37.9
1997.....	*	*	*	*	*	2.2	4.8	5.6	15.1	35.9
1996.....	*	*	*	*	*	*	3.6	8.6	13.7	37.4
1995.....	*	*	*	*	*	*	5.5	10.6	16.3	37.2
1994.....	*	*	*	*	*	2.9	4.5	8.0	13.9	35.2
1993.....	*	*	*	*	*	2.4	4.3	9.9	12.3	39.3
1992.....	*	*	*	*	*	*	5.9	9.4	13.6	35.0
1991.....	*	*	*	*	*	2.6	4.5	7.8	12.1	37.1
1990.....	*	*	*	*	*	3.0	3.4	9.3	11.4	34.1
1989.....	*	*	*	*	2.7	2.6	4.4	6.9	11.7	34.5
1988.....	*	*	*	*	*	*	*	8.2	11.4	31.3
1987.....	*	*	*	*	*	*	3.5	7.1	9.9	24.5
1986.....	*	*	*	*	*	*	*	7.3	14.5	32.8
1985.....	*	*	*	*	*	*	4.0	7.2	13.1	27.2
1984.....	*	*	*	*	*	2.8	4.2	6.2	*	25.8
1983.....	*	*	*	*	*	*	*	5.7	11.9	20.7
1982.....	*	*	*	*	*	*	3.4	6.1	13.8	19.9
1981.....	*	*	*	*	*	3.8	3.8	5.0	10.0	20.8
1980.....	0.5	0.3	0.6	1.1	1.4	2.6	5.0	5.7	13.5	18.2
1979.....	0.2	0.3	0.4	1.2	1.9	3.0	4.3	7.1	14.9	21.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND UNSPECIFIED ANEMIAS (285)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	34.5
1997.....	*	*	*	*	*	*	*	*	*	36.2
1996.....	*	*	*	*	*	*	*	11.9	*	31.2
1995.....	*	*	*	*	*	*	7.5	10.8	*	25.3
1994.....	*	*	*	*	*	*	7.2	*	*	34.0
1993.....	*	*	*	*	*	*	*	10.9	*	33.6
1992.....	*	*	*	*	*	*	7.3	*	*	34.5
1991.....	*	*	*	*	*	*	*	11.6	*	37.7
1990.....	*	*	*	*	*	*	*	14.0	*	31.7
1989.....	*	*	*	*	*	*	*	*	*	31.8
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	34.9
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.2	0.2	1.1	1.6	3.0	5.1	3.9	16.0	17.0
1979.....	-	0.2	0.4	1.1	1.6	3.0	4.0	6.8	13.0	21.2
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	8.9	11.7	39.3
1997.....	*	*	*	*	*	*	5.4	*	15.0	35.8
1996.....	*	*	*	*	*	*	*	6.5	12.3	39.9
1995.....	*	*	*	*	*	*	*	10.5	16.6	42.1
1994.....	*	*	*	*	*	*	*	8.0	13.8	35.6
1993.....	*	*	*	*	*	*	*	9.4	13.7	41.7
1992.....	*	*	*	*	*	*	4.9	8.9	15.6	35.2
1991.....	*	*	*	*	*	*	*	*	*	36.8
1990.....	*	*	*	*	*	*	*	6.6	*	35.2
1989.....	*	*	*	*	*	*	*	7.0	*	35.9
1988.....	*	*	*	*	*	*	*	7.4	*	32.9
1987.....	*	*	*	*	*	*	*	*	*	26.4
1986.....	*	*	*	*	*	*	*	*	14.5	31.9
1985.....	*	*	*	*	*	*	*	7.3	*	30.1
1984.....	*	*	*	*	*	*	*	*	*	27.1
1983.....	*	*	*	*	*	*	*	*	*	22.6
1982.....	*	*	*	*	*	*	*	*	15.2	20.3
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.3	1.0	1.0	1.2	2.2	4.9	6.8	12.0	18.9
1979.....	0.4	0.5	0.5	1.4	2.1	3.1	4.5	7.2	16.1	21.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)

TOTAL, BOTH SEXES										
1998.....	0.1	0.2	0.2	0.2	0.5	0.7	1.2	1.9	3.4	5.8
1997.....	*	0.1	0.2	0.3	0.4	0.8	1.0	1.6	2.9	5.3
1996.....	*	0.2	0.2	0.3	0.5	0.6	1.0	1.8	2.4	5.4
1995.....	0.2	0.1	0.3	0.3	0.5	0.6	1.0	1.9	3.0	5.6
1994.....	0.1	0.1	0.3	0.3	0.5	0.6	1.0	1.6	3.5	6.3
1993.....	0.1	0.2	0.2	0.3	0.4	0.8	1.0	1.9	3.1	5.7
1992.....	*	0.1	0.2	0.3	0.4	0.9	1.1	1.6	2.7	5.8
1991.....	0.2	0.2	*	0.3	0.4	0.8	1.1	1.7	2.8	5.7
1990.....	*	0.2	0.3	0.3	0.5	0.7	1.0	1.7	2.6	6.0
1989.....	0.2	0.2	*	0.4	0.4	0.7	1.1	1.8	2.8	5.2
1988.....	*	0.2	0.2	0.2	0.4	0.8	1.1	1.8	2.7	5.0
1987.....	*	0.2	*	0.3	0.5	0.7	1.3	2.1	3.1	5.6
1986.....	0.2	0.2	0.2	0.3	0.5	0.7	1.2	1.8	2.8	5.5
1985.....	*	*	0.2	0.3	0.5	0.6	1.1	1.9	3.5	5.4
1984.....	0.2	*	*	0.3	0.5	0.8	1.3	2.2	3.5	5.0
1983.....	*	0.2	0.2	0.3	0.5	0.8	1.3	2.4	3.2	4.8
1982.....	*	*	0.2	0.3	0.6	0.8	1.3	1.4	2.9	5.4
1981.....	0.2	0.2	0.3	0.3	0.5	0.7	1.1	1.8	2.8	4.6
1980.....	0.1	0.2	0.3	0.3	0.5	0.6	1.4	1.7	3.8	4.8
1979.....	0.2	0.1	0.3	0.4	0.4	0.7	1.1	1.7	3.2	4.6
TOTAL, MALE										
1998.....	*	*	0.3	*	*	0.7	1.5	2.2	4.8	7.0
1997.....	*	*	*	0.4	*	0.8	1.1	1.9	3.6	7.4
1996.....	*	*	*	*	0.5	0.7	1.0	2.1	3.5	5.6
1995.....	*	0.2	*	*	0.5	0.6	1.2	1.9	3.3	7.8
1994.....	*	*	*	*	0.6	0.6	1.3	2.1	4.5	8.1
1993.....	*	*	*	*	0.4	0.9	1.3	2.2	4.9	5.9
1992.....	*	*	*	*	0.4	0.8	1.0	1.9	4.1	6.2
1991.....	0.2	*	*	*	*	0.7	1.1	1.8	4.0	5.9
1990.....	*	*	*	*	0.5	0.8	1.5	1.9	3.8	8.1
1989.....	*	*	*	0.6	0.4	0.9	1.6	2.2	3.3	6.6
1988.....	*	*	*	*	*	0.9	1.2	2.2	2.5	6.0
1987.....	*	*	*	*	0.5	0.9	1.4	2.7	3.3	6.6
1986.....	*	*	*	*	0.4	1.0	1.4	2.0	3.4	7.7
1985.....	*	*	*	*	0.5	0.7	1.5	2.2	4.2	6.8
1984.....	*	*	*	*	0.6	0.9	1.3	2.5	4.7	6.0
1983.....	*	*	*	*	0.6	1.0	1.3	3.4	3.9	5.6
1982.....	*	*	*	*	0.6	0.9	1.6	1.5	4.3	6.7
1981.....	*	*	*	*	0.7	0.8	1.2	2.3	3.3	6.1
1980.....	0.1	0.1	0.2	0.3	0.6	0.5	1.5	2.2	4.0	6.3
1979.....	0.1	0.1	0.3	0.3	0.5	0.8	1.2	1.9	4.1	6.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)										
TOTAL, FEMALE										
1998.....	*	0.2	*	*	0.6	0.7	1.1	1.7	2.5	5.4
1997.....	*	*	0.3	*	0.4	0.9	1.0	1.4	2.5	4.5
1996.....	*	*	*	*	0.4	0.6	1.0	1.6	1.8	5.3
1995.....	*	*	*	*	0.5	0.5	0.9	1.8	2.8	4.7
1994.....	*	*	*	*	0.4	0.6	0.8	1.2	3.0	5.6
1993.....	*	*	*	0.4	0.4	0.7	0.8	1.8	2.1	5.6
1992.....	*	*	*	*	0.4	0.9	1.2	1.4	1.9	5.7
1991.....	*	*	*	*	0.5	0.9	1.0	1.7	2.1	5.6
1990.....	*	*	*	*	0.4	0.6	0.7	1.6	2.0	5.2
1989.....	*	*	*	*	0.3	0.6	0.8	1.5	2.5	4.6
1988.....	*	*	*	*	0.4	0.7	1.0	1.5	2.8	4.5
1987.....	*	*	*	*	0.5	0.5	1.2	1.7	2.9	5.2
1986.....	*	*	*	*	0.5	0.5	1.1	1.7	2.5	4.7
1985.....	*	*	*	*	0.5	0.5	0.9	1.7	3.1	4.9
1984.....	*	*	*	0.3	0.4	0.7	1.3	2.0	2.9	4.6
1983.....	*	*	*	*	0.4	0.6	1.3	1.8	2.8	4.5
1982.....	*	*	*	*	0.6	0.7	1.1	1.4	2.1	4.8
1981.....	*	*	*	*	0.4	0.7	1.0	1.5	2.5	3.9
1980.....	0.1	0.3	0.3	0.4	0.5	0.7	1.2	1.4	3.7	4.1
1979.....	0.2	0.1	0.3	0.4	0.4	0.7	1.0	1.7	2.7	3.8
WHITE, BOTH SEXES										
1998.....	*	0.2	0.2	0.2	0.4	0.7	1.2	1.9	3.4	6.1
1997.....	*	*	0.2	0.3	0.4	0.8	1.0	1.5	2.7	5.5
1996.....	*	0.1	*	0.2	0.4	0.6	1.0	1.8	2.4	5.6
1995.....	0.1	0.1	0.2	0.3	0.4	0.5	1.0	1.8	3.0	5.7
1994.....	*	*	0.2	0.2	0.5	0.6	1.0	1.6	3.5	6.3
1993.....	*	*	*	0.3	0.3	0.8	1.0	2.0	3.0	5.8
1992.....	*	*	*	0.2	0.4	0.8	1.2	1.6	2.8	6.2
1991.....	0.1	*	*	0.3	0.3	0.8	1.1	1.8	2.9	5.7
1990.....	*	*	0.2	0.3	0.4	0.6	1.0	1.7	2.7	6.1
1989.....	0.1	*	*	0.4	0.3	0.7	1.1	1.7	2.9	5.1
1988.....	*	*	0.2	0.2	0.3	0.8	1.1	1.7	2.8	5.1
1987.....	*	0.2	*	0.2	0.4	0.7	1.2	2.2	3.1	5.9
1986.....	*	*	*	0.3	0.4	0.6	1.3	1.9	2.9	5.7
1985.....	*	*	0.2	0.3	0.5	0.6	1.1	2.0	3.5	5.6
1984.....	*	*	*	0.3	0.5	0.8	1.3	2.3	3.7	5.2
1983.....	*	*	0.2	0.3	0.4	0.8	1.3	2.4	3.3	5.1
1982.....	*	*	*	0.3	0.6	0.8	1.3	1.5	3.0	5.5
1981.....	*	0.2	0.2	0.2	0.5	0.8	1.1	1.9	2.9	4.7
1980.....	0.0	0.1	0.2	0.3	0.5	0.6	1.3	1.7	4.1	5.1
1979.....	0.1	0.1	0.2	0.4	0.4	0.7	1.1	1.8	3.2	4.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)										
WHITE MALE										
1998.....	*	*	*	*	*	0.7	1.5	2.3	4.7	7.2
1997.....	*	*	*	0.4	*	0.8	1.0	1.6	3.3	7.5
1996.....	*	*	*	*	0.5	0.7	1.0	2.1	3.6	6.0
1995.....	*	*	*	*	0.5	0.6	1.3	1.8	3.4	8.2
1994.....	*	*	*	*	0.6	0.6	1.3	2.3	4.5	8.1
1993.....	*	*	*	*	*	0.8	1.3	2.3	4.9	6.2
1992.....	*	*	*	*	0.5	0.8	1.0	1.9	4.4	6.7
1991.....	*	*	*	*	*	0.7	1.2	1.9	4.1	6.0
1990.....	*	*	*	*	0.5	0.8	1.5	1.9	3.8	8.2
1989.....	*	*	*	0.6	*	0.8	1.5	2.2	3.5	6.7
1988.....	*	*	*	*	*	0.9	1.3	2.2	2.6	6.3
1987.....	*	*	*	*	0.5	0.9	1.3	2.8	3.3	6.9
1986.....	*	*	*	*	*	0.8	1.5	2.1	3.6	8.4
1985.....	*	*	*	*	0.5	0.7	1.5	2.3	4.3	7.3
1984.....	*	*	*	*	0.5	0.9	1.3	2.7	5.0	6.7
1983.....	*	*	*	*	0.5	1.0	1.4	3.2	3.9	6.2
1982.....	*	*	*	*	0.6	1.0	1.7	1.5	4.4	7.4
1981.....	*	*	*	*	0.7	0.8	1.2	2.4	3.3	6.8
1980.....	0.0	0.0	0.2	0.3	0.5	0.5	1.4	2.1	4.3	6.9
1979.....	0.1	0.1	0.3	0.3	0.5	0.8	1.2	2.0	4.1	6.8
WHITE FEMALE										
1998.....	*	*	*	*	0.5	0.7	1.0	1.6	2.6	5.7
1997.....	*	*	*	*	0.5	0.7	1.0	1.4	2.4	4.7
1996.....	*	*	*	*	*	0.6	1.0	1.6	1.7	5.4
1995.....	*	*	*	*	*	0.4	0.9	1.8	2.8	4.8
1994.....	*	*	*	*	0.4	0.6	0.7	1.1	2.9	5.6
1993.....	*	*	*	*	*	0.7	0.8	1.8	2.0	5.6
1992.....	*	*	*	*	*	0.8	1.3	1.4	1.9	6.0
1991.....	*	*	*	*	0.4	0.9	1.0	1.8	2.2	5.6
1990.....	*	*	*	*	*	0.5	0.6	1.6	2.1	5.3
1989.....	*	*	*	*	*	0.6	0.8	1.4	2.6	4.5
1988.....	*	*	*	*	*	0.7	1.0	1.5	2.9	4.7
1987.....	*	*	*	*	*	0.6	1.2	1.7	3.0	5.5
1986.....	*	*	*	*	0.4	0.5	1.1	1.7	2.5	4.7
1985.....	*	*	*	*	0.5	0.5	0.8	1.7	3.1	5.0
1984.....	*	*	*	*	0.4	0.7	1.2	2.0	2.9	4.6
1983.....	*	*	*	*	*	0.6	1.3	1.9	3.0	4.6
1982.....	*	*	*	*	0.6	0.7	1.0	1.4	2.2	4.8
1981.....	*	*	*	*	*	0.7	1.0	1.6	2.7	3.8
1980.....	0.1	0.2	0.3	0.4	0.5	0.7	1.3	1.4	3.9	4.3
1979.....	0.2	0.1	0.2	0.5	0.4	0.7	1.0	1.6	2.7	3.9

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)

ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.6	0.5	0.5	0.8	0.6	1.7	2.3	0.9	1.1
1979.....	0.5	0.4	1.0	0.2	0.8	0.7	0.7	1.4	3.1	2.3

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.3	0.5	0.5	0.9	0.3	2.9	2.8	1.1	-
1979.....	0.6	0.3	0.5	0.2	0.5	1.0	1.1	0.5	3.5	1.7

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)

ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.8	0.5	0.5	0.7	0.8	0.8	1.9	0.7	1.7
1979.....	0.4	0.5	1.4	0.3	1.1	0.4	0.3	1.9	2.9	2.6

BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.7	0.6	0.6	0.8	0.5	1.6	2.1	0.5	1.3
1979.....	0.5	0.5	1.1	0.3	0.8	0.8	0.7	1.5	3.5	2.6

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.4	0.6	0.6	1.0	-	2.6	2.6	-	-	-
1979.....	0.7	0.4	0.6	0.2	0.5	1.2	1.3	0.6	3.9	1.9	1.9

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	1.0	0.6	0.5	0.6	0.9	0.9	1.7	0.8	1.9	1.9
1979.....	0.3	0.6	1.5	0.3	1.1	0.4	0.3	2.1	3.2	2.9	2.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)										
TOTAL, BOTH SEXES										
1998.....	0.4	0.7	0.9	1.8	2.5	4.5	7.7	12.8	18.8	26.7
1997.....	0.5	0.8	0.9	1.5	2.6	4.4	7.9	12.1	17.9	26.2
1996.....	0.5	0.7	0.9	1.5	2.7	4.7	7.7	11.4	18.1	26.9
1995.....	0.6	0.7	1.0	1.5	2.5	4.6	7.4	12.1	18.0	26.2
1994.....	0.5	0.7	0.8	1.7	2.9	4.4	7.2	11.3	16.3	24.0
1993.....	0.5	0.7	1.0	1.6	2.8	4.3	7.7	11.7	17.1	24.9
1992.....	0.5	0.6	1.1	1.6	2.6	4.6	8.1	11.7	16.4	22.1
1991.....	0.6	0.8	1.2	1.7	2.7	4.5	7.8	11.0	17.2	24.7
1990.....	0.5	0.8	1.1	1.6	2.9	4.3	7.7	11.5	15.7	22.4
1989.....	0.6	0.7	0.9	1.6	2.5	4.5	6.7	10.3	15.1	20.3
1988.....	0.5	0.7	1.1	1.8	3.0	4.6	7.0	10.7	14.0	19.4
1987.....	0.4	0.6	1.0	1.4	3.1	4.0	7.3	10.7	12.8	18.5
1986.....	0.5	0.7	0.9	1.5	2.7	4.5	6.7	9.5	11.8	17.1
1985.....	0.4	0.8	1.0	1.7	2.7	4.0	6.7	9.3	13.3	16.7
1984.....	0.5	0.6	0.9	1.9	2.7	4.4	6.0	8.7	11.3	14.5
1983.....	0.4	0.7	1.0	1.6	2.5	4.0	5.7	9.2	11.6	14.6
1982.....	0.3	0.6	0.9	1.6	2.4	3.7	5.4	8.0	10.3	11.5
1981.....	0.3	0.7	0.8	1.5	2.3	3.4	5.3	7.7	9.0	11.6
1980.....	0.4	0.6	1.0	1.2	2.5	3.6	5.0	7.5	10.0	12.4
1979.....	0.3	0.7	0.9	1.6	2.4	3.5	5.2	6.9	9.4	10.3
TOTAL, MALE										
1998.....	0.5	0.7	1.1	2.1	3.0	5.6	10.1	17.4	25.4	38.6
1997.....	0.7	1.0	0.9	1.6	3.1	5.6	10.9	16.0	25.4	36.7
1996.....	0.7	0.8	1.0	1.9	3.3	6.3	10.4	15.1	26.5	39.9
1995.....	0.7	0.9	1.1	1.9	3.0	6.2	10.4	16.5	24.9	39.0
1994.....	0.7	1.0	1.0	1.9	3.8	5.6	9.2	14.7	23.6	35.8
1993.....	0.7	0.8	1.2	2.0	3.4	5.7	10.6	16.3	23.5	35.7
1992.....	0.6	0.8	1.2	1.9	3.5	6.3	11.6	16.4	22.2	31.7
1991.....	0.7	1.0	1.6	1.9	3.6	5.8	10.4	16.3	23.9	36.7
1990.....	0.6	0.8	1.1	2.0	3.6	6.1	11.2	17.8	22.5	33.5
1989.....	0.7	0.9	1.1	2.0	2.9	6.3	9.3	14.6	22.8	29.4
1988.....	0.6	0.9	1.3	2.1	3.6	5.7	10.0	14.9	20.3	29.5
1987.....	0.4	0.7	1.1	1.8	3.9	5.2	10.2	15.4	18.2	24.4
1986.....	0.6	0.9	1.0	1.8	3.4	5.6	9.1	13.2	16.6	21.4
1985.....	0.5	0.9	0.9	2.1	3.4	5.2	9.3	12.8	18.3	24.8
1984.....	0.5	0.7	1.1	2.0	3.4	6.0	8.0	12.1	17.0	21.7
1983.....	0.5	0.7	1.2	2.0	3.0	5.2	6.8	12.7	16.3	22.1
1982.....	0.3	0.7	1.1	1.6	3.0	4.5	6.8	10.6	15.2	16.2
1981.....	*	0.7	1.0	2.0	3.0	4.3	7.4	10.4	11.2	17.1
1980.....	0.4	0.6	1.2	1.4	3.2	4.5	6.6	10.6	13.4	17.9
1979.....	0.4	0.7	0.9	2.0	3.0	4.3	7.2	9.5	12.3	16.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)										
TOTAL, FEMALE										
1998.....	0.4	0.6	0.8	1.5	2.0	3.5	5.8	9.5	14.8	21.8
1997.....	0.4	0.6	1.0	1.3	2.2	3.4	5.5	9.4	13.4	22.0
1996.....	0.3	0.7	0.9	1.2	2.2	3.4	5.6	8.9	13.2	21.7
1995.....	0.5	0.6	1.0	1.1	1.9	3.3	5.2	9.1	14.1	21.1
1994.....	0.4	0.5	0.7	1.4	2.0	3.4	5.6	9.1	12.2	19.4
1993.....	0.4	0.6	0.8	1.3	2.2	3.2	5.4	8.5	13.7	20.8
1992.....	0.3	0.5	1.0	1.4	1.8	3.3	5.4	8.7	13.3	18.5
1991.....	0.5	0.7	0.9	1.4	1.9	3.4	5.8	7.5	13.7	20.0
1990.....	0.4	0.7	1.0	1.3	2.4	2.8	5.1	7.5	12.1	18.1
1989.....	0.4	0.5	0.8	1.3	2.2	3.1	4.8	7.5	11.0	16.8
1988.....	0.4	0.6	0.9	1.6	2.5	3.8	4.8	8.1	10.6	15.4
1987.....	0.4	0.6	1.0	1.1	2.3	3.1	5.1	7.7	10.0	16.1
1986.....	0.5	0.4	0.8	1.2	2.2	3.7	5.0	7.2	9.2	15.4
1985.....	0.4	0.6	1.0	1.4	2.1	2.9	4.7	7.1	10.6	13.4
1984.....	0.5	0.5	0.8	1.7	2.1	3.1	4.5	6.6	8.3	11.6
1983.....	0.3	0.6	0.8	1.3	2.1	3.0	4.9	7.0	9.0	11.5
1982.....	0.3	0.5	0.8	1.5	2.0	3.1	4.3	6.4	7.7	9.6
1981.....	0.4	0.6	0.6	1.0	1.7	2.7	3.9	6.0	7.8	9.3
1980.....	0.4	0.6	0.8	1.1	1.8	2.8	4.0	5.5	8.1	9.9
1979.....	0.3	0.7	0.9	1.3	1.8	2.9	3.8	5.2	7.9	7.6
WHITE, BOTH SEXES										
1998.....	0.4	0.6	0.8	1.7	2.4	4.4	7.7	12.8	19.1	27.1
1997.....	0.4	0.7	0.9	1.4	2.4	4.4	7.8	12.3	18.0	26.9
1996.....	0.4	0.6	0.9	1.5	2.6	4.7	7.8	11.6	18.0	27.5
1995.....	0.5	0.7	1.0	1.4	2.4	4.5	7.4	12.1	18.2	27.0
1994.....	0.4	0.6	0.7	1.6	2.7	4.4	7.1	11.7	16.6	24.6
1993.....	0.4	0.6	0.9	1.6	2.7	4.1	7.8	11.7	17.3	25.5
1992.....	0.4	0.6	1.0	1.6	2.5	4.6	8.2	12.0	16.5	22.5
1991.....	0.4	0.8	1.1	1.6	2.5	4.4	7.9	11.3	17.7	25.2
1990.....	0.4	0.7	0.9	1.6	2.8	4.2	7.7	11.6	16.0	22.9
1989.....	0.4	0.6	0.7	1.5	2.4	4.6	6.8	10.3	15.3	20.3
1988.....	0.4	0.7	1.0	1.6	2.9	4.6	6.9	10.9	14.1	19.5
1987.....	0.3	0.6	0.9	1.4	3.0	4.0	7.3	10.9	12.8	18.9
1986.....	0.4	0.6	0.8	1.3	2.8	4.5	6.8	9.6	12.1	17.0
1985.....	0.3	0.7	0.9	1.5	2.6	3.9	6.6	9.3	13.4	17.2
1984.....	0.4	0.5	0.9	1.8	2.5	4.5	5.9	8.9	11.2	14.6
1983.....	0.3	0.6	1.0	1.6	2.3	4.1	5.8	9.4	11.6	14.8
1982.....	0.3	0.4	0.9	1.5	2.3	3.7	5.4	8.0	10.4	11.4
1981.....	0.3	0.6	0.7	1.3	2.3	3.4	5.2	7.8	9.3	11.7
1980.....	0.3	0.5	1.0	1.1	2.4	3.5	5.2	7.5	10.2	12.4
1979.....	0.2	0.6	0.8	1.5	2.4	3.5	5.2	6.9	9.5	10.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)										
WHITE MALE										
1998.....	0.4	0.6	1.0	2.0	3.0	5.4	10.3	17.6	26.3	39.5
1997.....	0.6	0.9	0.9	1.6	2.8	5.6	11.0	16.3	25.8	38.2
1996.....	0.6	0.6	1.0	1.7	3.1	6.3	10.6	15.5	26.8	41.3
1995.....	0.7	0.8	1.0	1.8	3.0	6.0	10.5	16.8	25.0	41.6
1994.....	0.5	0.9	0.8	1.9	3.7	5.8	9.1	15.2	24.2	37.2
1993.....	0.6	0.6	1.0	2.0	3.3	5.6	10.9	16.6	24.0	37.2
1992.....	0.5	0.7	1.0	1.9	3.4	6.2	11.8	16.8	22.6	32.6
1991.....	0.6	0.9	1.4	1.9	3.4	5.8	10.7	16.9	25.0	37.2
1990.....	0.5	0.6	1.0	1.9	3.4	6.0	11.4	17.7	23.0	34.1
1989.....	0.6	0.7	0.8	1.8	2.9	6.3	9.5	14.8	23.3	29.2
1988.....	0.5	0.9	1.2	1.8	3.5	5.8	10.2	15.4	20.6	30.1
1987.....	0.3	0.7	0.9	1.7	3.7	5.2	10.4	15.5	18.6	25.1
1986.....	0.5	0.8	0.9	1.7	3.5	5.6	9.3	13.3	17.4	21.4
1985.....	0.4	0.9	0.8	1.9	3.3	5.3	9.3	12.8	18.5	26.2
1984.....	0.4	0.6	1.1	2.0	3.2	6.0	7.8	12.5	16.6	21.8
1983.....	0.4	0.6	1.1	2.0	2.8	5.3	7.1	13.1	16.2	22.5
1982.....	*	0.5	1.0	1.6	2.9	4.5	6.8	10.5	15.6	16.6
1981.....	*	0.6	0.9	1.9	2.9	4.2	7.1	10.7	11.7	17.9
1980.....	0.2	0.5	1.2	1.3	3.1	4.5	6.6	10.5	13.7	18.5
1979.....	0.2	0.6	0.9	1.9	3.1	4.2	7.3	9.6	12.2	16.5
WHITE FEMALE										
1998.....	0.3	0.6	0.7	1.3	1.9	3.5	5.7	9.3	14.8	22.0
1997.....	0.3	0.5	0.8	1.2	2.1	3.4	5.4	9.5	13.5	22.4
1996.....	0.3	0.6	0.8	1.2	2.1	3.4	5.6	8.8	13.0	22.2
1995.....	0.4	0.5	0.9	1.0	1.9	3.3	5.1	8.9	14.3	21.4
1994.....	0.3	0.3	0.6	1.4	1.8	3.3	5.5	9.3	12.4	19.8
1993.....	0.3	0.6	0.7	1.2	2.1	2.9	5.5	8.4	13.6	21.1
1992.....	0.3	0.5	1.0	1.3	1.7	3.3	5.4	8.8	13.2	18.7
1991.....	0.3	0.6	0.7	1.4	1.8	3.2	5.8	7.6	13.8	20.6
1990.....	0.3	0.7	0.9	1.3	2.2	2.8	5.0	7.6	12.2	18.6
1989.....	0.3	0.4	0.6	1.2	2.0	3.2	4.8	7.5	11.1	16.9
1988.....	0.3	0.5	0.8	1.5	2.4	3.7	4.5	8.0	10.7	15.4
1987.....	0.3	0.5	0.9	1.1	2.3	3.0	5.0	7.9	9.7	16.5
1986.....	0.4	0.4	0.8	1.0	2.1	3.6	4.9	7.2	9.3	15.3
1985.....	*	0.5	1.0	1.2	2.0	2.8	4.6	7.1	10.8	13.7
1984.....	0.4	0.4	0.7	1.7	1.9	3.2	4.5	6.6	8.3	11.8
1983.....	*	0.5	0.8	1.2	2.0	3.0	4.9	7.1	9.2	11.7
1982.....	*	*	0.7	1.5	1.9	3.1	4.4	6.5	7.6	9.3
1981.....	*	0.6	0.5	0.8	1.8	2.7	3.8	6.0	8.1	9.1
1980.....	0.3	0.5	0.8	1.0	1.8	2.8	4.1	5.7	8.3	9.7
1979.....	0.2	0.6	0.7	1.2	1.8	2.9	3.8	5.2	8.1	7.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

ALL OTHER, BOTH SEXES

1998.....	0.6	1.0	1.6	2.6	3.0	4.9	7.3	13.0	15.3	23.5
1997.....	0.9	1.3	1.2	1.7	3.9	4.2	8.1	10.7	16.1	19.3
1996.....	1.0	1.3	1.3	1.8	3.5	4.6	7.2	10.2	18.4	20.3
1995.....	0.9	1.1	1.5	2.1	2.8	5.2	7.3	11.8	15.7	17.5
1994.....	1.2	1.5	1.3	1.9	3.9	4.2	7.9	8.3	12.3	18.2
1993.....	1.0	1.3	1.7	2.1	3.3	5.7	6.1	11.3	15.6	18.6
1992.....	0.7	1.0	1.4	1.9	2.8	4.9	7.3	9.7	15.6	18.0
1991.....	1.3	1.3	2.0	2.2	3.9	5.7	6.7	7.8	12.9	19.0
1990.....	1.0	1.4	1.8	1.9	4.2	4.9	7.2	11.1	13.1	17.3
1989.....	1.2	1.5	2.3	2.6	3.3	4.3	5.8	9.5	12.6	20.7
1988.....	*	*	2.2	3.4	4.1	4.6	7.6	9.4	12.5	18.1
1987.....	1.0	*	1.9	1.8	3.9	4.2	7.0	8.5	13.3	14.2
1986.....	1.0	*	1.4	2.6	2.4	4.7	5.9	8.8	8.4	18.6
1985.....	1.0	1.4	1.5	3.4	3.5	4.3	7.1	9.2	11.2	11.2
1984.....	1.2	1.4	1.4	1.9	4.1	3.9	6.6	7.5	12.8	12.9
1983.....	*	*	*	1.8	3.9	3.1	4.8	7.7	10.7	12.4
1982.....	*	1.6	1.5	2.0	3.2	3.9	5.4	7.6	9.6	12.6
1981.....	*	*	*	2.8	2.3	3.5	6.9	7.2	*	11.1
1980.....	0.9	1.1	1.3	2.3	3.3	4.2	4.0	7.0	7.9	12.3
1979.....	1.0	1.2	1.9	2.5	2.2	3.8	5.4	6.6	7.6	8.0

ALL OTHER MALE

1998.....	*	*	*	3.0	3.2	6.7	8.4	15.4	16.2	30.4
1997.....	*	1.6	*	*	5.2	5.5	10.2	13.4	22.0	23.6
1996.....	1.7	1.7	*	3.1	4.8	6.1	8.9	11.7	22.5	28.1
1995.....	*	*	*	*	*	7.8	9.3	13.6	23.6	*
1994.....	1.8	1.8	*	*	4.6	4.8	9.7	10.0	17.4	23.3
1993.....	1.5	*	*	*	4.1	6.5	8.3	14.1	18.5	21.8
1992.....	*	*	*	*	4.0	6.9	9.9	12.8	19.0	22.8
1991.....	*	*	*	*	5.5	6.4	7.7	10.4	*	31.4
1990.....	*	*	*	*	4.6	7.6	8.8	18.8	17.0	28.3
1989.....	1.9	*	3.0	3.5	*	7.1	7.3	12.6	17.4	30.9
1988.....	*	*	*	4.5	5.1	*	8.4	9.6	17.1	*
1987.....	*	*	*	*	5.9	5.6	9.1	14.0	*	*
1986.....	*	*	*	*	*	5.2	6.9	12.4	*	*
1985.....	*	*	*	4.1	4.1	*	9.3	13.1	*	*
1984.....	*	*	*	*	5.2	5.4	9.1	*	20.8	*
1983.....	*	*	*	*	5.1	*	*	*	*	*
1982.....	*	*	*	*	*	5.3	6.9	10.9	*	*
1981.....	*	*	*	*	*	*	10.2	*	*	*
1980.....	1.3	1.4	1.8	2.4	4.5	5.2	5.8	11.7	10.3	11.5
1979.....	1.3	1.0	1.5	2.9	2.6	5.2	6.4	8.8	12.8	15.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)										
ALL OTHER FEMALE										
1998.....	*	*	*	2.3	2.9	3.5	6.6	11.4	14.7	20.3
1997.....	*	*	*	*	3.0	3.2	6.6	9.0	12.7	17.4
1996.....	*	*	*	*	*	3.4	6.0	9.3	16.1	16.7
1995.....	*	*	*	*	*	3.3	5.9	10.7	11.4	18.5
1994.....	*	*	*	*	3.4	3.8	6.6	7.3	9.6	16.0
1993.....	*	*	*	*	2.7	5.1	4.6	9.5	14.0	17.1
1992.....	*	*	*	*	*	3.4	5.5	7.9	13.7	15.9
1991.....	*	*	*	*	*	5.2	6.1	6.2	12.7	13.2
1990.....	*	*	*	*	3.8	*	6.2	6.4	11.0	12.3
1989.....	*	*	*	*	3.6	*	4.8	7.6	9.9	16.0
1988.....	*	*	*	*	3.3	4.9	7.0	9.2	9.8	15.4
1987.....	*	*	*	*	*	*	5.6	*	12.8	12.3
1986.....	*	*	*	2.7	*	4.3	5.2	6.5	*	17.3
1985.....	*	*	*	2.8	3.1	4.0	5.5	6.7	*	*
1984.....	*	*	*	*	3.2	*	4.9	6.9	*	*
1983.....	*	*	*	*	*	*	5.1	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.9	0.9	2.3	2.3	3.4	2.7	3.8	6.3	12.6
1979.....	0.7	1.3	2.2	2.1	1.9	2.8	4.6	5.0	4.4	4.4
BLACK, BOTH SEXES										
1998.....	*	1.2	2.1	2.9	3.6	5.2	9.2	14.6	16.5	24.5
1997.....	1.1	1.8	*	1.9	4.6	4.8	9.0	10.4	16.0	20.9
1996.....	1.2	1.7	1.5	2.1	3.9	4.5	8.1	10.5	18.1	20.6
1995.....	1.2	1.4	1.8	2.5	3.3	5.8	8.2	13.7	14.8	18.6
1994.....	1.6	1.9	1.7	2.3	4.1	5.0	8.2	9.2	13.3	19.3
1993.....	1.3	1.6	2.1	2.3	3.7	6.3	6.4	11.0	16.5	19.1
1992.....	*	1.3	1.8	2.3	3.2	5.2	7.8	10.8	17.0	18.6
1991.....	1.7	1.7	2.3	2.4	4.3	6.4	6.9	7.6	14.8	19.0
1990.....	1.3	1.6	2.3	2.2	4.2	5.6	7.8	11.2	13.9	18.0
1989.....	1.6	1.9	2.8	3.4	3.8	4.6	6.6	10.0	14.2	20.0
1988.....	*	*	2.6	4.0	4.2	5.3	8.4	8.5	12.9	19.6
1987.....	1.3	*	2.3	1.9	4.6	4.6	8.1	9.1	14.4	13.9
1986.....	*	*	1.8	2.9	2.5	5.1	6.4	8.8	8.6	16.9
1985.....	*	1.6	*	3.9	3.6	4.7	7.3	9.7	11.8	12.3
1984.....	1.5	1.7	*	2.2	4.4	3.8	7.0	7.4	12.7	11.1
1983.....	*	*	*	2.0	4.3	3.5	5.3	7.8	11.9	13.0
1982.....	*	1.8	*	2.4	3.8	4.3	5.7	7.0	10.6	12.5
1981.....	*	*	*	3.1	2.6	3.9	6.9	7.7	*	*
1980.....	1.0	1.2	1.5	2.3	3.7	4.5	4.1	7.0	8.0	13.2
1979.....	1.2	1.4	1.9	2.8	2.3	3.5	5.2	6.3	7.0	7.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)										

BLACK MALE

1998.....	*	*	*	*	*	7.7	10.0	17.6	*	32.3
1997.....	*	2.3	*	*	5.8	7.0	11.7	13.4	23.5	25.7
1996.....	2.3	2.3	*	3.9	5.4	6.3	10.9	13.4	23.0	25.2
1995.....	*	*	*	*	*	7.9	11.1	15.4	21.4	*
1994.....	2.3	*	*	*	5.0	5.4	10.0	10.6	19.7	*
1993.....	1.9	*	*	*	4.9	6.9	7.9	12.5	20.0	*
1992.....	*	*	*	*	5.2	7.5	12.1	14.2	21.4	*
1991.....	*	*	*	*	6.2	7.1	8.0	*	*	30.4
1990.....	*	*	*	*	5.0	8.3	9.1	19.0	*	31.7
1989.....	2.6	*	*	4.5	*	7.8	8.7	14.0	21.6	30.3
1988.....	*	*	*	5.2	5.5	*	9.6	*	*	*
1987.....	*	*	*	*	7.2	6.3	10.4	14.9	*	*
1986.....	*	*	*	*	*	5.8	*	12.8	*	*
1985.....	*	*	*	4.6	4.8	*	10.2	14.1	*	*
1984.....	*	*	*	*	5.4	*	9.4	*	*	*
1983.....	*	*	*	*	5.7	*	*	*	*	*
1982.....	*	*	*	*	*	6.0	*	*	*	*
1981.....	*	*	*	*	*	*	10.5	*	*	*
1980.....	1.4	1.5	2.2	2.4	4.9	5.4	5.5	11.8	9.3	13.2
1979.....	1.6	1.1	1.4	3.4	2.7	5.3	6.6	8.1	10.4	13.5

BLACK FEMALE

1998.....	*	*	*	*	3.4	*	8.6	12.7	16.8	21.3
1997.....	*	*	*	*	3.7	*	7.1	8.5	12.2	18.9
1996.....	*	*	*	*	*	*	6.2	8.6	15.6	18.7
1995.....	*	*	*	*	*	4.2	6.2	12.7	11.4	20.5
1994.....	*	*	*	*	*	4.6	7.0	8.4	10.0	17.0
1993.....	*	*	*	*	*	5.8	5.3	10.0	14.7	18.1
1992.....	*	*	*	*	*	*	4.9	8.9	14.6	15.5
1991.....	*	*	*	*	*	5.9	6.3	*	14.3	14.1
1990.....	*	*	*	*	3.6	*	7.0	6.6	11.6	*
1989.....	*	*	*	*	4.2	*	5.2	7.6	*	15.7
1988.....	*	*	*	*	*	5.6	7.6	8.8	*	16.8
1987.....	*	*	*	*	*	*	6.6	*	14.6	*
1986.....	*	*	*	*	*	4.5	5.9	*	*	15.9
1985.....	*	*	*	*	*	*	5.4	*	*	*
1984.....	*	*	*	*	*	*	5.4	7.5	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	1.0	1.0	2.3	2.7	3.8	3.0	3.8	7.2	13.2
1979.....	0.9	1.6	2.3	2.3	1.9	2.2	4.1	5.1	4.8	4.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
V. MENTAL DISORDERS (290-319)										
TOTAL, BOTH SEXES										
1998.....	5.8	7.5	7.6	8.2	10.1	14.7	29.7	70.8	191.6	661.5
1997.....	5.8	7.3	7.1	7.8	10.2	13.6	27.9	66.4	171.2	609.4
1996.....	5.9	7.1	7.3	8.5	10.5	14.3	26.5	62.5	161.2	559.2
1995.....	6.3	7.0	7.6	8.5	11.6	14.2	25.5	60.3	151.8	514.6
1994.....	5.9	6.7	7.7	8.5	10.6	13.7	24.1	57.4	137.8	469.1
1993.....	6.0	6.6	7.3	8.2	10.4	12.8	21.8	51.5	124.9	426.8
1992.....	5.8	6.3	7.0	8.3	10.4	12.3	19.1	44.7	111.4	360.9
1991.....	5.4	6.2	6.5	8.4	9.8	12.3	19.2	44.0	106.1	340.5
1990.....	5.1	6.4	8.1	8.5	10.3	12.0	20.1	41.0	98.5	325.5
1989.....	5.2	6.5	7.3	8.3	9.9	11.7	19.6	40.7	97.7	315.3
1988.....	5.7	6.6	7.0	8.5	9.7	11.6	18.2	39.4	95.9	289.2
1987.....	5.3	6.1	7.3	7.5	9.1	10.6	17.1	35.2	81.4	256.7
1986.....	5.5	5.9	6.8	7.6	8.3	10.5	16.1	33.8	76.8	221.0
1985.....	5.1	6.2	6.8	7.4	8.7	10.2	15.3	31.8	74.5	213.3
1984.....	5.1	5.5	6.7	7.4	8.5	9.7	14.2	28.7	67.8	192.0
1983.....	4.4	5.5	7.0	7.5	8.9	10.2	15.4	30.4	63.6	172.4
1982.....	4.6	6.3	6.7	7.4	8.3	10.2	14.9	27.5	55.9	148.3
1981.....	5.0	6.3	7.0	8.4	9.2	11.1	15.0	27.0	58.2	145.2
1980.....	4.9	7.2	8.3	8.3	9.4	10.9	15.1	25.6	53.8	132.9
1979.....	5.5	6.2	7.6	7.9	9.5	10.1	13.8	23.8	48.9	110.7
TOTAL, MALE										
1998.....	8.5	11.8	11.7	12.9	15.4	19.8	37.2	79.4	193.6	530.7
1997.....	8.7	11.7	11.3	12.1	15.2	18.7	34.6	74.4	185.4	499.1
1996.....	9.0	11.2	11.4	13.1	16.0	20.1	34.3	72.1	172.2	470.4
1995.....	9.5	11.1	12.2	13.6	17.9	20.6	32.3	70.7	160.4	449.2
1994.....	9.4	10.1	12.4	13.2	16.4	20.1	31.3	67.6	151.8	415.8
1993.....	9.3	10.3	11.7	13.2	16.7	19.1	30.4	64.8	139.9	387.6
1992.....	9.2	10.1	11.2	12.9	16.0	18.8	25.7	56.3	127.9	333.5
1991.....	8.4	9.9	10.4	13.3	15.5	18.6	26.7	56.6	119.6	314.4
1990.....	8.1	10.3	12.8	13.7	16.1	18.7	27.6	54.4	112.6	296.5
1989.....	8.1	10.3	11.9	13.0	15.7	17.6	27.6	52.8	112.8	291.2
1988.....	9.4	10.5	11.1	13.9	15.6	17.9	26.4	49.7	109.0	277.9
1987.....	8.3	9.9	11.3	12.4	14.6	15.5	23.8	45.4	94.2	242.9
1986.....	8.8	9.4	10.6	12.0	13.5	16.0	23.0	43.0	85.1	206.4
1985.....	8.1	9.3	10.5	12.2	13.8	15.8	21.9	39.9	86.3	211.4
1984.....	7.9	8.5	10.7	12.0	13.6	15.0	20.4	36.5	76.9	183.4
1983.....	6.5	8.5	10.5	12.2	14.2	16.0	22.3	38.3	74.8	176.6
1982.....	7.2	9.4	10.6	11.7	12.9	15.7	20.8	35.0	68.0	143.7
1981.....	7.7	9.9	10.8	13.3	14.4	17.6	21.9	34.7	71.3	147.9
1980.....	7.2	11.1	12.6	13.3	15.0	17.0	21.6	33.2	63.5	134.7
1979.....	8.4	9.5	11.5	12.2	15.2	15.7	19.2	30.9	61.2	116.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)										
V. MENTAL DISORDERS (290-319)										
TOTAL, FEMALE										
1998.....	3.2	3.4	3.8	3.9	5.3	10.4	23.8	64.7	190.5	715.7
1997.....	3.1	3.2	3.1	3.8	5.7	9.3	22.8	60.9	162.9	653.9
1996.....	2.9	3.1	3.4	4.2	5.5	9.5	20.4	55.8	154.9	594.5
1995.....	3.1	3.0	3.3	3.8	6.0	8.9	20.2	53.2	147.0	540.0
1994.....	2.6	3.4	3.4	4.2	5.4	8.5	18.6	50.5	130.0	489.7
1993.....	2.9	3.1	3.1	3.7	4.7	7.6	15.3	42.5	116.7	441.9
1992.....	2.4	2.7	3.0	4.1	5.4	7.0	14.2	37.0	102.5	371.5
1991.....	2.4	2.6	2.9	3.9	4.8	7.1	13.6	35.7	98.9	350.6
1990.....	2.3	2.7	3.7	3.7	5.2	6.6	14.5	32.4	91.0	336.8
1989.....	2.5	2.8	3.0	3.9	4.9	6.9	13.8	32.9	89.8	324.7
1988.....	2.2	2.9	3.2	3.5	4.7	6.6	12.2	32.9	89.0	293.6
1987.....	2.4	2.3	3.5	3.1	4.3	6.6	12.2	28.8	74.6	262.2
1986.....	2.2	2.5	3.3	3.6	3.9	6.0	11.1	28.0	72.4	226.8
1985.....	2.2	3.1	3.4	3.0	4.3	5.6	10.5	26.7	68.3	214.1
1984.....	2.4	2.7	2.9	3.3	4.1	5.4	9.8	23.8	63.0	195.5
1983.....	2.3	2.7	3.8	3.4	4.2	5.5	10.4	25.4	57.7	170.6
1982.....	2.0	3.4	3.2	3.5	4.3	5.7	10.5	22.8	49.6	150.3
1981.....	2.5	2.9	3.6	4.2	4.6	5.9	10.0	22.2	51.3	144.0
1980.....	2.7	3.5	4.3	3.8	4.5	6.0	10.5	20.9	48.6	132.0
1979.....	2.7	3.1	4.0	4.0	4.6	5.6	9.8	19.3	42.3	108.3
WHITE, BOTH SEXES										
1998.....	5.3	6.5	6.8	7.4	9.1	14.4	29.5	72.1	195.6	687.9
1997.....	5.3	6.3	6.3	6.8	9.7	13.0	27.7	67.2	176.0	635.2
1996.....	5.0	5.9	6.2	7.5	9.8	13.5	25.8	62.7	164.5	581.9
1995.....	5.0	5.8	6.3	7.4	10.4	13.1	24.6	60.3	154.3	531.9
1994.....	4.7	5.4	6.4	7.4	9.4	12.8	23.4	57.0	139.2	483.8
1993.....	4.8	5.4	5.8	6.9	9.5	11.9	21.0	51.5	125.8	439.7
1992.....	4.5	4.9	5.4	6.9	8.9	11.4	18.0	44.1	112.1	371.7
1991.....	4.0	4.9	5.1	7.0	8.7	11.1	18.2	43.1	107.2	350.6
1990.....	3.5	4.7	6.4	7.2	9.0	11.0	19.1	40.1	99.1	334.2
1989.....	3.7	4.7	5.3	6.7	8.5	10.6	18.6	40.0	98.1	322.3
1988.....	3.8	4.4	5.0	6.8	8.5	10.4	17.3	38.3	95.9	297.5
1987.....	3.5	4.1	5.6	5.9	7.9	9.6	16.0	34.5	80.9	264.9
1986.....	3.6	4.2	5.0	6.3	7.3	9.4	14.9	33.2	77.3	226.6
1985.....	3.2	4.7	5.1	6.1	7.6	8.8	14.1	31.0	75.1	218.2
1984.....	3.2	3.9	5.0	6.0	7.3	8.5	13.4	28.0	67.6	196.5
1983.....	2.8	4.0	5.3	6.4	7.7	8.9	14.8	29.6	62.3	176.1
1982.....	3.0	4.5	5.4	6.2	6.9	9.5	14.2	26.8	55.7	150.9
1981.....	3.4	4.4	5.5	6.9	8.3	10.1	14.3	26.6	58.3	147.9
1980.....	3.2	4.9	6.3	6.9	8.3	9.9	14.0	24.6	53.4	135.1
1979.....	3.5	4.4	6.1	6.7	8.3	9.3	12.9	23.6	49.6	113.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
V. MENTAL DISORDERS (290-319)										
WHITE MALE										
1998.....	7.8	10.4	10.2	11.2	13.3	19.0	36.5	79.6	196.1	552.3
1997.....	7.9	9.9	9.8	10.2	14.2	17.3	33.5	73.5	189.4	519.8
1996.....	7.6	9.4	9.3	11.3	14.5	18.3	32.8	70.7	174.4	489.5
1995.....	8.0	9.3	9.7	11.5	15.4	18.8	30.7	69.3	162.3	461.6
1994.....	7.3	8.1	9.9	11.4	14.1	18.1	30.1	66.6	152.8	425.4
1993.....	7.4	8.4	9.1	10.8	15.0	17.3	28.9	64.1	140.4	395.1
1992.....	7.5	7.8	8.6	10.5	13.7	17.2	23.7	55.3	127.0	342.3
1991.....	6.4	7.7	7.9	10.8	13.5	16.0	24.9	54.6	120.4	324.0
1990.....	5.5	7.4	10.3	11.3	13.8	17.0	25.7	52.1	112.9	301.8
1989.....	5.7	7.4	8.4	10.3	13.4	15.7	25.8	51.4	112.9	296.4
1988.....	6.1	6.9	7.8	10.8	13.7	15.7	24.8	47.4	109.0	281.8
1987.....	5.6	6.6	8.5	9.4	12.4	14.1	22.3	43.7	92.8	248.4
1986.....	5.9	6.6	7.3	9.7	11.4	13.9	21.0	41.7	84.3	213.2
1985.....	4.9	6.9	7.7	9.9	11.8	13.4	20.1	38.2	86.6	215.8
1984.....	4.9	5.9	7.8	9.6	11.4	13.3	19.3	35.8	75.9	187.0
1983.....	4.2	5.9	7.8	10.0	12.2	13.7	21.5	37.4	72.3	179.8
1982.....	4.6	6.6	8.3	9.7	10.6	14.6	19.9	33.8	67.2	144.9
1981.....	5.2	6.8	8.4	10.7	13.0	16.0	20.5	33.9	71.6	150.7
1980.....	4.8	7.7	9.5	10.9	13.0	15.3	19.9	31.9	62.3	136.9
1979.....	5.4	6.6	9.3	9.9	13.0	14.8	18.0	30.7	61.5	118.3
WHITE FEMALE										
1998.....	2.8	2.7	3.5	3.8	5.2	10.4	23.9	66.8	195.4	743.6
1997.....	2.6	2.6	2.9	3.7	5.6	9.4	23.1	62.8	168.1	681.1
1996.....	2.4	2.5	3.2	3.9	5.6	9.5	20.4	57.1	158.9	618.2
1995.....	2.1	2.4	3.0	3.6	5.8	8.4	19.8	54.0	149.7	559.0
1994.....	2.0	2.8	3.0	3.6	5.2	8.4	18.3	50.4	131.7	506.1
1993.....	2.1	2.4	2.6	3.3	4.6	7.4	14.9	43.0	117.8	456.6
1992.....	1.6	2.1	2.4	3.5	4.6	6.5	13.6	36.6	104.1	382.9
1991.....	1.6	2.2	2.4	3.4	4.3	7.1	13.2	35.5	100.2	360.9
1990.....	1.6	2.1	2.6	3.4	4.7	6.1	14.2	32.4	91.9	346.5
1989.....	1.6	2.0	2.4	3.3	4.1	6.4	13.3	32.7	90.3	332.4
1988.....	1.6	2.0	2.3	3.2	4.0	6.1	11.9	32.4	89.1	303.5
1987.....	1.5	1.7	2.8	2.7	3.9	6.0	11.4	28.7	74.8	271.3
1986.....	1.3	1.8	2.8	3.1	3.6	5.6	10.5	27.9	73.7	231.8
1985.....	1.5	2.6	2.6	2.6	3.9	5.0	9.7	26.5	69.1	219.1
1984.....	1.6	1.9	2.4	2.7	3.7	4.7	9.2	23.2	63.3	200.2
1983.....	1.5	2.2	2.9	3.1	3.8	5.1	10.0	24.7	57.0	174.6
1982.....	1.4	2.5	2.6	3.1	3.6	5.5	10.1	22.4	49.7	153.3
1981.....	1.7	2.1	2.7	3.6	4.2	5.4	9.9	22.0	51.4	146.8
1980.....	1.6	2.2	3.3	3.3	4.1	5.5	9.8	20.1	48.8	134.2
1979.....	1.7	2.4	3.1	3.8	4.1	5.0	9.3	19.2	43.2	110.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
V. MENTAL DISORDERS (290-319)										
ALL OTHER, BOTH SEXES										
1998.....	8.5	12.6	12.8	13.5	16.5	16.7	31.2	59.4	151.2	411.3
1997.....	8.8	13.1	12.1	13.7	13.5	17.3	30.0	59.2	122.7	363.5
1996.....	10.5	13.4	13.8	14.3	14.7	20.0	31.9	60.3	127.5	341.4
1995.....	12.6	13.7	16.1	15.4	19.5	21.7	33.1	60.7	127.0	338.3
1994.....	12.4	14.2	16.2	15.3	18.3	20.7	30.1	61.2	123.2	318.0
1993.....	12.8	14.5	16.3	16.7	16.2	19.4	28.9	51.4	116.1	294.4
1992.....	12.3	15.0	16.6	17.4	20.5	19.6	29.3	50.0	104.5	247.8
1991.....	13.3	13.8	15.1	17.7	18.4	21.6	28.0	52.5	95.2	233.9
1990.....	14.4	17.0	18.9	17.0	20.3	20.6	28.7	49.9	91.9	234.2
1989.....	14.6	17.6	20.0	19.2	21.0	21.1	28.7	46.8	94.3	241.4
1988.....	17.2	20.4	20.0	20.1	19.2	21.8	26.1	50.3	95.9	201.2
1987.....	16.8	17.8	17.9	19.5	19.0	18.7	27.2	41.9	85.7	169.2
1986.....	17.0	16.1	19.1	17.5	16.9	20.4	26.8	39.4	71.4	161.0
1985.....	17.2	15.2	18.7	17.3	18.2	22.3	26.5	39.4	67.7	159.4
1984.....	17.1	15.8	17.8	18.4	18.9	20.1	21.7	35.4	70.0	143.3
1983.....	14.3	15.1	19.3	16.6	18.6	21.1	20.6	37.9	77.9	130.6
1982.....	14.4	18.2	16.8	16.6	21.1	15.7	21.2	34.7	58.6	120.6
1981.....	15.3	19.3	18.7	20.9	17.0	19.9	21.1	31.2	57.3	114.2
1980.....	15.8	22.8	23.3	19.4	19.3	19.7	26.1	36.0	57.6	107.6
1979.....	18.6	18.7	19.8	18.1	20.9	16.6	22.1	25.7	40.6	82.2
ALL OTHER MALE										
1998.....	12.3	19.9	21.2	24.5	29.9	25.6	43.2	77.9	167.7	341.9
1997.....	12.9	21.8	21.3	24.7	22.4	29.0	44.5	82.5	144.2	319.0
1996.....	16.7	21.6	24.8	24.6	27.0	33.9	48.5	85.8	149.0	304.4
1995.....	18.3	22.9	29.4	28.0	35.7	34.5	47.3	84.4	140.8	333.1
1994.....	20.9	22.7	28.9	25.2	33.5	36.1	43.3	78.0	141.4	326.0
1993.....	19.8	22.7	28.3	29.7	29.8	33.9	44.3	72.4	135.0	317.7
1992.....	18.9	25.1	28.5	29.6	34.0	32.1	44.6	65.5	137.3	251.5
1991.....	21.0	23.9	26.3	31.3	31.7	40.7	44.1	76.5	111.6	225.6
1990.....	24.3	29.4	29.4	31.1	35.3	33.9	46.3	77.3	109.2	246.9
1989.....	23.5	29.9	35.8	33.3	34.7	34.4	44.9	66.7	112.4	243.2
1988.....	31.2	34.5	33.6	37.9	31.6	37.9	42.6	71.2	109.4	241.8
1987.....	27.2	31.7	30.3	35.9	33.5	28.4	38.4	60.9	108.0	190.9
1986.....	28.2	27.6	34.3	30.5	30.9	35.2	42.4	55.2	93.5	142.7
1985.....	29.6	25.4	31.0	31.3	31.4	37.2	39.0	55.8	82.9	169.9
1984.....	28.3	25.7	32.1	31.7	33.1	30.9	30.6	43.1	87.1	150.0
1983.....	22.8	26.3	31.5	30.4	32.6	36.7	29.7	46.7	100.0	144.3
1982.....	24.7	28.9	28.2	28.7	34.9	25.8	29.8	45.3	75.5	131.3
1981.....	24.7	32.1	30.0	35.5	27.9	32.7	34.6	41.9	68.1	120.3
1980.....	23.5	36.6	38.1	34.2	33.7	32.2	37.8	45.8	75.7	111.9
1979.....	30.0	31.6	30.1	32.1	35.7	24.5	31.1	32.4	57.0	93.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
V. MENTAL DISORDERS (290-319)										
ALL OTHER FEMALE										
1998.....	5.1	6.5	5.8	4.6	6.0	10.0	22.8	47.2	141.9	443.0
1997.....	5.3	5.7	4.4	4.8	6.6	8.6	19.8	44.0	110.6	383.6
1996.....	5.1	6.4	4.5	6.0	5.3	9.7	20.4	43.9	115.4	358.0
1995.....	7.7	5.9	5.0	5.0	7.1	12.2	23.2	45.6	119.4	340.6
1994.....	5.0	6.9	5.5	7.4	6.6	9.3	20.9	50.7	113.2	314.5
1993.....	6.8	7.4	6.1	6.1	5.7	8.7	18.1	38.4	105.7	284.2
1992.....	6.6	6.3	6.5	7.5	10.3	10.3	18.7	40.5	85.9	246.1
1991.....	6.6	5.0	5.5	6.8	8.3	7.5	17.1	37.6	85.6	236.5
1990.....	5.8	6.3	10.0	5.6	8.9	10.8	16.6	33.0	82.1	228.4
1989.....	6.9	7.1	6.5	7.8	10.6	11.1	17.5	34.4	84.0	240.6
1988.....	5.2	8.3	8.4	5.8	9.7	9.9	14.9	37.0	87.7	182.2
1987.....	7.9	5.8	7.5	6.2	7.8	11.4	19.6	29.8	73.0	158.9
1986.....	7.4	6.2	6.4	7.0	6.0	9.3	16.0	29.2	59.0	169.9
1985.....	6.5	6.4	8.6	5.9	7.8	11.1	17.9	28.7	58.9	155.3
1984.....	7.5	7.3	5.9	7.7	7.7	11.9	15.5	30.3	59.5	140.0
1983.....	7.1	5.5	9.3	5.4	7.5	9.4	14.3	32.0	64.8	123.7
1982.....	5.5	9.1	7.5	6.7	10.1	8.0	15.0	27.4	48.4	114.3
1981.....	7.3	8.5	9.4	8.9	8.3	10.3	11.1	24.0	50.7	111.1
1980.....	9.3	11.3	11.3	7.2	7.9	10.1	17.3	29.3	46.5	105.4
1979.....	9.1	8.0	11.4	6.4	8.9	10.6	15.3	20.9	30.7	77.2
BLACK, BOTH SEXES										
1998.....	10.7	15.8	16.3	15.8	19.5	19.7	36.5	68.3	174.6	444.5
1997.....	11.0	16.7	15.3	16.8	16.9	20.5	34.8	67.2	140.7	396.6
1996.....	12.9	16.5	17.0	17.4	18.0	22.8	38.5	68.3	142.5	368.8
1995.....	15.5	16.9	20.1	19.2	23.0	26.0	39.5	69.6	142.4	348.5
1994.....	15.4	17.4	19.6	19.4	22.6	25.0	35.5	69.1	137.5	331.5
1993.....	15.8	17.7	19.7	19.9	20.2	23.3	33.9	59.2	128.4	306.2
1992.....	15.2	18.5	20.5	21.0	24.8	22.4	34.1	57.6	115.7	256.4
1991.....	16.9	17.6	19.2	21.4	22.2	26.1	32.4	60.9	104.4	245.7
1990.....	18.2	21.5	23.2	20.8	24.2	24.9	33.2	56.0	99.2	243.5
1989.....	18.7	21.4	24.6	23.0	25.1	24.6	32.8	52.0	101.4	246.4
1988.....	22.3	25.5	24.0	24.0	22.4	24.6	30.7	54.3	103.3	205.1
1987.....	21.8	21.7	21.5	22.9	22.9	21.6	30.2	46.1	88.2	175.0
1986.....	21.6	19.8	23.0	20.8	19.5	23.6	30.8	43.7	76.1	159.7
1985.....	21.4	17.9	21.7	19.8	21.2	24.6	30.3	43.3	70.6	167.7
1984.....	20.7	19.0	20.4	21.6	20.5	21.4	24.7	38.8	73.7	144.2
1983.....	17.3	17.9	21.4	18.8	21.4	22.7	21.5	41.1	84.1	133.2
1982.....	16.8	20.2	19.1	18.8	23.6	16.6	23.6	38.5	62.4	121.6
1981.....	17.4	21.8	21.4	23.0	18.8	21.5	22.7	33.3	61.2	113.7
1980.....	18.1	26.2	25.7	21.2	20.6	20.7	28.2	37.9	60.9	101.2
1979.....	20.7	20.4	21.0	19.4	22.4	18.0	22.6	26.8	42.3	81.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
V. MENTAL DISORDERS (290-319)										
BLACK MALE										
1998.....	15.5	24.9	27.8	29.4	37.1	31.0	50.4	93.4	202.7	373.9
1997.....	15.8	28.2	27.5	30.8	28.8	34.3	50.6	97.0	172.3	345.8
1996.....	20.6	27.0	31.1	30.8	33.5	39.0	59.3	99.4	173.6	342.0
1995.....	22.3	28.4	37.4	35.8	43.3	43.2	56.7	96.2	163.1	335.8
1994.....	26.2	28.5	36.0	32.8	42.3	43.5	52.4	91.0	164.8	340.4
1993.....	25.1	28.7	35.6	37.2	37.9	41.5	53.2	82.4	153.3	338.8
1992.....	23.3	31.0	36.3	37.3	41.1	38.3	52.5	77.8	154.0	267.0
1991.....	26.7	31.2	34.2	37.9	38.4	49.6	52.7	91.7	127.7	243.5
1990.....	31.3	37.8	37.7	38.7	42.3	41.0	53.8	91.8	119.0	265.6
1989.....	30.4	36.9	45.5	40.7	42.0	40.9	52.0	77.0	124.7	259.1
1988.....	41.0	43.5	41.2	45.7	37.3	42.6	50.4	77.4	120.2	247.7
1987.....	36.1	39.8	37.6	43.2	40.8	33.7	44.2	68.6	109.8	196.9
1986.....	36.2	35.2	41.6	36.4	35.4	41.1	49.6	62.8	100.0	139.7
1985.....	37.1	31.2	37.1	35.8	36.8	42.5	45.9	62.4	85.1	182.3
1984.....	34.8	31.6	37.2	37.4	36.0	33.8	35.5	49.7	92.9	149.2
1983.....	28.1	31.8	35.1	34.5	38.0	40.0	30.3	51.5	106.1	155.0
1982.....	29.1	32.3	32.8	32.4	39.3	27.2	34.3	51.6	80.0	134.5
1981.....	28.8	37.0	34.3	39.0	31.1	35.4	38.1	44.9	72.7	116.1
1980.....	27.9	42.5	42.5	37.2	35.5	33.4	41.8	49.0	82.6	96.2
1979.....	33.5	34.7	32.4	34.5	37.9	26.9	31.9	33.5	57.1	94.2
BLACK FEMALE										
1998.....	6.5	8.2	6.9	5.3	6.5	11.2	26.7	52.1	159.9	473.8
1997.....	6.8	6.9	5.4	5.9	8.0	10.3	23.9	48.4	124.3	417.6
1996.....	6.1	7.7	5.5	7.0	6.3	10.7	24.3	48.8	126.4	379.9
1995.....	9.7	7.2	5.9	6.1	7.6	13.1	27.9	53.2	131.8	353.6
1994.....	6.1	8.1	6.2	8.8	7.7	11.2	24.1	55.9	123.6	327.8
1993.....	7.7	8.5	6.7	6.3	6.8	9.9	20.9	45.5	115.5	292.9
1992.....	8.2	8.0	7.7	8.1	12.5	10.8	21.8	45.8	95.9	252.0
1991.....	8.6	6.2	7.1	8.4	9.9	9.1	19.0	42.9	92.3	246.6
1990.....	6.9	7.8	11.3	6.5	10.5	13.2	19.7	35.1	89.0	234.1
1989.....	8.7	8.3	7.5	9.0	12.3	12.8	20.2	37.2	89.2	242.5
1988.....	6.4	10.4	9.9	6.7	11.1	11.5	17.6	40.5	94.4	186.6
1987.....	9.7	6.5	8.3	6.7	9.3	12.8	20.9	32.5	76.6	165.3
1986.....	9.3	7.0	7.8	8.2	7.4	10.7	18.4	32.0	63.0	168.8
1985.....	8.1	6.9	9.1	6.8	9.2	11.5	19.9	31.5	62.7	160.9
1984.....	8.8	8.5	6.7	8.7	8.5	12.3	17.4	32.0	63.2	141.9
1983.....	8.2	6.4	10.3	6.0	8.5	9.9	15.6	34.4	71.7	122.6
1982.....	6.5	10.2	8.0	7.7	11.2	8.8	16.2	30.3	52.2	115.3
1981.....	7.9	9.3	10.9	10.0	9.1	11.3	12.0	25.8	54.5	111.5
1980.....	10.0	12.8	12.1	8.0	8.8	11.2	18.5	30.6	47.9	103.7
1979.....	10.0	8.7	11.7	6.9	10.0	11.3	15.9	22.0	33.1	75.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)

TOTAL, BOTH SEXES										
1998.....	*	*	*	0.5	1.2	4.4	13.5	39.1	109.1	361.8
1997.....	*	*	0.1	0.4	1.4	3.9	12.9	36.6	96.5	342.8
1996.....	*	*	0.2	0.4	1.4	3.9	12.0	34.3	93.1	311.4
1995.....	*	*	0.2	0.5	1.4	3.5	11.0	33.2	87.0	287.4
1994.....	*	*	*	0.4	1.1	3.5	10.4	30.0	76.2	257.2
1993.....	*	*	*	0.3	1.0	3.0	8.7	26.0	67.7	231.6
1992.....	*	*	*	0.3	1.0	2.5	7.7	22.2	60.4	188.5
1991.....	*	*	*	0.3	1.0	2.6	7.6	20.9	54.9	175.6
1990.....	*	*	*	0.4	0.9	2.5	6.9	18.8	49.4	161.1
1989.....	*	*	*	0.2	0.9	2.1	6.6	18.4	45.9	147.3
1988.....	*	*	*	*	0.9	1.8	5.6	15.5	41.7	122.6
1987.....	*	*	*	0.2	0.6	1.8	5.1	13.1	33.1	104.8
1986.....	*	*	*	*	0.4	1.4	3.8	11.3	27.3	83.1
1985.....	*	*	*	0.2	0.4	1.2	3.3	9.8	26.7	72.3
1984.....	*	*	*	*	0.3	0.8	2.9	8.1	21.4	63.6
1983.....	*	*	*	*	0.3	0.9	3.0	6.9	18.7	54.1
1982.....	*	*	*	*	0.4	1.0	2.4	7.4	16.7	43.1
1981.....	*	*	*	*	0.4	0.9	2.4	6.4	16.0	41.2
1980.....	0.0	0.0	0.0	0.1	0.4	1.0	1.8	5.8	12.8	34.8
1979.....	0.0	0.0	0.0	0.2	0.3	0.9	2.2	5.2	12.1	28.0
TOTAL, MALE										
1998.....	*	*	*	0.4	1.4	5.0	15.5	41.8	107.8	279.6
1997.....	*	*	*	0.4	1.4	4.4	14.3	38.5	101.6	273.0
1996.....	*	*	*	0.4	1.7	4.4	13.9	36.9	99.6	255.0
1995.....	*	*	*	0.5	1.4	4.0	12.3	35.8	89.8	245.0
1994.....	*	*	*	0.5	1.2	4.0	12.2	34.3	81.0	225.2
1993.....	*	*	*	*	1.4	3.6	10.9	30.6	74.8	204.0
1992.....	*	*	*	*	1.2	3.1	9.6	27.0	68.9	169.9
1991.....	*	*	*	0.4	1.4	3.2	9.9	26.1	61.0	159.7
1990.....	*	*	*	0.4	0.9	3.3	8.3	24.2	55.0	142.2
1989.....	*	*	*	*	1.1	2.6	8.0	23.1	51.0	133.8
1988.....	*	*	*	*	1.0	2.4	7.2	18.0	46.6	118.6
1987.....	*	*	*	*	0.8	2.1	6.0	16.0	36.4	93.5
1986.....	*	*	*	*	0.4	1.6	4.8	13.6	29.6	75.5
1985.....	*	*	*	*	0.5	1.6	4.0	12.1	28.5	71.4
1984.....	*	*	*	*	*	1.0	3.9	9.5	23.7	59.3
1983.....	*	*	*	*	*	1.2	3.8	7.6	21.3	53.1
1982.....	*	*	*	*	0.4	1.0	2.6	8.2	20.2	41.6
1981.....	*	*	*	*	0.4	1.0	3.2	6.9	17.6	44.1
1980.....	0.0	0.0	0.1	0.2	0.4	1.2	2.1	6.8	13.3	36.2
1979.....	0.0	-	0.1	0.2	0.5	1.0	2.6	6.1	14.2	27.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)										
---	--	--	--	--	--	--	--	--	--	--

TOTAL, FEMALE										
1998.....	*	*	*	0.5	1.1	3.8	12.0	37.1	109.9	395.9
1997.....	*	*	*	0.4	1.4	3.4	11.9	35.3	93.4	370.9
1996.....	*	*	*	*	1.1	3.5	10.5	32.5	89.4	333.8
1995.....	*	*	*	0.5	1.5	3.1	10.1	31.4	85.4	304.0
1994.....	*	*	*	0.4	0.9	3.1	9.1	27.0	73.5	269.5
1993.....	*	*	*	*	0.7	2.5	7.1	23.0	63.8	242.1
1992.....	*	*	*	*	0.9	2.0	6.3	19.0	55.9	195.7
1991.....	*	*	*	*	0.7	2.1	5.8	17.4	51.7	181.7
1990.....	*	*	*	*	0.8	1.9	5.8	15.4	46.4	168.5
1989.....	*	*	*	*	0.8	1.7	5.6	15.3	43.2	152.6
1988.....	*	*	*	*	0.7	1.3	4.5	13.8	39.1	124.2
1987.....	*	*	*	*	0.5	1.5	4.5	11.3	31.4	109.3
1986.....	*	*	*	*	0.4	1.3	3.1	9.9	26.1	86.1
1985.....	*	*	*	*	*	1.0	2.8	8.4	25.7	72.7
1984.....	*	*	*	*	*	0.7	2.2	7.2	20.2	65.4
1983.....	*	*	*	*	*	0.7	2.4	6.5	17.4	54.5
1982.....	*	*	*	*	0.4	0.9	2.3	6.9	14.9	43.7
1981.....	*	*	*	*	0.5	0.9	1.8	6.1	15.2	40.0
1980.....	-	0.0	0.0	0.1	0.5	0.8	1.7	5.2	12.6	34.1
1979.....	0.0	0.0	0.0	0.1	0.2	0.9	1.9	4.7	10.9	28.2
WHITE, BOTH SEXES										
1998.....	*	*	*	0.4	1.2	4.5	13.8	40.3	112.0	377.9
1997.....	*	*	*	0.4	1.4	3.9	13.2	37.4	99.6	359.2
1996.....	*	*	0.2	0.3	1.5	3.9	12.1	34.6	95.5	325.0
1995.....	*	*	*	0.5	1.4	3.6	11.0	33.6	89.0	298.8
1994.....	*	*	*	0.4	1.0	3.4	10.3	29.9	77.7	266.7
1993.....	*	*	*	0.3	1.0	3.0	8.6	26.4	68.4	239.9
1992.....	*	*	*	0.2	1.0	2.5	7.4	22.2	61.5	195.6
1991.....	*	*	*	0.2	0.9	2.4	7.4	20.6	56.0	181.8
1990.....	*	*	*	0.3	0.9	2.4	6.6	18.8	50.2	166.4
1989.....	*	*	*	*	0.8	2.0	6.4	18.5	46.8	152.3
1988.....	*	*	*	*	0.7	1.7	5.5	15.4	42.4	127.2
1987.....	*	*	*	*	0.6	1.6	4.9	13.2	33.5	109.1
1986.....	*	*	*	*	0.4	1.3	3.6	11.5	28.1	86.5
1985.....	*	*	*	*	0.4	1.2	3.2	9.9	27.3	74.8
1984.....	*	*	*	*	0.3	0.7	2.8	8.3	21.8	66.3
1983.....	*	*	*	*	0.3	0.8	3.0	6.9	18.8	55.4
1982.....	*	*	*	*	0.4	1.0	2.4	7.5	17.0	44.1
1981.....	*	*	*	*	0.5	0.9	2.4	6.4	16.3	42.6
1980.....	0.0	0.0	0.0	0.1	0.5	1.0	1.8	5.7	12.9	35.5
1979.....	0.0	0.0	0.0	0.2	0.3	0.9	2.2	5.3	12.4	29.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)

WHITE MALE

1998.....	*	*	*	*	1.3	5.0	15.5	42.4	109.8	292.4
1997.....	*	*	*	*	1.4	4.3	14.4	38.4	104.6	285.9
1996.....	*	*	*	*	1.8	4.3	14.1	36.3	101.1	266.7
1995.....	*	*	*	0.5	1.3	4.1	12.1	35.7	91.5	253.9
1994.....	*	*	*	*	1.2	3.8	12.0	33.8	82.6	231.8
1993.....	*	*	*	*	1.2	3.5	10.7	30.6	75.6	208.8
1992.....	*	*	*	*	1.2	3.0	9.2	27.0	69.2	175.6
1991.....	*	*	*	*	1.2	2.8	9.4	25.7	62.4	166.7
1990.....	*	*	*	*	0.9	3.1	8.1	23.4	56.1	147.5
1989.....	*	*	*	*	0.9	2.4	7.8	23.1	52.0	137.2
1988.....	*	*	*	*	0.9	2.2	7.1	17.7	47.8	120.8
1987.....	*	*	*	*	0.7	2.0	6.0	16.1	37.1	97.2
1986.....	*	*	*	*	*	1.4	4.3	13.6	30.6	79.4
1985.....	*	*	*	*	0.5	1.5	3.8	12.1	29.3	74.0
1984.....	*	*	*	*	*	0.8	3.7	9.9	24.1	62.4
1983.....	*	*	*	*	*	1.1	3.7	7.4	20.8	54.9
1982.....	*	*	*	*	*	1.0	2.6	8.5	20.4	41.2
1981.....	*	*	*	*	*	1.0	3.3	6.7	18.4	45.5
1980.....	0.0	0.0	0.1	0.2	0.4	1.1	2.1	6.9	13.4	37.1
1979.....	0.0	-	0.1	0.2	0.4	1.1	2.6	6.3	14.8	28.0

WHITE FEMALE

1998.....	*	*	*	0.5	1.1	4.0	12.4	38.8	113.3	413.0
1997.....	*	*	*	0.4	1.4	3.5	12.2	36.7	96.6	388.3
1996.....	*	*	*	*	1.1	3.6	10.6	33.4	92.3	347.9
1995.....	*	*	*	0.6	1.5	3.2	10.1	32.1	87.6	316.0
1994.....	*	*	*	*	0.9	3.2	9.0	27.2	74.9	280.1
1993.....	*	*	*	*	0.7	2.6	7.0	23.5	64.5	251.7
1992.....	*	*	*	*	0.9	2.0	6.1	18.9	57.3	203.2
1991.....	*	*	*	*	0.7	2.0	5.8	17.3	52.6	187.6
1990.....	*	*	*	*	0.8	1.8	5.6	15.8	47.1	173.5
1989.....	*	*	*	*	0.7	1.7	5.5	15.5	44.1	158.1
1988.....	*	*	*	*	0.6	1.2	4.4	14.0	39.6	129.6
1987.....	*	*	*	*	0.4	1.3	4.1	11.3	31.6	113.7
1986.....	*	*	*	*	*	1.2	3.1	10.2	26.9	89.3
1985.....	*	*	*	*	*	1.0	2.7	8.5	26.3	75.2
1984.....	*	*	*	*	*	0.7	2.2	7.3	20.7	67.8
1983.....	*	*	*	*	*	0.6	2.5	6.5	17.8	55.6
1982.....	*	*	*	*	0.4	0.9	2.2	6.8	15.2	45.2
1981.....	*	*	*	*	0.5	0.8	1.8	6.3	15.3	41.4
1980.....	-	0.0	-	0.1	0.5	0.8	1.6	4.9	12.7	34.9
1979.....	0.0	0.0	0.0	0.1	0.3	0.8	1.9	4.8	11.2	29.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)

ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	3.7	11.4	27.9	80.3	209.6
1997.....	*	*	*	*	*	4.0	11.0	29.4	65.1	186.6
1996.....	*	*	*	*	*	3.8	10.9	31.7	68.8	180.7
1995.....	*	*	*	*	1.9	3.1	11.6	29.7	66.1	172.1
1994.....	*	*	*	*	*	4.0	11.9	31.0	60.7	158.7
1993.....	*	*	*	*	*	3.1	10.0	23.0	59.9	145.5
1992.....	*	*	*	*	*	2.8	10.6	22.3	49.8	113.8
1991.....	*	*	*	*	1.9	4.4	9.4	23.0	43.4	110.2
1990.....	*	*	*	*	*	3.5	8.7	19.5	40.8	106.0
1989.....	*	*	*	*	1.9	3.4	7.8	17.2	36.6	94.9
1988.....	*	*	*	*	1.7	2.6	6.4	15.8	34.1	74.6
1987.....	*	*	*	*	*	3.0	6.9	12.7	29.2	58.3
1986.....	*	*	*	*	*	2.5	5.5	9.5	18.5	46.3
1985.....	*	*	*	*	*	*	4.4	9.2	19.6	44.6
1984.....	*	*	*	*	*	*	3.7	6.1	16.8	34.6
1983.....	*	*	*	*	*	*	3.0	7.5	17.9	39.7
1982.....	*	*	*	*	*	*	*	6.7	14.3	32.2
1981.....	*	*	*	*	*	*	*	6.5	12.4	25.3
1980.....	-	0.1	0.1	0.2	0.1	1.2	2.0	7.0	11.8	26.2
1979.....	0.1	-	-	0.2	0.4	0.9	2.1	3.9	7.6	16.7

ALL OTHER MALE

1998.....	*	*	*	*	*	4.9	15.3	35.7	87.4	167.6
1997.....	*	*	*	*	*	5.3	13.3	39.2	70.1	160.8
1996.....	*	*	*	*	*	5.0	12.0	43.5	83.4	153.1
1995.....	*	*	*	*	*	3.9	14.2	36.4	71.5	160.9
1994.....	*	*	*	*	*	5.4	14.6	39.4	63.8	164.0
1993.....	*	*	*	*	*	4.7	12.9	31.1	66.8	159.4
1992.....	*	*	*	*	*	*	13.9	26.4	66.0	116.1
1991.....	*	*	*	*	*	6.8	14.8	30.0	46.5	95.3
1990.....	*	*	*	*	*	5.2	10.3	31.3	44.5	92.1
1989.....	*	*	*	*	*	4.6	9.8	23.4	41.3	102.5
1988.....	*	*	*	*	*	*	8.4	21.0	34.2	98.7
1987.....	*	*	*	*	*	*	*	14.9	29.5	58.4
1986.....	*	*	*	*	*	*	8.9	14.3	20.4	38.7
1985.....	*	*	*	*	*	*	*	11.7	21.0	46.6
1984.....	*	*	*	*	*	*	*	*	19.8	30.6
1983.....	*	*	*	*	*	*	*	*	26.8	35.7
1982.....	*	*	*	*	*	*	*	*	*	44.8
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.4	0.2	2.1	1.5	5.6	12.6	28.0
1979.....	0.1	-	-	0.2	0.9	0.3	2.3	4.4	8.1	22.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)

ALL OTHER FEMALE										
1998.....	*	*	*	*	*	2.8	8.7	22.8	76.3	228.8
1997.....	*	*	*	*	*	3.0	9.5	23.0	62.2	198.3
1996.....	*	*	*	*	*	2.9	10.2	24.2	60.6	193.1
1995.....	*	*	*	*	*	*	9.8	25.5	63.2	176.9
1994.....	*	*	*	*	*	3.0	10.0	25.8	59.0	156.3
1993.....	*	*	*	*	*	*	7.9	18.0	56.1	139.5
1992.....	*	*	*	*	*	*	8.2	19.7	40.6	112.8
1991.....	*	*	*	*	*	*	5.7	18.6	41.5	116.4
1990.....	*	*	*	*	*	*	7.7	12.2	38.8	112.3
1989.....	*	*	*	*	*	*	6.5	13.2	34.0	91.4
1988.....	*	*	*	*	*	*	5.1	12.4	33.8	63.3
1987.....	*	*	*	*	*	*	7.6	11.3	29.1	58.3
1986.....	*	*	*	*	*	*	*	6.5	17.6	50.0
1985.....	*	*	*	*	*	*	*	7.6	18.9	44.0
1984.....	*	*	*	*	*	*	*	6.6	15.0	36.6
1983.....	*	*	*	*	*	*	*	*	12.7	41.7
1982.....	*	*	*	*	*	*	*	7.4	*	25.6
1981.....	*	*	*	*	*	*	*	*	14.7	23.0
1980.....	-	0.1	0.3	-	-	0.6	2.4	8.0	11.3	25.3
1979.....	-	-	-	0.2	-	1.4	2.0	3.5	7.3	14.0
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	4.1	12.6	32.9	92.7	223.1
1997.....	*	*	*	*	*	4.3	13.6	33.1	74.5	198.0
1996.....	*	*	*	*	*	4.5	13.8	35.9	76.9	191.4
1995.....	*	*	*	*	2.2	3.5	13.8	34.3	74.5	177.0
1994.....	*	*	*	*	*	5.1	14.1	34.9	68.3	164.0
1993.....	*	*	*	*	*	3.8	11.9	26.6	66.3	149.2
1992.....	*	*	*	*	*	3.3	12.3	25.9	52.5	116.8
1991.....	*	*	*	*	2.5	5.3	11.0	26.4	48.5	114.2
1990.....	*	*	*	*	*	4.3	10.0	21.7	43.0	108.3
1989.....	*	*	*	*	2.4	4.1	9.0	19.0	39.7	95.5
1988.....	*	*	*	*	2.2	3.1	7.5	17.3	37.1	72.4
1987.....	*	*	*	*	*	3.5	7.8	14.2	28.5	61.1
1986.....	*	*	*	*	*	3.0	6.3	10.8	18.8	44.8
1985.....	*	*	*	*	*	*	5.0	10.4	21.2	45.1
1984.....	*	*	*	*	*	*	3.9	6.2	16.9	32.6
1983.....	*	*	*	*	*	*	*	7.8	19.4	40.8
1982.....	*	*	*	*	*	*	*	7.7	15.6	31.3
1981.....	*	*	*	*	*	*	*	6.7	13.4	25.0
1980.....	-	0.1	0.2	0.2	0.1	1.3	2.3	7.2	12.5	23.9
1979.....	-	-	-	0.2	0.5	1.0	2.2	4.3	7.0	15.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)										
BLACK MALE										
1998.....	*	*	*	*	*	5.5	17.4	43.0	105.8	179.2
1997.....	*	*	*	*	*	5.3	16.5	45.1	82.1	168.2
1996.....	*	*	*	*	*	6.0	15.4	50.0	97.3	159.6
1995.....	*	*	*	*	*	*	17.1	41.7	82.9	154.0
1994.....	*	*	*	*	*	6.7	17.2	45.3	75.9	170.2
1993.....	*	*	*	*	*	5.6	15.5	34.4	74.3	170.7
1992.....	*	*	*	*	*	*	16.2	32.1	70.2	124.9
1991.....	*	*	*	*	*	8.2	17.8	34.8	55.4	104.3
1990.....	*	*	*	*	*	6.4	11.1	36.9	45.8	92.0
1989.....	*	*	*	*	*	5.9	11.5	25.8	44.3	107.6
1988.....	*	*	*	*	*	*	9.6	23.7	38.3	96.9
1987.....	*	*	*	*	*	*	*	16.6	27.2	60.9
1986.....	*	*	*	*	*	*	10.1	16.3	*	34.9
1985.....	*	*	*	*	*	*	*	12.9	*	50.0
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	29.3	40.0
1982.....	*	*	*	*	*	*	*	*	*	44.8
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.4	0.3	2.1	1.7	5.9	13.3	22.6
1979.....	-	-	-	0.2	1.1	0.3	2.7	5.0	6.5	23.1
BLACK FEMALE										
1998.....	*	*	*	*	*	*	9.3	26.4	85.8	241.3
1997.....	*	*	*	*	*	*	11.6	25.4	70.6	210.3
1996.....	*	*	*	*	*	*	12.6	27.2	66.3	204.5
1995.....	*	*	*	*	*	*	11.5	29.8	70.2	186.3
1994.....	*	*	*	*	*	3.8	12.0	28.6	64.4	161.5
1993.....	*	*	*	*	*	*	9.5	22.0	62.2	140.4
1992.....	*	*	*	*	*	*	9.8	22.3	43.4	113.5
1991.....	*	*	*	*	*	*	6.5	21.4	44.9	118.4
1990.....	*	*	*	*	*	*	9.3	12.8	41.6	115.1
1989.....	*	*	*	*	*	*	7.3	15.0	37.3	90.8
1988.....	*	*	*	*	*	*	6.1	13.5	36.5	61.7
1987.....	*	*	*	*	*	*	8.2	12.8	29.2	61.1
1986.....	*	*	*	*	*	*	*	7.5	17.6	49.3
1985.....	*	*	*	*	*	*	*	8.8	20.9	42.9
1984.....	*	*	*	*	*	*	*	*	15.8	34.1
1983.....	*	*	*	*	*	*	*	*	13.8	41.1
1982.....	*	*	*	*	*	*	*	8.4	*	24.6
1981.....	*	*	*	*	*	*	*	*	15.9	24.8
1980.....	-	0.2	0.3	-	-	0.7	2.7	8.1	12.0	24.5
1979.....	-	-	-	0.2	-	1.5	1.9	3.8	7.3	11.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALCOHOLIC PSYCHOSES (291)										
TOTAL, BOTH SEXES										
1998.....	0.2	0.2	0.2	0.3	0.4	0.5	0.6	0.5	0.8	0.7
1997.....	0.1	0.2	0.2	0.2	0.3	0.3	0.5	0.7	0.7	0.6
1996.....	0.2	0.2	0.2	0.3	0.4	0.5	0.5	0.7	0.7	0.6
1995.....	0.2	0.2	0.3	0.3	0.4	0.6	0.7	0.6	0.7	0.6
1994.....	0.1	0.2	0.2	0.3	0.4	0.5	0.4	0.9	0.7	0.8
1993.....	0.1	0.2	0.3	0.3	0.4	0.5	0.5	0.6	0.5	*
1992.....	0.2	0.2	0.2	0.4	0.4	0.6	0.5	0.6	0.5	*
1991.....	0.1	0.2	0.2	0.3	0.3	0.4	0.6	0.6	0.7	*
1990.....	0.2	0.2	0.3	0.4	0.4	0.6	0.8	0.6	0.6	0.7
1989.....	0.2	0.3	0.2	0.4	0.5	0.7	0.5	0.4	*	*
1988.....	0.2	0.2	0.3	0.4	0.5	0.4	0.3	0.3	*	*
1987.....	0.3	0.3	0.3	0.4	0.4	0.4	0.6	0.5	*	*
1986.....	0.2	0.3	0.3	0.3	0.4	0.5	0.5	0.4	*	*
1985.....	0.2	0.3	0.3	0.3	0.6	0.4	0.3	0.4	*	*
1984.....	0.3	0.2	0.3	0.4	0.4	0.5	0.4	0.4	*	*
1983.....	0.2	0.2	0.4	0.3	0.5	0.7	0.4	0.4	*	*
1982.....	0.2	0.4	0.5	0.4	0.6	0.6	0.3	0.5	*	*
1981.....	0.3	0.4	0.4	0.5	0.6	0.7	0.5	0.4	*	*
1980.....	0.4	0.4	0.6	0.5	0.6	0.6	0.4	0.3	0.2	0.2
1979.....	0.3	0.4	0.4	0.6	0.7	0.4	0.6	0.4	0.4	0.1
TOTAL, MALE										
1998.....	0.3	0.4	0.3	0.6	0.7	0.9	1.0	1.0	1.6	1.7
1997.....	*	0.3	0.4	0.4	0.5	1.0	1.3	1.2	*	*
1996.....	0.3	0.4	0.4	0.5	0.8	0.8	0.9	1.4	1.7	*
1995.....	0.3	0.3	0.5	0.5	0.8	1.2	1.3	1.2	1.9	*
1994.....	0.2	0.3	0.3	0.6	0.6	0.9	0.9	1.7	1.5	2.0
1993.....	0.3	0.3	0.5	0.6	0.7	1.0	0.9	1.5	*	*
1992.....	0.3	0.3	0.4	0.7	0.7	1.1	0.9	1.4	*	*
1991.....	0.2	0.4	0.4	0.5	0.7	0.8	1.2	1.3	1.6	*
1990.....	0.3	0.5	0.6	0.7	0.8	1.1	1.6	1.2	*	*
1989.....	0.3	0.5	0.4	0.6	1.0	1.2	1.0	0.9	*	*
1988.....	0.4	0.4	0.6	0.7	1.0	0.8	0.7	*	*	*
1987.....	0.5	0.5	0.5	0.7	0.8	0.7	1.2	1.0	*	*
1986.....	0.3	0.4	0.6	0.6	0.8	1.0	1.1	0.9	*	*
1985.....	0.3	0.5	0.5	0.6	1.1	0.9	0.8	*	*	*
1984.....	0.4	*	0.6	0.7	0.9	1.1	0.9	*	*	*
1983.....	*	0.4	0.7	0.5	0.9	1.4	0.8	*	*	*
1982.....	0.4	0.7	0.9	0.7	1.1	1.2	0.7	1.1	*	*
1981.....	0.4	0.7	0.8	1.0	1.1	1.4	1.0	*	*	*
1980.....	0.6	0.8	1.0	0.9	1.1	1.2	0.9	0.8	0.4	0.4
1979.....	0.5	0.7	0.6	1.0	1.2	0.8	1.2	0.9	0.8	0.3

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
ALCOHOLIC PSYCHOSES (291)

TOTAL, FEMALE										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1
1979	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.2	-
WHITE, BOTH SEXES										
1998	0.1	0.2	0.2	0.3	0.3	0.5	0.6	0.5	0.8	0.6
1997	*	0.1	0.2	*	0.3	0.5	0.6	0.6	0.7	0.6
1996	*	0.2	0.2	0.3	0.4	0.5	0.5	0.7	0.7	0.6
1995	0.2	0.2	*	0.2	0.4	0.6	0.6	0.7	0.7	*
1994	*	0.1	*	0.2	0.3	0.4	0.4	0.9	0.7	0.8
1993	*	*	0.2	0.3	0.4	0.5	0.4	0.6	*	*
1992	0.1	*	0.2	0.3	0.3	0.6	0.4	0.5	0.5	*
1991	*	*	*	0.2	0.3	0.4	0.6	0.5	0.6	*
1990	*	0.2	0.3	0.3	0.3	0.5	0.7	0.5	0.6	*
1989	*	0.2	*	0.3	0.4	0.6	0.5	0.4	*	*
1988	0.2	*	0.2	0.3	0.3	0.4	0.3	*	*	*
1987	*	0.2	0.2	0.3	0.4	0.4	0.6	0.4	*	*
1986	*	*	*	0.3	0.3	0.4	0.5	0.4	*	*
1985	*	0.2	0.2	0.3	0.5	0.4	0.3	*	*	*
1984	*	*	0.2	0.3	0.4	0.5	0.4	0.4	*	*
1983	*	*	0.3	0.2	0.4	0.5	0.5	*	*	*
1982	*	0.3	0.4	0.4	0.5	0.5	*	0.5	*	*
1981	*	0.2	0.4	0.5	0.6	0.6	0.5	*	*	*
1980	0.2	0.2	0.5	0.4	0.5	0.6	0.4	0.3	0.2	0.1
1979	0.2	0.3	0.3	0.4	0.6	0.4	0.5	0.4	0.4	0.1

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
ALCOHOLIC PSYCHOSES (291)

ALL OTHER, BOTH SEXES

1998	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	1.8	*	*	*	*	*	*
1987	1.2	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*	*
1984	1.1	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	2.3	*	*	*	*	*
1982	*	1.4	*	*	*	*	*	*	*	*	*
1981	1.2	1.5	*	*	*	*	*	*	*	*	*
1980	1.4	1.8	1.3	1.1	1.4	0.9	1.1	0.2	-	0.6	*
1979	0.9	1.3	0.6	1.6	1.7	0.6	0.8	0.5	-	-	*

ALL OTHER MALE

1998	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	3.8	*	*	*	*	*	*
1987	2.1	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	5.3	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*	*
1980	2.2	3.3	2.7	2.2	2.7	2.1	2.5	0.6	-	-	*
1979	1.7	2.4	0.5	3.4	3.0	0.8	1.5	1.1	-	-	*

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
ALCOHOLIC PSYCHOSES (291)

ALL OTHER FEMALE

1998	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*	*
1980	0.7	0.5	0.3	0.2	0.4	-	-	-	-	0.8	-
1979	0.2	0.4	0.7	-	0.6	0.4	0.3	-	-	-	-

BLACK, BOTH SEXES

1998	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	2.3	*	*	*	*	*	*
1987	1.5	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*	*
1984	1.4	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	2.5	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*	*
1981	*	1.9	*	*	*	*	*	*	*	*	*
1980	1.7	2.0	1.6	1.2	1.6	1.0	1.2	0.3	-	0.6	-
1979	1.1	1.6	0.7	1.8	1.9	0.6	0.7	0.5	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

ALCOHOLIC PSYCHOSES (291)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	4.8	*	*	*	*	*
1987.....	2.8	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	6.0	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	2.8	3.7	3.2	2.6	3.1	2.4	3.0	0.7	-	-
1979.....	2.1	2.9	0.6	4.0	3.5	0.9	1.3	1.2	-	-

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.9	0.6	0.3	0.2	0.4	-	-	-	-	0.9
1979.....	0.3	0.5	0.8	-	0.6	0.4	0.3	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER PSYCHOSES (292-299)										
TOTAL, BOTH SEXES										
1998.....	0.1	0.1	0.3	0.4	1.3	2.9	8.6	22.5	64.7	245.0
1997.....	*	0.2	0.1	0.5	1.0	2.2	7.1	19.9	56.0	210.0
1996.....	*	0.2	0.2	0.5	1.1	2.4	6.2	17.4	48.6	183.2
1995.....	*	0.2	0.2	0.3	0.8	2.2	6.2	15.3	43.6	158.3
1994.....	*	*	0.2	0.4	1.0	2.1	5.5	15.1	37.9	139.7
1993.....	*	*	0.2	0.3	0.7	1.8	5.1	13.1	33.5	117.0
1992.....	*	0.1	0.2	0.3	0.8	1.5	3.5	10.0	27.1	95.2
1991.....	*	*	*	0.2	0.6	1.5	3.2	9.6	25.1	79.9
1990.....	*	*	*	0.3	0.6	1.2	3.4	8.1	20.7	70.7
1989.....	*	*	0.2	0.3	0.7	1.4	2.8	7.0	20.3	64.3
1988.....	*	*	*	0.3	0.5	1.4	3.3	7.6	18.0	55.7
1987.....	*	*	0.2	0.3	0.6	1.2	2.4	6.3	14.0	44.6
1986.....	*	*	*	0.3	0.4	1.1	1.9	6.0	11.7	34.2
1985.....	*	*	*	0.3	0.5	0.9	1.9	4.5	10.0	27.6
1984.....	*	*	*	0.2	0.4	0.7	1.6	3.6	8.4	23.1
1983.....	*	*	*	0.2	0.4	0.7	1.2	3.3	6.7	16.0
1982.....	*	*	*	0.2	0.3	0.8	1.4	2.8	5.0	12.2
1981.....	*	*	*	0.2	0.4	0.7	1.1	2.5	4.6	9.2
1980.....	0.1	0.1	0.1	0.2	0.3	0.7	1.4	2.2	4.7	8.1
1979.....	0.1	0.1	0.1	0.3	0.4	0.6	1.0	1.8	3.7	6.5
TOTAL, MALE										
1998.....	*	*	0.3	0.5	1.5	3.2	10.1	25.2	66.1	202.8
1997.....	*	*	*	0.5	1.5	2.6	8.3	22.3	62.2	179.2
1996.....	*	0.2	*	0.4	1.3	2.9	8.3	19.9	49.5	154.3
1995.....	*	0.3	*	0.5	0.8	2.6	7.4	18.7	44.9	140.4
1994.....	*	*	*	0.5	1.2	2.7	6.7	16.3	42.8	123.6
1993.....	*	*	*	*	1.1	2.5	6.9	16.3	38.0	109.9
1992.....	*	*	*	0.4	1.1	2.0	4.5	11.6	31.9	89.2
1991.....	*	*	*	*	0.8	2.0	4.0	11.6	29.1	73.9
1990.....	*	*	*	*	0.7	1.6	4.3	10.5	23.4	68.4
1989.....	*	*	*	0.4	1.0	1.9	3.9	8.4	24.3	63.9
1988.....	*	*	*	0.4	0.7	2.0	4.7	9.2	22.2	57.7
1987.....	*	*	*	*	0.8	1.5	2.8	8.2	16.2	50.9
1986.....	*	*	*	0.4	0.6	1.5	2.3	7.5	13.8	36.8
1985.....	*	*	*	0.4	0.6	1.1	2.5	5.9	11.7	30.7
1984.....	*	*	*	*	0.6	0.9	1.9	4.5	9.5	22.8
1983.....	*	*	*	*	0.5	0.9	1.7	3.7	9.0	17.9
1982.....	*	*	*	*	0.4	0.9	1.6	3.3	6.4	15.5
1981.....	*	*	*	*	0.5	0.7	1.3	2.9	5.4	12.1
1980.....	0.1	0.1	0.2	0.3	0.3	0.7	1.9	2.8	6.2	10.7
1979.....	0.1	0.1	0.2	0.3	0.4	0.7	1.3	1.8	4.9	8.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER PSYCHOSES (292-299)										
TOTAL, FEMALE										
1998.....	*	*	*	0.3	1.1	2.6	7.4	20.5	63.9	262.4
1997.....	*	*	*	0.5	0.6	1.9	6.1	18.3	52.4	222.4
1996.....	*	*	*	0.6	0.9	2.0	4.6	15.7	48.1	194.7
1995.....	*	*	*	*	0.8	1.8	5.3	13.0	42.9	165.2
1994.....	*	*	*	*	0.7	1.7	4.5	14.3	35.2	145.9
1993.....	*	*	*	*	*	1.3	3.7	11.0	31.1	119.7
1992.....	*	*	*	*	0.6	1.2	2.8	8.9	24.5	97.5
1991.....	*	*	*	*	0.5	1.0	2.6	8.2	23.0	82.2
1990.....	*	*	*	*	0.4	0.9	2.7	6.6	19.3	71.6
1989.....	*	*	*	*	0.4	1.0	2.0	6.1	18.2	64.5
1988.....	*	*	*	*	0.4	0.9	2.2	6.6	15.8	55.0
1987.....	*	*	*	*	0.5	0.9	2.1	5.2	12.9	42.1
1986.....	*	*	*	*	*	0.7	1.6	5.0	10.6	33.2
1985.....	*	*	*	*	0.4	0.7	1.5	3.6	9.1	26.3
1984.....	*	*	*	*	0.3	0.6	1.4	3.1	7.8	23.2
1983.....	*	*	*	*	0.4	0.6	0.9	3.0	5.5	15.2
1982.....	*	*	*	*	*	0.6	1.3	2.6	4.2	10.9
1981.....	*	*	*	*	*	0.6	1.1	2.3	4.1	7.9
1980.....	0.1	0.1	0.1	0.2	0.4	0.7	1.1	1.8	3.9	7.0
1979.....	0.1	0.1	0.1	0.3	0.3	0.4	0.8	1.8	3.0	5.8
WHITE, BOTH SEXES										
1998.....	*	*	0.2	0.4	1.1	2.8	8.4	22.7	65.8	253.6
1997.....	*	0.1	*	0.5	1.0	2.2	6.9	20.2	57.2	217.5
1996.....	*	0.2	0.2	0.5	1.1	2.3	6.1	17.7	49.2	189.7
1995.....	*	0.2	0.2	0.3	0.8	2.1	6.0	15.2	44.2	163.2
1994.....	*	*	0.2	0.4	0.9	2.0	5.4	15.2	38.1	144.0
1993.....	*	*	*	0.3	0.7	1.8	5.0	12.9	33.6	119.8
1992.....	*	*	0.2	0.3	0.7	1.4	3.4	9.9	26.7	97.2
1991.....	*	*	*	*	0.5	1.4	3.2	9.4	25.1	82.0
1990.....	*	*	*	0.3	0.5	1.1	3.4	7.7	20.3	71.7
1989.....	*	*	0.2	0.3	0.7	1.3	2.6	6.7	20.1	65.3
1988.....	*	*	*	0.3	0.5	1.2	3.1	7.2	17.5	57.1
1987.....	*	*	*	0.3	0.6	1.1	2.2	6.0	13.5	45.1
1986.....	*	*	*	0.3	0.4	0.9	1.7	5.8	11.5	34.4
1985.....	*	*	*	0.2	0.5	0.7	1.7	4.3	10.1	27.9
1984.....	*	*	*	0.2	0.4	0.7	1.4	3.5	8.1	22.7
1983.....	*	*	*	*	0.4	0.7	1.2	3.1	6.4	16.3
1982.....	*	*	*	*	0.2	0.8	1.3	2.9	4.8	11.9
1981.....	*	*	*	*	0.4	0.6	1.1	2.5	4.4	9.2
1980.....	0.1	0.1	0.1	0.2	0.3	0.6	1.4	2.2	4.5	8.3
1979.....	0.1	0.1	0.1	0.2	0.4	0.6	1.0	1.7	3.7	6.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER PSYCHOSES (292-299)										
WHITE MALE										
1998.....	*	*	*	0.5	1.3	3.2	10.0	25.0	66.5	210.7
1997.....	*	*	*	0.6	1.5	2.5	8.1	22.1	62.9	185.0
1996.....	*	*	*	*	1.3	2.7	7.9	20.0	49.8	159.6
1995.....	*	*	*	0.5	0.8	2.5	7.0	18.3	45.4	143.4
1994.....	*	*	*	0.5	1.1	2.6	6.6	16.5	43.3	126.6
1993.....	*	*	*	*	1.1	2.5	6.9	16.0	37.9	112.8
1992.....	*	*	*	*	1.0	1.9	4.5	11.4	31.0	91.7
1991.....	*	*	*	*	0.6	1.7	3.9	11.2	28.7	76.1
1990.....	*	*	*	*	0.6	1.5	4.2	9.9	22.7	69.1
1989.....	*	*	*	*	1.0	1.8	3.7	7.8	23.7	64.7
1988.....	*	*	*	*	0.6	1.8	4.4	8.6	21.1	58.5
1987.....	*	*	*	*	0.8	1.3	2.4	7.6	14.9	50.6
1986.....	*	*	*	*	0.6	1.1	2.0	7.1	13.2	37.6
1985.....	*	*	*	*	0.6	0.9	2.2	5.6	12.1	31.0
1984.....	*	*	*	*	0.5	0.8	1.7	4.5	9.4	22.1
1983.....	*	*	*	*	*	0.8	1.6	3.5	8.6	17.6
1982.....	*	*	*	*	*	0.9	1.5	3.2	6.3	14.6
1981.....	*	*	*	*	0.5	0.6	1.1	2.8	5.0	12.6
1980.....	0.1	0.1	0.1	0.3	0.3	0.6	1.9	3.0	5.7	11.4
1979.....	0.1	0.1	0.1	0.3	0.4	0.8	1.3	1.7	4.5	8.4
WHITE FEMALE										
1998.....	*	*	*	*	1.0	2.5	7.2	21.0	65.3	271.2
1997.....	*	*	*	0.5	0.7	1.9	6.0	18.8	53.8	230.4
1996.....	*	*	*	0.6	0.9	1.9	4.7	16.0	49.0	201.6
1995.....	*	*	*	*	0.8	1.8	5.2	13.0	43.5	170.8
1994.....	*	*	*	*	0.7	1.6	4.5	14.4	35.3	150.6
1993.....	*	*	*	*	*	1.2	3.6	10.8	31.2	122.5
1992.....	*	*	*	*	0.4	1.0	2.7	8.9	24.4	99.3
1991.....	*	*	*	*	0.4	1.1	2.6	8.1	23.2	84.3
1990.....	*	*	*	*	0.4	0.8	2.7	6.3	19.1	72.7
1989.....	*	*	*	*	0.4	0.9	1.9	5.9	18.2	65.6
1988.....	*	*	*	*	*	0.8	2.1	6.3	15.6	56.5
1987.....	*	*	*	*	0.5	0.9	2.0	5.0	12.8	43.0
1986.....	*	*	*	*	*	0.7	1.5	4.9	10.5	33.1
1985.....	*	*	*	*	*	0.6	1.2	3.5	9.1	26.7
1984.....	*	*	*	*	*	0.5	1.3	2.8	7.4	22.9
1983.....	*	*	*	*	*	0.6	0.9	2.8	5.3	15.8
1982.....	*	*	*	*	*	0.6	1.2	2.7	4.0	10.8
1981.....	*	*	*	*	*	0.6	1.0	2.4	4.1	7.8
1980.....	0.1	0.0	0.1	0.2	0.3	0.7	1.0	1.6	3.9	6.9
1979.....	0.1	0.1	0.0	0.2	0.4	0.4	0.7	1.7	3.2	5.8

TREND C TABLE 292A. DEATH RATES FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER PSYCHOSES (292-299)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	2.0	3.3	10.0	20.8	54.3	163.2
1997.....	*	*	*	*	*	2.7	8.4	17.8	43.9	138.7
1996.....	*	*	*	*	*	3.3	7.4	15.6	41.7	120.7
1995.....	*	*	*	*	*	2.7	8.2	17.0	37.3	108.0
1994.....	*	*	*	*	*	2.7	5.9	13.9	35.5	95.3
1993.....	*	*	*	*	*	2.3	5.9	15.2	33.1	87.2
1992.....	*	*	*	*	1.6	2.5	4.3	10.6	30.9	73.9
1991.....	*	*	*	*	*	2.2	3.6	11.7	25.2	57.3
1990.....	*	*	*	*	*	1.9	3.8	12.1	24.8	60.3
1989.....	*	*	*	*	*	*	4.6	9.9	22.2	53.5
1988.....	*	*	*	*	*	2.7	5.1	11.0	24.1	41.5
1987.....	*	*	*	*	*	2.1	4.4	9.6	19.2	39.2
1986.....	*	*	*	*	*	2.9	2.9	8.0	14.5	32.0
1985.....	*	*	*	*	*	2.2	4.5	6.2	8.8	24.6
1984.....	*	*	*	*	*	*	3.0	4.9	11.4	27.6
1983.....	*	*	*	*	*	*	*	5.5	9.5	12.4
1982.....	*	*	*	*	*	*	*	*	*	16.1
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.2	0.3	0.4	0.6	0.9	2.0	2.5	6.5	6.1
1979.....	0.3	0.1	0.6	0.7	0.1	0.7	1.3	2.0	4.0	4.6
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	11.1	27.1	61.5	133.1
1997.....	*	*	*	*	*	*	10.7	24.3	54.1	128.5
1996.....	*	*	*	*	*	4.2	12.0	19.3	46.5	108.7
1995.....	*	*	*	*	*	3.9	10.1	23.2	39.3	113.1
1994.....	*	*	*	*	*	*	7.0	14.1	37.7	95.2
1993.....	*	*	*	*	*	*	7.4	18.8	39.3	83.0
1992.....	*	*	*	*	*	*	*	13.2	41.0	66.0
1991.....	*	*	*	*	*	*	*	15.2	32.6	53.5
1990.....	*	*	*	*	*	*	*	16.5	29.9	61.4
1989.....	*	*	*	*	*	*	*	14.0	29.8	56.8
1988.....	*	*	*	*	*	*	7.7	14.2	33.3	49.4
1987.....	*	*	*	*	*	*	6.8	14.0	28.6	53.2
1986.....	*	*	*	*	*	5.2	*	10.5	19.4	29.3
1985.....	*	*	*	*	*	*	*	*	*	28.8
1984.....	*	*	*	*	*	*	*	*	*	29.2
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.2	0.7	0.7	0.7	1.0	2.5	1.1	11.5	3.3
1979.....	0.3	0.2	1.0	0.7	0.2	0.3	1.9	2.2	9.3	3.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER PSYCHOSES (292-299)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	3.1	9.2	16.6	50.1	177.0
1997.....	*	*	*	*	*	*	6.8	13.5	38.2	143.3
1996.....	*	*	*	*	*	*	4.2	13.2	39.1	126.1
1995.....	*	*	*	*	*	*	6.9	13.0	36.1	105.9
1994.....	*	*	*	*	*	*	5.1	13.8	34.3	95.4
1993.....	*	*	*	*	*	*	4.8	13.0	29.7	89.0
1992.....	*	*	*	*	*	*	*	8.9	25.2	77.4
1991.....	*	*	*	*	*	*	*	9.5	21.0	58.7
1990.....	*	*	*	*	*	*	*	9.4	21.9	59.8
1989.....	*	*	*	*	*	*	*	7.3	17.9	52.0
1988.....	*	*	*	*	*	*	*	9.0	18.6	37.9
1987.....	*	*	*	*	*	*	*	6.8	13.8	32.5
1986.....	*	*	*	*	*	*	*	6.5	11.7	33.3
1985.....	*	*	*	*	*	*	*	*	*	22.7
1984.....	*	*	*	*	*	*	*	*	11.6	26.9
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.3	-	0.2	0.5	0.8	1.6	3.4	3.5	7.6
1979.....	0.4	0.1	0.3	0.8	-	1.0	0.9	1.9	0.7	5.3
BLACK, BOTH SEXES										
1998.....	*	*	*	*	2.5	4.0	12.3	23.1	63.9	179.6
1997.....	*	*	*	*	*	3.4	9.7	20.6	51.1	155.2
1996.....	*	*	*	*	*	3.7	8.9	16.9	45.3	132.4
1995.....	*	*	*	*	*	3.3	9.6	19.6	42.7	109.5
1994.....	*	*	*	*	*	3.5	6.5	16.4	39.2	101.7
1993.....	*	*	*	*	*	2.7	7.4	17.2	36.2	89.6
1992.....	*	*	*	*	*	2.8	5.1	11.8	36.3	77.6
1991.....	*	*	*	*	*	2.7	3.9	13.7	26.9	59.5
1990.....	*	*	*	*	*	2.3	4.4	13.4	26.7	62.9
1989.....	*	*	*	*	*	*	5.2	11.1	24.5	53.6
1988.....	*	*	*	*	*	3.2	5.9	12.1	24.3	40.7
1987.....	*	*	*	*	*	2.6	5.3	10.8	19.4	39.9
1986.....	*	*	*	*	*	3.3	3.4	9.3	15.7	29.4
1985.....	*	*	*	*	*	2.5	4.9	6.8	8.2	27.2
1984.....	*	*	*	*	*	*	3.6	5.1	11.9	28.4
1983.....	*	*	*	*	*	*	*	6.4	10.6	12.5
1982.....	*	*	*	*	*	*	*	*	*	15.9
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.3	0.4	0.5	0.7	1.0	2.1	2.8	7.0	6.3
1979.....	0.4	0.2	0.7	0.9	0.1	0.8	1.3	2.3	3.5	4.5

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
ALL OTHER PSYCHOSES (292-299)

BLACK MALE

1998.....	*	*	*	*	*	*	13.4	31.5	75.6	148.0
1997.....	*	*	*	*	*	*	12.1	28.8	65.9	147.2
1996.....	*	*	*	*	*	*	15.1	21.3	53.3	129.6
1995.....	*	*	*	*	*	5.1	11.4	27.3	45.7	117.4
1994.....	*	*	*	*	*	*	8.6	17.6	45.0	106.1
1993.....	*	*	*	*	*	*	9.7	21.8	44.8	80.7
1992.....	*	*	*	*	*	*	*	14.7	49.7	68.9
1991.....	*	*	*	*	*	*	*	18.2	35.6	53.6
1990.....	*	*	*	*	*	*	*	19.0	33.6	66.4
1989.....	*	*	*	*	*	*	*	16.3	34.0	57.6
1988.....	*	*	*	*	*	*	9.2	15.8	33.0	47.7
1987.....	*	*	*	*	*	*	8.4	16.0	28.3	54.7
1986.....	*	*	*	*	*	6.1	*	12.8	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.2	0.8	0.9	0.8	1.2	3.0	1.3	13.3	1.9
1979.....	0.4	0.2	1.2	0.8	0.3	0.3	1.8	2.5	7.8	1.9

BLACK FEMALE

1998.....	*	*	*	*	*	3.9	11.6	17.8	57.8	192.8
1997.....	*	*	*	*	*	*	8.0	15.4	43.5	158.5
1996.....	*	*	*	*	*	*	4.8	14.2	41.2	133.5
1995.....	*	*	*	*	*	*	8.4	14.9	41.3	106.2
1994.....	*	*	*	*	*	*	5.1	15.7	36.3	99.9
1993.....	*	*	*	*	*	*	5.8	14.5	31.8	93.2
1992.....	*	*	*	*	*	*	*	10.2	29.3	81.2
1991.....	*	*	*	*	*	*	*	11.0	22.4	62.0
1990.....	*	*	*	*	*	*	*	10.2	23.2	61.4
1989.....	*	*	*	*	*	*	*	8.0	19.5	52.3
1988.....	*	*	*	*	*	*	*	9.8	19.7	37.6
1987.....	*	*	*	*	*	*	*	7.6	14.6	33.3
1986.....	*	*	*	*	*	*	*	7.1	12.7	30.4
1985.....	*	*	*	*	*	*	*	*	*	25.6
1984.....	*	*	*	*	*	*	*	*	13.2	27.1
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.3	-	0.2	0.6	0.9	1.5	3.8	3.2	8.5
1979.....	0.4	0.2	0.3	0.9	-	1.1	1.0	2.1	0.8	5.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALCOHOL DEPENDENCE SYNDROME (303)										
TOTAL, BOTH SEXES										
1998.....	2.9	4.5	5.1	5.1	5.5	4.6	3.9	2.6	2.3	1.6
1997.....	3.0	4.6	4.8	5.1	5.7	4.8	3.9	2.9	2.3	1.1
1996.....	3.0	4.2	4.9	5.5	5.9	5.2	4.4	3.3	2.1	1.4
1995.....	3.5	4.6	5.3	5.6	6.6	5.6	4.1	3.4	2.2	1.6
1994.....	3.4	4.5	5.4	5.9	6.2	5.3	4.0	3.4	2.3	1.4
1993.....	3.3	4.6	5.3	5.8	6.5	5.3	4.1	3.2	2.4	1.3
1992.....	3.5	4.3	5.1	5.9	6.1	5.3	3.8	3.2	1.9	1.5
1991.....	3.4	4.3	5.0	6.0	6.1	5.5	4.0	3.0	2.4	1.6
1990.....	3.1	4.5	6.0	6.0	6.6	5.4	4.4	3.3	1.7	1.1
1989.....	2.9	4.5	5.4	6.0	5.9	5.4	4.6	3.0	2.0	1.2
1988.....	2.9	4.3	4.8	6.0	6.1	5.4	3.9	3.2	1.8	1.1
1987.....	2.8	3.9	5.1	5.1	5.4	4.6	3.5	2.6	1.6	0.7
1986.....	2.8	3.6	4.6	5.4	5.4	4.8	3.7	2.5	1.7	0.8
1985.....	2.8	4.2	5.0	5.2	5.5	4.9	3.5	2.5	1.9	1.0
1984.....	3.0	3.6	4.7	5.3	5.6	5.0	3.3	2.4	1.3	*
1983.....	2.6	3.7	4.7	5.5	5.5	5.1	3.9	2.6	1.3	*
1982.....	2.9	4.3	4.7	5.3	5.2	5.0	3.7	2.7	1.1	*
1981.....	3.2	4.5	5.0	5.9	5.7	5.4	3.8	2.3	1.6	*
1980.....	3.3	5.0	5.8	5.7	5.8	5.2	4.0	2.5	1.6	0.8
1979.....	3.8	4.5	5.5	5.4	5.8	4.8	3.0	1.8	0.8	0.2
TOTAL, MALE										
1998.....	4.4	7.2	8.1	8.7	9.5	7.6	6.8	4.9	4.1	3.8
1997.....	4.6	7.5	7.7	8.5	9.5	8.3	6.7	5.5	4.4	2.7
1996.....	4.8	6.8	7.9	9.1	9.9	8.9	7.5	6.3	4.0	3.8
1995.....	5.5	7.5	8.9	9.6	11.5	9.7	7.3	6.5	4.3	3.7
1994.....	5.6	6.9	8.8	9.8	10.6	9.4	7.2	6.4	4.5	3.3
1993.....	5.1	7.3	8.7	9.8	10.9	9.0	7.6	6.0	5.3	3.0
1992.....	5.7	7.1	8.4	9.7	10.2	9.4	6.6	6.2	4.3	3.6
1991.....	5.3	7.1	7.9	9.8	10.4	9.7	7.1	5.9	4.8	4.2
1990.....	5.0	7.3	9.6	10.1	10.9	9.5	8.0	6.9	3.8	3.0
1989.....	4.5	7.3	8.9	9.6	10.0	9.1	8.3	6.1	4.8	2.6
1988.....	4.9	6.6	7.7	10.0	10.4	9.4	7.1	6.9	3.8	3.1
1987.....	4.3	6.4	8.1	8.7	9.5	8.1	6.4	5.4	3.8	*
1986.....	4.4	5.6	7.4	8.7	9.2	8.6	7.1	5.3	3.7	*
1985.....	4.6	6.5	7.7	8.8	9.0	8.4	6.5	5.1	4.4	*
1984.....	4.6	5.8	7.6	8.6	9.6	8.6	5.8	5.2	3.0	*
1983.....	3.9	5.9	7.3	9.2	9.4	8.9	7.5	5.5	2.9	*
1982.....	4.5	6.4	7.6	8.7	8.7	8.9	7.1	5.2	2.6	*
1981.....	5.1	7.0	8.0	9.7	9.3	9.9	7.3	4.7	3.8	*
1980.....	4.8	7.9	9.1	9.5	10.2	9.5	7.3	5.0	4.0	1.3
1979.....	5.8	7.2	8.6	8.6	10.1	8.6	5.3	3.5	2.3	0.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

ALCOHOL DEPENDENCE SYNDROME (303)

TOTAL, FEMALE										
1998.....	1.5	1.9	2.2	1.8	1.8	2.1	1.7	1.1	1.2	*
1997.....	1.5	1.8	1.9	2.1	2.3	1.9	1.7	1.1	1.0	*
1996.....	1.3	1.7	2.0	2.2	2.3	2.1	2.0	1.2	1.0	*
1995.....	1.6	1.7	1.9	2.0	2.3	2.2	1.7	1.3	0.9	0.8
1994.....	1.3	2.1	2.2	2.4	2.3	2.0	1.5	1.3	1.1	*
1993.....	1.6	2.0	2.1	2.0	2.5	2.2	1.4	1.4	0.9	*
1992.....	1.4	1.6	2.0	2.4	2.5	2.0	1.7	1.3	*	*
1991.....	1.5	1.6	2.3	2.5	2.4	2.1	1.7	1.1	1.1	*
1990.....	1.2	1.8	2.6	2.3	2.8	2.1	1.8	1.0	*	*
1989.....	1.3	1.8	2.2	2.7	2.4	2.3	1.8	1.0	*	*
1988.....	1.0	2.0	2.0	2.3	2.3	2.1	1.6	0.9	*	*
1987.....	1.3	1.4	2.3	1.8	2.0	1.9	1.3	0.8	*	*
1986.....	1.3	1.6	2.0	2.4	2.1	1.8	1.3	0.7	*	*
1985.....	1.1	2.0	2.5	1.8	2.4	2.1	1.3	0.9	*	*
1984.....	1.4	1.5	2.0	2.2	2.2	2.1	1.6	0.7	*	*
1983.....	1.4	1.6	2.3	2.2	2.1	2.0	1.3	0.7	*	*
1982.....	1.3	2.3	2.0	2.3	2.2	1.9	1.2	1.1	*	*
1981.....	1.4	2.0	2.3	2.5	2.5	1.8	1.3	0.7	*	*
1980.....	1.7	2.2	2.8	2.3	2.1	1.7	1.6	0.9	0.3	0.5
1979.....	1.8	2.1	2.7	2.4	2.1	1.7	1.3	0.7	0.1	0.1
WHITE, BOTH SEXES										
1998.....	2.8	4.0	4.6	4.5	4.8	4.4	3.7	2.5	2.1	1.4
1997.....	2.9	4.1	4.3	4.4	5.2	4.4	3.6	2.7	2.2	1.1
1996.....	2.7	3.7	4.1	4.8	5.3	4.6	3.8	3.1	2.0	1.3
1995.....	2.9	4.0	4.3	4.8	5.9	4.7	3.7	3.1	2.0	1.4
1994.....	2.6	3.7	4.5	5.2	5.4	4.8	3.6	2.9	2.0	1.4
1993.....	2.8	3.7	4.1	4.7	5.7	4.5	3.8	3.0	2.3	1.0
1992.....	2.9	3.4	3.8	4.8	5.1	4.6	3.3	2.9	1.8	1.3
1991.....	2.6	3.5	3.9	4.9	5.3	4.9	3.5	2.7	2.3	1.3
1990.....	2.0	3.2	4.6	5.1	5.5	4.7	4.0	3.1	1.7	0.8
1989.....	2.1	3.2	3.8	4.8	4.9	4.7	4.0	2.7	1.9	1.1
1988.....	2.0	2.9	3.4	4.8	5.3	4.6	3.5	2.9	1.6	0.9
1987.....	1.9	2.7	4.1	4.0	4.6	4.2	3.2	2.4	1.4	*
1986.....	1.8	2.7	3.4	4.4	4.6	4.3	3.5	2.4	1.5	*
1985.....	1.7	3.3	3.6	4.2	4.8	4.1	3.1	2.2	1.9	0.8
1984.....	1.9	2.6	3.7	4.3	4.7	4.3	3.2	2.2	1.3	*
1983.....	1.6	2.7	3.5	4.6	4.7	4.4	3.6	2.3	1.2	*
1982.....	1.8	3.0	3.7	4.4	4.3	4.7	3.5	2.4	1.1	*
1981.....	2.1	3.2	3.9	4.7	5.0	4.8	3.4	1.9	1.6	*
1980.....	2.0	3.4	4.3	4.6	5.1	4.4	3.7	2.1	1.5	0.5
1979.....	2.3	3.2	4.3	4.5	5.0	4.3	2.7	1.6	0.8	0.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALCOHOL DEPENDENCE SYNDROME (303)										
WHITE MALE										
1998.....	4.3	6.5	7.2	7.5	7.9	7.2	6.3	4.5	3.7	3.6
1997.....	4.4	6.6	6.9	7.1	8.5	7.3	5.9	4.9	4.2	2.6
1996.....	4.2	5.9	6.4	7.9	8.7	7.6	6.4	5.8	3.6	3.8
1995.....	4.7	6.6	7.0	8.0	9.9	8.1	6.5	5.9	3.9	3.4
1994.....	4.3	5.8	7.1	8.6	9.1	8.1	6.5	5.6	3.5	3.2
1993.....	4.5	6.0	6.8	8.0	9.5	7.5	6.9	5.3	5.1	*
1992.....	4.8	5.7	6.3	7.7	8.5	8.1	5.6	5.4	4.2	3.2
1991.....	4.1	5.8	6.1	7.8	8.9	8.2	6.1	5.2	4.6	3.6
1990.....	3.3	5.1	7.6	8.2	9.0	8.3	7.0	6.4	3.7	*
1989.....	3.4	5.2	6.0	7.5	8.3	7.8	7.2	5.4	4.5	*
1988.....	3.2	4.4	5.5	7.8	9.3	7.9	6.2	6.2	3.7	2.7
1987.....	3.0	4.4	6.3	6.6	7.9	7.3	5.8	4.8	3.1	*
1986.....	3.0	4.1	5.3	7.0	7.6	7.4	6.5	5.0	3.1	*
1985.....	2.7	5.1	5.6	7.0	7.6	6.9	5.7	4.4	4.4	*
1984.....	2.9	4.2	5.7	6.9	7.9	7.5	5.5	4.7	3.0	*
1983.....	2.5	4.2	5.3	7.6	8.0	7.7	6.8	4.9	2.5	*
1982.....	2.9	4.6	5.9	7.1	7.2	8.2	6.8	4.6	2.4	*
1981.....	3.4	4.9	6.3	7.6	8.2	8.6	6.4	4.1	4.0	*
1980.....	3.1	5.5	6.9	7.7	8.8	8.2	6.6	4.2	3.8	1.1
1979.....	3.5	4.9	6.9	7.0	8.6	7.9	4.8	3.3	2.2	0.5
WHITE FEMALE										
1998.....	1.3	1.5	2.0	1.7	1.8	2.0	1.6	1.0	1.2	*
1997.....	1.4	1.6	1.7	1.8	2.2	1.9	1.7	1.1	1.1	*
1996.....	1.2	1.4	1.9	1.9	2.2	2.0	1.9	1.2	1.0	*
1995.....	1.1	1.4	1.7	1.8	2.2	1.8	1.5	1.1	0.9	*
1994.....	1.0	1.7	1.9	1.9	2.1	1.9	1.3	1.1	1.1	*
1993.....	1.2	1.5	1.6	1.7	2.3	2.0	1.3	1.4	0.8	*
1992.....	1.0	1.2	1.5	2.0	2.1	1.7	1.6	1.3	*	*
1991.....	1.0	1.3	1.9	2.1	2.1	2.1	1.5	1.0	1.0	*
1990.....	0.7	1.3	1.8	2.1	2.4	1.8	1.7	1.0	*	*
1989.....	0.9	1.2	1.7	2.2	1.9	2.1	1.7	1.0	*	*
1988.....	0.7	1.4	1.3	2.0	1.8	1.9	1.6	0.9	*	*
1987.....	0.7	1.1	1.9	1.6	1.7	1.7	1.3	0.8	*	*
1986.....	0.7	1.2	1.6	2.1	2.0	1.7	1.2	0.7	*	*
1985.....	0.8	1.5	1.8	1.5	2.3	1.8	1.3	0.8	*	*
1984.....	1.0	1.1	1.7	1.8	2.0	1.7	1.5	*	*	*
1983.....	0.7	1.3	1.8	1.9	1.9	1.8	1.2	*	*	*
1982.....	0.8	1.5	1.7	2.0	1.7	1.8	1.1	1.0	*	*
1981.....	0.9	1.5	1.6	2.2	2.3	1.7	1.3	*	*	*
1980.....	1.0	1.4	2.0	1.9	1.9	1.4	1.6	0.8	0.3	0.3
1979.....	1.1	1.5	2.0	2.2	1.8	1.5	1.2	0.6	0.1	0.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

ALCOHOL DEPENDENCE SYNDROME (303)

ALL OTHER, BOTH SEXES

1998.....	3.8	7.2	8.3	8.8	9.8	6.2	5.8	4.2	*	*
1997.....	3.6	7.4	7.8	9.8	8.7	7.8	6.3	4.9	*	*
1996.....	5.0	7.1	9.6	10.1	9.4	9.6	9.1	5.6	*	*
1995.....	6.7	7.8	11.6	10.7	11.7	12.6	8.0	6.2	*	*
1994.....	7.5	8.9	11.5	10.6	11.6	9.8	7.4	7.5	5.9	*
1993.....	6.0	9.9	12.4	12.3	11.5	10.8	6.9	5.9	*	*
1992.....	7.1	10.0	12.9	13.2	13.5	11.2	8.1	6.0	*	*
1991.....	7.9	9.4	11.5	13.3	12.3	10.7	8.2	6.2	*	*
1990.....	9.4	12.6	14.5	12.6	14.5	11.1	8.5	5.3	*	*
1989.....	7.5	12.7	15.8	14.0	13.8	11.2	10.0	6.1	*	*
1988.....	8.8	12.9	13.6	14.3	11.6	11.8	7.8	6.2	*	*
1987.....	8.4	11.1	12.1	13.4	12.2	8.2	6.5	4.5	*	*
1986.....	8.8	9.0	12.5	12.3	12.1	9.9	6.3	*	*	*
1985.....	9.5	9.6	14.4	12.7	11.6	12.2	6.5	5.6	*	*
1984.....	9.5	10.0	11.8	13.0	12.8	10.9	5.0	5.1	*	*
1983.....	9.1	9.7	13.2	12.5	12.3	11.0	6.8	5.1	*	*
1982.....	9.6	12.2	11.8	12.5	13.5	8.4	4.9	5.7	*	*
1981.....	10.0	13.1	13.8	15.4	11.4	10.6	7.9	5.6	*	*
1980.....	11.1	15.6	17.1	14.4	12.6	11.7	7.6	6.1	3.1	3.3
1979.....	14.0	14.2	14.9	13.1	13.3	8.7	5.6	3.2	1.3	-

ALL OTHER MALE

1998.....	5.2	11.1	14.1	16.6	20.1	11.2	10.9	8.6	*	*
1997.....	5.5	12.9	13.4	17.7	16.2	15.5	13.8	10.9	*	*
1996.....	8.2	11.7	17.6	17.7	18.5	18.8	18.0	12.1	*	*
1995.....	9.8	13.2	21.6	20.2	23.0	22.0	15.2	12.0	*	*
1994.....	13.0	14.3	20.2	17.5	22.2	19.3	13.8	14.5	15.2	*
1993.....	8.8	15.9	21.4	22.5	21.1	20.8	13.5	13.6	*	*
1992.....	11.1	16.9	22.4	23.4	23.7	20.4	16.2	13.6	*	*
1991.....	12.6	16.0	19.7	24.1	22.2	22.2	15.7	12.6	*	*
1990.....	15.7	22.0	22.9	24.0	26.0	19.8	17.2	11.6	*	*
1989.....	12.1	21.2	28.3	24.8	24.0	20.5	19.6	13.1	*	*
1988.....	15.7	21.1	22.5	26.8	19.5	22.4	16.5	14.2	*	*
1987.....	12.7	20.1	20.3	25.5	22.8	14.9	13.0	10.7	*	*
1986.....	13.7	15.0	22.7	21.5	23.2	19.8	12.5	*	*	*
1985.....	16.9	15.6	23.3	23.4	21.8	22.1	14.0	11.7	*	*
1984.....	15.8	16.8	21.1	22.8	24.2	18.3	8.8	9.9	*	*
1983.....	13.5	17.2	22.2	22.7	22.5	20.4	13.7	11.2	*	*
1982.....	15.7	18.9	20.9	21.9	22.7	15.7	9.7	11.5	*	*
1981.....	16.6	22.4	22.2	27.3	19.7	21.2	15.9	*	*	*
1980.....	16.6	25.3	27.3	25.2	22.7	21.0	14.5	12.3	6.9	3.3
1979.....	22.7	24.3	23.1	23.6	24.2	14.7	9.8	5.5	3.5	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

ALCOHOL DEPENDENCE SYNDROME (303)

ALL OTHER FEMALE	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
1998.....	2.6	3.9	3.6	2.4	*	*	*	*	*	*
1997.....	1.8	2.7	3.0	3.4	3.0	*	*	*	*	*
1996.....	2.1	3.2	2.9	4.0	*	2.9	*	*	*	*
1995.....	4.0	3.3	3.3	2.9	3.1	5.5	*	*	*	*
1994.....	2.8	4.3	4.3	5.1	3.5	*	*	*	*	*
1993.....	3.7	4.7	4.9	4.0	4.1	3.5	*	*	*	*
1992.....	3.6	4.1	4.9	5.0	5.8	4.3	*	*	*	*
1991.....	3.9	3.6	4.5	4.6	4.7	*	*	*	*	*
1990.....	3.9	4.6	7.3	3.5	5.7	4.7	*	*	*	*
1989.....	3.6	5.3	5.2	5.2	6.0	4.3	*	*	*	*
1988.....	2.9	5.8	6.2	4.3	5.5	3.9	*	*	*	*
1987.....	4.7	3.3	5.2	3.8	4.0	*	*	*	*	*
1986.....	4.7	3.9	4.0	4.8	3.5	*	*	*	*	*
1985.....	3.3	4.5	7.0	4.0	3.7	4.7	*	*	*	*
1984.....	4.0	4.2	4.1	5.0	3.8	5.4	*	*	*	*
1983.....	5.4	3.3	5.8	4.1	4.2	4.0	*	*	*	*
1982.....	4.3	6.6	4.3	4.9	6.2	*	*	*	*	*
1981.....	4.4	5.3	6.9	5.5	4.8	*	*	*	*	*
1980.....	6.4	7.5	8.9	5.6	4.5	4.6	2.4	1.9	0.7	3.4
1979.....	6.6	5.9	8.2	4.4	4.5	4.0	2.3	1.6	-	-
BLACK, BOTH SEXES										
1998.....	4.5	8.6	10.4	10.5	11.7	7.4	6.6	5.1	*	*
1997.....	4.1	9.3	9.8	12.0	10.8	9.5	6.9	5.9	*	*
1996.....	5.8	8.4	11.6	12.1	11.8	11.0	10.8	6.8	*	*
1995.....	7.9	9.2	14.3	13.3	13.9	15.2	9.8	6.9	*	*
1994.....	9.1	10.9	13.9	13.3	14.2	11.4	8.6	9.0	6.3	*
1993.....	7.2	12.1	14.8	14.4	14.4	12.8	7.5	6.9	*	*
1992.....	8.6	12.3	16.1	16.0	16.1	12.9	9.5	6.4	*	*
1991.....	10.0	12.1	14.7	16.2	14.5	13.4	9.8	7.6	*	*
1990.....	11.9	15.8	17.4	15.5	17.1	13.4	10.0	5.6	*	*
1989.....	9.7	15.3	19.3	17.0	16.7	13.1	11.3	7.3	*	*
1988.....	11.2	15.9	16.1	16.9	13.1	12.8	9.2	6.1	*	*
1987.....	10.7	13.6	14.5	15.8	14.5	9.5	6.9	4.7	*	*
1986.....	11.1	11.1	14.9	14.5	14.0	11.3	7.2	*	*	*
1985.....	11.8	11.5	16.7	14.3	13.6	13.2	7.6	6.1	*	*
1984.....	11.2	12.0	13.5	15.3	14.2	11.8	5.7	5.5	*	*
1983.....	10.9	11.7	14.6	14.3	14.3	11.5	6.8	5.9	*	*
1982.....	11.2	13.2	13.5	14.3	15.4	9.0	5.6	6.1	*	*
1981.....	11.3	14.7	15.8	17.0	12.4	11.3	8.6	6.2	*	*
1980.....	12.5	18.1	18.9	15.6	13.3	11.9	7.8	5.9	3.5	3.8
1979.....	15.3	15.4	15.3	13.9	13.9	9.2	5.4	2.8	1.5	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

ALCOHOL DEPENDENCE SYNDROME (303)

BLACK MALE

1998.....	6.0	13.3	18.4	19.9	24.8	13.7	12.4	10.6	*	*
1997.....	6.2	16.6	17.2	22.1	20.5	19.5	15.2	13.9	*	*
1996.....	9.8	13.9	21.8	21.8	23.4	21.6	21.4	15.3	*	*
1995.....	11.4	15.5	27.1	25.4	28.5	27.5	18.5	12.9	*	*
1994.....	15.7	17.9	24.9	22.8	27.6	22.8	16.5	18.6	*	*
1993.....	10.9	20.2	26.4	27.9	27.1	25.1	15.5	16.4	*	*
1992.....	13.6	20.8	29.0	29.8	28.3	24.3	19.5	15.2	*	*
1991.....	15.9	21.2	25.6	29.3	26.5	28.1	18.9	16.0	*	*
1990.....	20.3	28.2	29.0	29.8	31.1	23.8	20.6	13.4	*	*
1989.....	15.7	26.0	35.6	30.3	29.4	24.4	22.2	16.3	*	*
1988.....	20.2	26.4	27.0	31.8	22.5	24.4	19.6	14.1	*	*
1987.....	16.7	25.3	25.0	30.6	27.3	17.0	14.9	12.0	*	*
1986.....	17.5	19.1	27.3	25.6	26.7	23.0	14.9	*	*	*
1985.....	20.9	19.5	27.9	26.5	25.7	25.1	16.7	12.9	*	*
1984.....	19.0	20.6	24.5	26.7	27.2	20.5	10.6	*	*	*
1983.....	16.7	20.9	24.8	26.5	26.6	21.2	13.9	13.3	*	*
1982.....	18.6	20.4	24.3	24.8	26.2	16.8	11.2	12.4	*	*
1981.....	19.3	25.8	25.2	30.3	21.7	22.8	17.6	*	*	*
1980.....	19.3	29.7	30.6	27.1	23.8	21.1	15.3	11.8	8.0	3.8
1979.....	25.2	26.3	24.2	24.9	25.0	16.0	9.7	5.0	3.9	-

BLACK FEMALE

1998.....	3.2	4.7	3.9	3.1	*	*	*	*	*	*
1997.....	2.3	3.1	3.7	4.1	3.5	*	*	*	*	*
1996.....	2.3	3.7	3.3	4.6	*	*	*	*	*	*
1995.....	5.0	4.0	3.8	3.8	*	6.1	*	*	*	*
1994.....	3.4	5.1	4.9	5.9	4.1	*	*	*	*	*
1993.....	3.9	5.3	5.3	3.8	4.8	*	*	*	*	*
1992.....	4.3	5.2	5.5	5.1	6.8	4.5	*	*	*	*
1991.....	4.9	4.4	5.9	5.8	5.4	*	*	*	*	*
1990.....	4.6	5.5	7.9	4.1	6.5	5.8	*	*	*	*
1989.....	4.6	6.2	5.9	6.4	7.1	4.9	*	*	*	*
1988.....	3.5	7.2	7.2	5.0	6.0	4.3	*	*	*	*
1987.....	5.6	3.9	6.0	3.9	4.8	*	*	*	*	*
1986.....	5.8	4.4	4.7	5.6	4.3	*	*	*	*	*
1985.....	4.1	4.8	7.5	4.4	4.3	4.5	*	*	*	*
1984.....	4.6	4.9	4.6	6.0	4.2	5.5	*	*	*	*
1983.....	6.1	4.1	6.3	4.4	4.8	4.4	*	*	*	*
1982.....	5.0	7.2	4.6	5.7	6.9	*	*	*	*	*
1981.....	4.6	5.5	8.1	6.2	5.0	*	*	*	*	*
1980.....	6.8	8.6	9.4	6.1	4.9	5.2	2.4	2.1	0.8	3.8
1979.....	7.1	6.3	8.1	4.9	5.1	4.2	2.2	1.3	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR DRUG DEPENDENCE (304)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, BOTH SEXES										
1998.....	0.3	0.3	0.2	*	*	*	*	*	*	*
1997.....	0.3	0.2	0.2	*	*	*	*	*	*	*
1996.....	0.4	0.3	*	*	*	*	*	*	*	*
1995.....	0.4	0.2	0.2	*	*	*	*	*	*	*
1994.....	0.3	0.2	*	*	*	*	*	*	*	*
1993.....	0.4	0.3	*	*	*	*	*	*	*	*
1992.....	0.3	0.2	*	*	*	*	*	*	*	*
1991.....	0.3	0.2	*	*	*	*	*	*	*	*
1990.....	0.3	0.2	*	*	*	*	*	*	*	*
1989.....	0.5	0.2	*	*	*	*	*	*	*	*
1988.....	0.9	0.5	0.3	0.2	*	*	*	*	*	*
1987.....	0.9	0.6	0.4	0.2	*	*	*	*	*	*
1986.....	1.2	0.8	0.5	*	*	*	*	*	*	*
1985.....	0.8	0.5	0.3	*	*	*	*	*	*	*
1984.....	0.7	0.4	0.3	*	*	*	*	*	*	*
1983.....	0.5	0.3	0.2	*	*	*	*	*	*	*
1982.....	0.4	0.3	0.2	*	*	*	*	*	*	*
1981.....	0.4	0.3	0.2	*	*	*	*	*	*	*
1980.....	0.3	0.3	0.1	0.1	0.0	0.0	0.0	-	0.0	0.0
1979.....	0.3	0.1	0.1	0.1	0.0	0.0	0.0	-	0.0	0.0
TOTAL, MALE										
1998.....	0.4	0.5	*	*	*	*	*	*	*	*
1997.....	0.5	0.3	0.3	*	*	*	*	*	*	*
1996.....	0.6	0.4	*	*	*	*	*	*	*	*
1995.....	0.7	0.3	*	*	*	*	*	*	*	*
1994.....	0.5	0.3	*	*	*	*	*	*	*	*
1993.....	0.7	0.4	*	*	*	*	*	*	*	*
1992.....	0.6	0.3	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	0.3	*	*	*	*	*	*	*	*
1989.....	0.9	0.4	*	*	*	*	*	*	*	*
1988.....	1.6	1.0	0.5	*	*	*	*	*	*	*
1987.....	1.5	1.0	0.7	0.5	*	*	*	*	*	*
1986.....	2.1	1.3	0.8	*	*	*	*	*	*	*
1985.....	1.4	0.8	0.5	*	*	*	*	*	*	*
1984.....	1.3	0.6	0.6	*	*	*	*	*	*	*
1983.....	0.9	0.5	*	*	*	*	*	*	*	*
1982.....	0.8	0.6	0.4	*	*	*	*	*	*	*
1981.....	0.6	0.4	*	*	*	*	*	*	*	*
1980.....	0.5	0.5	0.2	0.1	0.1	-	0.0	-	-	-
1979.....	0.6	0.1	0.2	0.1	0.0	0.0	-	-	0.1	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR DRUG DEPENDENCE (304)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.0	-	0.0	0.0	0.0	-	0.1	0.1
1979.....	0.1	0.1	0.0	0.1	0.0	0.0	0.0	-	-	0.1
WHITE, BOTH SEXES										
1998.....	0.3	0.2	0.2	*	*	*	*	*	*	*
1997.....	0.3	0.2	*	*	*	*	*	*	*	*
1996.....	0.3	0.2	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	0.2	*	*	*	*	*	*	*	*
1992.....	0.3	0.2	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	0.2	*	*	*	*	*	*	*	*
1988.....	0.5	0.3	*	*	*	*	*	*	*	*
1987.....	0.5	0.3	0.2	*	*	*	*	*	*	*
1986.....	0.6	0.4	0.2	*	*	*	*	*	*	*
1985.....	0.4	0.3	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.1	0.0	0.0	0.0	0.0	-	0.0	0.0
1979.....	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DRUG DEPENDENCE (304)										
WHITE MALE										
1998.....	0.4	0.4	*	*	*	*	*	*	*	*
1997.....	0.5	0.3	*	*	*	*	*	*	*	*
1996.....	0.6	0.4	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.5	0.4	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.9	0.5	*	*	*	*	*	*	*	*
1987.....	0.8	0.6	*	*	*	*	*	*	*	*
1986.....	1.1	0.7	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.1	0.1	0.1	-	-	0.0	-	-	-
1979.....	0.3	0.0	0.0	0.0	-	0.0	-	-	0.1	-
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.0	-	0.0	0.0	0.0	-	0.1	0.1
1979.....	0.0	0.0	-	0.1	0.0	0.0	0.0	-	-	0.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DRUG DEPENDENCE (304)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	1.7	*	*	*	*	*	*	*	*	*
1988.....	3.3	2.1	1.5	*	*	*	*	*	*	*
1987.....	3.6	2.2	1.7	1.5	*	*	*	*	*	*
1986.....	4.8	3.2	2.5	*	*	*	*	*	*	*
1985.....	3.6	1.9	*	*	*	*	*	*	*	*
1984.....	3.3	2.0	2.0	*	*	*	*	*	*	*
1983.....	2.2	1.4	*	*	*	*	*	*	*	*
1982.....	1.3	1.6	*	*	*	*	*	*	*	*
1981.....	1.5	1.6	*	*	*	*	*	*	*	*
1980.....	1.4	1.7	0.5	0.2	0.3	-	-	-	-	-
1979.....	1.5	0.9	0.9	0.4	0.2	-	-	-	-	-
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	1.7	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	3.0	*	*	*	*	*	*	*	*	*
1988.....	6.4	4.1	*	*	*	*	*	*	*	*
1987.....	6.4	4.2	3.2	*	*	*	*	*	*	*
1986.....	8.4	5.7	4.5	*	*	*	*	*	*	*
1985.....	6.4	3.4	*	*	*	*	*	*	*	*
1984.....	6.2	2.8	4.1	*	*	*	*	*	*	*
1983.....	4.4	*	*	*	*	*	*	*	*	*
1982.....	2.5	3.1	*	*	*	*	*	*	*	*
1981.....	2.7	*	*	*	*	*	*	*	*	*
1980.....	2.0	3.2	1.0	0.5	0.7	-	-	-	-	-
1979.....	2.8	1.0	1.7	0.7	0.5	-	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.4	0.1	-	-	-	-	-	-	-
1979.....	0.4	0.8	0.3	0.2	-	-	-	-	-	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	0.9	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	1.2	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	2.2	*	*	*	*	*	*	*	*	*
1988.....	4.5	2.7	1.9	*	*	*	*	*	*	*
1987.....	4.9	2.8	2.2	1.9	*	*	*	*	*	*
1986.....	6.3	4.2	3.1	*	*	*	*	*	*	*
1985.....	4.6	2.5	*	*	*	*	*	*	*	*
1984.....	4.3	2.5	2.5	*	*	*	*	*	*	*
1983.....	2.9	1.8	*	*	*	*	*	*	*	*
1982.....	1.6	2.0	*	*	*	*	*	*	*	*
1981.....	1.9	2.0	*	*	*	*	*	*	*	*
1980.....	1.7	2.0	0.6	0.3	0.2	-	-	-	-	-
1979.....	1.8	1.0	1.1	0.5	0.2	-	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	2.2	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	4.0	*	*	*	*	*	*	*	*	*
1988.....	8.7	5.3	*	*	*	*	*	*	*	*
1987.....	8.7	5.5	4.2	*	*	*	*	*	*	*
1986.....	11.2	7.6	5.8	*	*	*	*	*	*	*
1985.....	8.3	4.4	*	*	*	*	*	*	*	*
1984.....	8.0	3.6	5.2	*	*	*	*	*	*	*
1983.....	5.7	*	*	*	*	*	*	*	*	*
1982.....	3.3	4.0	*	*	*	*	*	*	*	*
1981.....	3.4	*	*	*	*	*	*	*	*	*
1980.....	2.5	3.9	1.2	0.6	0.5	-	-	-	-	-
1979.....	3.4	1.1	2.0	0.8	0.5	-	-	-	-	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.5	0.2	-	-	-	-	-	-	-
1979.....	0.4	0.9	0.3	0.2	-	-	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)										
TOTAL, BOTH SEXES										
1998.....	2.2	2.1	1.6	1.6	1.5	1.9	2.7	5.7	14.3	51.8
1997.....	2.1	2.0	1.4	1.3	1.5	1.7	3.1	5.9	15.1	54.5
1996.....	2.1	2.0	1.4	1.4	1.4	2.1	3.1	6.2	16.3	62.2
1995.....	1.9	1.7	1.4	1.4	1.9	1.9	3.1	7.4	17.9	66.3
1994.....	1.8	1.5	1.5	1.1	1.6	2.0	3.3	7.7	20.2	69.4
1993.....	1.9	1.2	1.1	1.2	1.5	1.9	3.1	8.1	20.5	76.2
1992.....	1.5	1.3	1.1	1.0	1.5	2.1	3.3	8.4	21.1	74.9
1991.....	1.4	1.2	0.9	1.2	1.4	2.1	3.5	9.6	22.8	82.7
1990.....	1.3	1.3	1.3	1.1	1.6	2.0	4.2	9.9	25.6	91.7
1989.....	1.4	1.2	1.1	1.1	1.5	1.9	4.7	11.5	28.7	101.7
1988.....	1.4	1.4	1.2	1.3	1.5	2.4	4.7	12.4	33.3	109.0
1987.....	1.2	1.1	1.0	1.1	1.6	2.4	5.3	12.5	31.8	105.9
1986.....	1.0	1.0	1.0	1.1	1.4	2.4	5.9	13.4	35.3	102.2
1985.....	1.0	1.0	1.0	1.1	1.6	2.4	6.0	14.4	35.5	111.9
1984.....	1.0	1.0	1.1	1.2	1.5	2.5	5.6	14.0	36.1	104.2
1983.....	0.9	1.0	1.3	1.2	1.7	2.6	6.6	17.1	36.4	101.2
1982.....	0.9	0.9	1.0	1.2	1.6	2.7	6.8	13.9	32.8	92.0
1981.....	1.0	0.9	1.1	1.4	1.8	3.2	6.9	15.1	35.5	93.7
1980.....	0.7	1.3	1.4	1.5	2.0	3.2	7.1	14.8	34.3	88.8
1979.....	0.8	0.9	1.2	1.3	2.0	3.2	6.9	14.5	31.7	75.9
TOTAL, MALE										
1998.....	3.1	3.3	2.3	2.3	2.0	2.7	3.4	5.9	13.5	42.4
1997.....	3.1	3.0	2.3	2.0	2.0	1.9	3.5	6.3	15.4	42.6
1996.....	3.0	3.1	2.2	2.1	1.9	2.7	3.2	7.2	17.0	55.0
1995.....	2.7	2.5	2.0	2.0	2.9	2.5	3.6	7.9	19.1	58.3
1994.....	2.6	2.2	2.4	1.5	2.4	2.7	3.8	8.7	21.1	60.7
1993.....	2.9	1.8	1.8	1.8	2.1	2.6	3.7	10.1	20.4	69.0
1992.....	2.4	2.0	1.7	1.4	2.2	2.9	3.7	9.8	21.0	68.7
1991.....	2.2	1.8	1.5	1.8	2.0	2.6	4.1	11.4	22.6	74.7
1990.....	2.0	2.0	1.8	1.7	2.4	2.8	4.9	11.5	28.4	80.8
1989.....	2.1	1.7	1.8	1.7	2.2	2.4	5.8	13.6	31.4	89.5
1988.....	2.3	2.2	1.8	2.0	2.0	2.9	6.2	14.3	34.7	96.9
1987.....	1.9	1.7	1.6	1.6	2.4	2.9	7.1	14.4	36.5	95.7
1986.....	1.7	1.7	1.3	1.7	1.9	3.2	7.4	15.3	37.0	90.4
1985.....	1.5	1.3	1.5	1.7	2.3	3.4	7.8	15.8	40.7	106.0
1984.....	1.4	1.4	1.5	1.8	2.0	3.4	7.5	16.4	39.6	98.4
1983.....	1.3	1.4	1.7	1.8	2.5	3.3	8.2	20.2	40.7	102.9
1982.....	1.4	1.3	1.4	1.8	2.1	3.3	8.6	16.9	38.1	84.4
1981.....	1.4	1.4	1.3	2.0	2.7	4.4	8.9	18.9	43.4	89.3
1980.....	0.9	1.7	1.9	2.1	2.9	4.2	9.2	17.9	39.3	85.7
1979.....	1.1	1.3	1.6	1.7	2.7	4.4	8.6	18.4	38.4	79.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

TOTAL, FEMALE										
1998.....	1.3	1.0	1.0	1.0	1.0	1.3	2.2	5.6	14.7	55.7
1997.....	1.2	1.1	0.6	0.7	1.1	1.6	2.8	5.7	15.0	59.3
1996.....	1.2	0.9	0.7	0.7	1.0	1.5	2.9	5.6	15.9	65.1
1995.....	1.1	0.9	0.8	0.7	1.0	1.3	2.7	7.0	17.3	69.4
1994.....	0.9	0.8	0.6	0.8	1.0	1.4	2.9	7.1	19.7	72.7
1993.....	0.9	0.6	0.5	0.8	1.0	1.3	2.6	6.8	20.5	79.0
1992.....	0.6	0.6	0.5	0.7	0.9	1.4	2.9	7.5	21.2	77.3
1991.....	0.6	0.7	0.4	0.7	1.0	1.6	3.1	8.5	22.8	85.8
1990.....	0.7	0.6	0.7	0.5	0.9	1.3	3.7	8.9	24.1	95.9
1989.....	0.7	0.6	0.4	0.6	0.9	1.5	3.9	10.1	27.3	106.5
1988.....	0.6	0.6	0.6	0.6	1.0	1.9	3.6	11.3	32.6	113.8
1987.....	0.6	0.5	0.5	0.6	1.0	1.9	4.0	11.3	29.3	109.9
1986.....	0.4	0.4	0.6	0.6	0.9	1.8	4.8	12.1	34.4	106.8
1985.....	0.5	0.6	0.5	0.6	1.0	1.6	4.7	13.5	32.8	114.2
1984.....	0.5	0.6	0.6	0.6	1.1	1.8	4.3	12.6	34.3	106.5
1983.....	0.6	0.6	0.9	0.7	1.1	2.0	5.4	15.1	34.1	100.4
1982.....	0.4	0.6	0.6	0.7	1.2	2.2	5.6	12.0	30.0	95.2
1981.....	0.6	0.4	0.8	1.0	1.0	2.3	5.5	12.8	31.3	95.5
1980.....	0.5	0.8	0.9	0.9	1.2	2.3	5.7	12.8	31.6	90.2
1979.....	0.4	0.5	0.9	0.8	1.5	2.2	5.6	12.0	28.0	74.1
WHITE, BOTH SEXES										
1998.....	1.9	1.7	1.3	1.4	1.4	1.8	2.7	5.7	14.4	53.7
1997.....	1.7	1.6	1.1	1.2	1.4	1.7	3.1	5.9	15.6	56.4
1996.....	1.7	1.4	1.2	1.2	1.3	1.9	3.0	6.3	16.6	64.9
1995.....	1.4	1.2	1.1	1.1	1.6	1.8	3.0	7.5	17.9	67.5
1994.....	1.4	1.1	1.3	0.8	1.4	1.8	3.2	7.7	20.1	70.2
1993.....	1.3	0.9	0.9	1.1	1.5	1.8	2.8	8.3	20.6	78.1
1992.....	1.0	0.9	0.9	1.0	1.3	2.0	3.1	8.3	21.2	76.8
1991.....	0.9	0.9	0.7	1.1	1.4	1.9	3.3	9.5	22.9	84.8
1990.....	0.9	1.0	1.0	1.0	1.5	1.9	4.0	9.8	25.8	94.4
1989.....	0.9	0.8	0.8	1.0	1.4	1.7	4.6	11.3	28.5	102.8
1988.....	1.0	0.9	0.8	1.0	1.3	2.2	4.6	12.0	33.3	111.7
1987.....	0.9	0.8	0.8	0.9	1.5	2.1	4.9	12.3	31.6	109.3
1986.....	0.8	0.8	0.8	1.0	1.3	2.3	5.3	12.9	35.4	104.3
1985.....	0.7	0.7	0.8	1.0	1.3	2.0	5.5	14.0	35.3	114.1
1984.....	0.7	0.7	0.8	1.0	1.3	2.3	5.2	13.5	35.8	106.5
1983.....	0.7	0.7	1.0	1.1	1.5	2.3	6.3	16.8	35.4	103.4
1982.....	0.7	0.7	0.8	1.0	1.3	2.5	6.5	13.3	32.6	94.0
1981.....	0.8	0.7	0.9	1.3	1.6	3.1	6.8	15.0	35.4	95.1
1980.....	0.6	1.0	1.1	1.3	1.7	3.0	6.5	14.2	34.1	90.4
1979.....	0.7	0.7	1.1	1.2	1.8	2.9	6.3	14.4	32.0	77.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)										
WHITE MALE										
1998.....	2.6	2.7	1.7	1.9	1.8	2.4	3.3	6.0	13.9	43.7
1997.....	2.6	2.4	1.7	1.7	1.9	1.6	3.4	6.3	15.6	44.7
1996.....	2.4	2.3	1.8	1.8	1.5	2.4	3.1	7.0	17.8	57.1
1995.....	2.0	1.7	1.5	1.6	2.3	2.4	3.4	7.7	19.2	59.2
1994.....	2.0	1.6	1.9	1.0	1.9	2.3	3.5	8.7	20.7	61.0
1993.....	1.9	1.3	1.4	1.4	1.9	2.4	3.2	10.5	20.4	69.8
1992.....	1.7	1.4	1.3	1.3	1.9	2.7	3.4	10.0	20.8	69.8
1991.....	1.5	1.2	1.0	1.6	1.9	2.2	3.9	10.9	22.6	75.8
1990.....	1.3	1.5	1.4	1.5	2.2	2.7	4.5	11.1	28.2	80.9
1989.....	1.3	1.1	1.3	1.4	2.1	2.2	5.6	13.5	31.5	90.9
1988.....	1.6	1.4	1.2	1.5	1.8	2.7	6.1	13.7	34.5	98.2
1987.....	1.3	1.2	1.2	1.3	2.1	2.6	6.6	13.9	36.4	97.9
1986.....	1.2	1.2	0.9	1.4	1.7	3.1	6.6	14.7	36.3	93.0
1985.....	0.9	0.9	1.2	1.5	1.8	2.8	7.3	15.1	39.7	108.1
1984.....	1.0	0.9	1.1	1.5	1.7	3.1	7.1	15.6	38.4	100.1
1983.....	0.9	0.9	1.4	1.6	2.2	2.9	8.1	20.4	39.6	104.8
1982.....	1.0	0.9	1.2	1.4	1.5	3.1	8.1	16.1	37.4	86.9
1981.....	1.1	1.0	1.0	1.7	2.4	4.3	8.6	19.0	43.3	90.4
1980.....	0.8	1.3	1.4	1.7	2.5	4.0	8.4	17.0	38.8	86.5
1979.....	1.0	0.9	1.4	1.6	2.3	4.0	7.9	18.3	38.7	81.0
WHITE FEMALE										
1998.....	1.1	0.8	0.9	1.0	1.0	1.3	2.2	5.6	14.7	57.8
1997.....	0.9	0.8	0.6	0.8	1.1	1.7	2.9	5.7	15.6	61.1
1996.....	0.9	0.6	0.6	0.7	1.1	1.6	2.9	5.7	16.0	67.9
1995.....	0.7	0.7	0.7	0.7	0.9	1.3	2.7	7.3	17.2	70.7
1994.....	0.7	0.6	0.6	0.7	1.0	1.4	3.0	7.0	19.8	73.7
1993.....	0.6	0.4	0.4	0.7	1.0	1.2	2.6	6.8	20.8	81.3
1992.....	0.3	0.4	0.4	0.7	0.8	1.4	2.8	7.2	21.5	79.4
1991.....	0.4	0.6	*	0.7	0.9	1.6	2.8	8.6	23.1	88.3
1990.....	0.6	0.6	0.5	0.5	0.8	1.3	3.7	9.0	24.5	99.5
1989.....	0.5	0.5	*	0.6	0.8	1.3	3.9	9.9	26.9	107.4
1988.....	0.4	0.4	0.4	0.6	0.9	1.9	3.5	10.9	32.7	116.8
1987.....	0.5	*	0.4	0.4	0.9	1.7	3.7	11.3	29.2	113.6
1986.....	0.4	*	0.7	0.5	0.9	1.6	4.3	11.7	35.0	108.6
1985.....	0.4	0.6	0.5	0.6	0.8	1.3	4.2	13.3	33.0	116.5
1984.....	0.4	0.5	0.5	0.5	1.0	1.6	3.8	12.2	34.5	109.0
1983.....	0.5	0.6	0.7	0.7	1.0	1.9	5.0	14.6	33.2	102.8
1982.....	*	0.5	0.4	0.7	1.1	2.0	5.4	11.5	30.0	96.9
1981.....	0.5	*	0.7	0.8	0.8	2.1	5.5	12.6	31.3	97.0
1980.....	0.4	0.6	0.8	0.9	1.1	2.1	5.2	12.5	31.6	92.0
1979.....	0.3	0.5	0.8	0.8	1.3	2.1	5.1	11.9	28.4	75.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)										
ALL OTHER, BOTH SEXES										
1998.....	3.8	4.1	3.4	2.9	2.1	2.7	3.2	5.3	12.4	33.8
1997.....	4.3	4.4	3.1	2.2	2.0	2.2	3.4	6.0	10.6	36.2
1996.....	4.2	4.9	2.9	2.6	2.2	2.8	3.6	6.1	13.0	37.1
1995.....	4.9	4.6	2.9	2.9	4.0	2.2	3.7	6.8	18.5	53.9
1994.....	3.9	3.9	2.9	2.9	2.9	3.2	4.0	8.0	20.8	61.1
1993.....	5.1	3.0	2.4	2.4	2.0	2.4	5.2	6.4	18.8	56.4
1992.....	4.0	3.4	2.6	1.5	3.0	2.4	4.6	9.6	20.2	55.5
1991.....	3.7	3.2	2.4	2.2	2.0	3.6	5.8	10.5	21.0	60.6
1990.....	3.5	3.0	3.1	1.8	2.5	3.0	5.7	10.8	23.9	63.0
1989.....	4.5	3.3	2.6	2.4	2.6	3.6	5.5	13.0	31.2	90.2
1988.....	4.1	4.3	3.6	2.9	2.7	3.7	5.6	16.1	33.1	81.0
1987.....	3.3	3.0	2.6	2.9	3.1	4.4	9.1	14.2	33.1	69.6
1986.....	2.5	2.6	2.0	2.5	2.2	4.0	11.0	18.1	34.0	79.2
1985.....	3.0	2.4	2.0	1.8	4.3	6.0	10.2	17.9	37.9	87.1
1984.....	2.9	2.8	2.9	2.8	3.0	4.5	9.6	19.0	39.6	78.3
1983.....	2.3	2.5	3.0	2.0	3.4	5.2	8.9	19.1	47.3	76.1
1982.....	2.5	2.4	2.2	2.6	4.5	4.2	9.7	19.5	35.5	70.4
1981.....	2.2	2.7	2.6	3.0	4.1	5.0	8.2	16.3	36.5	77.4
1980.....	1.6	3.4	3.6	3.0	4.0	4.9	12.9	20.1	36.2	71.3
1979.....	1.5	2.1	2.6	2.0	4.8	5.7	12.3	15.9	27.7	60.9
ALL OTHER MALE										
1998.....	6.0	6.5	5.7	5.2	3.4	4.5	*	*	*	31.2
1997.....	5.8	6.6	5.9	4.3	*	*	*	*	13.4	24.5
1996.....	6.5	7.9	5.0	4.6	4.3	5.0	*	8.7	*	36.2
1995.....	6.8	7.5	5.1	5.2	7.5	*	5.3	10.4	17.9	49.9
1994.....	6.4	6.0	5.7	4.6	5.5	6.0	6.5	8.7	24.6	58.2
1993.....	8.3	4.9	4.5	4.2	3.7	*	8.5	*	20.0	61.1
1992.....	6.1	5.7	4.5	*	4.5	*	6.0	8.5	23.5	58.0
1991.....	6.1	5.4	4.4	3.6	*	6.1	6.8	15.7	22.5	64.0
1990.....	6.0	5.3	4.4	3.6	4.1	*	8.5	14.7	29.9	79.9
1989.....	7.1	5.7	4.8	4.5	*	4.6	7.9	14.4	30.6	76.5
1988.....	7.2	7.3	6.2	5.5	4.2	5.2	7.7	19.2	35.9	84.8
1987.....	5.7	5.1	4.4	4.0	4.6	5.3	11.7	19.5	38.4	75.3
1986.....	4.6	4.9	4.2	4.1	*	*	14.5	21.4	43.5	65.3
1985.....	4.9	4.0	3.3	*	6.1	9.0	12.3	22.3	50.5	86.3
1984.....	4.3	4.7	4.8	4.3	4.2	5.7	11.4	23.3	51.5	81.9
1983.....	4.0	4.5	4.2	3.8	4.9	7.3	8.5	18.3	52.6	82.9
1982.....	4.6	3.9	*	4.4	7.4	5.1	12.8	23.4	44.7	59.7
1981.....	3.3	4.3	3.9	4.3	6.1	5.9	11.7	18.3	45.1	78.1
1980.....	2.2	4.6	6.1	5.2	6.7	6.0	16.7	26.2	44.7	77.4
1979.....	2.0	3.8	3.6	3.3	6.3	8.3	15.5	19.2	36.0	67.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

ALL OTHER FEMALE	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
1998.....	1.9	2.1	*	*	*	*	*	5.7	14.4	34.9
1997.....	3.0	2.5	*	*	*	*	*	5.9	9.0	41.6
1996.....	2.2	2.4	*	*	*	*	*	*	15.3	37.6
1995.....	3.2	2.1	*	*	*	*	*	*	18.8	55.6
1994.....	1.8	2.1	*	*	*	*	*	7.5	18.7	62.4
1993.....	2.4	*	*	*	*	*	*	6.1	18.2	54.3
1992.....	2.1	*	*	*	*	*	*	10.3	18.4	54.3
1991.....	1.6	*	*	*	*	*	5.1	7.3	20.1	58.7
1990.....	*	*	*	*	*	*	*	8.3	20.5	55.3
1989.....	2.3	*	*	*	*	*	*	12.1	31.6	96.6
1988.....	*	*	*	*	*	*	*	14.2	31.4	79.3
1987.....	*	*	*	*	*	3.6	7.3	10.7	30.1	66.9
1986.....	*	*	*	*	*	3.6	8.6	16.0	28.7	85.9
1985.....	*	*	*	*	*	3.8	8.7	15.0	30.6	88.0
1984.....	*	*	*	*	*	*	8.2	16.1	32.4	76.6
1983.....	*	*	*	*	*	*	9.2	19.7	44.2	72.7
1982.....	*	*	*	*	*	*	7.5	16.8	29.9	75.2
1981.....	*	*	*	*	*	4.3	5.7	14.9	31.3	77.0
1980.....	1.1	2.4	1.6	1.1	1.8	4.2	10.0	16.0	31.0	68.3
1979.....	1.1	0.7	1.8	0.9	3.6	3.8	9.8	13.6	22.6	57.9
BLACK, BOTH SEXES	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
1998.....	5.0	5.5	4.7	3.4	2.3	3.2	3.8	6.1	13.5	36.3
1997.....	5.6	5.7	4.0	2.9	2.6	2.6	3.8	6.3	11.7	41.7
1996.....	5.4	6.4	3.6	3.2	2.4	3.1	4.0	6.8	15.9	41.9
1995.....	6.3	6.0	3.8	3.6	4.6	2.7	4.6	7.6	20.1	57.7
1994.....	5.2	4.8	3.6	3.6	3.4	3.9	5.0	8.2	23.4	62.4
1993.....	6.5	3.6	3.2	2.9	2.4	3.0	6.1	7.5	21.0	61.2
1992.....	5.0	4.0	3.1	*	3.7	2.7	5.1	11.4	22.6	56.5
1991.....	4.8	3.9	3.0	2.5	2.5	3.9	6.5	12.1	22.9	66.8
1990.....	4.5	3.8	3.9	2.2	2.8	3.5	6.4	12.6	26.7	67.4
1989.....	5.8	4.0	3.4	2.9	3.0	4.0	6.5	14.2	33.0	95.0
1988.....	5.4	5.5	4.4	3.6	3.1	4.3	6.7	17.3	37.5	88.3
1987.....	4.2	3.6	2.9	3.4	3.7	5.0	9.7	15.3	35.7	72.1
1986.....	3.1	3.0	2.4	2.9	2.4	4.6	12.7	19.9	37.3	82.1
1985.....	3.6	2.5	2.2	2.2	5.0	6.9	11.7	19.4	40.0	92.3
1984.....	3.4	3.2	3.1	3.0	3.1	4.8	10.9	21.7	42.4	80.5
1983.....	2.7	2.6	3.4	2.1	3.7	5.9	9.9	20.3	51.5	77.7
1982.....	2.6	2.9	2.2	2.7	4.8	4.3	10.8	22.3	38.1	72.7
1981.....	2.4	2.9	2.7	3.2	4.7	5.5	8.8	17.4	39.7	76.8
1980.....	1.9	3.7	3.9	3.2	4.2	5.4	14.2	21.7	38.0	66.6
1979.....	1.7	2.3	3.0	2.0	5.4	6.2	13.0	16.7	30.3	61.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

BLACK MALE

1998.....	7.8	8.6	7.9	6.0	*	5.7	*	*	*	34.5
1997.....	7.6	8.6	7.7	5.7	*	*	*	*	*	25.7
1996.....	8.3	10.4	6.3	6.1	4.7	5.5	*	9.9	*	45.6
1995.....	8.7	10.0	6.8	6.8	8.2	*	7.1	11.3	21.4	55.6
1994.....	8.5	7.7	7.1	6.0	6.8	7.3	8.3	*	27.2	53.7
1993.....	10.8	5.9	6.0	5.0	4.7	*	10.4	*	23.8	69.9
1992.....	7.8	6.8	5.3	*	5.7	*	*	10.9	25.3	58.9
1991.....	7.7	6.7	5.5	4.3	*	6.5	8.3	19.3	25.7	73.9
1990.....	7.8	6.8	5.8	4.3	*	*	9.9	18.5	33.6	92.0
1989.....	9.2	7.1	6.5	5.4	*	*	9.5	17.4	35.1	86.4
1988.....	9.6	9.4	7.8	7.1	4.8	6.3	9.2	20.3	42.6	93.8
1987.....	7.6	6.3	5.3	4.9	5.8	6.6	12.4	21.7	41.3	76.6
1986.....	5.7	5.9	5.0	4.9	*	*	16.9	24.4	47.8	68.3
1985.....	6.0	4.2	*	*	7.0	10.3	14.6	24.7	54.0	93.5
1984.....	5.2	5.8	5.2	5.0	*	6.2	13.1	27.5	58.3	80.3
1983.....	4.7	5.0	4.6	*	5.5	8.7	9.0	20.0	54.9	86.7
1982.....	4.7	4.7	*	4.6	7.8	*	14.9	28.0	47.5	60.3
1981.....	3.7	4.6	4.3	4.4	6.9	6.6	12.6	19.0	49.4	78.6
1980.....	2.8	5.0	6.3	5.6	7.0	6.6	18.8	29.4	48.0	67.9
1979.....	2.1	4.2	4.2	3.4	7.0	9.2	16.4	19.9	39.0	69.2

BLACK FEMALE

1998.....	2.6	2.9	*	*	*	*	*	5.9	14.9	37.0
1997.....	3.8	3.2	*	*	*	*	*	*	*	48.3
1996.....	2.8	3.0	*	*	*	*	*	*	18.5	40.4
1995.....	4.1	2.6	*	*	*	*	*	*	19.4	58.5
1994.....	2.3	2.4	*	*	*	*	*	7.7	21.5	65.9
1993.....	2.8	*	*	*	*	*	*	7.4	19.6	57.6
1992.....	2.7	*	*	*	*	*	*	11.8	21.2	55.5
1991.....	2.3	*	*	*	*	*	5.3	7.8	21.4	63.8
1990.....	*	*	*	*	*	*	*	9.2	23.2	56.9
1989.....	2.9	*	*	*	*	*	*	12.3	31.9	99.3
1988.....	*	*	*	*	*	*	*	15.5	34.8	85.9
1987.....	*	*	*	*	*	*	7.9	11.4	32.7	70.1
1986.....	*	*	*	*	*	4.3	9.8	17.1	31.5	88.4
1985.....	*	*	*	*	*	4.3	9.7	16.1	32.3	91.7
1984.....	*	*	*	*	*	*	9.5	18.0	33.6	80.6
1983.....	*	*	*	*	*	*	10.6	20.5	49.7	73.4
1982.....	*	*	*	*	*	*	8.0	18.7	32.6	78.8
1981.....	*	*	*	*	*	4.7	6.1	16.4	34.1	75.2
1980.....	1.2	2.5	1.9	1.2	2.1	4.5	10.9	16.6	32.0	66.0
1979.....	1.3	0.8	1.9	0.9	4.1	4.0	10.5	14.4	25.0	57.7

TREND C TABLE 292A. DEATH RATES FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
MENTAL RETARDATION (317-319)

TOTAL, BOTH SEXES										
1998	0.1	0.2	0.2	0.3	0.3	0.3	0.3	0.4	0.4	0.5
1997	0.2	0.2	0.2	0.2	0.3	0.3	0.4	0.3	0.4	*
1996	0.2	0.2	0.2	0.3	0.3	0.2	0.3	0.3	0.4	*
1995	0.2	0.1	0.2	0.3	0.3	0.4	0.4	0.4	*	*
1994	0.2	0.2	*	0.3	0.3	0.3	0.4	*	0.5	0.6
1993	0.2	0.2	0.2	0.2	0.3	0.3	0.2	*	*	*
1992	0.2	0.1	*	0.2	0.3	0.3	0.3	*	*	*
1991	0.1	0.2	*	0.3	0.2	0.2	0.3	*	*	*
1990	0.2	*	0.2	*	0.2	0.3	0.4	*	*	*
1989	*	*	0.2	*	0.2	0.2	0.3	*	*	*
1988	0.1	0.2	0.2	*	0.3	0.3	*	*	*	*
1987	*	*	*	0.2	0.2	0.2	*	*	*	*
1986	*	*	*	*	0.2	0.2	0.3	*	*	*
1985	0.2	*	*	*	*	*	*	*	*	*
1984	*	0.2	*	*	*	*	0.3	*	*	*
1983	*	0.2	0.2	0.2	0.3	*	*	*	*	*
1982	*	0.3	0.2	*	*	*	*	*	*	*
1981	*	*	0.2	0.2	0.2	*	*	*	*	*
1980	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1
1979	0.2	0.1	0.2	0.1	0.3	0.2	0.2	0.1	0.2	-
TOTAL, MALE										
1998	*	0.3	0.3	0.3	*	*	*	*	*	*
1997	0.2	0.2	0.3	*	*	0.4	*	*	*	*
1996	*	0.3	*	0.4	*	*	*	*	*	*
1995	0.2	*	*	0.4	*	0.6	*	*	*	*
1994	0.2	*	*	*	*	*	0.5	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.2	0.2	0.3	0.2	0.1	0.2	0.1	0.1	0.2	0.3
1979	0.2	0.1	0.2	0.1	0.3	0.3	0.2	0.2	0.4	-

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
MENTAL RETARDATION (317-319)

TOTAL, FEMALE										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	0.7	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.1	0.1	0.2	0.1	0.2	0.3	0.3	0.1	0.1	0.1
1979	0.1	0.1	0.2	0.2	0.3	0.1	0.1	0.1	0.1	-
WHITE, BOTH SEXES										
1998	0.1	0.2	0.3	0.3	0.3	0.4	0.3	0.4	0.5	0.5
1997	0.2	0.2	0.2	*	0.3	0.4	0.3	0.4	0.7	*
1996	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.4	*	*
1995	0.2	0.1	0.2	0.3	0.3	0.4	0.3	0.4	*	*
1994	0.2	0.2	*	0.3	0.3	0.3	0.4	*	0.6	0.7
1993	0.2	0.2	0.2	0.2	0.3	0.3	0.3	*	*	*
1992	0.2	*	*	*	0.3	0.3	0.3	*	*	*
1991	0.2	0.2	*	0.3	0.2	0.2	0.3	*	*	*
1990	0.2	*	0.2	*	0.2	0.3	0.4	*	*	*
1989	*	*	0.2	*	0.2	0.2	0.4	*	*	*
1988	0.2	*	0.2	*	0.3	0.3	*	*	*	*
1987	*	*	*	0.2	0.2	*	*	*	*	*
1986	*	*	*	*	*	0.2	0.3	*	*	*
1985	0.2	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	0.3	*	*	*
1983	*	*	0.2	0.2	0.3	*	*	*	*	*
1982	*	0.3	*	*	*	*	*	*	*	*
1981	*	*	*	0.2	*	*	*	*	*	*
1980	0.1	0.1	0.2	0.2	0.2	0.3	0.2	0.1	0.1	0.1
1979	0.1	0.1	0.2	0.1	0.3	0.2	0.2	0.1	0.2	-

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
MENTAL RETARDATION (317-319)

WHITE MALE

1998.....	*	0.3	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	0.3	*	0.4	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	0.6	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.2	0.3	0.2	0.1	0.2	0.1	0.1	0.2	0.3
1979.....	0.2	0.1	0.2	0.1	0.2	0.3	0.2	0.2	0.4	-

WHITE FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.2	0.1	0.2	0.3	0.3	0.1	0.1	0.1
1979.....	0.1	0.1	0.2	0.2	0.3	0.1	0.1	0.1	0.1	-

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
MENTAL RETARDATION (317-319)

ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.2	0.2	0.4	-	0.5	-	-	-	-
1979.....	0.3	0.1	0.2	0.1	0.3	0.1	-	0.2	-	-	-

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	0.3	-	-	-	-	-	-	-	-
1979.....	0.3	-	0.2	0.2	0.5	0.3	-	-	-	-	-

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
MENTAL RETARDATION (317-319)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	0.1	0.3	0.7	-	0.8	-	-	-
1979.....	0.4	0.1	0.1	-	0.2	-	-	0.4	-	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.2	0.2	0.5	-	0.5	-	-	-
1979.....	0.4	-	0.2	0.1	0.4	0.1	-	0.3	-	-

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
MENTAL RETARDATION (317-319)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	0.4	-	-	-	-	-	-	-	-
1979.....	0.4	-	0.2	0.2	0.5	0.3	-	-	-	-	-

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	-	0.3	0.8	-	0.9	-	-	-	-
1979.....	0.4	-	0.2	-	0.2	-	-	0.4	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)										
TOTAL, BOTH SEXES										
1998.....	4.3	6.5	8.8	13.0	20.0	33.3	61.9	120.5	228.9	463.7
1997.....	4.3	6.3	8.9	12.8	19.5	33.0	60.5	121.3	231.9	460.0
1996.....	4.3	6.3	8.5	12.2	19.9	31.5	59.3	120.0	226.9	441.6
1995.....	4.3	6.2	8.7	12.6	19.1	31.0	57.6	114.3	220.6	422.0
1994.....	4.3	6.2	8.3	12.7	19.4	30.5	56.1	109.7	204.0	390.1
1993.....	4.4	6.2	7.9	11.9	18.0	29.2	54.1	106.2	196.9	360.8
1992.....	4.3	6.0	7.9	10.8	18.1	29.6	51.8	96.2	171.2	315.8
1991.....	4.1	5.7	8.1	12.1	18.6	29.2	53.6	97.7	175.4	308.3
1990.....	4.1	5.8	8.2	11.7	18.3	30.5	54.1	101.2	178.6	303.7
1989.....	4.3	5.5	8.2	11.9	18.8	31.3	55.5	101.1	173.3	284.1
1988.....	4.2	6.2	7.7	12.5	19.4	31.0	55.5	100.5	170.8	262.9
1987.....	4.0	5.9	8.5	12.2	20.2	31.3	55.8	101.2	164.2	245.9
1986.....	4.4	5.7	8.4	12.1	19.5	31.3	53.5	96.1	148.6	204.2
1985.....	4.0	5.6	8.2	12.6	18.5	30.7	52.2	90.6	137.7	184.9
1984.....	4.1	5.9	8.0	11.9	18.9	29.5	49.8	84.0	115.2	151.4
1983.....	4.3	6.2	8.5	12.8	18.8	29.8	45.3	72.9	98.6	122.0
1982.....	4.1	5.7	8.6	11.4	17.8	26.4	40.2	59.9	80.9	98.6
1981.....	4.9	6.5	8.4	12.2	18.2	26.3	39.4	56.8	74.1	89.7
1980.....	4.5	5.9	8.8	12.1	18.2	26.0	38.6	54.9	70.8	81.6
1979.....	4.9	5.9	8.7	11.7	17.8	25.0	36.6	52.0	62.6	71.6
TOTAL, MALE										
1998.....	4.7	6.9	9.5	14.1	21.7	39.0	74.0	146.5	274.6	492.0
1997.....	5.0	7.0	9.3	13.7	21.3	38.1	72.3	147.4	281.0	494.9
1996.....	4.8	6.7	8.8	13.0	21.7	35.2	72.2	148.3	284.5	496.4
1995.....	4.7	6.7	9.5	14.5	21.0	35.9	69.4	142.0	278.7	486.3
1994.....	4.6	6.2	9.4	14.4	21.6	35.6	68.4	137.5	260.2	461.7
1993.....	5.1	6.4	8.4	12.8	20.0	34.7	66.6	136.3	255.8	424.2
1992.....	5.0	6.8	8.7	12.5	20.2	35.1	63.9	124.6	226.3	371.3
1991.....	4.5	6.3	8.5	13.5	21.7	34.6	66.2	127.6	228.0	365.0
1990.....	4.7	6.8	9.2	13.2	20.3	36.0	67.5	129.8	235.9	361.3
1989.....	5.1	6.2	8.9	13.6	22.2	38.1	69.3	133.8	229.9	333.2
1988.....	5.1	7.1	9.2	14.1	22.2	37.0	69.5	131.9	227.4	316.2
1987.....	4.8	6.6	10.0	13.2	23.7	36.5	71.7	132.9	222.6	300.6
1986.....	5.1	6.4	8.9	14.1	22.6	36.6	69.0	125.8	200.3	252.6
1985.....	4.9	6.3	9.1	13.8	21.4	36.7	67.7	119.6	186.2	234.7
1984.....	5.1	6.8	8.8	12.7	21.7	36.4	63.9	113.0	158.4	203.1
1983.....	5.2	7.0	9.6	14.4	21.5	35.7	56.8	99.2	139.3	166.0
1982.....	4.3	6.0	10.0	12.8	20.4	32.0	51.6	81.3	108.9	127.9
1981.....	5.5	7.4	9.7	13.7	21.0	32.8	50.2	78.6	101.2	112.6
1980.....	5.0	6.3	10.2	14.0	21.1	32.2	52.0	72.5	95.7	101.5
1979.....	5.3	7.1	10.1	13.7	21.4	31.3	46.0	69.3	83.6	96.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)										
TOTAL, FEMALE										
1998.....	3.9	6.1	8.2	12.0	18.5	28.4	52.5	102.1	201.7	452.0
1997.....	3.7	5.7	8.6	12.0	17.9	28.6	51.4	103.0	203.2	445.9
1996.....	3.8	6.0	8.2	11.4	18.4	28.3	49.4	100.3	193.8	419.8
1995.....	4.0	5.6	8.0	11.0	17.4	26.8	48.6	95.4	187.8	397.0
1994.....	3.9	6.1	7.3	11.1	17.4	26.3	46.7	90.9	172.9	362.5
1993.....	3.7	5.9	7.4	11.0	16.2	24.7	44.5	86.1	164.7	336.4
1992.....	3.7	5.3	7.2	9.3	16.1	25.1	42.7	77.3	141.4	294.3
1991.....	3.6	5.2	7.8	10.9	15.9	24.9	44.1	78.2	147.2	286.4
1990.....	3.6	4.8	7.1	10.4	16.5	26.1	44.1	82.7	148.2	281.4
1989.....	3.4	4.8	7.6	10.4	15.8	25.9	45.4	80.1	143.5	265.0
1988.....	3.3	5.3	6.4	11.0	16.9	26.1	45.3	80.5	141.0	242.1
1987.....	3.3	5.2	7.2	11.2	17.1	27.0	44.1	81.1	133.6	224.3
1986.....	3.7	5.1	7.9	10.3	16.8	27.0	42.2	77.4	121.5	185.0
1985.....	3.1	5.0	7.4	11.5	16.0	25.8	41.0	72.4	112.2	165.0
1984.....	3.2	5.0	7.2	11.2	16.5	24.0	39.6	65.7	92.5	130.5
1983.....	3.5	5.3	7.5	11.4	16.4	25.0	36.9	56.5	77.1	104.0
1982.....	3.9	5.4	7.4	10.2	15.5	22.0	32.0	46.6	66.2	86.4
1981.....	4.3	5.7	7.2	10.9	15.8	21.2	31.6	43.1	59.8	80.0
1980.....	4.1	5.4	7.5	10.4	15.7	21.0	29.0	43.8	57.5	72.9
1979.....	4.4	4.8	7.4	10.0	14.8	19.9	29.7	41.1	51.3	60.7
WHITE, BOTH SEXES										
1998.....	4.0	6.3	8.6	12.6	19.8	34.7	63.6	125.1	237.4	484.6
1997.....	4.2	5.9	8.8	12.6	19.5	34.2	62.4	125.5	241.0	481.5
1996.....	4.0	6.0	8.4	12.1	20.3	32.4	61.0	124.8	236.3	463.0
1995.....	4.1	5.8	8.4	12.5	19.2	31.6	58.8	119.0	227.4	440.4
1994.....	4.0	5.9	8.1	12.6	19.8	31.3	57.5	112.7	211.9	408.3
1993.....	4.1	5.9	7.8	11.6	17.8	29.7	55.6	109.7	204.2	376.0
1992.....	3.9	5.7	7.7	10.7	18.1	30.1	53.2	99.7	177.3	329.4
1991.....	3.9	5.5	7.9	12.1	18.6	29.6	54.9	101.1	182.2	321.9
1990.....	3.7	5.3	7.6	11.3	18.1	30.7	55.3	104.4	184.1	315.6
1989.....	3.9	4.9	7.6	11.6	18.2	31.5	56.4	104.0	179.2	295.9
1988.....	3.8	5.7	7.3	12.0	19.0	31.1	56.4	104.3	177.7	274.1
1987.....	3.6	5.6	8.0	11.7	19.8	31.6	57.6	104.5	171.0	257.0
1986.....	3.8	5.3	7.9	11.6	19.1	31.6	54.8	99.4	154.3	212.3
1985.....	3.6	4.9	7.7	12.3	18.2	30.9	53.1	94.2	143.4	193.2
1984.....	3.8	5.4	7.5	11.4	18.4	30.0	50.9	87.5	119.1	158.5
1983.....	3.8	5.5	8.0	12.3	18.2	30.2	46.2	75.4	101.7	126.7
1982.....	3.7	5.2	8.1	10.8	17.7	26.4	41.3	62.1	83.3	102.5
1981.....	4.4	5.9	8.0	11.9	18.1	26.5	39.7	58.6	76.1	92.5
1980.....	3.8	5.2	8.1	11.6	17.8	25.9	39.5	56.7	72.1	84.1
1979.....	4.2	5.3	8.1	11.1	17.3	25.2	37.1	53.5	64.4	73.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)										
WHITE MALE										
1998.....	4.2	6.5	9.0	13.5	21.3	40.7	76.3	152.0	286.9	517.1
1997.....	4.7	6.3	9.0	13.3	21.1	39.6	74.8	151.8	292.1	517.5
1996.....	4.4	6.4	8.6	12.7	21.9	36.1	74.4	154.7	297.2	523.9
1995.....	4.4	6.0	9.0	14.2	21.0	36.5	70.4	147.8	287.4	511.0
1994.....	4.3	6.0	9.0	14.0	22.0	36.3	69.6	141.3	270.4	485.3
1993.....	4.6	6.0	8.3	12.4	19.4	35.2	67.9	140.7	264.9	442.6
1992.....	4.4	6.5	8.3	12.1	20.3	35.7	65.3	129.0	235.2	389.5
1991.....	4.2	6.1	8.1	13.4	21.5	34.8	67.5	132.1	237.0	384.7
1990.....	4.1	6.2	8.6	12.7	19.9	35.8	68.3	133.7	243.5	379.8
1989.....	4.7	5.5	8.0	13.1	21.6	38.2	69.8	137.2	239.6	351.6
1988.....	4.6	6.1	8.7	13.5	21.4	36.6	70.6	136.9	237.0	333.7
1987.....	4.2	6.2	9.2	12.8	23.0	36.8	73.6	137.9	231.6	316.5
1986.....	4.3	5.8	8.4	13.2	21.8	36.8	70.4	130.3	209.0	266.1
1985.....	4.3	5.3	8.3	13.3	20.6	36.4	68.9	124.2	194.3	248.3
1984.....	4.7	6.1	8.1	12.0	20.8	36.7	65.3	118.3	165.1	215.3
1983.....	4.5	5.9	8.9	13.8	20.9	36.1	57.7	102.5	144.0	174.5
1982.....	3.7	5.4	9.1	11.9	20.0	31.8	52.8	84.5	113.6	134.2
1981.....	4.9	6.7	9.1	13.1	20.6	32.8	50.6	81.2	104.5	117.4
1980.....	4.2	5.4	9.1	13.2	20.3	31.7	52.8	75.2	97.9	104.4
1979.....	4.3	6.2	9.1	12.7	20.2	31.6	46.5	71.4	85.4	98.1
WHITE FEMALE										
1998.....	3.7	6.0	8.2	11.8	18.4	29.7	53.6	105.9	207.8	471.3
1997.....	3.6	5.5	8.6	11.9	18.0	29.6	52.7	106.9	210.9	467.2
1996.....	3.5	5.5	8.1	11.5	18.9	29.3	50.6	103.8	201.1	439.1
1995.....	3.8	5.5	7.9	10.9	17.5	27.4	49.8	99.1	193.5	413.2
1994.....	3.6	5.7	7.2	11.3	17.8	27.1	48.1	93.2	179.6	379.0
1993.....	3.6	5.9	7.3	10.9	16.4	25.1	46.2	88.9	171.1	350.8
1992.....	3.4	5.0	7.1	9.4	16.2	25.5	43.9	80.2	146.1	306.5
1991.....	3.6	4.8	7.8	10.9	15.9	25.3	45.4	80.7	153.1	298.2
1990.....	3.4	4.5	6.7	10.1	16.6	26.5	45.5	85.5	152.8	291.2
1989.....	3.2	4.4	7.2	10.2	15.3	26.0	46.5	82.7	147.5	274.7
1988.....	3.1	5.4	5.9	10.6	16.8	26.6	45.9	83.6	146.7	251.3
1987.....	3.1	5.1	6.8	10.6	17.1	27.4	45.8	83.4	139.5	234.0
1986.....	3.4	4.8	7.5	10.2	16.8	27.2	43.5	79.9	125.9	191.3
1985.....	2.9	4.6	7.0	11.4	16.1	26.4	41.6	75.4	116.9	171.6
1984.....	2.9	4.8	7.0	11.0	16.3	24.5	40.5	68.3	95.1	136.1
1983.....	3.2	5.0	7.1	10.9	15.9	25.4	37.8	58.5	79.7	107.4
1982.....	3.7	4.9	7.2	9.8	15.7	22.1	33.1	48.1	67.4	89.5
1981.....	3.9	5.1	6.9	10.8	15.9	21.4	31.8	44.6	61.3	82.0
1980.....	3.5	5.0	7.1	10.1	15.6	21.2	29.8	45.2	58.6	75.4
1979.....	4.0	4.4	7.2	9.7	14.8	20.1	30.4	42.3	53.3	62.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)										
ALL OTHER, BOTH SEXES										
1998.....	5.7	7.7	10.0	15.3	21.5	23.6	48.3	80.0	143.0	265.9
1997.....	5.1	8.5	9.9	14.0	20.0	24.4	44.9	83.3	140.0	254.8
1996.....	6.1	8.4	9.4	12.6	17.5	24.6	44.9	76.2	131.9	236.7
1995.....	5.4	8.5	10.3	13.7	18.7	26.5	47.4	70.8	150.5	235.5
1994.....	5.8	8.0	9.9	13.1	16.6	24.8	43.6	81.4	123.2	202.5
1993.....	6.0	7.6	8.3	13.4	19.2	25.6	40.4	72.5	122.0	203.2
1992.....	6.7	7.7	9.7	11.5	17.4	25.4	39.9	62.9	108.3	172.8
1991.....	4.9	7.3	9.5	12.4	18.8	26.6	41.5	66.0	105.3	164.6
1990.....	6.6	8.8	11.6	14.4	19.4	29.0	43.4	70.8	121.7	177.4
1989.....	6.3	8.8	12.1	14.5	23.0	30.4	47.3	73.3	111.7	159.8
1988.....	6.1	8.8	10.8	15.6	22.6	29.9	47.7	64.4	98.4	143.1
1987.....	6.6	7.6	12.2	15.8	22.9	28.1	39.1	70.1	91.6	125.8
1986.....	7.6	8.4	11.2	15.8	22.2	28.6	41.2	64.9	87.2	116.5
1985.....	6.3	10.0	12.3	14.8	21.0	28.9	43.8	56.3	75.4	93.3
1984.....	6.2	8.8	11.1	15.4	23.0	25.5	39.1	49.6	72.2	73.3
1983.....	7.3	10.6	12.1	16.8	23.4	26.0	36.9	49.3	63.4	70.3
1982.....	6.7	9.5	12.3	16.5	18.3	26.5	29.9	38.9	55.0	55.3
1981.....	8.1	10.9	11.9	15.2	19.6	25.1	36.6	39.3	51.0	58.9
1980.....	8.8	10.6	14.2	16.4	21.4	26.8	30.7	36.9	55.0	53.0
1979.....	9.5	10.8	13.2	17.2	22.6	22.8	31.1	37.7	41.1	48.3
ALL OTHER MALE										
1998.....	7.0	9.2	12.5	17.7	24.3	27.3	54.1	95.4	146.4	272.0
1997.....	6.5	10.8	11.2	16.0	23.1	27.5	50.1	105.0	164.9	298.1
1996.....	7.1	8.9	10.1	14.9	20.2	28.5	52.4	86.9	153.1	257.3
1995.....	6.2	11.3	12.4	16.5	21.1	31.4	60.9	84.8	187.3	254.7
1994.....	6.4	7.6	12.4	17.2	18.3	29.7	56.6	99.6	156.6	240.2
1993.....	8.0	9.3	8.8	15.5	24.9	30.4	54.7	92.1	163.9	252.2
1992.....	8.8	8.9	11.5	14.7	19.8	29.8	50.6	82.0	136.6	201.4
1991.....	6.1	7.4	11.4	14.4	23.3	32.2	53.6	82.6	139.5	183.7
1990.....	9.0	10.8	13.8	16.9	23.8	37.4	60.4	92.5	160.1	188.0
1989.....	7.7	10.8	15.1	17.8	27.2	37.7	64.6	101.4	133.1	163.0
1988.....	8.0	13.2	12.9	18.5	28.5	40.4	59.0	84.9	132.5	154.4
1987.....	9.0	9.1	15.6	16.5	29.8	33.7	54.1	86.0	133.0	151.9
1986.....	10.3	10.0	12.4	21.5	29.4	33.8	56.3	83.8	112.0	126.7
1985.....	8.6	12.7	15.1	17.6	27.9	39.4	55.7	76.2	102.9	106.8
1984.....	7.8	11.7	14.1	18.6	29.3	33.2	50.5	63.9	90.1	88.9
1983.....	9.7	14.5	14.5	19.4	27.3	31.7	48.5	68.5	90.7	82.9
1982.....	8.5	10.5	17.0	20.8	24.0	33.7	40.5	50.5	60.6	67.2
1981.....	9.8	12.4	15.0	18.8	25.3	32.2	46.6	54.8	67.0	64.1
1980.....	10.5	13.3	19.1	21.0	27.9	36.8	44.7	48.0	72.2	72.4
1979.....	12.5	14.1	18.5	22.5	32.6	28.2	41.7	50.0	64.0	76.3

RACE, AND SEX:		UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)									
CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)											
ALL OTHER FEMALE											
1998.....	4.6	6.4	7.9	13.3	19.4	20.8	44.2	69.7	141.1	263.0	
1997.....	3.9	6.6	8.8	12.4	17.6	22.1	41.3	69.1	126.0	235.1	
1996.....	5.1	8.1	8.8	10.6	15.5	21.7	39.6	69.3	120.0	227.4	
1995.....	4.6	6.1	8.6	11.5	16.8	22.9	38.1	61.9	130.4	227.2	
1994.....	5.3	8.3	7.7	9.8	15.2	21.1	34.6	70.0	104.9	186.1	
1993.....	4.4	6.1	7.9	11.7	14.8	22.0	30.4	60.3	98.6	181.9	
1992.....	4.9	6.7	8.1	8.8	15.6	22.2	32.6	51.0	92.3	159.9	
1991.....	3.8	7.2	7.9	10.8	15.4	22.5	33.3	55.7	85.6	155.0	
1990.....	4.5	7.1	9.8	12.5	16.1	22.8	31.8	57.4	99.9	172.6	
1989.....	5.0	7.2	9.5	11.8	19.9	24.9	35.5	55.8	99.5	158.3	
1988.....	4.5	5.1	9.0	13.3	18.0	22.1	40.0	51.4	78.4	137.9	
1987.....	4.5	6.2	9.3	15.2	17.6	23.9	28.9	59.8	67.9	113.5	
1986.....	5.3	6.9	10.3	11.2	16.5	24.7	30.9	52.6	73.4	111.5	
1985.....	4.3	7.7	9.9	12.6	15.5	20.9	35.6	43.3	59.4	87.3	
1984.....	4.8	6.3	8.7	12.8	18.1	19.7	31.0	40.1	61.3	65.5	
1983.....	5.2	7.4	10.1	14.7	20.3	21.8	28.7	36.4	47.3	64.0	
1982.....	5.2	8.6	8.4	12.9	13.7	21.1	22.2	30.9	51.6	48.9	
1981.....	6.6	9.7	9.4	12.3	15.0	19.7	29.2	28.7	41.3	56.3	
1980.....	7.4	8.3	10.2	12.6	16.3	19.1	20.3	29.3	44.4	43.0	
1979.....	7.0	8.0	8.9	12.7	14.5	18.8	23.1	29.1	27.0	34.2	
BLACK, BOTH SEXES											
1998.....	7.2	9.7	12.8	17.5	25.8	26.4	55.5	93.5	160.9	280.9	
1997.....	6.5	10.5	12.7	16.8	24.6	28.5	50.8	89.9	154.2	270.8	
1996.....	7.8	10.7	11.7	16.0	20.9	27.4	49.8	82.9	144.6	255.0	
1995.....	6.7	10.8	12.5	15.9	22.0	30.5	53.1	76.1	160.9	245.9	
1994.....	7.3	10.2	12.0	15.5	19.8	27.9	48.4	88.0	131.8	209.0	
1993.....	7.7	9.8	10.7	16.4	22.1	28.7	47.1	78.9	131.3	201.8	
1992.....	8.5	10.1	12.0	13.9	21.2	28.5	44.4	67.5	117.1	179.7	
1991.....	6.0	9.7	11.9	15.5	22.3	29.3	46.9	70.6	113.5	172.8	
1990.....	8.4	11.2	14.5	17.4	22.5	32.5	47.6	75.3	128.3	183.7	
1989.....	8.1	11.2	14.9	16.8	26.6	34.2	52.9	80.4	118.4	162.7	
1988.....	7.7	10.9	13.4	18.3	25.4	32.1	53.4	70.0	104.8	144.4	
1987.....	8.1	9.3	14.2	18.2	25.5	30.4	43.1	74.6	95.4	125.0	
1986.....	9.4	10.1	13.0	18.0	24.6	31.4	44.8	70.2	87.1	115.9	
1985.....	7.8	12.4	14.8	16.7	24.1	31.7	47.1	57.8	75.9	94.4	
1984.....	7.6	10.6	13.2	17.6	26.2	28.1	40.5	51.5	73.3	73.2	
1983.....	9.2	12.1	14.1	18.9	25.6	28.4	38.3	49.4	66.1	64.7	
1982.....	8.2	11.3	14.0	18.4	20.8	28.5	33.0	40.9	56.9	55.1	
1981.....	9.4	12.7	13.0	16.6	21.6	25.9	38.9	39.8	56.0	61.3	
1980.....	10.2	12.2	15.9	17.9	23.2	28.4	32.8	38.4	57.4	54.1	
1979.....	10.8	11.9	14.3	18.3	24.0	23.4	32.0	36.6	36.8	47.4	

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)										
BLACK MALE										
1998.....	8.9	11.2	15.7	21.0	28.9	31.0	64.1	112.4	168.0	278.2
1997.....	8.4	13.2	14.1	18.9	28.4	31.8	56.1	114.3	187.7	311.9
1996.....	8.9	11.4	13.0	19.2	23.7	30.4	61.1	91.5	175.4	256.8
1995.....	7.5	13.9	15.0	19.8	24.5	35.8	67.4	92.1	205.0	262.6
1994.....	8.1	9.5	14.8	21.6	21.7	33.7	63.2	107.0	172.3	251.4
1993.....	10.0	12.0	11.8	19.1	28.3	32.5	64.7	100.4	180.0	231.2
1992.....	11.3	11.8	14.5	18.2	25.3	32.6	56.2	89.3	147.2	201.0
1991.....	7.6	10.1	14.3	18.1	27.3	36.0	63.3	87.8	154.5	194.2
1990.....	11.4	14.1	17.2	20.2	26.8	42.4	65.2	98.5	172.9	190.1
1989.....	9.9	13.6	19.3	22.5	31.7	42.3	73.0	114.6	144.3	174.2
1988.....	9.9	17.2	16.1	21.2	33.0	45.2	66.0	96.0	138.3	152.3
1987.....	11.2	11.2	18.4	19.4	33.3	36.9	60.6	91.4	141.3	150.0
1986.....	12.8	12.6	14.5	24.9	32.5	38.2	62.9	90.1	110.0	114.3
1985.....	10.7	15.8	19.0	19.6	32.7	44.5	60.6	78.8	102.3	106.5
1984.....	10.0	14.5	16.9	21.0	34.3	36.8	53.1	67.1	86.9	93.4
1983.....	12.5	17.0	16.5	22.1	30.8	33.7	49.6	70.3	93.9	78.3
1982.....	10.8	12.5	19.8	23.4	27.7	36.2	45.0	52.2	62.5	62.1
1981.....	11.7	14.5	16.8	20.8	27.8	33.9	50.6	53.8	74.0	69.6
1980.....	12.3	15.6	21.3	23.3	30.1	39.7	48.6	50.3	77.3	79.2
1979.....	14.9	15.6	20.0	24.3	35.2	29.6	43.8	47.8	53.2	69.2
BLACK FEMALE										
1998.....	5.8	8.4	10.4	14.8	23.5	22.9	49.5	81.5	157.1	282.0
1997.....	4.9	8.3	11.5	15.2	21.8	26.0	47.1	74.5	136.9	253.8
1996.....	6.8	10.1	10.8	13.5	18.8	25.2	42.2	77.5	128.8	254.2
1995.....	5.9	8.1	10.5	12.8	20.1	26.6	43.5	66.2	138.5	239.1
1994.....	6.5	10.9	9.8	10.8	18.4	23.7	38.5	76.5	111.2	191.8
1993.....	5.8	7.9	9.8	14.2	17.5	25.9	35.2	66.2	106.2	189.8
1992.....	6.1	8.6	10.0	10.5	18.0	25.4	36.5	54.7	101.5	170.8
1991.....	4.7	9.4	9.9	13.5	18.5	24.5	36.1	60.4	92.3	163.8
1990.....	5.8	8.7	12.4	15.1	19.3	25.2	36.1	61.7	105.3	181.0
1989.....	6.6	9.3	11.3	12.2	22.6	28.4	39.8	60.1	104.9	158.8
1988.....	5.9	5.7	11.2	15.9	19.6	22.7	45.0	54.4	87.1	140.9
1987.....	5.6	7.8	10.7	17.2	19.6	25.6	31.5	64.4	70.8	113.9
1986.....	6.5	8.0	11.7	12.4	18.5	26.5	32.7	58.0	74.5	116.7
1985.....	5.4	9.5	11.4	14.3	17.4	22.3	38.2	44.7	61.4	88.7
1984.....	5.7	7.3	10.1	14.8	19.9	21.7	32.2	41.7	65.8	63.6
1983.....	6.5	8.1	12.1	16.2	21.7	24.4	30.8	35.9	50.3	58.1
1982.....	6.1	10.3	9.3	14.4	15.4	22.7	24.7	33.9	53.6	51.7
1981.....	7.5	11.2	9.9	13.3	16.7	20.0	30.7	30.7	45.5	56.6
1980.....	8.4	9.4	11.5	13.5	17.9	19.9	21.5	30.6	45.5	41.5
1979.....	7.4	8.8	9.7	13.4	15.2	18.8	23.6	28.8	26.6	36.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF THE NERVOUS SYSTEM (320-359)										
TOTAL, BOTH SEXES										
1998.....	4.3	6.5	8.8	13.0	20.0	33.3	61.8	120.4	228.6	462.9
1997.....	4.3	6.3	8.9	12.8	19.5	32.9	60.4	121.3	231.7	459.0
1996.....	4.3	6.3	8.5	12.1	19.9	31.4	59.2	119.9	226.7	441.1
1995.....	4.3	6.1	8.7	12.6	19.1	30.9	57.6	114.2	220.4	421.5
1994.....	4.2	6.2	8.3	12.6	19.3	30.5	56.1	109.6	203.9	389.4
1993.....	4.4	6.1	7.9	11.8	18.0	29.2	54.0	106.0	196.7	359.9
1992.....	4.3	6.0	7.9	10.8	18.0	29.6	51.7	96.0	170.9	315.4
1991.....	4.0	5.7	8.1	12.1	18.5	29.2	53.5	97.6	175.3	307.6
1990.....	4.1	5.8	8.1	11.7	18.2	30.5	54.0	101.0	178.3	302.8
1989.....	4.2	5.5	8.2	11.9	18.8	31.2	55.4	100.9	173.1	283.1
1988.....	4.2	6.1	7.7	12.4	19.4	31.0	55.4	100.4	170.4	262.0
1987.....	4.0	5.8	8.5	12.1	20.1	31.2	55.7	101.1	164.0	245.1
1986.....	4.4	5.7	8.3	12.1	19.4	31.2	53.3	95.9	148.3	203.2
1985.....	4.0	5.6	8.2	12.5	18.5	30.6	52.1	90.4	137.4	184.2
1984.....	4.1	5.8	8.0	11.9	18.8	29.4	49.6	83.7	115.0	150.4
1983.....	4.3	6.1	8.5	12.7	18.7	29.7	45.1	72.9	98.4	120.8
1982.....	4.1	5.7	8.6	11.4	17.8	26.4	40.1	59.7	80.5	97.7
1981.....	4.9	6.5	8.4	12.2	18.1	26.2	39.2	56.5	73.7	88.4
1980.....	4.5	5.9	8.7	12.0	18.1	25.8	38.4	54.7	70.2	80.4
1979.....	4.8	5.9	8.6	11.7	17.7	24.9	36.4	51.8	62.2	70.6
TOTAL, MALE										
1998.....	4.7	6.9	9.4	14.0	21.6	39.0	73.9	146.2	274.2	491.5
1997.....	5.0	7.0	9.3	13.6	21.3	38.1	72.2	147.3	280.9	493.9
1996.....	4.8	6.7	8.8	13.0	21.6	35.2	72.1	148.2	284.3	495.6
1995.....	4.6	6.7	9.5	14.4	20.9	35.9	69.3	141.9	278.4	485.4
1994.....	4.6	6.2	9.4	14.3	21.5	35.5	68.3	137.5	260.1	461.0
1993.....	5.1	6.4	8.4	12.8	20.0	34.7	66.5	136.0	255.7	423.6
1992.....	5.0	6.8	8.7	12.4	20.1	35.1	63.7	124.6	225.9	370.7
1991.....	4.5	6.3	8.5	13.5	21.6	34.4	66.1	127.4	227.8	364.2
1990.....	4.7	6.8	9.2	13.2	20.2	35.9	67.4	129.7	235.4	360.5
1989.....	5.1	6.2	8.9	13.6	22.2	38.0	69.2	133.7	229.8	332.4
1988.....	5.0	7.0	9.2	14.0	22.2	36.9	69.4	131.9	226.8	315.7
1987.....	4.8	6.5	9.9	13.2	23.6	36.3	71.7	132.7	222.3	299.7
1986.....	5.1	6.4	8.9	14.1	22.5	36.4	68.7	125.5	200.0	251.5
1985.....	4.8	6.3	9.1	13.8	21.3	36.6	67.5	119.3	185.7	233.8
1984.....	5.1	6.7	8.8	12.6	21.6	36.2	63.7	112.8	158.3	202.0
1983.....	5.1	7.0	9.6	14.3	21.4	35.6	56.6	99.2	139.0	164.6
1982.....	4.3	6.0	10.0	12.8	20.4	31.9	51.4	81.2	108.3	126.8
1981.....	5.5	7.3	9.7	13.7	20.9	32.7	50.1	78.1	100.9	110.8
1980.....	4.9	6.3	10.2	13.9	21.0	32.1	51.8	72.3	95.2	100.7
1979.....	5.3	7.1	10.0	13.6	21.2	31.2	45.8	69.3	82.8	95.3

RACE, AND SEX:		UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)									
CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
DISEASES OF THE NERVOUS SYSTEM (320-359)											
TOTAL, FEMALE											
1998.....	3.9	6.1	8.1	12.0	18.5	28.4	52.4	102.0	201.5	451.1	
1997.....	3.7	5.6	8.6	12.0	17.9	28.5	51.4	103.0	202.9	445.0	
1996.....	3.8	5.9	8.2	11.4	18.4	28.3	49.4	100.2	193.6	419.5	
1995.....	4.0	5.6	7.9	10.9	17.4	26.8	48.6	95.3	187.7	396.6	
1994.....	3.9	6.1	7.3	11.1	17.3	26.3	46.7	90.7	172.7	361.8	
1993.....	3.7	5.9	7.4	11.0	16.2	24.7	44.4	85.9	164.4	335.4	
1992.....	3.7	5.3	7.2	9.3	16.1	25.1	42.7	77.2	141.2	294.0	
1991.....	3.6	5.1	7.8	10.9	15.8	24.9	44.1	78.1	147.2	285.7	
1990.....	3.5	4.8	7.1	10.3	16.5	26.1	44.0	82.6	148.0	280.5	
1989.....	3.4	4.8	7.6	10.3	15.8	25.8	45.3	80.0	143.1	263.9	
1988.....	3.3	5.3	6.3	10.9	16.9	26.1	45.2	80.3	140.6	241.1	
1987.....	3.3	5.2	7.2	11.2	17.1	27.0	44.1	81.1	133.4	223.6	
1986.....	3.7	5.1	7.9	10.3	16.8	26.9	42.1	77.3	121.3	184.1	
1985.....	3.1	5.0	7.4	11.4	16.0	25.7	41.0	72.2	112.0	164.4	
1984.....	3.2	4.9	7.2	11.1	16.4	23.9	39.5	65.4	92.3	129.5	
1983.....	3.4	5.3	7.5	11.3	16.4	24.9	36.8	56.4	77.0	102.8	
1982.....	3.9	5.4	7.3	10.1	15.5	21.9	31.8	46.3	65.9	85.5	
1981.....	4.3	5.7	7.2	10.9	15.7	21.1	31.4	43.0	59.3	78.8	
1980.....	4.0	5.4	7.4	10.4	15.6	20.8	28.8	43.7	56.9	71.5	
1979.....	4.4	4.8	7.4	9.9	14.7	19.8	29.6	40.8	51.2	59.7	
WHITE, BOTH SEXES											
1998.....	4.0	6.2	8.6	12.6	19.7	34.7	63.5	125.0	237.1	483.9	
1997.....	4.2	5.9	8.8	12.6	19.4	34.2	62.3	125.5	240.7	480.5	
1996.....	4.0	5.9	8.3	12.1	20.3	32.4	61.0	124.6	236.1	462.5	
1995.....	4.1	5.7	8.4	12.4	19.1	31.5	58.8	118.9	227.2	439.9	
1994.....	4.0	5.9	8.0	12.6	19.7	31.2	57.5	112.6	211.8	407.6	
1993.....	4.1	5.9	7.8	11.6	17.8	29.7	55.5	109.5	204.0	375.2	
1992.....	3.9	5.7	7.6	10.7	18.1	30.1	53.1	99.6	177.0	329.0	
1991.....	3.9	5.5	7.9	12.1	18.5	29.5	54.9	101.0	182.1	321.2	
1990.....	3.7	5.3	7.6	11.3	18.1	30.7	55.2	104.2	183.9	314.8	
1989.....	3.9	4.9	7.6	11.5	18.2	31.4	56.3	103.9	179.0	294.9	
1988.....	3.8	5.7	7.2	12.0	19.0	31.1	56.3	104.2	177.2	273.3	
1987.....	3.6	5.6	8.0	11.6	19.8	31.5	57.5	104.4	170.8	256.2	
1986.....	3.8	5.3	7.9	11.6	19.1	31.5	54.6	99.2	154.1	211.2	
1985.....	3.6	4.9	7.6	12.2	18.2	30.8	53.0	94.0	143.1	192.4	
1984.....	3.8	5.4	7.5	11.4	18.3	29.8	50.8	87.3	118.9	157.5	
1983.....	3.8	5.4	8.0	12.2	18.2	30.1	46.0	75.3	101.5	125.4	
1982.....	3.7	5.1	8.1	10.8	17.7	26.4	41.2	61.9	82.8	101.7	
1981.....	4.4	5.8	7.9	11.8	18.0	26.4	39.5	58.3	75.8	91.2	
1980.....	3.8	5.2	8.0	11.5	17.7	25.8	39.3	56.6	71.6	82.8	
1979.....	4.2	5.3	8.1	11.0	17.2	25.1	36.9	53.2	64.1	72.6	

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF THE NERVOUS SYSTEM (320-359)										
WHITE MALE										
1998.....	4.2	6.5	9.0	13.5	21.2	40.7	76.2	151.7	286.5	516.8
1997.....	4.7	6.3	9.0	13.3	21.0	39.6	74.7	151.7	292.0	516.4
1996.....	4.4	6.4	8.6	12.7	21.8	36.0	74.3	154.5	297.0	523.0
1995.....	4.3	5.9	9.0	14.1	21.0	36.5	70.3	147.6	287.2	510.2
1994.....	4.3	6.0	8.9	13.9	21.9	36.2	69.6	141.3	270.2	484.5
1993.....	4.6	5.9	8.3	12.4	19.3	35.2	67.8	140.4	264.8	442.1
1992.....	4.4	6.5	8.2	12.1	20.2	35.7	65.2	128.9	234.8	388.9
1991.....	4.2	6.1	8.1	13.4	21.4	34.7	67.4	132.0	236.7	383.8
1990.....	4.1	6.2	8.5	12.6	19.8	35.8	68.2	133.5	243.1	379.2
1989.....	4.7	5.5	8.0	13.0	21.6	38.0	69.7	137.0	239.5	350.8
1988.....	4.6	6.1	8.6	13.5	21.4	36.6	70.5	136.8	236.3	333.1
1987.....	4.2	6.1	9.1	12.8	22.9	36.6	73.5	137.7	231.2	315.5
1986.....	4.3	5.8	8.4	13.2	21.8	36.7	70.1	130.0	208.7	264.8
1985.....	4.3	5.3	8.3	13.3	20.6	36.3	68.8	124.0	193.9	247.2
1984.....	4.7	6.0	8.1	11.9	20.7	36.5	65.1	118.1	165.0	214.2
1983.....	4.5	5.9	8.9	13.7	20.8	36.1	57.5	102.5	143.7	173.3
1982.....	3.7	5.4	9.1	11.8	20.0	31.8	52.7	84.4	112.9	133.2
1981.....	4.8	6.6	9.1	13.1	20.5	32.7	50.5	80.6	104.2	116.0
1980.....	4.1	5.4	9.1	13.1	20.3	31.6	52.7	75.0	97.3	103.4
1979.....	4.3	6.2	9.0	12.6	20.1	31.5	46.2	71.4	84.7	97.2
WHITE FEMALE										
1998.....	3.7	6.0	8.2	11.8	18.3	29.6	53.5	105.8	207.6	470.4
1997.....	3.6	5.5	8.6	11.9	17.9	29.5	52.7	106.8	210.6	466.3
1996.....	3.5	5.5	8.1	11.5	18.9	29.3	50.6	103.6	200.9	438.7
1995.....	3.8	5.5	7.8	10.8	17.5	27.4	49.8	98.9	193.4	412.8
1994.....	3.6	5.7	7.2	11.3	17.7	27.1	48.1	93.0	179.4	378.2
1993.....	3.6	5.9	7.3	10.9	16.4	25.1	46.1	88.6	170.8	349.9
1992.....	3.4	5.0	7.0	9.4	16.2	25.5	43.8	80.1	145.9	306.1
1991.....	3.6	4.8	7.8	10.9	15.8	25.2	45.4	80.5	153.0	297.6
1990.....	3.4	4.5	6.6	10.0	16.6	26.5	45.5	85.3	152.7	290.3
1989.....	3.2	4.4	7.2	10.1	15.3	25.9	46.4	82.5	147.3	273.7
1988.....	3.1	5.4	5.9	10.6	16.8	26.6	45.8	83.4	146.3	250.3
1987.....	3.1	5.0	6.8	10.6	17.0	27.4	45.7	83.3	139.4	233.2
1986.....	3.4	4.8	7.5	10.2	16.8	27.1	43.3	79.8	125.7	190.4
1985.....	2.9	4.6	7.0	11.3	16.1	26.3	41.6	75.2	116.7	171.0
1984.....	2.9	4.7	7.0	10.9	16.2	24.4	40.4	68.1	95.0	135.0
1983.....	3.2	5.0	7.1	10.9	15.9	25.3	37.7	58.4	79.5	106.1
1982.....	3.7	4.9	7.2	9.8	15.7	22.0	32.9	47.9	67.1	88.7
1981.....	3.9	5.0	6.9	10.7	15.8	21.2	31.6	44.4	60.9	80.9
1980.....	3.5	5.0	7.1	10.1	15.5	21.1	29.7	45.1	58.1	73.9
1979.....	4.0	4.4	7.2	9.6	14.7	19.9	30.2	42.0	53.1	61.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF THE NERVOUS SYSTEM (320-359)										
ALL OTHER, BOTH SEXES										
1998.....	5.7	7.7	9.9	15.3	21.4	23.5	48.2	79.8	142.3	264.6
1997.....	5.1	8.5	9.8	13.9	20.0	24.3	44.9	83.1	139.7	253.7
1996.....	6.1	8.4	9.3	12.5	17.4	24.6	44.7	76.2	131.4	236.7
1995.....	5.3	8.5	10.3	13.7	18.6	26.5	47.4	70.7	150.3	234.9
1994.....	5.8	8.0	9.7	13.1	16.4	24.7	43.6	81.2	123.0	202.5
1993.....	6.0	7.5	8.3	13.3	19.2	25.6	40.4	72.1	121.4	201.2
1992.....	6.6	7.7	9.6	11.5	17.3	25.3	39.8	62.7	108.0	172.5
1991.....	4.8	7.1	9.5	12.4	18.7	26.6	41.4	66.0	105.3	164.2
1990.....	6.5	8.8	11.6	14.3	19.3	28.9	43.0	70.8	120.2	175.8
1989.....	6.2	8.8	12.1	14.4	22.9	30.3	47.2	73.3	111.1	157.4
1988.....	6.1	8.8	10.8	15.5	22.5	29.7	47.4	64.2	98.1	142.7
1987.....	6.5	7.6	12.1	15.7	22.7	28.0	39.1	69.7	91.2	125.8
1986.....	7.6	8.2	11.2	15.7	22.2	28.5	41.0	64.3	86.9	116.5
1985.....	6.3	10.0	12.3	14.8	20.9	28.8	43.8	56.2	75.1	93.3
1984.....	6.2	8.7	11.0	15.3	22.9	25.5	38.6	48.8	71.8	72.8
1983.....	7.1	10.6	12.1	16.8	23.0	25.9	36.6	49.3	63.4	68.9
1982.....	6.7	9.2	12.2	16.2	18.3	26.2	29.4	38.4	55.0	53.3
1981.....	8.1	10.9	11.9	15.1	19.4	25.0	36.5	39.0	49.8	55.8
1980.....	8.8	10.6	14.1	16.3	21.1	26.7	30.0	36.4	53.7	52.4
1979.....	9.5	10.7	13.1	17.2	22.4	22.8	31.1	37.7	40.2	47.7
ALL OTHER MALE										
1998.....	7.0	9.2	12.4	17.7	24.0	27.3	54.1	95.4	145.7	269.5
1997.....	6.5	10.8	11.1	15.8	23.1	27.5	50.1	104.6	164.9	298.1
1996.....	7.1	8.9	10.1	14.9	20.0	28.5	52.2	86.9	153.1	257.3
1995.....	6.1	11.3	12.4	16.3	20.9	31.4	60.9	84.8	186.5	253.6
1994.....	6.4	7.6	12.2	17.2	18.3	29.5	56.6	99.1	156.6	240.2
1993.....	7.8	9.2	8.8	15.5	24.9	30.4	54.7	91.6	163.9	251.1
1992.....	8.6	8.9	11.5	14.7	19.6	29.6	50.3	82.0	136.6	200.3
1991.....	6.0	7.2	11.4	14.4	23.1	32.2	53.6	82.6	139.5	183.7
1990.....	8.9	10.8	13.8	16.9	23.8	37.4	60.1	92.5	158.5	186.7
1989.....	7.6	10.8	15.1	17.7	27.2	37.5	64.2	101.4	133.1	161.7
1988.....	7.9	13.2	12.9	18.3	28.4	39.9	58.7	84.9	131.6	154.4
1987.....	9.0	9.1	15.5	16.5	29.8	33.7	54.1	85.6	133.0	151.9
1986.....	10.3	10.0	12.4	21.4	29.4	33.8	55.6	83.3	112.0	126.7
1985.....	8.6	12.7	15.1	17.6	27.9	39.4	55.7	75.7	101.9	106.8
1984.....	7.8	11.6	14.1	18.4	29.1	33.2	49.8	63.9	90.1	87.5
1983.....	9.5	14.5	14.5	19.4	26.6	31.4	48.1	68.5	90.7	80.0
1982.....	8.4	10.0	16.8	20.5	24.0	33.2	39.8	50.5	60.6	64.2
1981.....	9.8	12.4	15.0	18.6	24.9	32.2	46.6	54.3	65.9	59.4
1980.....	10.5	13.3	19.1	21.0	27.6	36.8	43.2	47.4	72.2	72.4
1979.....	12.4	14.1	18.4	22.5	32.4	28.2	41.7	50.0	61.6	74.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF THE NERVOUS SYSTEM (320-359)										
ALL OTHER FEMALE										
1998.....	4.5	6.4	7.9	13.3	19.4	20.6	44.0	69.5	140.4	262.3
1997.....	3.9	6.5	8.7	12.4	17.6	22.0	41.3	69.1	125.6	233.6
1996.....	5.1	8.1	8.7	10.5	15.5	21.7	39.5	69.3	119.2	227.4
1995.....	4.6	6.1	8.5	11.5	16.8	22.9	38.1	61.7	130.4	226.7
1994.....	5.2	8.3	7.7	9.8	15.0	21.1	34.6	70.0	104.5	186.1
1993.....	4.4	6.0	7.9	11.5	14.8	22.0	30.4	60.1	97.8	179.5
1992.....	4.9	6.7	8.0	8.8	15.5	22.2	32.6	50.8	91.9	159.9
1991.....	3.8	7.0	7.9	10.8	15.4	22.5	33.1	55.7	85.6	154.5
1990.....	4.5	7.1	9.8	12.2	15.8	22.7	31.3	57.4	98.6	170.9
1989.....	5.0	7.2	9.5	11.8	19.6	24.9	35.5	55.8	98.6	155.4
1988.....	4.5	5.0	8.9	13.3	18.0	22.1	39.8	51.2	78.4	137.3
1987.....	4.4	6.2	9.3	15.0	17.3	23.7	28.9	59.5	67.3	113.5
1986.....	5.3	6.7	10.3	11.1	16.5	24.6	30.9	52.0	72.9	111.5
1985.....	4.3	7.7	9.9	12.6	15.4	20.8	35.6	43.3	59.4	87.3
1984.....	4.8	6.2	8.4	12.7	18.1	19.7	30.8	38.8	60.7	65.5
1983.....	5.1	7.4	10.1	14.7	20.1	21.8	28.5	36.4	47.3	63.3
1982.....	5.2	8.5	8.4	12.8	13.7	21.0	21.9	30.2	51.6	47.4
1981.....	6.6	9.7	9.4	12.3	15.0	19.5	28.9	28.7	40.0	54.0
1980.....	7.4	8.3	10.1	12.5	15.9	18.9	20.1	28.9	42.3	42.1
1979.....	7.0	7.9	8.9	12.7	14.3	18.8	23.1	29.1	27.0	34.2
BLACK, BOTH SEXES										
1998.....	7.2	9.7	12.7	17.5	25.6	26.3	55.4	93.4	160.0	279.9
1997.....	6.5	10.5	12.5	16.7	24.6	28.5	50.8	89.7	153.9	269.4
1996.....	7.8	10.7	11.7	15.9	20.9	27.4	49.6	82.9	144.0	255.0
1995.....	6.6	10.8	12.5	15.8	21.9	30.5	53.1	75.9	160.6	245.6
1994.....	7.2	10.2	11.9	15.5	19.6	27.8	48.4	87.8	131.5	209.0
1993.....	7.7	9.6	10.7	16.2	22.1	28.7	47.1	78.5	130.6	199.5
1992.....	8.4	10.1	11.9	13.9	21.0	28.4	44.2	67.3	116.7	179.2
1991.....	6.0	9.4	11.9	15.5	22.2	29.3	46.8	70.6	113.5	172.4
1990.....	8.3	11.2	14.5	17.2	22.4	32.3	47.3	75.3	126.6	181.9
1989.....	8.1	11.2	14.9	16.7	26.4	34.1	52.8	80.4	118.1	160.0
1988.....	7.7	10.8	13.3	18.2	25.3	31.9	53.1	69.8	104.4	143.9
1987.....	8.1	9.3	14.1	18.1	25.4	30.3	43.1	74.1	95.1	125.0
1986.....	9.4	9.9	13.0	17.8	24.6	31.3	44.5	69.5	86.7	115.9
1985.....	7.8	12.4	14.8	16.7	23.9	31.6	47.1	57.6	75.5	94.4
1984.....	7.6	10.4	13.0	17.4	26.1	28.1	40.2	50.6	72.9	72.6
1983.....	9.0	12.1	14.1	18.9	25.2	28.2	38.0	49.4	66.1	63.6
1982.....	8.2	11.1	13.9	18.1	20.8	28.1	32.5	40.4	56.9	54.0
1981.....	9.4	12.7	13.0	16.6	21.4	25.7	38.7	39.6	54.5	58.3
1980.....	10.2	12.2	15.8	17.8	22.9	28.3	31.9	37.9	55.9	53.4
1979.....	10.7	11.8	14.3	18.3	23.8	23.4	32.0	36.6	36.3	46.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF THE NERVOUS SYSTEM (320-359)										
BLACK MALE										
1998.....	8.9	11.2	15.6	21.0	28.4	31.0	64.1	112.4	167.1	277.1
1997.....	8.4	13.2	14.0	18.7	28.4	31.8	56.1	113.8	187.7	311.9
1996.....	8.9	11.4	13.0	19.2	23.7	30.4	60.7	91.5	175.4	256.8
1995.....	7.4	13.9	15.0	19.6	24.2	35.8	67.4	92.1	204.1	262.6
1994.....	8.1	9.5	14.4	21.6	21.7	33.4	63.2	106.5	172.3	251.4
1993.....	9.8	11.9	11.8	19.1	28.3	32.5	64.7	99.8	180.0	229.9
1992.....	11.1	11.8	14.5	18.2	25.0	32.3	55.9	89.3	147.2	199.5
1991.....	7.5	9.8	14.3	18.1	27.0	36.0	63.3	87.8	154.5	194.2
1990.....	11.3	14.1	17.2	20.2	26.8	42.4	64.8	98.5	170.8	188.6
1989.....	9.7	13.6	19.3	22.3	31.7	42.0	72.6	114.6	144.3	172.7
1988.....	9.8	17.2	16.1	21.0	32.8	44.6	65.6	96.0	137.2	152.3
1987.....	11.2	11.2	18.2	19.4	33.3	36.9	60.6	90.9	141.3	150.0
1986.....	12.8	12.6	14.5	24.7	32.5	38.2	62.1	89.5	110.0	114.3
1985.....	10.7	15.8	19.0	19.6	32.7	44.5	60.6	78.2	101.1	106.5
1984.....	10.0	14.3	16.9	20.8	34.1	36.8	52.7	67.1	86.9	91.8
1983.....	12.2	17.0	16.5	22.1	30.0	33.4	49.2	70.3	93.9	76.7
1982.....	10.6	12.3	19.6	22.9	27.7	35.6	44.2	52.2	62.5	60.3
1981.....	11.7	14.5	16.8	20.8	27.3	33.9	50.6	53.2	72.7	64.3
1980.....	12.3	15.6	21.3	23.3	29.8	39.7	46.9	49.7	77.3	79.2
1979.....	14.7	15.6	19.8	24.3	34.9	29.6	43.8	47.8	51.9	67.3
BLACK FEMALE										
1998.....	5.7	8.4	10.4	14.8	23.5	22.8	49.3	81.2	156.2	281.1
1997.....	4.9	8.2	11.4	15.2	21.8	26.0	47.1	74.5	136.5	251.8
1996.....	6.8	10.1	10.6	13.3	18.8	25.2	42.0	77.5	127.8	254.2
1995.....	5.9	8.1	10.4	12.8	20.1	26.6	43.5	65.9	138.5	238.6
1994.....	6.5	10.9	9.8	10.8	18.0	23.7	38.5	76.5	110.7	191.8
1993.....	5.8	7.8	9.8	13.9	17.5	25.9	35.2	65.9	105.3	187.0
1992.....	6.1	8.6	9.8	10.5	17.9	25.4	36.5	54.4	101.0	170.8
1991.....	4.7	9.1	9.9	13.5	18.5	24.5	35.8	60.4	92.3	163.2
1990.....	5.8	8.7	12.4	14.8	19.1	25.0	35.8	61.7	103.7	179.1
1989.....	6.6	9.3	11.3	12.2	22.3	28.4	39.8	60.1	104.3	155.6
1988.....	5.9	5.5	11.0	15.9	19.6	22.7	44.7	54.1	87.1	140.3
1987.....	5.5	7.8	10.7	17.1	19.4	25.4	31.5	64.0	70.2	113.9
1986.....	6.5	7.7	11.7	12.3	18.5	26.3	32.7	57.3	73.9	116.7
1985.....	5.4	9.5	11.4	14.3	17.2	22.1	38.2	44.7	61.4	88.7
1984.....	5.7	7.2	9.8	14.7	19.9	21.7	31.9	40.2	65.1	63.6
1983.....	6.3	8.1	12.1	16.2	21.5	24.4	30.6	35.9	50.3	57.3
1982.....	6.1	10.2	9.3	14.2	15.4	22.5	24.4	33.1	53.6	50.8
1981.....	7.5	11.2	9.9	13.3	16.7	19.7	30.4	30.7	43.9	54.9
1980.....	8.4	9.4	11.3	13.3	17.4	19.7	21.2	30.2	43.1	40.5
1979.....	7.4	8.7	9.7	13.4	15.0	18.8	23.6	28.8	26.6	36.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MENINGITIS (320-322)										
TOTAL, BOTH SEXES										
1998.....	0.2	0.3	0.3	0.3	0.4	0.5	0.5	0.8	1.1	1.0
1997.....	0.2	0.2	0.3	0.4	0.4	0.5	0.5	1.0	1.0	1.4
1996.....	0.2	0.3	0.3	0.3	0.4	0.5	0.7	0.9	1.2	1.3
1995.....	0.2	0.3	0.3	0.3	0.6	0.5	0.5	0.6	1.0	1.5
1994.....	0.2	0.2	0.3	0.4	0.5	0.4	0.8	0.8	1.2	1.4
1993.....	0.2	0.3	0.3	0.3	0.4	0.7	0.7	1.0	1.4	1.5
1992.....	0.2	0.2	0.3	0.4	0.4	0.6	0.7	1.0	1.3	1.8
1991.....	0.2	0.2	0.2	0.4	0.5	0.8	0.9	1.1	1.8	2.4
1990.....	0.2	0.3	0.4	0.5	0.6	0.7	1.0	1.1	1.6	2.0
1989.....	0.3	0.3	0.4	0.4	0.6	0.9	0.9	1.0	1.6	2.2
1988.....	0.1	0.3	0.3	0.5	0.7	0.9	1.3	1.6	1.9	2.8
1987.....	0.2	0.3	0.5	0.5	0.7	0.7	1.1	1.1	2.0	2.9
1986.....	0.2	0.3	0.3	0.5	0.9	0.8	1.2	1.5	1.9	2.6
1985.....	0.2	0.2	0.4	0.6	0.6	0.8	1.3	1.9	2.2	2.4
1984.....	0.2	0.2	0.4	0.6	0.7	0.7	1.0	1.5	2.3	2.4
1983.....	0.2	0.4	0.3	0.5	0.8	1.0	1.2	1.5	1.9	2.4
1982.....	0.2	0.3	0.4	0.5	0.7	0.8	1.0	1.5	1.7	3.4
1981.....	0.2	0.5	0.4	0.7	0.8	0.9	1.0	1.5	1.9	2.9
1980.....	0.2	0.3	0.4	0.5	0.8	0.9	1.4	1.2	2.1	2.0
1979.....	0.3	0.3	0.4	0.6	0.8	1.0	1.2	1.4	2.0	2.1
TOTAL, MALE										
1998.....	0.3	0.4	0.4	0.4	*	0.7	0.8	1.0	1.2	*
1997.....	0.3	0.4	0.4	0.5	0.5	0.7	0.7	1.2	*	*
1996.....	0.3	0.4	0.4	*	0.6	0.6	0.8	1.1	1.3	*
1995.....	0.2	0.3	0.4	0.5	0.6	0.6	0.6	0.8	*	*
1994.....	0.2	0.3	0.4	0.4	0.5	0.4	0.8	1.0	*	2.1
1993.....	0.3	0.3	*	*	0.5	0.9	0.7	1.2	1.7	*
1992.....	0.3	*	0.4	0.7	0.4	0.5	0.9	1.0	1.5	*
1991.....	0.3	0.3	*	0.4	0.7	0.7	0.7	1.0	1.8	3.0
1990.....	0.3	0.3	0.5	0.5	0.7	1.0	1.0	1.1	1.6	2.6
1989.....	0.4	0.4	0.4	0.4	0.7	1.1	0.9	*	1.9	2.8
1988.....	*	0.4	0.4	0.7	0.8	0.9	1.2	1.5	1.6	3.5
1987.....	0.3	0.4	0.6	0.5	1.1	0.8	1.7	1.3	1.9	2.8
1986.....	0.3	*	*	0.6	1.1	1.0	1.1	1.9	2.3	2.6
1985.....	*	*	0.4	0.7	0.6	0.9	1.7	2.0	2.1	2.6
1984.....	*	*	0.5	0.8	0.8	0.9	1.1	2.3	2.4	*
1983.....	*	0.5	0.4	0.5	1.0	1.0	1.2	1.5	*	2.7
1982.....	*	*	0.5	0.7	1.0	1.0	1.2	1.1	*	4.3
1981.....	0.4	0.6	0.6	0.8	0.9	1.0	1.1	1.6	*	3.4
1980.....	0.3	0.3	0.6	0.7	1.2	1.0	1.6	1.6	2.7	1.9
1979.....	0.4	0.4	0.5	0.8	1.0	1.2	1.3	1.6	2.4	2.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MENINGITIS (320-322)										
TOTAL, FEMALE										
1998.....	0.2	*	*	*	0.4	0.4	*	0.6	0.9	1.2
1997.....	*	*	*	*	*	0.4	0.4	1.0	0.9	1.4
1996.....	*	*	*	*	*	0.4	0.6	0.8	1.1	1.3
1995.....	*	0.3	*	*	0.5	0.4	0.5	0.6	1.0	1.5
1994.....	*	*	*	*	0.5	0.4	0.8	0.7	1.2	1.1
1993.....	*	*	*	*	*	0.5	0.6	0.9	1.2	1.4
1992.....	*	*	*	*	0.4	0.6	0.6	1.0	1.1	1.7
1991.....	*	*	*	*	0.4	0.8	1.0	1.2	1.7	2.2
1990.....	*	*	*	0.5	0.6	0.7	0.9	1.1	1.5	1.8
1989.....	*	*	0.4	*	0.5	0.7	1.0	1.1	1.5	2.0
1988.....	*	*	*	*	0.5	0.8	1.4	1.6	2.1	2.5
1987.....	*	*	0.4	0.4	0.4	0.7	0.8	0.9	2.0	3.0
1986.....	*	*	0.4	0.5	0.7	0.7	1.3	1.2	1.7	2.5
1985.....	*	*	0.4	0.5	0.5	0.8	1.0	1.8	2.2	2.3
1984.....	*	*	*	0.5	0.6	0.5	0.9	1.0	2.2	2.6
1983.....	*	*	*	0.4	0.6	0.9	1.1	1.6	2.0	2.2
1982.....	*	*	*	0.4	0.5	0.7	0.9	1.7	1.8	3.0
1981.....	*	0.4	*	0.6	0.7	0.7	1.0	1.4	2.1	2.7
1980.....	0.2	0.2	0.3	0.4	0.5	0.8	1.2	0.9	1.7	2.1
1979.....	0.2	0.3	0.3	0.4	0.6	0.8	1.2	1.2	1.8	2.0
WHITE, BOTH SEXES										
1998.....	0.2	0.2	0.2	0.2	0.3	0.4	0.5	0.8	1.0	1.0
1997.....	0.1	0.2	0.2	0.3	0.4	0.4	0.5	1.0	0.9	1.3
1996.....	0.2	0.2	0.2	0.2	0.4	0.4	0.6	0.9	1.1	1.1
1995.....	0.1	0.2	0.2	0.2	0.5	0.5	0.5	0.5	0.9	1.4
1994.....	0.1	0.2	0.2	0.3	0.5	0.4	0.8	0.7	1.2	1.2
1993.....	0.2	0.2	0.2	0.3	0.3	0.6	0.6	1.0	1.2	1.3
1992.....	*	*	0.2	0.3	0.4	0.5	0.7	1.0	1.1	1.8
1991.....	0.1	0.2	0.2	0.4	0.4	0.7	0.7	1.0	1.5	1.9
1990.....	0.2	0.2	0.3	0.4	0.6	0.7	0.8	0.9	1.3	1.7
1989.....	0.2	*	0.3	0.2	0.5	0.7	0.7	0.9	1.6	1.9
1988.....	*	*	*	0.4	0.5	0.7	1.2	1.3	1.6	2.4
1987.....	*	0.2	0.3	0.3	0.6	0.6	1.0	0.9	1.8	2.5
1986.....	*	*	0.3	0.5	0.7	0.7	1.1	1.3	1.8	2.2
1985.....	*	*	0.3	0.6	0.4	0.7	1.2	1.7	2.0	2.3
1984.....	*	*	0.3	0.5	0.5	0.5	0.9	1.3	2.0	2.3
1983.....	0.2	0.3	0.3	0.4	0.7	0.7	0.9	1.5	1.7	2.3
1982.....	0.2	*	0.3	0.4	0.6	0.8	0.9	1.2	1.5	3.2
1981.....	*	0.3	0.3	0.5	0.6	0.7	0.8	1.2	1.7	2.8
1980.....	0.2	0.2	0.3	0.5	0.7	0.6	1.2	1.0	1.9	1.7
1979.....	0.2	0.2	0.3	0.4	0.7	0.8	1.1	1.2	1.8	1.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MENINGITIS (320-322)										
WHITE MALE										
1998.....	0.2	0.3	*	*	*	0.5	0.6	1.0	*	*
1997.....	*	0.3	*	0.5	*	*	0.7	1.1	*	*
1996.....	0.2	0.3	0.4	*	*	0.6	0.7	1.1	*	*
1995.....	*	*	0.4	*	0.5	0.7	0.6	*	*	*
1994.....	*	*	*	*	0.6	*	0.8	*	*	*
1993.....	*	*	*	*	*	0.8	0.6	1.2	*	*
1992.....	*	*	*	0.5	*	0.5	0.8	1.0	*	*
1991.....	*	*	*	*	0.5	0.7	0.7	0.9	*	2.5
1990.....	*	*	*	*	0.7	0.7	0.9	0.9	*	*
1989.....	*	*	*	*	0.5	1.0	0.8	*	1.9	2.8
1988.....	*	*	*	0.6	0.7	0.8	1.1	1.2	*	2.9
1987.....	*	*	0.4	*	0.9	0.7	1.6	1.1	*	2.9
1986.....	*	*	*	0.5	0.8	0.9	1.0	1.6	2.3	*
1985.....	*	*	*	0.6	0.5	0.7	1.5	1.5	2.1	*
1984.....	*	*	*	0.5	0.6	0.6	1.0	2.1	2.0	*
1983.....	*	*	*	0.5	0.8	0.9	1.0	1.3	*	3.0
1982.....	*	*	*	0.5	0.7	0.9	1.1	*	*	3.8
1981.....	*	0.5	0.5	0.7	0.7	0.7	0.9	1.3	*	3.3
1980.....	0.2	0.2	0.5	0.5	1.1	0.7	1.4	1.4	2.7	1.6
1979.....	0.2	0.3	0.4	0.6	0.7	1.0	1.2	1.3	2.2	1.3
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	0.6	0.9	1.2
1997.....	*	*	*	*	*	*	*	0.9	0.9	1.3
1996.....	*	*	*	*	*	*	0.5	0.7	1.1	1.1
1995.....	*	*	*	*	0.5	*	*	*	0.8	1.4
1994.....	*	*	*	*	0.4	*	0.8	0.7	1.2	1.0
1993.....	*	*	*	*	*	0.4	0.5	0.9	1.2	1.2
1992.....	*	*	*	*	0.4	0.4	0.6	1.0	1.0	1.9
1991.....	*	*	*	*	*	0.7	0.8	1.1	1.5	1.7
1990.....	*	*	*	0.4	0.5	0.7	0.8	0.9	1.4	1.6
1989.....	*	*	*	*	0.4	0.6	0.7	1.0	1.4	1.6
1988.....	*	*	*	*	0.4	0.7	1.3	1.3	1.8	2.2
1987.....	*	*	*	*	*	0.6	0.6	0.7	2.0	2.3
1986.....	*	*	*	0.4	0.6	0.6	1.2	1.1	1.5	2.1
1985.....	*	*	*	0.5	0.4	0.7	0.9	1.8	2.0	2.2
1984.....	*	*	*	0.4	0.4	*	0.9	0.9	2.0	2.3
1983.....	*	*	*	0.4	0.5	0.6	0.8	1.6	1.9	2.0
1982.....	*	*	*	*	0.4	0.6	0.8	1.4	1.5	2.9
1981.....	*	*	*	0.4	0.6	0.7	0.7	1.2	2.0	2.6
1980.....	0.1	0.1	0.2	0.4	0.4	0.6	1.1	0.8	1.5	1.8
1979.....	0.1	0.1	0.3	0.3	0.6	0.6	1.0	1.1	1.7	1.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MENINGITIS (320-322)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	0.8	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	7.3
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	0.9	1.1	1.3	*	1.9	2.0	2.7	*	*	*
1988.....	*	1.2	*	*	*	2.3	*	4.1	*	*
1987.....	*	*	1.5	*	1.7	*	*	*	*	*
1986.....	*	*	*	*	2.4	*	2.7	*	*	*
1985.....	*	*	*	*	1.7	*	2.7	*	*	*
1984.....	*	*	*	1.9	1.9	*	*	*	*	*
1983.....	*	*	*	*	*	2.9	3.2	*	*	*
1982.....	*	*	*	*	2.1	*	*	*	*	*
1981.....	*	1.6	*	2.1	1.9	2.3	3.1	*	*	*
1980.....	0.6	0.9	1.3	1.1	1.8	3.3	3.1	2.7	4.4	5.0
1979.....	1.0	1.4	1.1	2.0	2.4	3.0	2.3	3.0	3.6	7.5
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	1.4	1.3	1.8	2.2	3.9	3.6	3.3	3.4	4.9
1979.....	1.7	1.1	1.7	2.9	3.7	3.1	1.9	3.8	4.7	11.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MENINGITIS (320-322)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.4	1.2	0.6	1.4	2.8	2.7	2.3	4.9	5.1
1979.....	0.4	1.6	0.7	1.2	1.3	3.0	2.6	2.3	2.9	5.3
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	1.2	1.4	*	*	*	*	*	*	*	*
1988.....	*	1.5	*	*	*	2.5	*	4.7	*	*
1987.....	*	*	2.0	*	2.1	*	*	*	*	*
1986.....	*	*	*	*	2.5	*	*	*	*	*
1985.....	*	*	*	*	2.1	*	3.2	*	*	*
1984.....	*	*	*	2.1	2.2	*	*	*	*	*
1983.....	*	*	*	*	*	3.4	3.8	*	*	*
1982.....	*	*	*	*	2.5	*	*	*	*	*
1981.....	*	1.8	*	2.1	*	*	3.4	*	*	*
1980.....	0.8	1.0	1.4	1.3	1.9	3.5	3.5	3.1	4.5	4.4
1979.....	1.1	1.4	1.2	2.0	2.7	2.8	2.6	3.0	4.0	8.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MENINGITIS (320-322)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	1.5	1.4	2.1	2.3	3.9	4.3	3.9	4.0	5.7
1979.....	2.1	1.1	1.8	3.2	4.3	3.0	2.2	3.7	5.2	13.5
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.9	0.5	1.4	0.7	1.6	3.1	3.0	2.6	4.8	3.8
1979.....	0.3	1.6	0.6	1.0	1.5	2.7	2.9	2.5	3.2	5.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PARKINSON'S DISEASE (332)										
TOTAL, BOTH SEXES										
1998.....	*	*	0.1	0.5	1.6	5.0	16.6	38.9	75.9	112.3
1997.....	*	*	0.2	0.5	1.7	5.1	14.7	37.8	74.3	107.7
1996.....	*	*	*	0.5	1.6	4.4	15.2	37.5	71.9	105.4
1995.....	*	*	0.2	0.6	1.5	4.4	14.2	34.6	67.3	98.1
1994.....	*	*	0.2	0.5	1.5	4.6	13.8	32.5	63.7	89.2
1993.....	*	*	*	0.3	1.3	3.9	12.8	31.3	59.0	84.0
1992.....	*	*	*	0.4	1.5	4.2	11.5	28.0	50.3	69.5
1991.....	*	*	*	0.4	1.2	4.0	11.9	27.2	49.6	68.7
1990.....	*	*	*	0.3	1.2	4.2	12.1	28.5	50.0	65.7
1989.....	*	*	*	0.4	1.3	4.5	12.1	27.2	49.1	62.5
1988.....	*	*	*	0.4	1.4	4.1	11.4	25.1	46.7	57.9
1987.....	*	*	*	0.3	1.4	4.2	12.1	27.1	44.9	55.2
1986.....	*	*	*	0.4	1.4	4.2	10.7	24.4	41.6	48.0
1985.....	*	*	*	0.4	1.1	3.9	10.5	23.0	40.1	45.5
1984.....	*	*	*	0.6	1.3	4.0	11.0	23.8	37.1	39.4
1983.....	*	*	*	0.7	1.5	4.0	10.5	22.8	34.6	35.0
1982.....	*	*	*	0.4	1.4	3.8	10.0	20.7	31.2	33.0
1981.....	*	*	*	0.4	1.6	4.0	11.0	20.3	30.0	28.6
1980.....	0.0	0.0	0.2	0.6	1.4	4.2	10.1	20.8	28.8	28.5
1979.....	0.0	0.0	0.1	0.5	1.6	4.3	10.6	19.1	26.0	25.0
TOTAL, MALE										
1998.....	*	*	*	0.7	2.0	7.4	24.6	58.7	118.2	186.3
1997.....	*	*	*	0.6	2.1	7.6	21.9	57.8	118.4	178.3
1996.....	*	*	*	0.6	2.0	6.3	24.1	59.0	115.0	184.6
1995.....	*	*	*	0.8	2.0	6.2	21.2	52.6	108.1	172.1
1994.....	*	*	*	0.6	2.0	6.7	21.1	50.4	105.2	161.6
1993.....	*	*	*	0.4	1.6	5.8	19.7	51.0	97.5	151.2
1992.....	*	*	*	0.5	1.9	6.2	17.8	44.3	84.2	123.2
1991.....	*	*	*	0.7	1.9	5.6	17.6	45.4	82.9	120.2
1990.....	*	*	*	*	1.5	6.0	18.5	45.9	85.5	116.4
1989.....	*	*	*	0.5	1.8	6.6	18.7	43.5	80.1	103.6
1988.....	*	*	*	0.5	1.7	5.7	17.4	40.2	76.7	98.9
1987.....	*	*	*	0.4	1.8	5.8	18.6	44.1	72.6	94.0
1986.....	*	*	*	0.4	1.8	6.3	16.5	37.6	67.3	81.8
1985.....	*	*	*	0.5	1.4	5.4	16.2	34.9	62.1	74.9
1984.....	*	*	*	0.8	1.9	5.8	16.0	35.8	58.5	66.0
1983.....	*	*	*	0.9	2.2	5.6	15.0	35.7	54.9	58.2
1982.....	*	*	*	0.5	1.8	5.2	14.7	32.2	48.9	53.1
1981.....	*	*	*	0.5	2.1	5.9	15.8	30.1	46.8	43.2
1980.....	0.0	0.0	0.3	0.7	1.8	6.0	15.4	29.1	43.5	43.1
1979.....	0.0	0.1	0.1	0.6	2.1	6.0	14.8	28.0	37.7	36.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PARKINSON'S DISEASE (332)										
TOTAL, FEMALE										
1998.....	*	*	*	*	1.3	3.0	10.4	24.9	50.8	81.7
1997.....	*	*	*	0.5	1.4	3.1	9.2	23.8	48.6	79.2
1996.....	*	*	*	0.4	1.2	2.9	8.4	22.6	47.0	73.9
1995.....	*	*	*	0.4	1.0	3.0	8.8	22.2	44.3	69.3
1994.....	*	*	*	0.4	1.0	2.8	8.2	20.4	40.7	61.3
1993.....	*	*	*	*	1.1	2.4	7.5	18.2	38.0	58.2
1992.....	*	*	*	*	1.1	2.6	6.7	17.2	32.0	48.8
1991.....	*	*	*	*	0.6	2.8	7.6	15.3	31.9	48.7
1990.....	*	*	*	*	0.9	2.7	7.4	17.3	31.1	46.1
1989.....	*	*	*	0.4	0.8	2.8	7.2	16.8	32.8	46.5
1988.....	*	*	*	*	1.2	2.7	6.9	15.5	30.9	41.9
1987.....	*	*	*	*	1.0	2.9	7.3	16.4	30.3	40.0
1986.....	*	*	*	0.4	1.1	2.5	6.5	16.0	28.1	34.6
1985.....	*	*	*	*	0.8	2.7	6.4	15.4	28.6	33.8
1984.....	*	*	*	0.4	0.9	2.6	7.4	16.3	25.8	28.6
1983.....	*	*	*	0.5	1.0	2.7	7.3	14.7	23.9	25.5
1982.....	*	*	*	*	1.1	2.8	6.5	13.5	21.8	24.7
1981.....	*	*	*	0.3	1.2	2.6	7.5	14.1	21.1	22.3
1980.....	-	0.0	0.1	0.4	1.0	2.8	6.3	15.6	21.0	22.1
1979.....	0.0	0.0	0.1	0.4	1.1	2.9	7.6	13.6	19.7	19.8
WHITE, BOTH SEXES										
1998.....	*	*	0.1	0.4	1.7	5.4	17.8	41.1	80.4	118.6
1997.....	*	*	0.2	0.6	1.9	5.5	15.7	40.1	78.8	114.1
1996.....	*	*	*	0.5	1.7	4.7	16.0	39.8	76.4	112.3
1995.....	*	*	0.2	0.6	1.5	4.6	14.9	36.7	70.9	104.2
1994.....	*	*	0.2	0.5	1.7	4.8	14.5	34.3	67.2	94.4
1993.....	*	*	*	0.3	1.4	4.2	13.5	33.4	62.2	88.7
1992.....	*	*	*	0.4	1.6	4.4	12.2	29.6	52.9	73.5
1991.....	*	*	*	0.4	1.3	4.2	12.5	28.5	52.7	72.7
1990.....	*	*	*	0.3	1.3	4.3	12.8	29.9	52.6	69.5
1989.....	*	*	*	0.5	1.3	4.7	12.5	28.6	51.8	65.9
1988.....	*	*	*	0.4	1.5	4.2	11.9	26.5	49.3	61.3
1987.....	*	*	*	0.4	1.4	4.5	12.7	28.6	47.2	58.7
1986.....	*	*	*	0.4	1.5	4.4	11.2	25.9	44.0	50.7
1985.....	*	*	*	0.4	1.1	4.0	11.1	24.4	42.5	48.3
1984.....	*	*	*	0.6	1.3	4.3	11.5	25.3	39.0	41.9
1983.....	*	*	*	0.7	1.6	4.1	11.0	24.1	36.1	37.1
1982.....	*	*	*	0.4	1.5	4.0	10.4	22.0	33.1	34.9
1981.....	*	*	*	0.4	1.7	4.3	11.5	21.6	31.7	30.2
1980.....	0.0	0.0	0.2	0.6	1.4	4.5	10.8	21.9	30.1	30.0
1979.....	0.0	0.1	0.1	0.5	1.6	4.5	11.0	20.3	27.5	26.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PARKINSON'S DISEASE (332)										
WHITE MALE										
1998.....	*	*	*	0.6	2.1	8.0	26.2	62.0	125.2	197.3
1997.....	*	*	*	0.7	2.3	8.0	23.1	61.1	124.9	189.5
1996.....	*	*	*	0.6	2.1	6.7	25.2	62.4	122.1	198.7
1995.....	*	*	*	0.8	2.1	6.4	22.2	55.6	114.1	183.7
1994.....	*	*	*	0.6	2.2	6.9	21.9	52.9	110.8	171.8
1993.....	*	*	*	*	1.6	6.2	20.7	54.0	102.3	159.6
1992.....	*	*	*	0.5	2.1	6.4	18.8	46.6	88.6	131.2
1991.....	*	*	*	0.7	1.9	5.8	18.4	47.7	88.3	128.9
1990.....	*	*	*	*	1.6	6.1	19.4	48.3	90.2	124.4
1989.....	*	*	*	0.6	1.8	6.9	19.3	45.4	84.9	110.4
1988.....	*	*	*	0.5	1.8	6.0	18.1	42.3	81.0	106.0
1987.....	*	*	*	0.5	1.8	6.1	19.6	46.4	76.0	101.1
1986.....	*	*	*	0.4	1.8	6.5	17.0	39.9	71.5	86.1
1985.....	*	*	*	0.6	1.5	5.5	17.2	36.9	66.2	80.2
1984.....	*	*	*	0.8	1.9	6.1	16.6	38.2	61.7	71.4
1983.....	*	*	*	0.9	2.2	5.6	15.6	37.9	57.5	62.0
1982.....	*	*	*	0.5	1.8	5.4	15.3	34.2	52.3	56.9
1981.....	*	*	*	0.5	2.3	6.3	16.5	31.9	49.8	46.5
1980.....	0.0	0.0	0.3	0.8	1.9	6.3	16.5	30.8	45.6	45.6
1979.....	0.0	0.1	0.2	0.7	2.1	6.3	15.4	29.9	39.9	38.6
WHITE FEMALE										
1998.....	*	*	*	*	1.3	3.2	11.1	26.2	53.7	86.3
1997.....	*	*	*	0.5	1.5	3.4	9.9	25.2	51.7	84.2
1996.....	*	*	*	0.4	1.3	3.1	8.9	23.9	49.9	78.4
1995.....	*	*	*	0.4	1.1	3.1	9.2	23.6	46.5	73.6
1994.....	*	*	*	0.4	1.2	3.0	8.8	21.6	43.0	64.9
1993.....	*	*	*	*	1.3	2.6	8.0	19.4	40.3	61.9
1992.....	*	*	*	*	1.2	2.8	7.1	18.2	33.6	51.5
1991.....	*	*	*	*	0.7	2.9	8.0	16.0	33.8	51.3
1990.....	*	*	*	*	1.0	2.8	7.8	18.0	32.7	48.7
1989.....	*	*	*	0.4	0.8	3.0	7.5	17.7	34.4	48.9
1988.....	*	*	*	*	1.3	2.8	7.3	16.3	32.8	44.2
1987.....	*	*	*	*	1.0	3.1	7.7	17.3	32.2	42.3
1986.....	*	*	*	*	1.3	2.7	7.0	17.0	29.7	36.9
1985.....	*	*	*	*	0.8	2.8	6.8	16.5	30.2	35.8
1984.....	*	*	*	*	0.9	2.8	7.7	17.2	27.2	30.2
1983.....	*	*	*	0.5	1.0	2.8	7.6	15.4	24.9	27.0
1982.....	*	*	*	*	1.2	2.9	6.9	14.4	23.0	25.9
1981.....	*	*	*	*	1.3	2.7	8.0	15.2	22.2	23.4
1980.....	-	0.0	0.1	0.4	1.0	3.0	6.8	16.4	22.0	23.3
1979.....	0.0	0.0	0.1	0.4	1.2	3.0	7.8	14.4	20.9	20.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PARKINSON'S DISEASE (332)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	2.5	7.5	19.3	30.5	52.9
1997.....	*	*	*	*	*	2.3	7.0	17.3	29.3	46.0
1996.....	*	*	*	*	*	2.3	8.7	17.2	25.8	39.4
1995.....	*	*	*	*	*	3.0	8.3	14.6	30.7	36.0
1994.....	*	*	*	*	*	3.0	7.9	15.8	28.0	35.5
1993.....	*	*	*	*	*	1.7	6.7	11.9	26.3	35.5
1992.....	*	*	*	*	*	2.7	5.3	13.2	23.8	27.6
1991.....	*	*	*	*	*	2.9	6.5	14.5	17.9	26.3
1990.....	*	*	*	*	*	3.5	6.3	15.2	23.0	25.3
1989.....	*	*	*	*	*	2.5	7.8	14.7	21.6	26.6
1988.....	*	*	*	*	*	2.7	6.7	12.4	18.8	21.4
1987.....	*	*	*	*	*	2.2	5.7	13.1	19.8	17.9
1986.....	*	*	*	*	*	2.5	6.3	10.1	16.2	19.5
1985.....	*	*	*	*	*	3.0	4.9	9.4	14.0	15.2
1984.....	*	*	*	*	*	*	7.1	10.1	15.8	11.5
1983.....	*	*	*	*	*	3.2	6.5	10.4	17.9	12.4
1982.....	*	*	*	*	*	2.3	5.8	8.2	9.6	12.1
1981.....	*	*	*	*	*	*	5.8	7.4	10.0	*
1980.....	-	-	0.1	0.4	0.7	1.9	3.4	9.5	13.1	10.6
1979.....	-	-	-	0.2	1.1	2.7	6.7	7.5	8.5	10.3
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	10.9	28.1	45.3	89.6
1997.....	*	*	*	*	*	4.2	11.2	26.9	50.7	81.3
1996.....	*	*	*	*	*	*	14.6	26.1	41.0	62.5
1995.....	*	*	*	*	*	4.3	12.5	22.8	45.7	63.2
1994.....	*	*	*	*	*	5.2	13.5	25.7	47.8	65.6
1993.....	*	*	*	*	*	*	11.0	20.0	48.2	73.1
1992.....	*	*	*	*	*	4.4	8.0	22.1	39.5	48.9
1991.....	*	*	*	*	*	*	10.1	23.5	29.5	39.5
1990.....	*	*	*	*	*	5.9	10.3	23.2	38.8	41.8
1989.....	*	*	*	*	*	4.6	13.3	25.2	32.2	40.7
1988.....	*	*	*	*	*	*	10.6	19.6	34.2	32.9
1987.....	*	*	*	*	*	*	9.1	21.9	38.4	27.3
1986.....	*	*	*	*	*	5.0	11.8	15.7	25.0	41.3
1985.....	*	*	*	*	*	*	7.0	16.5	20.0	*
1984.....	*	*	*	*	*	*	10.4	13.9	25.7	*
1983.....	*	*	*	*	*	5.5	8.9	15.2	27.8	*
1982.....	*	*	*	*	*	*	9.7	13.5	*	*
1981.....	*	*	*	*	*	*	9.9	13.4	*	*
1980.....	-	-	0.3	0.5	0.7	3.4	5.4	13.4	20.6	18.1
1979.....	-	-	-	-	1.6	3.4	8.7	10.4	15.1	18.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PARKINSON'S DISEASE (332)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	5.0	13.4	22.1	36.1
1997.....	*	*	*	*	*	*	4.1	11.1	17.2	30.1
1996.....	*	*	*	*	*	*	4.5	11.5	17.3	29.0
1995.....	*	*	*	*	*	*	5.4	9.4	22.4	24.3
1994.....	*	*	*	*	*	*	3.9	9.6	17.1	22.5
1993.....	*	*	*	*	*	*	*	6.9	14.0	19.0
1992.....	*	*	*	*	*	*	*	7.6	15.0	17.9
1991.....	*	*	*	*	*	*	4.1	8.9	11.4	20.1
1990.....	*	*	*	*	*	*	*	10.3	14.1	17.9
1989.....	*	*	*	*	*	*	*	8.2	15.6	20.0
1988.....	*	*	*	*	*	*	*	7.8	9.8	16.0
1987.....	*	*	*	*	*	*	*	7.4	*	13.5
1986.....	*	*	*	*	*	*	*	6.5	11.2	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	4.7	7.6	*	*
1983.....	*	*	*	*	*	*	4.8	7.1	12.1	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.3	0.7	0.8	1.9	6.8	8.5	6.7
1979.....	-	-	-	0.5	0.8	2.2	5.2	5.4	4.4	6.1
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	2.2	8.2	19.7	30.0	46.7
1997.....	*	*	*	*	*	2.5	7.2	14.1	26.8	41.7
1996.....	*	*	*	*	*	*	8.9	16.0	25.6	36.0
1995.....	*	*	*	*	*	3.3	7.7	13.1	28.3	31.0
1994.....	*	*	*	*	*	2.8	7.9	13.2	27.2	35.5
1993.....	*	*	*	*	*	*	7.0	11.4	25.2	27.7
1992.....	*	*	*	*	*	2.6	4.4	12.6	23.3	23.6
1991.....	*	*	*	*	*	2.5	6.8	12.5	18.5	23.7
1990.....	*	*	*	*	*	3.3	5.8	13.6	19.8	20.7
1989.....	*	*	*	*	*	2.7	7.9	14.2	20.2	23.2
1988.....	*	*	*	*	*	*	6.4	12.1	17.3	19.2
1987.....	*	*	*	*	*	*	5.4	11.9	18.3	14.9
1986.....	*	*	*	*	*	2.5	6.9	9.9	13.7	17.4
1985.....	*	*	*	*	*	3.1	4.9	8.8	11.8	13.8
1984.....	*	*	*	*	*	*	6.7	9.5	13.1	*
1983.....	*	*	*	*	*	3.3	5.5	10.2	17.6	*
1982.....	*	*	*	*	*	*	5.7	7.7	9.6	11.9
1981.....	*	*	*	*	*	*	6.0	7.7	10.5	*
1980.....	-	-	0.2	0.5	0.7	1.9	3.9	8.8	12.0	9.4
1979.....	-	-	-	0.2	1.1	2.7	6.5	6.8	7.5	6.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PARKINSON'S DISEASE (332)										
BLACK MALE										
1998.....	*	*	*	*	*	*	12.7	29.1	47.1	81.2
1997.....	*	*	*	*	*	*	11.7	21.6	47.8	70.1
1996.....	*	*	*	*	*	*	15.8	24.2	44.1	52.8
1995.....	*	*	*	*	*	*	10.7	21.1	47.5	56.8
1994.....	*	*	*	*	*	5.2	12.6	21.8	47.8	66.8
1993.....	*	*	*	*	*	*	11.2	20.2	49.5	53.8
1992.....	*	*	*	*	*	*	*	22.3	38.0	40.2
1991.....	*	*	*	*	*	*	12.1	18.2	29.7	33.3
1990.....	*	*	*	*	*	5.8	9.9	20.7	34.6	34.7
1989.....	*	*	*	*	*	*	12.7	25.3	29.9	37.9
1988.....	*	*	*	*	*	*	10.0	20.9	31.9	*
1987.....	*	*	*	*	*	*	9.6	20.6	34.8	*
1986.....	*	*	*	*	*	*	13.7	14.0	*	34.9
1985.....	*	*	*	*	*	*	*	15.9	*	*
1984.....	*	*	*	*	*	*	10.2	13.8	*	*
1983.....	*	*	*	*	*	*	*	15.8	24.4	*
1982.....	*	*	*	*	*	*	9.1	13.0	*	*
1981.....	*	*	*	*	*	*	10.5	14.6	*	*
1980.....	-	-	0.4	0.6	0.5	3.6	6.4	12.4	20.0	18.9
1979.....	-	-	-	-	1.3	3.6	8.0	9.9	13.0	7.7
BLACK FEMALE										
1998.....	*	*	*	*	*	*	5.1	13.6	21.0	32.4
1997.....	*	*	*	*	*	*	*	9.4	15.9	30.0
1996.....	*	*	*	*	*	*	*	10.8	16.1	29.1
1995.....	*	*	*	*	*	*	5.8	8.2	18.5	20.5
1994.....	*	*	*	*	*	*	4.8	8.0	16.7	22.8
1993.....	*	*	*	*	*	*	*	*	12.7	17.0
1992.....	*	*	*	*	*	*	*	7.0	15.6	16.7
1991.....	*	*	*	*	*	*	*	9.1	12.8	19.6
1990.....	*	*	*	*	*	*	*	9.5	12.1	14.7
1989.....	*	*	*	*	*	*	*	7.6	15.1	17.0
1988.....	*	*	*	*	*	*	*	6.8	*	14.8
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	7.5	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	13.8	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.3	0.8	0.7	2.1	6.4	7.2	4.7
1979.....	-	-	-	0.3	0.9	2.0	5.4	4.7	4.0	5.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)										
TOTAL, BOTH SEXES										
1998.....	1.0	1.7	2.7	4.8	8.4	15.6	28.1	59.5	125.1	315.9
1997.....	0.9	1.6	2.8	4.8	8.4	15.2	28.6	61.3	129.9	316.7
1996.....	1.1	1.7	2.8	4.9	8.8	15.1	28.3	62.1	128.4	301.7
1995.....	1.0	1.6	3.0	5.0	8.5	14.9	28.4	60.9	128.1	291.1
1994.....	0.9	1.5	2.7	5.1	8.9	15.1	27.7	57.8	116.3	268.2
1993.....	1.0	1.6	2.5	4.8	7.9	14.0	26.7	54.8	112.6	244.3
1992.....	0.9	1.7	2.4	4.3	8.3	14.4	26.5	50.5	99.3	214.3
1991.....	0.9	1.5	2.7	4.9	8.3	14.6	26.7	51.3	103.5	208.3
1990.....	0.8	1.6	2.6	4.6	8.4	15.0	27.2	53.4	103.1	204.9
1989.....	0.9	1.3	2.5	4.8	8.2	14.6	28.2	54.6	100.9	187.5
1988.....	0.9	1.6	2.6	5.0	8.8	15.0	28.7	54.2	99.2	169.6
1987.....	1.0	1.6	2.7	5.0	8.9	15.0	27.9	54.8	94.0	154.3
1986.....	0.9	1.4	2.9	4.5	8.8	15.4	27.2	50.3	82.4	120.0
1985.....	0.7	1.4	2.5	4.8	8.6	15.4	26.3	47.7	72.4	104.6
1984.....	0.9	1.4	2.6	4.6	8.4	15.0	24.5	40.8	56.6	78.7
1983.....	0.8	1.5	2.8	4.9	8.6	15.0	21.7	33.2	42.7	56.3
1982.....	0.8	1.4	3.0	4.6	8.1	12.5	17.6	23.5	29.2	35.5
1981.....	1.0	1.7	2.7	4.7	7.6	12.1	15.9	19.8	23.0	30.4
1980.....	1.0	1.5	2.6	4.6	8.1	11.5	15.4	18.5	20.1	24.6
1979.....	0.8	1.6	2.9	4.3	7.2	11.0	13.6	17.2	17.1	18.6
TOTAL, MALE										
1998.....	1.1	1.9	3.2	5.4	9.0	16.7	29.3	62.2	123.9	265.9
1997.....	1.2	2.0	3.3	5.6	9.2	16.9	30.8	64.1	129.7	273.0
1996.....	1.2	1.8	3.0	5.6	9.5	16.2	30.6	66.1	136.1	269.9
1995.....	1.2	1.8	3.4	5.8	9.0	16.8	30.7	66.9	138.6	272.8
1994.....	1.1	1.6	3.0	6.0	9.7	17.2	30.2	64.4	125.7	259.7
1993.....	1.2	1.8	2.6	5.4	8.4	16.1	30.6	62.0	127.5	233.7
1992.....	1.1	1.8	2.9	5.2	8.8	16.4	29.6	59.0	114.1	206.4
1991.....	1.1	1.7	2.9	5.9	9.5	17.1	31.0	58.3	117.6	206.8
1990.....	0.9	1.9	3.1	5.1	8.8	17.2	31.4	60.4	119.0	206.2
1989.....	1.2	1.7	2.9	5.6	9.9	17.1	32.1	65.8	119.9	188.2
1988.....	1.2	1.9	3.2	5.9	10.2	16.8	32.9	66.0	118.3	176.4
1987.....	1.2	2.0	3.2	5.7	10.5	16.7	33.9	64.6	118.2	164.7
1986.....	1.1	1.8	3.2	5.3	10.1	16.9	33.4	61.6	101.1	130.3
1985.....	0.9	1.7	2.9	5.1	9.9	17.7	32.8	59.0	91.5	120.8
1984.....	1.2	1.7	2.8	4.8	9.2	17.7	30.1	51.9	73.1	95.0
1983.....	0.9	1.8	3.2	5.7	9.5	17.8	26.0	42.5	59.0	67.6
1982.....	0.9	1.5	3.4	4.7	9.5	14.4	21.2	30.2	35.8	39.7
1981.....	1.1	1.9	3.4	5.6	8.5	15.0	19.5	27.5	28.7	35.5
1980.....	1.1	1.7	3.1	5.3	9.1	13.7	20.5	23.2	25.2	30.1
1979.....	0.9	1.9	3.3	5.0	8.5	13.4	16.4	22.2	21.3	24.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)										
TOTAL, FEMALE										
1998.....	0.9	1.5	2.2	4.3	7.8	14.7	27.1	57.6	125.8	336.6
1997.....	0.7	1.3	2.3	4.1	7.8	13.8	26.9	59.3	130.0	334.2
1996.....	0.9	1.6	2.7	4.2	8.2	14.2	26.5	59.3	123.9	314.3
1995.....	0.8	1.5	2.6	4.3	8.0	13.3	26.6	56.8	122.1	298.2
1994.....	0.7	1.4	2.4	4.2	8.2	13.4	25.8	53.4	111.2	271.5
1993.....	0.7	1.4	2.4	4.3	7.5	12.3	23.8	49.9	104.5	248.3
1992.....	0.7	1.6	2.0	3.5	7.8	12.8	24.1	44.9	91.3	217.4
1991.....	0.7	1.4	2.4	4.0	7.2	12.6	23.4	46.7	95.9	208.9
1990.....	0.6	1.2	2.1	4.1	8.1	13.2	24.2	48.9	94.7	204.4
1989.....	0.6	0.9	2.1	4.1	6.8	12.6	25.4	47.4	90.9	187.2
1988.....	0.7	1.3	2.0	4.1	7.6	13.5	25.6	46.7	89.2	167.0
1987.....	0.8	1.1	2.1	4.3	7.5	13.7	23.5	48.6	81.2	150.3
1986.....	0.7	1.1	2.7	3.8	7.7	14.2	22.8	43.1	72.6	115.9
1985.....	0.6	1.2	2.1	4.5	7.4	13.4	21.6	40.5	62.3	98.2
1984.....	0.6	1.1	2.5	4.4	7.7	12.8	20.4	33.8	47.9	72.0
1983.....	0.7	1.2	2.4	4.2	7.9	12.7	18.5	27.3	34.1	51.7
1982.....	0.8	1.3	2.6	4.5	7.0	10.9	15.0	19.2	25.8	33.7
1981.....	1.0	1.5	2.1	3.9	6.8	9.8	13.3	15.1	19.9	28.3
1980.....	1.0	1.3	2.2	3.9	7.2	9.8	11.7	15.6	17.4	22.1
1979.....	0.6	1.2	2.5	3.6	6.1	9.1	11.6	14.1	14.9	16.0
WHITE, BOTH SEXES										
1998.....	1.0	1.7	2.9	5.0	8.8	16.8	29.2	61.8	129.5	330.5
1997.....	1.0	1.7	2.9	5.1	8.8	16.3	29.9	63.6	135.3	331.7
1996.....	1.0	1.8	3.0	5.2	9.4	15.9	29.3	64.8	133.3	316.2
1995.....	1.0	1.7	3.0	5.2	8.9	15.7	29.5	63.4	131.9	303.4
1994.....	0.9	1.6	2.8	5.3	9.5	16.0	28.8	59.5	120.6	281.1
1993.....	1.0	1.7	2.5	4.9	8.2	14.7	27.8	56.6	117.3	255.1
1992.....	0.8	1.6	2.5	4.5	8.7	15.3	27.3	52.4	103.2	223.4
1991.....	0.9	1.6	2.8	5.2	8.7	15.2	27.9	53.5	107.5	218.4
1990.....	0.8	1.5	2.6	4.8	8.8	15.7	28.4	55.5	106.8	214.0
1989.....	1.0	1.2	2.5	5.0	8.5	15.1	29.4	56.8	104.6	196.8
1988.....	1.0	1.6	2.6	5.1	9.1	15.7	29.8	57.1	104.5	177.9
1987.....	1.1	1.7	2.8	5.1	9.1	15.5	29.2	57.0	98.9	162.4
1986.....	0.9	1.4	3.0	4.7	8.9	16.1	28.5	52.8	86.3	126.6
1985.....	0.7	1.5	2.5	5.0	8.8	16.1	27.2	50.3	75.8	110.2
1984.....	0.9	1.4	2.8	4.7	8.7	15.8	25.7	43.1	59.3	83.1
1983.....	0.8	1.5	2.9	5.0	9.0	15.8	22.7	34.9	44.7	58.7
1982.....	0.8	1.5	3.1	4.7	8.5	13.0	18.5	24.7	30.1	37.2
1981.....	1.1	1.7	2.8	4.8	7.9	12.6	16.4	20.8	23.9	31.9
1980.....	1.0	1.5	2.6	4.7	8.3	11.9	16.1	19.4	20.7	25.4
1979.....	0.8	1.5	2.8	4.3	7.4	11.4	14.1	18.0	17.5	19.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)										
WHITE MALE										
1998.....	1.1	1.9	3.4	5.6	9.5	18.0	30.6	64.2	129.1	279.9
1997.....	1.3	2.0	3.4	5.9	9.5	18.2	32.2	65.8	134.6	284.6
1996.....	1.2	1.9	3.1	5.9	10.1	16.8	31.7	69.0	141.6	283.1
1995.....	1.2	1.9	3.4	6.0	9.5	17.5	31.5	69.6	142.5	285.8
1994.....	1.1	1.7	3.0	6.2	10.2	18.2	31.3	66.3	129.9	273.7
1993.....	1.2	1.8	2.6	5.4	8.6	16.8	31.4	64.0	132.4	243.5
1992.....	1.0	1.7	3.0	5.3	9.2	17.3	30.3	61.0	119.1	215.7
1991.....	1.2	1.7	3.1	6.1	9.9	17.8	32.3	60.6	122.0	217.4
1990.....	0.9	1.9	3.1	5.3	9.0	17.9	32.3	62.1	122.1	217.2
1989.....	1.3	1.6	2.9	6.0	10.2	17.6	33.1	68.2	124.8	200.0
1988.....	1.3	1.9	3.2	6.1	10.6	17.4	34.4	69.4	124.6	186.7
1987.....	1.2	2.1	3.4	6.0	10.7	17.2	35.1	67.7	124.4	173.6
1986.....	1.0	1.8	3.2	5.3	10.1	17.7	34.8	64.7	106.1	139.9
1985.....	0.8	1.7	2.9	5.3	10.1	18.2	34.1	62.7	95.9	129.8
1984.....	1.2	1.6	3.0	4.8	9.4	18.7	31.4	55.1	77.5	101.8
1983.....	0.9	1.7	3.3	5.9	9.8	18.8	26.8	44.6	61.7	71.8
1982.....	0.9	1.6	3.4	4.8	9.8	14.9	22.4	31.6	37.9	42.2
1981.....	1.1	1.9	3.4	5.7	8.7	15.6	20.0	28.9	29.9	37.7
1980.....	1.0	1.8	3.0	5.4	9.2	14.1	21.6	24.1	25.6	30.8
1979.....	0.9	1.9	3.2	4.9	8.5	13.8	16.8	22.9	21.6	25.6
WHITE FEMALE										
1998.....	0.9	1.6	2.4	4.4	8.3	15.8	28.1	60.0	129.7	351.3
1997.....	0.7	1.4	2.4	4.3	8.1	14.6	28.0	62.0	135.7	350.5
1996.....	0.9	1.6	2.9	4.5	8.9	15.2	27.4	61.9	128.4	329.2
1995.....	0.8	1.6	2.6	4.4	8.4	14.1	27.9	59.1	126.0	310.2
1994.....	0.7	1.4	2.5	4.5	8.9	14.2	26.9	54.9	115.5	283.9
1993.....	0.7	1.5	2.5	4.5	7.8	12.9	25.1	51.6	109.2	259.5
1992.....	0.7	1.6	2.0	3.7	8.2	13.6	24.9	46.7	94.6	226.4
1991.....	0.7	1.5	2.6	4.3	7.6	13.0	24.6	48.8	99.8	218.9
1990.....	0.7	1.1	2.1	4.3	8.6	13.9	25.4	51.2	98.8	212.8
1989.....	0.6	0.9	2.2	4.1	7.0	13.1	26.6	49.5	94.0	195.6
1988.....	0.7	1.4	2.0	4.2	7.9	14.3	26.4	49.2	93.9	174.5
1987.....	0.9	1.2	2.2	4.4	7.7	14.1	24.8	50.3	85.7	158.1
1986.....	0.7	1.1	2.8	4.1	7.9	14.8	23.9	45.2	76.0	121.4
1985.....	0.6	1.2	2.1	4.7	7.8	14.3	22.2	42.6	65.4	102.5
1984.....	0.6	1.2	2.6	4.6	8.1	13.5	21.5	35.6	49.8	75.6
1983.....	0.7	1.2	2.5	4.3	8.2	13.4	19.7	28.8	35.8	53.4
1982.....	0.8	1.4	2.9	4.6	7.4	11.4	15.7	20.4	26.1	35.2
1981.....	1.0	1.5	2.3	3.9	7.1	10.2	13.7	15.8	20.8	29.4
1980.....	1.0	1.3	2.2	4.1	7.5	10.2	12.2	16.4	18.2	23.1
1979.....	0.6	1.2	2.5	3.7	6.4	9.5	12.2	14.9	15.4	16.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)										
ALL OTHER, BOTH SEXES										
1998.....	0.6	1.7	1.7	3.7	5.4	7.5	18.6	39.2	80.8	177.9
1997.....	0.8	1.2	1.9	3.4	6.1	7.8	18.2	40.6	75.4	172.7
1996.....	1.1	1.3	1.6	3.1	4.9	9.1	19.6	36.6	78.3	162.7
1995.....	0.9	1.2	2.8	3.9	5.4	9.3	19.1	37.5	87.9	166.2
1994.....	0.8	1.1	2.3	3.7	5.0	8.5	17.6	41.6	72.8	136.3
1993.....	1.0	1.1	2.0	3.9	6.2	8.7	16.9	37.4	64.4	132.9
1992.....	1.1	1.8	2.0	2.9	5.7	7.7	19.4	32.3	59.1	118.4
1991.....	0.8	1.1	1.6	3.1	5.0	9.9	15.9	30.2	62.2	101.5
1990.....	0.9	1.8	2.4	3.5	5.7	9.5	17.1	33.9	64.5	108.7
1989.....	*	1.7	2.1	3.3	6.3	10.4	17.9	33.3	62.2	89.5
1988.....	*	1.3	2.4	4.2	6.2	9.1	18.1	27.1	44.1	81.9
1987.....	*	*	1.9	3.9	7.0	10.9	16.2	33.8	41.2	67.5
1986.....	*	1.6	2.5	3.6	7.7	9.0	15.7	26.4	40.7	48.5
1985.....	*	1.3	2.1	3.4	6.5	9.3	17.6	22.1	34.4	43.8
1984.....	*	1.4	1.7	3.9	6.0	8.3	13.7	18.6	27.1	30.4
1983.....	*	1.9	2.5	4.0	5.7	7.7	12.1	16.9	20.2	30.1
1982.....	*	*	2.1	3.8	4.6	8.0	8.8	11.6	19.1	16.1
1981.....	*	1.8	1.9	4.2	5.0	7.8	11.7	10.6	12.0	14.2
1980.....	1.1	1.3	3.0	3.4	6.1	8.0	7.9	10.4	13.1	15.0
1979.....	0.8	2.0	3.2	4.0	5.5	7.2	9.0	10.2	12.5	9.8
ALL OTHER MALE										
1998.....	*	2.1	2.2	3.7	6.2	7.7	18.3	43.2	69.9	143.0
1997.....	*	1.6	2.1	3.8	6.7	7.0	18.9	47.9	79.4	172.2
1996.....	*	*	*	3.8	5.6	11.1	20.3	38.2	79.3	154.9
1995.....	*	*	3.2	4.2	5.4	11.9	23.2	40.4	97.9	150.8
1994.....	*	*	3.0	4.9	6.3	9.8	20.0	45.6	83.4	129.1
1993.....	*	*	*	5.1	7.3	10.2	23.1	41.8	77.9	143.0
1992.....	1.8	2.3	*	4.0	6.3	8.3	23.3	39.5	63.7	119.5
1991.....	*	*	*	4.4	6.0	11.0	19.2	35.7	74.4	109.3
1990.....	*	*	3.1	3.6	7.1	11.3	22.2	43.3	88.2	104.4
1989.....	*	2.3	*	*	7.1	12.1	22.5	43.2	71.1	79.0
1988.....	*	*	*	5.0	7.6	12.0	18.4	33.8	55.6	81.0
1987.....	*	*	*	4.0	8.6	12.3	22.8	35.3	56.3	80.5
1986.....	*	*	*	5.6	9.9	9.3	20.1	32.4	50.9	40.0
1985.....	*	*	*	3.6	8.6	13.4	20.7	25.2	45.7	35.6
1984.....	*	*	*	5.0	7.8	9.2	18.2	22.8	28.7	31.9
1983.....	*	*	*	4.0	6.4	9.0	18.1	23.9	30.9	*
1982.....	*	*	3.4	4.0	5.9	9.4	10.0	16.7	*	*
1981.....	*	*	*	4.8	6.5	9.5	14.8	14.5	*	*
1980.....	1.3	1.4	3.8	4.2	8.0	10.6	10.2	14.5	20.6	23.0
1979.....	0.9	2.6	4.8	5.1	8.4	9.3	12.5	16.5	18.6	13.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

ALL OTHER FEMALE										
1998.....	*	1.3	*	3.6	4.9	7.4	18.8	36.4	87.0	193.9
1997.....	*	*	1.7	3.0	5.7	8.3	17.7	35.7	73.1	173.0
1996.....	1.1	1.5	*	2.6	4.3	7.7	19.1	35.6	77.8	166.1
1995.....	*	*	2.4	3.6	5.5	7.4	16.2	35.7	82.5	172.9
1994.....	*	*	*	2.7	3.9	7.5	16.0	39.0	67.0	139.4
1993.....	*	*	*	2.9	5.3	7.5	12.5	34.7	57.0	128.6
1992.....	*	*	*	*	5.2	7.2	16.7	27.9	56.4	117.9
1991.....	*	*	*	*	4.2	9.1	13.6	26.8	55.0	97.4
1990.....	*	*	*	3.5	4.7	8.2	13.6	28.0	51.1	110.6
1989.....	*	*	*	3.5	5.7	9.2	14.7	27.0	57.1	94.3
1988.....	*	*	*	3.5	5.1	6.9	18.0	22.8	37.3	82.2
1987.....	*	*	*	3.8	5.8	9.9	11.8	32.7	32.7	61.3
1986.....	*	*	*	*	6.0	8.7	12.6	22.5	35.1	52.6
1985.....	*	*	*	3.2	4.8	6.2	15.4	20.1	27.8	48.0
1984.....	*	*	*	3.1	4.6	7.6	10.6	15.8	26.0	29.7
1983.....	*	*	*	4.0	5.2	6.8	8.0	12.2	13.9	31.7
1982.....	*	*	*	3.6	3.5	7.0	8.0	8.1	21.7	15.8
1981.....	*	*	*	3.6	3.8	6.6	9.3	8.0	*	*
1980.....	1.0	1.2	2.3	2.7	4.5	6.0	6.2	7.6	8.5	11.0
1979.....	0.7	1.5	1.9	3.0	3.2	5.6	6.3	5.8	8.8	7.9
BLACK, BOTH SEXES										
1998.....	0.8	1.9	1.9	3.8	6.0	7.8	20.6	48.0	94.5	196.6
1997.....	1.0	1.2	2.3	3.6	7.3	8.7	19.8	47.2	87.1	188.7
1996.....	1.5	1.7	1.9	3.8	5.4	9.8	22.0	41.6	88.7	180.9
1995.....	1.0	1.3	3.0	4.2	6.1	10.3	22.7	42.4	97.4	179.9
1994.....	0.9	1.1	2.5	3.5	5.6	9.4	19.7	46.9	80.0	142.9
1993.....	1.3	1.3	2.3	4.6	6.8	9.5	19.6	40.6	72.7	136.3
1992.....	1.4	2.3	2.4	3.4	7.0	8.8	22.2	36.5	63.5	127.4
1991.....	1.1	1.5	1.9	3.7	5.8	10.5	18.9	33.7	68.0	109.1
1990.....	1.1	2.2	2.9	4.2	6.3	10.5	19.7	36.6	70.8	116.3
1989.....	*	2.0	2.3	3.6	7.2	11.4	20.3	38.2	67.4	92.7
1988.....	*	1.6	2.9	4.9	6.8	10.0	20.3	30.0	47.1	82.7
1987.....	*	*	1.8	4.3	7.6	11.7	18.2	36.9	43.7	67.8
1986.....	*	2.0	2.5	4.1	7.8	9.4	17.2	29.4	41.2	48.3
1985.....	*	1.6	2.5	3.6	7.3	9.9	18.8	23.7	35.1	44.6
1984.....	*	1.6	1.9	4.2	6.5	8.9	14.2	18.5	28.4	31.6
1983.....	*	1.8	3.0	4.4	5.9	8.0	12.9	16.8	21.6	29.3
1982.....	*	*	2.4	4.3	5.0	8.5	9.8	12.3	20.2	16.5
1981.....	*	2.0	*	4.4	5.3	7.8	12.0	10.4	13.4	14.9
1980.....	1.3	1.6	3.2	3.5	6.8	8.1	8.0	11.6	14.0	17.0
1979.....	0.8	2.3	3.2	4.3	5.2	7.6	8.7	9.3	10.0	10.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)										
BLACK MALE										
1998.....	*	2.3	*	4.4	6.1	8.5	20.4	54.1	82.7	153.6
1997.....	*	*	*	4.2	7.7	8.3	20.7	58.1	97.4	185.8
1996.....	*	*	*	4.5	6.3	10.6	23.9	41.1	96.4	164.4
1995.....	*	*	3.5	4.6	5.9	12.2	27.8	47.3	109.0	165.4
1994.....	*	*	*	4.9	6.6	10.9	23.3	52.7	93.7	137.5
1993.....	*	*	*	6.3	8.0	10.6	27.7	44.7	91.4	142.5
1992.....	2.2	3.1	*	4.7	8.3	9.2	26.8	46.3	67.3	126.3
1991.....	*	*	*	5.2	6.9	12.0	23.9	42.0	84.2	123.2
1990.....	*	*	*	4.8	7.4	11.9	24.9	47.0	99.6	111.7
1989.....	*	*	*	*	8.4	12.9	26.6	51.7	81.4	86.4
1988.....	*	*	*	5.6	8.9	13.4	20.4	39.0	57.4	80.0
1987.....	*	*	*	4.3	9.6	13.5	25.3	37.7	62.0	81.3
1986.....	*	*	*	6.6	9.9	10.8	22.2	36.6	51.1	33.3
1985.....	*	*	*	*	9.9	14.2	22.4	27.6	46.0	35.5
1984.....	*	*	*	5.3	8.8	9.8	18.0	22.8	27.4	36.1
1983.....	*	*	*	4.4	6.5	9.0	18.4	24.2	35.4	*
1982.....	*	*	*	4.6	6.3	9.6	11.6	17.4	*	*
1981.....	*	*	*	4.9	6.9	9.9	16.3	13.3	*	*
1980.....	1.6	1.7	4.1	4.3	8.8	11.1	9.8	16.3	22.7	26.4
1979.....	1.1	3.1	4.6	5.3	8.3	9.8	13.3	14.9	13.0	15.4
BLACK FEMALE										
1998.....	*	*	*	3.3	5.9	7.3	20.7	44.1	100.7	214.5
1997.....	*	*	*	3.2	7.0	9.0	19.2	40.3	81.8	190.0
1996.....	*	1.9	*	3.2	4.8	9.2	20.8	42.0	84.7	187.7
1995.....	*	*	*	3.9	6.2	8.9	19.2	39.3	91.5	185.8
1994.....	*	*	*	*	4.8	8.3	17.3	43.4	73.0	145.1
1993.....	*	*	*	3.3	5.9	8.8	14.1	38.1	63.2	133.8
1992.....	*	*	*	*	6.1	8.5	19.1	30.9	61.6	127.8
1991.....	*	*	*	*	5.0	9.5	15.5	28.9	59.7	103.1
1990.....	*	*	*	3.8	5.4	9.4	16.4	30.5	55.8	118.3
1989.....	*	*	*	3.4	6.3	10.3	16.2	30.2	60.0	96.1
1988.....	*	*	*	4.3	5.3	7.6	20.3	24.7	41.6	83.9
1987.....	*	*	*	4.3	6.0	10.3	13.5	36.3	33.9	61.8
1986.....	*	*	*	*	6.3	8.3	13.8	24.9	35.8	55.1
1985.....	*	*	*	3.6	5.2	6.7	16.4	21.2	29.1	48.9
1984.....	*	*	*	3.4	4.7	8.3	11.7	15.8	28.9	29.5
1983.....	*	*	*	4.4	5.4	7.3	9.2	12.0	13.8	30.6
1982.....	*	*	*	4.1	3.9	7.7	8.5	9.2	23.2	17.8
1981.....	*	*	*	4.0	4.0	6.2	9.1	8.6	*	*
1980.....	1.0	1.4	2.4	2.8	5.1	5.8	6.7	8.5	8.8	12.3
1979.....	0.6	1.7	2.1	3.5	2.8	6.0	5.4	5.5	8.1	8.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MULTIPLE SCLEROSIS (340)										
TOTAL, BOTH SEXES										
1998.....	0.8	1.6	2.2	2.7	2.8	2.5	3.0	2.4	2.6	1.6
1997.....	0.8	1.6	2.3	2.3	2.5	2.8	3.1	2.9	2.8	1.3
1996.....	0.9	1.6	2.1	2.2	2.6	2.6	2.8	2.7	2.2	1.5
1995.....	1.1	1.4	1.9	2.1	2.4	2.7	2.7	2.3	2.4	1.3
1994.....	1.0	1.6	1.9	2.1	2.1	2.3	2.3	2.2	2.0	1.3
1993.....	0.9	1.5	1.8	2.0	2.1	2.4	2.3	2.4	1.7	1.0
1992.....	0.9	1.5	1.8	1.9	2.0	2.3	2.2	2.5	1.5	1.0
1991.....	0.9	1.3	1.9	2.0	2.3	2.0	2.3	2.0	1.5	1.0
1990.....	0.9	1.3	1.5	1.8	2.0	2.1	1.9	2.0	1.7	0.7
1989.....	1.0	1.2	1.8	1.6	2.2	2.1	2.1	1.8	1.4	0.7
1988.....	0.8	1.4	1.6	2.0	2.0	2.1	1.9	1.8	1.1	0.7
1987.....	0.9	1.4	1.6	1.8	2.1	2.3	2.1	1.6	1.2	*
1986.....	0.8	1.3	1.5	1.8	2.0	2.1	1.8	1.4	1.1	0.9
1985.....	0.9	1.2	1.8	2.0	1.7	2.0	1.7	1.5	1.5	0.8
1984.....	0.9	1.3	1.4	1.7	2.0	1.7	1.9	1.4	0.8	*
1983.....	1.0	1.1	1.5	1.7	1.8	1.8	1.4	1.3	1.0	*
1982.....	0.9	1.2	1.6	1.8	1.8	1.8	1.4	1.4	0.9	*
1981.....	1.1	1.2	1.6	1.9	2.1	2.0	1.6	1.2	0.9	*
1980.....	0.9	1.2	1.7	1.7	2.2	1.8	1.8	1.4	0.7	0.5
1979.....	1.0	1.1	1.8	1.8	2.1	1.4	1.3	1.1	0.7	0.3
TOTAL, MALE										
1998.....	0.6	1.1	1.5	2.0	2.1	2.0	2.4	1.9	2.1	*
1997.....	0.6	1.3	1.6	1.8	2.1	2.3	2.7	2.1	2.1	*
1996.....	0.6	1.0	1.4	1.7	2.3	2.3	2.0	1.8	1.9	*
1995.....	0.6	1.0	1.5	1.7	1.8	2.4	2.4	1.7	2.2	*
1994.....	0.6	1.1	1.6	1.7	1.8	1.8	1.8	1.7	1.9	*
1993.....	0.6	1.1	1.4	1.6	1.7	2.2	1.8	1.8	*	*
1992.....	0.7	1.3	1.3	1.6	1.8	1.9	1.8	2.3	1.4	*
1991.....	0.7	1.2	1.4	1.5	2.0	1.4	1.8	1.8	*	*
1990.....	0.6	1.1	1.1	1.8	1.5	1.5	1.4	1.6	1.5	*
1989.....	0.8	1.0	1.3	1.4	1.7	1.7	2.0	2.1	*	*
1988.....	0.7	1.2	1.5	1.5	1.7	1.9	1.8	1.3	1.6	*
1987.....	0.8	1.0	1.5	1.1	1.6	1.8	2.0	1.6	*	*
1986.....	0.7	0.9	1.1	1.7	1.7	1.9	1.8	1.4	*	*
1985.....	0.8	0.8	1.4	1.5	1.3	1.9	1.4	1.6	*	*
1984.....	0.8	1.0	1.1	1.3	1.8	1.6	1.5	1.1	*	*
1983.....	0.9	0.9	1.2	1.1	1.3	1.5	1.4	1.1	*	*
1982.....	0.6	0.9	1.1	1.6	1.5	1.8	1.4	1.1	*	*
1981.....	1.0	1.1	1.3	1.6	1.7	1.5	1.3	1.3	*	*
1980.....	0.8	0.9	1.4	1.4	1.9	1.3	1.6	1.2	0.3	0.3
1979.....	0.6	0.9	1.4	1.6	1.7	1.3	1.2	1.0	0.9	0.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MULTIPLE SCLEROSIS (340)										
TOTAL, FEMALE										
1998.....	1.1	2.0	2.9	3.3	3.5	3.0	3.5	2.7	3.0	1.7
1997.....	1.1	2.0	3.0	2.8	2.7	3.3	3.5	3.4	3.2	1.3
1996.....	1.1	2.2	2.7	2.7	2.9	2.9	3.3	3.4	2.5	1.7
1995.....	1.5	1.7	2.4	2.5	3.0	2.9	2.9	2.7	2.5	1.3
1994.....	1.3	2.1	2.1	2.5	2.3	2.7	2.8	2.6	2.0	1.5
1993.....	1.2	1.9	2.2	2.4	2.5	2.5	2.7	2.8	2.1	1.1
1992.....	1.2	1.8	2.3	2.1	2.2	2.6	2.5	2.6	1.5	1.0
1991.....	1.2	1.5	2.4	2.5	2.5	2.6	2.7	2.1	1.6	*
1990.....	1.1	1.4	1.9	1.8	2.4	2.6	2.3	2.2	1.8	*
1989.....	1.3	1.5	2.3	1.9	2.6	2.4	2.2	1.5	1.5	*
1988.....	0.9	1.6	1.6	2.4	2.3	2.3	2.1	2.1	0.9	*
1987.....	1.0	1.8	1.7	2.3	2.6	2.8	2.1	1.6	1.3	*
1986.....	0.9	1.6	1.8	1.9	2.3	2.2	1.9	1.4	1.1	*
1985.....	0.9	1.6	2.1	2.4	2.0	2.1	1.9	1.4	1.6	*
1984.....	0.9	1.5	1.6	2.1	2.2	1.8	2.3	1.6	*	*
1983.....	1.1	1.3	1.7	2.3	2.2	2.1	1.4	1.4	*	*
1982.....	1.1	1.5	2.1	2.0	2.1	1.8	1.4	1.5	1.0	*
1981.....	1.1	1.3	1.9	2.3	2.5	2.3	1.7	1.2	1.1	*
1980.....	1.0	1.5	1.9	2.0	2.5	2.1	2.0	1.5	0.9	0.6
1979.....	1.3	1.2	2.1	2.0	2.5	1.5	1.4	1.2	0.6	0.2
WHITE, BOTH SEXES										
1998.....	0.8	1.7	2.2	2.8	2.9	2.7	3.2	2.6	2.9	1.7
1997.....	0.9	1.7	2.4	2.4	2.6	3.1	3.4	3.1	2.9	1.4
1996.....	0.9	1.5	2.1	2.3	2.8	2.8	3.0	2.9	2.3	1.6
1995.....	1.1	1.4	2.1	2.2	2.6	2.8	2.9	2.5	2.5	1.4
1994.....	1.0	1.7	2.0	2.2	2.2	2.5	2.5	2.4	2.0	1.4
1993.....	0.9	1.6	2.0	2.1	2.2	2.5	2.5	2.5	1.8	1.0
1992.....	0.9	1.6	1.9	2.0	2.0	2.4	2.3	2.6	1.6	1.1
1991.....	1.0	1.4	1.9	2.1	2.3	2.1	2.4	2.1	1.6	1.1
1990.....	0.9	1.3	1.5	1.9	2.1	2.2	2.1	2.1	1.9	0.8
1989.....	1.0	1.2	1.9	1.7	2.3	2.2	2.2	1.9	1.6	0.7
1988.....	0.9	1.4	1.6	2.1	2.1	2.3	2.1	2.0	1.2	0.8
1987.....	0.9	1.5	1.7	1.7	2.3	2.6	2.2	1.7	1.2	*
1986.....	0.8	1.3	1.5	1.9	2.1	2.2	1.9	1.5	1.2	0.9
1985.....	0.8	1.3	1.8	2.1	1.7	2.2	1.8	1.6	1.6	0.9
1984.....	0.8	1.3	1.4	1.8	2.1	1.8	2.1	1.6	0.8	*
1983.....	1.0	1.2	1.5	1.8	1.9	1.9	1.5	1.4	1.1	*
1982.....	0.9	1.2	1.7	1.9	1.9	2.0	1.5	1.5	1.0	*
1981.....	1.1	1.2	1.7	2.1	2.2	2.1	1.7	1.3	1.0	*
1980.....	0.9	1.2	1.7	1.8	2.3	1.8	1.9	1.5	0.7	0.5
1979.....	1.0	1.1	1.9	1.9	2.2	1.5	1.4	1.2	0.8	0.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MULTIPLE SCLEROSIS (340)										
WHITE MALE										
1998.....	0.5	1.1	1.4	2.0	2.2	2.2	2.5	2.0	2.3	*
1997.....	0.6	1.3	1.6	1.8	2.3	2.5	2.9	2.2	2.1	*
1996.....	0.6	1.0	1.4	1.8	2.4	2.4	2.2	2.0	1.9	*
1995.....	0.7	1.0	1.6	1.8	1.9	2.5	2.6	1.8	2.4	*
1994.....	0.7	1.1	1.7	1.7	1.9	2.0	1.9	1.8	1.9	*
1993.....	0.5	1.1	1.5	1.8	1.7	2.4	2.0	1.9	*	*
1992.....	0.7	1.4	1.4	1.7	1.8	2.0	1.9	2.3	1.5	*
1991.....	0.7	1.2	1.5	1.5	2.1	1.4	1.8	2.0	*	*
1990.....	0.6	1.2	1.2	1.8	1.6	1.6	1.5	1.7	1.7	*
1989.....	0.8	1.0	1.4	1.4	1.7	1.8	2.1	2.3	*	*
1988.....	0.8	1.2	1.6	1.6	1.7	2.1	1.9	1.4	1.7	*
1987.....	0.8	1.1	1.5	1.1	1.7	2.0	2.1	1.7	*	*
1986.....	0.7	1.0	1.2	1.7	1.7	2.1	1.7	1.5	*	*
1985.....	0.8	0.9	1.5	1.6	1.3	2.1	1.3	1.6	*	*
1984.....	0.8	1.1	1.2	1.3	1.9	1.7	1.6	1.2	*	*
1983.....	1.0	0.9	1.2	1.1	1.4	1.6	1.5	1.2	*	*
1982.....	0.6	1.0	1.1	1.6	1.6	1.9	1.5	1.2	*	*
1981.....	1.1	1.1	1.3	1.6	1.8	1.6	1.3	1.3	*	*
1980.....	0.8	1.0	1.5	1.4	1.9	1.4	1.8	1.3	0.3	0.2
1979.....	0.5	0.9	1.5	1.6	1.7	1.4	1.3	1.1	1.0	0.5
WHITE FEMALE										
1998.....	1.1	2.2	2.9	3.6	3.6	3.2	3.7	3.0	3.2	1.8
1997.....	1.1	2.1	3.2	2.9	3.0	3.6	3.8	3.7	3.3	1.4
1996.....	1.1	2.1	2.9	2.9	3.1	3.2	3.6	3.6	2.6	1.7
1995.....	1.5	1.7	2.5	2.6	3.2	3.1	3.1	2.9	2.5	1.4
1994.....	1.3	2.2	2.3	2.7	2.5	2.9	3.0	2.7	2.1	1.5
1993.....	1.3	2.1	2.4	2.4	2.7	2.6	3.0	3.0	2.2	1.1
1992.....	1.2	1.9	2.4	2.2	2.2	2.7	2.7	2.7	1.6	1.1
1991.....	1.3	1.5	2.3	2.7	2.5	2.7	2.9	2.2	1.8	*
1990.....	1.1	1.5	1.9	1.9	2.5	2.7	2.5	2.4	1.9	*
1989.....	1.3	1.4	2.4	2.0	2.8	2.6	2.3	1.7	1.7	*
1988.....	1.0	1.6	1.6	2.6	2.5	2.4	2.2	2.3	0.9	*
1987.....	1.0	1.9	1.9	2.3	2.9	3.1	2.2	1.7	1.3	*
1986.....	0.9	1.6	1.8	2.0	2.4	2.4	2.0	1.5	1.1	*
1985.....	0.9	1.6	2.1	2.5	2.1	2.2	2.1	1.6	1.6	*
1984.....	0.9	1.5	1.6	2.2	2.3	1.9	2.4	1.8	*	*
1983.....	1.0	1.4	1.8	2.5	2.3	2.2	1.5	1.5	*	*
1982.....	1.1	1.4	2.2	2.1	2.2	2.0	1.5	1.7	1.1	*
1981.....	1.1	1.3	2.0	2.5	2.5	2.5	1.9	1.3	1.2	*
1980.....	1.0	1.4	2.0	2.1	2.7	2.2	2.0	1.6	0.9	0.6
1979.....	1.4	1.3	2.3	2.1	2.6	1.6	1.5	1.3	0.6	0.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MULTIPLE SCLEROSIS (340)										
ALL OTHER, BOTH SEXES										
1998.....	0.8	1.2	2.2	1.9	2.1	*	*	*	*	*
1997.....	0.6	1.2	1.6	2.0	*	*	*	*	*	*
1996.....	0.9	1.9	1.6	1.7	*	*	*	*	*	*
1995.....	0.8	1.4	1.2	1.5	*	1.7	*	*	*	*
1994.....	0.8	1.2	*	1.4	*	*	*	*	*	*
1993.....	0.8	1.0	*	1.5	1.5	*	*	*	*	*
1992.....	0.9	0.9	1.2	*	1.7	*	*	*	*	*
1991.....	*	1.3	1.9	1.4	1.8	*	*	*	*	*
1990.....	0.8	*	1.3	*	*	*	*	*	*	*
1989.....	1.0	1.2	1.6	*	*	*	*	*	*	*
1988.....	*	1.1	1.3	*	*	*	*	*	*	*
1987.....	0.9	*	*	2.0	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	1.1	*	1.6	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	1.5	*	*	*	*	*	*	*	*
1981.....	*	*	1.5	*	*	*	*	*	*	*
1980.....	0.8	1.2	1.3	1.1	1.2	1.0	0.8	0.5	0.9	0.6
1979.....	1.0	0.9	1.1	1.3	1.1	0.6	0.3	0.2	-	-
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.5	1.0	0.9	1.6	0.5	-	0.6	-	1.6
1979.....	1.0	0.8	1.4	1.5	1.2	0.5	0.8	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MULTIPLE SCLEROSIS (340)										
ALL OTHER FEMALE										
1998.....	*	1.4	2.6	*	2.8	*	*	*	*	*
1997.....	*	*	1.9	*	*	*	*	*	*	*
1996.....	1.1	2.7	2.0	*	*	*	*	*	*	*
1995.....	1.1	1.8	*	*	*	*	*	*	*	*
1994.....	1.3	1.7	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	1.3	*	*	*	*	*	*	*	*	*
1991.....	*	*	2.5	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.0	1.8	1.5	1.2	0.9	1.4	1.4	0.4	1.4	-
1979.....	1.0	0.9	0.8	1.2	1.1	0.6	-	0.4	-	-
BLACK, BOTH SEXES										
1998.....	1.0	1.5	3.0	2.5	2.9	*	*	*	*	*
1997.....	0.8	1.7	2.1	2.6	*	*	*	*	*	*
1996.....	1.2	2.6	2.0	2.2	*	*	*	*	*	*
1995.....	1.0	1.9	1.6	1.8	*	*	*	*	*	*
1994.....	1.0	1.7	*	1.8	*	*	*	*	*	*
1993.....	1.2	1.4	*	2.0	*	*	*	*	*	*
1992.....	1.3	1.3	*	*	*	*	*	*	*	*
1991.....	*	1.7	2.5	*	2.2	*	*	*	*	*
1990.....	*	*	1.7	*	*	*	*	*	*	*
1989.....	1.3	1.6	2.1	*	*	*	*	*	*	*
1988.....	*	*	1.8	*	*	*	*	*	*	*
1987.....	1.3	*	*	2.4	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	1.4	*	2.0	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	1.8	*	*	*	*	*	*	*	*
1981.....	*	*	1.8	*	*	*	*	*	*	*
1980.....	1.0	1.3	1.5	1.1	1.3	1.2	0.9	0.5	1.0	0.6
1979.....	1.2	1.0	1.3	1.4	1.2	0.6	0.4	0.3	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MULTIPLE SCLEROSIS (340)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.6	1.2	0.9	1.6	0.6	-	0.7	-	1.9
1979.....	1.2	1.0	1.6	1.5	1.1	0.6	0.9	-	-	-
BLACK FEMALE										
1998.....	*	1.9	3.5	*	3.7	*	*	*	*	*
1997.....	*	*	2.5	*	*	*	*	*	*	*
1996.....	1.6	3.5	2.6	*	*	*	*	*	*	*
1995.....	1.6	2.5	*	*	*	*	*	*	*	*
1994.....	1.6	2.2	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	1.7	*	*	*	*	*	*	*	*	*
1991.....	*	*	3.3	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.2	1.9	1.8	1.2	1.0	1.6	1.5	0.4	1.6	-
1979.....	1.2	1.1	1.0	1.4	1.3	0.7	-	0.4	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INFANTILE CEREBRAL PALSY (343)										
TOTAL, BOTH SEXES										
1998.....	0.3	0.2	0.3	0.2	0.3	0.3	0.4	0.5	0.5	*
1997.....	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.4	*	*
1996.....	0.2	0.2	0.2	0.2	0.4	0.3	0.2	0.4	*	*
1995.....	0.2	0.1	0.2	0.2	0.3	0.3	0.3	0.4	*	*
1994.....	0.2	0.2	0.2	0.2	0.2	0.3	0.2	*	*	*
1993.....	0.2	0.2	0.2	0.2	*	0.2	0.3	*	*	*
1992.....	0.1	0.1	*	*	0.2	0.3	0.2	*	*	*
1991.....	0.2	0.2	0.2	*	0.3	0.2	*	*	*	*
1990.....	0.1	0.2	0.2	*	*	0.2	0.3	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	0.2	0.2	*	*	*	*
1986.....	0.1	0.2	0.2	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2
1979.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4
TOTAL, MALE										
1998.....	0.3	0.2	0.4	*	0.4	0.5	0.5	0.7	*	*
1997.....	0.2	0.3	*	0.4	*	*	*	*	*	*
1996.....	0.3	0.2	*	*	0.5	*	*	*	*	*
1995.....	*	*	*	*	0.4	*	*	*	*	*
1994.....	*	0.2	0.3	*	*	*	*	*	*	*
1993.....	0.3	0.3	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	0.4	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.2	0.3	0.2	0.1	0.1	0.2	0.2	0.6
1979.....	0.1	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INFANTILE CEREBRAL PALSY (343)										
TOTAL, FEMALE										
1998.....	0.2	0.2	0.2	*	*	*	*	*	*	*
1997.....	0.2	0.2	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.2	0.1	0.1	0.1	0.1	-	0.2	0.1
1979.....	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.5
WHITE, BOTH SEXES										
1998.....	0.3	0.3	0.3	0.2	0.3	0.4	0.4	0.5	0.5	*
1997.....	0.2	0.2	0.2	0.3	0.3	0.4	0.3	0.4	*	*
1996.....	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.4	*	*
1995.....	0.2	*	0.2	0.2	0.3	0.3	0.3	0.4	*	*
1994.....	0.2	0.2	0.2	0.2	0.3	0.3	0.3	*	*	*
1993.....	0.2	0.2	*	0.2	*	0.2	0.3	*	*	*
1992.....	0.2	0.2	*	*	0.2	0.3	*	*	*	*
1991.....	0.2	0.2	*	*	0.3	0.3	*	*	*	*
1990.....	0.1	0.2	*	*	*	0.3	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2
1979.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INFANTILE CEREBRAL PALSY (343)										
WHITE MALE										
1998.....	0.3	0.3	0.4	*	0.5	0.5	0.6	0.8	*	*
1997.....	0.2	0.3	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	0.5	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.2	0.3	0.2	0.1	0.1	0.2	0.2	0.5
1979.....	0.1	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.2
WHITE FEMALE										
1998.....	0.3	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.2	0.1	0.1	0.1	0.1	-	0.1	0.1
1979.....	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INFANTILE CEREBRAL PALSY (343)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	0.2	0.1	-	0.2	-	0.9	0.6
1979.....	-	-	-	0.2	0.1	0.1	-	-	0.4	0.6
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.4	0.2	-	0.4	-	-	1.6
1979.....	-	-	-	0.2	0.2	0.3	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INFANTILE CEREBRAL PALSY (343)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	-	-	-	-	-	1.4	-
1979.....	-	-	-	0.2	-	-	-	-	0.7	0.9
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	0.2	0.1	-	0.2	-	1.0	0.6
1979.....	-	-	-	0.1	0.1	0.1	-	-	0.5	0.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INFANTILE CEREBRAL PALSY (343)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.4	0.3	-	0.4	-	-	1.9
1979.....	-	-	-	-	0.3	0.3	-	-	-	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.2	-	-	-	-	-	1.6	-
1979.....	-	-	-	0.2	-	-	-	-	0.8	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 EPILEPSY (345)										
TOTAL, BOTH SEXES										
1998.....	0.6	0.6	0.6	0.7	0.7	0.9	1.1	1.2	1.1	1.6
1997.....	0.7	0.6	0.5	0.7	0.7	0.8	1.1	1.3	1.5	1.8
1996.....	0.5	0.7	0.6	0.5	0.7	0.5	1.1	1.4	2.1	1.8
1995.....	0.5	0.6	0.6	0.6	0.8	0.8	1.1	1.2	2.3	2.0
1994.....	0.6	0.7	0.5	0.7	0.8	0.8	1.0	1.2	1.7	2.1
1993.....	0.6	0.6	0.7	0.6	0.7	0.8	0.8	1.2	1.9	2.1
1992.....	0.7	0.5	0.7	0.7	0.7	0.9	1.0	1.1	1.6	2.2
1991.....	0.5	0.7	0.7	0.8	0.8	0.9	1.2	1.5	1.8	2.8
1990.....	0.8	0.9	0.8	0.8	1.0	1.0	1.2	2.0	2.1	2.8
1989.....	0.6	0.7	0.8	0.9	1.0	1.1	1.3	1.7	1.7	3.0
1988.....	0.8	0.8	0.6	0.9	1.1	1.1	1.5	1.9	1.9	2.6
1987.....	0.6	0.7	0.8	0.8	1.0	1.2	1.5	1.7	2.3	2.9
1986.....	0.9	0.8	0.8	0.9	1.1	1.0	1.4	2.1	1.6	3.3
1985.....	0.8	1.0	0.7	0.9	1.1	1.2	1.5	1.5	2.1	2.7
1984.....	0.8	0.9	0.9	0.8	1.0	1.1	1.3	1.8	1.9	2.0
1983.....	0.9	1.2	1.1	0.9	1.1	1.1	1.2	1.3	1.5	1.9
1982.....	0.9	0.9	0.8	0.9	0.8	0.9	1.0	1.2	1.4	2.1
1981.....	1.0	1.2	1.2	0.9	1.0	1.0	1.0	1.0	1.2	1.7
1980.....	1.0	1.0	1.2	1.0	1.0	0.9	1.0	1.1	1.1	1.7
1979.....	1.1	1.0	1.0	1.0	1.1	0.8	0.9	1.0	1.0	1.3
TOTAL, MALE										
1998.....	0.8	0.8	0.8	0.7	0.8	0.9	1.0	1.1	1.2	1.9
1997.....	0.9	0.9	0.7	0.7	0.8	0.6	1.3	1.5	1.4	2.2
1996.....	0.6	0.8	0.7	0.7	0.8	0.5	1.2	1.5	2.0	1.9
1995.....	0.6	0.8	0.7	0.8	0.8	1.0	1.4	1.5	2.4	2.4
1994.....	0.8	0.8	0.7	0.9	0.9	0.9	1.1	1.6	1.8	2.7
1993.....	0.8	0.8	0.8	0.8	1.0	1.0	0.9	1.2	1.9	2.2
1992.....	0.9	0.8	0.8	0.9	0.9	1.1	1.4	1.3	1.6	2.2
1991.....	0.7	0.8	0.9	1.0	1.0	1.1	1.4	1.7	*	3.4
1990.....	0.9	1.1	1.1	1.0	1.3	1.4	1.5	2.4	1.7	3.3
1989.....	0.9	0.8	1.0	1.0	1.2	1.4	1.7	1.9	2.4	3.5
1988.....	0.9	0.9	0.8	1.1	1.3	1.5	1.8	2.5	2.8	3.1
1987.....	0.9	1.0	1.1	1.0	1.3	1.5	1.6	2.0	2.8	3.6
1986.....	1.0	1.0	1.1	1.1	1.3	1.1	1.8	2.4	1.8	2.8
1985.....	1.2	1.2	1.0	1.2	1.4	1.4	1.9	2.1	3.2	3.3
1984.....	1.2	1.3	1.1	1.1	1.3	1.3	2.0	2.0	2.0	3.3
1983.....	1.2	1.6	1.4	1.2	1.4	1.3	1.4	1.7	2.0	*
1982.....	1.0	1.2	1.2	1.2	1.1	1.3	1.3	1.6	2.1	*
1981.....	1.4	1.6	1.5	1.2	1.4	1.2	1.4	*	1.9	*
1980.....	1.2	1.3	1.8	1.4	1.2	1.2	1.4	1.6	1.6	1.8
1979.....	1.6	1.3	1.5	1.5	1.4	1.2	1.3	1.2	0.9	1.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 EPILEPSY (345)										
TOTAL, FEMALE										
1998.....	0.4	0.4	0.5	0.7	0.6	0.9	1.1	1.3	1.0	1.5
1997.....	0.4	0.4	0.4	0.6	0.7	0.9	0.9	1.3	1.5	1.7
1996.....	0.5	0.5	0.4	0.4	0.7	0.5	1.0	1.3	2.1	1.8
1995.....	0.3	0.5	0.4	0.5	0.7	0.6	0.9	0.9	2.3	1.9
1994.....	0.4	0.6	0.4	0.5	0.7	0.7	0.9	1.0	1.6	1.9
1993.....	0.5	0.4	0.6	0.5	0.5	0.7	0.8	1.2	1.9	2.1
1992.....	0.5	0.3	0.6	0.5	0.6	0.8	0.8	1.0	1.6	2.3
1991.....	0.3	0.5	0.6	0.6	0.6	0.8	1.1	1.3	2.0	2.5
1990.....	0.7	0.6	0.6	0.7	0.6	0.8	1.0	1.8	2.3	2.6
1989.....	0.4	0.5	0.6	0.8	0.8	0.9	1.0	1.6	1.4	2.8
1988.....	0.6	0.7	*	0.7	0.8	0.7	1.2	1.6	1.4	2.5
1987.....	0.4	0.4	0.5	0.7	0.8	0.9	1.4	1.6	2.0	2.6
1986.....	0.8	0.7	0.6	0.7	0.9	0.9	1.2	1.8	1.5	3.5
1985.....	0.5	0.7	0.5	0.6	0.9	1.0	1.2	1.1	1.5	2.5
1984.....	0.4	0.5	0.7	0.6	0.8	0.9	0.8	1.6	1.8	1.4
1983.....	0.5	0.8	0.8	0.6	0.8	0.9	1.0	1.0	1.3	1.6
1982.....	0.7	0.6	0.5	0.6	0.6	0.6	0.8	1.0	1.0	1.9
1981.....	0.7	0.7	0.8	0.7	0.7	0.8	0.8	1.2	*	1.5
1980.....	0.7	0.7	0.7	0.7	0.9	0.6	0.8	0.7	0.8	1.7
1979.....	0.7	0.8	0.6	0.6	0.9	0.5	0.7	1.0	1.0	1.2
WHITE, BOTH SEXES										
1998.....	0.5	0.5	0.5	0.5	0.4	0.7	0.9	1.0	1.0	1.4
1997.....	0.6	0.5	0.5	0.5	0.6	0.7	1.0	1.1	1.3	1.7
1996.....	0.5	0.6	0.5	0.4	0.7	0.5	0.9	1.2	1.9	1.7
1995.....	0.4	0.5	0.5	0.6	0.6	0.7	0.8	0.9	2.2	1.8
1994.....	0.5	0.6	0.5	0.5	0.6	0.7	0.9	1.0	1.5	1.9
1993.....	0.5	0.5	0.6	0.5	0.5	0.7	0.7	1.1	1.4	2.0
1992.....	0.6	0.4	0.6	0.6	0.6	0.8	1.0	0.9	1.2	1.9
1991.....	0.4	0.6	0.6	0.6	0.6	0.7	1.1	1.4	1.7	2.8
1990.....	0.7	0.7	0.6	0.6	0.8	0.9	1.0	1.8	1.9	2.3
1989.....	0.5	0.6	0.5	0.7	0.8	0.9	1.0	1.4	1.5	2.5
1988.....	0.5	0.7	0.5	0.6	0.9	0.9	1.3	1.6	1.6	2.4
1987.....	0.5	0.5	0.6	0.6	0.8	1.0	1.3	1.5	2.1	2.8
1986.....	0.7	0.7	0.7	0.7	0.8	0.8	1.3	1.7	1.3	2.8
1985.....	0.6	0.6	0.5	0.6	0.9	0.9	1.3	1.3	1.9	2.2
1984.....	0.6	0.7	0.6	0.6	0.8	0.8	1.2	1.6	1.4	1.9
1983.....	0.7	0.8	0.9	0.6	0.7	0.9	0.9	1.0	1.4	1.9
1982.....	0.6	0.6	0.6	0.7	0.7	0.8	0.8	1.1	1.3	1.9
1981.....	0.8	0.8	0.9	0.8	0.9	0.9	0.8	0.8	1.1	1.3
1980.....	0.6	0.6	0.9	0.7	0.8	0.6	0.9	0.9	0.9	1.5
1979.....	0.8	0.8	0.7	0.8	0.8	0.7	0.8	0.9	0.9	1.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 EPILEPSY (345)										
WHITE MALE										
1998.....	0.7	0.7	0.6	0.5	0.5	0.6	0.8	0.8	*	1.9
1997.....	0.8	0.7	0.6	0.4	0.5	0.5	1.2	1.1	1.3	*
1996.....	0.5	0.8	0.6	0.5	0.8	*	0.9	1.2	1.8	*
1995.....	0.5	0.6	0.6	0.7	0.6	0.8	0.8	1.2	2.2	2.2
1994.....	0.7	0.7	0.6	0.6	0.6	0.8	0.9	1.1	1.6	2.3
1993.....	0.6	0.6	0.8	0.7	0.7	0.8	0.8	1.1	*	*
1992.....	0.7	0.6	0.6	0.7	0.8	0.8	1.2	1.0	*	*
1991.....	0.6	0.8	0.6	0.8	0.8	0.9	1.2	1.6	*	3.1
1990.....	0.8	0.9	0.7	0.7	1.0	1.1	1.1	2.2	1.6	2.8
1989.....	0.7	0.7	0.5	0.6	0.9	1.0	1.2	1.5	2.3	2.8
1988.....	0.6	0.7	0.7	0.8	1.1	1.1	1.4	2.0	2.5	3.0
1987.....	0.6	0.7	0.7	0.7	1.0	1.3	1.3	1.8	2.4	3.7
1986.....	0.7	0.7	1.0	0.9	1.0	0.9	1.5	2.1	*	*
1985.....	0.9	0.7	0.5	0.8	1.0	1.0	1.4	1.8	3.0	*
1984.....	0.9	1.0	0.8	0.7	1.0	0.9	1.8	1.7	*	3.3
1983.....	0.9	1.1	1.1	0.8	1.0	1.0	1.0	1.2	*	*
1982.....	0.7	0.9	0.9	0.9	0.8	1.1	1.0	1.4	*	*
1981.....	1.0	1.1	1.0	1.0	1.2	1.0	1.0	*	*	*
1980.....	0.8	0.8	1.3	0.9	0.9	0.7	1.1	1.4	1.3	1.4
1979.....	1.2	0.9	1.0	1.0	0.9	1.0	1.1	1.0	0.8	1.5
WHITE FEMALE										
1998.....	0.4	0.4	0.5	0.6	*	0.8	1.0	1.1	0.9	1.3
1997.....	0.4	0.3	0.4	0.5	0.6	0.8	0.7	1.2	1.2	1.6
1996.....	0.4	0.4	*	*	0.6	0.5	0.9	1.2	2.0	1.7
1995.....	0.4	0.5	0.4	0.4	0.6	0.5	0.7	0.7	2.2	1.6
1994.....	0.3	0.4	0.3	0.4	0.5	0.6	0.8	1.0	1.4	1.8
1993.....	0.4	0.4	0.4	*	0.4	0.6	0.6	1.1	1.4	1.9
1992.....	0.4	*	0.5	0.4	0.5	0.8	0.8	0.9	1.3	1.9
1991.....	0.3	0.4	0.6	*	0.4	0.6	0.9	1.3	2.0	2.6
1990.....	0.6	0.5	0.5	0.6	0.5	0.7	0.9	1.6	2.0	2.1
1989.....	0.4	0.4	0.5	0.7	0.7	0.8	0.9	1.4	1.0	2.3
1988.....	0.5	0.7	*	0.5	0.7	0.7	1.2	1.3	1.2	2.2
1987.....	0.4	*	0.4	0.6	0.7	0.8	1.2	1.3	1.9	2.4
1986.....	0.7	0.7	0.5	0.6	0.7	0.7	1.1	1.5	1.3	2.8
1985.....	0.4	0.6	0.5	0.5	0.8	0.8	1.2	0.9	1.4	2.2
1984.....	0.4	0.4	0.6	0.6	0.6	0.7	0.8	1.6	1.4	1.4
1983.....	0.5	0.6	0.8	0.4	0.5	0.9	0.8	0.9	1.2	1.7
1982.....	0.5	*	0.4	0.5	0.5	0.5	0.7	0.8	*	1.8
1981.....	0.6	0.5	0.7	0.6	0.6	0.8	0.7	1.2	*	*
1980.....	0.4	0.5	0.5	0.5	0.7	0.6	0.8	0.7	0.7	1.5
1979.....	0.5	0.7	0.5	0.5	0.8	0.4	0.6	0.8	0.9	1.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 EPILEPSY (345)										
ALL OTHER, BOTH SEXES										
1998.....	0.9	1.0	1.2	1.4	2.3	1.8	2.2	3.0	*	*
1997.....	1.0	1.4	0.9	1.9	1.8	*	*	3.2	*	*
1996.....	0.9	1.0	1.3	1.3	*	*	2.7	3.3	*	*
1995.....	0.8	1.3	*	*	2.0	1.7	4.1	3.4	*	*
1994.....	1.0	1.2	*	1.9	2.0	*	*	*	*	*
1993.....	1.1	1.4	1.3	*	2.0	2.1	*	*	7.4	*
1992.....	1.4	1.5	1.4	1.8	*	2.0	*	*	*	*
1991.....	0.9	1.2	1.7	1.9	1.8	2.6	2.8	*	*	*
1990.....	1.4	1.8	2.0	2.2	2.4	2.5	3.2	4.1	*	8.1
1989.....	1.3	1.5	2.4	2.4	2.5	3.1	3.6	4.9	*	8.6
1988.....	2.2	1.6	*	2.5	2.5	3.2	3.3	5.1	*	*
1987.....	1.7	1.6	2.2	2.6	2.5	2.6	3.7	4.4	*	*
1986.....	2.0	1.7	1.7	2.1	3.0	2.2	3.1	5.0	*	8.7
1985.....	2.2	3.1	2.4	2.9	3.3	3.3	3.5	*	*	*
1984.....	1.7	2.0	2.7	2.2	3.0	3.7	*	*	7.3	*
1983.....	2.2	3.3	2.2	3.2	3.8	2.4	3.5	*	*	*
1982.....	2.5	2.5	2.3	2.7	2.2	2.2	*	*	*	*
1981.....	2.7	3.3	3.4	2.0	2.5	2.2	3.1	*	*	*
1980.....	3.2	3.3	3.7	3.6	3.2	3.0	2.5	2.3	2.6	3.9
1979.....	3.3	2.7	3.7	3.1	3.6	2.0	2.3	2.7	2.2	1.7
ALL OTHER MALE										
1998.....	1.3	1.4	*	*	*	*	*	*	*	*
1997.....	1.3	2.1	*	2.7	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	1.4	1.8	*	*	*	*	6.9	*	*	*
1994.....	1.4	*	*	3.1	*	*	*	*	*	*
1993.....	1.7	2.1	*	*	3.7	*	*	*	*	*
1992.....	2.0	*	*	*	*	*	*	*	*	*
1991.....	1.5	*	2.8	*	*	*	*	*	*	*
1990.....	2.0	2.6	3.2	*	3.7	4.3	*	*	*	*
1989.....	2.0	*	3.8	3.7	*	4.6	*	*	*	*
1988.....	2.9	2.6	*	3.4	*	5.7	*	*	*	*
1987.....	2.7	2.5	3.5	3.7	*	*	*	*	*	*
1986.....	3.0	2.6	*	*	4.1	*	*	*	*	*
1985.....	3.2	4.6	4.6	4.6	5.1	5.1	*	*	*	*
1984.....	3.3	3.4	3.7	3.8	4.4	5.0	*	*	*	*
1983.....	3.8	5.1	3.9	4.5	5.3	*	*	*	*	*
1982.....	3.4	3.1	4.0	3.9	*	*	*	*	*	*
1981.....	3.8	5.2	5.2	*	*	*	*	*	*	*
1980.....	4.3	5.4	6.5	5.6	4.0	5.4	4.4	3.3	4.6	4.9
1979.....	4.7	4.3	6.0	5.4	5.8	3.4	3.4	2.2	2.3	3.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 EPILEPSY (345)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	1.6	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	2.3	1.6	1.5	2.0	2.5	1.2	1.1	1.5	1.4	3.4
1979.....	2.1	1.3	1.8	1.1	1.9	1.0	1.4	3.1	2.2	0.9
BLACK, BOTH SEXES										
1998.....	1.2	1.2	1.6	1.9	2.8	2.4	3.0	4.0	*	*
1997.....	1.2	1.9	*	2.4	2.2	*	*	3.9	*	*
1996.....	1.0	1.2	1.8	1.8	*	*	3.3	4.2	*	*
1995.....	1.0	1.7	*	*	2.3	*	5.2	4.1	*	*
1994.....	1.3	1.5	*	2.3	2.6	*	*	*	*	*
1993.....	1.5	1.9	1.8	*	2.6	2.4	*	*	9.1	*
1992.....	1.9	1.9	1.8	2.3	*	2.5	*	*	*	*
1991.....	1.0	1.6	1.9	2.6	2.3	3.2	3.2	*	*	*
1990.....	1.8	2.3	2.6	2.6	2.9	3.0	3.8	5.0	*	9.4
1989.....	1.7	2.0	3.2	3.0	2.8	3.3	4.4	5.6	*	10.0
1988.....	2.9	2.0	*	3.1	3.0	3.8	4.0	5.9	*	*
1987.....	2.1	2.0	2.8	3.1	3.1	3.0	4.5	5.0	*	*
1986.....	2.3	2.0	2.1	2.4	3.7	2.7	3.7	5.3	*	10.0
1985.....	2.7	3.8	3.1	3.4	4.0	3.6	4.2	*	*	*
1984.....	2.2	2.5	3.2	2.5	3.5	4.4	*	*	*	*
1983.....	2.9	4.0	2.7	3.8	4.6	2.8	4.0	*	*	*
1982.....	2.9	2.8	2.7	3.2	2.7	2.5	*	*	*	*
1981.....	3.2	3.9	3.9	2.4	2.8	2.5	*	*	*	*
1980.....	4.0	3.8	4.3	4.0	3.7	3.5	2.8	2.3	3.0	4.4
1979.....	3.7	3.1	4.2	3.4	4.0	2.3	2.4	2.8	2.0	1.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 EPILEPSY (345)										
BLACK MALE										
1998.....	1.8	*	*	*	*	*	*	*	*	*
1997.....	*	2.6	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	1.8	2.5	*	*	*	*	9.3	*	*	*
1994.....	*	*	*	4.3	*	*	*	*	*	*
1993.....	2.2	2.8	*	*	4.9	*	*	*	*	*
1992.....	2.8	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	2.5	3.6	4.3	*	*	*	*	*	*	*
1989.....	2.7	*	5.2	4.8	*	*	*	*	*	*
1988.....	3.8	3.4	*	4.3	*	7.1	*	*	*	*
1987.....	3.4	3.3	4.4	4.7	*	*	*	*	*	*
1986.....	3.5	*	*	*	5.1	*	*	*	*	*
1985.....	4.0	5.6	5.8	5.5	6.3	6.2	*	*	*	*
1984.....	4.1	4.3	4.4	4.4	5.4	5.9	*	*	*	*
1983.....	4.9	6.5	4.6	5.3	6.5	*	*	*	*	*
1982.....	4.2	*	4.7	4.6	*	*	*	*	*	*
1981.....	4.7	6.3	5.9	*	*	*	*	*	*	*
1980.....	5.4	6.2	7.5	6.4	4.7	6.3	5.1	3.9	5.3	5.7
1979.....	5.3	5.0	6.8	6.1	6.7	3.8	3.5	2.5	1.3	3.8
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	2.2	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	2.8	1.9	1.8	2.1	2.9	1.3	1.2	1.3	1.6	3.8
1979.....	2.4	1.6	2.1	1.2	1.9	1.1	1.6	3.0	2.4	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)										
TOTAL, BOTH SEXES										
1998.....	1.4	2.0	2.5	3.8	5.8	8.4	12.1	17.1	22.2	30.2
1997.....	1.4	1.9	2.7	3.8	5.4	8.2	12.0	16.5	22.0	30.0
1996.....	1.4	1.8	2.5	3.5	5.4	8.0	11.0	14.8	20.8	29.1
1995.....	1.4	2.0	2.6	3.7	5.2	7.3	10.4	14.2	19.2	27.2
1994.....	1.5	1.9	2.5	3.6	5.3	7.0	10.2	14.7	18.7	26.8
1993.....	1.5	1.8	2.4	3.5	5.3	7.1	10.3	15.0	19.7	26.9
1992.....	1.4	1.9	2.4	2.9	4.8	6.9	9.5	12.7	16.9	26.0
1991.....	1.3	1.7	2.4	3.5	5.2	6.6	10.4	14.4	16.9	24.3
1990.....	1.3	1.7	2.5	3.6	4.9	7.2	10.3	13.9	19.7	26.1
1989.....	1.2	1.8	2.4	3.6	5.2	7.9	10.7	14.5	18.1	27.0
1988.....	1.3	1.8	2.4	3.5	5.2	7.7	10.5	15.5	19.2	28.2
1987.....	1.2	1.8	2.7	3.6	5.8	7.4	10.9	14.5	19.5	28.9
1986.....	1.4	1.7	2.5	3.9	5.1	7.6	10.6	16.2	19.3	28.4
1985.....	1.1	1.7	2.6	3.7	5.3	7.2	10.7	14.7	19.0	28.0
1984.....	1.3	1.9	2.5	3.4	5.2	6.7	9.8	14.2	16.4	27.3
1983.....	1.2	1.7	2.6	4.0	4.8	6.7	9.1	12.8	16.5	24.4
1982.....	1.2	1.6	2.4	3.1	4.7	6.4	9.0	11.4	15.9	23.1
1981.....	1.3	1.8	2.3	3.4	4.9	6.2	8.6	12.6	16.7	24.2
1980.....	1.2	1.8	2.4	3.5	4.4	6.5	8.6	11.6	17.2	22.9
1979.....	1.5	1.8	2.3	3.5	4.8	6.3	8.6	11.8	15.3	22.9
TOTAL, MALE										
1998.....	1.7	2.4	3.1	4.7	6.9	10.9	15.3	20.8	26.8	35.2
1997.....	1.7	2.1	3.1	4.0	6.4	9.7	14.4	20.0	27.9	37.6
1996.....	1.8	2.4	3.0	3.8	5.9	9.0	13.0	18.1	27.7	36.2
1995.....	1.7	2.6	2.9	4.6	6.3	8.5	12.6	17.6	25.9	34.9
1994.....	1.7	2.1	3.1	4.4	6.4	8.0	13.1	18.0	23.9	33.6
1993.....	2.0	2.0	2.9	4.0	6.5	8.3	12.3	18.4	25.8	33.9
1992.....	1.9	2.5	2.9	3.5	5.9	8.7	12.0	16.4	22.9	35.0
1991.....	1.5	2.2	2.7	3.7	6.1	8.2	13.3	19.0	22.5	29.2
1990.....	1.7	2.1	3.0	4.3	6.1	8.7	13.3	18.0	25.9	30.9
1989.....	1.5	2.0	3.0	4.5	6.6	9.8	13.6	19.3	23.9	33.2
1988.....	1.7	2.3	3.0	4.1	6.0	9.8	14.0	20.1	25.5	33.1
1987.....	1.5	2.0	3.2	4.2	7.2	9.5	13.7	18.9	25.4	33.2
1986.....	1.8	2.1	2.8	4.9	6.5	9.1	13.8	20.3	25.9	33.0
1985.....	1.5	2.2	3.1	4.4	6.5	9.2	13.4	19.2	25.1	31.1
1984.....	1.6	2.2	3.1	3.8	6.4	8.8	12.7	19.4	21.3	34.9
1983.....	1.6	2.0	3.1	5.0	5.9	8.2	11.4	16.5	19.9	32.5
1982.....	1.3	1.8	3.3	4.0	5.5	8.2	11.5	14.8	18.9	26.4
1981.....	1.5	1.9	2.6	3.7	6.2	8.1	10.9	16.9	21.4	26.0
1980.....	1.3	1.9	2.8	4.2	5.6	8.7	11.1	15.4	21.7	22.9
1979.....	1.6	2.3	2.9	4.1	6.4	7.9	10.7	15.2	19.4	29.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)

TOTAL, FEMALE										
1998.....	1.1	1.7	2.0	3.1	4.8	6.2	9.6	14.5	19.5	28.1
1997.....	1.1	1.6	2.3	3.6	4.6	6.8	10.2	14.0	18.5	27.0
1996.....	1.0	1.3	2.0	3.3	4.8	7.2	9.4	12.5	16.7	26.3
1995.....	1.1	1.4	2.2	2.9	4.1	6.4	8.7	11.9	15.5	24.2
1994.....	1.2	1.7	1.9	3.0	4.3	6.2	8.0	12.4	15.8	24.2
1993.....	0.9	1.6	1.8	3.1	4.2	6.1	8.8	12.7	16.3	24.2
1992.....	1.0	1.3	1.9	2.4	3.8	5.5	7.7	10.3	13.6	22.6
1991.....	1.0	1.3	2.0	3.2	4.3	5.2	8.2	11.4	13.9	22.4
1990.....	0.9	1.3	2.0	2.9	3.8	6.0	8.0	11.2	16.4	24.3
1989.....	0.9	1.6	1.8	2.8	4.0	6.3	8.5	11.4	15.0	24.5
1988.....	0.9	1.4	1.9	3.0	4.4	6.0	7.9	12.6	15.9	26.4
1987.....	0.8	1.6	2.2	3.0	4.6	5.8	8.9	11.8	16.4	27.2
1986.....	0.9	1.3	2.2	3.0	3.9	6.3	8.3	13.5	15.9	26.6
1985.....	0.8	1.3	2.1	3.1	4.3	5.6	8.8	11.9	15.8	26.8
1984.....	0.9	1.5	1.9	3.1	4.2	5.1	7.6	10.9	13.8	24.2
1983.....	0.8	1.5	2.1	3.1	3.9	5.6	7.4	10.4	14.7	21.1
1982.....	1.0	1.5	1.6	2.3	4.0	5.0	7.1	9.3	14.3	21.8
1981.....	1.2	1.6	1.9	3.1	3.9	4.7	7.0	9.9	14.2	23.4
1980.....	1.0	1.7	2.1	2.8	3.4	4.6	6.8	9.2	14.9	22.9
1979.....	1.4	1.2	1.8	2.9	3.5	4.9	7.1	9.6	13.1	20.0
WHITE, BOTH SEXES										
1998.....	1.1	1.8	2.3	3.3	5.2	8.2	11.5	17.2	21.8	30.4
1997.....	1.3	1.5	2.4	3.4	4.9	7.8	11.6	16.1	21.4	30.1
1996.....	1.2	1.6	2.2	3.2	5.0	7.7	10.9	14.6	20.8	29.4
1995.....	1.2	1.7	2.2	3.4	4.7	6.9	10.0	14.4	18.7	27.4
1994.....	1.3	1.6	2.2	3.5	5.0	6.6	9.7	14.4	19.1	27.3
1993.....	1.3	1.6	2.2	3.3	4.9	6.8	10.1	14.6	19.7	27.1
1992.....	1.3	1.7	2.1	2.7	4.5	6.5	9.5	12.8	16.9	26.9
1991.....	1.2	1.5	2.1	3.2	4.8	6.3	10.1	14.2	16.8	24.1
1990.....	1.1	1.4	2.2	3.2	4.5	6.7	9.9	13.8	19.3	25.9
1989.....	1.0	1.6	2.1	3.2	4.7	7.4	10.3	14.1	17.9	27.0
1988.....	1.1	1.6	2.1	3.2	4.6	7.3	9.9	15.6	18.7	28.3
1987.....	1.0	1.5	2.3	3.3	5.4	7.1	11.0	14.5	19.4	28.9
1986.....	1.1	1.5	2.1	3.4	4.8	7.1	10.5	15.9	19.1	28.0
1985.....	1.1	1.4	2.2	3.4	5.1	6.8	10.3	14.5	19.0	28.5
1984.....	1.1	1.6	2.3	3.2	4.7	6.5	9.4	14.3	16.3	27.5
1983.....	1.0	1.5	2.2	3.5	4.3	6.5	8.9	12.4	16.5	24.8
1982.....	1.0	1.4	2.0	2.6	4.4	5.8	8.9	11.4	15.7	23.8
1981.....	1.1	1.6	2.1	3.1	4.6	5.8	8.3	12.4	16.3	24.5
1980.....	0.9	1.5	2.1	3.1	4.0	6.1	8.2	11.7	17.1	23.4
1979.....	1.3	1.5	2.1	3.1	4.4	6.1	8.4	11.5	15.5	23.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)										
WHITE MALE										
1998.....	1.4	2.1	2.7	4.1	6.3	10.8	14.8	21.0	27.1	35.6
1997.....	1.6	1.7	2.7	3.7	5.7	9.4	14.1	19.8	27.9	37.6
1996.....	1.5	2.1	2.7	3.5	5.6	8.8	13.1	18.2	28.0	36.8
1995.....	1.6	2.1	2.5	4.3	6.0	8.2	12.1	18.1	24.8	35.0
1994.....	1.6	1.9	2.8	4.2	6.2	7.6	12.6	18.2	24.5	33.8
1993.....	1.8	1.8	2.8	3.6	6.1	7.9	11.9	17.8	26.1	34.5
1992.....	1.7	2.3	2.5	3.3	5.7	8.3	12.0	16.6	23.0	36.9
1991.....	1.4	2.0	2.4	3.5	5.7	7.7	12.7	19.1	21.9	29.9
1990.....	1.4	1.7	2.7	3.9	5.7	8.1	12.7	18.0	26.1	31.6
1989.....	1.4	1.8	2.6	4.0	6.2	9.5	13.0	18.8	23.8	33.6
1988.....	1.5	1.8	2.7	3.7	5.3	9.1	13.3	20.1	25.1	33.7
1987.....	1.3	1.8	2.8	4.0	6.6	9.2	13.6	18.7	25.4	32.5
1986.....	1.5	1.8	2.4	4.2	6.1	8.5	13.8	20.0	25.8	32.4
1985.....	1.4	1.7	2.7	4.1	6.1	8.6	13.0	19.0	24.8	31.0
1984.....	1.5	1.9	2.8	3.6	5.8	8.3	12.5	19.7	21.3	34.8
1983.....	1.3	1.7	2.8	4.5	5.5	8.0	11.2	16.1	19.9	33.0
1982.....	1.1	1.6	2.9	3.5	5.1	7.3	11.4	15.0	18.5	27.2
1981.....	1.2	1.7	2.4	3.4	5.7	7.5	10.6	16.7	20.9	26.4
1980.....	1.0	1.6	2.4	3.8	5.0	8.3	10.2	15.7	21.6	23.4
1979.....	1.3	1.9	2.7	3.7	5.9	7.9	10.3	15.0	19.3	29.7
WHITE FEMALE										
1998.....	0.9	1.5	1.9	2.6	4.2	6.0	8.9	14.5	18.7	28.2
1997.....	1.0	1.3	2.1	3.3	4.1	6.5	9.6	13.5	17.5	27.2
1996.....	0.9	1.1	1.7	3.0	4.4	6.7	9.1	12.1	16.6	26.4
1995.....	0.9	1.3	1.9	2.6	3.6	5.8	8.4	11.9	15.3	24.4
1994.....	1.0	1.4	1.6	2.8	3.9	5.8	7.5	11.8	16.0	24.8
1993.....	0.8	1.5	1.7	2.9	3.9	5.8	8.6	12.5	16.2	24.2
1992.....	0.9	1.1	1.7	2.2	3.4	5.0	7.5	10.2	13.7	23.1
1991.....	0.9	1.0	1.9	2.9	4.1	5.2	8.1	11.0	14.0	21.9
1990.....	0.7	1.1	1.7	2.5	3.4	5.6	7.9	11.2	15.7	23.8
1989.....	0.7	1.4	1.6	2.5	3.4	5.8	8.3	11.1	14.7	24.4
1988.....	0.8	1.4	1.6	2.7	3.9	5.8	7.3	12.6	15.3	26.3
1987.....	0.6	1.3	1.8	2.7	4.3	5.5	9.0	11.7	16.2	27.6
1986.....	0.7	1.2	1.8	2.7	3.7	5.8	8.0	13.3	15.6	26.2
1985.....	0.7	1.0	1.8	2.8	4.2	5.4	8.4	11.7	16.0	27.6
1984.....	0.8	1.3	1.8	2.8	3.7	5.1	7.1	10.9	13.7	24.7
1983.....	0.7	1.3	1.7	2.6	3.3	5.3	7.2	10.1	14.7	21.5
1982.....	1.0	1.3	1.2	1.9	3.8	4.6	7.1	9.1	14.2	22.4
1981.....	1.0	1.4	1.7	2.9	3.6	4.4	6.6	9.7	13.9	23.7
1980.....	0.8	1.4	1.9	2.4	3.1	4.4	6.8	9.1	14.8	23.5
1979.....	1.2	1.0	1.5	2.6	3.2	4.8	7.0	9.4	13.5	20.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)										
ALL OTHER, BOTH SEXES										
1998.....	2.7	3.1	4.0	7.0	9.5	9.3	16.6	16.6	26.3	28.4
1997.....	2.1	3.6	4.6	5.7	9.2	10.3	15.6	19.5	28.1	28.9
1996.....	2.6	3.2	4.2	5.4	7.7	10.2	11.9	16.8	20.6	27.0
1995.....	2.2	3.6	4.7	5.6	7.9	10.1	13.7	12.3	24.6	25.2
1994.....	2.5	3.5	4.2	4.9	7.0	9.8	14.2	17.1	14.9	22.1
1993.....	2.5	2.8	3.1	5.3	7.5	10.0	12.7	18.4	19.1	24.9
1992.....	2.2	3.0	3.9	4.4	7.1	10.3	10.3	12.0	15.9	17.3
1991.....	1.9	3.1	3.9	5.0	7.6	8.5	13.1	16.2	18.2	26.3
1990.....	2.7	3.2	4.3	6.0	8.0	11.4	13.4	14.2	23.6	28.4
1989.....	2.2	3.1	4.3	6.5	9.3	11.5	14.3	18.0	20.7	27.0
1988.....	2.2	3.4	4.6	6.1	9.9	11.3	15.9	15.4	24.7	27.4
1987.....	2.5	3.4	5.3	5.5	9.2	10.1	10.4	15.2	21.1	28.3
1986.....	2.8	2.8	4.9	7.2	7.4	12.2	11.9	18.7	21.5	33.3
1985.....	1.7	3.9	4.9	6.0	7.6	10.5	14.1	17.1	18.6	22.8
1984.....	1.9	3.4	3.8	5.5	9.8	8.5	13.3	13.4	16.8	24.4
1983.....	2.7	3.4	5.3	7.6	9.0	8.8	10.7	15.9	16.8	20.1
1982.....	2.0	3.0	5.3	6.9	7.4	11.6	9.6	11.3	18.7	16.1
1981.....	2.9	3.0	3.7	5.6	8.0	9.9	12.1	14.3	21.2	20.5
1980.....	3.0	3.9	4.7	6.6	8.1	9.4	12.1	11.1	18.8	16.7
1979.....	3.4	3.8	4.0	6.4	8.4	7.2	10.5	14.1	12.9	17.8
ALL OTHER MALE										
1998.....	3.4	3.8	5.3	8.6	11.2	11.2	19.0	18.9	24.0	32.0
1997.....	2.6	4.5	5.6	6.3	11.2	12.3	16.9	21.8	28.0	37.6
1996.....	3.6	4.1	4.8	5.9	8.0	10.7	12.3	17.0	24.6	30.8
1995.....	2.5	5.4	5.9	6.9	8.5	10.1	17.1	12.8	37.2	33.6
1994.....	2.8	3.3	5.0	5.7	7.2	11.4	18.1	16.2	17.4	31.7
1993.....	3.2	3.3	3.7	6.3	9.8	11.4	16.2	24.7	22.3	28.4
1992.....	3.1	3.5	5.0	5.1	7.6	11.9	12.8	14.5	21.2	*
1991.....	2.3	3.0	5.1	5.0	9.5	12.1	18.0	17.8	27.9	*
1990.....	3.8	4.4	5.3	7.3	9.9	14.6	19.1	17.9	23.5	24.6
1989.....	2.6	3.8	5.7	8.3	10.5	12.8	19.6	23.9	24.8	29.6
1988.....	2.7	5.5	5.6	6.9	12.1	16.3	20.6	20.1	29.9	27.8
1987.....	3.2	3.6	6.2	5.9	12.0	12.6	14.3	20.0	25.0	40.3
1986.....	3.7	3.9	5.3	10.3	9.7	14.5	13.8	23.3	26.9	38.7
1985.....	2.3	5.2	6.0	7.2	10.2	14.1	16.7	21.4	27.6	32.9
1984.....	*	4.3	5.9	5.0	12.4	12.6	14.8	17.3	21.8	36.1
1983.....	3.9	4.3	6.1	9.0	9.6	10.3	13.0	19.8	*	*
1982.....	3.0	3.7	6.5	8.6	9.7	15.9	12.8	12.5	23.4	*
1981.....	3.6	3.2	4.2	6.9	10.6	13.3	13.4	18.8	26.4	*
1980.....	3.6	4.6	6.1	7.6	10.9	13.0	19.3	12.3	22.9	18.1
1979.....	4.1	5.3	4.6	7.4	11.4	8.3	14.4	17.0	20.9	27.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)										
ALL OTHER FEMALE										
1998.....	2.0	2.6	2.9	5.7	8.1	7.9	15.0	15.0	27.6	26.7
1997.....	1.7	2.9	3.8	5.2	7.6	8.9	14.6	18.0	28.1	24.9
1996.....	1.8	2.5	3.7	5.0	7.5	9.8	11.6	16.6	18.4	25.3
1995.....	2.0	2.0	3.8	4.5	7.3	10.2	11.3	12.0	17.7	21.6
1994.....	2.2	3.7	3.5	4.2	6.9	8.7	11.5	17.7	13.6	17.9
1993.....	1.9	2.4	2.5	4.5	5.7	8.9	10.2	14.6	17.3	23.3
1992.....	1.5	2.5	3.0	3.8	6.7	9.1	8.6	10.5	12.8	17.4
1991.....	1.5	3.1	2.8	5.0	6.1	5.8	9.8	15.1	12.7	28.0
1990.....	1.7	2.2	3.5	4.9	6.6	9.0	9.6	11.9	23.7	30.2
1989.....	1.8	2.4	3.1	5.0	8.4	10.5	10.6	14.4	18.4	25.7
1988.....	1.9	*	3.7	5.4	8.3	7.6	12.7	12.4	21.6	27.2
1987.....	1.9	3.1	4.5	5.1	6.9	8.3	7.8	12.2	18.9	22.7
1986.....	2.0	*	4.6	4.6	5.6	10.5	10.6	15.7	18.6	30.8
1985.....	*	2.7	4.0	5.0	5.5	7.8	12.4	14.3	13.3	18.0
1984.....	*	2.6	*	5.9	7.7	5.4	12.2	10.9	13.9	18.6
1983.....	*	2.6	4.6	6.5	8.4	7.7	9.2	13.3	15.2	16.5
1982.....	*	*	4.3	5.6	5.5	8.4	7.2	10.5	15.9	15.0
1981.....	2.4	2.8	3.3	4.5	5.9	7.4	11.1	11.3	18.0	19.8
1980.....	2.5	3.3	3.5	5.7	5.9	6.7	6.8	10.3	16.2	16.0
1979.....	2.8	2.6	3.6	5.6	6.0	6.4	7.5	12.0	8.0	13.2
BLACK, BOTH SEXES										
1998.....	3.3	4.1	5.0	8.1	11.4	10.8	19.2	19.7	30.6	30.4
1997.....	2.7	4.6	5.9	7.1	11.5	12.5	18.9	21.5	32.3	32.1
1996.....	3.3	4.0	5.2	6.9	9.4	12.1	13.1	18.4	21.9	29.3
1995.....	2.8	4.5	5.8	6.6	9.5	12.2	15.1	12.9	26.4	26.6
1994.....	3.1	4.6	5.0	6.3	8.3	11.5	16.4	20.0	16.8	21.5
1993.....	3.2	3.6	4.2	6.2	8.5	11.7	15.8	21.1	19.4	26.9
1992.....	2.7	3.8	5.0	5.3	8.5	11.5	12.2	12.0	18.6	18.1
1991.....	2.3	3.9	5.0	6.3	8.8	9.9	14.6	18.0	19.2	28.0
1990.....	3.5	3.9	5.4	7.2	9.4	13.1	14.9	16.1	26.0	30.5
1989.....	2.8	3.9	5.2	7.5	11.0	13.5	16.7	19.4	23.0	27.7
1988.....	2.7	4.3	5.5	7.0	11.3	12.2	18.4	16.9	27.9	28.5
1987.....	3.0	4.1	6.2	6.5	10.3	11.3	11.5	16.6	22.8	28.4
1986.....	3.5	3.5	5.6	8.5	8.6	13.7	12.2	20.1	22.4	33.3
1985.....	2.0	4.7	5.9	6.8	8.6	12.1	15.0	17.4	20.0	23.1
1984.....	2.4	4.0	4.6	6.5	11.2	9.2	13.9	15.2	17.8	24.7
1983.....	3.5	3.9	6.0	8.3	9.9	9.7	11.4	15.8	17.6	18.5
1982.....	2.6	3.8	6.0	7.7	8.4	12.6	10.9	12.1	19.3	16.5
1981.....	3.5	3.5	4.2	6.3	9.0	10.3	13.3	14.4	23.0	22.0
1980.....	3.2	4.5	5.1	7.2	8.5	10.1	12.6	11.6	20.5	17.0
1979.....	3.9	4.0	4.4	6.9	9.4	7.3	11.5	14.4	12.4	18.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)										
BLACK MALE										
1998.....	3.9	4.8	6.5	9.9	13.9	12.5	23.1	22.7	30.2	35.6
1997.....	3.5	5.5	7.0	7.6	14.2	14.5	20.0	25.0	33.4	46.7
1996.....	4.4	5.5	6.3	7.3	9.6	13.1	14.4	18.8	25.7	28.8
1995.....	3.1	7.0	7.1	8.6	10.1	13.2	18.5	13.4	40.1	35.4
1994.....	3.6	4.2	5.6	7.8	8.7	13.5	21.2	19.2	21.5	32.7
1993.....	4.0	4.2	5.1	7.1	10.4	12.7	20.5	28.4	20.9	28.2
1992.....	3.8	4.4	6.5	6.4	9.2	13.2	14.7	14.2	26.3	*
1991.....	3.0	4.1	6.8	6.5	10.9	14.2	20.8	20.4	32.7	*
1990.....	5.0	5.4	6.8	8.3	11.0	18.0	20.6	20.7	27.5	*
1989.....	3.2	4.9	7.3	10.4	12.6	15.1	23.4	26.4	27.8	33.3
1988.....	3.1	7.3	6.8	8.2	14.4	18.5	24.4	22.0	34.0	*
1987.....	4.1	4.2	7.3	7.2	13.2	13.8	16.5	22.3	29.3	40.6
1986.....	4.7	4.8	6.2	12.1	11.1	16.6	14.9	25.0	27.8	38.1
1985.....	*	6.5	7.6	8.2	11.9	16.5	18.7	21.8	31.0	*
1984.....	*	5.2	7.2	6.1	14.5	14.2	16.7	19.8	*	37.7
1983.....	4.9	5.0	6.5	10.1	10.9	11.3	13.9	20.0	*	*
1982.....	3.9	4.7	7.7	9.3	11.6	17.1	14.9	12.4	*	*
1981.....	4.4	3.8	4.9	8.1	12.0	13.5	14.6	17.7	28.6	*
1980.....	3.9	5.6	6.7	8.5	11.7	14.1	20.9	12.4	25.3	18.9
1979.....	5.0	5.5	5.0	8.2	12.9	8.6	15.9	16.8	19.5	26.9
BLACK FEMALE										
1998.....	2.7	3.6	3.9	6.7	9.5	9.5	16.5	17.8	30.8	28.2
1997.....	2.1	3.8	5.1	6.8	9.4	11.0	18.2	19.4	31.8	26.1
1996.....	2.3	2.8	4.4	6.6	9.3	11.3	12.2	18.2	19.9	29.6
1995.....	2.7	2.5	4.7	5.0	9.1	11.4	12.7	12.7	19.4	23.1
1994.....	2.7	5.0	4.5	5.1	8.0	10.0	13.2	20.6	14.3	17.0
1993.....	2.4	3.0	3.4	5.5	7.1	10.9	12.6	16.8	18.6	26.3
1992.....	*	3.2	3.8	4.4	8.0	10.3	10.5	10.8	14.6	18.5
1991.....	1.8	3.8	3.6	6.1	7.2	6.7	10.5	16.6	12.2	30.7
1990.....	2.2	2.6	4.3	6.4	8.1	9.6	11.2	13.4	25.3	33.3
1989.....	2.5	3.0	3.6	5.2	9.8	12.4	12.3	15.3	20.5	25.5
1988.....	2.3	*	4.5	6.2	8.9	7.6	14.5	13.9	24.7	28.2
1987.....	*	4.0	5.2	6.0	8.1	9.5	8.2	13.1	19.3	22.9
1986.....	2.6	*	5.2	5.6	6.7	11.5	10.4	17.1	19.4	31.2
1985.....	*	3.2	4.6	5.6	6.2	8.9	12.6	14.7	13.9	19.5
1984.....	*	3.0	*	6.8	8.7	5.5	12.0	12.4	15.8	18.6
1983.....	*	3.1	5.5	6.8	9.1	8.6	9.7	13.1	16.6	*
1982.....	*	*	4.6	6.3	5.9	9.3	8.2	12.0	16.7	*
1981.....	*	3.3	3.7	4.8	6.6	8.0	12.3	12.3	19.7	20.4
1980.....	2.6	3.6	3.8	6.1	6.0	7.2	6.7	11.1	17.6	16.0
1979.....	2.9	2.7	3.9	5.7	6.6	6.4	8.3	12.7	8.1	14.4

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISORDERS OF THE EYE AND ADNEXA (360-379)

TOTAL, BOTH SEXES										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	0.6
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	0.6
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	0.8
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9
1979	-	-	0.0	-	0.0	0.0	0.0	0.1	0.2	0.4
TOTAL, MALE										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.0	-	-	0.0	-	-	0.0	0.1	0.1	0.6
1979	-	-	0.0	-	0.0	0.0	0.0	-	0.5	0.4

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISORDERS OF THE EYE AND ADNEXA (360-379)

TOTAL, FEMALE										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.1
1979	-	-	-	-	0.0	-	0.0	0.1	0.1	0.4
WHITE, BOTH SEXES										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	0.7
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	0.7
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.0	-	-	0.0	0.0	-	0.0	0.0	0.1	1.0
1979	-	-	0.0	-	0.0	0.0	0.0	0.1	0.2	0.4

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISORDERS OF THE EYE AND ADNEXA (360-379)

WHITE MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	0.0	-	-	-	0.1	0.1	0.6
1979.....	-	-	0.0	-	0.0	0.0	0.0	-	0.4	0.5

WHITE FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.0	0.0	-	0.0	0.0	0.2	1.1
1979.....	-	-	-	-	0.0	-	0.0	0.1	0.1	0.4

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISORDERS OF THE EYE AND ADNEXA (360-379)

ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	-	-	0.1	0.2	-	0.4	0.6	
1979.....	-	-	-	-	0.1	-	-	-	0.4	-	

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	0.4	-	-	-	
1979.....	-	-	-	-	-	-	-	-	1.2	-	

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISORDERS OF THE EYE AND ADNEXA (360-379)

ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	-	-	0.2	-	-	0.7	0.8	
1979.....	-	-	-	-	0.2	-	-	-	-	-	-

BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.1	-	-	0.1	0.2	-	0.5	0.6	
1979.....	-	-	-	-	0.1	-	-	-	0.5	-	-

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISORDERS OF THE EYE AND ADNEXA (360-379)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	-	0.4	-	-	-	-
1979.....	-	-	-	-	-	-	-	-	1.3	-	-

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.2	-	-	0.2	-	-	0.8	0.9	-
1979.....	-	-	-	-	0.2	-	-	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

DISEASES OF THE EAR AND MASTOID PROCESS (380-389)

TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.4	0.3
1979.....	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.5
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.4	0.3
1979.....	0.0	0.0	0.1	0.0	0.1	0.1	0.2	0.1	0.3	0.4

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)

TOTAL, FEMALE										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.0	-	0.0	0.0	0.1	0.1	0.1	0.1	0.4	0.3
1979	-	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.1	0.6
WHITE, BOTH SEXES										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.3	0.3
1979	-	0.0	0.1	0.0	0.1	0.1	0.2	0.1	0.1	0.5

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)

WHITE MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.4	0.3
1979.....	-	0.0	0.1	0.0	0.1	0.1	0.2	0.1	0.2	0.3

WHITE FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	0.0	0.0	0.1	0.2	0.1	0.1	0.3	0.3
1979.....	-	-	0.1	0.1	0.0	0.1	0.1	0.2	0.1	0.6

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)

ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.1	0.3	-	0.6	0.5	0.9	-
1979.....	0.1	0.1	0.1	-	0.1	-	-	-	0.4	0.6

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	0.2	-	1.1	0.6	-	-
1979.....	0.1	-	0.2	-	0.2	-	-	-	1.2	1.7

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.2	0.4	-	0.3	0.4	1.4	-
1979.....	-	0.1	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	0.1	0.3	-	0.7	0.5	1.0	-
1979.....	0.1	0.1	0.1	-	0.1	-	-	-	-	0.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)										
TOTAL, BOTH SEXES										
1998.....	51.1	93.8	160.5	266.8	449.8	710.2	1,167.0	1,916.8	3,441.5	8,040.1
1997.....	51.6	96.6	166.8	280.1	469.3	728.4	1,205.0	1,975.5	3,497.6	8,325.2
1996.....	52.0	99.7	176.6	285.7	490.6	746.4	1,234.9	2,035.4	3,607.7	8,480.1
1995.....	54.7	100.6	179.5	294.7	496.3	773.7	1,260.9	2,079.1	3,678.0	8,671.9
1994.....	54.0	101.6	181.1	299.5	501.9	786.1	1,284.6	2,097.0	3,732.1	8,659.2
1993.....	55.2	102.3	182.8	312.3	516.7	819.0	1,319.3	2,186.3	3,830.4	8,843.8
1992.....	56.0	103.2	183.2	314.3	514.8	814.1	1,326.5	2,153.8	3,768.1	8,639.0
1991.....	54.2	108.2	184.9	322.8	526.8	841.6	1,368.7	2,233.4	3,868.2	8,768.9
1990.....	54.7	108.5	191.2	330.1	543.8	862.7	1,414.5	2,326.8	3,987.4	8,969.4
1989.....	56.2	110.0	199.6	344.5	565.1	898.8	1,454.9	2,410.4	4,128.4	9,157.1
1988.....	59.1	115.7	209.2	364.2	599.6	958.4	1,566.8	2,551.4	4,387.5	9,666.7
1987.....	62.4	120.4	223.5	366.8	616.3	974.3	1,610.1	2,587.8	4,427.5	9,616.0
1986.....	67.1	123.3	228.1	378.8	637.6	1,002.9	1,659.5	2,671.4	4,543.0	9,741.2
1985.....	67.6	129.9	238.6	398.6	649.8	1,038.3	1,709.9	2,758.7	4,705.6	9,972.9
1984.....	69.5	133.9	242.6	404.7	671.6	1,059.0	1,741.5	2,812.5	4,807.1	9,984.6
1983.....	69.7	138.5	252.3	418.5	689.1	1,092.5	1,795.8	2,905.7	4,956.0	10,227.4
1982.....	72.8	145.6	252.9	424.2	695.6	1,119.1	1,818.2	2,943.1	4,996.3	10,151.3
1981.....	76.6	153.1	263.6	440.0	715.7	1,147.2	1,864.4	2,979.9	5,173.0	10,481.3
1980.....	79.6	153.8	270.9	452.2	739.5	1,193.3	1,944.0	3,178.5	5,434.0	10,983.1
1979.....	81.0	158.3	277.7	452.6	758.3	1,171.0	1,958.3	3,127.3	5,353.4	10,476.4
TOTAL, MALE										
1998.....	71.2	135.6	231.4	376.2	623.3	958.9	1,526.7	2,412.3	4,147.2	8,226.0
1997.....	72.1	140.2	241.0	396.9	652.2	992.5	1,593.0	2,496.5	4,247.1	8,736.2
1996.....	72.7	143.4	253.5	405.0	685.3	1,022.0	1,636.6	2,594.2	4,373.1	8,933.0
1995.....	78.2	147.4	261.2	418.7	692.1	1,060.1	1,683.9	2,658.7	4,515.5	9,180.8
1994.....	76.5	148.1	263.8	426.8	704.5	1,091.0	1,717.3	2,697.1	4,605.6	9,263.4
1993.....	79.0	149.0	265.6	445.7	726.7	1,144.9	1,759.6	2,834.7	4,765.1	9,495.1
1992.....	80.7	151.9	264.5	448.4	726.4	1,135.4	1,783.1	2,805.6	4,689.7	9,279.7
1991.....	78.1	158.6	268.2	463.8	746.6	1,179.0	1,856.2	2,925.6	4,824.8	9,386.0
1990.....	80.0	158.4	277.9	476.3	770.6	1,203.5	1,922.4	3,058.7	5,002.9	9,626.2
1989.....	81.8	163.1	290.4	498.6	806.1	1,259.0	1,975.9	3,155.0	5,135.2	9,754.8
1988.....	86.3	169.1	303.8	525.9	853.6	1,333.4	2,146.9	3,353.3	5,461.5	10,355.8
1987.....	92.0	176.2	327.8	532.6	879.2	1,352.1	2,201.6	3,403.6	5,504.7	10,243.9
1986.....	98.8	179.8	335.1	557.0	912.9	1,401.8	2,273.8	3,514.6	5,659.8	10,389.6
1985.....	98.4	193.0	354.4	587.3	937.6	1,459.3	2,359.4	3,637.6	5,881.2	10,767.4
1984.....	102.1	199.8	360.6	596.4	968.5	1,492.9	2,383.6	3,698.3	5,964.3	10,882.5
1983.....	101.7	205.7	375.2	621.0	990.4	1,550.0	2,478.1	3,846.5	6,112.0	11,153.8
1982.....	106.5	217.2	379.5	633.0	1,004.6	1,596.1	2,501.1	3,881.8	6,113.8	11,109.9
1981.....	111.9	227.8	395.3	658.0	1,032.4	1,629.2	2,569.0	3,945.0	6,361.1	11,410.3
1980.....	116.2	228.1	410.1	677.2	1,075.1	1,694.7	2,672.4	4,153.4	6,638.0	11,963.9
1979.....	118.3	238.1	421.2	681.4	1,110.9	1,678.7	2,700.2	4,081.5	6,529.4	11,416.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)										
TOTAL, FEMALE										
1998.....	31.4	53.6	93.4	165.8	294.5	500.2	886.4	1,565.0	3,022.3	7,963.0
1997.....	31.5	54.5	96.4	172.3	305.9	506.1	905.2	1,609.3	3,059.1	8,159.6
1996.....	31.6	57.5	103.7	175.5	317.1	515.8	925.7	1,646.5	3,166.8	8,300.1
1995.....	31.8	55.5	102.3	180.4	322.4	535.7	936.0	1,681.0	3,205.9	8,473.7
1994.....	32.0	56.9	102.8	182.2	322.2	535.3	953.4	1,690.3	3,248.6	8,426.3
1993.....	31.9	57.4	104.6	189.5	330.9	552.5	983.7	1,752.2	3,319.5	8,594.0
1992.....	31.9	56.3	106.4	191.0	328.2	552.8	981.7	1,722.9	3,269.3	8,390.9
1991.....	30.8	59.7	106.1	193.4	334.0	568.3	1,003.1	1,781.0	3,356.6	8,530.4
1990.....	30.0	60.6	109.4	196.4	346.2	586.4	1,037.6	1,855.9	3,448.2	8,716.0
1989.....	31.4	59.0	113.8	203.6	356.2	606.1	1,069.9	1,932.9	3,597.1	8,924.7
1988.....	32.7	64.4	120.1	216.8	380.2	653.3	1,140.9	2,040.2	3,820.2	9,597.6
1987.....	33.8	66.9	125.6	216.0	389.9	666.6	1,178.6	2,070.4	3,862.1	9,368.6
1986.....	36.4	69.2	127.8	217.4	400.4	678.8	1,213.1	2,139.7	3,957.5	9,483.9
1985.....	37.8	69.5	130.3	228.3	401.0	697.4	1,239.1	2,205.4	4,088.6	9,655.6
1984.....	38.1	71.0	132.3	232.7	414.6	709.1	1,276.8	2,256.3	4,198.7	9,621.6
1983.....	38.9	74.4	137.9	237.7	428.0	724.5	1,302.7	2,315.4	4,346.5	9,847.7
1982.....	40.5	77.5	135.1	238.4	427.4	736.9	1,324.0	2,354.7	4,407.8	9,751.6
1981.....	42.6	82.3	141.5	245.9	441.4	761.4	1,355.2	2,374.7	4,542.9	10,080.0
1980.....	44.6	83.5	142.4	251.1	450.3	792.2	1,417.1	2,567.1	4,793.5	10,554.2
1979.....	45.3	82.9	145.5	247.7	454.2	765.7	1,422.1	2,527.6	4,722.4	10,058.6
WHITE, BOTH SEXES										
1998.....	43.0	80.2	142.8	241.7	415.5	678.0	1,127.8	1,882.6	3,422.3	8,172.9
1997.....	43.5	83.1	148.0	253.7	435.6	698.4	1,162.7	1,948.2	3,486.7	8,471.6
1996.....	43.8	86.5	157.4	260.2	455.6	715.2	1,192.2	2,004.0	3,592.2	8,633.5
1995.....	46.1	86.8	160.4	267.7	463.1	737.7	1,214.3	2,044.8	3,651.8	8,785.0
1994.....	45.0	87.9	161.0	272.5	472.6	750.5	1,242.4	2,064.1	3,709.6	8,782.6
1993.....	46.2	89.2	162.5	282.3	483.7	781.3	1,277.0	2,153.1	3,806.9	8,959.3
1992.....	47.0	89.8	163.9	285.2	482.3	777.4	1,286.5	2,125.6	3,753.1	8,748.9
1991.....	45.8	94.4	164.9	295.3	493.8	801.5	1,326.8	2,200.2	3,849.1	8,886.0
1990.....	46.2	94.9	170.7	302.5	510.6	820.4	1,375.8	2,295.8	3,978.1	9,090.4
1989.....	47.5	95.1	176.4	315.6	526.5	854.8	1,413.9	2,370.6	4,119.2	9,286.8
1988.....	50.3	101.1	187.1	336.5	559.7	915.8	1,528.6	2,513.4	4,369.4	9,827.7
1987.....	53.8	106.5	201.7	341.1	580.3	934.0	1,570.0	2,557.6	4,419.0	9,777.8
1986.....	57.5	109.9	205.6	353.1	601.6	965.8	1,622.4	2,640.9	4,537.9	9,907.2
1985.....	58.3	115.7	217.8	371.3	614.2	1,001.3	1,666.5	2,734.9	4,695.9	10,172.3
1984.....	60.5	119.5	222.3	377.9	637.6	1,026.2	1,698.7	2,802.9	4,791.9	10,213.0
1983.....	60.7	124.3	231.6	390.5	652.9	1,061.2	1,751.3	2,894.7	4,946.8	10,458.9
1982.....	63.7	130.3	233.4	398.4	661.8	1,089.3	1,783.9	2,938.6	5,002.0	10,386.3
1981.....	66.7	137.5	242.8	412.2	682.1	1,117.3	1,827.9	2,978.1	5,175.4	10,705.8
1980.....	68.8	137.6	249.1	424.5	704.9	1,155.4	1,905.8	3,156.3	5,447.5	11,204.8
1979.....	70.5	142.8	255.6	425.1	726.0	1,134.4	1,919.4	3,110.4	5,407.4	10,714.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)										
WHITE MALE										
1998.....	62.8	119.9	210.1	346.7	583.6	927.8	1,495.7	2,388.7	4,156.2	8,400.5
1997.....	63.3	123.8	218.5	365.5	612.9	964.7	1,558.2	2,481.4	4,265.3	8,948.9
1996.....	64.2	127.6	231.3	376.1	645.6	993.8	1,599.6	2,574.3	4,391.3	9,146.6
1995.....	68.4	130.7	237.8	386.8	656.1	1,025.3	1,641.3	2,633.8	4,514.7	9,327.1
1994.....	66.4	131.6	240.3	397.5	672.7	1,060.0	1,679.0	2,678.9	4,606.8	9,430.9
1993.....	68.3	133.9	241.7	411.2	691.0	1,109.5	1,723.8	2,819.9	4,774.7	9,659.2
1992.....	70.8	136.3	243.7	417.3	693.1	1,101.4	1,746.9	2,789.4	4,708.0	9,446.9
1991.....	68.4	142.3	245.8	433.1	711.6	1,141.9	1,822.1	2,910.5	4,831.7	9,557.2
1990.....	69.9	142.5	254.9	444.5	739.2	1,164.5	1,890.0	3,047.4	5,031.2	9,794.3
1989.....	71.5	145.1	262.9	467.6	765.5	1,216.4	1,946.1	3,139.1	5,170.0	9,945.9
1988.....	76.1	152.1	280.0	495.9	812.1	1,294.1	2,119.0	3,339.2	5,479.0	10,590.3
1987.....	81.4	160.6	303.0	505.8	842.6	1,313.2	2,173.6	3,393.4	5,529.8	10,473.0
1986.....	86.6	165.2	310.2	529.1	876.7	1,369.4	2,253.1	3,510.7	5,688.8	10,621.4
1985.....	87.9	177.0	331.9	561.9	901.9	1,428.4	2,330.8	3,648.0	5,912.5	11,055.1
1984.....	91.8	183.4	339.0	570.3	935.5	1,468.8	2,354.8	3,732.0	5,992.7	11,208.7
1983.....	91.1	189.9	352.9	593.7	956.3	1,530.4	2,450.9	3,879.7	6,147.0	11,470.7
1982.....	96.2	200.0	360.4	607.7	973.6	1,575.5	2,484.5	3,915.7	6,165.8	11,428.8
1981.....	100.6	210.5	373.4	630.1	1,002.1	1,613.5	2,557.3	3,991.2	6,407.5	11,711.8
1980.....	103.9	210.3	387.1	650.1	1,043.5	1,671.4	2,661.4	4,173.1	6,694.4	12,226.9
1979.....	105.9	221.4	397.4	652.6	1,084.4	1,655.6	2,691.7	4,112.3	6,631.9	11,701.0
WHITE FEMALE										
1998.....	23.3	41.0	77.6	142.7	261.5	463.1	837.2	1,520.4	2,984.5	8,079.7
1997.....	23.6	42.9	79.8	148.1	273.4	470.2	853.5	1,570.4	3,029.3	8,281.7
1996.....	23.4	45.8	86.0	151.0	282.5	478.2	875.0	1,603.7	3,130.6	8,432.4
1995.....	23.9	43.5	85.7	155.6	287.8	495.0	882.5	1,637.1	3,164.2	8,576.1
1994.....	23.6	44.9	84.6	154.9	291.1	492.3	904.4	1,644.1	3,212.8	8,535.6
1993.....	24.1	45.3	86.1	161.1	296.3	509.3	933.1	1,703.1	3,279.0	8,694.3
1992.....	23.3	44.1	87.1	161.3	292.6	510.8	935.3	1,683.8	3,238.3	8,482.6
1991.....	23.3	47.6	87.1	166.5	299.0	522.8	951.9	1,733.4	3,326.3	8,634.9
1990.....	22.6	48.2	89.9	170.1	307.8	538.2	990.5	1,810.6	3,422.1	8,823.1
1989.....	23.7	46.1	93.4	174.0	315.8	557.9	1,017.3	1,876.5	3,567.0	9,039.5
1988.....	24.8	51.3	98.2	188.5	338.5	604.9	1,091.7	1,987.2	3,789.8	9,535.2
1987.....	26.6	53.7	104.7	188.8	351.2	622.0	1,126.5	2,028.0	3,840.7	9,508.6
1986.....	28.9	56.0	105.7	191.0	361.5	634.7	1,161.0	2,093.0	3,939.4	9,628.9
1985.....	29.3	56.0	109.1	196.8	362.6	652.7	1,182.8	2,162.5	4,063.1	9,826.4
1984.....	29.8	57.5	111.4	203.2	376.6	666.3	1,221.7	2,222.9	4,167.0	9,818.3
1983.....	30.9	60.7	116.3	206.9	387.3	680.9	1,244.1	2,281.0	4,320.2	10,051.5
1982.....	32.0	62.7	113.1	210.1	388.6	696.7	1,277.3	2,330.3	4,393.4	9,959.4
1981.....	33.5	66.9	119.5	216.3	402.7	717.5	1,301.9	2,347.7	4,529.6	10,284.8
1980.....	34.5	67.6	119.6	221.1	410.7	740.5	1,360.9	2,524.0	4,792.4	10,764.2
1979.....	35.9	67.3	123.0	219.7	414.8	716.8	1,364.5	2,486.6	4,758.7	10,273.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)										
ALL OTHER, BOTH SEXES										
1998.....	90.4	165.3	267.0	421.3	664.5	924.6	1,479.7	2,221.3	3,635.9	6,784.0
1997.....	92.2	168.9	282.9	440.6	682.9	935.1	1,550.8	2,223.7	3,608.8	6,927.2
1996.....	93.3	173.6	292.2	440.8	714.9	967.2	1,593.6	2,324.2	3,766.3	7,009.3
1995.....	98.7	179.7	297.4	462.0	715.7	1,035.3	1,665.7	2,401.0	3,948.2	7,522.2
1994.....	101.0	182.3	304.9	469.5	698.4	1,051.9	1,652.0	2,410.0	3,960.9	7,392.3
1993.....	102.6	181.2	309.0	503.1	744.0	1,109.5	1,689.8	2,504.0	4,070.7	7,652.4
1992.....	104.3	186.4	300.7	500.9	745.9	1,101.5	1,680.8	2,419.0	3,923.2	7,484.9
1991.....	101.2	191.4	307.4	501.7	769.1	1,162.6	1,740.9	2,547.8	4,075.4	7,535.8
1990.....	103.9	192.9	318.4	515.9	794.2	1,214.6	1,768.1	2,618.6	4,085.2	7,686.7
1989.....	108.0	202.7	345.7	541.9	861.3	1,266.5	1,830.2	2,786.3	4,237.2	7,782.4
1988.....	113.0	205.9	350.4	558.7	912.8	1,319.8	1,917.9	2,910.6	4,579.7	8,436.4
1987.....	116.7	205.4	365.0	552.7	904.6	1,323.3	1,976.0	2,874.2	4,517.9	7,875.4
1986.....	126.0	205.9	376.4	570.2	932.1	1,326.3	2,000.3	2,963.7	4,597.6	7,936.8
1985.....	125.4	218.0	378.9	605.4	949.0	1,360.1	2,108.0	2,987.3	4,794.4	7,752.2
1984.....	126.7	225.4	381.9	612.3	962.8	1,347.3	2,138.6	2,905.1	4,974.4	8,422.0
1983.....	126.7	229.9	398.8	640.3	1,002.1	1,368.2	2,209.5	3,011.2	5,059.5	7,620.1
1982.....	130.0	246.3	394.7	632.0	994.8	1,380.0	2,135.8	2,986.8	4,951.0	7,559.8
1981.....	139.4	258.0	419.9	669.1	1,016.2	1,410.7	2,209.7	2,997.6	5,145.2	7,929.5
1980.....	150.2	266.3	438.4	688.3	1,051.5	1,529.9	2,309.1	3,397.4	5,274.4	8,436.3
1979.....	151.3	267.9	453.3	687.7	1,058.1	1,492.9	2,339.3	3,292.0	4,715.2	7,713.8
ALL OTHER MALE										
1998.....	114.9	224.6	369.3	573.4	894.9	1,183.0	1,791.5	2,630.6	4,053.2	6,697.6
1997.....	119.1	235.0	391.7	603.1	925.1	1,199.8	1,896.4	2,640.8	4,057.3	6,882.3
1996.....	118.9	238.6	398.0	595.8	965.2	1,236.7	1,968.1	2,786.1	4,184.4	7,076.2
1995.....	132.1	250.6	416.3	632.2	952.7	1,331.2	2,077.7	2,904.5	4,524.0	7,811.1
1994.....	133.0	252.3	420.3	627.2	938.3	1,338.6	2,072.1	2,879.2	4,592.7	7,693.8
1993.....	139.4	246.8	424.4	682.7	995.9	1,435.1	2,091.3	2,983.2	4,668.0	7,964.1
1992.....	137.9	255.4	399.9	664.6	985.8	1,418.2	2,121.8	2,964.9	4,505.4	7,718.2
1991.....	136.9	264.4	415.2	680.6	1,026.4	1,495.3	2,178.7	3,073.0	4,756.6	7,803.5
1990.....	143.1	262.8	430.4	708.2	1,028.1	1,545.9	2,234.6	3,168.9	4,720.7	8,056.4
1989.....	147.0	282.2	475.8	727.3	1,144.3	1,635.8	2,262.7	3,308.1	4,790.1	7,985.2
1988.....	153.3	281.6	466.7	753.5	1,204.7	1,689.8	2,422.3	3,486.8	5,288.0	8,186.1
1987.....	163.7	278.2	499.5	742.2	1,193.1	1,708.6	2,469.7	3,500.0	5,252.7	8,098.7
1986.....	179.6	275.4	510.7	778.1	1,227.5	1,699.3	2,470.4	3,551.4	5,366.7	8,213.3
1985.....	169.1	299.2	517.5	793.0	1,256.8	1,743.1	2,632.0	3,540.3	5,509.5	8,056.2
1984.....	172.6	311.5	520.8	812.2	1,267.5	1,714.1	2,648.8	3,386.6	5,674.3	7,823.6
1983.....	173.5	314.6	545.2	850.0	1,300.0	1,734.4	2,734.8	3,539.1	5,749.5	7,992.9
1982.....	175.8	338.2	530.1	846.8	1,294.3	1,780.3	2,656.7	3,547.9	5,571.3	8,016.4
1981.....	188.9	352.1	572.8	899.5	1,319.5	1,772.4	2,678.8	3,516.1	5,872.5	8,409.4
1980.....	201.9	362.1	601.1	919.4	1,372.5	1,906.8	2,775.0	3,970.1	6,035.5	9,277.3
1979.....	207.7	367.1	625.5	938.8	1,366.4	1,887.1	2,780.7	3,780.8	5,434.9	8,442.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)										
ALL OTHER FEMALE										
1998.....	68.7	114.7	181.6	298.3	486.1	731.7	1,260.3	1,949.6	3,398.4	6,823.5
1997.....	68.4	112.6	191.9	308.9	496.2	738.0	1,309.1	1,952.0	3,356.9	6,947.6
1996.....	70.8	118.3	203.5	315.0	522.6	766.5	1,332.5	2,026.0	3,531.7	6,979.1
1995.....	69.7	119.6	197.9	323.9	533.8	815.2	1,379.2	2,080.1	3,631.9	7,397.1
1994.....	73.2	122.9	208.2	342.0	514.9	839.6	1,360.3	2,115.6	3,613.5	7,261.6
1993.....	70.7	125.4	211.8	357.6	551.4	869.0	1,409.1	2,206.5	3,738.3	7,516.4
1992.....	75.2	127.2	216.8	368.6	563.1	867.1	1,375.9	2,081.2	3,595.1	7,379.8
1991.....	70.3	128.8	216.1	357.4	573.1	917.2	1,443.7	2,221.4	3,673.8	7,374.1
1990.....	70.0	132.5	223.3	361.6	616.3	969.5	1,450.4	2,277.2	3,726.5	7,518.6
1989.....	74.3	134.1	235.5	392.1	646.8	992.3	1,534.4	2,460.0	3,921.7	7,688.6
1988.....	78.2	140.8	252.3	401.6	688.7	1,045.1	1,578.5	2,546.0	4,151.0	7,846.2
1987.....	76.3	142.8	252.4	400.5	682.0	1,036.2	1,639.1	2,473.8	4,098.0	7,769.9
1986.....	80.1	146.1	264.4	401.9	702.6	1,047.5	1,677.7	2,584.0	4,180.3	7,803.8
1985.....	87.9	148.3	263.7	453.7	708.0	1,073.4	1,746.7	2,624.5	4,377.2	7,656.0
1984.....	87.3	151.8	267.2	450.4	723.0	1,069.9	1,777.9	2,585.2	4,537.0	7,312.4
1983.....	86.7	157.4	279.6	470.4	764.4	1,096.2	1,843.0	2,657.5	4,653.9	7,432.4
1982.....	90.7	168.4	284.5	456.3	756.4	1,078.9	1,760.3	2,598.2	4,579.6	7,272.9
1981.....	97.2	179.0	295.1	480.4	774.3	1,137.1	1,861.0	2,646.9	4,704.0	7,685.7
1980.....	106.2	186.9	306.4	496.8	794.0	1,241.4	1,961.7	3,007.3	4,806.7	8,005.5
1979.....	103.8	186.0	313.0	478.4	808.5	1,191.4	2,003.5	2,947.3	4,297.8	7,404.4
BLACK, BOTH SEXES										
1998.....	115.7	211.9	337.7	522.2	808.2	1,090.2	1,722.6	2,517.3	4,040.4	7,349.8
1997.....	115.9	213.9	357.9	537.4	828.3	1,083.2	1,811.0	2,487.5	3,963.1	7,498.7
1996.....	117.8	220.3	367.6	542.7	862.6	1,123.7	1,854.2	2,588.1	4,141.5	7,523.1
1995.....	125.4	229.2	368.4	561.7	855.3	1,205.0	1,921.2	2,659.6	4,258.4	7,781.0
1994.....	127.3	230.7	377.2	567.0	833.0	1,219.5	1,897.5	2,659.3	4,259.2	7,628.7
1993.....	129.1	230.8	383.0	615.1	884.2	1,286.5	1,942.1	2,755.2	4,364.9	7,902.7
1992.....	132.6	235.8	371.0	600.5	884.1	1,273.3	1,902.7	2,649.9	4,213.7	7,884.1
1991.....	129.2	242.9	379.2	603.5	903.9	1,341.2	1,972.2	2,790.8	4,370.7	7,862.5
1990.....	132.2	241.0	388.9	612.3	934.1	1,391.1	1,977.2	2,857.5	4,353.0	8,032.5
1989.....	137.0	250.9	416.5	639.8	1,006.4	1,449.6	2,050.2	3,047.0	4,492.2	8,075.9
1988.....	143.4	253.6	421.7	660.5	1,058.0	1,499.8	2,139.4	3,173.2	4,884.6	8,313.1
1987.....	146.0	250.4	433.4	639.5	1,047.0	1,502.2	2,189.0	3,117.7	4,823.2	8,201.4
1986.....	158.1	248.8	443.2	665.6	1,073.2	1,496.5	2,213.2	3,214.3	4,879.6	8,298.5
1985.....	154.8	261.5	447.6	696.0	1,081.3	1,516.9	2,317.3	3,211.5	5,099.2	8,076.4
1984.....	154.3	266.3	444.5	695.5	1,095.4	1,490.7	2,355.6	3,129.3	5,282.2	7,763.7
1983.....	151.2	271.5	461.0	726.7	1,128.0	1,507.7	2,414.2	3,240.7	5,378.9	7,910.9
1982.....	154.3	287.3	453.1	715.3	1,111.6	1,512.8	2,317.7	3,186.9	5,269.3	7,824.4
1981.....	165.2	298.7	479.7	751.1	1,132.3	1,543.4	2,397.8	3,203.7	5,525.4	8,258.9
1980.....	174.9	305.8	493.6	763.8	1,157.0	1,656.7	2,472.8	3,617.3	5,609.9	8,755.4
1979.....	173.5	304.6	507.2	755.1	1,147.1	1,589.7	2,494.6	3,421.5	4,867.2	7,901.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)										
BLACK MALE										
1998.....	144.5	285.0	467.4	714.3	1,092.5	1,389.0	2,070.0	2,955.9	4,587.6	7,220.7
1997.....	149.4	295.3	498.3	739.9	1,129.2	1,370.4	2,199.9	2,946.6	4,536.1	7,357.7
1996.....	147.6	299.5	504.8	740.5	1,165.4	1,422.0	2,290.9	3,101.2	4,715.8	7,564.0
1995.....	166.3	319.1	521.5	777.6	1,142.7	1,531.4	2,395.6	3,218.3	4,934.3	7,928.8
1994.....	165.8	316.7	521.5	763.4	1,118.2	1,533.4	2,377.1	3,195.5	5,021.3	7,766.8
1993.....	173.8	314.0	531.5	844.7	1,183.8	1,650.7	2,412.2	3,281.6	5,030.4	8,156.9
1992.....	173.6	324.6	494.9	797.2	1,162.9	1,632.6	2,424.4	3,281.8	4,899.5	8,179.1
1991.....	174.5	337.8	519.1	820.3	1,199.3	1,721.0	2,487.1	3,408.8	5,180.2	8,185.5
1990.....	181.5	330.8	531.4	843.9	1,205.6	1,779.3	2,519.3	3,507.1	5,134.7	8,528.7
1989.....	185.5	351.9	580.9	861.9	1,328.2	1,883.2	2,553.2	3,644.9	5,113.4	8,350.0
1988.....	193.9	350.3	566.3	887.3	1,392.1	1,920.2	2,712.8	3,859.9	5,729.8	8,515.4
1987.....	205.9	343.2	595.6	850.6	1,373.1	1,941.2	2,738.2	3,805.7	5,614.1	8,507.8
1986.....	226.4	335.7	603.6	902.3	1,413.5	1,917.8	2,751.2	3,875.6	5,660.0	8,674.6
1985.....	210.7	360.9	612.4	906.9	1,434.1	1,946.3	2,917.9	3,808.8	5,881.6	8,427.4
1984.....	210.7	372.9	605.4	918.1	1,446.8	1,900.6	2,949.0	3,661.1	6,033.3	8,208.2
1983.....	207.0	377.8	627.0	959.2	1,465.0	1,905.4	3,011.1	3,822.4	6,108.5	8,378.3
1982.....	209.2	399.1	604.7	954.9	1,447.4	1,956.0	2,909.5	3,782.0	5,898.8	8,303.4
1981.....	227.3	408.8	651.7	1,009.3	1,472.4	1,949.2	2,927.2	3,767.1	6,314.3	8,696.4
1980.....	236.5	415.3	673.3	1,016.8	1,509.0	2,074.1	2,987.8	4,243.2	6,385.5	9,528.4
1979.....	239.2	416.0	694.2	1,030.4	1,481.7	2,016.6	3,004.9	3,900.0	5,544.2	8,619.2
BLACK FEMALE										
1998.....	90.3	150.4	232.3	372.7	595.6	867.3	1,480.9	2,236.5	3,753.4	7,403.5
1997.....	86.6	145.5	243.8	379.5	602.7	868.7	1,543.9	2,198.1	3,666.3	7,557.0
1996.....	91.8	153.6	256.2	388.4	634.9	900.8	1,557.5	2,268.0	3,845.4	7,506.3
1995.....	90.0	153.8	243.8	392.8	638.2	961.4	1,601.7	2,315.2	3,914.5	7,720.9
1994.....	94.1	158.6	259.3	413.5	617.4	986.3	1,575.6	2,335.7	3,870.8	7,572.6
1993.....	90.6	161.3	261.7	434.4	657.5	1,018.8	1,624.6	2,443.6	4,022.7	7,798.9
1992.....	97.4	161.3	269.6	445.3	673.3	1,010.5	1,555.1	2,280.6	3,858.6	7,761.4
1991.....	90.4	163.4	265.5	431.9	680.1	1,065.8	1,631.6	2,427.6	3,953.6	7,725.8
1990.....	90.1	165.7	272.1	428.8	729.0	1,110.5	1,621.1	2,476.7	3,948.3	7,822.2
1989.....	95.4	166.1	282.0	462.9	762.1	1,135.7	1,723.8	2,693.4	4,166.5	8,010.5
1988.....	100.3	172.8	302.4	479.5	804.0	1,194.6	1,756.6	2,762.5	4,438.2	8,181.2
1987.....	95.5	173.1	300.3	471.2	798.0	1,182.1	1,821.4	2,701.0	4,397.7	8,065.3
1986.....	100.5	176.7	312.1	474.8	814.2	1,187.8	1,852.4	2,809.6	4,453.9	8,126.8
1985.....	107.8	179.0	312.9	525.1	809.0	1,201.7	1,920.2	2,839.6	4,668.4	7,912.8
1984.....	106.8	178.2	312.2	513.5	823.3	1,188.4	1,959.4	2,795.5	4,867.1	7,553.5
1983.....	104.5	183.6	326.1	537.4	867.5	1,214.9	2,016.4	2,857.5	4,966.2	7,684.7
1982.....	108.6	195.3	330.1	520.1	848.7	1,186.1	1,910.8	2,817.9	4,904.3	7,589.0
1981.....	113.5	207.4	340.4	541.0	864.0	1,247.2	2,027.8	2,838.9	5,065.2	7,969.0
1980.....	124.0	216.0	348.4	557.0	878.0	1,345.8	2,106.3	3,209.9	5,144.9	8,368.9
1979.....	119.0	212.6	354.5	529.0	881.2	1,270.6	2,127.4	3,080.5	4,446.8	7,543.3

RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

TOTAL, BOTH SEXES										
1998.....	0.5	0.7	1.2	1.9	3.1	4.6	7.1	10.5	16.0	25.0
1997.....	0.5	0.9	1.3	2.0	3.0	4.8	7.5	11.6	16.9	26.8
1996.....	0.6	0.8	1.3	2.1	3.2	5.0	8.0	11.5	18.4	25.3
1995.....	0.6	0.8	1.3	2.3	3.4	5.0	8.4	12.8	18.5	26.8
1994.....	0.6	1.0	1.4	2.4	3.8	6.0	9.6	12.9	19.7	25.6
1993.....	0.6	1.0	1.6	2.8	3.9	6.5	9.9	14.2	20.7	29.4
1992.....	0.7	1.0	1.9	2.8	4.2	6.7	9.6	15.2	21.0	27.2
1991.....	0.7	1.2	1.8	2.8	4.8	6.9	10.6	16.3	22.3	29.3
1990.....	0.8	1.1	2.0	3.2	4.9	7.6	10.8	15.7	23.3	29.3
1989.....	1.0	1.3	1.9	3.2	4.9	7.6	11.5	17.0	23.4	27.9
1988.....	0.7	1.5	2.2	3.9	5.3	8.6	12.6	17.8	24.3	28.0
1987.....	0.7	1.6	2.3	3.6	5.8	9.2	12.7	18.2	22.6	26.6
1986.....	1.0	1.7	2.6	3.9	6.3	8.7	13.5	18.4	22.7	26.0
1985.....	1.1	1.7	3.1	4.5	6.2	9.1	14.1	18.5	23.6	24.9
1984.....	1.3	1.9	2.8	4.6	7.4	10.2	15.3	19.7	23.0	25.1
1983.....	1.3	2.4	3.5	5.1	7.5	10.4	14.5	18.5	22.9	25.8
1982.....	1.3	2.1	3.2	5.2	8.4	11.7	16.7	20.0	20.5	24.1
1981.....	1.5	2.6	3.6	6.0	8.1	12.6	17.5	20.4	22.0	24.3
1980.....	1.8	3.0	4.4	6.6	9.2	14.1	17.8	21.2	23.6	23.9
1979.....	1.9	3.1	4.6	6.6	9.7	13.8	19.0	20.6	20.6	25.2
TOTAL, MALE										
1998.....	0.4	0.6	1.0	1.3	2.3	3.5	4.6	7.7	11.2	17.7
1997.....	0.4	0.7	1.0	1.8	2.1	3.1	5.7	8.5	13.2	21.0
1996.....	0.5	0.5	1.1	1.4	2.3	3.7	5.6	8.7	13.1	17.4
1995.....	0.5	0.5	1.0	1.9	2.5	3.3	6.0	8.6	14.4	21.5
1994.....	0.5	0.8	1.2	1.7	3.1	4.7	7.2	9.1	14.4	19.2
1993.....	0.5	0.7	1.1	2.2	3.1	5.2	6.9	10.9	15.1	24.6
1992.....	0.6	0.9	1.6	2.1	3.2	5.0	6.6	10.7	14.7	19.9
1991.....	0.7	0.9	1.2	2.3	3.7	5.0	7.8	11.0	15.9	22.7
1990.....	0.7	1.0	1.2	2.6	4.1	6.2	8.2	10.3	15.9	18.7
1989.....	0.9	1.1	1.4	2.7	4.0	5.7	8.5	12.4	16.3	20.2
1988.....	0.6	1.3	1.7	3.0	3.9	6.4	9.0	12.3	16.2	21.5
1987.....	0.6	1.1	1.5	3.1	4.6	6.8	9.0	13.0	15.0	16.8
1986.....	1.0	1.2	2.0	3.4	5.1	6.7	9.8	13.2	15.8	18.9
1985.....	0.9	1.3	2.6	3.6	5.0	7.3	10.6	13.8	16.4	18.0
1984.....	1.1	1.4	2.6	3.7	6.4	7.4	12.2	14.8	16.8	18.1
1983.....	1.1	1.7	2.7	4.0	6.1	8.3	9.7	12.5	17.1	18.2
1982.....	1.1	1.9	2.7	4.4	7.1	9.5	12.4	13.6	13.0	15.9
1981.....	1.3	2.1	3.1	4.9	6.3	9.9	13.1	15.8	16.7	18.4
1980.....	1.6	2.3	3.8	5.3	7.2	11.2	12.7	15.6	18.6	19.5
1979.....	1.8	2.4	3.9	5.9	7.6	10.1	14.1	15.7	16.4	15.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

TOTAL, FEMALE

1998.....	0.7	0.9	1.4	2.4	3.8	5.6	9.0	12.5	18.9	28.0
1997.....	0.7	1.1	1.5	2.1	3.8	6.2	8.9	13.7	19.0	29.2
1996.....	0.6	1.1	1.5	2.7	3.9	6.1	9.8	13.5	21.4	28.4
1995.....	0.7	1.1	1.6	2.7	4.1	6.4	10.3	15.8	20.8	28.8
1994.....	0.7	1.2	1.6	3.0	4.4	7.0	11.3	15.5	22.7	28.1
1993.....	0.7	1.4	2.0	3.3	4.5	7.5	12.2	16.5	23.9	31.3
1992.....	0.8	1.1	2.2	3.5	5.0	8.1	11.8	18.2	24.4	30.0
1991.....	0.7	1.5	2.3	3.3	5.8	8.3	12.7	19.8	25.7	31.8
1990.....	0.9	1.2	2.8	3.8	5.5	8.7	12.6	19.3	27.3	33.3
1989.....	1.0	1.6	2.4	3.6	5.6	9.1	13.8	20.0	27.2	30.8
1988.....	0.8	1.6	2.7	4.8	6.5	10.3	15.3	21.4	28.5	30.6
1987.....	0.8	2.0	3.0	4.1	6.8	11.2	15.4	21.5	26.6	30.5
1986.....	1.1	2.1	3.2	4.4	7.3	10.2	16.1	21.7	26.3	28.9
1985.....	1.2	2.0	3.5	5.4	7.2	10.6	16.5	21.5	27.3	27.6
1984.....	1.5	2.4	3.0	5.5	8.2	12.5	17.5	22.9	26.2	28.0
1983.....	1.6	3.0	4.3	6.1	8.6	12.1	18.0	22.3	25.9	28.9
1982.....	1.5	2.2	3.6	6.0	9.5	13.5	19.8	24.1	24.4	27.5
1981.....	1.7	3.0	4.2	6.9	9.7	14.8	20.7	23.3	24.8	26.7
1980.....	1.9	3.6	4.9	7.8	10.9	16.3	21.4	24.8	26.3	25.8
1979.....	2.1	3.7	5.2	7.3	11.5	16.7	22.5	23.8	22.9	29.5

WHITE, BOTH SEXES

1998.....	0.5	0.6	1.1	1.8	3.0	4.8	7.4	11.1	17.0	26.3
1997.....	0.4	0.8	1.2	1.9	3.1	5.1	7.8	12.2	17.8	28.7
1996.....	0.5	0.8	1.2	2.0	3.1	5.0	8.3	12.2	19.4	26.7
1995.....	0.5	0.7	1.1	2.2	3.3	5.1	8.8	13.5	19.5	28.5
1994.....	0.5	0.8	1.3	2.2	3.9	6.1	10.0	13.9	21.0	27.0
1993.....	0.5	0.9	1.6	2.7	4.0	6.7	10.5	15.0	21.5	31.1
1992.....	0.6	0.8	1.7	2.8	4.2	6.8	10.0	15.9	21.9	28.5
1991.....	0.6	1.0	1.6	2.9	4.9	7.1	11.0	17.0	23.4	30.7
1990.....	0.6	1.0	1.9	3.2	4.9	7.8	11.3	16.6	24.6	30.5
1989.....	0.8	1.2	1.8	3.1	4.9	7.7	11.9	17.9	24.6	29.4
1988.....	0.6	1.3	2.1	4.0	5.4	8.8	13.2	18.9	25.6	29.3
1987.....	0.6	1.5	2.3	3.6	6.0	9.6	13.5	19.2	23.8	28.1
1986.....	0.8	1.6	2.5	3.9	6.4	9.0	14.0	19.6	23.8	27.5
1985.....	0.9	1.6	2.9	4.5	6.4	9.4	14.9	19.7	24.8	25.7
1984.....	1.1	1.8	2.9	4.7	7.7	10.5	15.9	21.2	24.4	26.4
1983.....	1.1	2.3	3.6	5.1	7.8	11.0	15.2	19.5	24.2	26.9
1982.....	1.2	2.0	3.2	5.2	8.5	12.3	17.6	21.3	21.5	25.2
1981.....	1.4	2.5	3.7	6.1	8.3	13.3	18.5	21.5	23.0	25.4
1980.....	1.6	2.8	4.4	6.7	9.5	14.8	18.9	22.6	24.8	24.9
1979.....	1.8	2.9	4.6	6.8	10.1	14.6	20.1	21.6	21.7	26.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)										
WHITE MALE										
1998.....	0.4	0.6	1.0	1.3	2.3	3.7	4.9	8.1	11.8	18.9
1997.....	0.3	0.6	0.9	1.7	2.2	3.3	5.9	8.9	14.0	22.9
1996.....	0.4	0.5	1.1	1.4	2.3	3.6	5.6	9.2	13.9	18.3
1995.....	0.4	0.5	0.9	1.8	2.5	3.5	6.2	8.9	15.5	22.9
1994.....	0.4	0.7	1.2	1.7	3.3	4.7	7.6	9.7	15.2	20.6
1993.....	0.4	0.6	1.2	2.3	3.2	5.3	7.2	11.5	15.6	26.3
1992.....	0.5	0.8	1.5	2.1	3.2	5.1	6.8	11.0	15.2	21.2
1991.....	0.7	0.8	1.1	2.3	3.7	5.1	8.1	11.2	16.8	23.6
1990.....	0.6	0.9	1.2	2.7	4.0	6.5	8.7	10.7	16.8	19.2
1989.....	0.7	1.1	1.3	2.7	3.9	5.9	8.6	12.9	17.3	21.7
1988.....	0.5	1.3	1.6	3.1	4.0	6.5	9.3	12.9	17.1	22.2
1987.....	0.5	1.2	1.5	3.2	4.8	7.2	9.5	13.4	15.7	17.3
1986.....	0.8	1.2	2.0	3.4	5.1	7.0	10.2	13.9	16.6	19.9
1985.....	0.8	1.2	2.5	3.7	5.1	7.4	11.2	14.7	17.1	18.3
1984.....	1.0	1.3	2.7	3.8	6.6	7.6	12.7	15.9	17.7	19.1
1983.....	1.0	1.7	2.7	4.1	6.3	8.7	10.0	13.1	18.1	19.2
1982.....	1.0	1.9	2.8	4.4	7.2	9.8	12.9	14.3	13.9	16.9
1981.....	1.2	2.1	3.1	4.9	6.4	10.4	13.7	16.7	17.5	19.3
1980.....	1.4	2.3	3.8	5.4	7.4	11.7	13.4	16.8	19.5	20.6
1979.....	1.7	2.3	4.0	6.3	7.8	10.6	14.9	16.5	17.4	16.2
WHITE FEMALE										
1998.....	0.6	0.7	1.3	2.3	3.7	5.8	9.3	13.2	20.1	29.3
1997.....	0.6	0.9	1.4	2.1	3.9	6.7	9.3	14.5	20.1	31.0
1996.....	0.6	1.1	1.3	2.6	3.8	6.2	10.4	14.4	22.6	30.0
1995.....	0.6	0.9	1.4	2.6	4.0	6.5	10.8	16.6	21.8	30.7
1994.....	0.5	1.0	1.4	2.7	4.5	7.3	11.9	16.7	24.2	29.5
1993.....	0.6	1.2	1.9	3.1	4.7	7.8	13.0	17.3	24.7	32.9
1992.....	0.6	0.9	2.0	3.4	5.1	8.3	12.4	19.2	25.6	31.3
1991.....	0.6	1.3	2.1	3.4	6.0	8.8	13.2	20.7	27.0	33.4
1990.....	0.7	1.1	2.6	3.7	5.7	8.9	13.3	20.4	28.8	34.8
1989.....	0.9	1.4	2.3	3.5	5.8	9.3	14.4	21.0	28.5	32.3
1988.....	0.7	1.4	2.5	4.9	6.6	10.7	16.1	22.8	30.0	32.0
1987.....	0.7	1.8	3.0	4.0	7.0	11.6	16.4	22.9	28.0	32.3
1986.....	0.8	2.1	3.0	4.3	7.5	10.7	16.8	23.2	27.5	30.5
1985.....	1.1	1.9	3.3	5.3	7.5	11.1	17.6	22.8	28.9	28.6
1984.....	1.3	2.3	3.1	5.4	8.6	12.9	18.2	24.5	27.9	29.2
1983.....	1.3	2.9	4.4	6.0	9.1	12.9	19.0	23.5	27.4	30.1
1982.....	1.4	2.1	3.6	5.9	9.7	14.3	21.0	25.6	25.5	28.6
1981.....	1.6	2.9	4.2	7.1	10.0	15.6	22.0	24.5	25.9	28.0
1980.....	1.7	3.4	4.9	7.9	11.3	17.3	22.8	26.2	27.5	26.8
1979.....	2.0	3.6	5.2	7.2	12.1	17.9	23.8	24.8	23.9	30.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

ALL OTHER, BOTH SEXES

1998.....	0.9	1.4	1.6	2.4	3.4	3.4	4.8	5.6	6.3	12.4
1997.....	1.1	1.5	1.9	2.6	2.8	2.6	4.9	5.7	7.4	9.3
1996.....	0.9	1.1	1.9	2.4	3.5	4.7	5.6	5.0	7.9	11.8
1995.....	1.0	1.5	2.4	2.9	3.7	3.9	5.6	6.7	7.6	8.9
1994.....	1.2	2.1	2.0	3.2	3.1	5.2	5.5	4.2	6.9	11.2
1993.....	1.2	1.7	1.9	3.3	2.9	4.9	5.2	7.3	13.3	12.3
1992.....	1.5	2.1	2.9	3.3	3.7	5.8	6.0	8.3	10.9	12.7
1991.....	1.3	2.4	2.6	2.4	4.0	4.9	7.3	10.2	10.4	13.9
1990.....	1.9	1.6	2.6	3.4	5.0	5.6	5.7	7.5	9.3	16.1
1989.....	2.0	2.1	2.6	3.7	4.9	6.3	7.7	9.2	10.5	12.1
1988.....	1.4	2.3	3.2	3.2	4.4	6.1	6.8	7.3	10.3	14.9
1987.....	1.4	1.8	2.4	3.7	4.2	6.1	5.4	8.5	9.4	10.0
1986.....	2.3	1.8	3.0	4.2	5.5	5.3	8.3	6.9	10.4	10.0
1985.....	2.0	2.2	3.9	4.6	4.8	5.9	6.4	7.9	9.5	15.2
1984.....	2.4	2.7	2.2	4.5	4.7	7.4	9.6	5.7	7.3	11.5
1983.....	2.7	2.9	3.2	5.0	4.5	4.9	7.9	9.0	7.6	12.9
1982.....	1.9	2.5	2.9	5.1	6.9	6.2	7.8	8.2	9.2	11.6
1981.....	2.5	3.1	3.5	5.4	6.5	6.5	7.9	9.5	10.4	11.1
1980.....	2.9	3.8	4.2	5.7	6.5	7.4	7.3	7.7	10.5	11.7
1979.....	2.9	4.0	4.6	5.2	6.3	6.3	8.3	10.9	8.5	10.9

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	2.9	*	*	*	*	*	*
1996.....	*	*	*	*	*	4.2	5.7	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	1.8	*	*	*	5.2	*	*	*	*
1993.....	*	*	*	*	*	4.3	*	*	*	*
1992.....	*	2.0	*	*	*	4.4	*	*	*	*
1991.....	*	*	*	*	*	4.7	*	8.7	*	*
1990.....	*	*	*	*	5.2	*	*	*	*	*
1989.....	2.3	*	*	*	4.9	*	7.3	*	*	*
1988.....	*	*	*	*	*	5.0	*	*	*	*
1987.....	*	*	*	*	*	*	*	9.8	*	*
1986.....	2.3	*	*	*	5.0	*	6.6	*	*	*
1985.....	*	*	*	*	4.1	5.8	*	*	*	*
1984.....	*	*	*	*	*	5.0	6.7	*	*	*
1983.....	*	*	*	*	4.3	*	7.2	*	*	*
1982.....	*	*	*	3.7	5.9	6.1	7.3	*	*	*
1981.....	*	*	*	4.6	5.4	5.6	7.4	*	*	*
1980.....	2.8	2.2	4.0	5.1	5.4	6.2	5.8	4.5	9.2	8.2
1979.....	2.9	3.7	3.9	2.7	5.8	5.9	6.4	7.7	5.8	10.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

ALL OTHER FEMALE

1998.....	1.2	1.6	2.0	3.2	4.0	4.2	6.8	6.6	*	14.7
1997.....	1.2	1.8	2.0	2.4	3.6	3.0	5.7	6.6	8.6	11.1
1996.....	*	1.5	2.2	3.3	4.5	5.1	5.5	5.9	9.2	13.1
1995.....	*	1.9	3.0	3.2	4.8	5.4	6.5	7.9	10.6	8.8
1994.....	1.5	2.3	2.6	4.6	3.8	5.2	6.6	*	*	13.3
1993.....	1.3	2.0	2.8	4.2	3.5	5.4	6.0	9.0	15.3	13.8
1992.....	1.9	2.1	3.6	4.5	4.4	6.8	7.1	8.9	11.5	14.9
1991.....	1.4	2.7	3.4	2.6	4.4	5.2	8.5	11.1	12.2	13.8
1990.....	2.2	*	4.0	4.5	4.8	7.1	7.2	8.3	11.0	17.3
1989.....	1.8	2.9	3.0	4.4	4.9	8.0	8.0	10.4	12.7	14.9
1988.....	*	2.7	3.6	4.2	5.5	6.9	7.5	7.8	11.8	14.8
1987.....	*	3.0	2.9	4.7	5.0	8.3	6.7	7.7	10.7	*
1986.....	2.3	*	3.9	5.1	5.9	6.6	9.5	7.1	12.2	*
1985.....	2.2	2.5	4.8	5.8	5.4	6.0	6.9	9.6	*	15.3
1984.....	2.8	3.2	*	6.1	5.4	9.3	11.5	6.6	*	*
1983.....	3.3	3.9	3.9	6.8	4.7	5.3	8.5	10.5	*	15.1
1982.....	2.3	3.0	3.3	6.3	7.7	6.3	8.2	8.8	*	*
1981.....	2.7	3.6	4.2	6.0	7.4	7.2	8.3	11.3	*	*
1980.....	3.0	5.1	4.4	6.3	7.5	8.3	8.4	9.9	11.3	13.5
1979.....	2.8	4.2	5.1	7.3	6.6	6.6	9.8	13.2	10.2	11.4

BLACK, BOTH SEXES

1998.....	1.0	1.5	1.9	2.6	3.8	3.6	4.4	5.4	6.1	10.8
1997.....	1.2	1.8	2.4	3.0	3.0	2.5	4.2	5.6	*	8.2
1996.....	1.1	1.3	2.0	2.5	3.5	4.1	5.0	4.6	7.2	10.5
1995.....	1.0	1.7	2.7	2.7	3.6	3.8	5.0	6.5	7.2	*
1994.....	1.2	2.1	2.0	3.2	3.6	5.4	5.5	*	*	9.8
1993.....	1.5	2.2	2.3	4.0	2.6	4.6	4.8	6.7	10.3	12.1
1992.....	1.7	2.3	3.5	3.0	4.0	5.5	6.3	7.0	9.6	13.5
1991.....	1.4	2.7	3.1	2.5	4.5	4.7	5.6	9.4	8.1	14.7
1990.....	2.1	1.8	3.0	3.5	4.9	5.8	6.1	6.0	9.4	15.7
1989.....	2.4	2.2	2.6	4.1	4.7	5.9	6.9	9.2	10.6	11.4
1988.....	1.6	2.8	3.4	3.1	4.2	5.6	5.9	7.0	8.1	13.1
1987.....	1.5	2.0	2.7	3.7	4.4	6.2	4.6	6.9	9.1	*
1986.....	2.8	2.0	3.3	4.3	6.1	4.4	8.3	6.2	10.2	*
1985.....	2.1	2.2	4.4	4.9	5.2	5.7	6.0	7.7	9.0	11.8
1984.....	2.4	2.6	2.5	4.6	4.4	7.7	9.8	4.8	*	11.1
1983.....	3.1	3.3	3.2	5.0	4.7	4.9	7.6	8.7	*	11.4
1982.....	1.9	2.6	3.1	4.8	6.9	5.8	8.4	8.7	10.1	11.9
1981.....	2.8	3.3	3.4	5.5	6.5	5.9	7.6	9.2	*	*
1980.....	2.9	4.4	4.5	6.1	6.6	7.3	7.4	8.0	10.5	11.9
1979.....	3.1	4.3	5.2	5.3	6.1	6.5	7.2	10.6	9.5	11.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	5.7	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	5.5	*	*	*	*	*
1989.....	2.7	*	*	*	5.3	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	2.9	*	*	*	5.8	*	*	*	*	*
1985.....	*	*	*	*	*	6.2	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	5.5	*	*	*	*	*
1981.....	*	*	*	5.1	5.9	*	*	*	*	*
1980.....	2.6	2.7	4.1	4.9	4.9	6.3	6.4	5.2	9.3	9.4
1979.....	3.2	4.2	4.2	3.0	5.6	6.5	5.8	8.1	6.5	11.5

BLACK FEMALE

1998.....	1.4	2.0	2.4	3.4	4.4	4.5	6.5	*	*	13.4
1997.....	*	2.3	*	*	4.0	*	5.0	7.3	*	10.6
1996.....	*	*	*	3.7	4.4	4.3	*	*	*	12.3
1995.....	*	2.2	3.2	*	4.4	4.9	5.8	8.9	9.5	*
1994.....	*	2.1	*	4.7	4.1	5.2	6.3	*	*	11.2
1993.....	*	2.6	3.4	4.8	*	5.6	5.8	8.1	11.7	13.2
1992.....	2.2	*	4.5	4.4	4.8	6.7	7.6	8.6	10.6	14.9
1991.....	*	3.2	3.8	*	4.8	5.1	6.0	10.7	*	14.1
1990.....	2.6	*	4.6	4.5	4.5	7.2	7.5	*	10.5	16.6
1989.....	2.1	2.9	*	4.8	4.3	7.1	6.8	10.0	13.0	13.7
1988.....	*	3.1	3.7	4.1	5.3	6.0	6.6	7.1	*	14.8
1987.....	*	3.5	3.2	4.9	5.3	8.2	5.6	6.9	*	*
1986.....	2.7	*	4.1	5.3	6.3	5.3	9.8	*	12.7	*
1985.....	*	*	5.4	6.0	5.8	5.4	6.7	9.5	*	*
1984.....	2.7	3.1	*	6.1	5.3	9.6	11.7	*	*	*
1983.....	3.7	4.6	4.2	6.5	4.6	5.7	8.3	10.0	*	*
1982.....	*	3.1	3.4	6.2	7.9	6.0	9.4	9.6	*	*
1981.....	2.8	3.6	4.5	5.9	7.0	6.9	7.9	11.5	*	*
1980.....	3.2	5.9	4.8	7.0	8.0	8.1	8.2	9.8	11.2	13.2
1979.....	3.1	4.4	6.0	7.3	6.4	6.4	8.3	12.3	11.3	11.5

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 ACUTE RHEUMATIC FEVER (390-392)

TOTAL, BOTH SEXES										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	0.5	*
1995	*	*	*	*	*	*	0.3	0.3	*	0.7
1994	*	*	*	*	0.2	*	0.2	0.5	0.5	0.9
1993	*	*	*	*	*	*	*	*	0.6	*
1992	*	*	*	*	*	*	*	0.3	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.1	0.0	0.1	0.1	0.1	0.2	0.2	0.3	0.4	0.1
1979	0.0	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.2
TOTAL, MALE										
1998	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.5	0.3
1979	0.1	0.1	0.1	0.2	0.2	0.3	0.1	0.3	0.3	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE RHEUMATIC FEVER (390-392)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	0.9
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	0.1	0.1	0.1	0.1	0.2	0.2	0.4	-
1979.....	0.0	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.3	0.3
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	0.5	*
1995.....	*	*	*	*	*	*	0.3	0.3	*	0.8
1994.....	*	*	*	*	0.2	*	*	0.5	*	0.9
1993.....	*	*	*	*	*	*	*	*	0.5	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.3	0.4	0.1
1979.....	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE RHEUMATIC FEVER (390-392)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.4	0.3	0.3
1979.....	0.1	0.0	0.1	0.2	0.1	0.2	0.1	0.2	0.3	-
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	0.9
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.0	0.0	0.1	0.1	0.2	0.1	0.2	0.5	-
1979.....	0.0	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE RHEUMATIC FEVER (390-392)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.1	0.1	-	0.1	0.3	-	0.9	-
1979.....	0.1	0.1	-	0.1	0.2	0.3	0.3	0.5	-	-
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.2	-	0.2	-	0.3	0.4	-	2.3	-
1979.....	-	0.3	-	-	0.5	0.5	0.4	1.1	-	-

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 ACUTE RHEUMATIC FEVER (390-392)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.3	-	-	-	0.3	-	-	-
1979.....	0.1	-	-	0.2	-	0.2	0.3	-	-	-
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.1	0.1	-	0.1	0.4	-	1.0	-
1979.....	0.1	0.2	-	0.1	0.2	0.4	0.4	0.5	-	-

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 ACUTE RHEUMATIC FEVER (390-392)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.2	-	0.2	-	0.3	0.4	-	2.7	-	-
1979.....	-	0.4	-	-	0.5	0.6	0.4	1.2	-	-	-

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.2	-	-	-	0.3	-	-	-	-
1979.....	0.1	-	-	0.2	-	0.2	0.3	-	-	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)										
TOTAL, BOTH SEXES										
1998.....	0.5	0.7	1.1	1.8	3.0	4.5	7.0	10.3	15.9	24.6
1997.....	0.5	0.9	1.2	1.9	3.0	4.7	7.4	11.5	16.8	26.5
1996.....	0.5	0.8	1.3	2.0	3.1	4.8	7.9	11.3	17.9	25.0
1995.....	0.6	0.8	1.3	2.2	3.3	4.8	8.2	12.5	18.1	26.1
1994.....	0.6	0.9	1.3	2.3	3.6	5.8	9.3	12.5	19.3	24.8
1993.....	0.6	1.0	1.6	2.7	3.7	6.3	9.7	14.0	20.2	28.9
1992.....	0.7	1.0	1.9	2.8	4.1	6.7	9.4	14.9	20.7	26.7
1991.....	0.7	1.2	1.7	2.8	4.7	6.8	10.5	16.1	22.0	28.9
1990.....	0.8	1.1	2.0	3.2	4.8	7.5	10.7	15.7	23.1	29.1
1989.....	0.9	1.3	1.9	3.1	4.8	7.5	11.4	16.9	23.2	27.8
1988.....	0.7	1.5	2.2	3.9	5.2	8.4	12.5	17.7	24.1	27.8
1987.....	0.7	1.6	2.3	3.6	5.7	9.2	12.6	18.1	22.4	26.5
1986.....	1.0	1.7	2.5	3.9	6.2	8.6	13.4	18.3	22.5	26.0
1985.....	1.1	1.7	3.0	4.5	6.1	9.0	13.9	18.5	23.5	24.7
1984.....	1.3	1.9	2.8	4.5	7.2	10.2	15.2	19.5	22.8	24.9
1983.....	1.3	2.3	3.4	5.0	7.3	10.3	14.4	18.3	22.7	25.6
1982.....	1.3	2.1	3.1	5.1	8.3	11.5	16.6	19.9	20.3	23.9
1981.....	1.5	2.5	3.6	5.9	8.0	12.5	17.3	20.2	21.9	24.1
1980.....	1.7	2.9	4.3	6.5	9.1	13.9	17.6	21.0	23.2	23.8
1979.....	1.9	3.0	4.5	6.5	9.6	13.6	18.8	20.4	20.3	25.0
TOTAL, MALE										
1998.....	0.4	0.6	1.0	1.2	2.2	3.5	4.5	7.5	11.0	17.3
1997.....	0.4	0.6	1.0	1.8	2.0	3.0	5.7	8.3	13.0	20.7
1996.....	0.5	0.5	1.1	1.3	2.2	3.5	5.5	8.4	12.6	17.1
1995.....	0.5	0.5	0.9	1.7	2.4	3.1	5.8	8.4	14.0	20.7
1994.....	0.5	0.8	1.1	1.6	2.8	4.5	7.0	8.5	13.8	18.4
1993.....	0.5	0.7	1.1	2.2	2.9	5.0	6.7	10.6	14.5	23.9
1992.....	0.6	0.9	1.5	2.0	3.1	4.9	6.4	10.3	14.4	19.4
1991.....	0.7	0.9	1.2	2.3	3.6	4.9	7.7	10.7	15.8	22.1
1990.....	0.7	1.0	1.1	2.6	4.0	6.1	8.1	10.3	15.9	18.3
1989.....	0.9	1.1	1.4	2.6	4.0	5.6	8.4	12.3	16.3	20.0
1988.....	0.5	1.3	1.7	3.0	3.9	6.2	8.8	12.2	16.0	21.2
1987.....	0.6	1.1	1.5	3.1	4.6	6.6	8.9	12.8	14.9	16.5
1986.....	0.9	1.2	1.9	3.4	5.1	6.6	9.7	13.1	15.4	18.9
1985.....	0.9	1.3	2.5	3.5	4.8	7.2	10.4	13.8	16.4	17.7
1984.....	1.1	1.4	2.6	3.5	6.2	7.3	12.1	14.5	16.8	17.9
1983.....	1.1	1.6	2.6	3.9	6.0	8.2	9.6	12.3	16.9	17.9
1982.....	1.0	1.9	2.7	4.3	7.0	9.3	12.2	13.5	12.9	15.5
1981.....	1.3	2.0	2.9	4.8	6.1	9.8	12.8	15.7	16.7	18.1
1980.....	1.5	2.2	3.7	5.2	7.2	11.0	12.5	15.3	18.2	19.2
1979.....	1.8	2.4	3.8	5.7	7.4	9.9	14.0	15.4	16.1	15.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)										
TOTAL, FEMALE										
1998.....	0.6	0.8	1.3	2.3	3.7	5.4	8.9	12.3	18.8	27.7
1997.....	0.6	1.1	1.4	2.1	3.8	6.1	8.8	13.7	18.9	28.8
1996.....	0.6	1.1	1.4	2.6	3.8	5.9	9.7	13.3	20.9	28.2
1995.....	0.7	1.0	1.6	2.6	4.0	6.2	10.0	15.3	20.5	28.2
1994.....	0.7	1.1	1.5	2.9	4.3	6.9	11.1	15.1	22.3	27.2
1993.....	0.7	1.3	2.0	3.1	4.4	7.5	12.1	16.2	23.3	30.8
1992.....	0.8	1.1	2.2	3.4	5.0	8.0	11.7	17.9	24.1	29.5
1991.....	0.7	1.4	2.3	3.3	5.7	8.3	12.6	19.5	25.3	31.5
1990.....	0.9	1.1	2.8	3.7	5.5	8.7	12.6	19.2	27.0	33.3
1989.....	1.0	1.6	2.4	3.6	5.5	9.1	13.7	19.8	26.9	30.8
1988.....	0.8	1.6	2.6	4.8	6.3	10.2	15.2	21.2	28.4	30.4
1987.....	0.8	2.0	3.0	4.1	6.7	11.2	15.4	21.4	26.4	30.4
1986.....	1.1	2.1	3.1	4.3	7.2	10.2	16.0	21.6	26.1	28.8
1985.....	1.2	2.0	3.5	5.3	7.2	10.5	16.5	21.4	27.3	27.4
1984.....	1.5	2.4	3.0	5.4	8.1	12.5	17.4	22.6	25.9	27.7
1983.....	1.5	3.0	4.2	6.0	8.5	11.9	17.9	22.1	25.8	28.7
1982.....	1.5	2.2	3.5	5.9	9.4	13.3	19.7	23.9	24.2	27.4
1981.....	1.7	2.9	4.1	6.9	9.7	14.6	20.6	23.0	24.6	26.6
1980.....	1.9	3.6	4.8	7.7	10.8	16.2	21.3	24.6	25.9	25.8
1979.....	2.0	3.6	5.1	7.2	11.5	16.6	22.3	23.6	22.6	29.2
WHITE, BOTH SEXES										
1998.....	0.4	0.6	1.1	1.7	2.9	4.7	7.3	10.9	16.8	26.0
1997.....	0.4	0.7	1.1	1.8	3.0	5.0	7.7	12.1	17.7	28.3
1996.....	0.5	0.8	1.2	1.9	3.1	4.8	8.2	12.0	18.9	26.4
1995.....	0.5	0.7	1.1	2.1	3.2	4.9	8.5	13.1	19.2	27.8
1994.....	0.5	0.8	1.3	2.2	3.7	5.9	9.8	13.3	20.5	26.1
1993.....	0.5	0.9	1.5	2.6	3.9	6.5	10.3	14.7	20.9	30.5
1992.....	0.6	0.8	1.7	2.7	4.1	6.8	9.8	15.6	21.7	28.1
1991.....	0.6	1.0	1.6	2.8	4.8	7.0	10.8	16.7	23.2	30.4
1990.....	0.6	1.0	1.9	3.2	4.8	7.7	11.2	16.5	24.5	30.4
1989.....	0.8	1.2	1.8	3.0	4.8	7.6	11.8	17.7	24.4	29.2
1988.....	0.5	1.3	2.1	4.0	5.3	8.7	13.1	18.8	25.4	29.2
1987.....	0.6	1.5	2.2	3.6	5.9	9.5	13.4	19.1	23.6	28.0
1986.....	0.8	1.6	2.5	3.8	6.3	9.0	13.9	19.5	23.6	27.5
1985.....	0.9	1.6	2.9	4.5	6.3	9.4	14.7	19.6	24.8	25.6
1984.....	1.1	1.8	2.9	4.6	7.6	10.5	15.8	20.9	24.2	26.1
1983.....	1.1	2.2	3.5	5.0	7.7	10.9	15.1	19.3	24.1	26.8
1982.....	1.2	2.0	3.1	5.1	8.5	12.1	17.5	21.1	21.3	25.1
1981.....	1.4	2.4	3.6	6.0	8.2	13.2	18.3	21.3	22.9	25.2
1980.....	1.6	2.8	4.3	6.6	9.4	14.6	18.7	22.3	24.4	24.8
1979.....	1.8	2.9	4.5	6.6	10.0	14.4	19.9	21.5	21.4	26.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)										
WHITE MALE										
1998.....	0.4	0.6	0.9	1.2	2.2	3.7	4.8	7.9	11.6	18.5
1997.....	0.3	0.6	0.9	1.6	2.1	3.2	5.9	8.7	13.7	22.5
1996.....	0.4	0.5	1.1	1.3	2.3	3.5	5.5	8.9	13.4	18.0
1995.....	0.4	0.4	0.8	1.7	2.4	3.2	6.0	8.7	15.1	22.0
1994.....	0.4	0.6	1.1	1.7	3.0	4.5	7.3	9.1	14.7	19.7
1993.....	0.4	0.6	1.2	2.2	3.0	5.1	7.0	11.2	15.0	25.6
1992.....	0.5	0.7	1.5	2.0	3.1	5.0	6.6	10.6	14.9	20.6
1991.....	0.7	0.7	1.1	2.3	3.6	5.0	7.9	10.9	16.7	23.1
1990.....	0.6	0.9	1.2	2.7	3.9	6.4	8.6	10.7	16.8	19.0
1989.....	0.7	1.1	1.3	2.6	3.9	5.8	8.5	12.8	17.2	21.5
1988.....	0.4	1.2	1.6	3.1	4.0	6.4	9.1	12.8	16.9	22.0
1987.....	0.4	1.2	1.5	3.2	4.7	7.0	9.4	13.2	15.6	17.1
1986.....	0.7	1.2	1.9	3.4	5.1	7.0	10.1	13.8	16.2	19.9
1985.....	0.8	1.2	2.5	3.6	4.9	7.3	11.0	14.7	17.1	18.2
1984.....	1.0	1.3	2.6	3.7	6.5	7.6	12.6	15.6	17.7	19.1
1983.....	1.0	1.7	2.7	4.1	6.2	8.6	9.9	13.0	17.9	18.9
1982.....	1.0	1.9	2.7	4.3	7.1	9.6	12.7	14.2	13.8	16.6
1981.....	1.2	2.0	3.0	4.9	6.2	10.3	13.4	16.6	17.5	19.0
1980.....	1.4	2.2	3.6	5.2	7.4	11.6	13.2	16.4	19.2	20.3
1979.....	1.6	2.3	3.8	6.1	7.6	10.4	14.8	16.4	17.1	16.2
WHITE FEMALE										
1998.....	0.5	0.7	1.2	2.2	3.6	5.6	9.2	13.0	19.9	29.0
1997.....	0.6	0.9	1.4	2.0	3.8	6.6	9.2	14.5	20.0	30.6
1996.....	0.6	1.0	1.3	2.5	3.8	6.0	10.2	14.2	22.1	29.7
1995.....	0.6	0.9	1.4	2.5	3.9	6.4	10.5	16.2	21.5	30.0
1994.....	0.5	0.9	1.4	2.7	4.4	7.2	11.7	16.2	23.8	28.6
1993.....	0.6	1.2	1.8	2.9	4.6	7.7	12.8	17.0	24.2	32.4
1992.....	0.6	0.9	2.0	3.3	5.1	8.2	12.3	19.0	25.3	30.9
1991.....	0.6	1.2	2.1	3.4	5.9	8.7	13.1	20.5	26.6	33.2
1990.....	0.7	1.1	2.6	3.6	5.6	8.9	13.2	20.3	28.5	34.7
1989.....	0.8	1.4	2.3	3.5	5.6	9.2	14.3	20.8	28.2	32.2
1988.....	0.6	1.4	2.5	4.9	6.5	10.7	16.0	22.6	29.9	31.9
1987.....	0.7	1.8	3.0	4.0	7.0	11.5	16.4	22.8	27.8	32.3
1986.....	0.8	2.1	3.0	4.2	7.4	10.7	16.8	23.2	27.4	30.4
1985.....	1.1	1.9	3.3	5.3	7.5	11.1	17.5	22.6	28.8	28.5
1984.....	1.3	2.3	3.1	5.4	8.5	12.9	18.1	24.2	27.6	28.9
1983.....	1.2	2.8	4.2	5.9	8.9	12.7	18.9	23.3	27.3	29.9
1982.....	1.4	2.1	3.6	5.9	9.6	14.1	21.0	25.5	25.2	28.5
1981.....	1.5	2.8	4.1	7.0	9.9	15.5	21.9	24.2	25.7	27.9
1980.....	1.7	3.3	4.9	7.8	11.2	17.1	22.6	26.0	27.1	26.8
1979.....	1.9	3.5	5.1	7.2	12.0	17.7	23.6	24.7	23.6	30.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)										
ALL OTHER, BOTH SEXES										
1998.....	0.9	1.3	1.6	2.4	3.4	3.1	4.7	5.5	6.3	12.1
1997.....	1.0	1.5	1.8	2.5	2.7	2.5	4.9	5.7	7.4	9.3
1996.....	0.9	1.0	1.8	2.3	3.3	4.6	5.5	5.0	7.6	11.8
1995.....	0.9	1.3	2.3	2.7	3.5	3.7	5.5	6.2	7.1	8.9
1994.....	1.2	2.0	1.8	3.0	3.0	4.9	5.0	4.2	6.7	10.9
1993.....	1.2	1.6	1.9	3.3	2.8	4.9	5.1	7.3	12.5	11.9
1992.....	1.4	2.0	2.8	3.2	3.7	5.7	5.9	8.0	10.9	12.4
1991.....	1.2	2.4	2.5	2.4	3.9	4.8	7.3	10.2	9.8	13.1
1990.....	1.8	1.5	2.6	3.2	4.9	5.5	5.7	7.5	9.3	15.7
1989.....	2.0	2.1	2.6	3.6	4.9	6.3	7.7	9.2	10.5	12.1
1988.....	1.3	2.3	3.0	3.2	4.3	6.0	6.8	7.3	10.3	13.7
1987.....	1.4	1.8	2.4	3.5	4.2	6.1	5.3	8.5	9.4	10.0
1986.....	2.1	1.8	2.9	4.1	5.4	5.1	8.2	6.9	10.4	10.0
1985.....	1.9	2.2	3.8	4.6	4.7	5.8	6.4	7.9	9.5	14.7
1984.....	2.4	2.7	2.2	4.4	4.5	7.4	9.6	5.5	7.3	11.1
1983.....	2.7	2.7	3.1	4.9	4.5	4.8	7.9	8.8	7.6	12.4
1982.....	1.8	2.5	2.8	5.1	6.9	6.2	7.8	8.2	9.2	10.6
1981.....	2.4	3.1	3.4	5.2	6.4	6.3	7.6	9.5	10.4	11.1
1980.....	2.7	3.7	4.1	5.7	6.5	7.3	7.0	7.7	9.6	11.7
1979.....	2.8	3.8	4.6	5.1	6.0	6.0	8.0	10.5	8.5	10.9
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	2.8	*	*	*	*	*	*
1996.....	*	*	*	*	*	3.8	5.5	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	1.8	*	*	*	4.8	*	*	*	*
1993.....	*	*	*	*	*	4.1	*	*	*	*
1992.....	*	*	*	*	*	4.2	*	*	*	*
1991.....	*	*	*	*	*	4.2	*	8.7	*	*
1990.....	*	*	*	*	5.0	*	*	*	*	*
1989.....	2.2	*	*	*	4.9	*	7.3	*	*	*
1988.....	*	*	*	*	*	4.8	*	*	*	*
1987.....	*	*	*	*	*	*	*	9.8	*	*
1986.....	*	*	*	*	5.0	*	*	*	*	*
1985.....	*	*	*	*	3.9	5.6	*	*	*	*
1984.....	*	*	*	*	*	5.0	6.7	*	*	*
1983.....	*	*	*	*	4.3	*	7.2	*	*	*
1982.....	*	*	*	3.7	5.9	6.1	7.3	*	*	*
1981.....	*	*	*	4.3	5.2	5.1	*	*	*	*
1980.....	2.4	2.1	4.0	4.9	5.4	6.0	5.4	4.5	6.9	8.2
1979.....	2.9	3.4	3.9	2.7	5.4	5.4	6.1	6.6	5.8	10.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)										
ALL OTHER FEMALE										
1998.....	1.2	1.5	1.9	3.2	4.0	3.9	6.6	6.6	*	14.3
1997.....	*	1.8	*	2.3	3.6	2.8	5.7	6.6	8.6	11.1
1996.....	*	1.4	2.1	3.1	4.2	5.1	5.5	5.9	9.2	13.1
1995.....	*	1.7	2.8	3.1	4.7	5.2	6.3	7.1	9.8	8.8
1994.....	1.5	2.2	2.5	4.5	3.8	5.0	5.8	*	*	12.8
1993.....	1.2	1.9	2.8	4.2	3.3	5.4	6.0	9.0	14.4	13.8
1992.....	1.8	2.1	3.6	4.3	4.2	6.8	7.1	8.4	11.5	14.4
1991.....	1.4	2.7	3.3	2.6	4.3	5.2	8.5	11.1	11.4	13.2
1990.....	2.2	*	4.0	4.4	4.8	6.9	7.2	8.3	11.0	17.3
1989.....	1.8	2.9	3.0	4.3	4.9	8.0	8.0	10.4	12.7	14.9
1988.....	*	2.7	3.5	4.2	5.4	6.9	7.5	7.8	11.8	13.6
1987.....	*	3.0	2.9	4.6	5.0	8.3	6.4	7.7	10.7	*
1986.....	2.3	*	3.9	4.9	5.7	6.6	9.5	7.1	12.2	*
1985.....	2.1	2.5	4.6	5.8	5.2	6.0	6.9	9.6	*	15.3
1984.....	2.8	3.2	*	6.1	5.0	9.3	11.5	*	*	*
1983.....	3.2	3.8	3.8	6.6	4.7	5.3	8.5	10.2	*	14.4
1982.....	2.2	3.0	3.2	6.3	7.7	6.3	8.2	8.8	*	*
1981.....	2.6	3.6	4.1	6.0	7.4	7.2	8.3	11.3	*	*
1980.....	3.0	5.1	4.2	6.3	7.5	8.3	8.1	9.9	11.3	13.5
1979.....	2.7	4.2	5.1	7.1	6.6	6.4	9.5	13.2	10.2	11.4
BLACK, BOTH SEXES										
1998.....	1.0	1.5	1.8	2.6	3.8	3.3	4.4	5.2	6.1	10.5
1997.....	1.0	1.8	2.1	2.8	2.9	2.5	4.2	5.6	*	8.2
1996.....	1.1	1.2	1.9	2.3	3.2	4.1	4.8	4.6	6.9	10.5
1995.....	1.0	1.5	2.5	2.4	3.3	3.6	4.9	5.9	6.6	*
1994.....	1.2	2.1	1.8	3.1	3.4	5.1	4.9	*	*	9.4
1993.....	1.4	2.1	2.3	4.0	2.4	4.5	4.6	6.7	9.7	11.7
1992.....	1.6	2.2	3.3	2.9	3.9	5.4	6.3	6.6	9.6	13.1
1991.....	1.3	2.7	3.0	2.5	4.4	4.5	5.6	9.4	7.4	13.8
1990.....	2.1	1.7	3.0	3.2	4.8	5.7	6.1	6.0	9.4	15.3
1989.....	2.2	2.2	2.6	4.0	4.7	5.9	6.9	9.2	10.6	11.4
1988.....	1.5	2.8	3.2	3.1	4.1	5.6	5.9	7.0	8.1	11.7
1987.....	1.5	2.0	2.7	3.5	4.4	6.2	4.5	6.9	9.1	*
1986.....	2.5	2.0	3.1	4.2	6.0	4.3	8.2	6.2	10.2	*
1985.....	2.0	2.2	4.2	4.9	5.0	5.6	6.0	7.7	9.0	11.3
1984.....	2.4	2.6	2.5	4.5	4.3	7.7	9.8	4.8	*	10.5
1983.....	3.0	3.1	3.1	4.9	4.7	4.8	7.6	8.5	*	10.9
1982.....	1.8	2.6	2.9	4.8	6.9	5.8	8.4	8.7	10.1	*
1981.....	2.6	3.3	3.4	5.3	6.4	5.7	7.4	9.2	*	*
1980.....	2.8	4.4	4.4	6.0	6.6	7.2	7.1	8.0	9.5	11.9
1979.....	3.1	4.1	5.2	5.2	5.8	6.1	6.9	10.1	9.5	11.5

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	5.2	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	5.3	*	*	*	*	*	*
1989.....	2.6	*	*	*	5.3	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	5.8	*	*	*	*	*	*
1985.....	*	*	*	*	*	5.9	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	5.5	*	*	*	*	*	*
1981.....	*	*	*	4.7	5.6	*	*	*	*	*	*
1980.....	2.3	2.5	4.1	4.7	4.9	6.0	6.0	5.2	6.7	9.4	
1979.....	3.2	3.8	4.2	3.0	5.1	5.9	5.3	6.8	6.5	11.5	

BLACK FEMALE

1998.....	*	2.0	2.3	3.4	4.4	4.3	6.5	*	*	12.9	
1997.....	*	2.3	*	*	4.0	*	5.0	7.3	*	10.6	
1996.....	*	*	*	3.5	4.0	4.3	*	*	*	12.3	
1995.....	*	*	2.9	*	4.3	4.7	5.5	7.9	*	*	
1994.....	*	*	*	4.7	4.1	5.0	5.5	*	*	10.6	
1993.....	*	2.5	3.4	4.8	*	5.6	5.8	8.1	10.8	13.2	
1992.....	2.1	*	4.5	4.2	4.6	6.7	7.6	8.0	10.6	14.3	
1991.....	*	3.2	3.6	*	4.7	5.1	6.0	10.7	*	13.5	
1990.....	2.5	*	4.6	4.3	4.5	7.0	7.5	*	10.5	16.6	
1989.....	*	2.9	*	4.7	4.3	7.1	6.8	10.0	13.0	13.7	
1988.....	*	3.1	3.5	4.1	5.1	6.0	6.6	7.1	*	13.4	
1987.....	*	3.5	3.2	4.8	5.3	8.2	5.3	6.9	*	*	
1986.....	2.7	*	4.1	5.1	6.1	5.3	9.8	*	12.7	*	
1985.....	*	*	5.1	6.0	5.6	5.4	6.7	9.5	*	*	
1984.....	2.7	3.1	*	6.1	5.1	9.6	11.7	*	*	*	
1983.....	3.6	4.4	4.0	6.3	4.6	5.7	8.3	9.7	*	*	
1982.....	*	3.1	3.2	6.2	7.9	6.0	9.4	9.6	*	*	
1981.....	*	3.6	4.3	5.9	7.0	6.9	7.9	11.5	*	*	
1980.....	3.2	5.9	4.6	7.0	8.0	8.1	7.9	9.8	11.2	13.2	
1979.....	2.9	4.4	6.0	7.1	6.4	6.2	8.0	12.3	11.3	11.5	

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF MITRAL VALVE (394)										
TOTAL, BOTH SEXES										
1998.....	0.4	0.5	0.7	1.0	1.8	2.3	3.8	5.5	7.9	10.2
1997.....	0.3	0.5	0.7	1.1	1.7	2.5	4.0	6.1	7.8	10.2
1996.....	0.4	0.5	0.7	1.2	1.4	2.6	3.6	5.5	8.0	8.9
1995.....	0.4	0.4	0.7	1.1	1.8	2.6	4.4	5.7	7.8	10.3
1994.....	0.4	0.6	0.7	1.3	1.9	3.1	4.5	6.1	8.4	9.5
1993.....	0.4	0.6	0.9	1.4	1.9	3.2	4.8	6.5	8.7	11.0
1992.....	0.4	0.6	1.0	1.5	2.1	3.4	4.5	6.8	8.9	9.9
1991.....	0.4	0.6	0.8	1.4	2.2	3.4	4.9	7.3	9.2	10.9
1990.....	0.4	0.5	1.0	1.5	2.4	3.6	5.2	7.2	9.1	10.3
1989.....	0.5	0.6	1.0	1.6	2.3	3.3	5.7	7.5	9.5	11.0
1988.....	0.3	0.7	1.2	2.1	2.6	4.2	6.1	8.3	9.8	9.9
1987.....	0.3	0.8	1.2	1.5	2.8	4.6	6.2	8.1	9.3	10.2
1986.....	0.4	0.8	1.1	1.7	3.2	4.1	6.2	8.1	9.0	10.1
1985.....	0.6	0.8	1.3	2.2	2.8	4.6	6.2	8.0	9.0	9.4
1984.....	0.7	0.9	1.2	2.0	3.2	4.7	7.1	8.5	8.6	9.6
1983.....	0.6	1.0	1.5	2.4	3.3	4.8	6.5	7.8	8.9	10.0
1982.....	0.6	0.8	1.3	2.2	3.9	5.2	6.9	7.7	7.7	8.6
1981.....	0.6	1.0	1.4	2.5	3.4	5.5	6.5	7.7	8.2	8.8
1980.....	0.7	1.3	1.7	2.8	4.0	5.9	7.0	7.5	7.2	8.3
1979.....	0.8	1.2	1.8	2.6	4.0	5.4	6.9	7.2	6.7	8.1
TOTAL, MALE										
1998.....	0.2	0.4	0.6	0.7	1.3	1.7	2.3	3.9	5.2	7.0
1997.....	0.2	0.4	0.7	1.0	1.3	1.2	3.0	4.2	6.1	7.6
1996.....	0.3	0.3	0.6	0.8	1.0	1.9	2.3	3.4	5.5	5.0
1995.....	0.2	0.3	0.4	0.8	1.2	1.6	3.0	3.9	5.8	8.1
1994.....	0.2	0.5	0.5	0.9	1.5	2.4	3.4	4.3	6.1	6.7
1993.....	0.3	0.4	0.6	1.1	1.4	2.3	3.0	4.8	6.5	8.2
1992.....	0.2	0.5	0.8	0.9	1.5	2.5	2.9	4.5	5.8	5.8
1991.....	0.3	0.4	0.5	1.1	1.6	2.2	3.1	5.0	6.1	7.6
1990.....	0.3	0.4	0.5	0.9	1.8	2.7	3.6	4.3	4.9	5.8
1989.....	0.4	0.5	0.7	1.4	1.6	2.1	3.8	5.0	6.2	7.7
1988.....	*	0.6	0.7	1.5	1.7	2.8	4.1	5.7	5.8	6.9
1987.....	*	0.5	0.7	0.9	2.0	2.9	3.7	6.0	4.9	5.4
1986.....	0.3	0.5	0.7	1.3	2.2	2.8	4.0	5.2	5.3	8.2
1985.....	0.4	0.5	0.9	1.7	2.0	3.5	4.5	5.3	6.6	7.4
1984.....	0.5	0.6	1.0	1.5	2.7	3.2	4.9	6.1	5.8	5.9
1983.....	0.5	0.5	1.0	1.6	2.4	3.3	3.8	5.0	6.5	7.2
1982.....	0.4	0.4	1.0	1.6	3.3	3.7	4.4	4.7	5.0	6.0
1981.....	0.4	0.7	1.0	1.8	2.0	4.0	4.2	5.5	5.4	6.0
1980.....	0.5	0.8	1.5	1.8	2.9	4.0	4.5	5.0	5.1	6.3
1979.....	0.6	0.8	1.4	1.8	2.7	3.5	4.2	5.2	5.0	5.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF MITRAL VALVE (394)										
TOTAL, FEMALE										
1998.....	0.5	0.6	0.8	1.3	2.2	2.8	4.9	6.6	9.6	11.5
1997.....	0.4	0.7	0.8	1.2	2.2	3.5	4.7	7.4	8.8	11.2
1996.....	0.5	0.7	0.8	1.6	1.8	3.1	4.6	7.0	9.4	10.4
1995.....	0.5	0.6	1.1	1.5	2.3	3.4	5.4	6.9	8.9	11.1
1994.....	0.5	0.7	0.9	1.7	2.3	3.7	5.3	7.3	9.6	10.5
1993.....	0.5	0.8	1.2	1.7	2.5	3.9	6.1	7.6	9.8	12.0
1992.....	0.5	0.7	1.2	2.0	2.5	4.2	5.8	8.4	10.6	11.5
1991.....	0.5	0.8	1.2	1.7	2.6	4.3	6.2	8.8	10.9	12.1
1990.....	0.4	0.6	1.4	2.0	2.9	4.3	6.4	9.2	11.3	12.0
1989.....	0.6	0.7	1.3	1.7	2.8	4.3	7.1	9.1	11.2	12.2
1988.....	0.4	0.9	1.6	2.7	3.3	5.3	7.6	10.0	11.9	11.0
1987.....	0.5	1.0	1.6	2.1	3.5	6.0	8.0	9.4	11.7	12.1
1986.....	0.5	1.0	1.5	2.1	4.0	5.1	7.7	9.9	10.9	10.9
1985.....	0.7	1.0	1.7	2.6	3.4	5.5	7.5	9.7	10.2	10.3
1984.....	0.9	1.3	1.4	2.4	3.6	5.9	8.7	10.1	10.0	11.1
1983.....	0.7	1.4	2.0	3.2	4.2	5.9	8.4	9.6	10.2	11.1
1982.....	0.7	1.2	1.5	2.7	4.3	6.4	8.7	9.6	9.2	9.7
1981.....	0.8	1.4	1.7	3.1	4.5	6.7	8.1	9.0	9.7	9.9
1980.....	1.0	1.7	2.0	3.7	5.0	7.5	8.8	9.0	8.3	9.1
1979.....	1.0	1.7	2.2	3.3	5.2	7.0	8.9	8.4	7.6	9.4
WHITE, BOTH SEXES										
1998.....	0.3	0.5	0.7	1.0	1.8	2.4	3.9	5.8	8.4	10.8
1997.....	0.3	0.5	0.7	1.1	1.8	2.7	4.1	6.4	8.1	11.0
1996.....	0.4	0.5	0.7	1.2	1.4	2.6	3.8	5.9	8.4	9.4
1995.....	0.3	0.4	0.7	1.1	1.8	2.6	4.5	6.1	8.2	10.9
1994.....	0.3	0.5	0.7	1.3	2.0	3.1	4.7	6.5	8.9	10.1
1993.....	0.4	0.5	0.8	1.3	2.0	3.2	5.0	6.8	9.1	11.5
1992.....	0.3	0.6	0.9	1.4	2.1	3.4	4.7	7.3	9.5	10.5
1991.....	0.4	0.5	0.8	1.4	2.2	3.6	5.1	7.8	9.8	11.3
1990.....	0.3	0.5	0.9	1.5	2.3	3.7	5.5	7.7	9.6	10.7
1989.....	0.4	0.5	1.0	1.5	2.2	3.4	6.0	7.8	10.1	11.5
1988.....	0.3	0.7	1.1	2.1	2.7	4.3	6.3	8.9	10.3	10.6
1987.....	0.3	0.8	1.2	1.6	2.9	4.8	6.6	8.6	9.8	11.0
1986.....	0.3	0.8	1.1	1.7	3.2	4.3	6.4	8.6	9.3	10.6
1985.....	0.5	0.8	1.3	2.1	2.9	4.8	6.7	8.5	9.6	9.7
1984.....	0.6	0.9	1.3	2.0	3.3	4.9	7.4	9.2	9.3	10.1
1983.....	0.5	0.9	1.5	2.4	3.5	5.1	6.7	8.2	9.3	10.3
1982.....	0.5	0.8	1.2	2.2	3.9	5.4	7.3	8.2	8.1	9.2
1981.....	0.6	1.0	1.4	2.5	3.5	5.8	6.8	8.2	8.7	9.3
1980.....	0.7	1.2	1.8	2.8	4.2	6.2	7.5	8.0	7.7	8.8
1979.....	0.8	1.2	1.8	2.6	4.2	5.8	7.4	7.6	7.1	8.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF MITRAL VALVE (394)										
WHITE MALE										
1998.....	*	0.4	0.6	0.8	1.3	1.8	2.5	4.1	5.5	7.5
1997.....	*	0.4	0.6	0.9	1.3	1.3	3.1	4.4	6.4	8.3
1996.....	0.3	0.3	0.6	0.8	0.9	1.9	2.4	3.6	5.9	5.4
1995.....	*	0.3	0.4	0.8	1.2	1.7	3.1	4.1	6.3	8.7
1994.....	*	0.4	0.4	0.9	1.6	2.4	3.5	4.5	6.6	7.3
1993.....	0.3	0.3	0.6	1.1	1.4	2.2	3.1	5.2	6.9	8.7
1992.....	*	0.5	0.7	0.9	1.6	2.5	3.0	4.8	6.3	6.3
1991.....	0.4	*	0.5	1.2	1.6	2.4	3.4	5.3	6.5	8.2
1990.....	0.3	0.4	0.6	1.0	1.6	2.8	3.9	4.5	5.2	6.4
1989.....	0.3	0.5	0.7	1.4	1.5	2.2	4.1	5.3	6.6	8.0
1988.....	*	0.6	0.7	1.5	1.8	2.9	4.2	6.2	6.0	7.4
1987.....	*	0.5	0.7	1.0	2.0	3.1	4.0	6.4	5.2	5.7
1986.....	*	0.5	0.7	1.4	2.2	3.0	4.0	5.5	5.5	8.4
1985.....	0.4	0.6	0.9	1.7	2.1	3.5	4.8	5.8	7.1	7.3
1984.....	0.4	0.6	1.0	1.5	2.8	3.4	5.1	6.5	6.2	6.2
1983.....	0.4	0.5	1.0	1.7	2.4	3.5	3.9	5.2	6.9	7.5
1982.....	0.4	0.5	0.9	1.7	3.5	3.8	4.6	4.8	5.4	6.5
1981.....	0.4	0.7	1.0	1.8	2.1	4.2	4.4	5.9	5.7	6.4
1980.....	0.5	0.8	1.5	1.8	3.0	4.1	4.7	5.5	5.6	6.9
1979.....	0.5	0.7	1.4	1.9	2.9	3.6	4.4	5.5	5.3	4.9
WHITE FEMALE										
1998.....	0.4	0.6	0.7	1.3	2.2	2.9	5.1	7.0	10.2	12.2
1997.....	0.4	0.6	0.8	1.2	2.3	3.8	4.8	7.9	9.1	12.0
1996.....	0.5	0.7	0.7	1.6	1.8	3.2	4.9	7.5	9.8	11.0
1995.....	0.5	0.5	0.9	1.4	2.4	3.4	5.7	7.5	9.3	11.7
1994.....	0.4	0.6	0.9	1.6	2.3	3.7	5.7	7.9	10.2	11.1
1993.....	0.5	0.7	1.1	1.6	2.5	4.1	6.4	7.9	10.3	12.5
1992.....	0.4	0.6	1.1	1.9	2.5	4.2	6.1	9.0	11.2	12.1
1991.....	0.4	0.7	1.1	1.7	2.8	4.5	6.4	9.5	11.5	12.5
1990.....	0.3	0.6	1.3	2.0	2.9	4.4	6.7	9.8	12.0	12.3
1989.....	0.5	0.6	1.2	1.7	2.9	4.5	7.4	9.4	12.0	12.9
1988.....	0.4	0.8	1.5	2.7	3.5	5.5	7.9	10.7	12.6	11.8
1987.....	0.4	1.0	1.7	2.2	3.7	6.2	8.5	10.0	12.3	13.0
1986.....	0.4	1.0	1.4	2.0	4.0	5.3	8.1	10.6	11.3	11.4
1985.....	0.6	0.9	1.7	2.6	3.6	5.8	8.0	10.3	11.0	10.7
1984.....	0.8	1.1	1.5	2.4	3.8	6.2	9.1	10.8	10.9	11.6
1983.....	0.6	1.3	2.0	3.2	4.4	6.3	8.8	10.2	10.6	11.5
1982.....	0.7	1.2	1.5	2.6	4.4	6.8	9.3	10.4	9.5	10.3
1981.....	0.7	1.3	1.8	3.1	4.7	7.1	8.6	9.6	10.2	10.4
1980.....	1.0	1.6	2.0	3.8	5.3	8.0	9.5	9.6	8.7	9.7
1979.....	1.0	1.7	2.2	3.2	5.5	7.6	9.5	8.9	8.0	10.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF MITRAL VALVE (394)										
ALL OTHER, BOTH SEXES										
1998.....	0.5	0.8	1.0	1.2	1.8	1.8	2.4	2.9	*	*
1997.....	*	0.9	*	1.3	*	*	3.0	3.0	*	*
1996.....	*	*	1.1	*	*	2.5	2.2	*	*	*
1995.....	*	0.8	1.3	*	1.7	2.4	2.8	*	*	*
1994.....	*	1.2	*	1.6	1.6	3.1	2.2	*	*	*
1993.....	*	1.1	1.1	2.0	1.6	2.7	3.1	*	*	*
1992.....	*	1.1	1.2	1.7	1.9	3.4	2.8	*	*	*
1991.....	*	1.2	*	*	1.7	2.2	3.0	*	*	*
1990.....	*	*	1.5	1.5	3.1	3.0	*	*	*	*
1989.....	0.9	1.1	1.4	1.8	2.5	2.4	3.1	4.3	*	*
1988.....	*	*	1.5	1.9	1.8	2.8	3.8	*	*	*
1987.....	*	*	*	*	1.7	3.1	*	*	*	*
1986.....	*	*	*	1.9	3.5	2.6	4.0	*	*	*
1985.....	1.0	*	1.6	2.4	2.0	3.0	*	*	*	*
1984.....	1.4	1.4	*	2.1	2.1	3.0	3.9	*	*	*
1983.....	*	*	*	2.3	2.3	*	4.4	*	*	*
1982.....	*	*	1.5	2.4	3.0	3.0	3.2	*	*	*
1981.....	*	*	*	2.7	2.4	2.8	*	*	*	*
1980.....	0.8	1.7	1.6	2.5	2.3	3.3	2.3	2.0	1.7	1.7
1979.....	1.2	1.7	1.8	2.4	2.1	1.9	2.6	3.0	2.2	5.2
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	1.0	1.0	1.8	2.0	3.1	2.2	1.1	-	-
1979.....	1.5	1.3	1.7	0.9	1.4	1.8	1.9	1.6	1.2	10.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF MITRAL VALVE (394)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	3.8	*	*	*
1997.....	*	*	*	*	*	*	3.9	*	*	*
1996.....	*	*	*	*	*	2.9	*	*	*	*
1995.....	*	*	1.9	*	*	3.5	*	*	*	*
1994.....	*	*	*	2.4	*	3.5	*	*	*	*
1993.....	*	*	*	2.6	*	*	3.8	*	*	*
1992.....	*	*	*	2.6	*	3.9	*	*	*	*
1991.....	*	*	*	*	*	3.1	4.7	*	*	*
1990.....	*	*	2.4	*	3.3	4.0	*	*	*	*
1989.....	*	*	*	*	*	*	4.3	5.6	*	*
1988.....	*	*	*	*	*	3.5	4.4	*	*	*
1987.....	*	*	*	*	*	4.5	*	*	*	*
1986.....	*	*	*	2.9	4.1	3.7	*	*	*	*
1985.....	*	*	*	2.9	*	*	*	*	*	*
1984.....	*	*	*	*	*	3.9	4.9	*	*	*
1983.....	*	*	*	3.3	*	*	5.6	*	*	*
1982.....	*	*	*	3.0	3.7	*	*	*	*	*
1981.....	*	*	*	3.4	*	*	*	*	*	*
1980.....	1.0	2.4	2.0	3.0	2.5	3.4	2.4	2.7	2.8	2.5
1979.....	1.0	2.0	1.9	3.6	2.6	2.0	3.2	3.9	2.9	2.6
BLACK, BOTH SEXES										
1998.....	*	*	*	*	2.0	2.1	*	*	*	*
1997.....	*	1.1	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	2.4	*	*	*	*
1995.....	*	*	*	*	*	2.3	*	*	*	*
1994.....	*	1.2	*	*	*	3.0	*	*	*	*
1993.....	*	1.4	*	2.2	*	2.2	2.9	*	*	*
1992.....	*	*	*	*	2.3	2.8	*	*	*	*
1991.....	*	1.4	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	3.2	2.8	*	*	*	*
1989.....	*	*	*	*	2.4	*	*	*	*	*
1988.....	*	*	*	2.0	*	2.5	3.7	*	*	*
1987.....	*	*	*	*	*	3.3	*	*	*	*
1986.....	*	*	*	2.0	3.7	*	3.9	*	*	*
1985.....	*	*	1.8	2.5	*	2.6	*	*	*	*
1984.....	1.5	*	*	2.2	*	2.8	3.9	*	*	*
1983.....	*	*	*	2.3	*	*	4.0	*	*	*
1982.....	*	*	*	2.3	2.8	2.7	3.4	*	*	*
1981.....	*	*	*	2.7	2.4	*	*	*	*	*
1980.....	0.8	2.0	1.8	2.3	2.5	2.8	2.1	2.1	2.0	1.9
1979.....	1.3	1.8	2.2	2.2	1.9	2.0	1.9	3.0	2.5	5.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF MITRAL VALVE (394)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	1.2	1.2	1.1	2.1	3.0	2.6	1.3	-	-
1979.....	1.4	1.5	2.0	0.8	1.1	2.1	1.8	1.9	1.3	11.5
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	4.6	*	*	*	*
1986.....	*	*	*	*	4.3	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.0	2.7	2.2	3.3	2.9	2.7	1.8	2.6	3.2	2.8
1979.....	1.2	2.0	2.3	3.3	2.6	2.0	1.9	3.8	3.2	2.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF AORTIC VALVE (395)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	0.4	1.1
1997.....	*	*	*	*	*	*	*	0.3	0.6	1.5
1996.....	*	*	*	*	*	*	0.3	0.3	1.0	1.4
1995.....	*	*	*	*	*	*	*	0.3	0.7	1.7
1994.....	*	*	*	*	*	*	0.2	0.4	0.8	1.2
1993.....	*	*	*	*	*	0.2	0.4	0.3	0.8	1.4
1992.....	*	*	*	*	*	0.2	0.3	0.5	0.6	1.4
1991.....	*	*	*	*	*	*	0.3	*	0.8	1.1
1990.....	*	*	*	*	*	*	*	0.4	0.9	1.0
1989.....	*	*	*	*	*	0.3	0.4	0.5	1.1	1.1
1988.....	*	*	*	*	*	0.2	0.4	0.5	0.9	1.3
1987.....	*	*	*	*	0.2	0.3	0.4	0.4	0.8	1.1
1986.....	*	*	*	*	0.2	0.2	0.3	0.5	0.9	1.2
1985.....	*	*	*	*	*	0.3	0.6	0.7	0.8	*
1984.....	*	*	*	*	0.3	0.4	0.6	0.7	1.3	1.1
1983.....	*	*	0.2	0.2	0.3	0.4	0.4	0.7	1.2	1.8
1982.....	*	*	0.2	0.2	0.3	0.6	0.8	0.9	1.2	1.3
1981.....	*	*	0.2	0.3	0.4	0.5	0.9	0.9	0.9	1.6
1980.....	0.1	0.1	0.2	0.3	0.4	0.8	0.9	1.2	1.7	1.6
1979.....	0.1	0.2	0.2	0.4	0.5	0.7	1.1	1.5	1.7	1.6
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	0.6	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	1.2	*	*
1984.....	*	*	*	*	0.6	*	0.9	*	*	*
1983.....	*	*	*	*	0.5	*	*	*	*	*
1982.....	*	*	*	*	*	0.7	0.8	*	*	*
1981.....	*	*	0.4	0.4	0.5	0.8	1.0	*	*	*
1980.....	0.2	0.2	0.3	0.5	0.6	1.1	1.2	1.4	1.9	2.3
1979.....	0.2	0.3	0.2	0.6	0.8	0.7	1.2	1.7	2.1	1.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF AORTIC VALVE (395)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	1.3
1997.....	*	*	*	*	*	*	*	*	0.7	1.6
1996.....	*	*	*	*	*	*	0.4	*	1.1	1.5
1995.....	*	*	*	*	*	*	*	*	0.8	1.8
1994.....	*	*	*	*	*	*	*	*	0.7	1.2
1993.....	*	*	*	*	*	*	*	*	0.8	1.5
1992.....	*	*	*	*	*	*	*	0.5	*	1.4
1991.....	*	*	*	*	*	*	*	*	0.8	1.1
1990.....	*	*	*	*	*	*	*	*	0.9	1.1
1989.....	*	*	*	*	*	*	*	*	1.2	1.1
1988.....	*	*	*	*	*	*	*	*	0.9	1.1
1987.....	*	*	*	*	*	*	*	*	*	1.0
1986.....	*	*	*	*	*	*	*	*	0.9	1.2
1985.....	*	*	*	*	*	*	0.6	*	1.0	*
1984.....	*	*	*	*	*	*	*	0.7	1.3	*
1983.....	*	*	*	*	*	*	*	0.7	1.2	2.0
1982.....	*	*	*	*	*	0.4	0.7	1.0	1.4	1.6
1981.....	*	*	*	*	*	*	0.9	0.8	*	1.5
1980.....	0.0	0.1	0.1	0.2	0.3	0.5	0.7	1.1	1.7	1.2
1979.....	0.1	0.1	0.2	0.3	0.3	0.7	1.0	1.3	1.4	1.7
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	0.5	1.2
1997.....	*	*	*	*	*	*	*	0.3	0.7	1.7
1996.....	*	*	*	*	*	*	0.3	0.3	1.0	1.5
1995.....	*	*	*	*	*	*	*	0.3	0.8	1.8
1994.....	*	*	*	*	*	*	*	0.4	0.9	1.3
1993.....	*	*	*	*	*	*	0.4	0.3	0.8	1.4
1992.....	*	*	*	*	*	*	0.3	0.4	0.6	1.4
1991.....	*	*	*	*	*	*	0.3	*	0.7	1.2
1990.....	*	*	*	*	*	*	*	0.4	1.0	1.1
1989.....	*	*	*	*	*	0.3	0.4	0.5	1.1	1.1
1988.....	*	*	*	*	*	0.2	0.5	0.5	0.9	1.3
1987.....	*	*	*	*	*	0.3	0.5	0.5	0.9	1.2
1986.....	*	*	*	*	0.2	0.2	0.3	0.5	1.0	1.3
1985.....	*	*	*	*	*	0.3	0.6	0.7	0.8	*
1984.....	*	*	*	*	0.4	0.4	0.7	0.8	1.3	1.2
1983.....	*	*	0.2	0.2	0.3	0.4	0.5	0.7	1.2	1.9
1982.....	*	*	0.2	0.3	0.3	0.6	0.8	1.0	1.2	1.3
1981.....	*	*	0.2	0.3	0.5	0.6	1.0	0.9	1.0	1.6
1980.....	0.1	0.1	0.2	0.4	0.4	0.8	1.0	1.3	1.7	1.6
1979.....	0.1	0.2	0.2	0.5	0.5	0.8	1.1	1.6	1.8	1.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF AORTIC VALVE (395)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	0.7	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	1.2	*	*
1984.....	*	*	*	*	0.6	*	1.0	*	*	*
1983.....	*	*	*	*	0.5	*	*	*	*	*
1982.....	*	*	*	*	*	0.7	0.9	*	*	*
1981.....	*	*	*	0.5	0.5	0.8	1.0	*	*	*
1980.....	0.2	0.2	0.4	0.5	0.6	1.2	1.3	1.4	2.0	2.6
1979.....	0.2	0.3	0.2	0.6	0.8	0.8	1.2	1.8	2.3	1.6
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	1.4
1997.....	*	*	*	*	*	*	*	*	0.8	1.8
1996.....	*	*	*	*	*	*	*	*	1.1	1.6
1995.....	*	*	*	*	*	*	*	*	0.9	2.0
1994.....	*	*	*	*	*	*	*	*	0.8	1.3
1993.....	*	*	*	*	*	*	*	*	0.8	1.5
1992.....	*	*	*	*	*	*	*	*	*	1.4
1991.....	*	*	*	*	*	*	*	*	*	1.2
1990.....	*	*	*	*	*	*	*	*	1.0	1.2
1989.....	*	*	*	*	*	*	*	*	1.3	1.1
1988.....	*	*	*	*	*	*	*	*	1.0	1.2
1987.....	*	*	*	*	*	*	*	*	*	1.1
1986.....	*	*	*	*	*	*	*	*	1.0	1.3
1985.....	*	*	*	*	*	*	0.6	*	1.0	*
1984.....	*	*	*	*	*	*	*	0.7	1.5	*
1983.....	*	*	*	*	*	*	*	*	1.3	2.1
1982.....	*	*	*	*	*	0.5	0.7	1.0	1.4	1.6
1981.....	*	*	*	*	*	*	1.0	0.9	*	1.6
1980.....	-	0.1	0.1	0.2	0.3	0.5	0.7	1.2	1.6	1.2
1979.....	0.1	0.1	0.2	0.3	0.3	0.7	1.1	1.4	1.6	1.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF AORTIC VALVE (395)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	-	0.2	0.3	0.2	0.3	0.5	1.7	1.1
1979.....	0.1	0.2	0.4	0.1	0.6	0.4	0.8	0.2	-	0.6
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.3	-	0.4	0.4	0.3	0.4	1.1	-	-
1979.....	-	0.2	0.3	-	0.7	0.5	0.8	0.5	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF AORTIC VALVE (395)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	0.2	0.2	0.2	0.3	-	2.8	1.7
1979.....	0.2	0.3	0.4	0.2	0.6	0.4	0.9	-	-	0.9
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.2	-	0.3	0.3	0.3	0.4	0.5	2.0	0.6
1979.....	0.2	0.3	0.4	0.1	0.7	0.4	0.9	0.3	-	0.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF AORTIC VALVE (395)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.4	-	0.4	0.5	0.3	0.4	1.3	-	-
1979.....	-	0.2	0.4	-	0.8	0.6	0.9	0.6	-	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	0.2	0.2	0.2	0.3	-	3.2	0.9
1979.....	0.3	0.3	0.5	0.2	0.6	0.2	1.0	-	-	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF MITRAL AND AORTIC VALVES (396)										
TOTAL, BOTH SEXES										
1998.....	*	*	0.2	0.2	0.4	0.7	1.2	1.7	3.3	7.1
1997.....	*	*	0.2	0.2	0.3	0.7	1.2	2.0	3.8	7.5
1996.....	*	*	0.1	0.3	0.5	0.7	1.4	2.2	3.7	7.0
1995.....	*	*	0.2	0.3	0.4	0.6	1.2	2.6	3.8	6.5
1994.....	*	*	0.2	0.2	0.5	0.8	1.4	2.2	4.0	6.4
1993.....	*	*	0.2	0.4	0.5	0.9	1.5	2.5	4.2	7.9
1992.....	*	*	0.2	0.4	0.5	0.9	1.5	2.3	4.4	7.9
1991.....	*	*	0.2	0.3	0.6	1.0	1.8	2.9	4.5	7.3
1990.....	*	*	0.3	0.5	0.7	1.4	1.5	2.9	5.3	7.9
1989.....	0.1	0.2	0.2	0.4	0.7	1.2	1.8	3.1	4.6	7.2
1988.....	*	*	0.2	0.5	0.7	1.0	1.7	3.1	5.3	7.9
1987.....	*	0.2	0.3	0.4	0.7	1.0	2.0	3.2	4.0	7.0
1986.....	0.2	0.3	0.4	0.5	0.8	1.1	1.8	2.7	4.5	6.3
1985.....	*	0.2	0.4	0.5	0.9	1.1	1.9	2.8	3.8	5.5
1984.....	0.2	0.3	0.3	0.6	0.9	1.2	2.2	2.9	4.5	4.7
1983.....	0.2	0.3	0.4	0.6	0.9	1.2	2.2	2.6	3.4	6.0
1982.....	*	0.2	0.3	0.6	0.9	1.3	2.0	2.5	3.8	5.4
1981.....	0.2	0.3	0.4	0.8	1.1	1.4	2.2	2.8	3.3	4.8
1980.....	0.2	0.4	0.6	0.7	1.1	1.4	2.2	2.9	3.5	4.2
1979.....	0.3	0.4	0.6	0.8	1.1	1.5	2.3	2.6	2.9	4.2
TOTAL, MALE										
1998.....	*	*	*	*	*	0.8	0.9	1.4	3.2	5.4
1997.....	*	*	*	*	*	0.6	1.0	1.7	3.0	6.6
1996.....	*	*	*	*	*	0.7	1.4	2.2	3.2	5.4
1995.....	*	*	*	*	*	*	1.0	2.1	3.3	6.0
1994.....	*	*	*	*	*	0.6	1.3	1.8	2.7	5.0
1993.....	*	*	*	0.5	0.5	1.0	1.3	1.8	4.7	8.0
1992.....	*	*	*	0.4	0.5	0.9	1.3	2.2	3.4	6.9
1991.....	*	*	*	*	0.7	0.9	1.8	2.3	4.0	5.7
1990.....	*	*	*	0.6	0.7	1.3	1.6	2.3	4.5	6.1
1989.....	*	*	*	*	0.8	1.2	1.7	2.8	3.9	5.2
1988.....	*	*	*	0.5	0.6	1.1	1.7	2.7	4.5	6.5
1987.....	*	*	*	0.5	0.7	1.0	1.8	2.9	4.4	5.3
1986.....	*	*	*	0.6	0.8	1.3	1.3	2.9	3.4	4.4
1985.....	*	*	*	0.4	0.9	1.0	1.6	3.1	3.5	4.2
1984.....	*	*	*	0.5	1.0	1.0	2.1	2.5	3.9	4.0
1983.....	*	*	*	0.7	0.8	1.2	2.1	1.9	3.6	4.4
1982.....	*	*	*	0.5	0.8	1.3	2.1	2.2	2.5	4.9
1981.....	*	*	0.4	0.7	1.2	1.2	1.8	2.8	2.8	3.4
1980.....	0.3	0.4	0.6	0.7	1.1	1.2	1.8	2.7	3.4	3.5
1979.....	0.2	0.3	0.7	0.9	1.2	1.6	2.0	2.3	2.8	3.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF MITRAL AND AORTIC VALVES (396)										
TOTAL, FEMALE										
1998.....	*	*	*	*	0.4	0.7	1.5	2.0	3.4	7.8
1997.....	*	*	*	*	0.4	0.8	1.3	2.2	4.3	7.9
1996.....	*	*	*	*	0.5	0.7	1.4	2.2	4.0	7.6
1995.....	*	*	*	0.3	*	0.7	1.4	2.9	4.1	6.7
1994.....	*	*	*	*	0.6	1.0	1.4	2.6	4.8	7.0
1993.....	*	*	*	*	0.5	0.8	1.6	3.0	4.0	7.9
1992.....	*	*	*	*	0.6	0.9	1.6	2.3	4.9	8.3
1991.....	*	*	*	*	0.6	1.0	1.7	3.2	4.8	8.0
1990.....	*	*	0.4	0.4	0.7	1.4	1.5	3.2	5.8	8.6
1989.....	*	*	*	0.5	0.6	1.1	1.9	3.2	4.9	8.0
1988.....	*	*	*	0.5	0.7	0.9	1.7	3.4	5.8	8.4
1987.....	*	*	0.4	0.3	0.7	1.0	2.1	3.4	3.9	7.7
1986.....	*	*	0.4	0.5	0.8	0.9	2.3	2.6	5.1	7.1
1985.....	*	*	0.5	0.5	0.9	1.2	2.2	2.7	3.9	6.0
1984.....	*	*	0.4	0.6	0.9	1.3	2.2	3.1	4.8	4.9
1983.....	*	0.3	0.4	0.6	1.0	1.1	2.2	3.1	3.3	6.7
1982.....	*	*	0.3	0.7	1.0	1.3	1.9	2.7	4.4	5.6
1981.....	*	*	0.4	0.8	1.1	1.6	2.4	2.9	3.6	5.4
1980.....	0.2	0.4	0.7	0.6	1.0	1.7	2.5	3.1	3.5	4.4
1979.....	0.3	0.5	0.6	0.8	1.1	1.5	2.5	2.8	3.0	4.5
WHITE, BOTH SEXES										
1998.....	*	*	0.2	0.2	0.4	0.8	1.3	1.9	3.5	7.6
1997.....	*	*	*	0.2	0.3	0.8	1.2	2.2	4.0	7.9
1996.....	*	*	*	0.2	0.4	0.7	1.4	2.3	4.0	7.3
1995.....	*	*	0.2	0.3	0.3	0.6	1.2	2.7	4.0	6.8
1994.....	*	*	0.2	*	0.5	0.8	1.4	2.4	4.3	6.8
1993.....	*	*	0.2	0.4	0.5	0.8	1.6	2.6	4.3	8.5
1992.....	*	*	*	0.4	0.5	1.0	1.5	2.3	4.4	8.2
1991.....	*	*	0.2	0.3	0.6	1.0	1.8	2.8	4.7	7.8
1990.....	*	*	0.2	0.5	0.7	1.4	1.6	2.9	5.7	8.2
1989.....	*	0.2	*	0.4	0.6	1.2	1.7	3.1	4.5	7.6
1988.....	*	*	*	0.5	0.7	1.0	1.7	3.3	5.6	8.1
1987.....	*	*	0.3	0.4	0.7	1.0	2.2	3.3	4.3	7.4
1986.....	0.2	0.3	0.4	0.5	0.8	1.1	1.9	2.8	4.8	6.6
1985.....	*	*	0.4	0.5	0.9	1.1	2.0	3.0	4.1	5.6
1984.....	0.2	0.2	0.4	0.6	1.0	1.2	2.2	3.0	4.6	4.8
1983.....	*	0.3	0.4	0.6	1.0	1.2	2.2	2.8	3.6	6.3
1982.....	*	0.2	0.4	0.6	0.9	1.4	2.0	2.6	3.9	5.6
1981.....	0.2	0.3	0.5	0.8	1.1	1.5	2.3	3.0	3.3	4.9
1980.....	0.2	0.4	0.6	0.7	1.0	1.5	2.3	3.0	3.7	4.2
1979.....	0.2	0.4	0.6	0.8	1.2	1.7	2.4	2.7	3.0	4.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF MITRAL AND AORTIC VALVES (396)										
WHITE MALE										
1998.....	*	*	*	*	*	0.9	1.0	1.6	3.2	5.8
1997.....	*	*	*	*	*	0.6	1.0	1.9	3.2	7.0
1996.....	*	*	*	*	*	0.7	1.3	2.3	3.5	5.7
1995.....	*	*	*	*	*	*	1.0	2.1	3.5	6.2
1994.....	*	*	*	*	*	0.6	1.3	1.9	2.8	5.3
1993.....	*	*	*	0.5	0.5	1.0	1.3	1.8	4.7	8.7
1992.....	*	*	*	*	0.5	1.0	1.4	2.1	3.4	7.4
1991.....	*	*	*	*	0.7	0.9	1.8	2.2	4.2	5.7
1990.....	*	*	*	0.7	0.7	1.4	1.6	2.4	4.8	5.9
1989.....	*	*	*	*	0.7	1.2	1.5	2.7	4.0	5.7
1988.....	*	*	*	0.5	0.6	1.2	1.7	2.7	4.8	6.6
1987.....	*	*	*	0.5	0.7	1.0	1.9	2.8	4.5	5.4
1986.....	*	*	*	0.5	0.8	1.3	1.3	3.1	3.7	4.7
1985.....	*	*	*	*	0.9	1.0	1.6	3.3	3.7	4.1
1984.....	*	*	*	0.5	1.0	1.0	2.2	2.6	4.0	4.1
1983.....	*	*	*	0.7	0.9	1.2	2.2	2.0	4.0	4.7
1982.....	*	*	*	0.6	0.8	1.4	2.1	2.3	2.7	5.2
1981.....	*	*	0.4	0.7	1.1	1.2	1.8	3.0	2.7	3.5
1980.....	0.2	0.4	0.5	0.8	1.2	1.3	1.9	2.8	3.5	3.5
1979.....	0.2	0.2	0.7	0.9	1.2	1.7	2.2	2.5	2.8	3.9
WHITE FEMALE										
1998.....	*	*	*	*	0.4	0.7	1.6	2.1	3.7	8.3
1997.....	*	*	*	*	*	0.9	1.4	2.4	4.5	8.3
1996.....	*	*	*	*	0.5	0.8	1.4	2.3	4.3	8.0
1995.....	*	*	*	*	*	0.8	1.4	3.0	4.2	7.1
1994.....	*	*	*	*	0.6	1.0	1.5	2.7	5.1	7.4
1993.....	*	*	*	*	0.5	0.7	1.7	3.2	4.1	8.5
1992.....	*	*	*	*	0.6	1.0	1.7	2.4	5.0	8.5
1991.....	*	*	*	*	0.6	1.0	1.8	3.2	5.0	8.6
1990.....	*	*	*	0.4	0.8	1.5	1.5	3.3	6.1	9.0
1989.....	*	*	*	0.4	0.6	1.1	1.9	3.4	4.7	8.3
1988.....	*	*	*	0.5	0.8	0.9	1.8	3.7	6.1	8.7
1987.....	*	*	*	*	0.7	1.0	2.3	3.6	4.1	8.1
1986.....	*	*	0.5	0.5	0.8	1.0	2.4	2.7	5.4	7.3
1985.....	*	*	0.5	0.5	0.8	1.1	2.4	2.8	4.3	6.2
1984.....	*	*	0.4	0.6	0.9	1.3	2.2	3.2	4.9	5.1
1983.....	*	*	0.4	0.6	1.0	1.2	2.3	3.4	3.4	7.0
1982.....	*	*	*	0.7	1.0	1.4	1.9	2.8	4.5	5.8
1981.....	*	*	0.5	0.8	1.0	1.7	2.6	3.0	3.6	5.5
1980.....	0.2	0.4	0.7	0.7	0.9	1.8	2.7	3.1	3.8	4.4
1979.....	0.2	0.5	0.6	0.7	1.2	1.7	2.5	2.8	3.1	4.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF MITRAL AND AORTIC VALVES (396)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	3.3	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.4	0.7	0.3	1.2	0.6	0.8	2.3	1.3	3.9
1979.....	0.5	0.5	0.6	0.8	0.8	0.6	1.1	2.0	1.8	1.7
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.6	1.0	0.5	0.4	0.5	0.7	1.1	2.3	3.3
1979.....	0.3	0.6	0.7	0.4	1.2	0.8	0.4	0.5	2.3	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DISEASES OF MITRAL AND AORTIC VALVES (396)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.3	0.5	0.2	1.8	0.6	0.8	3.0	0.7	4.2
1979.....	0.6	0.4	0.6	1.2	0.6	0.4	1.7	3.1	1.5	2.6
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.5	0.8	0.4	1.3	0.5	0.7	2.3	1.5	3.8
1979.....	0.4	0.5	0.6	0.9	1.0	0.6	1.3	2.0	2.0	1.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 DISEASES OF MITRAL AND AORTIC VALVES (396)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.8	1.0	0.6	0.3	0.3	0.4	1.3	2.7	3.8
1979.....	0.4	0.8	0.6	0.4	1.3	0.9	0.4	0.6	2.6	-

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.3	0.6	0.2	2.1	0.7	0.9	3.0	0.8	3.8
1979.....	0.4	0.3	0.6	1.2	0.6	0.4	1.9	3.0	1.6	2.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)										
TOTAL, BOTH SEXES										
1998.....	0.1	0.1	0.2	0.5	0.8	1.4	1.8	2.9	4.2	6.2
1997.....	*	0.2	0.3	0.5	0.8	1.4	2.1	3.1	4.5	7.2
1996.....	*	0.2	0.4	0.5	1.1	1.4	2.6	3.3	5.2	7.8
1995.....	0.1	0.2	0.3	0.7	1.1	1.5	2.4	3.9	5.8	7.7
1994.....	0.2	0.2	0.4	0.7	1.1	1.7	3.2	3.8	6.1	7.6
1993.....	0.1	0.3	0.4	0.8	1.2	2.1	3.1	4.7	6.5	8.6
1992.....	0.2	0.2	0.6	0.9	1.4	2.1	3.1	5.3	6.8	7.5
1991.....	0.2	0.4	0.6	1.0	1.9	2.2	3.5	5.7	7.5	9.6
1990.....	0.3	0.3	0.6	1.1	1.6	2.4	3.8	5.2	7.8	10.0
1989.....	0.2	0.5	0.7	1.1	1.8	2.8	3.5	5.9	8.1	8.5
1988.....	0.2	0.5	0.7	1.2	1.8	3.0	4.3	5.7	8.1	8.8
1987.....	0.2	0.6	0.7	1.5	2.0	3.3	4.0	6.3	8.3	8.1
1986.....	0.3	0.6	1.0	1.4	2.1	3.2	5.1	7.0	8.1	8.4
1985.....	0.4	0.6	1.1	1.7	2.3	3.0	5.2	6.9	9.9	9.0
1984.....	0.3	0.7	1.0	1.9	2.8	3.9	5.3	7.3	8.4	9.4
1983.....	0.5	1.0	1.3	1.7	2.8	3.9	5.3	7.1	9.2	7.8
1982.....	0.5	0.9	1.3	2.1	3.2	4.5	6.9	8.8	7.6	8.6
1981.....	0.6	1.1	1.5	2.3	3.1	5.0	7.7	8.8	9.4	8.9
1980.....	0.7	1.1	1.7	2.7	3.6	5.8	7.5	9.4	10.8	9.8
1979.....	0.7	1.2	1.8	2.7	3.9	5.9	8.5	9.2	9.0	11.1
TOTAL, MALE										
1998.....	*	*	*	*	0.5	0.9	1.2	1.9	2.2	4.2
1997.....	*	*	*	0.5	0.5	1.1	1.5	2.1	3.4	5.1
1996.....	*	*	0.3	*	0.8	0.8	1.6	2.6	3.1	5.5
1995.....	*	*	*	0.6	0.8	1.0	1.6	2.0	4.4	5.4
1994.....	*	*	0.4	0.5	0.8	1.2	2.1	2.3	4.2	5.4
1993.....	*	*	0.3	0.5	1.0	1.4	1.9	3.7	2.5	6.6
1992.....	*	*	0.4	0.7	0.9	1.3	1.9	3.3	4.5	5.3
1991.....	*	0.3	0.4	0.8	1.2	1.5	2.5	3.1	5.0	7.7
1990.....	*	*	0.4	1.0	1.3	2.0	2.8	3.2	5.6	5.7
1989.....	0.3	0.4	0.5	0.8	1.4	1.9	2.4	3.9	5.4	6.0
1988.....	*	0.5	0.5	0.9	1.3	1.9	2.6	3.3	5.0	6.0
1987.....	*	0.4	0.5	1.5	1.6	2.4	2.7	3.5	4.9	4.4
1986.....	0.4	0.4	0.8	1.2	1.7	2.2	4.1	4.4	5.8	5.3
1985.....	0.3	0.5	1.0	1.2	1.6	2.3	3.8	4.1	5.8	5.8
1984.....	*	0.4	1.0	1.4	2.0	2.6	4.2	5.1	5.9	6.7
1983.....	0.3	0.7	1.1	1.3	2.3	3.2	3.2	4.6	5.6	4.9
1982.....	0.4	1.0	1.0	1.8	2.5	3.6	4.9	5.8	4.7	4.0
1981.....	0.6	1.0	1.1	1.9	2.4	3.7	5.8	6.4	7.0	7.0
1980.....	0.6	0.8	1.3	2.2	2.6	4.8	5.1	6.2	7.8	7.0
1979.....	0.7	1.1	1.5	2.5	2.7	4.1	6.6	6.2	6.3	5.3

TREND C TABLE 292A. DEATH RATES FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)										
TOTAL, FEMALE										
1998.....	*	*	0.3	0.7	1.0	1.8	2.3	3.6	5.4	7.1
1997.....	*	0.3	0.4	0.6	1.1	1.6	2.6	3.8	5.2	8.0
1996.....	*	0.3	0.5	0.7	1.4	1.9	3.3	3.8	6.4	8.7
1995.....	*	0.3	0.3	0.7	1.3	2.0	3.0	5.2	6.6	8.6
1994.....	*	0.3	0.4	0.9	1.3	2.2	4.1	4.8	7.1	8.5
1993.....	*	0.3	0.6	1.1	1.4	2.6	4.0	5.3	8.7	9.4
1992.....	0.2	0.3	0.8	1.0	1.8	2.7	4.0	6.7	8.1	8.4
1991.....	*	0.5	0.8	1.1	2.4	2.8	4.3	7.3	8.8	10.3
1990.....	0.4	0.4	0.9	1.2	1.8	2.8	4.6	6.5	9.0	11.6
1989.....	*	0.6	0.8	1.3	2.0	3.4	4.4	7.1	9.6	9.4
1988.....	0.3	0.5	0.8	1.5	2.2	3.9	5.5	7.3	9.8	9.9
1987.....	*	0.7	0.9	1.6	2.4	3.9	5.0	8.1	10.1	9.6
1986.....	0.3	0.8	1.1	1.6	2.3	4.0	5.7	8.7	9.2	9.7
1985.....	0.4	0.8	1.3	2.2	2.9	3.6	6.2	8.7	12.1	10.3
1984.....	0.3	0.9	1.1	2.3	3.4	4.9	6.1	8.7	9.7	10.6
1983.....	0.6	1.2	1.5	2.1	3.1	4.5	6.9	8.7	11.1	9.0
1982.....	0.6	0.8	1.6	2.4	3.8	5.2	8.4	10.7	9.2	10.5
1981.....	0.6	1.2	1.8	2.7	3.7	6.0	9.1	10.3	10.7	9.8
1980.....	0.8	1.5	2.0	3.2	4.5	6.5	9.2	11.4	12.4	11.0
1979.....	0.7	1.3	2.1	2.8	4.8	7.3	9.9	11.1	10.5	13.6
WHITE, BOTH SEXES										
1998.....	*	*	0.2	0.4	0.7	1.4	1.9	3.0	4.4	6.3
1997.....	*	0.2	0.3	0.5	0.8	1.4	2.2	3.2	4.8	7.6
1996.....	*	0.2	0.4	0.5	1.1	1.4	2.7	3.5	5.5	8.2
1995.....	0.1	0.2	0.2	0.6	1.0	1.6	2.5	4.1	6.2	8.3
1994.....	*	0.2	0.3	0.7	1.1	1.8	3.4	4.0	6.4	7.9
1993.....	*	0.3	0.4	0.8	1.3	2.2	3.3	4.9	6.7	9.2
1992.....	0.1	0.2	0.5	0.8	1.4	2.2	3.3	5.6	7.1	7.9
1991.....	0.1	0.3	0.6	1.0	1.9	2.3	3.6	5.8	7.9	10.1
1990.....	0.2	0.3	0.6	1.1	1.6	2.5	4.0	5.5	8.2	10.4
1989.....	0.2	0.5	0.6	1.1	1.8	2.8	3.7	6.3	8.7	9.0
1988.....	0.2	0.4	0.7	1.2	1.8	3.1	4.5	6.0	8.5	9.2
1987.....	0.2	0.5	0.7	1.5	2.1	3.4	4.2	6.7	8.7	8.5
1986.....	0.3	0.5	0.9	1.4	2.1	3.4	5.3	7.6	8.4	9.1
1985.....	0.3	0.6	1.0	1.7	2.4	3.2	5.4	7.4	10.3	9.5
1984.....	0.3	0.6	1.1	1.9	2.9	4.0	5.5	8.0	9.0	10.0
1983.....	0.4	0.9	1.3	1.7	2.9	4.2	5.7	7.5	9.9	8.2
1982.....	0.4	0.8	1.4	2.1	3.3	4.7	7.4	9.3	8.1	8.9
1981.....	0.5	1.0	1.5	2.4	3.2	5.3	8.2	9.2	9.9	9.5
1980.....	0.6	1.1	1.7	2.7	3.7	6.0	7.9	10.1	11.3	10.2
1979.....	0.7	1.1	1.8	2.8	4.0	6.2	9.0	9.6	9.4	11.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)										
WHITE MALE										
1998.....	*	*	*	*	0.5	0.9	1.2	1.9	2.3	4.4
1997.....	*	*	*	0.4	0.5	1.1	1.6	2.2	3.6	5.5
1996.....	*	*	*	*	0.8	0.7	1.6	2.7	3.2	5.6
1995.....	*	*	*	0.5	0.8	1.0	1.7	2.1	4.8	5.8
1994.....	*	*	0.4	0.5	0.9	1.2	2.3	2.3	4.3	5.6
1993.....	*	*	*	0.5	1.0	1.5	2.0	3.9	2.6	7.1
1992.....	*	*	0.4	0.7	0.9	1.4	2.0	3.4	4.5	5.4
1991.....	*	*	*	0.8	1.2	1.5	2.4	3.2	5.4	8.2
1990.....	*	*	*	1.0	1.4	2.0	3.0	3.4	5.9	5.9
1989.....	*	0.4	*	0.9	1.5	2.0	2.5	4.1	5.9	6.5
1988.....	*	0.4	0.5	0.9	1.4	1.9	2.7	3.5	5.3	6.4
1987.....	*	0.5	0.5	1.5	1.7	2.6	2.8	3.5	5.1	4.3
1986.....	0.4	*	0.9	1.2	1.8	2.3	4.5	4.8	6.1	5.7
1985.....	*	0.4	0.9	1.3	1.6	2.4	4.0	4.4	5.9	6.4
1984.....	*	*	1.0	1.5	2.1	2.7	4.3	5.7	6.4	7.3
1983.....	*	0.7	1.1	1.3	2.4	3.5	3.3	4.8	6.0	5.3
1982.....	0.4	1.0	1.0	1.8	2.5	3.8	5.2	6.1	4.9	4.3
1981.....	0.5	0.9	1.2	1.9	2.5	4.0	6.2	6.8	7.3	7.4
1980.....	0.5	0.9	1.2	2.2	2.6	5.1	5.4	6.7	8.0	7.2
1979.....	0.7	1.0	1.5	2.7	2.8	4.3	7.0	6.5	6.6	5.8
WHITE FEMALE										
1998.....	*	*	*	0.7	1.0	1.9	2.5	3.7	5.6	7.1
1997.....	*	*	0.3	0.6	1.0	1.7	2.8	3.9	5.6	8.5
1996.....	*	0.3	0.4	0.7	1.3	2.0	3.5	4.1	6.8	9.2
1995.....	*	0.3	*	0.7	1.2	2.1	3.2	5.4	7.1	9.3
1994.....	*	*	*	0.8	1.3	2.3	4.3	5.1	7.6	8.7
1993.....	*	0.3	0.5	1.0	1.5	2.8	4.3	5.6	9.0	9.9
1992.....	*	*	0.7	1.0	1.9	2.9	4.2	7.0	8.5	8.9
1991.....	*	0.4	0.7	1.2	2.5	3.0	4.5	7.6	9.3	10.9
1990.....	0.3	0.4	0.9	1.1	1.8	2.9	4.7	6.9	9.4	12.1
1989.....	*	0.5	0.9	1.2	2.1	3.4	4.7	7.7	10.2	9.9
1988.....	*	0.5	0.8	1.5	2.1	4.2	5.9	7.7	10.3	10.2
1987.....	*	0.6	0.9	1.5	2.4	4.1	5.2	8.7	10.6	10.1
1986.....	*	0.7	1.0	1.6	2.5	4.3	6.0	9.3	9.7	10.4
1985.....	0.3	0.7	1.1	2.1	3.0	3.8	6.5	9.2	12.6	10.8
1984.....	*	0.9	1.1	2.3	3.6	5.0	6.3	9.4	10.4	11.0
1983.....	0.5	1.1	1.6	2.1	3.4	4.8	7.5	9.1	11.9	9.4
1982.....	0.5	0.7	1.7	2.3	4.0	5.5	9.0	11.3	9.8	10.8
1981.....	0.6	1.1	1.7	2.9	3.8	6.3	9.7	10.8	11.2	10.4
1980.....	0.6	1.3	2.1	3.2	4.6	6.8	9.7	12.2	13.0	11.5
1979.....	0.6	1.3	2.1	2.9	5.1	7.7	10.5	11.6	10.9	14.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	5.4
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	3.2	*	*
1991.....	*	*	*	*	1.7	*	2.9	4.0	*	*
1990.....	0.8	*	*	*	*	1.9	*	*	*	*
1989.....	*	*	*	*	*	2.4	*	*	*	*
1988.....	*	*	*	*	1.7	2.0	*	*	*	*
1987.....	*	*	*	2.0	1.8	*	*	*	*	*
1986.....	*	*	*	1.5	*	*	*	*	*	*
1985.....	*	*	1.6	1.8	*	*	3.1	*	*	*
1984.....	*	*	*	1.6	*	2.8	3.6	*	*	*
1983.....	*	*	*	1.9	*	*	*	*	*	*
1982.....	*	*	*	2.2	2.4	2.4	*	*	*	*
1981.....	*	1.5	1.8	1.6	2.4	2.3	3.0	5.0	*	*
1980.....	1.4	1.4	1.8	2.6	2.8	3.3	3.6	2.9	4.8	5.0
1979.....	1.0	1.4	1.8	1.8	2.5	3.0	3.4	5.2	4.5	3.4
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.1	0.2	2.0	2.2	2.5	2.1	2.2	1.1	4.6	4.9
1979.....	1.2	1.3	1.2	1.5	2.1	2.3	3.0	3.8	2.3	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	3.4	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	3.7	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	2.7	*	*	*	*	*	*	*
1980.....	1.7	2.5	1.6	3.0	3.0	4.2	4.6	4.2	4.9	5.1
1979.....	0.9	1.6	2.2	2.1	2.8	3.6	3.7	6.2	5.8	5.3
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	2.1	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	1.9	2.1	*	*	*	*	*	*
1984.....	*	*	*	*	*	3.0	3.6	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	2.0	2.3	*	*	*	*	*
1981.....	*	*	*	*	2.5	2.5	*	*	*	*
1980.....	1.5	1.7	1.9	3.0	2.5	3.6	3.9	3.1	4.0	5.7
1979.....	1.2	1.6	2.0	2.1	2.3	3.0	2.8	4.8	5.0	3.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.1	0.2	2.0	2.6	2.1	2.4	2.6	1.3	4.0	5.7
1979.....	1.4	1.3	1.2	1.7	1.9	2.4	2.2	3.7	2.6	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.9	2.9	1.8	3.3	2.9	4.5	4.9	4.3	4.0	5.7
1979.....	1.0	1.7	2.6	2.4	2.6	3.5	3.2	5.5	6.5	4.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
HYPERTENSIVE DISEASE (401-404)										
TOTAL, BOTH SEXES										
1998.....	3.8	7.2	10.8	16.2	25.4	34.0	51.6	80.0	145.9	360.8
1997.....	3.7	6.9	10.9	15.5	23.2	32.4	51.4	81.5	142.1	359.1
1996.....	3.6	6.6	11.3	16.1	24.2	31.7	50.6	82.3	144.5	353.5
1995.....	3.8	6.7	10.5	15.1	24.0	33.5	50.1	79.9	142.3	341.2
1994.....	3.5	6.7	10.3	15.3	22.8	31.2	49.9	78.6	143.1	324.2
1993.....	3.4	5.8	10.5	15.6	22.7	32.0	49.6	78.5	138.6	313.4
1992.....	3.4	5.4	9.6	16.2	22.7	31.9	49.4	75.1	134.3	293.4
1991.....	3.1	6.1	9.3	14.8	21.9	31.2	48.3	77.4	132.8	285.0
1990.....	3.1	5.8	9.6	15.3	21.8	32.8	49.2	78.6	131.0	283.3
1989.....	2.9	6.0	9.5	15.2	22.4	32.7	48.5	80.2	132.1	275.9
1988.....	2.8	5.5	10.0	15.2	23.5	34.2	50.3	79.8	133.2	269.5
1987.....	2.9	5.7	10.1	15.1	23.8	34.5	53.1	79.0	134.2	266.7
1986.....	3.0	5.5	10.4	14.9	23.1	34.0	53.6	83.5	135.8	268.3
1985.....	3.0	5.9	10.3	15.7	24.2	35.1	54.6	86.0	143.4	275.0
1984.....	3.2	5.9	9.9	15.7	24.0	36.7	58.4	87.1	145.6	276.4
1983.....	3.1	6.2	9.7	16.3	25.5	36.8	59.9	91.0	151.4	287.3
1982.....	3.0	6.5	9.9	16.2	24.5	37.3	59.3	94.1	155.1	288.4
1981.....	3.7	6.8	10.9	17.3	25.1	38.3	60.9	95.4	159.3	298.0
1980.....	3.7	6.3	10.8	17.3	26.4	40.9	63.7	103.5	170.5	320.9
1979.....	3.9	7.0	11.3	17.5	26.5	41.7	63.7	101.2	166.5	309.6
TOTAL, MALE										
1998.....	5.3	10.0	15.0	22.0	32.2	40.9	58.1	83.2	138.0	289.3
1997.....	5.2	9.6	15.0	20.4	30.4	39.6	58.0	85.1	141.3	298.7
1996.....	4.7	8.8	15.3	21.7	30.3	38.8	57.1	86.3	137.9	299.4
1995.....	5.2	9.4	14.1	19.8	30.7	39.5	56.6	83.4	139.7	290.9
1994.....	4.8	9.4	14.0	19.7	29.1	37.3	55.6	83.3	142.6	269.5
1993.....	4.6	7.7	13.9	20.0	28.1	38.5	54.1	84.4	136.1	272.5
1992.....	4.7	7.1	12.4	20.5	27.6	38.1	55.2	80.2	135.3	252.5
1991.....	4.1	8.2	11.8	19.7	27.2	36.2	53.4	82.4	132.4	248.4
1990.....	4.3	7.3	12.3	19.6	26.3	38.8	54.2	81.4	131.0	250.1
1989.....	3.8	7.9	12.7	20.2	28.3	39.4	55.2	86.4	131.5	229.1
1988.....	3.5	6.9	13.0	19.3	28.1	40.9	57.5	84.3	134.1	230.7
1987.....	4.0	7.4	13.2	19.7	30.2	41.5	59.0	84.1	135.2	222.4
1986.....	3.9	7.0	12.8	19.3	28.0	41.1	60.8	88.1	133.1	217.2
1985.....	4.0	7.7	13.2	19.8	30.0	42.0	62.6	95.3	141.2	234.3
1984.....	4.3	7.7	12.8	20.0	29.6	43.1	66.9	93.1	140.8	245.9
1983.....	4.1	8.1	12.7	21.1	32.0	44.3	65.4	98.7	149.7	259.4
1982.....	3.8	8.3	12.5	20.4	30.3	44.0	66.4	102.3	148.3	267.9
1981.....	4.6	8.1	14.2	22.2	30.1	46.3	68.5	102.5	160.1	271.5
1980.....	4.6	7.6	13.0	22.0	33.0	46.3	71.3	106.6	163.0	296.7
1979.....	5.1	8.6	13.8	21.9	31.4	49.4	69.6	106.6	160.0	283.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
HYPERTENSIVE DISEASE (401-404)										
TOTAL, FEMALE										
1998.....	2.4	4.5	6.9	10.9	19.3	28.1	46.6	77.7	150.5	390.5
1997.....	2.3	4.3	7.1	11.0	16.9	26.3	46.3	79.0	142.6	383.4
1996.....	2.6	4.4	7.5	10.9	18.7	25.8	45.6	79.5	148.3	375.0
1995.....	2.5	4.2	7.1	10.8	18.2	28.4	45.1	77.5	143.8	360.9
1994.....	2.2	4.1	6.8	11.3	17.2	26.1	45.5	75.5	143.3	345.2
1993.....	2.3	3.9	7.2	11.5	18.0	26.6	46.2	74.5	140.0	329.1
1992.....	2.1	3.8	7.1	12.3	18.3	26.8	45.1	71.7	133.8	309.2
1991.....	2.1	4.2	6.9	10.3	17.3	27.2	44.5	74.1	132.9	299.2
1990.....	2.0	4.3	7.1	11.3	17.8	28.0	45.6	76.8	130.9	296.1
1989.....	2.0	4.2	6.6	10.6	17.3	27.2	43.6	76.2	132.5	294.1
1988.....	2.0	4.1	7.3	11.5	19.5	28.8	45.0	76.8	132.6	284.7
1987.....	1.9	4.1	7.2	11.0	18.2	28.8	48.8	75.7	133.7	284.1
1986.....	2.2	4.0	8.1	10.8	18.9	28.2	48.4	80.5	137.2	288.6
1985.....	2.0	4.3	7.6	12.1	19.1	29.5	48.8	80.2	144.5	291.2
1984.....	2.1	4.1	7.2	11.8	19.1	31.5	52.2	83.4	148.2	288.7
1983.....	2.1	4.5	7.0	11.9	19.8	30.8	56.0	86.1	152.3	298.7
1982.....	2.1	4.8	7.6	12.4	19.5	31.9	54.1	88.9	158.8	297.0
1981.....	2.8	5.6	7.8	12.9	20.8	32.0	55.3	90.9	158.9	309.0
1980.....	2.8	5.1	8.7	13.0	20.7	36.6	58.2	101.6	174.4	331.5
1979.....	2.7	5.4	8.9	13.6	22.3	35.6	59.5	97.8	170.0	321.3
WHITE, BOTH SEXES										
1998.....	2.1	4.3	7.0	10.6	17.0	24.8	40.8	66.6	128.9	338.0
1997.....	2.0	4.1	7.1	10.2	16.0	23.8	40.4	69.1	127.1	338.2
1996.....	2.0	3.8	7.1	10.9	17.0	24.1	40.2	69.0	128.7	331.6
1995.....	2.1	4.0	6.2	9.8	16.2	25.2	39.9	67.5	124.9	318.7
1994.....	1.9	3.6	6.3	9.7	16.0	23.1	40.2	66.0	125.6	304.4
1993.....	1.8	3.2	6.2	9.9	16.2	23.7	38.9	65.9	121.0	291.5
1992.....	1.7	2.9	5.6	10.1	15.6	23.2	39.5	63.7	118.8	273.1
1991.....	1.6	3.3	5.4	9.2	15.5	22.9	38.3	64.4	117.1	267.6
1990.....	1.6	3.0	5.4	9.9	14.8	24.4	38.2	66.6	117.5	266.0
1989.....	1.5	3.0	5.5	9.6	15.4	24.2	38.3	67.0	117.3	259.6
1988.....	1.4	2.9	5.7	9.9	15.9	26.1	40.0	67.0	117.7	253.5
1987.....	1.6	3.4	5.7	10.0	16.9	26.6	42.7	68.1	119.9	252.5
1986.....	1.5	2.8	6.1	9.9	16.5	26.2	43.4	71.4	121.6	255.7
1985.....	1.5	3.1	6.0	10.5	16.9	27.2	44.4	73.7	128.5	261.9
1984.....	1.5	3.1	6.0	10.2	17.1	28.7	47.0	75.3	131.3	266.5
1983.....	1.5	3.4	5.8	10.9	18.7	29.1	48.0	80.2	136.6	277.6
1982.....	1.5	3.5	6.1	10.9	18.1	30.0	47.7	83.1	140.1	280.0
1981.....	1.7	3.7	6.6	11.7	18.5	30.3	50.3	84.6	145.8	287.6
1980.....	1.7	3.3	6.3	11.9	19.4	31.5	52.6	90.1	159.0	311.8
1979.....	1.9	3.8	6.7	11.6	19.6	32.4	52.5	88.9	155.8	300.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
HYPERTENSIVE DISEASE (401-404)										
WHITE MALE										
1998.....	3.2	6.7	10.0	15.2	23.2	30.1	47.0	69.3	121.3	269.8
1997.....	3.1	6.1	10.1	14.1	21.9	29.9	46.7	72.1	128.2	275.6
1996.....	2.8	5.6	10.1	15.3	22.0	30.5	45.8	71.7	122.8	271.1
1995.....	3.2	6.0	8.9	13.6	21.6	30.7	45.7	70.2	123.1	265.0
1994.....	3.0	5.5	9.5	13.0	21.2	28.9	45.4	70.0	126.2	250.6
1993.....	2.7	4.6	9.0	14.0	20.6	29.5	43.0	71.9	120.5	247.4
1992.....	2.6	4.3	7.8	13.7	20.2	29.0	45.0	68.8	119.3	228.4
1991.....	2.2	4.8	7.4	13.1	19.9	27.9	43.1	69.9	117.1	228.4
1990.....	2.4	4.1	7.6	13.5	18.9	29.4	43.5	70.2	114.7	230.7
1989.....	2.1	4.2	7.6	13.6	20.3	30.3	44.2	72.9	116.6	211.7
1988.....	2.1	4.1	8.1	13.5	20.2	32.3	47.0	72.8	119.3	211.1
1987.....	2.3	4.8	7.9	13.2	22.7	33.2	49.2	72.8	119.2	208.3
1986.....	2.2	4.1	7.6	14.1	20.9	32.6	51.6	75.6	117.7	202.4
1985.....	2.3	4.5	8.4	14.3	22.1	33.4	52.3	83.3	125.8	219.6
1984.....	2.2	4.5	8.4	13.7	22.0	35.4	54.3	82.2	126.5	235.9
1983.....	2.1	4.9	8.1	14.6	24.7	36.4	53.2	88.4	133.9	246.5
1982.....	1.9	4.7	8.3	14.9	23.0	36.4	55.6	91.1	132.8	260.6
1981.....	2.4	4.6	9.4	16.0	22.9	38.0	57.2	92.3	147.4	258.9
1980.....	2.3	4.3	8.3	16.0	25.3	37.0	60.6	94.4	151.3	289.5
1979.....	2.6	5.2	8.9	15.4	24.6	39.8	58.0	94.2	146.8	272.1
WHITE FEMALE										
1998.....	1.0	2.0	4.0	6.2	11.4	20.3	35.9	64.7	133.4	366.0
1997.....	1.0	2.1	4.1	6.4	10.6	18.5	35.4	66.9	126.4	363.1
1996.....	1.2	2.1	4.2	6.8	12.4	18.7	35.8	67.0	132.2	355.3
1995.....	1.1	2.0	3.7	6.1	11.3	20.6	35.5	65.6	125.9	339.4
1994.....	0.8	1.6	3.3	6.7	11.4	18.3	36.1	63.4	125.3	324.8
1993.....	1.0	1.8	3.6	6.1	12.2	18.9	35.7	61.8	121.3	308.2
1992.....	0.8	1.5	3.6	6.6	11.4	18.5	35.3	60.2	118.6	290.2
1991.....	0.9	1.8	3.5	5.6	11.6	18.8	34.7	60.7	117.1	282.6
1990.....	0.8	2.0	3.3	6.5	11.1	20.4	34.2	64.3	119.0	279.4
1989.....	0.8	1.8	3.4	5.9	11.0	19.2	33.9	63.2	117.8	278.0
1988.....	0.8	1.8	3.3	6.6	12.1	21.0	34.8	63.4	116.8	269.7
1987.....	0.8	2.0	3.6	7.1	11.8	21.1	37.9	65.1	120.2	269.5
1986.....	0.8	1.6	4.7	6.1	12.6	20.9	37.4	68.7	123.6	276.5
1985.....	0.7	1.8	3.8	7.0	12.4	22.2	38.6	67.8	129.9	278.4
1984.....	0.8	1.8	3.7	7.0	12.9	23.3	41.7	71.0	133.9	278.6
1983.....	0.9	1.8	3.6	7.5	13.4	23.3	44.2	75.1	137.9	290.1
1982.....	1.1	2.3	4.1	7.2	13.9	24.9	42.1	78.2	143.9	288.0
1981.....	1.1	2.7	4.0	7.9	14.7	24.1	45.3	79.8	145.0	299.6
1980.....	1.1	2.3	4.5	8.2	14.2	27.1	46.8	87.4	163.0	321.4
1979.....	1.1	2.6	4.7	8.3	15.3	26.5	48.5	85.7	160.5	312.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: 40-44 YEARS	UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION) 45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
HYPERTENSIVE DISEASE (401-404)										
ALL OTHER, BOTH SEXES										
1998.....	12.4	22.4	33.8	51.0	77.8	94.9	138.4	198.9	317.5	576.8
1997.....	12.3	22.3	35.0	47.8	69.1	91.8	141.6	194.9	294.3	558.8
1996.....	12.1	22.0	36.5	47.8	70.4	85.2	138.3	204.5	305.3	563.4
1995.....	12.5	22.4	36.8	48.0	75.9	93.2	138.0	196.1	321.6	570.1
1994.....	11.8	25.1	35.3	50.5	68.4	91.2	134.0	198.5	320.8	527.5
1993.....	12.0	21.5	36.7	51.5	67.7	95.6	143.2	198.7	319.3	539.1
1992.....	12.4	21.3	33.9	55.8	73.2	99.4	137.2	182.6	294.8	506.5
1991.....	11.6	23.4	33.1	51.4	68.5	98.2	137.9	200.5	294.4	468.6
1990.....	11.6	22.7	35.8	51.7	74.5	102.5	150.1	192.1	271.0	466.5
1989.....	11.4	24.4	34.9	53.2	76.8	103.5	142.3	204.5	287.7	448.8
1988.....	10.8	21.1	38.0	52.2	82.9	103.0	144.9	200.2	296.9	440.3
1987.....	11.6	19.9	38.4	51.9	78.8	103.2	148.7	182.6	287.0	419.6
1986.....	12.6	21.7	38.6	51.7	77.5	101.8	146.9	199.1	288.2	405.2
1985.....	12.3	23.6	39.1	55.3	85.2	104.0	148.6	204.2	304.6	417.0
1984.....	13.7	23.5	37.0	58.3	82.3	106.7	163.9	201.0	303.3	384.8
1983.....	13.4	24.7	37.6	58.7	84.5	104.4	170.9	195.3	317.6	392.8
1982.....	11.9	26.1	37.5	58.9	80.6	101.1	167.0	200.4	326.7	384.4
1981.....	16.3	28.0	42.8	63.0	83.7	109.4	160.8	200.2	314.9	415.8
1980.....	16.5	27.3	44.9	62.8	90.0	124.3	169.6	235.2	305.8	425.9
1979.....	17.2	29.0	47.7	67.4	91.1	123.8	173.8	220.7	293.3	417.8
ALL OTHER MALE										
1998.....	16.1	29.1	47.1	67.3	94.2	118.4	153.4	212.7	312.8	460.2
1997.....	16.5	30.2	48.0	61.5	89.5	111.9	156.9	210.0	277.7	500.0
1996.....	15.2	28.3	49.2	64.3	89.0	102.0	158.3	227.1	294.5	545.4
1995.....	16.3	30.5	48.4	61.0	96.3	108.4	156.7	213.1	313.8	532.8
1994.....	15.0	34.2	44.4	65.3	87.7	104.3	149.4	216.9	311.0	446.6
1993.....	15.7	27.9	46.7	61.3	84.6	112.1	156.2	210.1	293.7	506.6
1992.....	16.5	26.3	42.2	67.6	85.0	114.3	150.2	192.5	295.9	478.0
1991.....	15.5	30.2	41.2	66.7	84.9	107.4	151.2	204.3	283.7	432.6
1990.....	15.5	28.3	43.8	64.2	87.0	121.1	157.1	189.9	293.6	431.2
1989.....	14.7	32.2	46.5	69.0	94.7	120.5	160.1	216.2	280.2	390.1
1988.....	12.4	25.1	46.1	63.1	94.9	118.1	159.4	194.5	281.2	412.7
1987.....	15.3	24.3	49.5	70.2	94.5	117.2	152.4	190.7	295.5	354.5
1986.....	14.8	26.4	49.6	61.0	90.3	119.0	147.7	205.7	288.0	356.0
1985.....	15.6	28.9	48.4	63.9	101.0	121.7	160.0	207.8	295.2	372.6
1984.....	18.4	29.7	45.9	72.1	98.6	113.9	186.2	193.6	286.1	340.3
1983.....	18.1	29.6	47.7	75.2	99.0	117.3	181.2	193.9	313.4	378.6
1982.....	16.7	32.9	45.6	67.3	98.5	113.9	167.8	205.7	310.6	338.8
1981.....	19.6	33.0	52.7	75.4	97.4	122.3	174.6	196.2	293.4	396.9
1980.....	20.7	31.8	52.4	75.5	105.5	131.5	171.1	219.9	287.7	370.3
1979.....	23.2	35.1	56.3	79.9	97.7	136.2	179.5	218.7	300.0	401.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
HYPERTENSIVE DISEASE (401-404)										
ALL OTHER FEMALE										
1998.....	9.0	16.6	22.7	37.7	65.2	77.4	127.8	189.8	320.2	630.2
1997.....	8.6	15.6	24.1	36.7	53.3	76.8	130.9	185.1	303.7	585.5
1996.....	9.4	16.6	25.9	34.4	56.1	72.7	124.4	189.8	311.3	571.5
1995.....	9.2	15.6	27.0	37.4	60.3	81.8	125.0	185.3	325.9	586.3
1994.....	9.1	17.4	27.6	38.5	53.6	81.5	123.3	186.9	326.1	562.6
1993.....	8.7	16.0	28.2	43.7	54.9	83.4	134.2	191.6	333.5	553.2
1992.....	8.9	16.9	27.0	46.3	64.3	88.4	128.3	176.5	294.1	519.3
1991.....	8.2	17.5	26.4	39.1	56.0	91.4	129.1	198.1	299.1	482.5
1990.....	8.1	17.9	29.1	41.6	64.9	88.8	145.4	193.5	258.3	482.5
1989.....	8.5	17.7	25.1	40.5	63.2	90.8	130.1	197.2	292.0	476.0
1988.....	9.4	17.6	31.1	43.3	73.7	91.8	135.4	203.8	304.4	453.3
1987.....	8.3	16.1	29.0	37.3	66.7	92.7	146.2	177.4	282.1	450.3
1986.....	10.8	17.7	29.4	44.1	67.5	89.0	146.3	194.8	289.9	428.8
1985.....	9.4	18.9	31.4	48.3	72.9	90.7	140.7	201.9	310.0	441.3
1984.....	9.7	18.1	29.7	47.1	69.6	101.1	147.9	205.9	311.6	406.9
1983.....	9.4	20.4	29.4	45.4	72.9	94.9	164.0	196.3	320.0	400.0
1982.....	7.8	20.3	31.0	52.0	66.3	91.4	166.3	196.1	336.3	404.5
1981.....	13.4	23.7	34.6	53.0	72.7	99.6	150.4	202.9	328.0	425.4
1980.....	13.0	23.5	38.8	52.4	77.6	118.7	168.5	245.6	317.0	454.3
1979.....	12.3	24.0	40.7	57.0	85.8	114.6	169.5	222.1	291.2	429.8
BLACK, BOTH SEXES										
1998.....	16.4	30.3	45.3	68.1	101.0	119.2	170.1	242.3	370.4	653.6
1997.....	16.3	29.6	47.4	62.5	88.6	114.6	173.0	229.9	345.4	629.1
1996.....	16.1	29.7	49.1	62.8	90.0	105.3	170.6	243.2	355.8	630.8
1995.....	16.8	30.2	49.0	61.8	95.0	115.3	168.2	229.2	361.4	609.0
1994.....	15.8	33.9	46.0	64.9	85.5	113.3	162.4	230.2	359.8	566.6
1993.....	16.1	29.3	47.8	65.9	85.1	117.2	172.5	229.8	362.8	576.6
1992.....	16.9	28.5	44.7	70.5	92.5	120.8	163.2	209.6	329.9	552.5
1991.....	15.5	31.5	43.5	66.0	83.8	119.2	164.3	233.9	325.3	497.4
1990.....	15.5	30.2	46.4	65.4	91.7	121.9	179.3	219.2	303.9	511.2
1989.....	15.2	31.9	44.4	66.6	94.1	123.6	167.4	231.3	316.0	478.6
1988.....	14.5	27.2	48.1	65.0	100.4	122.0	168.2	225.4	327.2	479.0
1987.....	15.1	25.2	47.4	63.3	95.0	121.5	170.4	205.2	314.4	442.8
1986.....	16.5	27.4	47.7	63.0	93.4	119.1	168.7	223.0	316.1	435.8
1985.....	16.0	29.3	48.4	65.6	101.8	121.1	168.0	227.1	329.8	447.7
1984.....	17.1	28.6	44.8	69.5	97.5	122.5	186.1	224.2	333.5	416.3
1983.....	16.8	30.0	44.9	69.4	98.8	119.6	193.4	218.4	349.8	422.3
1982.....	14.9	31.8	44.9	69.1	91.8	114.7	187.2	221.3	354.6	406.8
1981.....	19.9	33.3	50.6	73.1	95.7	123.9	179.5	219.9	344.5	449.4
1980.....	19.8	32.2	51.8	71.4	102.0	138.4	186.2	255.5	330.2	455.2
1979.....	20.5	33.6	55.4	76.1	101.3	135.2	190.4	237.1	315.9	440.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
HYPERTENSIVE DISEASE (401-404)										
BLACK MALE										
1998.....	21.3	39.5	62.9	92.2	125.1	149.7	189.1	260.9	371.6	533.1
1997.....	21.7	40.0	65.7	81.4	116.0	137.9	191.8	249.3	332.0	561.9
1996.....	20.0	38.3	67.0	85.1	116.0	125.5	197.6	276.1	355.4	615.5
1995.....	22.1	41.2	64.7	79.5	120.4	133.5	193.2	253.0	364.4	559.3
1994.....	20.0	46.1	59.0	85.0	110.0	127.4	182.0	256.6	359.7	472.7
1993.....	21.2	38.3	61.5	80.0	107.0	136.8	192.8	243.8	338.0	553.8
1992.....	22.3	36.0	55.9	85.9	107.5	138.3	179.7	223.7	330.5	535.4
1991.....	20.8	41.3	54.8	85.6	104.3	131.1	184.5	245.9	327.7	463.8
1990.....	20.6	38.1	57.1	82.0	106.2	145.6	192.5	220.5	339.6	488.9
1989.....	19.8	42.4	59.3	86.6	115.8	145.9	189.7	246.1	320.6	418.2
1988.....	16.5	32.5	58.6	78.1	114.1	139.8	185.2	223.2	316.0	455.4
1987.....	20.2	31.2	61.8	86.0	114.9	138.9	174.3	216.6	329.3	384.4
1986.....	19.3	33.8	62.0	74.6	109.6	140.5	172.6	230.2	324.4	387.3
1985.....	20.4	36.4	60.3	75.8	122.3	142.2	182.1	237.1	317.2	396.8
1984.....	23.5	36.7	55.5	85.5	116.9	131.8	214.3	215.6	316.7	385.2
1983.....	22.7	36.2	56.9	89.1	115.9	135.2	209.4	221.8	350.0	410.0
1982.....	20.9	41.0	54.5	78.7	112.6	129.3	192.6	228.0	336.3	363.8
1981.....	24.6	39.7	62.5	88.3	111.2	139.3	197.9	215.8	320.8	430.4
1980.....	24.8	38.1	60.4	85.7	120.2	146.8	190.1	243.2	305.2	403.7
1979.....	27.7	40.3	65.2	89.2	109.4	150.6	199.1	236.6	327.3	432.7
BLACK FEMALE										
1998.....	12.2	22.6	30.9	49.4	83.1	96.4	156.9	230.4	369.7	703.6
1997.....	11.5	20.8	32.5	47.7	68.1	97.2	160.1	217.7	352.4	656.9
1996.....	12.7	22.5	34.6	45.5	70.4	90.3	152.2	222.6	356.0	637.1
1995.....	12.3	20.9	36.3	47.9	75.8	101.7	151.3	214.6	360.0	629.2
1994.....	12.2	23.7	35.4	49.3	66.9	102.8	149.3	214.3	359.9	604.7
1993.....	11.6	21.8	36.7	54.8	68.6	102.7	158.9	221.5	375.5	585.8
1992.....	12.2	22.3	35.5	58.4	81.1	108.0	152.3	201.3	329.6	559.6
1991.....	11.0	23.3	34.4	50.5	68.2	110.7	150.9	226.9	324.0	511.7
1990.....	11.0	23.6	37.5	52.3	80.7	104.8	170.6	218.5	285.4	520.6
1989.....	11.3	23.1	32.2	50.7	77.7	107.5	153.1	222.6	313.5	507.8
1988.....	12.7	22.7	39.4	54.5	90.0	109.1	156.6	226.7	333.1	489.3
1987.....	10.8	20.3	35.6	45.2	79.9	108.8	167.5	198.3	306.4	468.8
1986.....	14.1	22.2	36.0	53.7	81.1	103.4	165.7	218.5	311.5	458.0
1985.....	12.3	23.4	38.7	57.3	86.0	105.6	158.6	220.9	336.7	471.4
1984.....	11.7	22.0	35.9	56.3	82.5	115.8	167.3	229.7	342.8	431.0
1983.....	11.8	24.8	35.2	53.3	85.7	108.1	183.1	215.4	349.7	428.2
1982.....	9.8	24.2	37.0	61.2	75.5	104.0	183.5	217.9	365.2	428.0
1981.....	16.1	28.0	40.9	60.7	83.5	112.9	166.7	222.5	358.3	454.9
1980.....	15.7	27.4	44.8	59.8	87.7	132.2	183.4	263.4	345.2	480.9
1979.....	14.6	28.2	47.4	65.3	94.9	123.7	184.1	236.4	308.9	444.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ESSENTIAL HYPERTENSION (401)										
TOTAL, BOTH SEXES										
1998.....	0.4	0.8	1.3	2.3	4.1	5.6	9.9	14.8	29.6	77.3
1997.....	0.4	0.8	1.5	2.2	4.0	5.6	9.5	14.9	28.4	72.1
1996.....	0.4	0.9	1.6	2.4	3.6	5.8	8.9	14.9	26.5	67.2
1995.....	0.5	0.9	1.5	2.3	4.1	5.7	9.4	13.6	24.7	65.1
1994.....	0.4	0.8	1.5	2.3	4.0	5.5	8.4	14.4	23.3	58.0
1993.....	0.5	0.8	1.6	2.5	3.7	5.4	8.6	13.3	22.2	55.0
1992.....	0.4	0.6	1.4	2.3	3.2	5.1	7.5	12.1	20.5	45.8
1991.....	0.4	0.8	1.1	2.1	3.3	5.1	7.6	11.2	19.9	42.2
1990.....	0.4	0.7	1.3	2.3	3.0	4.6	7.5	11.4	17.5	41.0
1989.....	0.4	0.7	1.2	2.0	3.2	4.9	6.9	10.2	17.6	38.5
1988.....	0.3	0.7	1.6	2.0	3.4	4.7	7.1	10.1	17.3	37.2
1987.....	0.4	0.7	1.2	2.0	3.2	5.0	7.2	9.6	17.0	33.5
1986.....	0.3	0.7	1.5	2.1	3.1	4.7	7.1	10.4	16.3	32.7
1985.....	0.2	0.7	1.4	2.1	3.0	4.4	6.9	9.4	15.5	28.8
1984.....	0.3	0.8	1.3	2.0	3.2	4.3	7.1	9.7	13.2	26.7
1983.....	0.3	0.7	1.2	1.8	3.0	3.9	6.3	9.3	13.8	26.3
1982.....	0.3	0.7	1.2	1.8	3.0	4.0	6.1	8.4	13.0	24.2
1981.....	0.4	0.8	1.2	2.0	3.0	3.9	5.9	7.7	12.1	25.1
1980.....	0.5	0.7	1.3	1.9	2.8	3.7	5.8	8.2	11.3	23.8
1979.....	0.4	0.7	1.1	1.8	2.6	3.3	4.5	7.1	11.3	22.4
TOTAL, MALE										
1998.....	0.5	1.2	1.7	2.9	4.7	6.4	10.1	13.9	26.0	53.1
1997.....	0.6	1.1	2.0	2.8	5.5	6.2	10.6	15.6	26.0	49.9
1996.....	0.5	1.0	2.0	3.3	4.4	6.5	9.8	14.9	23.2	50.2
1995.....	0.6	1.2	2.1	2.8	5.0	6.1	10.6	13.1	22.0	47.4
1994.....	0.6	1.2	2.1	2.9	5.1	6.5	9.1	13.9	21.6	39.8
1993.....	0.6	0.9	2.0	3.1	4.5	6.1	9.0	13.8	19.9	38.6
1992.....	0.5	0.8	1.8	2.9	3.6	6.0	7.6	12.5	19.1	33.8
1991.....	0.4	0.9	1.5	2.8	4.1	6.1	8.2	10.4	19.1	31.8
1990.....	0.5	1.0	1.7	2.8	3.5	5.5	8.3	11.6	15.6	28.3
1989.....	0.5	0.9	1.7	2.6	3.8	6.0	7.4	10.7	15.5	26.8
1988.....	0.4	0.8	1.7	2.5	3.9	5.7	8.1	10.6	18.2	25.3
1987.....	0.5	0.9	1.6	2.7	4.3	6.3	7.7	9.1	15.8	23.2
1986.....	0.4	0.8	1.8	2.5	3.8	5.9	8.0	11.0	13.6	20.9
1985.....	*	0.9	1.6	2.6	3.9	5.1	8.2	9.9	13.5	19.1
1984.....	0.4	1.0	1.5	2.3	3.8	5.5	7.9	9.4	10.7	20.3
1983.....	0.4	0.9	1.5	2.2	3.6	4.7	6.9	9.5	13.6	18.4
1982.....	0.3	0.8	1.4	2.3	3.7	4.9	6.6	7.9	10.7	18.7
1981.....	0.5	1.0	1.5	2.6	3.4	4.6	6.2	7.0	10.3	16.4
1980.....	0.5	0.9	1.5	2.4	3.5	4.0	6.2	7.7	10.1	18.8
1979.....	0.4	0.7	1.3	2.5	3.1	4.2	4.3	7.2	9.3	16.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ESSENTIAL HYPERTENSION (401)										
TOTAL, FEMALE										
1998.....	0.3	0.6	0.9	1.7	3.5	4.9	9.6	15.5	31.7	87.3
1997.....	0.3	0.6	1.1	1.7	2.7	5.1	8.6	14.4	29.8	81.1
1996.....	0.3	0.7	1.3	1.6	2.9	5.2	8.2	15.0	28.5	73.9
1995.....	0.3	0.6	1.1	1.7	3.2	5.4	8.5	14.0	26.2	72.0
1994.....	0.2	0.4	1.0	1.6	3.0	4.6	7.8	14.8	24.2	65.0
1993.....	0.3	0.6	1.2	2.0	3.1	4.8	8.3	12.9	23.4	61.3
1992.....	0.2	0.5	0.9	1.8	2.9	4.3	7.3	11.9	21.3	50.4
1991.....	0.3	0.7	0.8	1.4	2.6	4.3	7.2	11.8	20.3	46.2
1990.....	0.3	0.5	1.0	1.8	2.6	3.8	6.8	11.4	18.5	45.9
1989.....	0.3	0.5	0.8	1.4	2.7	4.1	6.6	9.8	18.7	43.0
1988.....	*	0.6	1.4	1.6	2.9	3.9	6.4	9.9	16.9	41.8
1987.....	0.3	0.6	0.9	1.3	2.3	4.0	6.9	9.9	17.7	37.6
1986.....	*	0.5	1.3	1.7	2.5	3.7	6.5	10.0	17.8	37.4
1985.....	*	0.5	1.1	1.6	2.3	3.8	6.1	9.0	16.5	32.7
1984.....	*	0.5	1.0	1.8	2.7	3.4	6.5	9.8	14.5	29.3
1983.....	*	0.6	0.9	1.4	2.4	3.2	5.9	9.1	13.9	29.6
1982.....	*	0.6	1.0	1.4	2.3	3.3	5.7	8.7	14.3	26.5
1981.....	*	0.6	1.0	1.5	2.6	3.4	5.7	8.2	13.0	28.7
1980.....	0.4	0.5	1.2	1.4	2.2	3.4	5.5	8.5	12.0	26.0
1979.....	0.4	0.7	1.0	1.1	2.2	2.5	4.6	7.0	12.3	25.0
WHITE, BOTH SEXES										
1998.....	0.2	0.5	1.0	1.7	3.1	4.5	8.5	13.0	26.7	73.8
1997.....	0.3	0.5	1.1	1.7	3.2	4.7	8.0	13.3	26.4	69.4
1996.....	0.2	0.5	1.1	1.9	2.7	4.9	7.8	13.2	24.7	63.7
1995.....	0.3	0.5	1.0	1.6	3.2	4.7	7.9	12.2	22.6	62.5
1994.....	0.2	0.5	1.0	1.7	3.3	4.4	7.1	12.6	21.0	55.2
1993.....	0.3	0.5	1.1	1.9	3.1	4.5	7.3	11.8	19.9	52.3
1992.....	0.3	0.4	0.9	1.7	2.5	4.0	6.3	11.1	18.9	43.8
1991.....	0.2	0.5	0.7	1.4	2.7	4.2	6.6	9.6	18.0	40.4
1990.....	0.2	0.4	0.9	1.7	2.4	3.6	6.4	10.5	16.0	39.3
1989.....	0.2	0.4	0.9	1.5	2.4	4.0	6.0	8.7	15.9	36.8
1988.....	0.2	0.4	0.9	1.5	2.5	4.1	6.3	9.3	15.9	35.3
1987.....	0.2	0.4	0.9	1.4	2.7	4.3	6.2	8.5	14.9	32.3
1986.....	0.2	0.5	1.1	1.6	2.6	4.0	6.4	9.2	14.9	31.2
1985.....	*	0.4	0.9	1.5	2.3	3.7	5.9	8.4	14.4	27.3
1984.....	0.2	0.5	0.9	1.5	2.4	3.7	5.9	8.5	11.8	26.1
1983.....	0.2	0.5	0.8	1.3	2.6	3.4	5.5	8.5	12.6	25.6
1982.....	*	0.4	0.9	1.5	2.5	3.6	5.3	7.8	12.1	23.7
1981.....	0.2	0.5	0.7	1.5	2.3	3.4	5.2	7.0	11.4	24.1
1980.....	0.3	0.5	0.8	1.5	2.2	3.1	4.9	7.0	10.6	23.5
1979.....	0.2	0.4	0.8	1.4	2.2	2.8	4.0	6.4	10.9	21.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ESSENTIAL HYPERTENSION (401)										
WHITE MALE										
1998.....	0.3	0.8	1.4	2.2	3.9	5.1	8.7	11.9	23.3	50.6
1997.....	0.4	0.7	1.4	2.4	4.5	5.2	9.0	13.3	23.2	47.8
1996.....	0.3	0.7	1.3	2.7	3.3	5.8	8.8	13.2	21.3	44.8
1995.....	0.4	0.7	1.4	2.1	4.0	5.2	8.8	11.5	19.7	43.3
1994.....	0.4	0.7	1.4	2.3	4.2	5.5	7.7	11.7	18.7	36.9
1993.....	0.4	0.6	1.6	2.4	3.7	5.1	7.6	12.2	18.0	34.9
1992.....	0.4	0.6	1.2	2.2	3.2	4.9	6.6	11.6	18.0	32.0
1991.....	*	0.7	1.1	2.0	3.5	5.3	7.2	9.2	16.7	29.1
1990.....	*	0.7	1.2	2.2	2.8	4.3	7.3	10.8	13.6	27.0
1989.....	*	0.5	1.3	2.2	3.1	4.8	6.4	9.3	14.3	24.1
1988.....	*	0.5	1.1	2.3	3.3	5.2	7.4	9.8	16.6	23.1
1987.....	0.4	0.6	1.2	2.0	3.8	5.6	6.7	7.8	13.8	22.5
1986.....	*	0.6	1.3	2.0	3.3	5.3	7.5	9.7	12.3	19.7
1985.....	*	0.6	1.1	2.0	3.2	4.6	7.0	8.9	12.2	17.3
1984.....	*	0.6	1.3	1.9	3.0	5.0	6.7	8.1	9.4	20.0
1983.....	*	0.6	1.1	1.7	3.3	4.2	5.9	8.6	11.9	17.9
1982.....	*	0.5	1.1	2.1	3.0	4.6	6.0	7.6	9.5	18.2
1981.....	*	0.6	1.1	2.2	2.6	4.3	5.5	6.6	9.3	15.7
1980.....	0.3	0.6	1.0	2.0	3.1	3.6	5.4	7.1	9.0	18.7
1979.....	0.3	0.6	1.0	2.0	2.6	3.8	3.8	6.4	8.8	15.4
WHITE FEMALE										
1998.....	*	0.3	0.6	1.3	2.3	3.9	8.4	13.7	28.8	83.3
1997.....	*	0.3	0.8	1.1	2.1	4.2	7.2	13.2	28.2	78.0
1996.....	*	0.4	0.8	1.1	2.2	4.1	7.0	13.3	26.8	71.1
1995.....	*	0.3	0.6	1.1	2.4	4.3	7.2	12.7	24.2	69.8
1994.....	*	*	0.5	1.2	2.4	3.4	6.7	13.2	22.2	62.1
1993.....	*	0.3	0.7	1.3	2.5	3.9	7.1	11.5	21.0	58.8
1992.....	*	*	0.5	1.2	1.9	3.2	6.0	10.9	19.4	48.3
1991.....	*	0.4	0.4	0.8	1.9	3.4	6.2	9.9	18.7	44.7
1990.....	*	*	0.6	1.2	2.0	3.1	5.8	10.3	17.3	44.0
1989.....	*	*	0.5	0.9	1.9	3.3	5.8	8.3	16.8	41.7
1988.....	*	*	0.7	0.8	1.9	3.2	5.5	9.0	15.5	40.0
1987.....	*	*	0.6	0.9	1.7	3.3	5.9	9.0	15.5	36.1
1986.....	*	*	0.8	1.2	2.0	3.0	5.5	8.9	16.2	35.6
1985.....	*	*	0.7	1.0	1.5	3.0	5.1	8.1	15.5	31.2
1984.....	*	*	0.6	1.2	1.9	2.7	5.4	8.7	13.1	28.5
1983.....	*	*	0.5	1.0	1.9	2.7	5.2	8.4	13.0	28.7
1982.....	*	*	0.6	1.0	1.9	2.8	4.7	7.9	13.4	26.0
1981.....	*	*	0.4	0.9	2.0	2.7	4.9	7.3	12.4	27.7
1980.....	0.2	0.3	0.7	1.0	1.5	2.6	4.6	6.9	11.5	25.6
1979.....	0.2	0.3	0.6	0.8	1.8	1.9	4.2	6.4	12.0	24.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ESSENTIAL HYPERTENSION (401)										
ALL OTHER, BOTH SEXES										
1998.....	1.2	2.5	3.3	5.7	10.2	13.3	20.4	31.4	58.0	110.4
1997.....	1.3	2.8	4.3	5.5	9.0	12.0	21.9	29.9	49.2	97.8
1996.....	1.3	2.6	5.1	5.9	9.4	12.3	18.2	30.7	44.7	100.5
1995.....	1.5	2.9	5.1	6.5	10.0	13.0	22.3	27.2	46.6	92.3
1994.....	1.3	2.5	4.8	5.7	9.0	13.8	19.2	31.8	47.1	86.7
1993.....	1.4	2.7	4.4	6.5	8.2	12.5	19.8	27.7	45.3	83.2
1992.....	1.0	2.3	4.5	6.3	8.6	14.0	17.9	21.6	36.9	66.1
1991.....	1.2	2.4	3.4	6.4	8.0	12.2	16.8	26.7	39.5	60.6
1990.....	1.4	2.4	4.1	6.0	8.0	12.6	16.9	20.5	32.7	59.1
1989.....	1.3	2.6	3.4	5.4	9.2	12.5	15.2	24.1	35.1	55.9
1988.....	0.9	2.1	5.9	5.8	10.0	10.1	14.9	17.9	32.5	56.9
1987.....	1.2	2.5	3.7	5.9	7.9	10.7	16.1	19.8	39.3	47.1
1986.....	1.1	2.0	4.4	5.8	7.3	10.5	14.2	21.7	32.0	49.4
1985.....	*	2.5	4.4	6.4	9.0	10.1	16.5	18.5	27.4	45.1
1984.....	1.2	2.6	3.6	5.8	10.3	9.6	18.1	20.9	27.8	33.2
1983.....	1.1	2.6	3.8	5.7	6.4	8.6	14.0	16.9	27.1	34.0
1982.....	*	2.2	3.5	4.2	7.5	7.9	13.8	14.5	23.9	30.2
1981.....	1.7	3.2	4.8	6.3	9.3	8.4	13.0	14.5	20.3	35.8
1980.....	1.8	2.5	5.3	5.3	8.0	8.9	14.0	19.9	19.6	26.8
1979.....	1.3	2.5	3.8	5.0	6.7	7.9	9.2	13.9	15.6	32.8
ALL OTHER MALE										
1998.....	1.3	3.2	4.2	7.7	10.2	16.4	22.5	32.3	53.7	75.6
1997.....	1.5	3.5	5.9	5.9	12.1	13.3	24.8	38.1	54.7	68.2
1996.....	1.7	2.6	6.2	7.4	12.3	11.7	19.3	31.0	43.0	96.9
1995.....	2.0	3.7	6.5	7.8	12.2	13.1	27.0	29.2	46.5	85.6
1994.....	1.8	4.0	6.4	7.5	12.0	14.8	22.2	35.7	51.5	66.7
1993.....	1.8	3.1	4.9	7.7	10.3	14.1	21.2	29.8	39.3	73.1
1992.....	*	2.2	6.0	7.8	7.4	15.8	17.3	21.3	30.3	50.1
1991.....	1.7	2.6	4.0	8.2	9.5	13.3	18.0	21.7	42.6	57.0
1990.....	2.1	3.0	4.6	6.8	9.3	16.3	18.5	19.2	35.6	40.5
1989.....	1.8	3.4	4.6	6.0	9.9	16.1	17.1	24.3	27.3	51.9
1988.....	*	*	6.3	4.2	9.6	10.9	15.2	18.3	33.3	45.6
1987.....	*	*	4.8	8.3	9.0	12.8	16.9	20.9	35.7	29.9
1986.....	*	*	4.9	6.9	8.3	11.2	12.5	23.8	26.9	32.0
1985.....	*	2.8	5.8	7.5	10.2	9.7	19.0	18.9	26.7	35.6
1984.....	*	3.6	3.2	5.9	11.4	10.6	19.5	20.8	23.8	*
1983.....	*	*	4.5	6.6	6.4	9.5	16.0	18.3	30.9	*
1982.....	*	*	3.6	3.7	10.1	7.6	12.5	10.9	23.4	*
1981.....	*	4.1	4.7	6.6	11.0	7.4	12.7	10.8	*	*
1980.....	2.1	3.2	5.8	6.2	7.8	7.5	13.8	12.8	21.8	19.7
1979.....	1.5	2.1	3.9	6.7	7.5	8.3	9.8	14.8	14.0	30.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ESSENTIAL HYPERTENSION (401)										
ALL OTHER FEMALE										
1998.....	1.1	1.8	2.6	4.1	10.2	11.0	19.0	30.8	60.4	126.3
1997.....	1.2	2.2	3.0	5.2	6.6	11.0	19.8	24.6	46.1	111.2
1996.....	*	2.7	4.2	4.8	7.2	12.7	17.5	30.5	45.6	102.1
1995.....	*	2.2	4.0	5.5	8.3	12.9	19.1	26.0	46.7	95.3
1994.....	*	*	3.4	4.3	6.7	13.1	17.1	29.4	44.7	95.4
1993.....	*	2.4	4.0	5.6	6.7	11.3	18.8	26.5	48.7	87.6
1992.....	*	2.4	3.1	5.1	9.5	12.6	18.3	21.8	40.6	73.3
1991.....	*	2.2	2.8	5.0	6.9	11.4	16.1	29.7	37.6	61.9
1990.....	*	*	3.8	5.4	6.9	9.8	15.8	21.3	31.0	67.6
1989.....	*	*	2.4	4.8	8.6	9.8	13.9	23.9	39.6	57.7
1988.....	*	*	5.6	7.1	10.3	9.6	14.7	17.6	31.9	62.1
1987.....	*	2.6	2.7	4.1	7.1	9.2	15.6	19.0	41.3	55.2
1986.....	*	*	4.0	4.9	6.5	10.0	15.3	20.3	35.1	57.7
1985.....	*	2.3	3.3	5.5	8.0	10.4	14.7	18.2	27.8	50.0
1984.....	*	*	3.9	5.7	9.5	8.7	17.1	21.1	30.1	37.9
1983.....	*	2.5	3.3	5.0	6.5	7.9	12.6	16.0	24.8	39.6
1982.....	*	*	3.4	4.6	5.4	8.2	14.7	16.8	24.2	33.1
1981.....	*	*	4.8	6.1	7.9	9.1	13.2	17.1	20.0	42.1
1980.....	1.5	2.0	5.0	4.7	8.2	9.9	14.1	24.7	18.3	30.3
1979.....	1.2	2.8	3.7	3.6	6.0	7.6	8.6	13.2	16.8	34.2
BLACK, BOTH SEXES										
1998.....	1.6	3.2	4.4	7.7	12.8	16.5	25.5	35.9	65.1	124.4
1997.....	1.7	3.7	5.9	7.2	11.8	14.5	27.1	34.5	57.0	111.5
1996.....	1.8	3.7	6.7	8.0	11.7	14.7	22.0	37.3	52.8	114.2
1995.....	2.0	4.0	6.7	8.4	12.3	16.1	27.1	30.8	52.2	98.5
1994.....	1.6	3.3	6.4	7.4	11.6	16.9	23.3	36.5	52.5	91.8
1993.....	1.9	3.7	5.6	8.4	10.6	15.2	23.5	31.4	52.1	86.9
1992.....	1.3	3.0	5.8	8.0	10.7	15.9	20.9	24.3	41.6	73.4
1991.....	1.4	3.2	4.5	8.3	9.7	14.2	19.8	31.1	45.5	65.5
1990.....	1.8	3.3	5.3	7.6	9.8	15.1	20.1	23.4	37.5	65.6
1989.....	1.8	3.3	4.4	6.7	11.3	15.3	17.6	27.1	37.9	58.6
1988.....	1.3	2.7	7.5	7.3	12.2	11.8	16.9	20.5	34.9	61.2
1987.....	1.5	3.3	4.5	7.4	9.4	12.9	18.5	22.2	43.0	50.5
1986.....	1.5	2.6	5.3	7.0	8.7	12.2	16.4	24.5	35.3	54.2
1985.....	*	3.3	5.5	7.7	10.9	12.0	18.4	21.2	29.0	48.7
1984.....	1.5	3.1	4.4	7.1	12.2	11.3	21.2	23.8	29.7	35.3
1983.....	1.4	3.1	4.5	6.8	7.6	9.5	15.5	18.9	30.0	37.5
1982.....	*	2.6	4.2	5.0	8.1	9.0	15.5	15.7	26.1	29.5
1981.....	2.2	3.8	5.6	7.2	10.2	9.7	14.6	15.9	22.5	38.1
1980.....	2.1	3.0	6.0	5.9	9.2	10.1	15.4	20.4	22.0	27.7
1979.....	1.4	2.8	4.5	5.3	7.5	8.6	9.8	14.6	17.4	35.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ESSENTIAL HYPERTENSION (401)										
BLACK MALE										
1998.....	1.8	4.3	5.3	10.8	13.2	21.0	27.7	37.0	56.9	84.6
1997.....	1.7	4.6	8.2	7.6	16.5	15.5	30.7	45.1	66.8	75.9
1996.....	2.3	3.6	8.1	10.0	15.9	13.8	23.9	38.6	52.3	110.4
1995.....	2.7	5.2	8.6	10.2	15.3	15.5	33.5	32.9	55.0	90.9
1994.....	2.3	5.3	9.0	9.6	15.3	17.9	27.3	43.1	59.0	66.8
1993.....	2.5	4.0	6.5	10.3	13.4	17.5	25.5	32.7	47.6	79.3
1992.....	*	3.0	7.8	10.3	9.7	17.5	20.2	24.5	36.1	58.9
1991.....	*	3.5	5.3	10.6	10.9	15.3	21.6	26.5	51.5	56.5
1990.....	2.5	4.2	5.8	8.5	11.2	19.7	22.9	21.3	41.7	48.3
1989.....	2.4	4.3	5.9	7.6	12.6	19.9	19.4	27.5	30.9	54.5
1988.....	*	*	7.8	5.4	11.7	12.2	17.2	20.9	34.0	50.8
1987.....	*	*	6.1	10.4	10.6	15.6	19.3	24.0	41.3	34.4
1986.....	*	*	5.6	8.2	9.9	13.1	14.9	27.3	30.0	36.5
1985.....	*	3.7	7.2	9.1	12.6	11.8	22.4	22.9	29.9	38.7
1984.....	*	4.3	*	7.1	13.5	12.8	23.3	23.4	25.0	*
1983.....	*	*	5.4	8.0	7.4	10.4	18.9	21.2	35.4	*
1982.....	*	*	4.3	4.4	10.3	9.0	14.5	*	25.0	*
1981.....	*	5.0	5.5	7.4	11.5	8.7	14.6	*	*	*
1980.....	2.5	3.9	6.5	6.8	8.8	8.7	14.9	13.1	24.0	20.8
1979.....	1.6	2.3	4.6	6.8	8.6	9.2	10.6	16.1	15.6	32.7
BLACK FEMALE										
1998.....	1.5	2.4	3.7	5.3	12.6	13.1	23.9	35.2	69.5	141.0
1997.....	1.6	2.9	4.0	6.9	8.4	13.8	24.6	27.9	51.9	126.2
1996.....	*	3.7	5.6	6.4	8.5	15.4	20.8	36.4	53.0	115.8
1995.....	*	3.1	5.3	7.1	10.1	16.5	22.8	29.5	50.7	101.6
1994.....	*	*	4.3	5.6	8.7	16.2	20.7	32.4	49.2	102.0
1993.....	*	3.4	4.9	6.9	8.4	13.6	22.1	30.7	54.3	90.0
1992.....	*	3.1	4.2	6.2	11.4	14.8	21.3	24.2	44.4	79.4
1991.....	*	3.0	3.8	6.5	8.8	13.4	18.5	33.8	42.3	69.3
1990.....	*	*	4.8	6.9	8.7	11.8	18.2	24.6	35.3	72.9
1989.....	*	*	3.1	6.0	10.3	12.0	16.5	26.9	41.6	60.8
1988.....	*	*	7.2	8.9	12.5	11.5	16.6	20.3	35.4	65.8
1987.....	*	3.3	3.2	4.9	8.6	10.9	18.0	21.1	43.9	57.6
1986.....	*	*	5.0	6.0	7.8	11.5	17.3	22.8	38.2	62.3
1985.....	*	2.9	4.1	6.7	9.5	12.1	15.9	20.1	28.5	53.4
1984.....	*	*	4.9	7.0	11.2	10.3	19.9	24.1	32.2	38.8
1983.....	*	*	3.9	5.8	7.7	8.8	13.3	17.4	26.9	43.5
1982.....	*	*	4.0	5.5	6.3	9.1	16.2	18.7	26.8	33.9
1981.....	*	*	5.6	7.1	9.3	10.4	14.6	18.9	21.2	43.4
1980.....	1.9	2.2	5.6	5.1	9.4	11.2	15.8	25.1	20.8	31.1
1979.....	1.3	3.1	4.4	4.2	6.6	8.2	9.2	13.6	18.5	36.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE HEART DISEASE (402)										
TOTAL, BOTH SEXES										
1998.....	3.0	5.6	8.3	12.1	17.9	22.4	31.3	47.2	81.7	212.4
1997.....	2.8	5.4	8.4	11.5	16.2	21.3	31.5	47.5	79.6	214.3
1996.....	2.8	4.9	8.6	11.8	17.0	20.4	31.4	48.0	84.6	212.8
1995.....	2.9	5.1	7.8	11.0	16.4	22.3	30.3	47.0	82.7	204.1
1994.....	2.6	5.3	7.7	11.1	15.5	20.0	30.6	45.6	83.6	195.9
1993.....	2.5	4.4	7.7	11.0	15.4	20.9	30.7	47.2	82.2	186.6
1992.....	2.5	4.1	7.3	11.9	15.9	20.9	30.8	44.9	78.6	175.2
1991.....	2.3	4.5	6.9	11.0	15.6	20.6	30.2	47.7	80.4	173.9
1990.....	2.3	4.4	7.0	11.0	15.6	22.4	31.2	49.0	79.6	173.4
1989.....	2.2	4.7	7.1	11.7	16.0	22.4	31.2	51.1	81.0	167.6
1988.....	2.1	4.3	7.4	11.4	16.7	23.7	33.2	50.8	81.7	163.5
1987.....	2.2	4.4	7.8	11.5	17.4	24.0	34.9	50.5	84.3	160.3
1986.....	2.4	4.3	7.8	11.3	16.8	23.6	35.6	54.2	84.4	162.1
1985.....	2.3	4.5	7.8	11.9	17.6	25.0	36.6	55.2	89.5	166.0
1984.....	2.5	4.5	7.8	11.7	17.6	25.8	38.3	55.4	91.9	164.2
1983.....	2.3	4.8	7.6	12.5	18.7	26.1	41.0	58.1	94.1	163.8
1982.....	2.4	5.2	7.7	12.4	17.9	26.7	39.9	61.2	97.3	164.5
1981.....	2.7	5.2	8.3	13.0	18.7	26.9	41.2	60.8	97.3	168.7
1980.....	2.7	4.6	8.0	12.9	19.1	29.1	42.1	65.7	105.2	176.3
1979.....	2.8	5.3	8.6	13.2	19.7	29.7	43.6	64.9	103.7	170.3
TOTAL, MALE										
1998.....	4.2	7.9	11.6	16.6	23.8	27.8	37.0	49.1	75.9	156.1
1997.....	4.0	7.5	11.8	15.6	21.4	27.8	36.2	48.4	75.6	161.4
1996.....	3.8	6.7	11.8	16.4	22.0	26.3	36.6	50.1	77.6	162.8
1995.....	4.0	7.4	10.6	15.2	21.6	27.8	34.6	48.8	78.1	154.9
1994.....	3.6	7.3	10.4	14.4	20.5	24.7	35.0	47.5	79.4	143.0
1993.....	3.4	6.1	10.5	14.7	19.7	26.4	34.0	50.3	76.0	148.0
1992.....	3.7	5.4	9.5	15.4	20.2	25.8	35.0	46.2	74.1	127.6
1991.....	3.1	6.3	9.1	14.8	20.0	24.7	34.0	50.2	76.2	128.4
1990.....	3.2	5.5	9.2	14.6	19.6	27.0	34.7	49.6	77.0	129.1
1989.....	3.0	6.1	9.3	15.8	21.0	27.7	35.9	53.0	73.2	120.9
1988.....	2.7	5.5	10.0	15.0	20.9	29.2	38.4	51.6	74.6	122.5
1987.....	3.0	5.7	10.2	14.9	22.4	29.6	39.0	51.7	80.2	113.7
1986.....	3.1	5.7	9.7	15.1	20.7	28.9	40.4	54.7	76.0	109.8
1985.....	3.3	5.9	10.2	15.2	22.2	30.3	41.7	58.9	80.4	120.5
1984.....	3.4	5.9	10.2	15.6	22.3	30.1	43.5	57.4	81.1	122.8
1983.....	3.2	6.3	10.1	16.6	24.3	31.8	43.9	60.3	84.8	121.3
1982.....	3.1	6.7	9.9	15.8	22.4	31.9	44.1	62.9	86.0	124.0
1981.....	3.4	6.3	11.1	17.0	22.6	33.2	45.8	62.3	86.2	124.7
1980.....	3.4	5.6	9.9	16.7	24.2	33.8	46.0	64.9	88.9	123.1
1979.....	3.8	6.9	10.8	16.8	23.8	34.6	46.5	63.7	87.1	122.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE HEART DISEASE (402)										
TOTAL, FEMALE										
1998.....	1.8	3.4	5.2	7.9	12.6	17.8	26.8	45.7	85.2	235.7
1997.....	1.7	3.3	5.2	7.8	11.7	15.9	27.9	46.9	81.9	235.7
1996.....	1.8	3.2	5.5	7.5	12.5	15.5	27.5	46.5	88.7	232.7
1995.....	1.7	3.0	5.2	7.1	11.7	17.6	27.0	45.8	85.3	223.2
1994.....	1.7	3.3	5.1	8.1	11.1	16.1	27.2	44.3	85.9	216.3
1993.....	1.7	2.8	5.1	7.7	11.6	16.4	28.2	45.1	85.6	201.4
1992.....	1.5	2.8	5.1	8.7	12.0	16.9	27.6	44.1	81.1	193.6
1991.....	1.5	2.9	4.8	7.5	11.7	17.2	27.4	46.0	82.6	191.5
1990.....	1.4	3.3	5.0	7.6	12.2	18.7	28.6	48.5	81.0	190.5
1989.....	1.5	3.2	4.9	7.9	11.8	18.0	27.8	49.8	85.2	185.7
1988.....	1.6	3.1	5.1	8.2	13.2	19.3	29.5	50.4	85.5	179.5
1987.....	1.3	3.1	5.5	8.3	13.1	19.5	31.8	49.8	86.5	178.7
1986.....	1.7	3.0	5.9	7.8	13.4	19.4	32.2	53.9	88.8	182.9
1985.....	1.4	3.2	5.6	8.9	13.6	20.7	32.9	52.9	94.3	184.1
1984.....	1.5	3.1	5.5	8.3	13.4	22.3	34.6	54.2	97.6	181.0
1983.....	1.5	3.3	5.2	8.9	13.9	21.5	39.0	56.7	99.1	181.2
1982.....	1.7	3.8	5.6	9.3	14.0	22.6	36.8	60.1	103.3	181.4
1981.....	2.1	4.2	5.7	9.4	15.3	21.9	38.0	59.8	103.2	187.3
1980.....	2.1	3.6	6.3	9.6	14.6	25.3	39.3	66.2	113.9	199.5
1979.....	1.9	3.8	6.6	9.9	16.2	25.7	41.4	65.7	112.7	191.5
WHITE, BOTH SEXES										
1998.....	1.7	3.5	5.4	8.0	12.1	16.5	24.3	39.2	72.2	200.4
1997.....	1.6	3.3	5.5	7.5	11.0	15.2	24.4	40.0	70.6	203.3
1996.....	1.6	3.0	5.5	8.1	12.1	15.6	24.4	40.0	75.1	201.1
1995.....	1.6	3.1	4.7	7.3	10.9	16.7	24.2	39.4	72.3	191.1
1994.....	1.5	2.9	4.9	7.2	10.6	14.7	24.5	38.0	74.0	184.9
1993.....	1.4	2.5	4.5	7.1	10.8	15.2	23.8	39.7	71.6	175.1
1992.....	1.3	2.3	4.4	7.4	10.9	15.3	24.6	37.6	69.0	163.2
1991.....	1.2	2.5	4.2	7.0	11.0	15.1	23.8	39.5	71.3	162.7
1990.....	1.3	2.3	4.1	7.2	10.5	16.6	23.5	41.4	71.5	162.9
1989.....	1.2	2.4	4.1	7.3	10.9	16.6	24.4	42.5	72.3	156.7
1988.....	1.1	2.3	4.4	7.4	11.5	17.9	26.2	42.2	71.7	153.0
1987.....	1.2	2.7	4.4	7.8	12.3	18.4	27.9	43.3	75.9	151.3
1986.....	1.2	2.2	4.5	7.5	11.9	18.4	28.5	45.9	75.6	154.3
1985.....	1.2	2.5	4.7	8.0	12.4	19.4	29.6	46.7	79.5	158.7
1984.....	1.1	2.4	4.6	7.5	12.6	20.1	31.2	48.3	82.8	157.0
1983.....	1.1	2.6	4.5	8.6	13.7	20.7	32.3	50.8	84.0	157.1
1982.....	1.2	2.8	4.8	8.2	13.2	21.5	31.7	53.9	87.3	157.4
1981.....	1.3	2.8	5.1	8.9	14.0	21.3	34.2	53.5	88.3	161.0
1980.....	1.3	2.4	4.9	8.9	14.1	22.6	34.8	57.2	97.1	168.2
1979.....	1.4	3.0	5.3	8.8	14.6	23.3	35.4	56.6	95.3	163.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE HEART DISEASE (402)										
WHITE MALE										
1998.....	2.6	5.4	8.0	11.7	17.2	20.6	29.6	40.6	65.2	143.0
1997.....	2.5	5.1	8.1	10.8	15.2	20.8	28.2	40.8	68.4	147.9
1996.....	2.3	4.4	8.1	11.6	16.4	20.6	28.7	40.7	68.4	146.7
1995.....	2.6	4.8	6.8	10.7	15.1	21.4	27.9	40.4	68.4	140.4
1994.....	2.3	4.5	7.4	9.7	14.6	18.8	28.2	39.2	70.0	132.4
1993.....	2.1	3.7	6.6	10.4	14.4	19.7	26.8	42.0	66.4	132.3
1992.....	2.1	3.4	6.1	10.5	14.6	19.6	28.5	39.0	63.3	111.2
1991.....	1.8	3.8	5.8	10.0	14.4	19.0	27.4	42.2	66.7	115.1
1990.....	2.0	3.1	5.8	10.1	14.0	20.5	27.0	42.7	66.1	116.6
1989.....	1.8	3.4	5.7	10.4	14.7	21.5	28.2	44.4	64.7	107.3
1988.....	1.7	3.3	6.6	10.2	14.8	22.7	30.8	43.1	64.6	108.6
1987.....	1.8	3.9	6.1	10.3	16.6	23.5	32.3	44.7	70.3	103.5
1986.....	1.9	3.2	5.8	11.2	15.3	22.6	33.8	45.7	66.7	99.0
1985.....	2.0	3.5	6.7	11.1	16.2	23.9	34.2	50.2	69.9	110.3
1984.....	1.7	3.5	6.6	10.6	16.6	24.4	35.4	50.5	71.8	115.0
1983.....	1.6	3.9	6.5	11.8	18.6	26.3	34.5	52.8	73.6	111.3
1982.....	1.6	3.9	6.7	11.2	16.9	26.0	35.7	55.5	74.7	115.5
1981.....	1.8	3.7	7.4	12.3	17.4	26.8	37.9	55.0	77.5	114.1
1980.....	1.8	3.3	6.5	11.9	18.3	26.5	39.4	56.8	80.5	117.9
1979.....	2.0	4.2	7.1	11.7	18.7	28.0	37.8	54.9	75.9	114.3
WHITE FEMALE										
1998.....	0.7	1.6	3.0	4.5	7.6	13.0	20.0	38.1	76.4	223.9
1997.....	0.7	1.6	3.0	4.5	7.1	10.5	21.4	39.5	72.0	225.3
1996.....	0.8	1.6	3.0	4.8	8.2	11.3	21.1	39.6	79.0	222.4
1995.....	0.7	1.4	2.7	4.2	7.1	12.7	21.2	38.8	74.6	210.7
1994.....	0.6	1.3	2.4	4.8	7.0	11.4	21.5	37.2	76.2	204.9
1993.....	0.7	1.3	2.5	3.9	7.6	11.5	21.5	38.1	74.4	191.3
1992.....	0.6	1.2	2.7	4.5	7.6	11.7	21.7	36.7	72.1	183.0
1991.....	0.6	1.1	2.7	4.2	8.0	11.9	21.0	37.8	73.8	180.9
1990.....	0.6	1.5	2.5	4.4	7.4	13.5	20.8	40.5	74.3	180.5
1989.....	0.6	1.4	2.5	4.5	7.5	12.6	21.5	41.2	76.3	175.7
1988.....	0.5	1.3	2.3	4.9	8.6	14.0	22.9	41.7	75.4	170.0
1987.....	0.5	1.5	2.7	5.5	8.5	14.1	24.7	42.4	78.8	169.9
1986.....	0.5	1.1	3.3	4.2	8.9	14.9	24.6	46.1	80.2	175.9
1985.....	0.5	1.5	2.8	5.3	9.0	15.8	26.3	44.6	84.5	177.6
1984.....	0.6	1.2	2.8	4.7	9.2	16.5	28.1	46.9	88.5	173.7
1983.....	0.5	1.4	2.6	5.7	9.3	16.2	30.8	49.5	89.5	175.5
1982.....	0.9	1.8	3.0	5.5	10.0	17.9	28.8	53.0	93.9	174.5
1981.....	0.8	2.0	3.0	5.9	10.9	16.9	31.5	52.5	93.9	180.7
1980.....	0.8	1.5	3.3	6.1	10.4	19.4	31.5	57.4	105.8	189.9
1979.....	0.8	1.9	3.6	6.2	11.0	19.5	33.7	57.7	105.5	184.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE HEART DISEASE (402)										
ALL OTHER, BOTH SEXES										
1998.....	9.3	16.7	25.3	37.2	53.8	61.3	87.2	118.3	178.0	325.9
1997.....	8.9	16.3	26.4	35.5	49.6	63.1	89.5	116.4	170.7	320.1
1996.....	9.0	15.9	26.9	34.2	48.3	54.8	90.4	120.8	182.0	325.6
1995.....	9.1	16.7	26.7	33.6	52.8	62.6	83.6	118.3	189.8	335.5
1994.....	8.8	19.3	25.0	36.0	48.4	59.1	83.8	118.2	181.6	309.3
1993.....	8.5	16.0	27.5	36.4	46.6	64.9	91.1	119.2	191.2	305.3
1992.....	9.1	15.4	25.0	40.8	51.0	64.5	85.3	113.6	178.0	301.5
1991.....	8.6	17.2	23.1	37.2	49.1	64.7	87.8	124.7	173.9	292.0
1990.....	8.0	17.2	25.2	36.6	54.4	70.4	101.7	120.4	163.7	284.5
1989.....	8.4	18.7	25.8	41.2	55.7	70.6	93.7	132.2	172.4	282.8
1988.....	8.3	16.6	27.0	39.4	57.8	73.2	97.5	132.4	188.1	275.0
1987.....	8.4	14.6	29.7	37.9	58.5	73.2	98.4	119.6	174.4	257.1
1986.....	9.7	17.5	29.2	39.0	57.0	69.6	101.2	133.1	178.5	246.8
1985.....	9.4	17.2	29.1	41.3	61.6	73.3	100.7	136.5	197.9	244.6
1984.....	10.8	18.0	29.4	44.7	59.7	76.1	104.8	124.3	192.7	242.9
1983.....	10.2	18.8	29.4	43.5	62.6	73.1	121.9	128.7	207.3	236.8
1982.....	9.5	20.6	28.5	45.7	59.2	72.6	116.2	131.7	211.6	245.2
1981.....	11.7	21.4	31.9	46.4	61.0	76.1	108.2	131.9	201.7	255.8
1980.....	12.2	19.6	32.1	47.3	63.9	86.7	111.6	149.7	201.1	269.2
1979.....	12.5	21.4	35.3	50.3	67.0	86.1	123.7	146.1	203.6	254.0
ALL OTHER MALE										
1998.....	12.4	21.6	35.0	49.4	69.4	79.4	99.8	128.7	187.8	271.2
1997.....	12.2	21.6	36.6	46.9	64.3	79.9	105.3	122.1	151.5	279.7
1996.....	11.7	20.7	35.9	47.9	61.5	69.9	107.2	140.2	172.9	303.5
1995.....	11.9	23.1	35.7	45.7	69.1	77.6	95.8	131.6	180.1	290.3
1994.....	10.8	25.1	30.5	46.5	63.8	71.8	97.2	130.7	174.7	242.3
1993.....	10.6	21.6	36.0	44.5	59.3	81.5	101.2	134.2	172.8	294.8
1992.....	12.7	19.0	31.5	49.5	63.8	76.6	96.0	116.9	182.9	281.1
1991.....	11.1	22.5	30.2	49.3	64.5	73.5	96.2	128.7	169.8	251.2
1990.....	10.6	21.2	31.7	47.2	65.5	84.1	108.9	116.6	185.2	245.7
1989.....	10.6	24.3	33.6	55.3	73.4	83.0	109.5	135.6	157.0	246.9
1988.....	9.1	19.9	33.3	51.3	71.8	87.8	111.6	132.4	174.4	250.6
1987.....	11.1	17.6	38.3	50.8	71.7	85.1	103.3	118.6	179.5	209.1
1986.....	11.4	21.7	37.7	46.6	67.7	86.7	103.3	139.5	169.4	210.7
1985.....	12.1	21.7	36.0	48.9	75.8	88.6	112.7	139.8	185.7	216.4
1984.....	14.9	22.5	37.2	56.6	74.3	82.9	120.2	121.8	175.2	195.8
1983.....	13.7	23.0	37.8	56.8	76.2	82.4	131.7	129.9	200.0	214.3
1982.....	13.3	26.3	35.1	54.5	73.5	85.1	122.5	131.3	204.3	206.0
1981.....	14.1	25.3	40.8	57.8	71.2	90.8	119.1	129.6	176.9	229.7
1980.....	14.8	22.8	38.1	59.0	79.6	100.4	107.5	141.2	178.8	176.1
1979.....	16.9	27.0	43.0	62.4	72.5	94.3	129.2	142.9	205.8	211.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE HEART DISEASE (402)										
ALL OTHER FEMALE										
1998.....	6.5	12.5	17.3	27.3	41.6	47.8	78.2	111.4	172.5	351.0
1997.....	6.1	11.8	17.9	26.3	38.2	50.6	78.4	112.7	181.5	338.5
1996.....	6.7	11.8	19.3	23.1	38.1	43.6	78.7	108.3	187.1	335.5
1995.....	6.7	11.3	19.2	23.7	40.2	51.4	75.0	109.9	195.2	355.1
1994.....	7.0	14.4	20.3	27.5	36.7	49.8	74.4	110.3	185.4	338.4
1993.....	6.7	11.1	20.4	29.8	36.9	52.6	84.0	109.8	201.4	309.9
1992.....	6.0	12.3	19.4	33.8	41.2	55.6	78.0	111.5	175.3	310.7
1991.....	6.4	12.7	17.1	27.4	37.3	58.1	82.3	122.2	175.5	309.0
1990.....	5.8	13.7	19.8	28.0	46.0	60.3	96.8	122.8	151.5	302.1
1989.....	6.5	13.8	19.3	29.8	42.3	61.3	82.9	130.1	181.1	299.4
1988.....	7.5	13.8	21.7	29.7	47.0	62.5	88.1	132.4	195.1	286.4
1987.....	6.0	12.0	22.5	27.5	48.2	64.3	95.1	120.2	171.4	279.8
1986.....	8.4	13.9	22.2	32.8	48.7	56.8	99.8	128.9	184.6	264.1
1985.....	7.1	13.4	23.3	35.1	50.5	61.9	92.4	134.4	205.0	260.0
1984.....	7.3	14.2	23.0	35.1	48.1	70.9	93.9	126.0	201.7	266.2
1983.....	7.2	15.1	22.6	32.8	51.8	66.3	115.2	127.9	211.5	248.2
1982.....	6.2	15.7	23.1	38.5	47.9	63.2	111.7	131.6	215.9	263.2
1981.....	9.8	18.0	24.7	37.1	52.8	65.0	100.0	133.5	216.7	269.0
1980.....	9.9	16.9	27.2	37.7	51.3	76.2	114.6	155.5	214.8	316.9
1979.....	8.8	16.8	29.1	40.2	62.6	79.8	119.6	148.4	203.6	278.1
BLACK, BOTH SEXES										
1998.....	12.4	22.7	34.0	49.5	70.1	77.7	106.3	147.5	213.2	368.4
1997.....	11.9	21.7	35.7	46.4	63.0	79.5	108.7	138.2	198.6	358.3
1996.....	12.1	21.4	36.0	44.7	62.0	68.3	112.9	144.1	214.6	366.7
1995.....	12.3	22.4	35.6	43.2	66.6	77.5	102.3	139.4	214.7	355.0
1994.....	11.7	26.2	32.6	46.4	61.1	73.8	101.5	137.5	204.9	335.2
1993.....	11.4	21.9	36.0	46.4	58.5	79.6	109.8	138.5	217.3	326.8
1992.....	12.3	20.7	32.8	52.0	64.7	79.0	102.3	131.7	201.9	329.4
1991.....	11.6	23.2	30.3	47.7	59.8	78.8	105.6	144.6	191.6	308.2
1990.....	10.8	22.8	32.6	46.3	67.1	83.6	121.3	137.1	181.4	309.0
1989.....	11.3	24.5	33.0	51.5	68.5	84.8	110.2	149.5	190.8	300.9
1988.....	11.0	21.7	34.4	49.1	69.5	86.5	113.8	147.4	207.0	300.0
1987.....	11.0	18.3	36.7	45.9	70.2	85.5	112.8	134.3	192.0	268.3
1986.....	12.8	22.0	36.2	47.6	68.8	81.6	116.1	149.7	195.7	264.2
1985.....	12.3	21.2	36.0	49.3	73.4	85.4	113.6	151.2	214.3	260.0
1984.....	13.4	22.3	35.5	52.9	70.6	87.2	118.6	138.3	212.7	265.3
1983.....	12.7	22.8	35.1	51.3	73.3	84.2	138.0	144.0	227.8	255.4
1982.....	11.9	25.1	34.1	53.8	67.5	82.3	129.8	145.8	230.3	261.4
1981.....	14.5	25.6	37.9	54.1	69.9	85.9	120.5	144.8	220.6	278.0
1980.....	14.5	23.2	37.1	54.2	72.5	96.3	122.8	162.1	215.8	291.1
1979.....	15.0	24.8	41.0	56.9	74.3	94.2	135.0	158.3	218.4	266.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE HEART DISEASE (402)										
BLACK MALE										
1998.....	16.5	29.4	47.1	67.3	92.5	100.7	122.6	163.8	232.9	319.4
1997.....	16.2	28.6	49.7	62.1	82.1	100.1	127.8	145.0	178.6	316.6
1996.....	15.4	27.8	48.8	62.8	80.3	85.5	134.5	170.2	213.1	343.2
1995.....	16.1	31.2	47.6	59.4	87.5	95.6	118.4	157.9	210.6	296.7
1994.....	14.4	33.9	40.5	60.8	80.0	87.8	118.4	154.9	205.1	260.6
1993.....	14.3	29.9	46.9	58.0	74.9	98.7	124.1	157.1	199.0	326.7
1992.....	17.3	26.2	41.9	63.6	80.8	93.5	115.7	138.3	208.6	310.1
1991.....	15.1	30.9	40.3	62.9	79.4	90.7	118.2	154.1	195.0	272.5
1990.....	14.2	28.4	41.3	60.4	80.6	100.9	132.4	135.4	209.5	277.7
1989.....	14.4	32.0	42.8	69.3	89.5	101.1	130.2	152.2	181.4	265.2
1988.....	12.0	26.1	42.8	63.7	85.9	104.0	130.4	152.5	198.9	278.5
1987.....	14.9	22.3	47.5	61.5	87.1	100.0	117.7	134.9	200.0	226.6
1986.....	14.9	27.6	47.6	57.3	82.7	102.9	120.6	157.0	193.3	225.4
1985.....	15.9	27.1	44.9	58.3	91.5	103.2	127.2	157.6	197.7	225.8
1984.....	19.0	28.0	44.9	66.6	87.7	95.5	136.7	135.3	194.0	226.2
1983.....	17.1	28.1	44.8	67.0	89.3	95.8	151.6	147.9	222.0	233.3
1982.....	16.8	32.9	41.9	64.0	84.6	95.8	138.8	146.0	218.8	227.6
1981.....	17.6	30.5	48.5	68.2	81.9	102.4	134.7	142.4	193.5	251.8
1980.....	17.6	27.2	44.0	67.7	90.9	111.6	119.8	156.3	189.3	196.2
1979.....	20.2	31.1	49.6	70.2	80.6	104.1	142.0	155.9	224.7	225.0
BLACK FEMALE										
1998.....	8.8	17.2	23.4	35.6	53.4	60.4	95.0	137.1	202.8	388.8
1997.....	8.2	15.9	24.3	34.2	48.8	64.1	95.6	133.8	208.9	375.6
1996.....	9.1	16.0	25.6	30.6	48.2	55.5	98.3	127.8	215.4	376.4
1995.....	9.0	15.0	25.7	30.6	50.8	63.9	91.5	128.0	216.7	378.7
1994.....	9.4	19.7	26.2	35.1	46.8	63.3	90.1	126.9	204.8	365.6
1993.....	9.0	15.1	27.1	37.3	46.0	65.6	100.1	127.5	226.7	326.9
1992.....	8.1	16.1	25.3	42.9	52.5	68.4	93.3	127.9	198.4	337.4
1991.....	8.7	16.7	22.2	35.7	44.9	70.2	97.2	139.0	189.8	323.3
1990.....	7.9	18.1	25.5	35.1	56.9	71.1	114.0	138.1	166.9	322.3
1989.....	8.6	18.1	24.9	37.4	52.5	73.0	97.4	147.8	195.7	318.3
1988.....	10.2	18.0	27.4	37.5	57.1	73.8	102.6	144.3	211.2	309.4
1987.....	7.8	15.0	27.8	33.4	57.3	75.0	109.3	133.9	187.7	286.8
1986.....	11.1	17.3	26.9	39.9	58.2	66.0	112.8	145.2	197.0	281.9
1985.....	9.3	16.4	28.7	42.0	59.4	72.3	104.6	147.3	223.4	275.9
1984.....	8.8	17.5	27.6	41.6	57.3	81.0	106.5	140.2	223.0	283.7
1983.....	9.0	18.3	27.1	38.5	60.9	75.6	129.2	140.9	231.0	266.1
1982.....	7.8	18.8	27.7	45.5	54.0	72.4	123.6	146.2	237.0	278.0
1981.....	11.8	21.4	29.2	42.6	60.4	73.8	110.5	146.3	236.4	288.5
1980.....	11.9	19.8	31.4	43.2	57.9	84.9	124.9	166.0	231.7	338.5
1979.....	10.6	19.7	33.9	46.0	69.2	86.7	129.9	159.3	214.5	286.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE RENAL DISEASE (403)										
TOTAL, BOTH SEXES										
1998.....	0.2	0.5	0.8	1.3	2.5	4.3	7.7	13.0	24.6	51.0
1997.....	0.3	0.5	0.7	1.1	2.0	3.9	7.5	13.6	24.4	50.4
1996.....	0.3	0.5	0.7	1.2	2.3	3.9	7.5	13.6	24.0	49.7
1995.....	0.4	0.4	0.8	1.2	2.4	3.9	7.3	13.2	24.4	48.9
1994.....	0.3	0.4	0.7	1.3	2.2	3.7	7.8	12.9	25.3	47.3
1993.....	0.3	0.4	0.8	1.3	2.5	3.9	6.9	12.6	22.5	48.6
1992.....	0.3	0.5	0.7	1.1	2.3	4.0	7.8	12.3	23.7	47.6
1991.....	0.3	0.5	0.9	1.1	1.9	3.5	6.9	12.2	21.7	44.7
1990.....	0.2	0.5	0.8	1.2	1.9	3.6	7.2	12.5	21.9	46.3
1989.....	0.2	0.4	0.8	0.9	1.9	3.5	6.8	11.9	22.3	45.0
1988.....	0.2	0.3	0.7	1.0	2.0	3.7	6.6	11.8	21.5	42.9
1987.....	0.2	0.4	0.7	1.0	1.8	3.5	7.1	11.6	20.4	45.0
1986.....	0.2	0.3	0.7	0.9	1.9	3.3	6.7	12.0	22.7	44.2
1985.....	0.3	0.4	0.6	0.9	2.1	3.5	6.6	13.0	22.6	47.4
1984.....	0.3	0.4	0.5	1.2	2.0	3.7	8.2	13.4	23.7	50.5
1983.....	0.3	0.5	0.6	1.2	2.2	4.0	7.6	14.1	25.3	56.9
1982.....	0.2	0.4	0.7	1.2	2.3	4.0	8.2	14.3	26.9	59.0
1981.....	0.4	0.5	0.9	1.2	2.1	4.4	7.8	15.7	29.2	59.4
1980.....	0.3	0.6	0.9	1.4	2.7	4.6	9.2	16.9	31.1	67.7
1979.....	0.4	0.6	1.0	1.5	2.5	5.0	8.7	16.1	28.6	66.0
TOTAL, MALE										
1998.....	0.3	0.6	1.1	1.8	2.5	4.5	8.2	14.8	26.6	59.5
1997.....	0.4	0.7	0.9	1.2	2.5	3.9	7.9	14.4	29.2	63.3
1996.....	0.2	0.7	1.0	1.3	2.4	4.4	8.1	15.4	26.4	62.0
1995.....	0.4	0.6	1.0	1.2	2.8	4.0	8.3	14.8	29.0	62.2
1994.....	0.4	0.5	1.0	1.5	2.4	4.0	8.1	14.8	29.4	61.9
1993.....	0.4	0.4	0.9	1.4	2.8	4.1	7.4	14.0	27.1	60.2
1992.....	0.3	0.6	0.6	1.2	2.4	4.5	9.0	15.3	29.6	61.0
1991.....	0.4	0.6	0.8	1.3	1.9	3.3	7.6	14.5	25.9	61.4
1990.....	0.3	0.5	0.9	1.3	2.1	3.7	7.8	14.3	25.9	67.5
1989.....	0.3	0.6	1.1	1.1	2.2	3.9	8.0	15.0	30.5	56.1
1988.....	0.3	0.3	0.9	1.1	2.0	3.7	7.4	14.4	27.5	53.8
1987.....	0.3	0.5	0.7	1.1	2.2	3.5	8.3	15.2	25.9	59.4
1986.....	*	0.4	0.8	1.1	2.1	3.6	7.4	14.5	28.5	60.3
1985.....	0.4	0.5	0.8	1.1	2.3	3.9	7.6	16.3	29.3	62.2
1984.....	0.3	0.6	0.5	1.2	2.3	4.0	10.3	16.6	29.4	69.5
1983.....	0.4	0.5	0.7	1.4	2.5	4.6	9.1	18.1	32.8	79.0
1982.....	*	0.5	0.7	1.3	2.6	4.9	9.9	18.8	34.0	82.6
1981.....	0.4	0.5	1.1	1.4	2.4	5.0	9.8	20.9	41.1	85.6
1980.....	0.4	0.6	1.0	1.7	3.3	4.8	11.5	20.2	40.3	97.6
1979.....	0.5	0.7	1.1	1.5	2.7	6.3	11.1	19.9	39.3	90.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE RENAL DISEASE (403)										
TOTAL, FEMALE										
1998.....	0.2	0.4	0.5	1.0	2.5	4.1	7.4	11.8	23.4	47.6
1997.....	0.2	0.3	0.6	1.0	1.6	3.9	7.2	13.1	21.5	45.2
1996.....	0.3	0.3	0.4	1.1	2.2	3.5	7.0	12.4	22.6	44.8
1995.....	0.3	0.3	0.6	1.2	2.0	3.9	6.6	12.1	21.9	43.8
1994.....	0.2	0.3	0.5	1.0	2.0	3.4	7.7	11.6	23.0	41.6
1993.....	*	0.3	0.7	1.3	2.2	3.7	6.5	11.6	20.0	44.2
1992.....	0.3	0.3	0.7	1.1	2.2	3.5	6.9	10.4	20.5	42.4
1991.....	0.2	0.4	0.9	1.0	1.9	3.7	6.4	10.7	19.4	38.3
1990.....	*	0.4	0.7	1.1	1.8	3.5	6.7	11.4	19.9	38.2
1989.....	*	*	0.6	0.8	1.7	3.1	5.9	9.9	18.0	40.8
1988.....	*	*	0.5	1.0	2.0	3.6	6.0	10.1	18.3	38.7
1987.....	*	*	0.6	0.8	1.5	3.5	6.1	9.3	17.5	39.4
1986.....	*	*	0.6	0.8	1.7	3.1	6.2	10.5	19.6	37.7
1985.....	*	0.4	0.5	0.8	1.9	3.1	5.9	11.0	19.0	41.5
1984.....	*	*	0.4	1.3	1.8	3.4	6.7	11.4	20.7	42.9
1983.....	*	0.4	0.5	1.0	2.0	3.6	6.6	11.7	21.4	47.8
1982.....	*	*	0.6	1.0	2.0	3.2	7.0	11.4	23.1	49.1
1981.....	0.3	0.5	0.7	1.0	1.8	3.9	6.3	12.4	22.9	48.3
1980.....	0.2	0.6	0.7	1.2	2.1	4.4	7.5	14.8	26.2	54.7
1979.....	0.3	0.6	0.8	1.4	2.3	3.9	7.0	13.7	22.9	55.0
WHITE, BOTH SEXES										
1998.....	*	0.2	0.3	0.7	1.4	2.7	5.9	10.7	21.5	45.7
1997.....	*	0.2	0.3	0.6	1.2	2.8	5.8	11.4	21.8	45.7
1996.....	0.1	0.2	0.3	0.6	1.4	2.7	5.9	11.6	20.7	45.1
1995.....	0.1	0.2	0.4	0.5	1.4	2.7	5.7	10.8	21.0	44.7
1994.....	0.1	*	0.3	0.6	1.5	2.6	6.4	10.7	21.4	43.4
1993.....	*	*	0.4	0.6	1.5	2.8	5.2	10.2	19.6	43.1
1992.....	*	*	0.3	0.6	1.5	2.7	6.1	10.4	20.7	43.9
1991.....	*	0.2	0.3	0.5	1.2	2.3	5.5	10.2	18.7	41.8
1990.....	*	0.2	0.3	0.6	1.2	2.6	5.7	10.2	19.8	43.5
1989.....	*	0.2	0.4	0.5	1.2	2.3	5.2	9.9	20.0	43.3
1988.....	*	*	0.2	0.6	1.0	2.6	5.1	9.9	19.5	40.5
1987.....	*	*	0.3	0.4	1.3	2.6	5.5	10.2	18.3	42.8
1986.....	*	*	0.4	0.5	1.1	2.3	5.4	10.4	20.4	42.5
1985.....	*	*	0.3	0.5	1.3	2.5	5.4	11.2	20.3	45.4
1984.....	*	*	0.2	0.8	1.4	2.8	6.6	11.4	21.6	49.4
1983.....	*	*	0.3	0.6	1.5	3.1	6.2	12.7	23.4	55.9
1982.....	*	*	0.3	0.6	1.5	3.0	6.8	12.6	24.2	59.1
1981.....	*	0.2	0.4	0.7	1.5	3.2	6.2	14.1	26.7	58.2
1980.....	0.1	0.3	0.4	0.9	1.8	3.3	7.7	15.3	29.9	67.0
1979.....	0.2	0.3	0.4	0.8	1.7	3.6	7.3	14.2	27.8	65.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE RENAL DISEASE (403)										
WHITE MALE										
1998.....	*	0.3	0.5	1.0	1.5	2.9	6.5	12.7	24.3	56.8
1997.....	*	*	0.4	0.6	1.5	2.7	6.8	12.3	27.4	58.0
1996.....	*	*	0.4	0.6	1.5	3.0	6.4	13.2	23.4	57.2
1995.....	*	*	0.6	0.6	1.8	2.8	6.7	12.6	25.6	57.6
1994.....	*	*	0.5	0.7	1.7	3.1	6.9	12.8	26.6	58.8
1993.....	*	*	0.5	0.8	1.6	3.2	5.8	12.5	24.4	56.4
1992.....	*	*	*	0.6	1.6	3.3	7.1	13.3	26.7	58.2
1991.....	*	*	*	0.6	1.3	2.2	6.1	12.5	23.5	59.1
1990.....	*	*	*	0.7	1.4	2.8	6.5	12.3	23.9	63.6
1989.....	*	*	0.4	0.7	1.6	2.6	6.6	13.0	28.0	55.9
1988.....	*	*	*	0.7	1.2	2.8	6.3	13.2	26.1	52.5
1987.....	*	*	*	*	1.6	2.6	7.0	13.7	23.9	58.1
1986.....	*	*	*	0.6	1.3	2.9	6.4	13.2	26.0	59.4
1985.....	*	*	0.5	0.7	1.6	2.8	6.5	14.9	27.9	60.5
1984.....	*	*	*	0.6	1.7	3.3	8.3	15.5	27.7	69.0
1983.....	*	*	*	0.7	1.7	3.7	7.8	17.3	31.0	78.1
1982.....	*	*	*	0.8	1.9	4.0	8.8	17.0	31.7	84.3
1981.....	*	*	0.5	0.9	1.8	3.7	8.4	19.5	38.7	85.2
1980.....	0.1	0.2	0.5	1.1	2.3	3.8	9.6	18.6	39.2	97.0
1979.....	0.2	0.4	0.5	1.0	2.0	4.8	9.7	18.3	38.6	90.1
WHITE FEMALE										
1998.....	*	*	*	0.4	1.2	2.5	5.4	9.3	19.8	41.2
1997.....	*	*	*	0.6	0.9	2.9	4.9	10.7	18.6	40.8
1996.....	*	*	*	0.6	1.3	2.3	5.6	10.4	19.1	40.3
1995.....	*	*	*	0.5	1.1	2.6	4.9	9.6	18.3	39.7
1994.....	*	*	*	0.5	1.3	2.2	6.0	9.4	18.6	37.6
1993.....	*	*	*	0.5	1.4	2.4	4.8	8.7	17.1	38.1
1992.....	*	*	*	0.6	1.3	2.3	5.3	8.4	17.4	38.4
1991.....	*	*	*	0.4	1.1	2.4	5.0	8.7	16.2	35.2
1990.....	*	*	*	0.5	1.0	2.5	5.2	8.8	17.6	35.9
1989.....	*	*	*	*	1.0	2.1	4.2	8.0	15.9	38.5
1988.....	*	*	*	0.5	0.8	2.5	4.2	7.8	16.1	35.9
1987.....	*	*	*	0.5	0.9	2.5	4.3	7.9	15.4	36.8
1986.....	*	*	0.4	*	1.0	1.9	4.7	8.7	17.5	36.0
1985.....	*	*	*	*	1.1	2.3	4.6	8.9	16.4	39.5
1984.....	*	*	*	0.9	1.2	2.4	5.3	8.9	18.4	41.6
1983.....	*	*	*	0.4	1.3	2.7	5.0	9.8	19.5	47.0
1982.....	*	*	*	0.4	1.2	2.3	5.4	9.9	20.2	48.7
1981.....	*	*	*	0.5	1.2	2.7	4.7	10.8	20.5	46.9
1980.....	0.1	0.3	0.3	0.7	1.3	2.8	6.4	13.2	25.0	54.0
1979.....	0.1	0.2	0.3	0.7	1.4	2.7	5.6	11.6	22.2	54.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE RENAL DISEASE (403)										
ALL OTHER, BOTH SEXES										
1998.....	0.9	2.1	3.6	5.4	9.7	14.7	22.0	33.4	56.6	101.1
1997.....	1.4	2.2	3.3	4.1	7.3	11.6	21.8	34.4	50.2	95.6
1996.....	1.0	2.3	3.2	4.6	8.2	12.9	20.4	32.6	57.5	94.3
1995.....	1.5	1.7	2.9	5.6	8.8	12.6	21.6	35.3	60.3	92.0
1994.....	1.2	2.2	3.1	5.4	6.8	11.8	20.6	33.3	64.3	86.4
1993.....	1.2	1.8	2.9	5.9	9.0	12.8	21.5	35.1	51.7	105.8
1992.....	1.3	2.5	3.0	4.5	8.1	13.5	23.2	31.0	54.7	86.6
1991.....	1.3	2.1	4.5	5.1	6.9	13.5	20.0	30.7	52.1	75.9
1990.....	1.0	2.1	3.9	5.4	7.5	11.6	20.3	34.6	44.3	76.4
1989.....	1.1	1.9	3.8	3.9	7.2	13.2	21.0	30.2	46.5	63.7
1988.....	1.0	1.3	3.7	4.3	9.5	12.5	20.6	29.9	42.5	68.5
1987.....	1.2	1.7	2.9	4.8	6.3	11.6	21.8	24.9	42.5	69.2
1986.....	*	1.3	3.1	4.5	8.0	11.9	18.2	27.3	47.8	61.9
1985.....	1.4	2.1	3.1	4.2	8.4	12.2	18.0	30.2	47.0	68.8
1984.....	1.1	2.0	2.1	4.9	7.2	11.3	23.7	32.6	46.9	62.7
1983.....	1.6	2.3	2.4	6.1	8.7	12.0	21.0	27.7	46.6	67.0
1982.....	*	2.0	3.6	5.4	8.7	12.1	21.0	30.3	57.8	58.3
1981.....	1.8	2.2	4.0	5.2	7.6	15.0	22.0	31.0	57.7	73.2
1980.....	1.6	3.2	4.5	5.8	10.4	16.4	23.0	33.0	45.8	76.4
1979.....	1.9	3.0	5.6	7.0	10.2	16.8	22.7	34.5	37.9	72.4
ALL OTHER MALE										
1998.....	1.1	2.7	5.6	6.8	9.4	16.3	22.2	34.3	50.5	83.0
1997.....	2.0	3.5	4.3	5.4	9.4	13.1	17.1	35.2	48.1	109.3
1996.....	*	3.3	5.1	5.9	9.2	15.1	23.7	36.7	56.7	103.3
1995.....	1.9	2.6	3.6	5.5	10.1	12.7	23.0	36.4	64.3	104.9
1994.....	1.6	3.0	4.2	7.3	7.8	11.2	18.9	34.8	58.7	91.0
1993.....	1.8	2.1	3.1	5.7	11.4	12.2	22.3	29.4	54.9	96.1
1992.....	1.5	3.3	3.1	4.9	8.4	14.8	27.0	35.7	58.4	86.5
1991.....	1.9	2.4	4.7	6.0	6.9	12.7	22.2	33.5	49.6	82.6
1990.....	*	2.6	4.4	5.6	7.3	12.0	20.0	34.0	45.3	104.4
1989.....	*	2.5	5.4	4.0	7.3	15.5	21.2	33.8	55.4	58.0
1988.....	*	*	5.1	3.9	8.7	12.2	18.4	26.5	41.9	65.8
1987.....	*	*	3.5	6.9	7.3	11.4	20.8	29.3	45.5	71.4
1986.....	*	*	4.5	4.7	9.7	10.0	16.8	26.2	54.6	69.3
1985.....	*	*	3.3	4.1	8.3	14.4	18.0	29.1	43.8	78.1
1984.....	*	2.8	*	5.9	8.2	10.4	29.0	27.2	46.5	73.6
1983.....	*	*	*	7.5	9.6	13.1	20.5	24.9	51.5	85.7
1982.....	*	*	4.5	5.4	9.3	13.7	20.8	35.4	57.4	65.7
1981.....	*	*	5.2	5.7	8.2	16.6	22.6	34.4	67.0	89.1
1980.....	2.5	3.8	5.3	6.3	12.3	14.0	29.4	35.7	52.7	103.7
1979.....	2.9	3.2	6.5	6.2	9.6	20.2	24.2	34.1	47.7	96.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE RENAL DISEASE (403)										
ALL OTHER FEMALE										
1998.....	*	1.6	2.0	4.2	10.0	13.5	21.9	32.8	60.1	109.3
1997.....	*	*	2.4	3.2	5.7	10.6	25.0	33.8	51.4	89.5
1996.....	*	1.3	*	3.6	7.5	11.3	18.0	30.0	57.9	90.2
1995.....	1.1	*	2.4	5.8	7.7	12.6	20.6	34.7	58.1	86.5
1994.....	*	*	2.2	3.9	6.1	12.3	21.8	32.3	67.4	84.4
1993.....	*	*	2.7	6.0	7.2	13.3	21.0	38.6	49.9	110.0
1992.....	*	1.7	2.9	4.1	7.8	12.6	20.6	28.1	52.6	86.6
1991.....	*	*	4.3	4.3	6.9	14.1	18.5	28.9	53.3	72.5
1990.....	*	*	3.4	5.2	7.6	11.3	20.5	34.9	43.8	63.7
1989.....	*	*	2.5	3.8	7.2	11.5	20.8	27.9	41.5	66.3
1988.....	*	*	2.5	4.6	10.2	12.6	22.2	32.1	42.6	69.8
1987.....	*	*	*	3.1	5.6	11.8	22.4	22.0	40.8	68.1
1986.....	*	*	*	4.4	6.6	13.3	19.2	28.0	44.1	58.3
1985.....	*	*	2.9	4.3	8.5	10.6	17.9	30.9	48.9	64.7
1984.....	*	*	*	4.1	6.5	11.9	20.0	36.2	46.8	57.2
1983.....	*	*	*	5.0	8.0	11.3	21.5	29.6	43.6	57.6
1982.....	*	*	2.9	5.3	8.2	10.9	21.2	26.7	58.0	54.1
1981.....	*	*	2.9	4.8	7.1	13.7	21.4	28.7	52.0	65.1
1980.....	0.8	2.8	3.9	5.4	8.9	18.3	18.2	31.2	41.6	62.4
1979.....	1.1	2.9	4.8	7.7	10.8	14.2	21.6	34.9	32.1	60.5
BLACK, BOTH SEXES										
1998.....	1.3	2.8	4.9	7.4	12.7	18.1	27.8	40.1	63.3	115.3
1997.....	1.9	3.0	4.5	5.4	9.7	14.4	26.8	40.5	61.0	106.7
1996.....	1.3	3.0	4.5	6.0	10.7	15.9	24.4	38.0	65.0	103.4
1995.....	1.9	2.4	4.0	7.2	10.7	15.4	26.0	41.6	66.3	100.0
1994.....	1.6	3.0	3.8	7.0	8.0	14.4	24.9	38.7	72.1	91.8
1993.....	1.7	2.5	3.6	7.7	11.2	15.6	26.0	40.0	59.2	113.0
1992.....	1.8	3.3	4.1	5.4	10.2	16.9	27.2	35.3	57.2	90.7
1991.....	1.8	2.8	5.9	6.4	8.6	16.6	23.5	36.8	55.6	79.7
1990.....	1.4	2.8	5.1	6.7	9.1	13.6	24.3	39.7	51.3	83.1
1989.....	1.5	2.4	4.6	4.9	8.9	14.9	24.6	34.0	50.7	68.2
1988.....	1.4	1.5	4.6	5.1	11.8	15.2	23.2	34.0	47.1	74.8
1987.....	1.6	2.2	3.6	5.9	7.9	14.1	24.9	28.0	46.8	73.1
1986.....	*	1.7	3.9	5.5	9.6	13.7	21.3	30.2	52.2	66.2
1985.....	1.8	2.7	3.8	4.4	10.1	14.2	20.6	33.4	52.2	75.9
1984.....	1.4	2.4	2.6	5.9	8.6	13.1	26.6	35.3	51.3	67.4
1983.....	2.0	2.8	2.8	7.3	10.2	13.7	24.0	31.2	51.1	69.6
1982.....	*	2.4	4.4	6.0	10.3	14.0	23.4	33.7	61.5	59.7
1981.....	2.2	2.6	4.7	5.9	8.9	16.9	24.8	33.8	61.7	79.8
1980.....	2.0	3.7	5.2	6.4	11.7	18.4	25.2	36.3	49.5	79.8
1979.....	2.3	3.5	6.5	8.0	11.5	18.4	25.4	36.1	40.8	75.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE RENAL DISEASE (403)										
BLACK MALE										
1998.....	*	3.8	7.4	9.7	12.3	19.7	28.7	39.3	58.7	95.7
1997.....	2.7	4.8	6.1	7.0	12.6	15.5	21.4	41.3	57.7	121.5
1996.....	*	4.5	7.3	7.8	11.9	19.1	29.1	44.5	67.0	112.8
1995.....	2.5	3.5	4.8	7.0	11.8	16.0	27.8	43.2	71.8	113.6
1994.....	2.2	4.2	5.1	9.4	9.7	13.5	23.0	40.5	67.4	95.6
1993.....	2.5	2.8	4.3	7.8	13.9	15.6	28.4	33.8	61.9	100.8
1992.....	2.0	4.4	4.2	5.8	10.4	19.1	32.0	41.4	57.5	94.7
1991.....	2.6	3.2	6.3	8.0	8.8	15.5	26.9	40.9	54.5	88.4
1990.....	*	3.6	5.8	7.0	8.4	14.7	24.9	39.7	55.9	116.2
1989.....	*	3.5	6.5	5.2	8.8	17.9	25.0	39.3	63.9	60.6
1988.....	*	*	6.2	4.5	10.8	15.1	20.0	29.4	46.8	72.3
1987.....	*	*	4.4	8.7	9.1	14.1	23.7	32.6	50.0	73.4
1986.....	*	*	5.6	5.7	11.6	11.1	19.8	29.1	61.1	74.6
1985.....	*	*	4.0	4.2	10.2	16.8	21.1	32.9	47.1	87.1
1984.....	*	*	*	7.1	10.0	12.2	33.9	28.1	51.2	80.3
1983.....	*	*	*	8.8	11.7	14.6	23.8	28.5	57.3	90.0
1982.....	*	*	5.5	6.1	11.1	15.9	24.8	39.1	63.8	65.5
1981.....	*	*	6.1	6.6	9.7	19.5	25.9	38.0	70.1	98.2
1980.....	3.2	4.4	6.1	6.8	14.0	15.6	32.4	39.2	56.0	109.4
1979.....	3.5	3.6	7.6	7.0	11.0	22.5	27.9	35.4	53.2	103.8
BLACK FEMALE										
1998.....	*	2.1	2.7	5.7	13.1	16.8	27.2	40.6	65.7	123.4
1997.....	*	*	3.1	4.1	7.5	13.6	30.5	40.0	62.6	100.5
1996.....	*	*	*	4.6	9.7	13.5	21.2	34.0	63.9	99.5
1995.....	*	*	3.3	7.4	9.9	15.0	24.7	40.6	63.6	94.4
1994.....	*	*	2.7	5.1	6.8	15.0	26.3	37.6	74.5	90.3
1993.....	*	*	3.1	7.6	9.1	15.6	24.3	43.6	57.8	117.9
1992.....	*	2.4	3.9	5.1	10.0	15.2	24.0	31.8	57.0	89.0
1991.....	*	*	5.6	5.1	8.4	17.4	21.3	34.4	56.1	76.1
1990.....	*	*	4.5	6.5	9.6	12.8	23.9	39.7	49.0	69.1
1989.....	*	*	3.1	4.7	8.9	12.8	24.3	30.9	43.8	71.9
1988.....	*	*	3.2	5.7	12.5	15.3	25.3	36.8	47.2	75.8
1987.....	*	*	*	3.6	7.0	14.1	25.7	25.3	45.0	72.9
1986.....	*	*	*	5.3	8.1	15.6	22.3	31.0	47.3	62.3
1985.....	*	*	3.6	4.6	10.1	12.3	20.2	33.7	55.1	70.7
1984.....	*	*	*	4.9	7.4	13.8	21.8	39.8	51.3	61.2
1983.....	*	*	*	6.0	9.1	13.0	24.2	32.8	47.6	59.7
1982.....	*	*	3.5	6.0	9.7	12.6	22.4	30.3	60.1	56.8
1981.....	*	*	3.5	5.3	8.2	15.1	24.0	31.1	56.8	69.9
1980.....	1.0	3.2	4.5	6.1	9.9	20.4	20.0	34.5	45.5	65.1
1979.....	1.3	3.5	5.5	8.9	12.0	15.3	23.6	36.4	33.1	61.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
TOTAL, BOTH SEXES										
1998.....	0.2	0.3	0.4	0.5	1.0	1.7	2.8	5.0	9.9	20.1
1997.....	0.1	0.2	0.3	0.7	0.9	1.5	2.9	5.4	9.7	22.2
1996.....	0.2	0.3	0.3	0.7	1.2	1.6	2.8	5.7	9.4	23.8
1995.....	0.1	0.3	0.4	0.6	1.2	1.6	3.0	6.0	10.4	23.1
1994.....	0.1	0.3	0.5	0.7	1.1	2.0	3.1	5.7	10.9	23.0
1993.....	0.2	0.2	0.4	0.7	1.2	1.7	3.4	5.4	11.7	23.2
1992.....	0.2	0.2	0.3	0.9	1.3	1.9	3.3	5.7	11.5	24.8
1991.....	0.1	0.3	0.4	0.6	1.1	2.0	3.5	6.3	10.9	24.2
1990.....	0.2	0.2	0.5	0.8	1.2	2.3	3.4	5.7	11.9	22.6
1989.....	*	0.2	0.4	0.6	1.3	1.9	3.6	7.1	11.2	24.8
1988.....	*	0.2	0.3	0.7	1.4	2.1	3.3	7.0	12.6	25.9
1987.....	0.2	0.2	0.4	0.7	1.3	2.0	4.0	7.3	12.5	27.8
1986.....	0.2	*	0.4	0.6	1.3	2.3	4.1	6.8	12.4	29.3
1985.....	*	0.3	0.5	0.8	1.5	2.2	4.4	8.4	15.8	32.8
1984.....	*	0.2	0.4	0.7	1.1	2.9	4.7	8.6	16.9	35.0
1983.....	*	0.2	0.4	0.8	1.5	2.8	4.9	9.5	18.1	40.3
1982.....	*	0.2	0.4	0.8	1.4	2.6	5.1	10.2	17.9	40.7
1981.....	0.2	0.3	0.5	1.1	1.4	3.1	5.9	11.2	20.7	44.7
1980.....	0.2	0.4	0.6	1.1	1.9	3.6	6.6	12.7	22.8	53.1
1979.....	0.3	0.3	0.6	1.1	1.7	3.8	6.9	13.1	22.9	50.9
TOTAL, MALE										
1998.....	0.3	0.4	0.5	0.7	1.2	2.1	2.9	5.4	9.5	20.5
1997.....	*	0.3	0.4	0.8	1.0	1.7	3.3	6.6	10.4	24.0
1996.....	*	0.4	0.4	0.7	1.4	1.5	2.5	6.0	10.8	24.4
1995.....	*	0.3	0.5	0.5	1.2	1.6	3.2	6.7	10.6	26.5
1994.....	*	0.4	0.6	0.8	1.1	2.2	3.4	7.2	12.3	24.8
1993.....	0.2	*	0.5	0.8	1.1	1.8	3.7	6.3	13.1	25.7
1992.....	*	0.4	0.4	1.0	1.3	1.8	3.5	6.3	12.5	30.1
1991.....	*	0.4	0.4	0.8	1.1	2.1	3.6	7.4	11.3	26.8
1990.....	0.3	0.3	0.6	0.9	1.2	2.6	3.4	5.9	12.5	25.2
1989.....	*	*	0.5	0.7	1.3	1.8	3.9	7.6	12.4	25.3
1988.....	*	*	*	0.8	1.3	2.2	3.6	7.7	13.8	29.1
1987.....	*	0.3	0.6	1.0	1.3	2.2	4.0	8.1	13.3	26.2
1986.....	*	*	0.5	0.6	1.4	2.7	4.9	7.9	14.9	26.2
1985.....	*	0.4	0.6	0.9	1.6	2.7	5.1	10.2	18.0	32.6
1984.....	*	*	0.6	1.0	1.1	3.5	5.1	9.6	19.6	33.3
1983.....	*	*	0.4	0.9	1.6	3.3	5.6	10.8	18.5	40.7
1982.....	*	*	0.4	1.0	1.6	2.4	5.7	12.7	17.6	42.7
1981.....	*	*	0.6	1.1	1.6	3.5	6.8	12.2	22.5	44.8
1980.....	0.2	0.4	0.6	1.3	2.0	3.7	7.6	13.7	23.6	57.2
1979.....	0.4	0.3	0.6	1.1	1.9	4.2	7.7	15.8	24.3	53.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
TOTAL, FEMALE										
1998.....	*	*	0.2	0.4	0.8	1.4	2.8	4.7	10.2	19.9
1997.....	*	*	*	0.5	0.8	1.3	2.6	4.6	9.3	21.5
1996.....	*	*	*	0.7	1.1	1.6	3.0	5.5	8.6	23.6
1995.....	*	0.2	0.3	0.7	1.2	1.5	3.0	5.6	10.3	21.8
1994.....	*	*	0.3	0.6	1.1	1.9	2.8	4.7	10.1	22.3
1993.....	*	*	*	0.6	1.2	1.7	3.2	4.8	11.0	22.2
1992.....	*	*	0.3	0.8	1.3	2.0	3.2	5.3	11.0	22.8
1991.....	*	*	0.4	0.5	1.2	1.9	3.5	5.6	10.6	23.3
1990.....	*	*	0.4	0.7	1.2	2.0	3.4	5.6	11.6	21.6
1989.....	*	*	*	0.5	1.2	1.9	3.4	6.7	10.6	24.6
1988.....	*	*	*	0.6	1.4	2.0	3.1	6.5	11.9	24.7
1987.....	*	*	*	0.5	1.3	1.8	4.0	6.8	12.0	28.4
1986.....	*	*	*	0.6	1.3	1.9	3.5	6.1	11.1	30.6
1985.....	*	*	0.4	0.7	1.3	1.9	4.0	7.3	14.7	32.9
1984.....	*	*	*	0.5	1.1	2.4	4.3	8.0	15.4	35.6
1983.....	*	*	0.4	0.7	1.5	2.5	4.4	8.7	17.9	40.1
1982.....	*	*	*	0.7	1.2	2.7	4.6	8.6	18.1	39.9
1981.....	*	*	0.5	1.0	1.1	2.8	5.3	10.5	19.8	44.7
1980.....	0.2	0.4	0.6	0.9	1.8	3.5	5.9	12.0	22.3	51.3
1979.....	0.2	0.3	0.5	1.0	1.6	3.4	6.4	11.4	22.1	49.8
WHITE, BOTH SEXES										
1998.....	*	*	0.2	*	0.5	1.1	2.1	3.8	8.5	18.0
1997.....	*	*	*	0.3	0.6	1.0	2.2	4.4	8.3	19.8
1996.....	*	0.1	*	0.4	0.7	1.0	2.0	4.1	8.2	21.8
1995.....	*	*	*	0.3	0.7	1.1	2.2	5.0	9.0	20.5
1994.....	*	*	*	0.2	0.7	1.4	2.2	4.7	9.2	20.8
1993.....	*	*	*	0.4	0.8	1.3	2.5	4.3	9.8	21.1
1992.....	*	*	*	0.4	0.7	1.2	2.5	4.6	10.2	22.2
1991.....	*	*	*	0.3	0.7	1.3	2.4	5.0	9.1	22.7
1990.....	*	*	*	0.4	0.7	1.6	2.6	4.5	10.2	20.3
1989.....	*	*	*	0.3	0.8	1.2	2.7	5.9	9.1	22.7
1988.....	*	*	*	0.4	0.9	1.5	2.4	5.6	10.6	24.6
1987.....	*	*	*	0.4	0.7	1.3	3.1	6.1	10.7	26.1
1986.....	*	*	*	0.4	0.9	1.4	3.1	5.8	10.8	27.7
1985.....	*	*	*	0.5	0.9	1.5	3.5	7.3	14.3	30.5
1984.....	*	*	*	0.4	0.7	2.1	3.3	7.1	15.2	33.9
1983.....	*	*	*	0.4	1.0	1.9	3.9	8.2	16.5	38.9
1982.....	*	*	*	0.5	0.9	1.9	3.9	8.8	16.5	39.9
1981.....	*	*	0.3	0.6	0.9	2.4	4.7	10.0	19.5	44.2
1980.....	0.1	0.2	0.3	0.7	1.3	2.6	5.1	10.7	21.4	53.1
1979.....	0.1	0.1	0.2	0.6	1.2	2.7	5.8	11.8	21.7	50.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
WHITE MALE										
1998.....	*	*	*	*	0.6	1.5	2.1	4.1	8.4	19.4
1997.....	*	*	*	0.4	0.6	1.2	2.6	5.8	9.2	21.9
1996.....	*	*	*	*	0.8	1.0	1.9	4.6	9.7	22.4
1995.....	*	*	*	*	0.7	1.2	2.3	5.7	9.5	23.7
1994.....	*	*	*	*	0.7	1.6	2.6	6.3	10.9	22.5
1993.....	*	*	*	*	0.8	1.5	2.8	5.3	11.7	23.9
1992.....	*	*	*	*	0.8	1.2	2.8	5.0	11.3	26.9
1991.....	*	*	*	0.5	0.8	1.4	2.4	6.0	10.3	25.2
1990.....	*	*	*	*	0.7	1.9	2.8	4.4	11.0	23.6
1989.....	*	*	*	*	1.0	1.4	3.1	6.1	9.6	24.4
1988.....	*	*	*	*	0.9	1.7	2.5	6.7	12.0	26.8
1987.....	*	*	*	0.5	0.7	1.5	3.2	6.7	11.2	24.3
1986.....	*	*	*	*	1.0	1.8	3.9	7.0	12.8	24.3
1985.....	*	*	*	0.5	1.1	2.0	4.5	9.2	15.9	31.5
1984.....	*	*	*	0.6	0.8	2.8	3.8	8.1	17.6	31.9
1983.....	*	*	*	0.5	1.1	2.3	4.8	9.7	17.3	39.1
1982.....	*	*	*	0.7	1.1	1.8	5.0	11.0	16.8	42.6
1981.....	*	*	0.4	0.7	1.1	3.1	5.4	11.2	21.9	43.8
1980.....	0.0	0.1	0.3	1.0	1.6	3.1	6.3	11.9	22.6	55.9
1979.....	0.2	0.0	0.3	0.7	1.2	3.2	6.8	14.5	23.5	52.4
WHITE FEMALE										
1998.....	*	*	*	*	*	0.8	2.0	3.5	8.5	17.5
1997.....	*	*	*	*	0.5	0.8	1.9	3.5	7.7	19.0
1996.....	*	*	*	*	0.7	1.1	2.1	3.8	7.4	21.5
1995.....	*	*	*	*	0.7	1.0	2.1	4.5	8.8	19.2
1994.....	*	*	*	*	0.6	1.3	2.0	3.6	8.3	20.2
1993.....	*	*	*	*	0.7	1.1	2.3	3.6	8.8	20.0
1992.....	*	*	*	*	0.6	1.3	2.3	4.3	9.6	20.4
1991.....	*	*	*	*	0.6	1.2	2.5	4.4	8.5	21.8
1990.....	*	*	*	*	0.8	1.4	2.4	4.6	9.7	19.1
1989.....	*	*	*	*	0.6	1.1	2.4	5.8	8.8	22.1
1988.....	*	*	*	0.5	0.8	1.4	2.3	4.8	9.9	23.8
1987.....	*	*	*	*	0.7	1.1	3.0	5.8	10.5	26.7
1986.....	*	*	*	*	0.7	1.1	2.5	4.9	9.7	29.0
1985.....	*	*	*	0.4	0.8	1.2	2.7	6.2	13.5	30.1
1984.....	*	*	*	*	0.6	1.6	3.0	6.5	13.9	34.8
1983.....	*	*	*	0.4	0.8	1.6	3.3	7.3	16.0	38.9
1982.....	*	*	*	*	0.8	2.0	3.1	7.4	16.4	38.8
1981.....	*	*	*	0.5	0.7	1.7	4.2	9.2	18.2	44.3
1980.....	0.1	0.2	0.2	0.5	1.0	2.2	4.3	9.9	20.7	51.9
1979.....	0.0	0.1	0.2	0.5	1.1	2.3	5.1	10.0	20.8	49.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
ALL OTHER, BOTH SEXES										
1998.....	0.9	1.1	1.5	2.7	4.2	5.6	8.8	15.9	24.9	39.5
1997.....	0.6	1.0	1.0	2.6	3.3	5.1	8.5	14.2	24.2	45.2
1996.....	0.7	1.2	1.4	3.1	4.5	5.2	9.3	20.3	21.1	43.1
1995.....	*	1.1	2.0	2.3	4.4	5.0	10.5	15.3	24.8	50.2
1994.....	*	1.2	2.4	3.3	4.2	6.4	10.4	15.2	27.8	45.1
1993.....	0.8	1.0	1.9	2.8	3.8	5.4	10.9	16.6	31.0	44.8
1992.....	1.0	1.1	1.5	4.2	5.6	7.3	10.8	16.4	25.2	52.3
1991.....	*	1.7	2.2	2.8	4.5	7.8	13.2	18.5	28.9	40.1
1990.....	1.1	*	2.6	3.7	4.7	7.9	11.3	16.6	30.3	46.5
1989.....	*	1.3	1.8	2.8	4.7	7.2	12.5	18.0	33.6	46.5
1988.....	*	*	1.3	2.7	5.6	7.1	11.9	20.0	33.8	39.9
1987.....	*	1.2	2.1	3.3	6.1	7.6	12.4	18.3	30.8	46.3
1986.....	*	*	1.8	2.3	5.2	9.9	13.3	17.0	30.0	47.2
1985.....	*	1.7	2.6	3.4	6.3	8.3	13.5	19.0	32.3	58.5
1984.....	*	*	1.9	2.9	5.1	9.8	17.2	23.1	35.9	46.1
1983.....	*	*	2.0	3.4	6.7	10.6	14.0	22.0	36.6	55.0
1982.....	*	*	2.0	3.6	5.2	8.5	15.9	23.9	33.5	50.8
1981.....	*	*	2.1	5.1	5.8	9.9	17.6	22.8	35.3	51.1
1980.....	1.0	1.9	3.0	4.3	7.6	12.3	21.1	32.6	39.3	53.5
1979.....	1.5	2.2	3.0	5.0	7.2	13.2	18.2	26.1	36.2	58.6
ALL OTHER MALE										
1998.....	1.2	1.6	2.3	3.4	5.2	6.4	8.9	17.5	20.7	30.4
1997.....	*	1.5	*	3.4	3.8	5.7	9.7	14.5	23.4	42.8
1996.....	*	1.6	*	3.2	6.0	5.4	8.1	19.3	21.9	41.7
1995.....	*	*	2.7	*	4.9	5.1	10.9	16.0	22.9	52.0
1994.....	*	2.1	3.2	4.0	4.2	6.6	11.1	15.8	26.1	46.6
1993.....	1.4	*	2.7	3.4	3.6	4.3	11.6	16.6	26.7	42.6
1992.....	*	*	*	5.4	5.4	7.1	9.9	18.7	24.3	60.3
1991.....	*	2.7	*	3.2	4.0	7.8	14.8	20.4	21.7	41.9
1990.....	*	*	3.1	4.6	5.0	8.7	9.7	20.1	27.5	40.5
1989.....	*	*	3.0	3.7	4.1	6.0	12.3	22.5	40.5	33.3
1988.....	*	*	*	3.7	4.7	7.3	14.2	17.4	31.6	50.6
1987.....	*	*	*	4.2	6.5	7.9	11.4	21.9	34.8	44.2
1986.....	*	*	*	*	4.6	11.2	15.1	16.2	37.0	44.0
1985.....	*	*	3.3	3.4	6.7	9.0	10.3	19.9	39.0	42.5
1984.....	*	*	*	3.8	4.6	9.9	17.5	23.8	40.6	47.2
1983.....	*	*	*	4.3	6.8	12.3	13.0	20.8	30.9	55.7
1982.....	*	*	*	3.7	5.7	7.6	12.1	28.1	25.5	43.3
1981.....	*	*	*	5.3	6.9	7.4	20.1	21.5	28.6	54.7
1980.....	1.3	2.1	3.1	4.0	5.8	9.6	20.3	30.1	34.4	70.8
1979.....	1.9	2.9	2.9	4.5	8.2	13.4	16.3	26.9	32.6	62.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
ALL OTHER FEMALE										
1998.....	*	*	*	2.2	3.4	5.0	8.7	14.8	27.3	43.6
1997.....	*	*	*	*	2.8	4.7	7.7	14.0	24.7	46.3
1996.....	*	*	*	2.9	3.3	5.1	10.2	21.0	20.7	43.7
1995.....	*	*	*	2.5	4.0	4.9	10.2	14.8	25.9	49.4
1994.....	*	*	*	2.8	4.2	6.4	10.0	14.8	28.7	44.5
1993.....	*	*	*	*	4.1	6.2	10.4	16.7	33.4	45.7
1992.....	*	*	*	3.3	5.8	7.5	11.4	15.0	25.7	48.7
1991.....	*	*	*	*	4.9	7.8	12.2	17.3	32.8	39.2
1990.....	*	*	*	2.9	4.4	7.4	12.4	14.4	31.9	49.1
1989.....	*	*	*	*	5.2	8.2	12.6	15.2	29.7	52.6
1988.....	*	*	*	*	6.2	7.1	10.3	21.7	34.8	34.9
1987.....	*	*	*	*	5.8	7.5	13.1	16.1	28.6	47.2
1986.....	*	*	*	*	5.7	8.9	12.0	17.5	26.1	48.7
1985.....	*	*	*	3.3	6.0	7.8	15.6	18.5	28.3	66.7
1984.....	*	*	*	*	5.5	9.6	16.9	22.7	32.9	45.5
1983.....	*	*	*	*	6.7	9.4	14.7	22.8	40.0	54.7
1982.....	*	*	*	3.6	4.9	9.1	18.7	21.1	38.2	54.1
1981.....	*	*	*	5.0	4.8	11.8	15.8	23.6	39.3	49.2
1980.....	0.7	1.8	2.8	4.7	9.1	14.3	21.7	34.2	42.3	44.7
1979.....	1.1	1.6	3.0	5.4	6.4	13.0	19.6	25.6	38.7	57.0
BLACK, BOTH SEXES										
1998.....	1.2	1.5	2.0	3.5	5.3	7.1	10.4	18.8	28.7	45.4
1997.....	0.9	1.2	1.4	3.5	4.1	6.1	10.5	16.7	28.9	52.7
1996.....	1.0	1.7	1.9	4.1	5.6	6.3	11.2	23.8	23.4	46.5
1995.....	*	1.4	2.8	2.9	5.4	6.3	12.8	17.5	28.3	55.5
1994.....	*	1.5	3.1	4.1	4.8	8.3	12.7	17.6	30.4	47.6
1993.....	1.1	1.3	2.5	3.4	5.0	6.7	13.3	19.9	34.3	49.9
1992.....	1.4	1.5	2.0	5.1	6.9	9.0	12.9	18.3	29.3	59.0
1991.....	*	2.3	2.9	3.6	5.7	9.6	15.4	21.5	32.7	44.0
1990.....	1.5	*	3.4	4.8	5.8	9.5	13.6	19.0	33.6	53.5
1989.....	*	1.7	2.4	3.5	5.5	8.6	15.0	20.7	36.5	50.9
1988.....	*	*	*	3.3	6.9	8.5	14.3	23.5	38.2	43.0
1987.....	*	*	2.6	4.2	7.5	9.0	14.2	20.7	32.7	51.0
1986.....	*	*	2.3	2.9	6.4	11.6	14.9	18.5	32.9	51.2
1985.....	*	2.1	3.1	4.1	7.4	9.5	15.4	21.2	34.3	63.1
1984.....	*	*	2.3	3.6	6.2	11.0	19.6	26.8	39.8	48.4
1983.....	*	*	2.5	4.1	7.7	12.3	15.9	24.3	41.0	59.8
1982.....	*	*	2.2	4.3	6.0	9.4	18.5	26.2	36.7	56.3
1981.....	*	*	2.5	5.9	6.7	11.5	19.6	25.4	39.7	53.6
1980.....	1.2	2.4	3.5	4.9	8.7	13.6	22.9	36.6	43.0	56.6
1979.....	1.8	2.5	3.5	5.8	8.0	14.1	20.2	28.0	39.3	63.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
BLACK MALE										
1998.....	*	2.1	3.1	4.4	7.0	8.2	10.0	20.8	23.1	33.4
1997.....	*	*	*	4.7	4.9	6.8	12.1	17.8	28.9	47.9
1996.....	*	2.3	*	4.5	7.7	7.0	10.2	22.8	23.0	49.2
1995.....	*	*	3.7	*	5.9	6.4	13.5	19.0	27.0	58.1
1994.....	*	2.8	4.3	5.1	5.0	8.3	13.3	18.1	28.1	49.8
1993.....	*	*	3.8	*	4.7	*	14.7	20.2	29.5	47.0
1992.....	*	*	*	6.2	6.6	8.1	11.8	19.6	28.3	71.8
1991.....	*	3.8	*	*	5.2	9.5	17.8	24.3	26.7	46.4
1990.....	*	*	4.1	6.1	6.0	10.3	12.3	24.1	32.5	46.8
1989.....	*	*	4.0	4.5	4.8	7.0	15.1	27.0	44.3	37.9
1988.....	*	*	*	4.5	5.7	8.5	17.6	20.3	36.2	53.8
1987.....	*	*	*	5.3	8.2	9.2	13.7	25.1	38.0	50.0
1986.....	*	*	*	*	5.5	13.4	17.3	16.9	40.0	50.8
1985.....	*	*	4.2	4.2	8.0	10.3	11.4	23.5	42.5	45.2
1984.....	*	*	*	4.6	5.6	11.3	20.4	28.7	46.4	50.8
1983.....	*	*	*	5.3	7.4	14.3	15.2	24.2	35.4	61.7
1982.....	*	*	*	4.2	6.5	8.7	14.5	31.7	28.8	50.0
1981.....	*	*	*	6.1	8.2	8.7	22.6	24.1	32.5	53.6
1980.....	1.6	2.5	3.8	4.3	6.5	10.8	23.0	34.7	36.0	77.3
1979.....	2.3	3.2	3.4	5.3	9.1	14.8	18.6	29.2	33.8	71.2
BLACK FEMALE										
1998.....	*	*	*	2.8	4.1	6.2	10.7	17.5	31.7	50.4
1997.....	*	*	*	*	3.5	5.6	9.5	16.0	29.0	54.6
1996.....	*	*	*	3.8	4.0	5.8	11.9	24.4	23.7	45.3
1995.....	*	*	*	*	5.0	6.3	12.3	16.5	28.9	54.4
1994.....	*	*	*	3.4	4.6	8.3	12.3	17.3	31.5	46.8
1993.....	*	*	*	*	5.2	8.0	12.4	19.7	36.7	51.0
1992.....	*	*	*	4.2	7.1	9.7	13.7	17.5	29.8	53.7
1991.....	*	*	*	*	6.1	9.7	13.8	19.8	35.7	42.9
1990.....	*	*	*	3.8	5.6	9.0	14.5	16.1	34.2	56.3
1989.....	*	*	*	*	6.0	9.7	14.9	16.9	32.4	56.9
1988.....	*	*	*	*	7.8	8.5	12.1	25.3	39.3	38.3
1987.....	*	*	*	*	7.0	8.8	14.6	18.0	29.8	51.4
1986.....	*	*	*	*	7.0	10.3	13.3	19.6	29.1	51.4
1985.....	*	*	*	4.1	6.9	8.9	18.0	19.8	29.7	71.4
1984.....	*	*	*	*	6.6	10.7	19.1	25.6	36.2	47.3
1983.....	*	*	*	*	7.9	10.8	16.4	24.3	44.1	58.9
1982.....	*	*	*	4.3	5.5	9.9	21.3	22.7	41.3	59.3
1981.....	*	*	*	5.7	5.6	13.5	17.5	26.2	43.9	53.1
1980.....	0.9	2.2	3.3	5.4	10.5	15.7	22.7	37.9	47.1	46.2
1979.....	1.3	1.9	3.6	6.3	7.1	13.5	21.3	27.1	42.7	59.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: 40-44 YEARS	UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION) 45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ISCHEMIC HEART DISEASE (410-414)										
TOTAL, BOTH SEXES										
1998.....	20.4	41.8	78.1	136.2	234.4	374.5	610.0	968.8	1,684.3	3,743.9
1997.....	20.5	44.5	83.7	145.7	248.1	390.4	631.8	1,009.2	1,721.2	3,900.5
1996.....	21.7	46.7	90.0	149.9	265.8	404.9	662.5	1,057.2	1,796.7	4,005.0
1995.....	23.0	47.7	93.0	156.8	268.4	424.9	678.1	1,087.5	1,845.8	4,152.2
1994.....	22.8	49.4	93.9	162.0	276.2	434.3	696.5	1,107.7	1,893.1	4,200.9
1993.....	24.3	50.6	95.4	167.5	286.5	455.8	720.2	1,162.1	1,975.3	4,325.8
1992.....	25.1	52.4	97.7	174.4	286.2	458.7	735.5	1,162.3	1,971.9	4,285.8
1991.....	24.7	55.2	100.0	181.9	298.3	475.2	764.8	1,214.4	2,038.4	4,374.1
1990.....	25.5	56.0	103.9	186.5	309.8	490.6	799.0	1,279.0	2,107.6	4,498.1
1989.....	26.8	58.0	108.9	194.2	323.8	515.5	819.6	1,319.9	2,183.7	4,577.2
1988.....	28.5	60.8	113.7	203.7	337.5	539.8	872.5	1,374.4	2,277.0	4,717.7
1987.....	31.2	64.7	124.5	210.8	354.5	556.4	902.9	1,407.0	2,301.3	4,716.0
1986.....	34.5	66.9	129.3	220.7	372.6	582.3	942.1	1,466.0	2,383.9	4,807.5
1985.....	35.4	73.0	139.9	238.8	388.3	617.0	989.4	1,540.4	2,501.6	5,006.9
1984.....	36.3	77.1	144.3	246.6	408.4	636.3	1,022.2	1,595.6	2,584.2	5,040.5
1983.....	37.9	79.9	153.1	258.6	424.1	668.5	1,070.8	1,654.7	2,680.7	5,224.0
1982.....	40.6	85.8	158.2	268.0	438.0	693.9	1,096.0	1,691.8	2,729.2	5,228.5
1981.....	42.2	92.0	162.5	277.2	453.0	714.6	1,119.2	1,709.2	2,821.4	5,378.0
1980.....	44.3	92.6	169.1	288.2	469.4	744.0	1,171.7	1,819.6	2,965.6	5,652.1
1979.....	44.8	95.9	174.5	290.7	487.0	732.1	1,184.6	1,803.0	2,917.9	5,376.1
TOTAL, MALE										
1998.....	31.8	66.5	122.7	207.0	342.0	536.5	849.4	1,304.5	2,187.8	4,132.7
1997.....	32.5	71.3	130.9	220.4	364.1	562.4	887.5	1,360.9	2,244.4	4,370.7
1996.....	34.0	73.9	139.5	226.6	392.3	584.0	927.5	1,430.5	2,327.1	4,496.3
1995.....	37.0	77.0	147.0	238.3	396.1	612.3	956.2	1,473.1	2,417.0	4,674.4
1994.....	36.4	79.3	147.4	245.2	409.8	633.7	984.2	1,504.8	2,479.0	4,771.9
1993.....	39.1	81.8	150.1	255.3	425.9	668.2	1,011.7	1,591.6	2,604.8	4,920.7
1992.....	40.3	84.9	153.4	264.9	427.5	673.0	1,039.3	1,602.8	2,589.2	4,878.3
1991.....	40.3	88.8	157.1	277.8	443.5	699.9	1,086.8	1,669.5	2,672.8	4,964.5
1990.....	42.3	90.7	164.4	288.0	464.0	718.1	1,137.8	1,759.9	2,781.0	5,120.7
1989.....	44.0	95.0	172.4	300.6	485.8	754.5	1,168.3	1,810.0	2,863.2	5,157.8
1988.....	46.7	98.4	179.2	312.7	506.1	790.1	1,247.1	1,891.9	2,982.2	5,333.2
1987.....	51.6	105.1	197.6	326.3	534.3	808.9	1,294.7	1,936.7	3,013.1	5,313.7
1986.....	57.0	108.4	208.2	346.4	563.0	850.1	1,351.2	2,017.8	3,109.3	5,425.0
1985.....	58.7	120.1	225.2	375.1	590.3	906.2	1,428.7	2,127.6	3,306.8	5,748.1
1984.....	60.1	126.3	233.7	387.2	621.4	936.3	1,459.2	2,202.3	3,375.2	5,790.8
1983.....	62.6	131.8	247.1	408.9	643.0	994.5	1,544.4	2,287.4	3,461.9	6,003.4
1982.....	67.0	141.7	257.5	427.7	668.1	1,039.2	1,575.5	2,335.0	3,522.5	6,037.8
1981.....	70.5	151.9	264.5	443.9	691.0	1,065.0	1,620.5	2,364.7	3,644.9	6,176.9
1980.....	73.6	153.9	278.0	461.6	721.3	1,114.0	1,685.8	2,486.9	3,799.7	6,501.6
1979.....	74.4	160.6	288.0	468.1	756.4	1,106.0	1,717.6	2,468.3	3,730.3	6,188.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: 40-44 YEARS	UNITED STATES, 1979-98 - 45-49 YEARS	(RATES PER 100,000 POPULATION) 50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ISCHEMIC HEART DISEASE (410-414)										
TOTAL, FEMALE										
1998.....	9.2	18.0	35.8	70.9	138.0	237.8	423.3	730.4	1,385.2	3,582.8
1997.....	8.7	18.6	38.9	76.7	144.5	245.6	434.2	761.9	1,415.1	3,711.0
1996.....	9.6	20.4	43.1	79.0	153.0	255.0	458.6	797.3	1,491.1	3,809.8
1995.....	9.4	19.6	41.9	81.6	154.9	269.2	464.5	822.6	1,523.8	3,948.8
1994.....	9.6	20.6	43.2	85.4	157.7	270.3	476.2	838.5	1,568.9	3,980.8
1993.....	9.8	20.5	43.7	86.7	163.2	282.2	497.9	874.5	1,631.3	4,097.6
1992.....	10.3	21.0	45.0	91.2	161.7	284.3	506.0	871.2	1,637.9	4,056.4
1991.....	9.4	22.8	46.1	93.9	170.8	293.2	523.4	916.9	1,699.0	4,145.9
1990.....	9.1	22.7	46.8	93.8	175.5	306.0	547.6	969.7	1,749.9	4,257.8
1989.....	10.1	22.5	49.0	96.9	183.4	321.3	561.8	1,005.5	1,824.9	4,351.4
1988.....	10.8	24.7	52.0	104.5	191.9	336.2	597.5	1,044.5	1,904.7	4,477.4
1987.....	11.4	26.0	55.8	105.8	199.6	350.8	617.1	1,071.1	1,927.7	4,480.5
1986.....	12.7	27.1	55.4	106.9	208.5	364.7	644.7	1,117.9	2,003.5	4,562.4
1985.....	13.0	28.0	60.1	115.8	213.7	382.8	670.9	1,170.8	2,079.0	4,711.0
1984.....	13.3	30.2	60.7	120.4	224.0	394.4	706.0	1,214.6	2,168.3	4,737.2
1983.....	14.2	30.6	65.5	124.3	234.4	406.4	728.5	1,257.8	2,268.8	4,904.5
1982.....	15.2	32.6	65.8	125.7	238.4	417.2	749.1	1,288.6	2,311.1	4,891.2
1981.....	15.0	35.1	68.0	128.7	246.9	434.2	757.0	1,298.0	2,384.6	5,035.2
1980.....	16.2	34.7	68.6	133.1	252.3	448.0	799.9	1,401.1	2,521.8	5,280.6
1979.....	16.3	34.8	70.0	131.9	254.7	433.6	799.3	1,384.6	2,482.0	5,014.9
WHITE, BOTH SEXES										
1998.....	19.5	39.7	75.2	132.0	229.3	372.9	607.4	971.3	1,699.8	3,838.1
1997.....	19.5	42.3	80.5	140.5	243.2	388.9	626.8	1,014.0	1,739.8	3,999.7
1996.....	20.7	45.0	86.8	145.3	260.9	404.1	659.7	1,061.9	1,815.1	4,112.0
1995.....	22.0	45.3	89.7	152.5	264.3	421.4	672.0	1,092.8	1,861.4	4,246.4
1994.....	21.4	47.3	90.6	157.1	273.9	430.9	692.9	1,114.7	1,915.2	4,297.9
1993.....	22.7	48.9	92.1	162.3	282.5	452.6	718.7	1,170.3	1,995.5	4,417.9
1992.....	23.9	50.3	94.2	169.3	282.8	455.4	735.8	1,172.6	1,996.7	4,380.1
1991.....	23.5	53.3	96.8	177.3	293.2	470.8	764.3	1,225.2	2,062.0	4,479.8
1990.....	24.6	54.3	100.6	182.4	306.1	485.1	800.8	1,291.8	2,140.5	4,609.8
1989.....	25.6	55.5	105.1	189.1	317.8	510.6	822.8	1,332.6	2,220.5	4,693.4
1988.....	27.3	58.5	110.6	200.3	331.8	537.3	879.1	1,389.0	2,310.5	4,854.2
1987.....	30.0	62.6	121.7	208.1	350.6	554.1	908.5	1,428.0	2,338.9	4,847.0
1986.....	32.9	65.1	126.4	218.8	368.3	582.0	951.5	1,487.7	2,427.0	4,942.7
1985.....	34.0	70.7	137.6	234.6	384.5	617.1	996.6	1,565.3	2,543.1	5,164.1
1984.....	34.9	75.0	141.1	243.1	404.9	639.7	1,030.2	1,627.0	2,623.9	5,207.0
1983.....	36.3	78.0	149.8	254.7	420.5	673.0	1,078.0	1,685.9	2,720.6	5,393.9
1982.....	39.3	83.3	154.8	264.3	435.0	699.7	1,108.0	1,728.7	2,779.3	5,397.0
1981.....	40.6	89.5	159.9	273.1	449.5	719.5	1,129.7	1,746.8	2,868.3	5,547.5
1980.....	42.3	89.6	165.5	284.1	467.0	747.9	1,184.0	1,849.3	3,017.6	5,823.0
1979.....	42.9	93.7	170.3	287.1	485.3	736.2	1,197.1	1,833.6	2,989.4	5,550.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ISCHEMIC HEART DISEASE (410-414)										
WHITE MALE										
1998.....	31.0	64.5	119.9	202.6	337.9	541.3	857.5	1,319.5	2,229.0	4,268.2
1997.....	31.6	68.8	127.6	215.6	360.5	567.5	892.8	1,380.1	2,288.5	4,523.9
1996.....	33.0	72.4	137.0	223.5	390.1	590.7	935.9	1,450.8	2,371.5	4,660.1
1995.....	36.0	74.4	144.3	234.7	394.8	615.3	959.1	1,491.1	2,460.7	4,802.8
1994.....	34.9	77.2	143.9	242.1	410.5	638.9	988.9	1,529.5	2,529.2	4,912.3
1993.....	37.4	80.6	147.6	251.4	424.2	673.4	1,020.2	1,620.1	2,652.5	5,058.1
1992.....	39.2	83.0	151.2	262.1	428.1	677.5	1,050.3	1,628.4	2,648.5	5,028.9
1991.....	39.0	87.4	154.5	275.5	441.9	704.0	1,098.5	1,701.8	2,725.5	5,127.5
1990.....	41.6	89.5	161.9	285.0	466.5	721.7	1,149.4	1,792.1	2,856.9	5,280.9
1989.....	42.8	92.3	168.9	297.7	483.5	758.1	1,187.5	1,846.6	2,938.3	5,331.3
1988.....	45.5	96.4	178.3	311.6	505.0	795.2	1,268.0	1,933.3	3,052.2	5,536.4
1987.....	50.1	103.6	196.2	327.3	535.8	814.5	1,313.4	1,981.6	3,086.2	5,508.9
1986.....	54.9	108.1	207.1	348.1	564.0	860.2	1,379.1	2,071.4	3,193.1	5,625.9
1985.....	57.1	118.6	225.2	375.7	592.3	918.1	1,453.8	2,183.9	3,386.8	5,982.1
1984.....	58.8	124.9	232.4	388.7	623.7	951.7	1,485.8	2,269.6	3,458.8	6,037.5
1983.....	61.2	130.7	245.2	410.2	645.9	1,013.3	1,574.1	2,359.3	3,540.7	6,245.4
1982.....	66.0	140.4	257.0	428.2	673.9	1,059.4	1,610.6	2,407.9	3,615.4	6,270.5
1981.....	68.9	149.9	263.9	443.8	695.7	1,086.6	1,655.2	2,445.6	3,735.2	6,427.2
1980.....	71.7	151.5	276.2	462.8	728.8	1,134.3	1,726.0	2,554.5	3,896.0	6,721.9
1979.....	72.7	159.6	285.8	468.6	764.8	1,127.9	1,759.1	2,543.1	3,848.5	6,414.6
WHITE FEMALE										
1998.....	7.9	15.2	31.9	65.3	129.9	228.1	409.8	722.1	1,384.1	3,661.9
1997.....	7.4	16.1	34.8	69.6	135.9	235.9	418.9	754.6	1,417.5	3,791.1
1996.....	8.3	18.0	38.3	71.5	143.2	245.2	444.7	789.1	1,493.7	3,897.0
1995.....	8.0	16.6	37.2	75.2	145.8	257.9	449.0	817.1	1,522.7	4,032.0
1994.....	7.9	18.0	39.3	77.2	149.9	257.3	463.8	831.4	1,575.1	4,063.8
1993.....	8.1	17.7	38.7	78.6	154.6	269.6	486.6	866.8	1,637.0	4,175.4
1992.....	8.8	18.1	39.3	82.3	152.0	272.6	496.0	869.3	1,645.3	4,132.5
1991.....	8.0	20.0	41.3	85.5	160.2	279.8	511.4	912.0	1,709.0	4,235.5
1990.....	7.8	19.9	41.7	86.8	163.9	291.2	539.6	968.7	1,762.3	4,354.9
1989.....	8.6	19.5	43.8	87.9	171.8	307.4	551.0	1,002.0	1,843.2	4,451.8
1988.....	9.4	21.4	45.8	96.9	180.0	325.3	591.5	1,042.0	1,923.2	4,592.5
1987.....	10.1	22.6	50.3	97.9	188.9	339.7	611.1	1,077.2	1,949.9	4,590.7
1986.....	11.2	23.3	49.3	99.8	197.4	353.7	638.7	1,120.1	2,028.5	4,676.6
1985.....	11.3	24.2	54.2	105.4	202.7	371.4	663.6	1,177.5	2,104.2	4,843.6
1984.....	11.3	26.4	54.2	110.8	213.2	386.1	699.0	1,225.8	2,189.3	4,877.8
1983.....	11.9	26.8	59.2	114.3	223.1	397.3	718.4	1,266.3	2,292.5	5,051.1
1982.....	13.2	28.0	58.0	116.8	225.8	409.3	744.6	1,305.8	2,342.0	5,039.3
1981.....	13.0	31.1	61.8	119.6	234.4	423.8	750.7	1,311.9	2,413.9	5,179.4
1980.....	13.7	30.0	61.5	123.0	239.6	437.3	793.2	1,410.8	2,556.0	5,435.5
1979.....	13.7	30.3	62.3	123.1	242.5	422.3	793.3	1,391.8	2,534.3	5,167.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ISCHEMIC HEART DISEASE (410-414)										
ALL OTHER, BOTH SEXES										
1998.....	25.1	52.8	95.7	162.5	266.0	385.4	631.0	947.1	1,527.5	2,853.2
1997.....	25.5	56.0	103.5	177.3	279.2	400.6	672.3	964.6	1,532.6	2,953.5
1996.....	27.1	56.0	109.1	177.7	296.6	411.1	686.0	1,013.4	1,609.3	2,980.2
1995.....	28.4	61.7	112.7	183.4	295.1	450.1	730.8	1,037.1	1,684.8	3,194.4
1994.....	30.4	61.3	113.7	192.9	292.0	460.1	727.4	1,040.4	1,668.4	3,205.4
1993.....	32.3	60.5	115.6	200.7	313.7	480.7	733.0	1,083.7	1,768.7	3,375.6
1992.....	31.3	65.2	119.1	206.9	310.9	484.4	732.2	1,065.6	1,715.6	3,295.7
1991.....	31.3	66.2	120.1	212.0	335.5	510.3	768.1	1,112.2	1,800.3	3,261.7
1990.....	30.3	66.5	124.5	214.4	337.7	535.5	783.4	1,158.4	1,765.0	3,314.1
1989.....	33.9	73.7	133.1	228.8	369.4	556.3	790.0	1,200.2	1,805.1	3,346.1
1988.....	35.3	75.2	133.4	228.2	382.1	561.4	811.1	1,236.3	1,922.2	3,266.5
1987.....	39.1	77.7	143.0	230.5	385.7	577.0	850.2	1,208.2	1,899.7	3,307.1
1986.....	44.3	77.5	149.0	235.0	407.8	585.3	856.2	1,258.5	1,921.5	3,337.2
1985.....	44.3	87.0	155.2	270.5	420.5	615.1	921.4	1,302.1	2,042.1	3,269.2
1984.....	45.3	90.7	166.4	274.1	438.8	606.4	948.8	1,293.9	2,146.5	3,216.1
1983.....	48.3	92.5	176.7	288.8	455.1	628.7	1,004.0	1,353.6	2,234.4	3,321.1
1982.....	48.8	102.0	182.5	297.8	464.6	642.2	982.2	1,333.8	2,171.3	3,360.8
1981.....	52.1	108.5	182.1	310.5	484.5	671.8	1,020.5	1,342.5	2,279.7	3,452.1
1980.....	57.0	113.4	197.3	322.9	491.1	709.6	1,054.3	1,527.1	2,352.1	3,689.4
1979.....	57.5	111.2	208.2	321.9	503.0	695.3	1,061.4	1,504.5	2,072.3	3,350.0
ALL OTHER MALE										
1998.....	36.1	77.7	141.1	236.5	370.5	501.5	780.5	1,165.9	1,758.2	2,946.1
1997.....	37.3	85.5	152.8	251.9	389.5	525.0	841.4	1,176.6	1,784.3	3,034.7
1996.....	39.5	82.9	155.2	246.8	408.3	533.5	852.5	1,234.3	1,866.7	3,072.4
1995.....	42.4	92.7	164.7	262.5	405.8	589.5	928.6	1,295.9	1,958.3	3,472.6
1994.....	44.5	92.6	170.8	266.2	404.6	592.6	940.6	1,258.1	1,965.4	3,456.4
1993.....	48.6	89.5	166.8	281.6	438.8	625.2	933.4	1,305.0	2,121.5	3,637.6
1992.....	46.7	97.4	167.9	284.4	422.3	636.1	936.9	1,350.7	1,992.5	3,471.0
1991.....	47.8	98.3	174.5	294.8	456.6	665.0	976.0	1,352.6	2,151.2	3,457.0
1990.....	46.9	98.5	180.7	309.9	443.4	685.9	1,025.7	1,447.9	2,025.1	3,625.3
1989.....	51.6	112.7	195.6	321.7	504.5	723.4	983.9	1,458.6	2,117.4	3,550.6
1988.....	54.5	111.6	185.5	320.5	515.3	746.7	1,049.0	1,498.2	2,287.2	3,453.2
1987.....	62.3	114.9	207.3	319.2	522.9	757.4	1,115.6	1,513.5	2,278.6	3,485.7
1986.....	71.1	110.5	216.5	332.2	553.2	756.9	1,086.2	1,513.8	2,263.0	3,540.0
1985.....	69.3	130.0	225.2	370.3	572.1	797.1	1,189.3	1,601.5	2,468.6	3,542.5
1984.....	69.0	135.2	243.7	376.2	599.8	794.8	1,201.3	1,579.2	2,521.8	3,477.8
1983.....	72.2	138.6	261.7	397.9	615.0	824.4	1,264.2	1,622.3	2,645.4	3,625.7
1982.....	73.7	150.4	261.3	423.6	614.3	851.6	1,246.0	1,650.0	2,554.3	3,780.6
1981.....	81.0	166.2	268.7	444.1	648.3	868.3	1,295.1	1,614.5	2,695.6	3,685.9
1980.....	86.8	171.7	292.9	451.4	651.5	929.2	1,308.6	1,858.1	2,771.9	4,251.1
1979.....	87.0	168.2	307.3	463.5	675.3	908.3	1,324.2	1,779.1	2,468.6	3,825.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ISCHEMIC HEART DISEASE (410-414)										
ALL OTHER FEMALE										
1998.....	15.3	31.5	57.8	102.7	185.1	298.7	525.8	801.9	1,396.3	2,810.7
1997.....	15.0	30.8	62.2	116.9	194.2	308.0	554.0	826.4	1,391.3	2,916.8
1996.....	16.2	33.1	70.6	121.6	210.8	319.9	569.9	870.7	1,464.9	2,938.7
1995.....	16.3	35.3	69.2	119.1	210.2	346.3	593.2	872.2	1,534.6	3,073.9
1994.....	18.2	34.8	65.9	133.6	206.0	362.0	579.3	903.8	1,505.1	3,096.7
1993.....	18.2	35.8	72.5	135.2	218.1	374.0	592.9	946.4	1,572.4	3,261.4
1992.....	18.0	37.5	77.7	144.3	226.0	372.2	590.6	889.1	1,559.6	3,216.7
1991.....	17.1	38.7	74.1	145.2	243.3	396.1	626.8	962.7	1,594.8	3,155.6
1990.....	16.0	38.9	76.8	137.8	257.3	424.2	618.3	978.8	1,618.2	3,172.6
1989.....	18.7	40.0	80.1	153.8	267.0	432.1	657.4	1,038.6	1,626.9	3,251.4
1988.....	18.8	43.8	89.5	153.8	279.8	423.9	650.8	1,070.5	1,703.4	3,179.3
1987.....	19.0	45.7	89.2	159.2	279.8	442.5	669.1	1,012.8	1,683.2	3,222.7
1986.....	21.2	49.0	92.7	156.4	294.7	457.1	698.4	1,093.5	1,735.6	3,239.7
1985.....	22.8	50.1	97.0	189.8	301.8	478.9	736.6	1,105.7	1,793.3	3,158.0
1984.....	24.9	52.7	102.5	191.3	312.1	464.0	770.4	1,104.3	1,915.0	3,086.2
1983.....	27.9	53.2	107.5	200.3	327.8	483.2	822.2	1,173.5	1,992.7	3,167.6
1982.....	27.5	61.0	118.3	194.8	345.6	484.6	792.0	1,116.1	1,942.0	3,124.1
1981.....	27.4	60.2	111.5	200.9	353.9	523.2	817.1	1,158.5	2,027.3	3,333.3
1980.....	31.7	65.1	119.8	216.5	362.4	541.6	864.6	1,301.6	2,094.1	3,401.8
1979.....	32.6	64.1	127.4	203.9	363.6	532.1	861.4	1,310.9	1,838.7	3,133.3
BLACK, BOTH SEXES										
1998.....	31.3	65.7	117.9	195.9	318.5	447.0	722.5	1,051.3	1,679.3	3,046.7
1997.....	31.1	68.6	128.0	211.4	335.4	451.5	775.5	1,077.8	1,669.2	3,170.7
1996.....	33.4	70.0	134.9	214.2	352.2	469.0	788.1	1,115.6	1,746.0	3,188.9
1995.....	35.3	77.4	136.8	220.0	347.7	515.6	832.4	1,135.8	1,799.0	3,280.2
1994.....	37.7	74.7	138.7	229.0	342.1	524.9	818.7	1,133.9	1,778.8	3,297.7
1993.....	39.2	73.6	140.1	241.1	367.9	554.0	831.7	1,180.5	1,877.2	3,462.4
1992.....	38.5	80.2	143.0	243.8	360.5	550.3	816.1	1,147.8	1,814.5	3,438.5
1991.....	38.2	82.6	144.0	249.5	388.5	579.3	862.1	1,202.9	1,920.2	3,407.3
1990.....	37.8	80.9	150.7	249.0	394.4	607.1	865.1	1,249.8	1,869.0	3,439.3
1989.....	42.5	89.1	157.1	265.5	425.2	627.4	869.9	1,288.5	1,893.6	3,440.5
1988.....	44.3	90.2	158.7	264.2	434.5	628.0	891.7	1,330.7	2,024.6	3,386.9
1987.....	47.9	92.4	167.3	263.5	439.5	646.4	929.7	1,292.5	2,001.5	3,400.5
1986.....	54.3	90.9	172.5	270.6	458.9	653.1	934.5	1,346.6	2,003.5	3,464.2
1985.....	53.6	102.0	179.7	305.7	473.6	676.3	1,000.5	1,379.5	2,147.8	3,387.7
1984.....	54.1	105.1	192.2	307.5	492.7	660.3	1,029.4	1,376.0	2,241.5	3,295.8
1983.....	56.5	107.4	202.0	323.9	505.3	683.9	1,084.0	1,439.5	2,347.1	3,412.5
1982.....	57.0	117.2	206.5	334.2	513.2	693.1	1,047.8	1,400.0	2,284.4	3,444.9
1981.....	60.8	123.8	205.3	345.2	534.0	727.6	1,093.8	1,419.4	2,418.2	3,557.1
1980.....	65.4	127.6	219.3	355.0	535.9	761.7	1,114.7	1,608.3	2,479.7	3,797.4
1979.....	65.2	125.3	229.9	349.7	540.0	731.6	1,114.6	1,543.4	2,117.4	3,383.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ISCHEMIC HEART DISEASE (410-414)										
BLACK MALE										
1998.....	43.6	94.5	173.5	283.4	440.9	576.0	878.3	1,270.2	1,947.1	3,120.7
1997.....	45.5	102.5	187.8	297.1	465.1	577.2	955.7	1,305.4	1,965.8	3,170.7
1996.....	47.0	101.1	189.7	297.5	480.2	595.4	971.0	1,346.2	2,050.7	3,257.7
1995.....	51.9	115.1	199.3	316.6	475.7	658.4	1,052.5	1,408.1	2,087.4	3,485.9
1994.....	53.8	109.9	205.6	316.5	470.7	665.0	1,047.0	1,370.4	2,120.5	3,489.3
1993.....	57.5	107.1	201.5	337.2	513.1	707.3	1,054.6	1,413.7	2,242.4	3,664.4
1992.....	56.2	118.0	200.8	331.3	481.6	714.9	1,050.2	1,473.0	2,128.1	3,618.7
1991.....	57.6	122.2	209.7	345.0	520.6	748.5	1,098.9	1,467.4	2,314.9	3,631.9
1990.....	57.4	118.5	218.6	357.6	515.1	777.8	1,139.3	1,576.4	2,179.9	3,786.0
1989.....	63.7	135.8	232.9	371.9	571.8	815.4	1,085.7	1,572.5	2,232.0	3,660.6
1988.....	67.6	133.2	219.8	366.5	579.7	827.6	1,150.4	1,631.6	2,412.8	3,601.5
1987.....	76.0	137.3	240.6	358.7	589.4	842.9	1,216.1	1,607.4	2,405.4	3,570.3
1986.....	87.2	129.0	250.2	375.9	618.8	839.1	1,186.3	1,616.9	2,317.8	3,717.5
1985.....	84.1	152.5	258.5	413.9	638.7	876.4	1,289.0	1,683.5	2,590.8	3,664.5
1984.....	81.6	157.9	279.7	417.2	673.0	859.9	1,309.8	1,680.8	2,609.5	3,598.4
1983.....	83.6	162.3	296.8	439.7	681.1	893.7	1,372.1	1,719.4	2,770.7	3,773.3
1982.....	85.3	171.8	293.1	472.8	675.8	914.4	1,330.6	1,717.4	2,665.0	3,858.6
1981.....	95.3	188.9	299.0	489.2	713.5	943.2	1,389.5	1,704.4	2,853.2	3,760.7
1980.....	99.6	190.7	321.9	491.7	705.4	999.5	1,380.3	1,956.8	2,904.2	4,287.9
1979.....	98.2	187.2	333.2	500.2	721.8	952.4	1,406.2	1,796.3	2,484.4	3,832.7
BLACK FEMALE										
1998.....	20.5	41.5	72.6	127.7	227.0	350.8	614.2	911.1	1,538.9	3,015.9
1997.....	18.4	40.0	79.5	144.7	238.1	357.5	651.7	934.3	1,515.6	3,170.7
1996.....	21.5	43.8	90.4	149.2	256.0	374.5	663.8	971.7	1,588.9	3,160.7
1995.....	20.9	45.8	85.9	144.3	251.1	409.1	684.1	967.9	1,652.3	3,196.6
1994.....	23.7	45.1	84.1	160.6	244.8	420.7	665.5	991.1	1,604.6	3,219.9
1993.....	23.5	45.6	90.0	165.5	258.0	441.2	681.1	1,042.5	1,689.5	3,380.0
1992.....	23.3	48.4	95.7	174.9	268.9	429.8	660.2	957.7	1,652.2	3,363.5
1991.....	21.5	49.4	90.5	173.9	288.3	456.5	705.5	1,047.4	1,716.8	3,312.3
1990.....	21.1	49.3	95.2	163.0	303.3	483.7	685.0	1,058.3	1,708.0	3,292.4
1989.....	24.3	49.9	95.1	180.9	313.9	491.3	729.8	1,120.6	1,716.2	3,368.0
1988.....	24.4	54.3	108.3	182.5	324.2	483.1	719.2	1,150.7	1,819.7	3,293.3
1987.....	24.2	55.0	107.1	187.5	324.9	503.2	738.6	1,101.7	1,784.2	3,325.0
1986.....	26.7	59.2	109.0	185.7	337.2	516.9	766.0	1,181.1	1,832.1	3,348.6
1985.....	27.9	60.1	115.3	217.9	346.2	529.4	809.7	1,190.1	1,903.8	3,258.6
1984.....	31.0	61.4	120.3	217.9	353.1	513.1	842.2	1,184.6	2,038.2	3,152.7
1983.....	33.9	61.9	124.8	229.7	369.2	529.5	891.7	1,255.6	2,107.6	3,237.9
1982.....	33.4	72.2	136.4	221.3	385.8	530.0	853.4	1,202.0	2,063.8	3,241.5
1981.....	32.3	69.9	129.4	227.9	392.4	570.1	887.1	1,234.8	2,164.4	3,424.8
1980.....	37.1	75.8	136.4	243.1	401.5	584.6	925.7	1,381.5	2,225.3	3,552.2
1979.....	37.8	74.2	145.6	226.0	395.5	566.6	904.8	1,364.4	1,889.5	3,158.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)										
TOTAL, BOTH SEXES										
1998.....	11.2	23.1	43.5	75.9	124.8	188.8	291.1	443.6	723.9	1,382.4
1997.....	11.0	24.8	46.5	80.9	132.3	198.3	304.5	462.9	744.5	1,407.8
1996.....	11.9	26.2	51.0	83.4	143.2	207.3	323.9	489.8	786.1	1,465.1
1995.....	12.8	27.1	53.1	87.7	146.8	220.6	336.0	513.4	815.6	1,517.6
1994.....	12.7	28.7	54.6	92.9	152.8	230.2	353.5	531.6	852.1	1,549.1
1993.....	13.6	29.3	55.2	95.8	160.2	241.8	365.8	564.2	894.2	1,593.5
1992.....	14.4	30.8	57.9	101.4	161.0	246.5	385.9	578.6	926.0	1,622.4
1991.....	14.4	32.8	59.8	107.2	168.8	261.4	405.3	616.5	965.2	1,669.4
1990.....	14.8	33.5	62.4	110.4	177.7	273.7	428.5	657.3	1,006.4	1,695.5
1989.....	15.8	34.9	65.6	115.6	188.7	292.8	449.5	688.3	1,051.5	1,737.8
1988.....	17.1	36.0	68.4	119.1	195.6	305.7	474.2	706.0	1,070.0	1,688.2
1987.....	18.4	39.9	76.5	126.3	208.8	320.4	500.5	734.6	1,097.3	1,677.8
1986.....	21.0	41.8	80.1	134.4	222.6	341.1	529.5	778.2	1,136.2	1,699.7
1985.....	22.1	45.5	87.5	149.8	239.0	371.1	568.3	835.0	1,190.7	1,776.5
1984.....	23.4	49.5	93.1	157.6	255.2	385.1	594.2	864.1	1,233.9	1,767.2
1983.....	24.3	52.4	100.1	165.9	269.3	409.6	628.3	895.8	1,258.7	1,814.2
1982.....	26.9	56.7	104.7	175.7	281.9	432.7	652.1	922.2	1,281.0	1,832.8
1981.....	28.4	62.4	108.5	181.8	291.7	448.4	663.8	924.3	1,316.6	1,869.0
1980.....	29.9	63.8	114.1	191.7	308.2	471.4	697.5	978.8	1,368.0	1,961.5
1979.....	31.3	66.9	121.0	200.5	327.4	472.3	716.3	991.2	1,371.7	1,916.3
TOTAL, MALE										
1998.....	17.7	36.8	68.5	115.4	182.2	269.8	398.3	579.5	923.0	1,571.0
1997.....	17.2	39.7	72.9	121.5	193.1	283.9	421.9	608.7	952.8	1,644.4
1996.....	18.8	41.5	79.6	125.9	208.8	296.9	444.5	647.9	998.3	1,716.4
1995.....	20.7	44.0	84.0	133.6	215.2	313.8	465.1	682.8	1,066.3	1,792.1
1994.....	20.1	45.8	85.8	140.5	224.3	332.7	489.5	709.5	1,110.1	1,845.4
1993.....	22.0	47.2	87.1	145.6	237.5	351.8	505.7	762.3	1,181.7	1,908.6
1992.....	23.1	49.7	90.8	152.9	237.9	357.0	535.1	784.7	1,212.9	1,977.0
1991.....	23.5	52.8	93.2	161.9	248.9	380.2	565.5	834.0	1,270.6	2,002.6
1990.....	24.6	54.3	99.3	170.1	263.4	396.0	599.6	898.3	1,343.6	2,064.8
1989.....	25.7	57.3	103.2	178.8	280.9	424.0	634.4	938.4	1,396.4	2,103.0
1988.....	27.8	58.2	108.0	182.0	289.6	442.5	667.3	971.9	1,425.6	2,063.2
1987.....	30.7	64.5	121.0	195.2	311.6	461.5	711.1	1,008.4	1,451.9	2,058.5
1986.....	34.6	67.5	128.8	209.5	334.2	493.8	753.0	1,074.1	1,514.4	2,071.4
1985.....	36.3	75.0	140.5	234.1	361.4	544.3	817.1	1,159.3	1,616.4	2,235.1
1984.....	38.9	81.2	151.2	246.8	388.3	567.3	849.0	1,210.7	1,662.7	2,220.2
1983.....	40.0	86.4	162.4	262.8	407.6	610.1	910.5	1,251.0	1,696.8	2,280.9
1982.....	44.6	94.4	171.1	279.9	432.3	650.6	946.6	1,290.2	1,720.2	2,307.8
1981.....	48.3	103.8	177.3	292.5	447.2	671.7	973.0	1,312.6	1,769.8	2,335.9
1980.....	50.3	106.3	189.6	309.5	478.7	713.3	1,021.5	1,369.6	1,835.2	2,477.8
1979.....	52.5	113.1	200.1	323.4	512.1	721.8	1,056.6	1,393.4	1,828.0	2,417.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)										
TOTAL, FEMALE										
1998.....	4.9	10.0	19.7	39.4	73.4	120.3	207.4	347.1	605.6	1,304.3
1997.....	4.8	10.3	21.4	43.4	77.9	126.3	213.9	360.5	622.7	1,312.5
1996.....	5.0	11.4	23.9	44.1	84.8	132.3	231.1	379.8	663.8	1,365.2
1995.....	5.1	10.8	23.9	45.3	86.1	143.2	236.8	397.1	674.3	1,410.8
1994.....	5.4	12.2	25.1	49.1	89.3	145.9	249.3	411.0	709.3	1,434.8
1993.....	5.4	12.1	24.9	50.1	91.9	151.8	259.3	431.5	737.1	1,472.6
1992.....	6.0	12.5	26.7	54.0	93.1	156.7	273.1	442.4	770.8	1,485.1
1991.....	5.5	13.6	28.2	57.1	98.5	165.2	285.3	474.4	801.8	1,540.6
1990.....	5.2	13.4	27.6	55.9	103.0	174.5	301.5	502.2	827.4	1,553.0
1989.....	6.1	13.4	30.0	57.8	108.9	186.3	312.8	527.9	869.4	1,595.7
1988.....	6.7	14.7	31.1	61.7	114.5	194.4	332.5	536.5	882.4	1,541.9
1987.....	6.5	16.3	34.7	63.6	120.3	205.6	346.8	561.0	911.2	1,527.7
1986.....	7.9	17.2	34.4	66.4	126.5	216.9	367.1	591.5	938.0	1,552.3
1985.....	8.3	17.2	37.8	73.7	133.2	230.9	388.0	630.8	967.2	1,593.4
1984.....	8.5	19.3	38.8	77.6	140.0	238.2	409.8	646.4	1,008.5	1,584.1
1983.....	9.2	19.9	42.0	79.3	149.5	248.3	424.4	672.9	1,027.7	1,622.9
1982.....	10.0	20.9	43.0	82.8	151.4	258.1	439.1	691.5	1,049.4	1,634.8
1981.....	9.3	23.0	44.7	83.3	156.9	269.6	440.4	680.9	1,076.2	1,669.3
1980.....	10.4	23.6	44.4	86.3	161.2	277.9	463.2	733.7	1,119.4	1,735.8
1979.....	11.0	23.3	48.1	90.4	168.2	273.1	470.3	738.3	1,126.9	1,693.6
WHITE, BOTH SEXES										
1998.....	10.8	22.2	42.2	74.6	123.2	188.8	289.8	444.0	725.7	1,405.4
1997.....	10.5	23.9	45.3	79.1	131.0	198.0	302.5	465.3	749.5	1,433.5
1996.....	11.6	25.5	50.0	81.7	141.8	207.5	323.0	491.9	793.6	1,492.6
1995.....	12.4	26.3	52.3	86.8	146.3	219.8	334.6	515.1	821.5	1,540.3
1994.....	12.2	27.7	53.2	91.9	152.8	229.5	352.1	534.4	861.9	1,575.9
1993.....	12.9	28.7	54.0	93.9	159.3	241.4	365.6	568.4	902.1	1,614.2
1992.....	14.0	29.9	56.7	99.2	159.7	245.9	386.8	584.4	937.2	1,647.7
1991.....	13.8	32.1	59.1	105.5	166.4	260.7	406.1	621.7	976.9	1,697.7
1990.....	14.4	33.1	61.1	109.0	176.6	271.9	430.6	664.3	1,023.0	1,728.4
1989.....	15.4	34.1	64.0	113.7	186.5	290.5	452.5	695.6	1,068.7	1,769.1
1988.....	16.7	35.7	67.8	118.2	194.0	305.9	480.5	715.8	1,086.2	1,728.0
1987.....	18.0	39.3	76.2	126.7	208.3	320.7	506.9	748.6	1,116.7	1,712.4
1986.....	20.5	41.6	79.3	134.7	222.1	343.1	538.1	792.7	1,158.7	1,742.3
1985.....	21.6	45.1	88.0	149.6	238.6	373.9	575.9	853.1	1,212.8	1,821.4
1984.....	22.8	49.0	92.5	157.6	255.8	390.0	604.1	886.2	1,254.4	1,813.9
1983.....	23.7	52.1	99.9	166.0	270.6	415.4	638.2	918.8	1,281.6	1,867.3
1982.....	26.6	56.7	105.2	175.8	283.7	441.1	665.3	950.7	1,310.8	1,889.8
1981.....	28.1	62.1	108.8	181.9	293.9	456.3	677.7	953.3	1,345.0	1,925.3
1980.....	29.1	63.2	114.0	192.4	311.6	480.6	712.6	1,002.6	1,399.2	2,014.6
1979.....	30.5	66.7	120.7	201.2	330.6	481.0	732.3	1,016.1	1,410.4	1,969.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)										
WHITE MALE										
1998.....	17.4	36.1	67.4	114.8	181.6	273.6	401.7	583.7	934.9	1,612.1
1997.....	17.0	39.0	71.6	120.5	193.4	287.0	425.3	619.2	967.9	1,693.3
1996.....	18.6	41.0	79.3	125.1	209.3	301.4	449.1	656.9	1,014.5	1,767.8
1995.....	20.4	43.6	84.2	133.7	216.3	317.4	467.9	690.1	1,084.0	1,830.1
1994.....	19.8	44.9	84.4	141.8	227.2	337.0	491.3	720.5	1,128.7	1,886.1
1993.....	21.3	47.1	86.4	144.8	238.3	356.4	509.9	776.7	1,202.0	1,949.0
1992.....	22.9	49.0	90.6	152.3	239.0	360.3	540.9	798.3	1,237.7	2,023.2
1991.....	23.1	52.3	93.6	161.6	248.7	384.7	572.2	848.9	1,299.1	2,054.2
1990.....	24.4	54.3	98.7	169.6	266.8	399.3	607.4	914.9	1,378.9	2,120.2
1989.....	25.5	56.8	102.6	179.0	281.2	426.4	645.8	958.7	1,433.4	2,161.9
1988.....	27.7	58.6	109.4	183.2	291.9	447.6	681.5	995.5	1,461.5	2,134.7
1987.....	30.4	64.7	122.4	198.2	315.1	467.2	725.0	1,036.7	1,491.6	2,122.5
1986.....	34.0	68.5	129.8	212.4	338.2	502.6	772.8	1,106.3	1,557.3	2,148.6
1985.....	36.2	75.7	143.6	238.0	365.7	553.9	835.3	1,196.2	1,659.3	2,318.8
1984.....	38.4	81.8	152.6	251.3	393.3	580.2	872.1	1,252.8	1,706.0	2,300.6
1983.....	39.8	87.3	164.0	267.2	414.5	625.2	934.4	1,298.4	1,743.9	2,367.0
1982.....	44.9	95.8	174.7	283.4	441.4	670.1	975.3	1,342.2	1,774.1	2,396.3
1981.....	48.4	104.4	179.8	296.6	456.6	691.1	1,002.9	1,367.5	1,825.3	2,431.2
1980.....	49.8	106.9	192.2	315.2	490.6	735.9	1,055.3	1,417.9	1,897.3	2,516.7
1979.....	52.1	114.1	202.5	328.3	523.9	743.6	1,092.5	1,446.0	1,895.6	2,500.2
WHITE FEMALE										
1998.....	4.3	8.6	17.8	36.7	69.7	115.7	201.5	344.1	600.9	1,320.7
1997.....	4.1	9.0	19.7	40.0	74.0	121.8	206.5	356.2	621.2	1,330.1
1996.....	4.5	10.1	21.8	40.7	80.3	127.6	224.9	376.0	665.9	1,384.7
1995.....	4.4	9.3	21.6	42.7	82.7	137.4	231.1	393.9	673.1	1,428.7
1994.....	4.5	10.8	23.1	44.9	85.3	139.8	244.3	407.2	714.1	1,457.7
1993.....	4.6	10.5	22.7	46.1	88.0	146.1	254.5	427.8	738.4	1,487.4
1992.....	5.2	11.0	24.0	49.3	88.4	151.7	269.2	442.0	775.2	1,504.4
1991.....	4.6	12.4	26.0	53.0	92.9	159.1	280.4	472.4	805.5	1,563.0
1990.....	4.5	12.3	25.0	52.6	96.7	167.3	298.1	502.5	835.1	1,579.6
1989.....	5.4	11.9	26.9	53.0	103.0	179.0	308.5	526.3	877.0	1,619.8
1988.....	5.8	13.2	27.9	57.8	108.1	189.4	331.9	537.6	890.2	1,572.0
1987.....	5.8	14.5	32.0	60.5	115.0	200.1	346.6	566.0	921.6	1,553.7
1986.....	7.3	15.3	31.0	63.2	120.6	212.3	366.5	595.2	951.4	1,584.0
1985.....	7.3	15.2	35.0	68.6	127.5	227.0	387.1	638.1	980.5	1,626.5
1984.....	7.5	17.2	35.4	72.4	135.3	235.4	409.3	657.4	1,019.4	1,621.0
1983.....	7.8	18.0	39.1	74.5	144.5	245.4	423.5	682.3	1,040.2	1,666.1
1982.....	8.7	18.8	39.3	79.1	145.5	256.1	441.0	707.0	1,068.5	1,682.4
1981.....	8.3	21.2	41.7	78.8	151.9	267.2	443.2	695.5	1,093.3	1,713.5
1980.....	9.0	21.1	40.6	81.7	156.0	275.4	465.4	744.3	1,137.5	1,778.7
1979.....	9.5	21.1	44.1	86.5	162.6	270.6	473.5	748.3	1,153.3	1,735.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: 40-44 YEARS	UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)											
ALL OTHER, BOTH SEXES											
1998.....	13.1	27.8	50.9	83.6	134.6	189.0	301.0	439.7	705.8	1,165.0	
1997.....	13.1	29.4	54.1	91.7	140.3	200.3	320.8	441.5	694.3	1,162.3	
1996.....	13.3	30.0	56.6	93.7	152.0	205.8	331.4	470.9	710.0	1,201.4	
1995.....	15.1	31.5	57.9	93.3	150.5	226.8	347.9	498.1	755.5	1,287.0	
1994.....	15.5	34.4	63.5	99.5	152.6	235.5	365.2	505.0	752.7	1,273.8	
1993.....	17.1	33.1	62.5	108.2	166.6	244.7	368.2	523.8	813.6	1,379.8	
1992.....	16.5	36.4	65.2	115.5	170.0	251.5	377.8	524.0	810.2	1,357.2	
1991.....	17.5	37.0	63.5	118.6	186.1	267.4	398.3	567.8	847.1	1,371.2	
1990.....	16.7	36.0	70.5	120.0	185.4	288.8	409.4	590.5	833.8	1,346.8	
1989.....	17.9	40.2	75.5	128.1	205.9	312.0	421.5	620.1	874.8	1,405.5	
1988.....	19.5	38.0	72.4	125.5	208.3	304.5	416.6	612.7	898.8	1,352.7	
1987.....	20.7	43.7	78.9	123.4	213.1	318.5	441.2	602.4	889.9	1,304.6	
1986.....	24.3	43.5	85.6	132.4	227.0	323.1	450.5	639.3	894.9	1,237.2	
1985.....	24.8	48.0	84.1	151.4	241.8	346.3	496.9	660.8	946.7	1,278.6	
1984.....	26.9	52.4	97.1	157.6	251.0	342.0	502.5	651.0	1,008.4	1,255.8	
1983.....	28.4	54.0	101.2	165.3	258.3	358.3	536.4	672.9	1,002.7	1,218.7	
1982.....	28.9	57.0	101.2	174.2	265.7	358.6	528.4	645.4	947.4	1,201.5	
1981.....	30.5	64.3	106.5	181.1	271.4	378.5	532.7	642.3	988.0	1,228.9	
1980.....	35.0	67.5	114.7	185.2	278.0	389.3	554.2	744.8	999.1	1,352.3	
1979.....	36.4	68.7	124.0	193.9	298.4	394.8	559.2	749.3	914.3	1,296.6	
ALL OTHER MALE											
1998.....	19.1	40.7	75.7	119.3	186.5	242.3	369.9	540.0	799.1	1,211.3	
1997.....	18.6	44.2	81.4	128.0	191.2	260.8	391.5	507.8	795.0	1,217.6	
1996.....	19.9	44.4	82.0	130.7	205.3	262.5	403.2	560.1	830.2	1,269.4	
1995.....	22.6	46.3	82.9	133.4	207.3	285.3	439.2	611.0	880.5	1,436.3	
1994.....	22.2	51.5	94.9	131.9	203.0	298.4	472.9	599.0	919.3	1,463.6	
1993.....	26.1	47.7	92.0	150.9	231.8	313.8	467.0	617.5	976.2	1,531.7	
1992.....	24.2	54.5	92.0	157.0	229.9	329.4	480.8	650.3	963.6	1,545.5	
1991.....	26.0	56.0	90.4	163.8	250.3	341.7	502.1	688.3	989.1	1,525.6	
1990.....	25.9	54.2	102.9	173.7	236.0	366.5	524.0	737.6	991.5	1,547.9	
1989.....	27.0	60.6	107.1	177.3	277.7	402.6	524.4	743.7	1,028.1	1,558.0	
1988.....	28.8	55.0	98.8	172.8	269.4	397.7	533.2	747.5	1,069.2	1,401.3	
1987.....	32.5	63.3	111.7	172.3	281.8	409.1	577.9	741.9	1,053.6	1,459.7	
1986.....	39.1	61.0	121.9	185.8	298.1	413.1	564.5	771.0	1,080.6	1,346.7	
1985.....	37.2	70.1	117.9	202.6	322.8	456.2	643.3	815.5	1,168.6	1,446.6	
1984.....	42.0	76.7	141.2	209.3	342.7	448.5	627.9	820.8	1,220.8	1,466.7	
1983.....	41.3	80.3	150.3	226.0	343.6	472.6	685.3	812.2	1,209.3	1,432.9	
1982.....	42.3	84.6	142.2	250.4	346.9	470.4	676.8	803.1	1,158.5	1,449.3	
1981.....	48.0	99.7	156.3	257.1	360.4	495.7	693.3	803.2	1,185.7	1,387.5	
1980.....	54.1	101.7	168.0	258.3	367.2	506.9	705.2	919.8	1,171.6	1,621.1	
1979.....	55.1	105.8	180.1	278.9	397.9	524.3	716.3	909.9	1,105.8	1,554.2	

RACE, AND SEX:		UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)								
CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)										
ALL OTHER FEMALE										
1998.....	7.7	16.8	30.3	54.7	94.4	149.2	252.5	373.1	652.6	1,143.8
1997.....	8.3	16.8	31.3	62.3	101.2	155.2	271.4	398.3	637.7	1,137.3
1996.....	7.5	17.8	35.4	63.6	111.1	163.6	281.3	413.3	642.6	1,170.7
1995.....	8.6	19.0	37.0	60.8	106.9	183.2	284.3	426.2	686.8	1,222.4
1994.....	9.7	19.8	37.1	73.4	114.0	188.9	290.4	446.1	661.1	1,191.6
1993.....	9.3	20.7	37.6	73.6	116.8	193.6	299.1	465.6	723.1	1,313.6
1992.....	9.8	20.9	42.5	82.0	124.3	193.9	306.6	445.9	723.8	1,272.3
1991.....	10.1	20.7	40.7	82.1	137.2	212.7	327.8	493.0	763.3	1,293.7
1990.....	8.6	20.4	43.0	76.9	146.8	231.2	331.4	499.2	744.8	1,255.4
1989.....	10.1	22.5	48.7	88.3	151.5	244.8	351.1	542.8	787.3	1,334.9
1988.....	11.4	23.4	50.1	87.3	161.4	235.4	338.0	527.5	796.6	1,210.4
1987.....	10.6	26.9	51.4	84.1	160.0	251.0	348.0	513.1	796.4	1,231.3
1986.....	11.6	28.4	55.3	89.2	171.7	255.9	372.2	554.2	793.1	1,184.6
1985.....	14.1	29.1	56.0	110.0	178.5	263.9	395.9	559.2	817.2	1,205.3
1984.....	14.0	31.7	60.8	115.6	178.9	261.6	413.8	538.2	878.6	1,151.0
1983.....	17.3	31.4	61.2	116.0	190.3	273.3	432.4	579.6	881.2	1,110.8
1982.....	17.5	33.6	67.7	111.7	201.0	274.5	421.4	536.8	821.0	1,067.7
1981.....	15.4	34.5	65.9	118.8	200.3	289.9	414.0	533.5	868.0	1,148.4
1980.....	18.8	39.2	71.4	124.7	206.5	299.4	441.7	625.5	893.2	1,214.6
1979.....	20.6	38.1	78.3	123.0	217.9	295.6	439.8	636.0	800.7	1,174.6
BLACK, BOTH SEXES										
1998.....	16.1	35.0	62.6	101.3	160.5	218.1	347.0	494.0	789.1	1,265.3
1997.....	16.3	35.6	67.4	109.7	167.1	227.1	374.5	498.8	770.0	1,277.3
1996.....	16.1	37.6	69.0	114.7	181.0	238.4	382.0	522.3	782.6	1,303.9
1995.....	18.4	39.5	69.2	110.6	175.6	262.4	399.3	546.3	819.7	1,350.0
1994.....	19.1	42.1	77.9	119.2	179.2	269.1	412.2	554.0	809.1	1,325.1
1993.....	20.8	40.1	74.4	130.4	195.4	281.0	418.6	569.0	876.2	1,428.1
1992.....	20.2	45.1	77.9	134.9	197.9	286.5	421.0	567.2	867.0	1,436.5
1991.....	21.2	46.0	75.7	140.0	214.8	303.3	445.2	616.2	904.7	1,444.4
1990.....	20.4	43.9	84.6	139.0	216.3	329.0	452.5	637.4	890.1	1,410.0
1989.....	22.5	48.1	88.0	148.4	235.6	351.1	462.4	662.8	913.5	1,458.6
1988.....	24.3	45.3	86.2	144.2	234.3	340.5	454.8	657.1	942.3	1,311.7
1987.....	25.0	51.7	92.3	140.1	240.2	354.6	480.2	643.1	933.8	1,331.3
1986.....	29.7	50.1	98.6	150.5	254.0	360.8	492.6	683.9	925.1	1,293.0
1985.....	29.7	55.1	95.3	170.1	270.0	378.2	537.2	693.0	989.0	1,337.9
1984.....	31.4	60.3	111.0	176.8	280.5	371.9	543.0	688.5	1,044.5	1,281.6
1983.....	33.1	62.7	114.4	184.6	286.5	389.0	576.7	711.1	1,048.0	1,259.8
1982.....	33.8	64.8	113.6	194.7	293.8	386.0	559.3	671.4	987.2	1,222.2
1981.....	35.5	72.5	120.3	200.8	297.4	407.4	567.8	674.6	1,040.7	1,264.3
1980.....	39.9	75.5	127.3	203.5	302.6	413.8	583.0	780.3	1,049.0	1,396.4
1979.....	41.4	77.5	137.2	211.8	318.7	415.4	583.7	763.6	926.4	1,320.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)										
BLACK MALE										
1998.....	22.8	49.9	93.1	143.9	221.7	278.2	420.3	596.7	896.2	1,317.7
1997.....	23.3	52.3	100.8	151.5	225.5	290.5	448.7	571.1	887.7	1,307.3
1996.....	23.3	53.9	98.6	161.0	240.6	299.1	464.4	615.0	926.6	1,367.9
1995.....	26.9	57.5	99.2	159.7	237.2	322.6	501.6	667.0	947.7	1,474.7
1994.....	26.7	61.6	115.1	159.1	234.4	335.9	526.9	657.5	1,011.6	1,539.8
1993.....	30.9	56.4	109.1	181.4	270.2	353.0	530.9	661.0	1,054.1	1,543.2
1992.....	29.2	66.6	109.9	180.7	262.2	369.6	537.9	713.1	1,060.6	1,627.8
1991.....	30.8	70.2	107.0	192.2	283.4	386.6	563.3	751.9	1,060.4	1,613.0
1990.....	31.0	65.1	122.8	198.3	274.1	420.1	582.7	805.8	1,086.9	1,661.4
1989.....	33.2	72.2	125.2	202.8	314.6	451.8	579.4	800.6	1,087.6	1,631.8
1988.....	35.5	65.4	116.7	196.6	301.4	438.6	584.8	815.3	1,124.5	1,641.5
1987.....	38.8	74.5	129.7	193.0	313.7	451.6	628.1	777.7	1,106.5	1,470.3
1986.....	47.9	69.7	139.4	207.0	332.0	458.9	621.4	824.4	1,107.8	1,428.6
1985.....	45.0	80.6	130.9	225.5	356.7	498.8	693.5	850.6	1,208.0	1,506.5
1984.....	48.5	89.5	160.6	230.9	381.4	484.3	681.6	873.1	1,260.7	1,513.1
1983.....	47.7	94.8	168.3	248.1	378.9	511.9	741.4	860.6	1,268.3	1,496.7
1982.....	48.9	95.8	157.5	278.9	383.1	506.6	714.5	824.8	1,207.5	1,491.4
1981.....	56.3	111.5	174.6	282.2	393.6	535.7	740.6	841.8	1,249.4	1,423.2
1980.....	61.6	112.2	184.2	281.2	397.7	537.9	739.8	966.3	1,228.9	1,645.0
1979.....	62.1	118.1	195.2	303.4	424.5	548.5	759.7	911.8	1,105.2	1,569.2
BLACK FEMALE										
1998.....	10.3	22.4	37.7	68.0	114.7	173.3	296.0	428.3	732.9	1,243.5
1997.....	10.2	21.5	40.3	77.2	123.3	179.8	323.6	453.2	709.0	1,264.9
1996.....	9.9	23.8	45.0	78.5	136.3	193.1	326.0	464.4	708.3	1,277.6
1995.....	11.2	24.3	44.8	72.2	129.1	217.4	330.3	471.9	754.5	1,299.4
1994.....	12.4	25.7	47.4	88.1	137.4	219.4	335.3	491.6	705.9	1,238.0
1993.....	12.0	26.5	46.0	90.2	138.7	228.0	342.8	514.6	784.8	1,381.2
1992.....	12.5	27.2	51.8	98.8	149.3	225.8	343.2	481.9	766.8	1,356.9
1991.....	13.0	25.8	50.3	98.6	162.8	242.9	367.2	536.4	824.5	1,373.0
1990.....	11.3	26.0	53.3	92.1	172.7	263.1	366.9	538.6	788.2	1,303.4
1989.....	13.3	27.8	57.4	105.0	175.7	278.1	386.4	581.4	822.2	1,393.5
1988.....	14.8	28.6	61.1	102.4	183.3	269.3	368.2	562.5	846.1	1,246.3
1987.....	13.3	32.6	61.7	98.0	184.1	283.8	381.5	561.6	840.9	1,269.4
1986.....	14.4	33.9	65.1	104.9	194.6	288.9	406.4	597.9	825.5	1,231.2
1985.....	16.9	34.0	66.2	125.3	203.2	289.6	433.9	594.9	868.4	1,259.4
1984.....	17.1	36.2	70.2	132.6	202.5	289.1	450.4	572.6	925.0	1,172.1
1983.....	20.9	36.1	70.6	133.0	215.1	298.5	466.7	613.1	923.4	1,145.2
1982.....	21.3	39.2	78.0	126.1	223.9	297.1	452.6	575.7	859.4	1,089.8
1981.....	18.2	40.2	76.4	134.5	221.5	313.5	447.1	566.4	918.9	1,174.3
1980.....	21.9	45.4	81.3	140.0	227.3	321.3	471.5	659.2	941.2	1,272.1
1979.....	24.3	43.9	89.9	136.6	234.6	315.9	457.0	659.3	815.3	1,196.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										
TOTAL, BOTH SEXES										
1998.....	0.3	0.6	1.0	1.4	2.2	2.7	3.5	5.2	8.3	19.3
1997.....	0.3	0.6	1.3	1.6	2.6	3.0	4.0	5.3	7.6	20.3
1996.....	0.4	0.6	1.1	1.6	2.3	2.9	3.6	5.7	7.2	19.8
1995.....	0.3	0.5	1.2	1.6	2.2	2.7	3.8	4.6	8.4	19.5
1994.....	0.4	0.6	1.2	1.4	2.4	2.6	3.9	5.0	9.2	21.3
1993.....	0.4	0.7	1.2	1.6	2.5	3.2	4.2	5.8	9.7	19.5
1992.....	0.5	0.8	1.2	1.9	2.7	3.6	4.6	6.3	9.7	21.8
1991.....	0.4	0.9	1.4	2.0	3.0	3.9	5.0	6.5	10.4	21.8
1990.....	0.4	1.0	1.6	2.2	3.1	4.0	5.1	7.6	10.2	21.2
1989.....	0.4	0.8	1.2	2.1	3.3	4.1	5.3	7.3	11.4	24.2
1988.....	0.4	0.9	1.4	2.1	3.0	4.2	5.7	7.8	11.6	24.5
1987.....	0.5	1.0	1.7	2.4	3.4	4.5	5.5	9.0	11.9	23.2
1986.....	0.6	1.1	1.7	2.9	4.1	5.1	7.0	8.9	12.8	23.6
1985.....	0.5	1.1	2.3	2.9	4.4	5.4	7.1	9.1	13.7	24.9
1984.....	0.6	0.9	2.1	2.9	4.3	5.7	7.2	9.9	14.7	25.9
1983.....	0.7	1.3	2.4	2.8	4.4	5.9	7.5	10.0	13.9	26.1
1982.....	0.7	1.4	2.2	3.5	4.5	5.8	8.4	9.8	14.4	24.3
1981.....	0.7	1.3	2.4	3.8	5.2	6.7	8.8	11.1	17.5	29.3
1980.....	0.8	1.5	2.7	3.9	5.3	7.3	9.3	12.6	19.0	31.0
1979.....	0.7	1.4	2.6	3.9	5.9	7.2	9.7	13.5	18.3	30.2
TOTAL, MALE										
1998.....	0.4	1.0	1.6	2.2	3.4	4.0	4.8	6.8	9.4	19.7
1997.....	0.5	1.1	2.1	2.5	4.0	4.3	5.8	6.9	9.1	21.9
1996.....	0.6	0.9	1.8	2.5	3.7	4.2	5.2	7.5	9.2	20.6
1995.....	0.4	0.9	2.0	2.6	3.2	4.1	5.5	6.0	10.6	20.7
1994.....	0.5	1.1	1.8	2.0	4.0	3.9	5.5	6.6	11.3	24.1
1993.....	0.6	1.2	2.0	2.4	3.7	4.7	6.0	7.2	13.2	22.7
1992.....	0.8	1.4	2.0	3.0	4.2	4.8	6.8	8.0	12.4	24.0
1991.....	0.8	1.5	2.1	3.1	4.5	6.3	7.8	8.5	13.4	26.0
1990.....	0.7	1.7	2.6	3.5	4.7	6.4	7.8	10.5	13.9	24.5
1989.....	0.6	1.3	1.9	3.5	5.1	6.2	7.6	9.6	15.1	27.0
1988.....	0.8	1.4	2.2	3.3	4.8	6.2	8.4	11.4	14.3	28.1
1987.....	0.7	1.6	2.7	3.8	5.3	6.9	8.0	13.4	16.7	26.1
1986.....	1.0	1.8	2.9	4.6	6.5	7.9	10.5	13.7	18.0	25.4
1985.....	0.8	1.8	3.8	4.6	6.7	8.2	10.9	12.8	18.3	28.4
1984.....	1.0	1.6	3.3	4.7	6.7	9.5	10.8	13.5	20.3	32.3
1983.....	1.0	2.1	3.7	4.7	6.8	9.7	11.2	14.9	20.4	31.7
1982.....	1.1	2.4	3.7	5.8	7.2	9.3	12.9	14.5	19.8	29.7
1981.....	1.0	2.2	4.0	6.1	8.3	10.7	13.3	15.3	23.1	35.8
1980.....	1.2	2.7	4.1	6.4	8.5	11.5	14.5	17.6	25.5	37.7
1979.....	1.2	2.5	4.3	6.6	9.5	11.2	14.4	19.5	24.3	36.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										
TOTAL, FEMALE										
1998.....	*	0.2	0.4	0.8	1.1	1.6	2.4	4.1	7.6	19.1
1997.....	*	*	0.6	0.8	1.5	1.9	2.6	4.1	6.7	19.7
1996.....	*	0.3	0.5	0.9	1.1	1.9	2.4	4.4	6.0	19.5
1995.....	*	*	0.4	0.6	1.3	1.5	2.4	3.5	7.2	19.0
1994.....	0.2	0.2	0.6	0.8	1.1	1.5	2.6	3.9	8.0	20.2
1993.....	*	*	0.4	0.9	1.4	1.9	2.8	4.8	7.9	18.2
1992.....	*	0.3	0.5	0.9	1.5	2.5	2.9	5.2	8.3	21.0
1991.....	*	*	0.6	1.0	1.6	1.9	2.9	5.2	8.8	20.2
1990.....	*	0.3	0.7	1.0	1.8	2.0	3.1	5.8	8.2	20.0
1989.....	*	0.3	0.6	0.9	1.8	2.3	3.5	5.9	9.5	23.1
1988.....	*	0.4	0.7	1.0	1.4	2.5	3.7	5.4	10.1	23.1
1987.....	0.3	0.4	0.7	1.2	1.7	2.6	3.6	6.2	9.3	22.0
1986.....	*	0.4	0.6	1.3	1.9	2.8	4.4	5.8	10.0	22.9
1985.....	*	0.4	0.9	1.3	2.4	3.1	4.3	6.7	11.3	23.5
1984.....	*	*	0.9	1.4	2.2	2.7	4.7	7.6	11.7	23.3
1983.....	0.3	0.5	1.1	1.2	2.3	2.9	4.9	7.0	10.5	23.8
1982.....	*	0.5	0.8	1.5	2.2	3.0	5.2	6.9	11.5	22.1
1981.....	0.4	0.5	0.9	1.7	2.5	3.5	5.5	8.4	14.5	26.6
1980.....	0.3	0.4	1.4	1.7	2.5	3.9	5.5	9.5	15.6	28.1
1979.....	0.2	0.5	1.1	1.5	2.7	3.9	6.2	9.7	15.1	27.3
WHITE, BOTH SEXES										
1998.....	0.2	0.5	0.9	1.3	2.0	2.5	3.2	4.9	8.1	19.3
1997.....	0.3	0.6	1.2	1.4	2.5	2.9	3.8	5.1	7.3	20.1
1996.....	0.4	0.5	1.1	1.5	2.1	2.9	3.4	5.4	7.1	19.5
1995.....	0.2	0.5	1.1	1.5	2.0	2.6	3.6	4.3	8.4	19.6
1994.....	0.3	0.6	1.1	1.3	2.3	2.6	3.6	4.9	8.5	21.3
1993.....	0.3	0.6	1.1	1.5	2.4	2.9	4.0	5.7	9.3	19.4
1992.....	0.5	0.8	1.1	1.8	2.6	3.5	4.4	6.0	9.2	21.0
1991.....	0.4	0.9	1.3	2.0	2.8	3.5	4.9	6.2	9.8	21.6
1990.....	0.4	0.9	1.5	2.1	2.8	3.7	4.9	7.2	9.9	20.7
1989.....	0.4	0.7	1.1	1.8	3.1	3.7	5.1	6.6	11.1	24.4
1988.....	0.4	0.7	1.3	2.1	2.8	3.9	5.4	7.4	11.4	24.3
1987.....	0.4	0.9	1.5	2.2	3.1	4.3	5.2	8.6	11.8	22.8
1986.....	0.5	1.0	1.6	2.7	3.9	4.5	6.6	8.5	12.5	23.5
1985.....	0.5	1.0	2.1	2.7	4.1	5.1	6.5	8.9	13.6	24.6
1984.....	0.5	0.8	1.9	2.7	3.9	5.3	6.6	9.6	13.7	25.6
1983.....	0.6	1.3	2.1	2.5	4.0	5.4	7.0	9.5	13.1	25.1
1982.....	0.6	1.3	1.9	3.1	4.2	5.4	8.2	9.3	14.0	23.5
1981.....	0.6	1.2	2.2	3.4	4.8	6.4	7.9	10.5	16.6	29.1
1980.....	0.7	1.2	2.3	3.5	4.9	6.7	9.0	12.4	18.2	31.2
1979.....	0.7	1.4	2.3	3.5	5.2	6.7	9.1	12.7	17.7	29.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										
WHITE MALE										
1998.....	0.4	0.9	1.5	1.9	3.1	3.7	4.5	6.5	9.0	19.7
1997.....	0.5	1.1	2.0	2.3	3.9	4.1	5.6	6.7	8.6	21.7
1996.....	0.6	0.8	1.7	2.3	3.4	4.0	5.0	6.7	9.0	20.7
1995.....	0.3	0.8	1.9	2.4	3.1	4.0	5.4	5.5	10.7	21.7
1994.....	0.5	0.9	1.7	1.9	3.7	4.0	5.3	6.4	10.7	23.8
1993.....	0.6	1.0	1.9	2.4	3.6	4.4	5.8	7.0	12.4	22.6
1992.....	0.8	1.4	1.9	2.8	3.9	4.7	6.4	7.3	11.6	23.5
1991.....	0.7	1.6	2.1	3.1	4.3	5.8	7.8	8.1	13.1	24.5
1990.....	0.7	1.6	2.4	3.4	4.2	6.0	7.5	10.1	13.9	23.7
1989.....	0.7	1.2	1.8	3.0	4.9	5.7	7.6	8.8	14.4	26.9
1988.....	0.7	1.2	2.0	3.3	4.6	5.8	7.9	10.8	14.2	28.2
1987.....	0.6	1.5	2.5	3.5	4.9	6.5	7.7	12.6	16.7	25.2
1986.....	0.9	1.7	2.7	4.4	6.2	7.2	9.9	13.5	17.9	25.4
1985.....	0.7	1.7	3.6	4.4	6.4	8.1	10.3	12.7	18.7	28.1
1984.....	1.0	1.4	3.0	4.5	6.1	9.0	10.0	13.5	19.9	31.1
1983.....	0.9	2.1	3.4	4.3	6.4	9.1	10.8	14.7	19.1	30.3
1982.....	0.9	2.1	3.3	5.4	6.9	9.0	12.8	13.8	19.7	28.2
1981.....	0.8	2.1	3.7	5.5	7.8	10.5	12.4	14.5	22.0	36.3
1980.....	1.1	2.1	3.7	5.7	7.9	10.7	14.5	17.3	24.7	38.3
1979.....	1.2	2.4	3.9	6.1	8.6	10.6	13.7	18.9	23.1	36.8
WHITE FEMALE										
1998.....	*	*	0.4	0.7	1.0	1.4	2.2	3.8	7.6	19.1
1997.....	*	*	0.5	0.7	1.2	1.8	2.3	3.9	6.6	19.5
1996.....	*	*	0.5	0.7	0.9	1.9	2.2	4.4	6.0	19.0
1995.....	*	*	0.4	0.6	1.1	1.3	2.3	3.4	7.0	18.7
1994.....	*	*	0.5	0.7	1.0	1.4	2.4	3.8	7.3	20.3
1993.....	*	*	0.4	0.7	1.3	1.8	2.7	4.8	7.6	18.2
1992.....	*	*	*	0.8	1.3	2.6	2.8	5.0	7.9	20.0
1991.....	*	*	0.5	0.9	1.5	1.7	2.7	4.9	8.0	20.5
1990.....	*	*	0.6	0.9	1.6	1.7	2.8	5.3	7.8	19.5
1989.....	*	*	0.4	0.7	1.5	2.0	3.2	5.2	9.4	23.5
1988.....	*	*	0.5	0.9	1.3	2.4	3.6	5.2	10.0	22.8
1987.....	*	0.4	0.6	1.0	1.5	2.5	3.4	6.1	9.2	21.9
1986.....	*	*	0.5	1.2	1.9	2.4	4.2	5.4	9.7	22.8
1985.....	*	*	0.6	1.1	2.1	2.7	3.8	6.5	11.0	23.2
1984.....	*	*	0.7	1.1	2.0	2.3	4.2	7.1	10.5	23.4
1983.....	*	0.4	0.9	1.0	2.0	2.3	4.2	6.4	10.0	23.0
1982.....	*	0.4	0.6	1.1	1.8	2.6	5.0	6.5	11.0	21.6
1981.....	*	*	0.7	1.4	2.2	3.1	4.7	8.1	13.7	26.1
1980.....	0.3	0.2	1.1	1.5	2.3	3.4	5.0	9.3	14.8	28.1
1979.....	0.1	0.4	0.9	1.2	2.3	3.6	5.8	8.9	14.8	26.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										
ALL OTHER, BOTH SEXES										
1998.....	*	1.0	1.3	2.4	3.1	4.4	5.5	7.9	9.9	19.3
1997.....	*	*	1.8	2.6	3.5	4.0	6.1	7.2	9.8	22.3
1996.....	*	1.0	1.4	2.6	3.6	3.3	5.2	8.7	7.6	22.8
1995.....	*	0.8	1.4	2.0	3.4	3.5	4.9	6.8	9.1	18.8
1994.....	0.6	1.1	2.0	2.1	3.5	2.6	5.9	5.9	15.7	21.8
1993.....	0.8	1.2	1.5	2.2	3.1	4.9	5.3	6.4	14.1	19.9
1992.....	*	0.9	2.0	2.8	4.0	3.7	6.4	9.7	15.0	30.7
1991.....	0.8	*	1.7	2.4	4.5	6.6	6.7	9.7	16.8	24.5
1990.....	0.9	1.5	2.3	2.8	5.5	6.7	7.6	11.8	13.1	27.3
1989.....	*	1.6	2.2	4.5	5.4	7.2	6.9	14.2	14.7	21.9
1988.....	*	1.7	2.6	2.1	4.0	6.7	7.8	11.7	12.8	27.4
1987.....	*	1.4	2.7	4.0	5.6	6.4	8.2	13.1	13.0	27.1
1986.....	*	1.6	2.6	4.0	5.2	9.8	10.4	12.1	15.8	24.2
1985.....	1.0	1.7	3.6	4.4	6.6	7.4	11.8	10.8	14.7	28.1
1984.....	*	1.7	3.7	4.8	7.3	9.2	13.2	12.8	25.6	29.0
1983.....	1.2	1.4	3.9	5.1	7.4	10.4	12.9	14.9	22.9	37.3
1982.....	1.2	2.7	4.4	6.3	7.1	8.8	9.9	14.9	19.1	34.2
1981.....	1.5	2.1	4.5	7.1	8.7	9.0	17.0	16.5	27.8	31.6
1980.....	1.2	3.8	5.3	7.4	8.8	13.0	12.3	14.9	29.2	29.5
1979.....	0.8	2.1	4.9	7.7	12.0	11.1	15.4	20.9	25.9	35.1
ALL OTHER MALE										
1998.....	*	1.5	2.2	4.0	5.0	6.5	7.9	10.0	13.6	19.7
1997.....	*	*	2.7	3.9	4.4	5.7	7.2	9.1	14.0	24.5
1996.....	*	*	*	3.2	5.8	5.4	7.0	14.7	*	19.0
1995.....	*	*	*	3.6	4.4	5.1	6.4	10.8	*	*
1994.....	*	2.0	2.9	3.0	6.0	*	7.8	*	17.4	26.5
1993.....	*	2.1	2.6	*	4.4	7.1	7.7	8.9	20.8	24.0
1992.....	*	*	2.9	4.1	5.9	6.0	10.2	14.9	19.7	28.5
1991.....	1.6	*	*	3.2	6.7	10.8	8.6	12.6	16.3	39.5
1990.....	*	2.6	3.8	4.5	8.4	9.8	10.3	13.8	*	31.9
1989.....	*	*	3.0	7.2	7.1	10.8	7.3	17.1	22.3	27.2
1988.....	*	2.6	3.1	*	6.0	10.7	12.9	17.8	*	27.8
1987.....	*	*	4.5	5.6	9.0	10.0	11.4	20.9	*	33.8
1986.....	*	*	4.2	6.1	8.9	14.3	16.4	16.2	19.4	*
1985.....	*	*	4.9	6.7	9.2	8.8	16.7	14.1	*	31.5
1984.....	*	2.8	5.6	6.6	12.0	13.9	18.5	12.9	24.8	43.1
1983.....	*	*	5.8	8.3	10.5	14.6	14.7	17.3	34.0	44.3
1982.....	*	4.3	7.0	9.1	9.9	11.9	13.8	20.8	21.3	44.8
1981.....	*	3.4	7.0	11.0	13.2	12.0	21.9	23.1	34.1	31.3
1980.....	2.0	6.7	7.5	12.1	14.5	19.5	14.5	20.7	34.4	31.3
1979.....	1.3	3.4	7.7	11.4	18.6	17.1	21.6	25.3	37.2	37.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	2.8	3.8	6.6	7.7	19.2
1997.....	*	*	*	*	2.8	*	5.4	5.9	7.5	21.4
1996.....	*	*	*	*	*	*	4.0	4.9	*	24.5
1995.....	*	*	*	*	2.7	*	3.9	*	9.0	21.6
1994.....	*	*	*	*	*	*	4.5	*	14.8	19.7
1993.....	*	*	*	*	*	3.2	*	*	10.3	18.1
1992.....	*	*	*	*	*	*	*	6.6	12.4	31.8
1991.....	*	*	*	*	2.8	3.4	5.5	7.8	17.0	17.5
1990.....	*	*	*	*	3.3	4.3	5.8	10.5	12.3	25.1
1989.....	*	*	*	*	4.0	4.6	6.7	12.4	10.4	19.4
1988.....	*	*	*	*	*	3.7	4.4	7.8	11.3	27.2
1987.....	*	*	*	2.7	2.9	3.6	6.0	8.0	10.7	23.9
1986.....	*	*	*	*	*	6.4	6.3	9.5	13.8	23.7
1985.....	*	*	*	*	4.5	6.4	8.5	8.6	15.0	26.7
1984.....	*	*	*	3.4	3.6	5.8	9.4	12.8	26.0	22.1
1983.....	*	*	*	*	5.0	7.3	11.6	13.3	16.4	33.8
1982.....	*	*	*	4.0	4.9	6.5	7.0	10.9	17.8	28.6
1981.....	*	*	*	3.9	5.2	6.8	13.4	12.0	24.0	31.7
1980.....	0.6	1.4	3.5	3.5	4.3	8.1	10.6	11.0	26.1	28.7
1979.....	0.4	1.1	2.6	4.5	6.6	6.6	10.7	17.8	19.0	34.2
BLACK, BOTH SEXES										
1998.....	*	1.2	1.7	2.6	3.8	5.2	6.7	9.6	11.6	21.2
1997.....	*	*	2.0	3.2	4.3	4.8	7.2	8.7	10.5	24.6
1996.....	*	1.3	1.8	3.1	4.7	3.8	6.4	10.6	8.1	25.5
1995.....	*	1.1	1.7	2.4	4.4	3.6	6.2	8.2	9.7	20.8
1994.....	*	1.3	2.4	2.3	4.0	3.1	6.5	6.2	16.1	22.3
1993.....	1.0	1.3	2.0	2.9	3.9	5.4	5.8	7.5	16.2	20.6
1992.....	*	*	2.0	3.5	4.7	4.3	7.8	11.6	16.6	33.3
1991.....	1.2	*	2.1	2.5	5.4	7.8	8.1	10.8	19.2	27.2
1990.....	1.1	1.8	3.0	3.2	6.8	7.2	9.1	13.2	12.8	29.2
1989.....	*	2.1	2.5	5.3	6.1	8.6	8.0	15.9	16.7	23.2
1988.....	*	2.1	3.2	2.6	4.9	8.0	9.2	13.3	14.0	29.0
1987.....	*	1.7	3.0	4.4	6.5	7.3	9.7	14.4	13.7	27.9
1986.....	*	2.0	3.2	4.5	6.4	10.6	11.2	12.8	17.3	26.4
1985.....	*	2.2	4.3	5.2	7.8	8.6	13.8	11.7	16.3	29.2
1984.....	*	2.2	4.5	5.3	8.8	10.3	14.2	14.5	28.8	31.6
1983.....	*	1.7	4.6	5.7	8.8	11.8	14.4	16.8	24.7	40.8
1982.....	1.5	3.2	5.0	7.1	8.0	9.7	10.6	16.5	21.1	36.9
1981.....	1.8	2.3	5.0	8.0	9.4	9.8	19.4	17.7	31.1	33.3
1980.....	1.4	4.4	5.9	8.2	10.0	14.1	12.9	15.7	31.0	32.1
1979.....	0.9	2.3	5.5	8.7	13.0	12.2	16.9	22.5	26.9	36.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										
BLACK MALE										
1998.....	*	*	2.8	4.0	6.6	7.7	9.0	12.0	*	23.4
1997.....	*	*	*	5.1	5.6	7.0	8.3	11.5	*	26.9
1996.....	*	*	*	*	7.7	6.3	9.1	18.3	*	24.0
1995.....	*	*	*	4.2	5.6	5.3	7.8	13.9	*	*
1994.....	*	*	3.5	*	6.8	*	8.6	*	19.7	28.8
1993.....	*	*	3.6	*	5.4	7.1	8.6	*	25.7	*
1992.....	*	*	*	5.1	6.6	7.3	12.5	18.0	23.4	33.0
1991.....	2.2	*	*	*	8.1	13.1	10.2	14.4	*	46.4
1990.....	*	3.3	4.9	5.2	10.3	11.1	12.6	15.7	*	36.2
1989.....	*	*	*	8.2	7.9	12.9	8.7	19.1	27.8	30.3
1988.....	*	*	*	*	7.4	13.1	15.2	20.3	*	32.3
1987.....	*	*	5.1	5.7	10.6	11.2	13.7	23.4	*	34.4
1986.....	*	*	5.2	6.6	10.8	15.5	18.1	16.3	22.2	*
1985.....	*	*	5.8	8.0	11.1	10.3	19.5	15.9	*	32.3
1984.....	*	3.6	6.8	6.7	14.5	15.1	20.4	15.0	28.6	49.2
1983.....	*	*	6.9	9.2	12.7	17.0	16.0	20.0	36.6	48.3
1982.....	*	5.5	7.9	10.1	11.1	12.6	14.9	23.6	25.0	50.0
1981.....	*	*	7.7	12.5	14.8	13.5	25.5	25.3	39.0	*
1980.....	2.3	7.5	8.1	13.5	16.3	21.1	14.9	21.6	36.0	34.0
1979.....	1.4	3.6	8.4	12.9	20.7	18.6	24.3	27.3	37.7	38.5
BLACK FEMALE										
1998.....	*	*	*	*	*	*	5.1	8.0	*	20.3
1997.....	*	*	*	*	*	*	6.4	7.0	*	23.7
1996.....	*	*	*	*	*	*	*	*	*	26.1
1995.....	*	*	*	*	*	*	5.0	*	*	24.6
1994.....	*	*	*	*	*	*	5.1	*	14.3	19.7
1993.....	*	*	*	*	*	4.1	*	*	11.3	18.6
1992.....	*	*	*	*	*	*	*	8.0	13.1	33.4
1991.....	*	*	*	*	*	4.0	6.8	8.8	19.4	19.0
1990.....	*	*	*	*	4.2	4.4	6.8	11.8	12.6	26.2
1989.....	*	*	*	*	4.7	5.5	7.6	14.0	10.8	20.3
1988.....	*	*	*	*	*	4.3	5.3	9.1	12.4	27.5
1987.....	*	*	*	3.4	*	4.4	7.1	9.0	*	25.0
1986.....	*	*	*	*	*	7.1	6.6	10.7	14.5	26.1
1985.....	*	*	*	*	5.2	7.4	9.9	9.2	16.5	27.8
1984.....	*	*	*	4.1	4.4	6.8	10.1	14.3	28.9	23.3
1983.....	*	*	*	*	5.8	7.9	13.3	14.7	17.9	37.1
1982.....	*	*	*	4.6	5.5	7.5	7.7	12.0	18.8	30.5
1981.....	*	*	*	4.3	5.2	7.1	15.2	12.7	26.5	32.7
1980.....	0.7	1.7	4.1	3.8	4.9	9.0	11.5	11.9	28.0	31.1
1979.....	0.4	1.3	3.1	5.2	6.8	7.3	11.5	19.1	20.2	35.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ANGINA PECTORIS (413)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	0.3	0.3	0.6	1.3	2.4	6.9
1997.....	*	*	*	0.2	0.2	0.4	0.9	1.5	2.5	8.3
1996.....	*	*	*	0.2	0.3	0.6	1.1	1.5	3.4	8.7
1995.....	*	*	0.1	0.2	0.4	0.7	1.1	1.6	3.0	9.2
1994.....	*	*	*	0.3	0.4	0.6	1.0	2.1	3.8	9.7
1993.....	*	*	*	0.3	0.4	0.7	1.2	2.2	3.8	11.2
1992.....	*	*	*	0.3	0.4	0.8	1.0	2.8	4.5	10.9
1991.....	*	*	0.2	0.2	0.5	1.0	1.4	2.6	5.1	11.4
1990.....	*	*	*	0.2	0.4	1.0	1.7	2.8	4.8	11.9
1989.....	*	*	0.2	0.3	0.5	1.0	1.6	2.8	5.2	11.0
1988.....	*	*	*	0.3	0.6	1.1	1.7	2.8	5.1	10.2
1987.....	*	*	*	0.4	0.6	1.1	1.6	2.9	5.4	10.2
1986.....	*	*	*	0.4	0.6	1.3	1.9	2.7	4.7	8.8
1985.....	*	*	0.3	0.3	0.6	0.9	1.7	2.8	5.3	8.3
1984.....	*	0.2	0.2	0.3	0.7	1.0	1.7	2.4	4.3	6.8
1983.....	*	*	0.2	0.3	0.6	0.8	1.5	2.5	3.7	6.6
1982.....	*	*	0.2	0.3	0.5	0.7	1.3	2.0	3.8	4.1
1981.....	*	*	0.2	0.2	0.4	0.6	1.2	2.1	3.0	5.2
1980.....	0.1	0.1	0.1	0.3	0.4	0.9	1.2	2.0	3.2	4.2
1979.....	0.1	0.1	0.2	0.3	0.3	0.7	1.0	1.7	2.8	4.6
TOTAL, MALE										
1998.....	*	*	*	*	*	*	0.9	1.6	2.8	6.5
1997.....	*	*	*	*	*	0.5	1.3	2.0	3.2	6.9
1996.....	*	*	*	*	*	0.7	1.4	2.2	4.0	7.7
1995.....	*	*	*	*	0.5	0.8	1.5	1.7	3.5	7.8
1994.....	*	*	*	*	0.5	0.8	1.4	2.6	4.1	9.6
1993.....	*	*	*	*	0.5	0.9	1.3	2.4	4.1	11.5
1992.....	*	*	*	0.4	0.5	1.3	1.2	3.8	5.0	10.0
1991.....	*	*	*	*	0.5	1.3	1.4	2.9	5.6	11.6
1990.....	*	*	*	*	0.6	1.5	2.2	2.8	4.9	10.7
1989.....	*	*	0.4	0.4	0.8	1.3	2.0	3.3	6.9	10.1
1988.....	*	*	*	0.4	0.8	1.4	2.4	3.8	5.7	8.9
1987.....	*	*	*	0.5	1.0	1.5	2.2	3.3	5.6	11.9
1986.....	*	*	*	0.6	0.8	1.5	2.1	3.5	5.6	8.5
1985.....	*	*	0.4	0.4	0.9	1.2	2.1	3.1	6.4	9.9
1984.....	*	*	*	0.5	1.0	1.2	2.6	3.4	5.7	7.8
1983.....	*	*	*	*	0.8	1.2	2.0	3.1	4.5	7.9
1982.....	*	*	*	*	0.7	1.0	2.0	2.9	4.0	5.2
1981.....	*	*	*	0.4	0.5	0.8	1.7	3.0	3.6	7.1
1980.....	0.1	0.1	0.2	0.4	0.6	1.1	1.9	2.5	4.5	4.5
1979.....	0.1	0.1	0.3	0.4	0.4	1.1	1.5	2.2	2.9	5.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ANGINA PECTORIS (413)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	1.1	2.2	7.0
1997.....	*	*	*	*	*	*	0.6	1.3	2.0	8.8
1996.....	*	*	*	*	*	0.4	0.8	1.0	3.0	9.2
1995.....	*	*	*	*	*	0.5	0.8	1.4	2.8	9.8
1994.....	*	*	*	*	*	0.5	0.7	1.7	3.6	9.7
1993.....	*	*	*	*	*	0.5	1.2	2.1	3.6	11.1
1992.....	*	*	*	*	*	0.5	0.9	2.1	4.2	11.3
1991.....	*	*	*	*	0.4	0.8	1.4	2.3	4.8	11.3
1990.....	*	*	*	*	*	0.6	1.3	2.7	4.8	12.4
1989.....	*	*	*	*	*	0.8	1.3	2.5	4.3	11.4
1988.....	*	*	*	*	0.4	0.8	1.3	2.2	4.7	10.7
1987.....	*	*	*	*	*	0.8	1.3	2.6	5.3	9.5
1986.....	*	*	*	*	0.4	1.1	1.7	2.3	4.2	8.9
1985.....	*	*	*	*	0.4	0.7	1.5	2.6	4.7	7.7
1984.....	*	*	*	*	0.4	0.9	1.1	1.8	3.6	6.4
1983.....	*	*	*	*	*	0.5	1.2	2.1	3.3	6.0
1982.....	*	*	*	*	*	*	0.8	1.5	3.6	3.6
1981.....	*	*	*	*	*	0.4	0.8	1.5	2.7	4.3
1980.....	0.0	0.1	0.1	0.2	0.3	0.6	0.7	1.6	2.5	4.1
1979.....	0.1	0.0	0.1	0.2	0.2	0.4	0.7	1.4	2.7	4.3
WHITE, BOTH SEXES										
1998.....	*	*	*	*	0.2	0.3	0.6	1.3	2.4	7.3
1997.....	*	*	*	*	0.3	0.4	0.9	1.6	2.5	8.5
1996.....	*	*	*	0.2	0.3	0.5	1.0	1.5	3.3	9.1
1995.....	*	*	*	*	0.4	0.7	1.1	1.5	3.1	9.5
1994.....	*	*	*	0.2	0.4	0.6	1.1	2.0	3.8	10.0
1993.....	*	*	*	0.2	0.4	0.6	1.2	2.3	4.0	11.6
1992.....	*	*	*	0.3	0.4	0.8	0.9	2.9	4.6	11.2
1991.....	*	*	*	0.2	0.4	1.0	1.4	2.6	5.1	11.5
1990.....	*	*	*	*	0.4	1.0	1.6	2.8	4.8	12.4
1989.....	*	*	0.2	0.3	0.5	1.0	1.6	2.7	5.2	11.5
1988.....	*	*	*	0.3	0.6	1.1	1.7	2.7	5.3	10.6
1987.....	*	*	*	0.3	0.6	1.0	1.5	2.9	5.7	10.3
1986.....	*	*	*	0.4	0.6	1.2	1.8	2.7	4.8	9.0
1985.....	*	*	0.2	0.3	0.6	0.9	1.7	2.9	5.2	8.7
1984.....	*	*	0.2	0.3	0.7	1.0	1.8	2.5	4.3	7.1
1983.....	*	*	*	0.3	0.5	0.7	1.5	2.6	3.9	7.0
1982.....	*	*	*	0.3	0.5	0.7	1.3	2.1	3.9	4.3
1981.....	*	*	*	0.2	0.4	0.6	1.2	2.2	3.1	5.3
1980.....	0.1	0.1	0.1	0.3	0.5	0.9	1.2	1.9	3.1	4.4
1979.....	0.1	0.0	0.2	0.3	0.3	0.7	1.0	1.6	2.8	4.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ANGINA PECTORIS (413)										
WHITE MALE										
1998.....	*	*	*	*	*	*	0.9	1.6	2.9	6.7
1997.....	*	*	*	*	*	*	1.3	2.0	3.2	6.8
1996.....	*	*	*	*	*	0.6	1.5	2.2	3.9	8.0
1995.....	*	*	*	*	0.5	0.9	1.5	1.6	3.7	7.8
1994.....	*	*	*	*	0.6	0.9	1.4	2.4	4.3	10.1
1993.....	*	*	*	*	0.6	0.8	1.4	2.5	4.4	12.2
1992.....	*	*	*	*	0.5	1.3	1.1	3.8	5.3	10.4
1991.....	*	*	*	*	0.5	1.3	1.5	3.0	5.8	11.9
1990.....	*	*	*	*	0.5	1.4	2.2	3.0	5.0	10.9
1989.....	*	*	*	*	0.8	1.3	1.9	3.2	6.7	10.7
1988.....	*	*	*	*	0.8	1.5	2.3	3.8	5.9	9.4
1987.....	*	*	*	0.5	1.1	1.4	2.1	3.3	6.0	12.3
1986.....	*	*	*	0.5	0.8	1.5	2.0	3.6	5.6	8.9
1985.....	*	*	*	*	0.9	1.2	2.1	3.4	6.4	10.6
1984.....	*	*	*	0.5	1.0	1.1	2.7	3.5	5.6	8.1
1983.....	*	*	*	*	0.8	1.1	2.0	3.2	4.9	8.4
1982.....	*	*	*	*	0.7	1.0	2.1	3.1	4.3	5.5
1981.....	*	*	*	*	0.5	0.8	1.7	3.2	3.7	7.2
1980.....	0.1	0.1	0.2	0.4	0.6	1.2	2.0	2.6	4.6	4.7
1979.....	0.1	0.1	0.3	0.4	0.5	1.1	1.4	2.3	3.1	5.3
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	1.1	2.1	7.5
1997.....	*	*	*	*	*	*	0.5	1.3	2.1	9.1
1996.....	*	*	*	*	*	0.4	0.7	1.0	3.0	9.5
1995.....	*	*	*	*	*	0.5	0.8	1.5	2.8	10.2
1994.....	*	*	*	*	*	0.5	0.8	1.7	3.6	10.0
1993.....	*	*	*	*	*	0.5	1.1	2.1	3.7	11.3
1992.....	*	*	*	*	*	0.5	0.8	2.2	4.3	11.5
1991.....	*	*	*	*	*	0.7	1.4	2.3	4.8	11.4
1990.....	*	*	*	*	*	0.6	1.2	2.7	4.8	12.9
1989.....	*	*	*	*	*	0.7	1.3	2.4	4.4	11.8
1988.....	*	*	*	*	*	0.9	1.2	2.1	5.0	11.1
1987.....	*	*	*	*	*	0.7	1.1	2.6	5.6	9.5
1986.....	*	*	*	*	0.4	0.9	1.7	2.2	4.3	9.1
1985.....	*	*	*	*	*	0.7	1.4	2.6	4.6	7.9
1984.....	*	*	*	*	0.4	0.9	1.1	1.8	3.6	6.6
1983.....	*	*	*	*	*	*	1.1	2.2	3.4	6.4
1982.....	*	*	*	*	*	*	0.8	1.5	3.7	3.8
1981.....	*	*	*	*	*	*	0.8	1.6	2.7	4.5
1980.....	0.0	0.1	0.0	0.2	0.3	0.6	0.6	1.5	2.3	4.2
1979.....	0.1	0.0	0.1	0.1	0.2	0.3	0.7	1.2	2.7	4.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ANGINA PECTORIS (413)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	6.3
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	6.2
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	7.3
1992.....	*	*	*	*	*	*	*	*	*	7.8
1991.....	*	*	*	*	*	*	*	*	*	9.5
1990.....	*	*	*	*	*	*	2.5	*	*	*
1989.....	*	*	*	*	*	*	*	3.5	*	*
1988.....	*	*	*	*	*	*	*	3.7	*	*
1987.....	*	*	*	*	*	2.0	2.8	*	*	9.6
1986.....	*	*	*	*	*	2.2	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.2	0.3	0.4	-	0.7	1.1	2.3	3.9	2.8
1979.....	0.1	0.1	0.3	0.4	0.3	1.2	1.1	2.5	2.2	1.1
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.3	0.3	0.5	-	0.8	0.7	1.7	3.4	3.3
1979.....	0.1	0.2	0.3	0.4	-	1.3	1.9	1.1	1.2	1.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ANGINA PECTORIS (413)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	0.3	0.3	-	0.6	1.4	2.7	4.2	2.5
1979.....	0.1	0.1	0.3	0.5	0.6	1.2	0.6	3.5	2.9	0.9
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	7.5
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	7.8
1992.....	*	*	*	*	*	*	*	*	*	8.4
1991.....	*	*	*	*	*	*	*	*	*	10.3
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	4.4	*	*
1987.....	*	*	*	*	*	*	3.2	*	*	10.1
1986.....	*	*	*	*	*	2.7	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.3	0.4	0.4	-	0.6	1.2	2.6	4.0	1.3
1979.....	0.2	0.2	0.4	0.5	0.4	1.4	0.9	2.5	2.5	1.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ANGINA PECTORIS (413)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.4	0.4	0.4	-	0.6	0.9	2.0	4.0	1.9
1979.....	0.2	0.2	0.4	0.4	-	1.5	1.3	1.2	1.3	1.9
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	0.3	0.3	-	0.7	1.5	3.0	4.0	0.9
1979.....	0.1	0.2	0.3	0.5	0.6	1.3	0.6	3.4	3.2	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
TOTAL, BOTH SEXES										
1998.....	8.9	18.0	33.6	58.8	107.1	182.7	314.9	518.7	949.7	2,335.4
1997.....	9.2	19.0	35.8	63.0	112.9	188.7	322.3	539.4	966.7	2,464.1
1996.....	9.4	19.9	37.8	64.6	120.0	194.1	333.9	560.1	1,000.1	2,511.4
1995.....	9.9	20.1	38.6	67.3	119.0	201.0	337.2	567.9	1,018.7	2,605.8
1994.....	9.7	20.0	37.9	67.5	120.6	200.9	338.1	569.1	1,028.1	2,620.9
1993.....	10.2	20.5	39.0	69.8	123.4	210.2	348.9	589.9	1,067.6	2,701.6
1992.....	10.2	20.7	38.5	70.8	122.1	207.7	344.0	574.6	1,031.7	2,630.7
1991.....	9.8	21.3	38.7	72.4	126.0	208.9	353.0	588.7	1,057.7	2,671.5
1990.....	10.2	21.5	39.8	73.7	128.6	211.9	363.7	611.3	1,086.1	2,769.4
1989.....	10.6	22.2	41.9	76.1	131.2	217.6	363.2	621.4	1,115.6	2,804.2
1988.....	10.9	23.8	43.7	82.3	138.3	228.8	390.8	657.8	1,190.3	2,994.7
1987.....	12.3	23.8	46.1	81.8	141.7	230.3	395.3	660.5	1,186.7	3,004.9
1986.....	12.7	23.8	47.4	83.1	145.3	234.9	403.7	676.2	1,230.1	3,075.3
1985.....	12.8	26.4	49.8	85.8	144.3	239.6	412.3	693.5	1,291.9	3,197.2
1984.....	12.2	26.5	48.9	85.8	148.3	244.4	419.1	719.3	1,331.2	3,240.6
1983.....	12.9	26.2	50.4	89.6	149.8	252.2	433.4	746.4	1,404.4	3,377.1
1982.....	12.9	27.5	51.1	88.5	151.2	254.8	434.2	757.8	1,430.1	3,367.3
1981.....	13.0	28.2	51.4	91.3	155.7	259.0	445.4	771.6	1,484.3	3,474.6
1980.....	13.5	27.2	52.2	92.3	155.5	264.5	463.7	826.2	1,575.4	3,655.3
1979.....	12.7	27.4	50.7	86.0	153.4	251.9	457.6	796.5	1,525.1	3,424.9
TOTAL, MALE										
1998.....	13.7	28.7	52.5	89.4	156.1	262.2	445.3	716.6	1,252.6	2,535.5
1997.....	14.8	30.4	55.8	96.2	166.8	273.7	458.5	743.4	1,279.4	2,697.4
1996.....	14.5	31.4	58.0	97.9	179.4	282.3	476.3	772.9	1,315.7	2,751.7
1995.....	15.8	32.0	60.8	101.9	177.2	293.6	484.1	782.6	1,336.7	2,853.8
1994.....	15.6	32.3	59.6	102.4	181.1	296.3	487.8	786.2	1,353.5	2,892.9
1993.....	16.4	33.3	60.9	106.9	184.2	310.9	498.8	819.6	1,405.7	2,977.8
1992.....	16.3	33.7	60.4	108.6	184.8	309.9	496.3	806.3	1,358.9	2,867.3
1991.....	15.9	34.3	61.5	112.4	189.6	312.1	512.0	824.0	1,383.2	2,924.3
1990.....	16.8	34.6	62.4	114.1	195.3	314.2	528.2	848.3	1,418.5	3,020.7
1989.....	17.6	36.2	66.9	117.9	199.1	323.1	524.4	858.8	1,444.8	3,017.7
1988.....	18.1	38.8	68.8	127.0	210.9	340.0	569.0	904.8	1,536.5	3,233.0
1987.....	20.2	38.9	73.7	126.9	216.4	339.1	573.5	911.7	1,538.9	3,217.2
1986.....	21.2	38.9	76.3	131.8	221.5	346.9	585.6	926.5	1,571.3	3,319.8
1985.....	21.4	43.2	80.5	136.0	221.3	352.5	598.6	952.3	1,665.7	3,474.8
1984.....	20.1	43.2	78.9	135.3	225.4	358.4	596.7	974.8	1,686.4	3,530.5
1983.....	21.5	43.1	80.7	141.0	227.8	373.5	620.7	1,018.4	1,740.1	3,682.9
1982.....	21.3	44.8	82.5	141.7	228.0	378.4	614.0	1,027.5	1,778.5	3,695.1
1981.....	21.1	45.8	82.9	144.9	234.9	381.9	632.5	1,033.8	1,848.5	3,798.0
1980.....	21.9	44.7	84.1	145.4	233.5	388.1	647.8	1,097.2	1,934.5	3,981.5
1979.....	20.6	44.9	83.4	137.7	234.4	371.9	645.1	1,053.3	1,875.1	3,729.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
TOTAL, FEMALE										
1998.....	4.2	7.8	15.7	30.6	63.3	115.6	213.1	378.1	769.8	2,252.5
1997.....	3.8	8.0	16.9	32.3	64.8	117.1	217.1	396.1	783.7	2,370.1
1996.....	4.4	8.8	18.7	33.9	67.0	120.4	224.3	412.0	818.3	2,415.9
1995.....	4.1	8.5	17.5	35.5	67.3	124.0	224.4	420.5	839.5	2,509.3
1994.....	3.9	8.2	17.4	35.2	67.0	122.5	223.6	421.9	848.0	2,516.1
1993.....	4.2	8.1	18.2	35.5	69.7	127.9	234.7	436.1	882.8	2,595.7
1992.....	4.2	8.2	17.7	36.1	66.9	124.6	229.0	421.5	854.6	2,539.0
1991.....	3.9	8.9	17.2	35.7	70.2	125.3	233.8	435.0	883.7	2,573.8
1990.....	3.7	8.9	18.4	36.8	70.4	128.9	241.7	459.0	909.6	2,672.5
1989.....	3.8	8.7	18.3	37.9	72.4	131.8	244.1	469.2	941.7	2,721.2
1988.....	4.0	9.5	20.1	41.7	75.6	138.3	260.0	500.3	1,007.5	2,901.7
1987.....	4.6	9.2	20.3	40.7	77.3	141.8	265.4	501.2	1,001.8	2,921.3
1986.....	4.5	9.4	20.2	38.9	79.7	143.9	271.5	518.3	1,051.3	2,978.3
1985.....	4.5	10.3	21.2	40.6	77.8	148.1	277.2	530.7	1,095.7	3,086.4
1984.....	4.6	10.4	20.9	41.4	81.4	152.6	290.5	558.8	1,144.5	3,139.4
1983.....	4.7	10.0	22.2	43.6	82.3	154.7	298.0	575.8	1,227.4	3,251.8
1982.....	4.9	11.1	21.8	41.2	84.6	155.7	304.0	588.7	1,246.5	3,230.6
1981.....	5.2	11.5	22.2	43.6	87.1	160.7	310.3	607.2	1,291.2	3,335.0
1980.....	5.5	10.7	22.8	44.9	88.3	165.6	330.5	656.3	1,384.4	3,512.6
1979.....	5.1	10.9	20.7	39.8	83.6	156.1	322.1	635.2	1,337.3	3,289.7
WHITE, BOTH SEXES										
1998.....	8.4	16.9	32.0	55.9	103.8	181.4	313.7	521.0	963.6	2,406.2
1997.....	8.7	17.8	33.9	59.7	109.4	187.6	319.7	542.1	980.4	2,537.6
1996.....	8.7	19.0	35.6	61.9	116.7	193.2	332.3	563.2	1,011.1	2,590.8
1995.....	9.4	18.5	36.2	64.0	115.6	198.5	332.6	572.0	1,028.5	2,677.0
1994.....	8.9	19.0	36.3	63.8	118.4	198.2	336.1	573.5	1,041.0	2,690.7
1993.....	9.4	19.5	36.9	66.6	120.5	207.6	347.9	593.9	1,080.1	2,772.7
1992.....	9.4	19.5	36.3	68.2	120.1	205.1	343.8	579.4	1,045.6	2,700.2
1991.....	9.2	20.2	36.2	69.6	123.6	205.6	352.0	594.7	1,070.2	2,748.9
1990.....	9.8	20.3	37.9	71.1	126.2	208.6	363.7	617.4	1,102.7	2,848.4
1989.....	9.8	20.6	39.8	73.2	127.8	215.4	363.6	627.7	1,135.5	2,888.3
1988.....	10.2	22.0	41.5	79.8	134.4	226.3	391.5	663.1	1,207.6	3,091.3
1987.....	11.4	22.3	43.8	78.9	138.6	228.1	395.0	668.0	1,204.7	3,101.5
1986.....	11.8	22.4	45.4	81.0	141.7	233.1	404.9	683.7	1,251.0	3,167.9
1985.....	11.9	24.6	47.3	82.1	141.1	237.1	412.4	700.3	1,311.4	3,309.5
1984.....	11.4	24.9	46.5	82.5	144.5	243.4	417.7	728.8	1,351.5	3,360.4
1983.....	12.0	24.5	47.5	86.0	145.4	251.5	431.3	754.9	1,422.0	3,494.6
1982.....	12.0	25.2	47.5	85.0	146.7	252.5	433.2	766.5	1,450.6	3,479.4
1981.....	11.9	26.1	48.8	87.6	150.4	256.2	442.9	780.7	1,503.6	3,587.8
1980.....	12.4	25.1	49.0	87.9	150.1	259.7	461.3	832.4	1,597.1	3,772.9
1979.....	11.6	25.6	47.2	82.1	149.2	247.8	454.8	803.2	1,558.5	3,546.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
WHITE MALE										
1998.....	13.2	27.5	50.9	85.9	152.9	263.6	450.4	727.7	1,282.2	2,629.7
1997.....	14.1	28.7	53.9	92.7	162.9	275.9	460.5	752.3	1,308.7	2,802.1
1996.....	13.8	30.5	55.9	95.7	176.9	284.7	480.3	784.9	1,344.0	2,863.6
1995.....	15.3	30.0	58.1	98.4	174.9	292.9	484.4	793.8	1,362.4	2,943.3
1994.....	14.6	31.3	57.7	98.3	179.1	297.1	491.0	800.1	1,385.5	2,992.3
1993.....	15.6	32.4	59.2	103.9	181.8	311.9	503.2	833.8	1,433.6	3,074.4
1992.....	15.4	32.5	58.6	106.6	184.7	311.2	501.8	818.9	1,393.9	2,971.9
1991.....	15.1	33.3	58.5	110.3	188.5	312.2	517.0	841.8	1,407.6	3,036.9
1990.....	16.4	33.5	60.7	111.8	195.0	314.9	532.3	864.1	1,459.1	3,126.1
1989.....	16.6	34.1	64.2	115.3	196.6	324.7	532.1	875.9	1,483.8	3,131.9
1988.....	17.1	36.5	66.8	124.7	207.6	340.3	576.3	923.3	1,570.6	3,364.0
1987.....	19.0	37.3	71.3	125.1	214.7	339.4	578.7	929.1	1,572.0	3,348.8
1986.....	19.9	37.7	74.4	130.8	218.7	348.9	594.4	948.0	1,612.3	3,442.9
1985.....	20.1	41.0	77.5	132.9	219.3	354.8	606.1	971.7	1,702.4	3,624.7
1984.....	19.4	41.4	76.5	132.3	223.3	361.4	601.1	999.8	1,727.3	3,697.6
1983.....	20.4	41.2	77.5	138.4	224.3	377.8	626.9	1,043.0	1,772.8	3,839.7
1982.....	20.1	42.4	78.8	139.1	224.9	379.3	620.4	1,048.8	1,817.3	3,840.5
1981.....	19.6	43.4	80.2	141.3	230.9	384.3	638.3	1,060.4	1,884.2	3,952.4
1980.....	20.7	42.3	80.1	141.4	229.7	386.6	654.2	1,116.6	1,969.3	4,117.2
1979.....	19.3	43.1	79.2	133.8	231.8	372.6	651.5	1,075.9	1,926.7	3,872.3
WHITE FEMALE										
1998.....	3.6	6.5	13.7	27.7	58.9	110.6	205.7	373.1	773.5	2,314.6
1997.....	3.2	6.9	14.6	28.7	60.5	112.0	209.6	393.2	787.6	2,432.3
1996.....	3.5	7.7	15.9	30.1	61.9	115.3	217.0	407.6	818.7	2,483.8
1995.....	3.4	7.2	15.1	31.7	61.8	118.7	214.8	418.4	839.8	2,574.4
1994.....	3.1	7.0	15.7	31.4	63.3	115.7	216.3	418.7	850.1	2,575.8
1993.....	3.3	6.9	15.5	31.6	65.1	121.3	228.3	432.0	887.2	2,658.4
1992.....	3.5	6.8	14.9	32.1	62.0	117.8	223.2	420.0	857.9	2,596.5
1991.....	3.3	7.4	14.7	31.5	65.6	118.3	227.0	432.3	890.7	2,640.7
1990.....	3.2	7.3	16.0	33.3	65.3	121.5	237.4	458.1	914.6	2,742.9
1989.....	3.0	7.5	16.4	34.0	67.1	125.7	238.0	468.0	952.4	2,796.7
1988.....	3.4	7.8	17.3	38.1	70.3	132.6	254.8	497.2	1,017.9	2,986.7
1987.....	4.0	7.7	17.6	36.2	72.1	136.4	260.0	502.5	1,013.5	3,005.7
1986.....	3.7	7.6	17.6	35.2	74.5	138.1	266.3	517.3	1,063.1	3,060.7
1985.....	3.9	8.6	18.5	35.6	72.7	141.0	271.4	530.2	1,108.1	3,185.9
1984.....	3.6	8.9	18.0	37.2	75.6	147.4	284.4	559.5	1,155.9	3,226.8
1983.....	3.8	8.3	19.1	38.6	76.3	149.2	289.6	575.4	1,238.9	3,355.7
1982.....	4.2	8.6	18.0	36.3	78.1	150.1	297.8	590.8	1,258.8	3,331.5
1981.....	4.3	9.4	19.2	39.3	80.1	153.1	302.0	606.7	1,304.2	3,435.2
1980.....	4.4	8.6	19.8	39.7	81.0	157.8	322.2	655.7	1,401.5	3,624.4
1979.....	4.0	8.8	17.2	35.4	77.4	147.8	313.4	633.4	1,363.5	3,400.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
ALL OTHER, BOTH SEXES										
1998.....	11.5	23.9	43.1	76.4	127.7	191.6	323.8	498.2	809.1	1,665.8
1997.....	12.0	25.7	47.5	82.7	135.2	196.1	343.8	514.9	826.8	1,762.6
1996.....	13.2	24.9	51.1	81.2	140.8	201.0	348.0	532.3	888.3	1,750.7
1995.....	12.8	29.2	53.2	87.8	141.1	219.3	377.0	530.3	917.7	1,882.4
1994.....	14.2	25.9	48.1	90.5	135.6	221.5	355.6	526.9	897.0	1,904.0
1993.....	14.4	26.0	51.6	89.8	143.6	230.0	358.2	551.6	939.0	1,968.6
1992.....	14.3	27.7	51.6	88.1	136.6	228.3	346.4	529.9	887.1	1,900.0
1991.....	13.0	28.2	54.6	90.8	143.8	235.1	361.9	532.2	932.2	1,856.6
1990.....	12.7	28.9	51.4	91.1	146.1	238.9	363.8	554.1	913.1	1,932.7
1989.....	15.5	31.6	55.2	95.8	157.4	235.3	359.9	562.4	910.5	1,912.5
1988.....	15.1	35.3	57.9	100.3	168.9	249.7	384.5	608.1	1,007.8	1,967.7
1987.....	17.4	32.6	61.2	102.3	166.3	250.1	398.0	590.0	994.2	1,965.8
1986.....	18.8	32.3	60.4	98.1	174.8	250.2	393.0	604.3	1,006.7	2,069.7
1985.....	18.5	37.2	67.1	114.1	171.3	260.4	410.5	628.5	1,075.1	1,958.5
1984.....	17.2	36.2	65.2	111.4	180.1	253.5	431.7	628.1	1,107.7	1,927.2
1983.....	18.7	37.1	70.9	117.9	188.6	258.5	452.5	664.4	1,206.9	2,062.7
1982.....	18.6	42.3	76.6	117.0	191.3	274.3	442.6	672.7	1,202.4	2,124.1
1981.....	20.0	41.8	70.6	122.0	203.6	283.6	469.8	682.9	1,261.4	2,188.4
1980.....	20.6	41.8	77.1	129.9	204.2	306.6	486.7	765.1	1,319.8	2,304.9
1979.....	20.2	40.2	79.0	120.0	192.3	288.1	485.6	731.8	1,129.9	2,017.2
ALL OTHER MALE										
1998.....	16.3	35.4	62.6	113.1	178.1	252.4	401.7	613.8	943.5	1,710.1
1997.....	18.3	40.0	68.6	119.7	193.8	258.0	441.0	658.2	972.6	1,784.8
1996.....	18.6	37.0	71.1	112.5	197.0	264.0	441.2	657.2	1,021.5	1,779.5
1995.....	19.0	44.9	79.3	125.3	193.7	298.8	481.9	671.4	1,066.3	2,017.0
1994.....	21.5	39.0	72.8	130.8	195.4	290.0	458.5	647.5	1,026.6	1,961.0
1993.....	21.3	39.4	72.2	127.9	202.3	302.8	457.9	677.2	1,123.1	2,076.5
1992.....	21.6	41.1	72.7	122.7	185.9	299.6	444.2	682.1	1,006.9	1,890.3
1991.....	20.1	40.7	81.3	127.6	199.1	311.4	464.5	649.1	1,141.9	1,883.7
1990.....	19.5	41.7	73.9	130.8	197.9	307.8	488.6	694.7	1,014.2	2,036.8
1989.....	24.2	49.8	84.9	136.7	219.1	308.6	450.0	693.7	1,057.9	1,960.5
1988.....	24.4	53.8	82.8	144.1	239.1	337.6	500.0	729.2	1,198.3	2,020.3
1987.....	28.6	49.3	90.6	140.8	231.2	336.5	523.5	747.4	1,206.3	1,984.4
1986.....	29.9	47.1	89.8	139.5	245.5	328.1	502.6	724.3	1,157.4	2,164.0
1985.....	30.7	57.3	101.6	160.5	239.3	331.1	527.3	770.9	1,280.0	2,061.6
1984.....	25.0	55.6	96.7	159.8	244.9	330.2	553.2	742.6	1,269.3	1,963.9
1983.....	29.0	56.2	104.8	163.2	259.6	335.4	562.1	790.9	1,401.0	2,145.7
1982.....	29.4	61.5	111.8	163.7	256.8	368.6	554.3	825.5	1,373.4	2,285.1
1981.....	31.0	62.7	104.9	175.7	273.8	359.8	578.4	787.1	1,472.5	2,260.9
1980.....	30.5	63.0	117.1	180.4	269.8	402.1	588.2	915.9	1,562.5	2,595.4
1979.....	30.5	58.9	119.2	172.8	258.7	365.6	584.5	842.9	1,324.4	2,232.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
ALL OTHER FEMALE										
1998.....	7.3	14.1	26.9	46.7	88.7	146.3	269.0	421.4	732.6	1,645.5
1997.....	6.4	13.6	29.9	52.7	90.1	150.0	275.8	421.5	744.9	1,752.5
1996.....	8.4	14.5	34.3	55.7	97.7	154.0	282.9	451.6	813.5	1,737.7
1995.....	7.4	15.8	31.3	57.3	100.6	160.2	304.0	440.4	836.0	1,824.1
1994.....	7.8	14.7	27.3	57.9	89.8	170.7	284.2	451.3	825.7	1,879.4
1993.....	8.3	14.6	34.2	58.9	98.7	176.3	288.6	473.6	836.6	1,921.6
1992.....	7.9	16.2	33.8	60.1	99.1	175.6	278.7	435.6	819.6	1,904.4
1991.....	6.8	17.4	32.0	61.0	101.7	178.8	292.1	459.5	810.0	1,834.4
1990.....	6.8	17.9	32.3	59.3	106.7	188.0	278.8	466.8	856.1	1,885.4
1989.....	8.1	16.0	30.0	62.9	110.6	180.8	298.3	480.3	826.4	1,890.3
1988.....	7.1	19.5	36.9	65.0	114.9	184.3	306.6	531.5	893.6	1,943.2
1987.....	7.7	18.2	36.5	71.3	116.2	185.8	312.4	489.3	873.0	1,957.1
1986.....	9.3	19.6	36.0	64.6	119.8	192.0	317.8	526.8	925.5	2,024.4
1985.....	8.1	19.9	38.4	76.5	118.0	207.5	329.9	535.0	955.6	1,921.3
1984.....	10.4	19.7	39.2	72.2	129.2	195.5	346.0	552.0	1,006.9	1,909.0
1983.....	9.9	20.7	43.2	81.2	132.0	201.3	376.1	579.6	1,092.7	2,020.9
1982.....	9.3	26.0	48.0	78.8	139.2	203.4	362.1	567.4	1,100.0	2,027.1
1981.....	10.6	24.4	42.7	78.0	147.5	225.9	389.1	612.4	1,133.3	2,151.6
1980.....	12.3	24.3	44.6	88.1	151.6	233.5	411.0	662.4	1,170.7	2,156.0
1979.....	11.5	24.8	46.3	75.9	138.5	228.7	410.4	653.5	1,016.1	1,923.7
BLACK, BOTH SEXES										
1998.....	14.5	29.5	53.3	91.9	153.4	223.3	368.1	546.4	875.6	1,756.2
1997.....	14.4	31.8	58.4	98.2	163.8	219.2	391.8	569.0	887.6	1,861.3
1996.....	16.5	31.1	64.0	96.0	166.2	225.6	397.9	580.8	951.3	1,852.9
1995.....	16.1	36.7	65.5	106.7	167.5	249.0	425.8	579.1	966.8	1,902.8
1994.....	17.6	31.3	58.1	106.5	158.4	252.2	399.1	570.8	950.4	1,943.5
1993.....	17.3	31.9	63.7	107.1	168.2	266.3	406.0	601.9	983.2	2,005.9
1992.....	17.7	34.0	62.8	104.8	157.5	258.5	385.6	566.8	927.2	1,960.3
1991.....	15.8	35.5	66.0	106.7	166.9	266.8	407.2	573.0	991.6	1,925.4
1990.....	16.2	35.1	62.8	106.3	170.4	269.5	400.7	596.6	960.2	1,993.0
1989.....	19.4	38.5	66.4	111.6	182.7	265.8	397.8	606.1	958.9	1,951.4
1988.....	19.1	42.7	68.7	117.1	194.3	278.7	425.0	655.8	1,065.1	2,039.7
1987.....	21.9	39.0	71.5	117.9	191.8	282.4	436.6	631.9	1,051.0	2,031.3
1986.....	23.2	38.6	70.3	114.9	197.7	279.0	428.3	646.8	1,057.3	2,138.3
1985.....	22.5	44.6	79.5	129.5	194.8	288.3	447.1	672.2	1,136.7	2,015.9
1984.....	21.2	42.1	76.3	125.1	203.2	276.3	470.8	670.7	1,163.1	1,977.9
1983.....	22.1	42.8	82.2	133.1	209.1	281.5	490.6	709.9	1,272.2	2,109.2
1982.....	21.6	49.1	87.5	132.0	211.0	297.0	476.4	711.4	1,273.4	2,184.7
1981.....	23.5	48.6	79.4	136.1	226.1	309.7	505.5	726.1	1,344.0	2,256.5
1980.....	23.9	47.5	85.7	142.9	223.3	333.1	517.5	809.7	1,395.7	2,367.7
1979.....	22.8	45.3	86.8	128.7	208.0	302.7	513.1	754.8	1,161.7	2,025.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
BLACK MALE										
1998.....	20.0	42.8	77.0	135.5	211.2	289.5	447.7	659.2	1,032.2	1,772.9
1997.....	22.0	48.5	84.0	140.1	233.8	279.2	496.6	720.9	1,062.8	1,827.2
1996.....	22.5	45.4	88.3	132.2	231.7	288.0	496.0	710.0	1,107.5	1,859.8
1995.....	23.7	55.6	96.7	152.5	232.3	330.0	541.6	724.1	1,124.8	1,992.3
1994.....	26.0	45.9	86.7	153.7	229.2	324.5	509.7	700.6	1,087.4	1,914.2
1993.....	25.0	48.1	88.9	152.2	237.2	345.3	514.0	740.6	1,161.7	2,089.0
1992.....	26.1	50.1	88.1	144.5	212.1	337.0	497.9	737.6	1,041.1	1,950.8
1991.....	24.6	50.4	99.8	149.1	228.9	347.4	524.2	698.3	1,230.7	1,962.3
1990.....	24.5	49.9	90.7	153.0	229.6	344.4	540.4	752.7	1,073.7	2,080.9
1989.....	29.9	60.4	103.4	160.4	248.7	349.0	495.2	747.8	1,109.3	1,992.4
1988.....	30.7	64.4	98.4	165.9	269.9	375.0	546.8	791.5	1,266.0	2,103.1
1987.....	35.8	60.0	105.1	159.4	264.0	378.1	571.1	802.9	1,278.3	2,056.3
1986.....	36.6	56.0	104.8	161.3	275.2	363.0	544.0	773.3	1,182.2	2,257.1
1985.....	37.3	68.7	120.8	179.8	270.0	366.1	573.6	815.9	1,360.9	2,122.6
1984.....	30.7	64.6	111.9	179.0	277.2	358.2	606.1	789.2	1,311.9	2,031.1
1983.....	33.8	64.9	120.8	182.1	288.3	363.0	612.7	836.4	1,464.6	2,225.0
1982.....	34.0	70.5	127.5	183.4	281.4	394.3	600.0	868.3	1,431.3	2,315.5
1981.....	36.8	73.3	116.2	194.1	304.1	393.1	621.8	836.1	1,562.3	2,298.2
1980.....	35.3	70.5	129.1	196.6	291.4	439.9	624.8	967.0	1,635.4	2,607.1
1979.....	34.6	65.3	129.2	183.5	276.6	383.7	620.8	855.9	1,340.3	2,223.1
BLACK FEMALE										
1998.....	9.8	18.3	34.0	57.9	110.1	173.8	312.8	474.2	793.5	1,749.3
1997.....	7.8	17.8	37.7	65.4	111.3	174.4	319.8	473.2	796.8	1,875.4
1996.....	11.2	19.1	44.2	67.8	116.9	179.0	331.3	500.2	870.7	1,850.1
1995.....	9.4	20.8	40.1	70.8	118.6	188.6	347.8	489.7	886.4	1,866.5
1994.....	10.3	19.0	34.8	69.6	104.9	198.4	324.9	492.5	880.6	1,955.3
1993.....	10.7	18.4	43.1	71.7	115.9	208.1	333.0	519.8	891.5	1,971.9
1992.....	10.4	20.5	42.1	73.4	116.1	201.1	310.9	466.9	868.2	1,964.2
1991.....	8.2	23.0	38.4	73.0	119.9	208.3	329.8	499.4	868.4	1,909.8
1990.....	9.0	22.6	40.0	69.2	125.7	215.4	309.0	505.2	901.4	1,955.7
1989.....	10.4	20.1	36.0	72.8	132.6	205.5	334.6	522.3	880.0	1,946.4
1988.....	9.2	24.5	44.2	78.3	136.9	208.9	343.7	574.7	959.0	2,012.1
1987.....	10.1	21.5	44.0	84.8	136.6	212.6	346.8	528.4	928.7	2,020.1
1986.....	11.9	24.2	42.0	77.5	138.6	217.5	350.8	569.4	989.1	2,084.1
1985.....	10.2	24.7	45.8	88.7	136.8	231.2	363.4	582.8	1,013.3	1,966.2
1984.....	13.3	23.6	47.0	81.1	145.9	216.0	380.4	596.2	1,080.9	1,952.7
1983.....	12.3	24.6	50.8	93.2	147.8	221.5	409.2	626.6	1,163.4	2,053.2
1982.....	11.3	31.4	55.1	90.2	155.8	225.2	391.5	613.5	1,181.9	2,120.3
1981.....	12.4	28.2	49.7	89.0	164.6	248.8	424.3	654.9	1,216.7	2,215.9
1980.....	14.4	28.5	50.6	98.9	169.4	253.7	441.1	707.3	1,252.1	2,248.1
1979.....	13.0	28.8	52.3	83.7	153.4	242.0	435.7	682.6	1,050.8	1,926.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF PULMONARY CIRCULATION (415-417)										
TOTAL, BOTH SEXES										
1998.....	1.8	2.8	3.7	5.6	8.3	11.9	17.2	25.4	35.8	58.2
1997.....	1.9	2.8	3.8	5.5	7.9	11.9	17.0	24.0	34.5	54.7
1996.....	1.9	2.8	3.9	5.8	8.1	12.0	18.2	25.3	36.3	55.7
1995.....	2.1	3.0	4.0	5.4	9.1	11.7	17.2	25.2	35.5	53.4
1994.....	1.9	2.7	3.8	5.6	8.5	12.5	17.6	23.8	33.7	51.8
1993.....	1.9	2.6	3.7	6.1	9.0	12.9	18.3	26.7	34.5	53.8
1992.....	1.8	2.8	4.0	5.7	9.2	13.5	19.6	27.5	37.6	56.3
1991.....	1.8	2.7	3.7	6.1	8.7	14.1	19.6	28.7	38.1	60.7
1990.....	1.7	2.5	3.6	6.4	9.1	14.2	19.7	29.4	41.0	60.3
1989.....	1.9	2.6	4.1	6.1	9.1	14.1	21.0	30.2	42.3	62.7
1988.....	1.7	2.7	4.2	7.5	11.1	16.3	23.0	33.3	45.6	66.6
1987.....	1.7	3.0	4.5	6.3	10.5	16.5	23.2	33.1	43.8	67.5
1986.....	1.8	2.7	4.5	6.8	10.9	16.7	23.5	33.3	47.2	65.3
1985.....	1.8	2.8	4.7	6.9	10.4	16.2	23.7	33.2	47.8	68.1
1984.....	2.1	2.8	4.1	6.1	10.8	16.0	23.5	32.0	44.6	68.4
1983.....	2.0	2.8	4.5	6.2	11.3	16.0	24.4	33.6	48.1	69.1
1982.....	2.0	3.0	4.0	6.2	10.2	16.7	23.6	34.9	46.5	67.0
1981.....	1.7	3.0	4.3	6.5	10.3	16.2	23.8	33.8	48.0	72.5
1980.....	1.8	2.8	4.7	7.3	11.2	17.5	25.2	37.3	52.4	78.2
1979.....	2.0	3.1	4.5	6.6	11.0	16.0	24.7	34.8	50.7	76.4
TOTAL, MALE										
1998.....	1.8	2.7	3.6	5.3	8.5	11.4	17.1	26.3	36.8	60.4
1997.....	1.9	2.7	3.5	5.5	8.0	13.2	17.1	25.2	34.4	56.0
1996.....	1.8	2.3	3.8	5.2	9.0	12.1	19.3	27.6	36.9	56.7
1995.....	2.2	3.0	3.9	5.4	9.5	12.4	18.8	29.2	40.0	56.7
1994.....	2.0	2.4	4.1	6.0	9.3	14.0	19.3	25.3	37.5	56.8
1993.....	2.0	2.4	3.6	6.5	10.0	14.8	19.7	29.0	38.0	58.1
1992.....	1.8	2.7	4.3	6.2	9.9	15.7	22.2	29.6	42.6	58.8
1991.....	1.7	2.6	3.8	6.2	9.4	15.7	22.7	33.2	44.1	68.3
1990.....	1.8	2.4	3.7	7.2	10.2	17.0	22.8	34.7	47.4	64.9
1989.....	1.9	2.8	4.2	6.6	11.0	17.1	24.2	34.5	47.9	69.1
1988.....	1.7	2.6	4.4	8.4	13.1	19.4	28.1	38.9	55.3	75.6
1987.....	1.7	2.9	5.2	6.4	11.6	18.6	27.9	39.3	51.5	80.3
1986.....	1.8	2.8	4.5	7.3	12.8	19.5	28.4	40.3	53.6	75.4
1985.....	1.8	3.0	4.9	7.7	12.6	19.8	29.6	40.6	56.2	77.9
1984.....	2.1	3.3	4.6	7.0	13.0	19.3	28.2	38.1	53.3	81.1
1983.....	2.0	2.9	4.8	6.9	13.3	19.5	30.7	41.6	58.8	81.6
1982.....	2.0	3.1	4.4	7.5	12.2	20.8	28.9	41.4	53.0	81.9
1981.....	1.4	3.0	4.9	7.6	12.3	19.2	30.6	41.9	58.0	89.6
1980.....	1.5	2.9	4.9	8.4	13.0	21.8	31.8	45.0	65.5	88.6
1979.....	1.8	3.1	5.2	8.0	13.6	19.4	32.2	43.6	60.5	92.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

DISEASES OF PULMONARY CIRCULATION (415-417)

TOTAL, FEMALE										
1998.....	1.9	2.9	3.7	5.9	8.2	12.2	17.3	24.7	35.2	57.3
1997.....	1.9	2.9	4.0	5.5	7.9	10.8	16.9	23.2	34.5	54.1
1996.....	1.9	3.2	4.1	6.3	7.2	12.0	17.4	23.7	36.0	55.3
1995.....	2.0	3.0	4.1	5.4	8.6	11.2	15.9	22.4	33.0	52.0
1994.....	1.8	3.0	3.6	5.2	7.8	11.2	16.3	22.8	31.6	49.8
1993.....	1.9	2.7	3.8	5.7	8.0	11.3	17.2	25.2	32.6	52.2
1992.....	1.9	2.9	3.7	5.3	8.6	11.8	17.7	26.1	34.9	55.4
1991.....	1.9	2.7	3.6	6.0	8.2	12.8	17.3	25.7	34.9	57.7
1990.....	1.7	2.6	3.6	5.5	8.2	11.9	17.4	26.0	37.6	58.6
1989.....	1.9	2.4	4.1	5.7	7.5	11.6	18.6	27.5	39.3	60.2
1988.....	1.7	2.9	4.0	6.6	9.4	13.8	19.3	29.8	40.5	63.1
1987.....	1.6	3.1	3.8	6.1	9.6	14.7	19.7	29.2	39.8	62.4
1986.....	1.9	2.6	4.5	6.3	9.2	14.5	20.0	28.8	43.8	61.3
1985.....	1.8	2.6	4.5	6.1	8.4	13.3	19.4	28.5	43.4	64.1
1984.....	2.1	2.3	3.7	5.3	8.8	13.4	20.1	28.3	40.0	63.3
1983.....	1.9	2.6	4.3	5.6	9.6	13.1	19.8	28.6	42.4	64.0
1982.....	2.0	2.9	3.5	5.1	8.5	13.4	19.8	30.8	43.1	60.8
1981.....	2.0	3.0	3.8	5.5	8.6	13.8	18.9	28.7	42.7	65.3
1980.....	2.1	2.8	4.5	6.4	9.6	14.1	20.5	32.5	45.4	73.6
1979.....	2.2	3.1	3.9	5.4	8.8	13.2	19.3	29.3	45.5	69.4
WHITE, BOTH SEXES										
1998.....	1.5	2.5	3.3	5.0	7.6	10.9	16.2	24.0	34.4	57.7
1997.....	1.5	2.4	3.3	5.0	7.3	11.2	16.0	23.0	33.4	53.8
1996.....	1.4	2.3	3.4	5.3	7.2	11.1	17.0	24.3	35.5	55.0
1995.....	1.7	2.5	3.4	4.9	8.3	10.6	15.7	24.3	34.2	52.7
1994.....	1.6	2.5	3.3	4.7	7.8	11.4	16.5	22.6	32.4	51.1
1993.....	1.7	2.2	3.2	5.4	8.1	11.5	17.5	25.3	33.7	53.2
1992.....	1.5	2.4	3.3	5.1	8.3	12.7	18.5	26.3	36.2	54.7
1991.....	1.5	2.3	3.1	5.5	7.9	12.6	18.1	27.3	36.7	59.7
1990.....	1.4	2.2	3.2	5.6	8.4	13.1	18.8	27.8	39.7	59.3
1989.....	1.5	2.1	3.6	5.5	8.4	12.9	19.7	28.8	40.7	61.8
1988.....	1.3	2.3	3.8	6.6	10.1	14.9	21.4	31.8	43.5	65.5
1987.....	1.4	2.6	3.8	5.5	9.5	14.9	21.6	31.2	42.1	67.0
1986.....	1.5	2.3	3.8	6.1	9.8	15.8	22.2	31.5	45.8	64.6
1985.....	1.4	2.2	4.0	5.9	9.3	14.7	22.3	31.1	46.1	68.0
1984.....	1.7	2.4	3.6	5.3	9.5	14.5	22.3	30.9	43.3	68.6
1983.....	1.6	2.2	3.7	5.3	10.2	14.8	22.9	32.7	46.8	68.4
1982.....	1.6	2.4	3.3	5.6	9.1	15.5	22.3	33.7	46.0	67.2
1981.....	1.3	2.3	3.6	5.6	9.1	15.1	22.7	32.8	46.7	71.0
1980.....	1.4	2.4	4.0	6.4	9.9	16.0	23.9	36.5	50.7	78.0
1979.....	1.6	2.6	3.8	5.9	9.8	14.4	22.7	33.4	50.1	77.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF PULMONARY CIRCULATION (415-417)										
WHITE MALE										
1998.....	1.5	2.4	3.3	4.9	7.8	10.6	16.1	24.5	35.0	60.1
1997.....	1.6	2.3	3.2	4.8	7.3	12.5	16.0	23.9	33.7	55.4
1996.....	1.5	2.0	3.1	4.8	8.0	11.1	18.3	26.5	35.5	55.0
1995.....	1.9	2.7	3.2	5.0	9.0	11.3	17.3	28.5	37.6	55.6
1994.....	1.7	2.3	3.6	5.3	8.6	12.9	17.9	24.2	35.8	55.8
1993.....	1.8	2.2	3.0	5.7	9.4	13.0	19.1	27.3	37.2	57.2
1992.....	1.6	2.3	3.6	5.6	9.4	14.6	20.7	27.9	41.1	57.1
1991.....	1.4	2.2	3.2	5.5	8.6	13.8	20.9	31.4	43.5	67.0
1990.....	1.5	2.1	3.2	6.3	9.2	16.0	21.7	32.6	45.2	65.3
1989.....	1.5	2.3	3.5	5.9	10.1	16.0	22.6	33.1	46.3	68.7
1988.....	1.3	2.2	4.1	7.6	11.9	17.4	26.3	36.7	53.2	74.3
1987.....	1.6	2.5	4.4	5.7	10.2	16.8	25.7	36.9	49.9	81.8
1986.....	1.4	2.4	3.8	6.5	11.6	18.1	27.1	38.0	51.5	75.3
1985.....	1.5	2.4	4.4	6.7	11.3	17.7	28.2	38.1	53.9	76.6
1984.....	1.8	3.0	3.8	6.1	11.8	17.7	26.5	35.8	50.7	82.8
1983.....	1.7	2.4	4.2	6.0	11.9	18.1	28.7	40.4	56.8	81.7
1982.....	1.6	2.4	3.8	6.4	10.7	19.4	26.9	40.0	51.7	81.7
1981.....	1.1	2.3	4.2	6.6	10.9	18.0	29.4	40.9	56.0	87.3
1980.....	1.3	2.5	4.2	7.4	11.6	20.1	30.4	44.0	62.1	86.5
1979.....	1.4	2.6	4.6	7.1	12.5	17.7	30.1	42.2	60.2	92.1
WHITE FEMALE										
1998.....	1.4	2.6	3.4	5.2	7.5	11.2	16.4	23.7	34.0	56.7
1997.....	1.4	2.4	3.4	5.2	7.2	10.1	15.9	22.4	33.2	53.2
1996.....	1.3	2.6	3.6	5.8	6.5	11.0	15.9	22.8	35.5	55.0
1995.....	1.5	2.4	3.6	4.8	7.6	10.0	14.4	21.3	32.2	51.5
1994.....	1.5	2.6	3.1	4.1	7.1	10.2	15.4	21.5	30.6	49.3
1993.....	1.5	2.3	3.4	5.0	6.9	10.3	16.3	23.9	31.8	51.7
1992.....	1.4	2.5	3.1	4.5	7.3	11.1	16.8	25.3	33.6	53.7
1991.....	1.5	2.3	3.0	5.5	7.2	11.6	16.0	24.5	33.1	56.9
1990.....	1.3	2.2	3.1	4.9	7.6	10.7	16.6	24.6	36.8	57.1
1989.....	1.6	2.0	3.7	5.1	6.9	10.3	17.6	26.1	37.8	59.2
1988.....	1.3	2.3	3.6	5.8	8.6	12.8	17.8	28.7	38.5	62.2
1987.....	1.2	2.7	3.3	5.4	8.9	13.3	18.5	27.6	38.0	61.2
1986.....	1.6	2.1	3.8	5.7	8.2	13.9	18.7	27.4	42.8	60.4
1985.....	1.4	2.1	3.6	5.2	7.4	12.3	18.1	26.7	42.0	64.7
1984.....	1.7	1.9	3.3	4.6	7.5	12.0	19.2	27.8	39.5	62.9
1983.....	1.5	2.1	3.3	4.7	8.7	12.1	18.8	27.8	41.6	63.1
1982.....	1.6	2.5	2.9	4.8	7.7	12.5	19.0	29.7	43.1	61.3
1981.....	1.5	2.2	3.1	4.7	7.5	12.7	17.8	27.8	41.8	64.1
1980.....	1.6	2.4	3.9	5.5	8.4	12.6	19.2	31.9	44.7	74.3
1979.....	1.8	2.5	3.1	4.9	7.5	11.8	17.3	27.9	44.7	71.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF PULMONARY CIRCULATION (415-417)										
ALL OTHER, BOTH SEXES										
1998.....	3.6	4.8	5.7	9.4	12.8	18.2	25.0	37.1	50.0	62.4
1997.....	3.8	5.2	6.8	8.5	12.2	16.6	25.2	33.1	45.6	62.4
1996.....	4.2	5.2	7.3	8.9	13.4	18.8	28.7	33.8	44.2	62.2
1995.....	4.1	5.9	7.5	8.6	14.1	20.0	30.6	33.8	49.4	60.3
1994.....	3.5	3.9	7.0	11.1	13.1	20.2	27.3	35.3	46.6	58.9
1993.....	3.4	4.7	6.4	10.3	14.9	23.2	25.6	40.5	43.5	60.0
1992.....	3.6	5.1	8.0	10.1	15.7	20.4	30.0	38.7	52.0	73.5
1991.....	3.7	5.1	7.6	10.1	15.0	25.6	33.0	42.0	52.1	70.8
1990.....	3.6	4.7	6.6	11.7	14.9	23.4	28.3	44.8	54.8	71.0
1989.....	4.0	5.5	7.7	10.5	15.0	24.3	32.4	43.3	58.9	72.3
1988.....	4.2	5.6	6.3	13.2	19.0	28.5	37.9	47.6	67.5	78.2
1987.....	3.5	5.7	8.6	11.4	18.6	30.2	37.8	51.4	62.3	72.9
1986.....	3.8	5.7	8.9	12.0	19.8	25.3	35.3	50.1	62.0	73.2
1985.....	4.2	6.3	9.4	14.1	19.5	29.0	35.9	53.7	66.0	67.9
1984.....	4.4	5.0	8.1	12.3	21.9	29.2	35.3	43.5	59.0	66.4
1983.....	4.4	6.1	10.3	13.1	21.0	26.2	37.9	42.8	62.2	76.1
1982.....	4.4	6.7	8.4	11.7	20.0	26.8	35.7	47.1	51.8	64.8
1981.....	4.2	7.8	9.2	13.4	21.7	26.1	34.8	43.0	62.7	90.5
1980.....	4.6	5.7	9.9	14.9	23.1	31.5	38.2	45.0	72.4	80.3
1979.....	4.5	6.9	9.8	12.5	22.5	30.0	44.4	48.6	58.5	63.8
ALL OTHER MALE										
1998.....	3.1	4.7	5.5	8.3	13.6	17.4	25.7	42.2	55.7	62.5
1997.....	3.3	5.1	5.9	10.2	13.1	18.2	26.3	37.1	42.1	61.2
1996.....	3.6	4.0	7.9	8.2	15.7	19.5	28.4	37.8	50.6	71.6
1995.....	4.1	5.0	8.1	8.0	13.2	21.3	33.1	36.0	64.3	67.2
1994.....	3.6	2.9	7.3	10.6	14.6	22.7	32.2	35.7	55.1	66.7
1993.....	3.2	3.9	7.2	11.4	14.7	28.8	25.9	46.0	46.7	66.6
1992.....	2.9	4.9	9.0	10.0	13.7	24.6	36.4	46.3	57.7	74.0
1991.....	3.7	5.5	7.8	11.3	15.7	31.1	39.9	50.4	49.6	80.2
1990.....	3.2	4.3	6.9	14.4	18.6	26.5	33.2	55.0	69.6	61.4
1989.....	4.3	5.9	8.8	11.7	19.1	26.7	40.2	48.2	64.5	72.8
1988.....	4.1	5.2	6.6	14.9	23.4	37.0	45.5	60.3	76.1	87.3
1987.....	2.8	5.7	11.1	12.1	23.3	35.3	49.2	62.3	67.9	66.2
1986.....	4.2	5.6	9.0	13.7	23.0	32.1	40.8	61.9	75.0	76.0
1985.....	3.6	7.0	9.1	15.6	24.2	38.4	43.3	64.6	79.0	90.4
1984.....	4.0	5.3	10.2	14.7	24.6	34.7	44.8	58.9	80.2	65.3
1983.....	4.4	6.2	9.8	14.8	26.2	31.9	49.8	52.3	79.4	78.6
1982.....	4.6	7.8	9.4	16.3	25.9	33.9	47.8	53.6	66.0	83.6
1981.....	3.4	7.5	10.0	16.0	25.5	30.9	41.7	50.5	79.1	112.5
1980.....	3.5	6.3	11.4	16.7	26.1	37.1	44.7	54.7	102.0	110.3
1979.....	4.1	6.7	10.2	15.8	24.7	35.7	51.9	55.5	62.8	93.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

DISEASES OF PULMONARY CIRCULATION (415-417)

ALL OTHER FEMALE										
1998.....	4.1	4.8	5.9	10.3	12.2	18.8	24.5	33.7	46.8	62.4
1997.....	4.2	5.4	7.5	7.1	11.6	15.4	24.5	30.5	47.6	62.9
1996.....	4.6	6.2	6.9	9.5	11.7	18.2	28.9	31.2	40.6	58.0
1995.....	4.0	6.6	6.9	9.2	14.8	19.1	28.8	32.4	41.2	57.3
1994.....	3.4	4.8	6.7	11.6	11.9	18.3	23.9	35.1	41.9	55.5
1993.....	3.7	5.3	5.7	9.5	14.9	19.2	25.4	37.0	41.7	57.1
1992.....	4.2	5.2	7.2	10.2	17.3	17.3	25.5	33.9	48.7	73.3
1991.....	3.8	4.7	7.5	9.1	14.4	21.6	28.3	36.8	53.3	66.1
1990.....	3.9	5.1	6.4	9.6	12.0	21.1	24.9	38.5	46.5	75.4
1989.....	3.7	5.2	6.7	9.5	11.9	22.5	27.1	40.3	55.7	72.0
1988.....	4.3	5.9	6.1	11.8	15.5	22.2	32.7	39.6	62.3	74.0
1987.....	4.0	5.6	6.5	10.8	14.9	26.3	30.0	44.3	59.2	76.1
1986.....	3.4	5.7	8.8	10.5	17.3	20.1	31.6	42.5	54.8	71.8
1985.....	4.7	5.8	9.6	13.0	15.8	21.9	30.8	46.5	58.3	57.3
1984.....	4.8	4.7	6.4	10.3	19.7	25.0	28.6	33.2	46.2	66.9
1983.....	4.5	5.9	10.8	11.7	16.9	22.0	29.5	36.4	52.1	74.8
1982.....	4.2	5.7	7.6	7.9	15.2	21.5	26.9	42.5	43.3	54.9
1981.....	4.8	8.1	8.5	11.2	18.7	22.4	29.7	37.8	52.7	79.4
1980.....	5.5	5.1	8.7	13.5	20.7	27.2	33.3	38.4	54.2	64.9
1979.....	4.8	7.1	9.6	9.7	20.8	25.7	38.6	43.8	56.2	49.1
BLACK, BOTH SEXES										
1998.....	4.8	6.4	7.5	12.4	16.1	22.8	31.2	46.2	61.8	73.5
1997.....	5.0	7.0	9.2	11.2	15.3	21.1	32.1	39.4	53.9	73.2
1996.....	5.3	6.8	9.6	11.5	17.3	22.9	36.2	39.7	53.1	74.7
1995.....	5.3	7.5	9.3	11.0	18.0	25.1	37.6	41.8	57.8	68.2
1994.....	4.5	5.1	9.0	14.5	16.8	25.3	33.6	41.9	53.1	66.9
1993.....	4.4	6.4	8.2	13.2	18.4	28.8	30.7	48.9	47.9	68.6
1992.....	4.8	6.6	10.3	13.3	19.6	25.2	35.4	44.8	60.5	84.8
1991.....	4.8	6.5	9.7	12.8	18.7	31.3	40.1	49.5	58.6	79.3
1990.....	4.7	5.9	8.4	14.3	18.1	28.0	33.9	52.1	61.4	78.2
1989.....	5.2	7.2	10.0	13.1	18.2	29.4	37.6	49.7	64.5	80.0
1988.....	5.6	7.1	7.7	16.2	23.0	34.1	45.0	53.7	75.7	86.4
1987.....	4.5	7.2	11.0	14.0	21.9	35.4	44.9	58.8	71.5	79.3
1986.....	4.9	7.1	10.7	14.5	23.8	29.1	40.8	56.7	67.8	80.1
1985.....	5.4	8.1	11.7	17.1	23.0	33.5	41.9	61.4	73.1	71.8
1984.....	5.5	6.1	9.8	14.3	25.8	34.0	40.7	48.7	64.4	73.2
1983.....	5.5	7.4	12.2	15.0	24.3	30.1	42.5	47.8	68.3	81.5
1982.....	5.3	7.9	10.0	13.3	23.5	30.4	39.7	53.3	57.8	69.9
1981.....	5.1	9.4	10.7	15.7	25.1	29.3	39.4	48.5	68.9	95.8
1980.....	5.6	6.8	11.2	16.6	26.1	34.8	42.5	49.8	79.9	80.5
1979.....	5.2	8.1	11.5	14.2	25.0	31.9	48.7	51.0	59.7	69.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF PULMONARY CIRCULATION (415-417)										
BLACK MALE										
1998.....	4.1	6.3	7.2	11.0	17.1	21.0	33.4	55.5	72.0	77.9
1997.....	4.3	6.7	8.3	13.8	17.9	22.8	33.7	43.7	50.5	72.4
1996.....	4.6	5.3	10.6	10.8	20.6	24.1	36.9	44.5	64.3	92.4
1995.....	5.6	6.5	10.8	11.0	17.4	26.4	42.4	45.3	80.1	78.3
1994.....	4.7	3.7	9.8	14.0	19.1	28.5	40.2	42.6	65.6	74.6
1993.....	4.4	5.5	9.1	15.3	18.8	35.7	29.9	57.3	52.4	79.3
1992.....	4.0	6.5	11.7	13.1	17.2	29.9	44.1	56.1	71.2	86.1
1991.....	4.8	7.0	9.9	14.7	20.1	38.4	49.2	61.3	57.4	89.9
1990.....	4.3	5.7	9.2	17.6	23.0	31.9	40.3	64.4	81.3	70.9
1989.....	5.7	7.9	11.5	14.7	23.2	32.2	46.4	56.7	72.2	81.8
1988.....	5.6	6.6	8.2	18.5	28.5	45.7	55.2	70.1	89.4	98.5
1987.....	3.9	7.5	14.3	14.9	27.8	41.2	59.4	72.6	79.3	73.4
1986.....	5.4	7.4	11.0	16.7	28.0	37.9	48.4	71.5	83.3	84.1
1985.....	4.6	9.2	11.4	18.9	28.3	44.5	52.4	75.3	90.8	98.4
1984.....	4.9	6.7	12.7	17.2	29.4	40.9	52.2	67.1	91.7	72.1
1983.....	5.2	7.6	11.1	17.2	30.8	37.3	57.8	60.0	90.2	81.7
1982.....	5.6	9.5	11.1	18.7	30.5	39.5	54.5	62.1	75.0	93.1
1981.....	4.2	9.0	11.6	19.1	29.6	35.1	48.1	58.9	88.3	116.1
1980.....	4.2	7.7	13.0	19.0	29.5	41.8	51.6	62.8	113.3	103.8
1979.....	5.0	8.0	12.0	18.4	27.7	39.6	59.3	57.1	63.6	101.9
BLACK FEMALE										
1998.....	5.4	6.5	7.8	13.5	15.5	24.1	29.7	40.3	56.4	71.7
1997.....	5.6	7.2	9.9	9.1	13.4	19.8	31.0	36.6	55.6	73.5
1996.....	5.9	8.0	8.8	12.1	14.8	22.0	35.8	36.7	47.3	67.5
1995.....	5.1	8.4	8.1	11.0	18.5	24.1	34.3	39.6	46.5	64.1
1994.....	4.4	6.3	8.4	14.9	15.0	22.9	29.1	41.4	46.8	63.8
1993.....	4.4	7.1	7.6	11.6	18.0	23.7	31.3	43.9	45.5	64.2
1992.....	5.4	6.7	9.3	13.5	21.4	21.7	29.6	38.2	55.0	84.2
1991.....	4.8	6.2	9.6	11.3	17.6	26.1	34.1	42.5	59.2	74.8
1990.....	5.0	6.1	7.7	11.7	14.5	25.2	29.6	44.9	51.1	81.2
1989.....	4.7	6.6	8.8	11.7	14.5	27.4	31.9	45.5	60.5	79.7
1988.....	5.5	7.4	7.3	14.4	18.9	25.6	38.2	43.9	68.5	81.2
1987.....	5.1	6.9	8.3	13.3	17.4	31.1	35.2	50.5	67.3	81.9
1986.....	4.6	6.9	10.4	12.8	20.7	22.6	35.6	47.7	59.4	78.3
1985.....	6.0	7.3	11.9	15.5	18.9	25.3	34.9	52.7	63.3	59.4
1984.....	6.0	5.7	7.5	11.9	23.0	28.9	33.0	37.2	49.3	73.6
1983.....	5.7	7.3	13.1	13.2	19.3	24.8	32.2	39.8	55.9	81.5
1982.....	5.0	6.7	9.1	8.9	17.9	23.6	29.5	47.8	47.8	58.5
1981.....	5.8	9.8	9.9	12.9	21.5	25.1	33.3	41.8	57.6	85.0
1980.....	6.7	6.0	9.7	14.7	23.4	29.6	36.1	41.3	59.9	68.8
1979.....	5.4	8.2	11.0	10.8	22.9	26.1	41.1	46.6	57.3	53.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER FORMS OF HEART DISEASE (420-429)										
TOTAL, BOTH SEXES										
1998.....	14.6	24.6	40.4	63.5	103.4	156.4	245.8	400.3	740.5	1,950.1
1997.....	14.2	24.5	39.9	66.5	108.6	155.8	250.7	407.1	749.5	1,980.3
1996.....	13.6	24.6	41.3	66.3	109.4	158.4	249.2	406.1	753.0	1,991.8
1995.....	14.4	24.5	42.4	67.9	111.7	161.4	257.4	419.5	770.3	2,024.6
1994.....	14.2	24.3	42.9	68.7	110.8	165.0	262.7	419.5	774.0	1,997.6
1993.....	14.5	24.6	43.6	73.2	115.1	174.6	270.1	444.0	795.0	2,050.2
1992.....	14.0	24.2	41.5	68.3	112.7	166.0	261.2	418.9	757.6	1,944.1
1991.....	13.4	24.6	41.0	69.1	112.6	169.8	266.8	430.5	768.9	1,951.2
1990.....	13.2	24.3	42.3	69.5	115.3	169.5	266.9	437.2	781.3	1,956.3
1989.....	13.0	24.2	44.4	75.1	118.6	178.2	278.7	460.5	814.7	2,008.7
1988.....	14.4	26.0	48.4	82.1	131.5	200.1	317.1	515.1	907.8	2,251.3
1987.....	14.5	26.5	49.1	78.9	128.1	198.4	316.9	507.4	905.0	2,186.2
1986.....	15.0	26.9	48.3	79.5	129.7	196.8	318.0	516.5	913.9	2,177.5
1985.....	14.1	26.1	46.5	76.8	125.5	190.5	307.6	497.7	894.8	2,085.5
1984.....	13.9	25.1	45.7	75.5	122.1	185.2	295.9	477.0	865.8	1,998.8
1983.....	13.6	24.8	45.9	74.6	118.4	181.3	290.9	476.4	856.3	1,955.4
1982.....	13.5	25.4	41.6	69.5	112.0	170.3	270.4	449.4	804.7	1,816.9
1981.....	13.8	25.6	44.2	70.9	110.3	168.1	267.7	441.7	801.8	1,795.9
1980.....	14.0	24.5	42.9	69.1	108.8	167.6	268.8	446.0	787.9	1,793.6
1979.....	13.6	24.3	42.2	65.2	105.6	154.9	252.0	415.5	751.2	1,612.1
TOTAL, MALE										
1998.....	21.0	35.9	58.8	88.9	145.3	212.3	318.4	496.8	883.9	1,943.1
1997.....	20.5	36.0	58.3	94.3	152.4	211.2	329.3	509.5	889.6	2,025.3
1996.....	19.6	36.6	60.5	94.8	152.7	219.6	330.6	512.6	900.3	2,076.3
1995.....	20.8	36.5	62.4	96.7	155.2	223.3	343.6	531.5	928.9	2,105.6
1994.....	20.3	35.6	64.0	99.8	156.0	229.7	350.0	532.2	938.7	2,107.3
1993.....	21.0	36.2	64.2	105.4	161.3	243.1	360.2	561.7	974.1	2,154.8
1992.....	21.0	36.1	60.2	99.7	159.6	230.6	350.8	536.5	935.8	2,042.9
1991.....	19.3	37.1	60.4	99.8	163.2	237.5	362.1	559.6	948.7	2,051.8
1990.....	19.7	36.2	61.5	99.3	164.4	237.4	363.8	573.0	976.8	2,059.8
1989.....	19.1	36.2	64.7	108.4	168.0	252.0	377.1	597.2	1,001.4	2,112.8
1988.....	21.2	38.4	70.2	119.7	188.1	278.1	438.5	674.7	1,123.4	2,394.1
1987.....	21.4	38.8	72.0	114.3	181.4	277.9	433.5	667.9	1,114.1	2,322.6
1986.....	22.2	38.7	70.3	116.9	185.7	279.3	437.3	681.7	1,136.4	2,327.3
1985.....	19.9	38.4	68.7	112.1	179.7	268.7	418.7	648.9	1,111.8	2,254.7
1984.....	20.5	37.1	65.9	110.2	175.2	263.4	405.8	627.1	1,056.9	2,196.1
1983.....	19.5	36.4	67.3	109.6	168.9	256.8	401.5	623.7	1,052.7	2,154.0
1982.....	19.3	36.7	61.5	100.8	160.6	240.2	369.8	588.9	980.6	1,987.9
1981.....	19.7	37.7	65.1	105.0	157.1	237.0	363.2	581.2	992.9	1,973.0
1980.....	19.8	35.7	63.8	102.8	155.8	234.4	366.9	587.6	962.7	1,962.7
1979.....	19.3	36.4	62.8	97.8	151.5	223.3	341.8	538.0	915.2	1,768.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER FORMS OF HEART DISEASE (420-429)										
TOTAL, FEMALE										
1998.....	8.4	13.6	23.0	40.0	65.9	109.1	189.2	331.8	655.4	1,953.0
1997.....	8.0	13.4	22.4	40.8	69.5	109.1	190.0	335.1	667.5	1,962.2
1996.....	7.8	13.0	23.2	39.9	70.9	107.2	186.6	331.9	668.2	1,958.2
1995.....	8.1	13.0	23.4	41.4	73.0	110.0	191.2	342.5	680.9	1,993.0
1994.....	8.2	13.4	22.9	40.1	70.7	111.7	195.9	343.1	682.8	1,955.3
1993.....	8.3	13.5	24.0	43.6	74.3	118.6	201.4	365.1	697.1	2,010.0
1992.....	7.1	12.7	23.7	39.3	71.4	113.5	193.5	341.1	661.1	1,905.9
1991.....	7.6	12.5	22.6	41.0	68.2	114.9	195.3	346.0	672.7	1,912.3
1990.....	6.9	13.0	24.1	42.4	72.6	114.5	195.0	349.8	677.5	1,916.3
1989.....	7.1	12.7	25.1	44.7	75.7	118.3	205.9	372.8	716.2	1,968.2
1988.....	7.8	14.1	27.8	47.8	82.7	136.6	228.0	413.4	793.9	2,195.6
1987.....	7.8	14.8	27.6	46.7	82.3	133.6	231.8	405.6	795.2	2,132.4
1986.....	8.0	15.5	27.6	45.6	81.4	129.8	231.4	412.3	797.3	2,118.0
1985.....	8.6	14.3	25.7	45.0	78.7	127.3	227.0	402.6	781.0	2,017.9
1984.....	7.6	13.6	26.8	44.4	76.1	122.3	216.3	382.8	765.4	1,919.1
1983.....	7.8	13.7	26.0	43.3	74.7	120.7	211.0	383.9	752.7	1,874.0
1982.....	7.9	14.7	23.2	41.7	69.8	114.2	198.5	362.0	712.1	1,745.7
1981.....	8.2	14.1	24.8	40.5	69.7	113.0	198.7	354.2	700.4	1,719.5
1980.....	8.5	14.0	23.6	39.0	68.2	114.1	197.8	357.2	694.9	1,719.6
1979.....	8.1	12.8	23.2	36.1	65.9	100.3	187.1	338.5	663.2	1,542.7
WHITE, BOTH SEXES										
1998.....	12.1	20.3	34.8	55.5	91.8	144.9	230.9	387.7	730.8	1,978.3
1997.....	11.9	20.7	33.9	58.5	97.0	145.1	237.0	396.0	739.3	2,008.2
1996.....	11.2	20.3	35.1	58.0	96.3	146.9	233.3	393.3	741.4	2,021.1
1995.....	11.7	20.3	36.5	58.6	99.6	148.5	240.3	403.4	755.3	2,039.4
1994.....	11.5	20.1	36.5	60.2	99.6	151.7	247.0	403.9	757.6	2,014.7
1993.....	11.6	20.2	36.3	62.1	101.8	159.5	252.1	427.5	775.6	2,063.6
1992.....	10.9	19.8	35.4	58.6	100.1	151.9	243.4	401.8	739.5	1,951.6
1991.....	10.6	20.2	34.6	59.7	100.8	154.5	248.7	411.8	751.0	1,955.0
1990.....	10.2	20.0	35.5	59.4	102.6	153.3	250.5	417.4	760.3	1,954.5
1989.....	10.0	19.5	36.2	64.8	103.8	160.6	259.0	437.1	790.9	2,007.4
1988.....	11.3	21.0	40.1	71.5	116.4	182.4	297.3	489.7	881.9	2,254.1
1987.....	11.4	21.8	41.3	69.3	113.9	181.2	296.5	482.9	876.7	2,187.1
1986.....	11.9	22.2	40.3	68.9	115.7	179.9	296.7	491.0	885.7	2,174.5
1985.....	11.2	22.0	38.9	67.3	112.0	174.4	284.9	475.8	870.5	2,092.2
1984.....	11.2	20.4	39.2	66.2	109.4	170.9	275.1	458.1	835.9	2,006.9
1983.....	10.9	20.7	39.2	64.5	104.9	166.3	269.9	455.5	828.8	1,966.6
1982.....	10.6	20.8	35.9	61.2	99.8	156.1	252.2	432.2	781.1	1,830.1
1981.....	11.0	21.0	37.8	62.2	98.3	155.7	250.4	424.1	778.9	1,803.3
1980.....	10.8	19.9	36.4	60.2	96.5	152.6	249.3	424.7	766.6	1,793.2
1979.....	10.5	19.7	36.4	56.8	94.2	140.6	233.2	395.6	737.6	1,618.1

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
OTHER FORMS OF HEART DISEASE (420-429)

WHITE MALE

1998.....	18.0	30.5	51.3	79.0	130.6	197.7	301.1	482.6	876.0	1,969.2
1997.....	17.5	31.0	50.7	84.0	136.3	198.0	313.5	498.1	877.4	2,057.7
1996.....	16.8	30.7	52.6	84.6	135.4	205.1	311.2	497.1	889.9	2,112.0
1995.....	17.4	31.0	54.2	84.4	139.2	206.5	323.0	512.9	912.8	2,120.0
1994.....	17.1	30.1	55.5	89.4	141.5	213.2	332.1	515.0	920.2	2,118.7
1993.....	17.2	30.4	54.4	90.1	145.0	223.8	338.7	543.8	954.8	2,169.0
1992.....	17.4	30.0	52.7	87.5	143.6	213.6	327.5	517.3	912.7	2,044.7
1991.....	16.0	31.5	52.3	87.3	147.6	218.0	340.1	537.0	927.3	2,052.7
1990.....	15.4	30.1	53.0	85.8	148.7	217.8	344.5	553.0	950.1	2,053.1
1989.....	15.2	30.0	53.9	95.6	149.9	229.0	353.3	569.9	974.0	2,107.2
1988.....	17.0	31.8	59.3	105.8	168.6	257.5	415.8	644.2	1,093.8	2,392.6
1987.....	17.3	32.6	61.6	102.8	163.3	255.5	412.1	639.8	1,082.2	2,317.1
1986.....	17.7	32.4	60.1	102.7	167.5	259.2	412.0	652.2	1,100.6	2,317.2
1985.....	16.0	32.7	58.2	100.4	162.4	249.5	392.3	627.0	1,080.1	2,262.8
1984.....	16.9	30.8	57.8	99.0	159.1	245.8	381.7	609.2	1,020.8	2,205.0
1983.....	15.8	30.6	58.8	96.8	152.9	239.7	376.3	601.0	1,020.1	2,173.5
1982.....	15.5	30.4	54.3	90.5	145.0	222.7	347.6	571.2	953.3	2,005.8
1981.....	16.0	32.1	56.8	93.9	142.2	222.6	344.6	562.3	964.4	1,971.7
1980.....	15.7	29.4	55.3	90.9	139.5	218.0	345.3	565.7	936.9	1,955.2
1979.....	15.3	30.3	54.9	86.6	137.4	206.4	322.3	515.7	896.8	1,769.0

WHITE FEMALE

1998.....	6.0	10.4	18.8	33.4	56.3	99.5	175.4	319.7	644.2	1,982.1
1997.....	6.3	10.6	17.7	34.3	61.2	99.7	177.2	323.6	658.2	1,988.4
1996.....	5.6	9.9	18.2	33.0	60.6	97.3	172.6	320.4	655.6	1,985.5
1995.....	5.9	9.7	19.4	34.2	63.5	99.6	176.0	327.6	666.3	2,008.4
1994.....	5.9	10.2	18.1	32.7	61.6	100.3	181.2	328.0	667.5	1,975.1
1993.....	6.0	10.2	18.9	35.8	62.8	106.2	185.4	349.1	677.8	2,023.6
1992.....	4.5	9.8	18.9	31.6	61.0	101.1	179.2	325.0	646.1	1,916.1
1991.....	5.2	9.1	17.5	34.0	58.9	102.5	179.6	329.5	657.2	1,918.7
1990.....	5.0	10.0	18.8	34.9	61.6	100.4	180.0	329.8	660.1	1,917.0
1989.....	4.8	9.2	19.2	36.1	63.2	104.4	188.8	351.7	694.7	1,970.3
1988.....	5.6	10.5	21.7	39.6	70.6	120.7	209.7	391.3	771.3	2,200.9
1987.....	5.7	11.2	21.8	38.4	70.8	120.0	211.6	383.5	769.7	2,136.8
1986.....	6.1	12.2	21.5	37.8	70.4	114.8	212.5	389.5	773.9	2,118.9
1985.....	6.5	11.5	20.5	37.0	68.0	113.1	206.7	381.1	761.4	2,025.4
1984.....	5.7	10.4	21.5	36.3	65.8	110.0	197.6	363.8	739.6	1,928.3
1983.....	6.2	11.1	20.7	35.3	62.9	106.8	192.8	364.8	728.9	1,883.4
1982.....	5.8	11.6	18.5	34.8	60.2	102.3	183.3	345.7	691.1	1,758.2
1981.....	6.1	10.2	19.8	33.7	60.1	101.9	182.4	338.0	681.7	1,732.8
1980.....	6.1	10.7	18.7	32.5	59.2	100.0	180.1	337.0	677.2	1,723.3
1979.....	5.9	9.5	19.0	29.9	56.7	87.9	169.2	320.8	653.3	1,550.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER FORMS OF HEART DISEASE (420-429)										
ALL OTHER, BOTH SEXES										
1998.....	27.3	46.5	74.2	112.3	176.2	232.9	365.2	512.9	838.9	1,683.0
1997.....	25.5	44.7	76.8	115.0	182.0	229.6	363.0	508.4	852.3	1,714.6
1996.....	26.0	48.8	79.0	116.5	194.1	240.0	383.0	524.0	871.8	1,710.7
1995.....	28.2	49.0	78.5	125.5	191.7	255.2	406.1	570.3	925.8	1,873.5
1994.....	28.2	49.2	82.5	122.7	185.8	264.3	399.1	567.4	941.2	1,821.8
1993.....	30.3	51.0	88.5	143.7	206.9	290.7	428.0	601.2	994.4	1,911.6
1992.....	30.6	51.4	78.1	130.0	202.2	276.7	418.5	579.1	944.8	1,865.7
1991.....	28.8	51.3	80.0	130.4	199.2	292.2	427.7	607.2	955.2	1,911.7
1990.....	30.5	51.3	84.3	137.6	211.6	304.1	416.9	623.9	999.8	1,975.3
1989.....	30.6	53.5	96.0	145.4	231.8	326.1	458.4	681.1	1,066.4	2,021.5
1988.....	33.5	57.2	101.3	156.7	250.7	350.1	499.2	755.6	1,181.9	2,222.2
1987.....	33.6	55.6	99.5	147.9	241.9	347.6	502.9	739.4	1,207.1	2,176.3
1986.....	34.1	55.6	100.7	158.6	244.2	344.6	513.3	759.8	1,216.8	2,210.0
1985.....	32.8	51.6	97.4	149.1	238.7	331.1	516.2	708.3	1,156.1	2,002.2
1984.....	31.4	54.6	90.7	147.6	230.3	311.3	488.2	658.9	1,196.0	1,911.1
1983.....	30.2	51.2	93.2	154.8	235.4	313.9	486.4	678.6	1,163.7	1,821.5
1982.....	31.6	55.7	83.4	136.6	219.7	295.0	440.0	616.2	1,076.1	1,677.9
1981.....	31.8	56.3	92.0	143.0	217.0	277.4	431.8	613.9	1,066.0	1,712.1
1980.....	34.8	57.0	93.0	144.9	219.7	300.8	455.1	656.1	1,038.4	1,798.2
1979.....	33.6	56.8	88.5	137.2	211.1	281.0	436.3	609.1	911.6	1,542.0
ALL OTHER MALE										
1998.....	36.5	66.9	107.6	154.9	246.5	317.7	465.7	628.6	965.5	1,715.1
1997.....	36.1	65.3	109.0	161.5	264.3	309.1	467.1	619.0	1,016.7	1,742.0
1996.....	34.8	72.2	111.5	162.1	274.5	329.8	503.8	662.5	1,008.5	1,766.8
1995.....	39.5	70.9	116.8	178.7	270.9	354.5	534.5	714.9	1,098.5	1,970.1
1994.....	38.7	70.3	120.4	171.4	262.5	361.4	516.5	704.8	1,128.1	2,000.2
1993.....	42.5	73.8	129.2	210.4	284.2	401.2	559.7	742.0	1,169.8	2,021.9
1992.....	42.3	76.5	109.4	184.7	283.8	371.5	568.3	725.5	1,167.7	2,025.7
1991.....	38.9	73.7	113.1	188.0	288.0	403.6	569.8	780.9	1,160.5	2,043.0
1990.....	46.5	75.8	118.3	197.7	292.7	409.8	549.3	766.2	1,243.1	2,122.8
1989.....	43.6	77.3	137.8	202.8	319.1	455.4	606.3	859.9	1,273.6	2,164.2
1988.....	48.7	82.5	144.6	225.0	352.7	464.2	659.4	964.8	1,417.1	2,407.6
1987.....	49.1	78.9	143.8	203.9	336.7	483.0	638.8	932.6	1,434.8	2,374.0
1986.....	52.0	80.0	142.7	230.7	344.1	463.6	678.0	959.5	1,497.2	2,422.7
1985.....	46.4	76.4	144.8	207.2	334.2	444.8	670.3	853.9	1,421.0	2,178.1
1984.....	45.4	80.0	126.2	202.2	320.4	424.5	632.7	792.6	1,424.8	2,112.5
1983.....	45.1	76.4	132.8	217.4	314.8	415.3	639.9	834.0	1,390.7	1,938.6
1982.....	44.4	81.0	118.1	188.1	305.9	400.0	577.5	749.5	1,266.0	1,813.4
1981.....	45.0	78.0	131.8	201.2	297.6	368.3	537.5	756.5	1,293.4	1,985.9
1980.....	48.2	83.3	134.5	209.4	310.1	383.9	570.0	792.0	1,238.0	2,039.1
1979.....	47.5	83.5	130.1	197.8	287.6	376.0	526.5	736.8	1,111.6	1,757.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER FORMS OF HEART DISEASE (420-429)										
ALL OTHER FEMALE										
1998.....	19.2	29.2	46.3	77.9	121.7	169.5	294.4	436.0	766.9	1,668.4
1997.....	16.2	27.1	50.0	77.3	118.6	170.4	290.3	436.4	759.9	1,702.3
1996.....	18.3	28.8	51.8	79.5	132.3	173.1	298.8	434.5	795.1	1,685.5
1995.....	18.4	30.4	46.5	82.4	130.9	181.3	316.8	478.2	830.9	1,831.6
1994.....	19.0	31.3	50.8	83.4	127.1	192.4	317.6	481.2	838.5	1,744.6
1993.....	19.8	31.7	54.2	89.7	147.7	209.2	336.0	513.8	896.8	1,863.5
1992.....	20.4	29.9	51.6	85.8	139.9	206.6	314.9	488.5	819.1	1,793.7
1991.....	20.1	32.0	52.0	84.0	131.6	210.0	330.9	499.2	835.4	1,841.8
1990.....	16.7	30.2	55.5	89.3	149.9	225.9	326.7	535.5	862.5	1,908.3
1989.....	19.4	33.0	60.5	98.9	165.5	230.0	357.1	569.3	948.1	1,955.4
1988.....	20.4	35.5	64.8	101.6	172.4	265.5	391.2	623.1	1,041.2	2,135.5
1987.....	20.2	35.5	62.5	103.0	168.7	246.6	410.2	615.8	1,077.0	2,082.8
1986.....	18.8	34.6	65.7	100.3	166.6	255.7	400.2	630.8	1,062.2	2,107.7
1985.....	21.1	30.4	58.1	102.1	163.8	246.1	409.9	612.7	1,001.7	1,930.0
1984.....	19.3	32.9	61.3	103.4	159.3	225.8	386.4	570.1	1,055.5	1,811.0
1983.....	17.4	29.6	61.0	104.0	172.2	238.4	379.0	574.5	1,030.3	1,762.6
1982.....	20.5	34.2	55.2	94.4	151.1	216.0	340.9	524.2	962.4	1,597.0
1981.....	20.5	38.1	59.5	95.2	152.7	208.7	353.5	517.5	928.0	1,573.0
1980.....	23.3	35.2	59.3	91.5	147.1	237.2	369.3	563.5	915.7	1,674.8
1979.....	21.9	34.7	54.6	86.7	149.1	208.2	367.7	519.0	792.7	1,443.9
BLACK, BOTH SEXES										
1998.....	35.1	60.7	94.8	142.9	217.5	284.3	439.9	600.6	959.7	1,849.9
1997.....	32.3	57.1	98.7	143.7	225.5	274.8	436.8	577.7	965.2	1,878.3
1996.....	33.1	62.4	101.1	145.7	239.5	286.5	456.0	599.5	978.8	1,859.2
1995.....	36.5	63.8	98.9	154.8	235.3	303.7	476.9	648.3	1,016.1	1,957.6
1994.....	36.1	63.4	103.5	150.5	225.3	311.7	475.1	642.2	1,039.9	1,886.4
1993.....	38.6	66.9	111.8	178.9	252.1	344.0	502.4	671.3	1,080.9	1,997.7
1992.....	39.0	66.7	99.1	160.4	246.5	329.9	483.9	647.7	1,035.3	1,995.3
1991.....	38.4	66.8	101.2	159.9	239.8	347.3	493.4	680.0	1,038.4	2,007.3
1990.....	38.8	65.3	103.1	166.7	251.3	354.2	473.9	692.4	1,077.4	2,082.8
1989.....	39.4	67.7	118.2	175.3	274.7	381.2	522.5	761.6	1,146.8	2,129.1
1988.....	42.9	72.6	123.5	187.8	297.2	405.0	565.0	839.3	1,288.2	2,357.5
1987.....	42.4	69.3	120.0	172.5	284.7	401.6	569.3	824.4	1,317.9	2,313.9
1986.....	43.3	68.2	121.2	187.7	289.1	396.9	579.8	840.2	1,319.2	2,331.8
1985.....	41.1	62.7	116.9	174.2	275.0	374.9	580.4	770.0	1,260.0	2,116.9
1984.....	38.9	65.4	106.0	169.9	265.6	350.1	547.1	725.4	1,297.5	2,021.6
1983.....	36.5	61.7	109.3	177.5	267.8	352.4	538.5	739.0	1,256.4	1,916.8
1982.....	37.3	65.8	97.3	156.2	248.6	329.7	487.2	671.7	1,161.9	1,773.3
1981.....	37.9	66.6	107.2	163.3	244.1	309.0	474.4	661.4	1,166.0	1,820.8
1980.....	40.8	67.0	106.2	163.4	243.7	329.9	493.7	708.9	1,129.5	1,899.9
1979.....	38.6	66.4	100.0	151.9	231.0	303.7	475.0	642.2	951.2	1,610.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER FORMS OF HEART DISEASE (420-429)	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BLACK MALE										
1998.....	46.7	86.0	138.2	198.8	305.6	386.5	557.9	732.7	1,139.8	1,890.9
1997.....	45.9	83.2	141.5	204.3	331.2	369.6	557.2	707.5	1,199.0	1,928.8
1996.....	44.3	91.4	143.7	206.7	338.0	390.9	606.3	763.9	1,170.0	1,927.0
1995.....	51.2	92.0	149.1	223.8	334.8	421.2	634.3	825.4	1,240.3	2,061.7
1994.....	48.9	89.9	152.6	211.2	318.0	422.4	618.8	808.2	1,292.6	2,038.6
1993.....	53.4	96.8	165.7	264.6	347.2	473.7	666.9	838.8	1,290.2	2,113.2
1992.....	53.3	99.3	139.4	229.8	347.9	445.1	666.2	825.7	1,312.1	2,202.0
1991.....	52.1	97.0	145.6	232.1	345.0	479.3	664.0	886.7	1,291.1	2,184.1
1990.....	59.2	97.2	145.8	240.7	347.2	479.4	630.9	871.3	1,376.7	2,284.6
1989.....	55.5	99.5	172.1	244.8	376.1	539.2	700.0	973.6	1,392.8	2,316.7
1988.....	62.3	106.0	178.6	271.0	418.9	539.8	754.4	1,088.1	1,605.3	2,598.5
1987.....	62.3	99.5	174.3	235.5	397.6	566.0	724.5	1,055.4	1,571.7	2,592.2
1986.....	66.6	99.0	172.5	274.0	408.7	535.6	773.0	1,083.7	1,636.7	2,581.0
1985.....	58.6	93.8	174.9	240.8	386.9	505.3	765.9	934.1	1,595.4	2,346.8
1984.....	56.6	97.5	147.3	232.8	371.8	481.6	723.3	887.4	1,569.0	2,257.4
1983.....	54.8	94.1	155.6	248.5	362.0	466.6	714.3	917.0	1,507.3	2,045.0
1982.....	52.9	98.3	136.4	215.8	350.4	451.2	648.3	825.5	1,375.0	1,924.1
1981.....	54.7	92.9	155.0	231.4	335.5	415.6	602.5	820.3	1,420.8	2,091.1
1980.....	57.6	97.9	153.4	236.8	347.1	423.6	625.2	868.9	1,334.2	2,144.9
1979.....	55.0	98.1	147.6	221.1	316.7	411.8	587.2	776.4	1,155.8	1,851.9
BLACK FEMALE										
1998.....	25.0	39.4	59.5	99.4	151.6	208.0	357.9	516.0	865.3	1,832.9
1997.....	20.5	35.0	63.9	96.3	146.3	204.1	354.1	495.9	844.0	1,857.5
1996.....	23.3	37.9	66.4	98.1	165.5	208.5	354.0	496.8	880.2	1,831.4
1995.....	23.8	40.2	58.1	100.7	160.2	215.9	370.9	539.1	902.0	1,915.2
1994.....	25.0	41.2	63.4	103.0	155.2	229.4	378.6	542.0	911.1	1,824.6
1993.....	25.9	41.8	67.7	111.5	180.1	248.6	391.3	572.1	973.2	1,950.6
1992.....	26.7	39.4	66.1	105.7	169.7	245.7	362.5	543.6	892.0	1,909.3
1991.....	26.7	41.5	65.0	102.7	160.1	251.6	380.5	558.4	908.2	1,932.5
1990.....	21.4	38.5	68.1	108.1	178.8	263.7	370.8	587.5	922.4	1,997.3
1989.....	25.7	41.0	74.2	120.0	197.6	266.7	406.8	636.2	1,017.8	2,062.1
1988.....	26.3	44.7	78.1	121.4	204.7	307.2	438.9	690.5	1,120.8	2,252.3
1987.....	25.6	44.2	75.5	122.2	198.5	281.7	465.6	684.4	1,181.3	2,190.3
1986.....	23.6	42.6	79.3	118.2	198.0	295.3	450.8	691.1	1,146.1	2,218.1
1985.....	26.4	36.9	69.5	120.1	188.6	279.2	457.8	667.8	1,075.3	2,009.8
1984.....	24.1	38.9	72.0	118.6	183.3	253.2	429.4	623.7	1,147.4	1,910.1
1983.....	21.1	34.9	71.8	119.7	194.8	268.4	420.8	622.8	1,114.5	1,854.8
1982.....	24.3	39.1	65.7	107.7	168.8	240.2	376.4	575.7	1,038.4	1,699.2
1981.....	23.9	44.7	68.5	107.9	172.0	231.0	384.8	558.6	1,017.4	1,670.8
1980.....	26.9	41.5	68.1	103.5	161.8	260.2	400.2	604.8	1,006.8	1,777.5
1979.....	25.0	40.2	61.2	95.0	162.8	222.8	394.3	547.9	824.2	1,490.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)										
TOTAL, BOTH SEXES										
1998.....	0.3	0.4	0.5	0.6	0.8	0.9	1.7	1.7	2.7	2.9
1997.....	0.3	0.3	0.4	0.5	0.8	1.0	1.3	2.0	2.2	2.5
1996.....	0.3	0.3	0.4	0.4	0.4	0.9	1.0	1.7	2.2	2.6
1995.....	0.4	0.3	0.4	0.6	0.8	0.9	1.3	1.8	2.5	2.9
1994.....	0.3	0.2	0.4	0.4	0.6	0.7	1.3	1.6	2.2	2.0
1993.....	0.3	0.3	0.4	0.5	0.5	0.9	1.2	1.7	2.5	3.2
1992.....	0.3	0.4	0.3	0.5	0.6	0.8	1.3	1.8	2.5	3.0
1991.....	0.3	0.3	0.3	0.6	0.7	0.9	1.4	1.9	1.9	2.8
1990.....	0.3	0.3	0.3	0.5	0.7	1.2	1.4	1.8	2.3	3.5
1989.....	0.3	0.3	0.4	0.5	0.7	0.8	1.3	1.9	2.8	3.4
1988.....	0.4	0.3	0.4	0.4	0.8	1.0	1.5	2.0	2.5	3.0
1987.....	0.3	0.3	0.5	0.5	0.8	0.8	1.5	2.0	2.2	2.6
1986.....	0.3	0.3	0.3	0.5	0.8	1.0	1.5	1.8	2.9	2.7
1985.....	0.3	0.4	0.4	0.6	0.8	1.1	1.6	2.3	2.5	2.9
1984.....	0.3	0.3	0.4	0.7	0.7	1.2	1.5	1.9	2.1	3.2
1983.....	0.2	0.3	0.5	0.6	0.9	1.0	1.4	1.7	1.8	2.8
1982.....	0.3	0.4	0.4	0.7	1.0	1.1	1.4	1.9	1.8	2.7
1981.....	0.2	0.3	0.4	0.6	0.7	1.1	1.2	1.9	1.5	2.5
1980.....	0.2	0.3	0.4	0.7	0.9	0.9	1.3	1.6	2.4	1.6
1979.....	0.2	0.4	0.4	0.5	0.8	1.1	1.5	1.5	2.2	2.1
TOTAL, MALE										
1998.....	0.4	0.5	0.7	0.7	0.8	1.2	2.2	2.2	3.7	3.8
1997.....	0.5	0.3	0.5	0.5	0.9	1.3	1.7	2.7	3.3	2.8
1996.....	0.5	0.5	0.5	0.5	0.6	1.1	1.3	2.0	2.8	3.3
1995.....	0.6	0.5	0.5	0.8	1.0	1.0	1.5	2.4	3.4	3.6
1994.....	0.4	0.4	0.6	0.6	0.7	0.8	1.5	2.2	3.4	2.4
1993.....	0.4	0.3	0.4	0.5	0.7	1.2	1.6	2.3	2.9	4.6
1992.....	0.4	0.6	0.4	0.9	1.0	1.0	1.5	2.1	3.6	4.2
1991.....	0.5	0.5	0.5	0.7	1.0	1.2	2.0	2.4	2.3	4.0
1990.....	0.6	0.5	0.5	0.6	0.9	1.6	1.9	2.6	3.0	5.3
1989.....	0.5	0.4	0.5	0.6	1.0	1.3	1.7	1.9	3.3	4.3
1988.....	0.6	0.4	0.5	0.7	1.0	1.3	1.8	2.6	3.5	4.2
1987.....	0.4	0.4	0.8	0.7	1.2	1.1	2.2	2.4	2.5	3.8
1986.....	0.5	0.5	0.5	0.8	1.1	1.4	2.1	2.2	3.8	4.4
1985.....	0.3	0.5	0.7	0.7	1.1	1.6	2.4	3.2	3.0	3.7
1984.....	0.4	0.4	0.6	0.9	0.8	1.7	2.3	2.3	2.7	3.7
1983.....	0.3	0.4	0.8	0.8	1.4	1.5	1.9	2.1	2.3	3.8
1982.....	0.4	0.5	0.6	0.9	1.3	1.5	2.2	2.4	2.5	3.8
1981.....	*	0.5	0.6	0.9	1.0	1.6	1.7	2.5	*	3.3
1980.....	0.3	0.4	0.4	1.0	1.5	1.3	1.6	2.1	3.1	2.2
1979.....	0.2	0.5	0.6	0.9	1.1	1.8	2.3	2.1	2.7	3.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)										
TOTAL, FEMALE										
1998.....	*	0.3	*	0.5	0.7	0.7	1.3	1.4	2.1	2.5
1997.....	*	0.2	0.4	0.4	0.7	0.8	1.0	1.5	1.6	2.3
1996.....	*	*	*	*	*	0.7	0.8	1.5	1.8	2.3
1995.....	0.2	*	*	0.4	0.7	0.8	1.1	1.5	2.0	2.6
1994.....	0.2	*	*	*	0.5	0.6	1.1	1.3	1.5	1.9
1993.....	0.2	0.2	0.3	0.4	0.4	0.7	0.9	1.4	2.3	2.6
1992.....	*	*	*	*	*	0.6	1.0	1.6	1.9	2.5
1991.....	*	*	*	0.4	0.5	0.8	1.0	1.6	1.7	2.3
1990.....	*	*	*	*	0.5	0.8	0.9	1.3	2.0	2.8
1989.....	*	*	*	*	0.4	0.5	1.0	1.9	2.5	3.0
1988.....	*	*	*	*	0.6	0.7	1.3	1.6	2.0	2.6
1987.....	*	*	*	0.4	0.4	0.7	1.1	1.7	2.0	2.1
1986.....	*	*	*	*	0.5	0.6	1.1	1.6	2.4	2.1
1985.....	*	*	*	0.4	0.4	0.6	1.1	1.7	2.2	2.6
1984.....	*	*	*	0.6	0.6	0.7	1.0	1.7	1.8	3.0
1983.....	*	*	*	0.5	0.5	0.6	1.0	1.4	1.6	2.4
1982.....	*	*	*	0.5	0.7	0.7	0.8	1.6	1.4	2.3
1981.....	*	*	*	0.3	0.4	0.7	0.8	1.5	1.5	2.1
1980.....	0.2	0.1	0.3	0.4	0.4	0.7	1.1	1.3	2.0	1.3
1979.....	0.2	0.2	0.2	0.2	0.6	0.6	0.9	1.2	2.0	1.6
WHITE, BOTH SEXES										
1998.....	0.2	0.3	0.3	0.4	0.7	0.9	1.6	1.7	2.8	2.8
1997.....	0.2	0.2	0.3	0.5	0.7	1.0	1.2	2.0	2.2	2.7
1996.....	0.3	0.2	0.2	0.3	0.3	0.8	0.9	1.7	2.3	2.5
1995.....	0.3	0.3	0.3	0.5	0.7	0.8	1.3	1.9	2.5	3.0
1994.....	0.2	0.2	0.3	0.3	0.5	0.6	1.3	1.7	2.1	2.0
1993.....	0.2	0.2	0.3	0.4	0.5	0.9	1.2	1.7	2.5	3.3
1992.....	0.2	0.2	*	0.4	0.6	0.8	1.2	1.8	2.4	3.0
1991.....	0.2	0.2	0.3	0.5	0.6	0.9	1.4	2.0	2.0	2.9
1990.....	0.2	0.3	0.2	0.4	0.6	1.1	1.3	1.7	2.3	3.5
1989.....	0.2	0.2	0.3	0.4	0.6	0.8	1.2	2.0	2.7	3.2
1988.....	0.3	0.2	0.3	0.4	0.7	1.0	1.5	1.9	2.6	3.0
1987.....	0.1	0.2	0.4	0.5	0.7	0.8	1.6	2.0	2.2	2.4
1986.....	0.2	0.2	0.2	0.5	0.7	1.0	1.5	1.8	2.9	2.7
1985.....	0.2	0.3	0.4	0.5	0.8	1.1	1.6	2.4	2.5	2.8
1984.....	0.2	*	0.3	0.7	0.7	1.2	1.5	1.9	2.2	3.2
1983.....	*	0.2	0.4	0.6	0.8	1.0	1.4	1.6	1.8	2.8
1982.....	0.2	0.3	0.3	0.6	0.9	1.1	1.4	1.9	1.8	2.7
1981.....	0.2	0.3	0.4	0.5	0.7	1.1	1.2	2.0	1.4	2.4
1980.....	0.2	0.2	0.3	0.6	0.8	1.0	1.4	1.6	2.3	1.7
1979.....	0.1	0.3	0.4	0.5	0.8	1.1	1.4	1.4	2.3	2.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)										
WHITE MALE										
1998.....	0.3	0.4	0.5	0.6	0.8	1.1	2.1	2.1	3.9	3.9
1997.....	0.3	0.3	0.4	0.5	0.8	1.3	1.6	2.8	3.4	3.1
1996.....	0.4	0.4	0.4	0.5	*	1.0	1.2	2.1	3.0	3.2
1995.....	0.4	0.4	0.4	0.7	0.8	0.9	1.5	2.3	3.5	3.8
1994.....	0.4	0.3	0.4	0.5	0.6	0.7	1.5	2.3	3.5	2.5
1993.....	*	*	*	*	0.6	1.2	1.6	2.2	2.7	4.8
1992.....	0.3	0.4	*	0.7	1.0	1.0	1.5	2.1	3.5	4.1
1991.....	0.4	0.3	0.4	0.6	1.0	1.1	2.1	2.6	2.5	4.4
1990.....	0.3	0.4	*	0.6	0.9	1.5	2.0	2.7	3.0	5.8
1989.....	*	*	*	0.5	1.0	1.3	1.7	1.9	3.0	4.1
1988.....	0.4	*	*	0.6	0.8	1.2	1.7	2.3	3.8	4.2
1987.....	*	*	0.6	0.6	1.2	1.0	2.2	2.4	2.4	3.7
1986.....	0.3	*	0.4	0.8	1.1	1.5	2.0	2.4	3.8	4.1
1985.....	*	*	0.6	0.7	1.1	1.5	2.3	3.3	2.9	3.5
1984.....	*	*	0.5	0.8	0.8	1.8	2.3	2.2	2.8	3.9
1983.....	*	*	0.7	0.8	1.3	1.5	1.8	2.2	2.4	4.1
1982.....	*	*	0.5	0.8	1.3	1.6	2.1	2.5	2.3	3.5
1981.....	*	*	0.5	0.8	0.9	1.6	1.8	2.6	*	3.5
1980.....	0.2	0.4	0.4	1.0	1.3	1.2	1.6	2.1	3.0	2.4
1979.....	0.1	0.4	0.5	0.8	1.0	1.7	2.2	1.7	2.8	3.1
WHITE FEMALE										
1998.....	*	*	*	*	0.7	0.7	1.2	1.3	2.1	2.3
1997.....	*	*	*	0.4	0.6	0.7	0.9	1.4	1.5	2.5
1996.....	*	*	*	*	*	0.6	0.7	1.4	1.9	2.2
1995.....	*	*	*	*	0.7	0.8	1.1	1.5	2.0	2.7
1994.....	*	*	*	*	0.4	0.6	1.2	1.3	1.3	1.9
1993.....	*	*	*	*	*	0.7	0.8	1.4	2.4	2.7
1992.....	*	*	*	*	*	0.6	1.0	1.6	1.8	2.6
1991.....	*	*	*	*	*	0.7	0.8	1.5	1.7	2.3
1990.....	*	*	*	*	*	0.8	0.8	1.1	2.0	2.7
1989.....	*	*	*	*	*	0.5	0.9	2.1	2.5	2.9
1988.....	*	*	*	*	0.6	0.7	1.3	1.7	2.0	2.6
1987.....	*	*	*	*	*	0.7	1.1	1.7	2.1	1.9
1986.....	*	*	*	*	0.4	0.6	1.1	1.4	2.4	2.1
1985.....	*	*	*	*	0.5	0.7	1.0	1.8	2.2	2.5
1984.....	*	*	*	0.5	0.7	0.7	0.9	1.7	1.9	3.0
1983.....	*	*	*	0.4	0.5	0.6	1.0	1.3	1.5	2.3
1982.....	*	*	*	0.4	0.6	0.7	0.8	1.6	1.4	2.4
1981.....	*	*	*	*	0.5	0.7	0.8	1.6	1.5	2.0
1980.....	0.1	0.1	0.2	0.3	0.4	0.7	1.2	1.3	2.0	1.5
1979.....	0.1	0.2	0.2	0.2	0.6	0.6	0.9	1.2	2.0	1.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)										
ALL OTHER, BOTH SEXES										
1998.....	0.5	1.1	1.4	1.3	*	*	2.2	*	*	*
1997.....	0.8	*	1.0	*	*	*	2.5	*	*	*
1996.....	0.6	0.8	1.1	*	*	*	*	*	*	*
1995.....	0.9	0.8	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.8	1.2	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	*
1990.....	1.2	*	*	*	*	1.8	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.1	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.4	0.6	0.8	1.5	0.8	0.6	1.1	3.5	-
1979.....	0.7	1.0	0.7	0.7	0.9	1.7	1.6	2.7	1.8	2.9
ALL OTHER MALE										
1998.....	*	1.4	2.3	*	*	*	*	*	*	*
1997.....	1.4	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	1.4	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	2.0	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	2.0	*	*	*	*	*	*	*	*	*
1989.....	1.9	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.3	0.8	0.7	1.1	2.9	1.8	1.5	1.7	4.6	-
1979.....	0.9	1.6	1.2	1.5	1.2	2.6	3.0	5.5	1.2	5.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.5	0.6	0.4	-	-	0.8	2.8	-
1979.....	0.5	0.5	0.3	0.2	0.8	1.0	0.6	0.8	2.2	1.8
BLACK, BOTH SEXES										
1998.....	0.7	1.5	1.9	1.7	*	*	*	*	*	*
1997.....	0.9	*	*	*	*	*	3.4	*	*	*
1996.....	0.8	1.1	1.5	*	*	*	*	*	*	*
1995.....	1.1	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	1.1	*	*	*	*	*	*	*	*	*
1992.....	1.0	1.7	*	*	*	*	*	*	*	*
1991.....	1.1	*	*	*	*	*	*	*	*	*
1990.....	1.5	*	*	*	*	*	*	*	*	*
1989.....	1.6	*	*	*	*	*	*	*	*	*
1988.....	1.4	*	*	*	*	*	*	*	*	*
1987.....	1.3	*	*	*	*	*	*	*	*	*
1986.....	1.3	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.9	0.5	0.6	1.0	1.6	0.5	0.4	1.0	3.0	-
1979.....	0.8	1.1	0.7	0.7	1.1	1.8	1.7	2.8	1.5	3.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)										
BLACK MALE										
1998.....	*	*	3.2	*	*	*	*	*	*	*
1997.....	1.7	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	1.9	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	2.8	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	2.7	*	*	*	*	*	*	*	*	*
1989.....	2.6	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.6	1.0	0.8	1.3	3.1	1.2	0.9	1.3	4.0	-
1979.....	1.1	1.9	1.2	1.3	1.3	2.7	3.1	5.6	1.3	5.8
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.2	0.5	0.7	0.4	-	-	0.9	2.4	-
1979.....	0.6	0.5	0.3	0.2	0.9	1.1	0.6	0.8	1.6	1.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)										
TOTAL, BOTH SEXES										
1998.....	0.2	0.3	0.3	0.3	0.5	0.7	0.8	1.1	1.5	1.5
1997.....	0.3	0.3	0.3	0.4	0.7	0.7	0.8	1.1	1.5	1.5
1996.....	0.2	0.3	0.3	0.3	0.4	0.6	0.9	1.0	1.5	1.9
1995.....	0.2	0.3	0.4	0.4	0.6	0.7	1.0	1.0	1.1	1.5
1994.....	0.2	0.3	0.3	0.3	0.6	0.6	0.9	1.0	1.3	1.5
1993.....	0.2	0.3	0.3	0.6	0.5	0.8	1.0	1.2	1.4	1.6
1992.....	0.2	0.3	0.3	0.5	0.5	0.8	1.0	1.2	1.4	1.4
1991.....	0.2	0.3	0.3	0.5	0.5	0.7	1.0	0.9	1.3	1.8
1990.....	0.2	0.3	0.3	0.5	0.7	0.9	0.8	1.2	1.4	1.5
1989.....	0.2	0.3	0.3	0.6	0.7	0.9	1.0	1.2	1.5	1.8
1988.....	0.3	0.3	0.4	0.4	0.8	0.7	1.0	1.4	1.7	2.0
1987.....	0.3	0.3	0.5	0.5	0.8	0.9	1.2	1.2	1.9	2.0
1986.....	0.3	0.4	0.4	0.6	0.9	1.1	1.2	1.5	1.8	1.9
1985.....	0.3	0.3	0.5	0.6	0.8	1.0	1.1	1.3	1.7	2.4
1984.....	0.3	0.3	0.5	0.6	0.9	1.0	1.2	1.3	1.7	2.4
1983.....	0.2	0.4	0.5	0.6	0.7	1.0	1.3	1.1	1.2	1.2
1982.....	0.3	0.3	0.5	0.6	0.7	0.9	1.2	1.3	1.5	1.6
1981.....	0.2	0.4	0.5	0.7	0.9	1.0	1.1	1.6	1.7	1.8
1980.....	0.3	0.4	0.5	0.6	0.7	1.3	1.0	1.6	1.4	1.8
1979.....	0.3	0.2	0.3	0.6	0.8	0.9	0.9	1.1	1.5	1.3
TOTAL, MALE										
1998.....	0.2	0.3	0.4	*	0.6	0.8	0.9	1.4	2.2	*
1997.....	0.3	0.3	0.3	0.6	1.0	0.9	1.1	1.5	1.5	2.2
1996.....	0.2	0.4	0.4	*	*	0.8	1.1	1.1	1.6	2.7
1995.....	0.2	0.3	0.5	0.5	0.7	0.8	1.1	1.1	*	*
1994.....	*	0.3	0.3	0.4	0.6	0.9	1.2	1.1	1.7	2.1
1993.....	0.2	0.4	0.4	0.6	0.6	0.8	1.3	1.4	1.5	*
1992.....	0.3	0.3	0.3	0.6	0.6	1.1	1.0	1.2	2.5	2.3
1991.....	0.2	0.3	0.4	0.5	0.6	0.9	1.3	1.1	1.7	2.4
1990.....	0.3	0.4	0.4	0.6	0.9	1.2	1.1	1.6	2.2	*
1989.....	0.3	0.4	0.4	0.6	0.9	1.4	1.3	1.4	1.7	*
1988.....	0.3	0.5	0.4	0.4	1.1	0.8	1.3	1.9	1.8	*
1987.....	0.3	*	0.6	0.7	0.9	1.2	1.8	1.5	2.1	2.9
1986.....	0.3	0.4	0.5	0.7	1.2	1.4	1.5	1.8	2.1	*
1985.....	*	0.4	0.7	0.7	0.8	1.1	1.5	1.9	1.9	*
1984.....	0.4	0.4	0.6	0.8	1.0	1.1	1.5	1.5	2.0	3.9
1983.....	*	*	0.6	0.8	1.1	1.1	1.8	1.3	*	*
1982.....	0.4	0.4	0.7	0.7	0.9	1.1	1.6	1.8	1.9	*
1981.....	*	0.5	0.6	1.0	1.0	1.0	1.2	2.1	2.4	*
1980.....	0.4	0.5	0.7	0.8	1.0	1.6	1.3	2.1	1.8	3.7
1979.....	0.3	0.2	0.4	0.8	1.1	1.1	1.0	1.3	2.0	2.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)										
TOTAL, FEMALE										
1998.....	*	0.3	0.2	0.4	0.5	0.5	0.7	1.0	1.1	1.6
1997.....	0.2	*	*	*	0.5	0.6	0.7	0.8	1.5	1.3
1996.....	*	*	*	*	*	0.5	0.8	0.9	1.5	1.6
1995.....	*	0.3	0.3	*	0.5	0.5	0.8	0.9	1.1	1.4
1994.....	0.3	0.3	0.3	*	0.6	*	0.7	0.9	1.0	1.3
1993.....	0.2	*	*	0.5	0.5	0.8	0.8	1.1	1.3	1.6
1992.....	*	0.3	*	*	0.4	0.6	1.0	1.2	0.9	1.1
1991.....	*	*	*	0.4	0.4	0.6	0.8	0.8	1.1	1.6
1990.....	*	*	*	0.4	0.5	0.7	0.5	0.9	1.0	1.3
1989.....	*	*	*	0.5	0.5	0.6	0.7	1.2	1.3	1.6
1988.....	0.3	*	*	*	0.5	0.7	0.8	1.0	1.6	1.9
1987.....	0.3	0.3	0.4	0.4	0.7	0.7	0.8	1.0	1.8	1.7
1986.....	*	0.4	*	0.5	0.7	0.9	1.0	1.2	1.7	1.8
1985.....	0.3	*	*	0.5	0.7	0.9	0.9	1.0	1.5	2.3
1984.....	*	*	0.4	0.4	0.8	1.0	1.0	1.1	1.6	1.7
1983.....	*	0.4	0.5	0.4	0.4	1.0	1.0	1.0	1.0	*
1982.....	*	*	0.4	0.5	0.6	0.6	0.9	1.0	1.3	1.3
1981.....	*	0.4	0.4	0.4	0.7	0.9	1.0	1.2	1.3	1.8
1980.....	0.2	0.3	0.4	0.5	0.5	1.0	0.8	1.4	1.3	1.0
1979.....	0.4	0.2	0.3	0.4	0.6	0.9	0.8	1.0	1.3	0.8
WHITE, BOTH SEXES										
1998.....	0.2	0.3	0.3	0.3	0.5	0.6	0.8	1.2	1.4	1.6
1997.....	0.2	0.2	0.3	0.4	0.7	0.8	0.9	1.1	1.6	1.5
1996.....	0.2	0.2	0.3	0.3	0.3	0.6	0.9	1.0	1.6	1.9
1995.....	0.2	0.3	0.3	0.3	0.5	0.6	0.9	1.0	1.0	1.5
1994.....	0.1	0.3	0.3	0.4	0.6	0.5	0.9	1.0	1.3	1.5
1993.....	0.2	0.2	0.3	0.5	0.5	0.8	1.1	1.2	1.3	1.5
1992.....	0.2	0.2	0.2	0.4	0.5	0.8	0.9	1.2	1.5	1.4
1991.....	0.2	0.2	0.2	0.5	0.4	0.7	1.1	0.9	1.2	1.9
1990.....	0.2	0.3	0.3	0.4	0.6	0.9	0.7	1.1	1.4	1.6
1989.....	0.2	0.3	0.3	0.6	0.6	0.8	0.9	1.2	1.5	1.7
1988.....	0.2	0.3	0.4	0.4	0.8	0.7	1.0	1.3	1.6	2.0
1987.....	0.2	0.2	0.4	0.5	0.8	0.9	1.2	1.1	1.9	2.1
1986.....	0.3	0.3	0.4	0.5	0.9	1.0	1.1	1.4	1.7	1.9
1985.....	0.3	0.3	0.4	0.5	0.7	0.9	1.1	1.2	1.6	2.4
1984.....	0.2	0.3	0.4	0.5	0.8	1.1	1.2	1.3	1.7	2.4
1983.....	0.2	0.3	0.5	0.5	0.6	1.0	1.3	1.1	1.2	1.3
1982.....	0.2	0.2	0.4	0.5	0.6	0.9	1.1	1.3	1.5	1.7
1981.....	*	0.4	0.4	0.6	0.8	0.9	1.1	1.6	1.7	1.8
1980.....	0.2	0.3	0.5	0.6	0.6	1.2	0.9	1.5	1.4	1.7
1979.....	0.2	0.2	0.3	0.5	0.8	0.9	0.8	1.1	1.5	1.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)										

WHITE MALE

1998.....	*	*	0.3	*	0.6	0.8	0.9	1.4	2.0	*
1997.....	0.3	0.3	*	0.5	1.0	1.0	1.1	1.5	1.7	2.3
1996.....	*	0.3	0.3	*	*	0.9	1.1	1.2	1.6	2.9
1995.....	*	0.3	0.4	0.4	0.6	0.8	1.0	1.0	*	*
1994.....	*	0.3	0.4	*	0.6	0.8	1.1	1.1	1.8	*
1993.....	*	*	0.4	0.5	0.6	0.8	1.4	1.4	*	*
1992.....	0.3	*	*	0.5	0.6	1.1	1.0	1.1	2.6	*
1991.....	*	*	*	0.5	0.5	0.8	1.4	1.1	1.6	2.6
1990.....	*	0.4	*	0.5	0.8	1.1	1.0	1.6	2.3	*
1989.....	*	0.4	*	0.6	0.8	1.3	1.2	1.3	1.7	*
1988.....	*	0.4	*	*	1.1	0.8	1.3	1.8	*	*
1987.....	*	*	0.4	0.6	0.9	1.2	1.8	1.5	2.1	2.9
1986.....	0.3	*	0.5	0.6	1.2	1.2	1.5	1.7	*	*
1985.....	*	0.4	0.6	0.6	0.8	1.0	1.5	1.7	1.9	*
1984.....	*	*	0.4	0.7	0.9	1.1	1.5	1.5	2.0	3.9
1983.....	*	*	0.6	0.6	1.0	1.0	1.7	1.2	*	*
1982.....	*	*	0.5	0.6	0.8	1.1	1.5	1.7	*	*
1981.....	*	*	0.4	0.9	1.0	1.0	1.3	2.2	2.3	*
1980.....	0.4	0.4	0.5	0.7	0.8	1.4	1.1	1.9	1.7	3.2
1979.....	0.2	0.2	0.3	0.7	1.0	1.0	0.9	1.2	1.9	2.3

WHITE FEMALE

1998.....	*	0.3	*	0.4	0.5	0.5	0.7	1.0	1.0	1.7
1997.....	*	*	*	*	0.5	0.6	0.6	0.8	1.5	1.2
1996.....	*	*	*	*	*	0.4	0.8	0.8	1.5	1.6
1995.....	*	0.3	*	*	0.5	0.5	0.7	1.0	1.0	1.3
1994.....	*	0.3	*	*	0.7	*	0.7	0.9	1.1	1.4
1993.....	*	*	*	0.4	0.5	0.8	0.8	1.1	1.3	1.4
1992.....	*	*	*	*	*	0.6	0.9	1.2	0.9	1.0
1991.....	*	*	*	0.4	*	0.5	0.8	0.8	1.0	1.6
1990.....	*	*	*	*	0.5	0.7	0.5	0.8	0.9	1.3
1989.....	*	*	*	0.5	0.5	0.5	0.7	1.2	1.4	1.5
1988.....	*	*	*	*	0.5	0.6	0.8	0.9	1.6	1.8
1987.....	*	*	*	0.4	0.7	0.7	0.8	0.9	1.9	1.7
1986.....	*	*	*	*	0.6	0.9	0.9	1.2	1.7	1.9
1985.....	*	*	*	0.4	0.5	0.9	0.8	0.9	1.5	2.4
1984.....	*	*	*	0.4	0.7	1.0	0.9	1.1	1.5	1.8
1983.....	*	*	0.4	0.4	*	1.0	1.0	1.1	*	*
1982.....	*	*	*	0.4	0.5	0.6	0.9	1.1	1.3	1.4
1981.....	*	*	*	0.4	0.7	0.9	1.0	1.2	1.3	1.7
1980.....	0.1	0.3	0.4	0.4	0.4	1.0	0.8	1.3	1.2	1.0
1979.....	0.3	0.2	0.3	0.4	0.6	0.8	0.7	1.0	1.3	0.8

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)

ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	0.7	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	1.4	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	1.4	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.8	0.9	1.1	1.6	1.7	1.9	2.5	1.7	3.3
1979.....	1.1	0.2	0.8	1.4	1.0	1.3	1.6	1.6	2.2	2.3

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	1.4	1.7	1.6	2.5	2.6	2.5	3.9	2.3	8.2
1979.....	1.5	0.2	1.0	2.0	1.9	1.8	2.7	2.2	3.5	5.1

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.3	0.3	0.8	0.9	1.0	1.4	1.5	1.4	0.8
1979.....	0.7	0.3	0.7	0.9	0.4	1.0	0.9	1.2	1.5	0.9
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	1.8	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.8	0.8	0.8	1.2	1.8	1.9	1.9	2.1	2.0	3.8
1979.....	1.1	0.3	1.0	1.6	0.8	1.5	1.5	1.8	2.5	1.9

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.9	1.4	1.8	1.7	2.8	3.0	2.6	3.3	2.7	9.4
1979.....	1.6	0.2	1.2	2.3	1.3	2.1	2.7	2.5	3.9	3.8

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.3	-	0.7	1.0	1.1	1.5	1.3	1.6	0.9
1979.....	0.7	0.3	0.8	1.0	0.4	1.1	0.6	1.3	1.6	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)										
TOTAL, BOTH SEXES										
1998.....	1.0	1.3	2.0	3.0	5.0	9.0	18.0	34.9	74.6	199.6
1997.....	0.8	1.3	1.7	3.1	5.0	9.6	16.8	35.1	74.8	192.4
1996.....	0.7	1.2	1.6	3.0	5.3	8.8	18.2	34.4	74.4	191.9
1995.....	0.7	1.0	1.8	3.0	5.1	8.7	18.1	34.4	73.3	179.3
1994.....	0.7	1.2	1.7	3.2	4.9	9.2	17.9	32.8	70.2	171.4
1993.....	0.7	1.0	1.7	3.2	5.2	9.0	16.8	35.3	71.9	169.8
1992.....	0.9	1.2	1.8	3.0	5.4	9.1	17.1	33.6	72.3	158.2
1991.....	0.7	1.1	1.7	3.1	5.1	9.6	16.5	34.2	68.3	152.8
1990.....	0.8	1.2	2.1	3.3	5.8	9.5	18.0	33.6	65.4	140.2
1989.....	0.7	1.0	1.7	3.3	5.3	9.2	17.8	31.2	64.0	128.4
1988.....	0.8	1.0	1.9	3.4	5.4	10.0	18.3	32.0	60.3	120.5
1987.....	0.8	1.2	2.0	3.3	5.4	9.4	17.0	31.3	57.6	110.2
1986.....	0.7	1.0	1.8	3.2	5.4	9.3	17.2	31.0	53.5	97.6
1985.....	0.7	1.2	2.0	3.0	5.0	9.0	16.4	29.0	52.1	90.0
1984.....	0.6	1.0	1.9	3.1	5.3	8.9	15.7	26.8	50.4	79.2
1983.....	0.7	1.1	1.9	3.3	5.0	8.8	16.5	27.2	46.3	75.1
1982.....	0.6	1.5	1.7	3.1	5.4	8.6	15.3	27.9	41.4	65.4
1981.....	0.7	1.3	2.1	3.2	5.3	9.5	15.2	24.3	39.6	60.0
1980.....	0.7	1.2	1.8	3.5	6.0	9.0	15.8	25.2	38.0	57.3
1979.....	0.8	1.0	1.9	3.3	5.5	8.6	15.4	23.5	34.1	47.1
TOTAL, MALE										
1998.....	1.3	1.7	2.4	3.2	6.5	10.1	20.7	39.1	82.9	193.1
1997.....	1.1	1.7	2.2	3.7	6.0	10.5	19.2	40.7	80.7	194.4
1996.....	0.9	1.6	2.2	3.6	5.9	11.0	20.7	39.2	81.6	197.1
1995.....	1.0	1.4	2.3	3.4	5.9	10.4	20.7	39.0	83.6	187.0
1994.....	0.9	1.6	2.0	4.4	6.0	10.4	20.6	38.5	79.3	178.0
1993.....	0.9	1.4	2.2	3.9	6.4	10.9	20.7	40.6	79.6	173.7
1992.....	1.3	1.5	2.4	4.0	6.5	11.6	20.9	39.6	82.5	164.9
1991.....	1.0	1.6	2.1	3.7	6.5	12.3	19.7	40.5	81.8	160.3
1990.....	1.0	1.6	2.7	4.0	7.5	12.0	21.7	39.3	73.7	142.3
1989.....	1.1	1.4	2.3	4.2	6.4	11.7	21.7	37.4	74.8	133.8
1988.....	1.1	1.3	2.7	4.5	6.9	12.5	24.4	39.0	67.9	123.1
1987.....	1.1	1.7	2.6	4.3	7.1	12.2	21.3	39.3	68.7	116.2
1986.....	1.1	1.3	2.5	4.3	6.8	11.8	21.3	38.7	62.4	100.9
1985.....	1.0	1.5	2.7	3.8	6.7	12.4	20.6	35.7	62.6	94.7
1984.....	0.8	1.4	2.7	4.2	6.8	11.5	19.9	34.1	59.2	83.4
1983.....	0.8	1.4	2.6	4.4	7.2	13.1	21.3	33.3	55.4	80.9
1982.....	0.7	2.0	2.4	4.3	7.1	11.3	19.6	33.5	47.3	68.5
1981.....	1.1	1.6	2.9	4.3	7.1	12.0	19.9	30.7	50.3	65.0
1980.....	0.8	1.6	2.7	5.2	8.6	12.1	21.1	31.4	45.8	64.0
1979.....	1.1	1.6	2.7	5.0	7.9	11.7	19.7	29.6	41.4	51.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)										
TOTAL, FEMALE										
1998.....	0.6	0.9	1.6	2.7	3.7	8.0	16.0	32.0	69.7	202.3
1997.....	0.6	0.9	1.3	2.6	4.1	8.9	14.9	31.2	71.4	191.6
1996.....	0.5	0.8	1.1	2.4	4.8	6.9	16.3	31.1	70.3	189.8
1995.....	0.5	0.7	1.4	2.6	4.4	7.2	16.1	31.2	67.4	176.3
1994.....	0.5	0.8	1.4	2.2	3.9	8.1	15.9	29.0	65.2	168.8
1993.....	0.6	0.7	1.3	2.4	4.0	7.5	13.9	31.6	67.7	168.3
1992.....	0.4	0.8	1.3	2.1	4.4	7.0	14.3	29.7	66.7	155.6
1991.....	0.5	0.7	1.3	2.5	4.0	7.4	14.0	30.1	61.1	150.0
1990.....	0.6	0.7	1.5	2.6	4.2	7.5	15.3	29.9	60.9	139.4
1989.....	0.3	0.7	1.2	2.5	4.3	7.2	14.9	27.3	58.3	126.3
1988.....	0.5	0.7	1.1	2.5	4.1	8.0	13.9	27.5	56.3	119.5
1987.....	0.5	0.7	1.5	2.3	3.8	7.1	13.8	26.3	51.8	107.9
1986.....	0.3	0.8	1.2	2.2	4.1	7.3	14.3	26.2	48.9	96.3
1985.....	0.5	0.9	1.3	2.4	3.5	6.3	13.5	24.8	46.6	88.1
1984.....	0.4	0.5	1.2	2.1	3.9	6.8	12.8	22.2	45.8	77.5
1983.....	0.6	0.8	1.2	2.2	3.1	5.4	13.0	23.3	41.5	72.7
1982.....	0.4	1.0	1.0	2.1	4.0	6.4	12.2	24.4	38.4	64.2
1981.....	0.3	1.0	1.3	2.2	3.7	7.5	11.9	20.3	34.0	57.9
1980.....	0.6	0.8	1.1	2.0	3.7	6.6	11.9	21.3	33.9	54.4
1979.....	0.5	0.6	1.3	1.7	3.5	6.2	12.3	19.6	30.1	45.3
WHITE, BOTH SEXES										
1998.....	0.7	1.1	1.8	2.7	4.8	9.1	18.3	36.1	77.8	212.3
1997.....	0.7	1.1	1.4	3.0	4.9	9.6	17.2	36.3	78.0	202.6
1996.....	0.6	1.0	1.4	2.9	5.1	8.8	18.6	35.6	77.7	202.8
1995.....	0.6	0.9	1.7	2.8	5.0	8.5	18.2	35.7	75.7	188.4
1994.....	0.6	1.0	1.5	3.1	4.7	9.3	18.3	33.9	73.1	180.5
1993.....	0.6	0.9	1.6	2.9	5.0	9.0	17.1	36.3	74.1	178.2
1992.....	0.7	0.9	1.7	2.8	5.2	9.1	17.5	34.6	75.2	166.4
1991.....	0.5	1.0	1.6	3.0	5.0	9.8	16.9	35.5	71.2	161.1
1990.....	0.6	1.0	1.9	3.1	5.8	9.5	18.3	34.5	67.7	146.2
1989.....	0.5	0.9	1.6	3.1	5.2	9.2	18.3	32.1	66.6	133.7
1988.....	0.6	0.8	1.7	3.2	5.4	9.8	18.8	32.7	61.8	125.2
1987.....	0.6	1.0	1.9	3.1	5.2	9.3	17.1	32.1	59.6	114.1
1986.....	0.6	0.9	1.7	3.1	5.2	9.5	17.3	31.9	55.6	101.7
1985.....	0.6	1.0	1.8	2.8	5.0	9.0	16.6	29.5	53.5	93.2
1984.....	0.5	0.9	1.7	3.0	5.2	8.7	15.6	27.2	51.9	82.1
1983.....	0.6	0.9	1.8	3.2	4.9	9.0	16.7	27.6	48.2	77.9
1982.....	0.5	1.4	1.6	3.0	5.4	8.5	15.1	28.6	42.2	68.0
1981.....	0.6	1.2	2.0	3.1	5.2	9.6	15.4	24.7	40.0	61.6
1980.....	0.7	1.1	1.7	3.4	6.0	8.9	16.0	25.7	38.2	59.4
1979.....	0.8	0.9	1.9	3.2	5.4	8.3	15.4	23.8	34.8	48.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)										
WHITE MALE										
1998.....	1.1	1.4	2.2	3.0	6.3	10.2	20.8	40.6	87.5	206.4
1997.....	1.0	1.4	1.8	3.6	6.0	10.6	19.8	41.7	84.4	205.8
1996.....	0.8	1.4	1.9	3.6	5.6	11.0	21.1	40.6	85.0	209.8
1995.....	0.8	1.3	2.2	3.3	5.7	10.3	21.3	40.6	85.7	197.2
1994.....	0.7	1.4	1.9	4.1	5.8	10.6	21.0	39.8	82.8	186.6
1993.....	0.8	1.3	2.1	3.5	6.1	10.9	21.3	41.8	83.2	185.7
1992.....	1.1	1.1	2.2	3.7	6.4	11.7	21.4	40.6	86.2	173.9
1991.....	0.8	1.3	1.9	3.7	6.3	12.8	20.3	41.8	85.5	170.3
1990.....	0.8	1.4	2.6	3.9	7.8	12.1	21.9	40.6	76.7	150.2
1989.....	0.8	1.2	2.1	3.9	6.3	11.8	22.8	38.4	78.0	139.7
1988.....	0.9	1.1	2.5	4.2	7.0	12.4	24.9	39.6	70.5	128.0
1987.....	0.9	1.6	2.4	4.3	7.2	12.2	21.8	40.3	72.2	121.4
1986.....	1.0	1.2	2.3	4.2	6.8	12.2	21.5	39.6	64.8	107.1
1985.....	0.8	1.3	2.5	3.5	6.7	12.5	20.6	36.5	64.5	99.0
1984.....	0.7	1.4	2.5	4.1	6.7	11.1	19.9	35.1	61.7	87.6
1983.....	0.7	1.2	2.6	4.5	7.2	13.4	21.4	34.1	58.2	84.3
1982.....	0.6	1.9	2.3	4.3	7.1	11.3	19.3	34.7	48.3	71.4
1981.....	1.0	1.4	2.8	4.2	7.1	12.1	20.0	31.2	51.0	66.7
1980.....	0.8	1.4	2.5	5.1	8.5	12.0	21.6	32.3	46.9	66.4
1979.....	1.1	1.4	2.6	4.8	7.9	11.5	20.0	30.2	42.8	52.7
WHITE FEMALE										
1998.....	0.4	0.7	1.4	2.4	3.5	8.1	16.3	32.9	72.0	214.7
1997.....	0.5	0.8	1.0	2.4	3.9	8.8	15.2	32.5	74.3	201.3
1996.....	0.4	0.6	0.9	2.1	4.5	7.0	16.6	32.2	73.4	200.1
1995.....	0.4	0.5	1.2	2.4	4.3	7.0	15.8	32.3	70.1	185.0
1994.....	0.4	0.7	1.2	2.1	3.8	8.2	16.2	29.9	67.7	178.2
1993.....	0.4	0.6	1.1	2.3	4.0	7.3	13.9	32.5	69.1	175.4
1992.....	0.4	0.6	1.3	1.9	4.1	7.0	14.5	30.5	69.2	163.6
1991.....	0.3	0.6	1.3	2.4	3.9	7.4	14.4	31.4	63.5	157.7
1990.....	0.5	0.6	1.3	2.3	4.0	7.4	15.6	30.5	62.9	144.7
1989.....	*	0.6	1.2	2.3	4.3	7.0	15.0	28.1	60.7	131.5
1988.....	0.4	0.6	1.0	2.3	4.0	7.6	14.3	28.3	57.3	124.1
1987.....	0.3	0.5	1.4	2.1	3.6	7.0	13.8	26.9	53.0	111.3
1986.....	*	0.7	1.1	2.1	3.9	7.3	14.3	27.0	50.8	99.6
1985.....	0.4	0.7	1.2	2.2	3.5	6.1	13.7	25.1	47.8	91.0
1984.....	*	0.5	0.9	2.0	3.8	6.7	12.5	22.3	46.8	80.0
1983.....	0.5	0.7	1.1	2.1	2.9	5.3	13.2	23.5	43.0	75.3
1982.....	0.4	0.9	0.9	1.9	3.9	6.2	12.1	24.8	39.0	66.6
1981.....	*	0.9	1.3	2.0	3.5	7.5	12.0	20.7	34.3	59.5
1980.....	0.5	0.7	1.0	1.9	3.8	6.5	12.0	21.5	33.7	56.4
1979.....	0.4	0.4	1.2	1.7	3.2	5.8	12.1	19.8	30.5	46.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)										
ALL OTHER, BOTH SEXES										
1998.....	2.0	2.4	2.8	4.5	6.2	8.2	16.0	24.5	42.7	79.4
1997.....	1.3	2.4	3.5	3.8	5.7	9.8	12.9	23.9	42.3	94.8
1996.....	1.3	2.4	2.9	3.9	7.2	8.5	15.2	23.4	41.5	87.2
1995.....	1.4	1.9	3.0	4.0	6.0	9.5	17.0	22.3	47.6	86.8
1994.....	1.5	2.1	2.6	4.1	5.7	8.4	14.4	22.7	40.9	77.4
1993.....	1.5	1.7	2.4	5.0	6.2	9.2	14.5	25.5	49.6	83.2
1992.....	1.6	2.9	2.3	4.7	6.8	8.8	13.8	24.7	42.4	72.1
1991.....	1.7	2.2	2.1	3.4	6.0	8.1	12.3	22.2	38.9	65.7
1990.....	1.7	2.1	3.2	4.6	5.3	9.5	15.3	24.8	41.1	76.4
1989.....	1.8	1.8	2.4	4.7	5.5	9.4	13.0	22.7	36.3	72.7
1988.....	1.6	2.2	3.1	4.8	5.3	12.0	14.4	25.1	44.7	71.0
1987.....	2.0	2.2	3.0	4.1	6.2	9.9	15.6	24.3	36.4	67.9
1986.....	1.5	1.6	2.5	3.8	6.3	7.9	16.3	23.4	31.6	53.2
1985.....	1.4	2.1	2.8	4.7	5.0	9.4	15.1	24.6	36.5	54.5
1984.....	1.4	*	3.3	3.9	6.2	10.9	16.9	22.5	34.1	47.0
1983.....	1.5	1.9	2.3	3.6	5.7	7.7	14.7	23.2	24.4	43.1
1982.....	1.2	2.1	2.5	4.3	5.7	9.2	16.8	21.4	33.1	37.2
1981.....	*	2.1	2.6	4.2	6.1	8.9	13.9	20.2	35.3	42.1
1980.....	0.8	2.0	3.1	4.3	6.0	9.7	13.3	20.6	35.8	33.4
1979.....	1.2	2.1	2.7	4.0	6.8	11.5	15.5	20.5	25.4	29.9
ALL OTHER MALE										
1998.....	2.7	3.4	3.3	4.3	7.8	9.7	19.8	25.4	35.6	76.4
1997.....	1.6	3.5	4.6	3.9	6.0	9.7	13.8	30.9	41.4	94.4
1996.....	1.8	3.1	3.8	3.9	8.0	11.3	17.0	26.1	46.5	86.1
1995.....	1.8	2.3	3.3	4.0	7.0	10.5	15.0	23.6	61.5	91.7
1994.....	2.2	2.8	2.7	6.1	7.6	9.4	16.2	26.1	43.5	97.4
1993.....	1.9	2.2	*	6.8	8.5	10.2	15.1	29.0	43.8	62.2
1992.....	2.6	3.8	3.5	6.2	7.6	11.0	15.9	29.8	45.5	80.8
1991.....	2.0	3.0	3.1	3.9	8.0	8.7	13.9	27.8	45.0	67.4
1990.....	2.3	3.4	3.6	5.0	5.0	11.1	19.4	25.9	43.7	68.8
1989.....	2.9	2.5	3.1	6.0	7.1	10.2	11.4	27.5	43.0	79.0
1988.....	2.2	3.0	4.4	6.4	6.0	12.7	20.0	32.9	42.7	77.2
1987.....	2.7	3.0	3.8	4.6	6.7	12.8	17.3	29.8	33.9	67.5
1986.....	2.3	*	3.7	5.3	7.4	8.1	19.4	30.0	38.9	42.7
1985.....	*	*	3.9	6.2	6.7	11.7	20.0	28.6	42.9	54.8
1984.....	*	*	4.0	5.2	7.8	15.1	19.9	24.3	33.7	44.4
1983.....	*	*	*	4.3	7.2	10.1	20.5	25.4	25.8	47.1
1982.....	*	*	3.2	4.9	6.9	10.9	22.5	22.4	37.2	40.3
1981.....	*	*	3.6	4.8	7.1	11.0	18.4	25.8	42.9	48.4
1980.....	0.8	3.5	4.6	6.0	9.4	12.7	16.7	22.9	34.4	39.5
1979.....	1.2	2.7	3.4	6.4	8.2	13.7	16.7	24.7	26.7	33.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)										
ALL OTHER FEMALE										
1998.....	1.4	1.5	2.4	4.7	5.0	7.1	13.4	23.9	46.8	80.8
1997.....	*	1.5	2.6	3.8	5.4	9.9	12.3	19.4	42.7	95.0
1996.....	*	1.8	2.2	3.9	6.6	6.4	14.0	21.7	38.7	87.8
1995.....	*	1.5	2.7	4.0	5.2	8.7	18.4	21.4	40.1	84.7
1994.....	*	1.5	2.5	2.4	4.3	7.7	13.2	20.6	39.5	68.8
1993.....	1.2	*	2.5	3.5	4.5	8.4	14.0	23.3	52.8	92.4
1992.....	*	2.0	*	3.6	6.3	7.1	12.4	21.6	40.6	68.2
1991.....	1.4	*	*	3.0	4.4	7.7	11.2	18.6	35.4	64.6
1990.....	*	*	2.8	4.3	5.5	8.4	12.6	24.1	39.7	79.9
1989.....	*	*	*	3.6	4.3	8.9	14.1	19.7	32.5	69.7
1988.....	*	*	*	3.5	4.8	11.4	10.5	20.2	45.6	68.0
1987.....	*	*	*	3.7	5.8	7.8	14.4	20.8	37.8	68.1
1986.....	*	*	*	*	5.6	7.8	14.2	19.1	27.7	58.3
1985.....	*	*	*	3.5	3.7	7.7	11.7	22.0	32.8	54.7
1984.....	*	*	2.8	2.8	4.9	7.8	14.8	21.4	34.1	48.3
1983.....	*	*	*	3.0	4.5	6.0	10.6	21.8	23.6	41.0
1982.....	*	*	*	3.7	4.7	8.0	12.7	20.7	30.6	35.3
1981.....	*	*	*	3.8	5.4	7.4	10.6	16.4	30.7	38.9
1980.....	0.7	0.8	1.9	2.9	3.2	7.3	10.8	19.0	36.6	30.3
1979.....	1.2	1.6	2.1	2.0	5.7	9.8	14.7	17.4	24.8	28.1
BLACK, BOTH SEXES										
1998.....	2.5	3.2	3.6	5.7	6.7	9.2	17.0	27.6	42.5	78.4
1997.....	1.7	3.2	4.5	4.6	7.0	10.3	14.2	22.7	45.9	94.0
1996.....	1.7	2.9	3.7	4.6	8.3	9.8	16.9	25.1	42.2	87.0
1995.....	1.8	2.4	3.6	4.6	7.1	10.4	17.8	24.3	47.1	78.1
1994.....	1.9	2.8	3.3	5.0	6.7	9.4	15.9	22.8	39.8	67.7
1993.....	1.9	2.1	3.1	6.0	6.5	9.9	16.1	27.0	47.9	77.9
1992.....	2.1	3.7	2.9	5.9	7.7	10.4	15.4	26.5	43.9	74.6
1991.....	2.3	2.8	2.6	4.2	6.7	9.3	12.4	23.3	39.4	65.5
1990.....	2.3	2.6	3.8	5.5	5.5	10.7	16.9	25.4	42.0	74.6
1989.....	2.3	2.1	2.8	5.3	6.2	11.2	14.3	25.1	37.2	66.8
1988.....	2.0	2.6	3.7	5.5	5.6	13.3	13.8	26.0	43.4	71.5
1987.....	2.4	2.8	3.7	4.8	7.4	11.2	17.1	26.1	37.6	64.4
1986.....	2.0	2.1	3.0	4.6	7.0	9.1	17.7	23.8	29.0	51.2
1985.....	1.8	2.5	3.4	5.3	5.3	10.2	16.8	25.7	36.3	55.4
1984.....	1.7	*	3.5	4.2	7.2	11.7	17.3	23.6	35.6	44.7
1983.....	1.6	2.1	2.7	4.0	6.1	8.6	15.0	23.6	23.3	40.8
1982.....	*	2.5	2.7	4.7	6.2	10.2	18.0	21.3	32.6	36.4
1981.....	*	2.4	3.1	4.6	6.4	9.8	15.0	19.2	36.8	40.5
1980.....	0.9	2.4	3.6	4.3	6.3	10.0	13.1	20.9	34.0	32.7
1979.....	1.3	2.5	3.0	4.2	6.9	11.8	16.1	21.5	24.9	28.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)										
BLACK MALE										
1998.....	3.3	4.4	4.1	5.3	8.4	11.2	19.0	28.2	35.6	70.1
1997.....	2.2	4.8	5.9	4.5	7.2	10.3	15.8	28.3	43.3	79.4
1996.....	2.4	3.7	5.1	4.9	9.1	12.1	21.1	26.7	43.2	81.6
1995.....	2.3	3.0	4.4	4.6	8.2	12.5	13.9	26.2	57.8	73.2
1994.....	2.7	3.7	3.7	7.6	9.2	10.1	16.9	25.0	43.1	72.0
1993.....	2.1	2.8	*	8.4	8.7	10.3	16.9	31.1	37.1	48.4
1992.....	3.4	5.0	4.4	7.7	8.3	13.2	17.6	32.1	49.7	76.1
1991.....	2.7	4.1	3.7	4.5	8.3	9.8	13.3	29.8	45.5	69.6
1990.....	3.1	4.2	4.3	6.3	5.5	11.9	22.5	25.7	44.7	63.4
1989.....	3.8	*	3.8	7.1	8.1	12.0	12.3	29.2	44.3	63.6
1988.....	2.7	3.4	5.3	7.5	6.2	13.6	18.8	34.5	41.5	78.5
1987.....	3.0	4.0	4.6	5.5	8.2	14.7	19.7	32.0	33.7	64.1
1986.....	3.1	*	4.2	6.3	7.7	9.3	21.0	30.8	32.2	38.1
1985.....	*	*	4.8	6.7	7.0	13.0	23.2	28.8	41.4	54.8
1984.....	*	*	4.6	5.7	9.1	16.9	20.4	26.9	34.5	42.6
1983.....	*	*	*	5.0	7.7	11.0	19.7	25.5	*	45.0
1982.....	*	*	*	5.3	8.1	12.0	23.6	20.5	33.8	44.8
1981.....	*	*	4.3	5.1	7.7	12.0	20.5	24.7	45.5	42.9
1980.....	1.1	4.1	5.3	5.8	10.1	12.9	17.0	22.9	30.7	35.8
1979.....	1.2	3.2	3.8	6.8	8.3	13.6	17.7	25.5	27.3	26.9
BLACK FEMALE										
1998.....	1.8	2.1	3.2	6.0	5.4	7.6	15.6	27.2	46.2	81.8
1997.....	*	1.8	3.3	4.7	6.8	10.3	13.0	19.1	47.2	100.1
1996.....	*	2.2	2.6	4.4	7.7	8.1	14.1	24.1	41.7	89.2
1995.....	*	2.0	3.0	4.5	6.2	8.9	20.4	23.1	41.7	80.1
1994.....	*	*	3.0	*	4.8	8.9	15.2	21.5	38.2	65.9
1993.....	1.7	*	3.2	4.1	4.8	9.5	15.5	24.5	53.4	90.0
1992.....	*	2.6	*	4.6	7.3	8.3	14.0	23.2	40.9	74.1
1991.....	1.9	*	*	3.9	5.6	8.9	11.8	19.5	36.2	63.8
1990.....	*	*	3.4	4.8	5.4	9.8	13.2	25.3	40.5	79.3
1989.....	*	*	*	3.8	4.7	10.5	15.7	22.6	33.5	68.6
1988.....	*	*	*	3.9	5.1	13.0	10.5	20.9	44.4	68.5
1987.....	*	*	*	4.3	6.8	8.6	15.3	22.5	39.8	64.6
1986.....	*	*	*	*	6.5	9.0	15.4	19.6	27.3	57.2
1985.....	*	*	*	4.1	3.9	8.2	12.6	23.8	33.5	55.6
1984.....	*	*	*	*	5.7	7.9	15.3	21.4	36.2	45.7
1983.....	*	*	*	*	4.8	6.8	11.9	22.4	24.1	38.7
1982.....	*	*	*	4.3	4.7	8.8	14.2	21.9	31.9	32.2
1981.....	*	*	*	4.1	5.4	8.2	11.1	15.6	31.8	38.9
1980.....	0.7	1.0	2.2	3.1	3.3	7.8	10.3	19.6	36.0	31.1
1979.....	1.3	1.9	2.4	2.1	5.8	10.4	15.0	18.6	23.4	28.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MITRAL VALVE DISORDERS (424.0)										
TOTAL, BOTH SEXES										
1998.....	0.1	0.2	0.3	0.5	0.9	1.6	2.6	5.9	9.5	22.7
1997.....	0.1	0.2	0.3	0.5	0.9	1.6	3.0	5.8	10.8	22.1
1996.....	0.2	0.2	0.3	0.5	0.8	1.3	2.8	5.6	9.8	20.8
1995.....	*	0.2	0.3	0.6	0.9	1.6	3.5	5.2	10.8	19.4
1994.....	0.1	0.2	0.2	0.4	0.8	1.8	3.1	5.6	9.4	19.6
1993.....	0.1	0.1	0.3	0.6	0.8	1.8	3.0	5.9	9.9	20.4
1992.....	0.1	0.2	0.3	0.4	1.0	1.7	3.2	5.6	11.2	19.2
1991.....	*	0.2	0.3	0.6	0.9	2.0	3.3	5.6	10.0	20.7
1990.....	0.1	*	0.3	0.6	1.0	2.0	3.3	5.4	10.4	18.2
1989.....	*	0.2	0.3	0.5	0.9	1.7	3.2	4.9	9.8	16.3
1988.....	*	0.2	0.3	0.6	1.1	1.7	3.0	5.3	8.1	16.6
1987.....	*	0.2	0.3	0.6	1.0	1.9	3.1	5.0	9.2	15.8
1986.....	*	*	0.3	0.5	1.0	1.8	2.8	5.3	8.3	14.3
1985.....	*	0.2	0.3	0.5	0.8	1.7	2.9	4.6	7.8	12.1
1984.....	*	0.2	0.4	0.5	0.9	1.2	2.4	4.2	7.7	11.9
1983.....	0.2	*	0.3	0.6	0.7	1.5	2.8	4.4	6.9	12.2
1982.....	*	0.3	0.3	0.5	1.0	1.5	2.7	4.2	6.0	11.0
1981.....	*	0.3	0.3	0.7	1.2	1.8	2.9	3.4	5.5	9.6
1980.....	0.1	0.2	0.3	0.6	1.1	1.4	2.4	3.7	5.8	10.2
1979.....	0.1	0.2	0.4	0.5	0.8	1.4	2.5	4.0	5.6	8.4
TOTAL, MALE										
1998.....	*	*	*	0.4	0.9	1.5	2.3	5.6	7.9	19.6
1997.....	*	0.3	*	0.4	1.1	1.5	2.8	6.0	10.3	19.8
1996.....	*	*	0.3	0.4	0.7	1.1	2.6	5.0	8.5	18.5
1995.....	*	*	0.3	0.7	0.7	1.3	3.2	5.3	10.4	18.8
1994.....	*	0.2	*	0.5	0.8	1.7	3.2	5.6	9.9	18.8
1993.....	*	*	0.3	0.6	0.8	1.6	3.3	5.1	9.1	18.7
1992.....	*	*	*	*	0.9	1.7	3.0	4.9	11.3	17.5
1991.....	*	*	*	0.4	1.0	1.8	3.3	5.5	10.9	17.0
1990.....	*	*	*	0.6	1.0	2.0	3.2	5.1	10.3	16.4
1989.....	*	*	*	0.5	0.8	1.8	2.9	4.2	9.8	16.0
1988.....	*	*	*	0.6	1.0	1.8	3.6	5.3	8.4	14.4
1987.....	*	*	*	0.7	1.0	2.3	3.1	5.2	9.3	13.7
1986.....	*	*	0.4	0.5	1.2	1.9	2.8	5.5	7.5	12.3
1985.....	*	*	*	0.4	0.9	1.8	3.2	4.5	7.4	10.4
1984.....	*	*	*	0.7	0.9	1.2	2.4	4.7	8.0	8.6
1983.....	*	*	*	0.8	0.8	1.6	3.3	4.2	6.4	11.2
1982.....	*	*	0.4	0.6	1.1	1.5	2.5	4.4	6.4	8.4
1981.....	*	*	*	0.8	1.1	1.7	2.7	3.9	4.9	10.0
1980.....	0.1	0.2	0.4	0.7	1.1	1.5	2.5	4.2	4.7	7.9
1979.....	0.1	0.2	0.5	0.7	0.9	1.3	3.0	4.0	4.9	7.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MITRAL VALVE DISORDERS (424.0)										
TOTAL, FEMALE										
1998.....	*	*	0.3	0.7	0.9	1.7	2.9	6.1	10.4	24.0
1997.....	*	*	*	0.6	0.8	1.8	3.1	5.6	11.1	23.0
1996.....	*	0.2	*	0.5	0.9	1.5	3.0	6.0	10.5	21.8
1995.....	*	*	0.3	0.6	1.1	1.8	3.8	5.2	11.0	19.6
1994.....	*	*	0.3	0.4	0.8	1.9	3.1	5.6	9.2	19.9
1993.....	*	*	0.3	0.6	0.9	2.0	2.8	6.5	10.3	21.0
1992.....	*	*	*	0.5	1.2	1.7	3.3	6.1	11.1	19.9
1991.....	*	*	*	0.7	0.8	2.2	3.3	5.6	9.6	22.1
1990.....	*	*	*	0.6	1.0	2.0	3.4	5.6	10.5	18.9
1989.....	*	*	*	0.5	0.9	1.6	3.4	5.4	9.8	16.4
1988.....	*	*	*	0.6	1.2	1.6	2.6	5.2	7.9	17.5
1987.....	*	*	*	0.6	1.0	1.6	3.1	4.8	9.1	16.7
1986.....	*	*	*	0.5	0.8	1.8	2.8	5.2	8.7	15.1
1985.....	*	*	0.4	0.6	0.7	1.7	2.8	4.6	7.9	12.9
1984.....	*	*	0.4	0.4	0.9	1.2	2.4	3.9	7.5	13.3
1983.....	*	*	*	0.4	0.6	1.4	2.5	4.6	7.2	12.6
1982.....	*	*	*	0.4	0.8	1.5	2.8	4.1	5.8	12.0
1981.....	*	*	*	0.6	1.2	1.8	3.1	3.1	5.8	9.5
1980.....	0.1	0.2	0.3	0.5	1.1	1.2	2.3	3.4	6.4	11.2
1979.....	0.2	0.2	0.3	0.3	0.7	1.4	2.1	4.0	6.0	8.7
WHITE, BOTH SEXES										
1998.....	*	0.1	0.3	0.5	0.9	1.6	2.7	6.1	9.8	23.9
1997.....	*	0.2	0.2	0.4	0.9	1.6	3.0	6.0	11.3	23.2
1996.....	0.2	0.1	0.3	0.4	0.7	1.3	2.9	5.7	10.3	21.8
1995.....	*	0.2	0.3	0.6	0.9	1.5	3.6	5.4	11.2	20.5
1994.....	*	0.2	0.2	0.4	0.8	1.8	3.2	5.7	9.7	20.7
1993.....	*	*	0.3	0.5	0.8	1.7	3.1	6.2	10.4	21.4
1992.....	0.1	0.2	0.3	0.4	1.0	1.7	3.3	5.8	11.5	20.2
1991.....	*	0.2	0.2	0.5	0.8	2.1	3.5	5.8	10.3	21.9
1990.....	*	*	0.2	0.6	1.0	2.0	3.4	5.6	10.8	19.1
1989.....	*	*	0.2	0.4	0.8	1.7	3.2	5.1	10.4	16.9
1988.....	*	*	0.3	0.6	1.0	1.6	3.1	5.4	8.3	17.5
1987.....	*	*	0.3	0.6	1.0	1.9	3.2	5.2	9.4	16.6
1986.....	*	*	0.2	0.4	1.0	1.9	2.8	5.5	8.5	15.3
1985.....	*	0.2	0.3	0.5	0.8	1.8	3.0	4.7	8.2	12.7
1984.....	*	*	0.3	0.5	0.9	1.1	2.4	4.2	8.0	12.4
1983.....	*	*	0.3	0.6	0.7	1.5	2.8	4.6	7.1	12.9
1982.....	*	0.3	0.3	0.5	1.0	1.5	2.7	4.4	6.2	11.4
1981.....	*	0.2	0.3	0.6	1.2	1.8	2.9	3.4	5.6	10.1
1980.....	0.1	0.2	0.3	0.6	1.1	1.4	2.4	3.7	6.0	10.8
1979.....	0.1	0.1	0.4	0.5	0.8	1.3	2.5	4.1	5.7	8.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MITRAL VALVE DISORDERS (424.0)										
WHITE MALE										
1998.....	*	*	*	0.4	0.9	1.5	2.3	5.9	8.3	20.7
1997.....	*	0.3	*	*	1.0	1.4	2.7	6.2	10.6	21.4
1996.....	*	*	*	*	0.6	1.1	2.8	5.1	9.1	19.5
1995.....	*	*	*	0.6	0.7	1.2	3.3	5.5	10.5	19.7
1994.....	*	*	*	0.5	0.8	1.7	3.2	5.7	10.3	19.9
1993.....	*	*	*	0.6	0.8	1.5	3.4	5.4	9.8	19.9
1992.....	*	*	*	*	0.9	1.7	3.0	5.1	11.9	18.6
1991.....	*	*	*	*	0.9	1.8	3.4	5.6	11.1	18.1
1990.....	*	*	*	0.6	1.1	2.0	3.2	5.4	11.0	17.5
1989.....	*	*	*	*	0.8	1.8	3.0	4.3	10.6	16.4
1988.....	*	*	*	0.6	0.9	1.8	3.5	5.6	8.7	15.2
1987.....	*	*	*	0.6	1.0	2.3	3.2	5.5	9.6	14.4
1986.....	*	*	*	0.4	1.2	2.0	2.7	5.7	7.4	13.5
1985.....	*	*	*	*	0.9	1.9	3.4	4.6	7.6	10.5
1984.....	*	*	*	0.7	1.0	1.1	2.5	5.0	8.7	9.2
1983.....	*	*	*	0.7	0.8	1.7	3.4	4.4	6.7	11.9
1982.....	*	*	*	0.6	1.1	1.6	2.6	4.7	6.6	8.5
1981.....	*	*	*	0.7	1.2	1.8	2.7	3.9	5.0	10.5
1980.....	0.1	0.2	0.3	0.6	1.1	1.5	2.6	4.3	4.8	8.4
1979.....	0.1	0.1	0.5	0.6	0.9	1.3	3.3	4.2	5.0	8.1
WHITE FEMALE										
1998.....	*	*	0.3	0.6	0.8	1.8	2.9	6.3	10.7	25.2
1997.....	*	*	*	0.5	0.7	1.8	3.1	5.9	11.8	23.9
1996.....	*	*	*	0.5	0.8	1.5	2.9	6.2	11.0	22.7
1995.....	*	*	*	0.5	1.0	1.8	3.9	5.4	11.6	20.8
1994.....	*	*	*	0.4	0.8	1.9	3.1	5.7	9.3	21.0
1993.....	*	*	*	0.5	0.9	1.9	2.9	6.8	10.7	21.9
1992.....	*	*	*	*	1.0	1.8	3.4	6.3	11.3	20.8
1991.....	*	*	*	0.6	0.8	2.3	3.5	5.8	9.9	23.3
1990.....	*	*	*	0.5	0.9	1.9	3.4	5.7	10.7	19.7
1989.....	*	*	*	0.5	0.9	1.5	3.3	5.6	10.4	17.1
1988.....	*	*	*	0.6	1.2	1.5	2.8	5.3	8.1	18.4
1987.....	*	*	*	0.6	1.0	1.6	3.2	5.1	9.3	17.5
1986.....	*	*	*	0.5	0.8	1.8	2.9	5.4	9.1	16.0
1985.....	*	*	*	0.5	0.7	1.6	2.7	4.8	8.5	13.6
1984.....	*	*	*	*	0.8	1.2	2.3	3.8	7.6	13.7
1983.....	*	*	*	0.4	0.6	1.4	2.4	4.7	7.3	13.2
1982.....	*	*	*	*	0.8	1.5	2.8	4.3	5.9	12.5
1981.....	*	*	*	0.5	1.2	1.8	3.0	3.1	5.9	9.9
1980.....	0.1	0.2	0.3	0.5	1.1	1.2	2.3	3.4	6.5	11.8
1979.....	0.1	0.1	0.3	0.3	0.6	1.4	2.0	4.1	6.0	8.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MITRAL VALVE DISORDERS (424.0)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	2.4	3.6	6.1	11.6
1997.....	*	*	*	1.2	*	1.9	2.9	3.7	5.5	11.4
1996.....	*	*	*	*	*	*	2.4	4.4	4.9	11.5
1995.....	*	*	*	*	1.5	1.7	2.8	3.1	7.1	8.0
1994.....	*	*	*	*	*	1.8	3.1	4.5	7.2	7.7
1993.....	*	*	*	*	*	2.3	2.6	*	*	10.3
1992.....	*	*	*	*	1.6	*	2.6	3.4	7.4	8.8
1991.....	*	*	*	*	*	*	*	4.0	7.3	8.0
1990.....	*	*	*	*	*	2.2	2.7	3.4	6.4	8.8
1989.....	*	*	*	*	*	*	3.2	*	*	9.8
1988.....	*	*	*	*	*	2.4	*	4.1	*	*
1987.....	*	*	*	*	*	2.1	*	*	6.8	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	2.8	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	3.4	*	*	*
1980.....	0.1	0.3	0.6	0.7	1.0	1.5	2.5	3.4	4.4	3.3
1979.....	0.3	0.8	0.3	0.7	0.9	2.1	1.8	2.5	5.4	5.7
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.6	1.0	1.1	1.1	1.8	2.2	3.3	3.4	3.3
1979.....	-	0.8	0.5	1.1	0.5	2.1	0.4	2.2	3.5	3.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MITRAL VALVE DISORDERS (424.0)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	7.4	12.4
1997.....	*	*	*	*	*	*	*	*	*	13.9
1996.....	*	*	*	*	*	*	*	*	*	12.2
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	8.0	*
1993.....	*	*	*	*	*	*	*	*	*	11.4
1992.....	*	*	*	*	*	*	*	*	8.6	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.3	0.5	0.9	1.2	2.7	3.4	4.9	3.4
1979.....	0.6	0.8	0.1	0.5	1.3	2.2	2.9	2.7	6.6	7.0
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	3.8	*	11.4
1997.....	*	*	*	*	*	*	2.9	4.3	*	11.3
1996.....	*	*	*	*	*	*	*	4.8	*	11.5
1995.....	*	*	*	*	*	*	2.9	*	6.6	*
1994.....	*	*	*	*	*	*	3.5	4.0	6.3	*
1993.....	*	*	*	*	*	2.6	2.9	*	*	7.8
1992.....	*	*	*	*	*	*	*	*	7.3	9.3
1991.....	*	*	*	*	*	*	*	4.1	*	*
1990.....	*	*	*	*	*	2.3	*	*	6.9	*
1989.....	*	*	*	*	*	*	3.1	*	*	10.0
1988.....	*	*	*	*	*	2.6	*	4.2	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	3.4	*	*	*
1980.....	0.1	0.3	0.7	0.8	1.1	1.5	2.1	3.1	4.5	3.1
1979.....	0.4	0.9	0.4	0.7	1.0	2.2	1.9	2.5	6.0	4.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MITRAL VALVE DISORDERS (424.0)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.6	1.2	1.1	1.3	1.8	1.7	2.6	2.7	1.9
1979.....	-	1.0	0.6	0.8	0.5	1.8	0.4	1.9	3.9	-
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	11.6
1997.....	*	*	*	*	*	*	*	*	*	14.0
1996.....	*	*	*	*	*	*	*	*	*	12.8
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.3	0.5	1.0	1.3	2.4	3.4	5.6	3.8
1979.....	0.7	0.9	0.2	0.5	1.3	2.4	2.9	3.0	7.3	6.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AORTIC VALVE DISORDERS (424.1)										
TOTAL, BOTH SEXES										
1998.....	0.4	0.5	0.8	1.4	2.4	4.6	10.0	20.6	48.9	139.5
1997.....	0.4	0.6	0.8	1.5	2.6	5.1	9.3	20.3	48.6	136.2
1996.....	0.3	0.5	0.8	1.4	2.5	4.8	10.4	20.3	49.0	135.2
1995.....	0.3	0.5	0.9	1.4	2.5	4.7	10.0	20.9	46.9	127.8
1994.....	0.3	0.5	0.9	1.7	2.6	4.6	10.3	19.8	46.1	119.1
1993.....	0.3	0.5	0.9	1.5	2.7	4.6	9.8	21.7	47.0	117.9
1992.....	0.4	0.5	0.9	1.6	2.8	5.0	9.6	19.9	46.5	109.9
1991.....	0.3	0.6	0.9	1.6	2.8	5.1	9.3	20.8	45.9	103.4
1990.....	0.4	0.7	1.0	1.6	3.2	5.2	10.3	20.5	41.1	94.5
1989.....	0.4	0.5	1.0	1.8	2.9	5.1	10.8	19.7	42.7	87.5
1988.....	0.4	0.5	1.1	1.8	2.9	5.6	11.0	19.8	40.5	81.6
1987.....	0.4	0.7	1.2	1.7	3.0	5.3	10.5	20.6	38.3	74.0
1986.....	0.4	0.5	1.0	1.9	3.0	5.4	10.8	19.8	36.9	66.6
1985.....	0.4	0.6	1.1	1.7	2.9	5.4	10.2	18.9	36.0	61.8
1984.....	0.3	0.5	1.1	1.8	3.1	5.8	10.4	18.4	34.5	51.6
1983.....	0.3	0.6	1.1	1.9	3.3	5.6	10.9	18.3	31.8	48.6
1982.....	0.3	0.9	1.0	2.0	3.3	5.6	10.1	18.7	28.9	43.4
1981.....	0.4	0.7	1.2	1.9	3.3	5.7	10.1	17.1	27.9	39.0
1980.....	0.4	0.7	1.0	2.2	3.7	6.1	10.7	17.9	26.1	37.4
1979.....	0.5	0.6	1.1	2.1	3.9	5.8	10.5	15.8	22.8	30.1
TOTAL, MALE										
1998.....	0.6	0.8	1.2	1.6	3.5	5.6	12.7	25.3	58.6	141.7
1997.....	0.5	0.8	1.1	2.2	3.4	6.3	11.6	25.1	55.0	144.9
1996.....	0.5	0.8	1.2	2.1	3.1	6.6	12.8	25.5	58.3	146.9
1995.....	0.5	0.7	1.3	1.8	3.3	6.3	12.6	25.4	56.6	136.1
1994.....	0.5	0.7	1.2	2.6	3.7	6.0	12.7	24.5	55.5	129.8
1993.....	0.4	0.8	1.3	2.1	3.9	6.3	13.4	27.2	55.3	127.2
1992.....	0.7	0.8	1.3	2.5	3.9	7.4	13.1	26.2	58.3	119.4
1991.....	0.4	0.9	1.3	2.4	4.0	7.6	12.3	26.2	58.5	115.1
1990.....	0.6	1.0	1.4	2.4	4.9	7.5	13.6	26.2	48.8	102.0
1989.....	0.6	0.8	1.5	2.7	4.2	7.0	14.8	26.2	52.9	95.4
1988.....	0.6	0.8	1.8	2.5	4.4	8.0	16.0	26.0	49.0	90.5
1987.....	0.6	1.2	1.8	2.6	4.6	7.4	14.4	27.8	49.2	83.7
1986.....	0.7	0.7	1.5	3.1	4.1	7.7	14.9	26.2	46.8	73.8
1985.....	0.6	1.0	1.8	2.6	4.4	8.3	13.7	25.1	47.2	69.5
1984.....	0.5	0.8	1.9	2.6	4.7	8.2	14.3	25.0	42.4	60.6
1983.....	0.4	0.9	1.8	2.8	5.2	9.0	15.1	24.9	40.5	57.7
1982.....	0.5	1.4	1.6	3.1	4.6	8.2	14.0	24.0	34.9	50.1
1981.....	0.7	0.9	2.1	2.9	5.1	7.8	14.5	23.0	39.7	45.6
1980.....	0.5	1.1	1.7	3.7	6.1	8.8	15.2	23.8	34.5	46.7
1979.....	0.8	1.1	1.6	3.5	5.8	8.6	13.9	21.6	31.4	36.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AORTIC VALVE DISORDERS (424.1)										
TOTAL, FEMALE										
1998.....	0.2	0.3	0.5	1.2	1.4	3.7	7.9	17.3	43.2	138.6
1997.....	0.3	0.4	0.4	0.9	1.8	4.1	7.5	17.0	44.9	132.7
1996.....	*	*	0.4	0.7	2.0	3.3	8.5	16.7	43.7	130.5
1995.....	*	*	0.6	1.1	1.9	3.3	8.0	17.7	41.4	124.6
1994.....	*	*	0.5	0.8	1.6	3.5	8.4	16.6	40.9	115.0
1993.....	*	*	0.5	1.0	1.7	3.2	7.0	18.0	42.5	114.3
1992.....	*	*	0.5	0.8	1.9	3.0	6.9	15.7	40.1	106.2
1991.....	*	0.3	0.6	0.9	1.8	3.0	7.1	17.2	39.2	98.9
1990.....	*	0.3	0.6	0.9	1.8	3.3	7.9	16.9	37.1	91.6
1989.....	*	*	0.4	0.9	1.8	3.6	7.8	15.4	37.4	84.4
1988.....	*	0.3	0.4	1.1	1.6	3.7	7.4	15.9	36.0	78.1
1987.....	*	*	0.6	0.8	1.7	3.5	7.7	16.1	32.5	70.2
1986.....	*	0.3	0.5	0.8	1.9	3.5	7.8	15.7	31.7	63.7
1985.....	*	*	0.5	0.9	1.7	3.0	7.7	15.0	30.1	58.8
1984.....	*	*	*	1.0	1.8	3.9	7.5	14.3	30.3	47.9
1983.....	*	*	0.5	1.0	1.6	2.9	7.8	14.1	27.2	45.0
1982.....	*	*	0.5	1.1	2.2	3.4	7.3	15.4	25.8	40.6
1981.....	*	0.4	0.5	1.0	1.7	4.0	6.8	13.4	21.7	36.1
1980.....	0.3	0.3	0.4	1.0	1.8	4.0	7.4	14.3	21.6	33.3
1979.....	0.2	0.1	0.7	0.9	2.2	3.5	8.0	12.1	18.2	27.4
WHITE, BOTH SEXES										
1998.....	0.4	0.5	0.8	1.3	2.4	4.7	10.2	21.3	51.4	148.7
1997.....	0.4	0.5	0.7	1.5	2.6	5.2	9.7	21.1	50.8	143.5
1996.....	0.3	0.4	0.7	1.4	2.4	4.8	10.5	21.1	51.0	143.4
1995.....	0.2	0.5	0.9	1.4	2.6	4.7	10.1	21.6	48.3	134.4
1994.....	0.3	0.4	0.8	1.6	2.5	4.7	10.5	20.6	48.2	125.4
1993.....	0.2	0.5	0.8	1.4	2.7	4.6	9.9	22.1	48.3	124.2
1992.....	0.4	0.5	0.9	1.6	2.7	5.1	9.8	20.5	48.5	116.2
1991.....	0.2	0.5	0.9	1.6	2.9	5.1	9.6	21.6	48.1	109.5
1990.....	0.3	0.6	1.0	1.6	3.3	5.3	10.4	21.0	43.0	99.1
1989.....	0.3	0.5	1.0	1.7	2.9	5.2	11.3	20.1	44.3	91.3
1988.....	0.4	0.5	1.0	1.7	2.9	5.6	11.3	20.3	41.6	84.9
1987.....	0.3	0.7	1.1	1.6	3.0	5.2	10.7	21.1	39.9	76.6
1986.....	0.4	0.5	1.0	1.9	2.9	5.5	10.9	20.3	38.4	69.1
1985.....	0.4	0.5	1.1	1.6	2.9	5.4	10.3	19.2	37.1	64.1
1984.....	0.3	0.5	1.0	1.7	3.1	5.7	10.2	18.8	35.5	53.4
1983.....	0.3	0.5	1.1	1.9	3.3	5.8	11.1	18.6	33.3	50.2
1982.....	0.2	0.8	1.0	2.0	3.3	5.5	9.9	19.1	29.6	45.4
1981.....	0.3	0.6	1.2	1.9	3.3	5.8	10.2	17.5	28.2	39.8
1980.....	0.4	0.6	0.9	2.3	3.7	6.1	11.0	18.4	26.2	38.6
1979.....	0.5	0.5	1.0	2.1	3.8	5.7	10.6	15.9	23.4	31.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AORTIC VALVE DISORDERS (424.1)										
WHITE MALE										
1998.....	0.6	0.7	1.2	1.6	3.5	5.7	12.8	26.3	61.9	151.8
1997.....	0.5	0.7	1.0	2.3	3.6	6.5	12.2	25.9	57.7	152.9
1996.....	0.4	0.7	1.1	2.2	3.0	6.6	12.9	26.4	60.7	156.7
1995.....	0.4	0.7	1.3	1.8	3.3	6.3	13.0	26.5	58.4	144.3
1994.....	0.4	0.7	1.3	2.5	3.6	6.2	12.9	25.4	57.9	135.9
1993.....	0.4	0.8	1.2	1.9	3.9	6.5	13.8	27.9	57.1	136.5
1992.....	0.6	0.7	1.2	2.4	3.7	7.5	13.4	26.9	60.9	126.3
1991.....	0.3	0.8	1.2	2.4	4.0	7.9	12.7	27.2	61.8	123.8
1990.....	0.5	0.9	1.5	2.3	5.1	7.7	13.5	27.0	51.0	108.2
1989.....	0.5	0.8	1.5	2.6	4.2	7.1	15.7	26.9	55.0	99.7
1988.....	0.6	0.7	1.6	2.3	4.5	8.0	16.2	26.2	50.7	94.1
1987.....	0.5	1.2	1.7	2.6	4.7	7.4	14.7	28.6	52.1	87.8
1986.....	0.7	0.7	1.4	3.1	4.1	8.0	15.0	26.9	48.9	78.4
1985.....	0.6	0.9	1.7	2.4	4.4	8.4	13.8	25.8	49.3	73.1
1984.....	0.4	0.8	1.8	2.5	4.6	8.0	14.2	25.7	44.3	63.7
1983.....	*	0.8	1.8	2.8	5.2	9.2	15.2	25.6	42.6	59.6
1982.....	*	1.4	1.6	3.0	4.6	8.2	13.8	24.7	35.8	52.5
1981.....	0.6	0.9	2.0	3.0	5.1	8.0	14.6	23.5	40.2	46.2
1980.....	0.5	1.0	1.6	3.7	6.0	8.8	15.7	24.6	35.4	48.3
1979.....	0.8	1.0	1.5	3.4	5.8	8.5	14.2	22.0	32.6	37.6
WHITE FEMALE										
1998.....	*	0.3	0.5	1.1	1.4	3.9	8.1	17.8	45.1	147.5
1997.....	0.3	0.4	0.4	0.9	1.8	4.1	7.7	17.7	46.8	139.8
1996.....	*	*	0.3	0.7	1.8	3.4	8.7	17.4	45.4	138.1
1995.....	*	*	0.6	1.0	1.9	3.3	7.9	18.3	42.6	130.6
1994.....	*	*	0.4	0.8	1.5	3.5	8.7	17.3	42.8	121.4
1993.....	*	*	0.4	1.0	1.6	3.1	7.0	18.2	43.5	119.5
1992.....	*	*	0.5	0.8	1.8	3.1	7.1	16.3	41.9	112.3
1991.....	*	*	0.6	0.9	1.8	2.9	7.2	17.9	40.8	104.2
1990.....	*	*	0.5	0.9	1.7	3.3	8.0	17.1	38.7	95.7
1989.....	*	*	0.4	0.8	1.7	3.6	8.0	15.8	38.7	88.2
1988.....	*	*	*	1.0	1.5	3.6	7.6	16.5	36.8	81.4
1987.....	*	*	0.5	0.7	1.5	3.4	7.8	16.4	33.6	72.2
1986.....	*	*	0.5	0.8	1.9	3.4	7.8	16.1	32.9	65.5
1985.....	*	*	0.4	0.9	1.7	2.9	7.8	15.1	30.7	60.6
1984.....	*	*	*	1.0	1.8	3.9	7.4	14.5	30.9	49.4
1983.....	*	*	0.4	1.0	1.6	3.0	8.2	14.2	28.4	46.4
1982.....	*	*	0.5	1.0	2.2	3.3	7.1	15.6	26.4	42.5
1981.....	*	*	0.5	0.9	1.7	4.0	7.1	13.8	22.0	37.2
1980.....	0.3	0.3	0.3	1.0	1.8	3.9	7.6	14.6	21.4	34.4
1979.....	0.2	0.1	0.5	0.9	2.0	3.4	8.0	12.2	18.6	28.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AORTIC VALVE DISORDERS (424.1)										
ALL OTHER, BOTH SEXES										
1998.....	0.5	0.7	*	1.6	2.4	3.4	8.6	14.4	23.7	52.6
1997.....	*	0.8	1.2	1.3	2.2	4.0	6.3	13.0	26.6	66.2
1996.....	*	0.7	1.3	*	3.2	4.7	9.2	13.2	28.7	56.8
1995.....	*	*	*	1.8	2.3	4.7	9.1	13.7	31.9	60.6
1994.....	*	*	*	2.1	3.1	4.0	8.2	12.6	24.7	54.1
1993.....	*	*	*	2.3	3.2	4.3	8.4	17.5	33.7	52.7
1992.....	*	*	*	1.9	3.4	4.1	7.4	14.0	24.9	44.2
1991.....	*	1.0	*	1.4	2.7	4.6	7.0	12.5	24.1	39.4
1990.....	0.8	1.1	*	2.1	2.7	4.5	9.9	15.9	21.9	44.9
1989.....	0.8	*	*	2.5	2.9	4.7	5.9	15.1	26.7	46.9
1988.....	*	*	1.9	2.7	2.8	6.1	8.6	15.4	28.4	46.0
1987.....	0.9	*	1.7	2.0	2.9	5.9	8.7	16.0	20.8	46.7
1986.....	*	*	*	1.9	3.5	4.9	9.9	15.1	20.9	39.4
1985.....	*	*	1.6	2.7	2.9	5.4	9.1	15.8	24.6	36.6
1984.....	*	*	1.4	2.0	3.4	6.7	11.5	14.8	23.8	30.9
1983.....	*	*	*	1.9	3.5	4.3	8.6	15.5	15.3	31.1
1982.....	*	*	*	2.5	3.6	6.0	12.5	15.1	21.5	21.1
1981.....	*	*	1.5	2.2	3.6	5.2	8.4	13.2	24.1	29.5
1980.....	0.2	1.2	1.5	2.1	3.8	6.4	7.8	13.3	24.4	22.9
1979.....	0.6	0.8	1.8	2.5	4.9	6.9	9.2	14.5	15.6	19.0
ALL OTHER MALE										
1998.....	*	*	*	*	3.7	4.9	12.1	16.1	24.0	53.4
1997.....	*	*	*	*	*	4.2	6.6	16.7	26.7	75.2
1996.....	*	*	*	*	3.6	6.7	12.3	17.0	33.5	61.6
1995.....	*	*	*	*	*	5.9	8.8	14.8	37.9	59.1
1994.....	*	*	*	3.3	4.1	4.4	10.6	15.8	31.2	73.0
1993.....	*	*	*	4.0	4.4	4.9	9.9	20.5	37.1	40.4
1992.....	*	*	*	3.5	4.9	6.2	10.5	19.6	32.6	54.6
1991.....	*	*	*	*	3.8	5.3	8.0	16.1	25.6	34.9
1990.....	*	*	*	*	*	6.1	13.8	17.9	26.7	44.2
1989.....	*	*	*	3.3	4.3	6.2	*	20.3	32.2	55.6
1988.....	*	*	3.2	4.0	*	7.5	13.2	23.7	31.6	57.0
1987.....	*	*	*	*	*	8.1	11.1	20.5	20.5	45.5
1986.....	*	*	*	*	4.6	5.5	13.5	20.0	25.9	30.7
1985.....	*	*	*	4.6	4.5	7.5	12.7	18.4	25.7	35.6
1984.....	*	*	*	*	5.4	10.4	15.2	18.3	23.8	31.9
1983.....	*	*	*	*	5.1	6.8	14.7	18.3	*	38.6
1982.....	*	*	*	3.7	4.6	8.4	16.6	17.2	25.5	*
1981.....	*	*	*	*	5.4	6.6	13.8	18.3	34.1	40.6
1980.....	0.1	2.1	1.8	3.3	6.7	8.3	10.9	16.7	25.2	29.6
1979.....	0.9	1.6	2.0	4.2	6.3	9.6	10.6	18.1	18.6	23.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AORTIC VALVE DISORDERS (424.1)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	6.1	13.2	23.6	52.2
1997.....	*	*	*	*	*	3.9	6.1	10.6	26.6	62.2
1996.....	*	*	*	*	2.9	3.1	7.1	10.7	26.1	54.7
1995.....	*	*	*	*	*	3.8	9.3	13.0	28.7	61.3
1994.....	*	*	*	*	*	3.7	6.6	10.7	21.1	45.8
1993.....	*	*	*	*	*	3.9	7.3	15.6	31.8	58.1
1992.....	*	*	*	*	*	*	5.3	10.5	20.5	39.5
1991.....	*	*	*	*	*	4.1	6.3	10.3	23.1	41.3
1990.....	*	*	*	*	*	3.4	7.2	14.7	19.2	45.2
1989.....	*	*	*	*	*	3.6	5.8	11.8	23.6	42.9
1988.....	*	*	*	*	*	5.1	5.5	10.1	26.5	40.8
1987.....	*	*	*	*	*	4.2	7.1	13.1	20.9	47.2
1986.....	*	*	*	*	*	4.4	7.4	12.0	18.1	43.6
1985.....	*	*	*	*	*	3.8	6.7	14.0	23.9	37.3
1984.....	*	*	*	*	*	3.9	8.9	12.5	23.7	30.3
1983.....	*	*	*	*	*	*	*	13.6	13.3	27.3
1982.....	*	*	*	*	*	4.2	9.5	13.7	19.1	18.0
1981.....	*	*	*	*	*	4.1	*	9.8	18.0	23.8
1980.....	0.2	0.5	1.2	1.1	1.4	5.0	5.4	11.0	23.9	19.4
1979.....	0.4	0.1	1.7	1.1	3.8	4.8	8.1	12.0	13.9	16.7
BLACK, BOTH SEXES										
1998.....	*	0.9	*	2.0	2.8	4.0	8.9	16.6	24.8	53.2
1997.....	*	1.1	1.5	*	2.6	4.4	7.2	12.8	29.2	65.3
1996.....	*	*	1.6	*	3.9	5.4	10.8	13.7	29.4	56.9
1995.....	*	*	*	2.0	2.7	5.3	9.5	15.3	32.7	55.8
1994.....	*	*	*	2.6	3.7	4.4	8.6	13.4	25.0	46.5
1993.....	*	*	*	2.9	3.7	4.4	9.3	18.5	31.7	49.5
1992.....	*	*	*	2.5	3.9	4.9	8.1	15.5	26.3	44.7
1991.....	*	*	*	*	3.0	5.4	7.1	13.1	25.3	40.5
1990.....	1.1	1.4	*	2.6	2.8	5.2	11.3	16.5	22.2	44.9
1989.....	*	*	*	2.7	3.2	5.6	6.8	16.7	27.7	42.3
1988.....	*	*	2.4	3.0	2.7	6.9	8.4	16.1	27.6	45.8
1987.....	*	*	2.1	2.3	3.4	6.7	9.6	16.8	21.7	46.6
1986.....	*	*	*	2.3	3.9	5.8	10.9	15.9	18.4	37.8
1985.....	*	*	1.9	2.8	3.0	6.1	10.2	16.7	24.9	36.9
1984.....	*	*	*	2.2	4.0	6.9	11.9	15.9	25.8	30.0
1983.....	*	*	*	2.3	3.6	4.8	8.6	15.4	14.1	31.0
1982.....	*	*	*	2.8	3.9	6.5	13.8	15.0	22.0	21.6
1981.....	*	*	1.9	2.4	3.8	5.7	9.1	12.9	25.8	27.4
1980.....	0.2	1.5	1.8	2.0	3.9	6.7	8.0	13.9	24.0	21.4
1979.....	0.6	0.9	2.1	2.7	4.9	7.0	9.3	15.4	14.4	19.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AORTIC VALVE DISORDERS (424.1)										
BLACK MALE										
1998.....	*	*	*	*	*	6.0	10.7	19.4	24.0	49.0
1997.....	*	*	*	*	*	5.3	7.6	16.8	30.7	61.9
1996.....	*	*	*	*	*	7.3	15.4	17.3	30.3	61.2
1995.....	*	*	*	*	*	7.4	7.8	17.5	36.3	48.0
1994.....	*	*	*	4.3	5.0	*	10.4	17.0	31.8	55.0
1993.....	*	*	*	4.8	5.2	*	11.2	21.3	30.5	30.9
1992.....	*	*	*	4.7	5.4	7.3	11.4	22.3	35.1	50.2
1991.....	*	*	*	*	*	6.0	8.0	17.7	26.7	37.7
1990.....	*	*	*	*	*	6.9	15.8	17.9	27.5	42.3
1989.....	*	*	*	*	4.8	7.3	*	22.5	34.0	43.9
1988.....	*	*	4.1	4.7	*	8.0	12.4	24.9	31.9	58.5
1987.....	*	*	*	*	*	9.5	12.4	21.7	*	46.9
1986.....	*	*	*	*	5.1	6.7	14.5	21.5	*	*
1985.....	*	*	*	4.8	*	8.6	14.6	19.4	26.4	35.5
1984.....	*	*	*	*	6.4	11.6	15.9	21.6	26.2	*
1983.....	*	*	*	*	5.2	7.5	14.3	18.2	*	38.3
1982.....	*	*	*	4.2	5.3	9.0	18.2	16.1	*	*
1981.....	*	*	*	*	5.6	7.5	15.1	17.7	36.4	35.7
1980.....	0.2	2.5	2.2	3.0	7.3	8.4	11.1	17.0	25.3	26.4
1979.....	0.9	1.9	2.2	4.7	6.2	9.8	11.1	19.3	18.2	23.1
BLACK FEMALE										
1998.....	*	*	*	*	*	*	7.7	14.8	25.2	55.0
1997.....	*	*	*	*	*	3.7	6.9	10.3	28.5	66.7
1996.....	*	*	*	*	3.9	3.9	7.6	11.4	28.9	55.2
1995.....	*	*	*	*	*	3.8	10.6	13.9	30.8	59.0
1994.....	*	*	*	*	*	4.2	7.5	11.2	21.5	43.0
1993.....	*	*	*	*	*	4.1	8.0	16.8	32.3	57.0
1992.....	*	*	*	*	*	*	5.9	11.5	21.7	42.4
1991.....	*	*	*	*	*	4.9	6.5	10.4	24.5	41.7
1990.....	*	*	*	*	*	4.0	8.3	15.7	19.5	46.0
1989.....	*	*	*	*	*	4.5	6.8	13.3	24.3	41.8
1988.....	*	*	*	*	*	6.2	5.8	10.8	25.3	40.3
1987.....	*	*	*	*	*	4.6	7.7	13.8	22.8	46.5
1986.....	*	*	*	*	*	5.1	8.5	12.5	17.0	42.8
1985.....	*	*	*	*	*	4.3	7.3	15.0	24.1	37.6
1984.....	*	*	*	*	*	*	9.3	12.4	25.7	29.5
1983.....	*	*	*	*	*	*	*	13.5	13.8	27.4
1982.....	*	*	*	*	*	4.6	10.8	14.3	21.0	17.8
1981.....	*	*	*	*	*	4.4	*	9.8	19.7	23.0
1980.....	0.3	0.6	1.4	1.2	1.2	5.4	5.8	11.9	23.2	18.9
1979.....	0.3	0.2	1.9	1.0	3.8	4.9	8.0	12.7	12.1	17.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)										
TOTAL, BOTH SEXES										
1998.....	0.4	0.6	0.9	1.0	1.7	2.8	5.4	8.4	16.2	37.3
1997.....	0.3	0.5	0.7	1.1	1.6	2.9	4.5	9.0	15.4	34.1
1996.....	0.2	0.5	0.5	1.1	2.1	2.7	5.0	8.5	15.6	35.9
1995.....	0.4	0.4	0.6	0.9	1.6	2.4	4.6	8.3	15.6	32.1
1994.....	0.3	0.5	0.6	1.1	1.5	2.7	4.5	7.5	14.6	32.7
1993.....	0.4	0.4	0.6	1.0	1.6	2.6	4.0	7.6	15.0	31.6
1992.....	0.3	0.4	0.7	1.0	1.5	2.4	4.3	8.1	14.7	29.1
1991.....	0.4	0.4	0.5	0.9	1.4	2.6	3.8	7.9	12.3	28.7
1990.....	0.3	0.4	0.8	1.0	1.6	2.3	4.4	7.7	13.8	27.5
1989.....	0.2	0.3	0.5	1.0	1.5	2.4	3.9	6.7	11.4	24.7
1988.....	0.3	0.3	0.5	1.0	1.5	2.7	4.3	6.9	11.8	22.3
1987.....	0.3	0.3	0.5	0.9	1.3	2.2	3.4	5.7	10.2	20.3
1986.....	0.2	0.4	0.5	0.8	1.4	2.1	3.6	6.0	8.4	16.7
1985.....	0.2	0.3	0.5	0.8	1.3	1.9	3.3	5.5	8.3	16.0
1984.....	0.2	0.3	0.5	0.8	1.2	1.9	3.0	4.1	8.3	15.7
1983.....	0.2	0.3	0.5	0.8	1.0	1.7	2.8	4.4	7.6	14.2
1982.....	0.2	0.4	0.4	0.6	1.1	1.5	2.5	5.0	6.5	11.1
1981.....	0.2	0.3	0.5	0.6	0.8	2.0	2.3	3.8	6.3	11.4
1980.....	0.2	0.3	0.5	0.7	1.1	1.5	2.7	3.6	6.1	9.8
1979.....	0.2	0.3	0.5	0.6	0.9	1.5	2.5	3.7	5.6	8.5
TOTAL, MALE										
1998.....	0.6	0.7	0.9	1.2	2.1	3.0	5.6	8.2	16.4	31.7
1997.....	0.4	0.7	0.8	1.1	1.6	2.8	4.8	9.6	15.3	29.7
1996.....	0.3	0.6	0.7	1.1	2.2	3.4	5.3	8.7	14.8	31.7
1995.....	0.4	0.5	0.7	0.9	1.9	2.8	5.0	8.3	16.5	32.2
1994.....	0.3	0.6	0.6	1.3	1.5	2.7	4.6	8.4	13.8	29.4
1993.....	0.5	0.5	0.6	1.2	1.6	2.9	4.0	8.3	15.2	27.8
1992.....	0.4	0.5	0.8	1.1	1.7	2.6	4.7	8.5	12.9	28.1
1991.....	0.5	0.5	0.6	0.9	1.5	3.0	4.0	8.8	12.4	28.1
1990.....	0.3	0.5	1.0	1.0	1.7	2.5	4.9	8.0	14.6	23.9
1989.....	0.3	0.4	0.5	1.1	1.4	2.9	4.1	7.0	12.0	22.4
1988.....	0.4	0.4	0.6	1.3	1.6	2.7	4.9	7.7	10.6	18.1
1987.....	0.4	*	0.5	1.1	1.6	2.5	3.9	6.2	10.2	18.8
1986.....	0.3	0.4	0.6	0.7	1.6	2.2	3.6	7.0	8.1	14.8
1985.....	0.3	*	0.6	0.8	1.4	2.3	3.7	6.1	8.0	14.8
1984.....	*	0.4	0.5	0.9	1.2	2.1	3.1	4.4	8.8	14.2
1983.....	*	0.4	0.5	0.9	1.1	2.5	2.9	4.2	8.5	12.0
1982.....	*	0.4	0.4	0.7	1.4	1.5	3.0	5.1	6.0	10.0
1981.....	*	0.4	0.6	0.6	0.9	2.4	2.6	3.8	5.7	9.4
1980.....	0.2	0.3	0.6	0.8	1.4	1.8	3.4	3.4	6.6	9.4
1979.....	0.2	0.3	0.6	0.8	1.2	1.8	2.8	4.0	5.2	7.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)										
TOTAL, FEMALE										
1998.....	0.3	0.5	0.8	0.9	1.4	2.5	5.2	8.6	16.2	39.6
1997.....	0.3	0.4	0.6	1.1	1.5	3.1	4.3	8.6	15.4	35.9
1996.....	0.2	0.4	0.4	1.1	2.0	2.1	4.8	8.4	16.1	37.5
1995.....	0.3	0.2	0.4	0.9	1.4	2.1	4.3	8.3	15.0	32.1
1994.....	0.3	0.4	0.6	1.0	1.5	2.7	4.4	6.8	15.1	34.0
1993.....	0.3	0.3	0.5	0.9	1.5	2.3	4.1	7.2	14.9	33.0
1992.....	*	0.4	0.6	0.9	1.3	2.3	4.1	7.8	15.6	29.5
1991.....	0.2	*	0.5	0.9	1.4	2.3	3.7	7.3	12.3	28.9
1990.....	0.3	*	0.7	1.0	1.5	2.2	4.1	7.4	13.4	28.9
1989.....	*	*	0.5	1.0	1.6	2.1	3.7	6.5	11.1	25.5
1988.....	*	*	0.4	0.8	1.4	2.6	3.9	6.4	12.4	24.0
1987.....	*	*	0.6	0.8	1.1	2.0	3.0	5.4	10.1	20.9
1986.....	*	*	0.5	0.9	1.3	2.0	3.7	5.3	8.5	17.5
1985.....	*	0.4	0.4	0.9	1.2	1.6	3.0	5.2	8.5	16.5
1984.....	*	*	0.5	0.7	1.3	1.7	2.9	4.0	8.0	16.3
1983.....	*	*	0.4	0.8	0.9	1.1	2.7	4.6	7.1	15.1
1982.....	*	0.4	*	0.6	1.0	1.5	2.0	4.9	6.8	11.5
1981.....	*	*	0.5	0.7	0.7	1.7	2.0	3.8	6.5	12.2
1980.....	0.2	0.2	0.4	0.5	0.8	1.4	2.2	3.7	5.8	9.9
1979.....	0.1	0.3	0.3	0.5	0.6	1.2	2.2	3.5	5.8	9.2
WHITE, BOTH SEXES										
1998.....	0.3	0.4	0.7	0.9	1.6	2.7	5.4	8.6	16.6	39.7
1997.....	0.2	0.4	0.5	1.1	1.4	2.8	4.6	9.2	15.9	35.9
1996.....	0.2	0.4	0.4	1.0	2.0	2.7	5.2	8.8	16.4	37.6
1995.....	0.3	0.3	0.4	0.9	1.5	2.4	4.5	8.6	16.2	33.5
1994.....	0.2	0.4	0.5	1.0	1.4	2.8	4.7	7.6	15.2	34.4
1993.....	0.3	0.3	0.5	0.9	1.5	2.6	4.1	7.9	15.4	32.7
1992.....	0.2	0.2	0.6	0.8	1.5	2.3	4.4	8.2	15.1	30.1
1991.....	0.3	0.3	0.4	0.9	1.3	2.6	3.9	8.1	12.8	29.7
1990.....	0.2	0.3	0.7	0.9	1.5	2.3	4.6	7.9	13.9	28.0
1989.....	0.2	0.3	0.4	1.0	1.5	2.4	3.9	6.9	11.9	25.5
1988.....	0.2	0.2	0.5	1.0	1.5	2.6	4.4	7.0	11.9	22.8
1987.....	0.2	0.2	0.5	0.9	1.2	2.3	3.2	5.7	10.3	20.9
1986.....	0.2	0.3	0.5	0.8	1.4	2.1	3.6	6.1	8.7	17.2
1985.....	*	0.3	0.5	0.8	1.3	1.9	3.3	5.5	8.3	16.4
1984.....	*	0.2	0.4	0.7	1.2	1.8	3.0	4.2	8.4	16.2
1983.....	*	0.3	0.4	0.8	1.0	1.7	2.7	4.4	7.8	14.8
1982.....	*	0.4	0.3	0.6	1.1	1.5	2.5	5.1	6.4	11.2
1981.....	0.2	0.3	0.5	0.6	0.8	2.0	2.3	3.8	6.2	11.7
1980.....	0.2	0.2	0.4	0.6	1.1	1.5	2.6	3.5	6.0	10.0
1979.....	0.2	0.2	0.4	0.6	0.9	1.3	2.3	3.7	5.7	8.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)										
WHITE MALE										
1998.....	0.4	0.6	0.7	1.1	1.9	3.0	5.6	8.4	17.2	33.9
1997.....	0.3	0.5	0.6	1.1	1.4	2.7	4.9	9.6	16.1	31.6
1996.....	*	0.5	0.5	1.0	2.0	3.3	5.4	9.1	15.3	33.7
1995.....	0.3	0.4	0.5	0.9	1.8	2.8	5.1	8.5	16.8	33.2
1994.....	*	0.5	0.5	1.1	1.4	2.7	4.9	8.7	14.5	30.8
1993.....	0.3	0.3	0.6	1.1	1.5	2.9	4.1	8.5	16.3	29.2
1992.....	0.3	*	0.6	0.9	1.8	2.6	4.9	8.6	13.4	29.0
1991.....	0.4	0.4	0.5	0.8	1.3	3.1	4.1	8.9	12.6	28.4
1990.....	*	0.4	0.8	0.9	1.7	2.4	5.1	8.2	14.8	24.5
1989.....	*	*	*	1.0	1.3	2.9	4.1	7.2	12.4	23.6
1988.....	*	*	0.6	1.3	1.7	2.6	5.1	7.8	11.0	18.7
1987.....	*	*	0.4	1.1	1.4	2.6	3.8	6.2	10.5	19.1
1986.....	*	*	0.5	0.6	1.5	2.3	3.7	7.0	8.4	15.2
1985.....	*	*	0.5	0.7	1.4	2.2	3.5	6.0	7.6	15.4
1984.....	*	*	0.5	0.8	1.2	1.9	3.2	4.4	8.6	14.7
1983.....	*	*	0.5	0.9	1.1	2.5	2.8	4.1	9.0	12.8
1982.....	*	*	*	0.7	1.4	1.5	2.9	5.3	5.8	10.5
1981.....	*	*	0.5	0.5	0.9	2.3	2.7	3.8	5.7	10.0
1980.....	0.2	0.2	0.5	0.7	1.4	1.7	3.3	3.4	6.7	9.7
1979.....	0.2	0.3	0.6	0.8	1.2	1.7	2.5	4.0	5.2	7.0
WHITE FEMALE										
1998.....	*	0.3	0.7	0.7	1.3	2.4	5.3	8.8	16.2	42.0
1997.....	*	*	0.5	1.0	1.4	2.9	4.3	8.9	15.8	37.6
1996.....	*	0.3	0.3	1.0	1.9	2.1	4.9	8.6	17.0	39.2
1995.....	*	*	0.3	0.9	1.3	2.0	4.1	8.6	15.9	33.5
1994.....	*	0.3	0.6	0.9	1.5	2.8	4.5	7.0	15.6	35.7
1993.....	*	0.3	0.4	0.8	1.5	2.4	4.1	7.5	14.9	33.9
1992.....	*	*	0.5	0.7	1.2	2.1	4.0	8.0	16.0	30.5
1991.....	*	*	0.4	0.9	1.3	2.3	3.7	7.6	12.9	30.2
1990.....	*	*	0.6	0.9	1.4	2.1	4.2	7.7	13.5	29.3
1989.....	*	*	0.4	1.0	1.7	1.9	3.7	6.7	11.7	26.2
1988.....	*	*	*	0.7	1.4	2.5	3.9	6.5	12.3	24.3
1987.....	*	*	0.6	0.7	1.1	2.0	2.8	5.4	10.2	21.6
1986.....	*	*	0.5	0.9	1.3	2.0	3.5	5.5	8.8	18.0
1985.....	*	*	0.5	0.8	1.2	1.6	3.2	5.2	8.6	16.8
1984.....	*	*	0.4	0.7	1.2	1.6	2.9	4.0	8.3	16.9
1983.....	*	*	*	0.7	0.8	0.9	2.6	4.6	7.3	15.7
1982.....	*	*	*	0.5	0.9	1.4	2.2	5.0	6.7	11.5
1981.....	*	*	0.5	0.7	0.7	1.7	2.0	3.8	6.4	12.4
1980.....	0.2	0.2	0.4	0.4	0.8	1.4	2.1	3.6	5.7	10.1
1979.....	0.1	0.2	0.3	0.5	0.6	1.1	2.1	3.6	5.9	9.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)										
ALL OTHER, BOTH SEXES										
1998.....	1.2	1.4	1.9	2.0	2.6	3.4	5.0	6.6	12.9	15.2
1997.....	0.7	1.3	1.7	1.3	2.3	3.8	3.7	7.2	10.1	17.2
1996.....	0.6	1.1	1.3	1.9	2.8	2.7	3.6	5.8	7.9	18.9
1995.....	0.8	1.0	1.3	*	2.1	3.1	5.0	5.4	8.6	18.2
1994.....	0.8	1.1	1.2	1.5	1.9	2.6	3.1	5.6	9.0	15.7
1993.....	0.9	1.0	*	1.7	2.2	2.5	3.5	5.1	11.4	20.2
1992.....	0.9	1.6	1.2	2.3	1.8	3.3	3.8	7.3	10.1	19.1
1991.....	1.0	1.0	*	*	2.4	2.1	3.2	5.7	7.6	18.2
1990.....	0.8	*	1.5	1.8	1.8	2.8	2.8	5.5	12.8	22.7
1989.....	*	*	*	*	1.6	2.9	3.9	4.3	6.3	16.0
1988.....	1.0	1.1	*	*	*	3.5	3.8	5.7	10.9	17.3
1987.....	0.9	*	*	*	2.3	2.0	4.5	5.8	8.8	14.2
1986.....	*	*	*	*	1.8	*	4.0	4.9	*	10.8
1985.....	*	*	*	*	*	2.3	3.4	5.6	8.8	12.1
1984.....	*	*	*	*	1.9	2.9	2.8	4.0	*	10.1
1983.....	*	*	*	*	*	2.3	3.2	5.1	*	*
1982.....	*	*	*	*	*	*	*	4.2	*	*
1981.....	*	*	*	*	*	2.2	*	*	*	*
1980.....	0.5	0.5	1.0	1.5	1.2	1.8	3.1	3.8	7.0	7.2
1979.....	0.3	0.5	0.5	0.7	0.9	2.5	4.6	3.4	4.5	5.2
ALL OTHER MALE										
1998.....	1.8	1.7	2.4	*	*	*	5.4	*	*	*
1997.....	*	1.7	*	*	*	*	*	10.2	*	*
1996.....	*	1.6	*	*	3.4	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	22.4
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	1.5	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	25.6
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.8	1.8	1.6	1.6	2.6	3.6	2.8	5.7	6.6
1979.....	0.3	0.3	0.9	1.1	1.4	2.1	5.7	4.4	4.7	6.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	3.5	4.7	6.8	15.8	16.2
1997.....	*	*	*	*	*	4.4	3.6	5.2	11.6	19.0
1996.....	*	*	*	*	*	*	3.6	6.3	*	20.8
1995.....	*	*	*	*	*	3.2	5.8	5.1	*	16.3
1994.....	*	*	*	*	*	*	3.8	5.2	10.4	15.6
1993.....	*	*	*	*	*	*	4.0	*	15.3	22.9
1992.....	*	*	*	*	*	3.4	4.7	6.8	11.5	19.0
1991.....	*	*	*	*	*	*	*	*	*	14.8
1990.....	*	*	*	*	*	*	*	*	12.8	24.6
1989.....	*	*	*	*	*	*	*	*	*	18.3
1988.....	*	*	*	*	*	3.7	4.4	*	13.7	19.5
1987.....	*	*	*	*	*	*	4.4	*	*	13.5
1986.....	*	*	*	*	*	*	4.7	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	13.3
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.3	0.4	1.4	0.9	1.2	2.7	4.6	7.7	7.6
1979.....	0.2	0.7	0.3	0.5	0.6	2.8	3.7	2.7	4.4	4.4
BLACK, BOTH SEXES										
1998.....	1.6	1.9	2.6	2.6	2.9	3.5	5.8	7.2	13.2	13.7
1997.....	0.9	1.7	2.1	1.7	3.0	4.1	4.1	5.6	11.7	17.4
1996.....	0.8	1.5	1.7	2.1	3.1	3.1	3.8	6.7	8.7	18.5
1995.....	1.0	1.4	1.7	*	2.5	3.3	5.5	5.7	7.9	16.8
1994.....	1.1	1.4	*	1.9	2.1	3.0	3.7	5.4	8.5	15.9
1993.....	1.2	1.2	*	2.0	*	2.9	3.9	5.7	12.0	20.6
1992.....	1.3	2.1	*	2.8	2.0	3.9	4.6	7.8	10.3	20.7
1991.....	1.4	*	*	*	2.7	*	3.6	6.1	7.7	19.4
1990.....	*	*	1.9	2.2	*	3.1	*	5.2	12.8	22.0
1989.....	*	*	*	*	*	3.5	4.4	4.8	*	14.5
1988.....	1.3	*	*	*	*	3.7	3.5	5.7	10.7	17.8
1987.....	*	*	*	*	2.8	*	5.1	6.5	9.1	12.5
1986.....	*	*	*	*	*	*	4.3	5.1	*	11.9
1985.....	*	*	*	*	*	*	3.9	5.4	8.2	13.3
1984.....	*	*	*	*	2.1	3.3	*	*	*	*
1983.....	*	*	*	*	*	2.5	3.3	5.4	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	2.5	*	*	*	*
1980.....	0.6	0.6	1.1	1.5	1.3	1.8	3.0	3.9	5.5	8.2
1979.....	0.3	0.6	0.6	0.9	1.1	2.7	5.0	3.5	4.5	4.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)										
BLACK MALE										
1998.....	2.3	2.3	3.4	*	*	*	*	*	*	*
1997.....	*	2.4	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	2.0	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.9	1.0	2.0	1.7	1.6	2.7	4.3	3.3	2.7	7.5
1979.....	0.4	0.4	1.0	1.3	1.6	2.1	6.2	4.3	5.2	3.8
BLACK FEMALE										
1998.....	*	*	*	*	*	*	5.3	8.3	15.4	15.3
1997.....	*	*	*	*	*	5.0	*	*	14.0	19.3
1996.....	*	*	*	*	*	*	*	7.4	*	21.2
1995.....	*	*	*	*	*	*	6.5	*	*	15.4
1994.....	*	*	*	*	*	*	*	*	9.5	15.9
1993.....	*	*	*	*	*	*	*	*	15.7	23.6
1992.....	*	*	*	*	*	*	5.4	7.6	11.1	21.5
1991.....	*	*	*	*	*	*	*	*	*	16.0
1990.....	*	*	*	*	*	*	*	*	12.6	24.9
1989.....	*	*	*	*	*	*	*	*	*	17.0
1988.....	*	*	*	*	*	*	*	*	14.0	20.1
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.3	0.5	1.4	1.0	1.1	2.1	4.3	7.2	8.5
1979.....	0.3	0.8	0.3	0.5	0.6	3.1	4.1	3.0	4.0	4.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HEART FAILURE (428)										
TOTAL, BOTH SEXES										
1998.....	0.7	1.3	2.6	5.8	12.1	23.1	45.0	87.0	193.9	631.9
1997.....	0.8	1.1	3.0	6.0	11.8	21.8	44.9	88.4	193.7	637.9
1996.....	0.6	1.4	3.0	5.6	11.6	22.6	44.5	86.1	191.1	627.5
1995.....	0.7	1.5	2.8	6.0	12.1	22.4	43.2	87.9	195.1	633.5
1994.....	0.7	1.2	2.9	5.6	12.1	22.8	44.8	87.3	194.5	622.8
1993.....	0.8	1.5	3.3	6.7	12.7	24.0	47.6	94.2	198.6	629.4
1992.....	0.7	1.5	2.8	6.0	12.3	22.6	44.4	84.1	178.2	566.6
1991.....	0.7	1.6	2.6	5.6	12.5	22.6	44.1	85.2	179.6	565.4
1990.....	0.7	1.5	2.7	5.9	12.7	22.3	43.4	86.5	184.3	559.1
1989.....	0.7	1.6	3.5	6.9	13.3	24.3	47.4	93.9	191.8	557.5
1988.....	0.9	1.8	4.1	7.9	15.8	27.9	54.2	104.5	218.5	625.0
1987.....	0.8	1.9	3.9	7.4	15.1	28.8	55.6	104.6	214.8	596.1
1986.....	1.1	2.0	4.1	7.8	15.6	28.6	56.7	108.0	217.4	580.7
1985.....	1.0	2.0	4.3	8.1	15.2	28.1	54.6	101.1	210.0	547.8
1984.....	1.1	1.9	3.7	7.9	15.0	27.4	51.6	100.4	201.7	516.0
1983.....	1.0	2.0	4.2	7.5	14.6	27.5	50.6	96.0	190.1	491.4
1982.....	0.9	2.1	3.7	7.4	14.5	26.0	48.8	91.2	184.5	451.2
1981.....	1.0	2.2	4.2	7.9	14.4	26.4	48.0	88.4	176.5	423.4
1980.....	1.2	2.3	4.3	7.6	13.9	27.3	48.4	89.3	165.3	404.6
1979.....	1.2	2.2	4.4	7.9	14.6	26.0	45.2	81.5	157.9	358.6
TOTAL, MALE										
1998.....	0.9	1.7	3.2	6.7	15.2	28.6	53.2	99.1	219.6	603.3
1997.....	1.2	1.5	4.0	7.2	14.6	26.2	52.2	102.7	218.0	624.2
1996.....	0.8	1.7	3.9	6.8	14.2	28.4	54.9	102.5	213.7	627.6
1995.....	0.8	2.0	3.6	7.7	15.0	27.6	52.1	101.3	223.2	632.2
1994.....	0.9	1.6	3.8	6.9	15.3	27.8	54.7	101.1	217.0	635.3
1993.....	0.9	2.0	4.2	8.3	16.1	29.2	55.9	109.3	232.5	635.8
1992.....	0.9	1.9	3.6	7.3	14.8	27.0	55.1	102.3	204.6	569.2
1991.....	0.9	2.0	3.1	6.9	16.2	28.9	53.3	103.5	204.4	570.4
1990.....	0.8	2.0	3.4	7.7	15.8	28.7	55.0	103.9	217.5	568.7
1989.....	0.8	2.3	4.5	8.5	15.9	31.3	58.4	113.9	222.8	570.9
1988.....	1.1	2.1	5.4	10.1	19.6	34.8	70.0	127.0	258.2	660.1
1987.....	1.0	2.4	4.9	9.2	19.1	36.2	70.3	130.1	250.4	620.1
1986.....	1.4	2.9	5.0	10.2	19.7	36.8	72.7	133.6	261.7	612.2
1985.....	1.1	2.6	5.7	10.6	19.0	35.6	69.7	124.8	250.0	572.4
1984.....	1.5	2.4	4.8	10.7	19.3	35.8	65.9	124.7	236.3	567.1
1983.....	1.2	2.5	5.6	9.9	18.9	35.5	67.2	122.5	223.7	533.5
1982.....	1.2	2.6	5.1	9.5	19.3	34.3	60.9	114.0	220.3	508.9
1981.....	1.3	3.0	5.7	10.1	18.6	33.7	62.2	113.4	210.1	472.3
1980.....	1.5	3.1	5.8	10.2	18.4	35.5	62.9	114.9	198.3	449.7
1979.....	1.5	3.1	5.9	10.7	19.2	34.8	58.0	101.3	190.1	402.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HEART FAILURE (428)										
TOTAL, FEMALE										
1998.....	0.5	0.9	2.0	4.9	9.3	18.5	38.7	78.4	178.7	643.7
1997.....	0.4	0.8	2.2	4.8	9.2	18.1	39.2	78.4	179.5	643.5
1996.....	0.5	1.1	2.1	4.5	9.4	17.7	36.5	74.7	178.1	627.4
1995.....	0.5	1.0	2.1	4.4	9.5	18.1	36.4	78.6	179.2	633.9
1994.....	0.5	0.8	2.2	4.4	9.2	18.7	37.3	78.0	182.0	618.0
1993.....	0.6	1.0	2.4	5.3	9.7	19.7	41.3	84.1	180.0	626.9
1992.....	0.4	1.0	2.1	4.7	10.0	19.0	36.4	72.1	163.9	565.6
1991.....	0.6	1.1	2.2	4.4	9.2	17.5	37.2	73.2	166.4	563.4
1990.....	0.5	1.1	2.1	4.3	10.0	17.2	34.7	75.3	166.7	555.5
1989.....	0.5	0.8	2.6	5.4	11.1	18.6	39.3	81.1	175.5	552.4
1988.....	0.7	1.5	2.8	5.9	12.4	22.3	42.6	90.2	197.6	611.2
1987.....	0.6	1.4	2.9	5.7	11.7	22.9	45.0	88.4	196.1	586.7
1986.....	0.7	1.3	3.3	5.6	12.0	21.9	45.0	91.8	194.1	568.3
1985.....	0.9	1.4	3.1	5.9	11.9	22.1	43.7	86.3	189.0	537.9
1984.....	0.7	1.4	2.7	5.3	11.3	20.6	41.3	85.2	183.5	495.3
1983.....	0.7	1.4	3.0	5.5	10.9	21.1	38.7	79.3	172.4	474.2
1982.....	0.6	1.6	2.4	5.5	10.3	19.2	40.0	76.9	165.7	427.2
1981.....	0.8	1.4	2.9	5.9	10.7	20.5	37.8	72.8	158.7	402.4
1980.....	0.9	1.6	2.9	5.2	10.1	20.7	38.0	73.3	147.8	384.9
1979.....	0.9	1.3	3.0	5.4	10.7	19.0	36.0	69.0	140.6	339.1
WHITE, BOTH SEXES										
1998.....	0.5	0.9	2.1	4.9	10.8	22.0	43.8	86.2	194.2	651.6
1997.....	0.7	0.9	2.4	5.1	10.4	20.8	43.7	87.7	195.1	656.5
1996.....	0.5	1.0	2.6	4.8	10.4	21.5	42.9	85.3	191.9	645.6
1995.....	0.5	1.2	2.3	5.2	11.1	21.5	41.5	86.3	196.8	648.3
1994.....	0.5	1.0	2.5	4.8	11.0	21.8	43.0	85.8	195.0	639.3
1993.....	0.6	1.2	2.6	5.8	11.5	22.3	45.3	93.5	198.4	644.4
1992.....	0.5	1.2	2.3	5.2	11.3	21.1	42.6	82.6	178.1	578.6
1991.....	0.6	1.2	2.2	4.9	11.5	20.8	42.3	83.3	178.1	576.3
1990.....	0.6	1.2	2.3	5.0	11.5	20.4	41.8	83.9	182.9	567.6
1989.....	0.5	1.3	2.8	5.8	11.9	22.5	44.8	91.2	188.7	566.5
1988.....	0.6	1.4	3.3	7.0	14.3	26.1	51.8	101.1	216.5	636.3
1987.....	0.7	1.6	3.3	6.9	13.6	26.5	53.0	101.8	213.2	607.4
1986.....	0.8	1.6	3.4	6.5	13.8	26.6	53.8	105.2	214.3	589.0
1985.....	0.6	1.7	3.5	7.0	13.6	26.1	51.3	98.5	207.2	556.2
1984.....	0.8	1.4	3.1	6.9	13.7	25.4	49.1	97.6	197.8	523.7
1983.....	0.8	1.7	3.7	6.6	13.0	25.5	47.8	93.9	186.6	499.6
1982.....	0.7	1.5	3.1	6.5	13.2	23.8	46.6	89.3	180.8	458.9
1981.....	0.9	1.7	3.7	6.9	12.6	24.7	45.5	85.6	174.4	429.6
1980.....	0.9	1.9	3.7	6.6	12.4	25.0	45.7	85.9	162.1	407.7
1979.....	1.0	1.8	3.8	6.8	12.9	23.7	42.4	78.2	156.1	362.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HEART FAILURE (428)										
WHITE MALE										
1998.....	0.7	1.2	2.7	6.0	13.8	27.4	52.2	99.1	221.2	621.4
1997.....	1.0	1.2	3.3	6.2	13.1	25.2	51.4	102.8	220.9	647.2
1996.....	0.6	1.2	3.5	6.2	12.7	27.4	53.6	101.8	216.9	647.6
1995.....	0.6	1.6	2.9	6.9	13.8	26.7	50.7	99.8	225.9	648.4
1994.....	0.7	1.3	3.4	6.1	14.0	27.0	52.9	100.1	218.3	653.6
1993.....	0.8	1.6	3.3	7.2	14.6	27.7	53.4	109.1	235.1	651.9
1992.....	0.7	1.6	3.0	6.7	13.6	26.0	53.0	101.5	206.3	582.8
1991.....	0.7	1.7	2.6	6.3	15.3	27.0	52.0	101.2	203.9	585.9
1990.....	0.7	1.6	3.0	6.9	14.6	26.8	53.8	101.4	215.1	578.6
1989.....	0.5	2.0	3.7	7.5	14.8	29.2	56.0	111.4	221.0	581.3
1988.....	0.8	1.6	4.5	9.3	18.4	32.9	68.3	124.1	257.0	673.1
1987.....	0.9	2.1	4.3	8.8	17.6	33.3	68.2	127.5	250.0	629.7
1986.....	0.9	2.3	4.5	8.9	18.1	34.7	70.6	131.7	259.5	623.4
1985.....	0.7	2.2	4.8	9.4	17.5	33.9	66.6	123.1	244.9	584.0
1984.....	1.2	2.0	4.2	9.9	18.4	33.9	63.6	122.5	232.7	573.8
1983.....	1.0	2.1	4.9	9.0	17.2	33.3	64.2	122.3	219.2	545.2
1982.....	0.9	2.0	4.5	8.6	17.8	31.6	59.4	113.1	218.0	520.5
1981.....	1.1	2.5	5.2	9.1	16.6	32.3	59.6	111.7	207.0	479.1
1980.....	1.1	2.7	5.2	9.0	16.6	33.1	60.2	112.7	195.5	454.0
1979.....	1.3	2.6	5.5	9.6	17.4	32.2	56.5	98.2	188.9	405.2
WHITE FEMALE										
1998.....	0.3	0.7	1.6	4.0	8.1	17.4	37.1	77.1	178.1	664.0
1997.....	0.3	0.6	1.6	4.0	7.9	16.9	37.7	77.0	180.0	660.2
1996.....	0.3	0.7	1.8	3.5	8.3	16.5	34.6	73.7	177.4	644.8
1995.....	0.4	0.7	1.7	3.5	8.6	17.1	34.3	76.9	180.3	648.2
1994.....	0.4	0.6	1.7	3.5	8.3	17.5	35.4	76.0	182.1	633.8
1993.....	0.5	0.8	1.9	4.4	8.7	17.8	39.1	83.0	178.4	641.6
1992.....	*	0.8	1.7	3.8	9.2	17.0	34.8	70.0	162.9	577.0
1991.....	0.5	0.8	1.7	3.7	8.1	15.6	34.9	71.6	164.3	572.9
1990.....	0.5	0.8	1.5	3.3	8.7	15.3	32.9	72.5	165.9	563.5
1989.....	0.4	0.6	2.0	4.2	9.3	17.0	36.4	78.2	171.8	561.1
1988.....	0.5	1.2	2.2	4.9	10.7	20.5	39.6	86.4	195.3	622.2
1987.....	0.4	1.1	2.4	5.1	10.0	20.9	41.9	85.6	194.1	598.8
1986.....	0.6	0.9	2.4	4.3	10.1	19.8	41.5	88.5	190.8	575.7
1985.....	0.6	1.1	2.2	4.9	10.2	19.7	40.2	83.1	187.6	545.3
1984.....	0.4	0.9	2.2	4.2	9.6	18.4	38.6	82.0	179.6	503.9
1983.....	0.5	1.3	2.5	4.4	9.2	19.2	36.0	76.2	169.6	481.2
1982.....	0.5	1.1	1.9	4.6	9.2	17.6	37.2	74.5	161.4	433.7
1981.....	0.7	1.0	2.3	4.9	9.1	18.5	35.3	69.4	157.3	408.9
1980.....	0.6	1.2	2.3	4.5	8.9	18.5	35.3	69.2	144.5	387.8
1979.....	0.7	1.1	2.3	4.2	9.0	16.9	32.3	65.8	138.7	342.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HEART FAILURE (428)										
ALL OTHER, BOTH SEXES										
1998.....	1.5	3.2	5.2	11.0	20.3	30.7	55.1	93.5	191.2	445.1
1997.....	1.4	2.2	6.7	11.4	20.5	29.0	54.6	94.9	179.3	460.5
1996.....	1.5	3.5	5.0	10.6	19.6	30.1	57.6	93.9	183.5	454.2
1995.....	1.7	3.5	6.1	11.0	18.9	28.9	57.9	102.6	177.4	483.0
1994.....	1.8	2.8	5.4	11.0	19.1	30.2	60.5	102.2	188.8	454.3
1993.....	1.5	3.6	7.6	12.8	20.9	37.0	68.0	100.7	199.9	474.1
1992.....	1.8	3.3	5.8	11.0	19.4	34.9	60.3	98.8	179.1	440.4
1991.....	1.7	3.7	5.6	9.7	20.0	37.4	60.2	102.7	196.1	450.7
1990.....	1.1	3.7	5.6	11.9	21.7	38.1	57.4	111.4	198.4	469.2
1989.....	1.9	3.1	7.8	14.2	24.6	39.5	71.5	119.9	224.6	462.9
1988.....	2.2	4.3	8.9	14.3	27.3	43.5	76.2	137.2	240.6	504.0
1987.....	1.6	3.9	7.7	11.3	27.4	49.1	79.1	130.7	231.8	474.2
1986.....	2.9	4.6	8.4	16.9	29.9	46.5	82.9	134.6	249.8	490.5
1985.....	3.3	4.1	10.3	16.6	28.6	46.3	85.0	126.3	240.0	453.1
1984.....	3.0	4.6	7.6	15.6	26.2	45.1	74.9	128.1	245.4	430.9
1983.....	2.1	3.5	8.2	15.2	28.9	45.1	76.4	115.9	229.8	399.0
1982.....	2.3	5.6	7.8	14.7	25.2	44.7	69.9	109.7	227.5	366.8
1981.....	1.7	5.0	8.3	16.1	30.1	41.3	72.2	116.1	200.8	353.2
1980.....	3.3	5.2	9.1	15.7	27.3	47.8	74.2	123.0	203.7	369.0
1979.....	2.5	4.9	8.5	17.9	30.9	46.1	72.5	113.0	179.5	318.4
ALL OTHER MALE										
1998.....	1.9	4.4	6.4	11.9	24.9	37.0	61.3	99.5	202.7	444.6
1997.....	2.0	2.8	8.2	13.8	25.3	33.9	59.0	102.1	188.2	423.0
1996.....	2.0	4.5	6.6	11.3	24.4	36.0	66.2	109.2	180.4	453.9
1995.....	2.3	4.6	8.3	12.7	23.5	34.5	64.6	116.0	194.4	480.8
1994.....	2.2	3.6	6.4	12.7	24.8	33.9	70.6	111.6	203.7	463.5
1993.....	1.8	5.0	10.1	15.4	27.2	41.4	79.2	111.2	206.2	485.8
1992.....	2.5	4.4	7.4	12.0	24.1	35.6	74.7	110.9	186.7	441.6
1991.....	2.2	4.4	6.3	11.1	23.9	44.9	65.7	126.5	209.3	426.7
1990.....	*	4.6	6.0	13.6	25.5	45.9	67.3	127.3	241.0	476.7
1989.....	2.6	4.3	9.7	15.8	25.5	50.3	81.3	138.3	239.7	474.1
1988.....	2.7	5.5	11.6	16.6	29.9	52.4	86.8	154.3	270.1	540.5
1987.....	*	4.5	9.2	12.6	31.9	62.6	89.9	155.3	255.4	529.9
1986.....	4.4	6.4	8.3	20.2	33.7	56.0	92.4	151.4	283.3	506.7
1985.....	3.9	5.1	12.1	20.5	32.4	51.6	99.7	139.8	300.0	463.0
1984.....	3.7	5.2	9.7	17.9	28.3	53.0	87.5	145.5	273.3	504.2
1983.....	2.4	5.3	10.6	17.7	34.6	55.3	95.2	124.9	270.1	414.3
1982.....	3.3	6.3	10.2	17.2	32.8	59.5	75.1	121.4	244.7	397.0
1981.....	*	6.1	9.8	18.8	37.2	46.5	85.9	129.0	242.9	404.7
1980.....	3.6	6.5	10.9	21.5	35.0	57.6	88.3	135.1	228.1	406.5
1979.....	2.5	7.2	9.2	21.1	36.8	57.9	71.6	128.6	203.5	374.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HEART FAILURE (428)										
ALL OTHER FEMALE										
1998.....	1.2	2.3	4.1	10.2	16.7	25.9	50.8	89.5	184.6	445.3
1997.....	*	1.7	5.5	9.5	16.9	25.4	51.5	90.2	174.3	477.4
1996.....	*	2.7	3.7	10.0	15.9	25.8	51.6	83.9	185.2	454.3
1995.....	1.3	2.6	4.2	9.6	15.4	24.7	53.3	94.1	168.1	483.9
1994.....	1.3	2.1	4.5	9.7	14.7	27.5	53.4	96.3	180.6	450.2
1993.....	*	2.4	5.5	10.7	16.0	33.8	60.2	94.2	196.5	469.0
1992.....	*	2.4	4.3	10.1	15.8	34.4	50.3	91.3	174.9	439.8
1991.....	*	3.1	5.0	8.5	17.1	31.9	56.5	87.8	187.8	459.3
1990.....	*	2.8	5.3	10.5	18.8	32.3	50.7	101.5	174.3	465.8
1989.....	*	2.1	6.1	12.9	23.9	31.5	64.7	108.5	216.0	457.7
1988.....	1.8	3.2	6.6	12.4	25.4	36.9	69.2	126.3	222.5	487.0
1987.....	1.9	3.4	6.4	10.2	23.9	39.0	71.8	114.9	218.4	447.9
1986.....	*	3.0	8.4	14.2	27.1	39.5	76.3	123.7	231.9	482.7
1985.....	2.8	3.2	8.7	13.4	25.5	42.3	74.9	117.5	205.0	451.3
1984.....	2.3	4.1	5.9	13.7	24.6	39.1	66.0	116.4	227.7	394.5
1983.....	*	*	6.3	13.2	24.4	37.5	63.3	109.9	206.1	391.4
1982.....	*	4.9	5.9	12.6	19.1	33.5	66.1	101.4	217.2	348.9
1981.....	*	4.1	7.0	13.9	24.4	37.3	62.0	107.3	175.3	327.0
1980.....	3.0	4.1	7.7	10.8	21.1	40.3	63.7	114.8	188.8	349.8
1979.....	2.5	3.0	8.0	15.3	26.0	37.1	73.2	101.9	165.7	292.1
BLACK, BOTH SEXES										
1998.....	2.1	4.5	7.1	13.9	26.2	37.6	67.7	110.7	227.2	494.8
1997.....	1.7	2.9	8.8	14.4	26.5	35.7	68.6	109.9	199.2	507.4
1996.....	1.9	4.7	6.5	13.0	24.0	36.8	69.4	110.7	208.7	500.5
1995.....	2.3	4.6	7.5	13.9	23.3	35.0	69.3	117.3	197.7	513.7
1994.....	2.4	3.6	6.9	13.4	24.1	36.5	73.1	115.8	207.4	476.2
1993.....	2.0	4.7	9.9	16.3	26.2	44.6	80.9	113.8	221.2	496.3
1992.....	2.4	4.5	7.6	13.7	23.5	41.3	70.1	110.8	198.9	469.4
1991.....	2.2	4.8	7.0	11.9	24.2	44.6	69.7	114.5	214.1	479.7
1990.....	1.4	4.8	7.0	14.4	26.0	44.7	66.1	124.5	215.8	495.9
1989.....	2.5	3.7	9.3	17.9	29.6	47.3	81.9	133.2	241.8	486.4
1988.....	2.9	5.5	10.8	17.4	32.7	50.4	86.6	154.8	260.3	528.5
1987.....	2.1	4.8	9.2	13.2	32.2	56.4	88.8	146.3	254.8	502.4
1986.....	3.9	5.6	9.9	20.2	35.2	53.0	94.4	149.4	272.5	511.9
1985.....	4.2	5.1	12.3	19.5	33.0	53.9	96.6	138.1	260.4	475.4
1984.....	3.6	5.2	9.2	18.1	30.7	51.5	84.6	138.3	265.3	456.3
1983.....	2.6	4.4	9.8	17.5	32.5	50.6	84.0	126.5	247.1	415.8
1982.....	2.7	6.4	9.2	16.8	28.2	48.8	78.1	116.2	242.2	389.8
1981.....	1.8	6.0	9.7	18.7	33.5	46.0	78.8	124.9	217.2	364.9
1980.....	4.1	6.1	10.5	17.6	30.2	51.6	80.3	131.5	221.3	384.1
1979.....	2.8	5.9	9.6	19.4	34.0	48.6	78.5	118.7	188.1	326.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HEART FAILURE (428)										
BLACK MALE										
1998.....	2.7	6.2	9.1	15.2	33.0	44.5	73.8	120.3	244.5	508.6
1997.....	2.6	3.8	11.0	17.6	33.0	41.5	74.7	116.7	217.4	483.7
1996.....	2.5	6.1	8.7	14.1	29.8	43.8	81.8	132.1	219.5	503.9
1995.....	3.1	6.0	10.3	16.2	29.6	43.2	78.1	137.3	220.9	522.7
1994.....	3.0	4.4	8.1	16.0	31.6	40.9	85.8	129.4	235.1	489.7
1993.....	2.4	6.9	13.2	19.9	34.6	50.0	96.8	127.6	227.6	496.0
1992.....	3.3	6.1	9.9	15.0	29.1	43.1	88.2	127.4	209.6	480.9
1991.....	3.1	5.9	8.3	13.6	29.4	53.4	77.3	147.5	233.7	463.8
1990.....	*	6.2	7.7	17.2	30.4	54.9	79.1	145.5	270.5	529.7
1989.....	3.5	5.5	11.3	20.1	30.3	61.6	94.0	155.1	262.9	506.1
1988.....	3.5	7.3	14.2	20.2	35.2	62.5	100.0	180.2	303.2	583.1
1987.....	*	5.3	11.1	14.7	38.8	73.2	101.2	175.4	282.6	582.8
1986.....	6.0	8.1	10.4	24.5	39.3	63.3	105.2	169.8	311.1	531.7
1985.....	4.9	6.5	14.4	23.8	38.0	61.4	115.9	154.1	337.9	501.6
1984.....	4.8	6.0	11.9	21.2	33.6	61.7	100.8	156.3	297.6	542.6
1983.....	3.2	6.8	13.1	20.4	40.0	63.9	106.6	140.6	293.9	428.3
1982.....	3.9	7.6	11.9	19.6	37.3	65.3	84.7	129.2	265.0	425.9
1981.....	*	7.4	11.6	22.5	41.6	52.9	96.2	141.1	264.9	405.4
1980.....	4.6	7.5	12.8	23.9	38.6	62.3	97.2	145.8	246.6	415.0
1979.....	2.7	8.6	10.2	23.5	41.4	62.4	78.8	137.9	211.7	386.5
BLACK FEMALE										
1998.....	1.5	3.1	5.5	13.0	21.1	32.5	63.4	104.6	218.2	489.1
1997.....	*	2.2	7.0	11.9	21.6	31.4	64.3	105.7	189.7	517.2
1996.....	*	3.5	4.7	12.1	19.7	31.6	61.1	97.3	203.1	499.1
1995.....	1.7	3.4	5.3	12.1	18.5	28.8	63.4	104.9	185.9	510.1
1994.....	1.9	2.9	5.8	11.4	18.4	33.3	64.5	107.6	193.3	470.8
1993.....	*	2.9	7.1	13.4	19.8	40.7	70.2	105.6	217.9	496.4
1992.....	*	3.1	5.8	12.7	19.3	40.0	58.0	101.1	193.3	464.6
1991.....	*	3.9	6.0	10.6	20.3	38.1	64.7	95.1	204.1	486.5
1990.....	*	3.6	6.5	12.2	22.8	37.3	57.6	112.2	187.4	481.6
1989.....	*	*	7.7	16.2	29.0	36.9	74.1	120.3	230.8	481.0
1988.....	2.3	4.1	8.0	15.2	30.9	41.6	77.6	139.5	237.6	504.7
1987.....	2.4	4.3	7.6	11.9	27.1	44.1	80.4	128.7	239.8	466.7
1986.....	*	3.6	9.6	16.7	32.2	45.5	87.0	137.0	251.5	502.9
1985.....	3.6	3.9	10.6	16.0	29.2	48.5	83.9	128.2	217.7	463.2
1984.....	2.7	4.6	7.0	15.5	28.5	44.0	73.8	127.1	247.4	415.5
1983.....	*	*	7.1	15.2	26.7	40.9	68.9	117.0	220.7	409.7
1982.....	*	5.5	7.1	14.6	21.1	36.6	73.6	108.4	229.0	372.0
1981.....	*	4.7	8.1	15.7	27.2	41.0	66.7	114.3	189.4	341.6
1980.....	3.6	4.9	8.6	12.4	23.6	43.7	68.2	122.1	206.1	368.7
1979.....	2.9	3.6	9.1	16.0	28.2	38.3	78.3	105.1	173.4	297.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)										
TOTAL, BOTH SEXES										
1998.....	0.2	0.3	0.3	0.2	0.2	0.4	0.2	0.4	1.1	3.4
1997.....	0.2	0.3	0.3	0.2	0.3	0.3	0.3	0.6	1.0	3.4
1996.....	0.2	0.2	0.2	0.3	0.3	0.4	0.4	0.7	1.3	4.3
1995.....	0.2	0.3	0.3	0.2	0.3	0.3	0.5	0.6	1.5	4.9
1994.....	0.2	0.3	0.3	0.3	0.4	0.5	0.7	0.8	1.6	4.9
1993.....	0.3	0.3	0.4	0.4	0.4	0.4	0.6	0.8	1.4	5.3
1992.....	0.2	0.2	0.3	0.2	0.3	0.5	0.6	1.0	1.3	6.3
1991.....	0.3	0.3	0.3	0.4	0.4	0.6	0.7	1.2	2.0	6.0
1990.....	0.3	0.3	0.3	0.4	0.6	0.6	1.2	1.6	2.7	8.2
1989.....	0.3	0.2	0.4	0.6	0.9	1.2	1.5	2.2	3.7	10.3
1988.....	0.2	0.4	0.4	0.6	1.1	1.1	1.5	2.4	4.3	11.9
1987.....	0.2	0.4	0.5	0.6	0.9	1.2	1.6	2.9	4.3	14.6
1986.....	0.4	0.4	0.6	0.8	1.0	1.6	1.8	3.0	5.1	15.2
1985.....	0.3	0.4	0.6	0.7	1.0	1.3	2.1	3.4	6.4	17.9
1984.....	0.4	0.5	0.5	0.8	1.1	1.4	2.1	3.6	7.0	21.1
1983.....	0.3	0.3	0.5	0.9	1.0	1.4	2.3	4.4	7.9	27.2
1982.....	0.3	0.4	0.5	0.8	0.9	1.6	2.2	4.5	8.7	28.2
1981.....	0.3	0.5	0.6	0.8	1.3	1.6	2.8	5.0	10.8	34.0
1980.....	0.5	0.4	0.6	0.9	1.3	1.9	3.5	5.9	12.3	38.5
1979.....	0.3	0.4	0.8	1.0	1.4	1.9	3.8	6.9	13.7	39.2
TOTAL, MALE										
1998.....	0.2	0.3	0.3	*	*	0.5	*	*	1.7	3.6
1997.....	0.2	0.3	0.3	*	*	*	*	0.9	*	4.8
1996.....	*	*	*	*	*	0.6	*	0.8	1.6	4.7
1995.....	0.3	0.4	0.4	*	*	*	0.5	*	1.5	4.6
1994.....	0.3	0.4	0.4	0.4	0.5	0.6	0.7	1.0	2.5	4.9
1993.....	0.3	*	0.4	0.4	*	0.6	0.7	1.0	1.9	4.5
1992.....	0.2	*	0.3	*	*	0.7	0.8	1.4	1.8	6.2
1991.....	0.3	0.4	*	0.5	0.5	0.9	0.8	1.3	2.8	6.9
1990.....	0.3	0.4	0.4	0.6	0.6	0.8	1.6	2.1	3.4	9.4
1989.....	0.3	0.3	0.5	0.8	1.3	1.6	1.9	3.0	4.6	11.0
1988.....	0.4	0.5	0.7	0.9	1.5	1.6	2.0	3.0	5.2	13.5
1987.....	0.3	0.6	0.7	0.8	1.2	1.6	2.1	4.0	4.7	15.4
1986.....	0.5	0.5	0.6	1.2	1.6	2.4	2.3	4.0	5.8	15.3
1985.....	0.3	0.5	0.8	1.0	1.3	1.8	2.7	4.3	7.2	16.2
1984.....	0.5	0.6	0.7	1.3	1.5	2.1	2.8	4.7	8.7	19.1
1983.....	0.4	0.4	0.7	1.2	1.4	1.6	2.6	6.0	9.6	27.2
1982.....	0.3	0.5	0.7	0.9	1.2	2.0	3.0	5.4	10.6	27.1
1981.....	0.4	0.5	0.7	1.0	1.6	2.0	3.5	6.4	12.7	34.1
1980.....	0.5	0.5	0.7	1.1	2.0	2.6	4.7	7.5	14.4	37.7
1979.....	0.4	0.6	1.2	1.4	1.8	2.9	4.8	8.1	16.4	39.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)										
TOTAL, FEMALE										
1998.....	0.2	0.3	0.2	*	*	*	*	*	0.8	3.2
1997.....	0.2	0.3	0.4	*	*	*	*	*	1.0	2.9
1996.....	0.2	*	*	*	*	*	*	0.6	1.2	4.2
1995.....	*	0.3	*	*	*	*	0.5	0.6	1.4	5.0
1994.....	*	*	0.3	*	*	*	0.6	0.6	1.1	5.0
1993.....	0.2	0.3	0.4	*	0.4	*	0.4	0.8	1.1	5.6
1992.....	*	0.3	*	*	*	0.4	0.4	0.7	1.0	6.3
1991.....	0.2	*	0.3	*	*	0.4	0.6	1.1	1.5	5.7
1990.....	0.3	*	*	*	0.6	0.4	0.9	1.3	2.3	7.8
1989.....	0.3	*	*	*	0.6	0.8	1.1	1.7	3.3	10.0
1988.....	*	0.3	*	0.4	0.8	0.8	1.1	2.0	3.8	11.2
1987.....	*	*	0.4	0.5	0.7	0.9	1.3	2.2	4.1	14.2
1986.....	*	0.4	0.5	0.5	0.5	0.9	1.4	2.4	4.7	15.2
1985.....	*	0.4	*	0.4	0.7	0.9	1.7	2.8	5.9	18.6
1984.....	*	*	0.4	0.5	0.7	0.8	1.5	2.8	6.2	21.9
1983.....	*	*	0.4	0.7	0.8	1.1	2.1	3.3	7.0	27.3
1982.....	*	*	*	0.6	0.6	1.2	1.6	3.9	7.6	28.7
1981.....	*	0.5	0.5	0.6	1.0	1.2	2.3	4.2	9.8	34.0
1980.....	0.4	0.4	0.5	0.7	0.8	1.4	2.7	4.8	11.2	38.9
1979.....	0.3	0.2	0.4	0.6	1.1	1.2	3.1	6.1	12.2	39.3
WHITE, BOTH SEXES										
1998.....	0.2	0.3	0.2	0.2	*	0.4	*	0.4	1.0	3.4
1997.....	0.2	0.2	0.3	0.2	0.3	0.3	0.3	0.6	0.9	3.5
1996.....	0.1	0.1	0.2	0.3	*	0.4	0.4	0.7	1.4	4.7
1995.....	0.2	0.3	0.3	0.2	0.3	0.3	0.5	0.6	1.4	5.1
1994.....	0.2	0.2	0.3	0.3	0.4	0.4	0.7	0.8	1.7	5.1
1993.....	0.2	0.2	0.4	0.3	0.4	0.4	0.6	0.8	1.5	5.2
1992.....	0.2	0.2	0.3	0.3	0.3	0.5	0.5	0.9	1.2	6.4
1991.....	0.3	0.2	0.3	0.3	0.4	0.6	0.7	1.2	2.1	6.0
1990.....	0.2	0.2	0.3	0.4	0.5	0.6	1.2	1.4	2.6	8.2
1989.....	0.3	0.2	0.3	0.5	0.8	1.0	1.4	2.1	3.8	10.4
1988.....	0.2	0.3	0.3	0.6	0.9	1.1	1.3	2.5	4.3	12.0
1987.....	0.1	0.4	0.4	0.5	0.8	1.1	1.6	2.9	4.2	15.0
1986.....	0.3	0.4	0.4	0.7	0.9	1.5	1.8	3.1	5.1	15.7
1985.....	0.2	0.3	0.5	0.6	1.0	1.3	2.0	3.3	6.4	18.8
1984.....	0.3	0.4	0.5	0.7	0.9	1.3	2.0	3.6	7.0	22.0
1983.....	0.2	0.3	0.5	0.9	1.1	1.3	2.3	4.4	8.2	28.5
1982.....	0.2	0.4	0.5	0.7	0.8	1.5	2.1	4.5	8.7	29.7
1981.....	0.2	0.4	0.6	0.8	1.2	1.5	2.7	5.1	10.5	35.1
1980.....	0.4	0.4	0.6	0.9	1.3	1.8	3.6	5.8	12.5	40.0
1979.....	0.3	0.4	0.7	1.0	1.3	1.9	3.8	6.8	13.7	40.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)										
WHITE MALE										
1998.....	0.3	0.3	*	*	*	*	*	*	1.6	3.6
1997.....	*	*	*	*	*	*	*	1.0	*	4.9
1996.....	*	*	*	*	*	0.6	*	0.8	1.7	5.2
1995.....	0.3	0.3	0.3	*	*	*	*	*	1.4	4.7
1994.....	0.3	0.3	*	*	*	0.6	0.7	1.0	2.6	5.0
1993.....	*	*	0.4	*	*	*	0.8	1.0	2.0	4.4
1992.....	*	*	*	*	*	0.7	0.7	1.5	1.7	6.0
1991.....	0.3	0.4	*	*	0.5	0.9	0.8	1.4	3.1	6.7
1990.....	*	*	*	0.5	0.7	0.9	1.6	1.9	3.3	9.2
1989.....	0.4	*	*	0.7	1.2	1.5	1.7	2.9	4.6	10.9
1988.....	0.3	0.4	0.5	0.8	1.2	1.5	1.8	3.2	5.1	13.1
1987.....	*	0.5	0.6	0.7	1.1	1.5	2.0	4.0	4.9	16.1
1986.....	0.4	*	0.5	1.0	1.4	2.3	2.4	4.1	5.9	15.8
1985.....	*	0.4	0.6	0.9	1.3	1.9	2.5	4.2	7.5	17.0
1984.....	0.4	0.5	0.6	1.1	1.2	1.9	2.8	4.9	8.8	20.0
1983.....	*	*	0.7	1.2	1.4	1.5	2.7	6.3	10.0	28.8
1982.....	*	0.5	0.7	0.9	1.2	2.0	2.9	5.5	10.8	28.6
1981.....	*	*	0.6	1.0	1.6	1.9	3.4	6.6	12.0	34.7
1980.....	0.5	0.5	0.6	1.1	1.9	2.5	4.8	7.8	14.4	39.5
1979.....	0.3	0.6	1.1	1.4	1.6	2.9	4.7	7.9	16.7	40.5
WHITE FEMALE										
1998.....	0.2	*	*	*	*	*	*	*	0.7	3.4
1997.....	0.2	*	0.4	*	*	*	*	*	1.0	3.0
1996.....	*	*	*	*	*	*	*	0.6	1.2	4.5
1995.....	*	0.3	*	*	*	*	0.5	0.6	1.5	5.2
1994.....	*	*	*	*	*	*	0.7	0.7	1.2	5.2
1993.....	*	*	*	*	*	*	*	0.7	1.2	5.5
1992.....	*	*	*	*	*	*	*	0.6	1.0	6.6
1991.....	*	*	*	*	*	*	0.6	1.1	1.6	5.8
1990.....	*	*	*	*	*	*	0.9	1.1	2.1	7.8
1989.....	*	*	*	*	*	0.7	1.1	1.7	3.3	10.1
1988.....	*	*	*	*	0.6	0.7	1.0	2.1	3.8	11.5
1987.....	*	*	*	*	0.6	0.8	1.2	2.2	3.8	14.6
1986.....	*	0.4	*	0.4	0.5	0.9	1.4	2.5	4.8	15.7
1985.....	*	*	*	*	0.7	0.9	1.7	2.7	5.8	19.5
1984.....	*	*	*	0.4	0.7	0.7	1.4	2.8	6.0	22.7
1983.....	*	*	0.4	0.7	0.7	1.1	2.0	3.3	7.2	28.4
1982.....	*	*	*	0.6	0.5	1.1	1.5	3.9	7.6	30.2
1981.....	*	0.5	0.5	0.5	0.9	1.1	2.2	4.3	9.6	35.2
1980.....	0.4	0.3	0.5	0.7	0.8	1.3	2.7	4.6	11.4	40.2
1979.....	0.3	0.2	0.3	0.6	1.0	1.1	3.1	6.1	12.1	40.8

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)

ALL OTHER, BOTH SEXES

1998	*	*	*	*	*	*	*	*	*	*	*
1997	*	0.7	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*	8.1
1989	*	*	*	*	2.2	2.3	*	*	*	*	9.4
1988	*	*	*	*	2.7	*	2.7	*	*	*	10.5
1987	*	*	1.4	*	1.7	2.1	*	*	*	*	9.6
1986	*	*	*	1.7	*	2.0	*	*	*	*	10.0
1985	*	*	*	*	*	*	3.4	4.4	*	*	*
1984	*	*	*	1.6	2.6	2.7	*	*	7.7	*	11.5
1983	*	*	*	*	*	2.2	*	*	*	*	12.9
1982	*	*	*	*	*	*	3.0	*	8.0	*	11.1
1981	*	*	*	*	*	2.5	3.4	*	14.9	*	22.1
1980	0.6	1.0	0.8	0.8	1.9	2.8	3.3	6.1	10.9	*	21.7
1979	0.7	0.7	1.6	1.4	2.8	2.5	4.4	7.7	13.8	*	21.3

ALL OTHER MALE

1998	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	4.0	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	4.0	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*	*
1980	0.6	0.8	1.5	0.9	2.9	3.6	3.6	5.0	14.9	*	19.7
1979	0.9	1.3	2.2	1.8	3.7	3.1	5.7	9.9	14.0	*	23.7

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)

ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	19.0
1980.....	0.6	1.2	0.3	0.8	1.1	2.2	3.0	6.8	8.5	22.8	
1979.....	0.6	0.3	1.1	1.1	2.1	2.0	3.5	6.2	13.9	20.2	

BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	2.6	2.6	*	*	*	9.1	
1988.....	*	*	*	*	3.1	*	*	*	*	10.7	
1987.....	*	*	*	*	2.1	2.4	*	*	*	10.6	
1986.....	*	*	*	1.9	*	2.5	*	*	*	10.0	
1985.....	*	*	*	*	*	*	3.2	4.7	*	*	
1984.....	*	*	*	1.9	2.7	2.9	*	*	8.5	11.6	
1983.....	*	*	*	*	*	*	*	*	*	13.0	
1982.....	*	*	*	*	*	*	*	*	*	11.4	
1981.....	*	*	*	*	*	2.7	4.0	*	16.7	23.8	
1980.....	0.6	1.2	0.9	1.0	2.1	3.1	3.7	6.4	11.5	24.5	
1979.....	0.6	0.9	1.6	1.4	3.1	2.8	4.8	7.8	14.4	19.2	

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	4.8	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	1.0	1.6	1.1	3.4	3.9	4.3	5.2	14.7	22.6	
1979.....	0.5	1.5	2.0	1.9	4.0	3.6	6.2	9.9	14.3	21.2	

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	1.4	0.3	0.9	1.0	2.5	3.3	7.2	9.6	25.5	20.4
1979.....	0.7	0.3	1.3	1.0	2.4	2.2	3.8	6.4	14.5	18.3	

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)										
TOTAL, BOTH SEXES										
1998.....	12.3	20.9	34.9	53.6	84.8	122.3	180.1	275.1	466.6	1,110.9
1997.....	11.8	21.3	34.1	56.2	90.1	122.2	186.6	279.9	476.3	1,142.7
1996.....	11.6	21.3	35.9	56.6	91.4	125.2	184.2	282.2	482.5	1,163.6
1995.....	12.2	21.1	36.6	57.8	92.8	128.5	193.3	293.8	497.0	1,202.5
1994.....	12.0	21.0	37.2	58.8	92.3	131.3	197.1	295.9	504.2	1,194.9
1993.....	12.3	21.2	37.5	61.9	95.8	139.4	202.8	310.7	519.2	1,240.8
1992.....	11.8	20.7	35.9	58.0	93.6	132.2	196.8	297.1	501.9	1,208.7
1991.....	11.1	21.0	35.7	59.1	93.4	135.2	203.1	307.1	515.7	1,222.3
1990.....	10.9	20.7	36.5	59.0	95.0	134.9	202.2	312.5	525.3	1,243.7
1989.....	10.7	20.8	38.0	63.3	97.7	141.8	209.7	329.9	550.9	1,307.2
1988.....	11.8	22.2	41.2	69.3	107.7	159.3	240.6	372.8	620.4	1,489.0
1987.....	12.1	22.5	41.7	66.5	105.2	157.2	239.9	365.4	624.2	1,460.8
1986.....	12.2	22.6	41.2	66.6	106.1	155.2	239.6	371.1	633.2	1,479.2
1985.....	11.6	21.8	38.7	63.8	102.8	150.0	231.6	360.6	622.2	1,424.5
1984.....	11.2	21.2	38.6	62.3	99.1	145.4	223.6	343.1	602.8	1,377.0
1983.....	11.2	20.8	38.3	61.6	96.2	141.6	218.9	346.1	609.0	1,357.6
1982.....	11.1	20.8	34.8	57.0	89.6	132.2	201.6	322.6	566.8	1,267.7
1981.....	11.4	20.9	36.3	57.8	87.7	128.6	199.3	320.5	571.6	1,274.2
1980.....	11.2	20.0	35.3	55.8	86.0	127.1	198.8	322.4	568.3	1,289.6
1979.....	10.7	20.0	34.4	51.9	82.3	116.2	185.3	301.0	541.8	1,163.8
TOTAL, MALE										
1998.....	17.9	31.4	51.9	77.8	122.0	171.1	241.2	354.4	573.8	1,138.0
1997.....	17.1	31.9	51.1	82.0	129.6	171.7	254.8	361.0	585.2	1,197.0
1996.....	17.0	32.3	53.3	83.1	131.3	177.7	252.3	367.0	599.0	1,241.0
1995.....	17.9	32.0	55.1	84.0	132.4	183.2	267.6	387.1	616.1	1,276.3
1994.....	17.6	31.3	56.9	87.1	133.0	189.3	271.4	388.2	634.8	1,284.5
1993.....	18.2	31.9	56.6	91.5	137.2	200.4	280.0	407.1	655.7	1,334.4
1992.....	17.9	31.6	53.2	86.6	136.3	189.1	271.5	389.8	640.8	1,296.1
1991.....	16.3	32.3	54.1	87.4	138.4	193.2	284.9	410.8	655.6	1,307.8
1990.....	16.8	31.3	54.1	85.8	138.7	193.0	282.4	423.6	677.1	1,332.0
1989.....	16.1	31.3	56.6	93.6	142.4	204.7	292.1	439.7	694.3	1,390.6
1988.....	17.8	33.7	60.5	103.1	157.9	227.1	339.0	501.2	786.8	1,591.0
1987.....	18.3	33.3	62.4	98.6	151.7	225.6	335.9	490.6	785.7	1,564.3
1986.....	18.3	33.1	61.2	99.7	155.4	225.5	337.4	501.4	800.6	1,592.4
1985.....	16.9	33.0	58.1	95.3	150.7	216.1	321.9	479.1	787.0	1,565.2
1984.....	16.8	31.9	56.5	92.3	145.7	211.1	313.4	459.8	748.0	1,518.9
1983.....	16.6	31.4	57.1	92.5	139.1	204.1	306.8	458.4	760.2	1,506.6
1982.....	16.1	30.7	52.0	84.5	130.9	189.9	282.5	431.7	698.0	1,377.4
1981.....	16.4	31.7	54.6	87.7	127.8	186.6	274.7	426.1	716.0	1,396.3
1980.....	16.3	29.5	53.5	84.5	124.5	181.4	275.4	429.7	699.3	1,405.4
1979.....	15.8	30.4	52.1	79.0	120.5	171.1	256.0	395.6	662.5	1,269.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)										
TOTAL, FEMALE										
1998.....	6.8	10.9	18.7	31.3	51.5	81.1	132.4	218.8	403.0	1,099.7
1997.....	6.5	11.0	18.1	32.4	54.7	80.6	134.0	222.8	412.5	1,120.7
1996.....	6.4	10.6	19.4	32.1	55.9	81.2	131.8	223.2	415.3	1,132.8
1995.....	6.6	10.6	19.2	33.6	57.7	83.0	136.3	229.7	429.8	1,173.8
1994.....	6.5	11.1	18.5	32.7	56.2	83.7	140.2	233.3	431.9	1,160.3
1993.....	6.5	11.0	19.4	34.6	59.2	89.6	144.0	246.1	444.6	1,205.0
1992.....	5.8	10.2	19.6	31.7	56.0	85.9	140.4	235.9	426.7	1,174.8
1991.....	6.0	10.2	18.4	33.1	53.8	88.3	141.7	239.3	440.9	1,189.3
1990.....	5.2	10.5	19.8	34.5	56.9	87.8	142.7	241.1	444.7	1,209.7
1989.....	5.5	10.6	20.5	35.7	58.9	90.7	148.8	259.6	475.2	1,274.8
1988.....	6.1	11.2	23.1	38.5	64.2	104.1	168.4	291.0	532.6	1,449.2
1987.....	6.1	12.0	22.2	37.4	65.1	101.4	169.8	286.0	539.4	1,420.0
1986.....	6.3	12.6	22.3	36.6	63.6	98.1	168.5	289.0	545.5	1,434.3
1985.....	6.6	11.1	20.5	35.4	61.4	96.5	166.1	286.0	535.7	1,368.3
1984.....	5.8	11.0	21.9	35.5	58.8	92.4	158.7	269.7	526.4	1,319.7
1983.....	6.0	10.6	20.7	34.0	59.1	91.4	155.3	275.6	529.2	1,296.6
1982.....	6.3	11.5	18.9	32.4	53.8	86.0	143.0	254.2	497.7	1,222.0
1981.....	6.5	10.6	19.4	31.1	53.1	82.2	144.9	254.3	495.0	1,221.5
1980.....	6.3	10.9	18.5	30.2	52.7	83.8	143.4	255.2	498.7	1,239.0
1979.....	5.8	10.2	18.0	27.6	49.4	72.4	134.1	241.6	477.0	1,116.7
WHITE, BOTH SEXES										
1998.....	10.2	17.5	30.0	46.9	74.7	111.9	166.2	262.0	453.6	1,106.6
1997.....	9.9	18.1	29.2	49.3	80.0	112.6	173.7	268.2	461.5	1,141.3
1996.....	9.6	17.7	30.3	49.4	80.0	114.7	169.6	269.0	466.6	1,163.7
1995.....	9.9	17.4	31.6	49.5	81.9	116.7	177.9	278.0	477.7	1,193.2
1994.....	9.8	17.3	31.4	51.3	82.3	119.1	182.8	280.8	484.3	1,186.3
1993.....	9.7	17.5	31.2	52.3	83.9	126.1	186.9	294.0	497.7	1,230.9
1992.....	9.2	17.1	30.6	49.6	82.3	119.5	180.6	280.8	481.0	1,195.8
1991.....	8.8	17.3	30.1	50.5	82.9	121.8	186.4	288.9	496.4	1,206.8
1990.....	8.4	16.9	30.5	50.1	83.5	120.8	187.1	294.7	503.4	1,227.3
1989.....	8.4	16.6	30.9	54.5	84.7	126.2	192.4	308.4	527.6	1,291.9
1988.....	9.3	18.0	34.1	60.0	94.3	143.8	222.9	350.2	595.2	1,475.6
1987.....	9.6	18.4	34.9	57.8	92.8	142.5	222.0	343.1	595.5	1,446.0
1986.....	9.7	18.6	34.1	57.5	94.1	140.3	221.2	347.6	606.1	1,463.5
1985.....	9.3	18.4	32.3	55.8	91.0	136.0	212.3	341.0	599.3	1,418.8
1984.....	9.1	17.2	33.1	54.4	88.1	133.4	205.7	326.6	575.3	1,373.5
1983.....	9.0	17.2	32.3	52.7	84.5	128.6	200.5	326.8	582.9	1,356.5
1982.....	8.8	17.0	29.9	49.9	78.9	120.3	186.0	306.5	546.2	1,269.1
1981.....	8.9	17.1	30.8	50.3	77.8	118.0	184.4	305.1	550.9	1,272.8
1980.....	8.5	16.0	29.7	48.1	75.4	114.6	181.7	304.1	550.2	1,282.6
1979.....	8.2	16.1	29.4	44.9	73.0	104.7	169.4	284.3	529.4	1,163.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)										
WHITE MALE										
1998.....	15.5	26.9	45.3	69.0	109.0	157.8	224.8	338.8	559.9	1,132.4
1997.....	14.7	27.5	44.6	72.9	115.1	159.6	239.3	348.3	566.2	1,194.4
1996.....	14.6	27.3	46.3	73.7	116.1	164.3	233.8	350.6	581.7	1,243.2
1995.....	15.1	27.2	48.0	72.8	117.9	167.4	247.9	368.5	595.1	1,264.0
1994.....	14.9	26.5	49.1	77.9	120.1	173.6	254.7	370.7	611.2	1,269.1
1993.....	14.9	26.9	47.9	78.0	122.8	182.7	260.3	388.3	630.4	1,320.5
1992.....	14.9	26.6	46.6	75.6	121.7	173.1	249.9	370.6	612.3	1,275.5
1991.....	13.7	27.5	46.8	75.8	124.1	175.3	263.5	389.0	630.8	1,282.8
1990.....	13.2	26.1	46.3	73.4	124.0	175.5	264.2	404.7	649.7	1,307.0
1989.....	13.1	25.8	46.9	82.3	125.8	184.0	269.9	414.1	665.6	1,368.8
1988.....	14.3	28.1	51.1	90.5	140.0	208.6	317.9	473.1	755.9	1,571.8
1987.....	14.8	27.9	53.3	87.8	135.3	206.3	316.1	464.2	750.7	1,543.3
1986.....	14.7	27.8	51.8	87.1	139.0	207.3	314.1	472.7	765.0	1,564.8
1985.....	13.7	28.0	49.1	85.3	134.9	198.6	299.0	458.2	758.5	1,557.0
1984.....	14.0	26.3	49.6	82.4	131.2	196.0	291.6	443.0	712.7	1,516.0
1983.....	13.4	26.3	49.3	80.8	124.9	188.9	284.5	434.9	728.5	1,508.9
1982.....	13.1	25.2	45.9	75.3	117.0	175.0	262.4	413.6	672.1	1,379.5
1981.....	13.1	27.1	47.2	77.8	114.9	173.8	258.5	408.1	690.7	1,385.7
1980.....	12.7	24.1	46.1	74.0	110.4	167.8	256.0	408.9	675.4	1,389.7
1979.....	12.3	25.2	44.9	69.4	108.5	157.1	238.0	376.5	643.8	1,265.3
WHITE FEMALE										
1998.....	4.9	8.2	15.2	26.1	43.3	72.4	119.9	207.1	390.2	1,096.1
1997.....	5.0	8.8	14.2	27.0	47.9	72.4	122.5	211.4	399.9	1,120.2
1996.....	4.5	8.3	15.0	26.4	47.1	72.6	119.6	211.7	400.1	1,132.5
1995.....	4.8	7.8	15.9	27.6	49.2	73.9	123.5	215.3	411.3	1,165.9
1994.....	4.7	8.3	14.4	26.3	48.0	73.7	127.1	219.3	414.0	1,154.7
1993.....	4.5	8.2	15.1	28.2	48.8	79.3	130.3	230.3	425.4	1,196.9
1992.....	3.5	7.7	15.3	25.1	46.9	75.4	127.7	221.1	410.3	1,165.4
1991.....	4.0	7.4	13.9	26.9	46.0	77.9	128.1	223.1	424.9	1,178.4
1990.....	3.7	7.9	15.3	28.4	47.7	75.9	129.3	223.7	426.2	1,197.0
1989.....	3.7	7.7	15.4	28.6	48.5	78.8	134.6	240.5	455.0	1,263.2
1988.....	4.3	8.1	17.8	31.6	54.2	90.6	152.7	271.9	511.2	1,438.7
1987.....	4.5	9.1	17.4	30.1	55.7	90.0	152.8	266.3	514.7	1,408.4
1986.....	4.8	9.8	17.3	30.3	54.9	85.4	153.3	268.9	523.4	1,424.0
1985.....	5.0	9.0	16.4	28.8	52.6	84.8	149.3	267.5	516.5	1,364.7
1984.....	4.4	8.4	17.5	28.9	50.4	82.5	143.2	253.9	503.7	1,317.0
1983.....	4.7	8.4	16.2	27.2	49.2	79.7	139.6	259.4	506.9	1,295.2
1982.....	4.5	9.1	14.9	26.9	45.5	76.1	130.7	239.8	480.3	1,223.9
1981.....	4.7	7.4	15.2	25.5	45.3	73.1	131.0	241.0	477.6	1,225.6
1980.....	4.3	8.1	14.3	24.7	44.9	71.9	128.2	238.9	484.4	1,236.4
1979.....	4.1	7.4	14.8	22.8	42.2	62.7	120.1	226.9	468.8	1,118.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)										
ALL OTHER, BOTH SEXES										
1998.....	22.6	38.9	63.9	94.7	147.7	191.4	291.0	391.1	598.7	1,151.3
1997.....	21.4	38.3	64.9	98.2	153.8	188.3	292.0	386.3	626.4	1,155.3
1996.....	22.0	40.9	69.4	100.6	164.7	199.2	307.0	403.7	644.2	1,163.1
1995.....	23.6	42.1	67.4	108.8	164.5	214.2	327.1	442.4	695.7	1,297.5
1994.....	23.1	42.7	72.8	106.0	159.3	222.8	321.8	439.8	707.1	1,283.1
1993.....	25.7	44.0	76.3	122.9	177.6	241.7	342.7	470.6	739.6	1,343.7
1992.....	25.7	43.0	68.2	112.2	173.9	231.1	340.4	450.7	717.3	1,343.7
1991.....	24.0	43.3	70.6	114.7	170.4	243.2	351.5	479.0	716.0	1,386.5
1990.....	25.3	43.9	73.6	118.8	181.3	252.5	339.4	480.7	753.0	1,418.2
1989.....	24.6	46.5	83.4	124.1	197.1	272.2	368.3	533.1	797.0	1,469.5
1988.....	27.5	48.4	86.8	134.8	212.8	290.9	403.4	586.5	887.8	1,631.5
1987.....	27.7	47.3	85.2	129.6	204.2	284.3	403.8	577.7	930.2	1,619.2
1986.....	27.5	47.1	87.4	134.1	204.4	284.9	408.0	595.7	924.6	1,650.6
1985.....	26.4	43.1	81.5	124.5	201.7	272.5	409.1	548.5	869.1	1,479.9
1984.....	24.5	46.5	76.6	124.3	193.1	250.7	390.0	501.8	905.9	1,416.1
1983.....	25.0	43.8	80.1	132.3	197.4	256.3	389.5	532.8	900.8	1,363.2
1982.....	25.8	45.8	70.3	114.2	184.7	237.0	347.1	479.0	803.6	1,258.8
1981.....	27.2	46.4	78.0	119.4	177.1	221.9	340.5	470.7	811.2	1,289.5
1980.....	28.7	47.6	78.4	122.2	181.5	238.1	361.8	502.8	782.7	1,370.6
1979.....	27.5	47.8	74.1	111.8	168.6	217.9	340.6	463.6	688.8	1,167.2
ALL OTHER MALE										
1998.....	30.4	56.5	94.6	136.3	211.2	266.6	381.2	499.2	718.2	1,186.7
1997.....	30.2	57.3	94.1	141.6	230.8	261.9	390.2	483.1	783.0	1,220.2
1996.....	29.6	62.3	98.9	145.0	238.5	279.9	417.8	525.3	778.9	1,222.3
1995.....	33.3	61.6	102.2	158.9	236.6	306.6	449.3	570.6	836.2	1,391.5
1994.....	32.3	61.6	108.7	149.9	228.0	314.6	426.1	563.7	876.5	1,428.7
1993.....	36.6	64.3	114.5	184.7	245.9	346.1	462.6	597.1	912.4	1,464.0
1992.....	35.5	64.8	96.8	163.0	249.9	322.1	473.7	579.3	927.2	1,488.6
1991.....	32.6	63.4	101.7	169.5	253.2	345.6	487.0	623.9	901.6	1,539.5
1990.....	39.3	65.5	105.7	175.8	259.6	347.0	457.0	605.8	950.3	1,565.1
1989.....	35.2	68.1	122.0	177.3	280.3	388.7	506.3	686.0	978.5	1,592.6
1988.....	40.7	70.7	124.7	198.3	309.5	394.6	544.2	767.6	1,093.2	1,768.4
1987.....	41.9	68.9	125.8	183.0	292.4	402.3	525.7	739.5	1,137.5	1,761.0
1986.....	42.3	68.0	128.0	200.3	297.9	392.9	559.5	771.9	1,160.2	1,852.0
1985.....	38.4	66.1	123.6	176.6	291.2	376.2	541.0	674.3	1,067.6	1,642.5
1984.....	36.1	70.0	108.3	173.4	277.4	349.8	518.5	615.3	1,107.9	1,545.8
1983.....	38.5	66.5	116.1	190.3	268.2	344.2	517.4	676.1	1,088.7	1,462.9
1982.....	36.7	68.9	100.2	162.5	260.8	325.1	470.6	596.9	968.1	1,356.7
1981.....	38.7	65.0	114.0	173.4	249.1	303.8	426.5	593.0	982.4	1,501.6
1980.....	41.2	70.3	115.2	178.3	257.5	305.6	457.4	623.4	953.8	1,565.1
1979.....	40.7	70.6	113.1	165.2	235.9	296.9	426.9	565.9	862.8	1,315.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)										
ALL OTHER FEMALE										
1998.....	15.7	23.9	38.3	61.1	98.5	135.2	227.4	319.4	530.7	1,135.2
1997.....	13.7	22.2	40.4	62.9	94.5	133.5	223.3	323.3	538.4	1,125.9
1996.....	15.3	22.7	44.6	64.6	108.0	139.1	229.8	325.2	568.6	1,136.5
1995.....	15.2	25.5	38.3	68.1	109.2	145.5	242.0	360.7	618.5	1,256.8
1994.....	15.1	26.6	42.7	70.5	106.8	154.8	249.4	362.0	614.0	1,220.1
1993.....	16.2	26.7	44.1	72.8	125.5	164.7	259.0	392.1	643.4	1,291.2
1992.....	17.2	24.3	44.1	71.1	116.1	163.8	248.3	371.2	599.0	1,278.5
1991.....	16.6	26.1	44.2	70.5	107.4	167.7	259.1	388.9	608.3	1,309.5
1990.....	13.2	25.3	46.3	73.1	121.7	182.7	259.4	403.0	641.6	1,351.5
1989.....	15.5	27.9	50.6	81.1	133.9	185.6	273.8	437.5	693.4	1,412.6
1988.....	16.1	29.3	54.9	83.7	138.6	214.0	308.4	472.0	765.7	1,567.5
1987.....	15.6	28.6	51.3	86.7	136.1	196.4	320.7	474.1	811.7	1,552.1
1986.....	14.9	29.2	53.6	80.5	131.7	204.3	304.1	481.8	794.1	1,553.8
1985.....	16.0	23.4	46.5	82.4	131.7	194.9	318.2	465.9	753.3	1,410.7
1984.....	14.5	26.5	50.5	84.5	126.8	176.1	299.5	426.3	782.7	1,351.7
1983.....	13.4	24.5	50.9	85.3	140.9	191.0	300.0	436.7	790.3	1,312.9
1982.....	16.5	26.2	46.0	74.6	124.1	170.7	258.1	397.9	705.1	1,200.0
1981.....	17.4	30.8	48.7	75.2	119.7	160.0	276.7	388.0	707.3	1,181.7
1980.....	18.1	28.7	48.7	75.8	120.5	186.4	290.5	420.5	677.6	1,271.0
1979.....	16.4	29.0	42.4	67.3	114.2	157.3	274.9	391.5	584.7	1,100.9
BLACK, BOTH SEXES										
1998.....	29.1	50.3	81.1	120.5	182.2	234.4	351.7	457.6	682.6	1,267.9
1997.....	27.1	48.8	83.6	122.6	189.7	225.5	349.3	441.6	715.8	1,271.8
1996.....	28.0	52.5	88.7	126.3	204.0	237.5	365.7	460.9	724.8	1,264.7
1995.....	30.5	54.9	85.4	134.5	202.1	255.1	384.9	503.2	766.6	1,359.2
1994.....	29.5	54.9	91.3	129.9	192.4	262.7	383.5	501.1	788.5	1,336.1
1993.....	32.7	57.8	96.2	153.0	216.8	286.0	401.8	526.7	806.1	1,412.6
1992.....	32.5	55.6	86.2	138.3	212.6	275.9	394.2	505.1	785.2	1,440.3
1991.....	31.8	56.4	89.4	140.6	205.8	289.5	407.2	538.7	780.8	1,452.2
1990.....	31.9	55.7	89.8	144.0	215.6	294.1	385.8	534.8	811.4	1,501.1
1989.....	31.5	59.0	103.1	149.0	233.5	317.1	419.8	597.1	859.2	1,559.5
1988.....	35.1	61.4	105.8	161.7	252.7	336.9	458.7	651.6	975.0	1,740.7
1987.....	35.2	59.0	102.9	151.0	240.2	329.4	458.9	644.4	1,016.3	1,731.3
1986.....	34.6	57.8	105.5	158.6	242.6	328.6	461.0	659.8	1,007.1	1,752.2
1985.....	32.8	52.3	97.6	145.7	232.9	307.6	459.9	596.2	951.8	1,570.3
1984.....	30.7	55.9	89.6	143.3	222.5	281.9	438.2	557.0	985.2	1,504.2
1983.....	30.5	53.1	94.0	151.7	225.2	288.0	433.4	581.3	976.2	1,443.5
1982.....	30.7	54.4	82.0	130.7	209.6	266.5	385.0	527.4	874.8	1,331.8
1981.....	32.8	55.0	90.8	136.2	200.3	247.5	374.9	510.0	891.4	1,385.7
1980.....	33.6	56.0	89.8	138.4	201.7	262.8	394.4	547.0	857.7	1,454.8
1979.....	31.9	55.7	84.0	124.6	185.0	237.2	372.4	489.6	719.9	1,231.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)										
BLACK MALE										
1998.....	38.8	71.8	120.7	175.2	261.2	325.5	460.7	578.7	849.1	1,302.1
1997.....	38.2	72.7	122.1	179.2	288.2	313.0	461.1	559.1	933.7	1,359.9
1996.....	37.4	78.9	127.0	185.3	294.9	332.3	499.5	603.1	903.7	1,336.7
1995.....	43.0	80.0	130.9	200.1	292.0	361.8	535.5	656.7	955.2	1,459.5
1994.....	40.5	78.7	137.9	183.9	274.5	367.5	512.2	650.6	1,008.8	1,466.4
1993.....	46.2	84.6	146.7	232.2	300.6	408.8	549.6	676.3	1,017.9	1,558.0
1992.....	44.2	83.6	122.8	203.2	307.5	385.5	555.6	660.3	1,042.1	1,627.8
1991.....	43.3	83.1	131.3	209.7	304.5	410.6	569.7	706.6	1,007.9	1,639.1
1990.....	49.7	83.7	129.9	213.0	308.0	405.1	523.4	691.7	1,052.4	1,681.0
1989.....	44.4	87.7	153.2	212.8	330.3	458.3	585.3	779.8	1,074.2	1,727.3
1988.....	51.9	90.9	154.1	239.1	368.4	458.2	625.2	863.8	1,247.9	1,915.4
1987.....	53.3	87.0	152.5	210.9	343.6	471.8	597.2	838.9	1,246.7	1,928.1
1986.....	53.7	84.0	154.6	237.4	355.4	455.1	639.1	875.6	1,280.0	1,987.3
1985.....	48.1	80.8	149.1	205.9	337.5	425.1	617.1	738.2	1,203.4	1,771.0
1984.....	45.4	85.4	125.6	199.4	321.8	395.3	593.9	695.8	1,226.2	1,654.1
1983.....	47.6	81.7	135.7	217.0	308.7	385.7	581.6	741.8	1,185.4	1,556.7
1982.....	44.1	83.6	115.6	186.9	299.2	369.2	531.4	665.8	1,060.0	1,436.2
1981.....	47.5	77.7	133.7	198.7	282.1	342.9	478.2	644.3	1,081.8	1,608.9
1980.....	48.8	83.1	131.1	203.0	289.1	340.3	503.3	690.4	1,035.6	1,662.0
1979.....	47.9	82.6	129.2	185.4	260.2	327.5	478.8	595.0	897.4	1,407.7
BLACK FEMALE										
1998.....	20.5	32.2	49.0	78.0	123.2	166.4	275.8	380.0	595.3	1,253.7
1997.....	17.3	28.6	52.3	78.5	115.8	160.2	272.5	367.6	602.9	1,235.4
1996.....	19.8	30.2	57.6	80.2	135.6	166.6	274.8	372.1	632.5	1,235.2
1995.....	19.6	33.8	48.3	83.2	134.2	175.5	283.4	408.5	670.6	1,318.4
1994.....	20.0	35.0	53.3	87.6	130.3	184.8	297.2	410.9	676.3	1,283.2
1993.....	21.1	35.4	54.9	90.7	153.3	195.7	301.9	438.1	697.1	1,353.2
1992.....	22.4	32.1	56.3	87.1	140.8	195.8	286.6	414.5	652.2	1,362.2
1991.....	21.9	34.1	55.4	85.8	131.1	201.6	299.7	439.9	663.8	1,373.0
1990.....	16.8	32.1	57.0	89.3	145.8	213.8	295.5	442.9	686.6	1,424.9
1989.....	20.5	34.9	62.1	98.3	160.0	214.8	311.8	489.0	746.5	1,497.4
1988.....	20.8	36.7	66.0	100.0	164.7	248.9	347.9	524.7	830.9	1,664.4
1987.....	19.9	35.7	62.2	103.2	161.2	225.6	366.7	526.6	892.4	1,643.8
1986.....	18.6	36.1	65.3	95.1	156.6	235.9	342.3	527.8	858.2	1,644.9
1985.....	19.9	28.6	55.5	96.9	152.1	221.4	355.9	507.7	813.3	1,476.7
1984.....	18.3	31.5	60.0	97.4	145.5	198.2	334.3	469.9	852.0	1,433.3
1983.....	16.2	29.5	60.0	98.6	160.5	216.0	334.2	476.8	857.9	1,388.7
1982.....	19.5	30.5	54.8	84.9	139.4	190.7	284.4	440.6	767.4	1,280.5
1981.....	20.6	36.2	56.1	85.3	135.8	177.6	302.6	423.0	780.3	1,262.8
1980.....	20.9	33.8	56.5	85.6	132.4	205.0	316.8	453.7	751.1	1,351.3
1979.....	18.7	33.5	47.2	74.7	125.2	169.7	295.9	415.7	609.7	1,143.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
CEREBROVASCULAR DISEASES (430-438)										
TOTAL, BOTH SEXES										
1998.....	7.6	12.9	20.8	32.7	54.4	91.6	171.9	328.5	648.9	1,500.0
1997.....	8.4	13.4	21.2	33.8	56.8	94.8	179.6	334.7	655.7	1,584.6
1996.....	8.1	14.4	22.6	34.7	57.4	96.7	179.4	343.7	677.9	1,612.7
1995.....	8.3	14.0	22.2	35.5	57.7	97.2	182.1	345.3	685.2	1,636.5
1994.....	8.6	14.0	22.8	34.1	58.0	96.7	180.1	345.7	683.5	1,604.1
1993.....	7.9	14.1	22.1	35.3	57.2	96.0	182.1	349.1	677.3	1,607.7
1992.....	8.5	13.8	22.1	35.4	57.4	96.3	181.1	344.0	660.2	1,566.0
1991.....	8.3	14.6	22.9	35.6	57.0	101.1	186.6	351.5	678.5	1,587.7
1990.....	8.3	15.0	23.2	36.9	58.8	104.1	195.1	368.3	703.7	1,633.9
1989.....	8.3	14.4	23.7	37.6	61.4	106.6	198.6	379.1	729.5	1,671.6
1988.....	9.0	15.6	23.7	39.0	65.0	113.3	212.3	404.2	778.6	1,744.7
1987.....	9.1	15.2	26.0	39.3	66.6	111.9	219.3	410.6	795.4	1,760.1
1986.....	9.5	15.7	25.8	39.9	67.6	117.7	226.7	421.4	809.3	1,784.5
1985.....	9.7	16.2	26.6	41.5	68.5	121.7	236.4	447.1	853.3	1,865.1
1984.....	10.2	17.2	28.4	41.9	71.2	125.2	244.1	459.4	890.5	1,904.9
1983.....	9.6	18.4	27.2	43.0	74.1	130.5	249.2	483.3	925.1	1,949.8
1982.....	10.4	18.4	28.8	44.7	74.7	137.3	264.3	504.8	963.9	2,000.8
1981.....	10.9	19.1	30.2	47.0	80.8	145.0	284.6	526.2	1,031.3	2,134.1
1980.....	11.4	19.6	30.6	48.3	84.7	155.5	302.1	586.2	1,119.2	2,288.9
1979.....	12.0	20.4	32.1	50.7	88.6	158.2	318.1	589.0	1,130.4	2,264.9
TOTAL, MALE										
1998.....	8.2	14.8	22.9	37.5	64.2	104.0	193.1	357.5	673.6	1,347.2
1997.....	8.7	15.2	24.1	39.2	65.9	110.1	203.5	367.0	695.8	1,500.7
1996.....	9.0	16.0	25.2	40.1	66.7	111.8	205.5	383.0	721.5	1,512.7
1995.....	9.2	16.1	24.5	40.8	67.5	111.6	207.9	384.2	741.8	1,537.7
1994.....	9.8	16.1	25.3	39.4	66.9	114.3	205.7	394.4	747.6	1,521.8
1993.....	8.7	15.5	24.7	39.9	66.0	114.4	209.5	398.0	741.0	1,541.9
1992.....	9.1	15.4	24.4	39.8	66.9	112.6	208.7	389.9	719.5	1,500.8
1991.....	9.1	15.9	25.7	40.6	65.0	120.8	218.5	405.0	750.9	1,491.3
1990.....	8.7	16.1	25.8	42.3	66.6	121.9	226.5	426.8	774.5	1,533.2
1989.....	8.9	15.6	25.7	42.1	72.1	124.2	231.0	440.8	788.8	1,574.4
1988.....	9.9	17.0	26.0	44.8	76.5	131.3	249.4	467.5	850.2	1,655.7
1987.....	9.7	15.9	28.8	45.0	76.8	128.9	255.9	471.4	871.0	1,640.9
1986.....	10.3	16.5	27.6	44.7	77.6	134.9	262.0	481.7	899.7	1,671.2
1985.....	9.8	17.5	29.3	48.0	79.8	142.1	280.0	518.2	923.0	1,730.1
1984.....	10.7	18.7	30.8	47.9	81.6	148.7	287.1	520.5	970.2	1,816.2
1983.....	9.5	19.6	29.3	49.3	85.0	152.8	297.5	563.2	1,010.2	1,862.4
1982.....	10.4	19.6	31.1	51.5	84.9	163.3	315.2	581.2	1,029.2	1,924.0
1981.....	11.0	20.0	32.7	52.8	92.9	173.0	336.1	611.9	1,104.5	2,033.8
1980.....	11.9	19.4	34.7	54.1	99.0	184.7	361.2	675.9	1,217.1	2,199.2
1979.....	12.5	21.1	35.5	57.8	105.4	188.8	378.2	676.1	1,231.0	2,188.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)									
	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
CEREBROVASCULAR DISEASES (430-438)										
TOTAL, FEMALE										
1998.....	7.1	11.2	18.8	28.4	45.7	81.1	155.3	307.8	634.2	1,563.3
1997.....	8.2	11.6	18.5	28.7	48.6	81.9	161.1	311.9	632.2	1,618.4
1996.....	7.3	12.8	20.0	29.6	49.1	84.0	159.3	316.4	652.8	1,652.4
1995.....	7.4	12.0	20.0	30.7	49.0	85.2	162.4	318.5	653.3	1,675.0
1994.....	7.5	12.0	20.6	29.2	50.1	82.3	160.5	312.7	648.0	1,635.9
1993.....	7.2	12.7	19.6	31.0	49.4	80.9	161.2	316.4	642.4	1,632.9
1992.....	7.9	12.3	20.0	31.4	49.1	83.0	160.3	313.6	628.2	1,591.3
1991.....	7.5	13.3	20.2	31.0	50.1	85.1	162.6	316.5	639.7	1,625.0
1990.....	7.9	14.0	20.7	32.1	52.1	89.8	171.9	330.8	666.1	1,672.7
1989.....	7.7	13.1	21.8	33.5	52.2	92.2	174.6	339.6	698.4	1,709.5
1988.....	8.2	14.2	21.5	33.8	55.0	98.7	185.0	363.8	740.5	1,779.5
1987.....	8.6	14.5	23.4	34.1	57.7	98.2	192.7	372.1	755.8	1,807.1
1986.....	8.7	15.0	24.0	35.5	59.0	103.7	201.0	383.5	761.9	1,829.4
1985.....	9.6	15.0	24.1	35.6	58.8	105.1	204.7	402.3	816.7	1,918.9
1984.....	9.8	15.7	26.2	36.4	62.2	106.2	212.9	421.0	848.5	1,940.7
1983.....	9.7	17.3	25.3	37.4	64.5	112.6	214.3	433.2	880.2	1,985.6
1982.....	10.3	17.3	26.7	38.7	65.9	116.4	227.5	456.9	929.8	2,032.8
1981.....	10.8	18.4	27.9	41.9	70.2	122.5	247.4	472.5	992.5	2,175.4
1980.....	10.9	19.7	26.7	43.2	72.4	132.1	259.4	530.0	1,067.1	2,328.2
1979.....	11.6	19.8	29.1	44.3	74.2	133.7	274.7	534.4	1,076.4	2,298.9
WHITE, BOTH SEXES										
1998.....	5.7	9.5	16.4	27.0	46.6	82.1	161.4	317.8	640.3	1,524.5
1997.....	6.1	10.0	16.8	27.3	48.0	86.1	167.8	324.7	649.8	1,613.0
1996.....	6.0	10.8	18.1	28.6	49.0	86.3	166.8	332.8	669.1	1,639.4
1995.....	6.0	10.8	17.5	28.8	50.0	86.9	170.0	332.7	674.6	1,651.1
1994.....	6.2	10.7	17.7	28.1	50.1	87.0	167.2	333.9	672.2	1,624.4
1993.....	5.9	10.7	17.6	28.9	49.1	86.0	169.9	336.0	669.4	1,627.3
1992.....	6.2	10.6	17.9	28.8	49.3	86.4	168.5	332.4	652.8	1,584.2
1991.....	6.2	11.0	18.0	29.0	48.5	90.1	173.9	339.0	667.9	1,601.3
1990.....	6.0	11.1	18.4	30.5	50.4	92.9	182.1	355.9	694.1	1,652.5
1989.....	6.1	10.8	18.1	31.1	51.9	94.8	184.8	362.7	720.2	1,690.7
1988.....	6.7	12.0	18.6	31.9	55.4	100.6	197.8	389.5	767.1	1,767.1
1987.....	7.0	11.4	20.5	32.4	57.1	100.8	204.5	395.9	789.4	1,786.2
1986.....	7.1	12.4	20.1	33.3	58.4	106.1	211.8	406.5	801.6	1,812.5
1985.....	7.2	12.3	21.4	34.9	59.1	110.2	219.5	433.0	839.9	1,894.4
1984.....	7.9	13.4	23.1	34.9	61.8	112.4	226.4	446.1	876.7	1,946.6
1983.....	7.3	14.0	21.9	36.0	63.5	117.9	231.1	471.4	915.7	1,983.0
1982.....	7.6	14.3	23.4	37.5	64.3	124.1	248.3	489.5	954.2	2,039.2
1981.....	8.4	15.0	24.0	39.1	71.0	131.3	265.8	513.0	1,020.6	2,168.2
1980.....	8.8	15.1	24.9	40.6	73.6	139.4	282.5	568.0	1,111.0	2,328.4
1979.....	9.3	15.9	26.0	42.4	77.9	142.8	297.4	572.3	1,132.5	2,303.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

CEREBROVASCULAR DISEASES (430-438)

WHITE MALE

1998.....	6.3	11.0	18.0	30.4	53.6	93.2	181.5	345.8	665.2	1,365.9
1997.....	6.6	11.3	18.6	31.0	55.6	99.6	190.4	355.3	691.3	1,530.6
1996.....	7.0	11.8	19.8	32.3	56.2	100.1	190.6	370.8	717.6	1,537.7
1995.....	6.7	12.1	18.3	32.1	58.6	99.8	193.8	369.6	727.5	1,550.0
1994.....	7.0	12.0	19.4	31.9	57.5	103.3	190.6	381.5	732.4	1,539.8
1993.....	6.4	11.6	19.2	32.2	56.6	103.2	196.7	382.6	733.6	1,562.0
1992.....	6.6	11.8	19.6	31.7	57.0	100.7	194.4	376.5	714.6	1,521.7
1991.....	6.6	11.3	19.9	32.9	55.3	108.1	203.8	391.4	736.8	1,499.5
1990.....	6.3	11.6	20.1	34.7	56.9	108.7	211.7	412.9	765.2	1,549.8
1989.....	6.4	11.3	19.3	35.0	60.9	111.1	216.1	424.9	785.3	1,591.3
1988.....	7.4	12.5	20.5	36.5	65.5	117.7	233.3	452.3	838.0	1,685.4
1987.....	7.2	11.5	22.8	36.6	66.2	116.3	239.8	455.4	864.1	1,667.7
1986.....	7.3	12.7	20.9	36.7	67.5	121.1	246.0	464.9	891.7	1,701.8
1985.....	7.2	12.9	23.6	40.8	69.0	128.9	262.2	503.4	916.2	1,765.6
1984.....	8.1	14.4	24.6	39.3	70.9	134.7	268.7	510.8	959.6	1,862.8
1983.....	7.1	14.7	23.6	41.5	73.3	139.1	278.0	552.6	1,008.2	1,899.4
1982.....	7.5	14.8	25.3	43.0	73.2	148.5	296.3	565.6	1,022.0	1,965.7
1981.....	8.1	14.9	25.7	43.7	81.7	157.8	317.4	599.0	1,094.8	2,067.5
1980.....	8.9	14.7	28.4	45.5	86.0	167.3	340.1	657.4	1,208.1	2,236.9
1979.....	9.2	16.1	28.1	47.4	92.5	171.6	358.2	660.7	1,236.5	2,224.5

WHITE FEMALE

1998.....	5.1	8.1	14.9	23.8	40.1	72.6	145.5	297.7	625.5	1,589.6
1997.....	5.7	8.6	15.1	23.8	40.9	74.5	150.1	303.1	625.5	1,645.8
1996.....	5.1	9.9	16.5	25.2	42.3	74.5	148.2	306.2	641.1	1,679.3
1995.....	5.3	9.5	16.8	25.6	42.2	75.9	151.5	307.3	644.7	1,690.0
1994.....	5.4	9.4	16.0	24.6	43.4	73.3	149.1	301.4	638.8	1,656.7
1993.....	5.4	9.8	16.0	25.9	42.3	71.8	149.3	304.5	634.5	1,652.0
1992.....	5.8	9.4	16.2	26.1	42.5	74.6	148.8	303.1	619.5	1,608.1
1991.....	5.8	10.7	16.1	25.3	42.4	75.4	151.3	304.6	631.2	1,640.8
1990.....	5.7	10.6	16.9	26.6	44.6	79.9	159.9	319.2	656.6	1,691.4
1989.....	5.7	10.3	17.0	27.6	43.9	81.4	161.5	322.7	686.0	1,729.6
1988.....	6.0	11.6	16.9	27.7	46.6	86.5	171.5	349.6	730.1	1,798.5
1987.....	6.8	11.3	18.4	28.6	49.1	88.1	178.6	358.2	750.5	1,832.1
1986.....	6.8	12.1	19.4	30.2	50.5	93.7	186.9	369.8	754.8	1,855.6
1985.....	7.2	11.7	19.4	29.6	50.4	94.9	188.5	388.8	800.2	1,944.9
1984.....	7.7	12.5	21.7	30.8	53.8	94.2	195.7	405.7	833.5	1,979.7
1983.....	7.6	13.4	20.3	31.0	55.0	100.7	197.0	420.8	867.5	2,016.7
1982.....	7.7	13.8	21.6	32.6	56.5	104.4	213.5	442.2	918.7	2,069.3
1981.....	8.6	15.1	22.3	35.0	61.6	110.0	228.6	459.5	981.7	2,210.3
1980.....	8.6	15.6	21.6	36.1	62.8	117.1	241.0	512.4	1,060.0	2,367.8
1979.....	9.4	15.7	24.1	37.9	65.2	119.6	253.8	517.3	1,077.4	2,335.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
CEREBROVASCULAR DISEASES (430-438)										
ALL OTHER, BOTH SEXES										
1998.....	17.1	30.7	47.0	67.9	103.7	154.6	255.4	423.5	735.8	1,267.9
1997.....	20.0	31.9	48.4	72.8	112.4	155.0	276.2	425.0	714.7	1,313.3
1996.....	18.8	34.2	49.4	71.5	111.4	170.2	285.2	443.9	767.7	1,356.4
1995.....	20.2	32.3	50.9	77.2	108.6	172.1	287.3	463.1	794.3	1,488.1
1994.....	21.2	33.8	54.8	71.9	110.7	169.6	292.1	457.7	798.7	1,395.7
1993.....	18.7	34.6	50.2	75.7	112.7	172.7	288.5	475.2	757.3	1,405.7
1992.....	20.8	33.9	47.9	78.0	115.0	174.2	293.0	452.4	737.2	1,375.2
1991.....	19.8	36.3	53.1	78.5	119.6	188.8	299.4	469.3	789.6	1,444.5
1990.....	21.6	39.3	52.8	80.3	122.5	197.7	314.1	485.5	803.4	1,437.1
1989.....	21.5	36.5	58.6	81.9	135.0	205.2	324.6	534.5	829.1	1,469.5
1988.....	23.1	37.7	56.3	89.0	140.0	221.2	345.2	542.7	899.4	1,506.5
1987.....	22.6	38.1	61.4	89.1	142.2	208.2	355.0	550.3	859.7	1,478.8
1986.....	24.5	36.1	63.0	88.6	142.7	219.0	362.5	563.9	891.6	1,480.5
1985.....	25.2	40.7	61.4	91.4	148.1	221.8	391.2	582.5	995.8	1,536.2
1984.....	24.6	41.1	65.0	96.2	151.5	237.8	407.5	586.8	1,042.5	1,448.4
1983.....	23.7	46.8	64.9	98.6	165.1	241.2	417.5	598.8	1,029.4	1,572.7
1982.....	27.5	45.2	68.1	102.7	167.0	253.0	414.2	652.7	1,078.1	1,579.4
1981.....	27.2	47.0	76.6	112.0	168.3	265.1	462.8	655.3	1,155.6	1,746.3
1980.....	28.4	50.5	74.3	114.3	185.2	297.9	489.4	765.6	1,216.0	1,836.1
1979.....	30.4	52.7	80.8	121.1	188.2	294.3	520.9	751.4	1,105.4	1,822.4
ALL OTHER MALE										
1998.....	18.1	36.2	55.1	84.7	136.6	181.8	292.3	467.0	761.5	1,184.2
1997.....	20.0	38.1	60.4	93.3	137.4	188.8	318.4	479.9	743.0	1,239.4
1996.....	20.0	41.7	60.9	92.1	140.6	200.4	338.7	501.1	761.9	1,294.7
1995.....	23.1	40.7	65.7	98.7	132.1	203.2	337.7	529.0	891.9	1,422.1
1994.....	25.6	42.3	64.4	91.0	135.8	201.3	344.9	523.5	903.3	1,352.5
1993.....	21.7	41.1	61.6	93.3	136.8	206.4	328.1	553.2	816.7	1,354.8
1992.....	23.4	39.4	55.1	96.4	144.0	211.5	343.4	521.5	768.6	1,305.3
1991.....	23.7	45.8	63.9	94.7	142.3	229.0	357.4	537.4	889.9	1,415.1
1990.....	23.7	46.1	64.0	97.3	146.4	238.0	368.4	560.7	867.0	1,378.4
1989.....	24.5	44.1	68.4	94.7	165.3	240.2	374.4	593.2	824.0	1,417.3
1988.....	26.2	47.1	64.0	107.9	169.8	253.7	405.5	611.4	971.8	1,381.0
1987.....	26.6	44.2	70.2	111.1	167.3	244.2	409.4	622.3	940.2	1,389.6
1986.....	29.9	41.6	75.0	108.1	165.0	261.9	414.1	640.5	979.6	1,384.0
1985.....	26.9	47.9	71.2	106.7	176.2	263.3	449.7	656.8	982.9	1,395.9
1984.....	27.7	48.3	76.9	119.5	178.0	277.0	460.6	609.9	1,078.2	1,379.2
1983.....	25.7	53.9	73.0	114.2	192.6	278.6	481.2	661.4	1,030.9	1,485.7
1982.....	29.7	53.1	76.9	123.3	194.1	298.5	492.0	722.4	1,104.3	1,519.4
1981.....	30.9	56.5	88.7	131.0	198.9	312.0	512.0	731.7	1,206.6	1,698.4
1980.....	32.4	55.6	87.3	130.5	221.4	343.4	558.4	847.8	1,313.7	1,813.7
1979.....	36.7	59.7	99.0	150.1	229.4	343.9	568.2	811.5	1,172.1	1,810.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
CEREBROVASCULAR DISEASES (430-438)										
ALL OTHER FEMALE										
1998.....	16.3	26.0	40.3	54.3	78.2	134.3	229.5	394.6	721.2	1,306.2
1997.....	20.0	26.7	38.5	56.2	93.2	129.8	246.7	389.3	698.8	1,346.8
1996.....	17.7	27.8	39.7	54.7	89.0	147.8	247.8	407.0	771.0	1,384.2
1995.....	17.6	25.3	38.6	59.7	90.5	149.0	252.2	421.1	740.6	1,516.6
1994.....	17.5	26.5	46.8	56.5	91.5	146.1	255.4	416.4	741.2	1,414.5
1993.....	16.1	29.1	40.5	61.5	94.4	147.8	260.9	426.8	724.3	1,427.9
1992.....	18.5	29.1	41.8	63.2	92.9	146.5	258.1	409.6	719.5	1,406.7
1991.....	16.4	28.1	44.0	65.4	102.4	159.1	260.2	427.0	729.7	1,450.3
1990.....	19.7	33.5	43.2	66.6	104.4	167.9	277.1	438.8	767.6	1,463.7
1989.....	19.0	30.0	50.4	71.6	112.0	179.2	290.5	497.7	832.1	1,493.7
1988.....	20.4	29.7	49.7	73.8	117.1	197.0	304.8	499.1	853.4	1,565.1
1987.....	19.1	32.9	54.1	71.4	122.9	181.5	317.8	504.2	813.8	1,520.9
1986.....	19.9	31.3	53.0	72.8	125.4	187.0	327.1	514.5	845.7	1,526.9
1985.....	23.7	34.5	53.3	79.1	126.2	190.7	350.8	533.8	1,003.3	1,614.7
1984.....	22.0	35.0	55.1	77.4	130.6	208.0	369.5	571.4	1,015.6	1,482.8
1983.....	22.0	40.6	58.3	86.0	143.0	213.6	373.4	556.8	1,028.5	1,616.5
1982.....	25.5	38.5	61.0	85.8	145.4	218.9	358.1	603.5	1,062.4	1,597.7
1981.....	24.1	38.9	66.6	96.5	143.9	229.6	425.6	603.6	1,124.7	1,770.6
1980.....	25.0	46.3	63.7	101.0	156.1	263.0	437.9	709.5	1,155.9	1,847.6
1979.....	25.0	47.0	65.9	97.0	154.9	256.5	485.0	708.9	1,071.5	1,844.7
BLACK, BOTH SEXES										
1998.....	21.7	38.2	59.2	80.8	121.9	171.8	286.2	462.6	786.6	1,352.8
1997.....	24.7	40.5	58.8	86.0	130.8	174.9	311.3	452.0	745.3	1,388.8
1996.....	23.5	41.9	59.7	86.3	130.3	192.3	321.7	476.4	831.9	1,410.4
1995.....	25.0	40.0	61.0	91.5	124.0	194.3	324.8	494.3	836.7	1,518.2
1994.....	26.5	42.7	66.2	85.2	130.1	190.7	325.6	490.5	838.5	1,410.9
1993.....	24.0	43.2	60.2	90.3	129.7	191.5	325.9	512.3	799.9	1,424.2
1992.....	26.8	42.1	57.2	90.9	131.7	195.8	326.4	489.3	789.9	1,419.2
1991.....	25.0	44.1	63.7	92.8	136.8	211.5	330.2	499.2	837.7	1,471.1
1990.....	27.4	48.8	62.8	93.8	140.9	223.0	342.4	523.4	840.5	1,476.9
1989.....	26.4	44.7	68.8	93.2	156.5	231.6	363.1	581.4	871.3	1,500.9
1988.....	28.6	45.4	66.1	105.3	160.1	249.0	383.3	585.2	948.2	1,546.7
1987.....	28.3	46.2	70.7	101.9	163.1	233.5	385.6	588.4	906.8	1,526.4
1986.....	30.8	43.9	72.5	101.8	162.6	243.6	395.8	607.9	950.6	1,535.3
1985.....	30.8	49.2	72.1	105.3	166.8	247.3	424.4	627.8	1,045.3	1,584.6
1984.....	30.2	49.3	74.4	108.2	171.0	262.7	451.0	627.0	1,110.2	1,492.1
1983.....	28.0	54.8	74.6	111.9	186.3	263.7	456.7	645.4	1,095.2	1,630.4
1982.....	33.2	52.4	78.1	116.4	187.4	277.8	452.2	696.4	1,145.0	1,625.0
1981.....	32.2	54.0	86.8	123.7	189.0	287.5	506.7	702.2	1,242.6	1,806.5
1980.....	33.4	57.8	84.3	126.6	203.1	323.1	527.2	818.0	1,283.3	1,888.6
1979.....	34.8	58.9	90.0	133.4	205.1	314.2	562.4	784.8	1,144.8	1,867.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

CEREBROVASCULAR DISEASES (430-438)

BLACK MALE

1998.....	22.6	45.6	69.7	101.5	163.7	202.2	327.4	508.4	838.4	1,243.1
1997.....	24.4	49.1	74.9	113.3	162.7	210.9	361.6	509.6	771.4	1,281.6
1996.....	24.6	51.5	77.4	113.3	166.3	228.1	381.6	539.8	863.3	1,329.5
1995.....	27.7	51.2	81.8	118.1	152.8	229.3	378.6	562.1	950.5	1,393.9
1994.....	32.0	54.1	78.7	111.3	160.5	225.6	386.9	561.2	949.7	1,319.8
1993.....	28.2	52.5	76.7	115.5	156.7	231.5	373.0	595.6	871.3	1,361.7
1992.....	30.4	50.9	67.2	115.4	165.8	238.3	389.9	564.5	835.4	1,340.7
1991.....	30.1	57.0	79.4	113.4	163.7	258.6	398.9	587.3	957.4	1,415.9
1990.....	30.8	59.2	79.6	117.8	168.1	271.7	406.4	615.6	920.2	1,430.5
1989.....	30.2	55.2	82.6	110.2	194.0	272.0	424.2	652.2	853.6	1,454.5
1988.....	32.5	58.7	77.8	127.7	197.1	287.2	455.6	674.0	1,035.1	1,403.1
1987.....	33.9	55.3	83.6	127.0	188.5	272.0	448.6	670.9	989.1	1,443.8
1986.....	38.5	52.4	87.8	124.5	188.7	291.8	458.5	691.9	1,035.6	1,436.5
1985.....	34.0	58.6	85.2	123.6	202.9	294.1	499.2	712.9	1,012.6	1,429.0
1984.....	34.7	59.3	88.9	134.5	204.4	310.1	515.9	648.5	1,159.5	1,441.0
1983.....	31.0	65.6	84.1	130.3	216.4	302.1	529.9	719.4	1,095.1	1,553.3
1982.....	36.9	62.9	88.5	138.1	217.1	332.0	548.3	770.8	1,160.0	1,581.0
1981.....	37.6	66.2	100.6	145.8	225.8	339.9	564.9	789.9	1,309.1	1,755.4
1980.....	38.6	65.1	99.5	145.1	244.0	376.4	609.4	908.1	1,392.8	1,873.2
1979.....	43.3	67.2	111.4	166.8	251.3	368.9	623.5	850.9	1,200.0	1,840.4

BLACK FEMALE

1998.....	21.0	31.9	50.7	64.8	90.6	149.0	257.5	433.3	759.5	1,398.4
1997.....	25.1	33.2	45.8	64.7	107.0	148.0	276.8	415.7	731.9	1,433.1
1996.....	22.5	33.8	45.3	65.2	103.2	165.5	281.0	436.9	815.8	1,443.6
1995.....	22.6	30.6	44.1	70.7	102.3	168.1	288.5	452.6	778.7	1,568.8
1994.....	21.8	33.1	56.0	64.8	107.1	164.7	284.4	447.9	781.8	1,447.9
1993.....	20.4	35.4	46.7	70.5	109.3	162.0	294.2	463.0	763.2	1,449.8
1992.....	23.6	34.7	48.9	71.6	105.9	164.6	284.2	445.3	766.3	1,451.8
1991.....	20.5	33.3	51.1	76.5	116.3	177.3	284.7	447.4	776.0	1,494.5
1990.....	24.6	40.1	49.0	74.7	120.3	187.8	300.4	469.4	799.2	1,496.5
1989.....	23.2	35.8	57.4	79.7	128.1	202.4	323.8	539.5	880.5	1,530.7
1988.....	25.3	34.2	56.5	87.5	132.0	221.2	334.7	532.1	902.2	1,609.4
1987.....	23.6	38.6	60.2	81.9	143.8	205.5	343.1	538.4	862.6	1,563.2
1986.....	24.2	36.8	59.9	83.5	142.9	208.3	353.5	556.6	904.2	1,580.4
1985.....	28.1	41.5	61.3	90.4	138.9	213.0	375.0	574.7	1,063.3	1,657.1
1984.....	26.4	41.0	62.4	86.7	145.2	227.8	407.6	613.5	1,082.9	1,516.3
1983.....	25.5	45.9	66.9	96.9	163.2	235.4	408.3	595.8	1,095.2	1,667.7
1982.....	30.1	43.8	69.7	98.8	164.1	237.7	386.1	651.4	1,136.2	1,646.6
1981.....	27.7	43.8	75.7	105.7	160.0	249.4	466.1	645.5	1,203.8	1,815.9
1980.....	29.1	51.9	71.9	111.5	170.6	283.5	468.7	759.3	1,217.7	1,896.3
1979.....	27.8	52.1	72.4	105.9	168.4	273.2	518.5	736.4	1,110.5	1,881.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SUBARACHNOID HEMORRHAGE (430)										
TOTAL, BOTH SEXES										
1998.....	2.6	3.4	4.3	5.5	5.4	6.1	7.5	9.6	10.9	13.9
1997.....	2.8	3.6	4.5	5.5	5.7	6.3	8.2	9.9	11.6	13.5
1996.....	2.6	3.8	4.7	5.3	5.8	6.2	7.9	9.6	12.3	13.4
1995.....	2.8	3.9	4.7	5.8	6.4	6.5	7.8	10.0	11.5	13.3
1994.....	2.9	4.0	5.1	5.5	6.1	6.6	7.5	9.4	12.1	12.4
1993.....	2.7	4.0	4.9	5.6	5.9	6.6	7.6	9.3	12.1	12.6
1992.....	2.9	4.0	5.1	5.9	6.4	6.8	8.9	9.8	11.5	13.7
1991.....	2.9	4.3	5.4	5.7	6.3	7.0	8.4	9.6	10.7	13.7
1990.....	2.8	4.4	5.2	6.3	6.5	7.4	8.0	9.3	11.9	13.4
1989.....	3.1	4.1	5.2	6.1	6.3	7.5	8.8	9.9	12.4	12.2
1988.....	3.2	4.6	5.5	6.3	6.6	7.4	8.1	10.3	10.8	12.0
1987.....	3.3	4.1	5.5	6.3	6.6	7.8	8.6	9.6	11.5	11.6
1986.....	3.3	4.6	5.5	6.6	6.9	7.4	8.1	9.1	11.2	12.3
1985.....	3.4	4.6	5.5	6.1	6.6	7.3	8.4	9.9	10.8	11.1
1984.....	3.5	4.8	6.3	6.3	6.7	7.2	8.5	9.9	9.6	9.9
1983.....	3.5	5.4	6.1	6.3	7.1	7.3	7.8	9.2	9.5	9.2
1982.....	3.8	5.3	5.7	6.6	6.8	7.6	8.4	9.6	9.2	8.8
1981.....	3.8	5.3	6.1	6.7	7.5	7.8	8.2	8.9	9.6	8.8
1980.....	4.0	5.6	6.5	6.9	7.5	8.1	8.6	8.7	10.1	8.3
1979.....	4.2	6.4	6.4	7.7	8.0	8.5	8.9	8.7	9.5	8.8
TOTAL, MALE										
1998.....	2.2	2.9	3.2	4.1	4.0	4.1	5.4	6.3	7.4	10.4
1997.....	2.3	3.0	3.7	4.2	3.9	4.3	6.3	5.8	8.2	11.8
1996.....	2.5	3.0	3.8	3.9	4.2	4.5	5.9	6.2	7.5	10.4
1995.....	2.4	3.2	3.6	4.4	5.3	4.5	5.4	6.5	7.6	9.4
1994.....	2.6	3.4	3.7	4.1	4.5	4.7	5.3	7.0	8.4	9.0
1993.....	2.3	3.3	3.9	4.2	4.3	5.0	5.3	7.0	8.6	9.8
1992.....	2.4	3.6	4.0	4.4	4.7	5.1	6.4	6.8	6.8	12.2
1991.....	2.5	3.4	4.0	4.4	4.5	5.5	6.1	6.8	6.5	8.6
1990.....	2.3	3.5	4.2	4.6	5.1	5.8	6.0	6.2	9.1	8.4
1989.....	2.6	3.3	4.1	4.7	4.6	5.3	6.2	7.1	9.7	7.5
1988.....	2.9	3.8	4.6	4.8	5.6	5.3	5.9	7.4	7.1	8.5
1987.....	2.9	3.2	4.6	5.0	4.9	5.8	6.4	6.5	8.0	7.8
1986.....	2.7	3.8	3.8	5.5	5.2	5.5	5.8	5.7	9.1	9.4
1985.....	2.8	3.8	4.1	5.4	4.8	5.6	5.6	7.8	7.1	7.1
1984.....	2.7	4.0	5.0	5.5	4.7	5.7	5.5	6.8	6.9	7.9
1983.....	2.8	4.5	5.3	5.4	5.8	5.4	5.8	5.8	7.6	7.4
1982.....	3.3	4.2	5.0	4.9	5.0	5.9	5.9	7.0	6.7	6.8
1981.....	3.3	4.0	4.9	4.7	5.8	5.9	6.5	6.8	7.0	6.4
1980.....	3.6	4.2	5.6	5.0	6.2	6.1	6.9	6.7	8.0	6.6
1979.....	3.6	5.1	5.4	6.2	6.8	6.2	7.3	6.8	7.6	8.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SUBARACHNOID HEMORRHAGE (430)										
TOTAL, FEMALE										
1998.....	3.0	3.8	5.3	6.7	6.6	7.7	9.1	12.0	13.0	15.4
1997.....	3.3	4.1	5.2	6.7	7.4	8.0	9.8	12.7	13.6	14.2
1996.....	2.8	4.5	5.6	6.6	7.2	7.5	9.5	12.0	15.1	14.6
1995.....	3.1	4.5	5.8	7.1	7.4	8.1	9.5	12.4	13.7	14.9
1994.....	3.3	4.6	6.4	6.8	7.5	8.2	9.3	11.1	14.2	13.7
1993.....	3.1	4.7	5.7	7.0	7.4	7.9	9.3	10.8	13.9	13.6
1992.....	3.4	4.5	6.1	7.3	7.8	8.2	10.7	11.8	14.0	14.3
1991.....	3.2	5.3	6.7	6.9	7.9	8.2	10.1	11.4	13.0	15.7
1990.....	3.3	5.2	6.2	7.8	7.7	8.7	9.5	11.2	13.3	15.3
1989.....	3.6	4.9	6.3	7.4	7.7	9.4	10.8	11.6	13.9	14.0
1988.....	3.6	5.3	6.3	7.6	7.4	9.1	9.7	12.1	12.7	13.3
1987.....	3.7	5.0	6.4	7.4	8.1	9.5	10.1	11.6	13.3	13.1
1986.....	3.8	5.4	7.0	7.5	8.3	8.9	9.8	11.2	12.3	13.4
1985.....	4.0	5.3	6.7	6.7	8.2	8.8	10.4	11.3	12.8	12.7
1984.....	4.2	5.5	7.5	7.0	8.4	8.3	10.7	11.9	11.1	10.7
1983.....	4.2	6.2	7.0	7.1	8.2	8.8	9.3	11.3	10.5	10.0
1982.....	4.4	6.3	6.4	8.0	8.3	9.0	10.2	11.2	10.6	9.7
1981.....	4.3	6.5	7.2	8.4	9.0	9.3	9.5	10.2	11.0	9.8
1980.....	4.5	6.9	7.3	8.6	8.6	9.7	9.8	10.0	11.1	9.1
1979.....	4.7	7.6	7.4	9.0	9.0	10.3	10.0	10.0	10.5	8.9
WHITE, BOTH SEXES										
1998.....	2.1	3.1	4.1	5.3	5.1	5.8	7.3	9.4	10.6	13.3
1997.....	2.4	3.1	4.2	5.2	5.4	6.2	8.1	9.5	11.6	13.4
1996.....	2.3	3.5	4.5	5.2	5.6	6.0	7.6	9.4	12.0	13.2
1995.....	2.3	3.6	4.5	5.5	6.2	6.2	7.5	9.8	11.0	13.0
1994.....	2.6	3.5	4.7	5.0	5.8	6.1	7.2	9.1	11.6	12.4
1993.....	2.3	3.5	4.7	5.3	5.8	6.4	7.3	8.9	12.1	12.5
1992.....	2.5	3.6	4.7	5.7	6.2	6.7	8.6	9.4	11.5	13.6
1991.....	2.5	4.0	5.0	5.5	5.9	6.6	8.1	9.3	10.7	13.5
1990.....	2.3	3.9	5.1	5.9	6.1	7.0	7.8	9.1	11.7	13.3
1989.....	2.6	3.7	4.8	5.8	5.8	7.3	8.5	9.6	12.2	12.1
1988.....	2.9	4.3	5.1	6.1	6.1	7.2	7.9	10.0	10.5	11.9
1987.....	2.9	3.6	5.1	6.0	6.3	7.7	8.2	9.6	11.4	11.2
1986.....	3.0	4.3	5.0	6.1	6.7	6.9	7.9	9.1	10.9	12.1
1985.....	3.1	4.1	5.2	6.0	6.4	7.1	8.0	10.0	10.4	11.0
1984.....	3.2	4.4	6.0	5.8	6.7	7.1	8.2	9.9	9.8	9.9
1983.....	3.2	5.1	5.8	6.1	6.9	7.0	7.6	9.2	9.2	8.9
1982.....	3.3	5.0	5.3	6.4	6.6	7.4	8.2	9.6	9.1	8.8
1981.....	3.6	5.0	5.8	6.3	7.3	7.5	7.9	8.7	9.8	8.8
1980.....	3.8	5.2	6.2	6.6	7.3	7.9	8.5	8.5	9.6	8.2
1979.....	3.8	5.9	6.0	7.4	7.9	8.5	8.6	8.8	9.4	8.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SUBARACHNOID HEMORRHAGE (430)										
WHITE MALE										
1998.....	2.0	2.8	3.1	4.1	3.9	3.9	5.5	6.3	7.2	9.9
1997.....	2.1	2.7	3.5	4.0	4.0	4.3	5.9	5.8	8.3	12.3
1996.....	2.3	2.8	3.5	3.8	4.1	4.5	5.6	5.9	7.3	10.1
1995.....	2.1	3.1	3.4	4.2	5.2	4.3	5.3	6.5	6.9	9.8
1994.....	2.4	3.0	3.3	3.7	4.4	4.3	5.1	7.0	8.4	9.4
1993.....	2.1	3.0	3.9	3.8	4.1	5.0	5.2	6.7	8.8	9.8
1992.....	2.1	3.3	3.6	4.4	4.7	5.0	6.5	6.5	6.9	12.1
1991.....	2.3	3.1	3.8	4.3	4.3	5.2	5.9	6.7	6.6	8.4
1990.....	2.0	3.1	4.0	4.3	4.7	5.6	6.0	6.2	9.6	8.0
1989.....	2.3	3.0	3.9	4.5	4.4	5.2	6.1	7.2	9.6	8.0
1988.....	2.7	3.6	4.3	4.7	5.3	5.2	5.9	7.4	7.1	8.8
1987.....	2.6	2.9	4.4	4.8	4.8	5.7	6.2	6.4	7.8	7.8
1986.....	2.5	3.4	3.5	5.0	5.3	5.3	5.8	5.7	9.1	9.2
1985.....	2.7	3.3	4.0	5.4	4.6	5.4	5.3	7.9	6.6	6.5
1984.....	2.5	3.9	4.8	5.1	4.7	6.0	5.1	6.7	7.2	7.9
1983.....	2.6	4.3	5.2	5.3	5.7	5.4	5.7	5.9	8.0	6.8
1982.....	3.0	4.1	4.6	4.8	4.9	5.6	5.6	7.2	6.0	6.9
1981.....	3.2	3.8	4.6	4.5	5.8	5.6	6.3	6.6	7.1	6.1
1980.....	3.4	3.9	5.3	4.8	6.0	5.7	6.8	6.5	7.7	6.4
1979.....	3.3	4.8	5.1	5.8	6.6	6.2	7.0	6.8	7.5	8.4
WHITE FEMALE										
1998.....	2.3	3.3	5.1	6.5	6.3	7.4	8.8	11.6	12.7	14.7
1997.....	2.7	3.5	4.9	6.4	6.7	7.9	9.8	12.1	13.6	13.9
1996.....	2.3	4.1	5.4	6.4	7.0	7.3	9.1	11.9	14.6	14.4
1995.....	2.6	4.2	5.5	6.7	7.2	7.9	9.1	12.1	13.2	14.2
1994.....	2.8	4.0	6.0	6.2	7.2	7.6	8.8	10.5	13.4	13.5
1993.....	2.6	4.0	5.6	6.7	7.3	7.5	8.9	10.4	13.9	13.6
1992.....	2.8	4.0	5.8	6.9	7.6	8.1	10.3	11.3	14.0	14.2
1991.....	2.8	4.8	6.1	6.6	7.4	7.8	9.8	10.9	12.8	15.5
1990.....	2.6	4.7	6.2	7.3	7.4	8.2	9.1	11.0	12.8	15.3
1989.....	3.0	4.3	5.6	7.0	7.0	9.0	10.4	11.2	13.6	13.6
1988.....	3.1	5.0	5.9	7.4	6.8	8.8	9.4	11.7	12.2	13.1
1987.....	3.2	4.3	5.7	7.0	7.6	9.4	9.7	11.6	13.3	12.5
1986.....	3.5	5.2	6.5	7.2	8.0	8.3	9.5	11.3	11.8	13.2
1985.....	3.6	5.0	6.3	6.5	8.0	8.5	10.0	11.3	12.3	12.8
1984.....	3.8	4.9	7.1	6.5	8.4	8.0	10.4	11.9	11.1	10.7
1983.....	3.7	5.9	6.4	6.8	7.9	8.2	9.0	11.3	9.9	9.8
1982.....	3.7	5.8	6.0	7.8	8.1	8.7	10.0	11.1	10.7	9.6
1981.....	4.0	6.2	6.9	8.0	8.5	9.0	9.1	10.0	11.2	10.0
1980.....	4.2	6.4	7.1	8.2	8.5	9.6	9.6	9.8	10.5	8.9
1979.....	4.3	6.9	6.9	8.8	9.1	10.3	9.8	10.0	10.4	9.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SUBARACHNOID HEMORRHAGE (430)										
ALL OTHER, BOTH SEXES										
1998.....	4.8	5.1	5.4	6.6	6.8	8.1	8.5	12.0	13.4	19.3
1997.....	4.9	6.2	6.1	7.3	7.9	6.5	9.6	13.0	10.8	14.4
1996.....	4.3	5.4	5.9	6.3	6.8	7.1	10.8	11.3	16.2	14.9
1995.....	4.9	5.2	6.1	8.0	7.5	8.0	10.4	11.8	17.0	16.9
1994.....	4.7	7.0	7.6	8.8	7.6	10.4	10.8	13.0	17.0	12.2
1993.....	4.6	7.1	5.7	7.6	6.8	8.1	10.2	13.1	11.4	12.9
1992.....	5.4	6.7	7.1	7.1	7.3	7.6	11.0	13.5	11.2	15.2
1991.....	4.8	6.7	8.0	7.4	8.9	10.0	10.5	12.8	11.5	15.7
1990.....	5.4	7.0	6.0	9.1	9.3	10.7	10.0	10.8	13.7	14.2
1989.....	5.9	7.0	8.2	8.3	10.0	9.7	11.6	12.5	14.4	13.3
1988.....	5.3	6.2	8.0	7.4	10.0	9.1	9.9	12.7	14.4	12.9
1987.....	5.5	7.2	8.6	8.4	9.1	8.7	11.8	10.3	12.3	15.8
1986.....	4.9	6.4	8.5	9.7	8.3	10.9	9.9	9.0	14.8	13.9
1985.....	5.2	7.1	7.3	7.2	8.4	9.1	11.7	9.8	15.8	12.1
1984.....	5.5	6.8	8.6	9.6	7.0	7.5	11.2	10.3	8.1	9.2
1983.....	5.7	7.1	8.4	7.9	8.9	10.2	9.7	9.0	12.6	12.4
1982.....	6.9	7.3	8.6	8.0	8.1	9.6	10.6	9.9	11.2	*
1981.....	5.1	6.9	8.6	9.5	10.0	10.7	11.2	11.3	*	*
1980.....	5.7	8.6	8.6	9.5	8.7	9.7	9.9	10.9	15.7	10.6
1979.....	6.5	10.2	9.8	10.1	8.1	8.8	11.5	8.6	10.7	7.5
ALL OTHER MALE										
1998.....	3.0	3.8	4.1	4.8	5.0	6.0	*	*	*	*
1997.....	3.6	4.9	5.3	5.9	3.3	4.2	9.2	*	*	*
1996.....	3.4	4.2	5.3	4.6	4.3	4.6	8.6	8.3	*	*
1995.....	4.2	4.0	4.8	6.2	6.4	5.5	6.7	*	14.3	*
1994.....	3.8	5.9	6.3	7.0	5.3	8.2	7.3	*	*	*
1993.....	3.6	5.4	4.5	6.6	5.7	4.9	6.1	9.8	*	*
1992.....	4.6	5.6	6.5	4.6	4.9	5.8	6.2	9.4	*	*
1991.....	3.9	5.4	5.9	5.2	5.6	8.5	7.4	*	*	*
1990.....	3.9	5.7	5.7	6.1	8.4	7.4	*	*	*	*
1989.....	4.7	5.3	5.8	5.8	6.2	5.7	7.0	*	*	*
1988.....	4.0	5.4	7.0	5.5	7.8	6.1	6.5	*	*	*
1987.....	4.2	5.5	5.9	6.2	5.9	6.3	8.5	*	*	*
1986.....	4.2	6.4	6.5	9.0	4.6	7.1	*	*	*	*
1985.....	3.6	6.9	4.6	5.5	7.1	6.8	8.7	*	*	*
1984.....	3.6	4.3	6.8	8.6	5.2	*	8.8	*	*	*
1983.....	3.6	5.8	5.9	6.3	6.8	5.8	*	*	*	*
1982.....	5.3	5.1	8.1	6.0	6.3	7.8	8.7	*	*	*
1981.....	3.8	5.5	7.3	6.4	6.1	9.2	8.8	*	*	*
1980.....	4.9	6.5	8.0	6.7	7.6	9.1	7.6	8.4	11.5	8.2
1979.....	5.7	7.2	8.5	10.0	8.6	6.7	10.2	7.1	8.1	10.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SUBARACHNOID HEMORRHAGE (430)										
ALL OTHER FEMALE										
1998.....	6.4	6.2	6.5	8.0	8.1	9.6	11.5	15.9	15.8	21.8
1997.....	6.1	7.3	6.8	8.4	11.4	8.3	9.8	18.0	13.1	17.8
1996.....	5.1	6.5	6.4	7.6	8.7	9.0	12.4	13.2	19.9	15.9
1995.....	5.5	6.1	7.1	9.5	8.3	9.9	13.0	15.0	18.5	21.6
1994.....	5.6	8.0	8.7	10.3	9.4	12.1	13.2	16.9	21.9	15.1
1993.....	5.5	8.7	6.8	8.5	7.6	10.4	13.1	15.1	14.0	14.3
1992.....	6.0	7.7	7.6	9.2	9.2	8.9	14.3	16.0	14.5	15.9
1991.....	5.5	7.8	9.7	9.1	11.4	11.1	12.6	16.2	14.4	18.0
1990.....	6.8	8.2	6.2	11.4	10.0	13.2	12.8	13.3	18.7	15.1
1989.....	7.0	8.4	10.1	10.3	12.9	12.6	14.7	16.1	16.5	18.3
1988.....	6.4	6.8	8.8	8.9	11.8	11.3	12.3	16.2	18.1	16.0
1987.....	6.5	8.7	10.8	10.2	11.5	10.6	14.0	12.2	13.8	19.6
1986.....	5.5	6.5	10.2	10.2	11.1	13.7	13.1	11.1	18.1	15.4
1985.....	6.5	7.4	9.5	8.6	9.4	10.7	13.8	11.8	17.8	*
1984.....	7.2	8.9	10.1	10.5	8.4	10.4	12.9	11.5	*	*
1983.....	7.5	8.1	10.4	9.3	10.6	13.6	12.1	11.6	17.6	*
1982.....	8.3	9.1	9.0	9.6	9.5	10.9	12.0	13.0	*	*
1981.....	6.1	8.1	9.7	12.1	13.1	11.8	12.9	12.7	*	*
1980.....	6.3	10.4	9.1	11.9	9.7	10.1	11.7	12.5	18.3	11.8
1979.....	7.1	12.7	10.9	10.1	7.7	10.4	12.4	9.7	12.4	6.1
BLACK, BOTH SEXES										
1998.....	5.9	6.1	6.3	6.7	7.0	7.9	7.0	10.1	11.9	18.3
1997.....	5.8	7.0	6.7	7.9	8.1	6.6	8.1	10.0	8.6	12.3
1996.....	5.2	6.2	6.2	6.9	6.9	6.5	10.7	9.9	14.1	12.6
1995.....	5.9	6.3	6.7	8.9	8.0	7.1	10.0	9.4	14.8	13.9
1994.....	5.6	7.9	8.1	9.0	7.5	9.8	9.9	12.4	14.5	10.2
1993.....	5.7	8.2	6.3	8.6	6.7	7.5	10.1	12.6	9.7	11.3
1992.....	6.8	7.7	6.8	7.3	6.9	8.1	10.0	12.2	10.6	13.1
1991.....	5.8	7.6	9.0	7.8	8.7	10.3	9.8	12.7	9.8	14.2
1990.....	6.6	8.0	6.9	9.9	9.5	10.4	9.2	9.9	11.4	11.7
1989.....	6.9	8.0	9.1	9.0	10.0	9.8	11.0	11.9	13.8	10.5
1988.....	6.3	6.8	8.9	8.3	10.4	9.2	10.0	11.0	12.5	11.7
1987.....	6.4	8.4	8.8	8.7	10.1	7.8	10.4	9.5	12.2	13.9
1986.....	5.7	7.3	9.0	10.5	8.6	11.5	9.3	8.4	14.1	13.4
1985.....	5.6	8.3	7.8	7.6	8.5	9.1	11.3	8.4	14.7	11.3
1984.....	6.2	7.6	9.0	10.4	7.3	7.7	10.5	9.5	*	*
1983.....	6.3	7.4	9.3	8.8	9.1	10.4	9.8	8.3	11.9	12.0
1982.....	7.9	7.7	9.1	8.7	9.1	8.9	10.6	9.7	9.2	*
1981.....	5.8	7.7	9.4	9.9	11.0	11.1	11.4	10.4	*	*
1980.....	6.4	9.1	9.4	9.8	8.9	9.5	10.1	11.3	15.5	10.1
1979.....	7.1	10.9	10.2	10.4	8.2	9.1	11.1	8.8	10.0	8.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 SUBARACHNOID HEMORRHAGE (430)										
BLACK MALE										
1998.....	3.5	4.6	4.4	5.1	5.0	5.7	*	*	*	*
1997.....	4.1	5.6	6.2	6.8	*	*	7.9	*	*	*
1996.....	3.6	4.2	6.0	4.9	*	*	8.4	*	*	*
1995.....	4.6	4.8	5.8	6.6	6.8	*	*	*	*	*
1994.....	4.5	6.2	6.3	7.4	5.9	7.5	*	*	*	*
1993.....	4.6	6.5	4.6	7.6	5.7	*	*	*	*	*
1992.....	5.9	6.8	6.2	*	*	6.5	*	*	*	*
1991.....	4.4	6.4	6.3	6.3	5.5	8.2	7.6	*	*	*
1990.....	4.8	7.1	7.0	7.2	8.6	7.5	*	*	*	*
1989.....	5.4	6.6	6.3	6.5	6.7	*	*	*	*	*
1988.....	4.7	6.3	8.2	5.8	8.9	5.7	*	*	*	*
1987.....	4.7	6.7	5.7	6.6	6.5	*	*	*	*	*
1986.....	5.1	7.8	7.4	9.7	5.1	7.6	*	*	*	*
1985.....	4.0	7.9	5.0	6.1	7.5	7.4	9.3	*	*	*
1984.....	3.8	4.7	7.4	9.2	5.9	*	*	*	*	*
1983.....	3.9	6.5	6.2	7.1	6.9	*	*	*	*	*
1982.....	6.2	5.7	8.5	6.1	6.8	7.2	8.7	*	*	*
1981.....	4.7	6.1	8.1	6.8	6.9	10.2	8.8	*	*	*
1980.....	5.8	7.5	8.9	7.3	8.0	8.4	7.7	8.5	12.0	9.4
1979.....	6.6	7.6	9.2	10.6	8.3	7.4	10.6	6.8	6.5	11.5
BLACK FEMALE										
1998.....	7.9	7.4	7.9	8.0	8.5	9.5	9.5	12.4	13.5	20.8
1997.....	7.4	8.2	7.0	8.8	12.2	8.6	8.3	12.7	10.7	15.0
1996.....	6.6	7.8	6.4	8.4	9.0	7.7	12.2	11.1	17.5	14.3
1995.....	6.9	7.4	7.4	10.7	8.9	9.3	13.2	11.1	16.1	18.5
1994.....	6.5	9.3	9.6	10.3	8.7	11.5	12.3	16.7	19.6	12.8
1993.....	6.6	9.6	7.7	9.4	7.5	9.7	12.9	14.9	12.2	12.6
1992.....	7.6	8.5	7.2	9.8	8.8	9.3	12.5	14.6	14.6	12.5
1991.....	7.0	8.7	11.3	9.0	11.1	11.9	11.3	16.2	13.3	16.0
1990.....	8.2	8.7	6.8	12.1	10.1	12.4	11.7	12.5	14.7	*
1989.....	8.3	9.1	11.4	11.0	12.5	13.0	13.9	15.6	15.7	14.4
1988.....	7.6	7.2	9.6	10.3	11.6	11.8	12.6	13.2	14.6	14.8
1987.....	7.9	9.9	11.4	10.4	12.8	9.9	13.0	11.8	14.0	18.1
1986.....	6.2	7.0	10.3	11.1	11.3	14.3	11.7	10.7	17.6	14.5
1985.....	6.9	8.6	10.1	8.9	9.3	10.4	12.6	9.2	17.1	*
1984.....	8.1	10.0	10.2	11.3	8.3	10.3	12.5	11.7	*	*
1983.....	8.2	8.1	11.9	10.1	10.8	14.1	12.8	10.4	17.2	*
1982.....	9.3	9.4	9.6	10.8	10.8	10.2	11.9	13.1	*	*
1981.....	6.8	9.0	10.5	12.4	14.3	11.8	13.2	11.9	*	*
1980.....	6.8	10.5	9.9	11.9	9.6	10.3	11.8	13.2	17.6	10.4
1979.....	7.5	13.5	11.0	10.2	8.1	10.4	11.5	10.2	12.1	6.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
TOTAL, BOTH SEXES										
1998.....	3.2	5.6	7.9	11.0	16.3	23.4	38.0	61.8	94.3	121.8
1997.....	3.6	5.8	8.2	11.3	16.4	23.9	38.7	61.2	88.8	124.9
1996.....	3.3	5.9	8.4	11.2	15.4	22.6	34.7	55.7	81.8	111.8
1995.....	3.5	5.4	8.3	11.4	14.8	21.5	32.8	54.9	81.4	110.0
1994.....	3.5	5.5	8.3	10.7	15.3	21.5	33.2	52.1	76.7	106.2
1993.....	3.2	5.5	7.9	11.0	15.5	21.1	35.1	52.4	77.6	103.9
1992.....	3.4	5.3	8.2	10.9	15.4	21.7	34.2	51.9	77.0	108.4
1991.....	3.2	5.8	7.8	11.2	15.1	21.9	33.8	53.3	75.1	107.6
1990.....	3.3	5.8	8.3	11.4	15.6	21.8	34.7	53.1	79.3	108.2
1989.....	3.1	5.4	8.8	11.8	16.4	22.2	33.2	54.7	78.8	114.8
1988.....	3.3	6.5	8.3	12.1	16.6	24.3	36.9	57.0	83.7	111.8
1987.....	3.5	5.9	9.2	11.9	16.9	23.1	36.5	55.1	82.8	112.5
1986.....	3.6	5.9	8.8	11.9	16.2	24.5	36.8	56.6	80.9	115.3
1985.....	3.6	5.9	9.3	11.8	17.1	23.6	38.3	56.6	88.9	121.6
1984.....	3.8	6.6	9.2	12.0	16.8	24.1	38.8	56.9	82.6	114.8
1983.....	3.6	6.6	8.6	12.0	16.8	23.9	35.8	55.6	82.7	112.1
1982.....	3.6	6.3	10.0	12.6	17.4	25.3	37.6	57.3	85.5	118.0
1981.....	4.0	6.8	9.9	13.2	18.0	24.6	39.5	57.8	88.7	127.3
1980.....	4.2	7.0	9.7	13.5	18.9	26.5	40.9	63.2	92.0	141.1
1979.....	4.2	7.0	10.7	13.9	19.5	29.2	47.0	64.2	99.5	148.0
TOTAL, MALE										
1998.....	3.9	7.0	9.3	13.0	20.4	26.7	43.1	67.5	98.7	123.3
1997.....	4.1	7.3	10.1	13.9	19.4	28.4	44.1	66.9	94.3	129.4
1996.....	4.0	7.3	9.8	13.5	18.3	26.3	38.2	61.2	87.3	111.6
1995.....	4.3	7.0	9.8	13.6	17.7	25.0	36.5	58.6	86.6	115.9
1994.....	4.5	7.0	10.2	12.4	17.6	26.2	36.5	57.3	83.2	111.4
1993.....	4.0	6.8	9.7	12.5	17.6	25.2	40.4	57.7	85.4	109.2
1992.....	4.3	6.5	9.2	12.6	18.2	25.2	38.1	58.1	80.9	112.0
1991.....	3.9	7.0	9.4	13.2	17.0	26.4	38.0	57.9	81.0	111.2
1990.....	3.9	6.8	9.9	13.2	17.6	25.0	38.1	58.3	84.1	107.8
1989.....	3.8	6.5	10.0	13.9	18.5	25.7	37.6	63.1	83.1	123.5
1988.....	4.1	7.7	9.4	14.2	19.5	27.4	44.0	63.5	88.2	113.7
1987.....	4.1	7.1	10.6	13.9	19.2	25.9	40.6	60.9	91.9	116.2
1986.....	4.5	6.4	9.9	13.2	18.4	27.3	41.0	63.2	84.6	115.1
1985.....	4.1	7.0	10.4	14.0	19.8	27.5	45.3	62.0	95.0	113.4
1984.....	4.7	7.4	9.6	13.4	18.4	27.3	43.0	62.3	88.2	120.6
1983.....	4.1	7.9	9.6	13.7	18.4	27.0	39.9	60.6	91.7	109.4
1982.....	4.1	7.3	10.9	14.9	19.3	28.8	44.0	63.0	91.9	116.7
1981.....	4.5	7.6	10.5	14.8	19.8	28.3	44.3	64.3	93.4	127.2
1980.....	4.6	7.2	10.9	15.7	21.0	30.3	47.4	71.2	99.3	140.6
1979.....	4.8	7.8	12.5	15.6	22.2	34.2	53.0	71.4	108.5	144.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
TOTAL, FEMALE										
1998.....	2.4	4.2	6.5	9.2	12.7	20.6	34.0	57.8	91.6	121.1
1997.....	3.1	4.4	6.5	9.0	13.7	20.2	34.6	57.2	85.5	123.1
1996.....	2.6	4.6	7.1	9.1	12.8	19.6	32.1	51.9	78.6	111.8
1995.....	2.6	3.8	7.0	9.3	12.3	18.6	30.0	52.3	78.4	107.6
1994.....	2.6	4.1	6.6	9.1	13.3	17.7	30.8	48.6	73.1	104.2
1993.....	2.5	4.1	6.3	9.6	13.6	17.8	31.0	48.9	73.3	101.9
1992.....	2.5	4.1	7.2	9.3	13.0	18.9	31.2	47.7	74.8	107.0
1991.....	2.5	4.6	6.3	9.4	13.3	18.3	30.7	50.2	72.0	106.2
1990.....	2.7	4.8	6.7	9.8	13.8	19.3	32.2	49.8	76.8	108.4
1989.....	2.5	4.4	7.7	9.9	14.6	19.3	30.0	49.2	76.6	111.5
1988.....	2.6	5.3	7.2	10.2	14.0	21.7	31.8	52.9	81.3	111.1
1987.....	3.0	4.8	7.9	10.2	15.0	20.7	33.6	51.4	78.0	111.1
1986.....	2.8	5.5	7.8	10.8	14.2	22.2	33.8	52.4	79.0	115.3
1985.....	3.2	4.9	8.2	9.8	14.7	20.5	33.2	53.3	85.6	124.8
1984.....	3.0	5.7	8.8	10.8	15.5	21.6	35.7	53.5	79.7	112.4
1983.....	3.1	5.4	7.7	10.5	15.4	21.3	32.9	52.5	78.0	113.2
1982.....	3.2	5.4	9.2	10.6	15.7	22.4	33.0	53.7	82.1	118.5
1981.....	3.6	6.0	9.3	11.8	16.4	21.7	36.0	53.8	86.1	127.3
1980.....	3.9	6.7	8.5	11.6	17.1	23.5	36.2	58.1	88.2	141.3
1979.....	3.6	6.3	9.1	12.4	17.2	25.3	42.6	59.7	94.7	149.4
WHITE, BOTH SEXES										
1998.....	2.1	3.6	5.6	8.6	13.8	21.6	36.4	61.5	94.2	124.4
1997.....	2.2	3.9	6.1	8.7	13.9	21.9	37.3	60.9	88.3	126.8
1996.....	2.1	3.9	6.1	8.9	13.3	20.7	33.1	54.8	82.0	113.4
1995.....	2.1	3.5	6.0	9.1	12.6	19.7	31.6	53.7	80.8	111.3
1994.....	2.1	3.7	5.8	8.6	13.1	20.0	31.9	51.1	76.3	106.0
1993.....	2.1	3.6	5.8	8.5	13.3	19.4	33.6	51.6	77.5	104.5
1992.....	2.2	3.6	5.9	8.4	13.1	20.2	32.8	51.7	77.1	109.0
1991.....	2.1	3.7	5.4	8.9	12.8	19.9	31.9	52.3	74.9	107.1
1990.....	2.0	3.5	6.2	9.1	13.4	19.8	33.1	52.3	78.7	109.4
1989.....	2.0	3.6	6.1	9.4	14.2	20.1	31.8	53.6	78.2	114.5
1988.....	2.1	4.3	5.8	9.5	14.1	22.0	34.8	56.2	82.9	113.1
1987.....	2.4	3.9	6.7	9.7	14.5	21.3	35.0	53.5	82.7	113.7
1986.....	2.3	4.2	6.2	9.7	13.6	23.0	35.3	55.4	80.4	116.9
1985.....	2.2	4.1	6.9	9.9	14.7	21.9	36.8	55.3	87.1	122.0
1984.....	2.8	4.8	7.0	9.8	14.6	21.9	37.1	56.5	82.2	116.2
1983.....	2.4	4.2	6.6	10.0	14.6	21.7	34.4	55.1	81.8	113.2
1982.....	2.3	4.4	7.8	10.5	15.1	23.6	36.3	56.3	85.3	120.3
1981.....	2.6	4.7	7.6	10.7	16.4	23.1	38.3	57.7	88.2	129.2
1980.....	2.7	4.9	7.6	11.3	16.4	24.5	38.6	61.6	91.4	142.6
1979.....	2.8	4.9	8.3	11.6	17.3	26.7	44.5	63.0	99.5	151.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
WHITE MALE										
1998.....	2.7	4.4	6.8	10.1	16.8	24.5	41.6	67.5	98.8	125.9
1997.....	2.7	4.8	7.4	10.3	16.3	25.7	42.1	65.9	93.9	130.1
1996.....	2.6	4.9	7.0	10.4	15.2	23.9	36.4	60.2	87.9	113.7
1995.....	2.7	4.6	6.7	10.5	15.1	22.5	35.2	56.7	86.8	117.8
1994.....	2.8	4.5	7.3	9.9	14.9	24.3	35.0	55.8	82.4	111.7
1993.....	2.5	4.4	7.0	9.3	14.9	23.1	38.6	56.0	85.0	108.8
1992.....	2.8	4.5	6.7	9.2	15.3	23.0	36.8	57.4	80.9	112.7
1991.....	2.6	4.2	6.7	10.6	14.2	24.2	35.3	56.3	81.1	109.7
1990.....	2.3	4.2	7.3	10.5	15.0	22.3	36.0	57.0	81.6	108.4
1989.....	2.4	4.1	6.7	10.7	15.8	23.1	36.0	62.0	82.9	125.2
1988.....	2.6	4.7	6.6	10.9	16.6	24.8	41.2	62.5	87.1	115.3
1987.....	2.7	4.4	7.6	11.0	16.4	23.3	38.7	58.6	90.8	118.7
1986.....	2.7	4.5	6.6	10.5	15.5	25.4	39.3	61.5	83.9	118.0
1985.....	2.4	4.6	7.6	11.9	17.1	25.1	43.3	59.6	93.5	113.8
1984.....	3.3	5.2	6.9	10.7	15.8	24.8	41.9	62.2	86.8	121.8
1983.....	2.6	5.0	7.3	11.6	15.9	24.5	38.2	59.5	90.7	110.9
1982.....	2.6	4.9	8.3	12.3	16.6	27.0	42.3	61.9	91.1	119.7
1981.....	2.6	5.1	8.0	11.8	17.7	26.5	42.8	63.3	92.8	128.4
1980.....	2.7	4.8	8.6	12.9	18.1	28.0	44.4	69.3	98.2	143.4
1979.....	3.0	5.2	9.3	12.7	19.6	31.4	50.7	70.3	108.1	147.6
WHITE FEMALE										
1998.....	1.5	2.7	4.5	7.2	11.0	19.0	32.3	57.2	91.5	123.7
1997.....	1.8	3.0	4.9	7.1	11.8	18.7	33.6	57.3	85.0	125.5
1996.....	1.6	3.0	5.2	7.4	11.5	18.0	30.6	51.1	78.6	113.2
1995.....	1.5	2.6	5.3	7.8	10.2	17.5	28.8	51.6	77.4	108.9
1994.....	1.5	2.9	4.4	7.4	11.4	16.3	29.5	47.9	72.9	103.8
1993.....	1.6	2.9	4.8	7.8	11.7	16.3	29.7	48.6	73.5	102.9
1992.....	1.5	2.7	5.2	7.6	11.1	17.8	29.8	47.9	75.1	107.6
1991.....	1.7	3.3	4.3	7.4	11.5	16.4	29.3	49.7	71.6	106.2
1990.....	1.8	2.9	5.0	7.7	12.0	17.7	31.0	49.2	77.1	109.7
1989.....	1.6	3.1	5.5	8.1	12.7	17.6	28.7	48.2	75.8	110.5
1988.....	1.6	3.9	4.9	8.1	11.9	19.7	30.0	52.2	80.8	112.2
1987.....	2.1	3.3	5.9	8.4	12.8	19.6	32.2	50.3	78.5	111.8
1986.....	1.8	3.9	5.8	8.9	12.0	21.0	32.5	51.6	78.6	116.4
1985.....	2.0	3.5	6.3	8.0	12.7	19.3	32.0	52.5	83.8	125.2
1984.....	2.2	4.5	7.1	8.9	13.6	19.5	33.7	52.9	79.7	114.0
1983.....	2.1	3.5	6.0	8.6	13.4	19.5	31.6	52.3	77.2	114.1
1982.....	2.1	4.0	7.4	9.0	13.9	20.8	31.9	52.7	82.3	120.5
1981.....	2.6	4.3	7.3	9.8	15.2	20.4	35.0	54.1	85.8	129.6
1980.....	2.7	5.0	6.6	9.9	14.9	21.7	34.3	56.8	87.8	142.3
1979.....	2.6	4.6	7.4	10.7	15.3	23.0	40.1	58.4	95.0	152.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
ALL OTHER, BOTH SEXES										
1998.....	8.2	16.1	21.4	25.9	32.1	35.4	50.4	64.5	94.9	97.2
1997.....	10.2	16.4	21.1	27.5	31.9	37.6	50.3	64.2	93.6	107.1
1996.....	9.1	17.2	22.6	25.7	28.9	36.4	48.2	63.6	79.6	96.5
1995.....	10.5	15.9	22.7	25.1	29.6	34.4	43.5	66.3	87.4	96.0
1994.....	10.8	16.4	23.8	23.6	30.3	33.3	44.9	61.2	80.5	108.8
1993.....	9.2	16.4	20.9	26.6	30.8	34.7	48.2	60.6	78.2	98.1
1992.....	10.0	15.8	21.8	26.8	31.9	34.2	46.4	53.8	75.5	101.8
1991.....	9.1	18.1	22.2	26.0	31.7	37.9	50.9	62.0	77.6	112.8
1990.....	10.5	19.7	21.4	27.3	31.8	38.6	49.3	61.4	86.4	96.0
1989.....	9.9	16.7	25.9	28.4	33.6	39.5	46.4	64.6	85.3	118.4
1988.....	10.8	19.6	24.3	30.6	35.9	43.5	56.8	64.8	91.6	98.4
1987.....	10.9	18.4	25.4	28.4	36.5	38.6	51.0	70.1	83.4	99.6
1986.....	12.2	16.5	26.3	28.6	36.9	37.8	50.3	67.9	86.5	97.8
1985.....	12.7	17.3	25.0	26.5	36.8	38.8	52.0	69.6	107.7	116.5
1984.....	10.3	17.6	24.3	29.3	35.9	44.1	53.9	61.3	87.9	99.1
1983.....	11.3	22.0	22.8	27.8	36.1	42.5	49.0	61.3	92.4	99.5
1982.....	11.7	18.9	26.1	29.5	37.3	40.0	49.7	67.2	87.6	93.0
1981.....	13.0	20.5	26.9	33.8	32.5	37.8	51.0	59.4	94.2	105.8
1980.....	14.1	21.1	25.6	32.3	41.6	44.8	63.2	78.7	99.5	123.2
1979.....	13.1	22.3	30.2	33.1	40.1	51.1	70.9	76.6	99.1	110.9
ALL OTHER MALE										
1998.....	10.1	21.9	25.9	32.2	45.0	42.6	55.6	67.2	98.4	100.3
1997.....	11.4	21.8	27.8	37.1	41.2	48.1	61.8	75.9	98.1	123.2
1996.....	11.2	22.2	28.2	34.2	39.8	44.6	54.0	71.4	82.0	93.3
1995.....	13.2	22.0	30.1	34.1	36.0	44.5	48.9	77.2	84.3	98.8
1994.....	14.2	22.9	29.2	29.8	37.7	41.3	50.3	72.2	91.3	109.0
1993.....	12.3	22.6	27.8	34.3	38.0	42.3	56.9	74.6	89.8	112.4
1992.....	13.0	19.9	25.6	36.4	40.4	43.9	50.6	65.5	81.2	105.8
1991.....	11.7	25.0	27.3	31.5	40.1	45.3	63.3	73.5	79.8	125.6
1990.....	13.8	24.1	27.2	33.1	38.9	48.7	58.8	70.6	109.2	102.0
1989.....	12.6	22.7	32.4	37.3	41.3	48.8	53.8	73.9	86.0	107.4
1988.....	13.4	27.0	28.3	38.9	44.0	51.0	70.6	73.1	99.1	98.7
1987.....	14.1	24.2	31.8	36.6	43.2	49.8	58.3	82.8	103.6	92.2
1986.....	16.4	18.6	33.4	34.1	43.9	45.5	57.2	80.0	92.6	88.0
1985.....	15.6	22.5	31.0	30.4	44.0	49.9	64.0	84.0	109.5	109.6
1984.....	13.6	22.5	29.6	35.2	42.5	50.5	53.2	63.4	103.0	109.7
1983.....	14.5	27.7	27.5	30.9	41.4	49.7	56.0	70.6	101.0	94.3
1982.....	14.7	24.4	31.9	37.7	45.3	45.6	59.2	72.4	100.0	88.1
1981.....	17.5	25.3	31.5	40.4	39.8	44.2	58.7	73.7	100.0	115.6
1980.....	18.0	25.5	30.0	40.9	48.6	51.6	75.2	89.3	111.2	111.9
1979.....	17.6	27.8	40.3	41.0	47.1	59.2	74.2	80.8	112.8	115.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
ALL OTHER FEMALE										
1998.....	6.5	11.3	17.7	20.8	22.2	30.1	46.8	62.6	92.9	95.8
1997.....	9.2	11.8	15.6	19.7	24.8	29.7	42.2	56.6	91.1	99.8
1996.....	7.3	12.9	17.8	18.8	20.5	30.4	44.2	58.6	78.2	98.0
1995.....	8.1	10.8	16.5	17.8	24.7	26.8	39.7	59.4	89.1	94.8
1994.....	7.8	10.8	19.3	18.6	24.7	27.3	41.2	54.4	74.6	108.7
1993.....	6.6	11.0	15.1	20.3	25.3	29.1	42.1	51.9	71.8	91.9
1992.....	7.4	12.3	18.5	19.1	25.4	27.0	43.6	46.6	72.3	100.0
1991.....	6.9	12.1	18.0	21.5	25.4	32.5	42.5	54.9	76.0	106.3
1990.....	7.6	15.8	16.4	22.6	26.5	31.2	42.8	55.7	73.5	93.3
1989.....	7.5	11.5	20.4	21.2	27.8	32.6	41.3	58.9	84.9	123.4
1988.....	8.7	13.3	20.9	23.8	29.6	37.9	47.5	59.5	86.8	98.2
1987.....	8.3	13.4	20.1	21.8	31.3	30.3	46.0	61.9	71.9	103.1
1986.....	8.7	14.7	20.4	24.2	31.4	32.0	45.6	60.0	83.5	102.6
1985.....	10.3	12.9	20.1	23.4	31.2	30.4	43.7	60.2	106.7	120.7
1984.....	7.5	13.5	19.9	24.6	30.8	39.1	54.2	59.9	78.6	93.8
1983.....	8.5	17.1	18.9	25.3	31.8	37.1	44.2	55.1	87.3	102.2
1982.....	9.2	14.3	21.5	22.8	31.0	35.8	42.9	63.5	80.3	94.7
1981.....	9.1	16.4	23.2	28.5	26.6	32.9	45.2	49.8	90.7	100.8
1980.....	10.8	17.5	22.0	25.2	35.9	39.5	54.2	71.5	92.3	129.0
1979.....	9.3	17.7	21.9	26.5	34.5	44.9	68.3	73.6	91.2	109.6
BLACK, BOTH SEXES										
1998.....	10.7	19.8	26.4	30.1	35.1	35.7	49.3	58.5	84.4	86.2
1997.....	13.0	21.2	25.0	30.9	35.5	38.4	49.8	58.3	79.7	97.8
1996.....	11.6	21.3	26.5	30.8	32.0	36.5	47.7	58.2	73.7	84.9
1995.....	12.9	19.8	26.8	28.4	31.1	35.0	44.1	60.6	75.1	83.2
1994.....	13.5	20.7	28.8	27.9	33.3	33.5	43.8	56.9	73.7	96.0
1993.....	11.9	21.4	24.8	30.2	33.1	34.5	49.4	54.3	74.7	85.7
1992.....	12.9	20.0	25.9	30.6	34.1	33.8	45.1	49.2	67.8	96.2
1991.....	11.7	22.1	26.3	29.4	33.3	38.9	49.3	55.4	71.4	105.2
1990.....	13.6	24.6	24.7	31.1	35.0	41.3	46.1	57.9	80.8	93.0
1989.....	12.3	20.3	30.0	30.7	38.4	41.4	47.6	62.4	82.3	114.1
1988.....	13.8	23.9	28.4	35.4	38.8	45.8	56.6	65.3	87.5	93.0
1987.....	14.0	22.3	28.3	31.7	39.8	39.2	50.3	67.2	80.2	93.3
1986.....	15.5	19.8	29.7	31.8	40.6	39.1	50.6	66.7	84.7	93.5
1985.....	15.9	20.8	29.2	29.2	39.6	40.9	50.6	68.4	103.7	114.4
1984.....	13.2	21.1	27.2	32.4	39.1	46.0	56.5	61.0	89.8	97.4
1983.....	13.5	26.1	26.2	30.3	38.9	43.9	50.4	62.2	91.6	98.9
1982.....	14.2	22.3	29.6	32.2	40.0	42.4	51.2	68.8	88.5	94.3
1981.....	15.5	23.1	29.9	35.9	35.1	38.2	52.8	60.2	96.2	103.6
1980.....	16.7	24.3	28.5	35.1	44.2	46.9	65.2	80.2	98.4	120.7
1979.....	15.1	25.0	33.3	35.6	43.9	52.7	73.7	76.3	97.0	110.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
BLACK MALE										
1998.....	12.9	27.6	32.6	36.9	50.2	42.7	56.1	59.2	92.5	83.5
1997.....	14.3	28.5	33.3	44.0	47.2	48.3	63.0	67.7	79.4	101.6
1996.....	14.4	28.0	34.4	41.8	44.0	45.5	53.0	67.3	77.1	74.4
1995.....	15.9	27.5	36.6	38.2	38.1	45.8	48.1	67.9	67.1	78.3
1994.....	17.6	29.4	35.5	36.7	40.4	40.1	49.5	64.4	79.6	86.4
1993.....	16.1	29.6	34.4	41.2	41.7	41.5	57.9	60.5	85.7	86.0
1992.....	16.9	26.0	31.1	43.7	43.5	44.2	50.3	57.7	71.2	96.2
1991.....	15.2	31.5	33.5	35.6	42.9	45.8	60.6	67.4	61.4	118.8
1990.....	18.2	30.5	32.8	39.1	42.1	52.1	53.8	63.8	102.7	90.5
1989.....	16.1	28.1	38.8	42.9	47.5	52.7	54.4	75.8	73.2	95.5
1988.....	16.9	34.3	34.4	44.6	49.5	53.4	71.6	72.3	91.5	93.8
1987.....	18.2	30.2	37.2	40.0	45.8	49.6	59.0	80.6	97.8	87.5
1986.....	21.3	23.3	37.6	37.8	47.0	46.9	57.3	77.3	85.6	74.6
1985.....	19.8	27.3	36.7	33.3	49.6	54.0	62.6	82.9	95.4	108.1
1984.....	17.6	27.8	33.2	39.7	47.1	53.4	55.5	59.9	100.0	111.5
1983.....	18.0	33.8	31.9	33.8	43.7	49.6	57.8	72.1	98.8	95.0
1982.....	18.1	29.3	35.8	40.0	48.4	49.7	60.3	69.6	93.8	89.7
1981.....	21.5	29.2	35.1	44.1	42.9	43.8	59.8	75.3	109.1	105.4
1980.....	21.4	29.7	34.0	43.6	51.8	54.5	78.0	90.9	112.0	107.5
1979.....	21.1	31.3	45.2	44.4	52.7	60.7	75.7	82.0	106.5	113.5
BLACK FEMALE										
1998.....	8.8	13.3	21.4	24.8	23.8	30.4	44.6	58.1	80.2	87.4
1997.....	11.8	15.1	18.2	20.6	26.8	31.0	40.7	52.4	79.9	96.2
1996.....	9.3	15.7	20.0	22.2	22.9	29.7	44.1	52.5	72.0	89.2
1995.....	10.3	13.4	18.8	20.7	25.7	26.9	41.3	56.1	79.2	85.2
1994.....	9.9	13.4	23.3	21.0	28.0	28.5	40.0	52.4	70.6	99.9
1993.....	8.4	14.4	16.9	21.6	26.6	29.4	43.7	50.7	69.0	85.6
1992.....	9.4	14.9	21.6	20.3	27.0	26.2	41.6	44.2	66.1	96.2
1991.....	8.7	14.3	20.6	24.6	26.0	34.0	41.9	48.4	76.5	99.4
1990.....	9.6	19.5	18.1	24.8	29.6	33.5	41.0	54.5	69.5	94.0
1989.....	9.1	13.8	22.8	21.0	31.5	33.3	43.2	54.5	87.0	122.9
1988.....	11.2	15.3	23.4	28.1	30.7	40.2	46.6	61.1	85.4	92.6
1987.....	10.5	15.7	20.9	25.1	35.2	31.7	44.4	59.2	70.8	95.8
1986.....	10.6	16.9	23.1	26.9	35.9	33.3	46.0	60.1	84.2	102.2
1985.....	12.7	15.3	23.0	25.9	31.8	31.4	42.7	59.3	108.2	117.3
1984.....	9.5	15.5	22.3	26.5	33.0	40.5	57.2	61.7	84.2	90.7
1983.....	9.8	19.7	21.5	27.4	35.2	39.8	45.6	55.6	87.6	100.8
1982.....	10.9	16.6	24.7	25.9	33.5	37.1	44.9	68.5	85.5	96.6
1981.....	10.4	18.1	25.7	29.3	29.0	34.1	48.0	50.4	88.6	101.8
1980.....	12.8	19.8	24.1	28.1	38.2	41.2	56.1	73.2	90.3	127.3
1979.....	10.2	19.8	23.5	28.3	37.0	46.7	72.3	72.0	91.1	108.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)										
TOTAL, BOTH SEXES										
1998.....	*	0.2	0.3	0.6	0.8	1.4	1.8	3.0	5.5	7.6
1997.....	0.1	0.2	0.3	0.5	0.8	1.5	2.2	3.3	5.3	6.6
1996.....	0.1	0.2	0.4	0.6	0.9	1.4	2.4	3.6	5.4	7.8
1995.....	0.1	0.2	0.4	0.6	1.0	1.5	2.4	3.3	4.6	7.3
1994.....	*	0.3	0.4	0.5	0.8	1.6	2.3	3.5	5.7	6.8
1993.....	*	0.2	0.4	0.7	0.9	1.4	1.8	3.2	4.2	6.7
1992.....	*	0.2	0.3	0.5	1.1	1.5	2.4	3.7	5.3	7.2
1991.....	*	0.2	0.3	0.5	0.8	1.5	2.1	3.5	5.0	6.3
1990.....	*	0.3	0.4	0.5	0.9	1.8	2.6	3.6	4.6	6.7
1989.....	*	0.3	0.4	0.5	1.0	1.6	2.5	3.6	4.9	7.2
1988.....	*	0.2	0.3	0.6	0.9	1.3	2.5	4.0	5.8	7.5
1987.....	*	0.2	0.4	0.6	1.0	1.5	2.8	3.8	5.6	8.6
1986.....	*	0.2	0.3	0.7	1.1	1.8	3.0	4.3	5.9	7.2
1985.....	*	0.3	0.5	0.8	1.4	2.2	3.2	4.5	6.6	8.3
1984.....	*	0.2	0.5	0.8	1.3	2.6	3.7	5.1	6.4	8.8
1983.....	*	0.3	0.5	0.8	1.3	2.7	3.4	4.6	6.1	8.6
1982.....	*	0.2	0.6	1.0	1.6	2.7	3.7	5.2	5.9	9.3
1981.....	0.2	0.4	0.7	1.0	1.8	2.9	4.8	5.8	7.9	9.8
1980.....	0.2	0.4	0.5	1.1	1.7	3.0	4.2	6.1	7.7	9.6
1979.....	0.2	0.4	0.7	1.2	1.9	2.9	5.1	5.6	7.1	12.2
TOTAL, MALE										
1998.....	*	*	0.4	1.1	1.1	1.7	2.5	4.2	7.3	8.6
1997.....	*	0.2	0.4	0.6	1.2	2.1	2.9	4.2	7.3	8.1
1996.....	*	0.3	0.5	0.9	1.4	1.8	3.3	5.1	7.4	10.2
1995.....	*	0.3	0.6	0.9	1.3	1.9	3.5	3.7	6.6	9.5
1994.....	*	0.4	0.5	0.7	1.1	2.1	3.2	5.1	7.9	8.8
1993.....	*	*	0.5	1.1	1.2	2.0	2.4	4.7	5.5	10.0
1992.....	*	*	*	0.7	1.3	2.2	3.3	5.0	6.5	9.8
1991.....	*	0.4	*	0.8	1.2	2.0	3.1	4.5	6.2	8.5
1990.....	*	0.4	0.6	0.7	1.2	2.6	3.3	5.1	6.9	9.0
1989.....	*	0.4	0.5	0.7	1.3	1.9	3.5	5.1	6.9	9.1
1988.....	*	*	0.5	0.8	1.2	2.1	3.2	5.3	8.2	8.0
1987.....	*	*	0.6	0.8	1.3	2.2	3.7	5.0	7.0	8.0
1986.....	*	*	0.4	0.9	1.5	2.2	4.1	5.8	7.8	6.8
1985.....	*	0.5	0.7	1.0	2.0	2.8	4.3	6.4	9.5	11.3
1984.....	*	0.4	0.7	1.0	1.9	3.3	4.7	6.3	8.2	10.0
1983.....	*	*	0.6	1.3	1.5	3.5	4.6	6.4	8.3	11.6
1982.....	*	*	0.7	1.5	2.3	3.8	4.7	7.0	8.3	11.4
1981.....	*	0.5	0.9	1.4	2.7	4.1	6.8	7.7	9.4	12.1
1980.....	0.2	0.5	0.7	1.5	2.4	4.2	5.8	8.0	7.4	9.0
1979.....	0.3	0.5	0.9	1.8	2.6	3.9	7.2	7.7	9.0	14.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)										
TOTAL, FEMALE										
1998.....	*	*	*	*	0.5	1.1	1.3	2.2	4.4	7.2
1997.....	*	*	*	0.4	0.5	1.1	1.7	2.7	4.1	6.0
1996.....	*	*	*	*	0.5	1.1	1.6	2.5	4.2	6.8
1995.....	*	*	*	0.4	0.7	1.1	1.6	3.0	3.5	6.4
1994.....	*	*	*	0.4	0.6	1.1	1.5	2.4	4.5	6.1
1993.....	*	*	*	0.4	0.6	0.8	1.3	2.2	3.5	5.4
1992.....	*	*	*	*	0.9	1.0	1.7	2.8	4.7	6.2
1991.....	*	*	*	*	0.5	1.1	1.4	2.8	4.3	5.5
1990.....	*	*	*	*	0.6	1.2	2.0	2.6	3.4	5.7
1989.....	*	*	*	*	0.7	1.4	1.8	2.6	3.8	6.4
1988.....	*	*	*	0.4	0.6	0.7	2.0	3.2	4.4	7.3
1987.....	*	*	*	0.5	0.7	0.9	2.2	3.1	4.9	8.8
1986.....	*	*	*	0.5	0.7	1.5	2.3	3.4	4.9	7.4
1985.....	*	*	*	0.6	1.0	1.8	2.3	3.3	5.1	7.1
1984.....	*	*	*	0.6	0.8	2.1	2.9	4.4	5.4	8.3
1983.....	*	*	0.4	0.4	1.1	2.0	2.5	3.5	5.0	7.3
1982.....	*	*	0.4	0.5	0.9	1.9	3.0	4.1	4.7	8.4
1981.....	*	*	0.4	0.6	1.1	1.9	3.3	4.5	7.1	8.8
1980.....	0.1	0.2	0.4	0.8	1.1	2.0	3.1	5.0	7.8	9.9
1979.....	0.1	0.2	0.5	0.6	1.2	2.1	3.6	4.3	6.1	11.0
WHITE, BOTH SEXES										
1998.....	*	0.1	0.2	0.6	0.8	1.4	1.8	3.0	5.8	7.7
1997.....	*	0.1	0.3	0.4	0.8	1.5	2.2	3.5	5.6	7.0
1996.....	0.1	0.2	0.4	0.5	0.9	1.4	2.4	3.7	5.5	8.1
1995.....	*	0.2	0.3	0.6	0.9	1.5	2.4	3.3	4.6	7.6
1994.....	*	0.3	0.4	0.6	0.8	1.6	2.3	3.7	5.9	7.1
1993.....	*	0.2	0.4	0.8	0.9	1.3	1.8	3.3	4.3	7.0
1992.....	*	0.2	0.3	0.5	1.1	1.6	2.4	3.7	5.4	7.6
1991.....	*	0.2	0.3	0.5	0.8	1.5	2.3	3.5	5.1	6.7
1990.....	*	0.3	0.4	0.5	0.9	1.9	2.7	3.6	4.8	7.1
1989.....	*	0.3	0.4	0.5	1.0	1.6	2.6	3.7	5.1	7.4
1988.....	*	*	0.3	0.6	0.8	1.3	2.5	4.1	5.9	7.6
1987.....	*	*	0.4	0.6	1.0	1.4	2.8	3.9	5.8	9.0
1986.....	*	*	0.3	0.7	1.0	1.7	3.1	4.4	6.2	7.6
1985.....	*	0.3	0.5	0.8	1.4	2.2	3.2	4.7	6.8	8.6
1984.....	*	0.2	0.4	0.8	1.3	2.6	3.8	5.2	6.4	9.4
1983.....	*	0.3	0.5	0.8	1.2	2.8	3.5	4.8	6.5	9.0
1982.....	*	0.3	0.5	1.0	1.6	2.8	3.8	5.5	6.2	9.7
1981.....	*	0.4	0.7	0.9	1.8	2.9	4.9	5.9	8.1	10.5
1980.....	0.1	0.3	0.5	1.1	1.7	3.0	4.3	6.4	8.0	10.0
1979.....	0.2	0.4	0.7	1.1	1.9	2.9	5.3	5.9	7.4	12.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)										
WHITE MALE										
1998.....	*	*	0.3	1.0	1.0	1.7	2.4	4.1	7.9	9.0
1997.....	*	*	0.4	0.5	1.2	2.1	3.0	4.4	7.7	8.7
1996.....	*	0.3	0.5	0.8	1.4	1.8	3.4	5.3	7.6	10.4
1995.....	*	*	0.5	0.8	1.2	2.0	3.6	3.9	6.3	10.0
1994.....	*	0.5	0.6	0.8	1.0	2.2	3.3	5.3	8.2	9.5
1993.....	*	*	0.5	1.1	1.2	2.0	2.4	5.0	5.9	10.4
1992.....	*	*	*	0.7	1.3	2.3	3.3	5.0	6.7	10.6
1991.....	*	0.4	*	0.8	1.2	2.0	3.2	4.5	6.4	9.1
1990.....	*	*	0.6	0.7	1.3	2.8	3.4	5.2	7.5	9.5
1989.....	*	*	0.5	0.7	1.3	1.9	3.7	5.3	7.3	9.5
1988.....	*	*	0.5	0.8	1.1	2.0	3.2	5.3	8.4	8.1
1987.....	*	*	0.6	0.8	1.3	2.1	3.6	5.0	7.3	8.5
1986.....	*	*	*	0.9	1.4	2.1	4.3	5.9	8.2	6.5
1985.....	*	0.5	0.7	1.0	2.0	2.8	4.3	6.7	10.0	11.9
1984.....	*	*	0.7	1.0	1.9	3.3	4.8	6.4	8.3	10.8
1983.....	*	*	0.6	1.2	1.3	3.5	4.9	6.8	8.9	12.2
1982.....	*	*	0.7	1.5	2.3	4.1	4.8	7.5	8.7	12.5
1981.....	*	0.5	0.9	1.3	2.6	4.1	7.1	7.8	9.6	13.0
1980.....	0.2	0.4	0.7	1.4	2.3	4.3	5.9	8.6	7.7	9.2
1979.....	0.3	0.5	0.9	1.7	2.7	3.9	7.5	8.3	9.5	15.2
WHITE FEMALE										
1998.....	*	*	*	*	0.5	1.1	1.3	2.2	4.6	7.2
1997.....	*	*	*	*	0.4	1.0	1.5	2.9	4.4	6.3
1996.....	*	*	*	*	0.5	1.1	1.7	2.5	4.3	7.2
1995.....	*	*	*	0.4	0.7	1.1	1.5	2.9	3.6	6.7
1994.....	*	*	*	0.4	0.5	1.1	1.6	2.6	4.6	6.2
1993.....	*	*	*	0.4	0.6	0.8	1.3	2.1	3.5	5.8
1992.....	*	*	*	*	0.9	1.0	1.7	2.9	4.8	6.4
1991.....	*	*	*	*	0.5	1.1	1.5	2.8	4.3	5.7
1990.....	*	*	*	*	0.6	1.2	2.1	2.6	3.3	6.1
1989.....	*	*	*	*	0.7	1.2	1.8	2.6	4.0	6.6
1988.....	*	*	*	*	0.6	0.7	2.0	3.3	4.6	7.5
1987.....	*	*	*	0.5	0.7	0.9	2.2	3.2	5.0	9.2
1986.....	*	*	*	0.5	0.7	1.4	2.2	3.5	5.1	8.0
1985.....	*	*	*	0.5	0.9	1.7	2.4	3.4	5.2	7.3
1984.....	*	*	*	0.7	0.8	2.1	3.1	4.4	5.5	8.8
1983.....	*	*	0.4	0.4	1.0	2.1	2.5	3.6	5.3	7.7
1982.....	*	*	*	0.4	1.0	1.8	3.0	4.2	4.9	8.6
1981.....	*	*	0.5	0.6	1.1	1.9	3.3	4.7	7.3	9.5
1980.....	0.1	0.2	0.3	0.9	1.1	2.0	3.1	5.0	8.1	10.4
1979.....	0.1	0.2	0.5	0.6	1.2	2.1	3.7	4.4	6.3	11.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	3.3	*	6.2
1997.....	*	*	*	*	*	1.8	2.5	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	2.7	*	5.1	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	3.3	*	*
1990.....	*	*	*	*	*	*	*	3.8	*	*
1989.....	*	*	*	*	*	2.0	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	2.0	3.0	3.6	*	*
1986.....	*	*	*	*	1.7	2.4	2.9	*	*	*
1985.....	*	*	*	*	*	2.5	2.7	*	*	*
1984.....	*	*	*	*	*	2.4	*	4.5	*	*
1983.....	*	*	*	*	2.1	2.2	*	*	*	*
1982.....	*	*	*	*	*	2.3	3.3	*	*	*
1981.....	*	*	*	*	2.4	2.6	3.4	4.6	*	*
1980.....	0.3	0.6	0.9	1.1	1.8	2.8	3.9	3.8	3.9	4.5
1979.....	0.3	0.4	1.1	1.7	1.7	2.8	3.1	3.4	4.0	8.6
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	1.0	1.0	1.8	2.9	3.4	4.7	2.8	3.4	6.6
1979.....	0.6	0.5	1.4	2.7	1.9	3.6	3.8	2.7	3.5	10.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)

ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.4	0.8	0.6	0.9	2.4	3.3	4.6	4.2	3.4
1979.....	0.1	0.4	0.8	0.9	1.5	2.2	2.6	3.9	4.4	7.9
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	3.0	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	4.1	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	3.0	*	*	*	*
1985.....	*	*	*	*	*	3.0	*	*	*	*
1984.....	*	*	*	*	*	2.5	*	4.8	*	*
1983.....	*	*	*	*	2.4	*	*	*	*	*
1982.....	*	*	*	*	*	2.5	3.7	*	*	*
1981.....	*	*	*	*	2.8	2.7	3.8	*	*	*
1980.....	0.3	0.8	1.1	1.2	1.9	3.0	4.4	4.1	4.5	4.4
1979.....	0.2	0.5	1.2	2.0	1.9	2.9	2.8	3.3	3.5	9.0

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	1.2	1.2	1.9	3.1	3.6	5.5	2.6	4.0	7.5	
1979.....	0.4	0.6	1.6	3.2	2.2	3.6	3.1	2.5	2.6	11.5	

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.5	1.0	0.7	1.0	2.5	3.6	5.1	4.8	2.8	
1979.....	0.1	0.5	0.8	1.0	1.7	2.4	2.5	3.8	4.0	7.7	

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)										
TOTAL, BOTH SEXES										
1998.....	0.4	0.6	1.2	1.8	3.7	5.7	11.4	22.4	44.3	113.0
1997.....	0.4	0.6	1.2	2.0	3.9	6.5	13.1	25.1	49.7	129.9
1996.....	0.4	0.8	1.4	2.4	4.3	7.8	14.5	27.1	55.4	141.8
1995.....	0.4	0.9	1.2	2.6	4.8	7.9	16.2	29.7	61.6	155.7
1994.....	0.4	0.8	1.5	2.6	4.8	9.0	17.4	32.5	67.4	165.0
1993.....	0.4	0.9	1.6	2.8	5.0	9.5	18.0	35.0	70.2	178.9
1992.....	0.5	0.8	1.4	3.2	5.5	9.8	18.9	38.2	74.2	186.0
1991.....	0.4	0.9	1.7	3.3	6.3	11.0	21.5	40.3	82.9	201.1
1990.....	0.6	1.0	2.0	3.7	6.7	11.9	24.5	46.2	93.1	229.5
1989.....	0.4	1.0	1.9	3.8	7.4	14.0	25.7	51.7	101.4	257.1
1988.....	0.5	1.0	2.4	4.0	8.1	14.6	30.1	56.9	117.7	270.6
1987.....	0.4	1.1	2.4	4.8	8.9	15.9	32.5	61.3	126.3	289.3
1986.....	0.6	1.2	2.6	4.9	9.2	17.5	35.2	66.5	133.5	310.2
1985.....	0.6	1.2	2.6	5.2	9.5	18.5	37.5	73.3	142.2	331.3
1984.....	0.8	1.3	2.9	5.4	10.4	18.8	37.9	77.1	153.6	349.8
1983.....	0.5	1.7	2.6	5.6	10.9	19.9	41.1	84.5	167.6	369.9
1982.....	0.7	1.5	3.1	5.8	10.7	22.2	45.3	93.7	186.3	411.4
1981.....	0.7	1.5	3.3	6.2	11.9	25.3	53.1	104.9	212.9	454.5
1980.....	0.7	1.4	3.3	6.8	14.6	27.7	59.0	120.1	244.8	517.7
1979.....	0.8	1.8	3.7	7.4	15.6	30.0	64.1	129.4	261.6	543.8
TOTAL, MALE										
1998.....	0.5	0.8	1.5	2.2	4.5	6.4	13.5	24.1	44.5	101.5
1997.....	0.4	0.9	1.4	2.7	5.2	7.8	14.3	26.7	54.2	118.5
1996.....	0.5	1.0	1.8	3.0	5.3	9.9	18.2	28.9	58.8	130.7
1995.....	0.5	1.2	1.4	3.1	5.7	10.0	19.3	32.4	64.9	140.5
1994.....	0.5	1.0	1.9	3.5	6.4	11.5	19.9	37.6	71.9	155.0
1993.....	0.4	1.0	2.1	3.5	6.4	12.2	21.4	40.2	77.9	169.8
1992.....	0.6	1.0	1.8	3.9	7.1	12.4	22.3	42.6	79.9	175.6
1991.....	0.6	1.3	2.2	4.2	8.0	13.9	26.5	47.6	91.1	181.0
1990.....	0.6	1.3	2.3	4.8	8.3	14.1	29.8	53.1	101.3	206.1
1989.....	0.5	1.2	2.7	4.4	9.6	17.2	31.0	58.2	108.6	240.6
1988.....	0.7	1.3	3.0	4.9	9.9	17.5	36.7	66.1	126.5	251.5
1987.....	0.5	1.1	3.1	6.1	10.8	19.8	38.2	73.0	135.7	265.4
1986.....	0.7	1.5	3.1	6.3	11.9	21.3	41.8	77.0	147.2	282.2
1985.....	0.8	1.5	3.5	6.3	12.0	22.2	45.5	84.5	150.0	298.3
1984.....	0.9	1.7	3.8	7.0	13.3	23.7	45.5	90.8	166.0	326.9
1983.....	0.6	2.1	3.2	7.5	13.7	24.8	50.5	98.3	181.3	348.6
1982.....	0.8	2.1	3.8	7.8	13.7	28.4	54.5	107.7	198.0	383.8
1981.....	0.8	2.0	4.4	7.8	14.9	31.2	63.6	119.6	230.1	417.3
1980.....	0.8	1.6	4.5	8.0	19.0	34.0	70.5	138.6	266.2	487.7
1979.....	0.9	2.3	4.6	9.7	20.1	37.9	77.7	149.2	281.4	504.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)										
TOTAL, FEMALE										
1998.....	0.3	0.4	0.9	1.3	3.0	5.2	9.8	21.3	44.1	117.8
1997.....	0.3	0.4	1.1	1.3	2.8	5.3	12.2	24.1	47.0	134.4
1996.....	0.3	0.6	1.1	1.9	3.4	6.1	11.7	25.8	53.4	146.2
1995.....	0.4	0.5	1.1	2.1	3.9	6.2	13.8	27.8	59.7	161.6
1994.....	0.3	0.6	1.2	1.8	3.5	6.9	15.5	29.0	64.9	168.8
1993.....	0.4	0.7	1.1	2.1	3.8	7.2	15.5	31.6	65.9	182.5
1992.....	0.4	0.6	1.1	2.5	4.0	7.6	16.3	35.3	71.1	190.0
1991.....	0.3	0.6	1.3	2.4	4.9	8.6	17.7	35.6	78.6	208.9
1990.....	0.5	0.7	1.6	2.6	5.3	10.1	20.5	41.7	88.8	238.6
1989.....	0.3	0.7	1.2	3.3	5.5	11.5	21.7	47.5	97.6	263.6
1988.....	0.4	0.7	1.8	3.2	6.4	12.2	25.3	50.9	112.9	278.1
1987.....	0.4	1.0	1.8	3.6	7.2	12.7	28.4	53.9	121.4	298.7
1986.....	0.5	0.9	2.1	3.6	7.0	14.4	30.3	60.0	126.3	321.3
1985.....	0.5	1.0	1.7	4.1	7.3	15.5	31.6	66.2	138.0	344.5
1984.....	0.7	1.0	2.1	3.9	7.9	14.8	32.3	68.6	147.1	359.1
1983.....	0.5	1.3	2.1	3.9	8.5	15.9	34.4	75.9	160.3	378.7
1982.....	0.5	0.9	2.5	4.0	8.0	17.2	38.7	84.9	180.2	423.0
1981.....	0.6	1.1	2.3	4.8	9.3	20.5	45.5	95.7	203.8	470.0
1980.....	0.6	1.3	2.3	5.8	10.9	22.6	50.7	108.5	233.4	530.8
1979.....	0.8	1.4	2.9	5.3	11.6	23.6	54.3	117.0	251.0	561.1
WHITE, BOTH SEXES										
1998.....	0.3	0.4	0.9	1.5	3.2	5.1	10.5	21.8	43.2	114.7
1997.....	0.3	0.5	1.0	1.6	3.4	5.9	12.0	24.2	49.2	131.9
1996.....	0.3	0.6	1.2	1.9	3.8	7.0	13.6	26.2	55.0	145.1
1995.....	0.4	0.7	1.0	2.0	4.1	7.1	14.9	28.8	60.4	156.5
1994.....	0.3	0.6	1.2	2.1	4.3	7.9	16.0	31.3	66.2	167.3
1993.....	0.3	0.7	1.3	2.3	4.3	8.3	17.1	33.6	70.0	181.2
1992.....	0.3	0.6	1.2	2.6	4.8	8.7	17.6	36.7	73.9	187.3
1991.....	0.4	0.7	1.4	2.7	5.6	10.1	20.0	39.0	82.0	204.4
1990.....	0.4	0.8	1.4	3.1	5.8	10.8	22.9	44.7	92.8	233.8
1989.....	0.3	0.7	1.5	3.3	6.4	12.4	24.1	50.2	100.9	262.7
1988.....	0.4	0.8	2.0	3.4	7.3	13.0	28.7	55.2	116.5	277.1
1987.....	0.3	0.9	2.1	3.9	7.8	14.3	30.7	60.7	126.5	297.6
1986.....	0.4	1.0	2.1	4.2	8.0	15.9	33.4	65.2	133.9	318.0
1985.....	0.5	1.0	2.2	4.4	8.0	17.0	35.6	71.9	141.3	339.6
1984.....	0.6	1.1	2.5	4.5	9.1	17.0	35.8	76.1	154.4	361.0
1983.....	0.4	1.2	2.1	4.7	9.6	18.6	38.2	83.5	167.2	378.9
1982.....	0.5	1.2	2.6	4.9	9.4	20.4	43.4	91.9	186.4	424.1
1981.....	0.5	1.2	2.6	5.2	10.6	23.3	50.1	104.3	213.5	466.7
1980.....	0.5	1.1	2.7	5.6	13.0	24.7	56.5	117.8	244.9	529.3
1979.....	0.6	1.4	3.1	6.2	13.8	27.6	60.9	127.6	263.9	556.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)										
WHITE MALE										
1998.....	0.4	0.6	1.2	1.8	3.8	5.7	12.5	23.2	43.8	103.0
1997.....	0.3	0.6	1.1	2.2	4.5	7.1	13.5	25.8	53.7	120.1
1996.....	0.3	0.8	1.4	2.4	4.5	8.8	17.2	27.9	59.5	133.2
1995.....	0.4	1.0	1.2	2.6	5.1	9.1	17.6	31.7	63.0	140.2
1994.....	0.4	0.8	1.5	2.8	5.6	10.2	18.1	35.9	69.9	156.3
1993.....	0.3	0.8	1.7	2.8	5.4	10.8	20.3	38.7	78.6	173.6
1992.....	0.4	0.7	1.5	3.0	6.2	11.4	20.8	40.9	79.7	177.2
1991.....	0.4	1.0	1.7	3.5	7.2	12.8	24.5	45.9	89.7	184.0
1990.....	0.5	1.0	1.7	4.0	7.3	12.8	27.9	51.8	101.2	210.6
1989.....	0.4	0.9	2.2	3.9	8.6	15.1	29.0	57.4	110.1	246.1
1988.....	0.5	1.0	2.6	4.1	9.2	15.9	35.4	64.2	125.1	258.8
1987.....	0.4	1.0	2.7	4.9	9.5	18.0	35.8	72.3	135.8	273.1
1986.....	0.5	1.4	2.5	5.6	10.6	19.4	39.8	76.5	148.1	290.9
1985.....	0.5	1.2	3.0	5.5	10.2	20.3	43.9	83.9	150.1	307.6
1984.....	0.6	1.3	3.2	5.9	11.7	21.9	43.4	90.4	167.5	340.4
1983.....	0.5	1.5	2.6	6.4	12.4	23.4	46.8	97.7	182.8	361.1
1982.....	0.5	1.7	3.4	6.7	12.5	26.5	52.1	105.3	198.4	399.2
1981.....	0.6	1.6	3.6	6.6	13.3	29.2	60.8	119.1	232.7	430.0
1980.....	0.6	1.3	3.6	6.7	16.9	30.6	68.5	137.5	268.7	497.5
1979.....	0.7	1.6	3.8	8.2	17.9	35.0	75.1	146.9	285.0	517.0
WHITE FEMALE										
1998.....	0.3	*	0.7	1.2	2.7	4.6	9.0	20.7	42.8	119.5
1997.....	0.3	0.4	0.8	1.1	2.5	4.9	10.8	23.0	46.5	136.5
1996.....	*	0.5	0.9	1.5	3.0	5.4	10.8	25.0	52.5	149.8
1995.....	0.3	0.4	0.9	1.4	3.2	5.4	12.8	26.7	59.0	162.8
1994.....	*	0.4	0.8	1.4	3.0	5.9	14.4	28.2	64.2	171.5
1993.....	0.3	0.5	0.9	1.7	3.2	6.2	14.7	30.1	65.3	184.0
1992.....	*	0.5	0.9	2.2	3.6	6.5	15.2	33.9	70.9	191.2
1991.....	0.3	0.4	1.0	1.9	4.1	7.8	16.6	34.5	78.0	212.2
1990.....	0.3	0.6	1.2	2.3	4.4	9.1	19.1	40.0	88.4	242.6
1989.....	*	0.5	1.0	2.8	4.5	10.2	20.4	45.6	96.0	269.2
1988.....	0.3	0.6	1.3	2.8	5.6	10.7	23.8	49.5	112.0	284.1
1987.....	0.3	0.8	1.4	2.9	6.3	11.3	26.9	53.4	121.7	307.0
1986.....	0.4	0.7	1.7	2.9	5.8	13.0	28.7	58.1	126.5	328.6
1985.....	0.4	0.7	1.4	3.4	6.1	14.2	29.5	64.4	136.7	352.2
1984.....	0.6	0.8	1.8	3.2	6.8	13.1	30.4	67.2	147.7	369.1
1983.....	*	1.0	1.7	3.2	7.2	14.8	32.0	74.6	159.0	386.1
1982.....	0.4	0.7	1.8	3.3	6.8	15.6	37.1	83.5	180.2	434.3
1981.....	0.5	0.8	1.7	3.9	8.2	18.6	42.3	95.1	203.5	482.0
1980.....	0.4	1.0	1.7	4.7	9.7	20.0	47.8	105.6	232.4	543.1
1979.....	0.6	1.2	2.6	4.4	10.4	21.7	50.8	115.6	252.7	573.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)										
ALL OTHER, BOTH SEXES										
1998.....	0.7	1.5	2.6	3.6	6.7	9.9	18.5	28.5	55.4	97.0
1997.....	0.7	1.5	2.9	4.1	7.1	10.0	22.4	34.0	55.0	110.6
1996.....	1.0	1.9	2.9	5.4	8.0	13.9	22.6	34.8	58.7	109.8
1995.....	0.8	1.8	2.7	6.2	9.0	13.9	27.5	38.3	73.5	148.1
1994.....	1.0	1.9	3.6	5.9	8.7	17.1	29.5	43.8	79.5	141.1
1993.....	0.9	2.0	3.7	6.1	10.0	18.6	26.0	48.6	72.1	156.2
1992.....	1.3	1.9	2.8	7.0	10.4	18.3	30.1	52.8	76.6	171.8
1991.....	1.0	2.5	3.9	7.4	12.0	18.0	34.8	53.0	92.7	167.2
1990.....	1.5	2.2	5.3	7.5	13.5	20.8	39.1	60.4	96.6	184.7
1989.....	1.0	2.3	4.4	7.2	15.2	27.5	40.0	65.0	107.5	198.0
1988.....	1.1	2.1	5.2	8.4	14.3	27.5	42.8	72.4	130.0	202.4
1987.....	0.9	2.3	4.9	11.3	17.3	29.7	49.1	66.6	124.4	200.0
1986.....	1.6	2.1	5.6	10.4	19.2	31.6	51.7	79.3	129.3	225.5
1985.....	1.8	3.0	5.3	11.2	22.1	31.7	55.0	86.5	151.2	239.7
1984.....	2.1	3.2	5.9	12.3	21.5	33.9	56.5	87.2	144.7	227.6
1983.....	1.3	4.6	6.3	12.8	22.4	30.9	68.4	94.3	172.1	268.9
1982.....	1.8	3.7	6.8	13.2	21.5	37.4	63.2	111.1	185.3	270.9
1981.....	1.7	3.8	8.6	14.6	23.7	42.5	81.3	111.5	206.2	316.3
1980.....	1.9	3.6	8.6	16.8	29.3	54.1	83.0	142.7	243.9	383.5
1979.....	2.3	4.8	8.5	17.6	31.5	51.1	94.9	146.8	234.8	397.7
ALL OTHER MALE										
1998.....	*	1.7	3.5	5.3	9.6	11.4	21.7	31.6	51.8	87.9
1997.....	*	2.3	3.2	5.9	10.2	12.9	21.5	34.9	59.4	104.9
1996.....	1.3	2.3	3.9	7.1	10.9	17.8	27.4	38.5	51.2	108.7
1995.....	*	2.2	3.3	6.9	9.9	17.4	35.2	39.2	84.3	143.6
1994.....	*	2.5	4.4	8.2	11.6	21.9	36.3	54.3	92.8	142.9
1993.....	*	2.4	5.1	8.0	13.9	23.7	31.1	54.6	70.5	134.3
1992.....	*	2.6	3.7	9.8	14.7	21.2	35.8	59.9	81.9	160.5
1991.....	*	3.7	5.3	9.0	14.6	22.9	46.2	64.3	105.4	153.5
1990.....	*	3.3	6.7	11.1	16.4	25.0	48.2	65.7	101.9	164.6
1989.....	*	3.0	6.1	8.0	17.8	35.8	50.0	65.8	93.4	188.9
1988.....	*	3.1	5.7	10.9	16.4	31.3	49.7	84.5	141.0	183.5
1987.....	*	*	5.8	15.2	21.6	36.3	60.6	79.1	134.8	193.5
1986.....	2.3	*	7.3	12.0	23.0	38.8	61.2	81.9	138.9	200.0
1985.....	2.3	3.8	7.2	13.5	27.9	39.2	61.3	90.8	147.6	211.0
1984.....	2.6	4.7	7.9	15.9	28.3	40.1	65.7	95.0	151.5	200.0
1983.....	*	5.8	7.6	17.2	26.0	37.9	84.6	103.0	166.0	225.7
1982.....	2.5	5.2	6.8	17.3	24.8	45.8	76.5	129.2	193.6	234.3
1981.....	*	5.1	10.9	18.6	30.3	50.1	89.4	124.7	202.2	290.6
1980.....	2.2	4.0	11.6	19.5	38.6	65.1	89.4	149.0	239.6	388.4
1979.....	2.8	7.7	11.9	23.6	42.2	64.6	102.3	169.2	243.0	378.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)										
ALL OTHER FEMALE										
1998.....	*	1.3	1.9	2.2	4.5	8.8	16.2	26.4	57.5	101.1
1997.....	*	*	2.6	2.7	4.6	7.9	23.0	33.4	52.5	113.2
1996.....	*	1.5	2.1	4.0	5.8	11.0	19.3	32.4	62.9	110.2
1995.....	*	1.4	2.2	5.6	8.3	11.3	22.1	37.7	67.5	150.0
1994.....	*	*	3.0	4.0	6.5	13.6	24.8	37.2	72.2	140.3
1993.....	*	1.6	2.5	4.5	7.1	14.8	22.5	45.0	73.0	165.7
1992.....	1.3	*	*	4.7	7.1	16.2	26.1	48.4	73.5	176.9
1991.....	*	*	2.7	6.0	10.0	14.4	27.0	45.9	85.2	172.5
1990.....	1.8	*	4.1	4.7	11.3	17.7	32.8	57.1	93.6	193.8
1989.....	*	*	2.9	6.6	13.2	21.3	33.1	64.5	115.6	202.3
1988.....	*	*	4.8	6.3	12.6	24.7	38.2	64.7	123.0	211.2
1987.....	*	2.4	4.2	8.3	14.0	24.8	41.3	58.6	118.4	203.1
1986.....	*	*	4.3	9.0	16.2	26.2	45.1	77.5	124.5	237.8
1985.....	*	2.4	3.8	9.3	17.5	26.0	50.6	83.8	153.3	255.3
1984.....	*	*	4.2	9.5	16.2	29.1	50.0	81.9	139.9	241.4
1983.....	*	3.6	5.3	9.2	19.5	25.6	57.0	88.4	175.8	290.6
1982.....	*	*	6.7	9.9	18.8	31.0	53.6	98.6	180.3	287.2
1981.....	*	2.7	6.8	11.2	18.5	36.8	75.2	102.5	208.7	329.4
1980.....	1.7	3.3	6.2	14.6	21.8	45.7	78.3	138.4	246.5	381.0
1979.....	1.8	2.4	5.8	12.6	22.8	40.7	89.3	131.0	231.4	411.4
BLACK, BOTH SEXES										
1998.....	0.9	1.9	3.4	4.5	8.1	11.2	22.2	33.6	60.9	102.9
1997.....	1.0	1.9	3.9	5.2	8.7	12.3	26.1	37.5	57.6	120.3
1996.....	1.2	2.4	3.9	6.4	9.6	15.9	25.4	36.9	64.7	116.7
1995.....	1.1	2.2	3.4	7.6	10.8	15.9	31.7	41.6	80.1	154.7
1994.....	1.2	2.6	4.4	6.9	10.3	19.9	34.6	48.3	83.5	144.4
1993.....	1.3	2.5	4.2	7.5	11.3	21.2	30.3	53.3	75.0	163.6
1992.....	1.8	2.3	3.7	8.3	12.4	20.8	33.8	59.2	83.5	178.8
1991.....	1.3	2.7	4.8	8.9	14.6	20.8	39.4	60.3	102.7	171.1
1990.....	1.9	3.0	6.1	8.8	15.4	23.6	44.2	66.0	105.1	194.5
1989.....	1.3	2.9	5.1	8.4	17.7	32.0	45.2	72.7	116.3	204.5
1988.....	*	2.4	6.6	9.9	16.4	31.1	48.5	78.4	139.3	214.0
1987.....	*	2.9	5.9	13.4	20.6	34.3	53.4	72.4	130.8	210.1
1986.....	2.2	2.7	6.5	12.1	21.8	36.7	57.5	85.7	138.4	230.3
1985.....	2.3	3.8	6.3	13.0	25.4	35.8	60.4	94.8	160.0	252.3
1984.....	2.7	4.0	7.0	14.0	24.8	38.4	63.4	95.4	159.7	228.4
1983.....	1.5	5.7	7.1	14.6	25.8	34.1	73.6	103.3	186.3	279.9
1982.....	2.2	4.5	7.8	15.0	23.9	40.8	68.9	121.5	198.2	273.3
1981.....	2.1	4.2	10.0	16.7	26.8	46.0	88.6	120.4	219.6	328.6
1980.....	2.4	4.1	9.9	18.6	32.1	59.1	89.6	153.1	261.3	396.7
1979.....	2.6	5.5	9.9	19.7	33.7	55.3	102.2	152.5	242.8	402.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)										
BLACK MALE										
1998.....	*	2.1	4.5	6.6	12.3	13.5	25.7	37.0	56.9	92.4
1997.....	*	2.8	4.5	7.6	12.6	15.5	25.8	37.9	64.1	118.0
1996.....	*	3.0	5.4	8.6	13.6	19.9	31.9	38.6	56.0	117.6
1995.....	*	2.8	4.5	9.0	12.0	19.8	40.3	42.7	93.2	141.4
1994.....	*	3.5	5.1	9.4	13.7	25.6	43.1	59.1	99.3	140.1
1993.....	*	3.0	6.0	10.5	15.3	27.0	36.7	60.0	71.4	141.1
1992.....	*	3.1	5.0	11.8	17.5	24.5	40.4	67.5	87.7	166.5
1991.....	*	3.9	6.8	10.6	17.5	26.2	51.9	76.8	118.8	156.5
1990.....	*	4.3	8.1	13.5	18.4	29.1	56.5	74.4	115.9	170.5
1989.....	*	3.8	7.1	9.5	21.0	42.6	57.5	74.2	99.0	192.4
1988.....	*	3.6	7.2	13.5	18.7	35.2	56.8	93.2	157.4	195.4
1987.....	*	*	7.1	18.3	25.4	42.1	65.5	86.3	132.6	207.8
1986.....	3.1	*	8.8	13.7	25.8	45.8	68.5	87.2	150.0	212.7
1985.....	3.1	4.8	8.6	16.0	32.4	43.4	68.3	97.6	154.0	221.0
1984.....	3.4	6.0	9.1	17.6	32.8	45.7	73.9	103.0	169.0	198.4
1983.....	*	7.2	8.5	19.7	30.5	40.9	90.2	114.5	178.0	235.0
1982.....	3.3	6.4	7.9	20.0	27.7	50.3	84.7	142.9	213.8	239.7
1981.....	*	5.7	12.4	21.0	34.9	53.5	98.7	134.8	211.7	301.8
1980.....	2.8	4.4	13.0	22.0	42.2	72.5	96.7	162.1	255.9	403.7
1979.....	3.0	8.8	13.6	26.6	44.9	69.8	112.4	176.4	254.5	382.7
BLACK FEMALE										
1998.....	*	1.8	2.5	2.8	4.9	9.5	19.8	31.4	62.9	107.2
1997.....	*	*	3.4	3.4	5.7	9.9	26.3	37.2	54.2	121.3
1996.....	*	1.9	2.7	4.6	6.7	13.0	21.0	35.8	69.1	116.3
1995.....	*	*	*	6.6	9.9	12.9	25.9	40.9	73.5	160.1
1994.....	*	*	3.8	5.0	7.7	15.6	28.9	41.8	75.4	146.1
1993.....	*	*	*	5.1	8.2	16.9	26.0	49.4	76.9	172.8
1992.....	*	*	*	5.6	8.6	18.1	29.4	54.4	81.3	183.9
1991.....	*	*	3.2	7.5	12.4	17.0	31.1	50.6	94.4	177.3
1990.....	2.3	*	4.5	5.2	13.2	19.6	36.1	61.0	99.5	204.7
1989.....	*	*	3.4	7.6	15.2	24.3	37.2	71.8	125.4	211.1
1988.....	*	*	6.1	7.0	14.7	28.0	42.9	69.6	129.8	222.1
1987.....	*	2.9	4.9	9.6	16.8	28.6	45.2	64.0	129.8	211.1
1986.....	*	*	4.6	10.7	18.9	30.1	50.0	84.7	132.1	238.4
1985.....	*	3.1	4.4	10.6	20.0	30.3	55.1	93.0	163.3	266.9
1984.....	*	*	5.2	11.1	18.6	33.0	56.4	90.6	154.6	242.6
1983.....	*	4.4	6.0	10.4	22.2	29.0	62.5	95.8	191.0	301.6
1982.....	*	*	7.7	11.0	20.9	33.8	58.0	108.4	189.1	289.8
1981.....	*	*	8.0	13.3	20.3	40.6	81.6	111.1	224.2	338.9
1980.....	2.0	3.8	7.3	15.7	24.0	49.1	84.6	147.3	264.5	393.2
1979.....	2.2	2.8	6.8	14.1	24.8	44.5	94.9	135.6	235.5	412.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CEREBRAL EMBOLISM (434.1)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	0.2	0.5	0.7	1.4	2.6	4.2
1997.....	*	*	*	*	0.3	0.5	0.9	1.5	2.5	4.6
1996.....	*	*	*	*	0.2	0.6	0.9	1.8	2.8	5.3
1995.....	*	*	*	*	0.3	0.5	1.1	1.5	2.5	5.3
1994.....	*	*	*	*	0.3	0.5	1.2	1.7	3.3	6.1
1993.....	*	*	*	*	0.3	0.5	0.8	1.8	2.9	5.9
1992.....	*	*	*	*	*	0.5	1.2	1.7	3.0	5.7
1991.....	*	*	*	*	0.2	0.6	1.2	1.6	2.8	6.1
1990.....	*	*	*	*	0.3	0.5	1.1	2.1	3.6	5.8
1989.....	*	*	*	0.2	0.3	0.6	1.2	2.3	3.6	5.7
1988.....	*	*	*	*	0.4	0.7	1.5	2.2	3.5	7.0
1987.....	*	*	*	*	0.4	0.6	1.4	2.5	3.8	6.7
1986.....	*	*	*	0.2	0.4	0.8	1.5	2.7	4.1	6.8
1985.....	*	*	*	0.2	0.4	0.8	1.6	2.7	4.1	7.6
1984.....	*	*	*	0.2	0.5	0.8	1.7	2.4	4.7	6.2
1983.....	*	0.2	*	0.2	0.4	0.9	1.5	2.5	4.5	6.9
1982.....	*	*	*	0.3	0.4	0.9	1.4	2.8	4.1	7.4
1981.....	*	*	*	0.2	0.7	1.0	1.9	2.7	4.7	7.0
1980.....	0.1	0.2	0.2	0.3	0.5	1.0	1.5	2.9	5.0	6.9
1979.....	0.0	0.2	0.2	0.2	0.7	1.2	1.8	2.9	5.7	7.6
TOTAL, MALE										
1998.....	*	*	*	*	*	0.5	0.9	1.6	2.4	3.6
1997.....	*	*	*	*	*	0.6	1.1	1.3	2.5	3.4
1996.....	*	*	*	*	*	0.6	0.8	2.1	3.4	4.8
1995.....	*	*	*	*	*	0.8	1.3	1.7	2.2	5.9
1994.....	*	*	*	*	*	0.6	1.5	2.0	3.4	4.7
1993.....	*	*	*	*	0.5	0.5	0.8	2.3	3.0	5.5
1992.....	*	*	*	*	*	*	1.2	1.8	3.0	5.2
1991.....	*	*	*	*	*	0.6	1.2	1.7	2.6	4.9
1990.....	*	*	*	*	*	0.7	1.1	2.4	4.2	5.3
1989.....	*	*	*	*	*	0.6	1.3	2.5	3.0	5.2
1988.....	*	*	*	*	0.5	0.8	1.6	2.5	4.2	6.7
1987.....	*	*	*	*	0.5	0.8	1.4	2.8	3.5	7.0
1986.....	*	*	*	*	0.4	0.9	1.7	3.6	4.1	5.8
1985.....	*	*	*	*	0.4	0.9	1.6	3.5	4.6	8.1
1984.....	*	*	*	*	0.5	1.0	2.3	2.5	5.1	5.2
1983.....	*	*	*	*	*	1.1	1.6	2.6	5.3	6.1
1982.....	*	*	*	*	0.5	1.2	1.7	3.2	4.1	6.1
1981.....	*	*	*	*	0.8	1.1	1.9	3.2	4.2	5.8
1980.....	0.1	0.2	0.2	0.5	0.7	1.1	1.7	2.7	5.7	6.5
1979.....	0.0	0.1	0.1	0.2	0.7	1.2	2.0	2.8	5.2	6.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CEREBRAL EMBOLISM (434.1)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	0.5	0.5	1.4	2.7	4.5
1997.....	*	*	*	*	*	0.5	0.8	1.7	2.5	5.0
1996.....	*	*	*	*	*	0.6	1.0	1.7	2.5	5.5
1995.....	*	*	*	*	*	*	1.1	1.3	2.6	5.1
1994.....	*	*	*	*	*	0.5	1.1	1.6	3.2	6.6
1993.....	*	*	*	*	*	0.5	0.9	1.4	2.8	6.1
1992.....	*	*	*	*	*	0.5	1.1	1.6	2.9	5.9
1991.....	*	*	*	*	*	0.5	1.2	1.5	2.9	6.6
1990.....	*	*	*	*	*	0.4	1.0	1.9	3.2	6.0
1989.....	*	*	*	*	*	0.6	1.1	2.2	3.9	5.9
1988.....	*	*	*	*	0.3	0.6	1.4	2.1	3.1	7.2
1987.....	*	*	*	*	*	0.4	1.3	2.3	4.0	6.5
1986.....	*	*	*	*	0.4	0.8	1.4	2.2	4.1	7.2
1985.....	*	*	*	*	0.4	0.6	1.5	2.2	3.8	7.3
1984.....	*	*	*	*	0.5	0.7	1.3	2.4	4.5	6.6
1983.....	*	*	*	*	0.4	0.7	1.4	2.4	4.1	7.2
1982.....	*	*	*	*	0.4	0.8	1.2	2.5	4.1	8.0
1981.....	*	*	*	*	0.7	0.9	1.9	2.4	4.9	7.5
1980.....	0.1	0.1	0.2	0.1	0.4	0.9	1.4	3.1	4.7	7.1
1979.....	0.1	0.2	0.2	0.3	0.6	1.2	1.7	3.0	6.0	8.2
WHITE, BOTH SEXES										
1998.....	*	*	*	*	0.2	0.5	0.7	1.4	2.6	4.4
1997.....	*	*	*	*	0.3	0.5	0.9	1.5	2.6	4.8
1996.....	*	*	*	*	0.2	0.6	1.0	1.9	2.8	5.4
1995.....	*	*	*	*	0.3	0.5	1.1	1.5	2.5	5.4
1994.....	*	*	*	*	0.3	0.5	1.3	1.8	3.3	6.2
1993.....	*	*	*	*	0.3	0.5	0.8	1.9	3.0	6.3
1992.....	*	*	*	*	*	0.4	1.2	1.6	3.0	5.8
1991.....	*	*	*	*	*	0.5	1.2	1.6	2.8	6.4
1990.....	*	*	*	*	0.3	0.5	1.1	2.1	3.8	6.0
1989.....	*	*	*	0.2	0.3	0.6	1.2	2.3	3.8	5.8
1988.....	*	*	*	*	0.4	0.6	1.5	2.3	3.7	7.4
1987.....	*	*	*	*	0.4	0.6	1.4	2.5	4.0	6.9
1986.....	*	*	*	0.2	0.4	0.8	1.4	2.8	4.1	7.0
1985.....	*	*	*	0.2	0.4	0.8	1.6	2.8	4.1	7.9
1984.....	*	*	*	0.2	0.5	0.7	1.7	2.5	4.9	6.3
1983.....	*	*	*	*	0.4	0.9	1.5	2.6	4.6	7.0
1982.....	*	*	*	0.2	0.4	0.9	1.5	2.9	4.3	7.7
1981.....	*	*	*	0.2	0.6	1.1	1.9	2.6	4.8	7.5
1980.....	0.1	0.1	0.2	0.2	0.5	1.0	1.4	3.0	5.2	7.1
1979.....	0.0	0.2	0.2	0.2	0.6	1.2	1.8	3.0	5.8	7.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CEREBRAL EMBOLISM (434.1)										
WHITE MALE										
1998.....	*	*	*	*	*	0.5	1.0	1.6	2.5	3.8
1997.....	*	*	*	*	*	0.6	1.1	1.2	2.7	3.5
1996.....	*	*	*	*	*	0.6	0.8	2.2	3.4	5.0
1995.....	*	*	*	*	*	0.8	1.2	1.7	2.4	5.8
1994.....	*	*	*	*	*	0.6	1.5	2.1	3.2	4.9
1993.....	*	*	*	*	0.5	0.5	0.7	2.5	3.1	6.1
1992.....	*	*	*	*	*	*	1.3	1.7	2.9	5.1
1991.....	*	*	*	*	*	0.5	1.3	1.8	2.6	5.2
1990.....	*	*	*	*	*	0.6	1.2	2.4	4.5	5.4
1989.....	*	*	*	*	*	0.5	1.3	2.5	3.2	5.2
1988.....	*	*	*	*	0.5	0.8	1.6	2.6	4.5	7.4
1987.....	*	*	*	*	0.5	0.8	1.5	2.9	3.6	7.2
1986.....	*	*	*	*	*	0.9	1.7	3.7	4.1	5.4
1985.....	*	*	*	*	*	1.0	1.6	3.6	4.6	8.6
1984.....	*	*	*	*	0.5	1.0	2.5	2.7	5.4	4.7
1983.....	*	*	*	*	*	1.1	1.6	2.7	5.3	6.0
1982.....	*	*	*	*	0.5	1.2	1.8	3.5	4.5	6.5
1981.....	*	*	*	*	0.7	1.2	1.9	3.2	4.2	6.4
1980.....	0.1	0.2	0.2	0.4	0.7	1.1	1.6	2.7	5.9	6.6
1979.....	0.0	0.1	0.1	0.2	0.6	1.2	2.0	2.9	5.1	6.8
WHITE FEMALE										
1998.....	*	*	*	*	*	0.5	0.5	1.4	2.7	4.7
1997.....	*	*	*	*	*	0.5	0.8	1.7	2.6	5.3
1996.....	*	*	*	*	*	0.6	1.1	1.7	2.5	5.6
1995.....	*	*	*	*	*	*	1.1	1.5	2.6	5.2
1994.....	*	*	*	*	*	0.5	1.1	1.6	3.3	6.7
1993.....	*	*	*	*	*	0.5	0.9	1.5	2.9	6.4
1992.....	*	*	*	*	*	0.5	1.1	1.6	3.0	6.0
1991.....	*	*	*	*	*	0.5	1.2	1.5	3.0	6.9
1990.....	*	*	*	*	*	0.5	1.0	2.0	3.4	6.3
1989.....	*	*	*	*	*	0.6	1.1	2.2	4.1	6.0
1988.....	*	*	*	*	0.4	0.6	1.5	2.1	3.3	7.4
1987.....	*	*	*	*	*	*	1.3	2.2	4.3	6.7
1986.....	*	*	*	*	0.4	0.7	1.2	2.3	4.2	7.6
1985.....	*	*	*	*	0.4	0.6	1.6	2.3	3.8	7.6
1984.....	*	*	*	*	0.5	0.5	1.2	2.5	4.6	7.0
1983.....	*	*	*	*	0.4	0.7	1.4	2.5	4.3	7.4
1982.....	*	*	*	*	*	0.7	1.2	2.6	4.2	8.3
1981.....	*	*	*	*	0.6	1.0	1.9	2.3	5.1	7.9
1980.....	0.1	0.1	0.2	0.1	0.4	0.9	1.3	3.1	4.8	7.4
1979.....	0.0	0.2	0.2	0.3	0.6	1.3	1.6	3.1	6.2	8.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CEREBRAL EMBOLISM (434.1)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.2	0.5	0.7	0.7	1.2	2.5	2.7	3.1	4.5
1979.....	0.1	0.1	0.2	0.2	1.3	0.9	2.0	2.5	4.5	5.2
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.5	0.5	1.1	1.1	1.0	3.3	2.8	3.4	4.9
1979.....	-	-	0.2	0.4	1.9	1.3	1.5	2.7	5.8	3.4

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 CEREBRAL EMBOLISM (434.1)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	0.5	0.5	0.4	1.4	1.9	2.7	2.8	4.2
1979.....	0.1	0.1	0.3	0.2	0.8	0.6	2.3	2.3	3.6	6.1
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.3	0.5	0.8	0.7	1.4	2.7	2.8	3.0	4.4
1979.....	0.1	0.1	0.3	0.3	1.4	0.9	2.2	2.3	4.5	5.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CEREBRAL EMBOLISM (434.1)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.6	0.6	1.1	1.0	1.2	3.8	2.6	2.7	3.8
1979.....	-	-	0.2	0.4	2.2	1.5	1.8	1.9	6.5	3.8
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	-	0.5	0.5	0.4	1.6	1.8	3.0	3.2	4.7
1979.....	0.1	0.2	0.3	0.2	0.9	0.4	2.5	2.5	3.2	6.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)										
TOTAL, BOTH SEXES										
1998.....	1.0	2.5	6.0	11.5	23.4	45.4	92.3	185.8	396.4	980.5
1997.....	1.2	2.6	5.7	12.1	24.7	46.8	96.6	191.6	404.0	1,033.4
1996.....	1.3	2.9	6.2	12.7	25.7	48.3	99.0	203.1	424.5	1,060.9
1995.....	1.2	2.9	6.1	12.8	25.7	50.1	102.6	203.3	428.9	1,073.9
1994.....	1.3	2.8	6.2	12.5	26.2	48.8	99.8	205.2	425.5	1,045.7
1993.....	1.1	2.9	6.1	12.8	25.3	48.7	100.8	206.8	423.1	1,042.7
1992.....	1.3	2.9	6.0	12.8	25.0	48.0	98.6	202.0	408.1	1,007.0
1991.....	1.3	2.6	6.3	12.6	24.5	51.2	102.3	206.5	419.5	1,014.7
1990.....	1.1	3.0	6.2	12.7	25.6	53.1	107.3	218.2	427.6	1,033.4
1989.....	1.2	2.9	6.1	12.7	25.8	52.8	108.6	218.3	441.8	1,029.2
1988.....	1.5	2.8	6.0	13.8	28.5	56.7	115.0	234.1	466.3	1,066.2
1987.....	1.4	3.0	7.0	13.4	29.0	55.4	117.7	237.4	471.5	1,069.7
1986.....	1.5	3.2	7.4	13.4	29.9	57.8	122.8	239.4	475.2	1,062.0
1985.....	1.5	3.4	7.3	15.1	29.1	60.3	127.1	254.0	496.3	1,097.3
1984.....	1.6	3.6	8.2	15.1	30.7	62.0	130.6	259.4	519.6	1,102.4
1983.....	1.4	3.6	7.8	15.3	32.9	65.8	136.0	271.3	531.2	1,103.8
1982.....	1.7	4.1	8.0	16.0	32.8	68.4	143.0	278.5	540.6	1,104.3
1981.....	1.7	4.1	8.5	17.2	35.6	71.9	150.1	283.8	564.0	1,147.6
1980.....	1.7	4.3	8.8	17.1	36.1	76.5	157.2	313.5	596.8	1,202.3
1979.....	1.9	3.9	8.9	17.6	37.4	73.9	160.8	308.4	585.0	1,148.0
TOTAL, MALE										
1998.....	1.2	3.1	7.1	14.3	28.4	53.1	104.8	202.3	411.0	851.1
1997.....	1.4	3.2	7.1	15.2	29.8	55.6	110.3	211.6	423.4	961.1
1996.....	1.4	3.6	7.6	15.8	31.1	56.9	114.4	228.2	445.0	979.3
1995.....	1.4	3.6	7.6	15.9	31.3	58.1	118.2	230.1	463.5	994.3
1994.....	1.5	3.5	7.6	15.9	31.4	58.7	116.6	234.7	464.9	980.3
1993.....	1.4	3.4	7.0	16.2	30.6	59.2	117.5	235.5	461.8	988.2
1992.....	1.4	3.4	7.5	15.7	30.8	57.3	115.7	230.5	450.9	955.3
1991.....	1.7	3.2	8.3	15.4	29.3	62.2	121.7	241.1	467.1	950.9
1990.....	1.4	3.6	7.7	15.7	29.8	63.7	127.5	255.6	473.3	972.6
1989.....	1.5	3.5	7.0	15.2	32.5	63.6	128.4	257.1	480.0	958.8
1988.....	1.8	3.3	7.2	17.1	34.8	68.2	135.0	274.0	514.9	1,015.4
1987.....	1.7	3.4	8.4	16.5	35.2	65.0	141.0	274.2	519.4	995.5
1986.....	1.8	3.9	9.1	16.2	35.3	68.2	142.9	273.1	532.7	999.5
1985.....	1.5	3.9	8.8	18.2	35.5	72.4	152.0	298.4	539.4	1,034.3
1984.....	1.8	4.6	10.1	18.3	37.1	75.5	156.3	295.9	572.6	1,046.5
1983.....	1.4	4.0	8.8	17.8	39.1	78.1	166.0	320.0	575.4	1,058.2
1982.....	1.8	4.9	9.1	19.1	38.0	82.9	173.4	324.0	579.5	1,083.7
1981.....	1.8	4.8	9.9	20.6	42.6	87.5	180.5	336.7	600.0	1,109.1
1980.....	2.0	5.0	11.0	20.7	43.1	93.7	191.0	363.9	651.0	1,169.9
1979.....	2.2	4.5	10.4	21.3	45.9	89.6	194.2	357.6	640.4	1,133.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)										
TOTAL, FEMALE										
1998.....	0.8	2.0	4.9	9.0	19.0	38.8	82.5	174.2	387.7	1,034.2
1997.....	1.1	2.0	4.4	9.1	20.1	39.3	86.1	177.5	392.6	1,062.6
1996.....	1.1	2.3	4.9	9.7	20.8	41.1	87.2	185.7	412.8	1,093.3
1995.....	0.9	2.2	4.7	10.0	20.8	43.5	90.6	184.9	409.4	1,104.8
1994.....	1.0	2.0	4.9	9.3	21.5	40.6	86.9	185.2	403.7	1,070.8
1993.....	0.9	2.3	5.2	9.7	20.6	40.2	88.0	187.6	402.0	1,063.6
1992.....	1.2	2.4	4.6	10.1	19.9	40.3	85.8	183.1	384.9	1,027.0
1991.....	1.0	2.1	4.5	10.1	20.3	42.4	87.7	183.9	394.0	1,039.4
1990.....	0.9	2.5	4.7	9.9	22.0	44.5	92.2	194.1	403.3	1,056.8
1989.....	0.9	2.3	5.3	10.3	19.9	44.0	93.9	193.5	421.7	1,056.6
1988.....	1.2	2.3	4.8	10.7	23.1	47.4	100.4	208.6	440.4	1,086.0
1987.....	1.2	2.7	5.7	10.7	23.6	47.5	100.8	214.0	446.4	1,098.9
1986.....	1.2	2.5	5.8	10.8	25.3	49.4	108.3	218.1	445.0	1,086.9
1985.....	1.5	3.0	5.8	12.2	23.7	50.5	109.0	226.0	473.7	1,122.4
1984.....	1.3	2.7	6.4	12.2	25.3	51.2	112.0	236.4	491.8	1,124.9
1983.....	1.4	3.3	6.9	13.0	27.5	55.9	114.3	240.8	507.9	1,122.5
1982.....	1.5	3.4	7.0	13.3	28.2	56.8	120.9	250.0	520.2	1,112.9
1981.....	1.7	3.4	7.2	14.2	29.5	59.5	128.1	250.6	544.8	1,163.2
1980.....	1.5	3.6	6.7	13.8	29.9	62.6	132.9	281.9	568.0	1,216.5
1979.....	1.6	3.3	7.6	14.3	30.1	61.4	136.7	277.6	555.3	1,154.6
WHITE, BOTH SEXES										
1998.....	0.7	1.8	4.6	9.1	19.7	39.7	86.0	178.5	390.9	997.6
1997.....	0.9	1.9	4.2	9.3	20.2	41.7	89.4	185.1	399.5	1,054.6
1996.....	0.9	2.0	4.8	10.0	20.9	42.2	91.1	195.7	418.3	1,079.0
1995.....	0.8	2.1	4.6	9.7	21.9	43.8	95.3	195.6	422.6	1,086.1
1994.....	0.8	2.1	4.5	9.8	22.2	43.2	91.7	197.8	417.7	1,061.9
1993.....	0.8	2.1	4.4	10.1	21.1	43.2	92.9	198.7	416.8	1,055.3
1992.....	0.9	2.0	4.7	9.9	20.7	41.8	90.6	195.0	402.8	1,021.2
1991.....	0.8	1.9	4.9	9.6	20.0	44.6	94.4	198.6	412.0	1,023.4
1990.....	0.8	2.2	4.5	10.0	21.2	46.3	98.8	209.9	419.9	1,041.6
1989.....	0.8	2.0	4.4	10.0	20.7	46.1	99.4	207.0	434.4	1,037.8
1988.....	0.9	2.0	4.4	10.6	23.5	49.3	106.0	223.5	457.2	1,077.2
1987.....	1.0	2.2	5.2	10.4	24.0	48.8	108.5	227.0	465.2	1,080.7
1986.....	0.9	2.2	5.5	10.7	25.4	50.8	113.0	228.5	468.0	1,073.6
1985.....	1.0	2.3	5.4	11.8	24.4	53.3	115.8	243.6	487.6	1,109.0
1984.....	1.0	2.4	6.2	11.9	25.6	54.4	118.4	249.0	507.0	1,122.1
1983.....	0.9	2.5	5.7	12.0	26.9	57.9	123.9	261.5	524.0	1,117.4
1982.....	1.0	2.6	5.9	12.5	26.8	59.9	131.9	266.2	529.9	1,116.5
1981.....	1.2	2.8	6.0	13.5	29.9	63.2	136.9	272.1	551.0	1,155.4
1980.....	1.2	2.8	6.5	13.6	30.1	67.3	144.2	300.1	587.4	1,214.2
1979.....	1.2	2.6	6.6	13.6	31.3	64.3	147.3	295.1	581.6	1,155.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)										
WHITE MALE										
1998.....	0.8	2.4	5.6	11.1	23.5	46.9	97.7	194.0	404.9	862.2
1997.....	1.1	2.4	5.1	11.8	24.6	49.7	102.1	204.3	418.8	984.2
1996.....	1.1	2.5	5.9	12.4	25.5	50.1	105.0	220.1	440.9	997.4
1995.....	1.0	2.5	5.5	12.0	26.6	51.3	109.7	221.1	453.3	1,005.3
1994.....	0.9	2.7	5.6	12.4	26.6	52.5	107.4	226.8	454.0	993.9
1993.....	1.0	2.5	5.1	12.9	26.0	52.7	109.1	226.7	455.8	1,000.6
1992.....	1.0	2.4	6.2	12.5	25.7	50.1	106.5	222.9	446.2	971.9
1991.....	1.0	2.2	6.4	11.6	24.4	54.6	113.4	233.5	457.4	955.5
1990.....	1.0	2.5	5.7	12.5	24.7	55.9	118.2	246.7	466.8	978.1
1989.....	0.9	2.4	5.1	12.5	26.2	56.6	119.0	245.1	475.9	963.6
1988.....	1.1	2.5	5.3	13.6	28.8	60.2	125.2	263.7	505.6	1,033.7
1987.....	1.1	2.3	6.3	12.7	29.6	57.8	131.3	263.4	512.4	1,004.0
1986.....	1.1	2.7	6.8	12.6	30.5	59.9	131.9	260.7	525.6	1,013.5
1985.....	1.1	2.7	6.7	14.3	30.1	64.7	140.0	287.7	534.9	1,050.9
1984.....	1.2	3.1	7.8	14.1	31.2	66.8	143.0	287.7	562.5	1,065.0
1983.....	0.9	2.8	6.5	14.2	32.5	69.4	153.2	310.8	571.3	1,071.2
1982.....	1.1	3.1	7.0	15.2	31.4	73.2	159.8	311.7	569.7	1,094.6
1981.....	1.3	3.0	7.2	16.5	36.1	78.0	166.7	325.6	586.3	1,118.2
1980.....	1.4	3.5	8.5	17.0	36.3	83.8	177.1	347.9	638.5	1,179.7
1979.....	1.3	3.2	7.8	16.4	38.9	79.4	180.2	345.0	636.5	1,136.6
WHITE FEMALE										
1998.....	0.6	1.2	3.7	7.2	16.1	33.5	76.8	167.4	382.5	1,053.1
1997.....	0.7	1.3	3.4	7.0	16.1	34.9	79.4	171.5	388.2	1,082.6
1996.....	0.6	1.6	3.9	7.8	16.6	35.4	80.4	178.6	405.3	1,111.0
1995.....	0.6	1.7	3.7	7.6	17.6	37.6	84.1	177.9	405.3	1,117.2
1994.....	0.7	1.5	3.5	7.4	18.2	35.4	79.6	177.9	397.6	1,087.9
1993.....	0.6	1.6	3.8	7.5	16.7	35.2	80.5	179.7	395.6	1,076.0
1992.....	0.8	1.7	3.3	7.5	16.3	35.0	78.5	176.4	379.3	1,040.0
1991.....	0.7	1.6	3.5	7.8	16.1	36.4	80.0	175.7	387.8	1,049.8
1990.....	0.5	1.9	3.3	7.7	18.0	38.5	84.3	186.2	395.1	1,065.7
1989.....	0.6	1.5	3.8	7.6	15.8	37.5	84.8	182.5	412.5	1,066.6
1988.....	0.7	1.6	3.6	7.7	18.8	40.3	91.7	198.0	431.9	1,093.9
1987.....	1.0	2.0	4.1	8.3	19.1	41.4	91.7	203.9	440.6	1,110.4
1986.....	0.7	1.7	4.3	8.9	20.9	43.4	99.2	208.2	438.0	1,097.0
1985.....	1.0	1.9	4.1	9.4	19.3	44.0	98.2	216.0	462.9	1,131.8
1984.....	0.8	1.7	4.7	9.9	20.7	44.3	100.4	224.8	478.1	1,144.7
1983.....	0.9	2.2	4.8	10.0	22.0	48.5	102.7	230.8	499.2	1,136.1
1982.....	0.9	2.1	4.8	10.2	22.8	49.2	111.7	237.9	509.0	1,125.5
1981.....	1.0	2.6	4.9	10.9	24.4	51.4	115.5	238.8	532.5	1,171.0
1980.....	0.9	2.2	4.7	10.4	24.7	54.0	120.5	270.3	560.5	1,229.1
1979.....	1.1	2.1	5.5	11.1	24.7	52.3	123.7	264.1	552.5	1,162.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)										
ALL OTHER, BOTH SEXES										
1998.....	2.6	6.1	13.9	26.6	46.8	83.1	142.0	251.2	452.3	819.2
1997.....	3.0	6.4	14.9	28.7	53.0	81.5	155.9	250.5	449.4	831.8
1996.....	3.3	8.0	14.7	28.6	56.6	91.7	165.3	271.5	487.7	886.7
1995.....	3.1	7.4	15.4	31.8	50.9	95.8	166.2	276.0	493.9	949.7
1994.....	3.6	6.6	16.8	29.1	52.8	90.3	169.8	276.2	505.2	878.4
1993.....	2.8	7.5	16.2	30.0	54.2	91.3	169.4	285.2	487.9	912.7
1992.....	3.2	7.8	13.8	31.3	55.4	96.1	169.6	267.4	463.2	857.4
1991.....	4.0	7.1	14.9	32.1	57.0	104.5	172.7	281.2	497.5	922.6
1990.....	3.4	8.3	17.0	30.7	59.2	109.3	184.6	296.1	507.3	946.0
1989.....	3.8	9.0	16.9	31.0	65.0	109.2	192.8	325.5	520.7	939.1
1988.....	4.9	7.7	15.8	36.3	68.5	119.9	198.2	333.8	562.2	949.6
1987.....	4.1	8.3	19.0	35.3	68.8	112.4	202.2	336.1	538.6	950.8
1986.....	4.8	9.2	19.7	33.2	67.0	118.7	213.0	343.0	552.2	936.8
1985.....	4.6	10.4	20.2	40.1	69.2	121.7	231.0	353.3	589.8	964.3
1984.....	5.3	11.5	21.9	39.7	74.6	129.4	244.2	359.3	659.0	885.7
1983.....	4.3	10.8	23.3	41.2	84.9	135.6	248.2	366.2	612.2	947.8
1982.....	5.7	14.0	23.5	44.1	86.0	142.8	246.4	398.5	664.5	972.9
1981.....	5.4	12.8	27.2	47.5	86.4	148.5	274.1	398.0	713.7	1,058.4
1980.....	5.5	14.3	25.8	47.1	89.8	157.9	281.7	445.5	708.1	1,065.8
1979.....	6.7	12.6	27.1	51.8	93.8	158.6	293.6	438.2	625.4	1,062.6
ALL OTHER MALE										
1998.....	3.2	6.9	17.0	35.7	61.4	97.9	165.5	279.6	474.0	754.4
1997.....	3.2	7.5	20.2	37.5	65.9	99.6	181.2	282.2	471.3	760.4
1996.....	3.2	10.5	19.2	38.4	70.6	108.4	199.2	306.1	487.9	821.8
1995.....	3.5	10.1	21.9	42.1	64.9	111.5	196.5	318.7	571.0	891.3
1994.....	4.9	8.6	21.1	39.7	66.8	108.4	201.7	313.6	576.4	853.0
1993.....	3.6	8.9	19.8	39.1	65.2	111.9	195.8	324.3	522.2	872.3
1992.....	3.4	9.8	15.9	38.1	70.8	117.6	201.4	305.2	498.5	800.0
1991.....	5.7	9.2	20.5	41.8	68.1	126.9	200.0	315.7	562.8	908.1
1990.....	4.0	11.1	21.5	38.7	71.4	132.2	217.9	341.3	537.8	921.4
1989.....	4.8	11.0	19.6	35.0	85.6	126.0	218.7	372.5	521.5	914.8
1988.....	6.3	8.6	20.1	43.6	85.8	140.1	230.0	371.7	607.7	846.8
1987.....	5.7	10.2	23.2	45.9	83.4	130.7	233.2	375.8	589.3	915.6
1986.....	5.9	12.1	25.2	44.6	77.0	145.0	247.0	390.0	604.6	868.0
1985.....	4.1	11.6	24.4	49.9	83.3	143.6	266.7	399.0	579.0	878.1
1984.....	6.3	14.4	27.5	53.1	90.0	155.2	281.8	371.8	675.2	872.2
1983.....	4.7	12.1	26.7	48.1	99.6	158.5	287.0	405.6	617.5	920.0
1982.....	6.1	17.4	26.1	51.8	100.2	171.1	300.3	436.5	681.9	977.6
1981.....	5.3	17.4	31.6	56.4	103.0	174.2	309.5	440.3	744.0	1,018.8
1980.....	6.0	16.5	31.3	53.8	107.5	183.9	320.4	512.4	784.1	1,069.8
1979.....	9.0	14.2	32.5	65.0	113.5	181.4	326.9	469.8	682.6	1,098.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)										
ALL OTHER FEMALE										
1998.....	2.0	5.4	11.3	19.3	35.6	72.1	125.4	232.4	440.0	848.9
1997.....	2.8	5.5	10.6	21.5	43.0	68.1	138.3	229.8	437.1	864.2
1996.....	3.4	5.8	10.9	20.7	45.9	79.4	141.6	249.1	487.7	916.0
1995.....	2.7	5.2	10.0	23.5	40.2	84.1	145.0	248.8	451.6	974.9
1994.....	2.5	4.9	13.2	20.5	42.2	76.8	147.7	252.7	466.1	889.5
1993.....	2.1	6.4	13.2	22.7	45.8	76.2	150.9	260.9	468.8	930.3
1992.....	3.0	6.1	12.0	25.8	43.6	80.1	147.7	244.1	443.3	883.3
1991.....	2.5	5.2	10.2	24.3	48.5	88.0	154.3	259.7	458.5	924.3
1990.....	2.8	5.8	13.2	24.2	49.9	92.5	162.0	268.0	490.1	957.2
1989.....	3.0	7.2	14.6	27.7	49.4	96.7	175.1	296.1	520.3	950.3
1988.....	3.8	6.8	12.1	30.4	55.2	104.9	176.9	309.8	533.3	997.6
1987.....	2.8	6.7	15.5	26.8	57.5	98.8	181.1	310.7	509.7	967.5
1986.....	3.9	6.7	15.2	24.0	59.2	99.1	189.6	312.6	525.0	969.9
1985.....	5.0	9.5	16.8	32.2	58.2	105.3	206.4	323.2	596.1	1,012.7
1984.....	4.5	8.9	17.3	28.9	62.5	109.8	217.4	351.0	645.7	892.4
1983.....	4.0	9.7	20.5	35.6	73.1	118.6	221.3	339.8	609.1	961.9
1982.....	5.3	11.2	21.5	37.7	74.7	121.5	207.5	371.6	654.1	963.2
1981.....	5.6	9.0	23.6	40.3	73.1	129.0	247.5	369.5	695.3	1,078.6
1980.....	5.0	12.5	21.4	41.6	75.6	138.0	252.8	400.0	661.4	1,063.7
1979.....	4.8	11.2	22.7	40.8	77.9	141.3	268.3	415.9	594.2	1,053.5
BLACK, BOTH SEXES										
1998.....	3.2	7.8	18.0	32.8	58.2	95.6	166.0	284.6	498.8	893.6
1997.....	3.7	8.5	19.3	35.8	63.9	95.6	183.8	278.0	484.6	904.3
1996.....	4.1	10.0	19.1	35.7	68.1	108.9	194.0	305.1	544.2	944.8
1995.....	4.0	9.4	19.2	39.0	60.4	113.5	193.2	307.1	538.4	987.0
1994.....	4.8	9.0	21.4	35.9	64.9	106.1	194.6	304.2	544.8	909.0
1993.....	3.8	9.4	20.5	37.3	65.5	106.6	196.6	319.0	527.3	936.1
1992.....	4.2	10.2	17.8	37.9	66.5	112.2	197.3	299.1	508.8	904.6
1991.....	5.0	9.1	18.6	39.6	68.1	119.9	196.7	305.3	538.4	955.6
1990.....	4.5	10.6	21.5	37.1	71.2	126.8	207.3	327.0	543.6	986.4
1989.....	4.8	11.4	20.7	37.3	77.3	126.6	221.1	360.8	554.3	974.5
1988.....	6.3	9.8	19.2	44.2	80.7	139.2	226.9	367.4	602.9	981.3
1987.....	5.2	10.3	23.6	42.0	80.2	130.5	227.8	364.9	577.2	984.6
1986.....	6.2	11.8	24.2	39.5	78.6	134.0	237.2	375.5	601.6	985.1
1985.....	5.7	13.1	24.8	48.0	80.3	137.7	256.6	388.9	627.3	999.5
1984.....	6.4	14.1	26.3	45.7	85.5	145.1	274.5	386.8	703.8	926.8
1983.....	5.4	13.1	27.6	48.0	97.6	150.5	276.9	398.3	656.8	989.1
1982.....	7.2	16.2	27.9	51.3	98.2	159.8	272.7	428.1	709.6	1,002.8
1981.....	6.5	15.4	31.5	53.7	97.8	164.1	303.4	430.1	774.2	1,105.4
1980.....	6.4	16.9	30.0	53.6	100.4	173.1	307.0	480.3	751.8	1,099.6
1979.....	8.0	14.3	30.9	58.1	103.2	170.4	321.1	463.4	653.7	1,103.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)										
BLACK MALE										
1998.....	3.9	8.6	21.8	44.1	77.5	111.7	190.1	314.1	536.1	811.3
1997.....	3.9	10.0	26.2	46.3	80.7	116.8	213.2	308.8	509.7	822.5
1996.....	3.9	13.3	26.1	48.6	85.5	129.0	231.3	345.8	577.6	877.1
1995.....	4.3	13.1	27.9	52.4	78.1	131.9	227.1	355.4	629.9	905.2
1994.....	6.5	11.8	27.6	50.3	82.6	128.7	230.8	349.8	628.5	872.0
1993.....	4.8	11.4	26.2	49.6	77.3	133.9	227.3	368.7	576.1	900.6
1992.....	4.4	12.9	20.9	47.1	84.6	137.2	236.3	344.0	564.4	849.8
1991.....	7.4	12.1	26.8	52.4	80.6	147.7	230.7	348.1	625.7	926.1
1990.....	5.4	14.7	28.1	48.0	86.3	154.7	246.7	385.0	584.6	973.3
1989.....	5.8	13.9	25.0	42.6	101.9	144.8	254.0	415.7	558.8	963.6
1988.....	8.1	11.5	24.7	53.0	101.0	163.6	267.6	420.3	653.2	855.4
1987.....	7.6	13.2	29.1	54.0	95.2	151.6	265.1	413.1	641.3	959.4
1986.....	7.6	15.7	31.3	53.1	91.8	163.0	277.8	428.5	655.6	911.1
1985.....	5.4	14.6	30.1	59.2	98.1	162.5	302.8	444.1	614.9	904.8
1984.....	7.7	17.9	33.0	60.5	104.7	176.0	321.2	402.4	732.1	921.3
1983.....	5.8	15.0	31.5	55.9	113.4	177.3	327.5	444.2	665.9	961.7
1982.....	7.8	20.2	31.4	60.2	114.1	193.1	342.1	472.7	720.0	1,013.8
1981.....	6.4	21.2	36.3	63.6	117.9	194.3	345.6	481.0	813.0	1,064.3
1980.....	7.0	19.5	36.3	61.8	121.0	204.0	355.8	555.1	838.3	1,113.0
1979.....	11.0	16.4	37.0	73.2	125.3	196.2	364.6	498.1	700.0	1,125.0
BLACK FEMALE										
1998.....	2.5	7.1	15.0	24.1	43.7	83.6	149.2	265.7	479.3	927.8
1997.....	3.5	7.3	13.8	27.5	51.4	79.8	163.7	258.6	471.6	938.2
1996.....	4.2	7.3	13.5	25.6	54.9	93.8	168.6	279.8	527.0	972.6
1995.....	3.7	6.2	12.1	28.5	47.1	99.8	170.3	277.3	491.8	1,020.2
1994.....	3.3	6.7	16.4	24.7	51.6	89.3	170.3	276.6	502.1	924.0
1993.....	2.9	7.7	15.8	27.7	56.5	86.6	175.9	289.6	502.3	950.6
1992.....	3.9	7.9	15.2	30.7	52.9	93.9	171.3	272.9	480.0	927.5
1991.....	3.0	6.6	11.9	29.5	58.7	99.8	174.2	280.2	493.4	968.1
1990.....	3.6	7.2	16.1	28.4	59.8	106.6	181.5	292.9	522.3	991.9
1989.....	3.9	9.4	17.1	33.1	58.7	113.4	200.0	328.2	551.9	985.6
1988.....	4.9	8.4	14.7	37.2	65.3	121.4	199.5	335.8	576.4	1,036.2
1987.....	3.3	7.9	19.0	32.4	68.7	115.1	202.6	335.6	542.7	995.8
1986.....	5.0	8.6	18.4	28.6	68.6	112.8	209.8	343.1	572.1	1,018.8
1985.....	6.0	11.8	20.4	38.9	66.5	119.5	226.1	354.6	634.2	1,043.6
1984.....	5.3	10.9	20.8	33.6	70.6	122.3	243.3	377.1	688.2	929.5
1983.....	5.0	11.6	24.4	41.5	85.5	130.8	243.3	367.6	651.7	1,002.4
1982.....	6.7	13.0	25.0	44.1	85.8	135.3	225.0	401.2	703.6	997.5
1981.....	6.5	10.6	27.6	45.7	81.9	142.1	274.0	397.1	751.5	1,115.9
1980.....	6.0	14.7	24.9	47.0	84.2	150.1	272.3	431.6	699.9	1,092.9
1979.....	5.6	12.6	26.0	45.7	85.7	151.1	289.8	437.7	625.0	1,093.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)										
TOTAL, BOTH SEXES										
1998.....	0.4	0.7	1.2	2.2	4.7	9.2	20.3	44.3	95.0	258.9
1997.....	0.3	0.6	1.2	2.3	4.9	9.3	19.7	42.0	93.9	271.7
1996.....	0.4	0.6	1.3	2.3	5.0	9.7	19.9	42.9	95.8	271.8
1995.....	0.4	0.8	1.4	2.2	4.8	9.2	19.2	42.7	94.7	271.0
1994.....	0.4	0.7	1.2	2.2	4.5	8.8	18.6	41.2	92.8	262.0
1993.....	0.4	0.7	1.2	2.2	4.3	8.2	18.0	40.5	87.2	256.8
1992.....	0.3	0.6	1.1	2.0	3.9	8.0	17.1	36.7	81.3	238.1
1991.....	0.3	0.6	1.2	2.1	3.8	7.9	17.3	36.7	82.5	238.1
1990.....	0.4	0.5	1.0	2.3	3.3	7.6	17.1	35.9	83.6	237.0
1989.....	0.3	0.6	1.1	2.5	4.4	7.8	18.6	38.7	86.6	245.4
1988.....	0.3	0.6	1.2	2.1	3.9	8.3	18.1	39.7	90.9	269.5
1987.....	0.4	0.7	1.2	2.1	3.8	7.7	19.8	40.9	93.9	261.7
1986.....	0.4	0.6	1.1	2.2	3.9	7.9	19.2	42.8	98.5	270.7
1985.....	0.4	0.8	1.4	2.4	4.4	8.9	20.4	46.1	104.4	287.9
1984.....	0.4	0.6	1.2	2.1	4.7	9.7	22.9	48.5	113.8	313.1
1983.....	0.4	0.7	1.4	2.8	4.7	10.1	23.5	55.5	123.4	339.2
1982.....	0.4	0.8	1.2	2.5	5.1	10.2	24.9	57.7	132.3	341.5
1981.....	0.5	1.0	1.5	2.5	5.2	11.5	27.1	62.3	143.6	379.1
1980.....	0.4	0.8	1.6	2.5	5.4	12.8	30.6	71.6	162.8	403.0
1979.....	0.7	0.8	1.4	2.7	5.6	12.5	30.4	69.6	161.9	396.4
TOTAL, MALE										
1998.....	0.4	0.7	1.4	2.7	5.5	11.4	23.0	51.6	102.4	248.8
1997.....	0.3	0.6	1.4	2.5	6.0	11.5	24.6	50.6	105.9	268.3
1996.....	0.5	0.7	1.7	2.8	6.2	11.8	24.7	51.4	112.1	265.8
1995.....	0.4	0.8	1.5	2.7	6.0	11.3	23.7	51.2	110.4	262.0
1994.....	0.5	0.8	1.2	2.6	5.8	10.4	22.8	50.8	108.0	252.5
1993.....	0.5	0.7	1.4	2.4	5.3	10.3	21.8	50.5	98.9	249.4
1992.....	0.3	0.7	1.5	2.3	4.5	9.9	21.7	45.0	91.5	230.7
1991.....	0.4	0.7	1.3	2.5	4.8	10.2	21.9	45.3	96.4	226.1
1990.....	0.5	0.5	1.0	3.2	4.2	10.1	20.6	46.0	95.6	223.8
1989.....	0.4	0.6	1.4	2.9	5.3	9.9	23.1	47.6	97.4	229.7
1988.....	0.3	0.7	1.1	2.7	4.9	10.1	22.9	48.6	101.0	251.9
1987.....	0.4	0.6	1.2	2.7	4.9	9.4	24.6	49.1	105.4	241.0
1986.....	0.4	0.6	1.2	2.6	4.8	9.5	24.7	53.3	114.1	252.5
1985.....	0.4	0.9	1.6	2.9	5.3	10.7	25.6	55.6	117.4	257.6
1984.....	0.4	0.7	1.5	2.5	5.6	12.2	29.7	55.9	123.1	299.1
1983.....	0.3	0.7	1.7	3.5	6.1	12.8	29.2	69.5	140.7	321.0
1982.....	*	0.7	1.4	3.0	6.1	12.4	31.1	69.3	140.8	315.3
1981.....	0.5	1.0	1.8	3.1	6.3	14.8	32.6	73.5	160.4	355.8
1980.....	0.5	0.7	1.9	2.7	6.6	15.3	37.8	84.8	179.5	379.0
1979.....	0.7	0.9	1.5	2.9	7.1	15.8	37.0	80.5	179.0	375.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)										
TOTAL, FEMALE										
1998.....	0.4	0.6	1.1	1.7	3.9	7.3	18.1	39.0	90.6	263.1
1997.....	0.3	0.5	1.1	2.1	3.9	7.5	16.0	36.0	86.8	273.0
1996.....	0.3	0.5	1.0	1.9	4.0	7.9	16.2	36.9	86.4	274.2
1995.....	0.3	0.7	1.3	1.7	3.7	7.4	15.8	36.8	85.8	274.5
1994.....	0.3	0.6	1.2	1.9	3.4	7.4	15.5	34.7	84.4	265.7
1993.....	0.3	0.7	1.0	2.1	3.4	6.5	15.2	33.8	80.9	259.7
1992.....	0.3	0.5	0.7	1.7	3.3	6.4	13.6	31.3	75.7	241.0
1991.....	0.2	0.5	1.1	1.6	3.0	6.0	13.8	31.1	75.0	242.7
1990.....	0.4	0.6	1.1	1.6	2.4	5.5	14.5	29.4	77.3	242.0
1989.....	0.3	0.6	0.9	2.1	3.5	6.2	15.3	33.0	80.8	251.4
1988.....	0.3	0.5	1.2	1.6	3.1	6.9	14.6	34.0	85.5	276.4
1987.....	0.3	0.7	1.2	1.6	2.9	6.2	16.3	35.8	87.9	269.9
1986.....	0.3	0.6	1.0	1.8	3.1	6.6	15.1	36.2	90.3	277.9
1985.....	0.3	0.7	1.2	1.9	3.6	7.4	16.7	40.0	97.5	300.0
1984.....	0.4	0.6	1.0	1.7	3.9	7.6	18.0	43.8	109.0	318.8
1983.....	0.4	0.7	1.0	2.2	3.4	7.9	19.4	46.8	114.4	346.6
1982.....	0.4	0.9	1.0	2.0	4.3	8.4	20.4	50.5	127.9	352.4
1981.....	0.5	1.1	1.2	1.9	4.3	8.8	23.1	55.3	134.7	388.8
1980.....	0.3	0.9	1.3	2.4	4.4	10.7	25.4	63.4	153.8	413.5
1979.....	0.7	0.7	1.3	2.5	4.4	9.8	25.7	62.8	152.8	405.7
WHITE, BOTH SEXES										
1998.....	0.3	0.5	0.9	1.8	3.8	8.1	18.6	42.2	93.0	262.3
1997.....	0.2	0.4	1.0	2.0	3.9	8.2	17.9	40.1	93.0	274.5
1996.....	0.3	0.5	1.1	1.9	4.2	8.3	18.0	41.1	93.5	275.2
1995.....	0.3	0.6	1.0	1.7	4.0	7.9	17.3	40.1	92.7	271.2
1994.....	0.3	0.5	1.0	1.9	3.7	7.7	16.8	39.2	91.2	263.5
1993.....	0.3	0.6	0.8	1.9	3.5	7.0	16.4	38.1	85.7	260.4
1992.....	0.2	0.5	0.9	1.6	3.2	7.0	15.3	34.3	79.1	239.8
1991.....	0.2	0.4	0.9	1.6	3.1	6.8	16.0	34.7	80.4	239.7
1990.....	0.4	0.4	0.8	1.9	2.7	6.5	15.8	34.3	82.5	241.3
1989.....	0.2	0.5	0.9	2.0	3.6	6.8	17.2	36.3	85.6	250.5
1988.....	0.2	0.4	1.0	1.6	3.2	7.1	16.4	38.2	90.4	272.9
1987.....	0.3	0.6	1.0	1.7	3.2	6.7	17.9	38.8	93.8	267.2
1986.....	0.3	0.5	0.9	1.7	3.2	6.9	17.7	41.0	98.1	277.3
1985.....	0.3	0.5	1.2	2.0	3.8	7.9	18.6	44.8	102.6	296.4
1984.....	0.3	0.5	0.9	1.8	4.0	8.6	21.3	47.0	112.0	321.6
1983.....	0.3	0.6	1.1	2.2	4.0	9.1	21.9	54.7	122.4	348.5
1982.....	0.3	0.7	1.1	2.0	4.3	9.1	23.3	57.2	133.0	351.9
1981.....	0.3	0.8	1.1	2.2	4.5	10.2	25.7	61.8	145.2	390.1
1980.....	0.4	0.6	1.2	2.1	4.6	11.1	29.1	70.7	164.5	416.9
1979.....	0.6	0.6	1.1	2.2	5.0	11.5	28.9	69.1	164.9	410.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)										
WHITE MALE										
1998.....	0.3	0.6	1.0	2.3	4.3	10.0	20.8	49.0	100.1	252.0
1997.....	0.2	0.5	1.1	2.0	4.7	10.1	22.5	47.9	106.1	271.7
1996.....	0.4	0.5	1.4	2.2	5.1	10.3	22.3	49.2	111.1	267.9
1995.....	0.3	0.6	1.0	1.9	5.0	9.8	21.3	48.0	108.8	261.1
1994.....	0.4	0.5	1.0	2.2	4.8	9.3	20.4	48.6	106.4	254.1
1993.....	0.4	0.5	0.9	2.1	4.5	9.0	20.3	46.8	96.4	252.6
1992.....	*	0.6	1.2	1.7	3.6	8.5	19.1	42.1	91.3	232.2
1991.....	0.3	0.5	0.9	2.0	3.8	8.8	20.2	42.7	93.0	227.7
1990.....	0.4	0.4	0.7	2.5	3.5	8.6	19.1	43.6	94.1	229.8
1989.....	*	0.5	1.0	2.3	4.5	8.7	21.1	45.5	96.3	233.7
1988.....	*	0.5	1.0	2.1	4.0	8.8	20.8	46.6	100.3	253.4
1987.....	0.3	0.6	1.1	2.2	4.1	8.6	22.6	46.9	106.3	248.4
1986.....	0.3	0.4	1.0	1.9	3.8	8.2	23.2	51.0	112.8	258.2
1985.....	0.3	0.6	1.4	2.4	4.7	9.6	23.9	54.1	116.4	266.3
1984.....	*	0.5	1.2	2.2	5.2	11.0	28.0	54.9	121.9	312.1
1983.....	*	0.5	1.3	2.8	5.1	11.8	27.6	69.1	141.2	331.2
1982.....	*	0.6	1.2	2.3	5.1	10.9	29.8	68.5	143.7	326.3
1981.....	*	0.7	1.3	2.7	5.5	13.2	31.7	73.4	162.1	365.3
1980.....	0.5	0.6	1.5	2.3	5.7	13.8	35.7	84.9	181.3	394.2
1979.....	0.6	0.7	1.2	2.4	6.3	14.6	35.7	80.7	184.9	392.7
WHITE FEMALE										
1998.....	0.3	0.5	0.7	1.3	3.3	6.5	16.8	37.3	88.7	266.6
1997.....	*	0.4	0.8	1.9	3.1	6.6	14.3	34.6	85.3	275.7
1996.....	0.2	0.5	0.8	1.7	3.4	6.7	14.6	35.4	83.4	278.1
1995.....	*	0.6	1.1	1.5	3.1	6.3	14.2	34.6	83.6	275.1
1994.....	*	0.4	1.1	1.7	2.7	6.4	14.1	32.7	82.8	267.1
1993.....	*	0.7	0.8	1.6	2.7	5.3	13.4	32.1	79.8	263.4
1992.....	0.3	0.4	0.6	1.4	2.9	5.7	12.4	29.2	72.5	242.7
1991.....	*	0.4	0.8	1.3	2.5	5.3	12.8	29.5	73.6	244.4
1990.....	0.4	*	0.9	1.3	2.0	4.7	13.4	28.2	76.3	245.7
1989.....	*	0.5	0.7	1.7	2.9	5.3	14.3	30.4	79.9	257.1
1988.....	*	*	0.9	1.2	2.5	5.7	13.1	32.9	85.2	280.4
1987.....	*	0.6	0.9	1.3	2.3	5.2	14.5	33.7	87.2	274.4
1986.....	0.3	0.5	0.8	1.5	2.7	5.8	13.7	34.8	90.5	284.8
1985.....	*	0.4	1.0	1.5	2.9	6.5	14.8	38.9	95.4	308.1
1984.....	*	0.5	0.7	1.5	2.9	6.6	16.5	42.0	106.8	325.4
1983.....	0.3	0.6	0.8	1.7	3.1	6.8	17.8	45.7	112.6	355.5
1982.....	*	0.8	1.0	1.7	3.7	7.6	18.6	50.2	127.4	362.4
1981.....	*	0.9	1.0	1.8	3.6	7.8	21.4	54.5	136.4	400.5
1980.....	0.3	0.6	1.0	1.9	3.6	9.0	24.3	61.8	155.7	426.6
1979.....	0.6	0.5	1.0	2.0	3.8	9.0	24.1	61.9	154.4	418.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)										
ALL OTHER, BOTH SEXES										
1998.....	0.8	1.3	3.2	4.6	10.2	16.3	33.9	62.6	115.6	226.7
1997.....	0.9	1.2	2.8	4.1	11.3	17.0	34.8	59.5	102.5	244.1
1996.....	0.8	1.3	2.7	4.6	10.3	19.2	36.1	59.0	118.6	239.2
1995.....	0.8	1.7	3.4	5.0	10.1	18.3	35.9	66.8	115.3	268.7
1994.....	1.0	1.7	2.3	4.1	9.7	16.8	34.4	60.6	109.1	246.6
1993.....	0.8	1.5	3.3	4.8	9.6	17.8	32.2	64.2	103.4	220.1
1992.....	0.8	1.4	2.1	4.8	8.6	16.1	33.1	59.5	103.6	220.5
1991.....	0.7	1.7	3.5	4.9	9.0	16.3	28.4	55.3	104.2	220.4
1990.....	*	1.6	2.7	5.2	7.3	16.7	28.8	51.3	95.7	190.8
1989.....	0.8	1.1	2.7	5.9	9.8	16.5	31.0	62.0	97.0	190.6
1988.....	1.0	1.6	2.4	5.3	9.9	18.8	33.9	53.6	96.3	233.9
1987.....	0.9	1.3	2.7	5.0	9.2	15.9	36.7	61.0	95.5	203.3
1986.....	*	1.5	2.2	5.8	9.5	16.7	32.4	59.6	102.0	198.3
1985.....	*	2.4	2.9	5.4	9.7	17.6	37.4	58.5	122.8	194.2
1984.....	*	1.7	3.4	4.3	10.8	19.0	37.5	62.8	134.1	219.8
1983.....	*	1.5	3.5	7.3	10.3	19.0	38.6	63.5	135.1	234.4
1982.....	*	*	2.2	6.5	12.1	20.0	39.9	62.8	125.1	225.6
1981.....	1.6	2.7	4.3	4.7	11.9	22.5	40.1	67.2	124.9	254.2
1980.....	0.7	2.1	4.2	6.7	13.3	27.4	45.2	81.2	141.8	244.1
1979.....	1.4	2.5	3.8	6.6	11.7	21.0	45.0	75.2	126.8	229.9
ALL OTHER MALE										
1998.....	*	1.4	3.7	5.2	13.9	21.9	41.8	75.8	125.6	220.2
1997.....	*	*	3.1	5.4	14.7	21.4	42.4	76.6	104.1	238.6
1996.....	*	1.9	3.9	6.7	13.8	22.8	46.7	72.9	122.3	247.3
1995.....	*	2.0	4.7	7.7	13.2	22.8	45.9	82.8	127.9	269.9
1994.....	*	2.2	3.0	5.7	12.7	19.3	45.2	72.6	124.7	237.1
1993.....	*	*	4.2	4.5	11.9	21.2	35.5	87.8	123.9	219.4
1992.....	*	*	3.2	6.2	11.5	21.4	46.6	73.5	94.1	217.4
1991.....	*	*	4.3	6.3	12.6	22.2	37.9	70.9	129.5	211.6
1990.....	*	*	2.9	7.6	9.9	23.0	35.4	68.4	110.8	168.3
1989.....	*	*	3.7	7.2	12.4	20.8	41.8	68.5	108.3	192.6
1988.....	*	*	*	7.2	13.0	21.8	43.2	67.6	108.5	238.0
1987.....	*	*	*	6.4	11.1	17.2	43.6	69.3	96.4	171.4
1986.....	*	*	*	7.6	13.3	21.9	38.8	75.2	126.9	198.7
1985.....	*	2.8	3.3	6.3	11.0	20.9	42.7	69.9	125.7	175.3
1984.....	*	*	4.0	5.5	9.6	23.3	46.1	65.3	134.7	176.4
1983.....	*	*	4.8	9.5	15.4	22.4	44.0	73.1	135.1	220.0
1982.....	*	*	*	8.6	14.5	25.6	42.9	76.6	110.6	209.0
1981.....	*	*	6.0	6.4	13.9	29.4	40.3	73.7	142.9	260.9
1980.....	0.8	1.7	5.0	6.7	15.2	29.3	57.8	83.2	160.5	223.8
1979.....	1.0	2.4	4.3	7.4	14.2	27.1	49.2	79.1	116.3	194.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)										
ALL OTHER FEMALE										
1998.....	*	1.2	2.8	4.1	7.3	12.1	28.3	53.8	109.8	229.6
1997.....	*	*	2.6	3.2	8.6	13.7	29.5	48.3	101.6	246.6
1996.....	*	*	*	2.9	7.6	16.5	28.7	50.0	116.5	235.5
1995.....	*	*	2.2	2.8	7.7	14.9	29.0	56.6	108.4	268.2
1994.....	*	*	*	2.9	7.4	14.9	26.9	53.1	100.5	250.8
1993.....	*	*	2.5	5.0	7.9	15.2	30.0	49.5	92.0	220.4
1992.....	*	*	*	3.7	6.3	12.2	23.8	50.8	109.0	222.0
1991.....	*	*	2.8	3.8	6.2	11.9	22.0	45.7	89.5	223.3
1990.....	*	1.9	2.5	3.3	5.4	12.1	24.3	40.7	87.2	201.0
1989.....	*	*	*	5.0	7.9	13.3	23.6	58.0	90.6	189.7
1988.....	*	*	2.9	3.8	7.5	16.7	27.7	44.8	88.7	232.0
1987.....	*	*	2.9	3.8	7.7	14.9	32.0	55.7	94.9	218.4
1986.....	*	*	*	4.2	6.5	12.8	28.0	49.5	88.3	198.1
1985.....	*	*	2.6	4.7	8.6	15.1	33.8	51.0	121.1	204.7
1984.....	*	*	2.9	3.4	11.7	15.8	31.5	61.2	132.9	241.4
1983.....	*	*	*	5.5	6.3	16.6	34.8	57.1	135.2	241.7
1982.....	*	*	*	4.7	10.2	15.8	37.7	53.3	133.8	232.3
1981.....	*	2.6	2.9	3.4	10.4	17.2	39.8	62.9	114.0	250.8
1980.....	0.6	2.4	3.6	6.8	11.8	26.0	35.8	79.9	130.3	254.5
1979.....	1.7	2.5	3.5	5.9	9.6	16.4	41.8	72.5	134.3	250.0
BLACK, BOTH SEXES										
1998.....	0.9	1.8	4.4	5.8	12.3	19.2	39.1	71.0	127.2	243.7
1997.....	1.0	1.5	3.4	5.1	13.3	19.3	40.5	64.4	111.8	250.3
1996.....	0.9	1.6	3.3	5.6	12.7	22.7	41.8	62.7	128.1	241.4
1995.....	0.9	2.0	4.2	6.3	11.9	21.1	41.6	71.6	122.3	271.1
1994.....	1.2	2.2	2.8	5.1	12.1	19.4	39.3	65.7	114.8	243.8
1993.....	1.0	1.5	4.1	5.8	11.6	19.3	37.0	69.2	108.6	222.1
1992.....	1.0	1.6	2.6	5.8	10.2	18.7	37.5	63.4	111.7	218.9
1991.....	*	2.1	4.4	6.2	10.7	18.9	32.7	59.7	109.1	219.0
1990.....	*	2.1	3.2	6.1	8.1	19.4	33.1	56.5	96.1	185.5
1989.....	*	*	3.2	6.5	11.3	18.8	35.3	68.7	100.0	187.7
1988.....	*	1.7	2.5	6.3	12.3	21.3	37.5	57.1	101.5	236.9
1987.....	1.3	1.7	3.3	5.3	10.9	18.5	39.6	67.7	100.8	214.9
1986.....	*	1.9	2.6	6.9	11.0	18.2	36.1	65.8	105.1	204.5
1985.....	*	2.9	3.4	6.3	11.2	20.2	40.8	62.8	130.6	197.9
1984.....	*	2.1	3.8	4.9	12.4	21.3	41.3	67.9	142.8	223.7
1983.....	*	1.7	3.7	8.5	11.9	21.5	42.3	68.6	143.2	240.2
1982.....	*	*	2.6	7.6	14.0	22.2	43.9	64.6	134.9	237.5
1981.....	1.8	3.2	5.1	5.3	13.8	24.8	44.8	72.9	134.0	258.3
1980.....	0.9	2.4	4.9	7.5	14.8	30.2	48.2	86.1	148.9	252.7
1979.....	1.7	2.6	4.2	7.3	12.7	22.9	49.3	78.3	133.3	228.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)										
BLACK MALE										
1998.....	*	2.0	5.2	6.6	16.6	26.0	48.4	84.7	142.3	239.3
1997.....	*	*	3.9	7.2	17.9	23.3	50.3	85.0	111.0	232.5
1996.....	*	2.4	4.9	7.8	17.3	26.7	54.4	76.7	135.9	240.0
1995.....	*	2.5	6.0	9.8	15.8	26.2	53.1	85.4	138.8	257.6
1994.....	*	3.0	3.8	7.0	15.8	21.0	52.0	78.3	128.3	213.4
1993.....	*	*	5.1	5.7	14.4	22.0	42.1	94.9	129.5	220.5
1992.....	*	*	4.1	7.3	13.9	24.0	53.6	77.8	101.4	209.6
1991.....	*	*	5.3	8.0	15.6	27.0	45.1	81.8	141.6	198.6
1990.....	*	*	*	9.1	10.8	26.6	41.5	77.2	109.8	173.5
1989.....	*	*	4.4	7.4	14.3	23.2	48.0	75.3	108.2	193.9
1988.....	*	*	*	8.6	16.5	25.9	47.6	71.8	118.1	244.6
1987.....	*	*	*	7.0	13.2	19.6	46.6	77.1	102.2	175.0
1986.....	*	*	*	9.3	15.7	24.2	45.2	84.9	128.9	207.9
1985.....	*	3.5	4.0	7.8	13.1	23.3	48.4	75.3	129.9	177.4
1984.....	*	*	4.8	6.3	11.0	26.4	52.2	71.3	145.2	188.5
1983.....	*	*	5.4	11.1	17.9	24.5	46.7	79.4	142.7	235.0
1982.....	*	*	*	9.9	16.9	28.7	47.9	78.3	118.8	229.3
1981.....	*	*	7.3	7.2	16.3	33.0	45.6	80.4	154.5	271.4
1980.....	1.1	2.1	5.5	7.5	16.8	32.2	61.8	86.3	167.9	228.3
1979.....	1.2	2.5	4.6	8.5	15.9	29.9	55.3	83.2	123.4	192.3
BLACK FEMALE										
1998.....	*	*	3.8	5.1	9.0	14.2	32.5	62.2	119.3	245.5
1997.....	*	*	3.0	3.5	9.9	16.3	33.8	51.5	112.2	257.6
1996.....	*	*	*	3.8	9.2	19.7	33.2	54.0	124.0	241.9
1995.....	*	*	2.8	3.6	9.1	17.3	33.9	63.1	113.8	276.6
1994.....	*	*	*	3.7	9.3	18.3	30.8	58.2	107.9	256.1
1993.....	*	*	3.2	5.9	9.4	17.3	33.5	53.9	97.9	222.7
1992.....	*	*	*	4.6	7.3	14.8	26.7	55.0	117.1	222.8
1991.....	*	*	3.6	4.8	7.0	13.0	24.6	46.8	92.3	227.6
1990.....	*	2.6	*	3.8	6.1	14.2	27.5	44.3	89.0	190.6
1989.....	*	*	*	5.9	9.1	15.6	27.0	64.8	95.7	186.3
1988.....	*	*	*	4.5	9.1	17.9	30.8	48.3	92.7	233.6
1987.....	*	*	3.6	3.9	9.2	17.6	34.9	61.9	100.0	232.6
1986.....	*	*	*	4.9	7.4	13.9	30.1	54.1	92.1	202.9
1985.....	*	*	*	5.1	9.7	18.0	35.8	54.9	131.0	207.5
1984.....	*	*	*	3.8	13.5	17.5	34.1	65.8	141.4	240.3
1983.....	*	*	*	6.3	7.4	19.3	39.4	61.4	143.4	242.7
1982.....	*	*	*	5.7	11.8	17.4	41.2	56.2	144.2	241.5
1981.....	*	*	3.4	3.8	11.9	18.8	44.2	68.0	122.0	249.6
1980.....	0.7	2.5	4.3	7.5	13.1	28.7	38.5	86.0	137.4	265.0
1979.....	2.1	2.7	3.9	6.4	10.3	17.7	44.9	74.6	139.5	246.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)										
TOTAL, BOTH SEXES										
1998.....	1.6	2.8	4.4	8.8	18.1	33.6	57.8	94.9	157.2	375.8
1997.....	1.6	2.7	4.8	9.3	18.8	34.7	61.5	99.2	165.2	395.3
1996.....	1.7	2.8	4.8	8.8	19.8	33.7	61.7	101.0	168.3	412.2
1995.....	1.9	2.7	4.9	9.9	19.2	36.0	62.1	100.6	167.9	413.0
1994.....	1.7	2.4	4.7	9.6	19.3	36.4	62.6	100.8	171.4	430.3
1993.....	1.7	2.7	4.9	9.9	19.4	37.5	63.4	103.5	175.3	438.2
1992.....	1.7	2.7	5.1	9.7	19.8	36.9	64.4	102.4	172.6	440.9
1991.....	1.5	2.9	4.8	10.3	20.3	39.2	65.7	105.8	176.4	455.4
1990.....	1.4	2.8	5.0	10.0	20.7	39.2	67.5	109.1	184.8	481.6
1989.....	1.6	2.5	5.5	10.8	21.4	39.4	70.0	113.2	188.4	506.2
1988.....	1.4	2.3	5.3	10.4	21.9	40.8	71.8	116.4	205.5	559.0
1987.....	1.4	2.6	5.3	10.1	22.8	41.5	74.2	120.3	208.2	564.7
1986.....	1.4	2.5	5.2	10.2	23.1	41.2	74.3	121.8	214.0	584.2
1985.....	1.4	2.6	5.4	11.5	22.4	42.8	75.4	124.2	223.6	619.8
1984.....	1.6	2.6	5.3	11.1	23.5	43.3	74.1	129.5	236.6	641.8
1983.....	1.3	2.6	5.9	11.6	23.5	42.7	77.2	135.1	252.9	684.8
1982.....	1.2	3.0	5.4	11.4	23.2	45.6	79.5	136.6	258.0	695.4
1981.....	1.6	2.6	5.6	11.7	23.6	45.6	81.8	140.9	271.7	751.9
1980.....	1.6	3.3	6.2	12.1	24.9	47.2	86.1	151.3	297.4	794.4
1979.....	1.6	3.0	5.9	12.0	25.3	47.6	86.8	150.7	297.5	782.2
TOTAL, MALE										
1998.....	2.1	3.9	6.1	12.1	25.6	46.4	79.2	127.5	202.3	410.6
1997.....	2.2	3.5	6.6	12.9	25.9	48.5	85.5	130.5	215.1	438.8
1996.....	2.2	3.9	6.7	12.7	28.7	47.2	84.8	136.8	223.3	450.0
1995.....	2.5	3.6	6.7	13.6	27.4	52.6	88.4	139.5	219.2	469.5
1994.....	1.9	3.0	6.5	13.0	27.6	52.8	88.3	139.0	231.0	489.9
1993.....	2.2	3.5	6.6	13.9	28.8	55.7	90.9	149.8	240.1	494.8
1992.....	2.3	3.5	6.8	13.3	28.5	55.6	93.6	145.5	236.7	499.1
1991.....	2.0	3.9	6.5	14.6	30.7	58.7	97.0	154.5	243.6	513.8
1990.....	1.7	3.6	7.1	14.7	31.0	57.9	101.6	161.8	259.3	550.7
1989.....	2.1	3.3	7.3	15.1	32.4	60.0	102.9	162.0	270.7	564.4
1988.....	2.0	2.8	7.1	14.8	33.1	60.6	108.4	170.0	281.8	612.3
1987.....	1.9	3.6	7.2	14.3	34.3	62.6	112.4	177.0	284.6	616.2
1986.....	1.5	3.2	7.3	15.3	35.2	62.7	114.6	178.3	293.2	619.0
1985.....	1.9	3.3	7.7	17.3	34.6	65.9	118.3	180.3	305.7	674.1
1984.....	2.3	3.5	7.3	16.1	35.7	66.8	113.2	188.7	330.6	699.2
1983.....	1.8	3.4	8.4	17.2	35.8	65.7	118.4	203.4	339.8	740.6
1982.....	1.7	4.0	7.6	16.6	35.5	71.0	122.3	205.2	344.7	760.9
1981.....	2.1	3.4	8.0	17.3	36.8	70.3	126.1	212.0	363.0	816.5
1980.....	2.0	4.3	8.9	18.6	39.5	74.1	132.2	219.6	391.6	860.6
1979.....	2.0	4.0	8.7	17.5	38.8	73.3	134.9	218.3	395.0	845.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)										
TOTAL, FEMALE										
1998.....	1.1	1.8	2.9	5.8	11.4	22.7	41.1	71.7	130.4	361.4
1997.....	1.1	1.9	3.1	5.9	12.4	23.0	43.0	77.1	135.9	377.8
1996.....	1.2	1.8	2.9	5.2	12.0	22.4	44.0	76.0	136.6	397.2
1995.....	1.3	1.8	3.1	6.5	11.9	22.2	41.9	73.9	138.9	391.0
1994.....	1.4	1.9	3.1	6.5	12.0	23.0	42.9	74.8	138.4	407.4
1993.....	1.2	1.9	3.3	6.2	11.1	22.5	42.5	72.5	139.9	416.5
1992.....	1.2	1.9	3.4	6.3	12.1	21.7	42.2	73.9	137.9	418.4
1991.....	1.1	1.9	3.2	6.4	11.2	23.3	42.2	74.1	140.5	432.8
1990.....	1.1	2.1	2.9	5.8	11.8	24.0	42.2	75.2	145.3	454.9
1989.....	1.1	1.7	3.8	6.8	11.8	22.7	45.7	81.9	144.9	483.6
1988.....	0.9	1.7	3.7	6.3	12.2	24.6	45.0	82.1	165.3	538.2
1987.....	1.0	1.6	3.4	6.2	12.9	24.3	46.4	84.4	168.1	544.4
1986.....	1.3	1.9	3.3	5.6	12.7	23.7	45.1	86.2	172.4	570.4
1985.....	1.0	2.0	3.2	6.3	11.8	24.1	44.4	88.9	180.6	598.1
1984.....	0.9	1.6	3.4	6.6	12.9	24.3	45.7	92.3	187.2	618.7
1983.....	0.9	1.7	3.6	6.7	12.9	24.2	47.4	92.2	207.1	662.0
1982.....	0.8	2.0	3.5	6.7	12.5	25.3	48.6	93.5	212.2	668.1
1981.....	1.2	2.0	3.4	6.8	12.2	25.8	49.9	96.3	223.3	724.0
1980.....	1.2	2.4	3.6	6.4	12.4	25.7	52.7	108.4	247.3	765.4
1979.....	1.2	2.1	3.3	7.0	13.7	27.1	52.1	108.1	245.2	754.2
WHITE, BOTH SEXES										
1998.....	1.4	2.4	4.0	8.2	17.8	34.1	58.5	96.1	158.8	384.0
1997.....	1.3	2.2	4.1	8.6	18.5	34.9	61.7	101.2	167.2	406.4
1996.....	1.5	2.5	4.5	8.2	19.6	34.0	62.0	102.1	170.6	423.8
1995.....	1.6	2.3	4.6	9.3	18.9	36.3	62.4	102.5	169.9	423.9
1994.....	1.4	2.1	4.3	8.9	19.1	36.6	63.0	101.5	172.6	438.8
1993.....	1.4	2.2	4.5	9.2	19.3	37.6	63.9	105.4	176.9	449.1
1992.....	1.6	2.3	4.5	9.1	19.7	37.1	65.2	104.5	174.6	451.9
1991.....	1.2	2.5	4.3	9.9	20.0	39.5	66.4	107.4	178.5	466.7
1990.....	1.1	2.5	4.4	9.6	20.6	39.4	68.1	110.7	186.8	491.6
1989.....	1.4	2.2	4.9	10.2	21.1	39.8	70.7	114.6	190.9	518.1
1988.....	1.2	2.0	4.8	10.1	21.2	40.9	72.8	117.3	207.5	574.7
1987.....	1.3	2.3	4.9	9.7	22.5	41.5	75.2	120.9	211.3	582.3
1986.....	1.2	2.1	4.6	9.5	22.7	41.5	74.9	123.0	216.6	602.0
1985.....	1.3	2.4	4.9	11.0	22.1	42.7	75.5	125.3	226.1	638.5
1984.....	1.4	2.2	4.7	10.7	23.1	43.5	74.1	132.5	240.1	662.8
1983.....	1.2	2.4	5.6	11.2	23.0	43.0	77.7	137.1	255.9	710.9
1982.....	1.1	2.7	5.0	10.9	22.7	45.5	79.9	139.0	261.6	717.7
1981.....	1.4	2.3	5.2	11.2	23.2	45.5	82.3	143.3	274.6	775.9
1980.....	1.4	3.0	5.7	11.6	24.5	46.9	86.3	152.1	300.9	814.3
1979.....	1.4	2.8	5.4	11.5	24.9	47.4	87.2	152.8	302.5	807.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)										
WHITE MALE										
1998.....	1.8	3.4	5.5	11.3	25.7	47.5	81.1	130.3	205.1	423.5
1997.....	1.8	2.9	5.9	12.2	26.2	50.1	86.9	133.6	219.4	457.6
1996.....	2.0	3.5	6.4	12.0	28.5	48.1	86.3	139.6	227.6	468.3
1995.....	2.2	3.0	6.5	13.1	27.8	53.7	90.0	143.6	223.6	487.1
1994.....	1.7	2.6	6.1	12.2	27.8	54.0	89.8	140.9	233.9	506.5
1993.....	1.8	3.0	6.2	13.3	29.0	56.4	92.6	154.0	244.6	510.4
1992.....	2.1	3.1	6.1	13.0	28.5	56.2	95.8	149.2	241.1	518.0
1991.....	1.6	3.5	6.0	14.2	30.8	60.1	99.8	158.0	248.4	532.5
1990.....	1.4	3.3	6.6	14.3	31.4	58.9	103.3	165.1	265.5	568.2
1989.....	1.9	3.0	6.7	14.6	32.7	60.7	105.5	167.4	277.0	587.1
1988.....	1.6	2.6	6.3	14.7	32.7	61.7	110.9	173.9	287.2	635.4
1987.....	1.7	3.2	6.8	14.2	34.2	63.3	114.7	179.6	292.5	641.3
1986.....	1.3	2.7	6.7	14.4	35.0	63.9	117.6	182.1	299.7	643.2
1985.....	1.8	3.0	7.3	17.0	34.7	66.5	120.3	185.1	313.8	700.9
1984.....	2.0	3.0	6.9	15.8	35.8	68.0	114.5	195.1	338.4	730.5
1983.....	1.5	3.2	7.9	16.9	35.7	67.2	120.8	209.3	348.2	771.0
1982.....	1.6	3.7	6.9	16.4	35.4	71.4	124.5	211.9	354.9	793.2
1981.....	1.8	3.1	7.6	17.0	36.7	72.0	129.1	219.8	371.4	848.4
1980.....	1.7	3.9	8.4	18.1	39.2	74.9	135.4	224.8	401.3	882.3
1979.....	1.7	3.8	8.2	17.0	39.1	74.2	137.6	225.7	405.0	877.0
WHITE FEMALE										
1998.....	0.9	1.5	2.5	5.3	10.6	22.6	40.6	71.7	131.1	367.8
1997.....	0.8	1.5	2.4	5.2	11.6	21.9	42.0	78.3	136.5	385.9
1996.....	1.0	1.5	2.6	4.5	11.5	22.0	43.2	75.8	137.6	406.4
1995.....	1.1	1.6	2.8	5.8	10.8	21.6	41.0	74.1	139.6	399.6
1994.....	1.1	1.5	2.6	5.7	11.2	22.1	42.3	74.5	138.6	413.0
1993.....	0.9	1.5	2.8	5.3	10.5	22.0	41.8	72.6	139.9	425.8
1992.....	1.0	1.4	3.1	5.5	11.8	21.5	41.9	74.8	138.7	426.6
1991.....	0.8	1.6	2.7	5.9	10.4	22.6	41.1	74.1	141.3	441.9
1990.....	0.9	1.8	2.4	5.2	11.0	23.4	41.8	75.6	145.2	462.5
1989.....	0.9	1.4	3.1	6.1	10.9	22.5	44.8	80.6	145.7	492.0
1988.....	0.8	1.4	3.4	5.7	11.1	23.8	44.6	81.3	165.9	551.4
1987.....	0.8	1.5	3.0	5.5	12.2	23.5	46.1	83.7	168.9	559.5
1986.....	1.1	1.6	2.6	5.0	12.0	23.1	43.8	85.7	173.3	586.0
1985.....	0.7	1.7	2.7	5.6	11.1	23.3	42.9	87.8	180.6	614.1
1984.....	0.8	1.3	2.7	6.0	12.0	23.6	44.6	93.5	188.9	635.9
1983.....	0.8	1.5	3.4	6.1	11.9	23.3	46.5	92.1	207.8	686.6
1982.....	0.6	1.8	3.2	6.1	11.7	24.6	47.6	93.7	212.8	686.7
1981.....	1.0	1.6	2.9	6.0	11.4	24.1	48.6	95.7	223.8	745.5
1980.....	1.0	2.1	3.1	5.7	11.6	24.3	51.0	106.8	248.2	785.1
1979.....	1.0	1.8	2.8	6.5	12.7	25.9	50.9	107.5	248.2	776.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)										
ALL OTHER, BOTH SEXES										
1998.....	2.6	5.1	7.0	12.5	20.3	29.8	52.4	84.2	141.4	298.1
1997.....	3.1	5.2	8.6	13.5	20.5	32.9	59.8	80.2	144.8	289.9
1996.....	3.0	4.9	6.8	12.9	21.1	31.5	59.1	90.4	145.1	301.4
1995.....	3.0	5.1	6.3	13.4	21.0	33.9	59.4	82.8	146.7	302.0
1994.....	3.1	4.5	7.4	14.2	20.9	35.4	59.0	94.4	159.5	343.3
1993.....	3.2	5.4	7.6	14.5	20.2	36.8	59.1	85.0	158.8	326.2
1992.....	2.6	5.4	8.2	13.3	20.4	35.2	56.8	82.4	152.0	326.2
1991.....	3.4	5.0	8.0	12.9	22.7	36.7	59.0	91.3	156.0	336.5
1990.....	2.7	4.7	8.3	13.0	21.9	37.3	61.6	93.9	164.5	375.5
1989.....	2.8	4.3	9.3	14.4	23.2	36.6	63.0	100.0	162.8	380.1
1988.....	3.0	3.8	8.5	12.5	27.4	39.7	62.7	107.1	184.4	392.3
1987.....	2.7	4.1	7.9	13.1	25.4	41.7	65.3	114.9	175.0	375.0
1986.....	2.6	5.1	9.2	15.1	26.6	38.3	68.5	110.7	185.9	390.5
1985.....	2.4	4.4	8.3	14.8	24.9	43.3	74.8	113.8	195.8	412.1
1984.....	2.7	5.1	8.9	14.4	27.1	41.2	74.1	100.0	198.2	412.4
1983.....	2.5	3.9	8.3	15.0	27.8	40.3	71.8	115.5	219.5	393.8
1982.....	2.0	4.9	8.3	14.8	26.8	46.5	76.2	112.6	217.5	448.7
1981.....	3.3	4.7	8.7	15.8	27.5	46.7	77.4	117.8	239.0	480.0
1980.....	3.2	5.5	9.9	16.7	29.0	50.2	83.8	143.4	256.1	564.6
1979.....	2.9	4.7	9.5	15.9	28.9	49.9	83.0	129.3	238.8	486.2
ALL OTHER MALE										
1998.....	3.1	6.7	9.5	17.2	25.3	38.3	63.0	101.9	173.6	297.5
1997.....	3.9	7.2	11.0	17.7	24.4	36.9	73.8	101.3	170.9	274.5
1996.....	3.6	6.8	9.1	17.2	29.6	40.8	71.5	109.6	178.3	290.8
1995.....	4.1	7.6	8.1	16.9	24.7	43.9	73.2	98.8	173.7	304.6
1994.....	3.1	5.5	9.1	18.0	25.9	43.7	74.2	120.7	201.5	334.4
1993.....	4.3	6.9	9.3	18.3	27.4	50.4	75.1	107.4	193.6	349.4
1992.....	3.3	6.3	11.3	15.5	28.0	50.8	73.6	109.7	192.7	322.1
1991.....	4.4	6.4	9.9	17.6	30.1	47.2	70.1	120.0	196.1	341.9
1990.....	3.4	6.0	10.8	17.2	27.3	48.5	86.1	130.0	198.1	388.2
1989.....	3.8	5.4	11.4	19.0	29.5	53.9	77.5	110.4	209.1	354.3
1988.....	4.4	4.3	12.3	15.4	37.1	51.7	84.2	133.3	228.2	398.7
1987.....	3.0	6.2	10.3	15.7	35.0	55.8	89.9	151.6	204.5	380.5
1986.....	2.8	6.8	11.1	21.9	37.1	51.9	85.9	142.4	226.9	392.0
1985.....	*	5.4	10.8	19.3	34.2	60.1	99.3	135.4	221.0	421.9
1984.....	3.7	7.0	10.3	18.8	35.5	56.2	100.3	128.7	250.5	405.6
1983.....	3.8	5.2	12.1	19.4	36.1	51.5	95.2	148.7	253.6	441.4
1982.....	2.5	6.3	12.5	18.2	36.0	66.6	101.4	142.7	238.3	447.8
1981.....	4.4	5.1	11.4	19.1	37.9	55.2	98.2	140.3	274.7	500.0
1980.....	4.1	7.1	13.3	22.4	41.9	66.4	102.8	170.8	287.7	638.6
1979.....	3.5	5.8	12.9	21.1	36.6	65.6	108.7	150.5	288.4	515.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)										
ALL OTHER FEMALE										
1998.....	2.2	3.7	4.9	8.8	16.4	23.4	44.9	72.4	123.1	298.4
1997.....	2.4	3.6	6.6	10.1	17.4	29.9	50.0	66.5	130.1	296.9
1996.....	2.5	3.4	4.8	9.4	14.6	24.7	50.6	78.1	126.5	306.2
1995.....	2.1	2.9	4.8	10.6	18.2	26.4	49.8	72.6	131.9	300.9
1994.....	3.1	3.7	6.0	11.1	17.1	29.2	48.5	77.8	136.4	347.1
1993.....	2.3	4.1	6.1	11.3	14.7	26.7	47.9	71.2	139.5	316.1
1992.....	2.1	4.6	5.5	11.5	14.5	23.7	45.2	65.5	129.1	328.1
1991.....	2.5	3.8	6.3	9.1	17.1	28.9	51.4	73.5	132.8	332.3
1990.....	2.1	3.6	6.1	9.7	17.8	29.1	45.0	71.5	145.6	369.7
1989.....	1.9	3.4	7.6	10.7	18.5	23.8	53.0	93.5	136.3	392.0
1988.....	1.9	3.3	5.2	10.1	20.0	30.8	48.1	90.5	158.3	389.3
1987.....	2.3	2.3	5.9	11.0	18.0	31.2	48.4	91.4	158.2	372.4
1986.....	2.4	3.6	7.6	9.6	18.3	28.1	56.7	90.2	163.3	389.7
1985.....	2.7	3.6	6.3	11.2	17.7	30.8	57.9	99.7	181.1	410.0
1984.....	*	3.5	7.7	10.8	20.5	29.9	55.6	80.9	166.5	415.9
1983.....	*	2.7	5.3	11.5	21.3	32.0	55.3	93.2	199.4	369.8
1982.....	*	3.7	4.9	12.0	19.4	31.4	58.1	91.9	205.1	445.9
1981.....	2.4	4.4	6.5	13.1	19.2	40.2	62.0	102.5	217.3	469.8
1980.....	2.4	4.2	7.1	11.9	18.6	37.7	69.6	124.7	236.7	526.8
1979.....	2.3	3.8	6.6	11.6	22.6	37.9	63.4	114.3	209.5	475.4
BLACK, BOTH SEXES										
1998.....	3.3	6.7	8.4	15.5	24.1	34.8	58.9	94.3	154.1	329.9
1997.....	3.9	6.7	10.8	15.7	23.7	37.3	68.9	91.0	158.9	321.0
1996.....	3.6	6.4	8.4	15.8	24.6	36.8	67.5	99.1	154.3	322.7
1995.....	3.8	6.3	7.7	16.4	24.9	39.4	66.4	91.6	160.3	314.2
1994.....	3.8	5.6	8.9	16.0	24.6	41.0	67.6	103.0	164.7	360.2
1993.....	3.8	6.9	9.5	17.4	22.4	41.0	65.4	92.5	169.4	339.7
1992.....	3.2	6.7	10.1	14.4	23.7	39.5	62.7	92.4	155.6	347.5
1991.....	4.4	6.3	10.5	15.2	26.4	40.8	66.1	99.4	162.6	355.6
1990.....	3.5	5.6	10.4	15.2	25.2	41.4	67.7	100.3	173.8	394.8
1989.....	3.6	5.2	11.1	17.5	26.9	40.5	68.3	109.8	170.6	399.5
1988.....	3.9	4.6	9.8	14.5	30.8	44.8	68.7	117.1	193.0	408.4
1987.....	3.3	5.1	9.6	14.8	29.2	46.3	71.4	120.9	182.5	391.8
1986.....	3.3	6.2	10.5	17.4	29.9	42.8	75.1	117.2	187.8	410.9
1985.....	2.8	5.2	9.8	17.2	28.0	46.9	81.2	121.7	208.2	422.1
1984.....	3.3	6.1	10.2	15.7	30.9	45.5	78.9	106.7	206.8	421.1
1983.....	2.9	4.7	9.6	16.9	31.1	43.9	76.9	122.7	227.8	404.9
1982.....	2.4	5.9	9.5	16.0	29.8	51.1	81.3	119.1	233.5	459.7
1981.....	4.0	5.4	9.7	17.7	30.1	51.2	81.9	125.9	256.5	495.8
1980.....	3.7	6.5	10.9	18.0	31.6	53.0	88.9	150.0	271.3	588.5
1979.....	3.2	5.2	10.5	17.4	31.2	53.5	85.0	133.6	239.8	496.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)										
BLACK MALE										
1998.....	3.9	9.0	11.5	21.6	30.9	44.0	71.2	112.4	187.6	323.9
1997.....	5.1	9.1	13.8	21.2	27.9	42.5	86.8	112.9	189.5	308.4
1996.....	4.2	8.7	11.2	21.2	36.1	46.5	81.1	115.3	191.0	307.2
1995.....	5.2	9.1	9.8	21.4	29.4	50.3	78.4	109.5	183.6	306.8
1994.....	3.7	7.1	10.8	20.5	31.4	49.5	85.1	134.2	207.0	335.2
1993.....	5.2	9.0	12.2	23.5	30.4	55.6	81.3	111.3	211.4	356.2
1992.....	4.0	8.1	14.0	15.6	33.1	56.3	79.7	122.5	190.1	348.8
1991.....	5.8	8.0	13.2	20.5	35.1	51.8	75.8	131.5	204.0	363.8
1990.....	4.6	7.0	14.0	20.0	31.6	54.1	93.3	137.7	210.5	412.0
1989.....	5.0	6.2	14.0	24.0	34.1	60.2	84.1	120.2	218.6	375.8
1988.....	5.6	5.8	14.2	18.0	40.7	58.8	91.6	148.0	241.5	415.4
1987.....	3.7	8.0	12.3	18.1	39.8	61.7	98.8	157.7	203.3	392.2
1986.....	3.4	8.4	12.2	24.3	42.4	58.3	94.0	151.2	222.2	423.8
1985.....	*	6.7	13.0	22.3	38.0	64.3	107.7	144.1	229.9	438.7
1984.....	4.4	8.5	11.9	20.8	40.0	62.6	108.6	137.7	257.1	409.8
1983.....	4.4	6.7	13.9	21.8	40.2	55.2	102.9	157.0	259.8	466.7
1982.....	*	7.9	14.4	20.2	39.5	72.8	109.1	152.8	253.8	450.0
1981.....	5.4	5.7	12.4	21.2	41.6	60.1	104.2	150.6	289.6	514.3
1980.....	4.9	8.5	15.0	23.9	45.6	70.4	110.0	173.9	298.6	654.6
1979.....	3.7	6.3	14.4	22.8	39.2	69.8	109.3	152.8	279.2	521.2
BLACK FEMALE										
1998.....	2.8	4.7	5.9	10.8	19.0	28.0	50.4	82.6	136.6	332.4
1997.....	2.9	4.8	8.3	11.5	20.6	33.5	56.5	77.2	143.0	326.3
1996.....	3.0	4.4	6.2	11.6	16.0	29.5	58.2	88.9	135.4	329.1
1995.....	2.7	4.0	6.0	12.5	21.5	31.3	58.4	80.5	148.4	317.1
1994.....	3.9	4.3	7.3	12.5	19.4	34.6	55.9	84.2	143.2	370.3
1993.....	2.7	5.2	7.4	12.6	16.4	30.3	54.7	81.4	147.8	333.0
1992.....	2.4	5.5	6.9	13.5	16.6	27.2	51.4	74.7	137.8	347.0
1991.....	3.3	4.9	8.3	11.1	19.7	32.8	59.6	80.5	141.3	352.1
1990.....	2.6	4.4	7.6	11.4	20.4	32.3	50.9	78.4	154.8	387.6
1989.....	2.5	4.4	8.8	12.2	21.4	26.2	58.1	103.7	145.4	412.4
1988.....	2.4	3.5	6.2	11.6	23.3	34.6	53.4	98.6	167.4	405.4
1987.....	2.9	*	7.5	12.1	21.1	35.1	53.2	98.6	171.3	391.7
1986.....	3.2	4.3	9.1	11.8	20.3	31.4	62.5	96.4	169.1	405.1
1985.....	3.1	3.9	7.2	13.1	20.2	34.2	63.7	107.7	196.2	414.3
1984.....	*	4.2	8.8	11.6	23.9	32.8	59.1	87.2	178.9	426.4
1983.....	*	3.1	6.1	12.8	24.0	35.6	59.4	100.4	209.7	375.0
1982.....	*	4.2	5.4	12.5	22.1	35.1	62.2	98.0	221.7	464.4
1981.....	2.8	5.2	7.5	14.8	21.1	44.8	66.4	109.8	237.1	482.3
1980.....	2.8	4.9	7.7	13.1	20.5	40.1	74.0	134.5	254.9	555.4
1979.....	2.8	4.3	7.3	13.0	24.8	41.4	67.5	119.9	215.3	484.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ATHEROSCLEROSIS (440)										
TOTAL, BOTH SEXES										
1998.....	0.1	0.3	0.7	1.6	3.5	6.2	12.4	24.7	55.5	207.2
1997.....	0.1	0.4	0.9	1.6	3.3	6.8	13.1	27.3	60.5	225.5
1996.....	0.2	0.4	0.9	1.6	3.9	6.3	14.4	29.3	63.7	241.7
1995.....	0.1	0.4	0.9	1.9	3.9	6.8	13.9	30.3	67.5	246.4
1994.....	0.2	0.3	0.8	2.0	3.5	7.4	14.7	29.9	69.1	265.1
1993.....	0.2	0.3	1.0	1.7	3.9	7.3	14.8	31.5	71.0	275.4
1992.....	0.2	0.4	0.9	1.8	4.0	7.5	15.2	31.2	70.2	278.1
1991.....	0.1	0.5	0.8	2.0	4.1	7.7	16.4	34.8	75.2	291.9
1990.....	0.1	0.4	1.0	1.8	4.6	8.3	17.4	35.3	81.2	318.0
1989.....	0.2	0.4	1.0	2.2	4.6	8.9	18.6	39.1	89.1	347.2
1988.....	0.2	0.4	1.2	2.3	5.0	10.2	21.8	45.2	108.3	404.7
1987.....	0.2	0.4	1.1	2.7	5.4	11.1	23.4	48.3	112.8	412.8
1986.....	0.2	0.5	1.2	2.4	5.7	10.3	23.5	49.2	114.9	438.0
1985.....	0.2	0.4	1.2	2.8	5.3	11.5	24.2	53.3	128.1	472.8
1984.....	0.2	0.4	1.0	2.5	5.8	11.4	25.1	57.7	137.3	493.8
1983.....	0.2	0.6	1.6	2.8	6.3	12.2	28.6	62.7	156.3	541.1
1982.....	0.2	0.7	1.3	2.9	6.3	13.8	29.3	66.7	163.7	563.0
1981.....	0.3	0.5	1.4	2.8	6.4	14.1	30.7	72.5	177.9	610.7
1980.....	0.3	0.7	1.6	3.0	6.8	15.0	34.8	80.1	199.5	656.5
1979.....	0.2	0.6	1.2	3.0	6.9	15.6	35.9	79.5	200.7	649.1
TOTAL, MALE										
1998.....	*	0.4	1.0	2.2	4.7	8.2	16.2	29.3	62.0	189.6
1997.....	0.2	0.6	1.2	2.5	4.0	9.4	16.2	32.2	69.4	209.7
1996.....	0.3	0.6	1.4	2.1	5.6	8.3	17.3	34.9	75.4	227.8
1995.....	0.2	0.6	1.3	2.5	5.0	9.2	18.1	38.3	76.8	242.8
1994.....	0.3	0.5	1.1	2.6	4.9	9.8	17.6	36.5	82.7	260.1
1993.....	0.3	0.3	1.4	2.2	5.3	9.4	19.0	39.7	80.1	266.6
1992.....	0.2	0.6	1.2	2.4	5.0	9.6	19.6	39.2	82.3	271.3
1991.....	0.2	0.8	1.0	2.4	5.9	10.3	20.8	45.5	89.0	283.3
1990.....	*	0.5	1.4	2.5	6.3	10.8	22.8	45.5	94.1	315.5
1989.....	0.3	0.6	1.2	3.0	6.2	12.0	23.5	46.3	109.9	335.1
1988.....	0.3	0.5	1.6	3.1	6.9	13.1	29.4	56.1	128.2	392.3
1987.....	*	0.7	1.5	3.5	7.3	14.8	31.1	60.0	127.8	392.9
1986.....	*	0.8	1.7	3.4	8.0	14.0	31.2	61.3	135.2	419.4
1985.....	0.4	0.6	1.8	4.3	7.3	15.5	32.9	65.0	145.7	463.9
1984.....	0.4	0.7	1.3	3.2	7.4	15.2	32.3	71.2	162.5	482.5
1983.....	*	0.9	2.2	4.0	8.1	16.1	36.7	79.4	178.7	529.5
1982.....	*	1.0	1.8	3.9	8.4	19.0	38.8	85.8	190.2	573.5
1981.....	0.5	0.6	1.9	3.9	8.7	18.6	40.6	91.2	207.0	614.8
1980.....	0.4	1.0	2.3	4.1	9.4	20.8	45.7	94.5	230.1	661.5
1979.....	0.3	0.9	1.8	4.0	9.1	20.0	47.2	97.2	230.5	656.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ATHEROSCLEROSIS (440)										
TOTAL, FEMALE										
1998.....	*	0.2	0.4	1.0	2.4	4.6	9.4	21.4	51.6	214.5
1997.....	*	*	0.6	0.8	2.6	4.6	10.6	23.9	55.3	231.9
1996.....	*	*	0.5	1.1	2.4	4.6	12.1	25.3	57.0	247.2
1995.....	*	0.2	0.5	1.3	2.9	4.9	10.7	24.8	62.3	247.8
1994.....	*	*	0.5	1.4	2.3	5.4	12.5	25.5	61.6	267.0
1993.....	*	0.3	0.6	1.2	2.6	5.5	11.6	26.1	66.1	278.7
1992.....	*	*	0.5	1.3	3.2	5.8	11.8	25.9	63.6	280.7
1991.....	*	*	0.5	1.5	2.6	5.6	13.1	27.8	67.9	295.2
1990.....	*	0.3	0.5	1.1	3.1	6.2	13.4	28.8	74.4	318.9
1989.....	*	*	0.8	1.5	3.2	6.3	14.9	34.4	78.2	351.8
1988.....	*	*	0.7	1.6	3.4	7.8	16.1	38.2	97.7	409.6
1987.....	*	*	0.8	1.8	3.7	8.0	17.7	40.8	104.9	420.6
1986.....	*	*	0.8	1.5	3.7	7.3	17.8	41.6	104.2	445.3
1985.....	*	*	0.7	1.6	3.5	8.3	17.9	45.9	118.9	476.3
1984.....	*	*	0.7	1.8	4.5	8.4	19.8	49.3	124.1	498.4
1983.....	*	*	1.0	1.8	4.7	9.0	22.7	52.3	144.4	545.9
1982.....	*	0.4	0.8	1.9	4.4	9.6	22.4	54.8	149.7	558.6
1981.....	*	0.4	0.9	1.9	4.4	10.4	23.5	60.8	162.5	608.6
1980.....	0.1	0.4	1.1	2.0	4.6	10.3	26.9	71.1	183.2	654.3
1979.....	0.1	0.3	0.7	2.0	4.9	12.2	27.8	68.4	184.7	645.7
WHITE, BOTH SEXES										
1998.....	0.1	0.3	0.6	1.5	3.4	6.2	12.4	25.0	56.4	214.5
1997.....	0.1	0.4	0.8	1.5	3.2	6.7	12.8	27.7	61.6	233.9
1996.....	0.2	0.4	0.9	1.4	3.7	6.3	14.3	29.6	64.7	250.2
1995.....	0.2	0.4	0.9	1.7	3.7	6.6	13.6	30.4	68.1	255.1
1994.....	0.2	0.2	0.7	1.7	3.3	7.2	14.4	29.6	69.8	272.8
1993.....	*	0.3	0.9	1.5	3.7	7.1	14.4	31.9	71.5	285.3
1992.....	0.2	0.3	0.8	1.7	3.9	7.2	15.0	31.5	70.5	287.2
1991.....	0.1	0.5	0.7	1.8	3.8	7.6	16.1	34.7	75.5	300.8
1990.....	*	0.4	0.9	1.6	4.3	8.0	17.0	35.3	81.3	326.8
1989.....	0.2	0.4	1.0	2.1	4.3	8.7	18.2	39.1	90.3	356.3
1988.....	0.2	0.3	1.0	2.2	4.6	9.8	21.5	44.0	108.8	417.5
1987.....	0.2	0.3	1.1	2.5	5.1	10.8	23.0	47.6	114.3	427.2
1986.....	0.2	0.4	1.1	2.2	5.4	9.9	22.7	48.7	115.5	452.1
1985.....	0.2	0.4	1.1	2.6	5.0	11.1	23.4	52.8	129.1	487.6
1984.....	0.2	0.4	0.9	2.3	5.6	10.9	24.3	58.3	138.8	511.2
1983.....	*	0.6	1.4	2.6	5.8	11.7	28.0	62.5	157.1	563.7
1982.....	*	0.6	1.2	2.8	6.0	13.3	28.8	66.5	164.8	581.0
1981.....	0.3	0.4	1.3	2.6	5.9	13.3	29.6	72.4	178.6	630.5
1980.....	0.2	0.6	1.4	2.7	6.3	14.2	33.8	79.1	201.3	673.4
1979.....	0.2	0.6	1.1	2.7	6.3	14.8	34.7	79.3	202.6	669.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ATHEROSCLEROSIS (440)										
WHITE MALE										
1998.....	*	0.4	0.9	2.1	4.8	8.0	16.0	29.7	62.4	197.8
1997.....	*	0.6	1.0	2.4	4.1	9.5	15.9	32.3	71.1	219.9
1996.....	0.3	0.6	1.4	1.9	5.3	8.5	17.3	35.6	76.4	236.9
1995.....	0.2	0.6	1.3	2.5	4.8	9.0	17.8	38.8	77.4	250.8
1994.....	*	0.4	1.0	2.3	4.7	9.6	17.4	36.3	83.4	269.4
1993.....	*	0.3	1.4	2.1	4.9	9.1	18.6	40.5	81.3	277.2
1992.....	*	0.5	1.1	2.2	4.7	9.4	19.2	39.6	82.9	281.2
1991.....	*	0.7	0.9	2.2	5.6	10.4	20.9	45.3	89.0	293.3
1990.....	*	0.4	1.4	2.4	6.2	10.5	22.5	45.4	95.4	323.1
1989.....	*	0.6	1.3	2.9	5.9	11.7	23.2	47.3	111.9	346.9
1988.....	0.3	0.5	1.4	3.0	6.6	12.6	29.4	54.9	128.6	404.0
1987.....	*	0.6	1.6	3.4	6.9	14.5	30.2	59.5	130.7	408.3
1986.....	*	0.7	1.6	3.0	7.6	13.6	30.5	60.8	135.7	433.4
1985.....	0.3	0.5	1.7	4.0	7.1	14.8	32.1	65.1	147.7	480.4
1984.....	0.4	0.7	1.3	3.0	7.2	14.5	31.4	71.8	164.0	503.3
1983.....	*	1.0	2.0	3.9	7.6	15.7	36.2	79.1	179.9	550.5
1982.....	*	0.9	1.6	4.0	8.2	18.4	38.1	85.6	192.8	595.7
1981.....	0.5	0.5	1.8	3.7	8.1	18.2	39.4	92.2	208.9	636.6
1980.....	0.3	0.8	1.9	3.8	8.7	20.0	45.1	94.3	233.9	676.9
1979.....	0.3	0.9	1.7	3.6	8.6	19.4	46.1	97.5	233.7	679.3
WHITE FEMALE										
1998.....	*	*	0.4	1.0	2.2	4.6	9.6	21.6	52.8	221.4
1997.....	*	*	0.5	0.7	2.4	4.2	10.3	24.3	56.0	239.4
1996.....	*	*	0.4	0.9	2.1	4.4	12.0	25.3	58.0	255.4
1995.....	*	*	0.5	1.1	2.6	4.5	10.4	24.5	62.9	256.7
1994.....	*	*	*	1.2	2.1	5.2	12.1	25.1	62.2	274.1
1993.....	*	*	0.5	1.0	2.5	5.4	11.2	26.1	66.1	288.4
1992.....	*	*	0.5	1.2	3.1	5.5	11.7	26.1	63.9	289.4
1991.....	*	*	0.5	1.3	2.2	5.3	12.4	27.8	68.4	303.8
1990.....	*	*	0.5	0.9	2.7	5.9	13.0	28.8	73.9	328.2
1989.....	*	*	0.7	1.4	2.8	6.1	14.4	33.8	78.9	360.1
1988.....	*	*	0.7	1.5	2.9	7.4	15.7	37.0	98.5	422.7
1987.....	*	*	0.7	1.6	3.4	7.6	17.6	40.1	105.7	434.5
1986.....	*	*	0.6	1.4	3.4	6.8	16.9	41.0	105.0	459.4
1985.....	*	*	0.6	1.3	3.2	8.1	17.1	45.1	119.4	490.4
1984.....	*	*	0.6	1.7	4.2	8.0	19.1	49.8	125.7	514.3
1983.....	*	*	0.9	1.5	4.3	8.5	22.0	52.2	145.2	569.0
1982.....	*	*	0.7	1.7	4.1	9.2	22.1	54.6	150.2	575.0
1981.....	*	*	0.8	1.7	4.0	9.3	22.5	60.1	162.8	628.0
1980.....	0.1	0.4	0.9	1.7	4.2	9.5	25.7	69.7	184.2	671.9
1979.....	0.1	0.3	0.6	1.8	4.3	11.1	26.5	68.0	186.2	664.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ATHEROSCLEROSIS (440)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	1.0	2.0	3.9	6.4	12.1	22.0	46.3	137.4
1997.....	*	*	1.7	2.2	3.6	7.7	15.5	24.2	49.2	145.8
1996.....	*	*	1.2	2.8	5.8	6.3	15.0	26.7	53.0	160.1
1995.....	*	*	1.1	2.7	5.1	8.7	16.5	29.4	61.1	158.5
1994.....	*	*	1.3	3.5	4.6	8.8	17.1	32.5	62.3	186.5
1993.....	*	*	1.2	2.7	5.3	8.8	18.1	27.9	66.0	172.7
1992.....	*	*	1.3	2.7	5.3	9.4	17.2	28.1	66.4	182.4
1991.....	*	*	*	3.2	6.5	9.0	19.1	35.2	72.5	197.8
1990.....	*	*	*	2.8	6.3	10.7	20.4	35.4	80.2	224.6
1989.....	*	*	*	2.9	6.7	10.5	22.0	38.8	77.5	250.4
1988.....	*	*	2.0	2.7	8.1	13.6	24.2	56.1	102.5	269.4
1987.....	*	*	1.4	4.0	7.8	13.8	26.9	54.3	96.8	257.9
1986.....	*	*	1.9	4.2	8.5	14.3	30.5	54.8	108.4	284.0
1985.....	*	*	1.9	4.8	7.2	15.2	32.0	57.9	116.5	308.9
1984.....	*	*	*	3.6	7.8	16.1	32.3	52.8	121.2	303.7
1983.....	*	*	2.5	4.5	9.9	15.9	34.2	65.0	146.6	289.0
1982.....	*	1.4	2.1	3.7	8.6	17.7	34.3	68.9	151.8	363.3
1981.....	*	*	2.4	4.4	10.3	20.8	41.4	73.8	169.7	385.8
1980.....	0.6	1.3	3.7	5.3	11.4	21.6	44.4	90.0	177.6	462.1
1979.....	0.2	0.8	2.1	5.7	12.1	22.9	48.1	81.6	177.2	410.9
ALL OTHER MALE										
1998.....	*	*	*	3.0	4.4	9.0	18.0	25.0	57.0	117.5
1997.....	*	*	2.5	3.2	4.0	8.5	18.9	31.2	51.4	120.6
1996.....	*	*	*	3.3	7.9	6.7	17.5	28.7	64.9	148.6
1995.....	*	*	*	*	6.3	10.5	21.6	33.2	70.0	168.1
1994.....	*	*	*	4.3	6.3	11.0	18.9	37.7	75.4	173.6
1993.....	*	*	*	3.4	7.8	11.4	22.6	31.5	67.5	168.1
1992.....	*	*	*	3.5	7.2	11.2	23.6	34.9	76.6	178.7
1991.....	*	*	*	3.9	8.2	10.0	20.1	47.0	89.1	190.7
1990.....	*	*	*	3.5	6.9	12.8	25.7	45.6	81.7	244.5
1989.....	*	*	*	3.5	8.3	13.9	25.9	36.5	90.1	225.9
1988.....	*	*	3.7	*	9.6	17.7	30.0	67.6	124.8	284.8
1987.....	*	*	*	4.9	10.1	17.2	39.7	64.2	99.1	248.1
1986.....	*	*	*	6.6	11.8	18.1	37.8	65.7	130.6	288.0
1985.....	*	*	*	6.5	8.8	21.4	40.7	64.1	123.8	308.2
1984.....	*	*	*	4.7	9.2	22.0	40.7	65.3	147.5	287.5
1983.....	*	*	3.7	5.6	12.5	20.1	41.3	82.7	166.0	322.9
1982.....	*	*	*	3.7	10.1	24.1	45.7	87.5	163.8	358.2
1981.....	*	*	*	5.9	13.6	22.0	51.9	81.7	186.8	398.4
1980.....	1.0	2.1	5.3	6.9	16.3	27.2	52.0	96.6	189.1	503.6
1979.....	0.3	1.6	2.9	7.6	13.3	25.1	57.6	93.4	196.5	420.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ATHEROSCLEROSIS (440)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	3.5	4.5	8.0	20.0	40.2	146.5
1997.....	*	*	*	*	3.4	7.0	13.0	19.6	48.0	157.2
1996.....	*	*	*	2.3	4.2	6.0	13.3	25.4	46.4	165.3
1995.....	*	*	*	2.7	4.1	7.3	13.0	27.0	56.2	154.4
1994.....	*	*	*	2.9	3.2	7.2	15.8	29.1	55.0	192.1
1993.....	*	*	*	*	3.4	6.8	15.0	25.7	65.2	174.7
1992.....	*	*	*	*	3.8	8.0	12.8	23.9	60.7	184.0
1991.....	*	*	*	2.7	5.1	8.3	18.5	27.8	62.9	200.0
1990.....	*	*	*	*	5.9	9.2	16.8	29.1	79.4	215.6
1989.....	*	*	*	*	5.6	8.0	19.3	40.3	70.3	261.7
1988.....	*	*	*	*	7.0	10.6	20.2	48.8	89.2	262.1
1987.....	*	*	*	3.3	6.0	11.3	18.2	47.9	95.4	262.6
1986.....	*	*	*	*	5.9	11.4	25.5	47.7	96.3	282.1
1985.....	*	*	*	3.5	6.0	10.6	26.0	53.8	112.2	311.3
1984.....	*	*	*	2.8	6.6	11.7	26.3	44.4	105.2	311.7
1983.....	*	*	*	3.7	7.8	12.8	29.2	53.1	135.2	271.9
1982.....	*	*	*	3.7	7.4	13.0	26.2	56.1	144.6	363.2
1981.....	*	*	*	3.2	7.6	19.9	33.6	68.4	159.3	379.4
1980.....	0.4	0.7	2.4	4.1	7.5	17.3	38.7	85.6	170.5	440.8
1979.....	0.1	0.1	1.4	4.1	11.1	21.4	40.9	73.3	166.4	409.6
BLACK, BOTH SEXES										
1998.....	*	*	1.3	2.6	5.3	7.6	14.9	24.6	52.9	151.2
1997.....	*	*	2.0	2.9	4.2	9.0	18.9	28.6	56.3	163.1
1996.....	*	*	1.6	3.4	7.2	7.2	18.5	28.9	60.9	171.8
1995.....	*	*	*	3.4	6.0	9.8	19.2	32.4	68.8	167.8
1994.....	*	*	*	4.2	5.8	10.7	19.7	36.9	66.7	195.8
1993.....	*	*	1.5	3.4	6.2	10.1	21.3	33.1	73.7	179.6
1992.....	*	*	1.7	3.1	6.1	10.8	19.1	32.3	71.8	198.6
1991.....	*	*	*	4.2	7.6	10.4	22.5	40.3	76.8	209.9
1990.....	*	*	*	3.7	7.7	12.7	23.4	38.3	89.1	238.5
1989.....	*	*	*	3.4	8.1	11.4	24.6	44.1	85.5	265.0
1988.....	*	*	2.5	3.2	9.6	16.4	27.2	63.8	110.3	284.6
1987.....	*	*	1.8	5.0	9.2	15.8	31.0	58.6	105.3	272.1
1986.....	*	*	2.4	5.1	9.9	16.0	34.5	60.9	113.3	302.5
1985.....	*	*	2.2	5.7	8.5	17.1	36.9	65.5	127.3	320.0
1984.....	*	*	*	4.2	9.0	18.3	35.8	58.9	128.0	314.7
1983.....	*	*	3.1	5.2	11.4	18.0	38.0	72.3	159.5	302.2
1982.....	*	*	2.4	4.0	9.5	20.3	37.2	76.0	164.2	374.4
1981.....	*	*	2.9	5.1	11.7	23.4	45.1	80.6	186.1	402.4
1980.....	0.7	1.6	4.2	5.9	12.7	23.8	48.4	97.7	191.8	487.2
1979.....	0.2	0.9	2.4	6.4	13.5	24.9	50.0	87.1	181.1	421.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ATHEROSCLEROSIS (440)										
BLACK MALE										
1998.....	*	*	*	4.0	6.1	11.0	22.4	27.8	66.7	126.9
1997.....	*	*	3.0	4.2	4.6	10.0	22.7	37.5	61.3	139.0
1996.....	*	*	*	4.1	10.3	7.8	21.4	30.2	78.1	154.8
1995.....	*	*	*	*	7.5	11.4	25.3	38.6	79.2	174.2
1994.....	*	*	*	5.3	8.3	13.5	22.3	42.6	82.4	179.4
1993.....	*	*	*	4.4	9.0	13.0	27.0	37.1	79.0	169.4
1992.....	*	*	*	*	8.3	13.7	25.0	39.2	83.8	205.3
1991.....	*	*	*	5.2	10.2	12.0	24.2	54.7	94.1	210.1
1990.....	*	*	*	4.6	8.4	15.3	30.0	48.7	93.5	261.1
1989.....	*	*	*	4.5	10.3	15.4	29.0	42.1	103.1	247.0
1988.....	*	*	4.5	*	11.2	21.9	34.0	80.2	141.5	310.8
1987.....	*	*	*	6.2	12.0	19.6	46.6	70.9	107.6	265.6
1986.....	*	*	*	7.8	13.7	20.1	44.0	74.4	134.4	319.0
1985.....	*	*	*	7.6	10.2	24.2	48.4	75.3	137.9	325.8
1984.....	*	*	*	5.7	10.3	25.2	46.9	74.3	156.0	291.8
1983.....	*	*	4.6	6.5	14.4	22.4	46.3	93.9	181.7	350.0
1982.....	*	*	*	*	11.1	28.1	50.4	100.6	176.3	365.5
1981.....	*	*	*	6.8	15.6	25.2	57.3	90.5	203.9	414.3
1980.....	1.2	2.5	6.1	7.7	18.4	30.7	57.5	104.6	203.9	528.2
1979.....	0.4	1.7	3.4	8.5	15.1	27.2	59.3	100.6	196.1	428.8
BLACK FEMALE										
1998.....	*	*	*	*	4.6	5.0	9.8	22.5	45.7	161.3
1997.....	*	*	*	*	3.8	8.2	16.3	23.0	53.7	173.0
1996.....	*	*	*	*	4.9	6.8	16.5	28.1	52.1	178.9
1995.....	*	*	*	3.4	4.8	8.5	15.1	28.5	63.6	165.2
1994.....	*	*	*	3.4	3.9	8.7	18.1	33.4	58.7	202.4
1993.....	*	*	*	*	4.1	8.0	17.5	30.7	71.0	183.8
1992.....	*	*	*	*	4.5	8.7	15.2	28.3	65.6	195.9
1991.....	*	*	*	3.4	5.6	9.3	21.3	31.8	67.9	209.8
1990.....	*	*	*	*	7.2	10.8	19.0	32.1	86.9	229.0
1989.....	*	*	*	*	6.5	8.5	21.7	45.2	76.2	274.5
1988.....	*	*	*	*	8.4	12.4	22.6	54.1	93.8	273.2
1987.....	*	*	*	4.1	7.1	13.0	20.6	51.2	104.1	275.0
1986.....	*	*	*	*	7.0	13.0	28.2	52.7	101.8	294.9
1985.....	*	*	*	4.3	7.3	11.9	29.3	59.3	121.5	317.3
1984.....	*	*	*	*	8.0	13.1	28.3	49.2	112.5	325.6
1983.....	*	*	*	4.1	9.1	14.7	32.5	58.3	146.9	279.0
1982.....	*	*	*	4.1	8.3	14.6	28.1	60.6	157.2	378.8
1981.....	*	*	*	3.8	8.7	22.2	36.5	74.2	175.8	392.9
1980.....	0.3	0.8	2.7	4.4	8.2	18.6	41.8	93.2	184.6	466.8
1979.....	0.1	0.2	1.6	4.7	12.2	23.2	43.3	77.5	171.8	418.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AORTIC ANEURYSM (441)										
TOTAL, BOTH SEXES										
1998.....	0.8	1.4	2.1	4.1	9.3	17.9	29.7	44.8	61.8	79.8
1997.....	0.9	1.3	2.3	4.8	9.4	18.3	32.0	46.6	65.4	83.6
1996.....	0.8	1.4	2.3	4.6	10.3	18.1	31.1	46.8	66.3	82.3
1995.....	1.0	1.4	2.4	5.3	10.0	19.6	32.9	46.4	62.8	83.7
1994.....	0.8	1.1	2.4	4.9	10.3	19.8	33.1	46.6	64.2	82.7
1993.....	0.7	1.4	2.4	5.2	10.5	21.1	34.0	49.0	67.0	83.4
1992.....	0.8	1.4	2.7	4.9	10.6	20.7	34.6	48.8	67.1	85.3
1991.....	0.7	1.4	2.5	5.8	11.4	22.6	36.4	50.1	68.6	90.5
1990.....	0.7	1.4	2.3	5.4	11.2	22.9	35.8	52.3	70.1	91.4
1989.....	0.8	1.3	2.7	5.6	11.4	22.6	37.2	52.6	66.5	90.5
1988.....	0.7	1.1	2.4	5.2	12.1	22.1	36.4	51.4	68.1	88.4
1987.....	0.7	1.3	2.5	4.9	12.1	21.9	37.0	52.4	67.6	91.2
1986.....	0.5	1.1	2.5	5.2	12.0	22.1	37.6	52.2	68.9	86.7
1985.....	0.6	1.2	2.4	5.6	11.9	22.8	37.9	51.5	67.9	89.7
1984.....	0.7	1.2	2.3	5.6	12.3	23.2	36.6	52.8	73.2	92.3
1983.....	0.6	1.0	2.7	5.5	11.8	22.4	36.1	54.0	69.6	90.7
1982.....	0.5	1.3	2.3	5.4	11.7	23.3	37.3	52.9	67.6	84.9
1981.....	0.6	1.1	2.5	5.4	12.2	23.1	38.4	51.6	69.2	91.9
1980.....	0.7	1.3	2.5	6.0	12.9	23.9	39.6	54.3	71.3	90.4
1979.....	0.7	1.3	2.7	5.8	13.1	23.8	39.8	55.5	72.8	88.4
TOTAL, MALE										
1998.....	1.3	2.3	3.4	6.3	14.6	27.3	44.8	68.3	91.3	127.9
1997.....	1.4	2.0	3.6	7.3	14.8	28.0	49.4	68.2	100.3	139.8
1996.....	1.3	2.2	3.7	7.6	16.2	28.0	47.6	72.0	101.4	131.6
1995.....	1.5	2.1	3.9	8.3	15.8	31.7	51.6	71.5	97.6	139.3
1994.....	1.1	1.6	3.5	7.6	16.3	31.7	53.0	72.3	103.7	139.5
1993.....	1.1	2.2	3.9	8.2	17.2	35.1	54.1	82.2	111.0	138.3
1992.....	1.3	2.1	4.1	7.9	17.3	34.8	54.9	77.2	113.4	143.3
1991.....	1.2	2.0	3.7	9.0	18.9	37.7	60.0	82.0	112.6	152.1
1990.....	1.0	2.2	3.8	8.7	18.8	37.4	59.9	87.4	123.9	159.1
1989.....	1.3	1.9	4.2	8.7	19.2	37.8	60.9	89.6	118.3	153.5
1988.....	1.1	1.6	3.7	8.4	20.2	37.2	61.0	87.7	119.2	153.2
1987.....	1.1	2.0	3.9	7.9	20.2	36.5	63.0	90.3	119.2	156.6
1986.....	0.7	1.6	4.0	8.5	20.4	36.9	64.5	90.6	123.5	140.7
1985.....	0.9	1.8	3.8	9.4	20.6	39.2	66.3	88.9	121.2	147.6
1984.....	1.2	1.9	3.7	9.3	21.3	40.2	64.0	92.7	135.0	154.8
1983.....	0.9	1.5	4.2	9.2	20.1	38.2	64.7	98.8	124.9	153.6
1982.....	0.8	2.0	3.7	9.0	19.9	40.5	65.0	96.5	120.2	134.7
1981.....	0.9	1.8	4.0	9.2	21.4	40.0	68.0	96.7	124.2	146.8
1980.....	1.0	2.0	4.0	10.5	22.9	41.9	71.1	101.3	129.0	146.9
1979.....	1.0	2.1	4.4	9.6	22.7	42.1	71.7	99.7	131.4	137.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AORTIC ANEURYSM (441)										
TOTAL, FEMALE										
1998.....	0.3	0.6	0.8	2.0	4.5	9.9	17.9	28.1	44.2	59.9
1997.....	0.4	0.7	1.1	2.5	4.6	10.2	18.6	31.4	45.1	61.0
1996.....	0.4	0.7	1.0	1.9	4.9	9.8	18.4	29.3	46.1	62.7
1995.....	0.4	0.6	1.0	2.4	4.7	9.6	18.6	29.1	43.3	62.1
1994.....	0.6	0.7	1.4	2.5	5.0	10.0	17.8	29.2	42.4	60.7
1993.....	0.4	0.6	1.1	2.4	4.6	9.6	18.6	26.8	42.9	62.3
1992.....	0.3	0.7	1.4	2.1	4.7	9.3	19.2	29.9	42.0	62.9
1991.....	0.3	0.9	1.2	2.8	4.8	10.5	18.6	29.2	45.0	66.7
1990.....	0.4	0.6	0.8	2.4	4.6	11.1	18.0	29.7	41.5	65.3
1989.....	0.4	0.7	1.3	2.8	4.7	10.2	19.7	28.8	39.1	65.9
1988.....	0.3	0.6	1.2	2.2	5.2	9.9	18.3	28.2	41.2	63.1
1987.....	0.3	0.7	1.1	2.2	5.1	10.1	18.0	28.4	40.6	65.4
1986.....	0.3	0.7	1.1	2.1	4.9	10.0	18.1	27.9	40.4	65.3
1985.....	*	0.7	1.0	2.1	4.5	9.5	17.2	28.0	40.0	66.6
1984.....	*	0.6	1.0	2.3	4.5	9.4	16.8	27.7	40.7	67.0
1983.....	0.3	0.6	1.2	2.2	4.6	9.7	15.3	25.9	40.5	64.9
1982.....	*	0.7	1.1	2.3	4.5	9.4	17.2	25.6	39.9	64.1
1981.....	0.3	0.5	1.1	2.0	4.1	9.6	16.9	23.4	40.1	68.5
1980.....	0.4	0.6	1.1	2.0	4.2	9.5	16.8	24.8	40.6	65.6
1979.....	0.3	0.7	1.1	2.5	4.9	9.2	16.7	27.6	41.4	66.8
WHITE, BOTH SEXES										
1998.....	0.7	1.2	1.8	3.9	9.3	18.7	31.0	46.4	63.6	82.1
1997.....	0.7	1.0	2.1	4.6	9.7	19.2	33.2	48.7	67.3	86.6
1996.....	0.7	1.2	2.2	4.4	10.6	18.7	32.1	48.3	68.1	85.3
1995.....	0.8	1.0	2.3	5.0	10.1	20.4	34.1	48.3	64.8	86.9
1994.....	0.7	1.0	2.2	4.7	10.6	20.7	34.2	48.5	65.7	85.4
1993.....	0.7	1.2	2.3	5.0	10.8	21.7	35.2	51.0	69.1	85.6
1992.....	0.7	1.1	2.4	4.6	10.9	21.5	36.0	51.0	69.2	88.1
1991.....	0.6	1.2	2.2	5.7	11.7	23.5	37.7	51.9	70.6	93.8
1990.....	0.6	1.3	2.0	5.2	11.4	23.5	37.3	54.3	72.7	94.0
1989.....	0.7	1.0	2.3	5.5	11.6	23.4	38.7	54.4	68.3	93.7
1988.....	0.5	1.0	2.2	5.0	12.0	22.8	37.9	53.6	70.4	91.4
1987.....	0.6	1.2	2.3	4.8	12.3	22.6	38.7	54.1	69.6	94.7
1986.....	0.4	1.0	2.1	5.0	12.3	23.1	39.2	54.1	71.5	90.0
1985.....	0.5	1.0	2.2	5.5	12.1	23.5	39.0	53.4	70.0	92.9
1984.....	0.7	1.0	2.0	5.4	12.5	24.0	37.7	55.3	75.5	96.1
1983.....	0.5	0.9	2.5	5.5	11.9	23.3	37.6	56.4	71.9	94.1
1982.....	0.4	1.3	2.2	5.3	11.8	24.0	38.4	55.5	70.5	88.6
1981.....	0.5	1.0	2.3	5.2	12.4	23.8	39.9	54.0	71.4	95.3
1980.....	0.6	1.2	2.3	5.9	13.2	24.5	41.1	56.2	73.4	93.2
1979.....	0.6	1.2	2.4	5.8	13.3	24.4	41.4	57.8	76.0	92.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AORTIC ANEURYSM (441)										
WHITE MALE										
1998.....	1.2	2.0	3.1	6.1	14.8	29.1	47.2	71.2	94.7	134.0
1997.....	1.1	1.5	3.3	7.1	15.4	29.7	51.6	71.6	103.9	148.7
1996.....	1.1	1.9	3.6	7.4	16.7	28.9	49.7	74.8	104.9	139.7
1995.....	1.3	1.5	3.8	8.2	16.6	33.3	53.6	75.2	101.2	147.5
1994.....	1.1	1.5	3.2	7.4	17.0	33.4	55.2	75.8	107.1	146.0
1993.....	1.0	1.9	3.6	8.1	18.0	36.6	56.3	85.9	116.1	144.7
1992.....	1.1	1.8	3.7	7.8	18.0	36.3	57.8	80.8	117.4	151.4
1991.....	0.9	1.9	3.4	9.0	19.5	39.4	62.9	85.7	117.1	161.9
1990.....	0.8	2.0	3.5	8.7	19.4	38.8	62.6	91.4	129.9	169.1
1989.....	1.1	1.6	3.8	8.6	19.8	39.2	64.0	94.1	123.2	163.7
1988.....	0.8	1.5	3.3	8.5	20.3	38.8	64.0	92.7	125.3	162.9
1987.....	1.0	1.8	3.6	7.9	20.7	38.1	66.8	94.2	124.7	165.7
1986.....	0.6	1.4	3.7	8.3	20.9	39.2	68.0	95.2	129.7	150.0
1985.....	0.9	1.6	3.7	9.4	21.2	40.8	69.3	93.6	127.6	156.4
1984.....	1.1	1.6	3.4	9.2	22.0	41.9	66.7	98.1	141.5	164.9
1983.....	0.7	1.2	4.0	9.3	20.7	40.3	68.1	105.0	131.7	163.5
1982.....	0.7	1.9	3.4	9.0	20.3	42.3	68.1	102.6	127.2	144.6
1981.....	0.7	1.6	3.8	9.3	22.0	41.9	71.8	102.8	130.8	156.4
1980.....	0.8	1.8	3.8	10.5	23.8	43.6	75.2	106.8	136.1	153.4
1979.....	0.9	2.0	4.2	9.6	23.3	43.5	75.6	106.4	138.7	145.2
WHITE FEMALE										
1998.....	0.3	0.4	0.6	1.9	4.3	9.8	18.3	28.6	45.0	60.8
1997.....	0.3	0.5	0.8	2.2	4.5	10.2	18.7	32.5	45.8	61.8
1996.....	0.3	0.6	1.0	1.5	5.0	10.0	18.4	29.8	46.8	63.9
1995.....	0.4	0.5	0.9	2.0	4.2	9.6	18.9	29.8	44.2	63.5
1994.....	0.4	0.6	1.2	2.2	4.8	10.2	17.9	29.8	42.8	62.4
1993.....	0.3	0.4	1.0	2.1	4.3	9.4	18.9	27.4	43.5	63.2
1992.....	0.3	0.5	1.2	1.7	4.4	9.4	19.4	31.1	43.2	63.9
1991.....	*	0.6	1.0	2.7	4.7	10.5	18.6	29.7	45.9	67.9
1990.....	0.3	0.6	0.5	2.0	4.3	11.0	18.3	30.4	42.5	65.5
1989.....	0.3	0.5	1.0	2.6	4.4	10.4	19.8	28.9	39.4	66.9
1988.....	*	0.5	1.1	1.8	4.7	9.7	18.5	28.7	41.7	64.0
1987.....	*	0.6	1.0	1.9	4.9	9.8	18.1	28.7	41.0	67.2
1986.....	0.3	0.6	0.7	1.9	4.7	10.0	18.2	28.2	41.2	66.7
1985.....	*	0.5	0.8	1.9	4.2	9.3	17.0	28.2	40.0	68.1
1984.....	*	*	0.7	2.0	4.1	9.4	16.6	28.5	41.2	68.8
1983.....	*	0.5	1.0	2.1	4.1	9.5	15.5	26.1	40.7	66.2
1982.....	*	0.7	1.0	1.9	4.4	9.3	16.9	26.2	40.8	65.7
1981.....	*	*	0.9	1.6	4.0	9.2	16.8	23.6	40.3	69.8
1980.....	0.3	0.6	0.8	1.7	4.0	9.1	16.5	24.8	40.5	67.2
1979.....	0.2	0.4	0.8	2.3	4.5	9.1	16.9	27.5	42.9	69.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AORTIC ANEURYSM (441)										
ALL OTHER, BOTH SEXES										
1998.....	1.1	2.6	3.8	5.1	9.0	12.5	19.1	30.8	43.7	58.5
1997.....	1.8	3.0	3.8	6.1	7.4	12.4	22.5	26.9	46.6	55.6
1996.....	1.4	2.6	2.9	6.3	7.9	13.7	22.5	33.1	48.4	53.8
1995.....	1.8	3.4	3.3	6.8	9.0	14.1	22.7	27.9	42.8	51.7
1994.....	1.6	1.9	3.8	6.2	8.3	12.6	23.7	29.1	49.1	54.1
1993.....	1.2	2.7	3.3	6.5	8.5	16.2	23.4	30.4	45.3	61.0
1992.....	1.3	2.8	4.3	6.4	8.6	14.3	21.9	27.9	45.7	56.2
1991.....	1.7	2.7	4.2	6.1	9.4	15.7	24.4	32.2	47.9	55.8
1990.....	1.5	2.2	4.1	6.5	9.6	17.4	22.7	33.5	43.5	63.3
1989.....	1.6	2.6	4.9	6.2	10.0	15.8	23.4	35.7	47.7	56.6
1988.....	1.5	1.8	3.7	6.2	12.9	16.2	22.8	29.9	44.4	56.5
1987.....	1.4	2.1	3.7	5.9	10.8	16.2	20.9	36.8	46.4	53.3
1986.....	*	2.2	4.8	6.5	10.2	12.7	22.9	33.8	41.4	50.2
1985.....	*	2.5	3.5	6.0	10.4	16.6	27.1	33.7	45.6	54.5
1984.....	1.1	2.8	4.7	6.7	10.6	16.1	26.3	28.7	48.0	50.7
1983.....	1.2	2.1	3.9	5.1	11.2	14.9	21.9	30.5	44.3	52.6
1982.....	*	1.6	3.6	6.6	10.1	16.3	27.0	27.9	35.9	43.7
1981.....	1.5	2.1	3.8	6.5	9.8	17.1	24.2	28.6	44.0	52.6
1980.....	1.5	2.0	4.2	7.1	9.9	18.8	25.1	35.3	46.2	58.0
1979.....	1.3	2.5	4.6	6.0	11.9	18.6	23.2	32.7	34.4	42.0
ALL OTHER MALE										
1998.....	1.8	3.9	5.6	7.7	13.4	14.8	25.0	40.8	55.7	74.8
1997.....	2.9	4.6	5.4	8.4	10.2	15.3	29.9	36.0	62.1	62.9
1996.....	1.9	4.2	4.7	9.1	12.6	20.5	28.4	45.0	64.9	61.6
1995.....	2.9	5.7	5.0	9.5	10.1	19.3	32.3	34.8	59.3	62.1
1994.....	1.6	2.6	5.1	8.9	11.3	18.3	33.0	38.2	69.6	78.3
1993.....	2.0	4.0	5.4	9.1	11.7	23.3	33.8	44.3	59.3	78.6
1992.....	2.0	4.1	6.5	9.0	11.3	22.5	27.8	41.7	73.6	67.1
1991.....	2.7	3.1	5.9	9.5	14.6	22.9	32.5	45.2	68.2	61.6
1990.....	2.4	4.1	5.7	8.9	13.8	24.8	33.5	49.1	64.7	65.1
1989.....	2.4	3.8	6.8	8.8	14.3	24.9	30.7	46.8	69.4	59.3
1988.....	2.6	2.5	6.0	7.9	18.9	22.7	32.9	39.7	58.1	63.3
1987.....	2.0	3.2	5.9	7.4	16.3	21.9	26.7	54.0	63.4	71.4
1986.....	*	2.7	6.5	10.0	15.7	16.7	31.3	47.1	60.2	53.3
1985.....	*	3.5	4.7	8.7	14.9	23.8	38.0	45.1	55.2	64.4
1984.....	*	4.1	6.2	10.0	14.8	24.3	37.7	42.6	69.3	59.7
1983.....	*	3.6	6.1	8.2	14.3	19.3	33.1	41.1	53.6	57.1
1982.....	*	*	5.8	8.9	16.2	24.6	36.0	40.1	46.8	38.8
1981.....	*	*	5.7	8.3	16.0	22.8	32.5	39.2	54.9	51.6
1980.....	2.2	3.0	5.5	10.3	14.7	26.2	33.1	49.7	53.9	80.6
1979.....	2.0	2.9	6.3	8.9	16.6	29.5	34.8	37.9	53.5	52.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AORTIC ANEURYSM (441)										
ALL OTHER FEMALE										
1998.....	*	1.5	2.3	2.9	5.6	10.7	15.0	24.1	36.9	51.1
1997.....	*	1.7	2.5	4.2	5.2	10.3	17.3	21.1	37.9	52.3
1996.....	*	*	*	4.0	4.2	8.7	18.4	25.4	39.1	50.2
1995.....	*	1.4	1.9	4.6	8.2	10.2	16.0	23.4	33.8	47.2
1994.....	1.6	*	2.6	4.0	6.1	8.3	17.3	23.4	37.9	43.6
1993.....	*	*	*	4.4	6.1	11.0	16.1	21.7	37.6	53.3
1992.....	*	1.7	2.4	4.3	6.4	8.2	17.9	19.5	29.9	51.3
1991.....	*	2.3	2.8	3.3	5.5	10.5	18.9	24.1	36.2	52.9
1990.....	*	*	2.8	4.5	6.5	11.9	15.3	23.8	31.5	62.5
1989.....	*	*	3.3	4.0	6.7	9.0	18.4	28.7	35.4	55.4
1988.....	*	*	*	4.8	8.3	11.4	16.0	23.7	36.3	53.3
1987.....	*	*	*	4.7	6.6	12.0	16.9	25.9	36.7	44.8
1986.....	*	*	3.5	3.7	5.9	9.8	17.2	25.2	30.9	48.7
1985.....	*	*	*	3.7	6.8	11.1	19.5	26.1	40.0	50.0
1984.....	*	*	3.4	4.1	7.3	10.0	18.3	19.4	35.3	46.2
1983.....	*	*	*	*	8.8	11.7	14.0	23.5	38.8	50.4
1982.....	*	*	*	4.7	5.2	10.1	20.4	19.6	29.3	45.9
1981.....	*	*	*	5.0	4.8	12.8	18.1	21.5	37.3	53.2
1980.....	0.8	1.2	3.2	4.5	6.1	13.1	19.2	25.5	41.6	46.4
1979.....	0.6	2.1	3.2	3.6	8.1	10.2	14.4	29.1	22.6	36.8
BLACK, BOTH SEXES										
1998.....	1.4	3.4	4.3	5.8	10.1	14.1	18.9	32.9	43.7	60.1
1997.....	2.3	3.8	4.9	7.0	8.1	12.9	24.0	27.7	46.5	57.1
1996.....	1.7	3.2	3.5	7.5	8.4	14.8	23.3	34.6	42.5	49.9
1995.....	2.3	4.2	3.9	8.3	10.5	16.2	23.7	29.0	41.5	47.1
1994.....	1.9	2.3	4.6	6.8	9.7	13.6	25.9	28.5	45.8	50.3
1993.....	1.4	3.4	4.3	7.6	9.0	17.0	23.3	29.2	44.0	59.2
1992.....	1.4	3.6	5.3	6.3	9.7	14.8	22.8	30.1	38.6	52.7
1991.....	2.2	3.4	5.6	6.9	10.5	16.4	25.5	31.5	44.8	53.0
1990.....	1.9	2.7	5.2	7.2	10.2	18.6	22.7	33.7	39.5	60.2
1989.....	2.0	2.9	5.8	7.4	11.3	17.3	23.3	37.0	43.3	55.0
1988.....	2.0	2.3	3.9	7.0	13.9	16.7	23.8	30.0	42.3	51.4
1987.....	1.6	2.5	4.4	6.2	11.8	17.3	21.2	36.0	42.6	49.5
1986.....	*	2.7	5.1	7.2	10.9	13.6	23.3	33.1	35.3	46.8
1985.....	*	3.0	3.9	6.9	10.8	16.7	27.0	31.8	44.9	50.3
1984.....	1.4	3.4	5.5	7.0	11.8	17.1	25.8	27.3	47.5	45.8
1983.....	*	2.6	4.4	5.7	11.8	15.3	21.7	29.3	38.8	50.5
1982.....	*	1.9	4.3	7.1	11.0	17.0	27.6	26.2	36.7	40.3
1981.....	1.8	2.5	4.1	7.0	10.3	18.1	24.3	28.4	42.6	50.0
1980.....	1.7	2.3	4.6	7.6	10.2	18.6	25.2	32.7	45.0	54.1
1979.....	1.3	2.6	4.9	6.4	12.6	19.2	21.9	31.3	29.9	38.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 AORTIC ANEURYSM (441)										
BLACK MALE										
1998.....	2.2	5.3	6.6	9.0	15.2	15.7	23.4	40.7	51.6	69.0
1997.....	3.7	5.8	7.0	9.6	10.7	16.0	32.4	34.1	58.6	57.2
1996.....	2.3	5.2	5.5	10.8	14.3	21.4	28.1	43.5	54.2	57.6
1995.....	3.7	6.9	5.8	11.8	11.8	21.6	31.4	34.5	53.1	50.5
1994.....	1.9	3.4	6.1	9.4	13.2	19.2	35.2	37.8	62.8	58.9
1993.....	2.0	5.3	7.4	11.3	12.2	23.6	32.0	38.2	58.1	72.6
1992.....	2.3	5.4	8.0	7.9	13.2	22.1	28.3	44.1	56.5	57.4
1991.....	3.6	3.9	7.9	10.6	15.6	23.4	31.1	44.8	63.4	49.3
1990.....	3.2	4.8	7.4	9.6	14.8	26.3	31.2	47.6	56.9	57.3
1989.....	3.0	3.9	8.6	11.3	15.8	27.5	29.8	48.3	60.8	56.1
1988.....	3.3	3.4	6.4	9.0	20.1	22.7	34.0	37.9	54.3	46.2
1987.....	*	4.0	6.9	7.9	17.3	23.3	25.3	49.7	51.1	62.5
1986.....	*	*	6.4	10.6	16.9	18.1	30.6	44.8	48.9	46.0
1985.....	*	4.2	5.4	9.9	15.5	23.0	36.6	40.0	49.4	56.5
1984.....	*	5.1	7.2	10.5	15.9	25.8	35.9	38.9	65.5	59.0
1983.....	*	4.6	6.7	8.8	14.9	19.4	33.6	37.0	43.9	53.3
1982.....	*	*	6.9	10.3	17.1	25.1	37.2	35.4	47.5	*
1981.....	*	*	5.9	8.7	16.8	23.1	32.2	38.0	48.1	48.2
1980.....	2.6	3.5	5.9	10.7	14.5	25.9	32.8	43.2	46.6	66.0
1979.....	2.0	3.1	7.0	9.3	17.2	30.2	31.0	32.9	42.9	44.2
BLACK FEMALE										
1998.....	*	1.9	2.5	3.3	6.3	12.9	15.8	27.8	39.6	56.4
1997.....	*	2.1	3.1	4.9	6.1	10.7	18.2	23.6	40.2	57.0
1996.....	*	*	*	4.9	4.0	10.0	20.0	29.0	36.5	46.8
1995.....	*	2.0	*	5.5	9.6	12.1	18.5	25.7	35.6	45.7
1994.....	1.9	*	3.3	4.8	7.0	9.4	19.7	22.8	37.2	46.8
1993.....	*	*	*	4.6	6.6	12.3	17.5	23.9	36.7	53.8
1992.....	*	*	3.0	5.1	7.0	9.5	19.1	21.9	29.3	50.8
1991.....	*	3.0	3.8	3.9	6.6	11.3	21.8	23.7	35.2	54.6
1990.....	*	*	3.4	5.3	6.7	13.0	17.1	25.6	30.5	61.4
1989.....	*	*	3.4	4.3	8.0	9.9	19.1	30.2	34.1	54.9
1988.....	*	*	*	5.3	9.3	12.4	17.1	25.3	36.0	53.7
1987.....	*	*	*	4.9	7.7	12.8	18.5	27.7	38.0	43.8
1986.....	*	*	4.1	4.4	6.3	10.3	18.4	26.0	27.9	47.1
1985.....	*	*	*	4.4	7.1	12.1	20.7	26.7	42.4	47.4
1984.....	*	*	4.1	4.1	8.5	10.7	19.1	19.9	37.5	39.5
1983.....	*	*	*	*	9.5	12.3	13.6	24.3	35.9	49.2
1982.....	*	*	*	4.5	6.1	11.0	21.0	20.3	30.4	45.8
1981.....	*	*	*	5.7	5.2	14.4	18.7	22.1	39.4	50.4
1980.....	1.0	1.3	3.5	5.1	6.8	13.2	19.7	26.0	43.9	48.1
1979.....	0.7	2.2	3.2	4.0	9.0	11.1	15.3	30.1	21.8	35.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)										
TOTAL, BOTH SEXES										
1998.....	0.7	1.0	1.6	3.1	5.3	9.4	15.7	25.4	39.9	88.8
1997.....	0.6	0.9	1.6	2.8	6.2	9.5	16.4	25.3	39.2	86.2
1996.....	0.7	1.0	1.5	2.6	5.6	9.3	16.3	24.9	38.3	88.3
1995.....	0.8	1.0	1.5	2.8	5.4	9.5	15.3	24.0	37.5	82.9
1994.....	0.6	1.0	1.6	2.7	5.5	9.3	14.8	24.2	38.1	82.5
1993.....	0.7	1.0	1.6	3.0	5.0	9.2	14.6	23.0	37.3	79.5
1992.....	0.8	1.0	1.5	3.0	5.2	8.7	14.6	22.5	35.3	77.6
1991.....	0.7	0.9	1.6	2.6	4.8	8.8	12.9	21.0	32.6	73.0
1990.....	0.5	1.0	1.7	2.9	4.9	8.0	14.3	21.5	33.5	72.2
1989.....	0.6	0.8	1.8	3.0	5.4	8.0	14.2	21.6	32.8	68.6
1988.....	0.6	0.8	1.7	2.9	4.7	8.5	13.7	19.8	29.1	65.9
1987.....	0.5	0.9	1.7	2.5	5.3	8.5	13.9	19.6	27.7	60.7
1986.....	0.7	0.9	1.5	2.6	5.4	8.8	13.2	20.4	30.1	59.6
1985.....	0.6	1.0	1.8	3.1	5.2	8.5	13.3	19.5	27.6	57.3
1984.....	0.6	0.9	2.0	3.0	5.4	8.7	12.4	19.0	26.1	55.7
1983.....	0.6	0.9	1.7	3.3	5.5	8.1	12.5	18.3	27.0	53.0
1982.....	0.6	1.0	1.8	3.1	5.2	8.6	12.9	16.9	26.6	47.5
1981.....	0.7	1.0	1.7	3.5	5.1	8.5	12.8	16.8	24.6	49.3
1980.....	0.6	1.3	2.0	3.1	5.3	8.4	11.7	16.8	26.6	47.5
1979.....	0.7	1.1	2.0	3.2	5.3	8.2	11.1	15.7	24.1	44.7
TOTAL, MALE										
1998.....	0.6	1.1	1.6	3.5	6.3	10.9	18.2	30.0	49.1	93.1
1997.....	0.6	0.9	1.7	3.1	7.1	11.2	19.9	30.1	45.5	89.2
1996.....	0.7	1.2	1.7	3.0	6.8	11.0	19.9	29.9	46.5	90.6
1995.....	0.7	0.9	1.5	2.8	6.6	11.7	18.7	29.8	44.9	87.4
1994.....	0.5	0.9	1.9	2.8	6.4	11.3	17.7	30.2	44.6	90.2
1993.....	0.7	0.9	1.4	3.5	6.3	11.3	17.8	28.0	49.0	89.9
1992.....	0.8	0.8	1.5	2.9	6.2	11.3	19.2	29.2	40.9	84.5
1991.....	0.6	1.1	1.8	3.1	5.8	10.8	16.2	27.0	42.0	78.4
1990.....	0.5	0.9	1.9	3.5	5.9	9.7	19.0	28.9	41.3	76.2
1989.....	0.6	0.9	1.9	3.5	7.0	10.3	18.5	26.1	42.6	75.7
1988.....	0.6	0.7	1.8	3.3	6.1	10.4	17.9	26.2	34.4	66.8
1987.....	0.5	0.9	1.8	2.9	6.8	11.3	18.2	26.6	37.6	66.7
1986.....	0.6	0.9	1.6	3.3	6.8	11.8	18.9	26.4	34.5	58.9
1985.....	0.6	0.9	2.1	3.7	6.8	11.2	19.0	26.5	38.9	62.7
1984.....	0.6	1.0	2.3	3.7	7.1	11.5	16.9	24.7	33.1	62.0
1983.....	0.7	1.0	2.0	3.9	7.6	11.3	16.9	25.2	36.3	57.5
1982.....	0.6	1.1	2.1	3.6	7.1	11.5	18.5	22.9	34.3	52.7
1981.....	0.7	1.0	2.1	4.2	6.7	11.8	17.4	24.2	31.8	54.9
1980.....	0.6	1.4	2.7	3.9	7.2	11.5	15.4	23.8	32.5	52.2
1979.....	0.6	1.0	2.5	3.9	7.1	11.3	16.0	21.5	33.2	51.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)										
TOTAL, FEMALE										
1998.....	0.7	1.0	1.7	2.8	4.5	8.2	13.9	22.2	34.5	87.0
1997.....	0.6	1.0	1.4	2.6	5.3	8.1	13.8	21.9	35.6	85.0
1996.....	0.7	0.9	1.4	2.3	4.6	7.9	13.5	21.4	33.5	87.4
1995.....	0.8	1.0	1.6	2.8	4.3	7.7	12.7	20.0	33.4	81.1
1994.....	0.8	1.0	1.2	2.6	4.8	7.6	12.6	20.2	34.5	79.6
1993.....	0.7	1.0	1.7	2.6	3.9	7.4	12.2	19.6	30.9	75.4
1992.....	0.8	1.1	1.5	3.0	4.2	6.7	11.2	18.0	32.3	74.9
1991.....	0.7	0.8	1.5	2.1	3.8	7.2	10.5	17.1	27.6	70.9
1990.....	0.6	1.1	1.6	2.3	4.1	6.6	10.8	16.7	29.4	70.7
1989.....	0.6	0.7	1.7	2.5	4.0	6.1	11.1	18.6	27.7	65.8
1988.....	0.5	0.9	1.7	2.5	3.6	6.9	10.6	15.8	26.3	65.5
1987.....	0.6	0.8	1.6	2.1	4.0	6.2	10.7	15.1	22.6	58.4
1986.....	0.8	1.0	1.4	2.0	4.2	6.4	9.1	16.6	27.9	59.8
1985.....	0.7	1.0	1.4	2.6	3.8	6.3	9.2	15.1	21.8	55.1
1984.....	0.6	0.9	1.7	2.5	3.9	6.4	9.1	15.3	22.4	53.2
1983.....	0.5	0.8	1.5	2.7	3.6	5.6	9.3	14.0	22.2	51.1
1982.....	0.5	1.0	1.6	2.6	3.6	6.3	8.9	13.2	22.6	45.3
1981.....	0.7	1.0	1.3	2.9	3.7	5.8	9.4	12.1	20.7	46.9
1980.....	0.7	1.3	1.4	2.4	3.6	5.9	9.0	12.5	23.5	45.4
1979.....	0.8	1.1	1.5	2.5	3.8	5.7	7.6	12.0	19.2	41.7
WHITE, BOTH SEXES										
1998.....	0.5	0.9	1.6	2.8	5.0	9.2	15.1	24.8	38.8	87.4
1997.....	0.5	0.8	1.3	2.5	5.6	9.0	15.8	24.9	38.3	86.0
1996.....	0.5	0.9	1.3	2.4	5.4	9.0	15.6	24.2	37.8	88.4
1995.....	0.7	0.9	1.4	2.6	5.1	9.3	14.7	23.8	37.0	82.0
1994.....	0.5	0.8	1.4	2.5	5.2	8.6	14.4	23.3	37.1	80.6
1993.....	0.6	0.8	1.3	2.6	4.8	8.8	14.3	22.6	36.3	78.2
1992.....	0.7	0.8	1.3	2.8	5.0	8.4	14.3	22.0	34.9	76.6
1991.....	0.5	0.8	1.4	2.4	4.5	8.4	12.7	20.7	32.3	72.1
1990.....	0.5	0.9	1.5	2.7	4.8	7.9	13.8	21.1	32.8	70.8
1989.....	0.5	0.7	1.5	2.6	5.2	7.7	13.9	21.1	32.4	68.2
1988.....	0.5	0.7	1.6	2.8	4.5	8.3	13.4	19.7	28.3	65.8
1987.....	0.4	0.8	1.5	2.4	5.1	8.1	13.5	19.2	27.4	60.4
1986.....	0.6	0.7	1.3	2.4	5.1	8.5	13.0	20.2	29.6	59.9
1985.....	0.6	0.9	1.6	3.0	5.0	8.2	13.1	19.2	27.1	58.0
1984.....	0.5	0.8	1.8	2.9	5.0	8.7	12.0	19.0	25.8	55.5
1983.....	0.5	0.9	1.7	3.0	5.3	8.0	12.2	18.2	26.9	53.0
1982.....	0.5	0.9	1.7	2.9	4.9	8.2	12.7	17.0	26.3	48.1
1981.....	0.6	1.0	1.6	3.3	4.8	8.4	12.9	16.9	24.5	50.0
1980.....	0.6	1.2	2.0	3.0	5.0	8.2	11.4	16.7	26.1	47.8
1979.....	0.6	1.0	1.9	3.0	5.4	8.2	11.1	15.8	23.8	45.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)										

WHITE MALE

1998.....	0.5	0.9	1.5	3.1	6.1	10.4	18.0	29.3	48.0	91.8
1997.....	0.5	0.7	1.5	2.7	6.7	10.9	19.3	29.7	44.3	89.0
1996.....	0.6	1.0	1.4	2.8	6.4	10.7	19.2	29.3	46.3	91.7
1995.....	0.7	0.9	1.5	2.5	6.3	11.4	18.6	29.7	44.9	88.8
1994.....	0.4	0.8	1.8	2.6	6.2	11.0	17.2	28.8	43.4	91.0
1993.....	0.6	0.7	1.2	3.1	6.1	10.7	17.7	27.7	47.2	88.6
1992.....	0.7	0.8	1.3	2.9	5.8	10.6	18.8	28.8	40.8	85.4
1991.....	0.5	0.9	1.7	3.0	5.7	10.3	16.1	26.9	42.4	77.2
1990.....	0.4	0.9	1.7	3.3	5.8	9.6	18.2	28.3	40.3	75.9
1989.....	0.5	0.9	1.6	3.1	7.0	9.8	18.2	26.0	41.8	76.4
1988.....	0.5	0.7	1.6	3.2	5.8	10.3	17.5	26.2	33.2	68.5
1987.....	0.4	0.8	1.6	2.9	6.6	10.7	17.7	25.9	37.2	67.3
1986.....	0.6	0.7	1.5	3.1	6.5	11.2	19.1	26.0	34.3	59.8
1985.....	0.6	0.9	1.9	3.6	6.4	10.9	18.8	26.5	38.5	64.1
1984.....	0.6	0.8	2.2	3.6	6.6	11.6	16.4	25.2	33.0	62.4
1983.....	0.6	1.0	1.9	3.7	7.4	11.3	16.5	25.2	36.5	57.0
1982.....	0.6	0.9	1.9	3.4	6.8	10.8	18.3	23.7	34.9	52.9
1981.....	0.5	1.0	2.0	4.1	6.6	11.9	17.8	24.7	31.7	55.4
1980.....	0.6	1.3	2.7	3.8	6.8	11.3	15.1	23.7	31.3	52.0
1979.....	0.5	1.0	2.4	3.8	7.1	11.3	16.0	21.7	32.7	52.5

WHITE FEMALE

1998.....	0.5	0.8	1.6	2.5	4.0	8.2	12.8	21.5	33.4	85.7
1997.....	0.4	0.9	1.1	2.3	4.7	7.4	13.0	21.4	34.7	84.7
1996.....	0.5	0.8	1.2	2.1	4.4	7.6	12.8	20.7	32.8	87.1
1995.....	0.7	0.9	1.4	2.7	4.0	7.5	11.7	19.8	32.5	79.4
1994.....	0.7	0.8	1.1	2.4	4.3	6.7	12.3	19.6	33.6	76.6
1993.....	0.6	0.8	1.4	2.2	3.7	7.2	11.7	19.1	30.4	74.3
1992.....	0.7	0.8	1.3	2.6	4.2	6.5	10.8	17.6	31.7	73.3
1991.....	0.5	0.8	1.2	1.9	3.4	6.8	10.1	16.6	27.0	70.1
1990.....	0.5	0.9	1.4	2.2	4.0	6.5	10.6	16.5	28.9	68.8
1989.....	0.6	0.6	1.5	2.2	3.7	6.1	10.6	18.0	27.4	65.1
1988.....	0.4	0.7	1.5	2.4	3.4	6.7	10.4	15.5	25.7	64.7
1987.....	0.5	0.8	1.4	2.0	3.9	6.0	10.4	14.9	22.3	57.8
1986.....	0.6	0.8	1.2	1.7	3.9	6.3	8.6	16.5	27.1	59.9
1985.....	0.5	0.9	1.3	2.4	3.7	6.0	8.9	14.6	21.1	55.6
1984.....	0.5	0.8	1.5	2.3	3.6	6.2	8.9	15.1	22.0	52.8
1983.....	0.5	0.8	1.4	2.4	3.5	5.3	9.0	13.8	21.9	51.4
1982.....	0.5	0.8	1.5	2.4	3.2	6.1	8.7	12.9	21.9	46.1
1981.....	0.6	0.9	1.2	2.7	3.3	5.6	9.3	12.1	20.8	47.8
1980.....	0.6	1.2	1.4	2.2	3.4	5.7	8.8	12.3	23.4	45.9
1979.....	0.6	1.1	1.4	2.4	3.9	5.7	7.6	12.0	19.1	42.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)										
ALL OTHER, BOTH SEXES										
1998.....	1.4	2.0	2.2	5.4	7.3	10.9	21.1	31.4	51.4	102.1
1997.....	1.1	1.6	3.1	5.2	9.5	12.8	21.9	29.1	49.0	88.6
1996.....	1.4	1.8	2.6	3.9	7.4	11.5	21.6	30.7	43.7	87.5
1995.....	1.2	1.3	1.9	4.0	7.0	11.1	20.2	25.5	42.8	91.7
1994.....	1.2	1.9	2.4	4.5	8.0	14.0	18.2	32.8	48.1	102.7
1993.....	1.5	2.2	3.0	5.3	6.3	11.8	17.5	26.8	47.5	92.5
1992.....	1.2	1.9	2.6	4.2	6.5	11.6	17.6	26.3	39.9	87.7
1991.....	1.5	1.6	2.8	3.6	6.8	12.0	15.4	24.0	35.6	82.8
1990.....	1.1	1.9	3.0	3.8	5.9	9.2	18.5	25.0	40.8	87.5
1989.....	0.9	1.2	3.3	5.4	6.5	10.3	17.6	25.5	37.5	73.0
1988.....	1.3	1.4	2.8	3.6	6.4	9.9	15.7	21.1	37.5	66.5
1987.....	1.1	1.2	2.8	3.2	6.7	11.7	17.4	23.8	31.8	63.8
1986.....	1.5	1.9	2.5	4.3	8.0	11.3	15.1	22.1	36.0	56.3
1985.....	1.2	1.4	3.0	4.1	7.3	11.6	15.8	22.3	33.7	48.7
1984.....	1.1	1.7	2.9	4.0	8.7	8.9	15.5	18.6	28.9	58.1
1983.....	*	*	1.9	5.4	6.7	9.5	15.7	20.0	28.6	52.2
1982.....	*	1.9	2.5	4.5	8.1	12.5	14.9	15.8	29.9	41.7
1981.....	*	1.6	2.5	5.0	7.4	8.8	11.8	15.4	25.3	41.6
1980.....	1.0	2.2	1.9	4.2	7.6	9.8	14.3	18.1	32.3	44.6
1979.....	1.4	1.4	2.8	4.2	4.9	8.4	11.6	15.0	27.2	33.3
ALL OTHER MALE										
1998.....	1.3	2.2	2.4	6.4	7.4	14.6	20.0	36.0	60.9	105.2
1997.....	*	1.7	3.1	6.0	10.2	13.1	25.0	34.1	57.4	90.9
1996.....	1.3	2.0	3.0	4.7	9.1	13.6	25.6	35.9	48.5	80.6
1995.....	*	*	*	4.8	8.4	14.0	19.2	30.8	44.3	74.4
1994.....	*	1.9	2.6	4.8	8.3	14.4	22.2	44.8	56.5	82.5
1993.....	1.5	2.4	*	5.8	7.8	15.7	18.7	31.5	66.8	102.6
1992.....	*	*	2.6	*	9.5	17.1	22.2	33.2	42.5	76.2
1991.....	*	*	*	4.2	7.3	14.4	17.5	27.8	38.8	89.5
1990.....	*	*	3.2	4.8	6.7	10.9	26.9	35.3	51.8	78.6
1989.....	*	*	3.8	6.7	6.9	15.0	20.9	27.0	49.6	69.1
1988.....	*	*	*	4.4	8.5	11.3	21.3	26.0	45.3	50.6
1987.....	*	*	*	3.4	8.6	16.7	23.5	33.5	42.0	61.0
1986.....	*	*	*	5.3	9.7	17.1	16.8	29.5	36.1	50.7
1985.....	*	*	3.6	4.1	10.4	14.8	20.7	26.2	41.9	49.3
1984.....	*	*	*	4.1	11.4	9.9	21.9	20.8	33.7	58.3
1983.....	*	*	*	5.7	9.2	12.1	20.8	24.9	34.0	61.4
1982.....	*	*	3.6	5.6	9.7	18.0	19.7	15.1	27.7	50.7
1981.....	*	*	*	5.0	8.2	10.5	13.8	19.4	33.0	50.0
1980.....	0.8	2.1	2.5	5.2	10.9	13.0	17.8	24.6	44.7	54.3
1979.....	1.2	1.3	3.7	4.5	6.8	11.1	16.3	19.2	38.4	42.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)										
ALL OTHER FEMALE										
1998.....	1.6	1.8	2.0	4.6	7.3	8.2	21.9	28.2	46.1	100.7
1997.....	1.4	1.5	3.1	4.5	8.9	12.5	19.7	25.8	44.2	87.5
1996.....	1.4	1.7	2.3	3.2	6.2	10.0	18.9	27.3	41.0	90.6
1995.....	1.3	1.4	2.4	3.3	5.9	9.0	20.8	22.2	42.0	99.3
1994.....	1.2	1.9	2.2	4.2	7.8	13.7	15.4	25.2	43.5	111.4
1993.....	1.5	2.0	3.5	4.9	5.2	8.9	16.7	23.8	36.7	88.1
1992.....	1.3	2.5	2.6	5.1	4.2	7.5	14.5	22.1	38.5	92.8
1991.....	1.7	*	3.2	3.1	6.4	10.2	14.0	21.6	33.6	79.4
1990.....	*	2.4	2.8	2.9	5.4	8.0	12.8	18.6	34.7	91.6
1989.....	*	*	2.8	4.3	6.2	6.7	15.4	24.5	30.7	74.9
1988.....	*	*	2.9	3.0	4.8	8.8	11.9	17.9	32.8	74.0
1987.....	*	*	2.8	3.0	5.3	8.0	13.3	17.6	26.0	65.0
1986.....	2.0	*	*	3.6	6.6	6.9	14.0	17.2	36.2	59.0
1985.....	*	*	*	4.0	4.9	9.1	12.4	19.7	28.9	48.7
1984.....	*	*	2.9	3.9	6.6	8.2	11.0	17.1	26.0	57.9
1983.....	*	*	*	5.1	4.7	7.5	12.1	16.7	25.5	47.5
1982.....	*	*	*	3.6	6.9	8.4	11.5	16.1	31.2	36.8
1981.....	*	*	*	5.0	6.7	7.5	10.3	12.7	20.7	37.3
1980.....	1.2	2.4	1.5	3.3	5.0	7.3	11.7	13.7	24.7	39.6
1979.....	1.6	1.6	2.1	3.9	3.4	6.4	8.1	12.0	20.4	28.9
BLACK, BOTH SEXES										
1998.....	1.8	2.7	2.8	7.1	8.8	13.1	25.1	36.8	57.5	118.6
1997.....	1.4	2.1	3.9	5.9	11.5	15.4	25.9	34.7	56.0	100.9
1996.....	1.6	2.5	3.3	4.9	8.9	14.7	25.7	35.6	50.9	100.9
1995.....	1.5	1.7	2.5	4.7	8.4	13.5	23.5	30.2	50.0	99.2
1994.....	1.5	2.5	2.9	5.0	9.1	16.7	21.9	37.7	52.2	114.1
1993.....	1.8	2.9	3.7	6.4	7.2	13.9	20.7	30.2	51.7	100.9
1992.....	1.5	2.3	3.2	5.0	7.9	13.9	20.9	29.9	45.2	96.2
1991.....	1.9	2.1	3.6	4.2	8.3	14.0	18.1	27.6	41.1	92.7
1990.....	1.4	2.3	3.8	4.3	7.3	10.1	21.6	28.3	45.1	96.1
1989.....	1.3	1.7	3.9	6.7	7.4	11.8	20.5	28.8	41.8	79.5
1988.....	1.7	1.6	3.4	4.3	7.2	11.7	17.6	23.3	40.4	72.4
1987.....	1.5	1.5	3.5	3.5	8.1	13.2	19.2	26.3	34.6	70.2
1986.....	2.0	2.3	3.0	5.1	9.1	13.2	17.3	23.2	39.2	61.7
1985.....	1.4	1.6	3.8	4.6	8.6	13.1	17.3	24.4	35.9	51.8
1984.....	1.4	2.1	3.2	4.5	10.2	10.1	17.3	20.6	31.4	60.5
1983.....	*	*	2.0	5.9	7.8	10.6	17.2	21.0	29.5	52.2
1982.....	*	2.4	2.7	4.9	9.3	13.7	16.5	16.9	32.6	44.9
1981.....	*	1.8	2.7	5.5	8.1	9.7	12.6	16.9	27.8	43.5
1980.....	1.3	2.7	2.1	4.5	8.7	10.7	15.4	19.6	34.5	47.2
1979.....	1.7	1.7	3.1	4.7	5.1	9.4	13.1	15.2	28.9	36.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)										

BLACK MALE

1998.....	*	3.0	3.0	8.6	9.5	17.2	25.4	43.9	69.3	128.0
1997.....	*	2.1	3.9	7.4	12.6	16.5	31.7	41.3	69.5	112.2
1996.....	*	2.7	3.8	6.3	11.5	17.4	31.6	41.6	58.8	94.8
1995.....	*	*	*	6.2	10.1	17.3	21.7	36.5	51.3	82.1
1994.....	*	2.5	*	5.7	9.9	16.8	27.6	53.8	61.8	96.9
1993.....	2.1	3.2	*	7.8	9.2	19.1	22.3	36.0	74.3	114.3
1992.....	*	*	*	*	11.6	20.5	26.5	39.2	49.7	86.1
1991.....	*	*	*	4.7	9.2	16.3	20.5	32.0	46.5	104.3
1990.....	*	*	4.0	5.9	8.4	12.5	32.0	41.4	60.0	93.6
1989.....	*	*	4.6	8.2	8.1	17.4	25.4	29.8	54.6	72.7
1988.....	*	*	*	5.2	9.3	14.2	23.6	29.9	45.7	58.5
1987.....	*	*	*	*	10.6	18.7	26.9	37.1	44.6	64.1
1986.....	*	*	*	5.9	11.8	20.1	19.4	32.0	38.9	58.7
1985.....	*	*	4.6	4.8	12.3	17.1	22.8	28.8	42.5	56.5
1984.....	*	*	*	4.6	13.7	11.6	25.7	24.6	35.7	59.0
1983.....	*	*	*	6.5	10.9	13.4	23.0	26.1	34.1	63.3
1982.....	*	*	4.0	6.1	11.3	19.5	21.5	16.8	30.0	55.2
1981.....	*	*	*	5.7	9.2	11.7	14.6	22.2	37.7	51.8
1980.....	1.1	2.5	3.0	5.6	12.7	13.8	19.6	26.2	48.0	60.4
1979.....	1.4	1.5	4.0	5.1	7.0	12.4	19.0	19.3	40.3	48.1

BLACK FEMALE

1998.....	2.0	2.5	2.7	6.0	8.2	10.1	24.9	32.3	51.3	114.6
1997.....	1.7	2.0	4.0	4.7	10.6	14.6	22.0	30.6	49.1	96.2
1996.....	1.7	2.3	2.9	3.8	7.0	12.8	21.7	31.8	46.9	103.5
1995.....	1.6	*	3.2	3.6	7.1	10.6	24.7	26.3	49.3	106.2
1994.....	*	2.4	2.7	4.3	8.6	16.6	18.1	28.0	47.3	121.1
1993.....	*	2.6	4.2	5.3	5.7	10.1	19.7	26.8	40.1	95.4
1992.....	*	3.0	3.2	5.9	5.2	9.1	17.1	24.5	42.9	100.3
1991.....	2.2	*	4.1	3.8	7.5	12.3	16.5	25.0	38.3	87.7
1990.....	*	2.9	3.7	*	6.5	8.4	14.8	20.7	37.4	97.2
1989.....	*	*	3.3	5.5	6.9	7.7	17.3	28.2	35.1	83.0
1988.....	*	*	3.5	3.6	5.6	9.9	13.7	19.3	37.6	78.5
1987.....	*	*	3.6	*	6.2	9.2	14.0	19.7	29.2	72.9
1986.....	2.6	*	*	4.4	7.0	8.1	16.0	17.8	39.4	63.0
1985.....	*	*	*	4.4	5.8	10.2	13.7	21.6	32.3	49.6
1984.....	*	*	*	4.4	7.4	9.0	11.7	18.0	28.9	61.2
1983.....	*	*	*	5.5	5.4	8.6	13.3	17.8	26.9	46.8
1982.....	*	*	*	3.9	7.7	9.5	13.1	17.1	34.1	39.8
1981.....	*	*	*	5.3	7.2	8.2	11.1	13.5	22.0	38.9
1980.....	1.5	2.9	1.4	3.7	5.5	8.3	12.4	15.3	26.4	40.5
1979.....	1.9	1.9	2.4	4.3	3.6	7.1	8.9	12.3	21.8	30.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

TOTAL, BOTH SEXES										
1998.....	0.6	0.9	1.2	1.8	2.6	3.7	5.5	8.4	12.9	26.3
1997.....	0.7	0.9	1.3	1.9	2.8	3.7	5.5	8.3	12.7	23.8
1996.....	0.7	1.0	1.4	2.1	2.8	4.0	5.2	8.4	12.6	23.8
1995.....	0.7	1.0	1.3	1.9	2.9	4.1	5.5	8.3	12.5	24.2
1994.....	0.7	1.1	1.2	1.7	2.4	4.0	5.7	8.0	13.6	24.6
1993.....	0.7	1.0	1.1	2.0	2.9	3.9	5.7	8.2	13.6	25.4
1992.....	0.7	0.9	1.4	1.7	2.6	4.1	5.8	8.4	12.8	25.2
1991.....	0.7	1.0	1.4	2.1	3.2	4.2	6.3	8.9	12.9	25.5
1990.....	0.7	0.9	1.6	2.2	3.3	4.7	6.2	9.4	14.8	26.7
1989.....	0.8	1.0	1.5	2.4	3.5	4.8	7.1	10.3	14.3	27.0
1988.....	0.6	1.3	1.7	2.4	3.8	5.4	7.2	10.5	15.6	29.7
1987.....	0.8	1.2	1.8	2.7	4.3	5.8	7.8	12.1	17.0	28.3
1986.....	0.8	1.4	2.0	2.9	4.4	5.5	7.8	10.6	16.3	27.9
1985.....	1.0	1.5	2.2	2.8	4.3	6.0	8.8	11.4	17.5	27.8
1984.....	0.9	1.4	2.0	3.2	4.3	6.1	8.1	12.1	16.8	28.6
1983.....	0.9	1.4	2.4	3.2	4.8	6.3	8.9	13.0	18.7	31.3
1982.....	0.9	1.5	1.8	3.0	4.6	6.3	8.3	11.6	18.4	30.1
1981.....	1.0	1.4	2.3	3.5	4.5	6.7	8.8	12.3	17.6	26.6
1980.....	1.1	1.6	2.3	3.3	4.8	6.5	8.6	13.4	17.5	31.1
1979.....	1.2	1.6	2.6	3.3	4.5	6.7	9.4	12.6	18.6	29.9
TOTAL, MALE										
1998.....	0.6	1.1	1.3	2.1	3.0	4.0	6.8	8.6	13.6	24.9
1997.....	0.8	1.2	1.7	2.3	3.3	4.3	6.4	9.7	13.1	25.1
1996.....	0.9	1.2	1.5	2.4	3.3	4.7	6.3	8.7	13.0	24.1
1995.....	0.8	1.2	1.6	2.3	3.2	5.1	6.5	9.2	14.5	24.5
1994.....	0.9	1.4	1.4	1.9	2.6	4.4	7.0	9.0	14.6	27.0
1993.....	0.9	1.0	1.4	2.5	3.6	5.1	6.5	9.3	16.0	27.7
1992.....	1.0	1.2	1.4	2.0	3.5	4.8	6.7	10.4	15.9	27.5
1991.....	0.9	1.1	1.7	2.8	4.0	5.2	7.9	10.6	16.4	25.3
1990.....	0.9	1.1	1.7	2.7	4.0	6.2	7.5	11.0	17.0	27.9
1989.....	1.0	1.2	2.1	3.0	4.5	6.1	8.7	11.6	15.3	27.1
1988.....	0.8	1.6	2.2	3.2	4.7	6.7	8.9	13.6	18.3	32.7
1987.....	1.1	1.5	2.3	3.4	5.9	7.0	9.3	14.2	20.3	31.1
1986.....	1.1	1.8	2.3	3.7	5.5	7.5	9.7	13.5	18.9	35.6
1985.....	1.4	1.7	2.7	3.7	5.6	7.4	10.8	12.8	20.0	30.2
1984.....	1.1	1.7	2.8	4.2	5.6	7.9	11.1	13.8	20.6	35.1
1983.....	1.1	1.8	2.9	4.1	6.2	8.2	10.4	16.0	21.8	34.3
1982.....	1.3	2.0	2.2	4.0	6.0	8.0	10.7	14.1	22.3	33.6
1981.....	1.3	1.6	3.0	4.5	5.9	8.3	10.9	15.0	20.9	30.5
1980.....	1.2	1.9	2.9	4.4	6.2	8.2	10.5	16.2	19.7	35.1
1979.....	1.4	1.8	3.3	4.5	6.1	8.3	11.8	14.8	21.0	34.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)										
TOTAL, FEMALE										
1998.....	0.6	0.7	1.0	1.5	2.2	3.5	4.6	8.3	12.5	26.9
1997.....	0.6	0.7	1.0	1.6	2.4	3.2	4.9	7.3	12.4	23.3
1996.....	0.6	0.8	1.3	1.8	2.3	3.4	4.4	8.1	12.3	23.7
1995.....	0.5	0.8	1.1	1.5	2.7	3.3	4.7	7.8	11.4	24.1
1994.....	0.6	0.8	1.0	1.5	2.3	3.6	4.7	7.4	13.0	23.7
1993.....	0.6	0.9	0.9	1.5	2.4	2.8	5.2	7.5	12.3	24.5
1992.....	0.5	0.7	1.3	1.5	1.9	3.5	5.0	7.1	11.1	24.4
1991.....	0.6	0.9	1.1	1.5	2.5	3.4	5.1	7.8	11.1	25.6
1990.....	0.5	0.7	1.4	1.7	2.7	3.5	5.3	8.4	13.6	26.2
1989.....	0.5	0.8	1.1	1.8	2.6	3.7	6.0	9.4	13.7	27.0
1988.....	0.5	1.0	1.2	1.6	3.0	4.3	5.9	8.5	14.2	28.5
1987.....	0.6	0.9	1.5	2.0	2.8	4.9	6.8	10.8	15.3	27.2
1986.....	0.6	1.1	1.7	2.2	3.4	3.9	6.5	8.8	15.0	24.9
1985.....	0.5	1.3	1.7	2.1	3.2	4.8	7.4	10.6	16.2	26.8
1984.....	0.8	1.1	1.2	2.3	3.2	4.6	5.9	11.0	14.8	26.0
1983.....	0.8	1.0	1.8	2.4	3.6	4.7	7.8	11.2	17.0	30.1
1982.....	0.6	0.9	1.5	2.1	3.3	4.9	6.6	10.0	16.3	28.6
1981.....	0.8	1.3	1.7	2.6	3.3	5.4	7.3	10.7	15.8	24.9
1980.....	0.9	1.3	1.8	2.2	3.7	5.2	7.2	11.6	16.3	29.4
1979.....	1.1	1.3	1.9	2.2	3.1	5.4	7.6	11.1	17.3	27.7
WHITE, BOTH SEXES										
1998.....	0.4	0.7	1.0	1.6	2.3	3.4	5.3	8.0	12.4	25.9
1997.....	0.7	0.7	1.2	1.8	2.5	3.3	5.3	7.9	12.2	23.7
1996.....	0.6	0.9	1.3	1.9	2.5	3.8	4.9	8.3	12.3	23.9
1995.....	0.5	0.8	1.2	1.7	2.5	3.7	5.2	8.0	12.0	24.2
1994.....	0.6	0.9	1.1	1.5	2.1	3.7	5.5	7.6	13.0	24.3
1993.....	0.6	0.8	1.0	1.8	2.6	3.7	5.6	7.7	13.4	25.7
1992.....	0.6	0.7	1.1	1.5	2.3	3.9	5.6	8.3	12.5	24.9
1991.....	0.6	0.8	1.2	1.8	3.0	4.0	6.0	8.2	12.5	25.3
1990.....	0.5	0.8	1.3	1.9	2.9	4.3	6.0	9.1	14.6	26.3
1989.....	0.6	0.7	1.2	2.1	3.2	4.3	6.6	9.9	14.0	26.5
1988.....	0.5	1.1	1.4	2.2	3.5	4.8	6.8	10.1	15.5	29.4
1987.....	0.6	1.0	1.5	2.4	3.8	5.4	7.5	11.4	17.0	27.6
1986.....	0.7	1.3	1.7	2.6	3.9	5.4	7.7	10.2	15.9	27.7
1985.....	0.8	1.4	1.9	2.5	4.0	5.5	8.3	11.1	16.9	27.3
1984.....	0.7	1.2	1.7	2.9	4.1	5.9	7.8	11.8	16.4	28.3
1983.....	0.8	1.3	2.1	2.8	4.3	6.0	8.4	12.6	18.1	31.5
1982.....	0.8	1.2	1.6	2.8	4.1	6.0	7.8	11.1	18.2	29.9
1981.....	0.9	1.3	2.0	3.2	4.2	6.6	8.3	12.0	17.6	27.0
1980.....	0.8	1.4	2.0	2.9	4.6	6.3	8.3	13.0	17.0	31.2
1979.....	1.1	1.4	2.4	2.9	4.3	6.1	9.2	12.0	17.9	30.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)										

WHITE MALE

1998.....	0.5	0.9	1.2	2.0	2.7	3.8	6.5	8.7	12.9	25.0
1997.....	0.8	0.9	1.5	2.0	3.0	3.8	6.1	9.4	12.7	25.1
1996.....	0.8	1.1	1.3	2.2	3.0	4.5	5.9	8.6	12.4	24.0
1995.....	0.7	1.0	1.4	2.0	2.6	4.6	6.2	8.9	13.9	23.6
1994.....	0.7	1.1	1.2	1.8	2.3	4.1	6.7	8.2	13.8	26.7
1993.....	0.6	0.9	1.2	2.2	3.1	4.9	6.3	8.7	16.0	28.7
1992.....	0.8	0.9	1.2	1.6	3.1	4.8	6.6	10.3	15.5	26.8
1991.....	0.8	0.9	1.4	2.4	3.8	4.9	7.9	9.7	16.1	25.9
1990.....	0.7	0.9	1.3	2.3	3.6	5.5	7.1	10.8	16.9	27.1
1989.....	0.8	0.9	1.6	2.6	4.1	5.4	8.2	11.3	15.4	26.8
1988.....	0.7	1.3	1.8	3.0	4.2	5.9	8.4	13.1	18.3	33.0
1987.....	0.8	1.2	1.8	2.9	5.4	6.4	9.1	13.8	19.9	30.5
1986.....	0.9	1.6	2.0	3.2	5.0	7.2	9.5	12.7	17.8	35.8
1985.....	1.1	1.7	2.4	3.3	5.1	6.9	10.4	12.6	18.8	29.2
1984.....	0.9	1.4	2.4	3.9	5.5	7.9	10.6	13.3	20.2	35.1
1983.....	0.9	1.7	2.5	3.6	5.5	7.9	9.8	15.6	21.0	34.1
1982.....	1.0	1.7	2.0	3.8	5.2	7.8	10.0	13.8	21.8	34.3
1981.....	1.1	1.4	2.5	4.1	5.6	8.2	10.8	14.5	20.9	31.6
1980.....	0.9	1.7	2.6	3.9	5.7	8.1	10.2	15.6	19.2	34.0
1979.....	1.2	1.5	3.0	4.1	5.8	7.5	11.4	14.2	20.6	35.5

WHITE FEMALE

1998.....	0.4	0.5	0.9	1.2	2.0	3.1	4.3	7.6	12.1	26.3
1997.....	0.5	0.5	1.0	1.5	2.1	2.9	4.6	6.9	11.9	23.1
1996.....	0.5	0.8	1.3	1.6	2.1	3.2	4.1	8.1	12.3	23.9
1995.....	0.4	0.7	1.0	1.3	2.5	2.9	4.4	7.5	10.9	24.4
1994.....	0.4	0.6	0.9	1.3	2.0	3.4	4.6	7.2	12.6	23.4
1993.....	0.6	0.8	0.8	1.3	2.2	2.8	5.1	7.1	12.1	24.6
1992.....	0.4	0.5	1.1	1.3	1.6	3.2	4.9	6.9	10.9	24.1
1991.....	0.5	0.8	0.9	1.3	2.3	3.2	4.6	7.3	10.5	25.1
1990.....	0.4	0.6	1.2	1.6	2.3	3.3	5.2	8.0	13.3	25.9
1989.....	0.4	0.6	0.9	1.7	2.4	3.4	5.4	9.0	13.3	26.4
1988.....	0.3	0.8	1.0	1.4	2.8	4.0	5.7	8.2	14.0	28.0
1987.....	0.4	0.7	1.3	1.9	2.4	4.7	6.3	9.8	15.4	26.4
1986.....	0.5	0.9	1.4	2.1	3.0	3.9	6.3	8.6	14.8	24.5
1985.....	0.4	1.1	1.4	1.7	3.1	4.4	6.8	10.1	15.9	26.6
1984.....	0.6	1.0	1.0	2.1	2.9	4.4	5.7	10.8	14.4	25.7
1983.....	0.8	1.0	1.6	2.1	3.3	4.5	7.4	10.6	16.6	30.5
1982.....	0.5	0.7	1.2	2.0	3.1	4.5	6.2	9.5	16.3	28.1
1981.....	0.7	1.2	1.5	2.4	3.0	5.3	6.5	10.5	15.9	25.1
1980.....	0.7	1.1	1.4	2.0	3.6	4.9	6.9	11.4	15.8	30.0
1979.....	0.9	1.3	1.7	1.8	2.9	5.0	7.6	10.7	16.4	28.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)										
ALL OTHER, BOTH SEXES										
1998.....	1.4	1.8	2.0	3.2	4.3	5.4	7.6	12.0	18.3	30.2
1997.....	1.0	2.0	1.9	3.0	4.7	6.0	7.7	11.8	17.0	25.3
1996.....	1.3	1.4	2.2	3.0	4.4	5.6	7.7	9.2	15.0	23.1
1995.....	1.3	1.9	2.3	3.0	5.6	6.9	8.0	11.1	18.0	24.9
1994.....	1.5	2.4	2.2	3.0	4.3	5.9	7.5	12.2	18.8	28.5
1993.....	1.3	1.8	2.2	3.3	5.0	4.9	7.1	12.4	15.4	21.9
1992.....	1.4	2.2	2.6	3.4	4.8	5.4	7.2	10.1	15.9	29.3
1991.....	1.3	1.9	2.8	3.9	4.6	5.9	8.5	15.2	17.4	28.1
1990.....	1.8	2.0	3.4	3.8	6.1	8.4	8.0	12.5	17.2	31.1
1989.....	1.7	2.6	3.5	4.0	5.3	8.4	12.0	13.5	16.8	32.0
1988.....	1.6	3.1	3.5	3.7	6.3	9.8	10.2	14.0	17.2	33.5
1987.....	2.4	2.5	3.9	5.1	7.8	9.4	10.7	19.1	17.5	35.8
1986.....	1.7	2.6	4.1	5.1	8.0	6.6	9.2	14.8	21.2	30.3
1985.....	2.3	2.1	4.1	5.6	7.2	9.9	13.6	14.8	24.6	32.6
1984.....	2.2	2.6	3.7	5.1	6.3	7.4	11.4	15.4	21.6	31.3
1983.....	1.5	1.9	4.5	6.4	8.5	8.5	13.1	17.7	25.2	29.2
1982.....	1.9	3.2	3.5	4.5	9.2	9.1	12.8	15.8	20.3	32.2
1981.....	2.1	2.5	5.1	6.1	7.0	7.7	13.6	15.4	17.0	21.6
1980.....	2.8	3.1	4.8	6.0	6.9	8.2	11.5	17.4	23.1	30.1
1979.....	2.4	2.5	4.3	6.4	7.0	12.3	11.1	17.5	26.8	20.7
ALL OTHER MALE										
1998.....	1.4	2.2	2.2	3.1	5.5	5.4	8.9	8.2	20.7	24.7
1997.....	*	2.5	2.8	4.0	5.2	7.8	8.7	12.7	17.4	25.3
1996.....	1.4	1.9	2.9	3.6	5.3	6.3	9.1	9.8	18.4	25.4
1995.....	1.4	2.2	2.9	3.8	7.5	8.4	9.6	12.0	21.4	32.6
1994.....	1.6	2.8	2.7	3.1	4.8	7.4	10.3	16.2	22.5	30.7
1993.....	2.2	2.3	2.8	4.3	7.3	6.7	8.8	14.9	16.3	*
1992.....	1.8	2.6	2.9	4.3	6.1	5.0	8.5	11.5	20.5	34.1
1991.....	1.8	2.4	3.3	5.3	5.5	7.2	8.6	18.7	18.6	*
1990.....	2.3	2.4	4.9	5.5	7.4	12.4	11.3	13.0	17.8	35.6
1989.....	2.2	3.4	5.1	5.7	7.1	11.7	13.0	14.4	*	29.6
1988.....	1.9	4.0	4.8	4.7	8.7	13.4	13.5	17.8	18.8	30.4
1987.....	3.2	3.4	5.6	7.6	10.1	12.6	10.7	17.2	24.1	36.4
1986.....	2.4	3.0	4.8	7.5	9.7	10.2	11.2	21.0	29.6	33.3
1985.....	3.6	*	5.0	7.0	10.8	11.9	14.3	15.0	32.4	39.7
1984.....	2.4	3.8	5.4	6.4	6.8	8.2	16.2	19.3	24.8	34.7
1983.....	*	2.9	5.8	8.3	12.1	10.8	16.0	19.8	29.9	35.7
1982.....	2.8	4.6	3.9	6.3	13.7	9.6	17.0	16.7	27.7	*
1981.....	*	3.2	6.9	8.0	8.4	9.7	12.4	19.4	*	*
1980.....	3.4	4.0	5.3	8.5	10.7	9.1	13.4	22.3	25.2	46.1
1979.....	2.8	4.3	5.8	8.0	9.3	15.5	15.2	20.9	25.6	28.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

ALL OTHER FEMALE	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
1998.....	1.4	1.4	1.8	3.3	3.4	5.4	6.6	14.6	17.0	32.7
1997.....	*	1.6	*	2.2	4.3	4.7	7.0	11.1	16.9	25.3
1996.....	1.1	*	*	2.5	3.7	5.0	6.7	8.8	13.0	22.0
1995.....	1.3	1.6	*	2.3	4.1	5.8	6.9	10.5	16.1	21.6
1994.....	1.3	2.1	*	2.9	3.9	4.9	5.6	9.6	16.7	27.5
1993.....	*	*	*	2.5	3.3	3.5	6.0	10.8	14.9	23.3
1992.....	*	1.7	2.4	2.7	3.8	5.7	6.3	9.2	13.3	27.2
1991.....	*	*	2.4	2.7	3.9	5.0	8.5	13.0	16.6	31.7
1990.....	*	*	*	*	5.1	5.5	5.8	12.2	16.9	29.0
1989.....	*	2.0	*	2.7	3.9	5.9	11.3	13.0	17.9	33.1
1988.....	*	2.3	*	3.0	4.5	7.1	7.9	11.6	16.2	34.9
1987.....	*	*	*	3.1	6.0	7.1	10.7	20.2	13.8	35.6
1986.....	*	2.2	3.5	3.1	6.8	3.9	7.9	10.8	16.5	28.8
1985.....	*	2.4	3.3	4.4	4.3	8.4	13.1	14.6	20.0	29.3
1984.....	2.0	*	*	4.1	5.8	6.9	8.0	12.8	19.7	29.7
1983.....	*	*	3.4	4.8	5.7	6.8	11.1	16.3	22.4	25.9
1982.....	*	*	3.2	3.0	5.7	8.8	9.7	15.1	15.9	34.6
1981.....	*	*	3.6	4.5	5.9	6.2	14.5	12.7	14.7	22.2
1980.....	2.4	2.4	4.4	3.9	3.9	7.5	10.0	14.1	21.8	21.9
1979.....	2.1	1.1	3.0	5.1	5.1	9.8	8.1	15.1	27.7	16.7
BLACK, BOTH SEXES										
1998.....	1.9	2.4	2.7	4.0	5.3	6.7	9.3	14.6	22.3	32.7
1997.....	1.3	2.6	2.5	4.0	5.9	6.5	9.3	14.1	20.0	29.4
1996.....	1.8	1.9	2.8	3.9	5.1	6.8	9.2	10.1	14.4	25.8
1995.....	1.6	2.3	2.9	3.6	6.7	7.8	9.9	12.2	19.8	28.1
1994.....	1.7	3.2	2.8	3.6	5.2	7.4	9.1	13.8	19.9	30.2
1993.....	1.5	2.3	2.9	4.3	6.0	5.5	8.6	13.4	16.5	21.4
1992.....	1.8	2.7	3.1	4.1	5.7	6.4	8.5	11.4	18.3	32.9
1991.....	1.6	2.3	3.5	4.9	5.5	7.2	10.6	16.6	19.9	29.7
1990.....	2.3	2.4	4.1	4.4	7.5	9.7	8.8	14.3	17.7	33.7
1989.....	2.2	2.9	4.3	4.5	6.0	10.0	14.3	15.4	18.8	35.9
1988.....	2.1	3.8	4.3	4.4	7.6	11.4	11.6	14.8	19.5	35.0
1987.....	3.0	3.0	4.7	5.9	9.2	11.3	12.9	20.7	19.4	39.9
1986.....	2.2	3.1	4.8	6.2	9.4	7.4	10.1	16.6	24.3	31.3
1985.....	3.1	2.6	4.7	6.1	8.0	11.1	14.9	16.5	26.1	33.8
1984.....	2.8	3.0	4.6	5.7	7.5	7.8	12.6	16.4	23.3	32.6
1983.....	1.9	2.3	5.2	7.2	9.8	9.1	14.7	19.1	27.3	31.0
1982.....	2.4	3.7	3.6	5.2	10.6	10.2	13.8	16.5	22.0	33.0
1981.....	2.4	2.8	5.9	7.0	7.8	8.9	14.5	17.2	19.6	22.6
1980.....	3.3	3.5	5.4	6.7	7.9	8.3	12.0	18.8	25.5	33.3
1979.....	2.7	2.8	4.8	7.1	7.5	13.2	11.3	18.7	28.9	21.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)										
BLACK MALE										
1998.....	1.8	3.0	3.1	4.4	6.4	7.0	11.4	10.6	25.8	26.7
1997.....	*	3.3	3.7	5.3	6.7	7.8	10.0	15.4	21.7	31.5
1996.....	2.0	2.5	3.8	4.9	5.9	7.5	10.9	11.9	*	28.8
1995.....	*	3.0	3.9	4.4	9.6	9.9	12.1	12.3	25.2	37.9
1994.....	*	3.8	3.7	*	5.7	9.3	12.9	18.6	25.3	30.1
1993.....	2.6	3.0	3.8	5.7	8.5	6.9	10.4	16.9	*	*
1992.....	2.1	3.3	3.5	4.9	6.9	5.9	10.3	12.0	24.4	37.3
1991.....	2.1	3.2	4.2	6.9	6.4	9.3	11.0	21.5	21.8	*
1990.....	3.0	*	6.2	6.1	8.8	15.0	12.6	15.1	*	42.3
1989.....	2.9	3.5	6.5	6.5	7.9	14.0	15.9	15.7	*	36.4
1988.....	*	5.0	6.0	5.6	10.3	16.2	15.6	18.1	22.3	33.8
1987.....	4.4	4.2	6.9	8.3	12.0	15.0	13.3	18.3	29.3	40.6
1986.....	3.2	3.8	5.6	9.1	11.6	11.4	12.5	23.8	34.4	36.5
1985.....	4.8	*	6.0	8.0	12.6	13.3	16.7	17.1	35.6	40.3
1984.....	3.1	4.3	6.8	7.4	8.1	8.6	18.0	21.0	25.0	36.1
1983.....	*	*	6.5	9.5	13.9	11.3	18.0	21.2	31.7	40.0
1982.....	3.4	5.7	4.0	7.4	15.9	11.1	19.0	18.0	30.0	*
1981.....	*	*	8.3	9.3	9.4	11.4	13.0	21.5	*	*
1980.....	4.2	4.6	5.9	9.6	12.2	9.3	14.9	24.2	28.0	50.9
1979.....	3.2	4.8	6.2	8.9	9.9	16.9	14.6	21.7	27.3	26.9
BLACK FEMALE										
1998.....	2.0	1.8	2.4	3.7	4.4	6.5	7.9	17.2	20.5	35.1
1997.....	*	2.1	*	2.9	5.2	5.6	8.8	13.3	19.2	28.5
1996.....	1.6	*	*	3.1	4.6	6.2	8.1	9.0	12.8	24.6
1995.....	1.7	*	*	*	4.4	6.3	8.4	12.0	17.1	24.1
1994.....	1.7	2.7	*	3.7	4.8	6.0	6.5	10.9	17.2	30.3
1993.....	*	*	*	*	4.1	4.5	7.3	11.3	16.2	22.5
1992.....	*	*	*	3.4	4.8	6.7	7.3	11.1	15.1	31.1
1991.....	*	*	*	*	4.8	5.7	10.3	13.6	18.9	33.7
1990.....	*	*	*	*	6.5	5.8	6.2	13.8	16.8	30.1
1989.....	*	*	*	*	4.5	7.1	13.4	15.3	19.5	35.9
1988.....	*	2.8	*	3.4	5.6	7.8	8.9	12.8	18.0	35.6
1987.....	*	*	*	3.9	7.1	8.6	12.7	22.1	14.0	39.6
1986.....	*	*	4.2	3.9	7.8	4.5	8.5	12.1	18.8	29.0
1985.....	*	3.1	3.6	4.6	4.5	9.5	13.7	16.1	20.9	30.8
1984.....	2.6	*	*	4.3	7.0	7.2	9.0	13.5	22.4	31.0
1983.....	*	*	4.0	5.3	6.6	7.5	12.5	17.8	24.8	26.6
1982.....	*	*	3.4	3.4	6.5	9.5	10.2	15.5	17.4	35.6
1981.....	*	*	4.0	5.2	6.4	7.1	15.5	14.3	16.7	23.0
1980.....	2.6	2.5	4.9	4.4	4.5	7.6	10.0	15.3	24.0	24.5
1979.....	2.4	1.1	3.6	5.7	5.6	10.4	8.9	16.5	29.8	18.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)										
TOTAL, BOTH SEXES										
1998.....	0.3	0.4	0.5	0.7	1.0	1.1	1.9	2.9	4.1	8.2
1997.....	0.4	0.4	0.7	0.9	1.1	1.6	2.1	2.9	4.7	8.5
1996.....	0.4	0.6	0.7	0.9	1.2	1.6	1.8	3.3	4.2	8.3
1995.....	0.3	0.5	0.6	0.8	1.2	1.8	2.3	3.1	4.8	8.7
1994.....	0.4	0.5	0.6	0.8	0.9	1.6	2.2	3.0	4.9	8.5
1993.....	0.4	0.5	0.5	0.9	1.2	1.6	2.5	3.4	4.7	9.5
1992.....	0.4	0.5	0.7	0.8	1.0	1.8	2.6	3.3	4.7	9.8
1991.....	0.4	0.5	0.6	0.9	1.3	1.7	2.7	3.4	4.9	9.3
1990.....	0.4	0.5	0.7	0.9	1.4	2.1	2.5	4.0	6.3	10.4
1989.....	0.4	0.5	0.7	1.0	1.7	2.0	3.1	4.4	6.4	10.6
1988.....	0.3	0.7	0.6	1.1	1.6	2.1	3.1	4.2	6.8	10.8
1987.....	0.4	0.6	0.6	1.1	1.7	2.3	3.4	5.0	7.1	10.9
1986.....	0.4	0.7	0.8	1.2	2.0	2.4	3.5	4.6	6.7	11.0
1985.....	0.5	0.7	1.0	1.2	1.9	2.5	4.0	5.2	7.3	11.7
1984.....	0.4	0.6	0.8	1.4	2.0	3.0	3.7	5.8	7.3	12.4
1983.....	0.5	0.7	1.0	1.4	2.3	2.9	4.3	6.2	9.1	13.6
1982.....	0.6	0.6	0.8	1.4	2.3	3.1	3.9	6.0	8.4	13.5
1981.....	0.6	0.7	1.1	1.6	2.2	3.5	4.7	6.4	9.0	13.3
1980.....	0.6	0.9	1.1	1.6	2.7	3.5	4.5	7.5	9.8	16.6
1979.....	0.7	0.9	1.3	1.9	2.3	4.1	5.6	7.6	10.5	17.2
TOTAL, MALE										
1998.....	0.3	0.4	0.5	0.7	0.9	1.1	1.9	2.8	3.9	6.2
1997.....	0.3	0.5	0.8	0.8	1.3	1.6	2.1	3.0	4.0	8.3
1996.....	0.3	0.6	0.7	1.0	1.2	1.8	1.9	3.0	4.5	8.2
1995.....	0.4	0.5	0.6	0.9	1.4	2.3	2.4	3.1	5.0	6.7
1994.....	0.4	0.6	0.6	0.8	0.9	1.5	2.4	3.3	4.6	6.2
1993.....	0.4	0.4	0.5	1.1	1.3	2.1	2.9	3.7	5.4	9.7
1992.....	0.5	0.6	0.7	0.9	1.2	2.0	2.9	3.9	5.2	10.9
1991.....	0.4	0.5	0.6	1.1	1.6	2.0	3.1	3.7	5.3	7.7
1990.....	0.3	0.5	0.7	1.0	1.8	2.4	3.1	4.2	7.4	10.3
1989.....	0.4	0.6	0.9	1.2	2.2	2.3	3.7	4.6	6.0	9.5
1988.....	0.3	0.7	0.6	1.3	1.9	2.2	3.5	5.4	6.9	11.2
1987.....	0.4	0.7	0.7	1.2	2.3	2.5	3.9	4.9	7.8	9.5
1986.....	0.4	0.7	0.8	1.3	2.2	3.2	4.1	5.3	6.8	13.4
1985.....	0.7	0.7	1.1	1.4	2.3	2.9	4.6	5.4	7.1	10.4
1984.....	0.4	0.7	1.1	1.6	2.5	3.4	4.9	6.1	8.7	11.9
1983.....	0.5	0.9	1.1	1.6	2.5	3.5	4.5	7.0	9.8	12.2
1982.....	0.7	0.8	0.9	1.8	2.9	3.9	4.6	6.9	8.4	13.7
1981.....	0.7	0.7	1.3	1.9	2.6	3.9	4.8	6.4	9.3	12.7
1980.....	0.5	0.9	1.2	2.0	3.4	3.9	5.0	8.9	9.9	15.6
1979.....	0.7	0.9	1.5	2.4	3.0	4.8	6.7	8.6	10.9	18.8

RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)										
TOTAL, FEMALE										
1998.....	0.3	0.4	0.5	0.7	1.0	1.1	1.9	2.9	4.2	9.0
1997.....	0.4	0.4	0.6	0.9	1.0	1.6	2.1	2.7	5.1	8.6
1996.....	0.4	0.5	0.7	0.9	1.2	1.4	1.8	3.4	4.0	8.3
1995.....	0.3	0.6	0.6	0.7	1.0	1.4	2.2	3.2	4.7	9.5
1994.....	0.4	0.5	0.5	0.8	0.9	1.6	2.0	2.7	5.1	9.4
1993.....	0.4	0.5	0.4	0.7	1.2	1.1	2.2	3.2	4.4	9.4
1992.....	0.4	0.4	0.7	0.7	0.8	1.6	2.3	2.9	4.4	9.4
1991.....	0.4	0.6	0.7	0.7	1.0	1.5	2.4	3.3	4.7	9.9
1990.....	0.4	0.4	0.7	0.9	1.1	1.8	2.1	3.9	5.8	10.5
1989.....	0.3	0.5	0.5	0.9	1.3	1.8	2.7	4.3	6.6	11.0
1988.....	0.3	0.6	0.7	0.8	1.4	2.1	2.8	3.5	6.7	10.7
1987.....	0.3	0.4	0.6	0.9	1.2	2.2	3.0	5.1	6.7	11.4
1986.....	0.4	0.7	0.8	1.2	1.7	1.8	3.0	4.1	6.7	10.1
1985.....	0.3	0.7	0.9	0.9	1.6	2.1	3.6	5.0	7.4	12.3
1984.....	0.4	0.6	0.5	1.2	1.6	2.6	2.8	5.6	6.5	12.6
1983.....	0.5	0.5	1.0	1.2	2.0	2.4	4.1	5.7	8.8	14.2
1982.....	0.4	0.5	0.7	1.0	1.8	2.5	3.4	5.5	8.4	13.4
1981.....	0.5	0.7	0.9	1.4	1.8	3.2	4.7	6.3	8.9	13.6
1980.....	0.6	0.9	1.0	1.2	2.2	3.3	4.2	6.6	9.8	17.0
1979.....	0.6	0.9	1.1	1.4	1.7	3.5	4.8	7.0	10.3	16.4
WHITE, BOTH SEXES										
1998.....	0.2	0.4	0.4	0.6	0.9	1.0	1.9	2.7	3.9	8.3
1997.....	0.3	0.3	0.6	0.8	1.0	1.5	2.0	2.8	4.7	8.7
1996.....	0.3	0.6	0.6	0.9	1.1	1.5	1.7	3.2	4.2	8.2
1995.....	0.3	0.5	0.5	0.7	1.0	1.6	2.2	3.0	4.5	9.0
1994.....	0.3	0.5	0.5	0.7	0.8	1.5	2.1	2.8	4.8	8.4
1993.....	0.4	0.4	0.4	0.8	1.1	1.5	2.4	3.3	4.7	9.8
1992.....	0.4	0.5	0.6	0.8	0.9	1.8	2.5	3.2	4.7	9.7
1991.....	0.4	0.5	0.6	0.8	1.2	1.7	2.6	3.2	4.9	9.5
1990.....	0.2	0.4	0.6	0.8	1.3	1.9	2.6	3.8	6.3	10.4
1989.....	0.3	0.4	0.6	0.9	1.6	1.9	2.8	4.3	6.3	10.7
1988.....	0.2	0.5	0.6	1.0	1.5	2.0	3.0	4.2	6.9	11.1
1987.....	0.3	0.5	0.6	1.0	1.5	2.2	3.3	4.8	7.3	11.0
1986.....	0.4	0.6	0.6	1.2	1.8	2.4	3.5	4.6	6.7	11.3
1985.....	0.4	0.7	0.9	1.1	1.8	2.3	3.8	5.1	7.3	12.0
1984.....	0.3	0.5	0.7	1.3	1.9	2.9	3.6	5.6	7.2	12.4
1983.....	0.4	0.7	1.0	1.2	2.0	2.9	4.2	5.9	9.0	14.0
1982.....	0.5	0.5	0.7	1.3	2.0	3.1	3.8	5.9	8.5	13.6
1981.....	0.5	0.7	1.0	1.5	2.0	3.4	4.5	6.1	9.2	13.5
1980.....	0.4	0.8	1.0	1.4	2.6	3.5	4.6	7.5	9.6	17.1
1979.....	0.6	0.9	1.2	1.7	2.2	3.8	5.5	7.5	10.3	17.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)										
WHITE MALE										
1998.....	0.3	0.4	0.4	0.7	0.9	1.0	1.8	2.8	3.5	6.2
1997.....	0.3	0.3	0.7	0.8	1.1	1.5	2.0	2.8	3.9	8.2
1996.....	0.3	0.6	0.6	1.0	1.1	1.6	1.9	2.9	4.4	7.7
1995.....	0.3	0.4	0.5	0.8	1.1	2.1	2.4	3.0	4.7	6.7
1994.....	0.3	0.5	0.5	0.7	0.8	1.3	2.3	3.1	4.4	6.2
1993.....	0.3	0.4	0.4	1.1	1.1	2.0	2.8	3.3	5.5	10.1
1992.....	0.5	0.6	0.6	0.8	1.1	2.0	2.8	3.8	5.2	10.5
1991.....	0.4	0.4	0.5	0.9	1.5	2.0	3.1	3.4	5.3	7.9
1990.....	*	0.5	0.6	0.8	1.7	2.2	3.1	4.1	7.5	10.1
1989.....	0.4	0.4	0.7	1.1	2.1	2.1	3.4	4.5	6.2	9.3
1988.....	*	0.5	0.6	1.4	1.8	2.0	3.2	5.1	7.1	11.8
1987.....	0.3	0.6	0.6	1.1	2.1	2.2	3.9	4.8	8.2	9.8
1986.....	0.3	0.6	0.6	1.2	2.0	3.1	4.2	5.2	6.4	13.8
1985.....	0.6	0.8	0.9	1.3	2.1	2.7	4.6	5.5	6.9	10.8
1984.....	0.3	0.5	1.0	1.4	2.4	3.5	4.7	5.8	8.7	11.9
1983.....	0.4	0.8	1.1	1.4	2.2	3.5	4.3	6.9	9.6	12.1
1982.....	0.6	0.7	0.8	1.6	2.5	3.8	4.3	6.9	8.2	13.5
1981.....	0.6	0.6	1.1	1.7	2.5	3.8	4.7	5.7	9.3	12.9
1980.....	0.4	0.8	1.1	1.8	3.1	3.9	4.9	8.8	9.5	15.5
1979.....	0.6	0.8	1.4	2.2	2.9	4.3	6.6	8.5	10.6	19.4
WHITE FEMALE										
1998.....	*	0.4	0.5	0.6	0.9	1.0	1.9	2.7	4.1	9.2
1997.....	0.3	0.3	0.6	0.8	0.9	1.5	2.0	2.8	5.2	8.9
1996.....	0.3	0.6	0.6	0.9	1.1	1.3	1.7	3.3	4.1	8.3
1995.....	*	0.5	0.6	0.6	0.9	1.3	2.2	3.0	4.5	9.8
1994.....	0.3	0.4	0.5	0.7	0.8	1.6	2.0	2.5	5.0	9.3
1993.....	0.4	0.4	*	0.6	1.2	1.1	2.2	3.2	4.3	9.7
1992.....	0.3	0.3	0.7	0.7	0.7	1.6	2.3	2.8	4.4	9.3
1991.....	0.4	0.6	0.6	0.6	0.9	1.4	2.2	3.1	4.7	10.1
1990.....	0.3	0.3	0.6	0.8	0.9	1.7	2.2	3.6	5.7	10.5
1989.....	*	0.4	0.4	0.8	1.2	1.7	2.4	4.2	6.4	11.2
1988.....	*	0.5	0.5	0.7	1.3	2.0	2.8	3.6	6.8	10.8
1987.....	*	0.4	0.6	0.9	1.1	2.2	2.9	4.8	6.8	11.4
1986.....	0.4	0.6	0.7	1.1	1.7	1.9	3.0	4.2	6.9	10.3
1985.....	*	0.6	0.9	0.9	1.5	2.0	3.2	5.0	7.5	12.5
1984.....	*	0.5	0.5	1.2	1.5	2.4	2.8	5.6	6.4	12.6
1983.....	0.5	0.5	0.9	1.1	1.9	2.4	4.1	5.3	8.7	14.8
1982.....	0.4	*	0.7	1.0	1.6	2.5	3.4	5.3	8.8	13.7
1981.....	0.4	0.8	0.9	1.3	1.7	3.1	4.4	6.3	9.1	13.8
1980.....	0.5	0.8	0.8	1.1	2.2	3.1	4.3	6.7	9.6	17.8
1979.....	0.6	0.9	1.1	1.2	1.7	3.4	4.8	6.9	10.2	17.3

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

ALL OTHER, BOTH SEXES

1998.....	0.8	0.9	*	1.2	1.4	1.7	2.6	3.8	6.3	7.5
1997.....	0.6	1.0	0.9	1.3	2.0	2.3	2.8	3.4	*	7.1
1996.....	0.7	*	1.0	*	1.6	2.4	2.6	4.3	*	9.3
1995.....	0.7	0.8	*	1.4	2.6	3.1	2.5	4.4	7.9	6.5
1994.....	0.7	0.9	*	*	*	2.5	2.7	4.8	6.4	9.3
1993.....	*	0.9	*	1.4	2.0	1.9	3.1	4.4	*	*
1992.....	*	*	*	*	1.8	*	3.1	4.2	*	11.7
1991.....	*	*	*	1.7	2.1	1.9	3.6	5.5	*	7.3
1990.....	1.1	*	1.5	1.5	2.2	3.3	*	5.6	6.1	10.4
1989.....	*	1.3	1.5	1.7	2.4	2.9	6.0	5.5	7.2	10.2
1988.....	0.9	1.4	*	*	2.5	3.3	3.9	4.6	*	8.1
1987.....	*	*	*	1.9	3.2	3.4	4.4	7.4	*	10.0
1986.....	*	*	1.7	1.8	3.1	2.4	2.8	4.5	7.1	*
1985.....	*	*	1.8	1.6	2.7	3.6	6.1	5.2	7.4	*
1984.....	*	1.4	*	2.1	3.0	3.6	4.7	7.5	7.7	12.4
1983.....	*	*	*	3.0	4.4	3.2	5.1	9.0	10.7	*
1982.....	*	*	*	2.3	4.7	3.8	5.4	6.9	*	11.6
1981.....	*	*	1.8	2.9	3.2	4.4	7.0	9.3	*	11.1
1980.....	1.4	1.2	2.2	2.9	3.9	4.3	4.2	7.9	12.2	10.0
1979.....	1.1	1.2	2.1	3.6	3.0	6.5	6.1	8.6	12.9	8.0

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	4.0	3.9	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	6.6	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	4.2	4.7	*	*	*	*
1986.....	*	*	*	*	4.3	*	*	*	*	*
1985.....	*	*	*	*	3.9	*	*	*	*	*
1984.....	*	*	*	*	*	*	7.1	*	*	*
1983.....	*	*	*	3.6	6.1	*	6.8	*	*	*
1982.....	*	*	*	3.5	6.7	*	7.3	*	*	*
1981.....	*	*	*	3.9	*	5.1	*	12.9	*	*
1980.....	1.5	1.1	1.8	3.8	5.8	3.6	5.4	10.6	13.8	16.5
1979.....	1.3	1.6	2.4	4.4	4.0	9.0	7.2	9.3	14.0	11.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	4.6	*	7.9
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	10.5
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	10.3
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	5.8	*	*
1989.....	*	*	*	*	*	*	5.6	*	9.4	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	8.6	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	7.1	*	*	*
1984.....	*	*	*	*	*	4.1	*	*	*	*
1983.....	*	*	*	*	*	*	*	9.2	*	*
1982.....	*	*	*	*	*	*	*	7.0	*	*
1981.....	*	*	*	*	*	3.9	7.8	*	*	*
1980.....	1.3	1.3	2.6	2.1	2.3	4.8	3.3	6.1	11.3	6.7
1979.....	0.9	0.8	1.8	3.0	2.3	4.6	5.2	8.1	12.4	6.1
BLACK, BOTH SEXES										
1998.....	1.1	1.2	*	*	*	*	3.2	5.1	8.0	8.8
1997.....	0.9	1.2	1.3	1.7	2.5	2.6	3.6	4.5	*	7.9
1996.....	1.0	*	*	*	*	3.0	3.4	4.8	*	10.8
1995.....	*	1.1	*	1.8	3.1	3.6	3.2	5.1	9.7	7.7
1994.....	0.9	1.3	*	*	*	3.1	3.3	5.8	7.0	9.8
1993.....	*	1.2	*	1.9	2.5	2.5	3.6	4.5	*	*
1992.....	*	*	*	*	2.1	*	3.8	5.2	*	13.1
1991.....	*	*	*	2.2	2.7	2.3	4.5	6.3	*	*
1990.....	1.4	*	1.9	2.0	2.7	3.8	*	6.4	6.9	10.8
1989.....	*	1.4	2.0	2.1	2.8	3.6	7.2	6.7	8.2	10.9
1988.....	1.3	1.7	*	*	3.1	3.9	4.6	5.1	*	*
1987.....	*	*	*	2.3	3.7	4.0	5.3	8.2	*	11.1
1986.....	*	*	2.2	2.2	3.7	2.8	*	5.1	8.2	*
1985.....	*	*	2.2	1.9	3.1	4.4	6.6	5.6	8.6	*
1984.....	*	1.7	*	2.5	3.6	4.0	5.1	8.3	8.5	13.2
1983.....	*	*	*	3.5	5.1	3.5	6.0	10.4	11.5	*
1982.....	*	*	*	2.6	5.4	4.4	5.9	7.5	*	11.9
1981.....	*	*	2.0	3.3	3.6	5.1	7.7	10.4	*	11.9
1980.....	1.7	1.4	2.6	3.3	4.5	4.6	4.8	8.8	13.0	11.3
1979.....	1.3	1.2	2.4	4.1	3.2	7.2	6.7	9.3	13.9	7.7

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	5.4	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	8.3	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	4.8	*	*	*	*	*	*
1986.....	*	*	*	*	5.3	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	4.2	7.4	*	8.2	*	*	*	*
1982.....	*	*	*	*	8.1	*	8.3	*	*	*	*
1981.....	*	*	*	4.7	*	6.0	*	14.6	*	*	*
1980.....	1.9	1.4	2.2	4.3	6.7	4.2	6.4	11.8	14.7	18.9	
1979.....	1.6	1.7	2.8	4.9	4.3	10.4	8.0	9.9	15.6	9.6	

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	5.9	*	9.2	
1997.....	*	*	*	*	*	*	*	*	*	*	
1996.....	*	*	*	*	*	*	*	*	*	*	
1995.....	*	*	*	*	*	*	*	*	*	*	
1994.....	*	*	*	*	*	*	*	*	*	11.2	
1993.....	*	*	*	*	*	*	*	*	*	*	
1992.....	*	*	*	*	*	*	*	*	*	*	
1991.....	*	*	*	*	*	*	*	*	*	*	
1990.....	*	*	*	*	*	*	*	6.6	*	*	
1989.....	*	*	*	*	*	*	6.5	*	*	*	
1988.....	*	*	*	*	*	*	*	*	*	*	
1987.....	*	*	*	*	*	*	*	9.7	*	*	
1986.....	*	*	*	*	*	*	*	*	*	*	
1985.....	*	*	*	*	*	*	7.3	*	*	*	
1984.....	*	*	*	*	*	4.4	*	*	*	*	
1983.....	*	*	*	*	*	*	*	10.4	*	*	
1982.....	*	*	*	*	*	*	*	*	*	*	
1981.....	*	*	*	*	*	4.4	8.5	*	*	*	
1980.....	1.5	1.4	2.9	2.4	2.7	4.9	3.6	6.8	12.0	7.5	
1979.....	1.0	0.8	2.1	3.5	2.4	4.9	5.7	8.9	12.9	6.7	

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)										
TOTAL, BOTH SEXES										
1998.....	0.3	0.5	0.7	1.1	1.6	2.6	3.6	5.6	8.8	18.1
1997.....	0.4	0.5	0.7	1.1	1.7	2.1	3.4	5.4	8.0	15.3
1996.....	0.4	0.4	0.7	1.1	1.6	2.4	3.4	5.1	8.4	15.6
1995.....	0.3	0.4	0.7	1.1	1.7	2.3	3.2	5.2	7.7	15.5
1994.....	0.3	0.6	0.7	1.0	1.5	2.4	3.5	5.1	8.6	16.1
1993.....	0.3	0.5	0.7	1.0	1.7	2.3	3.2	4.8	8.9	15.8
1992.....	0.3	0.4	0.7	1.0	1.7	2.3	3.2	5.1	8.1	15.4
1991.....	0.4	0.4	0.7	1.2	1.9	2.5	3.6	5.5	8.0	16.2
1990.....	0.3	0.5	0.9	1.3	1.9	2.7	3.7	5.4	8.5	16.3
1989.....	0.4	0.5	0.8	1.3	1.8	2.8	4.0	5.8	7.8	16.4
1988.....	0.4	0.7	1.0	1.3	2.2	3.2	4.1	6.2	8.8	18.9
1987.....	0.5	0.6	1.2	1.6	2.5	3.5	4.4	7.1	9.9	17.4
1986.....	0.5	0.8	1.2	1.7	2.4	3.1	4.4	6.0	9.6	16.9
1985.....	0.5	0.8	1.2	1.7	2.5	3.5	4.8	6.3	10.3	16.0
1984.....	0.5	0.8	1.2	1.8	2.3	3.1	4.4	6.3	9.6	16.2
1983.....	0.4	0.7	1.3	1.8	2.5	3.4	4.6	6.8	9.6	17.8
1982.....	0.4	0.8	1.1	1.6	2.3	3.2	4.4	5.5	10.0	16.6
1981.....	0.5	0.7	1.2	1.9	2.3	3.2	4.1	6.0	8.5	13.2
1980.....	0.5	0.7	1.2	1.7	2.1	3.0	4.1	5.9	7.7	14.6
1979.....	0.6	0.7	1.3	1.4	2.2	2.6	3.8	5.0	8.1	12.7
TOTAL, MALE										
1998.....	0.3	0.7	0.9	1.4	2.1	2.9	4.8	5.9	9.7	18.7
1997.....	0.5	0.7	0.9	1.5	2.0	2.6	4.3	6.7	9.1	16.8
1996.....	0.6	0.6	0.8	1.4	2.1	3.0	4.4	5.6	8.5	15.9
1995.....	0.4	0.7	1.0	1.4	1.8	2.8	4.1	6.1	9.5	17.8
1994.....	0.5	0.8	0.8	1.2	1.6	2.9	4.6	5.6	9.9	20.8
1993.....	0.5	0.6	0.9	1.4	2.3	3.0	3.6	5.6	10.6	18.0
1992.....	0.5	0.5	0.8	1.1	2.2	2.8	3.8	6.5	10.7	16.6
1991.....	0.5	0.6	1.1	1.7	2.4	3.2	4.8	6.8	11.1	17.6
1990.....	0.6	0.6	1.0	1.7	2.2	3.8	4.4	6.7	9.6	17.6
1989.....	0.6	0.7	1.1	1.8	2.3	3.8	5.0	7.0	9.4	17.6
1988.....	0.6	0.9	1.5	1.9	2.8	4.4	5.4	8.2	11.4	21.5
1987.....	0.7	0.8	1.6	2.2	3.6	4.5	5.3	9.3	12.4	21.6
1986.....	0.7	1.1	1.6	2.4	3.2	4.3	5.6	8.2	12.0	22.2
1985.....	0.8	1.1	1.6	2.3	3.4	4.5	6.2	7.5	12.9	19.8
1984.....	0.7	1.0	1.7	2.6	3.2	4.5	6.2	7.7	11.9	23.2
1983.....	0.6	1.0	1.8	2.5	3.6	4.7	5.9	9.0	12.0	22.1
1982.....	0.6	1.3	1.3	2.2	3.1	4.1	6.1	7.2	14.0	19.9
1981.....	0.6	0.9	1.7	2.6	3.2	4.4	6.1	8.5	11.6	17.8
1980.....	0.7	1.1	1.7	2.4	2.8	4.3	5.5	7.3	9.8	19.5
1979.....	0.7	0.9	1.8	2.0	3.1	3.5	5.1	6.2	10.2	16.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)										
TOTAL, FEMALE										
1998.....	0.3	0.2	0.5	0.9	1.2	2.3	2.6	5.4	8.3	17.8
1997.....	0.2	0.3	0.4	0.7	1.4	1.6	2.8	4.6	7.3	14.7
1996.....	*	0.3	0.6	0.9	1.1	2.0	2.6	4.7	8.3	15.5
1995.....	0.2	*	0.5	0.8	1.7	1.8	2.5	4.6	6.7	14.6
1994.....	*	0.4	0.5	0.8	1.4	2.0	2.7	4.7	7.9	14.3
1993.....	0.2	0.4	0.5	0.8	1.2	1.7	2.9	4.3	7.9	15.0
1992.....	*	0.3	0.6	0.8	1.1	1.9	2.7	4.2	6.7	15.0
1991.....	*	0.3	0.4	0.7	1.5	1.9	2.7	4.6	6.4	15.7
1990.....	*	0.3	0.7	0.8	1.6	1.7	3.2	4.6	7.9	15.7
1989.....	*	0.3	0.6	0.9	1.3	1.9	3.3	5.0	7.0	15.9
1988.....	*	0.4	0.6	0.8	1.6	2.2	3.1	5.0	7.5	17.9
1987.....	*	0.4	0.8	1.1	1.6	2.7	3.8	5.7	8.5	15.8
1986.....	*	0.4	0.9	1.0	1.6	2.1	3.5	4.7	8.3	14.8
1985.....	*	0.6	0.7	1.1	1.7	2.7	3.8	5.5	8.9	14.5
1984.....	0.4	0.5	0.7	1.1	1.6	2.0	3.1	5.4	8.3	13.4
1983.....	0.3	0.4	0.9	1.2	1.5	2.3	3.6	5.5	8.3	16.0
1982.....	*	0.4	0.8	1.1	1.6	2.4	3.2	4.5	7.9	15.2
1981.....	0.4	0.5	0.8	1.2	1.5	2.2	2.6	4.4	6.9	11.3
1980.....	0.3	0.4	0.8	1.1	1.5	1.9	3.0	5.0	6.5	12.4
1979.....	0.5	0.4	0.7	0.8	1.4	1.9	2.8	4.1	6.9	11.2
WHITE, BOTH SEXES										
1998.....	0.2	0.4	0.6	1.0	1.4	2.4	3.4	5.3	8.5	17.6
1997.....	0.4	0.4	0.6	0.9	1.5	1.8	3.3	5.1	7.5	15.0
1996.....	0.3	0.4	0.6	1.0	1.4	2.3	3.2	5.1	8.1	15.8
1995.....	0.3	0.3	0.6	1.0	1.5	2.1	2.9	5.0	7.4	15.2
1994.....	0.3	0.4	0.5	0.8	1.3	2.3	3.4	4.8	8.3	15.8
1993.....	0.3	0.4	0.6	0.9	1.5	2.2	3.2	4.5	8.7	15.9
1992.....	0.2	0.3	0.5	0.7	1.5	2.1	3.1	5.0	7.9	15.2
1991.....	0.3	0.3	0.6	1.0	1.8	2.3	3.4	5.0	7.6	15.8
1990.....	0.3	0.4	0.7	1.1	1.6	2.4	3.5	5.3	8.2	15.8
1989.....	0.3	0.3	0.7	1.2	1.6	2.4	3.8	5.6	7.7	15.9
1988.....	0.3	0.5	0.8	1.1	2.0	2.8	3.9	5.9	8.5	18.3
1987.....	0.3	0.5	1.0	1.4	2.3	3.2	4.2	6.6	9.7	16.6
1986.....	0.3	0.7	1.0	1.5	2.1	3.0	4.2	5.6	9.1	16.4
1985.....	0.3	0.8	1.0	1.4	2.2	3.2	4.5	5.9	9.6	15.3
1984.....	0.4	0.7	1.0	1.6	2.2	3.1	4.2	6.1	9.2	16.0
1983.....	0.4	0.6	1.1	1.6	2.3	3.2	4.2	6.6	9.1	17.5
1982.....	0.3	0.7	0.9	1.5	2.0	2.9	4.1	5.2	9.7	16.3
1981.....	0.4	0.6	0.9	1.7	2.2	3.2	3.8	6.0	8.4	13.5
1980.....	0.4	0.6	1.0	1.5	2.0	2.9	3.7	5.5	7.4	14.1
1979.....	0.5	0.5	1.1	1.2	2.0	2.3	3.6	4.6	7.6	12.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)										
WHITE MALE										
1998.....	*	0.6	0.8	1.3	1.8	2.7	4.7	5.9	9.4	18.8
1997.....	0.5	0.6	0.8	1.2	1.9	2.3	4.1	6.6	8.8	16.8
1996.....	0.5	0.5	0.6	1.2	1.8	2.9	4.1	5.7	8.0	16.3
1995.....	0.4	0.6	0.9	1.3	1.5	2.6	3.8	5.9	9.2	16.9
1994.....	0.4	0.6	0.7	1.0	1.4	2.8	4.4	5.1	9.4	20.4
1993.....	0.4	0.5	0.8	1.1	2.0	2.9	3.5	5.4	10.5	18.6
1992.....	0.4	0.3	0.6	0.8	2.0	2.8	3.7	6.5	10.3	16.3
1991.....	0.4	0.5	0.9	1.5	2.3	3.0	4.7	6.3	10.8	18.0
1990.....	0.5	0.5	0.7	1.5	1.9	3.3	4.1	6.7	9.3	17.0
1989.....	0.5	0.5	0.9	1.5	2.1	3.3	4.9	6.8	9.2	17.5
1988.....	0.5	0.7	1.2	1.7	2.5	3.9	5.2	8.0	11.1	21.2
1987.....	0.5	0.7	1.2	1.8	3.4	4.1	5.2	9.1	11.7	20.7
1986.....	0.6	1.0	1.4	2.0	3.0	4.2	5.3	7.5	11.4	22.0
1985.....	0.5	1.0	1.5	2.0	3.0	4.2	5.8	7.1	11.9	18.5
1984.....	0.5	0.9	1.5	2.4	3.1	4.4	5.9	7.5	11.5	23.3
1983.....	0.5	0.9	1.5	2.2	3.4	4.5	5.6	8.8	11.4	22.0
1982.....	0.4	0.9	1.2	2.2	2.7	4.0	5.7	6.9	13.7	20.8
1981.....	0.5	0.8	1.4	2.4	3.1	4.4	6.1	8.8	11.6	18.7
1980.....	0.5	0.9	1.5	2.1	2.6	4.2	5.2	6.8	9.7	18.5
1979.....	0.6	0.7	1.6	1.8	2.9	3.2	4.8	5.7	10.0	16.0
WHITE FEMALE										
1998.....	*	*	0.4	0.7	1.0	2.1	2.4	4.8	8.0	17.1
1997.....	*	*	0.4	0.7	1.2	1.4	2.6	4.1	6.8	14.3
1996.....	*	*	0.6	0.8	1.0	1.8	2.5	4.7	8.2	15.6
1995.....	*	*	0.4	0.7	1.5	1.6	2.2	4.5	6.5	14.6
1994.....	*	*	0.4	0.6	1.2	1.9	2.6	4.6	7.6	14.1
1993.....	*	0.4	0.4	0.7	1.0	1.6	2.9	3.9	7.7	14.8
1992.....	*	*	0.4	0.6	1.0	1.6	2.6	4.1	6.6	14.8
1991.....	*	*	*	0.6	1.4	1.7	2.4	4.2	5.8	15.0
1990.....	*	*	0.7	0.7	1.4	1.6	3.0	4.4	7.6	15.4
1989.....	*	*	0.4	0.9	1.3	1.7	3.0	4.8	6.9	15.2
1988.....	*	*	0.5	0.6	1.5	1.9	2.9	4.6	7.2	17.2
1987.....	*	*	0.7	1.0	1.3	2.5	3.5	5.1	8.6	15.0
1986.....	*	*	0.7	1.0	1.3	2.0	3.3	4.4	8.0	14.2
1985.....	*	0.5	0.6	0.8	1.6	2.4	3.5	5.2	8.4	14.1
1984.....	*	0.5	0.6	0.9	1.4	2.0	2.9	5.3	8.0	13.1
1983.....	*	0.4	0.7	1.0	1.4	2.1	3.3	5.3	7.9	15.7
1982.....	*	*	0.6	1.0	1.4	2.0	2.9	4.1	7.6	14.4
1981.....	*	*	0.6	1.1	1.3	2.2	2.2	4.2	6.7	11.3
1980.....	0.2	0.3	0.6	1.0	1.5	1.8	2.6	4.7	6.2	12.2
1979.....	0.4	0.4	0.7	0.7	1.3	1.6	2.8	3.9	6.3	11.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)										
ALL OTHER, BOTH SEXES										
1998.....	0.6	0.9	1.2	2.1	2.9	3.8	5.0	8.2	12.0	22.7
1997.....	*	1.1	0.9	1.7	2.7	3.7	4.8	8.3	12.5	18.3
1996.....	0.6	0.9	1.2	2.1	2.8	3.2	5.1	4.9	10.6	13.8
1995.....	0.7	1.0	1.3	1.6	2.9	3.8	5.5	6.7	10.1	18.5
1994.....	0.8	1.5	1.4	1.8	2.9	3.5	4.9	7.4	12.3	19.2
1993.....	0.7	0.9	1.2	1.9	3.0	2.9	4.1	8.0	10.6	15.6
1992.....	0.8	1.3	1.6	2.5	3.0	3.7	4.1	5.8	10.9	17.7
1991.....	0.9	1.1	1.8	2.2	2.4	4.0	4.9	9.7	12.9	20.8
1990.....	*	1.1	1.8	2.3	3.9	5.1	5.7	6.8	11.1	20.7
1989.....	1.0	1.3	2.0	2.3	2.9	5.5	5.9	8.0	9.6	21.9
1988.....	*	1.7	2.4	2.5	3.9	6.5	6.3	9.4	11.9	25.4
1987.....	1.5	1.4	2.7	3.2	4.6	6.1	6.3	11.6	12.0	25.8
1986.....	1.1	1.4	2.4	3.3	4.9	4.2	6.4	10.3	14.1	22.1
1985.....	1.5	*	2.3	4.0	4.5	6.3	7.5	9.6	17.2	24.1
1984.....	1.3	1.3	2.3	3.0	3.3	3.8	6.6	7.9	13.9	18.9
1983.....	*	*	3.1	3.4	4.2	5.3	8.1	8.8	14.5	20.6
1982.....	*	2.0	2.3	2.2	4.6	5.3	7.4	8.8	13.5	20.6
1981.....	*	1.4	3.3	3.2	3.8	3.3	6.6	6.1	10.0	10.5
1980.....	1.4	1.9	2.6	3.1	3.1	3.9	7.3	9.5	10.9	20.1
1979.....	1.3	1.4	2.2	2.8	4.0	5.7	5.1	8.9	13.8	12.6
ALL OTHER MALE										
1998.....	*	*	*	*	4.0	3.7	5.7	*	13.0	18.1
1997.....	*	1.5	*	2.8	*	5.1	5.9	7.6	*	*
1996.....	*	*	*	*	3.9	*	7.3	*	*	*
1995.....	*	*	*	*	3.5	4.5	6.9	8.0	*	26.5
1994.....	*	*	*	*	*	4.4	6.5	10.8	15.2	24.3
1993.....	*	*	*	*	4.3	*	*	*	*	*
1992.....	*	*	*	*	4.0	*	*	*	15.2	*
1991.....	*	*	*	3.2	*	5.1	*	12.2	*	*
1990.....	*	*	2.9	*	4.8	8.3	7.2	*	*	*
1989.....	*	*	*	3.5	4.1	7.7	6.3	*	*	*
1988.....	*	*	4.1	3.5	5.7	9.3	7.7	10.0	*	*
1987.....	2.3	*	4.1	5.2	5.9	7.9	*	11.6	19.6	29.9
1986.....	*	*	*	5.3	5.4	6.0	7.9	14.8	18.5	*
1985.....	2.6	*	*	5.0	6.9	7.3	9.7	10.7	22.9	32.9
1984.....	*	*	3.3	3.4	*	5.2	9.1	9.9	*	*
1983.....	*	*	4.5	4.7	5.9	7.0	9.2	11.2	*	*
1982.....	*	3.6	*	*	6.9	5.1	9.7	*	*	*
1981.....	*	*	4.4	4.1	4.3	*	*	*	*	*
1980.....	1.8	2.9	3.5	4.7	4.9	5.4	8.0	11.7	11.5	29.6
1979.....	1.5	2.7	3.4	3.6	5.4	6.5	8.0	11.5	11.6	16.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	3.8	4.5	10.0	11.4	24.8
1997.....	*	*	*	*	2.6	*	4.1	8.8	12.7	19.0
1996.....	*	*	*	*	*	3.0	3.6	*	9.2	14.3
1995.....	*	*	*	*	*	3.3	4.5	5.9	8.6	15.0
1994.....	*	*	*	*	*	*	3.8	5.2	10.8	17.0
1993.....	*	*	*	*	*	*	*	7.9	9.9	17.1
1992.....	*	*	*	*	*	4.0	*	5.5	8.6	16.9
1991.....	*	*	*	*	*	3.3	4.7	8.1	12.2	23.8
1990.....	*	*	*	*	3.3	*	4.7	6.4	10.5	19.5
1989.....	*	*	*	*	*	3.8	5.6	7.6	*	23.4
1988.....	*	*	*	*	*	4.4	5.3	9.0	10.3	26.0
1987.....	*	*	*	*	3.5	4.7	6.4	11.6	*	23.9
1986.....	*	*	*	*	4.5	*	5.4	7.4	11.7	21.2
1985.....	*	*	*	3.2	*	5.5	6.0	8.9	13.9	20.0
1984.....	*	*	*	*	*	*	4.9	6.6	12.1	17.2
1983.....	*	*	*	*	*	4.0	7.2	7.1	12.7	19.4
1982.....	*	*	*	*	*	5.5	5.7	8.1	*	24.8
1981.....	*	*	*	*	3.5	*	6.7	*	*	*
1980.....	1.1	1.1	1.9	1.8	1.6	2.8	6.8	8.0	10.6	15.2
1979.....	1.2	0.3	1.2	2.1	2.8	5.2	2.9	7.0	15.3	10.5
BLACK, BOTH SEXES										
1998.....	0.8	1.2	1.7	2.6	3.4	4.7	6.2	9.6	14.4	23.8
1997.....	*	1.4	*	2.2	3.4	4.0	5.6	9.7	14.2	21.5
1996.....	0.8	1.1	1.5	2.6	3.2	3.8	5.8	5.3	9.4	15.0
1995.....	0.8	1.2	1.5	1.8	3.5	4.2	6.7	7.1	10.1	20.4
1994.....	*	1.9	1.8	2.2	3.7	4.3	5.8	8.0	13.0	20.4
1993.....	*	*	1.6	2.3	3.5	3.0	4.9	8.9	11.3	14.8
1992.....	1.0	1.6	1.8	2.9	3.6	4.2	4.7	6.2	12.3	19.8
1991.....	1.1	*	2.1	2.7	2.9	4.9	6.0	10.2	14.8	21.6
1990.....	*	*	2.2	2.4	4.8	5.8	6.0	7.9	10.8	22.9
1989.....	1.3	1.4	2.3	2.4	3.2	6.4	7.1	8.8	10.6	25.0
1988.....	*	2.1	2.9	2.8	4.5	7.4	7.0	9.7	13.2	26.2
1987.....	1.8	1.7	3.2	3.6	5.5	7.3	7.7	12.5	14.1	28.8
1986.....	1.5	1.8	2.7	4.1	5.7	4.6	7.1	11.5	16.1	22.9
1985.....	2.0	*	2.4	4.2	5.0	6.7	8.3	10.8	17.6	24.1
1984.....	1.6	*	2.9	3.2	3.9	3.8	7.5	8.1	14.8	19.5
1983.....	*	*	3.5	3.7	4.7	5.6	8.8	8.7	15.9	21.7
1982.....	*	2.1	2.4	2.6	5.2	5.7	7.9	9.0	14.2	21.0
1981.....	*	*	3.9	3.7	4.2	3.8	6.7	6.7	11.5	*
1980.....	1.7	2.1	2.8	3.5	3.4	3.7	7.3	10.1	12.5	22.0
1979.....	1.4	1.6	2.3	3.1	4.3	5.9	4.6	9.3	14.9	13.5

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)

BLACK MALE

1998.....	*	*	*	*	4.5	5.0	7.3	*	*	*
1997.....	*	*	*	*	*	5.0	*	*	*	*
1996.....	*	*	*	*	*	*	8.4	*	*	*
1995.....	*	*	*	*	*	5.1	8.9	*	*	30.3
1994.....	*	*	*	*	*	5.4	8.3	11.7	*	*
1993.....	*	*	*	*	4.7	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	4.3	*	6.5	*	14.4	*	*
1990.....	*	*	*	*	5.7	10.0	*	*	*	*
1989.....	*	*	*	*	*	9.0	*	*	*	*
1988.....	*	*	5.1	*	6.5	11.1	8.4	*	*	*
1987.....	3.2	*	5.0	5.5	7.2	9.5	*	12.6	23.9	32.8
1986.....	*	*	*	6.6	6.3	6.4	8.5	16.9	*	*
1985.....	3.4	*	*	5.5	8.0	7.7	11.0	12.9	24.1	32.3
1984.....	*	*	4.2	*	*	*	10.6	*	*	*
1983.....	*	*	5.0	5.3	6.5	6.9	9.8	*	*	*
1982.....	*	4.3	*	*	7.8	*	10.7	*	*	*
1981.....	*	*	5.3	4.7	*	*	*	*	*	*
1980.....	2.3	3.3	3.8	5.3	5.4	5.1	8.5	12.4	13.3	32.1
1979.....	1.6	3.1	3.4	4.0	5.6	6.5	6.6	11.8	11.7	17.3

BLACK FEMALE

1998.....	*	*	*	*	*	4.5	5.3	11.3	14.0	25.9
1997.....	*	*	*	*	*	*	5.0	10.3	14.0	21.8
1996.....	*	*	*	*	*	3.8	*	*	*	15.3
1995.....	*	*	*	*	*	*	5.3	6.7	*	16.4
1994.....	*	*	*	*	*	*	*	*	11.0	19.1
1993.....	*	*	*	*	*	*	*	8.4	10.8	16.5
1992.....	*	*	*	*	*	4.5	*	6.7	*	19.7
1991.....	*	*	*	*	*	*	5.5	7.8	13.8	25.2
1990.....	*	*	*	*	4.2	*	*	7.2	*	20.5
1989.....	*	*	*	*	*	4.5	6.8	9.0	*	26.1
1988.....	*	*	*	*	*	4.7	6.1	9.8	11.2	26.2
1987.....	*	*	*	*	4.2	5.7	7.7	12.5	*	27.1
1986.....	*	*	*	*	5.4	*	6.1	8.2	13.3	21.7
1985.....	*	*	*	*	*	6.1	6.5	9.5	13.9	20.3
1984.....	*	*	*	*	*	*	5.4	*	13.8	18.6
1983.....	*	*	*	*	*	4.6	8.1	*	14.5	20.2
1982.....	*	*	*	*	*	5.7	6.0	8.4	*	24.6
1981.....	*	*	*	*	*	*	7.0	*	*	*
1980.....	1.2	1.1	2.1	1.9	1.8	2.7	6.4	8.5	12.0	17.0
1979.....	1.3	0.3	1.5	2.3	3.2	5.5	3.2	7.6	16.9	11.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)										
TOTAL, BOTH SEXES										
1998.....	8.3	12.9	23.9	48.8	101.2	191.1	342.2	552.4	941.5	1,907.0
1997.....	8.3	13.6	24.6	49.5	102.7	188.3	332.0	538.6	912.4	1,849.1
1996.....	8.5	13.4	25.0	51.0	100.7	183.2	326.8	537.8	890.5	1,803.5
1995.....	8.4	13.6	25.9	50.5	100.3	184.1	322.5	534.7	878.3	1,802.5
1994.....	8.2	13.9	25.6	50.6	103.8	190.1	322.9	537.2	881.0	1,775.6
1993.....	8.9	13.2	25.5	52.7	107.0	192.8	330.8	549.1	891.2	1,820.2
1992.....	8.1	12.8	23.8	51.8	98.3	182.8	310.9	513.5	822.7	1,712.1
1991.....	8.2	14.4	26.3	52.6	104.0	182.9	316.9	523.3	844.6	1,761.8
1990.....	8.5	14.1	26.4	53.0	104.3	181.5	319.2	531.7	853.8	1,803.0
1989.....	8.7	14.1	26.9	56.8	103.1	180.8	318.7	519.9	826.6	1,752.1
1988.....	8.8	15.2	27.8	55.5	105.2	185.9	325.0	528.2	853.6	1,783.3
1987.....	8.3	13.9	27.4	51.9	103.1	176.7	312.9	502.5	796.8	1,625.5
1986.....	8.8	14.7	27.9	53.7	103.0	180.8	319.6	512.2	789.4	1,624.8
1985.....	8.1	14.8	28.9	55.1	102.4	180.3	313.5	500.6	791.6	1,614.0
1984.....	8.0	14.0	26.6	52.7	97.5	170.3	296.5	460.9	716.3	1,415.1
1983.....	7.7	14.0	27.5	52.2	95.8	171.0	284.6	443.0	691.1	1,366.8
1982.....	7.6	13.6	26.5	50.5	89.8	159.7	265.9	406.7	623.7	1,176.9
1981.....	8.4	15.4	27.6	52.2	95.3	166.6	273.4	419.1	654.6	1,273.5
1980.....	8.9	15.9	27.7	52.0	96.5	167.9	271.3	415.4	660.2	1,303.9
1979.....	8.4	14.4	26.9	47.4	91.2	148.9	247.1	362.0	577.5	1,044.2
TOTAL, MALE										
1998.....	9.0	14.4	26.6	56.4	118.0	231.6	430.9	708.3	1,249.8	2,498.2
1997.....	9.0	15.8	27.4	55.6	118.3	231.6	425.4	700.5	1,242.1	2,518.2
1996.....	9.6	15.3	28.2	58.8	118.4	225.1	410.5	703.7	1,231.6	2,461.2
1995.....	9.2	15.9	28.7	56.6	120.4	228.5	415.4	716.3	1,237.8	2,526.5
1994.....	9.8	16.0	29.1	58.5	125.1	236.6	419.3	723.2	1,258.3	2,519.6
1993.....	10.7	15.3	29.4	60.4	129.4	243.5	431.1	759.4	1,302.7	2,580.0
1992.....	9.9	15.2	27.6	61.9	119.9	236.2	415.7	721.1	1,227.6	2,471.2
1991.....	9.9	17.3	28.8	62.6	127.8	236.2	426.8	748.9	1,288.9	2,529.7
1990.....	10.7	16.8	30.4	64.2	132.7	241.4	443.8	777.3	1,293.5	2,559.8
1989.....	10.8	16.5	31.3	69.4	130.1	241.7	442.6	762.3	1,254.4	2,501.4
1988.....	10.9	18.5	33.5	67.7	137.0	254.6	462.2	795.5	1,332.9	2,579.1
1987.....	10.2	16.0	32.6	63.8	136.2	241.5	455.0	778.8	1,272.6	2,394.6
1986.....	10.9	17.9	33.9	67.3	136.8	249.7	473.9	801.5	1,280.7	2,441.3
1985.....	9.6	17.7	35.0	70.0	137.0	255.1	473.2	792.7	1,286.5	2,434.3
1984.....	9.6	16.2	33.6	68.2	134.1	240.4	454.8	748.4	1,183.2	2,172.7
1983.....	9.0	16.6	34.1	69.0	131.8	248.1	441.6	731.9	1,159.3	2,099.6
1982.....	9.2	16.8	33.3	67.5	124.6	236.7	418.6	689.2	1,067.8	1,854.3
1981.....	10.3	18.4	35.4	70.8	134.4	249.7	435.3	704.6	1,097.6	1,937.9
1980.....	10.7	20.2	36.6	70.2	138.3	256.7	438.2	702.7	1,105.2	1,952.7
1979.....	10.2	18.6	35.8	66.2	131.8	234.8	414.3	622.3	1,005.7	1,614.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)										
TOTAL, FEMALE										
1998.....	7.6	11.4	21.4	41.8	86.2	156.8	273.0	441.7	758.3	1,662.0
1997.....	7.5	11.5	21.9	43.8	88.8	151.8	259.9	424.9	719.6	1,579.5
1996.....	7.3	11.6	22.0	43.9	84.9	148.1	262.3	422.3	694.0	1,542.1
1995.....	7.6	11.4	23.3	44.8	82.5	147.2	251.1	410.0	675.7	1,520.6
1994.....	6.7	11.8	22.2	43.4	84.8	151.9	249.1	411.1	672.2	1,488.8
1993.....	7.0	11.3	21.8	45.6	87.2	151.3	254.4	408.3	666.3	1,528.7
1992.....	6.3	10.5	20.2	42.6	79.3	139.5	231.9	376.3	603.6	1,418.1
1991.....	6.6	11.6	24.0	43.4	83.2	139.8	234.5	375.8	607.0	1,465.0
1990.....	6.3	11.5	22.7	42.8	79.5	133.0	226.8	373.6	620.4	1,510.9
1989.....	6.7	11.8	22.8	45.3	79.8	131.4	227.2	364.5	600.4	1,460.6
1988.....	6.7	12.1	22.5	44.4	77.7	130.0	224.3	357.8	600.9	1,472.6
1987.....	6.4	11.8	22.5	41.1	74.6	124.0	209.2	327.2	547.1	1,322.4
1986.....	6.7	11.6	22.3	41.4	73.9	124.8	207.5	329.7	531.8	1,300.8
1985.....	6.6	12.0	23.2	41.6	72.4	119.8	197.8	316.8	531.9	1,286.5
1984.....	6.4	11.8	20.2	38.8	65.8	113.7	182.0	280.3	470.8	1,108.9
1983.....	6.4	11.6	21.4	37.2	64.5	109.0	171.1	261.8	444.2	1,066.5
1982.....	6.2	10.6	20.1	35.3	59.5	98.0	155.5	229.7	389.2	894.5
1981.....	6.5	12.5	20.4	35.7	61.5	100.1	156.4	240.0	419.6	990.2
1980.....	7.1	11.8	19.4	35.7	60.4	96.9	150.6	235.2	423.4	1,020.2
1979.....	6.8	10.4	18.7	30.5	56.2	80.4	126.2	198.2	347.7	790.8
WHITE, BOTH SEXES										
1998.....	6.7	11.0	22.1	47.2	101.7	195.9	349.5	563.8	961.8	1,962.0
1997.....	6.9	11.4	23.0	47.9	102.7	192.0	339.1	551.1	930.4	1,903.2
1996.....	6.7	11.3	23.3	49.3	100.3	186.9	332.1	550.0	906.8	1,852.4
1995.....	6.8	11.4	23.7	48.2	100.4	187.1	327.5	546.2	893.6	1,844.9
1994.....	6.4	11.9	23.4	48.9	104.6	193.0	328.3	549.3	899.4	1,819.0
1993.....	6.8	10.9	23.9	50.8	106.8	196.0	335.5	559.9	907.6	1,870.0
1992.....	6.3	10.8	22.0	49.9	97.8	184.1	316.0	527.8	839.1	1,753.1
1991.....	6.4	11.8	23.9	50.8	103.6	184.4	321.8	535.4	861.4	1,804.5
1990.....	6.4	11.8	24.0	50.7	102.6	181.8	323.8	542.0	868.8	1,847.4
1989.....	6.4	11.8	23.9	54.1	101.5	180.1	321.4	527.5	842.4	1,794.7
1988.....	6.7	12.3	24.9	52.9	103.1	186.2	329.3	538.5	874.3	1,839.9
1987.....	6.3	11.4	24.4	49.9	101.4	177.3	317.8	515.2	811.3	1,670.0
1986.....	6.8	12.2	25.5	51.0	101.2	181.4	324.6	523.8	805.2	1,668.5
1985.....	6.1	12.4	26.1	52.4	100.1	180.9	319.4	511.8	805.5	1,664.6
1984.....	6.1	11.4	23.9	50.7	95.8	171.9	300.8	473.2	727.5	1,458.8
1983.....	5.7	11.8	25.6	49.9	93.2	173.1	290.6	455.7	704.0	1,410.9
1982.....	5.8	11.1	24.3	47.6	88.3	162.0	270.3	419.2	637.4	1,215.2
1981.....	6.3	12.8	24.9	49.5	93.7	168.1	279.4	430.7	666.2	1,316.0
1980.....	6.7	13.1	24.6	48.8	94.8	168.7	276.0	423.0	675.1	1,341.2
1979.....	6.3	12.0	24.0	44.9	90.0	150.4	251.8	369.9	593.4	1,074.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)										
WHITE MALE										
1998.....	7.2	12.2	24.2	53.2	115.7	233.4	434.4	715.6	1,266.6	2,572.7
1997.....	7.6	13.0	25.2	52.5	116.2	231.9	430.1	708.1	1,255.3	2,595.6
1996.....	7.6	12.5	26.0	55.3	114.7	226.3	411.2	709.8	1,243.8	2,532.0
1995.....	7.4	12.9	25.6	53.1	117.9	228.4	416.0	724.9	1,251.3	2,582.1
1994.....	7.7	13.5	26.1	55.4	123.9	237.3	419.6	729.8	1,275.6	2,583.2
1993.....	8.3	12.5	26.9	56.9	126.6	243.4	431.7	764.6	1,318.6	2,651.6
1992.....	7.5	12.8	24.8	57.9	116.9	235.2	416.6	733.4	1,247.2	2,536.6
1991.....	7.8	13.9	25.6	59.0	125.3	234.7	428.4	758.6	1,311.0	2,599.1
1990.....	7.9	13.5	26.7	59.8	128.6	238.5	443.6	786.7	1,309.5	2,632.6
1989.....	7.7	13.2	26.7	64.8	125.8	236.7	439.9	766.8	1,278.2	2,570.3
1988.....	8.2	14.5	28.8	63.3	132.2	251.8	462.9	803.3	1,364.1	2,674.4
1987.....	7.8	12.5	28.3	60.0	132.4	238.9	456.4	794.0	1,296.9	2,470.6
1986.....	8.3	14.6	29.7	62.6	132.6	246.9	476.1	815.4	1,308.2	2,514.1
1985.....	6.7	14.0	30.8	65.6	132.2	253.8	477.6	809.6	1,312.8	2,524.9
1984.....	7.1	12.4	28.9	64.4	130.2	239.4	458.6	767.7	1,206.8	2,256.4
1983.....	6.4	13.4	31.2	64.5	126.5	248.6	447.1	753.7	1,180.6	2,179.5
1982.....	6.6	12.9	30.2	63.2	121.0	237.6	424.1	713.2	1,098.1	1,924.9
1981.....	7.5	14.6	30.7	66.1	130.8	249.6	443.4	727.8	1,121.8	2,008.3
1980.....	7.7	16.2	31.7	64.8	133.8	256.2	446.6	719.6	1,136.2	2,010.9
1979.....	7.2	14.7	31.1	61.9	129.3	235.9	424.3	638.3	1,040.4	1,663.7
WHITE FEMALE										
1998.....	6.2	9.8	20.1	41.6	88.8	163.7	282.5	455.2	779.9	1,711.7
1997.....	6.2	9.9	20.8	43.6	90.3	157.9	267.8	439.8	739.5	1,627.8
1996.....	5.8	10.1	20.6	43.6	87.2	153.4	270.5	437.8	712.1	1,585.9
1995.....	6.2	10.0	22.0	43.6	84.5	152.3	258.8	422.5	691.5	1,560.9
1994.....	5.0	10.3	20.8	42.8	87.1	156.1	257.7	426.0	691.1	1,527.8
1993.....	5.3	9.3	20.9	45.1	88.8	156.7	261.4	421.8	683.3	1,573.9
1992.....	5.0	8.9	19.2	42.4	80.7	142.1	239.2	390.9	619.2	1,454.1
1991.....	5.2	9.8	22.3	43.2	84.1	143.2	241.1	388.7	622.1	1,503.1
1990.....	4.8	10.1	21.5	42.2	79.5	135.2	234.1	384.1	636.1	1,549.3
1989.....	5.1	10.5	21.2	44.1	80.1	133.6	233.0	373.6	613.4	1,498.9
1988.....	5.3	10.2	21.1	43.3	77.5	132.3	230.5	369.6	618.6	1,519.8
1987.....	4.9	10.3	20.7	40.5	74.4	126.7	216.0	338.5	558.4	1,360.0
1986.....	5.3	9.9	21.4	40.3	73.8	127.7	213.8	340.1	543.7	1,339.1
1985.....	5.5	10.8	21.7	40.4	72.1	121.3	204.2	325.1	541.7	1,327.6
1984.....	5.1	10.3	19.1	38.3	65.7	117.0	186.1	289.3	478.0	1,142.7
1983.....	5.1	10.3	20.2	36.6	64.0	111.9	177.2	270.0	455.2	1,101.5
1982.....	5.1	9.3	18.8	33.7	59.6	100.9	159.1	236.2	396.4	924.6
1981.....	5.2	11.1	19.3	34.6	61.4	102.5	161.1	245.9	427.3	1,026.3
1980.....	5.8	10.1	18.0	34.3	61.0	98.3	153.0	238.6	432.9	1,052.4
1979.....	5.5	9.3	17.3	29.6	55.9	81.8	127.8	202.8	356.6	815.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)										
ALL OTHER, BOTH SEXES										
1998.....	15.9	22.7	34.9	58.7	98.0	158.9	283.2	451.4	736.5	1,386.8
1997.....	15.2	25.5	34.3	58.6	103.0	162.3	274.4	424.9	730.3	1,331.8
1996.....	17.5	25.2	35.6	61.8	103.3	156.9	282.0	426.3	724.7	1,334.5
1995.....	16.7	26.1	39.2	64.5	100.1	162.6	278.8	426.7	720.8	1,371.7
1994.....	17.8	25.3	39.1	61.6	98.1	168.4	275.3	421.9	693.5	1,330.1
1993.....	19.7	27.2	35.4	64.4	108.7	167.8	290.3	445.5	723.1	1,306.9
1992.....	17.8	24.8	34.7	64.2	101.8	172.7	266.5	378.7	652.7	1,282.2
1991.....	18.0	30.1	41.1	64.3	107.3	171.0	272.6	408.8	674.2	1,312.4
1990.....	20.7	28.3	41.3	68.4	117.1	179.4	277.4	433.8	698.4	1,331.5
1989.....	22.3	28.6	45.9	75.3	115.5	187.3	294.3	448.5	663.1	1,300.8
1988.....	21.0	33.4	46.4	73.6	121.6	183.5	285.6	430.8	634.4	1,181.9
1987.....	20.3	29.2	46.6	66.5	116.5	171.5	267.1	382.0	642.2	1,146.7
1986.....	20.8	30.0	44.3	73.7	117.8	175.6	273.8	401.9	619.9	1,150.2
1985.....	20.3	29.8	47.5	75.2	121.0	175.6	258.4	393.7	637.9	1,054.0
1984.....	19.7	30.6	45.9	67.7	111.9	156.2	256.8	342.9	593.4	936.4
1983.....	19.9	28.5	41.2	70.6	118.1	152.7	229.0	320.4	546.9	873.2
1982.....	19.1	30.6	42.4	73.4	103.0	140.0	224.5	285.3	471.3	751.3
1981.....	21.5	32.3	48.6	74.8	109.6	153.1	217.0	305.2	520.7	790.0
1980.....	23.0	35.2	50.9	79.5	111.1	160.9	226.6	340.2	483.4	875.7
1979.....	22.4	31.6	50.2	68.4	102.4	136.0	201.0	284.8	389.3	687.4
ALL OTHER MALE										
1998.....	18.4	27.1	42.5	78.0	133.1	218.9	400.5	640.9	1,075.0	1,845.7
1997.....	16.7	32.4	42.3	75.7	132.7	229.2	383.5	627.3	1,104.1	1,843.4
1996.....	20.8	32.1	42.6	81.3	144.2	216.5	404.2	644.7	1,105.5	1,845.6
1995.....	19.2	34.8	49.2	80.2	139.1	229.9	410.1	631.4	1,096.3	2,005.7
1994.....	21.0	31.9	49.2	79.6	133.9	231.0	416.0	657.1	1,080.2	1,922.9
1993.....	24.7	33.2	45.9	84.2	150.8	244.2	425.2	707.0	1,141.6	1,911.6
1992.....	24.0	30.9	45.8	89.9	143.1	243.8	406.7	599.3	1,030.4	1,860.7
1991.....	22.7	39.4	49.6	88.4	147.5	249.4	411.2	653.9	1,070.5	1,888.4
1990.....	28.1	38.5	55.0	95.7	166.1	266.5	445.4	687.1	1,133.1	1,880.8
1989.....	30.5	38.9	61.9	103.0	165.5	286.5	468.7	719.4	1,018.2	1,864.2
1988.....	28.4	45.4	65.3	100.8	176.9	280.5	456.8	721.0	1,023.9	1,697.5
1987.....	26.4	38.8	62.4	93.6	168.8	265.1	441.7	635.3	1,028.6	1,683.1
1986.....	28.0	39.5	63.8	104.4	172.9	275.2	452.3	670.5	1,003.7	1,758.7
1985.....	29.0	42.4	65.3	106.2	180.0	266.4	430.7	634.5	1,008.6	1,580.8
1984.....	26.2	42.3	68.2	99.5	169.7	249.8	417.2	569.8	942.6	1,387.5
1983.....	27.2	39.2	56.1	106.6	180.3	243.7	390.4	529.9	939.2	1,312.9
1982.....	26.6	44.3	58.3	104.6	158.1	227.8	366.8	463.5	752.1	1,168.7
1981.....	29.7	45.6	73.9	111.5	168.8	250.4	360.1	489.2	842.9	1,237.5
1980.....	31.9	50.5	77.9	117.8	180.8	260.4	359.7	545.3	774.9	1,357.8
1979.....	31.6	48.2	75.5	104.7	156.2	224.5	320.1	474.2	634.9	1,096.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)										
ALL OTHER FEMALE										
1998.....	13.7	19.0	28.6	43.1	70.8	114.1	200.7	325.5	543.9	1,176.9
1997.....	13.8	19.6	27.7	44.7	80.0	112.5	198.1	293.0	520.4	1,100.1
1996.....	14.6	19.4	29.8	46.0	71.8	112.6	196.7	285.2	511.1	1,104.2
1995.....	14.6	18.6	30.9	51.8	70.1	112.4	187.4	296.2	514.4	1,097.1
1994.....	15.0	19.6	30.7	47.1	70.6	122.0	177.6	274.3	480.8	1,073.3
1993.....	15.4	22.1	26.6	48.3	76.6	111.4	196.1	283.1	490.3	1,043.2
1992.....	12.4	19.6	25.4	43.5	70.3	120.0	169.5	242.3	439.9	1,021.7
1991.....	14.0	22.0	33.8	44.9	76.7	113.3	177.8	256.5	448.0	1,043.4
1990.....	14.3	19.4	29.7	46.5	79.8	115.0	163.1	276.6	453.2	1,081.7
1989.....	15.2	19.8	32.3	52.9	77.5	113.6	175.1	279.2	460.4	1,040.0
1988.....	14.7	23.1	30.4	51.7	79.1	111.4	169.7	247.1	407.8	940.8
1987.....	15.1	20.9	33.3	44.7	76.1	101.7	148.0	219.9	421.4	893.3
1986.....	14.7	21.8	28.1	48.8	74.9	101.1	151.2	228.3	402.7	857.7
1985.....	12.9	19.1	32.8	50.2	74.8	107.7	139.5	235.7	421.7	804.7
1984.....	14.1	20.6	27.4	41.9	66.4	85.7	144.4	192.1	386.1	712.4
1983.....	13.7	19.3	29.0	41.3	68.7	84.7	115.2	179.9	316.4	651.8
1982.....	12.6	19.0	29.5	48.0	59.1	73.9	121.9	164.2	303.2	535.3
1981.....	14.5	21.1	28.0	44.7	62.3	79.5	111.9	180.7	325.3	562.7
1980.....	15.5	22.4	29.0	47.7	55.2	84.8	127.3	200.4	304.3	628.8
1979.....	14.7	17.9	29.5	38.1	58.9	67.9	110.4	151.2	238.0	481.6
BLACK, BOTH SEXES										
1998.....	20.3	28.7	44.9	72.1	117.6	180.3	318.5	487.4	772.8	1,377.7
1997.....	19.1	32.5	41.9	70.3	121.8	180.9	307.1	449.0	747.2	1,340.9
1996.....	22.3	32.2	45.4	76.1	122.5	177.6	312.4	449.6	743.2	1,347.2
1995.....	20.8	33.6	47.1	78.3	116.0	183.6	310.1	445.3	730.4	1,305.5
1994.....	22.7	33.2	48.7	73.8	116.2	190.3	303.0	445.2	690.2	1,277.5
1993.....	24.9	34.7	44.2	77.4	126.2	188.5	310.0	463.2	726.8	1,261.0
1992.....	23.0	31.4	43.7	75.4	117.5	194.7	292.8	398.3	664.1	1,258.1
1991.....	22.7	38.8	51.4	75.8	124.1	190.0	297.7	426.6	673.4	1,248.3
1990.....	26.5	35.7	50.4	79.5	134.8	199.5	304.5	444.4	708.0	1,270.3
1989.....	28.9	35.6	55.0	88.2	130.6	209.8	318.3	467.4	659.9	1,253.6
1988.....	27.0	41.3	55.7	87.3	138.3	204.2	307.3	446.3	645.6	1,157.9
1987.....	25.9	35.6	54.1	76.1	132.1	191.4	285.9	397.4	652.5	1,082.7
1986.....	26.0	36.5	52.6	85.7	135.3	194.1	296.3	417.2	619.2	1,105.0
1985.....	25.1	35.9	55.8	85.2	136.7	191.8	275.7	407.9	638.0	1,013.3
1984.....	23.9	36.8	53.1	77.2	124.5	169.3	272.1	353.6	586.4	874.2
1983.....	23.7	34.3	48.2	80.5	130.8	162.4	239.7	330.3	539.2	832.1
1982.....	23.1	36.2	48.7	82.2	113.8	150.6	238.4	285.2	476.1	703.4
1981.....	25.7	37.7	55.7	84.8	119.9	164.1	226.7	310.2	525.8	761.9
1980.....	26.6	40.6	56.4	88.9	122.0	169.4	236.5	338.2	490.6	822.3
1979.....	25.7	36.8	55.6	75.3	109.4	140.9	208.7	284.3	372.1	637.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)										
BLACK MALE										
1998.....	23.5	34.4	54.7	97.8	163.3	248.0	452.7	701.7	1,167.4	1,836.3
1997.....	21.2	41.5	53.2	92.3	159.0	255.2	429.4	680.1	1,148.5	1,872.7
1996.....	26.9	41.9	55.4	102.8	173.6	243.0	448.6	684.7	1,170.0	1,901.8
1995.....	24.0	45.5	61.0	100.3	164.6	259.6	458.1	668.0	1,145.3	1,893.8
1994.....	26.6	42.5	61.8	98.1	159.1	260.8	463.4	703.3	1,107.1	1,842.2
1993.....	31.1	43.2	59.6	103.3	176.7	274.2	457.9	752.1	1,182.6	1,826.8
1992.....	31.4	39.7	57.9	108.4	166.3	277.4	451.6	648.3	1,086.0	1,847.4
1991.....	28.9	51.6	63.8	106.9	173.5	280.7	455.3	705.5	1,096.0	1,847.8
1990.....	36.1	49.6	68.8	112.8	194.0	298.6	496.9	725.3	1,182.5	1,822.8
1989.....	39.4	48.4	76.1	122.7	188.1	326.1	514.7	758.4	1,050.5	1,809.1
1988.....	36.7	57.4	80.5	118.9	204.3	319.3	502.8	766.1	1,085.1	1,689.2
1987.....	34.2	48.2	75.0	107.2	193.5	301.7	479.9	674.3	1,070.7	1,643.8
1986.....	35.6	49.5	77.1	122.0	200.7	308.2	498.4	711.0	1,004.4	1,700.0
1985.....	36.8	51.9	77.8	120.2	204.8	296.8	474.8	665.9	1,023.0	1,541.9
1984.....	31.4	52.8	78.9	113.9	190.0	272.7	452.2	598.8	954.8	1,308.2
1983.....	32.9	47.7	67.1	122.5	203.0	261.5	418.0	559.4	920.7	1,293.3
1982.....	33.0	54.1	67.0	117.9	175.3	247.9	399.6	476.4	765.0	1,093.1
1981.....	36.9	53.6	85.2	127.3	187.0	273.9	385.8	510.8	857.1	1,183.9
1980.....	37.4	59.5	87.1	132.1	199.5	278.0	385.7	551.8	790.4	1,271.5
1979.....	36.5	56.3	83.4	116.1	170.7	237.0	342.5	482.6	607.8	1,013.5
BLACK FEMALE										
1998.....	17.5	23.9	36.9	52.1	83.4	129.8	225.2	350.1	566.0	1,187.1
1997.....	17.3	24.8	32.7	53.2	93.9	125.4	223.1	303.4	539.3	1,120.9
1996.....	18.3	24.0	37.2	55.2	84.2	128.8	219.9	302.9	523.2	1,119.4
1995.....	18.1	23.6	35.7	61.1	79.4	126.9	210.4	308.1	519.3	1,066.4
1994.....	19.3	25.4	38.0	54.9	83.7	138.0	195.3	289.5	477.8	1,048.3
1993.....	19.6	27.6	31.6	57.0	88.1	125.5	210.1	292.2	492.5	1,030.1
1992.....	15.8	24.4	32.1	49.5	80.6	134.3	187.0	252.2	445.7	1,012.9
1991.....	17.4	28.1	41.3	51.2	86.7	124.3	193.5	262.7	455.6	994.5
1990.....	18.2	23.9	35.4	53.0	90.1	127.8	178.1	279.8	462.3	1,036.1
1989.....	19.8	24.9	37.7	60.7	87.0	125.6	189.5	295.3	455.1	1,022.2
1988.....	18.7	27.9	35.2	62.2	88.2	120.6	177.9	255.1	413.5	926.2
1987.....	19.0	25.1	37.0	51.2	85.2	110.9	157.4	229.8	427.5	833.3
1986.....	18.0	25.8	32.6	56.4	85.4	110.5	162.2	237.4	409.1	833.3
1985.....	15.3	22.6	37.8	56.8	84.1	114.7	144.1	247.3	425.9	766.9
1984.....	17.5	23.6	31.9	47.3	73.8	93.0	151.8	199.6	382.9	669.0
1983.....	16.1	23.2	32.9	46.3	74.9	89.5	119.4	183.0	323.4	608.9
1982.....	14.9	21.6	33.8	53.2	65.7	78.8	127.6	163.7	308.7	511.9
1981.....	16.3	24.6	31.8	50.2	67.0	83.4	115.5	180.3	332.6	546.0
1980.....	17.6	25.1	31.6	53.7	60.6	88.5	130.4	199.2	310.8	597.8
1979.....	16.6	20.6	33.0	41.8	60.7	69.0	112.4	147.9	225.8	449.0

RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

TOTAL, BOTH SEXES										
1998.....	*	*	0.1	*	0.3	0.3	0.6	0.8	1.6	4.3
1997.....	*	0.1	*	0.2	*	0.4	0.5	0.7	1.5	3.9
1996.....	*	*	*	*	0.3	0.3	0.6	0.6	1.2	4.1
1995.....	*	0.1	0.2	0.3	0.3	0.3	0.4	0.9	1.5	3.7
1994.....	0.1	*	*	*	0.3	0.4	0.4	0.6	1.5	3.7
1993.....	0.1	*	0.2	*	0.4	0.2	0.4	0.9	1.4	4.3
1992.....	*	*	0.2	0.2	0.2	0.4	0.5	1.0	1.3	4.5
1991.....	*	0.1	*	0.2	0.3	0.4	0.6	1.2	1.7	4.2
1990.....	*	*	0.2	0.2	0.3	0.4	0.5	0.8	1.9	5.0
1989.....	*	*	*	0.3	0.2	0.3	0.7	1.1	1.8	4.8
1988.....	*	*	*	*	0.2	0.5	0.6	0.9	2.0	4.8
1987.....	*	*	*	0.2	0.3	0.4	0.7	1.1	2.0	5.3
1986.....	*	*	0.2	*	0.4	0.4	0.5	0.8	1.5	5.5
1985.....	*	0.2	*	0.2	0.4	0.3	0.7	1.1	2.1	5.5
1984.....	*	*	0.2	0.2	0.4	0.5	0.8	1.2	1.9	5.1
1983.....	*	0.2	0.2	0.2	0.4	0.4	0.6	1.1	2.2	4.2
1982.....	*	0.2	0.2	0.2	0.4	0.4	0.5	0.9	1.9	5.1
1981.....	0.2	0.2	0.2	0.3	0.3	0.6	0.8	1.0	2.6	5.7
1980.....	0.3	0.2	0.2	0.3	0.4	0.4	0.8	1.5	2.1	5.7
1979.....	0.2	0.2	0.2	0.3	0.5	0.6	0.7	1.0	2.3	4.2
TOTAL, MALE										
1998.....	*	*	*	*	*	*	0.8	0.8	2.6	4.4
1997.....	*	*	*	*	*	0.5	0.6	0.9	1.6	5.3
1996.....	*	*	*	*	*	0.5	0.8	1.1	1.7	4.3
1995.....	*	*	*	*	*	*	*	1.2	2.2	3.8
1994.....	*	*	*	*	*	*	*	1.0	2.0	4.0
1993.....	*	*	*	*	0.4	*	0.6	1.0	1.9	5.3
1992.....	*	*	*	*	*	*	*	1.1	1.4	6.1
1991.....	*	*	*	*	0.4	0.6	0.8	1.2	2.0	5.4
1990.....	*	*	*	*	*	0.5	0.8	1.2	2.2	5.7
1989.....	*	*	*	*	*	*	1.0	1.1	2.1	4.7
1988.....	*	*	*	*	*	0.6	0.7	1.3	2.5	4.1
1987.....	*	*	*	*	0.4	*	0.8	1.8	2.6	6.6
1986.....	*	*	*	*	*	0.5	0.6	1.1	2.3	6.2
1985.....	*	*	*	*	0.4	*	1.0	1.6	2.3	6.2
1984.....	*	*	*	*	0.5	0.6	0.9	1.6	3.1	5.4
1983.....	*	*	*	*	0.5	0.6	0.9	1.4	3.4	4.0
1982.....	*	*	*	*	0.4	*	0.7	1.3	3.0	6.0
1981.....	*	*	*	0.4	*	0.8	1.0	1.6	3.1	6.1
1980.....	0.4	0.3	0.3	0.4	0.6	0.5	1.2	1.9	2.6	5.0
1979.....	0.2	0.2	0.2	0.4	0.5	0.8	0.9	1.3	2.7	5.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)										

TOTAL, FEMALE

1998.....	*	*	*	*	*	*	0.4	0.9	1.1	4.3
1997.....	*	*	*	*	*	*	*	0.5	1.4	3.3
1996.....	*	*	*	*	*	*	0.5	*	0.9	4.0
1995.....	*	*	*	*	*	*	*	0.7	1.2	3.6
1994.....	*	*	*	*	*	*	*	*	1.2	3.6
1993.....	*	*	*	*	0.4	*	*	0.8	1.2	4.0
1992.....	*	*	*	*	*	*	0.5	0.9	1.2	3.9
1991.....	*	*	*	*	*	*	0.5	1.2	1.5	3.7
1990.....	*	*	*	*	*	*	*	0.5	1.7	4.7
1989.....	*	*	*	*	*	*	*	1.0	1.6	4.8
1988.....	*	*	*	*	*	0.4	0.6	0.7	1.8	5.1
1987.....	*	*	*	*	*	0.4	0.6	0.7	1.7	4.7
1986.....	*	*	*	*	0.4	0.4	0.5	0.7	1.0	5.3
1985.....	*	*	*	*	0.4	*	0.5	0.9	2.0	5.2
1984.....	*	*	*	*	*	*	0.7	0.9	1.3	5.0
1983.....	*	*	*	*	*	*	*	0.9	1.5	4.3
1982.....	*	*	*	*	*	*	*	*	1.3	4.8
1981.....	*	*	*	*	*	0.4	0.7	*	2.3	5.6
1980.....	0.2	0.1	0.1	0.2	0.3	0.4	0.5	1.3	1.9	6.0
1979.....	0.1	0.2	0.2	0.3	0.4	0.4	0.5	0.8	2.1	3.6

WHITE, BOTH SEXES

1998.....	*	*	*	*	*	0.2	0.5	0.8	1.7	4.4
1997.....	*	*	*	*	*	0.3	0.4	0.7	1.5	3.8
1996.....	*	*	*	*	0.2	0.3	0.6	0.7	1.1	4.4
1995.....	*	0.1	*	0.2	0.2	0.3	0.3	1.0	1.6	3.8
1994.....	*	*	*	*	0.2	0.4	0.4	0.6	1.5	3.9
1993.....	*	*	*	*	0.4	0.2	0.4	0.8	1.4	4.5
1992.....	*	*	*	*	*	0.3	0.4	0.9	1.3	4.6
1991.....	*	*	*	*	0.3	0.4	0.6	1.2	1.5	4.3
1990.....	*	*	*	0.2	0.3	0.3	0.5	0.9	1.9	5.3
1989.....	*	*	*	0.2	0.2	0.2	0.6	1.0	1.7	4.9
1988.....	*	*	*	*	*	0.4	0.6	0.9	2.2	5.1
1987.....	*	*	*	*	0.3	0.3	0.7	1.2	2.1	5.3
1986.....	*	*	*	*	0.3	0.4	0.5	0.8	1.4	5.6
1985.....	*	*	*	0.2	0.4	*	0.7	1.0	2.2	5.7
1984.....	*	*	*	0.2	0.3	0.4	0.7	1.1	1.9	5.3
1983.....	*	*	*	*	0.3	0.4	0.5	1.0	2.2	4.5
1982.....	*	*	*	0.2	0.3	0.3	0.4	0.8	1.9	5.3
1981.....	*	*	0.2	0.3	0.3	0.6	0.7	1.0	2.6	5.9
1980.....	0.2	0.1	0.2	0.3	0.4	0.4	0.7	1.4	2.2	6.0
1979.....	0.1	0.1	0.2	0.3	0.4	0.5	0.6	0.9	2.3	4.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)										

WHITE MALE

1998.....	*	*	*	*	*	*	0.8	0.8	2.5	4.2
1997.....	*	*	*	*	*	*	*	0.9	1.5	5.3
1996.....	*	*	*	*	*	*	0.8	1.1	1.7	4.6
1995.....	*	*	*	*	*	*	*	1.3	2.4	4.0
1994.....	*	*	*	*	*	*	*	1.0	2.0	4.2
1993.....	*	*	*	*	*	*	*	1.0	1.9	5.5
1992.....	*	*	*	*	*	*	*	1.1	1.5	6.1
1991.....	*	*	*	*	*	0.5	0.8	1.2	1.9	5.8
1990.....	*	*	*	*	*	0.5	0.7	1.3	2.2	6.3
1989.....	*	*	*	*	*	*	0.9	1.1	2.2	4.7
1988.....	*	*	*	*	*	*	0.7	1.3	2.8	4.4
1987.....	*	*	*	*	*	*	0.8	1.9	2.6	6.7
1986.....	*	*	*	*	*	0.5	*	1.0	2.2	6.4
1985.....	*	*	*	*	*	*	1.0	1.5	2.5	6.4
1984.....	*	*	*	*	0.4	*	0.9	1.6	2.9	5.5
1983.....	*	*	*	*	0.5	0.6	0.8	1.4	3.4	4.1
1982.....	*	*	*	*	*	*	*	1.2	3.0	6.6
1981.....	*	*	*	*	*	0.8	0.9	1.6	3.2	6.6
1980.....	0.2	0.2	0.3	0.4	0.5	0.5	1.1	1.7	2.7	5.5
1979.....	0.1	0.2	0.2	0.3	0.5	0.7	0.8	1.0	2.7	5.7

WHITE FEMALE

1998.....	*	*	*	*	*	*	*	0.9	1.2	4.5
1997.....	*	*	*	*	*	*	*	0.5	1.4	3.2
1996.....	*	*	*	*	*	*	0.5	*	0.8	4.3
1995.....	*	*	*	*	*	*	*	0.7	1.2	3.8
1994.....	*	*	*	*	*	*	*	*	1.2	3.8
1993.....	*	*	*	*	*	*	*	0.7	1.2	4.1
1992.....	*	*	*	*	*	*	*	0.9	1.3	4.0
1991.....	*	*	*	*	*	*	*	1.3	1.3	3.8
1990.....	*	*	*	*	*	*	*	0.6	1.7	4.8
1989.....	*	*	*	*	*	*	*	1.0	1.5	4.9
1988.....	*	*	*	*	*	0.4	0.6	0.6	1.8	5.4
1987.....	*	*	*	*	*	*	0.7	0.7	1.8	4.8
1986.....	*	*	*	*	*	*	*	0.7	1.0	5.3
1985.....	*	*	*	*	*	*	*	0.7	2.1	5.5
1984.....	*	*	*	*	*	*	0.5	0.8	1.4	5.2
1983.....	*	*	*	*	*	*	*	0.8	1.5	4.6
1982.....	*	*	*	*	*	*	*	*	1.4	4.7
1981.....	*	*	*	*	*	0.5	0.6	*	2.2	5.7
1980.....	0.2	0.1	0.1	0.1	0.3	0.4	0.4	1.2	1.9	6.2
1979.....	0.1	0.1	0.2	0.2	0.4	0.4	0.5	0.8	2.0	3.6

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.9	0.6	0.4	0.6	1.1	0.3	1.7	2.3	1.3	2.8
1979.....	0.5	0.5	0.7	0.7	0.9	1.2	1.3	2.5	3.1	3.4

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.3	1.3	0.8	0.5	1.3	0.5	2.2	3.3	1.1	-
1979.....	0.4	0.3	0.7	0.7	0.9	1.8	2.7	4.4	2.3	3.4

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.1	-	0.6	0.9	0.2	1.4	1.5	1.4	4.2	
1979.....	0.6	0.7	0.7	0.6	0.9	0.8	0.3	1.2	3.6	3.5	

BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	1.0	0.8	0.4	0.7	1.3	0.4	1.9	2.1	1.5	1.9	
1979.....	0.6	0.6	0.7	0.8	1.1	1.0	1.3	2.5	3.5	3.8	

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	1.4	1.5	1.0	0.6	1.6	0.6	2.6	3.3	1.3	-	
1979.....	0.5	0.4	0.6	0.8	1.1	1.2	2.7	4.3	2.6	3.8	

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.2	-	0.7	1.0	0.2	1.5	1.3	1.6	2.8	
1979.....	0.7	0.8	0.8	0.7	1.1	0.9	0.3	1.3	4.0	3.8	

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	0.3	0.5	2.4
1997.....	*	*	*	*	*	*	*	*	0.6	1.6
1996.....	*	*	*	*	*	*	*	*	*	2.0
1995.....	*	*	*	*	*	*	*	0.4	*	1.6
1994.....	*	*	*	*	*	*	*	*	0.6	2.0
1993.....	*	*	*	*	*	*	*	*	0.8	2.3
1992.....	*	*	*	*	*	*	*	*	*	2.4
1991.....	*	*	*	*	*	*	*	0.3	0.7	2.1
1990.....	*	*	*	*	*	*	*	0.3	0.6	2.5
1989.....	*	*	*	*	*	*	*	0.3	0.7	2.3
1988.....	*	*	*	*	*	*	*	*	1.1	3.0
1987.....	*	*	*	*	*	*	*	*	0.9	2.6
1986.....	*	*	*	*	*	*	*	*	0.6	3.5
1985.....	*	*	*	*	*	*	*	0.5	1.1	3.1
1984.....	*	*	*	*	*	*	*	0.5	0.8	2.9
1983.....	*	*	*	*	*	*	*	0.5	0.8	2.6
1982.....	*	*	*	*	*	*	*	*	1.0	2.9
1981.....	*	*	*	*	*	*	*	*	1.4	3.1
1980.....	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.6	1.0	3.0
1979.....	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.4	1.0	2.1
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	2.0
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	2.5
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	2.5
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	4.0
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	2.8
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	2.9
1981.....	*	*	*	*	*	*	*	*	*	2.9
1980.....	0.2	0.1	0.1	0.1	0.2	0.2	0.4	0.6	1.3	2.2
1979.....	0.0	0.1	0.1	0.1	0.2	0.3	0.2	0.4	0.8	2.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	2.7
1997.....	*	*	*	*	*	*	*	*	*	1.6
1996.....	*	*	*	*	*	*	*	*	*	2.0
1995.....	*	*	*	*	*	*	*	*	*	2.0
1994.....	*	*	*	*	*	*	*	*	*	2.3
1993.....	*	*	*	*	*	*	*	*	*	2.4
1992.....	*	*	*	*	*	*	*	*	*	2.3
1991.....	*	*	*	*	*	*	*	*	0.9	2.3
1990.....	*	*	*	*	*	*	*	*	*	2.6
1989.....	*	*	*	*	*	*	*	*	*	2.3
1988.....	*	*	*	*	*	*	*	*	1.0	3.5
1987.....	*	*	*	*	*	*	*	*	*	2.8
1986.....	*	*	*	*	*	*	*	*	*	3.3
1985.....	*	*	*	*	*	*	*	*	1.2	3.5
1984.....	*	*	*	*	*	*	*	*	*	3.0
1983.....	*	*	*	*	*	*	*	*	*	2.9
1982.....	*	*	*	*	*	*	*	*	1.0	2.9
1981.....	*	*	*	*	*	*	*	*	1.2	3.2
1980.....	0.1	0.0	0.0	0.1	0.1	0.1	0.2	0.5	0.9	3.3
1979.....	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.4	1.2	1.8
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	0.3	0.5	2.5
1997.....	*	*	*	*	*	*	*	*	0.6	1.6
1996.....	*	*	*	*	*	*	*	*	*	2.2
1995.....	*	*	*	*	*	*	*	0.4	*	1.7
1994.....	*	*	*	*	*	*	*	*	0.6	2.2
1993.....	*	*	*	*	*	*	*	*	0.8	2.3
1992.....	*	*	*	*	*	*	*	*	*	2.5
1991.....	*	*	*	*	*	*	*	*	0.7	2.1
1990.....	*	*	*	*	*	*	*	0.4	0.6	2.7
1989.....	*	*	*	*	*	*	*	*	0.8	2.3
1988.....	*	*	*	*	*	*	*	*	1.1	3.2
1987.....	*	*	*	*	*	*	*	*	0.9	2.6
1986.....	*	*	*	*	*	*	*	*	*	3.6
1985.....	*	*	*	*	*	*	*	0.5	1.2	3.2
1984.....	*	*	*	*	*	*	*	0.5	0.8	3.1
1983.....	*	*	*	*	*	*	*	0.5	0.8	2.8
1982.....	*	*	*	*	*	*	*	*	1.0	3.0
1981.....	*	*	*	*	*	*	*	*	1.4	3.3
1980.....	0.1	0.1	0.0	0.1	0.1	0.2	0.2	0.5	1.1	3.1
1979.....	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.4	1.0	2.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	2.2
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	2.7
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	2.8
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	4.1
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	3.0
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	3.2
1981.....	*	*	*	*	*	*	*	*	*	3.1
1980.....	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.5	1.4	2.4
1979.....	0.0	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.9	3.1
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	2.8
1997.....	*	*	*	*	*	*	*	*	*	1.6
1996.....	*	*	*	*	*	*	*	*	*	2.2
1995.....	*	*	*	*	*	*	*	*	*	2.0
1994.....	*	*	*	*	*	*	*	*	*	2.4
1993.....	*	*	*	*	*	*	*	*	*	2.5
1992.....	*	*	*	*	*	*	*	*	*	2.4
1991.....	*	*	*	*	*	*	*	*	0.8	2.4
1990.....	*	*	*	*	*	*	*	*	*	2.7
1989.....	*	*	*	*	*	*	*	*	*	2.4
1988.....	*	*	*	*	*	*	*	*	1.1	3.8
1987.....	*	*	*	*	*	*	*	*	*	2.8
1986.....	*	*	*	*	*	*	*	*	*	3.4
1985.....	*	*	*	*	*	*	*	*	1.3	3.6
1984.....	*	*	*	*	*	*	*	*	*	3.2
1983.....	*	*	*	*	*	*	*	*	*	3.2
1982.....	*	*	*	*	*	*	*	*	*	2.9
1981.....	*	*	*	*	*	*	*	*	1.2	3.4
1980.....	0.1	0.0	0.0	0.1	0.1	0.2	0.1	0.5	0.9	3.4
1979.....	-	0.0	0.1	0.1	0.1	0.1	0.2	0.5	1.1	1.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.1	0.1	0.1	0.4	-	0.5	0.9	0.4	1.7
1979.....	0.1	0.1	0.2	0.2	0.1	0.2	0.3	0.9	1.3	-
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.3	0.2	-	0.7	-	0.7	1.7	-	-
1979.....	-	0.2	0.2	-	0.2	0.5	0.4	2.2	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)

ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	0.2	0.2	-	0.3	0.4	0.7	2.5
1979.....	0.1	0.1	0.1	0.3	-	-	0.3	-	2.2	-

BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.2	0.1	0.1	0.5	-	0.5	1.0	0.5	1.9
1979.....	0.1	0.2	0.1	0.2	0.1	0.3	0.4	1.0	1.5	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.4	0.2	-	0.8	-	0.9	2.0	-	-
1979.....	-	0.2	-	-	0.3	0.6	0.4	2.5	-	-

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	0.2	0.2	-	0.3	0.4	0.8	2.8
1979.....	0.1	0.2	0.2	0.3	-	-	0.3	-	2.4	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)										

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	0.2	0.2	0.5	0.5	1.1	1.9
1997.....	*	*	*	*	*	0.3	0.3	0.6	0.9	2.3
1996.....	*	*	*	*	0.2	0.2	0.4	0.5	0.9	2.1
1995.....	*	*	*	0.2	0.2	0.2	0.3	0.5	1.2	2.1
1994.....	*	*	*	*	0.2	0.3	0.3	0.4	0.9	1.7
1993.....	0.1	*	*	*	0.3	*	0.3	0.6	0.6	2.1
1992.....	*	*	*	*	*	0.2	0.4	0.7	0.8	2.1
1991.....	*	*	*	*	0.2	0.3	0.5	0.9	0.9	2.1
1990.....	*	*	*	*	0.2	0.2	0.4	0.5	1.3	2.4
1989.....	*	*	*	0.2	*	*	0.5	0.7	1.0	2.5
1988.....	*	*	*	*	*	0.3	0.4	0.6	1.0	1.8
1987.....	*	*	*	*	*	0.3	0.5	0.9	1.1	2.7
1986.....	*	*	*	*	0.2	0.3	0.3	0.5	0.9	2.0
1985.....	*	*	*	*	0.3	*	0.5	0.6	1.0	2.4
1984.....	*	*	*	0.2	0.2	0.3	0.6	0.6	1.2	2.2
1983.....	*	*	*	*	0.2	0.3	0.4	0.6	1.4	1.6
1982.....	*	*	*	*	0.3	0.2	0.4	0.6	0.9	2.2
1981.....	*	*	*	0.2	0.2	0.4	0.6	0.7	1.2	2.6
1980.....	0.1	0.1	0.2	0.2	0.3	0.3	0.5	0.9	1.1	2.7
1979.....	0.1	0.1	0.2	0.2	0.3	0.5	0.5	0.6	1.3	2.1
TOTAL, MALE										
1998.....	*	*	*	*	*	*	0.7	*	1.8	2.8
1997.....	*	*	*	*	*	0.4	*	0.8	1.2	3.6
1996.....	*	*	*	*	*	*	0.6	0.9	1.4	2.3
1995.....	*	*	*	*	*	*	*	*	1.6	3.0
1994.....	*	*	*	*	*	*	*	*	1.3	2.7
1993.....	*	*	*	*	*	*	*	0.8	*	3.5
1992.....	*	*	*	*	*	*	*	0.9	*	3.5
1991.....	*	*	*	*	*	0.5	0.6	1.0	1.5	4.1
1990.....	*	*	*	*	*	*	*	*	1.6	3.2
1989.....	*	*	*	*	*	*	0.7	*	*	2.6
1988.....	*	*	*	*	*	0.5	*	1.0	*	*
1987.....	*	*	*	*	*	*	*	1.4	1.6	4.8
1986.....	*	*	*	*	*	*	*	*	1.8	*
1985.....	*	*	*	*	*	*	0.8	0.9	*	4.1
1984.....	*	*	*	*	*	0.5	0.7	*	1.8	*
1983.....	*	*	*	*	*	*	*	*	2.3	*
1982.....	*	*	*	*	*	*	*	1.2	2.0	3.1
1981.....	*	*	*	*	*	*	0.7	1.0	*	3.3
1980.....	0.1	0.2	0.3	0.3	0.4	0.3	0.8	1.2	1.3	2.8
1979.....	0.2	0.1	0.2	0.3	0.4	0.6	0.7	0.9	1.9	2.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	0.6	0.7	1.6
1997.....	*	*	*	*	*	*	*	*	0.8	1.7
1996.....	*	*	*	*	*	*	*	*	*	2.0
1995.....	*	*	*	*	*	*	*	*	1.0	1.7
1994.....	*	*	*	*	*	*	*	*	*	1.3
1993.....	*	*	*	*	*	*	*	0.5	*	1.5
1992.....	*	*	*	*	*	*	*	0.6	*	1.6
1991.....	*	*	*	*	*	*	*	0.8	*	1.4
1990.....	*	*	*	*	*	*	*	*	1.1	2.2
1989.....	*	*	*	*	*	*	*	0.7	0.8	2.5
1988.....	*	*	*	*	*	*	*	*	*	1.5
1987.....	*	*	*	*	*	*	*	*	0.9	1.9
1986.....	*	*	*	*	*	*	*	*	*	2.0
1985.....	*	*	*	*	*	*	*	*	*	1.8
1984.....	*	*	*	*	*	*	0.5	*	*	2.0
1983.....	*	*	*	*	*	*	*	*	*	1.4
1982.....	*	*	*	*	*	*	*	*	*	1.9
1981.....	*	*	*	*	*	*	0.5	*	1.1	2.4
1980.....	0.2	0.1	0.1	0.1	0.2	0.2	0.3	0.7	1.0	2.7
1979.....	0.1	0.1	0.2	0.2	0.3	0.4	0.3	0.4	1.0	1.8
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	*	0.4	0.5	1.2	2.0
1997.....	*	*	*	*	*	0.3	0.3	0.6	0.9	2.2
1996.....	*	*	*	*	*	*	0.4	0.5	0.8	2.2
1995.....	*	*	*	*	*	*	0.3	0.5	1.3	2.1
1994.....	*	*	*	*	*	0.3	0.3	0.4	0.9	1.8
1993.....	*	*	*	*	0.3	*	0.3	0.6	0.6	2.1
1992.....	*	*	*	*	*	*	0.4	0.7	0.9	2.1
1991.....	*	*	*	*	0.2	0.3	0.4	0.9	0.8	2.2
1990.....	*	*	*	*	0.2	*	0.3	0.5	1.2	2.5
1989.....	*	*	*	*	*	*	0.4	0.7	1.0	2.5
1988.....	*	*	*	*	*	0.3	0.4	0.6	1.0	1.9
1987.....	*	*	*	*	*	*	0.5	0.9	1.2	2.7
1986.....	*	*	*	*	0.2	0.3	*	0.5	0.9	2.0
1985.....	*	*	*	*	0.3	*	0.5	0.5	1.0	2.6
1984.....	*	*	*	0.2	*	0.3	0.5	0.6	1.1	2.2
1983.....	*	*	*	*	*	0.3	0.3	0.6	1.3	1.6
1982.....	*	*	*	*	0.2	*	0.3	0.5	0.9	2.3
1981.....	*	*	*	0.2	*	0.4	0.5	0.7	1.2	2.6
1980.....	0.1	0.1	0.2	0.2	0.3	0.3	0.5	0.9	1.1	2.9
1979.....	0.1	0.1	0.1	0.2	0.3	0.4	0.5	0.5	1.2	2.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)										
WHITE MALE										
1998.....	*	*	*	*	*	*	0.7	*	1.9	2.7
1997.....	*	*	*	*	*	*	*	0.8	*	3.6
1996.....	*	*	*	*	*	*	*	0.9	1.4	2.4
1995.....	*	*	*	*	*	*	*	*	1.7	3.2
1994.....	*	*	*	*	*	*	*	*	*	2.7
1993.....	*	*	*	*	*	*	*	*	*	3.6
1992.....	*	*	*	*	*	*	*	*	*	3.4
1991.....	*	*	*	*	*	*	*	0.9	*	4.3
1990.....	*	*	*	*	*	*	*	*	1.6	3.6
1989.....	*	*	*	*	*	*	0.7	*	*	*
1988.....	*	*	*	*	*	*	*	1.0	*	*
1987.....	*	*	*	*	*	*	*	1.5	*	4.7
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	0.8	*	*	4.5
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	2.1	*
1982.....	*	*	*	*	*	*	*	1.1	2.0	3.4
1981.....	*	*	*	*	*	*	*	*	*	3.5
1980.....	0.1	0.1	0.2	0.2	0.4	0.3	0.7	1.2	1.3	3.1
1979.....	0.1	0.1	0.1	0.3	0.3	0.5	0.6	0.7	1.9	2.6
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	0.6	0.7	1.7
1997.....	*	*	*	*	*	*	*	*	0.8	1.6
1996.....	*	*	*	*	*	*	*	*	*	2.1
1995.....	*	*	*	*	*	*	*	*	1.0	1.8
1994.....	*	*	*	*	*	*	*	*	*	1.4
1993.....	*	*	*	*	*	*	*	*	*	1.6
1992.....	*	*	*	*	*	*	*	0.6	*	1.6
1991.....	*	*	*	*	*	*	*	0.9	*	1.4
1990.....	*	*	*	*	*	*	*	*	1.0	2.1
1989.....	*	*	*	*	*	*	*	0.6	*	2.5
1988.....	*	*	*	*	*	*	*	*	*	1.6
1987.....	*	*	*	*	*	*	*	*	0.9	2.0
1986.....	*	*	*	*	*	*	*	*	*	1.9
1985.....	*	*	*	*	*	*	*	*	*	1.8
1984.....	*	*	*	*	*	*	*	*	*	2.1
1983.....	*	*	*	*	*	*	*	*	*	1.5
1982.....	*	*	*	*	*	*	*	*	*	1.8
1981.....	*	*	*	*	*	*	*	*	1.1	2.3
1980.....	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.7	1.0	2.8
1979.....	0.1	0.1	0.1	0.1	0.3	0.3	0.4	0.3	0.9	1.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.5	0.3	0.5	0.7	0.3	1.2	1.4	0.9	1.1
1979.....	0.5	0.4	0.5	0.5	0.8	1.0	1.0	1.6	1.8	3.4
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	1.0	0.7	0.5	0.7	0.5	1.5	1.7	1.1	-
1979.....	0.4	0.2	0.5	0.7	0.7	1.3	2.3	2.2	2.3	3.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)

ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.1	-	0.5	0.7	0.2	1.1	1.1	0.7	1.7
1979.....	0.5	0.5	0.6	0.3	0.9	0.8	-	1.2	1.5	3.5

BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	0.6	0.4	0.6	0.8	0.4	1.4	1.0	1.0	-
1979.....	0.6	0.4	0.6	0.6	1.0	0.8	0.9	1.5	2.0	3.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.9	1.2	0.8	0.6	0.8	0.6	1.7	1.3	1.3	-
1979.....	0.5	0.2	0.6	0.8	0.8	0.6	2.2	1.9	2.6	3.8

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.2	-	0.5	0.8	0.2	1.2	0.9	0.8	-
1979.....	0.6	0.6	0.6	0.3	1.1	0.9	-	1.3	1.6	3.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)										
TOTAL, BOTH SEXES										
1998.....	8.2	12.8	23.8	48.7	100.9	190.8	341.6	551.6	939.9	1,902.7
1997.....	8.2	13.5	24.5	49.3	102.6	187.9	331.5	537.9	910.9	1,845.2
1996.....	8.4	13.3	24.9	50.9	100.4	182.8	326.2	537.2	889.3	1,799.4
1995.....	8.3	13.5	25.7	50.2	100.0	183.8	322.1	533.7	876.8	1,798.8
1994.....	8.1	13.8	25.5	50.5	103.5	189.8	322.5	536.6	879.6	1,771.9
1993.....	8.7	13.2	25.3	52.5	106.6	192.5	330.4	548.2	889.8	1,815.9
1992.....	8.0	12.7	23.6	51.6	98.1	182.5	310.4	512.5	821.4	1,707.7
1991.....	8.1	14.3	26.2	52.4	103.7	182.5	316.3	522.1	842.9	1,757.7
1990.....	8.4	14.0	26.2	52.7	104.0	181.1	318.7	530.9	851.9	1,798.0
1989.....	8.6	14.0	26.8	56.5	102.9	180.6	318.1	518.9	824.8	1,747.3
1988.....	8.6	15.1	27.7	55.3	104.9	185.4	324.4	527.3	851.6	1,778.5
1987.....	8.2	13.8	27.2	51.7	102.8	176.4	312.2	501.4	794.8	1,620.2
1986.....	8.7	14.6	27.7	53.5	102.7	180.4	319.1	511.4	787.9	1,619.3
1985.....	8.0	14.6	28.8	54.9	102.0	180.1	312.8	499.5	789.5	1,608.5
1984.....	7.9	13.9	26.5	52.4	97.1	169.8	295.7	459.7	714.4	1,410.1
1983.....	7.5	13.8	27.3	52.0	95.4	170.6	284.0	442.0	688.9	1,362.6
1982.....	7.6	13.4	26.3	50.3	89.4	159.4	265.4	405.8	621.8	1,171.7
1981.....	8.2	15.1	27.4	51.9	95.0	166.0	272.6	418.1	652.0	1,267.7
1980.....	8.6	15.7	27.4	51.7	96.0	167.5	270.6	413.9	658.1	1,298.2
1979.....	8.3	14.2	26.7	47.0	90.7	148.3	246.4	361.0	575.2	1,040.0
TOTAL, MALE										
1998.....	8.9	14.3	26.4	56.3	117.6	231.3	430.0	707.6	1,247.3	2,493.8
1997.....	9.0	15.7	27.3	55.3	118.1	231.1	424.7	699.6	1,240.5	2,512.9
1996.....	9.5	15.2	28.1	58.6	118.1	224.7	409.7	702.6	1,229.9	2,456.9
1995.....	9.1	15.8	28.5	56.3	120.2	228.1	415.0	715.0	1,235.6	2,522.6
1994.....	9.6	15.9	29.0	58.3	124.9	236.2	418.8	722.2	1,256.3	2,515.6
1993.....	10.6	15.2	29.2	60.2	129.0	243.3	430.5	758.3	1,300.9	2,574.7
1992.....	9.8	15.0	27.3	61.6	119.6	235.8	415.1	719.9	1,226.2	2,465.2
1991.....	9.7	17.1	28.6	62.5	127.3	235.7	426.0	747.7	1,286.9	2,524.3
1990.....	10.6	16.6	30.2	64.0	132.4	240.9	443.0	776.2	1,291.2	2,554.1
1989.....	10.7	16.4	31.1	69.0	129.8	241.3	441.6	761.2	1,252.3	2,496.8
1988.....	10.7	18.3	33.4	67.5	136.8	254.0	461.4	794.2	1,330.4	2,575.1
1987.....	10.2	15.9	32.4	63.6	135.8	241.1	454.2	777.0	1,270.0	2,388.0
1986.....	10.8	17.8	33.7	67.1	136.5	249.2	473.2	800.4	1,278.4	2,435.2
1985.....	9.5	17.4	34.7	69.8	136.6	254.7	472.1	791.1	1,284.2	2,428.1
1984.....	9.4	16.1	33.4	67.9	133.7	239.8	453.9	746.8	1,180.1	2,167.3
1983.....	8.8	16.3	33.8	68.8	131.3	247.5	440.8	730.5	1,155.9	2,095.6
1982.....	9.1	16.5	33.1	67.2	124.2	236.3	417.9	687.8	1,064.8	1,848.3
1981.....	10.2	18.2	35.2	70.3	134.0	248.9	434.3	703.0	1,094.5	1,931.8
1980.....	10.4	19.9	36.3	69.8	137.8	256.2	437.0	700.8	1,102.7	1,947.7
1979.....	10.0	18.4	35.5	65.8	131.3	234.0	413.4	621.0	1,003.0	1,608.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)										
TOTAL, FEMALE										
1998.....	7.5	11.3	21.3	41.7	85.9	156.6	272.5	440.8	757.2	1,657.7
1997.....	7.5	11.4	21.7	43.7	88.7	151.6	259.5	424.3	718.2	1,576.1
1996.....	7.3	11.5	21.9	43.8	84.7	147.8	261.8	422.0	693.0	1,538.1
1995.....	7.6	11.2	23.2	44.6	82.1	147.0	250.8	409.2	674.5	1,517.0
1994.....	6.6	11.7	22.2	43.2	84.5	151.6	248.8	410.8	671.1	1,485.2
1993.....	6.9	11.2	21.6	45.4	86.8	151.0	254.1	407.5	665.1	1,524.8
1992.....	6.2	10.4	20.1	42.5	79.1	139.2	231.4	375.4	602.4	1,414.3
1991.....	6.5	11.5	24.0	43.2	82.9	139.5	234.0	374.6	605.4	1,461.3
1990.....	6.2	11.4	22.5	42.5	79.2	132.7	226.4	373.1	618.7	1,506.2
1989.....	6.6	11.8	22.7	45.0	79.6	131.2	226.7	363.5	598.8	1,455.8
1988.....	6.6	12.0	22.4	44.3	77.4	129.6	223.8	357.1	599.1	1,467.6
1987.....	6.3	11.7	22.3	40.8	74.4	123.6	208.6	326.5	545.4	1,317.7
1986.....	6.7	11.5	22.2	41.2	73.5	124.4	207.1	329.0	530.8	1,295.5
1985.....	6.6	11.9	23.2	41.4	72.0	119.6	197.3	315.9	529.9	1,281.2
1984.....	6.4	11.7	20.0	38.5	65.5	113.4	181.3	279.5	469.5	1,104.0
1983.....	6.3	11.5	21.3	37.0	64.3	108.8	170.7	260.9	442.7	1,062.2
1982.....	6.1	10.5	20.0	35.2	59.2	97.8	155.1	229.1	387.9	889.7
1981.....	6.3	12.3	20.2	35.5	61.2	99.6	155.7	239.4	417.3	984.7
1980.....	6.9	11.7	19.3	35.6	60.1	96.6	150.2	233.9	421.5	1,014.2
1979.....	6.6	10.3	18.5	30.2	55.7	80.0	125.7	197.4	345.6	787.2
WHITE, BOTH SEXES										
1998.....	6.7	10.9	22.0	47.1	101.5	195.7	349.0	563.0	960.1	1,957.6
1997.....	6.8	11.4	22.9	47.8	102.6	191.7	338.6	550.4	928.9	1,899.4
1996.....	6.6	11.2	23.2	49.2	100.1	186.6	331.5	549.3	905.6	1,848.0
1995.....	6.7	11.3	23.6	48.0	100.1	186.8	327.2	545.2	892.0	1,841.0
1994.....	6.3	11.8	23.3	48.7	104.4	192.7	327.9	548.7	898.0	1,815.1
1993.....	6.7	10.8	23.7	50.7	106.4	195.8	335.0	559.1	906.1	1,865.5
1992.....	6.2	10.7	21.9	49.7	97.6	183.8	315.5	526.8	837.8	1,748.5
1991.....	6.4	11.7	23.8	50.7	103.2	184.0	321.2	534.1	859.8	1,800.2
1990.....	6.3	11.7	23.9	50.5	102.3	181.4	323.3	541.2	866.9	1,842.2
1989.....	6.3	11.7	23.8	53.8	101.3	179.8	320.8	526.5	840.7	1,789.8
1988.....	6.6	12.2	24.8	52.7	102.9	185.8	328.7	537.6	872.2	1,834.8
1987.....	6.3	11.3	24.3	49.7	101.1	177.0	317.1	514.0	809.2	1,664.7
1986.....	6.8	12.1	25.3	50.8	100.9	181.0	324.1	523.0	803.8	1,662.9
1985.....	6.1	12.3	26.0	52.2	99.8	180.7	318.7	510.8	803.3	1,658.9
1984.....	6.0	11.3	23.7	50.5	95.5	171.4	300.1	472.0	725.6	1,453.5
1983.....	5.6	11.6	25.4	49.7	92.9	172.7	290.1	454.7	701.8	1,406.4
1982.....	5.8	10.9	24.2	47.4	88.0	161.6	269.9	418.4	635.4	1,210.0
1981.....	6.2	12.6	24.6	49.2	93.4	167.5	278.6	429.7	663.6	1,310.1
1980.....	6.5	13.0	24.4	48.5	94.5	168.3	275.3	421.6	673.0	1,335.2
1979.....	6.2	11.8	23.8	44.6	89.6	149.8	251.2	369.1	591.1	1,070.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)										
WHITE MALE										
1998.....	7.2	12.0	24.0	53.1	115.5	233.1	433.7	714.8	1,264.1	2,568.5
1997.....	7.5	12.9	25.1	52.3	116.1	231.5	429.6	707.2	1,253.8	2,590.3
1996.....	7.5	12.4	25.9	55.3	114.5	225.8	410.4	708.7	1,242.1	2,527.4
1995.....	7.3	12.7	25.5	52.8	117.6	228.0	415.6	723.6	1,248.9	2,578.1
1994.....	7.6	13.4	26.0	55.2	123.8	236.8	419.1	728.8	1,273.7	2,579.1
1993.....	8.1	12.4	26.7	56.8	126.2	243.2	431.2	763.6	1,316.7	2,646.1
1992.....	7.4	12.7	24.6	57.6	116.7	234.9	416.2	732.3	1,245.7	2,530.5
1991.....	7.6	13.7	25.4	58.9	124.9	234.1	427.7	757.5	1,309.1	2,593.3
1990.....	7.8	13.3	26.5	59.7	128.3	238.0	442.9	785.4	1,307.4	2,626.3
1989.....	7.6	13.0	26.6	64.5	125.6	236.3	439.0	765.7	1,276.0	2,565.6
1988.....	8.1	14.3	28.7	63.1	132.1	251.3	462.1	802.0	1,361.3	2,670.0
1987.....	7.8	12.4	28.1	59.8	132.0	238.6	455.6	792.1	1,294.3	2,463.9
1986.....	8.2	14.5	29.5	62.4	132.4	246.3	475.6	814.4	1,306.0	2,507.7
1985.....	6.6	13.8	30.7	65.3	131.8	253.6	476.6	808.2	1,310.4	2,518.5
1984.....	7.0	12.3	28.7	64.2	129.8	238.9	457.7	766.1	1,203.9	2,251.0
1983.....	6.2	13.1	31.0	64.3	126.0	248.0	446.3	752.4	1,177.2	2,175.4
1982.....	6.5	12.7	30.0	62.8	120.6	237.3	423.5	712.0	1,095.1	1,918.3
1981.....	7.3	14.4	30.4	65.7	130.4	248.8	442.4	726.1	1,118.6	2,001.7
1980.....	7.5	16.0	31.4	64.4	133.3	255.8	445.5	717.9	1,133.5	2,005.4
1979.....	7.1	14.6	30.9	61.5	128.8	235.2	423.5	637.3	1,037.7	1,658.0
WHITE FEMALE										
1998.....	6.2	9.7	20.0	41.5	88.6	163.5	282.1	454.3	778.7	1,707.2
1997.....	6.1	9.8	20.7	43.6	90.2	157.7	267.5	439.3	738.1	1,624.5
1996.....	5.8	10.0	20.5	43.4	87.0	153.2	270.0	437.4	711.3	1,581.6
1995.....	6.1	9.9	21.9	43.4	84.3	152.1	258.5	421.7	690.2	1,557.1
1994.....	4.9	10.3	20.7	42.6	86.8	155.9	257.4	425.7	689.9	1,524.0
1993.....	5.3	9.3	20.8	45.0	88.5	156.5	261.0	421.1	682.1	1,569.8
1992.....	5.0	8.8	19.2	42.4	80.5	141.8	238.8	390.1	617.9	1,450.1
1991.....	5.1	9.7	22.3	43.0	83.8	143.0	240.7	387.4	620.8	1,499.3
1990.....	4.8	10.0	21.4	41.9	79.2	135.0	233.7	383.5	634.4	1,544.5
1989.....	5.1	10.4	21.1	43.9	79.9	133.5	232.7	372.6	611.9	1,494.0
1988.....	5.2	10.1	21.1	43.1	77.2	131.9	229.9	369.0	616.7	1,514.4
1987.....	4.9	10.2	20.6	40.3	74.2	126.4	215.4	337.8	556.6	1,355.2
1986.....	5.3	9.8	21.3	40.2	73.4	127.3	213.4	339.4	542.7	1,333.8
1985.....	5.5	10.7	21.6	40.2	71.8	121.1	203.7	324.4	539.5	1,322.2
1984.....	5.1	10.3	18.9	38.1	65.5	116.6	185.5	288.5	476.6	1,137.5
1983.....	5.1	10.2	20.2	36.5	63.9	111.7	176.8	269.2	453.7	1,096.8
1982.....	5.0	9.1	18.7	33.5	59.3	100.6	158.8	235.7	395.0	919.8
1981.....	5.1	10.9	19.1	34.4	61.1	102.0	160.5	245.2	425.1	1,020.6
1980.....	5.6	10.0	17.9	34.2	60.7	97.9	152.6	237.4	431.0	1,046.3
1979.....	5.4	9.2	17.1	29.4	55.5	81.4	127.3	202.0	354.6	812.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)										
ALL OTHER, BOTH SEXES										
1998.....	15.8	22.7	34.6	58.4	97.3	158.4	282.3	450.6	735.3	1,383.4
1997.....	15.0	25.2	34.2	58.3	102.6	161.8	273.6	424.3	728.6	1,327.2
1996.....	17.3	25.1	35.5	61.6	102.7	156.5	281.3	425.8	722.5	1,333.4
1995.....	16.6	25.9	38.7	64.1	99.3	162.1	278.2	425.9	720.3	1,369.5
1994.....	17.7	25.1	39.0	61.5	97.5	168.0	275.0	420.9	692.0	1,328.9
1993.....	19.4	27.1	35.2	64.1	108.1	167.4	289.8	443.8	722.1	1,303.9
1992.....	17.6	24.7	34.2	63.7	101.5	172.0	265.5	377.6	652.2	1,278.7
1991.....	17.9	29.8	41.1	63.8	107.0	170.7	271.6	407.8	670.9	1,309.9
1990.....	20.5	28.1	40.7	68.0	116.7	178.7	276.9	433.8	696.4	1,329.2
1989.....	22.2	28.4	45.5	74.7	115.1	186.7	293.1	447.1	661.3	1,296.9
1988.....	20.9	33.3	46.0	73.4	121.0	182.6	285.0	429.7	633.8	1,180.2
1987.....	20.3	29.0	46.2	65.9	116.2	170.4	266.6	381.3	640.9	1,142.1
1986.....	20.6	29.8	44.0	73.6	117.0	175.2	273.0	400.9	617.8	1,145.5
1985.....	20.2	29.1	47.1	75.0	120.5	174.6	257.7	391.0	637.2	1,050.9
1984.....	19.4	30.5	45.6	67.4	111.3	155.3	255.1	341.3	591.2	933.6
1983.....	19.6	28.1	40.8	70.2	117.2	152.2	228.0	318.9	544.7	871.8
1982.....	18.9	30.2	42.0	73.4	102.1	139.2	223.5	283.8	469.7	747.7
1981.....	21.0	31.9	48.3	74.5	109.1	152.8	215.1	304.8	518.3	786.3
1980.....	22.1	34.5	50.5	78.9	110.0	160.6	224.9	337.9	482.1	872.9
1979.....	21.9	31.1	49.5	67.7	101.5	134.8	199.7	282.3	386.2	683.9
ALL OTHER MALE										
1998.....	18.2	27.0	42.1	77.5	131.9	218.6	399.0	640.2	1,072.4	1,840.0
1997.....	16.6	31.8	42.1	75.3	132.1	228.2	382.3	626.2	1,101.4	1,838.1
1996.....	20.6	32.0	42.5	80.9	143.8	216.1	403.4	643.6	1,103.5	1,843.8
1995.....	19.1	34.6	48.4	79.8	138.6	229.3	409.8	630.6	1,096.3	2,003.7
1994.....	21.0	31.8	49.2	79.5	133.4	230.8	415.8	655.8	1,078.0	1,920.8
1993.....	24.4	33.0	45.6	83.9	150.1	243.8	424.4	705.3	1,140.1	1,908.3
1992.....	23.7	30.7	44.9	89.3	142.7	243.2	405.6	597.6	1,030.4	1,855.0
1991.....	22.5	39.2	49.6	87.9	147.2	248.7	410.4	652.2	1,067.4	1,886.0
1990.....	27.9	38.2	54.6	95.2	166.1	265.9	444.2	687.1	1,130.6	1,880.8
1989.....	30.5	38.5	61.6	102.5	164.7	286.1	467.1	718.0	1,017.4	1,859.3
1988.....	28.2	45.3	64.9	100.5	176.4	278.9	456.1	719.6	1,023.9	1,696.2
1987.....	26.3	38.7	62.1	93.1	168.3	264.0	440.7	634.4	1,025.9	1,676.6
1986.....	27.7	39.4	63.4	104.4	172.1	275.2	451.0	669.0	1,000.0	1,754.7
1985.....	28.9	41.3	64.3	105.8	179.8	265.0	429.7	632.0	1,007.6	1,576.7
1984.....	25.6	42.2	68.0	99.1	169.1	248.0	415.8	567.8	937.6	1,383.3
1983.....	26.7	38.4	55.3	106.4	179.5	243.5	389.1	528.4	935.1	1,310.0
1982.....	26.2	43.7	57.6	104.6	157.5	226.1	365.7	461.5	748.9	1,168.7
1981.....	29.6	45.3	73.6	110.8	168.2	249.9	358.7	488.2	840.7	1,235.9
1980.....	30.6	49.3	77.0	117.3	179.5	259.9	357.5	542.0	773.8	1,357.8
1979.....	31.2	47.9	74.8	104.0	155.2	222.7	317.4	469.8	632.6	1,093.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)										
ALL OTHER FEMALE										
1998.....	13.7	19.0	28.3	42.9	70.4	113.5	200.1	324.6	543.5	1,174.6
1997.....	13.6	19.5	27.6	44.5	79.9	112.4	197.6	292.7	519.2	1,095.8
1996.....	14.4	19.2	29.7	45.9	71.2	112.1	196.2	285.2	508.8	1,103.4
1995.....	14.5	18.5	30.7	51.4	69.1	112.0	186.7	295.4	513.6	1,094.9
1994.....	14.8	19.3	30.5	46.9	70.1	121.4	177.2	273.5	479.6	1,072.4
1993.....	15.0	22.0	26.5	48.0	76.0	111.0	195.7	281.5	489.5	1,040.3
1992.....	12.3	19.6	25.3	43.1	70.0	119.4	168.7	241.5	439.1	1,019.1
1991.....	13.9	21.7	33.8	44.3	76.4	113.1	176.8	255.9	444.5	1,040.7
1990.....	14.1	19.4	29.0	46.2	79.2	114.2	163.1	276.6	451.3	1,078.4
1989.....	15.2	19.7	31.9	52.3	77.4	113.0	174.0	277.7	458.0	1,036.6
1988.....	14.6	23.0	30.1	51.5	78.5	111.1	169.0	246.2	406.9	939.1
1987.....	15.1	20.6	33.0	44.0	76.0	100.7	147.8	219.3	420.9	889.6
1986.....	14.6	21.6	27.8	48.6	74.1	100.4	150.8	227.7	401.6	852.6
1985.....	12.8	18.7	32.8	50.1	74.2	106.9	139.1	232.8	421.1	802.0
1984.....	14.0	20.5	27.0	41.6	65.8	85.5	142.5	190.8	385.5	710.3
1983.....	13.6	19.2	29.0	40.9	67.7	84.0	114.5	178.6	315.2	651.1
1982.....	12.6	18.8	29.2	47.9	58.1	73.9	120.9	163.2	302.5	530.1
1981.....	13.7	20.6	27.7	44.7	62.0	79.3	109.6	180.7	322.7	557.9
1980.....	14.9	22.3	29.0	47.1	54.4	84.6	126.0	198.9	302.9	624.6
1979.....	14.1	17.3	28.8	37.5	57.9	67.1	110.1	150.0	234.3	478.1
BLACK, BOTH SEXES										
1998.....	20.1	28.6	44.5	71.8	116.8	179.8	317.4	486.5	771.6	1,374.7
1997.....	18.9	32.1	41.7	69.9	121.4	180.4	306.3	448.3	745.6	1,336.1
1996.....	22.1	32.1	45.2	75.8	121.9	177.1	311.6	449.1	740.7	1,345.8
1995.....	20.8	33.4	46.4	77.8	115.1	183.0	309.6	444.7	729.8	1,303.7
1994.....	22.5	32.9	48.6	73.8	115.4	189.9	302.7	444.4	688.6	1,276.4
1993.....	24.5	34.6	44.0	77.1	125.4	187.9	309.4	461.6	725.9	1,258.3
1992.....	22.9	31.3	43.1	75.0	117.2	193.9	291.8	397.1	663.8	1,255.1
1991.....	22.5	38.4	51.4	75.1	123.8	189.6	296.5	425.6	670.4	1,245.3
1990.....	26.3	35.4	49.9	79.0	134.5	198.7	304.0	444.4	705.6	1,267.6
1989.....	28.8	35.4	54.7	87.7	130.2	209.2	316.9	465.8	658.5	1,249.1
1988.....	26.8	41.3	55.3	87.0	137.6	203.2	306.5	445.2	644.9	1,156.1
1987.....	25.9	35.4	53.8	75.6	131.8	190.3	285.3	396.8	651.0	1,077.9
1986.....	25.8	36.3	52.2	85.6	134.7	193.7	295.5	416.1	617.3	1,100.5
1985.....	25.1	35.0	55.4	85.0	136.2	190.6	274.9	405.0	637.6	1,010.3
1984.....	23.5	36.7	52.7	76.9	124.0	168.3	270.3	351.7	584.7	872.1
1983.....	23.4	33.8	47.8	80.1	129.9	162.0	238.5	328.8	537.9	830.4
1982.....	23.0	35.7	48.1	82.2	112.9	149.8	237.4	283.5	474.3	700.0
1981.....	25.1	37.2	55.4	84.5	119.3	163.7	224.6	309.7	524.4	758.3
1980.....	25.5	39.8	55.9	88.3	120.7	169.0	234.6	336.2	489.1	820.5
1979.....	25.0	36.2	54.9	74.5	108.3	139.9	207.4	281.8	368.7	633.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)										
BLACK MALE										
1998.....	23.2	34.2	54.2	97.5	161.9	247.5	451.0	701.3	1,164.7	1,833.0
1997.....	21.0	40.9	52.9	91.8	158.3	254.2	428.4	678.6	1,145.8	1,868.1
1996.....	26.6	41.8	55.3	102.2	173.1	242.5	447.6	683.3	1,168.2	1,899.4
1995.....	23.9	45.1	59.9	99.7	164.1	258.8	458.1	667.5	1,145.3	1,891.3
1994.....	26.5	42.4	61.8	98.1	158.4	260.5	463.0	702.2	1,105.2	1,840.9
1993.....	30.6	42.8	59.2	102.9	175.7	273.6	456.8	749.9	1,181.7	1,824.1
1992.....	31.1	39.4	56.8	107.9	166.1	276.6	450.1	646.1	1,086.0	1,804.2
1991.....	28.7	51.3	63.8	106.3	173.0	279.8	454.2	703.3	1,095.0	1,844.9
1990.....	35.9	49.2	68.3	112.2	194.0	298.1	495.7	725.3	1,179.4	1,822.8
1989.....	39.4	48.1	75.9	122.5	187.4	325.5	513.1	756.7	1,050.5	1,803.0
1988.....	36.4	57.4	80.0	118.5	203.6	317.6	502.0	764.4	1,085.1	1,687.7
1987.....	34.0	48.0	74.9	106.8	193.0	300.9	478.7	673.1	1,067.4	1,637.5
1986.....	35.2	49.3	76.5	122.0	200.2	308.2	497.2	709.3	1,001.1	1,695.2
1985.....	36.8	50.5	76.8	120.0	204.6	295.0	473.6	663.5	1,021.8	1,537.1
1984.....	30.8	52.6	78.7	113.4	189.7	270.6	451.0	596.4	950.0	1,304.9
1983.....	32.2	46.8	66.1	122.3	202.0	261.2	416.4	557.6	919.5	1,290.0
1982.....	32.7	53.3	66.2	117.9	174.8	246.1	398.3	473.9	761.3	1,093.1
1981.....	36.8	53.2	84.8	126.7	186.2	273.3	384.1	509.5	855.8	1,183.9
1980.....	36.0	58.0	86.1	131.4	197.9	277.4	383.1	548.5	789.0	1,271.5
1979.....	36.0	55.9	82.8	115.2	169.6	235.8	339.8	478.3	605.2	1,009.6
BLACK FEMALE										
1998.....	17.4	23.9	36.7	51.8	83.1	129.3	224.5	348.9	565.5	1,184.4
1997.....	17.1	24.6	32.6	52.9	93.7	125.2	222.4	303.1	538.4	1,116.0
1996.....	18.2	23.9	37.1	55.2	83.5	128.2	219.2	302.9	520.3	1,118.4
1995.....	18.0	23.5	35.5	60.6	78.1	126.4	209.5	307.4	518.4	1,064.9
1994.....	19.1	24.9	37.8	54.7	83.0	137.4	195.1	288.8	476.3	1,047.3
1993.....	19.2	27.6	31.6	56.8	87.4	124.9	209.9	290.9	491.5	1,027.4
1992.....	15.8	24.4	32.0	49.1	80.2	133.5	186.3	251.6	445.2	1,011.7
1991.....	17.3	27.6	41.3	50.5	86.5	124.1	192.2	262.3	451.5	991.4
1990.....	18.0	23.9	34.8	52.7	89.6	126.8	178.1	279.8	460.2	1,032.2
1989.....	19.7	24.7	37.4	60.0	86.8	124.9	188.2	293.7	453.0	1,018.3
1988.....	18.6	27.7	34.9	62.0	87.5	120.2	177.1	254.4	412.4	924.2
1987.....	19.0	24.9	36.5	50.7	85.0	109.7	157.1	229.4	426.9	829.2
1986.....	17.8	25.5	32.2	56.2	84.7	109.8	161.7	236.7	407.9	829.0
1985.....	15.2	22.2	37.8	56.7	83.4	114.1	143.5	244.0	425.9	764.7
1984.....	17.4	23.5	31.4	47.1	73.1	92.8	149.6	198.1	382.9	667.4
1983.....	16.0	23.1	32.9	45.8	73.9	89.0	118.6	181.9	322.1	608.1
1982.....	14.9	21.3	33.5	53.2	64.5	78.8	126.7	162.5	308.0	506.8
1981.....	15.4	23.9	31.6	50.2	66.6	83.1	113.2	180.3	331.1	540.7
1980.....	16.9	24.9	31.6	53.0	59.5	88.3	128.9	197.9	309.2	595.0
1979.....	15.9	19.8	32.1	41.1	59.6	68.1	112.1	146.6	221.8	445.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	0.3	0.4	0.7	1.2	3.9
1997.....	*	*	*	*	*	0.3	0.3	0.8	1.2	4.0
1996.....	*	*	*	*	*	0.3	0.5	0.6	1.4	4.2
1995.....	*	*	*	*	*	0.3	0.5	1.0	1.6	4.7
1994.....	*	*	*	*	0.2	0.3	0.6	0.9	2.1	4.7
1993.....	*	*	*	*	0.3	0.3	0.7	1.0	2.3	6.1
1992.....	*	*	*	*	0.2	0.4	0.6	1.1	1.7	4.7
1991.....	*	*	*	0.2	0.2	0.3	0.6	1.3	1.9	6.8
1990.....	*	*	*	0.2	0.3	0.4	0.6	1.2	2.2	6.6
1989.....	*	*	*	*	0.2	0.5	0.7	1.2	2.6	6.2
1988.....	*	*	*	*	0.3	0.4	0.8	1.0	2.5	6.7
1987.....	*	*	*	*	0.2	0.4	0.5	1.2	2.0	5.6
1986.....	*	*	*	*	0.2	0.3	0.9	1.4	2.8	6.0
1985.....	*	*	*	0.2	0.2	0.5	0.6	1.1	2.7	7.0
1984.....	*	*	*	*	0.3	0.4	0.6	0.9	2.3	6.2
1983.....	*	*	*	0.2	0.2	0.3	0.5	1.1	1.8	6.4
1982.....	*	*	*	*	0.2	0.3	0.4	1.1	1.9	5.2
1981.....	*	*	*	0.2	0.3	0.4	0.7	1.3	2.3	5.9
1980.....	0.0	0.1	0.1	0.3	0.3	0.5	0.7	1.1	3.1	7.3
1979.....	0.1	0.1	0.2	0.2	0.3	0.5	0.7	1.0	2.3	5.0
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	0.8	1.2	4.2
1997.....	*	*	*	*	*	*	*	1.0	*	3.8
1996.....	*	*	*	*	*	*	0.7	0.9	1.4	4.2
1995.....	*	*	*	*	*	*	*	1.1	2.3	5.3
1994.....	*	*	*	*	*	*	0.6	1.2	2.4	4.7
1993.....	*	*	*	*	*	*	0.8	1.1	2.9	6.4
1992.....	*	*	*	*	*	*	0.7	1.4	2.1	4.6
1991.....	*	*	*	*	*	*	0.9	1.7	1.9	7.7
1990.....	*	*	*	*	*	0.5	0.7	1.6	1.9	7.5
1989.....	*	*	*	*	*	0.5	0.7	1.7	3.1	6.5
1988.....	*	*	*	*	*	*	1.2	1.3	2.7	6.5
1987.....	*	*	*	*	*	0.5	0.7	1.6	2.7	7.1
1986.....	*	*	*	*	*	*	1.4	1.9	3.2	6.7
1985.....	*	*	*	*	*	0.6	1.0	1.8	3.4	7.8
1984.....	*	*	*	*	*	0.5	0.8	1.4	2.7	6.8
1983.....	*	*	*	*	*	*	0.7	1.7	*	8.3
1982.....	*	*	*	*	*	*	0.8	1.6	2.0	5.0
1981.....	*	*	*	*	*	0.6	0.8	1.8	3.1	6.4
1980.....	0.1	0.1	0.2	0.1	0.2	0.6	0.9	1.6	3.4	7.6
1979.....	0.1	0.1	0.2	0.3	0.3	0.5	1.0	1.4	3.1	6.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	0.6	1.3	3.8
1997.....	*	*	*	*	*	*	*	0.6	1.3	4.0
1996.....	*	*	*	*	*	*	0.4	0.5	1.4	4.2
1995.....	*	*	*	*	*	*	0.5	0.9	1.2	4.5
1994.....	*	*	*	*	*	0.4	0.6	0.7	1.9	4.8
1993.....	*	*	*	*	0.4	*	0.7	1.0	2.0	6.0
1992.....	*	*	*	*	*	*	0.5	0.9	1.4	4.7
1991.....	*	*	*	*	*	*	0.4	1.0	1.9	6.5
1990.....	*	*	*	*	*	0.4	0.5	0.9	2.3	6.3
1989.....	*	*	*	*	*	0.4	0.6	0.9	2.4	6.0
1988.....	*	*	*	*	*	*	0.6	0.8	2.3	6.7
1987.....	*	*	*	*	*	*	*	0.9	1.6	5.0
1986.....	*	*	*	*	*	*	0.5	1.1	2.6	5.8
1985.....	*	*	*	*	*	0.4	*	0.6	2.4	6.7
1984.....	*	*	*	*	*	0.4	*	0.6	2.1	6.0
1983.....	*	*	*	*	*	*	*	0.7	1.9	5.6
1982.....	*	*	*	*	*	*	*	0.8	1.9	5.3
1981.....	*	*	*	*	*	*	0.6	1.0	1.9	5.6
1980.....	0.0	0.1	0.0	0.4	0.3	0.3	0.6	0.8	2.9	7.1
1979.....	0.1	0.1	0.1	0.1	0.2	0.6	0.4	0.7	1.8	4.5
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	0.3	0.4	0.7	1.3	4.1
1997.....	*	*	*	*	*	0.3	0.3	0.8	1.3	4.2
1996.....	*	*	*	*	*	0.3	0.5	0.6	1.5	4.3
1995.....	*	*	*	*	*	0.3	0.6	1.1	1.6	5.1
1994.....	*	*	*	*	0.2	0.3	0.6	1.0	1.9	5.1
1993.....	*	*	*	*	0.3	0.3	0.7	1.1	2.4	6.3
1992.....	*	*	*	*	*	0.4	0.6	1.2	1.6	4.9
1991.....	*	*	*	*	0.2	0.3	0.6	1.3	1.9	6.9
1990.....	*	*	*	*	0.3	0.5	0.6	1.2	2.4	7.0
1989.....	*	*	*	*	*	0.5	0.7	1.3	2.7	6.4
1988.....	*	*	*	*	0.3	0.4	0.9	1.0	2.5	6.9
1987.....	*	*	*	*	0.2	0.4	0.5	1.3	2.0	5.9
1986.....	*	*	*	*	0.2	0.4	0.9	1.4	2.9	6.4
1985.....	*	*	*	*	0.2	0.5	0.6	1.1	2.7	7.4
1984.....	*	*	*	*	0.3	0.5	0.5	1.0	2.4	6.6
1983.....	*	*	*	0.2	*	0.3	0.5	1.1	2.0	6.9
1982.....	*	*	*	*	0.2	0.2	0.5	1.1	1.9	5.5
1981.....	*	*	*	0.2	0.3	0.4	0.7	1.3	2.4	6.2
1980.....	0.0	0.1	0.1	0.2	0.3	0.5	0.7	1.2	3.3	7.6
1979.....	0.1	0.1	0.1	0.2	0.2	0.5	0.7	1.1	2.4	5.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	0.7	1.2	4.4
1997.....	*	*	*	*	*	*	*	1.0	*	3.9
1996.....	*	*	*	*	*	*	0.7	0.8	1.6	4.2
1995.....	*	*	*	*	*	*	*	1.1	2.4	5.7
1994.....	*	*	*	*	*	*	0.6	1.3	2.3	5.1
1993.....	*	*	*	*	*	*	0.8	1.1	2.9	6.6
1992.....	*	*	*	*	*	*	0.8	1.5	1.9	4.9
1991.....	*	*	*	*	*	*	0.8	1.7	1.9	7.8
1990.....	*	*	*	*	*	0.5	0.7	1.6	2.1	8.3
1989.....	*	*	*	*	*	0.5	0.8	1.8	3.2	7.1
1988.....	*	*	*	*	*	*	1.3	1.3	2.8	7.0
1987.....	*	*	*	*	*	*	0.8	1.7	2.8	7.5
1986.....	*	*	*	*	*	*	1.4	2.0	3.3	7.2
1985.....	*	*	*	*	*	*	1.0	1.8	3.2	8.1
1984.....	*	*	*	*	*	0.5	0.8	1.5	2.7	7.3
1983.....	*	*	*	*	*	*	*	1.7	*	9.0
1982.....	*	*	*	*	*	*	0.8	1.6	*	5.4
1981.....	*	*	*	*	*	0.6	0.8	1.9	3.2	6.8
1980.....	0.0	0.1	0.2	0.1	0.2	0.6	0.8	1.7	3.6	7.7
1979.....	0.1	0.1	0.2	0.2	0.3	0.5	1.0	1.5	3.4	6.6
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	0.7	1.3	4.0
1997.....	*	*	*	*	*	*	*	0.6	1.4	4.3
1996.....	*	*	*	*	*	*	0.5	*	1.4	4.4
1995.....	*	*	*	*	*	*	0.6	1.0	1.2	4.8
1994.....	*	*	*	*	*	0.5	0.6	0.8	1.8	5.1
1993.....	*	*	*	*	*	*	0.7	1.1	2.2	6.2
1992.....	*	*	*	*	*	*	0.5	0.9	1.5	5.0
1991.....	*	*	*	*	*	*	*	1.1	2.0	6.6
1990.....	*	*	*	*	*	*	0.5	0.9	2.5	6.5
1989.....	*	*	*	*	*	0.5	0.6	1.0	2.4	6.2
1988.....	*	*	*	*	*	*	0.6	0.8	2.4	6.8
1987.....	*	*	*	*	*	*	*	1.0	1.7	5.3
1986.....	*	*	*	*	*	*	0.5	1.1	2.7	6.1
1985.....	*	*	*	*	*	*	*	*	2.4	7.2
1984.....	*	*	*	*	*	*	*	0.7	2.2	6.3
1983.....	*	*	*	*	*	*	*	0.8	2.1	6.0
1982.....	*	*	*	*	*	*	*	0.8	1.9	5.6
1981.....	*	*	*	*	*	*	0.6	1.0	2.0	6.0
1980.....	0.0	0.1	0.1	0.3	0.4	0.4	0.6	0.9	3.0	7.5
1979.....	0.0	0.1	0.1	0.1	0.2	0.6	0.5	0.8	1.9	4.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.1	0.5	0.1	0.3	1.1	0.7	1.3	3.9
1979.....	0.1	0.1	0.4	0.3	0.3	0.3	0.3	0.2	0.4	1.1
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.2	0.2	0.2	0.2	0.5	1.5	1.1	1.1	6.6
1979.....	-	-	0.5	0.5	0.7	0.5	0.8	0.5	-	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)

ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	0.8	-	0.2	0.8	0.4	1.4	2.5
1979.....	0.2	0.1	0.3	0.2	-	0.2	-	-	0.7	1.8

BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.1	0.6	0.1	0.4	1.2	0.5	1.5	3.1
1979.....	0.2	0.1	0.4	0.4	0.4	0.3	0.4	0.3	0.5	1.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	0.2	0.2	0.3	0.6	1.7	0.7	1.3	3.8
1979.....	-	-	0.6	0.6	0.8	0.3	0.9	0.6	-	-

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	0.9	-	0.2	0.9	0.4	1.6	2.8
1979.....	0.3	0.2	0.3	0.2	-	0.2	-	-	0.8	1.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMONIA (480-486)										
TOTAL, BOTH SEXES										
1998.....	3.9	5.1	7.5	12.3	22.1	39.2	80.6	159.6	355.4	1,041.1
1997.....	3.8	5.5	7.9	12.5	22.4	38.2	77.0	157.7	345.8	1,015.2
1996.....	4.1	5.5	7.6	12.7	21.3	37.1	77.9	154.4	341.5	1,001.3
1995.....	4.0	5.6	7.9	11.7	21.2	37.8	78.2	159.6	340.2	1,027.4
1994.....	4.1	5.6	7.8	11.7	21.5	38.8	75.3	159.5	343.2	1,016.6
1993.....	4.5	5.3	7.9	12.4	22.7	40.2	77.5	164.2	352.5	1,073.4
1992.....	3.9	5.1	6.9	12.4	20.2	38.4	73.8	152.8	335.3	1,007.6
1991.....	3.9	5.5	8.1	12.8	22.2	37.7	76.5	160.4	352.7	1,063.4
1990.....	4.1	5.7	8.3	13.3	22.9	39.9	80.3	170.0	367.9	1,105.4
1989.....	4.3	5.7	8.1	13.3	22.5	40.5	78.6	166.0	355.3	1,083.7
1988.....	4.2	6.1	8.6	13.9	23.9	42.3	81.5	171.3	372.4	1,113.0
1987.....	3.8	5.7	8.5	12.4	23.0	40.2	78.7	160.7	343.2	1,006.9
1986.....	4.3	5.8	8.1	13.4	23.9	40.7	79.9	168.1	343.4	1,011.4
1985.....	3.8	5.6	8.7	13.5	23.1	38.9	79.5	162.9	346.8	998.8
1984.....	3.6	5.2	8.1	12.4	21.3	36.0	74.6	148.5	312.9	873.7
1983.....	3.3	5.1	8.1	12.4	21.1	36.1	68.1	138.8	301.6	848.2
1982.....	3.4	5.1	7.7	12.8	20.0	33.2	64.5	127.4	271.6	733.6
1981.....	3.7	5.9	8.4	14.1	21.8	36.5	67.3	138.8	295.3	790.3
1980.....	4.2	6.2	8.9	14.2	22.6	39.5	71.8	144.8	313.4	828.2
1979.....	3.9	5.5	8.6	12.5	20.6	33.8	65.2	125.4	274.9	682.8
TOTAL, MALE										
1998.....	4.6	6.4	9.1	15.6	27.5	50.1	106.4	206.8	460.1	1,233.1
1997.....	4.7	7.1	9.8	15.0	28.0	50.3	101.5	207.9	457.1	1,241.4
1996.....	5.2	7.1	9.5	16.5	26.5	48.7	103.0	204.1	451.6	1,224.5
1995.....	5.1	7.6	9.9	14.5	27.5	49.6	104.0	212.4	458.3	1,278.4
1994.....	5.3	7.2	10.0	14.9	27.6	51.4	100.7	214.5	458.8	1,298.3
1993.....	6.0	6.8	9.9	15.3	29.7	54.0	105.7	225.4	482.8	1,350.1
1992.....	5.3	7.0	8.9	16.3	26.0	51.5	100.5	213.9	472.4	1,296.2
1991.....	5.1	7.2	9.8	16.9	29.3	49.3	103.9	223.3	501.8	1,350.1
1990.....	5.7	7.2	11.1	17.4	30.8	54.1	111.7	237.2	516.4	1,384.4
1989.....	5.8	7.5	10.6	18.1	30.4	55.4	113.1	230.4	490.2	1,363.8
1988.....	5.7	8.5	11.6	18.0	32.8	59.7	115.6	247.3	525.4	1,420.7
1987.....	5.1	7.6	11.2	16.5	31.6	56.8	113.5	230.7	488.5	1,312.9
1986.....	5.6	7.3	10.9	17.8	33.6	57.2	115.4	246.9	496.8	1,343.4
1985.....	4.9	7.5	11.5	18.6	32.7	56.4	116.2	239.2	497.4	1,320.5
1984.....	4.7	6.5	11.2	17.3	30.5	51.2	110.2	219.7	451.9	1,164.7
1983.....	4.5	6.7	10.9	17.3	30.2	52.6	100.5	203.2	438.1	1,131.4
1982.....	4.5	7.2	10.1	17.8	27.7	48.2	95.0	192.8	401.0	1,011.7
1981.....	4.9	7.7	11.1	19.7	31.0	53.2	97.1	203.1	429.2	1,042.4
1980.....	5.4	8.6	12.2	19.0	32.1	56.8	103.8	208.8	447.0	1,089.9
1979.....	4.9	7.2	12.1	17.8	28.8	50.3	98.4	182.0	399.4	922.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMONIA (480-486)										
TOTAL, FEMALE										
1998.....	3.2	3.9	5.9	9.2	17.3	29.9	60.5	126.1	293.2	961.5
1997.....	3.0	4.0	6.0	10.2	17.5	28.0	58.1	122.5	280.7	924.0
1996.....	3.1	4.0	5.7	9.2	16.7	27.5	58.6	119.7	278.0	912.6
1995.....	3.0	3.7	6.0	9.2	15.5	28.0	58.4	123.4	273.5	929.6
1994.....	3.0	3.9	5.6	8.7	16.1	28.5	55.9	122.2	279.3	908.1
1993.....	3.1	3.9	6.0	9.8	16.6	29.0	56.0	123.2	281.3	967.3
1992.....	2.6	3.4	5.1	8.9	15.0	27.8	53.7	112.4	261.1	895.9
1991.....	2.7	3.9	6.4	9.0	16.0	28.2	56.0	119.3	273.0	952.6
1990.....	2.6	4.1	5.7	9.5	16.1	28.3	56.9	126.7	289.0	997.8
1989.....	2.9	4.0	5.7	8.9	15.6	28.3	53.2	124.7	284.1	974.8
1988.....	2.8	3.9	5.8	10.1	16.3	28.2	56.5	122.9	291.7	992.9
1987.....	2.5	3.8	5.8	8.7	15.5	26.6	53.3	116.2	266.9	886.3
1986.....	2.9	4.3	5.5	9.4	15.5	27.2	54.1	118.4	262.9	879.7
1985.....	2.9	3.8	6.2	8.9	14.9	24.8	53.0	114.9	267.8	870.3
1984.....	2.6	3.9	5.1	8.0	13.3	23.8	48.9	103.8	239.8	756.1
1983.....	2.2	3.6	5.6	8.1	13.2	22.8	44.7	98.4	229.6	732.1
1982.....	2.3	3.1	5.5	8.2	13.3	21.1	42.4	86.4	203.3	617.6
1981.....	2.6	4.3	6.0	9.1	13.9	23.1	45.7	98.5	224.3	682.6
1980.....	3.0	3.9	5.8	9.9	14.4	25.6	48.6	104.7	242.4	713.8
1979.....	2.9	3.9	5.4	7.8	13.6	20.6	41.2	89.8	208.1	576.1
WHITE, BOTH SEXES										
1998.....	3.1	4.3	6.5	11.1	20.3	37.3	78.1	156.8	354.1	1,064.1
1997.....	3.2	4.3	6.9	11.1	20.5	36.3	74.6	155.7	345.9	1,038.8
1996.....	3.2	4.5	6.4	11.1	19.2	35.1	74.8	153.2	339.6	1,023.2
1995.....	3.2	4.5	6.7	10.1	19.3	35.7	75.2	157.8	339.0	1,046.5
1994.....	3.1	4.6	6.6	10.2	20.0	36.5	73.4	158.1	344.4	1,036.9
1993.....	3.5	4.1	7.0	10.9	20.7	38.2	74.2	161.6	352.9	1,097.2
1992.....	2.8	4.3	5.8	11.0	18.2	36.0	71.3	152.6	336.0	1,028.4
1991.....	2.9	4.3	6.6	11.1	20.4	35.5	74.2	158.6	353.5	1,085.7
1990.....	3.0	4.6	6.9	11.7	20.5	37.2	77.7	168.2	369.1	1,130.7
1989.....	3.1	4.4	6.5	11.4	20.4	37.9	75.3	162.9	357.4	1,108.2
1988.....	3.2	4.3	7.1	11.8	21.6	39.9	79.1	170.2	378.0	1,148.8
1987.....	2.7	4.3	6.9	10.9	20.8	38.3	77.0	160.4	345.3	1,034.6
1986.....	3.0	4.5	6.7	11.8	21.7	38.3	77.7	167.2	345.1	1,037.2
1985.....	2.8	4.3	7.2	11.8	20.9	36.7	77.6	162.0	347.8	1,028.7
1984.....	2.6	4.0	6.4	10.8	19.4	33.8	72.3	147.7	314.5	900.4
1983.....	2.4	3.9	6.8	10.8	19.2	34.2	66.0	138.4	304.1	876.3
1982.....	2.4	3.5	6.5	11.0	18.1	31.8	62.0	128.6	274.1	756.9
1981.....	2.5	4.4	6.8	12.1	19.6	34.2	65.3	139.3	297.8	815.1
1980.....	2.9	4.5	7.2	12.1	20.6	36.4	69.5	142.1	316.5	849.0
1979.....	2.7	4.3	6.9	10.8	18.6	31.8	63.2	124.6	279.7	702.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMONIA (480-486)										
WHITE MALE										
1998.....	3.6	5.2	7.6	13.8	24.6	46.6	101.7	201.4	456.6	1,260.8
1997.....	3.9	5.4	8.3	12.9	25.1	47.3	98.2	203.6	455.3	1,270.5
1996.....	4.1	5.5	8.0	14.1	23.0	45.6	97.4	200.0	446.4	1,247.8
1995.....	4.0	5.9	8.1	12.0	24.9	46.0	99.5	209.1	454.8	1,297.9
1994.....	4.0	5.8	8.2	12.5	25.4	48.3	97.5	210.3	456.9	1,323.2
1993.....	4.7	5.0	8.4	12.9	26.7	50.2	101.2	219.6	481.3	1,379.0
1992.....	3.8	5.6	7.1	13.5	23.1	48.2	95.9	211.9	471.9	1,325.6
1991.....	3.9	5.5	7.9	14.4	26.5	46.0	100.2	219.4	501.3	1,378.2
1990.....	4.0	5.5	8.9	14.9	27.4	49.8	107.0	233.9	514.5	1,416.9
1989.....	4.0	5.4	8.0	15.2	27.1	51.1	106.9	225.4	492.3	1,397.1
1988.....	4.3	5.7	9.0	14.9	29.1	56.0	111.8	244.3	533.9	1,470.2
1987.....	3.6	5.5	8.9	14.0	28.1	53.9	109.7	228.5	491.0	1,350.5
1986.....	3.9	5.4	8.9	15.2	30.4	53.5	111.3	244.9	498.7	1,374.4
1985.....	3.2	5.4	9.3	15.9	29.4	52.7	112.0	238.0	498.6	1,364.4
1984.....	3.3	4.6	8.4	14.9	27.2	47.7	106.1	217.2	455.5	1,205.2
1983.....	3.0	5.0	8.9	14.7	27.0	49.4	96.4	201.9	438.6	1,173.0
1982.....	3.0	4.7	8.3	15.4	24.5	45.8	90.5	195.4	405.7	1,046.8
1981.....	3.3	5.4	8.3	16.4	27.4	49.4	93.4	204.1	432.5	1,074.6
1980.....	3.6	6.0	9.6	15.9	28.4	51.7	100.6	204.3	451.5	1,112.8
1979.....	3.2	5.3	9.5	15.2	25.5	47.1	96.1	180.2	406.4	948.5
WHITE FEMALE										
1998.....	2.6	3.3	5.4	8.5	16.4	29.3	59.4	124.9	292.9	983.6
1997.....	2.5	3.3	5.6	9.5	16.2	26.9	56.1	121.7	281.6	946.7
1996.....	2.3	3.5	5.0	8.3	15.7	26.2	57.2	120.3	277.9	935.1
1995.....	2.4	3.0	5.4	8.3	14.3	27.0	56.4	122.3	273.6	949.6
1994.....	2.2	3.4	5.0	8.1	15.2	26.7	54.8	122.5	282.0	927.8
1993.....	2.4	3.2	5.7	9.0	15.3	28.2	53.4	122.5	282.8	990.4
1992.....	1.9	2.9	4.5	8.6	13.8	26.1	52.6	113.1	262.7	915.0
1991.....	1.9	3.1	5.4	8.0	15.0	26.9	54.5	118.7	274.9	974.9
1990.....	2.0	3.7	4.9	8.6	14.3	26.8	55.7	125.7	292.4	1,022.1
1989.....	2.1	3.4	5.0	7.8	14.5	27.1	51.7	122.7	286.4	998.3
1988.....	2.1	3.0	5.2	9.0	15.0	26.7	54.9	123.0	296.6	1,025.5
1987.....	1.7	3.0	5.0	8.1	14.4	25.4	53.1	117.3	269.5	912.2
1986.....	2.2	3.5	4.6	8.6	14.1	25.9	53.1	118.4	265.3	905.9
1985.....	2.4	3.2	5.3	8.0	13.5	23.6	52.6	114.3	269.4	897.2
1984.....	1.9	3.4	4.4	7.2	12.5	22.5	47.8	104.3	241.1	779.6
1983.....	1.8	2.9	4.8	7.2	12.3	21.9	43.9	98.8	233.8	756.9
1982.....	1.8	2.4	4.9	7.1	12.4	20.4	41.4	87.0	205.3	638.1
1981.....	1.8	3.6	5.3	8.1	12.8	22.0	45.1	99.0	227.3	706.6
1980.....	2.3	3.1	5.0	8.6	13.7	24.2	47.0	103.4	245.6	735.3
1979.....	2.2	3.3	4.5	6.9	12.6	19.5	39.6	90.0	212.5	594.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMONIA (480-486)										
ALL OTHER, BOTH SEXES										
1998.....	7.8	9.7	13.4	19.7	33.6	51.7	100.8	184.3	369.0	822.8
1997.....	7.0	12.0	13.7	20.9	34.9	51.3	97.3	176.4	345.5	789.3
1996.....	8.9	11.4	14.2	22.4	35.0	51.5	104.0	165.5	360.3	791.6
1995.....	8.1	12.3	15.3	21.8	33.1	52.9	103.9	176.7	352.0	833.0
1994.....	9.5	11.4	15.3	20.8	31.5	55.8	92.0	172.4	331.8	809.0
1993.....	9.7	12.6	13.3	22.3	36.6	56.1	106.2	189.2	348.2	828.5
1992.....	9.6	10.5	13.9	21.8	33.9	56.8	95.8	154.7	328.1	789.6
1991.....	9.5	12.5	16.9	23.6	35.4	54.9	97.0	177.2	345.7	828.8
1990.....	10.7	12.1	17.3	24.1	41.1	62.5	103.6	186.6	355.0	837.0
1989.....	11.7	14.1	18.3	26.8	38.5	62.0	109.1	195.3	335.1	823.8
1988.....	10.6	17.3	18.4	28.2	41.8	63.1	103.9	182.1	313.1	732.7
1987.....	10.8	14.2	18.5	23.6	40.4	56.6	93.8	162.8	319.8	709.2
1986.....	11.9	13.9	17.4	25.4	42.0	61.1	99.7	176.4	324.2	730.7
1985.....	10.4	13.5	18.7	26.3	42.0	58.1	97.4	172.1	335.1	667.9
1984.....	10.2	12.8	19.8	24.2	37.7	55.3	96.4	156.9	295.2	581.6
1983.....	9.2	12.4	17.5	25.4	38.2	52.5	88.1	142.6	273.7	533.5
1982.....	9.8	15.3	16.5	26.6	37.0	45.5	87.2	115.8	244.2	475.4
1981.....	11.4	16.0	20.9	30.9	41.5	56.6	85.7	134.1	266.0	507.4
1980.....	12.3	17.4	22.0	32.7	41.0	66.8	93.9	171.9	277.0	589.7
1979.....	11.9	14.3	22.1	26.9	39.3	51.6	84.6	132.5	218.3	449.4
ALL OTHER MALE										
1998.....	10.2	13.1	18.7	27.7	47.3	75.8	146.5	256.6	496.7	990.3
1997.....	9.0	17.0	19.6	29.0	47.9	72.5	130.1	248.8	476.0	987.7
1996.....	11.5	17.2	19.5	31.8	51.1	72.0	153.3	244.1	505.6	1,022.0
1995.....	11.0	18.1	22.2	30.9	46.3	77.6	145.8	245.1	495.3	1,096.1
1994.....	12.2	16.6	22.4	31.2	44.0	75.7	130.5	257.2	478.5	1,064.6
1993.....	13.4	18.2	19.9	31.7	51.9	84.9	147.1	283.8	497.7	1,080.8
1992.....	14.0	16.0	20.8	35.6	48.7	78.9	143.1	233.8	478.0	1,022.0
1991.....	12.7	17.8	22.5	34.1	52.1	77.5	138.2	261.3	507.8	1,089.5
1990.....	16.2	18.6	25.7	34.9	58.2	92.0	156.8	268.9	536.2	1,081.1
1989.....	16.9	21.4	27.9	39.7	58.5	93.8	172.2	278.4	469.4	1,055.6
1988.....	15.4	27.0	28.8	42.1	63.3	93.9	152.9	276.7	441.0	963.3
1987.....	15.5	20.8	27.4	36.4	61.4	83.5	150.5	252.1	463.4	961.0
1986.....	17.5	19.8	25.0	38.3	61.1	91.2	153.9	266.2	477.8	1,052.0
1985.....	16.0	21.0	27.2	40.0	62.9	89.8	156.3	250.0	481.0	906.8
1984.....	14.2	19.7	32.1	37.2	60.9	82.7	148.8	243.6	414.9	784.7
1983.....	14.8	18.4	26.2	38.5	59.8	82.2	138.9	215.2	433.0	721.4
1982.....	14.6	25.0	24.6	38.4	57.5	70.1	137.4	167.7	352.1	671.6
1981.....	16.3	24.4	33.6	48.0	64.3	88.0	132.5	194.1	394.5	721.9
1980.....	17.9	27.7	34.1	47.4	67.1	104.0	133.7	250.6	398.9	855.8
1979.....	17.3	22.4	34.5	40.8	59.9	79.6	120.5	197.3	324.4	654.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMONIA (480-486)										
ALL OTHER FEMALE										
1998.....	5.7	6.8	9.0	13.2	22.9	33.7	68.7	136.2	296.3	746.3
1997.....	5.2	7.8	8.7	14.4	24.9	35.5	74.3	129.2	272.2	699.5
1996.....	6.7	6.5	9.8	14.7	22.7	36.3	69.6	114.7	278.7	687.8
1995.....	5.6	7.4	9.5	14.3	23.0	34.5	74.8	133.0	273.3	719.1
1994.....	7.2	7.0	9.3	12.4	21.8	41.1	65.2	119.2	251.2	698.3
1993.....	6.4	7.9	7.8	14.6	24.8	34.8	77.7	130.4	265.0	718.5
1992.....	5.8	5.8	8.1	10.6	22.6	40.5	63.0	105.7	243.7	684.9
1991.....	6.7	8.0	12.1	15.1	22.7	38.3	68.9	124.9	252.8	705.8
1990.....	5.9	6.5	10.3	15.4	28.1	40.7	67.4	135.5	252.8	726.0
1989.....	7.1	7.8	10.2	16.4	23.3	38.4	66.0	143.4	258.5	716.6
1988.....	6.5	9.0	9.7	17.0	25.3	40.2	70.8	122.3	238.2	624.9
1987.....	6.8	8.4	11.1	13.3	24.2	36.6	55.1	105.7	237.8	590.2
1986.....	7.2	8.8	11.1	15.0	27.1	38.6	62.5	118.5	237.8	576.3
1985.....	5.6	7.0	11.6	15.2	25.7	34.4	56.8	121.0	250.0	556.0
1984.....	6.7	6.9	9.6	13.5	19.4	34.7	59.6	99.3	223.7	480.7
1983.....	4.4	7.4	10.4	14.7	20.9	30.3	52.4	93.9	180.0	438.8
1982.....	5.6	7.1	9.9	17.0	20.8	27.0	51.1	80.4	179.6	372.9
1981.....	7.2	8.9	10.5	16.8	23.3	32.9	51.2	93.5	188.0	398.4
1980.....	7.5	8.9	12.2	20.6	20.0	38.3	64.2	118.3	202.2	453.5
1979.....	7.4	7.7	11.9	15.3	22.6	30.1	57.3	86.8	153.3	347.4
BLACK, BOTH SEXES										
1998.....	10.0	12.3	17.1	23.9	41.5	58.3	109.9	195.2	384.4	807.4
1997.....	8.9	15.3	16.3	25.3	41.0	56.6	107.8	187.4	351.0	790.8
1996.....	11.5	14.5	17.9	28.2	41.3	59.5	113.3	173.4	364.6	792.5
1995.....	10.1	16.0	18.2	26.9	38.8	59.5	116.2	183.1	359.2	785.9
1994.....	12.1	15.1	19.3	25.0	37.3	62.0	100.3	181.7	328.5	769.9
1993.....	12.1	16.4	16.9	27.0	43.4	62.9	113.7	194.5	349.8	790.4
1992.....	12.5	12.9	17.4	25.8	38.9	64.7	103.3	161.6	337.2	768.4
1991.....	12.0	15.8	21.1	27.4	41.2	60.9	106.8	184.7	345.8	787.1
1990.....	13.8	15.1	21.4	28.9	47.5	71.0	115.3	190.5	355.2	797.7
1989.....	15.2	17.4	21.9	31.4	43.8	70.0	118.7	202.3	331.9	788.6
1988.....	13.7	21.6	22.0	33.7	47.1	70.7	110.8	190.3	319.9	719.2
1987.....	13.7	17.1	21.9	26.8	46.3	65.0	100.6	171.6	324.0	679.3
1986.....	14.9	16.8	21.0	29.9	48.8	68.8	108.8	183.0	328.6	705.0
1985.....	12.9	16.2	22.5	30.3	48.3	63.5	103.4	181.9	331.8	643.1
1984.....	12.3	15.2	23.2	27.9	41.1	59.7	102.5	161.9	293.2	550.5
1983.....	10.8	15.2	20.4	29.8	41.5	56.3	92.7	147.8	272.7	503.8
1982.....	11.7	18.3	18.9	30.0	40.9	48.2	91.9	116.7	247.7	444.9
1981.....	13.8	18.8	24.0	35.3	45.6	60.8	89.7	137.6	267.9	485.7
1980.....	14.4	20.4	24.1	36.7	45.1	71.0	97.6	168.1	281.7	564.6
1979.....	13.5	16.7	24.3	29.4	42.1	52.9	88.7	130.1	208.5	429.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMONIA (480-486)										
BLACK MALE										
1998.....	13.2	16.9	24.2	34.9	60.5	85.7	160.7	276.6	528.1	958.2
1997.....	11.4	21.7	24.1	36.6	57.4	79.8	142.9	269.4	478.1	991.9
1996.....	15.1	22.1	25.1	40.8	60.4	82.3	168.5	257.3	519.8	1,029.5
1995.....	14.1	23.9	27.4	39.6	54.8	88.0	162.9	254.1	510.7	1,020.1
1994.....	15.4	22.1	28.7	38.2	52.4	85.2	143.2	273.1	477.7	1,010.8
1993.....	16.7	24.1	26.0	39.5	62.9	94.5	157.2	293.4	510.4	1,000.1
1992.....	18.2	19.9	26.4	43.0	56.7	93.0	155.8	245.5	505.9	984.7
1991.....	16.2	23.1	29.0	41.4	61.1	86.4	152.3	277.9	508.9	1,053.6
1990.....	21.3	23.9	32.4	42.2	68.4	108.1	175.9	278.7	547.0	1,042.7
1989.....	22.1	26.7	34.6	47.8	68.5	109.2	190.5	287.1	478.4	998.5
1988.....	20.2	34.6	35.6	50.4	72.5	107.1	164.0	294.4	463.8	946.2
1987.....	19.8	25.8	33.5	41.5	71.7	96.8	163.5	269.7	478.3	948.4
1986.....	22.3	24.7	30.3	45.5	71.6	105.2	172.6	277.3	482.2	1,025.4
1985.....	20.6	25.7	33.7	45.7	72.4	99.1	169.5	264.7	470.1	879.0
1984.....	17.0	24.4	37.8	43.3	66.4	89.6	161.2	253.3	416.7	759.0
1983.....	17.7	23.1	31.3	45.2	66.5	88.7	149.6	227.3	430.5	710.0
1982.....	18.0	31.0	28.5	43.6	63.7	74.9	147.9	171.4	361.3	619.0
1981.....	20.3	29.0	39.1	55.9	71.4	95.8	141.0	202.5	396.1	680.4
1980.....	21.2	33.2	37.9	53.4	74.1	111.6	142.8	245.8	398.5	809.3
1979.....	20.2	26.3	37.8	45.0	64.2	82.8	127.4	193.2	311.7	634.6
BLACK FEMALE										
1998.....	7.2	8.5	11.3	15.2	27.4	37.9	74.6	143.1	309.1	744.7
1997.....	6.8	9.8	10.0	16.5	28.7	39.2	83.7	135.6	285.1	707.6
1996.....	8.4	8.0	12.1	18.4	26.9	42.5	75.8	121.0	284.5	695.2
1995.....	6.7	9.3	10.8	16.9	26.8	38.3	84.8	139.5	282.2	690.7
1994.....	9.2	9.3	11.7	14.8	25.9	44.8	71.5	126.6	252.5	672.1
1993.....	8.1	9.9	9.4	17.2	28.7	39.7	84.3	135.9	267.3	704.9
1992.....	7.6	7.0	10.1	12.2	25.4	44.0	68.3	112.6	249.9	678.4
1991.....	8.3	9.6	14.7	16.4	26.0	42.5	76.7	129.9	261.7	674.2
1990.....	7.4	7.8	12.4	18.4	31.8	44.1	75.6	138.8	255.9	693.9
1989.....	9.2	9.7	11.6	18.3	25.0	41.6	71.7	152.2	255.1	703.3
1988.....	8.2	10.7	10.8	20.4	27.8	44.3	75.5	128.0	243.8	620.1
1987.....	8.5	9.9	12.5	15.0	26.9	41.8	59.0	112.1	240.9	559.7
1986.....	8.6	10.3	13.4	17.4	31.4	42.1	66.5	125.3	244.8	558.7
1985.....	6.4	8.3	13.4	17.7	29.7	37.4	59.7	130.4	255.7	533.1
1984.....	8.2	7.6	11.2	15.4	21.4	37.6	63.2	104.5	225.0	451.9
1983.....	5.0	8.7	11.5	17.3	22.1	32.5	54.4	96.5	183.4	404.0
1982.....	6.5	7.8	11.2	18.9	23.1	28.5	53.4	82.1	181.9	359.3
1981.....	8.3	10.4	11.8	18.4	25.2	35.0	53.8	95.5	193.2	385.0
1980.....	8.7	9.8	12.9	23.1	22.2	40.8	65.5	117.5	211.7	442.3
1979.....	8.0	8.8	13.3	16.5	24.6	30.5	60.8	86.4	144.4	326.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 VIRAL PNEUMONIA (480)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	*	0.3	0.4	0.7	1.4	3.7
1997.....	*	*	*	*	*	*	0.4	0.6	0.9	2.6
1996.....	*	*	*	*	*	*	0.6	0.7	1.0	2.2
1995.....	*	*	*	*	*	0.2	0.4	0.7	1.1	2.5
1994.....	*	*	*	*	0.2	0.5	0.4	0.8	1.5	2.9
1993.....	*	*	*	*	0.2	0.2	0.5	0.8	1.3	3.6
1992.....	*	*	*	*	*	0.3	0.5	0.9	1.3	2.9
1991.....	*	*	*	*	0.3	0.4	0.7	0.8	2.1	3.7
1990.....	*	*	*	0.2	0.3	0.6	0.6	1.5	2.3	5.3
1989.....	*	0.1	*	*	0.2	0.4	0.5	1.1	2.3	5.6
1988.....	*	*	*	*	0.3	0.4	0.8	1.3	2.2	6.0
1987.....	*	*	*	0.2	0.3	0.4	0.6	1.0	1.7	4.5
1986.....	*	*	*	*	0.2	0.4	0.8	1.6	2.1	6.2
1985.....	*	*	*	*	0.3	0.5	0.8	1.4	2.6	7.0
1984.....	*	*	*	0.2	0.2	0.4	0.7	1.1	2.0	5.2
1983.....	*	*	*	0.2	0.2	0.5	0.9	0.9	2.4	7.3
1982.....	*	*	*	0.2	0.2	0.4	0.9	1.2	1.9	5.2
1981.....	*	*	*	0.3	0.4	0.4	1.0	1.7	3.1	9.6
1980.....	0.2	0.2	0.1	0.3	0.4	0.6	1.1	2.0	4.2	11.4
1979.....	0.1	0.1	0.1	0.2	0.2	0.4	1.0	1.3	2.2	6.2
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	0.9	1.5	3.7
1997.....	*	*	*	*	*	*	0.6	1.0	*	3.2
1996.....	*	*	*	*	*	*	0.6	0.9	*	3.0
1995.....	*	*	*	*	*	*	*	1.0	1.7	2.3
1994.....	*	*	*	*	*	0.5	*	0.9	1.9	3.1
1993.....	*	*	*	*	*	*	0.6	1.0	2.2	3.0
1992.....	*	*	*	*	*	*	*	1.3	*	3.2
1991.....	*	*	*	*	*	*	0.9	1.1	2.6	4.0
1990.....	*	*	*	*	*	0.8	0.6	1.8	3.3	6.7
1989.....	*	*	*	*	*	0.5	0.7	1.3	2.8	4.3
1988.....	*	*	*	*	*	*	1.0	1.4	2.7	6.5
1987.....	*	*	*	*	*	*	*	1.3	2.3	5.9
1986.....	*	*	*	*	*	*	1.1	2.1	2.4	5.3
1985.....	*	*	*	*	*	0.6	1.1	1.8	2.9	7.8
1984.....	*	*	*	*	*	*	0.7	1.6	2.6	6.2
1983.....	*	*	*	*	*	*	1.0	*	3.6	6.4
1982.....	*	*	*	*	*	0.5	1.1	1.6	2.2	7.1
1981.....	*	*	*	*	*	0.5	1.0	1.8	3.1	10.3
1980.....	0.1	0.1	0.1	0.1	0.5	0.9	1.4	2.6	4.6	13.4
1979.....	0.0	0.1	0.1	0.3	0.2	0.4	1.0	1.4	2.2	7.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 VIRAL PNEUMONIA (480)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	0.4	*	0.5	1.3	3.7
1997.....	*	*	*	*	*	*	*	*	1.0	2.4
1996.....	*	*	*	*	*	*	0.5	0.6	0.9	1.9
1995.....	*	*	*	*	*	*	*	*	0.7	2.6
1994.....	*	*	*	*	*	0.4	*	0.8	1.3	2.8
1993.....	*	*	*	*	*	*	0.4	0.7	0.9	3.8
1992.....	*	*	*	*	*	*	0.5	0.6	1.4	2.9
1991.....	*	*	*	*	*	*	0.6	0.6	1.8	3.6
1990.....	*	*	*	*	*	0.4	0.7	1.3	1.8	4.7
1989.....	*	*	*	*	*	0.4	*	0.9	2.0	6.1
1988.....	*	*	*	*	*	*	0.6	1.2	1.9	5.8
1987.....	*	*	*	*	*	*	0.6	0.8	1.3	4.0
1986.....	*	*	*	*	*	0.4	0.6	1.2	1.9	6.6
1985.....	*	*	*	*	*	*	0.6	1.2	2.5	6.7
1984.....	*	*	*	*	*	*	0.7	0.8	1.7	4.9
1983.....	*	*	*	*	*	0.5	0.8	0.9	1.8	7.7
1982.....	*	*	*	*	*	*	0.8	0.9	1.7	4.4
1981.....	*	*	*	*	0.4	*	0.9	1.7	3.0	9.3
1980.....	0.2	0.2	0.1	0.4	0.4	0.4	0.9	1.6	4.0	10.5
1979.....	0.2	0.1	0.1	0.2	0.2	0.5	1.0	1.2	2.2	5.6
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	0.3	0.4	0.7	1.5	4.0
1997.....	*	*	*	*	*	*	0.4	0.6	1.0	2.8
1996.....	*	*	*	*	*	*	0.6	0.7	1.0	2.3
1995.....	*	*	*	*	*	0.3	0.4	0.7	1.1	2.7
1994.....	*	*	*	*	*	0.5	0.4	0.9	1.6	3.1
1993.....	*	*	*	*	0.2	0.2	0.5	0.8	1.4	3.8
1992.....	*	*	*	*	*	0.3	0.5	0.9	1.5	3.2
1991.....	*	*	*	*	0.2	0.4	0.8	0.9	2.2	3.9
1990.....	*	*	*	0.2	0.3	0.6	0.6	1.6	2.5	5.6
1989.....	*	*	*	*	*	0.5	0.5	1.1	2.4	6.0
1988.....	*	*	*	*	0.4	0.4	0.8	1.4	2.3	6.3
1987.....	*	*	*	*	0.3	0.4	0.5	1.1	1.7	4.8
1986.....	*	*	*	*	0.2	0.4	0.8	1.6	2.2	6.5
1985.....	*	*	*	*	0.3	0.5	0.8	1.4	2.7	7.2
1984.....	*	*	*	0.2	0.2	0.4	0.7	1.3	2.0	5.6
1983.....	*	*	*	0.2	0.3	0.5	1.0	1.0	2.5	7.7
1982.....	*	*	*	0.2	*	0.4	1.0	1.2	1.8	5.5
1981.....	*	*	*	0.3	0.4	0.4	1.0	1.8	3.3	10.1
1980.....	0.1	0.2	0.1	0.2	0.4	0.7	1.1	2.1	4.1	12.0
1979.....	0.1	0.1	0.1	0.3	0.2	0.4	1.1	1.4	2.3	6.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 VIRAL PNEUMONIA (480)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	0.9	1.6	3.9
1997.....	*	*	*	*	*	*	*	1.0	*	3.5
1996.....	*	*	*	*	*	*	0.6	0.9	*	3.2
1995.....	*	*	*	*	*	*	*	1.1	1.8	2.4
1994.....	*	*	*	*	*	0.6	*	0.9	2.0	3.3
1993.....	*	*	*	*	*	*	0.7	1.0	2.3	3.0
1992.....	*	*	*	*	*	*	*	1.3	*	3.5
1991.....	*	*	*	*	*	*	1.0	1.2	2.8	4.3
1990.....	*	*	*	*	*	0.7	*	1.9	3.6	7.2
1989.....	*	*	*	*	*	0.5	0.8	1.3	2.8	4.4
1988.....	*	*	*	*	*	*	1.1	1.6	2.8	7.0
1987.....	*	*	*	*	*	*	*	1.4	2.6	6.1
1986.....	*	*	*	*	*	*	1.1	2.2	2.4	5.8
1985.....	*	*	*	*	*	0.6	1.2	1.6	2.9	8.4
1984.....	*	*	*	*	*	*	*	1.8	2.5	6.4
1983.....	*	*	*	*	*	*	1.1	*	3.9	6.3
1982.....	*	*	*	*	*	*	1.2	1.6	2.0	7.8
1981.....	*	*	*	*	*	*	1.1	1.9	3.3	10.8
1980.....	0.1	0.1	0.1	0.1	0.4	1.0	1.3	2.7	4.4	14.2
1979.....	0.0	0.0	0.1	0.3	0.2	0.3	1.2	1.5	2.3	7.9
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	0.6	1.4	4.0
1997.....	*	*	*	*	*	*	*	*	1.1	2.6
1996.....	*	*	*	*	*	*	0.5	0.6	0.9	2.0
1995.....	*	*	*	*	*	*	*	*	*	2.8
1994.....	*	*	*	*	*	0.4	*	0.8	1.3	3.1
1993.....	*	*	*	*	*	*	*	0.7	0.9	4.1
1992.....	*	*	*	*	*	*	0.5	0.6	1.6	3.1
1991.....	*	*	*	*	*	*	0.6	0.7	1.8	3.7
1990.....	*	*	*	*	*	0.5	0.7	1.3	1.9	4.9
1989.....	*	*	*	*	*	0.5	*	1.0	2.1	6.6
1988.....	*	*	*	*	*	*	0.7	1.3	2.0	6.1
1987.....	*	*	*	*	*	*	0.6	0.8	1.2	4.2
1986.....	*	*	*	*	*	0.4	0.6	1.3	2.1	6.7
1985.....	*	*	*	*	*	*	0.5	1.3	2.7	6.7
1984.....	*	*	*	*	*	*	0.7	0.9	1.8	5.3
1983.....	*	*	*	*	*	0.5	0.9	1.0	1.8	8.3
1982.....	*	*	*	*	*	*	0.8	0.9	1.7	4.6
1981.....	*	*	*	*	0.4	*	1.0	1.7	3.2	9.8
1980.....	0.1	0.2	0.1	0.3	0.4	0.4	0.9	1.7	4.0	11.1
1979.....	0.2	0.1	0.1	0.3	0.2	0.5	1.0	1.3	2.3	5.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 VIRAL PNEUMONIA (480)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.2	-	0.4	0.5	0.3	1.1	1.1	4.8	3.9
1979.....	0.1	0.1	0.2	0.1	0.3	0.4	0.2	0.7	0.9	2.9
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.2	-	0.4	1.1	0.3	2.2	1.7	6.9	4.9
1979.....	-	0.3	-	0.2	0.5	0.5	-	0.5	1.2	3.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 VIRAL PNEUMONIA (480)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.3	-	0.5	-	0.4	0.3	0.8	3.5	3.4
1979.....	0.1	-	0.3	-	0.2	0.4	0.3	0.8	0.7	2.6
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.3	-	0.5	0.6	0.4	1.1	0.8	5.5	3.8
1979.....	0.1	0.2	0.1	0.1	0.4	0.5	0.2	0.8	0.5	1.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 VIRAL PNEUMONIA (480)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.2	-	0.4	1.3	0.3	2.1	1.3	8.0	3.8
1979.....	-	0.4	-	0.2	0.5	0.6	-	0.6	-	3.8
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	0.3	-	0.5	-	0.4	0.3	0.4	4.0	3.8
1979.....	0.1	-	0.2	-	0.2	0.4	0.3	0.8	0.8	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)										
TOTAL, BOTH SEXES										
1998.....	0.8	0.9	1.0	1.5	2.4	3.5	6.3	10.3	20.6	50.5
1997.....	0.8	0.9	1.4	1.6	2.8	3.1	6.1	10.5	20.1	48.0
1996.....	0.8	1.1	1.2	1.8	2.6	3.4	6.5	9.9	20.5	49.4
1995.....	0.7	1.1	1.3	1.7	2.7	3.4	5.9	10.5	20.8	51.9
1994.....	0.8	1.0	1.3	1.8	2.6	3.8	6.0	10.7	21.7	54.2
1993.....	1.0	0.9	1.4	1.9	2.7	3.6	6.8	12.9	23.3	57.5
1992.....	0.8	0.7	1.0	1.8	2.4	4.0	6.5	10.9	22.8	56.8
1991.....	0.8	0.9	1.2	1.8	2.7	3.9	6.6	12.3	23.9	63.7
1990.....	0.8	1.0	1.5	1.9	3.1	4.1	7.5	13.4	26.8	65.3
1989.....	0.9	1.0	1.4	1.7	2.8	4.7	6.9	13.3	25.7	65.0
1988.....	0.8	1.0	1.4	2.0	2.8	4.1	7.4	14.2	28.0	66.7
1987.....	0.7	1.1	1.4	2.0	3.3	4.5	7.7	13.8	25.5	62.2
1986.....	0.8	1.0	1.6	2.1	3.0	4.8	8.3	15.2	28.1	67.0
1985.....	0.6	1.0	1.6	2.0	3.1	4.3	8.5	15.7	27.9	66.0
1984.....	0.7	1.0	1.4	1.8	2.9	4.2	8.1	14.4	26.5	63.7
1983.....	0.6	1.1	1.5	1.9	3.2	4.2	7.0	13.3	25.1	56.3
1982.....	0.6	1.0	1.3	1.8	2.6	4.5	6.8	13.0	22.2	54.2
1981.....	0.9	1.1	1.3	2.2	3.2	4.7	8.0	14.0	27.4	59.6
1980.....	0.9	1.3	1.6	2.4	3.4	5.3	8.7	15.6	29.8	67.2
1979.....	0.8	1.0	1.5	2.2	2.9	4.5	7.3	12.6	25.6	57.4
TOTAL, MALE										
1998.....	1.1	1.2	1.0	1.9	2.9	4.7	8.8	14.6	30.6	70.8
1997.....	1.0	1.2	1.9	2.0	3.6	4.1	8.1	14.0	28.9	65.4
1996.....	1.0	1.3	1.5	2.2	2.8	4.5	8.8	13.3	27.4	64.9
1995.....	0.8	1.4	1.7	2.0	3.6	4.4	8.0	14.3	27.6	76.7
1994.....	1.0	1.4	1.7	2.4	3.4	5.0	8.1	14.2	30.3	73.6
1993.....	1.3	1.2	1.6	2.3	3.5	4.8	8.7	19.1	32.6	81.2
1992.....	1.2	0.9	1.2	2.1	2.9	5.2	8.5	16.2	35.2	78.8
1991.....	1.0	1.2	1.6	2.1	3.7	5.2	9.1	17.3	35.0	92.1
1990.....	1.1	1.1	2.1	2.6	4.1	5.3	10.4	19.4	39.4	90.3
1989.....	1.2	1.4	1.8	2.2	3.9	6.3	9.1	18.6	38.2	97.6
1988.....	1.2	1.3	1.9	2.7	3.7	6.0	10.4	21.7	41.3	95.3
1987.....	0.9	1.4	1.7	2.5	4.4	6.4	10.8	20.6	38.3	90.6
1986.....	1.1	1.4	2.2	2.9	4.1	6.6	12.0	22.8	44.6	102.7
1985.....	0.7	1.3	2.0	2.7	4.1	6.1	12.1	22.8	42.6	104.3
1984.....	0.8	1.3	2.2	2.5	4.2	5.9	12.1	22.3	38.0	97.6
1983.....	1.0	1.5	2.0	2.8	4.5	5.5	9.9	19.7	39.5	84.8
1982.....	0.6	1.3	1.8	2.5	3.3	6.5	10.1	20.5	35.8	84.0
1981.....	1.2	1.5	1.6	3.1	4.3	6.9	11.8	22.6	43.9	95.7
1980.....	1.2	1.8	2.4	3.2	4.6	7.4	12.7	23.7	44.2	102.4
1979.....	1.2	1.3	2.2	3.2	4.0	6.7	11.2	19.2	39.7	88.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)										
TOTAL, FEMALE										
1998.....	0.6	0.6	0.9	1.1	1.9	2.6	4.4	7.1	14.7	42.1
1997.....	0.7	0.6	1.0	1.2	2.0	2.3	4.6	8.1	14.9	41.1
1996.....	0.6	0.8	1.0	1.4	2.3	2.4	4.7	7.5	16.6	43.3
1995.....	0.6	0.8	0.9	1.4	1.9	2.7	4.3	7.8	16.9	42.2
1994.....	0.6	0.7	0.9	1.2	1.9	2.8	4.3	8.3	17.0	46.8
1993.....	0.7	0.6	1.1	1.4	2.0	2.6	5.3	8.8	18.2	48.4
1992.....	0.5	0.6	0.8	1.4	2.0	3.1	5.1	7.4	16.2	48.3
1991.....	0.6	0.6	0.9	1.5	1.9	2.8	4.8	9.1	18.0	52.8
1990.....	0.5	0.9	0.9	1.3	2.2	3.2	5.4	9.5	20.1	55.6
1989.....	0.6	0.7	0.9	1.3	1.9	3.4	5.3	9.9	19.1	52.3
1988.....	0.4	0.8	1.0	1.4	2.0	2.6	5.1	9.3	21.0	55.5
1987.....	0.5	0.7	1.1	1.5	2.3	3.0	5.5	9.6	18.7	51.0
1986.....	0.5	0.6	1.1	1.4	2.0	3.4	5.6	10.3	19.5	52.9
1985.....	0.5	0.7	1.2	1.4	2.2	2.8	5.9	11.2	20.3	50.6
1984.....	0.5	0.7	0.6	1.2	1.8	2.8	5.3	9.4	20.5	50.0
1983.....	*	0.7	1.1	1.1	2.0	3.1	4.9	9.3	17.6	44.6
1982.....	0.5	0.7	0.9	1.2	1.9	2.9	4.5	8.3	15.0	41.9
1981.....	0.6	0.8	1.1	1.5	2.3	3.0	5.2	8.7	18.7	44.1
1980.....	0.5	0.8	0.9	1.8	2.3	3.6	5.8	10.5	22.1	51.8
1979.....	0.4	0.7	0.8	1.4	2.0	2.7	4.5	8.4	18.1	43.7
WHITE, BOTH SEXES										
1998.....	0.6	0.7	0.8	1.3	2.2	3.3	5.8	9.8	20.4	50.6
1997.....	0.7	0.7	1.2	1.4	2.4	2.9	5.7	10.1	19.7	47.6
1996.....	0.6	0.8	1.0	1.5	2.2	3.1	6.0	9.8	19.8	49.5
1995.....	0.6	0.8	1.0	1.4	2.4	3.1	5.6	10.4	20.4	51.4
1994.....	0.6	0.8	1.1	1.5	2.3	3.4	5.6	10.4	21.4	54.2
1993.....	0.8	0.7	1.1	1.3	2.5	3.3	6.2	12.4	22.8	56.0
1992.....	0.6	0.6	0.8	1.6	2.1	3.8	6.0	10.7	22.4	56.3
1991.....	0.6	0.7	0.9	1.4	2.4	3.5	6.1	12.0	23.1	63.8
1990.....	0.6	0.7	1.1	1.5	2.7	3.7	7.1	13.3	26.2	65.5
1989.....	0.6	0.8	1.0	1.5	2.5	4.3	6.6	12.9	25.1	65.2
1988.....	0.6	0.7	1.2	1.5	2.3	3.9	7.0	13.7	27.9	67.4
1987.....	0.5	0.6	1.1	1.7	2.9	4.3	7.6	13.7	24.9	62.7
1986.....	0.6	0.8	1.3	1.8	2.5	4.4	7.9	14.8	27.8	67.1
1985.....	0.3	0.7	1.2	1.7	2.7	4.0	8.2	15.1	27.8	66.7
1984.....	0.5	0.8	1.1	1.5	2.7	4.0	7.9	13.8	25.9	63.3
1983.....	0.4	0.8	1.2	1.6	2.8	4.0	6.7	13.2	24.8	57.1
1982.....	0.3	0.6	1.1	1.6	2.4	4.3	6.4	12.9	21.9	55.1
1981.....	0.6	0.8	1.1	1.8	3.0	4.1	7.6	13.9	27.2	60.7
1980.....	0.5	0.9	1.2	2.0	3.0	4.7	8.2	14.7	29.2	67.9
1979.....	0.4	0.6	1.1	1.8	2.4	4.1	7.1	12.3	26.0	58.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)										
WHITE MALE										
1998.....	0.7	0.9	0.8	1.6	2.8	4.4	7.9	14.0	30.0	71.8
1997.....	0.8	1.0	1.6	1.7	3.0	3.6	7.7	13.4	28.3	65.4
1996.....	0.7	0.9	1.2	1.8	2.3	4.1	7.9	13.0	26.2	64.9
1995.....	0.7	1.1	1.3	1.6	3.1	4.0	7.6	14.1	27.4	74.5
1994.....	0.8	1.1	1.4	1.9	2.9	4.4	7.4	13.6	29.0	74.1
1993.....	1.0	0.8	1.2	1.5	3.0	4.5	8.0	17.8	31.8	79.2
1992.....	0.8	0.7	0.9	1.8	2.5	5.0	7.8	15.8	34.7	78.8
1991.....	0.7	0.8	1.1	1.8	3.2	4.7	8.4	16.6	34.1	92.1
1990.....	0.7	0.8	1.6	2.0	3.5	4.6	10.0	19.4	38.9	91.1
1989.....	0.7	1.0	1.2	1.8	3.3	5.6	8.4	18.0	36.9	98.8
1988.....	0.8	0.7	1.5	1.9	3.0	5.6	9.7	20.8	40.8	97.4
1987.....	0.6	0.8	1.3	2.1	3.8	6.2	10.4	20.1	37.5	91.1
1986.....	0.9	1.1	1.7	2.4	3.4	6.0	11.1	22.3	43.8	103.6
1985.....	0.4	0.8	1.6	2.2	3.7	5.7	11.6	22.4	42.4	105.8
1984.....	0.6	1.0	1.7	2.1	3.9	5.5	11.6	21.2	37.0	97.5
1983.....	0.6	1.1	1.4	2.2	3.9	5.1	9.5	19.4	39.1	86.0
1982.....	0.4	0.7	1.4	2.1	3.0	6.2	9.2	20.4	35.5	84.9
1981.....	0.9	1.0	1.1	2.5	3.8	5.9	11.0	22.2	44.0	98.1
1980.....	0.6	1.3	1.7	2.5	4.0	6.5	12.2	22.5	43.1	101.8
1979.....	0.6	0.8	1.5	2.5	3.2	6.2	10.8	19.0	40.2	90.9
WHITE FEMALE										
1998.....	0.5	0.5	0.8	1.0	1.7	2.5	4.1	6.7	14.6	41.9
1997.....	0.6	0.4	0.8	1.2	1.8	2.2	4.1	7.8	14.6	40.6
1996.....	0.5	0.7	0.9	1.1	2.1	2.2	4.4	7.6	16.1	43.4
1995.....	0.4	0.5	0.8	1.3	1.7	2.5	4.0	7.8	16.5	42.5
1994.....	0.4	0.5	0.8	1.2	1.7	2.5	4.3	8.2	17.1	46.6
1993.....	0.5	0.5	0.9	1.2	2.0	2.3	4.9	8.7	17.9	47.2
1992.....	0.4	0.5	0.6	1.3	1.7	2.8	4.7	7.3	15.7	47.7
1991.....	0.4	0.5	0.7	1.1	1.7	2.5	4.3	9.0	17.3	53.1
1990.....	0.4	0.7	0.8	1.1	2.0	3.0	4.9	9.4	19.5	55.8
1989.....	0.4	0.6	0.8	1.2	1.7	3.2	5.3	9.6	18.8	52.3
1988.....	*	0.7	0.9	1.1	1.7	2.5	5.0	9.1	21.1	55.9
1987.....	0.3	0.5	0.9	1.4	2.2	2.7	5.5	9.6	18.3	51.7
1986.....	0.4	0.6	0.9	1.3	1.8	3.1	5.6	10.1	19.5	52.9
1985.....	*	0.6	0.8	1.3	1.8	2.7	5.7	10.6	20.2	51.4
1984.....	0.4	0.6	0.6	1.0	1.6	2.8	5.2	9.2	20.1	49.7
1983.....	*	0.5	1.0	1.0	1.8	3.1	4.6	9.3	17.4	45.5
1982.....	*	0.4	0.8	1.2	1.9	2.8	4.4	8.2	14.7	42.8
1981.....	*	0.6	1.1	1.2	2.2	2.6	5.1	8.8	18.5	45.0
1980.....	0.3	0.6	0.7	1.5	2.1	3.2	5.3	9.8	21.9	53.3
1979.....	0.3	0.4	0.6	1.2	1.8	2.5	4.4	8.1	18.5	43.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)										
ALL OTHER, BOTH SEXES										
1998.....	1.8	2.1	2.0	2.6	3.6	4.9	10.4	14.6	23.5	49.5
1997.....	1.6	1.7	2.8	2.5	5.0	4.9	9.8	14.3	24.0	52.0
1996.....	1.8	2.5	2.5	3.8	4.8	5.1	10.7	10.2	28.0	49.0
1995.....	1.4	2.7	3.0	3.4	4.8	5.6	8.3	11.4	24.6	56.9
1994.....	1.9	2.5	2.3	3.1	4.7	6.5	8.8	13.4	25.7	55.0
1993.....	2.3	2.3	3.1	5.1	4.5	5.6	11.5	18.3	28.1	72.6
1992.....	2.1	1.7	2.3	3.0	4.5	6.0	11.0	13.0	27.6	62.2
1991.....	2.0	2.6	3.1	4.1	5.0	7.0	11.7	15.0	32.8	63.1
1990.....	2.2	2.5	3.4	4.5	6.0	7.8	11.5	14.0	33.0	63.3
1989.....	2.7	2.4	3.5	3.6	5.6	8.4	9.6	17.2	32.4	63.3
1988.....	2.3	3.3	2.8	5.5	6.5	6.4	10.8	18.8	29.4	58.5
1987.....	2.3	3.8	3.5	3.9	6.1	7.0	9.4	15.2	31.8	56.7
1986.....	2.0	2.3	3.9	4.4	6.5	8.7	12.0	18.7	31.3	66.7
1985.....	2.2	2.7	4.1	4.1	6.2	6.6	10.9	20.8	29.1	57.6
1984.....	1.8	2.3	3.2	4.0	4.9	6.3	10.0	19.4	33.7	68.2
1983.....	2.0	3.2	3.8	4.7	6.3	5.7	10.2	14.3	28.2	46.4
1982.....	2.2	3.5	3.1	3.5	3.7	6.3	10.6	14.1	26.3	45.2
1981.....	2.6	3.2	3.0	5.7	5.8	10.4	12.0	15.0	29.5	46.8
1980.....	3.5	3.9	4.9	6.5	6.9	10.6	14.0	24.0	36.2	59.1
1979.....	3.3	3.4	4.7	5.7	7.2	7.2	10.0	15.0	21.0	49.4
ALL OTHER MALE										
1998.....	2.7	2.9	2.6	3.7	4.2	6.9	16.1	20.2	36.3	62.5
1997.....	2.0	2.2	3.7	4.2	7.4	7.8	11.0	19.6	34.7	65.6
1996.....	2.2	3.5	3.2	5.0	6.5	7.3	16.4	15.5	39.6	64.3
1995.....	1.4	3.6	4.7	5.1	6.8	7.6	11.5	16.8	30.0	97.8
1994.....	2.4	3.5	3.8	5.4	7.2	9.6	14.9	19.9	44.2	68.8
1993.....	3.0	3.6	4.3	8.0	7.3	7.3	15.4	32.4	41.5	99.3
1992.....	3.1	2.3	3.1	4.1	5.9	7.1	15.1	20.0	39.5	78.5
1991.....	2.6	4.2	4.9	4.5	7.7	9.3	15.1	23.9	44.2	91.9
1990.....	3.2	3.0	5.6	7.0	8.9	11.7	14.4	19.2	44.5	83.5
1989.....	4.1	3.9	5.8	5.7	8.3	13.0	15.5	24.8	51.2	86.4
1988.....	3.4	5.4	4.1	8.9	9.3	9.8	17.1	30.6	46.2	75.9
1987.....	2.8	5.6	4.8	6.1	9.6	8.6	15.0	25.1	46.4	85.7
1986.....	3.0	3.9	5.7	6.9	9.9	12.4	20.4	28.1	52.8	94.7
1985.....	2.8	4.4	5.0	6.7	7.9	10.0	16.3	26.2	43.8	90.4
1984.....	2.4	3.4	5.7	6.0	7.2	9.9	16.5	32.2	48.5	98.6
1983.....	3.4	4.5	6.1	7.8	9.2	9.0	14.3	22.3	43.3	72.9
1982.....	*	5.2	5.0	6.0	5.7	9.4	18.3	21.4	39.4	74.6
1981.....	3.3	4.9	5.1	8.7	9.3	15.3	19.4	26.3	42.9	71.9
1980.....	5.5	6.0	8.0	9.0	11.1	15.3	17.8	34.0	56.2	108.6
1979.....	5.5	4.8	8.2	9.1	11.4	11.1	15.5	20.3	34.9	61.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)										
ALL OTHER FEMALE										
1998.....	1.1	1.5	*	*	3.1	3.3	6.4	10.9	16.2	43.6
1997.....	1.2	1.3	2.0	*	3.1	2.8	8.9	10.9	18.0	45.9
1996.....	1.4	1.7	1.9	2.7	3.5	3.6	6.7	6.8	21.5	42.0
1995.....	1.4	2.0	*	*	3.3	4.1	6.1	7.9	21.6	39.3
1994.....	1.5	1.7	*	*	2.7	4.3	4.5	9.4	15.5	49.1
1993.....	1.7	*	*	2.7	*	4.4	8.8	9.5	20.6	60.9
1992.....	1.3	*	*	*	3.4	5.2	8.2	8.7	20.9	54.9
1991.....	1.5	*	*	3.8	2.9	5.3	9.3	9.5	26.2	49.7
1990.....	*	2.0	*	*	3.8	4.8	9.6	10.8	26.5	54.2
1989.....	1.5	*	*	*	3.6	4.9	5.6	12.4	21.7	52.6
1988.....	*	*	*	2.8	4.4	3.9	6.6	11.3	19.6	50.3
1987.....	1.9	2.2	*	*	3.4	5.7	5.6	8.9	23.5	42.9
1986.....	*	*	*	*	3.9	5.9	6.3	12.6	19.1	53.2
1985.....	*	*	3.3	*	4.9	4.0	7.1	17.2	20.6	42.0
1984.....	*	*	*	*	3.2	*	5.4	10.9	24.9	53.1
1983.....	*	*	*	*	3.9	*	7.2	8.8	19.4	33.1
1982.....	*	*	*	*	*	4.0	5.0	9.1	18.5	30.1
1981.....	*	*	*	3.2	*	6.6	6.5	7.3	21.3	34.1
1980.....	1.8	2.1	2.4	4.4	3.6	6.9	11.1	17.1	23.9	33.7
1979.....	1.5	2.2	1.8	2.9	3.8	4.2	5.8	11.2	12.4	43.9
BLACK, BOTH SEXES										
1998.....	2.4	2.6	2.4	3.1	4.3	5.6	11.1	15.2	25.7	54.9
1997.....	1.9	2.2	3.1	3.1	5.8	5.9	11.5	15.6	25.6	53.0
1996.....	2.3	3.4	3.2	4.8	5.9	5.7	11.5	9.7	28.1	50.3
1995.....	1.7	3.6	3.7	4.2	5.7	5.3	8.9	11.6	23.9	52.5
1994.....	2.4	3.3	2.9	3.9	5.1	7.3	9.1	13.6	27.5	55.9
1993.....	3.0	3.0	3.9	6.2	5.5	6.4	13.3	19.1	28.8	74.0
1992.....	2.7	2.2	2.9	3.7	4.8	6.6	12.2	14.5	27.6	64.1
1991.....	2.4	3.3	3.5	4.9	5.1	7.9	12.5	15.7	34.0	61.2
1990.....	3.0	3.0	4.3	5.6	7.2	9.0	13.2	14.5	32.6	60.6
1989.....	3.4	2.9	4.4	4.2	6.2	9.6	10.7	18.4	30.9	62.3
1988.....	3.0	4.0	3.2	6.6	7.5	7.3	11.6	18.6	27.2	56.5
1987.....	2.8	4.7	4.2	4.4	6.7	8.3	10.1	15.5	31.6	53.4
1986.....	2.5	2.8	4.7	5.2	7.2	9.5	12.7	19.2	31.0	63.2
1985.....	2.9	3.0	4.8	4.8	7.0	7.6	12.1	21.7	30.2	55.9
1984.....	2.3	2.6	3.8	4.6	5.2	6.5	10.5	18.9	31.4	61.6
1983.....	1.9	3.9	4.4	5.3	6.8	5.7	11.6	14.4	29.1	43.5
1982.....	2.7	4.1	3.7	3.9	4.2	6.4	11.1	13.8	25.7	40.9
1981.....	3.1	3.8	3.6	6.3	6.6	11.3	12.4	15.4	29.7	44.6
1980.....	4.0	4.7	5.0	7.1	7.7	11.4	14.3	23.5	37.0	59.1
1979.....	3.9	4.0	5.1	6.3	7.5	7.2	10.4	13.4	19.4	51.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)										
BLACK MALE										
1998.....	3.4	3.5	3.2	4.6	4.8	7.7	17.7	18.5	37.3	69.0
1997.....	2.2	2.7	4.5	5.5	9.1	9.5	13.1	22.6	37.9	70.1
1996.....	2.9	4.8	4.3	6.7	8.2	7.8	17.9	13.4	37.7	62.4
1995.....	1.8	4.6	6.0	6.6	7.8	7.4	11.8	17.0	28.9	88.4
1994.....	2.9	4.5	5.0	6.6	7.6	10.6	15.1	20.8	47.8	70.7
1993.....	3.9	4.8	5.8	10.1	9.4	8.5	18.3	34.9	42.8	99.5
1992.....	3.7	3.3	4.1	5.4	6.9	8.4	16.2	22.3	38.0	83.3
1991.....	3.4	5.4	5.9	5.4	7.8	11.2	14.8	26.5	44.6	91.3
1990.....	4.4	3.6	7.4	8.7	10.5	13.6	16.2	20.7	43.7	80.0
1989.....	5.2	4.7	7.6	7.1	9.1	14.8	17.1	28.1	48.5	80.3
1988.....	4.6	6.6	4.9	10.5	10.8	11.4	19.2	31.6	44.7	73.8
1987.....	3.2	7.2	6.1	7.2	10.3	10.4	15.7	25.7	45.7	82.8
1986.....	3.9	4.8	7.0	8.2	11.1	14.6	21.0	31.4	50.0	81.0
1985.....	3.7	5.1	6.4	7.8	8.7	11.5	19.5	27.6	46.0	88.7
1984.....	3.1	4.2	7.0	6.9	8.1	10.1	18.0	31.1	42.9	90.2
1983.....	3.5	5.5	7.1	8.6	10.2	9.3	17.2	22.4	43.9	70.0
1982.....	*	6.6	6.1	6.5	6.5	9.0	19.8	19.9	37.5	63.8
1981.....	3.9	6.1	6.1	9.7	10.7	17.1	21.3	27.2	44.2	69.6
1980.....	6.5	7.3	8.3	9.8	12.7	16.8	18.3	34.0	58.6	105.6
1979.....	6.4	5.5	8.8	9.9	11.8	11.8	15.9	18.0	32.5	63.5
BLACK FEMALE										
1998.....	1.5	1.8	*	*	3.9	3.9	6.5	13.0	19.6	49.0
1997.....	1.5	*	*	*	*	*	10.4	11.2	19.2	45.9
1996.....	1.7	2.1	*	3.4	4.2	4.1	7.2	7.4	23.2	45.3
1995.....	1.6	2.7	*	*	4.1	3.8	7.0	8.2	21.3	38.0
1994.....	2.0	2.3	*	*	*	4.8	5.1	9.3	17.2	49.9
1993.....	2.3	*	*	*	*	4.9	10.0	9.7	21.5	63.6
1992.....	1.8	*	*	*	*	5.3	9.5	9.9	22.2	56.1
1991.....	*	*	*	4.4	*	5.5	11.0	9.4	28.6	48.5
1990.....	*	2.6	*	*	4.7	5.6	11.2	10.8	26.9	52.4
1989.....	*	*	*	*	4.0	5.9	6.5	12.6	21.6	54.9
1988.....	*	*	*	3.4	5.1	4.3	6.6	10.8	18.0	49.0
1987.....	2.4	*	*	*	4.0	6.7	6.3	9.3	24.0	40.3
1986.....	*	*	*	*	4.3	5.8	7.2	11.7	20.6	55.1
1985.....	*	*	3.6	*	5.6	4.8	7.3	17.9	21.5	40.6
1984.....	*	*	*	*	*	*	5.4	11.3	25.0	48.1
1983.....	*	*	*	*	4.3	*	7.8	9.3	20.7	30.6
1982.....	*	*	*	*	*	4.4	*	10.0	18.8	29.7
1981.....	*	*	*	3.4	*	7.1	6.1	*	21.2	31.9
1980.....	1.9	2.5	2.4	4.9	3.7	7.4	11.5	16.6	24.0	35.8
1979.....	1.8	2.7	2.1	3.3	4.1	3.8	6.4	10.2	11.3	45.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)										
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)										
TOTAL, BOTH SEXES										
1998.....	0.5	0.7	0.7	0.8	0.9	1.4	2.8	4.8	10.7	34.3
1997.....	0.5	0.6	0.7	0.9	1.1	1.4	2.8	5.6	11.7	37.7
1996.....	0.6	0.6	0.7	0.8	1.3	1.7	2.9	5.9	12.1	42.1
1995.....	0.6	0.7	0.6	0.8	1.2	2.0	3.7	6.0	14.9	48.8
1994.....	0.5	0.7	0.7	0.9	1.2	2.1	3.6	7.3	16.0	53.3
1993.....	0.6	0.7	0.8	1.1	1.9	2.4	4.0	8.9	17.3	61.9
1992.....	0.6	0.8	0.8	1.3	1.7	2.6	4.5	8.4	19.4	63.2
1991.....	0.6	0.7	0.9	1.1	1.9	2.8	5.2	9.6	22.0	73.9
1990.....	0.6	0.8	1.1	1.4	2.0	3.3	5.6	12.0	26.4	86.1
1989.....	0.6	0.9	1.2	1.8	2.5	3.7	7.0	13.4	28.1	91.1
1988.....	0.8	1.1	1.2	1.9	2.7	4.0	7.8	15.0	32.8	105.6
1987.....	0.8	1.1	1.5	1.8	2.9	4.6	7.8	15.4	35.8	106.6
1986.....	1.0	1.2	1.4	2.2	3.5	5.1	9.0	20.3	39.8	123.4
1985.....	0.9	1.2	1.6	2.4	4.0	5.7	10.3	21.0	48.0	146.5
1984.....	1.0	1.3	1.8	2.4	3.9	5.9	10.7	22.1	46.3	140.5
1983.....	0.8	1.1	2.1	2.8	3.9	6.1	11.1	23.0	50.3	151.2
1982.....	1.0	1.3	1.9	2.9	4.2	6.7	11.5	22.8	50.0	146.3
1981.....	1.0	1.8	2.4	3.4	4.7	8.0	13.1	28.6	59.7	173.1
1980.....	1.2	1.7	2.5	3.7	5.8	9.6	16.5	32.9	75.4	203.0
1979.....	1.2	1.9	2.6	3.7	5.8	9.1	17.1	32.7	71.8	183.4
TOTAL, MALE										
1998.....	0.7	0.9	0.8	1.1	1.1	2.0	3.8	6.1	12.9	37.5
1997.....	0.5	0.8	0.9	1.2	1.5	1.7	4.0	7.9	14.4	42.9
1996.....	0.7	0.8	1.0	1.0	1.9	2.2	3.8	7.9	14.6	45.6
1995.....	0.9	0.9	0.9	1.1	1.6	2.8	5.0	8.1	19.6	55.0
1994.....	0.6	0.9	1.0	1.3	1.6	3.0	4.4	9.9	19.3	60.7
1993.....	0.8	0.9	0.9	1.5	2.7	3.3	6.0	12.0	22.5	78.4
1992.....	0.8	1.2	1.1	1.9	2.4	3.7	6.5	11.9	27.3	74.7
1991.....	0.8	0.9	1.2	1.5	2.4	4.0	7.8	13.8	31.7	84.8
1990.....	0.9	1.1	1.4	2.0	2.9	4.7	8.1	17.3	36.7	98.4
1989.....	0.9	1.1	1.6	2.6	3.4	6.0	10.8	18.6	35.9	107.9
1988.....	1.2	1.5	1.8	2.5	3.9	5.7	11.6	21.5	45.4	127.2
1987.....	1.0	1.5	2.0	2.5	4.1	7.0	11.8	21.0	50.4	133.8
1986.....	1.2	1.5	1.8	3.0	5.1	7.7	12.8	28.7	56.1	152.4
1985.....	1.2	1.7	2.4	3.5	6.1	8.9	15.1	29.9	62.9	182.3
1984.....	1.5	1.9	2.8	3.4	5.9	8.7	15.4	32.8	64.1	177.4
1983.....	1.1	1.5	3.0	4.2	5.9	9.2	16.3	33.7	68.7	191.9
1982.....	1.4	1.9	2.5	4.3	6.2	9.5	17.3	33.9	68.7	193.3
1981.....	1.3	2.5	3.2	5.0	7.1	12.5	19.0	40.2	86.0	213.3
1980.....	1.7	2.5	3.5	5.0	8.6	14.3	23.9	47.3	106.9	255.9
1979.....	1.5	2.6	3.9	5.3	8.4	13.5	26.5	47.0	104.6	235.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)										
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)										
TOTAL, FEMALE										
1998.....	0.3	0.5	0.5	0.6	0.7	0.9	2.0	3.9	9.4	33.0
1997.....	0.4	0.4	0.6	0.6	0.8	1.2	1.9	4.1	10.1	35.6
1996.....	0.4	0.4	0.5	0.5	0.7	1.3	2.3	4.5	10.7	40.6
1995.....	0.4	0.5	0.4	0.5	0.8	1.3	2.8	4.6	12.2	46.4
1994.....	0.3	0.5	0.4	0.6	0.9	1.4	3.0	5.6	14.2	50.5
1993.....	0.5	0.5	0.6	0.8	1.1	1.6	2.4	6.8	14.5	55.5
1992.....	0.4	0.4	0.5	0.7	1.1	1.8	3.0	6.1	15.0	58.7
1991.....	0.3	0.6	0.7	0.8	1.4	1.9	3.3	6.8	16.9	69.7
1990.....	0.4	0.5	0.9	0.8	1.2	2.1	3.7	8.6	21.0	81.3
1989.....	0.4	0.7	0.9	1.1	1.6	1.8	4.3	10.1	24.0	84.6
1988.....	0.5	0.8	0.6	1.3	1.8	2.6	4.9	10.9	26.2	97.3
1987.....	0.5	0.7	1.0	1.1	1.8	2.7	4.9	11.8	28.1	95.9
1986.....	0.7	0.9	1.0	1.4	2.1	3.0	6.2	15.0	31.3	111.9
1985.....	0.6	0.7	0.9	1.4	2.1	3.2	6.8	15.5	40.2	132.2
1984.....	0.6	0.7	0.9	1.4	2.2	3.6	7.3	15.4	36.9	125.6
1983.....	0.5	0.8	1.1	1.7	2.1	3.5	7.3	16.2	40.6	134.5
1982.....	0.6	0.7	1.2	1.7	2.5	4.4	7.2	15.9	40.1	126.7
1981.....	0.8	1.0	1.6	2.1	2.6	4.4	8.9	21.3	45.7	156.0
1980.....	0.7	0.9	1.6	2.6	3.3	5.8	11.1	23.9	58.6	179.9
1979.....	0.9	1.2	1.4	2.2	3.6	5.7	10.2	23.7	54.1	160.2
WHITE, BOTH SEXES										
1998.....	0.4	0.6	0.6	0.7	0.9	1.3	2.6	4.8	10.7	35.4
1997.....	0.4	0.4	0.7	0.8	1.0	1.4	2.7	5.6	11.9	39.5
1996.....	0.5	0.5	0.6	0.7	1.1	1.4	2.8	5.8	12.5	43.6
1995.....	0.5	0.6	0.5	0.6	1.0	1.8	3.4	5.8	14.7	50.1
1994.....	0.3	0.6	0.6	0.8	1.1	2.0	3.5	7.3	16.3	55.8
1993.....	0.4	0.6	0.7	1.0	1.6	2.3	3.8	8.7	17.6	63.9
1992.....	0.4	0.6	0.6	1.1	1.5	2.4	4.3	8.5	19.6	65.3
1991.....	0.4	0.6	0.7	0.9	1.7	2.8	5.1	9.5	22.1	76.9
1990.....	0.4	0.6	0.9	1.2	1.8	3.0	5.6	11.9	26.9	88.8
1989.....	0.5	0.7	0.9	1.6	2.2	3.4	6.6	13.4	29.1	95.1
1988.....	0.6	0.7	0.8	1.6	2.5	3.7	7.5	15.0	33.4	111.0
1987.....	0.4	0.8	1.1	1.6	2.6	4.4	7.6	15.4	36.6	110.4
1986.....	0.6	0.9	1.1	1.8	3.2	4.8	8.7	20.4	40.5	128.6
1985.....	0.7	0.8	1.2	2.2	3.5	5.4	10.1	21.4	48.7	151.8
1984.....	0.6	0.9	1.3	2.2	3.5	5.5	10.3	22.0	47.3	146.9
1983.....	0.6	0.8	1.8	2.4	3.4	5.6	10.8	23.3	51.1	158.9
1982.....	0.7	0.9	1.6	2.5	4.0	6.6	11.2	23.0	50.7	153.0
1981.....	0.6	1.3	1.9	2.9	4.2	7.5	12.7	29.2	61.0	180.1
1980.....	0.8	1.2	2.0	3.2	5.2	9.0	16.1	32.6	76.6	211.2
1979.....	0.8	1.5	2.1	3.2	5.4	8.7	16.7	33.1	72.9	190.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)										
WHITE MALE										
1998.....	0.6	0.8	0.6	0.9	1.0	1.8	3.5	6.1	12.7	38.8
1997.....	0.4	0.6	0.7	1.0	1.4	1.6	3.8	7.7	14.5	44.7
1996.....	0.6	0.6	0.8	1.0	1.6	1.7	3.6	7.4	14.7	46.6
1995.....	0.7	0.7	0.7	0.9	1.4	2.4	4.8	7.7	19.4	56.7
1994.....	0.4	0.8	0.9	1.1	1.5	2.7	4.1	9.7	19.1	63.5
1993.....	0.6	0.7	0.8	1.3	2.3	3.1	5.6	11.6	22.8	80.6
1992.....	0.5	0.9	0.7	1.6	2.0	3.4	6.1	11.9	27.4	78.7
1991.....	0.6	0.7	0.9	1.1	2.1	3.8	7.5	13.8	31.0	87.9
1990.....	0.6	0.8	1.1	1.7	2.6	4.2	8.1	16.6	37.0	102.1
1989.....	0.7	0.8	1.2	2.1	3.0	5.3	10.0	18.1	37.4	114.0
1988.....	0.7	0.9	1.2	1.9	3.5	5.3	11.1	21.2	46.9	134.1
1987.....	0.5	1.1	1.4	2.1	3.6	6.6	11.2	20.6	51.6	138.3
1986.....	0.8	1.1	1.5	2.6	4.6	7.3	12.3	28.4	57.1	158.1
1985.....	0.8	1.1	1.6	3.1	5.3	8.3	14.8	30.6	63.5	190.0
1984.....	0.9	1.2	2.0	3.0	5.1	8.1	14.7	32.5	65.0	186.8
1983.....	0.7	1.0	2.6	3.6	5.1	8.5	15.6	34.0	69.1	203.5
1982.....	1.0	1.3	2.2	3.6	5.8	9.3	17.0	34.6	70.6	201.1
1981.....	0.7	1.8	2.4	4.0	6.4	11.4	18.3	41.4	87.7	222.3
1980.....	1.1	1.7	2.8	4.2	7.7	13.3	23.3	46.8	108.8	264.7
1979.....	1.0	2.0	3.1	4.6	7.8	12.8	26.0	47.6	105.8	244.2
WHITE FEMALE										
1998.....	0.3	0.5	0.5	0.6	0.7	0.9	2.0	3.9	9.5	34.0
1997.....	0.3	0.3	0.6	0.6	0.7	1.2	1.8	4.1	10.3	37.5
1996.....	0.3	0.4	0.4	0.4	0.6	1.2	2.2	4.6	11.1	42.4
1995.....	0.3	0.4	0.4	*	0.7	1.2	2.4	4.4	12.1	47.5
1994.....	0.2	0.4	*	0.6	0.8	1.5	3.0	5.6	14.7	52.9
1993.....	0.3	0.4	0.6	0.7	1.0	1.6	2.4	6.7	14.8	57.6
1992.....	0.3	0.3	0.4	0.7	1.0	1.6	3.0	6.3	15.3	60.2
1991.....	*	0.5	0.6	0.7	1.3	2.0	3.2	6.8	17.4	72.7
1990.....	*	0.5	0.8	0.7	1.1	2.0	3.7	8.8	21.6	83.8
1989.....	*	0.6	0.7	1.1	1.5	1.7	4.1	10.3	24.7	87.9
1988.....	0.5	0.5	0.5	1.3	1.6	2.4	4.7	11.0	26.4	102.2
1987.....	0.4	0.5	0.8	1.1	1.7	2.5	4.9	12.0	28.7	99.6
1986.....	0.4	0.7	0.7	1.1	1.9	2.8	6.2	15.3	31.9	117.0
1985.....	0.6	0.6	0.8	1.3	2.0	3.0	6.7	15.6	41.0	136.9
1984.....	0.4	0.7	0.7	1.3	2.1	3.3	7.1	15.4	38.1	131.1
1983.....	0.5	0.6	1.0	1.4	1.9	3.3	7.3	16.7	41.7	140.9
1982.....	0.5	0.6	1.1	1.5	2.5	4.4	6.9	15.8	40.3	133.3
1981.....	0.6	0.8	1.4	1.9	2.3	4.4	8.8	21.5	47.0	162.5
1980.....	0.4	0.7	1.3	2.3	3.0	5.6	11.0	23.8	59.8	188.1
1979.....	0.7	1.1	1.1	1.9	3.3	5.5	10.0	24.1	55.5	166.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)										
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)										
ALL OTHER, BOTH SEXES										
1998.....	0.8	1.1	1.3	1.4	*	2.2	4.1	4.5	11.0	23.7
1997.....	0.9	1.5	1.1	1.4	1.7	*	3.9	6.0	10.1	20.4
1996.....	1.1	1.1	1.5	*	2.4	3.4	3.9	7.1	8.6	27.3
1995.....	1.2	1.4	1.3	1.9	2.3	3.6	6.6	8.4	16.0	36.0
1994.....	1.2	1.2	1.5	1.6	1.8	2.5	4.7	7.7	13.4	27.5
1993.....	1.6	1.3	1.4	1.8	3.5	3.1	5.3	10.4	13.8	40.8
1992.....	1.5	1.8	2.1	2.3	3.5	4.3	5.9	7.1	17.2	40.3
1991.....	1.5	1.6	2.0	2.5	3.2	3.0	6.4	9.8	21.0	42.3
1990.....	1.9	1.8	2.3	2.6	3.3	5.5	5.6	13.5	21.0	56.8
1989.....	1.5	2.3	3.0	3.3	4.2	6.1	10.7	14.0	18.6	49.6
1988.....	2.3	3.7	3.4	4.0	4.6	6.3	10.4	15.6	26.3	48.8
1987.....	2.8	3.0	3.9	3.3	5.2	6.7	10.4	15.8	27.3	66.3
1986.....	3.3	3.2	3.2	4.6	6.1	7.7	11.1	19.4	32.3	67.1
1985.....	2.0	3.5	4.1	4.4	7.5	9.0	12.0	18.1	40.0	87.5
1984.....	3.7	3.7	5.1	3.9	7.3	9.4	14.1	23.1	35.2	70.5
1983.....	2.1	3.5	4.1	6.0	7.9	9.7	14.0	19.6	41.6	65.6
1982.....	2.8	3.6	3.5	6.3	6.1	7.4	14.5	20.8	41.4	71.9
1981.....	3.4	5.0	6.2	8.0	9.1	12.1	16.7	23.0	44.4	93.7
1980.....	3.7	5.2	6.7	8.4	10.7	15.0	19.7	36.0	60.2	109.3
1979.....	3.9	4.3	7.0	8.2	10.1	12.7	20.8	28.9	58.0	100.6
ALL OTHER MALE										
1998.....	1.1	1.7	2.0	*	*	3.7	6.2	*	14.9	25.5
1997.....	*	2.1	*	2.7	*	*	5.6	9.4	13.4	27.1
1996.....	1.5	1.6	2.2	*	3.8	5.6	5.2	12.5	13.7	37.1
1995.....	2.0	2.0	2.5	*	*	6.2	7.5	11.2	21.4	38.7
1994.....	2.0	*	*	3.0	*	4.8	7.8	11.6	21.0	34.9
1993.....	2.0	2.0	*	*	5.7	5.3	9.6	15.8	18.5	57.9
1992.....	2.3	2.9	3.2	4.0	6.1	6.2	10.8	11.9	26.6	37.6
1991.....	2.1	*	2.9	4.0	4.7	5.5	10.1	14.3	38.8	55.8
1990.....	2.7	2.9	3.5	4.0	5.4	9.3	8.5	24.1	33.2	63.9
1989.....	1.9	3.1	4.3	5.7	7.1	11.7	18.0	22.5	20.7	51.9
1988.....	4.0	5.6	6.3	6.5	7.2	9.5	16.1	24.7	29.9	63.3
1987.....	4.6	4.5	6.5	5.7	8.8	10.7	17.6	25.1	37.5	92.2
1986.....	4.3	4.4	3.9	6.1	9.1	11.2	17.4	31.4	46.3	98.7
1985.....	3.6	5.8	7.7	7.2	13.4	15.1	18.0	23.8	56.2	109.6
1984.....	5.4	6.6	8.9	6.4	12.4	13.6	21.2	35.1	55.4	88.9
1983.....	3.5	4.9	6.4	9.0	13.1	16.1	23.2	31.0	64.9	80.0
1982.....	4.7	6.0	5.2	10.0	9.9	10.9	20.8	27.6	48.9	117.9
1981.....	4.9	7.8	9.8	13.7	13.9	23.0	25.4	28.5	68.1	123.4
1980.....	5.9	8.4	9.9	12.7	17.2	23.9	29.8	51.9	87.1	166.2
1979.....	5.7	6.7	10.7	11.6	15.2	19.4	31.4	41.2	91.9	144.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	8.8	22.9
1997.....	*	*	*	*	*	*	*	*	8.2	17.4
1996.....	*	*	*	*	*	*	*	*	*	22.9
1995.....	*	*	*	*	*	*	5.9	6.6	13.0	34.9
1994.....	*	*	*	*	*	*	*	5.2	9.2	24.3
1993.....	1.2	*	*	*	*	*	*	7.1	11.1	33.3
1992.....	*	*	*	*	*	*	*	*	12.0	41.5
1991.....	*	*	*	*	*	*	*	7.0	10.9	36.0
1990.....	*	*	*	*	*	*	*	6.9	14.1	53.6
1989.....	*	*	*	*	*	*	5.6	8.7	17.5	48.6
1988.....	*	2.1	*	*	*	3.9	6.6	9.8	24.0	42.0
1987.....	*	*	*	*	*	3.6	5.6	9.8	21.4	54.0
1986.....	2.5	*	2.6	3.4	3.8	5.2	6.8	11.7	24.5	51.9
1985.....	*	*	*	*	*	4.4	7.8	14.3	30.6	77.3
1984.....	2.2	*	*	*	3.3	6.3	9.2	15.1	23.1	61.4
1983.....	*	*	*	3.5	3.7	4.9	7.5	11.9	27.9	58.3
1982.....	*	*	*	3.3	*	4.8	10.0	16.1	36.9	48.1
1981.....	*	2.7	3.3	3.4	5.4	3.9	10.3	19.3	30.0	78.6
1980.....	1.9	2.5	4.0	4.8	5.5	8.1	12.2	25.1	43.7	80.1
1979.....	2.3	2.2	4.0	5.3	6.0	7.6	12.7	20.2	37.2	78.9
BLACK, BOTH SEXES										
1998.....	1.0	1.5	1.8	1.8	*	2.6	4.4	4.7	12.2	24.5
1997.....	1.2	2.0	1.3	1.8	*	*	4.2	6.5	10.5	20.9
1996.....	1.4	1.3	2.0	*	3.1	4.3	4.5	7.2	9.7	26.9
1995.....	1.4	1.7	1.6	2.2	2.9	4.2	7.9	7.5	16.7	33.6
1994.....	1.5	1.4	1.9	2.0	2.1	2.6	5.2	7.2	14.2	27.6
1993.....	2.0	1.7	1.8	2.2	4.5	3.8	5.8	11.0	14.2	37.4
1992.....	1.9	2.2	2.8	2.7	4.1	4.6	6.8	8.2	16.6	40.5
1991.....	1.9	2.1	2.6	3.1	3.7	3.6	7.1	10.0	20.5	40.5
1990.....	2.4	2.0	2.7	3.2	3.7	6.4	5.6	14.5	19.8	56.1
1989.....	2.0	2.8	3.4	4.1	4.9	7.1	12.1	13.8	18.8	45.0
1988.....	3.0	4.6	3.9	4.8	5.5	7.4	11.0	16.9	26.8	46.7
1987.....	3.7	3.5	4.7	4.0	5.7	7.4	10.7	15.3	29.3	62.5
1986.....	4.2	4.0	3.9	5.4	7.1	9.0	12.7	20.5	31.4	65.2
1985.....	2.6	4.3	5.1	5.0	8.8	9.7	12.3	19.4	39.2	89.2
1984.....	4.3	4.5	6.2	4.4	8.1	11.1	14.7	24.9	35.6	66.8
1983.....	2.7	4.3	4.9	7.2	9.0	10.6	14.4	19.6	40.1	60.9
1982.....	3.3	4.5	3.7	7.3	7.0	7.6	15.5	21.1	43.1	69.3
1981.....	4.2	6.0	7.3	9.0	10.1	12.6	17.0	23.1	42.1	90.5
1980.....	4.2	5.8	7.4	9.6	11.8	15.5	20.7	35.6	61.4	108.8
1979.....	4.5	5.1	8.0	9.0	11.2	13.3	21.5	29.3	59.2	98.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)										
BLACK MALE										
1998.....	*	2.4	*	*	*	*	7.0	*	18.7	24.5
1997.....	*	2.7	*	*	*	*	*	10.1	*	29.2
1996.....	2.0	*	*	*	4.9	6.8	*	12.4	*	34.8
1995.....	2.5	2.6	3.2	*	*	7.4	9.3	10.3	23.3	32.8
1994.....	2.6	*	*	*	*	5.2	8.6	*	25.3	35.4
1993.....	2.5	2.7	*	*	7.1	6.4	10.4	16.9	20.0	55.1
1992.....	3.0	3.6	4.2	4.7	7.3	6.7	12.5	13.6	27.3	35.9
1991.....	2.6	*	3.9	5.2	5.2	6.5	11.7	13.8	38.6	58.0
1990.....	3.8	3.7	4.1	4.8	6.5	11.6	8.3	25.7	34.6	66.4
1989.....	2.6	3.8	5.4	6.9	8.6	14.3	21.0	21.3	*	36.4
1988.....	5.5	7.4	7.4	7.7	8.6	11.6	16.4	28.2	34.0	56.9
1987.....	6.2	5.3	8.3	6.8	10.3	12.1	18.5	26.3	41.3	87.5
1986.....	5.4	5.7	5.0	7.2	10.8	13.1	20.2	32.0	42.2	95.2
1985.....	4.8	7.2	9.6	8.2	15.5	16.5	18.7	25.9	57.5	112.9
1984.....	6.0	8.3	10.7	7.4	14.0	16.0	23.7	37.7	59.5	88.5
1983.....	4.4	6.3	7.9	10.9	15.4	17.9	24.6	32.1	63.4	75.0
1982.....	5.9	7.6	5.5	11.4	11.3	11.4	23.1	28.0	51.3	108.6
1981.....	6.3	9.4	11.4	15.9	15.3	24.3	25.1	27.2	67.5	119.6
1980.....	6.7	9.7	11.5	14.5	18.9	25.3	31.5	50.3	84.0	160.3
1979.....	6.9	8.0	12.0	13.1	16.9	20.4	32.3	42.2	92.2	144.2
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	24.5
1997.....	*	*	*	*	*	*	*	*	*	17.4
1996.....	*	*	*	*	*	*	*	*	*	23.6
1995.....	*	*	*	*	*	*	7.0	*	13.3	33.9
1994.....	*	*	*	*	*	*	*	*	*	24.4
1993.....	*	*	*	*	*	*	*	7.4	11.3	30.2
1992.....	*	*	*	*	*	*	*	*	11.1	42.4
1991.....	*	*	*	*	*	*	*	7.8	11.2	33.1
1990.....	*	*	*	*	*	*	*	7.9	12.1	51.8
1989.....	*	*	*	*	*	*	6.3	9.3	18.4	49.0
1988.....	*	*	*	*	*	4.3	7.4	10.1	23.0	42.3
1987.....	*	*	*	*	*	*	5.6	8.7	22.8	51.4
1986.....	3.2	*	*	3.9	4.3	6.0	7.7	13.5	25.5	51.4
1985.....	*	*	*	*	*	4.8	8.1	15.4	29.1	78.2
1984.....	2.8	*	*	*	*	7.4	8.7	16.9	22.4	56.6
1983.....	*	*	*	4.1	4.1	5.3	7.5	11.6	26.9	54.0
1982.....	*	*	*	3.9	*	4.9	10.2	16.7	38.4	50.0
1981.....	*	3.3	4.0	3.4	6.0	*	11.4	20.5	27.3	75.2
1980.....	2.2	2.7	4.1	5.6	6.2	8.3	13.0	26.0	47.9	83.0
1979.....	2.5	2.7	4.7	5.6	6.6	8.0	13.7	20.3	38.7	75.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)										
TOTAL, BOTH SEXES										
1998.....	2.5	3.5	5.8	9.9	18.7	33.9	71.1	143.9	322.7	952.6
1997.....	2.5	4.0	5.7	10.0	18.4	33.5	67.7	141.0	313.1	926.8
1996.....	2.8	3.8	5.5	10.1	17.3	31.9	67.9	137.9	307.9	907.6
1995.....	2.6	3.8	5.9	9.1	17.2	32.1	68.2	142.5	303.5	924.2
1994.....	2.8	3.8	5.7	8.9	17.5	32.5	65.4	140.7	304.0	906.2
1993.....	2.8	3.7	5.7	9.3	17.9	34.0	66.2	141.7	310.6	950.5
1992.....	2.4	3.6	5.1	9.3	15.9	31.5	62.3	132.6	291.8	884.7
1991.....	2.4	3.7	5.8	9.8	17.4	30.6	64.0	137.7	304.7	922.0
1990.....	2.6	3.8	5.6	9.7	17.6	31.9	66.5	143.0	312.4	948.8
1989.....	2.7	3.6	5.4	9.6	17.0	31.7	64.1	138.2	299.2	921.9
1988.....	2.5	3.8	5.9	9.8	18.0	33.8	65.7	140.8	309.3	934.7
1987.....	2.2	3.4	5.5	8.5	16.5	30.6	62.6	130.4	280.2	833.6
1986.....	2.4	3.4	5.0	9.0	17.2	30.3	61.8	131.1	273.4	814.8
1985.....	2.2	3.3	5.4	8.9	15.8	28.4	60.0	124.8	268.3	779.3
1984.....	1.8	2.8	4.8	8.0	14.2	25.6	55.2	111.0	238.1	664.2
1983.....	1.8	2.8	4.4	7.5	13.9	25.3	49.1	101.5	223.7	633.4
1982.....	1.8	2.8	4.4	7.8	13.0	21.6	45.2	90.4	197.5	527.8
1981.....	1.8	2.9	4.6	8.2	13.5	23.4	45.2	94.4	205.1	548.0
1980.....	2.0	3.0	4.7	7.8	13.0	24.0	45.5	94.4	204.1	546.6
1979.....	1.7	2.6	4.4	6.3	11.7	19.8	39.8	78.8	175.3	435.8
TOTAL, MALE										
1998.....	2.9	4.2	7.2	12.6	23.3	43.1	93.3	185.2	415.2	1,121.0
1997.....	3.2	5.1	7.0	11.7	22.7	44.4	88.9	185.1	413.0	1,129.9
1996.....	3.5	5.0	7.0	13.1	21.5	41.8	89.8	182.1	408.4	1,111.0
1995.....	3.4	5.2	7.2	11.3	22.2	42.1	90.5	189.0	409.4	1,144.5
1994.....	3.5	4.9	7.2	11.1	22.3	42.9	87.8	189.6	407.3	1,160.9
1993.....	3.9	4.7	7.2	11.3	23.2	45.5	90.3	193.4	425.5	1,187.6
1992.....	3.3	4.9	6.6	12.2	20.6	42.3	85.0	184.5	408.8	1,139.6
1991.....	3.2	5.0	7.0	13.1	23.0	39.7	86.1	191.1	432.5	1,169.2
1990.....	3.6	5.0	7.5	12.6	23.6	43.3	92.5	198.7	437.1	1,189.0
1989.....	3.6	4.9	7.1	13.3	23.0	42.6	92.5	191.9	413.3	1,153.9
1988.....	3.4	5.5	7.8	12.7	24.8	47.6	92.7	202.7	435.9	1,191.7
1987.....	3.1	4.6	7.3	11.3	22.8	43.0	90.4	187.8	397.5	1,082.6
1986.....	3.1	4.4	6.8	11.7	24.2	42.5	89.6	193.3	393.7	1,083.1
1985.....	2.8	4.4	7.0	12.2	22.2	40.7	87.9	184.7	389.1	1,026.1
1984.....	2.3	3.2	6.1	11.1	20.2	36.2	82.0	163.1	347.2	883.5
1983.....	2.4	3.6	5.8	10.0	19.6	37.4	73.2	148.8	326.3	848.2
1982.....	2.4	4.0	5.7	10.8	18.0	31.7	66.5	136.8	294.2	727.3
1981.....	2.4	3.6	6.2	11.4	19.2	33.3	65.4	138.5	296.2	723.1
1980.....	2.3	4.1	6.2	10.7	18.4	34.2	65.7	135.3	291.2	718.2
1979.....	2.1	3.3	5.8	9.1	16.1	29.8	59.6	114.4	252.9	591.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)										
TOTAL, FEMALE										
1998.....	2.2	2.7	4.4	7.4	14.5	26.1	53.7	114.5	267.7	882.8
1997.....	1.8	2.9	4.3	8.4	14.6	24.4	51.4	110.0	254.7	845.0
1996.....	2.0	2.6	4.1	7.3	13.6	23.7	51.1	107.1	249.9	826.8
1995.....	1.9	2.4	4.7	7.1	12.6	23.9	51.1	110.6	243.7	838.4
1994.....	2.1	2.7	4.2	6.8	13.2	23.9	48.2	107.5	246.8	808.0
1993.....	1.8	2.7	4.2	7.6	13.3	24.6	47.9	107.0	247.8	859.6
1992.....	1.6	2.3	3.7	6.6	11.8	22.7	45.1	98.3	228.4	786.0
1991.....	1.7	2.5	4.8	6.7	12.4	23.2	47.3	102.8	236.3	826.5
1990.....	1.6	2.6	3.8	7.1	12.4	22.6	47.2	107.2	246.2	856.1
1989.....	1.9	2.4	3.8	6.3	11.8	22.8	43.2	103.8	238.9	831.7
1988.....	1.7	2.2	4.1	7.2	12.1	22.6	45.8	101.4	242.6	834.4
1987.....	1.4	2.3	3.7	5.9	11.1	20.6	42.3	94.1	218.7	735.5
1986.....	1.6	2.5	3.4	6.5	11.2	20.4	41.6	91.9	210.2	708.3
1985.....	1.7	2.3	3.9	6.0	10.3	18.4	39.7	87.1	204.9	680.7
1984.....	1.3	2.3	3.6	5.2	9.0	17.0	35.7	78.2	180.8	575.6
1983.....	1.3	1.9	3.2	5.2	8.9	15.6	31.7	71.9	169.6	545.4
1982.....	1.2	1.6	3.2	5.2	8.6	13.5	29.9	61.4	146.5	444.7
1981.....	1.2	2.3	3.2	5.3	8.5	15.4	30.6	66.8	156.8	473.2
1980.....	1.6	1.9	3.3	5.2	8.4	15.8	30.8	68.7	157.7	471.5
1979.....	1.3	1.8	3.0	3.9	7.9	11.8	25.5	56.3	133.7	366.7
WHITE, BOTH SEXES										
1998.....	2.0	2.9	5.0	8.9	17.1	32.3	69.2	141.5	321.5	974.2
1997.....	2.1	3.1	5.0	8.9	16.9	31.9	65.8	139.4	313.3	948.9
1996.....	2.1	3.1	4.8	8.9	15.7	30.4	65.4	136.8	306.4	927.8
1995.....	2.1	3.0	5.1	8.0	15.8	30.5	65.8	141.0	302.7	942.4
1994.....	2.1	3.1	4.8	7.7	16.4	30.6	63.9	139.6	305.2	923.7
1993.....	2.3	2.8	5.2	8.4	16.4	32.3	63.6	139.8	311.1	973.5
1992.....	1.8	3.0	4.4	8.2	14.5	29.6	60.4	132.4	292.6	903.6
1991.....	1.8	3.0	4.9	8.7	16.1	28.8	62.3	136.2	306.1	941.1
1990.....	2.0	3.1	4.6	8.7	15.7	29.9	64.4	141.4	313.5	970.9
1989.....	1.9	2.7	4.4	8.2	15.5	29.8	61.5	135.6	300.9	942.0
1988.....	2.0	2.8	4.9	8.6	16.4	31.9	63.8	140.1	314.4	964.0
1987.....	1.7	2.8	4.6	7.5	15.0	29.2	61.4	130.3	282.2	856.7
1986.....	1.7	2.7	4.3	8.0	15.8	28.7	60.3	130.4	274.6	835.2
1985.....	1.6	2.7	4.7	7.8	14.4	26.8	58.4	124.1	268.5	803.0
1984.....	1.4	2.2	3.9	7.0	13.0	24.0	53.4	110.6	239.3	684.6
1983.....	1.4	2.3	3.7	6.6	12.7	24.1	47.6	100.8	225.6	652.6
1982.....	1.3	2.0	3.7	6.7	11.4	20.4	43.5	91.5	199.7	543.2
1981.....	1.2	2.2	3.7	7.1	12.1	22.2	44.0	94.4	206.3	564.2
1980.....	1.5	2.2	3.9	6.7	12.0	22.1	44.1	92.7	206.5	557.8
1979.....	1.3	2.0	3.6	5.6	10.6	18.5	38.3	77.8	178.4	447.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)										
WHITE MALE										
1998.....	2.2	3.5	6.1	11.2	20.7	40.1	89.8	180.4	412.3	1,146.2
1997.....	2.6	3.8	6.0	10.2	20.5	41.9	86.1	181.5	411.5	1,156.9
1996.....	2.7	3.9	5.9	11.2	18.7	39.5	85.2	178.6	404.3	1,133.0
1995.....	2.6	4.0	6.0	9.5	20.3	39.3	86.6	186.2	406.2	1,164.4
1994.....	2.8	3.9	5.9	9.4	20.7	40.6	85.7	186.1	406.8	1,182.3
1993.....	3.1	3.5	6.3	9.8	21.1	42.3	86.9	189.3	424.4	1,216.1
1992.....	2.4	4.0	5.4	10.0	18.5	39.5	81.5	182.9	408.5	1,164.6
1991.....	2.4	4.0	5.8	11.4	21.0	37.0	83.3	187.8	433.4	1,194.0
1990.....	2.6	3.9	6.1	11.0	21.1	40.3	88.3	196.0	435.0	1,216.5
1989.....	2.5	3.4	5.6	11.2	20.6	39.6	87.7	188.0	415.1	1,179.9
1988.....	2.6	3.9	6.3	10.9	22.2	44.7	89.9	200.7	443.3	1,231.7
1987.....	2.4	3.7	6.1	9.7	20.4	40.7	87.5	186.3	399.3	1,115.0
1986.....	2.1	3.3	5.6	10.0	22.2	39.8	86.9	192.0	395.5	1,107.0
1985.....	1.8	3.4	5.9	10.4	20.0	38.2	84.4	183.4	389.8	1,060.2
1984.....	1.7	2.3	4.7	9.5	17.9	33.6	79.0	161.7	351.1	914.5
1983.....	1.6	2.8	4.7	8.7	17.6	35.3	70.3	147.4	326.6	877.2
1982.....	1.6	2.6	4.6	9.4	15.5	29.8	63.1	138.8	297.6	752.9
1981.....	1.6	2.5	4.6	9.8	16.9	31.6	63.1	138.5	297.5	743.3
1980.....	1.7	2.9	5.0	9.1	16.3	30.9	63.8	132.3	295.2	732.2
1979.....	1.6	2.4	4.7	7.8	14.4	27.7	58.1	112.0	258.2	605.3
WHITE FEMALE										
1998.....	1.8	2.3	4.0	6.8	13.8	25.6	52.9	113.7	267.4	903.6
1997.....	1.6	2.5	4.1	7.6	13.6	23.3	50.0	109.5	255.7	866.1
1996.....	1.5	2.4	3.7	6.6	12.9	22.6	50.0	107.5	249.9	847.3
1995.....	1.6	2.0	4.2	6.5	11.8	23.2	49.7	109.7	244.3	856.8
1994.....	1.4	2.4	3.8	6.2	12.5	22.3	47.1	107.9	248.9	825.2
1993.....	1.5	2.2	4.1	7.0	12.2	24.0	45.7	106.3	249.3	881.6
1992.....	1.2	2.1	3.4	6.6	10.9	21.4	44.4	98.9	230.1	804.0
1991.....	1.3	2.0	4.0	6.2	11.7	22.1	46.4	102.2	238.4	845.4
1990.....	1.3	2.4	3.2	6.5	10.9	21.3	46.4	106.2	249.3	877.6
1989.....	1.4	2.0	3.3	5.3	11.0	21.7	42.0	101.8	240.8	851.6
1988.....	1.3	1.7	3.7	6.5	11.3	21.4	44.5	101.5	247.1	861.3
1987.....	1.0	1.9	3.2	5.4	10.2	19.8	42.1	94.8	221.3	756.7
1986.....	1.3	2.0	3.0	6.0	10.2	19.6	40.8	91.7	211.8	729.3
1985.....	1.5	1.9	3.4	5.3	9.4	17.6	39.6	86.9	205.5	702.2
1984.....	1.0	2.1	3.1	4.7	8.6	16.1	34.7	78.7	181.2	593.4
1983.....	1.1	1.8	2.8	4.7	8.3	15.0	31.1	71.8	172.9	562.2
1982.....	1.0	1.4	2.8	4.2	7.9	12.9	29.3	62.1	148.5	457.3
1981.....	0.9	2.0	2.8	4.7	7.8	14.6	30.2	67.0	158.5	489.3
1980.....	1.4	1.6	2.9	4.5	8.2	15.0	29.8	68.1	159.9	482.7
1979.....	1.0	1.6	2.7	3.5	7.3	11.0	24.1	56.5	136.2	378.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)										
ALL OTHER, BOTH SEXES										
1998.....	5.1	6.4	10.1	15.6	28.6	44.4	86.0	164.7	334.0	748.8
1997.....	4.5	8.7	9.6	16.7	28.1	44.9	83.4	155.6	310.9	716.3
1996.....	6.0	7.7	10.2	17.4	27.7	43.0	89.1	147.7	322.7	714.5
1995.....	5.5	8.1	10.9	16.3	25.8	43.7	88.6	156.3	311.0	739.1
1994.....	6.2	7.7	11.3	15.9	24.8	46.6	78.4	150.8	292.0	725.9
1993.....	5.8	8.9	8.8	15.4	28.4	47.2	89.0	159.8	305.5	713.8
1992.....	5.9	7.1	9.3	16.2	25.8	46.4	78.5	134.0	283.3	686.7
1991.....	5.8	8.2	11.6	16.9	26.5	44.6	78.5	152.3	290.8	721.2
1990.....	6.4	7.8	11.6	17.0	31.7	48.6	85.7	158.1	300.8	714.9
1989.....	7.4	9.3	11.7	19.6	28.3	47.4	88.2	163.4	282.6	709.0
1988.....	5.9	10.2	12.0	18.4	30.5	50.3	82.5	147.6	255.9	623.0
1987.....	5.6	7.3	10.9	16.2	28.9	42.9	73.3	131.6	259.1	584.6
1986.....	6.2	8.2	10.2	16.4	29.0	44.5	75.9	137.4	259.6	593.1
1985.....	6.0	7.2	10.3	17.7	28.3	42.1	74.0	131.7	264.6	517.4
1984.....	4.5	6.6	11.4	16.0	24.9	39.5	71.7	114.4	224.9	441.5
1983.....	4.9	5.7	9.4	14.6	24.0	36.5	63.8	108.8	202.3	418.7
1982.....	4.7	8.1	9.7	16.8	26.8	31.6	61.9	80.0	173.7	357.3
1981.....	5.2	7.5	11.6	16.9	26.2	33.8	56.8	94.6	191.3	363.2
1980.....	4.8	8.2	10.5	17.5	22.8	40.9	59.1	110.8	175.8	417.5
1979.....	4.7	6.5	10.2	13.0	21.7	31.3	53.7	88.0	138.4	296.6
ALL OTHER MALE										
1998.....	6.2	8.4	14.1	21.8	41.1	65.0	123.8	229.5	444.9	900.7
1997.....	5.9	12.6	14.1	21.7	37.7	62.9	112.9	219.4	427.9	894.2
1996.....	7.6	12.0	14.1	25.4	40.8	59.2	131.4	215.8	451.0	919.6
1995.....	7.6	12.4	15.0	23.0	36.2	63.8	126.3	216.3	443.1	958.6
1994.....	7.6	11.5	16.3	22.5	34.4	61.2	107.7	225.2	412.5	959.9
1993.....	8.4	12.5	13.4	20.9	38.9	71.9	122.1	234.8	436.9	921.4
1992.....	8.4	10.7	14.2	27.4	36.7	65.4	117.3	200.6	412.0	905.9
1991.....	7.7	11.3	14.3	25.5	39.2	62.5	112.7	223.0	424.0	940.7
1990.....	10.0	12.6	16.5	24.0	43.7	69.8	133.0	224.3	457.8	932.4
1989.....	10.8	14.4	17.5	28.2	43.0	68.9	138.3	229.7	395.0	913.6
1988.....	8.0	15.8	18.2	26.7	46.9	74.6	119.7	221.5	362.4	821.5
1987.....	8.0	10.7	15.8	24.3	42.8	64.2	117.3	201.4	379.5	779.2
1986.....	9.7	11.4	15.3	25.3	41.6	67.1	115.5	205.2	375.9	858.7
1985.....	9.5	10.5	14.3	26.2	41.7	64.0	121.7	196.6	378.1	705.5
1984.....	6.3	9.8	17.2	24.8	40.5	59.2	110.4	176.2	307.9	593.1
1983.....	7.6	9.0	13.7	21.5	37.5	56.5	101.0	161.9	323.7	561.4
1982.....	7.3	13.8	14.2	22.4	41.5	49.6	98.3	117.7	259.6	479.1
1981.....	7.8	11.5	18.8	25.2	41.1	49.1	87.3	138.2	282.4	521.9
1980.....	6.4	13.1	16.2	25.3	37.7	64.6	83.9	163.0	248.8	576.0
1979.....	6.1	10.5	15.6	20.0	32.9	48.6	73.5	135.2	196.5	445.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)										
ALL OTHER FEMALE										
1998.....	4.2	4.7	6.8	10.6	18.9	29.0	59.5	121.6	270.9	679.4
1997.....	3.2	5.4	5.8	12.6	20.6	31.6	62.7	114.1	245.2	635.8
1996.....	4.5	4.0	7.0	10.9	17.6	30.9	59.6	103.7	250.7	622.1
1995.....	3.7	4.5	7.5	10.8	17.8	28.7	62.4	118.0	238.4	644.1
1994.....	5.0	4.6	7.0	10.5	17.5	35.7	58.1	104.1	225.7	624.5
1993.....	3.5	5.8	4.9	10.9	20.4	29.0	65.9	113.2	232.4	623.2
1992.....	3.7	3.9	5.1	7.2	17.5	32.4	51.7	92.9	210.8	588.0
1991.....	4.2	5.6	9.3	9.9	16.9	31.4	55.1	108.4	214.4	617.5
1990.....	3.3	3.7	7.4	11.3	22.5	33.0	53.5	117.0	212.2	616.0
1989.....	4.4	5.0	6.9	12.7	17.2	31.5	53.9	122.0	218.4	614.3
1988.....	4.1	5.3	6.8	11.7	18.0	32.3	57.4	100.9	193.6	530.2
1987.....	3.6	4.4	6.9	9.6	18.1	27.0	43.3	86.9	190.3	492.6
1986.....	3.3	5.4	5.9	9.3	19.2	27.6	48.8	93.5	194.1	465.4
1985.....	3.1	4.4	6.9	10.9	17.8	25.7	41.1	89.2	198.3	429.3
1984.....	3.0	3.8	6.6	8.8	12.6	24.7	44.6	73.4	175.1	366.2
1983.....	2.5	3.0	5.9	8.9	13.3	21.5	37.7	73.1	130.9	346.8
1982.....	2.5	3.3	6.1	12.2	15.1	18.1	35.7	54.4	122.3	293.2
1981.....	3.0	4.1	5.7	10.1	14.3	22.2	34.4	65.1	136.0	282.5
1980.....	3.3	4.1	5.8	11.0	10.9	22.8	40.6	75.3	131.0	336.3
1979.....	3.4	3.2	5.8	7.1	12.6	18.0	38.6	54.7	102.9	221.9
BLACK, BOTH SEXES										
1998.....	6.7	8.2	12.9	18.9	35.6	50.1	94.4	175.0	346.5	727.0
1997.....	5.9	11.1	11.7	20.1	33.2	48.9	92.1	164.9	314.9	716.3
1996.....	7.8	9.6	12.7	21.8	32.2	49.5	97.0	156.3	326.5	714.6
1995.....	6.9	10.6	13.0	20.1	30.0	49.9	99.2	163.5	318.4	699.8
1994.....	7.9	10.3	14.2	18.9	29.8	52.0	85.9	160.7	285.8	686.0
1993.....	7.1	11.5	11.1	18.6	33.3	52.5	94.2	164.1	306.8	677.8
1992.....	7.7	8.5	11.5	19.1	29.9	53.4	84.0	138.7	293.0	663.4
1991.....	7.3	10.3	14.8	19.3	31.8	49.1	86.7	158.9	289.9	684.1
1990.....	8.2	10.1	14.3	20.1	36.4	55.0	95.8	160.5	302.5	680.0
1989.....	9.7	11.6	14.0	22.8	32.3	53.3	95.1	169.9	280.9	679.5
1988.....	7.5	12.9	14.8	22.1	34.0	55.9	88.2	154.5	264.7	613.6
1987.....	7.1	8.9	12.8	18.1	33.6	49.2	79.2	140.5	262.4	561.5
1986.....	7.8	9.8	12.0	19.3	34.2	50.2	82.8	142.6	265.1	572.1
1985.....	7.4	8.7	12.3	20.4	32.6	45.6	78.3	139.5	261.2	493.8
1984.....	5.5	7.7	13.1	18.6	27.2	41.9	76.8	118.0	225.0	420.5
1983.....	5.9	6.9	11.0	17.2	25.6	39.5	66.6	113.7	202.2	396.7
1982.....	5.7	9.6	11.3	18.8	29.3	34.1	65.2	81.4	176.1	333.5
1981.....	6.4	8.6	13.0	19.6	28.3	36.4	60.1	97.5	195.2	347.6
1980.....	5.8	9.6	11.6	19.5	25.1	43.7	61.5	108.3	177.8	392.9
1979.....	5.1	7.5	11.1	14.0	23.1	31.9	56.7	86.6	129.4	278.2

RACE, AND SEX:		UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)									
CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS	
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)											
BLACK MALE											
1998.....	8.3	10.9	18.3	27.2	53.2	73.5	136.0	249.8	472.1	862.5	
1997.....	7.9	16.2	17.5	27.0	44.6	67.8	123.3	236.8	426.7	891.4	
1996.....	10.1	15.2	17.8	32.2	47.3	67.7	144.3	231.5	466.5	931.1	
1995.....	9.7	16.5	18.2	29.2	42.8	73.2	141.5	226.3	458.5	898.9	
1994.....	9.7	15.4	20.8	27.5	41.5	69.1	119.5	242.2	403.7	904.7	
1993.....	10.2	16.6	17.3	25.8	46.4	79.1	128.4	241.1	447.5	844.2	
1992.....	11.2	13.1	17.7	32.8	42.5	77.9	127.1	209.0	440.6	865.6	
1991.....	9.8	14.8	18.9	30.8	47.6	68.4	125.8	237.6	424.8	904.3	
1990.....	12.8	16.6	20.7	28.7	51.2	81.8	150.2	231.1	467.7	896.3	
1989.....	14.4	18.1	21.4	33.5	50.6	80.1	152.0	237.6	407.2	878.8	
1988.....	10.1	20.4	23.3	32.2	53.1	84.1	128.4	234.5	383.0	812.3	
1987.....	10.3	13.3	18.6	27.0	50.8	74.4	128.9	217.1	391.3	773.4	
1986.....	12.4	14.1	18.1	30.0	49.2	77.3	130.6	212.8	386.7	849.2	
1985.....	12.1	13.0	17.6	29.7	48.2	70.2	130.9	208.2	364.4	677.4	
1984.....	7.8	11.9	19.7	29.0	43.6	63.5	119.2	184.4	310.7	575.4	
1983.....	9.5	11.3	16.3	25.6	40.9	61.2	107.4	172.7	323.2	558.3	
1982.....	9.0	16.8	16.6	25.7	45.3	54.2	105.0	123.0	267.5	446.6	
1981.....	9.8	13.4	21.5	29.7	45.4	53.8	94.1	146.8	283.1	487.5	
1980.....	7.9	16.0	18.2	28.6	41.2	69.2	90.8	160.2	247.9	539.5	
1979.....	6.9	12.4	17.0	21.8	34.9	50.0	79.2	132.3	187.0	423.1	
BLACK FEMALE											
1998.....	5.2	6.0	8.6	12.4	22.4	32.6	65.5	127.1	280.7	670.8	
1997.....	4.1	6.7	6.9	14.7	24.6	34.8	70.7	119.6	257.0	643.8	
1996.....	5.9	4.9	8.5	13.8	20.8	35.9	64.9	109.3	254.2	625.7	
1995.....	4.5	5.7	8.7	13.0	20.4	32.4	70.6	124.9	247.1	618.9	
1994.....	6.4	6.1	8.8	12.2	20.9	39.3	63.3	111.5	225.8	597.2	
1993.....	4.4	7.3	6.0	12.9	23.4	32.9	71.2	118.5	234.5	610.0	
1992.....	4.7	4.7	6.4	8.3	20.4	35.5	55.3	97.7	216.6	579.3	
1991.....	5.2	6.6	11.4	10.2	19.7	35.2	60.9	112.7	220.4	590.8	
1990.....	4.2	4.7	9.0	13.3	25.3	35.7	60.0	119.1	216.9	588.4	
1989.....	5.8	6.1	8.0	14.3	18.5	33.9	57.9	129.9	214.6	598.0	
1988.....	5.3	6.6	7.8	14.0	19.5	35.5	61.6	106.8	202.2	526.8	
1987.....	4.4	5.1	8.1	10.9	20.5	30.9	46.3	94.1	193.0	467.4	
1986.....	3.9	6.2	7.0	10.7	22.7	30.3	51.1	99.6	198.8	445.7	
1985.....	3.4	5.1	8.0	12.8	20.6	27.5	43.5	96.7	204.4	408.3	
1984.....	3.5	4.2	7.6	10.1	14.4	26.0	48.5	76.3	177.6	347.3	
1983.....	2.9	3.4	6.8	10.4	13.7	23.5	39.2	75.7	133.8	318.5	
1982.....	3.0	3.6	7.1	13.2	16.8	19.2	37.8	55.0	123.2	278.0	
1981.....	3.5	4.7	6.1	11.4	14.9	23.7	36.3	65.6	143.9	275.2	
1980.....	4.1	4.3	6.4	12.1	12.3	24.6	40.6	74.5	135.8	319.7	
1979.....	3.5	3.5	6.3	7.6	13.7	18.4	40.4	55.1	93.5	205.8	

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INFLUENZA (487)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	0.2	0.3	0.6	1.1	2.7	6.7	22.8
1997.....	*	*	*	*	0.2	0.4	0.5	0.9	2.1	9.5
1996.....	*	*	*	0.2	*	0.3	0.7	1.0	2.5	9.7
1995.....	*	*	*	*	*	0.4	0.5	0.9	1.7	8.3
1994.....	*	*	*	0.2	0.4	0.5	1.1	2.2	4.6	17.0
1993.....	*	*	*	*	0.3	0.4	0.9	1.4	4.0	15.6
1992.....	*	*	*	*	0.3	0.4	1.0	2.1	3.5	15.1
1991.....	*	*	*	*	0.3	0.4	1.1	2.0	4.1	17.1
1990.....	*	*	0.2	0.3	0.6	0.9	2.0	3.9	9.9	34.6
1989.....	*	*	*	*	0.5	0.7	1.3	2.8	6.9	26.7
1988.....	*	*	*	0.2	0.3	0.8	1.4	3.8	9.2	36.0
1987.....	*	*	*	*	0.2	0.2	0.5	1.1	2.5	11.1
1986.....	*	*	*	0.2	0.3	0.8	1.7	4.3	8.6	33.5
1985.....	*	*	0.2	0.3	0.5	0.8	1.8	4.6	10.3	40.0
1984.....	*	*	*	0.2	0.2	0.5	1.1	3.0	5.6	19.4
1983.....	*	*	*	0.3	0.3	0.7	1.7	2.8	7.9	28.4
1982.....	*	*	*	*	0.3	0.4	0.7	1.8	3.4	14.3
1981.....	*	*	0.3	0.5	0.8	1.7	3.5	7.9	18.2	58.4
1980.....	0.1	0.1	0.2	0.4	0.7	1.4	2.9	6.7	18.3	57.5
1979.....	0.0	0.1	0.0	0.1	0.2	0.4	0.7	1.4	3.5	12.1
TOTAL, MALE										
1998.....	*	*	*	*	*	0.6	1.2	3.2	7.4	19.4
1997.....	*	*	*	*	*	*	0.6	1.0	2.2	9.1
1996.....	*	*	*	*	*	*	0.7	1.1	2.9	9.1
1995.....	*	*	*	*	*	*	0.5	0.9	2.3	8.3
1994.....	*	*	*	*	*	*	1.1	2.4	4.8	16.7
1993.....	*	*	*	*	*	0.5	0.9	1.8	5.7	13.3
1992.....	*	*	*	*	*	*	1.0	1.8	3.9	14.2
1991.....	*	*	*	*	*	0.5	1.1	2.3	3.9	18.6
1990.....	*	*	*	*	0.8	1.0	2.2	4.8	11.4	37.1
1989.....	*	*	*	*	0.5	0.9	1.4	3.1	7.2	24.1
1988.....	*	*	*	*	*	1.0	1.6	4.2	10.3	34.0
1987.....	*	*	*	*	*	*	0.7	1.4	2.8	11.3
1986.....	*	*	*	*	0.4	0.9	2.3	5.1	10.9	29.8
1985.....	*	*	*	*	0.5	0.9	1.8	5.1	12.6	39.8
1984.....	*	*	*	*	*	0.5	0.9	3.8	6.3	19.9
1983.....	*	*	*	0.4	*	0.7	2.0	3.1	9.2	31.3
1982.....	*	*	*	*	*	0.5	0.7	2.4	4.1	15.2
1981.....	*	*	*	0.5	0.8	1.8	3.8	9.3	20.3	55.9
1980.....	0.1	0.1	0.2	0.5	0.7	1.6	3.6	7.5	18.7	55.5
1979.....	0.0	0.0	0.0	0.1	0.1	0.6	0.9	1.7	3.9	10.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INFLUENZA (487)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	0.6	1.0	2.4	6.2	24.3
1997.....	*	*	*	*	*	*	0.4	0.8	2.0	9.6
1996.....	*	*	*	*	*	*	0.7	0.9	2.4	9.9
1995.....	*	*	*	*	*	0.4	0.5	0.8	1.4	8.3
1994.....	*	*	*	*	0.4	0.6	1.1	2.0	4.5	17.1
1993.....	*	*	*	*	*	*	0.8	1.1	3.0	16.5
1992.....	*	*	*	*	*	0.4	1.0	2.3	3.2	15.5
1991.....	*	*	*	*	*	0.4	1.1	1.8	4.3	16.5
1990.....	*	*	*	0.4	0.4	0.7	1.8	3.3	9.0	33.6
1989.....	*	*	*	*	0.5	0.5	1.2	2.6	6.7	27.7
1988.....	*	*	*	*	*	0.7	1.3	3.5	8.7	36.8
1987.....	*	*	*	*	*	*	*	1.0	2.3	11.1
1986.....	*	*	*	*	*	0.7	1.3	3.8	7.5	35.0
1985.....	*	*	*	0.4	0.5	0.8	1.8	4.2	9.1	40.1
1984.....	*	*	*	*	*	0.5	1.3	2.5	5.3	19.2
1983.....	*	*	*	*	0.4	0.7	1.5	2.6	7.2	27.2
1982.....	*	*	*	*	*	*	0.7	1.3	3.1	13.9
1981.....	*	*	*	0.5	0.8	1.6	3.4	7.0	17.0	59.4
1980.....	0.1	0.1	0.2	0.3	0.6	1.3	2.4	6.3	18.1	58.4
1979.....	0.0	0.1	0.0	0.1	0.2	0.3	0.5	1.2	3.4	12.9
WHITE, BOTH SEXES										
1998.....	*	*	*	0.2	0.4	0.6	1.2	2.9	7.1	24.7
1997.....	*	*	*	*	*	0.4	0.5	1.0	2.2	10.3
1996.....	*	*	*	*	*	0.3	0.7	1.0	2.7	10.3
1995.....	*	*	*	*	*	0.4	0.5	0.9	1.8	8.7
1994.....	*	*	*	*	0.4	0.5	1.1	2.3	5.0	18.1
1993.....	*	*	*	*	0.3	0.4	0.9	1.5	4.2	16.6
1992.....	*	*	*	*	0.3	0.3	1.0	2.3	3.7	16.1
1991.....	*	*	*	*	0.4	0.5	1.2	2.0	4.3	18.1
1990.....	*	*	*	0.4	0.6	0.9	2.1	4.1	10.5	36.7
1989.....	*	*	*	*	0.5	0.7	1.3	2.9	7.3	28.0
1988.....	*	*	*	0.2	0.3	0.9	1.4	4.1	9.8	38.6
1987.....	*	*	*	*	*	0.2	0.5	1.2	2.6	11.5
1986.....	*	*	*	*	0.3	0.8	1.8	4.5	8.9	35.8
1985.....	*	*	*	0.3	0.5	0.9	1.8	4.7	10.8	42.6
1984.....	*	*	*	0.2	0.2	0.5	1.2	3.0	5.9	20.6
1983.....	*	*	*	0.2	0.4	0.7	1.8	3.0	8.3	30.5
1982.....	*	*	*	*	0.2	0.4	0.7	1.8	3.6	15.2
1981.....	*	*	0.3	0.5	0.8	1.6	3.7	8.2	18.6	62.0
1980.....	0.1	0.1	0.2	0.4	0.7	1.5	3.1	7.1	19.6	61.0
1979.....	0.0	0.1	0.0	0.1	0.2	0.4	0.7	1.5	3.5	12.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INFLUENZA (487)										
WHITE MALE										
1998.....	*	*	*	*	*	0.6	1.3	3.4	7.9	20.8
1997.....	*	*	*	*	*	*	0.6	1.1	2.4	10.0
1996.....	*	*	*	*	*	*	0.7	1.1	3.1	9.5
1995.....	*	*	*	*	*	*	*	0.9	2.4	8.9
1994.....	*	*	*	*	*	*	1.1	2.5	5.2	18.0
1993.....	*	*	*	*	*	*	1.0	1.9	6.1	14.0
1992.....	*	*	*	*	*	*	1.0	1.9	4.2	15.2
1991.....	*	*	*	*	*	0.5	1.1	2.4	4.2	20.0
1990.....	*	*	*	*	0.8	1.0	2.3	4.9	12.0	40.0
1989.....	*	*	*	*	0.6	0.9	1.4	3.2	7.8	25.3
1988.....	*	*	*	*	*	1.0	1.7	4.5	10.8	37.1
1987.....	*	*	*	*	*	*	0.7	1.5	2.9	11.9
1986.....	*	*	*	*	*	0.9	2.5	5.4	11.3	32.2
1985.....	*	*	*	*	0.5	1.0	1.7	5.2	13.0	42.2
1984.....	*	*	*	*	*	*	1.0	3.8	6.5	20.9
1983.....	*	*	*	*	*	0.7	2.1	3.3	9.7	33.9
1982.....	*	*	*	*	*	*	0.8	2.4	4.3	16.2
1981.....	*	*	*	0.5	0.9	1.7	4.0	9.9	21.2	59.5
1980.....	0.1	0.0	0.2	0.5	0.7	1.6	3.8	7.9	20.3	59.9
1979.....	0.0	0.0	0.0	0.1	0.1	0.4	1.0	1.8	3.7	10.5
WHITE FEMALE										
1998.....	*	*	*	*	*	0.6	1.1	2.6	6.7	26.3
1997.....	*	*	*	*	*	*	*	0.9	2.1	10.5
1996.....	*	*	*	*	*	*	0.7	0.9	2.5	10.6
1995.....	*	*	*	*	*	0.4	0.5	0.8	1.5	8.7
1994.....	*	*	*	*	*	0.6	1.1	2.2	4.9	18.2
1993.....	*	*	*	*	*	*	0.8	1.2	3.2	17.6
1992.....	*	*	*	*	*	0.4	1.0	2.5	3.4	16.4
1991.....	*	*	*	*	*	0.4	1.2	1.8	4.4	17.4
1990.....	*	*	*	*	*	0.8	1.9	3.5	9.7	35.5
1989.....	*	*	*	*	0.5	0.6	1.2	2.7	7.1	29.1
1988.....	*	*	*	*	*	0.7	1.2	3.8	9.3	39.1
1987.....	*	*	*	*	*	*	*	1.0	2.4	11.4
1986.....	*	*	*	*	*	0.8	1.4	4.0	7.7	37.1
1985.....	*	*	*	*	0.5	0.8	1.8	4.4	9.7	42.7
1984.....	*	*	*	*	*	0.5	1.3	2.5	5.6	20.6
1983.....	*	*	*	*	0.4	0.6	1.6	2.8	7.6	29.1
1982.....	*	*	*	*	*	*	0.7	1.4	3.3	14.9
1981.....	*	*	*	0.5	0.8	1.6	3.6	7.2	17.3	63.0
1980.....	0.1	0.1	0.2	0.2	0.7	1.3	2.5	6.5	19.2	61.4
1979.....	-	0.1	0.0	0.1	0.2	0.3	0.5	1.3	3.5	13.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INFLUENZA (487)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	5.4
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	11.5
1989.....	*	*	*	*	*	*	*	*	*	12.1
1988.....	*	*	*	*	*	*	*	*	*	8.9
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	9.1
1985.....	*	*	*	*	*	*	*	*	*	12.5
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	2.3	*	4.3	12.9	17.9
1980.....	0.1	0.3	0.3	0.7	0.2	0.9	1.1	3.6	3.9	17.8
1979.....	0.1	-	0.1	0.1	0.2	1.1	0.8	0.9	3.6	6.9
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.5	0.3	0.4	0.2	1.0	1.8	3.3	2.3	9.9
1979.....	-	-	0.2	-	0.2	1.8	0.8	1.1	5.8	6.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INFLUENZA (487)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	12.3
1989.....	*	*	*	*	*	*	*	*	*	12.0
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	14.0	16.7
1980.....	0.1	0.1	0.3	0.9	0.2	0.8	0.5	3.8	4.9	21.9
1979.....	0.1	-	-	0.2	0.2	0.6	0.9	0.8	2.2	7.0
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	11.7
1989.....	*	*	*	*	*	*	*	*	*	10.5
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	10.3
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	2.7	*	*	13.4	16.7
1980.....	0.2	0.3	0.2	0.8	0.1	1.0	1.1	3.9	3.0	13.8
1979.....	0.1	-	0.1	0.1	0.1	1.0	0.9	0.8	3.0	5.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 INFLUENZA (487)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.6	0.4	0.4	0.3	1.2	1.7	3.9	1.3	7.5
1979.....	-	-	0.2	-	0.3	1.8	0.9	0.6	5.2	1.9
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.2	-	1.0	-	0.9	0.6	3.8	4.0	17.0
1979.....	0.1	-	-	0.2	-	0.4	1.0	0.8	1.6	6.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
TOTAL, BOTH SEXES										
1998.....	2.5	5.0	12.0	28.3	64.8	126.3	215.7	313.4	445.6	569.3
1997.....	2.7	5.2	12.3	29.3	66.3	125.1	210.1	308.5	437.2	561.9
1996.....	2.6	5.3	13.1	30.6	65.7	122.0	206.3	311.7	428.6	540.9
1995.....	2.6	5.3	13.4	31.0	65.2	122.5	203.3	306.8	419.2	527.8
1994.....	2.2	5.4	13.5	31.5	68.3	126.9	205.9	308.3	417.8	509.7
1993.....	2.3	5.3	13.0	32.5	70.3	129.3	212.5	314.4	422.6	493.9
1992.....	2.3	4.9	12.6	31.9	64.7	120.4	196.8	293.5	377.5	460.9
1991.....	2.3	5.5	13.4	31.6	67.4	121.0	199.2	293.8	378.8	446.9
1990.....	2.2	5.5	13.5	32.0	65.7	117.5	196.6	292.2	366.1	433.3
1989.....	2.3	5.3	14.0	34.6	66.4	115.9	196.4	284.8	352.1	413.5
1988.....	2.4	5.7	13.9	32.6	66.4	117.3	200.7	281.3	356.0	402.9
1987.....	2.5	5.3	13.8	31.0	65.3	112.3	192.1	271.4	340.7	382.8
1986.....	2.3	5.6	14.5	31.7	64.0	115.0	196.1	270.8	327.8	367.4
1985.....	2.1	5.9	14.9	32.4	63.9	116.1	190.4	266.8	326.7	365.4
1984.....	2.3	5.4	13.8	31.8	61.7	110.2	182.3	249.7	300.0	334.7
1983.....	2.3	5.9	14.1	31.2	60.1	111.1	177.3	241.9	289.4	315.3
1982.....	2.2	5.5	13.3	29.0	55.8	103.8	165.7	221.7	262.9	278.0
1981.....	2.3	5.9	13.8	29.4	58.9	105.7	167.1	218.0	255.3	275.6
1980.....	2.3	6.1	13.3	28.7	59.0	103.9	161.6	210.8	246.4	274.0
1979.....	2.4	5.3	13.1	26.3	56.5	93.5	148.1	186.3	224.1	230.2
TOTAL, MALE										
1998.....	2.4	5.0	11.9	30.7	72.8	147.0	262.9	394.5	602.3	869.8
1997.....	2.5	5.5	12.8	31.3	73.3	149.2	262.3	391.3	602.9	902.8
1996.....	2.5	5.3	13.7	32.8	74.5	144.8	249.0	402.3	608.3	878.6
1995.....	2.1	5.4	13.5	33.2	75.0	146.8	255.7	407.7	609.0	896.2
1994.....	2.3	5.5	14.1	34.8	79.2	152.6	260.7	411.2	626.2	874.9
1993.....	2.4	5.6	14.4	35.7	82.0	157.7	269.7	432.2	650.4	883.1
1992.....	2.4	5.0	13.5	36.6	76.6	151.7	258.7	411.8	595.5	830.9
1991.....	2.5	6.0	13.3	35.5	79.7	153.8	264.2	424.2	621.0	830.8
1990.....	2.3	6.0	13.7	37.1	80.3	153.1	271.6	438.2	608.8	815.1
1989.....	2.5	5.2	14.7	39.7	80.4	152.2	267.0	430.4	591.2	792.3
1988.....	2.6	6.0	15.4	38.1	84.3	157.3	285.4	438.8	625.9	791.2
1987.....	2.7	5.1	15.1	36.6	84.4	150.9	279.7	439.8	612.9	747.9
1986.....	2.6	6.4	16.3	38.6	82.7	157.7	293.8	445.9	605.5	752.0
1985.....	2.2	6.1	16.9	39.4	83.3	162.8	293.1	446.2	613.3	758.1
1984.....	2.4	5.8	16.5	40.0	83.1	155.5	285.2	430.6	575.9	699.3
1983.....	2.2	6.2	16.4	40.8	81.7	160.7	282.4	432.5	567.2	670.9
1982.....	2.2	5.7	16.3	37.6	77.8	154.9	268.0	405.1	522.9	593.2
1981.....	2.5	6.5	17.2	39.2	82.8	160.7	279.0	404.3	508.2	600.6
1980.....	2.5	7.1	16.8	38.8	84.8	162.6	274.8	401.6	502.1	583.4
1979.....	2.6	6.7	16.5	36.3	82.6	151.2	260.6	357.3	475.3	500.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
TOTAL, FEMALE										
1998.....	2.6	4.9	12.1	26.1	57.6	108.9	178.8	255.8	352.5	444.7
1997.....	2.8	5.0	11.9	27.3	60.1	104.8	169.8	250.3	340.3	424.5
1996.....	2.8	5.2	12.6	28.5	57.8	102.8	173.4	248.6	325.0	406.7
1995.....	3.0	5.3	13.2	29.0	56.5	102.3	163.1	237.5	312.3	384.3
1994.....	2.1	5.3	12.8	28.5	58.7	105.8	164.0	238.6	302.4	368.8
1993.....	2.3	4.9	11.7	29.6	59.9	106.0	168.9	235.5	298.1	344.6
1992.....	2.2	4.8	11.8	27.6	54.2	95.0	150.0	215.3	259.5	317.6
1991.....	2.2	5.1	13.4	28.1	56.7	94.4	150.5	208.5	249.2	298.6
1990.....	2.1	5.0	13.3	27.2	52.9	88.7	140.9	198.3	237.3	286.0
1989.....	2.1	5.5	13.3	29.9	54.2	86.4	144.2	191.4	225.7	266.2
1988.....	2.3	5.4	12.4	27.7	50.8	84.7	138.5	180.8	213.8	251.3
1987.....	2.3	5.5	12.6	25.9	48.9	80.8	128.3	164.6	197.8	238.9
1986.....	2.1	5.0	12.8	25.5	47.9	80.3	125.1	160.3	182.3	214.8
1985.....	2.0	5.6	13.0	26.2	47.1	78.2	115.9	153.8	176.3	208.6
1984.....	2.2	5.0	11.2	24.4	43.1	73.7	107.9	136.1	154.9	187.3
1983.....	2.4	5.5	11.9	22.7	41.5	71.3	101.4	122.3	143.0	169.5
1982.....	2.3	5.3	10.6	21.4	36.8	62.9	91.7	106.7	125.5	146.7
1981.....	2.1	5.4	10.6	20.7	38.1	61.6	86.3	101.1	121.1	137.3
1980.....	2.1	5.1	10.1	19.6	36.7	56.9	79.8	91.2	110.4	138.7
1979.....	2.1	4.0	10.0	17.3	34.0	47.5	66.8	78.7	89.3	110.3
WHITE, BOTH SEXES										
1998.....	2.0	4.2	11.6	28.5	67.6	133.6	225.6	326.7	465.0	594.0
1997.....	2.2	4.7	12.1	29.7	68.8	131.1	219.6	322.0	453.7	585.9
1996.....	2.1	4.6	13.0	30.8	68.0	127.9	214.8	324.7	445.4	562.7
1995.....	2.1	4.7	13.0	31.3	67.4	128.0	211.0	319.8	434.7	547.1
1994.....	1.7	4.8	13.0	31.9	71.1	132.5	213.8	321.6	434.3	529.1
1993.....	1.7	4.6	12.8	32.9	72.7	134.8	220.5	327.8	437.8	514.0
1992.....	1.9	4.3	12.4	32.1	66.8	124.8	204.7	307.0	392.8	477.6
1991.....	1.9	4.8	12.8	32.0	69.2	125.0	206.9	307.2	394.4	464.6
1990.....	1.8	4.6	13.1	32.0	67.3	121.3	204.2	304.3	379.2	449.4
1989.....	1.7	4.9	13.3	34.8	67.8	118.9	203.3	295.9	365.2	429.2
1988.....	1.9	5.0	13.3	32.8	67.5	120.9	207.9	293.4	369.8	419.6
1987.....	2.2	4.8	13.2	31.2	66.8	115.6	199.4	284.4	353.4	396.5
1986.....	2.0	5.1	14.1	31.6	65.2	118.7	204.0	284.0	341.0	382.1
1985.....	1.8	5.4	14.5	32.4	65.0	119.9	199.1	278.7	339.0	381.0
1984.....	1.8	4.8	13.4	32.1	62.8	114.6	189.6	262.6	309.3	348.0
1983.....	1.8	5.3	14.1	31.3	60.8	115.6	185.9	254.7	299.4	327.1
1982.....	1.8	5.0	13.0	28.9	57.2	108.3	173.0	233.2	274.5	290.7
1981.....	2.0	5.5	13.4	29.6	60.2	110.0	175.2	228.8	264.4	288.6
1980.....	1.9	5.7	13.0	28.6	60.3	108.4	169.1	221.5	257.0	284.9
1979.....	2.0	4.8	12.9	26.4	58.2	97.5	154.9	195.1	234.2	239.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
WHITE MALE										
1998.....	1.9	4.3	11.4	30.2	74.3	152.6	271.0	405.7	619.7	904.8
1997.....	2.2	4.9	12.4	31.1	74.5	153.1	270.1	402.1	615.4	940.1
1996.....	2.0	4.7	13.5	32.2	75.3	149.4	255.3	412.3	623.7	917.5
1995.....	1.7	4.5	13.0	33.2	75.5	150.7	260.4	419.9	624.8	924.0
1994.....	1.8	4.8	13.6	34.9	80.7	156.8	265.3	422.4	644.1	907.7
1993.....	1.7	5.0	14.0	35.4	82.9	161.7	274.9	443.3	666.7	917.6
1992.....	2.0	4.5	13.1	36.1	77.2	154.9	264.8	424.6	615.5	862.5
1991.....	2.0	5.1	12.4	34.9	80.4	156.2	270.2	437.5	642.8	867.4
1990.....	1.8	5.1	12.9	36.4	81.0	155.5	277.3	449.9	625.2	847.0
1989.....	1.7	4.7	13.5	39.4	81.0	153.5	271.9	440.5	611.7	824.9
1988.....	2.0	5.3	14.4	37.5	84.5	159.4	290.4	451.3	646.7	829.0
1987.....	2.3	4.4	14.3	36.3	85.2	152.7	285.9	457.8	635.6	779.1
1986.....	2.1	5.8	15.1	37.7	82.8	160.0	301.5	463.2	629.5	785.7
1985.....	1.7	5.3	16.2	38.7	83.5	166.4	302.8	463.8	637.5	798.1
1984.....	2.0	4.9	15.5	39.6	83.7	159.0	293.8	451.9	595.0	736.1
1983.....	1.8	5.4	16.3	40.0	81.4	165.4	292.5	455.6	587.6	703.2
1982.....	1.6	5.1	15.6	37.2	78.8	159.3	278.4	427.0	548.3	625.2
1981.....	2.1	5.8	16.4	39.0	83.6	165.3	290.6	424.8	528.1	632.8
1980.....	2.0	6.6	16.0	38.1	85.5	168.6	286.4	423.2	525.4	611.2
1979.....	2.1	5.9	15.9	36.0	84.5	156.4	272.4	374.9	500.8	520.3
WHITE FEMALE										
1998.....	2.1	4.2	11.8	26.9	61.5	117.2	189.8	270.2	372.8	466.6
1997.....	2.3	4.5	11.8	28.4	63.5	112.2	180.1	265.2	358.7	445.0
1996.....	2.2	4.6	12.5	29.5	61.4	109.7	183.2	263.2	342.5	423.6
1995.....	2.4	4.8	13.0	29.5	60.1	109.0	172.6	250.5	327.2	402.0
1994.....	1.6	4.9	12.5	29.0	62.4	112.2	174.0	252.8	318.1	384.9
1993.....	1.7	4.2	11.7	30.6	63.5	112.6	178.5	249.8	312.9	361.2
1992.....	1.9	4.2	11.6	28.4	57.5	99.9	158.8	228.7	272.7	330.7
1991.....	1.8	4.4	13.2	29.4	59.2	99.5	159.0	221.6	262.2	311.6
1990.....	1.7	4.2	13.3	27.9	55.2	93.2	149.5	210.2	249.3	298.4
1989.....	1.8	5.2	13.1	30.5	56.2	90.4	152.2	202.8	235.6	278.1
1988.....	1.9	4.8	12.2	28.3	52.6	89.2	146.9	192.7	225.2	262.6
1987.....	2.0	5.2	12.3	26.5	50.8	85.1	135.8	174.5	206.6	248.4
1986.....	1.9	4.3	13.1	25.9	49.9	84.8	132.7	171.0	190.9	224.9
1985.....	1.8	5.4	12.9	26.6	48.8	81.9	123.6	162.6	183.7	217.6
1984.....	1.7	4.7	11.3	25.2	44.5	78.6	113.9	144.4	160.6	194.2
1983.....	1.9	5.3	11.9	23.4	42.9	75.2	108.6	129.4	149.0	175.7
1982.....	1.9	4.9	10.5	21.4	38.2	67.0	96.7	112.5	131.3	153.6
1981.....	1.8	5.3	10.6	21.2	39.8	65.4	91.9	106.8	126.1	144.5
1980.....	1.9	4.9	10.2	20.1	38.4	60.0	84.5	96.0	116.0	144.2
1979.....	2.0	3.9	10.1	17.7	35.3	50.2	70.5	83.1	93.0	115.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
ALL OTHER, BOTH SEXES										
1998.....	4.7	8.8	14.6	27.1	46.9	78.2	135.9	195.2	249.0	335.2
1997.....	4.8	8.3	14.0	26.5	50.9	83.8	132.7	185.7	270.3	332.4
1996.....	5.3	8.8	14.2	29.2	51.0	79.7	135.0	192.1	256.9	332.4
1995.....	5.1	9.2	15.7	29.4	50.4	82.2	136.7	184.9	259.8	330.9
1994.....	4.8	8.6	16.1	29.3	50.0	85.3	137.2	181.8	249.8	309.7
1993.....	5.8	9.2	14.3	29.8	53.6	86.3	142.8	186.1	267.3	286.1
1992.....	4.2	8.3	14.3	30.3	49.4	86.4	126.7	166.4	219.0	285.2
1991.....	4.7	10.0	16.9	28.9	54.3	88.1	130.6	166.2	218.8	260.9
1990.....	4.7	10.7	15.8	31.6	53.3	86.4	127.2	178.2	230.2	262.6
1989.....	5.6	7.6	18.5	33.0	55.3	91.2	132.6	180.8	215.6	247.3
1988.....	5.4	9.6	17.7	31.7	57.6	86.7	134.3	167.1	210.6	225.0
1987.....	4.6	8.5	17.4	29.4	53.7	83.4	125.4	148.5	204.5	235.0
1986.....	4.6	9.1	17.3	32.6	54.3	82.7	124.0	145.0	187.2	207.8
1985.....	4.0	8.9	17.3	32.8	54.2	82.6	109.4	152.5	192.3	193.3
1984.....	5.2	9.3	16.5	29.5	52.3	71.4	114.7	125.9	197.1	188.9
1983.....	5.2	9.2	14.2	30.8	54.0	71.6	98.2	118.5	177.9	183.3
1982.....	5.0	8.8	16.0	30.1	43.8	64.9	97.1	109.9	132.3	137.7
1981.....	4.2	8.4	16.5	27.3	46.7	67.5	90.9	112.6	150.2	128.4
1980.....	4.8	8.8	15.8	29.0	46.7	63.5	90.8	106.3	121.7	148.3
1979.....	4.6	8.8	14.9	25.6	41.6	58.8	81.8	101.4	104.5	128.2
ALL OTHER MALE										
1998.....	4.7	9.1	15.5	33.9	62.3	106.8	193.2	291.0	420.3	563.7
1997.....	4.1	8.8	16.1	32.8	64.6	119.9	193.9	288.1	472.6	577.7
1996.....	5.5	9.3	15.1	36.6	69.2	110.3	192.5	306.1	448.9	540.9
1995.....	4.2	10.9	17.1	33.4	71.7	116.4	211.7	287.1	442.4	635.6
1994.....	5.0	9.6	17.7	34.3	68.4	118.6	218.2	298.7	443.0	568.3
1993.....	6.3	9.5	17.3	37.9	75.1	124.7	221.1	319.6	485.9	561.1
1992.....	4.7	8.4	16.0	39.4	71.5	124.3	201.9	285.6	394.5	536.0
1991.....	5.6	11.3	19.4	39.6	73.4	132.6	207.4	293.9	404.7	491.9
1990.....	5.6	11.8	18.9	42.4	74.6	131.5	217.2	325.2	445.6	517.2
1989.....	7.4	8.3	23.0	41.8	75.8	140.6	219.6	333.8	386.8	490.1
1988.....	6.5	10.4	22.5	42.1	83.0	138.5	237.7	320.5	419.7	441.8
1987.....	5.0	9.7	20.8	39.0	78.4	134.7	219.5	270.2	384.8	455.8
1986.....	5.8	9.9	24.6	45.3	81.8	136.0	221.1	282.4	363.0	436.0
1985.....	5.4	11.6	22.2	45.0	81.5	129.9	201.0	282.0	363.8	380.8
1984.....	5.5	12.0	24.0	42.8	78.0	123.8	202.4	233.7	380.2	354.2
1983.....	5.3	11.4	17.0	47.2	84.2	117.3	187.0	219.3	356.7	355.7
1982.....	5.7	10.0	21.5	40.8	68.2	113.7	170.6	200.5	258.5	282.1
1981.....	5.0	11.7	23.5	40.2	75.3	119.4	169.6	214.5	298.9	279.7
1980.....	6.3	11.2	23.5	45.4	77.4	108.2	166.8	200.9	253.3	299.5
1979.....	6.1	13.1	21.1	39.6	65.0	103.9	148.9	196.2	203.5	288.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
ALL OTHER FEMALE										
1998.....	4.8	8.6	13.8	21.6	35.0	56.7	95.6	131.7	151.5	230.7
1997.....	5.4	7.9	12.2	21.3	40.3	57.0	89.9	119.0	156.7	221.3
1996.....	5.2	8.5	13.4	23.2	37.0	57.0	94.9	118.6	149.1	238.4
1995.....	5.9	7.7	14.6	26.2	34.1	56.7	84.5	119.8	159.4	199.0
1994.....	4.6	7.8	14.8	25.3	36.0	60.6	81.0	108.5	143.5	197.6
1993.....	5.4	8.9	11.8	23.2	37.1	57.9	88.0	103.2	145.7	166.2
1992.....	3.9	8.3	12.9	22.9	32.5	58.4	74.6	92.6	120.1	172.2
1991.....	3.9	8.9	14.7	20.3	39.7	55.3	78.0	86.8	113.1	154.5
1990.....	3.9	9.7	13.2	23.0	37.1	53.1	65.9	87.0	108.6	146.9
1989.....	4.1	7.0	14.7	25.9	39.8	54.4	73.2	85.1	117.9	134.9
1988.....	4.6	8.8	13.8	23.3	38.0	48.1	64.2	69.9	89.7	123.7
1987.....	4.3	7.4	14.6	21.7	34.7	45.2	61.1	70.5	101.5	130.7
1986.....	3.5	8.5	11.2	22.4	32.9	42.9	57.3	56.3	87.2	98.1
1985.....	2.9	6.7	13.3	23.0	32.8	47.2	46.2	67.5	92.2	103.3
1984.....	4.9	6.9	10.2	18.7	32.2	32.1	53.3	54.3	89.0	106.9
1983.....	5.1	7.3	12.0	17.4	30.0	37.5	35.5	51.0	72.7	96.4
1982.....	4.3	7.7	11.5	21.3	24.3	28.2	44.1	48.4	56.7	63.9
1981.....	3.5	5.7	10.7	16.6	23.8	28.2	33.1	43.6	60.0	51.6
1980.....	3.6	6.7	9.5	15.5	22.2	29.4	34.1	41.8	40.9	70.8
1979.....	3.3	5.3	9.8	13.9	22.6	24.2	30.8	34.5	43.1	46.5
BLACK, BOTH SEXES										
1998.....	6.0	11.3	19.1	33.9	55.5	89.1	155.4	214.3	262.4	330.9
1997.....	5.9	10.7	17.1	31.5	60.7	94.3	151.0	195.0	274.3	327.9
1996.....	6.8	11.4	18.3	35.6	60.6	89.7	152.1	202.9	266.5	336.4
1995.....	6.3	11.7	19.3	35.6	59.2	93.9	151.4	193.9	262.8	313.4
1994.....	6.0	11.2	19.7	35.3	59.8	98.4	152.3	193.6	244.1	300.9
1993.....	7.6	11.7	18.2	36.0	62.4	98.3	153.8	194.9	268.7	278.5
1992.....	5.6	10.6	18.3	36.3	57.2	97.5	138.5	178.3	222.2	283.8
1991.....	5.8	13.3	21.7	34.7	62.9	97.9	141.5	173.0	217.8	243.5
1990.....	5.9	13.7	19.1	36.1	61.2	95.4	138.5	182.0	235.2	241.7
1989.....	7.0	9.3	22.3	38.6	62.6	101.5	143.5	187.7	216.3	235.5
1988.....	6.9	11.9	21.5	37.2	65.8	97.6	144.7	170.6	211.8	213.1
1987.....	6.0	10.2	20.0	34.1	60.5	91.7	134.7	151.1	208.7	217.3
1986.....	5.7	11.0	20.4	37.4	62.1	91.9	133.7	147.2	183.5	199.0
1985.....	5.0	10.9	19.5	36.8	60.1	90.4	116.8	153.7	194.3	183.1
1984.....	6.3	11.0	19.1	32.9	58.7	77.2	120.6	128.9	191.9	170.5
1983.....	6.0	11.0	16.7	34.6	60.2	75.6	101.7	122.5	171.4	176.1
1982.....	6.1	10.5	18.5	34.0	48.5	69.9	104.4	109.0	130.7	129.5
1981.....	4.9	9.9	18.6	31.1	50.8	71.8	94.8	114.9	152.2	123.2
1980.....	5.6	10.0	18.0	32.3	51.9	66.9	95.3	108.5	125.4	132.7
1979.....	5.1	10.2	16.7	28.2	44.3	61.8	84.1	103.0	99.0	106.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

BLACK MALE

1998.....	5.8	11.5	20.1	42.6	73.9	121.5	221.2	324.3	464.1	570.9
1997.....	5.1	11.4	19.8	38.9	78.3	134.9	220.1	309.3	498.0	586.5
1996.....	7.1	12.3	19.9	45.9	83.9	122.8	215.9	323.1	487.6	579.5
1995.....	4.9	13.9	21.9	41.2	86.3	131.9	235.7	309.6	469.7	613.6
1994.....	6.3	12.7	21.6	42.5	82.4	135.7	245.5	323.7	462.7	561.7
1993.....	7.9	12.3	22.8	46.6	87.6	142.6	242.4	347.4	511.3	560.6
1992.....	6.4	10.8	20.3	48.4	82.9	140.2	222.7	318.4	419.2	559.8
1991.....	7.3	15.0	25.6	47.6	87.7	149.9	229.5	321.0	423.8	482.6
1990.....	7.1	15.4	23.0	49.8	86.8	144.7	241.1	343.0	477.9	498.0
1989.....	9.1	9.8	28.1	49.8	85.2	158.3	241.7	353.9	409.3	481.8
1988.....	8.5	12.9	28.2	48.7	96.7	159.1	263.2	335.6	447.9	441.5
1987.....	6.5	11.7	25.1	44.9	89.7	151.3	241.0	285.1	403.3	440.6
1986.....	7.3	12.4	29.9	52.0	94.0	152.2	244.0	295.9	357.8	423.8
1985.....	6.9	14.4	25.1	50.3	91.5	146.3	222.8	291.8	380.5	374.2
1984.....	6.4	14.8	27.4	47.9	88.5	135.3	217.6	247.9	386.9	326.2
1983.....	6.5	13.5	20.4	53.8	94.8	125.7	198.8	235.8	343.9	346.7
1982.....	7.2	12.1	25.1	46.1	75.3	124.3	188.0	208.1	257.5	272.4
1981.....	6.4	13.9	26.6	46.0	82.9	130.6	182.4	225.9	307.8	271.4
1980.....	7.4	13.1	26.5	50.2	86.5	115.8	179.0	209.9	270.6	271.6
1979.....	6.6	15.1	23.8	44.2	71.8	110.7	160.6	206.8	196.1	246.2

BLACK FEMALE

1998.....	6.1	11.2	18.3	27.0	41.8	64.9	109.7	143.9	156.6	231.1
1997.....	6.7	10.1	15.0	25.8	47.6	63.9	103.6	122.9	158.4	220.9
1996.....	6.5	10.6	16.9	27.5	43.1	65.1	108.8	127.8	152.5	236.5
1995.....	7.6	9.8	17.1	31.2	38.7	65.5	94.6	122.7	157.5	191.4
1994.....	5.8	9.8	18.2	29.7	42.6	70.6	89.8	115.0	132.7	195.0
1993.....	7.3	11.2	14.4	27.6	43.3	65.8	94.0	104.6	143.9	163.5
1992.....	4.9	10.5	16.6	26.8	37.7	66.2	82.5	96.4	120.1	169.0
1991.....	4.6	11.9	18.6	24.4	44.2	60.3	83.2	86.0	111.7	142.3
1990.....	4.8	12.4	15.9	25.3	41.9	59.7	71.1	87.6	109.5	133.0
1989.....	5.2	8.9	17.5	29.7	45.5	60.4	79.1	89.4	115.1	130.7
1988.....	5.6	11.0	15.9	28.1	42.4	53.0	66.3	72.0	87.1	113.4
1987.....	5.6	8.9	15.7	25.4	38.3	48.3	64.3	69.9	104.1	118.1
1986.....	4.3	9.9	12.7	25.6	37.7	47.6	60.6	56.2	88.5	96.4
1985.....	3.5	7.9	14.8	25.8	35.9	49.4	46.8	67.8	91.8	94.0
1984.....	6.2	7.9	12.2	20.6	35.7	34.4	55.9	54.1	84.2	96.9
1983.....	5.7	9.0	13.7	19.0	33.3	38.7	36.1	49.8	73.8	93.5
1982.....	5.2	9.2	13.1	24.2	27.4	29.8	46.9	45.8	57.2	59.3
1981.....	3.7	6.6	12.1	19.0	25.6	28.6	33.6	43.0	61.4	48.7
1980.....	4.2	7.5	11.2	17.7	24.4	30.5	35.8	42.6	38.4	63.2
1979.....	3.8	6.1	10.9	15.1	22.4	25.2	29.0	31.8	38.7	36.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)										
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)										
TOTAL, BOTH SEXES										
1998.....	1.6	2.6	4.6	8.9	18.0	32.5	49.6	66.3	88.0	99.9
1997.....	1.7	2.7	4.6	9.2	18.7	32.5	50.8	68.5	88.1	102.8
1996.....	1.8	2.7	5.2	10.1	18.8	31.9	50.7	71.3	90.3	101.8
1995.....	1.7	2.9	5.5	10.7	19.2	33.2	49.7	70.6	89.4	103.6
1994.....	1.5	2.9	5.0	10.7	20.2	34.6	53.2	73.4	90.7	106.5
1993.....	1.5	2.6	5.0	11.1	21.2	35.7	55.3	76.3	94.8	105.4
1992.....	1.5	2.6	5.1	10.7	19.1	34.8	53.9	71.9	88.1	105.2
1991.....	1.6	2.9	5.7	10.7	20.6	34.8	53.8	75.9	91.2	104.9
1990.....	1.5	3.0	5.4	11.0	20.5	33.6	53.7	75.3	87.5	99.5
1989.....	1.5	2.5	5.6	11.9	20.6	35.4	53.9	75.7	86.2	99.2
1988.....	1.6	2.7	5.3	11.3	21.2	34.4	57.5	74.7	86.3	98.5
1987.....	1.6	2.6	5.8	10.7	20.4	32.5	52.9	70.3	85.4	93.9
1986.....	1.3	2.8	5.7	10.7	20.1	33.3	55.3	72.5	84.4	91.5
1985.....	1.2	2.8	5.5	11.0	20.4	34.8	54.0	70.9	81.0	90.9
1984.....	1.5	2.6	5.0	10.9	19.5	33.1	51.8	66.3	80.2	86.8
1983.....	1.5	2.8	5.9	11.4	19.5	34.2	52.2	67.8	78.5	87.8
1982.....	1.3	2.7	5.7	10.6	19.2	33.5	51.5	66.0	76.3	81.6
1981.....	1.4	2.8	5.7	11.4	20.8	37.1	54.8	67.9	77.8	86.4
1980.....	1.4	2.9	5.8	11.3	22.1	38.2	56.0	73.3	84.7	92.6
1979.....	1.5	2.9	6.1	10.9	23.3	37.4	56.7	70.5	80.5	84.3
TOTAL, MALE										
1998.....	1.3	2.4	3.8	9.0	20.1	36.8	59.4	81.7	114.4	143.7
1997.....	1.4	2.3	4.2	9.5	19.4	37.2	62.8	85.6	116.2	155.9
1996.....	1.6	2.5	4.9	9.8	20.4	37.6	59.9	90.0	126.6	159.0
1995.....	1.3	2.8	5.4	10.9	21.3	37.4	61.3	90.2	128.0	164.9
1994.....	1.4	2.6	4.9	10.8	22.3	40.2	66.5	96.2	133.5	172.4
1993.....	1.4	2.4	5.3	11.5	23.7	41.9	67.8	102.3	143.5	175.5
1992.....	1.5	2.4	4.5	11.6	22.0	42.1	67.5	96.9	136.9	174.8
1991.....	1.6	3.0	5.4	11.5	23.1	42.0	68.3	106.0	143.9	181.2
1990.....	1.5	2.9	4.9	12.1	23.8	42.5	71.7	108.8	144.0	171.8
1989.....	1.4	2.4	5.7	12.7	23.0	45.0	70.8	108.6	142.0	175.3
1988.....	1.5	2.6	5.2	12.2	25.6	44.4	78.6	115.9	150.2	178.6
1987.....	1.6	2.2	5.7	11.8	25.5	41.2	74.7	110.9	152.9	161.7
1986.....	1.3	2.9	6.1	12.8	24.9	43.7	80.6	117.7	151.1	169.4
1985.....	1.0	2.9	5.8	13.0	24.8	46.7	81.4	118.4	149.7	174.4
1984.....	1.5	2.7	5.6	12.9	25.6	44.8	78.7	112.9	150.6	165.3
1983.....	1.3	2.9	6.3	14.2	25.3	48.0	83.5	119.1	147.7	175.5
1982.....	1.1	2.6	6.4	12.6	25.5	49.0	83.5	120.2	148.1	167.5
1981.....	1.4	3.0	6.9	14.6	29.1	55.5	90.4	124.9	150.7	179.3
1980.....	1.4	3.2	6.9	14.7	31.4	60.0	93.4	139.7	172.7	184.4
1979.....	1.5	3.5	7.4	14.9	33.4	59.5	99.2	134.5	166.3	179.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)										
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)										
TOTAL, FEMALE										
1998.....	1.9	2.9	5.3	8.8	16.1	29.0	41.9	55.4	72.3	81.7
1997.....	2.0	3.0	4.9	8.8	18.2	28.6	41.5	56.4	71.7	81.4
1996.....	2.0	2.8	5.5	10.4	17.4	27.1	43.6	58.3	69.4	79.1
1995.....	2.2	3.0	5.6	10.5	17.3	29.7	40.7	57.1	67.6	79.7
1994.....	1.6	3.2	5.1	10.7	18.3	30.0	43.0	58.0	66.9	81.1
1993.....	1.6	2.9	4.8	10.7	19.1	30.6	45.7	58.9	68.2	78.5
1992.....	1.5	2.7	5.8	9.9	16.5	28.9	43.6	55.5	61.6	78.2
1991.....	1.5	2.8	6.0	10.0	18.4	29.0	42.9	56.2	63.1	75.5
1990.....	1.5	3.0	5.8	10.1	17.7	26.4	40.3	53.7	57.5	71.6
1989.....	1.6	2.7	5.5	11.1	18.5	27.5	41.4	54.6	56.7	69.6
1988.....	1.7	2.9	5.3	10.4	17.5	26.2	42.0	48.4	52.6	67.2
1987.....	1.7	2.9	5.8	9.7	16.1	25.4	37.1	44.6	50.0	67.2
1986.....	1.3	2.7	5.2	8.8	16.0	24.8	37.0	44.0	49.5	60.5
1985.....	1.3	2.7	5.3	9.1	16.7	25.1	34.1	40.9	44.9	57.5
1984.....	1.5	2.6	4.3	9.2	14.2	23.6	32.3	37.1	43.2	55.1
1983.....	1.6	2.7	5.5	8.9	14.5	23.0	29.6	35.6	42.1	51.8
1982.....	1.5	2.7	5.1	8.8	13.8	21.0	28.3	32.1	38.4	45.8
1981.....	1.3	2.5	4.6	8.6	13.7	22.4	29.1	32.2	39.2	46.8
1980.....	1.4	2.7	4.8	8.3	14.1	20.7	28.9	31.7	37.9	52.4
1979.....	1.5	2.3	4.9	7.4	14.5	19.7	25.9	30.3	34.4	41.8
WHITE, BOTH SEXES										
1998.....	1.2	2.0	4.1	8.6	18.4	33.8	51.4	68.9	92.0	104.5
1997.....	1.4	2.2	4.1	8.9	18.9	33.7	52.6	71.3	91.4	107.3
1996.....	1.3	2.2	4.7	9.6	18.8	32.9	52.4	73.7	93.9	104.8
1995.....	1.3	2.3	5.0	10.3	19.9	34.6	51.0	73.1	91.5	107.0
1994.....	1.1	2.4	4.5	10.4	20.6	35.7	55.2	76.5	94.2	110.6
1993.....	1.0	2.1	4.8	10.8	21.8	36.7	57.4	79.3	98.2	108.8
1992.....	1.3	2.1	4.8	10.5	19.3	35.8	55.9	75.0	91.4	108.4
1991.....	1.2	2.3	5.3	10.6	20.6	35.9	55.9	79.7	95.1	109.5
1990.....	1.2	2.3	5.0	10.7	21.0	34.4	56.1	78.3	90.5	103.9
1989.....	1.1	2.2	5.1	11.8	21.0	36.1	55.7	78.9	89.6	102.8
1988.....	1.2	2.3	4.8	10.9	21.2	35.1	59.2	77.7	89.5	103.3
1987.....	1.3	2.1	5.3	10.5	20.6	33.3	54.8	73.9	88.7	97.4
1986.....	1.1	2.3	5.3	10.2	20.4	34.2	57.5	76.1	87.9	95.7
1985.....	1.0	2.5	5.1	10.7	20.8	35.8	56.5	74.0	84.0	94.5
1984.....	1.1	2.1	4.7	11.1	19.7	34.4	53.9	69.8	82.7	90.6
1983.....	1.1	2.3	5.6	11.1	19.7	35.5	54.6	71.5	81.4	91.0
1982.....	1.0	2.2	5.5	10.5	19.6	34.8	54.0	69.4	80.0	85.6
1981.....	1.1	2.5	5.5	11.4	21.4	38.5	57.5	71.4	81.1	90.6
1980.....	1.1	2.7	5.5	11.3	22.6	39.8	58.7	77.2	88.8	96.5
1979.....	1.2	2.5	5.9	11.0	23.8	39.0	59.5	74.2	84.3	87.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)										
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)										
WHITE MALE										
1998.....	1.0	1.9	3.5	8.7	20.2	37.6	61.1	84.1	118.3	151.3
1997.....	1.2	1.9	3.7	9.0	19.5	38.0	64.2	88.4	118.9	162.1
1996.....	1.0	2.1	4.5	9.2	20.2	38.5	61.1	92.1	130.8	165.2
1995.....	0.9	2.2	4.9	10.4	21.6	38.7	61.7	92.4	129.7	169.8
1994.....	1.0	2.1	4.5	10.6	22.1	41.3	67.8	99.3	136.8	179.0
1993.....	0.9	2.0	5.0	11.0	23.9	42.5	69.4	104.7	148.0	181.0
1992.....	1.2	2.0	4.1	11.2	21.7	42.7	69.3	100.1	140.8	180.4
1991.....	1.3	2.4	4.9	11.4	22.7	42.6	70.2	110.5	148.7	190.6
1990.....	1.1	2.3	4.4	11.6	23.9	42.8	74.0	111.6	147.6	180.2
1989.....	1.0	2.0	5.1	12.7	23.3	45.5	72.2	112.0	148.2	181.9
1988.....	1.1	2.2	4.6	11.4	25.4	44.7	79.5	118.8	154.7	188.2
1987.....	1.3	1.8	5.1	11.4	25.4	41.5	76.7	116.1	159.1	168.7
1986.....	1.1	2.6	5.7	12.1	24.9	44.4	83.3	122.7	156.5	178.7
1985.....	0.8	2.4	5.3	12.6	24.9	47.9	84.5	123.2	156.3	182.1
1984.....	1.2	2.1	5.1	13.0	25.7	45.9	81.4	118.7	156.4	173.8
1983.....	1.0	2.3	6.2	13.7	25.3	49.6	86.7	126.5	153.1	183.3
1982.....	0.8	2.3	6.1	12.4	25.8	50.6	87.6	126.6	156.1	176.8
1981.....	1.2	2.7	6.6	14.4	29.4	56.9	94.1	131.1	158.4	189.3
1980.....	1.0	2.9	6.6	14.3	31.7	62.4	98.2	148.0	182.1	193.3
1979.....	1.2	3.0	7.3	15.0	34.1	61.9	104.2	142.3	175.7	187.8
WHITE FEMALE										
1998.....	1.5	2.2	4.7	8.5	16.7	30.5	43.8	58.0	76.4	85.2
1997.....	1.6	2.4	4.5	8.7	18.4	30.1	43.5	59.1	75.2	85.4
1996.....	1.5	2.3	4.9	10.0	17.6	28.1	45.7	60.8	72.6	81.1
1995.....	1.7	2.4	5.1	10.1	18.2	31.2	42.7	59.8	69.9	82.7
1994.....	1.2	2.8	4.5	10.2	19.3	31.1	45.4	60.9	70.6	84.5
1993.....	1.1	2.1	4.5	10.6	19.8	31.8	48.1	62.2	71.0	81.5
1992.....	1.3	2.2	5.4	9.9	17.1	30.1	45.7	58.3	64.8	80.9
1991.....	1.2	2.2	5.6	9.9	18.7	30.4	45.0	59.5	66.6	78.8
1990.....	1.2	2.3	5.6	10.0	18.3	27.4	42.7	56.8	60.3	75.0
1989.....	1.2	2.3	5.2	10.9	18.9	28.4	43.4	57.6	58.9	72.6
1988.....	1.3	2.4	5.0	10.4	17.5	27.2	44.3	51.6	55.4	70.7
1987.....	1.4	2.5	5.4	9.7	16.3	26.5	38.7	47.2	52.0	69.9
1986.....	1.1	2.1	5.0	8.6	16.5	25.8	38.7	46.8	52.1	63.3
1985.....	1.2	2.5	4.9	9.0	17.2	25.9	36.2	43.2	46.4	60.2
1984.....	1.0	2.2	4.2	9.3	14.4	25.1	33.9	39.4	44.3	57.6
1983.....	1.1	2.3	5.1	8.8	14.8	24.1	31.4	37.2	44.0	53.8
1982.....	1.2	2.2	5.0	8.9	14.1	22.2	29.7	33.8	40.1	48.2
1981.....	1.1	2.3	4.4	8.7	14.3	23.6	31.1	34.2	40.5	49.2
1980.....	1.2	2.4	4.6	8.5	14.6	21.6	30.3	33.1	39.8	54.8
1979.....	1.3	2.1	4.7	7.5	14.9	20.7	27.3	31.8	35.9	44.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)										
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)										
ALL OTHER, BOTH SEXES										
1998.....	3.4	5.9	7.7	10.6	15.6	24.2	34.8	43.4	47.4	56.7
1997.....	3.5	5.3	7.5	10.8	17.5	24.1	35.7	43.0	55.2	60.5
1996.....	4.4	5.3	8.1	13.2	18.6	24.5	36.0	49.2	53.0	73.5
1995.....	4.0	6.2	8.3	13.4	14.7	22.9	38.3	47.2	67.2	69.3
1994.....	3.6	5.5	8.1	12.8	17.3	26.5	36.2	44.6	54.8	64.9
1993.....	4.2	6.2	6.6	12.9	17.6	27.9	36.9	47.5	59.9	69.6
1992.....	2.8	5.4	7.3	12.3	17.7	27.4	36.3	43.4	53.3	71.7
1991.....	3.4	6.7	8.6	11.3	20.4	26.1	35.6	39.7	51.3	56.6
1990.....	3.3	7.1	7.7	13.0	17.2	27.4	31.3	47.0	56.6	52.6
1989.....	3.9	4.8	8.8	12.7	17.7	29.0	37.4	45.6	50.5	61.3
1988.....	4.2	5.4	8.1	14.0	21.7	28.1	41.4	45.8	52.5	47.6
1987.....	3.4	5.3	9.0	12.2	19.5	25.6	36.1	36.7	50.3	55.4
1986.....	2.8	5.6	7.7	14.5	17.9	25.4	35.1	37.8	47.8	45.9
1985.....	2.3	5.1	8.6	12.6	17.3	26.0	30.1	40.8	48.1	50.4
1984.....	3.8	5.8	7.1	9.6	18.2	21.2	32.0	32.6	52.7	45.6
1983.....	3.9	5.9	7.4	13.6	17.7	22.5	29.8	31.6	46.2	52.2
1982.....	3.4	5.4	7.3	11.1	15.7	21.4	27.4	33.4	35.1	37.7
1981.....	2.8	4.8	7.2	11.4	16.0	25.2	29.4	34.1	40.2	38.9
1980.....	3.3	4.6	7.6	11.7	18.2	23.7	29.6	35.5	36.2	47.4
1979.....	3.3	5.2	7.5	10.1	18.1	22.5	28.8	34.5	34.8	42.5
ALL OTHER MALE										
1998.....	3.1	5.5	6.3	11.2	19.7	30.6	44.7	59.7	74.5	76.4
1997.....	2.6	4.8	7.7	12.9	18.6	30.7	50.6	59.6	88.1	102.3
1996.....	4.4	5.1	7.6	13.7	21.9	30.4	49.0	70.3	82.7	105.1
1995.....	3.5	6.2	8.4	14.0	19.0	27.5	57.9	69.2	110.1	119.2
1994.....	3.5	5.6	7.6	12.2	23.8	31.7	54.1	64.7	100.0	110.1
1993.....	4.1	5.3	6.7	14.8	22.0	37.0	53.1	78.8	97.9	124.5
1992.....	3.0	4.9	6.8	15.0	24.1	37.3	50.6	65.5	97.1	122.9
1991.....	3.8	7.3	9.0	12.6	26.2	36.7	50.6	62.6	96.1	94.2
1990.....	3.7	7.2	8.3	15.7	22.7	39.8	49.1	81.8	108.4	93.4
1989.....	4.3	4.5	10.1	12.8	20.3	40.4	57.3	76.1	81.0	114.8
1988.....	4.3	4.8	9.1	18.1	27.0	42.0	70.6	88.6	105.1	89.9
1987.....	3.4	4.9	9.7	15.5	26.6	38.8	56.0	61.9	90.2	96.1
1986.....	3.0	5.1	9.0	19.2	25.1	36.9	54.3	71.0	96.3	82.7
1985.....	2.7	6.2	9.4	16.2	23.8	35.5	51.7	73.8	81.9	101.4
1984.....	3.5	6.3	9.7	11.6	24.8	35.4	52.5	59.9	91.1	86.1
1983.....	3.4	6.8	6.8	18.4	25.4	33.7	53.9	50.8	91.8	100.0
1982.....	3.4	4.5	8.9	14.7	22.3	34.9	45.0	60.9	64.9	77.6
1981.....	3.1	5.7	9.6	15.6	26.0	42.5	55.5	66.7	69.2	79.7
1980.....	3.8	5.1	9.4	17.6	28.5	38.1	49.0	62.5	72.2	93.8
1979.....	3.9	6.7	9.0	14.2	26.3	37.0	51.1	63.2	66.3	96.6

RACE, AND SEX:		UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)								
CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)										
ALL OTHER FEMALE										
1998.....	3.7	6.4	8.9	10.0	12.4	19.4	27.8	32.6	32.1	47.7
1997.....	4.3	5.8	7.4	9.1	16.6	19.2	25.4	32.2	36.7	41.6
1996.....	4.3	5.5	8.5	12.8	16.0	20.1	26.9	35.6	36.4	59.2
1995.....	4.5	6.2	8.3	12.9	11.5	19.4	24.7	33.1	43.6	47.6
1994.....	3.8	5.3	8.4	13.3	12.3	22.6	23.7	32.0	29.9	45.4
1993.....	4.3	6.9	6.6	11.3	14.3	21.3	25.6	28.0	38.8	45.7
1992.....	2.6	5.9	7.7	10.1	12.7	20.0	26.5	29.7	28.6	48.7
1991.....	3.0	6.1	8.4	10.3	16.0	18.3	25.4	25.4	25.8	39.2
1990.....	3.0	7.1	7.2	10.8	13.0	18.2	19.2	25.5	27.4	34.1
1989.....	3.6	5.0	7.7	12.6	15.7	20.5	23.8	26.5	33.0	36.6
1988.....	4.1	6.0	7.2	10.6	17.6	17.8	21.5	18.8	22.1	27.8
1987.....	3.4	5.6	8.4	9.6	14.0	15.8	22.4	20.5	27.6	36.2
1986.....	2.6	6.0	6.7	10.8	12.2	16.7	21.9	16.3	20.2	28.2
1985.....	2.0	4.2	7.9	9.7	12.3	18.9	15.2	19.1	28.3	26.0
1984.....	4.0	5.4	5.0	8.0	12.9	10.6	17.6	14.5	30.1	25.5
1983.....	4.3	5.2	8.0	9.6	11.5	14.1	12.8	18.7	19.4	28.1
1982.....	3.5	6.1	6.1	8.2	10.4	11.2	14.7	14.7	17.2	17.3
1981.....	2.6	4.0	5.3	7.9	8.1	12.2	10.3	12.0	22.7	18.3
1980.....	2.9	4.2	6.0	6.9	9.8	12.7	15.2	17.1	14.1	23.6
1979.....	2.7	4.0	6.2	6.8	11.5	11.4	11.8	14.3	15.3	14.9
BLACK, BOTH SEXES										
1998.....	4.4	7.6	10.0	12.7	18.2	27.6	38.1	45.9	50.2	52.3
1997.....	4.3	6.6	9.1	12.4	20.3	25.8	38.7	44.9	54.8	59.1
1996.....	5.4	6.6	10.2	15.8	21.4	26.4	38.8	52.3	53.7	73.7
1995.....	4.9	7.8	10.5	16.4	16.7	26.1	40.5	48.0	66.3	64.6
1994.....	4.6	6.9	9.3	15.4	20.5	29.5	38.8	47.1	53.7	61.2
1993.....	5.4	7.7	8.2	15.7	20.4	30.4	39.1	47.7	57.6	65.1
1992.....	3.6	6.9	9.2	14.3	19.8	30.5	39.1	43.8	55.5	70.0
1991.....	4.2	8.8	11.0	13.2	23.3	27.9	38.0	40.1	46.5	49.6
1990.....	4.3	9.3	9.2	14.1	19.9	30.0	34.3	44.5	55.2	45.8
1989.....	4.9	5.8	10.7	14.6	19.5	32.8	38.7	48.2	49.3	58.2
1988.....	5.2	6.6	9.5	16.5	24.3	31.2	44.4	45.9	53.3	44.9
1987.....	4.5	6.4	10.3	14.3	21.3	27.6	38.7	34.5	48.7	46.6
1986.....	3.5	6.6	9.1	16.7	20.6	28.0	38.0	35.8	45.5	40.8
1985.....	2.9	6.1	9.6	13.7	19.0	27.8	31.9	39.5	43.3	46.2
1984.....	4.6	6.8	8.2	10.5	20.4	22.5	32.4	31.6	50.0	41.1
1983.....	4.5	7.0	8.8	14.9	19.7	23.3	29.9	31.2	39.6	48.9
1982.....	4.2	6.3	8.1	12.6	17.5	23.1	28.8	32.2	33.9	33.5
1981.....	3.3	5.5	8.3	12.8	17.8	27.5	30.3	34.6	41.6	37.5
1980.....	3.9	5.1	8.6	13.0	19.7	25.2	30.8	34.8	37.0	42.8
1979.....	3.5	6.1	8.2	11.2	19.4	23.5	28.9	34.8	32.8	38.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)										
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)										
BLACK MALE										
1998.....	4.2	6.8	7.9	13.2	22.3	34.5	48.1	62.0	84.5	71.2
1997.....	3.2	6.0	9.1	14.4	21.9	32.5	54.4	62.9	93.8	107.5
1996.....	5.6	6.6	9.8	17.3	25.8	31.7	52.3	74.2	82.7	111.6
1995.....	3.9	7.7	11.1	17.0	21.6	31.0	61.0	71.5	105.3	117.4
1994.....	4.4	7.2	8.5	14.8	28.1	34.7	58.1	68.7	102.1	100.8
1993.....	5.1	6.6	8.6	17.6	25.2	39.7	55.8	83.4	94.3	118.3
1992.....	4.0	6.0	8.3	17.3	26.9	41.5	54.4	69.1	103.3	123.4
1991.....	4.8	9.5	11.6	14.7	31.0	39.0	56.8	66.3	91.1	92.8
1990.....	4.7	9.6	9.4	17.4	26.3	43.3	55.7	79.5	109.8	86.0
1989.....	5.1	5.2	12.6	14.9	22.2	46.5	60.3	80.3	81.4	115.2
1988.....	5.5	5.8	10.9	20.8	30.1	47.7	77.6	91.0	114.9	81.5
1987.....	4.5	6.0	11.9	17.9	29.5	43.2	61.8	58.9	88.0	85.9
1986.....	3.9	6.2	11.2	22.2	29.4	41.1	60.1	69.2	91.1	68.3
1985.....	3.4	7.9	10.6	16.8	26.2	39.5	56.1	70.6	75.9	91.9
1984.....	4.0	7.6	10.9	12.4	27.2	37.4	52.2	59.3	91.7	75.4
1983.....	3.9	7.8	8.3	20.6	28.5	36.4	54.9	50.9	74.4	98.3
1982.....	4.2	5.1	9.9	16.4	24.4	38.0	48.3	61.5	62.5	65.5
1981.....	3.9	6.7	10.8	17.8	29.1	47.4	59.0	67.7	74.0	76.8
1980.....	4.6	6.0	10.5	19.4	31.6	41.2	52.4	63.4	74.6	86.8
1979.....	3.9	7.8	9.8	15.4	29.3	38.8	54.0	67.1	61.0	90.4
BLACK FEMALE										
1998.....	4.6	8.2	11.6	12.4	15.1	22.4	31.1	35.5	32.2	44.4
1997.....	5.2	7.2	9.2	10.9	19.2	20.7	27.9	33.6	34.6	39.2
1996.....	5.3	6.6	10.5	14.7	18.1	22.4	29.6	38.6	38.8	58.1
1995.....	5.9	7.8	10.0	16.0	13.0	22.4	26.7	33.6	46.5	43.1
1994.....	4.8	6.7	10.0	15.9	14.8	25.6	25.8	34.1	29.1	45.2
1993.....	5.8	8.7	8.0	14.2	16.8	23.5	27.9	26.5	38.7	43.3
1992.....	3.3	7.6	10.0	11.8	14.5	22.5	28.9	28.9	30.8	47.8
1991.....	3.7	8.1	10.5	12.1	17.4	20.0	25.6	24.7	23.5	31.3
1990.....	3.8	9.0	9.0	11.5	15.0	20.4	20.3	23.9	26.9	28.8
1989.....	4.7	6.3	9.1	14.3	17.4	22.9	24.6	29.2	32.4	34.0
1988.....	5.0	7.3	8.3	13.0	19.8	19.2	22.4	18.9	20.8	28.9
1987.....	4.5	6.8	9.1	11.4	15.0	16.2	23.3	19.7	27.5	29.2
1986.....	3.2	7.0	7.5	12.3	13.9	18.4	23.4	15.3	20.6	28.3
1985.....	2.5	4.7	8.8	11.1	13.5	19.3	15.9	20.1	25.3	24.8
1984.....	5.0	6.1	6.0	8.9	15.2	11.6	19.1	14.3	27.0	24.8
1983.....	4.9	6.4	9.2	10.3	12.8	13.6	13.1	18.5	20.0	25.0
1982.....	4.2	7.3	6.7	9.4	12.0	12.1	15.3	13.5	17.4	17.8
1981.....	2.8	4.6	6.2	8.8	8.9	12.9	10.2	13.1	22.7	17.7
1980.....	3.3	4.4	7.2	7.7	10.3	13.2	15.5	16.2	14.4	20.7
1979.....	3.1	4.7	6.8	7.6	11.5	12.2	10.8	12.7	15.3	12.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)										
TOTAL, BOTH SEXES										
1998.....	*	*	0.1	*	*	0.3	0.4	0.7	2.1	6.8
1997.....	*	*	*	*	*	*	0.5	1.0	1.9	6.7
1996.....	*	*	*	*	*	0.2	0.5	1.0	2.0	6.7
1995.....	*	*	*	*	*	0.4	0.6	1.0	2.5	7.2
1994.....	*	*	*	*	*	0.2	0.6	1.0	2.3	9.3
1993.....	*	*	*	*	0.2	0.3	0.6	1.1	2.4	8.7
1992.....	*	*	*	*	0.2	0.3	0.5	1.0	2.0	8.4
1991.....	*	*	*	*	0.3	*	0.6	1.2	2.7	8.7
1990.....	*	*	*	*	0.2	0.4	0.5	1.0	2.7	8.7
1989.....	*	*	*	*	0.2	0.3	0.7	1.4	2.7	10.1
1988.....	*	*	*	0.2	0.3	0.3	0.7	1.3	2.9	8.8
1987.....	*	*	*	*	*	0.4	0.7	1.2	2.6	9.4
1986.....	*	*	*	*	0.2	0.4	0.7	1.1	3.0	9.7
1985.....	*	*	*	*	0.2	0.3	0.7	1.1	2.4	9.3
1984.....	*	*	*	*	0.2	0.2	0.6	1.2	3.0	7.8
1983.....	*	*	*	*	0.2	0.5	0.5	1.1	2.3	7.5
1982.....	*	*	*	*	0.2	0.3	0.6	0.9	2.4	6.1
1981.....	*	*	*	*	0.3	0.3	0.8	1.3	3.0	6.8
1980.....	0.0	0.0	0.1	0.1	0.3	0.3	0.5	1.2	2.9	6.3
1979.....	0.0	0.0	0.1	0.1	0.2	0.2	0.5	0.9	1.7	4.5
TOTAL, MALE										
1998.....	*	*	*	*	*	*	*	0.7	2.0	7.0
1997.....	*	*	*	*	*	*	0.6	1.0	2.4	6.8
1996.....	*	*	*	*	*	*	0.6	1.3	2.9	6.8
1995.....	*	*	*	*	*	*	0.6	1.4	2.7	7.3
1994.....	*	*	*	*	*	*	1.1	1.3	2.6	9.1
1993.....	*	*	*	*	*	0.5	0.7	1.2	2.6	8.7
1992.....	*	*	*	*	*	0.4	0.6	1.1	2.0	8.4
1991.....	*	*	*	*	*	*	0.8	1.3	3.1	8.9
1990.....	*	*	*	*	*	*	0.6	1.1	3.2	8.9
1989.....	*	*	*	*	*	0.4	1.0	1.8	3.4	9.3
1988.....	*	*	*	*	*	*	0.9	1.7	3.3	9.0
1987.....	*	*	*	*	*	0.6	0.8	1.5	2.8	9.4
1986.....	*	*	*	*	*	*	0.7	1.4	3.9	10.1
1985.....	*	*	*	*	*	*	1.0	1.6	3.6	10.0
1984.....	*	*	*	*	*	*	0.8	1.7	3.3	7.4
1983.....	*	*	*	*	*	0.6	*	1.7	2.3	9.0
1982.....	*	*	*	*	*	*	0.7	1.4	3.0	7.0
1981.....	*	*	*	*	*	*	1.1	1.8	5.2	7.0
1980.....	0.0	0.1	0.1	0.1	0.3	0.4	0.8	1.9	3.3	7.3
1979.....	0.0	0.0	0.1	0.1	0.2	0.3	0.9	1.1	2.9	5.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	0.6	2.1	6.7
1997.....	*	*	*	*	*	*	0.5	0.9	1.6	6.6
1996.....	*	*	*	*	*	*	0.5	0.9	1.5	6.6
1995.....	*	*	*	*	*	*	0.6	0.7	2.3	7.2
1994.....	*	*	*	*	*	*	*	0.8	2.1	9.3
1993.....	*	*	*	*	*	*	0.5	1.0	2.3	8.8
1992.....	*	*	*	*	*	*	0.5	1.0	2.0	8.5
1991.....	*	*	*	*	*	*	0.6	1.1	2.4	8.6
1990.....	*	*	*	*	*	0.4	*	0.8	2.5	8.6
1989.....	*	*	*	*	*	*	0.6	1.1	2.3	10.5
1988.....	*	*	*	*	*	*	0.5	1.0	2.7	8.8
1987.....	*	*	*	*	*	*	0.6	1.0	2.5	9.4
1986.....	*	*	*	*	*	*	0.7	0.9	2.5	9.5
1985.....	*	*	*	*	*	*	0.5	0.8	1.7	9.0
1984.....	*	*	*	*	*	*	0.5	0.9	2.9	8.0
1983.....	*	*	*	*	*	*	*	0.8	2.4	6.9
1982.....	*	*	*	*	*	*	0.6	*	2.0	5.7
1981.....	*	*	*	*	*	*	0.5	0.9	1.9	6.7
1980.....	0.1	0.0	0.1	0.1	0.2	0.1	0.3	0.8	2.7	5.8
1979.....	0.1	-	0.0	0.1	0.2	0.1	0.3	0.8	1.1	4.1
WHITE, BOTH SEXES										
1998.....	*	*	*	*	*	0.3	0.4	0.7	2.2	7.1
1997.....	*	*	*	*	*	*	0.5	1.0	1.9	6.9
1996.....	*	*	*	*	*	*	0.6	1.0	2.1	7.0
1995.....	*	*	*	*	*	0.3	0.6	1.0	2.5	7.4
1994.....	*	*	*	*	*	*	0.6	0.9	2.3	9.7
1993.....	*	*	*	*	0.2	0.3	0.6	1.2	2.4	9.2
1992.....	*	*	*	*	*	0.3	0.5	1.1	2.1	8.9
1991.....	*	*	*	*	0.3	*	0.7	1.2	2.7	9.0
1990.....	*	*	*	*	*	0.4	0.4	0.9	2.8	9.2
1989.....	*	*	*	*	0.2	0.3	0.7	1.4	2.9	10.5
1988.....	*	*	*	0.2	0.3	0.3	0.7	1.3	3.0	9.3
1987.....	*	*	*	*	*	0.4	0.7	1.3	2.7	10.0
1986.....	*	*	*	*	0.3	0.4	0.7	1.1	3.1	10.4
1985.....	*	*	*	*	*	0.3	0.7	1.1	2.5	9.9
1984.....	*	*	*	*	*	0.2	0.6	1.3	3.2	8.2
1983.....	*	*	*	*	0.3	0.5	0.4	1.1	2.4	7.8
1982.....	*	*	*	*	0.2	0.3	0.7	1.0	2.4	6.4
1981.....	*	*	*	*	0.3	0.3	0.7	1.3	3.0	7.4
1980.....	0.0	0.0	0.1	0.1	0.3	0.3	0.5	1.3	3.1	6.6
1979.....	0.0	0.0	0.1	0.1	0.2	0.2	0.5	0.9	1.9	4.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)										
WHITE MALE										
1998.....	*	*	*	*	*	*	*	0.8	2.1	7.1
1997.....	*	*	*	*	*	*	0.6	1.1	2.4	6.8
1996.....	*	*	*	*	*	*	0.7	1.3	3.0	7.3
1995.....	*	*	*	*	*	*	0.6	1.5	2.9	7.5
1994.....	*	*	*	*	*	*	1.1	1.2	2.7	9.4
1993.....	*	*	*	*	*	0.5	0.7	1.3	2.6	9.0
1992.....	*	*	*	*	*	*	*	1.2	2.0	8.8
1991.....	*	*	*	*	*	*	0.8	1.4	3.2	9.1
1990.....	*	*	*	*	*	*	*	1.0	3.1	9.6
1989.....	*	*	*	*	*	*	1.0	1.7	3.7	9.7
1988.....	*	*	*	*	*	*	0.9	1.7	3.2	9.3
1987.....	*	*	*	*	*	0.6	0.8	1.6	2.9	10.1
1986.....	*	*	*	*	*	*	0.7	1.4	4.1	11.1
1985.....	*	*	*	*	*	*	1.0	1.6	4.0	10.9
1984.....	*	*	*	*	*	*	0.9	1.8	3.4	7.4
1983.....	*	*	*	*	*	0.6	*	1.8	2.3	9.2
1982.....	*	*	*	*	*	*	0.7	1.5	3.0	7.4
1981.....	*	*	*	*	*	*	1.1	1.9	5.3	7.7
1980.....	0.0	0.1	0.1	0.1	0.3	0.4	0.9	2.0	3.5	7.6
1979.....	-	0.0	0.1	0.1	0.2	0.3	0.9	1.1	3.2	5.3
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	0.7	2.2	7.0
1997.....	*	*	*	*	*	*	0.5	1.0	1.7	6.9
1996.....	*	*	*	*	*	*	0.5	0.9	1.6	6.9
1995.....	*	*	*	*	*	*	0.5	0.8	2.3	7.3
1994.....	*	*	*	*	*	*	*	0.7	2.2	9.8
1993.....	*	*	*	*	*	*	0.5	1.1	2.3	9.3
1992.....	*	*	*	*	*	*	*	1.0	2.1	8.9
1991.....	*	*	*	*	*	*	0.6	1.1	2.5	8.9
1990.....	*	*	*	*	*	*	*	0.9	2.7	9.0
1989.....	*	*	*	*	*	*	0.5	1.1	2.4	10.8
1988.....	*	*	*	*	*	*	0.5	1.0	2.9	9.2
1987.....	*	*	*	*	*	*	0.6	1.1	2.6	9.9
1986.....	*	*	*	*	*	*	0.7	0.9	2.5	10.1
1985.....	*	*	*	*	*	*	*	0.9	1.8	9.6
1984.....	*	*	*	*	*	*	*	1.0	3.0	8.5
1983.....	*	*	*	*	*	*	*	0.8	2.4	7.3
1982.....	*	*	*	*	*	*	0.6	*	2.1	6.0
1981.....	*	*	*	*	*	*	*	0.9	1.8	7.2
1980.....	0.0	0.0	0.1	0.1	0.2	0.2	0.2	0.8	2.9	6.3
1979.....	0.1	-	0.0	0.1	0.2	0.1	0.3	0.7	1.2	4.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.1	-	0.3	0.4	0.6	0.9	0.4	2.2
1979.....	0.1	-	0.2	0.2	0.4	0.3	0.7	1.1	-	2.3
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.2	-	0.2	1.0	0.7	1.1	1.1	4.9
1979.....	0.1	-	0.2	0.2	0.7	0.5	1.1	1.1	-	3.4

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)

ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.1	-	0.4	-	0.5	0.8	-	0.8
1979.....	-	-	0.1	0.2	0.2	0.2	0.3	1.2	-	1.8

BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.2	-	0.3	0.5	0.7	0.3	0.5	2.5
1979.....	-	-	0.1	0.2	0.5	0.4	0.7	1.0	-	1.9

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.2	-	0.3	1.2	0.9	0.7	1.3	5.7	
1979.....	-	-	0.2	0.2	0.8	0.6	1.3	1.2	-	1.9	

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.2	-	0.4	-	0.6	-	-	0.9	
1979.....	-	-	-	0.2	0.2	0.2	0.3	0.8	-	1.9	

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC BRONCHITIS (491)										
TOTAL, BOTH SEXES										
1998.....	*	0.1	0.3	0.8	1.5	2.5	4.2	6.6	8.9	13.3
1997.....	0.1	0.1	0.4	0.7	1.5	2.7	4.5	6.4	9.3	14.7
1996.....	0.1	0.2	0.4	0.8	1.6	3.0	4.7	6.9	10.0	14.0
1995.....	*	0.1	0.3	0.8	1.6	3.3	4.7	7.3	10.4	17.3
1994.....	*	0.2	0.5	0.9	1.9	3.8	5.4	8.9	10.7	15.7
1993.....	0.1	0.2	0.5	1.0	2.1	3.5	6.3	9.1	12.2	18.2
1992.....	*	0.1	0.6	1.1	2.2	3.8	6.3	9.0	12.4	17.3
1991.....	*	0.2	0.5	1.1	2.3	3.5	6.5	9.8	11.7	17.9
1990.....	*	0.2	0.5	1.1	2.2	3.4	6.1	9.6	13.4	18.3
1989.....	*	*	0.6	1.3	2.1	3.9	6.3	9.8	13.1	19.7
1988.....	*	0.2	0.4	1.1	2.3	4.0	7.1	10.6	11.9	18.9
1987.....	*	0.2	0.4	1.1	2.3	3.6	6.3	9.9	14.1	18.6
1986.....	*	0.2	0.6	1.1	2.4	4.0	7.6	10.9	14.4	19.1
1985.....	*	0.2	0.5	1.1	2.5	4.5	7.3	9.5	14.1	19.8
1984.....	*	0.3	0.5	1.2	2.6	4.0	8.0	10.4	12.9	18.5
1983.....	*	0.3	0.7	1.4	2.5	5.0	7.6	10.4	13.6	19.5
1982.....	*	0.3	0.7	1.4	2.6	5.1	7.3	11.4	13.2	18.5
1981.....	*	0.3	0.6	1.6	3.1	5.4	8.4	11.5	12.5	20.0
1980.....	0.2	0.3	0.7	1.6	3.3	5.9	8.9	11.6	15.0	19.5
1979.....	0.1	0.3	0.8	1.8	3.6	6.1	8.7	11.5	15.6	18.5
TOTAL, MALE										
1998.....	*	*	0.3	1.0	1.7	2.7	5.4	8.4	11.8	20.6
1997.....	*	*	0.4	0.7	1.5	2.9	5.4	8.1	12.8	23.7
1996.....	*	*	0.4	0.7	1.8	3.4	5.9	8.7	14.9	23.5
1995.....	*	*	0.5	0.8	1.7	4.0	6.2	9.9	15.4	26.2
1994.....	*	*	0.5	0.9	2.1	4.2	6.5	11.3	16.8	25.9
1993.....	*	*	0.5	1.0	2.3	4.2	7.7	12.8	18.5	30.1
1992.....	*	*	0.5	1.2	2.6	4.1	8.2	12.4	19.2	26.0
1991.....	*	0.3	0.5	1.1	2.7	4.2	8.2	14.6	19.3	32.9
1990.....	*	*	0.4	1.2	2.6	4.4	8.2	13.6	21.8	30.8
1989.....	*	*	0.6	1.4	2.4	5.2	7.9	14.3	21.8	33.3
1988.....	*	*	0.5	1.2	2.5	5.2	9.8	16.4	20.7	32.0
1987.....	*	*	0.4	1.2	2.6	4.6	8.4	15.2	23.8	30.7
1986.....	*	*	0.6	1.1	3.1	5.5	10.4	17.3	25.9	33.8
1985.....	*	*	*	1.5	3.0	6.2	11.1	16.0	24.3	34.3
1984.....	*	*	0.6	1.5	3.4	5.6	12.1	17.1	22.0	34.5
1983.....	*	*	0.9	1.7	3.3	7.0	11.9	18.4	23.4	36.5
1982.....	*	*	0.8	1.6	3.5	7.5	11.6	20.3	24.5	36.1
1981.....	*	*	0.8	2.3	4.5	7.7	13.8	20.3	23.4	41.2
1980.....	0.2	0.3	1.0	2.0	4.7	9.2	14.9	21.3	28.6	34.8
1979.....	0.1	0.4	1.0	2.3	4.8	9.2	14.1	22.0	31.9	39.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC BRONCHITIS (491)										
TOTAL, FEMALE										
1998.....	*	*	0.3	0.6	1.3	2.4	3.2	5.4	7.2	10.3
1997.....	*	*	0.4	0.7	1.6	2.5	3.9	5.3	7.3	11.1
1996.....	*	*	0.4	0.8	1.4	2.6	3.7	5.7	7.2	10.2
1995.....	*	*	*	0.7	1.5	2.6	3.6	5.6	7.5	13.9
1994.....	*	*	0.4	1.0	1.7	3.4	4.5	7.2	7.3	11.8
1993.....	*	*	0.5	1.1	1.9	3.0	5.2	6.5	8.7	13.6
1992.....	*	*	0.6	0.9	1.8	3.5	4.9	6.7	8.7	13.9
1991.....	*	*	0.5	1.0	1.9	3.0	5.2	6.7	7.7	12.2
1990.....	*	*	0.5	0.9	1.9	2.6	4.4	6.9	8.9	13.5
1989.....	*	*	0.6	1.2	1.7	2.9	5.0	6.9	8.4	14.4
1988.....	*	*	*	1.1	2.1	3.0	5.1	6.8	7.3	13.7
1987.....	*	*	*	1.1	2.0	2.9	4.8	6.6	8.9	13.8
1986.....	*	*	0.6	1.0	1.8	2.8	5.5	6.8	8.4	13.3
1985.....	*	*	0.6	0.8	2.1	3.1	4.6	5.4	8.8	14.0
1984.....	*	*	0.4	0.9	2.0	2.8	5.0	6.1	8.1	12.0
1983.....	*	*	0.4	1.1	1.8	3.4	4.5	5.3	8.4	12.5
1982.....	*	0.4	0.6	1.2	1.8	3.2	4.2	5.8	7.2	11.2
1981.....	*	*	0.5	1.0	2.0	3.5	4.6	6.0	6.7	11.0
1980.....	0.1	0.3	0.4	1.3	2.1	3.3	4.6	5.6	7.8	12.8
1979.....	0.1	0.2	0.6	1.3	2.5	3.7	4.8	5.0	6.8	9.1
WHITE, BOTH SEXES										
1998.....	*	*	0.3	0.8	1.6	2.7	4.4	7.0	9.4	14.2
1997.....	*	0.1	0.4	0.7	1.6	2.8	4.7	6.8	9.6	15.6
1996.....	*	0.1	0.4	0.8	1.6	3.0	4.9	7.2	10.5	14.6
1995.....	*	*	0.3	0.8	1.7	3.4	5.0	7.7	10.6	17.8
1994.....	*	0.2	0.5	1.0	2.0	3.9	5.6	9.3	11.3	16.2
1993.....	*	0.2	0.5	1.0	2.1	3.7	6.7	9.3	12.9	18.8
1992.....	*	*	0.6	1.1	2.3	4.0	6.6	9.4	13.2	17.8
1991.....	*	0.2	0.4	1.1	2.4	3.7	6.9	10.5	12.3	18.7
1990.....	*	0.2	0.5	1.1	2.4	3.5	6.5	9.9	14.0	19.2
1989.....	*	*	0.6	1.4	2.1	4.1	6.6	10.3	13.8	20.8
1988.....	*	0.2	0.5	1.2	2.4	4.1	7.5	11.2	12.6	20.0
1987.....	*	*	0.4	1.2	2.4	3.8	6.7	10.5	14.8	19.5
1986.....	*	0.2	0.6	1.1	2.5	4.2	8.0	11.4	15.0	20.0
1985.....	*	0.2	0.5	1.2	2.6	4.8	7.8	10.1	14.7	20.8
1984.....	*	0.2	0.6	1.2	2.7	4.3	8.5	11.1	13.7	19.7
1983.....	*	0.3	0.7	1.4	2.7	5.3	8.1	11.0	14.5	20.2
1982.....	*	0.3	0.8	1.4	2.7	5.4	7.8	12.1	13.8	19.4
1981.....	*	0.3	0.6	1.6	3.3	5.7	8.9	12.1	13.0	21.0
1980.....	0.1	0.3	0.7	1.6	3.4	6.2	9.5	12.3	15.8	20.6
1979.....	0.1	0.3	0.8	1.9	3.8	6.5	9.2	12.2	16.2	19.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC BRONCHITIS (491)										
WHITE MALE										
1998.....	*	*	0.3	1.1	1.8	2.8	5.7	8.7	12.0	22.0
1997.....	*	*	0.4	0.7	1.6	3.0	5.4	8.4	12.7	25.4
1996.....	*	*	0.4	0.7	1.8	3.3	6.2	8.9	15.5	24.9
1995.....	*	*	0.4	0.9	1.9	4.1	6.3	10.3	15.4	26.8
1994.....	*	*	0.5	0.9	2.3	4.2	6.6	11.4	17.8	27.2
1993.....	*	*	0.5	0.9	2.2	4.4	8.1	13.1	19.5	31.5
1992.....	*	*	0.6	1.1	2.7	4.3	8.6	12.9	20.3	27.0
1991.....	*	*	0.4	1.1	2.8	4.3	8.5	15.4	20.2	35.1
1990.....	*	*	0.4	1.3	2.7	4.5	8.7	13.7	22.6	32.5
1989.....	*	*	0.6	1.5	2.6	5.4	8.2	14.8	23.2	35.3
1988.....	*	*	0.6	1.2	2.5	5.3	10.2	17.3	22.0	34.3
1987.....	*	*	0.4	1.3	2.8	4.7	8.6	16.1	25.2	32.0
1986.....	*	*	0.6	1.0	3.2	5.7	10.9	18.1	26.6	35.5
1985.....	*	*	*	1.5	3.0	6.6	11.7	16.8	25.8	36.0
1984.....	*	*	0.7	1.5	3.5	5.9	12.7	18.2	23.5	37.5
1983.....	*	*	0.9	1.7	3.5	7.3	12.6	19.5	25.0	37.6
1982.....	*	*	0.9	1.6	3.6	7.9	12.3	21.8	25.8	38.0
1981.....	*	*	0.7	2.4	4.7	8.0	14.3	21.4	24.6	43.6
1980.....	0.2	0.3	1.0	1.9	4.8	9.6	15.7	22.7	30.5	36.7
1979.....	0.1	0.4	1.0	2.5	5.1	9.7	14.9	23.3	33.4	42.1
WHITE FEMALE										
1998.....	*	*	*	0.6	1.5	2.5	3.4	5.7	7.8	11.1
1997.....	*	*	0.4	0.7	1.7	2.7	4.1	5.6	7.7	11.6
1996.....	*	*	0.4	0.9	1.5	2.7	3.9	6.0	7.7	10.5
1995.....	*	*	*	0.8	1.6	2.9	3.9	5.8	7.8	14.3
1994.....	*	*	0.4	1.0	1.8	3.7	4.8	7.8	7.6	12.0
1993.....	*	*	0.6	1.2	2.1	3.1	5.6	6.7	9.3	14.0
1992.....	*	*	0.6	1.0	1.9	3.8	5.2	7.1	9.4	14.3
1991.....	*	*	0.5	1.1	2.1	3.2	5.7	7.2	8.1	12.5
1990.....	*	*	0.6	1.0	2.1	2.7	4.8	7.4	9.5	14.1
1989.....	*	*	0.6	1.3	1.7	3.1	5.4	7.4	8.8	15.2
1988.....	*	*	*	1.1	2.2	3.2	5.5	7.4	7.8	14.5
1987.....	*	*	*	1.2	2.1	3.1	5.2	7.0	9.3	14.6
1986.....	*	*	0.7	1.2	2.0	3.0	5.9	7.2	8.9	14.0
1985.....	*	*	0.5	0.9	2.2	3.4	4.9	5.9	9.0	14.8
1984.....	*	*	0.5	0.9	2.0	3.0	5.5	6.6	8.6	12.6
1983.....	*	*	0.4	1.2	2.0	3.6	4.9	5.6	9.0	13.2
1982.....	*	*	0.7	1.2	1.9	3.4	4.6	6.1	7.6	11.8
1981.....	*	*	0.5	1.0	2.1	3.9	5.0	6.4	7.0	11.5
1980.....	0.1	0.3	0.4	1.4	2.2	3.5	5.0	5.9	8.1	13.6
1979.....	0.1	0.2	0.7	1.4	2.6	4.0	5.1	5.2	7.0	9.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC BRONCHITIS (491)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	2.3	3.6	4.7	*
1997.....	*	*	*	*	*	1.8	3.6	3.4	7.2	6.8
1996.....	*	*	*	*	*	2.9	2.6	4.6	*	8.2
1995.....	*	*	*	*	*	2.0	2.8	4.4	8.4	12.6
1994.....	*	*	*	*	*	2.5	3.5	5.0	*	10.2
1993.....	*	*	*	*	1.5	2.0	2.6	6.5	*	11.9
1992.....	*	*	*	*	*	2.0	3.1	5.2	*	11.7
1991.....	*	*	*	*	1.6	2.1	*	3.7	5.9	9.5
1990.....	*	*	*	*	*	2.0	*	6.3	7.0	9.6
1989.....	*	*	*	*	*	2.4	3.1	4.7	*	8.2
1988.....	*	*	*	*	1.6	3.0	3.5	4.2	*	*
1987.....	*	*	*	*	*	2.1	2.9	4.5	*	8.8
1986.....	*	*	*	*	*	2.6	3.3	5.8	8.4	9.1
1985.....	*	*	*	*	2.0	*	3.0	3.8	7.7	8.9
1984.....	*	*	*	*	2.2	*	3.3	*	*	*
1983.....	*	*	*	*	*	2.8	*	4.7	*	11.5
1982.....	*	*	*	*	*	*	*	4.2	*	*
1981.....	*	*	*	*	*	2.3	3.9	5.4	*	*
1980.....	0.3	0.4	1.0	1.3	2.2	3.0	3.3	5.0	6.1	7.2
1979.....	0.3	0.4	0.6	0.8	1.8	2.6	3.3	5.5	8.5	8.0
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	5.6	*	13.4	*
1996.....	*	*	*	*	*	4.2	*	*	*	*
1995.....	*	*	*	*	*	*	5.3	*	15.7	20.4
1994.....	*	*	*	*	*	4.2	6.0	10.8	*	*
1993.....	*	*	*	*	*	*	*	9.8	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	13.0	*	*
1989.....	*	*	*	*	*	*	*	9.5	*	*
1988.....	*	*	*	*	*	5.0	6.5	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	10.5	18.5	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	6.7	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	8.5	*	*	*
1980.....	0.4	0.5	1.7	2.2	3.3	5.4	6.5	8.9	9.2	14.8
1979.....	0.3	0.6	0.9	1.1	2.1	4.7	6.1	9.9	15.1	15.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC BRONCHITIS (491)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	9.3
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	9.5
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.4	0.5	0.6	1.3	1.2	0.8	2.3	4.2	3.4
1979.....	0.2	0.1	0.4	0.6	1.5	1.0	1.2	2.3	4.4	4.4
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	3.8	3.9	6.2	7.2
1996.....	*	*	*	*	*	2.8	*	4.6	*	8.7
1995.....	*	*	*	*	*	2.2	3.0	*	6.3	11.3
1994.....	*	*	*	*	*	2.5	4.0	5.0	*	8.3
1993.....	*	*	*	*	*	*	3.2	5.7	*	10.1
1992.....	*	*	*	*	*	2.3	3.5	4.4	*	11.4
1991.....	*	*	*	*	*	2.3	*	*	*	*
1990.....	*	*	*	*	*	2.3	*	6.2	*	*
1989.....	*	*	*	*	*	2.8	3.6	4.8	*	*
1988.....	*	*	*	*	*	3.2	3.7	*	*	*
1987.....	*	*	*	*	*	*	*	4.5	*	*
1986.....	*	*	*	*	*	3.1	3.5	4.9	8.2	*
1985.....	*	*	*	*	2.1	*	*	*	*	*
1984.....	*	*	*	*	2.5	*	3.6	*	*	*
1983.....	*	*	*	*	*	2.8	*	5.0	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	2.7	3.8	5.7	*	*
1980.....	0.4	0.5	1.2	1.4	2.2	3.2	3.4	4.9	6.5	6.3
1979.....	0.3	0.4	0.4	0.9	1.9	2.7	3.1	4.8	8.0	7.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC BRONCHITIS (491)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	11.2	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	13.4	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	8.4	*	*	*
1980.....	0.5	0.6	2.0	2.6	3.4	5.7	7.2	9.2	10.7	11.3
1979.....	0.4	0.8	0.6	1.1	2.4	5.0	6.2	10.6	13.0	17.3
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.5	0.6	0.5	1.2	1.3	0.6	2.1	4.0	3.8
1979.....	0.3	0.2	0.3	0.7	1.5	0.9	1.0	0.8	4.8	2.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 EMPHYSEMA (492)										
TOTAL, BOTH SEXES										
1998.....	0.3	0.8	2.1	5.5	12.8	25.1	38.9	50.4	65.0	59.9
1997.....	0.3	0.8	2.0	5.3	13.2	25.0	39.6	52.7	64.1	62.0
1996.....	0.3	0.8	2.3	6.0	12.7	23.7	38.6	54.3	66.0	61.5
1995.....	0.2	0.9	2.6	6.2	13.5	24.2	37.4	53.2	63.3	60.8
1994.....	0.3	0.8	2.2	6.3	14.1	25.0	39.6	54.2	65.4	63.3
1993.....	0.2	0.8	2.5	6.6	15.2	26.3	41.0	57.8	66.8	60.2
1992.....	0.3	0.9	2.4	6.4	13.2	25.2	39.9	53.2	60.8	60.8
1991.....	0.2	1.0	2.8	6.6	13.9	25.6	39.4	54.9	63.6	60.8
1990.....	0.3	0.9	2.6	6.7	14.2	24.4	40.0	55.1	59.0	55.5
1989.....	0.3	0.8	2.6	7.3	14.5	25.2	39.0	53.8	58.7	53.4
1988.....	0.3	0.9	2.5	6.8	14.5	25.0	42.1	53.6	59.5	55.9
1987.....	0.3	0.9	2.9	6.6	14.3	23.3	38.4	50.7	58.2	51.5
1986.....	0.3	1.2	3.2	6.8	14.0	24.1	40.1	52.1	56.5	49.9
1985.....	0.3	1.2	2.9	6.8	13.7	24.8	39.9	51.9	54.8	49.3
1984.....	0.4	0.9	2.6	7.0	13.2	23.8	37.1	47.5	54.7	48.9
1983.....	0.3	1.1	3.1	7.1	13.2	24.2	38.3	48.5	53.7	49.3
1982.....	0.4	1.1	3.1	7.0	13.2	24.1	37.4	47.0	52.7	47.4
1981.....	0.5	1.3	3.4	7.4	14.2	26.8	40.1	48.4	54.4	49.9
1980.....	0.5	1.4	3.4	7.6	15.7	27.4	41.2	52.9	58.7	56.9
1979.....	0.6	1.6	3.8	7.2	16.5	27.0	42.2	51.9	56.0	52.7
TOTAL, MALE										
1998.....	0.4	0.9	2.2	6.2	15.4	29.4	48.4	65.3	90.2	100.8
1997.....	0.4	1.0	2.2	6.3	14.9	30.0	51.3	70.2	90.5	109.9
1996.....	0.3	1.0	2.6	6.7	15.0	29.9	47.5	72.3	98.7	111.2
1995.....	0.3	1.1	3.1	7.4	16.0	28.7	48.6	72.0	97.9	113.6
1994.....	0.3	1.0	2.7	7.2	16.2	31.0	52.1	75.9	102.1	122.4
1993.....	0.3	1.0	3.0	7.7	17.7	32.7	53.1	81.6	109.4	119.7
1992.....	0.4	1.2	2.4	7.6	16.4	32.9	52.8	76.2	102.6	122.5
1991.....	0.3	1.3	3.0	8.0	16.7	33.1	53.1	81.3	109.2	123.3
1990.....	0.4	1.1	2.7	8.0	17.8	33.0	56.1	84.7	106.7	115.7
1989.....	0.4	0.9	3.1	8.7	17.6	34.2	54.8	83.0	106.3	116.5
1988.....	0.4	1.1	2.9	8.4	19.2	34.1	60.7	88.6	114.9	123.7
1987.....	0.4	1.0	3.3	7.9	19.4	31.5	58.1	86.4	115.5	108.5
1986.....	0.5	1.6	3.8	9.0	18.5	33.9	63.0	90.3	110.9	113.0
1985.....	0.4	1.6	3.8	8.8	18.1	35.6	63.5	92.2	111.5	117.5
1984.....	0.5	1.2	3.3	9.1	18.7	34.2	60.5	86.3	114.1	111.0
1983.....	0.4	1.3	3.8	10.0	18.6	36.2	64.8	91.2	112.4	117.9
1982.....	0.5	1.4	4.0	9.2	18.7	37.3	65.3	91.9	111.1	115.5
1981.....	0.7	1.6	4.8	10.2	20.9	43.0	69.9	95.4	113.3	120.4
1980.....	0.7	1.8	4.5	10.8	23.5	45.0	72.0	106.9	130.7	131.9
1979.....	0.7	2.2	5.2	10.8	25.3	45.5	78.6	104.7	122.9	125.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 EMPHYSEMA (492)										
TOTAL, FEMALE										
1998.....	*	0.6	2.0	4.9	10.5	21.4	31.6	39.8	50.1	42.9
1997.....	0.2	0.6	1.8	4.4	11.8	20.8	30.5	40.4	48.6	42.8
1996.....	*	0.5	2.1	5.3	10.6	18.5	31.8	41.9	47.2	41.8
1995.....	0.2	0.6	2.1	5.1	11.3	20.5	28.8	40.3	43.9	40.2
1994.....	0.2	0.6	1.8	5.4	12.1	20.0	30.1	39.5	45.1	40.5
1993.....	*	0.6	1.9	5.7	13.0	21.0	31.8	41.8	43.4	37.4
1992.....	*	0.6	2.3	5.3	10.4	19.0	30.1	37.9	38.2	36.9
1991.....	*	0.7	2.6	5.3	11.4	19.5	29.1	37.7	39.2	36.6
1990.....	*	0.6	2.5	5.5	11.1	17.4	28.0	36.1	33.7	32.3
1989.....	*	0.6	2.2	6.0	11.8	17.9	27.4	35.0	33.6	28.9
1988.....	*	0.8	2.2	5.5	10.4	17.6	28.5	31.2	30.3	29.5
1987.....	0.3	0.7	2.5	5.4	9.9	16.6	24.0	28.0	28.1	29.0
1986.....	*	0.9	2.6	4.8	10.2	16.2	23.5	28.1	28.0	24.9
1985.....	*	0.8	2.2	5.0	10.0	16.0	22.9	26.6	25.1	22.1
1984.....	*	0.7	2.0	5.1	8.4	15.4	20.3	23.1	23.5	23.8
1983.....	*	0.9	2.4	4.6	8.5	14.5	19.2	21.7	22.7	21.2
1982.....	0.4	0.8	2.3	5.1	8.4	13.5	17.3	18.9	21.9	19.1
1981.....	0.4	1.0	2.1	4.9	8.3	13.8	18.6	18.9	23.1	19.8
1980.....	0.3	1.1	2.4	4.7	8.9	13.4	19.0	19.1	20.5	24.1
1979.....	0.5	1.0	2.4	4.1	8.8	12.3	16.0	18.6	20.0	20.4
WHITE, BOTH SEXES										
1998.....	0.2	0.7	2.1	5.7	13.7	27.1	41.2	53.2	68.9	63.2
1997.....	0.4	0.8	2.0	5.7	14.2	26.8	41.9	55.7	67.5	65.3
1996.....	0.2	0.7	2.4	6.2	13.6	25.5	40.8	57.2	69.6	64.2
1995.....	0.2	0.8	2.7	6.5	14.6	26.2	39.2	55.9	65.7	63.5
1994.....	0.2	0.8	2.3	6.6	14.9	26.5	41.8	57.2	68.7	66.0
1993.....	0.1	0.8	2.6	7.2	16.2	27.7	43.1	60.7	69.7	62.7
1992.....	0.3	0.8	2.4	6.8	14.0	26.6	41.9	56.0	63.5	63.2
1991.....	0.2	0.9	2.9	7.0	14.5	27.1	41.3	58.2	67.1	63.9
1990.....	0.3	0.8	2.8	7.0	14.9	25.5	42.4	58.1	61.6	58.3
1989.....	0.2	0.8	2.7	7.8	15.2	26.4	41.1	56.8	61.6	55.4
1988.....	0.3	1.0	2.6	7.0	15.1	26.2	44.1	56.3	61.8	58.8
1987.....	0.3	0.9	3.0	7.0	14.8	24.4	40.5	53.6	61.0	53.5
1986.....	0.3	1.2	3.3	6.9	14.7	25.4	42.4	55.3	59.3	52.3
1985.....	0.3	1.2	2.9	7.0	14.4	26.0	42.3	54.5	57.3	51.2
1984.....	0.3	0.9	2.6	7.4	13.8	25.0	39.2	50.2	57.0	51.0
1983.....	0.3	1.1	3.3	7.3	13.8	25.7	40.4	51.7	55.7	51.3
1982.....	0.4	1.1	3.2	7.3	13.8	25.3	39.8	49.6	55.6	49.9
1981.....	0.5	1.2	3.5	7.6	14.7	28.2	42.6	51.2	57.1	52.2
1980.....	0.4	1.5	3.5	7.8	16.2	29.1	43.6	56.3	61.6	59.5
1979.....	0.5	1.5	3.8	7.5	17.1	28.5	44.7	54.9	59.0	55.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 EMPHYSEMA (492)										
WHITE MALE										
1998.....	0.3	0.9	2.1	6.2	16.0	31.1	50.5	68.0	94.0	107.1
1997.....	0.5	1.0	2.1	6.6	15.5	31.3	53.2	72.9	94.0	114.9
1996.....	0.2	0.9	2.5	6.7	15.6	31.7	49.1	74.7	102.8	116.1
1995.....	*	1.0	3.1	7.4	16.7	30.5	49.8	74.4	100.0	118.2
1994.....	0.3	0.9	2.7	7.5	16.6	32.5	53.9	79.2	105.4	127.2
1993.....	*	0.9	3.0	8.0	18.4	33.8	55.0	84.2	113.4	123.7
1992.....	0.4	1.1	2.4	7.9	16.7	34.0	54.7	79.0	105.9	127.2
1991.....	0.3	1.0	3.0	8.4	17.1	34.3	55.0	85.1	113.9	130.2
1990.....	0.4	1.0	2.7	8.2	18.3	33.8	58.5	88.2	110.4	122.0
1989.....	0.3	0.9	3.1	9.1	18.1	35.2	56.7	86.5	111.1	120.5
1988.....	0.3	1.1	2.9	8.3	19.7	34.9	61.9	91.4	118.5	130.2
1987.....	0.4	0.9	3.2	8.1	19.6	32.3	60.3	90.9	121.2	113.7
1986.....	0.4	1.6	3.8	8.9	18.8	35.0	65.6	94.6	115.8	119.3
1985.....	0.4	1.4	3.6	8.9	18.6	36.9	66.3	96.4	116.5	122.7
1984.....	0.4	1.0	3.0	9.5	19.4	35.3	62.9	91.0	119.0	117.2
1983.....	0.4	1.2	4.0	10.0	18.9	37.9	67.8	97.4	116.8	124.3
1982.....	0.4	1.2	3.9	9.3	19.4	38.6	69.2	96.8	117.8	122.3
1981.....	0.6	1.5	4.8	10.3	21.4	44.7	73.7	100.8	119.5	127.2
1980.....	0.6	1.8	4.4	10.9	23.9	47.4	76.1	114.3	137.8	138.9
1979.....	0.6	2.0	5.2	11.1	26.0	47.7	83.1	111.4	130.4	131.6
WHITE FEMALE										
1998.....	*	0.6	2.1	5.3	11.6	23.7	33.8	42.6	53.8	45.2
1997.....	0.2	0.6	1.9	5.0	13.0	22.9	33.1	43.5	52.0	45.5
1996.....	*	0.5	2.2	5.7	11.7	20.2	34.4	44.8	50.4	43.9
1995.....	*	0.6	2.3	5.6	12.7	22.6	31.0	43.1	46.4	42.4
1994.....	*	0.7	1.9	5.8	13.4	21.5	32.5	42.1	48.3	42.7
1993.....	*	0.6	2.1	6.3	14.3	22.6	33.9	44.8	45.9	39.6
1992.....	*	0.6	2.5	5.8	11.6	20.5	32.2	40.7	40.7	38.9
1991.....	*	0.7	2.7	5.8	12.2	21.2	30.9	40.5	42.2	38.8
1990.....	*	0.6	2.8	5.8	12.0	18.7	30.4	38.7	35.9	34.2
1989.....	*	0.7	2.3	6.6	12.6	19.2	29.4	37.7	35.5	30.5
1988.....	*	0.9	2.4	5.9	11.1	19.1	30.9	33.9	32.2	31.4
1987.....	*	0.8	2.7	5.9	10.6	17.9	25.9	30.0	29.7	30.2
1986.....	*	0.8	2.8	5.0	11.0	17.5	25.4	30.6	29.9	26.1
1985.....	*	1.0	2.3	5.3	10.7	17.1	24.7	28.3	26.4	23.2
1984.....	*	0.7	2.1	5.5	8.9	16.6	21.9	24.8	24.7	24.8
1983.....	*	1.0	2.6	4.9	9.3	15.7	20.6	23.2	23.8	21.9
1982.....	0.4	0.9	2.5	5.5	8.9	14.5	18.5	20.3	23.1	20.2
1981.....	0.4	1.0	2.4	5.2	8.9	14.9	20.1	20.3	24.4	20.9
1980.....	0.3	1.2	2.6	5.1	9.5	14.4	20.2	20.3	21.6	25.3
1979.....	0.5	1.0	2.5	4.3	9.4	13.1	17.0	19.8	21.1	21.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 EMPHYSEMA (492)										
ALL OTHER, BOTH SEXES										
1998.....	*	1.0	2.1	4.4	7.1	11.6	20.7	25.5	26.1	29.1
1997.....	*	0.9	2.1	2.9	7.1	12.4	20.7	25.9	29.0	31.3
1996.....	*	1.0	1.9	4.8	7.1	11.0	20.1	28.3	30.2	36.0
1995.....	*	1.0	1.9	4.9	6.0	9.6	21.5	28.0	38.5	33.2
1994.....	*	*	1.8	4.2	8.2	13.3	20.5	25.9	31.6	34.9
1993.....	0.7	1.1	1.9	3.4	8.0	15.3	22.6	29.9	36.3	35.1
1992.....	*	1.1	1.8	4.1	7.6	14.3	21.6	26.0	32.5	35.0
1991.....	*	1.5	2.1	3.7	9.0	13.8	22.4	23.5	28.3	27.7
1990.....	*	1.3	1.8	4.9	8.8	15.2	17.4	26.7	31.8	25.3
1989.....	*	*	2.2	4.0	8.9	15.1	20.4	25.1	29.1	32.8
1988.....	*	*	2.1	5.5	9.3	14.2	24.0	27.4	35.3	25.4
1987.....	*	*	2.2	4.4	10.3	13.5	19.4	22.3	27.9	29.6
1986.....	*	1.4	2.3	6.0	8.5	13.5	19.3	21.5	26.6	24.2
1985.....	*	1.3	2.9	5.3	8.0	14.3	18.5	26.7	28.4	28.6
1984.....	*	1.4	2.9	3.5	7.9	12.8	18.3	20.9	29.7	25.3
1983.....	*	*	2.0	5.8	8.3	11.4	18.6	17.9	30.9	27.3
1982.....	*	*	2.4	4.9	7.5	13.7	15.5	21.4	20.3	20.1
1981.....	*	1.5	2.7	5.4	8.9	14.1	16.7	21.3	22.8	22.6
1980.....	0.8	1.1	2.9	5.5	10.8	12.6	18.5	19.5	24.9	26.8
1979.....	0.9	2.2	3.2	4.8	10.5	14.3	18.3	22.0	20.5	22.4
ALL OTHER MALE										
1998.....	*	*	2.8	6.2	11.2	17.6	29.9	39.8	49.9	46.0
1997.....	*	*	3.1	4.7	10.2	19.9	35.3	44.7	53.4	66.4
1996.....	*	*	2.7	6.8	10.9	16.3	33.1	48.4	56.0	68.9
1995.....	*	*	2.8	7.7	10.8	14.6	37.6	48.8	75.8	70.3
1994.....	*	*	2.5	5.5	13.6	18.7	35.5	43.1	67.4	77.3
1993.....	*	*	3.2	5.2	12.4	23.5	35.2	55.8	69.0	83.0
1992.....	*	*	2.6	6.0	14.0	23.5	34.4	48.5	69.0	78.5
1991.....	*	2.7	2.7	5.8	13.7	23.1	35.2	43.5	63.6	59.3
1990.....	*	*	2.8	6.8	13.9	25.9	32.9	50.9	70.4	56.5
1989.....	*	*	3.3	5.7	13.1	25.4	36.7	49.1	58.7	79.0
1988.....	*	*	2.9	8.7	14.4	26.5	49.0	62.1	79.5	63.3
1987.....	*	*	3.8	6.9	17.4	24.0	37.1	43.3	58.0	59.7
1986.....	*	*	3.6	9.8	15.1	23.6	38.2	49.5	61.1	53.3
1985.....	*	2.7	4.7	8.2	13.4	24.1	36.3	52.9	60.0	68.5
1984.....	*	*	5.4	5.7	12.6	23.5	37.0	43.1	64.4	52.8
1983.....	*	*	*	9.7	15.8	20.6	36.9	34.0	67.0	55.7
1982.....	*	*	4.2	8.4	11.8	25.6	29.4	45.3	41.5	49.3
1981.....	*	*	5.4	9.4	16.7	27.1	34.3	45.7	47.3	53.1
1980.....	1.4	2.1	5.0	10.0	19.6	22.8	34.2	38.5	55.0	60.9
1979.....	1.3	3.7	5.3	8.0	18.9	26.1	35.2	44.0	43.0	59.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 EMPHYSEMA (492)										
ALL OTHER FEMALE										
1998.....	*	*	*	3.0	4.0	7.1	14.3	15.9	12.5	21.4
1997.....	*	*	*	*	4.8	6.9	10.5	13.7	15.4	15.4
1996.....	*	*	*	3.2	4.1	7.1	11.1	15.4	15.7	21.2
1995.....	*	*	*	2.6	*	5.9	10.2	14.8	18.1	17.2
1994.....	*	*	*	3.1	4.2	9.3	10.1	15.1	12.0	16.5
1993.....	*	*	*	*	4.6	9.2	13.8	13.8	18.2	14.3
1992.....	*	*	*	2.6	2.7	7.5	12.8	12.1	12.0	15.4
1991.....	*	*	*	*	5.4	6.9	13.6	11.1	*	13.2
1990.....	*	*	*	3.3	4.8	7.2	6.8	11.6	10.0	11.2
1989.....	*	*	*	2.7	5.7	7.4	9.3	10.1	12.3	11.4
1988.....	*	*	*	2.8	5.4	5.1	7.0	*	9.8	*
1987.....	*	*	*	*	4.9	5.7	7.3	8.9	10.7	15.3
1986.....	*	*	*	2.9	3.5	6.0	6.3	*	*	*
1985.....	*	*	*	2.9	3.8	6.9	6.2	9.6	*	*
1984.....	*	*	*	*	4.1	4.8	5.2	*	*	*
1983.....	*	*	*	*	*	4.5	5.8	7.1	*	*
1982.....	*	*	*	*	4.0	4.8	5.5	*	*	*
1981.....	*	*	*	*	*	4.3	*	*	*	*
1980.....	0.4	0.4	1.2	1.8	3.8	4.8	6.8	6.5	6.3	9.3
1979.....	0.5	1.1	1.5	2.1	3.8	5.2	5.5	6.6	6.6	3.5
BLACK, BOTH SEXES										
1998.....	*	1.1	2.7	5.4	8.4	13.9	23.0	28.3	27.8	30.4
1997.....	*	1.1	2.5	3.7	8.6	14.2	23.6	27.7	30.5	31.5
1996.....	*	1.3	2.1	6.2	8.4	12.6	23.1	31.0	31.2	35.3
1995.....	*	1.3	2.5	6.2	7.2	11.1	23.0	30.2	38.7	31.7
1994.....	*	*	2.0	5.2	10.1	15.3	22.6	28.1	31.9	33.3
1993.....	1.0	1.5	2.5	4.3	9.3	16.7	23.5	29.8	35.2	34.7
1992.....	*	1.6	2.3	4.9	8.4	16.6	23.5	27.1	33.3	34.6
1991.....	*	1.9	2.6	4.2	10.5	14.7	24.9	24.3	26.3	28.0
1990.....	*	1.7	2.2	5.4	10.2	16.9	19.3	26.5	31.9	24.3
1989.....	*	*	2.8	4.7	9.8	17.1	20.9	26.9	28.0	31.8
1988.....	*	*	2.5	6.3	10.0	15.9	26.2	28.1	37.1	22.9
1987.....	*	*	2.8	5.2	11.7	14.8	21.2	21.8	26.6	25.0
1986.....	*	1.6	2.9	6.9	10.0	15.3	21.0	21.4	24.7	23.9
1985.....	*	1.6	3.2	5.6	8.5	15.4	19.6	26.0	24.5	28.7
1984.....	*	1.8	3.5	3.8	9.0	13.9	18.3	19.6	29.2	23.2
1983.....	*	*	2.4	6.6	9.7	12.3	18.5	17.7	26.0	26.1
1982.....	*	*	2.9	5.7	8.5	14.5	16.0	21.3	19.7	19.3
1981.....	*	1.9	3.1	6.3	9.9	15.8	17.4	21.6	24.4	24.4
1980.....	1.0	1.3	3.2	6.2	11.9	13.5	19.0	19.1	24.5	25.1
1979.....	1.0	2.7	3.6	5.1	11.4	14.9	18.5	23.2	19.9	20.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 EMPHYSEMA (492)										
BLACK MALE										
1998.....	*	*	3.7	7.7	13.2	21.0	33.4	43.5	56.0	46.7
1997.....	*	*	3.9	6.0	12.3	22.5	39.9	46.6	58.6	70.1
1996.....	*	*	3.3	9.2	13.1	17.9	39.0	51.9	59.7	76.8
1995.....	*	*	3.7	10.0	13.2	16.0	40.6	53.0	75.5	69.4
1994.....	*	*	*	7.0	16.5	21.5	38.8	45.8	71.2	72.0
1993.....	*	*	4.3	6.7	14.4	26.2	37.0	57.8	70.5	84.7
1992.....	*	*	*	7.5	15.8	27.2	38.2	52.3	73.1	80.4
1991.....	*	3.5	*	6.5	16.1	24.5	40.5	47.5	60.4	62.3
1990.....	*	*	*	7.6	16.7	28.3	36.8	52.6	73.2	58.9
1989.....	*	*	4.4	6.7	13.8	28.9	39.3	53.9	60.8	78.8
1988.....	*	*	*	9.7	15.8	30.4	55.2	66.1	90.4	55.4
1987.....	*	*	4.8	8.3	20.1	26.8	41.4	43.4	56.5	54.7
1986.....	*	*	4.6	11.4	17.8	27.4	42.3	51.2	57.8	54.0
1985.....	*	*	5.2	8.2	14.0	27.7	39.0	51.8	55.2	67.7
1984.....	*	*	6.4	6.3	14.5	25.2	36.7	41.3	65.5	47.5
1983.....	*	*	*	11.1	18.4	22.7	37.3	34.5	53.7	55.0
1982.....	*	*	5.1	9.7	13.4	27.2	31.4	46.6	40.0	48.3
1981.....	*	*	6.1	11.0	18.9	30.9	37.2	47.5	50.6	57.1
1980.....	1.8	2.5	5.3	11.3	22.3	25.3	36.2	39.2	54.6	58.5
1979.....	1.6	4.4	5.8	8.5	21.2	27.2	38.5	46.6	41.6	53.8
BLACK FEMALE										
1998.....	*	*	*	3.7	4.8	8.6	15.8	18.7	13.1	23.6
1997.....	*	*	*	*	5.7	8.0	12.3	15.7	15.9	15.5
1996.....	*	*	*	3.8	4.9	8.6	12.4	17.9	16.6	18.2
1995.....	*	*	*	3.1	*	7.4	11.0	16.2	19.9	16.4
1994.....	*	*	*	3.9	5.2	10.8	11.8	17.3	11.9	17.5
1993.....	*	*	*	*	5.5	9.7	14.3	13.2	17.1	14.3
1992.....	*	*	*	*	*	8.9	13.7	12.4	12.6	15.5
1991.....	*	*	*	*	6.3	7.5	14.5	10.7	*	13.5
1990.....	*	*	*	3.6	5.2	8.6	7.8	11.2	10.5	*
1989.....	*	*	*	*	6.7	8.5	8.9	11.0	10.8	*
1988.....	*	*	*	3.6	5.6	5.4	7.1	*	*	*
1987.....	*	*	*	*	5.3	6.1	7.9	8.7	*	*
1986.....	*	*	*	*	4.1	6.4	6.9	*	*	*
1985.....	*	*	*	3.4	4.3	6.3	6.7	9.9	*	*
1984.....	*	*	*	*	4.7	5.5	6.0	*	*	*
1983.....	*	*	*	*	*	4.6	5.8	*	*	*
1982.....	*	*	*	*	4.7	5.1	*	*	*	*
1981.....	*	*	*	*	*	4.7	*	*	*	*
1980.....	0.4	0.3	1.4	2.1	3.7	4.7	6.7	6.0	6.4	8.5
1979.....	0.6	1.3	1.8	2.3	3.6	5.8	4.1	7.2	6.5	3.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ASTHMA (493)										
TOTAL, BOTH SEXES										
1998.....	1.2	1.7	2.1	2.5	3.5	4.6	6.0	8.6	12.0	19.9
1997.....	1.3	1.7	2.1	3.1	3.9	4.7	6.1	8.3	12.8	19.4
1996.....	1.4	1.7	2.4	3.3	4.4	5.0	6.8	9.0	12.2	19.6
1995.....	1.4	1.9	2.5	3.5	3.9	5.3	7.0	9.1	13.2	18.3
1994.....	1.1	1.8	2.2	3.4	4.1	5.7	7.5	9.4	12.3	18.3
1993.....	1.1	1.6	2.0	3.3	3.8	5.6	7.4	8.4	13.4	18.3
1992.....	1.1	1.5	2.2	3.1	3.5	5.5	7.2	8.8	12.9	18.7
1991.....	1.2	1.7	2.3	2.9	4.1	5.5	7.4	10.0	13.2	17.5
1990.....	1.0	1.8	2.2	3.1	3.9	5.5	7.2	9.7	12.4	16.9
1989.....	1.1	1.5	2.4	3.1	3.9	5.9	7.9	10.7	11.7	15.9
1988.....	1.2	1.5	2.2	3.1	4.2	5.1	7.6	9.3	12.0	14.9
1987.....	1.2	1.5	2.4	2.8	3.7	5.1	7.6	8.5	10.6	14.5
1986.....	0.8	1.3	1.9	2.8	3.5	4.8	7.0	8.4	10.6	12.8
1985.....	0.8	1.3	2.0	2.8	4.0	5.2	6.0	8.3	9.6	12.4
1984.....	0.9	1.4	1.8	2.6	3.5	5.0	6.0	7.3	9.5	11.7
1983.....	1.0	1.4	2.0	2.7	3.5	4.5	5.9	7.8	9.0	11.5
1982.....	0.8	1.2	1.8	2.1	3.2	4.0	6.1	6.7	8.0	9.6
1981.....	0.7	1.1	1.6	2.3	3.3	4.7	5.5	6.7	8.0	9.7
1980.....	0.7	1.1	1.6	2.0	2.9	4.6	5.3	7.5	8.0	9.9
1979.....	0.7	1.0	1.5	1.8	3.0	4.0	5.2	6.2	7.2	8.6
TOTAL, MALE										
1998.....	0.8	1.3	1.3	1.8	2.8	4.2	5.1	7.3	10.5	15.2
1997.....	0.9	1.1	1.6	2.5	3.0	4.1	5.5	6.4	10.6	15.5
1996.....	1.0	1.3	1.9	2.3	3.4	4.0	5.8	7.8	10.1	17.5
1995.....	0.9	1.5	1.7	2.4	3.4	4.2	5.9	6.8	12.0	17.9
1994.....	0.9	1.4	1.6	2.5	3.7	4.8	6.8	7.7	12.1	15.0
1993.....	0.9	1.2	1.6	2.7	3.4	4.5	6.4	6.7	13.0	17.0
1992.....	0.9	1.1	1.5	2.6	2.9	4.7	6.0	7.2	13.0	18.0
1991.....	1.2	1.4	1.7	2.2	3.2	4.4	6.3	8.9	12.2	16.1
1990.....	0.9	1.4	1.7	2.6	3.2	4.7	6.7	9.3	12.3	16.4
1989.....	0.9	1.3	2.0	2.4	2.8	5.0	7.1	9.5	10.6	16.2
1988.....	0.9	1.2	1.7	2.4	3.7	4.7	7.3	9.1	11.3	14.0
1987.....	1.0	1.0	1.8	2.6	3.3	4.6	7.4	7.8	10.7	13.0
1986.....	0.7	1.0	1.6	2.6	3.1	3.9	6.5	8.7	10.4	12.6
1985.....	0.5	1.1	1.6	2.5	3.5	4.5	5.8	8.7	10.2	12.6
1984.....	0.8	1.1	1.6	2.1	3.3	4.8	5.2	7.8	11.1	12.4
1983.....	0.7	1.2	1.5	2.3	3.1	4.1	6.2	7.8	9.6	12.2
1982.....	0.6	0.9	1.5	1.7	3.0	3.9	5.9	6.6	9.6	8.9
1981.....	0.6	1.0	1.2	1.9	3.4	4.4	5.5	7.3	8.9	10.7
1980.....	0.5	0.9	1.3	1.8	2.9	5.4	5.7	9.5	10.0	10.4
1979.....	0.7	0.8	1.1	1.6	2.9	4.4	5.6	6.7	8.7	9.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ASTHMA (493)										
TOTAL, FEMALE										
1998.....	1.7	2.1	2.9	3.2	4.1	4.9	6.8	9.5	12.9	21.8
1997.....	1.7	2.2	2.6	3.6	4.7	5.2	6.6	9.7	14.1	21.0
1996.....	1.7	2.1	2.9	4.2	5.3	5.8	7.6	9.9	13.5	20.5
1995.....	1.8	2.3	3.1	4.6	4.4	6.3	7.8	10.6	13.9	18.4
1994.....	1.3	2.2	2.8	4.2	4.4	6.4	8.1	10.6	12.5	19.6
1993.....	1.3	2.0	2.3	3.8	4.1	6.4	8.2	9.6	13.7	18.7
1992.....	1.3	2.0	2.8	3.5	4.1	6.2	8.2	9.8	12.7	18.9
1991.....	1.2	2.0	2.9	3.6	4.9	6.3	8.1	10.7	13.8	18.0
1990.....	1.2	2.2	2.7	3.6	4.5	6.0	7.6	9.9	12.4	17.2
1989.....	1.3	1.8	2.7	3.7	4.8	6.6	8.5	11.5	12.3	15.8
1988.....	1.4	1.8	2.6	3.7	4.7	5.4	7.9	9.4	12.3	15.2
1987.....	1.4	1.9	3.0	3.1	4.0	5.6	7.7	9.0	10.5	15.0
1986.....	1.0	1.6	2.0	3.0	3.9	5.5	7.3	8.2	10.7	12.8
1985.....	1.0	1.6	2.5	3.1	4.5	5.8	6.1	8.1	9.3	12.4
1984.....	1.1	1.7	1.9	3.1	3.6	5.2	6.5	6.9	8.6	11.4
1983.....	1.2	1.6	2.5	3.0	3.9	4.8	5.6	7.7	8.6	11.3
1982.....	1.0	1.5	2.1	2.5	3.4	4.0	6.2	6.8	7.2	9.9
1981.....	0.8	1.3	1.9	2.7	3.2	4.9	5.5	6.4	7.5	9.3
1980.....	0.9	1.3	1.8	2.2	3.0	3.9	5.0	6.3	7.0	9.7
1979.....	0.8	1.1	1.8	1.9	3.0	3.7	4.9	5.9	6.4	8.2
WHITE, BOTH SEXES										
1998.....	0.9	1.1	1.6	2.0	2.9	3.7	5.4	8.0	11.7	20.0
1997.....	0.9	1.2	1.6	2.4	3.0	4.0	5.5	7.8	12.4	19.5
1996.....	1.0	1.3	1.9	2.6	3.5	4.2	6.1	8.3	11.7	19.0
1995.....	1.0	1.3	1.9	2.9	3.3	4.6	6.2	8.5	12.7	18.3
1994.....	0.7	1.3	1.7	2.7	3.5	5.0	7.1	9.1	11.9	18.6
1993.....	0.7	1.1	1.6	2.5	3.1	4.9	7.0	8.2	13.1	18.2
1992.....	0.9	1.1	1.7	2.5	2.8	4.9	6.8	8.5	12.6	18.4
1991.....	0.9	1.2	1.8	2.4	3.4	4.9	7.0	9.8	13.1	17.9
1990.....	0.7	1.2	1.7	2.5	3.5	4.9	6.8	9.3	12.1	17.2
1989.....	0.8	1.2	1.8	2.4	3.5	5.2	7.3	10.4	11.4	16.1
1988.....	0.8	1.0	1.7	2.5	3.4	4.4	7.0	8.9	12.0	15.2
1987.....	0.9	1.1	1.8	2.2	3.2	4.6	7.0	8.4	10.2	14.5
1986.....	0.6	0.9	1.4	2.1	3.0	4.3	6.4	8.3	10.5	13.0
1985.....	0.6	1.0	1.6	2.4	3.6	4.7	5.8	8.2	9.5	12.6
1984.....	0.6	1.0	1.4	2.3	3.0	4.8	5.6	7.2	8.8	11.7
1983.....	0.7	0.9	1.6	2.3	3.0	4.1	5.7	7.8	8.8	11.7
1982.....	0.5	0.9	1.4	1.8	2.8	3.8	5.7	6.7	8.1	9.9
1981.....	0.5	0.9	1.3	2.0	3.0	4.2	5.3	6.8	7.9	10.0
1980.....	0.5	0.9	1.3	1.7	2.7	4.2	5.1	7.2	8.3	9.8
1979.....	0.5	0.8	1.2	1.5	2.7	3.9	5.1	6.2	7.3	8.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ASTHMA (493)										
WHITE MALE										
1998.....	0.6	0.9	1.0	1.4	2.2	3.4	4.3	6.6	10.1	15.2
1997.....	0.6	0.8	1.2	1.7	2.3	3.6	5.1	6.0	9.8	15.0
1996.....	0.6	1.0	1.5	1.9	2.6	3.3	5.1	7.1	9.6	16.9
1995.....	0.6	1.0	1.3	2.0	2.8	3.7	5.0	6.2	11.5	17.3
1994.....	0.6	0.9	1.2	2.1	2.9	4.3	6.3	7.5	10.8	15.2
1993.....	0.5	0.9	1.5	2.0	2.9	3.8	5.6	6.1	12.4	16.8
1992.....	0.7	0.8	1.1	2.0	2.2	4.0	5.4	7.0	12.5	17.4
1991.....	0.9	1.0	1.3	1.8	2.4	3.7	5.9	8.6	11.4	16.2
1990.....	0.6	0.9	1.2	1.8	2.7	4.1	6.2	8.7	11.6	16.1
1989.....	0.6	0.9	1.4	2.0	2.4	4.4	6.3	8.9	10.2	16.3
1988.....	0.6	0.9	1.1	1.7	2.9	4.1	6.5	8.3	11.0	14.4
1987.....	0.8	0.7	1.3	1.9	2.8	3.8	6.9	7.4	9.7	12.8
1986.....	0.5	0.7	1.2	2.0	2.5	3.4	6.1	8.6	10.0	12.8
1985.....	0.3	0.8	1.2	2.0	3.0	4.0	5.4	8.5	10.0	12.5
1984.....	0.6	0.8	1.3	1.8	2.6	4.3	4.9	7.6	10.5	11.7
1983.....	0.6	0.8	1.3	1.8	2.6	3.7	5.8	7.8	9.1	12.2
1982.....	*	0.8	1.1	1.4	2.5	3.8	5.4	6.5	9.6	9.1
1981.....	0.4	0.7	1.0	1.6	3.0	3.8	4.9	7.1	9.0	10.8
1980.....	0.3	0.7	1.1	1.4	2.6	5.1	5.5	9.0	10.3	10.1
1979.....	0.5	0.6	0.9	1.3	2.8	4.3	5.3	6.5	8.7	8.8
WHITE FEMALE										
1998.....	1.3	1.4	2.2	2.6	3.5	4.0	6.2	9.0	12.6	22.0
1997.....	1.2	1.6	2.1	3.1	3.7	4.3	5.9	9.1	13.9	21.3
1996.....	1.3	1.6	2.2	3.3	4.4	5.1	6.9	9.2	13.0	19.8
1995.....	1.3	1.7	2.5	3.7	3.8	5.5	7.2	10.1	13.4	18.7
1994.....	0.9	1.8	2.1	3.3	4.0	5.6	7.8	10.2	12.4	19.9
1993.....	0.9	1.3	1.8	3.0	3.4	5.9	8.0	9.6	13.5	18.7
1992.....	1.0	1.4	2.2	2.9	3.4	5.6	7.9	9.5	12.6	18.8
1991.....	0.9	1.4	2.4	3.0	4.2	5.8	7.8	10.6	13.9	18.5
1990.....	0.9	1.5	2.2	3.0	4.1	5.6	7.2	9.7	12.3	17.7
1989.....	1.0	1.4	2.2	2.9	4.4	5.9	8.1	11.3	12.1	16.1
1988.....	1.0	1.2	2.2	3.2	3.8	4.7	7.4	9.2	12.6	15.5
1987.....	1.0	1.4	2.3	2.5	3.6	5.2	7.0	9.1	10.4	15.1
1986.....	0.8	1.1	1.5	2.3	3.3	5.0	6.7	8.1	10.8	13.1
1985.....	0.8	1.2	2.0	2.7	4.2	5.2	6.1	8.1	9.2	12.6
1984.....	0.6	1.3	1.6	2.7	3.3	5.3	6.0	7.0	8.0	11.7
1983.....	0.8	1.1	2.0	2.6	3.4	4.4	5.6	7.7	8.7	11.5
1982.....	0.7	1.0	1.7	2.1	3.1	3.8	6.0	6.8	7.4	10.2
1981.....	0.6	1.0	1.5	2.4	3.1	4.6	5.5	6.5	7.3	9.6
1980.....	0.7	1.0	1.5	2.0	2.8	3.6	4.8	6.1	7.3	9.7
1979.....	0.6	0.9	1.5	1.7	2.7	3.6	4.9	6.1	6.5	8.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ASTHMA (493)										
ALL OTHER, BOTH SEXES										
1998.....	2.8	4.6	5.0	5.7	7.6	10.5	11.0	14.2	15.5	19.1
1997.....	3.2	4.3	5.0	7.3	9.4	9.4	10.9	13.0	17.3	18.0
1996.....	3.6	4.0	5.8	7.6	10.1	10.3	13.1	15.3	17.2	25.9
1995.....	3.3	4.9	5.9	7.6	7.9	10.6	13.4	14.2	18.0	17.9
1994.....	3.0	4.6	5.8	7.7	8.0	10.3	11.2	12.3	17.0	15.0
1993.....	3.2	4.5	4.3	8.3	8.0	10.4	11.1	10.6	16.4	18.9
1992.....	2.2	4.1	5.1	7.0	8.5	10.5	10.9	11.9	15.6	21.2
1991.....	3.0	4.7	5.4	6.3	9.6	10.0	10.7	11.7	15.1	13.5
1990.....	2.8	5.6	5.4	7.3	7.2	9.9	11.2	13.0	15.8	13.8
1989.....	3.2	3.9	6.0	7.8	7.0	11.2	12.9	14.0	14.7	14.1
1988.....	3.4	4.6	5.6	7.4	10.6	10.8	13.3	13.1	11.3	11.3
1987.....	2.8	4.1	6.4	7.2	7.5	9.7	12.9	9.3	14.9	14.2
1986.....	2.2	4.0	5.1	7.3	8.0	8.8	11.9	9.3	11.1	10.4
1985.....	2.0	3.5	5.0	6.3	7.2	9.9	7.6	9.4	11.2	11.2
1984.....	2.8	3.9	4.0	5.5	7.7	6.5	9.8	7.5	16.8	11.5
1983.....	3.1	4.4	4.8	6.3	7.7	7.7	7.6	7.9	10.3	9.6
1982.....	2.6	3.6	4.6	4.8	6.7	5.7	9.0	7.4	*	*
1981.....	2.0	3.0	3.7	4.4	5.6	8.7	7.9	6.5	8.7	*
1980.....	2.1	3.0	3.5	4.9	4.9	7.6	7.3	10.2	4.8	11.1
1979.....	2.1	2.6	3.5	4.4	5.4	5.3	6.5	5.9	5.8	9.8
ALL OTHER MALE										
1998.....	2.2	3.6	3.1	4.4	7.4	10.3	11.1	14.4	14.2	*
1997.....	2.1	3.1	4.3	7.6	7.9	7.4	9.2	10.2	18.7	19.2
1996.....	3.2	3.3	4.5	5.6	9.1	9.6	12.8	14.0	15.0	22.7
1995.....	2.7	4.4	4.6	5.5	7.5	8.8	14.4	13.2	17.2	23.4
1994.....	2.6	4.2	4.5	5.7	9.7	8.4	11.6	9.1	24.6	*
1993.....	2.9	3.2	2.8	7.9	6.9	10.4	13.2	12.4	18.5	*
1992.....	2.1	2.8	4.0	6.8	8.1	10.2	11.4	9.4	18.2	23.9
1991.....	3.2	3.7	4.5	5.2	9.8	10.2	10.7	11.3	20.2	*
1990.....	2.9	4.7	4.6	7.9	6.9	10.4	11.9	15.6	19.4	*
1989.....	3.1	3.4	6.1	6.0	5.6	10.8	14.2	14.9	*	*
1988.....	2.9	3.4	5.7	8.1	10.2	10.2	14.2	16.9	*	*
1987.....	2.3	3.1	5.3	7.9	7.6	11.2	12.1	11.2	20.5	*
1986.....	*	3.3	4.8	6.9	7.7	8.3	10.2	9.5	*	*
1985.....	*	3.1	4.6	6.3	7.9	9.2	9.3	11.2	*	*
1984.....	*	3.6	4.0	5.0	9.4	9.2	8.1	*	*	*
1983.....	*	4.0	*	6.6	7.0	7.8	10.2	*	*	*
1982.....	*	*	4.2	4.7	7.8	5.6	10.4	*	*	*
1981.....	*	3.1	*	3.7	7.1	10.2	11.0	*	*	*
1980.....	2.0	2.5	2.7	5.4	5.4	8.8	7.6	14.0	6.9	13.2
1979.....	2.2	2.4	2.7	4.9	4.7	5.7	8.7	8.2	8.1	18.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ASTHMA (493)										
ALL OTHER FEMALE										
1998.....	3.4	5.5	6.6	6.8	7.6	10.7	11.0	14.1	16.2	20.7
1997.....	4.2	5.3	5.6	7.0	10.6	10.9	12.1	14.9	16.5	17.4
1996.....	3.9	4.6	6.8	9.2	10.9	10.8	13.3	16.1	18.4	27.3
1995.....	3.9	5.4	6.9	9.4	8.2	11.9	12.6	14.8	18.5	15.4
1994.....	3.3	4.9	6.9	9.4	6.7	11.8	10.9	14.3	12.8	16.0
1993.....	3.5	5.7	5.5	8.7	8.8	10.4	9.6	9.5	15.3	19.0
1992.....	2.3	5.2	6.1	7.2	8.8	10.8	10.6	13.4	14.1	20.0
1991.....	2.8	5.5	6.1	7.3	9.4	9.8	10.8	11.9	12.2	12.7
1990.....	2.7	6.3	6.0	6.8	7.5	9.5	10.7	11.4	13.7	11.2
1989.....	3.3	4.3	5.9	9.2	8.0	11.5	11.9	13.5	15.1	13.1
1988.....	3.8	5.6	5.6	6.9	10.9	11.3	12.7	10.7	9.8	11.8
1987.....	3.2	4.9	7.3	6.6	7.4	8.7	13.6	8.0	11.7	13.5
1986.....	2.4	4.6	5.3	7.7	8.1	9.1	13.1	9.2	*	*
1985.....	1.9	3.8	5.3	6.4	6.8	10.4	6.4	8.3	*	*
1984.....	3.6	4.2	3.9	5.9	6.3	4.5	11.0	6.6	16.2	*
1983.....	4.0	4.7	6.3	6.1	8.3	7.7	5.8	8.2	*	*
1982.....	2.8	4.8	4.9	4.9	5.9	5.7	8.0	7.0	*	*
1981.....	*	3.0	4.4	5.0	4.3	7.5	5.7	*	*	*
1980.....	2.1	3.4	4.2	4.5	4.5	6.7	7.0	7.6	3.5	10.1
1979.....	2.0	2.8	4.2	3.9	6.0	5.0	4.9	4.3	4.4	5.3
BLACK, BOTH SEXES										
1998.....	3.6	5.9	6.7	7.0	8.8	11.4	11.9	13.9	15.9	16.0
1997.....	3.9	5.3	6.3	7.9	10.7	9.4	10.8	12.8	16.3	17.1
1996.....	4.4	5.0	7.5	8.6	11.3	10.7	13.1	15.4	17.5	25.8
1995.....	4.0	6.1	7.2	9.2	8.5	12.1	13.8	13.3	18.5	16.8
1994.....	3.7	5.7	6.8	9.1	9.7	11.4	11.0	12.6	15.5	14.4
1993.....	4.1	5.6	5.2	10.3	9.2	11.5	11.7	11.6	15.5	17.1
1992.....	2.9	5.1	6.4	7.9	10.1	11.0	11.2	11.8	16.3	19.8
1991.....	3.7	6.1	7.1	7.4	10.9	10.7	10.4	11.5	12.5	9.1
1990.....	3.7	7.2	6.4	7.9	8.3	10.5	11.8	10.8	15.3	12.6
1989.....	4.0	4.7	7.1	8.9	7.5	12.6	12.9	15.0	14.2	13.2
1988.....	4.2	5.5	6.7	8.8	12.2	12.1	13.8	12.9	10.7	12.1
1987.....	3.7	5.1	7.0	8.2	7.7	10.3	13.6	7.8	13.7	13.5
1986.....	2.8	4.8	5.8	8.4	9.1	9.1	12.8	8.6	10.6	*
1985.....	2.5	4.2	5.7	7.0	8.2	10.6	8.3	9.0	11.0	*
1984.....	3.4	4.4	4.5	6.1	8.6	6.9	9.8	7.9	14.0	*
1983.....	3.5	5.3	5.6	6.8	8.3	7.8	7.8	7.6	9.3	*
1982.....	3.2	4.4	5.0	5.3	7.3	6.4	9.4	6.1	*	*
1981.....	2.4	3.4	4.4	4.8	6.3	8.9	8.1	6.2	*	*
1980.....	2.4	3.3	4.1	5.3	5.3	8.0	7.8	10.6	5.5	8.8
1979.....	2.1	3.0	4.0	5.1	5.6	5.6	6.5	5.8	5.0	8.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ASTHMA (493)										
BLACK MALE										
1998.....	2.9	4.6	3.8	4.9	7.7	10.5	11.0	13.4	*	*
1997.....	2.6	3.8	4.9	7.6	9.1	6.8	8.3	11.0	19.8	*
1996.....	3.9	4.3	6.0	6.5	10.1	9.3	11.2	14.3	*	*
1995.....	2.9	5.4	6.1	5.8	7.8	10.4	13.9	10.8	*	*
1994.....	3.2	5.2	5.0	6.6	11.1	8.5	11.1	*	21.5	*
1993.....	3.4	3.9	3.4	9.2	7.5	10.8	12.9	14.2	*	*
1992.....	2.8	3.3	4.6	7.3	9.4	10.0	10.3	*	*	*
1991.....	4.0	4.8	6.1	6.3	11.8	10.6	11.0	11.0	*	*
1990.....	3.9	6.4	5.1	8.5	7.4	11.1	13.4	11.2	*	*
1989.....	3.6	3.8	7.5	6.9	6.4	12.6	13.1	15.2	*	*
1988.....	3.6	3.9	6.8	9.4	11.5	11.9	14.4	16.4	*	*
1987.....	3.0	3.8	6.3	8.7	7.7	12.4	12.9	*	*	*
1986.....	*	4.0	5.8	8.0	8.9	7.9	11.3	*	*	*
1985.....	*	4.0	5.2	6.5	9.2	9.7	10.6	*	*	*
1984.....	*	4.2	4.2	5.5	9.8	9.2	*	*	*	*
1983.....	*	4.6	*	7.4	7.4	8.1	10.2	*	*	*
1982.....	*	*	4.3	5.1	8.1	6.3	10.7	*	*	*
1981.....	*	*	*	*	8.2	10.5	11.3	*	*	*
1980.....	2.3	2.9	3.0	5.6	5.7	9.0	8.1	14.4	8.0	11.3
1979.....	2.0	2.7	3.2	5.7	4.8	5.9	8.0	8.7	6.5	17.3
BLACK FEMALE										
1998.....	4.2	7.1	9.0	8.5	9.5	12.1	12.5	14.2	15.4	17.6
1997.....	5.0	6.6	7.4	8.2	11.8	11.4	12.5	13.9	14.5	16.0
1996.....	4.8	5.5	8.7	10.3	12.1	11.7	14.3	16.1	19.9	27.6
1995.....	5.0	6.7	8.1	11.9	9.1	13.3	13.7	14.9	19.4	13.9
1994.....	4.2	6.2	8.3	11.1	8.6	13.5	10.8	14.1	12.4	15.4
1993.....	4.6	7.0	6.6	11.1	10.5	12.1	10.9	10.0	15.7	18.1
1992.....	3.0	6.7	8.0	8.4	10.5	11.8	11.7	13.4	15.1	18.5
1991.....	3.4	7.2	8.0	8.4	10.2	10.7	10.0	11.7	10.2	*
1990.....	3.5	7.9	7.4	7.4	9.0	10.0	10.6	10.5	13.7	*
1989.....	4.3	5.6	6.9	10.5	8.3	12.6	12.8	15.0	15.1	*
1988.....	4.6	6.8	6.5	8.2	12.7	12.2	13.4	10.8	*	*
1987.....	4.3	6.1	7.6	7.8	7.7	8.8	14.0	7.3	11.7	*
1986.....	3.0	5.4	5.9	8.7	9.2	10.0	13.8	8.9	*	*
1985.....	*	4.2	6.2	7.3	7.5	11.3	6.7	8.8	*	*
1984.....	4.5	4.6	4.7	6.7	7.6	5.3	11.4	*	*	*
1983.....	4.5	5.8	7.1	6.3	8.9	7.7	6.1	8.1	*	*
1982.....	3.5	5.9	5.4	5.5	6.7	6.4	8.5	*	*	*
1981.....	*	3.3	5.1	5.3	4.8	7.8	5.8	*	*	*
1980.....	2.5	3.6	4.9	5.1	4.9	7.2	7.6	8.1	4.0	7.5
1979.....	2.2	3.3	4.7	4.5	6.2	5.3	5.4	3.8	4.0	3.8

TREND C TABLE 292A. DEATH RATES FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98 - (RATES PER 100,000 POPULATION)
 CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
 RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)

TOTAL, BOTH SEXES

1998.....	*	*	0.1	0.2	0.5	1.0	1.8	3.3	4.7	8.0
1997.....	*	*	*	*	0.5	0.9	1.8	3.4	4.8	7.7
1996.....	*	0.1	0.2	0.4	0.5	0.8	1.8	3.2	5.6	7.6
1995.....	*	*	0.2	0.3	0.5	1.0	1.8	3.4	5.0	6.7
1994.....	*	0.1	0.2	0.3	0.7	0.9	1.6	3.1	5.1	7.3
1993.....	*	*	0.2	0.3	0.7	1.1	1.8	2.9	4.8	6.5
1992.....	*	*	0.2	0.3	0.5	0.8	1.6	3.2	4.7	5.9
1991.....	*	*	0.2	0.4	0.5	0.9	1.8	3.1	3.7	6.4
1990.....	*	*	*	0.2	0.6	1.0	1.7	3.4	4.6	6.4
1989.....	*	*	*	0.3	0.6	1.1	1.8	3.0	4.3	5.6
1988.....	*	0.2	*	0.4	0.5	0.9	1.9	3.0	4.2	6.1
1987.....	*	*	0.3	0.4	0.6	1.0	2.1	3.3	4.0	5.0
1986.....	*	*	0.2	0.4	0.6	1.0	2.1	2.8	3.6	5.2
1985.....	*	0.2	0.2	0.4	0.6	1.1	1.7	3.1	3.5	5.7
1984.....	*	*	*	0.3	0.7	1.2	1.8	2.7	3.7	5.2
1983.....	*	*	0.2	0.4	0.6	1.2	1.6	2.9	3.9	4.4
1982.....	*	*	0.2	0.4	0.5	1.1	1.6	2.0	3.4	3.7
1981.....	*	0.3	0.3	0.4	0.8	1.0	1.8	2.4	3.6	4.4
1980.....	0.1	0.2	0.3	0.5	0.7	1.1	1.8	3.1	3.5	4.4
1979.....	0.1	0.1	0.3	0.6	0.8	1.0	1.5	2.2	3.3	4.1

TOTAL, MALE

1998.....	*	*	*	*	0.4	0.9	1.5	2.7	4.3	8.0
1997.....	*	*	*	*	0.5	0.9	1.2	2.6	4.7	7.8
1996.....	*	*	*	*	0.5	0.7	1.3	2.6	4.2	6.1
1995.....	*	*	*	*	*	1.1	1.7	2.8	4.4	6.6
1994.....	*	*	*	*	0.4	0.8	1.3	2.6	5.1	8.0
1993.....	*	*	*	*	0.5	0.8	1.7	2.3	4.8	7.6
1992.....	*	*	*	*	*	1.0	1.6	2.8	4.2	7.0
1991.....	*	*	*	*	0.5	0.9	1.9	3.3	3.4	8.3
1990.....	*	*	*	*	0.6	0.9	1.6	2.7	4.5	6.4
1989.....	*	*	*	*	0.5	0.9	1.8	3.0	4.2	6.6
1988.....	*	*	*	*	0.5	0.9	1.6	2.6	4.9	7.3
1987.....	*	*	*	0.4	0.6	1.0	2.1	3.3	4.4	5.0
1986.....	*	*	*	0.5	0.6	1.1	2.1	2.8	3.2	6.9
1985.....	*	*	*	*	0.5	1.1	1.7	3.1	3.5	6.8
1984.....	*	*	*	*	0.8	1.2	1.3	2.9	3.5	7.2
1983.....	*	*	*	*	0.5	1.2	1.7	2.9	4.5	5.6
1982.....	*	*	*	0.5	*	0.8	1.8	1.9	4.4	4.6
1981.....	*	*	*	0.4	0.6	0.9	1.8	2.7	4.2	6.3
1980.....	0.1	0.3	0.2	0.6	0.6	1.0	2.1	4.1	4.1	5.3
1979.....	0.1	0.1	0.4	0.6	0.6	1.1	1.6	3.0	5.3	5.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)										
TOTAL, FEMALE										
1998.....	*	*	*	*	0.5	1.1	1.9	3.6	4.9	8.0
1997.....	*	*	*	*	0.5	0.9	2.3	3.9	4.9	7.6
1996.....	*	*	*	0.4	0.6	0.9	2.2	3.6	6.4	8.2
1995.....	*	*	*	*	0.6	0.9	1.9	3.8	5.3	6.8
1994.....	*	*	*	0.4	0.8	1.0	1.9	3.4	5.1	7.0
1993.....	*	*	*	0.4	0.8	1.4	2.0	3.4	4.7	6.1
1992.....	*	*	*	0.4	0.5	0.7	1.6	3.4	4.9	5.5
1991.....	*	*	*	*	0.5	0.9	1.7	3.0	3.9	5.6
1990.....	*	*	*	*	0.5	1.1	1.8	3.8	4.6	6.4
1989.....	*	*	*	*	0.7	1.2	1.7	3.0	4.3	5.1
1988.....	*	*	*	0.4	0.5	0.8	2.0	3.3	3.8	5.7
1987.....	*	*	*	0.4	0.6	1.0	2.0	3.4	3.8	5.0
1986.....	*	*	*	0.4	0.6	1.0	2.1	2.9	3.9	4.5
1985.....	*	*	*	0.6	0.7	1.1	1.7	3.1	3.5	5.2
1984.....	*	*	*	0.4	0.7	1.3	2.1	2.5	3.7	4.4
1983.....	*	*	*	0.4	0.6	1.2	1.5	2.9	3.6	4.0
1982.....	*	*	*	0.3	0.7	1.2	1.5	2.1	3.0	3.4
1981.....	*	*	*	0.5	0.9	1.2	1.7	2.2	3.3	3.6
1980.....	0.1	0.2	0.4	0.5	0.8	1.2	1.6	2.4	3.2	4.0
1979.....	0.1	0.1	0.3	0.5	0.9	0.9	1.5	1.7	2.2	3.4
WHITE, BOTH SEXES										
1998.....	*	*	0.2	0.2	0.5	1.1	1.8	3.4	4.9	8.5
1997.....	*	*	*	*	0.5	0.9	1.9	3.5	5.0	8.2
1996.....	*	*	0.2	0.4	0.6	0.8	1.9	3.3	5.9	7.9
1995.....	*	*	*	0.3	0.4	1.0	1.9	3.6	5.1	7.0
1994.....	*	*	*	0.3	0.7	1.0	1.7	3.2	5.2	7.7
1993.....	*	*	0.2	0.4	0.7	1.1	1.8	3.1	5.0	6.9
1992.....	*	*	0.2	0.3	0.5	0.8	1.7	3.3	4.8	6.2
1991.....	*	*	*	0.4	0.5	0.9	1.8	3.2	3.9	6.8
1990.....	*	*	*	0.3	0.5	1.0	1.8	3.6	4.8	6.9
1989.....	*	*	*	0.3	0.7	1.1	1.9	3.2	4.4	5.8
1988.....	*	0.2	*	0.4	0.4	0.9	1.8	3.2	4.1	6.4
1987.....	*	*	0.3	0.4	0.6	1.0	2.1	3.4	4.2	5.2
1986.....	*	*	*	0.4	0.6	1.1	2.2	2.9	3.8	5.3
1985.....	*	*	0.3	0.4	0.6	1.1	1.8	3.2	3.7	6.0
1984.....	*	*	*	0.3	0.7	1.3	1.8	2.8	3.7	5.4
1983.....	*	*	*	0.4	0.6	1.2	1.6	3.0	4.1	4.5
1982.....	*	*	*	0.4	0.5	1.1	1.7	2.1	3.7	3.9
1981.....	*	0.2	0.3	0.5	0.8	1.1	1.8	2.4	3.7	4.7
1980.....	0.1	0.2	0.3	0.5	0.7	1.1	1.9	3.2	3.7	4.5
1979.....	0.1	0.1	0.3	0.6	0.7	1.0	1.6	2.2	3.4	4.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)										
WHITE MALE										
1998.....	*	*	*	*	*	0.9	1.6	2.8	4.5	8.2
1997.....	*	*	*	*	0.5	0.9	1.3	2.5	4.7	8.0
1996.....	*	*	*	*	*	0.7	1.4	2.7	4.4	6.5
1995.....	*	*	*	*	*	1.1	1.7	2.9	4.4	6.6
1994.....	*	*	*	*	*	0.9	1.2	2.6	5.2	8.6
1993.....	*	*	*	*	0.6	0.7	1.6	2.4	4.8	8.1
1992.....	*	*	*	*	*	1.0	1.5	2.8	3.9	7.4
1991.....	*	*	*	*	0.5	0.9	1.9	3.3	3.6	8.8
1990.....	*	*	*	*	0.5	0.9	1.7	2.9	4.5	7.1
1989.....	*	*	*	*	0.6	0.9	1.8	3.2	4.2	6.8
1988.....	*	*	*	*	*	0.9	1.6	2.6	4.5	7.5
1987.....	*	*	*	0.4	0.6	1.0	2.0	3.2	4.5	4.9
1986.....	*	*	*	0.4	0.6	1.1	2.2	2.7	3.4	7.1
1985.....	*	*	*	*	0.4	1.2	1.9	3.2	3.9	7.3
1984.....	*	*	*	*	0.7	1.2	1.2	3.0	3.4	7.7
1983.....	*	*	*	*	0.4	1.1	1.7	3.0	4.7	5.7
1982.....	*	*	*	0.5	*	0.8	1.9	2.1	4.7	4.9
1981.....	*	*	*	*	0.7	0.9	1.7	2.7	4.1	6.8
1980.....	0.1	0.3	0.1	0.5	0.6	1.1	2.1	4.1	4.4	5.3
1979.....	0.1	0.1	0.3	0.7	0.5	1.1	1.6	3.0	5.4	5.8
WHITE FEMALE										
1998.....	*	*	*	*	0.6	1.3	2.0	3.8	5.1	8.6
1997.....	*	*	*	*	0.6	0.9	2.4	4.1	5.1	8.2
1996.....	*	*	*	0.5	0.7	1.0	2.2	3.8	6.8	8.5
1995.....	*	*	*	*	0.6	1.0	2.0	4.0	5.6	7.2
1994.....	*	*	*	0.4	0.9	1.1	2.0	3.6	5.2	7.4
1993.....	*	*	*	*	0.8	1.4	2.0	3.5	5.1	6.5
1992.....	*	*	*	0.5	0.6	0.7	1.8	3.6	5.2	5.7
1991.....	*	*	*	*	0.5	0.9	1.7	3.2	4.1	6.0
1990.....	*	*	*	*	0.5	1.2	1.9	4.1	4.9	6.8
1989.....	*	*	*	*	0.7	1.3	1.9	3.2	4.5	5.5
1988.....	*	*	*	*	0.5	0.9	2.0	3.5	3.9	5.9
1987.....	*	*	*	0.5	0.6	1.1	2.2	3.6	4.0	5.3
1986.....	*	*	*	*	0.6	1.1	2.2	3.1	4.0	4.6
1985.....	*	*	*	0.6	0.7	1.1	1.8	3.2	3.6	5.5
1984.....	*	*	*	0.4	0.7	1.4	2.2	2.7	3.9	4.5
1983.....	*	*	*	0.4	0.7	1.2	1.6	3.0	3.7	4.1
1982.....	*	*	*	0.4	0.7	1.3	1.6	2.2	3.1	3.5
1981.....	*	*	*	0.6	0.9	1.2	1.9	2.3	3.5	3.8
1980.....	0.1	0.2	0.4	0.5	0.9	1.2	1.7	2.6	3.4	4.2
1979.....	0.1	0.1	0.3	0.6	0.9	0.9	1.6	1.7	2.3	3.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.4	0.2	0.8	0.5	0.8	0.6	2.0	1.3	2.8
1979.....	0.2	0.4	0.4	0.1	0.9	0.8	0.8	1.8	2.7	3.4
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.5	0.5	1.1	0.9	0.5	1.5	4.5	1.1	4.9
1979.....	0.3	0.6	0.7	0.2	1.6	1.3	1.5	2.7	3.5	5.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.3	-	0.6	0.2	1.0	-	0.4	1.4	1.7
1979.....	0.1	0.1	0.1	-	0.4	0.4	0.3	1.2	2.2	2.6
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.4	0.3	1.0	0.3	0.6	0.5	2.3	0.5	0.6
1979.....	0.2	0.4	0.4	0.1	0.6	0.5	0.7	1.0	2.5	1.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.6	0.6	1.3	0.5	0.6	1.3	5.2	1.3	-
1979.....	0.4	0.8	0.8	0.2	1.3	0.9	1.8	2.5	3.9	1.9
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.3	-	0.7	0.2	0.7	-	0.4	-	0.9
1979.....	0.1	0.2	-	-	-	0.2	-	-	1.6	1.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)										
TOTAL, BOTH SEXES										
1998.....	0.8	2.3	7.2	19.2	46.3	92.8	164.3	243.8	352.9	461.4
1997.....	0.9	2.5	7.7	20.0	47.1	91.7	157.6	236.7	344.3	451.4
1996.....	0.8	2.5	7.8	20.1	46.4	89.3	153.8	237.2	332.7	431.5
1995.....	0.8	2.4	7.8	20.0	45.5	88.3	151.8	232.8	324.9	417.5
1994.....	0.7	2.4	8.3	20.5	47.5	91.4	151.1	231.8	322.0	395.9
1993.....	0.8	2.5	7.8	21.1	48.4	92.5	155.4	235.1	323.1	381.9
1992.....	0.8	2.3	7.3	20.8	45.2	84.8	141.3	218.3	284.8	349.8
1991.....	0.7	2.5	7.4	20.6	46.4	85.3	143.6	214.7	283.8	335.6
1990.....	0.6	2.5	7.9	20.7	44.6	82.9	141.2	213.5	274.0	327.4
1989.....	0.7	2.7	8.2	22.4	45.1	79.5	140.7	206.2	261.6	308.8
1988.....	0.8	2.7	8.4	21.0	44.6	82.1	141.4	203.6	265.6	298.2
1987.....	0.8	2.6	7.7	19.9	44.3	78.8	137.1	197.8	251.3	283.9
1986.....	1.0	2.8	8.6	20.6	43.3	80.6	138.7	195.5	239.8	270.8
1985.....	0.9	2.8	9.1	21.0	42.9	80.2	134.7	192.8	242.2	268.9
1984.....	0.8	2.6	8.6	20.5	41.5	75.9	128.8	180.7	216.1	242.7
1983.....	0.7	2.9	8.0	19.5	40.0	75.8	123.5	171.2	207.0	223.0
1982.....	0.8	2.7	7.4	18.0	36.1	69.3	112.6	153.6	183.1	192.7
1981.....	0.7	2.9	7.8	17.5	37.2	67.5	110.5	147.7	173.8	184.8
1980.....	0.8	3.0	7.3	16.8	36.1	64.6	103.9	134.4	158.2	177.0
1979.....	0.8	2.3	6.7	14.8	32.5	55.2	89.9	113.7	140.3	141.8
TOTAL, MALE										
1998.....	1.0	2.6	8.0	21.4	52.2	109.4	202.0	310.1	483.5	718.2
1997.....	1.0	3.0	8.5	21.7	53.4	111.1	198.3	303.0	482.0	739.0
1996.....	0.9	2.7	8.6	22.7	53.7	106.5	187.8	309.8	477.5	713.5
1995.....	0.8	2.6	8.1	22.1	53.4	108.3	192.6	314.7	476.5	724.7
1994.....	0.9	2.7	9.1	23.8	56.4	111.5	193.0	312.4	487.5	694.6
1993.....	0.9	3.1	8.9	24.0	57.8	115.1	200.2	327.5	502.1	699.9
1992.....	0.9	2.5	8.8	24.7	54.2	108.5	189.7	312.1	454.5	649.1
1991.....	0.8	2.8	7.8	23.6	56.1	110.9	194.0	314.8	473.7	641.3
1990.....	0.8	2.9	8.6	24.8	55.9	109.6	198.3	326.7	460.2	636.9
1989.....	0.9	2.7	8.9	26.7	56.9	106.3	194.4	318.9	444.9	610.3
1988.....	1.1	3.2	10.1	25.5	58.3	112.0	205.1	320.3	470.9	605.3
1987.....	1.0	2.8	9.1	24.3	58.3	108.7	202.9	325.7	455.5	581.2
1986.....	1.2	3.3	10.0	25.3	57.2	112.9	211.1	325.4	451.3	575.6
1985.....	1.1	3.1	10.9	26.1	58.1	115.1	210.0	324.7	460.1	576.9
1984.....	0.9	3.0	10.7	26.8	56.8	109.5	205.2	314.8	421.8	526.8
1983.....	0.8	3.2	9.9	26.2	55.8	111.5	197.2	310.5	415.0	489.8
1982.....	0.9	2.9	9.6	24.5	52.0	105.0	182.8	282.9	370.4	421.1
1981.....	1.0	3.2	10.0	24.2	53.1	104.3	186.8	276.8	353.3	415.0
1980.....	1.0	3.7	9.8	23.6	52.7	101.5	179.3	257.8	325.3	393.7
1979.....	1.0	3.1	8.7	20.9	48.7	90.6	159.8	219.8	303.7	314.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)										
TOTAL, FEMALE										
1998.....	0.7	2.0	6.5	17.1	40.9	78.8	135.0	196.8	275.3	355.0
1997.....	0.8	2.0	6.8	18.4	41.4	75.3	126.1	190.0	263.8	335.5
1996.....	0.7	2.2	7.0	17.7	39.8	74.9	127.6	186.7	249.3	319.4
1995.....	0.8	2.1	7.5	18.2	38.6	71.7	120.5	176.6	239.4	297.9
1994.....	0.5	2.0	7.5	17.5	39.5	74.8	119.0	177.2	230.4	280.7
1993.....	0.7	1.9	6.8	18.5	40.1	74.0	121.2	173.2	225.2	260.0
1992.....	0.6	2.0	5.9	17.2	37.2	65.4	104.7	156.4	192.9	233.9
1991.....	0.6	2.2	7.1	17.8	37.8	64.5	105.8	149.3	182.3	217.5
1990.....	0.5	2.0	7.3	16.9	34.7	61.3	98.9	140.7	175.2	208.0
1989.....	0.5	2.6	7.6	18.4	35.0	57.7	101.0	133.9	164.7	191.5
1988.....	0.5	2.3	6.9	16.8	32.9	57.7	94.6	129.1	157.4	178.4
1987.....	0.6	2.5	6.4	15.8	32.3	54.5	89.2	116.6	144.1	166.7
1986.....	0.8	2.3	7.4	16.3	31.3	54.4	86.0	113.5	128.9	149.8
1985.....	0.6	2.6	7.5	16.5	29.7	52.0	80.1	109.8	127.8	145.9
1984.....	0.6	2.3	6.7	14.9	28.2	48.9	73.4	96.5	108.0	127.8
1983.....	0.7	2.6	6.2	13.5	26.3	47.0	70.3	83.8	97.3	113.7
1982.....	0.7	2.5	5.3	12.3	22.3	40.7	61.9	72.6	84.2	97.5
1981.....	0.6	2.6	5.8	11.5	23.5	38.0	55.4	66.8	78.6	86.8
1980.....	0.6	2.3	4.9	10.8	21.8	35.0	49.3	57.0	69.3	82.3
1979.....	0.6	1.6	4.9	9.4	18.6	26.9	39.4	46.8	52.7	65.1
WHITE, BOTH SEXES										
1998.....	0.8	2.2	7.3	19.6	48.7	98.7	172.4	254.4	368.1	481.1
1997.....	0.8	2.4	7.9	20.7	49.3	96.5	165.1	247.3	357.4	470.5
1996.....	0.8	2.3	8.1	20.8	48.6	94.2	160.5	247.7	345.6	449.9
1995.....	0.8	2.3	7.9	20.8	47.1	92.4	158.2	243.1	338.0	433.2
1994.....	0.6	2.3	8.4	21.2	49.7	95.8	157.0	242.0	334.9	410.8
1993.....	0.7	2.5	7.8	21.8	50.3	97.1	161.3	245.4	334.6	398.2
1992.....	0.6	2.2	7.4	21.3	47.1	88.2	147.2	228.7	296.6	363.0
1991.....	0.6	2.4	7.4	21.1	48.1	88.2	149.3	224.3	295.3	348.3
1990.....	0.5	2.3	7.9	21.0	45.8	85.9	146.3	222.4	283.9	338.6
1989.....	0.6	2.6	8.0	22.7	46.2	81.6	145.7	213.8	271.2	320.6
1988.....	0.7	2.5	8.3	21.5	45.8	84.9	146.9	212.4	276.2	309.9
1987.....	0.8	2.6	7.7	20.3	45.7	81.3	142.5	207.1	260.6	293.9
1986.....	0.9	2.7	8.5	21.0	44.2	83.4	144.2	204.9	249.3	281.1
1985.....	0.7	2.7	9.2	21.2	43.7	83.0	140.7	201.4	251.3	280.5
1984.....	0.7	2.5	8.6	20.6	42.4	78.9	133.9	189.9	222.9	252.1
1983.....	0.7	2.9	8.2	19.8	40.5	78.9	129.6	180.1	213.9	231.6
1982.....	0.7	2.6	7.3	17.9	37.0	72.3	117.2	161.7	190.8	201.2
1981.....	0.7	2.8	7.6	17.7	38.0	70.4	115.8	155.0	179.6	193.3
1980.....	0.7	2.8	7.2	16.9	37.0	67.4	108.4	141.1	164.5	183.9
1979.....	0.7	2.2	6.7	14.7	33.6	57.4	93.8	118.7	146.5	146.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)										
WHITE MALE										
1998.....	0.9	2.4	7.8	21.3	53.7	114.1	208.4	318.7	497.0	745.3
1997.....	1.0	2.9	8.6	22.0	54.6	114.2	204.7	311.2	491.8	769.9
1996.....	0.9	2.5	8.8	22.8	54.7	110.1	192.8	317.6	488.4	745.8
1995.....	0.8	2.3	8.0	22.5	53.5	110.9	197.0	324.6	490.7	747.6
1994.....	0.8	2.6	9.0	24.1	58.1	114.7	196.3	320.5	502.1	720.0
1993.....	0.7	3.0	8.7	24.1	58.4	118.5	203.9	336.3	513.8	728.5
1992.....	0.8	2.4	8.7	24.8	55.2	111.3	194.0	321.7	470.8	674.7
1991.....	0.7	2.7	7.4	23.2	57.3	112.7	198.1	323.7	490.5	668.1
1990.....	0.7	2.7	8.3	24.6	56.6	111.8	201.5	335.5	473.1	659.8
1989.....	0.6	2.6	8.3	26.5	57.1	107.2	197.9	325.3	459.4	636.3
1988.....	0.9	2.8	9.6	25.8	58.7	113.8	209.4	329.8	487.5	633.2
1987.....	1.0	2.5	8.9	24.5	59.1	110.2	207.3	338.5	471.9	605.5
1986.....	1.0	3.1	9.3	25.3	57.4	114.5	215.9	337.8	469.6	599.9
1985.....	0.9	2.7	10.7	25.8	58.2	117.3	216.4	337.3	477.3	608.7
1984.....	0.8	2.6	10.3	26.3	57.3	111.9	211.2	330.3	435.2	554.7
1983.....	0.6	3.0	9.9	25.9	55.6	114.7	204.2	326.1	429.8	514.2
1982.....	0.7	2.6	9.4	24.3	52.6	107.9	188.9	298.4	387.4	443.5
1981.....	0.9	2.9	9.6	24.2	53.5	107.4	194.8	291.0	365.6	436.7
1980.....	0.8	3.4	9.3	23.2	53.3	105.0	186.1	271.1	339.0	412.6
1979.....	0.8	2.7	8.4	20.4	49.9	93.4	166.5	229.6	319.6	326.6
WHITE FEMALE										
1998.....	0.6	2.0	6.8	18.1	44.1	85.4	144.0	208.4	291.3	372.8
1997.....	0.7	1.9	7.2	19.5	44.5	81.3	134.1	202.0	278.4	351.3
1996.....	0.7	2.1	7.4	19.0	43.1	80.6	135.3	198.6	263.0	333.9
1995.....	0.7	2.3	7.7	19.1	41.3	76.8	128.0	186.7	251.7	312.0
1994.....	0.4	2.0	7.7	18.4	42.2	80.0	126.6	188.3	242.3	293.0
1993.....	0.6	2.0	7.0	19.6	42.9	79.3	128.4	184.0	236.8	273.1
1992.....	0.5	2.0	6.1	18.0	39.9	69.1	111.4	166.8	202.8	244.1
1991.....	0.6	2.1	7.3	19.1	40.0	68.2	112.3	159.0	191.5	226.8
1990.....	0.4	1.9	7.5	17.7	36.3	64.6	104.9	149.4	184.1	216.6
1989.....	0.5	2.7	7.8	19.2	36.5	60.7	106.9	142.1	172.3	200.1
1988.....	0.5	2.2	7.0	17.5	34.6	61.1	100.6	137.6	165.9	185.9
1987.....	0.6	2.6	6.6	16.4	33.9	57.5	94.9	123.8	150.6	173.2
1986.....	0.8	2.2	7.9	17.0	32.7	57.8	91.8	121.2	134.7	156.9
1985.....	0.6	2.7	7.8	17.0	30.9	54.9	85.6	116.3	133.7	151.9
1984.....	0.6	2.5	6.9	15.5	29.4	52.1	77.7	102.3	112.4	132.1
1983.....	0.7	2.7	6.6	14.2	27.3	50.0	75.5	89.2	101.2	117.8
1982.....	0.7	2.6	5.4	12.2	23.4	43.6	65.4	76.5	88.0	102.0
1981.....	0.6	2.7	5.8	11.9	24.5	40.6	58.8	70.4	82.1	91.5
1980.....	0.6	2.3	5.1	11.2	22.9	37.2	52.5	60.2	72.8	85.3
1979.....	0.6	1.7	5.1	9.6	19.5	28.6	41.5	49.5	54.9	68.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)										
ALL OTHER, BOTH SEXES										
1998.....	1.2	2.8	6.9	16.3	30.9	53.6	99.8	149.9	198.7	275.1
1997.....	1.2	2.9	6.3	15.4	33.1	58.7	96.2	140.0	212.0	268.9
1996.....	0.9	3.4	5.9	15.5	32.1	54.7	97.7	141.1	201.6	254.7
1995.....	1.0	2.9	7.2	15.5	35.0	58.6	96.8	136.2	189.3	258.0
1994.....	1.1	3.0	7.8	16.5	32.2	58.5	99.6	135.0	190.6	242.2
1993.....	1.4	2.7	7.6	16.7	35.6	57.4	104.0	137.1	205.0	214.2
1992.....	1.4	2.8	6.9	17.8	31.3	58.1	89.1	121.0	161.9	210.6
1991.....	1.1	3.2	8.0	17.2	33.3	61.4	93.3	124.2	166.1	202.2
1990.....	1.2	3.4	8.0	18.5	35.1	58.2	95.2	129.8	171.0	209.2
1989.....	1.6	2.8	9.6	20.0	37.2	61.2	94.5	134.3	162.2	183.2
1988.....	1.3	3.9	9.4	17.2	35.2	57.9	90.9	119.8	153.4	173.8
1987.....	1.0	3.0	7.9	16.8	33.6	57.3	87.7	109.3	151.9	176.3
1986.....	1.6	3.4	9.3	17.6	35.8	56.7	87.7	105.4	137.4	158.0
1985.....	1.5	3.7	8.6	19.6	36.2	56.3	78.6	109.6	142.8	141.1
1984.....	1.3	3.3	9.0	19.7	33.3	49.7	81.3	92.3	141.4	139.6
1983.....	1.3	3.2	6.6	17.0	35.5	47.8	67.4	85.1	129.4	127.8
1982.....	1.3	3.1	8.0	18.7	27.8	42.6	69.3	75.6	96.4	98.0
1981.....	*	3.2	8.9	15.8	30.0	41.7	60.2	77.0	107.5	87.9
1980.....	1.4	3.8	8.0	16.5	28.1	39.0	60.5	68.8	84.2	98.1
1979.....	1.1	3.3	7.0	15.3	22.5	35.5	52.2	65.0	67.0	82.2
ALL OTHER MALE										
1998.....	1.4	3.5	9.3	22.6	42.1	75.5	147.5	229.5	343.2	480.7
1997.....	1.3	3.9	8.4	19.6	45.7	87.9	142.6	224.9	379.8	469.4
1996.....	*	4.0	7.3	22.0	46.8	79.1	142.9	234.3	364.2	433.1
1995.....	*	4.5	8.5	18.8	52.0	88.0	151.9	216.3	327.3	510.3
1994.....	1.4	3.7	9.7	21.9	44.0	86.5	161.9	230.6	338.6	456.1
1993.....	2.0	4.0	10.4	23.1	52.9	86.8	165.8	239.5	383.5	433.4
1992.....	1.7	3.3	9.1	24.2	46.9	85.6	148.8	217.6	290.6	409.7
1991.....	1.5	3.7	10.4	26.2	46.6	95.1	155.6	227.8	307.0	394.2
1990.....	1.8	4.4	10.4	26.7	50.6	90.4	167.5	242.1	332.4	423.8
1989.....	2.8	3.8	12.8	28.3	55.2	98.7	160.8	256.8	300.8	370.4
1988.....	2.2	5.4	13.1	23.5	55.0	95.5	164.8	230.1	306.0	346.8
1987.....	*	4.6	10.8	23.1	51.4	95.1	160.9	204.7	291.1	353.2
1986.....	2.5	4.6	15.1	25.3	55.7	98.1	165.5	208.1	265.7	348.0
1985.....	2.6	5.2	12.4	28.0	57.2	94.4	149.0	206.3	281.9	276.7
1984.....	*	5.6	13.8	30.9	51.9	87.4	148.1	171.8	284.2	265.3
1983.....	*	4.6	10.0	28.6	57.4	82.2	131.4	166.5	261.9	251.4
1982.....	*	4.8	11.5	25.6	45.9	77.7	124.9	139.1	192.6	203.0
1981.....	*	5.2	13.4	24.5	48.9	76.5	111.7	145.7	224.2	198.4
1980.....	2.4	5.7	13.6	26.8	47.9	69.5	116.3	134.0	180.0	200.8
1979.....	1.9	5.8	11.4	25.2	37.1	65.6	96.2	130.2	133.7	186.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)										
ALL OTHER FEMALE										
1998.....	1.1	2.2	4.9	11.3	22.3	37.2	66.2	97.0	116.4	181.1
1997.....	1.1	2.1	4.6	12.0	23.4	36.9	63.8	84.7	117.7	178.1
1996.....	*	2.8	4.7	10.2	20.7	36.6	66.2	81.0	110.4	174.3
1995.....	1.2	1.5	6.1	12.8	21.9	36.7	58.5	85.1	113.5	148.7
1994.....	*	2.4	6.3	12.1	23.2	37.7	56.4	75.0	109.2	149.5
1993.....	*	1.6	5.2	11.5	22.3	35.7	60.7	73.6	105.7	118.6
1992.....	*	2.3	5.1	12.7	19.5	37.7	47.7	61.3	89.4	121.0
1991.....	*	2.7	6.0	9.9	23.2	36.6	50.6	59.7	86.0	113.8
1990.....	*	2.6	5.9	12.0	23.3	34.4	46.0	60.2	79.9	111.7
1989.....	*	2.0	6.9	13.3	23.6	33.4	49.1	57.7	83.0	96.6
1988.....	*	2.7	6.3	12.1	20.0	30.0	40.7	50.0	65.2	92.9
1987.....	*	*	5.6	11.8	19.9	29.1	37.8	48.2	72.4	92.6
1986.....	*	2.3	4.4	11.3	20.3	25.8	34.3	39.1	64.4	66.7
1985.....	*	2.4	5.3	12.9	19.8	27.7	30.1	46.2	61.7	76.0
1984.....	*	*	5.0	10.6	18.6	21.3	34.5	39.5	57.2	77.2
1983.....	*	*	3.8	7.5	18.2	22.2	22.2	30.6	51.5	65.5
1982.....	*	*	5.1	13.0	13.4	16.2	29.2	32.6	38.9	44.4
1981.....	*	*	5.3	8.8	14.9	15.5	22.5	30.5	36.7	31.7
1980.....	0.6	2.2	3.5	8.0	12.2	15.7	19.0	24.3	25.4	45.5
1979.....	0.5	1.2	3.5	7.1	10.8	12.4	18.7	19.0	25.5	28.9
BLACK, BOTH SEXES										
1998.....	1.5	3.6	9.1	20.8	37.2	61.3	116.8	167.6	210.4	277.0
1997.....	1.5	3.9	7.9	18.7	40.0	67.9	111.8	148.9	217.4	266.7
1996.....	1.2	4.7	7.9	19.6	38.9	62.8	112.9	149.8	210.6	260.2
1995.....	1.3	3.8	8.6	18.8	41.8	67.4	109.8	145.3	194.6	247.0
1994.....	1.4	4.1	10.1	19.8	38.8	68.7	112.6	144.9	187.8	238.1
1993.....	1.9	3.6	9.8	20.2	41.9	67.4	113.4	146.8	209.8	212.3
1992.....	1.9	3.6	8.9	22.0	37.1	66.0	98.7	133.3	164.3	211.7
1991.....	1.5	4.3	10.5	21.0	39.2	69.6	102.6	131.9	170.4	192.2
1990.....	1.5	4.3	9.8	21.9	40.5	64.6	103.7	136.7	178.6	195.4
1989.....	2.0	3.5	11.5	23.7	42.7	67.9	103.9	139.0	165.2	175.9
1988.....	1.7	5.1	11.7	20.3	41.0	65.9	99.4	123.9	155.9	166.4
1987.....	1.3	3.5	9.2	19.7	38.7	63.8	94.9	115.1	158.6	168.3
1986.....	1.9	4.2	11.0	20.2	41.0	63.3	95.0	110.8	138.0	157.2
1985.....	2.0	4.6	9.7	22.5	40.4	62.2	84.5	113.3	150.2	135.4
1984.....	1.7	4.1	10.5	22.3	37.4	54.2	87.3	96.5	139.4	128.4
1983.....	1.5	3.9	7.7	19.4	39.7	51.1	70.9	89.8	129.5	125.0
1982.....	1.7	3.8	9.6	21.3	30.8	46.0	75.1	76.0	95.9	95.5
1981.....	*	4.0	10.1	18.2	32.5	44.1	63.7	79.9	108.6	84.5
1980.....	1.6	4.4	9.1	18.4	31.8	41.1	64.0	71.4	87.9	89.3
1979.....	1.4	3.6	8.2	17.0	24.3	37.7	54.4	67.2	63.7	66.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)										
BLACK MALE										
1998.....	*	4.5	12.2	29.3	51.4	86.5	172.7	261.4	377.9	496.4
1997.....	1.7	5.2	10.7	24.0	56.0	101.3	165.0	244.5	400.6	474.3
1996.....	*	5.6	10.0	28.2	57.4	90.1	163.6	248.4	402.2	464.4
1995.....	*	5.9	10.6	23.8	64.0	100.4	173.3	237.6	360.6	493.7
1994.....	*	5.2	12.6	27.5	53.8	100.7	185.6	251.8	356.9	459.6
1993.....	2.5	5.4	13.9	29.0	62.2	102.1	185.2	264.0	414.2	440.9
1992.....	2.3	4.6	11.9	30.8	55.7	97.3	166.8	247.1	310.0	433.5
1991.....	2.1	5.0	14.0	32.3	56.2	110.4	172.3	252.5	331.7	387.0
1990.....	2.3	5.4	13.4	32.4	59.3	100.4	184.6	262.5	364.0	412.0
1989.....	3.8	4.6	15.3	34.2	62.5	110.4	179.8	272.5	323.7	365.2
1988.....	3.0	7.0	16.9	27.3	65.6	110.5	184.8	243.5	326.6	355.4
1987.....	*	5.3	13.1	27.0	59.7	107.5	176.7	224.6	312.0	348.4
1986.....	3.1	5.9	18.3	29.2	63.9	109.9	182.7	225.6	266.7	352.4
1985.....	3.4	6.5	14.2	32.6	64.6	106.8	166.3	220.6	304.6	280.6
1984.....	*	7.1	15.9	35.3	59.8	97.0	163.7	186.8	290.5	249.2
1983.....	*	5.7	11.7	33.0	64.8	87.8	142.6	182.4	267.1	248.3
1982.....	*	6.0	13.8	29.5	50.9	85.0	138.8	146.6	193.8	206.9
1981.....	*	6.5	15.2	28.0	53.3	83.2	121.3	157.0	229.9	192.9
1980.....	2.6	6.6	15.4	29.5	54.4	74.0	125.3	141.2	194.6	184.9
1979.....	2.3	6.5	13.2	28.5	41.1	71.0	104.9	137.3	131.2	153.8
BLACK FEMALE										
1998.....	1.5	2.9	6.5	14.2	26.5	42.5	77.8	107.5	122.6	185.8
1997.....	*	2.9	5.7	14.6	28.0	43.0	75.2	88.7	122.4	180.8
1996.....	*	3.9	6.2	12.9	25.0	42.5	78.5	88.3	111.7	176.4
1995.....	*	2.0	7.0	14.9	25.0	42.7	67.0	88.4	110.0	146.8
1994.....	*	3.2	8.0	13.8	27.5	44.8	63.6	80.3	101.7	148.2
1993.....	*	*	6.4	13.2	26.6	41.8	64.9	77.5	104.8	119.0
1992.....	*	2.9	6.5	15.0	23.0	43.2	53.4	66.8	88.8	119.4
1991.....	*	3.7	7.7	12.1	26.4	40.1	56.4	61.0	87.2	109.8
1990.....	*	3.4	6.8	13.6	26.4	38.7	50.6	63.0	82.7	103.6
1989.....	*	*	8.5	15.3	27.7	37.1	54.2	60.1	82.2	95.4
1988.....	*	3.5	7.3	14.7	22.4	33.6	42.9	52.4	65.7	83.9
1987.....	*	*	6.0	13.8	22.7	31.9	40.7	48.8	76.0	88.2
1986.....	*	2.9	5.0	12.9	23.5	29.1	37.0	40.6	67.9	68.1
1985.....	*	3.1	6.0	14.3	21.7	29.4	30.4	46.5	65.2	67.7
1984.....	*	*	6.0	11.8	20.1	22.5	36.2	39.8	55.9	71.3
1983.....	*	*	4.4	8.4	20.3	24.2	22.5	30.5	51.7	65.3
1982.....	*	*	6.1	14.6	15.0	17.2	31.3	31.1	39.1	40.7
1981.....	*	*	5.9	10.2	16.1	15.3	23.4	29.9	37.9	30.1
1980.....	0.7	2.7	4.0	9.3	14.0	16.6	20.3	26.0	24.0	41.5
1979.....	0.6	1.3	4.1	7.5	10.9	12.8	18.2	19.1	21.8	23.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)										
TOTAL, BOTH SEXES										
1998.....	0.3	0.5	0.9	1.6	2.9	6.1	13.3	27.5	60.4	154.6
1997.....	0.3	0.5	0.9	1.6	3.0	6.0	12.6	25.0	54.2	146.7
1996.....	0.3	0.4	0.8	1.4	2.6	5.4	12.0	24.8	50.0	134.8
1995.....	0.3	0.5	0.7	1.5	2.9	5.5	11.3	22.2	49.4	128.9
1994.....	0.3	0.6	0.6	1.4	2.6	5.3	11.0	22.6	46.4	122.0
1993.....	0.3	0.4	0.6	1.3	2.5	5.5	10.1	22.7	46.2	125.0
1992.....	0.2	0.4	0.7	1.3	2.8	4.9	10.8	21.8	43.5	121.4
1991.....	0.2	0.5	0.8	1.5	2.8	5.5	10.8	23.8	44.0	119.7
1990.....	0.3	0.4	0.8	1.5	3.3	5.7	11.4	22.9	45.4	118.2
1989.....	0.3	0.5	0.7	1.7	2.7	5.9	12.1	23.1	46.7	116.9
1988.....	0.3	0.5	0.9	1.7	3.3	6.3	11.8	24.6	48.1	114.9
1987.....	0.3	0.5	1.0	1.6	3.2	6.1	12.4	24.2	45.4	112.6
1986.....	0.3	0.5	1.0	1.6	3.2	5.9	12.6	24.1	43.8	103.1
1985.....	0.3	0.5	1.0	1.7	3.3	5.9	12.3	23.0	40.4	96.4
1984.....	0.3	0.6	1.0	1.5	3.4	6.5	11.3	19.6	37.2	83.5
1983.....	0.3	0.4	1.0	1.6	3.1	6.3	10.4	18.5	32.0	70.3
1982.....	0.4	0.6	1.0	1.7	2.9	5.5	9.9	18.2	30.3	60.1
1981.....	0.4	0.6	0.9	1.5	3.1	6.2	10.3	16.9	29.7	58.4
1980.....	0.3	0.5	0.9	1.9	3.6	6.6	10.5	16.1	26.4	52.0
1979.....	0.4	0.7	1.1	1.7	3.2	6.0	9.8	14.2	24.5	41.5
TOTAL, MALE										
1998.....	0.3	0.6	1.2	2.3	4.1	9.0	20.5	40.5	90.0	226.7
1997.....	0.4	0.8	1.2	2.0	4.1	8.4	19.5	39.4	83.5	219.0
1996.....	0.3	0.5	1.1	1.9	3.9	8.0	18.3	37.3	78.7	199.4
1995.....	0.4	0.7	1.1	2.3	4.5	8.6	17.5	36.2	78.9	201.1
1994.....	0.4	0.8	0.7	1.7	4.2	8.4	17.9	36.2	77.5	186.5
1993.....	0.4	0.6	0.9	1.8	3.7	8.6	16.4	37.9	75.7	186.9
1992.....	0.3	0.6	1.0	1.9	4.3	7.8	17.7	36.2	68.9	188.1
1991.....	0.2	0.8	1.0	2.2	4.5	9.0	17.7	40.0	73.1	186.3
1990.....	0.4	0.6	1.2	2.1	5.5	9.4	19.7	38.5	72.0	181.5
1989.....	0.5	0.7	1.0	2.3	4.5	10.0	20.7	38.9	78.8	175.9
1988.....	0.4	0.6	1.2	2.5	5.1	10.8	20.7	41.7	77.8	175.1
1987.....	0.4	0.6	1.3	2.4	5.4	10.0	21.1	42.2	76.8	172.1
1986.....	0.4	0.8	1.4	2.4	5.2	10.1	22.6	42.2	74.3	170.0
1985.....	0.3	0.7	1.4	2.6	5.6	9.7	21.2	40.4	67.5	157.7
1984.....	0.5	0.9	1.5	2.0	5.7	11.1	20.9	35.6	64.8	142.7
1983.....	0.3	0.7	1.5	2.4	5.1	11.2	19.8	34.0	57.5	124.3
1982.....	0.5	1.0	1.5	2.9	4.9	10.2	18.7	34.0	55.1	109.3
1981.....	0.6	0.8	1.3	2.5	5.6	11.5	19.7	34.0	57.8	110.4
1980.....	0.4	0.7	1.5	3.1	6.2	12.3	19.6	30.6	50.9	96.8
1979.....	0.6	1.1	1.7	2.9	5.8	11.6	19.3	27.3	49.5	76.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)										
TOTAL, FEMALE										
1998.....	0.3	0.4	0.6	1.0	1.8	3.6	7.7	18.3	42.8	124.7
1997.....	*	0.3	0.6	1.1	2.0	4.0	7.3	14.9	37.0	117.6
1996.....	0.3	0.3	0.5	0.9	1.5	3.2	7.1	16.1	33.5	109.1
1995.....	*	0.4	0.4	0.8	1.5	2.9	6.4	12.5	32.7	100.8
1994.....	0.2	0.3	0.5	1.0	1.2	2.7	5.6	13.3	29.1	97.2
1993.....	*	0.3	0.4	0.8	1.4	2.9	5.3	12.5	30.0	101.3
1992.....	*	0.3	0.5	0.7	1.6	2.5	5.5	12.4	29.8	95.6
1991.....	0.2	0.3	0.7	0.8	1.4	2.7	5.7	13.2	28.5	94.0
1990.....	*	*	0.5	0.9	1.4	2.7	5.3	12.9	31.3	93.7
1989.....	*	*	0.4	1.1	1.2	2.6	5.8	12.9	29.7	94.0
1988.....	*	0.4	0.6	0.9	1.7	2.7	5.2	13.8	32.4	91.4
1987.....	*	*	0.7	1.0	1.4	2.9	6.1	12.8	28.9	89.2
1986.....	*	*	0.5	0.8	1.5	2.5	5.4	12.6	27.8	76.6
1985.....	*	0.4	0.6	0.9	1.2	2.8	5.9	12.0	26.2	71.9
1984.....	*	0.3	0.5	1.1	1.5	2.8	4.4	9.5	22.7	59.6
1983.....	*	*	0.5	0.9	1.3	2.3	3.6	8.7	18.6	48.2
1982.....	*	*	0.6	0.7	1.1	1.8	3.6	8.4	17.2	39.5
1981.....	*	*	0.4	0.7	0.9	1.9	3.6	6.2	14.8	36.2
1980.....	0.2	0.3	0.3	0.7	1.4	2.0	3.9	7.0	13.4	32.4
1979.....	0.3	0.3	0.5	0.6	1.0	1.6	2.8	6.0	11.0	25.7
WHITE, BOTH SEXES										
1998.....	0.3	0.5	0.8	1.4	2.8	5.5	12.7	27.1	60.2	156.0
1997.....	0.2	0.5	0.8	1.4	2.8	5.7	12.2	24.7	53.8	148.4
1996.....	0.3	0.3	0.7	1.3	2.5	5.0	11.6	24.3	50.0	135.4
1995.....	0.2	0.4	0.6	1.2	2.8	5.1	10.8	21.7	48.8	128.9
1994.....	0.3	0.5	0.4	1.2	2.4	4.9	10.6	21.8	45.6	121.7
1993.....	0.3	0.4	0.5	1.2	2.2	5.2	9.8	22.0	45.3	126.5
1992.....	0.2	0.4	0.7	1.1	2.6	4.5	10.2	21.7	43.3	121.4
1991.....	0.2	0.5	0.7	1.4	2.7	5.2	10.4	23.1	43.5	119.1
1990.....	0.2	0.4	0.7	1.3	3.0	5.3	10.9	22.6	44.4	117.2
1989.....	0.2	0.4	0.5	1.4	2.4	5.3	11.8	22.3	46.1	115.8
1988.....	0.2	0.4	0.8	1.5	3.0	6.0	11.4	23.6	47.9	114.6
1987.....	0.2	0.4	0.7	1.5	3.0	5.7	11.9	23.3	44.2	112.9
1986.....	0.2	0.4	0.8	1.3	2.9	5.5	12.1	23.0	43.1	101.9
1985.....	0.2	0.5	0.7	1.6	2.9	5.5	11.8	22.5	39.7	96.5
1984.....	0.2	0.4	0.8	1.4	3.1	6.0	11.1	19.6	36.4	83.7
1983.....	0.2	0.3	0.8	1.4	2.7	6.0	10.0	18.4	31.3	70.5
1982.....	0.2	0.5	1.0	1.5	2.7	5.4	9.7	18.0	29.5	59.2
1981.....	0.3	0.5	0.7	1.4	2.9	6.1	10.0	16.6	29.1	58.2
1980.....	0.2	0.4	0.7	1.7	3.3	6.3	10.0	15.8	26.4	52.1
1979.....	0.3	0.5	0.8	1.5	3.0	5.9	9.8	14.2	24.7	41.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)										
WHITE MALE										
1998.....	0.3	0.6	1.1	2.0	3.9	8.2	19.7	40.5	90.0	231.5
1997.....	0.3	0.7	1.2	1.8	3.9	7.9	19.0	39.1	83.4	224.0
1996.....	0.3	0.4	1.0	1.8	3.7	7.3	17.8	36.5	79.3	202.0
1995.....	0.3	0.6	0.9	1.9	4.4	8.3	17.0	35.4	77.9	204.3
1994.....	0.4	0.7	0.6	1.6	4.0	7.9	17.4	35.0	76.6	188.8
1993.....	0.3	0.5	0.8	1.7	3.4	8.3	15.9	37.0	74.9	190.8
1992.....	*	0.5	1.0	1.6	4.0	7.3	16.9	36.2	68.7	188.7
1991.....	*	0.7	0.8	2.1	4.3	8.6	17.0	39.3	73.1	185.7
1990.....	0.3	0.5	1.0	1.8	4.9	8.8	18.5	38.1	71.7	183.2
1989.....	0.3	0.5	0.8	1.9	4.0	9.0	20.1	37.8	78.0	175.9
1988.....	*	0.4	1.0	2.2	4.7	10.3	20.3	39.9	78.1	176.9
1987.....	*	0.5	0.9	2.1	5.0	9.4	20.5	41.3	74.9	174.1
1986.....	0.3	0.6	1.2	2.0	4.7	9.5	22.0	41.1	73.3	171.9
1985.....	*	0.6	1.1	2.4	5.1	9.2	21.1	39.9	66.9	158.4
1984.....	0.4	0.6	1.2	1.9	5.2	10.5	20.7	35.9	64.0	144.1
1983.....	*	0.5	1.2	2.2	4.4	10.8	19.2	34.0	56.6	125.5
1982.....	*	0.7	1.5	2.6	4.5	10.0	18.6	34.1	55.2	108.0
1981.....	0.4	0.8	1.0	2.3	5.3	11.4	19.4	34.3	57.8	111.9
1980.....	0.3	0.5	1.3	2.7	5.7	12.1	19.5	30.4	51.4	97.9
1979.....	0.4	0.7	1.3	2.6	5.5	11.5	19.7	27.6	50.8	78.4
WHITE FEMALE										
1998.....	0.3	0.4	0.5	0.9	1.8	3.2	7.2	17.5	42.4	125.1
1997.....	*	0.3	0.5	1.1	1.8	3.8	6.8	14.5	36.4	118.4
1996.....	*	0.3	0.4	0.9	1.4	3.0	6.8	15.7	33.1	109.3
1995.....	*	0.3	0.4	0.7	1.4	2.4	6.1	12.2	32.3	99.8
1994.....	*	0.3	*	0.9	1.1	2.5	5.3	12.7	28.4	96.1
1993.....	*	*	*	0.7	1.2	2.6	5.1	12.0	29.1	102.2
1992.....	*	*	0.5	0.7	1.3	2.2	5.1	12.0	29.5	95.7
1991.....	*	*	0.6	0.7	1.2	2.5	5.4	12.5	27.8	93.9
1990.....	*	*	*	0.8	1.3	2.5	5.2	12.6	29.9	92.2
1989.....	*	*	*	0.9	1.1	2.2	5.6	12.3	29.4	92.9
1988.....	*	0.4	0.6	0.8	1.5	2.4	4.8	13.3	32.2	90.8
1987.....	*	*	0.5	0.9	1.2	2.6	5.6	11.9	28.1	89.2
1986.....	*	*	0.4	0.7	1.4	2.3	4.9	11.7	27.3	74.6
1985.....	*	*	0.4	0.8	1.1	2.4	5.1	11.6	25.5	72.2
1984.....	*	*	*	1.0	1.3	2.4	4.1	9.4	22.0	59.8
1983.....	*	*	0.4	0.7	1.1	2.1	3.3	8.6	18.1	48.3
1982.....	*	*	0.6	0.6	1.1	1.6	3.2	7.9	16.1	39.2
1981.....	*	*	*	0.6	0.8	1.8	3.2	5.6	14.0	35.7
1980.....	0.2	0.2	0.2	0.7	1.2	1.7	3.2	6.7	13.2	32.4
1979.....	0.3	0.3	0.4	0.6	0.8	1.3	2.7	5.8	11.0	25.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	1.6	2.7	3.5	9.6	18.3	31.4	62.2	140.8
1997.....	*	0.9	1.2	2.4	4.3	7.8	16.5	27.5	58.3	130.2
1996.....	*	*	1.4	2.0	3.6	8.3	14.8	29.5	50.1	128.9
1995.....	*	1.0	1.2	3.1	3.6	8.2	14.9	26.9	55.5	129.6
1994.....	*	0.8	1.7	2.1	3.6	8.0	14.2	30.1	54.8	125.1
1993.....	*	*	1.2	2.2	4.1	7.6	12.9	28.9	55.4	109.7
1992.....	*	*	*	2.3	4.8	7.9	15.7	23.1	45.9	121.6
1991.....	*	*	1.5	2.3	3.9	7.7	14.6	30.5	49.6	125.9
1990.....	*	*	1.8	2.4	6.0	8.7	16.2	26.3	56.3	127.8
1989.....	*	*	1.4	3.4	5.0	11.5	15.0	30.8	52.3	128.9
1988.....	1.0	1.4	1.6	2.9	5.8	9.2	15.3	34.2	49.4	117.3
1987.....	*	*	2.8	2.6	5.2	9.5	17.2	32.5	58.4	109.6
1986.....	*	*	2.1	3.3	5.9	9.3	17.4	33.8	51.5	116.5
1985.....	1.0	*	2.6	2.8	6.0	9.7	16.7	27.5	48.1	94.6
1984.....	*	1.9	2.4	2.5	6.4	10.5	13.6	19.2	46.5	81.1
1983.....	1.1	*	2.2	3.3	6.4	8.6	14.4	19.8	40.1	68.4
1982.....	1.2	1.5	*	3.3	4.9	7.0	12.2	20.6	39.0	70.4
1981.....	*	*	2.5	2.9	4.5	6.9	13.8	19.5	36.9	60.0
1980.....	0.6	1.3	2.2	3.7	6.5	9.0	14.7	19.7	27.1	50.7
1979.....	1.3	2.0	2.8	2.7	5.1	7.3	9.3	14.5	21.0	40.8
ALL OTHER MALE										
1998.....	*	*	2.3	4.1	5.7	14.2	27.2	40.8	90.0	184.9
1997.....	*	*	*	3.8	5.7	11.9	24.0	42.5	84.8	175.7
1996.....	*	*	*	2.8	5.5	13.4	22.4	45.7	72.4	176.7
1995.....	*	*	*	5.2	5.9	10.9	22.7	44.0	89.3	171.1
1994.....	*	*	*	*	6.0	12.8	23.0	47.7	87.0	164.0
1993.....	*	*	*	3.1	6.0	11.4	20.9	47.3	83.8	150.7
1992.....	*	*	*	4.1	6.5	11.5	24.7	35.7	70.6	183.2
1991.....	*	*	*	*	5.5	12.5	24.6	47.4	72.9	191.9
1990.....	*	*	*	3.8	10.8	14.8	30.7	42.4	74.4	165.8
1989.....	*	*	*	5.0	8.8	18.8	26.3	50.0	86.0	176.5
1988.....	*	*	*	4.7	9.3	15.2	24.5	58.9	74.4	158.2
1987.....	*	*	4.2	4.0	8.4	15.6	26.7	50.2	95.5	153.2
1986.....	*	*	3.2	5.4	9.9	15.7	28.3	52.4	84.3	152.0
1985.....	*	*	4.1	4.4	10.6	14.1	22.7	44.7	73.3	150.7
1984.....	*	3.5	3.8	3.4	10.2	16.1	22.9	32.2	73.3	129.2
1983.....	*	*	3.9	4.7	11.1	15.1	25.6	34.5	67.0	111.4
1982.....	*	*	*	5.8	9.1	12.2	19.7	32.3	54.3	122.4
1981.....	*	*	3.9	4.8	7.8	13.0	22.6	31.2	58.2	95.3
1980.....	1.0	1.9	3.8	6.7	10.7	14.8	19.6	32.9	45.9	85.6
1979.....	2.0	3.8	5.1	5.1	7.9	12.1	15.5	24.7	36.0	61.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	6.1	12.0	25.1	46.4	120.6
1997.....	*	*	*	*	3.2	4.8	11.3	17.7	43.5	109.7
1996.....	*	*	*	*	*	4.4	9.5	19.0	37.6	107.4
1995.....	*	*	*	*	*	6.1	9.5	16.1	36.9	111.6
1994.....	*	*	*	*	*	4.4	8.1	19.0	37.1	108.2
1993.....	*	*	*	*	*	4.8	7.3	17.5	39.6	91.9
1992.....	*	*	*	*	3.6	5.2	9.4	15.3	32.1	93.8
1991.....	*	*	*	*	2.8	4.2	7.7	20.0	36.2	95.2
1990.....	*	*	*	*	*	4.2	6.4	16.4	46.1	110.6
1989.....	*	*	*	*	*	6.1	7.4	18.9	33.0	106.9
1988.....	*	*	*	*	3.2	4.7	9.0	18.5	34.8	98.2
1987.....	*	*	*	*	*	5.0	10.7	21.1	37.2	89.0
1986.....	*	*	*	*	*	4.4	9.9	21.8	33.0	99.4
1985.....	*	*	*	*	*	6.4	12.6	16.2	33.3	68.0
1984.....	*	*	*	*	3.3	6.3	7.0	10.5	30.6	57.2
1983.....	*	*	*	*	*	3.8	6.5	9.9	24.2	46.8
1982.....	*	*	*	*	*	*	6.7	12.6	29.9	43.6
1981.....	*	*	*	*	*	*	7.2	11.6	24.0	42.1
1980.....	0.4	0.8	0.8	1.2	3.2	4.6	11.1	10.6	15.5	32.9
1979.....	0.6	0.4	1.0	0.8	2.8	3.6	4.6	7.4	11.7	30.7
BLACK, BOTH SEXES										
1998.....	*	*	2.1	3.4	4.8	12.0	21.5	35.8	71.6	155.1
1997.....	*	1.0	1.5	2.9	5.4	9.0	19.6	32.5	65.3	141.5
1996.....	*	*	1.8	2.6	4.5	9.5	16.9	34.6	57.5	133.8
1995.....	*	1.4	*	3.7	4.1	9.2	16.6	31.2	60.3	133.9
1994.....	*	*	2.3	2.9	4.5	9.7	16.0	33.3	60.4	126.6
1993.....	*	*	*	2.9	4.6	8.5	14.6	31.8	59.5	113.0
1992.....	*	*	*	2.9	6.2	9.2	19.5	24.5	50.6	124.4
1991.....	*	*	2.0	2.7	4.7	9.2	16.3	32.7	49.5	128.0
1990.....	*	*	2.2	3.1	7.4	9.8	19.0	29.2	57.6	131.6
1989.....	*	*	1.7	4.1	6.0	13.6	16.4	33.2	55.0	134.5
1988.....	1.3	1.8	2.1	3.5	7.0	10.3	17.2	37.0	52.6	118.2
1987.....	*	*	3.4	2.8	5.7	11.2	19.2	36.4	62.7	104.3
1986.....	*	*	2.4	3.9	6.9	10.5	19.3	37.5	52.5	114.4
1985.....	*	*	3.1	3.4	6.8	11.2	18.9	30.5	53.1	93.8
1984.....	*	2.3	2.8	2.8	7.2	11.8	15.5	21.0	50.0	76.3
1983.....	1.4	*	2.7	3.8	7.4	9.6	15.7	21.7	42.3	68.5
1982.....	1.5	*	*	3.7	5.8	7.9	13.1	21.8	42.2	64.8
1981.....	*	*	2.9	3.3	4.9	7.9	15.0	20.6	38.8	59.5
1980.....	0.8	1.6	2.4	4.2	7.2	9.5	15.6	20.1	28.5	49.7
1979.....	1.5	2.2	3.0	3.1	5.6	8.1	10.6	15.4	21.4	38.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)										
BLACK MALE										
1998.....	*	*	3.1	5.3	8.0	18.2	32.1	46.7	110.2	212.6
1997.....	*	*	*	4.9	6.7	13.5	28.6	52.4	96.5	192.8
1996.....	*	*	*	*	7.3	15.6	27.4	53.9	88.2	181.2
1995.....	*	*	*	6.4	7.1	12.2	25.3	49.9	102.5	169.2
1994.....	*	*	*	*	7.8	16.1	26.2	53.2	99.3	159.7
1993.....	*	*	*	*	6.8	12.7	23.7	53.4	90.5	151.9
1992.....	*	*	*	5.6	8.3	13.2	31.2	38.1	80.9	189.5
1991.....	*	*	*	*	6.6	15.5	27.7	54.1	76.2	201.4
1990.....	*	*	*	4.8	13.6	16.4	36.8	48.1	79.3	173.5
1989.....	*	*	*	6.1	10.3	22.4	28.6	55.1	92.8	186.4
1988.....	*	*	*	5.8	11.2	18.2	27.6	66.1	79.8	158.5
1987.....	*	*	5.3	4.9	9.1	18.4	30.5	57.1	103.3	154.7
1986.....	*	*	*	6.6	11.8	17.8	30.6	58.1	84.4	146.0
1985.....	*	*	5.0	5.3	12.1	16.2	26.8	51.2	85.1	151.6
1984.....	*	4.3	4.4	*	11.8	18.4	26.5	37.1	81.0	118.0
1983.....	*	*	4.8	5.7	13.2	17.6	29.1	38.2	69.5	110.0
1982.....	*	*	*	6.3	10.6	13.8	21.9	36.0	62.5	113.8
1981.....	*	*	4.5	5.5	8.4	15.0	24.7	33.5	61.0	92.9
1980.....	1.2	2.3	4.3	7.7	12.2	16.2	20.9	35.3	49.3	88.7
1979.....	2.5	4.4	5.4	5.7	8.9	13.9	18.1	26.7	36.4	53.8
BLACK FEMALE										
1998.....	*	*	*	*	*	7.3	14.2	28.7	51.3	131.3
1997.....	*	*	*	*	4.4	5.6	13.5	20.0	49.1	120.4
1996.....	*	*	*	*	*	4.9	9.8	22.5	41.7	114.3
1995.....	*	*	*	*	*	7.0	10.8	19.7	38.9	119.6
1994.....	*	*	*	*	*	5.0	9.2	21.2	40.6	113.2
1993.....	*	*	*	*	*	5.4	8.5	19.0	43.6	97.1
1992.....	*	*	*	*	4.6	6.3	11.7	16.5	34.8	97.3
1991.....	*	*	*	*	*	4.5	8.8	20.1	35.7	96.9
1990.....	*	*	*	*	*	5.0	7.3	18.0	46.3	113.8
1989.....	*	*	*	*	*	7.3	8.4	20.3	35.1	113.1
1988.....	*	*	*	*	3.8	4.5	10.3	19.6	38.2	100.7
1987.....	*	*	*	*	*	5.9	11.6	23.9	40.9	81.9
1986.....	*	*	*	*	*	5.1	11.7	24.9	35.2	100.0
1985.....	*	*	*	*	*	7.6	13.7	17.6	35.4	66.9
1984.....	*	*	*	*	*	7.0	8.2	10.9	32.9	56.6
1983.....	*	*	*	*	*	*	6.7	11.2	26.9	48.4
1982.....	*	*	*	*	*	*	7.1	12.7	30.4	40.7
1981.....	*	*	*	*	*	*	8.2	12.3	25.8	42.5
1980.....	0.4	1.0	0.8	1.4	3.3	4.5	11.8	10.2	16.0	30.2
1979.....	0.7	0.5	1.1	0.9	3.0	3.8	5.1	7.6	12.1	30.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)										
TOTAL, BOTH SEXES										
1998.....	0.2	0.2	0.2	0.2	0.4	0.7	0.9	1.5	1.8	2.3
1997.....	0.2	0.2	0.2	0.4	0.4	0.8	1.0	1.3	1.6	2.3
1996.....	0.1	0.1	0.3	0.3	0.6	0.7	0.9	1.3	1.7	2.4
1995.....	0.2	0.2	0.3	0.4	0.6	0.6	1.0	1.2	1.7	2.2
1994.....	0.1	0.2	0.3	0.3	0.5	0.8	0.8	1.3	1.8	2.2
1993.....	0.2	0.2	0.3	0.4	0.6	0.8	1.1	1.2	1.7	3.2
1992.....	0.2	0.3	0.3	0.4	0.7	0.8	1.0	1.7	2.2	3.0
1991.....	0.2	0.2	0.3	0.4	0.7	1.0	1.1	1.5	2.2	3.7
1990.....	0.2	0.2	0.4	0.4	0.6	1.0	1.4	2.1	2.8	2.5
1989.....	0.2	0.3	0.4	0.7	0.9	0.9	1.5	1.8	3.1	4.1
1988.....	0.2	0.3	0.5	0.7	0.8	1.3	1.6	2.5	3.6	4.4
1987.....	0.2	0.3	0.4	0.8	1.1	1.3	1.7	3.0	3.2	5.8
1986.....	0.2	0.3	0.5	0.7	0.9	1.4	2.0	2.6	3.1	4.7
1985.....	0.3	0.4	0.5	0.8	1.2	1.4	2.4	2.7	3.8	5.2
1984.....	0.2	0.3	0.5	0.8	1.1	1.4	1.8	2.5	3.7	4.5
1983.....	0.3	0.4	0.6	0.8	1.2	1.5	2.2	2.5	3.3	4.6
1982.....	0.3	0.4	0.7	0.9	1.2	1.5	2.0	2.5	3.6	4.5
1981.....	0.3	0.5	0.7	0.9	1.2	1.5	2.0	2.6	3.3	4.5
1980.....	0.3	0.5	0.8	0.9	1.4	1.8	2.1	3.3	3.6	5.6
1979.....	0.3	0.6	0.7	1.0	1.3	1.5	2.1	2.7	3.5	4.0
TOTAL, MALE										
1998.....	0.2	0.3	0.4	0.4	0.6	1.2	1.4	2.3	3.1	3.5
1997.....	0.2	0.3	*	0.5	0.7	1.1	1.7	2.3	2.7	3.4
1996.....	*	*	0.4	0.4	1.0	1.0	1.3	1.8	2.8	4.5
1995.....	0.2	*	0.4	0.6	0.8	1.1	1.5	1.9	2.9	3.1
1994.....	*	0.3	0.4	0.6	0.8	1.3	1.3	2.4	2.6	3.3
1993.....	0.3	0.3	0.4	0.5	0.9	1.4	1.7	2.0	3.1	4.9
1992.....	0.3	0.4	0.4	0.5	1.0	1.1	1.6	2.6	3.8	5.9
1991.....	0.3	0.4	0.5	0.6	1.0	1.5	1.8	2.7	4.1	6.1
1990.....	0.2	0.3	0.6	0.7	1.0	1.6	2.1	3.4	4.5	4.3
1989.....	0.3	0.4	0.6	1.0	1.4	1.5	2.3	3.3	4.6	6.9
1988.....	0.3	0.4	0.6	1.1	1.3	2.1	2.4	3.9	5.6	8.4
1987.....	0.4	0.5	0.6	1.2	1.7	1.9	2.8	5.1	5.8	10.8
1986.....	0.3	0.5	0.8	1.1	1.7	2.3	3.5	4.3	5.9	8.2
1985.....	0.5	0.7	0.7	1.4	1.8	2.3	3.9	4.6	6.5	9.3
1984.....	*	0.5	0.7	1.2	1.7	2.3	3.2	4.2	6.3	7.6
1983.....	0.4	0.6	1.0	1.2	1.9	2.2	3.7	4.5	5.4	7.7
1982.....	0.5	0.6	1.0	1.4	1.9	2.6	3.4	3.9	6.1	8.6
1981.....	0.5	0.8	1.1	1.3	2.1	2.6	3.5	4.3	6.2	8.6
1980.....	0.4	0.8	1.4	1.4	2.3	3.0	3.5	5.7	7.3	11.7
1979.....	0.6	0.9	1.1	1.6	2.2	2.5	3.5	4.9	5.9	6.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	0.5	0.9	1.1	1.8
1997.....	*	*	*	*	*	0.5	0.5	0.5	0.9	1.8
1996.....	*	*	*	*	*	0.4	0.5	0.9	1.1	1.6
1995.....	*	*	*	*	0.4	*	0.5	0.7	1.1	1.8
1994.....	*	*	*	*	*	0.4	0.5	0.5	1.4	1.8
1993.....	*	*	*	*	*	*	0.6	0.6	1.0	2.6
1992.....	*	*	*	*	*	0.5	0.6	1.1	1.4	1.8
1991.....	*	*	*	*	0.4	0.5	0.7	0.7	1.2	2.7
1990.....	*	*	*	*	0.4	0.5	0.8	1.2	1.9	1.9
1989.....	*	*	*	0.4	0.5	0.5	0.8	0.8	2.2	3.1
1988.....	*	*	*	*	0.4	0.7	1.0	1.6	2.5	2.8
1987.....	*	*	*	0.4	0.5	0.8	0.9	1.7	1.8	3.9
1986.....	*	*	*	0.4	*	0.7	0.9	1.6	1.7	3.3
1985.....	*	*	*	*	0.6	0.8	1.3	1.5	2.3	3.5
1984.....	*	*	*	0.4	0.6	0.7	0.9	1.5	2.4	3.3
1983.....	*	*	*	0.4	0.6	0.9	1.1	1.3	2.2	3.4
1982.....	*	*	*	0.5	0.6	0.6	1.0	1.6	2.3	2.8
1981.....	*	*	*	0.6	0.5	0.6	1.0	1.6	1.8	2.7
1980.....	0.2	0.2	0.4	0.5	0.7	0.8	1.2	1.8	1.6	3.0
1979.....	0.1	0.3	0.4	0.4	0.6	0.6	1.1	1.3	2.3	2.7
WHITE, BOTH SEXES										
1998.....	0.1	0.1	0.2	0.2	0.4	0.7	0.9	1.5	1.8	2.1
1997.....	0.1	0.2	0.2	0.3	0.4	0.8	1.0	1.2	1.6	2.2
1996.....	*	*	0.2	0.3	0.5	0.6	0.8	1.2	1.6	2.3
1995.....	0.2	*	0.2	0.3	0.5	0.5	0.9	1.2	1.7	2.1
1994.....	*	*	0.2	0.3	0.5	0.8	0.8	1.2	1.8	2.0
1993.....	*	*	0.3	0.3	0.5	0.7	1.0	1.1	1.7	3.1
1992.....	*	0.2	0.3	0.3	0.6	0.7	1.0	1.6	2.2	2.8
1991.....	0.1	*	0.3	0.3	0.6	0.8	1.0	1.4	2.1	3.6
1990.....	*	*	0.2	0.3	0.5	0.8	1.3	1.9	2.7	2.4
1989.....	*	0.2	0.3	0.6	0.8	0.8	1.3	1.8	2.8	3.8
1988.....	*	0.2	0.4	0.7	0.7	1.2	1.5	2.3	3.4	4.1
1987.....	*	0.3	0.4	0.6	0.9	1.2	1.6	2.9	3.0	5.9
1986.....	*	*	0.4	0.6	0.8	1.3	1.7	2.4	3.0	4.3
1985.....	0.2	0.3	0.3	0.6	1.1	1.3	2.2	2.5	3.6	4.9
1984.....	0.2	*	0.4	0.6	0.9	1.3	1.7	2.4	3.6	4.4
1983.....	*	0.4	0.5	0.6	1.0	1.4	2.0	2.3	3.2	4.3
1982.....	0.2	0.3	0.5	0.6	1.0	1.3	1.8	2.2	3.5	4.3
1981.....	*	0.3	0.5	0.7	1.1	1.4	2.0	2.4	3.1	4.3
1980.....	0.2	0.4	0.5	0.7	1.2	1.7	2.1	3.1	3.1	5.4
1979.....	0.2	0.4	0.4	0.8	1.1	1.3	2.0	2.5	3.3	3.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)										
WHITE MALE										
1998.....	*	*	0.4	*	0.5	1.1	1.2	2.3	3.2	3.5
1997.....	*	0.3	*	0.4	0.6	1.1	1.7	2.3	2.7	3.6
1996.....	*	*	*	0.5	0.8	0.9	1.3	1.8	2.4	4.3
1995.....	*	*	*	0.5	0.7	0.9	1.5	1.9	2.7	3.3
1994.....	*	*	*	*	0.7	1.2	1.3	2.3	2.5	2.7
1993.....	*	*	0.4	*	0.8	1.3	1.6	1.9	3.1	5.0
1992.....	*	0.4	*	*	0.9	1.0	1.5	2.5	3.8	5.2
1991.....	*	*	*	0.5	0.9	1.3	1.5	2.5	3.8	6.3
1990.....	*	*	*	*	0.8	1.3	2.0	3.2	4.5	4.3
1989.....	*	*	0.5	0.8	1.2	1.2	2.0	3.3	4.3	6.3
1988.....	*	*	0.5	1.0	1.1	1.9	2.2	3.7	5.3	7.9
1987.....	*	0.4	0.5	0.9	1.5	1.6	2.5	4.9	5.5	11.2
1986.....	*	*	0.5	0.9	1.5	2.1	2.9	3.7	5.6	8.0
1985.....	0.3	0.4	0.5	1.0	1.6	2.0	3.5	3.9	6.2	9.0
1984.....	*	*	0.6	1.0	1.4	2.1	2.8	4.1	6.3	7.6
1983.....	*	0.4	0.7	0.9	1.5	2.0	3.4	3.8	5.3	7.2
1982.....	*	0.4	0.8	0.8	1.6	2.2	2.9	3.3	5.8	8.0
1981.....	*	0.5	0.7	1.0	1.7	2.4	3.4	4.0	5.5	8.5
1980.....	0.2	0.5	0.8	1.0	1.9	2.7	3.4	5.3	6.4	11.3
1979.....	0.3	0.5	0.5	1.2	1.7	2.2	3.3	4.6	5.2	6.6
WHITE FEMALE										
1998.....	*	*	*	*	*	*	0.5	1.0	1.0	1.6
1997.....	*	*	*	*	*	0.6	0.5	*	0.9	1.6
1996.....	*	*	*	*	*	0.5	*	0.7	1.1	1.6
1995.....	*	*	*	*	*	*	0.5	0.8	1.1	1.7
1994.....	*	*	*	*	*	0.5	0.5	*	1.5	1.8
1993.....	*	*	*	*	*	*	0.6	*	0.9	2.3
1992.....	*	*	*	*	*	0.5	0.6	1.0	1.4	1.9
1991.....	*	*	*	*	*	0.4	0.6	0.8	1.2	2.6
1990.....	*	*	*	*	*	0.5	0.8	1.1	1.8	1.7
1989.....	*	*	*	*	0.4	0.5	0.7	0.8	2.0	2.9
1988.....	*	*	*	*	*	0.6	0.9	1.4	2.4	2.6
1987.....	*	*	*	*	0.4	0.8	0.9	1.7	1.6	3.8
1986.....	*	*	*	*	*	0.7	0.8	1.5	1.7	2.9
1985.....	*	*	*	*	0.6	0.7	1.2	1.6	2.3	3.3
1984.....	*	*	*	*	0.4	0.7	0.9	1.4	2.2	3.1
1983.....	*	*	*	0.4	0.5	0.9	1.0	1.3	2.1	3.2
1982.....	*	*	*	0.4	0.5	0.6	1.0	1.5	2.2	2.8
1981.....	*	*	*	0.4	0.5	0.7	0.9	1.4	1.8	2.6
1980.....	0.2	0.2	0.2	0.4	0.6	0.8	1.1	1.8	1.4	2.9
1979.....	0.0	0.2	0.3	0.3	0.5	0.6	1.0	1.2	2.3	2.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	1.7	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	2.1	*	*	*	*
1990.....	*	*	*	1.5	*	2.3	*	3.4	*	*
1989.....	*	1.1	*	*	1.9	*	3.1	*	6.0	7.8
1988.....	*	*	*	*	1.9	2.1	2.6	3.9	*	8.1
1987.....	*	*	*	1.7	2.3	2.4	2.8	4.0	*	*
1986.....	*	*	*	1.6	*	2.2	4.8	5.2	*	*
1985.....	*	1.4	*	2.3	2.2	3.1	3.9	4.6	*	*
1984.....	*	*	*	1.6	2.7	2.3	3.3	*	*	*
1983.....	1.2	*	1.7	2.0	3.4	2.3	3.7	4.9	*	*
1982.....	*	*	1.8	3.3	3.1	3.2	4.5	4.8	*	*
1981.....	1.3	1.8	2.2	2.7	2.7	2.2	*	5.0	*	*
1980.....	1.0	1.4	3.2	3.2	3.7	2.9	2.9	5.2	8.7	7.8
1979.....	1.4	2.5	3.4	2.9	3.5	2.7	3.3	4.8	6.3	5.2
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	4.6	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	4.0	4.7	*	*	*	*
1986.....	*	*	*	*	*	*	8.6	10.0	*	*
1985.....	*	*	*	4.4	*	4.9	7.7	10.7	*	*
1984.....	*	*	*	*	4.4	*	*	*	*	*
1983.....	*	*	*	3.8	5.7	*	*	10.7	*	*
1982.....	*	*	*	6.3	4.8	5.8	8.3	*	*	*
1981.....	*	3.1	4.2	3.9	5.2	*	*	*	*	*
1980.....	1.8	2.7	5.6	5.2	6.0	5.7	4.7	10.0	16.0	16.5
1979.....	2.3	3.8	5.8	5.1	6.5	5.2	5.3	8.2	12.8	8.5

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)

ALL OTHER FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.4	1.2	1.5	1.8	0.8	1.6	1.9	4.2	3.4	
1979.....	0.6	1.3	1.4	1.1	1.1	0.8	1.7	2.3	2.2	3.5	

BLACK, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	2.4	*	*	*	*	*
1990.....	*	*	*	*	*	2.6	*	*	*	*	*
1989.....	*	1.4	*	*	2.1	*	3.5	*	*	9.1	*
1988.....	*	*	*	*	2.4	2.4	*	4.4	*	*	*
1987.....	*	*	*	2.1	2.9	2.8	3.2	4.5	*	*	*
1986.....	*	*	*	2.0	*	*	5.1	6.2	*	*	*
1985.....	*	1.7	*	2.7	2.6	3.5	4.4	*	*	*	*
1984.....	*	*	*	2.0	3.2	2.5	3.9	*	*	*	*
1983.....	*	*	2.1	2.4	3.8	*	3.8	4.7	*	*	*
1982.....	*	*	2.1	3.7	3.5	3.6	4.9	5.1	*	*	*
1981.....	1.5	2.2	2.6	2.7	2.9	*	*	5.0	*	*	*
1980.....	1.1	1.6	3.7	3.7	4.2	3.3	2.8	5.2	8.5	6.9	
1979.....	1.6	2.8	3.9	3.2	3.8	3.0	3.1	4.8	7.0	5.1	

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---------------

0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	5.0	*	*	*	*	*
1986.....	*	*	*	*	*	*	9.3	12.2	*	*
1985.....	*	*	*	5.5	*	*	8.5	*	*	*
1984.....	*	*	*	*	5.1	*	*	*	*	*
1983.....	*	*	*	4.6	6.7	*	*	*	*	*
1982.....	*	*	*	6.9	5.5	6.6	9.1	*	*	*
1981.....	*	*	4.9	*	5.6	*	*	*	*	*
1980.....	2.1	2.9	6.7	6.2	7.0	6.6	4.7	9.8	16.0	15.1
1979.....	2.7	4.6	6.6	5.7	7.3	5.9	5.3	8.1	14.3	9.6

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.5	1.3	1.7	2.1	0.9	1.5	2.1	4.0	2.8
1979.....	0.7	1.4	1.6	1.2	1.1	0.9	1.6	2.5	2.4	2.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PLEURISY (511)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	*	0.4	0.4	1.0	1.9	4.1	9.8
1997.....	*	*	*	0.2	0.3	0.5	1.1	1.8	3.6	9.0
1996.....	*	*	*	*	0.3	0.5	0.9	1.9	3.4	9.2
1995.....	*	*	0.2	*	0.3	0.7	1.0	1.8	3.5	8.6
1994.....	*	*	*	*	0.3	0.6	1.0	1.7	3.5	9.3
1993.....	*	*	*	0.2	0.2	0.4	0.9	2.3	3.3	9.3
1992.....	*	*	*	*	0.3	0.6	0.9	1.6	3.7	9.5
1991.....	*	*	*	*	0.4	0.7	1.0	1.7	4.2	11.5
1990.....	*	*	*	0.2	0.4	0.5	1.2	2.0	4.4	9.9
1989.....	*	*	*	0.3	0.4	0.6	1.1	1.9	3.7	9.5
1988.....	*	*	*	0.2	0.5	0.8	1.4	2.1	4.3	9.7
1987.....	*	*	*	0.3	0.4	0.7	1.4	2.3	3.5	9.8
1986.....	*	*	*	0.3	0.5	0.7	1.4	2.4	3.7	9.1
1985.....	*	*	*	0.2	0.4	0.7	1.3	2.1	3.8	8.7
1984.....	*	*	*	0.3	0.4	0.7	1.0	2.1	3.4	7.5
1983.....	*	*	*	0.3	0.3	0.5	1.1	1.8	4.0	8.1
1982.....	*	*	0.2	0.2	0.4	0.7	1.0	1.7	2.8	7.3
1981.....	*	*	0.2	0.2	0.4	0.8	0.9	1.7	3.4	6.6
1980.....	0.1	0.1	0.2	0.3	0.4	0.6	1.0	1.8	2.8	6.7
1979.....	0.1	0.2	0.1	0.2	0.4	0.6	1.0	1.6	3.1	5.2
TOTAL, MALE										
1998.....	*	*	*	*	0.5	0.6	1.0	2.1	4.8	11.6
1997.....	*	*	*	*	*	0.5	1.2	2.2	4.6	10.2
1996.....	*	*	*	*	0.5	0.6	1.2	2.0	4.6	11.0
1995.....	*	*	*	*	0.4	0.8	1.1	2.2	4.0	10.7
1994.....	*	*	*	*	*	0.7	1.1	2.3	4.3	12.2
1993.....	*	*	*	*	*	0.5	1.1	2.8	4.1	11.6
1992.....	*	*	*	*	0.4	0.8	1.1	2.2	4.8	11.1
1991.....	*	*	*	*	0.4	0.9	1.0	1.8	5.3	12.7
1990.....	*	*	*	*	0.5	0.6	1.7	3.1	5.8	10.8
1989.....	*	*	*	*	*	0.7	1.2	2.2	4.2	14.0
1988.....	*	*	*	*	0.6	1.0	1.3	2.8	6.0	12.7
1987.....	*	*	*	*	0.4	0.8	1.9	2.8	4.4	11.9
1986.....	*	*	*	*	0.6	0.8	1.6	3.2	4.6	11.2
1985.....	*	*	*	*	0.5	0.9	1.6	2.5	4.7	10.5
1984.....	*	*	*	*	0.5	0.7	1.2	2.8	4.5	8.3
1983.....	*	*	*	*	0.4	0.7	1.3	2.2	5.9	11.5
1982.....	*	*	*	*	*	1.0	1.3	1.8	3.5	9.9
1981.....	*	*	*	*	0.6	1.0	1.2	1.8	3.7	9.6
1980.....	0.1	0.1	0.2	0.3	0.5	0.8	1.2	2.5	4.6	9.7
1979.....	0.1	0.2	0.2	0.3	0.5	0.9	1.4	1.8	3.3	6.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PLEURISY (511)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	0.9	1.7	3.6	9.1
1997.....	*	*	*	*	*	0.5	1.0	1.5	3.1	8.5
1996.....	*	*	*	*	*	0.4	0.6	1.9	2.8	8.5
1995.....	*	*	*	*	*	0.6	1.0	1.5	3.2	7.8
1994.....	*	*	*	*	*	0.5	0.8	1.3	3.1	8.1
1993.....	*	*	*	*	*	0.4	0.8	2.1	2.8	8.5
1992.....	*	*	*	*	*	0.4	0.7	1.2	3.2	8.9
1991.....	*	*	*	*	*	0.6	1.0	1.6	3.5	11.0
1990.....	*	*	*	*	*	0.5	0.8	1.4	3.7	9.5
1989.....	*	*	*	*	0.5	0.6	0.9	1.8	3.5	7.8
1988.....	*	*	*	*	0.4	0.6	1.4	1.6	3.4	8.5
1987.....	*	*	*	*	*	0.6	1.1	2.0	3.1	9.0
1986.....	*	*	*	*	0.4	0.5	1.3	2.0	3.3	8.3
1985.....	*	*	*	*	*	0.6	1.1	1.7	3.4	8.0
1984.....	*	*	*	0.3	*	0.6	0.8	1.7	2.7	7.1
1983.....	*	*	*	*	*	*	1.0	1.6	3.1	6.7
1982.....	*	*	*	*	0.4	0.5	0.8	1.6	2.4	6.3
1981.....	*	*	*	*	*	0.6	0.7	1.6	3.3	5.3
1980.....	0.1	0.1	0.1	0.2	0.4	0.4	0.8	1.3	1.8	5.4
1979.....	0.1	0.2	0.1	0.1	0.3	0.4	0.7	1.4	3.0	4.7
WHITE, BOTH SEXES										
1998.....	*	*	*	*	0.4	0.4	1.0	1.8	4.1	9.8
1997.....	*	*	*	*	0.3	0.4	1.0	1.8	3.5	9.0
1996.....	*	*	*	*	0.3	0.5	0.8	1.9	3.3	9.2
1995.....	*	*	*	*	0.3	0.6	1.0	1.7	3.4	8.9
1994.....	*	*	*	*	0.3	0.5	0.9	1.7	3.5	8.9
1993.....	*	*	*	*	*	0.4	0.8	2.3	3.1	9.5
1992.....	*	*	*	*	0.2	0.6	0.8	1.6	3.6	9.6
1991.....	*	*	*	*	0.4	0.6	0.9	1.5	4.1	11.6
1990.....	*	*	*	*	0.3	0.5	1.2	1.9	4.3	9.9
1989.....	*	*	*	*	0.3	0.6	1.0	1.9	3.6	9.8
1988.....	*	*	*	*	0.4	0.7	1.3	2.0	4.3	9.4
1987.....	*	*	*	0.2	0.3	0.6	1.3	2.2	3.6	9.9
1986.....	*	*	*	0.2	0.5	0.6	1.3	2.3	3.7	9.0
1985.....	*	*	*	0.2	0.3	0.7	1.2	2.0	3.7	8.5
1984.....	*	*	*	0.3	0.3	0.6	0.9	2.0	3.3	7.4
1983.....	*	*	*	0.3	0.3	0.5	1.0	1.8	3.9	7.9
1982.....	*	*	*	0.2	0.3	0.6	1.0	1.6	2.5	7.6
1981.....	*	*	*	*	0.4	0.7	0.9	1.7	3.4	6.7
1980.....	0.1	0.1	0.1	0.2	0.4	0.6	0.9	1.7	2.6	6.7
1979.....	0.1	0.1	0.1	0.2	0.4	0.5	0.9	1.4	3.1	5.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PLEURISY (511)										
WHITE MALE										
1998.....	*	*	*	*	*	0.6	1.0	2.1	4.9	12.1
1997.....	*	*	*	*	*	0.5	1.2	2.1	4.4	10.1
1996.....	*	*	*	*	*	0.6	1.1	2.0	4.5	11.4
1995.....	*	*	*	*	*	0.8	1.0	1.9	4.0	11.0
1994.....	*	*	*	*	*	0.6	1.0	2.2	4.4	12.2
1993.....	*	*	*	*	*	0.5	1.0	2.8	3.7	11.7
1992.....	*	*	*	*	*	0.8	1.0	2.1	4.8	11.1
1991.....	*	*	*	*	*	0.8	0.9	1.6	5.2	13.6
1990.....	*	*	*	*	*	0.5	1.7	2.7	5.8	11.1
1989.....	*	*	*	*	*	0.6	1.1	2.0	3.9	14.8
1988.....	*	*	*	*	0.5	0.9	1.2	2.7	6.0	12.3
1987.....	*	*	*	*	*	0.7	1.7	2.7	4.4	11.5
1986.....	*	*	*	*	0.6	0.7	1.5	2.8	4.8	11.5
1985.....	*	*	*	*	*	0.9	1.4	2.5	4.8	10.2
1984.....	*	*	*	*	*	0.6	1.2	2.6	4.4	8.4
1983.....	*	*	*	*	*	0.6	1.2	2.3	5.6	11.3
1982.....	*	*	*	*	*	0.8	1.3	1.7	3.4	9.8
1981.....	*	*	*	*	0.5	0.9	1.3	1.6	3.7	9.7
1980.....	0.1	0.0	0.1	0.3	0.5	0.8	1.0	2.5	4.4	10.1
1979.....	0.1	0.2	0.2	0.2	0.4	0.7	1.4	1.6	2.9	6.3
WHITE FEMALE										
1998.....	*	*	*	*	*	*	1.0	1.6	3.7	8.8
1997.....	*	*	*	*	*	*	0.9	1.6	3.0	8.6
1996.....	*	*	*	*	*	*	0.5	1.9	2.5	8.4
1995.....	*	*	*	*	*	0.5	1.0	1.5	3.1	8.1
1994.....	*	*	*	*	*	0.4	0.8	1.3	3.0	7.7
1993.....	*	*	*	*	*	*	0.7	2.0	2.8	8.7
1992.....	*	*	*	*	*	0.4	0.7	1.2	3.1	9.1
1991.....	*	*	*	*	*	0.5	0.9	1.5	3.5	10.9
1990.....	*	*	*	*	*	0.4	0.8	1.4	3.6	9.4
1989.....	*	*	*	*	0.4	0.5	0.9	1.8	3.4	7.9
1988.....	*	*	*	*	*	0.6	1.4	1.5	3.3	8.2
1987.....	*	*	*	*	*	0.5	1.0	2.0	3.1	9.3
1986.....	*	*	*	*	0.4	0.5	1.2	2.0	3.1	8.1
1985.....	*	*	*	*	*	0.6	1.1	1.7	3.1	7.9
1984.....	*	*	*	*	*	0.6	0.7	1.6	2.7	7.0
1983.....	*	*	*	*	*	*	0.9	1.5	3.1	6.6
1982.....	*	*	*	*	*	0.5	0.7	1.6	2.1	6.6
1981.....	*	*	*	*	*	0.5	0.7	1.7	3.3	5.5
1980.....	0.1	0.1	0.1	0.2	0.4	0.4	0.8	1.2	1.6	5.2
1979.....	0.1	0.1	0.1	0.1	0.3	0.3	0.6	1.2	3.1	4.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PLEURISY (511)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	10.6
1997.....	*	*	*	*	*	*	*	*	*	8.4
1996.....	*	*	*	*	*	*	*	*	5.4	8.7
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	12.8
1993.....	*	*	*	*	*	*	*	*	*	7.3
1992.....	*	*	*	*	*	*	*	*	*	8.5
1991.....	*	*	*	*	*	*	*	*	*	9.9
1990.....	*	*	*	*	*	*	*	*	*	10.0
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	12.9
1987.....	*	*	*	*	*	*	2.8	*	*	9.2
1986.....	*	*	*	*	*	*	*	*	*	9.5
1985.....	*	*	*	*	*	*	*	*	*	10.7
1984.....	*	*	*	*	*	*	*	4.0	*	*
1983.....	*	*	*	*	*	*	*	*	*	9.6
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	0.4	0.5	0.4	0.8	1.4	2.0	4.8	6.7
1979.....	0.1	0.3	0.5	0.2	0.7	1.5	1.6	3.6	4.0	4.6
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	0.5	0.9	0.7	1.0	2.9	2.8	6.9	4.9
1979.....	-	0.2	0.3	0.5	1.2	2.6	1.9	3.3	7.0	6.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PLEURISY (511)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	12.0
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	9.0
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	12.8
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	12.2
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.4	0.2	0.2	0.6	0.3	1.5	3.5	7.6
1979.....	0.2	0.4	0.6	-	0.4	0.6	1.4	3.9	2.2	3.5
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	12.1
1997.....	*	*	*	*	*	*	*	*	*	8.9
1996.....	*	*	*	*	*	*	*	*	6.2	10.1
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	11.7
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	8.4
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	9.4
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	14.0
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	11.3
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	0.4	0.6	0.2	0.9	1.6	2.3	5.0	6.3
1979.....	0.2	0.3	0.5	0.3	0.7	1.6	1.9	4.0	4.5	4.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PLEURISY (511)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	0.6	1.1	0.3	1.2	3.4	3.3	6.7	3.8
1979.....	-	0.2	0.4	0.6	1.3	3.0	2.2	3.7	7.8	5.8
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	13.9
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	10.3
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	13.3
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.3	0.2	0.2	0.7	0.3	1.7	4.0	7.5
1979.....	0.3	0.5	0.6	-	0.2	0.7	1.6	4.2	2.4	3.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)										
TOTAL, BOTH SEXES										
1998.....	1.3	1.8	2.9	5.8	9.8	17.3	28.7	44.2	64.7	98.9
1997.....	1.2	1.9	3.0	5.2	9.7	16.7	28.8	41.9	65.2	96.7
1996.....	1.1	1.8	3.0	5.5	9.5	16.7	27.1	41.5	60.1	97.0
1995.....	1.2	1.7	3.2	5.2	9.5	16.1	26.3	40.3	59.5	90.9
1994.....	1.2	1.9	3.1	5.0	9.7	16.5	26.8	40.1	60.2	90.4
1993.....	1.3	1.8	3.2	5.4	9.7	15.6	26.7	41.0	57.2	89.3
1992.....	1.2	1.7	2.7	5.2	9.0	16.7	25.6	37.9	54.0	85.4
1991.....	1.3	2.3	3.3	5.6	9.6	16.0	25.8	37.7	54.9	88.5
1990.....	1.5	2.0	2.9	4.9	10.2	15.2	25.3	36.6	53.2	87.5
1989.....	1.4	2.0	3.2	5.6	9.3	15.5	26.4	37.2	54.5	86.7
1988.....	1.3	2.2	3.4	5.9	9.5	16.2	25.2	40.7	55.6	91.0
1987.....	1.3	1.8	3.3	5.2	9.4	15.3	24.8	37.5	54.4	85.5
1986.....	1.4	2.1	3.3	5.5	9.5	15.5	24.5	37.7	54.6	84.1
1985.....	1.3	1.9	3.3	5.7	9.4	15.7	24.4	36.5	55.0	87.0
1984.....	1.2	2.1	3.0	5.4	8.8	14.1	23.0	33.3	49.2	80.5
1983.....	1.2	1.8	3.1	5.2	8.9	14.2	22.7	34.6	48.8	81.3
1982.....	1.0	1.6	3.1	5.5	8.6	14.0	21.1	31.5	45.3	68.7
1981.....	1.3	1.9	3.1	5.0	8.5	13.3	20.7	30.9	44.5	68.2
1980.....	1.3	2.2	3.0	5.1	8.0	13.3	19.9	29.2	44.0	66.9
1979.....	1.1	1.8	2.8	5.1	8.2	12.0	18.9	28.4	39.2	59.2
TOTAL, MALE										
1998.....	1.3	1.8	3.4	6.9	11.7	22.6	36.3	57.3	78.4	125.5
1997.....	1.1	2.0	3.1	6.0	11.4	20.9	37.4	54.5	86.6	123.3
1996.....	1.2	1.9	3.3	6.5	11.4	21.1	35.6	53.0	79.5	125.6
1995.....	1.3	1.7	3.2	5.5	11.6	20.8	34.2	52.7	78.0	119.5
1994.....	1.4	2.0	3.4	5.9	12.2	21.3	35.3	51.9	79.7	119.0
1993.....	1.4	1.7	3.1	6.3	12.0	20.2	34.3	55.1	76.2	118.3
1992.....	1.4	1.9	3.2	5.9	10.9	22.2	33.7	50.1	74.6	114.0
1991.....	1.4	2.6	3.5	6.7	11.8	20.4	35.4	51.7	75.7	112.0
1990.....	1.8	2.3	3.3	6.0	13.1	20.6	33.2	49.3	70.4	113.4
1989.....	1.6	2.2	3.8	7.3	11.8	20.2	35.2	51.1	73.1	113.4
1988.....	1.6	2.4	4.1	7.2	12.2	21.7	33.2	54.2	76.8	126.4
1987.....	1.5	1.9	3.8	6.4	11.8	19.9	33.8	53.4	76.1	114.0
1986.....	1.7	2.5	3.8	6.5	12.0	19.7	32.8	51.1	77.2	114.0
1985.....	1.4	2.2	3.8	7.1	11.7	21.2	33.3	51.4	78.8	124.4
1984.....	1.4	2.2	3.1	6.7	11.5	18.1	31.5	48.7	67.7	117.9
1983.....	1.2	2.0	3.6	6.1	11.3	19.0	30.4	49.3	70.9	110.2
1982.....	1.1	1.8	3.6	7.0	11.0	18.4	29.9	46.2	70.0	95.3
1981.....	1.5	2.1	3.9	6.5	10.9	17.5	29.3	44.5	65.9	98.0
1980.....	1.5	2.5	3.8	6.4	11.0	18.5	29.6	42.4	68.6	93.0
1979.....	1.1	2.2	3.7	6.6	11.0	16.4	28.2	44.5	62.6	79.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)										
TOTAL, FEMALE										
1998.....	1.2	1.8	2.5	4.8	8.2	12.8	22.7	34.9	56.5	87.9
1997.....	1.3	1.8	2.9	4.5	8.3	13.2	22.2	33.1	52.7	86.0
1996.....	1.1	1.8	2.7	4.6	7.8	13.0	20.5	33.5	48.9	85.6
1995.....	1.2	1.6	3.2	5.0	7.6	12.2	20.3	31.7	49.0	79.8
1994.....	1.0	1.9	2.8	4.2	7.4	12.6	20.2	32.1	49.3	79.4
1993.....	1.2	1.9	3.2	4.6	7.7	11.8	21.0	31.6	46.8	78.2
1992.....	1.1	1.6	2.3	4.5	7.4	12.2	19.5	29.9	42.8	74.3
1991.....	1.2	2.0	3.0	4.5	7.6	12.4	18.6	28.5	43.8	79.5
1990.....	1.1	1.8	2.6	3.9	7.6	10.9	19.4	28.4	44.1	77.5
1989.....	1.3	1.7	2.7	4.1	7.2	11.7	20.0	28.2	44.6	76.3
1988.....	1.1	1.9	2.8	4.7	7.2	11.7	19.2	32.1	44.4	77.2
1987.....	1.2	1.8	2.8	4.2	7.4	11.6	18.2	27.4	43.0	74.2
1986.....	1.1	1.6	2.8	4.6	7.4	12.2	18.4	29.2	42.8	72.2
1985.....	1.2	1.7	2.9	4.4	7.3	11.2	18.0	27.1	42.6	72.1
1984.....	1.1	2.0	2.8	4.1	6.4	10.8	16.8	23.6	39.5	65.4
1983.....	1.1	1.6	2.6	4.3	6.9	10.4	17.1	25.4	37.2	69.5
1982.....	0.9	1.5	2.7	4.1	6.5	10.4	14.8	22.3	32.3	57.6
1981.....	1.1	1.7	2.3	3.7	6.4	9.9	14.5	22.4	33.1	55.4
1980.....	1.2	1.9	2.3	3.9	5.5	9.2	13.0	20.9	31.0	55.4
1979.....	1.0	1.4	1.9	3.8	5.8	8.4	12.1	18.3	26.7	50.2
WHITE, BOTH SEXES										
1998.....	1.0	1.6	2.7	5.5	9.6	17.3	29.2	45.4	66.4	102.7
1997.....	1.0	1.6	2.7	4.9	9.5	16.7	29.4	43.2	67.0	100.5
1996.....	0.9	1.5	2.7	5.2	9.3	16.9	27.5	42.4	61.6	100.6
1995.....	1.0	1.5	2.8	4.7	9.3	16.1	27.1	41.1	60.9	93.7
1994.....	0.9	1.6	2.8	4.7	9.5	16.6	26.7	41.0	61.6	93.2
1993.....	1.0	1.4	2.8	5.0	9.4	15.7	27.1	41.8	58.7	92.3
1992.....	1.0	1.4	2.4	4.7	8.7	16.5	25.8	39.0	54.6	87.6
1991.....	1.1	1.8	3.0	5.3	9.4	16.0	26.0	38.8	56.0	90.5
1990.....	1.1	1.8	2.7	4.6	9.8	15.0	25.3	37.0	54.3	88.7
1989.....	1.1	1.6	2.8	5.1	8.8	15.2	26.1	37.6	55.5	88.5
1988.....	1.1	1.9	3.0	5.5	9.1	15.8	25.1	41.0	56.5	92.9
1987.....	1.1	1.5	2.8	4.9	9.0	15.1	24.9	38.2	55.1	87.5
1986.....	1.2	1.7	3.0	5.0	9.2	15.3	24.6	38.1	56.1	86.1
1985.....	0.9	1.6	2.8	5.2	8.8	15.3	24.3	37.4	56.0	89.3
1984.....	1.1	1.7	2.6	4.9	8.5	14.1	22.8	33.8	50.2	82.4
1983.....	0.9	1.4	2.9	4.9	8.4	14.1	22.9	35.1	49.6	82.9
1982.....	0.9	1.4	2.8	5.0	8.3	13.7	21.2	31.9	45.8	70.6
1981.....	1.0	1.6	2.8	4.5	8.1	13.1	20.9	31.4	44.7	69.0
1980.....	1.1	1.7	2.6	4.7	7.7	13.0	20.1	29.3	44.6	68.5
1979.....	0.9	1.6	2.5	4.7	7.9	12.0	19.0	28.8	40.2	60.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)										
WHITE MALE										
1998.....	1.1	1.6	3.2	6.4	11.3	23.0	37.4	58.7	80.4	130.6
1997.....	0.9	1.6	2.8	5.7	11.3	20.8	38.3	56.0	89.3	128.1
1996.....	0.9	1.6	3.0	6.2	11.0	21.6	36.2	54.2	81.1	130.9
1995.....	1.0	1.5	2.9	5.1	11.4	20.8	35.2	53.4	79.9	123.0
1994.....	1.2	1.7	3.0	5.6	12.1	21.4	34.9	52.8	81.7	121.4
1993.....	1.1	1.5	2.9	5.9	11.7	20.3	34.7	56.0	78.0	121.4
1992.....	1.0	1.6	2.8	5.5	10.6	21.9	34.2	51.6	75.0	117.3
1991.....	1.2	2.0	3.5	6.4	11.7	20.4	35.8	53.2	76.9	114.3
1990.....	1.5	1.9	3.1	5.4	12.5	20.6	33.3	50.9	71.7	115.4
1989.....	1.3	1.9	3.4	6.6	11.2	19.5	34.7	51.8	74.5	114.3
1988.....	1.3	2.2	3.4	7.0	11.7	21.4	33.2	54.3	77.9	129.7
1987.....	1.2	1.5	3.2	5.9	11.5	19.5	33.7	53.7	77.2	118.2
1986.....	1.6	2.1	3.3	5.8	11.7	19.1	32.6	51.3	79.4	116.8
1985.....	1.0	1.9	3.3	6.6	11.0	20.9	33.2	53.0	80.2	128.1
1984.....	1.1	1.8	2.8	6.1	11.3	18.0	31.4	49.2	69.4	121.3
1983.....	1.0	1.6	3.5	5.6	10.7	18.7	30.7	49.8	72.1	112.2
1982.....	1.1	1.6	3.3	6.3	10.4	18.2	30.1	46.4	70.5	98.9
1981.....	1.1	1.7	3.5	5.9	10.6	17.4	29.5	45.6	66.6	98.0
1980.....	1.2	2.1	3.2	5.9	10.3	17.8	29.9	42.6	70.4	94.4
1979.....	0.8	1.9	3.3	6.0	10.7	16.4	28.7	45.2	64.5	80.7
WHITE FEMALE										
1998.....	0.9	1.7	2.2	4.6	8.0	12.4	22.7	35.8	58.0	91.2
1997.....	1.1	1.7	2.5	4.1	7.9	13.1	22.5	34.1	53.9	89.5
1996.....	0.9	1.4	2.3	4.3	7.7	12.9	20.7	34.2	50.3	88.6
1995.....	0.9	1.5	2.8	4.4	7.4	12.2	20.8	32.6	50.2	82.4
1994.....	0.7	1.5	2.5	3.8	7.2	12.5	20.3	32.9	50.4	82.5
1993.....	0.9	1.4	2.8	4.1	7.3	12.0	21.2	32.1	48.2	81.2
1992.....	0.9	1.2	2.1	4.0	7.0	12.0	19.5	30.6	43.6	76.3
1991.....	1.0	1.6	2.6	4.3	7.3	12.4	18.6	29.4	44.8	81.5
1990.....	0.7	1.7	2.3	3.7	7.4	10.5	19.3	28.0	45.1	78.6
1989.....	0.9	1.4	2.2	3.8	6.7	11.7	19.6	28.5	45.5	78.7
1988.....	0.8	1.6	2.6	4.2	6.7	11.3	19.2	32.4	45.4	78.8
1987.....	0.9	1.5	2.4	3.9	6.8	11.5	18.4	28.4	43.6	75.6
1986.....	0.8	1.3	2.6	4.2	7.1	12.1	18.7	29.7	43.9	74.2
1985.....	0.9	1.4	2.4	3.8	6.8	10.7	17.9	27.6	43.5	74.1
1984.....	1.0	1.5	2.4	3.9	6.2	10.9	16.6	24.2	40.2	66.9
1983.....	0.8	1.3	2.3	4.2	6.3	10.3	17.2	26.0	37.9	71.2
1982.....	0.7	1.2	2.3	3.8	6.4	10.0	14.7	22.8	32.8	59.0
1981.....	1.0	1.4	2.1	3.3	5.9	9.6	14.6	22.5	33.3	56.8
1980.....	0.9	1.3	2.0	3.5	5.4	9.1	12.9	20.9	31.0	57.4
1979.....	0.9	1.3	1.7	3.5	5.6	8.6	12.0	18.6	27.3	51.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)										
ALL OTHER, BOTH SEXES										
1998.....	2.4	2.9	4.5	7.7	11.4	17.2	24.4	34.2	47.7	63.2
1997.....	2.3	3.3	4.8	7.0	11.1	17.0	23.7	31.0	46.8	61.0
1996.....	2.2	3.6	4.9	7.4	11.2	15.4	23.7	32.8	44.7	62.8
1995.....	2.4	2.6	5.6	8.4	10.7	15.7	19.5	32.4	44.6	63.1
1994.....	2.6	3.5	5.0	7.5	10.9	16.0	27.6	31.7	45.8	61.7
1993.....	2.8	4.0	5.2	8.2	12.2	14.7	23.4	33.6	41.6	59.0
1992.....	2.7	4.0	4.5	8.1	11.0	18.2	23.3	28.3	48.1	61.8
1991.....	2.7	5.4	4.8	7.1	11.0	16.3	24.1	27.0	44.5	67.5
1990.....	3.6	3.5	4.4	7.1	13.1	16.8	25.4	32.7	42.3	74.1
1989.....	3.6	4.0	5.8	9.0	13.1	18.3	29.8	33.3	43.5	66.8
1988.....	2.9	3.6	6.6	8.4	12.7	19.4	25.2	37.9	45.3	70.6
1987.....	3.0	4.1	6.3	8.0	13.1	16.9	23.9	30.5	46.8	64.2
1986.....	2.6	4.3	5.2	9.6	11.9	17.9	23.3	34.0	39.4	61.9
1985.....	3.5	3.9	6.5	9.9	14.4	19.0	25.4	27.7	43.9	61.6
1984.....	2.3	5.1	5.4	8.6	10.9	13.8	24.5	28.7	38.5	59.9
1983.....	2.9	4.4	4.6	7.6	13.8	15.4	20.8	29.3	39.7	63.2
1982.....	1.7	3.2	5.4	9.6	11.8	16.4	20.4	27.9	40.6	47.7
1981.....	3.0	4.0	5.6	9.1	11.8	14.9	19.0	26.7	41.5	58.9
1980.....	3.0	5.2	6.5	8.6	11.4	16.3	18.9	28.5	37.5	47.9
1979.....	2.4	3.3	5.4	9.0	10.6	11.4	17.8	24.3	28.1	47.7
ALL OTHER MALE										
1998.....	2.3	3.3	4.7	9.8	14.1	19.8	26.9	44.3	57.6	80.5
1997.....	2.3	4.1	4.6	7.8	11.5	21.6	29.4	40.0	58.1	81.3
1996.....	2.5	3.7	5.0	8.9	14.4	17.4	30.8	41.2	63.5	79.7
1995.....	2.5	3.2	5.8	8.5	12.9	20.3	24.6	46.4	58.6	86.6
1994.....	2.5	3.3	5.6	8.2	13.2	19.9	38.4	43.6	58.7	96.3
1993.....	3.1	3.3	4.8	9.1	14.6	19.6	30.0	45.6	57.9	89.5
1992.....	3.3	4.2	5.8	8.7	12.9	24.8	29.3	35.3	71.3	83.1
1991.....	2.7	7.2	3.9	8.6	12.9	20.8	31.7	37.8	64.3	90.7
1990.....	3.8	4.8	4.9	10.1	18.2	20.7	32.2	34.0	58.2	94.6
1989.....	3.6	4.6	6.1	12.3	16.7	26.7	40.2	44.6	58.7	104.9
1988.....	3.4	3.8	9.0	8.9	15.9	25.2	33.5	52.5	65.8	96.2
1987.....	3.0	4.9	7.9	9.9	14.9	24.0	34.5	50.2	64.3	75.3
1986.....	2.4	5.7	6.8	11.9	14.9	25.2	33.9	48.6	54.6	88.0
1985.....	3.9	4.3	7.5	10.9	18.7	23.8	35.0	36.9	63.8	90.4
1984.....	3.1	4.6	5.6	12.1	13.6	19.1	33.0	44.1	50.5	86.1
1983.....	2.8	5.2	4.7	10.6	16.4	21.6	28.0	44.2	57.7	90.0
1982.....	*	3.6	5.5	13.0	16.6	20.0	28.0	44.3	64.9	59.7
1981.....	4.2	4.3	7.2	11.7	13.2	18.7	26.5	33.9	59.3	98.4
1980.....	3.2	4.9	8.9	11.0	17.2	24.6	26.5	40.2	49.3	79.0
1979.....	3.4	4.6	7.3	12.3	13.8	17.1	23.9	38.5	43.0	67.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)										
ALL OTHER FEMALE										
1998.....	2.5	2.5	4.3	6.0	9.4	15.3	22.6	27.6	42.0	55.2
1997.....	2.3	2.6	5.0	6.4	10.7	13.5	19.7	25.1	40.5	51.9
1996.....	1.9	3.4	4.8	6.2	8.8	13.8	18.7	27.3	34.1	55.1
1995.....	2.3	2.1	5.4	8.3	9.1	12.3	16.0	23.4	36.9	52.9
1994.....	2.6	3.7	4.5	6.9	9.2	13.1	20.1	24.2	38.7	46.8
1993.....	2.6	4.6	5.5	7.5	10.5	11.0	18.8	26.2	32.6	45.7
1992.....	2.2	3.9	3.5	7.7	9.6	13.4	19.2	23.9	35.1	52.3
1991.....	2.6	3.9	5.5	5.9	9.6	13.0	18.9	20.3	33.2	56.6
1990.....	3.5	2.4	4.0	4.7	9.2	14.0	20.7	31.9	33.3	64.8
1989.....	3.5	3.5	5.5	6.3	10.3	12.0	22.7	26.2	34.9	49.1
1988.....	2.5	3.4	4.6	7.9	10.3	15.2	19.6	28.6	33.3	58.6
1987.....	3.0	3.4	5.0	6.4	11.7	11.6	16.7	17.9	36.7	58.9
1986.....	2.9	3.1	3.9	7.8	9.6	12.5	16.0	24.6	30.9	49.4
1985.....	3.1	3.5	5.6	9.0	11.1	15.3	18.9	21.7	32.2	48.0
1984.....	*	5.5	5.2	5.9	8.8	9.8	18.5	18.4	31.2	46.9
1983.....	2.9	3.7	4.6	5.2	11.7	10.7	15.7	19.4	29.1	49.6
1982.....	*	2.9	5.4	6.9	8.0	13.7	15.0	16.8	26.1	41.4
1981.....	*	3.7	4.4	7.0	10.7	12.0	13.4	21.8	30.7	38.9
1980.....	2.9	5.4	4.6	6.6	6.8	9.9	13.3	20.5	30.3	32.0
1979.....	1.6	2.1	3.9	6.2	8.1	7.0	13.3	14.3	19.0	37.7
BLACK, BOTH SEXES										
1998.....	3.1	3.3	5.6	9.4	12.6	18.6	27.1	35.0	45.6	59.8
1997.....	2.8	4.3	6.2	8.4	12.4	18.2	23.6	29.0	46.2	61.5
1996.....	2.9	4.6	6.2	8.8	13.4	16.5	25.1	32.1	41.2	63.2
1995.....	3.1	3.3	6.2	9.8	11.3	16.9	21.7	31.0	38.3	57.7
1994.....	3.2	4.5	6.0	8.5	11.9	16.6	29.1	30.3	44.9	57.4
1993.....	3.6	5.0	6.1	9.4	13.0	14.8	22.8	33.3	38.5	56.1
1992.....	3.5	5.3	5.4	8.8	12.1	19.7	25.4	27.3	42.9	58.2
1991.....	3.4	6.8	5.4	8.2	12.4	17.2	26.1	27.6	44.1	62.5
1990.....	4.7	4.3	5.4	7.7	14.3	17.8	26.0	31.8	43.4	69.6
1989.....	4.8	5.3	6.8	10.7	14.3	19.6	31.3	35.7	39.7	60.0
1988.....	3.7	4.5	7.6	9.9	13.9	20.2	26.7	37.4	45.2	69.6
1987.....	3.8	5.2	7.0	9.1	14.4	17.6	24.0	29.5	44.1	55.8
1986.....	3.3	5.5	6.1	11.4	13.5	18.1	24.6	35.5	37.6	55.7
1985.....	4.1	4.5	7.9	10.7	16.4	19.5	26.2	27.5	39.2	59.0
1984.....	2.8	6.3	6.0	10.1	12.3	14.9	25.3	28.4	35.2	55.3
1983.....	3.6	5.2	5.2	8.6	15.6	16.3	21.3	28.6	36.6	59.8
1982.....	2.0	3.8	6.3	10.5	12.7	17.8	21.0	26.6	39.0	45.5
1981.....	3.4	4.2	6.6	10.3	12.9	15.5	18.9	25.4	41.6	60.1
1980.....	3.3	5.8	7.1	9.3	11.8	15.9	19.3	27.6	35.5	43.4
1979.....	2.9	3.7	5.9	9.9	11.3	11.1	17.8	23.5	24.9	42.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)										
BLACK MALE										
1998.....	3.0	3.9	5.6	12.4	15.9	20.2	30.4	45.3	54.2	74.6
1997.....	2.8	5.7	6.5	9.3	13.0	23.3	30.3	39.4	59.5	82.9
1996.....	3.1	4.8	6.2	10.8	17.3	18.1	31.2	42.1	60.6	82.8
1995.....	3.2	4.3	6.5	10.2	13.6	22.1	28.2	45.3	50.3	75.8
1994.....	3.0	4.5	6.6	9.9	13.5	19.2	40.6	42.6	54.3	86.4
1993.....	4.1	4.2	5.8	10.5	15.3	20.1	27.7	44.7	55.2	87.4
1992.....	4.3	5.8	6.9	9.4	14.6	26.1	32.0	37.0	66.3	76.1
1991.....	3.4	8.9	4.0	10.3	14.0	21.8	35.6	38.1	64.4	87.0
1990.....	4.7	5.9	6.4	10.9	19.6	20.8	33.6	35.8	56.9	87.5
1989.....	4.9	6.3	7.3	14.5	18.1	28.3	41.7	49.4	53.6	103.0
1988.....	4.2	5.0	9.9	10.5	17.5	26.4	38.4	55.4	67.0	101.5
1987.....	3.9	6.2	8.5	11.3	16.1	26.8	33.7	47.4	65.2	60.9
1986.....	3.1	7.4	8.2	13.7	17.3	25.4	35.5	55.2	57.8	79.4
1985.....	4.6	5.1	9.2	12.0	21.5	24.8	37.8	36.5	58.6	85.5
1984.....	3.7	6.0	6.4	14.1	15.4	20.5	35.5	42.5	45.2	78.7
1983.....	3.5	6.1	5.2	11.6	18.9	21.8	28.7	41.8	52.4	90.0
1982.....	*	4.3	6.5	14.5	18.4	21.9	29.3	42.2	60.0	58.6
1981.....	5.1	4.4	8.3	12.7	15.1	19.8	28.5	32.9	58.4	103.6
1980.....	3.7	5.6	9.5	12.2	17.4	24.1	29.0	39.9	45.3	71.7
1979.....	4.1	5.3	8.0	13.3	15.1	17.5	24.3	38.5	33.8	57.7
BLACK FEMALE										
1998.....	3.2	2.9	5.6	7.0	10.2	17.3	24.9	28.4	41.0	53.6
1997.....	2.8	3.2	5.9	7.8	12.0	14.4	18.9	22.4	39.3	52.7
1996.....	2.6	4.3	6.3	7.2	10.4	15.2	21.0	25.9	31.2	55.2
1995.....	2.9	2.5	6.0	9.4	9.6	13.1	17.3	22.2	32.2	50.3
1994.....	3.5	4.5	5.4	7.4	10.7	14.6	21.4	22.8	40.1	45.7
1993.....	3.1	5.6	6.3	8.6	11.2	10.9	19.4	26.5	29.9	43.3
1992.....	2.7	4.8	4.2	8.3	10.2	15.0	21.1	21.6	30.8	50.8
1991.....	3.4	4.9	6.5	6.5	11.1	13.8	19.8	21.4	33.7	52.1
1990.....	4.7	3.0	4.6	5.2	10.3	15.6	21.0	29.5	36.3	62.0
1989.....	4.7	4.4	6.4	7.6	11.4	13.4	24.6	27.6	32.4	41.8
1988.....	3.3	4.1	5.7	9.4	11.3	15.7	18.9	26.7	33.7	55.7
1987.....	3.7	4.3	5.7	7.3	13.2	10.9	17.5	18.7	32.7	53.5
1986.....	3.6	3.9	4.4	9.5	10.5	12.8	17.3	23.5	26.7	44.9
1985.....	3.6	4.1	6.9	9.7	12.3	15.6	18.5	22.0	28.5	46.6
1984.....	*	6.6	5.7	6.8	9.9	10.7	18.5	19.5	29.6	44.2
1983.....	3.7	4.4	5.2	6.2	13.2	12.3	16.4	20.1	27.6	45.2
1982.....	*	3.4	6.1	7.2	8.3	14.8	15.3	16.7	26.8	39.0
1981.....	*	4.1	5.3	8.3	11.3	12.4	12.3	20.5	31.8	38.1
1980.....	2.9	6.0	5.1	7.0	7.4	9.9	12.4	19.6	29.6	29.2
1979.....	1.9	2.4	4.2	7.1	8.3	6.4	13.1	13.1	19.4	35.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)										
TOTAL, BOTH SEXES										
1998.....	15.5	24.2	29.3	38.0	52.4	70.9	97.7	137.5	217.8	430.1
1997.....	16.3	24.0	29.3	38.0	54.2	71.8	99.7	141.8	214.6	447.3
1996.....	16.5	23.2	29.9	39.3	54.2	69.9	99.7	139.9	217.4	437.9
1995.....	17.2	23.7	30.3	38.7	55.4	71.4	97.4	141.3	221.0	445.4
1994.....	17.1	23.2	31.2	40.9	57.7	74.4	101.7	141.6	225.7	454.4
1993.....	17.3	22.1	30.6	41.7	57.1	75.4	101.3	147.1	233.4	455.4
1992.....	16.9	22.5	30.7	42.4	57.0	79.2	101.7	147.6	228.0	470.1
1991.....	16.9	23.4	31.4	42.4	61.1	76.3	105.7	149.3	235.8	462.1
1990.....	17.0	23.3	32.1	45.3	60.5	78.2	106.3	151.0	238.9	480.9
1989.....	17.3	24.2	34.5	48.1	63.8	80.5	110.0	155.4	241.8	472.0
1988.....	17.8	25.5	35.9	49.0	67.0	82.4	110.8	157.1	241.1	477.6
1987.....	17.4	25.2	37.0	50.1	65.7	83.8	112.8	161.1	240.9	467.4
1986.....	18.1	25.3	37.5	49.8	66.9	84.1	115.9	158.0	243.5	460.9
1985.....	17.8	27.4	40.3	52.7	69.0	88.2	112.4	160.8	248.5	462.1
1984.....	19.1	28.1	40.8	54.3	69.7	90.2	113.7	160.6	240.9	452.1
1983.....	19.2	29.8	42.3	56.1	71.5	89.4	113.8	155.6	240.9	435.7
1982.....	19.8	30.8	44.2	57.1	70.9	91.8	116.7	156.4	241.8	441.4
1981.....	22.3	34.3	48.1	60.8	74.5	95.9	119.1	158.0	240.9	438.6
1980.....	24.8	36.8	51.6	62.8	79.0	98.1	121.7	161.4	240.6	435.8
1979.....	25.1	37.3	52.1	61.7	76.9	94.2	118.7	153.7	229.9	405.3
TOTAL, MALE										
1998.....	21.7	35.4	41.3	51.1	69.4	87.9	115.2	151.9	235.2	424.1
1997.....	22.7	35.2	41.3	51.8	70.5	89.2	116.7	159.8	237.9	442.5
1996.....	23.9	34.0	42.3	53.4	71.5	87.3	118.4	158.1	243.0	436.6
1995.....	25.1	34.3	42.8	52.3	73.3	91.1	118.8	161.9	252.3	458.3
1994.....	24.9	33.2	42.7	56.1	76.7	98.1	122.1	162.0	260.5	473.9
1993.....	25.3	32.0	42.4	56.3	74.9	96.0	123.9	171.7	265.5	474.2
1992.....	24.8	32.3	42.2	57.3	74.6	101.4	123.4	175.3	260.5	496.9
1991.....	24.4	33.0	43.0	58.3	81.2	97.2	128.6	180.2	275.7	474.7
1990.....	24.6	33.6	44.5	61.1	80.2	100.5	130.9	183.4	269.8	502.7
1989.....	25.4	34.1	47.8	64.7	85.2	104.0	138.3	191.3	277.6	489.3
1988.....	25.4	36.1	49.8	66.9	90.0	108.3	141.3	190.7	277.8	499.8
1987.....	24.4	35.5	51.9	69.2	87.7	106.9	143.2	199.3	281.7	485.1
1986.....	24.5	35.3	50.7	68.8	87.3	108.5	148.4	194.7	282.6	493.7
1985.....	25.5	37.6	54.6	71.1	93.3	116.2	145.1	200.4	294.3	492.9
1984.....	25.9	38.2	54.7	73.5	93.5	118.5	146.6	201.3	283.6	475.8
1983.....	26.3	40.3	56.4	75.6	96.1	121.1	147.9	199.1	288.0	470.9
1982.....	26.7	41.3	60.7	76.7	95.5	122.3	152.5	190.5	279.2	477.4
1981.....	30.6	45.5	64.6	81.0	99.1	128.7	153.9	198.9	280.5	477.9
1980.....	32.8	49.4	69.4	84.6	107.1	132.1	161.2	201.7	280.1	478.5
1979.....	33.6	50.4	69.6	82.5	104.7	127.6	154.3	194.4	273.1	435.4

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)										
TOTAL, FEMALE										
1998.....	9.4	13.3	18.0	25.9	37.2	56.6	84.1	127.3	207.4	432.6
1997.....	10.1	13.3	17.9	25.2	39.7	57.2	86.6	129.0	201.0	449.2
1996.....	9.2	12.8	18.2	26.3	38.8	55.4	85.3	127.2	202.7	438.4
1995.....	9.4	13.5	18.6	26.2	39.5	55.0	81.1	127.1	203.4	440.4
1994.....	9.5	13.6	20.3	26.8	40.9	54.8	86.0	127.8	206.5	446.9
1993.....	9.6	12.5	19.4	28.3	41.4	58.5	84.1	130.6	215.8	448.2
1992.....	9.3	13.1	19.8	28.6	41.4	61.1	85.4	129.3	210.4	459.7
1991.....	9.7	14.2	20.5	27.8	43.5	59.4	88.6	129.2	214.4	457.3
1990.....	9.6	13.5	20.3	30.9	43.3	60.1	88.1	130.2	222.4	472.5
1989.....	9.5	14.6	21.9	32.8	45.2	61.4	89.1	132.3	222.9	465.2
1988.....	10.3	15.4	22.9	32.7	47.2	61.4	88.4	135.7	221.7	469.0
1987.....	10.5	15.4	23.0	32.8	46.7	65.0	90.7	136.8	219.4	460.5
1986.....	11.9	15.7	25.2	32.7	49.3	64.3	92.3	134.9	223.0	447.9
1985.....	10.5	17.7	27.0	36.1	48.0	65.5	88.7	136.0	224.5	449.8
1984.....	12.5	18.4	27.7	37.0	49.0	67.4	90.0	135.0	218.4	442.6
1983.....	12.3	19.8	29.1	38.8	50.2	64.0	89.2	128.3	216.0	421.3
1982.....	13.2	20.9	28.8	39.6	49.6	67.3	90.8	135.0	222.1	426.4
1981.....	14.3	23.6	32.9	42.8	53.3	69.6	94.0	132.3	219.8	421.6
1980.....	17.1	24.8	35.1	43.3	54.8	70.9	93.1	136.1	219.6	417.2
1979.....	17.0	24.8	36.0	43.1	52.8	67.6	93.0	128.1	206.7	392.0
WHITE, BOTH SEXES										
1998.....	14.8	22.6	27.5	36.4	50.7	70.1	97.6	137.7	218.8	438.8
1997.....	15.6	21.9	27.6	36.1	52.1	70.8	99.0	141.7	215.8	457.1
1996.....	15.1	21.3	28.0	37.1	52.4	68.8	98.0	139.2	218.1	447.3
1995.....	15.6	21.5	27.3	35.8	53.6	70.7	96.9	141.5	220.2	455.1
1994.....	15.4	20.7	28.6	38.8	55.7	72.9	100.4	141.4	226.6	461.2
1993.....	15.3	19.7	27.8	39.6	54.9	73.9	99.8	146.6	234.1	462.9
1992.....	14.8	19.8	27.8	39.2	55.0	76.7	100.2	147.7	228.9	477.0
1991.....	14.4	20.6	28.1	39.5	58.9	73.9	104.8	149.4	236.8	470.3
1990.....	14.1	20.1	28.7	41.6	57.9	76.7	104.5	151.1	240.2	488.6
1989.....	14.3	20.8	31.0	44.4	60.8	78.1	108.4	155.6	243.1	480.1
1988.....	14.7	21.8	31.9	46.0	63.8	80.5	109.9	156.0	242.2	487.7
1987.....	14.1	21.5	32.7	47.1	63.2	82.1	111.4	162.1	242.7	477.5
1986.....	14.7	22.1	33.5	46.9	64.1	82.2	115.3	157.6	243.9	471.6
1985.....	14.4	23.6	36.8	49.2	66.1	86.5	111.4	161.2	247.4	470.1
1984.....	15.7	24.3	37.3	51.1	67.5	89.0	113.5	161.2	240.5	465.1
1983.....	16.0	26.5	38.7	53.0	68.8	88.0	113.4	157.5	242.5	447.8
1982.....	16.6	27.2	40.4	54.8	68.7	91.1	116.0	157.2	243.7	455.0
1981.....	18.0	29.9	43.8	57.4	71.9	94.6	118.1	158.9	241.9	449.6
1980.....	19.7	31.1	46.7	59.1	76.2	96.9	120.3	162.4	244.0	448.9
1979.....	20.4	32.3	47.0	57.8	75.1	93.1	118.0	154.5	233.3	416.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)										
WHITE MALE										
1998.....	21.1	33.4	38.6	48.4	66.0	86.1	114.5	151.9	236.1	434.0
1997.....	21.9	32.2	39.0	48.6	67.7	87.3	115.2	159.0	238.4	454.0
1996.....	22.3	31.2	39.8	50.7	68.4	86.4	116.1	156.9	242.2	445.7
1995.....	23.0	31.3	38.9	48.3	70.4	90.2	117.3	161.8	251.4	467.6
1994.....	22.5	29.3	38.9	53.2	74.3	96.3	120.2	161.7	260.7	477.5
1993.....	22.5	28.7	38.6	53.4	71.4	93.7	120.4	170.8	264.7	481.1
1992.....	21.9	28.3	38.6	53.5	72.4	97.7	121.1	174.7	259.3	503.7
1991.....	20.9	29.3	38.5	54.1	78.5	94.4	127.6	179.9	277.2	485.3
1990.....	20.9	28.9	39.8	56.4	76.4	98.4	128.7	183.0	270.3	511.7
1989.....	21.3	29.4	43.2	59.6	81.6	100.7	136.2	192.2	279.9	500.9
1988.....	21.4	31.2	44.5	62.5	86.2	105.2	140.4	189.1	279.4	512.3
1987.....	20.1	30.3	46.6	65.2	84.1	104.6	141.2	200.3	285.4	498.1
1986.....	19.9	30.9	45.5	64.9	83.9	106.0	147.4	194.4	281.7	507.5
1985.....	20.3	32.4	49.8	66.5	89.0	113.8	144.0	201.4	291.4	504.4
1984.....	21.5	33.2	49.6	69.3	90.6	117.0	146.8	203.6	283.3	489.9
1983.....	22.2	36.0	51.7	71.6	92.6	119.2	147.7	201.5	290.4	483.6
1982.....	22.5	36.4	55.4	73.8	91.8	121.7	152.3	191.5	279.8	493.5
1981.....	24.4	39.9	58.6	76.4	95.9	127.6	153.5	201.0	281.2	487.1
1980.....	26.2	42.2	62.6	79.8	103.1	130.8	160.1	203.3	284.8	490.2
1979.....	27.4	43.6	62.3	76.9	102.5	127.3	154.2	196.4	277.9	443.1
WHITE FEMALE										
1998.....	8.5	11.9	16.8	25.0	36.7	56.4	84.2	127.6	208.5	440.8
1997.....	9.3	11.7	16.6	24.3	38.0	56.7	86.3	129.5	202.6	458.3
1996.....	7.8	11.4	16.7	24.3	37.8	53.8	83.8	126.8	204.1	448.0
1995.....	8.2	11.9	16.1	24.0	38.4	54.2	81.0	127.5	202.6	450.3
1994.....	8.4	12.2	18.6	25.3	38.8	53.4	85.1	127.5	207.7	455.0
1993.....	8.0	10.9	17.3	26.7	40.1	57.5	83.9	130.3	217.3	456.0
1992.....	7.8	11.4	17.4	25.8	39.3	59.5	84.2	129.7	212.5	466.8
1991.....	7.9	12.1	18.0	25.9	41.5	57.1	87.5	129.3	215.3	464.8
1990.....	7.4	11.4	18.1	27.8	41.5	58.8	86.5	130.4	224.3	479.9
1989.....	7.4	12.4	19.3	30.3	42.4	59.5	87.7	132.1	223.8	472.3
1988.....	8.2	12.7	19.8	30.6	44.1	60.1	87.4	135.0	222.7	478.3
1987.....	8.3	13.0	19.5	30.3	45.0	63.5	89.4	137.9	220.4	469.5
1986.....	9.7	13.5	22.1	30.4	46.8	62.6	91.8	134.3	224.2	457.6
1985.....	8.5	15.0	24.4	33.4	46.0	64.1	87.7	136.0	224.6	456.7
1984.....	9.9	15.7	25.6	34.6	47.3	66.2	89.3	134.8	218.2	455.3
1983.....	10.0	17.2	26.4	36.2	48.0	62.8	88.5	130.1	217.5	433.4
1982.....	10.7	18.3	26.2	37.7	48.5	66.4	89.7	135.9	224.8	439.3
1981.....	11.8	20.3	29.7	40.3	51.0	67.9	92.6	132.7	221.2	433.9
1980.....	13.4	20.4	31.8	40.5	52.8	69.7	91.6	137.0	222.5	431.1
1979.....	13.7	21.5	32.7	40.5	51.3	65.6	92.1	128.4	209.6	404.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)										
ALL OTHER, BOTH SEXES										
1998.....	18.7	32.5	39.9	48.0	62.9	76.2	99.0	135.4	206.9	347.6
1997.....	20.0	35.4	39.5	49.8	67.3	78.9	105.9	142.3	202.4	353.4
1996.....	23.4	34.0	41.4	52.6	65.6	78.2	114.0	146.0	211.0	347.8
1995.....	25.2	36.4	48.9	56.9	67.1	76.8	102.5	139.0	229.9	346.9
1994.....	25.8	38.2	47.4	53.8	71.5	85.3	112.5	144.1	217.1	384.2
1993.....	28.3	36.3	48.1	55.1	72.0	86.4	115.1	151.5	226.2	378.3
1992.....	28.1	39.4	48.0	62.6	70.8	98.5	115.5	146.9	218.5	397.3
1991.....	31.3	40.7	51.8	61.0	77.0	96.0	114.2	149.2	226.3	376.3
1990.....	33.7	43.6	52.7	70.3	80.1	91.0	122.6	150.5	224.9	399.3
1989.....	35.2	44.8	56.2	72.9	86.7	100.6	124.8	152.9	228.2	386.3
1988.....	36.3	48.4	61.8	70.6	92.5	99.2	118.9	167.1	229.7	370.2
1987.....	37.8	47.8	64.6	72.4	85.6	98.9	125.9	150.8	221.8	359.2
1986.....	38.8	44.9	63.8	71.5	90.0	101.1	121.7	162.6	238.7	344.6
1985.....	39.6	51.3	63.9	79.1	93.2	103.1	121.6	157.5	259.6	372.8
1984.....	40.7	51.7	64.7	78.7	88.1	101.1	115.8	154.0	245.1	310.1
1983.....	39.2	51.4	67.3	81.3	95.1	102.2	117.9	137.3	222.9	300.0
1982.....	40.5	54.6	71.7	75.7	90.0	97.8	123.2	147.9	221.5	290.5
1981.....	49.5	63.3	80.9	89.1	97.7	107.6	128.4	148.8	229.5	313.7
1980.....	57.8	76.1	89.0	93.8	104.3	108.3	134.7	151.5	201.6	285.9
1979.....	56.5	72.3	92.5	95.0	93.4	104.7	125.0	145.9	190.2	279.3
ALL OTHER MALE										
1998.....	24.6	46.6	58.3	69.0	92.4	101.1	121.3	152.0	226.0	337.8
1997.....	26.6	52.0	56.3	73.5	90.1	103.4	130.6	168.2	233.6	341.8
1996.....	32.3	50.7	58.5	71.4	92.9	93.8	138.7	169.7	252.1	357.9
1995.....	36.3	53.0	68.7	79.2	94.5	98.3	131.9	162.7	262.3	370.8
1994.....	38.1	57.7	67.7	76.2	94.3	112.8	140.2	165.9	258.1	440.2
1993.....	40.8	53.5	67.6	76.5	101.3	114.9	156.8	180.7	273.7	410.5
1992.....	41.4	58.6	65.4	83.4	91.3	132.2	145.1	181.5	272.4	433.6
1991.....	45.3	57.3	72.3	88.0	103.3	121.2	138.2	183.0	261.2	376.7
1990.....	47.7	64.4	75.7	95.2	111.6	118.7	152.1	186.7	265.3	418.9
1989.....	51.5	65.2	78.7	102.3	115.2	133.1	158.5	182.9	255.4	381.5
1988.....	52.3	68.8	85.9	100.2	121.7	135.8	150.6	205.5	261.5	383.5
1987.....	54.1	69.4	89.1	100.5	118.9	128.1	161.9	189.3	244.6	363.6
1986.....	55.0	64.2	87.5	99.3	117.0	131.2	157.2	197.6	290.7	364.0
1985.....	60.4	72.0	88.8	108.0	131.4	138.4	155.7	191.3	321.0	384.9
1984.....	56.0	72.3	92.5	108.3	119.8	131.9	144.1	180.2	287.1	343.1
1983.....	54.7	69.9	92.1	108.9	128.5	139.4	150.2	176.6	262.9	344.3
1982.....	55.2	75.6	102.1	101.1	129.9	127.6	154.3	180.2	273.4	320.9
1981.....	72.7	86.3	112.6	121.1	128.8	138.4	157.6	179.0	273.6	385.9
1980.....	79.4	103.6	126.1	127.1	144.5	144.0	171.5	187.0	230.4	358.8
1979.....	78.9	103.2	132.3	131.9	126.8	131.0	154.9	175.8	222.1	354.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)										
ALL OTHER FEMALE										
1998.....	13.6	20.4	24.6	31.1	40.0	57.7	83.3	124.4	196.0	352.1
1997.....	14.1	21.2	25.5	30.5	49.7	60.6	88.6	125.4	184.8	358.7
1996.....	15.6	19.8	27.1	37.4	44.6	66.5	96.7	130.8	187.9	343.3
1995.....	15.5	22.3	32.4	38.8	46.0	60.8	82.1	123.9	212.0	336.6
1994.....	15.1	21.7	30.4	35.6	54.1	65.0	93.2	130.4	194.6	359.9
1993.....	17.5	21.6	31.6	37.8	49.7	65.3	85.9	133.3	199.8	364.2
1992.....	16.6	22.9	33.4	45.8	55.2	73.5	95.1	125.5	188.1	380.9
1991.....	19.1	26.4	34.5	39.1	57.0	77.3	98.0	128.1	205.7	374.1
1990.....	21.5	25.7	33.1	50.4	56.2	70.6	102.5	128.1	202.2	390.4
1989.....	21.1	27.3	37.2	49.1	65.1	76.4	101.7	134.1	212.7	388.6
1988.....	22.6	31.0	41.5	46.7	70.1	72.1	97.6	142.8	210.3	363.9
1987.....	23.7	29.1	44.1	49.7	59.9	77.1	101.3	126.2	208.7	357.1
1986.....	24.9	28.3	44.1	48.9	69.0	78.6	97.3	140.0	210.1	335.3
1985.....	21.8	33.6	43.1	55.7	63.2	76.7	98.2	135.4	223.9	369.3
1984.....	27.6	34.1	41.7	54.7	63.1	77.7	95.8	136.5	219.1	293.8
1983.....	26.0	35.6	47.0	59.0	68.5	74.4	95.4	110.9	199.4	277.7
1982.....	27.9	36.8	46.9	54.9	58.3	75.4	100.7	125.6	190.4	272.9
1981.....	29.6	44.1	55.0	62.9	72.9	84.3	106.7	128.4	202.7	277.0
1980.....	39.4	53.3	58.9	66.2	72.1	81.0	107.3	127.4	183.8	248.6
1979.....	37.6	46.7	60.1	64.1	66.4	84.6	102.3	124.8	171.5	243.0
BLACK, BOTH SEXES										
1998.....	21.4	38.8	47.4	56.8	73.2	83.7	113.2	147.2	226.9	373.6
1997.....	23.4	43.2	46.9	59.2	78.0	86.2	118.5	148.9	222.9	377.8
1996.....	27.7	42.5	49.1	61.5	75.5	88.0	130.7	160.3	218.4	370.2
1995.....	29.4	44.7	57.4	63.7	78.2	84.4	114.0	148.2	242.3	354.3
1994.....	31.5	46.7	55.0	62.2	81.5	96.6	124.7	152.3	227.3	386.7
1993.....	34.0	43.5	57.6	63.8	81.8	97.1	128.9	164.7	225.7	375.5
1992.....	35.0	48.5	55.3	70.9	81.2	108.9	124.7	155.6	233.5	411.6
1991.....	38.6	48.9	62.0	69.3	89.7	108.7	120.2	159.3	236.7	385.8
1990.....	41.8	52.0	61.1	80.6	90.8	99.0	135.1	157.8	238.7	402.9
1989.....	43.1	53.2	64.9	82.1	98.8	110.4	137.0	163.7	234.4	378.2
1988.....	44.9	56.4	71.3	78.1	104.4	109.9	126.6	174.6	232.0	372.4
1987.....	46.9	56.4	74.0	80.0	93.7	107.8	136.1	158.8	232.3	366.8
1986.....	47.6	52.8	71.3	81.0	100.1	112.7	130.7	172.0	242.0	347.3
1985.....	47.2	60.4	72.2	89.0	103.7	112.5	130.3	164.3	265.7	371.8
1984.....	47.2	59.1	72.9	87.1	97.2	107.8	122.9	159.1	247.0	314.2
1983.....	45.5	57.3	76.0	89.6	104.2	107.8	125.0	140.7	228.2	292.9
1982.....	47.3	60.9	79.6	83.6	98.1	105.0	127.4	151.3	221.1	294.3
1981.....	56.6	70.4	88.7	97.7	104.5	114.1	133.6	151.5	241.1	317.9
1980.....	64.4	83.9	98.3	100.9	110.9	111.1	138.9	151.3	200.8	283.5
1979.....	61.1	78.7	100.2	100.7	99.0	108.9	130.2	146.5	183.6	269.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)										
BLACK MALE										
1998.....	28.8	57.2	70.7	81.9	110.5	110.5	140.0	167.5	248.9	355.0
1997.....	31.5	65.2	67.8	88.9	107.2	117.1	146.4	172.4	261.6	350.5
1996.....	38.6	64.2	73.4	84.9	111.0	107.2	160.1	189.0	259.9	386.4
1995.....	42.3	66.4	82.6	89.7	113.1	109.6	150.5	172.3	287.0	378.8
1994.....	47.0	70.8	80.4	89.1	109.1	130.0	158.6	177.8	268.8	434.7
1993.....	49.5	64.4	83.6	93.2	118.3	131.3	178.8	196.9	265.7	404.6
1992.....	51.4	74.1	77.5	96.8	108.4	148.3	159.1	191.1	289.5	452.2
1991.....	56.2	70.5	88.2	102.8	119.9	136.5	148.1	196.7	273.3	388.4
1990.....	59.2	78.6	89.8	113.0	126.7	130.0	169.6	198.1	282.7	425.5
1989.....	63.9	80.0	93.9	116.9	132.2	147.6	171.8	196.6	259.8	357.6
1988.....	65.1	82.0	102.3	111.4	139.7	150.3	161.6	218.6	262.8	353.8
1987.....	68.2	84.2	105.0	113.8	131.7	143.2	174.3	205.1	255.4	362.5
1986.....	69.1	76.4	99.2	114.6	128.9	148.7	169.8	208.1	293.3	376.2
1985.....	73.2	86.4	101.6	122.9	148.4	151.0	165.0	201.2	323.0	366.1
1984.....	67.0	84.3	104.0	119.7	134.3	140.4	152.7	182.0	285.7	344.3
1983.....	64.3	80.6	104.8	119.1	141.2	148.4	159.4	182.4	269.5	333.3
1982.....	66.0	84.7	115.0	113.7	144.1	138.6	160.3	184.5	265.0	324.1
1981.....	85.1	98.3	125.2	135.4	136.5	150.5	165.7	184.2	284.4	382.1
1980.....	90.8	114.6	140.0	137.4	153.9	148.6	177.7	184.4	231.9	360.3
1979.....	85.8	111.6	145.0	140.4	137.4	137.6	163.7	169.6	202.6	334.6
BLACK FEMALE										
1998.....	14.9	23.3	28.6	37.2	45.4	63.8	94.6	134.2	215.4	381.4
1997.....	16.3	24.6	30.0	35.9	56.1	63.2	99.3	134.1	202.8	389.1
1996.....	18.2	24.2	29.4	43.2	48.8	73.7	110.7	142.3	197.0	363.6
1995.....	18.3	26.5	36.9	43.4	51.8	65.6	89.4	133.4	219.6	344.3
1994.....	18.0	26.5	34.3	41.2	60.7	71.8	101.9	136.9	206.2	367.2
1993.....	20.6	26.0	36.4	40.6	54.2	72.0	95.2	145.6	205.1	363.7
1992.....	20.8	27.0	37.2	50.5	60.6	80.1	101.8	134.9	204.4	394.8
1991.....	23.6	30.9	40.7	42.8	66.8	88.5	101.8	137.3	217.9	384.7
1990.....	26.8	29.7	37.5	54.9	63.6	76.5	112.4	134.2	215.9	393.3
1989.....	25.4	30.8	41.2	54.5	73.4	83.4	114.4	144.2	221.1	389.5
1988.....	27.7	35.0	45.8	51.5	77.6	80.6	103.2	148.3	215.7	380.5
1987.....	29.0	33.2	48.5	53.1	64.7	81.9	110.6	130.8	219.9	368.8
1986.....	29.5	33.2	48.5	54.0	78.2	86.3	104.5	149.8	213.9	334.1
1985.....	25.3	38.8	48.1	61.4	69.2	84.2	107.3	141.4	234.2	374.4
1984.....	30.5	38.3	47.3	60.4	68.5	83.8	103.0	144.7	225.7	300.0
1983.....	29.7	38.1	52.6	65.6	75.6	78.0	101.9	113.5	204.8	273.4
1982.....	31.6	41.3	50.8	59.2	62.1	80.1	104.8	130.7	195.7	279.7
1981.....	33.0	47.2	59.1	67.1	79.3	87.6	111.1	130.3	215.9	283.2
1980.....	42.6	58.7	64.6	71.0	76.8	83.1	111.3	129.8	182.2	245.2
1979.....	40.5	51.5	63.6	68.1	68.6	87.4	106.1	130.1	171.8	237.5

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)

TOTAL, BOTH SEXES										
1998	*	*	*	*	*	*	*	*	*	1.5
1997	*	*	*	*	*	*	*	*	*	0.8
1996	*	*	*	*	*	*	*	*	*	1.0
1995	*	*	*	*	*	*	*	*	*	0.9
1994	*	*	*	*	*	*	*	*	*	0.7
1993	*	*	*	*	*	*	*	*	*	1.2
1992	*	*	*	*	*	*	*	*	*	1.1
1991	*	*	*	*	*	*	*	*	*	1.0
1990	*	*	*	*	*	*	*	*	*	1.1
1989	*	*	*	*	*	*	*	*	*	1.0
1988	*	*	*	*	*	*	*	*	*	1.1
1987	*	*	*	*	*	*	*	*	*	1.7
1986	*	*	*	*	*	*	*	*	*	0.9
1985	*	*	*	*	*	*	*	*	*	1.0
1984	*	*	*	*	*	*	*	*	*	1.0
1983	*	*	*	*	*	*	*	*	*	0.8
1982	*	*	*	*	*	*	*	*	*	0.9
1981	*	*	*	*	*	*	*	*	*	*
1980	0.0	-	0.0	0.0	0.0	0.1	0.1	0.1	0.3	1.1
1979	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.3	1.1
TOTAL, MALE										
1998	*	*	*	*	*	*	*	*	*	1.9
1997	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	0.0	-	0.0	0.0	0.0	0.2	0.1	0.1	0.2	0.4
1979	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.5	1.2

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)

TOTAL, FEMALE										
1998	*	*	*	*	*	*	*	*	*	1.4
1997	*	*	*	*	*	*	*	*	*	0.8
1996	*	*	*	*	*	*	*	*	*	1.1
1995	*	*	*	*	*	*	*	*	*	0.9
1994	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	1.2
1992	*	*	*	*	*	*	*	*	*	1.2
1991	*	*	*	*	*	*	*	*	*	1.1
1990	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	1.0
1988	*	*	*	*	*	*	*	*	*	1.3
1987	*	*	*	*	*	*	*	*	*	1.9
1986	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	1.2
1984	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*
1980	-	-	0.0	-	0.0	0.0	0.1	0.1	0.4	1.4
1979	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.2	0.3	1.1
WHITE, BOTH SEXES										
1998	*	*	*	*	*	*	*	*	*	1.5
1997	*	*	*	*	*	*	*	*	*	0.8
1996	*	*	*	*	*	*	*	*	*	1.1
1995	*	*	*	*	*	*	*	*	*	0.9
1994	*	*	*	*	*	*	*	*	*	0.7
1993	*	*	*	*	*	*	*	*	*	1.1
1992	*	*	*	*	*	*	*	*	*	1.1
1991	*	*	*	*	*	*	*	*	*	1.1
1990	*	*	*	*	*	*	*	*	*	1.0
1989	*	*	*	*	*	*	*	*	*	1.0
1988	*	*	*	*	*	*	*	*	*	1.1
1987	*	*	*	*	*	*	*	*	*	1.8
1986	*	*	*	*	*	*	*	*	*	1.0
1985	*	*	*	*	*	*	*	*	*	1.1
1984	*	*	*	*	*	*	*	*	*	1.0
1983	*	*	*	*	*	*	*	*	*	0.9
1982	*	*	*	*	*	*	*	*	*	0.9
1981	*	*	*	*	*	*	*	*	*	*
1980	-	-	0.0	0.0	0.0	0.1	0.1	0.1	0.3	1.1
1979	-	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.3	1.0

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)

WHITE MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.3	
1979.....	-	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.4	1.3	

WHITE FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	1.5
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	1.1
1995.....	*	*	*	*	*	*	*	*	*	*	1.0
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	1.2
1992.....	*	*	*	*	*	*	*	*	*	*	1.3
1991.....	*	*	*	*	*	*	*	*	*	*	1.1
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	1.0
1988.....	*	*	*	*	*	*	*	*	*	*	1.2
1987.....	*	*	*	*	*	*	*	*	*	*	2.0
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	1.3
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	0.0	-	0.0	0.0	0.1	0.1	0.4	1.5	
1979.....	-	-	0.0	0.1	0.0	0.0	0.1	0.2	0.2	0.9	

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)

ALL OTHER, BOTH SEXES

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	-	0.2	0.2	-	-	1.1	
1979.....	0.1	0.1	0.2	0.2	0.1	0.1	-	-	0.9	1.7	

ALL OTHER MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	-	0.3	0.4	-	-	1.6	
1979.....	0.1	0.2	0.3	0.2	0.2	0.3	-	-	1.2	-	

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)

ALL OTHER FEMALE	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	0.2	-	-	-	0.8
1979.....	0.1	0.1	-	0.3	-	-	-	-	0.7	2.6
BLACK, BOTH SEXES	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	-	0.3	0.2	-	-	0.6
1979.....	0.1	0.2	0.2	0.3	0.1	0.1	-	-	1.0	1.9

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	-	0.3	0.4	-	-	-	-
1979.....	0.2	0.2	0.4	0.2	0.3	0.3	-	-	1.3	-	-

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*
1980.....	-	-	-	-	-	0.2	-	-	-	-	0.9
1979.....	-	0.2	-	0.3	-	-	-	-	0.8	2.9	-

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)										
TOTAL, BOTH SEXES										
1998.....	15.5	24.1	29.3	37.9	52.4	70.8	97.7	137.4	217.4	428.6
1997.....	16.3	24.0	29.3	38.0	54.2	71.8	99.7	141.7	214.4	446.5
1996.....	16.4	23.2	29.9	39.3	54.1	69.9	99.7	139.7	217.1	436.9
1995.....	17.1	23.7	30.3	38.7	55.4	71.4	97.4	141.1	220.7	444.5
1994.....	17.1	23.2	31.1	40.8	57.7	74.3	101.6	141.5	225.5	453.7
1993.....	17.3	22.0	30.6	41.7	57.1	75.3	101.3	147.0	233.1	454.3
1992.....	16.9	22.5	30.7	42.3	56.9	79.1	101.7	147.5	227.8	469.0
1991.....	16.9	23.4	31.4	42.4	61.1	76.3	105.7	149.2	235.4	461.1
1990.....	17.0	23.3	32.0	45.3	60.4	78.2	106.2	150.8	238.5	479.9
1989.....	17.3	24.1	34.4	48.0	63.7	80.4	109.9	155.2	241.5	471.0
1988.....	17.8	25.5	35.9	48.9	67.0	82.3	110.7	156.9	240.7	476.5
1987.....	17.4	25.2	37.0	50.1	65.6	83.7	112.7	160.9	240.5	465.7
1986.....	18.1	25.3	37.5	49.8	66.9	84.1	115.8	157.8	243.4	460.0
1985.....	17.8	27.4	40.3	52.7	68.9	88.1	112.3	160.6	248.1	461.1
1984.....	19.0	28.1	40.8	54.2	69.6	90.2	113.7	160.4	240.6	451.2
1983.....	19.2	29.8	42.2	56.1	71.5	89.4	113.7	155.4	240.6	434.9
1982.....	19.8	30.8	44.1	57.1	70.9	91.7	116.6	156.2	241.4	440.5
1981.....	22.3	34.2	48.1	60.8	74.5	95.8	119.0	157.8	240.5	437.8
1980.....	24.8	36.8	51.5	62.7	78.9	98.0	121.6	161.3	240.3	434.7
1979.....	25.1	37.2	52.0	61.6	76.8	94.2	118.6	153.5	229.6	404.2
TOTAL, MALE										
1998.....	21.6	35.3	41.2	51.0	69.4	87.8	115.2	151.8	234.8	422.2
1997.....	22.7	35.1	41.2	51.8	70.4	89.1	116.6	159.7	237.8	441.7
1996.....	23.9	33.9	42.2	53.4	71.5	87.2	118.4	157.8	242.7	435.8
1995.....	25.1	34.3	42.8	52.2	73.3	91.1	118.7	161.7	252.0	457.4
1994.....	24.9	33.2	42.6	56.1	76.7	98.1	122.0	161.9	260.1	473.4
1993.....	25.3	32.0	42.4	56.3	74.8	96.0	123.8	171.6	265.2	473.2
1992.....	24.8	32.3	42.2	57.2	74.5	101.3	123.3	175.1	260.2	496.2
1991.....	24.4	33.0	43.0	58.3	81.2	97.1	128.5	180.0	275.3	473.8
1990.....	24.6	33.6	44.4	61.1	80.1	100.5	130.7	183.1	269.1	501.2
1989.....	25.3	34.0	47.7	64.7	85.2	103.9	138.1	191.2	277.1	488.4
1988.....	25.4	36.1	49.7	66.8	89.9	108.1	141.2	190.6	277.7	498.9
1987.....	24.4	35.5	51.9	69.0	87.6	106.9	142.9	199.1	281.6	484.0
1986.....	24.5	35.3	50.7	68.7	87.3	108.5	148.2	194.5	282.5	492.7
1985.....	25.5	37.5	54.5	71.0	93.1	116.0	145.0	200.1	294.0	492.4
1984.....	25.9	38.2	54.7	73.5	93.5	118.4	146.5	201.2	283.2	474.7
1983.....	26.3	40.3	56.3	75.5	96.0	121.0	147.8	198.9	287.7	470.4
1982.....	26.7	41.3	60.6	76.7	95.4	122.2	152.3	190.3	278.7	476.7
1981.....	30.6	45.4	64.5	81.0	99.0	128.7	153.6	198.7	280.0	476.9
1980.....	32.8	49.4	69.4	84.5	107.0	132.0	161.1	201.6	279.9	478.0
1979.....	33.6	50.4	69.5	82.4	104.6	127.5	154.2	194.2	272.6	434.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)										
TOTAL, FEMALE										
1998.....	9.4	13.3	17.9	25.9	37.2	56.5	84.0	127.1	207.1	431.2
1997.....	10.1	13.2	17.9	25.2	39.6	57.2	86.6	129.0	200.7	448.4
1996.....	9.2	12.8	18.2	26.3	38.7	55.4	85.2	127.0	202.3	437.4
1995.....	9.4	13.5	18.5	26.2	39.5	54.9	81.0	126.9	203.0	439.5
1994.....	9.5	13.6	20.3	26.7	40.9	54.7	85.9	127.6	206.4	446.1
1993.....	9.6	12.5	19.4	28.3	41.4	58.5	84.1	130.5	215.6	447.0
1992.....	9.2	13.1	19.8	28.6	41.4	61.1	85.3	129.2	210.2	458.4
1991.....	9.7	14.2	20.4	27.8	43.4	59.4	88.5	129.1	214.0	456.2
1990.....	9.6	13.5	20.2	30.8	43.3	60.1	88.1	130.1	222.2	471.7
1989.....	9.5	14.6	21.9	32.7	45.1	61.4	89.0	132.2	222.7	464.2
1988.....	10.3	15.4	22.9	32.6	47.2	61.4	88.4	135.5	221.1	467.7
1987.....	10.5	15.3	23.0	32.8	46.7	64.9	90.6	136.7	218.9	458.6
1986.....	11.9	15.7	25.2	32.7	49.3	64.3	92.3	134.6	222.9	447.1
1985.....	10.5	17.7	27.0	36.1	47.9	65.4	88.7	135.7	224.1	448.6
1984.....	12.5	18.3	27.7	37.0	49.0	67.4	90.0	134.8	218.2	441.7
1983.....	12.3	19.8	29.1	38.8	50.2	63.9	89.1	128.1	215.8	420.3
1982.....	13.2	20.8	28.8	39.6	49.5	67.3	90.7	134.9	221.9	425.4
1981.....	14.3	23.6	32.9	42.8	53.2	69.6	93.9	132.1	219.5	420.9
1980.....	17.1	24.8	35.1	43.3	54.7	70.8	93.0	136.0	219.3	415.8
1979.....	17.0	24.8	35.9	43.0	52.8	67.6	92.9	127.9	206.5	390.9
WHITE, BOTH SEXES										
1998.....	14.8	22.5	27.5	36.3	50.7	70.0	97.5	137.6	218.5	437.3
1997.....	15.6	21.9	27.6	36.0	52.1	70.7	98.9	141.7	215.6	456.3
1996.....	15.1	21.3	28.0	37.1	52.4	68.8	98.0	139.0	217.7	446.2
1995.....	15.6	21.5	27.3	35.7	53.6	70.6	96.8	141.3	219.8	454.2
1994.....	15.4	20.7	28.5	38.8	55.7	72.8	100.3	141.2	226.4	460.5
1993.....	15.3	19.7	27.8	39.6	54.9	73.9	99.7	146.5	233.9	461.8
1992.....	14.8	19.8	27.8	39.2	55.0	76.7	100.1	147.6	228.7	475.8
1991.....	14.4	20.6	28.0	39.5	58.9	73.9	104.7	149.2	236.4	469.2
1990.....	14.1	20.0	28.7	41.6	57.8	76.6	104.5	150.9	239.8	487.6
1989.....	14.3	20.8	31.0	44.4	60.7	78.1	108.3	155.5	242.8	479.1
1988.....	14.7	21.8	31.9	45.9	63.8	80.4	109.9	155.9	241.8	486.6
1987.....	14.1	21.5	32.7	47.0	63.1	82.0	111.2	162.0	242.2	475.7
1986.....	14.7	22.1	33.5	46.9	64.1	82.2	115.2	157.3	243.8	470.6
1985.....	14.4	23.5	36.8	49.2	66.0	86.4	111.3	161.0	247.0	469.0
1984.....	15.7	24.3	37.3	51.1	67.5	88.9	113.5	161.1	240.2	464.1
1983.....	16.0	26.4	38.7	52.9	68.8	87.9	113.3	157.3	242.2	446.9
1982.....	16.6	27.2	40.4	54.8	68.7	91.0	115.9	157.1	243.3	454.1
1981.....	18.0	29.9	43.7	57.4	71.9	94.5	118.0	158.7	241.5	448.8
1980.....	19.7	31.1	46.7	59.1	76.1	96.9	120.2	162.3	243.6	447.8
1979.....	20.4	32.3	47.0	57.7	75.0	93.0	117.9	154.3	233.0	415.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)										
WHITE MALE										
1998.....	21.0	33.3	38.6	48.3	66.0	86.0	114.5	151.8	235.7	432.4
1997.....	21.9	32.2	39.0	48.5	67.6	87.2	115.0	158.9	238.2	453.1
1996.....	22.3	31.2	39.8	50.6	68.4	86.4	116.1	156.6	241.8	444.8
1995.....	23.0	31.3	38.9	48.2	70.4	90.2	117.3	161.6	251.0	467.0
1994.....	22.5	29.3	38.8	53.2	74.3	96.2	120.0	161.5	260.4	477.0
1993.....	22.5	28.6	38.6	53.3	71.3	93.7	120.3	170.7	264.4	480.0
1992.....	21.9	28.3	38.6	53.5	72.4	97.6	121.0	174.5	259.0	502.9
1991.....	20.9	29.2	38.5	54.1	78.4	94.4	127.5	179.7	276.7	484.3
1990.....	20.9	28.9	39.7	56.4	76.3	98.4	128.5	182.7	269.5	510.2
1989.....	21.3	29.3	43.2	59.6	81.6	100.6	136.1	192.0	279.4	500.0
1988.....	21.4	31.1	44.5	62.5	86.2	105.1	140.3	189.0	279.3	511.4
1987.....	20.0	30.3	46.6	65.1	83.9	104.5	141.0	200.1	285.3	496.8
1986.....	19.9	30.9	45.4	64.9	83.9	106.0	147.4	194.2	281.7	506.4
1985.....	20.3	32.4	49.8	66.5	88.9	113.7	143.9	201.1	291.0	503.8
1984.....	21.5	33.2	49.6	69.3	90.6	117.0	146.7	203.5	282.8	488.9
1983.....	22.2	36.0	51.6	71.5	92.5	119.0	147.6	201.3	290.1	483.0
1982.....	22.5	36.4	55.4	73.8	91.8	121.6	152.1	191.3	279.2	492.9
1981.....	24.4	39.8	58.6	76.4	95.9	127.6	153.2	201.0	280.7	486.0
1980.....	26.2	42.2	62.6	79.8	103.0	130.7	160.0	203.2	284.6	489.9
1979.....	27.4	43.5	62.2	76.9	102.3	127.2	154.1	196.2	277.5	441.8
WHITE FEMALE										
1998.....	8.5	11.9	16.7	25.0	36.7	56.3	84.1	127.4	208.2	439.3
1997.....	9.2	11.7	16.6	24.2	37.9	56.7	86.3	129.5	202.2	457.5
1996.....	7.8	11.4	16.7	24.3	37.7	53.8	83.8	126.6	203.8	446.8
1995.....	8.2	11.9	16.1	24.0	38.4	54.1	80.9	127.3	202.3	449.3
1994.....	8.3	12.2	18.6	25.2	38.8	53.3	85.1	127.4	207.5	454.2
1993.....	8.0	10.9	17.3	26.7	40.1	57.5	83.9	130.2	217.2	454.9
1992.....	7.8	11.4	17.4	25.7	39.3	59.4	84.2	129.6	212.4	465.5
1991.....	7.9	12.1	18.0	25.9	41.5	57.1	87.4	129.2	214.9	463.7
1990.....	7.4	11.3	18.1	27.8	41.5	58.8	86.4	130.3	224.1	479.0
1989.....	7.4	12.4	19.3	30.2	42.4	59.5	87.6	132.0	223.7	471.3
1988.....	8.2	12.7	19.8	30.5	44.1	60.1	87.3	134.8	222.2	477.1
1987.....	8.3	12.9	19.5	30.3	45.0	63.4	89.4	137.8	219.8	467.5
1986.....	9.6	13.5	22.1	30.4	46.7	62.6	91.7	134.0	224.1	456.7
1985.....	8.5	15.0	24.4	33.3	46.0	64.1	87.6	135.8	224.1	455.4
1984.....	9.9	15.7	25.5	34.6	47.2	66.1	89.3	134.7	218.0	454.3
1983.....	9.9	17.2	26.4	36.1	48.0	62.7	88.4	129.9	217.2	432.4
1982.....	10.7	18.2	26.1	37.6	48.5	66.3	89.7	135.8	224.5	438.2
1981.....	11.8	20.3	29.7	40.3	50.9	67.8	92.5	132.4	220.9	433.2
1980.....	13.4	20.4	31.7	40.5	52.8	69.7	91.5	136.9	222.1	429.6
1979.....	13.7	21.5	32.7	40.5	51.3	65.6	92.0	128.2	209.4	403.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)										
ALL OTHER, BOTH SEXES										
1998.....	18.7	32.5	39.9	48.0	62.9	76.2	98.9	135.4	206.4	346.0
1997.....	20.0	35.3	39.4	49.6	67.2	78.7	105.9	142.2	202.4	352.6
1996.....	23.4	34.0	41.2	52.6	65.6	78.2	113.8	145.9	211.0	347.6
1995.....	25.1	36.3	48.9	56.9	67.1	76.7	102.3	138.8	229.1	346.0
1994.....	25.8	38.1	47.4	53.8	71.5	85.2	112.4	143.9	216.6	384.2
1993.....	28.3	36.3	48.1	55.0	72.0	86.4	115.0	151.5	225.7	376.6
1992.....	28.0	39.3	48.0	62.5	70.7	98.5	115.4	146.6	218.5	396.9
1991.....	31.2	40.6	51.8	61.0	77.0	95.9	114.2	149.0	226.1	375.5
1990.....	33.7	43.6	52.5	70.2	80.0	90.9	122.4	150.4	224.6	397.8
1989.....	35.1	44.8	56.0	72.6	86.6	100.2	124.6	152.9	227.9	385.5
1988.....	36.3	48.4	61.6	70.2	92.4	98.9	118.8	167.1	229.1	369.0
1987.....	37.8	47.8	64.6	72.1	85.5	98.8	125.6	150.6	221.8	358.8
1986.....	38.8	44.9	63.8	71.5	89.9	101.0	121.4	162.4	238.7	344.6
1985.....	39.5	51.2	63.8	79.1	92.9	102.7	121.4	156.9	259.3	372.8
1984.....	40.5	51.7	64.6	78.5	88.1	101.0	115.7	153.6	245.1	309.7
1983.....	39.2	51.4	67.3	81.2	94.9	102.2	117.9	137.3	222.5	300.0
1982.....	40.4	54.6	71.5	75.7	89.9	97.7	123.2	147.9	221.5	289.9
1981.....	49.4	63.3	80.8	88.9	97.7	107.6	128.3	148.4	229.0	313.2
1980.....	57.7	76.1	89.0	93.8	104.3	108.1	134.6	151.5	201.6	284.8
1979.....	56.3	72.1	92.4	94.7	93.3	104.6	125.0	145.9	189.3	277.6
ALL OTHER MALE										
1998.....	24.6	46.6	58.3	68.9	92.4	100.9	121.3	152.0	224.7	333.6
1997.....	26.5	52.0	56.2	73.3	89.9	103.2	130.6	168.2	233.6	341.8
1996.....	32.3	50.6	58.1	71.4	92.9	93.8	138.7	169.3	252.1	357.9
1995.....	36.2	52.9	68.7	79.1	94.5	98.3	131.9	162.7	262.3	367.7
1994.....	38.1	57.5	67.5	76.2	94.3	112.6	139.9	165.5	256.6	440.2
1993.....	40.8	53.5	67.6	76.4	101.1	114.9	156.5	180.7	273.7	409.4
1992.....	41.3	58.5	65.4	83.3	91.0	132.2	144.8	181.1	272.4	433.6
1991.....	45.2	57.2	72.3	88.0	103.3	121.0	138.2	182.6	261.2	376.7
1990.....	47.7	64.4	75.6	95.2	111.4	118.3	151.5	186.3	265.3	416.5
1989.....	51.3	65.2	78.4	102.2	115.0	132.9	158.2	182.9	254.5	381.5
1988.....	52.3	68.8	85.6	99.8	121.6	135.1	150.3	205.5	261.5	383.5
1987.....	54.1	69.4	89.1	100.2	118.9	128.1	161.6	189.3	244.6	363.6
1986.....	54.9	64.2	87.5	99.3	117.0	131.2	156.6	197.1	290.7	364.0
1985.....	60.2	71.7	88.7	108.0	130.8	137.5	155.0	190.8	321.0	384.9
1984.....	55.8	72.3	92.4	108.1	119.8	131.7	143.8	179.7	287.1	341.7
1983.....	54.7	69.9	92.1	108.7	128.3	139.4	150.2	176.6	261.9	344.3
1982.....	55.1	75.6	101.8	101.1	129.7	127.3	154.3	180.2	273.4	319.4
1981.....	72.4	86.2	112.4	120.9	128.8	138.4	157.2	178.0	272.5	385.9
1980.....	79.3	103.6	126.1	127.1	144.5	143.7	171.1	187.0	230.4	357.1
1979.....	78.7	103.0	132.0	131.8	126.6	130.7	154.9	175.8	220.9	354.2

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)										
ALL OTHER FEMALE										
1998.....	13.6	20.4	24.5	31.1	40.0	57.7	83.1	124.4	196.0	351.7
1997.....	14.1	21.2	25.4	30.4	49.7	60.5	88.6	125.2	184.8	357.5
1996.....	15.6	19.8	27.1	37.4	44.6	66.5	96.4	130.8	187.9	342.9
1995.....	15.4	22.3	32.3	38.8	46.0	60.6	81.7	123.6	210.9	336.6
1994.....	15.1	21.7	30.4	35.6	54.1	64.8	93.2	130.4	194.6	359.9
1993.....	17.5	21.6	31.6	37.8	49.7	65.3	85.9	133.3	198.9	362.3
1992.....	16.5	22.9	33.4	45.8	55.2	73.5	95.1	125.2	188.1	380.4
1991.....	19.1	26.4	34.5	39.1	57.0	77.3	98.0	128.1	205.2	373.0
1990.....	21.5	25.7	32.9	50.2	56.2	70.6	102.5	128.1	201.7	389.3
1989.....	21.1	27.3	37.1	48.8	65.1	75.9	101.5	134.1	212.7	387.4
1988.....	22.6	31.0	41.4	46.3	70.0	72.1	97.6	142.8	209.3	362.1
1987.....	23.7	29.1	44.1	49.6	59.7	76.9	101.1	125.9	208.7	356.4
1986.....	24.9	28.3	44.1	48.9	68.9	78.5	97.3	140.0	210.1	335.3
1985.....	21.8	33.6	43.1	55.7	63.2	76.7	98.2	134.7	223.3	369.3
1984.....	27.4	34.0	41.7	54.5	63.1	77.7	95.8	136.2	219.1	293.8
1983.....	26.0	35.6	47.0	59.0	68.3	74.4	95.4	110.9	199.4	277.7
1982.....	27.9	36.8	46.9	54.9	58.3	75.4	100.7	125.6	190.4	272.9
1981.....	29.6	44.1	55.0	62.6	72.9	84.3	106.7	128.4	202.7	276.2
1980.....	39.4	53.3	58.9	66.2	72.1	80.8	107.3	127.4	183.8	247.8
1979.....	37.5	46.6	60.1	63.8	66.4	84.6	102.3	124.8	170.8	240.4
BLACK, BOTH SEXES										
1998.....	21.4	38.8	47.4	56.7	73.2	83.6	113.1	147.2	226.6	372.0
1997.....	23.4	43.1	46.8	59.0	77.9	86.0	118.5	148.9	222.9	376.8
1996.....	27.7	42.5	48.9	61.5	75.5	88.0	130.5	160.1	218.4	369.9
1995.....	29.3	44.6	57.4	63.6	78.2	84.3	113.7	148.0	241.4	353.2
1994.....	31.5	46.6	55.0	62.2	81.5	96.4	124.7	152.1	226.7	386.7
1993.....	34.0	43.5	57.6	63.7	81.7	97.1	128.8	164.7	225.0	374.8
1992.....	34.9	48.4	55.3	70.8	81.0	108.9	124.6	155.4	233.5	411.2
1991.....	38.5	48.9	62.0	69.3	89.7	108.6	120.2	159.1	236.4	384.9
1990.....	41.8	52.0	60.8	80.6	90.8	98.8	134.8	157.6	238.3	402.0
1989.....	43.0	53.2	64.6	82.0	98.7	109.9	136.7	163.7	234.0	377.3
1988.....	44.9	56.4	71.1	77.7	104.2	109.6	126.4	174.6	231.3	371.0
1987.....	46.9	56.4	74.0	79.8	93.6	107.7	135.8	158.6	232.3	366.3
1986.....	47.5	52.8	71.3	81.0	100.0	112.6	130.3	171.7	242.0	347.3
1985.....	47.0	60.3	72.1	89.0	103.4	112.0	129.9	163.9	265.3	371.8
1984.....	46.9	59.0	72.8	87.0	97.2	107.7	122.7	158.9	247.0	313.7
1983.....	45.5	57.3	76.0	89.5	104.0	107.8	125.0	140.7	227.8	292.9
1982.....	47.2	60.9	79.4	83.6	98.1	104.8	127.4	151.3	221.1	293.8
1981.....	56.5	70.3	88.6	97.4	104.5	114.1	133.4	151.0	240.7	317.3
1980.....	64.3	83.9	98.3	100.9	110.9	110.8	138.7	151.3	200.8	282.9
1979.....	61.0	78.5	100.0	100.4	98.9	108.7	130.2	146.5	182.6	267.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)										
BLACK MALE										
1998.....	28.8	57.2	70.7	81.7	110.5	110.2	140.0	167.5	248.1	350.6
1997.....	31.4	65.2	67.6	88.8	106.9	116.8	146.4	172.4	261.6	350.5
1996.....	38.6	64.1	73.0	84.9	111.0	107.2	160.1	188.5	259.9	386.4
1995.....	42.2	66.3	82.6	89.5	113.1	109.6	150.5	172.3	287.0	375.0
1994.....	47.0	70.6	80.4	89.1	109.1	129.7	158.6	177.3	266.9	434.7
1993.....	49.5	64.4	83.6	93.0	118.0	131.3	178.4	196.9	265.7	404.6
1992.....	51.3	74.0	77.5	96.6	107.9	148.3	158.7	190.5	289.5	452.2
1991.....	56.1	70.3	88.2	102.8	119.9	136.2	148.1	196.1	273.3	388.4
1990.....	59.2	78.6	89.6	113.0	126.7	129.5	168.8	197.5	282.7	422.5
1989.....	63.6	80.0	93.5	116.7	132.0	147.3	171.4	196.6	258.8	357.6
1988.....	65.1	82.0	101.9	110.9	139.5	149.4	161.2	218.6	262.8	353.8
1987.....	68.2	84.2	105.0	113.4	131.7	143.2	173.9	205.1	255.4	362.5
1986.....	68.9	76.4	99.2	114.6	128.9	148.7	169.0	207.6	293.3	376.2
1985.....	72.9	86.3	101.4	122.9	147.7	149.9	164.2	200.6	323.0	366.1
1984.....	66.7	84.3	103.8	119.5	134.3	140.1	152.2	182.0	285.7	342.6
1983.....	64.3	80.6	104.8	118.9	140.9	148.4	159.4	182.4	268.3	333.3
1982.....	65.8	84.7	114.6	113.7	144.1	138.3	160.3	184.5	265.0	322.4
1981.....	84.7	98.1	125.0	135.2	136.5	150.5	165.3	182.9	283.1	382.1
1980.....	90.6	114.6	140.0	137.4	153.9	148.3	177.3	184.4	231.9	360.3
1979.....	85.6	111.5	144.6	140.2	137.1	137.3	163.7	169.6	201.3	334.6
BLACK FEMALE										
1998.....	14.9	23.3	28.6	37.2	45.4	63.8	94.3	134.2	215.4	380.9
1997.....	16.3	24.6	29.8	35.8	56.1	63.0	99.3	134.1	202.8	387.6
1996.....	18.2	24.2	29.4	43.2	48.8	73.7	110.4	142.3	197.0	363.1
1995.....	18.1	26.5	36.9	43.4	51.8	65.5	88.9	133.1	218.2	344.3
1994.....	18.0	26.5	34.3	41.2	60.7	71.6	101.9	136.9	206.2	367.2
1993.....	20.6	26.0	36.4	40.6	54.2	72.0	95.2	145.6	204.1	362.6
1992.....	20.7	27.0	37.2	50.5	60.6	80.1	101.8	134.9	204.4	394.2
1991.....	23.5	30.9	40.7	42.8	66.8	88.5	101.8	137.3	217.3	383.4
1990.....	26.8	29.7	37.2	54.9	63.6	76.5	112.4	134.2	215.3	393.3
1989.....	25.4	30.8	41.0	54.3	73.4	82.8	114.1	144.2	221.1	388.2
1988.....	27.7	35.0	45.6	51.2	77.5	80.6	103.2	148.3	214.6	378.5
1987.....	29.0	33.2	48.5	53.1	64.5	81.7	110.3	130.4	219.9	368.1
1986.....	29.5	33.2	48.5	54.0	78.0	86.1	104.5	149.8	213.9	334.1
1985.....	25.3	38.8	48.1	61.4	69.2	84.2	107.3	141.0	233.5	374.4
1984.....	30.2	38.1	47.3	60.4	68.5	83.8	103.0	144.4	225.7	300.0
1983.....	29.7	38.1	52.6	65.6	75.4	78.0	101.9	113.5	204.8	273.4
1982.....	31.6	41.3	50.8	59.2	62.1	80.1	104.8	130.7	195.7	279.7
1981.....	33.0	47.2	59.1	66.7	79.3	87.6	111.1	130.3	215.9	282.3
1980.....	42.6	58.7	64.6	71.0	76.8	82.9	111.3	129.8	182.2	244.2
1979.....	40.5	51.3	63.6	67.7	68.6	87.4	106.1	130.1	171.0	234.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)										
TOTAL, BOTH SEXES										
1998.....	0.4	0.7	0.8	1.5	2.3	3.6	5.6	9.6	16.9	37.5
1997.....	0.4	0.7	1.0	1.5	2.5	3.6	6.7	10.8	18.6	42.8
1996.....	0.4	0.7	1.0	1.3	2.6	4.0	6.6	11.1	20.2	41.8
1995.....	0.4	0.8	1.0	1.8	2.8	4.4	6.9	12.4	22.3	45.3
1994.....	0.4	0.8	1.2	1.8	3.2	5.0	8.4	13.8	24.1	52.8
1993.....	0.5	0.8	1.4	2.0	2.9	5.2	7.7	13.3	26.1	51.6
1992.....	0.4	0.8	1.0	2.0	3.0	5.1	8.6	15.3	26.8	55.7
1991.....	0.5	0.9	1.2	2.0	3.6	5.0	8.8	15.5	27.0	55.6
1990.....	0.4	0.8	1.3	2.0	3.4	5.5	10.1	15.8	27.1	58.4
1989.....	0.5	0.8	1.5	2.4	3.4	5.7	10.3	16.8	30.3	61.0
1988.....	0.5	0.7	1.5	2.5	3.6	6.4	10.0	17.5	29.9	60.0
1987.....	0.5	0.9	1.5	2.3	3.6	6.2	10.5	18.9	28.4	60.3
1986.....	0.5	0.8	1.4	2.6	4.1	6.4	10.7	18.2	31.6	62.4
1985.....	0.5	1.0	1.6	2.5	4.6	7.1	11.2	19.3	33.2	63.4
1984.....	0.6	0.9	1.6	2.9	4.6	7.4	11.3	19.2	32.6	63.0
1983.....	0.6	1.0	1.7	2.7	4.3	7.2	12.0	19.2	32.6	60.1
1982.....	0.7	1.1	1.7	3.1	4.7	7.9	12.5	20.6	35.1	65.1
1981.....	0.6	1.3	1.8	3.4	4.8	7.7	12.9	20.5	32.0	60.7
1980.....	0.7	1.0	2.2	3.2	5.1	7.6	12.8	18.5	32.6	55.1
1979.....	0.9	1.3	2.2	3.1	4.8	7.5	11.7	19.3	30.0	53.8
TOTAL, MALE										
1998.....	0.5	0.9	1.0	2.0	3.0	4.9	6.9	11.7	19.7	44.2
1997.....	0.6	1.1	1.4	2.0	3.3	4.6	8.4	13.3	21.4	45.8
1996.....	0.6	1.0	1.3	1.9	3.4	5.1	8.2	13.9	24.6	45.0
1995.....	0.6	1.2	1.4	2.3	3.6	6.0	8.5	16.3	27.4	51.0
1994.....	0.6	1.1	1.8	2.4	4.3	7.0	10.3	17.3	29.6	61.9
1993.....	0.6	1.2	1.8	2.7	4.1	6.4	10.1	16.4	32.9	59.4
1992.....	0.7	1.2	1.4	2.5	4.0	6.9	11.3	18.3	33.0	65.8
1991.....	0.7	1.2	1.7	2.9	4.5	6.5	11.6	20.5	33.9	62.9
1990.....	0.6	1.0	1.7	2.9	4.4	7.5	13.9	19.8	33.3	66.8
1989.....	0.8	1.1	1.8	3.2	4.3	7.8	13.8	21.9	40.3	70.9
1988.....	0.7	0.9	2.0	3.3	4.9	8.6	14.0	22.4	37.7	73.0
1987.....	0.7	1.2	2.1	3.3	5.0	8.4	14.8	25.5	37.3	70.1
1986.....	0.7	1.2	1.8	3.7	5.4	8.0	14.7	22.8	37.2	72.8
1985.....	0.7	1.3	2.3	3.2	6.3	10.1	14.6	26.3	42.0	75.8
1984.....	0.6	0.9	2.3	4.0	6.5	10.1	14.1	25.0	41.1	72.8
1983.....	0.9	1.3	2.3	3.7	5.6	10.5	16.7	26.3	41.5	72.1
1982.....	0.9	1.4	2.5	4.1	6.5	10.6	17.2	27.6	44.1	78.4
1981.....	0.8	1.9	2.4	4.4	6.6	10.7	17.9	29.6	41.5	74.5
1980.....	1.0	1.5	3.1	4.6	7.4	11.1	18.6	26.5	44.6	70.3
1979.....	1.2	1.8	3.2	4.2	6.8	10.8	15.9	27.8	41.8	68.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)										
TOTAL, FEMALE										
1998.....	0.2	0.5	0.7	1.0	1.6	2.5	4.6	8.1	15.3	34.7
1997.....	0.3	0.4	0.7	1.1	1.8	2.7	5.5	9.0	16.9	41.6
1996.....	*	0.4	0.6	0.8	1.9	3.1	5.3	9.2	17.7	40.6
1995.....	0.2	0.3	0.6	1.3	2.2	3.2	5.7	9.7	19.4	43.1
1994.....	0.3	0.6	0.7	1.3	2.2	3.3	6.9	11.4	21.1	49.3
1993.....	0.4	0.4	1.0	1.4	1.9	4.2	5.9	11.1	22.3	48.6
1992.....	0.2	0.4	0.6	1.4	2.1	3.5	6.6	13.3	23.5	51.8
1991.....	0.3	0.6	0.7	1.2	2.7	3.8	6.7	12.3	23.3	52.8
1990.....	0.3	0.6	0.8	1.2	2.6	3.9	7.2	13.2	23.8	55.1
1989.....	0.2	0.5	1.2	1.6	2.5	4.0	7.7	13.5	25.0	57.1
1988.....	0.3	0.5	1.0	1.7	2.5	4.7	7.1	14.3	25.8	54.9
1987.....	0.3	0.6	0.9	1.4	2.4	4.5	7.4	14.6	23.8	56.5
1986.....	0.4	0.5	1.0	1.6	3.1	5.1	7.8	15.3	28.7	58.2
1985.....	0.3	0.6	0.9	1.8	3.2	4.7	8.7	15.0	28.6	58.5
1984.....	0.5	0.8	0.9	1.9	3.0	5.3	9.2	15.5	28.2	59.0
1983.....	0.3	0.7	1.1	1.9	3.1	4.6	8.6	14.8	28.0	55.2
1982.....	0.4	0.9	1.0	2.1	3.3	5.6	9.1	16.2	30.3	59.5
1981.....	0.4	0.7	1.3	2.5	3.3	5.2	9.3	14.7	27.0	54.8
1980.....	0.5	0.5	1.3	2.0	3.0	4.8	8.6	13.4	26.2	48.5
1979.....	0.6	0.8	1.3	2.1	3.1	4.9	8.7	13.9	23.7	47.3
WHITE, BOTH SEXES										
1998.....	0.3	0.6	0.8	1.5	2.2	3.6	5.5	9.6	16.9	38.6
1997.....	0.4	0.6	0.8	1.4	2.3	3.4	6.6	10.7	18.7	44.2
1996.....	0.4	0.6	0.9	1.2	2.4	3.7	6.1	11.1	20.4	43.5
1995.....	0.3	0.7	0.9	1.6	2.9	4.3	6.7	12.3	22.5	46.9
1994.....	0.4	0.8	1.1	1.7	2.9	4.9	8.1	13.8	24.0	53.8
1993.....	0.4	0.7	1.2	2.0	2.8	5.0	7.4	13.0	26.5	53.2
1992.....	0.4	0.7	0.9	1.8	2.9	4.8	8.6	15.4	27.5	57.0
1991.....	0.4	0.8	1.0	1.9	3.3	4.9	8.7	15.4	27.7	57.3
1990.....	0.3	0.7	1.1	1.9	3.2	5.3	9.9	16.0	27.7	60.3
1989.....	0.3	0.6	1.3	2.1	3.2	5.4	9.9	16.4	30.6	62.2
1988.....	0.4	0.6	1.4	2.4	3.3	6.3	10.1	17.6	31.0	62.1
1987.....	0.4	0.7	1.5	2.2	3.4	6.3	10.2	19.4	29.3	62.4
1986.....	0.4	0.7	1.3	2.4	3.9	6.2	10.6	18.2	32.0	64.4
1985.....	0.4	0.9	1.6	2.3	4.3	7.2	11.1	19.5	33.4	65.3
1984.....	0.5	0.7	1.4	2.8	4.5	7.4	11.5	19.5	33.0	65.3
1983.....	0.5	0.9	1.7	2.5	4.1	7.1	11.8	19.7	33.4	62.3
1982.....	0.6	1.0	1.5	2.9	4.5	7.7	12.6	21.0	35.1	67.7
1981.....	0.5	1.1	1.7	3.2	4.6	7.7	12.8	21.1	32.3	62.9
1980.....	0.6	0.8	2.0	3.1	5.1	7.7	12.9	18.7	33.0	57.3
1979.....	0.8	1.2	1.9	3.0	4.8	7.5	11.7	19.8	30.9	55.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)										
WHITE MALE										
1998.....	0.5	0.7	0.9	1.9	2.9	4.7	6.8	11.6	19.9	46.2
1997.....	0.5	0.9	1.1	1.7	2.9	4.3	8.1	13.0	21.5	47.3
1996.....	0.6	0.9	1.2	1.7	2.9	4.8	7.6	14.0	24.5	47.0
1995.....	0.4	1.2	1.2	2.1	3.5	5.7	8.3	15.9	27.4	52.5
1994.....	0.5	1.0	1.6	2.2	4.0	7.0	10.1	17.4	29.2	62.2
1993.....	0.5	1.0	1.5	2.6	3.7	5.9	9.7	16.0	32.9	61.1
1992.....	0.5	1.1	1.2	2.3	3.8	6.6	11.2	18.3	33.1	67.4
1991.....	0.5	1.1	1.4	2.8	4.1	6.3	11.5	20.2	34.4	65.0
1990.....	0.5	0.9	1.4	2.6	3.9	7.1	13.7	20.4	33.5	69.8
1989.....	0.5	0.8	1.6	2.7	4.1	7.3	13.1	21.6	40.6	72.3
1988.....	0.5	0.8	1.9	3.1	4.6	8.2	14.0	22.6	38.9	76.3
1987.....	0.5	1.0	2.0	3.2	4.7	8.3	14.2	26.1	38.7	73.4
1986.....	0.6	1.0	1.7	3.4	5.1	7.6	14.6	22.7	37.0	76.0
1985.....	0.6	1.3	2.3	2.9	5.8	10.2	14.3	26.3	42.3	78.2
1984.....	0.5	0.7	1.8	3.8	6.3	10.1	14.1	25.6	41.9	75.6
1983.....	0.7	1.0	2.2	3.5	5.2	10.4	16.0	26.7	42.2	74.1
1982.....	0.8	1.1	2.1	4.0	6.0	10.5	17.2	28.3	43.7	81.8
1981.....	0.6	1.6	2.2	4.1	6.2	10.7	17.7	30.4	41.8	77.4
1980.....	0.8	1.1	2.8	4.4	7.3	11.1	18.9	27.0	45.3	73.3
1979.....	1.0	1.6	2.6	4.0	6.7	10.8	16.0	28.4	43.2	70.8
WHITE FEMALE										
1998.....	*	0.4	0.7	1.1	1.5	2.5	4.5	8.3	15.0	35.5
1997.....	0.3	0.3	0.6	1.1	1.7	2.7	5.4	9.1	17.1	42.9
1996.....	*	0.4	0.6	0.7	1.9	2.8	5.0	9.0	18.0	42.1
1995.....	*	*	0.5	1.1	2.3	3.1	5.5	9.8	19.8	44.7
1994.....	0.3	0.5	0.7	1.2	2.0	3.2	6.7	11.3	21.1	50.7
1993.....	0.4	0.3	0.9	1.4	1.9	4.2	5.7	10.9	23.0	50.2
1992.....	0.3	0.4	0.6	1.3	2.1	3.3	6.6	13.4	24.5	53.0
1991.....	0.4	0.5	0.6	1.1	2.5	3.8	6.6	12.2	24.2	54.4
1990.....	*	0.5	0.8	1.1	2.6	3.8	7.0	13.2	24.6	56.7
1989.....	*	0.5	1.1	1.5	2.3	3.8	7.5	13.1	25.4	58.4
1988.....	*	0.5	0.9	1.7	2.1	4.7	7.2	14.5	26.9	56.7
1987.....	0.3	0.5	0.9	1.3	2.3	4.6	7.2	15.2	24.4	58.2
1986.....	0.3	0.5	0.9	1.5	2.8	5.0	7.8	15.4	29.3	59.9
1985.....	*	0.6	1.0	1.8	3.1	4.7	8.7	15.2	28.7	60.2
1984.....	0.4	0.7	0.9	1.8	3.0	5.2	9.6	15.7	28.3	61.2
1983.....	*	0.7	1.1	1.6	3.0	4.4	8.8	15.3	28.9	57.6
1982.....	0.5	0.8	0.9	2.0	3.1	5.4	9.2	16.5	30.6	61.9
1981.....	*	0.7	1.2	2.4	3.2	5.3	9.3	15.3	27.3	56.9
1980.....	0.4	0.4	1.3	2.0	3.2	4.9	8.5	13.6	26.6	50.4
1979.....	0.6	0.9	1.2	2.1	3.1	4.8	8.7	14.4	24.3	49.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)										
ALL OTHER, BOTH SEXES										
1998.....	0.5	1.1	0.9	1.6	2.9	4.2	6.7	9.4	17.6	26.8
1997.....	0.7	1.4	2.1	2.2	3.9	4.5	8.1	11.5	17.3	30.0
1996.....	0.7	1.2	1.6	2.2	4.2	5.9	10.3	11.4	18.4	25.9
1995.....	0.9	1.2	1.8	3.0	2.5	5.7	8.4	13.9	20.0	29.6
1994.....	0.8	1.2	1.8	2.8	5.0	5.4	10.5	13.6	25.2	41.9
1993.....	0.8	1.5	2.5	2.5	3.8	6.5	10.2	15.8	21.7	35.8
1992.....	0.8	1.5	1.7	3.3	4.1	7.3	8.8	14.1	19.7	42.8
1991.....	0.9	1.7	2.5	2.5	5.7	5.6	9.7	17.0	19.3	38.0
1990.....	1.1	1.1	2.2	3.2	5.2	7.6	11.8	13.5	20.7	38.0
1989.....	1.4	1.7	2.2	4.1	4.9	8.4	14.0	20.5	26.4	47.7
1988.....	1.0	1.2	2.2	3.2	6.3	7.6	9.5	15.8	18.4	37.5
1987.....	1.2	1.6	1.7	3.0	5.3	5.9	13.6	13.4	19.2	37.5
1986.....	1.0	1.6	1.9	3.9	6.1	8.1	11.1	18.3	28.3	40.3
1985.....	*	*	1.6	3.7	7.1	6.7	11.8	18.3	31.2	43.3
1984.....	1.2	1.9	3.1	3.7	5.6	7.7	9.6	16.0	28.9	37.8
1983.....	1.1	2.1	2.0	4.4	6.1	8.4	13.4	14.9	23.7	35.9
1982.....	*	2.1	3.6	4.3	6.9	9.3	11.7	16.6	34.7	36.2
1981.....	1.2	2.4	2.9	4.8	7.2	7.8	14.1	14.5	29.5	35.3
1980.....	1.7	2.2	3.1	3.9	4.5	6.9	12.3	15.8	27.5	30.1
1979.....	1.3	2.1	4.7	4.2	5.2	7.9	11.5	14.1	20.1	31.0
ALL OTHER MALE										
1998.....	*	1.7	*	2.7	4.2	6.4	8.2	13.4	17.5	27.1
1997.....	*	2.2	3.1	3.6	5.7	6.8	11.2	16.7	20.0	32.3
1996.....	*	1.9	2.3	3.1	6.8	7.3	13.8	13.2	25.3	27.2
1995.....	1.7	*	2.7	3.9	3.8	8.6	9.6	20.8	27.2	37.7
1994.....	*	1.8	3.2	3.9	7.0	7.0	13.0	15.8	33.3	59.3
1993.....	*	2.2	3.5	3.7	6.6	10.4	14.6	20.5	32.6	43.7
1992.....	1.7	2.1	2.8	4.6	5.9	9.8	11.9	17.4	31.9	51.2
1991.....	1.8	2.3	3.6	3.6	7.5	8.1	12.7	23.5	29.5	43.0
1990.....	*	*	3.8	5.0	8.9	11.1	15.7	14.3	30.7	39.3
1989.....	2.2	2.9	3.0	6.5	6.0	12.6	19.9	24.8	37.2	58.0
1988.....	*	*	2.9	5.2	7.9	11.6	14.2	21.0	25.6	41.8
1987.....	2.1	2.6	*	4.4	8.2	8.8	19.9	20.0	23.2	39.0
1986.....	*	2.9	*	5.9	7.7	11.4	16.1	24.3	39.8	42.7
1985.....	*	*	*	5.5	10.8	9.5	16.7	26.7	38.1	53.4
1984.....	*	*	5.4	5.9	8.8	9.4	14.1	19.8	32.7	47.2
1983.....	*	3.5	*	5.0	8.8	11.1	22.9	22.3	34.0	52.9
1982.....	*	3.1	5.5	5.8	10.3	11.4	17.3	21.4	48.9	44.8
1981.....	*	3.8	4.1	6.7	10.0	11.5	20.1	22.0	38.5	45.3
1980.....	2.8	4.0	5.5	6.5	7.8	11.2	15.6	22.3	37.8	39.5
1979.....	2.2	3.8	8.0	6.0	7.7	10.6	14.8	22.5	26.7	44.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	5.7	6.8	17.7	26.7
1997.....	*	*	*	*	*	2.8	5.9	8.0	15.7	28.9
1996.....	*	*	*	*	*	4.8	7.8	10.2	14.6	25.3
1995.....	*	*	*	*	*	3.6	7.6	9.4	16.1	26.0
1994.....	*	*	*	*	3.4	4.3	8.8	12.2	20.7	34.4
1993.....	*	*	*	*	*	3.6	7.1	13.0	15.7	32.4
1992.....	*	*	*	*	2.7	5.5	6.7	12.1	12.8	39.0
1991.....	*	*	*	*	4.3	3.8	7.7	13.0	13.5	35.4
1990.....	*	*	*	*	*	5.0	9.2	13.0	15.1	37.4
1989.....	*	*	*	*	4.1	5.2	10.0	17.7	20.3	42.9
1988.....	*	*	*	*	5.1	4.7	6.4	12.4	14.2	35.5
1987.....	*	*	*	*	3.1	3.6	9.3	9.2	16.8	36.8
1986.....	*	*	*	*	4.8	5.7	7.7	14.5	21.8	39.1
1985.....	*	*	*	*	4.2	4.6	8.5	12.7	27.2	38.7
1984.....	*	*	*	*	3.2	6.5	6.3	13.5	26.6	33.1
1983.....	*	*	*	3.8	3.9	6.4	6.8	9.9	17.6	27.3
1982.....	*	*	*	3.0	4.2	7.8	7.7	13.3	26.1	31.6
1981.....	*	*	*	3.2	5.0	5.0	9.6	9.5	24.0	30.2
1980.....	0.7	0.7	1.2	1.8	1.8	3.6	9.8	11.4	21.1	25.3
1979.....	0.5	0.7	2.1	2.7	3.2	5.8	8.9	8.1	16.1	24.6
BLACK, BOTH SEXES										
1998.....	*	1.3	*	1.8	3.5	3.5	7.1	9.4	16.5	24.8
1997.....	0.9	1.7	2.4	2.6	4.4	4.4	8.1	11.1	15.4	28.0
1996.....	0.9	1.6	1.8	2.4	4.3	6.6	11.1	11.6	17.5	23.8
1995.....	1.1	1.5	2.2	3.5	3.0	6.4	9.2	14.5	18.5	25.5
1994.....	1.0	1.7	1.9	3.4	5.4	5.5	9.9	12.2	24.0	38.2
1993.....	1.2	2.1	3.1	2.8	4.0	7.5	10.4	15.2	20.4	31.6
1992.....	1.0	1.8	2.1	3.8	4.6	7.6	8.7	14.3	21.0	40.9
1991.....	1.2	2.1	2.8	2.8	6.6	5.6	9.7	16.8	17.5	36.2
1990.....	1.3	1.5	2.5	3.8	6.2	8.8	13.0	13.0	21.5	33.7
1989.....	1.6	2.2	2.8	4.4	5.0	8.5	15.0	22.3	24.5	40.9
1988.....	1.3	*	2.5	3.6	7.2	8.1	9.7	15.6	18.0	35.0
1987.....	1.6	2.0	2.1	3.4	5.3	6.4	14.4	13.8	20.2	34.1
1986.....	1.3	2.0	1.8	4.5	6.8	9.2	11.9	17.7	27.8	37.8
1985.....	*	*	1.9	4.0	8.1	7.1	11.7	18.7	30.2	40.0
1984.....	1.5	2.5	3.6	4.1	5.9	8.3	9.2	16.2	30.1	35.8
1983.....	*	2.4	2.1	4.8	6.8	8.2	13.6	15.4	24.2	34.8
1982.....	*	2.3	4.2	4.9	7.2	9.9	12.3	16.0	31.7	32.4
1981.....	*	2.8	3.0	5.2	8.0	7.9	14.5	14.7	30.1	35.1
1980.....	2.0	2.5	3.4	4.2	4.9	7.3	12.8	14.2	25.0	28.9
1979.....	1.3	2.4	4.8	4.5	5.4	7.8	12.2	13.4	19.4	26.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)										
BLACK MALE										
1998.....	*	2.1	*	*	5.2	5.0	8.0	13.4	*	*
1997.....	*	2.7	3.7	4.5	5.8	7.0	11.4	15.4	19.8	29.2
1996.....	*	2.5	*	*	7.7	7.8	15.1	12.4	23.9	*
1995.....	2.3	*	3.2	4.6	4.9	9.7	10.3	20.6	27.0	25.3
1994.....	*	2.5	3.5	4.7	7.8	6.5	12.9	12.2	30.9	52.4
1993.....	*	3.0	4.3	4.6	6.6	11.9	15.1	17.5	29.5	37.6
1992.....	2.1	*	3.5	5.1	6.9	10.5	11.8	19.1	36.1	41.6
1991.....	2.2	3.2	4.2	*	8.8	7.9	13.6	23.2	25.7	37.7
1990.....	*	*	4.5	6.1	10.3	13.0	17.8	14.0	30.5	36.2
1989.....	2.4	3.9	3.8	7.1	6.7	11.8	19.8	27.0	33.0	45.5
1988.....	*	*	*	5.8	9.1	13.1	15.6	20.3	23.4	36.9
1987.....	2.9	3.3	*	4.9	7.4	9.8	21.3	22.3	23.9	*
1986.....	*	3.8	*	6.8	8.4	13.1	16.9	22.7	38.9	41.3
1985.....	*	*	*	6.1	12.3	10.0	15.9	27.1	33.3	50.0
1984.....	*	*	6.2	6.3	8.8	10.1	13.9	18.0	35.7	45.9
1983.....	*	4.1	*	5.5	9.7	10.7	23.0	22.4	34.1	51.7
1982.....	*	*	6.5	6.9	11.6	11.7	18.6	19.9	41.3	36.2
1981.....	*	4.6	4.3	7.4	11.0	11.4	20.9	21.5	36.4	50.0
1980.....	3.3	4.6	6.3	7.5	8.5	12.3	16.6	19.6	33.3	34.0
1979.....	2.1	4.4	8.2	6.6	8.1	10.4	15.9	20.5	26.0	34.6
BLACK FEMALE										
1998.....	*	*	*	*	*	*	6.5	6.8	16.3	26.4
1997.....	*	*	*	*	*	*	5.9	8.5	13.1	27.6
1996.....	*	*	*	*	*	5.6	8.3	11.1	14.2	24.6
1995.....	*	*	*	*	*	4.0	8.4	10.8	14.2	25.7
1994.....	*	*	*	*	3.6	4.8	7.9	12.2	20.5	32.4
1993.....	*	*	*	*	*	4.3	7.3	13.9	15.7	29.1
1992.....	*	*	*	*	*	5.5	6.6	11.5	13.1	40.6
1991.....	*	*	*	*	5.0	4.0	7.0	13.0	13.3	35.6
1990.....	*	*	*	*	*	5.8	9.9	12.5	16.8	32.6
1989.....	*	*	*	*	3.8	6.1	11.8	19.6	20.0	39.2
1988.....	*	*	*	*	5.8	4.5	5.8	12.8	15.2	34.2
1987.....	*	*	*	*	3.7	*	9.8	8.7	18.1	36.1
1986.....	*	*	*	*	5.5	6.4	8.5	14.6	21.8	36.2
1985.....	*	*	*	*	4.9	5.0	8.9	13.6	28.5	35.3
1984.....	*	*	*	*	*	7.0	6.0	15.0	27.0	31.0
1983.....	*	*	*	4.3	4.6	6.4	7.2	10.8	18.6	26.6
1982.....	*	*	*	*	*	8.6	8.0	13.5	26.1	30.5
1981.....	*	*	*	3.4	5.6	5.3	9.9	10.2	26.5	27.4
1980.....	0.9	0.8	1.1	1.6	2.1	3.6	10.0	10.6	20.0	26.4
1979.....	0.6	0.8	1.9	2.8	3.2	6.0	9.6	8.5	15.3	23.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 GASTRIC ULCER (531)										
TOTAL, BOTH SEXES										
1998.....	0.2	0.3	0.3	0.5	0.8	1.2	1.7	3.0	5.1	10.2
1997.....	0.2	0.2	0.4	0.5	0.8	1.2	2.1	3.5	5.6	11.4
1996.....	0.1	0.3	0.3	0.3	1.0	1.5	1.9	3.5	5.5	11.3
1995.....	0.1	0.3	0.4	0.6	0.9	1.4	2.0	4.1	5.9	11.4
1994.....	0.2	0.3	0.4	0.5	1.1	1.6	2.4	4.1	6.5	13.4
1993.....	0.2	0.3	0.6	0.8	1.0	1.7	2.3	4.3	7.6	13.7
1992.....	0.2	0.2	0.4	0.8	1.1	1.7	2.6	4.5	7.8	14.8
1991.....	0.2	0.3	0.4	0.7	1.2	1.7	2.5	4.5	7.9	15.8
1990.....	0.2	0.4	0.5	0.7	1.2	1.7	2.9	4.8	7.9	16.0
1989.....	0.2	0.4	0.5	0.7	1.2	1.8	3.3	5.4	8.6	16.8
1988.....	0.2	0.3	0.4	0.8	1.3	2.1	3.5	5.6	9.0	16.7
1987.....	0.2	0.4	0.6	0.9	1.3	2.1	3.6	5.9	8.4	17.7
1986.....	0.2	0.3	0.5	1.0	1.6	2.3	3.4	5.9	10.3	19.0
1985.....	0.2	0.3	0.6	0.9	1.5	2.4	3.6	5.9	10.5	18.6
1984.....	0.3	0.3	0.6	1.0	1.6	2.8	3.6	6.3	11.3	20.1
1983.....	0.2	0.4	0.7	1.0	1.5	2.2	4.1	5.9	11.1	18.4
1982.....	0.3	0.5	0.7	1.1	1.5	2.6	4.1	6.7	11.6	21.1
1981.....	0.2	0.4	0.6	1.3	1.9	2.6	4.4	6.8	10.9	19.5
1980.....	0.3	0.4	0.7	1.1	1.8	2.7	4.4	6.0	10.4	17.0
1979.....	0.4	0.5	0.8	1.1	1.7	2.6	4.4	6.5	11.0	15.4
TOTAL, MALE										
1998.....	0.2	0.4	*	0.7	0.9	1.5	2.0	3.2	5.4	10.5
1997.....	0.3	0.4	0.5	0.7	1.0	1.4	2.5	3.6	6.3	11.3
1996.....	0.2	0.4	0.4	0.5	1.2	1.8	2.1	3.9	6.0	10.3
1995.....	*	0.4	0.5	0.7	1.1	1.8	2.3	4.6	6.7	12.9
1994.....	0.2	0.3	0.6	0.6	1.2	2.1	2.6	4.2	7.3	15.1
1993.....	0.2	0.4	0.6	1.0	1.4	1.9	3.0	4.7	8.9	15.4
1992.....	0.3	0.4	0.6	1.0	1.3	2.3	2.8	4.7	8.4	16.8
1991.....	0.2	0.4	0.5	0.8	1.6	1.7	2.8	5.7	8.3	15.4
1990.....	0.2	0.4	0.6	1.0	1.5	2.2	3.6	5.7	8.9	16.2
1989.....	0.3	0.4	0.6	0.9	1.5	2.3	4.0	6.4	10.4	15.6
1988.....	0.3	*	0.4	0.9	1.6	2.4	4.8	6.3	9.7	20.0
1987.....	*	0.4	0.7	1.2	1.7	2.7	4.9	7.3	9.5	16.3
1986.....	*	0.4	0.7	1.4	1.9	2.6	3.8	6.1	10.7	18.0
1985.....	*	0.4	0.8	1.1	1.9	3.0	4.0	7.9	11.2	20.2
1984.....	*	*	0.8	1.3	2.0	3.4	4.2	6.8	12.5	21.8
1983.....	*	0.4	0.8	1.2	1.9	2.9	5.0	6.9	12.1	19.0
1982.....	*	0.6	0.8	1.3	1.9	3.0	4.7	7.4	12.8	22.7
1981.....	*	0.5	0.8	1.4	2.5	3.1	5.6	9.1	12.7	22.3
1980.....	0.4	0.6	1.0	1.6	2.6	3.8	5.5	7.5	11.9	18.2
1979.....	0.4	0.6	1.2	1.4	2.4	3.2	5.6	8.7	14.6	18.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 GASTRIC ULCER (531)										
TOTAL, FEMALE										
1998.....	*	0.2	0.3	0.3	0.6	1.0	1.5	2.8	5.0	10.1
1997.....	*	*	0.3	*	0.6	1.0	1.8	3.4	5.2	11.5
1996.....	*	*	*	*	0.8	1.2	1.7	3.2	5.2	11.7
1995.....	*	*	*	0.5	0.7	1.0	1.7	3.8	5.5	10.8
1994.....	*	*	*	0.5	1.0	1.2	2.2	4.0	6.1	12.7
1993.....	*	*	0.5	0.5	0.7	1.6	1.8	4.1	6.9	13.1
1992.....	*	*	*	0.6	0.9	1.2	2.4	4.3	7.5	14.0
1991.....	*	*	0.4	0.5	0.8	1.6	2.3	3.8	7.6	16.0
1990.....	*	0.3	*	0.5	1.0	1.4	2.5	4.2	7.3	15.9
1989.....	*	*	0.5	0.5	0.9	1.4	2.8	4.7	7.6	17.2
1988.....	*	*	0.4	0.7	1.0	1.8	2.5	5.1	8.6	15.4
1987.....	*	0.4	0.4	0.5	1.0	1.7	2.6	5.0	7.9	18.2
1986.....	*	*	*	0.7	1.3	2.1	3.0	5.7	10.1	19.4
1985.....	*	*	*	0.8	1.2	1.8	3.3	4.6	10.2	17.9
1984.....	*	0.4	0.4	0.7	1.3	2.3	3.1	6.0	10.7	19.4
1983.....	*	0.4	0.5	0.8	1.3	1.6	3.4	5.2	10.6	18.1
1982.....	*	0.5	0.5	0.9	1.2	2.3	3.6	6.3	10.9	20.4
1981.....	*	0.4	0.5	1.1	1.4	2.1	3.5	5.4	10.0	18.3
1980.....	0.2	0.1	0.5	0.7	1.1	1.9	3.7	5.1	9.6	16.5
1979.....	0.3	0.4	0.5	0.9	1.1	2.1	3.4	5.2	9.0	14.3
WHITE, BOTH SEXES										
1998.....	0.2	0.3	0.3	0.5	0.7	1.1	1.7	2.9	5.1	10.3
1997.....	0.2	0.2	0.3	0.4	0.7	1.2	2.1	3.3	5.5	11.6
1996.....	0.1	0.3	0.3	0.3	0.9	1.4	1.8	3.5	5.5	11.7
1995.....	*	0.2	0.3	0.5	0.9	1.3	1.8	4.0	5.9	11.5
1994.....	0.2	0.2	0.4	0.5	0.9	1.6	2.3	4.0	6.4	13.5
1993.....	0.2	0.2	0.5	0.7	1.0	1.7	2.1	4.2	7.5	13.7
1992.....	0.2	0.2	0.4	0.7	1.0	1.5	2.6	4.3	7.7	14.6
1991.....	0.2	0.2	0.4	0.6	1.0	1.6	2.4	4.3	8.0	16.0
1990.....	*	0.3	0.4	0.6	1.1	1.6	2.9	4.8	7.9	16.3
1989.....	0.2	0.2	0.5	0.6	1.1	1.7	2.9	5.2	8.6	16.7
1988.....	0.2	0.3	0.3	0.7	1.1	1.9	3.4	5.5	9.2	17.2
1987.....	*	0.3	0.6	0.9	1.2	2.1	3.3	6.1	8.7	18.1
1986.....	*	0.3	0.5	0.9	1.5	2.2	3.3	5.8	10.1	19.4
1985.....	*	0.4	0.6	0.8	1.4	2.4	3.4	5.8	10.4	19.1
1984.....	0.2	0.3	0.5	1.0	1.6	2.7	3.6	6.3	11.2	20.2
1983.....	*	0.4	0.6	0.9	1.5	2.1	3.9	6.0	11.4	18.7
1982.....	0.3	0.4	0.5	1.0	1.3	2.4	4.0	6.6	11.7	21.8
1981.....	0.2	0.4	0.6	1.2	1.7	2.5	4.4	7.0	11.0	19.8
1980.....	0.2	0.3	0.7	1.1	1.8	2.7	4.4	6.0	10.3	17.7
1979.....	0.3	0.4	0.8	1.1	1.6	2.6	4.3	6.6	11.1	15.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 GASTRIC ULCER (531)										
WHITE MALE										
1998.....	0.2	0.3	*	0.6	0.9	1.4	2.0	3.0	5.3	10.8
1997.....	*	*	0.3	0.6	0.8	1.3	2.3	3.3	6.1	11.4
1996.....	*	0.4	*	0.4	1.0	1.7	1.8	3.8	5.7	10.5
1995.....	*	0.4	0.4	0.5	1.1	1.7	2.2	4.4	6.7	13.4
1994.....	*	0.3	0.5	0.5	1.0	2.2	2.5	4.1	7.0	14.8
1993.....	*	0.3	0.5	0.9	1.2	1.8	2.7	4.4	8.4	15.6
1992.....	*	0.3	0.5	0.8	1.2	2.1	2.8	4.5	7.9	17.1
1991.....	*	0.3	0.5	0.8	1.5	1.7	2.7	5.3	8.3	15.2
1990.....	*	0.4	0.5	0.8	1.3	2.0	3.4	5.7	8.7	16.3
1989.....	*	*	0.5	0.8	1.4	2.0	3.5	6.1	10.1	15.1
1988.....	*	*	*	0.8	1.4	2.0	4.6	6.0	9.8	20.5
1987.....	*	*	0.7	1.2	1.5	2.4	4.6	7.4	9.5	16.6
1986.....	*	*	0.6	1.3	1.8	2.3	3.8	6.0	9.9	18.6
1985.....	*	0.4	0.8	0.9	1.7	3.0	3.7	7.5	11.0	20.6
1984.....	*	*	0.6	1.1	1.9	3.3	4.1	6.8	12.5	21.6
1983.....	*	*	0.7	1.1	1.7	2.8	4.5	6.9	12.1	19.0
1982.....	*	*	0.6	1.2	1.6	2.7	4.5	7.2	12.8	24.0
1981.....	*	0.5	0.7	1.4	2.2	2.9	5.5	9.5	12.6	22.0
1980.....	0.2	0.4	0.9	1.5	2.6	3.6	5.4	7.4	11.7	18.8
1979.....	0.4	0.5	1.0	1.2	2.2	3.1	5.5	8.7	14.9	18.0
WHITE FEMALE										
1998.....	*	*	0.3	*	0.5	0.9	1.5	2.9	5.0	10.1
1997.....	*	*	*	*	0.6	1.1	1.9	3.4	5.1	11.7
1996.....	*	*	*	*	0.8	1.1	1.7	3.2	5.4	12.2
1995.....	*	*	*	0.5	0.7	0.9	1.6	3.7	5.4	10.8
1994.....	*	*	*	0.4	0.8	1.1	2.1	4.0	6.0	13.0
1993.....	*	*	0.4	0.5	0.7	1.6	1.7	4.0	7.0	13.0
1992.....	*	*	*	0.6	0.9	1.1	2.5	4.2	7.6	13.7
1991.....	*	*	*	0.4	0.7	1.5	2.2	3.6	7.8	16.3
1990.....	*	*	*	*	1.0	1.4	2.4	4.3	7.5	16.3
1989.....	*	*	0.4	0.5	0.8	1.4	2.5	4.6	7.9	17.3
1988.....	*	*	*	0.7	0.9	1.9	2.4	5.1	8.8	15.9
1987.....	*	*	0.5	0.5	0.9	1.8	2.4	5.2	8.3	18.6
1986.....	*	*	*	0.6	1.2	2.1	3.0	5.7	10.2	19.7
1985.....	*	*	*	0.7	1.2	1.9	3.2	4.7	10.1	18.6
1984.....	*	*	*	0.8	1.4	2.2	3.2	6.0	10.6	19.7
1983.....	*	0.4	0.5	0.7	1.2	1.5	3.5	5.5	11.0	18.6
1982.....	*	0.5	0.4	0.9	1.1	2.2	3.6	6.3	11.1	20.9
1981.....	*	*	0.5	1.1	1.3	2.1	3.5	5.5	10.1	18.9
1980.....	0.2	0.1	0.6	0.7	1.2	1.9	3.7	5.2	9.6	17.2
1979.....	0.3	0.3	0.5	0.9	1.1	2.2	3.5	5.3	9.1	14.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 GASTRIC ULCER (531)										
ALL OTHER, BOTH SEXES										
1998.....	*	0.7	*	*	*	1.6	*	3.1	5.2	9.5
1997.....	*	0.7	*	*	*	*	2.3	4.6	6.7	9.5
1996.....	*	*	*	*	1.6	2.2	2.8	3.3	5.9	7.0
1995.....	*	*	*	1.3	*	2.0	3.3	5.1	6.1	9.9
1994.....	*	*	*	*	2.2	1.8	3.3	4.6	8.2	12.2
1993.....	*	*	1.1	*	*	2.1	4.1	5.9	8.5	13.9
1992.....	*	*	*	*	1.6	3.2	*	6.2	8.5	16.3
1991.....	*	*	*	*	2.2	1.9	3.6	6.7	6.7	13.9
1990.....	*	*	*	*	2.2	2.6	3.8	4.6	7.6	12.3
1989.....	*	*	*	*	2.1	2.6	6.4	7.1	8.1	18.0
1988.....	*	*	*	*	2.8	3.2	4.6	6.4	6.9	11.7
1987.....	*	*	*	*	2.2	2.8	5.9	4.0	*	13.3
1986.....	*	*	*	1.9	2.7	3.8	3.6	6.4	12.8	14.7
1985.....	*	*	*	1.8	2.7	2.3	5.4	6.9	11.6	12.1
1984.....	*	*	*	1.5	1.9	3.0	3.3	5.9	12.5	18.4
1983.....	*	*	*	1.7	2.3	3.0	5.6	4.1	8.0	14.8
1982.....	*	*	1.7	2.0	3.3	4.3	5.1	7.8	10.8	13.1
1981.....	*	*	*	*	3.6	3.5	4.8	4.8	10.0	16.3
1980.....	0.8	0.9	1.0	1.3	1.9	3.1	4.8	5.7	10.9	8.9
1979.....	0.6	1.1	1.5	1.6	2.7	2.8	4.4	5.9	9.4	11.5
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	4.6	*	*	*	*
1991.....	*	*	*	*	*	*	*	9.1	*	*
1990.....	*	*	*	*	3.7	*	*	*	*	*
1989.....	*	*	*	*	*	4.4	8.9	9.5	*	*
1988.....	*	*	*	*	*	5.4	6.5	9.1	*	*
1987.....	*	*	*	*	*	4.7	8.1	*	*	*
1986.....	*	*	*	*	*	5.2	*	*	18.5	*
1985.....	*	*	*	*	4.3	*	7.0	11.7	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	9.6	*	*	*
1982.....	*	*	*	*	5.1	5.6	*	*	*	*
1981.....	*	*	*	*	5.0	5.4	*	*	*	*
1980.....	1.4	1.9	1.8	2.0	3.1	5.2	6.2	8.4	13.8	11.5
1979.....	1.0	1.8	2.6	2.4	4.4	4.1	6.4	8.8	11.6	18.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 GASTRIC ULCER (531)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	10.1
1997.....	*	*	*	*	*	*	*	*	*	9.1
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	10.6
1994.....	*	*	*	*	*	*	*	*	*	9.6
1993.....	*	*	*	*	*	*	*	*	*	13.8
1992.....	*	*	*	*	*	*	*	5.8	*	16.9
1991.....	*	*	*	*	*	*	*	*	*	12.2
1990.....	*	*	*	*	*	*	*	*	*	11.2
1989.....	*	*	*	*	*	*	4.8	5.6	*	16.6
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	4.4	*	*	13.5
1986.....	*	*	*	*	*	*	*	*	*	16.0
1985.....	*	*	*	*	*	*	*	*	11.1	*
1984.....	*	*	*	*	*	*	*	*	12.7	15.9
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.1	0.3	0.8	0.9	1.6	3.8	3.8	9.2	7.6
1979.....	0.2	0.5	0.7	0.9	1.3	1.8	2.9	3.9	8.0	7.9
BLACK, BOTH SEXES										
1998.....	*	1.0	*	*	*	*	*	*	*	8.5
1997.....	*	*	*	*	*	*	*	4.6	7.1	9.2
1996.....	*	*	*	*	*	2.4	3.0	*	6.2	*
1995.....	*	*	*	*	*	2.4	3.7	5.5	6.6	9.5
1994.....	*	*	*	*	2.7	*	2.9	5.0	7.0	10.6
1993.....	*	*	*	*	*	2.4	4.2	5.5	8.4	11.7
1992.....	*	*	*	*	*	3.6	*	6.0	9.3	16.4
1991.....	*	*	*	*	2.6	*	4.1	7.0	*	12.5
1990.....	*	*	*	*	2.6	3.0	4.1	4.3	7.3	10.8
1989.....	*	*	*	*	2.1	2.6	7.1	8.4	*	15.5
1988.....	*	*	*	*	3.3	3.3	4.3	5.9	*	10.7
1987.....	*	*	*	*	*	3.2	6.5	*	*	11.5
1986.....	*	*	*	2.2	2.9	4.4	3.5	6.6	13.7	13.9
1985.....	*	*	*	*	3.1	*	5.2	7.2	12.2	12.3
1984.....	*	*	*	*	*	3.1	3.4	5.8	13.6	17.9
1983.....	*	*	*	*	2.7	3.0	5.1	*	*	13.6
1982.....	*	*	2.0	2.3	3.5	4.4	5.6	7.0	11.0	12.5
1981.....	*	*	*	*	3.9	3.6	4.6	5.2	10.0	15.5
1980.....	1.0	1.0	1.0	1.2	2.1	3.5	5.0	5.4	10.0	8.8
1979.....	0.6	1.3	1.3	1.6	2.5	2.7	4.4	5.3	8.5	8.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 GASTRIC ULCER (531)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	9.1	11.2	*	*
1988.....	*	*	*	*	*	6.5	*	*	*	*
1987.....	*	*	*	*	*	*	8.8	*	*	*
1986.....	*	*	*	*	*	6.1	*	*	*	*
1985.....	*	*	*	*	5.1	*	*	12.4	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	8.2	*	*	*
1982.....	*	*	*	*	5.5	*	*	*	*	*
1981.....	*	*	*	*	5.4	*	*	*	*	*
1980.....	1.6	2.1	2.0	2.1	3.4	5.7	6.8	7.8	13.3	11.3
1979.....	1.1	2.1	2.4	2.5	4.3	3.8	6.6	7.5	10.4	11.5
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	10.2
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	10.8
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	12.1
1992.....	*	*	*	*	*	*	*	*	*	17.9
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	5.8	6.6	*	14.4
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	15.2
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	13.2	15.5
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.2	0.2	0.5	1.0	1.8	3.6	3.8	8.0	7.5
1979.....	0.3	0.6	0.5	0.9	1.1	1.8	2.9	3.8	7.3	6.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DUODENAL ULCER (532)										
TOTAL, BOTH SEXES										
1998.....	0.1	0.2	0.3	0.5	0.8	1.0	1.9	3.3	5.6	10.7
1997.....	0.1	0.3	0.3	0.5	1.0	1.2	2.3	3.3	5.7	12.6
1996.....	0.2	0.2	0.3	0.4	0.8	1.4	2.4	3.7	6.3	11.1
1995.....	0.1	0.3	0.4	0.6	1.0	1.5	2.5	3.7	7.6	12.8
1994.....	0.2	0.3	0.5	0.7	1.0	1.8	3.1	4.5	8.0	15.3
1993.....	0.1	0.3	0.4	0.6	1.0	1.7	2.8	4.2	8.3	15.8
1992.....	0.1	0.3	0.3	0.6	0.9	1.7	3.1	5.1	8.2	17.3
1991.....	0.2	0.3	0.4	0.7	1.3	1.8	3.4	5.1	9.0	15.7
1990.....	0.1	0.2	0.5	0.7	1.0	1.8	3.6	5.5	8.5	17.2
1989.....	0.2	0.2	0.6	0.9	1.3	2.1	3.5	5.7	10.3	19.9
1988.....	0.2	0.2	0.6	1.0	1.2	2.3	3.5	6.0	10.2	18.1
1987.....	0.2	0.3	0.5	0.8	1.3	2.1	3.5	6.7	10.3	18.9
1986.....	0.2	0.3	0.5	0.8	1.4	2.1	3.9	6.2	10.3	20.4
1985.....	0.2	0.4	0.6	0.8	1.6	2.6	3.7	6.5	11.2	21.2
1984.....	0.2	0.3	0.6	0.9	1.7	2.5	3.9	6.6	11.2	20.8
1983.....	0.2	0.4	0.6	1.0	1.5	2.8	4.4	6.5	10.0	19.7
1982.....	0.2	0.3	0.7	1.1	1.7	2.9	4.4	7.1	12.3	20.8
1981.....	0.2	0.5	0.6	1.2	1.8	2.8	4.5	7.1	11.3	20.1
1980.....	0.2	0.3	0.8	1.1	1.7	2.8	4.5	6.5	11.6	18.8
1979.....	0.3	0.5	0.9	1.0	1.8	2.9	4.5	6.8	10.0	19.0
TOTAL, MALE										
1998.....	*	0.2	0.4	0.6	1.0	1.6	2.5	4.1	6.8	15.2
1997.....	*	0.4	0.4	0.7	1.3	1.5	3.0	4.3	6.4	15.3
1996.....	0.3	0.3	0.5	0.5	1.1	2.0	3.2	4.8	7.7	14.8
1995.....	0.2	0.4	0.5	1.0	1.2	2.2	3.0	5.3	10.9	15.2
1994.....	0.3	0.4	0.7	0.9	1.6	2.7	4.0	6.6	10.8	19.8
1993.....	*	0.4	0.6	0.8	1.5	2.4	4.0	5.9	11.3	18.1
1992.....	*	0.5	0.5	0.9	1.3	2.5	4.5	6.5	11.3	21.8
1991.....	0.3	0.4	0.6	1.1	1.6	2.6	4.8	7.2	12.8	17.7
1990.....	*	0.3	0.7	1.1	1.3	2.6	5.3	7.1	11.5	20.9
1989.....	0.3	0.4	0.8	1.2	1.6	3.1	4.9	8.0	14.3	25.0
1988.....	*	0.3	0.9	1.4	1.9	3.2	5.1	8.6	13.7	22.0
1987.....	0.4	0.4	0.8	1.2	1.9	2.9	5.1	9.4	14.2	26.3
1986.....	*	0.4	0.7	1.2	2.1	2.9	5.9	8.6	12.2	27.9
1985.....	*	0.5	0.9	1.2	2.3	4.2	5.3	9.1	15.6	25.9
1984.....	*	*	1.0	1.4	2.6	3.7	4.9	9.5	15.5	24.6
1983.....	0.4	0.6	0.9	1.6	2.0	4.4	6.6	10.0	14.2	26.1
1982.....	0.3	0.4	1.1	1.6	2.5	4.4	6.8	10.6	16.5	26.5
1981.....	*	0.7	0.8	1.7	2.5	4.3	6.6	11.0	15.8	26.4
1980.....	0.4	0.4	1.2	1.8	2.5	4.4	7.4	10.5	17.1	26.1
1979.....	0.4	0.7	1.4	1.5	2.7	4.5	6.3	10.7	14.6	25.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DUODENAL ULCER (532)										
TOTAL, FEMALE										
1998.....	*	*	*	0.3	0.6	0.6	1.5	2.8	4.8	8.9
1997.....	*	*	*	0.3	0.7	0.9	1.8	2.7	5.3	11.5
1996.....	*	*	*	0.3	0.5	0.8	1.7	3.0	5.5	9.7
1995.....	*	*	*	*	0.7	0.8	2.1	2.6	5.7	11.8
1994.....	*	*	*	0.5	0.4	1.0	2.3	3.1	6.4	13.5
1993.....	*	*	*	0.4	0.6	1.1	1.9	3.1	6.7	14.9
1992.....	*	*	*	*	0.6	1.1	2.1	4.2	6.6	15.6
1991.....	*	*	*	*	0.9	1.1	2.3	3.7	7.0	14.9
1990.....	*	*	0.3	0.4	0.7	1.1	2.3	4.6	6.9	15.8
1989.....	*	*	0.4	0.6	0.9	1.3	2.4	4.3	8.2	17.9
1988.....	*	*	0.4	0.6	0.7	1.6	2.4	4.4	8.3	16.6
1987.....	*	*	*	0.4	0.7	1.4	2.3	4.9	8.3	16.0
1986.....	*	*	*	0.4	0.8	1.5	2.5	4.7	9.3	17.4
1985.....	*	*	*	0.5	1.1	1.4	2.6	4.8	8.8	19.3
1984.....	*	*	*	0.5	0.9	1.5	3.1	4.8	8.9	19.2
1983.....	*	*	0.4	0.5	1.0	1.6	2.9	4.4	7.8	17.1
1982.....	*	*	*	0.7	1.1	1.6	2.7	4.9	10.1	18.5
1981.....	*	*	0.5	0.8	1.1	1.6	3.0	4.6	8.9	17.4
1980.....	0.1	0.1	0.5	0.6	1.0	1.6	2.4	4.0	8.6	15.7
1979.....	0.2	0.3	0.5	0.6	1.1	1.5	3.2	4.2	7.5	16.3
WHITE, BOTH SEXES										
1998.....	*	0.2	0.3	0.5	0.7	1.0	1.9	3.5	5.7	11.2
1997.....	0.1	0.2	0.2	0.5	0.9	1.1	2.3	3.3	5.9	13.1
1996.....	0.2	0.2	0.3	0.4	0.6	1.3	2.2	3.7	6.4	11.7
1995.....	*	0.2	0.3	0.6	1.0	1.4	2.6	3.6	7.8	13.2
1994.....	0.2	0.3	0.4	0.6	1.0	1.8	3.0	4.6	8.1	15.8
1993.....	*	0.3	0.4	0.6	1.0	1.6	2.8	4.3	8.5	16.6
1992.....	*	0.3	0.3	0.6	0.9	1.7	3.1	5.3	8.5	17.9
1991.....	0.2	0.3	0.3	0.7	1.2	1.7	3.4	5.2	9.2	16.4
1990.....	*	0.2	0.5	0.7	1.0	1.7	3.5	5.7	8.7	17.9
1989.....	*	0.2	0.5	0.8	1.2	2.0	3.5	5.6	10.8	20.6
1988.....	0.2	0.2	0.6	1.0	1.2	2.3	3.6	6.1	10.8	19.1
1987.....	0.2	0.3	0.4	0.7	1.2	2.2	3.5	6.9	10.7	19.7
1986.....	*	0.2	0.4	0.7	1.3	2.1	3.9	6.1	10.6	21.1
1985.....	0.2	0.3	0.6	0.8	1.6	2.7	3.7	6.6	11.3	21.6
1984.....	0.2	0.2	0.6	1.0	1.6	2.5	3.9	6.9	11.4	22.0
1983.....	0.2	0.3	0.7	1.0	1.5	2.8	4.5	6.7	10.2	20.5
1982.....	0.2	0.3	0.6	1.1	1.8	2.9	4.5	7.4	12.3	21.8
1981.....	*	0.4	0.6	1.2	1.7	2.9	4.5	7.2	11.6	21.1
1980.....	0.2	0.2	0.8	1.1	1.8	2.9	4.6	6.7	11.9	19.6
1979.....	0.3	0.5	0.8	1.0	1.9	2.9	4.6	7.0	10.3	19.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DUODENAL ULCER (532)										
WHITE MALE										
1998.....	*	*	0.4	0.6	0.9	1.6	2.4	4.3	7.0	16.0
1997.....	*	0.3	0.3	0.6	1.3	1.5	3.0	4.1	6.7	16.0
1996.....	0.3	*	0.4	0.5	0.8	1.9	3.1	4.9	8.0	15.4
1995.....	*	0.4	0.5	1.0	1.3	2.2	3.2	5.1	11.2	15.5
1994.....	*	0.3	0.6	0.9	1.5	2.7	3.9	6.6	10.7	20.3
1993.....	*	0.4	0.6	0.8	1.4	2.3	3.7	5.9	11.6	19.0
1992.....	*	0.4	0.5	0.9	1.3	2.5	4.6	6.6	11.2	22.4
1991.....	*	0.4	0.5	1.1	1.5	2.5	4.9	7.3	12.7	19.1
1990.....	*	*	0.6	1.1	1.3	2.6	5.3	7.3	11.8	22.4
1989.....	*	0.4	0.7	1.1	1.6	3.0	4.8	7.9	15.0	26.4
1988.....	*	*	0.9	1.4	1.9	3.2	5.0	8.7	14.6	23.8
1987.....	*	0.4	0.7	1.1	1.8	3.1	5.1	9.6	14.8	28.0
1986.....	*	*	0.6	1.0	2.1	2.9	5.9	8.5	12.4	29.3
1985.....	*	0.5	0.9	1.2	2.1	4.2	5.2	9.3	15.9	26.7
1984.....	*	*	0.8	1.4	2.5	3.8	4.9	10.0	16.1	26.2
1983.....	*	0.5	0.9	1.6	1.9	4.5	6.6	10.3	14.3	26.5
1982.....	*	*	1.0	1.6	2.5	4.6	7.0	11.1	16.3	28.0
1981.....	*	0.5	0.7	1.7	2.5	4.3	6.6	11.3	16.3	27.9
1980.....	0.3	0.3	1.1	1.7	2.5	4.5	7.6	11.0	17.7	27.4
1979.....	0.3	0.6	1.2	1.5	2.8	4.7	6.6	11.1	15.1	26.4
WHITE FEMALE										
1998.....	*	*	*	*	0.6	0.5	1.5	2.8	4.9	9.3
1997.....	*	*	*	*	0.6	0.9	1.8	2.7	5.4	12.0
1996.....	*	*	*	*	*	0.7	1.6	2.9	5.5	10.2
1995.....	*	*	*	*	0.8	0.8	2.0	2.6	5.9	12.3
1994.....	*	*	*	0.4	0.5	1.0	2.2	3.2	6.6	14.1
1993.....	*	*	*	0.4	0.6	1.1	2.0	3.2	6.9	15.7
1992.....	*	*	*	*	0.6	1.0	2.1	4.5	7.0	16.2
1991.....	*	*	*	*	0.9	1.1	2.2	3.9	7.4	15.4
1990.....	*	*	*	*	0.7	1.0	2.2	4.6	7.1	16.2
1989.....	*	*	*	0.6	0.9	1.3	2.4	4.1	8.6	18.4
1988.....	*	*	*	0.6	0.6	1.6	2.4	4.4	8.8	17.3
1987.....	*	*	*	*	0.7	1.4	2.4	5.2	8.6	16.5
1986.....	*	*	*	0.5	0.6	1.5	2.5	4.7	9.6	17.9
1985.....	*	*	*	0.6	1.1	1.5	2.5	4.9	8.9	19.5
1984.....	*	*	*	0.6	0.8	1.4	3.2	5.0	9.0	20.3
1983.....	*	*	0.4	0.4	1.0	1.5	3.0	4.5	8.1	18.0
1982.....	*	*	*	0.6	1.1	1.5	2.7	5.1	10.2	19.3
1981.....	*	*	0.4	0.7	1.0	1.7	3.1	4.7	9.1	18.3
1980.....	0.1	0.1	0.5	0.6	1.1	1.6	2.3	4.0	8.9	16.2
1979.....	0.2	0.3	0.5	0.6	1.2	1.5	3.2	4.5	7.7	17.0

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DUODENAL ULCER (532)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	2.4	*	*	5.9
1997.....	*	*	*	*	1.5	*	2.3	3.9	*	7.4
1996.....	*	*	*	*	1.7	1.8	3.6	3.9	5.4	5.6
1995.....	*	*	*	*	*	*	*	4.2	5.3	8.9
1994.....	*	*	*	*	*	1.8	3.8	4.0	7.2	9.6
1993.....	*	*	*	*	*	1.8	3.3	3.6	6.1	7.3
1992.....	*	*	*	*	*	2.0	3.1	3.4	5.7	11.0
1991.....	*	*	*	*	1.8	2.1	3.6	3.7	7.0	7.7
1990.....	*	*	*	*	*	2.0	4.2	4.1	6.4	10.0
1989.....	*	*	*	*	*	2.8	3.6	6.9	*	12.5
1988.....	*	*	*	*	*	*	3.1	5.1	*	8.1
1987.....	*	*	*	*	*	*	2.8	4.7	*	9.6
1986.....	*	*	*	*	1.9	2.0	3.7	6.9	7.1	12.6
1985.....	*	*	*	*	2.3	*	4.2	5.0	9.8	17.0
1984.....	*	*	*	*	2.3	2.2	3.3	*	8.4	*
1983.....	*	*	*	*	1.8	2.9	4.0	4.7	*	11.0
1982.....	*	*	*	*	*	2.5	3.2	*	12.4	10.1
1981.....	*	*	*	*	2.2	2.2	4.5	5.2	*	*
1980.....	0.5	0.7	1.3	1.2	1.2	2.2	3.9	4.7	7.0	10.6
1979.....	0.3	0.6	1.9	1.2	1.4	2.2	3.6	4.1	6.7	9.2
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	6.1	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	4.4	*	9.0	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	10.5	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	6.8	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.8	1.1	2.3	2.2	2.5	3.1	5.4	5.6	10.3	13.2
1979.....	0.6	1.1	3.1	1.8	1.9	2.6	4.2	7.1	9.3	11.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DUODENAL ULCER (532)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	11.2
1989.....	*	*	*	*	*	*	*	5.6	*	12.6
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	16.7
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.4	0.4	0.5	0.2	1.6	2.7	4.2	4.9	9.3
1979.....	0.1	0.1	1.0	0.8	0.9	2.0	3.2	1.9	5.1	7.9
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	3.7	*	*
1996.....	*	*	*	*	*	*	3.8	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	3.5	*	6.3	10.2
1993.....	*	*	*	*	*	*	3.6	*	*	*
1992.....	*	*	*	*	*	*	3.2	*	*	8.9
1991.....	*	*	*	*	*	*	3.0	*	*	*
1990.....	*	*	*	*	*	2.3	4.4	4.1	6.9	*
1989.....	*	*	*	*	*	2.9	3.8	7.1	*	11.4
1988.....	*	*	*	*	*	*	3.5	4.9	*	*
1987.....	*	*	*	*	*	*	*	5.4	*	*
1986.....	*	*	*	*	2.3	*	4.3	5.5	*	12.9
1985.....	*	*	*	*	2.6	*	4.4	4.7	9.0	13.8
1984.....	*	*	*	*	2.4	2.5	3.4	*	8.9	*
1983.....	*	*	*	*	*	2.7	4.1	*	*	12.0
1982.....	*	*	*	*	*	2.7	3.4	*	10.6	*
1981.....	*	*	*	*	2.5	*	5.0	5.2	*	*
1980.....	0.6	0.9	1.4	1.3	1.3	2.2	3.7	4.4	6.5	8.8
1979.....	0.2	0.7	2.1	1.3	1.5	2.2	4.1	3.8	6.5	8.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 DUODENAL ULCER (532)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	1.1	1.4	2.8	2.6	2.6	3.3	5.1	4.6	8.0	7.5
1979.....	0.4	1.3	3.4	2.1	2.2	2.4	4.9	6.2	9.1	9.6
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	6.6	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.5	0.3	0.3	0.2	1.3	2.7	4.3	5.6	9.4
1979.....	0.1	0.2	1.0	0.7	1.1	2.0	3.5	2.1	4.8	7.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)										
TOTAL, BOTH SEXES										
1998.....	*	0.1	0.2	0.5	0.7	1.4	2.0	3.4	6.2	16.6
1997.....	0.1	0.2	0.3	0.5	0.7	1.2	2.4	4.0	7.3	18.8
1996.....	*	0.2	0.3	0.5	0.8	1.2	2.3	3.9	8.4	19.4
1995.....	0.1	0.2	0.3	0.5	0.9	1.6	2.4	4.6	8.8	21.1
1994.....	*	0.3	0.3	0.6	1.2	1.6	3.0	5.2	9.6	24.1
1993.....	0.2	0.2	0.4	0.7	0.9	1.8	2.6	4.7	10.1	22.1
1992.....	0.1	0.3	0.3	0.6	1.0	1.6	2.9	5.6	10.8	23.6
1991.....	*	0.3	0.4	0.6	1.1	1.6	2.9	5.9	10.1	24.1
1990.....	0.1	0.2	0.3	0.6	1.2	2.0	3.5	5.4	10.7	25.2
1989.....	*	0.2	0.3	0.8	0.9	1.8	3.6	5.7	11.4	24.3
1988.....	0.1	0.2	0.5	0.7	1.1	2.1	3.0	5.9	10.8	25.2
1987.....	0.1	0.2	0.4	0.7	1.0	2.0	3.5	6.3	9.7	23.8
1986.....	0.2	0.3	0.4	0.7	1.2	1.9	3.4	6.1	11.1	23.0
1985.....	*	0.2	0.5	0.7	1.4	2.1	3.8	7.0	11.5	23.7
1984.....	*	0.2	0.3	0.9	1.3	2.2	3.9	6.3	10.1	22.1
1983.....	0.2	0.3	0.4	0.7	1.2	2.2	3.4	6.9	11.6	22.0
1982.....	0.2	0.3	0.4	0.8	1.5	2.4	4.0	6.8	11.2	23.1
1981.....	0.2	0.4	0.6	0.9	1.2	2.3	4.0	6.6	9.9	21.1
1980.....	0.2	0.3	0.6	0.9	1.5	2.0	3.9	5.9	10.7	19.3
1979.....	0.2	0.3	0.5	1.0	1.2	2.0	2.9	6.0	9.1	19.3
TOTAL, MALE										
1998.....	*	*	0.3	0.7	1.1	1.8	2.5	4.4	7.5	18.5
1997.....	*	0.3	0.5	0.6	0.9	1.7	2.9	5.5	8.6	19.2
1996.....	*	0.3	0.5	0.8	1.0	1.3	2.8	5.3	10.8	19.9
1995.....	0.2	0.4	0.4	0.7	1.2	1.9	3.1	6.4	9.8	22.9
1994.....	*	0.4	0.4	0.8	1.6	2.1	3.7	6.5	11.5	27.0
1993.....	0.2	0.3	0.5	0.8	1.2	2.2	3.2	5.9	12.8	25.9
1992.....	*	0.3	*	0.7	1.5	2.1	3.9	7.1	13.3	27.2
1991.....	*	0.4	0.6	0.9	1.3	2.1	4.0	7.6	12.8	29.7
1990.....	*	*	0.5	0.8	1.6	2.7	5.0	7.0	12.8	29.7
1989.....	*	*	0.4	1.1	1.2	2.4	4.9	7.5	15.6	30.2
1988.....	*	0.3	0.7	1.1	1.4	3.0	4.1	7.6	14.3	31.0
1987.....	*	0.3	0.6	0.9	1.4	2.8	4.8	8.9	13.6	27.4
1986.....	*	0.4	0.5	1.1	1.4	2.5	5.0	8.1	14.4	27.0
1985.....	*	0.4	0.7	0.9	2.1	2.9	5.3	9.3	15.1	29.7
1984.....	*	*	0.5	1.3	2.0	3.0	5.0	8.7	13.2	26.4
1983.....	*	0.4	0.6	0.9	1.7	3.2	5.0	9.4	15.2	27.0
1982.....	*	0.4	0.6	1.3	2.1	3.2	5.7	9.6	14.8	29.1
1981.....	*	0.7	0.9	1.3	1.6	3.3	5.7	9.5	13.0	25.8
1980.....	0.3	0.5	0.9	1.2	2.2	2.9	5.7	8.5	15.7	26.0
1979.....	0.4	0.5	0.7	1.4	1.7	3.0	3.9	8.4	12.5	25.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)										
TOTAL, FEMALE										
1998.....	*	*	*	0.4	0.4	1.0	1.5	2.6	5.5	15.7
1997.....	*	*	*	0.4	0.5	0.8	1.9	2.9	6.5	18.7
1996.....	*	*	*	*	0.7	1.1	1.9	3.0	7.0	19.2
1995.....	*	*	*	0.4	0.7	1.3	1.9	3.3	8.2	20.4
1994.....	*	*	*	0.4	0.8	1.1	2.4	4.2	8.5	23.0
1993.....	*	*	0.3	0.5	0.6	1.5	2.1	3.9	8.7	20.7
1992.....	*	*	*	0.6	0.6	1.3	2.1	4.7	9.4	22.2
1991.....	*	*	*	0.4	1.0	1.1	2.1	4.8	8.7	21.9
1990.....	*	*	*	0.4	0.9	1.5	2.4	4.4	9.6	23.4
1989.....	*	*	*	0.5	0.7	1.3	2.6	4.5	9.1	22.0
1988.....	*	*	*	0.4	0.8	1.3	2.3	4.9	9.0	22.9
1987.....	*	*	*	0.5	0.7	1.3	2.5	4.7	7.6	22.3
1986.....	*	*	*	0.4	0.9	1.5	2.2	4.9	9.3	21.4
1985.....	*	*	*	0.5	0.9	1.5	2.8	5.5	9.7	21.3
1984.....	*	*	*	0.6	0.8	1.5	3.0	4.8	8.5	20.4
1983.....	*	*	*	0.6	0.9	1.4	2.3	5.3	9.6	20.0
1982.....	*	*	*	0.5	0.9	1.7	2.8	5.0	9.3	20.6
1981.....	*	*	0.4	0.6	0.8	1.5	2.7	4.8	8.2	19.1
1980.....	0.2	0.2	0.3	0.6	0.9	1.3	2.6	4.3	8.0	16.4
1979.....	0.1	0.2	0.3	0.6	0.8	1.2	2.1	4.5	7.2	16.7
WHITE, BOTH SEXES										
1998.....	*	0.1	0.3	0.5	0.7	1.4	1.9	3.3	6.0	17.1
1997.....	*	0.2	0.3	0.5	0.7	1.1	2.2	4.1	7.3	19.4
1996.....	*	0.2	0.3	0.5	0.8	1.1	2.1	3.9	8.5	20.1
1995.....	*	0.2	0.2	0.5	1.0	1.5	2.3	4.6	8.8	22.2
1994.....	*	0.3	0.3	0.5	1.1	1.5	2.9	5.2	9.6	24.5
1993.....	0.1	0.2	0.4	0.7	0.8	1.7	2.6	4.6	10.4	22.8
1992.....	0.1	0.2	0.2	0.5	0.9	1.6	2.8	5.7	11.3	24.4
1991.....	*	0.3	0.3	0.6	1.1	1.6	3.0	5.8	10.6	24.8
1990.....	*	0.2	0.2	0.5	1.1	1.9	3.5	5.5	11.1	26.1
1989.....	*	*	0.3	0.7	0.9	1.7	3.5	5.6	11.2	25.0
1988.....	*	0.2	0.5	0.7	1.0	2.0	3.2	6.1	11.1	25.9
1987.....	*	*	0.4	0.6	1.0	2.0	3.3	6.5	9.9	24.6
1986.....	*	0.2	0.4	0.7	1.1	1.9	3.4	6.3	11.3	23.9
1985.....	*	0.3	0.5	0.7	1.4	2.1	4.0	7.0	11.7	24.5
1984.....	*	*	0.3	0.9	1.3	2.2	4.0	6.3	10.3	23.1
1983.....	*	*	0.4	0.7	1.2	2.2	3.4	6.9	11.8	23.1
1982.....	*	0.3	0.3	0.8	1.4	2.4	4.1	7.0	11.1	24.1
1981.....	*	0.3	0.5	0.8	1.1	2.3	3.9	6.8	9.7	22.0
1980.....	0.2	0.3	0.6	0.9	1.5	2.1	3.9	6.0	10.8	20.0
1979.....	0.2	0.3	0.3	0.9	1.3	1.9	2.8	6.2	9.5	20.1

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)										
WHITE MALE										
1998.....	*	*	*	0.7	1.0	1.7	2.5	4.3	7.6	19.3
1997.....	*	0.3	0.4	0.6	0.8	1.6	2.8	5.5	8.6	19.8
1996.....	*	*	0.5	0.7	1.0	1.2	2.6	5.3	10.9	21.1
1995.....	*	0.4	*	0.6	1.2	1.8	2.9	6.3	9.5	23.6
1994.....	*	0.4	0.4	0.7	1.5	2.0	3.6	6.7	11.5	27.1
1993.....	*	*	0.5	0.9	1.1	1.9	3.2	5.7	13.0	26.6
1992.....	*	0.3	*	0.5	1.4	2.0	3.9	7.3	13.9	27.9
1991.....	*	0.3	0.5	0.9	1.2	2.1	3.9	7.5	13.4	30.7
1990.....	*	*	*	0.7	1.3	2.5	5.0	7.3	13.1	31.1
1989.....	*	*	*	0.8	1.2	2.3	4.8	7.6	15.6	30.8
1988.....	*	*	0.7	1.0	1.3	3.0	4.3	7.8	14.6	32.0
1987.....	*	*	0.6	0.8	1.3	2.8	4.6	9.1	14.3	28.7
1986.....	*	*	0.5	1.0	1.3	2.4	4.8	8.3	14.7	28.1
1985.....	*	*	0.7	0.8	2.0	2.9	5.4	9.4	15.4	30.8
1984.....	*	*	*	1.3	1.9	3.0	5.1	8.7	13.3	27.7
1983.....	*	*	0.6	0.9	1.6	3.2	4.9	9.5	15.7	28.5
1982.....	*	*	0.5	1.2	1.9	3.2	5.7	10.1	14.6	29.8
1981.....	*	0.6	0.8	1.1	1.5	3.4	5.6	9.6	12.9	27.5
1980.....	0.2	0.4	0.9	1.1	2.3	3.0	5.9	8.5	15.9	27.1
1979.....	0.3	0.4	0.5	1.3	1.7	2.9	3.9	8.6	13.2	26.4
WHITE FEMALE										
1998.....	*	*	*	0.4	0.4	1.1	1.5	2.6	5.1	16.2
1997.....	*	*	*	0.4	0.5	0.8	1.8	3.1	6.6	19.3
1996.....	*	*	*	*	0.7	1.0	1.7	2.9	7.2	19.7
1995.....	*	*	*	0.4	0.8	1.3	1.8	3.4	8.4	21.6
1994.....	*	*	*	*	0.7	1.1	2.4	4.1	8.5	23.5
1993.....	*	*	*	0.5	0.6	1.6	2.1	3.8	9.1	21.4
1992.....	*	*	*	0.5	0.5	1.2	2.0	4.7	9.9	23.1
1991.....	*	*	*	*	0.9	1.1	2.2	4.7	9.0	22.6
1990.....	*	*	*	*	0.9	1.4	2.4	4.3	10.1	24.2
1989.....	*	*	*	0.5	0.6	1.1	2.5	4.3	9.0	22.7
1988.....	*	*	*	0.4	0.7	1.2	2.3	5.0	9.3	23.5
1987.....	*	*	*	0.5	0.7	1.4	2.4	4.8	7.6	23.0
1986.....	*	*	*	0.4	1.0	1.4	2.3	5.0	9.5	22.3
1985.....	*	*	*	0.5	0.8	1.4	3.0	5.5	9.8	22.1
1984.....	*	*	*	0.5	0.8	1.5	3.1	4.7	8.7	21.3
1983.....	*	*	*	0.5	0.8	1.4	2.3	5.3	9.8	20.9
1982.....	*	*	*	0.5	0.9	1.7	2.9	5.1	9.3	21.7
1981.....	*	*	*	0.5	0.8	1.4	2.7	5.1	8.1	19.8
1980.....	0.1	0.2	0.3	0.6	0.9	1.4	2.5	4.4	8.1	17.0
1979.....	0.1	0.2	0.2	0.6	0.8	1.1	2.0	4.7	7.6	17.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	2.4	4.1	8.0	11.3
1997.....	*	*	*	*	*	1.9	3.5	3.0	6.5	13.1
1996.....	*	*	*	*	*	1.9	3.9	4.3	7.1	13.2
1995.....	*	*	*	*	*	2.2	3.3	4.5	8.6	10.8
1994.....	*	*	*	*	1.8	1.9	3.4	5.0	9.8	20.2
1993.....	*	*	*	*	*	2.6	2.8	6.4	7.2	14.6
1992.....	*	*	*	*	1.7	2.1	3.5	4.5	5.5	15.6
1991.....	*	*	*	*	1.7	*	2.5	6.7	5.6	16.4
1990.....	*	*	*	*	2.2	3.0	3.8	4.8	6.7	15.7
1989.....	*	*	*	1.8	*	2.9	4.0	6.4	12.6	17.2
1988.....	*	*	*	*	2.0	2.7	*	4.2	8.1	17.7
1987.....	*	*	*	*	*	*	4.9	4.7	7.5	14.6
1986.....	*	*	*	*	*	2.3	3.7	5.0	8.4	13.0
1985.....	*	*	*	*	2.1	2.5	*	6.3	9.8	14.3
1984.....	*	*	*	1.5	*	2.5	2.9	6.5	8.1	11.5
1983.....	*	*	*	*	2.0	2.5	3.8	6.1	8.8	10.0
1982.....	*	*	*	*	2.3	2.5	3.5	4.8	11.6	13.1
1981.....	*	*	*	1.9	*	*	4.8	4.6	11.6	10.5
1980.....	0.4	0.5	0.9	1.4	1.4	1.5	3.6	5.4	9.6	10.6
1979.....	0.3	0.4	1.3	1.4	1.1	2.8	3.4	4.1	4.0	10.3
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	26.5
1993.....	*	*	*	*	*	4.3	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	3.7	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	24.7
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	6.8	*	*	*
1986.....	*	*	*	*	*	*	6.6	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.6	1.0	1.3	2.4	2.2	2.9	4.0	8.4	13.8	14.8
1979.....	0.6	1.0	2.4	1.8	1.4	3.9	4.2	6.6	5.8	13.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	8.8	11.3
1997.....	*	*	*	*	*	*	*	*	*	13.1
1996.....	*	*	*	*	*	*	3.6	*	*	14.7
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	5.2	9.2	17.4
1993.....	*	*	*	*	*	*	*	5.6	*	12.4
1992.....	*	*	*	*	*	*	*	*	*	13.3
1991.....	*	*	*	*	*	*	*	5.7	*	14.3
1990.....	*	*	*	*	*	*	*	5.5	*	15.1
1989.....	*	*	*	*	*	*	*	6.5	10.8	13.7
1988.....	*	*	*	*	*	*	*	*	*	16.0
1987.....	*	*	*	*	*	*	*	*	*	14.1
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.1	0.5	0.6	0.7	0.4	3.3	3.4	7.0	8.4
1979.....	0.1	-	0.4	1.1	0.9	2.0	2.9	2.3	2.9	8.8
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	3.0	4.5	7.3	10.1
1997.....	*	*	*	*	*	*	3.8	*	6.5	13.7
1996.....	*	*	*	*	*	2.2	4.3	4.9	6.9	12.6
1995.....	*	*	*	*	*	2.3	3.6	5.3	8.2	9.1
1994.....	*	*	*	*	*	*	3.6	4.2	10.7	17.4
1993.....	*	*	*	*	*	3.0	*	5.9	6.8	12.9
1992.....	*	*	*	*	2.1	2.4	3.2	4.4	*	15.6
1991.....	*	*	*	*	2.1	*	*	6.1	*	15.9
1990.....	*	*	*	*	2.7	3.5	4.5	4.5	7.3	15.7
1989.....	*	*	*	2.0	*	2.9	4.1	6.9	13.1	14.1
1988.....	*	*	*	*	2.1	2.7	*	4.9	8.5	17.3
1987.....	*	*	*	*	*	*	4.8	5.0	7.6	13.9
1986.....	*	*	*	*	*	2.5	4.0	5.5	8.6	10.9
1985.....	*	*	*	*	2.4	2.7	*	6.8	9.0	13.8
1984.....	*	*	*	*	*	2.6	*	6.9	*	11.1
1983.....	*	*	*	*	*	2.5	4.3	6.6	9.7	*
1982.....	*	*	*	*	2.4	2.8	3.4	5.3	10.1	*
1981.....	*	*	*	2.1	*	*	4.8	*	12.4	*
1980.....	0.5	0.6	1.1	1.6	1.6	1.7	4.1	4.4	8.5	11.3
1979.....	0.4	0.4	1.3	1.5	1.3	3.0	3.7	4.3	4.5	10.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	1.2	1.6	2.8	2.6	3.3	4.7	7.2	12.0	15.1
1979.....	0.7	1.0	2.4	1.9	1.6	4.1	4.4	6.8	6.5	13.5
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	10.6
1997.....	*	*	*	*	*	*	*	*	*	14.0
1996.....	*	*	*	*	*	*	*	*	*	14.3
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	10.5	16.5
1993.....	*	*	*	*	*	*	*	*	*	11.0
1992.....	*	*	*	*	*	*	*	*	*	13.7
1991.....	*	*	*	*	*	*	*	*	*	14.1
1990.....	*	*	*	*	*	*	*	*	*	14.1
1989.....	*	*	*	*	*	*	*	*	11.4	13.1
1988.....	*	*	*	*	*	*	*	*	*	14.8
1987.....	*	*	*	*	*	*	*	*	*	14.6
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.2	0.6	0.7	0.8	0.4	3.6	2.6	6.4	9.4
1979.....	0.1	-	0.5	1.2	1.1	2.2	3.2	2.5	3.2	8.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 GASTRITIS AND DUODENITIS (535)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	0.2	0.2	0.3	0.5	0.5	1.7	4.1
1997.....	0.1	0.1	0.1	*	0.3	0.3	0.5	0.8	1.5	4.3
1996.....	*	0.1	0.2	*	0.2	0.3	0.5	0.9	1.3	4.7
1995.....	0.1	0.1	*	0.2	0.3	0.5	0.6	1.0	1.8	4.7
1994.....	0.1	0.2	*	0.3	0.3	0.5	0.7	1.1	2.0	5.6
1993.....	0.1	*	0.2	0.2	0.4	0.5	0.7	1.1	2.1	5.0
1992.....	0.1	0.2	*	0.2	0.3	0.6	0.6	1.5	1.9	6.3
1991.....	0.1	0.2	0.3	0.3	0.3	0.4	0.8	1.5	2.7	6.0
1990.....	0.1	0.2	0.2	0.3	0.4	0.6	0.8	1.3	2.3	6.5
1989.....	0.1	*	0.2	0.2	0.4	0.5	0.8	1.4	2.8	6.3
1988.....	0.2	0.2	0.3	0.4	0.4	0.6	0.7	1.4	2.4	5.3
1987.....	0.1	0.2	0.2	0.4	0.5	0.7	1.0	1.5	2.8	5.6
1986.....	0.2	0.2	0.2	0.4	0.4	0.7	0.9	1.5	3.1	5.4
1985.....	*	0.2	0.4	0.3	0.4	0.6	1.0	1.4	2.4	6.0
1984.....	0.2	0.2	0.2	0.4	0.5	0.6	0.9	1.5	2.4	5.8
1983.....	0.2	0.3	0.4	0.4	0.6	0.7	1.0	1.6	2.0	4.7
1982.....	0.2	0.3	0.3	0.5	0.5	0.8	1.0	1.2	2.3	4.9
1981.....	0.2	0.3	0.4	0.5	0.6	0.9	1.1	1.4	2.3	4.6
1980.....	0.2	0.4	0.5	0.4	0.5	0.9	1.0	1.6	2.8	5.1
1979.....	0.2	0.2	0.4	0.5	0.7	0.8	1.1	1.7	2.3	4.8
TOTAL, MALE										
1998.....	*	*	*	*	*	*	0.9	*	1.9	4.5
1997.....	*	0.2	*	*	0.5	*	0.8	1.0	1.8	3.5
1996.....	*	*	*	*	*	*	*	1.3	1.6	5.4
1995.....	*	*	*	*	0.4	0.7	0.7	1.4	2.2	4.8
1994.....	*	0.2	*	0.4	*	0.7	0.8	1.3	2.4	6.3
1993.....	*	*	*	*	0.5	0.6	0.8	1.4	2.7	5.9
1992.....	*	0.3	*	*	0.4	0.8	1.0	2.2	2.3	6.8
1991.....	*	*	0.4	*	0.5	0.7	1.1	1.8	3.4	7.6
1990.....	*	0.3	*	*	0.6	0.7	1.1	1.3	3.0	8.2
1989.....	0.3	*	*	0.4	0.7	0.8	1.1	1.2	3.6	5.8
1988.....	0.3	*	*	0.5	0.7	1.0	1.1	2.2	2.8	6.2
1987.....	*	0.3	*	0.6	0.7	0.9	1.3	2.0	4.0	4.8
1986.....	*	*	*	0.5	0.6	0.9	1.6	1.6	3.7	6.7
1985.....	*	*	0.5	0.5	0.7	0.8	1.4	2.3	3.1	7.5
1984.....	*	0.4	*	0.7	0.7	1.1	1.4	2.2	3.2	7.6
1983.....	*	*	0.6	0.6	0.8	1.1	1.2	2.2	2.9	3.8
1982.....	*	0.4	0.5	0.7	0.8	1.2	1.5	1.6	2.4	5.7
1981.....	*	*	0.6	0.7	0.8	1.5	1.5	1.7	3.1	5.3
1980.....	0.4	0.6	0.8	0.7	0.8	1.1	1.4	2.5	3.0	6.9
1979.....	0.3	0.4	0.6	0.7	1.0	1.3	1.5	2.4	2.7	5.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 GASTRITIS AND DUODENITIS (535)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	*	1.6	4.0
1997.....	*	*	*	*	*	*	*	0.6	1.4	4.6
1996.....	*	*	*	*	*	*	0.5	0.7	1.2	4.4
1995.....	*	*	*	*	*	*	0.4	0.7	1.6	4.7
1994.....	*	*	*	*	*	*	0.5	0.9	1.7	5.3
1993.....	*	*	*	*	*	*	0.7	1.0	1.8	4.6
1992.....	*	*	*	*	*	*	*	1.0	1.7	6.1
1991.....	*	*	*	*	*	*	0.5	1.3	2.3	5.4
1990.....	*	*	*	*	*	0.5	0.6	1.3	1.9	5.9
1989.....	*	*	*	*	*	*	0.5	1.5	2.4	6.5
1988.....	*	*	*	*	*	*	0.5	0.9	2.2	5.0
1987.....	*	*	*	*	*	0.5	0.7	1.2	2.1	5.9
1986.....	*	*	*	*	*	0.5	*	1.4	2.8	4.9
1985.....	*	*	*	*	*	0.5	0.8	0.9	2.0	5.4
1984.....	*	*	*	*	0.3	*	0.6	1.1	2.0	5.1
1983.....	*	*	*	*	0.4	0.4	0.9	1.1	1.5	5.0
1982.....	*	*	*	*	*	0.6	0.7	0.9	2.2	4.6
1981.....	*	*	*	0.4	0.4	0.5	0.8	1.2	1.9	4.4
1980.....	0.1	0.2	0.2	0.3	0.3	0.7	0.7	1.0	2.7	4.3
1979.....	0.1	0.1	0.2	0.2	0.4	0.4	0.8	1.2	2.0	4.4
WHITE, BOTH SEXES										
1998.....	*	*	*	0.2	*	0.3	0.5	0.5	1.6	4.2
1997.....	*	0.1	0.2	*	0.3	0.3	0.5	0.8	1.4	4.3
1996.....	*	0.1	*	*	0.2	0.3	0.4	0.8	1.2	4.9
1995.....	*	*	*	*	0.4	0.4	0.6	0.9	1.7	4.8
1994.....	*	0.2	*	0.3	*	0.5	0.6	1.1	1.9	5.7
1993.....	*	*	0.2	*	0.3	0.5	0.7	1.2	2.0	5.0
1992.....	*	0.2	*	*	0.3	0.5	0.6	1.4	2.0	6.3
1991.....	*	0.2	0.3	0.3	0.3	0.4	0.7	1.5	2.6	6.3
1990.....	*	0.2	*	0.3	0.4	0.6	0.8	1.3	2.4	6.6
1989.....	*	*	0.2	0.3	0.4	0.5	0.7	1.3	2.7	6.3
1988.....	*	0.2	0.3	0.4	0.4	0.6	0.7	1.4	2.5	5.2
1987.....	*	0.2	0.2	0.3	0.5	0.6	1.0	1.5	2.9	5.8
1986.....	*	*	*	0.3	0.4	0.6	1.0	1.5	3.3	5.6
1985.....	*	*	0.3	0.3	0.4	0.6	1.1	1.5	2.4	5.9
1984.....	*	0.2	*	0.4	0.5	0.6	1.0	1.6	2.4	6.0
1983.....	*	0.2	0.4	0.4	0.6	0.7	1.0	1.6	2.0	4.8
1982.....	*	0.2	0.3	0.5	0.5	0.9	0.9	1.1	2.2	5.1
1981.....	*	0.2	0.4	0.5	0.5	0.9	1.2	1.3	2.3	4.7
1980.....	0.2	0.3	0.4	0.4	0.5	0.9	0.9	1.5	2.8	5.3
1979.....	0.1	0.2	0.3	0.4	0.7	0.8	1.1	1.5	2.2	4.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 GASTRITIS AND DUODENITIS (535)										
WHITE MALE										
1998.....	*	*	*	*	*	*	0.7	*	1.9	4.6
1997.....	*	*	*	*	*	*	0.8	1.1	1.6	3.6
1996.....	*	*	*	*	*	*	*	1.1	1.4	5.7
1995.....	*	*	*	*	0.5	0.6	0.7	1.3	2.2	5.1
1994.....	*	*	*	*	*	0.8	0.7	1.3	2.5	6.7
1993.....	*	*	*	*	*	0.6	0.7	1.5	2.8	5.7
1992.....	*	*	*	*	*	0.7	0.9	2.1	2.3	6.6
1991.....	*	*	*	*	0.5	0.7	1.1	1.7	3.3	8.3
1990.....	*	*	*	*	0.6	0.7	1.1	1.3	3.1	8.0
1989.....	*	*	*	0.5	0.7	0.6	1.1	1.1	3.4	5.7
1988.....	*	*	*	0.6	0.6	0.9	1.1	2.3	2.8	5.6
1987.....	*	*	*	0.6	0.7	0.8	1.3	2.0	4.3	5.0
1986.....	*	*	*	*	0.5	0.8	1.6	1.7	3.8	6.8
1985.....	*	*	*	0.4	0.6	0.8	1.4	2.3	3.2	7.0
1984.....	*	*	*	0.7	0.7	1.1	1.5	2.2	3.1	7.4
1983.....	*	*	0.5	0.6	0.9	1.1	1.2	2.2	3.1	3.9
1982.....	*	*	0.4	0.7	0.7	1.3	1.4	1.4	2.2	6.0
1981.....	*	*	0.5	0.7	0.6	1.5	1.5	1.7	3.1	5.3
1980.....	0.3	0.4	0.7	0.6	0.7	1.1	1.4	2.2	3.1	7.4
1979.....	0.2	0.4	0.5	0.7	1.0	1.2	1.6	2.2	2.8	6.0
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	*	1.5	4.0
1997.....	*	*	*	*	*	*	*	0.6	1.3	4.6
1996.....	*	*	*	*	*	*	0.5	0.6	1.1	4.5
1995.....	*	*	*	*	*	*	0.5	0.7	1.5	4.7
1994.....	*	*	*	*	*	*	0.5	0.9	1.6	5.3
1993.....	*	*	*	*	*	*	0.7	1.0	1.6	4.8
1992.....	*	*	*	*	*	*	*	1.0	1.8	6.2
1991.....	*	*	*	*	*	*	0.5	1.3	2.3	5.6
1990.....	*	*	*	*	*	0.5	0.6	1.3	2.0	6.0
1989.....	*	*	*	*	*	*	0.5	1.4	2.3	6.6
1988.....	*	*	*	*	*	*	*	0.9	2.2	5.1
1987.....	*	*	*	*	*	0.5	0.8	1.2	2.2	6.1
1986.....	*	*	*	*	*	0.5	*	1.4	3.0	5.1
1985.....	*	*	*	*	*	0.5	0.8	0.9	2.0	5.4
1984.....	*	*	*	*	*	*	0.6	1.2	2.1	5.4
1983.....	*	*	*	*	*	*	0.9	1.2	1.5	5.2
1982.....	*	*	*	*	*	0.6	0.6	0.8	2.2	4.7
1981.....	*	*	*	0.4	0.4	0.5	0.9	1.1	1.9	4.4
1980.....	0.1	0.2	0.2	0.3	0.3	0.7	0.5	1.0	2.6	4.4
1979.....	0.0	0.1	0.2	0.2	0.4	0.5	0.7	1.1	1.9	4.5

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 GASTRITIS AND DUODENITIS (535)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.8	0.7	0.5	0.7	1.1	2.0	2.5	2.6	2.8
1979.....	0.4	0.3	0.7	0.7	0.7	0.7	1.0	2.7	2.7	3.4
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	1.6	1.3	0.7	1.3	1.3	2.2	6.1	2.3	1.6
1979.....	0.6	0.5	1.4	1.1	0.9	1.6	1.1	3.8	1.2	3.4

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 GASTRITIS AND DUODENITIS (535)

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.1	0.1	0.3	0.2	1.0	1.9	-	2.8	3.4
1979.....	0.2	0.1	0.1	0.5	0.6	-	0.9	1.9	3.6	3.5
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.9	0.8	0.6	0.6	1.2	2.1	2.6	3.0	2.5
1979.....	0.4	0.3	0.6	0.8	0.8	0.8	0.9	2.5	3.0	3.8

CAUSES-OF-DEATH CODE, 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 +
RACE, SEX, AND YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
0 GASTRITIS AND DUODENITIS (535)

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.7	1.7	1.6	0.9	1.0	1.2	2.1	6.5	2.7	1.9
1979.....	0.5	0.6	1.2	1.1	1.1	1.8	0.9	3.1	1.3	3.8

BLACK FEMALE

1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	-	0.2	0.2	0.3	0.2	1.1	2.1	-	3.2	2.8
1979.....	0.3	0.2	0.2	0.5	0.6	-	1.0	2.1	4.0	3.8

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 APPENDICITIS (540-543)										
TOTAL, BOTH SEXES										
1998.....	*	*	*	0.2	0.3	0.4	0.5	0.9	1.2	1.9
1997.....	*	*	*	*	0.3	0.4	0.5	0.6	1.0	1.8
1996.....	*	*	*	*	0.3	0.4	0.5	0.9	1.0	1.7
1995.....	*	*	*	0.2	0.4	0.4	0.5	0.6	1.1	2.0
1994.....	*	0.1	*	*	*	0.3	0.6	0.7	1.1	1.8
1993.....	*	*	*	*	0.3	0.4	0.5	0.6	0.9	1.6
1992.....	*	*	*	0.2	0.2	0.5	0.6	0.8	1.2	2.3
1991.....	*	*	*	0.2	0.3	0.4	0.6	0.6	1.4	1.9
1990.....	0.1	*	*	*	0.3	0.4	0.6	1.1	1.2	2.2
1989.....	*	*	0.2	0.3	0.2	0.5	0.8	1.0	1.3	2.5
1988.....	*	*	*	0.3	0.4	0.5	0.7	1.0	1.8	2.8
1987.....	*	*	*	0.2	0.3	0.5	0.8	1.2	1.6	3.3
1986.....	*	*	*	0.4	0.4	0.6	0.9	1.0	2.1	2.5
1985.....	*	*	*	0.2	0.4	0.6	1.0	1.3	1.5	3.5
1984.....	*	*	*	0.2	0.4	0.5	0.9	1.2	2.3	3.1
1983.....	*	*	*	0.3	0.4	0.7	0.9	1.2	2.0	3.6
1982.....	*	0.2	*	0.3	0.4	0.6	0.9	1.3	1.8	3.5
1981.....	*	*	*	0.3	0.5	0.8	1.3	1.4	2.1	3.3
1980.....	0.1	0.2	0.3	0.5	0.7	0.7	1.1	1.9	2.8	4.5
1979.....	0.1	0.2	0.2	0.4	0.6	0.8	1.5	1.8	2.7	4.1
TOTAL, MALE										
1998.....	*	*	*	0.3	*	0.5	0.8	1.0	1.6	3.0
1997.....	*	*	*	*	0.5	0.6	0.7	0.7	1.5	3.1
1996.....	*	*	*	*	0.4	0.5	0.7	1.3	*	2.5
1995.....	*	*	*	*	0.4	0.7	0.6	0.8	1.8	2.4
1994.....	*	*	*	*	*	0.5	0.8	0.8	1.5	3.0
1993.....	*	*	*	*	*	0.6	0.7	0.8	1.3	2.1
1992.....	*	*	*	*	*	0.7	0.7	1.2	1.9	4.4
1991.....	*	*	*	*	*	0.5	0.8	*	2.1	*
1990.....	*	*	*	*	0.5	0.7	0.9	1.7	1.8	3.1
1989.....	*	*	*	*	*	0.5	1.1	1.6	1.7	2.5
1988.....	*	*	*	*	0.5	0.5	0.9	1.1	2.5	3.6
1987.....	*	*	*	*	*	0.6	1.1	1.5	2.0	4.6
1986.....	*	*	*	0.4	0.6	0.8	1.2	1.2	3.3	4.4
1985.....	*	*	*	*	0.6	0.7	1.4	1.7	1.8	5.0
1984.....	*	*	*	*	0.7	0.7	1.2	1.6	3.4	4.8
1983.....	*	*	*	0.4	0.4	1.1	1.1	1.9	2.5	5.1
1982.....	*	*	*	0.5	0.6	0.7	1.3	1.9	2.9	4.7
1981.....	*	*	*	0.4	0.6	1.0	1.8	1.7	3.2	4.6
1980.....	0.1	0.2	0.4	0.6	0.9	1.0	1.8	2.7	3.3	5.7
1979.....	0.1	0.3	0.3	0.5	0.7	1.1	2.0	2.7	3.4	5.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 APPENDICITIS (540-543)										
TOTAL, FEMALE										
1998.....	*	*	*	*	*	*	*	0.8	0.9	1.5
1997.....	*	*	*	*	*	*	0.4	0.5	0.7	1.3
1996.....	*	*	*	*	*	*	0.4	0.6	1.0	1.4
1995.....	*	*	*	*	*	*	*	0.5	0.8	1.8
1994.....	*	*	*	*	*	*	*	0.6	0.9	1.3
1993.....	*	*	*	*	*	*	*	*	*	1.3
1992.....	*	*	*	*	*	0.4	0.5	*	0.8	1.4
1991.....	*	*	*	*	*	*	*	*	1.0	1.8
1990.....	*	*	*	*	*	*	0.5	0.7	0.9	1.9
1989.....	*	*	*	*	*	0.4	0.6	0.7	1.0	2.5
1988.....	*	*	*	*	*	0.5	0.5	0.9	1.4	2.6
1987.....	*	*	*	*	*	0.4	0.7	0.9	1.4	2.7
1986.....	*	*	*	*	*	0.5	0.6	0.8	1.5	1.8
1985.....	*	*	*	*	*	0.4	0.7	1.1	1.3	2.9
1984.....	*	*	*	*	*	0.4	0.6	0.9	1.7	2.4
1983.....	*	*	*	*	*	0.4	0.8	0.7	1.8	3.0
1982.....	*	*	*	*	*	0.4	0.6	0.9	1.3	3.0
1981.....	*	*	*	*	0.4	0.6	0.9	1.3	1.4	2.7
1980.....	0.1	0.1	0.1	0.4	0.5	0.4	0.6	1.4	2.5	3.9
1979.....	0.1	0.2	0.2	0.4	0.4	0.5	1.1	1.3	2.3	3.6
WHITE, BOTH SEXES										
1998.....	*	*	*	0.2	0.2	0.3	0.5	0.8	1.2	2.0
1997.....	*	*	*	*	0.3	0.3	0.5	0.5	0.9	1.9
1996.....	*	*	*	*	0.3	0.3	0.5	0.8	1.1	1.7
1995.....	*	*	*	*	0.3	0.4	0.4	0.6	1.1	1.9
1994.....	*	*	*	*	*	0.3	0.5	0.6	1.1	1.7
1993.....	*	*	*	*	0.2	0.4	0.4	0.6	0.9	1.5
1992.....	*	*	*	*	*	0.5	0.5	0.7	1.1	2.2
1991.....	*	*	*	*	0.3	0.4	0.5	0.5	1.3	2.0
1990.....	*	*	*	*	0.3	0.3	0.6	1.0	1.2	2.2
1989.....	*	*	*	*	*	0.4	0.7	1.1	1.2	2.3
1988.....	*	*	*	*	0.3	0.4	0.7	0.9	1.7	2.8
1987.....	*	*	*	0.2	0.2	0.4	0.7	1.0	1.5	3.1
1986.....	*	*	*	0.3	0.4	0.5	0.8	1.0	1.9	2.5
1985.....	*	*	*	*	0.4	0.5	0.8	1.2	1.5	3.4
1984.....	*	*	*	0.2	0.3	0.5	0.7	1.1	2.3	3.1
1983.....	*	*	*	0.2	0.3	0.6	0.8	1.2	1.8	3.6
1982.....	*	*	*	0.3	0.4	0.4	0.7	1.2	1.6	3.3
1981.....	*	*	*	0.2	0.4	0.7	1.2	1.3	1.8	3.0
1980.....	0.1	0.1	0.2	0.4	0.5	0.6	1.1	1.8	2.7	4.6
1979.....	0.1	0.1	0.1	0.4	0.5	0.6	1.3	1.7	2.6	4.3

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 APPENDICITIS (540-543)										
WHITE MALE										
1998.....	*	*	*	*	*	*	0.8	0.9	1.7	3.1
1997.....	*	*	*	*	*	*	0.6	*	1.3	3.0
1996.....	*	*	*	*	*	0.5	0.6	1.1	*	2.5
1995.....	*	*	*	*	*	0.7	*	*	1.6	2.3
1994.....	*	*	*	*	*	0.6	0.6	*	*	2.9
1993.....	*	*	*	*	*	0.6	*	0.8	*	*
1992.....	*	*	*	*	*	0.7	*	1.1	1.8	4.5
1991.....	*	*	*	*	*	*	0.7	*	2.0	*
1990.....	*	*	*	*	0.5	0.5	0.8	1.6	*	3.4
1989.....	*	*	*	*	*	0.5	1.0	1.7	*	*
1988.....	*	*	*	*	*	*	0.8	1.0	2.2	3.3
1987.....	*	*	*	*	*	*	0.9	1.5	2.0	4.3
1986.....	*	*	*	*	0.6	0.7	1.0	1.2	2.8	4.4
1985.....	*	*	*	*	0.5	0.6	1.2	1.6	*	4.8
1984.....	*	*	*	*	0.5	0.6	1.1	1.6	3.6	4.7
1983.....	*	*	*	*	*	0.9	0.9	1.9	2.1	4.8
1982.....	*	*	*	0.4	0.5	0.6	1.1	1.7	2.4	4.5
1981.....	*	*	*	*	0.5	1.0	1.6	1.5	2.4	4.1
1980.....	0.1	0.2	0.3	0.6	0.7	0.9	1.7	2.6	3.1	5.8
1979.....	0.1	0.2	0.2	0.4	0.7	0.8	1.8	2.3	3.2	5.7
WHITE FEMALE										
1998.....	*	*	*	*	*	*	*	0.8	0.9	1.5
1997.....	*	*	*	*	*	*	*	*	*	1.4
1996.....	*	*	*	*	*	*	0.5	0.6	1.0	1.3
1995.....	*	*	*	*	*	*	*	*	0.8	1.8
1994.....	*	*	*	*	*	*	*	*	0.9	1.3
1993.....	*	*	*	*	*	*	*	*	*	1.3
1992.....	*	*	*	*	*	*	0.5	*	*	1.3
1991.....	*	*	*	*	*	*	*	*	1.0	1.9
1990.....	*	*	*	*	*	*	*	0.7	1.0	1.7
1989.....	*	*	*	*	*	*	0.5	0.7	1.0	2.3
1988.....	*	*	*	*	*	*	0.5	0.8	1.4	2.6
1987.....	*	*	*	*	*	*	0.7	0.7	1.2	2.6
1986.....	*	*	*	*	*	*	0.6	0.8	1.4	1.8
1985.....	*	*	*	*	*	*	0.5	0.9	1.3	2.8
1984.....	*	*	*	*	*	*	0.5	0.8	1.6	2.4
1983.....	*	*	*	*	*	0.4	0.7	0.7	1.7	3.1
1982.....	*	*	*	*	*	*	*	0.8	1.2	2.8
1981.....	*	*	*	*	*	*	0.9	1.2	1.4	2.5
1980.....	0.1	0.1	0.1	0.3	0.3	0.3	0.6	1.3	2.5	4.1
1979.....	0.0	0.1	0.1	0.3	0.3	0.4	0.9	1.3	2.3	3.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 APPENDICITIS (540-543)										
ALL OTHER, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	2.2	*	*	*	*
1980.....	0.3	0.5	0.9	1.1	2.3	1.6	1.9	2.5	3.1	2.8
1979.....	0.3	0.7	0.8	1.0	1.4	2.2	2.9	3.4	3.6	2.3
ALL OTHER MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.6	1.2	1.3	2.5	2.1	2.9	3.3	5.7	4.9
1979.....	0.3	1.1	1.0	1.1	1.4	3.4	3.4	6.6	5.8	1.7

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 APPENDICITIS (540-543)										
ALL OTHER FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.4	0.7	0.9	2.1	1.2	1.1	1.9	1.4	1.7
1979.....	0.4	0.4	0.7	0.9	1.3	1.4	2.6	1.2	2.2	2.6
BLACK, BOTH SEXES										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	2.5	*	*	*	*
1980.....	0.4	0.6	1.1	1.2	2.5	1.7	2.1	2.6	3.0	3.1
1979.....	0.4	0.9	1.0	1.0	1.4	2.3	3.3	3.5	4.0	2.6

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 APPENDICITIS (540-543)										
BLACK MALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.8	1.4	1.5	2.8	2.4	3.4	3.3	5.3	5.7
1979.....	0.4	1.3	1.2	1.1	1.6	3.3	4.0	6.8	6.5	1.9
BLACK FEMALE										
1998.....	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.5	0.8	1.0	2.3	1.1	1.2	2.1	1.6	1.9
1979.....	0.4	0.5	0.8	1.0	1.3	1.5	2.9	1.3	2.4	2.9

CAUSES-OF-DEATH CODE, RACE, SEX, AND YEAR	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 + YEARS
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)										
TOTAL, BOTH SEXES										
1998.....	0.3	0.5	0.7	1.1	2.0	3.2	6.5	12.5	27.0	68.3
1997.....	0.3	0.4	0.7	1.1	1.8	3.4	6.4	13.2	25.5	70.2
1996.....	0.3	0.5	0.6	1.2	2.0	3.1	6.8	12.9	27.2	70.5
1995.....	0.3	0.5	0.7	0.9	1.9	3.3	6.6	12.8	27.0	67.9
1994.....	0.3	0.5	0.8	1.2	2.2	3.5	6.2	12.6	26.7	70.5
1993.....	0.2	0.4	0.6	0.9	2.0	3.4	6.4	12.9	26.6	69.2
1992.....	0.2	0.4	0.6	1.2	1.9	3.9	6.5	13.6	27.1	73.6
1991.....	0.2	0.6	0.7	1.0	2.2	3.8	7.2	14.1	28.8	72.8
1990.....	0.3	0.4	0.7	1.0	2.1	3.5	6.6	14.1	28.6	73.4
1989.....	0.3	0.5	0.5	1.3	2.1	3.5	6.9	13.5	27.2	67.4
1988.....	0.3	0.6	0.7	1.2	2.2	3.5	7.2	13.5	28.5	71.6
1987.....	0.2	0.4	0.8	1.1	2.4	3.9	7.3	14.2	28.0	69.5
1986.....	0.3	0.4	0.8	1.2	2.4	3.8	7.4	14.3	28.9	68.3
1985.....	0.3	0.3	0.8	1.5	2.2	3.8	7.1	14.6	30.8	68.7
1984.....	0.2	0.5	0.8	1.2	2.4	4.4	6.7	15.4	28.6	69.6
1983.....	0.3	0.4	0.9	1.3	2.4	4.4	7.7	14.4	28.1	64.9
1982.....	0.3	0.6	1.0	1.5	2.3	4.3	7.4	13.9	28.7	66.9
1981.....	0.4	0.7	1.1	1.5	2.2	4.6	9.0	15.5	31.3	68.0
1980.....	0.5	0.6	1.2	1.7	2.9	4.8	8.9	16.3	31.7	71.0
1979.....	0.4	0.6	1.3	1.9	2.9	5.5	9.3	16.3	33.1	64.2
TOTAL, MALE										
1998.....	0.3	0.6	0.8	1.0	2.1	3.2	6.8	13.5	25.4	55.1
1997.....	0.3	0.5	0.8	1.4	2.1	3.7	6.6	14.2	27.2	61.8
1996.....	0.3	0.6	0.7	1.3	2.1	3.2	8.0	12.9	27.6	65.1
1995.....	0.3	0.5	0.7	0.9	2.2	3.4	7.0	12.5	27.9	64.2
1994.....	0.3	0.5	0.9	1.4	2.3	3.8	6.9	13.6	28.1	62.7
1993.....	0.3	0.4	0.7	1.0	2.2	3.9	7.0	13.9	27.0	63.5
1992.....	0.2	0.4	0.7	1.2	2.0	4.2	6.7	15.4	27.7	68.5
1991.....	0.3	0.7	0.7	1.0	2.2	3.9	7.5	14.1	30.8	67.1
1990.....	0.3	0.4	0.7	1.2	2.1	3.6	7.0	15.9	28.4	66.8
1989.....	0.3	0.3	0.5	1.4	2.4	3.7	7.1	14.2	30.7	59.3
1988.....	0.3	0.7	0.7	1.4	2.4	3.6	7.7	14.0	29.5	62.6
1987.....	0.3	0.6	0.9	1.1	2.4	4.0	7.8	15.3	30.7	63.3
1986.....	0.4	0.4	0.8	1.3	2.6	3.6	8.1	16.2	30.1	65.2
1985.....	0.3	*	0.9	1.6	2.1	3.9	8.5	16.1	31.7	63.9
1984.....	0.3	0.4	0.8	1.3	2.5	4.2	7.5	17.5	32.8	60.2
1983.....	0.3	0.5	0.8	1.3	2.7	5.2	9.1	16.4	32.3	62.7
1982.....	0.3	0.5	1.1	1.4	2.5	4.7	8.2	13.8	28.6	64.3
1981.....	0.4	0.7	1.0	1.5	2.1	5.3	9.5	17.7	30.2	66.9
1980.....	0.4	0.7	1.3	1.6	3.1	5.0	9.4	17.2	33.2	70.9
1979.....	0.5	0.6	1.6	1.8	3.0	6.0	9.1	18.5	32.4	59.3