

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
UNITED STATES --	2312,132	29,583	6,393	3,780	4,816	15,089	19,155	22,681	35,064	46,487	55,783	65,623
WHITE-----MALE----	997,277	11,103	2,477	1,589	2,213	7,773	10,226	11,650	18,302	23,474	27,575	32,221
FEMALE--	990,160	8,387	1,889	1,112	1,335	3,084	3,102	4,067	6,553	9,650	12,540	17,054
ALL OTHER--MALE----	175,682	5,519	1,132	623	794	3,295	4,483	4,922	6,952	8,865	10,217	10,388
FEMALE--	149,013	4,574	895	456	474	937	1,344	2,042	3,257	4,498	5,451	5,960
BLACK---MALE----	154,175	5,002	973	535	668	2,895	3,908	4,400	6,283	8,107	9,318	9,410
FEMALE--	132,226	4,116	769	380	391	780	1,140	1,809	2,948	4,108	4,943	5,295
ALABAMA -----	42,362	592	145	75	99	363	442	481	682	877	1,033	1,250
WHITE-----MALE----	15,878	167	36	25	41	156	189	219	296	352	402	536
FEMALE--	15,463	117	31	16	22	57	63	80	127	165	193	238
ALL OTHER--MALE----	5,820	180	39	20	27	113	157	133	169	226	269	293
FEMALE--	5,201	128	39	14	9	37	33	49	90	134	169	183
BLACK---MALE----	5,787	177	38	20	27	113	154	130	168	224	269	292
FEMALE--	5,168	125	39	14	9	37	32	49	87	133	168	180
ALASKA -----	2,553	79	26	15	20	40	57	72	99	103	142	139
WHITE-----MALE----	1,146	28	5	5	4	19	32	32	40	56	72	72
FEMALE--	707	15	6	4	7	5	3	9	18	18	25	37
ALL OTHER--MALE----	413	18	13	3	7	11	16	19	30	20	30	21
FEMALE--	287	18	2	3	2	5	6	12	11	9	15	9
BLACK---MALE----	41	7	2	-	-	1	4	2	2	1	2	3
FEMALE--	29	4	-	1	-	3	-	-	-	1	2	1
ARIZONA -----	35,342	547	139	62	90	327	406	445	640	767	979	932
WHITE-----MALE----	17,605	251	56	28	44	200	243	291	412	448	569	551
FEMALE--	15,246	206	37	13	30	54	69	66	135	188	248	284
ALL OTHER--MALE----	1,459	50	26	14	8	63	77	70	71	94	104	63
FEMALE--	1,032	40	20	7	8	10	17	18	22	37	58	34
BLACK---MALE----	537	25	10	5	2	25	14	19	18	25	33	24
FEMALE--	374	13	5	2	2	3	5	5	5	15	22	14
ARKANSAS -----	26,702	309	71	38	87	214	230	248	355	399	542	678
WHITE-----MALE----	11,658	105	34	16	44	97	113	132	175	198	269	332
FEMALE--	10,812	90	14	12	19	41	40	40	86	95	124	210
ALL OTHER--MALE----	2,221	58	16	8	14	64	56	55	62	71	98	89
FEMALE--	2,011	56	7	2	10	12	21	21	32	35	51	47
BLACK---MALE----	2,178	57	16	8	13	63	54	53	60	66	95	88
FEMALE--	1,981	53	7	2	10	12	20	20	32	34	50	47
CALIFORNIA -----	224,213	3,487	764	437	530	1,769	2,416	2,830	4,499	5,525	6,703	7,312
WHITE-----MALE----	99,677	1,492	356	172	258	1,025	1,511	1,756	2,778	3,296	3,843	3,935
FEMALE--	93,287	1,133	251	156	145	327	365	436	760	1,109	1,451	1,876
ALL OTHER--MALE----	17,521	470	92	70	83	318	434	465	672	776	943	950
FEMALE--	13,728	392	65	39	44	99	106	173	289	344	466	551
BLACK---MALE----	10,150	310	60	46	44	198	303	356	511	566	683	655
FEMALE--	8,105	270	46	16	25	60	61	109	210	232	323	367

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
UNITED STATES --	77,377	96,641	138,871	204,347	276,543	315,516	336,661	291,940	182,567	70,122	16,630	463
WHITE-----MALE----	37,939	47,443	69,377	102,592	135,885	147,548	140,862	101,031	49,201	14,100	2,440	256
FEMALE--	22,570	29,874	44,922	71,423	105,424	134,286	163,708	166,999	119,229	50,577	12,279	96
ALL OTHER--MALE----	10,374	11,405	14,065	16,823	18,701	16,824	14,174	9,523	4,662	1,479	387	75
FEMALE--	6,494	7,919	10,507	13,509	16,533	16,858	17,917	14,387	9,475	3,966	1,524	36
BLACK---MALE----	9,254	10,082	12,463	14,850	16,217	14,533	11,958	7,812	3,854	1,251	333	69
FEMALE--	5,660	6,995	9,228	11,938	14,700	14,902	15,840	12,891	8,460	3,531	1,370	32
ALABAMA -----	1,549	2,030	2,941	4,059	5,050	5,448	6,008	5,070	2,903	1,010	254	1
WHITE-----MALE----	669	920	1,364	1,820	2,209	2,243	2,083	1,368	611	151	21	-
FEMALE--	355	560	803	1,237	1,648	2,035	2,673	2,681	1,642	601	119	-
ALL OTHER--MALE----	343	332	449	560	632	560	574	423	227	67	27	-
FEMALE--	182	218	325	442	561	610	678	598	423	191	87	1
BLACK---MALE----	338	332	447	560	628	559	571	420	226	67	27	-
FEMALE--	181	215	322	442	559	607	674	597	421	190	86	1
ALASKA -----	142	163	195	241	270	233	244	151	87	25	9	1
WHITE-----MALE----	81	95	106	114	126	103	79	50	19	7	1	-
FEMALE--	23	30	44	59	89	80	100	73	43	13	5	1
ALL OTHER--MALE----	23	21	27	39	32	29	32	10	9	2	1	-
FEMALE--	15	17	18	29	23	21	33	18	16	3	2	-
BLACK---MALE----	1	-	3	5	3	2	1	2	-	-	-	-
FEMALE--	1	-	2	3	4	3	3	-	1	-	-	-
ARIZONA -----	1,162	1,475	2,146	3,225	4,430	4,973	5,135	4,040	2,406	815	179	22
WHITE-----MALE----	624	831	1,197	1,793	2,423	2,616	2,448	1,572	772	186	33	17
FEMALE--	400	505	771	1,223	1,795	2,134	2,462	2,342	1,546	600	134	4
ALL OTHER--MALE----	76	79	104	119	119	109	101	68	30	9	4	1
FEMALE--	62	60	74	90	93	114	124	58	58	20	8	-
BLACK---MALE----	26	27	46	52	47	59	42	22	12	3	-	1
FEMALE--	15	20	32	32	33	51	47	19	26	8	-	-
ARKANSAS -----	833	1,187	1,628	2,347	3,189	3,635	4,032	3,588	2,199	704	186	3
WHITE-----MALE----	415	616	885	1,228	1,620	1,715	1,713	1,206	580	137	25	3
FEMALE--	248	360	469	756	1,144	1,455	1,791	1,934	1,324	447	113	-
ALL OTHER--MALE----	109	120	161	200	230	206	253	189	103	46	13	-
FEMALE--	61	91	113	163	195	259	275	259	192	74	35	-
BLACK---MALE----	106	118	157	197	226	205	251	186	103	43	13	-
FEMALE--	60	89	112	162	194	252	272	254	191	73	35	-
CALIFORNIA -----	7,999	9,484	13,019	18,480	26,313	29,540	31,106	26,889	16,897	6,520	1,600	94
WHITE-----MALE----	4,055	4,706	6,528	8,943	12,550	13,540	13,054	9,484	4,687	1,407	240	61
FEMALE--	2,333	2,922	4,216	6,757	10,196	12,520	14,771	14,910	10,796	4,624	1,208	25
ALL OTHER--MALE----	942	1,102	1,293	1,547	2,028	1,839	1,571	1,198	548	143	31	6
FEMALE--	669	754	982	1,233	1,539	1,641	1,710	1,297	866	346	121	2
BLACK---MALE----	609	702	776	902	1,064	923	700	444	223	57	15	3
FEMALE--	425	468	570	710	933	900	913	736	469	194	67	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
COLORADO -----	25,011	352	66	42	74	214	261	344	503	651	762	770
WHITE-----MALE----	12,123	177	31	25	40	128	169	241	336	401	475	443
FEMALE--	11,616	123	27	14	26	60	56	62	115	165	214	257
ALL OTHER--MALE----	695	25	4	2	6	21	27	26	39	52	43	48
FEMALE--	577	27	4	1	2	5	9	15	13	33	30	22
BLACK---MALE----	521	21	1	1	4	16	21	18	31	42	33	38
FEMALE--	419	23	2	1	1	2	6	9	5	26	23	17
CONNECTICUT -----	29,457	317	53	26	47	125	171	266	390	549	643	759
WHITE-----MALE----	13,169	126	24	13	23	79	93	143	210	280	319	398
FEMALE--	14,100	119	16	4	14	18	40	57	88	127	166	220
ALL OTHER--MALE----	1,220	35	7	5	5	21	25	42	64	97	106	92
FEMALE--	968	37	6	4	5	7	13	24	28	45	52	49
BLACK---MALE----	1,154	33	6	5	5	21	23	39	62	94	102	88
FEMALE--	913	35	6	3	5	7	12	24	27	41	50	47
DELAWARE -----	6,282	77	16	10	11	38	34	60	120	160	171	173
WHITE-----MALE----	2,542	24	7	4	2	18	15	28	55	60	69	74
FEMALE--	2,591	22	4	4	5	7	7	12	18	29	31	41
ALL OTHER--MALE----	622	19	4	2	2	7	10	19	25	44	47	33
FEMALE--	527	12	1	-	2	6	2	1	22	27	24	25
BLACK---MALE----	604	19	4	2	2	7	10	19	25	42	47	33
FEMALE--	506	12	1	-	2	6	2	1	21	27	23	22
DISTRICT OF COLUMBIA ----	6,896	146	24	8	11	94	118	154	240	312	351	350
WHITE-----MALE----	788	8	-	1	2	2	5	13	33	44	43	50
FEMALE--	714	5	3	-	-	-	1	3	1	7	5	6
ALL OTHER--MALE----	2,993	59	9	5	6	83	95	107	150	182	219	204
FEMALE--	2,401	74	12	2	3	9	17	31	56	79	84	90
BLACK---MALE----	2,976	59	9	5	6	83	95	107	150	180	218	204
FEMALE--	2,389	74	11	2	3	9	17	31	56	78	84	89
FLORIDA -----	153,176	1,420	354	200	236	669	1,037	1,388	2,327	3,070	3,510	3,830
WHITE-----MALE----	71,541	467	115	75	104	328	555	718	1,187	1,545	1,726	2,004
FEMALE--	64,188	390	101	45	64	141	151	225	385	571	763	925
ALL OTHER--MALE----	9,540	315	83	49	42	146	234	274	465	606	624	573
FEMALE--	7,907	248	55	31	26	54	97	171	290	348	397	328
BLACK---MALE----	9,263	306	82	47	39	139	220	271	453	591	607	553
FEMALE--	7,685	243	54	28	26	52	94	168	285	338	390	317
GEORGIA -----	58,387	1,057	221	125	145	492	606	793	1,191	1,502	1,750	2,163
WHITE-----MALE----	20,886	266	66	47	52	196	223	297	441	573	671	812
FEMALE--	20,825	202	57	19	31	89	99	95	147	222	287	426
ALL OTHER--MALE----	8,770	315	66	35	40	154	208	276	424	467	513	597
FEMALE--	7,906	274	32	24	22	53	76	125	179	240	279	328
BLACK---MALE----	8,649	308	66	35	38	151	204	272	416	463	508	584
FEMALE--	7,813	272	32	24	21	51	75	124	178	234	275	321

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
COLORADO -----	819	964	1,491	2,078	2,895	3,188	3,426	3,147	1,982	807	175	-
WHITE-----MALE----	476	523	831	1,151	1,559	1,599	1,589	1,167	541	193	28	-
FEMALE--	282	372	577	820	1,210	1,470	1,758	1,896	1,382	589	141	-
ALL OTHER--MALE----	41	41	50	63	58	59	32	30	17	7	4	-
FEMALE--	20	28	33	44	68	60	47	54	42	18	2	-
BLACK---MALE----	28	33	43	42	40	45	22	21	10	7	4	-
FEMALE--	11	20	22	30	50	41	39	40	35	14	2	-
CONNECTICUT -----	872	1,072	1,551	2,424	3,325	4,239	4,559	4,077	2,583	1,107	301	1
WHITE-----MALE----	443	547	806	1,279	1,759	2,104	2,009	1,492	773	205	43	1
FEMALE--	274	360	578	946	1,379	1,965	2,378	2,486	1,746	870	249	-
ALL OTHER--MALE----	97	100	102	114	102	85	65	35	15	4	2	-
FEMALE--	58	65	65	85	85	85	107	64	49	28	7	-
BLACK---MALE----	94	91	99	109	95	84	57	31	12	3	1	-
FEMALE--	55	60	62	84	79	78	98	60	45	28	7	-
DELAWARE -----	208	275	398	642	838	877	811	721	440	168	32	2
WHITE-----MALE----	99	121	177	305	406	372	331	238	103	27	6	1
FEMALE--	52	85	134	230	309	379	374	401	294	129	23	1
ALL OTHER--MALE----	34	46	53	71	71	59	40	23	12	-	1	-
FEMALE--	23	23	34	36	52	67	66	59	31	12	2	-
BLACK---MALE----	31	44	52	67	68	58	39	22	12	-	1	-
FEMALE--	23	23	29	35	50	63	64	58	31	12	1	-
DISTRICT OF COLUMBIA ----	336	363	482	549	688	742	792	588	340	171	33	4
WHITE-----MALE----	32	30	39	62	77	88	111	89	38	18	2	1
FEMALE--	18	17	23	21	53	84	128	154	111	66	8	-
ALL OTHER--MALE----	179	196	239	252	294	271	228	126	59	24	3	3
FEMALE--	107	120	181	214	264	299	325	219	132	63	20	-
BLACK---MALE----	177	195	237	252	292	271	226	123	58	23	3	3
FEMALE--	107	120	180	214	262	299	322	218	130	63	20	-
FLORIDA -----	4,520	5,742	8,653	13,421	18,637	21,819	23,682	20,877	12,496	4,334	909	45
WHITE-----MALE----	2,294	2,927	4,526	7,162	9,783	11,079	11,221	8,463	4,042	1,024	174	22
FEMALE--	1,294	1,737	2,787	4,667	7,152	9,096	10,932	11,239	7,807	3,067	642	7
ALL OTHER--MALE----	593	659	812	904	906	820	684	445	212	66	20	8
FEMALE--	339	419	528	688	796	824	845	730	435	177	73	8
BLACK---MALE----	571	641	790	877	887	797	657	440	202	65	20	8
FEMALE--	325	406	506	666	770	798	825	718	425	171	72	8
GEORGIA -----	2,516	2,975	3,982	5,309	6,812	7,431	7,755	6,349	3,595	1,294	313	11
WHITE-----MALE----	1,052	1,255	1,771	2,284	2,802	2,875	2,555	1,719	718	187	22	2
FEMALE--	559	755	1,045	1,576	2,284	2,855	3,469	3,386	2,165	873	184	-
ALL OTHER--MALE----	567	572	677	779	887	811	694	425	184	58	14	7
FEMALE--	338	393	489	670	839	890	1,037	819	528	176	93	2
BLACK---MALE----	555	565	667	771	876	804	687	417	183	58	14	7
FEMALE--	330	381	485	660	834	882	1,029	810	524	176	93	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
HAWAII -----	7,633	107	28	12	17	49	80	67	141	182	202	267
WHITE-----MALE----	1,272	8	3	4	2	8	15	13	38	62	58	80
FEMALE--	915	9	1	-	1	3	4	3	8	6	21	30
ALL OTHER--MALE----	3,153	54	11	6	6	26	45	37	65	84	88	91
FEMALE--	2,293	36	13	2	8	12	16	14	30	30	35	66
BLACK---MALE----	52	10	1	-	-	-	1	5	3	1	1	4
FEMALE--	26	3	-	-	-	2	-	-	2	3	3	1
IDAHO -----	8,516	110	35	24	35	97	82	65	97	118	156	199
WHITE-----MALE----	4,401	59	21	15	19	60	59	48	63	82	99	127
FEMALE--	3,977	43	13	9	15	31	19	12	31	28	51	66
ALL OTHER--MALE----	75	6	1	-	1	2	3	4	3	4	3	4
FEMALE--	63	2	-	-	-	4	1	1	-	4	3	2
BLACK---MALE----	6	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	1	-	-	-	-	-	1
ILLINOIS -----	108,469	1,744	334	161	239	744	916	1,017	1,440	2,077	2,466	3,030
WHITE-----MALE----	44,343	564	122	67	103	341	428	432	653	930	1,080	1,375
FEMALE--	45,989	455	91	45	60	145	110	177	243	378	505	696
ALL OTHER--MALE----	9,876	376	73	23	46	208	280	289	380	512	615	617
FEMALE--	8,261	349	48	26	30	50	98	119	164	257	266	342
BLACK---MALE----	9,391	365	70	22	40	202	269	278	369	499	595	596
FEMALE--	7,887	337	45	25	28	48	91	111	157	251	259	330
INDIANA -----	53,287	692	175	108	97	348	484	417	616	842	1,095	1,313
WHITE-----MALE----	23,934	306	72	49	59	196	269	224	358	456	602	725
FEMALE--	24,928	228	63	41	25	78	92	99	145	236	314	401
ALL OTHER--MALE----	2,320	87	18	11	5	59	92	63	77	96	100	119
FEMALE--	2,105	71	22	7	8	15	31	31	36	54	79	68
BLACK---MALE----	2,279	84	18	11	5	58	88	62	76	96	97	118
FEMALE--	2,049	69	22	7	7	13	27	31	35	51	75	68
IOWA -----	28,021	301	52	45	43	177	169	154	207	304	407	505
WHITE-----MALE----	13,291	155	25	29	27	121	115	95	134	177	245	304
FEMALE--	14,236	118	25	13	13	44	46	48	58	104	147	174
ALL OTHER--MALE----	289	20	2	1	2	9	6	6	9	20	11	15
FEMALE--	205	8	-	2	1	3	2	5	6	3	4	12
BLACK---MALE----	235	16	1	1	2	5	4	4	5	14	9	12
FEMALE--	169	5	-	2	1	2	1	3	5	3	4	8
KANSAS -----	23,935	262	64	36	44	135	189	163	267	324	385	480
WHITE-----MALE----	10,931	118	33	19	23	67	108	100	160	194	233	271
FEMALE--	11,613	89	19	13	15	30	44	38	62	81	102	174
ALL OTHER--MALE----	776	29	7	1	2	32	29	20	29	34	38	24
FEMALE--	615	26	5	3	4	6	8	5	16	15	12	11
BLACK---MALE----	688	26	7	-	1	29	24	19	28	30	33	20
FEMALE--	544	25	3	1	3	5	4	4	15	14	11	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
HAWAII -----	293	352	490	675	972	935	1,050	863	565	223	60	3
WHITE-----MALE----	62	63	77	133	168	171	146	101	48	10	2	-
FEMALE--	27	41	47	64	112	98	146	150	103	33	7	1
ALL OTHER--MALE----	119	154	209	289	416	366	446	363	201	65	11	1
FEMALE--	85	94	157	189	276	300	312	249	213	115	40	1
BLACK---MALE----	4	3	4	4	3	4	3	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	2	4	1	-	-
IDAHO -----	270	362	479	717	1,019	1,203	1,324	1,101	666	290	67	-
WHITE-----MALE----	167	217	280	391	583	684	657	479	209	71	11	-
FEMALE--	93	136	183	311	418	511	663	618	454	218	54	-
ALL OTHER--MALE----	6	8	7	8	6	6	2	1	-	-	-	-
FEMALE--	4	1	9	7	12	2	2	3	3	1	2	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	-	-	-	-	-	-
ILLINOIS -----	3,462	4,440	6,333	9,674	12,897	14,761	15,966	13,832	8,819	3,269	844	4
WHITE-----MALE----	1,535	2,014	2,980	4,647	6,159	6,701	6,482	4,706	2,316	594	114	-
FEMALE--	985	1,276	1,966	3,188	4,723	6,279	7,943	7,886	5,779	2,427	630	2
ALL OTHER--MALE----	591	695	801	1,041	1,069	838	635	473	217	76	19	2
FEMALE--	351	455	586	798	946	943	906	767	507	172	81	-
BLACK---MALE----	558	658	764	997	1,022	781	585	425	203	73	18	2
FEMALE--	331	438	571	752	901	900	858	729	485	164	76	-
INDIANA -----	1,682	2,277	3,215	5,019	6,507	7,458	7,937	6,815	4,156	1,663	365	6
WHITE-----MALE----	924	1,184	1,732	2,681	3,299	3,551	3,385	2,373	1,125	308	53	3
FEMALE--	571	832	1,176	1,869	2,691	3,412	4,095	4,111	2,866	1,295	286	2
ALL OTHER--MALE----	115	150	174	247	269	236	207	118	51	22	3	1
FEMALE--	72	111	133	222	248	259	250	213	114	38	23	-
BLACK---MALE----	111	147	174	244	262	233	206	113	50	22	3	1
FEMALE--	69	106	128	216	243	251	246	211	113	38	23	-
IOWA -----	658	902	1,417	2,135	2,999	3,875	4,537	4,240	3,107	1,397	390	-
WHITE-----MALE----	379	532	856	1,233	1,685	2,087	2,167	1,641	922	309	53	-
FEMALE--	258	354	516	852	1,258	1,741	2,326	2,561	2,168	1,078	334	-
ALL OTHER--MALE----	15	10	27	28	34	27	22	18	3	3	1	-
FEMALE--	6	6	18	22	22	20	22	20	14	7	2	-
BLACK---MALE----	11	10	24	27	29	22	19	13	3	3	1	-
FEMALE--	5	5	14	17	17	19	21	16	13	7	1	-
KANSAS -----	675	790	1,232	1,907	2,671	3,239	3,587	3,568	2,574	1,078	263	2
WHITE-----MALE----	379	436	690	1,064	1,376	1,623	1,686	1,346	736	228	39	2
FEMALE--	241	277	450	711	1,134	1,463	1,771	2,119	1,751	819	210	-
ALL OTHER--MALE----	36	40	57	70	83	81	75	43	29	14	3	-
FEMALE--	19	37	35	62	78	72	55	60	58	17	11	-
BLACK---MALE----	32	34	52	63	70	71	65	39	29	13	3	-
FEMALE--	14	31	32	57	63	61	53	56	54	17	11	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 4
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
KENTUCKY -----	37,201	400	101	44	72	259	269	307	485	579	773	1,055
WHITE-----MALE----	17,675	208	48	26	36	169	178	174	301	369	470	605
FEMALE--	16,765	139	36	11	26	60	51	97	129	145	213	353
ALL OTHER--MALE----	1,431	25	7	5	9	23	29	27	36	46	57	58
FEMALE--	1,330	28	10	2	1	7	11	9	19	19	33	39
BLACK---MALE----	1,403	23	6	5	9	23	28	25	35	45	56	58
FEMALE--	1,303	28	10	2	1	7	9	9	18	19	33	36
LOUISIANA -----	39,705	644	135	80	127	385	484	533	694	876	1,135	1,361
WHITE-----MALE----	13,658	138	28	26	40	131	150	180	268	327	404	503
FEMALE--	13,376	93	18	15	27	60	42	63	92	144	174	264
ALL OTHER--MALE----	6,793	239	50	21	42	149	221	208	240	273	344	391
FEMALE--	5,878	174	39	18	18	45	71	82	94	132	213	203
BLACK---MALE----	6,722	236	49	21	40	144	215	204	239	272	339	385
FEMALE--	5,814	174	38	18	18	43	66	81	93	131	211	200
MAINE -----	11,754	90	19	12	26	38	58	67	109	138	190	267
WHITE-----MALE----	5,786	48	8	10	15	29	47	50	69	94	125	154
FEMALE--	5,923	38	10	2	11	9	10	15	38	44	63	112
ALL OTHER--MALE----	25	2	1	-	-	-	1	2	-	-	2	-
FEMALE--	20	2	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	1	-	-	-	-	2	-	-	2	-
FEMALE--	10	2	-	-	-	-	-	-	-	-	-	1
MARYLAND -----	41,842	647	122	70	83	308	362	544	909	1,242	1,277	1,418
WHITE-----MALE----	14,867	158	30	21	29	92	126	162	294	395	417	478
FEMALE--	15,539	124	31	12	17	40	44	60	104	135	203	251
ALL OTHER--MALE----	6,462	205	28	20	20	146	157	223	364	503	479	451
FEMALE--	4,974	160	33	17	17	30	35	99	147	209	178	238
BLACK---MALE----	6,225	196	28	18	19	142	152	220	357	495	467	441
FEMALE--	4,773	152	31	17	17	28	32	95	141	205	174	228
MASSACHUSETTS -----	55,476	421	80	56	68	178	276	392	755	964	1,107	1,368
WHITE-----MALE----	24,692	188	34	29	34	100	164	231	458	588	667	751
FEMALE--	28,141	142	26	16	25	40	57	97	180	225	300	448
ALL OTHER--MALE----	1,443	46	8	6	5	30	39	47	72	106	87	115
FEMALE--	1,200	45	12	5	4	8	16	17	45	45	53	54
BLACK---MALE----	1,210	36	5	4	3	29	34	40	65	94	82	103
FEMALE--	994	34	9	3	3	7	9	16	42	41	49	48
MICHIGAN -----	83,661	1,114	236	158	138	559	699	741	1,076	1,542	1,966	2,431
WHITE-----MALE----	34,785	369	84	67	48	243	295	344	513	658	839	1,092
FEMALE--	35,566	292	61	49	47	122	121	125	210	374	451	571
ALL OTHER--MALE----	7,245	233	52	25	33	151	225	186	259	320	441	472
FEMALE--	6,065	220	39	17	10	43	58	86	94	190	235	296
BLACK---MALE----	6,910	228	49	24	31	147	212	178	252	310	428	452
FEMALE--	5,744	206	33	16	9	38	51	80	90	187	222	273

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 4
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
KENTUCKY -----	1,326	1,798	2,484	3,537	4,738	5,191	5,305	4,507	2,742	1,013	216	-
WHITE-----MALE----	804	993	1,407	1,991	2,463	2,560	2,230	1,603	785	220	35	-
FEMALE--	410	656	861	1,268	1,888	2,289	2,788	2,659	1,805	719	162	-
ALL OTHER--MALE----	69	87	111	140	212	183	127	103	53	19	5	-
FEMALE--	43	62	105	138	175	159	160	142	99	55	14	-
BLACK---MALE----	68	85	107	136	210	180	125	103	52	19	5	-
FEMALE--	42	58	102	136	174	154	158	140	98	55	14	-
LOUISIANA -----	1,583	1,959	2,663	3,787	4,711	5,064	5,362	4,407	2,577	904	233	1
WHITE-----MALE----	549	774	1,032	1,613	1,828	2,014	1,765	1,179	537	147	25	-
FEMALE--	368	448	664	1,041	1,524	1,814	2,249	2,204	1,448	514	110	-
ALL OTHER--MALE----	400	421	534	611	707	614	600	423	215	73	16	1
FEMALE--	266	316	433	522	652	622	748	601	377	170	82	-
BLACK---MALE----	396	417	531	606	701	610	597	420	211	72	16	1
FEMALE--	260	311	427	515	648	618	739	599	375	169	80	-
MAINE -----	373	459	676	1,096	1,441	1,684	1,731	1,632	1,054	483	111	-
WHITE-----MALE----	224	275	432	620	839	892	809	630	292	104	20	-
FEMALE--	146	181	241	473	597	789	915	1,000	760	378	91	-
ALL OTHER--MALE----	1	1	2	2	2	1	4	2	-	-	-	-
FEMALE--	2	2	1	1	3	2	3	-	2	1	-	-
BLACK---MALE----	1	1	1	2	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	2	-	1	1	-	-
MARYLAND -----	1,584	1,889	2,659	3,799	4,983	5,590	5,584	4,661	2,813	1,041	231	26
WHITE-----MALE----	585	749	1,061	1,587	2,050	2,304	2,048	1,415	667	171	23	5
FEMALE--	374	473	741	1,172	1,764	2,217	2,557	2,554	1,780	720	165	1
ALL OTHER--MALE----	381	386	502	622	601	536	431	241	109	39	5	13
FEMALE--	244	281	355	418	568	533	548	451	257	111	38	7
BLACK---MALE----	375	365	484	601	569	506	408	227	99	38	5	13
FEMALE--	237	265	336	400	552	509	524	432	244	109	38	7
MASSACHUSETTS -----	1,512	1,853	2,910	4,521	6,378	7,931	8,614	7,884	5,282	2,311	610	5
WHITE-----MALE----	852	1,031	1,561	2,480	3,453	3,858	3,697	2,701	1,291	435	88	1
FEMALE--	529	678	1,167	1,800	2,671	3,817	4,669	5,023	3,892	1,838	501	-
ALL OTHER--MALE----	89	79	106	132	146	116	101	63	32	11	3	4
FEMALE--	42	65	76	109	108	140	147	97	67	27	18	-
BLACK---MALE----	78	68	84	104	125	96	74	46	25	9	2	4
FEMALE--	28	56	62	92	88	113	116	82	57	24	15	-
MICHIGAN -----	2,786	3,583	5,064	7,768	10,461	11,823	11,955	10,154	6,375	2,414	606	12
WHITE-----MALE----	1,291	1,693	2,415	3,746	4,979	5,363	4,966	3,412	1,785	490	90	3
FEMALE--	813	1,114	1,652	2,693	3,991	5,064	5,715	5,855	4,096	1,705	441	4
ALL OTHER--MALE----	400	464	580	746	810	710	554	346	165	52	16	5
FEMALE--	282	312	417	583	681	686	720	541	329	167	59	-
BLACK---MALE----	377	435	545	711	765	676	533	324	162	50	16	5
FEMALE--	257	289	387	551	642	658	693	518	325	160	59	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 5
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
MINNESOTA -----	37,507	426	91	56	75	202	270	259	387	567	636	819
WHITE-----MALE----	17,835	191	37	21	44	105	166	155	249	341	376	468
FEMALE--	18,486	147	33	26	19	56	60	65	85	160	208	280
ALL OTHER--MALE----	689	58	12	7	5	33	30	30	39	44	32	42
FEMALE--	497	30	9	2	7	8	14	9	14	22	20	29
BLACK---MALE----	375	33	4	3	4	20	19	16	25	26	22	24
FEMALE--	233	18	5	-	1	5	8	4	5	9	11	10
MISSISSIPPI -----	27,026	436	114	47	85	273	303	334	473	539	665	863
WHITE-----MALE----	9,222	91	27	14	23	99	106	106	162	181	231	297
FEMALE--	8,575	60	17	13	13	45	40	42	76	76	108	173
ALL OTHER--MALE----	4,918	160	38	14	34	91	123	122	164	201	209	247
FEMALE--	4,311	125	32	6	15	38	34	64	71	81	117	146
BLACK---MALE----	4,873	159	38	13	33	90	121	120	162	199	206	243
FEMALE--	4,263	123	32	6	15	36	34	64	70	79	114	141
MISSOURI -----	54,402	541	114	79	120	387	431	436	680	845	1,067	1,371
WHITE-----MALE----	23,842	227	55	31	69	180	239	241	394	485	547	736
FEMALE--	24,826	159	29	28	20	93	71	88	127	172	283	369
ALL OTHER--MALE----	3,036	81	13	9	15	99	103	82	115	128	147	166
FEMALE--	2,698	74	17	11	16	15	18	25	44	60	90	100
BLACK---MALE----	2,928	78	13	9	14	97	97	73	112	125	144	162
FEMALE--	2,616	74	17	10	16	14	17	25	41	56	86	97
MONTANA -----	7,629	78	26	16	20	74	57	57	73	120	146	195
WHITE-----MALE----	3,746	47	11	10	12	50	39	31	37	59	87	105
FEMALE--	3,497	22	11	4	4	12	9	13	22	41	37	66
ALL OTHER--MALE----	214	4	2	2	3	10	9	11	12	14	10	12
FEMALE--	172	5	2	-	1	2	-	2	2	6	12	12
BLACK---MALE----	8	1	-	-	-	-	-	2	-	1	-	1
FEMALE--	7	-	-	-	1	-	-	-	-	-	1	-
NEBRASKA -----	15,267	173	27	25	27	94	88	95	135	198	255	272
WHITE-----MALE----	7,122	91	13	11	15	57	56	56	74	125	149	141
FEMALE--	7,547	64	8	11	8	25	21	24	42	56	86	103
ALL OTHER--MALE----	326	9	5	3	4	7	8	11	12	5	13	20
FEMALE--	272	9	1	-	-	5	3	4	7	12	7	8
BLACK---MALE----	258	7	5	2	4	5	5	8	9	4	11	13
FEMALE--	222	6	1	-	-	3	3	3	3	9	6	5
NEVADA -----	12,526	144	37	29	33	91	117	143	254	335	372	449
WHITE-----MALE----	6,562	66	17	11	15	56	71	88	157	195	212	271
FEMALE--	4,887	53	11	14	12	18	20	30	54	78	93	128
ALL OTHER--MALE----	626	9	7	1	4	11	21	21	31	41	47	31
FEMALE--	451	16	2	3	2	6	5	4	12	21	20	19
BLACK---MALE----	441	5	4	-	3	7	18	14	24	28	37	22
FEMALE--	297	14	2	3	2	4	3	3	6	16	12	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 5
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
MINNESOTA -----	1,031	1,209	1,891	2,843	4,016	4,968	5,908	5,628	4,044	1,755	423	3
WHITE-----MALE----	598	712	1,120	1,648	2,306	2,643	2,772	2,181	1,230	396	75	1
FEMALE--	355	437	695	1,112	1,608	2,248	3,045	3,380	2,778	1,346	343	-
ALL OTHER--MALE----	48	32	44	53	56	44	45	22	7	2	2	2
FEMALE--	30	28	32	30	46	33	46	45	29	11	3	-
BLACK---MALE----	28	13	23	18	27	24	22	14	5	2	1	2
FEMALE--	6	11	16	13	21	16	19	26	17	9	3	-
MISSISSIPPI -----	1,001	1,354	1,845	2,471	3,137	3,460	3,724	3,147	1,901	688	165	1
WHITE-----MALE----	363	540	741	1,034	1,325	1,266	1,254	877	379	94	12	-
FEMALE--	213	305	426	638	900	1,132	1,449	1,410	981	387	71	-
ALL OTHER--MALE----	272	295	360	415	491	540	480	369	207	64	21	1
FEMALE--	153	214	318	384	421	522	541	491	334	143	61	-
BLACK---MALE----	268	285	355	412	489	539	479	369	207	64	21	1
FEMALE--	153	211	311	378	420	517	534	489	333	143	60	-
MISSOURI -----	1,703	2,172	3,197	4,737	6,355	7,167	8,156	7,530	5,002	1,866	443	3
WHITE-----MALE----	852	1,099	1,727	2,503	3,258	3,463	3,532	2,496	1,269	377	60	2
FEMALE--	562	733	1,028	1,689	2,468	3,130	4,062	4,575	3,428	1,365	347	-
ALL OTHER--MALE----	170	203	253	297	341	266	237	174	98	31	7	1
FEMALE--	119	137	189	248	288	308	325	285	207	93	29	-
BLACK---MALE----	162	193	240	284	334	258	232	170	94	30	6	1
FEMALE--	113	133	177	241	282	300	318	279	201	90	29	-
MONTANA -----	256	284	454	639	868	1,073	1,217	1,021	636	255	61	3
WHITE-----MALE----	135	163	267	346	488	581	597	413	193	65	8	2
FEMALE--	93	93	164	263	348	455	585	592	427	186	50	-
ALL OTHER--MALE----	19	18	10	15	14	20	12	7	5	3	1	1
FEMALE--	9	10	13	15	18	17	23	9	11	1	2	-
BLACK---MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	3	-	-	-	-	-
NEBRASKA -----	318	495	785	1,211	1,662	2,031	2,359	2,319	1,750	768	180	-
WHITE-----MALE----	181	283	436	684	923	1,090	1,135	857	526	198	21	-
FEMALE--	102	176	300	459	674	882	1,158	1,424	1,203	565	156	-
ALL OTHER--MALE----	29	24	36	34	31	23	30	14	5	2	1	-
FEMALE--	6	12	13	34	34	36	36	24	16	3	2	-
BLACK---MALE----	20	16	26	30	26	19	27	14	5	2	-	-
FEMALE--	5	8	11	30	27	24	35	23	15	3	2	-
NEVADA -----	589	651	986	1,406	1,822	1,774	1,528	1,032	528	158	42	6
WHITE-----MALE----	331	363	548	798	1,034	958	742	429	160	28	9	3
FEMALE--	180	198	331	486	683	734	714	555	337	122	33	3
ALL OTHER--MALE----	44	48	62	74	55	45	35	25	11	3	-	-
FEMALE--	34	42	45	48	50	37	37	23	20	5	-	-
BLACK---MALE----	33	30	51	52	37	30	22	15	7	2	-	-
FEMALE--	23	29	25	23	37	29	25	13	14	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 6
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
NEW HAMPSHIRE -----	9,227	81	21	13	15	45	47	52	92	131	138	257
WHITE-----MALE----	4,468	44	10	7	8	28	39	35	60	97	95	172
FEMALE--	4,711	35	10	6	5	16	7	16	31	33	42	84
ALL OTHER--MALE----	33	-	1	-	1	1	1	1	1	1	1	1
FEMALE--	15	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	20	-	1	-	1	-	-	-	1	1	1	1
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	74,087	761	181	117	96	282	403	664	1,160	1,698	1,951	2,200
WHITE-----MALE----	30,648	259	74	35	41	138	195	304	502	732	840	989
FEMALE--	32,454	206	38	26	20	59	50	103	234	303	364	531
ALL OTHER--MALE----	5,880	158	36	35	21	69	117	161	251	405	499	425
FEMALE--	5,105	138	33	21	14	16	41	96	173	258	248	255
BLACK---MALE----	5,494	150	33	34	20	67	110	159	238	393	478	401
FEMALE--	4,817	128	31	21	12	15	37	95	168	250	238	235
NEW MEXICO -----	12,545	166	46	33	46	151	151	198	257	322	357	384
WHITE-----MALE----	6,043	81	17	21	17	87	94	123	174	190	219	214
FEMALE--	5,387	57	15	8	13	38	23	35	38	72	88	126
ALL OTHER--MALE----	629	10	7	1	12	14	31	26	28	42	38	30
FEMALE--	486	18	7	3	4	12	3	14	17	18	12	14
BLACK---MALE----	133	1	1	-	2	5	6	3	4	11	7	2
FEMALE--	113	2	2	-	-	2	-	1	1	6	3	3
NEW YORK -----	168,382	2,085	418	235	271	721	1,128	1,750	3,091	4,122	5,161	5,602
WHITE-----MALE----	68,363	712	125	92	112	366	550	792	1,439	1,852	2,279	2,528
FEMALE--	72,426	529	122	62	64	129	170	305	553	775	953	1,269
ALL OTHER--MALE----	14,802	458	91	39	61	178	316	455	692	969	1,243	1,175
FEMALE--	12,791	386	80	42	34	48	92	198	407	526	686	630
BLACK---MALE----	13,311	426	81	36	57	167	290	414	646	927	1,178	1,093
FEMALE--	11,742	357	73	34	31	46	82	186	395	507	654	578
NORTH CAROLINA -----	64,918	933	178	93	131	465	568	675	996	1,385	1,588	2,051
WHITE-----MALE----	24,995	286	57	38	45	193	249	274	387	522	607	808
FEMALE--	24,288	194	54	25	37	80	85	126	156	229	322	462
ALL OTHER--MALE----	8,309	240	39	15	32	151	172	197	306	432	416	505
FEMALE--	7,326	213	28	15	17	41	62	78	147	202	243	276
BLACK---MALE----	7,965	230	34	15	31	139	163	184	292	414	403	484
FEMALE--	7,009	198	27	14	15	33	55	74	137	193	227	269
NORTH DAKOTA -----	5,975	61	17	14	20	33	40	30	51	43	76	107
WHITE-----MALE----	3,020	34	6	6	17	16	28	17	32	28	42	61
FEMALE--	2,761	17	5	5	2	14	7	7	11	7	25	36
ALL OTHER--MALE----	110	3	4	3	1	1	5	4	5	6	8	5
FEMALE--	84	7	2	-	-	2	-	2	3	2	1	5
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 6
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
NEW HAMPSHIRE -----	248	389	525	819	1,141	1,298	1,367	1,283	820	362	83	-
WHITE-----MALE----	159	240	318	499	618	687	585	473	213	69	12	-
FEMALE--	87	146	201	313	515	611	777	806	606	293	71	-
ALL OTHER--MALE----	1	2	4	5	6	-	3	3	-	-	-	-
FEMALE--	1	1	2	2	2	-	2	1	1	-	-	-
BLACK---MALE----	1	2	4	4	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
NEW JERSEY -----	2,467	2,979	4,250	6,531	9,053	10,605	10,988	9,297	5,709	2,210	464	21
WHITE-----MALE----	1,093	1,349	2,014	3,161	4,447	4,788	4,464	3,183	1,492	451	82	15
FEMALE--	703	911	1,362	2,367	3,443	4,806	5,631	5,499	3,815	1,643	337	3
ALL OTHER--MALE----	389	427	509	548	602	504	368	215	102	30	7	2
FEMALE--	282	292	365	455	561	507	525	400	300	86	38	1
BLACK---MALE----	369	397	462	518	561	461	326	186	92	30	7	2
FEMALE--	263	274	344	431	522	469	499	376	288	83	37	1
NEW MEXICO -----	481	513	787	1,092	1,424	1,608	1,774	1,431	949	304	67	4
WHITE-----MALE----	264	271	392	573	769	799	825	535	299	65	11	3
FEMALE--	164	170	305	419	572	723	852	810	589	224	45	1
ALL OTHER--MALE----	31	38	57	51	42	47	50	41	24	5	4	-
FEMALE--	22	34	33	49	41	39	47	45	37	10	7	-
BLACK---MALE----	9	7	14	15	11	16	8	6	5	-	-	-
FEMALE--	8	9	10	10	12	9	11	13	5	5	1	-
NEW YORK -----	5,975	7,049	9,828	14,377	19,001	21,488	23,959	21,249	13,923	5,632	1,292	25
WHITE-----MALE----	2,671	3,204	4,605	6,803	8,841	9,603	9,721	7,090	3,679	1,101	184	14
FEMALE--	1,603	1,984	3,038	5,103	7,385	9,395	11,934	12,592	9,292	4,156	1,003	10
ALL OTHER--MALE----	1,083	1,081	1,196	1,337	1,384	1,181	940	537	281	92	12	1
FEMALE--	618	780	989	1,134	1,391	1,309	1,364	1,030	671	283	93	-
BLACK---MALE----	991	970	1,078	1,181	1,216	1,006	793	448	225	76	11	1
FEMALE--	574	723	899	1,040	1,271	1,198	1,213	921	617	253	90	-
NORTH CAROLINA -----	2,395	3,066	4,545	6,122	8,149	8,834	9,065	7,368	4,363	1,586	362	-
WHITE-----MALE----	1,046	1,326	2,102	2,942	3,681	3,767	3,276	2,103	970	272	44	-
FEMALE--	562	814	1,278	1,801	2,671	3,310	4,009	4,082	2,730	1,028	233	-
ALL OTHER--MALE----	480	555	694	762	901	895	803	425	208	65	16	-
FEMALE--	307	371	471	617	896	862	977	758	455	221	69	-
BLACK---MALE----	455	528	665	735	858	858	777	414	206	65	15	-
FEMALE--	290	343	451	589	854	832	939	738	447	216	68	-
NORTH DAKOTA -----	148	202	302	438	559	810	1,028	1,001	671	265	59	-
WHITE-----MALE----	78	113	180	271	347	488	514	430	230	70	12	-
FEMALE--	59	73	102	148	202	305	499	560	439	192	46	-
ALL OTHER--MALE----	8	10	11	12	4	8	7	4	1	-	-	-
FEMALE--	3	6	9	7	6	9	8	7	1	3	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 7
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
OHIO -----	105,940	1,346	234	165	195	566	687	757	1,144	1,701	1,967	2,604
WHITE-----MALE----	45,731	555	93	76	91	307	402	418	641	897	1,036	1,326
FEMALE--	48,499	385	84	55	63	121	121	147	246	438	525	809
ALL OTHER--MALE----	6,214	250	33	24	23	113	128	136	180	244	279	305
FEMALE--	5,496	156	24	10	18	25	36	56	77	122	127	164
BLACK---MALE----	6,100	245	32	24	22	111	126	131	176	242	273	302
FEMALE--	5,380	154	23	9	18	25	34	55	75	121	127	159
OKLAHOMA -----	32,853	380	103	61	89	248	265	275	454	570	691	840
WHITE-----MALE----	14,903	162	54	26	54	130	158	155	262	306	359	450
FEMALE--	14,659	125	27	23	20	65	46	69	108	156	191	252
ALL OTHER--MALE----	1,714	56	15	3	8	44	46	39	58	57	81	81
FEMALE--	1,577	37	7	9	7	9	15	12	26	51	60	57
BLACK---MALE----	1,040	44	11	2	6	26	20	22	33	37	49	45
FEMALE--	982	24	6	6	4	3	8	6	16	29	38	40
OREGON -----	28,214	262	70	36	61	206	189	215	328	493	637	723
WHITE-----MALE----	13,809	123	34	15	33	126	118	154	222	330	408	455
FEMALE--	13,532	112	29	18	20	60	46	45	83	128	182	228
ALL OTHER--MALE----	482	14	4	-	5	17	18	10	18	23	28	26
FEMALE--	391	13	3	3	3	3	7	6	5	12	19	14
BLACK---MALE----	225	12	1	-	2	8	9	2	8	13	15	14
FEMALE--	152	6	1	-	-	1	3	2	1	5	9	5
PENNSYLVANIA -----	127,866	1,185	234	132	172	521	737	881	1,352	1,886	2,352	2,901
WHITE-----MALE----	56,169	455	83	53	83	276	409	464	741	971	1,239	1,495
FEMALE--	59,155	338	74	41	51	112	130	174	285	449	557	807
ALL OTHER--MALE----	6,761	197	44	19	26	110	162	190	248	333	381	404
FEMALE--	5,781	195	33	19	12	23	36	53	78	133	175	195
BLACK---MALE----	6,540	193	42	17	26	105	151	185	239	323	374	389
FEMALE--	5,562	185	29	17	8	20	33	51	74	128	168	182
RHODE ISLAND -----	9,657	92	18	7	13	26	40	52	87	122	181	201
WHITE-----MALE----	4,438	52	11	5	6	20	27	32	51	81	104	115
FEMALE--	4,859	27	3	-	6	3	9	16	28	28	55	67
ALL OTHER--MALE----	199	8	4	1	1	3	4	4	6	8	14	11
FEMALE--	161	5	-	1	-	-	-	-	2	5	8	8
BLACK---MALE----	162	7	2	1	1	3	3	4	6	8	12	9
FEMALE--	130	4	-	1	-	-	-	-	2	5	5	5
SOUTH CAROLINA -----	33,527	488	103	70	89	239	312	347	573	749	958	1,107
WHITE-----MALE----	12,159	123	27	21	22	105	120	111	221	266	343	428
FEMALE--	11,199	92	21	14	22	46	49	59	91	127	150	198
ALL OTHER--MALE----	5,297	160	24	19	28	62	106	123	165	215	309	315
FEMALE--	4,872	113	31	16	17	26	37	54	96	141	156	166
BLACK---MALE----	5,256	156	24	19	28	62	106	120	164	215	307	312
FEMALE--	4,832	112	30	16	17	26	36	54	96	139	156	166

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 7
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
OHIO -----	3,275	4,433	6,578	9,969	13,544	15,271	15,618	13,456	8,395	3,260	774	1
WHITE-----MALE----	1,671	2,208	3,321	4,892	6,583	7,196	6,507	4,562	2,166	684	98	1
FEMALE--	1,055	1,528	2,254	3,781	5,483	6,750	7,984	7,977	5,732	2,353	608	-
ALL OTHER--MALE----	335	385	558	728	762	671	502	339	152	57	10	-
FEMALE--	214	312	445	568	716	654	625	578	345	166	58	-
BLACK---MALE----	327	381	545	720	744	657	492	333	151	57	9	-
FEMALE--	212	303	435	553	701	639	611	565	339	164	58	-
OKLAHOMA -----	1,122	1,448	2,014	2,834	3,727	4,322	4,844	4,495	2,711	1,065	270	25
WHITE-----MALE----	596	770	1,088	1,524	1,950	2,077	2,101	1,610	786	226	45	14
FEMALE--	361	501	684	995	1,450	1,908	2,381	2,585	1,743	754	207	8
ALL OTHER--MALE----	107	98	134	175	171	169	165	115	57	28	6	1
FEMALE--	58	79	108	140	156	168	197	185	125	57	12	2
BLACK---MALE----	62	54	73	103	104	98	105	81	40	20	4	1
FEMALE--	30	48	56	89	95	100	120	134	84	37	8	1
OREGON -----	876	1,022	1,508	2,288	3,362	4,115	4,467	3,798	2,385	934	238	1
WHITE-----MALE----	490	583	845	1,260	1,803	2,122	2,154	1,520	755	207	51	1
FEMALE--	342	399	594	946	1,453	1,900	2,240	2,216	1,594	712	185	-
ALL OTHER--MALE----	27	24	34	52	52	55	29	29	14	2	1	-
FEMALE--	17	16	35	30	54	38	44	33	22	13	1	-
BLACK---MALE----	10	11	19	23	23	29	9	11	3	2	1	-
FEMALE--	6	4	12	9	25	12	19	19	8	5	-	-
PENNSYLVANIA -----	3,603	4,745	7,140	11,649	16,402	19,506	20,325	17,101	10,259	3,936	830	17
WHITE-----MALE----	1,851	2,420	3,647	6,114	8,302	9,337	8,607	6,000	2,734	765	120	3
FEMALE--	1,149	1,568	2,495	4,239	6,617	8,791	10,490	10,216	6,974	2,948	641	9
ALL OTHER--MALE----	364	465	571	729	796	682	485	323	163	51	16	2
FEMALE--	239	292	427	567	687	696	743	562	388	172	53	3
BLACK---MALE----	351	452	548	707	772	666	473	307	153	49	16	2
FEMALE--	226	279	409	548	665	669	718	546	383	169	52	3
RHODE ISLAND -----	267	298	494	846	1,207	1,438	1,580	1,343	897	365	83	-
WHITE-----MALE----	158	158	297	457	654	748	684	453	243	69	13	-
FEMALE--	91	117	164	340	514	656	858	871	646	291	69	-
ALL OTHER--MALE----	8	17	19	26	19	17	19	6	1	3	-	-
FEMALE--	10	6	14	23	20	17	19	13	7	2	1	-
BLACK---MALE----	6	11	13	22	18	15	16	3	-	2	-	-
FEMALE--	9	6	12	22	13	12	17	10	4	2	1	-
SOUTH CAROLINA -----	1,401	1,765	2,493	3,259	4,318	4,675	4,417	3,493	1,862	624	185	-
WHITE-----MALE----	550	727	1,077	1,443	1,850	1,821	1,483	959	361	82	19	-
FEMALE--	301	394	633	850	1,298	1,606	1,866	1,817	1,070	402	93	-
ALL OTHER--MALE----	349	389	451	492	587	632	449	249	116	38	19	-
FEMALE--	201	255	332	474	583	616	619	468	315	102	54	-
BLACK---MALE----	346	385	449	485	583	630	445	247	116	38	19	-
FEMALE--	198	250	324	469	578	615	616	463	315	102	54	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 8
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
SOUTH DAKOTA -----	6,915	99	14	11	11	44	49	53	66	79	101	155
WHITE-----MALE----	3,311	41	6	4	5	20	28	27	29	38	48	82
FEMALE--	3,130	28	3	4	2	13	5	10	11	22	28	41
ALL OTHER--MALE----	279	18	3	1	3	8	9	14	17	15	16	20
FEMALE--	195	12	2	2	1	3	7	2	9	4	9	12
BLACK---MALE----	6	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
TENNESSEE -----	51,302	677	125	80	117	399	462	562	745	1,063	1,191	1,530
WHITE-----MALE----	21,667	221	50	33	45	210	250	268	377	569	588	713
FEMALE--	21,020	162	35	24	37	74	63	118	143	202	281	421
ALL OTHER--MALE----	4,542	175	21	9	24	95	121	141	159	199	198	253
FEMALE--	4,073	119	19	14	11	20	28	35	66	93	124	143
BLACK---MALE----	4,481	175	20	9	22	91	117	140	156	198	197	246
FEMALE--	4,028	115	19	14	11	18	26	34	66	91	122	141
TEXAS -----	137,821	2,114	489	306	411	1,217	1,495	1,693	2,553	3,278	3,766	4,265
WHITE-----MALE----	61,766	927	218	135	215	746	897	968	1,506	1,858	2,015	2,235
FEMALE--	57,491	706	165	92	120	248	277	333	463	755	906	1,145
ALL OTHER--MALE----	9,943	267	57	49	42	165	239	278	418	442	541	503
FEMALE--	8,621	214	49	30	34	58	82	114	166	223	304	382
BLACK---MALE----	9,438	251	52	44	39	152	225	262	397	431	516	466
FEMALE--	8,234	203	44	28	33	55	81	101	158	205	281	364
UTAH -----	10,940	213	64	42	50	171	153	125	189	235	300	269
WHITE-----MALE----	5,474	100	35	18	29	114	109	84	120	165	188	164
FEMALE--	5,156	100	22	19	20	54	34	32	60	57	93	88
ALL OTHER--MALE----	183	8	2	3	1	2	9	7	4	7	12	11
FEMALE--	127	5	5	2	-	1	1	2	5	6	7	6
BLACK---MALE----	53	3	-	-	-	1	-	2	-	-	6	6
FEMALE--	30	1	-	-	-	1	-	-	2	3	2	2
VERMONT -----	4,951	41	7	12	9	31	36	23	65	78	93	108
WHITE-----MALE----	2,419	22	7	6	5	22	30	17	47	56	64	68
FEMALE--	2,509	19	-	6	4	9	6	5	17	21	26	38
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	1	2	2
FEMALE--	10	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	52,940	723	129	80	106	317	455	522	800	1,068	1,227	1,620
WHITE-----MALE----	20,359	226	39	29	40	135	219	218	367	459	511	683
FEMALE--	20,583	159	31	19	39	64	58	84	136	200	259	414
ALL OTHER--MALE----	6,361	181	34	19	15	92	128	150	208	266	287	317
FEMALE--	5,637	157	25	13	12	26	50	70	89	143	170	206
BLACK---MALE----	6,142	175	33	18	13	90	120	143	197	261	275	308
FEMALE--	5,413	151	22	13	7	24	46	64	88	141	162	193

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 8
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
SOUTH DAKOTA -----	172	233	335	529	732	933	1,085	998	748	380	88	-
WHITE-----MALE----	96	111	190	322	427	513	506	434	260	106	18	-
FEMALE--	44	88	111	156	270	381	550	542	484	270	67	-
ALL OTHER--MALE----	20	22	16	22	17	30	15	6	2	4	1	-
FEMALE--	12	12	18	29	18	9	14	16	2	-	2	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
TENNESSEE -----	1,944	2,496	3,375	4,735	6,229	6,832	7,180	6,302	3,693	1,255	301	9
WHITE-----MALE----	998	1,281	1,674	2,411	3,073	3,017	2,741	1,995	886	217	44	6
FEMALE--	551	725	1,101	1,541	2,215	2,874	3,459	3,565	2,353	881	194	1
ALL OTHER--MALE----	247	279	325	415	494	467	432	289	141	47	10	1
FEMALE--	148	211	275	368	447	474	548	453	313	110	53	1
BLACK---MALE----	246	274	317	409	492	461	427	286	141	46	10	1
FEMALE--	144	211	272	361	444	473	541	450	312	110	52	1
TEXAS -----	5,266	6,258	8,971	12,433	16,272	17,434	18,673	16,294	10,108	3,582	881	62
WHITE-----MALE----	2,776	3,204	4,506	6,335	8,078	8,288	7,771	5,563	2,659	686	132	48
FEMALE--	1,520	1,943	2,923	4,339	6,264	7,255	9,092	9,223	6,546	2,546	623	7
ALL OTHER--MALE----	607	628	880	1,018	1,038	939	773	617	318	89	31	4
FEMALE--	363	483	662	741	892	952	1,037	891	585	261	95	3
BLACK---MALE----	578	592	844	971	976	889	731	601	305	84	28	4
FEMALE--	339	453	631	701	853	913	1,006	868	568	253	93	3
UTAH -----	306	441	557	853	1,202	1,496	1,622	1,448	872	280	52	-
WHITE-----MALE----	172	257	319	472	648	769	747	591	289	74	10	-
FEMALE--	118	159	216	351	521	699	855	843	575	200	40	-
ALL OTHER--MALE----	7	18	11	16	21	20	13	6	4	1	-	-
FEMALE--	9	7	11	14	12	8	7	8	4	5	2	-
BLACK---MALE----	3	4	4	3	7	8	4	1	1	-	-	-
FEMALE--	1	2	3	2	2	3	1	2	2	1	-	-
VERMONT -----	154	182	312	386	550	709	768	670	473	202	42	-
WHITE-----MALE----	100	115	195	232	311	364	345	247	125	36	5	-
FEMALE--	51	66	116	151	238	343	423	422	346	166	36	-
ALL OTHER--MALE----	2	-	-	3	-	1	-	-	1	-	-	-
FEMALE--	1	1	1	-	1	1	-	1	1	-	1	-
BLACK---MALE----	-	-	-	3	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	1	-
VIRGINIA -----	1,992	2,423	3,476	5,066	6,658	7,237	7,396	6,172	3,695	1,444	311	23
WHITE-----MALE----	898	1,081	1,602	2,276	2,848	3,027	2,711	1,844	852	243	42	9
FEMALE--	524	667	985	1,574	2,330	2,810	3,358	3,376	2,307	984	202	3
ALL OTHER--MALE----	345	403	527	660	808	711	583	382	178	46	15	6
FEMALE--	225	272	362	556	672	689	744	570	358	171	52	5
BLACK---MALE----	330	392	509	631	775	693	560	379	174	46	14	6
FEMALE--	215	261	348	527	636	664	719	551	355	170	52	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 9
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
WASHINGTON -----	1,334	1,538	2,260	3,298	4,743	5,710	6,168	5,331	3,367	1,359	342	11
WHITE-----MALE----	755	830	1,222	1,752	2,534	2,943	2,844	2,015	1,012	295	62	8
FEMALE--	446	589	867	1,322	1,956	2,496	3,118	3,146	2,275	1,027	271	2
ALL OTHER--MALE----	68	77	84	126	132	153	99	94	35	9	2	1
FEMALE--	65	42	87	98	121	118	107	76	45	28	7	-
BLACK---MALE----	35	25	32	53	49	72	34	27	13	3	2	-
FEMALE--	25	13	34	35	46	41	44	28	20	12	3	-
WEST VIRGINIA -----	599	842	1,316	2,047	2,753	2,999	3,080	2,476	1,480	577	114	3
WHITE-----MALE----	351	499	741	1,159	1,460	1,476	1,373	933	431	145	25	2
FEMALE--	225	299	524	816	1,199	1,432	1,604	1,477	1,005	411	87	1
ALL OTHER--MALE----	16	25	29	40	55	42	47	30	19	1	-	-
FEMALE--	7	19	22	32	39	49	56	36	25	20	2	-
BLACK---MALE----	16	22	27	40	55	42	46	30	19	1	-	-
FEMALE--	6	17	21	29	38	48	53	36	24	20	2	-
WISCONSIN -----	1,179	1,596	2,303	3,734	5,011	6,327	7,327	6,649	4,369	1,850	465	1
WHITE-----MALE----	638	910	1,315	2,159	2,887	3,293	3,363	2,632	1,323	411	76	1
FEMALE--	422	557	827	1,368	1,949	2,869	3,790	3,926	2,981	1,423	380	-
ALL OTHER--MALE----	69	76	105	128	103	91	73	34	20	6	3	-
FEMALE--	50	53	56	79	72	74	101	57	45	10	6	-
BLACK---MALE----	58	66	76	101	75	74	59	28	16	6	2	-
FEMALE--	37	45	42	61	55	56	78	43	39	8	4	-
WYOMING -----	115	164	236	325	422	517	536	447	299	119	26	1
WHITE-----MALE----	77	94	135	195	244	282	277	172	82	39	2	1
FEMALE--	34	65	87	122	168	218	252	270	215	79	24	-
ALL OTHER--MALE----	3	3	8	6	5	9	2	2	1	-	-	-
FEMALE--	1	2	6	2	5	8	5	3	1	1	-	-
BLACK---MALE----	2	-	1	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	2	-	1	2	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 10
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
UNITED STATES --	77,128	773	454	240	176	198	756	3,670	9,257	11,258	9,935	6,782
WHITE-----MALE----	35,305	252	128	60	60	66	234	1,653	4,984	6,003	5,077	3,555
FEMALE--	16,939	187	128	66	50	57	127	375	748	847	721	576
ALL OTHER--MALE----	16,936	187	98	56	37	37	201	1,102	2,549	3,327	3,142	2,005
FEMALE--	7,948	147	100	58	29	38	194	540	976	1,081	995	646
BLACK---MALE----	16,065	168	93	50	35	34	194	1,063	2,442	3,210	3,025	1,927
FEMALE--	7,495	139	95	53	26	35	188	529	953	1,056	972	615
ALABAMA -----	1,148	16	3	2	-	5	10	49	97	114	92	69
WHITE-----MALE----	402	2	-	-	-	2	3	19	49	58	30	26
FEMALE--	308	4	1	1	-	-	-	4	7	5	4	8
ALL OTHER--MALE----	280	6	2	1	-	3	5	19	27	40	45	29
FEMALE--	158	4	-	-	-	-	2	7	14	11	13	6
BLACK---MALE----	280	6	2	1	-	3	5	19	27	40	45	29
FEMALE--	154	4	-	-	-	-	2	7	13	10	13	6
ALASKA -----	62	-	-	1	-	1	1	8	7	10	3	8
WHITE-----MALE----	29	-	-	-	-	-	1	3	4	5	1	6
FEMALE--	11	-	-	-	-	1	-	1	1	2	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	2	1	2	2	-
FEMALE--	11	-	-	1	-	-	-	2	1	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ARIZONA -----	966	9	8	4	2	1	7	51	133	126	111	81
WHITE-----MALE----	620	6	4	-	-	-	1	34	104	100	84	62
FEMALE--	217	2	1	1	2	-	4	5	16	14	10	12
ALL OTHER--MALE----	81	1	2	2	-	-	1	9	10	10	14	5
FEMALE--	48	-	1	1	-	1	1	3	3	2	3	2
BLACK---MALE----	38	-	1	1	-	-	-	3	6	7	9	2
FEMALE--	12	-	-	-	-	-	1	-	2	1	1	-
ARKANSAS -----	657	7	5	1	2	5	9	35	45	35	52	22
WHITE-----MALE----	256	4	-	-	-	2	1	20	24	18	25	14
FEMALE--	218	2	3	-	1	-	1	2	3	3	10	2
ALL OTHER--MALE----	108	1	2	1	1	1	4	5	13	14	14	3
FEMALE--	75	-	-	-	-	2	3	8	5	-	3	3
BLACK---MALE----	104	1	2	1	1	1	4	5	13	13	13	3
FEMALE--	75	-	-	-	-	2	3	8	5	-	3	3
CALIFORNIA -----	8,696	94	36	18	18	13	93	469	1,267	1,586	1,493	1,063
WHITE-----MALE----	5,838	48	13	4	5	6	57	337	951	1,181	1,077	751
FEMALE--	1,046	27	17	9	6	4	17	34	59	75	83	72
ALL OTHER--MALE----	1,411	11	4	3	2	3	9	75	212	289	278	191
FEMALE--	401	8	2	2	5	-	10	23	45	41	55	49
BLACK---MALE----	1,109	9	4	1	2	1	9	69	180	244	225	150
FEMALE--	293	5	2	1	5	-	8	21	42	38	47	39

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 10
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
UNITED STATES --	4,045	2,919	2,783	3,175	4,001	4,476	4,669	3,975	2,466	889	221	10
WHITE-----MALE----	2,099	1,395	1,233	1,388	1,652	1,779	1,718	1,182	590	160	31	6
FEMALE--	501	512	679	1,018	1,543	1,956	2,274	2,270	1,547	612	145	-
ALL OTHER--MALE----	1,097	706	546	430	412	369	272	212	110	29	8	4
FEMALE--	348	306	325	339	394	372	405	311	219	88	37	-
BLACK---MALE----	1,052	653	499	386	368	329	230	171	98	26	8	4
FEMALE--	321	275	284	300	346	331	362	292	208	80	35	-
ALABAMA -----	40	39	49	72	89	104	118	88	67	19	6	-
WHITE-----MALE----	16	23	17	24	40	34	31	12	12	3	1	-
FEMALE--	7	6	15	22	25	40	51	59	36	10	3	-
ALL OTHER--MALE----	14	7	8	12	10	18	16	7	9	2	-	-
FEMALE--	3	3	9	14	14	12	20	10	10	4	2	-
BLACK---MALE----	14	7	8	12	10	18	16	7	9	2	-	-
FEMALE--	3	3	9	14	14	12	19	10	10	3	2	-
ALASKA -----	7	2	1	-	3	2	2	6	-	-	-	-
WHITE-----MALE----	5	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	4	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	60	41	38	46	69	61	55	39	18	4	2	-
WHITE-----MALE----	42	29	23	18	33	25	32	16	6	1	-	-
FEMALE--	10	9	7	19	25	31	15	19	11	3	1	-
ALL OTHER--MALE----	5	-	5	5	5	2	4	1	-	-	-	-
FEMALE--	3	3	3	4	6	3	4	3	1	-	1	-
BLACK---MALE----	3	-	2	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	-	1	1	-	-	-
ARKANSAS -----	25	21	34	42	59	61	82	52	50	11	2	-
WHITE-----MALE----	12	10	11	12	27	24	31	15	6	-	-	-
FEMALE--	7	5	14	14	19	29	37	28	30	7	1	-
ALL OTHER--MALE----	5	4	5	10	6	2	4	2	8	2	1	-
FEMALE--	1	2	4	6	7	6	10	7	6	2	-	-
BLACK---MALE----	5	4	5	9	6	2	3	2	8	2	1	-
FEMALE--	1	2	4	6	7	6	10	7	6	2	-	-
CALIFORNIA -----	616	441	311	256	246	211	218	145	73	23	5	1
WHITE-----MALE----	454	279	194	132	107	83	86	48	19	4	1	1
FEMALE--	46	58	47	71	96	87	105	71	43	15	4	-
ALL OTHER--MALE----	93	82	41	33	23	21	16	17	5	3	-	-
FEMALE--	23	22	29	20	20	20	11	9	6	1	-	-
BLACK---MALE----	79	61	26	16	11	11	4	4	1	2	-	-
FEMALE--	16	11	17	13	11	6	1	6	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 11
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
COLORADO -----	735	7	1	3	3	2	5	27	109	112	103	57
WHITE-----MALE----	486	4	-	1	2	2	2	23	91	84	85	42
FEMALE--	165	1	1	2	1	-	1	-	9	8	7	9
ALL OTHER--MALE----	57	-	-	-	-	-	2	2	9	16	8	6
FEMALE--	27	2	-	-	-	-	-	2	-	4	3	-
BLACK---MALE----	50	-	-	-	-	-	1	2	9	15	6	6
FEMALE--	19	2	-	-	-	-	-	2	-	3	3	-
CONNECTICUT -----	1,182	5	6	2	5	2	4	49	120	151	152	104
WHITE-----MALE----	518	1	1	-	1	-	2	19	61	72	63	55
FEMALE--	338	3	1	-	2	1	-	7	19	17	19	14
ALL OTHER--MALE----	203	1	1	1	1	-	2	8	24	40	50	25
FEMALE--	123	-	3	1	1	1	-	15	16	22	20	10
BLACK---MALE----	200	1	1	1	1	-	2	8	24	40	49	25
FEMALE--	122	-	3	1	1	1	-	15	16	21	20	10
DELAWARE -----	302	3	1	1	1	-	2	14	43	50	34	26
WHITE-----MALE----	112	1	1	-	-	-	-	5	18	15	9	10
FEMALE--	60	1	-	1	-	-	1	2	-	-	2	2
ALL OTHER--MALE----	90	1	-	-	1	-	1	6	17	27	18	9
FEMALE--	40	-	-	-	-	-	-	1	8	8	5	5
BLACK---MALE----	89	1	-	-	1	-	1	6	17	26	18	9
FEMALE--	40	-	-	-	-	-	-	1	8	8	5	5
DISTRICT OF COLUMBIA ----	855	3	5	1	1	2	11	57	114	149	154	101
WHITE-----MALE----	127	-	-	-	-	-	-	4	19	26	27	22
FEMALE--	21	-	1	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	497	-	1	-	-	-	5	41	73	93	104	60
FEMALE--	210	3	3	1	1	2	6	12	22	29	22	19
BLACK---MALE----	496	-	1	-	-	-	5	41	73	92	104	60
FEMALE--	209	3	3	1	1	2	6	12	22	29	22	19
FLORIDA -----	6,029	49	46	28	11	16	86	353	918	1,086	890	548
WHITE-----MALE----	2,795	13	8	6	4	2	21	141	485	562	434	285
FEMALE--	892	11	7	4	3	2	7	29	57	71	51	38
ALL OTHER--MALE----	1,536	15	18	12	1	4	21	93	237	312	270	166
FEMALE--	806	10	13	6	3	8	37	90	139	141	135	59
BLACK---MALE----	1,525	14	18	12	1	4	21	92	236	311	268	165
FEMALE--	800	10	13	6	3	7	37	90	138	139	134	59
GEORGIA -----	2,720	39	16	6	2	9	33	187	371	455	302	219
WHITE-----MALE----	879	8	4	2	-	2	4	52	141	169	120	81
FEMALE--	421	5	3	-	1	2	3	9	8	14	13	8
ALL OTHER--MALE----	981	13	6	3	1	3	13	97	166	217	144	102
FEMALE--	439	13	3	1	-	2	13	29	56	55	25	28
BLACK---MALE----	975	13	6	3	1	3	13	97	166	217	141	102
FEMALE--	437	13	3	1	-	2	13	29	56	55	25	28

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 11
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
COLORADO -----	47	33	27	30	30	36	39	40	15	6	3	-
WHITE-----MALE----	30	20	17	19	13	14	13	16	6	2	-	-
FEMALE--	10	9	6	10	15	16	24	22	9	2	3	-
ALL OTHER--MALE----	6	-	3	1	2	1	1	-	-	-	-	-
FEMALE--	1	4	1	-	-	5	1	2	-	2	-	-
BLACK---MALE----	4	-	2	1	2	1	1	-	-	-	-	-
FEMALE--	1	2	-	-	-	1	2	-	-	2	-	-
CONNECTICUT -----	55	39	36	38	64	96	97	75	53	25	4	-
WHITE-----MALE----	27	21	16	16	23	49	44	24	15	7	1	-
FEMALE--	6	7	6	13	29	42	49	47	36	17	3	-
ALL OTHER--MALE----	17	8	10	5	7	1	1	1	-	-	-	-
FEMALE--	5	3	4	4	5	4	3	3	2	1	-	-
BLACK---MALE----	16	8	10	5	7	1	1	-	-	-	-	-
FEMALE--	5	3	4	4	5	4	3	3	2	1	-	-
DELAWARE -----	8	2	13	13	17	20	24	18	9	3	-	-
WHITE-----MALE----	3	-	5	8	11	7	11	6	2	-	-	-
FEMALE--	1	1	5	2	4	10	10	9	7	2	-	-
ALL OTHER--MALE----	4	-	1	1	-	1	3	-	-	-	-	-
FEMALE--	-	1	2	2	2	2	2	3	-	1	-	-
BLACK---MALE----	4	-	1	1	-	1	3	-	-	-	-	-
FEMALE--	-	1	2	2	2	2	-	3	-	1	-	-
DISTRICT OF COLUMBIA ----	61	33	24	20	33	24	31	10	13	5	2	1
WHITE-----MALE----	10	4	2	1	3	3	2	3	1	-	-	-
FEMALE--	2	1	-	1	4	3	3	-	2	-	2	-
ALL OTHER--MALE----	35	21	16	9	13	8	3	4	4	2	-	1
FEMALE--	14	7	6	9	13	10	18	4	6	3	-	-
BLACK---MALE----	35	21	16	9	13	8	8	3	4	2	-	1
FEMALE--	14	7	5	9	13	10	18	4	6	3	-	-
FLORIDA -----	340	251	224	231	199	224	191	181	112	34	9	2
WHITE-----MALE----	153	110	85	89	78	103	94	67	41	10	3	1
FEMALE--	35	35	42	64	80	89	78	95	65	23	6	-
ALL OTHER--MALE----	120	81	69	43	28	19	8	14	4	-	-	1
FEMALE--	32	25	28	35	13	13	11	5	2	1	-	-
BLACK---MALE----	119	80	68	42	28	19	8	14	4	-	-	1
FEMALE--	32	25	27	35	13	13	11	5	2	1	-	-
GEORGIA -----	126	99	95	96	133	140	143	132	77	30	9	1
WHITE-----MALE----	41	36	28	32	35	48	36	24	9	5	2	-
FEMALE--	13	12	16	21	40	50	58	76	46	20	3	-
ALL OTHER--MALE----	54	31	29	22	22	24	17	8	5	2	1	1
FEMALE--	18	20	22	21	36	18	32	24	17	3	3	-
BLACK---MALE----	54	30	28	22	21	24	17	8	5	2	1	1
FEMALE--	18	20	22	21	35	18	32	23	17	3	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 12
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
HAWAII -----	257	2	1	-	2	-	2	6	25	48	23	23
WHITE-----MALE----	89	-	-	-	1	-	-	2	11	25	11	17
FEMALE--	14	-	-	-	-	-	-	1	1	-	1	2
ALL OTHER--MALE----	100	2	-	-	-	-	1	3	11	20	9	3
FEMALE--	54	-	1	-	1	-	1	-	2	3	2	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	116	1	-	2	-	-	-	4	12	10	10	7
WHITE-----MALE----	76	1	-	1	-	-	-	4	11	8	9	6
FEMALE--	38	-	-	1	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ILLINOIS -----	3,200	38	13	8	5	3	22	120	306	412	357	230
WHITE-----MALE----	1,244	16	6	1	2	2	4	42	135	194	166	88
FEMALE--	793	5	4	5	-	-	1	15	26	26	22	25
ALL OTHER--MALE----	818	7	1	-	2	-	9	44	121	163	134	92
FEMALE--	345	10	2	2	1	1	8	19	24	29	35	25
BLACK---MALE----	799	7	1	-	2	-	9	44	119	162	134	92
FEMALE--	333	10	2	2	1	1	7	19	23	29	34	24
INDIANA -----	1,212	16	12	2	1	6	13	42	101	112	111	72
WHITE-----MALE----	596	6	4	-	1	4	5	25	73	76	71	50
FEMALE--	418	4	6	1	-	1	3	3	6	10	13	9
ALL OTHER--MALE----	118	2	-	-	-	1	1	11	18	22	21	9
FEMALE--	80	4	2	1	-	-	4	3	4	4	6	4
BLACK---MALE----	116	2	-	-	-	1	1	11	18	22	21	9
FEMALE--	80	4	2	1	-	-	4	3	4	4	6	4
IOWA -----	401	9	6	2	2	2	-	12	24	30	16	12
WHITE-----MALE----	214	1	3	2	1	1	-	9	19	22	11	10
FEMALE--	168	5	3	-	1	1	-	2	2	2	5	-
ALL OTHER--MALE----	12	2	-	-	-	-	-	-	1	6	-	-
FEMALE--	7	1	-	-	-	-	-	1	2	-	-	2
BLACK---MALE----	10	1	-	-	-	-	-	-	-	6	-	-
FEMALE--	6	1	-	-	-	-	-	1	2	-	-	1
KANSAS -----	403	5	3	-	-	1	2	17	44	37	33	20
WHITE-----MALE----	225	2	2	-	-	1	2	11	35	30	25	17
FEMALE--	138	2	1	-	-	-	-	1	-	2	2	1
ALL OTHER--MALE----	28	1	-	-	-	-	-	3	8	5	4	2
FEMALE--	12	-	-	-	-	-	-	2	1	-	2	-
BLACK---MALE----	23	-	-	-	-	-	-	3	8	2	4	2
FEMALE--	12	-	-	-	-	-	-	2	1	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 12
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
HAWAII -----	17	7	15	9	24	12	21	12	6	2	-	-
WHITE-----MALE----	7	2	4	3	3	1	-	2	-	-	-	-
FEMALE--	1	1	-	1	3	1	-	2	-	-	-	-
ALL OTHER--MALE----	5	3	5	3	9	6	11	5	4	-	-	-
FEMALE--	4	1	6	2	9	4	10	3	2	2	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	4	5	11	6	10	16	15	1	-	1	-
WHITE-----MALE----	1	4	5	10	3	4	3	6	-	-	-	-
FEMALE--	-	-	-	1	3	6	13	9	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	166	113	131	166	213	247	232	213	145	47	13	-
WHITE-----MALE----	64	49	56	60	95	95	77	55	29	8	-	-
FEMALE--	25	24	35	52	74	100	112	112	88	31	11	-
ALL OTHER--MALE----	61	33	23	27	24	28	17	18	13	1	-	-
FEMALE--	16	7	17	27	20	24	26	28	15	7	2	-
BLACK---MALE----	60	29	23	27	23	26	16	12	12	1	-	-
FEMALE--	16	6	17	24	20	22	25	27	15	7	2	-
INDIANA -----	44	32	32	66	107	108	115	112	74	28	6	-
WHITE-----MALE----	27	15	20	32	35	46	50	36	14	6	-	-
FEMALE--	9	11	11	26	57	50	57	65	53	19	4	-
ALL OTHER--MALE----	4	4	-	4	6	5	5	3	1	1	-	-
FEMALE--	4	2	1	4	9	7	3	8	6	2	2	-
BLACK---MALE----	4	3	-	4	5	5	5	3	1	1	-	-
FEMALE--	4	2	1	4	9	7	3	8	6	2	2	-
IOWA -----	14	13	16	30	36	46	42	47	28	12	2	-
WHITE-----MALE----	8	10	8	17	20	26	18	12	11	5	-	-
FEMALE--	5	3	8	11	16	20	23	35	17	7	2	-
ALL OTHER--MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	15	15	9	19	24	38	42	36	25	16	2	-
WHITE-----MALE----	9	8	7	11	12	17	16	12	6	2	-	-
FEMALE--	4	6	1	8	12	18	26	24	15	14	1	-
ALL OTHER--MALE----	1	1	-	-	-	2	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	3	-	1	-
BLACK---MALE----	-	1	-	-	-	2	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 13
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
KENTUCKY -----	779	7	4	1	2	6	8	24	62	73	56	41
WHITE-----MALE----	388	5	1	-	-	3	2	15	43	51	40	29
FEMALE--	275	1	2	1	2	2	2	2	4	5	4	4
ALL OTHER--MALE----	72	-	-	-	-	-	2	6	13	14	8	6
FEMALE--	44	1	1	-	-	1	2	1	2	3	4	2
BLACK---MALE----	72	-	-	-	-	-	2	6	13	14	8	6
FEMALE--	42	1	1	-	-	1	1	1	2	3	4	2
LOUISIANA -----	1,547	16	3	4	7	8	20	87	171	177	163	134
WHITE-----MALE----	523	2	-	-	2	2	3	22	77	68	67	60
FEMALE--	287	2	-	1	-	2	-	4	3	5	4	6
ALL OTHER--MALE----	479	7	2	2	4	1	6	45	73	86	70	51
FEMALE--	258	5	1	1	1	3	11	16	18	18	22	17
BLACK---MALE----	477	7	2	2	4	1	6	45	72	86	70	50
FEMALE--	258	5	1	1	1	3	11	16	18	18	22	17
MAINE -----	195	1	4	-	1	1	4	5	16	21	17	9
WHITE-----MALE----	124	1	1	-	-	1	2	3	14	19	13	8
FEMALE--	68	-	2	-	1	-	2	2	1	2	4	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,295	23	15	6	4	6	23	114	296	376	315	187
WHITE-----MALE----	556	7	2	1	2	-	4	17	71	75	57	38
FEMALE--	372	4	-	1	2	3	4	9	11	9	8	8
ALL OTHER--MALE----	970	7	8	1	-	1	9	59	157	227	197	109
FEMALE--	397	5	5	3	-	2	6	29	57	65	53	32
BLACK---MALE----	959	7	8	1	-	1	9	59	155	225	195	108
FEMALE--	392	5	5	3	-	2	6	29	56	64	53	32
MASSACHUSETTS -----	1,907	14	11	6	4	4	9	62	232	269	234	140
WHITE-----MALE----	964	5	3	1	1	2	3	24	151	172	145	73
FEMALE--	625	5	2	4	2	2	5	19	29	27	36	25
ALL OTHER--MALE----	217	4	1	-	1	-	1	13	35	52	35	34
FEMALE--	101	-	5	1	-	-	-	6	17	18	18	8
BLACK---MALE----	203	2	1	-	1	-	1	13	34	50	34	33
FEMALE--	96	-	4	1	-	-	-	6	17	18	18	8
MICHIGAN -----	1,817	19	11	7	2	6	17	75	212	173	195	155
WHITE-----MALE----	669	8	4	2	-	3	5	29	85	72	66	59
FEMALE--	461	3	4	2	1	3	4	7	14	9	10	10
ALL OTHER--MALE----	469	2	2	1	1	-	7	29	94	75	96	61
FEMALE--	218	6	1	2	-	-	1	10	19	17	23	25
BLACK---MALE----	459	2	2	-	1	-	7	29	94	73	95	61
FEMALE--	214	6	1	2	-	-	1	10	19	17	23	25

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 13
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
KENTUCKY -----	28	27	35	50	69	79	84	54	52	9	8	-
WHITE-----MALE----	18	11	20	29	30	33	29	16	13	-	-	-
FEMALE--	8	14	9	14	30	42	50	31	36	7	5	-
ALL OTHER--MALE----	2	-	4	2	6	3	1	3	-	1	1	-
FEMALE--	-	2	2	5	3	1	4	4	3	1	2	-
BLACK---MALE----	2	-	4	2	6	3	1	3	-	1	1	-
FEMALE--	-	2	2	4	3	1	4	4	3	1	2	-
LOUISIANA -----	69	64	64	67	102	113	114	87	54	17	6	-
WHITE-----MALE----	31	23	26	26	28	30	25	20	9	2	-	-
FEMALE--	8	11	14	14	41	42	53	40	24	9	4	-
ALL OTHER--MALE----	20	19	14	14	18	17	14	8	5	3	-	-
FEMALE--	10	11	10	13	15	24	22	19	16	3	2	-
BLACK---MALE----	20	19	14	14	18	17	14	8	5	3	-	-
FEMALE--	10	11	10	13	15	24	22	19	16	3	2	-
MAINE -----	12	5	8	11	13	15	16	20	13	2	1	-
WHITE-----MALE----	9	4	6	8	7	8	9	7	4	-	-	-
FEMALE--	2	1	2	3	6	7	7	13	9	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	111	84	66	88	111	135	126	103	68	33	4	1
WHITE-----MALE----	31	25	19	30	36	52	30	26	24	9	-	-
FEMALE--	7	8	13	19	33	48	70	56	36	19	4	-
ALL OTHER--MALE----	57	33	28	24	19	14	9	6	3	1	-	1
FEMALE--	16	18	6	15	23	21	17	15	5	4	-	-
BLACK---MALE----	57	32	27	23	19	14	8	6	3	1	-	1
FEMALE--	16	18	6	15	23	20	17	13	5	4	-	-
MASSACHUSETTS -----	74	50	57	81	96	135	150	145	89	34	11	-
WHITE-----MALE----	53	28	26	38	53	65	45	42	26	6	2	-
FEMALE--	9	13	21	40	36	57	97	100	62	26	8	-
ALL OTHER--MALE----	9	6	6	-	2	8	6	2	1	1	-	-
FEMALE--	3	3	4	3	5	5	2	1	-	1	1	-
BLACK---MALE----	9	5	5	-	2	6	4	2	1	-	-	-
FEMALE--	2	3	3	3	4	4	2	1	-	1	1	-
MICHIGAN -----	96	59	73	79	109	144	137	127	85	27	9	-
WHITE-----MALE----	43	28	26	29	48	55	49	35	18	3	2	-
FEMALE--	13	12	26	27	41	69	61	75	49	18	3	-
ALL OTHER--MALE----	29	14	12	9	10	7	10	5	2	1	2	-
FEMALE--	11	5	9	14	10	13	17	12	16	5	2	-
BLACK---MALE----	28	14	10	9	9	7	9	4	2	1	2	-
FEMALE--	11	5	8	12	10	13	17	12	15	5	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 14
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
MINNESOTA -----	665	10	4	2	1	5	5	21	62	95	53	44
WHITE-----MALE----	391	1	1	-	-	1	1	13	50	72	38	31
FEMALE--	190	5	-	-	-	3	2	1	1	9	5	6
ALL OTHER--MALE----	60	3	1	2	-	-	1	7	8	11	9	4
FEMALE--	24	1	2	-	1	1	1	-	3	3	1	3
BLACK---MALE----	43	1	-	-	-	-	1	5	7	10	8	3
FEMALE--	9	-	1	-	-	-	1	-	1	3	1	-
MISSISSIPPI -----	599	9	4	3	-	1	6	35	84	73	44	38
WHITE-----MALE----	202	2	1	1	-	1	2	6	26	25	21	17
FEMALE--	95	-	-	-	-	-	-	-	5	3	1	2
ALL OTHER--MALE----	186	5	1	1	-	-	4	14	39	37	15	11
FEMALE--	116	2	2	1	-	-	-	15	14	8	7	8
BLACK---MALE----	185	4	1	1	-	-	4	14	39	37	15	11
FEMALE--	115	2	2	1	-	-	-	15	14	7	7	8
MISSOURI -----	1,230	13	3	5	3	6	10	48	132	127	109	71
WHITE-----MALE----	587	4	2	2	1	-	5	23	78	84	63	55
FEMALE--	345	2	-	2	1	3	2	3	7	4	6	2
ALL OTHER--MALE----	208	4	-	1	1	2	2	17	40	34	31	12
FEMALE--	90	3	1	-	-	1	1	5	7	5	9	2
BLACK---MALE----	204	3	-	1	1	2	2	17	38	34	31	12
FEMALE--	87	3	1	-	-	1	1	5	6	5	9	2
MONTANA -----	107	1	2	-	-	-	-	1	6	5	4	5
WHITE-----MALE----	47	-	1	-	-	-	-	-	4	4	1	2
FEMALE--	49	1	1	-	-	-	-	1	-	1	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	206	4	-	1	1	2	-	7	21	16	13	9
WHITE-----MALE----	107	-	-	-	-	-	-	5	13	14	10	6
FEMALE--	84	3	-	-	1	2	-	1	7	1	-	3
ALL OTHER--MALE----	10	-	-	1	-	-	-	1	1	-	3	-
FEMALE--	5	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	1	-	-	-	1	1	-	3	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
NEVADA -----	410	3	1	1	-	-	3	16	45	55	52	37
WHITE-----MALE----	236	3	-	-	-	-	2	10	36	33	34	24
FEMALE--	94	-	-	-	-	-	-	2	2	9	1	6
ALL OTHER--MALE----	61	-	1	-	-	-	1	4	6	12	15	4
FEMALE--	19	-	-	1	-	-	-	-	1	1	2	3
BLACK---MALE----	47	-	-	-	-	-	1	3	6	8	14	4
FEMALE--	13	-	-	1	-	-	-	-	1	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 14
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
MINNESOTA -----	21	24	22	44	46	49	65	37	39	14	2	-
WHITE-----MALE----	16	11	15	26	23	24	34	16	17	-	1	-
FEMALE--	3	7	3	15	19	23	30	21	22	14	1	-
ALL OTHER--MALE----	1	4	2	3	2	2	-	-	-	-	-	-
FEMALE--	1	2	2	-	2	-	1	-	-	-	-	-
BLACK---MALE----	1	2	1	1	2	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	26	20	29	37	31	44	43	24	34	11	3	-
WHITE-----MALE----	14	6	7	13	13	16	18	6	4	3	-	-
FEMALE--	3	3	7	9	9	11	13	7	17	4	1	-
ALL OTHER--MALE----	5	7	7	8	6	9	6	6	3	1	1	-
FEMALE--	4	4	8	7	3	8	6	5	10	3	1	-
BLACK---MALE----	5	7	7	8	6	9	6	6	3	1	1	-
FEMALE--	4	4	8	7	3	8	6	5	10	3	1	-
MISSOURI -----	64	38	43	61	103	87	103	114	58	26	6	-
WHITE-----MALE----	37	17	18	22	42	37	47	36	11	3	-	-
FEMALE--	10	12	13	26	45	37	50	60	36	20	4	-
ALL OTHER--MALE----	13	6	8	8	8	5	2	8	6	-	-	-
FEMALE--	4	3	4	5	8	8	4	10	5	3	2	-
BLACK---MALE----	13	6	8	8	8	4	2	8	6	-	-	-
FEMALE--	4	3	3	5	8	8	4	10	5	2	2	-
MONTANA -----	2	8	4	6	11	18	15	11	4	1	3	-
WHITE-----MALE----	2	4	2	3	5	5	7	5	1	1	-	-
FEMALE--	-	2	1	3	6	12	6	6	3	-	2	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	2	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	8	6	6	13	21	25	17	16	14	5	1	-
WHITE-----MALE----	5	4	3	8	11	11	8	7	2	-	-	-
FEMALE--	2	2	2	4	9	12	9	9	11	5	1	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
NEVADA -----	21	20	22	20	32	21	20	27	10	2	2	-
WHITE-----MALE----	8	16	9	13	14	9	12	9	3	-	1	-
FEMALE--	4	3	11	6	11	11	6	14	5	2	1	-
ALL OTHER--MALE----	8	-	1	1	3	-	1	2	2	-	-	-
FEMALE--	1	1	1	-	4	1	1	2	-	-	-	-
BLACK---MALE----	5	-	-	1	2	-	1	1	1	-	-	-
FEMALE--	1	1	-	-	3	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 16
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
OHIO -----	2,286	30	12	4	8	7	16	112	216	286	174	120
WHITE-----MALE----	1,047	10	2	1	4	1	6	54	126	166	104	77
FEMALE--	726	13	5	2	4	2	2	18	17	20	11	12
ALL OTHER--MALE----	363	5	1	1	-	2	5	34	64	85	53	23
FEMALE--	150	2	4	-	-	2	3	6	9	15	6	8
BLACK---MALE----	358	5	1	1	-	2	5	34	64	84	51	23
FEMALE--	150	2	4	-	-	2	3	6	9	15	6	8
OKLAHOMA -----	738	6	3	-	2	1	4	33	77	68	40	36
WHITE-----MALE----	371	1	1	-	-	-	2	25	51	48	26	26
FEMALE--	238	1	-	-	-	-	1	3	3	6	3	2
ALL OTHER--MALE----	75	2	1	-	-	-	1	4	21	10	7	4
FEMALE--	54	2	1	-	2	1	-	1	2	4	4	4
BLACK---MALE----	52	1	1	-	-	-	-	4	15	8	5	4
FEMALE--	31	2	1	-	1	1	-	1	1	1	2	3
OREGON -----	590	4	6	1	-	5	4	25	61	70	84	58
WHITE-----MALE----	402	1	4	-	-	1	2	19	48	62	74	47
FEMALE--	156	2	2	1	-	4	2	4	12	6	4	7
ALL OTHER--MALE----	21	-	-	-	-	-	-	2	1	1	5	4
FEMALE--	11	1	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	12	-	-	-	-	-	-	1	-	1	4	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,856	35	22	13	9	9	28	117	291	377	317	251
WHITE-----MALE----	1,561	17	6	1	3	5	6	43	143	168	174	127
FEMALE--	1,269	7	7	4	3	-	9	18	25	33	17	23
ALL OTHER--MALE----	708	8	4	2	3	3	9	46	100	140	102	83
FEMALE--	318	3	5	6	-	1	4	10	23	36	24	18
BLACK---MALE----	692	8	4	2	3	2	9	46	98	138	101	81
FEMALE--	311	3	5	5	-	1	4	10	23	36	24	18
RHODE ISLAND -----	241	1	-	1	1	-	2	6	19	28	28	17
WHITE-----MALE----	132	1	-	1	-	-	2	5	12	22	21	11
FEMALE--	83	-	-	-	-	-	-	1	4	2	3	2
ALL OTHER--MALE----	18	-	-	-	1	-	-	-	3	2	3	4
FEMALE--	8	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	16	-	-	-	1	-	-	-	3	2	3	3
FEMALE--	7	-	-	-	-	-	-	-	-	2	1	-
SOUTH CAROLINA -----	1,086	13	7	5	5	4	24	48	136	143	135	77
WHITE-----MALE----	304	1	2	-	-	2	8	6	38	45	36	22
FEMALE--	190	2	-	2	2	1	3	3	6	5	5	10
ALL OTHER--MALE----	386	6	1	2	1	1	6	25	68	69	73	32
FEMALE--	206	4	4	1	2	-	7	14	24	24	21	13
BLACK---MALE----	385	6	1	2	1	1	6	24	68	69	73	32
FEMALE--	204	4	4	1	2	-	7	14	24	24	21	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 16
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
OHIO -----	92	78	91	125	166	188	221	187	114	30	9	-
WHITE-----MALE----	41	40	42	63	69	66	87	53	32	3	-	-
FEMALE--	23	20	26	48	78	99	111	110	77	22	6	-
ALL OTHER--MALE----	19	10	12	8	12	12	6	6	3	2	-	-
FEMALE--	9	8	11	6	7	11	17	18	2	3	3	-
BLACK---MALE----	19	10	11	8	12	11	6	6	3	2	-	-
FEMALE--	9	8	11	6	7	11	17	18	2	3	3	-
OKLAHOMA -----	33	31	28	43	58	60	78	76	42	16	3	-
WHITE-----MALE----	21	15	9	17	25	23	37	22	18	4	-	-
FEMALE--	8	11	12	18	25	30	35	46	19	12	3	-
ALL OTHER--MALE----	2	2	4	5	3	4	2	3	-	-	-	-
FEMALE--	2	3	3	3	5	3	4	5	5	-	-	-
BLACK---MALE----	2	2	2	4	-	2	1	1	-	-	-	-
FEMALE--	1	2	-	2	3	2	1	4	3	-	-	-
OREGON -----	31	19	32	31	37	38	45	24	9	4	2	-
WHITE-----MALE----	29	12	19	20	21	14	19	8	1	1	-	-
FEMALE--	1	6	10	9	14	21	24	16	7	2	2	-
ALL OTHER--MALE----	-	1	1	1	1	3	-	-	1	-	-	-
FEMALE--	1	-	2	1	1	-	2	-	-	1	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	146	123	147	189	291	384	393	367	237	87	23	-
WHITE-----MALE----	65	54	60	87	107	160	154	109	51	17	4	-
FEMALE--	26	28	47	72	124	172	192	229	156	63	14	-
ALL OTHER--MALE----	45	29	25	16	33	29	12	10	7	1	1	-
FEMALE--	10	12	15	14	27	23	35	19	23	6	4	-
BLACK---MALE----	44	28	23	16	32	29	11	9	6	1	1	-
FEMALE--	10	12	15	14	26	21	32	19	23	6	4	-
RHODE ISLAND -----	5	6	12	12	23	25	18	22	8	7	-	-
WHITE-----MALE----	5	3	4	4	14	13	3	8	1	2	-	-
FEMALE--	-	2	7	8	7	9	13	13	7	5	-	-
ALL OTHER--MALE----	-	-	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	-	-	-
SOUTH CAROLINA -----	49	47	39	53	71	73	66	49	26	14	2	-
WHITE-----MALE----	18	11	17	26	23	21	14	11	2	1	-	-
FEMALE--	3	1	6	12	16	28	32	25	17	11	-	-
ALL OTHER--MALE----	17	29	11	5	12	12	12	1	2	-	1	-
FEMALE--	11	6	5	10	20	12	8	12	5	2	1	-
BLACK---MALE----	17	29	11	5	12	12	12	1	2	-	1	-
FEMALE--	11	6	4	10	19	12	8	12	5	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 17
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
SOUTH DAKOTA -----	87	3	-	-	-	-	-	2	7	5	6	7
WHITE-----MALE----	46	3	-	-	-	-	-	-	3	3	2	5
FEMALE--	25	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	2	1	3	-
FEMALE--	9	-	-	-	-	-	-	-	2	-	1	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,155	23	7	5	2	3	16	74	131	159	114	71
WHITE-----MALE----	487	4	1	-	1	1	1	30	56	82	60	42
FEMALE--	264	4	1	1	-	-	3	6	7	8	9	8
ALL OTHER--MALE----	278	8	3	1	-	1	8	31	55	55	36	18
FEMALE--	126	7	2	3	1	1	4	7	13	14	9	3
BLACK---MALE----	273	8	2	1	-	1	7	31	55	54	36	18
FEMALE--	125	7	2	3	1	1	4	7	13	14	9	3
TEXAS -----	5,116	67	35	15	16	21	80	286	726	777	604	370
WHITE-----MALE----	2,782	22	15	6	11	9	25	172	470	518	365	233
FEMALE--	1,095	16	13	4	2	5	17	24	49	55	48	42
ALL OTHER--MALE----	886	20	6	1	2	2	17	63	167	165	151	76
FEMALE--	353	9	1	4	1	5	21	27	40	39	40	19
BLACK---MALE----	869	18	6	1	2	2	17	62	165	165	148	72
FEMALE--	342	9	1	4	1	5	21	27	40	38	40	19
UTAH -----	251	4	-	3	2	-	2	9	28	28	25	20
WHITE-----MALE----	147	-	-	2	-	-	1	8	21	21	20	14
FEMALE--	89	4	-	1	2	-	1	1	4	6	4	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	7	-	-	-	-	-	-	-	2	1	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	7	-	-	-	-	-	-	-	2	1	1	1
VERMONT -----	98	-	-	2	-	-	1	2	9	7	8	3
WHITE-----MALE----	58	-	-	1	-	-	-	-	9	7	7	3
FEMALE--	38	-	-	1	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,817	18	5	4	1	6	13	88	200	226	180	130
WHITE-----MALE----	659	5	1	3	1	1	2	26	83	99	73	58
FEMALE--	425	5	1	-	-	2	1	5	14	12	7	9
ALL OTHER--MALE----	476	5	2	-	-	2	4	42	79	87	80	44
FEMALE--	257	3	1	1	-	1	6	15	24	28	20	19
BLACK---MALE----	468	5	2	-	-	2	4	41	76	86	80	44
FEMALE--	247	3	1	1	-	1	6	14	24	28	20	18

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 17
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
SOUTH DAKOTA -----	-	1	1	11	4	10	14	11	5	-	-	-
WHITE-----MALE----	-	1	1	5	3	8	5	6	1	-	-	-
FEMALE--	-	-	-	3	1	2	8	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	48	43	49	47	84	75	90	60	41	11	2	-
WHITE-----MALE----	23	20	18	22	42	32	25	20	7	-	-	-
FEMALE--	8	8	16	15	32	33	40	34	24	5	2	-
ALL OTHER--MALE----	15	8	8	4	2	5	13	4	3	-	-	-
FEMALE--	2	7	7	6	8	5	12	2	7	6	-	-
BLACK---MALE----	15	7	8	4	2	5	12	4	3	-	-	-
FEMALE--	2	7	7	6	7	5	12	2	7	6	-	-
TEXAS -----	268	180	208	201	255	261	286	257	154	38	11	-
WHITE-----MALE----	176	103	96	95	106	115	125	82	31	5	2	-
FEMALE--	31	35	68	66	112	103	124	139	106	30	6	-
ALL OTHER--MALE----	45	26	26	24	26	29	13	17	10	-	-	-
FEMALE--	16	16	18	16	11	14	24	19	7	3	3	-
BLACK---MALE----	45	25	25	24	25	28	13	16	10	-	-	-
FEMALE--	15	15	17	13	9	13	23	19	7	3	3	-
UTAH -----	9	10	13	17	12	22	21	15	8	3	-	-
WHITE-----MALE----	6	5	6	9	5	13	9	4	2	1	-	-
FEMALE--	2	5	7	6	4	9	12	11	6	2	-	-
ALL OTHER--MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
VERMONT -----	6	3	3	4	17	12	9	7	1	4	-	-
WHITE-----MALE----	5	1	1	3	11	6	1	1	-	2	-	-
FEMALE--	-	2	2	1	6	6	8	6	1	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	88	70	60	87	113	159	163	108	67	24	5	2
WHITE-----MALE----	46	27	24	24	38	50	49	28	15	3	1	2
FEMALE--	10	12	13	26	45	63	89	53	38	17	3	-
ALL OTHER--MALE----	21	20	10	21	15	17	10	14	3	-	-	-
FEMALE--	11	11	13	16	15	29	15	13	11	4	1	-
BLACK---MALE----	20	20	10	21	14	16	10	14	3	-	-	-
FEMALE--	10	10	13	15	13	28	14	12	11	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 19
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INTESTINAL INFECTIOUS DISEASES (001-009)												
UNITED STATES --	12	10	21	41	72	95	117	111	82	34	9	-
WHITE-----MALE----	7	7	10	20	33	42	36	32	18	6	1	-
FEMALE--	2	2	6	14	30	47	70	77	60	25	7	-
ALL OTHER--MALE----	1	1	1	4	3	4	3	2	1	1	-	-
FEMALE--	2	-	4	3	6	2	8	-	3	2	1	-
BLACK---MALE----	1	1	1	4	1	3	1	2	1	1	-	-
FEMALE--	2	-	3	1	6	2	7	-	2	2	-	-
ALABAMA -----	-	1	1	-	1	-	5	2	-	-	1	-
WHITE-----MALE----	-	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	4	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	-	1	1	1	4	1	-	1	-
WHITE-----MALE----	-	-	1	-	1	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	1	1	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	1	5	2	11	12	14	14	8	4	2	-
WHITE-----MALE----	2	1	3	-	4	4	3	6	2	-	-	-
FEMALE--	1	-	2	2	5	7	9	8	6	3	2	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 20
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 INTESTINAL INFECTIOUS DISEASES (001-009)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	-	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	-	6	-	-	3	1	-	-
WHITE-----MALE----	-	-	1	-	-	3	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	1	3	2	7	5	5	2	1	-	-
WHITE-----MALE----	-	-	-	1	1	4	1	2	-	1	-	-
FEMALE--	-	1	-	2	1	3	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
GEORGIA -----	-	-	2	1	-	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 21
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INTESTINAL INFECTIOUS DISEASES (001-009)												
HAWAII -----	-	-	-	1	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	-	1	3	5	3	6	8	4	-	2	-
WHITE-----MALE----	-	-	-	3	2	2	2	1	1	-	-	-
FEMALE--	-	-	-	-	2	1	2	7	3	-	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	2	-	-	-	-	-
INDIANA -----	-	-	-	-	2	3	1	1	3	1	1	-
WHITE-----MALE----	-	-	-	-	1	3	-	-	2	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	-	2	2	1	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	-	1	2	1	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 22
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INTESTINAL INFECTIOUS DISEASES (001-009)												
KENTUCKY -----	-	-	-	1	4	5	2	2	3	-	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	1	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	1	1	3	6	2	2	3	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	-	1	1	-	-
FEMALE--	-	-	-	1	-	1	2	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
MASSACHUSETTS -----	1	-	1	4	6	5	9	11	12	2	-	-
WHITE-----MALE----	-	-	-	3	3	2	2	5	2	-	-	-
FEMALE--	-	-	1	1	3	2	7	6	10	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	-	3	1	1	4	4	-	-	-	-
WHITE-----MALE----	-	1	-	2	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 25
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INTESTINAL INFECTIOUS DISEASES (001-009)												
OHIO -----	-	1	-	4	3	7	10	2	3	1	-	-
WHITE-----MALE----	-	1	-	-	2	2	4	1	-	-	-	-
FEMALE--	-	-	-	3	-	5	4	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	1	-	1	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	2	3	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	1	2	2	4	8	6	11	4	-	-
WHITE-----MALE----	-	-	1	1	1	4	2	2	4	2	-	-
FEMALE--	-	-	-	1	1	-	6	4	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	1	2	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 66
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)												
HAWAII -----	-	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	-	1	3	2	2	5	5	3	-	2	-
WHITE-----MALE----	-	-	-	3	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	4	2	-	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-
INDIANA -----	-	-	-	-	-	3	-	1	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	3	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	-	1	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	-	1	2	1	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 67
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)												
KENTUCKY -----	-	-	-	1	3	3	-	2	3	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	1	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	1	-	3	6	2	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
MASSACHUSETTS -----	1	-	1	3	6	5	7	8	11	2	-	-
WHITE-----MALE----	-	-	-	3	3	2	2	3	2	-	-	-
FEMALE--	-	-	1	-	3	2	5	5	9	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	-	1	1	1	3	3	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 73
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ILL-DEFINED INTESTINAL INFECTIONS (009)												
UNITED STATES --	2	5	7	10	19	13	20	17	11	3	1	-
WHITE-----MALE----	2	3	5	2	5	6	4	5	-	2	-	-
FEMALE--	-	2	1	6	11	6	12	12	11	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	3	1	3	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	3	1	2	-	-	-	-	-
ALABAMA -----	-	1	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	-	1	-	5	3	2	3	2	-	-	-
WHITE-----MALE----	1	-	1	-	2	3	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 74
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ILL-DEFINED INTESTINAL INFECTIONS (009)												
COLORADO -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	-	1	1	1	-	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	1	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	2	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 79
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ILL-DEFINED INTESTINAL INFECTIONS (009)												
OHIO -----	-	-	-	1	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	2	1	-	-	2	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 82
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TUBERCULOSIS (010-018)												
UNITED STATES --	1,336	1	2	1	1	2	16	16	23	58	69	76
WHITE-----MALE----	474	-	-	-	1	-	5	6	5	16	16	20
FEMALE--	330	1	1	1	-	1	3	5	4	8	4	9
ALL OTHER--MALE----	340	-	-	-	-	-	3	3	8	21	32	37
FEMALE--	192	-	1	-	-	1	5	2	6	13	17	10
BLACK---MALE----	271	-	-	-	-	-	3	3	6	18	26	35
FEMALE--	147	-	1	-	-	-	5	2	5	13	13	9
ALABAMA -----	41	-	-	-	-	-	2	-	-	2	1	4
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	18	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	7	-	-	-	-	-	1	-	-	1	-	1
BLACK---MALE----	18	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	7	-	-	-	-	-	1	-	-	1	-	1
ALASKA -----	6	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	27	-	-	-	-	1	-	-	-	-	1	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	21	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	194	-	-	-	-	-	2	5	3	8	13	13
WHITE-----MALE----	74	-	-	-	-	-	-	4	1	4	3	4
FEMALE--	46	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	1	2	8	8
FEMALE--	21	-	-	-	-	-	1	-	-	1	2	1
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	5	-	-	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 82
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
UNITED STATES --	67	70	87	142	158	172	187	107	62	13	5	1
WHITE-----MALE----	21	23	44	53	56	68	78	33	25	4	-	-
FEMALE--	11	15	10	30	44	55	62	40	20	4	2	-
ALL OTHER--MALE----	26	25	23	40	35	28	27	23	6	1	1	1
FEMALE--	9	7	10	19	23	21	20	11	11	4	2	-
BLACK---MALE----	25	18	20	33	24	19	22	13	4	-	1	1
FEMALE--	7	4	9	13	16	14	12	9	9	4	2	-
ALABAMA -----	1	1	4	6	8	3	5	1	3	-	-	-
WHITE-----MALE----	-	1	2	-	3	-	1	-	1	-	-	-
FEMALE--	-	-	-	2	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	3	3	-	1	1	2	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	2	3	3	-	1	1	2	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
ALASKA -----	-	1	-	-	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	2	-	2	2	5	7	2	2	1	-	-	-
WHITE-----MALE----	-	-	2	1	2	3	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	2	1	1	2	1	4	3	3	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	3	2	1	2	-	-	-
FEMALE--	1	-	1	-	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	16	12	18	19	21	29	18	8	2	-	-
WHITE-----MALE----	3	5	9	8	9	5	10	5	3	1	-	-
FEMALE--	2	6	2	3	4	7	11	5	1	1	-	-
ALL OTHER--MALE----	2	3	1	6	4	6	4	7	1	-	-	-
FEMALE--	-	2	-	1	2	3	4	1	3	-	-	-
BLACK---MALE----	2	2	1	3	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 83
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TUBERCULOSIS (010-018)												
COLORADO -----	9	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	11	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	83	-	-	-	-	-	-	1	1	6	7	7
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	32	-	-	-	-	-	-	1	-	2	4	4
FEMALE--	9	-	-	-	-	-	-	-	1	2	2	1
BLACK---MALE----	31	-	-	-	-	-	-	1	-	2	4	4
FEMALE--	9	-	-	-	-	-	-	-	1	2	2	1
GEORGIA -----	44	-	-	-	-	-	-	1	-	3	2	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 83
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
COLORADO -----	-	-	2	-	1	1	2	-	1	1	-	-
WHITE-----MALE----	-	-	2	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	-	1	-	-	1	2	-	2	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	3	-	2	2	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	3	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	3	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
FLORIDA -----	9	9	6	6	6	8	12	4	1	-	-	-
WHITE-----MALE----	1	4	3	4	3	6	8	1	-	-	-	-
FEMALE--	2	2	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	5	3	3	2	1	2	2	2	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	5	2	3	2	1	2	2	2	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
GEORGIA -----	1	4	4	6	6	3	5	6	1	-	-	1
WHITE-----MALE----	-	1	-	2	2	3	-	3	-	-	-	-
FEMALE--	-	-	1	-	2	-	2	1	-	-	-	-
ALL OTHER--MALE----	1	3	-	4	1	-	3	-	-	-	-	1
FEMALE--	-	-	3	-	1	-	-	2	1	-	-	-
BLACK---MALE----	1	2	-	4	1	-	3	-	-	-	-	1
FEMALE--	-	-	3	-	1	-	-	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 84
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
HAWAII -----	-	1	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	2	1	8	7	10	11	2	1	1	-	-
WHITE-----MALE----	1	1	-	4	2	2	3	-	-	-	-	-
FEMALE--	1	-	-	1	2	4	2	1	1	-	-	-
ALL OTHER--MALE----	3	1	-	3	3	3	4	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	1	-	-
BLACK---MALE----	3	-	-	3	3	2	4	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	1	-	-
INDIANA -----	1	-	1	2	5	5	4	4	1	-	1	-
WHITE-----MALE----	-	-	1	-	1	2	2	1	1	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	1	2	-	-	1	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	1	2	-	-	1	-
IOWA -----	-	-	1	-	-	-	1	1	1	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	1	1	1	1	2	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 85
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
KENTUCKY -----	-	1	4	5	1	2	2	3	2	1	-	-
WHITE-----MALE----	-	-	2	4	-	2	2	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	5	-	4	6	8	3	6	1	-	-	-	-
WHITE-----MALE----	2	-	2	2	4	1	5	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	3	2	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	2	3	2	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	-	-	-	-	-
MAINE -----	-	-	1	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	2	2	3	3	2	3	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	2	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
MASSACHUSETTS -----	-	-	2	-	2	5	-	2	2	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
MICHIGAN -----	2	2	-	4	7	7	7	4	1	1	2	-
WHITE-----MALE----	1	-	-	2	3	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	3	5	3	3	-	1	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	2	-	-	-	1	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	1	-
BLACK---MALE----	1	2	-	1	-	-	2	-	-	-	1	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 88
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TUBERCULOSIS (010-018)												
OHIO -----	33	-	-	-	-	-	1	-	-	2	-	1
WHITE-----MALE----	10	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	2	-	-
OKLAHOMA -----	18	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	22	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	54	-	-	-	-	-	-	1	-	3	3	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	1
RHODE ISLAND -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	29	-	-	-	-	-	-	-	-	1	1	4
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 88
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
OHIO -----	1	1	-	3	4	8	5	5	1	-	1	-
WHITE-----MALE----	-	-	-	1	1	2	2	1	1	-	-	-
FEMALE--	1	-	-	1	1	2	2	3	-	-	1	-
ALL OTHER--MALE----	-	1	-	-	1	4	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	4	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
OKLAHOMA -----	-	3	1	2	3	5	-	-	1	-	-	-
WHITE-----MALE----	-	1	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	2	-	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	2	4	5	7	2	1	-	-	-
WHITE-----MALE----	-	-	1	-	2	1	3	1	-	-	-	-
FEMALE--	-	-	-	1	1	3	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	2	7	4	7	10	8	4	1	-	-
WHITE-----MALE----	-	-	-	4	2	3	5	3	-	1	-	-
FEMALE--	-	-	1	3	-	3	1	4	3	-	-	-
ALL OTHER--MALE----	1	2	1	-	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	3	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	3	3	6	5	-	3	2	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	3	1	3	3	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	3	1	3	3	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 89
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	2	5	4	8	4	6	4	-	-	-
WHITE-----MALE----	1	1	-	3	1	5	2	4	3	-	-	-
FEMALE--	-	-	1	1	3	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
TEXAS -----	6	4	9	8	17	15	13	5	2	2	-	-
WHITE-----MALE----	5	1	5	2	8	10	6	3	1	-	-	-
FEMALE--	-	2	1	4	7	2	6	-	1	1	-	-
ALL OTHER--MALE----	-	-	2	1	2	2	1	2	-	-	-	-
FEMALE--	1	1	1	1	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	2	1	1	2	1	2	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	1	-	-
UTAH -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	-	4	3	2	6	3	3	-	-	-
WHITE-----MALE----	1	1	-	1	-	1	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	2	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 91
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
UNITED STATES --	1,044	1	1	-	-	1	8	6	13	46	48	56
WHITE-----MALE----	400	-	-	-	-	-	1	3	4	13	12	15
FEMALE--	241	1	1	-	-	1	3	1	-	7	1	4
ALL OTHER--MALE----	284	-	-	-	-	-	2	1	4	18	26	29
FEMALE--	119	-	-	-	-	-	2	1	5	8	9	8
BLACK---MALE----	225	-	-	-	-	-	2	1	4	16	21	28
FEMALE--	89	-	-	-	-	-	2	1	4	8	8	8
ALABAMA -----	27	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	17	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	19	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	152	-	-	-	-	-	2	4	1	7	7	9
WHITE-----MALE----	56	-	-	-	-	-	-	3	1	3	2	2
FEMALE--	35	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	2	5	7
FEMALE--	16	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	5	-	-	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 91
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
UNITED STATES --	47	54	73	116	123	138	150	95	51	11	5	1
WHITE-----MALE----	15	20	40	45	49	59	69	30	21	4	-	-
FEMALE--	5	8	8	19	33	45	50	33	16	3	2	-
ALL OTHER--MALE----	22	21	20	36	29	22	23	22	6	1	1	1
FEMALE--	5	5	5	16	12	12	8	10	8	3	2	-
BLACK---MALE----	21	15	17	30	20	14	18	12	4	-	1	1
FEMALE--	4	2	4	10	7	7	5	8	6	3	2	-
ALABAMA -----	-	1	3	4	7	2	3	1	3	-	-	-
WHITE-----MALE----	-	1	1	-	3	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	3	3	-	1	1	2	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	2	3	3	-	1	1	2	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	1	-	2	1	3	5	2	1	-	-	-	-
WHITE-----MALE----	-	-	2	-	2	2	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	1	1	2	1	3	3	3	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	3	2	1	2	-	-	-
FEMALE--	1	-	1	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	13	9	14	14	18	23	18	8	2	-	-
WHITE-----MALE----	-	5	7	5	7	4	8	5	3	1	-	-
FEMALE--	1	3	1	2	3	6	9	5	1	1	-	-
ALL OTHER--MALE----	2	3	1	6	2	5	4	7	1	-	-	-
FEMALE--	-	2	-	1	2	3	2	1	3	-	-	-
BLACK---MALE----	2	2	1	3	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 92
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
COLORADO -----	6	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	8	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	8	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	74	-	-	-	-	-	-	1	1	4	5	6
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	30	-	-	-	-	-	-	1	-	2	4	3
FEMALE--	6	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	29	-	-	-	-	-	-	1	-	2	4	3
FEMALE--	6	-	-	-	-	-	-	-	1	1	1	1
GEORGIA -----	38	-	-	-	-	-	-	1	-	2	2	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 92
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
COLORADO -----	-	-	2	-	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	2	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	-	-	2	-	2	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	3	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	3	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	3	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	7	9	6	6	6	6	12	4	1	-	-	-
WHITE-----MALE----	1	4	3	4	3	4	8	1	-	-	-	-
FEMALE--	2	2	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	4	3	3	2	1	2	2	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	4	2	3	2	1	2	2	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
GEORGIA -----	1	4	3	4	6	3	3	6	1	-	-	1
WHITE-----MALE----	-	1	-	2	2	3	-	3	-	-	-	-
FEMALE--	-	-	1	-	2	-	2	1	-	-	-	-
ALL OTHER--MALE----	1	3	-	2	1	-	1	-	-	-	-	1
FEMALE--	-	-	2	-	1	-	-	2	1	-	-	-
BLACK---MALE----	1	2	-	2	1	-	1	-	-	-	-	1
FEMALE--	-	-	2	-	1	-	-	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 93
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
HAWAII -----	-	1	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	2	-	7	4	8	9	2	-	1	-	-
WHITE-----MALE----	1	1	-	4	2	2	3	-	-	-	-	-
FEMALE--	-	-	-	1	-	4	1	1	-	-	-	-
ALL OTHER--MALE----	3	1	-	2	2	1	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	1	-	-
BLACK---MALE----	3	-	-	2	2	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	1	-	-
INDIANA -----	1	-	1	2	2	4	4	3	-	-	1	-
WHITE-----MALE----	-	-	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	1	-	-	1	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	1	-	-	1	-
IOWA -----	-	-	1	-	-	-	1	1	1	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	1	1	1	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 97
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
OHIO -----	25	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	14	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	18	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	43	-	-	-	-	-	-	-	-	2	2	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
RHODE ISLAND -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	24	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 97
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
OHIO -----	-	1	-	2	2	8	4	4	1	-	1	-
WHITE-----MALE----	-	-	-	1	1	2	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	-	-	1	-
ALL OTHER--MALE----	-	1	-	-	1	4	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	4	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
OKLAHOMA -----	-	-	1	2	3	5	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	2	3	4	5	2	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	1	5	4	5	7	8	4	1	-	-
WHITE-----MALE----	-	-	-	4	2	3	5	3	-	1	-	-
FEMALE--	-	-	1	1	-	2	1	4	3	-	-	-
ALL OTHER--MALE----	1	2	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	3	6	3	-	3	2	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	3	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	2	1	3	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 98
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	2	5	3	6	3	5	3	-	-	-
WHITE-----MALE----	1	1	-	3	1	5	2	3	3	-	-	-
FEMALE--	-	-	1	1	2	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	6	-	7	7	15	11	11	5	1	1	-	-
WHITE-----MALE----	5	-	4	2	7	9	5	3	-	-	-	-
FEMALE--	-	-	1	3	6	-	5	-	1	-	-	-
ALL OTHER--MALE----	-	-	2	1	2	1	1	2	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	2	1	1	1	1	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
UTAH -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	-	2	1	1	6	3	3	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 103

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER TUBERCULOSIS (013-018)												
KENTUCKY -----	-	-	2	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	-	-	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	1	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	-	-	-	-	1	2	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 107
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER TUBERCULOSIS (013-018)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	1	2	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
TEXAS -----	-	4	2	1	2	4	2	-	1	1	-	-
WHITE-----MALE----	-	1	1	-	1	1	1	-	1	-	-	-
FEMALE--	-	2	-	1	1	2	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	-	2	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 109
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
UNITED STATES --	22,328	278	127	54	52	79	75	129	231	327	434	531
WHITE-----MALE----	7,646	94	39	16	16	26	25	42	91	123	150	197
FEMALE--	10,250	75	47	15	17	27	27	31	53	80	120	146
ALL OTHER--MALE----	2,088	55	23	13	12	14	10	37	47	68	99	111
FEMALE--	2,344	54	18	10	7	12	13	19	40	56	65	77
BLACK---MALE----	1,898	46	20	9	10	12	8	35	46	65	91	105
FEMALE--	2,163	50	17	9	6	10	11	16	36	50	65	67
ALABAMA -----	545	3	2	-	-	2	1	1	4	8	9	13
WHITE-----MALE----	155	1	-	-	-	-	1	-	1	4	1	5
FEMALE--	230	2	1	-	-	-	-	-	-	2	2	4
ALL OTHER--MALE----	71	-	1	-	-	2	-	-	-	1	4	3
FEMALE--	89	-	-	-	-	-	-	1	3	1	2	1
BLACK---MALE----	71	-	1	-	-	2	-	-	-	1	4	3
FEMALE--	87	-	-	-	-	-	-	1	3	1	2	1
ALASKA -----	17	-	-	1	-	1	-	-	-	3	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	260	4	2	2	1	-	2	4	5	4	12	13
WHITE-----MALE----	110	2	1	-	-	-	-	-	2	2	5	6
FEMALE--	105	1	-	1	1	-	1	2	2	2	4	5
ALL OTHER--MALE----	26	1	1	1	-	-	1	1	1	-	3	2
FEMALE--	19	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	365	3	3	-	1	2	1	3	4	3	12	3
WHITE-----MALE----	103	-	-	-	-	2	-	3	2	-	3	1
FEMALE--	175	2	2	-	1	-	1	-	1	2	6	-
ALL OTHER--MALE----	40	1	1	-	-	-	-	-	-	1	1	2
FEMALE--	47	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	38	1	1	-	-	-	-	-	-	1	1	2
FEMALE--	47	-	-	-	-	-	-	-	1	-	2	-
CALIFORNIA -----	576	38	8	5	3	5	6	2	18	13	18	24
WHITE-----MALE----	233	21	1	2	2	2	5	1	9	4	5	10
FEMALE--	247	9	7	1	-	2	1	1	6	7	10	10
ALL OTHER--MALE----	53	4	-	1	-	1	-	-	1	1	3	1
FEMALE--	43	4	-	1	1	-	-	-	2	1	-	3
BLACK---MALE----	29	2	-	-	-	-	-	-	1	1	3	-
FEMALE--	28	2	-	1	1	-	-	-	2	-	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 109
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
UNITED STATES --	546	725	1,146	1,654	2,554	3,243	3,688	3,357	2,139	772	186	1
WHITE-----MALE----	210	272	461	678	1,018	1,260	1,309	965	489	136	28	1
FEMALE--	177	223	386	607	1,005	1,425	1,838	1,942	1,361	529	119	-
ALL OTHER--MALE----	89	137	156	184	265	258	212	172	95	26	5	-
FEMALE--	70	93	143	185	266	300	329	278	194	81	34	-
BLACK---MALE----	83	133	141	165	245	241	183	146	85	24	5	-
FEMALE--	62	82	131	170	239	279	304	264	189	73	33	-
ALABAMA -----	9	16	23	48	60	87	96	77	62	19	5	-
WHITE-----MALE----	5	8	7	17	27	29	23	11	11	3	1	-
FEMALE--	2	5	8	15	19	32	40	52	34	10	2	-
ALL OTHER--MALE----	2	1	2	6	5	15	15	5	7	2	-	-
FEMALE--	-	2	6	10	9	11	18	9	10	4	2	-
BLACK---MALE----	2	1	2	6	5	15	15	5	7	2	-	-
FEMALE--	-	2	6	10	9	11	17	9	10	3	2	-
ALASKA -----	2	1	-	-	2	-	2	4	-	-	-	-
WHITE-----MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	15	12	21	38	37	32	27	14	4	1	-
WHITE-----MALE----	4	6	5	10	19	18	14	9	6	1	-	-
FEMALE--	1	8	3	8	14	15	11	14	8	3	1	-
ALL OTHER--MALE----	3	-	3	1	2	2	3	1	-	-	-	-
FEMALE--	2	1	1	2	3	2	4	3	-	-	-	-
BLACK---MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
ARKANSAS -----	9	10	26	24	44	45	70	46	45	10	1	-
WHITE-----MALE----	1	5	8	4	19	14	25	12	4	-	-	-
FEMALE--	5	2	12	12	15	23	31	25	28	6	1	-
ALL OTHER--MALE----	2	1	3	6	5	2	4	2	7	2	-	-
FEMALE--	1	2	3	2	5	6	10	7	6	2	-	-
BLACK---MALE----	2	1	3	5	5	2	3	2	7	2	-	-
FEMALE--	1	2	3	2	5	6	10	7	6	2	-	-
CALIFORNIA -----	13	28	30	46	61	52	83	65	42	13	3	-
WHITE-----MALE----	4	8	11	21	29	26	37	21	10	3	1	-
FEMALE--	6	9	12	18	21	19	39	34	26	7	2	-
ALL OTHER--MALE----	1	9	4	4	6	-	6	5	4	2	-	-
FEMALE--	2	2	3	3	5	7	1	5	2	1	-	-
BLACK---MALE----	1	7	3	2	4	-	2	1	1	1	-	-
FEMALE--	1	-	3	3	2	3	-	5	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 110
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
COLORADO -----	205	2	-	-	1	1	-	1	3	3	5	11
WHITE-----MALE----	81	1	-	-	1	1	-	1	2	2	1	5
FEMALE--	105	-	-	-	-	-	-	-	1	1	2	5
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	1	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	440	2	3	1	-	1	-	2	6	8	7	10
WHITE-----MALE----	174	1	1	-	-	-	-	1	2	6	3	4
FEMALE--	217	1	-	-	-	1	-	-	1	-	1	3
ALL OTHER--MALE----	19	-	-	1	-	-	-	-	2	-	2	2
FEMALE--	30	-	2	-	-	-	-	1	1	2	1	1
BLACK---MALE----	19	-	-	1	-	-	-	-	2	-	2	2
FEMALE--	30	-	2	-	-	-	-	1	1	2	1	1
DELAWARE -----	105	1	-	1	1	-	1	-	-	1	2	4
WHITE-----MALE----	42	1	-	-	-	-	-	-	-	-	-	3
FEMALE--	42	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	7	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	1
DISTRICT OF COLUMBIA ----	139	1	-	-	-	-	-	1	1	2	3	8
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	57	-	-	-	-	-	-	1	1	1	3	6
FEMALE--	61	1	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	57	-	-	-	-	-	-	1	1	1	3	6
FEMALE--	60	1	-	-	-	-	-	-	-	1	-	2
FLORIDA -----	899	14	8	4	3	3	3	5	12	10	24	17
WHITE-----MALE----	342	4	-	-	1	1	1	1	3	5	14	7
FEMALE--	411	5	3	2	2	-	-	3	6	5	5	5
ALL OTHER--MALE----	78	2	2	2	-	-	2	-	1	-	2	5
FEMALE--	68	3	3	-	-	2	-	1	2	-	3	-
BLACK---MALE----	77	2	2	2	-	-	2	-	1	-	2	5
FEMALE--	65	3	3	-	-	1	-	1	1	-	3	-
GEORGIA -----	836	17	6	1	-	5	2	5	5	12	15	27
WHITE-----MALE----	198	4	3	-	-	1	-	1	2	3	5	9
FEMALE--	319	2	1	-	-	2	1	1	-	2	3	3
ALL OTHER--MALE----	148	4	2	1	-	2	-	2	2	4	6	10
FEMALE--	171	7	-	-	-	-	1	1	1	3	1	5
BLACK---MALE----	146	4	2	1	-	2	-	2	2	4	6	10
FEMALE--	169	7	-	-	-	-	1	1	1	3	1	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 110
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
COLORADO -----	7	12	14	14	24	26	27	34	12	5	3	-
WHITE-----MALE----	3	3	7	8	9	8	9	14	4	2	-	-
FEMALE--	3	7	5	5	13	15	17	18	8	2	3	-
ALL OTHER--MALE----	1	-	2	1	2	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	3	-	2	-	1	-	-
BLACK---MALE----	1	-	2	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	1	-	-
CONNECTICUT -----	8	9	23	24	44	70	86	66	46	20	4	-
WHITE-----MALE----	5	5	9	8	14	35	39	24	10	6	1	-
FEMALE--	2	2	6	12	24	31	44	39	34	13	3	-
ALL OTHER--MALE----	1	1	4	2	3	1	-	-	-	-	-	-
FEMALE--	-	1	4	2	3	3	3	3	2	1	-	-
BLACK---MALE----	1	1	4	2	3	1	-	-	-	-	-	-
FEMALE--	-	1	4	2	3	3	3	3	2	1	-	-
DELAWARE -----	-	1	8	7	11	17	22	16	9	3	-	-
WHITE-----MALE----	-	-	3	3	8	7	10	5	2	-	-	-
FEMALE--	-	-	4	1	2	7	9	8	7	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	3	-	-	-	-	-
FEMALE--	-	1	1	2	1	2	-	3	-	1	-	-
BLACK---MALE----	-	-	-	1	-	1	3	-	-	-	-	-
FEMALE--	-	1	1	2	1	2	-	3	-	1	-	-
DISTRICT OF COLUMBIA ----	5	8	14	11	21	16	22	9	10	5	2	-
WHITE-----MALE----	-	-	1	-	2	2	2	2	-	-	-	-
FEMALE--	-	1	-	-	3	3	2	-	1	-	2	-
ALL OTHER--MALE----	1	5	7	6	7	5	5	3	4	2	-	-
FEMALE--	4	2	6	5	9	6	13	4	5	3	-	-
BLACK---MALE----	1	5	7	6	7	5	5	3	4	2	-	-
FEMALE--	4	2	5	5	9	6	13	4	5	3	-	-
FLORIDA -----	28	25	39	74	88	136	128	139	98	31	9	1
WHITE-----MALE----	8	13	12	24	33	63	57	47	35	9	3	1
FEMALE--	9	6	17	30	39	52	58	78	59	21	6	-
ALL OTHER--MALE----	5	5	5	8	12	9	6	10	2	-	-	-
FEMALE--	6	1	5	12	4	12	7	4	2	1	-	-
BLACK---MALE----	5	5	5	7	12	9	6	10	2	-	-	-
FEMALE--	6	1	4	12	4	12	7	4	2	1	-	-
GEORGIA -----	25	34	47	58	107	117	127	117	71	29	9	-
WHITE-----MALE----	5	6	15	19	25	35	32	19	8	4	2	-
FEMALE--	7	8	10	15	33	46	51	68	43	20	3	-
ALL OTHER--MALE----	8	14	15	10	18	21	13	8	5	2	1	-
FEMALE--	5	6	7	14	31	15	31	22	15	3	3	-
BLACK---MALE----	8	14	14	10	17	21	13	8	5	2	1	-
FEMALE--	5	6	7	14	30	15	31	21	15	3	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 111
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
HAWAII -----	3	1	9	6	19	9	16	10	5	2	-	-
WHITE-----MALE----	-	-	1	2	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	3	2	9	5	9	4	4	-	-	-
FEMALE--	2	1	5	1	7	3	7	3	1	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	1	7	2	8	12	12	-	-	1	-
WHITE-----MALE----	-	1	1	6	-	3	3	4	-	-	-	-
FEMALE--	-	-	-	1	2	5	9	8	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	34	30	71	104	140	193	192	184	134	41	10	-
WHITE-----MALE----	15	9	30	32	65	76	61	50	26	8	-	-
FEMALE--	11	9	20	37	48	76	100	92	80	27	8	-
ALL OTHER--MALE----	3	9	8	16	12	21	11	15	13	1	-	-
FEMALE--	5	3	13	19	15	20	20	27	15	5	2	-
BLACK---MALE----	3	9	8	16	11	20	10	10	12	1	-	-
FEMALE--	5	3	13	17	15	18	19	26	15	5	2	-
INDIANA -----	20	16	21	46	73	78	101	98	69	23	4	-
WHITE-----MALE----	10	8	13	24	25	31	45	31	11	5	-	-
FEMALE--	7	6	8	20	39	42	49	61	51	16	3	-
ALL OTHER--MALE----	2	1	-	1	3	3	5	3	1	-	-	-
FEMALE--	1	1	-	1	6	2	2	3	6	2	1	-
BLACK---MALE----	2	1	-	1	2	3	5	3	1	-	-	-
FEMALE--	1	1	-	1	6	2	2	3	6	2	1	-
IOWA -----	7	6	7	15	24	35	29	40	23	8	-	-
WHITE-----MALE----	3	4	3	8	13	19	12	12	9	3	-	-
FEMALE--	4	2	4	7	11	16	16	28	14	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	7	7	4	10	15	29	31	31	21	12	2	-
WHITE-----MALE----	3	2	3	6	9	13	11	11	6	2	-	-
FEMALE--	4	5	1	4	6	14	20	20	14	10	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 112
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
KENTUCKY -----	397	2	4	-	1	2	-	2	3	7	6	7
WHITE-----MALE----	151	2	1	-	-	-	-	-	1	3	4	3
FEMALE--	199	-	2	-	1	1	-	1	1	2	2	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	25	-	1	-	-	1	-	-	-	1	-	2
BLACK---MALE----	22	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	24	-	1	-	-	1	-	-	-	1	-	2
LOUISIANA -----	587	5	2	4	3	3	1	7	3	5	14	18
WHITE-----MALE----	133	-	-	-	1	1	-	-	-	-	3	7
FEMALE--	218	-	-	1	-	1	-	1	1	1	-	1
ALL OTHER--MALE----	105	2	2	2	2	-	-	6	1	4	6	6
FEMALE--	131	3	-	1	-	1	1	-	1	-	5	4
BLACK---MALE----	105	2	2	2	2	-	-	6	1	4	6	6
FEMALE--	131	3	-	1	-	1	1	-	1	-	5	4
MAINE -----	84	1	1	-	1	1	-	-	-	-	2	-
WHITE-----MALE----	39	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	44	-	-	-	1	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	661	5	4	1	2	3	2	4	11	14	14	10
WHITE-----MALE----	188	1	-	1	1	-	2	1	1	2	2	1
FEMALE--	262	2	-	-	1	1	-	-	1	2	2	2
ALL OTHER--MALE----	108	1	3	-	-	1	-	2	6	7	6	6
FEMALE--	103	1	1	-	-	1	-	1	3	3	4	1
BLACK---MALE----	106	1	3	-	-	1	-	2	6	7	6	6
FEMALE--	100	1	1	-	-	1	-	1	3	3	4	1
MASSACHUSETTS -----	709	5	2	1	1	1	2	3	7	12	18	16
WHITE-----MALE----	279	2	1	-	1	-	-	-	1	8	9	4
FEMALE--	384	3	1	-	-	1	2	2	3	-	6	7
ALL OTHER--MALE----	24	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	22	-	-	1	-	-	-	-	2	3	1	3
BLACK---MALE----	19	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	20	-	-	1	-	-	-	-	2	3	1	3
MICHIGAN -----	695	4	6	1	-	2	3	3	5	13	17	17
WHITE-----MALE----	228	2	1	1	-	1	1	2	1	4	2	5
FEMALE--	313	-	3	-	-	1	1	1	2	2	4	4
ALL OTHER--MALE----	53	1	1	-	-	-	-	-	-	2	4	5
FEMALE--	101	1	1	-	-	-	1	-	2	5	7	3
BLACK---MALE----	48	1	1	-	-	-	-	-	-	2	3	5
FEMALE--	99	1	1	-	-	-	1	-	2	5	7	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 112
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
KENTUCKY -----	11	15	24	30	47	62	71	45	44	6	8	-
WHITE-----MALE----	6	6	16	17	20	26	20	14	12	-	-	-
FEMALE--	4	9	4	8	19	33	47	26	29	4	5	-
ALL OTHER--MALE----	1	-	4	1	6	2	1	1	-	1	1	-
FEMALE--	-	-	-	4	2	1	3	4	3	1	2	-
BLACK---MALE----	1	-	4	1	6	2	1	1	-	1	1	-
FEMALE--	-	-	-	3	2	1	3	4	3	1	2	-
LOUISIANA -----	12	17	39	39	70	90	99	84	49	17	6	-
WHITE-----MALE----	3	3	13	16	18	19	19	19	9	2	-	-
FEMALE--	3	4	11	9	29	33	50	39	21	9	4	-
ALL OTHER--MALE----	2	3	10	8	13	15	10	7	3	3	-	-
FEMALE--	4	7	5	6	10	23	20	19	16	3	2	-
BLACK---MALE----	2	3	10	8	13	15	10	7	3	3	-	-
FEMALE--	4	7	5	6	10	23	20	19	16	3	2	-
MAINE -----	4	3	4	5	10	12	13	14	10	2	1	-
WHITE-----MALE----	4	2	2	4	5	7	7	3	3	-	-	-
FEMALE--	-	1	2	1	5	5	6	11	7	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	12	23	27	52	82	104	109	92	58	28	4	-
WHITE-----MALE----	3	5	11	17	27	39	23	26	19	6	-	-
FEMALE--	3	4	6	11	29	36	63	46	32	17	4	-
ALL OTHER--MALE----	4	8	8	14	15	11	7	5	3	1	-	-
FEMALE--	2	6	2	10	11	18	16	15	4	4	-	-
BLACK---MALE----	4	8	7	13	15	11	7	5	3	1	-	-
FEMALE--	2	6	2	10	11	17	16	13	4	4	-	-
MASSACHUSETTS -----	13	19	39	49	61	104	126	122	69	30	9	-
WHITE-----MALE----	9	13	19	24	35	52	40	34	19	6	2	-
FEMALE--	3	5	16	24	22	44	82	86	49	22	6	-
ALL OTHER--MALE----	1	1	1	-	-	6	4	2	1	1	-	-
FEMALE--	-	-	3	1	4	2	-	-	-	1	1	-
BLACK---MALE----	1	1	1	-	-	4	2	2	1	-	-	-
FEMALE--	-	-	2	1	3	2	-	-	-	1	1	-
MICHIGAN -----	19	17	34	45	74	109	110	107	79	23	7	-
WHITE-----MALE----	8	5	11	17	36	40	43	28	16	2	2	-
FEMALE--	7	6	14	17	26	53	44	63	47	15	3	-
ALL OTHER--MALE----	1	4	5	4	6	4	7	5	2	1	1	-
FEMALE--	3	2	4	7	6	12	16	11	14	5	1	-
BLACK---MALE----	1	4	4	4	5	4	6	4	2	1	1	-
FEMALE--	3	2	4	6	6	12	16	11	13	5	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 113
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
MINNESOTA -----	262	5	3	2	-	3	1	2	1	1	4	6
WHITE-----MALE----	113	-	1	-	-	1	1	1	1	1	2	2
FEMALE--	127	3	-	-	-	1	-	-	-	-	1	2
ALL OTHER--MALE----	11	2	1	2	-	-	-	1	-	-	1	-
FEMALE--	11	-	1	-	-	1	-	-	-	-	-	2
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	248	3	3	1	-	-	-	-	9	5	5	6
WHITE-----MALE----	67	1	1	-	-	-	-	-	1	-	1	2
FEMALE--	70	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	53	1	-	1	-	-	-	-	2	2	3	1
FEMALE--	58	1	2	-	-	-	-	-	6	2	-	3
BLACK---MALE----	53	1	-	1	-	-	-	-	2	2	3	1
FEMALE--	58	1	2	-	-	-	-	-	6	2	-	3
MISSOURI -----	536	7	-	2	1	3	3	1	6	7	10	9
WHITE-----MALE----	190	2	-	1	-	-	2	-	2	2	4	4
FEMALE--	244	2	-	1	-	1	-	1	1	1	2	2
ALL OTHER--MALE----	52	1	-	-	1	1	1	-	2	2	1	2
FEMALE--	50	2	-	-	-	1	-	-	1	2	3	1
BLACK---MALE----	52	1	-	-	1	1	1	-	2	2	1	2
FEMALE--	48	2	-	-	-	1	-	-	-	2	3	1
MONTANA -----	50	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	98	1	-	1	-	1	-	-	1	2	2	2
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	52	1	-	-	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
NEVADA -----	162	2	1	-	-	-	-	2	1	5	5	5
WHITE-----MALE----	71	2	-	-	-	-	-	1	1	1	4	1
FEMALE--	67	-	-	-	-	-	-	-	-	3	-	3
ALL OTHER--MALE----	13	-	1	-	-	-	-	1	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 113
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
MINNESOTA -----	3	8	10	25	32	33	48	30	31	13	1	-
WHITE-----MALE----	1	2	8	14	13	16	24	11	13	-	1	-
FEMALE--	1	4	1	10	15	16	23	19	18	13	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	1	2	1	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	7	11	18	19	24	34	37	24	30	9	3	-
WHITE-----MALE----	1	3	3	6	10	12	15	6	3	2	-	-
FEMALE--	3	2	6	5	6	8	11	7	15	4	1	-
ALL OTHER--MALE----	1	4	4	4	5	9	5	6	3	1	1	-
FEMALE--	2	2	5	4	3	5	6	5	9	2	1	-
BLACK---MALE----	1	4	4	4	5	9	5	6	3	1	1	-
FEMALE--	2	2	5	4	3	5	6	5	9	2	1	-
MISSOURI -----	9	15	21	42	76	61	86	98	52	22	5	-
WHITE-----MALE----	4	4	9	18	29	28	40	30	8	3	-	-
FEMALE--	3	8	7	13	32	23	42	52	33	17	3	-
ALL OTHER--MALE----	1	3	3	6	8	4	2	8	6	-	-	-
FEMALE--	1	-	2	5	7	6	2	8	5	2	2	-
BLACK---MALE----	1	3	3	6	8	4	2	8	6	-	-	-
FEMALE--	1	-	2	5	7	6	2	8	5	1	2	-
MONTANA -----	-	2	3	4	3	14	10	5	3	1	2	-
WHITE-----MALE----	-	-	1	2	2	5	4	2	-	1	-	-
FEMALE--	-	1	1	2	1	8	5	3	3	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	1	3	9	16	13	11	14	11	5	1	-
WHITE-----MALE----	2	1	2	5	8	6	4	6	2	-	-	-
FEMALE--	2	-	1	3	7	6	7	8	8	5	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
NEVADA -----	3	5	14	17	27	20	18	24	9	2	2	-
WHITE-----MALE----	-	3	5	10	13	8	12	7	2	-	1	-
FEMALE--	1	1	8	6	9	11	4	13	5	2	1	-
ALL OTHER--MALE----	2	-	1	1	1	-	1	2	2	-	-	-
FEMALE--	-	1	-	-	4	1	1	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	3	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 115
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
OHIO -----	1,000	16	5	1	1	3	1	4	13	6	12	16
WHITE-----MALE----	355	5	1	-	-	-	-	1	6	3	5	7
FEMALE--	517	7	3	1	1	2	1	3	2	-	4	5
ALL OTHER--MALE----	47	3	-	-	-	-	-	-	3	1	2	1
FEMALE--	81	1	1	-	-	1	-	-	2	2	1	3
BLACK---MALE----	47	3	-	-	-	-	-	-	3	1	2	1
FEMALE--	81	1	1	-	-	1	-	-	2	2	1	3
OKLAHOMA -----	381	2	1	-	2	-	2	2	2	8	3	7
WHITE-----MALE----	144	1	1	-	-	-	-	2	1	4	-	5
FEMALE--	189	-	-	-	-	-	1	-	1	2	2	1
ALL OTHER--MALE----	14	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	34	1	-	-	2	-	-	-	-	2	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	1	-	-	1	-	-	-	-	1	1	1
OREGON -----	151	3	3	-	-	1	-	1	2	6	3	5
WHITE-----MALE----	67	-	2	-	-	-	-	1	2	4	2	2
FEMALE--	75	2	1	-	-	1	-	-	-	2	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,927	12	7	4	4	5	5	4	11	14	18	34
WHITE-----MALE----	660	9	3	1	1	3	1	1	4	6	11	14
FEMALE--	963	1	3	2	1	-	2	1	3	6	2	10
ALL OTHER--MALE----	134	1	-	-	2	2	1	2	3	2	2	6
FEMALE--	170	1	1	1	-	-	1	-	1	-	3	4
BLACK---MALE----	127	1	-	-	2	1	1	2	3	2	2	5
FEMALE--	167	1	1	1	-	-	1	-	1	-	3	4
RHODE ISLAND -----	98	-	-	1	-	-	-	-	1	1	1	-
WHITE-----MALE----	36	-	-	1	-	-	-	-	1	1	-	-
FEMALE--	55	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	352	9	2	1	3	4	4	1	2	4	8	6
WHITE-----MALE----	91	1	1	-	-	2	2	-	-	-	2	1
FEMALE--	131	2	-	1	1	1	1	-	1	2	2	3
ALL OTHER--MALE----	57	4	1	-	1	1	-	-	-	1	2	1
FEMALE--	73	2	-	-	1	-	1	1	1	1	2	1
BLACK---MALE----	57	4	1	-	1	1	-	-	-	1	2	1
FEMALE--	72	2	-	-	1	-	1	1	1	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 115
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
OHIO -----	21	32	56	83	119	134	182	166	96	25	8	-
WHITE-----MALE----	7	15	28	45	43	47	67	46	27	2	-	-
FEMALE--	9	10	17	33	62	72	97	98	67	18	5	-
ALL OTHER--MALE----	3	5	2	-	9	5	5	5	1	2	-	-
FEMALE--	2	2	9	5	5	10	13	17	1	3	3	-
BLACK---MALE----	3	5	2	-	9	5	5	5	1	2	-	-
FEMALE--	2	2	9	5	5	10	13	17	1	3	3	-
OKLAHOMA -----	9	13	15	30	42	49	69	70	39	14	2	-
WHITE-----MALE----	-	5	5	11	17	21	34	18	16	3	-	-
FEMALE--	7	6	7	15	20	22	29	44	19	11	2	-
ALL OTHER--MALE----	1	-	1	3	-	3	2	3	-	-	-	-
FEMALE--	1	2	2	1	5	3	4	5	4	-	-	-
BLACK---MALE----	1	-	1	2	-	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	3	2	1	4	3	-	-	-
OREGON -----	3	8	10	14	17	24	21	20	7	3	-	-
WHITE-----MALE----	2	6	5	8	9	10	7	6	1	-	-	-
FEMALE--	1	2	4	5	7	13	13	14	6	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	34	49	93	114	215	326	335	335	209	79	20	-
WHITE-----MALE----	10	21	35	46	74	134	130	96	43	14	3	-
FEMALE--	15	15	35	45	92	147	163	211	139	58	12	-
ALL OTHER--MALE----	7	5	14	11	26	24	11	9	4	1	1	-
FEMALE--	2	8	9	12	23	21	31	19	23	6	4	-
BLACK---MALE----	7	5	13	11	25	24	10	8	3	1	1	-
FEMALE--	2	8	9	12	23	19	30	19	23	6	4	-
RHODE ISLAND -----	1	3	7	5	16	16	14	18	7	7	-	-
WHITE-----MALE----	1	2	2	2	8	8	2	5	1	2	-	-
FEMALE--	-	1	5	3	7	5	10	12	6	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
SOUTH CAROLINA -----	11	11	17	29	49	59	51	42	25	13	1	-
WHITE-----MALE----	7	3	7	14	14	16	10	8	2	1	-	-
FEMALE--	1	-	3	6	12	21	24	24	16	10	-	-
ALL OTHER--MALE----	1	7	6	1	7	10	11	1	2	-	-	-
FEMALE--	2	1	1	8	16	12	6	9	5	2	1	-
BLACK---MALE----	1	7	6	1	7	10	11	1	2	-	-	-
FEMALE--	2	1	1	8	15	12	6	9	5	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 116
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
SOUTH DAKOTA -----	48	1	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	26	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	377	5	4	3	2	2	1	3	3	11	8	10
WHITE-----MALE----	116	1	1	-	1	-	-	1	1	5	2	4
FEMALE--	162	1	-	-	-	-	1	-	-	2	2	4
ALL OTHER--MALE----	45	2	2	1	-	1	-	2	2	1	2	1
FEMALE--	54	1	1	2	1	1	-	-	-	3	2	1
BLACK---MALE----	44	2	2	1	-	1	-	2	2	1	2	1
FEMALE--	53	1	1	2	1	1	-	-	-	3	2	1
TEXAS -----	1,436	18	9	2	3	9	8	10	20	31	33	40
WHITE-----MALE----	527	7	4	1	1	3	-	3	9	17	15	16
FEMALE--	655	5	5	-	2	3	6	1	6	9	10	12
ALL OTHER--MALE----	142	6	-	-	-	1	1	4	2	3	4	7
FEMALE--	112	-	-	1	-	2	1	2	3	2	4	5
BLACK---MALE----	141	5	-	-	-	1	1	4	2	3	4	7
FEMALE--	108	-	-	1	-	2	1	2	3	2	4	5
UTAH -----	99	1	-	2	1	-	1	1	-	5	-	2
WHITE-----MALE----	40	-	-	1	-	-	-	-	-	2	-	2
FEMALE--	59	1	-	1	1	-	1	1	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	48	-	-	1	-	-	1	1	-	-	1	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	29	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	756	8	1	1	1	1	2	12	10	4	15	18
WHITE-----MALE----	214	1	-	1	1	-	1	2	3	2	3	3
FEMALE--	324	4	1	-	-	1	1	1	2	-	4	5
ALL OTHER--MALE----	101	1	-	-	-	-	-	7	4	1	5	7
FEMALE--	117	2	-	-	-	-	-	2	1	1	3	3
BLACK---MALE----	100	1	-	-	-	-	-	7	4	1	5	7
FEMALE--	114	2	-	-	-	-	-	2	1	1	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 116
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
SOUTH DAKOTA -----	-	1	1	6	2	7	12	10	4	-	-	-
WHITE-----MALE----	-	1	1	3	2	5	4	5	1	-	-	-
FEMALE--	-	-	-	1	-	2	7	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	20	23	18	45	50	71	46	31	11	2	-
WHITE-----MALE----	3	6	6	10	24	19	18	12	2	-	-	-
FEMALE--	3	5	13	4	14	24	33	28	21	5	2	-
ALL OTHER--MALE----	2	5	-	1	2	4	11	4	2	-	-	-
FEMALE--	-	4	4	3	5	3	9	2	6	6	-	-
BLACK---MALE----	2	5	-	1	2	4	10	4	2	-	-	-
FEMALE--	-	4	4	3	4	3	9	2	6	6	-	-
TEXAS -----	42	57	90	114	157	178	218	217	137	32	11	-
WHITE-----MALE----	22	28	39	44	54	72	93	65	28	4	2	-
FEMALE--	10	15	33	46	75	74	97	121	93	26	6	-
ALL OTHER--MALE----	7	7	10	15	21	21	10	13	10	-	-	-
FEMALE--	3	7	8	9	7	11	18	18	6	2	3	-
BLACK---MALE----	7	7	10	15	21	21	10	13	10	-	-	-
FEMALE--	3	6	8	8	5	11	18	18	6	2	3	-
UTAH -----	1	5	10	10	6	18	15	11	7	3	-	-
WHITE-----MALE----	1	2	4	4	5	11	3	2	2	1	-	-
FEMALE--	-	3	6	6	1	7	12	9	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	1	2	2	13	8	5	6	1	2	-	-
WHITE-----MALE----	3	-	-	1	9	3	-	-	-	1	-	-
FEMALE--	-	1	2	1	4	5	5	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	24	32	42	59	82	127	140	92	59	21	5	-
WHITE-----MALE----	8	10	17	16	26	40	41	22	13	3	1	-
FEMALE--	8	10	11	19	36	48	77	46	33	14	3	-
ALL OTHER--MALE----	2	7	6	13	9	16	8	12	3	-	-	-
FEMALE--	6	5	8	11	11	23	14	12	10	4	1	-
BLACK---MALE----	2	7	6	13	9	15	8	12	3	-	-	-
FEMALE--	6	5	8	11	10	23	13	11	10	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 157
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MENINGOCOCCAL INFECTION (036)												
KENTUCKY -----	5	1	2	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	8	-	-	2	2	-	-	2	-	-	1	-
WHITE-----MALE----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	2	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	1	-	-	-	1	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	3	-	1	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	10	2	4	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	5	2	1	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 170
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TETANUS (037)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 172
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
UNITED STATES --	20,965	221	80	30	27	39	46	93	176	268	373	476
WHITE-----MALE----	7,040	66	24	12	9	10	11	29	60	90	118	164
FEMALE--	9,744	61	31	7	8	11	19	27	47	69	106	130
ALL OTHER--MALE----	1,951	46	14	7	6	9	6	24	37	59	88	107
FEMALE--	2,230	48	11	4	4	9	10	13	32	50	61	75
BLACK---MALE----	1,779	39	12	3	6	8	4	24	36	57	81	101
FEMALE--	2,066	44	10	3	4	7	9	11	28	45	61	65
ALABAMA -----	519	1	1	-	-	1	-	1	3	8	8	13
WHITE-----MALE----	144	-	-	-	-	-	-	-	-	4	1	5
FEMALE--	221	1	1	-	-	-	-	-	-	2	2	4
ALL OTHER--MALE----	65	-	-	-	-	1	-	-	-	1	3	3
FEMALE--	89	-	-	-	-	-	-	1	3	1	2	1
BLACK---MALE----	65	-	-	-	-	1	-	-	-	1	3	3
FEMALE--	87	-	-	-	-	-	-	1	3	1	2	1
ALASKA -----	16	-	-	1	-	-	-	-	-	3	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	234	3	1	1	-	-	2	3	5	3	10	10
WHITE-----MALE----	99	2	1	-	-	-	-	-	2	1	3	4
FEMALE--	93	-	-	-	-	-	1	2	2	2	4	4
ALL OTHER--MALE----	24	1	-	1	-	-	1	-	1	-	3	2
FEMALE--	18	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	349	3	3	-	1	2	1	3	3	3	11	3
WHITE-----MALE----	96	-	-	-	-	2	-	3	1	-	2	1
FEMALE--	167	2	2	-	1	-	1	-	1	2	6	-
ALL OTHER--MALE----	40	1	1	-	-	-	-	-	-	1	1	2
FEMALE--	46	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	38	1	1	-	-	-	-	-	-	1	1	2
FEMALE--	46	-	-	-	-	-	-	-	1	-	2	-
CALIFORNIA -----	446	28	3	3	2	1	-	-	13	8	15	14
WHITE-----MALE----	163	14	-	1	1	-	-	-	6	1	5	3
FEMALE--	204	8	3	-	-	1	-	-	4	6	8	7
ALL OTHER--MALE----	42	3	-	1	-	-	-	-	1	1	2	1
FEMALE--	37	3	-	1	1	-	-	-	2	-	-	3
BLACK---MALE----	25	2	-	-	-	-	-	-	1	1	2	-
FEMALE--	26	1	-	1	1	-	-	-	2	-	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 172
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
UNITED STATES --	497	671	1,068	1,556	2,429	3,079	3,554	3,260	2,085	755	181	1
WHITE-----MALE----	189	250	423	631	952	1,185	1,258	933	466	132	27	1
FEMALE--	159	202	356	572	964	1,352	1,771	1,885	1,333	518	116	-
ALL OTHER--MALE----	84	133	151	176	258	250	206	166	93	26	5	-
FEMALE--	65	86	138	177	255	292	319	276	193	79	33	-
BLACK---MALE----	79	129	136	159	240	233	177	142	84	24	5	-
FEMALE--	57	77	127	163	232	274	295	263	188	71	32	-
ALABAMA -----	9	16	21	47	54	82	93	76	61	19	5	-
WHITE-----MALE----	5	8	7	16	23	27	23	11	10	3	1	-
FEMALE--	2	5	6	15	17	31	38	51	34	10	2	-
ALL OTHER--MALE----	2	1	2	6	5	13	14	5	7	2	-	-
FEMALE--	-	2	6	10	9	11	18	9	10	4	2	-
BLACK---MALE----	2	1	2	6	5	13	14	5	7	2	-	-
FEMALE--	-	2	6	10	9	11	17	9	10	3	2	-
ALASKA -----	2	1	-	-	2	-	2	4	-	-	-	-
WHITE-----MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	15	10	18	37	34	30	25	12	4	1	-
WHITE-----MALE----	4	6	5	10	18	16	13	8	5	1	-	-
FEMALE--	1	8	1	5	14	14	11	13	7	3	1	-
ALL OTHER--MALE----	3	-	3	1	2	2	3	1	-	-	-	-
FEMALE--	2	1	1	2	3	2	3	3	-	-	-	-
BLACK---MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
ARKANSAS -----	6	9	24	23	40	44	69	46	44	10	1	-
WHITE-----MALE----	1	4	7	4	17	14	24	12	4	-	-	-
FEMALE--	2	2	11	11	14	22	31	25	27	6	1	-
ALL OTHER--MALE----	2	1	3	6	5	2	4	2	7	2	-	-
FEMALE--	1	2	3	2	4	6	10	7	6	2	-	-
BLACK---MALE----	2	1	3	5	5	2	3	2	7	2	-	-
FEMALE--	1	2	3	2	4	6	10	7	6	2	-	-
CALIFORNIA -----	10	19	24	38	47	41	71	56	38	12	3	-
WHITE-----MALE----	4	6	9	15	23	20	28	16	8	2	1	-
FEMALE--	4	5	9	17	16	15	36	31	25	7	2	-
ALL OTHER--MALE----	-	7	4	3	4	-	6	4	3	2	-	-
FEMALE--	2	1	2	3	4	6	1	5	2	1	-	-
BLACK---MALE----	-	5	3	2	4	-	2	1	1	1	-	-
FEMALE--	1	-	2	3	2	3	-	5	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 173
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
COLORADO -----	191	2	-	-	-	1	-	1	1	2	5	11
WHITE-----MALE----	72	1	-	-	-	1	-	1	-	1	1	5
FEMALE--	100	-	-	-	-	-	-	-	1	1	2	5
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	1	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	424	2	2	-	-	-	-	1	4	8	6	9
WHITE-----MALE----	167	1	1	-	-	-	-	1	-	6	2	4
FEMALE--	212	1	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	2	-	2	2
FEMALE--	27	-	1	-	-	-	-	-	1	2	1	1
BLACK---MALE----	18	-	-	-	-	-	-	-	2	-	2	2
FEMALE--	27	-	1	-	-	-	-	-	1	2	1	1
DELAWARE -----	96	1	-	-	1	-	1	-	-	1	2	3
WHITE-----MALE----	37	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	38	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	7	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	1
DISTRICT OF COLUMBIA ----	134	1	-	-	-	-	-	1	1	1	3	7
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	55	-	-	-	-	-	-	1	1	-	3	5
FEMALE--	59	1	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	55	-	-	-	-	-	-	1	1	-	3	5
FEMALE--	58	1	-	-	-	-	-	-	-	1	-	2
FLORIDA -----	787	11	3	-	1	1	-	2	5	4	16	11
WHITE-----MALE----	294	2	-	-	-	-	-	-	-	1	9	3
FEMALE--	371	5	2	-	1	-	-	1	3	3	4	4
ALL OTHER--MALE----	64	1	-	-	-	-	-	-	1	-	1	4
FEMALE--	58	3	1	-	-	1	-	1	1	-	2	-
BLACK---MALE----	63	1	-	-	-	-	-	-	1	-	1	4
FEMALE--	56	3	1	-	-	-	-	1	-	-	2	-
GEORGIA -----	790	15	4	-	-	2	2	4	2	9	11	27
WHITE-----MALE----	180	3	1	-	-	-	-	1	-	2	3	9
FEMALE--	307	2	1	-	-	1	1	1	-	-	3	3
ALL OTHER--MALE----	139	3	2	-	-	1	-	2	1	4	4	10
FEMALE--	164	7	-	-	-	-	1	-	1	3	1	5
BLACK---MALE----	137	3	2	-	-	1	-	2	1	4	4	10
FEMALE--	162	7	-	-	-	-	1	-	1	3	1	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 173
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
COLORADO -----	6	10	14	14	22	26	24	32	12	5	3	-
WHITE-----MALE----	2	1	7	8	7	8	9	14	4	2	-	-
FEMALE--	3	7	5	5	13	15	14	16	8	2	3	-
ALL OTHER--MALE----	1	-	2	1	2	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	3	-	2	-	1	-	-
BLACK---MALE----	1	-	2	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	1	-	-
CONNECTICUT -----	7	9	20	22	44	70	85	65	46	20	4	-
WHITE-----MALE----	4	5	7	8	14	35	39	23	10	6	1	-
FEMALE--	2	2	6	10	24	31	43	39	34	13	3	-
ALL OTHER--MALE----	1	1	4	2	3	1	-	-	-	-	-	-
FEMALE--	-	1	3	2	3	3	3	3	2	1	-	-
BLACK---MALE----	1	1	4	2	3	1	-	-	-	-	-	-
FEMALE--	-	1	3	2	3	3	3	3	2	1	-	-
DELAWARE -----	-	1	6	6	11	15	20	16	9	3	-	-
WHITE-----MALE----	-	-	2	2	8	7	8	5	2	-	-	-
FEMALE--	-	-	3	1	2	5	9	8	7	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	3	-	-	-	-	-
FEMALE--	-	1	1	2	1	2	-	3	-	1	-	-
BLACK---MALE----	-	-	-	1	-	1	3	-	-	-	-	-
FEMALE--	-	1	1	2	1	2	-	3	-	1	-	-
DISTRICT OF COLUMBIA ----	4	8	14	11	19	16	22	9	10	5	2	-
WHITE-----MALE----	-	-	1	-	2	2	2	2	-	-	-	-
FEMALE--	-	1	-	-	2	3	2	-	1	-	2	-
ALL OTHER--MALE----	1	5	7	6	7	5	5	3	4	2	-	-
FEMALE--	3	2	6	5	8	6	13	4	5	3	-	-
BLACK---MALE----	1	5	7	6	7	5	5	3	4	2	-	-
FEMALE--	3	2	5	5	8	6	13	4	5	3	-	-
FLORIDA -----	24	20	34	68	82	124	118	133	91	30	8	1
WHITE-----MALE----	7	13	9	21	31	56	53	45	31	9	3	1
FEMALE--	8	3	16	27	37	47	54	75	56	20	5	-
ALL OTHER--MALE----	4	4	5	8	10	9	6	9	2	-	-	-
FEMALE--	5	-	4	12	4	12	5	4	2	1	-	-
BLACK---MALE----	4	4	5	7	10	9	6	9	2	-	-	-
FEMALE--	5	-	4	12	4	12	5	4	2	1	-	-
GEORGIA -----	24	30	43	55	106	112	123	116	67	29	9	-
WHITE-----MALE----	5	5	13	16	24	35	32	19	6	4	2	-
FEMALE--	6	7	10	15	33	42	50	67	42	20	3	-
ALL OTHER--MALE----	8	14	13	10	18	20	13	8	5	2	1	-
FEMALE--	5	4	7	14	31	15	28	22	14	3	3	-
BLACK---MALE----	8	14	12	10	17	20	13	8	5	2	1	-
FEMALE--	5	4	7	14	30	15	28	21	14	3	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 174
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
HAWAII -----	3	1	9	6	18	9	16	10	5	2	-	-
WHITE-----MALE----	-	-	1	2	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	3	2	9	5	9	4	4	-	-	-
FEMALE--	2	1	5	1	6	3	7	3	1	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	7	1	7	10	11	-	-	1	-
WHITE-----MALE----	-	-	1	6	-	3	3	4	-	-	-	-
FEMALE--	-	-	-	1	1	4	7	7	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	30	28	68	96	137	182	188	180	131	41	9	-
WHITE-----MALE----	13	8	29	31	64	72	60	49	25	8	-	-
FEMALE--	9	9	18	34	47	71	98	89	78	27	7	-
ALL OTHER--MALE----	3	9	8	14	12	20	10	15	13	1	-	-
FEMALE--	5	2	13	17	14	19	20	27	15	5	2	-
BLACK---MALE----	3	9	8	14	11	19	9	10	12	1	-	-
FEMALE--	5	2	13	15	14	18	19	26	15	5	2	-
INDIANA -----	18	16	19	45	69	76	98	94	69	22	4	-
WHITE-----MALE----	9	8	11	23	23	30	42	31	11	5	-	-
FEMALE--	7	6	8	20	37	41	49	57	51	16	3	-
ALL OTHER--MALE----	2	1	-	1	3	3	5	3	1	-	-	-
FEMALE--	-	1	-	1	6	2	2	3	6	1	1	-
BLACK---MALE----	2	1	-	1	2	3	5	3	1	-	-	-
FEMALE--	-	1	-	1	6	2	2	3	6	1	1	-
IOWA -----	6	6	7	14	22	35	28	38	22	8	-	-
WHITE-----MALE----	2	4	3	7	11	19	12	12	8	3	-	-
FEMALE--	4	2	4	7	11	16	15	26	14	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	6	5	4	10	14	29	28	28	21	12	2	-
WHITE-----MALE----	2	1	3	6	8	13	10	10	6	2	-	-
FEMALE--	4	4	1	4	6	14	18	18	14	10	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 175
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
KENTUCKY -----	379	1	2	-	-	1	-	1	3	6	6	7
WHITE-----MALE----	142	1	-	-	-	-	-	-	1	2	4	3
FEMALE--	191	-	1	-	-	-	-	1	1	2	2	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	25	-	1	-	-	1	-	-	-	1	-	2
BLACK---MALE----	21	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	24	-	1	-	-	1	-	-	-	1	-	2
LOUISIANA -----	558	5	2	2	1	3	1	4	3	4	13	18
WHITE-----MALE----	124	-	-	-	-	1	-	-	-	-	2	7
FEMALE--	209	-	-	-	-	1	-	1	1	-	-	1
ALL OTHER--MALE----	97	2	2	1	1	-	-	3	1	4	6	6
FEMALE--	128	3	-	1	-	1	1	-	1	-	5	4
BLACK---MALE----	97	2	2	1	1	-	-	3	1	4	6	6
FEMALE--	128	3	-	1	-	1	1	-	1	-	5	4
MAINE -----	76	-	1	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	628	3	4	1	2	2	1	4	8	11	11	10
WHITE-----MALE----	175	-	-	1	1	-	1	1	1	1	2	1
FEMALE--	252	1	-	-	1	-	-	-	1	2	2	2
ALL OTHER--MALE----	100	1	3	-	-	1	-	2	3	5	4	6
FEMALE--	101	1	1	-	-	1	-	1	3	3	3	1
BLACK---MALE----	98	1	3	-	-	1	-	2	3	5	4	6
FEMALE--	98	1	1	-	-	1	-	1	3	3	3	1
MASSACHUSETTS -----	686	5	1	-	1	1	1	3	4	11	15	15
WHITE-----MALE----	266	2	1	-	1	-	-	-	1	7	6	3
FEMALE--	377	3	-	-	-	1	1	2	2	-	6	7
ALL OTHER--MALE----	24	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	19	-	-	-	-	-	-	-	-	3	1	3
BLACK---MALE----	19	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	17	-	-	-	-	-	-	-	-	3	1	3
MICHIGAN -----	652	2	1	1	-	1	3	2	5	10	16	17
WHITE-----MALE----	208	-	-	1	-	1	1	1	1	2	2	5
FEMALE--	295	-	-	-	-	-	1	1	2	2	4	4
ALL OTHER--MALE----	52	1	1	-	-	-	-	-	-	2	3	5
FEMALE--	97	1	-	-	-	-	1	-	2	4	7	3
BLACK---MALE----	48	1	1	-	-	-	-	-	-	2	3	5
FEMALE--	95	1	-	-	-	-	1	-	2	4	7	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 175
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
KENTUCKY -----	11	13	24	29	46	56	70	45	44	6	8	-
WHITE-----MALE----	6	5	16	16	20	22	20	14	12	-	-	-
FEMALE--	4	8	4	8	18	31	46	26	29	4	5	-
ALL OTHER--MALE----	1	-	4	1	6	2	1	1	-	1	1	-
FEMALE--	-	-	-	4	2	1	3	4	3	1	2	-
BLACK---MALE----	1	-	4	1	6	2	1	1	-	1	1	-
FEMALE--	-	-	-	3	2	1	3	4	3	1	2	-
LOUISIANA -----	12	17	38	38	67	86	94	82	47	16	5	-
WHITE-----MALE----	3	3	13	15	16	18	17	18	9	2	-	-
FEMALE--	3	4	10	9	29	32	48	39	19	8	4	-
ALL OTHER--MALE----	2	3	10	8	13	14	9	6	3	3	-	-
FEMALE--	4	7	5	6	9	22	20	19	16	3	1	-
BLACK---MALE----	2	3	10	8	13	14	9	6	3	3	-	-
FEMALE--	4	7	5	6	9	22	20	19	16	3	1	-
MAINE -----	4	3	3	4	9	12	12	14	9	2	1	-
WHITE-----MALE----	4	2	1	3	4	7	6	3	3	-	-	-
FEMALE--	-	1	2	1	5	5	6	11	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	12	22	26	51	78	99	106	88	58	27	4	-
WHITE-----MALE----	3	5	11	16	25	35	23	24	19	5	-	-
FEMALE--	3	4	5	11	27	35	61	44	32	17	4	-
ALL OTHER--MALE----	4	7	8	14	15	11	7	5	3	1	-	-
FEMALE--	2	6	2	10	11	18	15	15	4	4	-	-
BLACK---MALE----	4	7	7	13	15	11	7	5	3	1	-	-
FEMALE--	2	6	2	10	11	17	15	13	4	4	-	-
MASSACHUSETTS -----	13	19	36	49	59	102	123	122	67	30	9	-
WHITE-----MALE----	9	13	17	24	33	51	38	34	18	6	2	-
FEMALE--	3	5	15	24	22	43	81	86	48	22	6	-
ALL OTHER--MALE----	1	1	1	-	-	6	4	2	1	1	-	-
FEMALE--	-	-	3	1	4	2	-	-	-	1	1	-
BLACK---MALE----	1	1	1	-	-	4	2	2	1	-	-	-
FEMALE--	-	-	2	1	3	2	-	-	-	1	1	-
MICHIGAN -----	16	16	32	42	67	104	107	103	78	22	7	-
WHITE-----MALE----	6	5	10	16	33	39	40	26	15	2	2	-
FEMALE--	6	5	13	17	22	49	44	61	47	14	3	-
ALL OTHER--MALE----	1	4	5	4	6	4	7	5	2	1	1	-
FEMALE--	3	2	4	5	6	12	16	11	14	5	1	-
BLACK---MALE----	1	4	4	4	5	4	6	4	2	1	1	-
FEMALE--	3	2	4	4	6	12	16	11	13	5	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 176
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
MINNESOTA -----	3	7	7	20	32	28	46	29	29	12	1	-
WHITE-----MALE----	1	2	5	11	13	14	23	11	13	-	1	-
FEMALE--	1	3	1	8	15	13	22	18	16	12	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	1	2	1	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	7	11	17	18	20	33	36	24	29	8	3	-
WHITE-----MALE----	1	3	3	5	8	11	15	6	3	2	-	-
FEMALE--	3	2	6	5	5	8	11	7	14	4	1	-
ALL OTHER--MALE----	1	4	4	4	4	9	4	6	3	1	1	-
FEMALE--	2	2	4	4	3	5	6	5	9	1	1	-
BLACK---MALE----	1	4	4	4	4	9	4	6	3	1	1	-
FEMALE--	2	2	4	4	3	5	6	5	9	1	1	-
MISSOURI -----	8	14	17	41	74	56	84	95	52	22	5	-
WHITE-----MALE----	3	4	7	18	27	24	39	28	8	3	-	-
FEMALE--	3	7	6	13	32	22	41	51	33	17	3	-
ALL OTHER--MALE----	1	3	2	5	8	4	2	8	6	-	-	-
FEMALE--	1	-	2	5	7	6	2	8	5	2	2	-
BLACK---MALE----	1	3	2	5	8	4	2	8	6	-	-	-
FEMALE--	1	-	2	5	7	6	2	8	5	1	2	-
MONTANA -----	-	2	3	3	3	13	10	5	3	1	2	-
WHITE-----MALE----	-	-	1	1	2	4	4	2	-	1	-	-
FEMALE--	-	1	1	2	1	8	5	3	3	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	1	2	9	16	12	10	14	10	4	1	-
WHITE-----MALE----	2	1	1	5	8	5	4	6	2	-	-	-
FEMALE--	2	-	1	3	7	6	6	8	7	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
NEVADA -----	3	5	13	16	27	18	18	24	9	2	2	-
WHITE-----MALE----	-	3	5	10	13	6	12	7	2	-	1	-
FEMALE--	1	1	7	5	9	11	4	13	5	2	1	-
ALL OTHER--MALE----	2	-	1	1	1	-	1	2	2	-	-	-
FEMALE--	-	1	-	-	4	1	1	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	3	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 178
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
OHIO -----	963	11	3	1	1	2	1	4	12	5	10	14
WHITE-----MALE----	337	5	1	-	-	-	-	1	5	2	4	6
FEMALE--	503	4	2	1	1	1	1	3	2	-	3	5
ALL OTHER--MALE----	46	2	-	-	-	-	-	-	3	1	2	1
FEMALE--	77	-	-	-	-	1	-	-	2	2	1	2
BLACK---MALE----	46	2	-	-	-	-	-	-	3	1	2	1
FEMALE--	77	-	-	-	-	1	-	-	2	2	1	2
OKLAHOMA -----	359	2	1	-	1	-	2	2	2	6	3	6
WHITE-----MALE----	138	1	1	-	-	-	-	2	1	3	-	4
FEMALE--	178	-	-	-	-	-	1	-	1	2	2	1
ALL OTHER--MALE----	14	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	29	1	-	-	1	-	-	-	-	1	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	1	-	-	1	-	-	-	-	-	1	1
OREGON -----	130	1	-	-	-	-	-	-	2	4	2	5
WHITE-----MALE----	60	-	-	-	-	-	-	-	2	3	1	2
FEMALE--	62	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,854	9	6	3	-	3	2	2	10	13	18	33
WHITE-----MALE----	622	6	3	1	-	2	-	-	4	5	11	14
FEMALE--	941	1	2	2	-	-	2	1	3	6	2	9
ALL OTHER--MALE----	124	1	-	-	-	1	-	1	2	2	2	6
FEMALE--	167	1	1	-	-	-	-	-	1	-	3	4
BLACK---MALE----	117	1	-	-	-	-	-	1	2	2	2	5
FEMALE--	164	1	1	-	-	-	-	-	1	-	3	4
RHODE ISLAND -----	94	-	-	1	-	-	-	-	1	1	1	-
WHITE-----MALE----	34	-	-	1	-	-	-	-	1	1	-	-
FEMALE--	53	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	321	6	-	1	3	2	2	-	2	4	7	6
WHITE-----MALE----	78	1	-	-	-	-	1	-	-	-	2	1
FEMALE--	120	1	-	1	1	1	-	-	1	2	1	3
ALL OTHER--MALE----	54	3	-	-	1	1	-	-	-	1	2	1
FEMALE--	69	1	-	-	1	-	1	-	1	1	2	1
BLACK---MALE----	54	3	-	-	1	1	-	-	-	1	2	1
FEMALE--	68	1	-	-	1	-	1	-	1	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 178

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
OHIO -----	19	27	54	81	117	130	178	165	95	25	8	-
WHITE-----MALE----	6	11	27	43	42	46	64	45	27	2	-	-
FEMALE--	8	9	16	33	61	70	96	98	66	18	5	-
ALL OTHER--MALE----	3	5	2	-	9	5	5	5	1	2	-	-
FEMALE--	2	2	9	5	5	9	13	17	1	3	3	-
BLACK---MALE----	3	5	2	-	9	5	5	5	1	2	-	-
FEMALE--	2	2	9	5	5	9	13	17	1	3	3	-
OKLAHOMA -----	8	10	13	28	42	45	68	68	37	13	2	-
WHITE-----MALE----	-	5	5	10	17	19	34	18	15	3	-	-
FEMALE--	6	4	5	15	20	20	28	43	18	10	2	-
ALL OTHER--MALE----	1	-	1	3	-	3	2	3	-	-	-	-
FEMALE--	1	1	2	-	5	3	4	4	4	-	-	-
BLACK---MALE----	1	-	1	2	-	2	1	1	-	-	-	-
FEMALE--	-	1	-	-	3	2	1	4	3	-	-	-
OREGON -----	2	8	8	11	17	24	19	17	7	3	-	-
WHITE-----MALE----	2	6	4	7	9	10	7	6	1	-	-	-
FEMALE--	-	2	3	4	7	13	11	11	6	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	32	46	93	107	205	318	327	325	207	76	19	-
WHITE-----MALE----	9	18	35	43	66	130	125	92	42	13	3	-
FEMALE--	14	15	35	43	91	144	160	205	139	56	11	-
ALL OTHER--MALE----	7	5	14	9	26	23	11	9	3	1	1	-
FEMALE--	2	8	9	12	22	21	31	19	23	6	4	-
BLACK---MALE----	7	5	13	9	25	23	10	8	2	1	1	-
FEMALE--	2	8	9	12	22	19	30	19	23	6	4	-
RHODE ISLAND -----	1	3	7	5	15	15	12	18	7	7	-	-
WHITE-----MALE----	1	2	2	2	8	7	1	5	1	2	-	-
FEMALE--	-	1	5	3	6	5	9	12	6	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
SOUTH CAROLINA -----	10	11	17	22	44	55	48	42	25	13	1	-
WHITE-----MALE----	6	3	7	10	12	14	10	8	2	1	-	-
FEMALE--	1	-	3	4	10	20	21	24	16	10	-	-
ALL OTHER--MALE----	1	7	6	1	7	9	11	1	2	-	-	-
FEMALE--	2	1	1	7	15	12	6	9	5	2	1	-
BLACK---MALE----	1	7	6	1	7	9	11	1	2	-	-	-
FEMALE--	2	1	1	7	14	12	6	9	5	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 179
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
SOUTH DAKOTA -----	44	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	340	4	3	1	1	1	-	1	2	8	7	10
WHITE-----MALE----	105	1	1	-	1	-	-	-	-	5	2	4
FEMALE--	147	1	-	-	-	-	-	-	-	1	2	4
ALL OTHER--MALE----	39	2	1	-	-	-	-	1	2	-	2	1
FEMALE--	49	-	1	1	-	1	-	-	-	2	1	1
BLACK---MALE----	38	2	1	-	-	-	-	1	2	-	2	1
FEMALE--	48	-	1	1	-	1	-	-	-	2	1	1
TEXAS -----	1,327	15	5	-	1	3	5	6	15	26	25	35
WHITE-----MALE----	478	5	2	-	-	-	-	1	6	12	12	14
FEMALE--	610	4	3	-	1	1	4	1	6	9	7	9
ALL OTHER--MALE----	136	6	-	-	-	1	1	3	1	3	3	7
FEMALE--	103	-	-	-	-	1	-	1	2	2	3	5
BLACK---MALE----	135	5	-	-	-	1	1	3	1	3	3	7
FEMALE--	100	-	-	-	-	1	-	1	2	2	3	5
UTAH -----	90	1	-	1	-	-	1	1	-	4	-	1
WHITE-----MALE----	36	-	-	1	-	-	-	-	-	2	-	1
FEMALE--	54	1	-	-	-	-	1	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	46	-	-	-	-	-	1	1	-	-	1	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	27	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	715	8	1	1	1	-	1	9	10	4	15	17
WHITE-----MALE----	201	1	-	1	1	-	-	1	3	2	3	3
FEMALE--	307	4	1	-	-	-	1	1	2	-	4	5
ALL OTHER--MALE----	96	1	-	-	-	-	-	5	4	1	5	6
FEMALE--	111	2	-	-	-	-	-	2	1	1	3	3
BLACK---MALE----	95	1	-	-	-	-	-	5	4	1	5	6
FEMALE--	109	2	-	-	-	-	-	2	1	1	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 179
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
SOUTH DAKOTA -----	-	1	1	5	2	7	12	10	4	-	-	-
WHITE-----MALE----	-	1	1	2	2	5	4	5	1	-	-	-
FEMALE--	-	-	-	1	-	2	7	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	18	21	15	42	47	68	45	29	10	2	-
WHITE-----MALE----	2	5	5	9	21	18	18	11	2	-	-	-
FEMALE--	1	4	12	2	14	22	31	28	19	4	2	-
ALL OTHER--MALE----	2	5	-	1	2	4	10	4	2	-	-	-
FEMALE--	-	4	4	3	5	3	9	2	6	6	-	-
BLACK---MALE----	2	5	-	1	2	4	9	4	2	-	-	-
FEMALE--	-	4	4	3	4	3	9	2	6	6	-	-
TEXAS -----	36	56	84	107	148	164	210	211	133	31	11	-
WHITE-----MALE----	19	28	36	41	49	66	91	65	26	3	2	-
FEMALE--	9	14	30	42	73	66	92	116	91	26	6	-
ALL OTHER--MALE----	5	7	10	15	20	21	10	13	10	-	-	-
FEMALE--	3	7	8	9	6	11	17	17	6	2	3	-
BLACK---MALE----	5	7	10	15	20	21	10	13	10	-	-	-
FEMALE--	3	6	8	8	5	11	17	17	6	2	3	-
UTAH -----	1	3	9	10	6	17	14	11	7	3	-	-
WHITE-----MALE----	1	1	4	4	5	10	2	2	2	1	-	-
FEMALE--	-	2	5	6	1	7	12	9	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	1	2	2	12	8	5	6	1	2	-	-
WHITE-----MALE----	3	-	-	1	9	3	-	-	-	1	-	-
FEMALE--	-	1	2	1	3	5	5	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	24	28	39	57	78	121	132	89	56	19	5	-
WHITE-----MALE----	8	9	16	16	26	36	39	20	12	3	1	-
FEMALE--	8	8	11	17	35	47	72	45	31	12	3	-
ALL OTHER--MALE----	2	7	5	13	8	16	8	12	3	-	-	-
FEMALE--	6	4	7	11	9	22	13	12	10	4	1	-
BLACK---MALE----	2	7	5	13	8	15	8	12	3	-	-	-
FEMALE--	6	4	7	11	9	22	12	11	10	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 182

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)												
COLORADO -----	10	-	-	-	-	-	-	-	2	1	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	14	-	-	1	-	-	-	1	2	-	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	9	-	-	1	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	82	-	-	3	1	-	-	1	6	4	5	5
WHITE-----MALE----	38	-	-	-	1	-	-	1	3	2	4	3
FEMALE--	30	-	-	1	-	-	-	-	2	2	-	1
ALL OTHER--MALE----	9	-	-	2	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	9	-	-	2	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
GEORGIA -----	35	-	-	-	-	-	-	1	3	3	3	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 182

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	2	-	-	1	-	2	2	-	-	-	-
WHITE-----MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	3	2	-	-	1	1	-	-	-	-
WHITE-----MALE----	1	-	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	2	1	-	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	1	-	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	3	4	4	5	6	12	9	5	7	1	1	-
WHITE-----MALE----	1	-	2	2	2	7	4	2	4	-	-	-
FEMALE--	1	2	1	3	2	5	3	2	3	1	1	-
ALL OTHER--MALE----	1	1	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	1	1	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
GEORGIA -----	-	3	4	3	1	5	4	1	4	-	-	-
WHITE-----MALE----	-	1	2	3	1	-	-	-	2	-	-	-
FEMALE--	-	1	-	-	4	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	3	-	1	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	3	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 185
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)												
MINNESOTA -----	24	-	-	-	-	-	1	-	-	-	2	1
WHITE-----MALE----	13	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	12	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
MISSOURI -----	21	1	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MONTANA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	7	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	6	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 187
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)												
OHIO -----	25	-	-	-	-	1	-	-	1	1	1	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	17	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	12	-	-	-	-	-	-	1	-	2	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	61	-	-	1	-	1	1	1	1	1	-	1
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	1	1	1	1	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	1	1	1	1	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	24	2	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 187

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	5	1	2	2	3	3	1	-	-	-	-
WHITE-----MALE----	1	4	-	2	1	1	2	1	-	-	-	-
FEMALE--	1	1	1	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	-	3	1	2	-	4	1	1	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	-	1	-	-	-
FEMALE--	-	2	1	-	-	2	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	1	-	1	3	-	-	-	3	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	3	-	7	10	8	8	10	2	3	1	-
WHITE-----MALE----	1	3	-	3	8	4	5	4	1	1	-	-
FEMALE--	1	-	-	2	1	3	3	6	-	2	1	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	7	5	3	3	-	-	-	-	-
WHITE-----MALE----	1	-	-	4	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 188

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	2	2	3	3	3	3	1	1	1	-	-
WHITE-----MALE----	1	1	1	1	3	1	-	1	-	-	-	-
FEMALE--	2	1	1	2	-	2	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	3	-	6	6	8	13	7	5	4	1	-	-
WHITE-----MALE----	3	-	3	3	5	6	2	-	2	1	-	-
FEMALE--	-	-	3	3	2	7	4	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
UTAH -----	-	2	1	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	4	3	2	4	5	7	3	3	2	-	-
WHITE-----MALE----	-	1	1	-	-	4	2	2	1	-	-	-
FEMALE--	-	2	-	2	1	1	4	1	2	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 190
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
UNITED STATES --	48,108	162	282	161	95	86	609	3,418	8,757	10,534	9,116	5,869
WHITE-----MALE----	25,042	51	72	35	32	32	185	1,556	4,777	5,712	4,802	3,219
FEMALE--	4,543	40	67	40	22	16	82	319	654	711	540	367
ALL OTHER--MALE----	13,797	42	67	43	22	17	173	1,041	2,436	3,163	2,922	1,790
FEMALE--	4,726	29	76	43	19	21	169	502	890	948	852	493
BLACK---MALE----	13,257	40	66	41	22	17	169	1,004	2,337	3,062	2,823	1,722
FEMALE--	4,565	28	73	41	17	21	167	495	874	934	839	477
ALABAMA -----	475	4	1	2	-	3	7	48	87	100	81	43
WHITE-----MALE----	210	-	-	-	-	2	2	19	47	52	29	19
FEMALE--	44	-	-	1	-	-	-	4	7	2	2	2
ALL OTHER--MALE----	177	2	1	1	-	1	4	19	25	38	40	21
FEMALE--	44	2	-	-	-	-	1	6	8	8	10	1
BLACK---MALE----	177	2	1	1	-	1	4	19	25	38	40	21
FEMALE--	42	2	-	-	-	-	1	6	7	7	10	1
ALASKA -----	36	-	-	-	-	-	1	7	6	6	2	7
WHITE-----MALE----	23	-	-	-	-	-	1	3	4	4	-	6
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	2	1	1	2	-
FEMALE--	4	-	-	-	-	-	-	2	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	584	5	4	1	1	-	4	43	124	119	91	64
WHITE-----MALE----	455	4	2	-	-	-	1	33	100	96	76	53
FEMALE--	73	1	1	-	1	-	3	2	14	12	3	6
ALL OTHER--MALE----	47	-	1	1	-	-	-	7	9	9	11	3
FEMALE--	9	-	-	-	-	-	-	1	1	2	1	2
BLACK---MALE----	29	-	-	1	-	-	-	1	5	7	9	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
ARKANSAS -----	229	3	1	1	1	2	6	32	38	29	40	16
WHITE-----MALE----	124	3	-	-	-	-	-	17	22	16	22	12
FEMALE--	25	-	1	-	-	-	-	2	2	1	4	2
ALL OTHER--MALE----	58	-	-	1	1	1	3	5	11	12	13	1
FEMALE--	22	-	-	-	-	1	3	8	3	-	1	1
BLACK---MALE----	56	-	-	1	1	1	3	5	11	11	12	1
FEMALE--	22	-	-	-	-	1	3	8	3	-	1	1
CALIFORNIA -----	7,210	12	23	11	9	5	70	441	1,207	1,519	1,410	979
WHITE-----MALE----	5,204	4	11	2	2	3	45	316	915	1,146	1,040	710
FEMALE--	506	6	7	7	2	1	10	27	48	62	67	52
ALL OTHER--MALE----	1,229	2	3	2	2	1	8	75	205	275	258	177
FEMALE--	271	-	2	-	3	-	7	23	39	36	45	40
BLACK---MALE----	1,011	2	3	1	2	1	8	69	176	236	213	139
FEMALE--	216	-	2	-	3	-	6	21	37	35	41	33

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 190
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
UNITED STATES --	3,090	1,824	1,223	928	741	496	356	195	101	45	12	8
WHITE-----MALE----	1,749	986	602	446	328	195	152	66	31	8	1	5
FEMALE--	224	183	171	214	274	228	171	110	64	36	10	-
ALL OTHER--MALE----	924	505	335	168	79	46	10	8	1	1	1	3
FEMALE--	193	150	115	100	60	27	23	11	5	-	-	-
BLACK---MALE----	892	468	310	154	72	39	9	4	1	1	1	3
FEMALE--	184	138	94	88	49	15	18	10	3	-	-	-
ALABAMA -----	26	18	11	16	10	9	4	4	1	-	-	-
WHITE-----MALE----	10	12	3	6	5	1	3	-	-	-	-	-
FEMALE--	5	1	3	4	4	5	1	2	1	-	-	-
ALL OTHER--MALE----	10	5	3	3	-	3	-	1	-	-	-	-
FEMALE--	1	-	2	3	1	-	-	1	-	-	-	-
BLACK---MALE----	10	5	3	3	-	3	-	1	-	-	-	-
FEMALE--	1	-	2	3	1	-	-	1	-	-	-	-
ALASKA -----	5	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	44	21	13	13	18	10	5	3	1	-	-	-
WHITE-----MALE----	37	20	11	6	8	2	3	3	-	-	-	-
FEMALE--	5	1	-	6	7	8	2	-	1	-	-	-
ALL OTHER--MALE----	2	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	12	8	6	11	9	6	5	1	1	-	1	-
WHITE-----MALE----	9	3	3	4	6	3	3	1	-	-	-	-
FEMALE--	1	3	-	1	2	3	2	-	1	-	-	-
ALL OTHER--MALE----	2	2	2	3	-	-	-	-	-	-	1	-
FEMALE--	-	-	1	3	1	-	-	-	-	-	-	-
BLACK---MALE----	2	2	2	3	-	-	-	-	-	-	1	-
FEMALE--	-	-	1	3	1	-	-	-	-	-	-	-
CALIFORNIA -----	544	351	229	140	98	74	55	20	10	2	-	1
WHITE-----MALE----	425	245	153	83	39	30	25	6	3	-	-	1
FEMALE--	28	27	22	24	43	30	26	9	6	2	-	-
ALL OTHER--MALE----	83	67	35	19	8	6	-	3	-	-	-	-
FEMALE--	8	12	19	14	8	8	4	2	1	-	-	-
BLACK---MALE----	72	49	22	8	5	4	-	1	-	-	-	-
FEMALE--	6	6	10	8	5	2	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 191
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
COLORADO -----	471	2	1	3	2	1	4	25	103	103	96	45
WHITE-----MALE----	376	1	-	1	1	1	2	22	87	78	84	37
FEMALE--	40	1	1	2	1	-	1	-	7	6	4	3
ALL OTHER--MALE----	47	-	-	-	-	-	1	2	9	16	7	5
FEMALE--	8	-	-	-	-	-	-	1	-	3	1	-
BLACK---MALE----	41	-	-	-	-	-	1	2	9	15	5	5
FEMALE--	5	-	-	-	-	-	-	1	-	2	1	-
CONNECTICUT -----	661	1	3	1	5	1	4	44	109	138	143	89
WHITE-----MALE----	307	-	-	-	1	-	2	16	57	64	60	49
FEMALE--	93	1	1	-	2	-	-	7	18	16	17	9
ALL OTHER--MALE----	172	-	1	-	1	-	2	8	19	38	47	22
FEMALE--	89	-	1	1	1	1	-	13	15	20	19	9
BLACK---MALE----	170	-	1	-	1	-	2	8	19	38	46	22
FEMALE--	88	-	1	1	1	1	-	13	15	19	19	9
DELAWARE -----	176	-	1	-	-	-	1	14	41	46	31	20
WHITE-----MALE----	62	-	1	-	-	-	-	5	16	14	9	6
FEMALE--	12	-	-	-	-	-	-	2	-	-	2	2
ALL OTHER--MALE----	78	-	-	-	-	-	1	6	17	27	16	8
FEMALE--	24	-	-	-	-	-	-	1	8	5	4	4
BLACK---MALE----	77	-	-	-	-	-	1	6	17	26	16	8
FEMALE--	24	-	-	-	-	-	-	1	8	5	4	4
DISTRICT OF COLUMBIA ----	671	1	5	1	1	2	10	55	110	145	146	91
WHITE-----MALE----	112	-	-	-	-	-	-	4	19	24	27	22
FEMALE--	6	-	1	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	423	-	1	-	-	-	4	40	70	92	97	53
FEMALE--	130	1	3	1	1	2	6	11	21	28	21	16
BLACK---MALE----	422	-	1	-	-	-	4	40	70	91	97	53
FEMALE--	130	1	3	1	1	2	6	11	21	28	21	16
FLORIDA -----	4,730	10	34	22	6	10	83	344	885	1,043	836	508
WHITE-----MALE----	2,286	1	7	4	1	1	20	139	471	544	411	273
FEMALE--	373	2	3	2	1	1	7	26	50	63	41	28
ALL OTHER--MALE----	1,385	4	14	10	1	3	19	91	232	305	259	153
FEMALE--	686	3	10	6	3	5	37	88	132	131	125	54
BLACK---MALE----	1,378	4	14	10	1	3	19	90	231	305	257	152
FEMALE--	685	3	10	6	3	5	37	88	132	131	124	54
GEORGIA -----	1,696	6	9	3	2	3	26	179	357	425	276	173
WHITE-----MALE----	623	3	1	1	-	1	3	51	137	160	113	65
FEMALE--	62	-	1	-	1	-	-	8	7	11	8	3
ALL OTHER--MALE----	786	2	4	2	1	1	12	94	160	207	132	87
FEMALE--	225	1	3	-	-	1	11	26	53	47	23	18
BLACK---MALE----	783	2	4	2	1	1	12	94	160	207	129	87
FEMALE--	225	1	3	-	-	1	11	26	53	47	23	18

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 191
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
COLORADO -----	35	16	9	11	2	6	3	3	1	-	-	-
WHITE-----MALE----	26	15	7	8	1	3	-	1	1	-	-	-
FEMALE--	4	1	-	3	1	1	2	2	-	-	-	-
ALL OTHER--MALE----	5	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	44	29	11	7	13	5	6	4	-	4	-	-
WHITE-----MALE----	22	15	5	4	6	2	3	-	-	1	-	-
FEMALE--	2	5	-	-	3	3	2	4	-	3	-	-
ALL OTHER--MALE----	15	7	6	2	3	-	1	-	-	-	-	-
FEMALE--	5	2	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	14	7	6	2	3	-	1	-	-	-	-	-
FEMALE--	5	2	-	1	1	-	-	-	-	-	-	-
DELAWARE -----	6	1	3	4	5	2	-	1	-	-	-	-
WHITE-----MALE----	3	-	1	4	2	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	54	24	7	6	7	1	4	-	-	-	-	1
WHITE-----MALE----	10	4	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	33	15	6	3	5	1	2	-	-	-	-	1
FEMALE--	9	5	-	2	1	-	2	-	-	-	-	-
BLACK---MALE----	33	15	6	3	5	1	2	-	-	-	-	1
FEMALE--	9	5	-	2	1	-	2	-	-	-	-	-
FLORIDA -----	290	198	161	120	76	46	28	20	8	1	-	1
WHITE-----MALE----	140	88	64	45	28	18	16	11	4	-	-	-
FEMALE--	21	19	17	21	28	20	10	8	4	1	-	-
ALL OTHER--MALE----	109	70	60	32	13	8	-	1	-	-	-	1
FEMALE--	20	21	20	22	7	-	2	-	-	-	-	-
BLACK---MALE----	108	70	59	32	13	8	-	1	-	-	-	1
FEMALE--	20	21	20	22	7	-	2	-	-	-	-	-
GEORGIA -----	92	51	32	26	16	7	6	4	3	-	-	-
WHITE-----MALE----	34	25	7	8	7	3	2	1	1	-	-	-
FEMALE--	3	2	2	3	4	1	3	3	2	-	-	-
ALL OTHER--MALE----	43	14	13	8	3	2	1	-	-	-	-	-
FEMALE--	12	10	10	7	2	1	-	-	-	-	-	-
BLACK---MALE----	43	14	13	8	3	2	1	-	-	-	-	-
FEMALE--	12	10	10	7	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 192
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
HAWAII -----	145	-	1	-	2	-	1	5	22	43	23	21
WHITE-----MALE----	77	-	-	-	1	-	-	2	9	24	11	17
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	51	-	-	-	-	-	1	3	11	17	9	3
FEMALE--	13	-	1	-	1	-	-	-	1	2	2	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	59	-	-	2	-	-	-	4	11	8	9	6
WHITE-----MALE----	50	-	-	1	-	-	-	4	11	7	8	5
FEMALE--	8	-	-	1	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ILLINOIS -----	1,612	7	8	3	1	1	16	104	278	367	303	187
WHITE-----MALE----	725	2	3	1	1	1	3	39	124	178	150	80
FEMALE--	152	-	2	1	-	-	1	12	20	17	14	13
ALL OTHER--MALE----	611	2	1	-	-	-	7	40	114	152	114	79
FEMALE--	124	3	2	1	-	-	5	13	20	20	25	15
BLACK---MALE----	605	2	1	-	-	-	7	40	113	151	114	79
FEMALE--	122	3	2	1	-	-	5	13	20	20	25	14
INDIANA -----	476	4	3	1	-	2	7	37	96	101	98	50
WHITE-----MALE----	315	2	2	-	-	2	2	23	71	69	68	38
FEMALE--	57	1	1	-	-	-	2	3	5	7	9	3
ALL OTHER--MALE----	78	-	-	-	-	-	-	10	17	21	17	6
FEMALE--	26	1	-	1	-	-	3	1	3	4	4	3
BLACK---MALE----	77	-	-	-	-	-	-	10	17	21	17	6
FEMALE--	26	1	-	1	-	-	3	1	3	4	4	3
IOWA -----	132	2	2	-	-	-	-	10	21	27	12	10
WHITE-----MALE----	93	-	1	-	-	-	-	8	17	21	10	10
FEMALE--	28	2	1	-	-	-	-	1	2	1	2	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	5	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	5	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
KANSAS -----	175	-	1	-	-	-	1	15	43	36	27	15
WHITE-----MALE----	131	-	-	-	-	-	1	10	34	29	22	14
FEMALE--	16	-	1	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	3	8	5	3	1
FEMALE--	6	-	-	-	-	-	-	2	1	-	1	-
BLACK---MALE----	18	-	-	-	-	-	-	3	8	2	3	1
FEMALE--	6	-	-	-	-	-	-	2	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 192
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
HAWAII -----	10	4	4	2	3	2	1	1	-	-	-	-
WHITE-----MALE----	6	2	3	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	3	4	4	3	-	2	1	1	-	-	-
WHITE-----MALE----	1	3	4	4	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	111	65	46	35	38	16	9	10	3	3	1	-
WHITE-----MALE----	43	36	21	15	17	4	5	2	-	-	-	-
FEMALE--	9	5	11	7	15	8	3	7	3	3	1	-
ALL OTHER--MALE----	52	22	13	7	4	3	-	1	-	-	-	-
FEMALE--	7	2	1	6	2	1	1	-	-	-	-	-
BLACK---MALE----	51	19	13	7	4	3	-	1	-	-	-	-
FEMALE--	7	2	1	5	2	1	1	-	-	-	-	-
INDIANA -----	14	14	5	12	11	9	4	4	1	3	-	-
WHITE-----MALE----	11	7	4	5	3	5	-	2	-	1	-	-
FEMALE--	1	3	1	4	8	2	4	1	1	1	-	-
ALL OTHER--MALE----	2	3	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	2	-	2	-	1	-	-	-	-
BLACK---MALE----	2	2	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	2	-	2	-	1	-	-	-	-
IOWA -----	6	6	4	10	7	4	4	4	3	-	-	-
WHITE-----MALE----	4	6	1	5	5	3	1	-	1	-	-	-
FEMALE--	1	-	3	3	2	1	3	4	2	-	-	-
ALL OTHER--MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	6	7	3	6	2	2	4	3	2	2	-	-
WHITE-----MALE----	5	6	2	4	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	2	3	1	2	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 193
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
KENTUCKY -----	267	1	-	-	-	2	6	20	57	63	43	31
WHITE-----MALE----	178	-	-	-	-	1	1	13	41	46	32	25
FEMALE--	35	1	-	-	-	1	2	1	2	2	2	3
ALL OTHER--MALE----	43	-	-	-	-	-	2	5	12	13	6	3
FEMALE--	11	-	-	-	-	-	1	1	2	2	3	-
BLACK---MALE----	43	-	-	-	-	-	2	5	12	13	6	3
FEMALE--	11	-	-	-	-	-	1	1	2	2	3	-
LOUISIANA -----	828	5	1	-	4	5	16	78	167	164	140	103
WHITE-----MALE----	352	1	-	-	1	1	2	22	77	65	64	49
FEMALE--	46	-	-	-	-	1	-	3	2	3	4	4
ALL OTHER--MALE----	335	4	-	-	2	1	5	38	71	79	59	42
FEMALE--	95	-	1	-	1	2	9	15	17	17	13	8
BLACK---MALE----	333	4	-	-	2	1	5	38	70	79	59	41
FEMALE--	95	-	1	-	1	2	9	15	17	17	13	8
MAINE -----	85	-	1	-	-	-	4	5	16	21	14	9
WHITE-----MALE----	71	-	1	-	-	-	2	3	14	19	13	8
FEMALE--	13	-	-	-	-	-	2	2	1	2	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,456	6	11	5	1	3	17	107	274	347	285	168
WHITE-----MALE----	323	2	2	-	1	-	-	16	66	71	52	34
FEMALE--	60	1	-	1	-	2	3	9	8	5	4	6
ALL OTHER--MALE----	819	1	5	1	-	-	8	55	148	216	184	99
FEMALE--	254	2	4	3	-	1	6	27	52	55	45	29
BLACK---MALE----	811	1	5	1	-	-	8	55	146	215	182	98
FEMALE--	252	2	4	3	-	1	6	27	51	54	45	29
MASSACHUSETTS -----	1,044	4	8	5	2	2	4	57	222	250	214	121
WHITE-----MALE----	629	2	2	1	-	1	2	23	149	159	135	68
FEMALE--	161	-	-	4	1	1	1	17	26	27	29	16
ALL OTHER--MALE----	183	2	1	-	1	-	1	12	34	49	33	32
FEMALE--	71	-	5	-	-	-	-	5	13	15	17	5
BLACK---MALE----	175	1	1	-	1	-	1	12	33	47	32	31
FEMALE--	70	-	4	-	-	-	-	5	13	15	17	5
MICHIGAN -----	935	5	5	6	1	3	9	68	204	152	171	124
WHITE-----MALE----	379	1	3	1	-	2	2	26	83	66	63	50
FEMALE--	77	-	1	2	-	1	1	5	11	6	5	3
ALL OTHER--MALE----	391	1	1	1	1	-	6	27	93	70	89	55
FEMALE--	88	3	-	2	-	-	-	10	17	10	14	16
BLACK---MALE----	386	1	1	-	1	-	6	27	93	68	89	55
FEMALE--	86	3	-	2	-	-	-	10	17	10	14	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 193
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
KENTUCKY -----	10	7	4	8	6	-	3	2	3	1	-	-
WHITE-----MALE----	8	2	2	3	2	-	1	-	1	-	-	-
FEMALE--	1	4	1	4	4	-	2	2	2	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	44	38	15	14	13	13	3	1	4	-	-	-
WHITE-----MALE----	26	17	8	5	5	8	-	1	-	-	-	-
FEMALE--	2	6	3	3	6	3	3	-	3	-	-	-
ALL OTHER--MALE----	15	12	2	1	1	2	-	-	1	-	-	-
FEMALE--	1	3	2	5	1	-	-	-	-	-	-	-
BLACK---MALE----	15	12	2	1	1	2	-	-	1	-	-	-
FEMALE--	1	3	2	5	1	-	-	-	-	-	-	-
MAINE -----	5	2	1	2	1	-	2	-	2	-	-	-
WHITE-----MALE----	5	2	1	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	91	54	24	21	19	12	5	2	2	1	-	1
WHITE-----MALE----	28	18	4	9	8	6	4	-	1	1	-	-
FEMALE--	3	3	3	2	2	5	-	2	1	-	-	-
ALL OTHER--MALE----	52	23	16	6	3	-	1	-	-	-	-	1
FEMALE--	8	10	1	4	6	1	-	-	-	-	-	-
BLACK---MALE----	52	22	16	6	3	-	-	-	3	-	-	1
FEMALE--	8	10	1	4	6	1	-	-	-	-	-	-
MASSACHUSETTS -----	59	24	10	16	15	12	9	4	4	2	-	-
WHITE-----MALE----	44	12	5	6	9	5	3	2	1	-	-	-
FEMALE--	6	4	1	8	4	6	4	1	3	2	-	-
ALL OTHER--MALE----	7	5	4	-	1	-	1	-	-	-	-	-
FEMALE--	2	3	-	2	1	1	1	1	-	-	-	-
BLACK---MALE----	7	4	3	-	1	-	1	-	-	-	-	-
FEMALE--	2	3	-	2	1	1	1	1	-	-	-	-
MICHIGAN -----	67	30	27	18	14	10	13	4	2	2	-	-
WHITE-----MALE----	31	18	12	8	4	5	3	1	-	-	-	-
FEMALE--	5	4	5	4	6	4	9	2	1	2	-	-
ALL OTHER--MALE----	26	7	7	3	3	1	-	-	-	-	-	-
FEMALE--	5	1	3	3	1	-	1	1	1	-	-	-
BLACK---MALE----	25	7	6	3	3	1	-	-	-	-	-	-
FEMALE--	5	1	2	2	1	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 194
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
MINNESOTA -----	332	2	1	-	1	1	4	19	59	88	46	36
WHITE-----MALE----	245	-	-	-	-	-	-	12	49	70	34	28
FEMALE--	35	1	-	-	-	1	2	1	1	6	3	3
ALL OTHER--MALE----	42	-	-	-	-	-	1	6	7	10	8	4
FEMALE--	10	1	1	-	1	-	1	-	2	2	1	1
BLACK---MALE----	36	-	-	-	-	-	1	4	7	9	8	3
FEMALE--	6	-	1	-	-	-	1	-	1	2	1	-
MISSISSIPPI -----	289	-	-	2	-	-	6	35	71	66	36	25
WHITE-----MALE----	116	-	-	1	-	-	2	6	24	25	20	14
FEMALE--	15	-	-	-	-	-	-	-	4	2	-	1
ALL OTHER--MALE----	115	-	-	-	-	-	4	14	35	34	12	7
FEMALE--	43	-	-	1	-	-	-	15	8	5	4	3
BLACK---MALE----	115	-	-	-	-	-	4	14	35	34	12	7
FEMALE--	43	-	-	1	-	-	-	15	8	5	4	3
MISSOURI -----	561	3	2	3	1	3	6	44	124	111	94	54
WHITE-----MALE----	343	1	1	1	-	-	3	22	76	79	58	45
FEMALE--	51	-	-	1	1	2	1	1	5	1	4	-
ALL OTHER--MALE----	139	2	-	1	-	1	1	16	38	29	27	9
FEMALE--	28	-	1	-	-	-	1	5	5	2	5	-
BLACK---MALE----	135	1	-	1	-	1	1	16	36	29	27	9
FEMALE--	27	-	1	-	-	-	1	5	5	2	5	-
MONTANA -----	43	1	2	-	-	-	-	1	6	5	3	1
WHITE-----MALE----	23	-	1	-	-	-	-	-	4	4	1	1
FEMALE--	16	1	1	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	76	1	-	-	1	-	-	7	20	12	10	5
WHITE-----MALE----	57	-	-	-	-	-	-	5	13	11	8	5
FEMALE--	14	1	-	-	1	-	-	1	6	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	227	-	-	-	-	-	2	12	44	50	45	32
WHITE-----MALE----	157	-	-	-	-	-	2	7	35	32	30	23
FEMALE--	20	-	-	-	-	-	-	2	2	6	1	3
ALL OTHER--MALE----	43	-	-	-	-	-	-	3	6	12	12	4
FEMALE--	7	-	-	-	-	-	-	-	1	-	2	2
BLACK---MALE----	38	-	-	-	-	-	-	3	6	8	12	4
FEMALE--	6	-	-	-	-	-	-	-	1	-	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 196
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
OHIO -----	1,036	5	7	2	5	4	13	105	197	265	152	90
WHITE-----MALE----	595	3	1	1	3	1	5	53	115	157	95	61
FEMALE--	112	2	2	-	2	-	-	14	15	19	3	4
ALL OTHER--MALE----	286	-	1	1	-	2	5	33	60	82	49	22
FEMALE--	43	-	3	-	-	1	3	5	7	7	5	3
BLACK---MALE----	282	-	1	1	-	2	5	33	60	81	47	22
FEMALE--	43	-	3	-	-	1	3	5	7	7	5	3
OKLAHOMA -----	290	1	2	-	-	-	2	29	71	59	34	25
WHITE-----MALE----	201	-	-	-	-	-	2	22	48	43	25	21
FEMALE--	30	1	-	-	-	-	-	3	2	4	1	-
ALL OTHER--MALE----	47	-	1	-	-	-	-	3	19	10	7	3
FEMALE--	12	-	1	-	-	-	-	1	2	2	1	1
BLACK---MALE----	38	-	1	-	-	-	-	3	14	8	5	3
FEMALE--	7	-	1	-	-	-	-	1	1	-	-	1
OREGON -----	372	-	2	1	-	2	4	23	58	61	78	51
WHITE-----MALE----	302	-	2	-	-	1	2	18	46	55	70	44
FEMALE--	52	-	-	1	-	1	2	3	11	4	3	4
ALL OTHER--MALE----	13	-	-	-	-	-	-	2	1	1	4	3
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	7	-	-	-	-	-	-	1	-	1	3	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,603	6	15	8	5	3	23	105	273	354	287	209
WHITE-----MALE----	766	-	3	-	2	2	5	39	134	160	158	112
FEMALE--	182	1	4	1	2	-	7	14	21	25	13	13
ALL OTHER--MALE----	537	5	4	2	1	-	8	43	97	134	97	72
FEMALE--	118	-	4	5	-	1	3	9	21	35	19	12
BLACK---MALE----	529	5	4	2	1	-	8	43	95	132	96	71
FEMALE--	117	-	4	4	-	1	3	9	21	35	19	12
RHODE ISLAND -----	122	-	-	-	1	-	2	6	17	27	26	17
WHITE-----MALE----	85	-	-	-	-	-	2	5	10	21	21	11
FEMALE--	19	-	-	-	-	-	-	1	4	2	2	2
ALL OTHER--MALE----	13	-	-	-	1	-	-	-	3	2	2	4
FEMALE--	5	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	12	-	-	-	1	-	-	-	3	2	2	3
FEMALE--	5	-	-	-	-	-	-	-	-	2	1	-
SOUTH CAROLINA -----	618	1	5	4	1	-	19	46	129	129	117	64
WHITE-----MALE----	183	-	1	-	-	-	6	6	36	44	34	21
FEMALE--	37	-	-	1	-	-	2	3	4	2	3	5
ALL OTHER--MALE----	288	1	-	2	-	-	5	24	67	64	65	28
FEMALE--	110	-	4	1	1	-	6	13	22	19	15	10
BLACK---MALE----	287	1	-	2	-	-	5	23	67	64	65	28
FEMALE--	109	-	4	1	1	-	6	13	22	19	15	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 196
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
OHIO -----	56	29	22	21	18	22	8	8	3	4	-	-
WHITE-----MALE----	32	17	11	10	12	8	4	4	1	1	-	-
FEMALE--	6	5	4	5	6	13	3	4	2	3	-	-
ALL OTHER--MALE----	13	4	7	6	-	1	-	-	-	-	-	-
FEMALE--	5	3	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	13	4	7	6	-	-	-	-	-	-	-	-
FEMALE--	5	3	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	20	12	8	5	10	5	5	1	-	-	1	-
WHITE-----MALE----	18	6	3	3	6	1	2	1	-	-	-	-
FEMALE--	-	3	3	1	4	4	3	-	-	-	1	-
ALL OTHER--MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
OREGON -----	28	9	17	9	11	5	10	1	-	-	2	-
WHITE-----MALE----	27	6	11	7	7	-	6	-	-	-	-	-
FEMALE--	-	2	4	2	4	4	4	1	-	-	2	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	98	54	31	37	35	23	19	9	5	1	3	-
WHITE-----MALE----	50	25	17	20	16	8	8	4	2	-	1	-
FEMALE--	6	8	4	14	15	13	10	5	3	1	2	-
ALL OTHER--MALE----	37	19	9	3	4	2	-	-	-	-	-	-
FEMALE--	5	2	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	36	19	8	3	4	2	-	-	-	-	-	-
FEMALE--	5	2	1	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	4	2	4	4	3	5	1	2	1	-	-	-
WHITE-----MALE----	4	1	1	1	2	3	1	2	-	-	-	-
FEMALE--	-	-	2	3	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	28	26	15	10	10	5	6	2	-	1	-	-
WHITE-----MALE----	9	6	7	5	4	2	1	1	-	-	-	-
FEMALE--	1	-	3	3	3	2	4	-	-	1	-	-
ALL OTHER--MALE----	13	15	2	1	-	1	-	-	-	-	-	-
FEMALE--	5	5	3	1	3	-	1	1	-	-	-	-
BLACK---MALE----	13	15	2	1	-	1	-	-	-	-	-	-
FEMALE--	5	5	2	1	3	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 197
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
SOUTH DAKOTA -----	31	1	-	-	-	-	-	2	7	5	5	4
WHITE-----MALE----	15	1	-	-	-	-	-	-	3	3	1	3
FEMALE--	6	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	2	1	3	-
FEMALE--	4	-	-	-	-	-	-	-	2	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	607	5	1	1	-	-	14	68	121	140	95	56
WHITE-----MALE----	293	2	-	-	-	-	1	28	52	75	53	34
FEMALE--	55	-	-	-	-	-	2	5	5	4	5	4
ALL OTHER--MALE----	209	1	-	-	-	-	7	28	52	51	32	16
FEMALE--	50	2	1	1	-	-	4	7	12	10	5	2
BLACK---MALE----	206	1	-	-	-	-	6	28	52	50	32	16
FEMALE--	50	2	1	1	-	-	4	7	12	10	5	2
TEXAS -----	3,201	19	20	10	7	10	65	264	685	707	544	301
WHITE-----MALE----	2,025	9	7	3	6	6	21	162	448	482	338	203
FEMALE--	305	2	7	3	-	1	9	22	41	39	33	22
ALL OTHER--MALE----	685	4	5	1	-	-	16	56	161	154	141	66
FEMALE--	186	4	1	3	1	3	19	24	35	32	32	10
BLACK---MALE----	672	4	5	1	-	-	16	55	159	154	139	62
FEMALE--	184	4	1	3	1	3	19	24	35	31	32	10
UTAH -----	123	2	-	-	1	-	1	8	26	22	21	17
WHITE-----MALE----	88	-	-	-	-	-	1	8	19	19	18	11
FEMALE--	22	2	-	-	1	-	-	-	4	2	3	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	6	-	-	-	-	-	-	-	2	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	6	-	-	-	-	-	-	-	2	1	-	1
VERMONT -----	34	-	-	-	-	-	-	1	9	7	7	1
WHITE-----MALE----	27	-	-	-	-	-	-	-	9	7	6	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	923	3	4	3	-	2	10	75	183	211	161	107
WHITE-----MALE----	392	2	1	2	-	1	1	23	77	93	69	53
FEMALE--	66	1	-	-	-	-	-	4	12	11	3	4
ALL OTHER--MALE----	348	-	2	-	-	-	3	35	71	83	74	35
FEMALE--	117	-	1	1	-	1	6	13	23	24	15	15
BLACK---MALE----	342	-	2	-	-	-	3	34	68	82	74	35
FEMALE--	113	-	1	1	-	1	6	12	23	24	15	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 197
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
SOUTH DAKOTA -----	-	-	-	2	2	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	31	13	14	13	17	6	5	5	2	-	-	-
WHITE-----MALE----	17	7	5	3	8	2	2	3	1	-	-	-
FEMALE--	2	2	2	6	9	3	3	2	1	-	-	-
ALL OTHER--MALE----	12	2	6	2	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	2	-	1	-	-	-	-	-	-
BLACK---MALE----	12	1	6	2	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	2	-	1	-	-	-	-	-	-
TEXAS -----	194	100	79	51	54	38	31	14	6	2	-	-
WHITE-----MALE----	136	65	42	32	29	17	14	3	1	1	-	-
FEMALE--	14	14	22	10	20	17	13	10	5	1	-	-
ALL OTHER--MALE----	36	18	11	7	3	4	1	1	-	-	-	-
FEMALE--	8	3	4	2	2	3	3	3	-	-	-	-
BLACK---MALE----	36	17	10	7	3	3	1	-	-	-	-	-
FEMALE--	7	3	4	2	2	-	3	-	-	-	-	-
UTAH -----	7	2	3	5	4	2	-	1	1	-	-	-
WHITE-----MALE----	5	2	2	3	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	2	2	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	3	1	2	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	55	32	11	17	20	13	7	5	1	1	-	2
WHITE-----MALE----	32	15	3	5	7	3	1	2	-	-	-	2
FEMALE--	2	2	2	4	6	5	5	3	1	1	-	-
ALL OTHER--MALE----	19	11	3	6	5	-	1	-	-	-	-	-
FEMALE--	2	4	3	2	2	5	-	-	-	-	-	-
BLACK---MALE----	18	11	3	6	5	-	1	-	-	-	-	-
FEMALE--	2	4	3	1	2	4	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 244
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL HEPATITIS (070)												
UNITED STATES --	3,400	1	5	1	2	10	15	35	101	230	363	374
WHITE-----MALE----	1,714	1	2	-	-	2	2	20	66	128	227	226
FEMALE--	1,055	-	2	1	1	3	4	5	16	34	59	58
ALL OTHER--MALE----	362	-	-	-	1	4	5	4	11	46	58	60
FEMALE--	269	-	1	-	-	1	4	6	8	22	19	30
BLACK---MALE----	243	-	-	-	1	4	4	3	9	37	49	41
FEMALE--	186	-	1	-	-	1	4	4	7	19	15	23
ALABAMA -----	58	-	-	-	-	1	-	-	1	4	7	5
WHITE-----MALE----	26	-	-	-	-	1	-	-	-	2	3	5
FEMALE--	20	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	68	1	-	-	-	-	-	-	3	5	7	10
WHITE-----MALE----	36	1	-	-	-	-	-	-	1	3	6	7
FEMALE--	27	-	-	-	-	-	-	-	2	2	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	46	-	-	-	-	1	1	-	2	1	7	3
WHITE-----MALE----	23	-	-	-	-	-	-	-	1	-	5	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	-	-
CALIFORNIA -----	605	-	3	-	-	2	3	6	12	40	74	72
WHITE-----MALE----	304	-	1	-	-	-	1	3	10	26	53	45
FEMALE--	164	-	2	-	-	1	2	-	2	4	11	8
ALL OTHER--MALE----	82	-	-	-	-	1	-	2	-	8	6	15
FEMALE--	55	-	-	-	-	-	-	1	-	2	4	4
BLACK---MALE----	26	-	-	-	-	1	-	1	-	4	3	4
FEMALE--	19	-	-	-	-	-	-	-	-	2	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 244
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
UNITED STATES --	274	277	294	355	396	321	225	84	33	4	-	-
WHITE-----MALE----	155	132	137	159	180	127	104	35	11	-	-	-
FEMALE--	63	77	89	136	181	160	105	38	19	4	-	-
ALL OTHER--MALE----	38	44	33	22	14	14	4	3	1	-	-	-
FEMALE--	18	24	35	38	21	20	12	8	2	-	-	-
BLACK---MALE----	25	23	15	12	8	8	3	-	1	-	-	-
FEMALE--	12	16	17	27	13	9	9	7	2	-	-	-
ALABAMA -----	6	4	5	7	6	6	4	1	1	-	-	-
WHITE-----MALE----	2	3	1	2	3	1	3	-	-	-	-	-
FEMALE--	3	1	2	4	2	4	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	-	-	-	-
ALASKA -----	2	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	3	3	6	13	6	2	2	-	-	-	-
WHITE-----MALE----	3	2	3	1	6	1	-	2	-	-	-	-
FEMALE--	3	1	-	5	4	5	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	4	2	6	5	5	5	-	1	-	-	-
WHITE-----MALE----	2	1	2	2	3	2	3	-	-	-	-	-
FEMALE--	-	2	-	1	2	3	2	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
CALIFORNIA -----	55	54	67	52	60	48	40	13	3	1	-	-
WHITE-----MALE----	34	21	29	19	19	20	18	4	1	-	-	-
FEMALE--	11	13	14	16	32	21	19	5	2	1	-	-
ALL OTHER--MALE----	6	14	13	9	5	1	-	2	-	-	-	-
FEMALE--	4	6	11	8	4	6	3	2	-	-	-	-
BLACK---MALE----	3	5	2	1	2	-	-	-	-	-	-	-
FEMALE--	2	1	4	3	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 245
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL HEPATITIS (070)												
COLORADO -----	43	-	-	-	-	-	-	1	1	5	7	4
WHITE-----MALE----	26	-	-	-	-	-	-	1	-	4	3	2
FEMALE--	9	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	33	-	-	-	-	1	-	-	1	2	5	2
WHITE-----MALE----	18	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	3	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	3	-	-	-	-	1	-	-	-	1	-	-
DELAWARE -----	8	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	-	-	-	1	2	3
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
FLORIDA -----	274	-	-	-	-	1	1	2	7	14	30	24
WHITE-----MALE----	150	-	-	-	-	-	-	-	7	6	21	16
FEMALE--	95	-	-	-	-	1	-	-	-	4	4	3
ALL OTHER--MALE----	16	-	-	-	-	-	1	-	-	3	2	3
FEMALE--	13	-	-	-	-	-	-	2	-	1	3	2
BLACK---MALE----	16	-	-	-	-	-	1	-	-	3	2	3
FEMALE--	12	-	-	-	-	-	-	2	-	1	2	2
GEORGIA -----	76	-	-	-	-	-	1	-	5	9	9	9
WHITE-----MALE----	41	-	-	-	-	-	-	-	2	3	6	5
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	2	3	2	-
FEMALE--	12	-	-	-	-	-	1	-	-	3	-	3
BLACK---MALE----	10	-	-	-	-	-	-	-	2	3	2	-
FEMALE--	12	-	-	-	-	-	1	-	-	3	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 245

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
COLORADO -----	5	1	5	6	2	4	1	1	-	-	-	-
WHITE-----MALE----	3	1	4	3	1	3	-	1	-	-	-	-
FEMALE--	-	-	-	3	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	3	4	3	2	4	2	3	1	-	-	-	-
WHITE-----MALE----	2	2	2	2	2	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	3	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	2	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	15	17	22	35	39	29	25	10	3	-	-	-
WHITE-----MALE----	9	9	13	17	16	13	15	7	1	-	-	-
FEMALE--	4	7	8	13	22	15	9	3	2	-	-	-
ALL OTHER--MALE----	-	-	1	4	1	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	4	1	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	1	-	-	-	-	-
GEORGIA -----	7	9	4	7	5	5	4	1	1	-	-	-
WHITE-----MALE----	3	7	1	5	4	2	2	1	-	-	-	-
FEMALE--	3	1	-	1	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	3	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	3	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 247
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
KENTUCKY -----	2	3	1	1	4	-	2	-	2	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	1	2	-	1	2	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	8	12	6	9	9	9	3	1	3	-	-	-
WHITE-----MALE----	4	4	2	4	4	7	-	1	-	-	-	-
FEMALE--	2	6	2	2	4	2	3	-	2	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	1	3	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	1	3	1	-	-	-	-	-	-	-
MAINE -----	-	1	-	1	-	-	2	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	6	2	6	6	8	4	1	1	-	-	-
WHITE-----MALE----	-	4	2	5	2	4	3	-	1	-	-	-
FEMALE--	2	-	-	-	1	4	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	3	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	3	-	-	-	-	-	-	-
MASSACHUSETTS -----	4	3	1	6	8	9	5	4	1	-	-	-
WHITE-----MALE----	2	2	1	2	5	3	2	2	1	-	-	-
FEMALE--	2	-	-	4	3	5	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
MICHIGAN -----	7	9	9	12	7	7	8	3	1	-	-	-
WHITE-----MALE----	3	8	4	6	1	3	1	-	-	-	-	-
FEMALE--	-	1	2	3	5	4	7	2	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	3	1	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	2	1	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 250
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL HEPATITIS (070)												
OHIO -----	78	-	-	-	-	-	1	2	3	6	4	6
WHITE-----MALE----	43	-	-	-	-	-	-	1	3	3	1	4
FEMALE--	24	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	-	3	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	1	-	-	2	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA -----	39	-	-	-	-	-	-	-	-	5	2	4
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	3	2	4
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	58	-	-	-	-	-	-	2	-	4	8	8
WHITE-----MALE----	34	-	-	-	-	-	-	2	-	3	5	8
FEMALE--	18	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	135	-	-	-	-	-	1	1	3	10	13	10
WHITE-----MALE----	72	-	-	-	-	-	-	-	3	9	7	6
FEMALE--	49	-	-	-	-	-	1	-	-	-	3	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	14	-	-	-	-	-	-	-	1	2	-	3
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	45	-	-	-	-	-	1	3	2	-	4	6
WHITE-----MALE----	23	-	-	-	-	-	-	2	1	-	3	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	3	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 250
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
OHIO -----	7	3	8	8	10	13	4	3	-	-	-	-
WHITE-----MALE----	5	3	4	5	7	3	2	2	-	-	-	-
FEMALE--	1	-	3	2	3	9	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	4	3	6	3	8	1	3	-	-	-	-	-
WHITE-----MALE----	4	-	2	1	5	-	1	-	-	-	-	-
FEMALE--	-	2	3	1	3	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	5	3	8	4	6	4	6	-	-	-	-	-
WHITE-----MALE----	4	1	3	2	3	-	3	-	-	-	-	-
FEMALE--	-	1	3	2	3	3	3	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	10	7	17	20	17	12	4	2	-	-	-
WHITE-----MALE----	4	6	4	10	10	4	5	3	1	-	-	-
FEMALE--	2	3	1	7	9	13	6	1	1	-	-	-
ALL OTHER--MALE----	2	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	1	-	1	3	-	2	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	3	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	6	4	7	2	5	2	-	-	-	-
WHITE-----MALE----	1	2	3	2	4	2	1	1	-	-	-	-
FEMALE--	-	-	2	2	3	-	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 251
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL HEPATITIS (070)												
SOUTH DAKOTA -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	73	-	-	-	-	-	3	1	2	4	7	6
WHITE-----MALE----	33	-	-	-	-	-	-	1	1	2	5	3
FEMALE--	27	-	-	-	-	-	-	-	1	-	2	3
ALL OTHER--MALE----	8	-	-	-	-	-	2	-	-	2	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	284	-	1	-	-	-	2	4	8	17	34	34
WHITE-----MALE----	161	-	1	-	-	-	1	3	6	9	22	21
FEMALE--	87	-	-	-	-	-	1	1	1	3	5	5
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	2	7	6
FEMALE--	12	-	-	-	-	-	-	-	1	3	-	2
BLACK---MALE----	18	-	-	-	-	-	-	-	-	2	6	5
FEMALE--	11	-	-	-	-	-	-	-	1	2	-	2
UTAH -----	24	-	-	-	1	-	-	1	-	-	4	3
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	10	-	-	-	1	-	-	-	-	-	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	55	-	-	-	-	-	-	-	-	6	2	6
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	20	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	4
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 251
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
SOUTH DAKOTA -----	-	-	-	2	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	7	5	9	10	4	4	2	-	-	-	-
WHITE-----MALE----	6	2	2	2	4	2	2	1	-	-	-	-
FEMALE--	1	2	2	5	6	2	2	1	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	2	-	-	-	-	-	-	-	-
TEXAS -----	24	21	28	19	31	30	20	8	3	-	-	-
WHITE-----MALE----	16	12	13	14	16	15	9	2	1	-	-	-
FEMALE--	6	6	13	3	13	14	9	5	2	-	-	-
ALL OTHER--MALE----	2	3	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	2	1	-	2	-	-	-	-	-
BLACK---MALE----	2	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	2	-	-	-	-	-
UTAH -----	3	1	1	3	4	2	-	-	1	-	-	-
WHITE-----MALE----	3	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	6	2	8	9	10	2	1	-	-	-	-
WHITE-----MALE----	1	3	-	2	4	2	-	-	-	-	-	-
FEMALE--	1	2	1	4	4	3	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	5	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	4	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 253

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
UNITED STATES --	44,697	160	276	160	91	76	594	3,383	8,655	10,304	8,753	5,495
WHITE-----MALE----	23,323	49	69	35	31	30	183	1,536	4,710	5,584	4,575	2,993
FEMALE--	3,486	40	65	39	20	13	78	314	638	677	481	309
ALL OTHER--MALE----	13,432	42	67	43	21	13	168	1,037	2,425	3,117	2,864	1,730
FEMALE--	4,456	29	75	43	19	20	165	496	882	926	833	463
BLACK---MALE----	13,011	40	66	41	21	13	165	1,001	2,328	3,025	2,774	1,681
FEMALE--	4,378	28	72	41	17	20	163	491	867	915	824	454
ALABAMA -----	417	4	1	2	-	2	7	48	86	96	74	38
WHITE-----MALE----	184	-	-	-	-	1	2	19	47	50	26	14
FEMALE--	24	-	-	1	-	-	-	4	7	1	1	2
ALL OTHER--MALE----	171	2	1	1	-	1	4	19	25	37	38	21
FEMALE--	38	2	-	-	-	-	1	6	7	8	9	1
BLACK---MALE----	171	2	1	1	-	1	4	19	25	37	38	21
FEMALE--	37	2	-	-	-	-	1	6	7	7	9	1
ALASKA -----	32	-	-	-	-	-	1	7	6	6	2	6
WHITE-----MALE----	20	-	-	-	-	-	1	3	4	4	-	5
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	2	1	1	2	-
FEMALE--	4	-	-	-	-	-	-	2	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	516	4	4	1	1	-	4	43	121	114	84	54
WHITE-----MALE----	419	3	2	-	-	-	1	33	99	93	70	46
FEMALE--	46	1	1	-	1	-	3	2	12	10	2	4
ALL OTHER--MALE----	43	-	1	1	-	-	-	7	9	9	11	2
FEMALE--	8	-	-	-	-	-	-	1	1	2	1	2
BLACK---MALE----	27	-	-	1	-	-	-	1	5	7	9	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
ARKANSAS -----	183	3	1	1	1	1	5	32	36	28	33	13
WHITE-----MALE----	101	3	-	-	-	-	-	17	21	16	17	10
FEMALE--	12	-	1	-	-	-	-	2	2	1	3	1
ALL OTHER--MALE----	52	-	-	1	1	-	3	5	11	11	12	1
FEMALE--	18	-	-	-	-	1	2	8	2	-	1	1
BLACK---MALE----	51	-	-	1	1	-	3	5	11	11	11	1
FEMALE--	18	-	-	-	-	1	2	8	2	-	1	1
CALIFORNIA -----	6,604	12	20	11	8	3	67	435	1,195	1,479	1,336	907
WHITE-----MALE----	4,899	4	10	2	1	3	44	313	905	1,120	987	665
FEMALE--	342	6	5	7	2	-	8	27	46	58	56	44
ALL OTHER--MALE----	1,147	2	3	2	2	-	8	73	205	267	252	162
FEMALE--	216	-	2	-	3	-	7	22	39	34	41	36
BLACK---MALE----	985	2	3	1	2	-	8	68	176	232	210	135
FEMALE--	197	-	2	-	3	-	6	21	37	33	38	31

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 253
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
UNITED STATES --	2,815	1,546	929	572	344	174	130	111	68	41	12	8
WHITE-----MALE----	1,594	854	465	287	148	67	48	31	20	8	1	5
FEMALE--	161	105	82	78	93	68	66	72	45	32	10	-
ALL OTHER--MALE----	885	461	302	145	65	32	5	5	-	1	1	3
FEMALE--	175	126	80	62	38	7	11	3	3	-	-	-
BLACK---MALE----	866	445	295	141	64	31	5	4	-	1	1	3
FEMALE--	172	122	77	61	35	6	9	3	1	-	-	-
ALABAMA -----	20	14	6	9	4	3	-	3	-	-	-	-
WHITE-----MALE----	8	9	2	4	2	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	2	1	-	2	-	-	-	-
ALL OTHER--MALE----	9	5	2	3	-	2	-	1	-	-	-	-
FEMALE--	1	-	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	9	5	2	3	-	2	-	1	-	-	-	-
FEMALE--	1	-	1	2	-	-	-	-	-	-	-	-
ALASKA -----	3	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	37	18	10	7	5	4	3	1	1	-	-	-
WHITE-----MALE----	34	18	8	5	2	1	3	1	-	-	-	-
FEMALE--	2	-	-	1	3	3	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	4	4	5	4	1	-	1	-	-	1	-
WHITE-----MALE----	7	2	1	2	3	1	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	2	2	-	-	-	-	-	-	1	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	2	-	-	-	-	-	-	1	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
CALIFORNIA -----	489	297	162	88	38	26	15	7	7	1	-	1
WHITE-----MALE----	391	224	124	64	20	10	7	2	2	-	-	1
FEMALE--	17	14	8	8	11	9	7	4	4	1	-	-
ALL OTHER--MALE----	77	53	22	10	3	5	-	1	-	-	-	-
FEMALE--	4	6	8	6	4	2	1	-	1	-	-	-
BLACK---MALE----	69	44	20	7	3	4	-	1	-	-	-	-
FEMALE--	4	5	6	5	4	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 254

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
COLORADO -----	428	2	1	3	2	1	4	24	102	98	89	41
WHITE-----MALE----	350	1	-	1	1	1	2	21	87	74	81	35
FEMALE--	31	1	1	2	1	-	1	-	6	6	2	1
ALL OTHER--MALE----	42	-	-	-	-	-	1	2	9	15	5	5
FEMALE--	5	-	-	-	-	-	-	1	-	3	1	-
BLACK---MALE----	38	-	-	-	-	-	1	2	9	14	4	5
FEMALE--	4	-	-	-	-	-	-	1	-	2	1	-
CONNECTICUT -----	628	1	3	1	5	-	4	44	108	136	138	87
WHITE-----MALE----	289	-	-	-	1	-	2	16	56	64	57	48
FEMALE--	87	1	1	-	2	-	-	7	18	16	17	9
ALL OTHER--MALE----	166	-	1	-	1	-	2	8	19	37	45	21
FEMALE--	86	-	1	1	1	-	-	13	15	19	19	9
BLACK---MALE----	165	-	1	-	1	-	2	8	19	37	44	21
FEMALE--	85	-	1	1	1	-	-	13	15	18	19	9
DELAWARE -----	168	-	1	-	-	-	1	14	41	45	30	19
WHITE-----MALE----	57	-	1	-	-	-	-	5	16	14	8	5
FEMALE--	11	-	-	-	-	-	-	2	-	-	2	2
ALL OTHER--MALE----	77	-	-	-	-	-	1	6	17	26	16	8
FEMALE--	23	-	-	-	-	-	-	1	8	5	4	4
BLACK---MALE----	76	-	-	-	-	-	1	6	17	25	16	8
FEMALE--	23	-	-	-	-	-	-	1	8	5	4	4
DISTRICT OF COLUMBIA ----	660	1	5	1	1	2	10	55	110	144	144	88
WHITE-----MALE----	112	-	-	-	-	-	-	4	19	24	27	22
FEMALE--	5	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	415	-	1	-	-	-	4	40	70	91	96	52
FEMALE--	128	1	3	1	1	2	6	11	21	28	21	14
BLACK---MALE----	414	-	1	-	-	-	4	40	70	90	96	52
FEMALE--	128	1	3	1	1	2	6	11	21	28	21	14
FLORIDA -----	4,455	10	34	22	6	9	82	342	878	1,029	806	484
WHITE-----MALE----	2,136	1	7	4	1	1	20	139	464	538	390	257
FEMALE--	278	2	3	2	1	-	7	26	50	59	37	25
ALL OTHER--MALE----	1,369	4	14	10	1	3	18	91	232	302	257	150
FEMALE--	672	3	10	6	3	5	37	86	132	130	122	52
BLACK---MALE----	1,362	4	14	10	1	3	18	90	231	302	255	149
FEMALE--	672	3	10	6	3	5	37	86	132	130	122	52
GEORGIA -----	1,620	6	9	3	2	3	25	179	352	416	267	164
WHITE-----MALE----	582	3	1	1	-	1	3	51	135	157	107	60
FEMALE--	49	-	1	-	1	-	-	8	6	11	7	2
ALL OTHER--MALE----	776	2	4	2	1	1	12	94	158	204	130	87
FEMALE--	213	1	3	-	-	1	10	26	53	44	23	15
BLACK---MALE----	773	2	4	2	1	1	12	94	158	204	127	87
FEMALE--	213	1	3	-	-	1	10	26	53	44	23	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 254

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	30	15	4	5	-	2	2	2	1	-	-	-
WHITE-----MALE----	23	14	3	5	-	-	-	-	1	-	-	-
FEMALE--	4	1	-	-	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	41	25	8	5	9	3	3	3	-	4	-	-
WHITE-----MALE----	20	13	3	2	4	1	1	-	-	1	-	-
FEMALE--	2	4	-	-	1	2	1	3	-	3	-	-
ALL OTHER--MALE----	14	7	5	2	3	-	1	-	-	-	-	-
FEMALE--	5	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	14	7	5	2	3	-	1	-	-	-	-	-
FEMALE--	5	1	-	1	1	-	-	-	-	-	-	-
DELAWARE -----	6	1	3	3	2	1	-	1	-	-	-	-
WHITE-----MALE----	3	-	1	3	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	53	24	5	6	7	-	3	-	-	-	-	1
WHITE-----MALE----	10	4	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	32	15	4	3	5	-	1	-	-	-	-	1
FEMALE--	9	5	-	2	1	-	2	-	-	-	-	-
BLACK---MALE----	32	15	4	3	5	-	1	-	-	-	-	1
FEMALE--	9	5	-	2	1	-	2	-	-	-	-	-
FLORIDA -----	275	181	139	85	36	17	3	10	5	1	-	1
WHITE-----MALE----	131	79	51	28	12	5	1	4	3	-	-	-
FEMALE--	17	12	9	8	6	5	1	5	2	1	-	-
ALL OTHER--MALE----	109	70	59	28	12	7	-	1	-	-	-	1
FEMALE--	18	20	20	21	6	-	1	-	-	-	-	-
BLACK---MALE----	108	70	58	28	12	7	-	1	-	-	-	1
FEMALE--	18	20	20	21	6	-	1	-	-	-	-	-
GEORGIA -----	85	42	28	19	11	2	2	3	2	-	-	-
WHITE-----MALE----	31	18	6	3	3	1	-	-	1	-	-	-
FEMALE--	-	1	2	2	3	-	1	3	1	-	-	-
ALL OTHER--MALE----	42	13	13	8	3	1	1	-	-	-	-	-
FEMALE--	12	10	7	6	2	-	-	-	-	-	-	-
BLACK---MALE----	42	13	13	8	3	1	1	-	-	-	-	-
FEMALE--	12	10	7	6	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 255
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
HAWAII -----	129	-	1	-	2	-	1	5	21	41	20	19
WHITE-----MALE----	71	-	-	-	1	-	-	2	9	23	10	16
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	46	-	-	-	-	-	1	3	10	16	8	3
FEMALE--	9	-	1	-	1	-	-	-	1	2	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	52	-	-	2	-	-	-	4	11	8	9	5
WHITE-----MALE----	44	-	-	1	-	-	-	4	11	7	8	4
FEMALE--	7	-	-	1	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ILLINOIS -----	1,500	7	8	3	1	1	16	103	273	359	294	175
WHITE-----MALE----	682	2	3	1	1	1	3	39	122	176	147	77
FEMALE--	110	-	2	1	-	-	1	11	18	14	12	10
ALL OTHER--MALE----	593	2	1	-	-	-	7	40	113	149	112	75
FEMALE--	115	3	2	1	-	-	5	13	20	20	23	13
BLACK---MALE----	588	2	1	-	-	-	7	40	112	148	112	75
FEMALE--	115	3	2	1	-	-	5	13	20	20	23	13
INDIANA -----	420	4	2	1	-	2	6	37	96	97	88	41
WHITE-----MALE----	290	2	1	-	-	2	2	23	71	66	62	34
FEMALE--	35	1	1	-	-	-	2	3	5	6	5	1
ALL OTHER--MALE----	76	-	-	-	-	-	-	10	17	21	17	5
FEMALE--	19	1	-	1	-	-	2	1	3	4	4	1
BLACK---MALE----	76	-	-	-	-	-	-	10	17	21	17	5
FEMALE--	19	1	-	1	-	-	2	1	3	4	4	1
IOWA -----	113	2	2	-	-	-	-	10	21	27	12	9
WHITE-----MALE----	83	-	1	-	-	-	-	8	17	21	10	9
FEMALE--	20	2	1	-	-	-	-	1	2	1	2	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	5	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	5	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
KANSAS -----	158	-	1	-	-	-	1	15	43	34	25	15
WHITE-----MALE----	121	-	-	-	-	-	1	10	34	28	20	14
FEMALE--	11	-	1	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	3	8	4	3	1
FEMALE--	6	-	-	-	-	-	-	2	1	-	1	-
BLACK---MALE----	18	-	-	-	-	-	-	3	8	2	3	1
FEMALE--	6	-	-	-	-	-	-	2	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 255
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
HAWAII -----	7	4	4	1	1	-	1	1	-	-	-	-
WHITE-----MALE----	5	2	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	2	3	2	1	-	2	1	1	-	-	-
WHITE-----MALE----	1	2	3	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	105	54	39	25	15	6	4	7	1	3	1	-
WHITE-----MALE----	40	31	17	11	7	2	1	1	-	-	-	-
FEMALE--	8	2	8	4	4	2	3	5	1	3	1	-
ALL OTHER--MALE----	50	20	13	6	3	1	-	1	-	-	-	-
FEMALE--	7	1	1	4	1	1	-	-	-	-	-	-
BLACK---MALE----	49	18	13	6	3	1	-	1	-	-	-	-
FEMALE--	7	1	1	4	1	1	-	-	-	-	-	-
INDIANA -----	12	9	2	9	2	2	3	3	1	3	-	-
WHITE-----MALE----	10	6	2	4	1	1	-	2	-	1	-	-
FEMALE--	-	-	-	4	1	1	3	-	1	1	-	-
ALL OTHER--MALE----	2	2	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	2	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
IOWA -----	4	6	2	5	2	3	1	4	3	-	-	-
WHITE-----MALE----	3	6	-	3	1	3	-	-	1	-	-	-
FEMALE--	-	-	2	1	1	-	1	4	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	4	5	3	3	-	1	2	3	2	1	-	-
WHITE-----MALE----	4	4	2	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	3	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 256
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
KENTUCKY -----	239	1	-	-	-	2	6	20	56	58	39	28
WHITE-----MALE----	165	-	-	-	-	1	1	13	40	43	30	22
FEMALE--	25	1	-	-	-	1	2	1	2	1	2	3
ALL OTHER--MALE----	41	-	-	-	-	-	2	5	12	13	4	3
FEMALE--	8	-	-	-	-	-	1	1	2	1	3	-
BLACK---MALE----	41	-	-	-	-	-	2	5	12	13	4	3
FEMALE--	8	-	-	-	-	-	1	1	2	1	3	-
LOUISIANA -----	749	5	1	-	3	5	16	78	163	161	134	98
WHITE-----MALE----	317	1	-	-	1	1	2	22	74	64	62	46
FEMALE--	21	-	-	-	-	1	-	3	2	3	3	3
ALL OTHER--MALE----	325	4	-	-	1	1	5	38	70	78	57	41
FEMALE--	86	-	1	-	1	2	9	15	17	16	12	8
BLACK---MALE----	323	4	-	-	1	1	5	38	69	78	57	40
FEMALE--	86	-	1	-	1	2	9	15	17	16	12	8
MAINE -----	80	-	1	-	-	-	4	5	16	21	14	9
WHITE-----MALE----	68	-	1	-	-	-	2	3	14	19	13	8
FEMALE--	11	-	-	-	-	-	2	2	1	2	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,392	6	11	5	1	3	17	106	270	343	274	161
WHITE-----MALE----	287	2	2	-	1	-	-	16	66	68	44	30
FEMALE--	51	1	-	1	-	2	3	9	7	5	4	6
ALL OTHER--MALE----	809	1	5	1	-	-	8	55	147	216	181	96
FEMALE--	245	2	4	3	-	1	6	26	50	54	45	29
BLACK---MALE----	804	1	5	1	-	-	8	55	145	215	180	95
FEMALE--	244	2	4	3	-	1	6	26	49	54	45	29
MASSACHUSETTS -----	980	3	8	4	2	2	4	57	219	245	206	116
WHITE-----MALE----	593	1	2	1	-	1	2	23	147	156	129	64
FEMALE--	142	-	-	3	1	1	1	17	25	27	28	16
ALL OTHER--MALE----	178	2	1	-	1	-	1	12	34	47	33	31
FEMALE--	67	-	5	-	-	-	-	5	13	15	16	5
BLACK---MALE----	172	1	1	-	1	-	1	12	33	45	32	31
FEMALE--	66	-	4	-	-	-	-	5	13	15	16	5
MICHIGAN -----	848	5	5	6	1	2	9	67	203	149	167	110
WHITE-----MALE----	338	1	3	1	-	1	2	26	83	63	61	41
FEMALE--	50	-	1	2	-	1	1	5	11	6	4	1
ALL OTHER--MALE----	384	1	1	1	1	-	6	26	92	70	88	54
FEMALE--	76	3	-	2	-	-	-	10	17	10	14	14
BLACK---MALE----	381	1	1	-	1	-	6	26	92	68	88	54
FEMALE--	76	3	-	2	-	-	-	10	17	10	14	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 256

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	8	4	3	7	2	-	1	2	1	1	-	-
WHITE-----MALE----	7	2	2	3	-	-	-	-	1	-	-	-
FEMALE--	-	2	1	3	2	-	1	2	-	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	36	26	9	5	4	4	-	-	1	-	-	-
WHITE-----MALE----	22	13	6	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	-	-	1	-	-	-
ALL OTHER--MALE----	14	11	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	2	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	14	11	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	2	1	2	-	-	-	-	-	-	-	-
MAINE -----	5	1	1	1	1	-	-	-	1	-	-	-
WHITE-----MALE----	5	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	88	48	22	15	13	4	1	1	1	1	-	1
WHITE-----MALE----	28	14	2	4	6	2	1	-	-	1	-	-
FEMALE--	1	3	3	2	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	51	22	16	6	3	-	-	-	-	-	-	1
FEMALE--	8	9	1	3	3	1	-	-	-	-	-	-
BLACK---MALE----	51	22	16	6	3	-	-	-	-	-	-	1
FEMALE--	8	9	1	3	3	1	-	-	-	-	-	-
MASSACHUSETTS -----	55	21	9	10	7	3	4	-	3	2	-	-
WHITE-----MALE----	42	10	4	4	4	2	1	-	-	-	-	-
FEMALE--	4	4	1	4	1	1	3	-	3	2	-	-
ALL OTHER--MALE----	7	4	4	-	1	-	-	-	-	-	-	-
FEMALE--	2	3	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	7	4	3	-	1	-	-	-	-	-	-	-
FEMALE--	2	3	-	2	1	-	-	-	-	-	-	-
MICHIGAN -----	60	21	18	6	7	3	5	1	1	2	-	-
WHITE-----MALE----	28	10	8	2	3	2	2	1	-	-	-	-
FEMALE--	5	3	3	1	1	-	2	-	1	2	-	-
ALL OTHER--MALE----	24	7	6	3	3	1	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	24	7	6	3	3	1	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 257
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
MINNESOTA -----	290	2	1	-	1	1	4	19	58	86	43	27
WHITE-----MALE----	218	-	-	-	-	-	-	12	48	69	32	23
FEMALE--	26	1	-	-	-	1	2	1	1	6	2	1
ALL OTHER--MALE----	37	-	-	-	-	-	1	6	7	9	8	3
FEMALE--	9	1	1	-	1	-	1	-	2	2	1	-
BLACK---MALE----	35	-	-	-	-	-	1	4	7	9	8	3
FEMALE--	6	-	1	-	-	-	1	-	1	2	1	-
MISSISSIPPI -----	264	-	-	2	-	-	6	35	70	63	33	23
WHITE-----MALE----	103	-	-	1	-	-	2	6	24	23	17	13
FEMALE--	7	-	-	-	-	-	-	-	3	1	-	-
ALL OTHER--MALE----	115	-	-	-	-	-	4	14	35	34	12	7
FEMALE--	39	-	-	1	-	-	-	15	8	5	4	3
BLACK---MALE----	115	-	-	-	-	-	4	14	35	34	12	7
FEMALE--	39	-	-	1	-	-	-	15	8	5	4	3
MISSOURI -----	496	3	2	3	-	3	6	44	122	109	86	45
WHITE-----MALE----	311	1	1	1	-	-	3	22	75	77	52	37
FEMALE--	30	-	-	1	-	2	1	1	5	1	4	-
ALL OTHER--MALE----	132	2	-	1	-	1	1	16	37	29	26	8
FEMALE--	23	-	1	-	-	-	1	5	5	2	4	-
BLACK---MALE----	129	1	-	1	-	1	1	16	35	29	26	8
FEMALE--	23	-	1	-	-	-	1	5	5	2	4	-
MONTANA -----	34	1	2	-	-	-	-	1	6	5	3	1
WHITE-----MALE----	19	-	1	-	-	-	-	-	4	4	1	1
FEMALE--	11	1	1	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	70	1	-	-	1	-	-	7	20	12	10	4
WHITE-----MALE----	51	-	-	-	-	-	-	5	13	11	8	4
FEMALE--	14	1	-	-	1	-	-	1	6	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	209	-	-	-	-	-	2	12	44	50	43	31
WHITE-----MALE----	147	-	-	-	-	-	2	7	35	32	28	23
FEMALE--	14	-	-	-	-	-	-	2	2	6	1	2
ALL OTHER--MALE----	42	-	-	-	-	-	-	3	6	12	12	4
FEMALE--	6	-	-	-	-	-	-	-	1	-	2	2
BLACK---MALE----	38	-	-	-	-	-	-	3	6	8	12	4
FEMALE--	6	-	-	-	-	-	-	-	1	-	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 259
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
OHIO -----	958	5	7	2	5	4	12	103	194	259	148	84
WHITE-----MALE----	552	3	1	1	3	1	5	52	112	154	94	57
FEMALE--	88	2	2	-	2	-	-	13	15	19	2	3
ALL OTHER--MALE----	277	-	1	1	-	2	4	33	60	79	48	21
FEMALE--	41	-	3	-	-	1	3	5	7	7	4	3
BLACK---MALE----	275	-	1	1	-	2	4	33	60	79	46	21
FEMALE--	41	-	3	-	-	1	3	5	7	7	4	3
OKLAHOMA -----	250	1	2	-	-	-	2	29	71	54	32	21
WHITE-----MALE----	179	-	-	-	-	-	2	22	48	40	23	17
FEMALE--	16	1	-	-	-	-	-	3	2	3	1	-
ALL OTHER--MALE----	46	-	1	-	-	-	-	3	19	10	7	3
FEMALE--	9	-	1	-	-	-	-	1	2	1	1	1
BLACK---MALE----	37	-	1	-	-	-	-	3	14	8	5	3
FEMALE--	6	-	1	-	-	-	-	1	1	-	-	1
OREGON -----	314	-	2	1	-	2	4	21	58	57	70	43
WHITE-----MALE----	268	-	2	-	-	1	2	16	46	52	65	36
FEMALE--	34	-	-	1	-	1	2	3	11	3	1	4
ALL OTHER--MALE----	11	-	-	-	-	-	-	2	1	1	4	3
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	1	-	1	3	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,468	6	15	8	5	3	22	104	270	344	274	199
WHITE-----MALE----	694	-	3	-	2	2	5	39	131	151	151	106
FEMALE--	133	1	4	1	2	-	6	14	21	25	10	11
ALL OTHER--MALE----	525	5	4	2	1	-	8	43	97	133	94	70
FEMALE--	116	-	4	5	-	1	3	8	21	35	19	12
BLACK---MALE----	519	5	4	2	1	-	8	43	95	131	93	69
FEMALE--	115	-	4	4	-	1	3	8	21	35	19	12
RHODE ISLAND -----	108	-	-	-	1	-	2	6	16	25	26	14
WHITE-----MALE----	76	-	-	-	-	-	2	5	9	19	21	9
FEMALE--	16	-	-	-	-	-	-	1	4	2	2	2
ALL OTHER--MALE----	11	-	-	-	1	-	-	-	3	2	2	3
FEMALE--	5	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	11	-	-	-	1	-	-	-	3	2	2	3
FEMALE--	5	-	-	-	-	-	-	-	-	2	1	-
SOUTH CAROLINA -----	573	1	5	4	1	-	18	43	127	129	113	58
WHITE-----MALE----	160	-	1	-	-	-	6	4	35	44	31	20
FEMALE--	22	-	-	1	-	-	2	3	4	2	2	2
ALL OTHER--MALE----	285	1	-	2	-	-	4	23	67	64	65	27
FEMALE--	106	-	4	1	1	-	6	13	21	19	15	9
BLACK---MALE----	284	1	-	2	-	-	4	22	67	64	65	27
FEMALE--	106	-	4	1	1	-	6	13	21	19	15	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 259

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	49	26	14	13	8	9	4	5	3	4	-	-
WHITE-----MALE----	27	14	7	5	5	5	2	2	1	1	-	-
FEMALE--	5	5	1	3	3	4	1	3	2	3	-	-
ALL OTHER--MALE----	13	4	6	5	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	13	4	6	5	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	16	8	2	2	2	4	2	1	-	-	1	-
WHITE-----MALE----	14	6	1	2	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	-	-	-	1	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
OREGON -----	23	6	9	5	5	1	4	1	-	-	2	-
WHITE-----MALE----	23	5	8	5	4	-	3	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	1	1	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	90	44	24	20	15	6	7	5	3	1	3	-
WHITE-----MALE----	46	19	13	10	6	4	3	1	1	-	1	-
FEMALE--	4	5	3	7	6	-	4	4	2	1	2	-
ALL OTHER--MALE----	35	18	7	3	3	2	-	-	-	-	-	-
FEMALE--	5	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	35	18	7	3	3	2	-	-	-	-	-	-
FEMALE--	5	2	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	3	2	3	1	3	3	1	1	1	-	-	-
WHITE-----MALE----	3	1	1	1	2	1	1	1	-	-	-	-
FEMALE--	-	-	2	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	27	24	9	6	3	3	1	-	-	1	-	-
WHITE-----MALE----	8	4	4	3	-	4	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	-	-	1	-	-
ALL OTHER--MALE----	13	15	2	1	-	1	-	-	-	-	-	-
FEMALE--	5	5	2	1	3	-	1	-	-	-	-	-
BLACK---MALE----	13	15	2	1	-	1	-	-	-	-	-	-
FEMALE--	5	5	2	1	3	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 260
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
SOUTH DAKOTA -----	27	1	-	-	-	-	-	2	7	5	5	3
WHITE-----MALE----	14	1	-	-	-	-	-	-	3	3	1	3
FEMALE--	4	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	2	1	3	-
FEMALE--	3	-	-	-	-	-	-	-	2	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	534	5	1	1	-	-	11	67	119	136	88	50
WHITE-----MALE----	260	2	-	-	-	-	1	27	51	73	48	31
FEMALE--	28	-	-	-	-	-	2	5	4	4	3	1
ALL OTHER--MALE----	201	1	-	-	-	-	5	28	52	49	32	16
FEMALE--	45	2	1	1	-	-	3	7	12	10	5	2
BLACK---MALE----	200	1	-	-	-	-	5	28	52	48	32	16
FEMALE--	45	2	1	1	-	-	3	7	12	10	5	2
TEXAS -----	2,912	19	19	10	7	10	63	260	676	690	510	267
WHITE-----MALE----	1,862	9	6	3	6	6	20	159	441	473	316	182
FEMALE--	218	2	7	3	-	1	8	21	40	36	28	17
ALL OTHER--MALE----	658	4	5	1	-	-	16	56	161	152	134	60
FEMALE--	174	4	1	3	1	3	19	24	34	29	32	8
BLACK---MALE----	651	4	5	1	-	-	16	55	159	152	133	57
FEMALE--	173	4	1	3	1	3	19	24	34	29	32	8
UTAH -----	99	2	-	-	-	-	1	7	26	22	17	14
WHITE-----MALE----	78	-	-	-	-	-	1	7	19	19	16	11
FEMALE--	12	2	-	-	-	-	-	-	4	2	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	2	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	2	1	-	1
VERMONT -----	33	-	-	-	-	-	-	1	9	7	7	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	9	7	6	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	868	3	4	3	-	2	10	75	183	205	159	101
WHITE-----MALE----	376	2	1	2	-	1	1	23	77	91	69	51
FEMALE--	46	1	-	-	-	-	-	4	12	9	3	4
ALL OTHER--MALE----	344	-	2	-	-	-	3	35	71	82	73	35
FEMALE--	102	-	1	1	-	1	6	13	23	23	14	11
BLACK---MALE----	338	-	2	-	-	-	3	34	68	81	73	35
FEMALE--	101	-	1	1	-	1	6	12	23	23	14	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 260

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	1	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22	6	9	4	7	2	1	3	2	-	-	-
WHITE-----MALE----	11	5	3	1	4	-	-	2	1	-	-	-
FEMALE--	1	-	-	1	3	1	1	1	1	-	-	-
ALL OTHER--MALE----	10	1	5	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	10	1	5	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
TEXAS -----	169	79	51	31	23	7	10	6	3	2	-	-
WHITE-----MALE----	120	53	29	18	13	1	5	1	-	1	-	-
FEMALE--	8	8	9	7	7	3	4	5	3	1	-	-
ALL OTHER--MALE----	33	15	10	6	2	3	-	-	-	-	-	-
FEMALE--	8	3	3	-	1	-	1	-	-	-	-	-
BLACK---MALE----	33	15	10	6	2	3	-	-	-	-	-	-
FEMALE--	7	3	3	-	1	-	1	-	-	-	-	-
UTAH -----	4	1	2	2	-	-	-	1	-	-	-	-
WHITE-----MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	2	1	2	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	52	26	9	9	11	3	5	4	1	1	-	2
WHITE-----MALE----	31	12	3	3	3	1	1	2	-	-	-	2
FEMALE--	1	-	1	-	2	2	3	2	1	1	-	-
ALL OTHER--MALE----	18	11	3	6	4	-	1	-	-	-	-	-
FEMALE--	2	3	2	-	2	-	-	-	-	-	-	-
BLACK---MALE----	17	11	3	6	4	-	1	-	-	-	-	-
FEMALE--	2	3	2	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 262
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
RICKETTSIOSIS AND OTHER ARTHROPOD-BORNE DISEASES (080-088)												
UNITED STATES --	26	-	2	-	-	-	1	-	2	2	1	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 280
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALARIA (084)												
UNITED STATES --	8	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 304

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SYPHILIS AND OTHER VENEREAL DISEASES (090-099)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	-	1	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

