

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
All causes											
All races, both sexes											
2000.....	2,403,351	28,035	4,979	3,253	4,160	13,563	17,744	17,681	22,770	36,140	53,658
1999.....	2,391,399	27,937	5,249	3,474	4,121	13,778	16,878	17,703	23,363	36,804	52,452
All races, male											
2000.....	1,177,578	15,718	2,824	1,850	2,551	9,697	13,374	12,619	15,271	23,252	34,045
1999.....	1,175,460	15,646	2,975	1,964	2,528	9,780	12,634	12,542	15,734	23,681	33,437
All races, female											
2000.....	1,225,773	12,317	2,155	1,403	1,609	3,866	4,370	5,062	7,499	12,888	19,613
1999.....	1,215,939	12,291	2,274	1,510	1,593	3,998	4,244	5,161	7,629	13,123	19,015
White, both sexes											
2000.....	2,071,287	18,144	3,494	2,359	3,091	10,273	12,745	12,427	16,292	26,633	39,863
1999.....	2,061,348	18,067	3,690	2,450	3,043	10,355	11,997	12,569	16,831	27,024	38,583
White, male											
2000.....	1,007,191	10,177	2,004	1,348	1,907	7,242	9,626	8,943	11,197	17,529	25,849
1999.....	1,005,335	10,197	2,084	1,376	1,852	7,222	8,981	9,015	11,534	17,792	25,122
White, female											
2000.....	1,064,096	7,967	1,490	1,011	1,184	3,031	3,119	3,484	5,095	9,104	14,014
1999.....	1,056,013	7,870	1,606	1,074	1,191	3,133	3,016	3,554	5,297	9,232	13,461
All other, both sexes											
2000.....	332,064	9,891	1,485	894	1,069	3,290	4,999	5,254	6,478	9,507	13,795
1999.....	330,051	9,870	1,559	1,024	1,078	3,423	4,881	5,134	6,532	9,780	13,869
All other, male											
2000.....	170,387	5,541	820	502	644	2,455	3,748	3,676	4,074	5,723	8,196
1999.....	170,125	5,449	891	588	676	2,558	3,653	3,527	4,200	5,889	8,315
All other, female											
2000.....	161,677	4,350	665	392	425	835	1,251	1,578	2,404	3,784	5,599
1999.....	159,926	4,421	668	436	402	865	1,228	1,607	2,332	3,891	5,554
Black, both sexes											
2000.....	285,826	8,771	1,248	756	887	2,717	4,332	4,541	5,698	8,352	12,205
1999.....	285,064	8,822	1,311	880	909	2,849	4,217	4,444	5,671	8,663	12,378
Black, male											
2000.....	145,184	4,901	692	431	543	2,045	3,273	3,163	3,587	5,015	7,236
1999.....	145,703	4,897	746	519	577	2,157	3,191	3,073	3,650	5,171	7,396
Black, female											
2000.....	140,642	3,870	556	325	344	672	1,059	1,378	2,111	3,337	4,969
1999.....	139,361	3,925	565	361	332	692	1,026	1,371	2,021	3,492	4,982

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

I. Certain infectious and parasitic diseases (A00-B99)

All races, both sexes											
2000.....	59,007	510	222	99	98	160	303	850	2,127	3,632	4,369
1999.....	59,984	562	236	143	114	139	341	999	2,386	3,772	4,635
All races, male											
2000.....	31,799	275	120	55	48	96	171	483	1,423	2,611	3,090
1999.....	32,480	331	143	72	65	73	176	624	1,651	2,706	3,371
All races, female											
2000.....	27,208	235	102	44	50	64	132	367	704	1,021	1,279
1999.....	27,504	231	93	71	49	66	165	375	735	1,066	1,264
White, both sexes											
2000.....	41,965	315	144	67	68	101	144	360	948	1,904	2,358
1999.....	42,522	354	160	91	68	93	161	449	1,174	2,013	2,425
White, male											
2000.....	21,933	171	75	38	31	62	94	225	710	1,478	1,749
1999.....	22,301	218	97	48	37	50	101	302	892	1,571	1,860
White, female											
2000.....	20,032	144	69	29	37	39	50	135	238	426	609
1999.....	20,221	136	63	43	31	43	60	147	282	442	565
All other, both sexes											
2000.....	17,042	195	78	32	30	59	159	490	1,179	1,728	2,011
1999.....	17,462	208	76	52	46	46	180	550	1,212	1,759	2,210
All other, male											
2000.....	9,866	104	45	17	17	34	77	258	713	1,133	1,341
1999.....	10,179	113	46	24	28	23	75	322	759	1,135	1,511
All other, female											
2000.....	7,176	91	33	15	13	25	82	232	466	595	670
1999.....	7,283	95	30	28	18	23	105	228	453	624	699
Black, both sexes											
2000.....	15,792	184	61	29	23	49	151	476	1,147	1,672	1,931
1999.....	16,090	188	63	45	37	40	165	532	1,174	1,696	2,121
Black, male											
2000.....	9,167	98	35	15	11	27	73	248	688	1,095	1,283
1999.....	9,396	102	40	23	23	21	68	307	735	1,086	1,450
Black, female											
2000.....	6,625	86	26	14	12	22	78	228	459	577	648
1999.....	6,694	86	23	22	14	19	97	225	439	610	671

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Intestinal infectious diseases (A00-A09)											
All races, both sexes											
2000.....	1,380	17	12	-	-	1	1	2	3	7	13
1999.....	1,169	21	9	3	1	1	6	3	3	2	8
All races, male											
2000.....	554	13	6	-	-	1	-	2	3	4	7
1999.....	458	15	5	3	1	1	4	2	3	1	5
All races, female											
2000.....	826	4	6	-	-	-	1	-	-	3	6
1999.....	711	6	4	-	-	-	2	1	-	1	3
White, both sexes											
2000.....	1,270	11	9	-	-	-	1	1	3	3	8
1999.....	1,080	16	8	1	1	1	4	3	3	2	5
White, male											
2000.....	504	8	5	-	-	-	-	1	3	2	5
1999.....	421	12	4	1	1	1	3	2	3	1	4
White, female											
2000.....	766	3	4	-	-	-	1	-	-	1	3
1999.....	659	4	4	-	-	-	1	1	-	1	1
All other, both sexes											
2000.....	110	6	3	-	-	1	-	1	-	4	5
1999.....	89	5	1	2	-	-	2	-	-	-	3
All other, male											
2000.....	50	5	1	-	-	1	-	1	-	2	2
1999.....	37	3	1	2	-	-	1	-	-	-	1
All other, female											
2000.....	60	1	2	-	-	-	-	-	-	2	3
1999.....	52	2	-	-	-	-	1	-	-	-	2
Black, both sexes											
2000.....	88	5	2	-	-	1	-	1	-	3	4
1999.....	79	5	-	2	-	-	2	-	-	-	3
Black, male											
2000.....	41	4	1	-	-	1	-	1	-	1	2
1999.....	29	3	-	2	-	-	1	-	-	-	1
Black, female											
2000.....	47	1	1	-	-	-	-	-	-	2	2
1999.....	50	2	-	-	-	-	1	-	-	-	2

[illegible]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

[illegible]

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Black, female
2000.....
1999.....

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

[illegible]

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

	Black, female
2000.....	
1999.....	

[illegible]

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Diarrhea and gastroenteritis of infectious origin (A09)

All races, both sexes

2000.....	65	1	-	-	-	-	-	1	-	-	1
1999.....	96	-	1	-	-	-	1	-	-	-	3

All races, male

2000.....	28	-	-	-	-	-	-	1	-	-	1
1999.....	29	-	-	-	-	-	-	-	-	-	1

All races, female

2000.....	37	1	-	-	-	-	-	-	-	-	-
1999.....	67	-	1	-	-	-	1	-	-	-	2

White, both sexes

2000.....	60	-	-	-	-	-	-	1	-	-	1
1999.....	86	-	1	-	-	-	-	-	-	-	1

White, male

2000.....	26	-	-	-	-	-	-	1	-	-	1
1999.....	27	-	-	-	-	-	-	-	-	-	1

White, female

2000.....	34	-	-	-	-	-	-	-	-	-	-
1999.....	59	-	1	-	-	-	-	-	-	-	-

All other, both sexes

2000.....	5	1	-	-	-	-	-	-	-	-	-
1999.....	10	-	-	-	-	-	1	-	-	-	2

All other, male

2000.....	2	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	-	-	-	-	-

All other, female

2000.....	3	1	-	-	-	-	-	-	-	-	-
1999.....	8	-	-	-	-	-	1	-	-	-	2

Black, both sexes

2000.....	5	1	-	-	-	-	-	-	-	-	-
1999.....	10	-	-	-	-	-	1	-	-	-	2

Black, male

2000.....	2	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	-	-	-	-	-

Black, female

2000.....	3	1	-	-	-	-	-	-	-	-	-
1999.....	8	-	-	-	-	-	1	-	-	-	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Tuberculosis (A16-A19)											
All races, both sexes											
2000.....	776	1	6	-	1	2	9	7	13	17	25
1999.....	930	2	2	1	2	1	10	3	16	25	32
All races, male											
2000.....	468	-	1	-	-	2	5	3	11	11	17
1999.....	584	-	2	-	2	1	3	1	10	20	23
All races, female											
2000.....	308	1	5	-	1	-	4	4	2	6	8
1999.....	346	2	-	1	-	-	7	2	6	5	9
White, both sexes											
2000.....	439	-	4	-	1	1	5	5	6	8	5
1999.....	564	1	-	-	1	1	4	2	3	12	13
White, male											
2000.....	253	-	-	-	-	1	3	2	5	8	3
1999.....	348	-	-	-	1	1	3	1	3	9	10
White, female											
2000.....	186	-	4	-	1	-	2	3	1	-	2
1999.....	216	1	-	-	-	-	1	1	-	3	3
All other, both sexes											
2000.....	337	1	2	-	-	1	4	2	7	9	20
1999.....	366	1	2	1	1	-	6	1	13	13	19
All other, male											
2000.....	215	-	1	-	-	1	2	1	6	3	14
1999.....	236	-	2	-	1	-	-	-	7	11	13
All other, female											
2000.....	122	1	1	-	-	-	2	1	1	6	6
1999.....	130	1	-	1	-	-	6	1	6	2	6
Black, both sexes											
2000.....	244	-	2	-	-	-	2	2	5	8	17
1999.....	245	1	2	1	-	-	4	1	8	10	15
Black, male											
2000.....	161	-	1	-	-	-	1	1	4	2	12
1999.....	159	-	2	-	-	-	-	-	4	8	11
Black, female											
2000.....	83	-	1	-	-	-	1	1	1	6	5
1999.....	86	1	-	1	-	-	4	1	4	2	4

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Respiratory tuberculosis (A16)											
All races, both sexes											
2000.....	615	-	3	-	-	2	5	5	6	15	20
1999.....	764	1	1	-	1	-	8	2	12	19	26
All races, male											
2000.....	393	-	1	-	-	2	2	3	5	11	15
1999.....	486	-	1	-	1	-	2	-	8	15	18
All races, female											
2000.....	222	-	2	-	-	-	3	2	1	4	5
1999.....	278	1	-	-	-	-	6	2	4	4	8
White, both sexes											
2000.....	351	-	1	-	-	1	3	3	2	8	3
1999.....	472	-	-	-	-	-	3	1	2	8	12
White, male											
2000.....	216	-	-	-	-	1	2	2	2	8	3
1999.....	296	-	-	-	-	-	2	-	2	6	9
White, female											
2000.....	135	-	1	-	-	-	1	1	-	-	-
1999.....	176	-	-	-	-	-	1	1	-	2	3
All other, both sexes											
2000.....	264	-	2	-	-	1	2	2	4	7	17
1999.....	292	1	1	-	1	-	5	1	10	11	14
All other, male											
2000.....	177	-	1	-	-	1	-	1	3	3	12
1999.....	190	-	1	-	1	-	-	-	6	9	9
All other, female											
2000.....	87	-	1	-	-	-	2	1	1	4	5
1999.....	102	1	-	-	-	-	5	1	4	2	5
Black, both sexes											
2000.....	192	-	2	-	-	-	1	2	4	6	14
1999.....	199	1	1	-	-	-	4	1	7	9	11
Black, male											
2000.....	134	-	1	-	-	-	-	1	3	2	10
1999.....	126	-	1	-	-	-	-	-	3	7	7
Black, female											
2000.....	58	-	1	-	-	-	1	1	1	4	4
1999.....	73	1	-	-	-	-	4	1	4	2	4

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other tuberculosis (A17-A19)											
All races, both sexes											
2000.....	161	1	3	-	1	-	4	2	7	2	5
1999.....	166	1	1	1	1	1	2	1	4	6	6
All races, male											
2000.....	75	-	-	-	-	-	3	-	6	-	2
1999.....	98	-	1	-	1	1	1	1	2	5	5
All races, female											
2000.....	86	1	3	-	1	-	1	2	1	2	3
1999.....	68	1	-	1	-	-	1	-	2	1	1
White, both sexes											
2000.....	88	-	3	-	1	-	2	2	4	-	2
1999.....	92	1	-	-	1	1	1	1	1	4	1
White, male											
2000.....	37	-	-	-	-	-	1	-	3	-	-
1999.....	52	-	-	-	1	1	1	1	1	3	1
White, female											
2000.....	51	-	3	-	1	-	1	2	1	-	2
1999.....	40	1	-	-	-	-	-	-	-	1	-
All other, both sexes											
2000.....	73	1	-	-	-	-	2	-	3	2	3
1999.....	74	-	1	1	-	-	1	-	3	2	5
All other, male											
2000.....	38	-	-	-	-	-	2	-	3	-	2
1999.....	46	-	1	-	-	-	-	-	1	2	4
All other, female											
2000.....	35	1	-	-	-	-	-	-	-	2	1
1999.....	28	-	-	1	-	-	1	-	2	-	1
Black, both sexes											
2000.....	52	-	-	-	-	-	1	-	1	2	3
1999.....	46	-	1	1	-	-	-	-	1	1	4
Black, male											
2000.....	27	-	-	-	-	-	1	-	1	-	2
1999.....	33	-	1	-	-	-	-	-	1	1	4
Black, female											
2000.....	25	-	-	-	-	-	-	-	-	2	1
1999.....	13	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Zoonotic and other bacterial diseases (A20-A49)											
All races, both sexes											
2000.....	32,745	329	126	52	33	80	89	120	194	358	584
1999.....	32,714	344	123	62	48	64	111	129	207	366	556
All races, male											
2000.....	14,314	174	70	29	18	50	51	68	104	183	304
1999.....	14,378	202	70	31	23	32	62	66	113	197	319
All races, female											
2000.....	18,431	155	56	23	15	30	38	52	90	175	280
1999.....	18,336	142	53	31	25	32	49	63	94	169	237
White, both sexes											
2000.....	26,053	211	88	34	28	57	58	74	115	222	397
1999.....	25,943	216	90	47	31	49	69	79	141	233	361
White, male											
2000.....	11,341	110	48	21	15	37	35	39	64	119	213
1999.....	11,279	130	51	25	15	24	44	44	75	129	207
White, female											
2000.....	14,712	101	40	13	13	20	23	35	51	103	184
1999.....	14,664	86	39	22	16	25	25	35	66	104	154
All other, both sexes											
2000.....	6,692	118	38	18	5	23	31	46	79	136	187
1999.....	6,771	128	33	15	17	15	42	50	66	133	195
All other, male											
2000.....	2,973	64	22	8	3	13	16	29	40	64	91
1999.....	3,099	72	19	6	8	8	18	22	38	68	112
All other, female											
2000.....	3,719	54	16	10	2	10	15	17	39	72	96
1999.....	3,672	56	14	9	9	7	24	28	28	65	83
Black, both sexes											
2000.....	6,163	113	31	16	4	17	26	42	75	123	171
1999.....	6,160	115	23	9	13	13	32	45	60	123	183
Black, male											
2000.....	2,716	62	17	7	2	10	14	27	37	58	80
1999.....	2,795	63	14	5	7	8	13	18	36	63	105
Black, female											
2000.....	3,447	51	14	9	2	7	12	15	38	65	91
1999.....	3,365	52	9	4	6	5	19	27	24	60	78

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Black, female
2000.....
1999.....

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

[illegible]

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Black, female
2000.....
1999.....

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Black, female
2000.....
1999.....

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Meningococcal infection (A39)											
All races, both sexes											
2000.....	211	22	19	12	6	34	22	9	6	7	6
1999.....	227	32	30	13	12	28	11	11	12	12	15
All races, male											
2000.....	106	14	12	5	2	24	11	3	3	6	3
1999.....	101	14	19	7	6	13	6	8	4	3	6
All races, female											
2000.....	105	8	7	7	4	10	11	6	3	1	3
1999.....	126	18	11	6	6	15	5	3	8	9	9
White, both sexes											
2000.....	161	19	14	5	5	29	16	7	3	3	4
1999.....	184	30	26	10	8	20	9	6	8	8	11
White, male											
2000.....	75	11	8	2	2	20	8	2	-	2	3
1999.....	79	14	17	5	4	8	5	4	2	2	4
White, female											
2000.....	86	8	6	3	3	9	8	5	3	1	1
1999.....	105	16	9	5	4	12	4	2	6	6	7
All other, both sexes											
2000.....	50	3	5	7	1	5	6	2	3	4	2
1999.....	43	2	4	3	4	8	2	5	4	4	4
All other, male											
2000.....	31	3	4	3	-	4	3	1	3	4	-
1999.....	22	-	2	2	2	5	1	4	2	1	2
All other, female											
2000.....	19	-	1	4	1	1	3	1	-	-	2
1999.....	21	2	2	1	2	3	1	1	2	3	2
Black, both sexes											
2000.....	44	3	5	7	1	3	4	1	3	4	2
1999.....	39	2	4	2	4	7	2	4	4	4	4
Black, male											
2000.....	27	3	4	3	-	3	2	-	3	4	-
1999.....	20	-	2	1	2	5	1	3	2	1	2
Black, female											
2000.....	17	-	1	4	1	-	2	1	-	-	2
1999.....	19	2	2	1	2	2	1	1	2	3	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Septicemia (A40-A41)											
All races, both sexes											
2000.....	31,224	274	99	38	25	40	60	104	176	324	553
1999.....	30,680	283	87	47	30	32	89	106	169	314	498
All races, male											
2000.....	13,537	139	53	24	14	23	37	62	96	162	289
1999.....	13,395	175	48	22	14	17	50	53	94	170	290
All races, female											
2000.....	17,687	135	46	14	11	17	23	42	80	162	264
1999.....	17,285	108	39	25	16	15	39	53	75	144	208
White, both sexes											
2000.....	24,804	169	66	28	21	24	36	61	104	204	374
1999.....	24,287	164	60	35	20	26	53	66	116	194	316
White, male											
2000.....	10,716	88	35	19	11	15	24	34	61	110	201
1999.....	10,489	106	32	18	10	14	35	37	65	109	185
White, female											
2000.....	14,088	81	31	9	10	9	12	27	43	94	173
1999.....	13,798	58	28	17	10	12	18	29	51	85	131
All other, both sexes											
2000.....	6,420	105	33	10	4	16	24	43	72	120	179
1999.....	6,393	119	27	12	10	6	36	40	53	120	182
All other, male											
2000.....	2,821	51	18	5	3	8	13	28	35	52	88
1999.....	2,906	69	16	4	4	3	15	16	29	61	105
All other, female											
2000.....	3,599	54	15	5	1	8	11	15	37	68	91
1999.....	3,487	50	11	8	6	3	21	24	24	59	77
Black, both sexes											
2000.....	5,928	101	26	8	3	12	21	40	68	109	163
1999.....	5,826	107	17	7	7	5	28	37	48	110	172
Black, male											
2000.....	2,587	50	13	4	2	6	12	27	32	48	77
1999.....	2,623	61	11	4	3	3	11	14	27	56	99
Black, female											
2000.....	3,341	51	13	4	1	6	9	13	36	61	86
1999.....	3,203	46	6	3	4	2	17	23	21	54	73

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)											
All races, both sexes											
2000.....	1,290	20	8	2	2	6	7	7	12	27	25
1999.....	1,786	22	6	2	6	4	11	12	25	40	43
All races, male											
2000.....	663	16	5	-	2	3	3	3	5	15	12
1999.....	876	12	3	2	3	2	6	5	15	24	23
All races, female											
2000.....	627	4	3	2	-	3	4	4	7	12	13
1999.....	910	10	3	-	3	2	5	7	10	16	20
White, both sexes											
2000.....	1,070	11	8	1	2	4	6	6	8	15	19
1999.....	1,454	16	4	2	3	3	7	7	16	31	34
White, male											
2000.....	543	7	5	-	2	2	3	3	3	7	9
1999.....	706	9	2	2	1	2	4	3	8	18	18
White, female											
2000.....	527	4	3	1	-	2	3	3	5	8	10
1999.....	748	7	2	-	2	1	3	4	8	13	16
All other, both sexes											
2000.....	220	9	-	1	-	2	1	1	4	12	6
1999.....	332	6	2	-	3	1	4	5	9	9	9
All other, male											
2000.....	120	9	-	-	-	1	-	-	2	8	3
1999.....	170	3	1	-	2	-	2	2	7	6	5
All other, female											
2000.....	100	-	-	1	-	1	1	1	2	4	3
1999.....	162	3	1	-	1	1	2	3	2	3	4
Black, both sexes											
2000.....	189	8	-	1	-	2	1	1	4	10	6
1999.....	292	5	2	-	2	1	2	4	8	9	7
Black, male											
2000.....	101	8	-	-	-	1	-	-	2	6	3
1999.....	151	2	1	-	2	-	1	1	7	6	4
Black, female											
2000.....	88	-	-	1	-	1	1	1	2	4	3
1999.....	141	3	1	-	-	1	1	3	1	3	3

[illegible]

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Black, female
2000.....
1999.....

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Viral diseases (A80-B34)											
All races, both sexes											
2000.....	21,122	111	63	36	49	61	182	695	1,864	3,146	3,616
1999.....	21,080	134	78	60	45	55	189	800	2,060	3,225	3,808
All races, male											
2000.....	14,844	57	34	19	21	35	102	398	1,273	2,342	2,674
1999.....	14,908	77	51	31	27	28	94	519	1,470	2,394	2,882
All races, female											
2000.....	6,278	54	29	17	28	26	80	297	591	804	942
1999.....	6,172	57	27	29	18	27	95	281	590	831	926
White, both sexes											
2000.....	11,807	63	33	25	28	32	64	266	794	1,607	1,855
1999.....	11,818	83	50	30	23	29	68	327	976	1,673	1,910
White, male											
2000.....	8,552	33	16	12	9	20	46	176	619	1,305	1,463
1999.....	8,587	52	34	15	12	17	42	233	781	1,367	1,543
White, female											
2000.....	3,255	30	17	13	19	12	18	90	175	302	392
1999.....	3,231	31	16	15	11	12	26	94	195	306	367
All other, both sexes											
2000.....	9,315	48	30	11	21	29	118	429	1,070	1,539	1,761
1999.....	9,262	51	28	30	22	26	121	473	1,084	1,552	1,898
All other, male											
2000.....	6,292	24	18	7	12	15	56	222	654	1,037	1,211
1999.....	6,321	25	17	16	15	11	52	286	689	1,027	1,339
All other, female											
2000.....	3,023	24	12	4	9	14	62	207	416	502	550
1999.....	2,941	26	11	14	7	15	69	187	395	525	559
Black, both sexes											
2000.....	8,802	45	23	10	17	28	117	423	1,045	1,503	1,702
1999.....	8,781	44	28	30	21	24	118	462	1,060	1,506	1,835
Black, male											
2000.....	5,970	22	14	6	9	14	55	216	635	1,011	1,167
1999.....	6,013	23	17	16	14	10	50	277	670	988	1,294
Black, female											
2000.....	2,832	23	9	4	8	14	62	207	410	492	535
1999.....	2,768	21	11	14	7	14	68	185	390	518	541

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Viral hepatitis (B15-B19)											
All races, both sexes											
2000.....	5,357	6	1	2	-	4	14	25	54	219	560
1999.....	4,853	2	3	1	2	3	11	19	69	204	518
All races, male											
2000.....	3,381	2	1	1	-	2	9	13	33	151	389
1999.....	3,043	2	2	-	2	3	7	9	44	139	381
All races, female											
2000.....	1,976	4	-	1	-	2	5	12	21	68	171
1999.....	1,810	-	1	1	-	-	4	10	25	65	137
White, both sexes											
2000.....	4,216	3	-	2	-	2	6	17	34	180	445
1999.....	3,835	1	3	1	1	3	6	11	57	169	402
White, male											
2000.....	2,686	1	-	1	-	2	4	9	21	123	316
1999.....	2,436	1	2	-	1	3	4	4	37	118	301
White, female											
2000.....	1,530	2	-	1	-	-	2	8	13	57	129
1999.....	1,399	-	1	1	-	-	2	7	20	51	101
All other, both sexes											
2000.....	1,141	3	1	-	-	2	8	8	20	39	115
1999.....	1,018	1	-	-	1	-	5	8	12	35	116
All other, male											
2000.....	695	1	1	-	-	-	5	4	12	28	73
1999.....	607	1	-	-	1	-	3	5	7	21	80
All other, female											
2000.....	446	2	-	-	-	2	3	4	8	11	42
1999.....	411	-	-	-	-	-	2	3	5	14	36
Black, both sexes											
2000.....	793	3	-	-	-	2	8	7	14	30	88
1999.....	731	1	-	-	1	-	4	6	11	25	96
Black, male											
2000.....	501	1	-	-	-	-	5	3	8	22	56
1999.....	443	1	-	-	1	-	2	3	6	15	66
Black, female											
2000.....	292	2	-	-	-	2	3	4	6	8	32
1999.....	288	-	-	-	-	-	2	3	5	10	30

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)											
All races, both sexes											
2000.....	14,478	10	14	17	29	35	144	647	1,790	2,896	3,023
1999.....	14,802	14	24	38	28	31	167	763	1,966	2,981	3,251
All races, male											
2000.....	10,868	8	6	9	13	19	80	371	1,231	2,172	2,269
1999.....	11,234	9	16	20	16	15	80	504	1,410	2,224	2,482
All races, female											
2000.....	3,610	2	8	8	16	16	64	276	559	724	754
1999.....	3,568	5	8	18	12	16	87	259	556	757	769
White, both sexes											
2000.....	6,498	1	1	8	13	13	40	235	748	1,402	1,383
1999.....	6,752	4	7	12	13	10	53	304	898	1,472	1,479
White, male											
2000.....	5,360	1	-	4	5	8	30	158	591	1,165	1,135
1999.....	5,613	3	5	6	7	7	33	226	730	1,222	1,227
White, female											
2000.....	1,138	-	1	4	8	5	10	77	157	237	248
1999.....	1,139	1	2	6	6	3	20	78	168	250	252
All other, both sexes											
2000.....	7,980	9	13	9	16	22	104	412	1,042	1,494	1,640
1999.....	8,050	10	17	26	15	21	114	459	1,068	1,509	1,772
All other, male											
2000.....	5,508	7	6	5	8	11	50	213	640	1,007	1,134
1999.....	5,621	6	11	14	9	8	47	278	680	1,002	1,255
All other, female											
2000.....	2,472	2	7	4	8	11	54	199	402	487	506
1999.....	2,429	4	6	12	6	13	67	181	388	507	517
Black, both sexes											
2000.....	7,848	9	12	9	14	22	103	409	1,023	1,470	1,610
1999.....	7,893	10	17	26	15	21	112	452	1,045	1,473	1,733
Black, male											
2000.....	5,400	7	6	5	7	11	49	210	625	988	1,108
1999.....	5,493	6	11	14	9	8	46	273	662	969	1,225
Black, female											
2000.....	2,448	2	6	4	7	11	54	199	398	482	502
1999.....	2,400	4	6	12	6	13	66	179	383	504	508

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)											
All races, both sexes											
2000.....	5,722	4	7	8	6	15	70	274	700	1,179	1,208
1999.....	5,931	7	13	12	12	11	78	332	788	1,228	1,279
All races, male											
2000.....	4,256	3	2	2	2	8	37	165	488	878	881
1999.....	4,456	5	11	7	7	5	35	216	546	912	980
All races, female											
2000.....	1,466	1	5	6	4	7	33	109	212	301	327
1999.....	1,475	2	2	5	5	6	43	116	242	316	299
White, both sexes											
2000.....	2,628	-	-	4	1	6	24	109	300	573	563
1999.....	2,729	1	3	1	7	3	21	142	358	612	587
White, male											
2000.....	2,135	-	-	1	-	4	17	73	239	462	453
1999.....	2,225	1	3	-	3	3	13	107	279	495	480
White, female											
2000.....	493	-	-	3	1	2	7	36	61	111	110
1999.....	504	-	-	1	4	-	8	35	79	117	107
All other, both sexes											
2000.....	3,094	4	7	4	5	9	46	165	400	606	645
1999.....	3,202	6	10	11	5	8	57	190	430	616	692
All other, male											
2000.....	2,121	3	2	1	2	4	20	92	249	416	428
1999.....	2,231	4	8	7	4	2	22	109	267	417	500
All other, female											
2000.....	973	1	5	3	3	5	26	73	151	190	217
1999.....	971	2	2	4	1	6	35	81	163	199	192
Black, both sexes											
2000.....	3,034	4	7	4	5	9	46	164	392	595	629
1999.....	3,125	6	10	11	5	8	57	187	418	593	675
Black, male											
2000.....	2,074	3	2	1	2	4	20	91	244	409	414
1999.....	2,169	4	8	7	4	2	22	107	258	395	487
Black, female											
2000.....	960	1	5	3	3	5	26	73	148	186	215
1999.....	956	2	2	4	1	6	35	80	160	198	188

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)											
All races, both sexes											
2000.....	1,016	1	-	-	3	-	10	33	107	197	219
1999.....	1,117	-	-	1	-	1	8	43	164	228	235
All races, male											
2000.....	863	1	-	-	1	-	9	21	86	170	187
1999.....	948	-	-	-	-	1	6	33	139	193	202
All races, female											
2000.....	153	-	-	-	2	-	1	12	21	27	32
1999.....	169	-	-	1	-	-	2	10	25	35	33
White, both sexes											
2000.....	586	-	-	-	-	-	4	12	65	120	121
1999.....	675	-	-	1	-	-	5	19	104	152	136
White, male											
2000.....	530	-	-	-	-	-	4	8	56	109	112
1999.....	604	-	-	-	-	-	3	15	96	137	121
White, female											
2000.....	56	-	-	-	-	-	-	4	9	11	9
1999.....	71	-	-	1	-	-	2	4	8	15	15
All other, both sexes											
2000.....	430	1	-	-	3	-	6	21	42	77	98
1999.....	442	-	-	-	-	1	3	24	60	76	99
All other, male											
2000.....	333	1	-	-	1	-	5	13	30	61	75
1999.....	344	-	-	-	-	1	3	18	43	56	81
All other, female											
2000.....	97	-	-	-	2	-	1	8	12	16	23
1999.....	98	-	-	-	-	-	-	6	17	20	18
Black, both sexes											
2000.....	422	1	-	-	2	-	5	20	41	76	98
1999.....	429	-	-	-	-	1	3	22	59	74	95
Black, male											
2000.....	326	1	-	-	-	-	4	12	29	60	75
1999.....	333	-	-	-	-	1	3	17	42	54	78
Black, female											
2000.....	96	-	-	-	2	-	1	8	12	16	23
1999.....	96	-	-	-	-	-	-	5	17	20	17

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)											
All races, both sexes											
2000.....	1,609	-	-	4	4	2	12	66	222	330	338
1999.....	1,608	2	2	4	5	2	14	76	217	354	360
All races, male											
2000.....	1,274	-	-	3	2	1	6	43	165	255	275
1999.....	1,289	1	1	4	3	1	7	55	168	281	290
All races, female											
2000.....	335	-	-	1	2	1	6	23	57	75	63
1999.....	319	1	1	-	2	1	7	21	49	73	70
White, both sexes											
2000.....	806	-	-	2	3	1	1	24	109	185	177
1999.....	837	-	1	1	2	2	6	35	110	200	177
White, male											
2000.....	703	-	-	2	1	1	1	20	92	164	153
1999.....	730	-	1	1	1	1	4	27	94	176	155
White, female											
2000.....	103	-	-	-	2	-	-	4	17	21	24
1999.....	107	-	-	-	1	1	2	8	16	24	22
All other, both sexes											
2000.....	803	-	-	2	1	1	11	42	113	145	161
1999.....	771	2	1	3	3	-	8	41	107	154	183
All other, male											
2000.....	571	-	-	1	1	-	5	23	73	91	122
1999.....	559	1	-	3	2	-	3	28	74	105	135
All other, female											
2000.....	232	-	-	1	-	1	6	19	40	54	39
1999.....	212	1	1	-	1	-	5	13	33	49	48
Black, both sexes											
2000.....	785	-	-	2	1	1	11	42	110	140	157
1999.....	757	2	1	3	3	-	8	40	106	151	178
Black, male											
2000.....	554	-	-	1	1	-	5	23	70	86	119
1999.....	546	1	-	3	2	-	3	27	74	102	130
Black, female											
2000.....	231	-	-	1	-	1	6	19	40	54	38
1999.....	211	1	1	-	1	-	5	13	32	49	48

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)											
All races, both sexes											
2000.....	3,388	3	4	4	13	11	25	143	391	651	674
1999.....	3,433	2	6	13	9	14	39	164	407	636	734
All races, male											
2000.....	2,423	3	3	4	7	7	9	73	246	467	485
1999.....	2,490	2	3	7	5	6	19	108	277	443	519
All races, female											
2000.....	965	-	1	-	6	4	16	70	145	184	189
1999.....	943	-	3	6	4	8	20	56	130	193	215
White, both sexes											
2000.....	1,335	1	1	1	7	4	6	39	137	285	276
1999.....	1,299	1	3	7	3	4	13	52	149	259	282
White, male											
2000.....	1,046	1	-	1	3	3	4	21	98	232	215
1999.....	1,039	1	1	4	2	2	9	38	117	206	221
White, female											
2000.....	289	-	1	-	4	1	2	18	39	53	61
1999.....	260	-	2	3	1	2	4	14	32	53	61
All other, both sexes											
2000.....	2,053	2	3	3	6	7	19	104	254	366	398
1999.....	2,134	1	3	6	6	10	26	112	258	377	452
All other, male											
2000.....	1,377	2	3	3	4	4	5	52	148	235	270
1999.....	1,451	1	2	3	3	4	10	70	160	237	298
All other, female											
2000.....	676	-	-	-	2	3	14	52	106	131	128
1999.....	683	-	1	3	3	6	16	42	98	140	154
Black, both sexes											
2000.....	2,023	2	3	3	5	7	19	104	250	362	392
1999.....	2,109	1	3	6	6	10	24	112	254	374	448
Black, male											
2000.....	1,352	2	3	3	4	4	5	52	144	231	265
1999.....	1,433	1	2	3	3	4	9	70	156	236	295
Black, female											
2000.....	671	-	-	-	1	3	14	52	106	131	127
1999.....	676	-	1	3	3	6	15	42	98	138	153

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Unspecified human immunodeficiency virus (HIV) disease (B24)											
All races, both sexes											
2000.....	2,743	2	3	1	3	7	27	131	370	539	584
1999.....	2,713	3	3	8	2	3	28	148	390	535	643
All races, male											
2000.....	2,052	1	1	-	1	3	19	69	246	402	441
1999.....	2,051	1	1	2	1	2	13	92	280	395	491
All races, female											
2000.....	691	1	2	1	2	4	8	62	124	137	143
1999.....	662	2	2	6	1	1	15	56	110	140	152
White, both sexes											
2000.....	1,143	-	-	1	2	2	5	51	137	239	246
1999.....	1,212	2	-	2	1	1	8	56	177	249	297
White, male											
2000.....	946	-	-	-	1	-	4	36	106	198	202
1999.....	1,015	1	-	1	1	1	4	39	144	208	250
White, female											
2000.....	197	-	-	1	1	2	1	15	31	41	44
1999.....	197	1	-	1	-	-	4	17	33	41	47
All other, both sexes											
2000.....	1,600	2	3	-	1	5	22	80	233	300	338
1999.....	1,501	1	3	6	1	2	20	92	213	286	346
All other, male											
2000.....	1,106	1	1	-	-	3	15	33	140	204	239
1999.....	1,036	-	1	1	-	1	9	53	136	187	241
All other, female											
2000.....	494	1	2	-	1	2	7	47	93	96	99
1999.....	465	1	2	5	1	1	11	39	77	99	105
Black, both sexes											
2000.....	1,584	2	2	-	1	5	22	79	230	297	334
1999.....	1,473	1	3	6	1	2	20	91	208	281	337
Black, male											
2000.....	1,094	1	1	-	-	3	15	32	138	202	235
1999.....	1,012	-	1	1	-	1	9	52	132	182	235
Black, female											
2000.....	490	1	1	-	1	2	7	47	92	95	99
1999.....	461	1	2	5	1	1	11	39	76	99	102

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

All races, both sexes

2000.....	1,003	70	45	14	20	22	21	21	17	29	30
1999.....	1,121	101	48	21	12	18	11	17	22	36	38

All races, male

2000.....	485	38	26	9	8	14	12	12	8	18	14
1999.....	517	54	31	11	7	9	7	6	13	28	19

All races, female

2000.....	518	32	19	5	12	8	9	9	9	11	16
1999.....	604	47	17	10	5	9	4	11	9	8	19

White, both sexes

2000.....	849	46	30	12	15	17	16	12	11	23	25
1999.....	958	68	37	17	8	13	9	11	18	28	29

White, male

2000.....	408	25	15	7	4	10	11	7	6	16	11
1999.....	437	39	25	9	4	6	5	3	11	24	15

White, female

2000.....	441	21	15	5	11	7	5	5	5	7	14
1999.....	521	29	12	8	4	7	4	8	7	4	14

All other, both sexes

2000.....	154	24	15	2	5	5	5	9	6	6	5
1999.....	163	33	11	4	4	5	2	6	4	8	9

All other, male

2000.....	77	13	11	2	4	4	1	5	2	2	3
1999.....	80	15	6	2	3	3	2	3	2	4	4

All other, female

2000.....	77	11	4	-	1	1	4	4	4	4	2
1999.....	83	18	5	2	1	2	-	3	2	4	5

Black, both sexes

2000.....	125	21	10	1	3	4	5	7	6	3	4
1999.....	130	27	11	4	3	3	2	4	4	8	5

Black, male

2000.....	59	11	8	1	2	3	1	3	2	1	3
1999.....	64	13	6	2	2	2	2	1	2	4	3

Black, female

2000.....	66	10	2	-	1	1	4	4	4	2	1
1999.....	66	14	5	2	1	1	-	3	2	4	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)											
All races, both sexes											
2000.....	2,912	51	14	11	15	14	19	25	52	101	130
1999.....	4,024	59	23	17	17	16	24	64	98	152	228
All races, male											
2000.....	1,577	30	8	7	9	7	11	12	31	69	87
1999.....	2,122	37	15	7	11	9	12	36	54	94	141
All races, female											
2000.....	1,335	21	6	4	6	7	8	13	21	32	43
1999.....	1,902	22	8	10	6	7	12	28	44	58	87
White, both sexes											
2000.....	2,349	30	9	8	11	10	14	13	29	61	92
1999.....	3,071	36	11	13	12	12	16	38	50	92	134
White, male											
2000.....	1,262	20	5	5	7	4	9	7	18	42	64
1999.....	1,645	24	8	7	8	6	9	22	29	65	95
White, female											
2000.....	1,087	10	4	3	4	6	5	6	11	19	28
1999.....	1,426	12	3	6	4	6	7	16	21	27	39
All other, both sexes											
2000.....	563	21	5	3	4	4	5	12	23	40	38
1999.....	953	23	12	4	5	4	8	26	48	60	94
All other, male											
2000.....	315	10	3	2	2	3	2	5	13	27	23
1999.....	477	13	7	-	3	3	3	14	25	29	46
All other, female											
2000.....	248	11	2	1	2	1	3	7	10	13	15
1999.....	476	10	5	4	2	1	5	12	23	31	48
Black, both sexes											
2000.....	471	20	3	3	2	2	5	8	22	35	37
1999.....	807	23	10	3	2	2	8	24	46	56	84
Black, male											
2000.....	259	9	2	2	-	1	2	3	12	23	22
1999.....	391	13	7	-	1	2	3	12	25	27	39
Black, female											
2000.....	212	11	1	1	2	1	3	5	10	12	15
1999.....	416	10	3	3	1	-	5	12	21	29	45

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Mycoses (B35-B49)											
All races, both sexes											
2000.....	1,245	48	10	7	8	8	8	15	22	42	50
1999.....	1,845	52	12	8	11	9	16	38	44	58	81
All races, male											
2000.....	694	29	7	6	4	5	5	7	13	31	30
1999.....	1,030	32	7	3	8	4	7	22	26	43	50
All races, female											
2000.....	551	19	3	1	4	3	3	8	9	11	20
1999.....	815	20	5	5	3	5	9	16	18	15	31
White, both sexes											
2000.....	967	29	6	6	5	5	5	8	11	29	30
1999.....	1,406	31	5	5	10	7	11	22	25	40	47
White, male											
2000.....	541	19	5	5	3	3	4	5	7	22	19
1999.....	805	21	5	3	7	3	5	12	15	32	30
White, female											
2000.....	426	10	1	1	2	2	1	3	4	7	11
1999.....	601	10	-	2	3	4	6	10	10	8	17
All other, both sexes											
2000.....	278	19	4	1	3	3	3	7	11	13	20
1999.....	439	21	7	3	1	2	5	16	19	18	34
All other, male											
2000.....	153	10	2	1	1	2	1	2	6	9	11
1999.....	225	11	2	-	1	1	2	10	11	11	20
All other, female											
2000.....	125	9	2	-	2	1	2	5	5	4	9
1999.....	214	10	5	3	-	1	3	6	8	7	14
Black, both sexes											
2000.....	233	18	2	1	2	2	3	3	11	12	19
1999.....	365	21	5	3	-	1	5	14	18	15	31
Black, male											
2000.....	122	9	1	1	-	1	1	-	6	8	10
1999.....	185	11	2	-	-	1	2	8	11	9	18
Black, female											
2000.....	111	9	1	-	2	1	2	3	5	4	9
1999.....	180	10	3	3	-	-	3	6	7	6	13

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Protozoal diseases (B50-B64)											
All races, both sexes											
2000.....	237	3	1	2	1	1	5	3	13	31	20
1999.....	289	6	4	1	1	2	2	14	17	33	39
All races, male											
2000.....	149	1	-	-	-	-	2	1	7	21	14
1999.....	158	4	1	-	1	2	2	8	8	20	21
All races, female											
2000.....	88	2	1	2	1	1	3	2	6	10	6
1999.....	131	2	3	1	-	-	-	6	9	13	18
White, both sexes											
2000.....	165	1	1	1	1	1	3	1	8	15	13
1999.....	203	4	3	-	-	2	2	5	10	20	25
White, male											
2000.....	107	1	-	-	-	-	1	-	4	10	10
1999.....	117	2	-	-	-	2	2	4	4	14	17
White, female											
2000.....	58	-	1	1	1	1	2	1	4	5	3
1999.....	86	2	3	-	-	-	-	1	6	6	8
All other, both sexes											
2000.....	72	2	-	1	-	-	2	2	5	16	7
1999.....	86	2	1	1	1	-	-	9	7	13	14
All other, male											
2000.....	42	-	-	-	-	-	1	1	3	11	4
1999.....	41	2	1	-	1	-	-	4	4	6	4
All other, female											
2000.....	30	2	-	1	-	-	1	1	2	5	3
1999.....	45	-	-	1	-	-	-	5	3	7	10
Black, both sexes											
2000.....	70	2	-	1	-	-	2	2	5	16	7
1999.....	79	2	1	-	-	-	-	9	7	13	14
Black, male											
2000.....	40	-	-	-	-	-	1	1	3	11	4
1999.....	37	2	1	-	-	-	-	4	4	6	4
Black, female											
2000.....	30	2	-	1	-	-	1	1	2	5	3
1999.....	42	-	-	-	-	-	-	5	3	7	10

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Malaria (B50-B54)											
All races, both sexes											
2000.....	3	-	-	-	-	-	1	-	-	-	-
1999.....	7	1	-	-	-	-	-	2	-	-	1
All races, male											
2000.....	2	-	-	-	-	-	-	-	-	-	-
1999.....	4	1	-	-	-	-	-	1	-	-	-
All races, female											
2000.....	1	-	-	-	-	-	1	-	-	-	-
1999.....	3	-	-	-	-	-	-	1	-	-	1
White, both sexes											
2000.....	1	-	-	-	-	-	1	-	-	-	-
1999.....	4	-	-	-	-	-	-	1	-	-	1
White, male											
2000.....	-	-	-	-	-	-	-	-	-	-	-
1999.....	3	-	-	-	-	-	-	1	-	-	-
White, female											
2000.....	1	-	-	-	-	-	1	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	1
All other, both sexes											
2000.....	2	-	-	-	-	-	-	-	-	-	-
1999.....	3	1	-	-	-	-	-	1	-	-	-
All other, male											
2000.....	2	-	-	-	-	-	-	-	-	-	-
1999.....	1	1	-	-	-	-	-	-	-	-	-
All other, female											
2000.....	-	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	-	1	-	-	-
Black, both sexes											
2000.....	1	-	-	-	-	-	-	-	-	-	-
1999.....	3	1	-	-	-	-	-	1	-	-	-
Black, male											
2000.....	1	-	-	-	-	-	-	-	-	-	-
1999.....	1	1	-	-	-	-	-	-	-	-	-
Black, female											
2000.....	-	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	-	1	-	-	-

	Black, female
2000.....	
1999.....	

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Pneumocystosis (B59)											
All races, both sexes											
2000.....	206	3	1	1	1	1	4	1	8	25	18
1999.....	244	4	3	1	1	1	2	9	14	26	32
All races, male											
2000.....	129	1	-	-	-	-	2	1	4	16	12
1999.....	132	2	-	-	1	1	2	4	7	15	18
All races, female											
2000.....	77	2	1	1	1	1	2	-	4	9	6
1999.....	112	2	3	1	-	-	-	5	7	11	14
White, both sexes											
2000.....	146	1	1	-	1	1	2	-	6	12	12
1999.....	177	3	3	-	-	1	2	3	8	16	20
White, male											
2000.....	95	1	-	-	-	-	1	-	2	8	9
1999.....	101	1	-	-	-	1	2	2	4	11	14
White, female											
2000.....	51	-	1	-	1	1	1	-	4	4	3
1999.....	76	2	3	-	-	-	-	1	4	5	6
All other, both sexes											
2000.....	60	2	-	1	-	-	2	1	2	13	6
1999.....	67	1	-	1	1	-	-	6	6	10	12
All other, male											
2000.....	34	-	-	-	-	-	1	1	2	8	3
1999.....	31	1	-	-	1	-	-	2	3	4	4
All other, female											
2000.....	26	2	-	1	-	-	1	-	-	5	3
1999.....	36	-	-	1	-	-	-	4	3	6	8
Black, both sexes											
2000.....	59	2	-	1	-	-	2	1	2	13	6
1999.....	60	1	-	-	-	-	-	6	6	10	12
Black, male											
2000.....	33	-	-	-	-	-	1	1	2	8	3
1999.....	27	1	-	-	-	-	-	2	3	4	4
Black, female											
2000.....	26	2	-	1	-	-	1	-	-	5	3
1999.....	33	-	-	-	-	-	-	4	3	6	8

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

All races, both sexes										
2000.....	973	-	2	2	4	3	4	4	13	25
1999.....	1,424	1	7	6	4	5	4	8	36	55
All races, male										
2000.....	513	-	1	1	3	2	3	2	8	14
1999.....	728	1	7	4	1	3	2	4	20	41
All races, female										
2000.....	460	-	1	1	1	1	1	2	5	11
1999.....	696	-	-	2	3	2	2	4	16	14
White, both sexes										
2000.....	809	-	1	1	3	2	4	1	9	15
1999.....	1,051	1	3	6	1	3	1	7	15	46
White, male										
2000.....	424	-	-	-	2	1	3	-	6	8
1999.....	548	1	3	4	-	1	1	4	10	34
White, female										
2000.....	385	-	1	1	1	1	1	1	3	7
1999.....	503	-	-	2	1	2	-	3	5	12
All other, both sexes										
2000.....	164	-	1	1	1	1	-	3	4	10
1999.....	373	-	4	-	3	2	3	1	21	43
All other, male										
2000.....	89	-	1	1	1	1	-	2	2	6
1999.....	180	-	4	-	1	2	1	-	10	7
All other, female										
2000.....	75	-	-	-	-	-	-	1	2	4
1999.....	193	-	-	-	2	-	2	1	11	2
Black, both sexes										
2000.....	139	-	1	1	-	-	-	3	4	7
1999.....	337	-	4	-	2	1	3	1	21	9
Black, male										
2000.....	78	-	1	1	-	-	-	2	2	4
1999.....	157	-	4	-	1	1	1	-	10	7
Black, female										
2000.....	61	-	-	-	-	-	-	1	2	3
1999.....	180	-	-	-	1	-	2	1	11	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
II. Neoplasms (C00-D48)											
All races, both sexes											
2000.....	566,637	152	473	551	562	785	1,023	1,427	2,654	5,720	11,168
1999.....	563,065	126	481	573	540	797	1,025	1,484	2,692	5,904	11,170
All races, male											
2000.....	292,641	82	266	301	317	473	611	722	1,214	2,488	5,044
1999.....	292,352	66	260	309	295	474	603	787	1,268	2,546	5,122
All races, female											
2000.....	273,996	70	207	250	245	312	412	705	1,440	3,232	6,124
1999.....	270,713	60	221	264	245	323	422	697	1,424	3,358	6,048
White, both sexes											
2000.....	492,182	123	374	443	451	605	801	1,128	2,073	4,440	8,616
1999.....	489,087	94	401	449	415	605	792	1,176	2,095	4,602	8,727
White, male											
2000.....	253,303	67	215	239	256	362	484	583	987	1,975	3,911
1999.....	253,287	52	216	248	226	352	470	627	1,001	2,047	4,051
White, female											
2000.....	238,879	56	159	204	195	243	317	545	1,086	2,465	4,705
1999.....	235,800	42	185	201	189	253	322	549	1,094	2,555	4,676
All other, both sexes											
2000.....	74,455	29	99	108	111	180	222	299	581	1,280	2,552
1999.....	73,978	32	80	124	125	192	233	308	597	1,302	2,443
All other, male											
2000.....	39,338	15	51	62	61	111	127	139	227	513	1,133
1999.....	39,065	14	44	61	69	122	133	160	267	499	1,071
All other, female											
2000.....	35,117	14	48	46	50	69	95	160	354	767	1,419
1999.....	34,913	18	36	63	56	70	100	148	330	803	1,372
Black, both sexes											
2000.....	63,081	20	79	85	84	144	173	233	449	1,041	2,130
1999.....	63,124	26	62	97	103	152	192	242	459	1,088	2,058
Black, male											
2000.....	33,337	8	42	48	47	89	99	99	174	396	945
1999.....	33,371	11	36	47	58	95	104	122	195	400	897
Black, female											
2000.....	29,744	12	37	37	37	55	74	134	275	645	1,185
1999.....	29,753	15	26	50	45	57	88	120	264	688	1,161

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Malignant neoplasms (C00-C97)											
All races, both sexes											
2000.....	553,091	92	420	489	525	745	968	1,359	2,557	5,565	10,955
1999.....	549,838	68	418	509	503	745	979	1,429	2,576	5,764	10,968
All races, male											
2000.....	286,082	50	233	269	300	446	576	692	1,162	2,402	4,942
1999.....	285,832	36	227	279	276	448	575	755	1,204	2,467	5,004
All races, female											
2000.....	267,009	42	187	220	225	299	392	667	1,395	3,163	6,013
1999.....	264,006	32	191	230	227	297	404	674	1,372	3,297	5,964
White, both sexes											
2000.....	480,011	75	330	397	421	576	757	1,081	1,991	4,316	8,448
1999.....	477,238	53	353	397	383	568	759	1,137	2,010	4,495	8,565
White, male											
2000.....	247,403	42	190	215	241	344	454	559	941	1,907	3,832
1999.....	247,396	31	194	224	210	335	449	606	955	1,984	3,950
White, female											
2000.....	232,608	33	140	182	180	232	303	522	1,050	2,409	4,616
1999.....	229,842	22	159	173	173	233	310	531	1,055	2,511	4,615
All other, both sexes											
2000.....	73,080	17	90	92	104	169	211	278	566	1,249	2,507
1999.....	72,600	15	65	112	120	177	220	292	566	1,269	2,403
All other, male											
2000.....	38,679	8	43	54	59	102	122	133	221	495	1,110
1999.....	38,436	5	33	55	66	113	126	149	249	483	1,054
All other, female											
2000.....	34,401	9	47	38	45	67	89	145	345	754	1,397
1999.....	34,164	10	32	57	54	64	94	143	317	786	1,349
Black, both sexes											
2000.....	61,945	11	70	72	78	136	165	215	434	1,017	2,091
1999.....	61,951	11	49	85	98	139	179	233	438	1,058	2,022
Black, male											
2000.....	32,817	4	34	42	45	82	97	94	168	383	926
1999.....	32,850	3	26	41	55	87	97	114	183	385	882
Black, female											
2000.....	29,128	7	36	30	33	54	68	121	266	634	1,165
1999.....	29,101	8	23	44	43	52	82	119	255	673	1,140

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)											
All races, both sexes											
2000.....	7,492	-	-	-	4	9	17	18	32	88	205
1999.....	7,486	-	2	1	5	9	18	14	29	96	195
All races, male											
2000.....	4,952	-	-	-	4	6	7	12	16	60	155
1999.....	4,944	-	1	-	3	6	14	10	17	58	146
All races, female											
2000.....	2,540	-	-	-	-	3	10	6	16	28	50
1999.....	2,542	-	1	1	2	3	4	4	12	38	49
White, both sexes											
2000.....	6,135	-	-	-	2	6	12	12	23	60	138
1999.....	6,116	-	2	1	3	5	9	10	20	60	134
White, male											
2000.....	3,942	-	-	-	2	3	4	8	12	38	100
1999.....	3,955	-	1	-	2	3	6	6	11	34	100
White, female											
2000.....	2,193	-	-	-	-	3	8	4	11	22	38
1999.....	2,161	-	1	1	1	2	3	4	9	26	34
All other, both sexes											
2000.....	1,357	-	-	-	2	3	5	6	9	28	67
1999.....	1,370	-	-	-	2	4	9	4	9	36	61
All other, male											
2000.....	1,010	-	-	-	2	3	3	4	4	22	55
1999.....	989	-	-	-	1	3	8	4	6	24	46
All other, female											
2000.....	347	-	-	-	-	-	2	2	5	6	12
1999.....	381	-	-	-	1	1	1	-	3	12	15
Black, both sexes											
2000.....	1,102	-	-	-	2	3	4	5	2	15	46
1999.....	1,145	-	-	-	2	4	4	2	6	25	42
Black, male											
2000.....	833	-	-	-	2	3	2	3	1	11	36
1999.....	828	-	-	-	1	3	3	2	4	17	30
Black, female											
2000.....	269	-	-	-	-	-	2	2	1	4	10
1999.....	317	-	-	-	1	1	1	-	2	8	12

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Of pharynx (C10-C13,C14.0)											
All races, both sexes											
2000.....	3,111	-	-	-	3	6	9	8	11	29	81
1999.....	3,102	-	1	-	4	3	11	3	11	38	81
All races, male											
2000.....	2,223	-	-	-	3	3	5	5	6	24	67
1999.....	2,210	-	1	-	3	2	9	3	6	26	62
All races, female											
2000.....	888	-	-	-	-	3	4	3	5	5	14
1999.....	892	-	-	-	1	1	2	-	5	12	19
White, both sexes											
2000.....	2,351	-	-	-	1	3	5	3	5	13	39
1999.....	2,362	-	1	-	2	1	4	1	3	22	44
White, male											
2000.....	1,637	-	-	-	1	-	2	1	3	9	31
1999.....	1,653	-	1	-	2	1	3	1	1	14	32
White, female											
2000.....	714	-	-	-	-	3	3	2	2	4	8
1999.....	709	-	-	-	-	-	1	-	2	8	12
All other, both sexes											
2000.....	760	-	-	-	2	3	4	5	6	16	42
1999.....	740	-	-	-	2	2	7	2	8	16	37
All other, male											
2000.....	586	-	-	-	2	3	3	4	3	15	36
1999.....	557	-	-	-	1	1	6	2	5	12	30
All other, female											
2000.....	174	-	-	-	-	-	1	1	3	1	6
1999.....	183	-	-	-	1	1	1	-	3	4	7
Black, both sexes											
2000.....	596	-	-	-	2	3	3	4	1	9	23
1999.....	596	-	-	-	2	2	4	1	6	8	23
Black, male											
2000.....	461	-	-	-	2	3	2	3	1	9	19
1999.....	449	-	-	-	1	1	3	1	4	7	18
Black, female											
2000.....	135	-	-	-	-	-	1	1	-	-	4
1999.....	147	-	-	-	1	1	1	-	2	1	5

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Malignant neoplasms of digestive organs (C15-C26)											
All races, both sexes											
2000.....	130,702	5	24	9	17	33	62	176	424	1,019	2,238
1999.....	129,441	10	29	5	8	36	77	192	412	1,045	2,271
All races, male											
2000.....	70,066	3	15	6	5	20	38	103	256	627	1,370
1999.....	69,306	5	20	5	6	20	41	118	237	608	1,377
All races, female											
2000.....	60,636	2	9	3	12	13	24	73	168	392	868
1999.....	60,135	5	9	-	2	16	36	74	175	437	894
White, both sexes											
2000.....	110,555	3	18	8	10	26	44	120	304	743	1,633
1999.....	109,699	6	26	3	4	23	52	128	290	768	1,667
White, male											
2000.....	59,305	2	12	5	4	15	25	72	187	463	1,005
1999.....	58,795	3	18	3	3	14	27	80	169	455	1,032
White, female											
2000.....	51,250	1	6	3	6	11	19	48	117	280	628
1999.....	50,904	3	8	-	1	9	25	48	121	313	635
All other, both sexes											
2000.....	20,147	2	6	1	7	7	18	56	120	276	605
1999.....	19,742	4	3	2	4	13	25	64	122	277	604
All other, male											
2000.....	10,761	1	3	1	1	5	13	31	69	164	365
1999.....	10,511	2	2	2	3	6	14	38	68	153	345
All other, female											
2000.....	9,386	1	3	-	6	2	5	25	51	112	240
1999.....	9,231	2	1	-	1	7	11	26	54	124	259
Black, both sexes											
2000.....	16,298	2	2	-	3	5	12	35	90	204	471
1999.....	16,146	3	3	1	4	8	19	48	85	212	469
Black, male											
2000.....	8,561	1	1	-	1	3	9	15	54	118	284
1999.....	8,488	1	2	1	3	3	10	30	48	110	273
Black, female											
2000.....	7,737	1	1	-	2	2	3	20	36	86	187
1999.....	7,658	2	1	-	1	5	9	18	37	102	196

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Of stomach (C16)											
All races, both sexes											
2000.....	12,645	-	-	-	1	3	11	36	88	167	317
1999.....	12,711	-	-	-	1	5	8	47	89	189	316
All races, male											
2000.....	7,328	-	-	-	-	-	6	22	47	100	184
1999.....	7,459	-	-	-	1	2	4	22	54	101	182
All races, female											
2000.....	5,317	-	-	-	1	3	5	14	41	67	133
1999.....	5,252	-	-	-	-	3	4	25	35	88	134
White, both sexes											
2000.....	9,723	-	-	-	1	2	7	21	57	113	205
1999.....	9,779	-	-	-	-	2	6	29	59	128	193
White, male											
2000.....	5,688	-	-	-	-	-	3	13	32	66	115
1999.....	5,786	-	-	-	-	1	3	15	40	70	112
White, female											
2000.....	4,035	-	-	-	1	2	4	8	25	47	90
1999.....	3,993	-	-	-	-	1	3	14	19	58	81
All other, both sexes											
2000.....	2,922	-	-	-	-	1	4	15	31	54	112
1999.....	2,932	-	-	-	1	3	2	18	30	61	123
All other, male											
2000.....	1,640	-	-	-	-	-	3	9	15	34	69
1999.....	1,673	-	-	-	1	1	1	7	14	31	70
All other, female											
2000.....	1,282	-	-	-	-	1	1	6	16	20	43
1999.....	1,259	-	-	-	-	2	1	11	16	30	53
Black, both sexes											
2000.....	2,176	-	-	-	-	1	3	11	25	37	81
1999.....	2,203	-	-	-	1	1	2	14	22	40	87
Black, male											
2000.....	1,218	-	-	-	-	-	2	5	15	26	52
1999.....	1,263	-	-	-	1	-	1	7	12	20	52
Black, female											
2000.....	958	-	-	-	-	1	1	6	10	11	29
1999.....	940	-	-	-	-	1	1	7	10	20	35

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Of colon, rectum and anus (C18-C21)											
All races, both sexes											
2000.....	57,477	-	-	-	3	13	27	79	193	480	889
1999.....	57,155	1	-	-	1	11	38	87	196	439	894
All races, male											
2000.....	28,462	-	-	-	2	8	16	42	111	271	488
1999.....	28,240	-	-	-	1	5	22	57	103	226	452
All races, female											
2000.....	29,015	-	-	-	1	5	11	37	82	209	401
1999.....	28,915	1	-	-	-	6	16	30	93	213	442
White, both sexes											
2000.....	49,488	-	-	-	3	12	19	57	144	349	666
1999.....	49,374	-	-	-	1	6	26	62	150	336	684
White, male											
2000.....	24,517	-	-	-	2	7	9	32	87	204	363
1999.....	24,539	-	-	-	1	2	14	40	78	180	360
White, female											
2000.....	24,971	-	-	-	1	5	10	25	57	145	303
1999.....	24,835	-	-	-	-	4	12	22	72	156	324
All other, both sexes											
2000.....	7,989	-	-	-	-	1	8	22	49	131	223
1999.....	7,781	1	-	-	-	5	12	25	46	103	210
All other, male											
2000.....	3,945	-	-	-	-	1	7	10	24	67	125
1999.....	3,701	-	-	-	-	3	8	17	25	46	92
All other, female											
2000.....	4,044	-	-	-	-	-	1	12	25	64	98
1999.....	4,080	1	-	-	-	2	4	8	21	57	118
Black, both sexes											
2000.....	6,867	-	-	-	-	-	6	12	42	109	184
1999.....	6,777	1	-	-	-	5	11	21	35	92	181
Black, male											
2000.....	3,326	-	-	-	-	-	5	4	22	56	105
1999.....	3,196	-	-	-	-	3	7	14	17	43	82
Black, female											
2000.....	3,541	-	-	-	-	-	1	8	20	53	79
1999.....	3,581	1	-	-	-	2	4	7	18	49	99

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Colon (C18)											
All races, both sexes											
2000.....	48,570	-	-	-	3	9	19	55	156	360	699
1999.....	48,433	1	-	-	1	9	29	62	154	342	688
All races, male											
2000.....	23,634	-	-	-	2	7	12	26	92	197	380
1999.....	23,596	-	-	-	1	4	17	36	78	171	347
All races, female											
2000.....	24,936	-	-	-	1	2	7	29	64	163	319
1999.....	24,837	1	-	-	-	5	12	26	76	171	341
White, both sexes											
2000.....	41,724	-	-	-	3	8	13	42	118	265	512
1999.....	41,735	-	-	-	1	5	19	41	115	259	516
White, male											
2000.....	20,332	-	-	-	2	6	7	22	73	155	276
1999.....	20,494	-	-	-	1	2	10	23	58	138	275
White, female											
2000.....	21,392	-	-	-	1	2	6	20	45	110	236
1999.....	21,241	-	-	-	-	3	9	18	57	121	241
All other, both sexes											
2000.....	6,846	-	-	-	-	1	6	13	38	95	187
1999.....	6,698	1	-	-	-	4	10	21	39	83	172
All other, male											
2000.....	3,302	-	-	-	-	1	5	4	19	42	104
1999.....	3,102	-	-	-	-	2	7	13	20	33	72
All other, female											
2000.....	3,544	-	-	-	-	-	1	9	19	53	83
1999.....	3,596	1	-	-	-	2	3	8	19	50	100
Black, both sexes											
2000.....	5,948	-	-	-	-	-	4	7	32	81	152
1999.....	5,900	1	-	-	-	4	10	18	29	75	152
Black, male											
2000.....	2,810	-	-	-	-	-	3	1	17	36	87
1999.....	2,711	-	-	-	-	2	7	11	12	32	66
Black, female											
2000.....	3,138	-	-	-	-	-	1	6	15	45	65
1999.....	3,189	1	-	-	-	2	3	7	17	43	86

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Rectosigmoid junction and rectum (C19-C20)											
All races, both sexes											
2000.....	8,415	-	-	-	-	4	7	24	33	104	163
1999.....	8,260	-	-	-	-	2	9	24	37	79	186
All races, male											
2000.....	4,634	-	-	-	-	1	4	16	16	65	97
1999.....	4,476	-	-	-	-	1	5	20	20	46	95
All races, female											
2000.....	3,781	-	-	-	-	3	3	8	17	39	66
1999.....	3,784	-	-	-	-	1	4	4	17	33	91
White, both sexes											
2000.....	7,328	-	-	-	-	4	5	15	23	72	131
1999.....	7,234	-	-	-	-	1	7	21	32	65	152
White, male											
2000.....	4,019	-	-	-	-	1	2	10	11	42	79
1999.....	3,901	-	-	-	-	-	4	17	17	37	77
White, female											
2000.....	3,309	-	-	-	-	3	3	5	12	30	52
1999.....	3,333	-	-	-	-	1	3	4	15	28	75
All other, both sexes											
2000.....	1,087	-	-	-	-	-	2	9	10	32	32
1999.....	1,026	-	-	-	-	1	2	3	5	14	34
All other, male											
2000.....	615	-	-	-	-	-	2	6	5	23	18
1999.....	575	-	-	-	-	1	1	3	3	9	18
All other, female											
2000.....	472	-	-	-	-	-	-	3	5	9	14
1999.....	451	-	-	-	-	-	1	-	2	5	16
Black, both sexes											
2000.....	869	-	-	-	-	-	2	5	9	24	28
1999.....	826	-	-	-	-	1	1	2	4	11	26
Black, male											
2000.....	490	-	-	-	-	-	2	3	5	18	15
1999.....	462	-	-	-	-	1	-	2	3	7	14
Black, female											
2000.....	379	-	-	-	-	-	-	2	4	6	13
1999.....	364	-	-	-	-	-	1	-	1	4	12

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Of liver and intrahepatic bile ducts (C22)											
All races, both sexes											
2000.....	12,916	2	23	9	11	15	15	28	58	113	316
1999.....	12,382	8	29	5	6	19	24	33	45	127	317
All races, male											
2000.....	8,176	1	14	6	2	11	9	18	41	74	223
1999.....	7,689	5	20	5	4	12	12	22	26	88	230
All races, female											
2000.....	4,740	1	9	3	9	4	6	10	17	39	93
1999.....	4,693	3	9	-	2	7	12	11	19	39	87
White, both sexes											
2000.....	10,304	1	17	8	5	10	10	12	32	65	196
1999.....	9,986	6	26	3	3	14	15	17	19	73	210
White, male											
2000.....	6,447	1	11	5	2	7	6	8	19	37	142
1999.....	6,151	3	18	3	2	10	7	11	10	45	155
White, female											
2000.....	3,857	-	6	3	3	3	4	4	13	28	54
1999.....	3,835	3	8	-	1	4	8	6	9	28	55
All other, both sexes											
2000.....	2,612	1	6	1	6	5	5	16	26	48	120
1999.....	2,396	2	3	2	3	5	9	16	26	54	107
All other, male											
2000.....	1,729	-	3	1	-	4	3	10	22	37	81
1999.....	1,538	2	2	2	2	2	5	11	16	43	75
All other, female											
2000.....	883	1	3	-	6	1	2	6	4	11	39
1999.....	858	-	1	-	1	3	4	5	10	11	32
Black, both sexes											
2000.....	1,598	1	2	-	2	4	2	10	11	25	77
1999.....	1,507	1	3	1	3	2	5	9	12	31	60
Black, male											
2000.....	1,061	-	1	-	-	3	2	5	10	16	50
1999.....	947	1	2	1	2	-	2	7	7	21	44
Black, female											
2000.....	537	1	1	-	2	1	-	5	1	9	27
1999.....	560	-	1	-	1	2	3	2	5	10	16

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Liver (C22.0,C22.2-C22.9)											
All races, both sexes											
2000.....	10,192	2	22	9	11	13	15	25	44	94	264
1999.....	9,830	8	29	5	6	19	24	27	35	93	266
All races, male											
2000.....	6,843	1	14	6	2	10	9	16	30	64	195
1999.....	6,481	5	20	5	4	12	12	18	20	71	204
All races, female											
2000.....	3,349	1	8	3	9	3	6	9	14	30	69
1999.....	3,349	3	9	-	2	7	12	9	15	22	62
White, both sexes											
2000.....	7,914	1	16	8	5	9	10	10	22	50	155
1999.....	7,730	6	26	3	3	14	15	12	11	49	168
White, male											
2000.....	5,273	1	11	5	2	7	6	7	10	30	121
1999.....	5,081	3	18	3	2	10	7	8	5	33	133
White, female											
2000.....	2,641	-	5	3	3	2	4	3	12	20	34
1999.....	2,649	3	8	-	1	4	8	4	6	16	35
All other, both sexes											
2000.....	2,278	1	6	1	6	4	5	15	22	44	109
1999.....	2,100	2	3	2	3	5	9	15	24	44	98
All other, male											
2000.....	1,570	-	3	1	-	3	3	9	20	34	74
1999.....	1,400	2	2	2	2	2	5	10	15	38	71
All other, female											
2000.....	708	1	3	-	6	1	2	6	2	10	35
1999.....	700	-	1	-	1	3	4	5	9	6	27
Black, both sexes											
2000.....	1,389	1	2	-	2	3	2	10	9	22	69
1999.....	1,319	1	3	1	3	2	5	8	11	24	52
Black, male											
2000.....	966	-	1	-	-	2	2	5	9	14	45
1999.....	866	1	2	1	2	-	2	6	6	19	40
Black, female											
2000.....	423	1	1	-	2	1	-	5	-	8	24
1999.....	453	-	1	-	1	2	3	2	5	5	12

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

All races, both sexes										
2000.....	3,666	-	-	-	-	-	1	2	5	17
1999.....	3,590	-	-	-	-	-	2	1	2	14
All races, male										
2000.....	1,372	-	-	-	-	-	1	2	2	9
1999.....	1,300	-	-	-	-	-	1	1	-	6
All races, female										
2000.....	2,294	-	-	-	-	-	-	-	3	8
1999.....	2,290	-	-	-	-	-	1	-	2	8
White, both sexes										
2000.....	3,254	-	-	-	-	-	1	2	4	15
1999.....	3,156	-	-	-	-	-	1	-	1	11
White, male										
2000.....	1,233	-	-	-	-	-	1	2	2	8
1999.....	1,156	-	-	-	-	-	1	-	-	5
White, female										
2000.....	2,021	-	-	-	-	-	-	-	2	7
1999.....	2,000	-	-	-	-	-	-	-	1	6
All other, both sexes										
2000.....	412	-	-	-	-	-	-	-	1	2
1999.....	434	-	-	-	-	-	1	1	1	3
All other, male										
2000.....	139	-	-	-	-	-	-	-	-	1
1999.....	144	-	-	-	-	-	-	1	-	1
All other, female										
2000.....	273	-	-	-	-	-	-	-	1	1
1999.....	290	-	-	-	-	-	1	-	1	2
Black, both sexes										
2000.....	290	-	-	-	-	-	-	-	-	-
1999.....	306	-	-	-	-	-	1	1	1	2
Black, male										
2000.....	87	-	-	-	-	-	-	-	-	-
1999.....	98	-	-	-	-	-	-	1	-	-
Black, female										
2000.....	203	-	-	-	-	-	-	-	-	-
1999.....	208	-	-	-	-	-	1	-	1	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Of pancreas (C25)											
All races, both sexes											
2000.....	29,332	2	1	-	1	1	4	17	38	140	408
1999.....	29,082	1	-	-	-	-	3	9	46	178	416
All races, male											
2000.....	14,238	1	1	-	-	1	2	11	22	87	237
1999.....	14,176	-	-	-	-	-	1	7	26	107	262
All races, female											
2000.....	15,094	1	-	-	1	-	2	6	16	53	171
1999.....	14,906	1	-	-	-	-	2	2	20	71	154
White, both sexes											
2000.....	25,301	2	1	-	1	1	3	15	30	110	319
1999.....	25,086	-	-	-	-	-	2	7	33	137	331
White, male											
2000.....	12,392	1	1	-	-	1	2	9	18	69	189
1999.....	12,273	-	-	-	-	-	1	6	19	85	212
White, female											
2000.....	12,909	1	-	-	1	-	1	6	12	41	130
1999.....	12,813	-	-	-	-	-	1	1	14	52	119
All other, both sexes											
2000.....	4,031	-	-	-	-	-	1	2	8	30	89
1999.....	3,996	1	-	-	-	-	1	2	13	41	85
All other, male											
2000.....	1,846	-	-	-	-	-	-	2	4	18	48
1999.....	1,903	-	-	-	-	-	-	1	7	22	50
All other, female											
2000.....	2,185	-	-	-	-	-	1	-	4	12	41
1999.....	2,093	1	-	-	-	-	1	1	6	19	35
Black, both sexes											
2000.....	3,419	-	-	-	-	-	1	1	8	24	73
1999.....	3,391	1	-	-	-	-	-	2	10	36	76
Black, male											
2000.....	1,561	-	-	-	-	-	-	1	4	15	39
1999.....	1,611	-	-	-	-	-	-	1	7	19	44
Black, female											
2000.....	1,858	-	-	-	-	-	1	-	4	9	34
1999.....	1,780	1	-	-	-	-	-	1	3	17	32

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Of other and ill-defined digestive organs (C26)

All races, both sexes

2000.....	1,377	-	-	-	1	-	1	3	8	10	17
1999.....	1,566	-	-	-	-	1	2	4	3	7	29

All races, male

2000.....	665	-	-	-	1	-	1	1	6	7	9
1999.....	774	-	-	-	-	1	1	1	3	7	21

All races, female

2000.....	712	-	-	-	-	-	-	2	2	3	8
1999.....	792	-	-	-	-	-	1	3	-	-	8

White, both sexes

2000.....	1,184	-	-	-	-	-	1	3	5	10	13
1999.....	1,375	-	-	-	-	1	2	3	2	6	23

White, male

2000.....	580	-	-	-	-	-	1	1	3	7	8
1999.....	669	-	-	-	-	1	1	1	2	6	16

White, female

2000.....	604	-	-	-	-	-	-	2	2	3	5
1999.....	706	-	-	-	-	-	1	2	-	-	7

All other, both sexes

2000.....	193	-	-	-	1	-	-	-	3	-	4
1999.....	191	-	-	-	-	-	-	1	1	1	6

All other, male

2000.....	85	-	-	-	1	-	-	-	3	-	1
1999.....	105	-	-	-	-	-	-	-	1	1	5

All other, female

2000.....	108	-	-	-	-	-	-	-	-	-	3
1999.....	86	-	-	-	-	-	-	1	-	-	1

Black, both sexes

2000.....	160	-	-	-	1	-	-	-	2	-	4
1999.....	164	-	-	-	-	-	-	1	1	-	6

Black, male

2000.....	68	-	-	-	1	-	-	-	2	-	1
1999.....	87	-	-	-	-	-	-	-	1	-	5

Black, female

2000.....	92	-	-	-	-	-	-	-	-	-	3
1999.....	77	-	-	-	-	-	-	1	-	-	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)											
All races, both sexes											
2000.....	160,288	2	2	1	3	9	28	46	176	708	2,194
1999.....	156,914	1	-	6	4	8	21	54	156	716	2,163
All races, male											
2000.....	94,053	2	1	1	-	8	18	37	85	400	1,248
1999.....	92,965	1	-	4	3	6	12	33	83	361	1,228
All races, female											
2000.....	66,235	-	1	-	3	1	10	9	91	308	946
1999.....	63,949	-	-	2	1	2	9	21	73	355	935
White, both sexes											
2000.....	140,768	1	2	1	3	5	21	35	141	531	1,664
1999.....	137,674	1	-	4	2	4	15	42	130	546	1,687
White, male											
2000.....	81,638	1	1	1	-	4	15	28	71	302	911
1999.....	80,716	1	-	2	2	3	8	25	72	276	939
White, female											
2000.....	59,130	-	1	-	3	1	6	7	70	229	753
1999.....	56,958	-	-	2	-	1	7	17	58	270	748
All other, both sexes											
2000.....	19,520	1	-	-	-	4	7	11	35	177	530
1999.....	19,240	-	-	2	2	4	6	12	26	170	476
All other, male											
2000.....	12,415	1	-	-	-	4	3	9	14	98	337
1999.....	12,249	-	-	2	1	3	4	8	11	85	289
All other, female											
2000.....	7,105	-	-	-	-	-	4	2	21	79	193
1999.....	6,991	-	-	-	1	1	2	4	15	85	187
Black, both sexes											
2000.....	16,908	1	-	-	-	4	4	9	27	153	473
1999.....	16,729	-	-	1	2	3	5	6	21	146	433
Black, male											
2000.....	10,799	1	-	-	-	4	1	7	11	84	305
1999.....	10,727	-	-	1	1	2	3	5	9	71	267
Black, female											
2000.....	6,109	-	-	-	-	-	3	2	16	69	168
1999.....	6,002	-	-	-	1	1	2	1	12	75	166

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Of nasal cavity, middle ear and accessory sinuses (C30-C31)											
All races, both sexes											
2000.....	419	-	-	-	-	2	2	2	2	13	20
1999.....	456	-	-	-	1	1	3	1	4	8	29
All races, male											
2000.....	253	-	-	-	-	2	2	2	1	10	15
1999.....	257	-	-	-	-	-	1	1	1	5	17
All races, female											
2000.....	166	-	-	-	-	-	-	-	1	3	5
1999.....	199	-	-	-	1	1	2	-	3	3	12
White, both sexes											
2000.....	356	-	-	-	-	1	2	1	1	9	15
1999.....	408	-	-	-	-	1	3	1	2	6	25
White, male											
2000.....	213	-	-	-	-	1	2	1	-	8	10
1999.....	227	-	-	-	-	-	1	1	1	4	14
White, female											
2000.....	143	-	-	-	-	-	-	-	1	1	5
1999.....	181	-	-	-	-	1	2	-	1	2	11
All other, both sexes											
2000.....	63	-	-	-	-	1	-	1	1	4	5
1999.....	48	-	-	-	1	-	-	-	2	2	4
All other, male											
2000.....	40	-	-	-	-	1	-	1	1	2	5
1999.....	30	-	-	-	-	-	-	-	-	1	3
All other, female											
2000.....	23	-	-	-	-	-	-	-	-	2	-
1999.....	18	-	-	-	1	-	-	-	2	1	1
Black, both sexes											
2000.....	57	-	-	-	-	1	-	1	1	4	5
1999.....	42	-	-	-	1	-	-	-	2	2	3
Black, male											
2000.....	36	-	-	-	-	1	-	1	1	2	5
1999.....	27	-	-	-	-	-	-	-	-	1	3
Black, female											
2000.....	21	-	-	-	-	-	-	-	-	2	-
1999.....	15	-	-	-	1	-	-	-	2	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Of trachea, bronchus and lung (C33-C34)											
All races, both sexes											
2000.....	155,521	2	2	-	1	3	19	37	160	664	2,092
1999.....	152,156	-	-	3	2	6	14	43	136	668	2,056
All races, male											
2000.....	90,469	2	1	-	-	3	11	28	74	370	1,172
1999.....	89,453	-	-	2	2	5	8	24	73	323	1,151
All races, female											
2000.....	65,052	-	1	-	1	-	8	9	86	294	920
1999.....	62,703	-	-	1	-	1	6	19	63	345	905
White, both sexes											
2000.....	136,912	1	2	-	1	1	13	27	128	499	1,594
1999.....	133,752	-	-	2	1	3	8	33	116	511	1,617
White, male											
2000.....	78,747	1	1	-	-	1	9	20	62	277	859
1999.....	77,846	-	-	1	1	3	4	17	64	247	891
White, female											
2000.....	58,165	-	1	-	1	-	4	7	66	222	735
1999.....	55,906	-	-	1	-	-	4	16	52	264	726
All other, both sexes											
2000.....	18,609	1	-	-	-	2	6	10	32	165	498
1999.....	18,404	-	-	1	1	3	6	10	20	157	439
All other, male											
2000.....	11,722	1	-	-	-	2	2	8	12	93	313
1999.....	11,607	-	-	1	1	2	4	7	9	76	260
All other, female											
2000.....	6,887	-	-	-	-	-	4	2	20	72	185
1999.....	6,797	-	-	-	-	1	2	3	11	81	179
Black, both sexes											
2000.....	16,066	1	-	-	-	2	3	8	24	142	442
1999.....	15,963	-	-	1	1	3	5	5	15	134	399
Black, male											
2000.....	10,153	1	-	-	-	2	-	6	9	80	282
1999.....	10,135	-	-	1	1	2	3	4	7	63	240
Black, female											
2000.....	5,913	-	-	-	-	-	3	2	15	62	160
1999.....	5,828	-	-	-	-	1	2	1	8	71	159

Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Malignant neoplasms of bone and articular cartilage (C40-C41)											
All races, both sexes											
2000.....	1,212	-	2	19	62	98	77	39	40	39	39
1999.....	1,224	-	3	24	55	127	75	42	45	43	48
All races, male											
2000.....	682	-	2	5	37	61	50	26	29	24	25
1999.....	667	-	-	12	29	76	47	30	24	24	29
All races, female											
2000.....	530	-	-	14	25	37	27	13	11	15	14
1999.....	557	-	3	12	26	51	28	12	21	19	19
White, both sexes											
2000.....	1,061	-	2	16	53	73	67	35	35	32	31
1999.....	1,066	-	2	18	43	105	63	35	40	37	39
White, male											
2000.....	592	-	2	5	32	43	43	24	28	19	19
1999.....	574	-	-	10	25	59	39	24	22	20	22
White, female											
2000.....	469	-	-	11	21	30	24	11	7	13	12
1999.....	492	-	2	8	18	46	24	11	18	17	17
All other, both sexes											
2000.....	151	-	-	3	9	25	10	4	5	7	8
1999.....	158	-	1	6	12	22	12	7	5	6	9
All other, male											
2000.....	90	-	-	-	5	18	7	2	1	5	6
1999.....	93	-	-	2	4	17	8	6	2	4	7
All other, female											
2000.....	61	-	-	3	4	7	3	2	4	2	2
1999.....	65	-	1	4	8	5	4	1	3	2	2
Black, both sexes											
2000.....	127	-	-	2	8	22	8	3	4	5	8
1999.....	123	-	1	4	8	16	6	3	3	5	8
Black, male											
2000.....	76	-	-	-	5	16	6	1	-	4	6
1999.....	71	-	-	2	2	12	3	3	1	3	6
Black, female											
2000.....	51	-	-	2	3	6	2	2	4	1	2
1999.....	52	-	1	2	6	4	3	-	2	2	2

[illegible]

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Malignant neoplasms of mesothelial and soft tissue (C45-C49)											
All races, both sexes											
2000.....	6,817	7	21	17	27	73	72	88	122	150	205
1999.....	6,649	4	18	27	37	65	72	86	108	168	218
All races, male											
2000.....	3,947	5	11	10	11	37	46	52	64	87	100
1999.....	3,898	1	10	14	20	46	37	49	68	97	139
All races, female											
2000.....	2,870	2	10	7	16	36	26	36	58	63	105
1999.....	2,751	3	8	13	17	19	35	37	40	71	79
White, both sexes											
2000.....	6,123	6	16	16	23	56	51	73	99	116	161
1999.....	5,929	3	13	20	29	50	52	66	78	131	164
White, male											
2000.....	3,602	4	9	9	8	32	31	44	53	66	79
1999.....	3,538	1	7	12	17	35	23	39	47	77	111
White, female											
2000.....	2,521	2	7	7	15	24	20	29	46	50	82
1999.....	2,391	2	6	8	12	15	29	27	31	54	53
All other, both sexes											
2000.....	694	1	5	1	4	17	21	15	23	34	44
1999.....	720	1	5	7	8	15	20	20	30	37	54
All other, male											
2000.....	345	1	2	1	3	5	15	8	11	21	21
1999.....	360	-	3	2	3	11	14	10	21	20	28
All other, female											
2000.....	349	-	3	-	1	12	6	7	12	13	23
1999.....	360	1	2	5	5	4	6	10	9	17	26
Black, both sexes											
2000.....	582	1	3	1	2	14	17	13	17	31	39
1999.....	587	1	3	6	8	14	18	18	20	33	42
Black, male											
2000.....	287	1	2	1	1	4	13	8	8	19	19
1999.....	296	-	2	2	3	10	13	9	13	19	25
Black, female											
2000.....	295	-	1	-	1	10	4	5	9	12	20
1999.....	291	1	1	4	5	4	5	9	7	14	17

Black, female
2000.....
1999.....

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Of other mesothelial and soft tissue (C47-C49)

All races, both sexes											
2000.....	4,371	7	21	17	27	72	71	87	107	137	182
1999.....	4,264	4	18	27	37	65	71	84	99	149	199
All races, male											
2000.....	1,979	5	11	10	11	37	46	51	53	77	88
1999.....	1,985	1	10	14	20	46	37	48	59	84	125
All races, female											
2000.....	2,392	2	10	7	16	35	25	36	54	60	94
1999.....	2,279	3	8	13	17	19	34	36	40	65	74
White, both sexes											
2000.....	3,823	6	16	16	23	55	50	72	92	105	144
1999.....	3,672	3	13	20	29	50	51	65	71	113	150
White, male											
2000.....	1,753	4	9	9	8	32	31	43	49	58	70
1999.....	1,718	1	7	12	17	35	23	39	40	64	102
White, female											
2000.....	2,070	2	7	7	15	23	19	29	43	47	74
1999.....	1,954	2	6	8	12	15	28	26	31	49	48
All other, both sexes											
2000.....	548	1	5	1	4	17	21	15	15	32	38
1999.....	592	1	5	7	8	15	20	19	28	36	49
All other, male											
2000.....	226	1	2	1	3	5	15	8	4	19	18
1999.....	267	-	3	2	3	11	14	9	19	20	23
All other, female											
2000.....	322	-	3	-	1	12	6	7	11	13	20
1999.....	325	1	2	5	5	4	6	10	9	16	26
Black, both sexes											
2000.....	459	1	3	1	2	14	17	13	10	29	35
1999.....	482	1	3	6	8	14	18	17	18	32	37
Black, male											
2000.....	186	1	2	1	1	4	13	8	2	17	16
1999.....	218	-	2	2	3	10	13	8	11	19	20
Black, female											
2000.....	273	-	1	-	1	10	4	5	8	12	19
1999.....	264	1	1	4	5	4	5	9	7	13	17

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Malignant neoplasm of breast (C50)											
All races, both sexes											
2000.....	42,300	-	-	-	-	1	10	83	384	982	1,859
1999.....	41,528	-	1	-	1	3	10	86	353	986	1,755
All races, male											
2000.....	428	-	-	-	-	-	-	2	1	12	7
1999.....	384	-	-	-	-	-	-	-	3	6	9
All races, female											
2000.....	41,872	-	-	-	-	1	10	81	383	970	1,852
1999.....	41,144	-	1	-	1	3	10	86	350	980	1,746
White, both sexes											
2000.....	36,127	-	-	-	-	1	4	60	265	717	1,380
1999.....	35,385	-	-	-	1	3	5	59	245	700	1,301
White, male											
2000.....	360	-	-	-	-	-	-	-	1	8	3
1999.....	312	-	-	-	-	-	-	-	2	-	8
White, female											
2000.....	35,767	-	-	-	-	1	4	60	264	709	1,377
1999.....	35,073	-	-	-	1	3	5	59	243	700	1,293
All other, both sexes											
2000.....	6,173	-	-	-	-	-	6	23	119	265	479
1999.....	6,143	-	1	-	-	-	5	27	108	286	454
All other, male											
2000.....	68	-	-	-	-	-	-	2	-	4	4
1999.....	72	-	-	-	-	-	-	-	1	6	1
All other, female											
2000.....	6,105	-	-	-	-	-	6	21	119	261	475
1999.....	6,071	-	1	-	-	-	5	27	107	280	453
Black, both sexes											
2000.....	5,424	-	-	-	-	-	5	20	103	228	417
1999.....	5,425	-	1	-	-	-	5	25	101	261	404
Black, male											
2000.....	63	-	-	-	-	-	-	2	-	4	4
1999.....	67	-	-	-	-	-	-	-	1	6	1
Black, female											
2000.....	5,361	-	-	-	-	-	5	18	103	224	413
1999.....	5,358	-	1	-	-	-	5	25	100	255	403

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Malignant neoplasms of female genital organs (C51-C58)											
All races, both sexes											
2000.....	26,412	-	-	2	1	10	35	119	249	501	854
1999.....	25,882	-	1	-	2	11	32	102	224	508	871
All races, male											
2000.....
1999.....
All races, female											
2000.....	26,412	-	-	2	1	10	35	119	249	501	854
1999.....	25,882	-	1	-	2	11	32	102	224	508	871
White, both sexes											
2000.....	22,684	-	-	1	-	8	25	101	185	391	658
1999.....	22,326	-	1	-	2	8	26	82	176	400	701
White, male											
2000.....
1999.....
White, female											
2000.....	22,684	-	-	1	-	8	25	101	185	391	658
1999.....	22,326	-	1	-	2	8	26	82	176	400	701
All other, both sexes											
2000.....	3,728	-	-	1	1	2	10	18	64	110	196
1999.....	3,556	-	-	-	-	3	6	20	48	108	170
All other, male											
2000.....
1999.....
All other, female											
2000.....	3,728	-	-	1	1	2	10	18	64	110	196
1999.....	3,556	-	-	-	-	3	6	20	48	108	170
Black, both sexes											
2000.....	3,151	-	-	1	1	-	7	16	53	91	157
1999.....	3,052	-	-	-	-	3	5	19	37	85	141
Black, male											
2000.....
1999.....
Black, female											
2000.....	3,151	-	-	1	1	-	7	16	53	91	157
1999.....	3,052	-	-	-	-	3	5	19	37	85	141

[illegible]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Of cervix uteri (C53)											
All races, both sexes											
2000.....	4,200	-	-	-	1	3	14	77	153	294	400
1999.....	4,205	-	-	-	-	2	10	62	155	292	407
All races, male											
2000.....
1999.....
All races, female											
2000.....	4,200	-	-	-	1	3	14	77	153	294	400
1999.....	4,205	-	-	-	-	2	10	62	155	292	407
White, both sexes											
2000.....	3,158	-	-	-	-	3	10	63	111	223	288
1999.....	3,229	-	-	-	-	-	9	52	124	221	314
White, male											
2000.....
1999.....
White, female											
2000.....	3,158	-	-	-	-	3	10	63	111	223	288
1999.....	3,229	-	-	-	-	-	9	52	124	221	314
All other, both sexes											
2000.....	1,042	-	-	-	1	-	4	14	42	71	112
1999.....	976	-	-	-	-	2	1	10	31	71	93
All other, male											
2000.....
1999.....
All other, female											
2000.....	1,042	-	-	-	1	-	4	14	42	71	112
1999.....	976	-	-	-	-	2	1	10	31	71	93
Black, both sexes											
2000.....	869	-	-	-	1	-	4	12	39	62	88
1999.....	838	-	-	-	-	2	1	9	27	61	83
Black, male											
2000.....
1999.....
Black, female											
2000.....	869	-	-	-	1	-	4	12	39	62	88
1999.....	838	-	-	-	-	2	1	9	27	61	83

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Of corpus uteri and uterus, part unspecified (C54-C55)											
All races, both sexes											
2000.....	6,586	-	-	-	-	-	3	2	25	41	97
1999.....	6,468	-	-	-	-	-	2	11	12	38	104
All races, male											
2000.....
1999.....
All races, female											
2000.....	6,586	-	-	-	-	-	3	2	25	41	97
1999.....	6,468	-	-	-	-	-	2	11	12	38	104
White, both sexes											
2000.....	5,397	-	-	-	-	-	1	2	18	33	73
1999.....	5,386	-	-	-	-	-	2	8	10	31	78
White, male											
2000.....
1999.....
White, female											
2000.....	5,397	-	-	-	-	-	1	2	18	33	73
1999.....	5,386	-	-	-	-	-	2	8	10	31	78
All other, both sexes											
2000.....	1,189	-	-	-	-	-	2	-	7	8	24
1999.....	1,082	-	-	-	-	-	-	3	2	7	26
All other, male											
2000.....
1999.....
All other, female											
2000.....	1,189	-	-	-	-	-	2	-	7	8	24
1999.....	1,082	-	-	-	-	-	-	3	2	7	26
Black, both sexes											
2000.....	1,061	-	-	-	-	-	1	-	6	6	16
1999.....	987	-	-	-	-	-	-	3	2	5	23
Black, male											
2000.....
1999.....
Black, female											
2000.....	1,061	-	-	-	-	-	1	-	6	6	16
1999.....	987	-	-	-	-	-	-	3	2	5	23

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Of ovary (C56)											
All races, both sexes											
2000.....	14,060	-	-	2	-	7	16	36	65	145	327
1999.....	13,627	-	1	-	2	9	18	26	51	162	334
All races, male											
2000.....
1999.....
All races, female											
2000.....	14,060	-	-	2	-	7	16	36	65	145	327
1999.....	13,627	-	1	-	2	9	18	26	51	162	334
White, both sexes											
2000.....	12,731	-	-	1	-	5	12	32	52	120	277
1999.....	12,302	-	1	-	2	8	14	20	37	136	288
White, male											
2000.....
1999.....
White, female											
2000.....	12,731	-	-	1	-	5	12	32	52	120	277
1999.....	12,302	-	1	-	2	8	14	20	37	136	288
All other, both sexes											
2000.....	1,329	-	-	1	-	2	4	4	13	25	50
1999.....	1,325	-	-	-	-	1	4	6	14	26	46
All other, male											
2000.....
1999.....
All other, female											
2000.....	1,329	-	-	1	-	2	4	4	13	25	50
1999.....	1,325	-	-	-	-	1	4	6	14	26	46
Black, both sexes											
2000.....	1,073	-	-	1	-	-	2	4	8	17	43
1999.....	1,079	-	-	-	-	1	3	6	7	16	31
Black, male											
2000.....
1999.....
Black, female											
2000.....	1,073	-	-	1	-	-	2	4	8	17	43
1999.....	1,079	-	-	-	-	1	3	6	7	16	31

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Of placenta (C58)											
All races, both sexes											
2000.....	16	-	-	1	1	1	4	2
1999.....	9	-	-	2	2	2	1	2
All races, male											
2000.....
1999.....
All races, female											
2000.....	16	-	-	1	1	1	4	2
1999.....	9	-	-	2	2	2	1	2
White, both sexes											
2000.....	9	-	-	1	1	-	2	1
1999.....	4	-	-	1	1	2	-	-
White, male											
2000.....
1999.....
White, female											
2000.....	9	-	-	1	1	-	2	1
1999.....	4	-	-	1	1	2	-	-
All other, both sexes											
2000.....	7	-	-	-	-	1	2	1
1999.....	5	-	-	1	1	-	1	2
All other, male											
2000.....
1999.....
All other, female											
2000.....	7	-	-	-	-	1	2	1
1999.....	5	-	-	1	1	-	1	2
Black, both sexes											
2000.....	5	-	-	-	-	-	2	1
1999.....	4	-	-	1	1	-	-	2
Black, male											
2000.....
1999.....
Black, female											
2000.....	5	-	-	-	-	-	2	1
1999.....	4	-	-	1	1	-	-	2

[illegible]

[illegible]

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Malignant neoplasms of urinary tract (C64-C68)

All races, both sexes											
2000.....	24,344	2	15	21	9	10	13	15	37	125	330
1999.....	23,667	2	19	23	11	8	10	32	39	140	312
All races, male											
2000.....	15,742	1	8	12	3	6	7	7	21	76	220
1999.....	15,309	1	11	12	5	4	7	19	28	91	213
All races, female											
2000.....	8,602	1	7	9	6	4	6	8	16	49	110
1999.....	8,358	1	8	11	6	4	3	13	11	49	99
White, both sexes											
2000.....	22,070	-	10	12	8	7	8	9	31	97	278
1999.....	21,319	2	12	19	7	5	5	18	25	102	256
White, male											
2000.....	14,402	-	5	6	3	4	5	2	17	64	190
1999.....	13,948	1	8	10	2	4	3	9	17	65	177
White, female											
2000.....	7,668	-	5	6	5	3	3	7	14	33	88
1999.....	7,371	1	4	9	5	1	2	9	8	37	79
All other, both sexes											
2000.....	2,274	2	5	9	1	3	5	6	6	28	52
1999.....	2,348	-	7	4	4	3	5	14	14	38	56
All other, male											
2000.....	1,340	1	3	6	-	2	2	5	4	12	30
1999.....	1,361	-	3	2	3	-	4	10	11	26	36
All other, female											
2000.....	934	1	2	3	1	1	3	1	2	16	22
1999.....	987	-	4	2	1	3	1	4	3	12	20
Black, both sexes											
2000.....	1,939	1	5	7	1	3	4	6	4	24	42
1999.....	2,002	-	4	3	3	3	5	13	12	36	46
Black, male											
2000.....	1,117	-	3	4	-	2	1	5	3	9	23
1999.....	1,133	-	2	1	2	-	4	9	9	26	30
Black, female											
2000.....	822	1	2	3	1	1	3	1	1	15	19
1999.....	869	-	2	2	1	3	1	4	3	10	16

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Of kidney and renal pelvis (C64-C65)											
All races, both sexes											
2000.....	11,736	2	15	21	8	8	12	14	28	83	251
1999.....	11,116	2	19	23	10	8	9	25	29	105	237
All races, male											
2000.....	7,249	1	8	12	3	4	6	7	19	53	175
1999.....	6,867	1	11	12	4	4	7	15	22	70	166
All races, female											
2000.....	4,487	1	7	9	5	4	6	7	9	30	76
1999.....	4,249	1	8	11	6	4	2	10	7	35	71
White, both sexes											
2000.....	10,480	-	10	12	7	6	7	8	23	59	211
1999.....	9,878	2	12	19	6	5	5	14	18	76	195
White, male											
2000.....	6,475	-	5	6	3	3	4	2	15	42	150
1999.....	6,112	1	8	10	1	4	3	7	13	51	138
White, female											
2000.....	4,005	-	5	6	4	3	3	6	8	17	61
1999.....	3,766	1	4	9	5	1	2	7	5	25	57
All other, both sexes											
2000.....	1,256	2	5	9	1	2	5	6	5	24	40
1999.....	1,238	-	7	4	4	3	4	11	11	29	42
All other, male											
2000.....	774	1	3	6	-	1	2	5	4	11	25
1999.....	755	-	3	2	3	-	4	8	9	19	28
All other, female											
2000.....	482	1	2	3	1	1	3	1	1	13	15
1999.....	483	-	4	2	1	3	-	3	2	10	14
Black, both sexes											
2000.....	1,044	1	5	7	1	2	4	6	4	21	31
1999.....	1,035	-	4	3	3	3	4	11	10	27	34
Black, male											
2000.....	632	-	3	4	-	1	1	5	3	9	18
1999.....	622	-	2	1	2	-	4	8	8	19	23
Black, female											
2000.....	412	1	2	3	1	1	3	1	1	12	13
1999.....	413	-	2	2	1	3	-	3	2	8	11

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Of bladder (C67)											
All races, both sexes											
2000.....	12,002	-	-	-	1	2	1	1	9	40	71
1999.....	11,911	-	-	-	1	-	1	6	10	32	68
All races, male											
2000.....	8,163	-	-	-	-	2	1	-	2	21	41
1999.....	8,105	-	-	-	1	-	-	3	6	20	43
All races, female											
2000.....	3,839	-	-	-	1	-	-	1	7	19	30
1999.....	3,806	-	-	-	-	-	1	3	4	12	25
White, both sexes											
2000.....	11,036	-	-	-	1	1	1	1	8	36	63
1999.....	10,863	-	-	-	1	-	-	3	7	23	57
White, male											
2000.....	7,620	-	-	-	-	1	1	-	2	20	37
1999.....	7,520	-	-	-	1	-	-	1	4	13	36
White, female											
2000.....	3,416	-	-	-	1	-	-	1	6	16	26
1999.....	3,343	-	-	-	-	-	-	2	3	10	21
All other, both sexes											
2000.....	966	-	-	-	-	1	-	-	1	4	8
1999.....	1,048	-	-	-	-	-	1	3	3	9	11
All other, male											
2000.....	543	-	-	-	-	1	-	-	-	1	4
1999.....	585	-	-	-	-	-	-	2	2	7	7
All other, female											
2000.....	423	-	-	-	-	-	-	-	1	3	4
1999.....	463	-	-	-	-	-	1	1	1	2	4
Black, both sexes											
2000.....	852	-	-	-	-	1	-	-	-	3	7
1999.....	918	-	-	-	-	-	1	2	2	9	9
Black, male											
2000.....	466	-	-	-	-	1	-	-	-	-	4
1999.....	496	-	-	-	-	-	-	1	1	7	6
Black, female											
2000.....	386	-	-	-	-	-	-	-	-	3	3
1999.....	422	-	-	-	-	-	1	1	1	2	3

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)											
All races, both sexes											
2000.....	12,655	20	104	166	150	105	120	159	247	454	642
1999.....	12,765	10	113	184	124	115	103	177	267	443	622
All races, male											
2000.....	7,011	10	58	89	87	63	69	94	170	293	411
1999.....	7,001	8	56	96	58	69	62	104	172	268	370
All races, female											
2000.....	5,644	10	46	77	63	42	51	65	77	161	231
1999.....	5,764	2	57	88	66	46	41	73	95	175	252
White, both sexes											
2000.....	11,672	16	82	135	120	84	99	140	220	405	564
1999.....	11,819	7	96	139	103	86	85	165	238	408	558
White, male											
2000.....	6,486	9	46	72	69	52	57	82	145	264	366
1999.....	6,492	6	49	75	50	50	51	97	153	249	328
White, female											
2000.....	5,186	7	36	63	51	32	42	58	75	141	198
1999.....	5,327	1	47	64	53	36	34	68	85	159	230
All other, both sexes											
2000.....	983	4	22	31	30	21	21	19	27	49	78
1999.....	946	3	17	45	21	29	18	12	29	35	64
All other, male											
2000.....	525	1	12	17	18	11	12	12	25	29	45
1999.....	509	2	7	21	8	19	11	7	19	19	42
All other, female											
2000.....	458	3	10	14	12	10	9	7	2	20	33
1999.....	437	1	10	24	13	10	7	5	10	16	22
Black, both sexes											
2000.....	772	2	18	26	26	16	19	15	21	34	57
1999.....	764	3	12	37	18	23	14	10	26	26	51
Black, male											
2000.....	414	1	10	15	16	9	12	9	19	19	35
1999.....	404	2	5	18	7	15	9	6	17	15	33
Black, female											
2000.....	358	1	8	11	10	7	7	6	2	15	22
1999.....	360	1	7	19	11	8	5	4	9	11	18

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Of brain (C71)											
All races, both sexes											
2000.....	12,412	20	100	164	147	102	115	153	238	450	626
1999.....	12,484	8	110	180	118	108	100	172	260	430	606
All races, male											
2000.....	6,892	10	54	89	85	62	65	89	163	292	401
1999.....	6,852	6	54	92	58	67	59	99	168	256	360
All races, female											
2000.....	5,520	10	46	75	62	40	50	64	75	158	225
1999.....	5,632	2	56	88	60	41	41	73	92	174	246
White, both sexes											
2000.....	11,457	16	78	133	117	81	95	134	213	402	552
1999.....	11,576	5	94	135	98	80	83	161	234	396	544
White, male											
2000.....	6,380	9	42	72	67	51	53	77	140	263	357
1999.....	6,365	4	48	71	50	48	49	93	152	238	319
White, female											
2000.....	5,077	7	36	61	50	30	42	57	73	139	195
1999.....	5,211	1	46	64	48	32	34	68	82	158	225
All other, both sexes											
2000.....	955	4	22	31	30	21	20	19	25	48	74
1999.....	908	3	16	45	20	28	17	11	26	34	62
All other, male											
2000.....	512	1	12	17	18	11	12	12	23	29	44
1999.....	487	2	6	21	8	19	10	6	16	18	41
All other, female											
2000.....	443	3	10	14	12	10	8	7	2	19	30
1999.....	421	1	10	24	12	9	7	5	10	16	21
Black, both sexes											
2000.....	749	2	18	26	26	16	18	15	19	34	53
1999.....	733	3	12	37	17	22	13	10	23	25	49
Black, male											
2000.....	403	1	10	15	16	9	12	9	17	19	34
1999.....	387	2	5	18	7	15	8	6	14	14	32
Black, female											
2000.....	346	1	8	11	10	7	6	6	2	15	19
1999.....	346	1	7	19	10	7	5	4	9	11	17

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Of other parts of central nervous system (C70,C72)

All races, both sexes											
2000.....	243	-	4	2	3	3	5	6	9	4	16
1999.....	281	2	3	4	6	7	3	5	7	13	16
All races, male											
2000.....	119	-	4	-	2	1	4	5	7	1	10
1999.....	149	2	2	4	-	2	3	5	4	12	10
All races, female											
2000.....	124	-	-	2	1	2	1	1	2	3	6
1999.....	132	-	1	-	6	5	-	-	3	1	6
White, both sexes											
2000.....	215	-	4	2	3	3	4	6	7	3	12
1999.....	243	2	2	4	5	6	2	4	4	12	14
White, male											
2000.....	106	-	4	-	2	1	4	5	5	1	9
1999.....	127	2	1	4	-	2	2	4	1	11	9
White, female											
2000.....	109	-	-	2	1	2	-	1	2	2	3
1999.....	116	-	1	-	5	4	-	-	3	1	5
All other, both sexes											
2000.....	28	-	-	-	-	-	1	-	2	1	4
1999.....	38	-	1	-	1	1	1	1	3	1	2
All other, male											
2000.....	13	-	-	-	-	-	-	-	2	-	1
1999.....	22	-	1	-	-	-	1	1	3	1	1
All other, female											
2000.....	15	-	-	-	-	-	1	-	-	1	3
1999.....	16	-	-	-	1	1	-	-	-	-	1
Black, both sexes											
2000.....	23	-	-	-	-	-	1	-	2	-	4
1999.....	31	-	-	-	1	1	1	-	3	1	2
Black, male											
2000.....	11	-	-	-	-	-	-	-	2	-	1
1999.....	17	-	-	-	-	-	1	-	3	1	1
Black, female											
2000.....	12	-	-	-	-	-	1	-	-	-	3
1999.....	14	-	-	-	1	1	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Malignant neoplasms of thyroid and other endocrine glands (C73-C75)

All races, both sexes											
2000.....	2,068	10	76	63	25	14	18	11	20	40	53
1999.....	2,007	5	74	77	25	13	13	10	21	50	52
All races, male											
2000.....	920	7	42	35	13	8	8	4	11	18	24
1999.....	913	3	43	41	14	7	7	6	10	25	30
All races, female											
2000.....	1,148	3	34	28	12	6	10	7	9	22	29
1999.....	1,094	2	31	36	11	6	6	4	11	25	22
White, both sexes											
2000.....	1,779	8	57	56	18	12	16	10	18	31	41
1999.....	1,747	4	65	62	15	8	10	10	17	40	39
White, male											
2000.....	819	6	35	31	9	7	6	4	11	16	19
1999.....	802	2	39	34	7	3	6	6	8	20	23
White, female											
2000.....	960	2	22	25	9	5	10	6	7	15	22
1999.....	945	2	26	28	8	5	4	4	9	20	16
All other, both sexes											
2000.....	289	2	19	7	7	2	2	1	2	9	12
1999.....	260	1	9	15	10	5	3	-	4	10	13
All other, male											
2000.....	101	1	7	4	4	1	2	-	-	2	5
1999.....	111	1	4	7	7	4	1	-	2	5	7
All other, female											
2000.....	188	1	12	3	3	1	-	1	2	7	7
1999.....	149	-	5	8	3	1	2	-	2	5	6
Black, both sexes											
2000.....	215	1	15	7	6	2	2	1	2	8	7
1999.....	201	-	8	12	8	5	3	-	3	9	11
Black, male											
2000.....	75	-	6	4	4	1	2	-	-	1	1
1999.....	89	-	4	5	6	4	1	-	1	4	6
Black, female											
2000.....	140	1	9	3	2	1	-	1	2	7	6
1999.....	112	-	4	7	2	1	2	-	2	5	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)											
All races, both sexes											
2000.....	40,700	7	22	15	21	43	51	87	143	366	755
1999.....	43,850	4	15	17	20	31	72	100	193	393	859
All races, male											
2000.....	20,442	1	15	10	13	21	27	50	72	171	404
1999.....	22,149	3	8	9	14	20	46	58	114	197	436
All races, female											
2000.....	20,258	6	7	5	8	22	24	37	71	195	351
1999.....	21,701	1	7	8	6	11	26	42	79	196	423
White, both sexes											
2000.....	35,232	5	16	10	12	35	43	72	110	277	566
1999.....	37,960	4	12	15	15	26	53	84	152	302	657
White, male											
2000.....	17,548	1	12	6	9	17	22	41	58	131	293
1999.....	19,121	3	6	7	10	17	35	52	87	155	335
White, female											
2000.....	17,684	4	4	4	3	18	21	31	52	146	273
1999.....	18,839	1	6	8	5	9	18	32	65	147	322
All other, both sexes											
2000.....	5,468	2	6	5	9	8	8	15	33	89	189
1999.....	5,890	-	3	2	5	5	19	16	41	91	202
All other, male											
2000.....	2,894	-	3	4	4	4	5	9	14	40	111
1999.....	3,028	-	2	2	4	3	11	6	27	42	101
All other, female											
2000.....	2,574	2	3	1	5	4	3	6	19	49	78
1999.....	2,862	-	1	-	1	2	8	10	14	49	101
Black, both sexes											
2000.....	4,658	2	5	5	7	7	6	13	21	79	166
1999.....	5,030	-	2	-	3	3	12	13	28	73	174
Black, male											
2000.....	2,471	-	2	4	4	3	4	8	10	36	99
1999.....	2,583	-	2	-	2	2	7	3	19	32	84
Black, female											
2000.....	2,187	2	3	1	3	4	2	5	11	43	67
1999.....	2,447	-	-	-	1	1	5	10	9	41	90

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)											
All races, both sexes											
2000.....	56,518	39	146	168	204	323	395	412	506	776	1,077
1999.....	56,318	30	137	142	209	303	417	423	537	837	1,076
All races, male											
2000.....	29,888	21	76	98	125	202	253	226	313	438	637
1999.....	29,721	12	75	84	122	180	257	241	316	497	647
All races, female											
2000.....	26,630	18	70	70	79	121	142	186	193	338	440
1999.....	26,597	18	62	58	87	123	160	182	221	340	429
White, both sexes											
2000.....	50,394	36	121	136	170	249	300	315	392	617	868
1999.....	50,189	24	118	114	157	232	332	332	419	677	862
White, male											
2000.....	26,766	19	64	77	103	155	196	180	240	354	536
1999.....	26,558	12	63	70	90	136	213	186	245	408	518
White, female											
2000.....	23,628	17	57	59	67	94	104	135	152	263	332
1999.....	23,631	12	55	44	67	96	119	146	174	269	344
All other, both sexes											
2000.....	6,124	3	25	32	34	74	95	97	114	159	209
1999.....	6,129	6	19	28	52	71	85	91	118	160	214
All other, male											
2000.....	3,122	2	12	21	22	47	57	46	73	84	101
1999.....	3,163	-	12	14	32	44	44	55	71	89	129
All other, female											
2000.....	3,002	1	13	11	12	27	38	51	41	75	108
1999.....	2,966	6	7	14	20	27	41	36	47	71	85
Black, both sexes											
2000.....	5,071	1	20	21	22	58	74	75	85	130	176
1999.....	5,088	4	15	21	42	54	80	72	88	135	179
Black, male											
2000.....	2,558	-	9	14	12	36	44	33	58	66	87
1999.....	2,590	-	9	11	28	33	41	43	55	74	108
Black, female											
2000.....	2,513	1	11	7	10	22	30	42	27	64	89
1999.....	2,498	4	6	10	14	21	39	29	33	61	71

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Hodgkin's disease (C81)

All races, both sexes											
2000.....	1,287	-	-	3	5	21	52	60	85	78	73
1999.....	1,403	-	1	-	9	31	63	77	71	90	75
All races, male											
2000.....	686	-	-	1	3	6	29	31	48	42	40
1999.....	785	-	1	-	3	20	35	42	44	56	47
All races, female											
2000.....	601	-	-	2	2	15	23	29	37	36	33
1999.....	618	-	-	-	6	11	28	35	27	34	28
White, both sexes											
2000.....	1,156	-	-	2	3	17	40	54	76	66	61
1999.....	1,263	-	1	-	7	26	49	60	62	80	66
White, male											
2000.....	616	-	-	1	1	4	26	28	42	36	34
1999.....	708	-	1	-	3	17	28	32	40	49	43
White, female											
2000.....	540	-	-	1	2	13	14	26	34	30	27
1999.....	555	-	-	-	4	9	21	28	22	31	23
All other, both sexes											
2000.....	131	-	-	1	2	4	12	6	9	12	12
1999.....	140	-	-	-	2	5	14	17	9	10	9
All other, male											
2000.....	70	-	-	-	2	2	3	3	6	6	6
1999.....	77	-	-	-	-	3	7	10	4	7	4
All other, female											
2000.....	61	-	-	1	-	2	9	3	3	6	6
1999.....	63	-	-	-	2	2	7	7	5	3	5
Black, both sexes											
2000.....	110	-	-	1	1	4	10	6	7	12	12
1999.....	128	-	-	-	1	5	14	17	9	10	8
Black, male											
2000.....	57	-	-	-	1	2	3	3	5	6	6
1999.....	75	-	-	-	-	3	7	10	4	7	4
Black, female											
2000.....	53	-	-	1	-	2	7	3	2	6	6
1999.....	53	-	-	-	1	2	7	7	5	3	4

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)											
All races, both sexes											
2000.....	22,829	1	9	23	25	60	121	124	169	292	463
1999.....	22,885	3	17	12	25	51	93	109	181	326	467
All races, male											
2000.....	11,872	-	7	16	13	46	81	64	108	193	292
1999.....	11,833	1	9	9	21	30	61	69	110	204	307
All races, female											
2000.....	10,957	1	2	7	12	14	40	60	61	99	171
1999.....	11,052	2	8	3	4	21	32	40	71	122	160
White, both sexes											
2000.....	20,981	-	6	18	23	46	85	89	129	227	386
1999.....	21,017	1	14	8	18	36	74	79	136	255	375
White, male											
2000.....	10,889	-	6	12	13	38	58	50	81	150	253
1999.....	10,804	1	8	7	16	22	49	48	83	163	245
White, female											
2000.....	10,092	-	-	6	10	8	27	39	48	77	133
1999.....	10,213	-	6	1	2	14	25	31	53	92	130
All other, both sexes											
2000.....	1,848	1	3	5	2	14	36	35	40	65	77
1999.....	1,868	2	3	4	7	15	19	30	45	71	92
All other, male											
2000.....	983	-	1	4	-	8	23	14	27	43	39
1999.....	1,029	-	1	2	5	8	12	21	27	41	62
All other, female											
2000.....	865	1	2	1	2	6	13	21	13	22	38
1999.....	839	2	2	2	2	7	7	9	18	30	30
Black, both sexes											
2000.....	1,378	1	2	4	1	8	28	30	26	56	65
1999.....	1,449	2	2	3	6	13	19	24	34	62	77
Black, male											
2000.....	735	-	-	3	-	3	17	12	19	37	34
1999.....	789	-	1	2	4	6	12	17	22	36	51
Black, female											
2000.....	643	1	2	1	1	5	11	18	7	19	31
1999.....	660	2	1	1	2	7	7	7	12	26	26

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Non-Hodgkin's lymphoma (C82-C85)											
All races, both sexes											
2000.....	22,729	1	7	23	24	60	120	124	169	290	461
1999.....	22,802	2	16	12	25	51	93	109	180	324	465
All races, male											
2000.....	11,812	-	5	16	12	46	80	64	108	192	290
1999.....	11,794	-	9	9	21	30	61	69	109	204	306
All races, female											
2000.....	10,917	1	2	7	12	14	40	60	61	98	171
1999.....	11,008	2	7	3	4	21	32	40	71	120	159
White, both sexes											
2000.....	20,892	-	4	18	22	46	85	89	129	226	384
1999.....	20,941	-	13	8	18	36	74	79	135	253	374
White, male											
2000.....	10,838	-	4	12	12	38	58	50	81	150	251
1999.....	10,768	-	8	7	16	22	49	48	82	163	244
White, female											
2000.....	10,054	-	-	6	10	8	27	39	48	76	133
1999.....	10,173	-	5	1	2	14	25	31	53	90	130
All other, both sexes											
2000.....	1,837	1	3	5	2	14	35	35	40	64	77
1999.....	1,861	2	3	4	7	15	19	30	45	71	91
All other, male											
2000.....	974	-	1	4	-	8	22	14	27	42	39
1999.....	1,026	-	1	2	5	8	12	21	27	41	62
All other, female											
2000.....	863	1	2	1	2	6	13	21	13	22	38
1999.....	835	2	2	2	2	7	7	9	18	30	29
Black, both sexes											
2000.....	1,369	1	2	4	1	8	27	30	26	56	65
1999.....	1,443	2	2	3	6	13	19	24	34	62	76
Black, male											
2000.....	728	-	-	3	-	3	16	12	19	37	34
1999.....	786	-	1	2	4	6	12	17	22	36	51
Black, female											
2000.....	641	1	2	1	1	5	11	18	7	19	31
1999.....	657	2	1	1	2	7	7	7	12	26	25

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Multiple myeloma and malignant plasma cell neoplasms (C90)											
All races, both sexes											
2000.....	10,697	-	-	-	1	-	-	-	7	37	108
1999.....	10,565	-	-	-	-	-	-	3	18	46	109
All races, male											
2000.....	5,347	-	-	-	-	-	-	-	5	18	67
1999.....	5,338	-	-	-	-	-	-	2	13	33	62
All races, female											
2000.....	5,350	-	-	-	1	-	-	-	2	19	41
1999.....	5,227	-	-	-	-	-	-	1	5	13	47
White, both sexes											
2000.....	8,720	-	-	-	1	-	-	-	4	23	73
1999.....	8,589	-	-	-	-	-	-	2	11	35	68
White, male											
2000.....	4,448	-	-	-	-	-	-	-	3	14	50
1999.....	4,423	-	-	-	-	-	-	2	7	26	38
White, female											
2000.....	4,272	-	-	-	1	-	-	-	1	9	23
1999.....	4,166	-	-	-	-	-	-	-	4	9	30
All other, both sexes											
2000.....	1,977	-	-	-	-	-	-	-	3	14	35
1999.....	1,976	-	-	-	-	-	-	1	7	11	41
All other, male											
2000.....	899	-	-	-	-	-	-	-	2	4	17
1999.....	915	-	-	-	-	-	-	-	6	7	24
All other, female											
2000.....	1,078	-	-	-	-	-	-	-	1	10	18
1999.....	1,061	-	-	-	-	-	-	1	1	4	17
Black, both sexes											
2000.....	1,823	-	-	-	-	-	-	-	3	13	31
1999.....	1,780	-	-	-	-	-	-	1	6	9	40
Black, male											
2000.....	827	-	-	-	-	-	-	-	2	3	14
1999.....	821	-	-	-	-	-	-	-	6	6	24
Black, female											
2000.....	996	-	-	-	-	-	-	-	1	10	17
1999.....	959	-	-	-	-	-	-	1	-	3	16

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Leukemia (C91-C95)											
All races, both sexes											
2000.....	21,339	38	137	142	173	242	222	228	245	368	433
1999.....	21,014	27	119	130	175	221	261	234	266	374	425
All races, male											
2000.....	11,777	21	69	81	109	150	143	131	152	185	238
1999.....	11,519	11	65	75	98	130	161	128	148	204	231
All races, female											
2000.....	9,562	17	68	61	64	92	79	97	93	183	195
1999.....	9,495	16	54	55	77	91	100	106	118	170	194
White, both sexes											
2000.....	19,191	36	115	116	143	186	175	172	183	300	348
1999.....	18,899	23	103	106	132	170	209	191	210	307	353
White, male											
2000.....	10,617	19	58	64	89	113	112	102	114	154	199
1999.....	10,395	11	54	63	71	97	136	104	115	170	192
White, female											
2000.....	8,574	17	57	52	54	73	63	70	69	146	149
1999.....	8,504	12	49	43	61	73	73	87	95	137	161
All other, both sexes											
2000.....	2,148	2	22	26	30	56	47	56	62	68	85
1999.....	2,115	4	16	24	43	51	52	43	56	67	72
All other, male											
2000.....	1,160	2	11	17	20	37	31	29	38	31	39
1999.....	1,124	-	11	12	27	33	25	24	33	34	39
All other, female											
2000.....	988	-	11	9	10	19	16	27	24	37	46
1999.....	991	4	5	12	16	18	27	19	23	33	33
Black, both sexes											
2000.....	1,742	-	18	16	20	46	36	39	49	49	68
1999.....	1,708	2	13	18	35	36	47	30	38	53	54
Black, male											
2000.....	929	-	9	11	11	31	24	18	32	20	33
1999.....	892	-	8	9	24	24	22	16	22	25	29
Black, female											
2000.....	813	-	9	5	9	15	12	21	17	29	35
1999.....	816	2	5	9	11	12	25	14	16	28	25

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Lymphoid leukemia (C91)											
All races, both sexes											
2000.....	6,167	16	49	80	95	103	84	58	50	66	79
1999.....	6,252	10	46	65	79	94	99	69	67	78	76
All races, male											
2000.....	3,525	9	23	47	65	68	63	36	36	42	52
1999.....	3,597	4	26	41	45	65	64	44	43	46	47
All races, female											
2000.....	2,642	7	26	33	30	35	21	22	14	24	27
1999.....	2,655	6	20	24	34	29	35	25	24	32	29
White, both sexes											
2000.....	5,616	15	42	68	84	86	69	51	40	53	70
1999.....	5,676	7	43	58	59	76	83	59	58	62	66
White, male											
2000.....	3,200	8	20	41	57	56	52	33	29	35	49
1999.....	3,266	4	24	37	32	50	57	38	37	39	38
White, female											
2000.....	2,416	7	22	27	27	30	17	18	11	18	21
1999.....	2,410	3	19	21	27	26	26	21	21	23	28
All other, both sexes											
2000.....	551	1	7	12	11	17	15	7	10	13	9
1999.....	576	3	3	7	20	18	16	10	9	16	10
All other, male											
2000.....	325	1	3	6	8	12	11	3	7	7	3
1999.....	331	-	2	4	13	15	7	6	6	7	9
All other, female											
2000.....	226	-	4	6	3	5	4	4	3	6	6
1999.....	245	3	1	3	7	3	9	4	3	9	1
Black, both sexes											
2000.....	474	-	6	8	8	14	10	5	10	7	7
1999.....	507	1	2	6	15	15	13	8	7	14	8
Black, male											
2000.....	276	-	2	4	5	10	7	1	7	2	3
1999.....	293	-	1	4	10	13	6	5	5	6	7
Black, female											
2000.....	198	-	4	4	3	4	3	4	3	5	4
1999.....	214	1	1	2	5	2	7	3	2	8	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Myeloid leukemia (C92)											
All races, both sexes											
2000.....	9,764	9	55	34	55	93	94	114	156	240	267
1999.....	9,284	8	54	32	63	76	112	124	142	220	267
All races, male											
2000.....	5,377	8	30	18	31	57	56	60	91	106	135
1999.....	5,019	3	29	14	33	38	65	62	76	118	133
All races, female											
2000.....	4,387	1	25	16	24	36	38	54	65	134	132
1999.....	4,265	5	25	18	30	38	47	62	66	102	134
White, both sexes											
2000.....	8,717	9	44	25	41	65	70	81	110	196	208
1999.....	8,303	8	43	21	51	53	84	99	109	185	215
White, male											
2000.....	4,844	8	25	10	23	39	41	44	65	89	108
1999.....	4,500	3	21	9	28	27	50	49	56	100	108
White, female											
2000.....	3,873	1	19	15	18	26	29	37	45	107	100
1999.....	3,803	5	22	12	23	26	34	50	53	85	107
All other, both sexes											
2000.....	1,047	-	11	9	14	28	24	33	46	44	59
1999.....	981	-	11	11	12	23	28	25	33	35	52
All other, male											
2000.....	533	-	5	8	8	18	15	16	26	17	27
1999.....	519	-	8	5	5	11	15	13	20	18	25
All other, female											
2000.....	514	-	6	1	6	10	9	17	20	27	32
1999.....	462	-	3	6	7	12	13	12	13	17	27
Black, both sexes											
2000.....	834	-	9	7	9	24	20	24	34	33	49
1999.....	755	-	9	10	10	16	27	18	22	27	39
Black, male											
2000.....	419	-	4	6	4	16	13	13	21	13	24
1999.....	395	-	6	4	5	8	14	9	14	13	18
Black, female											
2000.....	415	-	5	1	5	8	7	11	13	20	25
1999.....	360	-	3	6	5	8	13	9	8	14	21

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other and unspecified leukemia (C94-C95)											
All races, both sexes											
2000.....	5,259	13	30	28	22	45	43	56	37	60	82
1999.....	5,299	8	18	33	32	50	47	40	56	74	80
All races, male											
2000.....	2,782	4	14	16	12	24	23	35	24	35	46
1999.....	2,808	4	10	20	19	27	30	21	29	39	49
All races, female											
2000.....	2,477	9	16	12	10	21	20	21	13	25	36
1999.....	2,491	4	8	13	13	23	17	19	27	35	31
White, both sexes											
2000.....	4,723	12	27	23	17	34	35	40	33	49	65
1999.....	4,758	8	16	27	22	40	39	33	42	58	70
White, male											
2000.....	2,487	3	12	13	8	17	18	25	20	28	37
1999.....	2,543	4	9	17	11	20	27	17	22	30	44
White, female											
2000.....	2,236	9	15	10	9	17	17	15	13	21	28
1999.....	2,215	4	7	10	11	20	12	16	20	28	26
All other, both sexes											
2000.....	536	1	3	5	5	11	8	16	4	11	17
1999.....	541	-	2	6	10	10	8	7	14	16	10
All other, male											
2000.....	295	1	2	3	4	7	5	10	4	7	9
1999.....	265	-	1	3	8	7	3	4	7	9	5
All other, female											
2000.....	241	-	1	2	1	4	3	6	-	4	8
1999.....	276	-	1	3	2	3	5	3	7	7	5
Black, both sexes											
2000.....	424	-	2	1	3	8	6	10	4	9	12
1999.....	432	-	2	2	9	5	7	3	9	12	7
Black, male											
2000.....	230	-	2	1	2	5	4	4	4	5	6
1999.....	198	-	1	1	8	3	2	1	3	6	4
Black, female											
2000.....	194	-	-	-	1	3	2	6	-	4	6
1999.....	234	-	1	1	1	2	5	2	6	6	3

[illegible]

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Benign neoplasms (D10-D36)											
All races, both sexes											
2000.....	1,589	21	2	2	3	6	9	13	17	35	49
1999.....	1,537	14	7	5	2	5	6	8	24	31	30
All races, male											
2000.....	590	13	1	-	1	5	3	1	9	13	13
1999.....	608	6	2	2	-	2	2	3	10	15	20
All races, female											
2000.....	999	8	1	2	2	1	6	12	8	22	36
1999.....	929	8	5	3	2	3	4	5	14	16	10
White, both sexes											
2000.....	1,326	15	1	-	3	6	7	6	13	23	28
1999.....	1,259	9	6	4	2	4	4	5	13	19	21
White, male											
2000.....	494	9	-	-	1	5	3	1	8	8	8
1999.....	496	4	2	1	-	2	2	2	5	9	16
White, female											
2000.....	832	6	1	-	2	1	4	5	5	15	20
1999.....	763	5	4	3	2	2	2	3	8	10	5
All other, both sexes											
2000.....	263	6	1	2	-	-	2	7	4	12	21
1999.....	278	5	1	1	-	1	2	3	11	12	9
All other, male											
2000.....	96	4	1	-	-	-	-	-	1	5	5
1999.....	112	2	-	1	-	-	-	1	5	6	4
All other, female											
2000.....	167	2	-	2	-	-	2	7	3	7	16
1999.....	166	3	1	-	-	1	2	2	6	6	5
Black, both sexes											
2000.....	226	4	1	2	-	-	2	6	4	11	19
1999.....	236	4	1	1	-	1	2	1	7	10	7
Black, male											
2000.....	76	2	1	-	-	-	-	-	1	4	4
1999.....	95	1	-	1	-	-	-	1	4	5	3
Black, female											
2000.....	150	2	-	2	-	-	2	6	3	7	15
1999.....	141	3	1	-	-	1	2	-	3	5	4

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Of other and unspecified sites (D10-D24,D29-D30,D34-D36)

All races, both sexes										
2000.....	554	20	2	2	2	3	5	6	10	17
1999.....	557	13	7	5	1	3	5	4	14	19
All races, male										
2000.....	244	12	1	-	1	2	2	1	5	5
1999.....	266	6	2	2	-	2	2	1	6	15
All races, female										
2000.....	310	8	1	2	1	1	3	5	5	12
1999.....	291	7	5	3	1	1	3	3	8	4
White, both sexes										
2000.....	457	14	1	-	2	3	5	4	8	12
1999.....	448	9	6	4	1	2	3	2	7	16
White, male										
2000.....	199	8	-	-	1	2	2	1	5	3
1999.....	209	4	2	1	-	2	2	1	2	12
White, female										
2000.....	258	6	1	-	1	1	3	3	3	9
1999.....	239	5	4	3	1	-	1	1	5	4
All other, both sexes										
2000.....	97	6	1	2	-	-	-	2	2	5
1999.....	109	4	1	1	-	1	2	2	7	3
All other, male										
2000.....	45	4	1	-	-	-	-	-	-	2
1999.....	57	2	-	1	-	-	-	-	4	3
All other, female										
2000.....	52	2	-	2	-	-	-	2	2	3
1999.....	52	2	1	-	-	1	2	2	3	-
Black, both sexes										
2000.....	85	4	1	2	-	-	-	2	2	3
1999.....	87	3	1	1	-	1	2	-	5	3
Black, male										
2000.....	37	2	1	-	-	-	-	-	-	1
1999.....	47	1	-	1	-	-	-	-	3	3
Black, female										
2000.....	48	2	-	2	-	-	-	2	2	2
1999.....	40	2	1	-	-	1	2	-	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)											
All races, both sexes											
2000.....	11,334	25	48	54	32	29	39	47	69	109	149
1999.....	11,144	32	54	53	31	40	38	39	82	101	162
All races, male											
2000.....	5,741	13	29	29	14	19	27	26	35	69	84
1999.....	5,702	19	30	25	17	19	24	24	47	58	94
All races, female											
2000.....	5,593	12	19	25	18	10	12	21	34	40	65
1999.....	5,442	13	24	28	14	21	14	15	35	43	68
White, both sexes											
2000.....	10,295	20	40	42	25	18	32	35	58	91	127
1999.....	10,130	21	41	42	28	29	28	30	64	83	133
White, male											
2000.....	5,211	11	22	22	12	10	23	20	30	56	68
1999.....	5,217	13	20	20	15	12	18	16	36	50	81
White, female											
2000.....	5,084	9	18	20	13	8	9	15	28	35	59
1999.....	4,913	8	21	22	13	17	10	14	28	33	52
All other, both sexes											
2000.....	1,039	5	8	12	7	11	7	12	11	18	22
1999.....	1,014	11	13	11	3	11	10	9	18	18	29
All other, male											
2000.....	530	2	7	7	2	9	4	6	5	13	16
1999.....	485	6	10	5	2	7	6	8	11	8	13
All other, female											
2000.....	509	3	1	5	5	2	3	6	6	5	6
1999.....	529	5	3	6	1	4	4	1	7	10	16
Black, both sexes											
2000.....	843	4	8	9	6	8	5	10	11	12	18
1999.....	862	10	11	11	3	9	10	5	13	17	27
Black, male											
2000.....	413	1	7	5	2	7	2	5	5	9	13
1999.....	395	6	9	5	2	6	6	5	7	8	12
Black, female											
2000.....	430	3	1	4	4	1	3	5	6	3	5
1999.....	467	4	2	6	1	3	4	-	6	9	15

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Neoplasm of uncertain or unknown behavior of unspecified sites (D48)											
All races, both sexes											
2000.....	605	14	3	5	2	5	7	8	11	11	13
1999.....	527	12	2	6	4	7	2	8	8	7	9
All races, male											
2000.....	217	6	3	2	2	3	5	3	8	4	5
1999.....	201	5	1	3	2	5	2	5	6	5	4
All races, female											
2000.....	388	8	-	3	-	2	2	5	3	7	8
1999.....	326	7	1	3	2	2	-	3	2	2	5
White, both sexes											
2000.....	537	13	3	3	2	5	5	6	11	10	11
1999.....	442	11	1	6	2	4	1	4	6	5	7
White, male											
2000.....	188	5	3	1	2	3	4	3	8	4	3
1999.....	170	4	-	3	1	3	1	3	4	4	4
White, female											
2000.....	349	8	-	2	-	2	1	3	3	6	8
1999.....	272	7	1	3	1	1	-	1	2	1	3
All other, both sexes											
2000.....	68	1	-	2	-	-	2	2	-	1	2
1999.....	85	1	1	-	2	3	1	4	2	2	2
All other, male											
2000.....	29	1	-	1	-	-	1	-	-	-	2
1999.....	31	1	1	-	1	2	1	2	2	1	-
All other, female											
2000.....	39	-	-	1	-	-	1	2	-	1	-
1999.....	54	-	-	-	1	1	-	2	-	1	2
Black, both sexes											
2000.....	62	1	-	2	-	-	1	2	-	1	2
1999.....	74	1	1	-	2	3	1	3	1	2	2
Black, male											
2000.....	27	1	-	1	-	-	-	-	-	-	2
1999.....	30	1	1	-	1	2	1	2	1	1	-
Black, female											
2000.....	35	-	-	1	-	-	1	2	-	1	-
1999.....	44	-	-	-	1	1	-	1	-	1	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

All races, both sexes											
2000.....	9,315	70	82	43	46	61	94	119	194	286	355
1999.....	9,067	94	82	49	50	80	116	122	210	281	360
All races, male											
2000.....	3,852	40	40	31	23	29	48	60	95	140	170
1999.....	3,826	58	50	21	31	43	64	70	109	159	173
All races, female											
2000.....	5,463	30	42	12	23	32	46	59	99	146	185
1999.....	5,241	36	32	28	19	37	52	52	101	122	187
White, both sexes											
2000.....	7,036	50	50	21	26	36	32	33	61	114	151
1999.....	6,800	53	46	28	27	51	36	38	69	103	151
White, male											
2000.....	2,884	26	27	16	14	17	19	19	35	59	86
1999.....	2,821	33	29	12	16	26	18	25	38	67	83
White, female											
2000.....	4,152	24	23	5	12	19	13	14	26	55	65
1999.....	3,979	20	17	16	11	25	18	13	31	36	68
All other, both sexes											
2000.....	2,279	20	32	22	20	25	62	86	133	172	204
1999.....	2,267	41	36	21	23	29	80	84	141	178	209
All other, male											
2000.....	968	14	13	15	9	12	29	41	60	81	84
1999.....	1,005	25	21	9	15	17	46	45	71	92	90
All other, female											
2000.....	1,311	6	19	7	11	13	33	45	73	91	120
1999.....	1,262	16	15	12	8	12	34	39	70	86	119
Black, both sexes											
2000.....	2,110	16	29	20	20	21	60	82	130	168	196
1999.....	2,079	33	34	20	20	27	76	79	140	172	204
Black, male											
2000.....	880	12	12	13	9	10	28	39	58	80	81
1999.....	911	20	19	9	13	15	44	43	71	89	88
Black, female											
2000.....	1,230	4	17	7	11	11	32	43	72	88	115
1999.....	1,168	13	15	11	7	12	32	36	69	83	116

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Anemias (D50-D64)											
All races, both sexes											
2000.....	4,494	10	35	24	28	27	58	62	91	85	105
1999.....	4,503	12	30	24	29	43	78	64	96	90	104
All races, male											
2000.....	1,669	6	16	17	12	9	30	29	41	34	44
1999.....	1,746	8	17	8	15	24	43	33	48	47	54
All races, female											
2000.....	2,825	4	19	7	16	18	28	33	50	51	61
1999.....	2,757	4	13	16	14	19	35	31	48	43	50
White, both sexes											
2000.....	3,450	4	15	9	12	10	11	15	14	17	26
1999.....	3,393	6	9	7	13	18	16	6	11	22	26
White, male											
2000.....	1,235	2	8	7	5	2	6	9	6	7	14
1999.....	1,244	4	6	1	6	9	5	1	5	10	14
White, female											
2000.....	2,215	2	7	2	7	8	5	6	8	10	12
1999.....	2,149	2	3	6	7	9	11	5	6	12	12
All other, both sexes											
2000.....	1,044	6	20	15	16	17	47	47	77	68	79
1999.....	1,110	6	21	17	16	25	62	58	85	68	78
All other, male											
2000.....	434	4	8	10	7	7	24	20	35	27	30
1999.....	502	4	11	7	9	15	38	32	43	37	40
All other, female											
2000.....	610	2	12	5	9	10	23	27	42	41	49
1999.....	608	2	10	10	7	10	24	26	42	31	38
Black, both sexes											
2000.....	967	5	19	15	16	16	46	47	77	65	76
1999.....	1,019	3	21	17	16	23	61	56	84	66	76
Black, male											
2000.....	395	4	8	10	7	7	23	20	35	26	29
1999.....	457	2	11	7	9	13	37	30	43	35	38
Black, female											
2000.....	572	1	11	5	9	9	23	27	42	39	47
1999.....	562	1	10	10	7	10	24	26	41	31	38

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Nutritional anemias (D50-D53)											
All races, both sexes											
2000.....	289	-	-	-	-	-	-	2	-	-	-
1999.....	287	-	-	-	-	-	1	-	-	-	-
All races, male											
2000.....	95	-	-	-	-	-	-	-	-	-	-
1999.....	99	-	-	-	-	-	-	-	-	-	-
All races, female											
2000.....	194	-	-	-	-	-	-	2	-	-	-
1999.....	188	-	-	-	-	-	1	-	-	-	-
White, both sexes											
2000.....	247	-	-	-	-	-	-	-	-	-	-
1999.....	245	-	-	-	-	-	-	-	-	-	-
White, male											
2000.....	79	-	-	-	-	-	-	-	-	-	-
1999.....	84	-	-	-	-	-	-	-	-	-	-
White, female											
2000.....	168	-	-	-	-	-	-	-	-	-	-
1999.....	161	-	-	-	-	-	-	-	-	-	-
All other, both sexes											
2000.....	42	-	-	-	-	-	-	2	-	-	-
1999.....	42	-	-	-	-	-	1	-	-	-	-
All other, male											
2000.....	16	-	-	-	-	-	-	-	-	-	-
1999.....	15	-	-	-	-	-	-	-	-	-	-
All other, female											
2000.....	26	-	-	-	-	-	-	2	-	-	-
1999.....	27	-	-	-	-	-	1	-	-	-	-
Black, both sexes											
2000.....	36	-	-	-	-	-	-	2	-	-	-
1999.....	37	-	-	-	-	-	1	-	-	-	-
Black, male											
2000.....	14	-	-	-	-	-	-	-	-	-	-
1999.....	13	-	-	-	-	-	-	-	-	-	-
Black, female											
2000.....	22	-	-	-	-	-	-	2	-	-	-
1999.....	24	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Hemolytic anemias (D55-D59)											
All races, both sexes											
2000.....	838	8	27	13	18	15	44	52	69	61	74
1999.....	866	8	22	18	11	24	57	59	82	63	76
All races, male											
2000.....	354	5	13	8	8	7	22	25	28	27	31
1999.....	408	6	11	7	6	14	37	31	42	33	39
All races, female											
2000.....	484	3	14	5	10	8	22	27	41	34	43
1999.....	458	2	11	11	5	10	20	28	40	30	37
White, both sexes											
2000.....	331	4	10	2	3	1	2	9	4	3	9
1999.....	316	2	2	2	1	4	5	4	3	1	12
White, male											
2000.....	131	2	5	1	1	-	1	5	1	1	5
1999.....	117	2	-	-	-	1	2	1	1	-	5
White, female											
2000.....	200	2	5	1	2	1	1	4	3	2	4
1999.....	199	-	2	2	1	3	3	3	2	1	7
All other, both sexes											
2000.....	507	4	17	11	15	14	42	43	65	58	65
1999.....	550	6	20	16	10	20	52	55	79	62	64
All other, male											
2000.....	223	3	8	7	7	7	21	20	27	26	26
1999.....	291	4	11	7	6	13	35	30	41	33	34
All other, female											
2000.....	284	1	9	4	8	7	21	23	38	32	39
1999.....	259	2	9	9	4	7	17	25	38	29	30
Black, both sexes											
2000.....	497	3	17	11	15	14	41	43	65	58	65
1999.....	538	3	20	16	10	20	52	53	78	61	64
Black, male											
2000.....	219	3	8	7	7	7	20	20	27	26	26
1999.....	284	2	11	7	6	13	35	28	41	32	34
Black, female											
2000.....	278	-	9	4	8	7	21	23	38	32	39
1999.....	254	1	9	9	4	7	17	25	37	29	30

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Aplastic anemias (D60-D61)											
All races, both sexes											
2000.....	1,066	1	7	10	9	9	11	6	16	21	19
1999.....	1,069	4	8	6	15	18	14	4	10	22	13
All races, male											
2000.....	439	-	2	8	4	1	5	3	9	6	8
1999.....	479	2	6	1	7	9	6	1	5	11	7
All races, female											
2000.....	627	1	5	2	5	8	6	3	7	15	11
1999.....	590	2	2	5	8	9	8	3	5	11	6
White, both sexes											
2000.....	918	-	4	7	8	6	8	4	9	13	11
1999.....	922	4	7	5	11	13	8	2	7	18	10
White, male											
2000.....	373	-	2	6	4	1	4	3	5	5	5
1999.....	412	2	6	1	5	7	3	-	4	8	7
White, female											
2000.....	545	-	2	1	4	5	4	1	4	8	6
1999.....	510	2	1	4	6	6	5	2	3	10	3
All other, both sexes											
2000.....	148	1	3	3	1	3	3	2	7	8	8
1999.....	147	-	1	1	4	5	6	2	3	4	3
All other, male											
2000.....	66	-	-	2	-	-	1	-	4	1	3
1999.....	67	-	-	-	2	2	3	1	1	3	-
All other, female											
2000.....	82	1	3	1	1	3	2	2	3	7	5
1999.....	80	-	1	1	2	3	3	1	2	1	3
Black, both sexes											
2000.....	113	1	2	3	1	2	3	2	7	5	5
1999.....	117	-	1	1	4	3	5	2	3	4	3
Black, male											
2000.....	48	-	-	2	-	-	1	-	4	-	2
1999.....	51	-	-	-	2	-	2	1	1	3	-
Black, female											
2000.....	65	1	2	1	1	2	2	2	3	5	3
1999.....	66	-	1	1	2	3	3	1	2	1	3

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Acute posthemorrhagic and other anemias (D62,D64)											
All races, both sexes											
2000.....	2,301	1	1	1	1	3	3	2	6	3	12
1999.....	2,281	-	-	-	3	1	6	1	4	5	15
All races, male											
2000.....	781	1	1	1	-	1	3	1	4	1	5
1999.....	760	-	-	-	2	1	-	1	1	3	8
All races, female											
2000.....	1,520	-	-	-	1	2	-	1	2	2	7
1999.....	1,521	-	-	-	1	-	6	-	3	2	7
White, both sexes											
2000.....	1,954	-	1	-	1	3	1	2	1	1	6
1999.....	1,910	-	-	-	1	1	3	-	1	3	4
White, male											
2000.....	652	-	1	-	-	1	1	1	-	1	4
1999.....	631	-	-	-	1	1	-	-	-	2	2
White, female											
2000.....	1,302	-	-	-	1	2	-	1	1	-	2
1999.....	1,279	-	-	-	-	-	3	-	1	1	2
All other, both sexes											
2000.....	347	1	-	1	-	-	2	-	5	2	6
1999.....	371	-	-	-	2	-	3	1	3	2	11
All other, male											
2000.....	129	1	-	1	-	-	2	-	4	-	1
1999.....	129	-	-	-	1	-	-	1	1	1	6
All other, female											
2000.....	218	-	-	-	-	-	-	-	1	2	5
1999.....	242	-	-	-	1	-	3	-	2	1	5
Black, both sexes											
2000.....	321	1	-	1	-	-	2	-	5	2	6
1999.....	327	-	-	-	2	-	3	1	3	1	9
Black, male											
2000.....	114	1	-	1	-	-	2	-	4	-	1
1999.....	109	-	-	-	1	-	-	1	1	-	4
Black, female											
2000.....	207	-	-	-	-	-	-	-	1	2	5
1999.....	218	-	-	-	1	-	3	-	2	1	5

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)											
All races, both sexes											
2000.....	2,639	23	15	8	6	14	20	21	30	63	81
1999.....	2,601	43	11	13	8	16	21	20	39	66	98
All races, male											
2000.....	1,157	13	7	6	4	7	6	11	10	26	43
1999.....	1,147	27	4	8	8	7	12	11	15	34	47
All races, female											
2000.....	1,482	10	8	2	2	7	14	10	20	37	38
1999.....	1,454	16	7	5	-	9	9	9	24	32	51
White, both sexes											
2000.....	2,179	18	10	4	4	12	10	8	17	47	55
1999.....	2,112	26	8	13	4	16	10	12	26	39	66
White, male											
2000.....	965	10	5	4	3	6	4	4	7	19	32
1999.....	931	17	3	8	4	7	7	8	11	24	36
White, female											
2000.....	1,214	8	5	-	1	6	6	4	10	28	23
1999.....	1,181	9	5	5	-	9	3	4	15	15	30
All other, both sexes											
2000.....	460	5	5	4	2	2	10	13	13	16	26
1999.....	489	17	3	-	4	-	11	8	13	27	32
All other, male											
2000.....	192	3	2	2	1	1	2	7	3	7	11
1999.....	216	10	1	-	4	-	5	3	4	10	11
All other, female											
2000.....	268	2	3	2	1	1	8	6	10	9	15
1999.....	273	7	2	-	-	-	6	5	9	17	21
Black, both sexes											
2000.....	404	5	4	3	2	2	10	10	12	15	22
1999.....	424	15	3	-	3	-	9	5	13	25	30
Black, male											
2000.....	165	3	2	1	1	1	2	6	3	7	9
1999.....	184	9	1	-	3	-	5	3	4	10	11
Black, female											
2000.....	239	2	2	2	1	1	8	4	9	8	13
1999.....	240	6	2	-	-	-	4	2	9	15	19

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other diseases of blood and blood-forming organs (D70-D76)											
All races, both sexes											
2000.....	836	18	16	3	4	11	9	10	16	18	25
1999.....	806	21	16	4	6	10	10	14	9	21	27
All races, male											
2000.....	398	9	7	1	2	6	6	5	11	13	12
1999.....	394	11	11	-	4	7	7	11	6	16	12
All races, female											
2000.....	438	9	9	2	2	5	3	5	5	5	13
1999.....	412	10	5	4	2	3	3	3	3	5	15
White, both sexes											
2000.....	719	15	15	2	3	8	8	5	10	13	19
1999.....	696	10	13	4	6	10	7	11	7	14	23
White, male											
2000.....	337	7	7	-	2	4	6	3	6	10	10
1999.....	338	6	9	-	4	7	5	8	4	11	9
White, female											
2000.....	382	8	8	2	1	4	2	2	4	3	9
1999.....	358	4	4	4	2	3	2	3	3	3	14
All other, both sexes											
2000.....	117	3	1	1	1	3	1	5	6	5	6
1999.....	110	11	3	-	-	-	3	3	2	7	4
All other, male											
2000.....	61	2	-	1	-	2	-	2	5	3	2
1999.....	56	5	2	-	-	-	2	3	2	5	3
All other, female											
2000.....	56	1	1	-	1	1	1	3	1	2	4
1999.....	54	6	1	-	-	-	1	-	-	2	1
Black, both sexes											
2000.....	95	2	1	-	1	2	-	5	4	5	6
1999.....	96	9	3	-	-	-	2	3	2	6	4
Black, male											
2000.....	48	2	-	-	-	1	-	2	3	3	2
1999.....	48	4	2	-	-	-	1	3	2	5	3
Black, female											
2000.....	47	-	1	-	1	1	-	3	1	2	4
1999.....	48	5	1	-	-	-	1	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Certain disorders involving the immune mechanism (D80-D89)											
All races, both sexes											
2000.....	1,346	19	16	8	8	9	7	26	57	120	144
1999.....	1,157	18	25	8	7	11	7	24	66	104	131
All races, male											
2000.....	628	12	10	7	5	7	6	15	33	67	71
1999.....	539	12	18	5	4	5	2	15	40	62	60
All races, female											
2000.....	718	7	6	1	3	2	1	11	24	53	73
1999.....	618	6	7	3	3	6	5	9	26	42	71
White, both sexes											
2000.....	688	13	10	6	7	6	3	5	20	37	51
1999.....	599	11	16	4	4	7	3	9	25	28	36
White, male											
2000.....	347	7	7	5	4	5	3	3	16	23	30
1999.....	308	6	11	3	2	3	1	8	18	22	24
White, female											
2000.....	341	6	3	1	3	1	-	2	4	14	21
1999.....	291	5	5	1	2	4	2	1	7	6	12
All other, both sexes											
2000.....	658	6	6	2	1	3	4	21	37	83	93
1999.....	558	7	9	4	3	4	4	15	41	76	95
All other, male											
2000.....	281	5	3	2	1	2	3	12	17	44	41
1999.....	231	6	7	2	2	2	1	7	22	40	36
All other, female											
2000.....	377	1	3	-	-	1	1	9	20	39	52
1999.....	327	1	2	2	1	2	3	8	19	36	59
Black, both sexes											
2000.....	644	4	5	2	1	1	4	20	37	83	92
1999.....	540	6	7	3	1	4	4	15	41	75	94
Black, male											
2000.....	272	3	2	2	1	1	3	11	17	44	41
1999.....	222	5	5	2	1	2	1	7	22	39	36
Black, female											
2000.....	372	1	3	-	-	-	1	9	20	39	51
1999.....	318	1	2	1	-	2	3	8	19	36	58

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

All races, both sexes											
2000.....	94,345	260	160	77	134	204	303	447	698	1,120	1,881
1999.....	92,872	261	153	97	120	223	301	422	642	1,126	1,795
All races, male											
2000.....	41,720	144	87	42	78	107	169	257	424	629	1,091
1999.....	40,789	141	86	48	64	114	142	215	369	657	1,038
All races, female											
2000.....	52,625	116	73	35	56	97	134	190	274	491	790
1999.....	52,083	120	67	49	56	109	159	207	273	469	757
White, both sexes											
2000.....	77,123	186	133	64	113	167	229	298	493	819	1,417
1999.....	75,648	179	127	72	97	182	232	316	452	797	1,312
White, male											
2000.....	34,725	103	75	35	69	86	129	181	309	467	850
1999.....	33,704	96	72	37	49	95	108	166	257	477	783
White, female											
2000.....	42,398	83	58	29	44	81	100	117	184	352	567
1999.....	41,944	83	55	35	48	87	124	150	195	320	529
All other, both sexes											
2000.....	17,222	74	27	13	21	37	74	149	205	301	464
1999.....	17,224	82	26	25	23	41	69	106	190	329	483
All other, male											
2000.....	6,995	41	12	7	9	21	40	76	115	162	241
1999.....	7,085	45	14	11	15	19	34	49	112	180	255
All other, female											
2000.....	10,227	33	15	6	12	16	34	73	90	139	223
1999.....	10,139	37	12	14	8	22	35	57	78	149	228
Black, both sexes											
2000.....	15,146	55	20	11	18	35	69	143	186	283	426
1999.....	14,991	69	21	20	21	33	60	99	176	300	448
Black, male											
2000.....	6,018	31	10	6	7	19	37	71	104	149	218
1999.....	6,048	39	10	8	14	16	30	44	102	162	232
Black, female											
2000.....	9,128	24	10	5	11	16	32	72	82	134	208
1999.....	8,943	30	11	12	7	17	30	55	74	138	216

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Endocrine diseases (E00-E34)											
All races, both sexes											
2000.....	71,987	45	22	14	22	58	121	235	444	732	1,301
1999.....	71,109	39	21	13	26	62	122	217	414	771	1,260
All races, male											
2000.....	32,325	25	12	6	10	36	67	128	274	414	774
1999.....	31,928	15	11	5	12	30	62	107	234	454	723
All races, female											
2000.....	39,662	20	10	8	12	22	54	107	170	318	527
1999.....	39,181	24	10	8	14	32	60	110	180	317	537
White, both sexes											
2000.....	57,849	29	17	9	14	41	78	142	309	520	966
1999.....	56,894	29	16	9	16	46	82	155	281	540	902
White, male											
2000.....	26,603	17	9	4	7	27	46	81	201	295	596
1999.....	26,165	9	10	4	6	25	44	82	159	328	526
White, female											
2000.....	31,246	12	8	5	7	14	32	61	108	225	370
1999.....	30,729	20	6	5	10	21	38	73	122	212	376
All other, both sexes											
2000.....	14,138	16	5	5	8	17	43	93	135	212	335
1999.....	14,215	10	5	4	10	16	40	62	133	231	358
All other, male											
2000.....	5,722	8	3	2	3	9	21	47	73	119	178
1999.....	5,763	6	1	1	6	5	18	25	75	126	197
All other, female											
2000.....	8,416	8	2	3	5	8	22	46	62	93	157
1999.....	8,452	4	4	3	4	11	22	37	58	105	161
Black, both sexes											
2000.....	12,386	11	4	5	8	16	42	90	124	197	304
1999.....	12,302	9	5	3	9	16	34	58	123	211	326
Black, male											
2000.....	4,884	4	3	2	3	8	20	45	65	106	159
1999.....	4,898	5	1	1	6	5	16	23	68	114	175
Black, female											
2000.....	7,502	7	1	3	5	8	22	45	59	91	145
1999.....	7,404	4	4	2	3	11	18	35	55	97	151

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Disorders of thyroid gland (E00-E07)											
All races, both sexes											
2000.....	1,780	3	-	-	1	2	2	20	12	27	27
1999.....	1,811	2	1	-	-	3	4	13	8	15	21
All races, male											
2000.....	376	1	-	-	1	-	-	8	9	12	6
1999.....	403	1	-	-	-	2	-	5	3	5	5
All races, female											
2000.....	1,404	2	-	-	-	2	2	12	3	15	21
1999.....	1,408	1	1	-	-	1	4	8	5	10	16
White, both sexes											
2000.....	1,554	2	-	-	1	1	1	7	7	12	15
1999.....	1,581	2	1	-	-	2	2	7	1	8	13
White, male											
2000.....	314	1	-	-	1	-	-	3	5	5	4
1999.....	336	1	-	-	-	1	-	3	1	3	2
White, female											
2000.....	1,240	1	-	-	-	1	1	4	2	7	11
1999.....	1,245	1	1	-	-	1	2	4	-	5	11
All other, both sexes											
2000.....	226	1	-	-	-	1	1	13	5	15	12
1999.....	230	-	-	-	-	1	2	6	7	7	8
All other, male											
2000.....	62	-	-	-	-	-	-	5	4	7	2
1999.....	67	-	-	-	-	1	-	2	2	2	3
All other, female											
2000.....	164	1	-	-	-	1	1	8	1	8	10
1999.....	163	-	-	-	-	-	2	4	5	5	5
Black, both sexes											
2000.....	205	-	-	-	-	1	1	13	5	14	12
1999.....	205	-	-	-	-	1	2	5	6	7	7
Black, male											
2000.....	56	-	-	-	-	-	-	5	4	6	2
1999.....	54	-	-	-	-	1	-	1	1	2	2
Black, female											
2000.....	149	-	-	-	-	1	1	8	1	8	10
1999.....	151	-	-	-	-	-	2	4	5	5	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Diabetes mellitus (E10-E14)											
All races, both sexes											
2000.....	69,301	4	6	8	18	48	114	206	417	684	1,242
1999.....	68,399	2	8	9	23	51	104	189	393	730	1,212
All races, male											
2000.....	31,602	4	2	5	8	31	63	118	258	396	755
1999.....	31,150	-	4	4	12	25	55	94	225	437	702
All races, female											
2000.....	37,699	-	4	3	10	17	51	88	159	288	487
1999.....	37,249	2	4	5	11	26	49	95	168	293	510
White, both sexes											
2000.....	55,561	3	6	5	12	33	72	128	292	493	926
1999.....	54,599	2	6	8	14	38	69	137	272	515	869
White, male											
2000.....	26,009	3	2	3	6	22	42	76	191	285	581
1999.....	25,545	-	3	4	6	21	38	72	154	318	511
White, female											
2000.....	29,552	-	4	2	6	11	30	52	101	208	345
1999.....	29,054	2	3	4	8	17	31	65	118	197	358
All other, both sexes											
2000.....	13,740	1	-	3	6	15	42	78	125	191	316
1999.....	13,800	-	2	1	9	13	35	52	121	215	343
All other, male											
2000.....	5,593	1	-	2	2	9	21	42	67	111	174
1999.....	5,605	-	1	-	6	4	17	22	71	119	191
All other, female											
2000.....	8,147	-	-	1	4	6	21	36	58	80	142
1999.....	8,195	-	1	1	3	9	18	30	50	96	152
Black, both sexes											
2000.....	12,021	1	-	3	6	14	41	75	114	177	285
1999.....	11,927	-	2	1	9	13	31	49	113	195	312
Black, male											
2000.....	4,771	1	-	2	2	8	20	40	59	99	155
1999.....	4,759	-	1	-	6	4	15	21	65	107	170
Black, female											
2000.....	7,250	-	-	1	4	6	21	35	55	78	130
1999.....	7,168	-	1	1	3	9	16	28	48	88	142

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Disorders of pituitary gland (E22-E23)											
All races, both sexes											
2000.....	224	5	8	4	1	2	1	2	4	4	5
1999.....	223	4	8	2	2	2	2	5	2	6	5
All races, male											
2000.....	91	3	4	1	-	1	-	1	2	-	4
1999.....	88	1	4	-	-	-	-	3	1	2	1
All races, female											
2000.....	133	2	4	3	1	1	1	1	2	4	1
1999.....	135	3	4	2	2	2	2	2	1	4	4
White, both sexes											
2000.....	191	2	6	2	-	2	1	1	3	4	4
1999.....	167	4	6	-	1	1	1	3	1	2	2
White, male											
2000.....	73	2	3	1	-	1	-	1	1	-	3
1999.....	64	1	4	-	-	-	-	2	1	-	-
White, female											
2000.....	118	-	3	1	-	1	1	-	2	4	1
1999.....	103	3	2	-	1	1	1	1	-	2	2
All other, both sexes											
2000.....	33	3	2	2	1	-	-	1	1	-	1
1999.....	56	-	2	2	1	1	1	2	1	4	3
All other, male											
2000.....	18	1	1	-	-	-	-	-	1	-	1
1999.....	24	-	-	-	-	-	-	1	-	2	1
All other, female											
2000.....	15	2	1	2	1	-	-	1	-	-	-
1999.....	32	-	2	2	1	1	1	1	1	2	2
Black, both sexes											
2000.....	31	3	1	2	1	-	-	1	1	-	1
1999.....	46	-	2	1	-	1	-	2	-	4	3
Black, male											
2000.....	17	1	1	-	-	-	-	-	1	-	1
1999.....	21	-	-	-	-	-	-	1	-	2	1
Black, female											
2000.....	14	2	-	2	1	-	-	1	-	-	-
1999.....	25	-	2	1	-	1	-	1	-	2	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Disorders of adrenal glands (E24-E27)											
All races, both sexes											
2000.....	281	6	4	1	2	3	4	2	6	9	10
1999.....	253	4	4	2	1	2	9	7	4	8	9
All races, male											
2000.....	102	3	3	-	1	3	4	-	2	3	2
1999.....	101	2	3	1	-	2	4	4	2	4	7
All races, female											
2000.....	179	3	1	1	1	-	-	2	4	6	8
1999.....	152	2	1	1	1	-	5	3	2	4	2
White, both sexes											
2000.....	241	4	2	1	1	3	4	1	4	5	8
1999.....	222	2	3	1	1	2	7	6	4	7	8
White, male											
2000.....	91	2	2	-	-	3	4	-	2	3	2
1999.....	87	-	3	-	-	2	3	4	2	3	6
White, female											
2000.....	150	2	-	1	1	-	-	1	2	2	6
1999.....	135	2	-	1	1	-	4	2	2	4	2
All other, both sexes											
2000.....	40	2	2	-	1	-	-	1	2	4	2
1999.....	31	2	1	1	-	-	2	1	-	1	1
All other, male											
2000.....	11	1	1	-	1	-	-	-	-	-	-
1999.....	14	2	-	1	-	-	1	-	-	1	1
All other, female											
2000.....	29	1	1	-	-	-	-	1	2	4	2
1999.....	17	-	1	-	-	-	1	1	-	-	-
Black, both sexes											
2000.....	38	1	2	-	1	-	-	1	2	4	2
1999.....	29	1	1	1	-	-	1	1	-	1	1
Black, male											
2000.....	9	-	1	-	1	-	-	-	-	-	-
1999.....	13	1	-	1	-	-	1	-	-	1	1
Black, female											
2000.....	29	1	1	-	-	-	-	1	2	4	2
1999.....	16	-	1	-	-	-	-	1	-	-	-

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other endocrine diseases (E15-E21,E28-E31,E34)											
All races, both sexes											
2000.....	397	26	3	1	-	3	-	5	4	8	17
1999.....	422	27	-	-	-	4	3	3	7	12	13
All races, male											
2000.....	152	14	2	-	-	1	-	1	3	3	7
1999.....	186	11	-	-	-	1	3	1	3	6	8
All races, female											
2000.....	245	12	1	1	-	2	-	4	1	5	10
1999.....	236	16	-	-	-	3	-	2	4	6	5
White, both sexes											
2000.....	300	17	3	1	-	2	-	5	3	6	13
1999.....	324	19	-	-	-	3	3	2	3	8	10
White, male											
2000.....	115	9	2	-	-	1	-	1	2	2	6
1999.....	133	7	-	-	-	1	3	1	1	4	7
White, female											
2000.....	185	8	1	1	-	1	-	4	1	4	7
1999.....	191	12	-	-	-	2	-	1	2	4	3
All other, both sexes											
2000.....	97	9	-	-	-	1	-	-	1	2	4
1999.....	98	8	-	-	-	1	-	1	4	4	3
All other, male											
2000.....	37	5	-	-	-	-	-	-	1	1	1
1999.....	53	4	-	-	-	-	-	-	2	2	1
All other, female											
2000.....	60	4	-	-	-	1	-	-	-	1	3
1999.....	45	4	-	-	-	1	-	1	2	2	2
Black, both sexes											
2000.....	89	6	-	-	-	1	-	-	1	2	4
1999.....	95	8	-	-	-	1	-	1	4	4	3
Black, male											
2000.....	30	2	-	-	-	-	-	-	1	1	1
1999.....	51	4	-	-	-	-	-	-	2	2	1
Black, female											
2000.....	59	4	-	-	-	1	-	-	-	1	3
1999.....	44	4	-	-	-	1	-	1	2	2	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Nutritional diseases (E40-E68)											
All races, both sexes											
2000.....	7,233	15	4	1	9	19	36	89	137	240	365
1999.....	6,889	9	3	2	-	21	40	78	123	210	337
All races, male											
2000.....	2,829	11	3	-	6	11	22	54	89	139	188
1999.....	2,704	4	2	1	-	13	17	40	82	121	195
All races, female											
2000.....	4,404	4	1	1	3	8	14	35	48	101	177
1999.....	4,185	5	1	1	-	8	23	38	41	89	142
White, both sexes											
2000.....	5,988	8	3	-	6	12	22	51	87	174	277
1999.....	5,684	5	2	1	-	12	23	44	82	144	262
White, male											
2000.....	2,349	6	2	-	6	8	15	35	59	108	149
1999.....	2,207	2	1	-	-	9	8	24	55	85	163
White, female											
2000.....	3,639	2	1	-	-	4	7	16	28	66	128
1999.....	3,477	3	1	1	-	3	15	20	27	59	99
All other, both sexes											
2000.....	1,245	7	1	1	3	7	14	38	50	66	88
1999.....	1,205	4	1	1	-	9	17	34	41	66	75
All other, male											
2000.....	480	5	1	-	-	3	7	19	30	31	39
1999.....	497	2	1	1	-	4	9	16	27	36	32
All other, female											
2000.....	765	2	-	1	3	4	7	19	20	35	49
1999.....	708	2	-	-	-	5	8	18	14	30	43
Black, both sexes											
2000.....	1,135	6	1	1	3	7	13	36	45	63	83
1999.....	1,102	4	1	1	-	6	17	33	37	62	73
Black, male											
2000.....	443	4	1	-	-	3	6	17	27	31	37
1999.....	444	2	1	1	-	3	9	15	24	33	31
Black, female											
2000.....	692	2	-	1	3	4	7	19	18	32	46
1999.....	658	2	-	-	-	3	8	18	13	29	42

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Malnutrition (E40-E46)											
All races, both sexes											
2000.....	3,926	11	1	1	2	3	5	9	7	29	24
1999.....	3,985	7	2	1	-	2	5	4	7	20	41
All races, male											
2000.....	1,302	8	1	-	1	1	1	5	3	9	6
1999.....	1,371	4	2	1	-	2	2	1	3	8	19
All races, female											
2000.....	2,624	3	-	1	1	2	4	4	4	20	18
1999.....	2,614	3	-	-	-	-	3	3	4	12	22
White, both sexes											
2000.....	3,352	7	-	-	1	3	4	5	3	20	17
1999.....	3,368	4	1	-	-	2	3	3	5	15	32
White, male											
2000.....	1,079	5	-	-	1	1	1	3	1	7	3
1999.....	1,100	2	1	-	-	2	1	-	3	5	14
White, female											
2000.....	2,273	2	-	-	-	2	3	2	2	13	14
1999.....	2,268	2	-	-	-	-	2	3	2	10	18
All other, both sexes											
2000.....	574	4	1	1	1	-	1	4	4	9	7
1999.....	617	3	1	1	-	-	2	1	2	5	9
All other, male											
2000.....	223	3	1	-	-	-	-	2	2	2	3
1999.....	271	2	1	1	-	-	1	1	-	3	5
All other, female											
2000.....	351	1	-	1	1	-	1	2	2	7	4
1999.....	346	1	-	-	-	-	1	-	2	2	4
Black, both sexes											
2000.....	508	3	1	1	1	-	1	4	3	9	7
1999.....	547	3	1	1	-	-	2	1	2	5	9
Black, male											
2000.....	203	2	1	-	-	-	-	2	2	2	3
1999.....	234	2	1	1	-	-	1	1	-	3	5
Black, female											
2000.....	305	1	-	1	1	-	1	2	1	7	4
1999.....	313	1	-	-	-	-	1	-	2	2	4

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other and unspecified malnutrition (E40,E42-E46)											
All races, both sexes											
2000.....	3,720	10	-	1	2	3	5	8	7	28	23
1999.....	3,785	7	2	1	-	2	5	4	5	20	39
All races, male											
2000.....	1,228	7	-	-	1	1	1	4	3	9	6
1999.....	1,289	4	2	1	-	2	2	1	2	8	18
All races, female											
2000.....	2,492	3	-	1	1	2	4	4	4	19	17
1999.....	2,496	3	-	-	-	-	3	3	3	12	21
White, both sexes											
2000.....	3,170	6	-	-	1	3	4	5	3	19	16
1999.....	3,201	4	1	-	-	2	3	3	4	15	31
White, male											
2000.....	1,019	4	-	-	1	1	1	3	1	7	3
1999.....	1,032	2	1	-	-	2	1	-	2	5	14
White, female											
2000.....	2,151	2	-	-	-	2	3	2	2	12	13
1999.....	2,169	2	-	-	-	-	2	3	2	10	17
All other, both sexes											
2000.....	550	4	-	1	1	-	1	3	4	9	7
1999.....	584	3	1	1	-	-	2	1	1	5	8
All other, male											
2000.....	209	3	-	-	-	-	-	1	2	2	3
1999.....	257	2	1	1	-	-	1	1	-	3	4
All other, female											
2000.....	341	1	-	1	1	-	1	2	2	7	4
1999.....	327	1	-	-	-	-	1	-	1	2	4
Black, both sexes											
2000.....	485	3	-	1	1	-	1	3	3	9	7
1999.....	517	3	1	1	-	-	2	1	1	5	8
Black, male											
2000.....	189	2	-	-	-	-	-	1	2	2	3
1999.....	223	2	1	1	-	-	1	1	-	3	4
Black, female											
2000.....	296	1	-	1	1	-	1	2	1	7	4
1999.....	294	1	-	-	-	-	1	-	1	2	4

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Obesity and other hyperalimentation (E65-E68)											
All races, both sexes											
2000.....	2,991	1	2	-	5	15	30	80	128	210	339
1999.....	2,600	-	1	1	-	19	34	74	115	190	293
All races, male											
2000.....	1,417	1	1	-	4	10	21	49	85	130	181
1999.....	1,218	-	-	-	-	11	14	39	79	113	175
All races, female											
2000.....	1,574	-	1	-	1	5	9	31	43	80	158
1999.....	1,382	-	1	1	-	8	20	35	36	77	118
White, both sexes											
2000.....	2,361	-	2	-	4	8	18	46	83	153	258
1999.....	2,056	-	1	1	-	10	20	41	76	129	228
White, male											
2000.....	1,174	-	1	-	4	7	14	32	58	101	145
1999.....	1,008	-	-	-	-	7	7	24	52	80	148
White, female											
2000.....	1,187	-	1	-	-	1	4	14	25	52	113
1999.....	1,048	-	1	1	-	3	13	17	24	49	80
All other, both sexes											
2000.....	630	1	-	-	1	7	12	34	45	57	81
1999.....	544	-	-	-	-	9	14	33	39	61	65
All other, male											
2000.....	243	1	-	-	-	3	7	17	27	29	36
1999.....	210	-	-	-	-	4	7	15	27	33	27
All other, female											
2000.....	387	-	-	-	1	4	5	17	18	28	45
1999.....	334	-	-	-	-	5	7	18	12	28	38
Black, both sexes											
2000.....	595	1	-	-	1	7	11	32	41	54	76
1999.....	513	-	-	-	-	6	14	32	35	57	63
Black, male											
2000.....	228	1	-	-	-	3	6	15	24	29	34
1999.....	194	-	-	-	-	3	7	14	24	30	26
Black, female											
2000.....	367	-	-	-	1	4	5	17	17	25	42
1999.....	319	-	-	-	-	3	7	18	11	27	37

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Metabolic disorders (E70-E88)											
All races, both sexes											
2000.....	15,125	200	134	62	103	127	146	123	117	148	215
1999.....	14,874	213	129	82	94	140	139	127	105	145	198
All races, male											
2000.....	6,566	108	72	36	62	60	80	75	61	76	129
1999.....	6,157	122	73	42	52	71	63	68	53	82	120
All races, female											
2000.....	8,559	92	62	26	41	67	66	48	56	72	86
1999.....	8,717	91	56	40	42	69	76	59	52	63	78
White, both sexes											
2000.....	13,286	149	113	55	93	114	129	105	97	125	174
1999.....	13,070	145	109	62	81	124	127	117	89	113	148
White, male											
2000.....	5,773	80	64	31	56	51	68	65	49	64	105
1999.....	5,332	85	61	33	43	61	56	60	43	64	94
White, female											
2000.....	7,513	69	49	24	37	63	61	40	48	61	69
1999.....	7,738	60	48	29	38	63	71	57	46	49	54
All other, both sexes											
2000.....	1,839	51	21	7	10	13	17	18	20	23	41
1999.....	1,804	68	20	20	13	16	12	10	16	32	50
All other, male											
2000.....	793	28	8	5	6	9	12	10	12	12	24
1999.....	825	37	12	9	9	10	7	8	10	18	26
All other, female											
2000.....	1,046	23	13	2	4	4	5	8	8	11	17
1999.....	979	31	8	11	4	6	5	2	6	14	24
Black, both sexes											
2000.....	1,625	38	15	5	7	12	14	17	17	23	39
1999.....	1,587	56	15	16	12	11	9	8	16	27	49
Black, male											
2000.....	691	23	6	4	4	8	11	9	12	12	22
1999.....	706	32	8	6	8	8	5	6	10	15	26
Black, female											
2000.....	934	15	9	1	3	4	3	8	5	11	17
1999.....	881	24	7	10	4	3	4	2	6	12	23

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Cystic fibrosis (E84)

All races, both sexes

2000.....	494	4	5	9	37	73	92	71	68	61	36
1999.....	485	12	1	14	36	81	102	83	53	38	25

All races, male

2000.....	241	1	2	5	16	30	49	41	28	28	16
1999.....	234	6	-	5	17	34	48	43	29	18	16

All races, female

2000.....	253	3	3	4	21	43	43	30	40	33	20
1999.....	251	6	1	9	19	47	54	40	24	20	9

White, both sexes

2000.....	473	4	4	9	36	70	90	68	65	58	36
1999.....	470	12	1	13	34	77	98	83	51	38	25

White, male

2000.....	231	1	1	5	16	28	48	40	27	27	16
1999.....	226	6	-	4	17	32	45	43	28	18	16

White, female

2000.....	242	3	3	4	20	42	42	28	38	31	20
1999.....	244	6	1	9	17	45	53	40	23	20	9

All other, both sexes

2000.....	21	-	1	-	1	3	2	3	3	3	-
1999.....	15	-	-	1	2	4	4	-	2	-	-

All other, male

2000.....	10	-	1	-	-	2	1	1	1	1	-
1999.....	8	-	-	1	-	2	3	-	1	-	-

All other, female

2000.....	11	-	-	-	1	1	1	2	2	2	-
1999.....	7	-	-	-	2	2	1	-	1	-	-

Black, both sexes

2000.....	17	-	1	-	1	2	1	3	2	3	-
1999.....	12	-	-	-	2	3	3	-	2	-	-

Black, male

2000.....	9	-	1	-	-	1	1	1	1	1	-
1999.....	6	-	-	-	-	2	2	-	1	-	-

Black, female

2000.....	8	-	-	-	1	1	-	2	1	2	-
1999.....	6	-	-	-	2	1	1	-	1	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

All races, both sexes

2000.....	7,780	73	13	4	7	12	13	17	17	33	80
1999.....	8,163	73	22	7	7	13	13	17	20	48	65

All races, male

2000.....	2,701	36	7	2	5	7	6	9	7	18	44
1999.....	2,697	45	11	5	6	7	6	11	8	25	40

All races, female

2000.....	5,079	37	6	2	2	5	7	8	10	15	36
1999.....	5,466	28	11	2	1	6	7	6	12	23	25

White, both sexes

2000.....	6,712	44	10	1	7	7	7	10	11	20	55
1999.....	7,084	40	15	5	3	11	8	13	14	29	36

White, male

2000.....	2,282	21	6	1	5	4	3	6	4	10	29
1999.....	2,209	25	6	4	2	5	3	7	5	13	20

White, female

2000.....	4,430	23	4	-	2	3	4	4	7	10	26
1999.....	4,875	15	9	1	1	6	5	6	9	16	16

All other, both sexes

2000.....	1,068	29	3	3	-	5	6	7	6	13	25
1999.....	1,079	33	7	2	4	2	5	4	6	19	29

All other, male

2000.....	419	15	1	1	-	3	3	3	3	8	15
1999.....	488	20	5	1	4	2	3	4	3	12	20

All other, female

2000.....	649	14	2	2	-	2	3	4	3	5	10
1999.....	591	13	2	1	-	-	2	-	3	7	9

Black, both sexes

2000.....	976	20	2	2	-	5	5	7	6	13	23
1999.....	977	29	6	2	4	1	4	3	6	17	29

Black, male

2000.....	384	12	-	1	-	3	3	3	3	8	13
1999.....	435	17	4	1	4	1	2	3	3	11	20

Black, female

2000.....	592	8	2	1	-	2	2	4	3	5	10
1999.....	542	12	2	1	-	-	2	-	3	6	9

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other metabolic disorders (E70-E83,E85,E88)											
All races, both sexes											
2000.....	6,851	123	116	49	59	42	41	35	32	54	99
1999.....	6,226	128	106	61	51	46	24	27	32	59	108
All races, male											
2000.....	3,624	71	63	29	41	23	25	25	26	30	69
1999.....	3,226	71	62	32	29	30	9	14	16	39	64
All races, female											
2000.....	3,227	52	53	20	18	19	16	10	6	24	30
1999.....	3,000	57	44	29	22	16	15	13	16	20	44
White, both sexes											
2000.....	6,101	101	99	45	50	37	32	27	21	47	83
1999.....	5,516	93	93	44	44	36	21	21	24	46	87
White, male											
2000.....	3,260	58	57	25	35	19	17	19	18	27	60
1999.....	2,897	54	55	25	24	24	8	10	10	33	58
White, female											
2000.....	2,841	43	42	20	15	18	15	8	3	20	23
1999.....	2,619	39	38	19	20	12	13	11	14	13	29
All other, both sexes											
2000.....	750	22	17	4	9	5	9	8	11	7	16
1999.....	710	35	13	17	7	10	3	6	8	13	21
All other, male											
2000.....	364	13	6	4	6	4	8	6	8	3	9
1999.....	329	17	7	7	5	6	1	4	6	6	6
All other, female											
2000.....	386	9	11	-	3	1	1	2	3	4	7
1999.....	381	18	6	10	2	4	2	2	2	7	15
Black, both sexes											
2000.....	632	18	12	3	6	5	8	7	9	7	16
1999.....	598	27	9	14	6	7	2	5	8	10	20
Black, male											
2000.....	298	11	5	3	4	4	7	5	8	3	9
1999.....	265	15	4	5	4	5	1	3	6	4	6
Black, female											
2000.....	334	7	7	-	2	1	1	2	1	4	7
1999.....	333	12	5	9	2	2	1	2	2	6	14

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
V. Mental and behavioral disorders (F01-F99)											
All races, both sexes											
2000.....	46,015	13	11	11	18	79	175	256	471	880	1,311
1999.....	42,128	12	11	12	24	71	147	260	478	935	1,352
All races, male											
2000.....	17,672	7	5	7	8	53	129	188	339	676	946
1999.....	16,763	9	3	7	14	56	106	199	337	688	1,038
All races, female											
2000.....	28,343	6	6	4	10	26	46	68	132	204	365
1999.....	25,365	3	8	5	10	15	41	61	141	247	314
White, both sexes											
2000.....	41,082	9	4	9	15	67	141	211	362	687	1,000
1999.....	37,693	7	8	8	17	62	117	213	395	700	1,006
White, male											
2000.....	15,174	5	1	6	8	44	101	154	263	535	733
1999.....	14,390	6	3	5	11	47	85	164	288	529	792
White, female											
2000.....	25,908	4	3	3	7	23	40	57	99	152	267
1999.....	23,303	1	5	3	6	15	32	49	107	171	214
All other, both sexes											
2000.....	4,933	4	7	2	3	12	34	45	109	193	311
1999.....	4,435	5	3	4	7	9	30	47	83	235	346
All other, male											
2000.....	2,498	2	4	1	-	9	28	34	76	141	213
1999.....	2,373	3	-	2	3	9	21	35	49	159	246
All other, female											
2000.....	2,435	2	3	1	3	3	6	11	33	52	98
1999.....	2,062	2	3	2	4	-	9	12	34	76	100
Black, both sexes											
2000.....	4,326	4	7	2	2	12	30	38	92	155	263
1999.....	3,873	4	2	3	5	7	24	36	66	201	290
Black, male											
2000.....	2,180	2	4	1	-	9	24	29	60	111	179
1999.....	2,047	2	-	2	3	7	16	26	40	136	199
Black, female											
2000.....	2,146	2	3	1	2	3	6	9	32	44	84
1999.....	1,826	2	2	1	2	-	8	10	26	65	91

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Mental and behavioral disorders due to psychoactive substance use (F10-F19)											
All races, both sexes											
2000.....	8,721	2	2	-	4	49	140	221	424	826	1,229
1999.....	8,619	1	-	-	2	53	120	209	427	860	1,268
All races, male											
2000.....	6,629	1	1	-	3	34	113	167	311	642	904
1999.....	6,604	-	-	-	1	44	92	171	307	642	990
All races, female											
2000.....	2,092	1	1	-	1	15	27	54	113	184	325
1999.....	2,015	1	-	-	1	9	28	38	120	218	278
White, both sexes											
2000.....	6,827	2	-	-	4	44	113	184	322	647	929
1999.....	6,649	-	-	-	2	45	99	169	350	643	931
White, male											
2000.....	5,192	1	-	-	3	30	89	138	239	512	702
1999.....	5,128	-	-	-	1	36	76	139	262	494	749
White, female											
2000.....	1,635	1	-	-	1	14	24	46	83	135	227
1999.....	1,521	-	-	-	1	9	23	30	88	149	182
All other, both sexes											
2000.....	1,894	-	2	-	-	5	27	37	102	179	300
1999.....	1,970	1	-	-	-	8	21	40	77	217	337
All other, male											
2000.....	1,437	-	1	-	-	4	24	29	72	130	202
1999.....	1,476	-	-	-	-	8	16	32	45	148	241
All other, female											
2000.....	457	-	1	-	-	1	3	8	30	49	98
1999.....	494	1	-	-	-	-	5	8	32	69	96
Black, both sexes											
2000.....	1,666	-	2	-	-	5	24	31	85	141	252
1999.....	1,710	1	-	-	-	6	16	29	61	184	281
Black, male											
2000.....	1,264	-	1	-	-	4	21	25	56	100	168
1999.....	1,273	-	-	-	-	6	11	23	36	126	194
Black, female											
2000.....	402	-	1	-	-	1	3	6	29	41	84
1999.....	437	1	-	-	-	-	5	6	25	58	87

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Mental and behavioral disorders due to use of alcohol (F10)											
All races, both sexes											
2000.....	6,262	2	1	-	2	19	38	85	203	500	814
1999.....	6,157	-	-	-	1	17	46	83	209	517	810
All races, male											
2000.....	4,977	1	-	-	2	16	31	72	158	402	632
1999.....	4,858	-	-	-	-	13	37	72	148	391	646
All races, female											
2000.....	1,285	1	1	-	-	3	7	13	45	98	182
1999.....	1,299	-	-	-	1	4	9	11	61	126	164
White, both sexes											
2000.....	4,986	2	-	-	2	17	30	69	155	413	642
1999.....	4,846	-	-	-	1	14	40	69	173	395	632
White, male											
2000.....	3,959	1	-	-	2	14	24	58	118	339	506
1999.....	3,837	-	-	-	-	10	32	61	125	307	513
White, female											
2000.....	1,027	1	-	-	-	3	6	11	37	74	136
1999.....	1,009	-	-	-	1	4	8	8	48	88	119
All other, both sexes											
2000.....	1,276	-	1	-	-	2	8	16	48	87	172
1999.....	1,311	-	-	-	-	3	6	14	36	122	178
All other, male											
2000.....	1,018	-	-	-	-	2	7	14	40	63	126
1999.....	1,021	-	-	-	-	3	5	11	23	84	133
All other, female											
2000.....	258	-	1	-	-	-	1	2	8	24	46
1999.....	290	-	-	-	-	-	1	3	13	38	45
Black, both sexes											
2000.....	1,071	-	1	-	-	2	6	13	34	53	131
1999.....	1,089	-	-	-	-	1	2	7	23	95	134
Black, male											
2000.....	858	-	-	-	-	2	5	12	26	36	96
1999.....	847	-	-	-	-	1	1	5	15	66	97
Black, female											
2000.....	213	-	1	-	-	-	1	1	8	17	35
1999.....	242	-	-	-	-	-	1	2	8	29	37

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Mental and behavioral disorders due to other psychoactive substance use (F11-F19)

All races, both sexes											
2000.....	2,459	-	1	-	2	30	102	136	221	326	415
1999.....	2,462	1	-	-	1	36	74	126	218	343	458
All races, male											
2000.....	1,652	-	1	-	1	18	82	95	153	240	272
1999.....	1,746	-	-	-	1	31	55	99	159	251	344
All races, female											
2000.....	807	-	-	-	1	12	20	41	68	86	143
1999.....	716	1	-	-	-	5	19	27	59	92	114
White, both sexes											
2000.....	1,841	-	-	-	2	27	83	115	167	234	287
1999.....	1,803	-	-	-	1	31	59	100	177	248	299
White, male											
2000.....	1,233	-	-	-	1	16	65	80	121	173	196
1999.....	1,291	-	-	-	1	26	44	78	137	187	236
White, female											
2000.....	608	-	-	-	1	11	18	35	46	61	91
1999.....	512	-	-	-	-	5	15	22	40	61	63
All other, both sexes											
2000.....	618	-	1	-	-	3	19	21	54	92	128
1999.....	659	1	-	-	-	5	15	26	41	95	159
All other, male											
2000.....	419	-	1	-	-	2	17	15	32	67	76
1999.....	455	-	-	-	-	5	11	21	22	64	108
All other, female											
2000.....	199	-	-	-	-	1	2	6	22	25	52
1999.....	204	1	-	-	-	-	4	5	19	31	51
Black, both sexes											
2000.....	595	-	1	-	-	3	18	18	51	88	121
1999.....	621	1	-	-	-	5	14	22	38	89	147
Black, male											
2000.....	406	-	1	-	-	2	16	13	30	64	72
1999.....	426	-	-	-	-	5	10	18	21	60	97
Black, female											
2000.....	189	-	-	-	-	1	2	5	21	24	49
1999.....	195	1	-	-	-	-	4	4	17	29	50

[illegible]

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Mental retardation (F70-F79)											
All races, both sexes											
2000.....	413	1	5	7	9	16	16	19	17	29	28
1999.....	447	2	8	8	18	13	17	26	27	35	37
All races, male											
2000.....	231	1	1	5	4	12	9	12	9	18	16
1999.....	261	2	3	4	12	10	9	14	13	17	20
All races, female											
2000.....	182	-	4	2	5	4	7	7	8	11	12
1999.....	186	-	5	4	6	3	8	12	14	18	17
White, both sexes											
2000.....	362	-	2	5	7	13	10	16	15	23	27
1999.....	377	2	5	5	11	12	12	20	24	26	34
White, male											
2000.....	203	-	-	4	4	9	6	11	7	13	15
1999.....	226	2	3	3	9	9	7	12	11	13	18
White, female											
2000.....	159	-	2	1	3	4	4	5	8	10	12
1999.....	151	-	2	2	2	3	5	8	13	13	16
All other, both sexes											
2000.....	51	1	3	2	2	3	6	3	2	6	1
1999.....	70	-	3	3	7	1	5	6	3	9	3
All other, male											
2000.....	28	1	1	1	-	3	3	1	2	5	1
1999.....	35	-	-	1	3	1	2	2	2	4	2
All other, female											
2000.....	23	-	2	1	2	-	3	2	-	1	-
1999.....	35	-	3	2	4	-	3	4	1	5	1
Black, both sexes											
2000.....	47	1	3	2	1	3	5	3	2	6	1
1999.....	65	-	2	2	5	1	5	6	3	9	3
Black, male											
2000.....	26	1	1	1	-	3	2	1	2	5	1
1999.....	35	-	-	1	3	1	2	2	2	4	2
Black, female											
2000.....	21	-	2	1	1	-	3	2	-	1	-
1999.....	30	-	2	1	2	-	3	4	1	5	1

[illegible]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VI. Diseases of the nervous system (G00-G98)											
All races, both sexes											
2000.....	91,014	389	316	227	291	362	373	370	481	721	1,133
1999.....	84,077	441	361	263	253	375	415	381	447	738	1,026
All races, male											
2000.....	36,238	225	169	112	169	230	249	228	267	397	633
1999.....	34,208	238	201	147	143	262	285	228	260	425	566
All races, female											
2000.....	54,776	164	147	115	122	132	124	142	214	324	500
1999.....	49,869	203	160	116	110	113	130	153	187	313	460
White, both sexes											
2000.....	83,440	278	215	169	207	272	293	276	365	547	880
1999.....	77,098	311	259	187	182	284	307	298	335	574	806
White, male											
2000.....	33,067	157	121	88	120	187	202	178	213	305	486
1999.....	31,244	181	152	102	97	208	213	181	198	340	435
White, female											
2000.....	50,373	121	94	81	87	85	91	98	152	242	394
1999.....	45,854	130	107	85	85	76	94	117	137	234	371
All other, both sexes											
2000.....	7,574	111	101	58	84	90	80	94	116	174	253
1999.....	6,979	130	102	76	71	91	108	83	112	164	220
All other, male											
2000.....	3,171	68	48	24	49	43	47	50	54	92	147
1999.....	2,964	57	49	45	46	54	72	47	62	85	131
All other, female											
2000.....	4,403	43	53	34	35	47	33	44	62	82	106
1999.....	4,015	73	53	31	25	37	36	36	50	79	89
Black, both sexes											
2000.....	6,552	88	84	50	74	78	71	85	105	158	223
1999.....	6,030	108	82	67	59	77	95	75	96	155	197
Black, male											
2000.....	2,682	56	40	20	45	36	41	45	50	81	127
1999.....	2,511	49	40	41	39	46	66	42	51	77	115
Black, female											
2000.....	3,870	32	44	30	29	42	30	40	55	77	96
1999.....	3,519	59	42	26	20	31	29	33	45	78	82

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Meningitis (G00,G03)											
All races, both sexes											
2000.....	758	91	36	12	18	7	8	16	27	35	37
1999.....	850	116	45	14	13	19	22	21	27	33	43
All races, male											
2000.....	405	48	20	6	10	2	2	7	13	22	24
1999.....	442	61	26	9	9	10	16	8	16	18	27
All races, female											
2000.....	353	43	16	6	8	5	6	9	14	13	13
1999.....	408	55	19	5	4	9	6	13	11	15	16
White, both sexes											
2000.....	536	54	23	11	10	4	6	8	17	24	20
1999.....	601	68	33	9	10	10	11	16	18	22	27
White, male											
2000.....	294	31	14	6	4	1	2	3	7	15	12
1999.....	308	46	20	5	7	5	7	4	9	12	15
White, female											
2000.....	242	23	9	5	6	3	4	5	10	9	8
1999.....	293	22	13	4	3	5	4	12	9	10	12
All other, both sexes											
2000.....	222	37	13	1	8	3	2	8	10	11	17
1999.....	249	48	12	5	3	9	11	5	9	11	16
All other, male											
2000.....	111	17	6	-	6	1	-	4	6	7	12
1999.....	134	15	6	4	2	5	9	4	7	6	12
All other, female											
2000.....	111	20	7	1	2	2	2	4	4	4	5
1999.....	115	33	6	1	1	4	2	1	2	5	4
Black, both sexes											
2000.....	204	35	13	1	8	3	2	8	10	10	17
1999.....	222	42	11	5	3	9	8	5	6	10	12
Black, male											
2000.....	102	16	6	-	6	1	-	4	6	6	12
1999.....	121	13	6	4	2	5	6	4	5	6	9
Black, female											
2000.....	102	19	7	1	2	2	2	4	4	4	5
1999.....	101	29	5	1	1	4	2	1	1	4	3

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other inflammatory diseases of central nervous system (G04-G09)											
All races, both sexes											
2000.....	606	8	9	8	22	10	12	16	12	24	39
1999.....	568	4	19	23	10	13	16	14	17	25	33
All races, male											
2000.....	326	7	7	6	9	3	9	7	1	12	27
1999.....	303	1	12	15	6	5	9	7	11	15	22
All races, female											
2000.....	280	1	2	2	13	7	3	9	11	12	12
1999.....	265	3	7	8	4	8	7	7	6	10	11
White, both sexes											
2000.....	489	4	7	4	16	8	9	12	7	20	29
1999.....	452	4	11	17	8	11	9	10	10	17	22
White, male											
2000.....	273	3	5	3	7	3	7	6	1	9	20
1999.....	240	1	7	11	5	4	5	6	6	11	13
White, female											
2000.....	216	1	2	1	9	5	2	6	6	11	9
1999.....	212	3	4	6	3	7	4	4	4	6	9
All other, both sexes											
2000.....	117	4	2	4	6	2	3	4	5	4	10
1999.....	116	-	8	6	2	2	7	4	7	8	11
All other, male											
2000.....	53	4	2	3	2	-	2	1	-	3	7
1999.....	63	-	5	4	1	1	4	1	5	4	9
All other, female											
2000.....	64	-	-	1	4	2	1	3	5	1	3
1999.....	53	-	3	2	1	1	3	3	2	4	2
Black, both sexes											
2000.....	101	4	2	4	5	2	3	3	5	4	10
1999.....	104	-	6	5	2	1	7	4	6	8	11
Black, male											
2000.....	48	4	2	3	2	-	2	-	-	3	7
1999.....	56	-	3	4	1	-	4	1	4	4	9
Black, female											
2000.....	53	-	-	1	3	2	1	3	5	1	3
1999.....	48	-	3	1	1	1	3	3	2	4	2

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Multiple sclerosis (G35)											
All races, both sexes											
2000.....	2,844	-	-	-	-	2	2	20	38	88	210
1999.....	2,651	-	-	-	1	5	9	9	37	97	207
All races, male											
2000.....	994	-	-	-	-	1	1	6	10	33	83
1999.....	886	-	-	-	-	1	3	1	12	35	74
All races, female											
2000.....	1,850	-	-	-	-	1	1	14	28	55	127
1999.....	1,765	-	-	-	1	4	6	8	25	62	133
White, both sexes											
2000.....	2,519	-	-	-	-	-	2	14	25	59	166
1999.....	2,391	-	-	-	1	3	4	5	26	75	171
White, male											
2000.....	895	-	-	-	-	-	1	4	8	21	66
1999.....	809	-	-	-	-	1	1	1	9	31	62
White, female											
2000.....	1,624	-	-	-	-	-	1	10	17	38	100
1999.....	1,582	-	-	-	1	2	3	4	17	44	109
All other, both sexes											
2000.....	325	-	-	-	-	2	-	6	13	29	44
1999.....	260	-	-	-	-	2	5	4	11	22	36
All other, male											
2000.....	99	-	-	-	-	1	-	2	2	12	17
1999.....	77	-	-	-	-	-	2	-	3	4	12
All other, female											
2000.....	226	-	-	-	-	1	-	4	11	17	27
1999.....	183	-	-	-	-	2	3	4	8	18	24
Black, both sexes											
2000.....	307	-	-	-	-	2	-	5	11	28	41
1999.....	247	-	-	-	-	2	5	4	10	22	35
Black, male											
2000.....	95	-	-	-	-	1	-	1	2	12	15
1999.....	76	-	-	-	-	-	2	-	2	4	12
Black, female											
2000.....	212	-	-	-	-	1	-	4	9	16	26
1999.....	171	-	-	-	-	2	3	4	8	18	23

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Epilepsy (G40-G41)											
All races, both sexes											
2000.....	1,323	11	25	14	22	38	54	62	86	106	136
1999.....	1,338	14	31	21	24	43	59	86	86	120	125
All races, male											
2000.....	701	4	16	8	13	14	36	41	50	56	86
1999.....	730	4	21	9	12	31	34	59	51	81	80
All races, female											
2000.....	622	7	9	6	9	24	18	21	36	50	50
1999.....	608	10	10	12	12	12	25	27	35	39	45
White, both sexes											
2000.....	990	7	21	11	17	23	39	52	63	79	107
1999.....	979	8	27	16	17	29	45	59	64	88	88
White, male											
2000.....	524	3	13	7	11	10	26	36	37	40	65
1999.....	529	3	20	7	9	20	25	40	41	57	54
White, female											
2000.....	466	4	8	4	6	13	13	16	26	39	42
1999.....	450	5	7	9	8	9	20	19	23	31	34
All other, both sexes											
2000.....	333	4	4	3	5	15	15	10	23	27	29
1999.....	359	6	4	5	7	14	14	27	22	32	37
All other, male											
2000.....	177	1	3	1	2	4	10	5	13	16	21
1999.....	201	1	1	2	3	11	9	19	10	24	26
All other, female											
2000.....	156	3	1	2	3	11	5	5	10	11	8
1999.....	158	5	3	3	4	3	5	8	12	8	11
Black, both sexes											
2000.....	302	2	2	3	5	12	15	8	22	20	25
1999.....	332	4	3	4	6	11	14	26	18	30	32
Black, male											
2000.....	159	1	2	1	2	4	10	4	13	10	17
1999.....	188	1	1	2	3	9	9	19	8	22	22
Black, female											
2000.....	143	1	-	2	3	8	5	4	9	10	8
1999.....	144	3	2	2	3	2	5	7	10	8	10

[illegible]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Infantile cerebral palsy (G80)											
All races, both sexes											
2000.....	1,091	10	59	105	122	125	107	67	64	54	49
1999.....	1,008	13	83	92	93	107	84	79	59	60	47
All races, male											
2000.....	603	8	26	48	77	77	65	36	38	27	25
1999.....	572	5	50	55	50	65	54	44	32	28	24
All races, female											
2000.....	488	2	33	57	45	48	42	31	26	27	24
1999.....	436	8	33	37	43	42	30	35	27	32	23
White, both sexes											
2000.....	854	9	30	73	85	94	80	50	49	40	45
1999.....	799	6	54	62	68	75	60	63	50	55	37
White, male											
2000.....	482	7	15	37	54	59	50	28	29	20	23
1999.....	446	2	35	34	34	47	38	33	28	27	15
White, female											
2000.....	372	2	15	36	31	35	30	22	20	20	22
1999.....	353	4	19	28	34	28	22	30	22	28	22
All other, both sexes											
2000.....	237	1	29	32	37	31	27	17	15	14	4
1999.....	209	7	29	30	25	32	24	16	9	5	10
All other, male											
2000.....	121	1	11	11	23	18	15	8	9	7	2
1999.....	126	3	15	21	16	18	16	11	4	1	9
All other, female											
2000.....	116	-	18	21	14	13	12	9	6	7	2
1999.....	83	4	14	9	9	14	8	5	5	4	1
Black, both sexes											
2000.....	217	1	27	29	35	30	22	14	13	14	2
1999.....	190	7	28	25	21	29	22	12	9	5	10
Black, male											
2000.....	110	1	10	10	22	17	12	7	7	7	1
1999.....	115	3	15	18	13	17	15	8	4	1	9
Black, female											
2000.....	107	-	17	19	13	13	10	7	6	7	1
1999.....	75	4	13	7	8	12	7	4	5	4	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)											
All races, both sexes											
2000.....	18,863	269	186	88	107	180	190	186	251	408	653
1999.....	18,216	293	183	113	112	188	222	170	220	399	560
All races, male											
2000.....	9,878	158	100	44	60	133	136	129	153	243	383
1999.....	9,515	167	92	59	66	150	166	108	137	247	334
All races, female											
2000.....	8,985	111	86	44	47	47	54	57	98	165	270
1999.....	8,701	126	91	54	46	38	56	62	83	152	226
White, both sexes											
2000.....	16,381	204	134	70	79	143	157	138	201	320	506
1999.....	15,813	224	134	83	78	156	175	143	167	315	452
White, male											
2000.....	8,627	113	74	35	44	114	116	99	129	197	296
1999.....	8,348	129	70	45	42	131	134	96	105	201	272
White, female											
2000.....	7,754	91	60	35	35	29	41	39	72	123	210
1999.....	7,465	95	64	38	36	25	41	47	62	114	180
All other, both sexes											
2000.....	2,482	65	52	18	28	37	33	48	50	88	147
1999.....	2,403	69	49	30	34	32	47	27	53	84	108
All other, male											
2000.....	1,251	45	26	9	16	19	20	30	24	46	87
1999.....	1,167	38	22	14	24	19	32	12	32	46	62
All other, female											
2000.....	1,231	20	26	9	12	18	13	18	26	42	60
1999.....	1,236	31	27	16	10	13	15	15	21	38	46
Black, both sexes											
2000.....	2,141	46	40	13	21	29	29	46	44	81	126
1999.....	2,070	55	34	28	27	25	39	24	47	78	96
Black, male											
2000.....	1,078	34	20	6	13	13	17	29	22	42	74
1999.....	986	32	15	13	20	15	30	10	28	40	54
Black, female											
2000.....	1,063	12	20	7	8	16	12	17	22	39	52
1999.....	1,084	23	19	15	7	10	9	14	19	38	42

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

VIII. Diseases of the ear and mastoid process (H60-H93)

All races, both sexes											
2000.....	67	6	5	1	-	1	1	-	2	6	2
1999.....	74	4	2	1	1	3	2	2	8	4	4
All races, male											
2000.....	34	2	2	-	-	1	1	-	2	3	2
1999.....	40	4	1	-	-	2	1	2	2	3	3
All races, female											
2000.....	33	4	3	1	-	-	-	-	-	3	-
1999.....	34	-	1	1	1	1	1	-	6	1	1
White, both sexes											
2000.....	55	3	5	1	-	1	1	-	1	5	1
1999.....	55	3	2	1	1	1	-	2	7	3	2
White, male											
2000.....	27	1	2	-	-	1	1	-	1	3	1
1999.....	34	3	1	-	-	1	-	2	2	3	2
White, female											
2000.....	28	2	3	1	-	-	-	-	-	2	-
1999.....	21	-	1	1	1	-	-	-	5	-	-
All other, both sexes											
2000.....	12	3	-	-	-	-	-	-	1	1	1
1999.....	19	1	-	-	-	2	2	-	1	1	2
All other, male											
2000.....	7	1	-	-	-	-	-	-	1	-	1
1999.....	6	1	-	-	-	1	1	-	-	-	1
All other, female											
2000.....	5	2	-	-	-	-	-	-	-	1	-
1999.....	13	-	-	-	-	1	1	-	1	1	1
Black, both sexes											
2000.....	11	3	-	-	-	-	-	-	1	1	1
1999.....	14	-	-	-	-	1	2	-	1	1	2
Black, male											
2000.....	7	1	-	-	-	-	-	-	1	-	1
1999.....	3	-	-	-	-	-	1	-	-	-	1
Black, female											
2000.....	4	2	-	-	-	-	-	-	-	1	-
1999.....	11	-	-	-	-	1	1	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
IX. Diseases of the circulatory system (I00-I99)											
All races, both sexes											
2000.....	941,526	663	238	141	233	503	843	1,353	2,572	5,616	11,327
1999.....	954,339	667	235	145	211	559	786	1,300	2,666	6,016	11,265
All races, male											
2000.....	437,893	357	130	81	131	301	498	818	1,617	3,608	7,692
1999.....	443,541	360	128	85	115	351	461	783	1,703	3,953	7,677
All races, female											
2000.....	503,633	306	108	60	102	202	345	535	955	2,008	3,635
1999.....	510,798	307	107	60	96	208	325	517	963	2,063	3,588
White, both sexes											
2000.....	820,006	454	164	99	152	335	545	878	1,709	3,899	8,010
1999.....	832,809	452	161	109	143	388	513	855	1,807	4,181	7,886
White, male											
2000.....	380,713	246	97	59	92	204	333	549	1,130	2,620	5,710
1999.....	385,971	243	90	65	76	240	299	527	1,200	2,844	5,645
White, female											
2000.....	439,293	208	67	40	60	131	212	329	579	1,279	2,300
1999.....	446,838	209	71	44	67	148	214	328	607	1,337	2,241
All other, both sexes											
2000.....	121,520	209	74	42	81	168	298	475	863	1,717	3,317
1999.....	121,530	215	74	36	68	171	273	445	859	1,835	3,379
All other, male											
2000.....	57,180	111	33	22	39	97	165	269	487	988	1,982
1999.....	57,570	117	38	20	39	111	162	256	503	1,109	2,032
All other, female											
2000.....	64,340	98	41	20	42	71	133	206	376	729	1,335
1999.....	63,960	98	36	16	29	60	111	189	356	726	1,347
Black, both sexes											
2000.....	105,041	176	64	35	64	150	263	430	790	1,546	2,997
1999.....	105,309	181	62	35	58	155	253	401	761	1,659	3,082
Black, male											
2000.....	48,315	93	28	18	31	83	143	239	440	876	1,762
1999.....	48,860	97	33	19	34	101	147	232	442	981	1,819
Black, female											
2000.....	56,726	83	36	17	33	67	120	191	350	670	1,235
1999.....	56,449	84	29	16	24	54	106	169	319	678	1,263

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)											
All races, both sexes											
2000.....	3,582	6	2	2	2	9	8	10	23	49	92
1999.....	3,676	6	1	2	3	5	8	12	30	47	77
All races, male											
2000.....	1,072	5	2	1	2	5	6	2	10	25	36
1999.....	1,042	2	1	1	1	4	6	5	12	19	30
All races, female											
2000.....	2,510	1	-	1	-	4	2	8	13	24	56
1999.....	2,634	4	-	1	2	1	2	7	18	28	47
White, both sexes											
2000.....	3,229	5	2	2	2	6	4	7	18	34	62
1999.....	3,302	4	1	1	2	2	6	8	17	33	51
White, male											
2000.....	965	4	2	1	2	3	3	1	9	19	27
1999.....	933	1	1	-	-	1	4	4	8	14	21
White, female											
2000.....	2,264	1	-	1	-	3	1	6	9	15	35
1999.....	2,369	3	-	1	2	1	2	4	9	19	30
All other, both sexes											
2000.....	353	1	-	-	-	3	4	3	5	15	30
1999.....	374	2	-	1	1	3	2	4	13	14	26
All other, male											
2000.....	107	1	-	-	-	2	3	1	1	6	9
1999.....	109	1	-	1	1	3	2	1	4	5	9
All other, female											
2000.....	246	-	-	-	-	1	1	2	4	9	21
1999.....	265	1	-	-	-	-	-	3	9	9	17
Black, both sexes											
2000.....	265	1	-	-	-	3	4	3	5	11	24
1999.....	275	1	-	1	1	2	2	4	9	12	20
Black, male											
2000.....	79	1	-	-	-	2	3	1	1	5	7
1999.....	88	1	-	1	1	2	2	1	2	4	8
Black, female											
2000.....	186	-	-	-	-	1	1	2	4	6	17
1999.....	187	-	-	-	-	-	-	3	7	8	12

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Chronic rheumatic heart diseases (I05-I09)											
All races, both sexes											
2000.....	3,545	6	2	2	1	8	8	10	22	48	91
1999.....	3,646	6	1	2	1	5	8	12	29	47	76
All races, male											
2000.....	1,056	5	2	1	1	5	6	2	10	24	36
1999.....	1,028	2	1	1	-	4	6	5	12	19	30
All races, female											
2000.....	2,489	1	-	1	-	3	2	8	12	24	55
1999.....	2,618	4	-	1	1	1	2	7	17	28	46
White, both sexes											
2000.....	3,197	5	2	2	1	5	4	7	18	33	61
1999.....	3,279	4	1	1	1	2	6	8	16	33	51
White, male											
2000.....	950	4	2	1	1	3	3	1	9	18	27
1999.....	922	1	1	-	-	1	4	4	8	14	21
White, female											
2000.....	2,247	1	-	1	-	2	1	6	9	15	34
1999.....	2,357	3	-	1	1	1	2	4	8	19	30
All other, both sexes											
2000.....	348	1	-	-	-	3	4	3	4	15	30
1999.....	367	2	-	1	-	3	2	4	13	14	25
All other, male											
2000.....	106	1	-	-	-	2	3	1	1	6	9
1999.....	106	1	-	1	-	3	2	1	4	5	9
All other, female											
2000.....	242	-	-	-	-	1	1	2	3	9	21
1999.....	261	1	-	-	-	-	-	3	9	9	16
Black, both sexes											
2000.....	260	1	-	-	-	3	4	3	4	11	24
1999.....	268	1	-	1	-	2	2	4	9	12	19
Black, male											
2000.....	78	1	-	-	-	2	3	1	1	5	7
1999.....	85	1	-	1	-	2	2	1	2	4	8
Black, female											
2000.....	182	-	-	-	-	1	1	2	3	6	17
1999.....	183	-	-	-	-	-	-	3	7	8	11

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Rheumatic mitral valve diseases (I05)											
All races, both sexes											
2000.....	2,038	4	1	-	-	4	3	8	16	29	53
1999.....	2,050	6	-	-	1	3	4	7	12	24	37
All races, male											
2000.....	609	3	1	-	-	2	2	1	6	16	20
1999.....	562	2	-	-	-	2	3	3	4	10	14
All races, female											
2000.....	1,429	1	-	-	-	2	1	7	10	13	33
1999.....	1,488	4	-	-	1	1	1	4	8	14	23
White, both sexes											
2000.....	1,853	3	1	-	-	3	1	5	12	18	40
1999.....	1,838	4	-	-	1	2	3	5	6	19	26
White, male											
2000.....	552	2	1	-	-	1	1	-	5	12	16
1999.....	503	1	-	-	-	1	2	3	3	8	11
White, female											
2000.....	1,301	1	-	-	-	2	-	5	7	6	24
1999.....	1,335	3	-	-	1	1	1	2	3	11	15
All other, both sexes											
2000.....	185	1	-	-	-	1	2	3	4	11	13
1999.....	212	2	-	-	-	1	1	2	6	5	11
All other, male											
2000.....	57	1	-	-	-	1	1	1	1	4	4
1999.....	59	1	-	-	-	1	1	-	1	2	3
All other, female											
2000.....	128	-	-	-	-	-	1	2	3	7	9
1999.....	153	1	-	-	-	-	-	2	5	3	8
Black, both sexes											
2000.....	131	1	-	-	-	1	2	3	4	7	12
1999.....	166	1	-	-	-	1	1	2	4	5	8
Black, male											
2000.....	41	1	-	-	-	1	1	1	1	3	4
1999.....	53	1	-	-	-	1	1	-	-	2	3
Black, female											
2000.....	90	-	-	-	-	-	1	2	3	4	8
1999.....	113	-	-	-	-	-	-	2	4	3	5

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)											
All races, both sexes											
2000.....	1,155	1	1	2	1	3	5	2	5	16	32
1999.....	1,218	-	-	2	-	2	2	4	14	20	26
All races, male											
2000.....	317	1	1	1	1	2	4	1	4	6	13
1999.....	329	-	-	1	-	2	2	1	6	7	9
All races, female											
2000.....	838	-	-	1	-	1	1	1	1	10	19
1999.....	889	-	-	1	-	-	-	3	8	13	17
White, both sexes											
2000.....	1,025	1	1	2	1	1	3	2	5	12	16
1999.....	1,100	-	-	1	-	-	1	3	8	12	17
White, male											
2000.....	285	1	1	1	1	1	2	1	4	4	9
1999.....	294	-	-	-	-	-	1	1	4	4	5
White, female											
2000.....	740	-	-	1	-	-	1	1	1	8	7
1999.....	806	-	-	1	-	-	-	2	4	8	12
All other, both sexes											
2000.....	130	-	-	-	-	2	2	-	-	4	16
1999.....	118	-	-	1	-	2	1	1	6	8	9
All other, male											
2000.....	32	-	-	-	-	1	2	-	-	2	4
1999.....	35	-	-	1	-	2	1	-	2	3	4
All other, female											
2000.....	98	-	-	-	-	1	-	-	-	2	12
1999.....	83	-	-	-	-	-	-	1	4	5	5
Black, both sexes											
2000.....	106	-	-	-	-	2	2	-	-	4	11
1999.....	76	-	-	1	-	1	1	1	4	6	6
Black, male											
2000.....	27	-	-	-	-	1	2	-	-	2	2
1999.....	21	-	-	1	-	1	1	-	1	2	3
Black, female											
2000.....	79	-	-	-	-	1	-	-	-	2	9
1999.....	55	-	-	-	-	-	-	1	3	4	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Hypertensive diseases (I10-I13)											
All races, both sexes											
2000.....	44,619	1	2	2	5	12	43	101	210	450	962
1999.....	42,997	4	3	2	1	11	41	79	230	495	896
All races, male											
2000.....	17,934	1	-	1	3	4	28	62	134	283	625
1999.....	17,194	2	1	1	1	9	27	57	156	325	597
All races, female											
2000.....	26,685	-	2	1	2	8	15	39	76	167	337
1999.....	25,803	2	2	1	-	2	14	22	74	170	299
White, both sexes											
2000.....	33,104	1	1	1	4	3	20	49	86	224	513
1999.....	31,711	3	1	1	-	5	14	37	115	221	429
White, male											
2000.....	12,822	1	-	1	3	1	15	34	63	161	355
1999.....	12,149	1	-	1	-	4	8	30	94	161	318
White, female											
2000.....	20,282	-	1	-	1	2	5	15	23	63	158
1999.....	19,562	2	1	-	-	1	6	7	21	60	111
All other, both sexes											
2000.....	11,515	-	1	1	1	9	23	52	124	226	449
1999.....	11,286	1	2	1	1	6	27	42	115	274	467
All other, male											
2000.....	5,112	-	-	-	-	3	13	28	71	122	270
1999.....	5,045	1	1	-	1	5	19	27	62	164	279
All other, female											
2000.....	6,403	-	1	1	1	6	10	24	53	104	179
1999.....	6,241	-	1	1	-	1	8	15	53	110	188
Black, both sexes											
2000.....	10,582	-	1	1	1	9	23	48	120	220	429
1999.....	10,351	1	1	1	1	5	27	40	109	263	449
Black, male											
2000.....	4,670	-	-	-	-	3	13	26	68	118	257
1999.....	4,605	1	1	-	1	4	19	25	57	155	262
Black, female											
2000.....	5,912	-	1	1	1	6	10	22	52	102	172
1999.....	5,746	-	-	1	-	1	8	15	52	108	187

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Essential (primary) hypertension (I10)											
All races, both sexes											
2000.....	10,296	1	1	1	2	5	3	10	17	37	120
1999.....	9,917	3	1	-	-	3	3	6	23	42	89
All races, male											
2000.....	3,631	1	-	1	2	-	1	6	13	23	72
1999.....	3,457	2	-	-	-	2	2	3	14	26	56
All races, female											
2000.....	6,665	-	1	-	-	5	2	4	4	14	48
1999.....	6,460	1	1	-	-	1	1	3	9	16	33
White, both sexes											
2000.....	8,375	1	1	1	2	2	1	7	7	20	76
1999.....	8,047	2	1	-	-	3	1	2	10	19	48
White, male											
2000.....	2,836	1	-	1	2	-	1	4	5	16	50
1999.....	2,706	1	-	-	-	2	-	2	9	15	33
White, female											
2000.....	5,539	-	1	-	-	2	-	3	2	4	26
1999.....	5,341	1	1	-	-	1	1	-	1	4	15
All other, both sexes											
2000.....	1,921	-	-	-	-	3	2	3	10	17	44
1999.....	1,870	1	-	-	-	-	2	4	13	23	41
All other, male											
2000.....	795	-	-	-	-	-	-	2	8	7	22
1999.....	751	1	-	-	-	-	2	1	5	11	23
All other, female											
2000.....	1,126	-	-	-	-	3	2	1	2	10	22
1999.....	1,119	-	-	-	-	-	-	3	8	12	18
Black, both sexes											
2000.....	1,716	-	-	-	-	3	2	1	10	16	39
1999.....	1,667	1	-	-	-	-	2	4	12	23	40
Black, male											
2000.....	700	-	-	-	-	-	-	1	8	7	18
1999.....	661	1	-	-	-	-	2	1	5	11	22
Black, female											
2000.....	1,016	-	-	-	-	3	2	-	2	9	21
1999.....	1,006	-	-	-	-	-	-	3	7	12	18

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Hypertensive heart disease (I11)											
All races, both sexes											
2000.....	23,761	-	1	-	2	5	27	69	144	323	658
1999.....	22,702	1	-	-	-	6	27	50	160	347	617
All races, male											
2000.....	9,876	-	-	-	1	3	21	43	96	210	433
1999.....	9,316	-	-	-	-	6	19	41	108	232	428
All races, female											
2000.....	13,885	-	1	-	1	2	6	26	48	113	225
1999.....	13,386	1	-	-	-	-	8	9	52	115	189
White, both sexes											
2000.....	17,425	-	-	-	2	1	14	31	64	174	368
1999.....	16,646	1	-	-	-	2	10	24	85	170	321
White, male											
2000.....	6,927	-	-	-	1	1	11	22	47	126	259
1999.....	6,499	-	-	-	-	2	7	22	69	125	245
White, female											
2000.....	10,498	-	-	-	1	-	3	9	17	48	109
1999.....	10,147	1	-	-	-	-	3	2	16	45	76
All other, both sexes											
2000.....	6,336	-	1	-	-	4	13	38	80	149	290
1999.....	6,056	-	-	-	-	4	17	26	75	177	296
All other, male											
2000.....	2,949	-	-	-	-	2	10	21	49	84	174
1999.....	2,817	-	-	-	-	4	12	19	39	107	183
All other, female											
2000.....	3,387	-	1	-	-	2	3	17	31	65	116
1999.....	3,239	-	-	-	-	-	5	7	36	70	113
Black, both sexes											
2000.....	5,886	-	1	-	-	4	13	37	77	145	279
1999.....	5,619	-	-	-	-	3	17	26	72	169	281
Black, male											
2000.....	2,722	-	-	-	-	2	10	20	46	81	167
1999.....	2,606	-	-	-	-	3	12	19	36	101	169
Black, female											
2000.....	3,164	-	1	-	-	2	3	17	31	64	112
1999.....	3,013	-	-	-	-	-	5	7	36	68	112

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Hypertensive renal disease (I12)											
All races, both sexes											
2000.....	7,777	-	-	1	-	1	8	11	32	68	123
1999.....	7,051	-	2	-	1	-	7	18	31	63	119
All races, male											
2000.....	3,264	-	-	-	-	-	3	6	14	38	83
1999.....	3,031	-	1	-	1	-	4	10	21	43	70
All races, female											
2000.....	4,513	-	-	1	-	1	5	5	18	30	40
1999.....	4,020	-	1	-	-	-	3	8	10	20	49
White, both sexes											
2000.....	5,400	-	-	-	-	-	4	5	13	21	41
1999.....	4,783	-	-	-	-	-	3	10	14	18	46
White, male											
2000.....	2,284	-	-	-	-	-	2	4	9	14	29
1999.....	2,038	-	-	-	-	-	1	5	11	14	30
White, female											
2000.....	3,116	-	-	-	-	-	2	1	4	7	12
1999.....	2,745	-	-	-	-	-	2	5	3	4	16
All other, both sexes											
2000.....	2,377	-	-	1	-	1	4	6	19	47	82
1999.....	2,268	-	2	-	1	-	4	8	17	45	73
All other, male											
2000.....	980	-	-	-	-	-	1	2	5	24	54
1999.....	993	-	1	-	1	-	3	5	10	29	40
All other, female											
2000.....	1,397	-	-	1	-	1	3	4	14	23	28
1999.....	1,275	-	1	-	-	-	1	3	7	16	33
Black, both sexes											
2000.....	2,171	-	-	1	-	1	4	6	18	46	78
1999.....	2,065	-	1	-	1	-	4	7	15	43	71
Black, male											
2000.....	892	-	-	-	-	-	1	2	5	23	52
1999.....	904	-	1	-	1	-	3	4	8	27	38
Black, female											
2000.....	1,279	-	-	1	-	1	3	4	13	23	26
1999.....	1,161	-	-	-	-	-	1	3	7	16	33

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Hypertensive heart and renal disease (I13)											
All races, both sexes											
2000.....	2,785	-	-	-	1	1	5	11	17	22	61
1999.....	3,327	-	-	2	-	2	4	5	16	43	71
All races, male											
2000.....	1,163	-	-	-	-	1	3	7	11	12	37
1999.....	1,390	-	-	1	-	1	2	3	13	24	43
All races, female											
2000.....	1,622	-	-	-	1	-	2	4	6	10	24
1999.....	1,937	-	-	1	-	1	2	2	3	19	28
White, both sexes											
2000.....	1,904	-	-	-	-	-	1	6	2	9	28
1999.....	2,235	-	-	1	-	-	-	1	6	14	14
White, male											
2000.....	775	-	-	-	-	-	1	4	2	5	17
1999.....	906	-	-	1	-	-	-	1	5	7	10
White, female											
2000.....	1,129	-	-	-	-	-	-	2	-	4	11
1999.....	1,329	-	-	-	-	-	-	-	1	7	4
All other, both sexes											
2000.....	881	-	-	-	1	1	4	5	15	13	33
1999.....	1,092	-	-	1	-	2	4	4	10	29	57
All other, male											
2000.....	388	-	-	-	-	1	2	3	9	7	20
1999.....	484	-	-	-	-	1	2	2	8	17	33
All other, female											
2000.....	493	-	-	-	1	-	2	2	6	6	13
1999.....	608	-	-	1	-	1	2	2	2	12	24
Black, both sexes											
2000.....	809	-	-	-	1	1	4	4	15	13	33
1999.....	1,000	-	-	1	-	2	4	3	10	28	57
Black, male											
2000.....	356	-	-	-	-	1	2	3	9	7	20
1999.....	434	-	-	-	-	1	2	1	8	16	33
Black, female											
2000.....	453	-	-	-	1	-	2	1	6	6	13
1999.....	566	-	-	1	-	1	2	2	2	12	24

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Ischemic heart diseases (I20-I25)											
All races, both sexes											
2000.....	515,204	30	10	8	8	33	90	236	699	2,233	5,286
1999.....	529,659	27	5	13	9	52	85	245	769	2,387	5,364
All races, male											
2000.....	260,574	17	7	5	4	21	60	181	523	1,665	4,122
1999.....	267,268	13	3	10	7	36	57	169	570	1,801	4,169
All races, female											
2000.....	254,630	13	3	3	4	12	30	55	176	568	1,164
1999.....	262,391	14	2	3	2	16	28	76	199	586	1,195
White, both sexes											
2000.....	455,400	23	10	6	7	28	64	160	516	1,745	4,106
1999.....	469,149	18	4	9	5	36	49	180	573	1,855	4,133
White, male											
2000.....	230,951	14	7	3	4	18	43	124	405	1,336	3,326
1999.....	237,193	8	3	7	5	25	38	124	431	1,425	3,317
White, female											
2000.....	224,449	9	3	3	3	10	21	36	111	409	780
1999.....	231,956	10	1	2	-	11	11	56	142	430	816
All other, both sexes											
2000.....	59,804	7	-	2	1	5	26	76	183	488	1,180
1999.....	60,510	9	1	4	4	16	36	65	196	532	1,231
All other, male											
2000.....	29,623	3	-	2	-	3	17	57	118	329	796
1999.....	30,075	5	-	3	2	11	19	45	139	376	852
All other, female											
2000.....	30,181	4	-	-	1	2	9	19	65	159	384
1999.....	30,435	4	1	1	2	5	17	20	57	156	379
Black, both sexes											
2000.....	51,265	4	-	2	-	4	20	66	166	432	1,041
1999.....	51,995	8	1	4	4	14	33	53	160	474	1,096
Black, male											
2000.....	24,625	2	-	2	-	2	12	48	104	281	682
1999.....	25,104	4	-	3	2	9	17	38	110	323	734
Black, female											
2000.....	26,640	2	-	-	-	2	8	18	62	151	359
1999.....	26,891	4	1	1	2	5	16	15	50	151	362

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Acute myocardial infarction (I21-I22)											
All races, both sexes											
2000.....	192,898	20	1	5	1	14	38	108	267	904	2,228
1999.....	199,454	13	2	5	6	25	35	101	333	935	2,314
All races, male											
2000.....	100,306	10	1	3	1	8	22	75	194	657	1,730
1999.....	104,169	6	1	3	4	16	24	68	238	707	1,763
All races, female											
2000.....	92,592	10	-	2	-	6	16	33	73	247	498
1999.....	95,285	7	1	2	2	9	11	33	95	228	551
White, both sexes											
2000.....	170,584	16	1	3	1	11	28	71	201	744	1,752
1999.....	177,075	9	2	3	3	19	20	76	249	757	1,839
White, male											
2000.....	89,383	9	1	1	1	6	18	50	155	556	1,413
1999.....	93,189	3	1	1	3	13	16	51	178	585	1,447
White, female											
2000.....	81,201	7	-	2	-	5	10	21	46	188	339
1999.....	83,886	6	1	2	-	6	4	25	71	172	392
All other, both sexes											
2000.....	22,314	4	-	2	-	3	10	37	66	160	476
1999.....	22,379	4	-	2	3	6	15	25	84	178	475
All other, male											
2000.....	10,923	1	-	2	-	2	4	25	39	101	317
1999.....	10,980	3	-	2	1	3	8	17	60	122	316
All other, female											
2000.....	11,391	3	-	-	-	1	6	12	27	59	159
1999.....	11,399	1	-	-	2	3	7	8	24	56	159
Black, both sexes											
2000.....	19,112	2	-	2	-	2	9	32	62	146	423
1999.....	19,276	4	-	2	3	6	13	22	66	163	424
Black, male											
2000.....	9,045	1	-	2	-	1	4	21	35	90	272
1999.....	9,186	3	-	2	1	3	7	16	45	107	272
Black, female											
2000.....	10,067	1	-	-	-	1	5	11	27	56	151
1999.....	10,090	1	-	-	2	3	6	6	21	56	152

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other forms of chronic ischemic heart disease (I20,I25)											
All races, both sexes											
2000.....	318,943	9	8	3	7	15	48	124	420	1,299	2,996
1999.....	326,973	11	2	7	3	27	47	142	432	1,427	2,994
All races, male											
2000.....	158,519	6	5	2	3	10	35	103	319	984	2,345
1999.....	161,434	6	1	6	3	20	30	100	329	1,075	2,362
All races, female											
2000.....	160,424	3	3	1	4	5	13	21	101	315	651
1999.....	165,539	5	1	1	-	7	17	42	103	352	632
White, both sexes											
2000.....	281,977	6	8	3	6	13	34	85	307	978	2,309
1999.....	289,322	8	1	5	2	17	26	102	321	1,085	2,254
White, male											
2000.....	140,115	4	5	2	3	9	24	71	244	761	1,878
1999.....	142,615	4	1	5	2	12	19	72	250	830	1,839
White, female											
2000.....	141,862	2	3	1	3	4	10	14	63	217	431
1999.....	146,707	4	-	-	-	5	7	30	71	255	415
All other, both sexes											
2000.....	36,966	3	-	-	1	2	14	39	113	321	687
1999.....	37,651	3	1	2	1	10	21	40	111	342	740
All other, male											
2000.....	18,404	2	-	-	-	1	11	32	75	223	467
1999.....	18,819	2	-	1	1	8	11	28	79	245	523
All other, female											
2000.....	18,562	1	-	-	1	1	3	7	38	98	220
1999.....	18,832	1	1	1	-	2	10	12	32	97	217
Black, both sexes											
2000.....	31,697	2	-	-	-	2	10	34	100	279	603
1999.....	32,288	2	1	2	1	8	20	31	93	299	658
Black, male											
2000.....	15,322	1	-	-	-	1	7	27	65	186	399
1999.....	15,670	1	-	1	1	6	10	22	65	207	451
Black, female											
2000.....	16,375	1	-	-	-	1	3	7	35	93	204
1999.....	16,618	1	1	1	-	2	10	9	28	92	207

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)											
All races, both sexes											
2000.....	69,554	1	-	-	1	-	15	33	111	391	985
1999.....	71,926	-	1	-	1	-	13	32	128	453	1,035
All races, male											
2000.....	35,896	-	-	-	1	-	12	26	89	312	787
1999.....	36,633	-	-	-	1	-	10	21	98	355	837
All races, female											
2000.....	33,658	1	-	-	-	-	3	7	22	79	198
1999.....	35,293	-	1	-	-	-	3	11	30	98	198
White, both sexes											
2000.....	57,794	-	-	-	1	-	13	19	83	291	743
1999.....	59,711	-	-	-	1	-	5	20	90	336	761
White, male											
2000.....	29,467	-	-	-	1	-	10	14	69	237	615
1999.....	29,977	-	-	-	1	-	5	14	71	269	640
White, female											
2000.....	28,327	-	-	-	-	-	3	5	14	54	128
1999.....	29,734	-	-	-	-	-	-	6	19	67	121
All other, both sexes											
2000.....	11,760	1	-	-	-	-	2	14	28	100	242
1999.....	12,215	-	1	-	-	-	8	12	38	117	274
All other, male											
2000.....	6,429	-	-	-	-	-	2	12	20	75	172
1999.....	6,656	-	-	-	-	-	5	7	27	86	197
All other, female											
2000.....	5,331	1	-	-	-	-	-	2	8	25	70
1999.....	5,559	-	1	-	-	-	3	5	11	31	77
Black, both sexes											
2000.....	10,418	1	-	-	-	-	1	12	24	87	208
1999.....	10,823	-	1	-	-	-	8	8	33	110	251
Black, male											
2000.....	5,615	-	-	-	-	-	1	10	16	65	145
1999.....	5,815	-	-	-	-	-	5	5	22	80	177
Black, female											
2000.....	4,803	1	-	-	-	-	-	2	8	22	63
1999.....	5,008	-	1	-	-	-	3	3	11	30	74

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)											
All races, both sexes											
2000.....	249,389	8	8	3	6	15	33	91	309	908	2,011
1999.....	255,047	11	1	7	2	27	34	110	304	974	1,959
All races, male											
2000.....	122,623	6	5	2	2	10	23	77	230	672	1,558
1999.....	124,801	6	1	6	2	20	20	79	231	720	1,525
All races, female											
2000.....	126,766	2	3	1	4	5	10	14	79	236	453
1999.....	130,246	5	-	1	-	7	14	31	73	254	434
White, both sexes											
2000.....	224,183	6	8	3	5	13	21	66	224	687	1,566
1999.....	229,611	8	1	5	1	17	21	82	231	749	1,493
White, male											
2000.....	110,648	4	5	2	2	9	14	57	175	524	1,263
1999.....	112,638	4	1	5	1	12	14	58	179	561	1,199
White, female											
2000.....	113,535	2	3	1	3	4	7	9	49	163	303
1999.....	116,973	4	-	-	-	5	7	24	52	188	294
All other, both sexes											
2000.....	25,206	2	-	-	1	2	12	25	85	221	445
1999.....	25,436	3	-	2	1	10	13	28	73	225	466
All other, male											
2000.....	11,975	2	-	-	-	1	9	20	55	148	295
1999.....	12,163	2	-	1	1	8	6	21	52	159	326
All other, female											
2000.....	13,231	-	-	-	1	1	3	5	30	73	150
1999.....	13,273	1	-	1	-	2	7	7	21	66	140
Black, both sexes											
2000.....	21,279	1	-	-	-	2	9	22	76	192	395
1999.....	21,465	2	-	2	1	8	12	23	60	189	407
Black, male											
2000.....	9,707	1	-	-	-	1	6	17	49	121	254
1999.....	9,855	1	-	1	1	6	5	17	43	127	274
Black, female											
2000.....	11,572	-	-	-	-	1	3	5	27	71	141
1999.....	11,610	1	-	1	-	2	7	6	17	62	133

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other heart diseases (I26-I51)											
All races, both sexes											
2000.....	165,428	457	168	96	152	355	498	687	1,062	1,706	2,751
1999.....	165,828	490	177	99	149	398	482	680	1,099	1,879	2,768
All races, male											
2000.....	72,122	238	98	58	92	218	300	407	642	1,033	1,713
1999.....	72,601	255	100	54	83	250	283	400	667	1,176	1,718
All races, female											
2000.....	93,306	219	70	38	60	137	198	280	420	673	1,038
1999.....	93,227	235	77	45	66	148	199	280	432	703	1,050
White, both sexes											
2000.....	143,761	315	114	63	95	229	309	433	700	1,121	1,885
1999.....	143,786	329	119	72	103	281	314	425	729	1,252	1,875
White, male											
2000.....	61,933	164	71	38	62	139	194	267	435	699	1,206
1999.....	62,054	174	70	39	56	170	182	259	453	805	1,216
White, female											
2000.....	81,828	151	43	25	33	90	115	166	265	422	679
1999.....	81,732	155	49	33	47	111	132	166	276	447	659
All other, both sexes											
2000.....	21,667	142	54	33	57	126	189	254	362	585	866
1999.....	22,042	161	58	27	46	117	168	255	370	627	893
All other, male											
2000.....	10,189	74	27	20	30	79	106	140	207	334	507
1999.....	10,547	81	30	15	27	80	101	141	214	371	502
All other, female											
2000.....	11,478	68	27	13	27	47	83	114	155	251	359
1999.....	11,495	80	28	12	19	37	67	114	156	256	391
Black, both sexes											
2000.....	19,298	117	48	28	45	113	167	236	328	526	801
1999.....	19,685	135	49	26	40	109	154	233	344	576	833
Black, male											
2000.....	8,958	59	24	16	24	68	91	129	186	300	459
1999.....	9,344	67	27	14	24	76	91	132	199	337	468
Black, female											
2000.....	10,340	58	24	12	21	45	76	107	142	226	342
1999.....	10,341	68	22	12	16	33	63	101	145	239	365

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)											
All races, both sexes											
2000.....	13,047	185	32	17	12	49	83	125	218	319	471
1999.....	13,244	218	19	21	14	60	97	132	211	339	459
All races, male											
2000.....	5,205	99	18	11	7	15	28	50	92	137	187
1999.....	5,369	114	11	12	5	26	33	46	84	147	197
All races, female											
2000.....	7,842	86	14	6	5	34	55	75	126	182	284
1999.....	7,875	104	8	9	9	34	64	86	127	192	262
White, both sexes											
2000.....	10,781	122	21	11	11	33	53	81	143	216	324
1999.....	10,832	154	13	18	13	49	65	78	134	234	313
White, male											
2000.....	4,350	66	12	7	7	11	21	37	60	101	129
1999.....	4,428	83	8	10	4	20	19	30	51	110	143
White, female											
2000.....	6,431	56	9	4	4	22	32	44	83	115	195
1999.....	6,404	71	5	8	9	29	46	48	83	124	170
All other, both sexes											
2000.....	2,266	63	11	6	1	16	30	44	75	103	147
1999.....	2,412	64	6	3	1	11	32	54	77	105	146
All other, male											
2000.....	855	33	6	4	-	4	7	13	32	36	58
1999.....	941	31	3	2	1	6	14	16	33	37	54
All other, female											
2000.....	1,411	30	5	2	1	12	23	31	43	67	89
1999.....	1,471	33	3	1	-	5	18	38	44	68	92
Black, both sexes											
2000.....	2,100	49	9	6	1	15	29	42	70	92	137
1999.....	2,246	57	4	2	1	10	28	49	73	97	134
Black, male											
2000.....	799	24	5	4	-	3	7	11	32	35	52
1999.....	877	27	2	1	1	5	12	16	33	33	51
Black, female											
2000.....	1,301	25	4	2	1	12	22	31	38	57	85
1999.....	1,369	30	2	1	-	5	16	33	40	64	83

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Pulmonary embolism (I26)											
All races, both sexes											
2000.....	8,437	5	1	5	3	25	59	80	138	216	308
1999.....	9,008	2	-	1	2	31	65	86	145	217	310
All races, male											
2000.....	3,539	3	1	4	2	8	19	34	64	96	126
1999.....	3,724	-	-	-	1	12	24	31	65	100	136
All races, female											
2000.....	4,898	2	-	1	1	17	40	46	74	120	182
1999.....	5,284	2	-	1	1	19	41	55	80	117	174
White, both sexes											
2000.....	6,942	3	1	4	3	16	34	54	94	144	211
1999.....	7,377	1	-	1	2	21	40	49	88	150	218
White, male											
2000.....	2,932	2	1	3	2	6	13	28	44	67	84
1999.....	3,044	-	-	-	1	6	13	18	39	76	103
White, female											
2000.....	4,010	1	-	1	1	10	21	26	50	77	127
1999.....	4,333	1	-	1	1	15	27	31	49	74	115
All other, both sexes											
2000.....	1,495	2	-	1	-	9	25	26	44	72	97
1999.....	1,631	1	-	-	-	10	25	37	57	67	92
All other, male											
2000.....	607	1	-	1	-	2	6	6	20	29	42
1999.....	680	-	-	-	-	6	11	13	26	24	33
All other, female											
2000.....	888	1	-	-	-	7	19	20	24	43	55
1999.....	951	1	-	-	-	4	14	24	31	43	59
Black, both sexes											
2000.....	1,414	2	-	1	-	9	24	24	43	68	92
1999.....	1,553	1	-	-	-	9	21	34	56	60	88
Black, male											
2000.....	579	1	-	1	-	2	6	4	20	28	39
1999.....	651	-	-	-	-	5	9	13	26	20	33
Black, female											
2000.....	835	1	-	-	-	7	18	20	23	40	53
1999.....	902	1	-	-	-	4	12	21	30	40	55

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)											
All races, both sexes											
2000.....	4,610	180	31	12	9	24	24	45	80	103	163
1999.....	4,236	216	19	20	12	29	32	46	66	122	149
All races, male											
2000.....	1,666	96	17	7	5	7	9	16	28	41	61
1999.....	1,645	114	11	12	4	14	9	15	19	47	61
All races, female											
2000.....	2,944	84	14	5	4	17	15	29	52	62	102
1999.....	2,591	102	8	8	8	15	23	31	47	75	88
White, both sexes											
2000.....	3,839	119	20	7	8	17	19	27	49	72	113
1999.....	3,455	153	13	17	11	28	25	29	46	84	95
White, male											
2000.....	1,418	64	11	4	5	5	8	9	16	34	45
1999.....	1,384	83	8	10	3	14	6	12	12	34	40
White, female											
2000.....	2,421	55	9	3	3	12	11	18	33	38	68
1999.....	2,071	70	5	7	8	14	19	17	34	50	55
All other, both sexes											
2000.....	771	61	11	5	1	7	5	18	31	31	50
1999.....	781	63	6	3	1	1	7	17	20	38	54
All other, male											
2000.....	248	32	6	3	-	2	1	7	12	7	16
1999.....	261	31	3	2	1	-	3	3	7	13	21
All other, female											
2000.....	523	29	5	2	1	5	4	11	19	24	34
1999.....	520	32	3	1	-	1	4	14	13	25	33
Black, both sexes											
2000.....	686	47	9	5	1	6	5	18	27	24	45
1999.....	693	56	4	2	1	1	7	15	17	37	46
Black, male											
2000.....	220	23	5	3	-	1	1	7	12	7	13
1999.....	226	27	2	1	1	-	3	3	7	13	18
Black, female											
2000.....	466	24	4	2	1	5	4	11	15	17	32
1999.....	467	29	2	1	-	1	4	12	10	24	28

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other non-pulmonary forms of heart disease (I30-I51)											
All races, both sexes											
2000.....	152,381	272	136	79	140	306	415	562	844	1,387	2,280
1999.....	152,584	272	158	78	135	338	385	548	888	1,540	2,309
All races, male											
2000.....	66,917	139	80	47	85	203	272	357	550	896	1,526
1999.....	67,232	141	89	42	78	224	250	354	583	1,029	1,521
All races, female											
2000.....	85,464	133	56	32	55	103	143	205	294	491	754
1999.....	85,352	131	69	36	57	114	135	194	305	511	788
White, both sexes											
2000.....	132,980	193	93	52	84	196	256	352	557	905	1,561
1999.....	132,954	175	106	54	90	232	249	347	595	1,018	1,562
White, male											
2000.....	57,583	98	59	31	55	128	173	230	375	598	1,077
1999.....	57,626	91	62	29	52	150	163	229	402	695	1,073
White, female											
2000.....	75,397	95	34	21	29	68	83	122	182	307	484
1999.....	75,328	84	44	25	38	82	86	118	193	323	489
All other, both sexes											
2000.....	19,401	79	43	27	56	110	159	210	287	482	719
1999.....	19,630	97	52	24	45	106	136	201	293	522	747
All other, male											
2000.....	9,334	41	21	16	30	75	99	127	175	298	449
1999.....	9,606	50	27	13	26	74	87	125	181	334	448
All other, female											
2000.....	10,067	38	22	11	26	35	60	83	112	184	270
1999.....	10,024	47	25	11	19	32	49	76	112	188	299
Black, both sexes											
2000.....	17,198	68	39	22	44	98	138	194	258	434	664
1999.....	17,439	78	45	24	39	99	126	184	271	479	699
Black, male											
2000.....	8,159	35	19	12	24	65	84	118	154	265	407
1999.....	8,467	40	25	13	23	71	79	116	166	304	417
Black, female											
2000.....	9,039	33	20	10	20	33	54	76	104	169	257
1999.....	8,972	38	20	11	16	28	47	68	105	175	282

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Diseases of pericardium and acute myocarditis (I30-I31,I40)											
All races, both sexes											
2000.....	767	20	24	9	11	17	21	29	24	45	41
1999.....	890	27	25	11	10	12	20	19	31	54	60
All races, male											
2000.....	404	10	13	4	5	10	11	17	12	30	28
1999.....	442	13	14	5	2	8	12	14	20	32	32
All races, female											
2000.....	363	10	11	5	6	7	10	12	12	15	13
1999.....	448	14	11	6	8	4	8	5	11	22	28
White, both sexes											
2000.....	590	11	15	8	2	15	10	21	13	27	31
1999.....	703	12	12	7	6	9	15	13	22	41	38
White, male											
2000.....	309	6	11	4	1	8	5	11	7	18	21
1999.....	351	7	5	4	2	7	8	10	14	24	23
White, female											
2000.....	281	5	4	4	1	7	5	10	6	9	10
1999.....	352	5	7	3	4	2	7	3	8	17	15
All other, both sexes											
2000.....	177	9	9	1	9	2	11	8	11	18	10
1999.....	187	15	13	4	4	3	5	6	9	13	22
All other, male											
2000.....	95	4	2	-	4	2	6	6	5	12	7
1999.....	91	6	9	1	-	1	4	4	6	8	9
All other, female											
2000.....	82	5	7	1	5	-	5	2	6	6	3
1999.....	96	9	4	3	4	2	1	2	3	5	13
Black, both sexes											
2000.....	142	7	8	1	7	1	7	6	10	14	10
1999.....	160	10	12	4	4	3	3	6	8	12	19
Black, male											
2000.....	72	4	2	-	3	1	2	5	5	9	7
1999.....	77	4	9	1	-	1	2	4	6	7	7
Black, female											
2000.....	70	3	6	1	4	-	5	1	5	5	3
1999.....	83	6	3	3	4	2	1	2	2	5	12

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other diseases of endocardium (I34-I38)											
All races, both sexes											
2000.....	19,737	8	7	4	10	16	30	48	71	141	199
1999.....	19,612	5	2	5	7	30	36	43	98	138	241
All races, male											
2000.....	7,544	3	3	3	6	8	18	26	31	76	116
1999.....	7,586	4	-	3	1	17	20	18	51	86	135
All races, female											
2000.....	12,193	5	4	1	4	8	12	22	40	65	83
1999.....	12,026	1	2	2	6	13	16	25	47	52	106
White, both sexes											
2000.....	18,230	8	6	4	6	13	19	34	53	101	144
1999.....	18,067	5	2	4	5	23	27	29	79	108	174
White, male											
2000.....	6,923	3	3	3	4	7	10	19	22	54	90
1999.....	6,940	4	-	2	1	13	15	11	41	68	101
White, female											
2000.....	11,307	5	3	1	2	6	9	15	31	47	54
1999.....	11,127	1	2	2	4	10	12	18	38	40	73
All other, both sexes											
2000.....	1,507	-	1	-	4	3	11	14	18	40	55
1999.....	1,545	-	-	1	2	7	9	14	19	30	67
All other, male											
2000.....	621	-	-	-	2	1	8	7	9	22	26
1999.....	646	-	-	1	-	4	5	7	10	18	34
All other, female											
2000.....	886	-	1	-	2	2	3	7	9	18	29
1999.....	899	-	-	-	2	3	4	7	9	12	33
Black, both sexes											
2000.....	1,273	-	1	-	3	3	8	13	18	33	53
1999.....	1,270	-	-	1	1	6	8	14	18	27	62
Black, male											
2000.....	514	-	-	-	2	1	6	6	9	18	24
1999.....	515	-	-	1	-	4	4	7	9	17	30
Black, female											
2000.....	759	-	1	-	1	2	2	7	9	15	29
1999.....	755	-	-	-	1	2	4	7	9	10	32

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Nonrheumatic mitral valve disorders (I34)											
All races, both sexes											
2000.....	2,865	1	3	2	5	6	14	14	28	44	59
1999.....	2,895	-	-	-	4	9	15	19	35	40	71
All races, male											
2000.....	1,001	-	-	1	2	2	6	6	8	16	22
1999.....	1,010	-	-	-	1	1	4	5	14	25	30
All races, female											
2000.....	1,864	1	3	1	3	4	8	8	20	28	37
1999.....	1,885	-	-	-	3	8	11	14	21	15	41
White, both sexes											
2000.....	2,636	1	3	2	3	5	11	10	24	37	47
1999.....	2,643	-	-	-	3	7	11	13	30	37	57
White, male											
2000.....	928	-	-	1	1	2	6	5	6	13	17
1999.....	930	-	-	-	1	-	3	3	13	23	24
White, female											
2000.....	1,708	1	3	1	2	3	5	5	18	24	30
1999.....	1,713	-	-	-	2	7	8	10	17	14	33
All other, both sexes											
2000.....	229	-	-	-	2	1	3	4	4	7	12
1999.....	252	-	-	-	1	2	4	6	5	3	14
All other, male											
2000.....	73	-	-	-	1	-	-	1	2	3	5
1999.....	80	-	-	-	-	1	1	2	1	2	6
All other, female											
2000.....	156	-	-	-	1	1	3	3	2	4	7
1999.....	172	-	-	-	1	1	3	4	4	1	8
Black, both sexes											
2000.....	192	-	-	-	1	1	2	4	4	7	11
1999.....	194	-	-	-	1	1	4	6	5	3	13
Black, male											
2000.....	59	-	-	-	1	-	-	1	2	3	4
1999.....	57	-	-	-	-	1	1	2	1	2	5
Black, female											
2000.....	133	-	-	-	-	1	2	3	2	4	7
1999.....	137	-	-	-	1	-	3	4	4	1	8

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Nonrheumatic aortic valve disorders (I35)											
All races, both sexes											
2000.....	12,380	4	2	-	3	7	6	21	16	38	67
1999.....	12,212	3	2	4	1	9	8	12	20	47	75
All races, male											
2000.....	4,836	2	2	-	2	5	5	13	11	24	49
1999.....	4,851	3	-	3	-	7	7	8	16	34	48
All races, female											
2000.....	7,544	2	-	-	1	2	1	8	5	14	18
1999.....	7,361	-	2	1	1	2	1	4	4	13	27
White, both sexes											
2000.....	11,633	4	2	-	2	7	3	17	12	24	51
1999.....	11,432	3	2	3	1	8	3	7	16	37	57
White, male											
2000.....	4,520	2	2	-	2	5	2	11	8	16	39
1999.....	4,503	3	-	2	-	6	3	5	12	27	37
White, female											
2000.....	7,113	2	-	-	-	2	1	6	4	8	12
1999.....	6,929	-	2	1	1	2	-	2	4	10	20
All other, both sexes											
2000.....	747	-	-	-	1	-	3	4	4	14	16
1999.....	780	-	-	1	-	1	5	5	4	10	18
All other, male											
2000.....	316	-	-	-	-	-	3	2	3	8	10
1999.....	348	-	-	1	-	1	4	3	4	7	11
All other, female											
2000.....	431	-	-	-	1	-	-	2	1	6	6
1999.....	432	-	-	-	-	-	1	2	-	3	7
Black, both sexes											
2000.....	614	-	-	-	1	-	2	3	4	9	15
1999.....	625	-	-	1	-	1	4	5	4	9	14
Black, male											
2000.....	250	-	-	-	-	-	2	1	3	5	9
1999.....	271	-	-	1	-	1	3	3	4	7	8
Black, female											
2000.....	364	-	-	-	1	-	-	2	1	4	6
1999.....	354	-	-	-	-	-	1	2	-	2	6

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
All other diseases of endocardium (I36-I38)											
All races, both sexes											
2000.....	4,492	3	2	2	2	3	10	13	27	59	73
1999.....	4,505	2	-	1	2	12	13	12	43	51	95
All races, male											
2000.....	1,707	1	1	2	2	1	7	7	12	36	45
1999.....	1,725	1	-	-	-	9	9	5	21	27	57
All races, female											
2000.....	2,785	2	1	-	-	2	3	6	15	23	28
1999.....	2,780	1	-	1	2	3	4	7	22	24	38
White, both sexes											
2000.....	3,961	3	1	2	1	1	5	7	17	40	46
1999.....	3,992	2	-	1	1	8	13	9	33	34	60
White, male											
2000.....	1,475	1	1	2	1	-	2	3	8	25	34
1999.....	1,507	1	-	-	-	7	9	3	16	18	40
White, female											
2000.....	2,486	2	-	-	-	1	3	4	9	15	12
1999.....	2,485	1	-	1	1	1	4	6	17	16	20
All other, both sexes											
2000.....	531	-	1	-	1	2	5	6	10	19	27
1999.....	513	-	-	-	1	4	-	3	10	17	35
All other, male											
2000.....	232	-	-	-	1	1	5	4	4	11	11
1999.....	218	-	-	-	-	2	-	2	5	9	17
All other, female											
2000.....	299	-	1	-	-	1	-	2	6	8	16
1999.....	295	-	-	-	1	2	-	1	5	8	18
Black, both sexes											
2000.....	467	-	1	-	1	2	4	6	10	17	27
1999.....	451	-	-	-	-	4	-	3	9	15	35
Black, male											
2000.....	205	-	-	-	1	1	4	4	4	10	11
1999.....	187	-	-	-	-	2	-	2	4	8	17
Black, female											
2000.....	262	-	1	-	-	1	-	2	6	7	16
1999.....	264	-	-	-	-	2	-	1	5	7	18

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Cardiomyopathy (I42)											
All races, both sexes											
2000.....	27,213	118	39	25	52	102	168	232	376	591	912
1999.....	27,260	132	36	25	49	125	129	236	366	686	922
All races, male											
2000.....	15,696	54	22	15	38	74	115	153	267	410	660
1999.....	15,688	61	18	12	33	93	86	161	248	488	666
All races, female											
2000.....	11,517	64	17	10	14	28	53	79	109	181	252
1999.....	11,572	71	18	13	16	32	43	75	118	198	256
White, both sexes											
2000.....	21,945	90	28	16	33	55	97	130	225	354	585
1999.....	21,910	91	28	19	27	69	75	137	234	424	567
White, male											
2000.....	12,596	41	13	9	26	38	72	90	162	253	425
1999.....	12,514	40	16	8	18	49	51	96	165	303	433
White, female											
2000.....	9,349	49	15	7	7	17	25	40	63	101	160
1999.....	9,396	51	12	11	9	20	24	41	69	121	134
All other, both sexes											
2000.....	5,268	28	11	9	19	47	71	102	151	237	327
1999.....	5,350	41	8	6	22	56	54	99	132	262	355
All other, male											
2000.....	3,100	13	9	6	12	36	43	63	105	157	235
1999.....	3,174	21	2	4	15	44	35	65	83	185	233
All other, female											
2000.....	2,168	15	2	3	7	11	28	39	46	80	92
1999.....	2,176	20	6	2	7	12	19	34	49	77	122
Black, both sexes											
2000.....	4,710	22	9	8	16	42	65	98	133	214	301
1999.....	4,770	31	5	6	20	54	51	86	121	237	333
Black, male											
2000.....	2,742	9	7	5	10	32	40	60	91	138	214
1999.....	2,823	17	1	4	14	42	33	58	76	165	217
Black, female											
2000.....	1,968	13	2	3	6	10	25	38	42	76	87
1999.....	1,947	14	4	2	6	12	18	28	45	72	116

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Conduction disorders and cardiac dysrhythmias (I44-I49)											
All races, both sexes											
2000.....	38,330	39	28	9	36	82	97	115	163	297	556
1999.....	39,976	39	40	17	37	84	98	130	187	291	550
All races, male											
2000.....	16,748	21	18	7	21	53	56	74	93	186	336
1999.....	17,683	24	24	11	23	49	61	79	116	173	344
All races, female											
2000.....	21,582	18	10	2	15	29	41	41	70	111	220
1999.....	22,293	15	16	6	14	35	37	51	71	118	206
White, both sexes											
2000.....	33,231	29	21	5	24	60	72	81	113	216	406
1999.....	34,726	25	31	10	30	67	66	91	126	197	425
White, male											
2000.....	14,399	15	15	4	15	41	44	55	69	136	259
1999.....	15,172	16	21	7	18	40	41	57	83	126	278
White, female											
2000.....	18,832	14	6	1	9	19	28	26	44	80	147
1999.....	19,554	9	10	3	12	27	25	34	43	71	147
All other, both sexes											
2000.....	5,099	10	7	4	12	22	25	34	50	81	150
1999.....	5,250	14	9	7	7	17	32	39	61	94	125
All other, male											
2000.....	2,349	6	3	3	6	12	12	19	24	50	77
1999.....	2,511	8	3	4	5	9	20	22	33	47	66
All other, female											
2000.....	2,750	4	4	1	6	10	13	15	26	31	73
1999.....	2,739	6	6	3	2	8	12	17	28	47	59
Black, both sexes											
2000.....	4,486	10	7	3	8	19	23	29	46	74	135
1999.....	4,708	13	8	7	6	16	30	38	55	92	115
Black, male											
2000.....	2,033	6	3	2	4	9	10	18	22	46	67
1999.....	2,215	7	3	4	5	9	19	21	29	46	61
Black, female											
2000.....	2,453	4	4	1	4	10	13	11	24	28	68
1999.....	2,493	6	5	3	1	7	11	17	26	46	54

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Heart failure (I50)											
All races, both sexes											
2000.....	55,704	31	9	10	11	21	13	27	36	77	185
1999.....	54,913	11	10	5	7	14	17	27	38	88	184
All races, male											
2000.....	21,175	22	7	4	5	11	9	15	21	40	119
1999.....	20,755	5	7	3	3	12	11	13	19	52	112
All races, female											
2000.....	34,529	9	2	6	6	10	4	12	15	37	66
1999.....	34,158	6	3	2	4	2	6	14	19	36	72
White, both sexes											
2000.....	50,142	19	5	7	9	12	5	15	23	44	120
1999.....	49,317	8	8	3	6	9	9	13	21	58	116
White, male											
2000.....	18,949	14	5	3	4	5	5	9	13	25	84
1999.....	18,469	3	5	2	3	8	6	6	11	34	77
White, female											
2000.....	31,193	5	-	4	5	7	-	6	10	19	36
1999.....	30,848	5	3	1	3	1	3	7	10	24	39
All other, both sexes											
2000.....	5,562	12	4	3	2	9	8	12	13	33	65
1999.....	5,596	3	2	2	1	5	8	14	17	30	68
All other, male											
2000.....	2,226	8	2	1	1	6	4	6	8	15	35
1999.....	2,286	2	2	1	-	4	5	7	8	18	35
All other, female											
2000.....	3,336	4	2	2	1	3	4	6	5	18	30
1999.....	3,310	1	-	1	1	1	3	7	9	12	33
Black, both sexes											
2000.....	4,965	12	4	2	2	8	5	12	12	32	62
1999.....	4,998	3	2	2	1	4	8	13	17	28	66
Black, male											
2000.....	1,951	8	2	1	1	5	3	6	7	14	33
1999.....	2,021	2	2	1	-	3	5	7	8	16	35
Black, female											
2000.....	3,014	4	2	1	1	3	2	6	5	18	29
1999.....	2,977	1	-	1	1	1	3	6	9	12	31

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Congestive heart failure (I50.0)											
All races, both sexes											
2000.....	51,546	10	6	4	7	13	8	20	28	57	150
1999.....	50,824	4	7	5	4	10	12	20	26	67	146
All races, male											
2000.....	19,384	7	4	2	4	6	5	10	16	26	91
1999.....	18,987	1	4	3	2	9	7	9	15	41	89
All races, female											
2000.....	32,162	3	2	2	3	7	3	10	12	31	59
1999.....	31,837	3	3	2	2	1	5	11	11	26	57
White, both sexes											
2000.....	46,583	6	3	2	5	8	4	11	19	32	97
1999.....	45,798	3	6	3	4	8	6	7	14	43	94
White, male											
2000.....	17,440	4	3	1	3	4	4	6	10	16	62
1999.....	16,954	1	3	2	2	7	4	2	9	24	62
White, female											
2000.....	29,143	2	-	1	2	4	-	5	9	16	35
1999.....	28,844	2	3	1	2	1	2	5	5	19	32
All other, both sexes											
2000.....	4,963	4	3	2	2	5	4	9	9	25	53
1999.....	5,026	1	1	2	-	2	6	13	12	24	52
All other, male											
2000.....	1,944	3	1	1	1	2	1	4	6	10	29
1999.....	2,033	-	1	1	-	2	3	7	6	17	27
All other, female											
2000.....	3,019	1	2	1	1	3	3	5	3	15	24
1999.....	2,993	1	-	1	-	-	3	6	6	7	25
Black, both sexes											
2000.....	4,427	4	3	1	2	5	1	9	9	24	50
1999.....	4,488	1	1	2	-	2	6	13	12	22	51
Black, male											
2000.....	1,701	3	1	1	1	2	-	4	6	9	27
1999.....	1,797	-	1	1	-	2	3	7	6	15	27
Black, female											
2000.....	2,726	1	2	-	1	3	1	5	3	15	23
1999.....	2,691	1	-	1	-	-	3	6	6	7	24

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other and unspecified heart failure (I50.1-I50.9)											
All races, both sexes											
2000.....	4,158	21	3	6	4	8	5	7	8	20	35
1999.....	4,089	7	3	-	3	4	5	7	12	21	38
All races, male											
2000.....	1,791	15	3	2	1	5	4	5	5	14	28
1999.....	1,768	4	3	-	1	3	4	4	4	11	23
All races, female											
2000.....	2,367	6	-	4	3	3	1	2	3	6	7
1999.....	2,321	3	-	-	2	1	1	3	8	10	15
White, both sexes											
2000.....	3,559	13	2	5	4	4	1	4	4	12	23
1999.....	3,519	5	2	-	2	1	3	6	7	15	22
White, male											
2000.....	1,509	10	2	2	1	1	1	3	3	9	22
1999.....	1,515	2	2	-	1	1	2	4	2	10	15
White, female											
2000.....	2,050	3	-	3	3	3	-	1	1	3	1
1999.....	2,004	3	-	-	1	-	1	2	5	5	7
All other, both sexes											
2000.....	599	8	1	1	-	4	4	3	4	8	12
1999.....	570	2	1	-	1	3	2	1	5	6	16
All other, male											
2000.....	282	5	1	-	-	4	3	2	2	5	6
1999.....	253	2	1	-	-	2	2	-	2	1	8
All other, female											
2000.....	317	3	-	1	-	-	1	1	2	3	6
1999.....	317	-	-	-	1	1	-	1	3	5	8
Black, both sexes											
2000.....	538	8	1	1	-	3	4	3	3	8	12
1999.....	510	2	1	-	1	2	2	-	5	6	15
Black, male											
2000.....	250	5	1	-	-	3	3	2	1	5	6
1999.....	224	2	1	-	-	1	2	-	2	1	8
Black, female											
2000.....	288	3	-	1	-	-	1	1	2	3	6
1999.....	286	-	-	-	1	1	-	-	3	5	7

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Myocarditis, unspecified and myocardial degeneration (I51.4-I51.5)											
All races, both sexes											
2000.....	687	22	22	10	14	28	24	33	44	55	59
1999.....	725	26	34	11	13	36	37	32	47	59	62
All races, male											
2000.....	337	13	11	6	8	16	11	19	25	30	33
1999.....	376	17	18	6	9	19	24	20	32	39	30
All races, female											
2000.....	350	9	11	4	6	12	13	14	19	25	26
1999.....	349	9	16	5	4	17	13	12	15	20	32
White, both sexes											
2000.....	542	15	13	7	6	21	19	22	36	41	42
1999.....	555	12	17	8	9	28	27	21	29	38	49
White, male											
2000.....	265	9	8	5	4	12	9	13	22	23	24
1999.....	279	8	8	5	7	14	19	14	21	24	25
White, female											
2000.....	277	6	5	2	2	9	10	9	14	18	18
1999.....	276	4	9	3	2	14	8	7	8	14	24
All other, both sexes											
2000.....	145	7	9	3	8	7	5	11	8	14	17
1999.....	170	14	17	3	4	8	10	11	18	21	13
All other, male											
2000.....	72	4	3	1	4	4	2	6	3	7	9
1999.....	97	9	10	1	2	5	5	6	11	15	5
All other, female											
2000.....	73	3	6	2	4	3	3	5	5	7	8
1999.....	73	5	7	2	2	3	5	5	7	6	8
Black, both sexes											
2000.....	129	7	8	3	6	7	5	10	7	14	15
1999.....	147	13	15	3	3	7	10	9	16	20	12
Black, male											
2000.....	62	4	3	1	3	4	2	5	2	7	7
1999.....	84	8	9	1	1	5	5	5	9	14	5
Black, female											
2000.....	67	3	5	2	3	3	3	5	5	7	8
1999.....	63	5	6	2	2	2	5	4	7	6	7

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

All races, both sexes											
2000.....	8,771	31	6	10	5	35	54	65	103	140	253
1999.....	8,092	30	10	4	12	35	43	49	103	170	230
All races, male											
2000.....	4,348	14	6	7	2	30	46	46	84	100	185
1999.....	4,063	15	7	2	7	26	33	40	82	125	161
All races, female											
2000.....	4,423	17	-	3	3	5	8	19	19	40	68
1999.....	4,029	15	3	2	5	9	10	9	21	45	69
White, both sexes											
2000.....	7,373	20	4	4	3	19	29	39	77	95	180
1999.....	6,797	21	7	3	7	25	26	33	70	120	156
White, male											
2000.....	3,606	9	4	3	1	17	25	27	67	75	138
1999.....	3,392	12	6	1	3	19	21	28	56	95	112
White, female											
2000.....	3,767	11	-	1	2	2	4	12	10	20	42
1999.....	3,405	9	1	2	4	6	5	5	14	25	44
All other, both sexes											
2000.....	1,398	11	2	6	2	16	25	26	26	45	73
1999.....	1,295	9	3	1	5	10	17	16	33	50	74
All other, male											
2000.....	742	5	2	4	1	13	21	19	17	25	47
1999.....	671	3	1	1	4	7	12	12	26	30	49
All other, female											
2000.....	656	6	-	2	1	3	4	7	9	20	26
1999.....	624	6	2	-	1	3	5	4	7	20	25
Black, both sexes											
2000.....	1,279	8	2	5	2	15	22	23	24	42	68
1999.....	1,176	8	3	1	4	9	15	16	32	43	71
Black, male											
2000.....	674	3	2	3	1	12	18	17	16	24	43
1999.....	615	2	1	1	3	7	10	12	25	27	47
Black, female											
2000.....	605	5	-	2	1	3	4	6	8	18	25
1999.....	561	6	2	-	1	2	5	4	7	16	24

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Cerebrovascular diseases (I60-I69)											
All races, both sexes											
2000.....	167,661	124	47	25	51	67	132	209	393	880	1,719
1999.....	167,366	103	46	26	39	67	115	202	378	916	1,658
All races, male											
2000.....	64,769	74	19	12	21	38	68	111	197	430	867
1999.....	64,485	65	22	17	17	36	59	102	197	449	859
All races, female											
2000.....	102,892	50	28	13	30	29	64	98	196	450	852
1999.....	102,881	38	24	9	22	31	56	100	181	467	799
White, both sexes											
2000.....	144,580	75	30	21	34	51	97	160	260	558	1,087
1999.....	144,827	70	34	23	26	46	89	145	257	602	1,044
White, male											
2000.....	54,938	46	14	12	14	33	51	89	136	282	560
1999.....	54,867	43	16	16	11	28	44	73	140	300	556
White, female											
2000.....	89,642	29	16	9	20	18	46	71	124	276	527
1999.....	89,960	27	18	7	15	18	45	72	117	302	488
All other, both sexes											
2000.....	23,081	49	17	4	17	16	35	49	133	322	632
1999.....	22,539	33	12	3	13	21	26	57	121	314	614
All other, male											
2000.....	9,831	28	5	-	7	5	17	22	61	148	307
1999.....	9,618	22	6	1	6	8	15	29	57	149	303
All other, female											
2000.....	13,250	21	12	4	10	11	18	27	72	174	325
1999.....	12,921	11	6	2	7	13	11	28	64	165	311
Black, both sexes											
2000.....	19,221	46	14	2	13	13	30	41	119	283	553
1999.....	18,884	28	10	3	12	18	23	50	100	268	548
Black, male											
2000.....	8,026	27	3	-	5	4	15	18	53	127	270
1999.....	7,894	18	4	1	6	7	12	24	48	124	269
Black, female											
2000.....	11,195	19	11	2	8	9	15	23	66	156	283
1999.....	10,990	10	6	2	6	11	11	26	52	144	279

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Subarachnoid hemorrhage (I60)											
All races, both sexes											
2000.....	6,538	2	-	8	14	18	60	83	153	302	551
1999.....	6,489	4	4	3	8	24	39	80	153	360	582
All races, male											
2000.....	2,230	1	-	5	5	10	31	44	68	115	219
1999.....	2,239	2	2	2	2	14	17	44	74	152	241
All races, female											
2000.....	4,308	1	-	3	9	8	29	39	85	187	332
1999.....	4,250	2	2	1	6	10	22	36	79	208	341
White, both sexes											
2000.....	5,272	2	-	7	9	14	43	71	113	219	391
1999.....	5,264	4	4	3	4	18	34	60	115	263	421
White, male											
2000.....	1,845	1	-	5	3	9	23	40	57	90	164
1999.....	1,857	2	2	2	1	11	15	34	61	115	190
White, female											
2000.....	3,427	1	-	2	6	5	20	31	56	129	227
1999.....	3,407	2	2	1	3	7	19	26	54	148	231
All other, both sexes											
2000.....	1,266	-	-	1	5	4	17	12	40	83	160
1999.....	1,225	-	-	-	4	6	5	20	38	97	161
All other, male											
2000.....	385	-	-	-	2	1	8	4	11	25	55
1999.....	382	-	-	-	1	3	2	10	13	37	51
All other, female											
2000.....	881	-	-	1	3	3	9	8	29	58	105
1999.....	843	-	-	-	3	3	3	10	25	60	110
Black, both sexes											
2000.....	971	-	-	-	4	3	15	11	36	73	132
1999.....	937	-	-	-	3	6	5	18	32	79	139
Black, male											
2000.....	292	-	-	-	2	-	8	3	9	22	48
1999.....	307	-	-	-	1	3	2	8	12	31	45
Black, female											
2000.....	679	-	-	-	2	3	7	8	27	51	84
1999.....	630	-	-	-	2	3	3	10	20	48	94

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Intracerebral and other intracranial hemorrhage (I61-I62)											
All races, both sexes											
2000.....	27,402	41	6	9	15	25	49	63	141	342	715
1999.....	25,461	41	9	10	11	24	39	68	124	352	632
All races, male											
2000.....	12,533	26	4	4	5	14	25	40	80	196	403
1999.....	11,564	25	5	7	3	15	23	33	77	199	378
All races, female											
2000.....	14,869	15	2	5	10	11	24	23	61	146	312
1999.....	13,897	16	4	3	8	9	16	35	47	153	254
White, both sexes											
2000.....	22,615	22	5	7	9	17	38	49	83	194	399
1999.....	21,037	25	5	8	10	15	27	47	73	199	344
White, male											
2000.....	10,131	13	3	4	3	11	20	30	47	114	230
1999.....	9,380	15	2	7	3	12	15	21	50	114	209
White, female											
2000.....	12,484	9	2	3	6	6	18	19	36	80	169
1999.....	11,657	10	3	1	7	3	12	26	23	85	135
All other, both sexes											
2000.....	4,787	19	1	2	6	8	11	14	58	148	316
1999.....	4,424	16	4	2	1	9	12	21	51	153	288
All other, male											
2000.....	2,402	13	1	-	2	3	5	10	33	82	173
1999.....	2,184	10	3	-	-	3	8	12	27	85	169
All other, female											
2000.....	2,385	6	-	2	4	5	6	4	25	66	143
1999.....	2,240	6	1	2	1	6	4	9	24	68	119
Black, both sexes											
2000.....	3,777	17	-	1	4	7	8	11	54	131	280
1999.....	3,443	16	3	2	1	9	10	18	40	131	259
Black, male											
2000.....	1,898	12	-	-	1	3	3	7	29	72	153
1999.....	1,689	10	2	-	-	3	6	11	20	69	150
Black, female											
2000.....	1,879	5	-	1	3	4	5	4	25	59	127
1999.....	1,754	6	1	2	1	6	4	7	20	62	109

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Cerebral infarction (I63)											
All races, both sexes											
2000.....	13,747	17	5	3	8	5	7	12	26	52	101
1999.....	14,804	13	9	6	3	2	9	12	23	52	100
All races, male											
2000.....	5,386	11	-	-	2	1	4	4	8	28	55
1999.....	5,777	9	4	3	3	1	4	8	12	30	53
All races, female											
2000.....	8,361	6	5	3	6	4	3	8	18	24	46
1999.....	9,027	4	5	3	-	1	5	4	11	22	47
White, both sexes											
2000.....	11,962	12	3	2	5	5	4	8	12	37	60
1999.....	12,962	8	6	6	2	2	5	12	16	42	68
White, male											
2000.....	4,604	7	-	-	2	1	2	4	2	20	36
1999.....	4,967	4	2	3	2	1	2	8	7	26	38
White, female											
2000.....	7,358	5	3	2	3	4	2	4	10	17	24
1999.....	7,995	4	4	3	-	1	3	4	9	16	30
All other, both sexes											
2000.....	1,785	5	2	1	3	-	3	4	14	15	41
1999.....	1,842	5	3	-	1	-	4	-	7	10	32
All other, male											
2000.....	782	4	-	-	-	-	2	-	6	8	19
1999.....	810	5	2	-	1	-	2	-	5	4	15
All other, female											
2000.....	1,003	1	2	1	3	-	1	4	8	7	22
1999.....	1,032	-	1	-	-	-	2	-	2	6	17
Black, both sexes											
2000.....	1,506	5	2	1	3	-	3	2	12	12	35
1999.....	1,588	3	2	-	1	-	3	-	6	9	29
Black, male											
2000.....	641	4	-	-	-	-	2	-	6	6	15
1999.....	689	3	1	-	1	-	1	-	4	3	12
Black, female											
2000.....	865	1	2	1	3	-	1	2	6	6	20
1999.....	899	-	1	-	-	-	2	-	2	6	17

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Stroke, not specified as hemorrhage or infarction (I64)											
All races, both sexes											
2000.....	90,379	2	6	1	4	7	7	33	51	123	262
1999.....	91,051	5	2	-	3	6	13	24	51	97	249
All races, male											
2000.....	33,425	-	3	-	2	4	3	16	32	64	141
1999.....	33,756	2	1	-	1	3	5	11	23	42	146
All races, female											
2000.....	56,954	2	3	1	2	3	4	17	19	59	121
1999.....	57,295	3	1	-	2	3	8	13	28	55	103
White, both sexes											
2000.....	78,787	2	3	1	4	4	4	19	35	68	177
1999.....	79,569	5	2	-	2	4	9	16	33	61	145
White, male											
2000.....	28,632	-	2	-	2	3	2	8	23	40	99
1999.....	29,042	2	1	-	-	2	3	7	12	28	93
White, female											
2000.....	50,155	2	1	1	2	1	2	11	12	28	78
1999.....	50,527	3	1	-	2	2	6	9	21	33	52
All other, both sexes											
2000.....	11,592	-	3	-	-	3	3	14	16	55	85
1999.....	11,482	-	-	-	1	2	4	8	18	36	104
All other, male											
2000.....	4,793	-	1	-	-	1	1	8	9	24	42
1999.....	4,714	-	-	-	1	1	2	4	11	14	53
All other, female											
2000.....	6,799	-	2	-	-	2	2	6	7	31	43
1999.....	6,768	-	-	-	-	1	2	4	7	22	51
Black, both sexes											
2000.....	9,970	-	3	-	-	3	3	14	12	50	81
1999.....	9,931	-	-	-	1	-	4	7	16	32	95
Black, male											
2000.....	4,041	-	1	-	-	1	1	8	7	21	39
1999.....	3,995	-	-	-	1	-	2	3	11	13	49
Black, female											
2000.....	5,929	-	2	-	-	2	2	6	5	29	42
1999.....	5,936	-	-	-	-	-	2	4	5	19	46

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other cerebrovascular diseases and their sequelae (I67,I69)											
All races, both sexes											
2000.....	29,595	62	30	4	10	12	9	18	22	61	90
1999.....	29,561	40	22	7	14	11	15	18	27	55	95
All races, male											
2000.....	11,195	36	12	3	7	9	5	7	9	27	49
1999.....	11,149	27	10	5	8	3	10	6	11	26	41
All races, female											
2000.....	18,400	26	18	1	3	3	4	11	13	34	41
1999.....	18,412	13	12	2	6	8	5	12	16	29	54
White, both sexes											
2000.....	25,944	37	19	4	7	11	8	13	17	40	60
1999.....	25,995	28	17	6	8	7	14	10	20	37	66
White, male											
2000.....	9,726	25	9	3	4	9	4	7	7	18	31
1999.....	9,621	20	9	4	5	2	9	3	10	17	26
White, female											
2000.....	16,218	12	10	1	3	2	4	6	10	22	29
1999.....	16,374	8	8	2	3	5	5	7	10	20	40
All other, both sexes											
2000.....	3,651	25	11	-	3	1	1	5	5	21	30
1999.....	3,566	12	5	1	6	4	1	8	7	18	29
All other, male											
2000.....	1,469	11	3	-	3	-	1	-	2	9	18
1999.....	1,528	7	1	1	3	1	1	3	1	9	15
All other, female											
2000.....	2,182	14	8	-	-	1	-	5	3	12	12
1999.....	2,038	5	4	-	3	3	-	5	6	9	14
Black, both sexes											
2000.....	2,997	24	9	-	2	-	1	3	5	17	25
1999.....	2,985	9	5	1	6	3	1	7	6	17	26
Black, male											
2000.....	1,154	11	2	-	2	-	1	-	2	6	15
1999.....	1,214	5	1	1	3	1	1	2	1	8	13
Black, female											
2000.....	1,843	13	7	-	-	-	-	3	3	11	10
1999.....	1,771	4	4	-	3	2	-	5	5	9	13

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Diseases of arteries, arterioles and capillaries (I70-I78)											
All races, both sexes											
2000.....	40,429	18	5	3	8	17	45	52	110	173	323
1999.....	40,788	14	2	2	9	15	36	52	97	194	329
All races, male											
2000.....	19,441	6	2	1	6	9	26	37	72	102	209
1999.....	19,237	10	-	1	6	10	22	36	71	128	200
All races, female											
2000.....	20,988	12	3	2	2	8	19	15	38	71	114
1999.....	21,551	4	2	1	3	5	14	16	26	66	129
White, both sexes											
2000.....	36,145	15	4	2	5	14	33	36	80	130	214
1999.....	36,689	10	2	2	6	14	30	39	73	152	237
White, male											
2000.....	17,486	4	2	1	5	7	21	25	57	76	142
1999.....	17,376	7	-	1	4	9	18	27	54	102	148
White, female											
2000.....	18,659	11	2	1	-	7	12	11	23	54	72
1999.....	19,313	3	2	1	2	5	12	12	19	50	89
All other, both sexes											
2000.....	4,284	3	1	1	3	3	12	16	30	43	109
1999.....	4,099	4	-	-	3	1	6	13	24	42	92
All other, male											
2000.....	1,955	2	-	-	1	2	5	12	15	26	67
1999.....	1,861	3	-	-	2	1	4	9	17	26	52
All other, female											
2000.....	2,329	1	1	1	2	1	7	4	15	17	42
1999.....	2,238	1	-	-	1	-	2	4	7	16	40
Black, both sexes											
2000.....	3,649	3	-	1	3	2	11	13	26	38	98
1999.....	3,503	4	-	-	-	1	6	12	20	37	84
Black, male											
2000.....	1,622	2	-	-	1	1	5	9	14	23	61
1999.....	1,543	3	-	-	-	1	4	8	16	22	45
Black, female											
2000.....	2,027	1	-	1	2	1	6	4	12	15	37
1999.....	1,960	1	-	-	-	-	2	4	4	15	39

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Aortic aneurysm and dissection (I71)											
All races, both sexes											
2000.....	15,810	-	-	-	5	10	26	38	69	103	200
1999.....	15,807	1	1	-	3	8	23	33	60	134	195
All races, male											
2000.....	9,661	-	-	-	3	7	16	30	48	72	147
1999.....	9,615	1	-	-	2	6	14	25	53	98	134
All races, female											
2000.....	6,149	-	-	-	2	3	10	8	21	31	53
1999.....	6,192	-	1	-	1	2	9	8	7	36	61
White, both sexes											
2000.....	14,210	-	-	-	2	9	17	27	50	75	129
1999.....	14,336	1	1	-	2	8	19	25	45	105	135
White, male											
2000.....	8,797	-	-	-	2	6	12	19	37	52	97
1999.....	8,817	1	-	-	1	6	11	19	39	77	95
White, female											
2000.....	5,413	-	-	-	-	3	5	8	13	23	32
1999.....	5,519	-	1	-	1	2	8	6	6	28	40
All other, both sexes											
2000.....	1,600	-	-	-	3	1	9	11	19	28	71
1999.....	1,471	-	-	-	1	-	4	8	15	29	60
All other, male											
2000.....	864	-	-	-	1	1	4	11	11	20	50
1999.....	798	-	-	-	1	-	3	6	14	21	39
All other, female											
2000.....	736	-	-	-	2	-	5	-	8	8	21
1999.....	673	-	-	-	-	-	1	2	1	8	21
Black, both sexes											
2000.....	1,277	-	-	-	3	1	8	8	17	25	65
1999.....	1,181	-	-	-	-	-	4	8	13	24	56
Black, male											
2000.....	671	-	-	-	1	1	4	8	11	18	46
1999.....	619	-	-	-	-	-	3	6	13	17	35
Black, female											
2000.....	606	-	-	-	2	-	4	-	6	7	19
1999.....	562	-	-	-	-	-	1	2	-	7	21

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other diseases of arteries, arterioles and capillaries (I72-I78)											
All races, both sexes											
2000.....	10,226	16	5	3	3	7	16	11	36	54	91
1999.....	10,002	11	1	2	6	6	12	18	30	44	105
All races, male											
2000.....	4,423	6	2	1	3	2	8	6	19	20	37
1999.....	4,179	8	-	1	4	4	8	10	14	19	45
All races, female											
2000.....	5,803	10	3	2	-	5	8	5	17	34	54
1999.....	5,823	3	1	1	2	2	4	8	16	25	60
White, both sexes											
2000.....	8,753	13	4	2	3	5	13	8	26	43	61
1999.....	8,616	8	1	2	4	5	10	13	23	33	83
White, male											
2000.....	3,814	4	2	1	3	1	7	5	16	15	26
1999.....	3,627	5	-	1	3	3	7	7	12	15	39
White, female											
2000.....	4,939	9	2	1	-	4	6	3	10	28	35
1999.....	4,989	3	1	1	1	2	3	6	11	18	44
All other, both sexes											
2000.....	1,473	3	1	1	-	2	3	3	10	11	30
1999.....	1,386	3	-	-	2	1	2	5	7	11	22
All other, male											
2000.....	609	2	-	-	-	1	1	1	3	5	11
1999.....	552	3	-	-	1	1	1	3	2	4	6
All other, female											
2000.....	864	1	1	1	-	1	2	2	7	6	19
1999.....	834	-	-	-	1	-	1	2	5	7	16
Black, both sexes											
2000.....	1,318	3	-	1	-	1	3	3	8	9	25
1999.....	1,253	3	-	-	-	1	2	4	5	11	21
Black, male											
2000.....	536	2	-	-	-	-	1	1	2	4	9
1999.....	492	3	-	-	-	1	1	2	2	4	5
Black, female											
2000.....	782	1	-	1	-	1	2	2	6	5	16
1999.....	761	-	-	-	-	-	1	2	3	7	16

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other disorders of circulatory system (I80-I99)											
All races, both sexes											
2000.....	4,603	27	4	5	7	10	27	58	75	125	194
1999.....	4,025	23	1	1	1	11	19	30	63	98	173
All races, male											
2000.....	1,981	16	2	3	3	6	10	18	39	70	120
1999.....	1,714	13	1	1	-	6	7	14	30	55	104
All races, female											
2000.....	2,622	11	2	2	4	4	17	40	36	55	74
1999.....	2,311	10	-	-	1	5	12	16	33	43	69
White, both sexes											
2000.....	3,787	20	3	4	5	4	18	33	49	87	143
1999.....	3,345	18	-	1	1	4	11	21	43	66	117
White, male											
2000.....	1,618	13	1	3	2	3	6	9	25	47	94
1999.....	1,399	9	-	1	-	3	5	10	20	37	69
White, female											
2000.....	2,169	7	2	1	3	1	12	24	24	40	49
1999.....	1,946	9	-	-	1	1	6	11	23	29	48
All other, both sexes											
2000.....	816	7	1	1	2	6	9	25	26	38	51
1999.....	680	5	1	-	-	7	8	9	20	32	56
All other, male											
2000.....	363	3	1	-	1	3	4	9	14	23	26
1999.....	315	4	1	-	-	3	2	4	10	18	35
All other, female											
2000.....	453	4	-	1	1	3	5	16	12	15	25
1999.....	365	1	-	-	-	4	6	5	10	14	21
Black, both sexes											
2000.....	761	5	1	1	2	6	8	23	26	36	51
1999.....	616	4	1	-	-	6	8	9	19	29	52
Black, male											
2000.....	335	2	1	-	1	3	4	8	14	22	26
1999.....	282	3	1	-	-	2	2	4	10	16	33
Black, female											
2000.....	426	3	-	1	1	3	4	15	12	14	25
1999.....	334	1	-	-	-	4	6	5	9	13	19

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)											
All races, both sexes											
2000.....	3,410	7	2	3	5	10	27	51	70	107	142
1999.....	2,625	4	1	1	1	9	13	28	55	79	130
All races, male											
2000.....	1,368	6	1	2	2	6	10	17	35	58	82
1999.....	1,034	3	1	1	-	4	6	13	26	43	67
All races, female											
2000.....	2,042	1	1	1	3	4	17	34	35	49	60
1999.....	1,591	1	-	-	1	5	7	15	29	36	63
White, both sexes											
2000.....	2,786	6	2	2	3	4	18	27	46	71	105
1999.....	2,163	4	-	1	1	3	6	19	38	52	87
White, male											
2000.....	1,112	5	1	2	1	3	6	9	23	37	63
1999.....	843	3	-	1	-	2	4	9	16	28	45
White, female											
2000.....	1,674	1	1	-	2	1	12	18	23	34	42
1999.....	1,320	1	-	-	1	1	2	10	22	24	42
All other, both sexes											
2000.....	624	1	-	1	2	6	9	24	24	36	37
1999.....	462	-	1	-	-	6	7	9	17	27	43
All other, male											
2000.....	256	1	-	-	1	3	4	8	12	21	19
1999.....	191	-	1	-	-	2	2	4	10	15	22
All other, female											
2000.....	368	-	-	1	1	3	5	16	12	15	18
1999.....	271	-	-	-	-	4	5	5	7	12	21
Black, both sexes											
2000.....	595	1	-	1	2	6	8	23	24	35	37
1999.....	436	-	1	-	-	6	7	9	17	25	41
Black, male											
2000.....	243	1	-	-	1	3	4	8	12	21	19
1999.....	183	-	1	-	-	2	2	4	10	13	22
Black, female											
2000.....	352	-	-	1	1	3	4	15	12	14	18
1999.....	253	-	-	-	-	4	5	5	7	12	19

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

All other and unspecified disorders of circulatory system (I83-I99)

All races, both sexes											
2000.....	1,193	20	2	2	2	-	-	7	5	18	52
1999.....	1,400	19	-	-	-	2	6	2	8	19	43
All races, male											
2000.....	613	10	1	1	1	-	-	1	4	12	38
1999.....	680	10	-	-	-	2	1	1	4	12	37
All races, female											
2000.....	580	10	1	1	1	-	-	6	1	6	14
1999.....	720	9	-	-	-	-	5	1	4	7	6
White, both sexes											
2000.....	1,001	14	1	2	2	-	-	6	3	16	38
1999.....	1,182	14	-	-	-	1	5	2	5	14	30
White, male											
2000.....	506	8	-	1	1	-	-	-	2	10	31
1999.....	556	6	-	-	-	1	1	1	4	9	24
White, female											
2000.....	495	6	1	1	1	-	-	6	1	6	7
1999.....	626	8	-	-	-	-	4	1	1	5	6
All other, both sexes											
2000.....	192	6	1	-	-	-	-	1	2	2	14
1999.....	218	5	-	-	-	1	1	-	3	5	13
All other, male											
2000.....	107	2	1	-	-	-	-	1	2	2	7
1999.....	124	4	-	-	-	1	-	-	-	3	13
All other, female											
2000.....	85	4	-	-	-	-	-	-	-	-	7
1999.....	94	1	-	-	-	-	1	-	3	2	-
Black, both sexes											
2000.....	166	4	1	-	-	-	-	-	2	1	14
1999.....	180	4	-	-	-	-	1	-	2	4	11
Black, male											
2000.....	92	1	1	-	-	-	-	-	2	1	7
1999.....	99	3	-	-	-	-	-	-	-	3	11
Black, female											
2000.....	74	3	-	-	-	-	-	-	-	-	7
1999.....	81	1	-	-	-	-	1	-	2	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
X. Diseases of the respiratory system (J00-J98)											
All races, both sexes											
2000.....	231,079	651	263	142	178	227	325	394	592	1,016	1,797
1999.....	229,863	687	315	138	191	252	289	412	596	1,060	1,653
All races, male											
2000.....	110,716	369	136	81	97	135	187	219	321	535	995
1999.....	111,273	380	172	76	117	140	166	213	313	558	868
All races, female											
2000.....	120,363	282	127	61	81	92	138	175	271	481	802
1999.....	118,590	307	143	62	74	112	123	199	283	502	785
White, both sexes											
2000.....	209,758	394	177	93	108	141	218	258	405	697	1,291
1999.....	208,671	396	191	95	119	179	183	247	389	732	1,119
White, male											
2000.....	99,472	230	81	55	55	81	131	134	210	366	724
1999.....	100,060	224	91	49	74	100	103	135	210	389	578
White, female											
2000.....	110,286	164	96	38	53	60	87	124	195	331	567
1999.....	108,611	172	100	46	45	79	80	112	179	343	541
All other, both sexes											
2000.....	21,321	257	86	49	70	86	107	136	187	319	506
1999.....	21,192	291	124	43	72	73	106	165	207	328	534
All other, male											
2000.....	11,244	139	55	26	42	54	56	85	111	169	271
1999.....	11,213	156	81	27	43	40	63	78	103	169	290
All other, female											
2000.....	10,077	118	31	23	28	32	51	51	76	150	235
1999.....	9,979	135	43	16	29	33	43	87	104	159	244
Black, both sexes											
2000.....	17,580	232	77	41	62	78	96	118	167	282	448
1999.....	17,783	252	100	38	67	63	97	154	190	300	485
Black, male											
2000.....	9,128	123	50	25	37	49	50	75	100	148	244
1999.....	9,286	137	64	25	41	36	57	72	95	151	256
Black, female											
2000.....	8,452	109	27	16	25	29	46	43	67	134	204
1999.....	8,497	115	36	13	26	27	40	82	95	149	229

[illegible]

[illegible]

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other diseases of the respiratory system (J10-J98)											
All races, both sexes											
2000.....	230,874	645	256	139	177	224	319	388	586	1,013	1,789
1999.....	229,651	677	300	135	189	250	289	408	589	1,052	1,647
All races, male											
2000.....	110,637	364	134	80	97	135	184	214	316	533	989
1999.....	111,175	374	161	73	116	138	166	210	307	552	862
All races, female											
2000.....	120,237	281	122	59	80	89	135	174	270	480	800
1999.....	118,476	303	139	62	73	112	123	198	282	500	785
White, both sexes											
2000.....	209,578	389	171	92	108	138	215	254	399	695	1,283
1999.....	208,495	391	179	94	117	178	183	243	386	727	1,113
White, male											
2000.....	99,406	225	80	55	55	81	130	130	205	365	718
1999.....	99,986	221	83	48	73	99	103	132	207	384	572
White, female											
2000.....	110,172	164	91	37	53	57	85	124	194	330	565
1999.....	108,509	170	96	46	44	79	80	111	179	343	541
All other, both sexes											
2000.....	21,296	256	85	47	69	86	104	134	187	318	506
1999.....	21,156	286	121	41	72	72	106	165	203	325	534
All other, male											
2000.....	11,231	139	54	25	42	54	54	84	111	168	271
1999.....	11,189	153	78	25	43	39	63	78	100	168	290
All other, female											
2000.....	10,065	117	31	22	27	32	50	50	76	150	235
1999.....	9,967	133	43	16	29	33	43	87	103	157	244
Black, both sexes											
2000.....	17,563	231	76	40	61	78	93	116	167	282	448
1999.....	17,753	248	97	36	67	62	97	154	186	298	485
Black, male											
2000.....	9,118	123	49	24	37	49	48	74	100	148	244
1999.....	9,267	135	61	23	41	35	57	72	92	151	256
Black, female											
2000.....	8,445	108	27	16	24	29	45	42	67	134	204
1999.....	8,486	113	36	13	26	27	40	82	94	147	229

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Influenza (J10-J11)											
All races, both sexes											
2000.....	1,765	9	10	3	8	8	5	8	5	8	14
1999.....	1,665	13	12	6	5	7	4	2	7	8	8
All races, male											
2000.....	664	5	4	1	4	3	3	4	1	5	9
1999.....	602	6	9	4	1	1	1	-	5	5	4
All races, female											
2000.....	1,101	4	6	2	4	5	2	4	4	3	5
1999.....	1,063	7	3	2	4	6	3	2	2	3	4
White, both sexes											
2000.....	1,662	7	9	2	7	8	4	7	4	7	11
1999.....	1,574	7	8	6	4	6	4	1	7	4	6
White, male											
2000.....	617	5	4	1	3	3	2	3	-	4	6
1999.....	569	1	6	4	1	1	1	-	5	3	3
White, female											
2000.....	1,045	2	5	1	4	5	2	4	4	3	5
1999.....	1,005	6	2	2	3	5	3	1	2	1	3
All other, both sexes											
2000.....	103	2	1	1	1	-	1	1	1	1	3
1999.....	91	6	4	-	1	1	-	1	-	4	2
All other, male											
2000.....	47	-	-	-	1	-	1	1	1	1	3
1999.....	33	5	3	-	-	-	-	-	-	2	1
All other, female											
2000.....	56	2	1	1	-	-	-	-	-	-	-
1999.....	58	1	1	-	1	1	-	1	-	2	1
Black, both sexes											
2000.....	81	2	1	-	1	-	1	1	-	-	3
1999.....	66	4	1	-	-	1	-	1	-	3	2
Black, male											
2000.....	35	-	-	-	1	-	1	1	-	-	3
1999.....	24	3	1	-	-	-	-	-	-	1	1
Black, female											
2000.....	46	2	1	-	-	-	-	-	-	-	-
1999.....	42	1	-	-	-	1	-	1	-	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Pneumonia (J12-J18)											
All races, both sexes											
2000.....	63,548	280	93	44	32	57	119	134	217	397	649
1999.....	62,065	307	118	40	42	66	102	133	197	454	593
All races, male											
2000.....	27,994	158	50	26	17	32	64	78	121	206	410
1999.....	27,116	165	57	23	25	33	55	76	116	246	337
All races, female											
2000.....	35,554	122	43	18	15	25	55	56	96	191	239
1999.....	34,949	142	61	17	17	33	47	57	81	208	256
White, both sexes											
2000.....	56,252	165	60	34	27	40	86	91	159	298	451
1999.....	55,120	177	67	30	32	48	63	84	130	323	381
White, male											
2000.....	24,385	93	26	21	14	24	50	48	87	157	288
1999.....	23,712	102	27	17	20	25	35	50	79	178	206
White, female											
2000.....	31,867	72	34	13	13	16	36	43	72	141	163
1999.....	31,408	75	40	13	12	23	28	34	51	145	175
All other, both sexes											
2000.....	7,296	115	33	10	5	17	33	43	58	99	198
1999.....	6,945	130	51	10	10	18	39	49	67	131	212
All other, male											
2000.....	3,609	65	24	5	3	8	14	30	34	49	122
1999.....	3,404	63	30	6	5	8	20	26	37	68	131
All other, female											
2000.....	3,687	50	9	5	2	9	19	13	24	50	76
1999.....	3,541	67	21	4	5	10	19	23	30	63	81
Black, both sexes											
2000.....	5,909	101	29	7	3	14	29	37	55	85	169
1999.....	5,810	111	42	8	7	13	35	46	60	118	189
Black, male											
2000.....	2,880	56	21	4	2	6	14	26	32	42	107
1999.....	2,801	55	24	5	3	6	17	25	33	61	115
Black, female											
2000.....	3,029	45	8	3	1	8	15	11	23	43	62
1999.....	3,009	56	18	3	4	7	18	21	27	57	74

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Viral pneumonia, not elsewhere classified (J12)											
All races, both sexes											
2000.....	392	55	18	1	2	4	2	2	3	4	1
1999.....	407	79	22	5	5	1	4	4	2	10	8
All races, male											
2000.....	161	33	11	1	-	2	1	-	1	2	-
1999.....	183	43	9	1	4	-	2	2	2	5	4
All races, female											
2000.....	231	22	7	-	2	2	1	2	2	2	1
1999.....	224	36	13	4	1	1	2	2	-	5	4
White, both sexes											
2000.....	341	34	12	1	2	2	1	2	3	3	-
1999.....	334	50	11	4	3	-	1	1	2	9	5
White, male											
2000.....	133	18	5	1	-	2	1	-	1	1	-
1999.....	147	29	4	-	3	-	-	1	2	5	1
White, female											
2000.....	208	16	7	-	2	-	-	2	2	2	-
1999.....	187	21	7	4	-	-	1	-	-	4	4
All other, both sexes											
2000.....	51	21	6	-	-	2	1	-	-	1	1
1999.....	73	29	11	1	2	1	3	3	-	1	3
All other, male											
2000.....	28	15	6	-	-	-	-	-	-	1	-
1999.....	36	14	5	1	1	-	2	1	-	-	3
All other, female											
2000.....	23	6	-	-	-	2	1	-	-	-	1
1999.....	37	15	6	-	1	1	1	2	-	1	-
Black, both sexes											
2000.....	38	18	6	-	-	2	1	-	-	1	1
1999.....	58	25	10	1	1	1	2	3	-	1	2
Black, male											
2000.....	23	12	6	-	-	-	-	-	-	1	-
1999.....	29	11	5	1	1	-	1	1	-	-	2
Black, female											
2000.....	15	6	-	-	-	2	1	-	-	-	1
1999.....	29	14	5	-	-	1	1	2	-	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Bacterial pneumonia (J13-J15)											
All races, both sexes											
2000.....	4,486	31	12	10	2	3	14	19	28	68	106
1999.....	3,872	51	20	6	6	7	11	16	19	78	102
All races, male											
2000.....	2,326	22	7	7	1	3	6	7	16	36	64
1999.....	1,873	24	11	4	2	3	6	11	8	35	51
All races, female											
2000.....	2,160	9	5	3	1	-	8	12	12	32	42
1999.....	1,999	27	9	2	4	4	5	5	11	43	51
White, both sexes											
2000.....	3,857	15	9	8	2	2	12	14	24	53	81
1999.....	3,326	28	11	6	5	5	7	12	11	55	65
White, male											
2000.....	1,983	10	4	6	1	2	6	3	13	28	55
1999.....	1,586	15	4	4	2	3	4	8	6	22	33
White, female											
2000.....	1,874	5	5	2	1	-	6	11	11	25	26
1999.....	1,740	13	7	2	3	2	3	4	5	33	32
All other, both sexes											
2000.....	629	16	3	2	-	1	2	5	4	15	25
1999.....	546	23	9	-	1	2	4	4	8	23	37
All other, male											
2000.....	343	12	3	1	-	1	-	4	3	8	9
1999.....	287	9	7	-	-	-	2	3	2	13	18
All other, female											
2000.....	286	4	-	1	-	-	2	1	1	7	16
1999.....	259	14	2	-	1	2	2	1	6	10	19
Black, both sexes											
2000.....	481	14	2	2	-	1	2	4	3	12	17
1999.....	424	17	5	-	1	1	2	4	7	17	29
Black, male											
2000.....	260	11	2	1	-	1	-	3	2	7	8
1999.....	221	7	4	-	-	-	1	3	2	9	14
Black, female											
2000.....	221	3	-	1	-	-	2	1	1	5	9
1999.....	203	10	1	-	1	1	1	1	5	8	15

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Pneumonia due to other or unspecified organisms (J16,J18)											
All races, both sexes											
2000.....	58,670	194	63	33	28	50	103	113	186	325	542
1999.....	57,786	177	76	29	31	58	87	113	176	366	483
All races, male											
2000.....	25,507	103	32	18	16	27	57	71	104	168	346
1999.....	25,060	98	37	18	19	30	47	63	106	206	282
All races, female											
2000.....	33,163	91	31	15	12	23	46	42	82	157	196
1999.....	32,726	79	39	11	12	28	40	50	70	160	201
White, both sexes											
2000.....	52,054	116	39	25	23	36	73	75	132	242	370
1999.....	51,460	99	45	20	24	43	55	71	117	259	311
White, male											
2000.....	22,269	65	17	14	13	20	43	45	73	128	233
1999.....	21,979	58	19	13	15	22	31	41	71	151	172
White, female											
2000.....	29,785	51	22	11	10	16	30	30	59	114	137
1999.....	29,481	41	26	7	9	21	24	30	46	108	139
All other, both sexes											
2000.....	6,616	78	24	8	5	14	30	38	54	83	172
1999.....	6,326	78	31	9	7	15	32	42	59	107	172
All other, male											
2000.....	3,238	38	15	4	3	7	14	26	31	40	113
1999.....	3,081	40	18	5	4	8	16	22	35	55	110
All other, female											
2000.....	3,378	40	9	4	2	7	16	12	23	43	59
1999.....	3,245	38	13	4	3	7	16	20	24	52	62
Black, both sexes											
2000.....	5,390	69	21	5	3	11	26	33	52	72	151
1999.....	5,328	69	27	7	5	11	31	39	53	100	158
Black, male											
2000.....	2,597	33	13	3	2	5	14	23	30	34	99
1999.....	2,551	37	15	4	2	6	15	21	31	52	99
Black, female											
2000.....	2,793	36	8	2	1	6	12	10	22	38	52
1999.....	2,777	32	12	3	3	5	16	18	22	48	59

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other acute lower respiratory infections (J20-J22)											
All races, both sexes											
2000.....	425	43	11	3	4	4	1	5	3	3	9
1999.....	540	63	25	2	3	3	2	2	2	6	5
All races, male											
2000.....	160	25	4	2	1	4	-	5	1	1	6
1999.....	196	36	15	-	2	1	-	2	1	3	2
All races, female											
2000.....	265	18	7	1	3	-	1	-	2	2	3
1999.....	344	27	10	2	1	2	2	-	1	3	3
White, both sexes											
2000.....	372	25	8	2	1	4	1	4	1	2	6
1999.....	462	36	15	1	3	2	2	1	2	6	3
White, male											
2000.....	134	12	4	2	-	4	-	4	-	1	5
1999.....	156	19	8	-	2	1	-	1	1	3	1
White, female											
2000.....	238	13	4	-	1	-	1	-	1	1	1
1999.....	306	17	7	1	1	1	2	-	1	3	2
All other, both sexes											
2000.....	53	18	3	1	3	-	-	1	2	1	3
1999.....	78	27	10	1	-	1	-	1	-	-	2
All other, male											
2000.....	26	13	-	-	1	-	-	1	1	-	1
1999.....	40	17	7	-	-	-	-	1	-	-	1
All other, female											
2000.....	27	5	3	1	2	-	-	-	1	1	2
1999.....	38	10	3	1	-	1	-	-	-	-	1
Black, both sexes											
2000.....	46	14	3	-	3	-	-	1	1	1	3
1999.....	64	24	6	-	-	1	-	1	-	-	2
Black, male											
2000.....	22	10	-	-	1	-	-	1	1	-	1
1999.....	30	15	3	-	-	-	-	1	-	-	1
Black, female											
2000.....	24	4	3	-	2	-	-	-	-	1	2
1999.....	34	9	3	-	-	1	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Acute bronchitis and bronchiolitis (J20-J21)											
All races, both sexes											
2000.....	290	42	11	2	4	3	1	3	3	2	8
1999.....	388	62	24	2	2	3	2	1	2	6	4
All races, male											
2000.....	119	24	4	1	1	3	-	3	1	1	5
1999.....	154	36	14	-	2	1	-	1	1	3	1
All races, female											
2000.....	171	18	7	1	3	-	1	-	2	1	3
1999.....	234	26	10	2	-	2	2	-	1	3	3
White, both sexes											
2000.....	244	25	8	1	1	3	1	2	1	1	5
1999.....	320	35	15	1	2	2	2	1	2	6	2
White, male											
2000.....	98	12	4	1	-	3	-	2	-	1	4
1999.....	119	19	8	-	2	1	-	1	1	3	-
White, female											
2000.....	146	13	4	-	1	-	1	-	1	-	1
1999.....	201	16	7	1	-	1	2	-	1	3	2
All other, both sexes											
2000.....	46	17	3	1	3	-	-	1	2	1	3
1999.....	68	27	9	1	-	1	-	-	-	-	2
All other, male											
2000.....	21	12	-	-	1	-	-	1	1	-	1
1999.....	35	17	6	-	-	-	-	-	-	-	1
All other, female											
2000.....	25	5	3	1	2	-	-	-	1	1	2
1999.....	33	10	3	1	-	1	-	-	-	-	1
Black, both sexes											
2000.....	40	13	3	-	3	-	-	1	1	1	3
1999.....	55	24	5	-	-	1	-	-	-	-	2
Black, male											
2000.....	18	9	-	-	1	-	-	1	1	-	1
1999.....	26	15	2	-	-	-	-	-	-	-	1
Black, female											
2000.....	22	4	3	-	2	-	-	-	-	1	2
1999.....	29	9	3	-	-	1	-	-	-	-	1

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other diseases of upper respiratory tract (J30-J39)											
All races, both sexes											
2000.....	446	13	13	1	3	4	1	11	6	10	15
1999.....	449	14	9	1	6	5	6	6	3	12	9
All races, male											
2000.....	222	6	6	-	1	4	1	6	3	7	9
1999.....	234	7	6	-	2	4	4	3	2	10	6
All races, female											
2000.....	224	7	7	1	2	-	-	5	3	3	6
1999.....	215	7	3	1	4	1	2	3	1	2	3
White, both sexes											
2000.....	371	9	10	1	1	1	-	7	6	7	12
1999.....	368	12	6	1	5	4	2	4	2	7	3
White, male											
2000.....	183	4	3	-	1	1	-	3	3	5	7
1999.....	193	6	3	-	2	3	1	3	1	6	3
White, female											
2000.....	188	5	7	1	-	-	-	4	3	2	5
1999.....	175	6	3	1	3	1	1	1	1	1	-
All other, both sexes											
2000.....	75	4	3	-	2	3	1	4	-	3	3
1999.....	81	2	3	-	1	1	4	2	1	5	6
All other, male											
2000.....	39	2	3	-	-	3	1	3	-	2	2
1999.....	41	1	3	-	-	1	3	-	1	4	3
All other, female											
2000.....	36	2	-	-	2	-	-	1	-	1	1
1999.....	40	1	-	-	1	-	1	2	-	1	3
Black, both sexes											
2000.....	63	4	3	-	1	2	1	4	-	3	2
1999.....	70	1	2	-	1	1	4	2	1	5	5
Black, male											
2000.....	32	2	3	-	-	2	1	3	-	2	2
1999.....	34	-	2	-	-	1	3	-	1	4	2
Black, female											
2000.....	31	2	-	-	1	-	-	1	-	1	-
1999.....	36	1	-	-	1	-	1	2	-	1	3

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Chronic lower respiratory diseases (J40-J47)											
All races, both sexes											
2000.....	122,009	36	51	48	91	86	104	125	171	310	620
1999.....	124,181	36	54	49	90	107	102	145	185	302	588
All races, male											
2000.....	60,004	23	28	26	54	58	62	72	93	145	292
1999.....	62,415	19	30	29	64	60	63	69	83	142	268
All races, female											
2000.....	62,005	13	23	22	37	28	42	53	78	165	328
1999.....	61,766	17	24	20	26	47	39	76	102	160	320
White, both sexes											
2000.....	112,840	23	28	23	40	40	63	67	99	194	430
1999.....	114,735	16	31	29	42	68	57	73	103	200	408
White, male											
2000.....	54,816	16	13	12	21	26	39	36	48	85	207
1999.....	57,000	10	14	15	30	36	32	32	46	90	181
White, female											
2000.....	58,024	7	15	11	19	14	24	31	51	109	223
1999.....	57,735	6	17	14	12	32	25	41	57	110	227
All other, both sexes											
2000.....	9,169	13	23	25	51	46	41	58	72	116	190
1999.....	9,446	20	23	20	48	39	45	72	82	102	180
All other, male											
2000.....	5,188	7	15	14	33	32	23	36	45	60	85
1999.....	5,415	9	16	14	34	24	31	37	37	52	87
All other, female											
2000.....	3,981	6	8	11	18	14	18	22	27	56	105
1999.....	4,031	11	7	6	14	15	14	35	45	50	93
Black, both sexes											
2000.....	7,607	11	21	24	46	44	37	51	65	104	171
1999.....	7,915	18	18	20	48	36	42	68	76	95	169
Black, male											
2000.....	4,238	6	14	14	29	31	20	31	41	52	78
1999.....	4,500	9	13	14	34	23	29	34	35	46	80
Black, female											
2000.....	3,369	5	7	10	17	13	17	20	24	52	93
1999.....	3,415	9	5	6	14	13	13	34	41	49	89

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)											
All races, both sexes											
2000.....	121,058	36	51	46	91	84	103	122	169	306	610
1999.....	123,211	36	53	49	89	107	100	137	183	301	582
All races, male											
2000.....	59,738	23	28	24	54	57	62	70	93	144	288
1999.....	62,089	19	30	29	63	60	61	66	83	141	265
All races, female											
2000.....	61,320	13	23	22	37	27	41	52	76	162	322
1999.....	61,122	17	23	20	26	47	39	71	100	160	317
White, both sexes											
2000.....	111,964	23	28	21	40	39	62	64	98	191	423
1999.....	113,845	16	31	29	41	68	55	68	103	199	403
White, male											
2000.....	54,575	16	13	10	21	26	39	34	48	84	203
1999.....	56,706	10	14	15	29	36	30	30	46	89	179
White, female											
2000.....	57,389	7	15	11	19	13	23	30	50	107	220
1999.....	57,139	6	17	14	12	32	25	38	57	110	224
All other, both sexes											
2000.....	9,094	13	23	25	51	45	41	58	71	115	187
1999.....	9,366	20	22	20	48	39	45	69	80	102	179
All other, male											
2000.....	5,163	7	15	14	33	31	23	36	45	60	85
1999.....	5,383	9	16	14	34	24	31	36	37	52	86
All other, female											
2000.....	3,931	6	8	11	18	14	18	22	26	55	102
1999.....	3,983	11	6	6	14	15	14	33	43	50	93
Black, both sexes											
2000.....	7,572	11	21	24	46	43	37	51	64	103	170
1999.....	7,875	18	17	20	48	36	42	66	76	95	168
Black, male											
2000.....	4,222	6	14	14	29	30	20	31	41	52	78
1999.....	4,485	9	13	14	34	23	29	34	35	46	79
Black, female											
2000.....	3,350	5	7	10	17	13	17	20	23	51	92
1999.....	3,390	9	4	6	14	13	13	32	41	49	89

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Bronchitis, not specified as acute or chronic (J40)											
All races, both sexes											
2000.....	645	11	9	2	3	3	2	1	3	4	9
1999.....	640	11	13	3	-	2	2	2	5	8	6
All races, male											
2000.....	268	6	6	2	1	2	2	1	2	3	7
1999.....	247	5	7	2	-	1	2	-	2	2	1
All races, female											
2000.....	377	5	3	-	2	1	-	-	1	1	2
1999.....	393	6	6	1	-	1	-	2	3	6	5
White, both sexes											
2000.....	589	5	5	2	2	2	2	1	2	4	4
1999.....	570	7	11	3	-	2	1	1	5	8	4
White, male											
2000.....	243	4	3	2	-	1	2	1	1	3	2
1999.....	216	3	6	2	-	1	1	-	2	2	1
White, female											
2000.....	346	1	2	-	2	1	-	-	1	1	2
1999.....	354	4	5	1	-	1	-	1	3	6	3
All other, both sexes											
2000.....	56	6	4	-	1	1	-	-	1	-	5
1999.....	70	4	2	-	-	-	1	1	-	-	2
All other, male											
2000.....	25	2	3	-	1	1	-	-	1	-	5
1999.....	31	2	1	-	-	-	1	-	-	-	-
All other, female											
2000.....	31	4	1	-	-	-	-	-	-	-	-
1999.....	39	2	1	-	-	-	-	1	-	-	2
Black, both sexes											
2000.....	47	4	3	-	1	1	-	-	-	-	5
1999.....	56	4	1	-	-	-	1	1	-	-	2
Black, male											
2000.....	20	1	2	-	1	1	-	-	-	-	5
1999.....	25	2	1	-	-	-	1	-	-	-	-
Black, female											
2000.....	27	3	1	-	-	-	-	-	-	-	-
1999.....	31	2	-	-	-	-	-	1	-	-	2

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other chronic obstructive pulmonary disease (J44)											
All races, both sexes											
2000.....	98,704	7	3	1	2	2	8	8	15	93	263
1999.....	99,595	10	7	5	2	9	8	12	26	66	255
All races, male											
2000.....	48,932	5	1	-	1	2	6	2	7	44	132
1999.....	50,491	7	3	2	2	5	3	2	10	35	133
All races, female											
2000.....	49,772	2	2	1	1	-	2	6	8	49	131
1999.....	49,104	3	4	3	-	4	5	10	16	31	122
White, both sexes											
2000.....	92,140	6	3	1	2	1	5	6	8	71	210
1999.....	92,787	4	5	5	1	6	5	10	19	51	199
White, male											
2000.....	45,075	5	1	-	1	1	4	1	2	32	108
1999.....	46,466	3	1	2	1	2	1	2	10	28	101
White, female											
2000.....	47,065	1	2	1	1	-	1	5	6	39	102
1999.....	46,321	1	4	3	-	4	4	8	9	23	98
All other, both sexes											
2000.....	6,564	1	-	-	-	1	3	2	7	22	53
1999.....	6,808	6	2	-	1	3	3	2	7	15	56
All other, male											
2000.....	3,857	-	-	-	-	1	2	1	5	12	24
1999.....	4,025	4	2	-	1	3	2	-	-	7	32
All other, female											
2000.....	2,707	1	-	-	-	-	1	1	2	10	29
1999.....	2,783	2	-	-	-	-	1	2	7	8	24
Black, both sexes											
2000.....	5,433	1	-	-	-	1	1	2	7	20	51
1999.....	5,711	6	2	-	1	3	3	2	7	15	53
Black, male											
2000.....	3,147	-	-	-	-	1	1	1	5	11	23
1999.....	3,362	4	2	-	1	3	2	-	-	7	31
Black, female											
2000.....	2,286	1	-	-	-	-	-	1	2	9	28
1999.....	2,349	2	-	-	-	-	1	2	7	8	22

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Asthma (J45-J46)											
All races, both sexes											
2000.....	4,487	8	32	43	86	78	89	105	144	183	275
1999.....	4,657	5	27	40	86	95	87	121	141	206	241
All races, male											
2000.....	1,632	6	20	22	52	52	50	64	78	81	115
1999.....	1,620	3	16	25	60	53	55	64	64	94	90
All races, female											
2000.....	2,855	2	12	21	34	26	39	41	66	102	160
1999.....	3,037	2	11	15	26	42	32	57	77	112	151
White, both sexes											
2000.....	3,144	5	18	18	36	36	53	49	83	95	161
1999.....	3,328	1	11	20	39	59	47	55	72	123	143
White, male											
2000.....	1,057	3	9	8	20	24	31	29	41	37	68
1999.....	1,046	1	5	11	27	32	28	28	30	53	46
White, female											
2000.....	2,087	2	9	10	16	12	22	20	42	58	93
1999.....	2,282	-	6	9	12	27	19	27	42	70	97
All other, both sexes											
2000.....	1,343	3	14	25	50	42	36	56	61	88	114
1999.....	1,329	4	16	20	47	36	40	66	69	83	98
All other, male											
2000.....	575	3	11	14	32	28	19	35	37	44	47
1999.....	574	2	11	14	33	21	27	36	34	41	44
All other, female											
2000.....	768	-	3	11	18	14	17	21	24	44	67
1999.....	755	2	5	6	14	15	13	30	35	42	54
Black, both sexes											
2000.....	1,158	3	14	24	45	40	34	49	55	79	100
1999.....	1,145	4	14	20	47	33	38	63	67	77	91
Black, male											
2000.....	481	3	11	14	28	27	17	30	34	38	41
1999.....	481	2	10	14	33	20	26	34	34	36	38
Black, female											
2000.....	677	-	3	10	17	13	17	19	21	41	59
1999.....	664	2	4	6	14	13	12	29	33	41	53

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Bronchiectasis (J47)											
All races, both sexes											
2000.....	951	-	-	2	-	2	1	3	2	4	10
1999.....	970	-	1	-	1	-	2	8	2	1	6
All races, male											
2000.....	266	-	-	2	-	1	-	2	-	1	4
1999.....	326	-	-	-	1	-	2	3	-	1	3
All races, female											
2000.....	685	-	-	-	-	1	1	1	2	3	6
1999.....	644	-	1	-	-	-	-	5	2	-	3
White, both sexes											
2000.....	876	-	-	2	-	1	1	3	1	3	7
1999.....	890	-	-	-	1	-	2	5	-	1	5
White, male											
2000.....	241	-	-	2	-	-	-	2	-	1	4
1999.....	294	-	-	-	1	-	2	2	-	1	2
White, female											
2000.....	635	-	-	-	-	1	1	1	1	2	3
1999.....	596	-	-	-	-	-	-	3	-	-	3
All other, both sexes											
2000.....	75	-	-	-	-	1	-	-	1	1	3
1999.....	80	-	1	-	-	-	-	3	2	-	1
All other, male											
2000.....	25	-	-	-	-	1	-	-	-	-	-
1999.....	32	-	-	-	-	-	-	1	-	-	1
All other, female											
2000.....	50	-	-	-	-	-	-	-	1	1	3
1999.....	48	-	1	-	-	-	-	2	2	-	-
Black, both sexes											
2000.....	35	-	-	-	-	1	-	-	1	1	1
1999.....	40	-	1	-	-	-	-	2	-	-	1
Black, male											
2000.....	16	-	-	-	-	1	-	-	-	-	-
1999.....	15	-	-	-	-	-	-	-	-	-	1
Black, female											
2000.....	19	-	-	-	-	-	-	-	1	1	1
1999.....	25	-	1	-	-	-	-	2	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Lung diseases due to external agents (J60-J70)											
All races, both sexes											
2000.....	17,863	10	11	8	5	12	25	24	42	67	122
1999.....	16,471	16	15	4	12	10	23	35	49	63	111
All races, male											
2000.....	9,543	4	5	5	4	8	15	12	26	46	76
1999.....	8,878	9	6	-	6	8	15	21	28	38	65
All races, female											
2000.....	8,320	6	6	3	1	4	10	12	16	21	46
1999.....	7,593	7	9	4	6	2	8	14	21	25	46
White, both sexes											
2000.....	16,027	8	9	8	4	10	17	18	32	44	103
1999.....	14,702	13	8	4	8	8	14	24	38	45	81
White, male											
2000.....	8,576	4	4	5	3	7	11	8	17	32	65
1999.....	7,900	7	2	-	5	6	8	13	22	28	47
White, female											
2000.....	7,451	4	5	3	1	3	6	10	15	12	38
1999.....	6,802	6	6	4	3	2	6	11	16	17	34
All other, both sexes											
2000.....	1,836	2	2	-	1	2	8	6	10	23	19
1999.....	1,769	3	7	-	4	2	9	11	11	18	30
All other, male											
2000.....	967	-	1	-	1	1	4	4	9	14	11
1999.....	978	2	4	-	1	2	7	8	6	10	18
All other, female											
2000.....	869	2	1	-	-	1	4	2	1	9	8
1999.....	791	1	3	-	3	-	2	3	5	8	12
Black, both sexes											
2000.....	1,583	1	2	-	1	2	7	6	9	22	19
1999.....	1,579	2	7	-	3	2	9	10	9	16	28
Black, male											
2000.....	823	-	1	-	1	1	3	4	8	13	11
1999.....	842	1	4	-	1	2	7	7	5	9	16
Black, female											
2000.....	760	1	1	-	-	1	4	2	1	9	8
1999.....	737	1	3	-	2	-	2	3	4	7	12

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Pneumonitis due to solids and liquids (J69)											
All races, both sexes											
2000.....	16,636	10	11	8	5	12	25	22	40	65	116
1999.....	15,268	16	12	4	12	9	23	33	45	59	107
All races, male											
2000.....	8,390	4	5	5	4	8	15	11	24	45	70
1999.....	7,755	9	3	-	6	7	15	21	26	35	62
All races, female											
2000.....	8,246	6	6	3	1	4	10	11	16	20	46
1999.....	7,513	7	9	4	6	2	8	12	19	24	45
White, both sexes											
2000.....	14,869	8	9	8	4	10	17	16	30	43	99
1999.....	13,582	13	8	4	8	8	14	23	34	43	78
White, male											
2000.....	7,488	4	4	5	3	7	11	7	15	32	61
1999.....	6,853	7	2	-	5	6	8	13	20	26	45
White, female											
2000.....	7,381	4	5	3	1	3	6	9	15	11	38
1999.....	6,729	6	6	4	3	2	6	10	14	17	33
All other, both sexes											
2000.....	1,767	2	2	-	1	2	8	6	10	22	17
1999.....	1,686	3	4	-	4	1	9	10	11	16	29
All other, male											
2000.....	902	-	1	-	1	1	4	4	9	13	9
1999.....	902	2	1	-	1	1	7	8	6	9	17
All other, female											
2000.....	865	2	1	-	-	1	4	2	1	9	8
1999.....	784	1	3	-	3	-	2	2	5	7	12
Black, both sexes											
2000.....	1,521	1	2	-	1	2	7	6	9	21	17
1999.....	1,505	2	4	-	3	1	9	9	9	14	27
Black, male											
2000.....	765	-	1	-	1	1	3	4	8	12	9
1999.....	775	1	1	-	1	1	7	7	5	8	15
Black, female											
2000.....	756	1	1	-	-	1	4	2	1	9	8
1999.....	730	1	3	-	2	-	2	2	4	6	12

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Pneumonitis due to food and vomit (J69.0)											
All races, both sexes											
2000.....	16,632	10	11	8	5	12	25	22	40	65	116
1999.....	15,257	16	12	4	12	9	23	33	45	59	106
All races, male											
2000.....	8,388	4	5	5	4	8	15	11	24	45	70
1999.....	7,752	9	3	-	6	7	15	21	26	35	62
All races, female											
2000.....	8,244	6	6	3	1	4	10	11	16	20	46
1999.....	7,505	7	9	4	6	2	8	12	19	24	44
White, both sexes											
2000.....	14,865	8	9	8	4	10	17	16	30	43	99
1999.....	13,573	13	8	4	8	8	14	23	34	43	77
White, male											
2000.....	7,486	4	4	5	3	7	11	7	15	32	61
1999.....	6,851	7	2	-	5	6	8	13	20	26	45
White, female											
2000.....	7,379	4	5	3	1	3	6	9	15	11	38
1999.....	6,722	6	6	4	3	2	6	10	14	17	32
All other, both sexes											
2000.....	1,767	2	2	-	1	2	8	6	10	22	17
1999.....	1,684	3	4	-	4	1	9	10	11	16	29
All other, male											
2000.....	902	-	1	-	1	1	4	4	9	13	9
1999.....	901	2	1	-	1	1	7	8	6	9	17
All other, female											
2000.....	865	2	1	-	-	1	4	2	1	9	8
1999.....	783	1	3	-	3	-	2	2	5	7	12
Black, both sexes											
2000.....	1,521	1	2	-	1	2	7	6	9	21	17
1999.....	1,503	2	4	-	3	1	9	9	9	14	27
Black, male											
2000.....	765	-	1	-	1	1	3	4	8	12	9
1999.....	774	1	1	-	1	1	7	7	5	8	15
Black, female											
2000.....	756	1	1	-	-	1	4	2	1	9	8
1999.....	729	1	3	-	2	-	2	2	4	6	12

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other lung diseases due to external agents (J67,J70)											
All races, both sexes											
2000.....	66	-	-	-	-	-	-	1	-	-	1
1999.....	90	-	-	-	-	-	-	2	4	1	-
All races, male											
2000.....	40	-	-	-	-	-	-	-	-	-	1
1999.....	44	-	-	-	-	-	-	-	2	1	-
All races, female											
2000.....	26	-	-	-	-	-	-	1	-	-	-
1999.....	46	-	-	-	-	-	-	2	2	-	-
White, both sexes											
2000.....	59	-	-	-	-	-	-	1	-	-	1
1999.....	83	-	-	-	-	-	-	1	4	1	-
White, male											
2000.....	35	-	-	-	-	-	-	-	-	-	1
1999.....	41	-	-	-	-	-	-	-	2	1	-
White, female											
2000.....	24	-	-	-	-	-	-	1	-	-	-
1999.....	42	-	-	-	-	-	-	1	2	-	-
All other, both sexes											
2000.....	7	-	-	-	-	-	-	-	-	-	-
1999.....	7	-	-	-	-	-	-	1	-	-	-
All other, male											
2000.....	5	-	-	-	-	-	-	-	-	-	-
1999.....	3	-	-	-	-	-	-	-	-	-	-
All other, female											
2000.....	2	-	-	-	-	-	-	-	-	-	-
1999.....	4	-	-	-	-	-	-	1	-	-	-
Black, both sexes											
2000.....	7	-	-	-	-	-	-	-	-	-	-
1999.....	7	-	-	-	-	-	-	1	-	-	-
Black, male											
2000.....	5	-	-	-	-	-	-	-	-	-	-
1999.....	3	-	-	-	-	-	-	-	-	-	-
Black, female											
2000.....	2	-	-	-	-	-	-	-	-	-	-
1999.....	4	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Suppurative and necrotic conditions of lower respiratory tract (J85-J86)

All races, both sexes											
2000.....	727	8	5	1	1	-	5	2	13	12	37
1999.....	799	5	6	2	1	6	5	11	13	24	38
All races, male											
2000.....	447	4	2	1	1	-	2	2	7	9	23
1999.....	491	2	2	1	1	2	2	5	9	15	29
All races, female											
2000.....	280	4	3	-	-	-	3	-	6	3	14
1999.....	308	3	4	1	-	4	3	6	4	9	9
White, both sexes											
2000.....	592	3	2	1	-	-	2	1	8	10	25
1999.....	642	5	3	1	1	4	2	6	11	15	29
White, male											
2000.....	363	2	1	1	-	-	1	1	5	8	14
1999.....	392	2	-	1	1	2	2	3	7	8	22
White, female											
2000.....	229	1	1	-	-	-	1	-	3	2	11
1999.....	250	3	3	-	-	2	-	3	4	7	7
All other, both sexes											
2000.....	135	5	3	-	1	-	3	1	5	2	12
1999.....	157	-	3	1	-	2	3	5	2	9	9
All other, male											
2000.....	84	2	1	-	1	-	1	1	2	1	9
1999.....	99	-	2	-	-	-	-	2	2	7	7
All other, female											
2000.....	51	3	2	-	-	-	2	-	3	1	3
1999.....	58	-	1	1	-	2	3	3	-	2	2
Black, both sexes											
2000.....	120	5	2	-	1	-	3	1	4	2	11
1999.....	131	-	3	1	-	2	2	4	2	9	5
Black, male											
2000.....	76	2	1	-	1	-	1	1	2	1	9
1999.....	84	-	2	-	-	-	-	1	2	7	4
Black, female											
2000.....	44	3	1	-	-	-	2	-	2	1	2
1999.....	47	-	1	1	-	2	2	3	-	2	1

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
All other diseases of respiratory system (J80-J84,J93-J98)											
All races, both sexes											
2000.....	23,221	244	60	29	33	52	59	78	125	200	312
1999.....	22,618	220	60	31	29	46	44	74	133	180	291
All races, male											
2000.....	11,215	138	34	17	15	25	37	35	61	109	157
1999.....	10,853	129	35	16	14	29	26	34	63	92	149
All races, female											
2000.....	12,006	106	26	12	18	27	22	43	64	91	155
1999.....	11,765	91	25	15	15	17	18	40	70	88	142
White, both sexes											
2000.....	20,689	147	44	21	28	34	42	58	88	129	236
1999.....	20,118	122	40	22	21	38	38	50	93	124	199
White, male											
2000.....	9,994	88	25	13	13	15	27	27	44	70	119
1999.....	9,715	73	22	11	11	25	24	30	46	67	108
White, female											
2000.....	10,695	59	19	8	15	19	15	31	44	59	117
1999.....	10,403	49	18	11	10	13	14	20	47	57	91
All other, both sexes											
2000.....	2,532	97	16	8	5	18	17	20	37	71	76
1999.....	2,500	98	20	9	8	8	6	24	40	56	92
All other, male											
2000.....	1,221	50	9	4	2	10	10	8	17	39	38
1999.....	1,138	56	13	5	3	4	2	4	17	25	41
All other, female											
2000.....	1,311	47	7	4	3	8	7	12	20	32	38
1999.....	1,362	42	7	4	5	4	4	20	23	31	51
Black, both sexes											
2000.....	2,069	93	14	7	5	16	15	15	31	63	68
1999.....	2,043	88	18	7	8	6	5	22	38	52	84
Black, male											
2000.....	969	47	8	4	2	9	8	7	14	36	33
1999.....	918	52	12	4	3	3	1	4	16	23	36
Black, female											
2000.....	1,100	46	6	3	3	7	7	8	17	27	35
1999.....	1,125	36	6	3	5	3	4	18	22	29	48

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

XI. Diseases of the digestive system (K00-K92)

All races, both sexes											
2000.....	84,015	499	107	58	65	72	183	275	680	1,815	3,564
1999.....	82,876	500	115	55	79	94	138	256	718	1,814	3,506
All races, male											
2000.....	41,867	288	70	32	29	42	108	179	424	1,157	2,388
1999.....	41,541	321	56	25	37	54	69	150	443	1,135	2,416
All races, female											
2000.....	42,148	211	37	26	36	30	75	96	256	658	1,176
1999.....	41,335	179	59	30	42	40	69	106	275	679	1,090
White, both sexes											
2000.....	72,862	297	56	37	50	52	128	180	503	1,401	2,834
1999.....	71,944	300	81	39	59	71	86	188	548	1,427	2,747
White, male											
2000.....	35,987	170	35	22	24	30	74	130	328	914	1,933
1999.....	35,738	191	33	16	28	42	45	114	342	917	1,938
White, female											
2000.....	36,875	127	21	15	26	22	54	50	175	487	901
1999.....	36,206	109	48	23	31	29	41	74	206	510	809
All other, both sexes											
2000.....	11,153	202	51	21	15	20	55	95	177	414	730
1999.....	10,932	200	34	16	20	23	52	68	170	387	759
All other, male											
2000.....	5,880	118	35	10	5	12	34	49	96	243	455
1999.....	5,803	130	23	9	9	12	24	36	101	218	478
All other, female											
2000.....	5,273	84	16	11	10	8	21	46	81	171	275
1999.....	5,129	70	11	7	11	11	28	32	69	169	281
Black, both sexes											
2000.....	9,235	182	38	16	12	17	46	79	130	320	599
1999.....	9,080	179	27	14	16	22	48	57	127	298	624
Black, male											
2000.....	4,829	106	26	6	4	10	28	39	67	188	369
1999.....	4,775	112	16	7	7	11	21	29	75	169	388
Black, female											
2000.....	4,406	76	12	10	8	7	18	40	63	132	230
1999.....	4,305	67	11	7	9	11	27	28	52	129	236

[illegible]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Diseases of other parts of digestive system (K20-K92)											
All races, both sexes											
2000.....	84,298	496	109	59	79	98	230	321	724	1,868	3,604
1999.....	83,192	499	121	61	86	126	181	300	756	1,870	3,560
All races, male											
2000.....	42,199	288	72	33	39	66	153	222	467	1,211	2,428
1999.....	41,904	320	59	30	43	85	111	193	480	1,192	2,468
All races, female											
2000.....	42,099	208	37	26	40	32	77	99	257	657	1,176
1999.....	41,288	179	62	31	43	41	70	107	276	678	1,092
White, both sexes											
2000.....	73,120	295	57	38	61	76	173	219	545	1,454	2,872
1999.....	72,232	298	87	45	65	101	126	229	581	1,481	2,796
White, male											
2000.....	36,287	170	36	23	32	52	117	167	369	967	1,971
1999.....	36,067	189	36	21	33	71	84	154	375	971	1,985
White, female											
2000.....	36,833	125	21	15	29	24	56	52	176	487	901
1999.....	36,165	109	51	24	32	30	42	75	206	510	811
All other, both sexes											
2000.....	11,178	201	52	21	18	22	57	102	179	414	732
1999.....	10,960	201	34	16	21	25	55	71	175	389	764
All other, male											
2000.....	5,912	118	36	10	7	14	36	55	98	244	457
1999.....	5,837	131	23	9	10	14	27	39	105	221	483
All other, female											
2000.....	5,266	83	16	11	11	8	21	47	81	170	275
1999.....	5,123	70	11	7	11	11	28	32	70	168	281
Black, both sexes											
2000.....	9,256	181	39	16	15	17	48	85	132	320	601
1999.....	9,108	180	27	14	17	24	50	60	131	300	629
Black, male											
2000.....	4,855	106	27	6	6	10	30	44	69	189	371
1999.....	4,808	113	16	7	8	13	23	32	78	172	393
Black, female											
2000.....	4,401	75	12	10	9	7	18	41	63	131	230
1999.....	4,300	67	11	7	9	11	27	28	53	128	236

[illegible]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

[illegible]

[illegible]

[illegible]

[illegible]

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Dyspepsia and other diseases of stomach and duodenum (K30-K31)											
All races, both sexes											
2000.....	570	6	1	1	3	-	1	2	8	5	9
1999.....	557	4	-	-	2	1	2	5	4	9	16
All races, male											
2000.....	238	3	1	-	1	-	-	2	4	1	2
1999.....	228	3	-	-	-	1	-	2	2	2	11
All races, female											
2000.....	332	3	-	1	2	-	1	-	4	4	7
1999.....	329	1	-	-	2	-	2	3	2	7	5
White, both sexes											
2000.....	506	3	-	1	2	-	1	2	8	4	7
1999.....	495	3	-	-	1	1	1	4	2	7	15
White, male											
2000.....	206	1	-	-	1	-	-	2	4	1	1
1999.....	202	2	-	-	-	1	-	1	1	2	10
White, female											
2000.....	300	2	-	1	1	-	1	-	4	3	6
1999.....	293	1	-	-	1	-	1	3	1	5	5
All other, both sexes											
2000.....	64	3	1	-	1	-	-	-	-	1	2
1999.....	62	1	-	-	1	-	1	1	2	2	1
All other, male											
2000.....	32	2	1	-	-	-	-	-	-	-	1
1999.....	26	1	-	-	-	-	-	1	1	-	1
All other, female											
2000.....	32	1	-	-	1	-	-	-	-	1	1
1999.....	36	-	-	-	1	-	1	-	1	2	-
Black, both sexes											
2000.....	58	3	1	-	1	-	-	-	-	1	2
1999.....	54	1	-	-	1	-	1	1	2	2	1
Black, male											
2000.....	28	2	1	-	-	-	-	-	-	-	1
1999.....	20	1	-	-	-	-	-	1	1	-	1
Black, female											
2000.....	30	1	-	-	1	-	-	-	-	1	1
1999.....	34	-	-	-	1	-	1	-	1	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Diseases of appendix (K35-K38)											
All races, both sexes											
2000.....	435	3	5	4	11	5	6	3	8	11	16
1999.....	390	3	2	12	14	2	3	3	3	13	11
All races, male											
2000.....	237	2	2	1	3	2	5	3	7	5	11
1999.....	236	1	2	6	9	2	3	3	2	10	7
All races, female											
2000.....	198	1	3	3	8	3	1	-	1	6	5
1999.....	154	2	-	6	5	-	-	-	1	3	4
White, both sexes											
2000.....	348	3	4	3	10	5	3	1	3	7	11
1999.....	314	3	-	8	10	1	2	3	1	10	9
White, male											
2000.....	183	2	2	1	3	2	3	1	3	3	6
1999.....	184	1	-	4	6	1	2	3	-	8	5
White, female											
2000.....	165	1	2	2	7	3	-	-	-	4	5
1999.....	130	2	-	4	4	-	-	-	1	2	4
All other, both sexes											
2000.....	87	-	1	1	1	-	3	2	5	4	5
1999.....	76	-	2	4	4	1	1	-	2	3	2
All other, male											
2000.....	54	-	-	-	-	-	2	2	4	2	5
1999.....	52	-	2	2	3	1	1	-	2	2	2
All other, female											
2000.....	33	-	1	1	1	-	1	-	1	2	-
1999.....	24	-	-	2	1	-	-	-	-	1	-
Black, both sexes											
2000.....	77	-	-	1	1	-	2	2	5	4	5
1999.....	68	-	2	4	3	-	1	-	2	3	2
Black, male											
2000.....	48	-	-	-	-	-	1	2	4	2	5
1999.....	48	-	2	2	2	-	1	-	2	2	2
Black, female											
2000.....	29	-	-	1	1	-	1	-	1	2	-
1999.....	20	-	-	2	1	-	-	-	-	1	-

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Crohn's disease and ulcerative colitis (K50-K51)											
All races, both sexes											
2000.....	763	-	-	-	1	4	7	10	14	22	18
1999.....	799	1	-	-	1	6	5	7	17	19	32
All races, male											
2000.....	290	-	-	-	-	3	4	6	8	8	7
1999.....	315	1	-	-	1	4	2	6	11	4	15
All races, female											
2000.....	473	-	-	-	1	1	3	4	6	14	11
1999.....	484	-	-	-	-	2	3	1	6	15	17
White, both sexes											
2000.....	708	-	-	-	1	3	4	7	12	14	14
1999.....	738	-	-	-	1	4	3	6	12	14	30
White, male											
2000.....	269	-	-	-	-	2	2	4	8	5	6
1999.....	290	-	-	-	1	2	1	5	8	4	14
White, female											
2000.....	439	-	-	-	1	1	2	3	4	9	8
1999.....	448	-	-	-	-	2	2	1	4	10	16
All other, both sexes											
2000.....	55	-	-	-	-	1	3	3	2	8	4
1999.....	61	1	-	-	-	2	2	1	5	5	2
All other, male											
2000.....	21	-	-	-	-	1	2	2	-	3	1
1999.....	25	1	-	-	-	2	1	1	3	-	1
All other, female											
2000.....	34	-	-	-	-	-	1	1	2	5	3
1999.....	36	-	-	-	-	-	1	-	2	5	1
Black, both sexes											
2000.....	47	-	-	-	-	1	3	3	1	7	4
1999.....	56	1	-	-	-	2	2	1	5	5	2
Black, male											
2000.....	17	-	-	-	-	1	2	2	-	2	1
1999.....	24	1	-	-	-	2	1	1	3	-	1
Black, female											
2000.....	30	-	-	-	-	-	1	1	1	5	3
1999.....	32	-	-	-	-	-	1	-	2	5	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Vascular disorders and obstruction of intestine without hernia (K55-K56)											
All races, both sexes											
2000.....	14,281	230	20	15	16	15	22	20	30	59	107
1999.....	13,966	230	22	12	10	16	14	21	38	54	121
All races, male											
2000.....	5,002	122	14	12	11	11	14	11	15	32	47
1999.....	4,820	148	13	5	7	10	9	6	17	23	68
All races, female											
2000.....	9,279	108	6	3	5	4	8	9	15	27	60
1999.....	9,146	82	9	7	3	6	5	15	21	31	53
White, both sexes											
2000.....	12,474	114	9	10	15	9	20	15	17	39	77
1999.....	12,268	126	12	10	8	14	9	15	30	39	81
White, male											
2000.....	4,215	58	4	8	10	6	12	10	10	21	31
1999.....	4,123	84	6	4	6	10	4	5	12	18	45
White, female											
2000.....	8,259	56	5	2	5	3	8	5	7	18	46
1999.....	8,145	42	6	6	2	4	5	10	18	21	36
All other, both sexes											
2000.....	1,807	116	11	5	1	6	2	5	13	20	30
1999.....	1,698	104	10	2	2	2	5	6	8	15	40
All other, male											
2000.....	787	64	10	4	1	5	2	1	5	11	16
1999.....	697	64	7	1	1	-	5	1	5	5	23
All other, female											
2000.....	1,020	52	1	1	-	1	-	4	8	9	14
1999.....	1,001	40	3	1	1	2	-	5	3	10	17
Black, both sexes											
2000.....	1,588	103	7	4	1	5	2	5	10	19	26
1999.....	1,517	94	8	2	2	2	5	5	8	13	40
Black, male											
2000.....	688	58	6	3	1	5	2	1	4	10	15
1999.....	607	55	5	1	1	-	5	1	5	5	23
Black, female											
2000.....	900	45	1	1	-	-	-	4	6	9	11
1999.....	910	39	3	1	1	2	-	4	3	8	17

Table 1. Deaths by race and sex, 1999-2000											
All races, both sexes											
2000	3,290	-	-	-	-	-	1	3	5	8	21
1999	3,427	-	-	-	-	-	1	-	6	12	16
All races, male											
2000	1,012	-	-	-	-	-	1	2	4	4	12
1999	1,047	-	-	-	-	-	1	-	3	7	10
All races, female											
2000	2,278	-	-	-	-	-	-	1	1	4	9
1999	2,380	-	-	-	-	-	-	-	3	5	6
White, both sexes											
2000	3,018	-	-	-	-	-	1	3	5	5	16
1999	3,151	-	-	-	-	-	1	-	5	9	14
White, male											
2000	927	-	-	-	-	-	1	2	4	2	8
1999	963	-	-	-	-	-	1	-	3	5	9
White, female											
2000	2,091	-	-	-	-	-	-	1	1	3	8
1999	2,188	-	-	-	-	-	-	-	2	4	5
All other, both sexes											
2000	272	-	-	-	-	-	-	-	-	3	5
1999	276	-	-	-	-	-	-	-	1	3	2
All other, male											
2000	85	-	-	-	-	-	-	-	-	2	4
1999	84	-	-	-	-	-	-	-	-	2	1
All other, female											
2000	187	-	-	-	-	-	-	-	-	1	1
1999	192	-	-	-	-	-	-	-	1	1	1
Black, both sexes											
2000	244	-	-	-	-	-	-	-	-	3	5
1999	246	-	-	-	-	-	-	-	1	3	1
Black, male											
2000	74	-	-	-	-	-	-	-	-	2	4
1999	70	-	-	-	-	-	-	-	-	2	-
Black, female											
2000	170	-	-	-	-	-	-	-	-	1	1
1999	176	-	-	-	-	-	-	-	1	1	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other diseases of intestines and peritoneum (K52,K58-K63)											
All races, both sexes											
2000.....	4,525	66	19	7	6	7	10	17	20	28	57
1999.....	4,434	56	26	8	10	5	10	11	17	40	61
All races, male											
2000.....	1,648	36	12	4	2	3	6	11	8	12	32
1999.....	1,687	39	11	2	6	5	5	5	9	21	32
All races, female											
2000.....	2,877	30	7	3	4	4	4	6	12	16	25
1999.....	2,747	17	15	6	4	-	5	6	8	19	29
White, both sexes											
2000.....	4,004	42	8	5	1	4	7	13	18	21	43
1999.....	3,963	36	20	5	7	4	7	8	15	31	48
White, male											
2000.....	1,421	21	6	2	-	1	4	9	7	10	25
1999.....	1,471	24	6	1	5	4	4	3	8	16	27
White, female											
2000.....	2,583	21	2	3	1	3	3	4	11	11	18
1999.....	2,492	12	14	4	2	-	3	5	7	15	21
All other, both sexes											
2000.....	521	24	11	2	5	3	3	4	2	7	14
1999.....	471	20	6	3	3	1	3	3	2	9	13
All other, male											
2000.....	227	15	6	2	2	2	2	2	1	2	7
1999.....	216	15	5	1	1	1	1	2	1	5	5
All other, female											
2000.....	294	9	5	-	3	1	1	2	1	5	7
1999.....	255	5	1	2	2	-	2	1	1	4	8
Black, both sexes											
2000.....	432	23	8	1	3	2	2	4	2	7	14
1999.....	408	18	6	2	3	1	3	2	1	8	12
Black, male											
2000.....	179	14	5	1	1	1	1	2	1	2	7
1999.....	182	13	5	-	1	1	1	1	-	4	5
Black, female											
2000.....	253	9	3	-	2	1	1	2	1	5	7
1999.....	226	5	1	2	2	-	2	1	1	4	7

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Diseases of peritoneum (K65-K66)											
All races, both sexes											
2000.....	1,948	16	2	3	2	6	4	5	23	36	66
1999.....	1,894	20	5	4	6	3	7	9	18	35	57
All races, male											
2000.....	832	9	-	-	1	5	1	3	12	17	35
1999.....	868	12	3	2	4	-	3	4	13	18	34
All races, female											
2000.....	1,116	7	2	3	1	1	3	2	11	19	31
1999.....	1,026	8	2	2	2	3	4	5	5	17	23
White, both sexes											
2000.....	1,610	10	1	1	-	5	2	1	14	21	46
1999.....	1,577	11	5	2	3	1	4	4	16	30	45
White, male											
2000.....	676	7	-	-	-	4	-	1	9	10	23
1999.....	726	7	3	2	2	-	2	2	12	17	29
White, female											
2000.....	934	3	1	1	-	1	2	-	5	11	23
1999.....	851	4	2	-	1	1	2	2	4	13	16
All other, both sexes											
2000.....	338	6	1	2	2	1	2	4	9	15	20
1999.....	317	9	-	2	3	2	3	5	2	5	12
All other, male											
2000.....	156	2	-	-	1	1	1	2	3	7	12
1999.....	142	5	-	-	2	-	1	2	1	1	5
All other, female											
2000.....	182	4	1	2	1	-	1	2	6	8	8
1999.....	175	4	-	2	1	2	2	3	1	4	7
Black, both sexes											
2000.....	299	6	1	2	2	1	2	3	8	12	18
1999.....	279	8	-	2	1	2	3	4	2	4	9
Black, male											
2000.....	137	2	-	-	1	1	1	1	2	5	10
1999.....	124	4	-	-	1	-	1	1	1	1	3
Black, female											
2000.....	162	4	1	2	1	-	1	2	6	7	8
1999.....	155	4	-	2	-	2	2	3	1	3	6

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Diseases of liver (K70-K76)											
All races, both sexes											
2000.....	33,853	76	27	11	14	14	68	125	433	1,359	2,778
1999.....	33,619	86	23	11	16	31	47	112	456	1,367	2,695
All races, male											
2000.....	21,351	52	15	6	6	7	39	82	273	886	1,911
1999.....	21,350	57	11	6	3	16	18	64	291	871	1,919
All races, female											
2000.....	12,502	24	12	5	8	7	29	43	160	473	867
1999.....	12,269	29	12	5	13	15	29	48	165	496	776
White, both sexes											
2000.....	28,983	48	16	6	11	7	43	79	330	1,078	2,263
1999.....	28,673	50	18	7	13	23	28	82	353	1,099	2,147
White, male											
2000.....	18,410	30	8	4	5	5	24	58	216	720	1,590
1999.....	18,323	30	10	2	2	14	11	52	234	718	1,564
White, female											
2000.....	10,573	18	8	2	6	2	19	21	114	358	673
1999.....	10,350	20	8	5	11	9	17	30	119	381	583
All other, both sexes											
2000.....	4,870	28	11	5	3	7	25	46	103	281	515
1999.....	4,946	36	5	4	3	8	19	30	103	268	548
All other, male											
2000.....	2,941	22	7	2	1	2	15	24	57	166	321
1999.....	3,027	27	1	4	1	2	7	12	57	153	355
All other, female											
2000.....	1,929	6	4	3	2	5	10	22	46	115	194
1999.....	1,919	9	4	-	2	6	12	18	46	115	193
Black, both sexes											
2000.....	3,817	26	9	4	3	6	20	33	64	203	399
1999.....	3,919	30	4	3	3	8	17	25	68	187	430
Black, male											
2000.....	2,348	20	5	2	1	1	12	17	31	123	244
1999.....	2,425	22	-	3	1	2	6	9	35	106	274
Black, female											
2000.....	1,469	6	4	2	2	5	8	16	33	80	155
1999.....	1,494	8	4	-	2	6	11	16	33	81	156

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Alcoholic liver disease (K70)											
All races, both sexes											
2000.....	12,109	-	-	-	-	-	8	56	223	741	1,485
1999.....	11,958	-	-	-	-	-	8	37	222	763	1,423
All races, male											
2000.....	8,985	-	-	-	-	-	5	45	157	486	1,047
1999.....	8,922	-	-	-	-	-	6	24	141	491	1,029
All races, female											
2000.....	3,124	-	-	-	-	-	3	11	66	255	438
1999.....	3,036	-	-	-	-	-	2	13	81	272	394
White, both sexes											
2000.....	10,272	-	-	-	-	-	6	42	176	596	1,214
1999.....	10,041	-	-	-	-	-	5	31	174	623	1,141
White, male											
2000.....	7,770	-	-	-	-	-	4	36	132	397	867
1999.....	7,602	-	-	-	-	-	4	21	115	409	840
White, female											
2000.....	2,502	-	-	-	-	-	2	6	44	199	347
1999.....	2,439	-	-	-	-	-	1	10	59	214	301
All other, both sexes											
2000.....	1,837	-	-	-	-	-	2	14	47	145	271
1999.....	1,917	-	-	-	-	-	3	6	48	140	282
All other, male											
2000.....	1,215	-	-	-	-	-	1	9	25	89	180
1999.....	1,320	-	-	-	-	-	2	3	26	82	189
All other, female											
2000.....	622	-	-	-	-	-	1	5	22	56	91
1999.....	597	-	-	-	-	-	1	3	22	58	93
Black, both sexes											
2000.....	1,380	-	-	-	-	-	-	7	27	94	193
1999.....	1,466	-	-	-	-	-	2	4	25	84	199
Black, male											
2000.....	918	-	-	-	-	-	-	5	12	61	126
1999.....	1,018	-	-	-	-	-	2	2	13	49	130
Black, female											
2000.....	462	-	-	-	-	-	-	2	15	33	67
1999.....	448	-	-	-	-	-	-	2	12	35	69

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Chronic hepatitis, not elsewhere classified (K73)											
All races, both sexes											
2000.....	440	-	2	-	3	1	3	8	6	9	23
1999.....	439	-	-	1	1	4	4	8	7	10	19
All races, male											
2000.....	105	-	1	-	2	-	2	4	-	4	10
1999.....	128	-	-	1	-	-	-	1	3	-	12
All races, female											
2000.....	335	-	1	-	1	1	1	4	6	5	13
1999.....	311	-	-	-	1	4	4	7	4	10	7
White, both sexes											
2000.....	374	-	2	-	2	-	1	3	5	7	17
1999.....	355	-	-	-	1	2	2	4	3	4	16
White, male											
2000.....	88	-	1	-	1	-	1	3	-	3	7
1999.....	106	-	-	-	-	-	-	-	1	-	11
White, female											
2000.....	286	-	1	-	1	-	-	-	5	4	10
1999.....	249	-	-	-	1	2	2	4	2	4	5
All other, both sexes											
2000.....	66	-	-	-	1	1	2	5	1	2	6
1999.....	84	-	-	1	-	2	2	4	4	6	3
All other, male											
2000.....	17	-	-	-	1	-	1	1	-	1	3
1999.....	22	-	-	1	-	-	-	1	2	-	1
All other, female											
2000.....	49	-	-	-	-	1	1	4	1	1	3
1999.....	62	-	-	-	-	2	2	3	2	6	2
Black, both sexes											
2000.....	48	-	-	-	1	1	2	5	1	1	5
1999.....	61	-	-	1	-	2	2	4	2	5	3
Black, male											
2000.....	13	-	-	-	1	-	1	1	-	1	3
1999.....	13	-	-	1	-	-	-	1	1	-	1
Black, female											
2000.....	35	-	-	-	-	1	1	4	1	-	2
1999.....	48	-	-	-	-	2	2	3	1	5	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Fibrosis and cirrhosis of liver (K74)											
All races, both sexes											
2000.....	14,003	3	1	-	-	6	18	24	98	333	780
1999.....	13,862	5	2	-	-	5	5	25	108	330	757
All races, male											
2000.....	8,124	3	-	-	-	3	9	14	60	226	541
1999.....	8,065	4	-	-	-	3	2	16	72	225	557
All races, female											
2000.....	5,879	-	1	-	-	3	9	10	38	107	239
1999.....	5,797	1	2	-	-	2	3	9	36	105	200
White, both sexes											
2000.....	12,336	-	1	-	-	2	12	12	74	269	642
1999.....	12,224	4	-	-	-	5	1	17	94	278	614
White, male											
2000.....	7,144	-	-	-	-	1	5	7	46	188	459
1999.....	7,082	4	-	-	-	3	1	14	62	191	455
White, female											
2000.....	5,192	-	1	-	-	1	7	5	28	81	183
1999.....	5,142	-	-	-	-	2	-	3	32	87	159
All other, both sexes											
2000.....	1,667	3	-	-	-	4	6	12	24	64	138
1999.....	1,638	1	2	-	-	-	4	8	14	52	143
All other, male											
2000.....	980	3	-	-	-	2	4	7	14	38	82
1999.....	983	-	-	-	-	-	1	2	10	34	102
All other, female											
2000.....	687	-	-	-	-	2	2	5	10	26	56
1999.....	655	1	2	-	-	-	3	6	4	18	41
Black, both sexes											
2000.....	1,309	2	-	-	-	3	6	9	8	49	109
1999.....	1,306	-	2	-	-	-	4	8	12	40	126
Black, male											
2000.....	799	2	-	-	-	1	4	6	3	30	63
1999.....	811	-	-	-	-	-	1	2	9	26	90
Black, female											
2000.....	510	-	-	-	-	2	2	3	5	19	46
1999.....	495	-	2	-	-	-	3	6	3	14	36

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other diseases of liver (K71-K72,K75-K76)											
All races, both sexes											
2000.....	7,301	73	24	11	11	7	39	37	106	276	490
1999.....	7,360	81	21	10	15	22	30	42	119	264	496
All races, male											
2000.....	4,137	49	14	6	4	4	23	19	56	170	313
1999.....	4,235	53	11	5	3	13	10	23	75	155	321
All races, female											
2000.....	3,164	24	10	5	7	3	16	18	50	106	177
1999.....	3,125	28	10	5	12	9	20	19	44	109	175
White, both sexes											
2000.....	6,001	48	13	6	9	5	24	22	75	206	390
1999.....	6,053	46	18	7	12	16	20	30	82	194	376
White, male											
2000.....	3,408	30	7	4	4	4	14	12	38	132	257
1999.....	3,533	26	10	2	2	11	6	17	56	118	258
White, female											
2000.....	2,593	18	6	2	5	1	10	10	37	74	133
1999.....	2,520	20	8	5	10	5	14	13	26	76	118
All other, both sexes											
2000.....	1,300	25	11	5	2	2	15	15	31	70	100
1999.....	1,307	35	3	3	3	6	10	12	37	70	120
All other, male											
2000.....	729	19	7	2	-	-	9	7	18	38	56
1999.....	702	27	1	3	1	2	4	6	19	37	63
All other, female											
2000.....	571	6	4	3	2	2	6	8	13	32	44
1999.....	605	8	2	-	2	4	6	6	18	33	57
Black, both sexes											
2000.....	1,080	24	9	4	2	2	12	12	28	59	92
1999.....	1,086	30	2	2	3	6	9	9	29	58	102
Black, male											
2000.....	618	18	5	2	-	-	7	5	16	31	52
1999.....	583	22	-	2	1	2	3	4	12	31	53
Black, female											
2000.....	462	6	4	2	2	2	5	7	12	28	40
1999.....	503	8	2	-	2	4	6	5	17	27	49

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)											
All races, both sexes											
2000.....	2,810	-	-	1	1	2	7	6	13	22	31
1999.....	2,830	2	-	-	1	4	6	5	11	25	34
All races, male											
2000.....	1,244	-	-	-	1	1	3	2	5	12	15
1999.....	1,248	1	-	-	1	2	3	-	4	14	16
All races, female											
2000.....	1,566	-	-	1	-	1	4	4	8	10	16
1999.....	1,582	1	-	-	-	2	3	5	7	11	18
White, both sexes											
2000.....	2,457	-	-	-	1	1	6	3	7	17	21
1999.....	2,487	-	-	-	1	3	3	4	9	17	20
White, male											
2000.....	1,111	-	-	-	1	1	2	2	3	10	12
1999.....	1,101	-	-	-	1	1	3	-	2	10	10
White, female											
2000.....	1,346	-	-	-	-	-	4	1	4	7	9
1999.....	1,386	-	-	-	-	2	-	4	7	7	10
All other, both sexes											
2000.....	353	-	-	1	-	1	1	3	6	5	10
1999.....	343	2	-	-	-	1	3	1	2	8	14
All other, male											
2000.....	133	-	-	-	-	-	1	-	2	2	3
1999.....	147	1	-	-	-	1	-	-	2	4	6
All other, female											
2000.....	220	-	-	1	-	1	-	3	4	3	7
1999.....	196	1	-	-	-	-	3	1	-	4	8
Black, both sexes											
2000.....	280	-	-	1	-	1	1	3	5	4	10
1999.....	257	2	-	-	-	1	3	1	2	7	13
Black, male											
2000.....	96	-	-	-	-	-	1	-	2	1	3
1999.....	102	1	-	-	-	1	-	-	2	3	6
Black, female											
2000.....	184	-	-	1	-	1	-	3	3	3	7
1999.....	155	1	-	-	-	-	3	1	-	4	7

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Disorders of biliary tract and pancreas (K83-K86)											
All races, both sexes											
2000.....	4,653	9	5	8	6	4	35	55	82	149	234
1999.....	4,447	11	4	1	12	16	29	50	92	131	229
All races, male											
2000.....	2,428	5	4	2	1	1	22	38	59	103	163
1999.....	2,302	7	1	1	4	9	14	36	62	87	153
All races, female											
2000.....	2,225	4	1	6	5	3	13	17	23	46	71
1999.....	2,145	4	3	-	8	7	15	14	30	44	76
White, both sexes											
2000.....	3,874	3	4	5	5	4	23	34	60	113	173
1999.....	3,703	7	3	1	9	11	17	37	65	91	176
White, male											
2000.....	1,988	1	3	2	1	1	16	25	44	78	120
1999.....	1,880	4	1	1	3	5	9	25	43	61	118
White, female											
2000.....	1,886	2	1	3	4	3	7	9	16	35	53
1999.....	1,823	3	2	-	6	6	8	12	22	30	58
All other, both sexes											
2000.....	779	6	1	3	1	-	12	21	22	36	61
1999.....	744	4	1	-	3	5	12	13	27	40	53
All other, male											
2000.....	440	4	1	-	-	-	6	13	15	25	43
1999.....	422	3	-	-	1	4	5	11	19	26	35
All other, female											
2000.....	339	2	-	3	1	-	6	8	7	11	18
1999.....	322	1	1	-	2	1	7	2	8	14	18
Black, both sexes											
2000.....	670	5	1	3	-	-	11	20	22	28	57
1999.....	641	4	1	-	2	5	11	13	22	38	47
Black, male											
2000.....	379	3	1	-	-	-	5	12	15	20	40
1999.....	370	3	-	-	1	4	4	11	18	26	32
Black, female											
2000.....	291	2	-	3	-	-	6	8	7	8	17
1999.....	271	1	1	-	1	1	7	2	4	12	15

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Pancreatitis (K85,K86.0-K86.1)											
All races, both sexes											
2000.....	3,377	3	1	8	6	4	35	47	79	136	211
1999.....	3,289	1	1	1	10	12	26	47	88	121	206
All races, male											
2000.....	1,830	1	1	2	1	1	22	31	58	100	153
1999.....	1,769	1	-	1	3	6	12	34	59	82	142
All races, female											
2000.....	1,547	2	-	6	5	3	13	16	21	36	58
1999.....	1,520	-	1	-	7	6	14	13	29	39	64
White, both sexes											
2000.....	2,778	1	1	5	5	4	23	30	57	103	154
1999.....	2,702	1	1	1	8	8	15	35	63	84	158
White, male											
2000.....	1,472	-	1	2	1	1	16	21	43	76	110
1999.....	1,423	1	-	1	3	3	7	24	42	57	108
White, female											
2000.....	1,306	1	-	3	4	3	7	9	14	27	44
1999.....	1,279	-	1	-	5	5	8	11	21	27	50
All other, both sexes											
2000.....	599	2	-	3	1	-	12	17	22	33	57
1999.....	587	-	-	-	2	4	11	12	25	37	48
All other, male											
2000.....	358	1	-	-	-	-	6	10	15	24	43
1999.....	346	-	-	-	-	3	5	10	17	25	34
All other, female											
2000.....	241	1	-	3	1	-	6	7	7	9	14
1999.....	241	-	-	-	2	1	6	2	8	12	14
Black, both sexes											
2000.....	520	1	-	3	-	-	11	16	22	26	54
1999.....	513	-	-	-	1	4	10	12	20	35	43
Black, male											
2000.....	310	-	-	-	-	-	5	9	15	20	40
1999.....	309	-	-	-	-	3	4	10	16	25	31
Black, female											
2000.....	210	1	-	3	-	-	6	7	7	6	14
1999.....	204	-	-	-	1	1	6	2	4	10	12

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)											
All races, both sexes											
2000.....	1,276	6	4	-	-	-	-	8	3	13	23
1999.....	1,158	10	3	-	2	4	3	3	4	10	23
All races, male											
2000.....	598	4	3	-	-	-	-	7	1	3	10
1999.....	533	6	1	-	1	3	2	2	3	5	11
All races, female											
2000.....	678	2	1	-	-	-	-	1	2	10	13
1999.....	625	4	2	-	1	1	1	1	1	5	12
White, both sexes											
2000.....	1,096	2	3	-	-	-	-	4	3	10	19
1999.....	1,001	6	2	-	1	3	2	2	2	7	18
White, male											
2000.....	516	1	2	-	-	-	-	4	1	2	10
1999.....	457	3	1	-	-	2	2	1	1	4	10
White, female											
2000.....	580	1	1	-	-	-	-	-	2	8	9
1999.....	544	3	1	-	1	1	-	1	1	3	8
All other, both sexes											
2000.....	180	4	1	-	-	-	-	4	-	3	4
1999.....	157	4	1	-	1	1	1	1	2	3	5
All other, male											
2000.....	82	3	1	-	-	-	-	3	-	1	-
1999.....	76	3	-	-	1	1	-	1	2	1	1
All other, female											
2000.....	98	1	-	-	-	-	-	1	-	2	4
1999.....	81	1	1	-	-	-	1	-	-	2	4
Black, both sexes											
2000.....	150	4	1	-	-	-	-	4	-	2	3
1999.....	128	4	1	-	1	1	1	1	2	3	4
Black, male											
2000.....	69	3	1	-	-	-	-	3	-	-	-
1999.....	61	3	-	-	1	1	-	1	2	1	1
Black, female											
2000.....	81	1	-	-	-	-	-	1	-	2	3
1999.....	67	1	1	-	-	-	1	-	-	2	3

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
All other diseases of digestive system (K90,K92)											
All races, both sexes											
2000.....	8,091	24	17	3	2	5	6	13	15	40	91
1999.....	7,760	26	20	3	5	2	6	8	15	33	82
All races, male											
2000.....	3,548	18	14	2	1	2	4	9	13	23	67
1999.....	3,423	15	9	1	1	-	6	7	9	24	55
All races, female											
2000.....	4,543	6	3	1	1	3	2	4	2	17	24
1999.....	4,337	11	11	2	4	2	-	1	6	9	27
White, both sexes											
2000.....	7,034	18	7	3	1	4	5	9	10	26	63
1999.....	6,821	17	14	3	4	2	4	6	12	28	60
White, male											
2000.....	3,048	15	6	2	1	1	3	8	9	15	48
1999.....	2,973	10	5	1	1	-	4	6	7	20	45
White, female											
2000.....	3,986	3	1	1	-	3	2	1	1	11	15
1999.....	3,848	7	9	2	3	2	-	-	5	8	15
All other, both sexes											
2000.....	1,057	6	10	-	1	1	1	4	5	14	28
1999.....	939	9	6	-	1	-	2	2	3	5	22
All other, male											
2000.....	500	3	8	-	-	1	1	1	4	8	19
1999.....	450	5	4	-	-	-	2	1	2	4	10
All other, female											
2000.....	557	3	2	-	1	-	-	3	1	6	9
1999.....	489	4	2	-	1	-	-	1	1	1	12
Black, both sexes											
2000.....	937	6	7	-	1	1	1	4	5	14	25
1999.....	816	8	4	-	1	-	1	2	2	5	19
Black, male											
2000.....	435	3	6	-	-	1	1	1	4	8	17
1999.....	381	4	2	-	-	-	1	1	1	4	9
Black, female											
2000.....	502	3	1	-	1	-	-	3	1	6	8
1999.....	435	4	2	-	1	-	-	1	1	1	10

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

XII. Diseases of the skin and subcutaneous tissue (L00-L98)

All races, both sexes											
2000.....	3,753	3	4	-	3	3	15	23	21	40	67
1999.....	3,697	2	2	4	3	5	12	11	30	41	66
All races, male											
2000.....	1,301	3	2	-	1	1	4	5	9	16	33
1999.....	1,296	2	1	1	-	3	5	2	16	21	22
All races, female											
2000.....	2,452	-	2	-	2	2	11	18	12	24	34
1999.....	2,401	-	1	3	3	2	7	9	14	20	44
White, both sexes											
2000.....	2,777	1	3	-	-	2	8	12	12	22	41
1999.....	2,679	2	2	2	3	3	5	8	19	23	36
White, male											
2000.....	961	1	1	-	-	1	3	1	6	10	19
1999.....	944	2	1	-	-	2	3	2	10	13	12
White, female											
2000.....	1,816	-	2	-	-	1	5	11	6	12	22
1999.....	1,735	-	1	2	3	1	2	6	9	10	24
All other, both sexes											
2000.....	976	2	1	-	3	1	7	11	9	18	26
1999.....	1,018	-	-	2	-	2	7	3	11	18	30
All other, male											
2000.....	340	2	1	-	1	-	1	4	3	6	14
1999.....	352	-	-	1	-	1	2	-	6	8	10
All other, female											
2000.....	636	-	-	-	2	1	6	7	6	12	12
1999.....	666	-	-	1	-	1	5	3	5	10	20
Black, both sexes											
2000.....	896	1	1	-	2	-	6	11	9	17	22
1999.....	963	-	-	1	-	2	5	3	10	17	28
Black, male											
2000.....	310	1	1	-	1	-	1	4	3	6	13
1999.....	330	-	-	1	-	1	2	-	5	8	9
Black, female											
2000.....	586	-	-	-	1	-	5	7	6	11	9
1999.....	633	-	-	-	-	1	3	3	5	9	19

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)											
All races, both sexes											
2000.....	2,612	2	4	-	3	3	14	18	14	25	43
1999.....	2,714	2	1	4	3	4	10	9	18	29	49
All races, male											
2000.....	820	2	2	-	1	1	4	4	5	10	20
1999.....	888	2	1	1	-	2	4	-	9	12	13
All races, female											
2000.....	1,792	-	2	-	2	2	10	14	9	15	23
1999.....	1,826	-	-	3	3	2	6	9	9	17	36
White, both sexes											
2000.....	1,788	1	3	-	-	2	8	9	6	11	24
1999.....	1,837	2	1	2	3	2	3	6	11	14	26
White, male											
2000.....	545	1	1	-	-	1	3	1	2	4	10
1999.....	601	2	1	-	-	1	2	-	5	6	5
White, female											
2000.....	1,243	-	2	-	-	1	5	8	4	7	14
1999.....	1,236	-	-	2	3	1	1	6	6	8	21
All other, both sexes											
2000.....	824	1	1	-	3	1	6	9	8	14	19
1999.....	877	-	-	2	-	2	7	3	7	15	23
All other, male											
2000.....	275	1	1	-	1	-	1	3	3	6	10
1999.....	287	-	-	1	-	1	2	-	4	6	8
All other, female											
2000.....	549	-	-	-	2	1	5	6	5	8	9
1999.....	590	-	-	1	-	1	5	3	3	9	15
Black, both sexes											
2000.....	768	-	1	-	2	-	5	9	8	13	17
1999.....	839	-	-	1	-	2	5	3	7	15	22
Black, male											
2000.....	258	-	1	-	1	-	1	3	3	6	9
1999.....	273	-	-	1	-	1	2	-	4	6	8
Black, female											
2000.....	510	-	-	-	1	-	4	6	5	7	8
1999.....	566	-	-	-	-	1	3	3	3	9	14

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

All races, both sexes											
2000.....	13,764	14	10	7	27	45	107	145	172	258	387
1999.....	13,347	9	8	10	28	59	89	124	167	278	358
All races, male											
2000.....	4,035	9	6	4	8	17	36	43	52	72	136
1999.....	3,813	6	4	6	7	16	23	29	48	86	119
All races, female											
2000.....	9,729	5	4	3	19	28	71	102	120	186	251
1999.....	9,534	3	4	4	21	43	66	95	119	192	239
White, both sexes											
2000.....	11,679	9	5	3	14	19	48	79	100	136	222
1999.....	11,378	5	7	4	19	31	40	63	100	140	200
White, male											
2000.....	3,359	4	4	3	6	4	17	26	32	37	87
1999.....	3,229	5	3	3	4	12	10	18	36	47	73
White, female											
2000.....	8,320	5	1	-	8	15	31	53	68	99	135
1999.....	8,149	-	4	1	15	19	30	45	64	93	127
All other, both sexes											
2000.....	2,085	5	5	4	13	26	59	66	72	122	165
1999.....	1,969	4	1	6	9	28	49	61	67	138	158
All other, male											
2000.....	676	5	2	1	2	13	19	17	20	35	49
1999.....	584	1	1	3	3	4	13	11	12	39	46
All other, female											
2000.....	1,409	-	3	3	11	13	40	49	52	87	116
1999.....	1,385	3	-	3	6	24	36	50	55	99	112
Black, both sexes											
2000.....	1,787	5	4	2	13	23	52	62	69	110	153
1999.....	1,689	4	1	4	8	23	46	55	60	121	150
Black, male											
2000.....	588	5	1	1	2	12	16	16	19	33	47
1999.....	506	1	1	3	3	2	13	11	11	33	44
Black, female											
2000.....	1,199	-	3	1	11	11	36	46	50	77	106
1999.....	1,183	3	-	1	5	21	33	44	49	88	106

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)											
All races, both sexes											
2000.....	2,689	-	1	-	1	2	1	3	2	7	16
1999.....	2,763	-	-	1	2	-	-	2	9	7	13
All races, male											
2000.....	635	-	-	-	-	-	-	-	-	1	6
1999.....	657	-	-	-	1	-	-	-	3	1	6
All races, female											
2000.....	2,054	-	1	-	1	2	1	3	2	6	10
1999.....	2,106	-	-	1	1	-	-	2	6	6	7
White, both sexes											
2000.....	2,489	-	-	-	1	2	-	2	-	7	14
1999.....	2,585	-	-	-	1	-	-	1	8	5	9
White, male											
2000.....	592	-	-	-	-	-	-	-	-	1	5
1999.....	613	-	-	-	-	-	-	-	3	1	5
White, female											
2000.....	1,897	-	-	-	1	2	-	2	-	6	9
1999.....	1,972	-	-	-	1	-	-	1	5	4	4
All other, both sexes											
2000.....	200	-	1	-	-	-	1	1	2	-	2
1999.....	178	-	-	1	1	-	-	1	1	2	4
All other, male											
2000.....	43	-	-	-	-	-	-	-	-	-	1
1999.....	44	-	-	-	1	-	-	-	-	-	1
All other, female											
2000.....	157	-	1	-	-	-	1	1	2	-	1
1999.....	134	-	-	1	-	-	-	1	1	2	3
Black, both sexes											
2000.....	148	-	1	-	-	-	1	1	2	-	2
1999.....	141	-	-	-	1	-	-	1	1	2	4
Black, male											
2000.....	34	-	-	-	-	-	-	-	-	-	1
1999.....	38	-	-	-	1	-	-	-	-	-	1
Black, female											
2000.....	114	-	1	-	-	-	1	1	2	-	1
1999.....	103	-	-	-	-	-	-	1	1	2	3

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Systemic lupus erythematosus (M32)											
All races, both sexes											
2000.....	1,339	1	-	1	9	22	59	69	61	116	138
1999.....	1,322	-	-	-	6	25	57	62	74	115	126
All races, male											
2000.....	201	1	-	-	-	7	10	7	4	18	18
1999.....	188	-	-	-	1	4	10	4	12	14	15
All races, female											
2000.....	1,138	-	-	1	9	15	49	62	57	98	120
1999.....	1,134	-	-	-	5	21	47	58	62	101	111
White, both sexes											
2000.....	838	-	-	-	2	5	24	29	27	53	69
1999.....	833	-	-	-	2	8	22	29	32	47	58
White, male											
2000.....	134	-	-	-	-	1	4	4	1	6	10
1999.....	130	-	-	-	1	2	3	2	6	6	6
White, female											
2000.....	704	-	-	-	2	4	20	25	26	47	59
1999.....	703	-	-	-	1	6	19	27	26	41	52
All other, both sexes											
2000.....	501	1	-	1	7	17	35	40	34	63	69
1999.....	489	-	-	-	4	17	35	33	42	68	68
All other, male											
2000.....	67	1	-	-	-	6	6	3	3	12	8
1999.....	58	-	-	-	-	2	7	2	6	8	9
All other, female											
2000.....	434	-	-	1	7	11	29	37	31	51	61
1999.....	431	-	-	-	4	15	28	31	36	60	59
Black, both sexes											
2000.....	447	1	-	1	7	14	32	38	32	56	62
1999.....	432	-	-	-	3	14	33	29	36	59	65
Black, male											
2000.....	62	1	-	-	-	5	6	3	3	12	8
1999.....	48	-	-	-	-	1	7	2	5	6	8
Black, female											
2000.....	385	-	-	1	7	9	26	35	29	44	54
1999.....	384	-	-	-	3	13	26	27	31	53	57

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)											
All races, both sexes											
2000.....	4,790	2	3	2	6	12	29	47	78	90	161
1999.....	4,652	5	2	4	5	21	19	38	57	111	152
All races, male											
2000.....	1,458	2	1	2	2	4	13	20	32	23	62
1999.....	1,420	3	2	2	2	6	5	14	17	46	58
All races, female											
2000.....	3,332	-	2	-	4	8	16	27	46	67	99
1999.....	3,232	2	-	2	3	15	14	24	40	65	94
White, both sexes											
2000.....	4,020	1	1	2	4	9	15	30	47	41	91
1999.....	3,877	2	2	2	2	13	11	18	33	61	83
White, male											
2000.....	1,188	1	1	2	2	2	9	13	19	7	37
1999.....	1,178	2	2	1	-	4	3	8	11	25	32
White, female											
2000.....	2,832	-	-	-	2	7	6	17	28	34	54
1999.....	2,699	-	-	1	2	9	8	10	22	36	51
All other, both sexes											
2000.....	770	1	2	-	2	3	14	17	31	49	70
1999.....	775	3	-	2	3	8	8	20	24	50	69
All other, male											
2000.....	270	1	-	-	-	2	4	7	13	16	25
1999.....	242	1	-	1	2	2	2	6	6	21	26
All other, female											
2000.....	500	-	2	-	2	1	10	10	18	33	45
1999.....	533	2	-	1	1	6	6	14	18	29	43
Black, both sexes											
2000.....	656	1	2	-	2	3	12	15	31	46	66
1999.....	670	3	-	2	3	6	7	18	23	47	65
Black, male											
2000.....	227	1	-	-	-	2	3	6	13	15	24
1999.....	217	1	-	1	2	1	2	6	6	21	26
Black, female											
2000.....	429	-	2	-	2	1	9	9	18	31	42
1999.....	453	2	-	1	1	5	5	12	17	26	39

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Dorsopathies (M40-M54)											
All races, both sexes											
2000.....	869	4	-	2	8	6	5	7	8	8	13
1999.....	787	-	3	2	11	8	7	6	13	8	13
All races, male											
2000.....	375	3	-	1	3	4	3	3	3	6	9
1999.....	339	-	1	2	3	2	4	3	8	5	7
All races, female											
2000.....	494	1	-	1	5	2	2	4	5	2	4
1999.....	448	-	2	-	8	6	3	3	5	3	6
White, both sexes											
2000.....	775	2	-	-	6	2	3	5	7	8	11
1999.....	702	-	3	1	10	5	5	4	13	6	12
White, male											
2000.....	324	1	-	-	3	1	1	1	2	6	8
1999.....	298	-	1	1	3	2	3	2	8	3	6
White, female											
2000.....	451	1	-	-	3	1	2	4	5	2	3
1999.....	404	-	2	-	7	3	2	2	5	3	6
All other, both sexes											
2000.....	94	2	-	2	2	4	2	2	1	-	2
1999.....	85	-	-	1	1	3	2	2	-	2	1
All other, male											
2000.....	51	2	-	1	-	3	2	2	1	-	1
1999.....	41	-	-	1	-	-	1	1	-	2	1
All other, female											
2000.....	43	-	-	1	2	1	-	-	-	-	1
1999.....	44	-	-	-	1	3	1	1	-	-	-
Black, both sexes											
2000.....	82	2	-	1	2	4	2	2	-	-	2
1999.....	70	-	-	1	1	3	2	2	-	-	1
Black, male											
2000.....	46	2	-	1	-	3	2	2	-	-	1
1999.....	32	-	-	1	-	-	1	1	-	-	1
Black, female											
2000.....	36	-	-	-	2	1	-	-	-	-	1
1999.....	38	-	-	-	1	3	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Soft tissue disorders (M60-M79)											
All races, both sexes											
2000.....	1,015	3	6	1	1	1	9	13	13	23	44
1999.....	956	3	2	1	4	4	5	13	11	31	43
All races, male											
2000.....	539	1	5	1	1	1	7	9	9	13	27
1999.....	517	2	-	1	-	3	3	7	6	17	28
All races, female											
2000.....	476	2	1	-	-	-	2	4	4	10	17
1999.....	439	1	2	-	4	1	2	6	5	14	15
White, both sexes											
2000.....	785	2	4	1	-	-	2	9	11	16	25
1999.....	757	2	2	-	4	4	2	9	11	18	33
White, male											
2000.....	424	-	3	1	-	-	-	6	7	9	16
1999.....	411	2	-	-	-	3	1	5	6	10	22
White, female											
2000.....	361	2	1	-	-	-	2	3	4	7	9
1999.....	346	-	2	-	4	1	1	4	5	8	11
All other, both sexes											
2000.....	230	1	2	-	1	1	7	4	2	7	19
1999.....	199	1	-	1	-	-	3	4	-	13	10
All other, male											
2000.....	115	1	2	-	1	1	7	3	2	4	11
1999.....	106	-	-	1	-	-	2	2	-	7	6
All other, female											
2000.....	115	-	-	-	-	-	-	1	-	3	8
1999.....	93	1	-	-	-	-	1	2	-	6	4
Black, both sexes											
2000.....	205	1	1	-	1	1	5	4	2	5	18
1999.....	177	1	-	1	-	-	3	4	-	11	10
Black, male											
2000.....	102	1	1	-	1	1	5	3	2	3	10
1999.....	94	-	-	1	-	-	2	2	-	6	6
Black, female											
2000.....	103	-	-	-	-	-	-	1	-	2	8
1999.....	83	1	-	-	-	-	1	2	-	5	4

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)											
All races, both sexes											
2000.....	3,062	4	-	1	2	2	4	6	10	14	15
1999.....	2,867	1	1	2	-	1	1	3	3	6	11
All races, male											
2000.....	827	2	-	-	2	1	3	4	4	11	14
1999.....	692	1	1	1	-	1	1	1	2	3	5
All races, female											
2000.....	2,235	2	-	1	-	1	1	2	6	3	1
1999.....	2,175	-	-	1	-	-	-	2	1	3	6
White, both sexes											
2000.....	2,772	4	-	-	1	1	4	4	8	11	12
1999.....	2,624	1	-	1	-	1	-	2	3	3	5
White, male											
2000.....	697	2	-	-	1	-	3	2	3	8	11
1999.....	599	1	-	1	-	1	-	1	2	2	2
White, female											
2000.....	2,075	2	-	-	-	1	1	2	5	3	1
1999.....	2,025	-	-	-	-	-	-	1	1	1	3
All other, both sexes											
2000.....	290	-	-	1	1	1	-	2	2	3	3
1999.....	243	-	1	1	-	-	1	1	-	3	6
All other, male											
2000.....	130	-	-	-	1	1	-	2	1	3	3
1999.....	93	-	1	-	-	-	1	-	-	1	3
All other, female											
2000.....	160	-	-	1	-	-	-	-	1	-	-
1999.....	150	-	-	1	-	-	-	1	-	2	3
Black, both sexes											
2000.....	249	-	-	-	1	1	-	2	2	3	3
1999.....	199	-	1	-	-	-	1	1	-	2	5
Black, male											
2000.....	117	-	-	-	1	1	-	2	1	3	3
1999.....	77	-	1	-	-	-	1	-	-	-	2
Black, female											
2000.....	132	-	-	-	-	-	-	-	1	-	-
1999.....	122	-	-	-	-	-	-	1	-	2	3

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)											
All races, both sexes											
2000.....	1,346	2	-	1	2	2	4	6	9	13	14
1999.....	1,225	-	1	1	-	1	1	3	2	6	10
All races, male											
2000.....	626	-	-	-	2	1	3	4	4	10	14
1999.....	532	-	1	-	-	1	1	1	2	3	5
All races, female											
2000.....	720	2	-	1	-	1	1	2	5	3	-
1999.....	693	-	-	1	-	-	-	2	-	3	5
White, both sexes											
2000.....	1,103	2	-	-	1	1	4	4	7	10	11
1999.....	1,023	-	-	-	-	1	-	2	2	3	4
White, male											
2000.....	507	-	-	-	1	-	3	2	3	7	11
1999.....	446	-	-	-	-	1	-	1	2	2	2
White, female											
2000.....	596	2	-	-	-	1	1	2	4	3	-
1999.....	577	-	-	-	-	-	-	1	-	1	2
All other, both sexes											
2000.....	243	-	-	1	1	1	-	2	2	3	3
1999.....	202	-	1	1	-	-	1	1	-	3	6
All other, male											
2000.....	119	-	-	-	1	1	-	2	1	3	3
1999.....	86	-	1	-	-	-	1	-	-	1	3
All other, female											
2000.....	124	-	-	1	-	-	-	-	1	-	-
1999.....	116	-	-	1	-	-	-	1	-	2	3
Black, both sexes											
2000.....	228	-	-	-	1	1	-	2	2	3	3
1999.....	178	-	1	-	-	-	1	1	-	2	5
Black, male											
2000.....	110	-	-	-	1	1	-	2	1	3	3
1999.....	73	-	1	-	-	-	1	-	-	-	2
Black, female											
2000.....	118	-	-	-	-	-	-	-	1	-	-
1999.....	105	-	-	-	-	-	-	1	-	2	3

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

All races, both sexes											
2000.....	54,560	191	22	13	19	42	73	105	203	342	574
1999.....	53,127	192	24	21	27	35	59	132	189	339	544
All races, male											
2000.....	23,749	118	9	7	10	23	30	53	101	174	325
1999.....	23,062	97	14	12	14	15	26	56	96	180	292
All races, female											
2000.....	30,811	73	13	6	9	19	43	52	102	168	249
1999.....	30,065	95	10	9	13	20	33	76	93	159	252
White, both sexes											
2000.....	44,591	108	15	9	13	27	58	69	116	188	342
1999.....	43,289	118	19	18	17	23	32	75	111	194	312
White, male											
2000.....	19,460	70	6	6	8	15	27	35	57	94	196
1999.....	18,732	69	9	10	10	12	12	33	58	104	163
White, female											
2000.....	25,131	38	9	3	5	12	31	34	59	94	146
1999.....	24,557	49	10	8	7	11	20	42	53	90	149
All other, both sexes											
2000.....	9,969	83	7	4	6	15	15	36	87	154	232
1999.....	9,838	74	5	3	10	12	27	57	78	145	232
All other, male											
2000.....	4,289	48	3	1	2	8	3	18	44	80	129
1999.....	4,330	28	5	2	4	3	14	23	38	76	129
All other, female											
2000.....	5,680	35	4	3	4	7	12	18	43	74	103
1999.....	5,508	46	-	1	6	9	13	34	40	69	103
Black, both sexes											
2000.....	8,928	78	5	3	5	14	14	33	80	144	211
1999.....	8,808	67	4	3	9	11	26	50	68	136	218
Black, male											
2000.....	3,817	44	2	1	1	8	3	15	40	77	117
1999.....	3,847	25	4	2	4	3	13	19	31	73	119
Black, female											
2000.....	5,111	34	3	2	4	6	11	18	40	67	94
1999.....	4,961	42	-	1	5	8	13	31	37	63	99

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Diseases of urinary system (N00-N39)											
All races, both sexes											
2000.....	53,615	184	22	13	18	42	69	101	193	325	556
1999.....	52,189	177	23	21	25	34	56	128	182	330	528
All races, male											
2000.....	23,187	117	9	7	10	23	30	53	99	172	324
1999.....	22,470	97	14	12	14	15	26	56	96	179	290
All races, female											
2000.....	30,428	67	13	6	8	19	39	48	94	153	232
1999.....	29,719	80	9	9	11	19	30	72	86	151	238
White, both sexes											
2000.....	43,786	104	15	9	13	27	56	66	110	179	333
1999.....	42,505	110	18	18	15	22	31	74	107	190	301
White, male											
2000.....	18,974	69	6	6	8	15	27	35	56	93	196
1999.....	18,215	69	9	10	10	12	12	33	58	103	161
White, female											
2000.....	24,812	35	9	3	5	12	29	31	54	86	137
1999.....	24,290	41	9	8	5	10	19	41	49	87	140
All other, both sexes											
2000.....	9,829	80	7	4	5	15	13	35	83	146	223
1999.....	9,684	67	5	3	10	12	25	54	75	140	227
All other, male											
2000.....	4,213	48	3	1	2	8	3	18	43	79	128
1999.....	4,255	28	5	2	4	3	14	23	38	76	129
All other, female											
2000.....	5,616	32	4	3	3	7	10	17	40	67	95
1999.....	5,429	39	-	1	6	9	11	31	37	64	98
Black, both sexes											
2000.....	8,807	75	5	3	4	14	12	32	77	139	202
1999.....	8,661	60	4	3	9	11	24	47	66	132	213
Black, male											
2000.....	3,752	44	2	1	1	8	3	15	39	76	116
1999.....	3,776	25	4	2	4	3	13	19	31	73	119
Black, female											
2000.....	5,055	31	3	2	3	6	9	17	38	63	86
1999.....	4,885	35	-	1	5	8	11	28	35	59	94

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Glomerular and renal tubulo-interstitial diseases (N00-N15)											
All races, both sexes											
2000.....	1,934	20	6	1	6	2	9	11	19	26	34
1999.....	2,076	7	7	5	2	5	8	23	10	28	37
All races, male											
2000.....	818	12	2	1	2	1	2	5	10	12	19
1999.....	924	5	5	2	1	3	6	13	5	8	20
All races, female											
2000.....	1,116	8	4	-	4	1	7	6	9	14	15
1999.....	1,152	2	2	3	1	2	2	10	5	20	17
White, both sexes											
2000.....	1,603	16	4	1	4	-	9	7	14	10	21
1999.....	1,762	5	5	5	1	2	4	17	7	18	26
White, male											
2000.....	674	10	1	1	1	-	2	3	7	3	12
1999.....	775	5	3	2	1	2	2	10	3	6	14
White, female											
2000.....	929	6	3	-	3	-	7	4	7	7	9
1999.....	987	-	2	3	-	-	2	7	4	12	12
All other, both sexes											
2000.....	331	4	2	-	2	2	-	4	5	16	13
1999.....	314	2	2	-	1	3	4	6	3	10	11
All other, male											
2000.....	144	2	1	-	1	1	-	2	3	9	7
1999.....	149	-	2	-	-	1	4	3	2	2	6
All other, female											
2000.....	187	2	1	-	1	1	-	2	2	7	6
1999.....	165	2	-	-	1	2	-	3	1	8	5
Black, both sexes											
2000.....	266	4	2	-	1	2	-	3	4	14	8
1999.....	261	1	2	-	1	3	3	4	2	8	10
Black, male											
2000.....	114	2	1	-	-	1	-	1	2	7	3
1999.....	126	-	2	-	-	1	3	2	1	2	5
Black, female											
2000.....	152	2	1	-	1	1	-	2	2	7	5
1999.....	135	1	-	-	1	2	-	2	1	6	5

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Glomerular diseases (N00-N07)											
All races, both sexes											
2000.....	683	8	3	1	4	1	7	6	13	13	21
1999.....	716	3	3	4	2	2	6	13	6	13	16
All races, male											
2000.....	347	3	2	1	2	-	2	3	9	6	13
1999.....	359	3	2	2	1	2	5	9	5	5	11
All races, female											
2000.....	336	5	1	-	2	1	5	3	4	7	8
1999.....	357	-	1	2	1	-	1	4	1	8	5
White, both sexes											
2000.....	538	6	1	1	3	-	7	2	10	5	13
1999.....	569	3	3	4	1	1	3	9	3	9	8
White, male											
2000.....	274	3	1	1	1	-	2	1	6	3	8
1999.....	286	3	2	2	1	1	2	6	3	3	7
White, female											
2000.....	264	3	-	-	2	-	5	1	4	2	5
1999.....	283	-	1	2	-	-	1	3	-	6	1
All other, both sexes											
2000.....	145	2	2	-	1	1	-	4	3	8	8
1999.....	147	-	-	-	1	1	3	4	3	4	8
All other, male											
2000.....	73	-	1	-	1	-	-	2	3	3	5
1999.....	73	-	-	-	-	1	3	3	2	2	4
All other, female											
2000.....	72	2	1	-	-	1	-	2	-	5	3
1999.....	74	-	-	-	1	-	-	1	1	2	4
Black, both sexes											
2000.....	113	2	2	-	-	1	-	3	2	8	4
1999.....	113	-	-	-	1	1	3	2	2	4	7
Black, male											
2000.....	53	-	1	-	-	-	-	1	2	3	2
1999.....	56	-	-	-	-	1	3	2	1	2	3
Black, female											
2000.....	60	2	1	-	-	1	-	2	-	5	2
1999.....	57	-	-	-	1	-	-	-	1	2	4

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Nephrotic syndrome (N04)											
All races, both sexes											
2000.....	153	8	3	1	-	-	1	-	4	1	2
1999.....	154	3	2	2	2	-	2	3	1	1	3
All races, male											
2000.....	76	3	2	1	-	-	1	-	3	-	1
1999.....	75	3	2	-	1	-	2	2	1	-	2
All races, female											
2000.....	77	5	1	-	-	-	-	-	1	1	1
1999.....	79	-	-	2	1	-	-	1	-	1	1
White, both sexes											
2000.....	121	6	1	1	-	-	1	-	3	-	1
1999.....	121	3	2	2	1	-	1	1	1	1	1
White, male											
2000.....	59	3	1	1	-	-	1	-	2	-	1
1999.....	57	3	2	-	1	-	1	-	1	-	1
White, female											
2000.....	62	3	-	-	-	-	-	-	1	-	-
1999.....	64	-	-	2	-	-	-	1	-	1	-
All other, both sexes											
2000.....	32	2	2	-	-	-	-	-	1	1	1
1999.....	33	-	-	-	1	-	1	2	-	-	2
All other, male											
2000.....	17	-	1	-	-	-	-	-	1	-	-
1999.....	18	-	-	-	-	-	1	2	-	-	1
All other, female											
2000.....	15	2	1	-	-	-	-	-	-	1	1
1999.....	15	-	-	-	1	-	-	-	-	-	1
Black, both sexes											
2000.....	27	2	2	-	-	-	-	-	1	1	1
1999.....	26	-	-	-	1	-	1	2	-	-	2
Black, male											
2000.....	12	-	1	-	-	-	-	-	1	-	-
1999.....	14	-	-	-	-	-	1	2	-	-	1
Black, female											
2000.....	15	2	1	-	-	-	-	-	-	1	1
1999.....	12	-	-	-	1	-	-	-	-	-	1

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Renal tubulo-interstitial diseases (N10-N15)											
All races, both sexes											
2000.....	1,251	12	3	-	2	1	2	5	6	13	13
1999.....	1,360	4	4	1	-	3	2	10	4	15	21
All races, male											
2000.....	471	9	-	-	-	1	-	2	1	6	6
1999.....	565	2	3	-	-	1	1	4	-	3	9
All races, female											
2000.....	780	3	3	-	2	-	2	3	5	7	7
1999.....	795	2	1	1	-	2	1	6	4	12	12
White, both sexes											
2000.....	1,065	10	3	-	1	-	2	5	4	5	8
1999.....	1,193	2	2	1	-	1	1	8	4	9	18
White, male											
2000.....	400	7	-	-	-	-	-	2	1	-	4
1999.....	489	2	1	-	-	1	-	4	-	3	7
White, female											
2000.....	665	3	3	-	1	-	2	3	3	5	4
1999.....	704	-	1	1	-	-	1	4	4	6	11
All other, both sexes											
2000.....	186	2	-	-	1	1	-	-	2	8	5
1999.....	167	2	2	-	-	2	1	2	-	6	3
All other, male											
2000.....	71	2	-	-	-	1	-	-	-	6	2
1999.....	76	-	2	-	-	-	1	-	-	-	2
All other, female											
2000.....	115	-	-	-	1	-	-	-	2	2	3
1999.....	91	2	-	-	-	2	-	2	-	6	1
Black, both sexes											
2000.....	153	2	-	-	1	1	-	-	2	6	4
1999.....	148	1	2	-	-	2	-	2	-	4	3
Black, male											
2000.....	61	2	-	-	-	1	-	-	-	4	1
1999.....	70	-	2	-	-	-	-	-	-	-	2
Black, female											
2000.....	92	-	-	-	1	-	-	-	2	2	3
1999.....	78	1	-	-	-	2	-	2	-	4	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Renal failure (N17-N19)											
All races, both sexes											
2000.....	36,471	152	11	9	10	30	48	72	149	262	439
1999.....	34,719	163	12	9	16	21	42	83	147	250	423
All races, male											
2000.....	17,416	100	5	6	8	18	22	39	76	144	263
1999.....	16,611	87	7	6	9	8	17	34	76	143	239
All races, female											
2000.....	19,055	52	6	3	2	12	26	33	73	118	176
1999.....	18,108	76	5	3	7	13	25	49	71	107	184
White, both sexes											
2000.....	28,982	80	7	7	9	19	36	44	77	137	253
1999.....	27,407	99	10	7	10	14	23	42	80	135	227
White, male											
2000.....	14,070	55	4	5	7	11	20	25	39	75	154
1999.....	13,312	59	5	5	7	7	8	18	42	79	128
White, female											
2000.....	14,912	25	3	2	2	8	16	19	38	62	99
1999.....	14,095	40	5	2	3	7	15	24	38	56	99
All other, both sexes											
2000.....	7,489	72	4	2	1	11	12	28	72	125	186
1999.....	7,312	64	2	2	6	7	19	41	67	115	196
All other, male											
2000.....	3,346	45	1	1	1	7	2	14	37	69	109
1999.....	3,299	28	2	1	2	1	9	16	34	64	111
All other, female											
2000.....	4,143	27	3	1	-	4	10	14	35	56	77
1999.....	4,013	36	-	1	4	6	10	25	33	51	85
Black, both sexes											
2000.....	6,782	68	3	2	1	11	11	26	68	121	172
1999.....	6,577	58	1	2	5	7	19	38	61	112	185
Black, male											
2000.....	3,015	42	1	1	1	7	2	12	35	68	102
1999.....	2,943	25	1	1	2	1	9	15	29	63	103
Black, female											
2000.....	3,767	26	2	1	-	4	9	14	33	53	70
1999.....	3,634	33	-	1	3	6	10	23	32	49	82

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Urinary tract infection, site not specified (N39.0)											
All races, both sexes											
2000.....	13,744	5	3	2	1	3	7	13	17	22	35
1999.....	14,021	2	2	2	3	5	5	14	19	24	49
All races, male											
2000.....	4,257	1	1	-	-	1	2	4	11	8	17
1999.....	4,260	1	1	1	1	3	3	6	10	12	20
All races, female											
2000.....	9,487	4	2	2	1	2	5	9	6	14	18
1999.....	9,761	1	1	1	2	2	2	8	9	12	29
White, both sexes											
2000.....	11,974	4	2	1	-	3	7	12	12	20	22
1999.....	12,204	1	2	2	2	3	3	9	14	17	34
White, male											
2000.....	3,640	1	-	-	-	1	2	4	8	8	10
1999.....	3,583	1	1	1	-	2	2	4	8	9	12
White, female											
2000.....	8,334	3	2	1	-	2	5	8	4	12	12
1999.....	8,621	-	1	1	2	1	1	5	6	8	22
All other, both sexes											
2000.....	1,770	1	1	1	1	-	-	1	5	2	13
1999.....	1,817	1	-	-	1	2	2	5	5	7	15
All other, male											
2000.....	617	-	1	-	-	-	-	-	3	-	7
1999.....	677	-	-	-	1	1	1	2	2	3	8
All other, female											
2000.....	1,153	1	-	1	1	-	-	1	2	2	6
1999.....	1,140	1	-	-	-	1	1	3	3	4	7
Black, both sexes											
2000.....	1,558	1	-	-	1	-	-	1	4	1	11
1999.....	1,615	1	-	-	1	1	2	4	3	6	14
Black, male											
2000.....	534	-	-	-	-	-	-	-	2	-	6
1999.....	596	-	-	-	1	1	1	1	1	3	8
Black, female											
2000.....	1,024	1	-	-	1	-	-	1	2	1	5
1999.....	1,019	1	-	-	-	-	1	3	2	3	6

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other diseases of urinary system (N28-N36,N39.1-N39.9)											
All races, both sexes											
2000.....	1,117	5	2	-	1	5	4	3	6	10	40
1999.....	1,048	5	2	4	4	2	1	7	4	19	16
All races, male											
2000.....	555	4	1	-	-	2	3	3	2	5	23
1999.....	534	4	1	2	3	-	-	3	4	10	10
All races, female											
2000.....	562	1	1	-	1	3	1	-	4	5	17
1999.....	514	1	1	2	1	2	1	4	-	9	6
White, both sexes											
2000.....	921	3	2	-	-	3	4	1	6	8	29
1999.....	856	5	1	3	2	2	1	5	4	14	11
White, male											
2000.....	462	3	1	-	-	2	3	1	2	4	18
1999.....	428	4	-	1	2	-	-	1	4	6	6
White, female											
2000.....	459	-	1	-	-	1	1	-	4	4	11
1999.....	428	1	1	2	-	2	1	4	-	8	5
All other, both sexes											
2000.....	196	2	-	-	1	2	-	2	-	2	11
1999.....	192	-	1	1	2	-	-	2	-	5	5
All other, male											
2000.....	93	1	-	-	-	-	-	2	-	1	5
1999.....	106	-	1	1	1	-	-	2	-	4	4
All other, female											
2000.....	103	1	-	-	1	2	-	-	-	1	6
1999.....	86	-	-	-	1	-	-	-	-	1	1
Black, both sexes											
2000.....	168	1	-	-	1	1	-	2	-	2	11
1999.....	168	-	1	1	2	-	-	1	-	4	4
Black, male											
2000.....	78	-	-	-	-	-	-	2	-	1	5
1999.....	93	-	1	1	1	-	-	1	-	3	3
Black, female											
2000.....	90	1	-	-	1	1	-	-	-	1	6
1999.....	75	-	-	-	1	-	-	-	-	1	1

[illegible]

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Disorders of breast (N60-N64)											
All races, both sexes											
2000.....	43	-	-	-	-	-	-	1	-	1	1
1999.....	41	-	-	-	-	-	1	1	-	-	1
All races, male											
2000.....	1	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	-	-	-	-	-
All races, female											
2000.....	42	-	-	-	-	-	-	1	-	1	1
1999.....	39	-	-	-	-	-	1	1	-	-	1
White, both sexes											
2000.....	35	-	-	-	-	-	-	1	-	-	-
1999.....	30	-	-	-	-	-	-	-	-	-	1
White, male											
2000.....	1	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	-	-	-	-	-
White, female											
2000.....	34	-	-	-	-	-	-	1	-	-	-
1999.....	28	-	-	-	-	-	-	-	-	-	1
All other, both sexes											
2000.....	8	-	-	-	-	-	-	-	-	1	1
1999.....	11	-	-	-	-	-	1	1	-	-	-
All other, male											
2000.....	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-
All other, female											
2000.....	8	-	-	-	-	-	-	-	-	1	1
1999.....	11	-	-	-	-	-	1	1	-	-	-
Black, both sexes											
2000.....	7	-	-	-	-	-	-	-	-	-	1
1999.....	10	-	-	-	-	-	1	1	-	-	-
Black, male											
2000.....	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-
Black, female											
2000.....	7	-	-	-	-	-	-	-	-	-	1
1999.....	10	-	-	-	-	-	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Disorders of female genital organs (N70-N98)											
All races, both sexes											
2000.....	341	6	-	-	1	-	4	3	8	14	16
1999.....	307	15	1	-	2	1	2	3	7	8	13
All races, male											
2000.....
1999.....
All races, female											
2000.....	341	6	-	-	1	-	4	3	8	14	16
1999.....	307	15	1	-	2	1	2	3	7	8	13
White, both sexes											
2000.....	285	3	-	-	-	-	2	2	5	8	9
1999.....	239	8	1	-	2	1	1	1	4	3	8
White, male											
2000.....
1999.....
White, female											
2000.....	285	3	-	-	-	-	2	2	5	8	9
1999.....	239	8	1	-	2	1	1	1	4	3	8
All other, both sexes											
2000.....	56	3	-	-	1	-	2	1	3	6	7
1999.....	68	7	-	-	-	-	1	2	3	5	5
All other, male											
2000.....
1999.....
All other, female											
2000.....	56	3	-	-	1	-	2	1	3	6	7
1999.....	68	7	-	-	-	-	1	2	3	5	5
Black, both sexes											
2000.....	49	3	-	-	1	-	2	1	2	4	7
1999.....	66	7	-	-	-	-	1	2	2	4	5
Black, male											
2000.....
1999.....
Black, female											
2000.....	49	3	-	-	1	-	2	1	2	4	7
1999.....	66	7	-	-	-	-	1	2	2	4	5

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Inflammatory diseases of female pelvic organs (N70-N76)											
All races, both sexes											
2000.....	120	2	-	-	1	-	2	2	4	9	6
1999.....	108	2	1	-	-	1	2	3	3	4	8
All races, male											
2000.....
1999.....
All races, female											
2000.....	120	2	-	-	1	-	2	2	4	9	6
1999.....	108	2	1	-	-	1	2	3	3	4	8
White, both sexes											
2000.....	94	1	-	-	-	-	2	2	2	5	2
1999.....	80	1	1	-	-	1	1	1	2	1	3
White, male											
2000.....
1999.....
White, female											
2000.....	94	1	-	-	-	-	2	2	2	5	2
1999.....	80	1	1	-	-	1	1	1	2	1	3
All other, both sexes											
2000.....	26	1	-	-	1	-	-	-	2	4	4
1999.....	28	1	-	-	-	-	1	2	1	3	5
All other, male											
2000.....
1999.....
All other, female											
2000.....	26	1	-	-	1	-	-	-	2	4	4
1999.....	28	1	-	-	-	-	1	2	1	3	5
Black, both sexes											
2000.....	23	1	-	-	1	-	-	-	1	3	4
1999.....	26	1	-	-	-	-	1	2	-	2	5
Black, male											
2000.....
1999.....
Black, female											
2000.....	23	1	-	-	1	-	-	-	1	3	4
1999.....	26	1	-	-	-	-	1	2	-	2	5

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

XV. Pregnancy, childbirth and the puerperium (000-099)

All races, both sexes											
2000.....	404	-	18	77	87	95	86	35
1999.....	406	-	33	64	89	92	88	33
All races, male											
2000.....
1999.....
All races, female											
2000.....	404	-	18	77	87	95	86	35
1999.....	406	-	33	64	89	92	88	33
White, both sexes											
2000.....	243	-	11	44	53	55	56	21
1999.....	220	-	14	31	47	53	55	16
White, male											
2000.....
1999.....
White, female											
2000.....	243	-	11	44	53	55	56	21
1999.....	220	-	14	31	47	53	55	16
All other, both sexes											
2000.....	161	-	7	33	34	40	30	14
1999.....	186	-	19	33	42	39	33	17
All other, male											
2000.....
1999.....
All other, female											
2000.....	161	-	7	33	34	40	30	14
1999.....	186	-	19	33	42	39	33	17
Black, both sexes											
2000.....	142	-	4	32	31	34	26	12
1999.....	162	-	18	29	38	33	28	14
Black, male											
2000.....
1999.....
Black, female											
2000.....	142	-	4	32	31	34	26	12
1999.....	162	-	18	29	38	33	28	14

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Pregnancy with abortive outcome (000-007)											
All races, both sexes											
2000.....	37	-	-	6	12	5	10	4
1999.....	31	-	3	5	5	10	6	2
All races, male											
2000.....
1999.....
All races, female											
2000.....	37	-	-	6	12	5	10	4
1999.....	31	-	3	5	5	10	6	2
White, both sexes											
2000.....	18	-	-	1	7	1	6	3
1999.....	15	-	2	2	1	5	3	2
White, male											
2000.....
1999.....
White, female											
2000.....	18	-	-	1	7	1	6	3
1999.....	15	-	2	2	1	5	3	2
All other, both sexes											
2000.....	19	-	-	5	5	4	4	1
1999.....	16	-	1	3	4	5	3	-
All other, male											
2000.....
1999.....
All other, female											
2000.....	19	-	-	5	5	4	4	1
1999.....	16	-	1	3	4	5	3	-
Black, both sexes											
2000.....	19	-	-	5	5	4	4	1
1999.....	15	-	1	3	4	4	3	-
Black, male											
2000.....
1999.....
Black, female											
2000.....	19	-	-	5	5	4	4	1
1999.....	15	-	1	3	4	4	3	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Ectopic pregnancy (000)											
All races, both sexes											
2000.....	25	-	-	4	8	4	6	3
1999.....	19	-	1	4	2	7	3	2
All races, male											
2000.....
1999.....
All races, female											
2000.....	25	-	-	4	8	4	6	3
1999.....	19	-	1	4	2	7	3	2
White, both sexes											
2000.....	13	-	-	1	5	1	4	2
1999.....	8	-	1	1	-	3	1	2
White, male											
2000.....
1999.....
White, female											
2000.....	13	-	-	1	5	1	4	2
1999.....	8	-	1	1	-	3	1	2
All other, both sexes											
2000.....	12	-	-	3	3	3	2	1
1999.....	11	-	-	3	2	4	2	-
All other, male											
2000.....
1999.....
All other, female											
2000.....	12	-	-	3	3	3	2	1
1999.....	11	-	-	3	2	4	2	-
Black, both sexes											
2000.....	12	-	-	3	3	3	2	1
1999.....	10	-	-	3	2	3	2	-
Black, male											
2000.....
1999.....
Black, female											
2000.....	12	-	-	3	3	3	2	1
1999.....	10	-	-	3	2	3	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Spontaneous abortion (003)											
All races, both sexes											
2000.....	4	-	-	-	1	-	3	-
1999.....	4	-	-	-	1	2	1	-
All races, male											
2000.....
1999.....
All races, female											
2000.....	4	-	-	-	1	-	3	-
1999.....	4	-	-	-	1	2	1	-
White, both sexes											
2000.....	3	-	-	-	1	-	2	-
1999.....	2	-	-	-	-	1	1	-
White, male											
2000.....
1999.....
White, female											
2000.....	3	-	-	-	1	-	2	-
1999.....	2	-	-	-	-	1	1	-
All other, both sexes											
2000.....	1	-	-	-	-	-	1	-
1999.....	2	-	-	-	1	1	-	-
All other, male											
2000.....
1999.....
All other, female											
2000.....	1	-	-	-	-	-	1	-
1999.....	2	-	-	-	1	1	-	-
Black, both sexes											
2000.....	1	-	-	-	-	-	1	-
1999.....	2	-	-	-	1	1	-	-
Black, male											
2000.....
1999.....
Black, female											
2000.....	1	-	-	-	-	-	1	-
1999.....	2	-	-	-	1	1	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Medical abortion (004)											
All races, both sexes											
2000.....	3	-	-	1	1	-	-	1
1999.....	1	-	-	-	1	-	-	-
All races, male											
2000.....
1999.....
All races, female											
2000.....	3	-	-	1	1	-	-	1
1999.....	1	-	-	-	1	-	-	-
White, both sexes											
2000.....	2	-	-	-	1	-	-	1
1999.....	-	-	-	-	-	-	-	-
White, male											
2000.....
1999.....
White, female											
2000.....	2	-	-	-	1	-	-	1
1999.....	-	-	-	-	-	-	-	-
All other, both sexes											
2000.....	1	-	-	1	-	-	-	-
1999.....	1	-	-	-	1	-	-	-
All other, male											
2000.....
1999.....
All other, female											
2000.....	1	-	-	1	-	-	-	-
1999.....	1	-	-	-	1	-	-	-
Black, both sexes											
2000.....	1	-	-	1	-	-	-	-
1999.....	1	-	-	-	1	-	-	-
Black, male											
2000.....
1999.....
Black, female											
2000.....	1	-	-	1	-	-	-	-
1999.....	1	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other abortion (005)											
All races, both sexes											
2000.....	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-
All races, male											
2000.....
1999.....
All races, female											
2000.....	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-
White, both sexes											
2000.....	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-
White, male											
2000.....
1999.....
White, female											
2000.....	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-
All other, both sexes											
2000.....	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-
All other, male											
2000.....
1999.....
All other, female											
2000.....	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-
Black, both sexes											
2000.....	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-
Black, male											
2000.....
1999.....
Black, female											
2000.....	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other and unspecified pregnancy with abortive outcome (001-002,006-007)											
All races, both sexes											
2000.....	5	-	-	1	2	1	1	-
1999.....	7	-	2	1	1	1	2	-
All races, male											
2000.....
1999.....
All races, female											
2000.....	5	-	-	1	2	1	1	-
1999.....	7	-	2	1	1	1	2	-
White, both sexes											
2000.....	-	-	-	-	-	-	-	-
1999.....	5	-	1	1	1	1	1	-
White, male											
2000.....
1999.....
White, female											
2000.....	-	-	-	-	-	-	-	-
1999.....	5	-	1	1	1	1	1	-
All other, both sexes											
2000.....	5	-	-	1	2	1	1	-
1999.....	2	-	1	-	-	-	1	-
All other, male											
2000.....
1999.....
All other, female											
2000.....	5	-	-	1	2	1	1	-
1999.....	2	-	1	-	-	-	1	-
Black, both sexes											
2000.....	5	-	-	1	2	1	1	-
1999.....	2	-	1	-	-	-	1	-
Black, male											
2000.....
1999.....
Black, female											
2000.....	5	-	-	1	2	1	1	-
1999.....	2	-	1	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other direct obstetric deaths (010-092)											
All races, both sexes											
2000.....	300	-	14	57	60	77	63	24
1999.....	308	-	28	44	68	70	65	29
All races, male											
2000.....
1999.....
All races, female											
2000.....	300	-	14	57	60	77	63	24
1999.....	308	-	28	44	68	70	65	29
White, both sexes											
2000.....	185	-	8	33	36	47	43	15
1999.....	168	-	12	23	36	41	39	14
White, male											
2000.....
1999.....
White, female											
2000.....	185	-	8	33	36	47	43	15
1999.....	168	-	12	23	36	41	39	14
All other, both sexes											
2000.....	115	-	6	24	24	30	20	9
1999.....	140	-	16	21	32	29	26	15
All other, male											
2000.....
1999.....
All other, female											
2000.....	115	-	6	24	24	30	20	9
1999.....	140	-	16	21	32	29	26	15
Black, both sexes											
2000.....	99	-	4	23	21	24	17	8
1999.....	120	-	15	18	29	25	21	12
Black, male											
2000.....
1999.....
Black, female											
2000.....	99	-	4	23	21	24	17	8
1999.....	120	-	15	18	29	25	21	12

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Eclampsia and pre-eclampsia (011,013-016)											
All races, both sexes											
2000.....	72	-	3	11	18	21	14	3
1999.....	90	-	9	14	22	17	19	8
All races, male											
2000.....
1999.....
All races, female											
2000.....	72	-	3	11	18	21	14	3
1999.....	90	-	9	14	22	17	19	8
White, both sexes											
2000.....	46	-	2	6	12	13	10	2
1999.....	50	-	5	7	11	10	12	4
White, male											
2000.....
1999.....
White, female											
2000.....	46	-	2	6	12	13	10	2
1999.....	50	-	5	7	11	10	12	4
All other, both sexes											
2000.....	26	-	1	5	6	8	4	1
1999.....	40	-	4	7	11	7	7	4
All other, male											
2000.....
1999.....
All other, female											
2000.....	26	-	1	5	6	8	4	1
1999.....	40	-	4	7	11	7	7	4
Black, both sexes											
2000.....	25	-	1	4	6	8	4	1
1999.....	35	-	3	6	10	7	5	4
Black, male											
2000.....
1999.....
Black, female											
2000.....	25	-	1	4	6	8	4	1
1999.....	35	-	3	6	10	7	5	4

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Hemorrhage of pregnancy and childbirth and placenta previa (020,044-046,067,072)											
All races, both sexes											
2000.....	30	-	-	3	7	7	9	4
1999.....	45	-	4	5	8	11	13	4
All races, male											
2000.....
1999.....
All races, female											
2000.....	30	-	-	3	7	7	9	4
1999.....	45	-	4	5	8	11	13	4
White, both sexes											
2000.....	21	-	-	2	4	5	8	2
1999.....	27	-	-	3	5	9	7	3
White, male											
2000.....
1999.....
White, female											
2000.....	21	-	-	2	4	5	8	2
1999.....	27	-	-	3	5	9	7	3
All other, both sexes											
2000.....	9	-	-	1	3	2	1	2
1999.....	18	-	4	2	3	2	6	1
All other, male											
2000.....
1999.....
All other, female											
2000.....	9	-	-	1	3	2	1	2
1999.....	18	-	4	2	3	2	6	1
Black, both sexes											
2000.....	6	-	-	1	2	1	1	1
1999.....	13	-	4	1	2	-	5	1
Black, male											
2000.....
1999.....
Black, female											
2000.....	6	-	-	1	2	1	1	1
1999.....	13	-	4	1	2	-	5	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Complications predominantly related to the puerperium (085-092)

All races, both sexes

2000.....	93	-	6	21	16	26	15	7
1999.....	84	-	6	12	18	23	16	6

All races, male

2000.....
1999.....

All races, female

2000.....	93	-	6	21	16	26	15	7
1999.....	84	-	6	12	18	23	16	6

White, both sexes

2000.....	55	-	4	12	7	16	9	5
1999.....	47	-	4	8	9	12	9	3

White, male

2000.....
1999.....

White, female

2000.....	55	-	4	12	7	16	9	5
1999.....	47	-	4	8	9	12	9	3

All other, both sexes

2000.....	38	-	2	9	9	10	6	2
1999.....	37	-	2	4	9	11	7	3

All other, male

2000.....
1999.....

All other, female

2000.....	38	-	2	9	9	10	6	2
1999.....	37	-	2	4	9	11	7	3

Black, both sexes

2000.....	31	-	1	9	7	7	5	2
1999.....	32	-	2	4	8	10	5	3

Black, male

2000.....
1999.....

Black, female

2000.....	31	-	1	9	7	7	5	2
1999.....	32	-	2	4	8	10	5	3

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Obstetric embolism (088)											
All races, both sexes											
2000.....	58	-	2	13	8	20	10	4
1999.....	53	-	2	9	10	15	13	2
All races, male											
2000.....
1999.....
All races, female											
2000.....	58	-	2	13	8	20	10	4
1999.....	53	-	2	9	10	15	13	2
White, both sexes											
2000.....	38	-	1	8	5	13	6	4
1999.....	32	-	1	7	6	10	6	1
White, male											
2000.....
1999.....
White, female											
2000.....	38	-	1	8	5	13	6	4
1999.....	32	-	1	7	6	10	6	1
All other, both sexes											
2000.....	20	-	1	5	3	7	4	-
1999.....	21	-	1	2	4	5	7	1
All other, male											
2000.....
1999.....
All other, female											
2000.....	20	-	1	5	3	7	4	-
1999.....	21	-	1	2	4	5	7	1
Black, both sexes											
2000.....	15	-	-	5	2	5	3	-
1999.....	16	-	1	2	3	4	5	1
Black, male											
2000.....
1999.....
Black, female											
2000.....	15	-	-	5	2	5	3	-
1999.....	16	-	1	2	3	4	5	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Other complications predominately related to the puerperium (085-087,089-092)

All races, both sexes

2000.....	35	-	4	8	8	6	5	3
1999.....	31	-	4	3	8	8	3	4

All races, male

2000.....
1999.....

All races, female

2000.....	35	-	4	8	8	6	5	3
1999.....	31	-	4	3	8	8	3	4

White, both sexes

2000.....	17	-	3	4	2	3	3	1
1999.....	15	-	3	1	3	2	3	2

White, male

2000.....
1999.....

White, female

2000.....	17	-	3	4	2	3	3	1
1999.....	15	-	3	1	3	2	3	2

All other, both sexes

2000.....	18	-	1	4	6	3	2	2
1999.....	16	-	1	2	5	6	-	2

All other, male

2000.....
1999.....

All other, female

2000.....	18	-	1	4	6	3	2	2
1999.....	16	-	1	2	5	6	-	2

Black, both sexes

2000.....	16	-	1	4	5	2	2	2
1999.....	16	-	1	2	5	6	-	2

Black, male

2000.....
1999.....

Black, female

2000.....	16	-	1	4	5	2	2	2
1999.....	16	-	1	2	5	6	-	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

All other direct obstetric causes (010,012,021-043,047-066,068-071,073-075)

All races, both sexes											
2000.....	105	-	5	22	19	23	25	10
1999.....	89	-	9	13	20	19	17	11
All races, male											
2000.....
1999.....
All races, female											
2000.....	105	-	5	22	19	23	25	10
1999.....	89	-	9	13	20	19	17	11
White, both sexes											
2000.....	63	-	2	13	13	13	16	6
1999.....	44	-	3	5	11	10	11	4
White, male											
2000.....
1999.....
White, female											
2000.....	63	-	2	13	13	13	16	6
1999.....	44	-	3	5	11	10	11	4
All other, both sexes											
2000.....	42	-	3	9	6	10	9	4
1999.....	45	-	6	8	9	9	6	7
All other, male											
2000.....
1999.....
All other, female											
2000.....	42	-	3	9	6	10	9	4
1999.....	45	-	6	8	9	9	6	7
Black, both sexes											
2000.....	37	-	2	9	6	8	7	4
1999.....	40	-	6	7	9	8	6	4
Black, male											
2000.....
1999.....
Black, female											
2000.....	37	-	2	9	6	8	7	4
1999.....	40	-	6	7	9	8	6	4

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Obstetric death of unspecified cause (095)											
All races, both sexes											
2000.....	4	-	-	1	1	-	1	1
1999.....	5	-	-	-	2	-	3	-
All races, male											
2000.....
1999.....
All races, female											
2000.....	4	-	-	1	1	-	1	1
1999.....	5	-	-	-	2	-	3	-
White, both sexes											
2000.....	3	-	-	1	-	-	1	1
1999.....	3	-	-	-	2	-	1	-
White, male											
2000.....
1999.....
White, female											
2000.....	3	-	-	1	-	-	1	1
1999.....	3	-	-	-	2	-	1	-
All other, both sexes											
2000.....	1	-	-	-	1	-	-	-
1999.....	2	-	-	-	-	-	2	-
All other, male											
2000.....
1999.....
All other, female											
2000.....	1	-	-	-	1	-	-	-
1999.....	2	-	-	-	-	-	2	-
Black, both sexes											
2000.....	1	-	-	-	1	-	-	-
1999.....	2	-	-	-	-	-	2	-
Black, male											
2000.....
1999.....
Black, female											
2000.....	1	-	-	-	1	-	-	-
1999.....	2	-	-	-	-	-	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Other deaths related to pregnancy, childbirth and the puerperium (096-097)

All races, both sexes

2000.....	8	-	-	2	1	2	-	2
1999.....	15	-	1	3	1	2	5	1

All races, male

2000.....
1999.....

All races, female

2000.....	8	-	-	2	1	2	-	2
1999.....	15	-	1	3	1	2	5	1

White, both sexes

2000.....	3	-	-	1	1	1	-	-
1999.....	6	-	-	1	-	1	4	-

White, male

2000.....
1999.....

White, female

2000.....	3	-	-	1	1	1	-	-
1999.....	6	-	-	1	-	1	4	-

All other, both sexes

2000.....	5	-	-	1	-	1	-	2
1999.....	9	-	1	2	1	1	1	1

All other, male

2000.....
1999.....

All other, female

2000.....	5	-	-	1	-	1	-	2
1999.....	9	-	1	2	1	1	1	1

Black, both sexes

2000.....	5	-	-	1	-	1	-	2
1999.....	8	-	1	2	1	-	1	1

Black, male

2000.....
1999.....

Black, female

2000.....	5	-	-	1	-	1	-	2
1999.....	8	-	1	2	1	-	1	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Indirect obstetric deaths (098-099)											
All races, both sexes											
2000.....	55	-	4	11	13	11	12	4
1999.....	47	-	1	12	13	10	9	1
All races, male											
2000.....
1999.....
All races, female											
2000.....	55	-	4	11	13	11	12	4
1999.....	47	-	1	12	13	10	9	1
White, both sexes											
2000.....	34	-	3	8	9	6	6	2
1999.....	28	-	-	5	8	6	8	-
White, male											
2000.....
1999.....
White, female											
2000.....	34	-	3	8	9	6	6	2
1999.....	28	-	-	5	8	6	8	-
All other, both sexes											
2000.....	21	-	1	3	4	5	6	2
1999.....	19	-	1	7	5	4	1	1
All other, male											
2000.....
1999.....
All other, female											
2000.....	21	-	1	3	4	5	6	2
1999.....	19	-	1	7	5	4	1	1
Black, both sexes											
2000.....	18	-	-	3	4	5	5	1
1999.....	17	-	1	6	4	4	1	1
Black, male											
2000.....
1999.....
Black, female											
2000.....	18	-	-	3	4	5	5	1
1999.....	17	-	1	6	4	4	1	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

XVI. Certain conditions originating in the perinatal period (P00-P96)

All races, both sexes											
2000.....	14,069	13,918	79	25	16	10	5	5	2	2	2
1999.....	14,259	14,084	92	25	18	11	5	2	5	2	1
All races, male											
2000.....	7,968	7,872	52	13	10	9	2	4	2	-	2
1999.....	8,044	7,941	56	14	9	6	4	-	2	2	-
All races, female											
2000.....	6,101	6,046	27	12	6	1	3	1	-	2	-
1999.....	6,215	6,143	36	11	9	5	1	2	3	-	1
White, both sexes											
2000.....	8,532	8,431	46	18	12	8	5	2	1	2	2
1999.....	8,648	8,522	56	19	14	11	4	2	5	2	1
White, male											
2000.....	4,828	4,762	30	10	10	8	2	1	1	-	2
1999.....	4,884	4,815	30	10	7	6	4	-	2	2	-
White, female											
2000.....	3,704	3,669	16	8	2	-	3	1	-	2	-
1999.....	3,764	3,707	26	9	7	5	-	2	3	-	1
All other, both sexes											
2000.....	5,537	5,487	33	7	4	2	-	3	1	-	-
1999.....	5,611	5,562	36	6	4	-	1	-	-	-	-
All other, male											
2000.....	3,140	3,110	22	3	-	1	-	3	1	-	-
1999.....	3,160	3,126	26	4	2	-	-	-	-	-	-
All other, female											
2000.....	2,397	2,377	11	4	4	1	-	-	-	-	-
1999.....	2,451	2,436	10	2	2	-	1	-	-	-	-
Black, both sexes											
2000.....	5,021	4,979	27	6	4	1	-	3	1	-	-
1999.....	5,150	5,113	29	2	3	-	1	-	-	-	-
Black, male											
2000.....	2,844	2,818	18	3	-	1	-	3	1	-	-
1999.....	2,907	2,883	19	2	1	-	-	-	-	-	-
Black, female											
2000.....	2,177	2,161	9	3	4	-	-	-	-	-	-
1999.....	2,243	2,230	10	-	2	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)

All races, both sexes										
2000.....	2,781	2,768	9	2	-	-	1	-	-	-
1999.....	2,750	2,738	4	3	2	1	1	-	-	-
All races, male										
2000.....	1,542	1,533	7	1	-	-	1	-	-	-
1999.....	1,498	1,490	3	3	1	-	-	-	-	-
All races, female										
2000.....	1,239	1,235	2	1	-	-	-	-	-	-
1999.....	1,252	1,248	1	-	1	1	1	-	-	-
White, both sexes										
2000.....	1,773	1,766	4	1	-	-	1	-	-	-
1999.....	1,693	1,684	3	2	2	1	-	-	-	-
White, male										
2000.....	987	981	4	1	-	-	1	-	-	-
1999.....	917	911	2	2	1	-	-	-	-	-
White, female										
2000.....	786	785	-	-	-	-	-	-	-	-
1999.....	776	773	1	-	1	1	-	-	-	-
All other, both sexes										
2000.....	1,008	1,002	5	1	-	-	-	-	-	-
1999.....	1,057	1,054	1	1	-	-	1	-	-	-
All other, male										
2000.....	555	552	3	-	-	-	-	-	-	-
1999.....	581	579	1	1	-	-	-	-	-	-
All other, female										
2000.....	453	450	2	1	-	-	-	-	-	-
1999.....	476	475	-	-	-	-	1	-	-	-
Black, both sexes										
2000.....	919	913	5	1	-	-	-	-	-	-
1999.....	967	964	1	1	-	-	1	-	-	-
Black, male										
2000.....	499	496	3	-	-	-	-	-	-	-
1999.....	537	535	1	1	-	-	-	-	-	-
Black, female										
2000.....	420	417	2	1	-	-	-	-	-	-
1999.....	430	429	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Disorders related to short gestation and low birth weight, not elsewhere classified (P07)

All races, both sexes										
2000.....	4,404	4,397	5	1	-	-	-	-	-	1
1999.....	4,399	4,392	4	-	-	-	-	-	-	-
All races, male										
2000.....	2,397	2,391	4	1	-	-	-	-	-	1
1999.....	2,459	2,455	2	-	-	-	-	-	-	-
All races, female										
2000.....	2,007	2,006	1	-	-	-	-	-	-	-
1999.....	1,940	1,937	2	-	-	-	-	-	-	-
White, both sexes										
2000.....	2,385	2,382	2	-	-	-	-	-	-	1
1999.....	2,370	2,366	3	-	-	-	-	-	-	-
White, male										
2000.....	1,283	1,280	2	-	-	-	-	-	-	1
1999.....	1,319	1,317	2	-	-	-	-	-	-	-
White, female										
2000.....	1,102	1,102	-	-	-	-	-	-	-	-
1999.....	1,051	1,049	1	-	-	-	-	-	-	-
All other, both sexes										
2000.....	2,019	2,015	3	1	-	-	-	-	-	-
1999.....	2,029	2,026	1	-	-	-	-	-	-	-
All other, male										
2000.....	1,114	1,111	2	1	-	-	-	-	-	-
1999.....	1,140	1,138	-	-	-	-	-	-	-	-
All other, female										
2000.....	905	904	1	-	-	-	-	-	-	-
1999.....	889	888	1	-	-	-	-	-	-	-
Black, both sexes										
2000.....	1,873	1,870	2	1	-	-	-	-	-	-
1999.....	1,901	1,898	1	-	-	-	-	-	-	-
Black, male										
2000.....	1,032	1,030	1	1	-	-	-	-	-	-
1999.....	1,070	1,068	-	-	-	-	-	-	-	-
Black, female										
2000.....	841	840	1	-	-	-	-	-	-	-
1999.....	831	830	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Birth trauma (P10-P15)											
All races, both sexes											
2000.....	44	31	3	1	4	2	1	-	1	-	-
1999.....	30	20	4	-	1	1	-	-	-	1	-
All races, male											
2000.....	20	13	1	1	2	2	-	-	1	-	-
1999.....	19	14	2	-	-	1	-	-	-	1	-
All races, female											
2000.....	24	18	2	-	2	-	1	-	-	-	-
1999.....	11	6	2	-	1	-	-	-	-	-	-
White, both sexes											
2000.....	28	19	2	1	2	2	1	-	-	-	-
1999.....	19	11	2	-	1	1	-	-	-	1	-
White, male											
2000.....	17	11	1	1	2	2	-	-	-	-	-
1999.....	14	9	2	-	-	1	-	-	-	1	-
White, female											
2000.....	11	8	1	-	-	-	1	-	-	-	-
1999.....	5	2	-	-	1	-	-	-	-	-	-
All other, both sexes											
2000.....	16	12	1	-	2	-	-	-	1	-	-
1999.....	11	9	2	-	-	-	-	-	-	-	-
All other, male											
2000.....	3	2	-	-	-	-	-	-	1	-	-
1999.....	5	5	-	-	-	-	-	-	-	-	-
All other, female											
2000.....	13	10	1	-	2	-	-	-	-	-	-
1999.....	6	4	2	-	-	-	-	-	-	-	-
Black, both sexes											
2000.....	12	9	-	-	2	-	-	-	1	-	-
1999.....	7	5	2	-	-	-	-	-	-	-	-
Black, male											
2000.....	2	1	-	-	-	-	-	-	1	-	-
1999.....	3	3	-	-	-	-	-	-	-	-	-
Black, female											
2000.....	10	8	-	-	2	-	-	-	-	-	-
1999.....	4	2	2	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Intrauterine hypoxia and birth asphyxia (P20-P21)											
All races, both sexes											
2000.....	660	630	11	11	4	1	2	-	-	-	1
1999.....	654	613	20	8	3	4	4	-	-	-	-
All races, male											
2000.....	369	352	6	6	2	1	1	-	-	-	1
1999.....	360	335	11	4	2	2	4	-	-	-	-
All races, female											
2000.....	291	278	5	5	2	-	1	-	-	-	-
1999.....	294	278	9	4	1	2	-	-	-	-	-
White, both sexes											
2000.....	459	435	7	10	3	1	2	-	-	-	1
1999.....	462	429	14	6	3	4	4	-	-	-	-
White, male											
2000.....	250	237	3	5	2	1	1	-	-	-	1
1999.....	247	229	6	2	2	2	4	-	-	-	-
White, female											
2000.....	209	198	4	5	1	-	1	-	-	-	-
1999.....	215	200	8	4	1	2	-	-	-	-	-
All other, both sexes											
2000.....	201	195	4	1	1	-	-	-	-	-	-
1999.....	192	184	6	2	-	-	-	-	-	-	-
All other, male											
2000.....	119	115	3	1	-	-	-	-	-	-	-
1999.....	113	106	5	2	-	-	-	-	-	-	-
All other, female											
2000.....	82	80	1	-	1	-	-	-	-	-	-
1999.....	79	78	1	-	-	-	-	-	-	-	-
Black, both sexes											
2000.....	167	161	4	1	1	-	-	-	-	-	-
1999.....	162	157	4	1	-	-	-	-	-	-	-
Black, male											
2000.....	96	92	3	1	-	-	-	-	-	-	-
1999.....	94	90	3	1	-	-	-	-	-	-	-
Black, female											
2000.....	71	69	1	-	1	-	-	-	-	-	-
1999.....	68	67	1	-	-	-	-	-	-	-	-

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Other respiratory conditions originating in the perinatal period (P23-P28)

All races, both sexes

2000.....	1,573	1,529	39	2	1	2	-	-	-	-	-
1999.....	1,768	1,718	39	5	5	1	-	-	-	-	-

All races, male

2000.....	910	881	26	-	1	2	-	-	-	-	-
1999.....	1,035	1,000	27	4	4	-	-	-	-	-	-

All races, female

2000.....	663	648	13	2	-	-	-	-	-	-	-
1999.....	733	718	12	1	1	1	-	-	-	-	-

White, both sexes

2000.....	984	961	21	-	1	1	-	-	-	-	-
1999.....	1,176	1,151	18	3	3	1	-	-	-	-	-

White, male

2000.....	561	546	13	-	1	1	-	-	-	-	-
1999.....	706	689	11	3	3	-	-	-	-	-	-

White, female

2000.....	423	415	8	-	-	-	-	-	-	-	-
1999.....	470	462	7	-	-	1	-	-	-	-	-

All other, both sexes

2000.....	589	568	18	2	-	1	-	-	-	-	-
1999.....	592	567	21	2	2	-	-	-	-	-	-

All other, male

2000.....	349	335	13	-	-	1	-	-	-	-	-
1999.....	329	311	16	1	1	-	-	-	-	-	-

All other, female

2000.....	240	233	5	2	-	-	-	-	-	-	-
1999.....	263	256	5	1	1	-	-	-	-	-	-

Black, both sexes

2000.....	528	511	14	2	-	1	-	-	-	-	-
1999.....	546	528	17	-	1	-	-	-	-	-	-

Black, male

2000.....	313	302	10	-	-	1	-	-	-	-	-
1999.....	302	290	12	-	-	-	-	-	-	-	-

Black, female

2000.....	215	209	4	2	-	-	-	-	-	-	-
1999.....	244	238	5	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Infections specific to the perinatal period (P35-P39)											
All races, both sexes											
2000.....	944	927	2	4	3	4	1	2	-	1	-
1999.....	900	871	8	6	5	2	-	2	3	-	1
All races, male											
2000.....	548	538	1	3	2	3	-	1	-	-	-
1999.....	505	495	4	1	1	2	-	-	1	-	-
All races, female											
2000.....	396	389	1	1	1	1	1	1	-	1	-
1999.....	395	376	4	5	4	-	-	2	2	-	1
White, both sexes											
2000.....	588	576	1	3	2	3	1	1	-	1	-
1999.....	559	537	4	5	3	2	-	2	3	-	1
White, male											
2000.....	348	340	-	3	2	3	-	-	-	-	-
1999.....	302	296	1	1	-	2	-	-	1	-	-
White, female											
2000.....	240	236	1	-	-	-	1	1	-	1	-
1999.....	257	241	3	4	3	-	-	2	2	-	1
All other, both sexes											
2000.....	356	351	1	1	1	1	-	1	-	-	-
1999.....	341	334	4	1	2	-	-	-	-	-	-
All other, male											
2000.....	200	198	1	-	-	-	-	1	-	-	-
1999.....	203	199	3	-	1	-	-	-	-	-	-
All other, female											
2000.....	156	153	-	1	1	1	-	-	-	-	-
1999.....	138	135	1	1	1	-	-	-	-	-	-
Black, both sexes											
2000.....	321	318	1	-	1	-	-	1	-	-	-
1999.....	313	308	3	-	2	-	-	-	-	-	-
Black, male											
2000.....	185	183	1	-	-	-	-	1	-	-	-
1999.....	189	186	2	-	1	-	-	-	-	-	-
Black, female											
2000.....	136	135	-	-	1	-	-	-	-	-	-
1999.....	124	122	1	-	1	-	-	-	-	-	-

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races, both sexes

2000.....	10,578	5,743	495	198	201	225	216	208	269	277	292
1999.....	10,393	5,473	549	207	221	222	212	212	253	279	273

All races, male

2000.....	5,517	3,028	259	105	102	137	131	120	159	154	162
1999.....	5,346	2,875	310	102	113	139	123	110	132	152	144

All races, female

2000.....	5,061	2,715	236	93	99	88	85	88	110	123	130
1999.....	5,047	2,598	239	105	108	83	89	102	121	127	129

White, both sexes

2000.....	8,396	4,371	347	147	145	159	173	163	228	223	236
1999.....	8,297	4,211	385	144	157	170	162	178	208	232	229

White, male

2000.....	4,368	2,316	180	72	75	93	108	93	136	127	132
1999.....	4,269	2,240	218	69	79	109	95	93	109	128	117

White, female

2000.....	4,028	2,055	167	75	70	66	65	70	92	96	104
1999.....	4,028	1,971	167	75	78	61	67	85	99	104	112

All other, both sexes

2000.....	2,182	1,372	148	51	56	66	43	45	41	54	56
1999.....	2,096	1,262	164	63	64	52	50	34	45	47	44

All other, male

2000.....	1,149	712	79	33	27	44	23	27	23	27	30
1999.....	1,077	635	92	33	34	30	28	17	23	24	27

All other, female

2000.....	1,033	660	69	18	29	22	20	18	18	27	26
1999.....	1,019	627	72	30	30	22	22	17	22	23	17

Black, both sexes

2000.....	1,790	1,102	126	44	47	56	35	38	39	48	45
1999.....	1,720	1,025	138	50	56	43	40	28	33	42	35

Black, male

2000.....	944	567	70	29	23	39	19	24	22	25	26
1999.....	899	531	79	25	29	27	24	14	18	19	23

Black, female

2000.....	846	535	56	15	24	17	16	14	17	23	19
1999.....	821	494	59	25	27	16	16	14	15	23	12

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Spina bifida (Q05)

All races, both sexes

2000.....	134	26	5	5	9	11	17	11	11	12	6
1999.....	112	22	6	4	14	9	12	10	10	4	5

All races, male

2000.....	73	15	1	1	7	5	13	6	4	6	2
1999.....	49	12	3	1	7	5	4	2	3	2	2

All races, female

2000.....	61	11	4	4	2	6	4	5	7	6	4
1999.....	63	10	3	3	7	4	8	8	7	2	3

White, both sexes

2000.....	116	23	4	4	7	9	15	10	9	12	4
1999.....	102	18	5	4	12	7	12	9	10	4	5

White, male

2000.....	65	14	1	1	6	3	12	5	4	6	1
1999.....	44	9	3	1	6	4	4	2	3	2	2

White, female

2000.....	51	9	3	3	1	6	3	5	5	6	3
1999.....	58	9	2	3	6	3	8	7	7	2	3

All other, both sexes

2000.....	18	3	1	1	2	2	2	1	2	-	2
1999.....	10	4	1	-	2	2	-	1	-	-	-

All other, male

2000.....	8	1	-	-	1	2	1	1	-	-	1
1999.....	5	3	-	-	1	1	-	-	-	-	-

All other, female

2000.....	10	2	1	1	1	-	1	-	2	-	1
1999.....	5	1	1	-	1	1	-	1	-	-	-

Black, both sexes

2000.....	13	2	-	-	2	1	1	1	2	-	2
1999.....	9	3	1	-	2	2	-	1	-	-	-

Black, male

2000.....	5	-	-	-	1	1	-	1	-	-	1
1999.....	4	2	-	-	1	1	-	-	-	-	-

Black, female

2000.....	8	2	-	-	1	-	1	-	2	-	1
1999.....	5	1	1	-	1	1	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)

All races, both sexes

2000.....	762	408	97	61	43	21	21	16	13	12	14
1999.....	747	357	105	60	44	26	16	20	20	11	16

All races, male

2000.....	394	206	44	30	20	13	14	11	6	5	8
1999.....	361	168	53	27	21	13	7	11	5	6	11

All races, female

2000.....	368	202	53	31	23	8	7	5	7	7	6
1999.....	386	189	52	33	23	13	9	9	15	5	5

White, both sexes

2000.....	578	311	74	41	31	15	14	13	10	8	13
1999.....	557	261	76	39	34	19	13	18	15	8	14

White, male

2000.....	302	158	36	19	15	9	9	10	5	3	7
1999.....	271	124	39	15	15	10	6	11	4	4	10

White, female

2000.....	276	153	38	22	16	6	5	3	5	5	6
1999.....	286	137	37	24	19	9	7	7	11	4	4

All other, both sexes

2000.....	184	97	23	20	12	6	7	3	3	4	1
1999.....	190	96	29	21	10	7	3	2	5	3	2

All other, male

2000.....	92	48	8	11	5	4	5	1	1	2	1
1999.....	90	44	14	12	6	3	1	-	1	2	1

All other, female

2000.....	92	49	15	9	7	2	2	2	2	2	-
1999.....	100	52	15	9	4	4	2	2	4	1	1

Black, both sexes

2000.....	153	82	18	16	8	5	7	2	3	4	1
1999.....	157	78	24	16	8	7	3	1	5	3	2

Black, male

2000.....	78	41	6	9	3	3	5	1	1	2	1
1999.....	74	35	13	8	6	3	1	-	1	2	1

Black, female

2000.....	75	41	12	7	5	2	2	1	2	2	-
1999.....	83	43	11	8	2	4	2	1	4	1	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Congenital malformations of heart (Q20-Q24)											
All races, both sexes											
2000.....	3,422	1,634	191	58	79	118	100	99	141	120	126
1999.....	3,551	1,598	203	63	96	120	102	113	132	138	135
All races, male											
2000.....	1,818	867	103	32	45	77	60	59	89	71	69
1999.....	1,883	889	118	35	57	83	63	60	71	76	65
All races, female											
2000.....	1,604	767	88	26	34	41	40	40	52	49	57
1999.....	1,668	709	85	28	39	37	39	53	61	62	70
White, both sexes											
2000.....	2,706	1,234	134	47	54	78	76	79	123	96	103
1999.....	2,859	1,252	137	44	67	93	75	93	114	113	112
White, male											
2000.....	1,436	665	71	22	32	49	47	48	77	56	60
1999.....	1,510	706	80	24	44	65	46	50	62	63	52
White, female											
2000.....	1,270	569	63	25	22	29	29	31	46	40	43
1999.....	1,349	546	57	20	23	28	29	43	52	50	60
All other, both sexes											
2000.....	716	400	57	11	25	40	24	20	18	24	23
1999.....	692	346	66	19	29	27	27	20	18	25	23
All other, male											
2000.....	382	202	32	10	13	28	13	11	12	15	9
1999.....	373	183	38	11	13	18	17	10	9	13	13
All other, female											
2000.....	334	198	25	1	12	12	11	9	6	9	14
1999.....	319	163	28	8	16	9	10	10	9	12	10
Black, both sexes											
2000.....	582	317	46	9	23	33	20	17	17	21	19
1999.....	579	290	55	15	26	23	24	17	11	23	18
Black, male											
2000.....	313	156	27	8	11	25	11	10	12	14	9
1999.....	312	154	31	9	11	16	15	9	7	11	10
Black, female											
2000.....	269	161	19	1	12	8	9	7	5	7	10
1999.....	267	136	24	6	15	7	9	8	4	12	8

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Other congenital malformations of circulatory system (Q25-Q28)

All races, both sexes											
2000.....	888	208	25	19	22	16	21	17	24	38	44
1999.....	885	220	25	15	12	19	19	19	23	46	27
All races, male											
2000.....	464	108	16	9	10	9	14	10	16	22	25
1999.....	447	114	15	8	4	13	9	10	13	27	15
All races, female											
2000.....	424	100	9	10	12	7	7	7	8	16	19
1999.....	438	106	10	7	8	6	10	9	10	19	12
White, both sexes											
2000.....	707	151	14	15	19	11	19	10	21	28	30
1999.....	704	154	19	13	6	13	13	16	19	39	23
White, male											
2000.....	367	79	10	7	8	6	13	5	14	16	15
1999.....	360	84	12	7	2	10	7	7	11	24	12
White, female											
2000.....	340	72	4	8	11	5	6	5	7	12	15
1999.....	344	70	7	6	4	3	6	9	8	15	11
All other, both sexes											
2000.....	181	57	11	4	3	5	2	7	3	10	14
1999.....	181	66	6	2	6	6	6	3	4	7	4
All other, male											
2000.....	97	29	6	2	2	3	1	5	2	6	10
1999.....	87	30	3	1	2	3	2	3	2	3	3
All other, female											
2000.....	84	28	5	2	1	2	1	2	1	4	4
1999.....	94	36	3	1	4	3	4	-	2	4	1
Black, both sexes											
2000.....	148	49	10	4	3	5	-	5	2	10	7
1999.....	147	57	4	2	6	4	4	2	1	5	3
Black, male											
2000.....	80	26	6	2	2	3	-	4	1	6	6
1999.....	71	26	2	1	2	3	2	2	1	1	3
Black, female											
2000.....	68	23	4	2	1	2	-	1	1	4	1
1999.....	76	31	2	1	4	1	2	-	-	4	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Congenital malformations of respiratory system (Q30-Q34)											
All races, both sexes											
2000.....	728	685	11	-	-	1	2	2	1	1	3
1999.....	607	564	13	5	-	1	1	2	1	3	2
All races, male											
2000.....	408	385	6	-	-	-	2	1	-	1	2
1999.....	359	332	11	1	-	-	1	1	1	1	2
All races, female											
2000.....	320	300	5	-	-	1	-	1	1	-	1
1999.....	248	232	2	4	-	1	-	1	-	2	-
White, both sexes											
2000.....	535	500	9	-	-	-	1	1	1	1	2
1999.....	453	420	9	3	-	1	-	1	1	2	2
White, male											
2000.....	300	282	5	-	-	-	1	-	-	1	1
1999.....	262	242	8	-	-	-	-	-	1	1	2
White, female											
2000.....	235	218	4	-	-	-	-	1	1	-	1
1999.....	191	178	1	3	-	1	-	1	-	1	-
All other, both sexes											
2000.....	193	185	2	-	-	1	1	1	-	-	1
1999.....	154	144	4	2	-	-	1	1	-	1	-
All other, male											
2000.....	108	103	1	-	-	-	1	1	-	-	1
1999.....	97	90	3	1	-	-	1	1	-	-	-
All other, female											
2000.....	85	82	1	-	-	1	-	-	-	-	-
1999.....	57	54	1	1	-	-	-	-	-	1	-
Black, both sexes											
2000.....	162	154	2	-	-	1	1	1	-	-	1
1999.....	130	121	4	1	-	-	1	1	-	1	-
Black, male											
2000.....	88	83	1	-	-	-	1	1	-	-	1
1999.....	86	79	3	1	-	-	1	1	-	-	-
Black, female											
2000.....	74	71	1	-	-	1	-	-	-	-	-
1999.....	44	42	1	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)											
All races, both sexes											
2000.....	2,593	1,443	103	40	37	36	42	40	42	58	62
1999.....	2,584	1,452	142	38	29	30	38	32	37	53	54
All races, male											
2000.....	1,401	820	57	24	17	23	22	24	27	31	37
1999.....	1,406	826	85	22	13	18	25	16	23	26	34
All races, female											
2000.....	1,192	623	46	16	20	13	20	16	15	27	25
1999.....	1,178	626	57	16	16	12	13	16	14	27	20
White, both sexes											
2000.....	2,088	1,111	74	27	27	29	38	33	30	48	51
1999.....	2,071	1,097	104	29	21	26	32	28	30	45	44
White, male											
2000.....	1,117	630	41	15	12	17	20	19	20	28	30
1999.....	1,131	644	62	16	6	16	20	14	19	23	26
White, female											
2000.....	971	481	33	12	15	12	18	14	10	20	21
1999.....	940	453	42	13	15	10	12	14	11	22	18
All other, both sexes											
2000.....	505	332	29	13	10	7	4	7	12	10	11
1999.....	513	355	38	9	8	4	6	4	7	8	10
All other, male											
2000.....	284	190	16	9	5	6	2	5	7	3	7
1999.....	275	182	23	6	7	2	5	2	4	3	8
All other, female											
2000.....	221	142	13	4	5	1	2	2	5	7	4
1999.....	238	173	15	3	1	2	1	2	3	5	2
Black, both sexes											
2000.....	417	264	25	13	8	6	3	6	12	7	11
1999.....	417	280	34	7	5	3	4	4	6	8	9
Black, male											
2000.....	235	150	14	9	5	6	2	4	7	2	7
1999.....	231	153	20	5	4	2	4	2	3	3	7
Black, female											
2000.....	182	114	11	4	3	-	1	2	5	5	4
1999.....	186	127	14	2	1	1	-	2	3	5	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Down's syndrome (Q90)											
All races, both sexes											
2000.....	713	93	19	7	4	14	8	23	32	32	34
1999.....	619	94	13	4	9	7	14	12	27	21	34
All races, male											
2000.....	350	54	12	6	1	9	3	9	16	17	17
1999.....	308	47	8	2	5	4	8	6	15	14	15
All races, female											
2000.....	363	39	7	1	3	5	5	14	16	15	17
1999.....	311	47	5	2	4	3	6	6	12	7	19
White, both sexes											
2000.....	631	72	13	6	2	11	6	17	29	26	30
1999.....	536	79	7	3	6	5	8	9	17	18	29
White, male											
2000.....	316	46	8	5	1	8	3	6	15	16	16
1999.....	267	39	4	2	2	2	6	5	9	11	13
White, female											
2000.....	315	26	5	1	1	3	3	11	14	10	14
1999.....	269	40	3	1	4	3	2	4	8	7	16
All other, both sexes											
2000.....	82	21	6	1	2	3	2	6	3	6	4
1999.....	83	15	6	1	3	2	6	3	10	3	5
All other, male											
2000.....	34	8	4	1	-	1	-	3	1	1	1
1999.....	41	8	4	-	3	2	2	1	6	3	2
All other, female											
2000.....	48	13	2	-	2	2	2	3	2	5	3
1999.....	42	7	2	1	-	-	4	2	4	-	3
Black, both sexes											
2000.....	74	19	6	1	1	3	2	6	3	6	4
1999.....	67	11	6	1	3	1	4	2	9	2	3
Black, male											
2000.....	28	7	4	1	-	1	-	3	1	1	1
1999.....	33	6	4	-	3	1	1	-	5	2	2
Black, female											
2000.....	46	12	2	-	1	2	2	3	2	5	3
1999.....	34	5	2	1	-	-	3	2	4	-	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)											
All races, both sexes											
2000.....	1,010	922	42	8	7	7	5	-	5	3	3
1999.....	971	855	40	15	17	9	10	4	3	3	-
All races, male											
2000.....	451	417	18	3	2	1	3	-	1	1	2
1999.....	407	364	16	5	6	2	6	4	1	-	-
All races, female											
2000.....	559	505	24	5	5	6	2	-	4	2	1
1999.....	564	491	24	10	11	7	4	-	2	3	-
White, both sexes											
2000.....	769	706	23	7	5	6	4	-	5	3	3
1999.....	757	677	27	6	11	5	9	4	2	3	-
White, male											
2000.....	340	319	6	3	1	1	3	-	1	1	2
1999.....	323	293	10	3	4	1	6	4	-	-	-
White, female											
2000.....	429	387	17	4	4	5	1	-	4	2	1
1999.....	434	384	17	3	7	4	3	-	2	3	-
All other, both sexes											
2000.....	241	216	19	1	2	1	1	-	-	-	-
1999.....	214	178	13	9	6	4	1	-	1	-	-
All other, male											
2000.....	111	98	12	-	1	-	-	-	-	-	-
1999.....	84	71	6	2	2	1	-	-	1	-	-
All other, female											
2000.....	130	118	7	1	1	1	1	-	-	-	-
1999.....	130	107	7	7	4	3	1	-	-	-	-
Black, both sexes											
2000.....	197	172	19	1	2	1	1	-	-	-	-
1999.....	174	146	9	8	6	3	-	-	1	-	-
Black, male											
2000.....	96	83	12	-	1	-	-	-	-	-	-
1999.....	72	61	5	1	2	1	-	-	1	-	-
Black, female											
2000.....	101	89	7	1	1	1	1	-	-	-	-
1999.....	102	85	4	7	4	2	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races, both sexes											
2000.....	31,876	3,639	248	85	92	317	551	663	891	1,284	1,703
1999.....	26,672	3,538	236	65	72	228	381	446	649	940	1,122
All races, male											
2000.....	15,863	2,156	137	48	51	196	385	456	604	857	1,137
1999.....	12,877	2,072	136	35	42	153	269	287	434	599	740
All races, female											
2000.....	16,013	1,483	111	37	41	121	166	207	287	427	566
1999.....	13,795	1,466	100	30	30	75	112	159	215	341	382
White, both sexes											
2000.....	26,285	2,294	182	57	63	240	416	495	690	1,035	1,360
1999.....	21,591	2,227	159	49	47	163	270	312	486	699	808
White, male											
2000.....	12,827	1,363	106	35	33	157	301	349	481	714	935
1999.....	10,094	1,321	96	26	28	110	199	211	318	463	542
White, female											
2000.....	13,458	931	76	22	30	83	115	146	209	321	425
1999.....	11,497	906	63	23	19	53	71	101	168	236	266
All other, both sexes											
2000.....	5,591	1,345	66	28	29	77	135	168	201	249	343
1999.....	5,081	1,311	77	16	25	65	111	134	163	241	314
All other, male											
2000.....	3,036	793	31	13	18	39	84	107	123	143	202
1999.....	2,783	751	40	9	14	43	70	76	116	136	198
All other, female											
2000.....	2,555	552	35	15	11	38	51	61	78	106	141
1999.....	2,298	560	37	7	11	22	41	58	47	105	116
Black, both sexes											
2000.....	5,004	1,212	57	21	25	67	119	142	174	214	314
1999.....	4,591	1,167	68	15	18	54	100	116	150	231	283
Black, male											
2000.....	2,693	710	29	11	17	32	76	91	107	115	178
1999.....	2,517	669	35	9	11	38	63	67	109	131	176
Black, female											
2000.....	2,311	502	28	10	8	35	43	51	67	99	136
1999.....	2,074	498	33	6	7	16	37	49	41	100	107

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Ill-defined and unknown causes of mortality (R95-R99)											
All races, both sexes											
2000.....	20,645	3,572	190	60	69	259	449	530	753	1,101	1,464
1999.....	16,553	3,466	192	48	55	175	312	335	531	754	935
All races, male											
2000.....	11,709	2,123	111	36	39	165	316	367	528	732	980
1999.....	9,110	2,027	110	21	32	119	231	220	366	480	622
All races, female											
2000.....	8,936	1,449	79	24	30	94	133	163	225	369	484
1999.....	7,443	1,439	82	27	23	56	81	115	165	274	313
White, both sexes											
2000.....	16,583	2,247	138	40	43	198	344	404	605	900	1,183
1999.....	12,872	2,180	126	34	37	127	229	242	406	574	681
White, male											
2000.....	9,337	1,339	85	27	22	132	252	286	432	618	813
1999.....	6,952	1,292	77	14	20	89	176	164	278	375	464
White, female											
2000.....	7,246	908	53	13	21	66	92	118	173	282	370
1999.....	5,920	888	49	20	17	38	53	78	128	199	217
All other, both sexes											
2000.....	4,062	1,325	52	20	26	61	105	126	148	201	281
1999.....	3,681	1,286	66	14	18	48	83	93	125	180	254
All other, male											
2000.....	2,372	784	26	9	17	33	64	81	96	114	167
1999.....	2,158	735	33	7	12	30	55	56	88	105	158
All other, female											
2000.....	1,690	541	26	11	9	28	41	45	52	87	114
1999.....	1,523	551	33	7	6	18	28	37	37	75	96
Black, both sexes											
2000.....	3,614	1,193	44	13	22	52	92	102	127	172	258
1999.....	3,291	1,145	58	13	13	40	74	77	112	172	227
Black, male											
2000.....	2,095	701	24	7	16	27	57	66	82	90	148
1999.....	1,931	654	29	7	11	27	48	48	81	101	139
Black, female											
2000.....	1,519	492	20	6	6	25	35	36	45	82	110
1999.....	1,360	491	29	6	2	13	26	29	31	71	88

[illegible]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other ill-defined and unknown causes of mortality (R96-R99)											
All races, both sexes											
2000.....	18,122	1,049	190	60	69	259	449	530	753	1,101	1,464
1999.....	13,905	818	192	48	55	175	312	335	531	754	935
All races, male											
2000.....	10,200	614	111	36	39	165	316	367	528	732	980
1999.....	7,557	474	110	21	32	119	231	220	366	480	622
All races, female											
2000.....	7,922	435	79	24	30	94	133	163	225	369	484
1999.....	6,348	344	82	27	23	56	81	115	165	274	313
White, both sexes											
2000.....	14,975	639	138	40	43	198	344	404	605	900	1,183
1999.....	11,161	469	126	34	37	127	229	242	406	574	681
White, male											
2000.....	8,370	372	85	27	22	132	252	286	432	618	813
1999.....	5,939	279	77	14	20	89	176	164	278	375	464
White, female											
2000.....	6,605	267	53	13	21	66	92	118	173	282	370
1999.....	5,222	190	49	20	17	38	53	78	128	199	217
All other, both sexes											
2000.....	3,147	410	52	20	26	61	105	126	148	201	281
1999.....	2,744	349	66	14	18	48	83	93	125	180	254
All other, male											
2000.....	1,830	242	26	9	17	33	64	81	96	114	167
1999.....	1,618	195	33	7	12	30	55	56	88	105	158
All other, female											
2000.....	1,317	168	26	11	9	28	41	45	52	87	114
1999.....	1,126	154	33	7	6	18	28	37	37	75	96
Black, both sexes											
2000.....	2,788	367	44	13	22	52	92	102	127	172	258
1999.....	2,452	306	58	13	13	40	74	77	112	172	227
Black, male											
2000.....	1,613	219	24	7	16	27	57	66	82	90	148
1999.....	1,454	177	29	7	11	27	48	48	81	101	139
Black, female											
2000.....	1,175	148	20	6	6	25	35	36	45	82	110
1999.....	998	129	29	6	2	13	26	29	31	71	88

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

All races, both sexes											
2000.....	7,446	67	58	25	23	58	102	133	138	183	239
1999.....	6,969	72	44	17	17	53	69	111	118	186	186
All races, male											
2000.....	3,136	33	26	12	12	31	69	89	76	125	157
1999.....	2,877	45	26	14	10	34	38	67	68	119	118
All races, female											
2000.....	4,310	34	32	13	11	27	33	44	62	58	82
1999.....	4,092	27	18	3	7	19	31	44	50	67	68
White, both sexes											
2000.....	6,232	47	44	17	20	42	72	91	85	135	177
1999.....	5,796	47	33	15	10	36	41	70	80	125	126
White, male											
2000.....	2,549	24	21	8	11	25	49	63	49	96	122
1999.....	2,330	29	19	12	8	21	23	47	40	88	78
White, female											
2000.....	3,683	23	23	9	9	17	23	28	36	39	55
1999.....	3,466	18	14	3	2	15	18	23	40	37	48
All other, both sexes											
2000.....	1,214	20	14	8	3	16	30	42	53	48	62
1999.....	1,173	25	11	2	7	17	28	41	38	61	60
All other, male											
2000.....	587	9	5	4	1	6	20	26	27	29	35
1999.....	547	16	7	2	2	13	15	20	28	31	40
All other, female											
2000.....	627	11	9	4	2	10	10	16	26	19	27
1999.....	626	9	4	-	5	4	13	21	10	30	20
Black, both sexes											
2000.....	1,107	19	13	8	3	15	27	40	47	42	56
1999.....	1,087	22	10	2	5	14	26	39	38	59	56
Black, male											
2000.....	530	9	5	4	1	5	19	25	25	25	30
1999.....	514	15	6	2	-	11	15	19	28	30	37
Black, female											
2000.....	577	10	8	4	2	10	8	15	22	17	26
1999.....	573	7	4	-	5	3	11	20	10	29	19

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

XX. External causes of mortality (V01-Y89)

All races, both sexes											
2000.....	150,873	1,314	2,241	1,573	2,163	10,421	13,027	10,906	10,598	12,985	13,647
1999.....	150,672	1,284	2,341	1,660	2,162	10,560	12,451	11,003	11,094	13,127	13,226
All races, male											
2000.....	104,309	743	1,331	930	1,459	7,822	10,568	8,740	8,173	9,681	10,156
1999.....	103,778	744	1,351	999	1,456	7,848	10,068	8,743	8,512	9,753	9,789
All races, female											
2000.....	46,564	571	910	643	704	2,599	2,459	2,166	2,425	3,304	3,491
1999.....	46,894	540	990	661	706	2,712	2,383	2,260	2,582	3,374	3,437
White, both sexes											
2000.....	122,873	821	1,572	1,120	1,643	8,006	9,414	7,892	8,126	10,405	11,039
1999.....	122,492	833	1,620	1,129	1,652	7,994	8,984	8,059	8,542	10,490	10,745
White, male											
2000.....	83,740	485	946	663	1,098	5,868	7,556	6,247	6,256	7,772	8,254
1999.....	83,247	498	940	671	1,105	5,781	7,176	6,374	6,538	7,796	7,997
White, female											
2000.....	39,133	336	626	457	545	2,138	1,858	1,645	1,870	2,633	2,785
1999.....	39,245	335	680	458	547	2,213	1,808	1,685	2,004	2,694	2,748
All other, both sexes											
2000.....	28,000	493	669	453	520	2,415	3,613	3,014	2,472	2,580	2,608
1999.....	28,180	451	721	531	510	2,566	3,467	2,944	2,552	2,637	2,481
All other, male											
2000.....	20,569	258	385	267	361	1,954	3,012	2,493	1,917	1,909	1,902
1999.....	20,531	246	411	328	351	2,067	2,892	2,369	1,974	1,957	1,792
All other, female											
2000.....	7,431	235	284	186	159	461	601	521	555	671	706
1999.....	7,649	205	310	203	159	499	575	575	578	680	689
Black, both sexes											
2000.....	23,342	434	568	391	429	1,967	3,112	2,530	2,091	2,166	2,232
1999.....	23,558	405	618	466	428	2,119	2,956	2,476	2,123	2,215	2,131
Black, male											
2000.....	17,411	226	323	234	306	1,620	2,632	2,121	1,650	1,634	1,644
1999.....	17,447	218	350	296	296	1,736	2,520	2,042	1,667	1,653	1,572
Black, female											
2000.....	5,931	208	245	157	123	347	480	409	441	532	588
1999.....	6,111	187	268	170	132	383	436	434	456	562	559

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)											
All races, both sexes											
2000.....	97,900	881	1,826	1,391	1,588	6,755	7,358	5,898	5,871	7,471	7,942
1999.....	97,860	845	1,898	1,459	1,632	6,688	6,968	5,881	6,009	7,366	7,865
All races, male											
2000.....	63,817	501	1,098	824	1,037	4,757	5,703	4,606	4,453	5,537	5,907
1999.....	63,535	494	1,127	897	1,077	4,624	5,416	4,555	4,542	5,411	5,837
All races, female											
2000.....	34,083	380	728	567	551	1,998	1,655	1,292	1,418	1,934	2,035
1999.....	34,325	351	771	562	555	2,064	1,552	1,326	1,467	1,955	2,028
White, both sexes											
2000.....	82,592	569	1,335	996	1,223	5,731	6,092	4,736	4,783	6,171	6,492
1999.....	82,245	562	1,374	1,011	1,259	5,647	5,717	4,790	4,871	6,051	6,449
White, male											
2000.....	53,329	331	808	587	791	4,007	4,763	3,704	3,665	4,608	4,854
1999.....	52,898	333	811	611	823	3,862	4,465	3,741	3,701	4,477	4,811
White, female											
2000.....	29,263	238	527	409	432	1,724	1,329	1,032	1,118	1,563	1,638
1999.....	29,347	229	563	400	436	1,785	1,252	1,049	1,170	1,574	1,638
All other, both sexes											
2000.....	15,308	312	491	395	365	1,024	1,266	1,162	1,088	1,300	1,450
1999.....	15,615	283	524	448	373	1,041	1,251	1,091	1,138	1,315	1,416
All other, male											
2000.....	10,488	170	290	237	246	750	940	902	788	929	1,053
1999.....	10,637	161	316	286	254	762	951	814	841	934	1,026
All other, female											
2000.....	4,820	142	201	158	119	274	326	260	300	371	397
1999.....	4,978	122	208	162	119	279	300	277	297	381	390
Black, both sexes											
2000.....	12,277	274	405	338	293	737	958	892	878	1,058	1,229
1999.....	12,728	252	441	396	311	774	945	855	910	1,081	1,204
Black, male											
2000.....	8,531	149	239	209	205	542	719	693	647	772	906
1999.....	8,773	141	266	258	214	574	727	658	677	769	891
Black, female											
2000.....	3,746	125	166	129	88	195	239	199	231	286	323
1999.....	3,955	111	175	138	97	200	218	197	233	312	313

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Transport accidents (V01-V99,Y85)											
All races, both sexes											
2000.....	46,749	174	691	842	1,080	5,475	5,553	3,957	3,443	3,889	3,772
1999.....	46,423	189	712	897	1,078	5,452	5,237	3,922	3,512	3,869	3,684
All races, male											
2000.....	32,166	94	391	464	674	3,693	4,197	3,016	2,554	2,802	2,758
1999.....	31,642	101	400	532	674	3,593	3,965	2,952	2,559	2,741	2,635
All races, female											
2000.....	14,583	80	300	378	406	1,782	1,356	941	889	1,087	1,014
1999.....	14,781	88	312	365	404	1,859	1,272	970	953	1,128	1,049
White, both sexes											
2000.....	39,088	121	513	646	873	4,713	4,566	3,121	2,769	3,208	3,110
1999.....	38,767	137	497	664	878	4,661	4,292	3,171	2,855	3,140	3,059
White, male											
2000.....	26,815	68	290	358	538	3,158	3,474	2,377	2,064	2,312	2,277
1999.....	26,385	80	273	390	546	3,047	3,269	2,401	2,076	2,232	2,196
White, female											
2000.....	12,273	53	223	288	335	1,555	1,092	744	705	896	833
1999.....	12,382	57	224	274	332	1,614	1,023	770	779	908	863
All other, both sexes											
2000.....	7,661	53	178	196	207	762	987	836	674	681	662
1999.....	7,656	52	215	233	200	791	945	751	657	729	625
All other, male											
2000.....	5,351	26	101	106	136	535	723	639	490	490	481
1999.....	5,257	21	127	142	128	546	696	551	483	509	439
All other, female											
2000.....	2,310	27	77	90	71	227	264	197	184	191	181
1999.....	2,399	31	88	91	72	245	249	200	174	220	186
Black, both sexes											
2000.....	5,839	40	141	157	160	539	744	634	535	527	542
1999.....	5,901	44	177	202	162	580	704	578	511	587	498
Black, male											
2000.....	4,199	21	79	87	110	380	548	489	401	396	408
1999.....	4,162	18	101	127	105	405	521	443	385	412	366
Black, female											
2000.....	1,640	19	62	70	50	159	196	145	134	131	134
1999.....	1,739	26	76	75	57	175	183	135	126	175	132

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Railway accidents (V05,V15,V80.6,V81.2-V81.9)											
All races, both sexes											
2000.....	482	1	5	2	14	47	46	38	42	71	67
1999.....	493	1	2	8	17	35	57	46	50	74	66
All races, male											
2000.....	417	1	4	2	10	42	39	35	34	61	62
1999.....	423	1	1	7	15	29	54	39	46	65	58
All races, female											
2000.....	65	-	1	-	4	5	7	3	8	10	5
1999.....	70	-	1	1	2	6	3	7	4	9	8
White, both sexes											
2000.....	375	1	2	2	9	39	36	34	30	57	50
1999.....	389	-	2	5	14	27	43	37	40	58	56
White, male											
2000.....	326	1	1	2	6	35	30	31	25	50	46
1999.....	334	-	1	5	12	23	40	30	38	51	50
White, female											
2000.....	49	-	1	-	3	4	6	3	5	7	4
1999.....	55	-	1	-	2	4	3	7	2	7	6
All other, both sexes											
2000.....	107	-	3	-	5	8	10	4	12	14	17
1999.....	104	1	-	3	3	8	14	9	10	16	10
All other, male											
2000.....	91	-	3	-	4	7	9	4	9	11	16
1999.....	89	1	-	2	3	6	14	9	8	14	8
All other, female											
2000.....	16	-	-	-	1	1	1	-	3	3	1
1999.....	15	-	-	1	-	2	-	-	2	2	2
Black, both sexes											
2000.....	92	-	2	-	3	7	10	4	11	12	14
1999.....	76	1	-	2	2	4	6	7	7	13	8
Black, male											
2000.....	80	-	2	-	3	6	9	4	8	10	14
1999.....	64	1	-	2	2	3	6	7	6	11	6
Black, female											
2000.....	12	-	-	-	-	1	1	-	3	2	-
1999.....	12	-	-	-	-	1	-	-	1	2	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)											
All races, both sexes											
2000.....	43,354	168	651	780	992	5,251	5,309	3,715	3,169	3,545	3,382
1999.....	42,401	184	650	802	969	5,198	4,930	3,604	3,174	3,460	3,278
All races, male											
2000.....	29,451	90	368	429	614	3,527	3,989	2,804	2,331	2,507	2,433
1999.....	28,552	97	366	469	593	3,412	3,715	2,690	2,303	2,424	2,311
All races, female											
2000.....	13,903	78	283	351	378	1,724	1,320	911	838	1,038	949
1999.....	13,849	87	284	333	376	1,786	1,215	914	871	1,036	967
White, both sexes											
2000.....	36,160	115	484	593	796	4,530	4,351	2,908	2,540	2,918	2,772
1999.....	35,343	133	455	591	786	4,450	4,035	2,897	2,572	2,791	2,706
White, male											
2000.....	24,470	64	275	330	485	3,026	3,291	2,191	1,876	2,061	1,996
1999.....	23,763	77	253	344	479	2,899	3,060	2,175	1,863	1,961	1,918
White, female											
2000.....	11,690	51	209	263	311	1,504	1,060	717	664	857	776
1999.....	11,580	56	202	247	307	1,551	975	722	709	830	788
All other, both sexes											
2000.....	7,194	53	167	187	196	721	958	807	629	627	610
1999.....	7,058	51	195	211	183	748	895	707	602	669	572
All other, male											
2000.....	4,981	26	93	99	129	501	698	613	455	446	437
1999.....	4,789	20	113	125	114	513	655	515	440	463	393
All other, female											
2000.....	2,213	27	74	88	67	220	260	194	174	181	173
1999.....	2,269	31	82	86	69	235	240	192	162	206	179
Black, both sexes											
2000.....	5,499	40	134	149	153	513	721	614	497	485	502
1999.....	5,470	43	160	184	150	553	677	547	471	538	457
Black, male											
2000.....	3,922	21	74	80	105	358	528	470	372	361	374
1999.....	3,821	17	89	111	94	384	501	418	353	374	330
Black, female											
2000.....	1,577	19	60	69	48	155	193	144	125	124	128
1999.....	1,649	26	71	73	56	169	176	129	118	164	127

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Pedestrian involved in collision with motor vehicle (V02-V04)											
All races, both sexes											
2000.....	3,434	9	179	146	114	162	186	187	200	272	312
1999.....	3,389	9	170	160	111	167	197	195	205	289	284
All races, male											
2000.....	2,340	4	111	88	73	107	146	148	154	194	227
1999.....	2,337	5	96	93	71	122	153	148	159	220	209
All races, female											
2000.....	1,094	5	68	58	41	55	40	39	46	78	85
1999.....	1,052	4	74	67	40	45	44	47	46	69	75
White, both sexes											
2000.....	2,644	7	123	99	90	129	157	134	154	197	217
1999.....	2,536	6	121	98	86	134	152	135	150	200	187
White, male											
2000.....	1,773	3	76	60	56	81	121	105	121	139	160
1999.....	1,728	4	65	57	55	99	118	105	115	152	136
White, female											
2000.....	871	4	47	39	34	48	36	29	33	58	57
1999.....	808	2	56	41	31	35	34	30	35	48	51
All other, both sexes											
2000.....	790	2	56	47	24	33	29	53	46	75	95
1999.....	853	3	49	62	25	33	45	60	55	89	97
All other, male											
2000.....	567	1	35	28	17	26	25	43	33	55	67
1999.....	609	1	31	36	16	23	35	43	44	68	73
All other, female											
2000.....	223	1	21	19	7	7	4	10	13	20	28
1999.....	244	2	18	26	9	10	10	17	11	21	24
Black, both sexes											
2000.....	604	2	47	42	23	24	22	36	30	62	78
1999.....	654	2	41	55	23	25	31	45	42	71	85
Black, male											
2000.....	441	1	29	26	17	19	19	27	21	47	53
1999.....	479	-	25	32	15	16	24	33	35	54	66
Black, female											
2000.....	163	1	18	16	6	5	3	9	9	15	25
1999.....	175	2	16	23	8	9	7	12	7	17	19

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)											
All races, both sexes											
2000.....	589	-	4	47	93	47	28	23	33	43	61
1999.....	652	-	6	64	83	70	41	32	49	55	79
All races, male											
2000.....	531	-	4	37	84	45	25	21	26	38	59
1999.....	573	-	5	53	61	66	35	28	43	51	70
All races, female											
2000.....	58	-	-	10	9	2	3	2	7	5	2
1999.....	79	-	1	11	22	4	6	4	6	4	9
White, both sexes											
2000.....	454	-	3	33	67	40	24	15	26	30	42
1999.....	521	-	5	47	63	56	33	27	42	38	67
White, male											
2000.....	406	-	3	28	60	38	21	13	21	25	40
1999.....	454	-	4	41	45	52	27	23	37	35	59
White, female											
2000.....	48	-	-	5	7	2	3	2	5	5	2
1999.....	67	-	1	6	18	4	6	4	5	3	8
All other, both sexes											
2000.....	135	-	1	14	26	7	4	8	7	13	19
1999.....	131	-	1	17	20	14	8	5	7	17	12
All other, male											
2000.....	125	-	1	9	24	7	4	8	5	13	19
1999.....	119	-	1	12	16	14	8	5	6	16	11
All other, female											
2000.....	10	-	-	5	2	-	-	-	2	-	-
1999.....	12	-	-	5	4	-	-	-	1	1	1
Black, both sexes											
2000.....	118	-	1	11	24	6	3	7	6	11	19
1999.....	103	-	1	13	19	10	7	3	6	11	11
Black, male											
2000.....	110	-	1	7	22	6	3	7	4	11	19
1999.....	95	-	1	10	15	10	7	3	5	11	11
Black, female											
2000.....	8	-	-	4	2	-	-	-	2	-	-
1999.....	8	-	-	3	4	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)											
All races, both sexes											
2000.....	2,785	-	-	5	25	170	391	398	326	349	367
1999.....	2,343	-	-	6	25	126	363	345	270	292	304
All races, male											
2000.....	2,528	-	-	5	21	153	372	378	301	308	323
1999.....	2,127	-	-	3	21	113	343	324	253	270	257
All races, female											
2000.....	257	-	-	-	4	17	19	20	25	41	44
1999.....	216	-	-	3	4	13	20	21	17	22	47
White, both sexes											
2000.....	2,401	-	-	5	21	150	319	302	243	302	343
1999.....	2,018	-	-	6	24	105	293	253	216	255	281
White, male											
2000.....	2,159	-	-	5	17	135	305	282	221	262	300
1999.....	1,818	-	-	3	20	95	278	233	200	233	238
White, female											
2000.....	242	-	-	-	4	15	14	20	22	40	43
1999.....	200	-	-	3	4	10	15	20	16	22	43
All other, both sexes											
2000.....	384	-	-	-	4	20	72	96	83	47	24
1999.....	325	-	-	-	1	21	70	92	54	37	23
All other, male											
2000.....	369	-	-	-	4	18	67	96	80	46	23
1999.....	309	-	-	-	1	18	65	91	53	37	19
All other, female											
2000.....	15	-	-	-	-	2	5	-	3	1	1
1999.....	16	-	-	-	-	3	5	1	1	-	4
Black, both sexes											
2000.....	336	-	-	-	4	18	61	85	79	44	19
1999.....	282	-	-	-	1	17	64	83	46	34	18
Black, male											
2000.....	324	-	-	-	4	16	57	85	76	43	19
1999.....	273	-	-	-	1	14	60	83	46	34	16
Black, female											
2000.....	12	-	-	-	-	2	4	-	3	1	-
1999.....	9	-	-	-	-	3	4	-	-	-	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)											
All races, both sexes											
2000.....	282	1	7	8	5	39	25	24	29	14	24
1999.....	269	-	6	6	6	33	32	18	18	14	24
All races, male											
2000.....	200	-	4	4	2	25	20	16	21	10	19
1999.....	176	-	5	3	3	20	20	11	13	10	17
All races, female											
2000.....	82	1	3	4	3	14	5	8	8	4	5
1999.....	93	-	1	3	3	13	12	7	5	4	7
White, both sexes											
2000.....	253	1	6	8	4	36	22	22	25	13	23
1999.....	228	-	4	4	6	28	25	15	16	12	19
White, male											
2000.....	178	-	3	4	2	23	17	15	17	9	19
1999.....	150	-	3	3	3	15	16	10	11	9	14
White, female											
2000.....	75	1	3	4	2	13	5	7	8	4	4
1999.....	78	-	1	1	3	13	9	5	5	3	5
All other, both sexes											
2000.....	29	-	1	-	1	3	3	2	4	1	1
1999.....	41	-	2	2	-	5	7	3	2	2	5
All other, male											
2000.....	22	-	1	-	-	2	3	1	4	1	-
1999.....	26	-	2	-	-	5	4	1	2	1	3
All other, female											
2000.....	7	-	-	-	1	1	-	1	-	-	1
1999.....	15	-	-	2	-	-	3	2	-	1	2
Black, both sexes											
2000.....	26	-	-	-	1	3	2	2	3	1	1
1999.....	34	-	2	2	-	1	7	3	1	1	5
Black, male											
2000.....	19	-	-	-	-	2	2	1	3	1	-
1999.....	21	-	2	-	-	1	4	1	1	1	3
Black, female											
2000.....	7	-	-	-	1	1	-	1	-	-	1
1999.....	13	-	-	2	-	-	3	2	-	-	2

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)											
All races, both sexes											
2000.....	279	1	7	8	5	39	24	23	29	14	24
1999.....	263	-	6	6	5	33	31	17	17	13	24
All races, male											
2000.....	197	-	4	4	2	25	19	15	21	10	19
1999.....	170	-	5	3	2	20	19	10	12	9	17
All races, female											
2000.....	82	1	3	4	3	14	5	8	8	4	5
1999.....	93	-	1	3	3	13	12	7	5	4	7
White, both sexes											
2000.....	250	1	6	8	4	36	21	21	25	13	23
1999.....	223	-	4	4	5	28	24	15	15	11	19
White, male											
2000.....	175	-	3	4	2	23	16	14	17	9	19
1999.....	145	-	3	3	2	15	15	10	10	8	14
White, female											
2000.....	75	1	3	4	2	13	5	7	8	4	4
1999.....	78	-	1	1	3	13	9	5	5	3	5
All other, both sexes											
2000.....	29	-	1	-	1	3	3	2	4	1	1
1999.....	40	-	2	2	-	5	7	2	2	2	5
All other, male											
2000.....	22	-	1	-	-	2	3	1	4	1	-
1999.....	25	-	2	-	-	5	4	-	2	1	3
All other, female											
2000.....	7	-	-	-	1	1	-	1	-	-	1
1999.....	15	-	-	2	-	-	3	2	-	1	2
Black, both sexes											
2000.....	26	-	-	-	1	3	2	2	3	1	1
1999.....	33	-	2	2	-	1	7	2	1	1	5
Black, male											
2000.....	19	-	-	-	-	2	2	1	3	1	-
1999.....	20	-	2	-	-	1	4	-	1	1	3
Black, female											
2000.....	7	-	-	-	1	1	-	1	-	-	1
1999.....	13	-	-	2	-	-	3	2	-	-	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)											
All races, both sexes											
2000.....	3,909	9	26	32	63	684	672	384	306	366	276
1999.....	3,805	12	20	26	64	672	620	389	333	316	268
All races, male											
2000.....	2,816	4	10	13	32	501	549	309	228	257	197
1999.....	2,786	8	9	17	42	457	505	314	260	237	199
All races, female											
2000.....	1,093	5	16	19	31	183	123	75	78	109	79
1999.....	1,019	4	11	9	22	215	115	75	73	79	69
White, both sexes											
2000.....	3,179	5	18	24	52	573	528	291	255	307	223
1999.....	3,080	5	12	21	52	565	484	306	266	252	218
White, male											
2000.....	2,263	3	5	11	25	412	434	232	185	212	160
1999.....	2,265	4	8	13	34	382	400	247	206	192	161
White, female											
2000.....	916	2	13	13	27	161	94	59	70	95	63
1999.....	815	1	4	8	18	183	84	59	60	60	57
All other, both sexes											
2000.....	730	4	8	8	11	111	144	93	51	59	53
1999.....	725	7	8	5	12	107	136	83	67	64	50
All other, male											
2000.....	553	1	5	2	7	89	115	77	43	45	37
1999.....	521	4	1	4	8	75	105	67	54	45	38
All other, female											
2000.....	177	3	3	6	4	22	29	16	8	14	16
1999.....	204	3	7	1	4	32	31	16	13	19	12
Black, both sexes											
2000.....	574	3	6	8	11	80	104	72	38	50	47
1999.....	596	6	8	5	12	87	111	67	57	54	43
Black, male											
2000.....	433	1	3	2	7	61	80	61	34	38	34
1999.....	440	3	1	4	8	63	85	56	47	37	34
Black, female											
2000.....	141	2	3	6	4	19	24	11	4	12	13
1999.....	156	3	7	1	4	24	26	11	10	17	9

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)											
All races, both sexes											
2000.....	10,390	57	141	181	177	1,246	1,129	803	666	740	672
1999.....	10,238	59	132	178	207	1,201	1,053	781	720	678	724
All races, male											
2000.....	6,186	29	73	95	94	739	773	518	444	464	417
1999.....	6,072	33	77	90	103	730	711	515	478	398	453
All races, female											
2000.....	4,204	28	68	86	83	507	356	285	222	276	255
1999.....	4,166	26	55	88	104	471	342	266	242	280	271
White, both sexes											
2000.....	8,813	44	108	145	143	1,082	924	637	535	604	546
1999.....	8,678	44	97	140	169	1,041	868	634	587	533	593
White, male											
2000.....	5,203	23	55	78	71	641	625	418	351	384	337
1999.....	5,101	28	56	70	79	625	587	426	392	305	368
White, female											
2000.....	3,610	21	53	67	72	441	299	219	184	220	209
1999.....	3,577	16	41	70	90	416	281	208	195	228	225
All other, both sexes											
2000.....	1,577	13	33	36	34	164	205	166	131	136	126
1999.....	1,560	15	35	38	38	160	185	147	133	145	131
All other, male											
2000.....	983	6	18	17	23	98	148	100	93	80	80
1999.....	971	5	21	20	24	105	124	89	86	93	85
All other, female											
2000.....	594	7	15	19	11	66	57	66	38	56	46
1999.....	589	10	14	18	14	55	61	58	47	52	46
Black, both sexes											
2000.....	1,191	8	25	24	25	114	155	126	102	96	102
1999.....	1,215	13	27	32	33	112	139	114	112	124	102
Black, male											
2000.....	765	4	14	12	18	70	109	77	75	56	71
1999.....	773	4	15	18	19	78	92	73	72	79	71
Black, female											
2000.....	426	4	11	12	7	44	46	49	27	40	31
1999.....	442	9	12	14	14	34	47	41	40	45	31

[illegible]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)											
All races, both sexes											
2000.....	3,743	22	31	51	98	593	603	424	308	344	299
1999.....	3,688	16	48	57	58	611	579	384	308	350	310
All races, male											
2000.....	2,677	15	13	24	60	407	455	335	229	241	217
1999.....	2,580	10	24	30	33	400	438	296	221	243	225
All races, female											
2000.....	1,066	7	18	27	38	186	148	89	79	103	82
1999.....	1,108	6	24	27	25	211	141	88	87	107	85
White, both sexes											
2000.....	3,133	14	23	38	71	517	506	350	258	285	248
1999.....	3,066	11	31	44	49	530	479	317	254	280	255
White, male											
2000.....	2,266	11	12	17	45	357	388	274	198	202	183
1999.....	2,173	7	19	23	28	346	370	244	186	200	191
White, female											
2000.....	867	3	11	21	26	160	118	76	60	83	65
1999.....	893	4	12	21	21	184	109	73	68	80	64
All other, both sexes											
2000.....	610	8	8	13	27	76	97	74	50	59	51
1999.....	622	5	17	13	9	81	100	67	54	70	55
All other, male											
2000.....	411	4	1	7	15	50	67	61	31	39	34
1999.....	407	3	5	7	5	54	68	52	35	43	34
All other, female											
2000.....	199	4	7	6	12	26	30	13	19	20	17
1999.....	215	2	12	6	4	27	32	15	19	27	21
Black, both sexes											
2000.....	406	5	7	9	20	42	69	44	30	38	38
1999.....	418	4	14	12	5	52	60	44	38	48	41
Black, male											
2000.....	287	2	1	6	11	28	47	38	22	32	25
1999.....	285	3	4	7	2	35	39	36	26	33	27
Black, female											
2000.....	119	3	6	3	9	14	22	6	8	6	13
1999.....	133	1	10	5	3	17	21	8	12	15	14

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Occupant of special-use motor vehicle involved in any accident (V83-V86)											
All races, both sexes											
2000.....	1,042	-	14	43	90	138	101	73	68	73	70
1999.....	1,007	-	15	34	76	89	84	71	78	67	69
All races, male											
2000.....	920	-	11	27	65	119	91	70	61	65	62
1999.....	924	-	11	28	67	77	79	63	72	63	64
All races, female											
2000.....	122	-	3	16	25	19	10	3	7	8	8
1999.....	83	-	4	6	9	12	5	8	6	4	5
White, both sexes											
2000.....	965	-	14	40	82	119	91	65	68	70	66
1999.....	948	-	13	29	71	80	82	69	77	62	67
White, male											
2000.....	852	-	11	25	61	103	82	62	61	62	58
1999.....	868	-	9	24	63	68	77	61	71	58	62
White, female											
2000.....	113	-	3	15	21	16	9	3	7	8	8
1999.....	80	-	4	5	8	12	5	8	6	4	5
All other, both sexes											
2000.....	77	-	-	3	8	19	10	8	-	3	4
1999.....	59	-	2	5	5	9	2	2	1	5	2
All other, male											
2000.....	68	-	-	2	4	16	9	8	-	3	4
1999.....	56	-	2	4	4	9	2	2	1	5	2
All other, female											
2000.....	9	-	-	1	4	3	1	-	-	-	-
1999.....	3	-	-	1	1	-	-	-	-	-	-
Black, both sexes											
2000.....	46	-	-	3	3	9	3	6	-	2	3
1999.....	38	-	2	4	4	3	2	1	1	2	2
Black, male											
2000.....	41	-	-	2	-	8	3	6	-	2	3
1999.....	36	-	2	3	3	3	2	1	1	2	2
Black, female											
2000.....	5	-	-	1	3	1	-	-	-	-	-
1999.....	2	-	-	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)											
All races, both sexes											
2000.....	17,014	70	249	266	321	2,165	2,169	1,392	1,215	1,323	1,276
1999.....	16,803	88	253	268	336	2,223	1,955	1,378	1,178	1,374	1,188
All races, male											
2000.....	11,110	38	142	135	180	1,425	1,554	1,004	850	911	891
1999.....	10,814	41	139	150	190	1,423	1,427	980	792	911	790
All races, female											
2000.....	5,904	32	107	131	141	740	615	388	365	412	385
1999.....	5,989	47	114	118	146	800	528	398	386	463	398
White, both sexes											
2000.....	14,181	44	189	200	261	1,878	1,775	1,086	962	1,094	1,046
1999.....	14,087	67	172	200	263	1,905	1,613	1,132	952	1,137	993
White, male											
2000.....	9,251	24	110	101	145	1,230	1,294	786	688	751	724
1999.....	9,063	34	89	109	150	1,213	1,183	817	635	759	664
White, female											
2000.....	4,930	20	79	99	116	648	481	300	274	343	322
1999.....	5,024	33	83	91	113	692	430	315	317	378	329
All other, both sexes											
2000.....	2,833	26	60	66	60	287	394	306	253	229	230
1999.....	2,716	21	81	68	73	318	342	246	226	237	195
All other, male											
2000.....	1,859	14	32	34	35	195	260	218	162	160	167
1999.....	1,751	7	50	41	40	210	244	163	157	152	126
All other, female											
2000.....	974	12	28	32	25	92	134	88	91	69	63
1999.....	965	14	31	27	33	108	98	83	69	85	69
Black, both sexes											
2000.....	2,173	22	48	52	42	217	302	235	205	177	188
1999.....	2,108	18	65	60	53	246	256	187	165	190	149
Black, male											
2000.....	1,478	13	26	25	26	148	208	167	133	127	144
1999.....	1,402	7	39	36	31	164	188	132	118	120	99
Black, female											
2000.....	695	9	22	27	16	69	94	68	72	50	44
1999.....	706	11	26	24	22	82	68	55	47	70	50

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)											
All races, both sexes											
2000.....	1,009	1	26	37	45	81	69	56	76	78	101
1999.....	1,624	3	46	54	49	137	133	106	115	131	137
All races, male											
2000.....	707	1	13	19	30	57	56	46	56	60	75
1999.....	1,136	3	25	36	33	90	106	87	72	92	104
All races, female											
2000.....	302	-	13	18	15	24	13	10	20	18	26
1999.....	488	-	21	18	16	47	27	19	43	39	33
White, both sexes											
2000.....	845	1	19	32	40	70	58	43	64	61	82
1999.....	1,365	3	30	39	41	114	111	89	93	111	115
White, male											
2000.....	597	1	9	16	28	48	48	36	47	48	62
1999.....	947	3	14	24	27	73	87	74	57	79	86
White, female											
2000.....	248	-	10	16	12	22	10	7	17	13	20
1999.....	418	-	16	15	14	41	24	15	36	32	29
All other, both sexes											
2000.....	164	-	7	5	5	11	11	13	12	17	19
1999.....	259	-	16	15	8	23	22	17	22	20	22
All other, male											
2000.....	110	-	4	3	2	9	8	10	9	12	13
1999.....	189	-	11	12	6	17	19	13	15	13	18
All other, female											
2000.....	54	-	3	2	3	2	3	3	3	5	6
1999.....	70	-	5	3	2	6	3	4	7	7	4
Black, both sexes											
2000.....	114	-	5	4	4	7	8	7	10	14	14
1999.....	177	-	13	13	4	14	10	11	17	16	15
Black, male											
2000.....	78	-	3	3	2	5	6	6	7	11	8
1999.....	132	-	9	12	4	11	8	9	12	11	13
Black, female											
2000.....	36	-	2	1	2	2	2	1	3	3	6
1999.....	45	-	4	1	-	3	2	2	5	5	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Water transport accidents (V90-V94)											
All races, both sexes											
2000.....	630	-	4	14	16	61	55	57	52	69	78
1999.....	679	1	12	18	29	48	63	64	63	67	70
All races, male											
2000.....	566	-	3	11	12	47	50	55	46	64	71
1999.....	583	-	7	12	22	37	53	53	54	58	59
All races, female											
2000.....	64	-	1	3	4	14	5	2	6	5	7
1999.....	96	1	5	6	7	11	10	11	9	9	11
White, both sexes											
2000.....	543	-	4	10	15	49	52	52	42	57	66
1999.....	567	1	8	17	23	42	58	54	53	54	58
White, male											
2000.....	482	-	3	7	11	35	47	50	37	52	59
1999.....	487	-	4	11	17	32	49	47	45	49	47
White, female											
2000.....	61	-	1	3	4	14	5	2	5	5	7
1999.....	80	1	4	6	6	10	9	7	8	5	11
All other, both sexes											
2000.....	87	-	-	4	1	12	3	5	10	12	12
1999.....	112	-	4	1	6	6	5	10	10	13	12
All other, male											
2000.....	84	-	-	4	1	12	3	5	9	12	12
1999.....	96	-	3	1	5	5	4	6	9	9	12
All other, female											
2000.....	3	-	-	-	-	-	-	-	1	-	-
1999.....	16	-	1	-	1	1	1	4	1	4	-
Black, both sexes											
2000.....	63	-	-	4	-	8	2	4	9	7	9
1999.....	88	-	4	-	6	4	4	7	9	12	11
Black, male											
2000.....	61	-	-	4	-	8	2	4	8	7	9
1999.....	76	-	3	-	5	3	3	3	8	9	11
Black, female											
2000.....	2	-	-	-	-	-	-	-	1	-	-
1999.....	12	-	1	-	1	1	1	4	1	3	-

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)											
All races, both sexes											
2000.....	496	-	1	5	3	15	25	30	33	57	69
1999.....	510	-	1	6	3	22	23	38	45	63	55
All races, male											
2000.....	371	-	1	2	2	9	18	25	29	46	48
1999.....	361	-	-	2	3	16	12	30	30	44	43
All races, female											
2000.....	125	-	-	3	1	6	7	5	4	11	21
1999.....	149	-	1	4	-	6	11	8	15	19	12
White, both sexes											
2000.....	420	-	-	5	3	9	22	27	26	48	65
1999.....	411	-	1	4	3	16	16	33	37	55	46
White, male											
2000.....	311	-	-	2	2	5	15	22	24	38	45
1999.....	289	-	-	1	3	11	9	25	24	37	35
White, female											
2000.....	109	-	-	3	1	4	7	5	2	10	20
1999.....	122	-	1	3	-	5	7	8	13	18	11
All other, both sexes											
2000.....	76	-	1	-	-	6	3	3	7	9	4
1999.....	99	-	-	2	-	6	7	5	8	8	9
All other, male											
2000.....	60	-	1	-	-	4	3	3	5	8	3
1999.....	72	-	-	1	-	5	3	5	6	7	8
All other, female											
2000.....	16	-	-	-	-	2	-	-	2	1	1
1999.....	27	-	-	1	-	1	4	-	2	1	1
Black, both sexes											
2000.....	59	-	-	-	-	4	2	2	6	8	3
1999.....	79	-	-	2	-	5	7	5	4	8	7
Black, male											
2000.....	48	-	-	-	-	3	2	2	5	7	3
1999.....	58	-	-	1	-	4	3	5	3	7	6
Black, female											
2000.....	11	-	-	-	-	1	-	-	1	1	-
1999.....	21	-	-	1	-	1	4	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Falls (W00-W19)											
All races, both sexes											
2000.....	13,322	8	36	16	21	99	138	138	165	238	370
1999.....	13,162	12	55	25	28	112	130	156	187	276	369
All races, male											
2000.....	7,122	6	23	14	16	88	115	122	150	199	297
1999.....	7,109	8	37	19	21	95	114	137	157	225	303
All races, female											
2000.....	6,200	2	13	2	5	11	23	16	15	39	73
1999.....	6,053	4	18	6	7	17	16	19	30	51	66
White, both sexes											
2000.....	12,252	5	23	12	18	90	127	125	140	194	310
1999.....	11,992	8	43	18	24	100	112	135	149	239	308
White, male											
2000.....	6,449	3	13	10	15	81	106	112	127	163	253
1999.....	6,352	7	29	14	18	86	100	120	126	193	249
White, female											
2000.....	5,803	2	10	2	3	9	21	13	13	31	57
1999.....	5,640	1	14	4	6	14	12	15	23	46	59
All other, both sexes											
2000.....	1,070	3	13	4	3	9	11	13	25	44	60
1999.....	1,170	4	12	7	4	12	18	21	38	37	61
All other, male											
2000.....	673	3	10	4	1	7	9	10	23	36	44
1999.....	757	1	8	5	3	9	14	17	31	32	54
All other, female											
2000.....	397	-	3	-	2	2	2	3	2	8	16
1999.....	413	3	4	2	1	3	4	4	7	5	7
Black, both sexes											
2000.....	760	2	13	4	3	6	7	5	18	29	45
1999.....	878	2	11	6	4	8	13	13	30	27	48
Black, male											
2000.....	485	2	10	4	1	4	7	3	16	23	34
1999.....	564	1	8	4	3	6	10	11	24	24	43
Black, female											
2000.....	275	-	3	-	2	2	-	2	2	6	11
1999.....	314	1	3	2	1	2	3	2	6	3	5

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Fall on same level (W00-W09,W18)

All races, both sexes											
2000.....	3,264	6	6	5	6	11	17	15	15	30	55
1999.....	2,241	6	9	3	6	19	11	13	14	27	31
All races, male											
2000.....	1,518	4	2	5	5	11	10	12	11	24	42
1999.....	1,077	4	8	1	4	17	8	10	9	18	21
All races, female											
2000.....	1,746	2	4	-	1	-	7	3	4	6	13
1999.....	1,164	2	1	2	2	2	3	3	5	9	10
White, both sexes											
2000.....	3,040	3	3	5	5	10	16	13	12	23	48
1999.....	2,038	4	6	2	6	17	9	12	11	22	28
White, male											
2000.....	1,395	1	1	5	5	10	9	11	9	18	38
1999.....	965	3	5	1	4	15	7	10	6	13	18
White, female											
2000.....	1,645	2	2	-	-	-	7	2	3	5	10
1999.....	1,073	1	1	1	2	2	2	2	5	9	10
All other, both sexes											
2000.....	224	3	3	-	1	1	1	2	3	7	7
1999.....	203	2	3	1	-	2	2	1	3	5	3
All other, male											
2000.....	123	3	1	-	-	1	1	1	2	6	4
1999.....	112	1	3	-	-	2	1	-	3	5	3
All other, female											
2000.....	101	-	2	-	1	-	-	1	1	1	3
1999.....	91	1	-	1	-	-	1	1	-	-	-
Black, both sexes											
2000.....	133	2	3	-	1	-	-	-	2	3	3
1999.....	149	2	3	1	-	1	2	-	1	5	2
Black, male											
2000.....	69	2	1	-	-	-	-	-	1	3	1
1999.....	82	1	3	-	-	1	1	-	1	5	2
Black, female											
2000.....	64	-	2	-	1	-	-	-	1	-	2
1999.....	67	1	-	1	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Fall from one level to another (W10-W17)

All races, both sexes											
2000.....	2,912	1	24	7	12	71	103	93	123	132	196
1999.....	3,114	5	36	11	15	73	82	115	116	145	191
All races, male											
2000.....	2,181	1	16	5	9	62	89	84	115	116	168
1999.....	2,266	3	24	9	11	62	73	103	108	126	169
All races, female											
2000.....	731	-	8	2	3	9	14	9	8	16	28
1999.....	848	2	12	2	4	11	9	12	8	19	22
White, both sexes											
2000.....	2,636	1	15	5	12	68	96	86	108	112	172
1999.....	2,809	3	29	7	13	66	73	98	96	127	162
White, male											
2000.....	1,960	1	8	3	9	59	84	78	101	98	149
1999.....	2,022	3	20	5	10	57	66	89	90	111	142
White, female											
2000.....	676	-	7	2	3	9	12	8	7	14	23
1999.....	787	-	9	2	3	9	7	9	6	16	20
All other, both sexes											
2000.....	276	-	9	2	-	3	7	7	15	20	24
1999.....	305	2	7	4	2	7	9	17	20	18	29
All other, male											
2000.....	221	-	8	2	-	3	5	6	14	18	19
1999.....	244	-	4	4	1	5	7	14	18	15	27
All other, female											
2000.....	55	-	1	-	-	-	2	1	1	2	5
1999.....	61	2	3	-	1	2	2	3	2	3	2
Black, both sexes											
2000.....	204	-	9	2	-	2	4	3	10	11	17
1999.....	213	-	6	3	2	4	5	10	15	12	23
Black, male											
2000.....	165	-	8	2	-	2	4	2	9	10	14
1999.....	169	-	4	3	1	3	4	8	13	10	22
Black, female											
2000.....	39	-	1	-	-	-	-	1	1	1	3
1999.....	44	-	2	-	1	1	1	2	2	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Unspecified fall (W19)											
All races, both sexes											
2000.....	7,146	1	6	4	3	17	18	30	27	76	119
1999.....	7,807	1	10	11	7	20	37	28	57	104	147
All races, male											
2000.....	3,423	1	5	4	2	15	16	26	24	59	87
1999.....	3,766	1	5	9	6	16	33	24	40	81	113
All races, female											
2000.....	3,723	-	1	-	1	2	2	4	3	17	32
1999.....	4,041	-	5	2	1	4	4	4	17	23	34
White, both sexes											
2000.....	6,576	1	5	2	1	12	15	26	20	59	90
1999.....	7,145	1	8	9	5	17	30	25	42	90	118
White, male											
2000.....	3,094	1	4	2	1	12	13	23	17	47	66
1999.....	3,365	1	4	8	4	14	27	21	30	69	89
White, female											
2000.....	3,482	-	1	-	-	-	2	3	3	12	24
1999.....	3,780	-	4	1	1	3	3	4	12	21	29
All other, both sexes											
2000.....	570	-	1	2	2	5	3	4	7	17	29
1999.....	662	-	2	2	2	3	7	3	15	14	29
All other, male											
2000.....	329	-	1	2	1	3	3	3	7	12	21
1999.....	401	-	1	1	2	2	6	3	10	12	24
All other, female											
2000.....	241	-	-	-	1	2	-	1	-	5	8
1999.....	261	-	1	1	-	1	1	-	5	2	5
Black, both sexes											
2000.....	423	-	1	2	2	4	3	2	6	15	25
1999.....	516	-	2	2	2	3	6	3	14	10	23
Black, male											
2000.....	251	-	1	2	1	2	3	1	6	10	19
1999.....	313	-	1	1	2	2	5	3	10	9	19
Black, female											
2000.....	172	-	-	-	1	2	-	1	-	5	6
1999.....	203	-	1	1	-	1	1	-	4	1	4

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Accidental discharge of firearms (W32-W34)											
All races, both sexes											
2000.....	776	1	18	18	49	107	95	74	57	75	78
1999.....	824	-	12	19	57	126	125	76	67	67	69
All races, male											
2000.....	671	-	11	16	46	97	86	65	44	60	65
1999.....	707	-	7	13	47	115	114	62	60	56	56
All races, female											
2000.....	105	1	7	2	3	10	9	9	13	15	13
1999.....	117	-	5	6	10	11	11	14	7	11	13
White, both sexes											
2000.....	611	1	11	11	41	76	65	52	42	60	68
1999.....	649	-	5	9	48	88	86	62	53	56	60
White, male											
2000.....	530	-	6	10	38	70	59	44	31	49	58
1999.....	554	-	3	4	42	80	78	49	47	46	48
White, female											
2000.....	81	1	5	1	3	6	6	8	11	11	10
1999.....	95	-	2	5	6	8	8	13	6	10	12
All other, both sexes											
2000.....	165	-	7	7	8	31	30	22	15	15	10
1999.....	175	-	7	10	9	38	39	14	14	11	9
All other, male											
2000.....	141	-	5	6	8	27	27	21	13	11	7
1999.....	153	-	4	9	5	35	36	13	13	10	8
All other, female											
2000.....	24	-	2	1	-	4	3	1	2	4	3
1999.....	22	-	3	1	4	3	3	1	1	1	1
Black, both sexes											
2000.....	137	-	5	5	7	28	24	18	14	13	6
1999.....	156	-	7	9	8	36	31	12	11	9	9
Black, male											
2000.....	117	-	3	5	7	25	21	17	12	9	5
1999.....	135	-	4	8	4	33	28	12	10	8	8
Black, female											
2000.....	20	-	2	-	-	3	3	1	2	4	1
1999.....	21	-	3	1	4	3	3	-	1	1	1

[illegible]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Accidental drowning and submersion (W65-W74)											
All races, both sexes											
2000.....	3,482	75	493	201	174	371	275	213	206	250	230
1999.....	3,529	68	490	192	177	359	288	212	234	250	225
All races, male											
2000.....	2,735	43	316	137	130	339	244	184	180	212	194
1999.....	2,794	39	310	139	136	330	262	193	204	215	187
All races, female											
2000.....	747	32	177	64	44	32	31	29	26	38	36
1999.....	735	29	180	53	41	29	26	19	30	35	38
White, both sexes											
2000.....	2,683	47	415	125	93	253	207	162	160	205	180
1999.....	2,715	46	416	106	80	247	215	151	179	205	188
White, male											
2000.....	2,105	28	268	84	67	231	182	141	143	172	151
1999.....	2,120	26	262	71	61	226	193	135	158	172	155
White, female											
2000.....	578	19	147	41	26	22	25	21	17	33	29
1999.....	595	20	154	35	19	21	22	16	21	33	33
All other, both sexes											
2000.....	799	28	78	76	81	118	68	51	46	45	50
1999.....	814	22	74	86	97	112	73	61	55	45	37
All other, male											
2000.....	630	15	48	53	63	108	62	43	37	40	43
1999.....	674	13	48	68	75	104	69	58	46	43	32
All other, female											
2000.....	169	13	30	23	18	10	6	8	9	5	7
1999.....	140	9	26	18	22	8	4	3	9	2	5
Black, both sexes											
2000.....	593	26	56	67	69	86	48	34	24	36	43
1999.....	634	21	60	76	83	85	53	48	40	32	28
Black, male											
2000.....	478	14	35	48	54	81	45	29	23	32	37
1999.....	530	12	40	60	65	78	51	45	35	30	25
Black, female											
2000.....	115	12	21	19	15	5	3	5	1	4	6
1999.....	104	9	20	16	18	7	2	3	5	2	3

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)

All races, both sexes											
2000.....	4,313	77	92	13	11	20	25	37	57	76	100
1999.....	3,885	63	88	24	22	17	24	27	52	59	100
All races, male											
2000.....	2,152	44	56	7	7	13	18	24	37	55	58
1999.....	1,917	37	60	14	11	9	18	17	35	38	67
All races, female											
2000.....	2,161	33	36	6	4	7	7	13	20	21	42
1999.....	1,968	26	28	10	11	8	6	10	17	21	33
White, both sexes											
2000.....	3,695	51	62	10	9	12	18	27	44	65	85
1999.....	3,293	43	55	16	16	14	20	18	37	47	86
White, male											
2000.....	1,820	29	44	6	6	8	12	19	28	48	51
1999.....	1,607	26	39	9	6	6	15	12	25	29	56
White, female											
2000.....	1,875	22	18	4	3	4	6	8	16	17	34
1999.....	1,686	17	16	7	10	8	5	6	12	18	30
All other, both sexes											
2000.....	618	26	30	3	2	8	7	10	13	11	15
1999.....	592	20	33	8	6	3	4	9	15	12	14
All other, male											
2000.....	332	15	12	1	1	5	6	5	9	7	7
1999.....	310	11	21	5	5	3	3	5	10	9	11
All other, female											
2000.....	286	11	18	2	1	3	1	5	4	4	8
1999.....	282	9	12	3	1	-	1	4	5	3	3
Black, both sexes											
2000.....	543	23	24	3	2	8	6	10	11	10	13
1999.....	540	19	28	7	6	2	4	7	14	10	14
Black, male											
2000.....	283	12	9	1	1	5	5	5	7	6	6
1999.....	285	10	18	5	5	2	3	5	9	7	11
Black, female											
2000.....	260	11	15	2	1	3	1	5	4	4	7
1999.....	255	9	10	2	1	-	1	2	5	3	3

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)											
All races, both sexes											
2000.....	1,335	449	59	32	61	50	52	48	62	88	78
1999.....	1,618	409	74	30	56	49	49	52	47	64	79
All races, male											
2000.....	931	258	36	19	54	44	48	42	53	81	63
1999.....	1,040	244	36	23	53	43	43	49	41	55	66
All races, female											
2000.....	404	191	23	13	7	6	4	6	9	7	15
1999.....	578	165	38	7	3	6	6	3	6	9	13
White, both sexes											
2000.....	1,053	278	50	24	49	41	45	41	54	77	69
1999.....	1,318	258	59	24	47	45	43	44	43	58	71
White, male											
2000.....	752	164	30	13	45	37	41	35	46	72	55
1999.....	847	149	28	20	44	39	37	43	37	53	61
White, female											
2000.....	301	114	20	11	4	4	4	6	8	5	14
1999.....	471	109	31	4	3	6	6	1	6	5	10
All other, both sexes											
2000.....	282	171	9	8	12	9	7	7	8	11	9
1999.....	300	151	15	6	9	4	6	8	4	6	8
All other, male											
2000.....	179	94	6	6	9	7	7	7	7	9	8
1999.....	193	95	8	3	9	4	6	6	4	2	5
All other, female											
2000.....	103	77	3	2	3	2	-	-	1	2	1
1999.....	107	56	7	3	-	-	-	2	-	4	3
Black, both sexes											
2000.....	244	153	7	8	10	9	6	6	5	7	7
1999.....	260	135	11	4	6	2	5	7	4	4	8
Black, male											
2000.....	156	83	6	6	9	7	6	6	5	6	6
1999.....	163	83	6	3	6	2	5	5	4	1	5
Black, female											
2000.....	88	70	1	2	1	2	-	-	-	1	1
1999.....	97	52	5	1	-	-	-	2	-	3	3

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)											
All races, both sexes											
2000.....	3,377	37	290	182	84	79	113	120	121	188	214
1999.....	3,348	41	302	170	92	88	113	142	140	200	221
All races, male											
2000.....	2,025	20	174	109	36	44	77	78	79	133	135
1999.....	2,025	21	173	95	52	58	75	93	104	138	162
All races, female											
2000.....	1,352	17	116	73	48	35	36	42	42	55	79
1999.....	1,323	20	129	75	40	30	38	49	36	62	59
White, both sexes											
2000.....	2,376	23	160	104	54	60	81	83	86	134	157
1999.....	2,380	26	178	96	63	70	83	107	108	141	169
White, male											
2000.....	1,435	11	98	61	24	32	58	54	59	97	98
1999.....	1,466	14	103	52	36	47	56	74	82	97	126
White, female											
2000.....	941	12	62	43	30	28	23	29	27	37	59
1999.....	914	12	75	44	27	23	27	33	26	44	43
All other, both sexes											
2000.....	1,001	14	130	78	30	19	32	37	35	54	57
1999.....	968	15	124	74	29	18	30	35	32	59	52
All other, male											
2000.....	590	9	76	48	12	12	19	24	20	36	37
1999.....	559	7	70	43	16	11	19	19	22	41	36
All other, female											
2000.....	411	5	54	30	18	7	13	13	15	18	20
1999.....	409	8	54	31	13	7	11	16	10	18	16
Black, both sexes											
2000.....	930	14	121	74	27	16	28	31	34	44	55
1999.....	892	15	111	74	28	16	24	29	24	55	47
Black, male											
2000.....	551	9	71	46	11	10	17	19	20	30	35
1999.....	510	7	63	43	15	9	15	15	15	39	32
Black, female											
2000.....	379	5	50	28	16	6	11	12	14	14	20
1999.....	382	8	48	31	13	7	9	14	9	16	15

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Accidental contact with heat and hot substances (X10-X19)											
All races, both sexes											
2000.....	110	2	7	1	-	-	1	4	1	6	1
1999.....	123	3	6	1	-	-	2	3	3	2	7
All races, male											
2000.....	57	1	4	1	-	-	-	3	1	3	-
1999.....	61	1	4	1	-	-	2	1	3	2	5
All races, female											
2000.....	53	1	3	-	-	-	1	1	-	3	1
1999.....	62	2	2	-	-	-	-	2	-	-	2
White, both sexes											
2000.....	79	1	4	1	-	-	1	4	1	5	-
1999.....	87	1	3	1	-	-	2	1	2	2	6
White, male											
2000.....	42	1	2	1	-	-	-	3	1	2	-
1999.....	40	-	2	1	-	-	2	-	2	2	5
White, female											
2000.....	37	-	2	-	-	-	1	1	-	3	-
1999.....	47	1	1	-	-	-	-	1	-	-	1
All other, both sexes											
2000.....	31	1	3	-	-	-	-	-	-	1	1
1999.....	36	2	3	-	-	-	-	2	1	-	1
All other, male											
2000.....	15	-	2	-	-	-	-	-	-	1	-
1999.....	21	1	2	-	-	-	-	1	1	-	-
All other, female											
2000.....	16	1	1	-	-	-	-	-	-	-	1
1999.....	15	1	1	-	-	-	-	1	-	-	1
Black, both sexes											
2000.....	25	1	2	-	-	-	-	-	-	1	-
1999.....	29	1	3	-	-	-	-	2	1	-	1
Black, male											
2000.....	12	-	1	-	-	-	-	-	-	1	-
1999.....	18	-	2	-	-	-	-	1	1	-	-
Black, female											
2000.....	13	1	1	-	-	-	-	-	-	-	-
1999.....	11	1	1	-	-	-	-	1	-	-	1

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)											
All races, both sexes											
2000.....	35	-	-	1	1	1	1	10	3	2	7
1999.....	46	-	-	1	-	4	10	8	6	7	3
All races, male											
2000.....	28	-	-	-	1	1	1	8	3	2	4
1999.....	39	-	-	-	-	4	8	8	5	5	3
All races, female											
2000.....	7	-	-	1	-	-	-	2	-	-	3
1999.....	7	-	-	1	-	-	2	-	1	2	-
White, both sexes											
2000.....	33	-	-	1	1	1	1	9	3	2	7
1999.....	44	-	-	-	-	4	10	8	6	6	3
White, male											
2000.....	26	-	-	-	1	1	1	7	3	2	4
1999.....	39	-	-	-	-	4	8	8	5	5	3
White, female											
2000.....	7	-	-	1	-	-	-	2	-	-	3
1999.....	5	-	-	-	-	-	2	-	1	1	-
All other, both sexes											
2000.....	2	-	-	-	-	-	-	1	-	-	-
1999.....	2	-	-	1	-	-	-	-	-	1	-
All other, male											
2000.....	2	-	-	-	-	-	-	1	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-
All other, female											
2000.....	-	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	1	-	-	-	-	-	1	-
Black, both sexes											
2000.....	2	-	-	-	-	-	-	1	-	-	-
1999.....	1	-	-	1	-	-	-	-	-	-	-
Black, male											
2000.....	2	-	-	-	-	-	-	1	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-
Black, female											
2000.....	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Cataclysmic storm and flood (X37-X38)											
All races, both sexes											
2000.....	54	2	3	2	-	3	2	5	4	3	2
1999.....	144	3	2	3	3	2	6	10	4	14	18
All races, male											
2000.....	27	-	1	2	-	1	2	1	3	1	1
1999.....	79	3	-	1	1	2	5	3	2	7	11
All races, female											
2000.....	27	2	2	-	-	2	-	4	1	2	1
1999.....	65	-	2	2	2	-	1	7	2	7	7
White, both sexes											
2000.....	40	1	3	2	-	1	2	3	1	3	2
1999.....	117	3	1	2	3	2	5	8	3	12	14
White, male											
2000.....	24	-	1	2	-	1	2	1	1	1	1
1999.....	62	3	-	1	1	2	5	3	2	6	7
White, female											
2000.....	16	1	2	-	-	-	-	2	-	2	1
1999.....	55	-	1	1	2	-	-	5	1	6	7
All other, both sexes											
2000.....	14	1	-	-	-	2	-	2	3	-	-
1999.....	27	-	1	1	-	-	1	2	1	2	4
All other, male											
2000.....	3	-	-	-	-	-	-	-	2	-	-
1999.....	17	-	-	-	-	-	-	-	-	1	4
All other, female											
2000.....	11	1	-	-	-	2	-	2	1	-	-
1999.....	10	-	1	1	-	-	1	2	1	1	-
Black, both sexes											
2000.....	13	1	-	-	-	2	-	2	3	-	-
1999.....	21	-	-	1	-	-	1	1	1	-	4
Black, male											
2000.....	3	-	-	-	-	-	-	-	2	-	-
1999.....	14	-	-	-	-	-	-	-	-	-	4
Black, female											
2000.....	10	1	-	-	-	2	-	2	1	-	-
1999.....	7	-	-	1	-	-	1	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)											
All races, both sexes											
2000.....	12,757	14	32	17	28	351	809	980	1,400	2,159	2,504
1999.....	12,186	12	34	12	28	260	704	952	1,403	2,082	2,467
All races, male											
2000.....	9,138	11	21	12	15	273	647	779	1,041	1,554	1,830
1999.....	8,887	11	17	6	19	195	559	757	1,071	1,523	1,826
All races, female											
2000.....	3,619	3	11	5	13	78	162	201	359	605	674
1999.....	3,299	1	17	6	9	65	145	195	332	559	641
White, both sexes											
2000.....	10,508	10	19	10	20	318	732	847	1,184	1,811	2,031
1999.....	9,883	10	20	4	23	231	612	816	1,149	1,734	1,979
White, male											
2000.....	7,558	8	11	7	11	251	601	674	894	1,330	1,498
1999.....	7,240	9	9	1	16	173	489	656	895	1,289	1,488
White, female											
2000.....	2,950	2	8	3	9	67	131	173	290	481	533
1999.....	2,643	1	11	3	7	58	123	160	254	445	491
All other, both sexes											
2000.....	2,249	4	13	7	8	33	77	133	216	348	473
1999.....	2,303	2	14	8	5	29	92	136	254	348	488
All other, male											
2000.....	1,580	3	10	5	4	22	46	105	147	224	332
1999.....	1,647	2	8	5	3	22	70	101	176	234	338
All other, female											
2000.....	669	1	3	2	4	11	31	28	69	124	141
1999.....	656	-	6	3	2	7	22	35	78	114	150
Black, both sexes											
2000.....	2,028	4	12	6	3	21	58	115	188	317	429
1999.....	2,062	1	12	6	2	18	76	115	221	305	445
Black, male											
2000.....	1,433	3	9	5	2	13	37	91	125	206	301
1999.....	1,494	1	7	4	2	15	62	87	150	207	312
Black, female											
2000.....	595	1	3	1	1	8	21	24	63	111	128
1999.....	568	-	5	2	-	3	14	28	71	98	133

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)											
All races, both sexes											
2000.....	11,712	9	10	3	14	291	754	920	1,323	2,056	2,385
1999.....	11,155	8	16	4	12	208	641	908	1,324	1,971	2,322
All races, male											
2000.....	8,368	6	8	2	7	223	601	731	972	1,466	1,733
1999.....	8,111	7	8	-	9	155	508	716	1,013	1,430	1,708
All races, female											
2000.....	3,344	3	2	1	7	68	153	189	351	590	652
1999.....	3,044	1	8	4	3	53	133	192	311	541	614
White, both sexes											
2000.....	9,649	6	5	2	13	269	688	799	1,118	1,727	1,932
1999.....	9,062	7	9	2	11	189	561	775	1,093	1,647	1,860
White, male											
2000.....	6,919	4	3	2	6	209	562	633	834	1,259	1,416
1999.....	6,608	6	5	-	8	139	447	617	852	1,215	1,387
White, female											
2000.....	2,730	2	2	-	7	60	126	166	284	468	516
1999.....	2,454	1	4	2	3	50	114	158	241	432	473
All other, both sexes											
2000.....	2,063	3	5	1	1	22	66	121	205	329	453
1999.....	2,093	1	7	2	1	19	80	133	231	324	462
All other, male											
2000.....	1,449	2	5	-	1	14	39	98	138	207	317
1999.....	1,503	1	3	-	1	16	61	99	161	215	321
All other, female											
2000.....	614	1	-	1	-	8	27	23	67	122	136
1999.....	590	-	4	2	-	3	19	34	70	109	141
Black, both sexes											
2000.....	1,896	3	4	1	1	19	56	106	182	305	411
1999.....	1,920	1	7	1	1	14	69	114	209	288	432
Black, male											
2000.....	1,337	2	4	-	1	11	36	85	121	194	287
1999.....	1,391	1	3	-	1	12	56	86	142	193	303
Black, female											
2000.....	559	1	-	1	-	8	20	21	61	111	124
1999.....	529	-	4	1	-	2	13	28	67	95	129

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Accidental poisoning by and exposure to other gases and vapors (X47)

All races, both sexes											
2000.....	593	3	15	13	10	37	32	37	45	48	52
1999.....	534	3	14	6	6	29	36	19	43	52	60
All races, male											
2000.....	435	3	8	10	5	31	28	30	40	41	44
1999.....	410	3	6	5	4	21	29	17	35	45	52
All races, female											
2000.....	158	-	7	3	5	6	4	7	5	7	8
1999.....	124	-	8	1	2	8	7	2	8	7	8
White, both sexes											
2000.....	495	2	10	7	3	30	28	33	42	41	41
1999.....	432	3	8	1	4	25	32	19	34	38	50
White, male											
2000.....	369	2	5	5	2	25	24	27	38	34	37
1999.....	338	3	2	1	2	19	26	17	30	33	44
White, female											
2000.....	126	-	5	2	1	5	4	6	4	7	4
1999.....	94	-	6	-	2	6	6	2	4	5	6
All other, both sexes											
2000.....	98	1	5	6	7	7	4	4	3	7	11
1999.....	102	-	6	5	2	4	4	-	9	14	10
All other, male											
2000.....	66	1	3	5	3	6	4	3	2	7	7
1999.....	72	-	4	4	2	2	3	-	5	12	8
All other, female											
2000.....	32	-	2	1	4	1	-	1	1	-	4
1999.....	30	-	2	1	-	2	1	-	4	2	2
Black, both sexes											
2000.....	75	1	5	5	2	2	1	4	2	7	10
1999.....	78	-	4	4	1	1	4	-	5	10	9
Black, male											
2000.....	52	1	3	5	1	2	1	3	1	7	7
1999.....	57	-	3	3	1	-	3	-	3	8	7
Black, female											
2000.....	23	-	2	-	1	-	-	1	1	-	3
1999.....	21	-	1	1	-	1	1	-	2	2	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)											
All races, both sexes											
2000.....	10,973	41	101	61	58	164	233	239	286	431	512
1999.....	11,898	44	116	77	75	178	219	258	289	392	531
All races, male											
2000.....	6,206	24	61	41	42	133	210	216	245	372	434
1999.....	6,622	28	80	48	51	140	193	224	243	326	431
All races, female											
2000.....	4,767	17	40	20	16	31	23	23	41	59	78
1999.....	5,276	16	36	29	24	38	26	34	46	66	100
White, both sexes											
2000.....	9,620	30	73	45	47	134	190	198	237	343	402
1999.....	10,393	30	91	63	62	146	181	209	232	331	425
White, male											
2000.....	5,271	19	43	33	32	109	173	177	208	299	343
1999.....	5,632	19	60	42	42	114	160	184	196	277	343
White, female											
2000.....	4,349	11	30	12	15	25	17	21	29	44	59
1999.....	4,761	11	31	21	20	32	21	25	36	54	82
All other, both sexes											
2000.....	1,353	11	28	16	11	30	43	41	49	88	110
1999.....	1,505	14	25	14	13	32	38	49	57	61	106
All other, male											
2000.....	935	5	18	8	10	24	37	39	37	73	91
1999.....	990	9	20	6	9	26	33	40	47	49	88
All other, female											
2000.....	418	6	10	8	1	6	6	2	12	15	19
1999.....	515	5	5	8	4	6	5	9	10	12	18
Black, both sexes											
2000.....	1,111	10	22	14	9	22	34	30	42	72	86
1999.....	1,299	13	21	10	11	25	30	40	45	49	93
Black, male											
2000.....	766	5	14	7	8	17	30	28	33	61	71
1999.....	847	8	17	4	8	22	28	31	37	38	76
Black, female											
2000.....	345	5	8	7	1	5	4	2	9	11	15
1999.....	452	5	4	6	3	3	2	9	8	11	17

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)											
All races, both sexes											
2000.....	29,350	7	300	1,621	2,373	2,341	2,451	3,112	3,450
1999.....	29,199	2	242	1,615	2,286	2,398	2,708	3,286	3,180
All races, male											
2000.....	23,618	6	238	1,351	2,073	1,956	1,982	2,457	2,657
1999.....	23,458	2	192	1,347	1,979	2,005	2,189	2,590	2,429
All races, female											
2000.....	5,732	1	62	270	300	385	469	655	793
1999.....	5,741	-	50	268	307	393	519	696	751
White, both sexes											
2000.....	26,475	6	248	1,354	1,961	1,941	2,143	2,796	3,146
1999.....	26,300	2	204	1,344	1,875	1,996	2,350	2,933	2,927
White, male											
2000.....	21,293	5	195	1,130	1,723	1,631	1,732	2,197	2,423
1999.....	21,107	2	162	1,122	1,629	1,667	1,900	2,291	2,244
White, female											
2000.....	5,182	1	53	224	238	310	411	599	723
1999.....	5,193	-	42	222	246	329	450	642	683
All other, both sexes											
2000.....	2,875	1	52	267	412	400	308	316	304
1999.....	2,899	-	38	271	411	402	358	353	253
All other, male											
2000.....	2,325	1	43	221	350	325	250	260	234
1999.....	2,351	-	30	225	350	338	289	299	185
All other, female											
2000.....	550	-	9	46	62	75	58	56	70
1999.....	548	-	8	46	61	64	69	54	68
Black, both sexes											
2000.....	1,962	-	40	172	308	266	210	214	224
1999.....	1,950	-	29	179	291	261	242	248	187
Black, male											
2000.....	1,636	-	35	150	265	224	178	180	176
1999.....	1,651	-	22	155	259	231	205	217	139
Black, female											
2000.....	326	-	5	22	43	42	32	34	48
1999.....	299	-	7	24	32	30	37	31	48

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)

All races, both sexes											
2000.....	3,243	-	14	74	124	198	272	420	590
1999.....	3,181	-	6	69	121	205	265	437	560
All races, male											
2000.....	1,533	-	8	38	66	92	151	215	276
1999.....	1,511	-	3	27	63	103	126	226	279
All races, female											
2000.....	1,710	-	6	36	58	106	121	205	314
1999.....	1,670	-	3	42	58	102	139	211	281
White, both sexes											
2000.....	3,017	-	12	66	107	170	255	383	548
1999.....	2,969	-	6	62	107	178	233	408	521
White, male											
2000.....	1,418	-	7	36	54	79	141	197	258
1999.....	1,410	-	3	24	59	87	111	211	265
White, female											
2000.....	1,599	-	5	30	53	91	114	186	290
1999.....	1,559	-	3	38	48	91	122	197	256
All other, both sexes											
2000.....	226	-	2	8	17	28	17	37	42
1999.....	212	-	-	7	14	27	32	29	39
All other, male											
2000.....	115	-	1	2	12	13	10	18	18
1999.....	101	-	-	3	4	16	15	15	14
All other, female											
2000.....	111	-	1	6	5	15	7	19	24
1999.....	111	-	-	4	10	11	17	14	25
Black, both sexes											
2000.....	155	-	1	4	8	17	15	23	32
1999.....	141	-	-	3	7	16	22	21	32
Black, male											
2000.....	80	-	-	-	6	9	9	12	13
1999.....	74	-	-	2	2	11	12	12	13
Black, female											
2000.....	75	-	1	4	2	8	6	11	19
1999.....	67	-	-	1	5	5	10	9	19

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X 68-X69)											
All races, both sexes											
2000.....	178	-	-	3	9	14	15	27	27
1999.....	177	-	-	1	5	19	16	21	27
All races, male											
2000.....	136	-	-	3	9	11	13	22	21
1999.....	125	-	-	1	4	16	11	16	20
All races, female											
2000.....	42	-	-	-	-	3	2	5	6
1999.....	52	-	-	-	1	3	5	5	7
White, both sexes											
2000.....	152	-	-	3	7	12	14	25	25
1999.....	155	-	-	1	3	15	13	18	24
White, male											
2000.....	119	-	-	3	7	10	12	20	21
1999.....	111	-	-	1	3	13	11	14	18
White, female											
2000.....	33	-	-	-	-	2	2	5	4
1999.....	44	-	-	-	-	2	2	4	6
All other, both sexes											
2000.....	26	-	-	-	2	2	1	2	2
1999.....	22	-	-	-	2	4	3	3	3
All other, male											
2000.....	17	-	-	-	2	1	1	2	-
1999.....	14	-	-	-	1	3	-	2	2
All other, female											
2000.....	9	-	-	-	-	1	-	-	2
1999.....	8	-	-	-	1	1	3	1	1
Black, both sexes											
2000.....	18	-	-	-	1	-	1	2	2
1999.....	10	-	-	-	-	1	2	3	2
Black, male											
2000.....	12	-	-	-	1	-	1	2	-
1999.....	6	-	-	-	-	1	-	2	1
Black, female											
2000.....	6	-	-	-	-	-	-	-	2
1999.....	4	-	-	-	-	-	2	1	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)

All races, both sexes											
2000.....	1,438	-	1	34	60	107	140	197	204
1999.....	1,535	-	-	33	99	101	179	199	212
All races, male											
2000.....	1,123	-	-	29	53	86	112	157	160
1999.....	1,191	-	-	28	86	85	139	159	170
All races, female											
2000.....	315	-	1	5	7	21	28	40	44
1999.....	344	-	-	5	13	16	40	40	42
White, both sexes											
2000.....	1,384	-	1	33	55	96	133	191	196
1999.....	1,470	-	-	32	94	86	172	192	199
White, male											
2000.....	1,080	-	-	28	51	77	105	153	153
1999.....	1,143	-	-	27	82	74	134	154	161
White, female											
2000.....	304	-	1	5	4	19	28	38	43
1999.....	327	-	-	5	12	12	38	38	38
All other, both sexes											
2000.....	54	-	-	1	5	11	7	6	8
1999.....	65	-	-	1	5	15	7	7	13
All other, male											
2000.....	43	-	-	1	2	9	7	4	7
1999.....	48	-	-	1	4	11	5	5	9
All other, female											
2000.....	11	-	-	-	3	2	-	2	1
1999.....	17	-	-	-	1	4	2	2	4
Black, both sexes											
2000.....	36	-	-	-	4	6	4	4	4
1999.....	41	-	-	1	1	9	4	4	12
Black, male											
2000.....	29	-	-	-	2	6	4	2	3
1999.....	33	-	-	1	1	7	3	4	8
Black, female											
2000.....	7	-	-	-	2	-	-	2	1
1999.....	8	-	-	-	-	2	1	-	4

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)

All races, both sexes											
2000.....	5,688	7	168	514	620	637	615	683	698
1999.....	5,427	2	125	434	532	615	708	738	614
All races, male											
2000.....	4,733	6	135	414	548	552	533	591	600
1999.....	4,490	2	103	347	456	526	613	644	520
All races, female											
2000.....	955	1	33	100	72	85	82	92	98
1999.....	937	-	22	87	76	89	95	94	94
White, both sexes											
2000.....	4,885	6	126	433	514	527	518	594	612
1999.....	4,672	2	99	351	442	510	599	641	557
White, male											
2000.....	4,087	5	98	351	460	469	452	515	528
1999.....	3,886	2	83	284	384	441	523	559	472
White, female											
2000.....	798	1	28	82	54	58	66	79	84
1999.....	786	-	16	67	58	69	76	82	85
All other, both sexes											
2000.....	803	1	42	81	106	110	97	89	86
1999.....	755	-	26	83	90	105	109	97	57
All other, male											
2000.....	646	1	37	63	88	83	81	76	72
1999.....	604	-	20	63	72	85	90	85	48
All other, female											
2000.....	157	-	5	18	18	27	16	13	14
1999.....	151	-	6	20	18	20	19	12	9
Black, both sexes											
2000.....	431	-	34	41	64	63	52	49	57
1999.....	377	-	22	39	48	55	62	57	35
Black, male											
2000.....	371	-	30	33	56	50	48	42	53
1999.....	334	-	16	30	44	49	55	55	31
Black, female											
2000.....	60	-	4	8	8	13	4	7	4
1999.....	43	-	6	9	4	6	7	2	4

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races, both sexes											
2000.....	16,586	-	110	897	1,370	1,223	1,230	1,521	1,670
1999.....	16,599	-	103	975	1,340	1,292	1,329	1,617	1,480
All races, male											
2000.....	14,454	-	90	793	1,250	1,084	1,039	1,255	1,402
1999.....	14,479	-	80	867	1,216	1,137	1,133	1,349	1,237
All races, female											
2000.....	2,132	-	20	104	120	139	191	266	268
1999.....	2,120	-	23	108	124	155	196	268	243
White, both sexes											
2000.....	15,174	-	103	741	1,137	1,012	1,086	1,384	1,549
1999.....	15,135	-	94	817	1,082	1,081	1,172	1,452	1,381
White, male											
2000.....	13,214	-	86	653	1,040	893	922	1,133	1,298
1999.....	13,167	-	72	724	983	945	993	1,200	1,149
White, female											
2000.....	1,960	-	17	88	97	119	164	251	251
1999.....	1,968	-	22	93	99	136	179	252	232
All other, both sexes											
2000.....	1,412	-	7	156	233	211	144	137	121
1999.....	1,464	-	9	158	258	211	157	165	99
All other, male											
2000.....	1,240	-	4	140	210	191	117	122	104
1999.....	1,312	-	8	143	233	192	140	149	88
All other, female											
2000.....	172	-	3	16	23	20	27	15	17
1999.....	152	-	1	15	25	19	17	16	11
Black, both sexes											
2000.....	1,090	-	4	117	191	161	111	101	93
1999.....	1,125	-	5	120	207	156	116	125	74
Black, male											
2000.....	965	-	4	109	172	145	95	89	80
1999.....	1,018	-	4	109	189	144	106	113	66
Black, female											
2000.....	125	-	-	8	19	16	16	12	13
1999.....	107	-	1	11	18	12	10	12	8

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Intentional self-harm (suicide) by jumping from a high place (X80)											
All races, both sexes											
2000.....	607	-	2	37	71	54	52	69	54
1999.....	693	-	2	38	74	57	58	91	82
All races, male											
2000.....	432	-	1	29	51	42	36	55	38
1999.....	504	-	2	26	61	46	46	65	62
All races, female											
2000.....	175	-	1	8	20	12	16	14	16
1999.....	189	-	-	12	13	11	12	26	20
White, both sexes											
2000.....	503	-	2	29	55	35	41	60	43
1999.....	565	-	2	29	55	43	45	72	69
White, male											
2000.....	357	-	1	24	40	28	27	46	31
1999.....	412	-	2	20	45	35	34	50	56
White, female											
2000.....	146	-	1	5	15	7	14	14	12
1999.....	153	-	-	9	10	8	11	22	13
All other, both sexes											
2000.....	104	-	-	8	16	19	11	9	11
1999.....	128	-	-	9	19	14	13	19	13
All other, male											
2000.....	75	-	-	5	11	14	9	9	7
1999.....	92	-	-	6	16	11	12	15	6
All other, female											
2000.....	29	-	-	3	5	5	2	-	4
1999.....	36	-	-	3	3	3	1	4	7
Black, both sexes											
2000.....	62	-	-	2	13	8	8	7	8
1999.....	79	-	-	5	13	9	10	13	8
Black, male											
2000.....	46	-	-	1	9	7	6	7	6
1999.....	60	-	-	5	10	7	9	10	6
Black, female											
2000.....	16	-	-	1	4	1	2	-	2
1999.....	19	-	-	-	3	2	1	3	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)

All races, both sexes											
2000.....	1,610	-	5	62	119	108	127	195	207
1999.....	1,587	-	6	65	115	109	153	183	205
All races, male											
2000.....	1,207	-	4	45	96	89	98	162	160
1999.....	1,158	-	4	51	93	92	121	131	141
All races, female											
2000.....	403	-	1	17	23	19	29	33	47
1999.....	429	-	2	14	22	17	32	52	64
White, both sexes											
2000.....	1,360	-	4	49	86	89	96	159	173
1999.....	1,334	-	3	52	92	83	116	150	176
White, male											
2000.....	1,018	-	3	35	71	75	73	133	134
1999.....	978	-	2	42	73	72	94	103	123
White, female											
2000.....	342	-	1	14	15	14	23	26	39
1999.....	356	-	1	10	19	11	22	47	53
All other, both sexes											
2000.....	250	-	1	13	33	19	31	36	34
1999.....	253	-	3	13	23	26	37	33	29
All other, male											
2000.....	189	-	1	10	25	14	25	29	26
1999.....	180	-	2	9	20	20	27	28	18
All other, female											
2000.....	61	-	-	3	8	5	6	7	8
1999.....	73	-	1	4	3	6	10	5	11
Black, both sexes											
2000.....	170	-	1	8	27	11	19	28	28
1999.....	177	-	2	11	15	15	26	25	24
Black, male											
2000.....	133	-	1	7	19	7	15	26	21
1999.....	126	-	2	8	13	12	20	21	14
Black, female											
2000.....	37	-	-	1	8	4	4	2	7
1999.....	51	-	-	3	2	3	6	4	10

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Assault (homicide) (X85-Y09,Y87.1)											
All races, both sexes											
2000.....	16,765	349	356	140	231	1,914	3,025	2,312	1,852	1,732	1,487
1999.....	16,889	331	376	186	246	2,093	2,905	2,362	1,869	1,751	1,455
All races, male											
2000.....	12,820	203	198	77	150	1,613	2,590	1,918	1,443	1,235	1,084
1999.....	12,785	187	194	95	155	1,748	2,443	1,922	1,424	1,257	1,050
All races, female											
2000.....	3,945	146	158	63	81	301	435	394	409	497	403
1999.....	4,104	144	182	91	91	345	462	440	445	494	405
White, both sexes											
2000.....	8,339	197	199	98	142	823	1,158	945	869	909	816
1999.....	8,628	200	208	106	155	884	1,180	1,006	920	946	820
White, male											
2000.....	5,925	125	114	59	89	659	924	721	635	614	588
1999.....	6,162	121	108	55	93	704	918	784	661	659	581
White, female											
2000.....	2,414	72	85	39	53	164	234	224	234	295	228
1999.....	2,466	79	100	51	62	180	262	222	259	287	239
All other, both sexes											
2000.....	8,426	152	157	42	89	1,091	1,867	1,367	983	823	671
1999.....	8,261	131	168	80	91	1,209	1,725	1,356	949	805	635
All other, male											
2000.....	6,895	78	84	18	61	954	1,666	1,197	808	621	496
1999.....	6,623	66	86	40	62	1,044	1,525	1,138	763	598	469
All other, female											
2000.....	1,531	74	73	24	28	137	201	170	175	202	175
1999.....	1,638	65	82	40	29	165	200	218	186	207	166
Black, both sexes											
2000.....	7,867	140	145	40	84	1,028	1,791	1,301	923	764	612
1999.....	7,648	118	152	67	80	1,131	1,650	1,278	879	741	584
Black, male											
2000.....	6,482	73	75	16	56	899	1,602	1,146	765	590	450
1999.....	6,214	60	75	36	55	978	1,475	1,084	716	556	440
Black, female											
2000.....	1,385	67	70	24	28	129	189	155	158	174	162
1999.....	1,434	58	77	31	25	153	175	194	163	185	144

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)											
All races, both sexes											
2000.....	56	6	2	2	2	2	1	2	6	8	7
1999.....	67	6	5	6	1	2	7	6	5	3	8
All races, male											
2000.....	25	4	-	2	2	1	1	1	3	3	2
1999.....	34	4	2	2	1	-	2	2	4	3	5
All races, female											
2000.....	31	2	2	-	-	1	-	1	3	5	5
1999.....	33	2	3	4	-	2	5	4	1	-	3
White, both sexes											
2000.....	44	2	2	2	2	2	1	2	5	5	7
1999.....	60	5	4	6	1	2	7	5	4	3	6
White, male											
2000.....	20	2	-	2	2	1	1	1	3	2	2
1999.....	30	4	2	2	1	-	2	2	3	3	3
White, female											
2000.....	24	-	2	-	-	1	-	1	2	3	5
1999.....	30	1	2	4	-	2	5	3	1	-	3
All other, both sexes											
2000.....	12	4	-	-	-	-	-	-	1	3	-
1999.....	7	1	1	-	-	-	-	1	1	-	2
All other, male											
2000.....	5	2	-	-	-	-	-	-	-	1	-
1999.....	4	-	-	-	-	-	-	-	1	-	2
All other, female											
2000.....	7	2	-	-	-	-	-	-	1	2	-
1999.....	3	1	1	-	-	-	-	1	-	-	-
Black, both sexes											
2000.....	10	4	-	-	-	-	-	-	1	2	-
1999.....	7	1	1	-	-	-	-	1	1	-	2
Black, male											
2000.....	4	2	-	-	-	-	-	-	-	-	-
1999.....	4	-	-	-	-	-	-	-	1	-	2
Black, female											
2000.....	6	2	-	-	-	-	-	-	1	2	-
1999.....	3	1	1	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Assault (homicide) by hanging, strangulation and suffocation (X91)

All races, both sexes											
2000.....	658	26	26	13	19	41	78	64	72	69	68
1999.....	708	34	21	14	19	45	69	81	90	88	65
All races, male											
2000.....	224	15	10	6	7	8	18	12	29	19	29
1999.....	238	22	11	6	7	9	15	20	27	28	17
All races, female											
2000.....	434	11	16	7	12	33	60	52	43	50	39
1999.....	470	12	10	8	12	36	54	61	63	60	48
White, both sexes											
2000.....	431	19	22	11	14	25	48	40	40	44	36
1999.....	450	22	14	12	16	25	43	46	53	51	37
White, male											
2000.....	163	11	10	5	5	7	9	9	19	15	18
1999.....	161	14	7	5	7	5	8	12	17	17	11
White, female											
2000.....	268	8	12	6	9	18	39	31	21	29	18
1999.....	289	8	7	7	9	20	35	34	36	34	26
All other, both sexes											
2000.....	227	7	4	2	5	16	30	24	32	25	32
1999.....	258	12	7	2	3	20	26	35	37	37	28
All other, male											
2000.....	61	4	-	1	2	1	9	3	10	4	11
1999.....	77	8	4	1	-	4	7	8	10	11	6
All other, female											
2000.....	166	3	4	1	3	15	21	21	22	21	21
1999.....	181	4	3	1	3	16	19	27	27	26	22
Black, both sexes											
2000.....	204	6	4	2	5	15	27	23	28	23	30
1999.....	222	11	6	2	2	18	21	31	31	33	22
Black, male											
2000.....	49	3	-	1	2	1	7	3	7	4	10
1999.....	67	7	3	1	-	3	7	8	8	10	4
Black, female											
2000.....	155	3	4	1	3	14	20	20	21	19	20
1999.....	155	4	3	1	2	15	14	23	23	23	18

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Assault (homicide) by discharge of firearms (X93-X95)											
All races, both sexes											
2000.....	10,801	12	28	50	137	1,549	2,414	1,789	1,285	1,064	842
1999.....	10,828	8	50	61	163	1,708	2,330	1,795	1,253	1,054	814
All races, male											
2000.....	9,006	9	17	28	110	1,381	2,167	1,574	1,076	842	645
1999.....	8,944	5	26	37	118	1,498	2,071	1,568	1,041	807	607
All races, female											
2000.....	1,795	3	11	22	27	168	247	215	209	222	197
1999.....	1,884	3	24	24	45	210	259	227	212	247	207
White, both sexes											
2000.....	4,806	5	17	39	75	617	817	645	547	525	460
1999.....	4,918	4	26	32	95	662	822	675	562	555	456
White, male											
2000.....	3,686	2	9	22	59	531	693	528	427	384	340
1999.....	3,820	4	14	20	66	567	688	568	440	408	328
White, female											
2000.....	1,120	3	8	17	16	86	124	117	120	141	120
1999.....	1,098	-	12	12	29	95	134	107	122	147	128
All other, both sexes											
2000.....	5,995	7	11	11	62	932	1,597	1,144	738	539	382
1999.....	5,910	4	24	29	68	1,046	1,508	1,120	691	499	358
All other, male											
2000.....	5,320	7	8	6	51	850	1,474	1,046	649	458	305
1999.....	5,124	1	12	17	52	931	1,383	1,000	601	399	279
All other, female											
2000.....	675	-	3	5	11	82	123	98	89	81	77
1999.....	786	3	12	12	16	115	125	120	90	100	79
Black, both sexes											
2000.....	5,699	7	8	11	58	888	1,546	1,097	715	509	354
1999.....	5,577	2	18	23	59	991	1,459	1,068	656	468	336
Black, male											
2000.....	5,084	7	5	6	47	812	1,431	1,009	628	439	284
1999.....	4,883	1	7	15	46	883	1,344	961	576	378	265
Black, female											
2000.....	615	-	3	5	11	76	115	88	87	70	70
1999.....	694	1	11	8	13	108	115	107	80	90	71

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Assault (homicide) by sharp object (X99)

All races, both sexes											
2000.....	1,805	7	12	13	20	156	253	205	215	242	224
1999.....	1,879	3	18	13	20	159	252	218	249	249	221
All races, male											
2000.....	1,283	3	8	7	8	116	208	155	153	157	151
1999.....	1,350	1	4	10	7	124	187	161	178	178	174
All races, female											
2000.....	522	4	4	6	12	40	45	50	62	85	73
1999.....	529	2	14	3	13	35	65	57	71	71	47
White, both sexes											
2000.....	1,024	5	6	11	14	95	138	118	125	134	107
1999.....	1,056	1	9	11	12	87	142	135	135	121	118
White, male											
2000.....	731	2	5	6	5	73	115	91	87	89	76
1999.....	750	-	2	8	5	67	109	105	95	81	89
White, female											
2000.....	293	3	1	5	9	22	23	27	38	45	31
1999.....	306	1	7	3	7	20	33	30	40	40	29
All other, both sexes											
2000.....	781	2	6	2	6	61	115	87	90	108	117
1999.....	823	2	9	2	8	72	110	83	114	128	103
All other, male											
2000.....	552	1	3	1	3	43	93	64	66	68	75
1999.....	600	1	2	2	2	57	78	56	83	97	85
All other, female											
2000.....	229	1	3	1	3	18	22	23	24	40	42
1999.....	223	1	7	-	6	15	32	27	31	31	18
Black, both sexes											
2000.....	693	2	6	2	6	49	99	78	73	100	107
1999.....	730	2	6	2	8	63	102	71	99	114	93
Black, male											
2000.....	488	1	3	1	3	32	78	58	57	64	67
1999.....	534	1	1	2	2	49	71	47	72	89	77
Black, female											
2000.....	205	1	3	1	3	17	21	20	16	36	40
1999.....	196	1	5	-	6	14	31	24	27	25	16

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Assault (homicide) by blunt object (Y00)											
All races, both sexes											
2000.....	210	5	9	1	2	11	13	11	19	17	33
1999.....	242	7	13	4	4	7	25	27	20	21	24
All races, male											
2000.....	142	2	4	1	1	9	11	6	12	10	24
1999.....	158	3	4	-	2	6	15	13	14	17	19
All races, female											
2000.....	68	3	5	-	1	2	2	5	7	7	9
1999.....	84	4	9	4	2	1	10	14	6	4	5
White, both sexes											
2000.....	128	2	6	1	2	7	11	4	9	11	20
1999.....	167	4	6	2	3	4	17	16	12	15	17
White, male											
2000.....	87	2	2	1	1	6	9	2	7	5	13
1999.....	113	2	2	-	1	3	11	10	9	13	14
White, female											
2000.....	41	-	4	-	1	1	2	2	2	6	7
1999.....	54	2	4	2	2	1	6	6	3	2	3
All other, both sexes											
2000.....	82	3	3	-	-	4	2	7	10	6	13
1999.....	75	3	7	2	1	3	8	11	8	6	7
All other, male											
2000.....	55	-	2	-	-	3	2	4	5	5	11
1999.....	45	1	2	-	1	3	4	3	5	4	5
All other, female											
2000.....	27	3	1	-	-	1	-	3	5	1	2
1999.....	30	2	5	2	-	-	4	8	3	2	2
Black, both sexes											
2000.....	70	2	3	-	-	4	2	6	10	6	10
1999.....	65	2	7	2	1	2	7	9	6	6	7
Black, male											
2000.....	47	-	2	-	-	3	2	3	5	5	8
1999.....	40	1	2	-	1	2	3	3	4	4	5
Black, female											
2000.....	23	2	1	-	-	1	-	3	5	1	2
1999.....	25	1	5	2	-	-	4	6	2	2	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Assault (homicide) by bodily force (Y04)											
All races, both sexes											
2000.....	139	1	3	1	-	8	13	16	18	16	22
1999.....	166	4	2	1	-	11	17	20	14	26	23
All races, male											
2000.....	124	1	2	1	-	7	12	16	17	14	21
1999.....	139	3	1	-	-	10	16	17	13	21	18
All races, female											
2000.....	15	-	1	-	-	1	1	-	1	2	1
1999.....	27	1	1	1	-	1	1	3	1	5	5
White, both sexes											
2000.....	85	-	2	1	-	3	6	9	12	8	14
1999.....	97	3	1	-	-	6	9	6	10	15	13
White, male											
2000.....	75	-	1	1	-	3	6	9	11	8	13
1999.....	82	3	1	-	-	5	9	6	9	12	10
White, female											
2000.....	10	-	1	-	-	-	-	-	1	-	1
1999.....	15	-	-	-	-	1	-	-	1	3	3
All other, both sexes											
2000.....	54	1	1	-	-	5	7	7	6	8	8
1999.....	69	1	1	1	-	5	8	14	4	11	10
All other, male											
2000.....	49	1	1	-	-	4	6	7	6	6	8
1999.....	57	-	-	-	-	5	7	11	4	9	8
All other, female											
2000.....	5	-	-	-	-	1	1	-	-	2	-
1999.....	12	1	1	1	-	-	1	3	-	2	2
Black, both sexes											
2000.....	46	1	1	-	-	4	6	7	4	7	8
1999.....	60	1	1	1	-	2	7	13	4	10	9
Black, male											
2000.....	41	1	1	-	-	3	5	7	4	5	8
1999.....	49	-	-	-	-	2	6	11	4	8	7
Black, female											
2000.....	5	-	-	-	-	1	1	-	-	2	-
1999.....	11	1	1	1	-	-	1	2	-	2	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Sexual assault (homicide) by bodily force (Y05)											
All races, both sexes											
2000.....	3	-	1	-	-	-	-	1	-	-	-
1999.....	4	-	-	-	1	-	-	-	-	-	-
All races, male											
2000.....	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-
All races, female											
2000.....	3	-	1	-	-	-	-	1	-	-	-
1999.....	3	-	-	-	1	-	-	-	-	-	-
White, both sexes											
2000.....	1	-	-	-	-	-	-	1	-	-	-
1999.....	2	-	-	-	-	-	-	-	-	-	-
White, male											
2000.....	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-
White, female											
2000.....	1	-	-	-	-	-	-	1	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-
All other, both sexes											
2000.....	2	-	1	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	1	-	-	-	-	-	-
All other, male											
2000.....	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-
All other, female											
2000.....	2	-	1	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	1	-	-	-	-	-	-
Black, both sexes											
2000.....	2	-	1	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	1	-	-	-	-	-	-
Black, male											
2000.....	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-
Black, female											
2000.....	2	-	1	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Neglect, abandonment and other maltreatment syndromes (Y06-Y07)

All races, both sexes

2000.....	248	129	72	6	3	2	3	3	1	4	1
1999.....	227	125	64	11	-	1	2	1	5	4	2

All races, male

2000.....	143	78	40	5	2	2	1	1	-	1	1
1999.....	122	71	33	5	-	-	1	-	5	3	1

All races, female

2000.....	105	51	32	1	1	-	2	2	1	3	-
1999.....	105	54	31	6	-	1	1	1	-	1	1

White, both sexes

2000.....	151	76	44	3	2	1	1	3	1	4	-
1999.....	127	76	29	6	-	-	2	-	4	1	2

White, male

2000.....	93	53	25	3	2	1	-	1	-	1	-
1999.....	71	46	15	2	-	-	1	-	4	1	1

White, female

2000.....	58	23	19	-	-	-	1	2	1	3	-
1999.....	56	30	14	4	-	-	1	-	-	-	1

All other, both sexes

2000.....	97	53	28	3	1	1	2	-	-	-	1
1999.....	100	49	35	5	-	1	-	1	1	3	-

All other, male

2000.....	50	25	15	2	-	1	1	-	-	-	1
1999.....	51	25	18	3	-	-	-	-	1	2	-

All other, female

2000.....	47	28	13	1	1	-	1	-	-	-	-
1999.....	49	24	17	2	-	1	-	1	-	1	-

Black, both sexes

2000.....	85	49	27	1	1	1	1	-	-	-	1
1999.....	90	45	33	4	-	1	-	1	-	3	-

Black, male

2000.....	45	24	15	-	-	1	1	-	-	-	1
1999.....	44	22	17	2	-	-	-	-	-	2	-

Black, female

2000.....	40	25	12	1	1	-	-	-	-	-	-
1999.....	46	23	16	2	-	1	-	1	-	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)											
All races, both sexes											
2000.....	2,845	163	203	54	48	145	250	221	236	312	290
1999.....	2,768	144	203	76	38	160	203	214	233	306	298
All races, male											
2000.....	1,873	91	117	27	20	89	172	153	153	189	211
1999.....	1,799	78	113	35	20	101	136	141	142	200	209
All races, female											
2000.....	972	72	86	27	28	56	78	68	83	123	79
1999.....	969	66	90	41	18	59	67	73	91	106	89
White, both sexes											
2000.....	1,669	88	100	30	33	73	136	123	130	178	172
1999.....	1,751	85	119	37	28	98	138	123	140	185	171
White, male											
2000.....	1,070	53	62	19	15	37	91	80	81	110	126
1999.....	1,134	48	65	18	13	57	90	81	84	124	125
White, female											
2000.....	599	35	38	11	18	36	45	43	49	68	46
1999.....	617	37	54	19	15	41	48	42	56	61	46
All other, both sexes											
2000.....	1,176	75	103	24	15	72	114	98	106	134	118
1999.....	1,017	59	84	39	10	62	65	91	93	121	127
All other, male											
2000.....	803	38	55	8	5	52	81	73	72	79	85
1999.....	665	30	48	17	7	44	46	60	58	76	84
All other, female											
2000.....	373	37	48	16	10	20	33	25	34	55	33
1999.....	352	29	36	22	3	18	19	31	35	45	43
Black, both sexes											
2000.....	1,058	69	95	24	14	67	110	90	92	117	102
1999.....	895	54	80	33	9	54	54	84	82	107	115
Black, male											
2000.....	724	35	49	8	4	47	78	66	64	73	72
1999.....	593	28	45	16	6	39	44	54	51	65	80
Black, female											
2000.....	334	34	46	16	10	20	32	24	28	44	30
1999.....	302	26	35	17	3	15	10	30	31	42	35

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)											
All races, both sexes											
2000.....	3,819	65	39	18	42	120	250	306	373	599	687
1999.....	3,917	55	43	12	37	159	271	313	430	644	651
All races, male											
2000.....	2,635	27	26	13	37	93	192	223	266	415	470
1999.....	2,692	33	21	6	32	132	213	230	293	446	441
All races, female											
2000.....	1,184	38	13	5	5	27	58	83	107	184	217
1999.....	1,225	22	22	6	5	27	58	83	137	198	210
White, both sexes											
2000.....	3,053	41	27	9	29	103	199	252	301	492	539
1999.....	3,122	36	23	10	32	125	217	255	351	516	507
White, male											
2000.....	2,078	18	17	6	26	79	149	181	211	342	368
1999.....	2,105	22	13	5	28	106	172	180	236	349	349
White, female											
2000.....	975	23	10	3	3	24	50	71	90	150	171
1999.....	1,017	14	10	5	4	19	45	75	115	167	158
All other, both sexes											
2000.....	766	24	12	9	13	17	51	54	72	107	148
1999.....	795	19	20	2	5	34	54	58	79	128	144
All other, male											
2000.....	557	9	9	7	11	14	43	42	55	73	102
1999.....	587	11	8	1	4	26	41	50	57	97	92
All other, female											
2000.....	209	15	3	2	2	3	8	12	17	34	46
1999.....	208	8	12	1	1	8	13	8	22	31	52
Black, both sexes											
2000.....	668	15	11	9	12	13	39	45	60	98	136
1999.....	696	18	16	2	5	25	46	51	70	114	126
Black, male											
2000.....	488	3	8	7	10	13	34	35	45	67	95
1999.....	523	10	8	1	4	20	36	44	49	87	84
Black, female											
2000.....	180	12	3	2	2	-	5	10	15	31	41
1999.....	173	8	8	1	1	5	10	7	21	27	42

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)

All races, both sexes											
2000.....	2,429	5	4	5	5	55	134	195	255	466	544
1999.....	2,473	8	5	1	3	52	142	208	317	487	511
All races, male											
2000.....	1,643	2	4	3	3	38	98	138	179	321	366
1999.....	1,617	5	3	1	1	38	102	147	212	328	336
All races, female											
2000.....	786	3	-	2	2	17	36	57	76	145	178
1999.....	856	3	2	-	2	14	40	61	105	159	175
White, both sexes											
2000.....	2,013	3	2	3	4	51	123	168	213	391	431
1999.....	2,017	3	2	-	2	49	128	172	274	394	403
White, male											
2000.....	1,353	1	2	2	2	35	89	118	148	272	290
1999.....	1,288	1	2	-	1	37	93	117	182	260	268
White, female											
2000.....	660	2	-	1	2	16	34	50	65	119	141
1999.....	729	2	-	-	1	12	35	55	92	134	135
All other, both sexes											
2000.....	416	2	2	2	1	4	11	27	42	75	113
1999.....	456	5	3	1	1	3	14	36	43	93	108
All other, male											
2000.....	290	1	2	1	1	3	9	20	31	49	76
1999.....	329	4	1	1	-	1	9	30	30	68	68
All other, female											
2000.....	126	1	-	1	-	1	2	7	11	26	37
1999.....	127	1	2	-	1	2	5	6	13	25	40
Black, both sexes											
2000.....	383	1	1	2	-	3	7	25	35	72	107
1999.....	422	5	3	1	1	1	11	33	41	87	98
Black, male											
2000.....	267	-	1	1	-	3	5	18	26	46	74
1999.....	308	4	1	1	-	-	7	27	29	65	62
Black, female											
2000.....	116	1	-	1	-	-	2	7	9	26	33
1999.....	114	1	2	-	1	1	4	6	12	22	36

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)											
All races, both sexes											
2000.....	75	-	-	2	1	3	4	9	8	7	13
1999.....	80	1	2	-	-	1	5	4	6	9	12
All races, male											
2000.....	55	-	-	2	1	2	3	9	5	5	9
1999.....	56	-	-	-	-	1	5	4	2	6	11
All races, female											
2000.....	20	-	-	-	-	1	1	-	3	2	4
1999.....	24	1	2	-	-	-	-	-	4	3	1
White, both sexes											
2000.....	64	-	-	1	1	2	2	9	7	7	11
1999.....	69	1	-	-	-	1	4	3	5	8	10
White, male											
2000.....	48	-	-	1	1	2	1	9	5	5	8
1999.....	48	-	-	-	-	1	4	3	1	5	10
White, female											
2000.....	16	-	-	-	-	-	1	-	2	2	3
1999.....	21	1	-	-	-	-	-	-	4	3	-
All other, both sexes											
2000.....	11	-	-	1	-	1	2	-	1	-	2
1999.....	11	-	2	-	-	-	1	1	1	1	2
All other, male											
2000.....	7	-	-	1	-	-	2	-	-	-	1
1999.....	8	-	-	-	-	-	1	1	1	1	1
All other, female											
2000.....	4	-	-	-	-	1	-	-	1	-	1
1999.....	3	-	2	-	-	-	-	-	-	-	1
Black, both sexes											
2000.....	8	-	-	1	-	-	1	-	1	-	2
1999.....	10	-	1	-	-	-	1	1	1	1	2
Black, male											
2000.....	5	-	-	1	-	-	1	-	-	-	1
1999.....	8	-	-	-	-	-	1	1	1	1	1
Black, female											
2000.....	3	-	-	-	-	-	-	-	1	-	1
1999.....	2	-	1	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)											
All races, both sexes											
2000.....	230	-	-	2	8	26	45	32	20	18	21
1999.....	324	-	3	-	12	68	59	32	19	28	29
All races, male											
2000.....	190	-	-	2	7	25	37	26	17	12	18
1999.....	277	-	3	-	12	61	50	28	16	24	21
All races, female											
2000.....	40	-	-	-	1	1	8	6	3	6	3
1999.....	47	-	-	-	-	7	9	4	3	4	8
White, both sexes											
2000.....	167	-	-	-	5	20	28	23	11	13	18
1999.....	247	-	1	-	11	42	43	22	14	25	25
White, male											
2000.....	137	-	-	-	5	19	23	18	10	8	17
1999.....	212	-	1	-	11	39	37	19	12	21	20
White, female											
2000.....	30	-	-	-	-	1	5	5	1	5	1
1999.....	35	-	-	-	-	3	6	3	2	4	5
All other, both sexes											
2000.....	63	-	-	2	3	6	17	9	9	5	3
1999.....	77	-	2	-	1	26	16	10	5	3	4
All other, male											
2000.....	53	-	-	2	2	6	14	8	7	4	1
1999.....	65	-	2	-	1	22	13	9	4	3	1
All other, female											
2000.....	10	-	-	-	1	-	3	1	2	1	2
1999.....	12	-	-	-	-	4	3	1	1	-	3
Black, both sexes											
2000.....	54	-	-	2	3	6	14	8	7	4	3
1999.....	66	-	2	-	1	20	15	10	4	3	3
Black, male											
2000.....	47	-	-	2	2	6	13	7	5	4	1
1999.....	56	-	2	-	1	17	12	9	3	3	1
Black, female											
2000.....	7	-	-	-	1	-	1	1	2	-	2
1999.....	10	-	-	-	-	3	3	1	1	-	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Falling, jumping or pushed from a high place, undetermined intent (Y30)

All races, both sexes										
2000.....	55	1	2	-	-	3	2	7	1	9
1999.....	59	-	2	-	1	4	4	5	8	11
All races, male										
2000.....	42	1	2	-	-	2	2	6	1	7
1999.....	46	-	1	-	1	4	3	4	7	9
All races, female										
2000.....	13	-	-	-	-	1	-	1	-	2
1999.....	13	-	1	-	-	-	1	1	1	2
White, both sexes										
2000.....	43	1	2	-	-	2	1	6	1	5
1999.....	47	-	-	-	1	3	4	4	4	9
White, male										
2000.....	31	1	2	-	-	1	1	5	1	4
1999.....	37	-	-	-	1	3	3	3	4	7
White, female										
2000.....	12	-	-	-	-	1	-	1	-	1
1999.....	10	-	-	-	-	-	1	1	-	2
All other, both sexes										
2000.....	12	-	-	-	-	1	1	1	-	4
1999.....	12	-	2	-	-	1	-	1	4	2
All other, male										
2000.....	11	-	-	-	-	1	1	1	-	3
1999.....	9	-	1	-	-	1	-	1	3	2
All other, female										
2000.....	1	-	-	-	-	-	-	-	-	1
1999.....	3	-	1	-	-	-	-	-	1	-
Black, both sexes										
2000.....	10	-	-	-	-	1	-	-	-	4
1999.....	10	-	2	-	-	1	-	1	3	1
Black, male										
2000.....	9	-	-	-	-	1	-	-	-	3
1999.....	7	-	1	-	-	1	-	1	2	1
Black, female										
2000.....	1	-	-	-	-	-	-	-	-	1
1999.....	3	-	1	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)

All races, both sexes											
2000.....	977	59	33	9	27	31	63	61	83	89	95
1999.....	939	46	31	11	21	31	60	61	75	104	87
All races, male											
2000.....	664	24	20	6	25	24	50	42	59	61	65
1999.....	672	28	14	5	18	26	52	45	54	75	63
All races, female											
2000.....	313	35	13	3	2	7	13	19	24	28	30
1999.....	267	18	17	6	3	5	8	16	21	29	24
White, both sexes											
2000.....	728	37	23	5	19	26	44	44	65	69	69
1999.....	706	32	20	10	18	28	38	51	49	75	58
White, male											
2000.....	480	16	13	3	18	20	34	29	43	47	45
1999.....	499	21	10	5	15	24	35	36	35	52	41
White, female											
2000.....	248	21	10	2	1	6	10	15	22	22	24
1999.....	207	11	10	5	3	4	3	15	14	23	17
All other, both sexes											
2000.....	249	22	10	4	8	5	19	17	18	20	26
1999.....	233	14	11	1	3	3	22	10	26	29	29
All other, male											
2000.....	184	8	7	3	7	4	16	13	16	14	20
1999.....	173	7	4	-	3	2	17	9	19	23	22
All other, female											
2000.....	65	14	3	1	1	1	3	4	2	6	6
1999.....	60	7	7	1	-	1	5	1	7	6	7
Black, both sexes											
2000.....	204	14	10	4	8	3	16	12	16	16	21
1999.....	184	13	8	1	3	3	18	6	21	22	22
Black, male											
2000.....	153	3	7	3	7	3	14	10	14	12	16
1999.....	141	6	4	-	3	2	15	6	14	17	20
Black, female											
2000.....	51	11	3	1	1	-	2	2	2	4	5
1999.....	43	7	4	1	-	1	3	-	7	5	2

[illegible]

[illegible]

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Complications of medical and surgical care (Y40-Y84,Y88)											
All races, both sexes											
2000.....	3,059	19	22	18	13	10	22	37	48	65	84
1999.....	2,823	54	30	7	11	17	19	29	49	66	86
All races, male											
2000.....	1,430	12	11	11	4	5	11	23	24	33	43
1999.....	1,308	31	12	4	5	8	13	9	34	37	41
All races, female											
2000.....	1,629	7	11	7	9	5	11	14	24	32	41
1999.....	1,515	23	18	3	6	9	6	20	15	29	45
White, both sexes											
2000.....	2,520	14	12	12	11	8	16	22	38	52	63
1999.....	2,314	35	21	6	8	15	15	16	39	52	62
White, male											
2000.....	1,210	11	8	7	4	4	9	13	20	27	37
1999.....	1,078	22	11	3	4	7	10	4	28	30	30
White, female											
2000.....	1,310	3	4	5	7	4	7	9	18	25	26
1999.....	1,236	13	10	3	4	8	5	12	11	22	32
All other, both sexes											
2000.....	539	5	10	6	2	2	6	15	10	13	21
1999.....	509	19	9	1	3	2	4	13	10	14	24
All other, male											
2000.....	220	1	3	4	-	1	2	10	4	6	6
1999.....	230	9	1	1	1	1	3	5	6	7	11
All other, female											
2000.....	319	4	7	2	2	1	4	5	6	7	15
1999.....	279	10	8	-	2	1	1	8	4	7	13
Black, both sexes											
2000.....	487	5	8	4	1	2	5	13	10	13	18
1999.....	449	18	9	1	3	2	4	10	8	13	22
Black, male											
2000.....	193	1	2	2	-	1	1	9	4	6	6
1999.....	197	8	1	1	1	1	3	4	6	6	10
Black, female											
2000.....	294	4	6	2	1	1	4	4	6	7	12
1999.....	252	10	8	-	2	1	1	6	2	7	12

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae (Y40-Y59, Y88.0)

All races, both sexes											
2000.....	255	-	-	1	1	1	6	8	11	16	13
1999.....	232	3	6	-	3	5	4	9	13	20	14
All races, male											
2000.....	129	-	-	1	-	-	4	6	8	11	6
1999.....	117	1	2	-	1	3	3	2	12	13	7
All races, female											
2000.....	126	-	-	-	1	1	2	2	3	5	7
1999.....	115	2	4	-	2	2	1	7	1	7	7
White, both sexes											
2000.....	211	-	-	1	1	1	5	4	8	14	12
1999.....	189	3	5	-	3	4	4	4	10	17	10
White, male											
2000.....	112	-	-	1	-	-	3	3	7	10	6
1999.....	93	1	2	-	1	2	3	-	9	11	5
White, female											
2000.....	99	-	-	-	1	1	2	1	1	4	6
1999.....	96	2	3	-	2	2	1	4	1	6	5
All other, both sexes											
2000.....	44	-	-	-	-	-	1	4	3	2	1
1999.....	43	-	1	-	-	1	-	5	3	3	4
All other, male											
2000.....	17	-	-	-	-	-	1	3	1	1	-
1999.....	24	-	-	-	-	1	-	2	3	2	2
All other, female											
2000.....	27	-	-	-	-	-	-	1	2	1	1
1999.....	19	-	1	-	-	-	-	3	-	1	2
Black, both sexes											
2000.....	40	-	-	-	-	-	1	3	3	2	1
1999.....	37	-	1	-	-	1	-	4	3	3	4
Black, male											
2000.....	14	-	-	-	-	-	1	2	1	1	-
1999.....	21	-	-	-	-	1	-	2	3	2	2
Black, female											
2000.....	26	-	-	-	-	-	-	1	2	1	1
1999.....	16	-	1	-	-	-	-	2	-	1	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)

All races, both sexes										
2000.....	183	1	4	1	-	1	-	4	4	5
1999.....	179	6	3	-	-	1	1	1	3	8
All races, male										
2000.....	82	1	2	-	-	-	-	1	3	4
1999.....	74	3	-	-	-	1	1	-	2	3
All races, female										
2000.....	101	-	2	1	-	1	-	3	1	1
1999.....	105	3	3	-	-	-	-	1	1	5
White, both sexes										
2000.....	139	1	1	1	-	1	-	2	2	5
1999.....	140	2	2	-	-	1	-	1	2	6
White, male										
2000.....	66	1	1	-	-	-	-	-	2	4
1999.....	60	1	-	-	-	1	-	-	2	2
White, female										
2000.....	73	-	-	1	-	1	-	2	-	1
1999.....	80	1	2	-	-	-	-	1	-	4
All other, both sexes										
2000.....	44	-	3	-	-	-	-	2	2	-
1999.....	39	4	1	-	-	-	1	-	1	2
All other, male										
2000.....	16	-	1	-	-	-	-	1	1	-
1999.....	14	2	-	-	-	-	1	-	-	1
All other, female										
2000.....	28	-	2	-	-	-	-	1	1	-
1999.....	25	2	1	-	-	-	-	-	1	1
Black, both sexes										
2000.....	40	-	3	-	-	-	-	2	2	-
1999.....	35	4	1	-	-	-	1	-	-	2
Black, male										
2000.....	14	-	1	-	-	-	-	1	1	-
1999.....	11	2	-	-	-	-	1	-	-	1
Black, female										
2000.....	26	-	2	-	-	-	-	1	1	-
1999.....	24	2	1	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)											
All races, both sexes											
2000.....	2,621	18	18	16	12	8	16	25	33	44	65
1999.....	2,412	45	21	7	8	11	14	19	33	38	65
All races, male											
2000.....	1,219	11	9	10	4	5	7	16	13	18	35
1999.....	1,117	27	10	4	4	4	9	7	20	21	30
All races, female											
2000.....	1,402	7	9	6	8	3	9	9	20	26	30
1999.....	1,295	18	11	3	4	7	5	12	13	17	35
White, both sexes											
2000.....	2,170	13	11	10	10	6	11	16	28	33	47
1999.....	1,985	30	14	6	5	10	11	11	27	29	46
White, male											
2000.....	1,032	10	7	6	4	4	6	10	11	13	29
1999.....	925	20	9	3	3	4	7	4	17	17	21
White, female											
2000.....	1,138	3	4	4	6	2	5	6	17	20	18
1999.....	1,060	10	5	3	2	6	4	7	10	12	25
All other, both sexes											
2000.....	451	5	7	6	2	2	5	9	5	11	18
1999.....	427	15	7	1	3	1	3	8	6	9	19
All other, male											
2000.....	187	1	2	4	-	1	1	6	2	5	6
1999.....	192	7	1	1	1	-	2	3	3	4	9
All other, female											
2000.....	264	4	5	2	2	1	4	3	3	6	12
1999.....	235	8	6	-	2	1	1	5	3	5	10
Black, both sexes											
2000.....	407	5	5	4	1	2	4	8	5	11	15
1999.....	377	14	7	1	3	1	3	6	5	8	17
Black, male											
2000.....	165	1	1	2	-	1	-	6	2	5	6
1999.....	165	6	1	1	1	-	2	2	3	3	8
Black, female											
2000.....	242	4	4	2	1	1	4	2	3	6	9
1999.....	212	8	6	-	2	1	1	4	2	5	9

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All causes										
All races, both sexes										
2000.....	70,832	89,509	106,751	134,095	181,739	259,470	337,700	362,745	658,171	356
1999.....	68,120	84,854	104,884	134,095	186,695	265,905	338,349	360,241	646,141	356
All races, male										
2000.....	45,121	55,277	64,425	78,896	103,935	143,473	173,327	166,892	214,742	289
1999.....	43,303	52,356	63,441	79,283	107,529	147,391	174,853	166,117	209,989	277
All races, female										
2000.....	25,711	34,232	42,326	55,199	77,804	115,997	164,373	195,853	443,429	67
1999.....	24,817	32,498	41,443	54,812	79,166	118,514	163,496	194,124	436,152	79
White, both sexes										
2000.....	53,131	69,543	85,840	109,701	152,597	224,389	299,257	328,472	602,761	275
1999.....	50,895	66,116	83,876	109,706	157,260	230,177	299,701	326,788	591,949	271
White, male										
2000.....	34,599	43,267	52,048	65,066	88,182	125,197	154,451	151,919	196,409	231
1999.....	32,778	41,130	51,133	65,404	91,520	128,922	155,859	151,591	191,610	213
White, female										
2000.....	18,532	26,276	33,792	44,635	64,415	99,192	144,806	176,553	406,352	44
1999.....	18,117	24,986	32,743	44,302	65,740	101,255	143,842	175,197	400,339	58
All other, both sexes										
2000.....	17,701	19,966	20,911	24,394	29,142	35,081	38,443	34,273	55,410	81
1999.....	17,225	18,738	21,008	24,389	29,435	35,728	38,648	33,453	54,192	85
All other, male										
2000.....	10,522	12,010	12,377	13,830	15,753	18,276	18,876	14,973	18,333	58
1999.....	10,525	11,226	12,308	13,879	16,009	18,469	18,994	14,526	18,379	64
All other, female										
2000.....	7,179	7,956	8,534	10,564	13,389	16,805	19,567	19,300	37,077	23
1999.....	6,700	7,512	8,700	10,510	13,426	17,259	19,654	18,927	35,813	21
Black, both sexes										
2000.....	15,735	17,554	18,161	21,120	25,064	30,131	32,541	28,903	47,038	72
1999.....	15,304	16,455	18,359	21,117	25,461	30,661	32,927	28,274	46,285	77
Black, male										
2000.....	9,350	10,563	10,787	11,891	13,505	15,566	15,682	12,344	14,560	50
1999.....	9,392	9,906	10,751	12,018	13,862	15,732	15,873	11,966	14,768	58
Black, female										
2000.....	6,385	6,991	7,374	9,229	11,559	14,565	16,859	16,559	32,478	22
1999.....	5,912	6,549	7,608	9,099	11,599	14,929	17,054	16,308	31,517	19

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
I. Certain infectious and parasitic diseases (A00-B99)										
All races, both sexes										
2000.....	4,719	3,909	2,946	2,969	3,575	4,845	6,310	6,505	10,855	4
1999.....	4,510	3,577	2,909	2,831	3,845	5,005	6,379	6,471	11,128	2
All races, male										
2000.....	3,447	2,782	1,877	1,715	1,928	2,446	3,037	2,841	3,350	4
1999.....	3,274	2,502	1,837	1,625	2,084	2,547	3,091	2,844	3,462	2
All races, female										
2000.....	1,272	1,127	1,069	1,254	1,647	2,399	3,273	3,664	7,505	-
1999.....	1,236	1,075	1,072	1,206	1,761	2,458	3,288	3,627	7,666	-
White, both sexes										
2000.....	2,715	2,359	1,946	2,039	2,643	3,837	5,183	5,510	9,321	3
1999.....	2,513	2,195	1,867	1,989	2,877	3,899	5,206	5,501	9,487	-
White, male										
2000.....	2,049	1,685	1,232	1,170	1,422	1,966	2,485	2,422	2,866	3
1999.....	1,844	1,551	1,162	1,122	1,555	1,994	2,564	2,414	2,919	-
White, female										
2000.....	666	674	714	869	1,221	1,871	2,698	3,088	6,455	-
1999.....	669	644	705	867	1,322	1,905	2,642	3,087	6,568	-
All other, both sexes										
2000.....	2,004	1,550	1,000	930	932	1,008	1,127	995	1,534	1
1999.....	1,997	1,382	1,042	842	968	1,106	1,173	970	1,641	2
All other, male										
2000.....	1,398	1,097	645	545	506	480	552	419	484	1
1999.....	1,430	951	675	503	529	553	527	430	543	2
All other, female										
2000.....	606	453	355	385	426	528	575	576	1,050	-
1999.....	567	431	367	339	439	553	646	540	1,098	-
Black, both sexes										
2000.....	1,908	1,450	894	816	814	894	999	897	1,396	1
1999.....	1,902	1,273	945	740	842	973	1,018	863	1,471	2
Black, male										
2000.....	1,332	1,037	587	484	446	431	485	369	422	1
1999.....	1,361	883	610	451	462	490	450	373	459	2
Black, female										
2000.....	576	413	307	332	368	463	514	528	974	-
1999.....	541	390	335	289	380	483	568	490	1,012	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Intestinal infectious diseases (A00-A09)										
All races, both sexes										
2000.....	14	24	36	38	87	144	209	268	504	-
1999.....	11	16	16	37	72	116	178	226	440	-
All races, male										
2000.....	10	12	23	20	45	66	92	109	141	-
1999.....	5	10	10	19	33	51	82	92	116	-
All races, female										
2000.....	4	12	13	18	42	78	117	159	363	-
1999.....	6	6	6	18	39	65	96	134	324	-
White, both sexes										
2000.....	11	19	33	33	77	132	197	259	473	-
1999.....	8	14	14	30	66	106	164	212	422	-
White, male										
2000.....	8	9	20	18	41	61	87	103	133	-
1999.....	3	8	9	15	31	49	77	87	110	-
White, female										
2000.....	3	10	13	15	36	71	110	156	340	-
1999.....	5	6	5	15	35	57	87	125	312	-
All other, both sexes										
2000.....	3	5	3	5	10	12	12	9	31	-
1999.....	3	2	2	7	6	10	14	14	18	-
All other, male										
2000.....	2	3	3	2	4	5	5	6	8	-
1999.....	2	2	1	4	2	2	5	5	6	-
All other, female										
2000.....	1	2	-	3	6	7	7	3	23	-
1999.....	1	-	1	3	4	8	9	9	12	-
Black, both sexes										
2000.....	3	5	3	3	8	7	10	7	26	-
1999.....	2	1	2	4	6	9	14	13	16	-
Black, male										
2000.....	2	3	3	1	3	3	4	5	7	-
1999.....	1	1	1	1	2	1	5	5	5	-
Black, female										
2000.....	1	2	-	2	5	4	6	2	19	-
1999.....	1	-	1	3	4	8	9	8	11	-

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Black, female
2000.....
1999.....

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other intestinal infectious diseases (A01-A08)										
All races, both sexes										
2000.....	13	23	36	35	80	136	201	260	477	-
1999.....	10	14	16	32	63	102	160	211	412	-
All races, male										
2000.....	9	12	23	19	42	62	88	106	130	-
1999.....	5	8	10	17	29	44	77	88	111	-
All races, female										
2000.....	4	11	13	16	38	74	113	154	347	-
1999.....	5	6	6	15	34	58	83	123	301	-
White, both sexes										
2000.....	11	19	33	30	70	124	189	251	448	-
1999.....	7	13	14	26	57	93	148	198	395	-
White, male										
2000.....	8	9	20	17	38	57	83	100	123	-
1999.....	3	7	9	13	27	42	72	84	105	-
White, female										
2000.....	3	10	13	13	32	67	106	151	325	-
1999.....	4	6	5	13	30	51	76	114	290	-
All other, both sexes										
2000.....	2	4	3	5	10	12	12	9	29	-
1999.....	3	1	2	6	6	9	12	13	17	-
All other, male										
2000.....	1	3	3	2	4	5	5	6	7	-
1999.....	2	1	1	4	2	2	5	4	6	-
All other, female										
2000.....	1	1	-	3	6	7	7	3	22	-
1999.....	1	-	1	2	4	7	7	9	11	-
Black, both sexes										
2000.....	2	4	3	3	8	7	10	7	24	-
1999.....	2	-	2	3	6	8	12	12	15	-
Black, male										
2000.....	1	3	3	1	3	3	4	5	6	-
1999.....	1	-	1	1	2	1	5	4	5	-
Black, female										
2000.....	1	1	-	2	5	4	6	2	18	-
1999.....	1	-	1	2	4	7	7	8	10	-

Black, female
2000.....
1999.....

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)										
All races, both sexes										
2000.....	1	3	2	-	1	6	3	2	3	-
1999.....	-	2	1	2	2	5	8	4	7	-
All races, male										
2000.....	1	1	2	-	1	4	1	-	1	-
1999.....	-	2	-	2	2	3	2	3	2	-
All races, female										
2000.....	-	2	-	-	-	2	2	2	2	-
1999.....	-	-	1	-	-	2	6	1	5	-
White, both sexes										
2000.....	1	3	2	-	1	5	3	2	3	-
1999.....	-	2	1	1	1	4	7	3	7	-
White, male										
2000.....	1	1	2	-	1	4	1	-	1	-
1999.....	-	2	-	1	1	2	2	2	2	-
White, female										
2000.....	-	2	-	-	-	1	2	2	2	-
1999.....	-	-	1	-	-	2	5	1	5	-
All other, both sexes										
2000.....	-	-	-	-	-	1	-	-	-	-
1999.....	-	-	-	1	1	1	1	1	-	-
All other, male										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	1	1	1	-	1	-	-
All other, female										
2000.....	-	-	-	-	-	1	-	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-
Black, both sexes										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	1	-	1	1	-	-
Black, male										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	1	-	-	1	-	-
Black, female										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

[illegible]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Black, female
2000.....
1999.....

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Intestinal infections due to other specified organisms (A04,A07-A08)										
All races, both sexes										
2000.....	10	17	33	34	78	129	195	252	472	-
1999.....	10	10	15	29	59	95	150	207	401	-
All races, male										
2000.....	6	9	20	18	41	57	85	104	129	-
1999.....	5	4	10	14	25	39	75	85	108	-
All races, female										
2000.....	4	8	13	16	37	72	110	148	343	-
1999.....	5	6	5	15	34	56	75	122	293	-
White, both sexes										
2000.....	8	14	30	29	69	118	183	243	443	-
1999.....	7	9	13	24	54	87	139	195	384	-
White, male										
2000.....	5	7	17	16	37	52	80	98	122	-
1999.....	3	3	9	11	24	38	70	82	102	-
White, female										
2000.....	3	7	13	13	32	66	103	145	321	-
1999.....	4	6	4	13	30	49	69	113	282	-
All other, both sexes										
2000.....	2	3	3	5	9	11	12	9	29	-
1999.....	3	1	2	5	5	8	11	12	17	-
All other, male										
2000.....	1	2	3	2	4	5	5	6	7	-
1999.....	2	1	1	3	1	1	5	3	6	-
All other, female										
2000.....	1	1	-	3	5	6	7	3	22	-
1999.....	1	-	1	2	4	7	6	9	11	-
Black, both sexes										
2000.....	2	3	3	3	8	7	10	7	24	-
1999.....	2	-	2	3	5	8	11	11	15	-
Black, male										
2000.....	1	2	3	1	3	3	4	5	6	-
1999.....	1	-	1	1	1	1	5	3	5	-
Black, female										
2000.....	1	1	-	2	5	4	6	2	18	-
1999.....	1	-	1	2	4	7	6	8	10	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diarrhea and gastroenteritis of infectious origin (A09)										
All races, both sexes										
2000.....	1	1	-	3	7	8	7	8	27	-
1999.....	1	2	-	5	8	14	18	15	28	-
All races, male										
2000.....	1	-	-	1	3	4	3	3	11	-
1999.....	-	2	-	2	3	7	5	4	5	-
All races, female										
2000.....	-	1	-	2	4	4	4	5	16	-
1999.....	1	-	-	3	5	7	13	11	23	-
White, both sexes										
2000.....	-	-	-	3	7	8	7	8	25	-
1999.....	1	1	-	4	8	13	16	14	27	-
White, male										
2000.....	-	-	-	1	3	4	3	3	10	-
1999.....	-	1	-	2	3	7	5	3	5	-
White, female										
2000.....	-	-	-	2	4	4	4	5	15	-
1999.....	1	-	-	2	5	6	11	11	22	-
All other, both sexes										
2000.....	1	1	-	-	-	-	-	-	2	-
1999.....	-	1	-	1	-	1	2	1	1	-
All other, male										
2000.....	1	-	-	-	-	-	-	-	1	-
1999.....	-	1	-	-	-	-	-	1	-	-
All other, female										
2000.....	-	1	-	-	-	-	-	-	1	-
1999.....	-	-	-	1	-	1	2	-	1	-
Black, both sexes										
2000.....	1	1	-	-	-	-	-	-	2	-
1999.....	-	1	-	1	-	1	2	1	1	-
Black, male										
2000.....	1	-	-	-	-	-	-	-	1	-
1999.....	-	1	-	-	-	-	-	1	-	-
Black, female										
2000.....	-	1	-	-	-	-	-	-	1	-
1999.....	-	-	-	1	-	1	2	-	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Tuberculosis (A16-A19)										
All races, both sexes										
2000.....	38	53	31	50	70	85	132	120	115	1
1999.....	51	55	67	63	70	103	134	119	173	1
All races, male										
2000.....	35	41	23	36	46	41	69	70	56	1
1999.....	42	45	48	48	49	67	71	66	85	1
All races, female										
2000.....	3	12	8	14	24	44	63	50	59	-
1999.....	9	10	19	15	21	36	63	53	88	-
White, both sexes										
2000.....	13	31	8	25	38	49	79	76	85	-
1999.....	25	27	37	36	48	60	85	87	122	-
White, male										
2000.....	12	22	6	18	26	27	40	38	42	-
1999.....	21	25	27	25	33	40	42	49	58	-
White, female										
2000.....	1	9	2	7	12	22	39	38	43	-
1999.....	4	2	10	11	15	20	43	38	64	-
All other, both sexes										
2000.....	25	22	23	25	32	36	53	44	30	1
1999.....	26	28	30	27	22	43	49	32	51	1
All other, male										
2000.....	23	19	17	18	20	14	29	32	14	1
1999.....	21	20	21	23	16	27	29	17	27	1
All other, female										
2000.....	2	3	6	7	12	22	24	12	16	-
1999.....	5	8	9	4	6	16	20	15	24	-
Black, both sexes										
2000.....	21	21	18	16	25	27	29	31	19	1
1999.....	20	22	22	18	15	28	31	19	27	1
Black, male										
2000.....	19	18	13	13	17	11	17	23	8	1
1999.....	17	17	15	17	11	18	17	8	13	1
Black, female										
2000.....	2	3	5	3	8	16	12	8	11	-
1999.....	3	5	7	1	4	10	14	11	14	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Respiratory tuberculosis (A16)										
All races, both sexes										
2000.....	30	42	24	36	52	67	107	102	98	1
1999.....	38	38	53	56	58	81	112	104	153	1
All races, male										
2000.....	29	35	21	29	38	35	58	58	50	1
1999.....	32	32	39	44	41	56	60	60	76	1
All races, female										
2000.....	1	7	3	7	14	32	49	44	48	-
1999.....	6	6	14	12	17	25	52	44	77	-
White, both sexes										
2000.....	9	26	7	19	27	39	65	66	72	-
1999.....	20	20	27	34	38	49	70	75	113	-
White, male										
2000.....	9	21	5	15	20	23	36	31	38	-
1999.....	17	19	21	24	27	34	36	43	56	-
White, female										
2000.....	-	5	2	4	7	16	29	35	34	-
1999.....	3	1	6	10	11	15	34	32	57	-
All other, both sexes										
2000.....	21	16	17	17	25	28	42	36	26	1
1999.....	18	18	26	22	20	32	42	29	40	1
All other, male										
2000.....	20	14	16	14	18	12	22	27	12	1
1999.....	15	13	18	20	14	22	24	17	20	1
All other, female										
2000.....	1	2	1	3	7	16	20	9	14	-
1999.....	3	5	8	2	6	10	18	12	20	-
Black, both sexes										
2000.....	17	15	12	10	21	22	24	24	17	1
1999.....	15	14	20	16	13	20	26	17	23	1
Black, male										
2000.....	16	13	12	10	16	10	13	19	7	1
1999.....	13	11	13	16	9	13	14	8	10	1
Black, female										
2000.....	1	2	-	-	5	12	11	5	10	-
1999.....	2	3	7	-	4	7	12	9	13	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other tuberculosis (A17-A19)										
All races, both sexes										
2000.....	8	11	7	14	18	18	25	18	17	-
1999.....	13	17	14	7	12	22	22	15	20	-
All races, male										
2000.....	6	6	2	7	8	6	11	12	6	-
1999.....	10	13	9	4	8	11	11	6	9	-
All races, female										
2000.....	2	5	5	7	10	12	14	6	11	-
1999.....	3	4	5	3	4	11	11	9	11	-
White, both sexes										
2000.....	4	5	1	6	11	10	14	10	13	-
1999.....	5	7	10	2	10	11	15	12	9	-
White, male										
2000.....	3	1	1	3	6	4	4	7	4	-
1999.....	4	6	6	1	6	6	6	6	2	-
White, female										
2000.....	1	4	-	3	5	6	10	3	9	-
1999.....	1	1	4	1	4	5	9	6	7	-
All other, both sexes										
2000.....	4	6	6	8	7	8	11	8	4	-
1999.....	8	10	4	5	2	11	7	3	11	-
All other, male										
2000.....	3	5	1	4	2	2	7	5	2	-
1999.....	6	7	3	3	2	5	5	-	7	-
All other, female										
2000.....	1	1	5	4	5	6	4	3	2	-
1999.....	2	3	1	2	-	6	2	3	4	-
Black, both sexes										
2000.....	4	6	6	6	4	5	5	7	2	-
1999.....	5	8	2	2	2	8	5	2	4	-
Black, male										
2000.....	3	5	1	3	1	1	4	4	1	-
1999.....	4	6	2	1	2	5	3	-	3	-
Black, female										
2000.....	1	1	5	3	3	4	1	3	1	-
1999.....	1	2	-	1	-	3	2	2	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Zoonotic and other bacterial diseases (A20-A49)										
All races, both sexes										
2000.....	838	1,147	1,329	1,721	2,406	3,543	4,959	5,402	9,434	1
1999.....	804	1,030	1,259	1,629	2,531	3,592	4,958	5,295	9,606	-
All races, male										
2000.....	470	655	698	896	1,243	1,756	2,353	2,331	2,860	1
1999.....	444	553	653	858	1,318	1,802	2,389	2,302	2,944	-
All races, female										
2000.....	368	492	631	825	1,163	1,787	2,606	3,071	6,574	-
1999.....	360	477	606	771	1,213	1,790	2,569	2,993	6,662	-
White, both sexes										
2000.....	538	786	951	1,236	1,800	2,818	4,045	4,551	8,043	1
1999.....	513	706	876	1,192	1,915	2,803	4,015	4,468	8,139	-
White, male										
2000.....	311	442	507	657	941	1,431	1,923	1,994	2,433	1
1999.....	284	380	449	614	1,000	1,414	1,969	1,941	2,484	-
White, female										
2000.....	227	344	444	579	859	1,387	2,122	2,557	5,610	-
1999.....	229	326	427	578	915	1,389	2,046	2,527	5,655	-
All other, both sexes										
2000.....	300	361	378	485	606	725	914	851	1,391	-
1999.....	291	324	383	437	616	789	943	827	1,467	-
All other, male										
2000.....	159	213	191	239	302	325	430	337	427	-
1999.....	160	173	204	244	318	388	420	361	460	-
All other, female										
2000.....	141	148	187	246	304	400	484	514	964	-
1999.....	131	151	179	193	298	401	523	466	1,007	-
Black, both sexes										
2000.....	272	335	342	452	555	672	846	785	1,286	-
1999.....	267	293	350	404	555	726	846	760	1,343	-
Black, male										
2000.....	144	198	176	223	274	302	398	304	383	-
1999.....	145	158	184	228	291	354	372	328	403	-
Black, female										
2000.....	128	137	166	229	281	370	448	481	903	-
1999.....	122	135	166	176	264	372	474	432	940	-

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

	Black, female
2000.....	
1999.....	

Black, female
2000.....
1999.....

[illegible]

Black, female
2000.....
1999.....

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Black, female
2000.....
1999.....

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Scarlet fever and erysipelas (A38,A46)										
All races, both sexes										
2000.....	1	-	-	-	-	-	1	-	-	-
1999.....	-	-	-	-	1	1	1	-	2	-
All races, male										
2000.....	-	-	-	-	-	-	1	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-
All races, female										
2000.....	1	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	1	1	1	-	2	-
White, both sexes										
2000.....	1	-	-	-	-	-	1	-	-	-
1999.....	-	-	-	-	1	-	1	-	2	-
White, male										
2000.....	-	-	-	-	-	-	1	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-
White, female										
2000.....	1	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	1	-	1	-	2	-
All other, both sexes										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	1	-	-	-	-
All other, male										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-
All other, female										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	1	-	-	-	-
Black, both sexes										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	1	-	-	-	-
Black, male										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-
Black, female										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	1	-	-	-	-

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Septicemia (A40-A41)										
All races, both sexes										
2000.....	781	1,064	1,260	1,639	2,303	3,401	4,745	5,193	9,144	1
1999.....	731	954	1,178	1,536	2,352	3,398	4,686	5,024	9,166	-
All races, male										
2000.....	439	600	657	856	1,182	1,685	2,249	2,233	2,736	1
1999.....	406	513	613	799	1,218	1,701	2,252	2,174	2,786	-
All races, female										
2000.....	342	464	603	783	1,121	1,716	2,496	2,960	6,408	-
1999.....	325	441	565	737	1,134	1,697	2,434	2,850	6,380	-
White, both sexes										
2000.....	495	724	897	1,169	1,716	2,702	3,859	4,364	7,790	1
1999.....	457	650	813	1,115	1,769	2,642	3,799	4,236	7,756	-
White, male										
2000.....	289	404	474	623	892	1,372	1,833	1,904	2,326	1
1999.....	256	351	418	565	917	1,330	1,858	1,837	2,346	-
White, female										
2000.....	206	320	423	546	824	1,330	2,026	2,460	5,464	-
1999.....	201	299	395	550	852	1,312	1,941	2,399	5,410	-
All other, both sexes										
2000.....	286	340	363	470	587	699	886	829	1,354	-
1999.....	274	304	365	421	583	756	887	788	1,410	-
All other, male										
2000.....	150	196	183	233	290	313	416	329	410	-
1999.....	150	162	195	234	301	371	394	337	440	-
All other, female										
2000.....	136	144	180	237	297	386	470	500	944	-
1999.....	124	142	170	187	282	385	493	451	970	-
Black, both sexes										
2000.....	259	316	328	440	540	649	824	766	1,255	-
1999.....	251	274	333	389	524	699	800	725	1,293	-
Black, male										
2000.....	136	183	169	218	265	290	387	297	371	-
1999.....	136	147	175	219	275	339	350	306	387	-
Black, female										
2000.....	123	133	159	222	275	359	437	469	884	-
1999.....	115	127	158	170	249	360	450	419	906	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)										
All races, both sexes										
2000.....	43	67	63	79	99	135	206	200	282	-
1999.....	62	70	77	90	169	193	260	265	429	-
All races, male										
2000.....	26	49	40	39	60	69	99	95	122	-
1999.....	37	37	39	57	95	101	133	126	156	-
All races, female										
2000.....	17	18	23	40	39	66	107	105	160	-
1999.....	25	33	38	33	74	92	127	139	273	-
White, both sexes										
2000.....	35	50	49	64	81	110	178	178	245	-
1999.....	46	51	59	74	136	161	205	227	372	-
White, male										
2000.....	20	35	32	33	48	57	85	87	105	-
1999.....	27	27	30	47	78	84	108	102	136	-
White, female										
2000.....	15	15	17	31	33	53	93	91	140	-
1999.....	19	24	29	27	58	77	97	125	236	-
All other, both sexes										
2000.....	8	17	14	15	18	25	28	22	37	-
1999.....	16	19	18	16	33	32	55	38	57	-
All other, male										
2000.....	6	14	8	6	12	12	14	8	17	-
1999.....	10	10	9	10	17	17	25	24	20	-
All other, female										
2000.....	2	3	6	9	6	13	14	14	20	-
1999.....	6	9	9	6	16	15	30	14	37	-
Black, both sexes										
2000.....	8	15	13	12	14	22	22	19	31	-
1999.....	15	18	17	15	31	26	45	35	50	-
Black, male										
2000.....	6	12	7	5	9	12	11	7	12	-
1999.....	9	10	9	9	16	15	21	22	16	-
Black, female										
2000.....	2	3	6	7	5	10	11	12	19	-
1999.....	6	8	8	6	15	11	24	13	34	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Infections with a predominately sexual mode of transmission (A50-A64)										
All races, both sexes										
2000.....	2	6	2	1	2	8	7	11	12	-
1999.....	3	2	2	3	2	4	8	6	8	-
All races, male										
2000.....	1	5	2	1	2	2	3	7	6	-
1999.....	2	1	2	2	2	3	1	-	2	-
All races, female										
2000.....	1	1	-	-	-	6	4	4	6	-
1999.....	1	1	-	1	-	1	7	6	6	-
White, both sexes										
2000.....	1	1	-	-	1	5	3	9	10	-
1999.....	3	2	1	3	2	1	4	4	4	-
White, male										
2000.....	-	1	-	-	1	1	-	5	4	-
1999.....	2	1	1	2	2	-	1	-	-	-
White, female										
2000.....	1	-	-	-	-	4	3	4	6	-
1999.....	1	1	-	1	-	1	3	4	4	-
All other, both sexes										
2000.....	1	5	2	1	1	3	4	2	2	-
1999.....	-	-	1	-	-	3	4	2	4	-
All other, male										
2000.....	1	4	2	1	1	1	3	2	2	-
1999.....	-	-	1	-	-	3	-	-	2	-
All other, female										
2000.....	-	1	-	-	-	2	1	-	-	-
1999.....	-	-	-	-	-	-	4	2	2	-
Black, both sexes										
2000.....	1	5	2	1	1	3	4	2	2	-
1999.....	-	-	1	-	-	3	3	2	4	-
Black, male										
2000.....	1	4	2	1	1	1	3	2	2	-
1999.....	-	-	1	-	-	3	-	-	2	-
Black, female										
2000.....	-	1	-	-	-	2	1	-	-	-
1999.....	-	-	-	-	-	-	3	2	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Syphilis (A50-A53)										
All races, both sexes										
2000.....	2	4	2	1	1	6	7	6	10	-
1999.....	3	2	1	3	2	4	6	4	4	-
All races, male										
2000.....	1	4	2	1	1	1	3	4	5	-
1999.....	2	1	1	2	2	3	-	-	1	-
All races, female										
2000.....	1	-	-	-	-	5	4	2	5	-
1999.....	1	1	-	1	-	1	6	4	3	-
White, both sexes										
2000.....	1	1	-	-	-	3	3	4	8	-
1999.....	3	2	-	3	2	1	2	2	1	-
White, male										
2000.....	-	1	-	-	-	-	-	2	3	-
1999.....	2	1	-	2	2	-	-	-	-	-
White, female										
2000.....	1	-	-	-	-	3	3	2	5	-
1999.....	1	1	-	1	-	1	2	2	1	-
All other, both sexes										
2000.....	1	3	2	1	1	3	4	2	2	-
1999.....	-	-	1	-	-	3	4	2	3	-
All other, male										
2000.....	1	3	2	1	1	1	3	2	2	-
1999.....	-	-	1	-	-	3	-	-	1	-
All other, female										
2000.....	-	-	-	-	-	2	1	-	-	-
1999.....	-	-	-	-	-	-	4	2	2	-
Black, both sexes										
2000.....	1	3	2	1	1	3	4	2	2	-
1999.....	-	-	1	-	-	3	3	2	3	-
Black, male										
2000.....	1	3	2	1	1	1	3	2	2	-
1999.....	-	-	1	-	-	3	-	-	1	-
Black, female										
2000.....	-	-	-	-	-	2	1	-	-	-
1999.....	-	-	-	-	-	-	3	2	2	-

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Neurosyphilis (A52.1-A52.3)										
All races, both sexes										
2000.....	1	4	1	1	-	5	6	5	5	-
1999.....	-	1	-	1	2	3	3	2	2	-
All races, male										
2000.....	1	4	1	1	-	1	3	4	2	-
1999.....	-	1	-	1	2	3	-	-	1	-
All races, female										
2000.....	-	-	-	-	-	4	3	1	3	-
1999.....	-	-	-	-	-	-	3	2	1	-
White, both sexes										
2000.....	-	1	-	-	-	2	3	3	4	-
1999.....	-	1	-	1	2	-	1	1	-	-
White, male										
2000.....	-	1	-	-	-	-	-	2	1	-
1999.....	-	1	-	1	2	-	-	-	-	-
White, female										
2000.....	-	-	-	-	-	2	3	1	3	-
1999.....	-	-	-	-	-	-	1	1	-	-
All other, both sexes										
2000.....	1	3	1	1	-	3	3	2	1	-
1999.....	-	-	-	-	-	3	2	1	2	-
All other, male										
2000.....	1	3	1	1	-	1	3	2	1	-
1999.....	-	-	-	-	-	3	-	-	1	-
All other, female										
2000.....	-	-	-	-	-	2	-	-	-	-
1999.....	-	-	-	-	-	-	2	1	1	-
Black, both sexes										
2000.....	1	3	1	1	-	3	3	2	1	-
1999.....	-	-	-	-	-	3	1	1	2	-
Black, male										
2000.....	1	3	1	1	-	1	3	2	1	-
1999.....	-	-	-	-	-	3	-	-	1	-
Black, female										
2000.....	-	-	-	-	-	2	-	-	-	-
1999.....	-	-	-	-	-	-	1	1	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)										
All races, both sexes										
2000.....	1	-	1	-	1	1	1	-	5	-
1999.....	3	1	1	1	-	-	3	2	2	-
All races, male										
2000.....	-	-	1	-	1	-	-	-	3	-
1999.....	2	-	1	-	-	-	-	-	-	-
All races, female										
2000.....	1	-	-	-	-	1	1	-	2	-
1999.....	1	1	-	1	-	-	3	2	2	-
White, both sexes										
2000.....	1	-	-	-	-	1	-	-	4	-
1999.....	3	1	-	1	-	-	1	1	1	-
White, male										
2000.....	-	-	-	-	-	-	-	-	2	-
1999.....	2	-	-	-	-	-	-	-	-	-
White, female										
2000.....	1	-	-	-	-	1	-	-	2	-
1999.....	1	1	-	1	-	-	1	1	1	-
All other, both sexes										
2000.....	-	-	1	-	1	-	1	-	1	-
1999.....	-	-	1	-	-	-	2	1	1	-
All other, male										
2000.....	-	-	1	-	1	-	-	-	1	-
1999.....	-	-	1	-	-	-	-	-	-	-
All other, female										
2000.....	-	-	-	-	-	-	1	-	-	-
1999.....	-	-	-	-	-	-	2	1	1	-
Black, both sexes										
2000.....	-	-	1	-	1	-	1	-	1	-
1999.....	-	-	1	-	-	-	2	1	1	-
Black, male										
2000.....	-	-	1	-	1	-	-	-	1	-
1999.....	-	-	1	-	-	-	-	-	-	-
Black, female										
2000.....	-	-	-	-	-	-	1	-	-	-
1999.....	-	-	-	-	-	-	2	1	1	-

[illegible]

[illegible]

[illegible]

Black, female
2000.....
1999.....

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Viral diseases (A80-B34)										
All races, both sexes										
2000.....	3,637	2,495	1,356	935	754	710	603	401	406	2
1999.....	3,359	2,178	1,300	797	780	718	587	424	482	1
All races, male										
2000.....	2,813	1,953	1,025	636	448	370	327	182	133	2
1999.....	2,613	1,720	981	533	471	382	279	196	159	1
All races, female										
2000.....	824	542	331	299	306	340	276	219	273	-
1999.....	746	458	319	264	309	336	308	228	323	-
White, both sexes										
2000.....	2,008	1,385	800	577	517	530	505	348	368	2
1999.....	1,782	1,244	740	510	534	533	490	380	436	-
White, male										
2000.....	1,626	1,124	610	382	295	264	273	156	121	2
1999.....	1,416	1,015	558	348	319	283	235	180	137	-
White, female										
2000.....	382	261	190	195	222	266	232	192	247	-
1999.....	366	229	182	162	215	250	255	200	299	-
All other, both sexes										
2000.....	1,629	1,110	556	358	237	180	98	53	38	-
1999.....	1,577	934	560	287	246	185	97	44	46	1
All other, male										
2000.....	1,187	829	415	254	153	106	54	26	12	-
1999.....	1,197	705	423	185	152	99	44	16	22	1
All other, female										
2000.....	442	281	141	104	84	74	44	27	26	-
1999.....	380	229	137	102	94	86	53	28	24	-
Black, both sexes										
2000.....	1,567	1,043	495	304	190	145	77	40	28	-
1999.....	1,523	879	516	247	204	145	71	31	36	1
Black, male										
2000.....	1,141	788	376	222	130	92	42	22	8	-
1999.....	1,153	666	391	169	128	85	33	11	17	1
Black, female										
2000.....	426	255	119	82	60	53	35	18	20	-
1999.....	370	213	125	78	76	60	38	20	19	-

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Herpesviral (herpes simplex) infections (B00)										
All races, both sexes										
2000.....	4	4	7	6	5	16	24	23	18	-
1999.....	6	7	7	8	13	21	22	13	20	-
All races, male										
2000.....	1	3	3	1	2	6	9	15	8	-
1999.....	2	3	2	3	5	8	9	4	7	-
All races, female										
2000.....	3	1	4	5	3	10	15	8	10	-
1999.....	4	4	5	5	8	13	13	9	13	-
White, both sexes										
2000.....	2	4	6	4	5	14	24	22	15	-
1999.....	4	5	3	8	13	20	21	11	17	-
White, male										
2000.....	1	3	2	1	2	5	9	14	6	-
1999.....	1	3	-	3	5	8	8	2	7	-
White, female										
2000.....	1	1	4	3	3	9	15	8	9	-
1999.....	3	2	3	5	8	12	13	9	10	-
All other, both sexes										
2000.....	2	-	1	2	-	2	-	1	3	-
1999.....	2	2	4	-	-	1	1	2	3	-
All other, male										
2000.....	-	-	1	-	-	1	-	1	2	-
1999.....	1	-	2	-	-	-	1	2	-	-
All other, female										
2000.....	2	-	-	2	-	1	-	-	1	-
1999.....	1	2	2	-	-	1	-	-	3	-
Black, both sexes										
2000.....	2	-	-	1	-	2	-	1	3	-
1999.....	2	1	4	-	-	1	1	2	2	-
Black, male										
2000.....	-	-	-	-	-	1	-	1	2	-
1999.....	1	-	2	-	-	-	1	2	-	-
Black, female										
2000.....	2	-	-	1	-	1	-	-	1	-
1999.....	1	1	2	-	-	1	-	-	2	-

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Black, female
2000.....
1999.....

Measles (B05)

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Viral hepatitis (B15-B19)										
All races, both sexes										
2000.....	1,044	850	492	412	410	435	401	259	168	1
1999.....	871	635	438	348	427	454	389	262	197	-
All races, male										
2000.....	787	638	338	239	202	194	198	113	70	1
1999.....	651	487	298	193	217	209	185	132	82	-
All races, female										
2000.....	257	212	154	173	208	241	203	146	98	-
1999.....	220	148	140	155	210	245	204	130	115	-
White, both sexes										
2000.....	827	635	350	315	320	358	350	222	149	1
1999.....	683	481	323	269	330	364	326	235	170	-
White, male										
2000.....	636	487	246	186	156	161	175	98	63	1
1999.....	501	371	224	160	177	177	159	126	70	-
White, female										
2000.....	191	148	104	129	164	197	175	124	86	-
1999.....	182	110	99	109	153	187	167	109	100	-
All other, both sexes										
2000.....	217	215	142	97	90	77	51	37	19	-
1999.....	188	154	115	79	97	90	63	27	27	-
All other, male										
2000.....	151	151	92	53	46	33	23	15	7	-
1999.....	150	116	74	33	40	32	26	6	12	-
All other, female										
2000.....	66	64	50	44	44	44	28	22	12	-
1999.....	38	38	41	46	57	58	37	21	15	-
Black, both sexes										
2000.....	172	164	93	50	47	47	32	25	11	-
1999.....	161	118	75	45	60	53	38	17	20	-
Black, male										
2000.....	121	120	63	25	26	22	13	12	4	-
1999.....	126	91	45	21	21	19	15	2	9	-
Black, female										
2000.....	51	44	30	25	21	25	19	13	7	-
1999.....	35	27	30	24	39	34	23	15	11	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)										
All races, both sexes										
2000.....	2,551	1,591	797	442	250	147	69	16	9	1
1999.....	2,440	1,467	777	372	261	137	52	18	14	1
All races, male										
2000.....	2,008	1,288	655	358	199	114	54	11	2	1
1999.....	1,936	1,198	646	302	211	106	39	11	8	1
All races, female										
2000.....	543	303	142	84	51	33	15	5	7	-
1999.....	504	269	131	70	50	31	13	7	6	-
White, both sexes										
2000.....	1,150	706	391	197	110	56	33	7	3	1
1999.....	1,065	700	346	173	119	52	25	12	8	-
White, male										
2000.....	977	613	336	163	96	44	28	5	-	1
1999.....	897	613	305	156	103	42	22	7	2	-
White, female										
2000.....	173	93	55	34	14	12	5	2	3	-
1999.....	168	87	41	17	16	10	3	5	6	-
All other, both sexes										
2000.....	1,401	885	406	245	140	91	36	9	6	-
1999.....	1,375	767	431	199	142	85	27	6	6	1
All other, male										
2000.....	1,031	675	319	195	103	70	26	6	2	-
1999.....	1,039	585	341	146	108	64	17	4	6	1
All other, female										
2000.....	370	210	87	50	37	21	10	3	4	-
1999.....	336	182	90	53	34	21	10	2	-	-
Black, both sexes										
2000.....	1,385	872	395	241	137	87	35	9	6	-
1999.....	1,350	753	429	196	139	83	27	6	5	1
Black, male										
2000.....	1,016	666	310	191	101	67	25	6	2	-
1999.....	1,019	573	339	144	105	63	17	4	5	1
Black, female										
2000.....	369	206	85	50	36	20	10	3	4	-
1999.....	331	180	90	52	34	20	10	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)										
All races, both sexes										
2000.....	1,038	607	273	155	90	51	26	7	3	1
1999.....	1,020	603	255	122	83	51	26	6	4	1
All races, male										
2000.....	812	501	212	124	75	42	18	5	-	1
1999.....	796	490	213	96	69	37	22	6	2	1
All races, female										
2000.....	226	106	61	31	15	9	8	2	3	-
1999.....	224	113	42	26	14	14	4	-	2	-
White, both sexes										
2000.....	477	289	135	72	43	17	11	2	1	1
1999.....	434	298	123	60	40	18	16	3	2	-
White, male										
2000.....	402	253	109	58	38	14	9	2	-	1
1999.....	361	255	105	54	34	14	15	3	-	-
White, female										
2000.....	75	36	26	14	5	3	2	-	1	-
1999.....	73	43	18	6	6	4	1	-	2	-
All other, both sexes										
2000.....	561	318	138	83	47	34	15	5	2	-
1999.....	586	305	132	62	43	33	10	3	2	1
All other, male										
2000.....	410	248	103	66	37	28	9	3	-	-
1999.....	435	235	108	42	35	23	7	3	2	1
All other, female										
2000.....	151	70	35	17	10	6	6	2	2	-
1999.....	151	70	24	20	8	10	3	-	-	-
Black, both sexes										
2000.....	555	309	133	81	46	33	15	5	2	-
1999.....	574	298	132	62	42	32	10	3	1	1
Black, male										
2000.....	405	241	99	64	36	27	9	3	-	-
1999.....	427	229	108	42	34	23	7	3	1	1
Black, female										
2000.....	150	68	34	17	10	6	6	2	2	-
1999.....	147	69	24	20	8	9	3	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)										
All races, both sexes										
2000.....	186	120	66	38	20	12	3	1	-	-
1999.....	169	122	84	28	19	12	3	-	-	-
All races, male										
2000.....	158	103	62	33	19	10	3	-	-	-
1999.....	148	101	72	25	16	9	3	-	-	-
All races, female										
2000.....	28	17	4	5	1	2	-	1	-	-
1999.....	21	21	12	3	3	3	-	-	-	-
White, both sexes										
2000.....	113	69	40	23	10	6	2	1	-	-
1999.....	102	73	53	14	10	5	1	-	-	-
White, male										
2000.....	101	64	39	20	10	5	2	-	-	-
1999.....	91	64	51	11	10	4	1	-	-	-
White, female										
2000.....	12	5	1	3	-	1	-	1	-	-
1999.....	11	9	2	3	-	1	-	-	-	-
All other, both sexes										
2000.....	73	51	26	15	10	6	1	-	-	-
1999.....	67	49	31	14	9	7	2	-	-	-
All other, male										
2000.....	57	39	23	13	9	5	1	-	-	-
1999.....	57	37	21	14	6	5	2	-	-	-
All other, female										
2000.....	16	12	3	2	1	1	-	-	-	-
1999.....	10	12	10	-	3	2	-	-	-	-
Black, both sexes										
2000.....	72	50	26	14	10	6	1	-	-	-
1999.....	64	48	31	14	9	7	2	-	-	-
Black, male										
2000.....	56	39	23	12	9	5	1	-	-	-
1999.....	54	36	21	14	6	5	2	-	-	-
Black, female										
2000.....	16	11	3	2	1	1	-	-	-	-
1999.....	10	12	10	-	3	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)										
All races, both sexes										
2000.....	262	174	99	43	26	21	3	3	-	-
1999.....	242	148	86	40	29	17	7	1	2	-
All races, male										
2000.....	216	147	85	39	18	14	3	2	-	-
1999.....	202	129	74	34	22	12	4	-	1	-
All races, female										
2000.....	46	27	14	4	8	7	-	1	-	-
1999.....	40	19	12	6	7	5	3	1	1	-
White, both sexes										
2000.....	124	86	52	18	14	8	1	1	-	-
1999.....	144	80	34	19	11	10	3	1	1	-
White, male										
2000.....	112	75	46	18	12	5	1	-	-	-
1999.....	127	77	32	16	9	7	2	-	-	-
White, female										
2000.....	12	11	6	-	2	3	-	1	-	-
1999.....	17	3	2	3	2	3	1	1	1	-
All other, both sexes										
2000.....	138	88	47	25	12	13	2	2	-	-
1999.....	98	68	52	21	18	7	4	-	1	-
All other, male										
2000.....	104	72	39	21	6	9	2	2	-	-
1999.....	75	52	42	18	13	5	2	-	1	-
All other, female										
2000.....	34	16	8	4	6	4	-	-	-	-
1999.....	23	16	10	3	5	2	2	-	-	-
Black, both sexes										
2000.....	135	87	47	25	11	12	2	2	-	-
1999.....	97	66	52	21	17	7	4	-	1	-
Black, male										
2000.....	101	71	39	21	5	8	2	2	-	-
1999.....	74	50	42	18	12	5	2	-	1	-
Black, female										
2000.....	34	16	8	4	6	4	-	-	-	-
1999.....	23	16	10	3	5	2	2	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)										
All races, both sexes										
2000.....	574	405	227	126	67	39	25	4	2	-
1999.....	562	372	216	116	87	33	9	7	7	-
All races, male										
2000.....	434	311	183	91	49	27	20	4	-	-
1999.....	434	293	172	94	69	28	5	2	4	-
All races, female										
2000.....	140	94	44	35	18	12	5	-	2	-
1999.....	128	79	44	22	18	5	4	5	3	-
White, both sexes										
2000.....	222	154	99	46	24	16	13	3	1	-
1999.....	201	137	79	53	36	8	2	5	5	-
White, male										
2000.....	179	126	86	34	18	11	11	3	-	-
1999.....	162	119	66	50	29	7	2	1	2	-
White, female										
2000.....	43	28	13	12	6	5	2	-	1	-
1999.....	39	18	13	3	7	1	-	4	3	-
All other, both sexes										
2000.....	352	251	128	80	43	23	12	1	1	-
1999.....	361	235	137	63	51	25	7	2	2	-
All other, male										
2000.....	255	185	97	57	31	16	9	1	-	-
1999.....	272	174	106	44	40	21	3	1	2	-
All other, female										
2000.....	97	66	31	23	12	7	3	-	1	-
1999.....	89	61	31	19	11	4	4	1	-	-
Black, both sexes										
2000.....	348	250	122	79	42	22	11	1	1	-
1999.....	356	231	137	61	51	24	7	2	2	-
Black, male										
2000.....	251	184	92	56	31	16	8	1	-	-
1999.....	268	171	106	43	40	20	3	1	2	-
Black, female										
2000.....	97	66	30	23	11	6	3	-	1	-
1999.....	88	60	31	18	11	4	4	1	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Unspecified human immunodeficiency virus (HIV) disease (B24)										
All races, both sexes										
2000.....	491	285	132	80	47	24	12	1	4	-
1999.....	447	222	136	66	43	24	7	4	1	-
All races, male										
2000.....	388	226	113	71	38	21	10	-	2	-
1999.....	356	185	115	53	35	20	5	3	1	-
All races, female										
2000.....	103	59	19	9	9	3	2	1	2	-
1999.....	91	37	21	13	8	4	2	1	-	-
White, both sexes										
2000.....	214	108	65	38	19	9	6	-	1	-
1999.....	184	112	57	27	22	11	3	3	-	-
White, male										
2000.....	183	95	56	33	18	9	5	-	-	-
1999.....	156	98	51	25	21	10	2	3	-	-
White, female										
2000.....	31	13	9	5	1	-	1	-	1	-
1999.....	28	14	6	2	1	1	1	-	-	-
All other, both sexes										
2000.....	277	177	67	42	28	15	6	1	3	-
1999.....	263	110	79	39	21	13	4	1	1	-
All other, male										
2000.....	205	131	57	38	20	12	5	-	2	-
1999.....	200	87	64	28	14	10	3	-	1	-
All other, female										
2000.....	72	46	10	4	8	3	1	1	1	-
1999.....	63	23	15	11	7	3	1	1	-	-
Black, both sexes										
2000.....	275	176	67	42	28	14	6	1	3	-
1999.....	259	110	77	38	20	13	4	1	1	-
Black, male										
2000.....	203	131	57	38	20	11	5	-	2	-
1999.....	196	87	62	27	13	10	3	-	1	-
Black, female										
2000.....	72	45	10	4	8	3	1	1	1	-
1999.....	63	23	15	11	7	3	1	1	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)										
All races, both sexes										
2000.....	36	50	57	69	87	101	89	86	139	-
1999.....	40	69	73	68	76	96	108	102	165	-
All races, male										
2000.....	15	24	28	36	44	53	52	36	38	-
1999.....	22	32	33	34	35	53	41	36	46	-
All races, female										
2000.....	21	26	29	33	43	48	37	50	101	-
1999.....	18	37	40	34	41	43	67	66	119	-
White, both sexes										
2000.....	27	40	52	56	80	95	79	81	132	-
1999.....	28	58	64	60	69	88	102	94	157	-
White, male										
2000.....	10	21	25	31	40	51	48	33	37	-
1999.....	15	28	28	29	31	50	41	32	42	-
White, female										
2000.....	17	19	27	25	40	44	31	48	95	-
1999.....	13	30	36	31	38	38	61	62	115	-
All other, both sexes										
2000.....	9	10	5	13	7	6	10	5	7	-
1999.....	12	11	9	8	7	8	6	8	8	-
All other, male										
2000.....	5	3	3	5	4	2	4	3	1	-
1999.....	7	4	5	5	4	3	-	4	4	-
All other, female										
2000.....	4	7	2	8	3	4	6	2	6	-
1999.....	5	7	4	3	3	5	6	4	4	-
Black, both sexes										
2000.....	8	7	5	11	6	6	9	4	5	-
1999.....	10	7	7	5	5	8	5	5	7	-
Black, male										
2000.....	4	2	3	5	3	2	3	2	-	-
1999.....	7	2	4	3	2	3	-	3	3	-
Black, female										
2000.....	4	5	2	6	3	4	6	2	5	-
1999.....	3	5	3	2	3	5	5	2	4	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)										
All races, both sexes										
2000.....	188	184	191	224	256	353	398	303	383	-
1999.....	282	295	264	300	389	470	511	398	417	-
All races, male										
2000.....	116	116	105	126	144	210	193	142	154	-
1999.....	168	172	142	164	211	240	267	186	156	-
All races, female										
2000.....	72	68	86	98	112	143	205	161	229	-
1999.....	114	123	122	136	178	230	244	212	261	-
White, both sexes										
2000.....	143	137	153	168	210	301	352	267	341	-
1999.....	182	201	198	216	311	394	446	347	362	-
White, male										
2000.....	91	87	88	95	118	181	162	126	133	-
1999.....	118	121	117	117	170	206	238	155	130	-
White, female										
2000.....	52	50	65	73	92	120	190	141	208	-
1999.....	64	80	81	99	141	188	208	192	232	-
All other, both sexes										
2000.....	45	47	38	56	46	52	46	36	42	-
1999.....	100	94	66	84	78	76	65	51	55	-
All other, male										
2000.....	25	29	17	31	26	29	31	16	21	-
1999.....	50	51	25	47	41	34	29	31	26	-
All other, female										
2000.....	20	18	21	25	20	23	15	20	21	-
1999.....	50	43	41	37	37	42	36	20	29	-
Black, both sexes										
2000.....	44	41	34	40	35	40	33	32	35	-
1999.....	90	78	54	67	62	62	53	38	45	-
Black, male										
2000.....	25	26	17	24	21	22	21	13	14	-
1999.....	45	41	18	36	30	29	23	21	19	-
Black, female										
2000.....	19	15	17	16	14	18	12	19	21	-
1999.....	45	37	36	31	32	33	30	17	26	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Mycoses (B35-B49)										
All races, both sexes										
2000.....	61	81	90	109	119	154	170	106	137	-
1999.....	112	130	132	150	201	229	238	160	164	-
All races, male										
2000.....	33	49	47	62	70	93	91	52	60	-
1999.....	62	70	74	84	104	133	134	88	79	-
All races, female										
2000.....	28	32	43	47	49	61	79	54	77	-
1999.....	50	60	58	66	97	96	104	72	85	-
White, both sexes										
2000.....	46	60	71	81	98	124	145	94	114	-
1999.....	79	96	101	109	160	189	206	132	131	-
White, male										
2000.....	25	36	39	48	57	77	74	44	49	-
1999.....	44	50	64	60	84	115	121	73	61	-
White, female										
2000.....	21	24	32	33	41	47	71	50	65	-
1999.....	35	46	37	49	76	74	85	59	70	-
All other, both sexes										
2000.....	15	21	19	28	21	30	25	12	23	-
1999.....	33	34	31	41	41	40	32	28	33	-
All other, male										
2000.....	8	13	8	14	13	16	17	8	11	-
1999.....	18	20	10	24	20	18	13	15	18	-
All other, female										
2000.....	7	8	11	14	8	14	8	4	12	-
1999.....	15	14	21	17	21	22	19	13	15	-
Black, both sexes										
2000.....	15	18	17	19	18	24	18	10	21	-
1999.....	30	27	24	29	35	33	27	19	28	-
Black, male										
2000.....	8	12	8	8	11	11	12	6	9	-
1999.....	17	16	7	17	17	16	11	8	14	-
Black, female										
2000.....	7	6	9	11	7	13	6	4	12	-
1999.....	13	11	17	12	18	17	16	11	14	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Protozoal diseases (B50-B64)										
All races, both sexes										
2000.....	24	13	20	23	16	29	15	12	5	-
1999.....	23	27	20	16	20	27	23	10	4	-
All races, male										
2000.....	15	10	15	15	7	24	6	8	3	-
1999.....	12	20	12	9	9	14	9	4	2	-
All races, female										
2000.....	9	3	5	8	9	5	9	4	2	-
1999.....	11	7	8	7	11	13	14	6	2	-
White, both sexes										
2000.....	12	5	19	19	12	25	11	12	5	-
1999.....	13	17	16	10	17	25	20	10	4	-
White, male										
2000.....	9	4	15	11	7	21	3	8	3	-
1999.....	8	12	10	6	9	13	8	4	2	-
White, female										
2000.....	3	1	4	8	5	4	8	4	2	-
1999.....	5	5	6	4	8	12	12	6	2	-
All other, both sexes										
2000.....	12	8	1	4	4	4	4	-	-	-
1999.....	10	10	4	6	3	2	3	-	-	-
All other, male										
2000.....	6	6	-	4	-	3	3	-	-	-
1999.....	4	8	2	3	-	1	1	-	-	-
All other, female										
2000.....	6	2	1	-	4	1	1	-	-	-
1999.....	6	2	2	3	3	1	2	-	-	-
Black, both sexes										
2000.....	12	8	1	3	4	4	3	-	-	-
1999.....	8	10	3	6	2	2	2	-	-	-
Black, male										
2000.....	6	6	-	3	-	3	2	-	-	-
1999.....	3	8	1	3	-	1	-	-	-	-
Black, female										
2000.....	6	2	1	-	4	1	1	-	-	-
1999.....	5	2	2	3	2	1	2	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malaria (B50-B54)										
All races, both sexes										
2000.....	-	1	-	-	-	-	1	-	-	-
1999.....	-	-	1	-	1	1	-	-	-	-
All races, male										
2000.....	-	1	-	-	-	-	1	-	-	-
1999.....	-	-	1	-	-	1	-	-	-	-
All races, female										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	1	-	-	-	-	-
White, both sexes										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	1	-	-	1	-	-	-	-
White, male										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	1	-	-	1	-	-	-	-
White, female										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-
All other, both sexes										
2000.....	-	1	-	-	-	-	1	-	-	-
1999.....	-	-	-	-	1	-	-	-	-	-
All other, male										
2000.....	-	1	-	-	-	-	1	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-
All other, female										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	1	-	-	-	-	-
Black, both sexes										
2000.....	-	1	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	1	-	-	-	-	-
Black, male										
2000.....	-	1	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-
Black, female										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	1	-	-	-	-	-

[illegible]

Trypanosomiasis (B56-B57)

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pneumocystosis (B59)										
All races, both sexes										
2000.....	23	12	18	22	15	25	13	11	4	-
1999.....	19	27	15	13	19	26	22	8	2	-
All races, male										
2000.....	15	9	13	14	7	20	5	7	3	-
1999.....	10	20	10	8	9	13	8	4	-	-
All races, female										
2000.....	8	3	5	8	8	5	8	4	1	-
1999.....	9	7	5	5	10	13	14	4	2	-
White, both sexes										
2000.....	12	5	17	18	11	22	10	11	4	-
1999.....	11	17	14	9	17	24	19	8	2	-
White, male										
2000.....	9	4	13	10	7	18	3	7	3	-
1999.....	7	12	9	6	9	12	7	4	-	-
White, female										
2000.....	3	1	4	8	4	4	7	4	1	-
1999.....	4	5	5	3	8	12	12	4	2	-
All other, both sexes										
2000.....	11	7	1	4	4	3	3	-	-	-
1999.....	8	10	1	4	2	2	3	-	-	-
All other, male										
2000.....	6	5	-	4	-	2	2	-	-	-
1999.....	3	8	1	2	-	1	1	-	-	-
All other, female										
2000.....	5	2	1	-	4	1	1	-	-	-
1999.....	5	2	-	2	2	1	2	-	-	-
Black, both sexes										
2000.....	11	7	1	3	4	3	3	-	-	-
1999.....	6	10	-	4	1	2	2	-	-	-
Black, male										
2000.....	6	5	-	3	-	2	2	-	-	-
1999.....	2	8	-	2	-	1	-	-	-	-
Black, female										
2000.....	5	2	1	-	4	1	1	-	-	-
1999.....	4	2	-	2	1	1	2	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified protozoal diseases (B58,B60-B64)										
All races, both sexes										
2000.....	1	-	2	1	1	3	-	1	1	-
1999.....	3	-	4	3	-	-	1	2	2	-
All races, male										
2000.....	-	-	2	1	-	3	-	1	-	-
1999.....	2	-	1	1	-	-	1	-	2	-
All races, female										
2000.....	1	-	-	-	1	-	-	-	1	-
1999.....	1	-	3	2	-	-	-	2	-	-
White, both sexes										
2000.....	-	-	2	1	1	2	-	1	1	-
1999.....	1	-	1	1	-	-	1	2	2	-
White, male										
2000.....	-	-	2	1	-	2	-	1	-	-
1999.....	1	-	-	-	-	-	1	-	2	-
White, female										
2000.....	-	-	-	-	1	-	-	-	1	-
1999.....	-	-	1	1	-	-	-	2	-	-
All other, both sexes										
2000.....	1	-	-	-	-	1	-	-	-	-
1999.....	2	-	3	2	-	-	-	-	-	-
All other, male										
2000.....	-	-	-	-	-	1	-	-	-	-
1999.....	1	-	1	1	-	-	-	-	-	-
All other, female										
2000.....	1	-	-	-	-	-	-	-	-	-
1999.....	1	-	2	1	-	-	-	-	-	-
Black, both sexes										
2000.....	1	-	-	-	-	1	-	-	-	-
1999.....	2	-	3	2	-	-	-	-	-	-
Black, male										
2000.....	-	-	-	-	-	1	-	-	-	-
1999.....	1	-	1	1	-	-	-	-	-	-
Black, female										
2000.....	1	-	-	-	-	-	-	-	-	-
1999.....	1	-	2	1	-	-	-	-	-	-

Helminthiases (B65-B83)

[illegible]

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Sequelae of tuberculosis (B90)										
All races, both sexes										
2000.....	4	2	3	5	8	17	23	28	30	-
1999.....	10	7	7	7	8	27	30	47	34	-
All races, male										
2000.....	3	2	3	2	3	11	8	12	18	-
1999.....	4	4	2	5	5	12	14	16	11	-
All races, female										
2000.....	1	-	-	3	5	6	15	16	12	-
1999.....	6	3	5	2	3	15	16	31	23	-
White, both sexes										
2000.....	1	1	1	-	6	10	19	23	27	-
1999.....	5	1	6	6	2	19	24	41	31	-
White, male										
2000.....	1	1	1	-	3	7	4	9	15	-
1999.....	1	-	2	4	1	8	10	13	9	-
White, female										
2000.....	-	-	-	-	3	3	15	14	12	-
1999.....	4	1	4	2	1	11	14	28	22	-
All other, both sexes										
2000.....	3	1	2	5	2	7	4	5	3	-
1999.....	5	6	1	1	6	8	6	6	3	-
All other, male										
2000.....	2	1	2	2	-	4	4	3	3	-
1999.....	3	4	-	1	4	4	4	3	2	-
All other, female										
2000.....	1	-	-	3	2	3	-	2	-	-
1999.....	2	2	1	-	2	4	2	3	1	-
Black, both sexes										
2000.....	2	-	2	3	-	3	1	4	2	-
1999.....	4	3	1	-	3	2	2	2	1	-
Black, male										
2000.....	2	-	2	2	-	2	1	2	2	-
1999.....	3	1	-	-	1	1	2	-	-	-
Black, female										
2000.....	-	-	-	1	-	1	-	2	-	-
1999.....	1	2	1	-	2	1	-	2	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Sequelae of poliomyelitis (B91)										
All races, both sexes										
2000.....	6	14	23	22	32	47	59	40	52	-
1999.....	8	13	13	22	29	44	44	34	55	-
All races, male										
2000.....	3	9	9	12	18	24	24	15	18	-
1999.....	6	5	7	11	19	19	23	11	19	-
All races, female										
2000.....	3	5	14	10	14	23	35	25	34	-
1999.....	2	8	6	11	10	25	21	23	36	-
White, both sexes										
2000.....	5	13	22	22	31	46	58	39	52	-
1999.....	8	12	13	21	29	43	44	34	54	-
White, male										
2000.....	2	8	8	12	18	24	24	15	18	-
1999.....	6	5	7	11	19	18	23	11	18	-
White, female										
2000.....	3	5	14	10	13	22	34	24	34	-
1999.....	2	7	6	10	10	25	21	23	36	-
All other, both sexes										
2000.....	1	1	1	-	1	1	1	1	-	-
1999.....	-	1	-	1	-	1	-	-	1	-
All other, male										
2000.....	1	1	1	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	1	-	-	1	-
All other, female										
2000.....	-	-	-	-	1	1	1	1	-	-
1999.....	-	1	-	1	-	-	-	-	-	-
Black, both sexes										
2000.....	1	1	1	-	1	1	1	1	-	-
1999.....	-	1	-	1	-	1	-	-	-	-
Black, male										
2000.....	1	1	1	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	1	-	-	-	-
Black, female										
2000.....	-	-	-	-	1	1	1	1	-	-
1999.....	-	1	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)										
All races, both sexes										
2000.....	90	73	54	64	75	105	129	115	156	-
1999.....	128	118	92	102	130	142	175	146	160	-
All races, male										
2000.....	60	45	30	34	42	58	62	54	53	-
1999.....	83	73	47	53	73	62	86	67	45	-
All races, female										
2000.....	30	28	24	30	33	47	67	61	103	-
1999.....	45	45	45	49	57	80	89	79	115	-
White, both sexes										
2000.....	77	57	39	45	59	95	118	97	140	-
1999.....	77	75	62	68	102	117	151	129	142	-
White, male										
2000.....	53	37	24	23	30	52	56	49	46	-
1999.....	59	54	34	35	56	52	75	54	40	-
White, female										
2000.....	24	20	15	22	29	43	62	48	94	-
1999.....	18	21	28	33	46	65	76	75	102	-
All other, both sexes										
2000.....	13	16	15	19	16	10	11	18	16	-
1999.....	51	43	30	34	28	25	24	17	18	-
All other, male										
2000.....	7	8	6	11	12	6	6	5	7	-
1999.....	24	19	13	18	17	10	11	13	5	-
All other, female										
2000.....	6	8	9	8	4	4	5	13	9	-
1999.....	27	24	17	16	11	15	13	4	13	-
Black, both sexes										
2000.....	13	14	13	15	12	8	10	17	12	-
1999.....	47	37	26	31	22	24	22	17	16	-
Black, male										
2000.....	7	7	6	11	10	6	6	5	3	-
1999.....	21	16	10	16	12	10	10	13	5	-
Black, female										
2000.....	6	7	7	4	2	2	4	12	9	-
1999.....	26	21	16	15	10	14	12	4	11	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
II. Neoplasms (C00-D48)										
All races, both sexes										
2000.....	19,096	29,628	39,443	50,786	66,850	85,827	92,797	76,947	80,736	12
1999.....	18,688	28,655	39,098	51,102	67,843	87,179	92,025	75,217	78,457	9
All races, male										
2000.....	9,403	15,197	21,182	27,902	37,317	47,289	49,404	38,822	34,596	11
1999.....	9,293	14,703	21,146	28,343	37,905	48,161	49,303	37,975	33,787	6
All races, female										
2000.....	9,693	14,431	18,261	22,884	29,533	38,538	43,393	38,125	46,140	1
1999.....	9,395	13,952	17,952	22,759	29,938	39,018	42,722	37,242	44,670	3
White, both sexes										
2000.....	14,968	24,068	32,887	42,930	57,561	75,248	82,767	69,661	73,031	7
1999.....	14,727	23,296	32,472	43,057	58,386	76,702	81,982	68,147	70,955	7
White, male										
2000.....	7,419	12,253	17,515	23,506	32,151	41,380	43,881	35,001	31,111	7
1999.....	7,287	11,854	17,505	23,832	32,646	42,405	43,782	34,346	30,336	4
White, female										
2000.....	7,549	11,815	15,372	19,424	25,410	33,868	38,886	34,660	41,920	-
1999.....	7,440	11,442	14,967	19,225	25,740	34,297	38,200	33,801	40,619	3
All other, both sexes										
2000.....	4,128	5,560	6,556	7,856	9,289	10,579	10,030	7,286	7,705	5
1999.....	3,961	5,359	6,626	8,045	9,457	10,477	10,043	7,070	7,502	2
All other, male										
2000.....	1,984	2,944	3,667	4,396	5,166	5,909	5,523	3,821	3,485	4
1999.....	2,006	2,849	3,641	4,511	5,259	5,756	5,521	3,629	3,451	2
All other, female										
2000.....	2,144	2,616	2,889	3,460	4,123	4,670	4,507	3,465	4,220	1
1999.....	1,955	2,510	2,985	3,534	4,198	4,721	4,522	3,441	4,051	-
Black, both sexes										
2000.....	3,493	4,768	5,556	6,698	7,893	8,991	8,488	6,157	6,595	4
1999.....	3,358	4,578	5,700	6,882	8,079	8,943	8,579	6,032	6,493	1
Black, male										
2000.....	1,688	2,559	3,141	3,764	4,431	5,021	4,657	3,229	2,897	3
1999.....	1,721	2,469	3,184	3,884	4,532	4,911	4,720	3,079	2,905	1
Black, female										
2000.....	1,805	2,209	2,415	2,934	3,462	3,970	3,831	2,928	3,698	1
1999.....	1,637	2,109	2,516	2,998	3,547	4,032	3,859	2,953	3,588	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)										
All races, both sexes										
2000.....	18,803	29,231	38,930	50,075	65,843	84,288	90,655	74,444	77,136	11
1999.....	18,412	28,269	38,637	50,430	66,814	85,524	89,874	72,896	75,014	9
All races, male										
2000.....	9,243	14,972	20,912	27,515	36,730	46,461	48,284	37,623	33,260	10
1999.....	9,151	14,483	20,891	27,942	37,315	47,229	48,184	36,876	32,484	6
All races, female										
2000.....	9,560	14,259	18,018	22,560	29,113	37,827	42,371	36,821	43,876	1
1999.....	9,261	13,786	17,746	22,488	29,499	38,295	41,690	36,020	42,530	3
White, both sexes										
2000.....	14,743	23,735	32,440	42,319	56,673	73,897	80,805	67,321	69,679	7
1999.....	14,513	22,976	32,083	42,485	57,500	75,203	80,023	65,986	67,742	7
White, male										
2000.....	7,292	12,061	17,275	23,182	31,634	40,650	42,849	33,865	29,863	7
1999.....	7,171	11,668	17,289	23,479	32,130	41,549	42,755	33,311	29,102	4
White, female										
2000.....	7,451	11,674	15,165	19,137	25,039	33,247	37,956	33,456	39,816	-
1999.....	7,342	11,308	14,794	19,006	25,370	33,654	37,268	32,675	38,640	3
All other, both sexes										
2000.....	4,060	5,496	6,490	7,756	9,170	10,391	9,850	7,123	7,457	4
1999.....	3,899	5,293	6,554	7,945	9,314	10,321	9,851	6,910	7,272	2
All other, male										
2000.....	1,951	2,911	3,637	4,333	5,096	5,811	5,435	3,758	3,397	3
1999.....	1,980	2,815	3,602	4,463	5,185	5,680	5,429	3,565	3,382	2
All other, female										
2000.....	2,109	2,585	2,853	3,423	4,074	4,580	4,415	3,365	4,060	1
1999.....	1,919	2,478	2,952	3,482	4,129	4,641	4,422	3,345	3,890	-
Black, both sexes										
2000.....	3,437	4,710	5,499	6,620	7,797	8,839	8,338	6,023	6,390	3
1999.....	3,308	4,522	5,635	6,798	7,955	8,809	8,414	5,898	6,299	1
Black, male										
2000.....	1,664	2,528	3,114	3,715	4,371	4,950	4,584	3,183	2,831	2
1999.....	1,702	2,442	3,148	3,845	4,467	4,847	4,644	3,030	2,851	1
Black, female										
2000.....	1,773	2,182	2,385	2,905	3,426	3,889	3,754	2,840	3,559	1
1999.....	1,606	2,080	2,487	2,953	3,488	3,962	3,770	2,868	3,448	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)										
All races, both sexes										
2000.....	408	660	770	872	942	1,017	933	693	824	-
1999.....	449	612	753	863	889	1,007	993	751	800	-
All races, male										
2000.....	309	516	618	652	667	659	569	370	332	-
1999.....	346	474	568	663	629	679	605	402	323	-
All races, female										
2000.....	99	144	152	220	275	358	364	323	492	-
1999.....	103	138	185	200	260	328	388	349	477	-
White, both sexes										
2000.....	291	475	581	674	776	868	832	629	756	-
1999.....	287	430	560	688	737	866	873	687	744	-
White, male										
2000.....	222	358	467	499	541	555	495	332	306	-
1999.....	218	337	418	530	521	587	524	362	295	-
White, female										
2000.....	69	117	114	175	235	313	337	297	450	-
1999.....	69	93	142	158	216	279	349	325	449	-
All other, both sexes										
2000.....	117	185	189	198	166	149	101	64	68	-
1999.....	162	182	193	175	152	141	120	64	56	-
All other, male										
2000.....	87	158	151	153	126	104	74	38	26	-
1999.....	128	137	150	133	108	92	81	40	28	-
All other, female										
2000.....	30	27	38	45	40	45	27	26	42	-
1999.....	34	45	43	42	44	49	39	24	28	-
Black, both sexes										
2000.....	96	156	164	166	135	121	82	56	49	-
1999.....	135	155	165	157	130	120	99	54	45	-
Black, male										
2000.....	69	137	133	132	106	87	61	34	16	-
1999.....	109	118	127	119	93	78	70	33	21	-
Black, female										
2000.....	27	19	31	34	29	34	21	22	33	-
1999.....	26	37	38	38	37	42	29	21	24	-

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of tongue (C01-C02)										
All races, both sexes										
2000.....	103	167	183	231	216	214	208	157	170	-
1999.....	114	152	170	197	209	228	221	164	168	-
All races, male										
2000.....	75	127	143	176	155	130	109	69	62	-
1999.....	87	115	123	150	152	158	142	77	64	-
All races, female										
2000.....	28	40	40	55	61	84	99	88	108	-
1999.....	27	37	47	47	57	70	79	87	104	-
White, both sexes										
2000.....	87	126	152	188	190	187	191	146	159	-
1999.....	80	115	128	168	179	202	201	157	154	-
White, male										
2000.....	61	92	121	145	134	114	97	63	57	-
1999.....	59	89	89	130	134	139	128	74	59	-
White, female										
2000.....	26	34	31	43	56	73	94	83	102	-
1999.....	21	26	39	38	45	63	73	83	95	-
All other, both sexes										
2000.....	16	41	31	43	26	27	17	11	11	-
1999.....	34	37	42	29	30	26	20	7	14	-
All other, male										
2000.....	14	35	22	31	21	16	12	6	5	-
1999.....	28	26	34	20	18	19	14	3	5	-
All other, female										
2000.....	2	6	9	12	5	11	5	5	6	-
1999.....	6	11	8	9	12	7	6	4	9	-
Black, both sexes										
2000.....	14	37	28	34	23	23	14	7	8	-
1999.....	30	35	37	27	25	22	18	6	11	-
Black, male										
2000.....	12	34	22	26	20	14	11	5	3	-
1999.....	24	26	30	19	15	17	13	3	3	-
Black, female										
2000.....	2	3	6	8	3	9	3	2	5	-
1999.....	6	9	7	8	10	5	5	3	8	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of pharynx (C10-C13,C14.0)										
All races, both sexes										
2000.....	163	280	367	397	414	456	389	261	237	-
1999.....	191	275	358	386	391	452	407	272	218	-
All races, male										
2000.....	128	222	297	305	300	319	261	157	121	-
1999.....	152	217	284	298	284	310	262	173	118	-
All races, female										
2000.....	35	58	70	92	114	137	128	104	116	-
1999.....	39	58	74	88	107	142	145	99	100	-
White, both sexes										
2000.....	97	188	255	285	319	371	330	232	205	-
1999.....	105	173	254	293	312	373	339	234	201	-
White, male										
2000.....	77	144	207	214	234	254	215	140	105	-
1999.....	83	134	203	226	226	258	214	147	107	-
White, female										
2000.....	20	44	48	71	85	117	115	92	100	-
1999.....	22	39	51	67	86	115	125	87	94	-
All other, both sexes										
2000.....	66	92	112	112	95	85	59	29	32	-
1999.....	86	102	104	93	79	79	68	38	17	-
All other, male										
2000.....	51	78	90	91	66	65	46	17	16	-
1999.....	69	83	81	72	58	52	48	26	11	-
All other, female										
2000.....	15	14	22	21	29	20	13	12	16	-
1999.....	17	19	23	21	21	27	20	12	6	-
Black, both sexes										
2000.....	50	71	96	95	74	68	47	26	24	-
1999.....	68	81	85	80	68	66	57	31	14	-
Black, male										
2000.....	38	61	77	77	54	53	36	15	11	-
1999.....	57	66	66	61	50	43	42	20	9	-
Black, female										
2000.....	12	10	19	18	20	15	11	11	13	-
1999.....	11	15	19	19	18	23	15	11	5	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)										
All races, both sexes										
2000.....	140	210	212	240	310	340	328	258	404	-
1999.....	143	183	223	276	282	317	357	308	403	-
All races, male										
2000.....	104	164	170	167	210	203	193	135	140	-
1999.....	106	140	159	211	188	202	197	148	136	-
All races, female										
2000.....	36	46	42	73	100	137	135	123	264	-
1999.....	37	43	64	65	94	115	160	160	267	-
White, both sexes										
2000.....	105	158	166	197	265	303	303	235	379	-
1999.....	101	140	176	223	239	281	326	289	378	-
White, male										
2000.....	82	119	131	136	171	180	177	120	135	-
1999.....	75	112	124	170	156	181	178	137	124	-
White, female										
2000.....	23	39	35	61	94	123	126	115	244	-
1999.....	26	28	52	53	83	100	148	152	254	-
All other, both sexes										
2000.....	35	52	46	43	45	37	25	23	25	-
1999.....	42	43	47	53	43	36	31	19	25	-
All other, male										
2000.....	22	45	39	31	39	23	16	15	5	-
1999.....	31	28	35	41	32	21	19	11	12	-
All other, female										
2000.....	13	7	7	12	6	14	9	8	20	-
1999.....	11	15	12	12	11	15	12	8	13	-
Black, both sexes										
2000.....	32	48	40	37	38	30	21	22	17	-
1999.....	37	39	43	50	37	32	24	17	20	-
Black, male										
2000.....	19	42	34	29	32	20	14	14	2	-
1999.....	28	26	31	39	28	18	15	10	9	-
Black, female										
2000.....	13	6	6	8	6	10	7	8	15	-
1999.....	9	13	12	11	9	14	9	7	11	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of digestive organs (C15-C26)										
All races, both sexes										
2000.....	4,354	6,817	8,750	11,412	14,654	19,265	21,513	18,523	21,406	1
1999.....	4,287	6,441	8,567	11,400	15,051	19,385	21,215	17,930	21,077	3
All races, male										
2000.....	2,805	4,425	5,609	7,154	8,926	10,982	11,477	8,709	7,535	1
1999.....	2,803	4,172	5,490	7,048	9,052	11,099	11,283	8,513	7,408	1
All races, female										
2000.....	1,549	2,392	3,141	4,258	5,728	8,283	10,036	9,814	13,871	-
1999.....	1,484	2,269	3,077	4,352	5,999	8,286	9,932	9,417	13,669	2
White, both sexes										
2000.....	3,271	5,297	6,962	9,276	12,165	16,458	18,754	16,388	19,074	1
1999.....	3,267	5,000	6,758	9,271	12,588	16,613	18,502	15,911	18,820	2
White, male										
2000.....	2,131	3,465	4,459	5,874	7,529	9,474	10,117	7,755	6,710	1
1999.....	2,146	3,250	4,352	5,775	7,661	9,659	9,887	7,630	6,631	-
White, female										
2000.....	1,140	1,832	2,503	3,402	4,636	6,984	8,637	8,633	12,364	-
1999.....	1,121	1,750	2,406	3,496	4,927	6,954	8,615	8,281	12,189	2
All other, both sexes										
2000.....	1,083	1,520	1,788	2,136	2,489	2,807	2,759	2,135	2,332	-
1999.....	1,020	1,441	1,809	2,129	2,463	2,772	2,713	2,019	2,257	1
All other, male										
2000.....	674	960	1,150	1,280	1,397	1,508	1,360	954	825	-
1999.....	657	922	1,138	1,273	1,391	1,440	1,396	883	777	1
All other, female										
2000.....	409	560	638	856	1,092	1,299	1,399	1,181	1,507	-
1999.....	363	519	671	856	1,072	1,332	1,317	1,136	1,480	-
Black, both sexes										
2000.....	892	1,274	1,426	1,733	2,002	2,266	2,228	1,713	1,940	-
1999.....	827	1,172	1,481	1,721	2,009	2,266	2,217	1,677	1,923	1
Black, male										
2000.....	550	802	923	1,025	1,113	1,207	1,076	747	632	-
1999.....	533	751	938	1,022	1,128	1,172	1,145	706	611	1
Black, female										
2000.....	342	472	503	708	889	1,059	1,152	966	1,308	-
1999.....	294	421	543	699	881	1,094	1,072	971	1,312	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of esophagus (C15)										
All races, both sexes										
2000.....	478	870	1,180	1,430	1,711	1,960	1,817	1,346	1,100	-
1999.....	469	793	1,139	1,392	1,739	1,955	1,784	1,202	1,114	1
All races, male										
2000.....	415	746	988	1,181	1,349	1,482	1,337	896	586	-
1999.....	410	684	969	1,112	1,396	1,529	1,328	808	573	1
All races, female										
2000.....	63	124	192	249	362	478	480	450	514	-
1999.....	59	109	170	280	343	426	456	394	541	-
White, both sexes										
2000.....	377	674	932	1,150	1,441	1,705	1,599	1,218	1,020	-
1999.....	362	617	895	1,114	1,448	1,691	1,564	1,102	1,025	-
White, male										
2000.....	341	588	791	975	1,158	1,308	1,186	830	547	-
1999.....	323	542	773	905	1,191	1,339	1,171	751	518	-
White, female										
2000.....	36	86	141	175	283	397	413	388	473	-
1999.....	39	75	122	209	257	352	393	351	507	-
All other, both sexes										
2000.....	101	196	248	280	270	255	218	128	80	-
1999.....	107	176	244	278	291	264	220	100	89	1
All other, male										
2000.....	74	158	197	206	191	174	151	66	39	-
1999.....	87	142	196	207	205	190	157	57	55	1
All other, female										
2000.....	27	38	51	74	79	81	67	62	41	-
1999.....	20	34	48	71	86	74	63	43	34	-
Black, both sexes										
2000.....	96	184	228	255	244	222	203	106	71	-
1999.....	99	166	225	252	260	231	200	82	75	1
Black, male										
2000.....	69	150	185	186	172	149	139	54	33	-
1999.....	79	133	179	190	179	165	143	42	44	1
Black, female										
2000.....	27	34	43	69	72	73	64	52	38	-
1999.....	20	33	46	62	81	66	57	40	31	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of stomach (C16)										
All races, both sexes										
2000.....	468	629	753	1,051	1,317	1,737	2,009	1,824	2,234	-
1999.....	450	651	808	1,052	1,359	1,793	2,064	1,796	2,083	-
All races, male										
2000.....	290	413	506	722	860	1,106	1,201	943	928	-
1999.....	303	443	558	694	893	1,112	1,250	989	851	-
All races, female										
2000.....	178	216	247	329	457	631	808	881	1,306	-
1999.....	147	208	250	358	466	681	814	807	1,232	-
White, both sexes										
2000.....	314	463	561	791	988	1,348	1,571	1,465	1,816	-
1999.....	320	451	583	765	1,066	1,393	1,636	1,462	1,686	-
White, male										
2000.....	192	311	379	557	660	874	952	770	764	-
1999.....	222	312	415	508	713	880	1,004	807	684	-
White, female										
2000.....	122	152	182	234	328	474	619	695	1,052	-
1999.....	98	139	168	257	353	513	632	655	1,002	-
All other, both sexes										
2000.....	154	166	192	260	329	389	438	359	418	-
1999.....	130	200	225	287	293	400	428	334	397	-
All other, male										
2000.....	98	102	127	165	200	232	249	173	164	-
1999.....	81	131	143	186	180	232	246	182	167	-
All other, female										
2000.....	56	64	65	95	129	157	189	186	254	-
1999.....	49	69	82	101	113	168	182	152	230	-
Black, both sexes										
2000.....	110	130	149	189	243	286	320	266	325	-
1999.....	89	151	173	205	214	298	328	257	321	-
Black, male										
2000.....	72	83	100	125	148	171	176	125	118	-
1999.....	60	99	112	133	135	178	188	139	126	-
Black, female										
2000.....	38	47	49	64	95	115	144	141	207	-
1999.....	29	52	61	72	79	120	140	118	195	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of small intestine (C17)										
All races, both sexes										
2000.....	57	64	79	106	118	152	161	140	127	-
1999.....	70	79	56	95	113	150	164	126	131	1
All races, male										
2000.....	32	38	42	61	63	84	77	67	52	-
1999.....	42	45	35	70	66	79	89	64	52	-
All races, female										
2000.....	25	26	37	45	55	68	84	73	75	-
1999.....	28	34	21	25	47	71	75	62	79	1
White, both sexes										
2000.....	41	49	65	90	96	135	143	122	118	-
1999.....	55	61	44	78	100	128	139	105	114	1
White, male										
2000.....	25	29	32	53	55	74	66	60	48	-
1999.....	36	34	27	58	59	66	76	54	48	-
White, female										
2000.....	16	20	33	37	41	61	77	62	70	-
1999.....	19	27	17	20	41	62	63	51	66	1
All other, both sexes										
2000.....	16	15	14	16	22	17	18	18	9	-
1999.....	15	18	12	17	13	22	25	21	17	-
All other, male										
2000.....	7	9	10	8	8	10	11	7	4	-
1999.....	6	11	8	12	7	13	13	10	4	-
All other, female										
2000.....	9	6	4	8	14	7	7	11	5	-
1999.....	9	7	4	5	6	9	12	11	13	-
Black, both sexes										
2000.....	11	15	12	15	19	14	12	13	6	-
1999.....	14	15	9	15	11	17	22	18	17	-
Black, male										
2000.....	6	9	8	8	7	9	6	6	2	-
1999.....	6	9	6	12	7	11	12	8	4	-
Black, female										
2000.....	5	6	4	7	12	5	6	7	4	-
1999.....	8	6	3	3	4	6	10	10	13	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of colon, rectum and anus (C18-C21)										
All races, both sexes										
2000.....	1,656	2,581	3,397	4,543	5,913	8,188	9,410	8,643	11,462	-
1999.....	1,623	2,434	3,309	4,658	6,095	8,154	9,473	8,456	11,286	-
All races, male										
2000.....	893	1,466	1,989	2,619	3,407	4,517	4,852	3,908	3,873	-
1999.....	876	1,374	1,932	2,689	3,431	4,452	4,857	3,897	3,866	-
All races, female										
2000.....	763	1,115	1,408	1,924	2,506	3,671	4,558	4,735	7,589	-
1999.....	747	1,060	1,377	1,969	2,664	3,702	4,616	4,559	7,420	-
White, both sexes										
2000.....	1,250	2,050	2,737	3,752	4,991	7,094	8,322	7,710	10,332	-
1999.....	1,264	1,935	2,676	3,861	5,145	7,083	8,370	7,574	10,201	-
White, male										
2000.....	692	1,182	1,607	2,181	2,906	3,955	4,332	3,485	3,473	-
1999.....	692	1,119	1,574	2,254	2,943	3,948	4,303	3,529	3,502	-
White, female										
2000.....	558	868	1,130	1,571	2,085	3,139	3,990	4,225	6,859	-
1999.....	572	816	1,102	1,607	2,202	3,135	4,067	4,045	6,699	-
All other, both sexes										
2000.....	406	531	660	791	922	1,094	1,088	933	1,130	-
1999.....	359	499	633	797	950	1,071	1,103	882	1,085	-
All other, male										
2000.....	201	284	382	438	501	562	520	423	400	-
1999.....	184	255	358	435	488	504	554	368	364	-
All other, female										
2000.....	205	247	278	353	421	532	568	510	730	-
1999.....	175	244	275	362	462	567	549	514	721	-
Black, both sexes										
2000.....	359	464	538	687	787	945	942	801	991	-
1999.....	305	414	551	705	819	927	965	785	960	-
Black, male										
2000.....	180	251	312	369	420	479	442	354	327	-
1999.....	159	218	319	379	426	435	480	315	299	-
Black, female										
2000.....	179	213	226	318	367	466	500	447	664	-
1999.....	146	196	232	326	393	492	485	470	661	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Colon (C18)

All races, both sexes										
2000.....	1,267	2,080	2,714	3,718	4,902	6,927	8,033	7,599	10,029	-
1999.....	1,265	1,969	2,663	3,843	5,085	6,900	8,128	7,402	9,892	-
All races, male										
2000.....	665	1,169	1,559	2,100	2,760	3,769	4,117	3,395	3,384	-
1999.....	675	1,092	1,527	2,197	2,831	3,739	4,139	3,374	3,368	-
All races, female										
2000.....	602	911	1,155	1,618	2,142	3,158	3,916	4,204	6,645	-
1999.....	590	877	1,136	1,646	2,254	3,161	3,989	4,028	6,524	-
White, both sexes										
2000.....	935	1,636	2,170	3,051	4,132	5,983	7,081	6,755	9,020	-
1999.....	966	1,559	2,130	3,168	4,277	5,970	7,161	6,618	8,930	-
White, male										
2000.....	509	936	1,256	1,734	2,360	3,297	3,664	3,014	3,021	-
1999.....	527	893	1,237	1,833	2,424	3,310	3,655	3,055	3,053	-
White, female										
2000.....	426	700	914	1,317	1,772	2,686	3,417	3,741	5,999	-
1999.....	439	666	893	1,335	1,853	2,660	3,506	3,563	5,877	-
All other, both sexes										
2000.....	332	444	544	667	770	944	952	844	1,009	-
1999.....	299	410	533	675	808	930	967	784	962	-
All other, male										
2000.....	156	233	303	366	400	472	453	381	363	-
1999.....	148	199	290	364	407	429	484	319	315	-
All other, female										
2000.....	176	211	241	301	370	472	499	463	646	-
1999.....	151	211	243	311	401	501	483	465	647	-
Black, both sexes										
2000.....	296	392	452	587	661	822	836	732	894	-
1999.....	261	347	468	605	707	809	849	706	859	-
Black, male										
2000.....	141	209	252	311	334	407	390	322	300	-
1999.....	130	175	262	319	365	373	423	274	260	-
Black, female										
2000.....	155	183	200	276	327	415	446	410	594	-
1999.....	131	172	206	286	342	436	426	432	599	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Rectosigmoid junction and rectum (C19-C20)										
All races, both sexes										
2000.....	347	452	639	774	963	1,203	1,313	1,006	1,383	-
1999.....	320	427	603	777	966	1,196	1,291	1,008	1,335	-
All races, male										
2000.....	215	274	407	499	625	728	714	496	477	-
1999.....	181	266	390	478	583	695	702	508	486	-
All races, female										
2000.....	132	178	232	275	338	475	599	510	906	-
1999.....	139	161	213	299	383	501	589	500	849	-
White, both sexes										
2000.....	277	373	528	655	814	1,060	1,185	918	1,268	-
1999.....	264	348	506	657	830	1,064	1,157	916	1,214	-
White, male										
2000.....	171	229	331	431	526	640	651	454	441	-
1999.....	148	215	323	408	503	622	632	460	438	-
White, female										
2000.....	106	144	197	224	288	420	534	464	827	-
1999.....	116	133	183	249	327	442	525	456	776	-
All other, both sexes										
2000.....	70	79	111	119	149	143	128	88	115	-
1999.....	56	79	97	120	136	132	134	92	121	-
All other, male										
2000.....	44	45	76	68	99	88	63	42	36	-
1999.....	33	51	67	70	80	73	70	48	48	-
All other, female										
2000.....	26	34	35	51	50	55	65	46	79	-
1999.....	23	28	30	50	56	59	64	44	73	-
Black, both sexes										
2000.....	60	64	82	96	123	117	99	68	92	-
1999.....	40	58	80	98	108	109	114	74	100	-
Black, male										
2000.....	38	36	58	55	84	70	48	32	26	-
1999.....	26	38	56	59	60	60	57	40	39	-
Black, female										
2000.....	22	28	24	41	39	47	51	36	66	-
1999.....	14	20	24	39	48	49	57	34	61	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Anus and anal canal (C21)										
All races, both sexes										
2000.....	42	49	44	51	48	58	64	38	50	-
1999.....	38	38	43	38	44	58	54	46	59	-
All races, male										
2000.....	13	23	23	20	22	20	21	17	12	-
1999.....	20	16	15	14	17	18	16	15	12	-
All races, female										
2000.....	29	26	21	31	26	38	43	21	38	-
1999.....	18	22	28	24	27	40	38	31	47	-
White, both sexes										
2000.....	38	41	39	46	45	51	56	37	44	-
1999.....	34	28	40	36	38	49	52	40	57	-
White, male										
2000.....	12	17	20	16	20	18	17	17	11	-
1999.....	17	11	14	13	16	16	16	14	11	-
White, female										
2000.....	26	24	19	30	25	33	39	20	33	-
1999.....	17	17	26	23	22	33	36	26	46	-
All other, both sexes										
2000.....	4	8	5	5	3	7	8	1	6	-
1999.....	4	10	3	2	6	9	2	6	2	-
All other, male										
2000.....	1	6	3	4	2	2	4	-	1	-
1999.....	3	5	1	1	1	2	-	1	1	-
All other, female										
2000.....	3	2	2	1	1	5	4	1	5	-
1999.....	1	5	2	1	5	7	2	5	1	-
Black, both sexes										
2000.....	3	8	4	4	3	6	7	1	5	-
1999.....	4	9	3	2	4	9	2	5	1	-
Black, male										
2000.....	1	6	2	3	2	2	4	-	1	-
1999.....	3	5	1	1	1	2	-	1	-	-
Black, female										
2000.....	2	2	2	1	1	4	3	1	4	-
1999.....	1	4	2	1	3	7	2	4	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of liver and intrahepatic bile ducts (C22)										
All races, both sexes										
2000.....	742	944	1,040	1,216	1,526	1,913	2,011	1,547	1,387	-
1999.....	666	826	928	1,163	1,558	1,933	1,914	1,511	1,270	-
All races, male										
2000.....	595	729	761	846	1,039	1,207	1,196	856	548	-
1999.....	533	628	671	794	1,041	1,243	1,103	774	478	-
All races, female										
2000.....	147	215	279	370	487	706	815	691	839	-
1999.....	133	198	257	369	517	690	811	737	792	-
White, both sexes										
2000.....	510	654	756	924	1,204	1,580	1,717	1,376	1,227	-
1999.....	448	601	662	892	1,258	1,614	1,660	1,338	1,127	-
White, male										
2000.....	401	500	542	641	827	1,006	1,048	766	478	-
1999.....	351	448	481	613	846	1,052	960	698	438	-
White, female										
2000.....	109	154	214	283	377	574	669	610	749	-
1999.....	97	153	181	279	412	562	700	640	689	-
All other, both sexes										
2000.....	232	290	284	292	322	333	294	171	160	-
1999.....	218	225	266	271	300	319	254	173	143	-
All other, male										
2000.....	194	229	219	205	212	201	148	90	70	-
1999.....	182	180	190	181	195	191	143	76	40	-
All other, female										
2000.....	38	61	65	87	110	132	146	81	90	-
1999.....	36	45	76	90	105	128	111	97	103	-
Black, both sexes										
2000.....	166	199	171	173	189	202	162	101	101	-
1999.....	150	143	157	158	191	207	149	117	108	-
Black, male										
2000.....	138	152	134	122	131	124	77	54	42	-
1999.....	125	115	110	102	124	124	85	49	26	-
Black, female										
2000.....	28	47	37	51	58	78	85	47	59	-
1999.....	25	28	47	56	67	83	64	68	82	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Liver (C22.0,C22.2-C22.9)										
All races, both sexes										
2000.....	644	788	857	967	1,208	1,511	1,536	1,191	991	-
1999.....	584	702	746	929	1,240	1,552	1,495	1,137	933	-
All races, male										
2000.....	536	651	667	719	867	994	956	690	416	-
1999.....	490	570	565	679	876	1,041	901	616	372	-
All races, female										
2000.....	108	137	190	248	341	517	580	501	575	-
1999.....	94	132	181	250	364	511	594	521	561	-
White, both sexes										
2000.....	430	524	607	717	925	1,220	1,295	1,047	863	-
1999.....	376	494	515	694	981	1,267	1,282	998	816	-
White, male										
2000.....	353	434	470	532	675	814	831	611	353	-
1999.....	313	397	393	511	702	868	780	556	339	-
White, female										
2000.....	77	90	137	185	250	406	464	436	510	-
1999.....	63	97	122	183	279	399	502	442	477	-
All other, both sexes										
2000.....	214	264	250	250	283	291	241	144	128	-
1999.....	208	208	231	235	259	285	213	139	117	-
All other, male										
2000.....	183	217	197	187	192	180	125	79	63	-
1999.....	177	173	172	168	174	173	121	60	33	-
All other, female										
2000.....	31	47	53	63	91	111	116	65	65	-
1999.....	31	35	59	67	85	112	92	79	84	-
Black, both sexes										
2000.....	154	183	153	143	164	173	134	86	79	-
1999.....	145	134	137	140	162	182	127	93	89	-
Black, male										
2000.....	131	146	123	111	118	109	65	48	37	-
1999.....	122	112	103	96	110	110	73	40	21	-
Black, female										
2000.....	23	37	30	32	46	64	69	38	42	-
1999.....	23	22	34	44	52	72	54	53	68	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Intrahepatic bile duct carcinoma (C22.1)										
All races, both sexes										
2000.....	98	156	183	249	318	402	475	356	396	-
1999.....	82	124	182	234	318	381	419	374	337	-
All races, male										
2000.....	59	78	94	127	172	213	240	166	132	-
1999.....	43	58	106	115	165	202	202	158	106	-
All races, female										
2000.....	39	78	89	122	146	189	235	190	264	-
1999.....	39	66	76	119	153	179	217	216	231	-
White, both sexes										
2000.....	80	130	149	207	279	360	422	329	364	-
1999.....	72	107	147	198	277	347	378	340	311	-
White, male										
2000.....	48	66	72	109	152	192	217	155	125	-
1999.....	38	51	88	102	144	184	180	142	99	-
White, female										
2000.....	32	64	77	98	127	168	205	174	239	-
1999.....	34	56	59	96	133	163	198	198	212	-
All other, both sexes										
2000.....	18	26	34	42	39	42	53	27	32	-
1999.....	10	17	35	36	41	34	41	34	26	-
All other, male										
2000.....	11	12	22	18	20	21	23	11	7	-
1999.....	5	7	18	13	21	18	22	16	7	-
All other, female										
2000.....	7	14	12	24	19	21	30	16	25	-
1999.....	5	10	17	23	20	16	19	18	19	-
Black, both sexes										
2000.....	12	16	18	30	25	29	28	15	22	-
1999.....	5	9	20	18	29	25	22	24	19	-
Black, male										
2000.....	7	6	11	11	13	15	12	6	5	-
1999.....	3	3	7	6	14	14	12	9	5	-
Black, female										
2000.....	5	10	7	19	12	14	16	9	17	-
1999.....	2	6	13	12	15	11	10	15	14	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

All races, both sexes										
2000.....	88	151	197	280	401	568	675	564	677	-
1999.....	71	136	213	268	400	535	645	579	674	-
All races, male										
2000.....	33	50	72	115	172	242	262	201	194	-
1999.....	31	52	75	108	165	212	250	198	181	-
All races, female										
2000.....	55	101	125	165	229	326	413	363	483	-
1999.....	40	84	138	160	235	323	395	381	493	-
White, both sexes										
2000.....	73	123	171	229	347	496	614	518	626	-
1999.....	54	114	181	233	348	470	576	512	616	-
White, male										
2000.....	29	44	64	96	157	210	238	188	180	-
1999.....	24	41	68	94	139	187	230	178	171	-
White, female										
2000.....	44	79	107	133	190	286	376	330	446	-
1999.....	30	73	113	139	209	283	346	334	445	-
All other, both sexes										
2000.....	15	28	26	51	54	72	61	46	51	-
1999.....	17	22	32	35	52	65	69	67	58	-
All other, male										
2000.....	4	6	8	19	15	32	24	13	14	-
1999.....	7	11	7	14	26	25	20	20	10	-
All other, female										
2000.....	11	22	18	32	39	40	37	33	37	-
1999.....	10	11	25	21	26	40	49	47	48	-
Black, both sexes										
2000.....	10	25	14	33	46	50	43	29	37	-
1999.....	13	17	24	28	38	48	44	46	38	-
Black, male										
2000.....	3	3	3	11	10	23	16	7	9	-
1999.....	5	7	3	12	17	19	15	14	4	-
Black, female										
2000.....	7	22	11	22	36	27	27	22	28	-
1999.....	8	10	21	16	21	29	29	32	34	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of pancreas (C25)										
All races, both sexes										
2000.....	834	1,528	2,030	2,678	3,546	4,557	5,223	4,236	4,087	1
1999.....	887	1,466	2,039	2,668	3,632	4,661	4,931	4,002	4,142	1
All races, male										
2000.....	531	955	1,206	1,543	1,965	2,224	2,447	1,742	1,262	1
1999.....	575	907	1,204	1,517	1,976	2,371	2,281	1,659	1,283	-
All races, female										
2000.....	303	573	824	1,135	1,581	2,333	2,776	2,494	2,825	-
1999.....	312	559	835	1,151	1,656	2,290	2,650	2,343	2,859	1
White, both sexes										
2000.....	679	1,248	1,675	2,250	2,999	3,945	4,603	3,786	3,633	1
1999.....	729	1,184	1,660	2,237	3,087	4,053	4,339	3,574	3,712	1
White, male										
2000.....	437	787	1,003	1,314	1,709	1,949	2,197	1,570	1,135	1
1999.....	476	728	978	1,287	1,699	2,096	2,031	1,496	1,159	-
White, female										
2000.....	242	461	672	936	1,290	1,996	2,406	2,216	2,498	-
1999.....	253	456	682	950	1,388	1,957	2,308	2,078	2,553	1
All other, both sexes										
2000.....	155	280	355	428	547	612	620	450	454	-
1999.....	158	282	379	431	545	608	592	428	430	-
All other, male										
2000.....	94	168	203	229	256	275	250	172	127	-
1999.....	99	179	226	230	277	275	250	163	124	-
All other, female										
2000.....	61	112	152	199	291	337	370	278	327	-
1999.....	59	103	153	201	268	333	342	265	306	-
Black, both sexes										
2000.....	136	246	307	365	455	523	528	369	383	-
1999.....	141	249	328	345	461	518	490	362	372	-
Black, male										
2000.....	80	151	178	195	214	236	215	138	95	-
1999.....	88	158	201	186	231	231	212	135	98	-
Black, female										
2000.....	56	95	129	170	241	287	313	231	288	-
1999.....	53	91	127	159	230	287	278	227	274	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of other and ill-defined digestive organs (C26)										
All races, both sexes										
2000.....	31	50	74	108	122	190	207	223	332	-
1999.....	51	56	75	104	155	204	240	258	377	-
All races, male										
2000.....	16	28	45	67	71	120	105	96	92	-
1999.....	33	39	46	64	84	101	125	124	124	-
All races, female										
2000.....	15	22	29	41	51	70	102	127	240	-
1999.....	18	17	29	40	71	103	115	134	253	-
White, both sexes										
2000.....	27	36	65	90	99	155	185	193	302	-
1999.....	35	37	57	91	136	181	218	244	339	-
White, male										
2000.....	14	24	41	57	57	98	98	86	85	-
1999.....	22	26	36	56	71	91	112	117	111	-
White, female										
2000.....	13	12	24	33	42	57	87	107	217	-
1999.....	13	11	21	35	65	90	106	127	228	-
All other, both sexes										
2000.....	4	14	9	18	23	35	22	30	30	-
1999.....	16	19	18	13	19	23	22	14	38	-
All other, male										
2000.....	2	4	4	10	14	22	7	10	7	-
1999.....	11	13	10	8	13	10	13	7	13	-
All other, female										
2000.....	2	10	5	8	9	13	15	20	23	-
1999.....	5	6	8	5	6	13	9	7	25	-
Black, both sexes										
2000.....	4	11	7	16	19	24	18	28	26	-
1999.....	16	17	14	13	15	20	19	10	32	-
Black, male										
2000.....	2	3	3	9	11	16	5	9	6	-
1999.....	11	12	8	8	9	9	10	4	10	-
Black, female										
2000.....	2	8	4	7	8	8	13	19	20	-
1999.....	5	5	6	5	6	11	9	6	22	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)										
All races, both sexes										
2000.....	4,421	8,026	12,912	17,838	24,115	29,566	28,016	19,043	13,177	5
1999.....	4,112	7,847	12,656	17,747	23,922	29,383	27,210	18,170	12,736	2
All races, male										
2000.....	2,690	4,840	7,912	10,850	14,694	17,759	16,245	10,611	6,647	5
1999.....	2,506	4,776	7,857	10,990	14,697	17,647	15,929	10,260	6,570	2
All races, female										
2000.....	1,731	3,186	5,000	6,988	9,421	11,807	11,771	8,432	6,530	-
1999.....	1,606	3,071	4,799	6,757	9,225	11,736	11,281	7,910	6,166	-
White, both sexes										
2000.....	3,406	6,510	10,899	15,352	21,090	26,285	25,277	17,514	12,028	3
1999.....	3,159	6,371	10,702	15,204	20,845	26,222	24,525	16,612	11,602	1
White, male										
2000.....	2,060	3,824	6,539	9,248	12,726	15,684	14,505	9,692	6,023	3
1999.....	1,891	3,788	6,551	9,294	12,705	15,631	14,265	9,305	5,957	1
White, female										
2000.....	1,346	2,686	4,360	6,104	8,364	10,601	10,772	7,822	6,005	-
1999.....	1,268	2,583	4,151	5,910	8,140	10,591	10,260	7,307	5,645	-
All other, both sexes										
2000.....	1,015	1,516	2,013	2,486	3,025	3,281	2,739	1,529	1,149	2
1999.....	953	1,476	1,954	2,543	3,077	3,161	2,685	1,558	1,134	1
All other, male										
2000.....	630	1,016	1,373	1,602	1,968	2,075	1,740	919	624	2
1999.....	615	988	1,306	1,696	1,992	2,016	1,664	955	613	1
All other, female										
2000.....	385	500	640	884	1,057	1,206	999	610	525	-
1999.....	338	488	648	847	1,085	1,145	1,021	603	521	-
Black, both sexes										
2000.....	892	1,383	1,774	2,198	2,641	2,817	2,319	1,266	946	1
1999.....	859	1,333	1,748	2,251	2,667	2,694	2,319	1,299	942	-
Black, male										
2000.....	560	935	1,220	1,421	1,744	1,776	1,456	766	507	1
1999.....	565	905	1,188	1,517	1,738	1,714	1,432	797	512	-
Black, female										
2000.....	332	448	554	777	897	1,041	863	500	439	-
1999.....	294	428	560	734	929	980	887	502	430	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of nasal cavity, middle ear and accessory sinuses (C30-C31)										
All races, both sexes										
2000.....	18	31	39	44	46	55	48	46	51	-
1999.....	23	43	37	34	50	53	60	47	62	-
All races, male										
2000.....	11	21	27	30	29	35	29	21	18	-
1999.....	17	32	30	21	31	24	36	20	21	-
All races, female										
2000.....	7	10	12	14	17	20	19	25	33	-
1999.....	6	11	7	13	19	29	24	27	41	-
White, both sexes										
2000.....	13	25	29	37	39	48	45	42	49	-
1999.....	17	37	32	27	44	52	60	43	58	-
White, male										
2000.....	7	17	20	25	24	32	28	21	17	-
1999.....	11	27	25	17	28	23	36	18	21	-
White, female										
2000.....	6	8	9	12	15	16	17	21	32	-
1999.....	6	10	7	10	16	29	24	25	37	-
All other, both sexes										
2000.....	5	6	10	7	7	7	3	4	2	-
1999.....	6	6	5	7	6	1	-	4	4	-
All other, male										
2000.....	4	4	7	5	5	3	1	-	1	-
1999.....	6	5	5	4	3	1	-	2	-	-
All other, female										
2000.....	1	2	3	2	2	4	2	4	1	-
1999.....	-	1	-	3	3	-	-	2	4	-
Black, both sexes										
2000.....	4	5	9	7	7	5	2	4	2	-
1999.....	5	6	4	6	5	1	-	4	3	-
Black, male										
2000.....	3	3	6	5	5	3	-	-	1	-
1999.....	5	5	4	4	2	1	-	2	-	-
Black, female										
2000.....	1	2	3	2	2	2	2	4	1	-
1999.....	-	1	-	2	3	-	-	2	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of larynx (C32)										
All races, both sexes										
2000.....	156	270	384	489	574	645	595	401	276	-
1999.....	151	254	410	494	584	655	529	363	291	-
All races, male										
2000.....	122	218	319	407	441	504	451	314	214	-
1999.....	130	216	339	396	458	490	397	284	213	-
All races, female										
2000.....	34	52	65	82	133	141	144	87	62	-
1999.....	21	38	71	98	126	165	132	79	78	-
White, both sexes										
2000.....	108	191	279	364	466	521	501	358	252	-
1999.....	101	183	308	383	475	560	469	325	253	-
White, male										
2000.....	86	151	228	302	356	407	383	281	195	-
1999.....	87	158	252	310	372	417	352	249	181	-
White, female										
2000.....	22	40	51	62	110	114	118	77	57	-
1999.....	14	25	56	73	103	143	117	76	72	-
All other, both sexes										
2000.....	48	79	105	125	108	124	94	43	24	-
1999.....	50	71	102	111	109	95	60	38	38	-
All other, male										
2000.....	36	67	91	105	85	97	68	33	19	-
1999.....	43	58	87	86	86	73	45	35	32	-
All other, female										
2000.....	12	12	14	20	23	27	26	10	5	-
1999.....	7	13	15	25	23	22	15	3	6	-
Black, both sexes										
2000.....	47	76	101	118	96	115	88	41	22	-
1999.....	48	69	98	107	103	87	57	34	26	-
Black, male										
2000.....	35	65	87	100	76	90	62	32	17	-
1999.....	41	56	85	84	81	67	42	32	21	-
Black, female										
2000.....	12	11	14	18	20	25	26	9	5	-
1999.....	7	13	13	23	22	20	15	2	5	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of trachea, bronchus and lung (C33-C34)										
All races, both sexes										
2000.....	4,220	7,695	12,453	17,268	23,438	28,820	27,305	18,531	12,806	5
1999.....	3,916	7,518	12,165	17,179	23,239	28,609	26,556	17,705	12,339	2
All races, male										
2000.....	2,540	4,583	7,546	10,391	14,189	17,193	15,726	10,240	6,395	5
1999.....	2,346	4,505	7,465	10,548	14,186	17,101	15,461	9,936	6,315	2
All races, female										
2000.....	1,680	3,112	4,907	6,877	9,249	11,627	11,579	8,291	6,411	-
1999.....	1,570	3,013	4,700	6,631	9,053	11,508	11,095	7,769	6,024	-
White, both sexes										
2000.....	3,265	6,272	10,562	14,925	20,532	25,676	24,672	17,054	11,685	3
1999.....	3,022	6,125	10,324	14,766	20,284	25,556	23,939	16,192	11,252	1
White, male										
2000.....	1,953	3,641	6,274	8,905	12,313	15,221	14,059	9,356	5,792	3
1999.....	1,782	3,583	6,252	8,949	12,286	15,164	13,846	9,018	5,737	1
White, female										
2000.....	1,312	2,631	4,288	6,020	8,219	10,455	10,613	7,698	5,893	-
1999.....	1,240	2,542	4,072	5,817	7,998	10,392	10,093	7,174	5,515	-
All other, both sexes										
2000.....	955	1,423	1,891	2,343	2,906	3,144	2,633	1,477	1,121	2
1999.....	894	1,393	1,841	2,413	2,955	3,053	2,617	1,513	1,087	1
All other, male										
2000.....	587	942	1,272	1,486	1,876	1,972	1,667	884	603	2
1999.....	564	922	1,213	1,599	1,900	1,937	1,615	918	578	1
All other, female										
2000.....	368	481	619	857	1,030	1,172	966	593	518	-
1999.....	330	471	628	814	1,055	1,116	1,002	595	509	-
Black, both sexes										
2000.....	837	1,295	1,660	2,066	2,534	2,692	2,222	1,216	921	1
1999.....	804	1,252	1,643	2,127	2,553	2,595	2,257	1,258	911	-
Black, male										
2000.....	520	864	1,125	1,312	1,661	1,680	1,390	732	488	1
1999.....	518	841	1,099	1,422	1,653	1,641	1,387	763	490	-
Black, female										
2000.....	317	431	535	754	873	1,012	832	484	433	-
1999.....	286	411	544	705	900	954	870	495	421	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of thymus, heart, mediastinum and pleura (C37-C38)										
All races, both sexes										
2000.....	25	26	32	36	48	41	61	62	37	-
1999.....	21	30	41	35	41	59	59	51	41	-
All races, male										
2000.....	15	15	16	22	28	24	35	33	17	-
1999.....	12	21	22	21	18	28	29	19	18	-
All races, female										
2000.....	10	11	16	14	20	17	26	29	20	-
1999.....	9	9	19	14	23	31	30	32	23	-
White, both sexes										
2000.....	18	19	25	25	45	36	53	57	35	-
1999.....	18	25	35	23	36	47	52	48	36	-
White, male										
2000.....	12	12	13	16	27	22	31	31	16	-
1999.....	10	19	21	14	17	23	26	19	15	-
White, female										
2000.....	6	7	12	9	18	14	22	26	19	-
1999.....	8	6	14	9	19	24	26	29	21	-
All other, both sexes										
2000.....	7	7	7	11	3	5	8	5	2	-
1999.....	3	5	6	12	5	12	7	3	5	-
All other, male										
2000.....	3	3	3	6	1	2	4	2	1	-
1999.....	2	2	1	7	1	5	3	-	3	-
All other, female										
2000.....	4	4	4	5	2	3	4	3	1	-
1999.....	1	3	5	5	4	7	4	3	2	-
Black, both sexes										
2000.....	4	6	4	7	3	4	6	5	1	-
1999.....	2	5	3	11	5	11	4	3	2	-
Black, male										
2000.....	2	3	2	4	1	2	4	2	1	-
1999.....	1	2	-	7	1	5	2	-	1	-
Black, female										
2000.....	2	3	2	3	2	2	2	3	-	-
1999.....	1	3	3	4	4	6	2	3	1	-

Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of bone and articular cartilage (C40-C41)										
All races, both sexes										
2000.....	55	51	73	62	89	86	131	106	144	-
1999.....	67	63	44	63	81	101	118	101	124	-
All races, male										
2000.....	36	39	45	36	53	45	67	50	52	-
1999.....	38	39	28	40	41	61	55	40	54	-
All races, female										
2000.....	19	12	28	26	36	41	64	56	92	-
1999.....	29	24	16	23	40	40	63	61	70	-
White, both sexes										
2000.....	48	47	57	54	82	79	117	98	135	-
1999.....	54	57	34	50	74	91	111	96	117	-
White, male										
2000.....	29	36	36	31	50	40	61	44	50	-
1999.....	31	34	22	32	38	55	51	38	52	-
White, female										
2000.....	19	11	21	23	32	39	56	54	85	-
1999.....	23	23	12	18	36	36	60	58	65	-
All other, both sexes										
2000.....	7	4	16	8	7	7	14	8	9	-
1999.....	13	6	10	13	7	10	7	5	7	-
All other, male										
2000.....	7	3	9	5	3	5	6	6	2	-
1999.....	7	5	6	8	3	6	4	2	2	-
All other, female										
2000.....	-	1	7	3	4	2	8	2	7	-
1999.....	6	1	4	5	4	4	3	3	5	-
Black, both sexes										
2000.....	6	2	12	7	6	7	12	6	9	-
1999.....	12	6	7	12	7	8	6	4	7	-
Black, male										
2000.....	6	1	6	5	3	5	5	5	2	-
1999.....	6	5	4	8	3	6	4	1	2	-
Black, female										
2000.....	-	1	6	2	3	2	7	1	7	-
1999.....	6	1	3	4	4	2	2	3	5	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Melanoma and other malignant neoplasms of skin (C43-C44)										
All races, both sexes										
2000.....	597	786	779	843	1,000	1,180	1,229	1,002	1,350	-
1999.....	604	718	748	853	1,007	1,160	1,260	1,038	1,213	-
All races, male										
2000.....	368	541	543	567	682	795	807	636	680	-
1999.....	406	472	530	591	684	800	809	634	604	-
All races, female										
2000.....	229	245	236	276	318	385	422	366	670	-
1999.....	198	246	218	262	323	360	451	404	609	-
White, both sexes										
2000.....	575	755	735	805	958	1,135	1,194	975	1,317	-
1999.....	575	691	722	816	977	1,127	1,219	1,017	1,187	-
White, male										
2000.....	357	518	514	544	655	771	787	622	672	-
1999.....	385	450	511	564	666	779	782	623	594	-
White, female										
2000.....	218	237	221	261	303	364	407	353	645	-
1999.....	190	241	211	252	311	348	437	394	593	-
All other, both sexes										
2000.....	22	31	44	38	42	45	35	27	33	-
1999.....	29	27	26	37	30	33	41	21	26	-
All other, male										
2000.....	11	23	29	23	27	24	20	14	8	-
1999.....	21	22	19	27	18	21	27	11	10	-
All other, female										
2000.....	11	8	15	15	15	21	15	13	25	-
1999.....	8	5	7	10	12	12	14	10	16	-
Black, both sexes										
2000.....	18	25	38	32	33	37	27	24	26	-
1999.....	24	26	22	31	25	27	30	16	21	-
Black, male										
2000.....	9	19	25	21	20	18	16	12	3	-
1999.....	19	21	15	24	14	19	22	8	8	-
Black, female										
2000.....	9	6	13	11	13	19	11	12	23	-
1999.....	5	5	7	7	11	8	8	8	13	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant melanoma of skin (C43)										
All races, both sexes										
2000.....	534	665	627	676	753	884	887	737	803	-
1999.....	518	602	615	648	791	861	945	694	681	-
All races, male										
2000.....	321	448	420	446	495	572	559	454	390	-
1999.....	337	380	425	426	526	570	596	410	328	-
All races, female										
2000.....	213	217	207	230	258	312	328	283	413	-
1999.....	181	222	190	222	265	291	349	284	353	-
White, both sexes										
2000.....	525	654	611	662	736	862	871	717	780	-
1999.....	509	598	608	636	777	846	924	680	664	-
White, male										
2000.....	319	441	411	440	484	563	552	444	385	-
1999.....	331	377	420	418	519	564	584	404	321	-
White, female										
2000.....	206	213	200	222	252	299	319	273	395	-
1999.....	178	221	188	218	258	282	340	276	343	-
All other, both sexes										
2000.....	9	11	16	14	17	22	16	20	23	-
1999.....	9	4	7	12	14	15	21	14	17	-
All other, male										
2000.....	2	7	9	6	11	9	7	10	5	-
1999.....	6	3	5	8	7	6	12	6	7	-
All other, female										
2000.....	7	4	7	8	6	13	9	10	18	-
1999.....	3	1	2	4	7	9	9	8	10	-
Black, both sexes										
2000.....	6	7	11	9	11	19	14	18	21	-
1999.....	6	3	5	9	11	14	14	11	14	-
Black, male										
2000.....	1	5	6	5	7	7	6	9	3	-
1999.....	4	2	3	7	4	6	8	4	6	-
Black, female										
2000.....	5	2	5	4	4	12	8	9	18	-
1999.....	2	1	2	2	7	8	6	7	8	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Other malignant neoplasms of skin (C44)

All races, both sexes										
2000.....	63	121	152	167	247	296	342	265	547	-
1999.....	86	116	133	205	216	299	315	344	532	-
All races, male										
2000.....	47	93	123	121	187	223	248	182	290	-
1999.....	69	92	105	165	158	230	213	224	276	-
All races, female										
2000.....	16	28	29	46	60	73	94	83	257	-
1999.....	17	24	28	40	58	69	102	120	256	-
White, both sexes										
2000.....	50	101	124	143	222	273	323	258	537	-
1999.....	66	93	114	180	200	281	295	337	523	-
White, male										
2000.....	38	77	103	104	171	208	235	178	287	-
1999.....	54	73	91	146	147	215	198	219	273	-
White, female										
2000.....	12	24	21	39	51	65	88	80	250	-
1999.....	12	20	23	34	53	66	97	118	250	-
All other, both sexes										
2000.....	13	20	28	24	25	23	19	7	10	-
1999.....	20	23	19	25	16	18	20	7	9	-
All other, male										
2000.....	9	16	20	17	16	15	13	4	3	-
1999.....	15	19	14	19	11	15	15	5	3	-
All other, female										
2000.....	4	4	8	7	9	8	6	3	7	-
1999.....	5	4	5	6	5	3	5	2	6	-
Black, both sexes										
2000.....	12	18	27	23	22	18	13	6	5	-
1999.....	18	23	17	22	14	13	16	5	7	-
Black, male										
2000.....	8	14	19	16	13	11	10	3	-	-
1999.....	15	19	12	17	10	13	14	4	2	-
Black, female										
2000.....	4	4	8	7	9	7	3	3	5	-
1999.....	3	4	5	5	4	-	2	1	5	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of mesothelial and soft tissue (C45-C49)										
All races, both sexes										
2000.....	286	386	499	572	773	988	1,066	801	664	-
1999.....	281	387	455	597	733	975	1,029	775	614	-
All races, male										
2000.....	151	191	276	341	476	593	668	480	348	-
1999.....	136	210	272	350	459	606	626	464	294	-
All races, female										
2000.....	135	195	223	231	297	395	398	321	316	-
1999.....	145	177	183	247	274	369	403	311	320	-
White, both sexes										
2000.....	235	323	441	509	689	915	1,007	767	620	-
1999.....	239	333	405	524	669	901	953	724	575	-
White, male										
2000.....	129	172	251	306	430	556	635	461	327	-
1999.....	118	186	249	312	425	565	588	443	283	-
White, female										
2000.....	106	151	190	203	259	359	372	306	293	-
1999.....	121	147	156	212	244	336	365	281	292	-
All other, both sexes										
2000.....	51	63	58	63	84	73	59	34	44	-
1999.....	42	54	50	73	64	74	76	51	39	-
All other, male										
2000.....	22	19	25	35	46	37	33	19	21	-
1999.....	18	24	23	38	34	41	38	21	11	-
All other, female										
2000.....	29	44	33	28	38	36	26	15	23	-
1999.....	24	30	27	35	30	33	38	30	28	-
Black, both sexes										
2000.....	44	49	51	53	70	66	48	28	35	-
1999.....	34	42	38	65	46	62	64	40	33	-
Black, male										
2000.....	20	12	24	30	36	33	26	15	15	-
1999.....	14	20	21	34	23	31	31	16	10	-
Black, female										
2000.....	24	37	27	23	34	33	22	13	20	-
1999.....	20	22	17	31	23	31	33	24	23	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Mesothelioma (C45)										
All races, both sexes										
2000.....	40	83	150	206	317	458	491	357	243	-
1999.....	48	88	159	210	320	452	483	349	198	-
All races, male										
2000.....	22	62	123	173	260	384	407	284	190	-
1999.....	35	66	122	168	267	374	389	285	152	-
All races, female										
2000.....	18	21	27	33	57	74	84	73	53	-
1999.....	13	22	37	42	53	78	94	64	46	-
White, both sexes										
2000.....	33	76	137	193	291	436	475	350	234	-
1999.....	43	79	150	194	307	435	459	332	190	-
White, male										
2000.....	17	55	113	162	240	365	395	277	184	-
1999.....	33	59	116	154	259	360	371	275	147	-
White, female										
2000.....	16	21	24	31	51	71	80	73	50	-
1999.....	10	20	34	40	48	75	88	57	43	-
All other, both sexes										
2000.....	7	7	13	13	26	22	16	7	9	-
1999.....	5	9	9	16	13	17	24	17	8	-
All other, male										
2000.....	5	7	10	11	20	19	12	7	6	-
1999.....	2	7	6	14	8	14	18	10	5	-
All other, female										
2000.....	2	-	3	2	6	3	4	-	3	-
1999.....	3	2	3	2	5	3	6	7	3	-
Black, both sexes										
2000.....	5	5	11	11	22	20	13	7	6	-
1999.....	4	8	7	14	10	13	19	14	6	-
Black, male										
2000.....	3	5	9	9	17	17	9	7	4	-
1999.....	1	7	6	13	6	10	14	8	4	-
Black, female										
2000.....	2	-	2	2	5	3	4	-	2	-
1999.....	3	1	1	1	4	3	5	6	2	-

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of other mesothelial and soft tissue (C47-C49)										
All races, both sexes										
2000.....	243	302	347	365	454	524	568	434	406	-
1999.....	233	298	296	387	413	522	543	420	399	-
All races, male										
2000.....	126	128	151	167	214	204	257	190	153	-
1999.....	101	143	150	182	192	231	234	173	135	-
All races, female										
2000.....	117	174	196	198	240	320	311	244	253	-
1999.....	132	155	146	205	221	291	309	247	264	-
White, both sexes										
2000.....	201	246	303	316	397	475	526	409	371	-
1999.....	196	253	255	330	362	465	491	386	369	-
White, male										
2000.....	111	116	137	144	189	188	237	180	138	-
1999.....	85	126	133	158	166	204	214	162	130	-
White, female										
2000.....	90	130	166	172	208	287	289	229	233	-
1999.....	111	127	122	172	196	261	277	224	239	-
All other, both sexes										
2000.....	42	56	44	49	57	49	42	25	35	-
1999.....	37	45	41	57	51	57	52	34	30	-
All other, male										
2000.....	15	12	14	23	25	16	20	10	15	-
1999.....	16	17	17	24	26	27	20	11	5	-
All other, female										
2000.....	27	44	30	26	32	33	22	15	20	-
1999.....	21	28	24	33	25	30	32	23	25	-
Black, both sexes										
2000.....	37	44	39	41	47	44	34	19	29	-
1999.....	30	34	31	51	36	49	45	26	26	-
Black, male										
2000.....	15	7	14	20	18	14	16	6	11	-
1999.....	13	13	15	21	17	21	17	8	5	-
Black, female										
2000.....	22	37	25	21	29	30	18	13	18	-
1999.....	17	21	16	30	19	28	28	18	21	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of breast (C50)										
All races, both sexes										
2000.....	2,730	3,655	3,790	3,783	4,135	4,889	5,256	4,494	6,249	-
1999.....	2,619	3,555	3,682	3,717	4,147	4,962	5,140	4,511	6,000	-
All races, male										
2000.....	18	28	44	41	47	68	65	44	51	-
1999.....	11	30	36	34	47	56	56	42	54	-
All races, female										
2000.....	2,712	3,627	3,746	3,742	4,088	4,821	5,191	4,450	6,198	-
1999.....	2,608	3,525	3,646	3,683	4,100	4,906	5,084	4,469	5,946	-
White, both sexes										
2000.....	2,066	2,934	3,100	3,182	3,584	4,341	4,735	4,107	5,651	-
1999.....	1,977	2,849	3,006	3,105	3,550	4,372	4,598	4,116	5,498	-
White, male										
2000.....	13	24	34	33	43	60	60	38	43	-
1999.....	8	22	29	25	40	45	49	37	47	-
White, female										
2000.....	2,053	2,910	3,066	3,149	3,541	4,281	4,675	4,069	5,608	-
1999.....	1,969	2,827	2,977	3,080	3,510	4,327	4,549	4,079	5,451	-
All other, both sexes										
2000.....	664	721	690	601	551	548	521	387	598	-
1999.....	642	706	676	612	597	590	542	395	502	-
All other, male										
2000.....	5	4	10	8	4	8	5	6	8	-
1999.....	3	8	7	9	7	11	7	5	7	-
All other, female										
2000.....	659	717	680	593	547	540	516	381	590	-
1999.....	639	698	669	603	590	579	535	390	495	-
Black, both sexes										
2000.....	564	614	592	518	477	492	474	356	564	-
1999.....	553	614	582	521	523	517	493	363	462	-
Black, male										
2000.....	4	4	8	8	3	8	5	5	8	-
1999.....	1	8	7	9	6	10	6	5	7	-
Black, female										
2000.....	560	610	584	510	474	484	469	351	556	-
1999.....	552	606	575	512	517	507	487	358	455	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of female genital organs (C51-C58)										
All races, both sexes										
2000.....	1,300	1,824	2,093	2,402	2,953	3,448	3,897	3,233	3,490	1
1999.....	1,302	1,751	1,979	2,423	2,939	3,502	3,795	3,155	3,284	1
All races, male										
2000.....
1999.....
All races, female										
2000.....	1,300	1,824	2,093	2,402	2,953	3,448	3,897	3,233	3,490	1
1999.....	1,302	1,751	1,979	2,423	2,939	3,502	3,795	3,155	3,284	1
White, both sexes										
2000.....	1,068	1,515	1,780	2,011	2,465	2,951	3,462	2,912	3,151	-
1999.....	1,091	1,478	1,667	2,044	2,460	3,017	3,343	2,860	2,969	1
White, male										
2000.....
1999.....
White, female										
2000.....	1,068	1,515	1,780	2,011	2,465	2,951	3,462	2,912	3,151	-
1999.....	1,091	1,478	1,667	2,044	2,460	3,017	3,343	2,860	2,969	1
All other, both sexes										
2000.....	232	309	313	391	488	497	435	321	339	1
1999.....	211	273	312	379	479	485	452	295	315	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	232	309	313	391	488	497	435	321	339	1
1999.....	211	273	312	379	479	485	452	295	315	-
Black, both sexes										
2000.....	173	232	250	331	425	434	388	282	309	1
1999.....	148	210	263	336	416	450	396	256	287	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	173	232	250	331	425	434	388	282	309	1
1999.....	148	210	263	336	416	450	396	256	287	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of vulva and vagina (C51-C52)										
All races, both sexes										
2000.....	28	50	44	62	99	137	187	178	327	-
1999.....	26	48	45	66	82	132	184	189	356	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	28	50	44	62	99	137	187	178	327	-
1999.....	26	48	45	66	82	132	184	189	356	-
White, both sexes										
2000.....	24	43	36	56	90	126	169	167	303	-
1999.....	22	40	33	55	72	117	163	175	339	-
White, male										
2000.....
1999.....
White, female										
2000.....	24	43	36	56	90	126	169	167	303	-
1999.....	22	40	33	55	72	117	163	175	339	-
All other, both sexes										
2000.....	4	7	8	6	9	11	18	11	24	-
1999.....	4	8	12	11	10	15	21	14	17	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	4	7	8	6	9	11	18	11	24	-
1999.....	4	8	12	11	10	15	21	14	17	-
Black, both sexes										
2000.....	4	5	7	6	9	9	14	10	23	-
1999.....	4	7	8	9	9	13	15	13	16	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	4	5	7	6	9	9	14	10	23	-
1999.....	4	7	8	9	9	13	15	13	16	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of cervix uteri (C53)										
All races, both sexes										
2000.....	448	467	416	332	342	344	320	279	310	-
1999.....	462	452	393	376	350	346	345	223	329	1
All races, male										
2000.....
1999.....
All races, female										
2000.....	448	467	416	332	342	344	320	279	310	-
1999.....	462	452	393	376	350	346	345	223	329	1
White, both sexes										
2000.....	334	352	314	243	243	255	253	225	241	-
1999.....	371	360	298	275	261	242	265	181	255	1
White, male										
2000.....
1999.....
White, female										
2000.....	334	352	314	243	243	255	253	225	241	-
1999.....	371	360	298	275	261	242	265	181	255	1
All other, both sexes										
2000.....	114	115	102	89	99	89	67	54	69	-
1999.....	91	92	95	101	89	104	80	42	74	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	114	115	102	89	99	89	67	54	69	-
1999.....	91	92	95	101	89	104	80	42	74	-
Black, both sexes										
2000.....	88	92	83	70	85	73	61	48	63	-
1999.....	68	72	80	89	79	97	69	33	68	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	88	92	83	70	85	73	61	48	63	-
1999.....	68	72	80	89	79	97	69	33	68	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of corpus uteri and uterus, part unspecified (C54-C55)										
All races, both sexes										
2000.....	190	317	478	644	800	981	1,039	919	1,049	1
1999.....	182	286	427	592	835	972	1,061	947	999	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	190	317	478	644	800	981	1,039	919	1,049	1
1999.....	182	286	427	592	835	972	1,061	947	999	-
White, both sexes										
2000.....	158	262	394	496	602	771	866	785	936	-
1999.....	150	236	342	474	630	805	904	835	881	-
White, male										
2000.....
1999.....
White, female										
2000.....	158	262	394	496	602	771	866	785	936	-
1999.....	150	236	342	474	630	805	904	835	881	-
All other, both sexes										
2000.....	32	55	84	148	198	210	173	134	113	1
1999.....	32	50	85	118	205	167	157	112	118	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	32	55	84	148	198	210	173	134	113	1
1999.....	32	50	85	118	205	167	157	112	118	-
Black, both sexes										
2000.....	24	44	71	131	177	198	156	124	106	1
1999.....	18	39	76	113	189	161	144	103	111	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	24	44	71	131	177	198	156	124	106	1
1999.....	18	39	76	113	189	161	144	103	111	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of ovary (C56)										
All races, both sexes										
2000.....	617	966	1,123	1,321	1,669	1,932	2,295	1,803	1,736	-
1999.....	616	933	1,081	1,345	1,626	1,986	2,143	1,732	1,562	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	617	966	1,123	1,321	1,669	1,932	2,295	1,803	1,736	-
1999.....	616	933	1,081	1,345	1,626	1,986	2,143	1,732	1,562	-
White, both sexes										
2000.....	541	838	1,008	1,179	1,489	1,752	2,130	1,684	1,611	-
1999.....	535	814	965	1,199	1,455	1,799	1,956	1,614	1,459	-
White, male										
2000.....
1999.....
White, female										
2000.....	541	838	1,008	1,179	1,489	1,752	2,130	1,684	1,611	-
1999.....	535	814	965	1,199	1,455	1,799	1,956	1,614	1,459	-
All other, both sexes										
2000.....	76	128	115	142	180	180	165	119	125	-
1999.....	81	119	116	146	171	187	187	118	103	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	76	128	115	142	180	180	165	119	125	-
1999.....	81	119	116	146	171	187	187	118	103	-
Black, both sexes										
2000.....	51	89	86	119	152	147	147	97	110	-
1999.....	55	89	95	122	136	168	162	98	90	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	51	89	86	119	152	147	147	97	110	-
1999.....	55	89	95	122	136	168	162	98	90	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of other and unspecified female genital organs (C57)										
All races, both sexes										
2000.....	14	22	32	43	43	54	55	54	67	-
1999.....	16	32	33	44	46	66	62	64	38	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	14	22	32	43	43	54	55	54	67	-
1999.....	16	32	33	44	46	66	62	64	38	-
White, both sexes										
2000.....	9	19	28	37	41	47	43	51	60	-
1999.....	13	28	29	41	42	54	55	55	35	-
White, male										
2000.....
1999.....
White, female										
2000.....	9	19	28	37	41	47	43	51	60	-
1999.....	13	28	29	41	42	54	55	55	35	-
All other, both sexes										
2000.....	5	3	4	6	2	7	12	3	7	-
1999.....	3	4	4	3	4	12	7	9	3	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	5	3	4	6	2	7	12	3	7	-
1999.....	3	4	4	3	4	12	7	9	3	-
Black, both sexes										
2000.....	5	2	3	5	2	7	10	3	6	-
1999.....	3	3	4	3	3	11	6	9	2	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	5	2	3	5	2	7	10	3	6	-
1999.....	3	3	4	3	3	11	6	9	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of placenta (C58)										
All races, both sexes										
2000.....	3	2	-
1999.....	-	-	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	3	2	-
1999.....	-	-	-
White, both sexes										
2000.....	2	1	-
1999.....	-	-	-
White, male										
2000.....
1999.....
White, female										
2000.....	2	1	-
1999.....	-	-	-
All other, both sexes										
2000.....	1	1	-
1999.....	-	-	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	1	1	-
1999.....	-	-	-
Black, both sexes										
2000.....	1	-	-
1999.....	-	-	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	1	-	-
1999.....	-	-	-

[illegible]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

[illegible]

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of urinary tract (C64-C68)										
All races, both sexes										
2000.....	622	1,086	1,541	1,938	2,617	3,553	4,090	3,827	4,493	-
1999.....	577	1,063	1,482	1,944	2,565	3,601	3,991	3,567	4,280	1
All races, male										
2000.....	424	788	1,110	1,370	1,828	2,381	2,661	2,379	2,440	-
1999.....	420	758	1,066	1,381	1,786	2,408	2,657	2,193	2,248	1
All races, female										
2000.....	198	298	431	568	789	1,172	1,429	1,448	2,053	-
1999.....	157	305	416	563	779	1,193	1,334	1,374	2,032	-
White, both sexes										
2000.....	528	954	1,364	1,730	2,350	3,220	3,740	3,533	4,191	-
1999.....	467	913	1,294	1,726	2,288	3,263	3,662	3,313	3,941	1
White, male										
2000.....	367	694	984	1,242	1,654	2,189	2,469	2,214	2,293	-
1999.....	344	646	943	1,245	1,616	2,219	2,468	2,066	2,104	1
White, female										
2000.....	161	260	380	488	696	1,031	1,271	1,319	1,898	-
1999.....	123	267	351	481	672	1,044	1,194	1,247	1,837	-
All other, both sexes										
2000.....	94	132	177	208	267	333	350	294	302	-
1999.....	110	150	188	218	277	338	329	254	339	-
All other, male										
2000.....	57	94	126	128	174	192	192	165	147	-
1999.....	76	112	123	136	170	189	189	127	144	-
All other, female										
2000.....	37	38	51	80	93	141	158	129	155	-
1999.....	34	38	65	82	107	149	140	127	195	-
Black, both sexes										
2000.....	80	113	147	174	227	281	301	262	257	-
1999.....	93	131	168	182	235	290	275	211	292	-
Black, male										
2000.....	46	78	99	109	146	160	162	145	122	-
1999.....	62	97	110	113	139	154	154	103	118	-
Black, female										
2000.....	34	35	48	65	81	121	139	117	135	-
1999.....	31	34	58	69	96	136	121	108	174	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of kidney and renal pelvis (C64-C65)										
All races, both sexes										
2000.....	450	789	1,026	1,169	1,432	1,714	1,819	1,463	1,432	-
1999.....	427	720	959	1,152	1,374	1,702	1,696	1,314	1,305	-
All races, male										
2000.....	309	571	727	803	942	1,068	1,054	811	676	-
1999.....	310	506	671	803	894	1,064	1,016	701	590	-
All races, female										
2000.....	141	218	299	366	490	646	765	652	756	-
1999.....	117	214	288	349	480	638	680	613	715	-
White, both sexes										
2000.....	381	685	903	1,031	1,271	1,542	1,657	1,344	1,323	-
1999.....	346	616	841	1,027	1,226	1,531	1,541	1,211	1,187	-
White, male										
2000.....	266	495	637	716	829	966	965	744	627	-
1999.....	255	427	586	724	798	961	927	660	538	-
White, female										
2000.....	115	190	266	315	442	576	692	600	696	-
1999.....	91	189	255	303	428	570	614	551	649	-
All other, both sexes										
2000.....	69	104	123	138	161	172	162	119	109	-
1999.....	81	104	118	125	148	171	155	103	118	-
All other, male										
2000.....	43	76	90	87	113	102	89	67	49	-
1999.....	55	79	85	79	96	103	89	41	52	-
All other, female										
2000.....	26	28	33	51	48	70	73	52	60	-
1999.....	26	25	33	46	52	68	66	62	66	-
Black, both sexes										
2000.....	58	87	100	114	134	139	132	103	95	-
1999.....	67	87	102	104	122	143	129	84	98	-
Black, male										
2000.....	35	61	69	74	96	84	68	58	43	-
1999.....	44	65	74	66	77	83	72	32	42	-
Black, female										
2000.....	23	26	31	40	38	55	64	45	52	-
1999.....	23	22	28	38	45	60	57	52	56	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of bladder (C67)										
All races, both sexes										
2000.....	160	280	486	737	1,119	1,736	2,155	2,252	2,952	-
1999.....	140	323	492	752	1,126	1,797	2,178	2,139	2,845	1
All races, male										
2000.....	110	212	369	547	838	1,256	1,542	1,512	1,710	-
1999.....	107	243	374	559	849	1,283	1,575	1,433	1,608	1
All races, female										
2000.....	50	68	117	190	281	480	613	740	1,242	-
1999.....	33	80	118	193	277	514	603	706	1,237	-
White, both sexes										
2000.....	137	254	439	670	1,020	1,585	1,977	2,079	2,764	-
1999.....	114	283	429	664	1,005	1,638	2,011	1,997	2,630	1
White, male										
2000.....	96	195	335	508	779	1,170	1,447	1,414	1,615	-
1999.....	87	210	340	503	778	1,199	1,477	1,351	1,519	1
White, female										
2000.....	41	59	104	162	241	415	530	665	1,149	-
1999.....	27	73	89	161	227	439	534	646	1,111	-
All other, both sexes										
2000.....	23	26	47	67	99	151	178	173	188	-
1999.....	26	40	63	88	121	159	167	142	215	-
All other, male										
2000.....	14	17	34	39	59	86	95	98	95	-
1999.....	20	33	34	56	71	84	98	82	89	-
All other, female										
2000.....	9	9	13	28	40	65	83	75	93	-
1999.....	6	7	29	32	50	75	69	60	126	-
Black, both sexes										
2000.....	20	24	41	59	86	134	160	158	159	-
1999.....	23	39	59	74	107	140	142	122	189	-
Black, male										
2000.....	11	16	28	35	48	72	87	87	77	-
1999.....	17	32	32	46	60	70	82	68	74	-
Black, female										
2000.....	9	8	13	24	38	62	73	71	82	-
1999.....	6	7	27	28	47	70	60	54	115	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of other and unspecified sites within the urinary tract (C66,C68)										
All races, both sexes										
2000.....	12	17	29	32	66	103	116	112	109	-
1999.....	10	20	31	40	65	102	117	114	130	-
All races, male										
2000.....	5	5	14	20	48	57	65	56	54	-
1999.....	3	9	21	19	43	61	66	59	50	-
All races, female										
2000.....	7	12	15	12	18	46	51	56	55	-
1999.....	7	11	10	21	22	41	51	55	80	-
White, both sexes										
2000.....	10	15	22	29	59	93	106	110	104	-
1999.....	7	14	24	35	57	94	110	105	124	-
White, male										
2000.....	5	4	12	18	46	53	57	56	51	-
1999.....	2	9	17	18	40	59	64	55	47	-
White, female										
2000.....	5	11	10	11	13	40	49	54	53	-
1999.....	5	5	7	17	17	35	46	50	77	-
All other, both sexes										
2000.....	2	2	7	3	7	10	10	2	5	-
1999.....	3	6	7	5	8	8	7	9	6	-
All other, male										
2000.....	-	1	2	2	2	4	8	-	3	-
1999.....	1	-	4	1	3	2	2	4	3	-
All other, female										
2000.....	2	1	5	1	5	6	2	2	2	-
1999.....	2	6	3	4	5	6	5	5	3	-
Black, both sexes										
2000.....	2	2	6	1	7	8	9	1	3	-
1999.....	3	5	7	4	6	7	4	5	5	-
Black, male										
2000.....	-	1	2	-	2	4	7	-	2	-
1999.....	1	-	4	1	2	1	-	3	2	-
Black, female										
2000.....	2	1	4	1	5	4	2	1	1	-
1999.....	2	5	3	3	4	6	4	2	3	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of eye and adnexa (C69)										
All races, both sexes										
2000.....	10	16	21	22	25	28	30	23	34	-
1999.....	12	14	14	18	20	31	26	31	35	-
All races, male										
2000.....	7	11	12	13	17	15	18	10	13	-
1999.....	3	9	6	11	13	20	14	7	11	-
All races, female										
2000.....	3	5	9	9	8	13	12	13	21	-
1999.....	9	5	8	7	7	11	12	24	24	-
White, both sexes										
2000.....	8	16	19	21	24	28	30	21	32	-
1999.....	11	14	12	18	19	31	26	31	35	-
White, male										
2000.....	7	11	11	12	16	15	18	8	13	-
1999.....	3	9	6	11	13	20	14	7	11	-
White, female										
2000.....	1	5	8	9	8	13	12	13	19	-
1999.....	8	5	6	7	6	11	12	24	24	-
All other, both sexes										
2000.....	2	-	2	1	1	-	-	2	2	-
1999.....	1	-	2	-	1	-	-	-	-	-
All other, male										
2000.....	-	-	1	1	1	-	-	2	-	-
1999.....	-	-	-	-	-	-	-	-	-	-
All other, female										
2000.....	2	-	1	-	-	-	-	-	2	-
1999.....	1	-	2	-	1	-	-	-	-	-
Black, both sexes										
2000.....	2	-	2	1	-	-	-	2	1	-
1999.....	1	-	2	-	1	-	-	-	-	-
Black, male										
2000.....	-	-	1	1	-	-	-	2	-	-
1999.....	-	-	-	-	-	-	-	-	-	-
Black, female										
2000.....	2	-	1	-	-	-	-	-	1	-
1999.....	1	-	2	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

All races, both sexes										
2000.....	815	1,109	1,110	1,227	1,409	1,623	1,437	1,041	717	-
1999.....	842	1,038	1,206	1,247	1,498	1,621	1,543	949	663	-
All races, male										
2000.....	481	667	660	719	789	889	705	482	275	-
1999.....	507	613	670	747	858	870	785	441	247	-
All races, female										
2000.....	334	442	450	508	620	734	732	559	442	-
1999.....	335	425	536	500	640	751	758	508	416	-
White, both sexes										
2000.....	745	1,026	1,019	1,142	1,321	1,543	1,362	978	671	-
1999.....	775	950	1,123	1,153	1,400	1,545	1,463	900	625	-
White, male										
2000.....	449	609	611	673	747	846	669	459	261	-
1999.....	463	560	625	691	807	834	745	424	235	-
White, female										
2000.....	296	417	408	469	574	697	693	519	410	-
1999.....	312	390	498	462	593	711	718	476	390	-
All other, both sexes										
2000.....	70	83	91	85	88	80	75	63	46	-
1999.....	67	88	83	94	98	76	80	49	38	-
All other, male										
2000.....	32	58	49	46	42	43	36	23	14	-
1999.....	44	53	45	56	51	36	40	17	12	-
All other, female										
2000.....	38	25	42	39	46	37	39	40	32	-
1999.....	23	35	38	38	47	40	40	32	26	-
Black, both sexes										
2000.....	52	70	73	66	68	66	58	51	34	-
1999.....	59	70	70	72	77	58	67	40	31	-
Black, male										
2000.....	24	49	40	37	30	37	25	18	9	-
1999.....	39	43	35	41	42	26	30	11	10	-
Black, female										
2000.....	28	21	33	29	38	29	33	33	25	-
1999.....	20	27	35	31	35	32	37	29	21	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Of brain (C71)

All races, both sexes

2000.....	797	1,088	1,091	1,209	1,386	1,598	1,415	1,020	693	-
1999.....	828	1,011	1,187	1,223	1,478	1,587	1,508	926	644	-

All races, male

2000.....	472	655	651	712	777	879	695	473	268	-
1999.....	499	601	661	733	846	851	769	433	240	-

All races, female

2000.....	325	433	440	497	609	719	720	547	425	-
1999.....	329	410	526	490	632	736	739	493	404	-

White, both sexes

2000.....	728	1,007	1,003	1,126	1,301	1,518	1,345	958	650	-
1999.....	762	928	1,108	1,134	1,380	1,514	1,431	880	609	-

White, male

2000.....	440	598	604	667	736	836	662	451	255	-
1999.....	456	551	617	680	795	818	730	417	229	-

White, female

2000.....	288	409	399	459	565	682	683	507	395	-
1999.....	306	377	491	454	585	696	701	463	380	-

All other, both sexes

2000.....	69	81	88	83	85	80	70	62	43	-
1999.....	66	83	79	89	98	73	77	46	35	-

All other, male

2000.....	32	57	47	45	41	43	33	22	13	-
1999.....	43	50	44	53	51	33	39	16	11	-

All other, female

2000.....	37	24	41	38	44	37	37	40	30	-
1999.....	23	33	35	36	47	40	38	30	24	-

Black, both sexes

2000.....	51	68	71	64	65	66	55	50	32	-
1999.....	59	66	66	69	77	55	64	37	29	-

Black, male

2000.....	24	48	39	36	29	37	23	17	8	-
1999.....	39	40	34	40	42	23	29	10	9	-

Black, female

2000.....	27	20	32	28	36	29	32	33	24	-
1999.....	20	26	32	29	35	32	35	27	20	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of other parts of central nervous system (C70,C72)										
All races, both sexes										
2000.....	18	21	19	18	23	25	22	21	24	-
1999.....	14	27	19	24	20	34	35	23	19	-
All races, male										
2000.....	9	12	9	7	12	10	10	9	7	-
1999.....	8	12	9	14	12	19	16	8	7	-
All races, female										
2000.....	9	9	10	11	11	15	12	12	17	-
1999.....	6	15	10	10	8	15	19	15	12	-
White, both sexes										
2000.....	17	19	16	16	20	25	17	20	21	-
1999.....	13	22	15	19	20	31	32	20	16	-
White, male										
2000.....	9	11	7	6	11	10	7	8	6	-
1999.....	7	9	8	11	12	16	15	7	6	-
White, female										
2000.....	8	8	9	10	9	15	10	12	15	-
1999.....	6	13	7	8	8	15	17	13	10	-
All other, both sexes										
2000.....	1	2	3	2	3	-	5	1	3	-
1999.....	1	5	4	5	-	3	3	3	3	-
All other, male										
2000.....	-	1	2	1	1	-	3	1	1	-
1999.....	1	3	1	3	-	3	1	1	1	-
All other, female										
2000.....	1	1	1	1	2	-	2	-	2	-
1999.....	-	2	3	2	-	-	2	2	2	-
Black, both sexes										
2000.....	1	2	2	2	3	-	3	1	2	-
1999.....	-	4	4	3	-	3	3	3	2	-
Black, male										
2000.....	-	1	1	1	1	-	2	1	1	-
1999.....	-	3	1	1	-	3	1	1	1	-
Black, female										
2000.....	1	1	1	1	2	-	1	-	1	-
1999.....	-	1	3	2	-	-	2	2	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)										
All races, both sexes										
2000.....	79	95	141	174	219	255	286	225	262	2
1999.....	85	101	144	173	193	230	284	216	241	-
All races, male										
2000.....	46	43	67	90	109	118	118	92	65	2
1999.....	41	59	67	85	93	119	120	82	61	-
All races, female										
2000.....	33	52	74	84	110	137	168	133	197	-
1999.....	44	42	77	88	100	111	164	134	180	-
White, both sexes										
2000.....	66	69	124	144	185	220	259	204	239	2
1999.....	76	90	122	147	169	202	253	199	219	-
White, male										
2000.....	38	34	63	72	96	109	112	87	62	2
1999.....	37	53	54	75	84	107	114	77	53	-
White, female										
2000.....	28	35	61	72	89	111	147	117	177	-
1999.....	39	37	68	72	85	95	139	122	166	-
All other, both sexes										
2000.....	13	26	17	30	34	35	27	21	23	-
1999.....	9	11	22	26	24	28	31	17	22	-
All other, male										
2000.....	8	9	4	18	13	9	6	5	3	-
1999.....	4	6	13	10	9	12	6	5	8	-
All other, female										
2000.....	5	17	13	12	21	26	21	16	20	-
1999.....	5	5	9	16	15	16	25	12	14	-
Black, both sexes										
2000.....	11	22	11	22	22	23	21	13	19	-
1999.....	8	8	20	19	17	23	19	11	17	-
Black, male										
2000.....	7	9	3	13	8	8	4	3	1	-
1999.....	4	4	12	7	8	10	4	4	5	-
Black, female										
2000.....	4	13	8	9	14	15	17	10	18	-
1999.....	4	4	8	12	9	13	15	7	12	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)										
All races, both sexes										
2000.....	1,303	2,071	2,644	3,457	4,475	5,905	6,674	5,916	6,743	2
1999.....	1,379	2,073	2,893	3,834	5,020	6,586	7,104	6,260	6,996	1
All races, male										
2000.....	745	1,200	1,515	1,982	2,492	3,188	3,362	2,717	2,455	2
1999.....	800	1,185	1,676	2,190	2,767	3,589	3,573	2,851	2,612	1
All races, female										
2000.....	558	871	1,129	1,475	1,983	2,717	3,312	3,199	4,288	-
1999.....	579	888	1,217	1,644	2,253	2,997	3,531	3,409	4,384	-
White, both sexes										
2000.....	992	1,632	2,194	2,861	3,847	5,134	5,893	5,379	6,153	1
1999.....	1,059	1,659	2,341	3,177	4,324	5,740	6,336	5,675	6,328	1
White, male										
2000.....	559	941	1,243	1,604	2,158	2,792	2,938	2,490	2,232	1
1999.....	597	943	1,355	1,823	2,383	3,145	3,204	2,602	2,361	1
White, female										
2000.....	433	691	951	1,257	1,689	2,342	2,955	2,889	3,921	-
1999.....	462	716	986	1,354	1,941	2,595	3,132	3,073	3,967	-
All other, both sexes										
2000.....	311	439	450	596	628	771	781	537	590	1
1999.....	320	414	552	657	696	846	768	585	668	-
All other, male										
2000.....	186	259	272	378	334	396	424	227	223	1
1999.....	203	242	321	367	384	444	369	249	251	-
All other, female										
2000.....	125	180	178	218	294	375	357	310	367	-
1999.....	117	172	231	290	312	402	399	336	417	-
Black, both sexes										
2000.....	272	372	392	512	539	646	661	456	496	1
1999.....	284	355	475	573	593	709	657	498	578	-
Black, male										
2000.....	166	224	235	326	292	331	359	190	177	1
1999.....	177	209	289	325	338	372	306	210	206	-
Black, female										
2000.....	106	148	157	186	247	315	302	266	319	-
1999.....	107	146	186	248	255	337	351	288	372	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)										
All races, both sexes										
2000.....	1,675	2,350	3,156	4,128	5,932	8,109	9,743	8,705	8,674	-
1999.....	1,648	2,302	3,346	4,208	5,996	8,336	9,596	8,493	8,282	-
All races, male										
2000.....	1,015	1,384	1,850	2,355	3,445	4,593	5,168	4,231	3,458	-
1999.....	986	1,382	1,957	2,469	3,436	4,631	5,102	3,998	3,329	-
All races, female										
2000.....	660	966	1,306	1,773	2,487	3,516	4,575	4,474	5,216	-
1999.....	662	920	1,389	1,739	2,560	3,705	4,494	4,495	4,953	-
White, both sexes										
2000.....	1,340	1,957	2,693	3,562	5,251	7,307	8,944	8,129	8,007	-
1999.....	1,362	1,919	2,836	3,604	5,297	7,529	8,778	7,909	7,688	-
White, male										
2000.....	827	1,150	1,591	2,048	3,103	4,146	4,784	3,976	3,217	-
1999.....	816	1,168	1,673	2,144	3,068	4,219	4,683	3,761	3,085	-
White, female										
2000.....	513	807	1,102	1,514	2,148	3,161	4,160	4,153	4,790	-
1999.....	546	751	1,163	1,460	2,229	3,310	4,095	4,148	4,603	-
All other, both sexes										
2000.....	335	393	463	566	681	802	799	576	667	-
1999.....	286	383	510	604	699	807	818	584	594	-
All other, male										
2000.....	188	234	259	307	342	447	384	255	241	-
1999.....	170	214	284	325	368	412	419	237	244	-
All other, female										
2000.....	147	159	204	259	339	355	415	321	426	-
1999.....	116	169	226	279	331	395	399	347	350	-
Black, both sexes										
2000.....	295	328	393	482	563	678	643	466	561	-
1999.....	239	322	435	492	585	668	667	482	508	-
Black, male										
2000.....	163	188	223	262	281	375	313	199	195	-
1999.....	141	183	243	260	311	338	335	189	188	-
Black, female										
2000.....	132	140	170	220	282	303	330	267	366	-
1999.....	98	139	192	232	274	330	332	293	320	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hodgkin's disease (C81)										
All races, both sexes										
2000.....	73	88	64	94	92	140	134	121	104	-
1999.....	82	83	87	91	120	163	149	113	98	-
All races, male										
2000.....	46	53	30	57	58	76	71	50	45	-
1999.....	48	50	54	61	72	88	69	50	45	-
All races, female										
2000.....	27	35	34	37	34	64	63	71	59	-
1999.....	34	33	33	30	48	75	80	63	53	-
White, both sexes										
2000.....	66	75	56	82	86	125	134	114	99	-
1999.....	72	74	78	85	106	154	144	110	89	-
White, male										
2000.....	42	45	26	48	55	67	71	47	43	-
1999.....	41	42	49	58	64	84	67	49	41	-
White, female										
2000.....	24	30	30	34	31	58	63	67	56	-
1999.....	31	32	29	27	42	70	77	61	48	-
All other, both sexes										
2000.....	7	13	8	12	6	15	-	7	5	-
1999.....	10	9	9	6	14	9	5	3	9	-
All other, male										
2000.....	4	8	4	9	3	9	-	3	2	-
1999.....	7	8	5	3	8	4	2	1	4	-
All other, female										
2000.....	3	5	4	3	3	6	-	4	3	-
1999.....	3	1	4	3	6	5	3	2	5	-
Black, both sexes										
2000.....	7	10	8	9	4	11	-	5	3	-
1999.....	10	9	9	5	11	7	5	1	7	-
Black, male										
2000.....	4	5	4	7	2	5	-	3	1	-
1999.....	7	8	5	3	8	4	2	1	2	-
Black, female										
2000.....	3	5	4	2	2	6	-	2	2	-
1999.....	3	1	4	2	3	3	3	-	5	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)										
All races, both sexes										
2000.....	735	1,018	1,440	1,742	2,393	3,227	3,997	3,567	3,423	-
1999.....	699	1,051	1,420	1,746	2,451	3,414	4,023	3,556	3,241	-
All races, male										
2000.....	470	648	870	988	1,349	1,768	2,028	1,623	1,308	-
1999.....	460	655	856	998	1,360	1,824	2,061	1,549	1,249	-
All races, female										
2000.....	265	370	570	754	1,044	1,459	1,969	1,944	2,115	-
1999.....	239	396	564	748	1,091	1,590	1,962	2,007	1,992	-
White, both sexes										
2000.....	606	882	1,295	1,570	2,186	2,996	3,772	3,411	3,254	-
1999.....	584	927	1,256	1,573	2,259	3,173	3,771	3,409	3,069	-
White, male										
2000.....	390	558	775	891	1,251	1,635	1,926	1,555	1,247	-
1999.....	387	578	755	894	1,253	1,708	1,919	1,499	1,169	-
White, female										
2000.....	216	324	520	679	935	1,361	1,846	1,856	2,007	-
1999.....	197	349	501	679	1,006	1,465	1,852	1,910	1,900	-
All other, both sexes										
2000.....	129	136	145	172	207	231	225	156	169	-
1999.....	115	124	164	173	192	241	252	147	172	-
All other, male										
2000.....	80	90	95	97	98	133	102	68	61	-
1999.....	73	77	101	104	107	116	142	50	80	-
All other, female										
2000.....	49	46	50	75	109	98	123	88	108	-
1999.....	42	47	63	69	85	125	110	97	92	-
Black, both sexes										
2000.....	109	103	120	138	150	170	148	101	118	-
1999.....	94	100	139	126	154	177	180	109	128	-
Black, male										
2000.....	69	68	83	76	74	96	66	38	40	-
1999.....	59	65	82	74	90	84	100	33	51	-
Black, female										
2000.....	40	35	37	62	76	74	82	63	78	-
1999.....	35	35	57	52	64	93	80	76	77	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Non-Hodgkin's lymphoma (C82-C85)										
All races, both sexes										
2000.....	730	1,015	1,434	1,736	2,386	3,212	3,984	3,551	3,402	-
1999.....	696	1,045	1,414	1,740	2,441	3,407	4,009	3,545	3,228	-
All races, male										
2000.....	466	646	865	984	1,342	1,763	2,018	1,616	1,299	-
1999.....	459	652	851	996	1,355	1,821	2,052	1,544	1,246	-
All races, female										
2000.....	264	369	569	752	1,044	1,449	1,966	1,935	2,103	-
1999.....	237	393	563	744	1,086	1,586	1,957	2,001	1,982	-
White, both sexes										
2000.....	603	879	1,290	1,564	2,179	2,982	3,761	3,396	3,235	-
1999.....	582	922	1,251	1,567	2,249	3,166	3,758	3,399	3,057	-
White, male										
2000.....	388	556	771	887	1,244	1,631	1,917	1,548	1,240	-
1999.....	386	576	751	892	1,248	1,705	1,911	1,494	1,166	-
White, female										
2000.....	215	323	519	677	935	1,351	1,844	1,848	1,995	-
1999.....	196	346	500	675	1,001	1,461	1,847	1,905	1,891	-
All other, both sexes										
2000.....	127	136	144	172	207	230	223	155	167	-
1999.....	114	123	163	173	192	241	251	146	171	-
All other, male										
2000.....	78	90	94	97	98	132	101	68	59	-
1999.....	73	76	100	104	107	116	141	50	80	-
All other, female										
2000.....	49	46	50	75	109	98	122	87	108	-
1999.....	41	47	63	69	85	125	110	96	91	-
Black, both sexes										
2000.....	107	103	119	138	150	170	146	100	116	-
1999.....	93	99	138	126	154	177	179	109	127	-
Black, male										
2000.....	67	68	82	76	74	96	65	38	38	-
1999.....	59	64	81	74	90	84	99	33	51	-
Black, female										
2000.....	40	35	37	62	76	74	81	62	78	-
1999.....	34	35	57	52	64	93	80	76	76	-

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant immunoproliferative diseases (C88)										
All races, both sexes										
2000.....	4	6	17	19	27	51	65	86	90	-
1999.....	6	10	15	40	33	64	90	79	112	-
All races, male										
2000.....	4	4	9	12	19	31	41	44	42	-
1999.....	3	6	9	26	23	41	50	41	46	-
All races, female										
2000.....	-	2	8	7	8	20	24	42	48	-
1999.....	3	4	6	14	10	23	40	38	66	-
White, both sexes										
2000.....	4	3	16	19	26	49	61	82	85	-
1999.....	6	6	12	35	32	62	80	78	110	-
White, male										
2000.....	4	2	8	12	19	31	39	42	39	-
1999.....	3	4	7	22	22	39	45	40	46	-
White, female										
2000.....	-	1	8	7	7	18	22	40	46	-
1999.....	3	2	5	13	10	23	35	38	64	-
All other, both sexes										
2000.....	-	3	1	-	1	2	4	4	5	-
1999.....	-	4	3	5	1	2	10	1	2	-
All other, male										
2000.....	-	2	1	-	-	-	2	2	3	-
1999.....	-	2	2	4	1	2	5	1	-	-
All other, female										
2000.....	-	1	-	-	1	2	2	2	2	-
1999.....	-	2	1	1	-	-	5	-	2	-
Black, both sexes										
2000.....	-	3	1	-	1	2	3	3	5	-
1999.....	-	4	2	5	1	1	5	1	2	-
Black, male										
2000.....	-	2	1	-	-	-	2	2	3	-
1999.....	-	2	1	4	1	1	2	1	-	-
Black, female										
2000.....	-	1	-	-	1	2	1	1	2	-
1999.....	-	2	1	1	-	-	3	-	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Multiple myeloma and malignant plasma cell neoplasms (C90)										
All races, both sexes										
2000.....	241	449	594	900	1,347	1,754	2,032	1,713	1,514	-
1999.....	235	414	712	927	1,314	1,761	1,933	1,686	1,407	-
All races, male										
2000.....	139	244	312	475	732	915	1,046	801	593	-
1999.....	129	240	402	531	706	899	976	779	566	-
All races, female										
2000.....	102	205	282	425	615	839	986	912	921	-
1999.....	106	174	310	396	608	862	957	907	841	-
White, both sexes										
2000.....	164	328	426	703	1,083	1,447	1,705	1,496	1,267	-
1999.....	176	293	515	690	1,061	1,448	1,617	1,471	1,202	-
White, male										
2000.....	99	179	232	380	602	762	893	716	518	-
1999.....	99	184	299	419	588	745	837	689	490	-
White, female										
2000.....	65	149	194	323	481	685	812	780	749	-
1999.....	77	109	216	271	473	703	780	782	712	-
All other, both sexes										
2000.....	77	121	168	197	264	307	327	217	247	-
1999.....	59	121	197	237	253	313	316	215	205	-
All other, male										
2000.....	40	65	80	95	130	153	153	85	75	-
1999.....	30	56	103	112	118	154	139	90	76	-
All other, female										
2000.....	37	56	88	102	134	154	174	132	172	-
1999.....	29	65	94	125	135	159	177	125	129	-
Black, both sexes										
2000.....	72	115	157	181	246	282	297	202	224	-
1999.....	56	113	179	210	218	277	281	194	196	-
Black, male										
2000.....	36	60	74	89	119	144	140	80	66	-
1999.....	28	52	94	98	100	137	123	84	69	-
Black, female										
2000.....	36	55	83	92	127	138	157	122	158	-
1999.....	28	61	85	112	118	140	158	110	127	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Leukemia (C91-C95)										
All races, both sexes										
2000.....	622	789	1,041	1,373	2,073	2,937	3,515	3,218	3,543	-
1999.....	626	744	1,112	1,404	2,078	2,934	3,401	3,059	3,424	-
All races, male										
2000.....	356	435	629	823	1,287	1,803	1,982	1,713	1,470	-
1999.....	346	431	636	853	1,275	1,779	1,946	1,579	1,423	-
All races, female										
2000.....	266	354	412	550	786	1,134	1,533	1,505	2,073	-
1999.....	280	313	476	551	803	1,155	1,455	1,480	2,001	-
White, both sexes										
2000.....	500	669	900	1,188	1,870	2,690	3,272	3,026	3,302	-
1999.....	524	619	975	1,221	1,839	2,692	3,166	2,841	3,218	-
White, male										
2000.....	292	366	550	717	1,176	1,651	1,855	1,616	1,370	-
1999.....	286	360	563	751	1,141	1,643	1,815	1,484	1,339	-
White, female										
2000.....	208	303	350	471	694	1,039	1,417	1,410	1,932	-
1999.....	238	259	412	470	698	1,049	1,351	1,357	1,879	-
All other, both sexes										
2000.....	122	120	141	185	203	247	243	192	241	-
1999.....	102	125	137	183	239	242	235	218	206	-
All other, male										
2000.....	64	69	79	106	111	152	127	97	100	-
1999.....	60	71	73	102	134	136	131	95	84	-
All other, female										
2000.....	58	51	62	79	92	95	116	95	141	-
1999.....	42	54	64	81	105	106	104	123	122	-
Black, both sexes										
2000.....	107	97	107	154	162	213	195	155	211	-
1999.....	79	96	106	146	201	206	196	177	175	-
Black, male										
2000.....	54	53	61	90	86	130	105	76	85	-
1999.....	47	56	61	81	112	112	108	70	66	-
Black, female										
2000.....	53	44	46	64	76	83	90	79	126	-
1999.....	32	40	45	65	89	94	88	107	109	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Lymphoid leukemia (C91)										
All races, both sexes										
2000.....	128	168	242	343	524	788	973	963	1,358	-
1999.....	116	179	282	378	572	820	983	961	1,278	-
All races, male										
2000.....	79	102	174	237	361	499	574	521	537	-
1999.....	71	128	187	259	380	510	576	517	544	-
All races, female										
2000.....	49	66	68	106	163	289	399	442	821	-
1999.....	45	51	95	119	192	310	407	444	734	-
White, both sexes										
2000.....	103	144	217	299	473	716	906	908	1,272	-
1999.....	98	155	241	326	506	756	917	900	1,206	-
White, male										
2000.....	63	87	157	204	326	456	535	493	499	-
1999.....	60	111	162	227	336	470	539	490	515	-
White, female										
2000.....	40	57	60	95	147	260	371	415	773	-
1999.....	38	44	79	99	170	286	378	410	691	-
All other, both sexes										
2000.....	25	24	25	44	51	72	67	55	86	-
1999.....	18	24	41	52	66	64	66	61	72	-
All other, male										
2000.....	16	15	17	33	35	43	39	28	38	-
1999.....	11	17	25	32	44	40	37	27	29	-
All other, female										
2000.....	9	9	8	11	16	29	28	27	48	-
1999.....	7	7	16	20	22	24	29	34	43	-
Black, both sexes										
2000.....	24	21	20	38	41	68	59	48	80	-
1999.....	14	21	37	43	63	59	56	56	69	-
Black, male										
2000.....	15	13	14	29	28	41	35	25	35	-
1999.....	9	15	23	26	42	36	32	25	28	-
Black, female										
2000.....	9	8	6	9	13	27	24	23	45	-
1999.....	5	6	14	17	21	23	24	31	41	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Myeloid leukemia (C92)										
All races, both sexes										
2000.....	360	479	578	737	1,057	1,416	1,628	1,320	1,072	-
1999.....	388	423	607	699	1,030	1,348	1,430	1,197	1,064	-
All races, male										
2000.....	199	269	323	419	620	854	903	718	480	-
1999.....	203	231	330	405	605	807	793	624	450	-
All races, female										
2000.....	161	210	255	318	437	562	725	602	592	-
1999.....	185	192	277	294	425	541	637	573	614	-
White, both sexes										
2000.....	292	406	497	631	962	1,313	1,533	1,240	994	-
1999.....	326	353	541	608	919	1,234	1,331	1,116	1,007	-
White, male										
2000.....	167	226	281	365	573	788	862	676	454	-
1999.....	168	191	297	352	542	745	739	589	426	-
White, female										
2000.....	125	180	216	266	389	525	671	564	540	-
1999.....	158	162	244	256	377	489	592	527	581	-
All other, both sexes										
2000.....	68	73	81	106	95	103	95	80	78	-
1999.....	62	70	66	91	111	114	99	81	57	-
All other, male										
2000.....	32	43	42	54	47	66	41	42	26	-
1999.....	35	40	33	53	63	62	54	35	24	-
All other, female										
2000.....	36	30	39	52	48	37	54	38	52	-
1999.....	27	30	33	38	48	52	45	46	33	-
Black, both sexes										
2000.....	60	59	60	87	78	84	75	57	65	-
1999.....	47	49	44	72	87	92	79	62	45	-
Black, male										
2000.....	27	33	31	45	37	51	33	27	21	-
1999.....	27	30	26	41	48	49	42	24	17	-
Black, female										
2000.....	33	26	29	42	41	33	42	30	44	-
1999.....	20	19	18	31	39	43	37	38	28	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Monocytic leukemia (C93)										
All races, both sexes										
2000.....	4	1	7	13	14	21	25	20	29	-
1999.....	6	4	7	2	21	25	34	30	37	-
All races, male										
2000.....	1	1	5	6	8	15	16	13	15	-
1999.....	2	2	3	1	11	14	22	17	16	-
All races, female										
2000.....	3	-	2	7	6	6	9	7	14	-
1999.....	4	2	4	1	10	11	12	13	21	-
White, both sexes										
2000.....	2	1	7	11	13	19	24	19	27	-
1999.....	3	4	6	2	19	23	31	27	37	-
White, male										
2000.....	1	1	5	5	8	14	15	12	14	-
1999.....	-	2	3	1	11	13	19	16	16	-
White, female										
2000.....	1	-	2	6	5	5	9	7	13	-
1999.....	3	2	3	1	8	10	12	11	21	-
All other, both sexes										
2000.....	2	-	-	2	1	2	1	1	2	-
1999.....	3	-	1	-	2	2	3	3	-	-
All other, male										
2000.....	-	-	-	1	-	1	1	1	1	-
1999.....	2	-	-	-	-	1	3	1	-	-
All other, female										
2000.....	2	-	-	1	1	1	-	-	1	-
1999.....	1	-	1	-	2	1	-	2	-	-
Black, both sexes										
2000.....	2	-	-	1	1	1	-	1	2	-
1999.....	2	-	1	-	2	2	2	2	-	-
Black, male										
2000.....	-	-	-	1	-	-	-	1	1	-
1999.....	1	-	-	-	-	1	2	-	-	-
Black, female										
2000.....	2	-	-	-	1	1	-	-	1	-
1999.....	1	-	1	-	2	1	-	2	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified leukemia (C94-C95)										
All races, both sexes										
2000.....	130	141	214	280	478	712	889	915	1,084	-
1999.....	116	138	216	325	455	741	954	871	1,045	-
All races, male										
2000.....	77	63	127	161	298	435	489	461	438	-
1999.....	70	70	116	188	279	448	555	421	413	-
All races, female										
2000.....	53	78	87	119	180	277	400	454	646	-
1999.....	46	68	100	137	176	293	399	450	632	-
White, both sexes										
2000.....	103	118	179	247	422	642	809	859	1,009	-
1999.....	97	107	187	285	395	679	887	798	968	-
White, male										
2000.....	61	52	107	143	269	393	443	435	403	-
1999.....	58	56	101	171	252	415	518	389	382	-
White, female										
2000.....	42	66	72	104	153	249	366	424	606	-
1999.....	39	51	86	114	143	264	369	409	586	-
All other, both sexes										
2000.....	27	23	35	33	56	70	80	56	75	-
1999.....	19	31	29	40	60	62	67	73	77	-
All other, male										
2000.....	16	11	20	18	29	42	46	26	35	-
1999.....	12	14	15	17	27	33	37	32	31	-
All other, female										
2000.....	11	12	15	15	27	28	34	30	40	-
1999.....	7	17	14	23	33	29	30	41	46	-
Black, both sexes										
2000.....	21	17	27	28	42	60	61	49	64	-
1999.....	16	26	24	31	49	53	59	57	61	-
Black, male										
2000.....	12	7	16	15	21	38	37	23	28	-
1999.....	10	11	12	14	22	26	32	21	21	-
Black, female										
2000.....	9	10	11	13	21	22	24	26	36	-
1999.....	6	15	12	17	27	27	27	36	40	-

[illegible]

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Benign neoplasms (D10-D36)										
All races, both sexes										
2000.....	50	72	57	78	114	166	241	274	380	-
1999.....	41	58	82	96	128	163	253	235	349	-
All races, male										
2000.....	27	36	24	26	58	66	97	90	107	-
1999.....	18	28	41	44	49	81	92	83	110	-
All races, female										
2000.....	23	36	33	52	56	100	144	184	273	-
1999.....	23	30	41	52	79	82	161	152	239	-
White, both sexes										
2000.....	29	62	47	67	87	134	211	246	341	-
1999.....	25	41	58	74	100	136	214	207	317	-
White, male										
2000.....	21	31	20	18	42	52	88	83	96	-
1999.....	13	19	27	34	41	71	75	73	100	-
White, female										
2000.....	8	31	27	49	45	82	123	163	245	-
1999.....	12	22	31	40	59	65	139	134	217	-
All other, both sexes										
2000.....	21	10	10	11	27	32	30	28	39	-
1999.....	16	17	24	22	28	27	39	28	32	-
All other, male										
2000.....	6	5	4	8	16	14	9	7	11	-
1999.....	5	9	14	10	8	10	17	10	10	-
All other, female										
2000.....	15	5	6	3	11	18	21	21	28	-
1999.....	11	8	10	12	20	17	22	18	22	-
Black, both sexes										
2000.....	19	9	10	10	20	25	27	24	33	-
1999.....	13	14	24	18	24	22	35	25	27	-
Black, male										
2000.....	5	5	4	7	12	8	9	5	9	-
1999.....	4	7	14	8	7	8	16	8	8	-
Black, female										
2000.....	14	4	6	3	8	17	18	19	24	-
1999.....	9	7	10	10	17	14	19	17	19	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of female genital organs (D25-D28)										
All races, both sexes										
2000.....	7	8	-	3	1	5	1	3	4	-
1999.....	1	5	2	-	2	1	2	3	4	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	7	8	-	3	1	5	1	3	4	-
1999.....	1	5	2	-	2	1	2	3	4	-
White, both sexes										
2000.....	2	6	-	3	-	4	1	2	3	-
1999.....	-	4	1	-	1	1	2	2	2	-
White, male										
2000.....
1999.....
White, female										
2000.....	2	6	-	3	-	4	1	2	3	-
1999.....	-	4	1	-	1	1	2	2	2	-
All other, both sexes										
2000.....	5	2	-	-	1	1	-	1	1	-
1999.....	1	1	1	-	1	-	-	1	2	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	5	2	-	-	1	1	-	1	1	-
1999.....	1	1	1	-	1	-	-	1	2	-
Black, both sexes										
2000.....	5	1	-	-	1	-	-	1	1	-
1999.....	1	1	1	-	1	-	-	1	1	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	5	1	-	-	1	-	-	1	1	-
1999.....	1	1	1	-	1	-	-	1	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of eye, brain and other parts of central nervous system (D31-D33)										
All races, both sexes										
2000.....	22	33	33	51	71	105	168	185	264	-
1999.....	15	30	51	59	90	102	164	170	229	-
All races, male										
2000.....	13	16	10	16	36	41	62	60	72	-
1999.....	5	16	22	20	33	46	57	57	66	-
All races, female										
2000.....	9	17	23	35	35	64	106	125	192	-
1999.....	10	14	29	39	57	56	107	113	163	-
White, both sexes										
2000.....	15	28	26	42	56	88	147	165	241	-
1999.....	10	21	36	46	72	85	139	149	210	-
White, male										
2000.....	11	14	7	10	27	33	58	54	66	-
1999.....	4	10	15	17	31	42	46	50	59	-
White, female										
2000.....	4	14	19	32	29	55	89	111	175	-
1999.....	6	11	21	29	41	43	93	99	151	-
All other, both sexes										
2000.....	7	5	7	9	15	17	21	20	23	-
1999.....	5	9	15	13	18	17	25	21	19	-
All other, male										
2000.....	2	2	3	6	9	8	4	6	6	-
1999.....	1	6	7	3	2	4	11	7	7	-
All other, female										
2000.....	5	3	4	3	6	9	17	14	17	-
1999.....	4	3	8	10	16	13	14	14	12	-
Black, both sexes										
2000.....	5	5	7	9	10	12	19	17	18	-
1999.....	5	8	15	12	16	16	22	18	17	-
Black, male										
2000.....	1	2	3	6	6	3	4	4	5	-
1999.....	1	5	7	3	2	4	11	5	5	-
Black, female										
2000.....	4	3	4	3	4	9	15	13	13	-
1999.....	4	3	8	9	14	12	11	13	12	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)										
All races, both sexes										
2000.....	21	31	24	24	42	56	72	86	112	-
1999.....	25	23	29	37	36	60	87	62	116	-
All races, male										
2000.....	14	20	14	10	22	25	35	30	35	-
1999.....	13	12	19	24	16	35	35	26	44	-
All races, female										
2000.....	7	11	10	14	20	31	37	56	77	-
1999.....	12	11	10	13	20	25	52	36	72	-
White, both sexes										
2000.....	12	28	21	22	31	42	63	79	97	-
1999.....	15	16	21	28	27	50	73	56	105	-
White, male										
2000.....	10	17	13	8	15	19	30	29	30	-
1999.....	9	9	12	17	10	29	29	23	41	-
White, female										
2000.....	2	11	8	14	16	23	33	50	67	-
1999.....	6	7	9	11	17	21	44	33	64	-
All other, both sexes										
2000.....	9	3	3	2	11	14	9	7	15	-
1999.....	10	7	8	9	9	10	14	6	11	-
All other, male										
2000.....	4	3	1	2	7	6	5	1	5	-
1999.....	4	3	7	7	6	6	6	3	3	-
All other, female										
2000.....	5	-	2	-	4	8	4	6	10	-
1999.....	6	4	1	2	3	4	8	3	8	-
Black, both sexes										
2000.....	9	3	3	1	9	13	8	6	14	-
1999.....	7	5	8	6	7	6	13	6	9	-
Black, male										
2000.....	4	3	1	1	6	5	5	1	4	-
1999.....	3	2	7	5	5	4	5	3	3	-
Black, female										
2000.....	5	-	2	-	3	8	3	5	10	-
1999.....	4	3	1	1	2	2	8	3	6	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)										
All races, both sexes										
2000.....	218	310	426	592	860	1,319	1,821	2,135	3,051	1
1999.....	219	302	360	542	870	1,437	1,831	2,009	2,942	-
All races, male										
2000.....	119	183	233	343	511	739	991	1,079	1,197	1
1999.....	116	180	205	338	520	827	1,000	992	1,167	-
All races, female										
2000.....	99	127	193	249	349	580	830	1,056	1,854	-
1999.....	103	122	155	204	350	610	831	1,017	1,775	-
White, both sexes										
2000.....	176	258	376	510	772	1,173	1,683	2,009	2,850	-
1999.....	178	258	315	471	760	1,315	1,688	1,883	2,763	-
White, male										
2000.....	96	156	209	292	461	660	917	1,025	1,121	-
1999.....	97	156	181	303	456	765	930	939	1,109	-
White, female										
2000.....	80	102	167	218	311	513	766	984	1,729	-
1999.....	81	102	134	168	304	550	758	944	1,654	-
All other, both sexes										
2000.....	42	52	50	82	88	146	138	126	201	1
1999.....	41	44	45	71	110	122	143	126	179	-
All other, male										
2000.....	23	27	24	51	50	79	74	54	76	1
1999.....	19	24	24	35	64	62	70	53	58	-
All other, female										
2000.....	19	25	26	31	38	67	64	72	125	-
1999.....	22	20	21	36	46	60	73	73	121	-
Black, both sexes										
2000.....	33	47	41	62	72	117	113	101	165	1
1999.....	32	37	38	60	95	105	121	105	153	-
Black, male										
2000.....	16	25	21	38	44	58	59	39	56	1
1999.....	13	19	21	28	56	52	55	40	45	-
Black, female										
2000.....	17	22	20	24	28	59	54	62	109	-
1999.....	19	18	17	32	39	53	66	65	108	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Neoplasm of uncertain or unknown behavior of unspecified sites (D48)										
All races, both sexes										
2000.....	24	15	30	40	30	50	80	93	164	-
1999.....	15	26	18	34	30	53	65	74	147	-
All races, male										
2000.....	13	6	13	18	15	19	32	30	30	-
1999.....	7	12	8	19	20	24	26	22	25	-
All races, female										
2000.....	11	9	17	22	15	31	48	63	134	-
1999.....	8	14	10	15	10	29	39	52	122	-
White, both sexes										
2000.....	20	13	24	33	28	41	68	85	156	-
1999.....	10	21	15	27	25	46	55	68	128	-
White, male										
2000.....	10	5	11	14	13	15	27	28	29	-
1999.....	5	11	7	16	18	20	21	21	24	-
White, female										
2000.....	10	8	13	19	15	26	41	57	127	-
1999.....	5	10	8	11	7	26	34	47	104	-
All other, both sexes										
2000.....	4	2	6	7	2	9	12	8	8	-
1999.....	5	5	3	7	5	7	10	6	19	-
All other, male										
2000.....	3	1	2	4	2	4	5	2	1	-
1999.....	2	1	1	3	2	4	5	1	1	-
All other, female										
2000.....	1	1	4	3	-	5	7	6	7	-
1999.....	3	4	2	4	3	3	5	5	18	-
Black, both sexes										
2000.....	3	2	6	6	2	9	10	8	7	-
1999.....	5	5	3	6	5	7	9	4	14	-
Black, male										
2000.....	2	1	2	4	2	4	5	2	1	-
1999.....	2	1	1	3	2	4	5	1	1	-
Black, female										
2000.....	1	1	4	2	-	5	5	6	6	-
1999.....	3	4	2	3	3	3	4	3	13	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)										
All races, both sexes										
2000.....	417	440	424	467	611	781	1,048	1,280	2,497	-
1999.....	407	360	376	415	517	822	1,062	1,158	2,506	-
All races, male										
2000.....	219	207	191	215	288	381	433	501	741	-
1999.....	211	173	171	185	239	384	474	457	754	-
All races, female										
2000.....	198	233	233	252	323	400	615	779	1,756	-
1999.....	196	187	205	230	278	438	588	701	1,752	-
White, both sexes										
2000.....	191	237	273	328	474	652	911	1,140	2,256	-
1999.....	202	195	219	298	393	681	924	1,042	2,244	-
White, male										
2000.....	111	115	135	154	239	322	380	448	662	-
1999.....	117	101	106	131	189	321	415	408	686	-
White, female										
2000.....	80	122	138	174	235	330	531	692	1,594	-
1999.....	85	94	113	167	204	360	509	634	1,558	-
All other, both sexes										
2000.....	226	203	151	139	137	129	137	140	241	-
1999.....	205	165	157	117	124	141	138	116	262	-
All other, male										
2000.....	108	92	56	61	49	59	53	53	79	-
1999.....	94	72	65	54	50	63	59	49	68	-
All other, female										
2000.....	118	111	95	78	88	70	84	87	162	-
1999.....	111	93	92	63	74	78	79	67	194	-
Black, both sexes										
2000.....	217	197	139	129	118	110	118	127	213	-
1999.....	190	154	148	108	110	115	125	101	223	-
Black, male										
2000.....	103	91	49	57	42	47	42	43	64	-
1999.....	87	67	60	49	45	49	49	40	54	-
Black, female										
2000.....	114	106	90	72	76	63	76	84	149	-
1999.....	103	87	88	59	65	66	76	61	169	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Anemias (D50-D64)										
All races, both sexes										
2000.....	110	117	127	133	210	305	482	689	1,796	-
1999.....	134	98	105	126	175	311	497	667	1,820	-
All races, male										
2000.....	52	56	66	64	95	141	198	267	492	-
1999.....	68	48	43	62	92	134	217	267	518	-
All races, female										
2000.....	58	61	61	69	115	164	284	422	1,304	-
1999.....	66	50	62	64	83	177	280	400	1,302	-
White, both sexes										
2000.....	38	56	84	85	160	250	414	617	1,613	-
1999.....	55	41	46	76	135	254	428	604	1,620	-
White, male										
2000.....	16	27	45	42	81	118	169	238	433	-
1999.....	31	20	16	32	75	107	190	244	468	-
White, female										
2000.....	22	29	39	43	79	132	245	379	1,180	-
1999.....	24	21	30	44	60	147	238	360	1,152	-
All other, both sexes										
2000.....	72	61	43	48	50	55	68	72	183	-
1999.....	79	57	59	50	40	57	69	63	200	-
All other, male										
2000.....	36	29	21	22	14	23	29	29	59	-
1999.....	37	28	27	30	17	27	27	23	50	-
All other, female										
2000.....	36	32	22	26	36	32	39	43	124	-
1999.....	42	29	32	20	23	30	42	40	150	-
Black, both sexes										
2000.....	69	59	40	43	43	46	58	64	163	-
1999.....	74	52	55	46	33	49	64	57	166	-
Black, male										
2000.....	35	29	18	19	13	18	23	23	48	-
1999.....	35	26	25	29	14	23	23	19	38	-
Black, female										
2000.....	34	30	22	24	30	28	35	41	115	-
1999.....	39	26	30	17	19	26	41	38	128	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Nutritional anemias (D50-D53)										
All races, both sexes										
2000.....	4	-	5	4	8	10	29	43	184	-
1999.....	2	2	3	5	5	20	28	56	165	-
All races, male										
2000.....	3	-	4	1	1	4	13	7	62	-
1999.....	1	1	1	4	1	9	16	19	47	-
All races, female										
2000.....	1	-	1	3	7	6	16	36	122	-
1999.....	1	1	2	1	4	11	12	37	118	-
White, both sexes										
2000.....	-	-	3	3	5	7	23	38	168	-
1999.....	2	-	2	3	4	17	22	49	146	-
White, male										
2000.....	-	-	2	1	1	4	9	7	55	-
1999.....	1	-	1	2	1	7	12	16	44	-
White, female										
2000.....	-	-	1	2	4	3	14	31	113	-
1999.....	1	-	1	1	3	10	10	33	102	-
All other, both sexes										
2000.....	4	-	2	1	3	3	6	5	16	-
1999.....	-	2	1	2	1	3	6	7	19	-
All other, male										
2000.....	3	-	2	-	-	-	4	-	7	-
1999.....	-	1	-	2	-	2	4	3	3	-
All other, female										
2000.....	1	-	-	1	3	3	2	5	9	-
1999.....	-	1	1	-	1	1	2	4	16	-
Black, both sexes										
2000.....	3	-	2	1	2	2	4	5	15	-
1999.....	-	1	1	1	-	3	6	7	17	-
Black, male										
2000.....	3	-	2	-	-	-	2	-	7	-
1999.....	-	1	-	1	-	2	4	3	2	-
Black, female										
2000.....	-	-	-	1	2	2	2	5	8	-
1999.....	-	-	1	-	-	1	2	4	15	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hemolytic anemias (D55-D59)										
All races, both sexes										
2000.....	59	64	35	25	29	36	48	60	101	-
1999.....	72	38	43	25	28	36	54	57	93	-
All races, male										
2000.....	27	30	15	9	11	16	19	22	31	-
1999.....	35	20	18	12	12	13	25	26	21	-
All races, female										
2000.....	32	34	20	16	18	20	29	38	70	-
1999.....	37	18	25	13	16	23	29	31	72	-
White, both sexes										
2000.....	5	17	13	7	17	26	45	57	97	-
1999.....	13	6	7	12	20	31	50	51	90	-
White, male										
2000.....	1	8	7	4	7	12	18	21	31	-
1999.....	9	4	3	5	7	10	24	24	19	-
White, female										
2000.....	4	9	6	3	10	14	27	36	66	-
1999.....	4	2	4	7	13	21	26	27	71	-
All other, both sexes										
2000.....	54	47	22	18	12	10	3	3	4	-
1999.....	59	32	36	13	8	5	4	6	3	-
All other, male										
2000.....	26	22	8	5	4	4	1	1	-	-
1999.....	26	16	15	7	5	3	1	2	2	-
All other, female										
2000.....	28	25	14	13	8	6	2	2	4	-
1999.....	33	16	21	6	3	2	3	4	1	-
Black, both sexes										
2000.....	52	47	22	18	12	7	2	2	3	-
1999.....	57	32	35	12	8	4	4	6	3	-
Black, male										
2000.....	25	22	8	5	4	3	1	-	-	-
1999.....	25	16	15	7	5	2	1	2	2	-
Black, female										
2000.....	27	25	14	13	8	4	1	2	3	-
1999.....	32	16	20	5	3	2	3	4	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Aplastic anemias (D60-D61)										
All races, both sexes										
2000.....	29	29	40	54	78	100	136	177	314	-
1999.....	31	24	31	50	66	112	150	170	321	-
All races, male										
2000.....	13	13	22	25	43	48	56	80	93	-
1999.....	16	11	12	26	44	47	71	77	120	-
All races, female										
2000.....	16	16	18	29	35	52	80	97	221	-
1999.....	15	13	19	24	22	65	79	93	201	-
White, both sexes										
2000.....	20	22	35	43	70	90	121	164	283	-
1999.....	24	20	19	35	55	96	134	159	295	-
White, male										
2000.....	10	10	18	20	40	44	47	71	78	-
1999.....	12	8	7	17	39	38	65	72	111	-
White, female										
2000.....	10	12	17	23	30	46	74	93	205	-
1999.....	12	12	12	18	16	58	69	87	184	-
All other, both sexes										
2000.....	9	7	5	11	8	10	15	13	31	-
1999.....	7	4	12	15	11	16	16	11	26	-
All other, male										
2000.....	3	3	4	5	3	4	9	9	15	-
1999.....	4	3	5	9	5	9	6	5	9	-
All other, female										
2000.....	6	4	1	6	5	6	6	4	16	-
1999.....	3	1	7	6	6	7	10	6	17	-
Black, both sexes										
2000.....	9	5	2	7	4	7	12	10	26	-
1999.....	5	2	10	13	8	13	11	8	21	-
Black, male										
2000.....	3	3	1	2	3	2	7	6	12	-
1999.....	4	2	4	9	3	8	2	3	7	-
Black, female										
2000.....	6	2	1	5	1	5	5	4	14	-
1999.....	1	-	6	4	5	5	9	5	14	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Acute posthemorrhagic and other anemias (D62,D64)										
All races, both sexes										
2000.....	18	24	47	50	95	159	269	409	1,197	-
1999.....	29	34	28	46	76	143	265	384	1,241	-
All races, male										
2000.....	9	13	25	29	40	73	110	158	306	-
1999.....	16	16	12	20	35	65	105	145	330	-
All races, female										
2000.....	9	11	22	21	55	86	159	251	891	-
1999.....	13	18	16	26	41	78	160	239	911	-
White, both sexes										
2000.....	13	17	33	32	68	127	225	358	1,065	-
1999.....	16	15	18	26	56	110	222	345	1,089	-
White, male										
2000.....	5	9	18	17	33	58	95	139	269	-
1999.....	9	8	5	8	28	52	89	132	294	-
White, female										
2000.....	8	8	15	15	35	69	130	219	796	-
1999.....	7	7	13	18	28	58	133	213	795	-
All other, both sexes										
2000.....	5	7	14	18	27	32	44	51	132	-
1999.....	13	19	10	20	20	33	43	39	152	-
All other, male										
2000.....	4	4	7	12	7	15	15	19	37	-
1999.....	7	8	7	12	7	13	16	13	36	-
All other, female										
2000.....	1	3	7	6	20	17	29	32	95	-
1999.....	6	11	3	8	13	20	27	26	116	-
Black, both sexes										
2000.....	5	7	14	17	25	30	40	47	119	-
1999.....	12	17	9	20	17	29	43	36	125	-
Black, male										
2000.....	4	4	7	12	6	13	13	17	29	-
1999.....	6	7	6	12	6	11	16	11	27	-
Black, female										
2000.....	1	3	7	5	19	17	27	30	90	-
1999.....	6	10	3	8	11	18	27	25	98	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)										
All races, both sexes										
2000.....	107	143	154	176	246	293	355	393	491	-
1999.....	112	119	129	165	208	327	394	336	476	-
All races, male										
2000.....	65	69	64	79	118	148	149	153	179	-
1999.....	58	63	64	65	95	161	174	123	171	-
All races, female										
2000.....	42	74	90	97	128	145	206	240	312	-
1999.....	54	56	65	100	113	166	220	213	305	-
White, both sexes										
2000.....	80	95	115	141	204	246	310	352	451	-
1999.....	80	83	88	137	159	274	341	299	431	-
White, male										
2000.....	50	46	51	64	97	125	135	139	164	-
1999.....	43	47	45	52	72	137	148	104	158	-
White, female										
2000.....	30	49	64	77	107	121	175	213	287	-
1999.....	37	36	43	85	87	137	193	195	273	-
All other, both sexes										
2000.....	27	48	39	35	42	47	45	41	40	-
1999.....	32	36	41	28	49	53	53	37	45	-
All other, male										
2000.....	15	23	13	15	21	23	14	14	15	-
1999.....	15	16	19	13	23	24	26	19	13	-
All other, female										
2000.....	12	25	26	20	21	24	31	27	25	-
1999.....	17	20	22	15	26	29	27	18	32	-
Black, both sexes										
2000.....	25	46	33	31	33	40	39	36	36	-
1999.....	26	32	37	25	42	40	46	30	43	-
Black, male										
2000.....	13	22	11	14	17	19	12	10	12	-
1999.....	12	14	16	10	21	16	21	15	13	-
Black, female										
2000.....	12	24	22	17	16	21	27	26	24	-
1999.....	14	18	21	15	21	24	25	15	30	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other diseases of blood and blood-forming organs (D70-D76)										
All races, both sexes										
2000.....	33	45	36	57	77	89	116	109	144	-
1999.....	22	40	55	44	52	105	95	105	150	-
All races, male										
2000.....	20	19	17	24	43	48	55	50	50	-
1999.....	12	14	28	24	22	59	53	49	48	-
All races, female										
2000.....	13	26	19	33	34	41	61	59	94	-
1999.....	10	26	27	20	30	46	42	56	102	-
White, both sexes										
2000.....	25	36	29	48	65	78	107	100	133	-
1999.....	16	31	42	36	45	94	91	97	139	-
White, male										
2000.....	16	16	12	19	38	41	48	46	46	-
1999.....	9	10	23	22	18	55	51	44	43	-
White, female										
2000.....	9	20	17	29	27	37	59	54	87	-
1999.....	7	21	19	14	27	39	40	53	96	-
All other, both sexes										
2000.....	8	9	7	9	12	11	9	9	11	-
1999.....	6	9	13	8	7	11	4	8	11	-
All other, male										
2000.....	4	3	5	5	5	7	7	4	4	-
1999.....	3	4	5	2	4	4	2	5	5	-
All other, female										
2000.....	4	6	2	4	7	4	2	5	7	-
1999.....	3	5	8	6	3	7	2	3	6	-
Black, both sexes										
2000.....	7	7	5	9	10	9	6	9	7	-
1999.....	5	7	13	8	7	9	3	7	8	-
Black, male										
2000.....	4	3	3	5	4	5	4	4	3	-
1999.....	3	3	5	2	4	3	1	4	3	-
Black, female										
2000.....	3	4	2	4	6	4	2	5	4	-
1999.....	2	4	8	6	3	6	2	3	5	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Certain disorders involving the immune mechanism (D80-D89)										
All races, both sexes										
2000.....	167	135	107	101	78	94	95	89	66	-
1999.....	139	103	87	80	82	79	76	50	60	-
All races, male										
2000.....	82	63	44	48	32	44	31	31	20	-
1999.....	73	48	36	34	30	30	30	18	17	-
All races, female										
2000.....	85	72	63	53	46	50	64	58	46	-
1999.....	66	55	51	46	52	49	46	32	43	-
White, both sexes										
2000.....	48	50	45	54	45	78	80	71	59	-
1999.....	51	40	43	49	54	59	64	42	54	-
White, male										
2000.....	29	26	27	29	23	38	28	25	19	-
1999.....	34	24	22	25	24	22	26	16	17	-
White, female										
2000.....	19	24	18	25	22	40	52	46	40	-
1999.....	17	16	21	24	30	37	38	26	37	-
All other, both sexes										
2000.....	119	85	62	47	33	16	15	18	7	-
1999.....	88	63	44	31	28	20	12	8	6	-
All other, male										
2000.....	53	37	17	19	9	6	3	6	1	-
1999.....	39	24	14	9	6	8	4	2	-	-
All other, female										
2000.....	66	48	45	28	24	10	12	12	6	-
1999.....	49	39	30	22	22	12	8	6	6	-
Black, both sexes										
2000.....	116	85	61	46	32	15	15	18	7	-
1999.....	85	63	43	29	28	17	12	7	6	-
Black, male										
2000.....	51	37	17	19	8	5	3	6	1	-
1999.....	37	24	14	8	6	7	4	2	-	-
Black, female										
2000.....	65	48	44	27	24	10	12	12	6	-
1999.....	48	39	29	21	22	10	8	5	6	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
IV. Endocrine, nutritional and metabolic diseases (E00-E88)										
All races, both sexes										
2000.....	2,675	4,021	5,019	6,369	8,524	11,680	14,515	14,168	22,089	1
1999.....	2,610	3,669	4,771	6,290	8,613	11,744	14,069	13,957	22,006	3
All races, male										
2000.....	1,580	2,276	2,766	3,419	4,333	5,698	6,548	5,722	6,349	1
1999.....	1,556	2,083	2,648	3,319	4,345	5,685	6,427	5,633	6,217	2
All races, female										
2000.....	1,095	1,745	2,253	2,950	4,191	5,982	7,967	8,446	15,740	-
1999.....	1,054	1,586	2,123	2,971	4,268	6,059	7,642	8,324	15,789	1
White, both sexes										
2000.....	1,943	2,964	3,798	4,895	6,625	9,443	12,098	12,116	19,321	1
1999.....	1,876	2,687	3,488	4,727	6,704	9,415	11,761	11,965	19,258	1
White, male										
2000.....	1,195	1,753	2,154	2,703	3,512	4,780	5,611	5,052	5,660	1
1999.....	1,157	1,596	2,015	2,597	3,495	4,763	5,532	4,961	5,447	1
White, female										
2000.....	748	1,211	1,644	2,192	3,113	4,663	6,487	7,064	13,661	-
1999.....	719	1,091	1,473	2,130	3,209	4,652	6,229	7,004	13,811	-
All other, both sexes										
2000.....	732	1,057	1,221	1,474	1,899	2,237	2,417	2,052	2,768	-
1999.....	734	982	1,283	1,563	1,909	2,329	2,308	1,992	2,748	2
All other, male										
2000.....	385	523	612	716	821	918	937	670	689	-
1999.....	399	487	633	722	850	922	895	672	770	1
All other, female										
2000.....	347	534	609	758	1,078	1,319	1,480	1,382	2,079	-
1999.....	335	495	650	841	1,059	1,407	1,413	1,320	1,978	1
Black, both sexes										
2000.....	667	933	1,073	1,288	1,659	1,938	2,111	1,782	2,449	-
1999.....	658	882	1,111	1,369	1,664	1,982	1,960	1,721	2,395	2
Black, male										
2000.....	346	458	530	612	692	793	797	570	568	-
1999.....	355	430	548	615	744	772	732	557	637	1
Black, female										
2000.....	321	475	543	676	967	1,145	1,314	1,212	1,881	-
1999.....	303	452	563	754	920	1,210	1,228	1,164	1,758	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Endocrine diseases (E00-E34)										
All races, both sexes										
2000.....	1,973	3,109	4,086	5,282	7,166	9,809	11,935	10,999	14,634	-
1999.....	2,016	2,878	3,947	5,317	7,344	9,909	11,577	10,899	14,274	3
All races, male										
2000.....	1,148	1,727	2,212	2,799	3,597	4,739	5,389	4,540	4,428	-
1999.....	1,211	1,641	2,153	2,774	3,677	4,723	5,297	4,480	4,317	2
All races, female										
2000.....	825	1,382	1,874	2,483	3,569	5,070	6,546	6,459	10,206	-
1999.....	805	1,237	1,794	2,543	3,667	5,186	6,280	6,419	9,957	1
White, both sexes										
2000.....	1,389	2,227	3,043	3,990	5,473	7,837	9,836	9,293	12,636	-
1999.....	1,412	2,052	2,808	3,920	5,649	7,861	9,582	9,261	12,272	1
White, male										
2000.....	829	1,291	1,691	2,188	2,878	3,944	4,594	3,992	3,913	-
1999.....	877	1,221	1,601	2,131	2,934	3,940	4,547	3,949	3,771	1
White, female										
2000.....	560	936	1,352	1,802	2,595	3,893	5,242	5,301	8,723	-
1999.....	535	831	1,207	1,789	2,715	3,921	5,035	5,312	8,501	-
All other, both sexes										
2000.....	584	882	1,043	1,292	1,693	1,972	2,099	1,706	1,998	-
1999.....	604	826	1,139	1,397	1,695	2,048	1,995	1,638	2,002	2
All other, male										
2000.....	319	436	521	611	719	795	795	548	515	-
1999.....	334	420	552	643	743	783	750	531	546	1
All other, female										
2000.....	265	446	522	681	974	1,177	1,304	1,158	1,483	-
1999.....	270	406	587	754	952	1,265	1,245	1,107	1,456	1
Black, both sexes										
2000.....	528	774	911	1,131	1,471	1,709	1,829	1,472	1,760	-
1999.....	542	735	981	1,217	1,469	1,728	1,686	1,415	1,733	2
Black, male										
2000.....	283	380	448	526	603	684	672	462	411	-
1999.....	300	366	475	543	648	651	608	445	447	1
Black, female										
2000.....	245	394	463	605	868	1,025	1,157	1,010	1,349	-
1999.....	242	369	506	674	821	1,077	1,078	970	1,286	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Disorders of thyroid gland (E00-E07)										
All races, both sexes										
2000.....	19	32	44	47	50	112	198	290	894	-
1999.....	39	32	41	35	61	116	184	304	932	-
All races, male										
2000.....	5	7	17	14	16	37	47	48	148	-
1999.....	12	13	12	13	20	33	45	80	154	-
All races, female										
2000.....	14	25	27	33	34	75	151	242	746	-
1999.....	27	19	29	22	41	83	139	224	778	-
White, both sexes										
2000.....	13	24	35	44	36	93	171	262	830	-
1999.....	20	22	26	28	50	100	162	269	868	-
White, male										
2000.....	5	4	12	13	12	27	43	46	133	-
1999.....	7	10	5	11	12	30	40	67	143	-
White, female										
2000.....	8	20	23	31	24	66	128	216	697	-
1999.....	13	12	21	17	38	70	122	202	725	-
All other, both sexes										
2000.....	6	8	9	3	14	19	27	28	64	-
1999.....	19	10	15	7	11	16	22	35	64	-
All other, male										
2000.....	-	3	5	1	4	10	4	2	15	-
1999.....	5	3	7	2	8	3	5	13	11	-
All other, female										
2000.....	6	5	4	2	10	9	23	26	49	-
1999.....	14	7	8	5	3	13	17	22	53	-
Black, both sexes										
2000.....	6	6	8	3	13	18	24	21	60	-
1999.....	17	8	15	7	9	15	18	29	59	-
Black, male										
2000.....	-	2	5	1	3	9	3	2	14	-
1999.....	4	2	7	2	6	3	4	10	9	-
Black, female										
2000.....	6	4	3	2	10	9	21	19	46	-
1999.....	13	6	8	5	3	12	14	19	50	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diabetes mellitus (E10-E14)										
All races, both sexes										
2000.....	1,917	3,037	3,992	5,194	7,054	9,620	11,607	10,577	13,556	-
1999.....	1,942	2,793	3,865	5,232	7,215	9,693	11,269	10,488	13,178	3
All races, male										
2000.....	1,124	1,697	2,173	2,770	3,556	4,670	5,288	4,450	4,234	-
1999.....	1,189	1,602	2,120	2,736	3,630	4,649	5,190	4,349	4,125	2
All races, female										
2000.....	793	1,340	1,819	2,424	3,498	4,950	6,319	6,127	9,322	-
1999.....	753	1,191	1,745	2,496	3,585	5,044	6,079	6,139	9,053	1
White, both sexes										
2000.....	1,344	2,170	2,967	3,912	5,393	7,682	9,561	8,917	11,645	-
1999.....	1,367	1,988	2,754	3,855	5,547	7,683	9,315	8,902	11,257	1
White, male										
2000.....	808	1,269	1,662	2,161	2,849	3,890	4,508	3,911	3,740	-
1999.....	864	1,191	1,582	2,102	2,906	3,881	4,455	3,838	3,598	1
White, female										
2000.....	536	901	1,305	1,751	2,544	3,792	5,053	5,006	7,905	-
1999.....	503	797	1,172	1,753	2,641	3,802	4,860	5,064	7,659	-
All other, both sexes										
2000.....	573	867	1,025	1,282	1,661	1,938	2,046	1,660	1,911	-
1999.....	575	805	1,111	1,377	1,668	2,010	1,954	1,586	1,921	2
All other, male										
2000.....	316	428	511	609	707	780	780	539	494	-
1999.....	325	411	538	634	724	768	735	511	527	1
All other, female										
2000.....	257	439	514	673	954	1,158	1,266	1,121	1,417	-
1999.....	250	394	573	743	944	1,242	1,219	1,075	1,394	1
Black, both sexes										
2000.....	517	762	894	1,121	1,441	1,677	1,781	1,434	1,678	-
1999.....	515	716	954	1,197	1,444	1,693	1,652	1,370	1,659	2
Black, male										
2000.....	280	374	438	524	593	671	659	454	392	-
1999.....	292	358	461	534	631	637	595	429	432	1
Black, female										
2000.....	237	388	456	597	848	1,006	1,122	980	1,286	-
1999.....	223	358	493	663	813	1,056	1,057	941	1,227	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Disorders of pituitary gland (E22-E23)										
All races, both sexes										
2000.....	6	10	8	9	21	25	25	37	47	-
1999.....	7	5	12	15	20	22	35	25	44	-
All races, male										
2000.....	3	5	3	6	12	14	11	7	14	-
1999.....	3	2	4	8	7	8	22	13	9	-
All races, female										
2000.....	3	5	5	3	9	11	14	30	33	-
1999.....	4	3	8	7	13	14	13	12	35	-
White, both sexes										
2000.....	5	8	7	8	15	23	23	34	43	-
1999.....	3	4	9	10	14	18	25	21	42	-
White, male										
2000.....	2	4	3	6	7	13	9	5	12	-
1999.....	1	2	3	6	3	6	16	10	9	-
White, female										
2000.....	3	4	4	2	8	10	14	29	31	-
1999.....	2	2	6	4	11	12	9	11	33	-
All other, both sexes										
2000.....	1	2	1	1	6	2	2	3	4	-
1999.....	4	1	3	5	6	4	10	4	2	-
All other, male										
2000.....	1	1	-	-	5	1	2	2	2	-
1999.....	2	-	1	2	4	2	6	3	-	-
All other, female										
2000.....	-	1	1	1	1	1	-	1	2	-
1999.....	2	1	2	3	2	2	4	1	2	-
Black, both sexes										
2000.....	1	2	1	1	6	2	2	3	3	-
1999.....	4	1	2	5	6	2	8	3	2	-
Black, male										
2000.....	1	1	-	-	5	1	2	2	1	-
1999.....	2	-	1	2	4	1	5	2	-	-
Black, female										
2000.....	-	1	1	1	1	1	-	1	2	-
1999.....	2	1	1	3	2	1	3	1	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Disorders of adrenal glands (E24-E27)										
All races, both sexes										
2000.....	11	12	23	14	21	20	39	50	44	-
1999.....	9	20	8	12	25	27	40	21	41	-
All races, male										
2000.....	3	7	9	2	8	6	17	18	11	-
1999.....	-	10	4	6	8	6	16	12	10	-
All races, female										
2000.....	8	5	14	12	13	14	22	32	33	-
1999.....	9	10	4	6	17	21	24	9	31	-
White, both sexes										
2000.....	10	10	20	12	16	18	34	47	41	-
1999.....	7	20	4	11	22	22	38	20	37	-
White, male										
2000.....	3	6	7	2	7	6	15	17	10	-
1999.....	-	10	2	6	7	5	15	11	8	-
White, female										
2000.....	7	4	13	10	9	12	19	30	31	-
1999.....	7	10	2	5	15	17	23	9	29	-
All other, both sexes										
2000.....	1	2	3	2	5	2	5	3	3	-
1999.....	2	-	4	1	3	5	2	1	4	-
All other, male										
2000.....	-	1	2	-	1	-	2	1	1	-
1999.....	-	-	2	-	1	1	1	1	2	-
All other, female										
2000.....	1	1	1	2	4	2	3	2	2	-
1999.....	2	-	2	1	2	4	1	-	2	-
Black, both sexes										
2000.....	1	2	3	2	5	2	5	2	3	-
1999.....	2	-	4	1	3	5	2	1	4	-
Black, male										
2000.....	-	1	2	-	1	-	2	-	1	-
1999.....	-	-	2	-	1	1	1	1	2	-
Black, female										
2000.....	1	1	1	2	4	2	3	2	2	-
1999.....	2	-	2	1	2	4	1	-	2	-

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other endocrine diseases (E15-E21,E28-E31,E34)										
All races, both sexes										
2000.....	20	18	19	17	20	32	66	45	93	-
1999.....	19	28	21	23	23	50	49	61	79	-
All races, male										
2000.....	13	11	10	6	5	12	26	17	21	-
1999.....	7	14	13	11	12	27	24	26	19	-
All races, female										
2000.....	7	7	9	11	15	20	40	28	72	-
1999.....	12	14	8	12	11	23	25	35	60	-
White, both sexes										
2000.....	17	15	14	13	13	21	47	33	77	-
1999.....	15	18	15	16	16	37	42	49	68	-
White, male										
2000.....	11	8	7	5	3	8	19	13	18	-
1999.....	5	8	9	6	6	18	21	23	13	-
White, female										
2000.....	6	7	7	8	10	13	28	20	59	-
1999.....	10	10	6	10	10	19	21	26	55	-
All other, both sexes										
2000.....	3	3	5	4	7	11	19	12	16	-
1999.....	4	10	6	7	7	13	7	12	11	-
All other, male										
2000.....	2	3	3	1	2	4	7	4	3	-
1999.....	2	6	4	5	6	9	3	3	6	-
All other, female										
2000.....	1	-	2	3	5	7	12	8	13	-
1999.....	2	4	2	2	1	4	4	9	5	-
Black, both sexes										
2000.....	3	2	5	4	6	10	17	12	16	-
1999.....	4	10	6	7	7	13	6	12	9	-
Black, male										
2000.....	2	2	3	1	1	3	6	4	3	-
1999.....	2	6	4	5	6	9	3	3	4	-
Black, female										
2000.....	1	-	2	3	5	7	11	8	13	-
1999.....	2	4	2	2	1	4	3	9	5	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Nutritional diseases (E40-E68)										
All races, both sexes										
2000.....	397	480	393	386	426	481	676	887	2,192	-
1999.....	330	394	363	315	362	496	631	876	2,299	-
All races, male										
2000.....	213	239	212	165	174	208	258	290	547	-
1999.....	170	188	199	151	156	224	252	308	581	-
All races, female										
2000.....	184	241	181	221	252	273	418	597	1,645	-
1999.....	160	206	164	164	206	272	379	568	1,718	-
White, both sexes										
2000.....	301	385	306	321	353	393	569	780	1,940	-
1999.....	252	319	288	253	296	386	527	745	2,043	-
White, male										
2000.....	180	204	172	133	147	169	216	256	484	-
1999.....	139	162	159	124	128	175	207	260	506	-
White, female										
2000.....	121	181	134	188	206	224	353	524	1,456	-
1999.....	113	157	129	129	168	211	320	485	1,537	-
All other, both sexes										
2000.....	96	95	87	65	73	88	107	107	252	-
1999.....	78	75	75	62	66	110	104	131	256	-
All other, male										
2000.....	33	35	40	32	27	39	42	34	63	-
1999.....	31	26	40	27	28	49	45	48	75	-
All other, female										
2000.....	63	60	47	33	46	49	65	73	189	-
1999.....	47	49	35	35	38	61	59	83	181	-
Black, both sexes										
2000.....	90	91	84	58	68	78	95	94	219	-
1999.....	73	71	69	59	60	99	91	119	227	-
Black, male										
2000.....	31	34	39	27	25	36	38	30	57	-
1999.....	28	25	36	25	24	44	38	41	64	-
Black, female										
2000.....	59	57	45	31	43	42	57	64	162	-
1999.....	45	46	33	34	36	55	53	78	163	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malnutrition (E40-E46)										
All races, both sexes										
2000.....	44	46	61	97	178	245	478	721	1,964	-
1999.....	42	57	66	88	141	266	439	720	2,077	-
All races, male										
2000.....	23	18	39	47	79	128	194	240	499	-
1999.....	21	27	38	54	68	139	186	266	530	-
All races, female										
2000.....	21	28	22	50	99	117	284	481	1,465	-
1999.....	21	30	28	34	73	127	253	454	1,547	-
White, both sexes										
2000.....	35	31	45	74	146	189	405	634	1,733	-
1999.....	27	46	41	66	107	198	366	610	1,842	-
White, male										
2000.....	18	11	26	32	63	96	162	209	440	-
1999.....	15	21	20	41	48	98	152	221	456	-
White, female										
2000.....	17	20	19	42	83	93	243	425	1,293	-
1999.....	12	25	21	25	59	100	214	389	1,386	-
All other, both sexes										
2000.....	9	15	16	23	32	56	73	87	231	-
1999.....	15	11	25	22	34	68	73	110	235	-
All other, male										
2000.....	5	7	13	15	16	32	32	31	59	-
1999.....	6	6	18	13	20	41	34	45	74	-
All other, female										
2000.....	4	8	3	8	16	24	41	56	172	-
1999.....	9	5	7	9	14	27	39	65	161	-
Black, both sexes										
2000.....	8	15	16	21	28	49	63	74	204	-
1999.....	13	11	21	21	29	59	62	100	207	-
Black, male										
2000.....	5	7	13	13	14	29	30	27	53	-
1999.....	5	6	15	12	17	36	28	38	63	-
Black, female										
2000.....	3	8	3	8	14	20	33	47	151	-
1999.....	8	5	6	9	12	23	34	62	144	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Nutritional marasmus (E41)										
All races, both sexes										
2000.....	1	3	3	5	5	10	18	40	116	-
1999.....	3	2	4	2	6	19	20	38	102	-
All races, male										
2000.....	-	1	3	2	3	5	9	13	35	-
1999.....	1	-	3	2	3	11	6	18	36	-
All races, female										
2000.....	1	2	-	3	2	5	9	27	81	-
1999.....	2	2	1	-	3	8	14	20	66	-
White, both sexes										
2000.....	1	2	2	5	4	8	14	40	103	-
1999.....	2	1	3	1	4	15	12	36	91	-
White, male										
2000.....	-	-	2	2	2	4	6	13	30	-
1999.....	1	-	2	1	2	9	5	16	31	-
White, female										
2000.....	1	2	-	3	2	4	8	27	73	-
1999.....	1	1	1	-	2	6	7	20	60	-
All other, both sexes										
2000.....	-	1	1	-	1	2	4	-	13	-
1999.....	1	1	1	1	2	4	8	2	11	-
All other, male										
2000.....	-	1	1	-	1	1	3	-	5	-
1999.....	-	-	1	1	1	2	1	2	5	-
All other, female										
2000.....	-	-	-	-	-	1	1	-	8	-
1999.....	1	1	-	-	1	2	7	-	6	-
Black, both sexes										
2000.....	-	1	1	-	1	2	3	-	13	-
1999.....	1	1	1	1	1	4	8	1	10	-
Black, male										
2000.....	-	1	1	-	1	1	3	-	5	-
1999.....	-	-	1	1	-	2	1	1	4	-
Black, female										
2000.....	-	-	-	-	-	1	-	-	8	-
1999.....	1	1	-	-	1	2	7	-	6	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified malnutrition (E40,E42-E46)										
All races, both sexes										
2000.....	43	43	58	92	173	235	460	681	1,848	-
1999.....	39	55	62	86	135	247	419	682	1,975	-
All races, male										
2000.....	23	17	36	45	76	123	185	227	464	-
1999.....	20	27	35	52	65	128	180	248	494	-
All races, female										
2000.....	20	26	22	47	97	112	275	454	1,384	-
1999.....	19	28	27	34	70	119	239	434	1,481	-
White, both sexes										
2000.....	34	29	43	69	142	181	391	594	1,630	-
1999.....	25	45	38	65	103	183	354	574	1,751	-
White, male										
2000.....	18	11	24	30	61	92	156	196	410	-
1999.....	14	21	18	40	46	89	147	205	425	-
White, female										
2000.....	16	18	19	39	81	89	235	398	1,220	-
1999.....	11	24	20	25	57	94	207	369	1,326	-
All other, both sexes										
2000.....	9	14	15	23	31	54	69	87	218	-
1999.....	14	10	24	21	32	64	65	108	224	-
All other, male										
2000.....	5	6	12	15	15	31	29	31	54	-
1999.....	6	6	17	12	19	39	33	43	69	-
All other, female										
2000.....	4	8	3	8	16	23	40	56	164	-
1999.....	8	4	7	9	13	25	32	65	155	-
Black, both sexes										
2000.....	8	14	15	21	27	47	60	74	191	-
1999.....	12	10	20	20	28	55	54	99	197	-
Black, male										
2000.....	5	6	12	13	13	28	27	27	48	-
1999.....	5	6	14	11	17	34	27	37	59	-
Black, female										
2000.....	3	8	3	8	14	19	33	47	143	-
1999.....	7	4	6	9	11	21	27	62	138	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other nutritional deficiencies (E50-E64)										
All races, both sexes										
2000.....	2	7	9	6	14	23	27	59	156	-
1999.....	3	4	10	6	8	14	33	56	163	-
All races, male										
2000.....	2	3	6	5	8	6	13	24	37	-
1999.....	1	3	4	2	4	10	19	23	47	-
All races, female										
2000.....	-	4	3	1	6	17	14	35	119	-
1999.....	2	1	6	4	4	4	14	33	116	-
White, both sexes										
2000.....	2	5	7	4	13	22	20	53	141	-
1999.....	1	2	5	6	8	12	26	48	148	-
White, male										
2000.....	2	2	4	3	7	6	9	24	35	-
1999.....	1	2	1	2	4	8	13	21	46	-
White, female										
2000.....	-	3	3	1	6	16	11	29	106	-
1999.....	-	-	4	4	4	4	13	27	102	-
All other, both sexes										
2000.....	-	2	2	2	1	1	7	6	15	-
1999.....	2	2	5	-	-	2	7	8	15	-
All other, male										
2000.....	-	1	2	2	1	-	4	-	2	-
1999.....	-	1	3	-	-	2	6	2	1	-
All other, female										
2000.....	-	1	-	-	-	1	3	6	13	-
1999.....	2	1	2	-	-	-	1	6	14	-
Black, both sexes										
2000.....	-	1	2	2	1	-	5	6	10	-
1999.....	2	1	5	-	-	2	7	7	15	-
Black, male										
2000.....	-	1	2	2	1	-	2	-	2	-
1999.....	-	1	3	-	-	2	6	2	1	-
Black, female										
2000.....	-	-	-	-	-	-	3	6	8	-
1999.....	2	-	2	-	-	-	1	5	14	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Obesity and other hyperalimentation (E65-E68)										
All races, both sexes										
2000.....	351	427	323	283	234	213	171	107	72	-
1999.....	285	333	287	221	213	216	159	100	59	-
All races, male										
2000.....	188	218	167	113	87	74	51	26	11	-
1999.....	148	158	157	95	84	75	47	19	4	-
All races, female										
2000.....	163	209	156	170	147	139	120	81	61	-
1999.....	137	175	130	126	129	141	112	81	55	-
White, both sexes										
2000.....	264	349	254	243	194	182	144	93	66	-
1999.....	224	271	242	181	181	176	135	87	53	-
White, male										
2000.....	160	191	142	98	77	67	45	23	9	-
1999.....	123	139	138	81	76	69	42	18	4	-
White, female										
2000.....	104	158	112	145	117	115	99	70	57	-
1999.....	101	132	104	100	105	107	93	69	49	-
All other, both sexes										
2000.....	87	78	69	40	40	31	27	14	6	-
1999.....	61	62	45	40	32	40	24	13	6	-
All other, male										
2000.....	28	27	25	15	10	7	6	3	2	-
1999.....	25	19	19	14	8	6	5	1	-	-
All other, female										
2000.....	59	51	44	25	30	24	21	11	4	-
1999.....	36	43	26	26	24	34	19	12	6	-
Black, both sexes										
2000.....	82	75	66	35	39	29	27	14	5	-
1999.....	58	59	43	38	31	38	22	12	5	-
Black, male										
2000.....	26	26	24	12	10	7	6	3	2	-
1999.....	23	18	18	13	7	6	4	1	-	-
Black, female										
2000.....	56	49	42	23	29	22	21	11	3	-
1999.....	35	41	25	25	24	32	18	11	5	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Metabolic disorders (E70-E88)										
All races, both sexes										
2000.....	305	432	540	701	932	1,390	1,904	2,282	5,263	1
1999.....	264	397	461	658	907	1,339	1,861	2,182	5,433	-
All races, male										
2000.....	219	310	342	455	562	751	901	892	1,374	1
1999.....	175	254	296	394	512	738	878	845	1,319	-
All races, female										
2000.....	86	122	198	246	370	639	1,003	1,390	3,889	-
1999.....	89	143	165	264	395	601	983	1,337	4,114	-
White, both sexes										
2000.....	253	352	449	584	799	1,213	1,693	2,043	4,745	1
1999.....	212	316	392	554	759	1,168	1,652	1,959	4,943	-
White, male										
2000.....	186	258	291	382	487	667	801	804	1,263	1
1999.....	141	213	255	342	433	648	778	752	1,170	-
White, female										
2000.....	67	94	158	202	312	546	892	1,239	3,482	-
1999.....	71	103	137	212	326	520	874	1,207	3,773	-
All other, both sexes										
2000.....	52	80	91	117	133	177	211	239	518	-
1999.....	52	81	69	104	148	171	209	223	490	-
All other, male										
2000.....	33	52	51	73	75	84	100	88	111	-
1999.....	34	41	41	52	79	90	100	93	149	-
All other, female										
2000.....	19	28	40	44	58	93	111	151	407	-
1999.....	18	40	28	52	69	81	109	130	341	-
Black, both sexes										
2000.....	49	68	78	99	120	151	187	216	470	-
1999.....	43	76	61	93	135	155	183	187	435	-
Black, male										
2000.....	32	44	43	59	64	73	87	78	100	-
1999.....	27	39	37	47	72	77	86	71	126	-
Black, female										
2000.....	17	24	35	40	56	78	100	138	370	-
1999.....	16	37	24	46	63	78	97	116	309	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Cystic fibrosis (E84)										
All races, both sexes										
2000.....	18	7	2	2	3	2	-	-	4	-
1999.....	9	15	5	3	1	2	3	1	1	-
All races, male										
2000.....	14	4	2	2	2	1	-	-	-	-
1999.....	3	6	2	1	-	2	2	1	1	-
All races, female										
2000.....	4	3	-	-	1	1	-	-	4	-
1999.....	6	9	3	2	1	-	1	-	-	-
White, both sexes										
2000.....	17	5	1	2	3	1	-	-	4	-
1999.....	9	13	5	3	1	2	3	1	1	-
White, male										
2000.....	13	3	1	2	2	1	-	-	-	-
1999.....	3	5	2	1	-	2	2	1	1	-
White, female										
2000.....	4	2	-	-	1	-	-	-	4	-
1999.....	6	8	3	2	1	-	1	-	-	-
All other, both sexes										
2000.....	1	2	1	-	-	1	-	-	-	-
1999.....	-	2	-	-	-	-	-	-	-	-
All other, male										
2000.....	1	1	1	-	-	-	-	-	-	-
1999.....	-	1	-	-	-	-	-	-	-	-
All other, female										
2000.....	-	1	-	-	-	1	-	-	-	-
1999.....	-	1	-	-	-	-	-	-	-	-
Black, both sexes										
2000.....	1	2	1	-	-	-	-	-	-	-
1999.....	-	2	-	-	-	-	-	-	-	-
Black, male										
2000.....	1	1	1	-	-	-	-	-	-	-
1999.....	-	1	-	-	-	-	-	-	-	-
Black, female										
2000.....	-	1	-	-	-	-	-	-	-	-
1999.....	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)										
All races, both sexes										
2000.....	87	99	141	183	282	460	840	1,315	4,103	1
1999.....	82	112	111	152	282	491	877	1,350	4,421	-
All races, male										
2000.....	52	57	78	97	149	226	366	500	1,034	1
1999.....	50	68	67	69	135	242	398	490	1,014	-
All races, female										
2000.....	35	42	63	86	133	234	474	815	3,069	-
1999.....	32	44	44	83	147	249	479	860	3,407	-
White, both sexes										
2000.....	56	69	107	141	220	374	727	1,161	3,684	1
1999.....	58	77	84	106	205	406	751	1,207	4,016	-
White, male										
2000.....	33	41	57	72	117	184	307	440	941	1
1999.....	37	49	49	50	89	194	334	428	889	-
White, female										
2000.....	23	28	50	69	103	190	420	721	2,743	-
1999.....	21	28	35	56	116	212	417	779	3,127	-
All other, both sexes										
2000.....	31	30	34	42	62	86	113	154	419	-
1999.....	24	35	27	46	77	85	126	143	405	-
All other, male										
2000.....	19	16	21	25	32	42	59	60	93	-
1999.....	13	19	18	19	46	48	64	62	125	-
All other, female										
2000.....	12	14	13	17	30	44	54	94	326	-
1999.....	11	16	9	27	31	37	62	81	280	-
Black, both sexes										
2000.....	30	29	29	37	60	76	104	145	383	-
1999.....	23	33	26	43	71	81	111	127	361	-
Black, male										
2000.....	19	16	18	22	31	36	55	56	85	-
1999.....	12	18	18	19	44	44	56	51	107	-
Black, female										
2000.....	11	13	11	15	29	40	49	89	298	-
1999.....	11	15	8	24	27	37	55	76	254	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other metabolic disorders (E70-E83,E85,E88)										
All races, both sexes										
2000.....	200	326	397	516	647	928	1,064	967	1,156	-
1999.....	173	270	345	503	624	846	981	831	1,011	-
All races, male										
2000.....	153	249	262	356	411	524	535	392	340	-
1999.....	122	180	227	324	377	494	478	354	304	-
All races, female										
2000.....	47	77	135	160	236	404	529	575	816	-
1999.....	51	90	118	179	247	352	503	477	707	-
White, both sexes										
2000.....	180	278	341	441	576	838	966	882	1,057	-
1999.....	145	226	303	445	553	760	898	751	926	-
White, male										
2000.....	140	214	233	308	368	482	494	364	322	-
1999.....	101	159	204	291	344	452	442	323	280	-
White, female										
2000.....	40	64	108	133	208	356	472	518	735	-
1999.....	44	67	99	154	209	308	456	428	646	-
All other, both sexes										
2000.....	20	48	56	75	71	90	98	85	99	-
1999.....	28	44	42	58	71	86	83	80	85	-
All other, male										
2000.....	13	35	29	48	43	42	41	28	18	-
1999.....	21	21	23	33	33	42	36	31	24	-
All other, female										
2000.....	7	13	27	27	28	48	57	57	81	-
1999.....	7	23	19	25	38	44	47	49	61	-
Black, both sexes										
2000.....	18	37	48	62	60	75	83	71	87	-
1999.....	20	41	35	50	64	74	72	60	74	-
Black, male										
2000.....	12	27	24	37	33	37	32	22	15	-
1999.....	15	20	19	28	28	33	30	20	19	-
Black, female										
2000.....	6	10	24	25	27	38	51	49	72	-
1999.....	5	21	16	22	36	41	42	40	55	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
V. Mental and behavioral disorders (F01-F99)										
All races, both sexes										
2000.....	1,507	1,257	1,051	925	1,118	1,997	4,012	7,106	23,809	8
1999.....	1,457	1,157	960	950	1,070	1,878	3,665	6,278	21,405	6
All races, male										
2000.....	1,146	982	776	666	725	1,092	1,807	2,578	5,534	8
1999.....	1,113	918	739	699	709	1,046	1,712	2,404	4,962	4
All races, female										
2000.....	361	275	275	259	393	905	2,205	4,528	18,275	-
1999.....	344	239	221	251	361	832	1,953	3,874	16,443	2
White, both sexes										
2000.....	1,116	977	831	728	926	1,724	3,595	6,508	22,166	6
1999.....	1,066	872	728	765	884	1,630	3,299	5,779	20,132	5
White, male										
2000.....	857	764	609	517	585	930	1,619	2,344	5,093	6
1999.....	833	699	551	562	577	897	1,519	2,187	4,632	3
White, female										
2000.....	259	213	222	211	341	794	1,976	4,164	17,073	-
1999.....	233	173	177	203	307	733	1,780	3,592	15,500	2
All other, both sexes										
2000.....	391	280	220	197	192	273	417	598	1,643	2
1999.....	391	285	232	185	186	248	366	499	1,273	1
All other, male										
2000.....	289	218	167	149	140	162	188	234	441	2
1999.....	280	219	188	137	132	149	193	217	330	1
All other, female										
2000.....	102	62	53	48	52	111	229	364	1,202	-
1999.....	111	66	44	48	54	99	173	282	943	-
Black, both sexes										
2000.....	359	257	192	177	169	250	385	515	1,415	2
1999.....	345	246	217	165	170	228	324	444	1,095	1
Black, male										
2000.....	268	203	148	134	125	146	174	201	360	2
1999.....	245	188	174	125	121	137	168	193	264	1
Black, female										
2000.....	91	54	44	43	44	104	211	314	1,055	-
1999.....	100	58	43	40	49	91	156	251	831	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Organic dementia (F01,F03)										
All races, both sexes										
2000.....	22	23	80	156	433	1,272	3,191	6,199	21,437	-
1999.....	9	28	59	149	378	1,155	2,772	5,278	18,874	-
All races, male										
2000.....	9	15	34	89	229	637	1,383	2,211	4,895	-
1999.....	3	18	41	86	216	594	1,219	1,978	4,316	-
All races, female										
2000.....	13	8	46	67	204	635	1,808	3,988	16,542	-
1999.....	6	10	18	63	162	561	1,553	3,300	14,558	-
White, both sexes										
2000.....	18	20	68	124	365	1,087	2,854	5,671	19,940	-
1999.....	6	26	51	128	318	1,012	2,501	4,857	17,746	-
White, male										
2000.....	6	13	27	72	191	538	1,241	2,009	4,502	-
1999.....	2	16	35	75	185	519	1,095	1,800	4,033	-
White, female										
2000.....	12	7	41	52	174	549	1,613	3,662	15,438	-
1999.....	4	10	16	53	133	493	1,406	3,057	13,713	-
All other, both sexes										
2000.....	4	3	12	32	68	185	337	528	1,497	-
1999.....	3	2	8	21	60	143	271	421	1,128	-
All other, male										
2000.....	3	2	7	17	38	99	142	202	393	-
1999.....	1	2	6	11	31	75	124	178	283	-
All other, female										
2000.....	1	1	5	15	30	86	195	326	1,104	-
1999.....	2	-	2	10	29	68	147	243	845	-
Black, both sexes										
2000.....	4	3	11	27	58	169	311	452	1,289	-
1999.....	3	2	8	18	54	131	240	372	970	-
Black, male										
2000.....	3	2	6	15	35	88	130	173	323	-
1999.....	1	2	6	10	29	68	108	156	227	-
Black, female										
2000.....	1	1	5	12	23	81	181	279	966	-
1999.....	2	-	2	8	25	63	132	216	743	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified organic mental disorders (F04-F09)										
All races, both sexes										
2000.....	8	9	22	28	44	109	239	373	1,427	-
1999.....	8	10	13	24	39	105	240	427	1,567	1
All races, male										
2000.....	4	4	14	14	26	55	102	118	348	-
1999.....	6	7	8	16	23	51	107	163	356	1
All races, female										
2000.....	4	5	8	14	18	54	137	255	1,079	-
1999.....	2	3	5	8	16	54	133	264	1,211	-
White, both sexes										
2000.....	4	8	20	22	40	98	220	338	1,333	-
1999.....	5	9	10	22	30	90	214	389	1,465	-
White, male										
2000.....	2	3	13	10	23	48	96	107	316	-
1999.....	4	6	8	14	18	45	91	146	325	-
White, female										
2000.....	2	5	7	12	17	50	124	231	1,017	-
1999.....	1	3	2	8	12	45	123	243	1,140	-
All other, both sexes										
2000.....	4	1	2	6	4	11	19	35	94	-
1999.....	3	1	3	2	9	15	26	38	102	1
All other, male										
2000.....	2	1	1	4	3	7	6	11	32	-
1999.....	2	1	-	2	5	6	16	17	31	1
All other, female										
2000.....	2	-	1	2	1	4	13	24	62	-
1999.....	1	-	3	-	4	9	10	21	71	-
Black, both sexes										
2000.....	3	1	2	6	3	10	18	34	81	-
1999.....	3	1	3	2	9	13	24	36	90	1
Black, male										
2000.....	2	1	1	4	2	6	6	11	22	-
1999.....	2	1	-	2	5	6	15	16	25	1
Black, female										
2000.....	1	-	1	2	1	4	12	23	59	-
1999.....	1	-	3	-	4	7	9	20	65	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Mental and behavioral disorders due to psychoactive substance use (F10-F19)										
All races, both sexes										
2000.....	1,402	1,143	864	653	553	451	351	225	174	8
1999.....	1,365	1,041	811	704	553	442	386	214	158	5
All races, male										
2000.....	1,094	921	679	521	429	323	243	145	90	8
1999.....	1,059	844	644	563	417	317	270	152	88	3
All races, female										
2000.....	308	222	185	132	124	128	108	80	84	-
1999.....	306	197	167	141	136	125	116	62	70	2
White, both sexes										
2000.....	1,028	875	664	503	441	389	310	207	159	6
1999.....	991	773	601	556	445	367	335	191	146	5
White, male										
2000.....	814	709	521	399	335	274	209	131	80	6
1999.....	788	640	468	445	325	257	229	136	80	3
White, female										
2000.....	214	166	143	104	106	115	101	76	79	-
1999.....	203	133	133	111	120	110	106	55	66	2
All other, both sexes										
2000.....	374	268	200	150	112	62	41	18	15	2
1999.....	374	268	210	148	108	75	51	23	12	-
All other, male										
2000.....	280	212	158	122	94	49	34	14	10	2
1999.....	271	204	176	118	92	60	41	16	8	-
All other, female										
2000.....	94	56	42	28	18	13	7	4	5	-
1999.....	103	64	34	30	16	15	10	7	4	-
Black, both sexes										
2000.....	345	245	174	136	100	56	39	15	14	2
1999.....	328	231	196	133	98	70	45	21	10	-
Black, male										
2000.....	259	197	140	110	83	45	33	11	9	2
1999.....	236	175	163	108	83	56	35	15	6	-
Black, female										
2000.....	86	48	34	26	17	11	6	4	5	-
1999.....	92	56	33	25	15	14	10	6	4	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Mental and behavioral disorders due to use of alcohol (F10)										
All races, both sexes										
2000.....	1,026	906	747	569	480	362	250	144	108	6
1999.....	996	838	697	612	469	339	281	143	96	3
All races, male										
2000.....	820	739	601	469	389	282	185	108	64	6
1999.....	787	695	562	492	368	259	217	111	58	2
All races, female										
2000.....	206	167	146	100	91	80	65	36	44	-
1999.....	209	143	135	120	101	80	64	32	38	1
White, both sexes										
2000.....	791	722	583	433	376	305	214	130	97	5
1999.....	774	647	532	476	372	273	236	122	87	3
White, male										
2000.....	640	589	468	354	300	235	153	96	57	5
1999.....	618	546	421	383	284	205	182	97	51	2
White, female										
2000.....	151	133	115	79	76	70	61	34	40	-
1999.....	156	101	111	93	88	68	54	25	36	1
All other, both sexes										
2000.....	235	184	164	136	104	57	36	14	11	1
1999.....	222	191	165	136	97	66	45	21	9	-
All other, male										
2000.....	180	150	133	115	89	47	32	12	7	1
1999.....	169	149	141	109	84	54	35	14	7	-
All other, female										
2000.....	55	34	31	21	15	10	4	2	4	-
1999.....	53	42	24	27	13	12	10	7	2	-
Black, both sexes										
2000.....	207	163	139	122	92	51	34	12	10	1
1999.....	182	157	152	121	87	62	40	19	7	-
Black, male										
2000.....	159	135	115	103	78	43	31	10	6	1
1999.....	137	123	129	99	75	51	30	13	5	-
Black, female										
2000.....	48	28	24	19	14	8	3	2	4	-
1999.....	45	34	23	22	12	11	10	6	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Mental and behavioral disorders due to other psychoactive substance use (F11-F19)										
All races, both sexes										
2000.....	376	237	117	84	73	89	101	81	66	2
1999.....	369	203	114	92	84	103	105	71	62	2
All races, male										
2000.....	274	182	78	52	40	41	58	37	26	2
1999.....	272	149	82	71	49	58	53	41	30	1
All races, female										
2000.....	102	55	39	32	33	48	43	44	40	-
1999.....	97	54	32	21	35	45	52	30	32	1
White, both sexes										
2000.....	237	153	81	70	65	84	96	77	62	1
1999.....	217	126	69	80	73	94	99	69	59	2
White, male										
2000.....	174	120	53	45	35	39	56	35	23	1
1999.....	170	94	47	62	41	52	47	39	29	1
White, female										
2000.....	63	33	28	25	30	45	40	42	39	-
1999.....	47	32	22	18	32	42	52	30	30	1
All other, both sexes										
2000.....	139	84	36	14	8	5	5	4	4	1
1999.....	152	77	45	12	11	9	6	2	3	-
All other, male										
2000.....	100	62	25	7	5	2	2	2	3	1
1999.....	102	55	35	9	8	6	6	2	1	-
All other, female										
2000.....	39	22	11	7	3	3	3	2	1	-
1999.....	50	22	10	3	3	3	-	-	2	-
Black, both sexes										
2000.....	138	82	35	14	8	5	5	3	4	1
1999.....	146	74	44	12	11	8	5	2	3	-
Black, male										
2000.....	100	62	25	7	5	2	2	1	3	1
1999.....	99	52	34	9	8	5	5	2	1	-
Black, female										
2000.....	38	20	10	7	3	3	3	2	1	-
1999.....	47	22	10	3	3	3	-	-	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Schizophrenia, schizotypal and delusional disorders (F20-F29)										
All races, both sexes										
2000.....	17	19	17	21	31	63	67	86	142	-
1999.....	17	19	18	20	24	53	72	102	203	-
All races, male										
2000.....	11	9	13	11	15	29	22	30	29	-
1999.....	8	12	10	9	10	26	30	26	55	-
All races, female										
2000.....	6	10	4	10	16	34	45	56	113	-
1999.....	9	7	8	11	14	27	42	76	148	-
White, both sexes										
2000.....	15	17	16	16	29	57	61	81	131	-
1999.....	16	12	17	15	23	47	63	93	189	-
White, male										
2000.....	10	8	13	9	13	27	21	28	27	-
1999.....	8	6	10	7	10	23	23	23	51	-
White, female										
2000.....	5	9	3	7	16	30	40	53	104	-
1999.....	8	6	7	8	13	24	40	70	138	-
All other, both sexes										
2000.....	2	2	1	5	2	6	6	5	11	-
1999.....	1	7	1	5	1	6	9	9	14	-
All other, male										
2000.....	1	1	-	2	2	2	1	2	2	-
1999.....	-	6	-	2	-	3	7	3	4	-
All other, female										
2000.....	1	1	1	3	-	4	5	3	9	-
1999.....	1	1	1	3	1	3	2	6	10	-
Black, both sexes										
2000.....	2	2	1	4	2	6	6	4	11	-
1999.....	1	5	1	4	1	6	7	9	13	-
Black, male										
2000.....	1	1	-	1	2	2	1	2	2	-
1999.....	-	4	-	1	-	3	5	3	3	-
Black, female										
2000.....	1	1	1	3	-	4	5	2	9	-
1999.....	1	1	1	3	1	3	2	6	10	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Mood (affective) disorders (F30-F39)										
All races, both sexes										
2000.....	13	14	17	16	25	47	92	142	416	-
1999.....	8	12	15	14	30	49	121	168	392	-
All races, male										
2000.....	6	6	11	8	9	20	26	43	112	-
1999.....	7	8	11	9	12	18	48	49	105	-
All races, female										
2000.....	7	8	6	8	16	27	66	99	304	-
1999.....	1	4	4	5	18	31	73	119	287	-
White, both sexes										
2000.....	12	13	17	15	23	44	86	136	405	-
1999.....	8	10	13	12	27	47	118	163	383	-
White, male										
2000.....	5	6	11	7	9	19	24	40	112	-
1999.....	7	6	9	8	12	18	46	47	102	-
White, female										
2000.....	7	7	6	8	14	25	62	96	293	-
1999.....	1	4	4	4	15	29	72	116	281	-
All other, both sexes										
2000.....	1	1	-	1	2	3	6	6	11	-
1999.....	-	2	2	2	3	2	3	5	9	-
All other, male										
2000.....	1	-	-	1	-	1	2	3	-	-
1999.....	-	2	2	1	-	-	2	2	3	-
All other, female										
2000.....	-	1	-	-	2	2	4	3	11	-
1999.....	-	-	-	1	3	2	1	3	6	-
Black, both sexes										
2000.....	1	1	-	1	2	3	4	5	8	-
1999.....	-	2	1	2	3	2	3	3	8	-
Black, male										
2000.....	1	-	-	1	-	1	2	3	-	-
1999.....	-	2	1	1	-	-	2	2	3	-
Black, female										
2000.....	-	1	-	-	2	2	2	2	8	-
1999.....	-	-	-	1	3	2	1	1	5	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Neurotic, stress-related and somatoform disorders (F40-F48)										
All races, both sexes										
2000.....	-	2	1	6	4	7	11	7	27	-
1999.....	2	4	4	3	3	11	17	14	31	-
All races, male										
2000.....	-	2	-	-	2	5	6	2	10	-
1999.....	1	4	3	-	2	4	8	7	6	-
All races, female										
2000.....	-	-	1	6	2	2	5	5	17	-
1999.....	1	-	1	3	1	7	9	7	25	-
White, both sexes										
2000.....	-	2	1	6	2	7	11	7	25	-
1999.....	2	3	3	3	3	11	15	14	29	-
White, male										
2000.....	-	2	-	-	-	5	6	2	10	-
1999.....	1	3	2	-	2	4	7	7	6	-
White, female										
2000.....	-	-	1	6	2	2	5	5	15	-
1999.....	1	-	1	3	1	7	8	7	23	-
All other, both sexes										
2000.....	-	-	-	-	2	-	-	-	2	-
1999.....	-	1	1	-	-	-	2	-	2	-
All other, male										
2000.....	-	-	-	-	2	-	-	-	-	-
1999.....	-	1	1	-	-	-	1	-	-	-
All other, female										
2000.....	-	-	-	-	-	-	-	-	2	-
1999.....	-	-	-	-	-	-	1	-	2	-
Black, both sexes										
2000.....	-	-	-	-	2	-	-	-	2	-
1999.....	-	1	1	-	-	-	2	-	-	-
Black, male										
2000.....	-	-	-	-	2	-	-	-	-	-
1999.....	-	1	1	-	-	-	1	-	-	-
Black, female										
2000.....	-	-	-	-	-	-	-	-	2	-
1999.....	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Mental retardation (F70-F79)										
All races, both sexes										
2000.....	37	36	44	31	21	29	30	16	22	-
1999.....	34	34	33	32	29	31	25	26	12	-
All races, male										
2000.....	22	21	22	18	12	16	17	6	10	-
1999.....	22	23	20	15	21	19	16	15	6	-
All races, female										
2000.....	15	15	22	13	9	13	13	10	12	-
1999.....	12	11	13	17	8	12	9	11	6	-
White, both sexes										
2000.....	33	32	41	29	20	25	28	15	21	-
1999.....	28	30	28	27	27	27	22	25	12	-
White, male										
2000.....	20	19	22	16	12	13	16	6	10	-
1999.....	19	20	18	13	19	15	14	15	6	-
White, female										
2000.....	13	13	19	13	8	12	12	9	11	-
1999.....	9	10	10	14	8	12	8	10	6	-
All other, both sexes										
2000.....	4	4	3	2	1	4	2	1	1	-
1999.....	6	4	5	5	2	4	3	1	-	-
All other, male										
2000.....	2	2	-	2	-	3	1	-	-	-
1999.....	3	3	2	2	2	4	2	-	-	-
All other, female										
2000.....	2	2	3	-	1	1	1	1	1	-
1999.....	3	1	3	3	-	-	1	1	-	-
Black, both sexes										
2000.....	3	4	3	2	1	4	1	1	1	-
1999.....	6	4	5	4	2	4	3	1	-	-
Black, male										
2000.....	2	2	-	2	-	3	-	-	-	-
1999.....	3	3	2	2	2	4	2	-	-	-
Black, female										
2000.....	1	2	3	-	1	1	1	1	1	-
1999.....	3	1	3	2	-	-	1	1	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified mental and behavioral disorders (F50-F69,F80-F99)										
All races, both sexes										
2000.....	8	11	6	14	7	19	31	58	164	-
1999.....	14	9	7	4	14	32	32	49	168	-
All races, male										
2000.....	-	4	3	5	3	7	8	23	40	-
1999.....	7	2	2	1	8	17	14	14	30	-
All races, female										
2000.....	8	7	3	9	4	12	23	35	124	-
1999.....	7	7	5	3	6	15	18	35	138	-
White, both sexes										
2000.....	6	10	4	13	6	17	25	53	152	-
1999.....	10	9	5	2	11	29	31	47	162	-
White, male										
2000.....	-	4	2	4	2	6	6	21	36	-
1999.....	4	2	1	-	6	16	14	13	29	-
White, female										
2000.....	6	6	2	9	4	11	19	32	116	-
1999.....	6	7	4	2	5	13	17	34	133	-
All other, both sexes										
2000.....	2	1	2	1	1	2	6	5	12	-
1999.....	4	-	2	2	3	3	1	2	6	-
All other, male										
2000.....	-	-	1	1	1	1	2	2	4	-
1999.....	3	-	1	1	2	1	-	1	1	-
All other, female										
2000.....	2	1	1	-	-	1	4	3	8	-
1999.....	1	-	1	1	1	2	1	1	5	-
Black, both sexes										
2000.....	1	1	1	1	1	2	6	4	9	-
1999.....	4	-	2	2	3	2	-	2	4	-
Black, male										
2000.....	-	-	1	1	1	1	2	1	4	-
1999.....	3	-	1	1	2	-	-	1	-	-
Black, female										
2000.....	1	1	-	-	-	1	4	3	5	-
1999.....	1	-	1	1	1	2	-	1	4	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
VI. Diseases of the nervous system (G00-G98)										
All races, both sexes										
2000.....	1,474	1,938	2,104	2,567	3,836	7,041	12,820	17,898	36,670	3
1999.....	1,369	1,748	1,884	2,366	3,753	6,772	12,014	16,619	32,852	-
All races, male										
2000.....	817	1,016	1,074	1,330	2,045	3,622	6,038	7,477	10,138	2
1999.....	695	914	1,003	1,239	1,974	3,470	5,833	7,104	9,221	-
All races, female										
2000.....	657	922	1,030	1,237	1,791	3,419	6,782	10,421	26,532	1
1999.....	674	834	881	1,127	1,779	3,302	6,181	9,515	23,631	-
White, both sexes										
2000.....	1,166	1,623	1,799	2,230	3,409	6,393	11,922	16,826	34,568	2
1999.....	1,080	1,447	1,607	2,039	3,329	6,149	11,147	15,682	31,075	-
White, male										
2000.....	670	872	915	1,156	1,845	3,322	5,634	7,061	9,533	2
1999.....	560	760	868	1,076	1,765	3,195	5,444	6,767	8,702	-
White, female										
2000.....	496	751	884	1,074	1,564	3,071	6,288	9,765	25,035	-
1999.....	520	687	739	963	1,564	2,954	5,703	8,915	22,373	-
All other, both sexes										
2000.....	308	315	305	337	427	648	898	1,072	2,102	1
1999.....	289	301	277	327	424	623	867	937	1,777	-
All other, male										
2000.....	147	144	159	174	200	300	404	416	605	-
1999.....	135	154	135	163	209	275	389	337	519	-
All other, female										
2000.....	161	171	146	163	227	348	494	656	1,497	1
1999.....	154	147	142	164	215	348	478	600	1,258	-
Black, both sexes										
2000.....	285	288	270	287	377	548	766	920	1,794	1
1999.....	268	276	244	282	363	545	737	782	1,522	-
Black, male										
2000.....	134	132	145	148	179	260	338	339	466	-
1999.....	130	147	114	140	178	239	321	265	411	-
Black, female										
2000.....	151	156	125	139	198	288	428	581	1,328	1
1999.....	138	129	130	142	185	306	416	517	1,111	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Meningitis (G00,G03)										
All races, both sexes										
2000.....	45	55	43	47	48	60	68	55	50	-
1999.....	62	46	41	49	49	66	65	57	62	-
All races, male										
2000.....	25	31	26	28	26	34	41	21	19	-
1999.....	39	29	24	21	28	32	26	23	20	-
All races, female										
2000.....	20	24	17	19	22	26	27	34	31	-
1999.....	23	17	17	28	21	34	39	34	42	-
White, both sexes										
2000.....	35	36	29	36	32	47	56	48	40	-
1999.....	39	33	32	39	38	51	47	48	50	-
White, male										
2000.....	21	22	20	22	19	29	33	19	14	-
1999.....	22	19	20	17	21	25	17	21	16	-
White, female										
2000.....	14	14	9	14	13	18	23	29	26	-
1999.....	17	14	12	22	17	26	30	27	34	-
All other, both sexes										
2000.....	10	19	14	11	16	13	12	7	10	-
1999.....	23	13	9	10	11	15	18	9	12	-
All other, male										
2000.....	4	9	6	6	7	5	8	2	5	-
1999.....	17	10	4	4	7	7	9	2	4	-
All other, female										
2000.....	6	10	8	5	9	8	4	5	5	-
1999.....	6	3	5	6	4	8	9	7	8	-
Black, both sexes										
2000.....	9	17	13	9	15	12	8	5	9	-
1999.....	22	13	8	10	9	12	17	8	12	-
Black, male										
2000.....	3	8	6	5	6	5	5	2	5	-
1999.....	17	10	4	4	6	6	8	2	4	-
Black, female										
2000.....	6	9	7	4	9	7	3	3	4	-
1999.....	5	3	4	6	3	6	9	6	8	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Other inflammatory diseases of central nervous system (G04-G09)

All races, both sexes										
2000.....	28	41	43	37	49	68	84	55	41	-
1999.....	32	36	38	35	45	61	51	51	45	-
All races, male										
2000.....	13	29	20	22	25	40	50	26	13	-
1999.....	16	19	30	14	25	23	27	28	18	-
All races, female										
2000.....	15	12	23	15	24	28	34	29	28	-
1999.....	16	17	8	21	20	38	24	23	27	-
White, both sexes										
2000.....	19	35	33	34	39	56	74	46	37	-
1999.....	26	29	29	26	38	51	46	47	41	-
White, male										
2000.....	7	25	15	21	24	35	46	23	13	-
1999.....	12	16	23	12	20	21	26	26	15	-
White, female										
2000.....	12	10	18	13	15	21	28	23	24	-
1999.....	14	13	6	14	18	30	20	21	26	-
All other, both sexes										
2000.....	9	6	10	3	10	12	10	9	4	-
1999.....	6	7	9	9	7	10	5	4	4	-
All other, male										
2000.....	6	4	5	1	1	5	4	3	-	-
1999.....	4	3	7	2	5	2	1	2	3	-
All other, female										
2000.....	3	2	5	2	9	7	6	6	4	-
1999.....	2	4	2	7	2	8	4	2	1	-
Black, both sexes										
2000.....	9	6	7	2	9	8	7	7	4	-
1999.....	6	7	8	8	7	8	5	2	3	-
Black, male										
2000.....	6	4	4	1	1	3	4	2	-	-
1999.....	4	3	6	2	5	2	1	1	2	-
Black, female										
2000.....	3	2	3	1	8	5	3	5	4	-
1999.....	2	4	2	6	2	6	4	1	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Parkinson's disease (G20-G21)										
All races, both sexes										
2000.....	16	33	82	188	626	1,482	3,322	4,330	5,590	1
1999.....	8	35	73	169	539	1,481	3,066	4,044	5,168	-
All races, male										
2000.....	10	19	55	115	398	940	2,052	2,478	2,728	1
1999.....	5	25	44	117	338	965	1,940	2,367	2,454	-
All races, female										
2000.....	6	14	27	73	228	542	1,270	1,852	2,862	-
1999.....	3	10	29	52	201	516	1,126	1,677	2,714	-
White, both sexes										
2000.....	12	29	75	176	585	1,397	3,163	4,143	5,354	1
1999.....	8	31	65	150	498	1,397	2,910	3,877	4,941	-
White, male										
2000.....	8	16	49	109	372	890	1,943	2,364	2,609	1
1999.....	5	24	41	106	314	922	1,842	2,281	2,339	-
White, female										
2000.....	4	13	26	67	213	507	1,220	1,779	2,745	-
1999.....	3	7	24	44	184	475	1,068	1,596	2,602	-
All other, both sexes										
2000.....	4	4	7	12	41	85	159	187	236	-
1999.....	-	4	8	19	41	84	156	167	227	-
All other, male										
2000.....	2	3	6	6	26	50	109	114	119	-
1999.....	-	1	3	11	24	43	98	86	115	-
All other, female										
2000.....	2	1	1	6	15	35	50	73	117	-
1999.....	-	3	5	8	17	41	58	81	112	-
Black, both sexes										
2000.....	2	4	5	9	28	66	118	133	165	-
1999.....	-	4	7	15	33	64	109	112	163	-
Black, male										
2000.....	1	3	4	5	19	41	80	78	75	-
1999.....	-	1	3	10	22	37	67	56	74	-
Black, female										
2000.....	1	1	1	4	9	25	38	55	90	-
1999.....	-	3	4	5	11	27	42	56	89	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Alzheimer's disease (G30)										
All races, both sexes										
2000.....	17	47	142	349	868	2,563	6,319	10,934	28,309	2
1999.....	20	40	125	323	830	2,374	5,769	10,067	24,980	-
All races, male										
2000.....	10	24	60	150	420	1,134	2,433	3,795	6,406	1
1999.....	10	18	68	154	389	1,048	2,332	3,572	5,796	-
All races, female										
2000.....	7	23	82	199	448	1,429	3,886	7,139	21,903	1
1999.....	10	22	57	169	441	1,326	3,437	6,495	19,184	-
White, both sexes										
2000.....	14	41	132	318	796	2,343	5,864	10,260	26,683	1
1999.....	18	35	113	300	757	2,169	5,363	9,470	23,646	-
White, male										
2000.....	8	21	55	138	389	1,043	2,271	3,583	6,010	1
1999.....	10	16	61	144	355	961	2,180	3,384	5,471	-
White, female										
2000.....	6	20	77	180	407	1,300	3,593	6,677	20,673	-
1999.....	8	19	52	156	402	1,208	3,183	6,086	18,175	-
All other, both sexes										
2000.....	3	6	10	31	72	220	455	674	1,626	1
1999.....	2	5	12	23	73	205	406	597	1,334	-
All other, male										
2000.....	2	3	5	12	31	91	162	212	396	-
1999.....	-	2	7	10	34	87	152	188	325	-
All other, female										
2000.....	1	3	5	19	41	129	293	462	1,230	1
1999.....	2	3	5	13	39	118	254	409	1,009	-
Black, both sexes										
2000.....	1	4	7	23	67	194	400	608	1,423	1
1999.....	2	3	10	19	62	187	364	526	1,168	-
Black, male										
2000.....	1	2	5	11	30	83	137	185	322	-
1999.....	-	2	6	9	31	81	132	160	271	-
Black, female										
2000.....	-	2	2	12	37	111	263	423	1,101	1
1999.....	2	1	4	10	31	106	232	366	897	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Multiple sclerosis (G35)										
All races, both sexes										
2000.....	289	433	405	337	294	272	225	155	74	-
1999.....	284	406	319	290	282	247	236	136	86	-
All races, male										
2000.....	107	157	143	120	103	95	72	41	22	-
1999.....	80	146	121	92	104	92	70	39	16	-
All races, female										
2000.....	182	276	262	217	191	177	153	114	52	-
1999.....	204	260	198	198	178	155	166	97	70	-
White, both sexes										
2000.....	236	384	363	297	274	257	219	150	73	-
1999.....	249	355	299	266	259	231	229	134	84	-
White, male										
2000.....	96	142	127	105	97	94	72	40	22	-
1999.....	70	128	114	83	100	87	67	39	16	-
White, female										
2000.....	140	242	236	192	177	163	147	110	51	-
1999.....	179	227	185	183	159	144	162	95	68	-
All other, both sexes										
2000.....	53	49	42	40	20	15	6	5	1	-
1999.....	35	51	20	24	23	16	7	2	2	-
All other, male										
2000.....	11	15	16	15	6	1	-	1	-	-
1999.....	10	18	7	9	4	5	3	-	-	-
All other, female										
2000.....	42	34	26	25	14	14	6	4	1	-
1999.....	25	33	13	15	19	11	4	2	2	-
Black, both sexes										
2000.....	50	45	41	39	19	14	6	5	1	-
1999.....	32	45	20	24	23	16	6	1	2	-
Black, male										
2000.....	11	14	16	15	6	1	-	1	-	-
1999.....	10	18	7	9	4	5	3	-	-	-
Black, female										
2000.....	39	31	25	24	13	13	6	4	1	-
1999.....	22	27	13	15	19	11	3	1	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Epilepsy (G40-G41)										
All races, both sexes										
2000.....	116	107	88	66	64	89	73	80	86	-
1999.....	108	98	69	65	74	87	78	74	76	-
All races, male										
2000.....	76	60	52	39	33	40	29	18	30	-
1999.....	69	51	35	35	40	40	27	24	27	-
All races, female										
2000.....	40	47	36	27	31	49	44	62	56	-
1999.....	39	47	34	30	34	47	51	50	49	-
White, both sexes										
2000.....	83	82	64	46	49	66	50	66	65	-
1999.....	81	68	50	36	52	65	59	62	65	-
White, male										
2000.....	59	48	40	25	26	27	16	14	21	-
1999.....	51	35	22	19	28	33	19	21	25	-
White, female										
2000.....	24	34	24	21	23	39	34	52	44	-
1999.....	30	33	28	17	24	32	40	41	40	-
All other, both sexes										
2000.....	33	25	24	20	15	23	23	14	21	-
1999.....	27	30	19	29	22	22	19	12	11	-
All other, male										
2000.....	17	12	12	14	7	13	13	4	9	-
1999.....	18	16	13	16	12	7	8	3	2	-
All other, female										
2000.....	16	13	12	6	8	10	10	10	12	-
1999.....	9	14	6	13	10	15	11	9	9	-
Black, both sexes										
2000.....	31	24	22	19	14	22	22	14	20	-
1999.....	26	30	17	25	22	22	19	12	11	-
Black, male										
2000.....	16	12	11	13	7	12	12	4	8	-
1999.....	18	16	11	15	12	7	8	3	2	-
Black, female										
2000.....	15	12	11	6	7	10	10	10	12	-
1999.....	8	14	6	10	10	15	11	9	9	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Transient cerebral ischemic attacks and related syndromes (G45)										
All races, both sexes										
2000.....	4	2	6	2	10	13	36	50	164	-
1999.....	2	5	1	7	12	16	30	50	190	-
All races, male										
2000.....	3	2	1	2	4	4	21	16	36	-
1999.....	1	2	-	6	5	5	21	22	45	-
All races, female										
2000.....	1	-	5	-	6	9	15	34	128	-
1999.....	1	3	1	1	7	11	9	28	145	-
White, both sexes										
2000.....	3	2	4	2	8	12	34	48	154	-
1999.....	1	4	1	5	11	15	27	49	185	-
White, male										
2000.....	2	2	-	2	2	4	20	16	33	-
1999.....	1	1	-	5	4	5	19	22	42	-
White, female										
2000.....	1	-	4	-	6	8	14	32	121	-
1999.....	-	3	1	-	7	10	8	27	143	-
All other, both sexes										
2000.....	1	-	2	-	2	1	2	2	10	-
1999.....	1	1	-	2	1	1	3	1	5	-
All other, male										
2000.....	1	-	1	-	2	-	1	-	3	-
1999.....	-	1	-	1	1	-	2	-	3	-
All other, female										
2000.....	-	-	1	-	-	1	1	2	7	-
1999.....	1	-	-	1	-	1	1	1	2	-
Black, both sexes										
2000.....	1	-	2	-	2	1	2	2	8	-
1999.....	1	1	-	2	1	1	3	1	4	-
Black, male										
2000.....	1	-	1	-	2	-	1	-	1	-
1999.....	-	1	-	1	1	-	2	-	2	-
Black, female										
2000.....	-	-	1	-	-	1	1	2	7	-
1999.....	1	-	-	1	-	1	1	1	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Infantile cerebral palsy (G80)										
All races, both sexes										
2000.....	50	45	41	38	48	39	29	33	6	-
1999.....	49	39	32	31	33	35	30	22	20	-
All races, male										
2000.....	28	29	20	18	29	27	13	11	1	-
1999.....	26	26	20	22	22	17	16	10	6	-
All races, female										
2000.....	22	16	21	20	19	12	16	22	5	-
1999.....	23	13	12	9	11	18	14	12	14	-
White, both sexes										
2000.....	44	42	37	35	44	36	24	31	6	-
1999.....	44	32	30	29	31	32	29	22	20	-
White, male										
2000.....	24	28	19	17	27	24	9	11	1	-
1999.....	25	20	20	21	20	16	15	10	6	-
White, female										
2000.....	20	14	18	18	17	12	15	20	5	-
1999.....	19	12	10	8	11	16	14	12	14	-
All other, both sexes										
2000.....	6	3	4	3	4	3	5	2	-	-
1999.....	5	7	2	2	2	3	1	-	-	-
All other, male										
2000.....	4	1	1	1	2	3	4	-	-	-
1999.....	1	6	-	1	2	1	1	-	-	-
All other, female										
2000.....	2	2	3	2	2	-	1	2	-	-
1999.....	4	1	2	1	-	2	-	-	-	-
Black, both sexes										
2000.....	6	3	4	3	4	3	5	2	-	-
1999.....	5	7	2	2	2	3	1	-	-	-
Black, male										
2000.....	4	1	1	1	2	3	4	-	-	-
1999.....	1	6	-	1	2	1	1	-	-	-
Black, female										
2000.....	2	2	3	2	2	-	1	2	-	-
1999.....	4	1	2	1	-	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)										
All races, both sexes										
2000.....	909	1,175	1,254	1,503	1,829	2,455	2,664	2,206	2,350	-
1999.....	804	1,043	1,186	1,397	1,889	2,405	2,689	2,118	2,225	-
All races, male										
2000.....	545	665	697	836	1,007	1,308	1,327	1,071	883	-
1999.....	449	598	661	778	1,023	1,248	1,374	1,019	839	-
All races, female										
2000.....	364	510	557	667	822	1,147	1,337	1,135	1,467	-
1999.....	355	445	525	619	866	1,157	1,315	1,099	1,386	-
White, both sexes										
2000.....	720	972	1,062	1,286	1,582	2,179	2,438	2,034	2,156	-
1999.....	614	860	988	1,188	1,645	2,138	2,437	1,973	2,043	-
White, male										
2000.....	445	568	590	717	889	1,176	1,224	991	810	-
1999.....	364	501	567	669	903	1,125	1,259	963	772	-
White, female										
2000.....	275	404	472	569	693	1,003	1,214	1,043	1,346	-
1999.....	250	359	421	519	742	1,013	1,178	1,010	1,271	-
All other, both sexes										
2000.....	189	203	192	217	247	276	226	172	194	-
1999.....	190	183	198	209	244	267	252	145	182	-
All other, male										
2000.....	100	97	107	119	118	132	103	80	73	-
1999.....	85	97	94	109	120	123	115	56	67	-
All other, female										
2000.....	89	106	85	98	129	144	123	92	121	-
1999.....	105	86	104	100	124	144	137	89	115	-
Black, both sexes										
2000.....	176	185	169	183	219	228	198	144	164	-
1999.....	174	166	172	177	204	232	213	120	159	-
Black, male										
2000.....	91	88	97	97	106	112	95	67	55	-
1999.....	80	90	77	89	95	100	99	43	56	-
Black, female										
2000.....	85	97	72	86	113	116	103	77	109	-
1999.....	94	76	95	88	109	132	114	77	103	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
VII. Diseases of the eye and adnexa (H00-H57)										
All races, both sexes										
2000.....	2	2	1	-	5	5	4	7	25	-
1999.....	2	2	1	1	2	3	5	1	23	-
All races, male										
2000.....	1	1	1	-	4	5	3	2	8	-
1999.....	-	1	-	1	1	3	2	1	6	-
All races, female										
2000.....	1	1	-	-	1	-	1	5	17	-
1999.....	2	1	1	-	1	-	3	-	17	-
White, both sexes										
2000.....	2	2	1	-	5	4	3	4	19	-
1999.....	1	-	-	-	2	3	4	1	19	-
White, male										
2000.....	1	1	1	-	4	4	2	1	6	-
1999.....	-	-	-	-	1	3	2	1	4	-
White, female										
2000.....	1	1	-	-	1	-	1	3	13	-
1999.....	1	-	-	-	1	-	2	-	15	-
All other, both sexes										
2000.....	-	-	-	-	-	1	1	3	6	-
1999.....	1	2	1	1	-	-	1	-	4	-
All other, male										
2000.....	-	-	-	-	-	1	1	1	2	-
1999.....	-	1	-	1	-	-	-	-	2	-
All other, female										
2000.....	-	-	-	-	-	-	-	2	4	-
1999.....	1	1	1	-	-	-	1	-	2	-
Black, both sexes										
2000.....	-	-	-	-	-	1	1	3	3	-
1999.....	1	1	1	1	-	-	1	-	4	-
Black, male										
2000.....	-	-	-	-	-	1	1	1	1	-
1999.....	-	1	-	1	-	-	-	-	2	-
Black, female										
2000.....	-	-	-	-	-	-	-	2	2	-
1999.....	1	-	1	-	-	-	1	-	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
VIII. Diseases of the ear and mastoid process (H60-H93)										
All races, both sexes										
2000.....	7	3	2	6	3	6	4	3	9	-
1999.....	3	4	6	3	4	3	8	4	8	-
All races, male										
2000.....	3	3	2	2	3	2	2	1	3	-
1999.....	2	3	1	1	2	3	3	4	3	-
All races, female										
2000.....	4	-	-	4	-	4	2	2	6	-
1999.....	1	1	5	2	2	-	5	-	5	-
White, both sexes										
2000.....	6	3	1	5	2	5	4	2	9	-
1999.....	2	4	3	3	3	3	5	4	6	-
White, male										
2000.....	3	3	1	1	2	2	2	-	3	-
1999.....	1	3	1	1	2	3	3	4	2	-
White, female										
2000.....	3	-	-	4	-	3	2	2	6	-
1999.....	1	1	2	2	1	-	2	-	4	-
All other, both sexes										
2000.....	1	-	1	1	1	1	-	1	-	-
1999.....	1	-	3	-	1	-	3	-	2	-
All other, male										
2000.....	-	-	1	1	1	-	-	1	-	-
1999.....	1	-	-	-	-	-	-	-	1	-
All other, female										
2000.....	1	-	-	-	-	1	-	-	-	-
1999.....	-	-	3	-	1	-	3	-	1	-
Black, both sexes										
2000.....	1	-	1	1	1	-	-	1	-	-
1999.....	-	-	2	-	1	-	2	-	2	-
Black, male										
2000.....	-	-	1	1	1	-	-	1	-	-
1999.....	-	-	-	-	-	-	-	-	1	-
Black, female										
2000.....	1	-	-	-	-	-	-	-	-	-
1999.....	-	-	2	-	1	-	2	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
IX. Diseases of the circulatory system (I00-I99)										
All races, both sexes										
2000.....	18,034	26,064	33,685	44,313	62,095	94,887	135,869	161,494	341,534	62
1999.....	17,556	25,334	33,552	44,726	65,087	99,033	139,178	164,491	341,482	50
All races, male										
2000.....	12,689	18,141	22,943	28,744	37,891	55,009	70,441	72,828	103,931	43
1999.....	12,252	17,691	22,759	28,990	40,141	57,113	72,277	73,753	102,911	38
All races, female										
2000.....	5,345	7,923	10,742	15,569	24,204	39,878	65,428	88,666	237,603	19
1999.....	5,304	7,643	10,793	15,736	24,946	41,920	66,901	90,738	238,571	12
White, both sexes										
2000.....	12,983	19,631	26,210	35,058	50,934	80,795	119,172	145,815	313,118	45
1999.....	12,705	19,161	26,013	35,602	53,728	84,428	122,357	148,863	313,424	33
White, male										
2000.....	9,633	14,128	18,298	23,363	31,878	47,804	62,685	66,430	95,420	34
1999.....	9,287	13,808	18,143	23,610	33,910	49,671	64,468	67,507	94,313	25
White, female										
2000.....	3,350	5,503	7,912	11,695	19,056	32,991	56,487	79,385	217,698	11
1999.....	3,418	5,353	7,870	11,992	19,818	34,757	57,889	81,356	219,111	8
All other, both sexes										
2000.....	5,051	6,433	7,475	9,255	11,161	14,092	16,697	15,679	28,416	17
1999.....	4,851	6,173	7,539	9,124	11,359	14,605	16,821	15,628	28,058	17
All other, male										
2000.....	3,056	4,013	4,645	5,381	6,013	7,205	7,756	6,398	8,511	9
1999.....	2,965	3,883	4,616	5,380	6,231	7,442	7,809	6,246	8,598	13
All other, female										
2000.....	1,995	2,420	2,830	3,874	5,148	6,887	8,941	9,281	19,905	8
1999.....	1,886	2,290	2,923	3,744	5,128	7,163	9,012	9,382	19,460	4
Black, both sexes										
2000.....	4,589	5,735	6,650	8,124	9,691	12,235	14,129	13,224	24,132	17
1999.....	4,372	5,544	6,710	8,013	9,954	12,647	14,366	13,170	23,870	16
Black, male										
2000.....	2,744	3,535	4,103	4,640	5,140	6,130	6,376	5,233	6,692	9
1999.....	2,643	3,462	4,060	4,698	5,428	6,348	6,446	5,079	6,779	12
Black, female										
2000.....	1,845	2,200	2,547	3,484	4,551	6,105	7,753	7,991	17,440	8
1999.....	1,729	2,082	2,650	3,315	4,526	6,299	7,920	8,091	17,091	4

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)										
All races, both sexes										
2000.....	119	133	183	237	327	492	601	575	712	-
1999.....	101	144	189	222	338	516	614	613	748	-
All races, male										
2000.....	49	55	72	94	98	139	177	144	150	-
1999.....	40	50	64	69	107	183	164	161	123	-
All races, female										
2000.....	70	78	111	143	229	353	424	431	562	-
1999.....	61	94	125	153	231	333	450	452	625	-
White, both sexes										
2000.....	90	107	148	202	293	441	575	554	677	-
1999.....	79	108	156	185	302	474	578	583	712	-
White, male										
2000.....	39	48	62	85	88	122	169	140	141	-
1999.....	32	40	53	58	100	170	151	155	120	-
White, female										
2000.....	51	59	86	117	205	319	406	414	536	-
1999.....	47	68	103	127	202	304	427	428	592	-
All other, both sexes										
2000.....	29	26	35	35	34	51	26	21	35	-
1999.....	22	36	33	37	36	42	36	30	36	-
All other, male										
2000.....	10	7	10	9	10	17	8	4	9	-
1999.....	8	10	11	11	7	13	13	6	3	-
All other, female										
2000.....	19	19	25	26	24	34	18	17	26	-
1999.....	14	26	22	26	29	29	23	24	33	-
Black, both sexes										
2000.....	23	20	26	24	31	27	21	15	27	-
1999.....	20	29	29	23	25	31	24	16	26	-
Black, male										
2000.....	8	5	7	7	8	8	7	1	8	-
1999.....	8	10	9	8	6	10	10	4	1	-
Black, female										
2000.....	15	15	19	17	23	19	14	14	19	-
1999.....	12	19	20	15	19	21	14	12	25	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Acute rheumatic fever (I00-I02)										
All races, both sexes										
2000.....	4	2	1	5	4	3	5	2	6	-
1999.....	1	3	4	1	-	5	4	4	4	-
All races, male										
2000.....	1	-	1	4	1	3	3	-	1	-
1999.....	1	2	3	1	-	2	2	2	-	-
All races, female										
2000.....	3	2	-	1	3	-	2	2	5	-
1999.....	-	1	1	-	-	3	2	2	4	-
White, both sexes										
2000.....	4	1	-	5	3	3	5	2	5	-
1999.....	1	3	2	1	-	5	3	4	2	-
White, male										
2000.....	1	-	-	4	1	3	3	-	1	-
1999.....	1	2	2	1	-	2	1	2	-	-
White, female										
2000.....	3	1	-	1	2	-	2	2	4	-
1999.....	-	1	-	-	-	3	2	2	2	-
All other, both sexes										
2000.....	-	1	1	-	1	-	-	-	1	-
1999.....	-	-	2	-	-	-	1	-	2	-
All other, male										
2000.....	-	-	1	-	-	-	-	-	-	-
1999.....	-	-	1	-	-	-	1	-	-	-
All other, female										
2000.....	-	1	-	-	1	-	-	-	1	-
1999.....	-	-	1	-	-	-	-	-	2	-
Black, both sexes										
2000.....	-	1	1	-	1	-	-	-	1	-
1999.....	-	-	2	-	-	-	1	-	2	-
Black, male										
2000.....	-	-	1	-	-	-	-	-	-	-
1999.....	-	-	1	-	-	-	1	-	-	-
Black, female										
2000.....	-	1	-	-	1	-	-	-	1	-
1999.....	-	-	1	-	-	-	-	-	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Chronic rheumatic heart diseases (I05-I09)										
All races, both sexes										
2000.....	115	131	182	232	323	489	596	573	706	-
1999.....	100	141	185	221	338	511	610	609	744	-
All races, male										
2000.....	48	55	71	90	97	136	174	144	149	-
1999.....	39	48	61	68	107	181	162	159	123	-
All races, female										
2000.....	67	76	111	142	226	353	422	429	557	-
1999.....	61	93	124	153	231	330	448	450	621	-
White, both sexes										
2000.....	86	106	148	197	290	438	570	552	672	-
1999.....	78	105	154	184	302	469	575	579	710	-
White, male										
2000.....	38	48	62	81	87	119	166	140	140	-
1999.....	31	38	51	57	100	168	150	153	120	-
White, female										
2000.....	48	58	86	116	203	319	404	412	532	-
1999.....	47	67	103	127	202	301	425	426	590	-
All other, both sexes										
2000.....	29	25	34	35	33	51	26	21	34	-
1999.....	22	36	31	37	36	42	35	30	34	-
All other, male										
2000.....	10	7	9	9	10	17	8	4	9	-
1999.....	8	10	10	11	7	13	12	6	3	-
All other, female										
2000.....	19	18	25	26	23	34	18	17	25	-
1999.....	14	26	21	26	29	29	23	24	31	-
Black, both sexes										
2000.....	23	19	25	24	30	27	21	15	26	-
1999.....	20	29	27	23	25	31	23	16	24	-
Black, male										
2000.....	8	5	6	7	8	8	7	1	8	-
1999.....	8	10	8	8	6	10	9	4	1	-
Black, female										
2000.....	15	14	19	17	22	19	14	14	18	-
1999.....	12	19	19	15	19	21	14	12	23	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Rheumatic mitral valve diseases (I05)										
All races, both sexes										
2000.....	75	81	110	138	193	299	325	337	362	-
1999.....	67	93	111	128	203	285	361	334	374	-
All races, male										
2000.....	33	29	44	55	54	84	97	87	75	-
1999.....	27	32	37	36	64	94	97	79	58	-
All races, female										
2000.....	42	52	66	83	139	215	228	250	287	-
1999.....	40	61	74	92	139	191	264	255	316	-
White, both sexes										
2000.....	59	69	94	118	181	263	308	327	351	-
1999.....	54	64	91	106	179	259	342	319	358	-
White, male										
2000.....	26	28	40	49	53	72	90	85	71	-
1999.....	23	26	29	31	58	86	88	76	57	-
White, female										
2000.....	33	41	54	69	128	191	218	242	280	-
1999.....	31	38	62	75	121	173	254	243	301	-
All other, both sexes										
2000.....	16	12	16	20	12	36	17	10	11	-
1999.....	13	29	20	22	24	26	19	15	16	-
All other, male										
2000.....	7	1	4	6	1	12	7	2	4	-
1999.....	4	6	8	5	6	8	9	3	1	-
All other, female										
2000.....	9	11	12	14	11	24	10	8	7	-
1999.....	9	23	12	17	18	18	10	12	15	-
Black, both sexes										
2000.....	11	8	13	13	11	18	14	6	7	-
1999.....	11	24	17	13	21	22	14	8	14	-
Black, male										
2000.....	5	1	2	4	1	6	6	-	4	-
1999.....	4	6	6	4	5	8	8	3	1	-
Black, female										
2000.....	6	7	11	9	10	12	8	6	3	-
1999.....	7	18	11	9	16	14	6	5	13	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Rheumatic aortic valve diseases (I06)										
All races, both sexes										
2000.....	2	3	3	2	3	2	3	3	11	-
1999.....	2	-	2	2	6	9	8	8	13	-
All races, male										
2000.....	1	3	2	1	1	1	2	2	2	-
1999.....	-	-	2	1	2	1	2	5	2	-
All races, female										
2000.....	1	-	1	1	2	1	1	1	9	-
1999.....	2	-	-	1	4	8	6	3	11	-
White, both sexes										
2000.....	2	2	2	2	2	1	3	3	11	-
1999.....	1	-	2	2	5	9	8	7	13	-
White, male										
2000.....	1	2	1	1	-	-	2	2	2	-
1999.....	-	-	2	1	2	1	2	4	2	-
White, female										
2000.....	1	-	1	1	2	1	1	1	9	-
1999.....	1	-	-	1	3	8	6	3	11	-
All other, both sexes										
2000.....	-	1	1	-	1	1	-	-	-	-
1999.....	1	-	-	-	1	-	-	1	-	-
All other, male										
2000.....	-	1	1	-	1	1	-	-	-	-
1999.....	-	-	-	-	-	-	-	1	-	-
All other, female										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	1	-	-	-	-	-
Black, both sexes										
2000.....	-	-	1	-	1	-	-	-	-	-
1999.....	1	-	-	-	1	-	-	1	-	-
Black, male										
2000.....	-	-	1	-	1	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	1	-	-
Black, female										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Disorders of both mitral and aortic valves (I08.0)										
All races, both sexes										
2000.....	5	9	15	20	23	44	56	50	86	-
1999.....	8	10	15	20	21	53	40	55	83	-
All races, male										
2000.....	2	8	8	9	9	17	18	14	23	-
1999.....	4	3	6	9	10	24	15	18	19	-
All races, female										
2000.....	3	1	7	11	14	27	38	36	63	-
1999.....	4	7	9	11	11	29	25	37	64	-
White, both sexes										
2000.....	4	7	12	16	19	38	56	50	78	-
1999.....	6	8	13	17	18	48	39	51	79	-
White, male										
2000.....	2	6	6	8	7	14	18	14	21	-
1999.....	2	2	5	8	10	23	15	17	19	-
White, female										
2000.....	2	1	6	8	12	24	38	36	57	-
1999.....	4	6	8	9	8	25	24	34	60	-
All other, both sexes										
2000.....	1	2	3	4	4	6	-	-	8	-
1999.....	2	2	2	3	3	5	1	4	4	-
All other, male										
2000.....	-	2	2	1	2	3	-	-	2	-
1999.....	2	1	1	1	-	1	-	1	-	-
All other, female										
2000.....	1	-	1	3	2	3	-	-	6	-
1999.....	-	1	1	2	3	4	1	3	4	-
Black, both sexes										
2000.....	-	1	3	3	3	3	-	-	7	-
1999.....	2	1	2	2	1	2	-	3	2	-
Black, male										
2000.....	-	1	2	1	1	1	-	-	1	-
1999.....	2	1	1	1	-	1	-	-	-	-
Black, female										
2000.....	-	-	1	2	2	2	-	-	6	-
1999.....	-	-	1	1	1	1	-	3	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)										
All races, both sexes										
2000.....	33	38	54	72	104	144	212	183	247	-
1999.....	23	38	57	71	108	164	201	212	274	-
All races, male										
2000.....	12	15	17	25	33	34	57	41	49	-
1999.....	8	13	16	22	31	62	48	57	44	-
All races, female										
2000.....	21	23	37	47	71	110	155	142	198	-
1999.....	15	25	41	49	77	102	153	155	230	-
White, both sexes										
2000.....	21	28	40	61	88	136	203	172	232	-
1999.....	17	33	48	59	100	153	186	202	260	-
White, male										
2000.....	9	12	15	23	27	33	56	39	46	-
1999.....	6	10	15	17	30	58	45	56	42	-
White, female										
2000.....	12	16	25	38	61	103	147	133	186	-
1999.....	11	23	33	42	70	95	141	146	218	-
All other, both sexes										
2000.....	12	10	14	11	16	8	9	11	15	-
1999.....	6	5	9	12	8	11	15	10	14	-
All other, male										
2000.....	3	3	2	2	6	1	1	2	3	-
1999.....	2	3	1	5	1	4	3	1	2	-
All other, female										
2000.....	9	7	12	9	10	7	8	9	12	-
1999.....	4	2	8	7	7	7	12	9	12	-
Black, both sexes										
2000.....	12	10	8	8	15	6	7	9	12	-
1999.....	6	4	8	8	2	7	9	4	8	-
Black, male										
2000.....	3	3	1	2	5	1	1	1	3	-
1999.....	2	3	1	3	1	1	1	-	-	-
Black, female										
2000.....	9	7	7	6	10	5	6	8	9	-
1999.....	4	1	7	5	1	6	8	4	8	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hypertensive diseases (I10-I13)										
All races, both sexes										
2000.....	1,372	1,757	1,949	2,371	2,813	3,993	5,577	6,871	16,125	3
1999.....	1,298	1,587	1,914	2,203	2,900	3,886	5,559	6,682	15,205	1
All races, male										
2000.....	892	1,186	1,198	1,412	1,487	1,998	2,336	2,487	3,795	2
1999.....	832	1,009	1,182	1,256	1,546	1,865	2,402	2,377	3,548	1
All races, female										
2000.....	480	571	751	959	1,326	1,995	3,241	4,384	12,330	1
1999.....	466	578	732	947	1,354	2,021	3,157	4,305	11,657	-
White, both sexes										
2000.....	711	949	1,112	1,417	1,810	2,752	4,200	5,548	13,702	1
1999.....	662	856	1,079	1,324	1,853	2,671	4,138	5,369	12,933	-
White, male										
2000.....	512	683	722	876	994	1,423	1,798	2,006	3,173	1
1999.....	460	574	707	788	1,013	1,315	1,808	1,915	2,952	-
White, female										
2000.....	199	266	390	541	816	1,329	2,402	3,542	10,529	-
1999.....	202	282	372	536	840	1,356	2,330	3,454	9,981	-
All other, both sexes										
2000.....	661	808	837	954	1,003	1,241	1,377	1,323	2,423	2
1999.....	636	731	835	879	1,047	1,215	1,421	1,313	2,272	1
All other, male										
2000.....	380	503	476	536	493	575	538	481	622	1
1999.....	372	435	475	468	533	550	594	462	596	1
All other, female										
2000.....	281	305	361	418	510	666	839	842	1,801	1
1999.....	264	296	360	411	514	665	827	851	1,676	-
Black, both sexes										
2000.....	636	759	804	899	934	1,142	1,244	1,156	2,154	2
1999.....	611	705	788	814	956	1,121	1,291	1,160	2,007	1
Black, male										
2000.....	364	467	459	501	459	519	474	415	526	1
1999.....	359	417	444	435	488	500	530	403	503	1
Black, female										
2000.....	272	292	345	398	475	623	770	741	1,628	1
1999.....	252	288	344	379	468	621	761	757	1,504	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Essential (primary) hypertension (I10)										
All races, both sexes										
2000.....	211	304	350	466	579	920	1,346	1,637	4,286	-
1999.....	177	270	330	464	636	861	1,323	1,609	4,077	-
All races, male										
2000.....	147	197	218	275	284	456	530	542	863	-
1999.....	109	155	201	261	343	417	518	535	813	-
All races, female										
2000.....	64	107	132	191	295	464	816	1,095	3,423	-
1999.....	68	115	129	203	293	444	805	1,074	3,264	-
White, both sexes										
2000.....	129	183	240	327	435	723	1,080	1,397	3,743	-
1999.....	117	159	222	331	468	684	1,058	1,370	3,552	-
White, male										
2000.....	93	123	151	193	223	360	429	448	736	-
1999.....	77	102	144	191	259	332	417	445	677	-
White, female										
2000.....	36	60	89	134	212	363	651	949	3,007	-
1999.....	40	57	78	140	209	352	641	925	2,875	-
All other, both sexes										
2000.....	82	121	110	139	144	197	266	240	543	-
1999.....	60	111	108	133	168	177	265	239	525	-
All other, male										
2000.....	54	74	67	82	61	96	101	94	127	-
1999.....	32	53	57	70	84	85	101	90	136	-
All other, female										
2000.....	28	47	43	57	83	101	165	146	416	-
1999.....	28	58	51	63	84	92	164	149	389	-
Black, both sexes										
2000.....	76	111	106	130	133	177	233	202	477	-
1999.....	54	106	105	120	146	164	237	204	449	-
Black, male										
2000.....	49	66	65	77	56	85	84	77	107	-
1999.....	28	51	56	64	73	78	87	76	106	-
Black, female										
2000.....	27	45	41	53	77	92	149	125	370	-
1999.....	26	55	49	56	73	86	150	128	343	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hypertensive heart disease (I11)										
All races, both sexes										
2000.....	952	1,152	1,249	1,423	1,570	2,035	2,694	3,268	8,186	3
1999.....	889	1,041	1,260	1,277	1,553	1,964	2,672	3,158	7,679	1
All races, male										
2000.....	625	811	789	895	909	1,062	1,135	1,134	1,707	2
1999.....	586	673	800	760	858	958	1,185	1,067	1,594	1
All races, female										
2000.....	327	341	460	528	661	973	1,559	2,134	6,479	1
1999.....	303	368	460	517	695	1,006	1,487	2,091	6,085	-
White, both sexes										
2000.....	521	647	721	867	1,032	1,379	2,012	2,614	6,977	1
1999.....	469	590	728	801	997	1,329	1,976	2,541	6,602	-
White, male										
2000.....	383	480	485	564	616	749	855	893	1,434	1
1999.....	340	409	488	499	556	667	883	852	1,335	-
White, female										
2000.....	138	167	236	303	416	630	1,157	1,721	5,543	-
1999.....	129	181	240	302	441	662	1,093	1,689	5,267	-
All other, both sexes										
2000.....	431	505	528	556	538	656	682	654	1,209	2
1999.....	420	451	532	476	556	635	696	617	1,077	1
All other, male										
2000.....	242	331	304	331	293	313	280	241	273	1
1999.....	246	264	312	261	302	291	302	215	259	1
All other, female										
2000.....	189	174	224	225	245	343	402	413	936	1
1999.....	174	187	220	215	254	344	394	402	818	-
Black, both sexes										
2000.....	420	475	507	524	494	612	625	584	1,087	2
1999.....	409	439	499	446	521	584	637	558	957	1
Black, male										
2000.....	235	308	291	308	269	287	248	212	237	1
1999.....	239	254	292	245	281	266	272	191	225	1
Black, female										
2000.....	185	167	216	216	225	325	377	372	850	1
1999.....	170	185	207	201	240	318	365	367	732	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hypertensive renal disease (I12)										
All races, both sexes										
2000.....	141	222	247	377	515	770	1,161	1,479	2,621	-
1999.....	152	200	208	316	510	792	1,077	1,315	2,240	-
All races, male										
2000.....	77	134	134	191	220	348	519	613	884	-
1999.....	87	131	115	155	246	366	478	536	767	-
All races, female										
2000.....	64	88	113	186	295	422	642	866	1,737	-
1999.....	65	69	93	161	264	426	599	779	1,473	-
White, both sexes										
2000.....	40	86	105	179	271	477	845	1,176	2,137	-
1999.....	55	76	82	129	287	510	761	995	1,797	-
White, male										
2000.....	24	61	61	98	117	226	394	512	733	-
1999.....	32	44	49	64	144	247	349	419	629	-
White, female										
2000.....	16	25	44	81	154	251	451	664	1,404	-
1999.....	23	32	33	65	143	263	412	576	1,168	-
All other, both sexes										
2000.....	101	136	142	198	244	293	316	303	484	-
1999.....	97	124	126	187	223	282	316	320	443	-
All other, male										
2000.....	53	73	73	93	103	122	125	101	151	-
1999.....	55	87	66	91	102	119	129	117	138	-
All other, female										
2000.....	48	63	69	105	141	171	191	202	333	-
1999.....	42	37	60	96	121	163	187	203	305	-
Black, both sexes										
2000.....	95	127	136	187	232	264	287	260	429	-
1999.....	91	120	118	170	198	259	295	276	396	-
Black, male										
2000.....	50	68	72	89	98	106	113	86	127	-
1999.....	55	84	59	82	93	105	121	102	121	-
Black, female										
2000.....	45	59	64	98	134	158	174	174	302	-
1999.....	36	36	59	88	105	154	174	174	275	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hypertensive heart and renal disease (I13)										
All races, both sexes										
2000.....	68	79	103	105	149	268	376	487	1,032	-
1999.....	80	76	116	146	201	269	487	600	1,209	-
All races, male										
2000.....	43	44	57	51	74	132	152	198	341	-
1999.....	50	50	66	80	99	124	221	239	374	-
All races, female										
2000.....	25	35	46	54	75	136	224	289	691	-
1999.....	30	26	50	66	102	145	266	361	835	-
White, both sexes										
2000.....	21	33	46	44	72	173	263	361	845	-
1999.....	21	31	47	63	101	148	343	463	982	-
White, male										
2000.....	12	19	25	21	38	88	120	153	270	-
1999.....	11	19	26	34	54	69	159	199	311	-
White, female										
2000.....	9	14	21	23	34	85	143	208	575	-
1999.....	10	12	21	29	47	79	184	264	671	-
All other, both sexes										
2000.....	47	46	57	61	77	95	113	126	187	-
1999.....	59	45	69	83	100	121	144	137	227	-
All other, male										
2000.....	31	25	32	30	36	44	32	45	71	-
1999.....	39	31	40	46	45	55	62	40	63	-
All other, female										
2000.....	16	21	25	31	41	51	81	81	116	-
1999.....	20	14	29	37	55	66	82	97	164	-
Black, both sexes										
2000.....	45	46	55	58	75	89	99	110	161	-
1999.....	57	40	66	78	91	114	122	122	205	-
Black, male										
2000.....	30	25	31	27	36	41	29	40	55	-
1999.....	37	28	37	44	41	51	50	34	51	-
Black, female										
2000.....	15	21	24	31	39	48	70	70	106	-
1999.....	20	12	29	34	50	63	72	88	154	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)										
All races, both sexes										
2000.....	9,638	15,252	20,724	27,013	37,257	55,628	76,569	87,123	177,319	48
1999.....	9,524	15,251	20,575	27,802	40,080	58,760	79,379	89,917	179,376	39
All races, male										
2000.....	7,601	11,548	15,154	18,641	24,225	34,329	42,452	42,295	57,690	34
1999.....	7,447	11,614	15,021	19,102	26,184	36,003	44,041	43,264	57,726	31
All races, female										
2000.....	2,037	3,704	5,570	8,372	13,032	21,299	34,117	44,828	119,629	14
1999.....	2,077	3,637	5,554	8,700	13,896	22,757	35,338	46,653	121,650	8
White, both sexes										
2000.....	7,570	12,265	16,873	22,082	31,304	48,138	67,860	79,215	163,392	36
1999.....	7,541	12,272	16,733	22,933	33,894	50,959	70,631	81,999	165,298	27
White, male										
2000.....	6,194	9,559	12,586	15,635	20,885	30,317	38,199	38,901	53,368	27
1999.....	6,089	9,583	12,487	16,061	22,652	31,841	39,837	39,986	53,253	21
White, female										
2000.....	1,376	2,706	4,287	6,447	10,419	17,821	29,661	40,314	110,024	9
1999.....	1,452	2,689	4,246	6,872	11,242	19,118	30,794	42,013	112,045	6
All other, both sexes										
2000.....	2,068	2,987	3,851	4,931	5,953	7,490	8,709	7,908	13,927	12
1999.....	1,983	2,979	3,842	4,869	6,186	7,801	8,748	7,918	14,078	12
All other, male										
2000.....	1,407	1,989	2,568	3,006	3,340	4,012	4,253	3,394	4,322	7
1999.....	1,358	2,031	2,534	3,041	3,532	4,162	4,204	3,278	4,473	10
All other, female										
2000.....	661	998	1,283	1,925	2,613	3,478	4,456	4,514	9,605	5
1999.....	625	948	1,308	1,828	2,654	3,639	4,544	4,640	9,605	2
Black, both sexes										
2000.....	1,845	2,624	3,383	4,302	5,124	6,495	7,298	6,668	11,779	12
1999.....	1,761	2,642	3,392	4,240	5,395	6,699	7,402	6,669	11,936	12
Black, male										
2000.....	1,223	1,701	2,227	2,561	2,796	3,409	3,451	2,748	3,369	7
1999.....	1,171	1,767	2,197	2,609	3,038	3,505	3,433	2,652	3,482	10
Black, female										
2000.....	622	923	1,156	1,741	2,328	3,086	3,847	3,920	8,410	5
1999.....	590	875	1,195	1,631	2,357	3,194	3,969	4,017	8,454	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)										
All races, both sexes										
2000.....	4,230	6,647	9,030	11,983	15,898	22,561	30,059	32,151	56,745	8
1999.....	4,225	6,598	9,123	12,283	17,333	24,108	31,053	33,658	57,297	7
All races, male										
2000.....	3,319	4,946	6,490	8,148	10,177	13,646	16,295	15,336	19,243	5
1999.....	3,261	5,039	6,654	8,375	11,154	14,554	16,991	15,952	19,357	2
All races, female										
2000.....	911	1,701	2,540	3,835	5,721	8,915	13,764	16,815	37,502	3
1999.....	964	1,559	2,469	3,908	6,179	9,554	14,062	17,706	37,940	5
White, both sexes										
2000.....	3,442	5,458	7,574	10,085	13,575	19,710	26,733	29,233	51,939	7
1999.....	3,453	5,500	7,659	10,425	14,982	21,124	27,778	30,704	52,468	5
White, male										
2000.....	2,797	4,206	5,558	7,028	8,918	12,171	14,738	14,094	17,659	4
1999.....	2,757	4,319	5,690	7,277	9,830	13,039	15,479	14,755	17,744	1
White, female										
2000.....	645	1,252	2,016	3,057	4,657	7,539	11,995	15,139	34,280	3
1999.....	696	1,181	1,969	3,148	5,152	8,085	12,299	15,949	34,724	4
All other, both sexes										
2000.....	788	1,189	1,456	1,898	2,323	2,851	3,326	2,918	4,806	1
1999.....	772	1,098	1,464	1,858	2,351	2,984	3,275	2,954	4,829	2
All other, male										
2000.....	522	740	932	1,120	1,259	1,475	1,557	1,242	1,584	1
1999.....	504	720	964	1,098	1,324	1,515	1,512	1,197	1,613	1
All other, female										
2000.....	266	449	524	778	1,064	1,376	1,769	1,676	3,222	-
1999.....	268	378	500	760	1,027	1,469	1,763	1,757	3,216	1
Black, both sexes										
2000.....	699	1,038	1,277	1,658	1,982	2,465	2,761	2,475	4,078	1
1999.....	688	971	1,271	1,611	2,027	2,569	2,773	2,525	4,136	2
Black, male										
2000.....	449	626	798	950	1,041	1,254	1,254	1,016	1,230	1
1999.....	436	624	819	937	1,120	1,284	1,246	984	1,279	1
Black, female										
2000.....	250	412	479	708	941	1,211	1,507	1,459	2,848	-
1999.....	252	347	452	674	907	1,285	1,527	1,541	2,857	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other acute ischemic heart diseases (I24)										
All races, both sexes										
2000.....	93	189	219	265	294	350	440	466	928	1
1999.....	92	160	209	239	294	380	406	449	908	-
All races, male										
2000.....	76	141	163	178	194	204	232	214	254	1
1999.....	69	109	159	156	191	219	229	194	266	-
All races, female										
2000.....	17	48	56	87	100	146	208	252	674	-
1999.....	23	51	50	83	103	161	177	255	642	-
White, both sexes										
2000.....	69	145	160	207	236	294	373	417	850	-
1999.....	56	120	162	195	247	316	354	396	842	-
White, male										
2000.....	61	107	124	142	154	171	199	193	233	-
1999.....	42	85	122	124	160	183	206	169	247	-
White, female										
2000.....	8	38	36	65	82	123	174	224	617	-
1999.....	14	35	40	71	87	133	148	227	595	-
All other, both sexes										
2000.....	24	44	59	58	58	56	67	49	78	1
1999.....	36	40	47	44	47	64	52	53	66	-
All other, male										
2000.....	15	34	39	36	40	33	33	21	21	1
1999.....	27	24	37	32	31	36	23	25	19	-
All other, female										
2000.....	9	10	20	22	18	23	34	28	57	-
1999.....	9	16	10	12	16	28	29	28	47	-
Black, both sexes										
2000.....	23	40	51	52	47	46	56	43	70	1
1999.....	34	39	43	42	39	54	49	48	54	-
Black, male										
2000.....	15	31	35	32	32	27	28	18	18	1
1999.....	26	23	34	31	26	30	21	20	17	-
Black, female										
2000.....	8	9	16	20	15	19	28	25	52	-
1999.....	8	16	9	11	13	24	28	28	37	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other forms of chronic ischemic heart disease (I20,I25)										
All races, both sexes										
2000.....	5,315	8,416	11,475	14,765	21,065	32,717	46,070	54,506	119,646	39
1999.....	5,207	8,493	11,243	15,280	22,453	34,272	47,920	55,810	121,171	32
All races, male										
2000.....	4,206	6,461	8,501	10,315	13,854	20,479	25,925	26,745	38,193	28
1999.....	4,117	6,466	8,208	10,571	14,839	21,230	26,821	27,118	38,103	29
All races, female										
2000.....	1,109	1,955	2,974	4,450	7,211	12,238	20,145	27,761	81,453	11
1999.....	1,090	2,027	3,035	4,709	7,614	13,042	21,099	28,692	83,068	3
White, both sexes										
2000.....	4,059	6,662	9,139	11,790	17,493	28,134	40,754	49,565	110,603	29
1999.....	4,032	6,652	8,912	12,313	18,665	29,519	42,499	50,899	111,988	22
White, male										
2000.....	3,336	5,246	6,904	8,465	11,813	17,975	23,262	24,614	35,476	23
1999.....	3,290	5,179	6,675	8,660	12,662	18,619	24,152	25,062	35,262	20
White, female										
2000.....	723	1,416	2,235	3,325	5,680	10,159	17,492	24,951	75,127	6
1999.....	742	1,473	2,237	3,653	6,003	10,900	18,347	25,837	76,726	2
All other, both sexes										
2000.....	1,256	1,754	2,336	2,975	3,572	4,583	5,316	4,941	9,043	10
1999.....	1,175	1,841	2,331	2,967	3,788	4,753	5,421	4,911	9,183	10
All other, male										
2000.....	870	1,215	1,597	1,850	2,041	2,504	2,663	2,131	2,717	5
1999.....	827	1,287	1,533	1,911	2,177	2,611	2,669	2,056	2,841	9
All other, female										
2000.....	386	539	739	1,125	1,531	2,079	2,653	2,810	6,326	5
1999.....	348	554	798	1,056	1,611	2,142	2,752	2,855	6,342	1
Black, both sexes										
2000.....	1,123	1,546	2,055	2,592	3,095	3,984	4,481	4,150	7,631	10
1999.....	1,039	1,632	2,078	2,587	3,329	4,076	4,580	4,096	7,746	10
Black, male										
2000.....	759	1,044	1,394	1,579	1,723	2,128	2,169	1,714	2,121	5
1999.....	709	1,120	1,344	1,641	1,892	2,191	2,166	1,648	2,186	9
Black, female										
2000.....	364	502	661	1,013	1,372	1,856	2,312	2,436	5,510	5
1999.....	330	512	734	946	1,437	1,885	2,414	2,448	5,560	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)										
All races, both sexes										
2000.....	1,894	3,086	3,841	4,401	5,309	7,258	9,271	10,274	22,664	19
1999.....	1,792	2,945	3,747	4,636	5,691	7,704	9,666	10,655	23,403	24
All races, male										
2000.....	1,533	2,444	2,978	3,147	3,557	4,512	5,086	4,639	6,758	15
1999.....	1,438	2,314	2,842	3,281	3,842	4,704	5,200	4,763	6,905	22
All races, female										
2000.....	361	642	863	1,254	1,752	2,746	4,185	5,635	15,906	4
1999.....	354	631	905	1,355	1,849	3,000	4,466	5,892	16,498	2
White, both sexes										
2000.....	1,393	2,339	2,858	3,255	4,093	5,765	7,717	8,892	20,319	13
1999.....	1,305	2,183	2,765	3,446	4,342	6,130	8,014	9,303	20,995	15
White, male										
2000.....	1,164	1,903	2,252	2,408	2,811	3,636	4,249	4,037	6,049	12
1999.....	1,076	1,763	2,156	2,477	3,001	3,800	4,348	4,178	6,165	13
White, female										
2000.....	229	436	606	847	1,282	2,129	3,468	4,855	14,270	1
1999.....	229	420	609	969	1,341	2,330	3,666	5,125	14,830	2
All other, both sexes										
2000.....	501	747	983	1,146	1,216	1,493	1,554	1,382	2,345	6
1999.....	487	762	982	1,190	1,349	1,574	1,652	1,352	2,408	9
All other, male										
2000.....	369	541	726	739	746	876	837	602	709	3
1999.....	362	551	686	804	841	904	852	585	740	9
All other, female										
2000.....	132	206	257	407	470	617	717	780	1,636	3
1999.....	125	211	296	386	508	670	800	767	1,668	-
Black, both sexes										
2000.....	459	681	882	1,029	1,083	1,325	1,349	1,204	2,067	6
1999.....	437	680	889	1,053	1,212	1,396	1,466	1,173	2,097	9
Black, male										
2000.....	332	489	646	662	648	769	716	505	608	3
1999.....	317	485	612	697	760	799	737	499	611	9
Black, female										
2000.....	127	192	236	367	435	556	633	699	1,459	3
1999.....	120	195	277	356	452	597	729	674	1,486	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)										
All races, both sexes										
2000.....	3,421	5,330	7,634	10,364	15,756	25,459	36,799	44,232	96,982	20
1999.....	3,415	5,548	7,496	10,644	16,762	26,568	38,254	45,155	97,768	8
All races, male										
2000.....	2,673	4,017	5,523	7,168	10,297	15,967	20,839	22,106	31,435	13
1999.....	2,679	4,152	5,366	7,290	10,997	16,526	21,621	22,355	31,198	7
All races, female										
2000.....	748	1,313	2,111	3,196	5,459	9,492	15,960	22,126	65,547	7
1999.....	736	1,396	2,130	3,354	5,765	10,042	16,633	22,800	66,570	1
White, both sexes										
2000.....	2,666	4,323	6,281	8,535	13,400	22,369	33,037	40,673	90,284	16
1999.....	2,727	4,469	6,147	8,867	14,323	23,389	34,485	41,596	90,993	7
White, male										
2000.....	2,172	3,343	4,652	6,057	9,002	14,339	19,013	20,577	29,427	11
1999.....	2,214	3,416	4,519	6,183	9,661	14,819	19,804	20,884	29,097	7
White, female										
2000.....	494	980	1,629	2,478	4,398	8,030	14,024	20,096	60,857	5
1999.....	513	1,053	1,628	2,684	4,662	8,570	14,681	20,712	61,896	-
All other, both sexes										
2000.....	755	1,007	1,353	1,829	2,356	3,090	3,762	3,559	6,698	4
1999.....	688	1,079	1,349	1,777	2,439	3,179	3,769	3,559	6,775	1
All other, male										
2000.....	501	674	871	1,111	1,295	1,628	1,826	1,529	2,008	2
1999.....	465	736	847	1,107	1,336	1,707	1,817	1,471	2,101	-
All other, female										
2000.....	254	333	482	718	1,061	1,462	1,936	2,030	4,690	2
1999.....	223	343	502	670	1,103	1,472	1,952	2,088	4,674	1
Black, both sexes										
2000.....	664	865	1,173	1,563	2,012	2,659	3,132	2,946	5,564	4
1999.....	602	952	1,189	1,534	2,117	2,680	3,114	2,923	5,649	1
Black, male										
2000.....	427	555	748	917	1,075	1,359	1,453	1,209	1,513	2
1999.....	392	635	732	944	1,132	1,392	1,429	1,149	1,575	-
Black, female										
2000.....	237	310	425	646	937	1,300	1,679	1,737	4,051	2
1999.....	210	317	457	590	985	1,288	1,685	1,774	4,074	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other heart diseases (I26-I51)										
All races, both sexes										
2000.....	3,536	4,551	5,417	6,945	9,875	14,804	21,524	26,843	63,993	8
1999.....	3,502	4,386	5,465	7,115	10,034	15,538	21,689	27,023	62,848	7
All races, male										
2000.....	2,278	2,873	3,384	4,148	5,584	8,037	10,505	11,501	19,008	5
1999.....	2,223	2,756	3,419	4,281	5,870	8,450	10,567	11,561	18,483	5
All races, female										
2000.....	1,258	1,678	2,033	2,797	4,291	6,767	11,019	15,342	44,985	3
1999.....	1,279	1,630	2,046	2,834	4,164	7,088	11,122	15,462	44,365	2
White, both sexes										
2000.....	2,443	3,294	4,139	5,459	8,050	12,567	18,934	24,445	59,159	7
1999.....	2,390	3,192	4,079	5,549	8,177	13,197	19,031	24,547	58,120	5
White, male										
2000.....	1,639	2,107	2,636	3,323	4,619	6,942	9,326	10,539	17,522	5
1999.....	1,580	2,041	2,598	3,391	4,853	7,285	9,361	10,556	16,961	4
White, female										
2000.....	804	1,187	1,503	2,136	3,431	5,625	9,608	13,906	41,637	2
1999.....	810	1,151	1,481	2,158	3,324	5,912	9,670	13,991	41,159	1
All other, both sexes										
2000.....	1,093	1,257	1,278	1,486	1,825	2,237	2,590	2,398	4,834	1
1999.....	1,112	1,194	1,386	1,566	1,857	2,341	2,658	2,476	4,728	2
All other, male										
2000.....	639	766	748	825	965	1,095	1,179	962	1,486	-
1999.....	643	715	821	890	1,017	1,165	1,206	1,005	1,522	1
All other, female										
2000.....	454	491	530	661	860	1,142	1,411	1,436	3,348	1
1999.....	469	479	565	676	840	1,176	1,452	1,471	3,206	1
Black, both sexes										
2000.....	1,023	1,159	1,162	1,344	1,643	2,000	2,290	2,092	4,175	1
1999.....	1,028	1,100	1,270	1,432	1,679	2,101	2,338	2,150	4,086	2
Black, male										
2000.....	595	707	681	742	864	954	1,017	826	1,216	-
1999.....	595	665	749	814	916	1,041	1,030	857	1,241	1
Black, female										
2000.....	428	452	481	602	779	1,046	1,273	1,266	2,959	1
1999.....	433	435	521	618	763	1,060	1,308	1,293	2,845	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)

All races, both sexes										
2000.....	572	740	703	922	1,170	1,492	1,790	1,714	2,433	-
1999.....	557	659	733	859	1,134	1,590	1,886	1,780	2,474	2
All races, male										
2000.....	267	344	321	425	506	647	764	615	672	-
1999.....	246	301	336	436	528	722	769	634	720	2
All races, female										
2000.....	305	396	382	497	664	845	1,026	1,099	1,761	-
1999.....	311	358	397	423	606	868	1,117	1,146	1,754	-
White, both sexes										
2000.....	425	554	570	736	970	1,259	1,553	1,534	2,165	-
1999.....	399	498	554	662	912	1,311	1,628	1,565	2,230	2
White, male										
2000.....	210	265	264	347	435	565	675	551	587	-
1999.....	188	233	269	343	431	605	672	556	651	2
White, female										
2000.....	215	289	306	389	535	694	878	983	1,578	-
1999.....	211	265	285	319	481	706	956	1,009	1,579	-
All other, both sexes										
2000.....	147	186	133	186	200	233	237	180	268	-
1999.....	158	161	179	197	222	279	258	215	244	-
All other, male										
2000.....	57	79	57	78	71	82	89	64	85	-
1999.....	58	68	67	93	97	117	97	78	69	-
All other, female										
2000.....	90	107	76	108	129	151	148	116	183	-
1999.....	100	93	112	104	125	162	161	137	175	-
Black, both sexes										
2000.....	138	173	120	179	189	219	221	166	245	-
1999.....	143	152	165	187	208	265	245	200	226	-
Black, male										
2000.....	53	73	56	77	66	79	82	60	80	-
1999.....	53	64	61	89	92	113	91	72	61	-
Black, female										
2000.....	85	100	64	102	123	140	139	106	165	-
1999.....	90	88	104	98	116	152	154	128	165	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pulmonary embolism (I26)										
All races, both sexes										
2000.....	387	495	470	627	753	960	1,166	1,111	1,628	-
1999.....	389	452	516	601	753	1,115	1,315	1,260	1,746	2
All races, male										
2000.....	193	259	228	309	354	437	531	411	460	-
1999.....	183	213	256	318	367	533	545	437	501	2
All races, female										
2000.....	194	236	242	318	399	523	635	700	1,168	-
1999.....	206	239	260	283	386	582	770	823	1,245	-
White, both sexes										
2000.....	282	371	378	503	615	814	995	984	1,436	-
1999.....	281	343	393	465	608	912	1,121	1,113	1,569	2
White, male										
2000.....	148	195	182	251	302	384	462	361	397	-
1999.....	139	162	200	253	295	445	468	378	446	2
White, female										
2000.....	134	176	196	252	313	430	533	623	1,039	-
1999.....	142	181	193	212	313	467	653	735	1,123	-
All other, both sexes										
2000.....	105	124	92	124	138	146	171	127	192	-
1999.....	108	109	123	136	145	203	194	147	177	-
All other, male										
2000.....	45	64	46	58	52	53	69	50	63	-
1999.....	44	51	56	65	72	88	77	59	55	-
All other, female										
2000.....	60	60	46	66	86	93	102	77	129	-
1999.....	64	58	67	71	73	115	117	88	122	-
Black, both sexes										
2000.....	102	115	81	121	133	139	162	117	181	-
1999.....	101	106	115	130	142	195	187	141	167	-
Black, male										
2000.....	43	60	45	58	49	51	64	46	62	-
1999.....	40	48	52	63	72	86	75	57	52	-
Black, female										
2000.....	59	55	36	63	84	88	98	71	119	-
1999.....	61	58	63	67	70	109	112	84	115	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)										
All races, both sexes										
2000.....	185	245	233	295	417	532	624	603	805	-
1999.....	168	207	217	258	381	475	571	520	728	-
All races, male										
2000.....	74	85	93	116	152	210	233	204	212	-
1999.....	63	88	80	118	161	189	224	197	219	-
All races, female										
2000.....	111	160	140	179	265	322	391	399	593	-
1999.....	105	119	137	140	220	286	347	323	509	-
White, both sexes										
2000.....	143	183	192	233	355	445	558	550	729	-
1999.....	118	155	161	197	304	399	507	452	661	-
White, male										
2000.....	62	70	82	96	133	181	213	190	190	-
1999.....	49	71	69	90	136	160	204	178	205	-
White, female										
2000.....	81	113	110	137	222	264	345	360	539	-
1999.....	69	84	92	107	168	239	303	274	456	-
All other, both sexes										
2000.....	42	62	41	62	62	87	66	53	76	-
1999.....	50	52	56	61	77	76	64	68	67	-
All other, male										
2000.....	12	15	11	20	19	29	20	14	22	-
1999.....	14	17	11	28	25	29	20	19	14	-
All other, female										
2000.....	30	47	30	42	43	58	46	39	54	-
1999.....	36	35	45	33	52	47	44	49	53	-
Black, both sexes										
2000.....	36	58	39	58	56	80	59	49	64	-
1999.....	42	46	50	57	66	70	58	59	59	-
Black, male										
2000.....	10	13	11	19	17	28	18	14	18	-
1999.....	13	16	9	26	20	27	16	15	9	-
Black, female										
2000.....	26	45	28	39	39	52	41	35	46	-
1999.....	29	30	41	31	46	43	42	44	50	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other non-pulmonary forms of heart disease (I30-I51)										
All races, both sexes										
2000.....	2,964	3,811	4,714	6,023	8,705	13,312	19,734	25,129	61,560	8
1999.....	2,945	3,727	4,732	6,256	8,900	13,948	19,803	25,243	60,374	5
All races, male										
2000.....	2,011	2,529	3,063	3,723	5,078	7,390	9,741	10,886	18,336	5
1999.....	1,977	2,455	3,083	3,845	5,342	7,728	9,798	10,927	17,763	3
All races, female										
2000.....	953	1,282	1,651	2,300	3,627	5,922	9,993	14,243	43,224	3
1999.....	968	1,272	1,649	2,411	3,558	6,220	10,005	14,316	42,611	2
White, both sexes										
2000.....	2,018	2,740	3,569	4,723	7,080	11,308	17,381	22,911	56,994	7
1999.....	1,991	2,694	3,525	4,887	7,265	11,886	17,403	22,982	55,890	3
White, male										
2000.....	1,429	1,842	2,372	2,976	4,184	6,377	8,651	9,988	16,935	5
1999.....	1,392	1,808	2,329	3,048	4,422	6,680	8,689	10,000	16,310	2
White, female										
2000.....	589	898	1,197	1,747	2,896	4,931	8,730	12,923	40,059	2
1999.....	599	886	1,196	1,839	2,843	5,206	8,714	12,982	39,580	1
All other, both sexes										
2000.....	946	1,071	1,145	1,300	1,625	2,004	2,353	2,218	4,566	1
1999.....	954	1,033	1,207	1,369	1,635	2,062	2,400	2,261	4,484	2
All other, male										
2000.....	582	687	691	747	894	1,013	1,090	898	1,401	-
1999.....	585	647	754	797	920	1,048	1,109	927	1,453	1
All other, female										
2000.....	364	384	454	553	731	991	1,263	1,320	3,165	1
1999.....	369	386	453	572	715	1,014	1,291	1,334	3,031	1
Black, both sexes										
2000.....	885	986	1,042	1,165	1,454	1,781	2,069	1,926	3,930	1
1999.....	885	948	1,105	1,245	1,471	1,836	2,093	1,950	3,860	2
Black, male										
2000.....	542	634	625	665	798	875	935	766	1,136	-
1999.....	542	601	688	725	824	928	939	785	1,180	1
Black, female										
2000.....	343	352	417	500	656	906	1,134	1,160	2,794	1
1999.....	343	347	417	520	647	908	1,154	1,165	2,680	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Acute and subacute endocarditis (I33)										
All races, both sexes										
2000.....	89	97	88	77	105	119	166	136	119	-
1999.....	68	75	93	78	103	137	155	134	119	-
All races, male										
2000.....	59	61	52	44	59	63	95	74	51	-
1999.....	49	54	62	41	51	67	83	71	56	-
All races, female										
2000.....	30	36	36	33	46	56	71	62	68	-
1999.....	19	21	31	37	52	70	72	63	63	-
White, both sexes										
2000.....	57	65	59	63	89	102	148	122	105	-
1999.....	41	48	58	59	82	114	142	122	112	-
White, male										
2000.....	39	44	38	38	47	57	87	66	47	-
1999.....	32	33	42	31	45	57	81	66	55	-
White, female										
2000.....	18	21	21	25	42	45	61	56	58	-
1999.....	9	15	16	28	37	57	61	56	57	-
All other, both sexes										
2000.....	32	32	29	14	16	17	18	14	14	-
1999.....	27	27	35	19	21	23	13	12	7	-
All other, male										
2000.....	20	17	14	6	12	6	8	8	4	-
1999.....	17	21	20	10	6	10	2	5	1	-
All other, female										
2000.....	12	15	15	8	4	11	10	6	10	-
1999.....	10	6	15	9	15	13	11	7	6	-
Black, both sexes										
2000.....	30	27	26	13	15	16	16	10	11	-
1999.....	26	23	30	18	21	21	10	7	6	-
Black, male										
2000.....	20	15	12	6	11	5	6	5	2	-
1999.....	16	19	18	9	6	9	1	4	1	-
Black, female										
2000.....	10	12	14	7	4	11	10	5	9	-
1999.....	10	4	12	9	15	12	9	3	5	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diseases of pericardium and acute myocarditis (I30-I31,I40)										
All races, both sexes										
2000.....	45	40	47	42	52	79	82	63	76	-
1999.....	59	46	63	62	69	77	88	72	85	-
All races, male										
2000.....	28	18	31	21	24	43	42	31	26	-
1999.....	31	25	40	30	34	35	38	27	30	-
All races, female										
2000.....	17	22	16	21	28	36	40	32	50	-
1999.....	28	21	23	32	35	42	50	45	55	-
White, both sexes										
2000.....	26	33	39	33	41	67	69	61	68	-
1999.....	47	35	53	53	57	65	77	65	76	-
White, male										
2000.....	17	15	28	17	15	37	34	31	23	-
1999.....	24	18	34	27	27	30	35	25	27	-
White, female										
2000.....	9	18	11	16	26	30	35	30	45	-
1999.....	23	17	19	26	30	35	42	40	49	-
All other, both sexes										
2000.....	19	7	8	9	11	12	13	2	8	-
1999.....	12	11	10	9	12	12	11	7	9	-
All other, male										
2000.....	11	3	3	4	9	6	8	-	3	-
1999.....	7	7	6	3	7	5	3	2	3	-
All other, female										
2000.....	8	4	5	5	2	6	5	2	5	-
1999.....	5	4	4	6	5	7	8	5	6	-
Black, both sexes										
2000.....	14	7	7	8	10	8	8	2	7	-
1999.....	9	11	9	8	10	10	10	6	6	-
Black, male										
2000.....	7	3	2	4	8	3	5	-	2	-
1999.....	5	7	6	3	6	5	2	2	-	-
Black, female										
2000.....	7	4	5	4	2	5	3	2	5	-
1999.....	4	4	3	5	4	5	8	4	6	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other diseases of endocardium (I34-I38)										
All races, both sexes										
2000.....	286	328	410	553	851	1,581	2,532	3,623	9,038	1
1999.....	263	340	383	544	881	1,559	2,583	3,739	8,715	-
All races, male										
2000.....	188	192	245	304	410	749	1,069	1,448	2,648	1
1999.....	144	196	219	296	457	762	1,159	1,555	2,463	-
All races, female										
2000.....	98	136	165	249	441	832	1,463	2,175	6,390	-
1999.....	119	144	164	248	424	797	1,424	2,184	6,252	-
White, both sexes										
2000.....	211	254	315	463	735	1,415	2,335	3,449	8,664	1
1999.....	173	266	307	448	753	1,368	2,400	3,557	8,339	-
White, male										
2000.....	141	150	197	261	364	678	995	1,382	2,539	1
1999.....	93	161	180	246	404	675	1,086	1,484	2,355	-
White, female										
2000.....	70	104	118	202	371	737	1,340	2,067	6,125	-
1999.....	80	105	127	202	349	693	1,314	2,073	5,984	-
All other, both sexes										
2000.....	75	74	95	90	116	166	197	174	374	-
1999.....	90	74	76	96	128	191	183	182	376	-
All other, male										
2000.....	47	42	48	43	46	71	74	66	109	-
1999.....	51	35	39	50	53	87	73	71	108	-
All other, female										
2000.....	28	32	47	47	70	95	123	108	265	-
1999.....	39	39	37	46	75	104	110	111	268	-
Black, both sexes										
2000.....	70	67	79	79	99	142	168	140	297	-
1999.....	73	66	69	84	103	161	145	145	287	-
Black, male										
2000.....	45	39	40	36	40	59	63	51	75	-
1999.....	40	33	32	44	43	74	57	54	66	-
Black, female										
2000.....	25	28	39	43	59	83	105	89	222	-
1999.....	33	33	37	40	60	87	88	91	221	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Nonrheumatic mitral valve disorders (I34)										
All races, both sexes										
2000.....	64	55	73	103	148	262	429	524	1,031	-
1999.....	66	65	70	98	151	272	424	514	1,042	-
All races, male										
2000.....	42	22	30	43	69	102	169	180	281	-
1999.....	29	26	27	45	59	119	169	191	265	-
All races, female										
2000.....	22	33	43	60	79	160	260	344	750	-
1999.....	37	39	43	53	92	153	255	323	777	-
White, both sexes										
2000.....	50	44	59	90	130	238	399	506	977	-
1999.....	48	50	59	83	127	241	388	492	997	-
White, male										
2000.....	33	18	25	38	65	94	160	175	269	-
1999.....	20	22	24	41	52	104	156	188	256	-
White, female										
2000.....	17	26	34	52	65	144	239	331	708	-
1999.....	28	28	35	42	75	137	232	304	741	-
All other, both sexes										
2000.....	14	11	14	13	18	24	30	18	54	-
1999.....	18	15	11	15	24	31	36	22	45	-
All other, male										
2000.....	9	4	5	5	4	8	9	5	12	-
1999.....	9	4	3	4	7	15	13	3	9	-
All other, female										
2000.....	5	7	9	8	14	16	21	13	42	-
1999.....	9	11	8	11	17	16	23	19	36	-
Black, both sexes										
2000.....	14	10	12	11	15	20	28	13	39	-
1999.....	12	11	10	14	17	25	25	15	32	-
Black, male										
2000.....	9	3	4	4	3	6	8	4	7	-
1999.....	6	2	2	4	4	14	8	1	4	-
Black, female										
2000.....	5	7	8	7	12	14	20	9	32	-
1999.....	6	9	8	10	13	11	17	14	28	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Nonrheumatic aortic valve disorders (I35)										
All races, both sexes										
2000.....	99	141	192	251	426	878	1,485	2,329	6,415	-
1999.....	101	138	168	251	455	824	1,518	2,438	6,138	-
All races, male										
2000.....	75	101	135	160	229	456	656	970	1,941	-
1999.....	66	96	110	153	260	454	732	1,061	1,793	-
All races, female										
2000.....	24	40	57	91	197	422	829	1,359	4,474	-
1999.....	35	42	58	98	195	370	786	1,377	4,345	-
White, both sexes										
2000.....	77	120	158	215	367	796	1,392	2,219	6,167	-
1999.....	72	111	142	216	397	725	1,434	2,318	5,880	-
White, male										
2000.....	59	85	115	143	201	417	621	925	1,867	-
1999.....	47	79	94	132	235	402	696	1,007	1,716	-
White, female										
2000.....	18	35	43	72	166	379	771	1,294	4,300	-
1999.....	25	32	48	84	162	323	738	1,311	4,164	-
All other, both sexes										
2000.....	22	21	34	36	59	82	93	110	248	-
1999.....	29	27	26	35	58	99	84	120	258	-
All other, male										
2000.....	16	16	20	17	28	39	35	45	74	-
1999.....	19	17	16	21	25	52	36	54	77	-
All other, female										
2000.....	6	5	14	19	31	43	58	65	174	-
1999.....	10	10	10	14	33	47	48	66	181	-
Black, both sexes										
2000.....	20	18	28	29	50	68	78	90	199	-
1999.....	24	25	22	30	45	79	67	93	202	-
Black, male										
2000.....	15	15	17	13	24	32	28	36	50	-
1999.....	15	17	12	17	22	41	28	42	50	-
Black, female										
2000.....	5	3	11	16	26	36	50	54	149	-
1999.....	9	8	10	13	23	38	39	51	152	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All other diseases of endocardium (I36-I38)										
All races, both sexes										
2000.....	123	132	145	199	277	441	618	770	1,592	1
1999.....	96	137	145	195	275	463	641	787	1,535	-
All races, male										
2000.....	71	69	80	101	112	191	244	298	426	1
1999.....	49	74	82	98	138	189	258	303	405	-
All races, female										
2000.....	52	63	65	98	165	250	374	472	1,166	-
1999.....	47	63	63	97	137	274	383	484	1,130	-
White, both sexes										
2000.....	84	90	98	158	238	381	544	724	1,520	1
1999.....	53	105	106	149	229	402	578	747	1,462	-
White, male										
2000.....	49	47	57	80	98	167	214	282	403	1
1999.....	26	60	62	73	117	169	234	289	383	-
White, female										
2000.....	35	43	41	78	140	214	330	442	1,117	-
1999.....	27	45	44	76	112	233	344	458	1,079	-
All other, both sexes										
2000.....	39	42	47	41	39	60	74	46	72	-
1999.....	43	32	39	46	46	61	63	40	73	-
All other, male										
2000.....	22	22	23	21	14	24	30	16	23	-
1999.....	23	14	20	25	21	20	24	14	22	-
All other, female										
2000.....	17	20	24	20	25	36	44	30	49	-
1999.....	20	18	19	21	25	41	39	26	51	-
Black, both sexes										
2000.....	36	39	39	39	34	54	62	37	59	-
1999.....	37	30	37	40	41	57	53	37	53	-
Black, male										
2000.....	21	21	19	19	13	21	27	11	18	-
1999.....	19	14	18	23	17	19	21	11	12	-
Black, female										
2000.....	15	18	20	20	21	33	35	26	41	-
1999.....	18	16	19	17	24	38	32	26	41	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Cardiomyopathy (I42)										
All races, both sexes										
2000.....	1,128	1,411	1,456	1,704	2,298	2,981	3,822	3,767	6,031	-
1999.....	1,124	1,337	1,532	1,795	2,443	3,151	3,673	3,716	5,781	2
All races, male										
2000.....	781	992	1,011	1,111	1,456	1,868	2,264	2,009	2,396	-
1999.....	789	935	1,063	1,166	1,590	1,974	2,134	1,924	2,246	1
All races, female										
2000.....	347	419	445	593	842	1,113	1,558	1,758	3,635	-
1999.....	335	402	469	629	853	1,177	1,539	1,792	3,535	1
White, both sexes										
2000.....	710	950	1,038	1,294	1,785	2,478	3,266	3,348	5,463	-
1999.....	715	906	1,081	1,305	1,944	2,606	3,165	3,295	5,221	1
White, male										
2000.....	521	678	730	861	1,140	1,583	1,957	1,808	2,189	-
1999.....	518	643	756	857	1,285	1,647	1,869	1,730	2,029	1
White, female										
2000.....	189	272	308	433	645	895	1,309	1,540	3,274	-
1999.....	197	263	325	448	659	959	1,296	1,565	3,192	-
All other, both sexes										
2000.....	418	461	418	410	513	503	556	419	568	-
1999.....	409	431	451	490	499	545	508	421	560	1
All other, male										
2000.....	260	314	281	250	316	285	307	201	207	-
1999.....	271	292	307	309	305	327	265	194	217	-
All other, female										
2000.....	158	147	137	160	197	218	249	218	361	-
1999.....	138	139	144	181	194	218	243	227	343	1
Black, both sexes										
2000.....	393	425	386	353	463	447	481	371	483	-
1999.....	380	401	406	434	447	475	443	359	480	1
Black, male										
2000.....	241	285	260	215	283	246	261	177	168	-
1999.....	249	273	278	274	272	284	221	161	184	-
Black, female										
2000.....	152	140	126	138	180	201	220	194	315	-
1999.....	131	128	128	160	175	191	222	198	296	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Conduction disorders and cardiac dysrhythmias (I44-I49)										
All races, both sexes										
2000.....	761	1,038	1,420	1,749	2,486	3,634	5,101	6,296	14,421	2
1999.....	805	1,099	1,412	2,039	2,605	3,975	5,317	6,559	14,691	1
All races, male										
2000.....	509	707	930	1,113	1,520	2,041	2,453	2,521	4,088	1
1999.....	551	718	928	1,264	1,618	2,147	2,557	2,779	4,217	-
All races, female										
2000.....	252	331	490	636	966	1,593	2,648	3,775	10,333	1
1999.....	254	381	484	775	987	1,828	2,760	3,780	10,474	1
White, both sexes										
2000.....	553	797	1,130	1,364	2,041	3,082	4,434	5,693	13,109	1
1999.....	592	852	1,100	1,644	2,160	3,388	4,617	5,901	13,403	1
White, male										
2000.....	385	547	751	887	1,263	1,756	2,154	2,312	3,690	1
1999.....	429	570	725	1,042	1,357	1,857	2,212	2,506	3,787	-
White, female										
2000.....	168	250	379	477	778	1,326	2,280	3,381	9,419	-
1999.....	163	282	375	602	803	1,531	2,405	3,395	9,616	1
All other, both sexes										
2000.....	208	241	290	385	445	552	667	603	1,312	1
1999.....	213	247	312	395	445	587	700	658	1,288	-
All other, male										
2000.....	124	160	179	226	257	285	299	209	398	-
1999.....	122	148	203	222	261	290	345	273	430	-
All other, female										
2000.....	84	81	111	159	188	267	368	394	914	1
1999.....	91	99	109	173	184	297	355	385	858	-
Black, both sexes										
2000.....	197	221	261	354	393	483	594	521	1,107	1
1999.....	203	226	285	360	404	522	613	589	1,126	-
Black, male										
2000.....	118	147	159	207	226	238	257	181	313	-
1999.....	118	134	183	205	235	253	285	247	351	-
Black, female										
2000.....	79	74	102	147	167	245	337	340	794	1
1999.....	85	92	102	155	169	269	328	342	775	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Heart failure (I50)										
All races, both sexes										
2000.....	283	528	828	1,383	2,284	4,119	6,936	9,884	29,035	4
1999.....	298	484	853	1,254	2,240	4,284	6,926	9,845	28,327	1
All races, male										
2000.....	191	305	479	785	1,243	2,171	3,286	4,212	8,248	2
1999.....	186	300	506	722	1,232	2,294	3,264	4,054	7,959	1
All races, female										
2000.....	92	223	349	598	1,041	1,948	3,650	5,672	20,787	2
1999.....	112	184	347	532	1,008	1,990	3,662	5,791	20,368	-
White, both sexes										
2000.....	180	378	627	1,088	1,870	3,514	6,178	9,038	27,006	4
1999.....	183	326	626	1,006	1,827	3,684	6,102	8,979	26,333	-
White, male										
2000.....	127	224	383	624	1,049	1,892	2,959	3,872	7,650	2
1999.....	116	206	387	585	1,012	2,026	2,918	3,725	7,339	-
White, female										
2000.....	53	154	244	464	821	1,622	3,219	5,166	19,356	2
1999.....	67	120	239	421	815	1,658	3,184	5,254	18,994	-
All other, both sexes										
2000.....	103	150	201	295	414	605	758	846	2,029	-
1999.....	115	158	227	248	413	600	824	866	1,994	1
All other, male										
2000.....	64	81	96	161	194	279	327	340	598	-
1999.....	70	94	119	137	220	268	346	329	620	1
All other, female										
2000.....	39	69	105	134	220	326	431	506	1,431	-
1999.....	45	64	108	111	193	332	478	537	1,374	-
Black, both sexes										
2000.....	98	143	189	266	373	544	674	742	1,785	-
1999.....	111	149	215	236	380	547	731	750	1,734	1
Black, male										
2000.....	60	78	90	143	175	248	285	288	504	-
1999.....	68	89	114	129	198	245	309	274	515	1
Black, female										
2000.....	38	65	99	123	198	296	389	454	1,281	-
1999.....	43	60	101	107	182	302	422	476	1,219	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Congestive heart failure (I50.0)										
All races, both sexes										
2000.....	231	439	722	1,199	1,997	3,703	6,386	9,244	27,320	2
1999.....	235	395	694	1,072	1,996	3,873	6,362	9,198	26,697	1
All races, male										
2000.....	155	249	418	666	1,086	1,934	3,018	3,929	7,757	1
1999.....	148	242	408	602	1,077	2,072	2,987	3,774	7,496	1
All races, female										
2000.....	76	190	304	533	911	1,769	3,368	5,315	19,563	1
1999.....	87	153	286	470	919	1,801	3,375	5,424	19,201	-
White, both sexes										
2000.....	142	308	550	944	1,631	3,178	5,699	8,478	25,464	2
1999.....	135	258	508	860	1,630	3,332	5,630	8,399	24,858	-
White, male										
2000.....	99	178	341	526	924	1,695	2,727	3,624	7,212	1
1999.....	87	163	313	486	886	1,831	2,678	3,468	6,926	-
White, female										
2000.....	43	130	209	418	707	1,483	2,972	4,854	18,252	1
1999.....	48	95	195	374	744	1,501	2,952	4,931	17,932	-
All other, both sexes										
2000.....	89	131	172	255	366	525	687	766	1,856	-
1999.....	100	137	186	212	366	541	732	799	1,839	1
All other, male										
2000.....	56	71	77	140	162	239	291	305	545	-
1999.....	61	79	95	116	191	241	309	306	570	1
All other, female										
2000.....	33	60	95	115	204	286	396	461	1,311	-
1999.....	39	58	91	96	175	300	423	493	1,269	-
Black, both sexes										
2000.....	84	125	160	233	330	472	610	674	1,631	-
1999.....	96	130	178	201	337	492	652	693	1,598	1
Black, male										
2000.....	52	69	71	126	147	213	254	257	458	-
1999.....	59	75	91	109	173	220	277	257	473	1
Black, female										
2000.....	32	56	89	107	183	259	356	417	1,173	-
1999.....	37	55	87	92	164	272	375	436	1,125	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified heart failure (I50.1-I50.9)										
All races, both sexes										
2000.....	52	89	106	184	287	416	550	640	1,715	2
1999.....	63	89	159	182	244	411	564	647	1,630	-
All races, male										
2000.....	36	56	61	119	157	237	268	283	491	1
1999.....	38	58	98	120	155	222	277	280	463	-
All races, female										
2000.....	16	33	45	65	130	179	282	357	1,224	1
1999.....	25	31	61	62	89	189	287	367	1,167	-
White, both sexes										
2000.....	38	70	77	144	239	336	479	560	1,542	2
1999.....	48	68	118	146	197	352	472	580	1,475	-
White, male										
2000.....	28	46	42	98	125	197	232	248	438	1
1999.....	29	43	74	99	126	195	240	257	413	-
White, female										
2000.....	10	24	35	46	114	139	247	312	1,104	1
1999.....	19	25	44	47	71	157	232	323	1,062	-
All other, both sexes										
2000.....	14	19	29	40	48	80	71	80	173	-
1999.....	15	21	41	36	47	59	92	67	155	-
All other, male										
2000.....	8	10	19	21	32	40	36	35	53	-
1999.....	9	15	24	21	29	27	37	23	50	-
All other, female										
2000.....	6	9	10	19	16	40	35	45	120	-
1999.....	6	6	17	15	18	32	55	44	105	-
Black, both sexes										
2000.....	14	18	29	33	43	72	64	68	154	-
1999.....	15	19	37	35	43	55	79	57	136	-
Black, male										
2000.....	8	9	19	17	28	35	31	31	46	-
1999.....	9	14	23	20	25	25	32	17	42	-
Black, female										
2000.....	6	9	10	16	15	37	33	37	108	-
1999.....	6	5	14	15	18	30	47	40	94	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Myocarditis, unspecified and myocardial degeneration (I51.4-I51.5)										
All races, both sexes										
2000.....	54	26	47	29	17	32	31	37	103	-
1999.....	51	45	32	21	27	29	27	36	100	-
All races, male										
2000.....	23	17	27	12	8	14	14	18	32	-
1999.....	25	24	14	13	17	14	13	17	25	-
All races, female										
2000.....	31	9	20	17	9	18	17	19	71	-
1999.....	26	21	18	8	10	15	14	19	75	-
White, both sexes										
2000.....	37	17	41	23	16	30	28	30	98	-
1999.....	40	34	28	14	23	27	23	35	93	-
White, male										
2000.....	16	9	24	8	7	14	13	15	30	-
1999.....	19	19	13	7	15	12	11	16	22	-
White, female										
2000.....	21	8	17	15	9	16	15	15	68	-
1999.....	21	15	15	7	8	15	12	19	71	-
All other, both sexes										
2000.....	17	9	6	6	1	2	3	7	5	-
1999.....	11	11	4	7	4	2	4	1	7	-
All other, male										
2000.....	7	8	3	4	1	-	1	3	2	-
1999.....	6	5	1	6	2	2	2	1	3	-
All other, female										
2000.....	10	1	3	2	-	2	2	4	3	-
1999.....	5	6	3	1	2	-	2	-	4	-
Black, both sexes										
2000.....	15	7	6	4	1	1	3	6	4	-
1999.....	11	4	3	7	4	2	2	1	5	-
Black, male										
2000.....	6	6	3	3	1	-	1	2	2	-
1999.....	6	3	-	6	2	2	1	1	1	-
Black, female										
2000.....	9	1	3	1	-	1	2	4	2	-
1999.....	5	1	3	1	2	-	1	-	4	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)										
All races, both sexes										
2000.....	318	343	418	486	612	767	1,064	1,323	2,737	1
1999.....	277	301	364	463	532	736	1,034	1,142	2,556	1
All races, male										
2000.....	232	237	288	333	358	441	518	573	847	1
1999.....	202	203	251	313	343	435	550	500	767	1
All races, female										
2000.....	86	106	130	153	254	326	546	750	1,890	-
1999.....	75	98	113	150	189	301	484	642	1,789	-
White, both sexes										
2000.....	244	246	320	395	503	620	923	1,170	2,481	1
1999.....	200	227	272	358	419	634	877	1,028	2,313	1
White, male										
2000.....	183	175	221	280	299	360	452	502	767	1
1999.....	161	158	192	253	277	376	477	448	696	1
White, female										
2000.....	61	71	99	115	204	260	471	668	1,714	-
1999.....	39	69	80	105	142	258	400	580	1,617	-
All other, both sexes										
2000.....	74	97	98	91	109	147	141	153	256	-
1999.....	77	74	92	105	113	102	157	114	243	-
All other, male										
2000.....	49	62	67	53	59	81	66	71	80	-
1999.....	41	45	59	60	66	59	73	52	71	-
All other, female										
2000.....	25	35	31	38	50	66	75	82	176	-
1999.....	36	29	33	45	47	43	84	62	172	-
Black, both sexes										
2000.....	68	89	88	88	100	140	125	134	236	-
1999.....	72	68	88	98	102	98	139	93	216	-
Black, male										
2000.....	45	61	59	51	54	76	57	62	70	-
1999.....	40	43	57	55	62	56	63	42	62	-
Black, female										
2000.....	23	28	29	37	46	64	68	72	166	-
1999.....	32	25	31	43	40	42	76	51	154	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)										
All races, both sexes										
2000.....	2,625	3,386	4,145	5,811	8,671	14,978	24,678	32,342	67,376	2
1999.....	2,455	3,108	4,152	5,500	8,694	15,398	25,007	32,420	67,080	2
All races, male										
2000.....	1,401	1,834	2,294	3,202	4,513	7,529	11,192	12,754	18,212	1
1999.....	1,282	1,714	2,256	3,049	4,522	7,698	11,349	12,739	18,052	1
All races, female										
2000.....	1,224	1,552	1,851	2,609	4,158	7,449	13,486	19,588	49,164	1
1999.....	1,173	1,394	1,896	2,451	4,172	7,700	13,658	19,681	49,028	1
White, both sexes										
2000.....	1,627	2,287	2,930	4,309	6,775	12,449	21,385	28,982	61,462	1
1999.....	1,535	2,074	2,939	4,001	6,876	12,701	21,726	29,191	61,448	-
White, male										
2000.....	894	1,244	1,607	2,391	3,540	6,288	9,746	11,464	16,526	1
1999.....	802	1,147	1,613	2,230	3,601	6,399	9,885	11,528	16,435	-
White, female										
2000.....	733	1,043	1,323	1,918	3,235	6,161	11,639	17,518	44,936	-
1999.....	733	927	1,326	1,771	3,275	6,302	11,841	17,663	45,013	-
All other, both sexes										
2000.....	998	1,099	1,215	1,502	1,896	2,529	3,293	3,360	5,914	1
1999.....	920	1,034	1,213	1,499	1,818	2,697	3,281	3,229	5,632	2
All other, male										
2000.....	507	590	687	811	973	1,241	1,446	1,290	1,686	-
1999.....	480	567	643	819	921	1,299	1,464	1,211	1,617	1
All other, female										
2000.....	491	509	528	691	923	1,288	1,847	2,070	4,228	1
1999.....	440	467	570	680	897	1,398	1,817	2,018	4,015	1
Black, both sexes										
2000.....	878	958	1,043	1,248	1,582	2,107	2,674	2,725	4,891	1
1999.....	787	896	1,028	1,267	1,538	2,275	2,733	2,618	4,681	1
Black, male										
2000.....	449	520	594	664	818	1,017	1,153	1,024	1,265	-
1999.....	412	498	547	704	787	1,081	1,177	939	1,236	-
Black, female										
2000.....	429	438	449	584	764	1,090	1,521	1,701	3,626	1
1999.....	375	398	481	563	751	1,194	1,556	1,679	3,445	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Subarachnoid hemorrhage (I60)										
All races, both sexes										
2000.....	667	667	639	545	495	566	641	527	599	1
1999.....	657	620	579	543	541	599	615	533	544	1
All races, male										
2000.....	257	249	219	184	150	201	191	142	138	1
1999.....	265	242	209	184	186	173	183	139	107	1
All races, female										
2000.....	410	418	420	361	345	365	450	385	461	-
1999.....	392	378	370	359	355	426	432	394	437	-
White, both sexes										
2000.....	485	523	534	442	394	473	561	468	522	1
1999.....	479	482	469	434	465	514	546	474	475	-
White, male										
2000.....	198	196	188	145	123	168	172	131	131	1
1999.....	205	193	174	152	155	152	171	125	97	-
White, female										
2000.....	287	327	346	297	271	305	389	337	391	-
1999.....	274	289	295	282	310	362	375	349	378	-
All other, both sexes										
2000.....	182	144	105	103	101	93	80	59	77	-
1999.....	178	138	110	109	76	85	69	59	69	1
All other, male										
2000.....	59	53	31	39	27	33	19	11	7	-
1999.....	60	49	35	32	31	21	12	14	10	1
All other, female										
2000.....	123	91	74	64	74	60	61	48	70	-
1999.....	118	89	75	77	45	64	57	45	59	-
Black, both sexes										
2000.....	144	116	83	68	67	65	62	37	55	-
1999.....	138	112	88	72	50	64	42	43	46	-
Black, male										
2000.....	46	40	23	23	18	25	17	6	2	-
1999.....	48	43	30	23	22	16	6	13	4	-
Black, female										
2000.....	98	76	60	45	49	40	45	31	53	-
1999.....	90	69	58	49	28	48	36	30	42	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Intracerebral and other intracranial hemorrhage (I61-I62)										
All races, both sexes										
2000.....	1,122	1,339	1,427	1,716	2,239	3,145	4,459	4,702	5,847	-
1999.....	957	1,197	1,399	1,528	1,971	3,233	4,367	4,420	5,079	-
All races, male										
2000.....	677	768	875	977	1,190	1,560	2,007	1,846	1,836	-
1999.....	537	711	803	877	1,033	1,622	1,959	1,697	1,560	-
All races, female										
2000.....	445	571	552	739	1,049	1,585	2,452	2,856	4,011	-
1999.....	420	486	596	651	938	1,611	2,408	2,723	3,519	-
White, both sexes										
2000.....	619	834	981	1,267	1,794	2,715	3,952	4,280	5,350	-
1999.....	534	734	959	1,117	1,607	2,786	3,887	4,022	4,638	-
White, male										
2000.....	389	487	600	717	947	1,356	1,800	1,692	1,668	-
1999.....	302	439	553	654	859	1,419	1,742	1,542	1,422	-
White, female										
2000.....	230	347	381	550	847	1,359	2,152	2,588	3,682	-
1999.....	232	295	406	463	748	1,367	2,145	2,480	3,216	-
All other, both sexes										
2000.....	503	505	446	449	445	430	507	422	497	-
1999.....	423	463	440	411	364	447	480	398	441	-
All other, male										
2000.....	288	281	275	260	243	204	207	154	168	-
1999.....	235	272	250	223	174	203	217	155	138	-
All other, female										
2000.....	215	224	171	189	202	226	300	268	329	-
1999.....	188	191	190	188	190	244	263	243	303	-
Black, both sexes										
2000.....	449	438	371	354	327	318	356	277	374	-
1999.....	368	394	349	317	276	328	350	268	304	-
Black, male										
2000.....	257	245	233	210	178	141	148	93	113	-
1999.....	204	232	196	178	131	142	149	93	93	-
Black, female										
2000.....	192	193	138	144	149	177	208	184	261	-
1999.....	164	162	153	139	145	186	201	175	211	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Cerebral infarction (I63)										
All races, both sexes										
2000.....	139	215	270	435	633	1,130	2,015	2,694	5,979	1
1999.....	140	206	309	430	769	1,321	2,183	2,857	6,360	-
All races, male										
2000.....	86	118	160	265	343	600	949	1,116	1,636	-
1999.....	87	124	185	244	442	677	1,025	1,141	1,725	-
All races, female										
2000.....	53	97	110	170	290	530	1,066	1,578	4,343	1
1999.....	53	82	124	186	327	644	1,158	1,716	4,635	-
White, both sexes										
2000.....	101	146	183	338	500	941	1,751	2,417	5,437	-
1999.....	95	149	230	323	620	1,084	1,883	2,598	5,813	-
White, male										
2000.....	64	76	111	207	269	508	820	999	1,476	-
1999.....	54	93	144	183	368	553	880	1,045	1,554	-
White, female										
2000.....	37	70	72	131	231	433	931	1,418	3,961	-
1999.....	41	56	86	140	252	531	1,003	1,553	4,259	-
All other, both sexes										
2000.....	38	69	87	97	133	189	264	277	542	1
1999.....	45	57	79	107	149	237	300	259	547	-
All other, male										
2000.....	22	42	49	58	74	92	129	117	160	-
1999.....	33	31	41	61	74	124	145	96	171	-
All other, female										
2000.....	16	27	38	39	59	97	135	160	382	1
1999.....	12	26	38	46	75	113	155	163	376	-
Black, both sexes										
2000.....	31	58	73	85	118	158	212	239	456	1
1999.....	41	48	65	93	130	205	263	217	473	-
Black, male										
2000.....	18	39	43	49	68	74	99	99	119	-
1999.....	29	25	37	51	66	111	127	79	139	-
Black, female										
2000.....	13	19	30	36	50	84	113	140	337	1
1999.....	12	23	28	42	64	94	136	138	334	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Stroke, not specified as hemorrhage or infarction (I64)										
All races, both sexes										
2000.....	530	911	1,435	2,487	4,253	7,955	13,429	18,408	40,475	-
1999.....	535	854	1,481	2,400	4,301	7,953	13,667	18,598	40,811	1
All races, male										
2000.....	303	562	835	1,429	2,243	3,993	6,032	7,172	10,591	-
1999.....	312	514	830	1,381	2,273	4,019	6,202	7,294	10,697	-
All races, female										
2000.....	227	349	600	1,058	2,010	3,962	7,397	11,236	29,884	-
1999.....	223	340	651	1,019	2,028	3,934	7,465	11,304	30,114	1
White, both sexes										
2000.....	310	609	969	1,795	3,271	6,508	11,598	16,434	36,976	-
1999.....	317	549	1,010	1,695	3,309	6,479	11,803	16,719	37,411	-
White, male										
2000.....	184	388	569	1,048	1,744	3,284	5,215	6,429	9,592	-
1999.....	190	341	583	982	1,753	3,321	5,371	6,606	9,747	-
White, female										
2000.....	126	221	400	747	1,527	3,224	6,383	10,005	27,384	-
1999.....	127	208	427	713	1,556	3,158	6,432	10,113	27,664	-
All other, both sexes										
2000.....	220	302	466	692	982	1,447	1,831	1,974	3,499	-
1999.....	218	305	471	705	992	1,474	1,864	1,879	3,400	1
All other, male										
2000.....	119	174	266	381	499	709	817	743	999	-
1999.....	122	173	247	399	520	698	831	688	950	-
All other, female										
2000.....	101	128	200	311	483	738	1,014	1,231	2,500	-
1999.....	96	132	224	306	472	776	1,033	1,191	2,450	1
Black, both sexes										
2000.....	203	275	418	604	881	1,258	1,551	1,675	2,939	-
1999.....	195	283	426	642	880	1,289	1,608	1,574	2,878	1
Black, male										
2000.....	110	160	237	322	450	609	681	616	778	-
1999.....	107	161	223	364	463	596	692	561	749	-
Black, female										
2000.....	93	115	181	282	431	649	870	1,059	2,161	-
1999.....	88	122	203	278	417	693	916	1,013	2,129	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other cerebrovascular diseases and their sequelae (I67,I69)										
All races, both sexes										
2000.....	167	254	374	628	1,051	2,182	4,134	6,011	14,476	-
1999.....	166	231	384	599	1,112	2,292	4,175	6,012	14,286	-
All races, male										
2000.....	78	137	205	347	587	1,175	2,013	2,478	4,011	-
1999.....	81	123	229	363	588	1,207	1,980	2,468	3,963	-
All races, female										
2000.....	89	117	169	281	464	1,007	2,121	3,533	10,465	-
1999.....	85	108	155	236	524	1,085	2,195	3,544	10,323	-
White, both sexes										
2000.....	112	175	263	467	816	1,812	3,523	5,383	13,177	-
1999.....	110	160	271	432	875	1,838	3,607	5,378	13,111	-
White, male										
2000.....	59	97	139	274	457	972	1,739	2,213	3,659	-
1999.....	51	81	159	259	466	954	1,721	2,210	3,615	-
White, female										
2000.....	53	78	124	193	359	840	1,784	3,170	9,518	-
1999.....	59	79	112	173	409	884	1,886	3,168	9,496	-
All other, both sexes										
2000.....	55	79	111	161	235	370	611	628	1,299	-
1999.....	56	71	113	167	237	454	568	634	1,175	-
All other, male										
2000.....	19	40	66	73	130	203	274	265	352	-
1999.....	30	42	70	104	122	253	259	258	348	-
All other, female										
2000.....	36	39	45	88	105	167	337	363	947	-
1999.....	26	29	43	63	115	201	309	376	827	-
Black, both sexes										
2000.....	51	71	98	137	189	308	493	497	1,067	-
1999.....	45	59	100	143	202	389	470	516	980	-
Black, male										
2000.....	18	36	58	60	104	168	208	210	253	-
1999.....	24	37	61	88	105	216	203	193	251	-
Black, female										
2000.....	33	35	40	77	85	140	285	287	814	-
1999.....	21	22	39	55	97	173	267	323	729	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diseases of arteries, arterioles and capillaries (I70-I78)										
All races, both sexes										
2000.....	495	719	1,036	1,651	2,826	4,523	6,347	7,152	14,925	1
1999.....	474	682	1,049	1,647	2,729	4,555	6,432	7,217	15,253	-
All races, male										
2000.....	323	495	715	1,109	1,814	2,757	3,534	3,420	4,803	1
1999.....	326	452	711	1,115	1,749	2,727	3,529	3,413	4,731	-
All races, female										
2000.....	172	224	321	542	1,012	1,766	2,813	3,732	10,122	-
1999.....	148	230	338	532	980	1,828	2,903	3,804	10,522	-
White, both sexes										
2000.....	353	526	833	1,367	2,460	4,053	5,730	6,542	13,748	-
1999.....	352	528	850	1,420	2,383	4,101	5,824	6,625	14,041	-
White, male										
2000.....	244	370	591	946	1,621	2,520	3,233	3,175	4,446	-
1999.....	251	354	593	982	1,567	2,498	3,235	3,157	4,369	-
White, female										
2000.....	109	156	242	421	839	1,533	2,497	3,367	9,302	-
1999.....	101	174	257	438	816	1,603	2,589	3,468	9,672	-
All other, both sexes										
2000.....	142	193	203	284	366	470	617	610	1,177	1
1999.....	122	154	199	227	346	454	608	592	1,212	-
All other, male										
2000.....	79	125	124	163	193	237	301	245	357	1
1999.....	75	98	118	133	182	229	294	256	362	-
All other, female										
2000.....	63	68	79	121	173	233	316	365	820	-
1999.....	47	56	81	94	164	225	314	336	850	-
Black, both sexes										
2000.....	126	155	179	251	298	396	520	518	1,010	1
1999.....	110	131	176	195	299	373	514	496	1,045	-
Black, male										
2000.....	71	103	106	138	159	197	246	203	282	1
1999.....	69	81	103	111	157	191	235	200	297	-
Black, female										
2000.....	55	52	73	113	139	199	274	315	728	-
1999.....	41	50	73	84	142	182	279	296	748	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Atherosclerosis (I70)										
All races, both sexes										
2000.....	71	105	170	281	495	928	1,685	2,592	8,005	-
1999.....	56	129	172	314	485	991	1,770	2,615	8,390	-
All races, male										
2000.....	48	71	108	186	290	510	838	1,097	2,166	-
1999.....	37	84	114	193	277	518	845	1,082	2,255	-
All races, female										
2000.....	23	34	62	95	205	418	847	1,495	5,839	-
1999.....	19	45	58	121	208	473	925	1,533	6,135	-
White, both sexes										
2000.....	50	73	140	226	431	815	1,535	2,375	7,491	-
1999.....	48	103	140	262	413	887	1,596	2,423	7,823	-
White, male										
2000.....	36	50	93	154	252	461	775	1,008	2,011	-
1999.....	32	70	90	164	238	463	755	1,000	2,091	-
White, female										
2000.....	14	23	47	72	179	354	760	1,367	5,480	-
1999.....	16	33	50	98	175	424	841	1,423	5,732	-
All other, both sexes										
2000.....	21	32	30	55	64	113	150	217	514	-
1999.....	8	26	32	52	72	104	174	192	567	-
All other, male										
2000.....	12	21	15	32	38	49	63	89	155	-
1999.....	5	14	24	29	39	55	90	82	164	-
All other, female										
2000.....	9	11	15	23	26	64	87	128	359	-
1999.....	3	12	8	23	33	49	84	110	403	-
Black, both sexes										
2000.....	19	28	28	51	51	97	132	191	442	-
1999.....	6	23	27	50	63	88	154	162	484	-
Black, male										
2000.....	11	17	14	29	33	42	54	79	128	-
1999.....	4	11	20	27	34	46	78	65	140	-
Black, female										
2000.....	8	11	14	22	18	55	78	112	314	-
1999.....	2	12	7	23	29	42	76	97	344	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Aortic aneurysm and dissection (I71)										
All races, both sexes										
2000.....	268	394	585	908	1,552	2,460	3,043	2,792	3,357	-
1999.....	283	355	570	867	1,578	2,423	3,095	2,841	3,337	-
All races, male										
2000.....	191	301	438	673	1,097	1,633	1,885	1,558	1,562	-
1999.....	216	270	430	658	1,114	1,598	1,905	1,596	1,495	-
All races, female										
2000.....	77	93	147	235	455	827	1,158	1,234	1,795	-
1999.....	67	85	140	209	464	825	1,190	1,245	1,842	-
White, both sexes										
2000.....	193	303	475	782	1,381	2,270	2,795	2,603	3,099	-
1999.....	194	273	473	777	1,420	2,232	2,871	2,658	3,097	-
White, male										
2000.....	147	237	364	592	1,006	1,527	1,747	1,480	1,472	-
1999.....	154	208	369	600	1,025	1,500	1,805	1,506	1,401	-
White, female										
2000.....	46	66	111	190	375	743	1,048	1,123	1,627	-
1999.....	40	65	104	177	395	732	1,066	1,152	1,696	-
All other, both sexes										
2000.....	75	91	110	126	171	190	248	189	258	-
1999.....	89	82	97	90	158	191	224	183	240	-
All other, male										
2000.....	44	64	74	81	91	106	138	78	90	-
1999.....	62	62	61	58	89	98	100	90	94	-
All other, female										
2000.....	31	27	36	45	80	84	110	111	168	-
1999.....	27	20	36	32	69	93	124	93	146	-
Black, both sexes										
2000.....	68	69	98	102	129	152	190	143	199	-
1999.....	81	71	85	70	128	146	166	140	189	-
Black, male										
2000.....	39	52	63	62	68	83	101	54	60	-
1999.....	57	52	53	44	74	75	63	62	65	-
Black, female										
2000.....	29	17	35	40	61	69	89	89	139	-
1999.....	24	19	32	26	54	71	103	78	124	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)										
All races, both sexes										
2000.....	156	220	281	462	779	1,135	1,619	1,768	3,563	1
1999.....	135	198	307	466	666	1,141	1,567	1,761	3,526	-
All races, male										
2000.....	84	123	169	250	427	614	811	765	1,075	1
1999.....	73	98	167	264	358	611	779	735	981	-
All races, female										
2000.....	72	97	112	212	352	521	808	1,003	2,488	-
1999.....	62	100	140	202	308	530	788	1,026	2,545	-
White, both sexes										
2000.....	110	150	218	359	648	968	1,400	1,564	3,158	-
1999.....	110	152	237	381	550	982	1,357	1,544	3,121	-
White, male										
2000.....	61	83	134	200	363	532	711	687	963	-
1999.....	65	76	134	218	304	535	675	651	877	-
White, female										
2000.....	49	67	84	159	285	436	689	877	2,195	-
1999.....	45	76	103	163	246	447	682	893	2,244	-
All other, both sexes										
2000.....	46	70	63	103	131	167	219	204	405	1
1999.....	25	46	70	85	116	159	210	217	405	-
All other, male										
2000.....	23	40	35	50	64	82	100	78	112	1
1999.....	8	22	33	46	54	76	104	84	104	-
All other, female										
2000.....	23	30	28	53	67	85	119	126	293	-
1999.....	17	24	37	39	62	83	106	133	301	-
Black, both sexes										
2000.....	39	58	53	98	118	147	198	184	369	1
1999.....	23	37	64	75	108	139	194	194	372	-
Black, male										
2000.....	21	34	29	47	58	72	91	70	94	1
1999.....	8	18	30	40	49	70	94	73	92	-
Black, female										
2000.....	18	24	24	51	60	75	107	114	275	-
1999.....	15	19	34	35	59	69	100	121	280	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Other disorders of circulatory system (I80-I99)

All races, both sexes										
2000.....	249	266	231	285	326	469	573	588	1,084	-
1999.....	202	176	208	237	312	380	498	619	972	1
All races, male										
2000.....	145	150	126	138	170	220	245	227	273	-
1999.....	102	96	106	118	163	187	225	238	248	-
All races, female										
2000.....	104	116	105	147	156	249	328	361	811	-
1999.....	100	80	102	119	149	193	273	381	724	1
White, both sexes										
2000.....	189	203	175	222	242	395	488	529	978	-
1999.....	146	131	177	190	243	325	429	549	872	1
White, male										
2000.....	111	117	94	107	131	192	214	205	244	-
1999.....	73	69	92	100	124	163	191	210	223	-
White, female										
2000.....	78	86	81	115	111	203	274	324	734	-
1999.....	73	62	85	90	119	162	238	339	649	1
All other, both sexes										
2000.....	60	63	56	63	84	74	85	59	106	-
1999.....	56	45	31	47	69	55	69	70	100	-
All other, male										
2000.....	34	33	32	31	39	28	31	22	29	-
1999.....	29	27	14	18	39	24	34	28	25	-
All other, female										
2000.....	26	30	24	32	45	46	54	37	77	-
1999.....	27	18	17	29	30	31	35	42	75	-
Black, both sexes										
2000.....	58	60	53	56	79	68	82	50	96	-
1999.....	55	41	27	42	62	47	64	61	89	-
Black, male										
2000.....	34	32	29	27	36	26	28	16	26	-
1999.....	29	24	11	17	36	20	31	24	19	-
Black, female										
2000.....	24	28	24	29	43	42	54	34	70	-
1999.....	26	17	16	25	26	27	33	37	70	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)										
All races, both sexes										
2000.....	181	191	171	192	242	349	431	435	794	-
1999.....	135	116	140	150	206	245	314	391	606	1
All races, male										
2000.....	93	96	84	82	125	149	173	163	184	-
1999.....	62	52	63	63	102	119	132	143	134	-
All races, female										
2000.....	88	95	87	110	117	200	258	272	610	-
1999.....	73	64	77	87	104	126	182	248	472	1
White, both sexes										
2000.....	134	142	131	147	177	292	364	394	721	-
1999.....	97	87	117	121	162	209	273	345	540	1
White, male										
2000.....	69	75	64	62	98	126	153	150	165	-
1999.....	47	38	53	52	76	105	114	127	123	-
White, female										
2000.....	65	67	67	85	79	166	211	244	556	-
1999.....	50	49	64	69	86	104	159	218	417	1
All other, both sexes										
2000.....	47	49	40	45	65	57	67	41	73	-
1999.....	38	29	23	29	44	36	41	46	66	-
All other, male										
2000.....	24	21	20	20	27	23	20	13	19	-
1999.....	15	14	10	11	26	14	18	16	11	-
All other, female										
2000.....	23	28	20	25	38	34	47	28	54	-
1999.....	23	15	13	18	18	22	23	30	55	-
Black, both sexes										
2000.....	45	47	39	43	62	53	66	33	70	-
1999.....	37	27	21	26	43	33	40	44	59	-
Black, male										
2000.....	24	21	19	19	25	21	19	8	18	-
1999.....	15	13	9	11	26	13	18	15	9	-
Black, female										
2000.....	21	26	20	24	37	32	47	25	52	-
1999.....	22	14	12	15	17	20	22	29	50	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All other and unspecified disorders of circulatory system (I83-I99)										
All races, both sexes										
2000.....	68	75	60	93	84	120	142	153	290	-
1999.....	67	60	68	87	106	135	184	228	366	-
All races, male										
2000.....	52	54	42	56	45	71	72	64	89	-
1999.....	40	44	43	55	61	68	93	95	114	-
All races, female										
2000.....	16	21	18	37	39	49	70	89	201	-
1999.....	27	16	25	32	45	67	91	133	252	-
White, both sexes										
2000.....	55	61	44	75	65	103	124	135	257	-
1999.....	49	44	60	69	81	116	156	204	332	-
White, male										
2000.....	42	42	30	45	33	66	61	55	79	-
1999.....	26	31	39	48	48	58	77	83	100	-
White, female										
2000.....	13	19	14	30	32	37	63	80	178	-
1999.....	23	13	21	21	33	58	79	121	232	-
All other, both sexes										
2000.....	13	14	16	18	19	17	18	18	33	-
1999.....	18	16	8	18	25	19	28	24	34	-
All other, male										
2000.....	10	12	12	11	12	5	11	9	10	-
1999.....	14	13	4	7	13	10	16	12	14	-
All other, female										
2000.....	3	2	4	7	7	12	7	9	23	-
1999.....	4	3	4	11	12	9	12	12	20	-
Black, both sexes										
2000.....	13	13	14	13	17	15	16	17	26	-
1999.....	18	14	6	16	19	14	24	17	30	-
Black, male										
2000.....	10	11	10	8	11	5	9	8	8	-
1999.....	14	11	2	6	10	7	13	9	10	-
Black, female										
2000.....	3	2	4	5	6	10	7	9	18	-
1999.....	4	3	4	10	9	7	11	8	20	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

All races, both sexes										
2000.....	2,654	4,093	6,511	10,183	17,296	28,721	39,256	43,258	73,514	8
1999.....	2,541	3,799	6,467	10,379	17,666	29,311	39,486	42,627	71,988	6
All races, male										
2000.....	1,468	2,212	3,528	5,451	9,271	15,395	20,295	21,249	28,766	6
1999.....	1,407	2,028	3,421	5,644	9,707	16,037	20,813	21,090	28,119	4
All races, female										
2000.....	1,186	1,881	2,983	4,732	8,025	13,326	18,961	22,009	44,748	2
1999.....	1,134	1,771	3,046	4,735	7,959	13,274	18,673	21,537	43,869	2
White, both sexes										
2000.....	1,942	3,249	5,509	8,848	15,339	26,118	36,261	40,264	68,443	3
1999.....	1,839	3,045	5,467	9,068	15,836	26,637	36,376	39,770	66,978	5
White, male										
2000.....	1,075	1,731	2,958	4,701	8,117	13,885	18,595	19,709	26,631	3
1999.....	1,023	1,600	2,862	4,883	8,643	14,482	19,042	19,564	26,005	3
White, female										
2000.....	867	1,518	2,551	4,147	7,222	12,233	17,666	20,555	41,812	-
1999.....	816	1,445	2,605	4,185	7,193	12,155	17,334	20,206	40,973	2
All other, both sexes										
2000.....	712	844	1,002	1,335	1,957	2,603	2,995	2,994	5,071	5
1999.....	702	754	1,000	1,311	1,830	2,674	3,110	2,857	5,010	1
All other, male										
2000.....	393	481	570	750	1,154	1,510	1,700	1,540	2,135	3
1999.....	384	428	559	761	1,064	1,555	1,771	1,526	2,114	1
All other, female										
2000.....	319	363	432	585	803	1,093	1,295	1,454	2,936	2
1999.....	318	326	441	550	766	1,119	1,339	1,331	2,896	-
Black, both sexes										
2000.....	640	756	881	1,161	1,659	2,163	2,406	2,347	3,962	4
1999.....	642	676	892	1,131	1,566	2,232	2,557	2,269	4,071	1
Black, male										
2000.....	354	419	498	647	979	1,254	1,343	1,163	1,568	2
1999.....	353	385	495	665	915	1,292	1,438	1,186	1,622	1
Black, female										
2000.....	286	337	383	514	680	909	1,063	1,184	2,394	2
1999.....	289	291	397	466	651	940	1,119	1,083	2,449	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Acute upper respiratory infections (J00-J06)										
All races, both sexes										
2000.....	6	9	3	3	10	14	17	20	74	-
1999.....	7	7	4	8	5	10	16	26	72	-
All races, male										
2000.....	2	6	1	3	5	7	5	7	14	-
1999.....	5	2	2	4	4	5	8	11	13	-
All races, female										
2000.....	4	3	2	-	5	7	12	13	60	-
1999.....	2	5	2	4	1	5	8	15	59	-
White, both sexes										
2000.....	4	8	3	2	8	14	17	16	70	-
1999.....	5	5	3	6	4	7	16	24	67	-
White, male										
2000.....	2	6	1	2	3	7	5	5	12	-
1999.....	3	2	2	2	3	4	8	10	9	-
White, female										
2000.....	2	2	2	-	5	7	12	11	58	-
1999.....	2	3	1	4	1	3	8	14	58	-
All other, both sexes										
2000.....	2	1	-	1	2	-	-	4	4	-
1999.....	2	2	1	2	1	3	-	2	5	-
All other, male										
2000.....	-	-	-	1	2	-	-	2	2	-
1999.....	2	-	-	2	1	1	-	1	4	-
All other, female										
2000.....	2	1	-	-	-	-	-	2	2	-
1999.....	-	2	1	-	-	2	-	1	1	-
Black, both sexes										
2000.....	2	1	-	-	2	-	-	1	2	-
1999.....	1	1	1	2	-	3	-	1	5	-
Black, male										
2000.....	-	-	-	-	2	-	-	1	2	-
1999.....	1	-	-	2	-	1	-	-	4	-
Black, female										
2000.....	2	1	-	-	-	-	-	-	-	-
1999.....	-	1	1	-	-	2	-	1	1	-

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)										
All races, both sexes										
2000.....	5	6	2	1	6	12	14	19	71	-
1999.....	4	6	4	6	5	9	13	23	67	-
All races, male										
2000.....	2	5	-	1	3	5	5	7	14	-
1999.....	4	2	2	4	4	5	6	11	11	-
All races, female										
2000.....	3	1	2	-	3	7	9	12	57	-
1999.....	-	4	2	2	1	4	7	12	56	-
White, both sexes										
2000.....	3	6	2	1	5	12	14	16	67	-
1999.....	2	4	3	4	4	6	13	21	64	-
White, male										
2000.....	2	5	-	1	2	5	5	5	12	-
1999.....	2	2	2	2	3	4	6	10	9	-
White, female										
2000.....	1	1	2	-	3	7	9	11	55	-
1999.....	-	2	1	2	1	2	7	11	55	-
All other, both sexes										
2000.....	2	-	-	-	1	-	-	3	4	-
1999.....	2	2	1	2	1	3	-	2	3	-
All other, male										
2000.....	-	-	-	-	1	-	-	2	2	-
1999.....	2	-	-	2	1	1	-	1	2	-
All other, female										
2000.....	2	-	-	-	-	-	-	1	2	-
1999.....	-	2	1	-	-	2	-	1	1	-
Black, both sexes										
2000.....	2	-	-	-	1	-	-	1	2	-
1999.....	1	1	1	2	-	3	-	1	3	-
Black, male										
2000.....	-	-	-	-	1	-	-	1	2	-
1999.....	1	-	-	2	-	1	-	-	2	-
Black, female										
2000.....	2	-	-	-	-	-	-	-	-	-
1999.....	-	1	1	-	-	2	-	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)										
All races, both sexes										
2000.....	2,648	4,084	6,508	10,180	17,286	28,707	39,239	43,238	73,440	8
1999.....	2,534	3,792	6,463	10,371	17,661	29,301	39,470	42,601	71,916	6
All races, male										
2000.....	1,466	2,206	3,527	5,448	9,266	15,388	20,290	21,242	28,752	6
1999.....	1,402	2,026	3,419	5,640	9,703	16,032	20,805	21,079	28,106	4
All races, female										
2000.....	1,182	1,878	2,981	4,732	8,020	13,319	18,949	21,996	44,688	2
1999.....	1,132	1,766	3,044	4,731	7,958	13,269	18,665	21,522	43,810	2
White, both sexes										
2000.....	1,938	3,241	5,506	8,846	15,331	26,104	36,244	40,248	68,373	3
1999.....	1,834	3,040	5,464	9,062	15,832	26,630	36,360	39,746	66,911	5
White, male										
2000.....	1,073	1,725	2,957	4,699	8,114	13,878	18,590	19,704	26,619	3
1999.....	1,020	1,598	2,860	4,881	8,640	14,478	19,034	19,554	25,996	3
White, female										
2000.....	865	1,516	2,549	4,147	7,217	12,226	17,654	20,544	41,754	-
1999.....	814	1,442	2,604	4,181	7,192	12,152	17,326	20,192	40,915	2
All other, both sexes										
2000.....	710	843	1,002	1,334	1,955	2,603	2,995	2,990	5,067	5
1999.....	700	752	999	1,309	1,829	2,671	3,110	2,855	5,005	1
All other, male										
2000.....	393	481	570	749	1,152	1,510	1,700	1,538	2,133	3
1999.....	382	428	559	759	1,063	1,554	1,771	1,525	2,110	1
All other, female										
2000.....	317	362	432	585	803	1,093	1,295	1,452	2,934	2
1999.....	318	324	440	550	766	1,117	1,339	1,330	2,895	-
Black, both sexes										
2000.....	638	755	881	1,161	1,657	2,163	2,406	2,346	3,960	4
1999.....	641	675	891	1,129	1,566	2,229	2,557	2,268	4,066	1
Black, male										
2000.....	354	419	498	647	977	1,254	1,343	1,162	1,566	2
1999.....	352	385	495	663	915	1,291	1,438	1,186	1,618	1
Black, female										
2000.....	284	336	383	514	680	909	1,063	1,184	2,394	2
1999.....	289	290	396	466	651	938	1,119	1,082	2,448	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Influenza (J10-J11)										
All races, both sexes										
2000.....	24	24	39	54	76	123	189	303	855	-
1999.....	13	13	29	42	60	104	154	297	881	-
All races, male										
2000.....	11	14	20	24	43	63	81	115	254	-
1999.....	8	7	13	24	27	47	71	131	238	-
All races, female										
2000.....	13	10	19	30	33	60	108	188	601	-
1999.....	5	6	16	18	33	57	83	166	643	-
White, both sexes										
2000.....	18	22	37	50	70	110	180	289	820	-
1999.....	12	10	26	39	55	93	146	283	857	-
White, male										
2000.....	7	12	18	23	40	59	75	112	240	-
1999.....	7	6	13	23	24	43	70	124	234	-
White, female										
2000.....	11	10	19	27	30	51	105	177	580	-
1999.....	5	4	13	16	31	50	76	159	623	-
All other, both sexes										
2000.....	6	2	2	4	6	13	9	14	35	-
1999.....	1	3	3	3	5	11	8	14	24	-
All other, male										
2000.....	4	2	2	1	3	4	6	3	14	-
1999.....	1	1	-	1	3	4	1	7	4	-
All other, female										
2000.....	2	-	-	3	3	9	3	11	21	-
1999.....	-	2	3	2	2	7	7	7	20	-
Black, both sexes										
2000.....	5	2	2	4	5	11	5	8	30	-
1999.....	1	2	3	2	3	10	5	10	18	-
Black, male										
2000.....	3	2	2	1	2	3	4	1	11	-
1999.....	1	1	-	1	2	4	1	5	3	-
Black, female										
2000.....	2	-	-	3	3	8	1	7	19	-
1999.....	-	1	3	1	1	6	4	5	15	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pneumonia (J12-J18)										
All races, both sexes										
2000.....	759	967	1,159	1,627	2,457	4,533	7,723	11,606	30,692	3
1999.....	785	886	1,069	1,485	2,322	4,375	7,622	11,119	30,348	2
All races, male										
2000.....	453	588	690	946	1,404	2,503	4,003	5,552	10,691	2
1999.....	492	552	598	827	1,367	2,452	3,949	5,307	10,438	1
All races, female										
2000.....	306	379	469	681	1,053	2,030	3,720	6,054	20,001	1
1999.....	293	334	471	658	955	1,923	3,673	5,812	19,910	1
White, both sexes										
2000.....	543	714	895	1,276	1,960	3,829	6,848	10,494	28,281	1
1999.....	545	656	833	1,161	1,939	3,745	6,816	10,160	27,928	2
White, male										
2000.....	318	422	518	743	1,105	2,110	3,548	5,007	9,805	1
1999.....	339	398	458	643	1,140	2,081	3,528	4,844	9,541	1
White, female										
2000.....	225	292	377	533	855	1,719	3,300	5,487	18,476	-
1999.....	206	258	375	518	799	1,664	3,288	5,316	18,387	1
All other, both sexes										
2000.....	216	253	264	351	497	704	875	1,112	2,411	2
1999.....	240	230	236	324	383	630	806	959	2,420	-
All other, male										
2000.....	135	166	172	203	299	393	455	545	886	1
1999.....	153	154	140	184	227	371	421	463	897	-
All other, female										
2000.....	81	87	92	148	198	311	420	567	1,525	1
1999.....	87	76	96	140	156	259	385	496	1,523	-
Black, both sexes										
2000.....	192	226	238	294	411	570	695	861	1,891	2
1999.....	222	206	210	283	330	546	660	751	1,973	-
Black, male										
2000.....	121	146	155	169	247	319	361	407	644	1
1999.....	141	139	128	160	198	319	336	353	683	-
Black, female										
2000.....	71	80	83	125	164	251	334	454	1,247	1
1999.....	81	67	82	123	132	227	324	398	1,290	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Viral pneumonia, not elsewhere classified (J12)										
All races, both sexes										
2000.....	4	11	14	12	23	24	41	50	121	-
1999.....	3	5	10	13	23	21	35	59	98	-
All races, male										
2000.....	1	7	9	5	12	8	20	18	30	-
1999.....	1	1	5	6	8	9	28	31	22	-
All races, female										
2000.....	3	4	5	7	11	16	21	32	91	-
1999.....	2	4	5	7	15	12	7	28	76	-
White, both sexes										
2000.....	4	9	13	9	22	21	40	46	117	-
1999.....	2	5	10	12	20	20	30	56	93	-
White, male										
2000.....	1	5	8	4	12	6	20	18	30	-
1999.....	-	1	5	6	8	9	23	29	21	-
White, female										
2000.....	3	4	5	5	10	15	20	28	87	-
1999.....	2	4	5	6	12	11	7	27	72	-
All other, both sexes										
2000.....	-	2	1	3	1	3	1	4	4	-
1999.....	1	-	-	1	3	1	5	3	5	-
All other, male										
2000.....	-	2	1	1	-	2	-	-	-	-
1999.....	1	-	-	-	-	-	5	2	1	-
All other, female										
2000.....	-	-	-	2	1	1	1	4	4	-
1999.....	-	-	-	1	3	1	-	1	4	-
Black, both sexes										
2000.....	-	1	1	2	1	2	-	1	1	-
1999.....	1	-	-	-	2	-	3	2	4	-
Black, male										
2000.....	-	1	1	1	-	1	-	-	-	-
1999.....	1	-	-	-	-	-	3	2	1	-
Black, female										
2000.....	-	-	-	1	1	1	-	1	1	-
1999.....	-	-	-	-	2	-	-	-	3	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Bacterial pneumonia (J13-J15)										
All races, both sexes										
2000.....	115	137	170	209	255	433	600	759	1,515	-
1999.....	102	99	139	165	225	381	528	664	1,252	1
All races, male										
2000.....	63	81	96	118	145	251	362	399	642	-
1999.....	59	67	78	82	131	216	272	331	482	-
All races, female										
2000.....	52	56	74	91	110	182	238	360	873	-
1999.....	43	32	61	83	94	165	256	333	770	1
White, both sexes										
2000.....	83	108	137	172	204	369	527	672	1,365	-
1999.....	74	78	109	131	193	323	468	604	1,140	1
White, male										
2000.....	46	64	76	95	117	214	314	362	567	-
1999.....	41	50	60	67	112	183	241	298	433	-
White, female										
2000.....	37	44	61	77	87	155	213	310	798	-
1999.....	33	28	49	64	81	140	227	306	707	1
All other, both sexes										
2000.....	32	29	33	37	51	64	73	87	150	-
1999.....	28	21	30	34	32	58	60	60	112	-
All other, male										
2000.....	17	17	20	23	28	37	48	37	75	-
1999.....	18	17	18	15	19	33	31	33	49	-
All other, female										
2000.....	15	12	13	14	23	27	25	50	75	-
1999.....	10	4	12	19	13	25	29	27	63	-
Black, both sexes										
2000.....	24	24	27	31	42	53	50	62	111	-
1999.....	24	18	28	28	25	51	46	42	79	-
Black, male										
2000.....	11	13	17	20	21	32	34	25	52	-
1999.....	15	14	17	11	15	29	23	24	33	-
Black, female										
2000.....	13	11	10	11	21	21	16	37	59	-
1999.....	9	4	11	17	10	22	23	18	46	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)										
All races, both sexes										
2000.....	640	819	975	1,406	2,179	4,076	7,082	10,797	29,056	3
1999.....	680	782	920	1,307	2,074	3,973	7,059	10,396	28,998	1
All races, male										
2000.....	389	500	585	823	1,247	2,244	3,621	5,135	10,019	2
1999.....	432	484	515	739	1,228	2,227	3,649	4,945	9,934	1
All races, female										
2000.....	251	319	390	583	932	1,832	3,461	5,662	19,037	1
1999.....	248	298	405	568	846	1,746	3,410	5,451	19,064	-
White, both sexes										
2000.....	456	597	745	1,095	1,734	3,439	6,281	9,776	26,799	1
1999.....	469	573	714	1,018	1,726	3,402	6,318	9,500	26,695	1
White, male										
2000.....	271	353	434	644	976	1,890	3,214	4,627	9,208	1
1999.....	298	347	393	570	1,020	1,889	3,264	4,517	9,087	1
White, female										
2000.....	185	244	311	451	758	1,549	3,067	5,149	17,591	-
1999.....	171	226	321	448	706	1,513	3,054	4,983	17,608	-
All other, both sexes										
2000.....	184	222	230	311	445	637	801	1,021	2,257	2
1999.....	211	209	206	289	348	571	741	896	2,303	-
All other, male										
2000.....	118	147	151	179	271	354	407	508	811	1
1999.....	134	137	122	169	208	338	385	428	847	-
All other, female										
2000.....	66	75	79	132	174	283	394	513	1,446	1
1999.....	77	72	84	120	140	233	356	468	1,456	-
Black, both sexes										
2000.....	168	201	210	261	368	515	645	798	1,779	2
1999.....	197	188	182	255	303	495	611	707	1,890	-
Black, male										
2000.....	110	132	137	148	226	286	327	382	592	1
1999.....	125	125	111	149	183	290	310	327	649	-
Black, female										
2000.....	58	69	73	113	142	229	318	416	1,187	1
1999.....	72	63	71	106	120	205	301	380	1,241	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other acute lower respiratory infections (J20-J22)										
All races, both sexes										
2000.....	8	4	6	4	19	24	41	41	192	-
1999.....	7	8	8	13	14	21	44	63	249	-
All races, male										
2000.....	2	2	2	1	12	10	21	14	47	-
1999.....	5	3	4	6	6	11	22	29	48	-
All races, female										
2000.....	6	2	4	3	7	14	20	27	145	-
1999.....	2	5	4	7	8	10	22	34	201	-
White, both sexes										
2000.....	5	4	6	4	18	23	38	39	181	-
1999.....	6	5	6	11	11	16	41	58	237	-
White, male										
2000.....	2	2	2	1	11	9	21	12	42	-
1999.....	5	3	3	6	4	8	21	27	43	-
White, female										
2000.....	3	2	4	3	7	14	17	27	139	-
1999.....	1	2	3	5	7	8	20	31	194	-
All other, both sexes										
2000.....	3	-	-	-	1	1	3	2	11	-
1999.....	1	3	2	2	3	5	3	5	12	-
All other, male										
2000.....	-	-	-	-	1	1	-	2	5	-
1999.....	-	-	1	-	2	3	1	2	5	-
All other, female										
2000.....	3	-	-	-	-	-	3	-	6	-
1999.....	1	3	1	2	1	2	2	3	7	-
Black, both sexes										
2000.....	3	-	-	-	1	1	3	2	10	-
1999.....	1	3	1	1	3	5	2	4	10	-
Black, male										
2000.....	-	-	-	-	1	1	-	2	4	-
1999.....	-	-	1	-	2	3	-	1	3	-
Black, female										
2000.....	3	-	-	-	-	-	3	-	6	-
1999.....	1	3	-	1	1	2	2	3	7	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)										
All races, both sexes										
2000.....	8	1	4	3	15	16	30	23	111	-
1999.....	7	7	6	12	13	16	28	41	150	-
All races, male										
2000.....	2	1	2	1	9	5	18	9	29	-
1999.....	5	2	3	5	6	9	15	19	31	-
All races, female										
2000.....	6	-	2	2	6	11	12	14	82	-
1999.....	2	5	3	7	7	7	13	22	119	-
White, both sexes										
2000.....	5	1	4	3	14	15	27	22	105	-
1999.....	6	4	4	10	10	11	25	38	144	-
White, male										
2000.....	2	1	2	1	8	4	18	8	27	-
1999.....	5	2	2	5	4	6	14	18	28	-
White, female										
2000.....	3	-	2	2	6	11	9	14	78	-
1999.....	1	2	2	5	6	5	11	20	116	-
All other, both sexes										
2000.....	3	-	-	-	1	1	3	1	6	-
1999.....	1	3	2	2	3	5	3	3	6	-
All other, male										
2000.....	-	-	-	-	1	1	-	1	2	-
1999.....	-	-	1	-	2	3	1	1	3	-
All other, female										
2000.....	3	-	-	-	-	-	3	-	4	-
1999.....	1	3	1	2	1	2	2	2	3	-
Black, both sexes										
2000.....	3	-	-	-	1	1	3	1	6	-
1999.....	1	3	1	1	3	5	2	2	5	-
Black, male										
2000.....	-	-	-	-	1	1	-	1	2	-
1999.....	-	-	1	-	2	3	-	-	2	-
Black, female										
2000.....	3	-	-	-	-	-	3	-	4	-
1999.....	1	3	-	1	1	2	2	2	3	-

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other diseases of upper respiratory tract (J30-J39)										
All races, both sexes										
2000.....	22	26	20	24	33	46	49	59	90	-
1999.....	18	19	19	29	37	38	63	55	100	-
All races, male										
2000.....	14	11	9	10	18	23	22	34	38	-
1999.....	10	13	10	17	22	20	32	24	42	-
All races, female										
2000.....	8	15	11	14	15	23	27	25	52	-
1999.....	8	6	9	12	15	18	31	31	58	-
White, both sexes										
2000.....	17	21	18	20	23	37	42	56	83	-
1999.....	13	16	15	23	28	34	55	49	89	-
White, male										
2000.....	11	10	8	8	14	21	19	32	33	-
1999.....	9	11	7	15	16	19	29	24	35	-
White, female										
2000.....	6	11	10	12	9	16	23	24	50	-
1999.....	4	5	8	8	12	15	26	25	54	-
All other, both sexes										
2000.....	5	5	2	4	10	9	7	3	7	-
1999.....	5	3	4	6	9	4	8	6	11	-
All other, male										
2000.....	3	1	1	2	4	2	3	2	5	-
1999.....	1	2	3	2	6	1	3	-	7	-
All other, female										
2000.....	2	4	1	2	6	7	4	1	2	-
1999.....	4	1	1	4	3	3	5	6	4	-
Black, both sexes										
2000.....	4	3	2	4	9	8	5	3	5	-
1999.....	4	3	4	6	8	4	5	5	9	-
Black, male										
2000.....	3	-	1	2	3	2	1	2	3	-
1999.....	1	2	3	2	5	1	2	-	5	-
Black, female										
2000.....	1	3	1	2	6	6	4	1	2	-
1999.....	3	1	1	4	3	3	3	5	4	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)										
All races, both sexes										
2000.....	1,174	2,077	3,985	6,754	11,833	19,324	24,309	23,413	27,496	2
1999.....	1,079	2,031	4,179	7,118	12,441	20,203	24,978	23,657	26,833	4
All races, male										
2000.....	617	1,044	2,072	3,492	6,149	10,061	12,305	11,533	11,876	2
1999.....	547	1,004	2,169	3,789	6,642	10,835	13,021	11,684	11,894	3
All races, female										
2000.....	557	1,033	1,913	3,262	5,684	9,263	12,004	11,880	15,620	-
1999.....	532	1,027	2,010	3,329	5,799	9,368	11,957	11,973	14,939	1
White, both sexes										
2000.....	882	1,702	3,469	6,063	10,793	17,972	22,832	22,193	25,926	1
1999.....	801	1,697	3,656	6,400	11,383	18,728	23,314	22,384	25,342	3
White, male										
2000.....	472	849	1,791	3,102	5,523	9,263	11,418	10,836	11,058	1
1999.....	410	827	1,885	3,362	6,017	9,956	12,010	10,934	11,111	2
White, female										
2000.....	410	853	1,678	2,961	5,270	8,709	11,414	11,357	14,868	-
1999.....	391	870	1,771	3,038	5,366	8,772	11,304	11,450	14,231	1
All other, both sexes										
2000.....	292	375	516	691	1,040	1,352	1,477	1,220	1,570	1
1999.....	278	334	523	718	1,058	1,475	1,664	1,273	1,491	1
All other, male										
2000.....	145	195	281	390	626	798	887	697	818	1
1999.....	137	177	284	427	625	879	1,011	750	783	1
All other, female										
2000.....	147	180	235	301	414	554	590	523	752	-
1999.....	141	157	239	291	433	596	653	523	708	-
Black, both sexes										
2000.....	259	340	445	628	881	1,133	1,191	961	1,195	-
1999.....	257	304	473	618	905	1,207	1,358	1,022	1,180	1
Black, male										
2000.....	125	169	240	355	532	677	691	532	601	-
1999.....	126	160	255	374	537	718	815	598	599	1
Black, female										
2000.....	134	171	205	273	349	456	500	429	594	-
1999.....	131	144	218	244	368	489	543	424	581	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)										
All races, both sexes										
2000.....	1,165	2,067	3,951	6,719	11,768	19,215	24,132	23,185	27,236	2
1999.....	1,066	2,013	4,148	7,078	12,365	20,107	24,789	23,428	26,576	4
All races, male										
2000.....	609	1,043	2,058	3,479	6,128	10,021	12,257	11,475	11,823	2
1999.....	542	1,001	2,159	3,774	6,625	10,797	12,945	11,611	11,815	3
All races, female										
2000.....	556	1,024	1,893	3,240	5,640	9,194	11,875	11,710	15,413	-
1999.....	524	1,012	1,989	3,304	5,740	9,310	11,844	11,817	14,761	1
White, both sexes										
2000.....	875	1,693	3,442	6,032	10,737	17,880	22,666	21,975	25,674	1
1999.....	792	1,681	3,630	6,364	11,316	18,641	23,143	22,171	25,091	3
White, male										
2000.....	465	848	1,778	3,091	5,509	9,228	11,376	10,778	11,007	1
1999.....	406	825	1,878	3,349	6,001	9,921	11,944	10,866	11,036	2
White, female										
2000.....	410	845	1,664	2,941	5,228	8,652	11,290	11,197	14,667	-
1999.....	386	856	1,752	3,015	5,315	8,720	11,199	11,305	14,055	1
All other, both sexes										
2000.....	290	374	509	687	1,031	1,335	1,466	1,210	1,562	1
1999.....	274	332	518	714	1,049	1,466	1,646	1,257	1,485	1
All other, male										
2000.....	144	195	280	388	619	793	881	697	816	1
1999.....	136	176	281	425	624	876	1,001	745	779	1
All other, female										
2000.....	146	179	229	299	412	542	585	513	746	-
1999.....	138	156	237	289	425	590	645	512	706	-
Black, both sexes										
2000.....	258	339	440	625	874	1,127	1,188	958	1,193	-
1999.....	255	302	470	615	902	1,201	1,350	1,016	1,177	1
Black, male										
2000.....	124	169	240	353	527	673	688	532	601	-
1999.....	125	159	253	372	537	716	811	597	598	1
Black, female										
2000.....	134	170	200	272	347	454	500	426	592	-
1999.....	130	143	217	243	365	485	539	419	579	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Bronchitis, not specified as acute or chronic (J40)										
All races, both sexes										
2000.....	11	13	13	25	27	38	84	98	289	-
1999.....	8	13	13	28	33	60	70	106	257	-
All races, male										
2000.....	4	5	7	14	16	15	41	55	79	-
1999.....	5	7	8	13	15	29	35	42	71	-
All races, female										
2000.....	7	8	6	11	11	23	43	43	210	-
1999.....	3	6	5	15	18	31	35	64	186	-
White, both sexes										
2000.....	9	10	11	22	23	33	78	93	281	-
1999.....	6	8	11	25	28	52	58	98	242	-
White, male										
2000.....	4	5	7	11	13	14	38	55	77	-
1999.....	4	5	7	11	13	25	29	36	68	-
White, female										
2000.....	5	5	4	11	10	19	40	38	204	-
1999.....	2	3	4	14	15	27	29	62	174	-
All other, both sexes										
2000.....	2	3	2	3	4	5	6	5	8	-
1999.....	2	5	2	3	5	8	12	8	15	-
All other, male										
2000.....	-	-	-	3	3	1	3	-	2	-
1999.....	1	2	1	2	2	4	6	6	3	-
All other, female										
2000.....	2	3	2	-	1	4	3	5	6	-
1999.....	1	3	1	1	3	4	6	2	12	-
Black, both sexes										
2000.....	2	3	1	3	3	5	5	4	7	-
1999.....	2	4	2	2	4	6	8	8	11	-
Black, male										
2000.....	-	-	-	3	2	1	2	-	2	-
1999.....	1	2	1	1	1	3	4	6	2	-
Black, female										
2000.....	2	3	1	-	1	4	3	4	5	-
1999.....	1	2	1	1	3	3	4	2	9	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Chronic bronchitis (J41-J42)										
All races, both sexes										
2000.....	8	6	7	22	40	53	72	79	212	-
1999.....	6	11	22	34	30	50	69	94	189	-
All races, male										
2000.....	4	3	2	9	25	23	43	35	79	-
1999.....	4	3	16	14	21	29	38	42	71	-
All races, female										
2000.....	4	3	5	13	15	30	29	44	133	-
1999.....	2	8	6	20	9	21	31	52	118	-
White, both sexes										
2000.....	8	5	6	22	35	49	66	73	205	-
1999.....	3	7	20	32	30	45	65	85	181	-
White, male										
2000.....	4	2	1	9	24	20	40	32	76	-
1999.....	1	1	14	13	21	26	36	37	66	-
White, female										
2000.....	4	3	5	13	11	29	26	41	129	-
1999.....	2	6	6	19	9	19	29	48	115	-
All other, both sexes										
2000.....	-	1	1	-	5	4	6	6	7	-
1999.....	3	4	2	2	-	5	4	9	8	-
All other, male										
2000.....	-	1	1	-	1	3	3	3	3	-
1999.....	3	2	2	1	-	3	2	5	5	-
All other, female										
2000.....	-	-	-	-	4	1	3	3	4	-
1999.....	-	2	-	1	-	2	2	4	3	-
Black, both sexes										
2000.....	-	1	-	-	4	4	5	6	5	-
1999.....	2	4	2	2	-	5	4	6	3	-
Black, male										
2000.....	-	1	-	-	-	3	2	3	1	-
1999.....	2	2	2	1	-	3	2	4	1	-
Black, female										
2000.....	-	-	-	-	4	1	3	3	4	-
1999.....	-	2	-	1	-	2	2	2	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Emphysema (J43)										
All races, both sexes										
2000.....	162	312	680	1,127	1,976	3,144	3,522	2,989	2,685	-
1999.....	136	332	723	1,296	2,246	3,410	3,768	3,187	2,580	-
All races, male										
2000.....	101	179	366	577	1,077	1,661	1,839	1,534	1,278	-
1999.....	85	183	394	691	1,230	1,906	2,027	1,650	1,258	-
All races, female										
2000.....	61	133	314	550	899	1,483	1,683	1,455	1,407	-
1999.....	51	149	329	605	1,016	1,504	1,741	1,537	1,322	-
White, both sexes										
2000.....	121	262	609	1,036	1,819	2,964	3,342	2,851	2,525	-
1999.....	104	286	654	1,197	2,104	3,216	3,547	3,050	2,438	-
White, male										
2000.....	72	146	325	522	966	1,553	1,735	1,453	1,170	-
1999.....	64	148	348	627	1,135	1,765	1,895	1,554	1,179	-
White, female										
2000.....	49	116	284	514	853	1,411	1,607	1,398	1,355	-
1999.....	40	138	306	570	969	1,451	1,652	1,496	1,259	-
All other, both sexes										
2000.....	41	50	71	91	157	180	180	138	160	-
1999.....	32	46	69	99	142	194	221	137	142	-
All other, male										
2000.....	29	33	41	55	111	108	104	81	108	-
1999.....	21	35	46	64	95	141	132	96	79	-
All other, female										
2000.....	12	17	30	36	46	72	76	57	52	-
1999.....	11	11	23	35	47	53	89	41	63	-
Black, both sexes										
2000.....	38	47	63	84	135	146	138	109	119	-
1999.....	32	43	60	86	127	154	176	108	118	-
Black, male										
2000.....	26	30	36	52	97	90	74	63	76	-
1999.....	21	33	38	56	88	109	103	75	62	-
Black, female										
2000.....	12	17	27	32	38	56	64	46	43	-
1999.....	11	10	22	30	39	45	73	33	56	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other chronic obstructive pulmonary disease (J44)										
All races, both sexes										
2000.....	666	1,440	2,981	5,275	9,397	15,574	20,034	19,590	23,343	2
1999.....	604	1,362	3,047	5,480	9,703	16,167	20,428	19,570	22,830	4
All races, male										
2000.....	372	746	1,577	2,785	4,889	8,190	10,214	9,728	10,229	2
1999.....	352	707	1,622	2,968	5,244	8,681	10,701	9,748	10,263	3
All races, female										
2000.....	294	694	1,404	2,490	4,508	7,384	9,820	9,862	13,114	-
1999.....	252	655	1,425	2,512	4,459	7,486	9,727	9,822	12,567	1
White, both sexes										
2000.....	559	1,234	2,654	4,767	8,629	14,518	18,832	18,580	22,053	1
1999.....	488	1,197	2,716	4,949	8,900	15,012	19,091	18,522	21,604	3
White, male										
2000.....	306	624	1,388	2,487	4,427	7,535	9,461	9,133	9,558	1
1999.....	282	608	1,428	2,643	4,755	7,999	9,869	9,123	9,606	2
White, female										
2000.....	253	610	1,266	2,280	4,202	6,983	9,371	9,447	12,495	-
1999.....	206	589	1,288	2,306	4,145	7,013	9,222	9,399	11,998	1
All other, both sexes										
2000.....	107	206	327	508	768	1,056	1,202	1,010	1,290	1
1999.....	116	165	331	531	803	1,155	1,337	1,048	1,226	1
All other, male										
2000.....	66	122	189	298	462	655	753	595	671	1
1999.....	70	99	194	325	489	682	832	625	657	1
All other, female										
2000.....	41	84	138	210	306	401	449	415	619	-
1999.....	46	66	137	206	314	473	505	423	569	-
Black, both sexes										
2000.....	90	188	287	459	652	899	980	804	991	-
1999.....	108	149	310	459	695	954	1,107	855	981	1
Black, male										
2000.....	54	108	166	269	395	558	600	455	500	-
1999.....	63	88	182	287	422	565	682	505	517	1
Black, female										
2000.....	36	80	121	190	257	341	380	349	491	-
1999.....	45	61	128	172	273	389	425	350	464	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Asthma (J45-J46)										
All races, both sexes										
2000.....	318	296	270	270	328	406	420	429	707	-
1999.....	312	295	343	240	353	420	454	471	720	-
All races, male										
2000.....	128	110	106	94	121	132	120	123	158	-
1999.....	96	101	119	88	115	152	144	129	152	-
All races, female										
2000.....	190	186	164	176	207	274	300	306	549	-
1999.....	216	194	224	152	238	268	310	342	568	-
White, both sexes										
2000.....	178	182	162	185	231	316	348	378	610	-
1999.....	191	183	229	161	254	316	382	416	626	-
White, male										
2000.....	79	71	57	62	79	106	102	105	126	-
1999.....	55	63	81	55	77	106	115	116	117	-
White, female										
2000.....	99	111	105	123	152	210	246	273	484	-
1999.....	136	120	148	106	177	210	267	300	509	-
All other, both sexes										
2000.....	140	114	108	85	97	90	72	51	97	-
1999.....	121	112	114	79	99	104	72	55	94	-
All other, male										
2000.....	49	39	49	32	42	26	18	18	32	-
1999.....	41	38	38	33	38	46	29	13	35	-
All other, female										
2000.....	91	75	59	53	55	64	54	33	65	-
1999.....	80	74	76	46	61	58	43	42	59	-
Black, both sexes										
2000.....	128	100	89	79	80	73	60	35	71	-
1999.....	111	102	96	66	76	82	55	39	64	-
Black, male										
2000.....	44	30	38	29	33	21	10	11	22	-
1999.....	38	34	30	27	26	36	20	7	16	-
Black, female										
2000.....	84	70	51	50	47	52	50	24	49	-
1999.....	73	68	66	39	50	46	35	32	48	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Bronchiectasis (J47)										
All races, both sexes										
2000.....	9	10	34	35	65	109	177	228	260	-
1999.....	13	18	31	40	76	96	189	229	257	-
All races, male										
2000.....	8	1	14	13	21	40	48	58	53	-
1999.....	5	3	10	15	17	38	76	73	79	-
All races, female										
2000.....	1	9	20	22	44	69	129	170	207	-
1999.....	8	15	21	25	59	58	113	156	178	-
White, both sexes										
2000.....	7	9	27	31	56	92	166	218	252	-
1999.....	9	16	26	36	67	87	171	213	251	-
White, male										
2000.....	7	1	13	11	14	35	42	58	51	-
1999.....	4	2	7	13	16	35	66	68	75	-
White, female										
2000.....	-	8	14	20	42	57	124	160	201	-
1999.....	5	14	19	23	51	52	105	145	176	-
All other, both sexes										
2000.....	2	1	7	4	9	17	11	10	8	-
1999.....	4	2	5	4	9	9	18	16	6	-
All other, male										
2000.....	1	-	1	2	7	5	6	-	2	-
1999.....	1	1	3	2	1	3	10	5	4	-
All other, female										
2000.....	1	1	6	2	2	12	5	10	6	-
1999.....	3	1	2	2	8	6	8	11	2	-
Black, both sexes										
2000.....	1	1	5	3	7	6	3	3	2	-
1999.....	2	2	3	3	3	6	8	6	3	-
Black, male										
2000.....	1	-	-	2	5	4	3	-	-	-
1999.....	1	1	2	2	-	2	4	1	1	-
Black, female										
2000.....	-	1	5	1	2	2	-	3	2	-
1999.....	1	1	1	1	3	4	4	5	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Lung diseases due to external agents (J60-J70)										
All races, both sexes										
2000.....	166	219	282	379	737	1,463	2,520	3,489	8,282	-
1999.....	136	173	281	374	693	1,356	2,340	3,228	7,552	-
All races, male										
2000.....	105	134	173	238	491	982	1,541	1,978	3,700	-
1999.....	86	97	171	257	471	892	1,505	1,873	3,330	-
All races, female										
2000.....	61	85	109	141	246	481	979	1,511	4,582	-
1999.....	50	76	110	117	222	464	835	1,355	4,222	-
White, both sexes										
2000.....	124	175	238	307	620	1,243	2,251	3,171	7,645	-
1999.....	105	135	225	305	581	1,156	2,077	2,930	6,945	-
White, male										
2000.....	78	106	151	195	410	833	1,373	1,826	3,448	-
1999.....	69	73	137	205	394	763	1,339	1,706	3,076	-
White, female										
2000.....	46	69	87	112	210	410	878	1,345	4,197	-
1999.....	36	62	88	100	187	393	738	1,224	3,869	-
All other, both sexes										
2000.....	42	44	44	72	117	220	269	318	637	-
1999.....	31	38	56	69	112	200	263	298	607	-
All other, male										
2000.....	27	28	22	43	81	149	168	152	252	-
1999.....	17	24	34	52	77	129	166	167	254	-
All other, female										
2000.....	15	16	22	29	36	71	101	166	385	-
1999.....	14	14	22	17	35	71	97	131	353	-
Black, both sexes										
2000.....	39	42	40	65	107	201	234	263	523	-
1999.....	28	35	52	63	99	183	239	254	540	-
Black, male										
2000.....	26	28	20	37	72	135	146	123	194	-
1999.....	15	22	31	47	67	118	147	133	210	-
Black, female										
2000.....	13	14	20	28	35	66	88	140	329	-
1999.....	13	13	21	16	32	65	92	121	330	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pneumoconioses and chemical effects (J60-J66,J68)										
All races, both sexes										
2000.....	5	7	21	36	85	196	249	235	317	-
1999.....	3	12	19	38	104	170	251	252	253	-
All races, male										
2000.....	5	7	19	35	79	186	241	226	306	-
1999.....	3	12	19	38	99	170	243	243	243	-
All races, female										
2000.....	-	-	2	1	6	10	8	9	11	-
1999.....	-	-	-	-	5	-	8	9	10	-
White, both sexes										
2000.....	5	6	21	34	80	186	234	222	304	-
1999.....	3	8	19	28	95	160	239	245	236	-
White, male										
2000.....	5	6	19	33	74	176	227	214	293	-
1999.....	3	8	19	28	91	160	231	236	227	-
White, female										
2000.....	-	-	2	1	6	10	7	8	11	-
1999.....	-	-	-	-	4	-	8	9	9	-
All other, both sexes										
2000.....	-	1	-	2	5	10	15	13	13	-
1999.....	-	4	-	10	9	10	12	7	17	-
All other, male										
2000.....	-	1	-	2	5	10	14	12	13	-
1999.....	-	4	-	10	8	10	12	7	16	-
All other, female										
2000.....	-	-	-	-	-	-	1	1	-	-
1999.....	-	-	-	-	1	-	-	-	1	-
Black, both sexes										
2000.....	-	1	-	2	5	10	13	10	11	-
1999.....	-	4	-	8	8	8	9	7	16	-
Black, male										
2000.....	-	1	-	2	5	10	12	9	11	-
1999.....	-	4	-	8	7	8	9	7	15	-
Black, female										
2000.....	-	-	-	-	-	-	1	1	-	-
1999.....	-	-	-	-	1	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)										
All races, both sexes										
2000.....	157	209	257	341	642	1,257	2,258	3,247	7,954	-
1999.....	129	155	259	327	582	1,172	2,068	2,962	7,294	-
All races, male										
2000.....	99	126	153	201	405	790	1,291	1,747	3,387	-
1999.....	83	82	151	214	367	716	1,252	1,623	3,083	-
All races, female										
2000.....	58	83	104	140	237	467	967	1,500	4,567	-
1999.....	46	73	108	113	215	456	816	1,339	4,211	-
White, both sexes										
2000.....	115	166	214	271	530	1,050	2,006	2,942	7,331	-
1999.....	98	121	204	269	479	982	1,820	2,672	6,704	-
White, male										
2000.....	72	99	131	160	329	653	1,139	1,607	3,149	-
1999.....	66	62	118	173	298	597	1,099	1,463	2,845	-
White, female										
2000.....	43	67	83	111	201	397	867	1,335	4,182	-
1999.....	32	59	86	96	181	385	721	1,209	3,859	-
All other, both sexes										
2000.....	42	43	43	70	112	207	252	305	623	-
1999.....	31	34	55	58	103	190	248	290	590	-
All other, male										
2000.....	27	27	22	41	76	137	152	140	238	-
1999.....	17	20	33	41	69	119	153	160	238	-
All other, female										
2000.....	15	16	21	29	36	70	100	165	385	-
1999.....	14	14	22	17	34	71	95	130	352	-
Black, both sexes										
2000.....	39	41	39	63	102	188	219	253	511	-
1999.....	28	31	51	54	91	175	227	246	524	-
Black, male										
2000.....	26	27	20	35	67	123	132	114	182	-
1999.....	15	18	30	38	60	110	137	126	195	-
Black, female										
2000.....	13	14	19	28	35	65	87	139	329	-
1999.....	13	13	21	16	31	65	90	120	329	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pneumonitis due to food and vomit (J69.0)										
All races, both sexes										
2000.....	157	209	256	340	642	1,257	2,257	3,247	7,953	-
1999.....	129	155	259	326	579	1,172	2,065	2,960	7,293	-
All races, male										
2000.....	99	126	152	201	405	790	1,291	1,747	3,386	-
1999.....	83	82	151	214	364	716	1,252	1,623	3,083	-
All races, female										
2000.....	58	83	104	139	237	467	966	1,500	4,567	-
1999.....	46	73	108	112	215	456	813	1,337	4,210	-
White, both sexes										
2000.....	115	166	213	270	530	1,050	2,005	2,942	7,330	-
1999.....	98	121	204	268	477	982	1,818	2,670	6,703	-
White, male										
2000.....	72	99	130	160	329	653	1,139	1,607	3,148	-
1999.....	66	62	118	173	296	597	1,099	1,463	2,845	-
White, female										
2000.....	43	67	83	110	201	397	866	1,335	4,182	-
1999.....	32	59	86	95	181	385	719	1,207	3,858	-
All other, both sexes										
2000.....	42	43	43	70	112	207	252	305	623	-
1999.....	31	34	55	58	102	190	247	290	590	-
All other, male										
2000.....	27	27	22	41	76	137	152	140	238	-
1999.....	17	20	33	41	68	119	153	160	238	-
All other, female										
2000.....	15	16	21	29	36	70	100	165	385	-
1999.....	14	14	22	17	34	71	94	130	352	-
Black, both sexes										
2000.....	39	41	39	63	102	188	219	253	511	-
1999.....	28	31	51	54	90	175	226	246	524	-
Black, male										
2000.....	26	27	20	35	67	123	132	114	182	-
1999.....	15	18	30	38	59	110	137	126	195	-
Black, female										
2000.....	13	14	19	28	35	65	87	139	329	-
1999.....	13	13	21	16	31	65	89	120	329	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other pneumonitis due to solids and liquids (J69.1-J69.8)										
All races, both sexes										
2000.....	-	-	1	1	-	-	1	-	1	-
1999.....	-	-	-	1	3	-	3	2	1	-
All races, male										
2000.....	-	-	1	-	-	-	-	-	1	-
1999.....	-	-	-	-	3	-	-	-	-	-
All races, female										
2000.....	-	-	-	1	-	-	1	-	-	-
1999.....	-	-	-	1	-	-	3	2	1	-
White, both sexes										
2000.....	-	-	1	1	-	-	1	-	1	-
1999.....	-	-	-	1	2	-	2	2	1	-
White, male										
2000.....	-	-	1	-	-	-	-	-	1	-
1999.....	-	-	-	-	2	-	-	-	-	-
White, female										
2000.....	-	-	-	1	-	-	1	-	-	-
1999.....	-	-	-	1	-	-	2	2	1	-
All other, both sexes										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	1	-	1	-	-	-
All other, male										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	1	-	-	-	-	-
All other, female										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-
Black, both sexes										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	1	-	1	-	-	-
Black, male										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	1	-	-	-	-	-
Black, female										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other lung diseases due to external agents (J67,J70)										
All races, both sexes										
2000.....	4	3	4	2	10	10	13	7	11	-
1999.....	4	6	3	9	7	14	21	14	5	-
All races, male										
2000.....	1	1	1	2	7	6	9	5	7	-
1999.....	-	3	1	5	5	6	10	7	4	-
All races, female										
2000.....	3	2	3	-	3	4	4	2	4	-
1999.....	4	3	2	4	2	8	11	7	1	-
White, both sexes										
2000.....	4	3	3	2	10	7	11	7	10	-
1999.....	4	6	2	8	7	14	18	13	5	-
White, male										
2000.....	1	1	1	2	7	4	7	5	6	-
1999.....	-	3	-	4	5	6	9	7	4	-
White, female										
2000.....	3	2	2	-	3	3	4	2	4	-
1999.....	4	3	2	4	2	8	9	6	1	-
All other, both sexes										
2000.....	-	-	1	-	-	3	2	-	1	-
1999.....	-	-	1	1	-	-	3	1	-	-
All other, male										
2000.....	-	-	-	-	-	2	2	-	1	-
1999.....	-	-	1	1	-	-	1	-	-	-
All other, female										
2000.....	-	-	1	-	-	1	-	-	-	-
1999.....	-	-	-	-	-	-	2	1	-	-
Black, both sexes										
2000.....	-	-	1	-	-	3	2	-	1	-
1999.....	-	-	1	1	-	-	3	1	-	-
Black, male										
2000.....	-	-	-	-	-	2	2	-	1	-
1999.....	-	-	1	1	-	-	1	-	-	-
Black, female										
2000.....	-	-	1	-	-	1	-	-	-	-
1999.....	-	-	-	-	-	-	2	1	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)										
All races, both sexes										
2000.....	36	51	39	51	59	95	108	81	123	-
1999.....	47	59	53	53	92	89	99	81	115	-
All races, male										
2000.....	26	35	31	31	42	54	67	39	71	-
1999.....	33	43	34	36	70	57	52	50	48	-
All races, female										
2000.....	10	16	8	20	17	41	41	42	52	-
1999.....	14	16	19	17	22	32	47	31	67	-
White, both sexes										
2000.....	25	45	29	41	46	80	98	73	103	-
1999.....	34	50	30	42	72	78	89	74	96	-
White, male										
2000.....	17	30	24	23	31	49	61	34	61	-
1999.....	24	38	17	29	56	51	45	48	36	-
White, female										
2000.....	8	15	5	18	15	31	37	39	42	-
1999.....	10	12	13	13	16	27	44	26	60	-
All other, both sexes										
2000.....	11	6	10	10	13	15	10	8	20	-
1999.....	13	9	23	11	20	11	10	7	19	-
All other, male										
2000.....	9	5	7	8	11	5	6	5	10	-
1999.....	9	5	17	7	14	6	7	2	12	-
All other, female										
2000.....	2	1	3	2	2	10	4	3	10	-
1999.....	4	4	6	4	6	5	3	5	7	-
Black, both sexes										
2000.....	9	6	10	8	12	13	9	6	18	-
1999.....	12	6	22	10	15	9	8	7	14	-
Black, male										
2000.....	8	5	7	7	10	4	5	3	9	-
1999.....	9	4	16	7	11	5	6	2	8	-
Black, female										
2000.....	1	1	3	1	2	9	4	3	9	-
1999.....	3	2	6	3	4	4	2	5	6	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pleural effusion and plaque (J90,J92)										
All races, both sexes										
2000.....	10	12	17	22	43	68	116	176	377	-
1999.....	11	10	21	26	44	75	124	166	373	-
All races, male										
2000.....	8	7	10	10	23	40	60	77	133	-
1999.....	5	7	9	14	27	42	67	76	137	-
All races, female										
2000.....	2	5	7	12	20	28	56	99	244	-
1999.....	6	3	12	12	17	33	57	90	236	-
White, both sexes										
2000.....	5	10	15	18	33	60	107	158	347	-
1999.....	8	7	15	23	40	66	112	153	338	-
White, male										
2000.....	5	7	8	9	17	32	55	71	121	-
1999.....	3	5	5	12	25	39	60	70	125	-
White, female										
2000.....	-	3	7	9	16	28	52	87	226	-
1999.....	5	2	10	11	15	27	52	83	213	-
All other, both sexes										
2000.....	5	2	2	4	10	8	9	18	30	-
1999.....	3	3	6	3	4	9	12	13	35	-
All other, male										
2000.....	3	-	2	1	6	8	5	6	12	-
1999.....	2	2	4	2	2	3	7	6	12	-
All other, female										
2000.....	2	2	-	3	4	-	4	12	18	-
1999.....	1	1	2	1	2	6	5	7	23	-
Black, both sexes										
2000.....	5	2	2	2	9	7	9	15	25	-
1999.....	2	3	6	3	4	8	10	11	27	-
Black, male										
2000.....	3	-	2	-	6	7	5	4	9	-
1999.....	2	2	4	2	2	2	6	4	9	-
Black, female										
2000.....	2	2	-	2	3	-	4	11	16	-
1999.....	-	1	2	1	2	6	4	7	18	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All other diseases of respiratory system (J80-J84,J93-J98)										
All races, both sexes										
2000.....	449	704	961	1,265	2,029	3,031	4,184	4,070	5,333	3
1999.....	438	593	804	1,231	1,958	3,040	4,046	3,935	5,465	-
All races, male										
2000.....	230	371	520	696	1,084	1,652	2,190	1,900	1,942	2
1999.....	216	300	411	670	1,071	1,676	2,086	1,905	1,931	-
All races, female										
2000.....	219	333	441	569	945	1,379	1,994	2,170	3,391	1
1999.....	222	293	393	561	887	1,364	1,960	2,030	3,534	-
White, both sexes										
2000.....	319	548	799	1,067	1,768	2,750	3,848	3,775	4,987	1
1999.....	310	464	658	1,058	1,723	2,714	3,710	3,655	5,079	-
White, male										
2000.....	163	287	437	595	963	1,502	2,020	1,774	1,811	1
1999.....	154	237	335	586	964	1,518	1,932	1,777	1,795	-
White, female										
2000.....	156	261	362	472	805	1,248	1,828	2,001	3,176	-
1999.....	156	227	323	472	759	1,196	1,778	1,878	3,284	-
All other, both sexes										
2000.....	130	156	162	198	261	281	336	295	346	2
1999.....	128	129	146	173	235	326	336	280	386	-
All other, male										
2000.....	67	84	83	101	121	150	170	126	131	1
1999.....	62	63	76	84	107	158	154	128	136	-
All other, female										
2000.....	63	72	79	97	140	131	166	169	215	1
1999.....	66	66	70	89	128	168	182	152	250	-
Black, both sexes										
2000.....	122	134	142	156	222	219	255	227	263	2
1999.....	114	113	120	143	199	257	270	204	295	-
Black, male										
2000.....	65	69	71	76	104	106	130	88	91	1
1999.....	57	55	57	70	91	121	125	90	98	-
Black, female										
2000.....	57	65	71	80	118	113	125	139	172	1
1999.....	57	58	63	73	108	136	145	114	197	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
XI. Diseases of the digestive system (K00-K92)										
All races, both sexes										
2000.....	5,192	5,576	5,359	5,720	6,572	8,530	10,432	10,629	18,683	4
1999.....	4,978	5,249	5,177	5,719	6,895	8,789	10,166	10,492	18,129	7
All races, male										
2000.....	3,676	3,845	3,470	3,528	3,725	4,385	4,888	4,207	5,422	4
1999.....	3,581	3,675	3,428	3,487	3,916	4,569	4,649	4,293	5,233	4
All races, female										
2000.....	1,516	1,731	1,889	2,192	2,847	4,145	5,544	6,422	13,261	-
1999.....	1,397	1,574	1,749	2,232	2,979	4,220	5,517	6,199	12,896	3
White, both sexes										
2000.....	4,159	4,447	4,406	4,767	5,623	7,555	9,399	9,723	17,242	3
1999.....	3,897	4,271	4,245	4,777	5,905	7,770	9,131	9,632	16,766	4
White, male										
2000.....	3,033	3,093	2,893	2,966	3,221	3,894	4,401	3,855	4,968	3
1999.....	2,850	3,018	2,832	2,956	3,393	4,081	4,198	3,958	4,783	3
White, female										
2000.....	1,126	1,354	1,513	1,801	2,402	3,661	4,998	5,868	12,274	-
1999.....	1,047	1,253	1,413	1,821	2,512	3,689	4,933	5,674	11,983	1
All other, both sexes										
2000.....	1,033	1,129	953	953	949	975	1,033	906	1,441	1
1999.....	1,081	978	932	942	990	1,019	1,035	860	1,363	3
All other, male										
2000.....	643	752	577	562	504	491	487	352	454	1
1999.....	731	657	596	531	523	488	451	335	450	1
All other, female										
2000.....	390	377	376	391	445	484	546	554	987	-
1999.....	350	321	336	411	467	531	584	525	913	2
Black, both sexes										
2000.....	877	953	792	791	781	817	830	733	1,221	1
1999.....	918	824	775	797	817	833	840	718	1,143	3
Black, male										
2000.....	544	635	492	470	419	415	384	286	340	1
1999.....	628	556	499	448	433	398	360	275	342	1
Black, female										
2000.....	333	318	300	321	362	402	446	447	881	-
1999.....	290	268	276	349	384	435	480	443	801	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diseases of oral cavity, salivary glands and jaws (K00-K14)										
All races, both sexes										
2000.....	3	4	-	2	4	8	9	20	49	-
1999.....	7	3	1	2	8	12	14	13	43	-
All races, male										
2000.....	3	1	-	2	3	5	4	5	14	-
1999.....	2	3	1	1	3	8	4	3	14	-
All races, female										
2000.....	-	3	-	-	1	3	5	15	35	-
1999.....	5	-	-	1	5	4	10	10	29	-
White, both sexes										
2000.....	3	4	-	2	3	7	9	17	46	-
1999.....	6	3	1	1	8	9	12	11	40	-
White, male										
2000.....	3	1	-	2	3	4	4	5	14	-
1999.....	2	3	1	-	3	7	4	2	13	-
White, female										
2000.....	-	3	-	-	-	3	5	12	32	-
1999.....	4	-	-	1	5	2	8	9	27	-
All other, both sexes										
2000.....	-	-	-	-	1	1	-	3	3	-
1999.....	1	-	-	1	-	3	2	2	3	-
All other, male										
2000.....	-	-	-	-	-	1	-	-	-	-
1999.....	-	-	-	1	-	1	-	1	1	-
All other, female										
2000.....	-	-	-	-	1	-	-	3	3	-
1999.....	1	-	-	-	-	2	2	1	2	-
Black, both sexes										
2000.....	-	-	-	-	1	1	-	3	1	-
1999.....	1	-	-	1	-	1	2	2	2	-
Black, male										
2000.....	-	-	-	-	-	1	-	-	-	-
1999.....	-	-	-	1	-	-	-	1	-	-
Black, female										
2000.....	-	-	-	-	1	-	-	3	1	-
1999.....	1	-	-	-	-	1	2	1	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diseases of other parts of digestive system (K20-K92)										
All races, both sexes										
2000.....	5,236	5,594	5,377	5,733	6,572	8,525	10,424	10,611	18,634	4
1999.....	5,016	5,263	5,204	5,729	6,898	8,787	10,157	10,483	18,088	7
All races, male										
2000.....	3,719	3,865	3,488	3,540	3,726	4,382	4,885	4,203	5,408	4
1999.....	3,621	3,689	3,454	3,498	3,924	4,570	4,649	4,294	5,220	4
All races, female										
2000.....	1,517	1,729	1,889	2,193	2,846	4,143	5,539	6,408	13,226	-
1999.....	1,395	1,574	1,750	2,231	2,974	4,217	5,508	6,189	12,868	3
White, both sexes										
2000.....	4,197	4,462	4,423	4,776	5,623	7,551	9,391	9,708	17,196	3
1999.....	3,928	4,282	4,269	4,787	5,906	7,771	9,124	9,625	16,727	4
White, male										
2000.....	3,070	3,110	2,910	2,974	3,221	3,892	4,398	3,851	4,954	3
1999.....	2,882	3,029	2,856	2,967	3,399	4,083	4,198	3,960	4,771	3
White, female										
2000.....	1,127	1,352	1,513	1,802	2,402	3,659	4,993	5,857	12,242	-
1999.....	1,046	1,253	1,413	1,820	2,507	3,688	4,926	5,665	11,956	1
All other, both sexes										
2000.....	1,039	1,132	954	957	949	974	1,033	903	1,438	1
1999.....	1,088	981	935	942	992	1,016	1,033	858	1,361	3
All other, male										
2000.....	649	755	578	566	505	490	487	352	454	1
1999.....	739	660	598	531	525	487	451	334	449	1
All other, female										
2000.....	390	377	376	391	444	484	546	551	984	-
1999.....	349	321	337	411	467	529	582	524	912	2
Black, both sexes										
2000.....	883	955	792	794	781	816	830	730	1,220	1
1999.....	925	827	778	797	818	832	838	716	1,142	3
Black, male										
2000.....	550	637	492	473	420	414	384	286	340	1
1999.....	636	559	501	448	434	398	360	274	342	1
Black, female										
2000.....	333	318	300	321	361	402	446	444	880	-
1999.....	289	268	277	349	384	434	478	442	800	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diseases of esophagus (K20-K22)										
All races, both sexes										
2000.....	38	49	52	68	105	160	264	381	988	-
1999.....	38	44	53	65	108	171	241	374	976	-
All races, male										
2000.....	27	37	35	51	68	83	140	170	351	-
1999.....	26	24	28	42	65	104	134	178	338	-
All races, female										
2000.....	11	12	17	17	37	77	124	211	637	-
1999.....	12	20	25	23	43	67	107	196	638	-
White, both sexes										
2000.....	30	39	43	56	92	138	244	362	936	-
1999.....	28	32	47	53	94	153	224	350	922	-
White, male										
2000.....	21	28	29	40	59	70	127	161	333	-
1999.....	18	17	26	31	58	91	123	164	322	-
White, female										
2000.....	9	11	14	16	33	68	117	201	603	-
1999.....	10	15	21	22	36	62	101	186	600	-
All other, both sexes										
2000.....	8	10	9	12	13	22	20	19	52	-
1999.....	10	12	6	12	14	18	17	24	54	-
All other, male										
2000.....	6	9	6	11	9	13	13	9	18	-
1999.....	8	7	2	11	7	13	11	14	16	-
All other, female										
2000.....	2	1	3	1	4	9	7	10	34	-
1999.....	2	5	4	1	7	5	6	10	38	-
Black, both sexes										
2000.....	7	10	8	11	12	18	19	18	46	-
1999.....	8	10	5	11	13	15	15	18	48	-
Black, male										
2000.....	5	9	5	10	9	10	13	8	14	-
1999.....	6	5	1	10	7	12	10	10	13	-
Black, female										
2000.....	2	1	3	1	3	8	6	10	32	-
1999.....	2	5	4	1	6	3	5	8	35	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Peptic ulcer (K25-K28)										
All races, both sexes										
2000.....	130	177	200	243	299	449	642	773	1,509	-
1999.....	113	142	186	236	314	522	665	835	1,439	2
All races, male										
2000.....	86	131	134	150	172	270	341	326	499	-
1999.....	67	102	111	154	196	308	331	381	448	1
All races, female										
2000.....	44	46	66	93	127	179	301	447	1,010	-
1999.....	46	40	75	82	118	214	334	454	991	1
White, both sexes										
2000.....	95	132	162	208	250	397	569	717	1,392	-
1999.....	80	106	152	198	259	457	600	760	1,330	1
White, male										
2000.....	68	96	110	130	146	234	300	298	451	-
1999.....	45	76	88	127	160	272	302	348	414	1
White, female										
2000.....	27	36	52	78	104	163	269	419	941	-
1999.....	35	30	64	71	99	185	298	412	916	-
All other, both sexes										
2000.....	35	45	38	35	49	52	73	56	117	-
1999.....	33	36	34	38	55	65	65	75	109	1
All other, male										
2000.....	18	35	24	20	26	36	41	28	48	-
1999.....	22	26	23	27	36	36	29	33	34	-
All other, female										
2000.....	17	10	14	15	23	16	32	28	69	-
1999.....	11	10	11	11	19	29	36	42	75	1
Black, both sexes										
2000.....	32	38	35	30	37	43	53	39	85	-
1999.....	28	32	32	34	45	48	43	56	80	1
Black, male										
2000.....	17	28	21	19	18	30	27	19	27	-
1999.....	20	23	22	25	29	26	19	21	24	-
Black, female										
2000.....	15	10	14	11	19	13	26	20	58	-
1999.....	8	9	10	9	16	22	24	35	56	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Gastric ulcer (K25)										
All races, both sexes										
2000.....	52	64	61	81	99	135	178	198	403	-
1999.....	45	58	68	64	83	159	197	235	365	-
All races, male										
2000.....	35	44	35	41	53	77	91	69	121	-
1999.....	28	42	38	37	42	85	82	98	104	-
All races, female										
2000.....	17	20	26	40	46	58	87	129	282	-
1999.....	17	16	30	27	41	74	115	137	261	-
White, both sexes										
2000.....	33	48	44	67	81	116	156	181	361	-
1999.....	33	40	50	52	62	139	178	212	325	-
White, male										
2000.....	25	34	23	31	41	62	78	60	103	-
1999.....	20	28	26	29	31	72	73	88	87	-
White, female										
2000.....	8	14	21	36	40	54	78	121	258	-
1999.....	13	12	24	23	31	67	105	124	238	-
All other, both sexes										
2000.....	19	16	17	14	18	19	22	17	42	-
1999.....	12	18	18	12	21	20	19	23	40	-
All other, male										
2000.....	10	10	12	10	12	15	13	9	18	-
1999.....	8	14	12	8	11	13	9	10	17	-
All other, female										
2000.....	9	6	5	4	6	4	9	8	24	-
1999.....	4	4	6	4	10	7	10	13	23	-
Black, both sexes										
2000.....	18	14	16	13	15	17	17	13	29	-
1999.....	10	17	17	11	20	16	12	19	30	-
Black, male										
2000.....	9	8	11	9	11	13	10	8	12	-
1999.....	8	13	12	7	10	10	7	6	14	-
Black, female										
2000.....	9	6	5	4	4	4	7	5	17	-
1999.....	2	4	5	4	10	6	5	13	16	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Duodenal ulcer (K26)										
All races, both sexes										
2000.....	41	73	77	94	98	153	224	276	428	-
1999.....	43	53	56	102	114	171	216	241	416	1
All races, male										
2000.....	29	59	54	57	60	91	116	118	151	-
1999.....	26	39	34	71	83	113	123	121	142	1
All races, female										
2000.....	12	14	23	37	38	62	108	158	277	-
1999.....	17	14	22	31	31	58	93	120	274	-
White, both sexes										
2000.....	34	54	66	83	83	136	203	260	402	-
1999.....	28	41	49	92	99	153	196	224	386	1
White, male										
2000.....	25	42	46	53	53	81	104	111	141	-
1999.....	15	29	30	63	71	104	114	114	135	1
White, female										
2000.....	9	12	20	30	30	55	99	149	261	-
1999.....	13	12	19	29	28	49	82	110	251	-
All other, both sexes										
2000.....	7	19	11	11	15	17	21	16	26	-
1999.....	15	12	7	10	15	18	20	17	30	-
All other, male										
2000.....	4	17	8	4	7	10	12	7	10	-
1999.....	11	10	4	8	12	9	9	7	7	-
All other, female										
2000.....	3	2	3	7	8	7	9	9	16	-
1999.....	4	2	3	2	3	9	11	10	23	-
Black, both sexes										
2000.....	7	16	9	8	10	15	15	10	17	-
1999.....	12	10	7	9	11	10	13	14	20	-
Black, male										
2000.....	4	14	6	4	4	9	9	4	3	-
1999.....	9	8	4	7	9	4	6	5	4	-
Black, female										
2000.....	3	2	3	4	6	6	6	6	14	-
1999.....	3	2	3	2	2	6	7	9	16	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Peptic ulcer, site unspecified (K27)										
All races, both sexes										
2000.....	36	37	62	67	97	155	232	290	659	-
1999.....	23	31	61	69	117	185	246	352	646	1
All races, male										
2000.....	21	27	45	51	57	98	130	132	223	-
1999.....	13	21	38	46	71	107	122	158	196	-
All races, female										
2000.....	15	10	17	16	40	57	102	158	436	-
1999.....	10	10	23	23	46	78	124	194	450	1
White, both sexes										
2000.....	27	28	52	57	83	140	203	270	612	-
1999.....	17	25	52	54	98	159	222	318	609	-
White, male										
2000.....	17	19	41	45	50	88	114	123	204	-
1999.....	10	19	31	35	58	93	112	143	188	-
White, female										
2000.....	10	9	11	12	33	52	89	147	408	-
1999.....	7	6	21	19	40	66	110	175	421	-
All other, both sexes										
2000.....	9	9	10	10	14	15	29	20	47	-
1999.....	6	6	9	15	19	26	24	34	37	1
All other, male										
2000.....	4	8	4	6	7	10	16	9	19	-
1999.....	3	2	7	11	13	14	10	15	8	-
All other, female										
2000.....	5	1	6	4	7	5	13	11	28	-
1999.....	3	4	2	4	6	12	14	19	29	1
Black, both sexes										
2000.....	7	7	10	9	10	10	20	14	38	-
1999.....	6	5	8	13	14	22	17	23	30	1
Black, male										
2000.....	4	6	4	6	3	7	8	5	12	-
1999.....	3	2	6	11	10	12	6	10	6	-
Black, female										
2000.....	3	1	6	3	7	3	12	9	26	-
1999.....	3	3	2	2	4	10	11	13	24	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Gastrojejunal ulcer (K28)										
All races, both sexes										
2000.....	1	3	-	1	5	6	8	9	19	-
1999.....	2	-	1	1	-	7	6	7	12	-
All races, male										
2000.....	1	1	-	1	2	4	4	7	4	-
1999.....	-	-	1	-	-	3	4	4	6	-
All races, female										
2000.....	-	2	-	-	3	2	4	2	15	-
1999.....	2	-	-	1	-	4	2	3	6	-
White, both sexes										
2000.....	1	2	-	1	3	5	7	6	17	-
1999.....	2	-	1	-	-	6	4	6	10	-
White, male										
2000.....	1	1	-	1	2	3	4	4	3	-
1999.....	-	-	1	-	-	3	3	3	4	-
White, female										
2000.....	-	1	-	-	1	2	3	2	14	-
1999.....	2	-	-	-	-	3	1	3	6	-
All other, both sexes										
2000.....	-	1	-	-	2	1	1	3	2	-
1999.....	-	-	-	1	-	1	2	1	2	-
All other, male										
2000.....	-	-	-	-	-	1	-	3	1	-
1999.....	-	-	-	-	-	-	1	1	2	-
All other, female										
2000.....	-	1	-	-	2	-	1	-	1	-
1999.....	-	-	-	1	-	1	1	-	-	-
Black, both sexes										
2000.....	-	1	-	-	2	1	1	2	1	-
1999.....	-	-	-	1	-	-	1	-	-	-
Black, male										
2000.....	-	-	-	-	-	1	-	2	-	-
1999.....	-	-	-	-	-	-	-	-	-	-
Black, female										
2000.....	-	1	-	-	2	-	1	-	1	-
1999.....	-	-	-	1	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Gastritis and duodenitis (K29)										
All races, both sexes										
2000.....	12	12	25	22	21	29	42	60	148	-
1999.....	15	17	16	11	22	27	41	72	158	-
All races, male										
2000.....	8	9	15	15	15	15	16	22	41	-
1999.....	12	15	10	4	10	13	25	30	44	-
All races, female										
2000.....	4	3	10	7	6	14	26	38	107	-
1999.....	3	2	6	7	12	14	16	42	114	-
White, both sexes										
2000.....	8	9	21	16	19	27	37	58	134	-
1999.....	11	16	14	11	15	22	31	57	147	-
White, male										
2000.....	5	6	13	12	14	14	13	21	37	-
1999.....	9	14	8	4	7	9	20	22	41	-
White, female										
2000.....	3	3	8	4	5	13	24	37	97	-
1999.....	2	2	6	7	8	13	11	35	106	-
All other, both sexes										
2000.....	4	3	4	6	2	2	5	2	14	-
1999.....	4	1	2	-	7	5	10	15	11	-
All other, male										
2000.....	3	3	2	3	1	1	3	1	4	-
1999.....	3	1	2	-	3	4	5	8	3	-
All other, female										
2000.....	1	-	2	3	1	1	2	1	10	-
1999.....	1	-	-	-	4	1	5	7	8	-
Black, both sexes										
2000.....	3	1	4	6	2	2	4	2	12	-
1999.....	4	1	2	-	6	5	6	13	10	-
Black, male										
2000.....	2	1	2	3	1	1	2	1	3	-
1999.....	3	1	2	-	2	4	3	6	3	-
Black, female										
2000.....	1	-	2	3	1	1	2	1	9	-
1999.....	1	-	-	-	4	1	3	7	7	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Dyspepsia and other diseases of stomach and duodenum (K30-K31)										
All races, both sexes										
2000.....	14	27	28	27	43	62	86	78	169	-
1999.....	21	14	19	33	31	54	74	94	174	-
All races, male										
2000.....	5	13	11	9	30	34	37	32	53	-
1999.....	11	5	12	12	19	25	37	29	57	-
All races, female										
2000.....	9	14	17	18	13	28	49	46	116	-
1999.....	10	9	7	21	12	29	37	65	117	-
White, both sexes										
2000.....	12	25	25	23	32	56	76	72	157	-
1999.....	18	12	19	27	25	44	71	85	160	-
White, male										
2000.....	5	11	9	7	22	30	32	31	49	-
1999.....	10	3	12	11	14	19	37	26	53	-
White, female										
2000.....	7	14	16	16	10	26	44	41	108	-
1999.....	8	9	7	16	11	25	34	59	107	-
All other, both sexes										
2000.....	2	2	3	4	11	6	10	6	12	-
1999.....	3	2	-	6	6	10	3	9	14	-
All other, male										
2000.....	-	2	2	2	8	4	5	1	4	-
1999.....	1	2	-	1	5	6	-	3	4	-
All other, female										
2000.....	2	-	1	2	3	2	5	5	8	-
1999.....	2	-	-	5	1	4	3	6	10	-
Black, both sexes										
2000.....	2	2	3	4	10	5	9	5	10	-
1999.....	3	2	-	6	4	9	2	6	13	-
Black, male										
2000.....	-	2	2	2	8	3	4	1	2	-
1999.....	1	2	-	1	3	5	-	1	3	-
Black, female										
2000.....	2	-	1	2	2	2	5	4	8	-
1999.....	2	-	-	5	1	4	2	5	10	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diseases of appendix (K35-K38)										
All races, both sexes										
2000.....	18	25	28	32	26	45	53	68	68	-
1999.....	25	24	22	26	30	39	43	53	62	-
All races, male										
2000.....	12	17	20	23	15	25	30	30	24	-
1999.....	18	19	17	17	18	20	28	19	35	-
All races, female										
2000.....	6	8	8	9	11	20	23	38	44	-
1999.....	7	5	5	9	12	19	15	34	27	-
White, both sexes										
2000.....	10	19	21	29	20	34	42	58	65	-
1999.....	16	22	15	15	25	32	38	46	58	-
White, male										
2000.....	7	12	14	20	13	18	26	25	22	-
1999.....	11	17	12	12	15	15	24	15	33	-
White, female										
2000.....	3	7	7	9	7	16	16	33	43	-
1999.....	5	5	3	3	10	17	14	31	25	-
All other, both sexes										
2000.....	8	6	7	3	6	11	11	10	3	-
1999.....	9	2	7	11	5	7	5	7	4	-
All other, male										
2000.....	5	5	6	3	2	7	4	5	2	-
1999.....	7	2	5	5	3	5	4	4	2	-
All other, female										
2000.....	3	1	1	-	4	4	7	5	1	-
1999.....	2	-	2	6	2	2	1	3	2	-
Black, both sexes										
2000.....	8	4	7	3	6	10	9	7	3	-
1999.....	8	2	7	10	3	7	5	6	3	-
Black, male										
2000.....	5	3	6	3	2	7	3	3	2	-
1999.....	7	2	5	4	2	5	4	4	2	-
Black, female										
2000.....	3	1	1	-	4	3	6	4	1	-
1999.....	1	-	2	6	1	2	1	2	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hernia (K40-K46)										
All races, both sexes										
2000.....	26	58	51	62	84	126	224	242	555	-
1999.....	16	39	36	71	77	138	186	265	529	-
All races, male										
2000.....	13	32	20	29	39	53	91	104	154	-
1999.....	12	20	21	39	34	59	75	117	157	-
All races, female										
2000.....	13	26	31	33	45	73	133	138	401	-
1999.....	4	19	15	32	43	79	111	148	372	-
White, both sexes										
2000.....	20	47	45	54	68	117	198	223	512	-
1999.....	11	30	32	62	60	123	163	245	491	-
White, male										
2000.....	9	25	18	25	31	51	85	95	141	-
1999.....	9	17	21	36	29	57	68	109	139	-
White, female										
2000.....	11	22	27	29	37	66	113	128	371	-
1999.....	2	13	11	26	31	66	95	136	352	-
All other, both sexes										
2000.....	6	11	6	8	16	9	26	19	43	-
1999.....	5	9	4	9	17	15	23	20	38	-
All other, male										
2000.....	4	7	2	4	8	2	6	9	13	-
1999.....	3	3	-	3	5	2	7	8	18	-
All other, female										
2000.....	2	4	4	4	8	7	20	10	30	-
1999.....	2	6	4	6	12	13	16	12	20	-
Black, both sexes										
2000.....	5	8	5	8	14	7	22	16	40	-
1999.....	5	7	4	8	12	12	20	18	31	-
Black, male										
2000.....	4	5	1	4	7	2	4	8	11	-
1999.....	3	3	-	2	5	2	5	8	14	-
Black, female										
2000.....	1	3	4	4	7	5	18	8	29	-
1999.....	2	4	4	6	7	10	15	10	17	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Crohn's disease and ulcerative colitis (K50-K51)										
All races, both sexes										
2000.....	30	39	49	41	60	99	119	111	139	-
1999.....	47	49	45	42	55	95	118	124	136	-
All races, male										
2000.....	19	15	21	17	25	41	50	30	36	-
1999.....	15	21	22	16	30	42	48	45	32	-
All races, female										
2000.....	11	24	28	24	35	58	69	81	103	-
1999.....	32	28	23	26	25	53	70	79	104	-
White, both sexes										
2000.....	26	37	44	39	58	95	113	108	133	-
1999.....	39	44	37	40	55	92	108	122	131	-
White, male										
2000.....	16	14	20	17	24	40	46	30	35	-
1999.....	12	18	20	15	30	41	43	44	32	-
White, female										
2000.....	10	23	24	22	34	55	67	78	98	-
1999.....	27	26	17	25	25	51	65	78	99	-
All other, both sexes										
2000.....	4	2	5	2	2	4	6	3	6	-
1999.....	8	5	8	2	-	3	10	2	5	-
All other, male										
2000.....	3	1	1	-	1	1	4	-	1	-
1999.....	3	3	2	1	-	1	5	1	-	-
All other, female										
2000.....	1	1	4	2	1	3	2	3	5	-
1999.....	5	2	6	1	-	2	5	1	5	-
Black, both sexes										
2000.....	3	1	4	2	1	3	5	3	6	-
1999.....	8	5	7	2	-	2	9	1	4	-
Black, male										
2000.....	2	-	1	-	1	-	4	-	1	-
1999.....	3	3	2	1	-	1	4	1	-	-
Black, female										
2000.....	1	1	3	2	-	3	1	3	5	-
1999.....	5	2	5	1	-	1	5	-	4	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Vascular disorders and obstruction of intestine without hernia (K55-K56)										
All races, both sexes										
2000.....	175	296	372	569	907	1,549	2,334	2,617	4,928	-
1999.....	150	256	384	568	964	1,519	2,196	2,564	4,826	1
All races, male										
2000.....	88	138	176	265	393	646	914	884	1,209	-
1999.....	79	116	181	248	384	649	839	877	1,141	-
All races, female										
2000.....	87	158	196	304	514	903	1,420	1,733	3,719	-
1999.....	71	140	203	320	580	870	1,357	1,687	3,685	1
White, both sexes										
2000.....	111	218	296	446	757	1,354	2,068	2,370	4,529	-
1999.....	105	195	320	484	803	1,297	1,929	2,345	4,445	1
White, male										
2000.....	51	102	133	198	318	563	798	786	1,096	-
1999.....	54	86	151	208	317	559	743	788	1,023	-
White, female										
2000.....	60	116	163	248	439	791	1,270	1,584	3,433	-
1999.....	51	109	169	276	486	738	1,186	1,557	3,422	1
All other, both sexes										
2000.....	64	78	76	123	150	195	266	247	399	-
1999.....	45	61	64	84	161	222	267	219	381	-
All other, male										
2000.....	37	36	43	67	75	83	116	98	113	-
1999.....	25	30	30	40	67	90	96	89	118	-
All other, female										
2000.....	27	42	33	56	75	112	150	149	286	-
1999.....	20	31	34	44	94	132	171	130	263	-
Black, both sexes										
2000.....	56	75	73	114	129	163	229	209	358	-
1999.....	41	56	57	79	144	193	237	190	341	-
Black, male										
2000.....	33	35	42	63	63	70	97	84	96	-
1999.....	24	27	27	39	59	74	84	78	94	-
Black, female										
2000.....	23	40	31	51	66	93	132	125	262	-
1999.....	17	29	30	40	85	119	153	112	247	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diverticular disease of intestine (K57)										
All races, both sexes										
2000.....	34	53	58	116	213	330	481	658	1,309	-
1999.....	36	49	93	118	214	362	510	623	1,387	-
All races, male										
2000.....	20	27	36	49	92	134	158	199	274	-
1999.....	19	20	36	60	82	146	167	188	308	-
All races, female										
2000.....	14	26	22	67	121	196	323	459	1,035	-
1999.....	17	29	57	58	132	216	343	435	1,079	-
White, both sexes										
2000.....	27	45	47	91	185	294	447	614	1,238	-
1999.....	31	44	74	99	185	327	476	582	1,304	-
White, male										
2000.....	16	25	32	37	81	118	149	189	263	-
1999.....	17	19	29	50	76	132	155	176	291	-
White, female										
2000.....	11	20	15	54	104	176	298	425	975	-
1999.....	14	25	45	49	109	195	321	406	1,013	-
All other, both sexes										
2000.....	7	8	11	25	28	36	34	44	71	-
1999.....	5	5	19	19	29	35	34	41	83	-
All other, male										
2000.....	4	2	4	12	11	16	9	10	11	-
1999.....	2	1	7	10	6	14	12	12	17	-
All other, female										
2000.....	3	6	7	13	17	20	25	34	60	-
1999.....	3	4	12	9	23	21	22	29	66	-
Black, both sexes										
2000.....	7	6	9	23	26	35	28	38	64	-
1999.....	5	4	18	17	27	30	29	37	74	-
Black, male										
2000.....	4	1	4	11	9	16	7	9	7	-
1999.....	2	1	6	9	5	12	11	10	12	-
Black, female										
2000.....	3	5	5	12	17	19	21	29	57	-
1999.....	3	3	12	8	22	18	18	27	62	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other diseases of intestines and peritoneum (K52,K58-K63)										
All races, both sexes										
2000.....	95	110	165	214	286	470	701	835	1,412	-
1999.....	85	114	157	207	320	498	713	768	1,328	-
All races, male										
2000.....	42	41	86	110	119	217	278	277	352	-
1999.....	55	60	78	89	136	214	295	280	345	-
All races, female										
2000.....	53	69	79	104	167	253	423	558	1,060	-
1999.....	30	54	79	118	184	284	418	488	983	-
White, both sexes										
2000.....	78	85	137	166	248	420	642	771	1,295	-
1999.....	65	92	134	175	277	444	647	704	1,244	-
White, male										
2000.....	36	31	70	81	105	198	250	254	311	-
1999.....	43	49	66	75	119	196	262	258	305	-
White, female										
2000.....	42	54	67	85	143	222	392	517	984	-
1999.....	22	43	68	100	158	248	385	446	939	-
All other, both sexes										
2000.....	17	25	28	48	38	50	59	64	117	-
1999.....	20	22	23	32	43	54	66	64	84	-
All other, male										
2000.....	6	10	16	29	14	19	28	23	41	-
1999.....	12	11	12	14	17	18	33	22	40	-
All other, female										
2000.....	11	15	12	19	24	31	31	41	76	-
1999.....	8	11	11	18	26	36	33	42	44	-
Black, both sexes										
2000.....	13	21	24	38	31	46	45	53	95	-
1999.....	20	21	20	25	39	47	50	56	74	-
Black, male										
2000.....	5	8	14	20	10	17	23	21	26	-
1999.....	12	11	10	10	17	15	22	20	34	-
Black, female										
2000.....	8	13	10	18	21	29	22	32	69	-
1999.....	8	10	10	15	22	32	28	36	40	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diseases of peritoneum (K65-K66)										
All races, both sexes										
2000.....	72	91	122	129	138	235	287	260	451	-
1999.....	75	93	104	113	152	247	272	270	404	-
All races, male										
2000.....	43	43	62	71	66	104	130	95	135	-
1999.....	52	55	53	64	74	122	122	113	120	-
All races, female										
2000.....	29	48	60	58	72	131	157	165	316	-
1999.....	23	38	51	49	78	125	150	157	284	-
White, both sexes										
2000.....	48	67	92	102	108	203	252	231	406	-
1999.....	61	65	73	89	118	209	233	248	360	-
White, male										
2000.....	29	32	49	56	50	88	115	83	120	-
1999.....	42	39	37	48	58	106	106	104	110	-
White, female										
2000.....	19	35	43	46	58	115	137	148	286	-
1999.....	19	26	36	41	60	103	127	144	250	-
All other, both sexes										
2000.....	24	24	30	27	30	32	35	29	45	-
1999.....	14	28	31	24	34	38	39	22	44	-
All other, male										
2000.....	14	11	13	15	16	16	15	12	15	-
1999.....	10	16	16	16	16	16	16	9	10	-
All other, female										
2000.....	10	13	17	12	14	16	20	17	30	-
1999.....	4	12	15	8	18	22	23	13	34	-
Black, both sexes										
2000.....	23	23	29	23	26	25	30	28	37	-
1999.....	13	27	30	19	28	35	33	21	38	-
Black, male										
2000.....	14	11	13	13	15	11	13	12	12	-
1999.....	9	16	15	12	13	15	14	9	9	-
Black, female										
2000.....	9	12	16	10	11	14	17	16	25	-
1999.....	4	11	15	7	15	20	19	12	29	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diseases of liver (K70-K76)										
All races, both sexes										
2000.....	4,101	4,106	3,620	3,495	3,461	3,518	3,074	2,014	1,555	4
1999.....	3,916	3,897	3,476	3,516	3,630	3,635	3,112	2,044	1,546	3
All races, male										
2000.....	3,016	2,997	2,484	2,320	2,129	1,994	1,607	883	640	4
1999.....	2,921	2,891	2,487	2,311	2,305	2,047	1,540	965	624	3
All races, female										
2000.....	1,085	1,109	1,136	1,175	1,332	1,524	1,467	1,131	915	-
1999.....	995	1,006	989	1,205	1,325	1,588	1,572	1,079	922	-
White, both sexes										
2000.....	3,380	3,320	3,027	2,989	3,044	3,183	2,852	1,865	1,439	3
1999.....	3,117	3,228	2,873	2,971	3,189	3,278	2,860	1,916	1,419	2
White, male										
2000.....	2,555	2,448	2,107	2,011	1,897	1,813	1,493	832	591	3
1999.....	2,371	2,423	2,081	1,990	2,038	1,861	1,422	917	581	2
White, female										
2000.....	825	872	920	978	1,147	1,370	1,359	1,033	848	-
1999.....	746	805	792	981	1,151	1,417	1,438	999	838	-
All other, both sexes										
2000.....	721	786	593	506	417	335	222	149	116	1
1999.....	799	669	603	545	441	357	252	128	127	1
All other, male										
2000.....	461	549	377	309	232	181	114	51	49	1
1999.....	550	468	406	321	267	186	118	48	43	1
All other, female										
2000.....	260	237	216	197	185	154	108	98	67	-
1999.....	249	201	197	224	174	171	134	80	84	-
Black, both sexes										
2000.....	594	650	465	394	332	267	164	100	83	1
1999.....	663	547	484	446	345	270	193	97	98	1
Black, male										
2000.....	379	460	308	244	196	151	87	35	31	1
1999.....	461	387	329	266	215	149	89	38	32	1
Black, female										
2000.....	215	190	157	150	136	116	77	65	52	-
1999.....	202	160	155	180	130	121	104	59	66	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Alcoholic liver disease (K70)										
All races, both sexes										
2000.....	2,000	1,888	1,575	1,394	1,085	806	533	218	95	2
1999.....	1,965	1,837	1,511	1,348	1,104	831	533	256	118	2
All races, male										
2000.....	1,510	1,458	1,172	1,044	821	612	419	142	65	2
1999.....	1,501	1,426	1,179	1,015	867	630	364	174	73	2
All races, female										
2000.....	490	430	403	350	264	194	114	76	30	-
1999.....	464	411	332	333	237	201	169	82	45	-
White, both sexes										
2000.....	1,670	1,576	1,329	1,204	961	728	487	194	88	1
1999.....	1,605	1,547	1,261	1,144	958	740	475	233	102	2
White, male										
2000.....	1,301	1,237	1,013	917	735	553	387	130	60	1
1999.....	1,252	1,217	993	883	753	564	325	161	63	2
White, female										
2000.....	369	339	316	287	226	175	100	64	28	-
1999.....	353	330	268	261	205	176	150	72	39	-
All other, both sexes										
2000.....	330	312	246	190	124	78	46	24	7	1
1999.....	360	290	250	204	146	91	58	23	16	-
All other, male										
2000.....	209	221	159	127	86	59	32	12	5	1
1999.....	249	209	186	132	114	66	39	13	10	-
All other, female										
2000.....	121	91	87	63	38	19	14	12	2	-
1999.....	111	81	64	72	32	25	19	10	6	-
Black, both sexes										
2000.....	259	249	187	138	107	63	35	15	5	1
1999.....	292	227	194	167	117	77	45	19	14	-
Black, male										
2000.....	164	177	124	87	74	50	24	9	4	1
1999.....	204	164	147	110	93	55	30	11	8	-
Black, female										
2000.....	95	72	63	51	33	13	11	6	1	-
1999.....	88	63	47	57	24	22	15	8	6	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Chronic hepatitis, not elsewhere classified (K73)										
All races, both sexes										
2000.....	22	32	36	36	68	53	64	39	35	-
1999.....	33	35	37	46	40	64	58	46	26	-
All races, male										
2000.....	11	13	9	4	12	7	10	8	8	-
1999.....	16	18	10	11	7	19	15	10	5	-
All races, female										
2000.....	11	19	27	32	56	46	54	31	27	-
1999.....	17	17	27	35	33	45	43	36	21	-
White, both sexes										
2000.....	15	24	31	34	54	49	61	36	33	-
1999.....	25	29	29	36	33	54	51	42	24	-
White, male										
2000.....	9	10	8	4	9	6	10	8	8	-
1999.....	12	16	10	11	7	13	12	8	5	-
White, female										
2000.....	6	14	23	30	45	43	51	28	25	-
1999.....	13	13	19	25	26	41	39	34	19	-
All other, both sexes										
2000.....	7	8	5	2	14	4	3	3	2	-
1999.....	8	6	8	10	7	10	7	4	2	-
All other, male										
2000.....	2	3	1	-	3	1	-	-	-	-
1999.....	4	2	-	-	-	6	3	2	-	-
All other, female										
2000.....	5	5	4	2	11	3	3	3	2	-
1999.....	4	4	8	10	7	4	4	2	2	-
Black, both sexes										
2000.....	5	6	3	2	8	3	1	2	2	-
1999.....	6	5	4	7	6	6	3	3	2	-
Black, male										
2000.....	1	3	1	-	1	-	-	-	-	-
1999.....	3	2	-	-	-	2	-	2	-	-
Black, female										
2000.....	4	3	2	2	7	3	1	2	2	-
1999.....	3	3	4	7	6	4	3	1	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Fibrosis and cirrhosis of liver (K74)										
All races, both sexes										
2000.....	1,352	1,360	1,336	1,397	1,598	1,872	1,770	1,205	849	1
1999.....	1,230	1,268	1,255	1,440	1,689	1,914	1,805	1,203	821	-
All races, male										
2000.....	994	989	885	891	896	969	811	484	348	1
1999.....	929	939	862	866	963	968	829	513	317	-
All races, female										
2000.....	358	371	451	506	702	903	959	721	501	-
1999.....	301	329	393	574	726	946	976	690	504	-
White, both sexes										
2000.....	1,132	1,098	1,137	1,213	1,419	1,714	1,675	1,138	797	1
1999.....	966	1,058	1,048	1,242	1,518	1,770	1,694	1,145	770	-
White, male										
2000.....	850	798	754	779	809	894	765	462	326	1
1999.....	738	786	722	753	873	904	781	494	301	-
White, female										
2000.....	282	300	383	434	610	820	910	676	471	-
1999.....	228	272	326	489	645	866	913	651	469	-
All other, both sexes										
2000.....	220	262	199	184	179	158	95	67	52	-
1999.....	264	210	207	198	171	144	111	58	51	-
All other, male										
2000.....	144	191	131	112	87	75	46	22	22	-
1999.....	191	153	140	113	90	64	48	19	16	-
All other, female										
2000.....	76	71	68	72	92	83	49	45	30	-
1999.....	73	57	67	85	81	80	63	39	35	-
Black, both sexes										
2000.....	189	229	159	144	134	119	67	45	37	-
1999.....	218	174	172	155	128	104	82	43	38	-
Black, male										
2000.....	124	170	109	93	71	62	34	14	13	-
1999.....	159	131	113	90	74	53	37	16	10	-
Black, female										
2000.....	65	59	50	51	63	57	33	31	24	-
1999.....	59	43	59	65	54	51	45	27	28	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other diseases of liver (K71-K72,K75-K76)										
All races, both sexes										
2000.....	727	826	673	668	710	787	707	552	576	1
1999.....	688	757	673	682	797	826	716	539	581	1
All races, male										
2000.....	501	537	418	381	400	406	367	249	219	1
1999.....	475	508	436	419	468	430	332	268	229	1
All races, female										
2000.....	226	289	255	287	310	381	340	303	357	-
1999.....	213	249	237	263	329	396	384	271	352	-
White, both sexes										
2000.....	563	622	530	538	610	692	629	497	521	1
1999.....	521	594	535	549	680	714	640	496	523	-
White, male										
2000.....	395	403	332	311	344	360	331	232	197	1
1999.....	369	404	356	343	405	380	304	254	212	-
White, female										
2000.....	168	219	198	227	266	332	298	265	324	-
1999.....	152	190	179	206	275	334	336	242	311	-
All other, both sexes										
2000.....	164	204	143	130	100	95	78	55	55	-
1999.....	167	163	138	133	117	112	76	43	58	1
All other, male										
2000.....	106	134	86	70	56	46	36	17	22	-
1999.....	106	104	80	76	63	50	28	14	17	1
All other, female										
2000.....	58	70	57	60	44	49	42	38	33	-
1999.....	61	59	58	57	54	62	48	29	41	-
Black, both sexes										
2000.....	141	166	116	110	83	82	61	38	39	-
1999.....	147	141	114	117	94	83	63	32	44	1
Black, male										
2000.....	90	110	74	64	50	39	29	12	14	-
1999.....	95	90	69	66	48	39	22	9	14	1
Black, female										
2000.....	51	56	42	46	33	43	32	26	25	-
1999.....	52	51	45	51	46	44	41	23	30	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)										
All races, both sexes										
2000.....	43	66	80	109	184	266	419	507	1,053	-
1999.....	55	69	95	108	171	304	417	531	992	-
All races, male										
2000.....	23	30	48	62	100	142	224	237	339	-
1999.....	28	30	54	66	89	163	208	239	330	-
All races, female										
2000.....	20	36	32	47	84	124	195	270	714	-
1999.....	27	39	41	42	82	141	209	292	662	-
White, both sexes										
2000.....	26	49	64	87	151	215	373	454	982	-
1999.....	43	54	72	81	134	264	378	486	918	-
White, male										
2000.....	16	23	41	51	87	119	203	220	320	-
1999.....	21	24	38	53	72	145	191	227	303	-
White, female										
2000.....	10	26	23	36	64	96	170	234	662	-
1999.....	22	30	34	28	62	119	187	259	615	-
All other, both sexes										
2000.....	17	17	16	22	33	51	46	53	71	-
1999.....	12	15	23	27	37	40	39	45	74	-
All other, male										
2000.....	7	7	7	11	13	23	21	17	19	-
1999.....	7	6	16	13	17	18	17	12	27	-
All other, female										
2000.....	10	10	9	11	20	28	25	36	52	-
1999.....	5	9	7	14	20	22	22	33	47	-
Black, both sexes										
2000.....	14	14	13	16	28	37	37	39	57	-
1999.....	8	13	14	21	29	30	26	39	48	-
Black, male										
2000.....	5	6	5	9	10	15	15	12	12	-
1999.....	5	4	10	9	12	13	12	11	13	-
Black, female										
2000.....	9	8	8	7	18	22	22	27	45	-
1999.....	3	9	4	12	17	17	14	28	35	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Disorders of biliary tract and pancreas (K83-K86)										
All races, both sexes										
2000.....	268	270	306	292	354	487	586	570	933	-
1999.....	251	269	267	303	347	480	530	504	921	-
All races, male										
2000.....	174	179	190	161	228	261	312	244	281	-
1999.....	172	176	174	181	204	261	274	210	276	-
All races, female										
2000.....	94	91	116	131	126	226	274	326	652	-
1999.....	79	93	93	122	143	219	256	294	645	-
White, both sexes										
2000.....	190	211	236	234	280	423	521	514	841	-
1999.....	168	206	207	238	291	430	467	452	827	-
White, male										
2000.....	126	136	150	129	182	229	280	221	244	-
1999.....	115	128	131	147	176	238	246	192	237	-
White, female										
2000.....	64	75	86	105	98	194	241	293	597	-
1999.....	53	78	76	91	115	192	221	260	590	-
All other, both sexes										
2000.....	78	59	70	58	74	64	65	56	92	-
1999.....	83	63	60	65	56	50	63	52	94	-
All other, male										
2000.....	48	43	40	32	46	32	32	23	37	-
1999.....	57	48	43	34	28	23	28	18	39	-
All other, female										
2000.....	30	16	30	26	28	32	33	33	55	-
1999.....	26	15	17	31	28	27	35	34	55	-
Black, both sexes										
2000.....	73	53	61	50	61	58	49	43	75	-
1999.....	75	58	54	59	51	39	47	43	72	-
Black, male										
2000.....	43	38	38	27	40	29	23	17	28	-
1999.....	53	44	39	30	26	16	22	13	28	-
Black, female										
2000.....	30	15	23	23	21	29	26	26	47	-
1999.....	22	14	15	29	25	23	25	30	44	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pancreatitis (K85,K86.0-K86.1)										
All races, both sexes										
2000.....	225	224	240	244	271	354	397	378	514	-
1999.....	223	230	205	235	280	358	380	334	531	-
All races, male										
2000.....	141	148	154	135	180	197	206	153	146	-
1999.....	152	149	136	147	167	198	194	135	151	-
All races, female										
2000.....	84	76	86	109	91	157	191	225	368	-
1999.....	71	81	69	88	113	160	186	199	380	-
White, both sexes										
2000.....	157	175	181	194	213	309	355	343	468	-
1999.....	147	170	159	184	237	317	333	300	481	-
White, male										
2000.....	101	112	119	107	142	172	183	138	127	-
1999.....	100	104	103	120	143	180	176	122	129	-
White, female										
2000.....	56	63	62	87	71	137	172	205	341	-
1999.....	47	66	56	64	94	137	157	178	352	-
All other, both sexes										
2000.....	68	49	59	50	58	45	42	35	46	-
1999.....	76	60	46	51	43	41	47	34	50	-
All other, male										
2000.....	40	36	35	28	38	25	23	15	19	-
1999.....	52	45	33	27	24	18	18	13	22	-
All other, female										
2000.....	28	13	24	22	20	20	19	20	27	-
1999.....	24	15	13	24	19	23	29	21	28	-
Black, both sexes										
2000.....	63	45	53	42	47	42	30	27	38	-
1999.....	68	55	43	46	41	31	36	28	40	-
Black, male										
2000.....	35	33	33	23	32	23	15	12	15	-
1999.....	48	41	32	23	23	12	15	10	16	-
Black, female										
2000.....	28	12	20	19	15	19	15	15	23	-
1999.....	20	14	11	23	18	19	21	18	24	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)										
All races, both sexes										
2000.....	43	46	66	48	83	133	189	192	419	-
1999.....	28	39	62	68	67	122	150	170	390	-
All races, male										
2000.....	33	31	36	26	48	64	106	91	135	-
1999.....	20	27	38	34	37	63	80	75	125	-
All races, female										
2000.....	10	15	30	22	35	69	83	101	284	-
1999.....	8	12	24	34	30	59	70	95	265	-
White, both sexes										
2000.....	33	36	55	40	67	114	166	171	373	-
1999.....	21	36	48	54	54	113	134	152	346	-
White, male										
2000.....	25	24	31	22	40	57	97	83	117	-
1999.....	15	24	28	27	33	58	70	70	108	-
White, female										
2000.....	8	12	24	18	27	57	69	88	256	-
1999.....	6	12	20	27	21	55	64	82	238	-
All other, both sexes										
2000.....	10	10	11	8	16	19	23	21	46	-
1999.....	7	3	14	14	13	9	16	18	44	-
All other, male										
2000.....	8	7	5	4	8	7	9	8	18	-
1999.....	5	3	10	7	4	5	10	5	17	-
All other, female										
2000.....	2	3	6	4	8	12	14	13	28	-
1999.....	2	-	4	7	9	4	6	13	27	-
Black, both sexes										
2000.....	10	8	8	8	14	16	19	16	37	-
1999.....	7	3	11	13	10	8	11	15	32	-
Black, male										
2000.....	8	5	5	4	8	6	8	5	13	-
1999.....	5	3	7	7	3	4	7	3	12	-
Black, female										
2000.....	2	3	3	4	6	10	11	11	24	-
1999.....	2	-	4	6	7	4	4	12	20	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All other diseases of digestive system (K90,K92)										
All races, both sexes										
2000.....	133	193	203	299	387	697	1,111	1,435	3,417	-
1999.....	128	170	223	300	452	686	1,034	1,358	3,208	1
All races, male										
2000.....	97	135	132	194	231	361	556	669	1,020	-
1999.....	92	118	143	183	267	388	522	619	964	-
All races, female										
2000.....	36	58	71	105	156	336	555	766	2,397	-
1999.....	36	52	80	117	185	298	512	739	2,244	1
White, both sexes										
2000.....	95	140	146	225	308	592	956	1,289	3,137	-
1999.....	98	122	175	233	367	589	894	1,223	2,970	-
White, male										
2000.....	70	103	98	150	189	305	480	604	941	-
1999.....	71	85	111	149	221	333	452	566	886	-
White, female										
2000.....	25	37	48	75	119	287	476	685	2,196	-
1999.....	27	37	64	84	146	256	442	657	2,084	-
All other, both sexes										
2000.....	38	53	57	74	79	105	155	146	280	-
1999.....	30	48	48	67	85	97	140	135	238	1
All other, male										
2000.....	27	32	34	44	42	56	76	65	79	-
1999.....	21	33	32	34	46	55	70	53	78	-
All other, female										
2000.....	11	21	23	30	37	49	79	81	201	-
1999.....	9	15	16	33	39	42	70	82	160	1
Black, both sexes										
2000.....	37	47	52	69	65	97	127	130	249	-
1999.....	28	39	41	59	71	90	123	115	207	1
Black, male										
2000.....	26	28	30	42	30	52	62	56	68	-
1999.....	19	27	31	29	38	49	61	44	61	-
Black, female										
2000.....	11	19	22	27	35	45	65	74	181	-
1999.....	9	12	10	30	33	41	62	71	146	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
XII. Diseases of the skin and subcutaneous tissue (L00-L98)										
All races, both sexes										
2000.....	85	85	125	158	197	350	473	629	1,471	1
1999.....	98	97	107	134	214	315	486	618	1,452	-
All races, male										
2000.....	38	37	63	83	72	158	185	226	364	1
1999.....	50	46	52	58	100	135	184	220	378	-
All races, female										
2000.....	47	48	62	75	125	192	288	403	1,107	-
1999.....	48	51	55	76	114	180	302	398	1,074	-
White, both sexes										
2000.....	49	60	88	114	140	245	349	493	1,138	-
1999.....	58	59	68	88	147	227	347	477	1,105	-
White, male										
2000.....	29	28	47	63	48	108	136	174	286	-
1999.....	27	29	34	40	72	97	129	171	300	-
White, female										
2000.....	20	32	41	51	92	137	213	319	852	-
1999.....	31	30	34	48	75	130	218	306	805	-
All other, both sexes										
2000.....	36	25	37	44	57	105	124	136	333	1
1999.....	40	38	39	46	67	88	139	141	347	-
All other, male										
2000.....	9	9	16	20	24	50	49	52	78	1
1999.....	23	17	18	18	28	38	55	49	78	-
All other, female										
2000.....	27	16	21	24	33	55	75	84	255	-
1999.....	17	21	21	28	39	50	84	92	269	-
Black, both sexes										
2000.....	33	20	34	40	54	94	112	128	311	1
1999.....	39	35	38	45	61	85	130	134	330	-
Black, male										
2000.....	8	7	14	18	24	45	43	49	71	1
1999.....	23	16	17	17	26	36	51	45	73	-
Black, female										
2000.....	25	13	20	22	30	49	69	79	240	-
1999.....	16	19	21	28	35	49	79	89	257	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Infections of skin and subcutaneous tissue (L00-L08)										
All races, both sexes										
2000.....	29	32	60	68	68	121	146	168	395	1
1999.....	46	36	44	52	67	95	108	143	345	-
All races, male										
2000.....	19	19	39	37	32	63	64	73	109	1
1999.....	30	22	27	22	31	40	39	60	108	-
All races, female										
2000.....	10	13	21	31	36	58	82	95	286	-
1999.....	16	14	17	30	36	55	69	83	237	-
White, both sexes										
2000.....	23	27	49	58	55	104	127	152	357	-
1999.....	27	26	31	40	56	83	99	134	313	-
White, male										
2000.....	16	16	33	34	25	54	56	66	97	-
1999.....	17	16	19	19	30	36	32	55	96	-
White, female										
2000.....	7	11	16	24	30	50	71	86	260	-
1999.....	10	10	12	21	26	47	67	79	217	-
All other, both sexes										
2000.....	6	5	11	10	13	17	19	16	38	1
1999.....	19	10	13	12	11	12	9	9	32	-
All other, male										
2000.....	3	3	6	3	7	9	8	7	12	1
1999.....	13	6	8	3	1	4	7	5	12	-
All other, female										
2000.....	3	2	5	7	6	8	11	9	26	-
1999.....	6	4	5	9	10	8	2	4	20	-
Black, both sexes										
2000.....	6	4	10	8	12	12	15	14	32	1
1999.....	18	9	13	12	8	10	7	8	28	-
Black, male										
2000.....	3	2	5	2	7	7	5	6	8	1
1999.....	13	6	8	3	-	3	6	4	10	-
Black, female										
2000.....	3	2	5	6	5	5	10	8	24	-
1999.....	5	3	5	9	8	7	1	4	18	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)										
All races, both sexes										
2000.....	56	53	65	90	129	229	327	461	1,076	-
1999.....	52	61	63	82	147	220	378	475	1,107	-
All races, male										
2000.....	19	18	24	46	40	95	121	153	255	-
1999.....	20	24	25	36	69	95	145	160	270	-
All races, female										
2000.....	37	35	41	44	89	134	206	308	821	-
1999.....	32	37	38	46	78	125	233	315	837	-
White, both sexes										
2000.....	26	33	39	56	85	141	222	341	781	-
1999.....	31	33	37	48	91	144	248	343	792	-
White, male										
2000.....	13	12	14	29	23	54	80	108	189	-
1999.....	10	13	15	21	42	61	97	116	204	-
White, female										
2000.....	13	21	25	27	62	87	142	233	592	-
1999.....	21	20	22	27	49	83	151	227	588	-
All other, both sexes										
2000.....	30	20	26	34	44	88	105	120	295	-
1999.....	21	28	26	34	56	76	130	132	315	-
All other, male										
2000.....	6	6	10	17	17	41	41	45	66	-
1999.....	10	11	10	15	27	34	48	44	66	-
All other, female										
2000.....	24	14	16	17	27	47	64	75	229	-
1999.....	11	17	16	19	29	42	82	88	249	-
Black, both sexes										
2000.....	27	16	24	32	42	82	97	114	279	-
1999.....	21	26	25	33	53	75	123	126	302	-
Black, male										
2000.....	5	5	9	16	17	38	38	43	63	-
1999.....	10	10	9	14	26	33	45	41	63	-
Black, female										
2000.....	22	11	15	16	25	44	59	71	216	-
1999.....	11	16	16	19	27	42	78	85	239	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)										
All races, both sexes										
2000.....	470	522	585	720	980	1,345	1,920	2,065	3,985	-
1999.....	471	533	567	717	962	1,380	1,876	1,921	3,790	-
All races, male										
2000.....	161	154	222	244	341	471	626	605	828	-
1999.....	143	177	194	241	304	485	608	557	760	-
All races, female										
2000.....	309	368	363	476	639	874	1,294	1,460	3,157	-
1999.....	328	356	373	476	658	895	1,268	1,364	3,030	-
White, both sexes										
2000.....	281	374	440	579	846	1,173	1,732	1,902	3,717	-
1999.....	300	372	427	584	802	1,231	1,699	1,798	3,556	-
White, male										
2000.....	109	115	179	198	292	395	556	549	746	-
1999.....	97	135	146	201	254	438	527	525	695	-
White, female										
2000.....	172	259	261	381	554	778	1,176	1,353	2,971	-
1999.....	203	237	281	383	548	793	1,172	1,273	2,861	-
All other, both sexes										
2000.....	189	148	145	141	134	172	188	163	268	-
1999.....	171	161	140	133	160	149	177	123	234	-
All other, male										
2000.....	52	39	43	46	49	76	70	56	82	-
1999.....	46	42	48	40	50	47	81	32	65	-
All other, female										
2000.....	137	109	102	95	85	96	118	107	186	-
1999.....	125	119	92	93	110	102	96	91	169	-
Black, both sexes										
2000.....	170	129	120	121	112	140	151	133	218	-
1999.....	156	130	117	113	138	129	151	94	189	-
Black, male										
2000.....	46	32	38	40	46	65	54	47	68	-
1999.....	42	34	38	32	47	42	71	24	54	-
Black, female										
2000.....	124	97	82	81	66	75	97	86	150	-
1999.....	114	96	79	81	91	87	80	70	135	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)										
All races, both sexes										
2000.....	35	57	85	155	256	390	556	576	546	-
1999.....	37	48	101	170	239	398	640	517	579	-
All races, male										
2000.....	8	12	29	45	74	121	133	121	85	-
1999.....	10	19	33	57	69	120	152	100	86	-
All races, female										
2000.....	27	45	56	110	182	269	423	455	461	-
1999.....	27	29	68	113	170	278	488	417	493	-
White, both sexes										
2000.....	27	50	72	139	235	364	517	546	513	-
1999.....	31	42	87	159	219	379	596	488	560	-
White, male										
2000.....	7	11	27	42	69	111	123	115	81	-
1999.....	9	16	29	55	62	115	138	96	84	-
White, female										
2000.....	20	39	45	97	166	253	394	431	432	-
1999.....	22	26	58	104	157	264	458	392	476	-
All other, both sexes										
2000.....	8	7	13	16	21	26	39	30	33	-
1999.....	6	6	14	11	20	19	44	29	19	-
All other, male										
2000.....	1	1	2	3	5	10	10	6	4	-
1999.....	1	3	4	2	7	5	14	4	2	-
All other, female										
2000.....	7	6	11	13	16	16	29	24	29	-
1999.....	5	3	10	9	13	14	30	25	17	-
Black, both sexes										
2000.....	7	7	9	13	15	18	26	21	25	-
1999.....	5	3	12	8	17	15	36	19	17	-
Black, male										
2000.....	1	1	2	2	5	9	5	5	3	-
1999.....	1	1	4	1	7	4	14	2	2	-
Black, female										
2000.....	6	6	7	11	10	9	21	16	22	-
1999.....	4	2	8	7	10	11	22	17	15	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Systemic lupus erythematosus (M32)

All races, both sexes										
2000.....	129	117	111	104	93	76	106	76	51	-
1999.....	133	117	92	87	98	108	98	64	60	-
All races, male										
2000.....	15	11	19	18	15	18	17	15	8	-
1999.....	16	17	13	11	11	17	18	13	12	-
All races, female										
2000.....	114	106	92	86	78	58	89	61	43	-
1999.....	117	100	79	76	87	91	80	51	48	-
White, both sexes										
2000.....	58	77	72	76	72	61	92	71	50	-
1999.....	77	71	63	67	67	87	89	59	55	-
White, male										
2000.....	7	8	12	15	13	16	16	13	8	-
1999.....	10	13	9	9	8	15	17	13	10	-
White, female										
2000.....	51	69	60	61	59	45	76	58	42	-
1999.....	67	58	54	58	59	72	72	46	45	-
All other, both sexes										
2000.....	71	40	39	28	21	15	14	5	1	-
1999.....	56	46	29	20	31	21	9	5	5	-
All other, male										
2000.....	8	3	7	3	2	2	1	2	-	-
1999.....	6	4	4	2	3	2	1	-	2	-
All other, female										
2000.....	63	37	32	25	19	13	13	3	1	-
1999.....	50	42	25	18	28	19	8	5	3	-
Black, both sexes										
2000.....	62	37	34	25	19	11	10	5	1	-
1999.....	54	34	27	17	28	19	7	3	4	-
Black, male										
2000.....	6	3	7	2	2	1	1	2	-	-
1999.....	6	2	4	1	3	2	-	-	1	-
Black, female										
2000.....	56	34	27	23	17	10	9	3	1	-
1999.....	48	32	23	16	25	17	7	3	3	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)										
All races, both sexes										
2000.....	193	227	245	299	385	530	644	649	1,188	-
1999.....	207	251	234	313	398	530	579	579	1,147	-
All races, male										
2000.....	69	70	94	98	122	157	223	205	259	-
1999.....	63	87	79	99	122	171	196	180	268	-
All races, female										
2000.....	124	157	151	201	263	373	421	444	929	-
1999.....	144	164	155	214	276	359	383	399	879	-
White, both sexes										
2000.....	115	154	184	240	336	459	588	598	1,105	-
1999.....	121	163	177	241	339	467	530	542	1,070	-
White, male										
2000.....	49	49	73	75	104	133	199	185	228	-
1999.....	37	63	58	78	105	152	174	171	252	-
White, female										
2000.....	66	105	111	165	232	326	389	413	877	-
1999.....	84	100	119	163	234	315	356	371	818	-
All other, both sexes										
2000.....	78	73	61	59	49	71	56	51	83	-
1999.....	86	88	57	72	59	63	49	37	77	-
All other, male										
2000.....	20	21	21	23	18	24	24	20	31	-
1999.....	26	24	21	21	17	19	22	9	16	-
All other, female										
2000.....	58	52	40	36	31	47	32	31	52	-
1999.....	60	64	36	51	42	44	27	28	61	-
Black, both sexes										
2000.....	71	61	48	48	36	59	42	43	70	-
1999.....	76	73	49	63	48	52	41	30	64	-
Black, male										
2000.....	18	16	16	20	15	19	17	18	24	-
1999.....	24	20	18	19	15	16	20	6	13	-
Black, female										
2000.....	53	45	32	28	21	40	25	25	46	-
1999.....	52	53	31	44	33	36	21	24	51	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Dorsopathies (M40-M54)										
All races, both sexes										
2000.....	23	23	29	41	63	78	127	164	260	-
1999.....	21	34	26	37	56	83	111	124	224	-
All races, male										
2000.....	12	16	14	23	35	45	46	69	80	-
1999.....	12	13	10	23	31	39	55	51	70	-
All races, female										
2000.....	11	7	15	18	28	33	81	95	180	-
1999.....	9	21	16	14	25	44	56	73	154	-
White, both sexes										
2000.....	20	19	25	38	55	66	114	149	245	-
1999.....	18	31	21	30	45	74	98	118	208	-
White, male										
2000.....	9	15	11	21	28	37	39	64	77	-
1999.....	11	12	9	17	27	34	47	49	63	-
White, female										
2000.....	11	4	14	17	27	29	75	85	168	-
1999.....	7	19	12	13	18	40	51	69	145	-
All other, both sexes										
2000.....	3	4	4	3	8	12	13	15	15	-
1999.....	3	3	5	7	11	9	13	6	16	-
All other, male										
2000.....	3	1	3	2	7	8	7	5	3	-
1999.....	1	1	1	6	4	5	8	2	7	-
All other, female										
2000.....	-	3	1	1	1	4	6	10	12	-
1999.....	2	2	4	1	7	4	5	4	9	-
Black, both sexes										
2000.....	3	3	4	3	8	12	13	10	11	-
1999.....	2	3	4	5	10	9	13	3	11	-
Black, male										
2000.....	3	1	3	2	7	8	7	2	2	-
1999.....	-	1	-	4	4	5	8	1	5	-
Black, female										
2000.....	-	2	1	1	1	4	6	8	9	-
1999.....	2	2	4	1	6	4	5	2	6	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Soft tissue disorders (M60-M79)										
All races, both sexes										
2000.....	71	68	70	61	80	108	149	116	178	-
1999.....	47	53	66	55	77	103	127	133	178	-
All races, male										
2000.....	44	29	39	28	40	61	78	64	82	-
1999.....	26	28	37	27	37	67	75	72	81	-
All races, female										
2000.....	27	39	31	33	40	47	71	52	96	-
1999.....	21	25	29	28	40	36	52	61	97	-
White, both sexes										
2000.....	49	51	52	43	66	85	115	101	153	-
1999.....	30	41	43	38	58	87	109	116	150	-
White, male										
2000.....	29	20	35	23	35	46	65	59	70	-
1999.....	17	21	27	19	29	58	62	61	68	-
White, female										
2000.....	20	31	17	20	31	39	50	42	83	-
1999.....	13	20	16	19	29	29	47	55	82	-
All other, both sexes										
2000.....	22	17	18	18	14	23	34	15	25	-
1999.....	17	12	23	17	19	16	18	17	28	-
All other, male										
2000.....	15	9	4	5	5	15	13	5	12	-
1999.....	9	7	10	8	8	9	13	11	13	-
All other, female										
2000.....	7	8	14	13	9	8	21	10	13	-
1999.....	8	5	13	9	11	7	5	6	15	-
Black, both sexes										
2000.....	20	15	15	16	14	19	30	15	23	-
1999.....	16	12	17	14	16	16	16	14	26	-
Black, male										
2000.....	13	8	4	5	5	13	11	5	11	-
1999.....	8	7	7	6	7	9	11	10	12	-
Black, female										
2000.....	7	7	11	11	9	6	19	10	12	-
1999.....	8	5	10	8	9	7	5	4	14	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)										
All races, both sexes										
2000.....	19	30	45	60	103	163	338	484	1,762	-
1999.....	26	30	48	55	94	158	321	504	1,602	-
All races, male										
2000.....	13	16	27	32	55	69	129	131	314	-
1999.....	16	13	22	24	34	71	112	141	243	-
All races, female										
2000.....	6	14	18	28	48	94	209	353	1,448	-
1999.....	10	17	26	31	60	87	209	363	1,359	-
White, both sexes										
2000.....	12	23	35	43	82	138	306	437	1,651	-
1999.....	23	24	36	49	74	137	277	475	1,513	-
White, male										
2000.....	8	12	21	22	43	52	114	113	282	-
1999.....	13	10	14	23	23	64	89	135	218	-
White, female										
2000.....	4	11	14	21	39	86	192	324	1,369	-
1999.....	10	14	22	26	51	73	188	340	1,295	-
All other, both sexes										
2000.....	7	7	10	17	21	25	32	47	111	-
1999.....	3	6	12	6	20	21	44	29	89	-
All other, male										
2000.....	5	4	6	10	12	17	15	18	32	-
1999.....	3	3	8	1	11	7	23	6	25	-
All other, female										
2000.....	2	3	4	7	9	8	17	29	79	-
1999.....	-	3	4	5	9	14	21	23	64	-
Black, both sexes										
2000.....	7	6	10	16	20	21	30	39	88	-
1999.....	3	5	8	6	19	18	38	25	67	-
Black, male										
2000.....	5	3	6	9	12	15	13	15	28	-
1999.....	3	3	5	1	11	6	18	5	21	-
Black, female										
2000.....	2	3	4	7	8	6	17	24	60	-
1999.....	-	2	3	5	8	12	20	20	46	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Osteoporosis (M80-M81)										
All races, both sexes										
2000.....	1	3	2	7	27	38	153	273	1,207	-
1999.....	2	1	5	8	28	42	147	281	1,124	-
All races, male										
2000.....	-	2	1	-	4	7	27	35	122	-
1999.....	-	1	1	-	5	6	22	39	84	-
All races, female										
2000.....	1	1	1	7	23	31	126	238	1,085	-
1999.....	2	-	4	8	23	36	125	242	1,040	-
White, both sexes										
2000.....	1	3	2	5	27	34	150	265	1,177	-
1999.....	2	1	5	7	27	42	143	275	1,095	-
White, male										
2000.....	-	2	1	-	4	6	24	35	115	-
1999.....	-	1	1	-	4	6	21	38	80	-
White, female										
2000.....	1	1	1	5	23	28	126	230	1,062	-
1999.....	2	-	4	7	23	36	122	237	1,015	-
All other, both sexes										
2000.....	-	-	-	2	-	4	3	8	30	-
1999.....	-	-	-	1	1	-	4	6	29	-
All other, male										
2000.....	-	-	-	-	-	1	3	-	7	-
1999.....	-	-	-	-	1	-	1	1	4	-
All other, female										
2000.....	-	-	-	2	-	3	-	8	23	-
1999.....	-	-	-	1	-	-	3	5	25	-
Black, both sexes										
2000.....	-	-	-	2	-	2	2	3	12	-
1999.....	-	-	-	1	1	-	4	3	12	-
Black, male										
2000.....	-	-	-	-	-	1	2	-	4	-
1999.....	-	-	-	-	1	-	1	-	2	-
Black, female										
2000.....	-	-	-	2	-	1	-	3	8	-
1999.....	-	-	-	1	-	-	3	3	10	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)										
All races, both sexes										
2000.....	18	27	43	53	76	125	185	211	555	-
1999.....	24	29	43	47	66	116	174	223	478	-
All races, male										
2000.....	13	14	26	32	51	62	102	96	192	-
1999.....	16	12	21	24	29	65	90	102	159	-
All races, female										
2000.....	5	13	17	21	25	63	83	115	363	-
1999.....	8	17	22	23	37	51	84	121	319	-
White, both sexes										
2000.....	11	20	33	38	55	104	156	172	474	-
1999.....	21	23	31	42	47	95	134	200	418	-
White, male										
2000.....	8	10	20	22	39	46	90	78	167	-
1999.....	13	9	13	23	19	58	68	97	138	-
White, female										
2000.....	3	10	13	16	16	58	66	94	307	-
1999.....	8	14	18	19	28	37	66	103	280	-
All other, both sexes										
2000.....	7	7	10	15	21	21	29	39	81	-
1999.....	3	6	12	5	19	21	40	23	60	-
All other, male										
2000.....	5	4	6	10	12	16	12	18	25	-
1999.....	3	3	8	1	10	7	22	5	21	-
All other, female										
2000.....	2	3	4	5	9	5	17	21	56	-
1999.....	-	3	4	4	9	14	18	18	39	-
Black, both sexes										
2000.....	7	6	10	14	20	19	28	36	76	-
1999.....	3	5	8	5	18	18	34	22	55	-
Black, male										
2000.....	5	3	6	9	12	14	11	15	24	-
1999.....	3	3	5	1	10	6	17	5	19	-
Black, female										
2000.....	2	3	4	5	8	5	17	21	52	-
1999.....	-	2	3	4	8	12	17	17	36	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
XIV. Diseases of the genitourinary system (N00-N98)										
All races, both sexes										
2000.....	855	1,191	1,546	2,235	3,474	5,362	8,293	10,032	19,985	3
1999.....	764	1,082	1,470	2,120	3,389	5,475	8,041	9,652	19,571	1
All races, male										
2000.....	505	655	821	1,135	1,742	2,625	3,989	4,461	6,963	3
1999.....	436	571	766	1,117	1,687	2,737	3,926	4,358	6,662	-
All races, female										
2000.....	350	536	725	1,100	1,732	2,737	4,304	5,571	13,022	-
1999.....	328	511	704	1,003	1,702	2,738	4,115	5,294	12,909	1
White, both sexes										
2000.....	505	728	1,000	1,531	2,495	4,131	6,916	8,665	17,673	2
1999.....	435	654	983	1,450	2,433	4,253	6,664	8,326	17,172	-
White, male										
2000.....	290	397	534	793	1,301	2,105	3,379	3,923	6,222	2
1999.....	244	347	541	773	1,237	2,169	3,283	3,799	5,859	-
White, female										
2000.....	215	331	466	738	1,194	2,026	3,537	4,742	11,451	-
1999.....	191	307	442	677	1,196	2,084	3,381	4,527	11,313	-
All other, both sexes										
2000.....	350	463	546	704	979	1,231	1,377	1,367	2,312	1
1999.....	329	428	487	670	956	1,222	1,377	1,326	2,399	1
All other, male										
2000.....	215	258	287	342	441	520	610	538	741	1
1999.....	192	224	225	344	450	568	643	559	803	-
All other, female										
2000.....	135	205	259	362	538	711	767	829	1,571	-
1999.....	137	204	262	326	506	654	734	767	1,596	1
Black, both sexes										
2000.....	331	423	494	636	874	1,094	1,235	1,215	2,038	1
1999.....	309	401	429	603	855	1,089	1,232	1,167	2,130	1
Black, male										
2000.....	206	235	260	305	393	466	549	473	621	1
1999.....	183	214	194	310	393	508	570	497	685	-
Black, female										
2000.....	125	188	234	331	481	628	686	742	1,417	-
1999.....	126	187	235	293	462	581	662	670	1,445	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diseases of urinary system (N00-N39)										
All races, both sexes										
2000.....	837	1,167	1,526	2,209	3,427	5,285	8,174	9,858	19,607	2
1999.....	748	1,061	1,444	2,084	3,342	5,399	7,913	9,477	19,216	1
All races, male										
2000.....	504	649	809	1,116	1,718	2,577	3,912	4,345	6,711	2
1999.....	434	560	755	1,097	1,656	2,686	3,847	4,228	6,408	-
All races, female										
2000.....	333	518	717	1,093	1,709	2,708	4,262	5,513	12,896	-
1999.....	314	501	689	987	1,686	2,713	4,066	5,249	12,808	1
White, both sexes										
2000.....	491	708	987	1,510	2,458	4,066	6,813	8,507	17,332	2
1999.....	427	641	963	1,423	2,397	4,195	6,555	8,168	16,850	-
White, male										
2000.....	289	394	527	779	1,281	2,065	3,315	3,816	5,995	2
1999.....	243	342	534	759	1,212	2,129	3,209	3,683	5,627	-
White, female										
2000.....	202	314	460	731	1,177	2,001	3,498	4,691	11,337	-
1999.....	184	299	429	664	1,185	2,066	3,346	4,485	11,223	-
All other, both sexes										
2000.....	346	459	539	699	969	1,219	1,361	1,351	2,275	-
1999.....	321	420	481	661	945	1,204	1,358	1,309	2,366	1
All other, male										
2000.....	215	255	282	337	437	512	597	529	716	-
1999.....	191	218	221	338	444	557	638	545	781	-
All other, female										
2000.....	131	204	257	362	532	707	764	822	1,559	-
1999.....	130	202	260	323	501	647	720	764	1,585	1
Black, both sexes										
2000.....	327	420	487	631	865	1,083	1,221	1,201	2,009	-
1999.....	301	394	423	594	844	1,072	1,214	1,150	2,099	1
Black, male										
2000.....	206	232	255	300	389	459	538	465	603	-
1999.....	182	209	190	304	387	498	565	483	665	-
Black, female										
2000.....	121	188	232	331	476	624	683	736	1,406	-
1999.....	119	185	233	290	457	574	649	667	1,434	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Glomerular and renal tubulo-interstitial diseases (N00-N15)										
All races, both sexes										
2000.....	50	60	68	77	113	171	274	323	664	-
1999.....	49	78	75	82	120	199	309	350	682	-
All races, male										
2000.....	24	35	30	37	53	64	131	132	246	-
1999.....	22	35	35	43	54	76	145	176	270	-
All races, female										
2000.....	26	25	38	40	60	107	143	191	418	-
1999.....	27	43	40	39	66	123	164	174	412	-
White, both sexes										
2000.....	37	33	56	58	89	144	234	281	585	-
1999.....	42	57	60	58	90	162	274	315	614	-
White, male										
2000.....	20	17	26	28	39	55	114	119	216	-
1999.....	18	26	28	31	41	57	130	158	238	-
White, female										
2000.....	17	16	30	30	50	89	120	162	369	-
1999.....	24	31	32	27	49	105	144	157	376	-
All other, both sexes										
2000.....	13	27	12	19	24	27	40	42	79	-
1999.....	7	21	15	24	30	37	35	35	68	-
All other, male										
2000.....	4	18	4	9	14	9	17	13	30	-
1999.....	4	9	7	12	13	19	15	18	32	-
All other, female										
2000.....	9	9	8	10	10	18	23	29	49	-
1999.....	3	12	8	12	17	18	20	17	36	-
Black, both sexes										
2000.....	11	26	9	15	22	21	34	32	58	-
1999.....	6	19	12	18	23	33	28	26	62	-
Black, male										
2000.....	3	17	3	9	13	7	14	10	21	-
1999.....	4	9	5	10	10	18	12	12	30	-
Black, female										
2000.....	8	9	6	6	9	14	20	22	37	-
1999.....	2	10	7	8	13	15	16	14	32	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Glomerular diseases (N00-N07)										
All races, both sexes										
2000.....	21	32	32	34	54	72	87	120	154	-
1999.....	21	32	30	43	46	82	127	113	154	-
All races, male										
2000.....	13	23	17	21	30	33	53	47	69	-
1999.....	12	17	14	23	21	33	66	61	67	-
All races, female										
2000.....	8	9	15	13	24	39	34	73	85	-
1999.....	9	15	16	20	25	49	61	52	87	-
White, both sexes										
2000.....	15	15	25	25	40	64	74	107	125	-
1999.....	17	21	20	30	33	70	111	94	129	-
White, male										
2000.....	11	10	14	16	22	31	46	44	54	-
1999.....	10	12	9	17	16	27	60	50	55	-
White, female										
2000.....	4	5	11	9	18	33	28	63	71	-
1999.....	7	9	11	13	17	43	51	44	74	-
All other, both sexes										
2000.....	6	17	7	9	14	8	13	13	29	-
1999.....	4	11	10	13	13	12	16	19	25	-
All other, male										
2000.....	2	13	3	5	8	2	7	3	15	-
1999.....	2	5	5	6	5	6	6	11	12	-
All other, female										
2000.....	4	4	4	4	6	6	6	10	14	-
1999.....	2	6	5	7	8	6	10	8	13	-
Black, both sexes										
2000.....	6	16	5	7	12	6	10	12	17	-
1999.....	3	10	7	8	10	9	12	12	22	-
Black, male										
2000.....	2	12	2	5	7	1	4	3	8	-
1999.....	2	5	3	5	3	5	5	6	10	-
Black, female										
2000.....	4	4	3	2	5	5	6	9	9	-
1999.....	1	5	4	3	7	4	7	6	12	-

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Nephrotic syndrome (N04)										
All races, both sexes										
2000.....	5	10	1	8	10	14	14	30	41	-
1999.....	6	4	4	9	6	24	32	22	28	-
All races, male										
2000.....	2	8	1	6	6	4	10	10	18	-
1999.....	3	3	1	3	1	11	12	16	12	-
All races, female										
2000.....	3	2	-	2	4	10	4	20	23	-
1999.....	3	1	3	6	5	13	20	6	16	-
White, both sexes										
2000.....	2	4	1	8	6	12	11	28	36	-
1999.....	4	2	3	5	6	20	27	17	24	-
White, male										
2000.....	2	3	1	6	3	4	8	9	14	-
1999.....	2	2	1	2	1	9	10	12	9	-
White, female										
2000.....	-	1	-	2	3	8	3	19	22	-
1999.....	2	-	2	3	5	11	17	5	15	-
All other, both sexes										
2000.....	3	6	-	-	4	2	3	2	5	-
1999.....	2	2	1	4	-	4	5	5	4	-
All other, male										
2000.....	-	5	-	-	3	-	2	1	4	-
1999.....	1	1	-	1	-	2	2	4	3	-
All other, female										
2000.....	3	1	-	-	1	2	1	1	1	-
1999.....	1	1	1	3	-	2	3	1	1	-
Black, both sexes										
2000.....	3	6	-	-	3	2	2	2	2	-
1999.....	2	2	1	3	-	3	3	3	3	-
Black, male										
2000.....	-	5	-	-	2	-	1	1	1	-
1999.....	1	1	-	1	-	2	1	2	2	-
Black, female										
2000.....	3	1	-	-	1	2	1	1	1	-
1999.....	1	1	1	2	-	1	2	1	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified glomerular diseases (N02-N03,N05-N07)										
All races, both sexes										
2000.....	16	21	30	26	41	56	71	84	105	-
1999.....	15	27	25	32	36	55	90	88	120	-
All races, male										
2000.....	11	14	15	15	23	28	42	32	47	-
1999.....	9	14	12	19	16	21	51	44	53	-
All races, female										
2000.....	5	7	15	11	18	28	29	52	58	-
1999.....	6	13	13	13	20	34	39	44	67	-
White, both sexes										
2000.....	13	11	23	17	32	50	62	73	81	-
1999.....	13	18	17	24	24	47	79	74	100	-
White, male										
2000.....	9	7	12	10	18	26	37	30	36	-
1999.....	8	10	8	15	12	17	47	37	45	-
White, female										
2000.....	4	4	11	7	14	24	25	43	45	-
1999.....	5	8	9	9	12	30	32	37	55	-
All other, both sexes										
2000.....	3	10	7	9	9	6	9	11	24	-
1999.....	2	9	8	8	12	8	11	14	20	-
All other, male										
2000.....	2	7	3	5	5	2	5	2	11	-
1999.....	1	4	4	4	4	4	4	7	8	-
All other, female										
2000.....	1	3	4	4	4	4	4	9	13	-
1999.....	1	5	4	4	8	4	7	7	12	-
Black, both sexes										
2000.....	3	9	5	7	8	4	7	10	15	-
1999.....	1	8	6	4	10	6	9	9	18	-
Black, male										
2000.....	2	6	2	5	5	1	3	2	7	-
1999.....	1	4	3	3	3	3	4	4	7	-
Black, female										
2000.....	1	3	3	2	3	3	4	8	8	-
1999.....	-	4	3	1	7	3	5	5	11	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Renal tubulo-interstitial diseases (N10-N15)										
All races, both sexes										
2000.....	29	28	36	43	59	99	187	203	510	-
1999.....	28	46	45	39	74	117	182	237	528	-
All races, male										
2000.....	11	12	13	16	23	31	78	85	177	-
1999.....	10	18	21	20	33	43	79	115	203	-
All races, female										
2000.....	18	16	23	27	36	68	109	118	333	-
1999.....	18	28	24	19	41	74	103	122	325	-
White, both sexes										
2000.....	22	18	31	33	49	80	160	174	460	-
1999.....	25	36	40	28	57	92	163	221	485	-
White, male										
2000.....	9	7	12	12	17	24	68	75	162	-
1999.....	8	14	19	14	25	30	70	108	183	-
White, female										
2000.....	13	11	19	21	32	56	92	99	298	-
1999.....	17	22	21	14	32	62	93	113	302	-
All other, both sexes										
2000.....	7	10	5	10	10	19	27	29	50	-
1999.....	3	10	5	11	17	25	19	16	43	-
All other, male										
2000.....	2	5	1	4	6	7	10	10	15	-
1999.....	2	4	2	6	8	13	9	7	20	-
All other, female										
2000.....	5	5	4	6	4	12	17	19	35	-
1999.....	1	6	3	5	9	12	10	9	23	-
Black, both sexes										
2000.....	5	10	4	8	10	15	24	20	41	-
1999.....	3	9	5	10	13	24	16	14	40	-
Black, male										
2000.....	1	5	1	4	6	6	10	7	13	-
1999.....	2	4	2	5	7	13	7	6	20	-
Black, female										
2000.....	4	5	3	4	4	9	14	13	28	-
1999.....	1	5	3	5	6	11	9	8	20	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Renal failure (N17-N19)										
All races, both sexes										
2000.....	658	932	1,234	1,789	2,754	4,094	5,794	6,429	11,603	2
1999.....	586	836	1,144	1,640	2,641	4,056	5,560	6,092	10,998	-
All races, male										
2000.....	415	526	678	929	1,412	2,080	2,981	3,121	4,591	2
1999.....	352	462	612	880	1,340	2,100	2,912	2,976	4,351	-
All races, female										
2000.....	243	406	556	860	1,342	2,014	2,813	3,308	7,012	-
1999.....	234	374	532	760	1,301	1,956	2,648	3,116	6,647	-
White, both sexes										
2000.....	356	545	761	1,188	1,925	3,103	4,774	5,491	10,168	2
1999.....	302	482	722	1,093	1,870	3,102	4,551	5,150	9,488	-
White, male										
2000.....	223	311	428	643	1,048	1,661	2,517	2,736	4,106	2
1999.....	181	269	415	601	986	1,675	2,426	2,570	3,831	-
White, female										
2000.....	133	234	333	545	877	1,442	2,257	2,755	6,062	-
1999.....	121	213	307	492	884	1,427	2,125	2,580	5,657	-
All other, both sexes										
2000.....	302	387	473	601	829	991	1,020	938	1,435	-
1999.....	284	354	422	547	771	954	1,009	942	1,510	-
All other, male										
2000.....	192	215	250	286	364	419	464	385	485	-
1999.....	171	193	197	279	354	425	486	406	520	-
All other, female										
2000.....	110	172	223	315	465	572	556	553	950	-
1999.....	113	161	225	268	417	529	523	536	990	-
Black, both sexes										
2000.....	291	353	431	548	743	889	918	846	1,280	-
1999.....	267	335	374	494	692	855	902	836	1,334	-
Black, male										
2000.....	187	195	225	257	326	380	416	341	417	-
1999.....	162	184	169	252	310	380	431	368	438	-
Black, female										
2000.....	104	158	206	291	417	509	502	505	863	-
1999.....	105	151	205	242	382	475	471	468	896	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Urolithiasis (N20-N23)										
All races, both sexes										
2000.....	6	11	10	8	16	21	50	45	76	-
1999.....	3	7	10	20	15	25	25	44	78	-
All races, male										
2000.....	3	9	3	3	4	11	15	21	21	-
1999.....	1	6	8	10	10	8	12	18	18	-
All races, female										
2000.....	3	2	7	5	12	10	35	24	55	-
1999.....	2	1	2	10	5	17	13	26	60	-
White, both sexes										
2000.....	5	10	6	8	15	18	45	44	68	-
1999.....	3	5	9	19	11	22	21	43	70	-
White, male										
2000.....	2	8	2	3	3	9	15	21	21	-
1999.....	1	4	7	10	7	8	10	17	15	-
White, female										
2000.....	3	2	4	5	12	9	30	23	47	-
1999.....	2	1	2	9	4	14	11	26	55	-
All other, both sexes										
2000.....	1	1	4	-	1	3	5	1	8	-
1999.....	-	2	1	1	4	3	4	1	8	-
All other, male										
2000.....	1	1	1	-	1	2	-	-	-	-
1999.....	-	2	1	-	3	-	2	1	3	-
All other, female										
2000.....	-	-	3	-	-	1	5	1	8	-
1999.....	-	-	-	1	1	3	2	-	5	-
Black, both sexes										
2000.....	1	1	3	-	-	3	5	-	4	-
1999.....	-	2	-	1	3	2	3	-	8	-
Black, male										
2000.....	1	1	1	-	-	2	-	-	-	-
1999.....	-	2	-	-	2	-	2	-	3	-
Black, female										
2000.....	-	-	2	-	-	1	5	-	4	-
1999.....	-	-	-	1	1	2	1	-	5	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified disorders of kidney (N25-N27)										
All races, both sexes										
2000.....	8	-	3	8	3	13	12	16	20	-
1999.....	1	4	2	5	7	9	20	15	18	-
All races, male										
2000.....	5	-	2	4	2	7	5	6	11	-
1999.....	1	2	1	-	5	5	8	8	10	-
All races, female										
2000.....	3	-	1	4	1	6	7	10	9	-
1999.....	-	2	1	5	2	4	12	7	8	-
White, both sexes										
2000.....	5	-	3	7	1	11	9	15	18	-
1999.....	1	2	1	2	5	7	17	11	13	-
White, male										
2000.....	3	-	2	3	1	6	4	6	11	-
1999.....	1	1	1	-	3	4	6	7	8	-
White, female										
2000.....	2	-	1	4	-	5	5	9	7	-
1999.....	-	1	-	2	2	3	11	4	5	-
All other, both sexes										
2000.....	3	-	-	1	2	2	3	1	2	-
1999.....	-	2	1	3	2	2	3	4	5	-
All other, male										
2000.....	2	-	-	1	1	1	1	-	-	-
1999.....	-	1	-	-	2	1	2	1	2	-
All other, female										
2000.....	1	-	-	-	1	1	2	1	2	-
1999.....	-	1	1	3	-	1	1	3	3	-
Black, both sexes										
2000.....	3	-	-	-	1	2	3	-	2	-
1999.....	-	2	1	3	2	1	3	4	3	-
Black, male										
2000.....	2	-	-	-	1	1	1	-	-	-
1999.....	-	1	-	-	2	-	2	1	1	-
Black, female										
2000.....	1	-	-	-	-	1	2	-	2	-
1999.....	-	1	1	3	-	1	1	3	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Urinary tract infection, site not specified (N39.0)										
All races, both sexes										
2000.....	82	115	155	267	463	878	1,896	2,853	6,927	-
1999.....	83	100	160	275	483	992	1,866	2,792	7,145	-
All races, male										
2000.....	38	52	66	110	200	358	711	962	1,715	-
1999.....	37	35	69	132	194	426	703	965	1,641	-
All races, female										
2000.....	44	63	89	157	263	520	1,185	1,891	5,212	-
1999.....	46	65	91	143	289	566	1,163	1,827	5,504	-
White, both sexes										
2000.....	65	80	123	200	370	709	1,623	2,508	6,213	-
1999.....	61	71	132	204	365	807	1,583	2,498	6,396	-
White, male										
2000.....	28	34	49	78	154	289	607	839	1,528	-
1999.....	28	29	60	95	139	328	581	857	1,426	-
White, female										
2000.....	37	46	74	122	216	420	1,016	1,669	4,685	-
1999.....	33	42	72	109	226	479	1,002	1,641	4,970	-
All other, both sexes										
2000.....	17	35	32	67	93	169	273	345	714	-
1999.....	22	29	28	71	118	185	283	294	749	-
All other, male										
2000.....	10	18	17	32	46	69	104	123	187	-
1999.....	9	6	9	37	55	98	122	108	215	-
All other, female										
2000.....	7	17	15	35	47	100	169	222	527	-
1999.....	13	23	19	34	63	87	161	186	534	-
Black, both sexes										
2000.....	13	32	29	61	82	145	244	304	629	-
1999.....	21	25	24	64	108	160	256	257	668	-
Black, male										
2000.....	9	17	17	29	38	60	96	108	152	-
1999.....	9	6	9	33	50	88	109	92	184	-
Black, female										
2000.....	4	15	12	32	44	85	148	196	477	-
1999.....	12	19	15	31	58	72	147	165	484	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other diseases of urinary system (N28-N36,N39.1-N39.9)										
All races, both sexes										
2000.....	33	49	56	60	78	108	148	192	317	-
1999.....	26	36	53	62	76	118	133	184	295	1
All races, male										
2000.....	19	27	30	33	47	57	69	103	127	-
1999.....	21	20	30	32	53	71	67	85	118	-
All races, female										
2000.....	14	22	26	27	31	51	79	89	190	-
1999.....	5	16	23	30	23	47	66	99	177	1
White, both sexes										
2000.....	23	40	38	49	58	81	128	168	280	-
1999.....	18	24	39	47	56	95	109	151	269	-
White, male										
2000.....	13	24	20	24	36	45	58	95	113	-
1999.....	14	13	23	22	36	57	56	74	109	-
White, female										
2000.....	10	16	18	25	22	36	70	73	167	-
1999.....	4	11	16	25	20	38	53	77	160	-
All other, both sexes										
2000.....	10	9	18	11	20	27	20	24	37	-
1999.....	8	12	14	15	20	23	24	33	26	1
All other, male										
2000.....	6	3	10	9	11	12	11	8	14	-
1999.....	7	7	7	10	17	14	11	11	9	-
All other, female										
2000.....	4	6	8	2	9	15	9	16	23	-
1999.....	1	5	7	5	3	9	13	22	17	1
Black, both sexes										
2000.....	8	8	15	7	17	23	17	19	36	-
1999.....	7	11	12	14	16	21	22	27	24	1
Black, male										
2000.....	4	2	9	5	11	9	11	6	13	-
1999.....	7	7	7	9	13	12	9	10	9	-
Black, female										
2000.....	4	6	6	2	6	14	6	13	23	-
1999.....	-	4	5	5	3	9	13	17	15	1

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Disorders of breast (N60-N64)										
All races, both sexes										
2000.....	1	3	1	-	2	2	4	8	19	-
1999.....	3	1	1	2	-	3	6	5	17	-
All races, male										
2000.....	-	-	-	-	-	-	1	-	-	-
1999.....	-	1	-	-	-	-	-	-	1	-
All races, female										
2000.....	1	3	1	-	2	2	3	8	19	-
1999.....	3	-	1	2	-	3	6	5	16	-
White, both sexes										
2000.....	1	3	1	-	-	2	4	8	15	-
1999.....	2	1	1	2	-	1	3	4	15	-
White, male										
2000.....	-	-	-	-	-	-	1	-	-	-
1999.....	-	1	-	-	-	-	-	-	1	-
White, female										
2000.....	1	3	1	-	-	2	3	8	15	-
1999.....	2	-	1	2	-	1	3	4	14	-
All other, both sexes										
2000.....	-	-	-	-	2	-	-	-	4	-
1999.....	1	-	-	-	-	2	3	1	2	-
All other, male										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-
All other, female										
2000.....	-	-	-	-	2	-	-	-	4	-
1999.....	1	-	-	-	-	2	3	1	2	-
Black, both sexes										
2000.....	-	-	-	-	2	-	-	-	4	-
1999.....	1	-	-	-	-	2	2	1	2	-
Black, male										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-
Black, female										
2000.....	-	-	-	-	2	-	-	-	4	-
1999.....	1	-	-	-	-	2	2	1	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Disorders of female genital organs (N70-N98)										
All races, both sexes										
2000.....	16	15	7	7	21	27	39	50	107	-
1999.....	11	10	14	14	16	22	43	40	85	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	16	15	7	7	21	27	39	50	107	-
1999.....	11	10	14	14	16	22	43	40	85	-
White, both sexes										
2000.....	12	14	5	7	17	23	36	43	99	-
1999.....	5	8	12	11	11	17	32	38	76	-
White, male										
2000.....
1999.....
White, female										
2000.....	12	14	5	7	17	23	36	43	99	-
1999.....	5	8	12	11	11	17	32	38	76	-
All other, both sexes										
2000.....	4	1	2	-	4	4	3	7	8	-
1999.....	6	2	2	3	5	5	11	2	9	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	4	1	2	-	4	4	3	7	8	-
1999.....	6	2	2	3	5	5	11	2	9	-
Black, both sexes										
2000.....	4	-	2	-	3	4	3	6	7	-
1999.....	6	2	2	3	5	5	11	2	9	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	4	-	2	-	3	4	3	6	7	-
1999.....	6	2	2	3	5	5	11	2	9	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Inflammatory diseases of female pelvic organs (N70-N76)										
All races, both sexes										
2000.....	6	3	4	4	11	10	17	12	27	-
1999.....	4	2	6	7	4	11	15	17	18	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	6	3	4	4	11	10	17	12	27	-
1999.....	4	2	6	7	4	11	15	17	18	-
White, both sexes										
2000.....	4	3	2	4	9	8	15	11	24	-
1999.....	2	2	6	6	2	8	10	16	17	-
White, male										
2000.....
1999.....
White, female										
2000.....	4	3	2	4	9	8	15	11	24	-
1999.....	2	2	6	6	2	8	10	16	17	-
All other, both sexes										
2000.....	2	-	2	-	2	2	2	1	3	-
1999.....	2	-	-	1	2	3	5	1	1	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	2	-	2	-	2	2	2	1	3	-
1999.....	2	-	-	1	2	3	5	1	1	-
Black, both sexes										
2000.....	2	-	2	-	2	2	2	1	2	-
1999.....	2	-	-	1	2	3	5	1	1	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	2	-	2	-	2	2	2	1	2	-
1999.....	2	-	-	1	2	3	5	1	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Noninflammatory disorders of female genital tract (N80-N98)										
All races, both sexes										
2000.....	10	12	3	3	10	17	22	38	80	-
1999.....	7	8	8	7	12	11	28	23	67	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	10	12	3	3	10	17	22	38	80	-
1999.....	7	8	8	7	12	11	28	23	67	-
White, both sexes										
2000.....	8	11	3	3	8	15	21	32	75	-
1999.....	3	6	6	5	9	9	22	22	59	-
White, male										
2000.....
1999.....
White, female										
2000.....	8	11	3	3	8	15	21	32	75	-
1999.....	3	6	6	5	9	9	22	22	59	-
All other, both sexes										
2000.....	2	1	-	-	2	2	1	6	5	-
1999.....	4	2	2	2	3	2	6	1	8	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	2	1	-	-	2	2	1	6	5	-
1999.....	4	2	2	2	3	2	6	1	8	-
Black, both sexes										
2000.....	2	-	-	-	1	2	1	5	5	-
1999.....	4	2	2	2	3	2	6	1	8	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	2	-	-	-	1	2	1	5	5	-
1999.....	4	2	2	2	3	2	6	1	8	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

XV. Pregnancy, childbirth and the puerperium (000-099)

All races, both sexes										
2000.....	5	1	-
1999.....	5	2	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	5	1	-
1999.....	5	2	-
White, both sexes										
2000.....	2	1	-
1999.....	4	-	-
White, male										
2000.....
1999.....
White, female										
2000.....	2	1	-
1999.....	4	-	-
All other, both sexes										
2000.....	3	-	-
1999.....	1	2	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	3	-	-
1999.....	1	2	-
Black, both sexes										
2000.....	3	-	-
1999.....	-	2	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	3	-	-
1999.....	-	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pregnancy with abortive outcome (000-007)										
All races, both sexes										
2000.....	-	-	-
1999.....	-	-	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	-	-	-
1999.....	-	-	-
White, both sexes										
2000.....	-	-	-
1999.....	-	-	-
White, male										
2000.....
1999.....
White, female										
2000.....	-	-	-
1999.....	-	-	-
All other, both sexes										
2000.....	-	-	-
1999.....	-	-	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	-	-	-
1999.....	-	-	-
Black, both sexes										
2000.....	-	-	-
1999.....	-	-	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	-	-	-
1999.....	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Ectopic pregnancy (000)										
All races, both sexes										
2000.....	-	-	-
1999.....	-	-	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	-	-	-
1999.....	-	-	-
White, both sexes										
2000.....	-	-	-
1999.....	-	-	-
White, male										
2000.....
1999.....
White, female										
2000.....	-	-	-
1999.....	-	-	-
All other, both sexes										
2000.....	-	-	-
1999.....	-	-	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	-	-	-
1999.....	-	-	-
Black, both sexes										
2000.....	-	-	-
1999.....	-	-	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	-	-	-
1999.....	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Spontaneous abortion (003)										
All races, both sexes										
2000.....	-	-	-
1999.....	-	-	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	-	-	-
1999.....	-	-	-
White, both sexes										
2000.....	-	-	-
1999.....	-	-	-
White, male										
2000.....
1999.....
White, female										
2000.....	-	-	-
1999.....	-	-	-
All other, both sexes										
2000.....	-	-	-
1999.....	-	-	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	-	-	-
1999.....	-	-	-
Black, both sexes										
2000.....	-	-	-
1999.....	-	-	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	-	-	-
1999.....	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Medical abortion (004)										
All races, both sexes										
2000.....	-	-	-
1999.....	-	-	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	-	-	-
1999.....	-	-	-
White, both sexes										
2000.....	-	-	-
1999.....	-	-	-
White, male										
2000.....
1999.....
White, female										
2000.....	-	-	-
1999.....	-	-	-
All other, both sexes										
2000.....	-	-	-
1999.....	-	-	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	-	-	-
1999.....	-	-	-
Black, both sexes										
2000.....	-	-	-
1999.....	-	-	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	-	-	-
1999.....	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other abortion (005)										
All races, both sexes										
2000.....	-	-	-
1999.....	-	-	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	-	-	-
1999.....	-	-	-
White, both sexes										
2000.....	-	-	-
1999.....	-	-	-
White, male										
2000.....
1999.....
White, female										
2000.....	-	-	-
1999.....	-	-	-
All other, both sexes										
2000.....	-	-	-
1999.....	-	-	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	-	-	-
1999.....	-	-	-
Black, both sexes										
2000.....	-	-	-
1999.....	-	-	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	-	-	-
1999.....	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified pregnancy with abortive outcome (001-002,006-007)										
All races, both sexes										
2000.....	-	-	-
1999.....	-	-	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	-	-	-
1999.....	-	-	-
White, both sexes										
2000.....	-	-	-
1999.....	-	-	-
White, male										
2000.....
1999.....
White, female										
2000.....	-	-	-
1999.....	-	-	-
All other, both sexes										
2000.....	-	-	-
1999.....	-	-	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	-	-	-
1999.....	-	-	-
Black, both sexes										
2000.....	-	-	-
1999.....	-	-	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	-	-	-
1999.....	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other direct obstetric deaths (010-092)										
All races, both sexes										
2000.....	4	1	-
1999.....	4	-	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	4	1	-
1999.....	4	-	-
White, both sexes										
2000.....	2	1	-
1999.....	3	-	-
White, male										
2000.....
1999.....
White, female										
2000.....	2	1	-
1999.....	3	-	-
All other, both sexes										
2000.....	2	-	-
1999.....	1	-	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	2	-	-
1999.....	1	-	-
Black, both sexes										
2000.....	2	-	-
1999.....	-	-	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	2	-	-
1999.....	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Eclampsia and pre-eclampsia (011,013-016)										
All races, both sexes										
2000.....	1	1	-
1999.....	1	-	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	1	1	-
1999.....	1	-	-
White, both sexes										
2000.....	-	1	-
1999.....	1	-	-
White, male										
2000.....
1999.....
White, female										
2000.....	-	1	-
1999.....	1	-	-
All other, both sexes										
2000.....	1	-	-
1999.....	-	-	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	1	-	-
1999.....	-	-	-
Black, both sexes										
2000.....	1	-	-
1999.....	-	-	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	1	-	-
1999.....	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hemorrhage of pregnancy and childbirth and placenta previa (020,044-046,067,072)										
All races, both sexes										
2000.....	-	-	-
1999.....	-	-	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	-	-	-
1999.....	-	-	-
White, both sexes										
2000.....	-	-	-
1999.....	-	-	-
White, male										
2000.....
1999.....
White, female										
2000.....	-	-	-
1999.....	-	-	-
All other, both sexes										
2000.....	-	-	-
1999.....	-	-	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	-	-	-
1999.....	-	-	-
Black, both sexes										
2000.....	-	-	-
1999.....	-	-	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	-	-	-
1999.....	-	-	-

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

All races, both sexes										
2000.....	2	-	-
1999.....	3	-	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	2	-	-
1999.....	3	-	-
White, both sexes										
2000.....	2	-	-
1999.....	2	-	-
White, male										
2000.....
1999.....
White, female										
2000.....	2	-	-
1999.....	2	-	-
All other, both sexes										
2000.....	-	-	-
1999.....	1	-	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	-	-	-
1999.....	1	-	-
Black, both sexes										
2000.....	-	-	-
1999.....	-	-	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	-	-	-
1999.....	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Obstetric embolism (088)										
All races, both sexes										
2000.....	1	-	-
1999.....	2	-	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	1	-	-
1999.....	2	-	-
White, both sexes										
2000.....	1	-	-
1999.....	1	-	-
White, male										
2000.....
1999.....
White, female										
2000.....	1	-	-
1999.....	1	-	-
All other, both sexes										
2000.....	-	-	-
1999.....	1	-	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	-	-	-
1999.....	1	-	-
Black, both sexes										
2000.....	-	-	-
1999.....	-	-	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	-	-	-
1999.....	-	-	-

All other direct obstetric causes (010,012,021-043,047-066,068-071,073-075)

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Obstetric death of unspecified cause (095)										
All races, both sexes										
2000.....	-	-	-
1999.....	-	-	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	-	-	-
1999.....	-	-	-
White, both sexes										
2000.....	-	-	-
1999.....	-	-	-
White, male										
2000.....
1999.....
White, female										
2000.....	-	-	-
1999.....	-	-	-
All other, both sexes										
2000.....	-	-	-
1999.....	-	-	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	-	-	-
1999.....	-	-	-
Black, both sexes										
2000.....	-	-	-
1999.....	-	-	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	-	-	-
1999.....	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other deaths related to pregnancy, childbirth and the puerperium (096-097)										
All races, both sexes										
2000.....	1	-	-
1999.....	-	2	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	1	-	-
1999.....	-	2	-
White, both sexes										
2000.....	-	-	-
1999.....	-	-	-
White, male										
2000.....
1999.....
White, female										
2000.....	-	-	-
1999.....	-	-	-
All other, both sexes										
2000.....	1	-	-
1999.....	-	2	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	1	-	-
1999.....	-	2	-
Black, both sexes										
2000.....	1	-	-
1999.....	-	2	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	1	-	-
1999.....	-	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Indirect obstetric deaths (098-099)										
All races, both sexes										
2000.....	-	-	-
1999.....	1	-	-
All races, male										
2000.....
1999.....
All races, female										
2000.....	-	-	-
1999.....	1	-	-
White, both sexes										
2000.....	-	-	-
1999.....	1	-	-
White, male										
2000.....
1999.....
White, female										
2000.....	-	-	-
1999.....	1	-	-
All other, both sexes										
2000.....	-	-	-
1999.....	-	-	-
All other, male										
2000.....
1999.....
All other, female										
2000.....	-	-	-
1999.....	-	-	-
Black, both sexes										
2000.....	-	-	-
1999.....	-	-	-
Black, male										
2000.....
1999.....
Black, female										
2000.....	-	-	-
1999.....	-	-	-

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races, both sexes										
2000.....	287	325	296	273	248	216	242	246	320	1
1999.....	342	305	304	253	251	218	249	242	326	2
All races, male										
2000.....	157	190	130	134	120	102	99	98	130	-
1999.....	185	162	157	126	106	103	102	102	102	1
All races, female										
2000.....	130	135	166	139	128	114	143	148	190	1
1999.....	157	143	147	127	145	115	147	140	224	1
White, both sexes										
2000.....	245	294	255	241	219	191	225	232	301	1
1999.....	292	265	275	225	225	191	221	224	301	2
White, male										
2000.....	132	168	114	123	99	89	94	94	123	-
1999.....	156	140	143	114	95	91	83	96	93	1
White, female										
2000.....	113	126	141	118	120	102	131	138	178	1
1999.....	136	125	132	111	130	100	138	128	208	1
All other, both sexes										
2000.....	42	31	41	32	29	25	17	14	19	-
1999.....	50	40	29	28	26	27	28	18	25	-
All other, male										
2000.....	25	22	16	11	21	13	5	4	7	-
1999.....	29	22	14	12	11	12	19	6	9	-
All other, female										
2000.....	17	9	25	21	8	12	12	10	12	-
1999.....	21	18	15	16	15	15	9	12	16	-
Black, both sexes										
2000.....	39	28	32	27	25	18	14	11	16	-
1999.....	43	33	25	21	21	25	22	16	24	-
Black, male										
2000.....	22	19	11	7	18	8	5	4	6	-
1999.....	27	17	12	10	6	10	14	5	9	-
Black, female										
2000.....	17	9	21	20	7	10	9	7	10	-
1999.....	16	16	13	11	15	15	8	11	15	-

[illegible]

Black, female
2000.....
1999.....

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)										
All races, both sexes										
2000.....	13	6	3	7	7	5	7	4	4	-
1999.....	17	13	7	8	8	3	7	6	3	-
All races, male										
2000.....	11	4	2	4	7	2	3	1	3	-
1999.....	10	7	3	5	6	2	1	4	1	-
All races, female										
2000.....	2	2	1	3	-	3	4	3	1	-
1999.....	7	6	4	3	2	1	6	2	2	-
White, both sexes										
2000.....	10	6	3	5	6	4	6	4	4	-
1999.....	14	9	5	7	7	3	7	5	3	-
White, male										
2000.....	9	4	2	2	6	2	2	1	3	-
1999.....	7	5	3	5	5	2	1	4	1	-
White, female										
2000.....	1	2	1	3	-	2	4	3	1	-
1999.....	7	4	2	2	2	1	6	1	2	-
All other, both sexes										
2000.....	3	-	-	2	1	1	1	-	-	-
1999.....	3	4	2	1	1	-	-	1	-	-
All other, male										
2000.....	2	-	-	2	1	-	1	-	-	-
1999.....	3	2	-	-	1	-	-	-	-	-
All other, female										
2000.....	1	-	-	-	-	1	-	-	-	-
1999.....	-	2	2	1	-	-	-	1	-	-
Black, both sexes										
2000.....	3	-	-	2	1	-	1	-	-	-
1999.....	3	3	2	1	-	-	-	1	-	-
Black, male										
2000.....	2	-	-	2	1	-	1	-	-	-
1999.....	3	1	-	-	-	-	-	-	-	-
Black, female										
2000.....	1	-	-	-	-	-	-	-	-	-
1999.....	-	2	2	1	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Congenital malformations of heart (Q20-Q24)										
All races, both sexes										
2000.....	102	93	85	63	65	68	78	97	105	-
1999.....	127	95	85	70	83	78	89	85	139	-
All races, male										
2000.....	54	50	37	33	37	30	35	37	33	-
1999.....	67	55	40	36	32	36	31	32	37	-
All races, female										
2000.....	48	43	48	30	28	38	43	60	72	-
1999.....	60	40	45	34	51	42	58	53	102	-
White, both sexes										
2000.....	88	86	72	54	55	58	74	93	102	-
1999.....	112	80	77	59	73	68	83	81	126	-
White, male										
2000.....	47	45	31	31	29	24	34	36	32	-
1999.....	59	44	38	31	27	32	25	30	32	-
White, female										
2000.....	41	41	41	23	26	34	40	57	70	-
1999.....	53	36	39	28	46	36	58	51	94	-
All other, both sexes										
2000.....	14	7	13	9	10	10	4	4	3	-
1999.....	15	15	8	11	10	10	6	4	13	-
All other, male										
2000.....	7	5	6	2	8	6	1	1	1	-
1999.....	8	11	2	5	5	4	6	2	5	-
All other, female										
2000.....	7	2	7	7	2	4	3	3	2	-
1999.....	7	4	6	6	5	6	-	2	8	-
Black, both sexes										
2000.....	14	6	10	7	9	7	2	2	3	-
1999.....	12	10	8	9	8	9	4	4	13	-
Black, male										
2000.....	7	4	5	-	8	3	1	1	1	-
1999.....	8	8	2	4	3	3	4	2	5	-
Black, female										
2000.....	7	2	5	7	1	4	1	1	2	-
1999.....	4	2	6	5	5	6	-	2	8	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other congenital malformations of circulatory system (Q25-Q28)										
All races, both sexes										
2000.....	49	43	35	44	31	51	54	59	88	-
1999.....	55	49	42	35	57	41	50	60	71	-
All races, male										
2000.....	28	31	14	24	12	31	23	25	37	-
1999.....	30	29	27	14	25	15	27	26	26	-
All races, female										
2000.....	21	12	21	20	19	20	31	34	51	-
1999.....	25	20	15	21	32	26	23	34	45	-
White, both sexes										
2000.....	35	32	26	35	27	45	51	55	83	-
1999.....	45	40	34	28	49	34	40	54	65	-
White, male										
2000.....	21	21	10	21	9	28	23	25	36	-
1999.....	24	26	20	12	21	13	21	23	24	-
White, female										
2000.....	14	11	16	14	18	17	28	30	47	-
1999.....	21	14	14	16	28	21	19	31	41	-
All other, both sexes										
2000.....	14	11	9	9	4	6	3	4	5	-
1999.....	10	9	8	7	8	7	10	6	6	-
All other, male										
2000.....	7	10	4	3	3	3	-	-	1	-
1999.....	6	3	7	2	4	2	6	3	2	-
All other, female										
2000.....	7	1	5	6	1	3	3	4	4	-
1999.....	4	6	1	5	4	5	4	3	4	-
Black, both sexes										
2000.....	13	10	7	8	2	4	2	3	4	-
1999.....	8	8	7	4	6	7	8	5	6	-
Black, male										
2000.....	6	9	3	2	1	2	-	-	1	-
1999.....	5	2	6	2	2	2	5	2	2	-
Black, female										
2000.....	7	1	4	6	1	2	2	3	3	-
1999.....	3	6	1	2	4	5	3	3	4	-

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)										
All races, both sexes										
2000.....	57	55	67	65	79	75	93	80	119	-
1999.....	68	52	58	59	69	81	93	88	109	2
All races, male										
2000.....	35	36	23	31	38	32	35	33	56	-
1999.....	36	32	34	27	30	44	41	37	36	1
All races, female										
2000.....	22	19	44	34	41	43	58	47	63	-
1999.....	32	20	24	32	39	37	52	51	73	1
White, both sexes										
2000.....	52	48	57	60	69	67	84	75	108	-
1999.....	55	49	51	53	66	74	81	81	103	2
White, male										
2000.....	30	31	20	30	32	28	32	31	51	-
1999.....	28	29	30	23	29	41	34	36	34	1
White, female										
2000.....	22	17	37	30	37	39	52	44	57	-
1999.....	27	20	21	30	37	33	47	45	69	1
All other, both sexes										
2000.....	5	7	10	5	10	8	9	5	11	-
1999.....	13	3	7	6	3	7	12	7	6	-
All other, male										
2000.....	5	5	3	1	6	4	3	2	5	-
1999.....	8	3	4	4	1	3	7	1	2	-
All other, female										
2000.....	-	2	7	4	4	4	6	3	6	-
1999.....	5	-	3	2	2	4	5	6	4	-
Black, both sexes										
2000.....	5	7	6	4	10	7	9	5	9	-
1999.....	12	3	6	5	3	7	10	6	5	-
Black, male										
2000.....	5	5	-	1	6	3	3	2	4	-
1999.....	7	3	3	3	1	3	5	1	2	-
Black, female										
2000.....	-	2	6	3	4	4	6	3	5	-
1999.....	5	-	3	2	2	4	5	5	3	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Down's syndrome (Q90)										
All races, both sexes										
2000.....	56	119	103	89	57	14	6	2	1	-
1999.....	70	86	102	77	33	11	4	-	1	-
All races, male										
2000.....	23	65	52	38	22	5	1	-	-	-
1999.....	40	35	50	42	13	4	-	-	-	-
All races, female										
2000.....	33	54	51	51	35	9	5	2	1	-
1999.....	30	51	52	35	20	7	4	-	1	-
White, both sexes										
2000.....	52	114	94	82	54	14	6	2	1	-
1999.....	62	78	98	74	29	9	4	-	1	-
White, male										
2000.....	20	63	49	35	19	5	1	-	-	-
1999.....	36	33	49	41	13	2	-	-	-	-
White, female										
2000.....	32	51	45	47	35	9	5	2	1	-
1999.....	26	45	49	33	16	7	4	-	1	-
All other, both sexes										
2000.....	4	5	9	7	3	-	-	-	-	-
1999.....	8	8	4	3	4	2	-	-	-	-
All other, male										
2000.....	3	2	3	3	3	-	-	-	-	-
1999.....	4	2	1	1	-	2	-	-	-	-
All other, female										
2000.....	1	3	6	4	-	-	-	-	-	-
1999.....	4	6	3	2	4	-	-	-	-	-
Black, both sexes										
2000.....	2	4	9	6	2	-	-	-	-	-
1999.....	8	8	2	2	4	1	-	-	-	-
Black, male										
2000.....	1	1	3	2	2	-	-	-	-	-
1999.....	4	2	1	1	-	1	-	-	-	-
Black, female										
2000.....	1	3	6	4	-	-	-	-	-	-
1999.....	4	6	1	1	4	-	-	-	-	-

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)										
All races, both sexes										
2000.....	1,727	1,415	1,152	1,101	1,353	1,687	2,235	2,794	8,824	115
1999.....	1,168	983	908	952	1,140	1,558	1,945	2,468	7,798	75
All races, male										
2000.....	1,157	966	743	686	832	876	1,100	1,144	2,242	90
1999.....	796	650	578	603	665	848	949	981	1,984	56
All races, female										
2000.....	570	449	409	415	521	811	1,135	1,650	6,582	25
1999.....	372	333	330	349	475	710	996	1,487	5,814	19
White, both sexes										
2000.....	1,364	1,087	907	876	1,072	1,446	1,965	2,509	8,144	83
1999.....	849	723	694	753	919	1,335	1,680	2,193	7,164	61
White, male										
2000.....	929	744	574	551	658	750	974	1,036	2,071	66
1999.....	572	478	437	482	538	731	824	865	1,806	47
White, female										
2000.....	435	343	333	325	414	696	991	1,473	6,073	17
1999.....	277	245	257	271	381	604	856	1,328	5,358	14
All other, both sexes										
2000.....	363	328	245	225	281	241	270	285	680	32
1999.....	319	260	214	199	221	223	265	275	634	14
All other, male										
2000.....	228	222	169	135	174	126	126	108	171	24
1999.....	224	172	141	121	127	117	125	116	178	9
All other, female										
2000.....	135	106	76	90	107	115	144	177	509	8
1999.....	95	88	73	78	94	106	140	159	456	5
Black, both sexes										
2000.....	325	298	216	208	256	223	249	260	596	28
1999.....	299	236	196	182	202	201	239	251	572	11
Black, male										
2000.....	200	203	152	123	159	114	116	99	140	21
1999.....	209	155	132	113	116	105	114	101	157	7
Black, female										
2000.....	125	95	64	85	97	109	133	161	456	7
1999.....	90	81	64	69	86	96	125	150	415	4

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Senility (R54)										
All races, both sexes										
2000.....	-	-	2	9	35	112	266	510	2,851	-
1999.....	-	3	3	13	32	98	215	438	2,347	-
All races, male										
2000.....	-	-	-	4	18	52	117	193	634	-
1999.....	-	3	2	8	18	60	92	160	547	-
All races, female										
2000.....	-	-	2	5	17	60	149	317	2,217	-
1999.....	-	-	1	5	14	38	123	278	1,800	-
White, both sexes										
2000.....	-	-	2	7	27	95	236	456	2,647	-
1999.....	-	2	3	9	30	87	187	391	2,213	-
White, male										
2000.....	-	-	-	3	14	48	103	176	597	-
1999.....	-	2	2	5	17	53	80	141	512	-
White, female										
2000.....	-	-	2	4	13	47	133	280	2,050	-
1999.....	-	-	1	4	13	34	107	250	1,701	-
All other, both sexes										
2000.....	-	-	-	2	8	17	30	54	204	-
1999.....	-	1	-	4	2	11	28	47	134	-
All other, male										
2000.....	-	-	-	1	4	4	14	17	37	-
1999.....	-	1	-	3	1	7	12	19	35	-
All other, female										
2000.....	-	-	-	1	4	13	16	37	167	-
1999.....	-	-	-	1	1	4	16	28	99	-
Black, both sexes										
2000.....	-	-	-	2	8	17	28	50	178	-
1999.....	-	1	-	4	1	11	25	46	125	-
Black, male										
2000.....	-	-	-	1	4	4	13	16	30	-
1999.....	-	1	-	3	-	7	11	19	31	-
Black, female										
2000.....	-	-	-	1	4	13	15	34	148	-
1999.....	-	-	-	1	1	4	14	27	94	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Ill-defined and unknown causes of mortality (R95-R99)										
All races, both sexes										
2000.....	1,496	1,193	933	826	958	1,056	1,200	1,329	3,093	114
1999.....	972	781	680	673	755	931	994	1,119	2,771	74
All races, male										
2000.....	1,020	823	607	535	607	558	616	572	885	89
1999.....	666	521	438	449	462	537	511	475	768	55
All races, female										
2000.....	476	370	326	291	351	498	584	757	2,208	25
1999.....	306	260	242	224	293	394	483	644	2,003	19
White, both sexes										
2000.....	1,204	933	754	675	769	929	1,064	1,212	2,858	83
1999.....	720	583	522	538	614	811	872	994	2,522	60
White, male										
2000.....	835	649	491	439	483	486	547	524	811	66
1999.....	488	386	333	361	375	467	450	416	681	46
White, female										
2000.....	369	284	263	236	286	443	517	688	2,047	17
1999.....	232	197	189	177	239	344	422	578	1,841	14
All other, both sexes										
2000.....	292	260	179	151	189	127	136	117	235	31
1999.....	252	198	158	135	141	120	122	125	249	14
All other, male										
2000.....	185	174	116	96	124	72	69	48	74	23
1999.....	178	135	105	88	87	70	61	59	87	9
All other, female										
2000.....	107	86	63	55	65	55	67	69	161	8
1999.....	74	63	53	47	54	50	61	66	162	5
Black, both sexes										
2000.....	260	236	156	138	168	114	121	108	211	27
1999.....	233	179	144	123	124	102	108	112	224	11
Black, male										
2000.....	162	161	103	88	110	64	62	46	61	20
1999.....	163	122	97	82	77	60	54	48	76	7
Black, female										
2000.....	98	75	53	50	58	50	59	62	150	7
1999.....	70	57	47	41	47	42	54	64	148	4

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other ill-defined and unknown causes of mortality (R96-R99)										
All races, both sexes										
2000.....	1,496	1,193	933	826	958	1,056	1,200	1,329	3,093	114
1999.....	972	781	680	673	755	931	994	1,119	2,771	74
All races, male										
2000.....	1,020	823	607	535	607	558	616	572	885	89
1999.....	666	521	438	449	462	537	511	475	768	55
All races, female										
2000.....	476	370	326	291	351	498	584	757	2,208	25
1999.....	306	260	242	224	293	394	483	644	2,003	19
White, both sexes										
2000.....	1,204	933	754	675	769	929	1,064	1,212	2,858	83
1999.....	720	583	522	538	614	811	872	994	2,522	60
White, male										
2000.....	835	649	491	439	483	486	547	524	811	66
1999.....	488	386	333	361	375	467	450	416	681	46
White, female										
2000.....	369	284	263	236	286	443	517	688	2,047	17
1999.....	232	197	189	177	239	344	422	578	1,841	14
All other, both sexes										
2000.....	292	260	179	151	189	127	136	117	235	31
1999.....	252	198	158	135	141	120	122	125	249	14
All other, male										
2000.....	185	174	116	96	124	72	69	48	74	23
1999.....	178	135	105	88	87	70	61	59	87	9
All other, female										
2000.....	107	86	63	55	65	55	67	69	161	8
1999.....	74	63	53	47	54	50	61	66	162	5
Black, both sexes										
2000.....	260	236	156	138	168	114	121	108	211	27
1999.....	233	179	144	123	124	102	108	112	224	11
Black, male										
2000.....	162	161	103	88	110	64	62	46	61	20
1999.....	163	122	97	82	77	60	54	48	76	7
Black, female										
2000.....	98	75	53	50	58	50	59	62	150	7
1999.....	70	57	47	41	47	42	54	64	148	4

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)										
All races, both sexes										
2000.....	231	222	217	266	360	519	769	955	2,880	1
1999.....	196	199	225	266	353	529	736	911	2,680	1
All races, male										
2000.....	137	143	136	147	207	266	367	379	723	1
1999.....	130	126	138	146	185	251	346	346	669	1
All races, female										
2000.....	94	79	81	119	153	253	402	576	2,157	-
1999.....	66	73	87	120	168	278	390	565	2,011	-
White, both sexes										
2000.....	160	154	151	194	276	422	665	841	2,639	-
1999.....	129	138	169	206	275	437	621	808	2,429	1
White, male										
2000.....	94	95	83	109	161	216	324	336	663	-
1999.....	84	90	102	116	146	211	294	308	613	1
White, female										
2000.....	66	59	68	85	115	206	341	505	1,976	-
1999.....	45	48	67	90	129	226	327	500	1,816	-
All other, both sexes										
2000.....	71	68	66	72	84	97	104	114	241	1
1999.....	67	61	56	60	78	92	115	103	251	-
All other, male										
2000.....	43	48	53	38	46	50	43	43	60	1
1999.....	46	36	36	30	39	40	52	38	56	-
All other, female										
2000.....	28	20	13	34	38	47	61	71	181	-
1999.....	21	25	20	30	39	52	63	65	195	-
Black, both sexes										
2000.....	65	62	60	68	80	92	100	102	207	1
1999.....	66	56	52	55	77	88	106	93	223	-
Black, male										
2000.....	38	42	49	34	45	46	41	37	49	1
1999.....	46	32	35	28	39	38	49	34	50	-
Black, female										
2000.....	27	20	11	34	35	46	59	65	158	-
1999.....	20	24	17	27	38	50	57	59	173	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
XX. External causes of mortality (V01-Y89)										
All races, both sexes										
2000.....	11,578	9,016	6,483	5,287	4,998	6,187	7,469	7,682	13,165	133
1999.....	11,104	8,281	6,298	5,123	5,432	6,409	7,689	8,021	13,217	190
All races, male										
2000.....	8,607	6,591	4,618	3,628	3,294	3,915	4,431	4,129	5,377	116
1999.....	8,265	6,042	4,514	3,592	3,633	4,055	4,495	4,337	5,426	156
All races, female										
2000.....	2,971	2,425	1,865	1,659	1,704	2,272	3,038	3,553	7,788	17
1999.....	2,839	2,239	1,784	1,531	1,799	2,354	3,194	3,684	7,791	34
White, both sexes										
2000.....	9,452	7,419	5,471	4,520	4,281	5,426	6,754	7,100	12,294	118
1999.....	9,010	6,856	5,294	4,268	4,677	5,612	6,892	7,380	12,305	150
White, male										
2000.....	7,023	5,398	3,872	3,091	2,805	3,459	4,016	3,819	5,008	104
1999.....	6,687	4,997	3,762	3,012	3,139	3,571	4,039	4,014	5,026	124
White, female										
2000.....	2,429	2,021	1,599	1,429	1,476	1,967	2,738	3,281	7,286	14
1999.....	2,323	1,859	1,532	1,256	1,538	2,041	2,853	3,366	7,279	26
All other, both sexes										
2000.....	2,126	1,597	1,012	767	717	761	715	582	871	15
1999.....	2,094	1,425	1,004	855	755	797	797	641	912	40
All other, male										
2000.....	1,584	1,193	746	537	489	456	415	310	369	12
1999.....	1,578	1,045	752	580	494	484	456	323	400	32
All other, female										
2000.....	542	404	266	230	228	305	300	272	502	3
1999.....	516	380	252	275	261	313	341	318	512	8
Black, both sexes										
2000.....	1,792	1,317	817	613	580	615	547	450	679	12
1999.....	1,796	1,161	806	664	617	634	644	512	750	37
Black, male										
2000.....	1,349	996	618	438	410	370	318	237	276	9
1999.....	1,377	879	612	459	415	395	369	247	314	30
Black, female										
2000.....	443	321	199	175	170	245	229	213	403	3
1999.....	419	282	194	205	202	239	275	265	436	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)										
All races, both sexes										
2000.....	6,870	5,408	4,021	3,484	3,375	4,323	5,596	6,162	11,595	85
1999.....	6,696	4,943	3,944	3,341	3,692	4,516	5,772	6,510	11,729	106
All races, male										
2000.....	5,103	3,960	2,804	2,329	2,117	2,522	3,039	3,024	4,413	83
1999.....	4,996	3,606	2,753	2,262	2,336	2,656	3,096	3,276	4,480	94
All races, female										
2000.....	1,767	1,448	1,217	1,155	1,258	1,801	2,557	3,138	7,182	2
1999.....	1,700	1,337	1,191	1,079	1,356	1,860	2,676	3,234	7,249	12
White, both sexes										
2000.....	5,554	4,347	3,334	2,941	2,855	3,762	5,039	5,701	10,852	79
1999.....	5,369	3,999	3,248	2,714	3,130	3,897	5,143	5,987	10,938	89
White, male										
2000.....	4,143	3,179	2,297	1,945	1,770	2,207	2,712	2,781	4,100	77
1999.....	4,002	2,917	2,248	1,852	1,975	2,292	2,740	3,018	4,140	79
White, female										
2000.....	1,411	1,168	1,037	996	1,085	1,555	2,327	2,920	6,752	2
1999.....	1,367	1,082	1,000	862	1,155	1,605	2,403	2,969	6,798	10
All other, both sexes										
2000.....	1,316	1,061	687	543	520	561	557	461	743	6
1999.....	1,327	944	696	627	562	619	629	523	791	17
All other, male										
2000.....	960	781	507	384	347	315	327	243	313	6
1999.....	994	689	505	410	361	364	356	258	340	15
All other, female										
2000.....	356	280	180	159	173	246	230	218	430	-
1999.....	333	255	191	217	201	255	273	265	451	2
Black, both sexes										
2000.....	1,109	879	566	431	417	451	424	354	579	5
1999.....	1,153	786	569	497	459	492	506	430	651	16
Black, male										
2000.....	817	658	434	316	285	258	253	185	239	5
1999.....	877	594	422	333	300	300	285	203	270	14
Black, female										
2000.....	292	221	132	115	132	193	171	169	340	-
1999.....	276	192	147	164	159	192	221	227	381	2

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)										
All races, both sexes										
2000.....	3,248	2,717	2,115	1,768	1,599	1,716	1,860	1,482	1,335	33
1999.....	3,121	2,524	2,131	1,681	1,727	1,852	1,902	1,566	1,330	37
All races, male										
2000.....	2,338	1,922	1,456	1,161	996	1,025	1,050	808	734	33
1999.....	2,234	1,782	1,454	1,107	1,091	1,071	1,089	870	758	34
All races, female										
2000.....	910	795	659	607	603	691	810	674	601	-
1999.....	887	742	677	574	636	781	813	696	572	3
White, both sexes										
2000.....	2,679	2,245	1,796	1,523	1,375	1,503	1,683	1,377	1,236	31
1999.....	2,563	2,102	1,802	1,412	1,497	1,637	1,716	1,438	1,218	28
White, male										
2000.....	1,945	1,598	1,226	987	845	899	942	743	683	31
1999.....	1,837	1,494	1,230	931	950	946	977	796	688	26
White, female										
2000.....	734	647	570	536	530	604	741	634	553	-
1999.....	726	608	572	481	547	691	739	642	530	2
All other, both sexes										
2000.....	569	472	319	245	224	213	177	105	99	2
1999.....	558	422	329	269	230	215	186	128	112	9
All other, male										
2000.....	393	324	230	174	151	126	108	65	51	2
1999.....	397	288	224	176	141	125	112	74	70	8
All other, female										
2000.....	176	148	89	71	73	87	69	40	48	-
1999.....	161	134	105	93	89	90	74	54	42	1
Black, both sexes										
2000.....	457	361	244	180	165	160	109	74	69	1
1999.....	449	323	246	190	163	155	138	98	87	9
Black, male										
2000.....	321	258	188	133	120	100	73	47	39	1
1999.....	331	236	173	134	105	93	85	56	58	8
Black, female										
2000.....	136	103	56	47	45	60	36	27	30	-
1999.....	118	87	73	56	58	62	53	42	29	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Railway accidents (V05,V15,V80.6,V81.2-V81.9)										
All races, both sexes										
2000.....	47	33	16	15	8	7	5	6	6	6
1999.....	44	27	16	14	6	8	7	6	3	6
All races, male										
2000.....	41	28	15	13	7	6	4	4	3	6
1999.....	35	21	15	11	2	7	4	4	3	6
All races, female										
2000.....	6	5	1	2	1	1	1	2	3	-
1999.....	9	6	1	3	4	1	3	2	-	-
White, both sexes										
2000.....	35	22	11	14	6	7	5	4	5	6
1999.....	33	21	12	11	5	7	6	5	2	5
White, male										
2000.....	31	19	10	12	5	6	4	3	3	6
1999.....	27	17	11	9	1	6	3	3	2	5
White, female										
2000.....	4	3	1	2	1	1	1	1	2	-
1999.....	6	4	1	2	4	1	3	2	-	-
All other, both sexes										
2000.....	12	11	5	1	2	-	-	2	1	-
1999.....	11	6	4	3	1	1	1	1	1	1
All other, male										
2000.....	10	9	5	1	2	-	-	1	-	-
1999.....	8	4	4	2	1	1	1	1	1	1
All other, female										
2000.....	2	2	-	-	-	-	-	1	1	-
1999.....	3	2	-	1	-	-	-	-	-	-
Black, both sexes										
2000.....	11	8	4	1	2	-	-	2	1	-
1999.....	10	6	4	2	1	1	-	-	1	1
Black, male										
2000.....	10	6	4	1	2	-	-	1	-	-
1999.....	7	4	4	1	1	1	-	-	1	1
Black, female										
2000.....	1	2	-	-	-	-	-	1	1	-
1999.....	3	2	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)										
All races, both sexes										
2000.....	2,936	2,425	1,917	1,589	1,436	1,602	1,764	1,409	1,288	26
1999.....	2,747	2,225	1,885	1,485	1,565	1,711	1,772	1,471	1,261	30
All races, male										
2000.....	2,091	1,689	1,293	1,013	870	932	980	759	706	26
1999.....	1,936	1,537	1,250	950	969	962	1,012	815	714	27
All races, female										
2000.....	845	736	624	576	566	670	784	650	582	-
1999.....	811	688	635	535	596	749	760	656	547	3
White, both sexes										
2000.....	2,421	1,989	1,622	1,362	1,234	1,402	1,598	1,308	1,193	24
1999.....	2,244	1,847	1,587	1,244	1,356	1,512	1,603	1,355	1,157	22
White, male										
2000.....	1,739	1,392	1,085	852	736	816	879	696	656	24
1999.....	1,583	1,284	1,051	798	841	851	907	748	651	20
White, female										
2000.....	682	597	537	510	498	586	719	612	537	-
1999.....	661	563	536	446	515	661	696	607	506	2
All other, both sexes										
2000.....	515	436	295	227	202	200	166	101	95	2
1999.....	503	378	298	241	209	199	169	116	104	8
All other, male										
2000.....	352	297	208	161	134	116	101	63	50	2
1999.....	353	253	199	152	128	111	105	67	63	7
All other, female										
2000.....	163	139	87	66	68	84	65	38	45	-
1999.....	150	125	99	89	81	88	64	49	41	1
Black, both sexes										
2000.....	415	342	225	169	150	151	102	71	65	1
1999.....	408	288	224	169	150	145	128	90	80	8
Black, male										
2000.....	288	242	171	124	107	94	68	46	38	1
1999.....	299	207	155	116	96	84	82	52	52	7
Black, female										
2000.....	127	100	54	45	43	57	34	25	27	-
1999.....	109	81	69	53	54	61	46	38	28	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pedestrian involved in collision with motor vehicle (V02-V04)										
All races, both sexes										
2000.....	276	230	201	158	142	154	184	162	154	6
1999.....	257	208	206	158	134	171	168	137	155	8
All races, male										
2000.....	216	160	147	106	93	88	103	83	86	6
1999.....	193	161	148	107	88	99	95	85	78	7
All races, female										
2000.....	60	70	54	52	49	66	81	79	68	-
1999.....	64	47	58	51	46	72	73	52	77	1
White, both sexes										
2000.....	203	177	155	128	112	128	155	143	130	6
1999.....	189	158	154	127	108	134	140	119	134	4
White, male										
2000.....	160	126	111	86	69	72	83	69	69	6
1999.....	137	122	108	88	75	74	77	72	65	4
White, female										
2000.....	43	51	44	42	43	56	72	74	61	-
1999.....	52	36	46	39	33	60	63	47	69	-
All other, both sexes										
2000.....	73	53	46	30	30	26	29	19	24	-
1999.....	68	50	52	31	26	37	28	18	21	4
All other, male										
2000.....	56	34	36	20	24	16	20	14	17	-
1999.....	56	39	40	19	13	25	18	13	13	3
All other, female										
2000.....	17	19	10	10	6	10	9	5	7	-
1999.....	12	11	12	12	13	12	10	5	8	1
Black, both sexes										
2000.....	63	41	40	21	19	17	18	7	12	-
1999.....	54	38	45	19	14	23	15	9	13	4
Black, male										
2000.....	48	28	32	14	16	13	14	6	11	-
1999.....	45	32	35	15	9	17	9	5	9	3
Black, female										
2000.....	15	13	8	7	3	4	4	1	1	-
1999.....	9	6	10	4	5	6	6	4	4	1

Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)										
All races, both sexes										
2000.....	18	17	13	9	9	12	12	9	7	-
1999.....	24	11	15	12	5	13	12	9	11	-
All races, male										
2000.....	13	15	10	6	6	10	10	4	5	-
1999.....	20	7	9	6	3	8	11	5	5	-
All races, female										
2000.....	5	2	3	3	3	2	2	5	2	-
1999.....	4	4	6	6	2	5	1	4	6	-
White, both sexes										
2000.....	16	16	10	8	7	11	10	8	7	-
1999.....	19	10	14	11	4	12	12	9	8	-
White, male										
2000.....	11	14	9	5	4	9	9	3	5	-
1999.....	16	7	8	5	3	8	11	5	3	-
White, female										
2000.....	5	2	1	3	3	2	1	5	2	-
1999.....	3	3	6	6	1	4	1	4	5	-
All other, both sexes										
2000.....	2	1	3	1	2	1	2	1	-	-
1999.....	5	1	1	1	1	1	-	-	3	-
All other, male										
2000.....	2	1	1	1	2	1	1	1	-	-
1999.....	4	-	1	1	-	-	-	-	2	-
All other, female										
2000.....	-	-	2	-	-	-	1	-	-	-
1999.....	1	1	-	-	1	1	-	-	1	-
Black, both sexes										
2000.....	2	1	3	1	2	1	2	1	-	-
1999.....	4	1	1	1	1	1	-	-	3	-
Black, male										
2000.....	2	1	1	1	2	1	1	1	-	-
1999.....	4	-	1	1	-	-	-	-	2	-
Black, female										
2000.....	-	-	2	-	-	-	1	-	-	-
1999.....	-	1	-	-	1	1	-	-	1	-

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)										
All races, both sexes										
2000.....	18	16	13	9	9	12	12	9	7	-
1999.....	23	11	15	12	5	13	12	9	11	-
All races, male										
2000.....	13	14	10	6	6	10	10	4	5	-
1999.....	19	7	9	6	3	8	11	5	5	-
All races, female										
2000.....	5	2	3	3	3	2	2	5	2	-
1999.....	4	4	6	6	2	5	1	4	6	-
White, both sexes										
2000.....	16	15	10	8	7	11	10	8	7	-
1999.....	18	10	14	11	4	12	12	9	8	-
White, male										
2000.....	11	13	9	5	4	9	9	3	5	-
1999.....	15	7	8	5	3	8	11	5	3	-
White, female										
2000.....	5	2	1	3	3	2	1	5	2	-
1999.....	3	3	6	6	1	4	1	4	5	-
All other, both sexes										
2000.....	2	1	3	1	2	1	2	1	-	-
1999.....	5	1	1	1	1	1	-	-	3	-
All other, male										
2000.....	2	1	1	1	2	1	1	1	-	-
1999.....	4	-	1	1	-	-	-	-	2	-
All other, female										
2000.....	-	-	2	-	-	-	1	-	-	-
1999.....	1	1	-	-	1	1	-	-	1	-
Black, both sexes										
2000.....	2	1	3	1	2	1	2	1	-	-
1999.....	4	1	1	1	1	1	-	-	3	-
Black, male										
2000.....	2	1	1	1	2	1	1	1	-	-
1999.....	4	-	1	1	-	-	-	-	2	-
Black, female										
2000.....	-	-	2	-	-	-	1	-	-	-
1999.....	-	1	-	-	1	1	-	-	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)										
All races, both sexes										
2000.....	220	173	124	113	99	119	96	73	74	-
1999.....	218	166	133	110	122	100	105	80	50	1
All races, male										
2000.....	152	125	86	78	67	69	61	41	37	-
1999.....	153	131	87	78	83	63	62	51	30	-
All races, female										
2000.....	68	48	38	35	32	50	35	32	37	-
1999.....	65	35	46	32	39	37	43	29	20	1
White, both sexes										
2000.....	175	134	98	97	80	100	83	66	70	-
1999.....	175	129	106	88	106	87	89	73	45	1
White, male										
2000.....	123	98	65	66	53	57	50	36	36	-
1999.....	121	108	71	64	73	53	54	47	27	-
White, female										
2000.....	52	36	33	31	27	43	33	30	34	-
1999.....	54	21	35	24	33	34	35	26	18	1
All other, both sexes										
2000.....	45	39	26	16	19	19	13	7	4	-
1999.....	43	37	27	22	16	13	16	7	5	-
All other, male										
2000.....	29	27	21	12	14	12	11	5	1	-
1999.....	32	23	16	14	10	10	8	4	3	-
All other, female										
2000.....	16	12	5	4	5	7	2	2	3	-
1999.....	11	14	11	8	6	3	8	3	2	-
Black, both sexes										
2000.....	38	32	22	13	16	17	8	6	3	-
1999.....	32	29	22	16	12	11	16	5	3	-
Black, male										
2000.....	24	24	17	11	12	11	8	5	-	-
1999.....	26	19	14	13	7	9	8	3	3	-
Black, female										
2000.....	14	8	5	2	4	6	-	1	3	-
1999.....	6	10	8	3	5	2	8	2	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

All races, both sexes										
2000.....	651	548	486	433	398	523	588	520	429	2
1999.....	626	539	498	400	434	543	568	508	383	6
All races, male										
2000.....	413	335	289	231	202	281	288	276	223	2
1999.....	384	319	265	224	228	285	291	269	213	6
All races, female										
2000.....	238	213	197	202	196	242	300	244	206	-
1999.....	242	220	233	176	206	258	277	239	170	-
White, both sexes										
2000.....	534	450	419	367	356	472	547	490	408	2
1999.....	523	452	429	341	380	486	528	475	354	4
White, male										
2000.....	339	275	247	183	180	256	264	260	214	2
1999.....	322	265	225	188	194	254	268	250	195	4
White, female										
2000.....	195	175	172	184	176	216	283	230	194	-
1999.....	201	187	204	153	186	232	260	225	159	-
All other, both sexes										
2000.....	117	98	67	66	42	51	41	30	21	-
1999.....	103	87	69	59	54	57	40	33	29	2
All other, male										
2000.....	74	60	42	48	22	25	24	16	9	-
1999.....	62	54	40	36	34	31	23	19	18	2
All other, female										
2000.....	43	38	25	18	20	26	17	14	12	-
1999.....	41	33	29	23	20	26	17	14	11	-
Black, both sexes										
2000.....	94	83	47	51	31	41	27	24	16	-
1999.....	81	65	54	42	41	42	29	27	24	2
Black, male										
2000.....	62	50	34	39	19	19	16	12	8	-
1999.....	51	41	32	25	26	26	20	15	14	2
Black, female										
2000.....	32	33	13	12	12	22	11	12	8	-
1999.....	30	24	22	17	15	16	9	12	10	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)										
All races, both sexes										
2000.....	23	21	11	6	5	5	5	-	-	-
1999.....	23	19	19	10	5	11	8	11	4	-
All races, male										
2000.....	21	17	9	5	5	5	5	-	-	-
1999.....	22	18	17	7	2	6	3	5	-	-
All races, female										
2000.....	2	4	2	1	-	-	-	-	-	-
1999.....	1	1	2	3	3	5	5	6	4	-
White, both sexes										
2000.....	20	18	9	5	5	5	4	-	-	-
1999.....	20	16	15	9	4	11	8	9	3	-
White, male										
2000.....	19	14	7	4	5	5	4	-	-	-
1999.....	19	15	13	7	2	6	3	5	-	-
White, female										
2000.....	1	4	2	1	-	-	-	-	-	-
1999.....	1	1	2	2	2	5	5	4	3	-
All other, both sexes										
2000.....	3	3	2	1	-	-	1	-	-	-
1999.....	3	3	4	1	1	-	-	2	1	-
All other, male										
2000.....	2	3	2	1	-	-	1	-	-	-
1999.....	3	3	4	-	-	-	-	-	-	-
All other, female										
2000.....	1	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	1	1	-	-	2	1	-
Black, both sexes										
2000.....	2	3	2	1	-	-	1	-	-	-
1999.....	3	3	4	1	1	-	-	1	1	-
Black, male										
2000.....	2	3	2	1	-	-	1	-	-	-
1999.....	3	3	4	-	-	-	-	-	-	-
Black, female										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	1	1	-	-	1	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)										
All races, both sexes										
2000.....	251	188	123	103	80	68	67	45	42	3
1999.....	237	167	142	112	101	70	60	37	40	1
All races, male										
2000.....	188	142	84	71	48	52	43	23	27	3
1999.....	169	127	103	74	70	35	39	18	24	1
All races, female										
2000.....	63	46	39	32	32	16	24	22	15	-
1999.....	68	40	39	38	31	35	21	19	16	-
White, both sexes										
2000.....	218	152	94	87	73	59	59	41	37	3
1999.....	191	138	119	93	89	61	54	34	36	1
White, male										
2000.....	162	115	63	61	44	47	39	21	24	3
1999.....	140	103	88	63	61	29	36	17	21	1
White, female										
2000.....	56	37	31	26	29	12	20	20	13	-
1999.....	51	35	31	30	28	32	18	17	15	-
All other, both sexes										
2000.....	33	36	29	16	7	9	8	4	5	-
1999.....	46	29	23	19	12	9	6	3	4	-
All other, male										
2000.....	26	27	21	10	4	5	4	2	3	-
1999.....	29	24	15	11	9	6	3	1	3	-
All other, female										
2000.....	7	9	8	6	3	4	4	2	2	-
1999.....	17	5	8	8	3	3	3	2	1	-
Black, both sexes										
2000.....	19	25	26	13	6	5	4	3	3	-
1999.....	33	21	15	9	7	5	5	2	3	-
Black, male										
2000.....	14	20	19	8	4	3	3	2	2	-
1999.....	22	18	11	5	6	4	3	1	3	-
Black, female										
2000.....	5	5	7	5	2	2	1	1	1	-
1999.....	11	3	4	4	1	1	2	1	-	-

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)										
All races, both sexes										
2000.....	1,089	974	750	626	593	644	754	570	555	13
1999.....	1,027	867	696	560	650	722	791	657	579	13
All races, male										
2000.....	727	647	481	388	349	355	413	304	303	13
1999.....	696	554	464	340	385	387	452	353	328	12
All races, female										
2000.....	362	327	269	238	244	289	341	266	252	-
1999.....	331	313	232	220	265	335	339	304	251	1
White, both sexes										
2000.....	870	795	635	542	501	556	688	531	517	11
1999.....	817	711	586	462	565	643	714	604	539	12
White, male										
2000.....	587	527	402	332	291	303	379	280	286	11
1999.....	553	458	392	279	337	351	401	323	305	11
White, female										
2000.....	283	268	233	210	210	253	309	251	231	-
1999.....	264	253	194	183	228	292	313	281	234	1
All other, both sexes										
2000.....	219	179	115	84	92	88	66	39	38	2
1999.....	210	156	110	98	85	79	77	53	40	1
All other, male										
2000.....	140	120	79	56	58	52	34	24	17	2
1999.....	143	96	72	61	48	36	51	30	23	1
All other, female										
2000.....	79	59	36	28	34	36	32	15	21	-
1999.....	67	60	38	37	37	43	26	23	17	-
Black, both sexes										
2000.....	178	136	80	59	67	65	41	30	28	1
1999.....	180	119	78	74	65	61	63	46	32	1
Black, male										
2000.....	117	96	61	40	45	43	24	20	14	1
1999.....	127	82	53	50	39	26	42	28	20	1
Black, female										
2000.....	61	40	19	19	22	22	17	10	14	-
1999.....	53	37	25	24	26	35	21	18	12	-

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)										
All races, both sexes										
2000.....	78	76	48	43	44	41	45	34	29	1
1999.....	135	98	85	66	73	58	85	61	51	1
All races, male										
2000.....	51	46	33	37	31	31	28	20	16	1
1999.....	100	78	62	47	50	38	47	33	32	1
All races, female										
2000.....	27	30	15	6	13	10	17	14	13	-
1999.....	35	20	23	19	23	20	38	28	19	-
White, both sexes										
2000.....	59	70	39	37	37	35	38	32	27	1
1999.....	113	83	78	59	61	50	73	55	46	1
White, male										
2000.....	39	43	26	34	25	26	25	19	16	1
1999.....	81	65	58	41	45	32	42	30	28	1
White, female										
2000.....	20	27	13	3	12	9	13	13	11	-
1999.....	32	18	20	18	16	18	31	25	18	-
All other, both sexes										
2000.....	19	6	9	6	7	6	7	2	2	-
1999.....	22	15	7	7	12	8	12	6	5	-
All other, male										
2000.....	12	3	7	3	6	5	3	1	-	-
1999.....	19	13	4	6	5	6	5	3	4	-
All other, female										
2000.....	7	3	2	3	1	1	4	1	2	-
1999.....	3	2	3	1	7	2	7	3	1	-
Black, both sexes										
2000.....	14	2	7	3	5	3	4	1	2	-
1999.....	14	12	7	4	7	5	8	3	4	-
Black, male										
2000.....	10	1	5	2	5	2	2	-	-	-
1999.....	12	11	4	3	3	4	2	1	3	-
Black, female										
2000.....	4	1	2	1	-	1	2	1	2	-
1999.....	2	1	3	1	4	1	6	2	1	-

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)										
All races, both sexes										
2000.....	50	42	26	36	33	25	19	18	9	-
1999.....	45	53	37	33	19	23	19	14	11	-
All races, male										
2000.....	35	33	19	29	21	21	13	13	7	-
1999.....	31	41	29	21	15	18	13	6	7	-
All races, female										
2000.....	15	9	7	7	12	4	6	5	2	-
1999.....	14	12	8	12	4	5	6	8	4	-
White, both sexes										
2000.....	39	35	20	30	29	19	17	18	8	-
1999.....	37	43	25	23	17	20	16	10	9	-
White, male										
2000.....	28	28	13	24	18	17	11	13	6	-
1999.....	28	35	19	13	13	15	12	4	5	-
White, female										
2000.....	11	7	7	6	11	2	6	5	2	-
1999.....	9	8	6	10	4	5	4	6	4	-
All other, both sexes										
2000.....	11	7	6	6	4	6	2	-	1	-
1999.....	8	10	12	10	2	3	3	4	2	-
All other, male										
2000.....	7	5	6	5	3	4	2	-	1	-
1999.....	3	6	10	8	2	3	1	2	2	-
All other, female										
2000.....	4	2	-	1	1	2	-	-	-	-
1999.....	5	4	2	2	-	-	2	2	-	-
Black, both sexes										
2000.....	10	3	5	3	4	6	2	-	1	-
1999.....	7	8	7	8	1	2	2	4	2	-
Black, male										
2000.....	6	3	5	2	3	4	2	-	1	-
1999.....	3	5	6	7	1	2	1	2	2	-
Black, female										
2000.....	4	-	-	1	1	2	-	-	-	-
1999.....	4	3	1	1	-	-	1	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Falls (W00-W19)										
All races, both sexes										
2000.....	409	462	448	501	595	1,065	1,641	2,200	4,772	-
1999.....	447	377	398	489	663	1,000	1,636	2,220	4,578	4
All races, male										
2000.....	332	358	326	354	378	613	895	1,052	1,784	-
1999.....	366	295	296	354	433	594	840	1,110	1,701	4
All races, female										
2000.....	77	104	122	147	217	452	746	1,148	2,988	-
1999.....	81	82	102	135	230	406	796	1,110	2,877	-
White, both sexes										
2000.....	352	377	374	428	514	966	1,539	2,088	4,570	-
1999.....	362	301	324	398	575	894	1,518	2,114	4,366	4
White, male										
2000.....	290	289	269	305	326	563	833	997	1,694	-
1999.....	298	237	239	291	372	532	771	1,057	1,609	4
White, female										
2000.....	62	88	105	123	188	403	706	1,091	2,876	-
1999.....	64	64	85	107	203	362	747	1,057	2,757	-
All other, both sexes										
2000.....	57	85	74	73	81	99	102	112	202	-
1999.....	85	76	74	91	88	106	118	106	212	-
All other, male										
2000.....	42	69	57	49	52	50	62	55	90	-
1999.....	68	58	57	63	61	62	69	53	92	-
All other, female										
2000.....	15	16	17	24	29	49	40	57	112	-
1999.....	17	18	17	28	27	44	49	53	120	-
Black, both sexes										
2000.....	47	67	60	56	64	73	65	72	124	-
1999.....	73	64	59	72	81	70	75	80	142	-
Black, male										
2000.....	37	54	47	42	41	37	39	31	53	-
1999.....	59	49	45	48	57	43	43	36	50	-
Black, female										
2000.....	10	13	13	14	23	36	26	41	71	-
1999.....	14	15	14	24	24	27	32	44	92	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Fall on same level (W00-W09,W18)										
All races, both sexes										
2000.....	53	92	86	106	129	238	405	588	1,401	-
1999.....	65	56	46	56	108	170	311	399	891	-
All races, male										
2000.....	43	65	54	61	74	131	200	278	486	-
1999.....	46	39	29	32	66	98	160	190	317	-
All races, female										
2000.....	10	27	32	45	55	107	205	310	915	-
1999.....	19	17	17	24	42	72	151	209	574	-
White, both sexes										
2000.....	49	73	69	89	113	221	386	559	1,343	-
1999.....	52	40	34	38	88	155	286	374	854	-
White, male										
2000.....	39	52	43	52	63	125	187	263	464	-
1999.....	34	31	22	23	54	92	147	178	302	-
White, female										
2000.....	10	21	26	37	50	96	199	296	879	-
1999.....	18	9	12	15	34	63	139	196	552	-
All other, both sexes										
2000.....	4	19	17	17	16	17	19	29	58	-
1999.....	13	16	12	18	20	15	25	25	37	-
All other, male										
2000.....	4	13	11	9	11	6	13	15	22	-
1999.....	12	8	7	9	12	6	13	12	15	-
All other, female										
2000.....	-	6	6	8	5	11	6	14	36	-
1999.....	1	8	5	9	8	9	12	13	22	-
Black, both sexes										
2000.....	4	12	13	13	9	12	9	17	30	-
1999.....	11	14	11	14	18	11	13	18	22	-
Black, male										
2000.....	4	7	8	8	7	4	5	6	12	-
1999.....	10	7	7	7	11	6	6	8	6	-
Black, female										
2000.....	-	5	5	5	2	8	4	11	18	-
1999.....	1	7	4	7	7	5	7	10	16	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Fall from one level to another (W10-W17)										
All races, both sexes										
2000.....	200	179	168	158	178	265	310	320	372	-
1999.....	187	149	168	199	223	254	354	358	431	2
All races, male										
2000.....	168	156	136	125	128	191	212	199	201	-
1999.....	166	128	135	159	176	164	207	228	213	2
All races, female										
2000.....	32	23	32	33	50	74	98	121	171	-
1999.....	21	21	33	40	47	90	147	130	218	-
White, both sexes										
2000.....	174	148	146	143	152	244	296	306	352	-
1999.....	162	121	147	184	203	233	330	341	412	2
White, male										
2000.....	147	128	117	114	111	174	201	190	188	-
1999.....	144	104	116	145	159	146	190	216	207	2
White, female										
2000.....	27	20	29	29	41	70	95	116	164	-
1999.....	18	17	31	39	44	87	140	125	205	-
All other, both sexes										
2000.....	26	31	22	15	26	21	14	14	20	-
1999.....	25	28	21	15	20	21	24	17	19	-
All other, male										
2000.....	21	28	19	11	17	17	11	9	13	-
1999.....	22	24	19	14	17	18	17	12	6	-
All other, female										
2000.....	5	3	3	4	9	4	3	5	7	-
1999.....	3	4	2	1	3	3	7	5	13	-
Black, both sexes										
2000.....	22	27	19	12	21	14	11	8	12	-
1999.....	18	21	14	10	19	12	14	10	15	-
Black, male										
2000.....	19	24	17	9	14	11	9	3	8	-
1999.....	15	18	12	9	17	10	10	6	4	-
Black, female										
2000.....	3	3	2	3	7	3	2	5	4	-
1999.....	3	3	2	1	2	2	4	4	11	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Unspecified fall (W19)										
All races, both sexes										
2000.....	156	191	194	237	288	562	926	1,292	2,999	-
1999.....	195	172	184	234	332	576	971	1,463	3,256	2
All races, male										
2000.....	121	137	136	168	176	291	483	575	1,097	-
1999.....	154	128	132	163	191	332	473	692	1,171	2
All races, female										
2000.....	35	54	58	69	112	271	443	717	1,902	-
1999.....	41	44	52	71	141	244	498	771	2,085	-
White, both sexes										
2000.....	129	156	159	196	249	501	857	1,223	2,875	-
1999.....	148	140	143	176	284	506	902	1,399	3,100	2
White, male										
2000.....	104	109	109	139	152	264	445	544	1,042	-
1999.....	120	102	101	123	159	294	434	663	1,100	2
White, female										
2000.....	25	47	50	57	97	237	412	679	1,833	-
1999.....	28	38	42	53	125	212	468	736	2,000	-
All other, both sexes										
2000.....	27	35	35	41	39	61	69	69	124	-
1999.....	47	32	41	58	48	70	69	64	156	-
All other, male										
2000.....	17	28	27	29	24	27	38	31	55	-
1999.....	34	26	31	40	32	38	39	29	71	-
All other, female										
2000.....	10	7	8	12	15	34	31	38	69	-
1999.....	13	6	10	18	16	32	30	35	85	-
Black, both sexes										
2000.....	21	28	28	31	34	47	45	47	82	-
1999.....	44	29	34	48	44	47	48	52	105	-
Black, male										
2000.....	14	23	22	25	20	22	25	22	33	-
1999.....	34	24	26	32	29	27	27	22	40	-
Black, female										
2000.....	7	5	6	6	14	25	20	25	49	-
1999.....	10	5	8	16	15	20	21	30	65	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Accidental discharge of firearms (W32-W34)										
All races, both sexes										
2000.....	38	40	36	14	24	17	17	7	11	-
1999.....	51	41	25	23	15	18	15	8	10	-
All races, male										
2000.....	31	38	30	14	20	14	16	7	11	-
1999.....	46	32	22	19	13	18	13	7	7	-
All races, female										
2000.....	7	2	6	-	4	3	1	-	-	-
1999.....	5	9	3	4	2	-	2	1	3	-
White, both sexes										
2000.....	30	37	34	13	22	15	16	6	11	-
1999.....	45	36	21	20	13	17	13	7	10	-
White, male										
2000.....	26	35	28	13	19	12	15	6	11	-
1999.....	41	27	19	18	11	17	11	6	7	-
White, female										
2000.....	4	2	6	-	3	3	1	-	-	-
1999.....	4	9	2	2	2	-	2	1	3	-
All other, both sexes										
2000.....	8	3	2	1	2	2	1	1	-	-
1999.....	6	5	4	3	2	1	2	1	-	-
All other, male										
2000.....	5	3	2	1	1	2	1	1	-	-
1999.....	5	5	3	1	2	1	2	1	-	-
All other, female										
2000.....	3	-	-	-	1	-	-	-	-	-
1999.....	1	-	1	2	-	-	-	-	-	-
Black, both sexes										
2000.....	7	3	2	1	1	2	-	1	-	-
1999.....	6	5	4	3	2	1	2	1	-	-
Black, male										
2000.....	4	3	2	1	-	2	-	1	-	-
1999.....	5	5	3	1	2	1	2	1	-	-
Black, female										
2000.....	3	-	-	-	1	-	-	-	-	-
1999.....	1	-	1	2	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Accidental explosion (W39-W40)										
All races, both sexes										
2000.....	24	7	10	6	7	13	4	8	5	-
1999.....	19	15	13	6	5	9	5	5	8	-
All races, male										
2000.....	20	5	10	4	5	11	1	5	4	-
1999.....	16	14	11	3	2	8	4	5	5	-
All races, female										
2000.....	4	2	-	2	2	2	3	3	1	-
1999.....	3	1	2	3	3	1	1	-	3	-
White, both sexes										
2000.....	18	6	9	6	7	10	3	6	4	-
1999.....	17	15	10	5	5	8	5	5	6	-
White, male										
2000.....	15	5	9	4	5	8	-	3	4	-
1999.....	14	14	9	3	2	7	4	5	4	-
White, female										
2000.....	3	1	-	2	2	2	3	3	-	-
1999.....	3	1	1	2	3	1	1	-	2	-
All other, both sexes										
2000.....	6	1	1	-	-	3	1	2	1	-
1999.....	2	-	3	1	-	1	-	-	2	-
All other, male										
2000.....	5	-	1	-	-	3	1	2	-	-
1999.....	2	-	2	-	-	1	-	-	1	-
All other, female										
2000.....	1	1	-	-	-	-	-	-	1	-
1999.....	-	-	1	1	-	-	-	-	1	-
Black, both sexes										
2000.....	6	1	1	-	-	3	1	2	1	-
1999.....	2	-	3	-	-	1	-	-	-	-
Black, male										
2000.....	5	-	1	-	-	3	1	2	-	-
1999.....	2	-	2	-	-	1	-	-	-	-
Black, female										
2000.....	1	1	-	-	-	-	-	-	1	-
1999.....	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)										
All races, both sexes										
2000.....	182	172	120	97	80	99	71	85	64	24
1999.....	198	172	122	97	84	101	88	70	68	34
All races, male										
2000.....	156	143	102	77	63	70	38	50	34	23
1999.....	166	145	95	75	64	65	63	48	28	30
All races, female										
2000.....	26	29	18	20	17	29	33	35	30	1
1999.....	32	27	27	22	20	36	25	22	40	4
White, both sexes										
2000.....	147	130	105	82	70	86	58	79	56	23
1999.....	175	142	99	82	72	82	74	64	60	32
White, male										
2000.....	125	107	89	70	55	59	31	50	30	22
1999.....	143	122	76	63	53	53	53	44	26	28
White, female										
2000.....	22	23	16	12	15	27	27	29	26	1
1999.....	32	20	23	19	19	29	21	20	34	4
All other, both sexes										
2000.....	35	42	15	15	10	13	13	6	8	1
1999.....	23	30	23	15	12	19	14	6	8	2
All other, male										
2000.....	31	36	13	7	8	11	7	-	4	1
1999.....	23	23	19	12	11	12	10	4	2	2
All other, female										
2000.....	4	6	2	8	2	2	6	6	4	-
1999.....	-	7	4	3	1	7	4	2	6	-
Black, both sexes										
2000.....	23	29	9	8	7	8	9	3	7	1
1999.....	17	20	19	10	9	12	11	4	5	1
Black, male										
2000.....	21	24	8	5	6	7	4	-	4	1
1999.....	17	18	16	7	8	9	8	3	2	1
Black, female										
2000.....	2	5	1	3	1	1	5	3	3	-
1999.....	-	2	3	3	1	3	3	1	3	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)										
All races, both sexes										
2000.....	140	151	156	173	219	350	573	662	1,381	-
1999.....	107	134	127	145	212	354	481	591	1,258	-
All races, male										
2000.....	95	101	94	96	125	176	296	347	503	-
1999.....	55	97	72	80	111	204	238	286	468	-
All races, female										
2000.....	45	50	62	77	94	174	277	315	878	-
1999.....	52	37	55	65	101	150	243	305	790	-
White, both sexes										
2000.....	115	120	127	142	171	289	507	594	1,247	-
1999.....	84	112	96	109	176	292	406	520	1,146	-
White, male										
2000.....	77	78	76	78	97	147	262	308	446	-
1999.....	46	80	53	59	93	172	199	254	428	-
White, female										
2000.....	38	42	51	64	74	142	245	286	801	-
1999.....	38	32	43	50	83	120	207	266	718	-
All other, both sexes										
2000.....	25	31	29	31	48	61	66	68	134	-
1999.....	23	22	31	36	36	62	75	71	112	-
All other, male										
2000.....	18	23	18	18	28	29	34	39	57	-
1999.....	9	17	19	21	18	32	39	32	40	-
All other, female										
2000.....	7	8	11	13	20	32	32	29	77	-
1999.....	14	5	12	15	18	30	36	39	72	-
Black, both sexes										
2000.....	20	28	25	28	45	54	61	59	113	-
1999.....	23	21	27	32	33	57	69	63	104	-
Black, male										
2000.....	13	21	15	16	25	25	33	33	45	-
1999.....	9	16	16	19	16	31	37	29	37	-
Black, female										
2000.....	7	7	10	12	20	29	28	26	68	-
1999.....	14	5	11	13	17	26	32	34	67	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)										
All races, both sexes										
2000.....	47	58	51	32	25	32	34	26	51	-
1999.....	74	59	44	32	43	72	102	86	197	-
All races, male										
2000.....	36	48	38	26	18	19	17	12	19	-
1999.....	62	46	36	19	30	41	56	33	64	-
All races, female										
2000.....	11	10	13	6	7	13	17	14	32	-
1999.....	12	13	8	13	13	31	46	53	133	-
White, both sexes										
2000.....	45	55	46	31	22	25	31	25	45	-
1999.....	65	52	34	27	39	61	86	78	184	-
White, male										
2000.....	35	47	36	25	15	14	15	11	16	-
1999.....	54	42	27	16	26	32	48	30	61	-
White, female										
2000.....	10	8	10	6	7	11	16	14	29	-
1999.....	11	10	7	11	13	29	38	48	123	-
All other, both sexes										
2000.....	2	3	5	1	3	7	3	1	6	-
1999.....	9	7	10	5	4	11	16	8	13	-
All other, male										
2000.....	1	1	2	1	3	5	2	1	3	-
1999.....	8	4	9	3	4	9	8	3	3	-
All other, female										
2000.....	1	2	3	-	-	2	1	-	3	-
1999.....	1	3	1	2	-	2	8	5	10	-
Black, both sexes										
2000.....	2	1	4	1	2	7	3	1	5	-
1999.....	7	5	9	4	3	11	15	8	12	-
Black, male										
2000.....	1	-	2	1	2	5	2	1	2	-
1999.....	7	2	8	2	3	9	7	3	2	-
Black, female										
2000.....	1	1	2	-	-	2	1	-	3	-
1999.....	-	3	1	2	-	2	8	5	10	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Accidental exposure to electric current (W85-W87)										
All races, both sexes										
2000.....	47	22	18	15	4	3	1	2	-	-
1999.....	45	17	28	12	11	10	5	4	2	-
All races, male										
2000.....	46	21	18	14	4	2	1	1	-	-
1999.....	42	17	27	12	11	9	4	4	1	-
All races, female										
2000.....	1	1	-	1	-	1	-	1	-	-
1999.....	3	-	1	-	-	1	1	-	1	-
White, both sexes										
2000.....	41	19	17	11	3	3	1	2	-	-
1999.....	37	14	25	11	9	10	5	4	1	-
White, male										
2000.....	40	18	17	10	3	2	1	1	-	-
1999.....	34	14	25	11	9	9	4	4	1	-
White, female										
2000.....	1	1	-	1	-	1	-	1	-	-
1999.....	3	-	-	-	-	1	1	-	-	-
All other, both sexes										
2000.....	6	3	1	4	1	-	-	-	-	-
1999.....	8	3	3	1	2	-	-	-	1	-
All other, male										
2000.....	6	3	1	4	1	-	-	-	-	-
1999.....	8	3	2	1	2	-	-	-	-	-
All other, female										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	1	-	-	-	-	-	1	-
Black, both sexes										
2000.....	6	2	-	3	1	-	-	-	-	-
1999.....	8	3	3	1	1	-	-	-	1	-
Black, male										
2000.....	6	2	-	3	1	-	-	-	-	-
1999.....	8	3	2	1	1	-	-	-	-	-
Black, female										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	1	-	-	-	-	-	1	-

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)										
All races, both sexes										
2000.....	214	225	187	182	188	213	257	215	263	5
1999.....	198	170	157	162	193	223	258	229	245	4
All races, male										
2000.....	145	158	126	115	107	125	136	108	115	5
1999.....	144	110	98	96	111	133	128	119	111	4
All races, female										
2000.....	69	67	61	67	81	88	121	107	148	-
1999.....	54	60	59	66	82	90	130	110	134	-
White, both sexes										
2000.....	155	175	129	131	139	158	189	156	197	5
1999.....	145	127	123	112	136	157	187	173	176	3
White, male										
2000.....	106	122	89	80	76	93	100	81	91	5
1999.....	106	82	74	75	77	92	89	95	86	3
White, female										
2000.....	49	53	40	51	63	65	89	75	106	-
1999.....	39	45	49	37	59	65	98	78	90	-
All other, both sexes										
2000.....	59	50	58	51	49	55	68	59	66	-
1999.....	53	43	34	50	57	66	71	56	69	1
All other, male										
2000.....	39	36	37	35	31	32	36	27	24	-
1999.....	38	28	24	21	34	41	39	24	25	1
All other, female										
2000.....	20	14	21	16	18	23	32	32	42	-
1999.....	15	15	10	29	23	25	32	32	44	-
Black, both sexes										
2000.....	52	48	53	49	45	53	64	57	65	-
1999.....	46	41	34	46	52	61	67	53	68	1
Black, male										
2000.....	35	34	35	34	29	31	35	26	24	-
1999.....	32	27	24	20	30	39	36	23	25	1
Black, female										
2000.....	17	14	18	15	16	22	29	31	41	-
1999.....	14	14	10	26	22	22	31	30	43	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Accidental contact with heat and hot substances (X10-X19)										
All races, both sexes										
2000.....	5	2	2	9	5	13	9	16	26	-
1999.....	6	3	9	6	9	9	7	19	28	-
All races, male										
2000.....	4	1	2	8	4	6	4	8	7	-
1999.....	3	2	7	3	5	4	5	8	5	-
All races, female										
2000.....	1	1	-	1	1	7	5	8	19	-
1999.....	3	1	2	3	4	5	2	11	23	-
White, both sexes										
2000.....	3	2	1	6	4	10	4	12	20	-
1999.....	4	1	6	3	5	7	6	15	22	-
White, male										
2000.....	3	1	1	6	4	5	-	6	6	-
1999.....	1	-	4	1	3	3	4	6	4	-
White, female										
2000.....	-	1	-	-	-	5	4	6	14	-
1999.....	3	1	2	2	2	4	2	9	18	-
All other, both sexes										
2000.....	2	-	1	3	1	3	5	4	6	-
1999.....	2	2	3	3	4	2	1	4	6	-
All other, male										
2000.....	1	-	1	2	-	1	4	2	1	-
1999.....	2	2	3	2	2	1	1	2	1	-
All other, female										
2000.....	1	-	-	1	1	2	1	2	5	-
1999.....	-	-	-	1	2	1	-	2	5	-
Black, both sexes										
2000.....	1	-	1	3	1	2	5	2	6	-
1999.....	1	2	3	3	4	2	1	2	3	-
Black, male										
2000.....	-	-	1	2	-	1	4	1	1	-
1999.....	1	2	3	2	2	1	1	1	1	-
Black, female										
2000.....	1	-	-	1	1	1	1	1	5	-
1999.....	-	-	-	1	2	1	-	1	2	-

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Cataclysmic storm and flood (X37-X38)										
All races, both sexes										
2000.....	1	8	3	4	3	1	2	4	2	-
1999.....	10	15	10	8	10	4	9	7	6	-
All races, male										
2000.....	1	2	1	2	3	1	2	2	1	-
1999.....	4	9	4	6	4	3	6	6	2	-
All races, female										
2000.....	-	6	2	2	-	-	-	2	1	-
1999.....	6	6	6	2	6	1	3	1	4	-
White, both sexes										
2000.....	1	5	-	4	3	1	2	4	2	-
1999.....	7	10	9	7	9	3	7	7	5	-
White, male										
2000.....	1	2	-	2	3	1	2	2	1	-
1999.....	2	5	3	5	3	2	4	6	2	-
White, female										
2000.....	-	3	-	2	-	-	-	2	1	-
1999.....	5	5	6	2	6	1	3	1	3	-
All other, both sexes										
2000.....	-	3	3	-	-	-	-	-	-	-
1999.....	3	5	1	1	1	1	2	-	1	-
All other, male										
2000.....	-	-	1	-	-	-	-	-	-	-
1999.....	2	4	1	1	1	1	2	-	-	-
All other, female										
2000.....	-	3	2	-	-	-	-	-	-	-
1999.....	1	1	-	-	-	-	-	-	1	-
Black, both sexes										
2000.....	-	3	2	-	-	-	-	-	-	-
1999.....	3	4	1	1	-	1	2	-	1	-
Black, male										
2000.....	-	-	1	-	-	-	-	-	-	-
1999.....	2	3	1	1	-	1	2	-	-	-
Black, female										
2000.....	-	3	1	-	-	-	-	-	-	-
1999.....	1	1	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)										
All races, both sexes										
2000.....	1,992	1,069	447	241	146	132	118	127	184	7
1999.....	1,926	918	449	219	158	142	138	127	143	12
All races, male										
2000.....	1,455	768	260	141	79	68	49	53	76	6
1999.....	1,456	650	298	150	98	74	63	53	53	8
All races, female										
2000.....	537	301	187	100	67	64	69	74	108	1
1999.....	470	268	151	69	60	68	75	74	90	4
White, both sexes										
2000.....	1,568	790	349	194	122	111	111	118	157	6
1999.....	1,493	685	353	157	127	113	128	117	123	9
White, male										
2000.....	1,143	558	187	105	60	55	46	49	65	5
1999.....	1,125	469	221	100	77	61	58	49	49	6
White, female										
2000.....	425	232	162	89	62	56	65	69	92	1
1999.....	368	216	132	57	50	52	70	68	74	3
All other, both sexes										
2000.....	424	279	98	47	24	21	7	9	27	1
1999.....	433	233	96	62	31	29	10	10	20	3
All other, male										
2000.....	312	210	73	36	19	13	3	4	11	1
1999.....	331	181	77	50	21	13	5	4	4	2
All other, female										
2000.....	112	69	25	11	5	8	4	5	16	-
1999.....	102	52	19	12	10	16	5	6	16	1
Black, both sexes										
2000.....	389	266	92	43	24	19	7	8	26	1
1999.....	411	217	85	59	26	24	10	8	18	3
Black, male										
2000.....	288	199	70	34	19	12	3	4	11	1
1999.....	315	170	70	47	18	12	5	4	4	2
Black, female										
2000.....	101	67	22	9	5	7	4	4	15	-
1999.....	96	47	15	12	8	12	5	4	14	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)										
All races, both sexes										
2000.....	1,874	989	374	181	117	90	91	85	139	7
1999.....	1,814	836	380	174	122	99	100	92	115	9
All races, male										
2000.....	1,372	705	207	103	64	46	35	27	54	6
1999.....	1,368	589	251	113	70	51	40	31	39	5
All races, female										
2000.....	502	284	167	78	53	44	56	58	85	1
1999.....	446	247	129	61	52	48	60	61	76	4
White, both sexes										
2000.....	1,470	726	292	141	96	77	86	78	118	6
1999.....	1,406	621	299	122	98	80	93	85	98	6
White, male										
2000.....	1,075	505	146	72	48	36	34	24	46	5
1999.....	1,055	421	185	71	54	43	37	28	35	3
White, female										
2000.....	395	221	146	69	48	41	52	54	72	1
1999.....	351	200	114	51	44	37	56	57	63	3
All other, both sexes										
2000.....	404	263	82	40	21	13	5	7	21	1
1999.....	408	215	81	52	24	19	7	7	17	3
All other, male										
2000.....	297	200	61	31	16	10	1	3	8	1
1999.....	313	168	66	42	16	8	3	3	4	2
All other, female										
2000.....	107	63	21	9	5	3	4	4	13	-
1999.....	95	47	15	10	8	11	4	4	13	1
Black, both sexes										
2000.....	374	253	79	37	21	12	5	6	20	1
1999.....	391	202	73	50	22	15	7	6	15	3
Black, male										
2000.....	276	192	60	30	16	9	1	3	8	1
1999.....	300	158	61	40	15	8	3	3	4	2
Black, female										
2000.....	98	61	19	7	5	3	4	3	12	-
1999.....	91	44	12	10	7	7	4	3	11	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)										
All races, both sexes										
2000.....	65	41	36	24	10	14	6	7	12	-
1999.....	63	41	33	21	16	17	13	10	8	3
All races, male										
2000.....	47	32	24	15	4	6	2	4	7	-
1999.....	49	29	21	16	13	8	6	6	2	3
All races, female										
2000.....	18	9	12	9	6	8	4	3	5	-
1999.....	14	12	12	5	3	9	7	4	6	-
White, both sexes										
2000.....	53	32	29	21	9	10	6	7	11	-
1999.....	49	33	24	16	10	14	13	9	8	3
White, male										
2000.....	36	26	18	12	3	5	2	4	6	-
1999.....	40	24	14	12	8	8	6	5	2	3
White, female										
2000.....	17	6	11	9	6	5	4	3	5	-
1999.....	9	9	10	4	2	6	7	4	6	-
All other, both sexes										
2000.....	12	9	7	3	1	4	-	-	1	-
1999.....	14	8	9	5	6	3	-	1	-	-
All other, male										
2000.....	11	6	6	3	1	1	-	-	1	-
1999.....	9	5	7	4	5	-	-	1	-	-
All other, female										
2000.....	1	3	1	-	-	3	-	-	-	-
1999.....	5	3	2	1	1	3	-	-	-	-
Black, both sexes										
2000.....	9	7	7	3	1	3	-	-	1	-
1999.....	9	8	8	4	4	3	-	1	-	-
Black, male										
2000.....	8	4	6	3	1	1	-	-	1	-
1999.....	6	5	6	3	3	-	-	1	-	-
Black, female										
2000.....	1	3	1	-	-	2	-	-	-	-
1999.....	3	3	2	1	1	3	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Accidental poisoning by and exposure to other gases and vapors (X47)										
All races, both sexes										
2000.....	53	39	37	36	19	28	21	35	33	-
1999.....	49	41	36	24	20	26	25	25	20	-
All races, male										
2000.....	36	31	29	23	11	16	12	22	15	-
1999.....	39	32	26	21	15	15	17	16	12	-
All races, female										
2000.....	17	8	8	13	8	12	9	13	18	-
1999.....	10	9	10	3	5	11	8	9	8	-
White, both sexes										
2000.....	45	32	28	32	17	24	19	33	28	-
1999.....	38	31	30	19	19	19	22	23	17	-
White, male										
2000.....	32	27	23	21	9	14	10	21	13	-
1999.....	30	24	22	17	15	10	15	16	12	-
White, female										
2000.....	13	5	5	11	8	10	9	12	15	-
1999.....	8	7	8	2	4	9	7	7	5	-
All other, both sexes										
2000.....	8	7	9	4	2	4	2	2	5	-
1999.....	11	10	6	5	1	7	3	2	3	-
All other, male										
2000.....	4	4	6	2	2	2	2	1	2	-
1999.....	9	8	4	4	-	5	2	-	-	-
All other, female										
2000.....	4	3	3	2	-	2	-	1	3	-
1999.....	2	2	2	1	1	2	1	2	3	-
Black, both sexes										
2000.....	6	6	6	3	2	4	2	2	5	-
1999.....	11	7	4	5	-	6	3	1	3	-
Black, male										
2000.....	4	3	4	1	2	2	2	1	2	-
1999.....	9	7	3	4	-	4	2	-	-	-
Black, female										
2000.....	2	3	2	2	-	2	-	1	3	-
1999.....	2	-	1	1	-	2	1	1	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)										
All races, both sexes										
2000.....	516	467	424	439	478	669	1,009	1,328	3,501	16
1999.....	486	492	425	460	560	722	1,125	1,578	3,856	15
All races, male										
2000.....	438	387	337	315	313	392	534	571	1,125	16
1999.....	394	402	327	337	361	432	587	727	1,277	14
All races, female										
2000.....	78	80	87	124	165	277	475	757	2,376	-
1999.....	92	90	98	123	199	290	538	851	2,579	1
White, both sexes										
2000.....	393	381	344	367	401	585	895	1,234	3,307	14
1999.....	364	397	341	370	465	616	991	1,445	3,621	13
White, male										
2000.....	331	314	267	258	260	349	465	524	1,053	14
1999.....	293	327	263	278	297	366	518	666	1,175	12
White, female										
2000.....	62	67	77	109	141	236	430	710	2,254	-
1999.....	71	70	78	92	168	250	473	779	2,446	1
All other, both sexes										
2000.....	123	86	80	72	77	84	114	94	194	2
1999.....	122	95	84	90	95	106	134	133	235	2
All other, male										
2000.....	107	73	70	57	53	43	69	47	72	2
1999.....	101	75	64	59	64	66	69	61	102	2
All other, female										
2000.....	16	13	10	15	24	41	45	47	122	-
1999.....	21	20	20	31	31	40	65	72	133	-
Black, both sexes										
2000.....	99	68	72	59	62	70	100	75	163	2
1999.....	107	81	75	76	85	97	116	113	210	2
Black, male										
2000.....	86	61	63	45	42	35	59	39	60	2
1999.....	89	63	58	51	58	60	59	47	91	2
Black, female										
2000.....	13	7	9	14	20	35	41	36	103	-
1999.....	18	18	17	25	27	37	57	66	119	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)										
All races, both sexes										
2000.....	2,987	2,450	1,708	1,237	1,073	1,219	1,227	954	833	7
1999.....	2,817	2,264	1,678	1,218	1,187	1,284	1,280	937	801	16
All races, male										
2000.....	2,307	1,842	1,306	959	870	1,018	1,062	822	705	7
1999.....	2,152	1,702	1,284	971	972	1,079	1,073	795	681	16
All races, female										
2000.....	680	608	402	278	203	201	165	132	128	-
1999.....	665	562	394	247	215	205	207	142	120	-
White, both sexes										
2000.....	2,762	2,273	1,604	1,171	1,017	1,151	1,174	916	806	6
1999.....	2,599	2,121	1,567	1,131	1,104	1,226	1,226	903	779	13
White, male										
2000.....	2,128	1,706	1,225	908	823	961	1,020	797	683	6
1999.....	1,987	1,586	1,196	903	911	1,029	1,031	770	664	13
White, female										
2000.....	634	567	379	263	194	190	154	119	123	-
1999.....	612	535	371	228	193	197	195	133	115	-
All other, both sexes										
2000.....	225	177	104	66	56	68	53	38	27	1
1999.....	218	143	111	87	83	58	54	34	22	3
All other, male										
2000.....	179	136	81	51	47	57	42	25	22	1
1999.....	165	116	88	68	61	50	42	25	17	3
All other, female										
2000.....	46	41	23	15	9	11	11	13	5	-
1999.....	53	27	23	19	22	8	12	9	5	-
Black, both sexes										
2000.....	156	119	62	41	39	46	30	23	12	-
1999.....	146	84	68	50	58	38	35	17	15	2
Black, male										
2000.....	129	90	51	31	36	40	25	15	11	-
1999.....	116	71	55	42	47	33	30	15	12	2
Black, female										
2000.....	27	29	11	10	3	6	5	8	1	-
1999.....	30	13	13	8	11	5	5	2	3	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)										
All races, both sexes										
2000.....	507	398	239	113	62	84	61	45	42	-
1999.....	478	370	212	117	96	81	78	53	32	1
All races, male										
2000.....	247	176	105	38	24	30	27	24	16	-
1999.....	239	164	88	49	50	35	22	22	14	1
All races, female										
2000.....	260	222	134	75	38	54	34	21	26	-
1999.....	239	206	124	68	46	46	56	31	18	-
White, both sexes										
2000.....	472	373	232	112	59	83	60	43	42	-
1999.....	454	355	201	112	91	81	74	53	32	1
White, male										
2000.....	226	164	102	37	23	29	26	23	16	-
1999.....	227	156	85	44	46	35	20	22	14	1
White, female										
2000.....	246	209	130	75	36	54	34	20	26	-
1999.....	227	199	116	68	45	46	54	31	18	-
All other, both sexes										
2000.....	35	25	7	1	3	1	1	2	-	-
1999.....	24	15	11	5	5	-	4	-	-	-
All other, male										
2000.....	21	12	3	1	1	1	1	1	-	-
1999.....	12	8	3	5	4	-	2	-	-	-
All other, female										
2000.....	14	13	4	-	2	-	-	1	-	-
1999.....	12	7	8	-	1	-	2	-	-	-
Black, both sexes										
2000.....	24	21	4	-	2	1	1	2	-	-
1999.....	20	10	5	2	2	-	1	-	-	-
Black, male										
2000.....	15	10	2	-	1	1	1	1	-	-
1999.....	10	5	3	2	2	-	-	-	-	-
Black, female										
2000.....	9	11	2	-	1	-	-	1	-	-
1999.....	10	5	2	-	-	-	1	-	-	-

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)										
All races, both sexes										
2000.....	211	144	111	52	38	32	37	37	33	-
1999.....	198	148	90	61	33	34	56	42	50	-
All races, male										
2000.....	168	101	84	38	25	23	30	29	28	-
1999.....	149	103	65	41	26	23	40	30	47	-
All races, female										
2000.....	43	43	27	14	13	9	7	8	5	-
1999.....	49	45	25	20	7	11	16	12	3	-
White, both sexes										
2000.....	204	141	109	52	36	32	36	36	33	-
1999.....	187	145	89	60	32	34	56	42	50	-
White, male										
2000.....	162	99	83	38	23	23	29	28	28	-
1999.....	140	101	64	40	26	23	40	30	47	-
White, female										
2000.....	42	42	26	14	13	9	7	8	5	-
1999.....	47	44	25	20	6	11	16	12	3	-
All other, both sexes										
2000.....	7	3	2	-	2	-	1	1	-	-
1999.....	11	3	1	1	1	-	-	-	-	-
All other, male										
2000.....	6	2	1	-	2	-	1	1	-	-
1999.....	9	2	1	1	-	-	-	-	-	-
All other, female										
2000.....	1	1	1	-	-	-	-	-	-	-
1999.....	2	1	-	-	1	-	-	-	-	-
Black, both sexes										
2000.....	6	3	1	-	2	-	1	1	-	-
1999.....	7	1	-	1	1	-	-	-	-	-
Black, male										
2000.....	5	2	1	-	2	-	1	1	-	-
1999.....	7	1	-	1	-	-	-	-	-	-
Black, female										
2000.....	1	1	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)										
All races, both sexes										
2000.....	507	336	203	140	105	106	127	99	123	-
1999.....	418	314	189	139	136	113	129	99	118	4
All races, male										
2000.....	427	277	153	103	64	81	92	69	88	-
1999.....	349	250	159	107	94	86	87	64	79	4
All races, female										
2000.....	80	59	50	37	41	25	35	30	35	-
1999.....	69	64	30	32	42	27	42	35	39	-
White, both sexes										
2000.....	454	294	185	126	92	92	109	90	113	-
1999.....	375	276	167	117	115	102	112	92	111	4
White, male										
2000.....	383	242	141	95	55	71	79	64	79	-
1999.....	311	219	141	93	82	78	75	61	74	4
White, female										
2000.....	71	52	44	31	37	21	30	26	34	-
1999.....	64	57	26	24	33	24	37	31	37	-
All other, both sexes										
2000.....	53	42	18	14	13	14	18	9	10	-
1999.....	43	38	22	22	21	11	17	7	7	-
All other, male										
2000.....	44	35	12	8	9	10	13	5	9	-
1999.....	38	31	18	14	12	8	12	3	5	-
All other, female										
2000.....	9	7	6	6	4	4	5	4	1	-
1999.....	5	7	4	8	9	3	5	4	2	-
Black, both sexes										
2000.....	28	17	7	4	2	4	6	1	2	-
1999.....	20	14	5	5	9	2	3	-	1	-
Black, male										
2000.....	25	17	4	1	2	2	5	1	2	-
1999.....	20	13	4	3	8	2	3	-	1	-
Black, female										
2000.....	3	-	3	3	-	2	1	-	-	-
1999.....	-	1	1	2	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Intentional self-harm (suicide) by discharge of firearms (X72-X74)										
All races, both sexes										
2000.....	1,491	1,367	1,001	832	791	909	917	694	558	5
1999.....	1,462	1,215	1,058	802	827	964	946	660	524	5
All races, male										
2000.....	1,263	1,146	854	714	698	830	856	649	526	5
1999.....	1,221	1,030	882	712	742	873	875	624	496	5
All races, female										
2000.....	228	221	147	118	93	79	61	45	32	-
1999.....	241	185	176	90	85	91	71	36	28	-
White, both sexes										
2000.....	1,390	1,290	941	791	759	867	894	679	547	4
1999.....	1,360	1,154	998	756	785	929	917	640	512	5
White, male										
2000.....	1,178	1,083	800	679	667	790	836	637	515	4
1999.....	1,139	974	827	672	707	838	849	605	485	5
White, female										
2000.....	212	207	141	112	92	77	58	42	32	-
1999.....	221	180	171	84	78	91	68	35	27	-
All other, both sexes										
2000.....	101	77	60	41	32	42	23	15	11	1
1999.....	102	61	60	46	42	35	29	20	12	-
All other, male										
2000.....	85	63	54	35	31	40	20	12	11	1
1999.....	82	56	55	40	35	35	26	19	11	-
All other, female										
2000.....	16	14	6	6	1	2	3	3	-	-
1999.....	20	5	5	6	7	-	3	1	1	-
Black, both sexes										
2000.....	77	61	39	33	28	34	19	13	8	-
1999.....	77	43	46	36	36	29	28	15	12	-
Black, male										
2000.....	66	48	35	27	27	33	17	10	8	-
1999.....	64	40	42	32	30	29	25	14	11	-
Black, female										
2000.....	11	13	4	6	1	1	2	3	-	-
1999.....	13	3	4	4	6	-	3	1	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Intentional self-harm (suicide) by jumping from a high place (X80)										
All races, both sexes										
2000.....	65	51	28	22	13	22	19	24	24	-
1999.....	69	46	30	19	25	27	24	27	22	2
All races, male										
2000.....	50	38	17	12	10	12	11	16	14	-
1999.....	53	31	18	9	16	21	14	18	14	2
All races, female										
2000.....	15	13	11	10	3	10	8	8	10	-
1999.....	16	15	12	10	9	6	10	9	8	-
White, both sexes										
2000.....	61	44	24	20	13	19	15	21	21	-
1999.....	57	40	25	16	22	24	22	22	21	1
White, male										
2000.....	46	32	16	11	10	10	8	15	12	-
1999.....	44	26	15	7	15	19	14	16	13	1
White, female										
2000.....	15	12	8	9	3	9	7	6	9	-
1999.....	13	14	10	9	7	5	8	6	8	-
All other, both sexes										
2000.....	4	7	4	2	-	3	4	3	3	-
1999.....	12	6	5	3	3	3	2	5	1	1
All other, male										
2000.....	4	6	1	1	-	2	3	1	2	-
1999.....	9	5	3	2	1	2	-	2	1	1
All other, female										
2000.....	-	1	3	1	-	1	1	2	1	-
1999.....	3	1	2	1	2	1	2	3	-	-
Black, both sexes										
2000.....	3	3	2	1	-	1	2	2	2	-
1999.....	7	4	3	2	1	2	1	1	-	-
Black, male										
2000.....	3	3	1	1	-	-	1	-	1	-
1999.....	5	3	1	2	-	1	-	1	-	-
Black, female										
2000.....	-	-	1	-	-	1	1	2	1	-
1999.....	2	1	2	-	1	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)										
All races, both sexes										
2000.....	183	134	117	71	57	60	63	50	50	2
1999.....	170	152	82	66	66	61	45	52	53	4
All races, male										
2000.....	135	92	88	48	43	38	44	33	30	2
1999.....	127	111	61	44	42	38	34	34	30	4
All races, female										
2000.....	48	42	29	23	14	22	19	17	20	-
1999.....	43	41	21	22	24	23	11	18	23	-
White, both sexes										
2000.....	163	113	106	64	53	54	58	44	47	2
1999.....	147	133	71	56	56	53	43	50	51	2
White, male										
2000.....	120	75	80	43	40	34	40	30	30	2
1999.....	114	98	54	38	34	34	32	33	30	2
White, female										
2000.....	43	38	26	21	13	20	18	14	17	-
1999.....	33	35	17	18	22	19	11	17	21	-
All other, both sexes										
2000.....	20	21	11	7	4	6	5	6	3	-
1999.....	23	19	11	10	10	8	2	2	2	2
All other, male										
2000.....	15	17	8	5	3	4	4	3	-	-
1999.....	13	13	7	6	8	4	2	1	-	2
All other, female										
2000.....	5	4	3	2	1	2	1	3	3	-
1999.....	10	6	4	4	2	4	-	1	2	-
Black, both sexes										
2000.....	15	12	7	3	3	5	-	3	-	-
1999.....	15	11	9	4	8	5	2	1	2	2
Black, male										
2000.....	12	9	6	2	3	4	-	1	-	-
1999.....	10	8	5	2	6	1	2	-	-	2
Black, female										
2000.....	3	3	1	1	-	1	-	2	-	-
1999.....	5	3	4	2	2	4	-	1	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Assault (homicide) (X85-Y09,Y87.1)										
All races, both sexes										
2000.....	1,059	696	455	283	233	210	172	129	100	30
1999.....	998	670	420	302	259	214	185	119	99	49
All races, male										
2000.....	773	511	338	199	147	132	85	69	40	15
1999.....	746	483	323	218	183	121	101	61	41	33
All races, female										
2000.....	286	185	117	84	86	78	87	60	60	15
1999.....	252	187	97	84	76	93	84	58	58	16
White, both sexes										
2000.....	616	432	309	188	150	153	138	89	83	25
1999.....	587	429	287	209	193	160	133	92	79	34
White, male										
2000.....	423	295	224	126	86	90	67	42	31	13
1999.....	429	308	210	146	130	86	70	47	29	23
White, female										
2000.....	193	137	85	62	64	63	71	47	52	12
1999.....	158	121	77	63	63	74	63	45	50	11
All other, both sexes										
2000.....	443	264	146	95	83	57	34	40	17	5
1999.....	411	241	133	93	66	54	52	27	20	15
All other, male										
2000.....	350	216	114	73	61	42	18	27	9	2
1999.....	317	175	113	72	53	35	31	14	12	10
All other, female										
2000.....	93	48	32	22	22	15	16	13	8	3
1999.....	94	66	20	21	13	19	21	13	8	5
Black, both sexes										
2000.....	397	231	123	81	74	51	30	34	14	4
1999.....	371	198	116	79	60	44	46	21	19	14
Black, male										
2000.....	315	193	97	63	58	37	16	23	7	1
1999.....	289	150	100	60	50	30	29	10	11	10
Black, female										
2000.....	82	38	26	18	16	14	14	11	7	3
1999.....	82	48	16	19	10	14	17	11	8	4

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Assault (homicide) by hanging, strangulation and suffocation (X91)										
All races, both sexes										
2000.....	50	25	23	15	19	13	15	9	10	3
1999.....	37	28	17	9	29	16	19	8	12	7
All races, male										
2000.....	19	8	14	6	7	6	5	3	2	1
1999.....	14	12	11	2	18	4	5	2	5	3
All races, female										
2000.....	31	17	9	9	12	7	10	6	8	2
1999.....	23	16	6	7	11	12	14	6	7	4
White, both sexes										
2000.....	37	20	15	12	12	8	13	6	8	1
1999.....	24	20	12	4	22	12	15	6	11	5
White, male										
2000.....	14	7	9	6	4	4	5	3	2	1
1999.....	9	10	8	2	13	4	4	2	4	2
White, female										
2000.....	23	13	6	6	8	4	8	3	6	-
1999.....	15	10	4	2	9	8	11	4	7	3
All other, both sexes										
2000.....	13	5	8	3	7	5	2	3	2	2
1999.....	13	8	5	5	7	4	4	2	1	2
All other, male										
2000.....	5	1	5	-	3	2	-	-	-	-
1999.....	5	2	3	-	5	-	1	-	1	1
All other, female										
2000.....	8	4	3	3	4	3	2	3	2	2
1999.....	8	6	2	5	2	4	3	2	-	1
Black, both sexes										
2000.....	9	3	7	2	7	5	1	3	2	2
1999.....	9	8	5	5	7	3	3	2	1	2
Black, male										
2000.....	2	-	4	-	3	2	-	-	-	-
1999.....	3	2	3	-	5	-	1	-	1	1
Black, female										
2000.....	7	3	3	2	4	3	1	3	2	2
1999.....	6	6	2	5	2	3	2	2	-	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Assault (homicide) by discharge of firearms (X93-X95)										
All races, both sexes										
2000.....	582	377	235	132	99	85	54	27	28	12
1999.....	551	342	206	167	102	91	61	34	23	15
All races, male										
2000.....	445	285	172	94	58	50	23	14	9	7
1999.....	426	250	167	127	68	56	34	14	10	14
All races, female										
2000.....	137	92	63	38	41	35	31	13	19	5
1999.....	125	92	39	40	34	35	27	20	13	1
White, both sexes										
2000.....	338	229	165	95	70	64	47	17	24	10
1999.....	313	213	139	113	79	69	43	29	21	10
White, male										
2000.....	246	160	117	60	37	33	20	5	8	5
1999.....	230	162	106	80	50	40	20	11	9	9
White, female										
2000.....	92	69	48	35	33	31	27	12	16	5
1999.....	83	51	33	33	29	29	23	18	12	1
All other, both sexes										
2000.....	244	148	70	37	29	21	7	10	4	2
1999.....	238	129	67	54	23	22	18	5	2	5
All other, male										
2000.....	199	125	55	34	21	17	3	9	1	2
1999.....	196	88	61	47	18	16	14	3	1	5
All other, female										
2000.....	45	23	15	3	8	4	4	1	3	-
1999.....	42	41	6	7	5	6	4	2	1	-
Black, both sexes										
2000.....	223	131	56	29	25	20	7	10	4	1
1999.....	222	104	59	45	20	19	17	4	2	5
Black, male										
2000.....	183	113	43	26	20	17	3	9	1	1
1999.....	183	77	55	39	17	14	14	2	1	5
Black, female										
2000.....	40	18	13	3	5	3	4	1	3	-
1999.....	39	27	4	6	3	5	3	2	1	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Assault (homicide) by sharp object (X99)										
All races, both sexes										
2000.....	134	86	62	39	35	27	33	26	12	4
1999.....	148	101	65	42	33	30	28	13	13	4
All races, male										
2000.....	96	54	52	25	22	22	20	16	7	3
1999.....	109	72	47	28	23	15	17	6	7	2
All races, female										
2000.....	38	32	10	14	13	5	13	10	5	1
1999.....	39	29	18	14	10	15	11	7	6	2
White, both sexes										
2000.....	64	54	37	24	19	17	23	19	10	4
1999.....	77	62	40	30	22	20	14	9	8	3
White, male										
2000.....	43	31	33	16	11	15	13	12	5	3
1999.....	60	45	24	19	15	9	7	5	4	1
White, female										
2000.....	21	23	4	8	8	2	10	7	5	1
1999.....	17	17	16	11	7	11	7	4	4	2
All other, both sexes										
2000.....	70	32	25	15	16	10	10	7	2	-
1999.....	71	39	25	12	11	10	14	4	5	1
All other, male										
2000.....	53	23	19	9	11	7	7	4	2	-
1999.....	49	27	23	9	8	6	10	1	3	1
All other, female										
2000.....	17	9	6	6	5	3	3	3	-	-
1999.....	22	12	2	3	3	4	4	3	2	-
Black, both sexes										
2000.....	67	29	24	14	16	8	7	4	2	-
1999.....	63	34	21	12	11	7	13	3	5	1
Black, male										
2000.....	51	21	18	9	11	5	5	2	2	-
1999.....	44	25	19	9	8	5	9	-	3	1
Black, female										
2000.....	16	8	6	5	5	3	2	2	-	-
1999.....	19	9	2	3	3	2	4	3	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Assault (homicide) by blunt object (Y00)										
All races, both sexes										
2000.....	26	20	10	9	10	8	2	3	1	-
1999.....	15	15	16	10	12	9	3	8	1	1
All races, male										
2000.....	20	14	8	6	8	3	2	-	1	-
1999.....	12	11	11	7	9	7	2	6	-	-
All races, female										
2000.....	6	6	2	3	2	5	-	3	-	-
1999.....	3	4	5	3	3	2	1	2	1	1
White, both sexes										
2000.....	17	13	5	4	4	7	2	2	1	-
1999.....	9	13	13	7	10	9	3	5	1	1
White, male										
2000.....	13	11	4	3	3	2	2	-	1	-
1999.....	6	9	8	5	7	7	2	4	-	-
White, female										
2000.....	4	2	1	1	1	5	-	2	-	-
1999.....	3	4	5	2	3	2	1	1	1	1
All other, both sexes										
2000.....	9	7	5	5	6	1	-	1	-	-
1999.....	6	2	3	3	2	-	-	3	-	-
All other, male										
2000.....	7	3	4	3	5	1	-	-	-	-
1999.....	6	2	3	2	2	-	-	2	-	-
All other, female										
2000.....	2	4	1	2	1	-	-	1	-	-
1999.....	-	-	-	1	-	-	-	1	-	-
Black, both sexes										
2000.....	6	6	4	4	5	1	-	1	-	-
1999.....	5	1	3	3	2	-	-	2	-	-
Black, male										
2000.....	4	3	4	2	5	1	-	-	-	-
1999.....	5	1	3	2	2	-	-	2	-	-
Black, female										
2000.....	2	3	-	2	-	-	-	1	-	-
1999.....	-	-	-	1	-	-	-	-	-	-

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Sexual assault (homicide) by bodily force (Y05)										
All races, both sexes										
2000.....	-	-	-	1	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	1	-	-	-
All races, male										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-
All races, female										
2000.....	-	-	-	1	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	1	-	-	-
White, both sexes										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	-	-	-	-
White, male										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-
White, female										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-
All other, both sexes										
2000.....	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-
All other, male										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-
All other, female										
2000.....	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-
Black, both sexes										
2000.....	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-
Black, male										
2000.....	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-
Black, female										
2000.....	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)										
All races, both sexes										
2000.....	246	171	116	80	67	69	64	62	38	10
1999.....	226	166	109	71	75	62	68	50	45	21
All races, male										
2000.....	174	137	84	65	51	50	33	36	18	3
1999.....	167	124	80	52	60	35	42	33	18	13
All races, female										
2000.....	72	34	32	15	16	19	31	26	20	7
1999.....	59	42	29	19	15	27	26	17	27	8
White, both sexes										
2000.....	146	106	80	48	43	50	49	43	32	9
1999.....	147	107	80	52	54	45	54	38	35	15
White, male										
2000.....	95	78	55	38	31	35	25	22	14	3
1999.....	110	72	61	38	42	23	36	25	11	11
White, female										
2000.....	51	28	25	10	12	15	24	21	18	6
1999.....	37	35	19	14	12	22	18	13	24	4
All other, both sexes										
2000.....	100	65	36	32	24	19	15	19	6	1
1999.....	79	59	29	19	21	17	14	12	10	6
All other, male										
2000.....	79	59	29	27	20	15	8	14	4	-
1999.....	57	52	19	14	18	12	6	8	7	2
All other, female										
2000.....	21	6	7	5	4	4	7	5	2	1
1999.....	22	7	10	5	3	5	8	4	3	4
Black, both sexes										
2000.....	88	58	30	30	20	16	15	16	4	1
1999.....	68	48	24	14	19	15	12	9	9	5
Black, male										
2000.....	71	53	26	26	18	12	8	12	2	-
1999.....	50	42	16	10	17	11	5	6	6	2
Black, female										
2000.....	17	5	4	4	2	4	7	4	2	1
1999.....	18	6	8	4	2	4	7	3	3	3

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)										
All races, both sexes										
2000.....	543	298	154	74	55	49	43	36	57	11
1999.....	528	265	136	86	72	42	51	45	58	19
All races, male										
2000.....	374	196	105	47	38	32	29	20	21	11
1999.....	357	175	94	54	47	25	31	24	25	13
All races, female										
2000.....	169	102	49	27	17	17	14	16	36	-
1999.....	171	90	42	32	25	17	20	21	33	6
White, both sexes										
2000.....	432	240	116	61	45	39	38	34	48	8
1999.....	409	203	111	75	63	34	47	42	52	14
White, male										
2000.....	292	154	74	38	29	24	27	18	17	8
1999.....	262	128	70	43	42	19	28	21	23	9
White, female										
2000.....	140	86	42	23	16	15	11	16	31	-
1999.....	147	75	41	32	21	15	19	21	29	5
All other, both sexes										
2000.....	111	58	38	13	10	10	5	2	9	3
1999.....	119	62	25	11	9	8	4	3	6	5
All other, male										
2000.....	82	42	31	9	9	8	2	2	4	3
1999.....	95	47	24	11	5	6	3	3	2	4
All other, female										
2000.....	29	16	7	4	1	2	3	-	5	-
1999.....	24	15	1	-	4	2	1	-	4	1
Black, both sexes										
2000.....	103	53	31	12	8	7	4	2	7	3
1999.....	109	59	20	8	8	6	4	1	3	5
Black, male										
2000.....	77	38	24	9	7	6	2	2	3	3
1999.....	88	46	19	8	5	5	3	1	1	4
Black, female										
2000.....	26	15	7	3	1	1	2	-	4	-
1999.....	21	13	1	-	3	1	1	-	2	1

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)										
All races, both sexes										
2000.....	417	199	72	31	13	4	8	5	7	5
1999.....	389	175	72	35	24	12	9	8	9	6
All races, male										
2000.....	278	129	47	15	6	2	4	3	2	5
1999.....	248	111	43	16	11	5	4	2	-	4
All races, female										
2000.....	139	70	25	16	7	2	4	2	5	-
1999.....	141	64	29	19	13	7	5	6	9	2
White, both sexes										
2000.....	336	163	58	29	11	4	8	5	7	3
1999.....	305	132	60	29	23	11	9	8	9	4
White, male										
2000.....	223	104	35	13	5	2	4	3	2	3
1999.....	183	80	32	10	10	4	4	2	-	2
White, female										
2000.....	113	59	23	16	6	2	4	2	5	-
1999.....	122	52	28	19	13	7	5	6	9	2
All other, both sexes										
2000.....	81	36	14	2	2	-	-	-	-	2
1999.....	84	43	12	6	1	1	-	-	-	2
All other, male										
2000.....	55	25	12	2	1	-	-	-	-	2
1999.....	65	31	11	6	1	1	-	-	-	2
All other, female										
2000.....	26	11	2	-	1	-	-	-	-	-
1999.....	19	12	1	-	-	-	-	-	-	-
Black, both sexes										
2000.....	77	35	12	2	2	-	-	-	-	2
1999.....	82	40	9	6	1	1	-	-	-	2
Black, male										
2000.....	54	24	10	2	1	-	-	-	-	2
1999.....	64	30	8	6	1	1	-	-	-	2
Black, female										
2000.....	23	11	2	-	1	-	-	-	-	-
1999.....	18	10	1	-	-	-	-	-	-	-

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)										
All races, both sexes										
2000.....	101	72	61	32	31	33	25	27	40	5
1999.....	100	65	53	34	34	20	29	24	40	13
All races, male										
2000.....	78	48	42	26	23	21	18	14	13	5
1999.....	81	51	43	25	24	12	18	12	17	9
All races, female										
2000.....	23	24	19	6	8	12	7	13	27	-
1999.....	19	14	10	9	10	8	11	12	23	4
White, both sexes										
2000.....	74	55	44	23	26	25	20	25	31	4
1999.....	72	47	42	31	29	15	25	22	34	10
White, male										
2000.....	53	35	29	21	18	15	16	12	9	4
1999.....	57	36	32	22	22	9	15	10	15	7
White, female										
2000.....	21	20	15	2	8	10	4	13	22	-
1999.....	15	11	10	9	7	6	10	12	19	3
All other, both sexes										
2000.....	27	17	17	9	5	8	5	2	9	1
1999.....	28	18	11	3	5	5	4	2	6	3
All other, male										
2000.....	25	13	13	5	5	6	2	2	4	1
1999.....	24	15	11	3	2	3	3	2	2	2
All other, female										
2000.....	2	4	4	4	-	2	3	-	5	-
1999.....	4	3	-	-	3	2	1	-	4	1
Black, both sexes										
2000.....	23	15	14	8	4	6	4	2	7	1
1999.....	21	18	9	1	5	3	4	-	3	3
Black, male										
2000.....	21	11	10	5	4	5	2	2	3	1
1999.....	19	15	9	1	2	2	3	-	1	2
Black, female										
2000.....	2	4	4	3	-	1	2	-	4	-
1999.....	2	3	-	-	3	1	1	-	2	1

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

[illegible]

[illegible]

[illegible]

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)										
All races, both sexes										
2000.....	128	167	157	219	263	384	427	398	578	-
1999.....	91	123	138	177	229	357	401	410	529	-
All races, male										
2000.....	59	84	77	104	123	208	212	190	196	-
1999.....	37	61	77	88	102	177	193	182	197	-
All races, female										
2000.....	69	83	80	115	140	176	215	208	382	-
1999.....	54	62	61	89	127	180	208	228	332	-
White, both sexes										
2000.....	97	134	120	165	215	320	361	357	503	-
1999.....	68	91	98	142	193	299	343	356	455	-
White, male										
2000.....	45	70	64	80	98	175	186	177	175	-
1999.....	26	46	55	71	87	148	169	159	168	-
White, female										
2000.....	52	64	56	85	117	145	175	180	328	-
1999.....	42	45	43	71	106	151	174	197	287	-
All other, both sexes										
2000.....	31	33	37	54	48	64	66	41	75	-
1999.....	23	32	40	35	36	58	58	54	74	-
All other, male										
2000.....	14	14	13	24	25	33	26	13	21	-
1999.....	11	15	22	17	15	29	24	23	29	-
All other, female										
2000.....	17	19	24	30	23	31	40	28	54	-
1999.....	12	17	18	18	21	29	34	31	45	-
Black, both sexes										
2000.....	27	31	35	51	42	59	59	37	67	-
1999.....	21	31	34	28	32	54	53	43	63	-
Black, male										
2000.....	12	13	12	22	24	28	22	12	16	-
1999.....	11	15	16	14	13	27	22	18	20	-
Black, female										
2000.....	15	18	23	29	18	31	37	25	51	-
1999.....	10	16	18	14	19	27	31	25	43	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae (Y40-Y59, Y88.0)										
All races, both sexes										
2000.....	18	18	16	15	15	20	28	35	33	-
1999.....	16	16	15	17	17	21	17	18	18	-
All races, male										
2000.....	8	9	7	10	5	10	13	18	13	-
1999.....	10	7	10	8	8	11	7	8	4	-
All races, female										
2000.....	10	9	9	5	10	10	15	17	20	-
1999.....	6	9	5	9	9	10	10	10	14	-
White, both sexes										
2000.....	14	11	14	9	13	16	27	31	30	-
1999.....	11	14	12	12	13	19	13	17	18	-
White, male										
2000.....	7	7	6	7	5	8	13	17	12	-
1999.....	6	6	8	4	7	10	6	8	4	-
White, female										
2000.....	7	4	8	2	8	8	14	14	18	-
1999.....	5	8	4	8	6	9	7	9	14	-
All other, both sexes										
2000.....	4	7	2	6	2	4	1	4	3	-
1999.....	5	2	3	5	4	2	4	1	-	-
All other, male										
2000.....	1	2	1	3	-	2	-	1	1	-
1999.....	4	1	2	4	1	1	1	-	-	-
All other, female										
2000.....	3	5	1	3	2	2	1	3	2	-
1999.....	1	1	1	1	3	1	3	1	-	-
Black, both sexes										
2000.....	4	7	2	6	1	3	1	4	2	-
1999.....	4	2	3	1	4	2	4	1	-	-
Black, male										
2000.....	1	2	1	3	-	1	-	1	-	-
1999.....	4	1	2	1	1	1	1	-	-	-
Black, female										
2000.....	3	5	1	3	1	2	1	3	2	-
1999.....	-	1	1	-	3	1	3	1	-	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)										
All races, both sexes										
2000.....	10	12	14	9	20	25	25	16	26	-
1999.....	8	9	12	9	18	24	24	26	19	-
All races, male										
2000.....	3	5	7	1	8	13	16	8	8	-
1999.....	1	3	6	3	7	9	12	10	9	-
All races, female										
2000.....	7	7	7	8	12	12	9	8	18	-
1999.....	7	6	6	6	11	15	12	16	10	-
White, both sexes										
2000.....	6	10	13	3	14	19	21	14	22	-
1999.....	5	7	10	9	15	16	21	22	15	-
White, male										
2000.....	3	4	7	-	3	9	14	8	8	-
1999.....	1	3	6	3	5	7	10	8	7	-
White, female										
2000.....	3	6	6	3	11	10	7	6	14	-
1999.....	4	4	4	6	10	9	11	14	8	-
All other, both sexes										
2000.....	4	2	1	6	6	6	4	2	4	-
1999.....	3	2	2	-	3	8	3	4	4	-
All other, male										
2000.....	-	1	-	1	5	4	2	-	-	-
1999.....	-	-	-	-	2	2	2	2	2	-
All other, female										
2000.....	4	1	1	5	1	2	2	2	4	-
1999.....	3	2	2	-	1	6	1	2	2	-
Black, both sexes										
2000.....	3	2	1	6	5	6	3	1	4	-
1999.....	3	2	2	-	2	8	2	4	3	-
Black, male										
2000.....	-	1	-	1	4	4	1	-	-	-
1999.....	-	-	-	-	1	2	1	2	1	-
Black, female										
2000.....	3	1	1	5	1	2	2	1	4	-
1999.....	3	2	2	-	1	6	1	2	2	-

CAUSE OF DEATH (BASED ON THE
TENTH REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES,
1992), RACE, SEX, AND YEAR

	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)										
All races, both sexes										
2000.....	100	137	127	195	228	339	374	347	519	-
1999.....	67	98	111	151	194	312	360	366	492	-
All races, male										
2000.....	48	70	63	93	110	185	183	164	175	-
1999.....	26	51	61	77	87	157	174	164	184	-
All races, female										
2000.....	52	67	64	102	118	154	191	183	344	-
1999.....	41	47	50	74	107	155	186	202	308	-
White, both sexes										
2000.....	77	113	93	153	188	285	313	312	451	-
1999.....	52	70	76	121	165	264	309	317	422	-
White, male										
2000.....	35	59	51	73	90	158	159	152	155	-
1999.....	19	37	41	64	75	131	153	143	157	-
White, female										
2000.....	42	54	42	80	98	127	154	160	296	-
1999.....	33	33	35	57	90	133	156	174	265	-
All other, both sexes										
2000.....	23	24	34	42	40	54	61	35	68	-
1999.....	15	28	35	30	29	48	51	49	70	-
All other, male										
2000.....	13	11	12	20	20	27	24	12	20	-
1999.....	7	14	20	13	12	26	21	21	27	-
All other, female										
2000.....	10	13	22	22	20	27	37	23	48	-
1999.....	8	14	15	17	17	22	30	28	43	-
Black, both sexes										
2000.....	20	22	32	39	36	50	55	32	61	-
1999.....	14	27	29	27	26	44	47	38	60	-
Black, male										
2000.....	11	10	11	18	20	23	21	11	16	-
1999.....	7	14	14	13	11	24	20	16	19	-
Black, female										
2000.....	9	12	21	21	16	27	34	21	45	-
1999.....	7	13	15	14	15	20	27	22	41	-

- QUANTITY ZERO.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY.