





## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Tuberculosis (A16-A19)									
All races, both sexes	764	2	1	-	12	25	40	84	116
Male	453	-	-	-	8	14	27	63	85
Female	311	2	1	-	4	11	13	21	31
White, both sexes	469	1	1	-	8	10	22	42	67
Male	271	-	-	-	6	8	16	30	51
Female	198	1	1	-	2	2	6	12	16
Black, both sexes	203	-	-	-	1	10	16	37	38
Male	127	-	-	-	-	4	10	30	27
Female	76	-	-	-	1	6	6	7	11
American Indian 1/, both sexes	13	-	-	-	-	1	-	2	2
Male	5	-	-	-	-	-	-	1	1
Female	8	-	-	-	-	1	-	1	1
Asian or Pacific Islander 2/, both sexes	79	1	-	-	3	4	2	3	9
Male	50	-	-	-	2	2	1	2	6
Female	29	1	-	-	1	2	1	1	3
Respiratory tuberculosis (A16)									
All races, both sexes	600	2	1	-	7	17	28	61	96
Male	371	-	-	-	5	10	18	49	78
Female	229	2	1	-	2	7	10	12	18
White, both sexes	368	1	1	-	4	7	14	30	57
Male	221	-	-	-	3	5	10	23	48
Female	147	1	1	-	1	2	4	7	9
Black, both sexes	160	-	-	-	1	7	12	29	31
Male	106	-	-	-	-	3	7	25	24
Female	54	-	-	-	1	4	5	4	7
American Indian 1/, both sexes	8	-	-	-	-	-	-	-	1
Male	3	-	-	-	-	-	-	-	1
Female	5	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	64	1	-	-	2	3	2	2	7
Male	41	-	-	-	2	2	1	1	5
Female	23	1	-	-	-	1	1	1	2



## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Scarlet fever and erysipelas (A38,A46)									
All races, both sexes	3	-	-	1	-	-	-	-	-
Male	2	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-
White, both sexes	3	-	-	1	-	-	-	-	-
Male	2	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Meningococcal infection (A39)									
All races, both sexes	199	16	19	26	55	10	13	13	15
Male	94	6	9	15	27	6	6	8	7
Female	105	10	10	11	28	4	7	5	8
White, both sexes	158	14	14	20	40	7	11	12	11
Male	72	5	7	12	20	4	4	7	5
Female	86	9	7	8	20	3	7	5	6
Black, both sexes	36	2	4	6	13	2	1	1	4
Male	18	1	1	3	6	1	1	1	2
Female	18	1	3	3	7	1	-	-	2
American Indian 1/, both sexes	1	-	1	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-	2	1	1	-	-
Male	3	-	-	-	1	1	1	-	-
Female	1	-	-	-	1	-	-	-	-





## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
<b>Measles (B05)</b>									
All races, both sexes	1	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
<b>Viral hepatitis (B15-B19)</b>									
All races, both sexes	5,585	1	-	3	20	74	797	2,060	1,014
Male	3,539	1	-	2	11	42	553	1,570	643
Female	2,046	-	-	1	9	32	244	490	371
White, both sexes	4,451	1	-	3	13	53	646	1,632	778
Male	2,900	1	-	2	6	31	456	1,271	508
Female	1,551	-	-	1	7	22	190	361	270
Black, both sexes	831	-	-	-	6	15	121	355	170
Male	484	-	-	-	4	7	79	243	101
Female	347	-	-	-	2	8	42	112	69
American Indian 1/, both sexes	55	-	-	-	1	4	13	22	5
Male	30	-	-	-	1	2	6	16	3
Female	25	-	-	-	-	2	7	6	2
Asian or Pacific Islander 2/, both sexes	248	-	-	-	-	2	17	51	61
Male	125	-	-	-	-	2	12	40	31
Female	123	-	-	-	-	-	5	11	30





## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)									
All races, both sexes	5,715	191	64	64	86	147	369	663	771
Male	2,931	101	37	29	51	83	227	426	449
Female	2,784	90	27	35	35	64	142	237	322
White, both sexes	4,688	120	44	49	58	96	258	508	609
Male	2,405	62	25	22	33	61	160	332	360
Female	2,283	58	19	27	25	35	98	176	249
Black, both sexes	825	62	16	13	23	45	94	131	130
Male	427	36	10	6	15	19	59	81	71
Female	398	26	6	7	8	26	35	50	59
American Indian 1/, both sexes	51	5	3	2	2	-	8	5	7
Male	21	2	2	1	2	-	3	2	2
Female	30	3	1	1	-	-	5	3	5
Asian or Pacific Islander 2/, both sexes	151	4	1	-	3	6	9	19	25
Male	78	1	-	-	1	3	5	11	16
Female	73	3	1	-	2	3	4	8	9
Malignant neoplasms (C00-C97)									
All races, both sexes	553,768	66	420	1,008	1,704	3,994	16,569	49,562	90,223
Male	287,075	31	229	533	1,024	1,860	7,297	25,071	49,244
Female	266,693	35	191	475	680	2,134	9,272	24,491	40,979
White, both sexes	479,651	54	353	780	1,359	3,094	12,959	39,686	75,603
Male	248,146	24	189	398	824	1,493	5,783	20,069	41,155
Female	231,505	30	164	382	535	1,601	7,176	19,617	34,448
Black, both sexes	62,170	6	48	176	262	697	2,981	8,245	12,323
Male	32,679	3	30	102	153	270	1,217	4,235	6,833
Female	29,491	3	18	74	109	427	1,764	4,010	5,490
American Indian 1/, both sexes	2,155	3	4	5	22	34	114	282	470
Male	1,103	3	3	3	15	19	53	135	244
Female	1,052	-	1	2	7	15	61	147	226
Asian or Pacific Islander 2/, both sexes	9,792	3	15	47	61	169	515	1,349	1,827
Male	5,147	1	7	30	32	78	244	632	1,012
Female	4,645	2	8	17	29	91	271	717	815



## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasm of stomach (C16)									
All races, both sexes	12,319	-	-	-	20	122	464	1,127	1,771
Male	7,191	-	-	-	9	71	253	731	1,238
Female	5,128	-	-	-	11	51	211	396	533
White, both sexes	9,501	-	-	-	10	84	310	794	1,315
Male	5,568	-	-	-	4	48	176	519	921
Female	3,933	-	-	-	6	36	134	275	394
Black, both sexes	2,067	-	-	-	5	25	121	240	328
Male	1,186	-	-	-	2	14	63	163	223
Female	881	-	-	-	3	11	58	77	105
American Indian 1/, both sexes	79	-	-	-	1	2	1	7	15
Male	51	-	-	-	1	2	1	4	13
Female	28	-	-	-	-	-	-	3	2
Asian or Pacific Islander 2/, both sexes	672	-	-	-	4	11	32	86	113
Male	386	-	-	-	2	7	13	45	81
Female	286	-	-	-	2	4	19	41	32
Malignant neoplasms of colon, rectum and anus (C18-C21)									
All races, both sexes	56,887	-	-	-	46	299	1,433	4,548	7,984
Male	28,225	-	-	-	24	157	781	2,512	4,652
Female	28,662	-	-	-	22	142	652	2,036	3,332
White, both sexes	48,748	-	-	-	34	223	1,091	3,535	6,515
Male	24,335	-	-	-	16	119	599	2,000	3,867
Female	24,413	-	-	-	18	104	492	1,535	2,648
Black, both sexes	6,905	-	-	-	8	56	286	851	1,262
Male	3,251	-	-	-	7	30	155	431	661
Female	3,654	-	-	-	1	26	131	420	601
American Indian 1/, both sexes	192	-	-	-	-	1	11	19	42
Male	95	-	-	-	-	-	5	13	20
Female	97	-	-	-	-	1	6	6	22
Asian or Pacific Islander 2/, both sexes	1,042	-	-	-	4	19	45	143	165
Male	544	-	-	-	1	8	22	68	104
Female	498	-	-	-	3	11	23	75	61

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasms of liver and intrahepatic bile ducts (C22)									
All races, both sexes	13,351	5	18	15	29	75	401	1,868	2,351
Male	8,483	3	7	7	15	43	302	1,490	1,691
Female	4,868	2	11	8	14	32	99	378	660
White, both sexes	10,697	5	14	8	22	48	237	1,313	1,772
Male	6,774	3	5	4	12	24	175	1,044	1,280
Female	3,923	2	9	4	10	24	62	269	492
Black, both sexes	1,670	-	3	5	4	15	96	389	375
Male	1,048	-	2	2	1	10	71	305	267
Female	622	-	1	3	3	5	25	84	108
American Indian 1/, both sexes	109	-	-	-	1	1	3	22	20
Male	71	-	-	-	-	-	1	19	13
Female	38	-	-	-	1	1	2	3	7
Asian or Pacific Islander 2/, both sexes	875	-	1	2	2	11	65	144	184
Male	590	-	-	1	2	9	55	122	131
Female	285	-	1	1	-	2	10	22	53
Malignant neoplasm of pancreas (C25)									
All races, both sexes	29,803	-	1	2	2	55	574	2,410	4,868
Male	14,467	-	1	-	2	30	321	1,467	2,874
Female	15,336	-	-	2	-	25	253	943	1,994
White, both sexes	25,769	-	1	2	2	42	461	1,945	4,107
Male	12,641	-	1	-	2	25	259	1,204	2,466
Female	13,128	-	-	2	-	17	202	741	1,641
Black, both sexes	3,394	-	-	-	-	10	90	401	647
Male	1,523	-	-	-	-	4	47	230	343
Female	1,871	-	-	-	-	6	43	171	304
American Indian 1/, both sexes	89	-	-	-	-	1	3	11	15
Male	38	-	-	-	-	-	1	4	8
Female	51	-	-	-	-	1	2	7	7
Asian or Pacific Islander 2/, both sexes	551	-	-	-	-	2	20	53	99
Male	265	-	-	-	-	1	14	29	57
Female	286	-	-	-	-	1	6	24	42

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasm of larynx (C32)									
All races, both sexes	3,797	-	-	-	-	3	86	419	913
Male	3,018	-	-	-	-	2	66	346	737
Female	779	-	-	-	-	1	20	73	176
White, both sexes	3,049	-	-	-	-	3	61	288	700
Male	2,417	-	-	-	-	2	50	234	567
Female	632	-	-	-	-	1	11	54	133
Black, both sexes	678	-	-	-	-	-	24	125	200
Male	541	-	-	-	-	-	15	106	161
Female	137	-	-	-	-	-	9	19	39
American Indian 1/, both sexes	23	-	-	-	-	-	1	2	3
Male	18	-	-	-	-	-	1	2	2
Female	5	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	47	-	-	-	-	-	-	4	10
Male	42	-	-	-	-	-	-	4	7
Female	5	-	-	-	-	-	-	-	3
Malignant neoplasms of trachea, bronchus and lung (C33-C34)									
All races, both sexes	156,058	-	5	2	20	157	2,796	12,041	29,777
Male	90,426	-	4	1	12	77	1,504	7,190	17,873
Female	65,632	-	1	1	8	80	1,292	4,851	11,904
White, both sexes	137,274	-	4	2	16	130	2,214	9,674	25,506
Male	78,665	-	3	1	10	65	1,165	5,660	15,095
Female	58,609	-	1	1	6	65	1,049	4,014	10,411
Black, both sexes	16,019	-	1	-	3	16	519	2,079	3,726
Male	10,131	-	1	-	1	7	301	1,369	2,434
Female	5,888	-	-	-	2	9	218	710	1,292
American Indian 1/, both sexes	547	-	-	-	-	1	8	63	133
Male	299	-	-	-	-	-	8	35	75
Female	248	-	-	-	-	1	-	28	58
Asian or Pacific Islander 2/, both sexes	2,218	-	-	-	1	10	55	225	412
Male	1,331	-	-	-	1	5	30	126	269
Female	887	-	-	-	-	5	25	99	143

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant melanoma of skin (C43)									
All races, both sexes	7,542	-	-	-	41	186	622	1,208	1,333
Male	4,763	-	-	-	24	103	380	756	893
Female	2,779	-	-	-	17	83	242	452	440
White, both sexes	7,403	-	-	-	40	184	615	1,192	1,312
Male	4,702	-	-	-	23	101	376	749	883
Female	2,701	-	-	-	17	83	239	443	429
Black, both sexes	104	-	-	-	1	1	7	9	13
Male	37	-	-	-	1	1	4	3	4
Female	67	-	-	-	-	-	3	6	9
American Indian 1/, both sexes	10	-	-	-	-	1	-	1	3
Male	9	-	-	-	-	1	-	1	3
Female	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	25	-	-	-	-	-	-	6	5
Male	15	-	-	-	-	-	-	3	3
Female	10	-	-	-	-	-	-	3	2
Malignant neoplasm of breast (C50)									
All races, both sexes	41,809	-	-	-	9	463	2,823	6,593	7,632
Male	415	-	-	-	-	2	14	46	72
Female	41,394	-	-	-	9	461	2,809	6,547	7,560
White, both sexes	35,422	-	-	-	4	306	2,069	5,143	6,307
Male	344	-	-	-	-	1	8	34	61
Female	35,078	-	-	-	4	305	2,061	5,109	6,246
Black, both sexes	5,571	-	-	-	5	142	645	1,221	1,131
Male	65	-	-	-	-	1	5	12	10
Female	5,506	-	-	-	5	141	640	1,209	1,121
American Indian 1/, both sexes	127	-	-	-	-	2	15	35	32
Male	1	-	-	-	-	-	-	-	-
Female	126	-	-	-	-	2	15	35	32
Asian or Pacific Islander 2/, both sexes	689	-	-	-	-	13	94	194	162
Male	5	-	-	-	-	-	1	-	1
Female	684	-	-	-	-	13	93	194	161

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasm of cervix uteri (C53)									
All races, both sexes	4,092	-	-	1	12	209	711	953	723
Female	4,092	-	-	1	12	209	711	953	723
White, both sexes	3,136	-	-	-	11	162	551	734	555
Female	3,136	-	-	-	11	162	551	734	555
Black, both sexes	787	-	-	1	1	42	139	169	131
Female	787	-	-	1	1	42	139	169	131
American Indian 1/, both sexes	32	-	-	-	-	1	7	12	6
Female	32	-	-	-	-	1	7	12	6
Asian or Pacific Islander 2/, both sexes	137	-	-	-	-	4	14	38	31
Female	137	-	-	-	-	4	14	38	31
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)									
All races, both sexes	6,784	-	-	-	-	38	139	566	1,105
Female	6,784	-	-	-	-	38	139	566	1,105
White, both sexes	5,606	-	-	-	-	26	107	446	872
Female	5,606	-	-	-	-	26	107	446	872
Black, both sexes	1,047	-	-	-	-	9	22	93	195
Female	1,047	-	-	-	-	9	22	93	195
American Indian 1/, both sexes	25	-	-	-	-	-	2	3	6
Female	25	-	-	-	-	-	2	3	6
Asian or Pacific Islander 2/, both sexes	106	-	-	-	-	3	8	24	32
Female	106	-	-	-	-	3	8	24	32





## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasms of kidney and renal pelvis (C64-C65)									
All races, both sexes	12,078	1	22	35	20	52	358	1,311	2,328
Male	7,524	1	10	9	16	27	240	941	1,634
Female	4,554	-	12	26	4	25	118	370	694
White, both sexes	10,720	-	16	23	8	31	274	1,111	2,030
Male	6,695	-	6	5	5	16	192	807	1,426
Female	4,025	-	10	18	3	15	82	304	604
Black, both sexes	1,113	-	4	12	10	19	72	165	241
Male	678	-	2	4	10	10	40	112	168
Female	435	-	2	8	-	9	32	53	73
American Indian 1/, both sexes	87	1	1	-	1	-	4	15	25
Male	54	1	1	-	1	-	2	10	14
Female	33	-	-	-	-	-	2	5	11
Asian or Pacific Islander 2/, both sexes	158	-	1	-	1	2	8	20	32
Male	97	-	1	-	-	1	6	12	26
Female	61	-	-	-	1	1	2	8	6
Malignant neoplasm of bladder (C67)									
All races, both sexes	12,225	-	-	1	3	15	128	475	1,265
Male	8,343	-	-	-	3	8	70	351	956
Female	3,882	-	-	1	-	7	58	124	309
White, both sexes	11,180	-	-	1	3	14	104	407	1,120
Male	7,780	-	-	-	3	8	57	308	869
Female	3,400	-	-	1	-	6	47	99	251
Black, both sexes	877	-	-	-	-	1	23	56	125
Male	447	-	-	-	-	-	13	36	72
Female	430	-	-	-	-	1	10	20	53
American Indian 1/, both sexes	26	-	-	-	-	-	-	4	4
Male	16	-	-	-	-	-	-	2	2
Female	10	-	-	-	-	-	-	2	2
Asian or Pacific Islander 2/, both sexes	142	-	-	-	-	-	1	8	16
Male	100	-	-	-	-	-	-	5	13
Female	42	-	-	-	-	-	1	3	3

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)									
All races, both sexes	12,609	16	100	300	224	416	1,028	1,951	2,464
Male	7,015	8	52	145	129	262	638	1,173	1,470
Female	5,594	8	48	155	95	154	390	778	994
White, both sexes	11,638	12	84	244	183	374	942	1,783	2,270
Male	6,498	6	46	113	107	238	589	1,081	1,355
Female	5,140	6	38	131	76	136	353	702	915
Black, both sexes	741	1	10	44	29	28	63	133	148
Male	382	-	3	25	16	14	33	75	89
Female	359	1	7	19	13	14	30	58	59
American Indian 1/, both sexes	43	2	1	-	1	2	7	9	8
Male	25	2	1	-	-	2	6	1	5
Female	18	-	-	-	-	-	1	8	3
Asian or Pacific Islander 2/, both sexes	187	1	5	12	11	12	16	26	38
Male	110	-	2	7	6	8	10	16	21
Female	77	1	3	5	5	4	6	10	17
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)									
All races, both sexes	56,341	27	157	367	705	988	1,857	4,064	7,455
Male	30,060	12	82	217	426	574	1,133	2,442	4,412
Female	26,281	15	75	150	279	414	724	1,622	3,043
White, both sexes	49,989	22	136	281	562	753	1,470	3,344	6,318
Male	26,767	9	69	157	346	451	892	2,042	3,770
Female	23,222	13	67	124	216	302	578	1,302	2,548
Black, both sexes	5,227	4	14	65	111	183	323	589	930
Male	2,676	3	9	44	61	100	200	330	520
Female	2,551	1	5	21	50	83	123	259	410
American Indian 1/, both sexes	225	-	1	4	10	14	18	24	46
Male	113	-	1	2	7	9	9	13	26
Female	112	-	-	2	3	5	9	11	20
Asian or Pacific Islander 2/, both sexes	900	1	6	17	22	38	46	107	161
Male	504	-	3	14	12	14	32	57	96
Female	396	1	3	3	10	24	14	50	65

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

## CAUSE OF DEATH (BASED ON

THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Hodgkin's disease (C81)									
All races, both sexes	1,323	-	-	6	78	167	161	182	143
Male	725	-	-	3	43	90	101	110	85
Female	598	-	-	3	35	77	60	72	58
White, both sexes	1,170	-	-	5	62	125	138	161	124
Male	644	-	-	3	38	69	85	97	74
Female	526	-	-	2	24	56	53	64	50
Black, both sexes	137	-	-	1	15	40	21	17	18
Male	73	-	-	-	4	21	15	11	10
Female	64	-	-	1	11	19	6	6	8
American Indian 1/, both sexes	3	-	-	-	-	1	1	1	-
Male	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes	13	-	-	-	1	1	1	3	1
Male	8	-	-	-	1	-	1	2	1
Female	5	-	-	-	-	1	-	1	-
Non-Hodgkin's lymphoma (C82-C85)									
All races, both sexes	22,305	1	1	38	148	298	756	1,732	3,098
Male	11,710	1	1	29	94	179	500	1,113	1,825
Female	10,595	-	-	9	54	119	256	619	1,273
White, both sexes	20,335	1	1	32	109	221	601	1,461	2,732
Male	10,642	1	1	23	68	140	396	947	1,609
Female	9,693	-	-	9	41	81	205	514	1,123
Black, both sexes	1,496	-	-	5	32	63	129	224	276
Male	804	-	-	5	22	33	88	138	154
Female	692	-	-	-	10	30	41	86	122
American Indian 1/, both sexes	93	-	-	1	1	4	10	9	17
Male	48	-	-	1	1	2	5	5	11
Female	45	-	-	-	-	2	5	4	6
Asian or Pacific Islander 2/, both sexes	381	-	-	-	6	10	16	38	73
Male	216	-	-	-	3	4	11	23	51
Female	165	-	-	-	3	6	5	15	22

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Leukemia (C91-C95)									
All races, both sexes	21,451	25	155	323	479	513	779	1,475	2,535
Male	11,850	10	81	185	289	300	432	813	1,552
Female	9,601	15	74	138	190	213	347	662	983
White, both sexes	19,239	20	134	244	391	402	628	1,227	2,210
Male	10,672	7	68	131	240	239	342	691	1,367
Female	8,567	13	66	113	151	163	286	536	843
Black, both sexes	1,765	4	14	59	64	75	119	187	249
Male	928	3	9	39	35	44	68	93	147
Female	837	1	5	20	29	31	51	94	102
American Indian 1/, both sexes	77	-	1	3	9	9	5	8	18
Male	42	-	1	1	6	7	3	5	10
Female	35	-	-	2	3	2	2	3	8
Asian or Pacific Islander 2/, both sexes	370	1	6	17	15	27	27	53	58
Male	208	-	3	14	8	10	19	24	28
Female	162	1	3	3	7	17	8	29	30
Multiple myeloma and immunoproliferative neoplasms (C88,C90)									
All races, both sexes	11,172	-	-	-	-	9	157	671	1,671
Male	5,724	-	-	-	-	4	97	403	945
Female	5,448	-	-	-	-	5	60	268	726
White, both sexes	9,168	-	-	-	-	5	100	491	1,247
Male	4,765	-	-	-	-	3	67	304	716
Female	4,403	-	-	-	-	2	33	187	531
Black, both sexes	1,817	-	-	-	-	4	53	161	384
Male	864	-	-	-	-	1	28	88	208
Female	953	-	-	-	-	3	25	73	176
American Indian 1/, both sexes	51	-	-	-	-	-	2	6	11
Male	23	-	-	-	-	-	1	3	5
Female	28	-	-	-	-	-	1	3	6
Asian or Pacific Islander 2/, both sexes	136	-	-	-	-	-	2	13	29
Male	72	-	-	-	-	-	1	8	16
Female	64	-	-	-	-	-	1	5	13

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)									
All races, both sexes	90	1	1	-	-	1	4	4	8
Male	51	1	-	-	-	1	3	3	5
Female	39	-	1	-	-	-	1	1	3
White, both sexes	77	1	1	-	-	-	3	4	5
Male	44	1	-	-	-	-	2	3	4
Female	33	-	1	-	-	-	1	1	1
Black, both sexes	12	-	-	-	-	1	1	-	3
Male	7	-	-	-	-	1	1	-	1
Female	5	-	-	-	-	-	-	-	2
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races, both sexes	62,708	17	117	279	516	728	2,055	5,506	9,441
Male	31,663	7	73	153	346	442	1,108	3,164	5,326
Female	31,045	10	44	126	170	286	947	2,342	4,115
White, both sexes	54,510	15	98	216	422	572	1,616	4,366	7,835
Male	27,506	6	59	117	283	351	887	2,513	4,411
Female	27,004	9	39	99	139	221	729	1,853	3,424
Black, both sexes	6,799	1	16	47	77	125	347	971	1,342
Male	3,436	-	13	27	52	70	171	549	763
Female	3,363	1	3	20	25	55	176	422	579
American Indian 1/, both sexes	289	-	1	1	8	6	22	31	60
Male	150	-	-	1	6	4	12	20	32
Female	139	-	1	-	2	2	10	11	28
Asian or Pacific Islander 2/, both sexes	1,110	1	2	15	9	25	70	138	204
Male	571	1	1	8	5	17	38	82	120
Female	539	-	1	7	4	8	32	56	84

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)									
All races, both sexes	13,676	51	58	105	102	151	366	719	1,253
Male	6,735	26	30	52	53	77	193	391	673
Female	6,941	25	28	53	49	74	173	328	580
White, both sexes	12,261	37	48	77	74	126	290	610	1,075
Male	6,089	20	24	37	37	64	159	342	583
Female	6,172	17	24	40	37	62	131	268	492
Black, both sexes	1,157	11	5	26	21	18	61	90	149
Male	525	5	3	13	13	11	30	38	74
Female	632	6	2	13	8	7	31	52	75
American Indian 1/, both sexes	58	1	-	1	4	1	6	3	3
Male	29	1	-	1	2	-	2	3	2
Female	29	-	-	-	2	1	4	-	1
Asian or Pacific Islander 2/, both sexes	200	2	5	1	3	6	9	16	26
Male	92	-	3	1	1	2	2	8	14
Female	108	2	2	-	2	4	7	8	12
Anemias (D50-D64)									
All races, both sexes	4,627	16	22	55	109	160	215	232	249
Male	1,774	11	12	27	59	95	91	115	111
Female	2,853	5	10	28	50	65	124	117	138
White, both sexes	3,543	6	11	27	33	39	53	92	168
Male	1,303	5	5	16	18	20	21	40	75
Female	2,240	1	6	11	15	19	32	52	93
Black, both sexes	1,001	6	11	26	73	119	154	137	75
Male	446	4	7	10	41	74	66	75	35
Female	555	2	4	16	32	45	88	62	40
American Indian 1/, both sexes	27	-	-	1	2	-	4	1	1
Male	7	-	-	-	-	-	2	-	1
Female	20	-	-	1	2	-	2	1	-
Asian or Pacific Islander 2/, both sexes	56	4	-	1	1	2	4	2	5
Male	18	2	-	1	-	1	2	-	-
Female	38	2	-	-	1	1	2	2	5









## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Alzheimer's disease (G30)									
All races, both sexes	53,852	-	-	-	-	2	3	73	529
Male	15,762	-	-	-	-	2	3	38	228
Female	38,090	-	-	-	-	-	-	35	301
White, both sexes	50,348	-	-	-	-	2	3	67	499
Male	14,714	-	-	-	-	2	3	34	210
Female	35,634	-	-	-	-	-	-	33	289
Black, both sexes	3,114	-	-	-	-	-	-	5	27
Male	910	-	-	-	-	-	-	3	18
Female	2,204	-	-	-	-	-	-	2	9
American Indian 1/, both sexes	93	-	-	-	-	-	-	1	1
Male	29	-	-	-	-	-	-	1	-
Female	64	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	297	-	-	-	-	-	-	-	2
Male	109	-	-	-	-	-	-	-	-
Female	188	-	-	-	-	-	-	-	2
Major cardiovascular diseases (I00-I78)									
All races, both sexes	922,334	600	285	365	1,280	4,038	16,686	44,450	76,224
Male	428,065	315	149	184	807	2,555	11,180	30,860	50,320
Female	494,269	285	136	181	473	1,483	5,506	13,590	25,904
White, both sexes	801,052	383	185	258	838	2,678	11,628	32,580	59,631
Male	370,918	212	95	136	535	1,748	8,157	23,571	40,443
Female	430,134	171	90	122	303	930	3,471	9,009	19,188
Black, both sexes	104,316	186	87	88	399	1,223	4,543	10,653	14,653
Male	48,237	94	46	40	244	718	2,655	6,461	8,607
Female	56,079	92	41	48	155	505	1,888	4,192	6,046
American Indian 1/, both sexes	3,162	11	3	4	10	36	162	330	491
Male	1,663	3	2	2	8	20	103	220	325
Female	1,499	8	1	2	2	16	59	110	166
Asian or Pacific Islander 2/, both sexes	13,804	20	10	15	33	101	353	887	1,449
Male	7,247	6	6	6	20	69	265	608	945
Female	6,557	14	4	9	13	32	88	279	504

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Diseases of heart (I00-I09,I11,I13,I20-I51)									
All races, both sexes	700,142	479	225	272	999	3,160	13,326	36,399	62,486
Male	339,095	243	121	138	647	2,068	9,346	26,280	42,519
Female	361,047	236	104	134	352	1,092	3,980	10,119	19,967
White, both sexes	610,638	312	141	187	639	2,086	9,510	27,472	49,719
Male	295,556	170	74	98	414	1,408	6,981	20,620	34,724
Female	315,082	142	67	89	225	678	2,529	6,852	14,995
Black, both sexes	77,674	141	74	73	326	970	3,451	8,044	11,348
Male	37,016	65	41	35	209	586	2,092	5,016	6,810
Female	40,658	76	33	38	117	384	1,359	3,028	4,538
American Indian 1/, both sexes	2,402	9	3	3	10	29	125	270	416
Male	1,358	3	2	1	8	18	85	191	287
Female	1,044	6	1	2	2	11	40	79	129
Asian or Pacific Islander 2/, both sexes	9,428	17	7	9	24	75	240	613	1,003
Male	5,165	5	4	4	16	56	188	453	698
Female	4,263	12	3	5	8	19	52	160	305
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)									
All races, both sexes	3,489	3	1	5	11	34	130	232	361
Male	1,031	3	1	2	7	15	54	87	135
Female	2,458	-	-	3	4	19	76	145	226
White, both sexes	3,086	1	1	3	10	15	85	157	293
Male	910	1	1	1	7	9	40	64	115
Female	2,176	-	-	2	3	6	45	93	178
Black, both sexes	302	2	-	1	1	13	41	60	53
Male	86	2	-	-	-	3	13	20	17
Female	216	-	-	1	1	10	28	40	36
American Indian 1/, both sexes	21	-	-	-	-	-	1	4	4
Male	11	-	-	-	-	-	1	2	1
Female	10	-	-	-	-	-	-	2	3
Asian or Pacific Islander 2/, both sexes	80	-	-	1	-	6	3	11	11
Male	24	-	-	1	-	3	-	1	2
Female	56	-	-	-	-	3	3	10	9

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Hypertensive heart disease (I11)									
All races, both sexes	24,689	-	-	1	24	246	1,091	2,464	2,769
Male	10,451	-	-	-	17	169	740	1,646	1,749
Female	14,238	-	-	1	7	77	351	818	1,020
White, both sexes	18,232	-	-	-	10	125	586	1,382	1,713
Male	7,395	-	-	-	7	96	441	986	1,144
Female	10,837	-	-	-	3	29	145	396	569
Black, both sexes	5,970	-	-	1	14	115	479	1,030	993
Male	2,813	-	-	-	10	68	280	625	563
Female	3,157	-	-	1	4	47	199	405	430
American Indian 1/, both sexes	64	-	-	-	-	2	6	8	10
Male	29	-	-	-	-	1	3	5	6
Female	35	-	-	-	-	1	3	3	4
Asian or Pacific Islander 2/, both sexes	423	-	-	-	-	4	20	44	53
Male	214	-	-	-	-	4	16	30	36
Female	209	-	-	-	-	-	4	14	17
Hypertensive heart and renal disease (I13)									
All races, both sexes	2,826	1	-	-	7	28	99	146	247
Male	1,169	1	-	-	4	17	63	99	126
Female	1,657	-	-	-	3	11	36	47	121
White, both sexes	1,922	-	-	-	3	7	25	52	116
Male	762	-	-	-	3	3	17	32	56
Female	1,160	-	-	-	-	4	8	20	60
Black, both sexes	832	1	-	-	4	21	68	93	126
Male	376	1	-	-	1	14	43	66	67
Female	456	-	-	-	3	7	25	27	59
American Indian 1/, both sexes	8	-	-	-	-	-	2	-	2
Male	5	-	-	-	-	-	2	-	2
Female	3	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	64	-	-	-	-	-	4	1	3
Male	26	-	-	-	-	-	1	1	1
Female	38	-	-	-	-	-	3	-	2

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Ischemic heart diseases (I20-I25)									
All races, both sexes	502,189	26	9	20	163	1,116	7,534	25,073	46,574
Male	254,005	17	3	13	119	830	5,712	19,141	33,006
Female	248,184	9	6	7	44	286	1,822	5,932	13,568
White, both sexes	442,536	19	6	13	104	820	5,842	19,867	37,929
Male	224,464	14	2	9	78	624	4,560	15,640	27,537
Female	218,072	5	4	4	26	196	1,282	4,227	10,392
Black, both sexes	50,933	7	3	6	53	250	1,486	4,576	7,552
Male	24,593	3	1	3	36	171	983	3,012	4,669
Female	26,340	4	2	3	17	79	503	1,564	2,883
American Indian 1/, both sexes	1,710	-	-	-	3	11	64	196	324
Male	995	-	-	-	3	8	46	140	233
Female	715	-	-	-	-	3	18	56	91
Asian or Pacific Islander 2/, both sexes	7,010	-	-	1	3	35	142	434	769
Male	3,953	-	-	1	2	27	123	349	567
Female	3,057	-	-	-	1	8	19	85	202
Acute myocardial infarction (I21-I22)									
All races, both sexes	184,757	15	2	7	64	475	3,176	10,817	19,830
Male	95,875	10	2	4	48	333	2,384	8,158	13,858
Female	88,882	5	-	3	16	142	792	2,659	5,972
White, both sexes	162,943	12	2	2	42	355	2,513	8,805	16,626
Male	85,280	9	2	1	34	254	1,951	6,879	11,937
Female	77,663	3	-	1	8	101	562	1,926	4,689
Black, both sexes	18,581	3	-	4	21	99	579	1,752	2,783
Male	8,717	1	-	2	13	64	360	1,074	1,626
Female	9,864	2	-	2	8	35	219	678	1,157
American Indian 1/, both sexes	660	-	-	-	-	7	30	87	125
Male	404	-	-	-	-	5	26	65	89
Female	256	-	-	-	-	2	4	22	36
Asian or Pacific Islander 2/, both sexes	2,573	-	-	1	1	14	54	173	296
Male	1,474	-	-	1	1	10	47	140	206
Female	1,099	-	-	-	-	4	7	33	90

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other acute ischemic heart diseases (I24)									
All races, both sexes	3,351	3	-	2	7	14	94	307	463
Male	1,720	2	-	1	6	10	65	230	320
Female	1,631	1	-	1	1	4	29	77	143
White, both sexes	2,821	3	-	2	4	11	63	226	355
Male	1,431	2	-	1	3	9	46	172	250
Female	1,390	1	-	1	1	2	17	54	105
Black, both sexes	454	-	-	-	3	2	29	69	98
Male	249	-	-	-	3	-	19	50	62
Female	205	-	-	-	-	2	10	19	36
American Indian 1/, both sexes	47	-	-	-	-	1	1	10	7
Male	28	-	-	-	-	1	-	7	6
Female	19	-	-	-	-	-	1	3	1
Asian or Pacific Islander 2/, both sexes	29	-	-	-	-	-	1	2	3
Male	12	-	-	-	-	-	-	1	2
Female	17	-	-	-	-	-	1	1	1
Other forms of chronic ischemic heart disease (I20,I25)									
All races, both sexes	314,081	8	7	11	92	627	4,264	13,949	26,281
Male	156,410	5	1	8	65	487	3,263	10,753	18,828
Female	157,671	3	6	3	27	140	1,001	3,196	7,453
White, both sexes	276,772	4	4	9	58	454	3,266	10,836	20,948
Male	137,753	3	-	7	41	361	2,563	8,589	15,350
Female	139,019	1	4	2	17	93	703	2,247	5,598
Black, both sexes	31,898	4	3	2	29	149	878	2,755	4,671
Male	15,627	2	1	1	20	107	604	1,888	2,981
Female	16,271	2	2	1	9	42	274	867	1,690
American Indian 1/, both sexes	1,003	-	-	-	3	3	33	99	192
Male	563	-	-	-	3	2	20	68	138
Female	440	-	-	-	-	1	13	31	54
Asian or Pacific Islander 2/, both sexes	4,408	-	-	-	2	21	87	259	470
Male	2,467	-	-	-	1	17	76	208	359
Female	1,941	-	-	-	1	4	11	51	111

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)									
All races, both sexes	68,103	-	-	-	20	179	1,457	5,047	8,438
Male	35,440	-	-	-	16	133	1,130	4,037	6,245
Female	32,663	-	-	-	4	46	327	1,010	2,193
White, both sexes	56,414	-	-	-	12	133	1,089	3,783	6,232
Male	29,039	-	-	-	8	103	864	3,113	4,736
Female	27,375	-	-	-	4	30	225	670	1,496
Black, both sexes	10,321	-	-	-	7	38	325	1,130	1,965
Male	5,578	-	-	-	7	24	231	811	1,328
Female	4,743	-	-	-	-	14	94	319	637
American Indian 1/, both sexes	335	-	-	-	1	2	14	44	77
Male	196	-	-	-	1	1	9	32	55
Female	139	-	-	-	-	1	5	12	22
Asian or Pacific Islander 2/, both sexes	1,033	-	-	-	-	6	29	90	164
Male	627	-	-	-	-	5	26	81	126
Female	406	-	-	-	-	1	3	9	38
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)									
All races, both sexes	245,978	8	7	11	72	448	2,807	8,902	17,843
Male	120,970	5	1	8	49	354	2,133	6,716	12,583
Female	125,008	3	6	3	23	94	674	2,186	5,260
White, both sexes	220,358	4	4	9	46	321	2,177	7,053	14,716
Male	108,714	3	-	7	33	258	1,699	5,476	10,614
Female	111,644	1	4	2	13	63	478	1,577	4,102
Black, both sexes	21,577	4	3	2	22	111	553	1,625	2,706
Male	10,049	2	1	1	13	83	373	1,077	1,653
Female	11,528	2	2	1	9	28	180	548	1,053
American Indian 1/, both sexes	668	-	-	-	2	1	19	55	115
Male	367	-	-	-	2	1	11	36	83
Female	301	-	-	-	-	-	8	19	32
Asian or Pacific Islander 2/, both sexes	3,375	-	-	-	2	15	58	169	306
Male	1,840	-	-	-	1	12	50	127	233
Female	1,535	-	-	-	1	3	8	42	73



## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other heart diseases (I26-I51)									
All races, both sexes	166,949	449	215	246	794	1,736	4,472	8,484	12,535
Male	72,439	222	117	123	500	1,037	2,777	5,307	7,503
Female	94,510	227	98	123	294	699	1,695	3,177	5,032
White, both sexes	144,862	292	134	171	512	1,119	2,972	6,014	9,668
Male	62,025	155	71	88	319	676	1,923	3,898	5,872
Female	82,837	137	63	83	193	443	1,049	2,116	3,796
Black, both sexes	19,637	131	71	65	254	571	1,377	2,285	2,624
Male	9,148	59	40	32	162	330	773	1,293	1,494
Female	10,489	72	31	33	92	241	604	992	1,130
American Indian 1/, both sexes	599	9	3	3	7	16	52	62	76
Male	318	3	2	1	5	9	33	44	45
Female	281	6	1	2	2	7	19	18	31
Asian or Pacific Islander 2/, both sexes	1,851	17	7	7	21	30	71	123	167
Male	948	5	4	2	14	22	48	72	92
Female	903	12	3	5	7	8	23	51	75
Acute and subacute endocarditis (I33)									
All races, both sexes	1,178	1	-	3	8	29	117	186	160
Male	668	1	-	1	5	17	62	129	95
Female	510	-	-	2	3	12	55	57	65
White, both sexes	917	1	-	3	6	21	74	125	117
Male	517	1	-	1	4	12	41	87	70
Female	400	-	-	2	2	9	33	38	47
Black, both sexes	235	-	-	-	1	8	41	57	41
Male	135	-	-	-	-	5	20	39	24
Female	100	-	-	-	1	3	21	18	17
American Indian 1/, both sexes	6	-	-	-	1	-	-	3	-
Male	5	-	-	-	1	-	-	2	-
Female	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	20	-	-	-	-	-	2	1	2
Male	11	-	-	-	-	-	1	1	1
Female	9	-	-	-	-	-	1	-	1

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Diseases of pericardium and acute myocarditis (I30-I31,I40)									
All races, both sexes	839	32	26	21	40	50	93	111	106
Male	401	18	15	7	22	33	41	59	61
Female	438	14	11	14	18	17	52	52	45
White, both sexes	658	14	14	16	27	38	60	81	85
Male	310	10	8	6	12	25	29	42	48
Female	348	4	6	10	15	13	31	39	37
Black, both sexes	158	14	12	4	13	10	25	30	19
Male	79	5	7	1	10	7	8	17	11
Female	79	9	5	3	3	3	17	13	8
American Indian 1/, both sexes	8	3	-	1	-	-	3	-	1
Male	5	2	-	-	-	-	2	-	1
Female	3	1	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	15	1	-	-	-	2	5	-	1
Male	7	1	-	-	-	1	2	-	1
Female	8	-	-	-	-	1	3	-	-
Heart failure (I50)									
All races, both sexes	56,934	24	17	15	34	92	307	954	2,374
Male	21,632	16	5	8	16	56	182	588	1,347
Female	35,302	8	12	7	18	36	125	366	1,027
White, both sexes	51,252	19	15	11	18	57	188	655	1,842
Male	19,332	12	5	5	10	31	118	425	1,076
Female	31,920	7	10	6	8	26	70	230	766
Black, both sexes	5,122	5	2	3	16	34	112	285	498
Male	2,052	4	-	2	6	24	61	153	251
Female	3,070	1	2	1	10	10	51	132	247
American Indian 1/, both sexes	164	-	-	-	-	-	3	8	12
Male	71	-	-	-	-	-	-	7	8
Female	93	-	-	-	-	-	3	1	4
Asian or Pacific Islander 2/, both sexes	396	-	-	1	-	1	4	6	22
Male	177	-	-	1	-	1	3	3	12
Female	219	-	-	-	-	-	1	3	10

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)									
All races, both sexes	107,998	392	172	207	712	1,565	3,955	7,233	9,895
Male	49,738	187	97	107	457	931	2,492	4,531	6,000
Female	58,260	205	75	100	255	634	1,463	2,702	3,895
White, both sexes	92,035	258	105	141	461	1,003	2,650	5,153	7,624
Male	41,866	132	58	76	293	608	1,735	3,344	4,678
Female	50,169	126	47	65	168	395	915	1,809	2,946
Black, both sexes	14,122	112	57	58	224	519	1,199	1,913	2,066
Male	6,882	50	33	29	146	294	684	1,084	1,208
Female	7,240	62	24	29	78	225	515	829	858
American Indian 1/, both sexes	421	6	3	2	6	16	46	51	63
Male	237	1	2	1	4	9	31	35	36
Female	184	5	1	1	2	7	15	16	27
Asian or Pacific Islander 2/, both sexes	1,420	16	7	6	21	27	60	116	142
Male	753	4	4	1	14	20	42	68	78
Female	667	12	3	5	7	7	18	48	64
Essential (primary) hypertension and hypertensive renal disease (I10,I12)									
All races, both sexes	19,250	-	1	1	23	104	331	931	1,462
Male	7,254	-	-	-	16	59	206	569	784
Female	11,996	-	1	1	7	45	125	362	678
White, both sexes	14,752	-	1	1	14	45	140	463	863
Male	5,351	-	-	-	9	28	93	291	476
Female	9,401	-	1	1	5	17	47	172	387
Black, both sexes	4,038	-	-	-	9	55	179	443	558
Male	1,715	-	-	-	7	29	104	266	288
Female	2,323	-	-	-	2	26	75	177	270
American Indian 1/, both sexes	63	-	-	-	-	2	5	2	6
Male	25	-	-	-	-	1	3	1	3
Female	38	-	-	-	-	1	2	1	3
Asian or Pacific Islander 2/, both sexes	397	-	-	-	-	2	7	23	35
Male	163	-	-	-	-	1	6	11	17
Female	234	-	-	-	-	1	1	12	18



## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other diseases of circulatory system (I71-I78)									
All races, both sexes	25,318	12	4	11	61	170	498	1,024	2,195
Male	13,396	8	2	3	40	115	335	688	1,454
Female	11,922	4	2	8	21	55	163	336	741
White, both sexes	22,236	10	3	10	47	129	340	758	1,793
Male	11,887	6	2	3	31	90	228	511	1,216
Female	10,349	4	1	7	16	39	112	247	577
Black, both sexes	2,632	2	1	1	12	39	142	229	353
Male	1,229	2	-	-	7	24	94	150	201
Female	1,403	-	1	1	5	15	48	79	152
American Indian 1/, both sexes	79	-	-	-	-	-	2	6	11
Male	42	-	-	-	-	-	2	4	9
Female	37	-	-	-	-	-	-	2	2
Asian or Pacific Islander 2/, both sexes	371	-	-	-	2	2	14	31	38
Male	238	-	-	-	2	1	11	23	28
Female	133	-	-	-	-	1	3	8	10
Aortic aneurysm and dissection (I71)									
All races, both sexes	15,234	-	2	4	43	117	332	661	1,394
Male	9,114	-	2	3	31	90	264	506	1,031
Female	6,120	-	-	1	12	27	68	155	363
White, both sexes	13,652	-	2	4	32	92	227	478	1,167
Male	8,224	-	2	3	23	73	183	375	877
Female	5,428	-	-	1	9	19	44	103	290
Black, both sexes	1,251	-	-	-	10	23	92	155	192
Male	671	-	-	-	7	16	70	109	127
Female	580	-	-	-	3	7	22	46	65
American Indian 1/, both sexes	47	-	-	-	-	-	2	3	8
Male	30	-	-	-	-	-	2	3	6
Female	17	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes	284	-	-	-	1	2	11	25	27
Male	189	-	-	-	1	1	9	19	21
Female	95	-	-	-	-	1	2	6	6

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other diseases of arteries, arterioles and capillaries (I72-I78)									
All races, both sexes	10,084	12	2	7	18	53	166	363	801
Male	4,282	8	-	-	9	25	71	182	423
Female	5,802	4	2	7	9	28	95	181	378
White, both sexes	8,584	10	1	6	15	37	113	280	626
Male	3,663	6	-	-	8	17	45	136	339
Female	4,921	4	1	6	7	20	68	144	287
Black, both sexes	1,381	2	1	1	2	16	50	74	161
Male	558	2	-	-	-	8	24	41	74
Female	823	-	1	1	2	8	26	33	87
American Indian 1/, both sexes	32	-	-	-	-	-	-	3	3
Male	12	-	-	-	-	-	-	1	3
Female	20	-	-	-	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes	87	-	-	-	1	-	3	6	11
Male	49	-	-	-	1	-	2	4	7
Female	38	-	-	-	-	-	1	2	4
Other disorders of circulatory system (I80-I99)									
All races, both sexes	4,665	22	5	-	38	124	285	454	563
Male	1,981	11	5	-	17	53	149	262	304
Female	2,684	11	-	-	21	71	136	192	259
White, both sexes	3,843	17	3	-	21	80	189	340	432
Male	1,603	8	3	-	10	34	99	204	231
Female	2,240	9	-	-	11	46	90	136	201
Black, both sexes	742	5	2	-	14	43	89	100	123
Male	339	3	2	-	5	18	47	49	72
Female	403	2	-	-	9	25	42	51	51
American Indian 1/, both sexes	25	-	-	-	1	1	2	8	3
Male	14	-	-	-	-	1	1	6	-
Female	11	-	-	-	1	-	1	2	3
Asian or Pacific Islander 2/, both sexes	55	-	-	-	2	-	5	6	5
Male	25	-	-	-	2	-	2	3	1
Female	30	-	-	-	-	-	3	3	4

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Influenza and pneumonia (J10-J18)									
All races, both sexes	62,034	299	112	92	181	339	983	1,801	2,704
Male	27,342	167	57	47	106	191	556	1,099	1,587
Female	34,692	132	55	45	75	148	427	702	1,117
White, both sexes	54,774	168	78	67	126	232	678	1,316	2,141
Male	23,744	100	41	34	79	127	382	791	1,239
Female	31,030	68	37	33	47	105	296	525	902
Black, both sexes	5,771	106	26	17	45	89	276	436	480
Male	2,813	53	14	9	23	53	156	275	298
Female	2,958	53	12	8	22	36	120	161	182
American Indian 1/, both sexes	318	17	3	4	3	9	19	20	25
Male	160	11	-	1	1	6	13	12	13
Female	158	6	3	3	2	3	6	8	12
Asian or Pacific Islander 2/, both sexes	1,171	8	5	4	7	9	10	29	58
Male	625	3	2	3	3	5	5	21	37
Female	546	5	3	1	4	4	5	8	21
Influenza (J10-J11)									
All races, both sexes	257	7	6	12	7	10	6	15	21
Male	101	6	2	4	6	6	2	9	9
Female	156	1	4	8	1	4	4	6	12
White, both sexes	229	7	5	7	5	7	4	15	17
Male	88	6	2	3	4	3	2	9	6
Female	141	1	3	4	1	4	2	6	11
Black, both sexes	20	-	-	2	1	2	1	-	3
Male	10	-	-	-	1	2	-	-	3
Female	10	-	-	2	-	-	1	-	-
American Indian 1/, both sexes	3	-	1	2	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	3	-	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	1	1	1	1	-	1
Male	3	-	-	1	1	1	-	-	-
Female	2	-	-	-	-	-	1	-	1

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Pneumonia (J12-J18)									
All races, both sexes	61,777	292	106	80	174	329	977	1,786	2,683
Male	27,241	161	55	43	100	185	554	1,090	1,578
Female	34,536	131	51	37	74	144	423	696	1,105
White, both sexes	54,545	161	73	60	121	225	674	1,301	2,124
Male	23,656	94	39	31	75	124	380	782	1,233
Female	30,889	67	34	29	46	101	294	519	891
Black, both sexes	5,751	106	26	15	44	87	275	436	477
Male	2,803	53	14	9	22	51	156	275	295
Female	2,948	53	12	6	22	36	119	161	182
American Indian 1/, both sexes	315	17	2	2	3	9	19	20	25
Male	160	11	-	1	1	6	13	12	13
Female	155	6	2	1	2	3	6	8	12
Asian or Pacific Islander 2/, both sexes	1,166	8	5	3	6	8	9	29	57
Male	622	3	2	2	2	4	5	21	37
Female	544	5	3	1	4	4	4	8	20
Other acute lower respiratory infections (J20-J22)									
All races, both sexes	347	50	18	3	1	2	12	14	16
Male	117	26	8	2	1	-	7	7	6
Female	230	24	10	1	-	2	5	7	10
White, both sexes	299	31	13	3	1	1	12	10	14
Male	94	16	5	2	1	-	7	4	5
Female	205	15	8	1	-	1	5	6	9
Black, both sexes	34	15	2	-	-	1	-	4	1
Male	16	9	1	-	-	-	-	3	-
Female	18	6	1	-	-	1	-	1	1
American Indian 1/, both sexes	7	2	3	-	-	-	-	-	1
Male	4	1	2	-	-	-	-	-	1
Female	3	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	2	-	-	-	-	-	-	-
Male	3	-	-	-	-	-	-	-	-
Female	4	2	-	-	-	-	-	-	-







## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
<b>Emphysema (J43)</b>									
All races, both sexes	16,242	3	-	1	2	7	75	448	1,829
Male	8,415	1	-	1	1	4	52	266	966
Female	7,827	2	-	-	1	3	23	182	863
White, both sexes	15,243	2	-	-	1	4	64	383	1,663
Male	7,798	-	-	-	1	2	44	228	859
Female	7,445	2	-	-	-	2	20	155	804
Black, both sexes	811	1	-	1	1	3	10	59	142
Male	487	1	-	1	-	2	8	33	91
Female	324	-	-	-	1	1	2	26	51
American Indian 1/, both sexes	52	-	-	-	-	-	-	-	10
Male	29	-	-	-	-	-	-	-	7
Female	23	-	-	-	-	-	-	-	3
Asian or Pacific Islander 2/, both sexes	136	-	-	-	-	-	1	6	14
Male	101	-	-	-	-	-	-	5	9
Female	35	-	-	-	-	-	1	1	5
<b>Asthma (J45-J46)</b>									
All races, both sexes	4,269	10	31	99	140	233	455	603	553
Male	1,479	6	22	57	80	116	195	219	182
Female	2,790	4	9	42	60	117	260	384	371
White, both sexes	2,990	5	11	45	67	114	247	375	349
Male	937	4	6	26	35	51	104	127	111
Female	2,053	1	5	19	32	63	143	248	238
Black, both sexes	1,108	4	20	52	67	116	190	206	172
Male	459	1	16	30	41	63	81	85	52
Female	649	3	4	22	26	53	109	121	120
American Indian 1/, both sexes	33	1	-	1	1	2	7	4	7
Male	11	1	-	-	1	1	2	-	4
Female	22	-	-	1	-	1	5	4	3
Asian or Pacific Islander 2/, both sexes	138	-	-	1	5	1	11	18	25
Male	72	-	-	1	3	1	8	7	15
Female	66	-	-	-	2	-	3	11	10



## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Pneumonitis due to solids and liquids (J69)									
All races, both sexes	17,301	12	14	15	34	79	179	378	659
Male	8,576	6	6	7	22	40	117	232	384
Female	8,725	6	8	8	12	39	62	146	275
White, both sexes	15,425	9	12	11	25	62	142	298	550
Male	7,705	6	4	5	18	35	94	189	321
Female	7,720	3	8	6	7	27	48	109	229
Black, both sexes	1,599	3	2	4	7	16	34	73	101
Male	741	-	2	2	2	4	20	39	60
Female	858	3	-	2	5	12	14	34	41
American Indian 1/, both sexes	59	-	-	-	1	1	2	5	1
Male	23	-	-	-	1	1	2	2	1
Female	36	-	-	-	-	-	-	3	-
Asian or Pacific Islander 2/, both sexes	218	-	-	-	1	-	1	2	7
Male	107	-	-	-	1	-	1	2	2
Female	111	-	-	-	-	-	-	-	5
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)									
All races, both sexes	26,178	294	93	78	141	216	570	1,356	2,432
Male	12,495	186	47	43	76	104	304	737	1,322
Female	13,683	108	46	35	65	112	266	619	1,110
White, both sexes	23,133	156	61	59	100	139	388	991	2,022
Male	11,085	95	28	34	55	64	227	556	1,111
Female	12,048	61	33	25	45	75	161	435	911
Black, both sexes	2,491	117	26	17	38	68	166	327	345
Male	1,131	77	14	8	19	34	70	158	173
Female	1,360	40	12	9	19	34	96	169	172
American Indian 1/, both sexes	177	7	3	-	2	4	9	18	27
Male	89	5	3	-	1	4	5	9	12
Female	88	2	-	-	1	-	4	9	15
Asian or Pacific Islander 2/, both sexes	377	14	3	2	1	5	7	20	38
Male	190	9	2	1	1	2	2	14	26
Female	187	5	1	1	-	3	5	6	12

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Peptic ulcer (K25-K28)									
All races, both sexes	4,491	-	1	5	6	32	118	284	418
Male	2,074	-	1	2	3	21	87	186	273
Female	2,417	-	-	3	3	11	31	98	145
White, both sexes	3,942	-	1	4	3	16	78	214	331
Male	1,751	-	1	2	2	11	56	133	213
Female	2,191	-	-	2	1	5	22	81	118
Black, both sexes	409	-	-	1	2	15	35	59	69
Male	243	-	-	-	1	10	27	46	48
Female	166	-	-	1	1	5	8	13	21
American Indian 1/, both sexes	28	-	-	-	-	1	2	5	6
Male	17	-	-	-	-	-	1	4	3
Female	11	-	-	-	-	1	1	1	3
Asian or Pacific Islander 2/, both sexes	112	-	-	-	1	-	3	6	12
Male	63	-	-	-	-	-	3	3	9
Female	49	-	-	-	1	-	-	3	3
Diseases of appendix (K35-K38)									
All races, both sexes	428	1	8	6	15	15	26	40	45
Male	252	-	7	5	8	11	17	28	30
Female	176	1	1	1	7	4	9	12	15
White, both sexes	342	1	5	4	10	8	17	28	29
Male	198	-	4	3	5	5	12	20	22
Female	144	1	1	1	5	3	5	8	7
Black, both sexes	73	-	2	2	5	6	8	10	16
Male	47	-	2	2	3	6	5	7	8
Female	26	-	-	-	2	-	3	3	8
American Indian 1/, both sexes	2	-	1	-	-	1	-	-	-
Male	1	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	11	-	-	-	-	-	1	2	-
Male	6	-	-	-	-	-	-	1	-
Female	5	-	-	-	-	-	1	1	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
<b>Hernia (K40-K46)</b>									
All races, both sexes	1,522	43	2	3	3	15	34	82	131
Male	587	28	1	-	1	10	16	44	64
Female	935	15	1	3	2	5	18	38	67
White, both sexes	1,343	31	2	1	2	13	25	67	107
Male	502	18	1	-	1	8	13	32	50
Female	841	13	1	1	1	5	12	35	57
Black, both sexes	157	11	-	1	1	2	9	15	23
Male	76	9	-	-	-	2	3	12	13
Female	81	2	-	1	1	-	6	3	10
American Indian 1/, both sexes	5	-	-	-	-	-	-	-	1
Male	3	-	-	-	-	-	-	-	1
Female	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	17	1	-	1	-	-	-	-	-
Male	6	1	-	-	-	-	-	-	-
Female	11	-	-	1	-	-	-	-	-
<b>Chronic liver disease and cirrhosis (K70,K73-K74)</b>									
All races, both sexes	27,035	3	-	2	26	387	3,336	7,259	5,750
Male	17,393	1	-	2	12	259	2,206	5,295	4,028
Female	9,642	2	-	-	14	128	1,130	1,964	1,722
White, both sexes	23,408	3	-	1	10	307	2,745	5,989	4,924
Male	15,048	1	-	1	6	211	1,826	4,431	3,442
Female	8,360	2	-	-	4	96	919	1,558	1,482
Black, both sexes	2,775	-	-	1	10	47	422	1,011	657
Male	1,843	-	-	1	2	26	274	713	469
Female	932	-	-	-	8	21	148	298	188
American Indian 1/, both sexes	533	-	-	-	6	25	135	187	100
Male	309	-	-	-	4	17	82	99	68
Female	224	-	-	-	2	8	53	88	32
Asian or Pacific Islander 2/, both sexes	319	-	-	-	-	8	34	72	69
Male	193	-	-	-	-	5	24	52	49
Female	126	-	-	-	-	3	10	20	20

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Alcoholic liver disease (K70)									
All races, both sexes	12,207	-	-	-	8	264	2,145	4,203	2,913
Male	8,932	-	-	-	5	179	1,446	3,099	2,242
Female	3,275	-	-	-	3	85	699	1,104	671
White, both sexes	10,387	-	-	-	2	211	1,771	3,521	2,498
Male	7,689	-	-	-	2	151	1,202	2,650	1,931
Female	2,698	-	-	-	-	60	569	871	567
Black, both sexes	1,348	-	-	-	1	27	245	516	328
Male	935	-	-	-	-	12	161	354	242
Female	413	-	-	-	1	15	84	162	86
American Indian 1/, both sexes	359	-	-	-	5	20	110	129	61
Male	218	-	-	-	3	13	68	66	47
Female	141	-	-	-	2	7	42	63	14
Asian or Pacific Islander 2/, both sexes	113	-	-	-	-	6	19	37	26
Male	90	-	-	-	-	3	15	29	22
Female	23	-	-	-	-	3	4	8	4
Other chronic liver disease and cirrhosis (K73-K74)									
All races, both sexes	14,828	3	-	2	18	123	1,191	3,056	2,837
Male	8,461	1	-	2	7	80	760	2,196	1,786
Female	6,367	2	-	-	11	43	431	860	1,051
White, both sexes	13,021	3	-	1	8	96	974	2,468	2,426
Male	7,359	1	-	1	4	60	624	1,781	1,511
Female	5,662	2	-	-	4	36	350	687	915
Black, both sexes	1,427	-	-	1	9	20	177	495	329
Male	908	-	-	1	2	14	113	359	227
Female	519	-	-	-	7	6	64	136	102
American Indian 1/, both sexes	174	-	-	-	1	5	25	58	39
Male	91	-	-	-	1	4	14	33	21
Female	83	-	-	-	-	1	11	25	18
Asian or Pacific Islander 2/, both sexes	206	-	-	-	-	2	15	35	43
Male	103	-	-	-	-	2	9	23	27
Female	103	-	-	-	-	-	6	12	16



## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
<b>Cholelithiasis and other disorders of gallbladder (K80-K82)</b>									
All races, both sexes	2,965	1	-	1	7	19	44	137	242
Male	1,341	1	-	-	3	9	25	79	142
Female	1,624	-	-	1	4	10	19	58	100
White, both sexes	2,567	1	-	1	5	15	33	99	191
Male	1,157	1	-	-	2	6	20	57	112
Female	1,410	-	-	1	3	9	13	42	79
Black, both sexes	310	-	-	-	2	4	11	31	42
Male	130	-	-	-	1	3	5	18	24
Female	180	-	-	-	1	1	6	13	18
American Indian 1/, both sexes	15	-	-	-	-	-	-	2	2
Male	11	-	-	-	-	-	-	2	2
Female	4	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	73	-	-	-	-	-	-	5	7
Male	43	-	-	-	-	-	-	2	4
Female	30	-	-	-	-	-	-	3	3
<b>Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)</b>									
All races, both sexes	39,480	133	16	18	92	225	768	1,822	3,284
Male	18,852	76	7	6	45	112	414	1,053	1,714
Female	20,628	57	9	12	47	113	354	769	1,570
White, both sexes	31,345	77	13	10	61	125	432	1,043	2,101
Male	15,241	45	4	5	30	55	256	613	1,144
Female	16,104	32	9	5	31	70	176	430	957
Black, both sexes	7,274	53	3	7	27	95	309	706	1,054
Male	3,186	29	3	-	12	56	141	400	514
Female	4,088	24	-	7	15	39	168	306	540
American Indian 1/, both sexes	236	2	-	1	2	1	13	32	51
Male	105	2	-	1	2	-	8	19	16
Female	131	-	-	-	-	1	5	13	35
Asian or Pacific Islander 2/, both sexes	625	1	-	-	2	4	14	41	78
Male	320	-	-	-	1	1	9	21	40
Female	305	1	-	-	1	3	5	20	38

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)									
All races, both sexes	156	8	4	1	-	3	8	6	13
Male	73	4	3	-	-	2	6	5	9
Female	83	4	1	1	-	1	2	1	4
White, both sexes	130	7	3	-	-	1	8	5	11
Male	60	3	2	-	-	-	6	5	7
Female	70	4	1	-	-	1	2	-	4
Black, both sexes	21	-	1	1	-	2	-	1	1
Male	9	-	1	-	-	2	-	-	1
Female	12	-	-	1	-	-	-	1	-
American Indian 1/, both sexes	2	1	-	-	-	-	-	-	1
Male	2	1	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	-	-	-
Male	2	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07,N26)									
All races, both sexes	511	-	2	1	8	12	27	41	40
Male	264	-	1	-	5	1	13	24	25
Female	247	-	1	1	3	11	14	17	15
White, both sexes	417	-	2	-	7	9	15	21	27
Male	216	-	1	-	4	1	8	10	16
Female	201	-	1	-	3	8	7	11	11
Black, both sexes	69	-	-	1	-	2	8	15	9
Male	37	-	-	-	-	-	5	12	7
Female	32	-	-	1	-	2	3	3	2
American Indian 1/, both sexes	7	-	-	-	-	-	1	2	1
Male	4	-	-	-	-	-	-	1	-
Female	3	-	-	-	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes	18	-	-	-	1	1	3	3	3
Male	7	-	-	-	1	-	-	1	2
Female	11	-	-	-	-	1	3	2	1





## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Inflammatory diseases of female pelvic organs (N70-N76)									
All races, both sexes	127	1	-	-	2	3	10	12	12
Female	127	1	-	-	2	3	10	12	12
White, both sexes	103	1	-	-	2	3	6	8	8
Female	103	1	-	-	2	3	6	8	8
Black, both sexes	23	-	-	-	-	-	4	4	4
Female	23	-	-	-	-	-	4	4	4
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Pregnancy, childbirth and the puerperium (000-099)									
All races, both sexes	416	...	...	3	110	190	106	6	-
Female	416	...	...	3	110	190	106	6	-
White, both sexes	235	...	...	2	64	114	51	3	-
Female	235	...	...	2	64	114	51	3	-
Black, both sexes	158	...	...	1	45	66	43	3	-
Female	158	...	...	1	45	66	43	3	-
American Indian 1/, both sexes	5	...	...	-	-	5	-	-	-
Female	5	...	...	-	-	5	-	-	-
Asian or Pacific Islander 2/, both sexes	18	...	...	-	1	5	12	-	-
Female	18	...	...	-	1	5	12	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Pregnancy with abortive outcome (000-007)									
All races, both sexes	38	...	...	2	13	14	9	-	-
Female	38	...	...	2	13	14	9	-	-
White, both sexes	20	...	...	1	7	8	4	-	-
Female	20	...	...	1	7	8	4	-	-
Black, both sexes	16	...	...	1	6	5	4	-	-
Female	16	...	...	1	6	5	4	-	-
American Indian 1/, both sexes	1	...	...	-	-	1	-	-	-
Female	1	...	...	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	1	...	...	-	-	-	1	-	-
Female	1	...	...	-	-	-	1	-	-
Other complications of pregnancy, childbirth and the puerperium (010-099)									
All races, both sexes	378	...	...	1	97	176	97	6	-
Female	378	...	...	1	97	176	97	6	-
White, both sexes	215	...	...	1	57	106	47	3	-
Female	215	...	...	1	57	106	47	3	-
Black, both sexes	142	...	...	-	39	61	39	3	-
Female	142	...	...	-	39	61	39	3	-
American Indian 1/, both sexes	4	...	...	-	-	4	-	-	-
Female	4	...	...	-	-	4	-	-	-
Asian or Pacific Islander 2/, both sexes	17	...	...	-	1	5	11	-	-
Female	17	...	...	-	1	5	11	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Certain conditions originating in the perinatal period (P00-P96)									
All races, both sexes	13,887	13,734	72	36	17	6	9	5	2
Male	7,868	7,775	44	24	7	2	6	5	1
Female	6,019	5,959	28	12	10	4	3	-	1
White, both sexes	8,551	8,444	47	21	13	6	8	5	1
Male	4,846	4,780	28	16	6	2	5	5	-
Female	3,705	3,664	19	5	7	4	3	-	1
Black, both sexes	4,847	4,808	23	11	4	-	1	-	-
Male	2,746	2,725	14	5	1	-	1	-	-
Female	2,101	2,083	9	6	3	-	-	-	-
American Indian 1/, both sexes	126	124	1	1	-	-	-	-	-
Male	72	70	1	1	-	-	-	-	-
Female	54	54	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	363	358	1	3	-	-	-	-	1
Male	204	200	1	2	-	-	-	-	1
Female	159	158	-	1	-	-	-	-	-
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)									
All races, both sexes	10,442	5,513	557	376	505	458	586	636	581
Male	5,448	2,954	282	210	306	249	317	323	276
Female	4,994	2,559	275	166	199	209	269	313	305
White, both sexes	8,338	4,247	387	282	374	375	479	542	527
Male	4,376	2,301	195	169	222	212	261	279	249
Female	3,962	1,946	192	113	152	163	218	263	278
Black, both sexes	1,720	1,032	131	75	114	68	91	77	48
Male	882	537	69	35	72	31	47	35	23
Female	838	495	62	40	42	37	44	42	25
American Indian 1/, both sexes	98	60	15	3	5	5	2	4	1
Male	46	30	5	1	5	1	1	2	-
Female	52	30	10	2	-	4	1	2	1
Asian or Pacific Islander 2/, both sexes	286	174	24	16	12	10	14	13	5
Male	144	86	13	5	7	5	8	7	4
Female	142	88	11	11	5	5	6	6	1

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
--	----------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races, both sexes	32,326	3,491	272	181	949	1,530	3,126	3,504	2,292
Male	15,779	2,041	162	99	654	1,040	2,007	2,286	1,457
Female	16,547	1,450	110	82	295	490	1,119	1,218	835
White, both sexes	26,877	2,231	185	124	747	1,202	2,512	2,803	1,848
Male	12,868	1,320	106	66	516	840	1,635	1,851	1,158
Female	14,009	911	79	58	231	362	877	952	690
Black, both sexes	4,691	1,104	69	42	166	270	523	620	375
Male	2,465	626	44	26	113	154	303	373	264
Female	2,226	478	25	16	53	116	220	247	111
American Indian 1/, both sexes	263	81	6	4	9	20	28	23	26
Male	160	52	5	1	7	16	22	19	11
Female	103	29	1	3	2	4	6	4	15
Asian or Pacific Islander 2/, both sexes	495	75	12	11	27	38	63	58	43
Male	286	43	7	6	18	30	47	43	24
Female	209	32	5	5	9	8	16	15	19

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All races, both sexes	186,406	1,131	646	860	1,799	3,072	8,084	14,203	16,048
Male	75,162	649	358	454	1,064	1,729	4,774	8,397	8,652
Female	111,244	482	288	406	735	1,343	3,310	5,806	7,396
White, both sexes	161,293	745	471	663	1,335	2,163	5,889	10,734	12,929
Male	64,020	416	272	352	824	1,264	3,596	6,480	7,014
Female	97,273	329	199	311	511	899	2,293	4,254	5,915
Black, both sexes	21,970	334	133	167	392	763	1,965	3,147	2,719
Male	9,671	195	64	83	200	384	1,042	1,741	1,430
Female	12,299	139	69	84	192	379	923	1,406	1,289
American Indian 1/, both sexes	1,109	15	11	8	24	71	138	176	174
Male	547	11	5	4	18	42	85	103	93
Female	562	4	6	4	6	29	53	73	81
Asian or Pacific Islander 2/, both sexes	2,034	37	31	22	48	75	92	146	226
Male	924	27	17	15	22	39	51	73	115
Female	1,110	10	14	7	26	36	41	73	111



## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)									
All races, both sexes	101,537	976	1,714	2,836	14,411	11,839	15,945	13,344	7,658
Male	66,060	541	1,045	1,803	10,832	9,092	11,612	9,743	5,228
Female	35,477	435	669	1,033	3,579	2,747	4,333	3,601	2,430
White, both sexes	85,964	647	1,309	2,060	12,038	9,727	13,143	10,825	6,367
Male	55,493	356	815	1,285	9,067	7,518	9,647	7,897	4,319
Female	30,471	291	494	775	2,971	2,209	3,496	2,928	2,048
Black, both sexes	12,462	281	339	644	1,742	1,638	2,321	2,133	1,064
Male	8,537	162	194	442	1,309	1,220	1,633	1,597	764
Female	3,925	119	145	202	433	418	688	536	300
American Indian 1/, both sexes	1,361	32	30	73	293	216	260	193	98
Male	908	14	15	46	203	163	188	130	68
Female	453	18	15	27	90	53	72	63	30
Asian or Pacific Islander 2/, both sexes	1,750	16	36	59	338	258	221	193	129
Male	1,122	9	21	30	253	191	144	119	77
Female	628	7	15	29	85	67	77	74	52
Transport accidents (V01-V99,Y85)									
All races, both sexes	47,288	151	678	1,823	11,139	7,454	7,827	6,251	3,861
Male	32,794	68	392	1,115	8,111	5,661	5,613	4,484	2,631
Female	14,494	83	286	708	3,028	1,793	2,214	1,767	1,230
White, both sexes	39,544	115	511	1,378	9,285	6,053	6,451	5,175	3,277
Male	27,407	52	299	835	6,774	4,620	4,632	3,727	2,230
Female	12,137	63	212	543	2,511	1,433	1,819	1,448	1,047
Black, both sexes	5,906	19	130	363	1,347	1,080	1,087	842	460
Male	4,214	7	72	240	986	813	788	624	335
Female	1,692	12	58	123	361	267	299	218	125
American Indian 1/, both sexes	832	11	17	48	247	147	146	105	50
Male	558	5	8	26	164	111	112	65	32
Female	274	6	9	22	83	36	34	40	18
Asian or Pacific Islander 2/, both sexes	1,006	6	20	34	260	174	143	129	74
Male	615	4	13	14	187	117	81	68	34
Female	391	2	7	20	73	57	62	61	40

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)									
All races, both sexes	43,788	144	626	1,686	10,725	6,937	7,083	5,564	3,465
Male	30,064	66	356	1,029	7,778	5,236	5,016	3,938	2,309
Female	13,724	78	270	657	2,947	1,701	2,067	1,626	1,156
White, both sexes	36,576	109	466	1,275	8,929	5,613	5,828	4,600	2,936
Male	25,084	50	268	770	6,488	4,255	4,133	3,265	1,952
Female	11,492	59	198	505	2,441	1,358	1,695	1,335	984
Black, both sexes	5,506	19	123	331	1,308	1,025	997	755	415
Male	3,900	7	67	219	953	771	713	556	298
Female	1,606	12	56	112	355	254	284	199	117
American Indian 1/, both sexes	764	10	17	47	237	134	129	91	44
Male	506	5	8	26	156	100	98	57	26
Female	258	5	9	21	81	34	31	34	18
Asian or Pacific Islander 2/, both sexes	942	6	20	33	251	165	129	118	70
Male	574	4	13	14	181	110	72	60	33
Female	368	2	7	19	70	55	57	58	37
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)									
All races, both sexes	1,405	3	28	80	198	177	285	247	133
Male	1,067	-	20	49	158	152	235	189	104
Female	338	3	8	31	40	25	50	58	29
White, both sexes	1,105	2	23	56	161	141	208	194	107
Male	850	-	17	34	132	124	173	152	88
Female	255	2	6	22	29	17	35	42	19
Black, both sexes	226	-	5	23	23	25	60	42	22
Male	168	-	3	15	17	19	49	31	14
Female	58	-	2	8	6	6	11	11	8
American Indian 1/, both sexes	39	1	-	1	8	9	9	6	2
Male	30	-	-	-	6	8	8	3	2
Female	9	1	-	1	2	1	1	3	-
Asian or Pacific Islander 2/, both sexes	35	-	-	-	6	2	8	5	2
Male	19	-	-	-	3	1	5	3	-
Female	16	-	-	-	3	1	3	2	2

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)									
All races, both sexes	2,095	4	24	57	216	340	459	440	263
Male	1,663	2	16	37	175	273	362	357	218
Female	432	2	8	20	41	67	97	83	45
White, both sexes	1,863	4	22	47	195	299	415	381	234
Male	1,473	2	14	31	154	241	326	310	190
Female	390	2	8	16	41	58	89	71	44
Black, both sexes	174	-	2	9	16	30	30	45	23
Male	146	-	2	6	16	23	26	37	23
Female	28	-	-	3	-	7	4	8	-
American Indian 1/, both sexes	29	-	-	-	2	4	8	8	4
Male	22	-	-	-	2	3	6	5	4
Female	7	-	-	-	-	1	2	3	-
Asian or Pacific Islander 2/, both sexes	29	-	-	1	3	7	6	6	2
Male	22	-	-	-	3	6	4	5	1
Female	7	-	-	1	-	1	2	1	1
Nontransport accidents (W00-X59,Y86)									
All races, both sexes	54,249	825	1,036	1,013	3,272	4,385	8,118	7,093	3,797
Male	33,266	473	653	688	2,721	3,431	5,999	5,259	2,597
Female	20,983	352	383	325	551	954	2,119	1,834	1,200
White, both sexes	46,420	532	798	682	2,753	3,674	6,692	5,650	3,090
Male	28,086	304	516	450	2,293	2,898	5,015	4,170	2,089
Female	18,334	228	282	232	460	776	1,677	1,480	1,001
Black, both sexes	6,556	262	209	281	395	558	1,234	1,291	604
Male	4,323	155	122	202	323	407	845	973	429
Female	2,233	107	87	79	72	151	389	318	175
American Indian 1/, both sexes	529	21	13	25	46	69	114	88	48
Male	350	9	7	20	39	52	76	65	36
Female	179	12	6	5	7	17	38	23	12
Asian or Pacific Islander 2/, both sexes	744	10	16	25	78	84	78	64	55
Male	507	5	8	16	66	74	63	51	43
Female	237	5	8	9	12	10	15	13	12

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Falls (W00-W19)									
All races, both sexes	15,019	23	32	66	256	340	647	1,024	1,004
Male	8,089	15	25	46	232	295	544	821	718
Female	6,930	8	7	20	24	45	103	203	286
White, both sexes	13,827	15	28	56	237	297	537	860	859
Male	7,331	10	21	40	217	260	456	682	614
Female	6,496	5	7	16	20	37	81	178	245
Black, both sexes	854	6	3	7	13	28	91	130	111
Male	547	4	3	4	9	21	72	111	79
Female	307	2	-	3	4	7	19	19	32
American Indian 1/, both sexes	86	-	-	1	3	4	9	16	12
Male	51	-	-	1	3	3	7	13	10
Female	35	-	-	-	-	1	2	3	2
Asian or Pacific Islander 2/, both sexes	252	2	1	2	3	11	10	18	22
Male	160	1	1	1	3	11	9	15	15
Female	92	1	-	1	-	-	1	3	7
Accidental discharge of firearms (W32-W34)									
All races, both sexes	802	-	15	57	206	122	146	103	69
Male	690	-	12	49	193	103	121	87	55
Female	112	-	3	8	13	19	25	16	14
White, both sexes	675	-	10	45	152	103	127	98	62
Male	580	-	8	41	141	87	107	83	49
Female	95	-	2	4	11	16	20	15	13
Black, both sexes	112	-	5	8	49	17	16	5	6
Male	99	-	4	6	47	14	13	4	5
Female	13	-	1	2	2	3	3	1	1
American Indian 1/, both sexes	9	-	-	3	3	1	2	-	-
Male	6	-	-	2	3	1	-	-	-
Female	3	-	-	1	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes	6	-	-	1	2	1	1	-	1
Male	5	-	-	-	2	1	1	-	1
Female	1	-	-	1	-	-	-	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Accidental drowning and submersion (W65-W74)									
All races, both sexes	3,281	68	458	333	596	374	462	359	206
Male	2,560	30	291	237	544	328	376	299	155
Female	721	38	167	96	52	46	86	60	51
White, both sexes	2,515	52	397	175	424	272	361	295	166
Male	1,936	25	257	115	384	232	292	244	121
Female	579	27	140	60	40	40	69	51	45
Black, both sexes	579	12	48	134	134	63	72	51	32
Male	478	3	28	103	127	62	60	42	26
Female	101	9	20	31	7	1	12	9	6
American Indian 1/, both sexes	52	2	6	9	5	13	9	5	3
Male	46	1	3	9	5	13	7	5	3
Female	6	1	3	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes	135	2	7	15	33	26	20	8	5
Male	100	1	3	10	28	21	17	8	5
Female	35	1	4	5	5	5	3	-	-
Accidental exposure to smoke, fire and flames (X00-X09)									
All races, both sexes	3,309	50	225	252	209	247	441	419	378
Male	1,998	30	142	152	137	161	308	288	236
Female	1,311	20	83	100	72	86	133	131	142
White, both sexes	2,387	34	142	159	157	174	326	303	277
Male	1,436	19	95	92	106	120	228	202	172
Female	951	15	47	67	51	54	98	101	105
Black, both sexes	846	15	82	88	42	66	104	107	90
Male	511	10	46	56	24	35	73	81	56
Female	335	5	36	32	18	31	31	26	34
American Indian 1/, both sexes	45	1	1	4	5	4	9	6	7
Male	30	1	1	3	3	3	5	3	6
Female	15	-	-	1	2	1	4	3	1
Asian or Pacific Islander 2/, both sexes	31	-	-	1	5	3	2	3	4
Male	21	-	-	1	4	3	2	2	2
Female	10	-	-	-	1	-	-	1	2

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)									
All races, both sexes	14,078	15	31	50	1,362	2,507	5,036	3,547	798
Male	9,885	8	21	23	1,080	1,862	3,522	2,503	500
Female	4,193	7	10	27	282	645	1,514	1,044	298
White, both sexes	11,662	9	21	40	1,228	2,176	4,197	2,753	616
Male	8,232	5	15	19	980	1,638	2,984	1,925	359
Female	3,430	4	6	21	248	538	1,213	828	257
Black, both sexes	2,169	6	8	6	95	282	763	747	165
Male	1,490	3	5	2	69	193	487	549	128
Female	679	3	3	4	26	89	276	198	37
American Indian 1/, both sexes	149	-	1	3	18	31	49	32	11
Male	90	-	-	1	13	16	31	19	8
Female	59	-	1	2	5	15	18	13	3
Asian or Pacific Islander 2/, both sexes	98	-	1	1	21	18	27	15	6
Male	73	-	1	1	18	15	20	10	5
Female	25	-	-	-	3	3	7	5	1
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)									
All races, both sexes	17,760	669	275	255	643	795	1,386	1,641	1,342
Male	10,044	390	162	181	535	682	1,128	1,261	933
Female	7,716	279	113	74	108	113	258	380	409
White, both sexes	15,354	422	200	207	555	652	1,144	1,341	1,110
Male	8,571	245	120	143	465	561	948	1,034	774
Female	6,783	177	80	64	90	91	196	307	336
Black, both sexes	1,996	223	63	38	62	102	188	251	200
Male	1,198	135	36	31	47	82	140	186	135
Female	798	88	27	7	15	20	48	65	65
American Indian 1/, both sexes	188	18	5	5	12	16	36	29	15
Male	127	7	3	4	12	16	26	25	9
Female	61	11	2	1	-	-	10	4	6
Asian or Pacific Islander 2/, both sexes	222	6	7	5	14	25	18	20	17
Male	148	3	3	3	11	23	14	16	15
Female	74	3	4	2	3	2	4	4	2

WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0) /3									
All races, both sexes	30,622	...	...	279	3,971	5,070	6,635	5,942	3,317
Male	24,672	...	...	214	3,409	4,199	5,180	4,504	2,563
Female	5,950	...	...	65	562	871	1,455	1,438	754
White, both sexes	27,710	...	...	218	3,334	4,356	6,017	5,540	3,106
Male	22,328	...	...	168	2,860	3,604	4,691	4,218	2,396
Female	5,382	...	...	50	474	752	1,326	1,322	710
Black, both sexes	1,957	...	...	41	433	492	425	277	131
Male	1,627	...	...	32	395	425	336	204	106
Female	330	...	...	9	38	67	89	73	25
American Indian 1/, both sexes	321	...	...	12	86	76	80	39	17
Male	259	...	...	7	69	63	65	33	13
Female	62	...	...	5	17	13	15	6	4
Asian or Pacific Islander 2/, both sexes	634	...	...	8	118	146	113	86	63
Male	458	...	...	7	85	107	88	49	48
Female	176	...	...	1	33	39	25	37	15

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races, both sexes	16,869	...	...	90	2,130	2,564	3,030	3,023	2,083
Male	14,758	...	...	69	1,935	2,246	2,551	2,551	1,771
Female	2,111	...	...	21	195	318	479	472	312
White, both sexes	15,467	...	...	73	1,753	2,220	2,770	2,864	1,988
Male	13,521	...	...	58	1,581	1,936	2,331	2,424	1,686
Female	1,946	...	...	15	172	284	439	440	302
Black, both sexes	1,091	...	...	13	296	267	200	124	70
Male	971	...	...	10	280	242	171	100	64
Female	120	...	...	3	16	25	29	24	6
American Indian 1/, both sexes	132	...	...	2	40	29	32	14	7
Male	115	...	...	-	37	26	26	13	6
Female	17	...	...	2	3	3	6	1	1
Asian or Pacific Islander 2/, both sexes	179	...	...	2	41	48	28	21	18
Male	151	...	...	1	37	42	23	14	15
Female	28	...	...	1	4	6	5	7	3

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0) /3									
All races, both sexes	13,753	...	...	189	1,841	2,506	3,605	2,919	1,234
Male	9,914	...	...	145	1,474	1,953	2,629	1,953	792
Female	3,839	...	...	44	367	553	976	966	442
White, both sexes	12,243	...	...	145	1,581	2,136	3,247	2,676	1,118
Male	8,807	...	...	110	1,279	1,668	2,360	1,794	710
Female	3,436	...	...	35	302	468	887	882	408
Black, both sexes	866	...	...	28	137	225	225	153	61
Male	656	...	...	22	115	183	165	104	42
Female	210	...	...	6	22	42	60	49	19
American Indian 1/, both sexes	189	...	...	10	46	47	48	25	10
Male	144	...	...	7	32	37	39	20	7
Female	45	...	...	3	14	10	9	5	3
Asian or Pacific Islander 2/, both sexes	455	...	...	6	77	98	85	65	45
Male	307	...	...	6	48	65	65	35	33
Female	148	...	...	-	29	33	20	30	12
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1) /3									
All races, both sexes	20,308	332	415	326	5,297	5,204	4,268	2,467	1,018
Male	15,555	197	238	193	4,541	4,157	3,122	1,832	723
Female	4,753	135	177	133	756	1,047	1,146	635	295
White, both sexes	11,328	196	228	218	2,264	2,623	2,672	1,639	744
Male	8,254	118	132	119	1,811	1,988	1,972	1,196	518
Female	3,074	78	96	99	453	635	700	443	226
Black, both sexes	8,226	123	169	94	2,870	2,371	1,450	719	225
Male	6,780	70	101	68	2,600	2,028	1,051	556	170
Female	1,446	53	68	26	270	343	399	163	55
American Indian 1/, both sexes	211	6	12	4	59	54	36	26	5
Male	146	3	5	1	45	39	24	19	5
Female	65	3	7	3	14	15	12	7	-
Asian or Pacific Islander 2/, both sexes	543	7	6	10	104	156	110	83	44
Male	375	6	-	5	85	102	75	61	30
Female	168	1	6	5	19	54	35	22	14



## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)									
All races, both sexes	11,348	11	55	180	4,200	3,308	1,978	934	364
Male	9,532	7	27	125	3,796	2,864	1,528	726	264
Female	1,816	4	28	55	404	444	450	208	100
White, both sexes	5,188	8	33	119	1,578	1,327	1,065	560	255
Male	4,042	5	17	78	1,351	1,083	791	415	170
Female	1,146	3	16	41	227	244	274	145	85
Black, both sexes	5,885	2	18	57	2,537	1,901	873	337	94
Male	5,279	1	9	44	2,373	1,723	708	284	80
Female	606	1	9	13	164	178	165	53	14
American Indian 1/, both sexes	87	1	4	2	29	27	12	6	3
Male	64	1	1	1	24	20	8	3	3
Female	23	-	3	1	5	7	4	3	-
Asian or Pacific Islander 2/, both sexes	188	-	-	2	56	53	28	31	12
Male	147	-	-	2	48	38	21	24	11
Female	41	-	-	-	8	15	7	7	1

Assault (homicide) by other and unspecified means and their sequelae (\*U01.0-\*U01.3,\*U01.5-\*U01.9,\*U02.X85-X92,X96-Y09,Y87.1) /3

All races, both sexes	8,960	321	360	146	1,097	1,896	2,290	1,533	654
Male	6,023	190	211	68	745	1,293	1,594	1,106	459
Female	2,937	131	149	78	352	603	696	427	195
White, both sexes	6,140	188	195	99	686	1,296	1,607	1,079	489
Male	4,212	113	115	41	460	905	1,181	781	348
Female	1,928	75	80	58	226	391	426	298	141
Black, both sexes	2,341	121	151	37	333	470	577	382	131
Male	1,501	69	92	24	227	305	343	272	90
Female	840	52	59	13	106	165	234	110	41
American Indian 1/, both sexes	124	5	8	2	30	27	24	20	2
Male	82	2	4	-	21	19	16	16	2
Female	42	3	4	2	9	8	8	4	-
Asian or Pacific Islander 2/, both sexes	355	7	6	8	48	103	82	52	32
Male	228	6	-	3	37	64	54	37	19
Female	127	1	6	5	11	39	28	15	13

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Legal intervention (Y35,Y89.0)									
All races, both sexes	396	-	-	-	88	107	115	51	24
Male	380	-	-	-	84	104	108	51	22
Female	16	-	-	-	4	3	7	-	2
White, both sexes	292	-	-	-	60	78	86	40	18
Male	283	-	-	-	58	77	81	40	17
Female	9	-	-	-	2	1	5	-	1
Black, both sexes	84	-	-	-	26	21	23	10	3
Male	79	-	-	-	24	20	21	10	3
Female	5	-	-	-	2	1	2	-	-
American Indian 1/, both sexes	11	-	-	-	2	2	5	-	2
Male	9	-	-	-	2	1	5	-	1
Female	2	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes	9	-	-	-	-	6	1	1	1
Male	9	-	-	-	-	6	1	1	1
Female	-	-	-	-	-	-	-	-	-
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)									
All races, both sexes	4,198	83	44	51	412	728	1,396	990	225
Male	2,833	49	19	38	316	515	931	662	146
Female	1,365	34	25	13	96	213	465	328	79
White, both sexes	3,453	45	31	39	351	612	1,146	805	189
Male	2,283	28	13	29	263	431	745	520	117
Female	1,170	17	18	10	88	181	401	285	72
Black, both sexes	646	36	13	11	44	93	227	168	32
Male	480	20	6	8	38	67	170	130	27
Female	166	16	7	3	6	26	57	38	5
American Indian 1/, both sexes	43	1	-	-	7	7	14	9	1
Male	32	-	-	-	7	7	9	5	1
Female	11	1	-	-	-	-	5	4	-
Asian or Pacific Islander 2/, both sexes	56	1	-	1	10	16	9	8	3
Male	38	1	-	1	8	10	7	7	1
Female	18	-	-	-	2	6	2	1	2

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)									
All races, both sexes	231	-	-	6	64	48	50	29	12
Male	190	-	-	6	59	42	33	21	11
Female	41	-	-	-	5	6	17	8	1
White, both sexes	188	-	-	4	44	40	45	25	9
Male	150	-	-	4	40	35	29	17	8
Female	38	-	-	-	4	5	16	8	1
Black, both sexes	32	-	-	2	15	5	2	4	3
Male	29	-	-	2	14	4	1	4	3
Female	3	-	-	-	1	1	1	-	-
American Indian 1/, both sexes	4	-	-	-	2	1	1	-	-
Male	4	-	-	-	2	1	1	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	-	-	-	3	2	2	-	-
Male	7	-	-	-	3	2	2	-	-
Female	-	-	-	-	-	-	-	-	-

## Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All races, both sexes	3,967	83	44	45	348	680	1,346	961	213
Male	2,643	49	19	32	257	473	898	641	135
Female	1,324	34	25	13	91	207	448	320	78
White, both sexes	3,265	45	31	35	307	572	1,101	780	180
Male	2,133	28	13	25	223	396	716	503	109
Female	1,132	17	18	10	84	176	385	277	71
Black, both sexes	614	36	13	9	29	88	225	164	29
Male	451	20	6	6	24	63	169	126	24
Female	163	16	7	3	5	25	56	38	5
American Indian 1/, both sexes	39	1	-	-	5	6	13	9	1
Male	28	-	-	-	5	6	8	5	1
Female	11	1	-	-	-	-	5	4	-
Asian or Pacific Islander 2/, both sexes	49	1	-	1	7	14	7	8	3
Male	31	1	-	1	5	8	5	7	1
Female	18	-	-	-	2	6	2	1	2

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Operations of war and their sequelae (Y36,Y89.1)									
All races, both sexes	17	-	-	-	1	-	1	2	-
Male	16	-	-	-	1	-	1	2	-
Female	1	-	-	-	-	-	-	-	-
White, both sexes	16	-	-	-	1	-	1	2	-
Male	15	-	-	-	1	-	1	2	-
Female	1	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-

## Complications of medical and surgical care (Y40-Y84,Y88)

All races, both sexes	3,021	26	24	14	43	79	172	283	384
Male	1,357	15	14	8	19	42	83	143	196
Female	1,664	11	10	6	24	37	89	140	188
White, both sexes	2,446	17	16	10	33	57	117	207	293
Male	1,084	9	10	5	16	29	54	102	145
Female	1,362	8	6	5	17	28	63	105	148
Black, both sexes	522	9	7	3	7	22	50	70	85
Male	250	6	4	2	2	13	27	38	47
Female	272	3	3	1	5	9	23	32	38
American Indian 1/, both sexes	17	-	1	1	2	-	2	2	1
Male	6	-	-	1	-	-	1	1	1
Female	11	-	1	-	2	-	1	1	-
Asian or Pacific Islander 2/, both sexes	36	-	-	-	1	-	3	4	5
Male	17	-	-	-	1	-	1	2	3
Female	19	-	-	-	-	-	2	2	2

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All causes				
All races, both sexes	430,960	701,929	665,531	422
Male	241,581	340,742	217,533	331
Female	189,379	361,187	447,998	91
White, both sexes	367,128	627,752	609,265	320
Male	207,793	306,278	199,179	255
Female	159,335	321,474	410,086	65
Black, both sexes	54,379	62,233	47,387	88
Male	28,775	28,395	14,489	67
Female	25,604	33,838	32,898	21
American Indian 1/, both sexes	2,206	2,146	1,402	6
Male	1,165	983	492	5
Female	1,041	1,163	910	1
Asian or Pacific Islander 2/, both sexes	7,247	9,798	7,477	8
Male	3,848	5,086	3,373	4
Female	3,399	4,712	4,104	4
Salmonella infections (A01-A02)				
All races, both sexes	7	14	9	-
Male	6	7	1	-
Female	1	7	8	-
White, both sexes	4	12	8	-
Male	4	7	1	-
Female	-	5	7	-
Black, both sexes	1	2	1	-
Male	1	-	-	-
Female	-	2	1	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-
Male	1	-	-	-
Female	1	-	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
<b>Shigellosis and amebiasis (A03,A06)</b>				
All races, both sexes	-	1	-	-
Male	-	-	-	-
Female	-	1	-	-
White, both sexes	-	1	-	-
Male	-	-	-	-
Female	-	1	-	-
Black, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
<b>Certain other intestinal infections (A04,A07-A09)</b>				
All races, both sexes	235	566	565	-
Male	108	227	157	-
Female	127	339	408	-
White, both sexes	211	527	540	-
Male	96	208	149	-
Female	115	319	391	-
Black, both sexes	23	30	19	-
Male	11	12	6	-
Female	12	18	13	-
American Indian 1/, both sexes	-	4	1	-
Male	-	3	-	-
Female	-	1	1	-
Asian or Pacific Islander 2/, both sexes	1	5	5	-
Male	1	4	2	-
Female	-	1	3	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),  
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Tuberculosis (A16-A19)				
All races, both sexes	152	206	125	1
Male	98	100	57	1
Female	54	106	68	-
White, both sexes	90	140	87	1
Male	53	69	37	1
Female	37	71	50	-
Black, both sexes	44	35	22	-
Male	30	14	12	-
Female	14	21	10	-
American Indian 1/, both sexes	2	4	2	-
Male	1	2	-	-
Female	1	2	2	-
Asian or Pacific Islander 2/, both sexes	16	27	14	-
Male	14	15	8	-
Female	2	12	6	-
Respiratory tuberculosis (A16)				
All races, both sexes	115	166	106	1
Male	76	84	50	1
Female	39	82	56	-
White, both sexes	69	114	70	1
Male	42	59	30	1
Female	27	55	40	-
Black, both sexes	32	28	20	-
Male	23	12	12	-
Female	9	16	8	-
American Indian 1/, both sexes	1	4	2	-
Male	-	2	-	-
Female	1	2	2	-
Asian or Pacific Islander 2/, both sexes	13	20	14	-
Male	11	11	8	-
Female	2	9	6	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other tuberculosis (A17-A19)				
All races, both sexes	37	40	19	-
Male	22	16	7	-
Female	15	24	12	-
White, both sexes	21	26	17	-
Male	11	10	7	-
Female	10	16	10	-
Black, both sexes	12	7	2	-
Male	7	2	-	-
Female	5	5	2	-
American Indian 1/, both sexes	1	-	-	-
Male	1	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	7	-	-
Male	3	4	-	-
Female	-	3	-	-
Whooping cough (A37)				
All races, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
White, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Black, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-



## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Scarlet fever and erysipelas (A38,A46)				
All races, both sexes	1	-	1	-
Male	-	-	1	-
Female	1	-	-	-
White, both sexes	1	-	1	-
Male	-	-	1	-
Female	1	-	-	-
Black, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Meningococcal infection (A39)				
All races, both sexes	15	8	9	-
Male	5	3	2	-
Female	10	5	7	-
White, both sexes	14	7	8	-
Male	5	2	1	-
Female	9	5	7	-
Black, both sexes	1	1	1	-
Male	-	1	1	-
Female	1	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
<b>Septicemia (A40-A41)</b>				
All races, both sexes	5,998	10,351	9,069	-
Male	3,044	4,762	2,914	-
Female	2,954	5,589	6,155	-
White, both sexes	4,677	8,708	7,782	-
Male	2,378	4,029	2,491	-
Female	2,299	4,679	5,291	-
Black, both sexes	1,198	1,514	1,188	-
Male	591	663	374	-
Female	607	851	814	-
American Indian 1/, both sexes	39	21	14	-
Male	20	13	7	-
Female	19	8	7	-
Asian or Pacific Islander 2/, both sexes	84	108	85	-
Male	55	57	42	-
Female	29	51	43	-
<b>Syphilis (A50-A53)</b>				
All races, both sexes	5	13	5	-
Male	3	5	1	-
Female	2	8	4	-
White, both sexes	2	10	3	-
Male	1	3	1	-
Female	1	7	2	-
Black, both sexes	3	3	2	-
Male	2	2	-	-
Female	1	1	2	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Acute poliomyelitis (A80)				
All races, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
White, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Black, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Arthropod-borne viral encephalitis (A83-A84,A85.2)				
All races, both sexes	5	2	-	-
Male	4	2	-	-
Female	1	-	-	-
White, both sexes	4	1	-	-
Male	4	1	-	-
Female	-	-	-	-
Black, both sexes	1	-	-	-
Male	-	-	-	-
Female	1	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	1	-	-
Male	-	1	-	-
Female	-	-	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
<b>Measles (B05)</b>				
All races, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
White, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Black, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
<b>Viral hepatitis (B15-B19)</b>				
All races, both sexes	836	613	166	1
Male	396	263	57	1
Female	440	350	109	-
White, both sexes	655	527	143	-
Male	331	241	53	-
Female	324	286	90	-
Black, both sexes	93	54	16	1
Male	34	13	2	1
Female	59	41	14	-
American Indian 1/, both sexes	8	2	-	-
Male	2	-	-	-
Female	6	2	-	-
Asian or Pacific Islander 2/, both sexes	80	30	7	-
Male	29	9	2	-
Female	51	21	5	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)				
All races, both sexes	384	88	10	2
Male	292	73	7	2
Female	92	15	3	-
White, both sexes	163	37	7	-
Male	140	33	5	-
Female	23	4	2	-
Black, both sexes	214	50	2	2
Male	150	39	1	2
Female	64	11	1	-
American Indian 1/, both sexes	2	1	-	-
Male	-	1	-	-
Female	2	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	1	-
Male	2	-	1	-
Female	3	-	-	-
Malaria (B50-B54)				
All races, both sexes	1	1	-	-
Male	1	1	-	-
Female	-	-	-	-
White, both sexes	1	1	-	-
Male	1	1	-	-
Female	-	-	-	-
Black, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)				
All races, both sexes	1,143	1,330	887	-
Male	565	656	307	-
Female	578	674	580	-
White, both sexes	965	1,180	801	-
Male	480	590	280	-
Female	485	590	521	-
Black, both sexes	139	105	67	-
Male	69	42	19	-
Female	70	63	48	-
American Indian 1/, both sexes	8	7	4	-
Male	2	3	2	-
Female	6	4	2	-
Asian or Pacific Islander 2/, both sexes	31	38	15	-
Male	14	21	6	-
Female	17	17	9	-
Malignant neoplasms (C00-C97)				
All races, both sexes	147,018	165,445	77,751	8
Male	81,699	86,126	33,954	7
Female	65,319	79,319	43,797	1
White, both sexes	127,404	148,005	70,350	4
Male	70,875	76,782	30,550	4
Female	56,529	71,223	39,800	-
Black, both sexes	16,547	14,590	6,291	4
Male	9,222	7,782	2,829	3
Female	7,325	6,808	3,462	1
American Indian 1/, both sexes	596	453	172	-
Male	328	225	75	-
Female	268	228	97	-
Asian or Pacific Islander 2/, both sexes	2,471	2,397	938	-
Male	1,274	1,337	500	-
Female	1,197	1,060	438	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)				
All races, both sexes	1,912	1,787	814	1
Male	1,327	1,025	335	1
Female	585	762	479	-
White, both sexes	1,601	1,620	756	-
Male	1,103	920	310	-
Female	498	700	446	-
Black, both sexes	259	131	42	1
Male	187	80	17	1
Female	72	51	25	-
American Indian 1/, both sexes	8	6	1	-
Male	8	3	1	-
Female	-	3	-	-
Asian or Pacific Islander 2/, both sexes	44	30	15	-
Male	29	22	7	-
Female	15	8	8	-
Malignant neoplasm of esophagus (C15)				
All races, both sexes	3,779	3,307	1,137	1
Male	2,989	2,365	625	1
Female	790	942	512	-
White, both sexes	3,169	2,992	1,047	1
Male	2,550	2,157	574	1
Female	619	835	473	-
Black, both sexes	540	279	77	-
Male	382	186	41	-
Female	158	93	36	-
American Indian 1/, both sexes	16	10	3	-
Male	13	5	2	-
Female	3	5	1	-
Asian or Pacific Islander 2/, both sexes	54	26	10	-
Male	44	17	8	-
Female	10	9	2	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of stomach (C16)				
All races, both sexes	3,021	3,793	2,001	-
Male	1,928	2,148	813	-
Female	1,093	1,645	1,188	-
White, both sexes	2,314	3,036	1,638	-
Male	1,477	1,744	679	-
Female	837	1,292	959	-
Black, both sexes	509	552	287	-
Male	333	296	92	-
Female	176	256	195	-
American Indian 1/, both sexes	17	28	8	-
Male	10	14	6	-
Female	7	14	2	-
Asian or Pacific Islander 2/, both sexes	181	177	68	-
Male	108	94	36	-
Female	73	83	32	-
Malignant neoplasms of colon, rectum and anus (C18-C21)				
All races, both sexes	13,791	17,527	11,259	-
Male	7,773	8,451	3,875	-
Female	6,018	9,076	7,384	-
White, both sexes	11,726	15,449	10,175	-
Male	6,715	7,522	3,497	-
Female	5,011	7,927	6,678	-
Black, both sexes	1,736	1,773	933	-
Male	885	776	306	-
Female	851	997	627	-
American Indian 1/, both sexes	61	42	16	-
Male	33	16	8	-
Female	28	26	8	-
Asian or Pacific Islander 2/, both sexes	268	263	135	-
Male	140	137	64	-
Female	128	126	71	-



## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),  
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of liver and intrahepatic bile ducts (C22)				
All races, both sexes	3,440	3,649	1,500	-
Male	2,224	2,047	654	-
Female	1,216	1,602	846	-
White, both sexes	2,805	3,144	1,329	-
Male	1,860	1,783	584	-
Female	945	1,361	745	-
Black, both sexes	363	306	114	-
Male	207	146	37	-
Female	156	160	77	-
American Indian 1/, both sexes	36	19	7	-
Male	27	10	1	-
Female	9	9	6	-
Asian or Pacific Islander 2/, both sexes	236	180	50	-
Male	130	108	32	-
Female	106	72	18	-
Malignant neoplasm of pancreas (C25)				
All races, both sexes	8,158	9,322	4,410	1
Male	4,215	4,191	1,365	1
Female	3,943	5,131	3,045	-
White, both sexes	6,987	8,274	3,947	1
Male	3,655	3,775	1,253	1
Female	3,332	4,499	2,694	-
Black, both sexes	975	876	395	-
Male	470	341	88	-
Female	505	535	307	-
American Indian 1/, both sexes	32	18	9	-
Male	17	6	2	-
Female	15	12	7	-
Asian or Pacific Islander 2/, both sexes	164	154	59	-
Male	73	69	22	-
Female	91	85	37	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of larynx (C32)				
All races, both sexes	1,170	910	296	-
Male	919	710	238	-
Female	251	200	58	-
White, both sexes	954	780	263	-
Male	751	598	215	-
Female	203	182	48	-
Black, both sexes	191	111	27	-
Male	147	94	18	-
Female	44	17	9	-
American Indian 1/, both sexes	10	5	2	-
Male	7	4	2	-
Female	3	1	-	-
Asian or Pacific Islander 2/, both sexes	15	14	4	-
Male	14	14	3	-
Female	1	-	1	-
Malignant neoplasms of trachea, bronchus and lung (C33-C34)				
All races, both sexes	51,225	46,700	13,331	4
Male	30,699	26,406	6,656	4
Female	20,526	20,294	6,675	-
White, both sexes	45,259	42,297	12,170	2
Male	26,909	23,711	6,044	2
Female	18,350	18,586	6,126	-
Black, both sexes	5,117	3,642	914	2
Male	3,290	2,242	484	2
Female	1,827	1,400	430	-
American Indian 1/, both sexes	181	134	27	-
Male	100	73	8	-
Female	81	61	19	-
Asian or Pacific Islander 2/, both sexes	668	627	220	-
Male	400	380	120	-
Female	268	247	100	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
<b>Malignant melanoma of skin (C43)</b>				
All races, both sexes	1,689	1,678	785	-
Male	1,156	1,063	388	-
Female	533	615	397	-
White, both sexes	1,644	1,645	771	-
Male	1,135	1,050	385	-
Female	509	595	386	-
Black, both sexes	37	25	11	-
Male	17	6	1	-
Female	20	19	10	-
American Indian 1/, both sexes	-	3	2	-
Male	-	2	2	-
Female	-	1	-	-
Asian or Pacific Islander 2/, both sexes	8	5	1	-
Male	4	5	-	-
Female	4	-	1	-
<b>Malignant neoplasm of breast (C50)</b>				
All races, both sexes	8,715	9,663	5,911	-
Male	120	115	46	-
Female	8,595	9,548	5,865	-
White, both sexes	7,512	8,707	5,374	-
Male	101	100	39	-
Female	7,411	8,607	5,335	-
Black, both sexes	1,060	872	495	-
Male	17	14	6	-
Female	1,043	858	489	-
American Indian 1/, both sexes	25	8	10	-
Male	1	-	-	-
Female	24	8	10	-
Asian or Pacific Islander 2/, both sexes	118	76	32	-
Male	1	1	1	-
Female	117	75	31	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of cervix uteri (C53)				
All races, both sexes	585	583	315	-
Female	585	583	315	-
White, both sexes	430	446	247	-
Female	430	446	247	-
Black, both sexes	130	112	62	-
Female	130	112	62	-
American Indian 1/, both sexes	2	2	2	-
Female	2	2	2	-
Asian or Pacific Islander 2/, both sexes	23	23	4	-
Female	23	23	4	-
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)				
All races, both sexes	1,784	2,063	1,088	1
Female	1,784	2,063	1,088	1
White, both sexes	1,404	1,776	975	-
Female	1,404	1,776	975	-
Black, both sexes	354	268	105	1
Female	354	268	105	1
American Indian 1/, both sexes	6	5	3	-
Female	6	5	3	-
Asian or Pacific Islander 2/, both sexes	20	14	5	-
Female	20	14	5	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of ovary (C56)				
All races, both sexes	3,666	4,170	1,743	-
Female	3,666	4,170	1,743	-
White, both sexes	3,289	3,856	1,609	-
Female	3,289	3,856	1,609	-
Black, both sexes	305	254	119	-
Female	305	254	119	-
American Indian 1/, both sexes	20	14	3	-
Female	20	14	3	-
Asian or Pacific Islander 2/, both sexes	52	46	12	-
Female	52	46	12	-
Malignant neoplasm of prostate (C61)				
All races, both sexes	6,543	12,976	8,849	-
Male	6,543	12,976	8,849	-
White, both sexes	5,087	10,730	7,548	-
Male	5,087	10,730	7,548	-
Black, both sexes	1,384	2,076	1,182	-
Male	1,384	2,076	1,182	-
American Indian 1/, both sexes	22	35	24	-
Male	22	35	24	-
Asian or Pacific Islander 2/, both sexes	50	135	95	-
Male	50	135	95	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),  
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of kidney and renal pelvis (C64-C65)				
All races, both sexes	3,221	3,306	1,424	-
Male	2,093	1,866	687	-
Female	1,128	1,440	737	-
White, both sexes	2,908	3,010	1,309	-
Male	1,901	1,697	640	-
Female	1,007	1,313	669	-
Black, both sexes	251	242	97	-
Male	154	137	41	-
Female	97	105	56	-
American Indian 1/, both sexes	22	13	5	-
Male	17	6	2	-
Female	5	7	3	-
Asian or Pacific Islander 2/, both sexes	40	41	13	-
Male	21	26	4	-
Female	19	15	9	-
Malignant neoplasm of bladder (C67)				
All races, both sexes	2,814	4,488	3,036	-
Male	2,088	3,116	1,751	-
Female	726	1,372	1,285	-
White, both sexes	2,573	4,138	2,820	-
Male	1,946	2,929	1,660	-
Female	627	1,209	1,160	-
Black, both sexes	198	295	179	-
Male	111	146	69	-
Female	87	149	110	-
American Indian 1/, both sexes	8	7	3	-
Male	4	6	2	-
Female	4	1	1	-
Asian or Pacific Islander 2/, both sexes	35	48	34	-
Male	27	35	20	-
Female	8	13	14	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)				
All races, both sexes	2,823	2,566	721	-
Male	1,589	1,288	261	-
Female	1,234	1,278	460	-
White, both sexes	2,628	2,440	678	-
Male	1,500	1,222	241	-
Female	1,128	1,218	437	-
Black, both sexes	153	94	38	-
Male	70	42	15	-
Female	83	52	23	-
American Indian 1/, both sexes	8	5	-	-
Male	4	4	-	-
Female	4	1	-	-
Asian or Pacific Islander 2/, both sexes	34	27	5	-
Male	15	20	5	-
Female	19	7	-	-

## Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All races, both sexes	13,659	18,257	8,805	-
Male	7,859	9,327	3,576	-
Female	5,800	8,930	5,229	-
White, both sexes	12,108	16,791	8,204	-
Male	7,040	8,641	3,350	-
Female	5,068	8,150	4,854	-
Black, both sexes	1,302	1,199	507	-
Male	685	542	182	-
Female	617	657	325	-
American Indian 1/, both sexes	55	36	17	-
Male	28	13	5	-
Female	27	23	12	-
Asian or Pacific Islander 2/, both sexes	194	231	77	-
Male	106	131	39	-
Female	88	100	38	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hodgkin's disease (C81)				
All races, both sexes	211	278	97	-
Male	129	130	34	-
Female	82	148	63	-
White, both sexes	200	260	95	-
Male	124	122	32	-
Female	76	138	63	-
Black, both sexes	11	12	2	-
Male	5	5	2	-
Female	6	7	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	6	-	-
Male	-	3	-	-
Female	-	3	-	-
Non-Hodgkin's lymphoma (C82-C85)				
All races, both sexes	5,358	7,369	3,506	-
Male	3,025	3,558	1,385	-
Female	2,333	3,811	2,121	-
White, both sexes	4,903	6,952	3,322	-
Male	2,781	3,365	1,311	-
Female	2,122	3,587	2,011	-
Black, both sexes	351	288	128	-
Male	191	125	48	-
Female	160	163	80	-
American Indian 1/, both sexes	24	19	8	-
Male	13	7	3	-
Female	11	12	5	-
Asian or Pacific Islander 2/, both sexes	80	110	48	-
Male	40	61	23	-
Female	40	49	25	-



## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
<b>Leukemia (C91-C95)</b>				
All races, both sexes	4,886	6,696	3,585	-
Male	2,962	3,699	1,527	-
Female	1,924	2,997	2,058	-
White, both sexes	4,386	6,223	3,374	-
Male	2,681	3,458	1,448	-
Female	1,705	2,765	1,926	-
Black, both sexes	415	393	186	-
Male	235	187	68	-
Female	180	206	118	-
American Indian 1/, both sexes	15	5	4	-
Male	7	2	-	-
Female	8	3	4	-
Asian or Pacific Islander 2/, both sexes	70	75	21	-
Male	39	52	11	-
Female	31	23	10	-
<b>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</b>				
All races, both sexes	3,181	3,886	1,597	-
Male	1,725	1,926	624	-
Female	1,456	1,960	973	-
White, both sexes	2,598	3,333	1,394	-
Male	1,437	1,684	554	-
Female	1,161	1,649	840	-
Black, both sexes	523	502	190	-
Male	253	223	63	-
Female	270	279	127	-
American Indian 1/, both sexes	16	11	5	-
Male	8	4	2	-
Female	8	7	3	-
Asian or Pacific Islander 2/, both sexes	44	40	8	-
Male	27	15	5	-
Female	17	25	3	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)				
All races, both sexes	23	28	20	-
Male	18	14	6	-
Female	5	14	14	-
White, both sexes	21	23	19	-
Male	17	12	5	-
Female	4	11	14	-
Black, both sexes	2	4	1	-
Male	1	2	1	-
Female	1	2	-	-
American Indian 1/, both sexes	-	1	-	-
Male	-	-	-	-
Female	-	1	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races, both sexes	15,023	18,700	10,326	-
Male	8,177	9,032	3,835	-
Female	6,846	9,668	6,491	-
White, both sexes	13,006	16,874	9,490	-
Male	7,145	8,203	3,531	-
Female	5,861	8,671	5,959	-
Black, both sexes	1,683	1,483	707	-
Male	883	658	250	-
Female	800	825	457	-
American Indian 1/, both sexes	67	63	30	-
Male	37	28	10	-
Female	30	35	20	-
Asian or Pacific Islander 2/, both sexes	267	280	99	-
Male	112	143	44	-
Female	155	137	55	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)				
All races, both sexes	2,574	4,654	3,643	-
Male	1,439	2,403	1,398	-
Female	1,135	2,251	2,245	-
White, both sexes	2,288	4,292	3,344	-
Male	1,304	2,227	1,292	-
Female	984	2,065	2,052	-
Black, both sexes	239	298	239	-
Male	119	141	78	-
Female	120	157	161	-
American Indian 1/, both sexes	16	14	9	-
Male	7	6	5	-
Female	9	8	4	-
Asian or Pacific Islander 2/, both sexes	31	50	51	-
Male	9	29	23	-
Female	22	21	28	-
Anemias (D50-D64)				
All races, both sexes	492	1,226	1,851	-
Male	237	496	520	-
Female	255	730	1,331	-
White, both sexes	393	1,059	1,662	-
Male	187	441	475	-
Female	206	618	1,187	-
Black, both sexes	91	151	158	-
Male	46	51	37	-
Female	45	100	121	-
American Indian 1/, both sexes	1	7	10	-
Male	1	1	2	-
Female	-	6	8	-
Asian or Pacific Islander 2/, both sexes	7	9	21	-
Male	3	3	6	-
Female	4	6	15	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
<b>Diabetes mellitus (E10-E14)</b>				
All races, both sexes	16,731	22,805	14,171	1
Male	8,437	9,918	4,457	1
Female	8,294	12,887	9,714	-
White, both sexes	13,085	19,070	12,197	1
Male	6,917	8,520	3,967	1
Female	6,168	10,550	8,230	-
Black, both sexes	3,145	3,168	1,725	-
Male	1,296	1,162	397	-
Female	1,849	2,006	1,328	-
American Indian 1/, both sexes	171	156	56	-
Male	68	63	16	-
Female	103	93	40	-
Asian or Pacific Islander 2/, both sexes	330	411	193	-
Male	156	173	77	-
Female	174	238	116	-
<b>Nutritional deficiencies (E40-E64)</b>				
All races, both sexes	374	1,100	1,889	-
Male	174	426	457	-
Female	200	674	1,432	-
White, both sexes	303	922	1,682	-
Male	133	359	398	-
Female	170	563	1,284	-
Black, both sexes	61	150	178	-
Male	38	56	51	-
Female	23	94	127	-
American Indian 1/, both sexes	6	9	8	-
Male	2	3	-	-
Female	4	6	8	-
Asian or Pacific Islander 2/, both sexes	4	19	21	-
Male	1	8	8	-
Female	3	11	13	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
<b>Malnutrition (E40-E46)</b>				
All races, both sexes	347	1,025	1,772	-
Male	157	400	436	-
Female	190	625	1,336	-
White, both sexes	282	859	1,575	-
Male	121	335	379	-
Female	161	524	1,196	-
Black, both sexes	56	140	168	-
Male	34	54	49	-
Female	22	86	119	-
American Indian 1/, both sexes	6	9	8	-
Male	2	3	-	-
Female	4	6	8	-
Asian or Pacific Islander 2/, both sexes	3	17	21	-
Male	-	8	8	-
Female	3	9	13	-
<b>Other nutritional deficiencies (E50-E64)</b>				
All races, both sexes	27	75	117	-
Male	17	26	21	-
Female	10	49	96	-
White, both sexes	21	63	107	-
Male	12	24	19	-
Female	9	39	88	-
Black, both sexes	5	10	10	-
Male	4	2	2	-
Female	1	8	8	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	2	-	-
Male	1	-	-	-
Female	-	2	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
<b>Meningitis (G00,G03)</b>				
All races, both sexes	94	96	41	-
Male	51	47	15	-
Female	43	49	26	-
White, both sexes	78	82	31	-
Male	41	39	9	-
Female	37	43	22	-
Black, both sexes	14	11	8	-
Male	9	6	6	-
Female	5	5	2	-
American Indian 1/, both sexes	2	1	-	-
Male	1	-	-	-
Female	1	1	-	-
Asian or Pacific Islander 2/, both sexes	-	2	2	-
Male	-	2	-	-
Female	-	-	2	-
<b>Parkinson's disease (G20-G21)</b>				
All races, both sexes	2,147	8,125	5,909	-
Male	1,394	4,837	2,915	-
Female	753	3,288	2,994	-
White, both sexes	2,011	7,772	5,652	-
Male	1,311	4,641	2,795	-
Female	700	3,131	2,857	-
Black, both sexes	91	238	192	-
Male	59	127	88	-
Female	32	111	104	-
American Indian 1/, both sexes	10	14	9	-
Male	6	10	2	-
Female	4	4	7	-
Asian or Pacific Islander 2/, both sexes	35	101	56	-
Male	18	59	30	-
Female	17	42	26	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),  
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
<b>Alzheimer's disease (G30)</b>				
All races, both sexes	3,422	18,542	31,281	-
Male	1,472	6,795	7,224	-
Female	1,950	11,747	24,057	-
White, both sexes	3,136	17,226	29,415	-
Male	1,349	6,327	6,789	-
Female	1,787	10,899	22,626	-
Black, both sexes	254	1,178	1,650	-
Male	111	413	365	-
Female	143	765	1,285	-
American Indian 1/, both sexes	10	40	41	-
Male	4	17	7	-
Female	6	23	34	-
Asian or Pacific Islander 2/, both sexes	22	98	175	-
Male	8	38	63	-
Female	14	60	112	-
<b>Major cardiovascular diseases (I00-I78)</b>				
All races, both sexes	148,409	291,995	337,930	72
Male	87,756	140,789	103,097	53
Female	60,653	151,206	234,833	19
White, both sexes	123,621	259,517	309,688	45
Male	74,628	126,557	94,802	34
Female	48,993	132,960	214,886	11
Black, both sexes	21,304	27,327	23,828	25
Male	11,190	11,674	6,490	18
Female	10,114	15,653	17,338	7
American Indian 1/, both sexes	740	783	592	-
Male	420	355	205	-
Female	320	428	387	-
Asian or Pacific Islander 2/, both sexes	2,744	4,368	3,822	2
Male	1,518	2,203	1,600	1
Female	1,226	2,165	2,222	1

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diseases of heart (I00-I09,I11,I13,I20-I51)				
All races, both sexes	116,299	216,992	249,439	66
Male	70,637	108,576	78,473	47
Female	45,662	108,416	170,966	19
White, both sexes	97,764	193,525	229,241	42
Male	60,615	98,006	72,415	31
Female	37,149	95,519	156,826	11
Black, both sexes	16,120	19,924	17,181	22
Male	8,604	8,731	4,812	15
Female	7,516	11,193	12,369	7
American Indian 1/, both sexes	554	568	415	-
Male	332	285	146	-
Female	222	283	269	-
Asian or Pacific Islander 2/, both sexes	1,861	2,975	2,602	2
Male	1,086	1,554	1,100	1
Female	775	1,421	1,502	1

## Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

All races, both sexes	744	1,188	780	-
Male	231	330	166	-
Female	513	858	614	-
White, both sexes	649	1,125	747	-
Male	202	313	157	-
Female	447	812	590	-
Black, both sexes	69	40	22	-
Male	17	8	6	-
Female	52	32	16	-
American Indian 1/, both sexes	7	4	1	-
Male	3	3	1	-
Female	4	1	-	-
Asian or Pacific Islander 2/, both sexes	19	19	10	-
Male	9	6	2	-
Female	10	13	8	-



## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hypertensive heart disease (I11)				
All races, both sexes	3,619	6,119	8,345	11
Male	1,961	2,414	1,746	9
Female	1,658	3,705	6,599	2
White, both sexes	2,434	4,805	7,171	6
Male	1,373	1,888	1,455	5
Female	1,061	2,917	5,716	1
Black, both sexes	1,095	1,176	1,062	5
Male	546	466	251	4
Female	549	710	811	1
American Indian 1/, both sexes	10	16	12	-
Male	7	6	1	-
Female	3	10	11	-
Asian or Pacific Islander 2/, both sexes	80	122	100	-
Male	35	54	39	-
Female	45	68	61	-
Hypertensive heart and renal disease (I13)				
All races, both sexes	417	855	1,026	-
Male	206	339	314	-
Female	211	516	712	-
White, both sexes	239	642	838	-
Male	118	266	267	-
Female	121	376	571	-
Black, both sexes	166	190	163	-
Male	82	63	39	-
Female	84	127	124	-
American Indian 1/, both sexes	-	2	2	-
Male	-	-	1	-
Female	-	2	1	-
Asian or Pacific Islander 2/, both sexes	12	21	23	-
Male	6	10	7	-
Female	6	11	16	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)				
All races, both sexes	87,463	159,854	174,309	48
Male	55,072	82,953	57,106	33
Female	32,391	76,901	117,203	15
White, both sexes	74,390	143,195	160,321	30
Male	47,795	75,330	52,854	21
Female	26,595	67,865	107,467	9
Black, both sexes	11,235	13,976	11,773	16
Male	6,174	6,203	3,327	11
Female	5,061	7,773	8,446	5
American Indian 1/, both sexes	428	406	278	-
Male	259	202	104	-
Female	169	204	174	-
Asian or Pacific Islander 2/, both sexes	1,410	2,277	1,937	2
Male	844	1,218	821	1
Female	566	1,059	1,116	1
Acute myocardial infarction (I21-I22)				
All races, both sexes	35,380	59,254	55,727	10
Male	21,963	30,125	18,984	6
Female	13,417	29,129	36,743	4
White, both sexes	30,469	53,186	50,925	6
Male	19,355	27,434	17,419	5
Female	11,114	25,752	33,506	1
Black, both sexes	4,216	5,082	4,038	4
Male	2,190	2,168	1,218	1
Female	2,026	2,914	2,820	3
American Indian 1/, both sexes	162	139	110	-
Male	96	73	50	-
Female	66	66	60	-
Asian or Pacific Islander 2/, both sexes	533	847	654	-
Male	322	450	297	-
Female	211	397	357	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other acute ischemic heart diseases (I24)				
All races, both sexes	645	871	945	-
Male	393	424	269	-
Female	252	447	676	-
White, both sexes	531	771	855	-
Male	322	382	244	-
Female	209	389	611	-
Black, both sexes	95	80	78	-
Male	59	35	21	-
Female	36	45	57	-
American Indian 1/, both sexes	14	8	6	-
Male	10	3	1	-
Female	4	5	5	-
Asian or Pacific Islander 2/, both sexes	5	12	6	-
Male	2	4	3	-
Female	3	8	3	-
Other forms of chronic ischemic heart disease (I20,I25)				
All races, both sexes	51,438	99,729	117,637	38
Male	32,716	52,404	37,853	27
Female	18,722	47,325	79,784	11
White, both sexes	43,390	89,238	108,541	24
Male	28,118	47,514	35,191	16
Female	15,272	41,724	73,350	8
Black, both sexes	6,924	8,814	7,657	12
Male	3,925	4,000	2,088	10
Female	2,999	4,814	5,569	2
American Indian 1/, both sexes	252	259	162	-
Male	153	126	53	-
Female	99	133	109	-
Asian or Pacific Islander 2/, both sexes	872	1,418	1,277	2
Male	520	764	521	1
Female	352	654	756	1

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)				
All races, both sexes	12,005	19,196	21,736	25
Male	7,668	9,671	6,521	19
Female	4,337	9,525	15,215	6
White, both sexes	9,316	16,316	19,517	16
Male	6,044	8,296	5,864	11
Female	3,272	8,020	13,653	5
Black, both sexes	2,394	2,518	1,936	8
Male	1,438	1,195	537	7
Female	956	1,323	1,399	1
American Indian 1/, both sexes	83	71	43	-
Male	50	34	14	-
Female	33	37	29	-
Asian or Pacific Islander 2/, both sexes	212	291	240	1
Male	136	146	106	1
Female	76	145	134	-
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)				
All races, both sexes	39,433	80,533	95,901	13
Male	25,048	42,733	31,332	8
Female	14,385	37,800	64,569	5
White, both sexes	34,074	72,922	89,024	8
Male	22,074	39,218	29,327	5
Female	12,000	33,704	59,697	3
Black, both sexes	4,530	6,296	5,721	4
Male	2,487	2,805	1,551	3
Female	2,043	3,491	4,170	1
American Indian 1/, both sexes	169	188	119	-
Male	103	92	39	-
Female	66	96	80	-
Asian or Pacific Islander 2/, both sexes	660	1,127	1,037	1
Male	384	618	415	-
Female	276	509	622	1

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other heart diseases (I26-I51)				
All races, both sexes	24,056	48,976	64,979	7
Male	13,167	22,540	19,141	5
Female	10,889	26,436	45,838	2
White, both sexes	20,052	43,758	60,164	6
Male	11,127	20,209	17,682	5
Female	8,925	23,549	42,482	1
Black, both sexes	3,555	4,542	4,161	1
Male	1,785	1,991	1,189	-
Female	1,770	2,551	2,972	1
American Indian 1/, both sexes	109	140	122	-
Male	63	74	39	-
Female	46	66	83	-
Asian or Pacific Islander 2/, both sexes	340	536	532	-
Male	192	266	231	-
Female	148	270	301	-
Acute and subacute endocarditis (I33)				
All races, both sexes	247	316	111	-
Male	132	177	49	-
Female	115	139	62	-
White, both sexes	191	274	105	-
Male	98	157	46	-
Female	93	117	59	-
Black, both sexes	43	39	5	-
Male	26	19	2	-
Female	17	20	3	-
American Indian 1/, both sexes	2	-	-	-
Male	2	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	11	3	1	-
Male	6	1	1	-
Female	5	2	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diseases of pericardium and acute myocarditis (I30-I31,I40)				
All races, both sexes	120	154	85	1
Male	59	61	24	1
Female	61	93	61	-
White, both sexes	104	141	77	1
Male	51	55	23	1
Female	53	86	54	-
Black, both sexes	13	11	7	-
Male	8	5	-	-
Female	5	6	7	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	2	1	-
Male	-	1	1	-
Female	3	1	-	-
Heart failure (I50)				
All races, both sexes	6,274	17,134	29,708	1
Male	3,344	7,672	8,398	-
Female	2,930	9,462	21,310	1
White, both sexes	5,277	15,466	27,703	1
Male	2,849	6,962	7,839	-
Female	2,428	8,504	19,864	1
Black, both sexes	910	1,486	1,771	-
Male	451	623	477	-
Female	459	863	1,294	-
American Indian 1/, both sexes	33	51	57	-
Male	17	26	13	-
Female	16	25	44	-
Asian or Pacific Islander 2/, both sexes	54	131	177	-
Male	27	61	69	-
Female	27	70	108	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)				
All races, both sexes	17,415	31,372	35,075	5
Male	9,632	14,630	10,670	4
Female	7,783	16,742	24,405	1
White, both sexes	14,480	27,877	32,279	4
Male	8,129	13,035	9,774	4
Female	6,351	14,842	22,505	-
Black, both sexes	2,589	3,006	2,378	1
Male	1,300	1,344	710	-
Female	1,289	1,662	1,668	1
American Indian 1/, both sexes	74	89	65	-
Male	44	48	26	-
Female	30	41	39	-
Asian or Pacific Islander 2/, both sexes	272	400	353	-
Male	159	203	160	-
Female	113	197	193	-
Essential (primary) hypertension and hypertensive renal disease (I10,I12)				
All races, both sexes	2,832	5,993	7,572	-
Male	1,379	2,282	1,959	-
Female	1,453	3,711	5,613	-
White, both sexes	1,939	4,776	6,510	-
Male	962	1,820	1,672	-
Female	977	2,956	4,838	-
Black, both sexes	792	1,064	938	-
Male	376	402	243	-
Female	416	662	695	-
American Indian 1/, both sexes	16	16	16	-
Male	8	4	5	-
Female	8	12	11	-
Asian or Pacific Islander 2/, both sexes	85	137	108	-
Male	33	56	39	-
Female	52	81	69	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
<b>Cerebrovascular diseases (I60-I69)</b>				
All races, both sexes	22,598	55,822	66,066	4
Male	11,649	23,301	17,930	4
Female	10,949	32,521	48,136	-
White, both sexes	18,047	49,265	60,225	1
Male	9,393	20,664	16,303	1
Female	8,654	28,601	43,922	-
Black, both sexes	3,714	5,295	4,731	3
Male	1,859	2,086	1,189	3
Female	1,855	3,209	3,542	-
American Indian 1/, both sexes	141	160	131	-
Male	64	51	42	-
Female	77	109	89	-
Asian or Pacific Islander 2/, both sexes	696	1,102	979	-
Male	333	500	396	-
Female	363	602	583	-
<b>Atherosclerosis (I70)</b>				
All races, both sexes	1,335	4,156	7,888	1
Male	743	1,791	2,172	1
Female	592	2,365	5,716	-
White, both sexes	1,166	3,814	7,409	1
Male	655	1,638	2,045	1
Female	511	2,176	5,364	-
Black, both sexes	148	290	409	-
Male	75	126	100	-
Female	73	164	309	-
American Indian 1/, both sexes	8	14	16	-
Male	5	6	5	-
Female	3	8	11	-
Asian or Pacific Islander 2/, both sexes	13	38	54	-
Male	8	21	22	-
Female	5	17	32	-



## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),  
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other diseases of circulatory system (I71-I78)				
All races, both sexes	5,345	9,032	6,965	1
Male	3,348	4,839	2,563	1
Female	1,997	4,193	4,402	-
White, both sexes	4,705	8,137	6,303	1
Male	3,003	4,429	2,367	1
Female	1,702	3,708	3,936	-
Black, both sexes	530	754	569	-
Male	276	329	146	-
Female	254	425	423	-
American Indian 1/, both sexes	21	25	14	-
Male	11	9	7	-
Female	10	16	7	-
Asian or Pacific Islander 2/, both sexes	89	116	79	-
Male	58	72	43	-
Female	31	44	36	-
Aortic aneurysm and dissection (I71)				
All races, both sexes	3,517	5,751	3,412	1
Male	2,382	3,313	1,491	1
Female	1,135	2,438	1,921	-
White, both sexes	3,181	5,293	3,175	1
Male	2,185	3,087	1,415	1
Female	996	2,206	1,760	-
Black, both sexes	244	355	180	-
Male	138	161	43	-
Female	106	194	137	-
American Indian 1/, both sexes	12	15	7	-
Male	7	8	4	-
Female	5	7	3	-
Asian or Pacific Islander 2/, both sexes	80	88	50	-
Male	52	57	29	-
Female	28	31	21	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)				
All races, both sexes	1,828	3,281	3,553	-
Male	966	1,526	1,072	-
Female	862	1,755	2,481	-
White, both sexes	1,524	2,844	3,128	-
Male	818	1,342	952	-
Female	706	1,502	2,176	-
Black, both sexes	286	399	389	-
Male	138	168	103	-
Female	148	231	286	-
American Indian 1/, both sexes	9	10	7	-
Male	4	1	3	-
Female	5	9	4	-
Asian or Pacific Islander 2/, both sexes	9	28	29	-
Male	6	15	14	-
Female	3	13	15	-
Other disorders of circulatory system (I80-I99)				
All races, both sexes	841	1,183	1,149	1
Male	405	488	286	1
Female	436	695	863	-
White, both sexes	692	1,031	1,038	-
Male	333	426	255	-
Female	359	605	783	-
Black, both sexes	131	136	98	1
Male	62	54	26	1
Female	69	82	72	-
American Indian 1/, both sexes	6	2	2	-
Male	5	-	1	-
Female	1	2	1	-
Asian or Pacific Islander 2/, both sexes	12	14	11	-
Male	5	8	4	-
Female	7	6	7	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Influenza and pneumonia (J10-J18)				
All races, both sexes	6,650	18,677	30,191	5
Male	3,732	9,294	10,502	4
Female	2,918	9,383	19,689	1
White, both sexes	5,644	16,621	27,699	4
Male	3,144	8,225	9,578	4
Female	2,500	8,396	18,121	-
Black, both sexes	806	1,597	1,893	-
Male	479	823	630	-
Female	327	774	1,263	-
American Indian 1/, both sexes	42	85	91	-
Male	23	42	38	-
Female	19	43	53	-
Asian or Pacific Islander 2/, both sexes	158	374	508	1
Male	86	204	256	-
Female	72	170	252	1
Influenza (J10-J11)				
All races, both sexes	21	56	96	-
Male	8	20	29	-
Female	13	36	67	-
White, both sexes	19	52	91	-
Male	6	20	27	-
Female	13	32	64	-
Black, both sexes	2	4	5	-
Male	2	-	2	-
Female	-	4	3	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pneumonia (J12-J18)				
All races, both sexes	6,629	18,621	30,095	5
Male	3,724	9,274	10,473	4
Female	2,905	9,347	19,622	1
White, both sexes	5,625	16,569	27,608	4
Male	3,138	8,205	9,551	4
Female	2,487	8,364	18,057	-
Black, both sexes	804	1,593	1,888	-
Male	477	823	628	-
Female	327	770	1,260	-
American Indian 1/, both sexes	42	85	91	-
Male	23	42	38	-
Female	19	43	53	-
Asian or Pacific Islander 2/, both sexes	158	374	508	1
Male	86	204	256	-
Female	72	170	252	1
Other acute lower respiratory infections (J20-J22)				
All races, both sexes	28	58	145	-
Male	10	20	30	-
Female	18	38	115	-
White, both sexes	22	54	138	-
Male	8	18	28	-
Female	14	36	110	-
Black, both sexes	4	-	7	-
Male	1	-	2	-
Female	3	-	5	-
American Indian 1/, both sexes	-	1	-	-
Male	-	-	-	-
Female	-	1	-	-
Asian or Pacific Islander 2/, both sexes	2	3	-	-
Male	1	2	-	-
Female	1	1	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)				
All races, both sexes	23	39	91	-
Male	8	10	17	-
Female	15	29	74	-
White, both sexes	18	36	85	-
Male	6	8	16	-
Female	12	28	69	-
Black, both sexes	3	-	6	-
Male	1	-	1	-
Female	2	-	5	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	3	-	-
Male	1	2	-	-
Female	1	1	-	-
Unspecified acute lower respiratory infection (J22)				
All races, both sexes	5	19	54	-
Male	2	10	13	-
Female	3	9	41	-
White, both sexes	4	18	53	-
Male	2	10	12	-
Female	2	8	41	-
Black, both sexes	1	-	1	-
Male	-	-	1	-
Female	1	-	-	-
American Indian 1/, both sexes	-	1	-	-
Male	-	-	-	-
Female	-	1	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)				
All races, both sexes	30,751	47,762	28,391	1
Male	15,877	23,691	11,912	1
Female	14,874	24,071	16,479	-
White, both sexes	28,385	44,996	26,772	-
Male	14,499	22,042	11,098	-
Female	13,886	22,954	15,674	-
Black, both sexes	1,985	2,212	1,224	-
Male	1,160	1,294	592	-
Female	825	918	632	-
American Indian 1/, both sexes	122	129	68	1
Male	56	63	31	1
Female	66	66	37	-
Asian or Pacific Islander 2/, both sexes	259	425	327	-
Male	162	292	191	-
Female	97	133	136	-
Bronchitis, chronic and unspecified (J40-J42)				
All races, both sexes	133	261	401	-
Male	76	115	119	-
Female	57	146	282	-
White, both sexes	116	242	383	-
Male	67	103	111	-
Female	49	139	272	-
Black, both sexes	15	11	11	-
Male	8	6	5	-
Female	7	5	6	-
American Indian 1/, both sexes	-	1	-	-
Male	-	1	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	7	7	-
Male	1	5	3	-
Female	1	2	4	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),  
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
<b>Emphysema (J43)</b>				
All races, both sexes	4,804	6,337	2,736	-
Male	2,554	3,255	1,315	-
Female	2,250	3,082	1,421	-
White, both sexes	4,497	6,034	2,595	-
Male	2,362	3,066	1,236	-
Female	2,135	2,968	1,359	-
Black, both sexes	256	223	115	-
Male	156	135	60	-
Female	100	88	55	-
American Indian 1/, both sexes	19	19	4	-
Male	12	7	3	-
Female	7	12	1	-
Asian or Pacific Islander 2/, both sexes	32	61	22	-
Male	24	47	16	-
Female	8	14	6	-
<b>Asthma (J45-J46)</b>				
All races, both sexes	634	802	709	-
Male	220	225	157	-
Female	414	577	552	-
White, both sexes	477	673	627	-
Male	160	180	133	-
Female	317	493	494	-
Black, both sexes	128	100	53	-
Male	47	30	13	-
Female	81	70	40	-
American Indian 1/, both sexes	4	2	4	-
Male	1	-	1	-
Female	3	2	3	-
Asian or Pacific Islander 2/, both sexes	25	27	25	-
Male	12	15	10	-
Female	13	12	15	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other chronic lower respiratory diseases (J44,J47)				
All races, both sexes	25,180	40,362	24,545	1
Male	13,027	20,096	10,321	1
Female	12,153	20,266	14,224	-
White, both sexes	23,295	38,047	23,167	-
Male	11,910	18,693	9,618	-
Female	11,385	19,354	13,549	-
Black, both sexes	1,586	1,878	1,045	-
Male	949	1,123	514	-
Female	637	755	531	-
American Indian 1/, both sexes	99	107	60	1
Male	43	55	27	1
Female	56	52	33	-
Asian or Pacific Islander 2/, both sexes	200	330	273	-
Male	125	225	162	-
Female	75	105	111	-
Pneumoconioses and chemical effects (J60-J66,J68)				
All races, both sexes	266	516	272	-
Male	261	494	262	-
Female	5	22	10	-
White, both sexes	252	493	259	-
Male	247	471	249	-
Female	5	22	10	-
Black, both sexes	12	21	12	-
Male	12	21	12	-
Female	-	-	-	-
American Indian 1/, both sexes	1	2	-	-
Male	1	2	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-
Male	1	-	1	-
Female	-	-	-	-



## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)				
All races, both sexes	1,830	5,759	8,342	-
Male	1,106	3,145	3,511	-
Female	724	2,614	4,831	-
White, both sexes	1,541	5,172	7,603	-
Male	945	2,849	3,239	-
Female	596	2,323	4,364	-
Black, both sexes	252	503	604	-
Male	141	256	215	-
Female	111	247	389	-
American Indian 1/, both sexes	10	21	18	-
Male	4	8	4	-
Female	6	13	14	-
Asian or Pacific Islander 2/, both sexes	27	63	117	-
Male	16	32	53	-
Female	11	31	64	-
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)				
All races, both sexes	5,510	9,202	6,283	3
Male	3,025	4,453	2,197	1
Female	2,485	4,749	4,086	2
White, both sexes	4,891	8,507	5,818	1
Male	2,731	4,143	2,041	-
Female	2,160	4,364	3,777	1
Black, both sexes	492	536	357	2
Male	227	236	114	1
Female	265	300	243	1
American Indian 1/, both sexes	37	43	27	-
Male	20	22	8	-
Female	17	21	19	-
Asian or Pacific Islander 2/, both sexes	90	116	81	-
Male	47	52	34	-
Female	43	64	47	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),  
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Peptic ulcer (K25-K28)				
All races, both sexes	718	1,438	1,470	1
Male	397	649	454	1
Female	321	789	1,016	-
White, both sexes	619	1,303	1,372	1
Male	332	580	420	1
Female	287	723	952	-
Black, both sexes	74	86	68	-
Male	48	42	21	-
Female	26	44	47	-
American Indian 1/, both sexes	7	6	1	-
Male	5	3	1	-
Female	2	3	-	-
Asian or Pacific Islander 2/, both sexes	18	43	29	-
Male	12	24	12	-
Female	6	19	17	-
Diseases of appendix (K35-K38)				
All races, both sexes	89	90	93	-
Male	57	52	37	-
Female	32	38	56	-
White, both sexes	80	77	83	-
Male	52	46	29	-
Female	28	31	54	-
Black, both sexes	7	11	6	-
Male	4	5	5	-
Female	3	6	1	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	2	4	-
Male	1	1	3	-
Female	1	1	1	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
<b>Hernia (K40-K46)</b>				
All races, both sexes	213	443	553	-
Male	94	173	156	-
Female	119	270	397	-
White, both sexes	185	399	511	-
Male	85	155	139	-
Female	100	244	372	-
Black, both sexes	25	34	36	-
Male	7	15	15	-
Female	18	19	21	-
American Indian 1/, both sexes	1	1	2	-
Male	1	-	1	-
Female	-	1	1	-
Asian or Pacific Islander 2/, both sexes	2	9	4	-
Male	1	3	1	-
Female	1	6	3	-
<b>Chronic liver disease and cirrhosis (K70,K73-K74)</b>				
All races, both sexes	5,486	3,801	979	6
Male	3,335	1,833	416	6
Female	2,151	1,968	563	-
White, both sexes	4,939	3,561	924	5
Male	3,003	1,728	394	5
Female	1,936	1,833	530	-
Black, both sexes	417	175	34	1
Male	270	76	11	1
Female	147	99	23	-
American Indian 1/, both sexes	58	18	4	-
Male	29	8	2	-
Female	29	10	2	-
Asian or Pacific Islander 2/, both sexes	72	47	17	-
Male	33	21	9	-
Female	39	26	8	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Alcoholic liver disease (K70)				
All races, both sexes	1,848	717	104	5
Male	1,379	505	72	5
Female	469	212	32	-
White, both sexes	1,629	660	90	5
Male	1,216	469	63	5
Female	413	191	27	-
Black, both sexes	178	44	9	-
Male	135	26	5	-
Female	43	18	4	-
American Indian 1/, both sexes	28	4	2	-
Male	17	2	2	-
Female	11	2	-	-
Asian or Pacific Islander 2/, both sexes	13	9	3	-
Male	11	8	2	-
Female	2	1	1	-
Other chronic liver disease and cirrhosis (K73-K74)				
All races, both sexes	3,638	3,084	875	1
Male	1,956	1,328	344	1
Female	1,682	1,756	531	-
White, both sexes	3,310	2,901	834	-
Male	1,787	1,259	331	-
Female	1,523	1,642	503	-
Black, both sexes	239	131	25	1
Male	135	50	6	1
Female	104	81	19	-
American Indian 1/, both sexes	30	14	2	-
Male	12	6	-	-
Female	18	8	2	-
Asian or Pacific Islander 2/, both sexes	59	38	14	-
Male	22	13	7	-
Female	37	25	7	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),  
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)				
All races, both sexes	526	945	1,043	-
Male	269	464	349	-
Female	257	481	694	-
White, both sexes	433	835	954	-
Male	225	420	314	-
Female	208	415	640	-
Black, both sexes	78	78	64	-
Male	34	21	24	-
Female	44	57	40	-
American Indian 1/, both sexes	1	6	4	-
Male	1	3	3	-
Female	-	3	1	-
Asian or Pacific Islander 2/, both sexes	14	26	21	-
Male	9	20	8	-
Female	5	6	13	-

## Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All races, both sexes	7,356	13,097	12,668	1
Male	3,826	6,485	5,114	-
Female	3,530	6,612	7,554	1
White, both sexes	5,458	10,936	11,088	1
Male	2,950	5,565	4,574	-
Female	2,508	5,371	6,514	1
Black, both sexes	1,711	1,910	1,399	-
Male	787	793	451	-
Female	924	1,117	948	-
American Indian 1/, both sexes	54	52	28	-
Male	19	24	14	-
Female	35	28	14	-
Asian or Pacific Islander 2/, both sexes	133	199	153	-
Male	70	103	75	-
Female	63	96	78	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)				
All races, both sexes	27	48	38	-
Male	10	19	15	-
Female	17	29	23	-
White, both sexes	21	43	31	-
Male	6	19	12	-
Female	15	24	19	-
Black, both sexes	6	5	4	-
Male	4	-	1	-
Female	2	5	3	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	3	-
Male	-	-	2	-
Female	-	-	1	-

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07,N26)

All races, both sexes	111	147	122	-
Male	63	84	48	-
Female	48	63	74	-
White, both sexes	93	129	114	-
Male	54	75	47	-
Female	39	54	67	-
Black, both sexes	14	13	7	-
Male	7	5	1	-
Female	7	8	6	-
American Indian 1/, both sexes	-	3	-	-
Male	-	3	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	2	1	-
Male	2	1	-	-
Female	2	1	1	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),  
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Renal failure (N17-N19)				
All races, both sexes	7,211	12,898	12,505	1
Male	3,752	6,381	5,050	-
Female	3,459	6,517	7,455	1
White, both sexes	5,337	10,763	10,942	1
Male	2,889	5,471	4,515	-
Female	2,448	5,292	6,427	1
Black, both sexes	1,691	1,890	1,386	-
Male	776	787	448	-
Female	915	1,103	938	-
American Indian 1/, both sexes	54	49	28	-
Male	19	21	14	-
Female	35	28	14	-
Asian or Pacific Islander 2/, both sexes	129	196	149	-
Male	68	102	73	-
Female	61	94	76	-
Other disorders of kidney (N25,N27)				
All races, both sexes	7	4	3	-
Male	1	1	1	-
Female	6	3	2	-
White, both sexes	7	1	1	-
Male	1	-	-	-
Female	6	1	1	-
Black, both sexes	-	2	2	-
Male	-	1	1	-
Female	-	1	1	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	1	-	-
Male	-	-	-	-
Female	-	1	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING

RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Infections of kidney (N10-N12,N13.6,N15.1)				
All races, both sexes	87	249	265	-
Male	40	76	56	-
Female	47	173	209	-
White, both sexes	73	219	245	-
Male	30	65	50	-
Female	43	154	195	-
Black, both sexes	13	22	16	-
Male	9	6	4	-
Female	4	16	12	-
American Indian 1/, both sexes	-	2	1	-
Male	-	2	-	-
Female	-	-	1	-
Asian or Pacific Islander 2/, both sexes	1	6	3	-
Male	1	3	2	-
Female	-	3	1	-

## Hyperplasia of prostate (N40)

All races, both sexes	45	141	242	-
Male	45	141	242	-
White, both sexes	40	129	228	-
Male	40	129	228	-
Black, both sexes	4	12	11	-
Male	4	12	11	-
American Indian 1/, both sexes	1	-	-	-
Male	1	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	3	-
Male	-	-	3	-



## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Inflammatory diseases of female pelvic organs (N70-N76)				
All races, both sexes	18	31	38	-
Female	18	31	38	-
White, both sexes	14	27	34	-
Female	14	27	34	-
Black, both sexes	4	4	3	-
Female	4	4	3	-
American Indian 1/, both sexes	-	-	1	-
Female	-	-	1	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Female	-	-	-	-
Pregnancy, childbirth and the puerperium (000-099)				
All races, both sexes	-	-	1	-
Female	-	-	1	-
White, both sexes	-	-	1	-
Female	-	-	1	-
Black, both sexes	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Female	-	-	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pregnancy with abortive outcome (000-007)				
All races, both sexes	-	-	-	-
Female	-	-	-	-
White, both sexes	-	-	-	-
Female	-	-	-	-
Black, both sexes	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Female	-	-	-	-
Other complications of pregnancy, childbirth and the puerperium (010-099)				
All races, both sexes	-	-	1	-
Female	-	-	1	-
White, both sexes	-	-	1	-
Female	-	-	1	-
Black, both sexes	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Female	-	-	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),  
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Certain conditions originating in the perinatal period (P00-P96)				
All races, both sexes	3	1	1	1
Male	2	1	-	1
Female	1	-	1	-
White, both sexes	3	1	1	1
Male	2	1	-	1
Female	1	-	1	-
Black, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

## Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races, both sexes	448	465	317	-
Male	228	203	100	-
Female	220	262	217	-
White, both sexes	403	429	293	-
Male	213	187	88	-
Female	190	242	205	-
Black, both sexes	36	28	20	-
Male	12	12	9	-
Female	24	16	11	-
American Indian 1/, both sexes	1	2	-	-
Male	1	-	-	-
Female	-	2	-	-
Asian or Pacific Islander 2/, both sexes	8	6	4	-
Male	2	4	3	-
Female	6	2	1	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------------	-------------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races, both sexes	2,774	5,003	9,089	115
Male	1,497	2,184	2,274	78
Female	1,277	2,819	6,815	37
White, both sexes	2,304	4,465	8,368	88
Male	1,256	1,977	2,082	61
Female	1,048	2,488	6,286	27
Black, both sexes	408	468	624	22
Male	210	176	163	13
Female	198	292	461	9
American Indian 1/, both sexes	22	16	24	4
Male	12	9	3	3
Female	10	7	21	1
Asian or Pacific Islander 2/, both sexes	40	54	73	1
Male	19	22	26	1
Female	21	32	47	-

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All races, both sexes	25,803	49,711	65,032	17
Male	12,732	19,817	16,520	16
Female	13,071	29,894	48,512	1
White, both sexes	22,055	44,598	59,700	11
Male	10,919	17,785	15,088	10
Female	11,136	26,813	44,612	1
Black, both sexes	3,276	4,450	4,618	6
Male	1,587	1,781	1,158	6
Female	1,689	2,669	3,460	-
American Indian 1/, both sexes	155	168	169	-
Male	84	51	51	-
Female	71	117	118	-
Asian or Pacific Islander 2/, both sexes	317	495	545	-
Male	142	200	223	-
Female	175	295	322	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),  
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)				
All races, both sexes	7,835	12,688	12,171	120
Male	4,751	6,652	4,657	104
Female	3,084	6,036	7,514	16
White, both sexes	6,778	11,588	11,379	103
Male	4,119	6,050	4,329	91
Female	2,659	5,538	7,050	12
Black, both sexes	852	836	598	14
Male	517	462	225	12
Female	335	374	373	2
American Indian 1/, both sexes	61	63	42	-
Male	33	34	14	-
Female	28	29	28	-
Asian or Pacific Islander 2/, both sexes	144	201	152	3
Male	82	106	89	1
Female	62	95	63	2

## Transport accidents (V01-V99,Y85)

All races, both sexes	3,282	3,507	1,272	43
Male	2,015	1,983	684	37
Female	1,267	1,524	588	6
White, both sexes	2,857	3,217	1,190	35
Male	1,757	1,814	636	31
Female	1,100	1,403	554	4
Black, both sexes	313	200	57	8
Male	189	123	31	6
Female	124	77	26	2
American Indian 1/, both sexes	31	25	5	-
Male	18	15	2	-
Female	13	10	3	-
Asian or Pacific Islander 2/, both sexes	81	65	20	-
Male	51	31	15	-
Female	30	34	5	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)				
All races, both sexes	2,990	3,312	1,223	33
Male	1,786	1,859	664	27
Female	1,204	1,453	559	6
White, both sexes	2,599	3,043	1,149	29
Male	1,558	1,701	619	25
Female	1,041	1,342	530	4
Black, both sexes	289	186	54	4
Male	167	116	31	2
Female	122	70	23	2
American Indian 1/, both sexes	27	23	5	-
Male	15	13	2	-
Female	12	10	3	-
Asian or Pacific Islander 2/, both sexes	75	60	15	-
Male	46	29	12	-
Female	29	31	3	-
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)				
All races, both sexes	117	98	29	10
Male	84	56	10	10
Female	33	42	19	-
White, both sexes	97	86	24	6
Male	67	50	7	6
Female	30	36	17	-
Black, both sexes	15	6	1	4
Male	13	3	-	4
Female	2	3	1	-
American Indian 1/, both sexes	1	2	-	-
Male	1	2	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	4	4	-
Male	3	1	3	-
Female	1	3	1	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)				
All races, both sexes	175	97	20	-
Male	145	68	10	-
Female	30	29	10	-
White, both sexes	161	88	17	-
Male	132	63	10	-
Female	29	25	7	-
Black, both sexes	9	8	2	-
Male	9	4	-	-
Female	-	4	2	-
American Indian 1/, both sexes	3	-	-	-
Male	2	-	-	-
Female	1	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	1	-
Male	2	1	-	-
Female	-	-	1	-
Nontransport accidents (W00-X59,Y86)				
All races, both sexes	4,553	9,181	10,899	77
Male	2,736	4,669	3,973	67
Female	1,817	4,512	6,926	10
White, both sexes	3,921	8,371	10,189	68
Male	2,362	4,236	3,693	60
Female	1,559	4,135	6,496	8
Black, both sexes	539	636	541	6
Male	328	339	194	6
Female	211	297	347	-
American Indian 1/, both sexes	30	38	37	-
Male	15	19	12	-
Female	15	19	25	-
Asian or Pacific Islander 2/, both sexes	63	136	132	3
Male	31	75	74	1
Female	32	61	58	2

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Falls (W00-W19)				
All races, both sexes	1,833	4,440	5,350	4
Male	1,090	2,277	2,023	3
Female	743	2,163	3,327	1
White, both sexes	1,653	4,181	5,100	4
Male	985	2,134	1,909	3
Female	668	2,047	3,191	1
Black, both sexes	145	175	145	-
Male	87	97	60	-
Female	58	78	85	-
American Indian 1/, both sexes	8	12	21	-
Male	3	6	5	-
Female	5	6	16	-
Asian or Pacific Islander 2/, both sexes	27	72	84	-
Male	15	40	49	-
Female	12	32	35	-
Accidental discharge of firearms (W32-W34)				
All races, both sexes	33	41	8	2
Male	26	36	7	1
Female	7	5	1	1
White, both sexes	30	38	8	2
Male	23	33	7	1
Female	7	5	1	1
Black, both sexes	3	3	-	-
Male	3	3	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-



## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)				
All races, both sexes	159	157	75	34
Male	124	102	45	29
Female	35	55	30	5
White, both sexes	139	138	68	28
Male	109	91	41	25
Female	30	47	27	3
Black, both sexes	13	13	4	3
Male	12	9	3	3
Female	1	4	1	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	6	3	3
Male	3	2	1	1
Female	4	4	2	2
Accidental exposure to smoke, fire and flames (X00-X09)				
All races, both sexes	411	423	251	3
Male	229	204	108	3
Female	182	219	143	-
White, both sexes	301	321	190	3
Male	163	154	82	3
Female	138	167	108	-
Black, both sexes	102	92	58	-
Male	62	44	24	-
Female	40	48	34	-
American Indian 1/, both sexes	5	2	1	-
Male	3	1	1	-
Female	2	1	-	-
Asian or Pacific Islander 2/, both sexes	3	8	2	-
Male	1	5	1	-
Female	2	3	1	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)				
All races, both sexes	291	279	152	10
Male	170	137	49	10
Female	121	142	103	-
White, both sexes	245	237	131	9
Male	142	113	43	9
Female	103	124	88	-
Black, both sexes	41	34	21	1
Male	27	20	6	1
Female	14	14	15	-
American Indian 1/, both sexes	3	1	-	-
Male	1	1	-	-
Female	2	-	-	-
Asian or Pacific Islander 2/, both sexes	2	7	-	-
Male	-	3	-	-
Female	2	4	-	-

## Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

All races, both sexes	1,826	3,841	5,063	24
Male	1,097	1,913	1,741	21
Female	729	1,928	3,322	3
White, both sexes	1,553	3,456	4,692	22
Male	940	1,711	1,611	19
Female	613	1,745	3,081	3
Black, both sexes	235	319	313	2
Male	137	166	101	2
Female	98	153	212	-
American Indian 1/, both sexes	14	23	15	-
Male	8	11	6	-
Female	6	12	9	-
Asian or Pacific Islander 2/, both sexes	24	43	43	-
Male	12	25	23	-
Female	12	18	20	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0) /3				
All races, both sexes	2,432	2,192	769	15
Male	2,040	1,885	664	14
Female	392	307	105	1
White, both sexes	2,282	2,100	743	14
Male	1,921	1,810	647	13
Female	361	290	96	1
Black, both sexes	91	54	13	-
Male	74	46	9	-
Female	17	8	4	-
American Indian 1/, both sexes	6	5	-	-
Male	4	5	-	-
Female	2	-	-	-
Asian or Pacific Islander 2/, both sexes	53	33	13	1
Male	41	24	8	1
Female	12	9	5	-

## Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races, both sexes	1,758	1,648	537	6
Male	1,592	1,531	506	6
Female	166	117	31	-
White, both sexes	1,680	1,589	525	5
Male	1,525	1,480	495	5
Female	155	109	30	-
Black, both sexes	62	49	10	-
Male	53	42	9	-
Female	9	7	1	-
American Indian 1/, both sexes	4	4	-	-
Male	3	4	-	-
Female	1	-	-	-
Asian or Pacific Islander 2/, both sexes	12	6	2	1
Male	11	5	2	1
Female	1	1	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0) /3				
All races, both sexes	674	544	232	9
Male	448	354	158	8
Female	226	190	74	1
White, both sexes	602	511	218	9
Male	396	330	152	8
Female	206	181	66	1
Black, both sexes	29	5	3	-
Male	21	4	-	-
Female	8	1	3	-
American Indian 1/, both sexes	2	1	-	-
Male	1	1	-	-
Female	1	-	-	-
Asian or Pacific Islander 2/, both sexes	41	27	11	-
Male	30	19	6	-
Female	11	8	5	-
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1) /3				
All races, both sexes	532	312	105	32
Male	332	155	42	23
Female	200	157	63	9
White, both sexes	392	240	88	24
Male	233	118	33	16
Female	159	122	55	8
Black, both sexes	119	63	15	8
Male	87	34	8	7
Female	32	29	7	1
American Indian 1/, both sexes	6	2	1	-
Male	4	1	-	-
Female	2	1	1	-
Asian or Pacific Islander 2/, both sexes	15	7	1	-
Male	8	2	1	-
Female	7	5	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)				
All races, both sexes	192	99	16	11
Male	123	54	7	11
Female	69	45	9	-
White, both sexes	141	78	15	9
Male	80	37	6	9
Female	61	41	9	-
Black, both sexes	45	18	1	2
Male	39	15	1	2
Female	6	3	-	-
American Indian 1/, both sexes	3	-	-	-
Male	3	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	3	-	-
Male	1	2	-	-
Female	2	1	-	-

Assault (homicide) by other and unspecified means and their sequelae (\*U01.0-\*U01.3,\*U01.5-\*U01.9,\*U02.X85-X92,X96-Y09,Y87.1) /3

All races, both sexes	340	213	89	21
Male	209	101	35	12
Female	131	112	54	9
White, both sexes	251	162	73	15
Male	153	81	27	7
Female	98	81	46	8
Black, both sexes	74	45	14	6
Male	48	19	7	5
Female	26	26	7	1
American Indian 1/, both sexes	3	2	1	-
Male	1	1	-	-
Female	2	1	1	-
Asian or Pacific Islander 2/, both sexes	12	4	1	-
Male	7	-	1	-
Female	5	4	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Legal intervention (Y35,Y89.0)				
All races, both sexes	6	4	1	-
Male	6	4	1	-
Female	-	-	-	-
White, both sexes	6	4	-	-
Male	6	4	-	-
Female	-	-	-	-
Black, both sexes	-	-	1	-
Male	-	-	1	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)				
All races, both sexes	99	108	44	18
Male	64	57	20	16
Female	35	51	24	2
White, both sexes	83	96	41	15
Male	52	53	19	13
Female	31	43	22	2
Black, both sexes	12	5	3	2
Male	10	1	1	2
Female	2	4	2	-
American Indian 1/, both sexes	1	2	-	1
Male	-	2	-	1
Female	1	-	-	-
Asian or Pacific Islander 2/, both sexes	3	5	-	-
Male	2	1	-	-
Female	1	4	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Discharge of firearms, undetermined intent (Y22-Y24)				
All races, both sexes	10	11	1	-
Male	8	9	1	-
Female	2	2	-	-
White, both sexes	10	10	1	-
Male	8	8	1	-
Female	2	2	-	-
Black, both sexes	-	1	-	-
Male	-	1	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All races, both sexes	89	97	43	18
Male	56	48	19	16
Female	33	49	24	2
White, both sexes	73	86	40	15
Male	44	45	18	13
Female	29	41	22	2
Black, both sexes	12	4	3	2
Male	10	-	1	2
Female	2	4	2	-
American Indian 1/, both sexes	1	2	-	1
Male	-	2	-	1
Female	1	-	-	-
Asian or Pacific Islander 2/, both sexes	3	5	-	-
Male	2	1	-	-
Female	1	4	-	-

## WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Operations of war and their sequelae (Y36,Y89.1)				
All races, both sexes	4	8	1	-
Male	4	7	1	-
Female	-	1	-	-
White, both sexes	3	8	1	-
Male	3	7	1	-
Female	-	1	-	-
Black, both sexes	1	-	-	-
Male	1	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

## Complications of medical and surgical care (Y40-Y84,Y88)

All races, both sexes	567	864	564	1
Male	265	383	189	-
Female	302	481	375	1
White, both sexes	445	767	483	1
Male	207	347	160	-
Female	238	420	323	1
Black, both sexes	106	87	76	-
Male	54	31	26	-
Female	52	56	50	-
American Indian 1/, both sexes	3	4	1	-
Male	-	2	-	-
Female	3	2	1	-
Asian or Pacific Islander 2/, both sexes	13	6	4	-
Male	4	3	3	-
Female	9	3	1	-

- QUANTITY ZERO.

... CATEGORY NOT APPLICABLE.

1/ INCLUDES ALEUTS AND ESKIMOS.

2/ INCLUDES CHINESE, FILIPINO, HAWAIIAN, JAPANESE, AND OTHER ASIAN OR PACIFIC ISLANDER.

3/ FIGURES INCLUDE SEPTEMBER 11, 2001 RELATED DEATHS FOR WHICH DEATH CERTIFICATES WERE FILED AS OF 10/24/02; SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001."

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY.