

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Total of all cities of 100,000 or more								
Number								
Low birthweight	102,049	52,985	43,369	539	5,156	23,122	29,896	42,397
Care beginning in first trimester	900,797	628,271	210,803	4,757	56,966	240,932	386,448	204,983
Late or no care	67,035	38,316	24,504	652	3,563	24,954	13,518	23,783
Percent								
Low birthweight	8.4	6.5	13.7	7.5	6.8	6.6	6.5	13.8
Care beginning in first trimester	76.9	79.7	69.8	68.3	77.8	70.9	86.2	69.8
Late or no care	5.7	4.9	8.1	9.4	4.9	7.3	3.0	8.1
Abilene, Texas								
Number								
Low birthweight	132	115	14	-	3	41	74	14
Care beginning in first trimester	1,247	1,106	118	1	22	239	866	117
Late or no care	98	77	19	1	1	38	38	19
Percent								
Low birthweight	7.3	7.3	*	*	*	9.3	6.5	*
Care beginning in first trimester	69.2	70.4	59.6	*	73.3	54.2	76.7	59.7
Late or no care	5.4	4.9	*	*	*	8.6	3.4	*
Akron, Ohio								
Number								
Low birthweight	342	170	163	1	8	-	170	163
Care beginning in first trimester	2,923	2,031	833	5	54	21	2,011	832
Late or no care	111	41	67	-	3	-	41	67
Percent								
Low birthweight	9.7	7.3	14.6	*	*	*	7.4	14.6
Care beginning in first trimester	84.7	88.7	76.6	*	80.6	91.3	88.6	76.7
Late or no care	3.2	1.8	6.2	*	*	*	1.8	6.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Albany, New York								
Number								
Low birthweight	113	49	57	2	5	7	20	44
Care beginning in first trimester	1,066	668	359	4	35	54	421	280
Late or no care	35	14	20	-	1	2	10	19
Percent								
Low birthweight	8.4	6.2	11.3	*	*	*	4.1	10.7
Care beginning in first trimester	87.7	92.0	81.0	*	81.4	90.0	91.5	78.7
Late or no care	2.9	*	4.5	*	*	*	*	*
Albuquerque, New Mexico								
Number								
Low birthweight	623	569	21	18	15	322	256	17
Care beginning in first trimester	5,525	5,024	114	233	154	2,605	2,450	107
Late or no care	497	431	25	33	8	329	105	24
Percent								
Low birthweight	8.1	8.2	11.2	*	*	8.3	8.3	*
Care beginning in first trimester	74.6	75.0	62.6	71.0	76.6	69.2	82.2	63.7
Late or no care	6.7	6.4	13.7	10.1	*	8.7	3.5	14.3
Alexandria city, Virginia								
Number								
Low birthweight	108	45	60	-	3	15	30	60
Care beginning in first trimester	1,198	767	353	3	75	200	568	353
Late or no care	130	58	61	-	11	37	21	61
Percent								
Low birthweight	6.4	4.4	11.1	*	*	*	4.4	11.1
Care beginning in first trimester	72.4	76.2	66.6	*	65.2	59.3	84.6	66.6
Late or no care	7.9	5.8	11.5	*	*	11.0	3.1	11.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Allentown, Pennsylvania								
Number								
Low birthweight	114	96	14	1	3	37	62	13
Care beginning in first trimester	1,258	1,136	87	2	33	331	828	64
Late or no care	50	36	11	-	3	14	23	10
Percent								
Low birthweight	6.9	6.6	*	*	*	8.1	6.1	*
Care beginning in first trimester	83.4	85.3	66.9	*	75.0	81.1	87.1	62.1
Late or no care	3.3	2.7	*	*	*	*	2.4	*
Amarillo, Texas								
Number								
Low birthweight	233	190	39	2	2	62	128	39
Care beginning in first trimester	2,051	1,865	126	14	46	432	1,433	125
Late or no care	237	208	24	2	3	116	94	23
Percent								
Low birthweight	7.9	7.2	17.0	*	*	7.5	7.0	17.1
Care beginning in first trimester	69.5	70.6	55.0	*	79.3	52.3	78.9	55.1
Late or no care	8.0	7.9	10.5	*	*	14.0	5.2	10.1
Anaheim, California								
Number								
Low birthweight	403	331	21	6	45	245	89	20
Care beginning in first trimester	5,493	4,781	155	21	536	3,253	1,543	144
Late or no care	371	335	12	1	23	256	78	11
Percent								
Low birthweight	5.7	5.3	10.4	*	7.0	5.6	4.8	10.8
Care beginning in first trimester	77.9	77.3	77.1	84.0	83.2	74.7	83.5	77.8
Late or no care	5.3	5.4	*	*	3.6	5.9	4.2	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Anchorage, coext. with Anchorage city, Alaska								
Number								
Low birthweight	272	194	41	22	15	23	174	40
Care beginning in first trimester	3,998	3,071	280	396	251	291	2,846	260
Late or no care	79	30	6	36	7	2	29	6
Percent								
Low birthweight	6.1	5.9	13.2	4.1	*	7.3	5.7	13.7
Care beginning in first trimester	90.4	93.1	89.7	74.2	89.6	92.4	93.0	89.0
Late or no care	1.8	0.9	*	6.7	*	*	0.9	*
Ann Arbor, Michigan								
Number								
Low birthweight	84	57	15	1	11	2	47	14
Care beginning in first trimester	1,259	959	109	3	188	26	856	104
Late or no care	14	8	5	-	1	1	8	2
Percent								
Low birthweight	6.1	5.5	*	*	*	*	5.1	*
Care beginning in first trimester	93.6	94.7	82.6	*	95.9	89.7	94.8	84.6
Late or no care	*	*	*	*	*	*	*	*
Arlington, Texas								
Number								
Low birthweight	353	247	78	-	28	74	170	78
Care beginning in first trimester	4,328	3,495	534	13	286	740	2,744	528
Late or no care	215	162	38	1	14	73	89	38
Percent								
Low birthweight	6.7	5.8	11.2	*	7.9	7.0	5.4	11.3
Care beginning in first trimester	81.8	82.7	76.6	*	81.7	70.6	86.7	76.5
Late or no care	4.1	3.8	5.5	*	*	7.0	2.8	5.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Arlington, Virginia								
Number								
Low birthweight	150	94	40	1	15	37	57	40
Care beginning in first trimester	1,822	1,432	205	7	178	424	1,006	205
Late or no care	157	105	37	-	15	55	50	37
Percent								
Low birthweight	5.9	4.8	11.6	*	*	4.9	4.8	11.6
Care beginning in first trimester	74.3	76.6	61.4	*	74.5	60.7	86.2	61.4
Late or no care	6.4	5.6	11.1	*	*	7.9	4.3	11.1
Atlanta, Georgia								
Number								
Low birthweight	972	171	789	2	10	45	129	785
Care beginning in first trimester	6,454	2,220	4,115	8	111	484	1,741	4,083
Late or no care	359	63	293	1	2	35	27	293
Percent								
Low birthweight	11.9	6.8	14.4	*	*	6.9	6.9	14.4
Care beginning in first trimester	80.2	89.2	75.9	*	88.1	76.3	93.6	75.8
Late or no care	4.5	2.5	5.4	*	*	5.5	1.5	5.4
Aurora, Colorado								
Number								
Low birthweight	419	290	98	2	29	60	231	96
Care beginning in first trimester	3,429	2,796	449	19	165	395	2,415	435
Late or no care	245	181	44	3	17	79	103	43
Percent								
Low birthweight	9.9	8.6	16.3	*	12.7	9.8	8.3	16.4
Care beginning in first trimester	82.6	84.4	76.6	*	74.3	66.6	88.2	76.4
Late or no care	5.9	5.5	7.5	*	*	13.3	3.8	7.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Austin, Texas								
Number								
Low birthweight	658	484	137	4	33	220	267	135
Care beginning in first trimester	8,028	6,687	946	18	377	2,741	3,956	936
Late or no care	422	320	91	3	8	255	66	91
Percent								
Low birthweight	6.7	5.9	10.8	*	7.9	5.7	6.2	10.8
Care beginning in first trimester	81.5	82.1	75.0	*	90.0	71.2	91.7	75.0
Late or no care	4.3	3.9	7.2	*	*	6.6	1.5	7.3
Bakersfield, California								
Number								
Low birthweight	499	402	78	7	12	201	202	78
Care beginning in first trimester	4,650	4,072	392	42	144	1,858	2,223	388
Late or no care	778	674	77	8	19	382	294	77
Percent								
Low birthweight	7.1	6.6	12.5	*	*	6.6	6.5	12.6
Care beginning in first trimester	66.1	66.4	62.9	68.9	68.2	61.0	71.5	62.9
Late or no care	11.1	11.0	12.4	*	*	12.5	9.5	12.5
Baltimore city, Maryland								
Number								
Low birthweight	1,463	249	1,205	-	9	6	240	1,195
Care beginning in first trimester	7,243	2,496	4,625	13	109	63	2,430	4,584
Late or no care	552	90	458	1	3	8	84	456
Percent								
Low birthweight	13.8	8.2	16.2	*	*	*	8.2	16.2
Care beginning in first trimester	77.8	88.1	73.1	*	87.2	74.1	88.7	73.0
Late or no care	5.9	3.2	7.2	*	*	*	3.1	7.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Baton Rouge, Louisiana								
Number								
Low birthweight	543	131	396	1	15	2	129	396
Care beginning in first trimester	3,936	1,952	1,870	6	108	55	1,900	1,868
Late or no care	161	23	137	-	1	1	22	137
Percent								
Low birthweight	11.2	6.1	15.4	*	*	*	6.2	15.4
Care beginning in first trimester	81.4	91.4	72.8	*	84.4	87.3	91.5	72.8
Late or no care	3.3	1.1	5.3	*	*	*	1.1	5.3
Beaumont, Texas								
Number								
Low birthweight	166	37	124	-	5	7	30	124
Care beginning in first trimester	1,619	755	818	-	46	132	625	816
Late or no care	60	14	42	-	4	4	10	42
Percent								
Low birthweight	9.2	4.6	13.1	*	*	*	4.5	13.1
Care beginning in first trimester	89.3	93.4	86.0	*	85.2	93.6	93.4	86.0
Late or no care	3.3	*	4.4	*	*	*	*	4.4
Berkeley, California								
Number								
Low birthweight	61	27	27	1	6	5	21	27
Care beginning in first trimester	827	548	165	5	109	115	430	158
Late or no care	19	8	10	-	1	5	3	9
Percent								
Low birthweight	6.6	4.6	13.1	*	*	*	4.6	13.6
Care beginning in first trimester	90.1	93.2	80.1	*	92.4	86.5	95.1	79.8
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Birmingham, Alabama								
Number								
Low birthweight	468	69	396	-	3	2	66	396
Care beginning in first trimester	3,190	811	2,351	1	27	16	791	2,350
Late or no care	166	15	149	-	2	-	15	149
Percent								
Low birthweight	11.4	7.4	12.6	*	*	*	7.3	12.6
Care beginning in first trimester	78.9	88.1	76.2	*	79.4	*	88.6	76.2
Late or no care	4.1	*	4.8	*	*	*	*	4.8
Boise City, Idaho								
Number								
Low birthweight	150	143	1	2	4	9	134	1
Care beginning in first trimester	2,415	2,329	11	17	58	131	2,170	10
Late or no care	71	68	2	-	1	16	52	2
Percent								
Low birthweight	5.4	5.3	*	*	*	*	5.4	*
Care beginning in first trimester	88.0	88.3	*	*	82.9	76.2	89.1	*
Late or no care	2.6	2.6	*	*	*	*	2.1	*
Boston, Massachusetts								
Number								
Low birthweight	704	281	381	1	41	122	190	347
Care beginning in first trimester	6,865	3,628	2,712	12	513	1,399	2,613	2,298
Late or no care	233	82	139	-	12	51	39	126
Percent								
Low birthweight	8.8	6.9	11.3	*	6.9	7.4	6.7	11.9
Care beginning in first trimester	85.4	89.3	80.4	*	86.5	84.9	92.2	78.8
Late or no care	2.9	2.0	4.1	*	*	3.1	1.4	4.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Bridgeport, Connecticut								
Number								
Low birthweight	208	109	92	-	7	67	42	90
Care beginning in first trimester	1,720	1,075	584	4	57	536	507	574
Late or no care	80	50	28	-	2	25	24	28
Percent								
Low birthweight	8.7	7.5	10.8	*	*	8.9	6.4	10.8
Care beginning in first trimester	82.2	83.0	81.0	*	78.1	81.1	85.1	81.1
Late or no care	3.8	3.9	3.9	*	*	3.8	4.0	4.0
Bronx borough, Bronx county, New York								
Number								
Low birthweight	2,423	1,125	1,227	7	64	1,093	156	1,068
Care beginning in first trimester	12,320	7,124	4,754	18	424	6,649	1,326	3,787
Late or no care	2,053	1,010	977	3	63	1,070	122	770
Percent								
Low birthweight	10.0	8.3	12.4	*	8.3	8.4	7.2	13.3
Care beginning in first trimester	60.1	62.5	56.6	*	64.2	60.2	70.2	56.7
Late or no care	10.0	8.9	11.6	*	9.5	9.7	6.5	11.5
Brooklyn borough, Kings county, New York								
Number								
Low birthweight	3,865	1,561	2,104	5	195	880	676	2,009
Care beginning in first trimester	24,644	12,966	9,817	32	1,829	6,362	6,630	9,316
Late or no care	2,554	1,101	1,290	1	162	641	464	1,194
Percent								
Low birthweight	9.2	7.2	12.1	*	6.8	8.4	6.0	12.3
Care beginning in first trimester	69.2	71.1	66.8	64.0	69.9	68.9	72.9	66.9
Late or no care	7.2	6.0	8.8	*	6.2	6.9	5.1	8.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Buffalo, New York								
Number								
Low birthweight	484	210	268	1	5	33	48	152
Care beginning in first trimester	3,659	2,320	1,259	20	60	209	695	735
Late or no care	258	108	142	2	6	26	16	70
Percent								
Low birthweight	9.4	7.1	12.9	*	*	10.4	5.7	12.5
Care beginning in first trimester	75.2	80.6	66.9	66.7	80.0	68.8	85.5	69.4
Late or no care	5.3	3.8	7.5	*	*	8.6	*	6.6
Cedar Rapids, Iowa								
Number								
Low birthweight	89	80	5	-	4	1	79	5
Care beginning in first trimester	1,566	1,494	39	3	30	27	1,466	39
Late or no care	30	26	3	1	-	-	26	3
Percent								
Low birthweight	5.0	4.8	*	*	*	*	4.8	*
Care beginning in first trimester	88.9	89.6	69.6	*	85.7	96.4	89.5	69.6
Late or no care	1.7	1.6	*	*	*	*	1.6	*
Charlotte, North Carolina								
Number								
Low birthweight	760	347	390	-	23	20	327	390
Care beginning in first trimester	6,988	4,588	2,154	15	231	218	4,373	2,151
Late or no care	187	52	127	1	7	3	49	127
Percent								
Low birthweight	9.5	7.0	14.1	*	8.1	7.0	7.0	14.1
Care beginning in first trimester	87.4	93.1	77.8	*	81.9	76.0	94.1	77.8
Late or no care	2.3	1.1	4.6	*	*	*	1.1	4.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Chattanooga, Tennessee								
Number								
Low birthweight	239	100	135	-	4	4	97	134
Care beginning in first trimester	1,631	1,029	573	1	28	15	1,015	572
Late or no care	133	45	87	-	1	1	44	87
Percent								
Low birthweight	10.4	7.7	14.1	*	*	*	7.6	14.0
Care beginning in first trimester	72.9	81.9	61.2	*	70.0	*	82.2	61.1
Late or no care	5.9	3.6	9.3	*	*	*	3.6	9.3
Chesapeake city, Virginia								
Number								
Low birthweight	192	98	89	2	3	1	97	89
Care beginning in first trimester	2,380	1,727	593	8	52	38	1,692	592
Late or no care	67	25	41	-	1	4	21	41
Percent								
Low birthweight	7.0	5.2	11.3	*	*	*	5.2	11.4
Care beginning in first trimester	86.6	91.1	75.5	*	86.7	76.0	91.5	75.5
Late or no care	2.4	1.3	5.2	*	*	*	1.1	5.2
Chicago, Illinois								
Number								
Low birthweight	5,822	1,992	3,645	8	177	1,165	838	3,631
Care beginning in first trimester	38,274	21,781	15,079	50	1,364	12,681	9,165	15,003
Late or no care	3,620	1,358	2,154	7	101	976	385	2,144
Percent								
Low birthweight	10.7	6.9	15.5	*	9.1	6.5	7.5	15.5
Care beginning in first trimester	72.4	77.0	66.6	68.5	74.1	72.3	84.5	66.6
Late or no care	6.9	4.8	9.5	*	5.5	5.6	3.6	9.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Chula Vista, California								
Number								
Low birthweight	171	132	23	1	15	103	32	21
Care beginning in first trimester	2,373	1,959	151	6	257	1,419	561	144
Late or no care	188	158	13	1	16	144	14	13
Percent								
Low birthweight	5.6	5.2	13.0	*	*	5.4	4.8	12.4
Care beginning in first trimester	78.1	76.9	85.3	*	84.0	74.3	85.0	84.7
Late or no care	6.2	6.2	*	*	*	7.5	*	*
Cincinnati, Ohio								
Number								
Low birthweight	600	195	398	1	6	1	194	398
Care beginning in first trimester	4,395	2,425	1,887	6	77	24	2,404	1,885
Late or no care	657	192	456	-	9	5	188	455
Percent								
Low birthweight	10.6	7.0	14.3	*	*	*	7.0	14.3
Care beginning in first trimester	77.3	86.6	68.0	*	78.6	80.0	86.6	68.0
Late or no care	11.6	6.9	16.4	*	*	*	6.8	16.4
Cleveland, Ohio								
Number								
Low birthweight	1,197	353	836	2	6	50	303	836
Care beginning in first trimester	6,573	3,282	3,206	8	77	405	2,875	3,203
Late or no care	714	213	499	-	2	45	168	499
Percent								
Low birthweight	12.6	8.5	16.1	*	*	8.9	8.4	16.1
Care beginning in first trimester	71.4	79.6	64.5	*	81.1	72.5	80.7	64.5
Late or no care	7.8	5.2	10.0	*	*	8.1	4.7	10.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Colorado Springs, Colorado								
Number								
Low birthweight	489	402	69	8	10	52	353	67
Care beginning in first trimester	5,139	4,495	442	53	149	578	3,933	434
Late or no care	268	218	34	5	11	53	165	34
Percent								
Low birthweight	7.8	7.4	11.4	*	*	6.6	7.6	11.3
Care beginning in first trimester	81.7	83.0	72.8	73.6	76.0	73.6	84.5	73.1
Late or no care	4.3	4.0	5.6	*	*	6.8	3.5	5.7
Columbus, Georgia								
Number								
Low birthweight	258	93	163	-	2	3	88	163
Care beginning in first trimester	1,828	910	886	3	29	35	875	884
Late or no care	165	63	98	-	4	6	57	98
Percent								
Low birthweight	9.7	7.4	11.9	*	*	*	7.4	11.9
Care beginning in first trimester	70.0	73.9	66.5	*	70.7	57.4	74.7	66.5
Late or no care	6.3	5.1	7.4	*	*	*	4.9	7.4
Columbus, Ohio								
Number								
Low birthweight	943	483	439	5	16	9	474	435
Care beginning in first trimester	8,406	5,827	2,300	20	259	101	5,705	2,262
Late or no care	286	125	153	1	7	8	116	153
Percent								
Low birthweight	9.3	7.2	14.1	*	*	*	7.2	14.2
Care beginning in first trimester	85.6	89.7	76.6	83.3	87.8	77.7	90.0	76.4
Late or no care	2.9	1.9	5.1	*	*	*	1.8	5.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Concord, California								
Number								
Low birthweight	113	85	7	1	20	29	57	7
Care beginning in first trimester	1,438	1,242	44	10	142	317	932	43
Late or no care	103	86	6	-	11	40	45	6
Percent								
Low birthweight	6.1	5.3	*	*	11.0	5.9	5.1	*
Care beginning in first trimester	78.2	78.0	81.5	*	78.5	64.6	84.1	81.1
Late or no care	5.6	5.4	*	*	*	8.1	4.1	*
Corpus Christi, Texas								
Number								
Low birthweight	325	300	20	1	4	202	99	20
Care beginning in first trimester	3,361	3,168	140	10	43	2,025	1,155	134
Late or no care	260	242	15	1	2	199	44	15
Percent								
Low birthweight	6.9	6.8	9.7	*	*	6.8	6.7	10.0
Care beginning in first trimester	73.4	73.5	68.6	*	82.7	69.8	81.3	68.0
Late or no care	5.7	5.6	*	*	*	6.9	3.1	*
Dallas, Texas								
Number								
Low birthweight	1,794	957	786	4	47	605	354	784
Care beginning in first trimester	16,288	11,659	4,056	48	525	6,891	4,770	4,046
Late or no care	1,034	679	321	4	30	513	168	320
Percent								
Low birthweight	8.3	6.3	14.0	*	7.0	6.4	6.1	14.0
Care beginning in first trimester	78.9	80.2	75.4	76.2	81.3	76.5	86.1	75.4
Late or no care	5.0	4.7	6.0	*	4.6	5.7	3.0	6.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Dayton, Ohio								
Number								
Low birthweight	281	110	168	1	2	-	109	168
Care beginning in first trimester	2,035	1,237	788	1	9	17	1,220	786
Late or no care	292	95	195	1	1	5	89	194
Percent								
Low birthweight	9.6	7.0	12.6	*	*	*	7.1	12.6
Care beginning in first trimester	69.5	78.7	58.8	*	*	*	78.9	58.8
Late or no care	10.0	6.0	14.5	*	*	*	5.8	14.5
Denver, coext. with Denver city, Colorado								
Number								
Low birthweight	897	646	206	13	32	340	306	205
Care beginning in first trimester	6,147	5,196	702	66	183	2,179	3,026	679
Late or no care	654	535	89	13	17	440	98	83
Percent								
Low birthweight	10.4	8.9	19.8	*	11.8	9.1	8.7	20.4
Care beginning in first trimester	72.3	73.0	69.6	56.9	70.1	59.6	86.9	70.0
Late or no care	7.7	7.5	8.8	*	*	12.0	2.8	8.6
Des Moines, Iowa								
Number								
Low birthweight	242	199	26	1	16	6	184	24
Care beginning in first trimester	2,828	2,489	210	6	123	105	2,334	197
Late or no care	141	112	22	1	6	25	84	21
Percent								
Low birthweight	6.9	6.6	8.6	*	*	*	6.7	8.5
Care beginning in first trimester	83.1	84.8	71.2	*	75.0	60.7	86.3	71.1
Late or no care	4.1	3.8	7.5	*	*	14.5	3.1	7.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Detroit, Michigan								
Number								
Low birthweight	2,363	216	2,121	2	24	48	149	2,081
Care beginning in first trimester	11,151	1,988	9,003	18	142	426	1,439	8,898
Late or no care	1,267	178	1,074	2	13	46	103	1,062
Percent								
Low birthweight	13.5	7.5	14.7	*	11.3	6.8	7.6	14.6
Care beginning in first trimester	70.0	76.2	68.6	*	74.7	70.1	79.1	68.6
Late or no care	7.9	6.8	8.2	*	*	7.6	5.7	8.2
District of Columbia								
Number								
Low birthweight	1,206	113	1,077	1	15	48	67	1,073
Care beginning in first trimester	4,822	1,425	3,281	6	110	364	1,065	3,258
Late or no care	1,204	152	1,023	1	28	73	84	1,022
Percent								
Low birthweight	13.4	5.6	15.9	*	*	7.0	5.0	16.0
Care beginning in first trimester	59.8	76.9	54.5	*	59.8	58.2	85.4	54.4
Late or no care	14.9	8.2	17.0	*	15.2	11.7	6.7	17.1
Durham, North Carolina								
Number								
Low birthweight	221	56	161	1	3	3	53	161
Care beginning in first trimester	2,034	1,018	935	2	79	82	938	933
Late or no care	85	12	72	-	1	4	8	72
Percent								
Low birthweight	9.2	5.2	13.0	*	*	*	5.4	13.0
Care beginning in first trimester	84.8	94.2	75.8	*	95.2	81.2	95.5	75.7
Late or no care	3.5	*	5.8	*	*	*	*	5.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
El Monte, California								
Number								
Low birthweight	206	178	1	1	26	167	12	1
Care beginning in first trimester	2,514	2,175	15	6	318	2,071	109	15
Late or no care	129	122	-	1	6	110	13	-
Percent								
Low birthweight	6.4	6.2	*	*	7.4	6.1	*	*
Care beginning in first trimester	78.3	76.6	*	*	91.1	76.4	80.7	*
Late or no care	4.0	4.3	*	*	*	4.1	*	*
El Paso, Texas								
Number								
Low birthweight	1,001	949	38	4	10	832	117	38
Care beginning in first trimester	7,572	7,223	244	12	93	6,204	1,028	239
Late or no care	1,627	1,597	20	4	6	1,546	55	17
Percent								
Low birthweight	7.2	7.1	11.2	*	*	7.0	7.7	11.8
Care beginning in first trimester	62.1	61.6	76.0	*	81.6	59.3	79.5	77.6
Late or no care	13.3	13.6	6.2	*	*	14.8	4.3	*
Elizabeth, New Jersey								
Number								
Low birthweight	190	106	72	2	10	82	28	69
Care beginning in first trimester	1,561	1,122	379	5	55	818	342	336
Late or no care	118	70	47	-	1	51	16	47
Percent								
Low birthweight	9.4	7.6	12.7	*	*	8.0	6.9	13.5
Care beginning in first trimester	79.5	82.2	71.0	*	93.2	81.2	85.7	69.9
Late or no care	6.0	5.1	8.8	*	*	5.1	*	9.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Erie, Pennsylvania								
Number								
Low birthweight	158	105	53	-	-	9	97	52
Care beginning in first trimester	1,334	1,138	185	2	9	57	1,084	181
Late or no care	98	55	42	-	1	12	40	42
Percent								
Low birthweight	8.4	7.0	14.8	*	*	*	7.0	14.8
Care beginning in first trimester	76.6	80.1	60.7	*	*	62.0	81.6	60.3
Late or no care	5.6	3.9	13.8	*	*	*	3.0	14.0
Escondido, California								
Number								
Low birthweight	144	132	6	-	6	77	56	4
Care beginning in first trimester	2,162	1,981	44	18	119	931	1,064	38
Late or no care	236	221	11	1	3	177	45	9
Percent								
Low birthweight	5.0	5.0	*	*	*	5.4	4.5	*
Care beginning in first trimester	75.1	74.5	68.8	*	87.5	64.7	86.0	67.9
Late or no care	8.2	8.3	*	*	*	12.3	3.6	*
Eugene, Oregon								
Number								
Low birthweight	95	87	-	3	5	4	83	-
Care beginning in first trimester	1,235	1,153	16	9	57	60	1,094	15
Late or no care	96	88	4	1	3	11	77	4
Percent								
Low birthweight	5.7	5.6	*	*	*	*	5.7	*
Care beginning in first trimester	74.4	74.9	*	*	72.2	64.5	75.6	*
Late or no care	5.8	5.7	*	*	*	*	5.3	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Evansville, Indiana								
Number								
Low birthweight	152	124	28	-	-	1	122	28
Care beginning in first trimester	1,542	1,352	179	1	10	9	1,339	178
Late or no care	52	31	19	-	2	1	30	19
Percent								
Low birthweight	8.2	7.9	10.9	*	*	*	7.8	10.9
Care beginning in first trimester	83.9	86.3	70.8	*	*	*	86.4	70.6
Late or no care	2.8	2.0	*	*	*	*	1.9	*
Fayette, coext. with Lexington-Fayette, Kentucky								
Number								
Low birthweight	269	176	90	-	3	10	167	89
Care beginning in first trimester	2,758	2,277	424	6	51	39	2,239	422
Late or no care	100	57	43	-	-	1	56	43
Percent								
Low birthweight	8.1	6.7	15.1	*	*	*	6.5	15.0
Care beginning in first trimester	85.7	88.9	72.4	*	82.3	76.5	89.1	72.3
Late or no care	3.1	2.2	7.3	*	*	*	2.2	7.4
Flint, Michigan								
Number								
Low birthweight	338	110	227	-	1	1	104	227
Care beginning in first trimester	2,329	1,123	1,182	6	18	43	1,064	1,180
Late or no care	153	49	100	2	2	6	44	100
Percent								
Low birthweight	11.4	8.3	14.1	*	*	*	8.3	14.2
Care beginning in first trimester	77.7	83.6	73.1	*	*	70.5	84.2	73.1
Late or no care	5.1	3.6	6.2	*	*	*	3.5	6.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Fort Lauderdale, Florida								
Number								
Low birthweight	337	130	200	-	7	22	108	200
Care beginning in first trimester	3,091	1,793	1,261	4	33	347	1,462	1,246
Late or no care	156	47	109	-	-	16	31	109
Percent								
Low birthweight	8.4	6.2	10.6	*	*	4.9	6.5	10.7
Care beginning in first trimester	80.1	87.6	71.0	*	97.1	80.7	89.5	70.8
Late or no care	4.0	2.3	6.1	*	*	*	1.9	6.2
Fort Wayne, Indiana								
Number								
Low birthweight	301	213	83	-	5	9	201	78
Care beginning in first trimester	2,769	2,241	486	5	37	117	2,116	476
Late or no care	129	81	44	-	4	11	71	42
Percent								
Low birthweight	8.5	7.7	11.5	*	*	*	7.8	11.0
Care beginning in first trimester	81.4	84.5	70.2	*	74.0	73.6	85.2	70.2
Late or no care	3.8	3.1	6.4	*	*	*	2.9	6.2
Fort Worth, Texas								
Number								
Low birthweight	662	400	243	1	18	170	230	242
Care beginning in first trimester	6,322	4,977	1,159	13	173	2,012	2,967	1,153
Late or no care	693	466	206	4	17	314	152	206
Percent								
Low birthweight	7.3	5.8	12.8	*	*	5.2	6.3	12.8
Care beginning in first trimester	69.7	72.1	61.4	*	67.6	62.1	81.0	61.4
Late or no care	7.6	6.8	10.9	*	*	9.7	4.1	11.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Fremont, California								
Number								
Low birthweight	195	103	15	-	77	31	73	14
Care beginning in first trimester	2,816	1,725	126	17	948	443	1,301	124
Late or no care	81	46	4	-	31	21	23	4
Percent								
Low birthweight	6.2	5.3	*	*	7.3	5.8	5.1	*
Care beginning in first trimester	88.9	88.3	86.9	*	90.3	82.8	90.6	86.7
Late or no care	2.6	2.4	*	*	3.0	3.9	1.6	*
Fresno, California								
Number								
Low birthweight	691	482	113	8	88	307	178	113
Care beginning in first trimester	7,746	5,747	616	64	1,319	3,434	2,342	608
Late or no care	386	312	45	3	26	207	104	45
Percent								
Low birthweight	7.1	6.7	13.6	*	5.2	6.9	6.4	13.8
Care beginning in first trimester	79.2	80.0	74.2	71.9	78.2	77.2	84.6	74.1
Late or no care	3.9	4.3	5.4	*	1.5	4.7	3.8	5.5
Fullerton, California								
Number								
Low birthweight	115	97	8	-	10	57	40	8
Care beginning in first trimester	1,569	1,338	36	3	192	645	696	34
Late or no care	96	84	3	-	9	61	23	3
Percent								
Low birthweight	5.8	5.7	*	*	*	6.2	5.1	*
Care beginning in first trimester	79.4	78.6	83.7	*	85.3	70.3	88.2	82.9
Late or no care	4.9	4.9	*	*	*	6.7	2.9	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Garden Grove, California								
Number								
Low birthweight	146	97	-	2	47	57	41	-
Care beginning in first trimester	2,545	1,743	25	6	771	1,055	691	25
Late or no care	104	76	2	1	25	50	25	2
Percent								
Low birthweight	4.7	4.5	*	*	5.2	4.2	5.1	*
Care beginning in first trimester	81.9	80.8	69.4	*	85.2	77.6	86.1	69.4
Late or no care	3.3	3.5	*	*	2.8	3.7	3.1	*
Garland, Texas								
Number								
Low birthweight	217	167	35	1	14	61	106	35
Care beginning in first trimester	2,644	2,189	274	16	165	697	1,491	274
Late or no care	107	80	23	3	1	46	34	23
Percent								
Low birthweight	6.5	6.1	9.6	*	*	6.4	5.9	9.6
Care beginning in first trimester	81.6	82.4	77.6	*	80.1	76.8	85.3	77.6
Late or no care	3.3	3.0	6.5	*	*	5.1	1.9	6.5
Gary, Indiana								
Number								
Low birthweight	276	37	239	-	-	10	27	239
Care beginning in first trimester	1,445	263	1,181	1	-	60	204	1,180
Late or no care	158	27	131	-	-	8	19	131
Percent								
Low birthweight	13.1	9.9	13.8	*	*	*	9.7	13.8
Care beginning in first trimester	69.2	73.3	68.5	*	*	64.5	76.1	68.5
Late or no care	7.6	7.5	7.6	*	*	*	*	7.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Glendale, Arizona								
Number								
Low birthweight	233	209	16	4	4	46	163	16
Care beginning in first trimester	2,550	2,385	92	21	52	570	1,808	91
Late or no care	276	250	14	8	4	100	149	14
Percent								
Low birthweight	6.5	6.3	*	*	*	5.0	6.8	*
Care beginning in first trimester	75.8	76.1	73.6	51.2	81.3	64.6	80.5	73.4
Late or no care	8.2	8.0	*	*	*	11.3	6.6	*
Glendale, California								
Number								
Low birthweight	120	96	2	-	22	43	53	2
Care beginning in first trimester	2,085	1,658	28	3	396	677	985	27
Late or no care	62	51	-	-	11	31	20	-
Percent								
Low birthweight	4.8	4.8	*	*	4.7	4.9	4.7	*
Care beginning in first trimester	83.9	83.3	87.5	*	86.1	77.3	87.9	87.1
Late or no care	2.5	2.6	*	*	*	3.5	1.8	*
Grand Rapids, Michigan								
Number								
Low birthweight	309	191	114	1	3	30	161	114
Care beginning in first trimester	2,925	2,348	512	11	54	290	2,053	509
Late or no care	184	89	91	2	2	38	50	91
Percent								
Low birthweight	7.7	6.3	12.6	*	*	6.2	6.4	12.6
Care beginning in first trimester	73.7	78.7	57.8	*	70.1	60.9	82.1	57.6
Late or no care	4.6	3.0	10.3	*	*	8.0	2.0	10.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Greensboro, North Carolina								
Number								
Low birthweight	264	97	155	1	11	5	92	155
Care beginning in first trimester	2,493	1,363	1,023	11	96	55	1,313	1,018
Late or no care	69	20	39	1	9	6	14	39
Percent								
Low birthweight	9.2	6.6	12.4	*	*	*	6.5	12.5
Care beginning in first trimester	87.2	92.3	82.0	*	78.0	71.4	93.5	81.9
Late or no care	2.4	1.4	3.1	*	*	*	*	3.1
Hampton city, Virginia								
Number								
Low birthweight	187	73	112	-	2	2	71	112
Care beginning in first trimester	1,718	1,026	637	2	53	40	991	632
Late or no care	87	28	58	1	-	1	27	58
Percent								
Low birthweight	8.5	6.1	12.0	*	*	*	6.2	12.1
Care beginning in first trimester	78.5	86.4	68.5	*	79.1	78.4	86.6	68.6
Late or no care	4.0	2.4	6.2	*	*	*	2.4	6.3
Hartford, Connecticut								
Number								
Low birthweight	308	157	150	1	-	135	19	145
Care beginning in first trimester	1,555	848	683	7	17	669	176	664
Late or no care	64	39	25	-	-	37	3	21
Percent								
Low birthweight	13.3	11.5	16.7	*	*	12.0	*	16.9
Care beginning in first trimester	81.2	79.7	83.4	*	*	77.8	88.0	84.1
Late or no care	3.3	3.7	3.1	*	*	4.3	*	2.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Hayward, California								
Number								
Low birthweight	181	108	36	2	35	57	55	35
Care beginning in first trimester	2,384	1,547	386	22	429	898	673	369
Late or no care	109	74	10	2	23	46	30	10
Percent								
Low birthweight	6.4	5.8	8.1	*	6.9	5.2	6.9	8.3
Care beginning in first trimester	84.1	83.2	87.3	84.6	84.4	82.3	84.1	87.0
Late or no care	3.8	4.0	*	*	4.5	4.2	3.8	*
Hialeah, Florida								
Number								
Low birthweight	189	177	11	-	1	144	34	9
Care beginning in first trimester	2,225	2,151	64	1	9	1,792	382	40
Late or no care	46	41	4	-	1	36	7	1
Percent								
Low birthweight	7.3	7.1	*	*	*	6.9	7.8	*
Care beginning in first trimester	85.8	86.2	75.3	*	*	85.5	88.0	80.0
Late or no care	1.8	1.6	*	*	*	1.7	*	*
Hollywood, Florida								
Number								
Low birthweight	163	100	57	2	4	25	75	57
Care beginning in first trimester	1,710	1,317	341	20	32	336	994	328
Late or no care	121	67	47	3	4	14	53	47
Percent								
Low birthweight	7.8	6.4	11.9	*	*	6.2	6.4	12.3
Care beginning in first trimester	82.4	85.6	71.8	87.0	82.1	83.8	86.1	71.6
Late or no care	5.8	4.4	9.9	*	*	*	4.6	10.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Honolulu, Hawaii								
Number								
Low birthweight	350	71	22	4	253	24	60	21
Care beginning in first trimester	4,228	1,119	172	17	2,920	314	993	167
Late or no care	147	19	1	1	126	9	14	-
Percent								
Low birthweight	6.9	5.8	11.9	*	7.0	6.2	5.6	11.7
Care beginning in first trimester	87.3	92.9	94.0	*	85.1	83.7	93.6	94.4
Late or no care	3.0	*	*	*	3.7	*	*	*
Houston, Texas								
Number								
Low birthweight	3,097	1,754	1,164	5	174	1,214	539	1,161
Care beginning in first trimester	30,768	21,586	7,367	32	1,783	13,666	7,941	7,342
Late or no care	1,657	1,179	431	3	44	1,012	169	429
Percent								
Low birthweight	7.7	6.2	11.8	*	8.1	6.3	5.9	11.8
Care beginning in first trimester	79.6	79.9	77.7	78.0	85.3	75.4	89.0	77.8
Late or no care	4.3	4.4	4.5	*	2.1	5.6	1.9	4.5
Huntington Beach, California								
Number								
Low birthweight	160	136	3	1	20	41	95	3
Care beginning in first trimester	2,376	2,119	20	17	220	530	1,587	19
Late or no care	61	53	-	1	7	27	26	-
Percent								
Low birthweight	5.9	5.6	*	*	8.1	6.1	5.5	*
Care beginning in first trimester	87.9	87.7	90.9	*	89.1	78.3	91.6	*
Late or no care	2.3	2.2	*	*	*	4.0	1.5	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Huntsville, Alabama								
Number								
Low birthweight	222	106	107	-	9	4	105	107
Care beginning in first trimester	1,894	1,221	612	5	56	38	1,202	610
Late or no care	100	38	61	-	1	4	34	61
Percent								
Low birthweight	9.6	7.7	12.5	*	*	*	7.7	12.5
Care beginning in first trimester	82.0	88.4	71.7	*	81.2	73.1	88.9	71.7
Late or no care	4.3	2.8	7.1	*	*	*	2.5	7.2
Independence, Missouri								
Number								
Low birthweight	80	73	3	2	2	-	73	3
Care beginning in first trimester	1,204	1,153	27	11	13	30	1,122	27
Late or no care	49	46	1	-	2	1	45	1
Percent								
Low birthweight	5.4	5.2	*	*	*	*	5.3	*
Care beginning in first trimester	81.8	82.5	67.5	*	*	78.9	82.6	67.5
Late or no care	3.3	3.3	*	*	*	*	3.3	*
Indianapolis, Indiana								
Number								
Low birthweight	1,164	702	444	7	11	17	685	440
Care beginning in first trimester	10,140	7,795	2,172	23	150	136	7,661	2,160
Late or no care	483	267	210	-	6	27	240	209
Percent								
Low birthweight	8.7	7.2	12.8	*	*	*	7.2	12.7
Care beginning in first trimester	78.4	83.0	65.1	85.2	82.0	59.9	83.6	65.1
Late or no care	3.7	2.8	6.3	*	*	11.9	2.6	6.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Inglewood, California								
Number								
Low birthweight	236	132	96	1	7	124	8	96
Care beginning in first trimester	2,384	1,614	715	3	52	1,549	73	706
Late or no care	159	129	28	-	2	126	2	28
Percent								
Low birthweight	7.4	5.9	10.7	*	*	5.8	*	10.9
Care beginning in first trimester	76.1	74.3	80.5	*	75.4	73.9	83.9	80.7
Late or no care	5.1	5.9	3.2	*	*	6.0	*	3.2
Irvine, California								
Number								
Low birthweight	95	60	11	-	24	12	48	9
Care beginning in first trimester	1,672	1,262	72	7	331	181	1,080	72
Late or no care	35	27	2	-	6	7	19	-
Percent								
Low birthweight	5.2	4.4	*	*	6.8	*	4.1	*
Care beginning in first trimester	92.4	92.2	91.1	*	93.2	86.2	93.3	93.5
Late or no care	1.9	2.0	*	*	*	*	*	*
Irving, Texas								
Number								
Low birthweight	232	173	34	-	25	59	114	34
Care beginning in first trimester	2,129	1,734	239	4	152	692	1,045	236
Late or no care	200	162	26	1	11	78	84	26
Percent								
Low birthweight	7.7	7.0	10.2	*	11.8	5.6	8.1	10.3
Care beginning in first trimester	73.7	73.7	75.4	*	74.1	69.9	76.4	75.2
Late or no care	6.9	6.9	8.2	*	*	7.9	6.1	8.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Jackson, Mississippi								
Number								
Low birthweight	415	47	361	-	7	1	46	361
Care beginning in first trimester	2,510	698	1,791	-	21	9	688	1,791
Late or no care	146	11	135	-	-	-	11	135
Percent								
Low birthweight	12.7	6.2	14.5	*	*	*	6.2	14.5
Care beginning in first trimester	76.8	92.5	72.0	*	80.8	*	92.7	72.0
Late or no care	4.5	*	5.4	*	*	*	*	5.4
Jacksonville, Florida								
Number								
Low birthweight	943	439	477	1	26	13	427	475
Care beginning in first trimester	8,372	5,709	2,398	17	248	229	5,507	2,371
Late or no care	342	143	191	2	6	8	134	191
Percent								
Low birthweight	8.7	6.4	13.2	*	7.9	*	6.4	13.3
Care beginning in first trimester	79.0	84.8	68.1	*	77.5	76.3	85.1	68.1
Late or no care	3.2	2.1	5.4	*	*	*	2.1	5.5
Jersey City, New Jersey								
Number								
Low birthweight	442	151	247	1	43	94	72	231
Care beginning in first trimester	2,416	1,203	840	33	340	806	520	711
Late or no care	192	75	94	-	23	48	32	87
Percent								
Low birthweight	11.1	8.3	15.0	*	8.8	7.3	9.9	16.1
Care beginning in first trimester	72.1	75.7	65.9	89.2	75.6	72.6	80.2	65.1
Late or no care	5.7	4.7	7.4	*	5.1	4.3	4.9	8.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Kansas City, Kansas								
Number								
Low birthweight	193	100	91	1	1	12	91	88
Care beginning in first trimester	1,883	1,209	630	10	34	230	976	627
Late or no care	113	52	60	-	1	16	37	59
Percent								
Low birthweight	8.1	6.9	10.5	*	*	*	7.9	10.2
Care beginning in first trimester	79.6	83.7	72.6	*	79.1	78.0	85.0	72.7
Late or no care	4.8	3.6	6.9	*	*	*	3.2	6.8
Kansas City, Missouri								
Number								
Low birthweight	624	282	328	1	13	33	248	327
Care beginning in first trimester	5,524	3,649	1,721	26	128	336	3,307	1,719
Late or no care	277	106	164	1	6	18	88	164
Percent								
Low birthweight	9.1	6.7	13.5	*	*	7.5	6.6	13.5
Care beginning in first trimester	83.8	89.4	74.1	83.9	80.5	83.6	90.1	74.1
Late or no care	4.2	2.6	7.1	*	*	*	2.4	7.1
Knoxville, Tennessee								
Number								
Low birthweight	251	178	68	-	5	1	175	68
Care beginning in first trimester	2,300	1,893	364	1	42	25	1,867	362
Late or no care	49	35	13	-	1	1	34	13
Percent								
Low birthweight	9.5	8.3	15.5	*	*	*	8.3	15.5
Care beginning in first trimester	87.9	89.0	82.9	*	85.7	86.2	89.1	82.8
Late or no care	1.9	1.6	*	*	*	*	1.6	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Lakewood, Colorado								
Number								
Low birthweight	133	123	3	3	4	22	100	3
Care beginning in first trimester	1,374	1,295	17	17	45	172	1,124	15
Late or no care	58	53	-	2	3	20	33	-
Percent								
Low birthweight	8.1	8.0	*	*	*	8.9	7.8	*
Care beginning in first trimester	85.2	85.6	*	*	80.4	70.2	88.8	*
Late or no care	3.6	3.5	*	*	*	8.2	2.6	*
Lansing, Michigan								
Number								
Low birthweight	217	131	78	2	6	17	108	78
Care beginning in first trimester	1,959	1,427	437	15	80	164	1,167	435
Late or no care	65	40	20	-	5	5	33	20
Percent								
Low birthweight	9.4	8.0	14.3	*	*	*	8.3	14.3
Care beginning in first trimester	87.0	89.1	82.3	*	77.7	81.6	90.5	82.2
Late or no care	2.9	2.5	3.8	*	*	*	2.6	3.8
Laredo, Texas								
Number								
Low birthweight	299	296	1	-	2	288	9	-
Care beginning in first trimester	2,860	2,841	2	-	17	2,740	81	1
Late or no care	636	636	-	-	-	633	3	-
Percent								
Low birthweight	6.3	6.3	*	*	*	6.3	*	*
Care beginning in first trimester	60.5	60.4	*	*	*	59.8	84.4	*
Late or no care	13.5	13.5	*	*	*	13.8	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Las Vegas, Nevada								
Number								
Low birthweight	754	537	154	7	56	150	386	153
Care beginning in first trimester	7,912	6,587	773	59	493	1,580	5,009	764
Late or no care	775	619	116	6	34	336	280	115
Percent								
Low birthweight	7.2	6.2	13.6	*	9.0	5.8	6.3	13.7
Care beginning in first trimester	77.3	78.0	69.8	76.6	81.4	64.0	83.8	69.8
Late or no care	7.6	7.3	10.5	*	5.6	13.6	4.7	10.5
Lincoln, Nebraska								
Number								
Low birthweight	188	161	16	3	8	6	152	16
Care beginning in first trimester	2,572	2,388	74	21	89	87	2,255	74
Late or no care	69	51	10	4	4	5	46	10
Percent								
Low birthweight	6.3	6.0	*	*	*	*	6.0	*
Care beginning in first trimester	86.7	88.5	64.9	67.7	73.6	77.0	88.8	64.9
Late or no care	2.3	1.9	*	*	*	*	1.8	*
Little Rock, Arkansas								
Number								
Low birthweight	300	102	193	2	3	4	98	192
Care beginning in first trimester	2,167	1,209	916	8	34	24	1,184	912
Late or no care	242	60	179	-	3	2	58	179
Percent								
Low birthweight	10.1	6.9	13.4	*	*	*	6.8	13.4
Care beginning in first trimester	78.0	87.6	68.2	*	77.3	66.7	88.2	68.1
Late or no care	8.7	4.3	13.3	*	*	*	4.3	13.4

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Livonia, Michigan								
Number								
Low birthweight	70	69	1	-	-	1	65	1
Care beginning in first trimester	1,150	1,129	7	-	14	19	1,086	7
Late or no care	13	11	1	-	1	-	11	1
Percent								
Low birthweight	5.7	5.8	*	*	*	*	5.7	*
Care beginning in first trimester	95.3	95.6	*	*	*	*	95.7	*
Late or no care	*	*	*	*	*	*	*	*
Long Beach, California								
Number								
Low birthweight	674	367	221	1	85	236	129	221
Care beginning in first trimester	7,334	5,034	1,266	27	1,007	3,439	1,625	1,253
Late or no care	405	232	107	3	63	177	55	104
Percent								
Low birthweight	7.3	5.9	13.4	*	6.5	5.4	6.8	13.6
Care beginning in first trimester	79.5	80.7	77.1	77.1	77.3	78.2	86.3	77.4
Late or no care	4.4	3.7	6.5	*	4.8	4.0	2.9	6.4
Los Angeles, California								
Number								
Low birthweight	4,854	3,488	1,052	13	301	2,810	702	1,028
Care beginning in first trimester	55,456	45,462	6,110	86	3,798	35,824	9,828	5,937
Late or no care	2,805	2,339	339	11	116	2,134	215	331
Percent								
Low birthweight	6.8	5.9	13.3	*	6.7	5.9	6.4	13.4
Care beginning in first trimester	78.6	78.1	78.2	75.4	84.8	75.4	90.0	78.3
Late or no care	4.0	4.0	4.3	*	2.6	4.5	2.0	4.4

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Louisville, Kentucky								
Number								
Low birthweight	563	283	270	3	7	1	280	269
Care beginning in first trimester	5,384	3,774	1,500	11	99	45	3,732	1,490
Late or no care	197	67	125	3	2	1	66	125
Percent								
Low birthweight	8.8	6.7	13.2	*	*	*	6.7	13.2
Care beginning in first trimester	83.8	89.0	73.0	*	88.4	76.3	89.2	73.0
Late or no care	3.1	1.6	6.1	*	*	*	1.6	6.1
Lowell, Massachusetts								
Number								
Low birthweight	126	93	10	-	23	18	77	8
Care beginning in first trimester	1,388	1,069	74	2	243	246	851	45
Late or no care	61	39	10	-	12	19	26	4
Percent								
Low birthweight	7.3	7.4	*	*	6.5	*	7.9	*
Care beginning in first trimester	80.4	84.6	70.5	*	68.6	73.7	87.5	73.8
Late or no care	3.5	3.1	*	*	*	*	2.7	*
Lubbock, Texas								
Number								
Low birthweight	262	194	61	2	5	96	96	61
Care beginning in first trimester	2,333	2,103	180	3	47	765	1,310	179
Late or no care	139	108	30	-	1	82	26	30
Percent								
Low birthweight	8.4	7.1	19.9	*	*	8.1	6.3	20.1
Care beginning in first trimester	78.1	79.5	63.2	*	87.0	68.4	87.7	63.0
Late or no care	4.7	4.1	10.5	*	*	7.3	1.7	10.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Macon, Georgia								
Number								
Low birthweight	249	61	187	-	1	4	59	185
Care beginning in first trimester	1,497	555	927	1	14	17	541	923
Late or no care	128	15	112	-	1	-	15	112
Percent								
Low birthweight	12.4	9.5	13.9	*	*	*	9.4	13.8
Care beginning in first trimester	75.4	86.9	69.8	*	*	*	87.3	69.8
Late or no care	6.4	*	8.4	*	*	*	*	8.5
Madison, Wisconsin								
Number								
Low birthweight	141	94	36	-	11	5	89	36
Care beginning in first trimester	2,269	1,895	183	5	186	82	1,816	181
Late or no care	62	33	22	-	7	9	24	22
Percent								
Low birthweight	5.4	4.5	13.0	*	*	*	4.5	13.1
Care beginning in first trimester	87.1	91.0	66.1	*	78.2	70.1	92.2	65.8
Late or no care	2.4	1.6	7.9	*	*	*	1.2	8.0
Manhattan borough, New York county, New York								
Number								
Low birthweight	1,890	1,097	685	2	106	723	410	602
Care beginning in first trimester	12,728	9,176	2,265	4	1,283	4,384	4,715	1,920
Late or no care	1,489	815	584	-	90	712	146	518
Percent								
Low birthweight	9.2	7.8	14.7	*	5.5	8.7	7.1	15.2
Care beginning in first trimester	69.5	73.3	57.3	*	70.4	60.2	88.2	57.5
Late or no care	8.1	6.5	14.8	*	4.9	9.8	2.7	15.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Memphis, Tennessee								
Number								
Low birthweight	1,395	224	1,160	-	11	11	215	1,159
Care beginning in first trimester	8,131	2,679	5,320	9	123	97	2,588	5,316
Late or no care	750	77	666	-	7	16	62	665
Percent								
Low birthweight	12.6	7.2	14.9	*	*	*	7.3	14.9
Care beginning in first trimester	74.5	87.0	69.3	*	81.5	60.2	88.4	69.3
Late or no care	6.9	2.5	8.7	*	*	*	2.1	8.7
Mesa, Arizona								
Number								
Low birthweight	335	314	14	2	5	78	237	13
Care beginning in first trimester	4,981	4,703	92	97	89	946	3,759	88
Late or no care	288	268	6	12	2	138	125	6
Percent								
Low birthweight	5.3	5.3	*	*	*	5.3	5.3	*
Care beginning in first trimester	78.9	79.2	69.2	69.8	86.4	64.6	84.0	68.8
Late or no care	4.6	4.5	*	*	*	9.4	2.8	*
Mesquite, Texas								
Number								
Low birthweight	129	106	18	-	5	22	84	18
Care beginning in first trimester	1,496	1,278	150	8	60	216	1,060	150
Late or no care	46	32	12	-	2	8	24	12
Percent								
Low birthweight	7.0	6.8	*	*	*	7.7	6.6	*
Care beginning in first trimester	83.3	84.0	76.9	*	87.0	77.4	85.4	76.9
Late or no care	2.6	2.1	*	*	*	*	1.9	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Miami, Florida								
Number								
Low birthweight	1,452	623	813	7	9	543	109	786
Care beginning in first trimester	11,855	6,899	4,812	24	120	5,997	1,155	4,586
Late or no care	600	286	309	1	4	264	40	292
Percent								
Low birthweight	9.4	7.2	12.0	*	*	7.2	7.9	12.2
Care beginning in first trimester	77.0	80.6	72.1	75.0	84.5	79.5	84.2	72.1
Late or no care	3.9	3.3	4.6	*	*	3.5	2.9	4.6
Milwaukee, Wisconsin								
Number								
Low birthweight	1,094	311	740	8	35	89	223	739
Care beginning in first trimester	8,223	4,424	3,465	81	253	992	3,463	3,443
Late or no care	714	181	485	11	37	81	102	484
Percent								
Low birthweight	9.8	5.8	14.0	*	7.8	6.5	5.6	14.1
Care beginning in first trimester	73.6	82.9	65.7	66.4	56.1	72.3	86.5	65.7
Late or no care	6.4	3.4	9.2	*	8.2	5.9	2.5	9.2
Minneapolis, Minnesota								
Number								
Low birthweight	437	201	179	22	35	22	146	168
Care beginning in first trimester	3,760	2,657	791	104	208	140	1,831	722
Late or no care	366	148	133	43	42	47	89	127
Percent								
Low birthweight	7.6	5.7	12.6	9.1	6.7	6.9	6.1	12.9
Care beginning in first trimester	70.6	79.9	60.0	47.5	45.1	45.5	80.9	59.4
Late or no care	6.9	4.5	10.1	19.6	9.1	15.3	3.9	10.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Mobile, Alabama								
Number								
Low birthweight	327	105	218	-	4	-	105	218
Care beginning in first trimester	2,490	1,364	1,088	3	35	25	1,343	1,084
Late or no care	238	52	181	-	5	7	45	181
Percent								
Low birthweight	9.9	6.8	13.0	*	*	*	6.9	13.0
Care beginning in first trimester	75.8	87.7	64.8	*	72.9	65.8	88.3	64.7
Late or no care	7.2	3.3	10.8	*	*	*	3.0	10.8
Modesto, California								
Number								
Low birthweight	259	216	11	6	26	92	124	11
Care beginning in first trimester	3,035	2,657	100	36	242	1,093	1,573	98
Late or no care	188	155	7	8	18	84	73	7
Percent								
Low birthweight	6.6	6.4	*	*	7.3	6.1	6.5	*
Care beginning in first trimester	76.9	78.2	73.5	61.0	68.2	73.0	82.1	75.4
Late or no care	4.8	4.6	*	*	*	5.6	3.8	*
Montgomery, Alabama								
Number								
Low birthweight	329	90	233	1	5	1	89	233
Care beginning in first trimester	2,556	1,209	1,291	1	55	27	1,184	1,289
Late or no care	172	21	149	-	2	1	20	149
Percent								
Low birthweight	10.1	6.8	12.5	*	*	*	6.9	12.5
Care beginning in first trimester	78.8	91.7	69.7	*	79.7	79.4	91.9	69.7
Late or no care	5.3	1.6	8.0	*	*	*	1.6	8.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Moreno Valley, California								
Number								
Low birthweight	136	90	39	-	7	54	36	38
Care beginning in first trimester	1,874	1,408	329	11	126	733	686	316
Late or no care	120	82	29	-	9	49	33	28
Percent								
Low birthweight	5.8	5.1	9.0	*	*	5.7	4.4	9.1
Care beginning in first trimester	79.5	80.3	76.3	*	79.2	77.4	83.9	75.8
Late or no care	5.1	4.7	6.7	*	*	5.2	4.0	6.7
Nashville-Davidson, Tennessee								
Number								
Low birthweight	745	373	347	4	21	12	361	347
Care beginning in first trimester	7,087	4,800	2,077	11	199	137	4,670	2,074
Late or no care	229	95	125	2	7	11	84	125
Percent								
Low birthweight	9.3	7.1	13.9	*	8.9	*	7.1	13.9
Care beginning in first trimester	88.5	91.1	83.3	*	84.3	70.3	91.9	83.3
Late or no care	2.9	1.8	5.0	*	*	*	1.7	5.0
New Haven, Connecticut								
Number								
Low birthweight	201	64	130	2	5	35	29	117
Care beginning in first trimester	1,217	668	501	5	43	289	361	440
Late or no care	92	32	59	-	1	20	11	51
Percent								
Low birthweight	10.9	6.9	15.3	*	*	7.8	6.5	15.6
Care beginning in first trimester	77.2	82.6	70.6	*	84.3	78.5	87.4	70.5
Late or no care	5.8	4.0	8.3	*	*	5.4	*	8.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
New York, New York								
Number								
Low birthweight	11,258	5,322	5,147	19	770	3,469	1,998	4,763
Care beginning in first trimester	76,311	45,576	23,202	91	7,442	23,905	22,349	21,115
Late or no care	8,935	4,649	3,520	6	760	3,729	1,140	3,096
Percent								
Low birthweight	8.9	7.3	12.5	*	6.7	8.0	6.4	12.7
Care beginning in first trimester	69.1	71.3	64.9	66.4	70.1	63.0	81.0	65.5
Late or no care	8.1	7.3	9.9	*	7.2	9.8	4.1	9.6
Newark, New Jersey								
Number								
Low birthweight	694	174	511	2	7	143	37	500
Care beginning in first trimester	3,573	1,514	2,002	4	53	1,079	471	1,936
Late or no care	639	160	473	4	2	135	29	467
Percent								
Low birthweight	12.8	8.0	16.3	*	*	8.7	6.1	16.4
Care beginning in first trimester	66.7	69.9	64.2	*	81.5	66.2	78.0	64.3
Late or no care	11.9	7.4	15.2	*	*	8.3	4.8	15.5
Newport News city, Virginia								
Number								
Low birthweight	385	183	196	-	6	9	171	196
Care beginning in first trimester	3,469	2,282	1,067	2	118	119	2,158	1,056
Late or no care	140	34	99	1	6	5	29	99
Percent								
Low birthweight	9.0	6.9	13.2	*	*	*	6.9	13.4
Care beginning in first trimester	83.2	88.8	72.8	*	88.7	85.0	89.1	72.7
Late or no care	3.4	1.3	6.8	*	*	*	1.2	6.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Norfolk city, Virginia								
Number								
Low birthweight	450	158	281	-	11	9	150	279
Care beginning in first trimester	3,137	1,710	1,322	8	97	114	1,605	1,311
Late or no care	242	47	185	3	7	2	46	184
Percent								
Low birthweight	10.3	7.5	13.3	*	*	*	7.6	13.3
Care beginning in first trimester	72.6	82.3	63.2	*	74.0	81.4	82.3	63.1
Late or no care	5.6	2.3	8.8	*	*	*	2.4	8.9
Oakland, California								
Number								
Low birthweight	574	142	373	5	54	93	50	370
Care beginning in first trimester	5,377	2,286	2,156	28	907	1,455	845	2,131
Late or no care	339	125	157	3	54	100	20	155
Percent								
Low birthweight	8.9	5.4	13.8	*	5.1	5.4	5.4	13.8
Care beginning in first trimester	83.5	86.6	79.5	75.7	86.4	84.2	91.8	79.5
Late or no care	5.3	4.7	5.8	*	5.1	5.8	2.2	5.8
Oceanside, California								
Number								
Low birthweight	222	168	31	2	21	72	98	31
Care beginning in first trimester	2,767	2,281	262	24	200	808	1,483	254
Late or no care	310	267	28	2	13	190	79	28
Percent								
Low birthweight	5.9	5.4	8.8	*	7.4	5.4	5.5	9.0
Care beginning in first trimester	73.2	73.4	74.4	66.7	70.4	61.1	82.5	73.8
Late or no care	8.2	8.6	8.0	*	*	14.4	4.4	8.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Oklahoma City, Oklahoma								
Number								
Low birthweight	551	354	170	15	12	43	311	170
Care beginning in first trimester	4,614	3,489	764	165	196	294	3,202	757
Late or no care	290	157	100	25	8	44	114	100
Percent								
Low birthweight	7.8	7.0	12.0	*	*	5.3	7.4	12.0
Care beginning in first trimester	79.5	83.2	66.9	69.0	84.1	64.2	85.5	66.8
Late or no care	5.0	3.7	8.8	10.5	*	9.6	3.0	8.8
Omaha, Nebraska								
Number								
Low birthweight	405	291	110	3	1	30	255	109
Care beginning in first trimester	4,534	3,738	671	40	85	298	3,392	667
Late or no care	170	102	59	6	3	26	72	57
Percent								
Low birthweight	7.5	6.8	11.4	*	*	7.4	6.6	11.4
Care beginning in first trimester	83.8	86.9	70.1	69.0	86.7	73.0	88.5	70.2
Late or no care	3.1	2.4	6.2	*	*	6.4	1.9	6.0
Ontario, California								
Number								
Low birthweight	221	193	20	1	7	127	60	20
Care beginning in first trimester	2,508	2,240	169	8	91	1,624	601	165
Late or no care	248	221	17	-	10	172	37	17
Percent								
Low birthweight	6.1	5.9	9.1	*	*	5.2	7.7	9.4
Care beginning in first trimester	69.4	69.0	77.2	*	68.9	66.9	77.6	77.5
Late or no care	6.9	6.8	*	*	*	7.1	4.8	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Orange, California								
Number								
Low birthweight	113	93	-	-	20	42	51	-
Care beginning in first trimester	1,897	1,686	24	8	179	811	886	22
Late or no care	110	105	1	1	3	75	28	1
Percent								
Low birthweight	4.8	4.4	*	*	10.1	3.7	5.1	*
Care beginning in first trimester	80.4	79.4	82.8	*	90.4	71.1	89.2	81.5
Late or no care	4.7	4.9	*	*	*	6.6	2.8	*
Orlando, Florida								
Number								
Low birthweight	515	254	244	-	17	85	172	241
Care beginning in first trimester	5,049	3,447	1,379	11	212	898	2,566	1,365
Late or no care	202	91	103	1	7	33	59	102
Percent								
Low birthweight	8.4	6.4	12.8	*	*	7.7	5.9	12.8
Care beginning in first trimester	82.9	87.1	73.8	*	85.5	82.2	88.9	73.7
Late or no care	3.3	2.3	5.5	*	*	3.0	2.0	5.5
Orleans, coext. with New Orleans city, Louisiana								
Number								
Low birthweight	980	78	891	-	11	13	67	889
Care beginning in first trimester	6,052	1,316	4,573	8	155	135	1,200	4,563
Late or no care	466	35	424	-	7	10	26	424
Percent								
Low birthweight	12.1	5.3	13.9	*	*	*	5.1	13.9
Care beginning in first trimester	75.0	89.5	71.7	*	74.9	77.1	91.0	71.6
Late or no care	5.8	2.4	6.6	*	*	*	2.0	6.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Overland Park, Kansas								
Number								
Low birthweight	81	73	4	1	3	1	71	4
Care beginning in first trimester	1,744	1,658	40	6	40	47	1,590	39
Late or no care	18	16	2	-	-	3	13	2
Percent								
Low birthweight	4.4	4.2	*	*	*	*	4.3	*
Care beginning in first trimester	94.6	95.0	81.6	*	93.0	81.0	95.6	81.3
Late or no care	*	*	*	*	*	*	*	*
Oxnard, California								
Number								
Low birthweight	223	197	18	1	7	138	35	15
Care beginning in first trimester	3,095	2,807	87	14	187	2,067	421	80
Late or no care	159	145	7	-	7	122	9	6
Percent								
Low birthweight	5.9	5.7	*	*	*	5.3	7.5	*
Care beginning in first trimester	81.7	81.5	79.1	*	85.4	80.0	90.0	78.4
Late or no care	4.2	4.2	*	*	*	4.7	*	*
Pasadena, California								
Number								
Low birthweight	204	139	48	-	17	89	51	48
Care beginning in first trimester	2,093	1,547	310	7	229	852	700	304
Late or no care	96	68	25	1	2	53	15	25
Percent								
Low birthweight	7.8	7.1	12.2	*	*	7.4	6.6	12.5
Care beginning in first trimester	80.1	78.8	79.3	*	92.3	70.9	91.1	79.2
Late or no care	3.7	3.5	6.4	*	*	4.4	*	6.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Pasadena, Texas								
Number								
Low birthweight	177	168	6	1	2	92	76	6
Care beginning in first trimester	2,020	1,969	25	7	19	1,085	883	25
Late or no care	97	92	2	1	2	59	33	2
Percent								
Low birthweight	6.9	6.7	*	*	*	6.3	7.2	*
Care beginning in first trimester	79.4	79.5	75.8	*	*	75.5	84.9	80.6
Late or no care	3.8	3.7	*	*	*	4.1	3.2	*
Paterson, New Jersey								
Number								
Low birthweight	332	147	180	-	5	119	31	175
Care beginning in first trimester	1,980	1,313	635	-	32	1,012	345	588
Late or no care	206	103	100	-	3	87	21	93
Percent								
Low birthweight	11.0	7.7	16.9	*	*	8.0	6.5	17.6
Care beginning in first trimester	69.9	72.6	64.8	*	74.4	71.4	76.0	64.5
Late or no care	7.3	5.7	10.2	*	*	6.1	4.6	10.2
Peoria, Illinois								
Number								
Low birthweight	192	99	92	-	1	-	99	92
Care beginning in first trimester	1,609	1,098	469	2	40	43	1,059	465
Late or no care	82	25	56	-	1	3	22	56
Percent								
Low birthweight	9.6	7.9	13.3	*	*	*	8.2	13.4
Care beginning in first trimester	80.7	87.5	67.5	*	93.0	81.1	87.7	67.5
Late or no care	4.1	2.0	8.1	*	*	*	1.8	8.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Philadelphia, coext. with Phila. city, Pennsylvania								
Number								
Low birthweight	2,713	805	1,809	4	95	261	561	1,789
Care beginning in first trimester	16,426	8,604	7,052	33	737	1,692	7,003	6,955
Late or no care	2,073	455	1,542	4	72	185	273	1,535
Percent								
Low birthweight	11.2	7.5	14.8	*	8.1	10.1	6.8	14.8
Care beginning in first trimester	70.9	82.0	61.2	64.7	67.1	67.7	86.4	61.1
Late or no care	9.0	4.3	13.4	*	6.6	7.4	3.4	13.5
Phoenix, Arizona								
Number								
Low birthweight	1,536	1,314	158	39	25	637	678	156
Care beginning in first trimester	15,091	13,747	731	326	287	5,288	8,469	710
Late or no care	2,069	1,850	102	85	32	1,263	584	100
Percent								
Low birthweight	6.9	6.6	13.8	6.4	6.5	6.8	6.4	14.0
Care beginning in first trimester	70.3	70.9	66.1	54.9	77.4	58.2	81.9	65.7
Late or no care	9.6	9.5	9.2	14.3	8.6	13.9	5.7	9.3
Pittsburgh, Pennsylvania								
Number								
Low birthweight	525	206	311	3	5	3	200	300
Care beginning in first trimester	3,853	2,436	1,285	4	128	37	2,390	1,267
Late or no care	226	60	161	1	4	1	58	153
Percent								
Low birthweight	11.1	7.5	17.1	*	*	*	7.5	16.9
Care beginning in first trimester	83.1	89.8	72.6	*	85.9	77.1	90.1	73.2
Late or no care	4.9	2.2	9.1	*	*	*	2.2	8.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Plano, Texas								
Number								
Low birthweight	179	154	11	-	14	21	133	11
Care beginning in first trimester	2,514	2,205	82	6	221	206	1,997	82
Late or no care	49	39	4	-	6	17	22	4
Percent								
Low birthweight	6.5	6.4	*	*	*	7.3	6.2	*
Care beginning in first trimester	93.1	93.3	83.7	*	94.8	75.2	95.6	84.5
Late or no care	1.8	1.7	*	*	*	*	1.1	*
Pomona, California								
Number								
Low birthweight	226	175	37	-	14	153	22	37
Care beginning in first trimester	2,588	2,199	243	10	136	1,890	315	237
Late or no care	224	205	15	-	4	185	21	14
Percent								
Low birthweight	6.2	5.6	11.6	*	*	5.6	5.4	11.9
Care beginning in first trimester	71.5	70.6	76.4	*	78.2	69.7	77.2	76.5
Late or no care	6.2	6.6	*	*	*	6.8	5.1	*
Portland, Oregon								
Number								
Low birthweight	441	332	74	5	30	38	296	74
Care beginning in first trimester	5,619	4,624	486	74	435	419	4,215	480
Late or no care	324	244	45	7	28	40	205	44
Percent								
Low birthweight	6.1	5.7	11.1	*	4.8	6.2	5.7	11.2
Care beginning in first trimester	78.0	79.6	72.8	67.9	69.9	68.7	80.9	72.7
Late or no care	4.5	4.2	6.7	*	4.5	6.6	3.9	6.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Portsmouth city, Virginia								
Number								
Low birthweight	204	55	149	-	-	1	54	149
Care beginning in first trimester	1,304	631	661	-	12	19	614	658
Late or no care	99	14	82	-	3	-	14	82
Percent								
Low birthweight	11.5	7.4	14.9	*	*	*	7.5	14.9
Care beginning in first trimester	73.9	85.5	65.8	*	*	*	85.9	65.7
Late or no care	5.6	*	8.2	*	*	*	*	8.2
Providence, Rhode Island								
Number								
Low birthweight	218	134	63	6	15	73	47	42
Care beginning in first trimester	1,743	1,309	281	35	118	659	530	204
Late or no care	47	26	15	2	4	13	11	7
Percent								
Low birthweight	8.5	7.4	13.8	*	*	7.5	6.9	13.6
Care beginning in first trimester	83.7	86.2	77.4	77.8	75.2	85.5	87.3	78.8
Late or no care	2.3	1.7	*	*	*	*	*	*
Queens borough, Queens county, New York								
Number								
Low birthweight	2,614	1,212	1,013	4	385	706	495	970
Care beginning in first trimester	21,774	12,253	5,804	29	3,688	5,937	6,214	5,553
Late or no care	2,649	1,628	584	2	435	1,273	345	531
Percent								
Low birthweight	7.9	6.5	11.9	*	6.8	6.6	6.2	11.9
Care beginning in first trimester	71.8	71.3	73.9	72.5	70.2	61.6	83.5	74.1
Late or no care	8.7	9.5	7.4	*	8.3	13.2	4.6	7.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Raleigh, North Carolina								
Number								
Low birthweight	315	126	180	2	7	5	121	180
Care beginning in first trimester	3,242	2,068	1,042	7	125	138	1,934	1,042
Late or no care	114	28	84	1	1	9	19	84
Percent								
Low birthweight	8.3	5.6	13.1	*	*	*	5.8	13.1
Care beginning in first trimester	86.0	91.8	76.3	*	89.3	76.2	93.1	76.4
Late or no care	3.0	1.2	6.2	*	*	*	*	6.2
Rancho Cucamonga, California								
Number								
Low birthweight	90	67	13	-	10	21	46	10
Care beginning in first trimester	1,333	1,129	97	5	102	377	750	96
Late or no care	68	55	8	-	5	22	31	8
Percent								
Low birthweight	5.4	4.8	*	*	*	4.2	5.2	*
Care beginning in first trimester	80.9	81.1	74.6	*	85.0	75.7	84.2	75.0
Late or no care	4.1	4.0	*	*	*	4.4	3.5	*
Reno, Nevada								
Number								
Low birthweight	215	184	3	5	23	46	138	3
Care beginning in first trimester	2,418	2,157	65	41	155	603	1,562	62
Late or no care	77	65	2	3	7	27	39	2
Percent								
Low birthweight	7.5	7.2	*	*	12.6	5.9	7.7	*
Care beginning in first trimester	84.6	84.4	87.8	83.7	85.6	77.0	87.7	87.3
Late or no care	2.7	2.5	*	*	*	3.4	2.2	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Richmond city, Virginia								
Number								
Low birthweight	392	57	334	-	1	2	56	333
Care beginning in first trimester	2,257	762	1,464	1	30	30	740	1,458
Late or no care	157	16	140	-	1	2	14	140
Percent								
Low birthweight	13.6	6.8	16.7	*	*	*	6.9	16.7
Care beginning in first trimester	78.8	91.1	73.4	*	85.7	66.7	92.4	73.4
Late or no care	5.5	*	7.0	*	*	*	*	7.0
Riverside, California								
Number								
Low birthweight	381	302	56	4	19	175	128	56
Care beginning in first trimester	4,607	3,985	365	34	223	2,132	1,867	356
Late or no care	443	380	35	4	24	275	107	34
Percent								
Low birthweight	6.3	5.7	11.6	*	*	5.9	5.6	11.9
Care beginning in first trimester	75.7	75.6	75.7	70.8	76.6	71.3	81.2	75.6
Late or no care	7.3	7.2	7.3	*	8.2	9.2	4.7	7.2
Rochester, New York								
Number								
Low birthweight	431	173	251	-	7	43	110	216
Care beginning in first trimester	3,120	1,915	1,117	5	83	349	1,186	884
Late or no care	164	66	88	1	9	19	40	78
Percent								
Low birthweight	9.7	6.9	13.8	*	*	8.1	7.4	14.6
Care beginning in first trimester	77.6	83.7	69.4	*	72.8	74.1	86.0	67.9
Late or no care	4.1	2.9	5.5	*	*	*	2.9	6.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Rockford, Illinois								
Number								
Low birthweight	207	125	81	-	1	10	115	81
Care beginning in first trimester	1,957	1,592	329	-	36	171	1,424	324
Late or no care	148	91	50	1	6	26	65	49
Percent								
Low birthweight	8.1	6.2	16.1	*	*	*	6.6	16.3
Care beginning in first trimester	76.4	79.3	65.3	*	72.0	64.0	81.7	65.1
Late or no care	5.8	4.5	9.9	*	*	9.7	3.7	9.8
Sacramento, California								
Number								
Low birthweight	791	413	242	8	128	149	275	237
Care beginning in first trimester	7,587	5,009	1,269	86	1,223	1,600	3,481	1,239
Late or no care	1,041	666	181	29	165	295	384	177
Percent								
Low birthweight	7.0	5.7	12.6	*	6.2	5.7	5.8	12.6
Care beginning in first trimester	66.7	69.4	65.9	57.0	59.1	61.0	74.0	65.7
Late or no care	9.2	9.2	9.4	19.2	8.0	11.2	8.2	9.4
Salem, Oregon								
Number								
Low birthweight	137	131	-	2	4	21	111	-
Care beginning in first trimester	1,932	1,813	17	42	60	304	1,515	17
Late or no care	115	103	2	1	9	42	61	2
Percent								
Low birthweight	5.6	5.7	*	*	*	4.2	6.1	*
Care beginning in first trimester	79.1	79.3	*	77.8	73.2	62.2	83.9	*
Late or no care	4.7	4.5	*	*	*	8.6	3.4	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Salinas, California								
Number								
Low birthweight	182	165	2	3	12	138	29	2
Care beginning in first trimester	2,259	2,078	34	10	137	1,553	529	29
Late or no care	288	276	2	-	10	243	33	2
Percent								
Low birthweight	5.4	5.3	*	*	*	5.5	4.5	*
Care beginning in first trimester	66.8	66.3	79.1	*	71.4	62.4	81.4	76.3
Late or no care	8.5	8.8	*	*	*	9.8	5.1	*
Salt Lake City, Utah								
Number								
Low birthweight	411	362	9	10	30	73	290	9
Care beginning in first trimester	5,102	4,769	46	53	234	534	4,239	45
Late or no care	294	239	7	14	34	91	151	7
Percent								
Low birthweight	6.5	6.2	*	*	8.2	8.4	5.9	*
Care beginning in first trimester	80.9	82.8	59.0	52.5	63.9	61.7	86.4	61.6
Late or no care	4.7	4.1	*	*	9.3	10.5	3.1	*
San Antonio, Texas								
Number								
Low birthweight	1,484	1,271	191	1	21	934	337	188
Care beginning in first trimester	17,134	15,748	1,087	27	272	10,633	5,133	1,065
Late or no care	680	613	57	2	8	524	92	56
Percent								
Low birthweight	7.1	6.6	13.9	*	6.6	6.9	5.9	14.0
Care beginning in first trimester	82.3	82.4	79.8	87.1	86.1	79.0	90.5	80.0
Late or no care	3.3	3.2	4.2	*	*	3.9	1.6	4.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
San Bernardino, California								
Number								
Low birthweight	369	241	99	6	23	159	87	96
Care beginning in first trimester	2,966	2,331	483	18	134	1,524	818	475
Late or no care	586	485	77	5	19	366	119	77
Percent								
Low birthweight	7.8	6.5	13.1	*	11.4	6.1	7.5	12.9
Care beginning in first trimester	62.9	62.5	64.1	*	66.7	58.7	70.9	63.9
Late or no care	12.4	13.0	10.2	*	*	14.1	10.3	10.4
San Diego, California								
Number								
Low birthweight	1,184	753	220	1	210	379	375	217
Care beginning in first trimester	15,573	11,645	1,553	49	2,326	5,195	6,506	1,514
Late or no care	1,419	1,172	143	3	101	979	181	143
Percent								
Low birthweight	5.9	5.0	10.8	*	7.4	4.8	5.2	10.9
Care beginning in first trimester	77.8	77.4	76.0	71.0	81.4	66.2	89.4	76.1
Late or no care	7.1	7.8	7.0	*	3.5	12.5	2.5	7.2
San Francisco, coext. with San Fran. city, Califor								
Number								
Low birthweight	611	276	158	3	174	105	172	158
Care beginning in first trimester	7,245	3,867	749	21	2,608	1,441	2,453	727
Late or no care	355	149	113	4	89	98	52	113
Percent								
Low birthweight	7.1	6.1	15.0	*	5.8	5.5	6.6	15.4
Care beginning in first trimester	84.3	85.9	71.3	72.4	86.4	75.5	93.7	70.8
Late or no care	4.1	3.3	10.8	*	2.9	5.1	2.0	11.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
San Jose, California								
Number								
Low birthweight	981	651	59	6	265	384	269	59
Care beginning in first trimester	12,372	8,819	456	59	3,038	4,641	4,231	440
Late or no care	1,093	764	38	9	282	605	162	36
Percent								
Low birthweight	6.2	5.8	10.0	*	6.9	5.9	5.6	10.4
Care beginning in first trimester	78.4	78.5	77.6	71.1	78.6	71.2	88.3	77.3
Late or no care	6.9	6.8	6.5	*	7.3	9.3	3.4	6.3
Santa Ana, California								
Number								
Low birthweight	501	463	10	2	26	416	44	10
Care beginning in first trimester	7,165	6,639	64	9	453	5,986	653	62
Late or no care	479	452	6	1	20	425	24	6
Percent								
Low birthweight	5.3	5.3	*	*	4.6	5.2	5.8	*
Care beginning in first trimester	76.5	76.1	85.3	*	80.5	75.2	86.5	84.9
Late or no care	5.1	5.2	*	*	3.6	5.3	3.2	*
Santa Clarita, California								
Number								
Low birthweight	95	75	15	1	4	44	31	15
Care beginning in first trimester	1,355	1,179	91	9	76	560	623	90
Late or no care	61	53	3	-	5	36	17	3
Percent								
Low birthweight	5.9	5.4	*	*	*	6.1	4.6	*
Care beginning in first trimester	84.2	84.5	80.5	*	82.6	77.3	92.0	81.1
Late or no care	3.8	3.8	*	*	*	5.0	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Santa Rosa, California								
Number								
Low birthweight	153	138	5	3	7	48	89	5
Care beginning in first trimester	2,037	1,854	53	34	96	567	1,291	50
Late or no care	138	120	3	12	3	59	62	3
Percent								
Low birthweight	6.4	6.4	*	*	*	6.6	6.1	*
Care beginning in first trimester	85.0	85.6	88.3	58.6	85.7	78.2	89.2	87.7
Late or no care	5.8	5.5	*	*	*	8.1	4.3	*
Savannah, Georgia								
Number								
Low birthweight	327	90	234	1	2	3	87	234
Care beginning in first trimester	2,073	941	1,098	3	31	39	905	1,095
Late or no care	96	13	80	-	3	1	12	80
Percent								
Low birthweight	11.9	8.2	14.5	*	*	*	8.3	14.5
Care beginning in first trimester	75.6	86.2	68.2	*	79.5	78.0	86.6	68.2
Late or no care	3.5	*	5.0	*	*	*	*	5.0
Scottsdale, Arizona								
Number								
Low birthweight	139	129	5	4	1	18	111	5
Care beginning in first trimester	1,722	1,633	21	30	38	158	1,477	20
Late or no care	56	49	2	4	1	18	31	2
Percent								
Low birthweight	7.1	7.0	*	*	*	*	6.9	*
Care beginning in first trimester	88.7	89.3	80.8	66.7	90.5	67.2	92.5	80.0
Late or no care	2.9	2.7	*	*	*	*	1.9	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Seattle, Washington								
Number								
Low birthweight	416	236	110	6	64	30	196	99
Care beginning in first trimester	4,962	3,622	517	62	761	277	3,277	489
Late or no care	290	147	51	12	80	32	112	50
Percent								
Low birthweight	6.0	5.0	13.3	*	5.1	6.9	4.8	12.9
Care beginning in first trimester	83.2	87.4	73.6	65.3	74.2	75.5	88.7	73.3
Late or no care	4.9	3.5	7.3	*	7.8	8.7	3.0	7.5
Shreveport, Louisiana								
Number								
Low birthweight	345	100	243	-	2	1	99	243
Care beginning in first trimester	2,380	1,166	1,179	4	31	28	1,139	1,179
Late or no care	186	20	166	-	-	2	19	165
Percent								
Low birthweight	11.1	7.8	13.8	*	*	*	7.9	13.8
Care beginning in first trimester	77.2	90.8	67.2	*	81.6	73.7	91.3	67.3
Late or no care	6.0	1.6	9.5	*	*	*	*	9.4
Simi Valley, California								
Number								
Low birthweight	96	88	1	-	7	24	60	1
Care beginning in first trimester	1,549	1,418	16	9	106	327	1,077	15
Late or no care	25	22	1	-	2	11	11	1
Percent								
Low birthweight	5.6	5.6	*	*	*	6.1	5.2	*
Care beginning in first trimester	90.2	90.3	*	*	91.4	83.4	92.6	*
Late or no care	1.5	1.4	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Sioux Falls, South Dakota								
Number								
Low birthweight	108	101	3	-	4	3	98	3
Care beginning in first trimester	1,549	1,467	30	26	26	22	1,446	30
Late or no care	34	20	5	7	2	-	20	5
Percent								
Low birthweight	6.2	6.2	*	*	*	*	6.1	*
Care beginning in first trimester	88.7	90.6	62.5	66.7	66.7	88.0	90.6	62.5
Late or no care	1.9	1.2	*	*	*	*	1.3	*
South Bend, Indiana								
Number								
Low birthweight	173	99	72	-	2	10	89	72
Care beginning in first trimester	1,352	1,028	307	2	15	95	934	307
Late or no care	105	55	50	-	-	23	33	49
Percent								
Low birthweight	9.4	7.6	14.1	*	*	*	7.7	14.1
Care beginning in first trimester	73.7	79.1	60.2	*	*	60.9	81.4	60.4
Late or no care	5.7	4.2	9.8	*	*	14.7	2.9	9.6
Spokane, Washington								
Number								
Low birthweight	199	181	4	6	8	1	180	4
Care beginning in first trimester	2,846	2,693	36	49	68	45	2,649	36
Late or no care	66	55	6	3	2	2	53	6
Percent								
Low birthweight	5.9	5.8	*	*	*	*	5.8	*
Care beginning in first trimester	87.6	88.4	73.5	70.0	79.1	75.0	88.7	73.5
Late or no care	2.0	1.8	*	*	*	*	1.8	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Springfield, Illinois								
Number								
Low birthweight	145	80	65	-	-	1	79	65
Care beginning in first trimester	1,442	1,193	228	2	19	16	1,178	227
Late or no care	72	32	39	-	1	-	32	39
Percent								
Low birthweight	8.3	5.9	16.8	*	*	*	5.9	16.9
Care beginning in first trimester	83.6	89.5	62.0	*	*	*	89.4	61.9
Late or no care	4.2	2.4	10.6	*	*	*	2.4	10.6
Springfield, Massachusetts								
Number								
Low birthweight	184	109	70	-	5	66	44	67
Care beginning in first trimester	1,756	1,335	391	5	25	518	817	388
Late or no care	104	72	28	1	3	44	29	27
Percent								
Low birthweight	7.9	6.4	12.3	*	*	9.0	4.5	12.0
Care beginning in first trimester	75.5	78.3	69.0	*	53.2	70.5	83.5	69.7
Late or no care	4.5	4.2	4.9	*	*	6.0	3.0	4.8
Springfield, Missouri								
Number								
Low birthweight	143	127	10	2	4	1	126	10
Care beginning in first trimester	1,785	1,693	57	4	31	26	1,667	57
Late or no care	58	51	5	-	2	3	48	5
Percent								
Low birthweight	6.7	6.3	*	*	*	*	6.4	*
Care beginning in first trimester	83.6	84.3	77.0	*	77.5	61.9	84.7	77.0
Late or no care	2.7	2.5	*	*	*	*	2.4	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
St. Louis city, Missouri								
Number								
Low birthweight	772	170	591	-	11	8	163	590
Care beginning in first trimester	4,276	1,732	2,451	8	85	56	1,679	2,447
Late or no care	452	59	383	1	9	4	56	382
Percent								
Low birthweight	12.8	8.4	15.3	*	*	*	8.4	15.3
Care beginning in first trimester	74.9	88.5	67.4	*	81.0	76.7	88.9	67.4
Late or no care	7.9	3.0	10.5	*	*	*	3.0	10.5
St. Paul, Minnesota								
Number								
Low birthweight	345	188	101	5	51	26	158	98
Care beginning in first trimester	3,169	2,360	392	47	370	224	2,036	377
Late or no care	302	108	69	6	119	30	76	66
Percent								
Low birthweight	7.2	6.2	14.5	*	5.4	7.1	6.3	14.6
Care beginning in first trimester	70.5	81.3	61.0	65.3	42.3	65.3	83.4	60.7
Late or no care	6.7	3.7	10.7	*	13.6	8.7	3.1	10.6
St. Petersburg, Florida								
Number								
Low birthweight	319	149	155	-	15	6	143	155
Care beginning in first trimester	2,693	1,911	682	8	92	92	1,820	681
Late or no care	149	56	83	-	10	5	51	83
Percent								
Low birthweight	9.5	6.8	15.0	*	*	*	6.9	15.0
Care beginning in first trimester	80.4	87.6	66.0	*	74.8	81.4	88.0	65.9
Late or no care	4.5	2.6	8.0	*	*	*	2.5	8.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Stamford, Connecticut								
Number								
Low birthweight	137	97	36	-	4	36	59	36
Care beginning in first trimester	1,366	1,037	271	-	58	219	807	270
Late or no care	68	38	28	-	2	25	13	27
Percent								
Low birthweight	7.8	7.5	9.2	*	*	9.9	6.5	9.3
Care beginning in first trimester	81.6	84.6	71.1	*	87.9	62.6	93.3	71.2
Late or no care	4.1	3.1	7.3	*	*	7.1	*	7.1
Staten Island borough, Richmond county, New York								
Number								
Low birthweight	466	327	118	1	20	67	261	114
Care beginning in first trimester	4,845	4,057	562	8	218	573	3,464	539
Late or no care	190	95	85	-	10	33	63	83
Percent								
Low birthweight	7.7	6.7	13.2	*	7.2	8.3	6.5	13.3
Care beginning in first trimester	84.9	88.1	68.0	*	81.6	75.8	90.3	68.1
Late or no care	3.3	2.1	10.3	*	*	4.4	1.6	10.5
Sterling Heights, Michigan								
Number								
Low birthweight	92	90	-	1	1	3	82	-
Care beginning in first trimester	1,342	1,294	12	3	33	20	1,183	11
Late or no care	14	13	1	-	-	-	11	1
Percent								
Low birthweight	6.3	6.4	*	*	*	*	6.4	*
Care beginning in first trimester	94.3	94.2	*	*	100.0	100.0	94.3	*
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Stockton, California								
Number								
Low birthweight	359	206	68	1	84	117	97	66
Care beginning in first trimester	3,769	2,532	393	28	816	1,392	1,181	384
Late or no care	433	315	68	8	42	202	121	66
Percent								
Low birthweight	6.7	5.8	11.4	*	7.1	5.5	6.4	11.3
Care beginning in first trimester	70.1	71.3	66.2	57.1	69.0	65.9	78.4	66.1
Late or no care	8.1	8.9	11.4	*	3.6	9.6	8.0	11.4
Sunnyvale, California								
Number								
Low birthweight	115	62	8	2	43	26	37	8
Care beginning in first trimester	1,749	1,129	61	3	556	322	804	60
Late or no care	100	49	3	-	48	27	22	2
Percent								
Low birthweight	5.6	4.7	*	*	6.5	6.0	4.2	*
Care beginning in first trimester	85.0	85.5	85.9	*	84.4	74.7	90.8	87.0
Late or no care	4.9	3.7	*	*	7.3	6.3	2.5	*
Syracuse, New York								
Number								
Low birthweight	226	114	105	1	6	13	101	103
Care beginning in first trimester	1,950	1,260	593	23	74	106	1,148	570
Late or no care	108	47	55	4	2	6	41	54
Percent								
Low birthweight	8.9	7.5	12.0	*	*	*	7.3	12.1
Care beginning in first trimester	78.9	84.0	70.1	60.5	84.1	75.7	84.8	69.7
Late or no care	4.4	3.1	6.5	*	*	*	3.0	6.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Tacoma, Washington								
Number								
Low birthweight	204	137	36	6	25	15	116	35
Care beginning in first trimester	1,883	1,437	221	45	180	109	1,325	218
Late or no care	127	84	15	13	15	11	73	15
Percent								
Low birthweight	7.0	6.5	9.5	*	7.6	*	6.3	9.5
Care beginning in first trimester	76.7	80.0	72.5	60.0	64.3	62.6	81.6	73.2
Late or no care	5.2	4.7	*	*	*	*	4.5	*
Tallahassee, Florida								
Number								
Low birthweight	175	74	96	-	5	6	69	95
Care beginning in first trimester	1,577	903	621	1	52	42	863	619
Late or no care	46	8	37	-	1	1	7	37
Percent								
Low birthweight	9.6	7.6	12.2	*	*	*	7.4	12.1
Care beginning in first trimester	86.4	92.6	78.9	*	83.9	87.5	92.9	78.9
Late or no care	2.5	*	4.7	*	*	*	*	4.7
Tampa, Florida								
Number								
Low birthweight	638	330	286	6	16	79	254	282
Care beginning in first trimester	5,956	4,197	1,580	15	164	1,155	3,078	1,549
Late or no care	257	109	145	-	3	38	72	143
Percent								
Low birthweight	8.8	6.8	12.8	*	*	5.7	7.2	12.9
Care beginning in first trimester	82.0	87.0	71.1	*	85.4	84.1	88.0	71.1
Late or no care	3.5	2.3	6.5	*	*	2.8	2.1	6.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Tempe, Arizona								
Number								
Low birthweight	136	110	15	2	9	33	78	15
Care beginning in first trimester	1,650	1,456	57	37	100	349	1,112	57
Late or no care	101	88	3	5	5	54	36	3
Percent								
Low birthweight	6.6	6.1	*	*	*	6.3	6.1	*
Care beginning in first trimester	81.3	81.7	75.0	69.8	84.0	67.9	87.3	75.0
Late or no care	5.0	4.9	*	*	*	10.5	2.8	*
Thousand Oaks, California								
Number								
Low birthweight	78	74	-	-	4	15	58	-
Care beginning in first trimester	1,279	1,198	10	6	65	261	930	8
Late or no care	22	21	-	-	1	16	4	-
Percent								
Low birthweight	5.5	5.6	*	*	*	*	6.0	*
Care beginning in first trimester	90.9	91.1	*	*	90.3	77.0	96.3	*
Late or no care	1.6	1.6	*	*	*	*	*	*
Toledo, Ohio								
Number								
Low birthweight	471	294	172	2	3	32	262	172
Care beginning in first trimester	4,635	3,538	1,028	9	60	263	3,282	1,017
Late or no care	193	86	105	1	1	16	70	105
Percent								
Low birthweight	8.6	7.4	12.1	*	*	9.4	7.2	12.2
Care beginning in first trimester	84.8	88.9	72.8	*	93.8	77.1	90.0	72.5
Late or no care	3.5	2.2	7.4	*	*	*	1.9	7.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Topeka, Kansas								
Number								
Low birthweight	162	111	43	8	-	19	95	41
Care beginning in first trimester	1,621	1,337	225	40	19	147	1,180	221
Late or no care	33	25	8	-	-	4	22	7
Percent								
Low birthweight	9.0	7.5	16.5	*	*	*	7.3	16.0
Care beginning in first trimester	89.7	90.3	86.2	90.9	*	86.5	90.6	86.3
Late or no care	1.8	1.7	*	*	*	*	1.7	*
Torrance, California								
Number								
Low birthweight	156	102	12	1	41	50	52	12
Care beginning in first trimester	2,110	1,431	111	7	561	585	862	108
Late or no care	62	49	2	-	11	32	17	2
Percent								
Low birthweight	6.4	6.1	*	*	6.6	6.7	5.5	*
Care beginning in first trimester	86.7	85.4	84.7	*	90.9	78.2	91.3	84.4
Late or no care	2.5	2.9	*	*	*	4.3	*	*
Tucson, Arizona								
Number								
Low birthweight	648	579	36	16	17	291	293	33
Care beginning in first trimester	5,817	5,313	203	144	157	2,491	2,866	188
Late or no care	703	653	22	17	11	488	169	22
Percent								
Low birthweight	7.7	7.5	12.2	*	*	7.2	7.9	12.0
Care beginning in first trimester	68.9	68.9	69.0	67.9	70.4	61.5	76.8	68.1
Late or no care	8.3	8.5	7.5	*	*	12.0	4.5	8.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Tulsa, Oklahoma								
Number								
Low birthweight	447	282	139	24	2	18	264	138
Care beginning in first trimester	4,322	3,314	678	251	79	218	3,101	676
Late or no care	347	204	104	35	4	25	179	104
Percent								
Low birthweight	7.5	6.5	12.5	6.0	*	*	6.6	12.4
Care beginning in first trimester	73.8	77.8	61.9	64.0	72.5	66.7	78.7	61.8
Late or no care	5.9	4.8	9.5	8.9	*	7.6	4.5	9.5
Vallejo, California								
Number								
Low birthweight	136	46	47	-	43	17	30	47
Care beginning in first trimester	1,241	602	277	11	351	217	407	271
Late or no care	171	77	44	2	48	25	53	44
Percent								
Low birthweight	7.4	5.3	10.4	*	8.6	*	5.3	10.5
Care beginning in first trimester	67.8	69.7	61.0	*	70.3	65.6	71.8	60.6
Late or no care	9.3	8.9	9.7	*	9.6	7.6	9.3	9.8
Virginia Beach city, Virginia								
Number								
Low birthweight	478	289	161	2	26	18	272	160
Care beginning in first trimester	5,610	4,354	981	21	254	183	4,183	972
Late or no care	158	80	65	1	12	7	73	65
Percent								
Low birthweight	7.2	5.8	12.1	*	8.0	*	5.7	12.2
Care beginning in first trimester	84.1	87.2	73.8	91.3	77.9	79.6	87.5	73.7
Late or no care	2.4	1.6	4.9	*	*	*	1.5	4.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Waco, Texas								
Number								
Low birthweight	197	109	88	-	-	40	69	88
Care beginning in first trimester	1,529	1,191	326	-	12	358	836	322
Late or no care	197	129	68	-	-	76	53	68
Percent								
Low birthweight	8.4	6.2	15.2	*	*	6.1	6.2	15.3
Care beginning in first trimester	65.1	68.0	56.1	*	*	55.1	75.5	56.0
Late or no care	8.4	7.4	11.7	*	*	11.7	4.8	11.8
Warren, Michigan								
Number								
Low birthweight	122	116	4	-	2	3	99	4
Care beginning in first trimester	1,569	1,494	20	8	47	24	1,387	19
Late or no care	38	36	2	-	-	1	32	2
Percent								
Low birthweight	6.8	6.9	*	*	*	*	6.4	*
Care beginning in first trimester	90.1	90.3	80.0	*	87.0	92.3	90.6	*
Late or no care	2.2	2.2	*	*	*	*	2.1	*
Waterbury, Connecticut								
Number								
Low birthweight	189	130	54	1	4	54	75	51
Care beginning in first trimester	1,146	954	168	6	18	243	706	160
Late or no care	145	98	44	-	3	60	38	43
Percent								
Low birthweight	10.8	9.5	15.9	*	*	11.7	8.3	15.6
Care beginning in first trimester	67.5	71.3	51.9	*	*	54.7	79.2	51.3
Late or no care	8.5	7.3	13.6	*	*	13.5	4.3	13.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Wichita, Kansas								
Number								
Low birthweight	432	316	98	6	12	23	292	98
Care beginning in first trimester	4,905	4,104	553	44	204	285	3,816	549
Late or no care	123	76	36	3	8	20	54	35
Percent								
Low birthweight	7.5	6.8	12.9	*	*	5.9	6.9	13.0
Care beginning in first trimester	85.8	88.2	73.1	74.6	81.9	73.6	89.6	73.1
Late or no care	2.2	1.6	4.8	*	*	5.2	1.3	4.7
Winston-Salem, North Carolina								
Number								
Low birthweight	262	90	171	-	1	5	85	171
Care beginning in first trimester	2,131	1,226	878	5	22	153	1,072	878
Late or no care	81	20	60	-	1	4	16	60
Percent								
Low birthweight	10.3	6.6	14.8	*	*	*	7.4	14.8
Care beginning in first trimester	84.4	91.3	76.2	*	91.7	80.5	93.1	76.2
Late or no care	3.2	1.5	5.2	*	*	*	*	5.2
Worcester, Massachusetts								
Number								
Low birthweight	169	139	24	-	6	42	100	21
Care beginning in first trimester	2,114	1,776	202	9	127	465	1,353	159
Late or no care	37	27	8	1	1	8	19	8
Percent								
Low birthweight	7.1	7.1	10.0	*	*	8.1	6.7	10.8
Care beginning in first trimester	89.4	90.5	84.2	*	85.2	89.4	91.0	81.5
Late or no care	1.6	1.4	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1995

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Yonkers, New York								
Number								
Low birthweight	216	122	80	-	14	62	54	74
Care beginning in first trimester	1,725	1,287	311	1	126	475	771	297
Late or no care	138	88	41	2	7	49	31	38
Percent								
Low birthweight	8.0	6.4	13.2	*	*	7.5	5.4	12.8
Care beginning in first trimester	72.7	75.6	63.3	*	72.0	66.2	83.5	63.3
Late or no care	5.8	5.2	8.4	*	*	6.8	3.4	8.1

- Quantity zero.

* Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

(1) Data not shown for non-Hispanic births of other races and births with origin not stated.

(2) Includes Aleuts and Eskimos.